

Centre for Entomological Studies Ankara Memoirs

ISSN 1015-8227

10 12 2007

Nr. 3 & 4

Results of the International Projects of the CESA on the
Lepidoptera of the World

I

Ahmet Ömer Koçak Muhabbet Kemal

(Editors)

Van 2007

Results of the International Projects of the CESA on the Lepidoptera of the World- I.
published in Memoirs vols. 3 & 4 (ISSN 1015-8227)

© Cesa, 2007

Website: <http://www.cesa-tr.org>

The whole study should be mentioned as follows;

Koçak,A.Ö. & M. Kemal (eds.), 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: v+ 1-1989, 49 Pls.

An example for the citing of a part of this study:

Koçak,A.Ö., Kemal,M. & S.Seven, 2007,
Chapter 14: Illustrated list of the Lepidoptera recorded in Iran, [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 1790-1848,Pls.

Authors and Titles of the Chapters

Koçak,A.Ö.,

Chapter 1: General Information [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I.....**page 2**

Kemal,M. Seven,S. & A.Ö.Koçak,

Chapter 2: Valid Genus Group Names (Genera, Subgenera, and Sections) recorded in the Databank of the CESA [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I.....**page 23**

Koçak,A.Ö., Seven,S. & M.Kemal,

Chapter 3: Valid Species Group Names (Species and Subspecies) recorded in the Databank of the CESA [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I.....**page 143**

Koçak,A.Ö. & M.Kemal,

Chapter 4: Bibliography of the Lepidoptera (BL) [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I.....**page 1117**

Koçak,A.Ö. & M.Kemal & S.Seven,

Chapter 5: Original references to the genus- and species group names of the Lepidoptera [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I.....**page 1268**

Koçak,A.Ö. & M.Kemal,

Chapter 6: Results of the researches on the animal-plant interaction: Food-plants of the Lepidoptera (FL), [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World-I.**page 1589**

Koçak,A.Ö. & M.Kemal,

Chapter 7. Illustrated list of the Lepidoptera recorded in the Transvaal (South Africa), [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I.....**page 1645**

Kemal,M. & A.Ö.Koçak,

Chapter 8: Illustrated list of the Lepidoptera recorded in Uighur Ili, [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I.**page 1685**

Kemal,M. & A.Ö.Koçak,

Chapter 9: List of the Lepidoptera recorded in Iraq, [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I.....**page 1718**

Koçak,A.Ö. & M.Kemal,

Chapter 10: Illustrated list of the Lepidoptera recorded in Doi Inthanon (North Thailand), [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I.....**page 1740**

Kemal,M., Koçak,A.Ö. & P.Leksawasdi, Chapter 11: Illustrated list of the Lepidoptera recorded in Chiang Dao (North Thailand), [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I.....	page 1745
Koçak,A.Ö. & M.Kemal, Chapter 12: Illustrated list of the Lepidoptera recorded in Chiang Mai University Campus (North Thailand), [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I.....	page 1760
Koçak,A.Ö. & M.Kemal, Chapter 13. List of the Lepidoptera recorded in Afghanistan, [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I.....	page 1766
Koçak,A.Ö., Kemal,M. & S.Seven, Chapter 14: Illustrated list of the Lepidoptera recorded in Iran, [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I.....	page 1790
Koçak,A.Ö. & M.Kemal, Chapter 15: Illustrated list of the Lepidoptera recorded in the Philippines, [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I.....	page 1849
Koçak,A.Ö. & M.Kemal, Chapter 16: Lepidoptera fauna of Eretna Sultanate in Asia Minor (LER) [in] Koçak,A.Ö. & M.Kemal, Results of the Historical International Projects of the CESA on the Lepidoptera of the World- I.....	page 1918
Plates 1-49.....	page 1990

This study
is dedicated to the Uighur People

Results of the International Projects of the CESA on the Lepidoptera of the World- I

Ahmet Ömer Koçak & Muhabbet Kemal
(Editors)

Abstract: Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: v+1-1989pp., 49 Col. Plates.

The first results of the twentyfour major scientific projects of the Centre for Entomological Studies Ankara (CESA) are presented. The Scientific research activities of the CESA are compiled under the following Project titles: (1) Diversity of the Lepidoptera in the World (DLW); (2) Researches on the animal- plant interaction: Foodplants of the Lepidoptera (FL); (3) Bibliography of the Lepidoptera (BL); Secondary Projects of the CESA: I- Faunas of Actual States: (4) Lepidoptera of Turkey (LTR); (5) Lepidoptera of the Philippines (LPH); (6) Lepidoptera of Thailand (LTH); (7) Lepidoptera of South Africa (LZA); (8) Lepidoptera of Uighur Ili (LUI); (9) Lepidoptera of Iran (LIR); (10) Lepidoptera of Ethiopia (LET); (11) Lepidoptera of Middle East (LME); (12) Lepidoptera of Indo-China (LIC); (13) Lepidoptera of Africa (LAF); (14) Lepidoptera of Orientalic Region (LOR); (15) Lepidoptera of Asia (LAS); (16) Lepidoptera of Old World (LOW); II- Faunas of Historical States: (17) Lepidoptera of Urartu (LUR); (18) Lepidoptera of Uighur State (LUI); (19) Lepidoptera of Gazne State (LGZ); (20) Lepidoptera of Seljuk State (LSE); (21) Lepidoptera of Cenghiz Khan Emperor (LCE); (22) Lepidoptera of Timur Emperor (LTI); (23) Lepidoptera of Eretna Sultanate (LER); (24) Lepidoptera of Ottoman Emperor (LOT).

The first part of the results of the projects are published by various authors in the third and fourth volumes of the Cesa's serial *Memoirs*. Aim and scopes of the projects are explained in the Chapter 1 "Introduction". Some other foreign projects on the similar subjects are compared and discussed briefly. The project, The Diversity of the Lepidoptera of the World (DLW) is introduced. The results of the project "The Diversity of the Lepidoptera in the World (DLW)" are given in the Chapter 2 as synonymous list of the valid genus-group names (8251 valid taxa) and in the Chapter 3 as synonymous list species-group names (82189 valid taxa), in accordance with the current ICZN Rules. The temporary results of the project "Bibliography of the Lepidoptera (BL)" are given as the list of the publication used in the Cesa's projects (7500 publications) in the Chapter 4. The original references to the genus- and species group names in the Lepidoptera have been preparing by the author within the project "BL". Temporary result for more than 14500 taxa is published in Chapter 5 with their original references. Some results of the following projects are also mentioned and discussed under the following chapters: In Chapter 6, results of the animal - plant interaction: Food-Plants of the Lepidoptera (FL) (for 3950 lepidopterous taxa); In Chapter 7, one of the results of the Projects, Faunas of Actual States, is published entitled "Illustrated list of the Lepidoptera recorded in the Transvaal (South Africa) (LZA)" (2125 species); In Chapter 8, one of the results of the Projects, Faunas of Actual States, is published entitled "Illustrated list of the Lepidoptera recorded in Uighur Ili (LUI)" (1271 species); In Chapter 9, one of the results of the Projects, Faunas of Actual States, is published entitled "List of the Lepidoptera recorded in Iraq (LAS)" (1184 species); In Chapter 10, one of the results of the Projects, Faunas of Actual States, is published entitled "List of the Lepidoptera recorded in Doi Inthanon (North Thailand) (LTH)" (438 species); In Chapter 11, one of the results of the Projects, Faunas of Actual States, is published entitled "Illustrated list of the Lepidoptera recorded in Chiang Dao (North Thailand)" (LTH) (618 species); In Chapter 12, one of the results of the Projects, Faunas of Actual States, is published entitled "Illustrated list of the Lepidoptera recorded in Chiang Mai University Campus (North Thailand) (LTH)" (328 species); In Chapter 13, one of the results of the Projects, Faunas of Actual States, is published entitled "List of the Lepidoptera recorded in Afghanistan (LAS)" (1599 species); In Chapter 14, one of the results of the Projects, Faunas of Actual States, is published entitled "Illustrated list of the Lepidoptera recorded in Iran (LIR)" (3295 species); In Chapter 15, one of the results of the Projects, Faunas of Actual States, is published entitled "List of the Lepidoptera recorded in the Philippines (LPH)" (2337 species), and in Chapter 16, one of the results of the Projects, Faunas of Historical States, is published entitled "Lepidoptera of Eretna Sultanate in Asia Minor (LER)" (4067 species or subspecies).

Chapter 1

"İlim almak, iğneyle kuyu kazmaktır"
Uighuran Proverb

General Information



by
Ahmet Ömer Koçak

About the Cesa Projects

In the internet site <<http://www.cesa-tr.org/Cesaprojects.htm>>, information of the “*Projects of the CESA*”¹ has been continuously announcing. The last updated information on 24th July, 2006 as follows;

Projects of the CESA

Diversity of the Lepidoptera in the World (DLW)

by

Ahmet Ömer Koçak & Muhabbet Kemal Koçak

DLW is an independent project supported by the Cesa from the year of **1998** on. The aim of this project is preparing a comprehensive database program on especially Old World Lepidoptera taxa for the scientific surveys of the Cesa researchers. It comprises, at present, **50205** valid species, as well as **20881** subspecies in **7265** valid genera, subgenera or sections (**See**), and **912** family group names among the **79278** taxa (**Table 1**). Original references, synonyms, vernacular names, distributional information of **5460** localities, provinces or states in the world (**See**); important ecological information (food-plants, habitats, phenology, generations, etc), bibliography, etc. are also included. All the states, regions, provinces, and collecting localities were given as codes for the researches carried out by the Cesa (**Codelist**). Taxonomical evaluations of the authors are also made in the Cesa's program for the first time in the world, using the DLW program (**See**). Complementarily, thousands original digital images taken in nature, original distributional maps of the taxa are also available in the Cesa archives.

Researches on the animal- plant interaction: Foodplants of the Lepidoptera (FL)

by

Ahmet Ömer Koçak & Muhabbet Kemal Koçak

Bibliography of the Lepidoptera (BL)

by

Ahmet Ömer Koçak & Muhabbet Kemal Koçak

Secondary Projects of the CESA

by

Ahmet Ömer Koçak & Muhabbet Kemal Koçak

I- Faunas of Actual States: Lepidoptera of Turkey (LTR), Lepidoptera of the Philippines (LPH), Lepidoptera of Thailand (LTH), Lepidoptera of South Africa (LZA), Lepidoptera of Uighur Ili (LUI), Lepidoptera of Iran (LIR), Lepidoptera of Ethiopia (LET), Lepidoptera of Middle East (LME), Lepidoptera of Indo-China (LIC), Lepidoptera of Africa (LAF), Lepidoptera of Orientalic Region (LOR), Lepidoptera of Asia (LAS), Lepidoptera of Old World (LOW)

II- Faunas of Historical States: Lepidoptera of Urartu (LUR), Lepidoptera of Uighur State (LUI), Lepidoptera of Gazne State (LGZ), Lepidoptera of Seljuk State (LSE), Lepidoptera of Cenghiz Khan Emperor (LCE), Lepidoptera of Timur Emperor (LTI), Lepidoptera of Eretna State (LER), Lepidoptera of Ottoman Emperor (LOT)

updated 24th July, 2006 - Cesa ©1999-2006

Authorship

¹ Centre for Entomological Studies Ankara (Cesa): <http://www.cesa-tr.org/>

All the scientific activities within the projects cited above have been carrying out by Ahmet Ömer Koçak and Muhabbet Kemal Koçak. Their scientific responsibilities have been already explained in the following internet site: <<http://www.cesa-tr.org/Organ.htm>>. In the present reports some Chapters have been published by three authors, namely Ahmet Ö. Koçak, Muhabbet Kemal and Selma Seven.

Diversity of the Lepidoptera in the World (DLW)

This is an independent project supported by the Cesa from the year of 1998 on. The aim of this project is preparing a comprehensive database program on especially Old World Lepidoptera taxa for the scientific surveys of the Cesa researchers. Although it has been announced for the last time that the total number of the valid taxa is 79278 (see above), the total number increased for today [9 December, 2007] to 92870. The names of the taxa within the Database program of the Cesa have been checking up continuously. In spite of this, there are still many names should be corrected (see also editorial notes below).

DLW project is not only based upon the published information of the Lepidoptera taxonomy, fauna and ecology, but also upon the field experiences of the authors in the 22 states in the Old World so far. In the last updated Database Program of the Cesa, more than 87000 information fields have been filled by the first author in the 10 years. Within the next 10 years, it is hoped that this number may increase to 160000 valid taxa (including genus- and species group names). In average each valid taxa has in average 5 invalid synonym or homonym names. The latters have been excluded during the calculation of the mentioned total numbers.

A complementary program of the DLW is the “Code List” prepared by the author for the localities, territories, provinces and states of the World. Totally 5717 geographical sites have been specially coded, where the Lepidoptera species have been recorded. The list of the code has been currently placed in our Internet Site: <<http://www.members.tripod.com/Cesa88/Code.pdf>>

Technical Information

DLW is based upon the database program arranged by the first author in FoxPro 2.5 and 2.6 (DOS & WINDOWS) Versions. Previous database files on the same subject prepared in DBase Super Plus III have been adopted to FoxPro. First attempt in preparing such a program was made by the author in 1987. At that time, the faunal information on the Palaearctic Lepidoptera has been typed into several faunal.dbf by the author himself. More than 100000 information fields have been filled so far.

In 1998 the present DLW files has been prepared at first for the West Asiatic countries. Later, the covering area has been expanded to the Old World states. At present, it is also interested in Neotropical Region as well to some degree.

As already mentioned above, the valid taxa, placed in this program, is over 92800. For each taxon the following major information fields are used: Family, classification code, categories [family, genus, species, subspecies], valid taxon name [name combination author and date of publication], synonyms [arranged chronologically], type of scientific name, type locality, vernacular names [English, Turkish, Uighurian], range [states, countries, regions, and collecting localities are given as codes (see list of the codes)], flight activities, basking, drinking, hill-topping, patrolling behaviour of the butterflies, migration, presence, oviposition, pupation, hibernation, endemism, distribution type, pest and references, parasites, predators, feeding types, phagism, baits for collecting, fruit-piercing and zoophilous species, larval food-plants, adult food-plants, habitats, habitat types, threatened species, cytological information, phenology, and vertical distribution.

The scientific sources for this program are found in Cesa's Library. Information of the significant collection of the Lepidoptera (more than 200.000 specimens), as well as the photo and video archives of the Cesa are widely used for this purpose.

Temporary results of the project DLW are presented in the Chapter 4.

Researches on the animal- plant interaction: Foodplants of the Lepidoptera (FL)

Information on the Lepidoptera – Plant Interactions has been announced by the authors in the following Internet site <<http://www.cesa-tr.org/Lepplant.htm>>. Last update of that page is 16th July 2006. According to the page, larval food plant known species in the database of the Cesa was 3320. At the present time, this number increased to 4107 [stand 14 March, 2007]. These species are listed in the Chapter 6. Original Illustrations of some food-plants and early stages of some Lepidoptera are also added.

Bibliography of the Lepidoptera (BL)

Information on the Bibliography of the Lepidoptera (BL) been announced by the authors in the following Internetsite <<http://www.anzwers.org/free/cesa/Lib.htm>> or <<http://www.cesa-tr.org/Lib.htm>> Last update of that page is 15th September 2006. Within the site "Library and the Databank" totally 7375 publications have been announced. At present the recorded number increased to 7500. The estimated number of the publications in the Cesa Library is more than 15000. Data have been typing by the author. Separately, original references to the genus- and species group names of the Lepidoptera have been preparing by the author. More than 14500 references prepared and listed in the Chapters 4 and 5.

Secondary Projects of the CESA

Under this title totally 21 major faunal projects have been organized by the Cesa. They have been divided into two groups: I- Faunas of Actual States, and II- Faunas of Historical States.

I- Major Projects on the Faunas of Actual States: Lepidoptera of Turkey (LTR)², Lepidoptera of the Philippines (LPH)³, Lepidoptera of Thailand (LTH)⁴, Lepidoptera of South Africa (LZA)⁵, Lepidoptera of Uighur Ili (LUI)⁶, Lepidoptera of Iran (LIR)⁷, Lepidoptera of Ethiopia (LET), Lepidoptera of Middle East (LME), Lepidoptera of Indo-China (LIC)⁸, Lepidoptera of Africa (LAF), Lepidoptera of Orientalic Region (LOR), Lepidoptera of Asia (LAS)⁹, Lepidoptera of Old World (LOW)¹⁰

All these projects are based on the published information and field Works of the authors. There is no dead-line in completing these projects. In the following chapters of this publication, some intermediate results of these projects are submitted: The selected titles are as follows; List of the Lepidoptera recorded in Afghanistan (LAS)¹¹; Illustrated list of the Lepidoptera recorded in Artvin Province (North East Turkey) (LTR); Illustrated list of the Lepidoptera recorded in Balıkesir Province (North West Turkey) (LTR); Illustrated list of the Lepidoptera recorded in Tunceli Province (East Turkey) (LTR); Illustrated list of the Lepidoptera recorded in Van Province (East Turkey)¹² (LTR); Illustrated list of the Lepidoptera recorded in Istanbul Province (North West Turkey) (LTR); Illustrated list of the Lepidoptera recorded in Mersin Province (South Turkey) (LTR); Illustrated list of the Lepidoptera recorded in Iran (LIR); List of the Lepidoptera recorded in Iraq (LAS); Illustrated list of the Lepidoptera recorded in the Transvaal (South Africa) (LZA); Illustrated list of the Lepidoptera recorded in Uighur Ili (LUI); Illustrated list of the Lepidoptera recorded in Chiang Mai University Campus (North Thailand) (LTH); Illustrated list of the Lepidoptera recorded in Doi Inthanon (North Thailand) (LTH); Illustrated list of the Lepidoptera recorded in Chiang Dao (North Thailand) (LTH); Illustrated list of the Lepidoptera recorded in the Philippines (LPH).

II- Faunas of Historical States: Lepidoptera of Urartu (LUR), Lepidoptera of Uighur State (LUI), Lepidoptera of Gazne State (LGZ), Lepidoptera of Seljuk State (LSE), Lepidoptera of Cenghiz Khan Emperor (LCE), Lepidoptera of Timur Emperor (LTI), Lepidoptera of Eretna Sultanate (LER)¹³, Lepidoptera of Ottoman Emperor (LOT)

This is another incomparable Project groups of the Cesa. The taxonomical and faunistical studies have been conducting by the scientists in the World within nearly two centuries. The authors of such studies dedicate frequently the scientific names of the new taxa to the actual states, territories, or to their collaborating friends. Rarely, some authors interested very much in the history; therefore they prefer dedicating the new scientific names to the historical states, territories, or important personalities. We have also special interest in this subject. Selected examples about the historical scientific names of the Lepidoptera downloaded from the database of the Cesa are listed below:

Nemophora **eretna** Kemal & Koçak, 2006 (Adelidae)
Callimorpha dominula **persica** Le Cerf, 1913 (Arctiidae)
Epatolmis **caesarea** (Goeze, 1781) (Arctiidae)
Nebractia **semiramis** (Staudinger, 1892) (Arctiidae)
Cymothoe **reginaelisabethae** Holland, 1920 (Argynnididae)
Euphydryas (Eurodryas) desfontainii **baetica** (Rambur, 1858) (Argynnididae)

² Total number of the species recorded in the Database of the Cesa is 5062.

³ Total number of the species recorded in the Database of the Cesa is 2344. See also Chapter 15.

⁴ Total number of the species recorded in the Database of the Cesa is 4284.

⁵ Total number of the species recorded in the Database of the Cesa is 7510 in South Africa only. Separately, number of the species of Transvaal in 2125. See also Chapter 7.

⁶ Total number of the species recorded in the Database of the Cesa is 1271. See also Chapter 8.

⁷ Total number of the species recorded in the Database of the Cesa is 3295. See also Chapter 14.

⁸ Total number of the species recorded in the Database of the Cesa is 10865. See also Webpage: <http://www.cesa-tr.org/cmubutt.htm>

⁹ Total number of the species recorded in the Database of the Cesa is 42245. See also Webpage: <http://www.cesa-tr.org/cmubutt.htm>

¹⁰ Total number of the species recorded in the Database of the Cesa is more than 55000.

¹¹ Total number of the species recorded in the Database of the Cesa is 1599.

¹² Total number of the species recorded in the Database of the Cesa is 928. See also

Webpage: <http://www.members.tripod.com/entcesa/Howmany.htm>

¹³ Total number of the species and subspecies recorded in the Database of the Cesa is 4067.

Melitaea (*Didymaeformis*) *saxatilis* **sassanides** Higgins, 1935 (Argynniidae)
 Melitaea **sarvistana** Wiltshire, 1941 (Argynniidae)
 Thaleropsis **ionia** (Eversmann, 1851) (Argynniidae)
 Dyspessa **hethitica** Daniel, 1932 (Cossidae)
 Stygioides **colchica** (Herrich-Schäffer, [1851]) (Cossidae)
 Scopula **caesaria** (Walker, 1861) (Geometridae)
 Carcharodus (*Lavatheria*) *stauderi* **ramses** Reverdin, 1914 (Hesperiidae)
 Erynnis (s.str.) *tages* **cervantes** (De Graslin, 1836) (Hesperiidae)
 Gegeres **nostradamus** (Fabricius, 1793) (Hesperiidae)
 Pseudocoladenia dan **fatih** (Kollar, [1844]) (Hesperiidae)
 Chloroselas *esmeralda* **bilqis** T. Larsen, 1983 (Lycaenidae)
 Plebejus (*Plebejides*) *nichollae* **cleopatra** Hemming, 1934 (Lycaenidae)
 Polyommatus (*Aricia* (s.str.)) **artaxerxes** (Fabricius, 1793) (Lycaenidae)
 Polyommatus (s.str. (*Agrodiaetus* (*Actisia*))) **firdussii** (Forster, 1956) (Lycaenidae)
 Polyommatus (s.str. (*Agrodiaetus* (*Antidolus*))) **mithridates** (Staudinger, 1878) (Lycaenidae)
 Polyommatus (s.str. (*Agrodiaetus* (*Transcaspus*))) *kendevani* **pseudoxerxes** (Forster, 1956) (Lycaenidae)
 Polyommatus (s.str. (*Agrodiaetus* (*Xerxes*))) **xerxes** (Staudinger, 1899) (Lycaenidae)
 Polyommatus (s.str. (*Neolysandra*)) *coelestinus* **hofizi** (Bernardi, 1964) (Lycaenidae)
 Satyrium (*Superflua*) **sassanides** (Kollar, [1849]) (Lycaenidae)
 Thersamonia (s.str.) *asabinus* **satraps** (Staudinger, 1878) (Lycaenidae)
 Acronicta (*Viminia*) **saadi** Brandt, 1938 (Noctuidae)
 Parnassius (s.str.) *actius* **brutus** Bryk, 1914 (Papilionidae)
 Parnassius (s.str.) *actius* **caesar** Groum-Grshimailo, 1885 (Papilionidae)
 Parnassius (s.str.) *actius* **cleopatra** Bryk & Eisner, 1935 (Papilionidae)
 Colias (*Eriocolias*) **marcopolo** Groum-Grshimailo, 1888 (Pieridae)
 Gonepteryx (*Isogonepteryx*) **cleopatra** (Linnaeus, 1767) (Pieridae)
 Polycæna **tamerlana** Staudinger, 1886 (Riodinidae)
 Polycæna *tamerlana* **timur** Staudinger, 1886 (Riodinidae)
 Brintesia *circe* **hispanica** (Spuler, 1908) (Satyridae)
 Coenonympha **saadi** (Kollar, [1849]) (Satyridae)
 Erebia **hispania** Butler, 1868 (Satyridae)
 Hyponephele (s.str. (*Turaninephele*)) **urartua** De Freina & Aussem, [1987] (Satyridae)
 Hyponephele *cheena* **iskander** (Hemming, 1941) (Satyridae)
 Karanasa *decolorata* **iscander** Avinoff & Sweadner, 1951 (Satyridae)
 Lasioommata *menava* **nasshreddini** (Christoph, 1877) (Satyridae)
 Pseudochazara (s.str.) **xerxes** (Gross & Ebert, 1975) (Satyridae)
 etc.


Lepidoptera of Eretna Sultanate (LER) is an incomparable Project of the Cesa. It comprises the Lepidoptera species and subspecies, inhabiting in the territories of the Eretna Sultanate in history. Totally 4067 taxa have been listed in the Chapter 16 for this purpose.

Editorial


Mistakes in every enormous study may appear. This case should be considered by the scientists reasonable. Constructive criticisms are always welcomed.

Some time ago, I have been severely criticized by some British lepidopterists due to my some scientific activities. For that reason, and in order to prevent some destructive approaches to us, I feel myself responsible to explain some realities about the incompleteness or errors in taxonomy or in other subjects, existing in some well known studies of the western scientists. Some selected documents are mentioned below (Documents 1-20)¹⁴:


¹⁴ For more information see: Koçak, A.Ö. & M. Kemal, 2001, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J. Scoble (Lepidoptera) I. Cent. ent. Stud., Misc. Pap. 77: 1-8. - Koçak, A.Ö. & M. Kemal, 2002, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J. Scoble (Lepidoptera) II. Cent. ent. Stud., Misc. Pap. 86: 1-2. - Kemal, M. & A.Ö. Koçak, 2004, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J. Scoble (Lepidoptera) - III. Cent. ent. Stud., Misc. Pap. 90: 1-5. - Kemal, M. & A.Ö. Koçak, 2006, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J. Scoble (Lepidoptera) - IV. Cent. ent. Stud., Misc. Pap. 97: 6-7. - Koçak, A.Ö. & M. Kemal, 2006, Corrections on the publication entitled "Moths of Thailand vol. two, Sphingidae" published in 1997 by H. Inoue, R.D. Kennett and I.J. Kitching (Lepidoptera). Cent. ent. Stud., Misc. Pap. 94: 1-2. - Koçak, A.Ö. & M. Kemal, 2006, Corrections on the publication entitled "Moths of Thailand, vol. Three, Noctuidae, Part I" published in 2005 by V.S. Kononenko and Bro. Pinratana (Lepidoptera). Cent. ent. Stud., Misc. Pap. 93: 1-8, 1 Tab.




Document 1 – In this example (1) Alvand Mountain has been placed in Iraq territories instead of Iran; (2) Ordubad has been placed in Armenia, instead of Azerbaijan (Scoble, 1999).



Document 2 – In this example Manissadjan [Staudinger's collector] has been treated as a geographical region and explained as if it were in Central Asia! Moreover, Malatia has been corrected as Malatya but considered as a place in Central Asia, not in Turkey! (Scoble, 1999).



Document 3 – In this example Kasikoparan has been treated as a geographical place in Armenian territories not in North East Turkey! (Scoble, 1999).



Document 4 – In this example Gülek has been treated as a geographical place in Bulgaria, not in South Turkey! (Scoble, 1999).

bidentatus bidentatus Shchetkin & Viidalepp, 1980, in Viidalepp & Shchetkin, *Eesti NSV Tead. Akad. Toim. (Biol.)* 29 (3): 222 [English translation p.231], pl. 1, figs 2, 3, 5, 6; text-pl. 1, figs 2, 10, 11; text-pl. 2, fig. 13, (*Dysgnophos*). Holotype ♂, [Tajikistan]: SW Pamirs, Chorog, Botanical Garden.

bidentatus maichuris Shchetkin, 1980, in Viidalepp & Shchetkin, *Eesti NSV Tead. Akad. Toim. (Biol.)* 29 (3): 224, [English translation p. 231], (*Dysgnophos*). Holotype ♂, [Turkey]: Hissar Mts, S slope, Maichuri Valley, 2000–2600 m.

bidentatus subglacialis Viidalepp, 1980, in Viidalepp & Shchetkin, *Eesti NSV Tead. Akad. Toim. (Biol.)* 29 (3): 224 [English translation p. 231], pl. 1, figs 11, 12; text-pl. 1, figs 3–5, (*Dysgnophos*). Holotype ♂, [Tajikistan]: NW Pamirs, springs of River Vantsh, near glacier Medvezij.

Document 5 – In this example Hissar Mountains has been treated as a place in Turkey erroneously, not in Tadjikistan! (Scoble, 1999).

ATLAS OF NEOTROPICAL LEPIDOPTERA			
A (Tx)	3073	<i>brunnealis</i> Dognin, 1912	Colombia
entina	3074	<i>chalcitalis</i> (Hampson, 1913) (<i>Pionea</i>), n. comb.	Colombia
	3075	<i>chalcoclora</i> (Hampson, 1966) (<i>Xanophasma</i>), n. comb.	Colombia ¹⁷⁶
maica	3976	<i>dieborda</i> (Hampson, 1913) (<i>Pionea</i>), n. comb.	Colombia
	3977	<i>distictalis</i> (Hampson, 1913) (<i>Pionea</i>), n. comb.	Colombia
ombia	3078	<i>dithyralis</i> Dognin, 1910	Peru
	3079	<i>flavinotata</i> Warren, 1892, rev. comb.	Brazil (?)
i Rep.	3080	<i>hyalopunctalis</i> Dognin, 1912	Colombia
	3081	<i>lividalis</i> Dognin, 1905	Ecuador
	3082	<i>obfuscalis</i> (Dognin, 1905) (<i>Polygrammodes</i>), n. comb.	Ecuador
l (RJ)	3083	<i>obvialis</i> (Hampson, 1913) (<i>Pionea</i>), n. comb.	Peru
rinam	3084	<i>olivalis</i> Warren, 1892	Brazil (?)
	3085	<i>pectinalis</i> (Hampson, 1913) (<i>Pionea</i>), n. comb.	Colombia
	3086	<i>rocinalis</i> (Dognin, 1897) (<i>Botys</i>), n. comb.	Ecuador
1 (RS)	3087	<i>roscalis</i> (Dognin, 1897) (<i>Botys</i>), n. comb.	Costa Rica


Document 6 – In this example date of publication of Hampson's name mentioned as "1966" erroneously! (Scoble, 1999).

<i>hortulanaria palaestinensis</i> Staudinger, 1895, <i>Dt. ent. Z. Iris</i> 7: 296, (Cidaria). Syntype(s), 'Palestine'. [Originally as var. of <i>adlata</i> .]	
<i>mosulensis</i> Schawerda, 1924, <i>Verh. zool. -bot. Ges. Wien</i> 73: (160), fig. 7, (Cidaria). Syntype(s) ♂, [Turkey]: <u>Mosul</u> .	
<i>sandosaria cineretharia</i> Amsel, 1935, <i>Mitt. zool. Mus. Berl.</i> 20 (2): 275, pl. 9, fig. 14, (Cidaria). Syntype(s), Palestine: Tabgha, See Genezareth.	C.
<i>nyctichroa</i> Hampson, 1912, <i>J. Bombay nat. Hist. Soc.</i> 21 (4): 1245, pl. G, fig. 15, (Cidaria). Syntype(s) ♂ (BMNH), India: Madras, Palnis.	
<i>permixtaria</i> Herrich-Schäffer, 1856, <i>Syst. Bearbeitung Schmett. Eur.</i> 6 (69): 16 (Index Universalis. Macrolepidoptera. Vol. 1 - 3); <i>ibidem</i> (1851), 3: pl. 84,	


Document 7 – In this example Mosul in North Iraq has been placed in Turkey! (Scoble, 1999).

<i>gnopharmia</i> Staudinger, 1895, <i>Dt. ent. Z. Iris</i> 7: 296, pl. 14, fig. 55, (Gnopharmia). Holotype ♂ (ZSBS), [Afghanistan]: Herat, 970 m.	
<i>inermis vartianae</i> Wiltshire, 1970, <i>Annln naturh. Mus. Wien</i> 74: 389, pl. 1, fig. 4, (Gnopharmia). Holotype ♂, Iran (northeast): W of Meshed.	
<i>irakensis irakensis</i> Wehrli, 1938, <i>Ent. Rdsch.</i> 55 (37): 433, (Gnopharmia). Syntypes 1 ♂, 2 ♀, Iran: <u>Rawanduz</u> .	
<i>kasrunensis</i> Wehrli, 1939, <i>Mitt. münch. ent. Ges.</i> 29 (1): 70, (Gnopharmia). Syntypes 11 ♂, 6 ♀, Iran: Kasrun, 900–240 m., Kunar Takteh.	
<i>maculifera maculifera</i> Staudinger, 1892, <i>Dt. ent. Z. Iris</i> 5: 187, pl. 2, fig. 13, (Gnopharmia). Syntypes including 4 ♂, 1 ♀ (MNHU), [Central Asia]. Samarkand.	
<i>maculifera afghanistana</i> Wiltshire, 1967, <i>Beitr. naturk. Forsch. Südwdtl.</i> 26 (3): 157, pl. 2, fig. 16; pl. 14, fig. 58, (Gnopharmia). Holotype ♂ (ZSBS),	

Document 8 – In this example Rawanduz (or Rowanduz) in North Iraq has been placed in Iran! (Scoble, 1999).



Document 9 – In this example (1) Southeastern Taurus [Toros Dağları] has been placed in Syria, instead of Turkey; (2) Arax River has been mentioned in Central Asia, instead of Transcaucasus! (Scoble, 1999).




Document 10 – In this example synonymy of a taxon has been arranged alphabetically, not chronologically as usual. Alphabetical arrangement is considered by us as inconvenient case! (Scoble, 1999).

A (Ca)	1645	<i>coccinealis</i> (Walker, 1859) (<i>Synchromia</i>)	
A (Ca)	1646	<i>cardinalis</i> (Guenée, 1854) (<i>Synchromia</i>)	Virgin Is. (St. Thomas)
A (Ca)	1647	<i>carnifex</i> (Felder & Rogenhofer, 1875) (<i>Botys</i>)	Dom. Rep. ⁵⁹
A (Ca)	1648	<i>episcopalis</i> (Herrich-Schäffer, 1871) (<i>Botys</i>)	Cuba
A (Ca)	1649	<i>*phoenicealis</i> (Hübner, 1818) (<i>Haematia</i>)	USA (Fl)
A (Az)		<i>regialis</i> (Walker, 1859) (<i>Rhodaria</i>)	USA (NY)
A (Co)		<i>noraxalis</i> (Walker, 1859) (<i>Rhodaria</i>)	?
lez Is.	1650	<i>panopealis</i> (Walker, 1859) (<i>Rhodaria</i>)	China
A (Ca)		<i>coeciliensis</i> (Walker, 1859) (<i>Botys</i>)	Dom. Rep.
A (DF)		<i>probalis</i> (Walker, 1859) (<i>Rhodaria</i>)	Brazil (RJ)
A (Tx)		<i>ocellusalis</i> (Walker, 1859) (<i>Rhodaria</i>)	Sierra Leone
(Gue)		<i>catenalis</i> (Walker, [1866]) (<i>Rhodaria</i>)	Dom. Rep.
A (Co)		<i>juncturalis</i> (Walker, [1866]) (<i>Rhodaria</i>)	India
A (Co)		<i>concatenalis</i> (Walker, 1866) (<i>Rhodaria</i>)	India
		<i>heliamma</i> (Meyrick, 1885) (<i>Myriostephes</i>)	Australia
	1651	<i>votonalis</i> Schaus, 1940	Puerto Rico
o (Jal)	1652	<i>*californicalis</i> (Packard, 1873) (<i>Botys</i>)	USA (Ca)
rtina ⁵⁵		a) <i>*californicalis</i> (Packard, 1873) (<i>Botys</i>)	USA (Ca)
mer."	1653	<i>asopialis</i> (Snellen, 1875) (<i>Eurycreon</i>), n. comb.	Colombia
mer."		<i>rhealis</i> (H. Druce, 1895) (<i>Syllythria</i>), n. syn.	Guatemala
	1654	<i>diplothaera</i> Meyrick, 1936	Venezuela
	1655	<i>pseuderosnealis</i> Munroe, 1976	USA (Tx)
ombia	1656	<i>*dapalis</i> (Grote, 1881) (<i>Botis</i>)	USA (Ca)

Document 11 – In this example a taxon has been described and named by Walker 7 times.

dor	1523	<i>piuralis</i> (Capps, 1967) (<i>Loxostege</i>)	Peru
	1524	<i>protealis</i> (Warren, 1892) (<i>Tritaea</i>)	Peru
	1525	<i>illaguensis</i> Munroe, 1978	Peru
'er)	1526	<i>rantalalis</i> (Guenée, 1854) (<i>Nymphula</i>)	[N. Amer.]
uba		<i>siriusalis</i> (Walker, 1859) (<i>Botys</i>)	USA (?)
uc)		<i>licealis</i> (Walker, 1859) (<i>Botys</i>)	USA (?)
gua		<i>murcialis</i> (Walker, 1859) (<i>Ebulea</i>)	Dom. Rep.
ia ⁵⁰		<i>nestusalis</i> (Walker, 1859) (<i>Scopula</i>)	USA (?)
		<i>diotimealis</i> (Walker, 1859) (<i>Scopula</i>)	Dom. Rep.
		<i>crinisalis</i> (Walker, 1859) (<i>Scopula</i>)	?
Az)		<i>intractella</i> (Walker, 1863) (<i>Nephopteryx</i>)	USA (?)
Az)		<i>crinitalis</i> (Lederer, 1863) (<i>Botys</i>), emend.	?
Pa)		<i>posticata</i> (Grote & Robinson, 1867) (<i>Botys</i>)	USA (Pa)
Az)		<i>subfulvalis</i> (Herrich-Schäffer, 1871) (<i>Botys</i>)	Cuba
Jal)		<i>communis</i> (Grote, 1876) (<i>Botis</i>)	USA (NY)
ner.		<i>nodalis</i> (Gundlach, 1881) (<i>Eurycreon</i>), missp.	
Az)		<i>viscendalis</i> (Möschler, 1890) (<i>Botys</i>), n. syn.	Puerto Rico
Az)		<i>collucidalis</i> (Möschler, 1890) (<i>Eurycreon</i>)	Puerto Rico
Co)		<i>visendalis</i> (Hampson, 1899) (<i>Pyrausta</i>), missp.	
uba		<i>caffrei</i> (Flint & Malloch, 1920) (<i>Pyrausta</i>)	USA (Il)
Az)	1527	<i>*occidentalis</i> (Packard, 1873) (<i>Scopula</i>)	USA (Ca)
uela	1528	<i>similalis</i> (Guenée, 1854) (<i>Nymphula</i>)	[Uruguay]
LP)		<i>ferruginea</i> (Warren, 1892) (<i>Tritaea</i>)	Chile

Document 12 – In this example a described taxon has been described again by Walker 7 times.



Document 13 – In this example a described generic taxon has been described again by Moore 37 times.

HISTORY MUSEUM

Home | Visit us | Nature online | Kids only | Education | Take part | Buy online

Back to: Projects You are here: Home > Research & curation > Projects > The Global Lepidoptera Names Index

The Global Lepidoptera Names Index

Home Search Advanced search Help Data protection Login

Glossary Return to list Search again

Taxa in this genus:
 luzonica


Current Comb: *ASURA*
 Original Comb: Wileman
 MS Comb:
 Superfamily: Noctuoidea
 Family: Arctiidae
 Subfamily: Lithosiinae
 Tribe:
 Last updated by A. Giusti - 19/02/2003

FRONT 5 797
 luzonica Wileman.
 BACK Wileman,
 LARGE Philippines


Name Combs Old Combs MS Comb. Lecto/Neo Types More Refs Distribution Location

Original publication details:
 Scientific Name of Taxon: *luzonica*
 Current Status: ?
 Original Rank: ?
 Current Rank: ?

Document 14 – In this example an information card of the British Museum has been illustrated for the use of the scientist in the Internet site of the Global Lepidoptera Names Index. Last updated by A. Giusti – 19/02/2003



Document 15 – In this example another information card “orleans” of the British Museum has been illustrated for the use of the scientist in the Internet site of the Global Lepidoptera Names Index.



Document 16 – In this example another information card “formosana” of the British Museum has been illustrated for the use of the scientist in the Internet site of the Global Lepidoptera Names Index.

The Global Lepidoptera Names Index

Home	Search	Advanced search	Help	Data protection	Login
------	--------	-----------------	------	-----------------	-------

Glossary
Return to list

Taxa in this genus:
 ! crocalis

FRONT

BACK

LARGE

217

crocalis Hampson.


Hampson. Ill.Het.8.:131,pl.154.f.7 Phlyctaenodes

S.India,Ceylon

Current Comb:	LOXOSTEGE
Original Comb:	Hampson. ?
MS Comb:	
Superfamily:	Pyraloidea
Family:	Crambidae
Subfamily:	Pyraustinae
Tribe:	

Last updated by G. W. Beccaloni - 11/04/2003

Document 17 – In this example another information card “crocalis” of the British Museum has been illustrated for the use of the scientist in the Internetsite of the Global Lepidoptera Names Index last updated by G.W.Beccaloni in 11/04/2003. The specific name “crocalis Hampson” has been attributed erroneously to the genus name “Phlyctaenodes” (see card above).



Document 18 – In the previous document (17) date of publication was omitted by Beccaloni. This document shows that the unknown date of publication of crocalis is “1891” (ex Cesa Library) (see also card above).

<i>Botys incoloralis</i> , Cotes & Swinh. M. I. p. 595.	
<i>Botys ruficostalis</i> , Led. Verh. z.-b. Ges. Wien. 1855, p. 217.	989.
<i>Spilodes melonalis</i> , Walk., Cotes & Swinh. l. c. p. 607.	990.
<i>Botys albidalis</i> , Walk., Cotes & Swinh. l. c. p. 593.	
S. slopes, 3000 feet.	
977. <i>Opsibotys crocalis</i> , Hampsn. p. 131, Pl. CLIV. f. 7. S. slopes, 3000 feet. From Mr. Lindsay's collection.	991.
978. <i>Opsibotys nubilalis</i> , Hampsn. p. 132, Pl. CLIV. f. 12.	
The plateau, 6700 feet. March.	992.
979. <i>Opsibotys tinctalis</i> , Hampsn. p. 132, Pl. CLIV. f. 6. The plateau, 6700 feet. Jan., March.	
980. <i>Opsibotys coorumba</i> , Hampsn. p. 132, Pl. CLIV. f. 13. W. slopes, 3000 feet. Sept.	

Document 19 – In the previous document (17) original genus name of the species *crocalis* has been indicated by Beccaloni as “Phlyctaenodes” (see card above). This document is a copy of the original reference of the species *crocalis* Hampson. Original genus name of the species *crocalis* can be easily seen as “Opsibotys” not “Phlyctaenodes”, claimed by British Museum! (ex Cesa Library)



Document 20 – In the previous document (17) original genus name of the species *crocalis* has been indicated by Beccaloni as “Phlyctaenodes” (see card above). This document is a copy of the plate of the original reference of the species *crocalis* Hampson. Original genus name of the species *crocalis* can be easily seen as “Opsibotys” also in the Plate 154 fig. 7, not “Phlyctaenodes”, claimed by British Museum! (ex Cesa Library).

The documents numbered 1-5 and 7-9 are on the incorrect geographical information of type localities of some Geometrid moths published by the Natural History Museum, London in 1999 (for more information see footnote). It is very easy to see the information underlined in the related documents are wholly baseless; therefore they cannot be universalized. We abstain from giving detailed comment about them.

In the document 10, presenting the synonymic list of the names has been exemplified. Synonymous names are currently presented in chronological order. We find this application very useful as we would like to see the historical

information of the taxon. We believe that arranging the synonymous names in alphabetical order is due to lacking some technical information during the preparing the Database Programs. This case has also some other disadvantages when preparing the index of the names cf. Scoble, 1999.

The documents 11-13 shows the unnecessary synonyms proposed by the prominent scientists for a single taxon. This case is very frequently seen in the Lepidopterozoology. In the document 11 and 12, Walker proposed 7 different names for a single taxon. In the document 13, Moore proposed 37 different generic names for a single taxon. This case brings a great confusion only to the science. A special program by the Cesa for determining the success of the taxonomists will be explained and discussed below.

The documents 14-16 are the information cards of the British Museum, upon which the well known database program "The Global Lepidoptera Name Index" based. Those cards unfortunately have no sufficient information, although they were updated by the authorities of the British Museum. Moreover, this case is not rare in this database program. On the other hand, a special case is related with the date of publication of "crocalis Hampson" and the original combination of it. In the British Museum card, given in the Document 17, date of publication is unknown according to G.W.Beccaloni (updated in 11/4/2003). In the card, it is clearly seen that the pyralid species crocalis described by Hampson as a species of Phlyctaenodes (confirmed by G.W.Beccaloni in 11/4/2003). Now let us look at the Hampson's publication front cover (Document 18), in which crocalis published. Date of publication "1891" may be easily seen at the bottom, although it has been ignored by the authorities of the database. As to the original combination of the species crocalis Hampson, in the Document 19, this combination is composed of the names Opsibotys and crocalis, not Phlyctaenodes crocalis as in the published British Museum information card. In the related plate 154, the figure 7 denotes Opsibotys crocalis Hampson once again, not Phlyctaenodes crocalis!

"The Global Lepidoptera Name Index" must be the most reliable database program in the World. We take it into consideration seriously.

Evaluation of the Taxonomists¹⁵

In order to determine the success of the taxonomists, a special program has been developed and applied by the Cesa. This incomparable program in the World has been announced in the following internet Site: <<http://www.anzwers.org/free/cesa/tet.htm>>. In 16 July 2006 updated page is presented below by downloading from the internet Site.

"This program is still under preparation. The temporary results, based on the databank of the CESA, are given in the table. Among more than 900 authors results of the 20 prominent authors from various countries are given below as demonstration. The valid and the synonymous names of the authors mentioned below are compiled from the current taxonomical publications of various authors".

Table 1: Taxonomic evaluation for 20 authors: A. number of the proposed generic names, B. number of the generic names in the synonymy. C. number of the proposed specific names, D. number of the specific names in the synonymy. E. number of the proposed subspecific names, F. number of the subspecific names in the synonymy. G. number of the proposed total names, H. number of the total names in the synonymy. % rate of the success. [* at the beginning stage of the evaluation] [stand 16 July 2006]

Name of Author	Evaluation of generic names			Evaluation of specific names			Evaluation of subspecific names			Evaluation of all names		
	A	B	%	C	D	%	E	F	%	G	H	%
*Schaus	30	11	63,33	505	69	86,33	16	3	81,25	551	83	84,93
Hampson	582	129	77,83	3095	426	86,23	163	26	84,04	3840	581	84,86
Meyrick	650	225	65,38	3514	430	87,76	36	8	77,77	4200	663	84,21
Staudinger	103	22	78,64	1569	344	78,07	894	184	79,41	2566	550	78,56
Moore	447	221	50,55	1055	242	77,06	644	77	88,04	2146	540	74,83
*Dyar	59	30	49,15	356	76	78,65	18	9	50,00	433	115	73,44
Fruhstorfer	7	5	28,57	274	175	36,13	1763	373	78,84	2051	557	72,84
Amsel	154	63	59,09	623	191	69,34	62	21	66,12	839	275	67,22
Butler	195	88	54,87	1111	407	63,36	695	209	69,92	2001	704	64,81
Swinhoe	109	55	49,54	624	200	67,94	186	79	57,52	919	334	63,65

¹⁵ Taxonomical evaluations of the authors are made in the Cesa's program for the first time in the world.

Mabille	73	35	52,05	530	199	62,45	233	75	67,81	836	309	63,03
Walker	833	395	52,58	2938	1058	63,98	210	83	60,47	3985	1539	61,38
Fabricius	53	11	79,24	877	404	53,93	302	112	62,91	1232	527	57,22
Hübner	892	260	70,85	1271	670	47,28	288	161	44,09	2451	1091	55,48
Denis & Schiffermüller	0	0	0	644	281	56,36	136	71	47,79	781	353	54,80
Turati	6	3	50	229	111	51,52	94	50	46,80	329	164	50,15
Esper	0	0	0	297	162	45,45	164	93	43,29	461	255	44,68
Haworth	16	4	75,00	478	326	31,79	49	34	30,61	543	364	32,96
Stephens	164	102	37,80	138	103	25,36	16	12	25,00	318	217	31,76
Verity	18	6	66,66	197	184	06,59	460	323	29,78	675	513	24,00

1999-2006 © July 16th 2006

In some publication various indelicate claims may be seen about some authors, if failure of success appears in proposing a new taxon. We regret very much about this situation. Every scientists should be well-mannered to every scientific attempt. It should not be forgotten that mistake belongs to mankind. If the examples, presented in the Tables (1-4), are examined accurately, it will be seen that there is no faultless taxonomists in the World. Perhaps only the Cesa has a living project on this subject in the World, with an vast information on more than 900 lepidopterists.

In the Table 1, the first results on this subject have been announced in our Internet Site. Together with the 20 authors, also Hampson's taxa have been evaluated in that Table. Hampson's success in proposing the genus group taxa, is 77,83 %, based upon his 582 genus group names. Among them, 129 are currently considered by the taxonomists as invalid. Hampson's success in proposing the species taxa, is 86,23 %, based upon his 3095 species names. Among them, 426 are currently considered by the taxonomists as invalid. Hampson's success in proposing the taxa at all level, is 84,86%, based upon his 3840 taxa names. Among them, 581 are currently considered by the taxonomists as invalid. Now, let us compare these rates with the information of today. When we examine the numbers in the Table 2, we may see Hampson's rates as follows; rate of successes [1] in generic names is 77,18% (based upon 653 names), [2] in species is 85,43% (based upon 3728 names), [3] in all taxa is 84,22% (based upon 4558 names). Differences of the rates are found by us insignificant (77,83 % → 77,18%; 86,23 %→85,43%, and 84,86% →84,22%). The results are scientific and we never use these results in doing someone injustice. The only reasonable evaluation should be made in the following way: "*Moore is more successful lepidopterist than Butler, or Walker*". And we demand rightfully from all other lepidopterists the same attitude to us, what we would like to do.

Table 2: Present taxonomic evaluation for 20 authors: A. number of the proposed generic names, B. number of the generic names in the synonymy. C. number of the proposed specific names, D. number of the specific names in the synonymy. E. number of the proposed subspecific names, F. number of the subspecific names in the synonymy. G. number of the proposed total names, H. number of the total names in the synonymy. % **rate of the success**. [stand 16 February 2007] Direction of the arrows (↓ or ↑) indicates that the rates of success of all names of the authors decrease or increase comparing with the previous Table.

Name of Author	Evaluation of generic names			Evaluation of specific names			Evaluation of subspecific names			Evaluation of all names		
	A	B	%	C	D	%	E	F	%	G	H	%
Schaus	32	11	65,62	580	78	86,55	20	5	75,00	662	94	85,93 ↑
Hampson	653	149	77,18	3728	543	85,43	177	27	84,74	4558	719	84,22 ↓
Meyrick	748	251	66,44	4643	542	88,32	39	8	79,48	5430	801	85,24 ↑
Staudinger	122	35	71,31	1661	409	75,37	941	217	76,93	2724	661	75,73 ↓
Moore	500	235	53,00	1410	338	76,02	699	98	85,97	2609	671	74,28 ↓
Dyar	60	31	48,33	404	84	79,20	18	9	50,00	482	124	74,27 ↓

Fruhstorfer	7	5	28,57	327	224	31,49	1931	479	75,19	2265	708	68,74 ↓
Amsel	158	64	59,49	658	206	68,69	63	22	65,07	879	292	66,78 ↓
Butler	233	102	56,22	1386	510	63,20	804	282	64,92	2423	1529	63,10 ↓
Swinhoe	143	72	49,65	1038	341	67,14	207	94	54,58	1388	507	63,47 ↓
Mabille	76	38	50,00	614	256	58,30	264	107	59,46	954	401	57,96 ↓
Walker	994	453	54,42	3821	1363	64,32	234	92	60,68	5049	1908	62,21 ↑
Fabricius	53	11	79,24	942	448	52,44	329	135	58,96	1324	594	55,13 ↓
Hübner	971	314	67,66	1328	716	46,08	301	171	43,18	2600	1201	53,80 ↓
Denis & Schiffermüller	0	0	0	654	292	55,35	138	73	47,10	792	365	53,91 ↓
Turati	7	3	42,85	255	122	52,15	95	50	47,36	357	176	50,70 ↑
Esper	0	0	0	297	161	45,79	164	93	43,29	461	254	44,90 ↑
Haworth	20	8	60,00	494	342	30,76	50	35	30,00	564	385	31,73 ↓
Stephens	181	119	34,25	150	115	23,33	16	12	25,00	347	246	29,10 ↓
Verity	18	6	66,66	199	186	06,53	461	324	29,71	678	516	23,89 ↓

Table 3: Additional taxonomic evaluation for 27 authors: A. number of the proposed generic names, B. number of the generic names in the synonymy. C. number of the proposed specific names, D. number of the specific names in the synonymy. E. number of the proposed subspecific names, F. number of the subspecific names in the synonymy. G. number of the proposed total names, H. number of the total names in the synonymy. % rate of the success. [stand 16 February 2007]

Name of Author	Evaluation of generic names			Evaluation of specific names			Evaluation of subspecific names			Evaluation of all names		
	A	B	%	C	D	%	E	F	%	G	H	%
Diakonoff	139	30	78,41	651	45	93,08	36	3	91,66	826	78	90,55
Evans	73	8	89,04	372	61	83,60	783	67	91,44	1228	136	88,92
L.B.Prout	69	15	78,26	1294	152	88,25	183	20	89,07	1546	187	87,90
Christoph	3	1	66,66	349	45	87,10	89	8	91,01	441	54	87,75
Linnaeus	10	0	100,00	712	116	83,70	303	64	78,87	1025	180	82,43
Talbot	5	1	80,00	212	48	77,35	334	51	84,73	551	100	81,85
Bethune-Baker	61	20	67,21	473	76	83,93	98	21	78,57	632	117	81,48
Brandt	4	1	75,00	245	49	80,00	89	15	83,14	338	65	80,76
Boursin	26	4	84,61	340	65	80,88	119	26	78,15	485	95	80,41
Vari	50	4	92,00	183	27	85,24	35	26	25,71	268	57	78,73
Aurivillius	100	19	81,00	400	85	78,75	166	47	71,68	666	151	77,32
Zeller	115	30	73,91	1064	261	75,46	47	13	72,34	1226	304	75,20
Ragonot	192	73	61,97	495	117	76,36	45	12	73,33	732	202	72,40
Eversmann	0	0	0	237	69	70,88	91	25	72,52	328	94	71,34
Turner	213	101	52,58	908	226	75,11	13	3	76,92	1134	330	70,89
Rebel	33	18	45,45	605	167	72,39	116	40	65,51	754	225	70,15
W.Warren	354	155	56,21	1433	391	72,71	105	35	66,66	1892	581	69,29
Rothschild	9	4	55,55	722	279	61,35	468	101	78,41	1199	384	67,97

Chrétien	19	8	57,89	230	77	66,52	10	4	60,00	259	89	65,63
Stainton	22	7	68,18	270	93	65,55	7	5	28,57	299	105	64,88
Guenée	306	119	61,11	829	287	65,37	82	33	59,75	1217	439	63,92
Herrich-Schaeffer	76	33	56,57	865	352	59,30	153	56	63,39	1094	441	59,68
Boisduval	126	62	50,79	652	271	58,43	324	115	64,50	1102	448	59,34
Treitschke	61	42	31,14	232	100	56,89	14	3	78,57	307	145	52,76
Matsumura	90	46	48,88	342	194	43,27	152	74	51,31	584	314	46,23
Billberg	74	47	36,48	2	2	0	1	1	0	77	50	35,06
Borkhausen	0	0	0	98	74	24,48	37	28	24,32	135	102	24,44

Table 4 – Total taxonomic evaluation for 47 authors: G. number of the proposed total names, H. number of the total names in the synonymy. % rate of the success. [stand 16 February 2007]

No	Name of Author (nationality)	Evaluation of all names		
		G	H	%
1.	Diakonoff (BE)	826	78	90,55
2.	Evans (GB)	1228	136	88,92
3.	L.B.Prout (GB)	1546	187	87,90
4.	Christoph (RU)	441	54	87,75
5.	Schaus (US)	662	94	85,93
6.	Meyrick (GB)	5430	801	85,24
7.	Hampson (GB)	4558	719	84,22
8.	Linnaeus (SE)	1025	180	82,43
9.	Talbot (GB)	551	100	81,85
10.	Bethune-Baker (GB)	632	117	81,48
11.	Brandt (SE)	338	65	80,76
12.	Boursin (FR)	485	95	80,41
13.	Vari (ZA)	268	57	78,73
14.	Aurivillius (SE)	666	151	77,32

15.	Staudinger (DE)	2724	661	75,73
16.	Zeller (GB)	1226	304	75,20
17.	Moore (GB)	2609	671	74,28
18.	Dyar (US)	482	124	74,27
19.	Ragonot (FR)	732	202	72,40
20.	Eversmann (RU)	328	94	71,34
21.	Turner (AU)	1134	330	70,89
22.	Rebel (AT)	754	225	70,15
23.	W. Warren (GB)	1892	581	69,29
24.	Fruhstorfer (DE)	2265	708	68,74
25.	Rothschild (GB)	1199	384	67,97
26.	Amsel (DE)	879	292	66,78
27.	Chrétien (FR)	259	89	65,63
28.	Stainton (GB)	299	105	64,88
29.	Guenée (FR)	1217	439	63,92
30.	Swinhoe (GB)	1388	507	63,47
31.	Butler (GB)	2423	1529	63,10
32.	Walker (GB)	5049	1908	62,21
33.	Herrich-Schaeffer (DE)	1094	441	59,68
34.	Boisduval (FR)	1102	448	59,34
35.	Mabille (FR)	954	401	57,96
36.	Fabricius (DE)	1324	594	55,13
37.	Denis & Schiffermüller (AT)	792	365	53,91

38.	Hübner (DE)	2600	1201	53,80
39.	Treitschke (AT)	307	145	52,76
40.	Turati (IT)	357	176	50,70
41.	Matsumura (JP)	584	314	46,23
42.	Esper (DE)	461	254	44,90
43.	Billberg (SE)	77	50	35,06
44.	Haworth (GB)	564	385	31,73
45.	Stephens (GB)	347	246	29,10
46.	Borkhausen (DE)	135	102	24,44
47.	Verity (IT)	678	516	23,89

Images and Video Archives of the Cesa

Complementarily, thousands original digital images taken in nature, original distributional maps of the taxa are also available in the Cesa archives.

Chapter 2

"Sabrın dibi altındır"

Uighurian Proverb

Valid Genus Group Names (Genera, Subgenera, and Sections) recorded in the Databank of the CESA


by

Muhabbet Kemal Selma Seven Ahmet Ömer Koçak


Abstract: Chapter 2: Valid Genus Group Names (Genera, Subgenera, and Sections) recorded in the Databank of the CESA [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 23-142. The partial results of the project "The Diversity of the Lepidoptera in the World (DLW)" are given in this Chapter as synonymous list of the valid genus-group names. Some brief explanations concerning generic checklist are given. Totally 8251 taxa are listed alphabetically under the related families. Synonymous names are given in chronological order.

Some explanations in the generic checklist


Type I



Type II



Type III



List of the Genus Group Names based upon the Databank of the Cesa

1. **Acraea (Abananote) Potts,1943** (Acraeidae) Synonym(s): *Abananote* Potts,1943
2. **Acraea (Actinote) Hübner,[1819]** (Acraeidae) Synonym(s): *Actinote* Hübner,[1819]; *Hyalites* Doubleday,[1848]; *Planema* Doubleday,[1848]; *Gnesia* Doubleday,[1848]
3. **Acraea (Altinote) Potts,1943** (Acraeidae) Synonym(s): *Altinote* Potts,1943
4. **Acraea (s.str.) Fabricius,1807** (Acraeidae) Synonym(s): *Acraea* Fabricius,1807; *Solenites* Mabilite,1887; *Phanopeltis* Mabilite,1887; *Aphanopeltis* Mabilite,1887; *Bematistes* Hemming,1935
5. **Acraea Fabricius,1807** (Acraeidae) Synonym(s): *Acraea* Fabricius,1807; *Solenites* Mabilite,1887; *Phanopeltis* Mabilite,1887; *Aphanopeltis* Mabilite,1887; *Bematistes* Hemming,1935
6. **Actinote Hübner,[1819]** (Acraeidae) Synonym(s): *Actinote* Hübner,[1819]
7. **Pardopsis Trimen,1887** (Acraeidae) Synonym(s): *Pardopsis* Trimen,1887
8. **Pareba Doubleday,[1848]** (Acraeidae) Synonym(s): *Pareba* Doubleday,[1848]
9. **Adela Latreille,1796** (Adelidae) Synonym(s): *Adela* Latreille,1796; *Capillaria* Haworth,[1828] nec Zeder,1800; *Metallitis* Sodoffsky,1837; *Aedilis* Gisl,1848 nec Audin.-Serv.,1835
10. **Cauchas Zeller,1839** (Adelidae) Synonym(s): *Cauchas* Zeller,1839; *Cyanauges* Braun,1919 nec Philippi,1865; *Chalceopla* Braun,1921
11. **Ceromitia Zeller,1852** (Adelidae) Synonym(s): *Ceromitia* Zeller,1852; *Agisana* Möschler,1883; *Exorectis* Meyrick,1906; *Ulometra* Meyrick,1912; *Trichorrhada* Meyrick,1912; *Haplotypa* Janse,1945; #*Ceromita* Nielsen,1985.
12. **Nematopogon Zeller,1839** (Adelidae) Synonym(s): *Nemophora* Hübner,[1825] nec Hoffmanns.,1798; *Nematopogon* Zeller,1839
13. **Nemophora Hoffmannsegg,1798** (Adelidae) Synonym(s): *Nemophora* Hoffmannsegg,1798; *Elasmion* Hübner,1822; *Nemotois* Hübner,[1825]; *Eutyphia* Hübner,[1825]; *Epityphia* Hübner,[1825]; *Nematophora* Agassiz,1847 nec Gry.,1840; *Ucetia* Walker,1866; *Trichofrons* Amsel,1937
14. **Agape R.Felder,1874** (Aganaiidae) Synonym(s): *Agape* R.Felder,1874; *Spilobotys* Butler,1887
15. **Asota Hübner,[1819]** (Aganaiidae) Synonym(s): *Asota* Hübner,[1819]; *Hypsa* Hübner,[1819]; *Damalis* Hübner,[1819]; *Psephea* Billberg,1820; *Euimata* Billberg,1820; *Aganais* Boisduval,1832; *Petalia* Walker,1854 nec Gry.,1838; *Aspa* Walker,1854 nec Adams,1853; *Lacides* Walker,1854; *Pseudohypsa* Kirby,1892 *Antichera* Snellen,1896
16. **Digama Moore,[1860]** (Aganaiidae) Synonym(s): *Digama* Moore,[1860]; *Bithra* Walker,1865
17. **Euplocia Hübner,[1819]** (Aganaiidae) Synonym(s): *Euplocia* Hübner,[1819]
18. **Neochera Hübner,[1819]** (Aganaiidae) Synonym(s): *Neochera* Hübner,[1819]; *Phylona* Walker,1854
19. **Peridrome Walker,1854** (Aganaiidae) Synonym(s): *Peridrome* Walker,1854; *Anagnia* Walker,1854; *Eriocrypta* Herrich-Schäffer,[1854]; *Aganopis* Herrich-Schäffer,[1856]; #*Anagina* Swinhoe,1890
20. **Phaegorista Boisduval,1836** (Aganaiidae) Synonym(s): *Phaegorista* Boisduval,1836
21. **Soloe Walker,1854** (Aganaiidae) Synonym(s): *Soloe* Walker,1854
22. **Sommeria Hübner,[1831]** (Aganaiidae) Synonym(s): *Sommeria* Hübner,[1831]
23. **Blastodacna Wocke,[1876]** (Agonoxenidae) Synonym(s): *Blastodacna* Wocke,[1876]; *Sinitinea* Yang,1977
24. **Chrysoclista Stainton,1854** (Agonoxenidae) Synonym(s): *Chrysoclista* Stainton,1854
25. **Dystebenna Spuler,1910** (Agonoxenidae) Synonym(s): *Dystebenna* Spuler,1910
26. **Haplochrois Meyrick,1897** (Agonoxenidae) Synonym(s): *Aetia* Chambers,1880 nec Agass.,1847; *Haplochrois* Meyrick,1897; *Rhadinastis* Meyrick,1897; *Tetanocentria* Rebel,1902; *Platybathra* Meyrick,1911; *Parametriotes* Kuznetsov,1916; *Synteternis* Meyrick,1922
27. **Heinemannia Wocke,[1876]** (Agonoxenidae) Synonym(s): *Tebenna* Hübner,[1825] nec Billb.,1820; *Heinemannia* Wocke,[1876];
28. **Microcolona Meyrick,1897** (Agonoxenidae) Synonym(s): *Microcolona* Meyrick,1897
29. **Platybathra Meyrick,1911** (Agonoxenidae) Synonym(s): *Platybathra* Meyrick,1911
30. **Spuleria Hofmann,1898** (Agonoxenidae) Synonym(s): *Spuleria* Hofmann,1898
31. **Alucita Linnaeus,1758** (Alucitidae) Synonym(s): *Alucita* Linnaeus,1758; *Orneodes* Latreille,1796; *Rhipidophora* Hübner,1822; *Euchiradia* Hübner,[1825]; *Alucitina* Heydenreich,1851.
32. **Microschismus T.B.Fletcher,1909** (Alucitidae) Synonym(s): *Microschismus* T.B.Fletcher,1909; *Macrembola* Meyrick,1909
33. **Pteropteryx Hannemann,1959** (Alucitidae) Synonym(s): *Pteropteryx* Hannemann,1959
34. **Aemona Hewitson,1868** (Amathusiidae) Synonym(s): *Aemona* Hewitson,1868
35. **Amathusia Fabricius,1807** (Amathusiidae) Synonym(s): *Amathusia* Fabricius,1807
36. **Amathuxidia Staudinger,[1887]** (Amathusiidae) Synonym(s): *Amathuxidia* Staudinger,[1887]
37. **Discophora Boisduval,[1836]** (Amathusiidae) Synonym(s): *Discophora* Boisduval,[1836]
38. **Enispe Doubleday,[1848]** (Amathusiidae) Synonym(s): *Enispe* Doubleday,[1848]
39. **Faunis Hübner,[1819]** (Amathusiidae) Synonym(s): *Faunis* Hübner,[1819]
40. **Melanocyma Westwood,[1858]** (Amathusiidae) Synonym(s): *Melanocyma* Westwood,[1858]
41. **Morpho Fabricius,1807** (Amathusiidae) Synonym(s): *Morpho* Fabricius,1807
42. **Stichophthalma C.Felder & R.Felder,1862** (Amathusiidae) Synonym(s): *Stichophthalma* C.Felder & R.Felder,1862
43. **Taenaris Hübner,[1819]** (Amathusiidae) Synonym(s): *Taenaris* Hübner,[1819]; *Drusilla* Swainson,1820 nec Samoul.,1819; *Hyades* Boisduval,1832; *Morphotenaris* Fruhstorfer,1893; *Elymnotaenaris* Fruhstorfer,1911
44. **Thaumantis Hübner,[1826]** (Amathusiidae) Synonym(s): *Thaumantis* Hübner,[1826]
45. **Thauria Moore,1894** (Amathusiidae) Synonym(s): *Thauria* Moore,1894
46. **Xanthotaenia Westwood,[1858]** (Amathusiidae) Synonym(s): *Xanthotaenia* Westwood,[1858]
47. **Zeuxidia Hübner,[1826]** (Amathusiidae) Synonym(s): *Zeuxidia* Hübner,[1826]
48. **Anticla Walker,1855** (Apatelodidae) Synonym(s): *Anticla* Walker,1855
49. **Apatelodes Packard,1864** (Apatelodidae) Synonym(s): *Hygrochroa* Hübner,[1823]; *Astasia* Harris,1841 nec Ehrenberg,[1830]; *Apatelodes* Packard,1864
50. **Arotros Schaus,1892** (Apatelodidae) Synonym(s): *Arotros* Schaus,1892
51. **Carnotena Walker,1865** (Apatelodidae) Synonym(s): *Carnotena* Walker,1865; *Microplastis* C.Felder,1874
52. **Cheneya Schaus,1929** (Apatelodidae) Synonym(s): *Cheneya* Schaus,1929
53. **Colla Walker,1865** (Apatelodidae) Synonym(s): *Colla* Walker,1865; *Aza* Walker,1865 nec Mulsant,1850; *Orgyopsis* C.Felder,1874; *Spanochroa* C.Felder,1874; *Prismoptera* Butler,1878; *Agriochlora* W.Warren,1901
54. **Drepatelodes Draudt,1929** (Apatelodidae) Synonym(s): *Drepatelodes* Draudt,1929
55. **Ephoria Herrich-Schäffer,1855** (Apatelodidae) Synonym(s): *Ephoria* Herrich-Schäffer,1855; *Colabata* Walker,1856

56. **Epia Hübner, [1820]** (Apatelodidae) Synonym(s): *Epia Hübner, [1820]; Anthocroca Butler, 1878*
57. **Falcatelodes Draudt, 1929** (Apatelodidae) Synonym(s): *Falcatelodes Draudt, 1929*
58. **Moeschleria Saalmüller, 1890** (Apatelodidae) Synonym(s): *Moeschleria Saalmüller, 1890*
59. **Olceclostera Butler, 1878** (Apatelodidae) Synonym(s): *Olceclostera Butler, 1878*
60. **Phiditia Möschler, 1882** (Apatelodidae) Synonym(s): *Phiditia Möschler, 1882*
61. **Prothysana Walker, 1865** (Apatelodidae) Synonym(s): *Prothysana Walker, 1865*
62. **Quentalia Schaus, 1929** (Apatelodidae) Synonym(s): *Quentalia Schaus, 1929*
63. **Rolepa Walker, 1855** (Apatelodidae) Synonym(s): *Rolepa Walker, 1855; Olenoptera Herrich-Schäffer, [1856]; Athrula Walker, 1862*
64. **Sorocaba Moore, 1882** (Apatelodidae) Synonym(s): *Centrophora Guenée, 1858 nec Gry., [1835]; Sorocaba Moore, 1882*
65. **Tamphana Schaus, 1892** (Apatelodidae) Synonym(s): *Tamphana Schaus, 1892*
66. **Tarchon Druce, 1887** (Apatelodidae) Synonym(s): *Compsa Walker, 1862 nec Perty, 1832; Mesotages C. Felder, 1874 nec Förster, 1862; Tarchon Druce, 1887; Zolessia Biezanko & Monné, 1968*
67. **Tepilia Walker, 1855** (Apatelodidae) Synonym(s): *Tepilia Walker, 1855*
68. **Thelosia Schaus, 1896** (Apatelodidae) Synonym(s): *Thelosia Schaus, 1896*
69. **Thyrioclostera Draudt, 1929** (Apatelodidae) Synonym(s): *Thyrioclostera Draudt, 1929*
70. **Zanola Walker, 1855** (Apatelodidae) Synonym(s): *Zanola Walker, 1855; Dorisia Möschler, 1883*
71. **Acantharctia Aurivillius, 1900** (Arctiidae) Synonym(s): *Acantharctia Aurivillius, 1900*
72. **Acanthofrontia Hampson, 1910** (Arctiidae) Synonym(s): *Acanthofrontia Hampson, 1910*
73. **Acerbia Sotavalta, 1963** (Arctiidae) Synonym(s): *Acerbia Sotavalta, 1963*
74. **Aedoea Turner, 1899** (Arctiidae) Synonym(s): *Aedoea Turner, 1899*
75. **Aemilia Kirby, 1892** (Arctiidae) Synonym(s): *Ameles Walker, 1855 nec Burm., [1838]; Aemilia Kirby, 1892*
76. **Afraloea Dubatolov, 2006** (Arctiidae) Synonym(s): *Afraloea Dubatolov, 2006*
77. **Afrida Möschler, 1886** (Arctiidae) Synonym(s): *Afrida Möschler, 1886*
78. **Afroarctia Toulgoet, 1978** (Arctiidae) Synonym(s): *Afroarctia Toulgoet, 1978*
79. **Afrojavanica Dubatolov, 2006** (Arctiidae) Synonym(s): *Afrojavanica Dubatolov, 2006*
80. **Afrosipharctia Dubatolov, 2006** (Arctiidae) Synonym(s): *Afrosipharctia Dubatolov, 2006*
81. **Afrowatsonius Dubatolov, 2006** (Arctiidae) Synonym(s): *Afrowatsonius Dubatolov, 2006*
82. **Agaltara Toulgoet, 1979** (Arctiidae) Synonym(s): *Agaltara Toulgoet, 1979*
83. **Agaraea Herrich-Schäffer, 1855** (Arctiidae) Synonym(s): *Agaraea Herrich-Schäffer, 1855*
84. **Aglaomorpha Koda, 1988** (Arctiidae) Synonym(s): *Aglaomorpha Koda, 1988; Neocallimorpha Dubatolov, 1990*
85. **Aglossosia Hampson, 1900** (Arctiidae) Synonym(s): *Aglossosia Hampson, 1900*
86. **Agylla Walker, 1854** (Arctiidae) Synonym(s): *Agylla Walker, 1854; Sidyma Walker, 1856; Tripura Moore, 1858; Salapola Walker, 1863; Crambomorpha R. Felder, 1874; Churinga Moore, 1878; Ghorla Moore, 1878; Hesudra Moore, 1878; Vamuna Moore, 1878; Macrocrampus Kirby, 1892; #Choria Schaus, 1894; #Salopola Schaus, 1894*
87. **Aloa Walker, 1855** (Arctiidae) Synonym(s): *Aloa Walker, 1855; Amsacta Walker, 1855; Paramsacta Hulstaert, 1923*
88. **Alpenus Walker, 1855** (Arctiidae) Synonym(s): *Alpenus Walker, 1855; Eminaria Bethune-Baker, 1908*
89. **Alphaea Walker, 1855** (Arctiidae) Synonym(s): *Alphaea Walker, 1855*
90. **Amastus Walker, 1855** (Arctiidae) Synonym(s): *Amastus Walker, 1855*
91. **Amaxia Walker, 1855** (Arctiidae) Synonym(s): *Amaxia Walker, 1855; Neaxia Hampson, 1901*
92. **Ameleta Turner, 1940** (Arctiidae) Synonym(s): *Ameleta Turner, 1940*
93. **Amerila Walker, 1855** (Arctiidae) Synonym(s): *Amerila Walker, 1855; Canopus Walker, 1855; Phryganeomorpha Wallengren, 1858; Amblythyris Mabille, 1879; Euthoracia Hulstaert, 1923; Gastrochrysis Kiriakoff, 1954*
94. **Ammalo Walker, 1855** (Arctiidae) Synonym(s): *Ammalo Walker, 1855*
95. **Amphicallia Aurivillius, 1900** (Arctiidae) Synonym(s): *Amphicallia Aurivillius, 1900*
96. **Amsacta Walker, 1855** (Arctiidae) Synonym(s): *Amsacta Walker, 1855*
97. **Amsactarctia Berio, 1938** (Arctiidae) Synonym(s): *Amsactarctia Berio, 1938*
98. **Amurphyaria Dubatolov, 1985** (Arctiidae) Synonym(s): *Amurphyaria Dubatolov, 1985*
99. **Anaphosia Hampson, 1903** (Arctiidae) Synonym(s): *Anaphosia Hampson, 1903*
100. **Anaxita Walker, 1855** (Arctiidae) Synonym(s): *Anaxita Walker, 1855; Echemis Boisduval, 1870*
101. **Andala Walker, 1855** (Arctiidae) Synonym(s): *Andala Walker, 1855*
102. **Anestia Meyrick, 1886** (Arctiidae) Synonym(s): *Anestia Meyrick, 1886; Xanthodula Butler, 1886*
103. **Apaidia Hampson, 1900** (Arctiidae) Synonym(s): *Apaidia Hampson, 1900*
104. **Apantesia Walker, 1855** (Arctiidae) Synonym(s): *Apantesia Walker, 1855*
105. **Apistosia Hübner, 1818** (Arctiidae) Synonym(s): *Apistosia Hübner, 1818*
106. **Arachnis Geyer, [1837]** (Arctiidae) Synonym(s): *Arachnis Geyer, [1837]*
107. **Arctia (Epicallia) Hübner, [1820]** (Arctiidae) Synonym(s): *Epicallia Hübner, [1820]*
108. **Arctia (Eucharia) Hübner, [1820]** (Arctiidae) Synonym(s): *Eucharia Hübner, [1820]*
109. **Arctia Schrank, 1802** (Arctiidae) Synonym(s): *Arctia Schrank, 1802; Hypercombe Hübner, [1806] (rejected); Eyprepia Ochsenheimer, 1810; Eyprepia Hübner, [1819]; Zoote Hübner, [1820]; Chelonia Godart, [1823]; Arctinia Eichwald, 1830; Callarctia Packard, 1864*
110. **Ardonea Walker, 1854** (Arctiidae) Synonym(s): *Ardonea Walker, 1854*
111. **Areas Walker, 1855** (Arctiidae) Synonym(s): *Areas Walker, 1855*
112. **Areva Walker, 1854** (Arctiidae) Synonym(s): *Areva Walker, 1854*
113. **Argina Hübner, [1819]** (Arctiidae) Synonym(s): *Argina Hübner, [1819]; Alytarchia Wallengren, 1863; Xanthesthes Rambur, 1866; Lomaspilis Felder, 1874 nec Hübn., [1825]*
114. **Argylla Walker, 1854** (Arctiidae) Synonym(s): *Argylla Walker, 1854*
115. **Arrhythmica Turner, 1940** (Arctiidae) Synonym(s): *Arrhythmica Turner, 1940*
116. **Artimelia Rambur, 1866** (Arctiidae) Synonym(s): *Artimelia Rambur, 1866*
117. **Asparus A. Watson, 1980** (Arctiidae) Synonym(s): *Asparus A. Watson, 1980*
118. **Asura Walker, 1854** (Arctiidae) Synonym(s): *Asura Walker, 1854; Pitane Walker, 1854 nec Walk., 1854; Nepita Moore, [1860]; Stonia Walker, [1865]; #Azurea Strand & Ramme, 1911*
119. **Asuridia Hampson, 1900** (Arctiidae) Synonym(s): *Asuridia Hampson, 1900*
120. **Atelophleps Turner, 1940** (Arctiidae) Synonym(s): *Atelophleps Turner, 1940*
121. **Ateucheta Turner, 1940** (Arctiidae) Synonym(s): *Ateucheta Turner, 1940*
122. **Atlantarctia Dubatolov, 1990** (Arctiidae) Synonym(s): *Atlantarctia Dubatolov, 1990*
123. **Atolmis Hübner, [1819]** (Arctiidae) Synonym(s): *Atolmis Hübner, [1819]; Gnophria Stephens, 1829*
124. **Axiopoena Ménétriés, 1842** (Arctiidae) Synonym(s): *Axiopoena Ménétriés, 1842*
125. **Balbura Walker, 1854** (Arctiidae) Synonym(s): *Balbura Walker, 1854*
126. **Barsine Walker, 1854** (Arctiidae) Synonym(s): *Barsine Walker, 1854*
127. **Bertholdia Schaus, 1896** (Arctiidae) Synonym(s): *Bertholdia Schaus, 1896*
128. **Binna Walker, [1865]** (Arctiidae) Synonym(s): *Binna Walker, [1865]*

129. **Biturix Walker, 1855** (Arctiidae) Synonym(s): *Biturix Walker, 1855*; *Biturix Hampson, 1901*
130. **Boadicea Tams, 1930** (Arctiidae) Synonym(s): *Boadicea Tams, 1930*
131. **Borearctia Dubatolov, 1985** (Arctiidae) Synonym(s): *Borearctia Dubatolov, 1985*
132. **Calamidia Butler, 1877** (Arctiidae) Synonym(s): *Calamidia Butler, 1877*; *#Callamidia Swinhoe, 1892*
133. **Calidota Dyar, 1901** (Arctiidae) Synonym(s): *Calidota Dyar, 1901*
134. **Callimorpha Latreille, 1809** (Arctiidae) Synonym(s): *Callimorpha Latreille, 1809*; *Panaxia Tams, 1939*
135. **Callindra Roeber, 1925** (Arctiidae) Synonym(s): *Callindra Roeber, 1925*
136. **Calodesma Hübner, [1820]** (Arctiidae) Synonym(s): *Calodesma Hübner, [1820]*; *Leucopsumis Hübner, [1820]*; *Pyrodesma Boisduval, 1870*; *Acribia R. Felder, 1874*; *Chamesthema R. Felder, 1874*; *Stenelopsis Butler, 1877*
137. **Calpenia (Sebastia) Kirby, 1892** (Arctiidae) Synonym(s): *Sebastia Kirby, 1892*
138. **Calpenia Moore, 1872** (Arctiidae) Synonym(s): *Calpenia Moore, 1872*
139. **Canararctia Dubatolov, 1990** (Arctiidae) Synonym(s): *Canararctia Dubatolov, 1990*
140. **Carales Walker, 1855** (Arctiidae) Synonym(s): *Carales Walker, 1855*; *Senia Möschler, 1878*
141. **Carathis Grote, 1866** (Arctiidae) Synonym(s): *Carathis Grote, 1866*
142. **Carcinarctia Hampson, 1901** (Arctiidae) Synonym(s): *Carcinarctia Hampson, 1901*
143. **Carcinopodia Hampson, 1900** (Arctiidae) Synonym(s): *Carcinopodia Hampson, 1900*
144. **Carcinopyga C. Felder & R. Felder, 1874** (Arctiidae) Synonym(s): *Carcinopyga C. Felder & R. Felder, 1874*; *Euarctia Staudinger, 1887*
145. **Caripodia Hampson, 1900** (Arctiidae) Synonym(s): *Caripodia Hampson, 1900*
146. **Caryatis Hübner, [1819]** (Arctiidae) Synonym(s): *Caryatis Hübner, [1819]*; *Asotomorpha Hulstaert, 1923*
147. **Castrica Schaus, 1896** (Arctiidae) Synonym(s): *Castrica Schaus, 1896*
148. **Castulo Walker, 1854** (Arctiidae) Synonym(s): *Castulo Walker, 1854*; *Cluaca Walker, [1865]*; *#Castula Walker, 1869*
149. **Centrarctia Dubatolov, 1990** (Arctiidae) Synonym(s): *Centrarctia Dubatolov, 1990*
150. **Chamaita Walker, 1862** (Arctiidae) Synonym(s): *Chamaita Walker, 1862*; *Homopsyche Butler, 1882*
151. **Chelis Rambur, 1866** (Arctiidae) Synonym(s): *Chelis Rambur, 1866*
152. **Chetone Boisduval, 1870** (Arctiidae) Synonym(s): *Chetone Boisduval, 1870*
153. **Chionarctia Koda, 1988** (Arctiidae) Synonym(s): *Chionarctia Koda, 1988*; *Gigantospilosoma Dubatolov, 1990*
154. **Chrysallactis Hampson, 1900** (Arctiidae) Synonym(s): *Chrysallactis Hampson, 1900*
155. **Chrysomesia Hampson, 1903** (Arctiidae) Synonym(s): *Chrysomesia Hampson, 1903*
156. **Chrysorabdia Butler, 1877** (Arctiidae) Synonym(s): *Chrysorabdia Butler, 1877*
157. **Cisthene Walker, 1854** (Arctiidae) Synonym(s): *Cisthene Walker, 1854*; *Illice Walker, 1859*; *Byssophaga Strech, 1872*; *Pyralidia R. Felder, 1874*; *Odozania Dyar, 1899*
158. **Clemensia Packard, 1864** (Arctiidae) Synonym(s): *Clemensia Packard, 1864*
159. **Composia Hübner, [1820]** (Arctiidae) Synonym(s): *Composia Hübner, [1820]*; *Cocatra Boisduval, 1870*
160. **Coscinia Hübner, [1819]** (Arctiidae) Synonym(s): *Coscinia Hübner, [1819]*
161. **Cosmethis Hübner, [1820]** (Arctiidae) Synonym(s): *Cosmethis Hübner, [1820]*
162. **Crambidia Packard, 1864** (Arctiidae) Synonym(s): *Crambidia Packard, 1864*
163. **Cratoplastis R. Felder & Rogenhofer, 1874** (Arctiidae) Synonym(s): *Cratoplastis R. Felder & Rogenhofer, 1874*
164. **Creataloum Dubatolov, 2004** (Arctiidae) Synonym(s): *Creataloum Dubatolov, 2004*
165. **Cretonotos Hübner, [1819]** (Arctiidae) Synonym(s): *Cretonotos Hübner, [1819]*; *Cretonotos Agassiz, 1847*; *Amphissa Walker, [1855] nec Ad. & Ad., 1853*; *Phissama Moore, [1860]*
166. **Ctenosia Hampson, 1900** (Arctiidae) Synonym(s): *Ctenosia Hampson, 1900*
167. **Cyana Walker, 1854** (Arctiidae) Synonym(s): *Cyana Walker, 1854*; *Bizone Walker, 1854*; *Doliche Walker, 1854*; *Isine Walker, 1854*; *Chionaema Herrich-Schäffer, [1855]*; *Clerckia Aurivillius, 1882*; *Exotrocha Meyrick, 1886*; *Neobrocha Meyrick, 1886*; *Sphragidium Butler, 1887*; *Gnophrioides Heylaerts, 1891*; *Leptothrix Heylaerts, 1892 nec Menge, 1869*; *Macronola Kirby, 1892*; *#Chionoema Hampson, 1894*; *#Chionema Swinhoe, 1901*
168. **Cyanarctia Hampson, 1901** (Arctiidae) Synonym(s): *Cyanarctia Hampson, 1901*
169. **Cybosia Hübner, [1819]** (Arctiidae) Synonym(s): *Cybosia Hübner, [1819]*; *Ectaina Rambur, 1866*
170. **Cycnia Hübner, 1818** (Arctiidae) Synonym(s): *Cycnia Hübner, 1818*; *Tanada Walker, 1856*
171. **Cymaroea Hampson, 1905** (Arctiidae) Synonym(s): *Cymaroea Hampson, 1905*
172. **Cymbalophora Rambur, 1866** (Arctiidae) Synonym(s): *Tympanophora Laboulbene, 1865 nec White, 1841*; *Cymbalophora Rambur, 1866*
173. **Cyptonychia Druce, 1899** (Arctiidae) Synonym(s): *Cyptonychia Druce, 1899*
174. **Damias Boisduval, 1832** (Arctiidae) Synonym(s): *Damias Boisduval, 1832*; *Caprimima Hampson, 1900*
175. **Dasyarctia Gaede, 1923** (Arctiidae) Synonym(s): *Dasyarctia Gaede, 1923*
176. **Detoulgoetia Dubatolov, 2006** (Arctiidae) Synonym(s): *Detoulgoetia Dubatolov, 2006*
177. **Diacrisia Hübner, [1819]** (Arctiidae) Synonym(s): *Diacrisia Hübner, [1819]*; *Euthemonia Stephens, 1828*; *Elpis Dyar, 1893*
178. **Diaphora Hübner, 1818** (Arctiidae) Synonym(s): *Diaphora Hübner, 1818*
179. **Diarhabdosia Hampson, 1900** (Arctiidae) Synonym(s): *Diarhabdosia Hampson, 1900*
180. **Diduga Moore, [1887]** (Arctiidae) Synonym(s): *Diduga Moore, [1887]*
181. **Didymonyx A. Watson, 1980** (Arctiidae) Synonym(s): *Didymonyx A. Watson, 1980*
182. **Dionychoscelis Aurivillius, 1922** (Arctiidae) Synonym(s): *Dionychoscelis Aurivillius, 1922*; *Monarctia Talbot, 1929*
183. **Diota Wallengren, 1865** (Arctiidae) Synonym(s): *Diota Wallengren, 1865*
184. **Disoidemata Hampson, 1900** (Arctiidae) Synonym(s): *Disoidemata Hampson, 1900*
185. **Disparctia Toulgoet, 1978** (Arctiidae) Synonym(s): *Disparctia Toulgoet, 1978*
186. **Divarctia Dubatolov, 1990** (Arctiidae) Synonym(s): *Divarctia Dubatolov, 1990*
187. **Dodia Dyar, 1901** (Arctiidae) Synonym(s): *Dodia Dyar, 1901*; *Hyalocoea Hampson, 1901*
188. **Dolichesia Schaus, 1911** (Arctiidae) Synonym(s): *Dolichesia Schaus, 1911*
189. **Dysschema Hübner, 1818** (Arctiidae) Synonym(s): *Dysschema Hübner, 1818*; *Hyelosia Hübner, 1818*; *Ambryllis Walker, 1855*; *Daritis Walker, 1855*; *Taxila Walker, 1855 nec Doubl., 1847*; *Addua Walker, 1862*; *Thebrone Boisduval, 1870*; *Aphisaon Boisduval, 1870*; *Dorimena Boisduval, 1870*; *Ambrysis Burmeister, 1878*
190. **Ebertarctia Dubatolov, 2004** (Arctiidae) Synonym(s): *Ebertarctia Dubatolov, 2004*
191. **Ectypia Clemens, 1861** (Arctiidae) Synonym(s): *Ectypia Clemens, 1861*; *Euverna Neumoegen & Dyar, 1893*
192. **Eilema Hübner, [1819]** (Arctiidae) Synonym(s): *Eilema Hübner, [1819]*; *Systropha Hübner, [1819] nec Illig., 1806*; *Piesta Billberg, 1820*; *Hilema Agassiz, 1847*; *Collita Moore, 1878*; *Ilema Hampson, 1900*; *Lophilema Aurivillius, 1910*; *Colinia Agenjo, 1977 nec Cossm., 1906 non Nuttall, 1832*
193. **Elysium Walker, 1855** (Arctiidae) Synonym(s): *Elysium Walker, 1855*
194. **Eospilarctia Koda, 1988** (Arctiidae) Synonym(s): *Eospilarctia Koda, 1988*
195. **Epatolmis Butler, 1877** (Arctiidae) Synonym(s): *Epatolmis Butler, 1877*
196. **Epeiromulona Field, 1952** (Arctiidae) Synonym(s): *Epeiromulona Field, 1952*
197. **Epicrisias Dyar, 1912** (Arctiidae) Synonym(s): *Epicrisias Dyar, 1912*
198. **Epilacydes Butler, 1875** (Arctiidae) Synonym(s): *Epilacydes Butler, 1875*
199. **Epimolis Dyar, 1913** (Arctiidae) Synonym(s): *Epimolis Dyar, 1913*

200. *Epimydia* Staudinger, 1892 (Arctiidae) Synonym(s): *Epimydia Staudinger, 1892*
201. *Estigmene* Hübner, [1820] (Arctiidae) Synonym(s): *Estigmene Hübner, [1820]; Leucartia Packard, 1864*
202. *Eucallimorpha* Dubatolov, 1990 (Arctiidae) Synonym(s): *Eucallimorpha Dubatolov, 1990*
203. *Euchaetes* Harris, 1841 (Arctiidae) Synonym(s): *Euchaetes Harris, 1841; Protomolis Hampson, 1901; Stenophaea Hampson, 1901; Euchaetias Lyman, 1902*
204. *Eucraagra* R. Felder & Rogenhofer, 1874 (Arctiidae) Synonym(s): *Eucraagra R. Felder & Rogenhofer, 1874*
205. *Eudesmia* Hübner, [1823] (Arctiidae) Synonym(s): *Eudesmia Hübner, [1823]*
206. *Eudiaphora* Dubatolov, 1990 (Arctiidae) Synonym(s): *Eudiaphora Dubatolov, 1990*
207. *Eugoa* Walker, [1858] (Arctiidae) Synonym(s): *Eugoa Walker, [1858]; Hectogama Meyrick, 1889*
208. *Euleechia* Dyar, 1900 (Arctiidae) Synonym(s): *Euleechia Dyar, 1900*
209. *Euplagia* Hübner, [1820] (Arctiidae) Synonym(s): *Euplagia Hübner, [1820]*
210. *Euplocia* Hübner, [1819] (Arctiidae) Synonym(s): *Euplocia Hübner, [1819]*
211. *Eupseudosoma* Grote, 1866 (Arctiidae) Synonym(s): *Eupseudosoma Grote, 1866*
212. *Eurosia* Hampson, 1900 (Arctiidae) Synonym(s): *Eurosia Hampson, 1900*
213. *Eurylomia* R. Felder & Rogenhofer, 1874 (Arctiidae) Synonym(s): *Eurylomia R. Felder & Rogenhofer, 1874*
214. *Euryptidia* Hampson, 1900 (Arctiidae) Synonym(s): *Euryptidia Hampson, 1900*
215. *Eutane* Walker, 1854 (Arctiidae) Synonym(s): *Eutane Walker, 1854*
216. *Euthyone* A. Watson, 1980 (Arctiidae) Synonym(s): *Thyone Walker, 1854 nec Philippi, 1840; Euthyone A. Watson, 1980*
217. *Evius* Walker, 1855 (Arctiidae) Synonym(s): *Evius Walker, 1855*
218. *Eyralpenus* Butler, 1875 (Arctiidae) Synonym(s): *Eyralpenus Butler, 1875*
219. *Fabresema* Holloway, 1979 (Arctiidae) Synonym(s): *Fabresema Holloway, 1979*
220. *Fodinoidea* Saalmüller, 1884 (Arctiidae) Synonym(s): *Fodinoidea Saalmüller, 1884*
221. *Galtara* Walker, [1863] (Arctiidae) Synonym(s): *Galtara Walker, [1863]; Pseudocallimorpha Oberthür, 1879*
222. *Gardinia* Kirby, 1892 (Arctiidae) Synonym(s): *Gardinia Kirby, 1892*
223. *Glaucostola* Hampson, 1901 (Arctiidae) Synonym(s): *Glaucostola Hampson, 1901*
224. *Gnamptonychia* Hampson, 1900 (Arctiidae) Synonym(s): *Gnamptonychia Hampson, 1900*
225. *Gnophaela* Walker, 1854 (Arctiidae) Synonym(s): *Gnophaela Walker, 1854; Lamprosoma Grote, 1864; Omoiala Grote, 1864; Callalucia Grote, 1865; #Gonophaela Druce, 1884*
226. *Gonerda* Moore, 1879 (Arctiidae) Synonym(s): *Gonerda Moore, 1879*
227. *Goniosema* Turner, 1899 (Arctiidae) Synonym(s): *Goniosema Turner, 1899*
228. *Gorgonidia* Dyar, 1898 (Arctiidae) Synonym(s): *Gorgonidia Dyar, 1898*
229. *Grammia* (Holarctia) Smith, 1938 (Arctiidae) Synonym(s): *Holarctia Smith, 1938*
230. *Grammia* (s.str.) Rambur, 1866 (Arctiidae) Synonym(s): *Grammia Rambur, 1866; Orodemnias Wallengren, 1885*
231. *Grammia* Rambur, 1866 (Arctiidae) Synonym(s): *Grammia Rambur, 1866; Orodemnias Wallengren, 1885*
232. *Grucia* Dyar, 1916 (Arctiidae) Synonym(s): *Grucia Dyar, 1916*
233. *Gymnasura* Hampson, 1900 (Arctiidae) Synonym(s): *Gymnasura Hampson, 1900*
234. *Haematomis* Schaus, 1899 (Arctiidae) Synonym(s): *Haematomis Schaus, 1899*
235. *Halone* Walker, 1854 (Arctiidae) Synonym(s): *Halone Walker, 1854; Mosoda Walker, 1866; Eurypepla Turner, 1922 nec Bohem., 1854; Eurypelella Turner, 1922*
236. *Halysidota* Hübner, [1819] (Arctiidae) Synonym(s): *Halysidota Hübner, [1819]; Alisidota Agassiz, 1847; #Halesidota Walker, 1855*
237. *Hectobrocha* Meyrick, 1886 (Arctiidae) Synonym(s): *Hectobrocha Meyrick, 1886*
238. *Heliosia* Hampson, 1900 (Arctiidae) Synonym(s): *Heliosia Hampson, 1900*
239. *Hemihyalea* Hampson, 1901 (Arctiidae) Synonym(s): *Hemihyalea Hampson, 1901; Pseudohemihyalea Rego-Barros, 1956*
240. *Hemonia* Walker, 1863 (Arctiidae) Synonym(s): *Hemonia Walker, 1863; Eurodes Turner, 1899*
241. *Hestiarcha* Meyrick, 1886 (Arctiidae) Synonym(s): *Hestiarcha Meyrick, 1886*
242. *Hesychopa* Turner, 1940 (Arctiidae) Synonym(s): *Hesychopa Turner, 1940*
243. *Heterallactis* Meyrick, 1886 (Arctiidae) Synonym(s): *Heterallactis Meyrick, 1886*
244. *Heterotropa* Turner, 1940 (Arctiidae) Synonym(s): *Heterotropa Turner, 1940*
245. *Hiera* Druce, 1885 (Arctiidae) Synonym(s): *Hiera Druce, 1885*
246. *Hobapromea* A. Watson, 1980 (Arctiidae) Synonym(s): *Baeomorpha Turner, 1940 nec Brues, 1937; Hobapromea A. Watson, 1980*
247. *Holoarctia* Ferguson, 1984 (Arctiidae) Synonym(s): *Holoarctia Ferguson, 1984*
248. *Holomelina* Herrich-Schäffer, 1855 (Arctiidae) Synonym(s): *Holomelina Herrich-Schäffer, 1855; Cothocida Walker, 1865; Cyturus Grote, 1865*
249. *Hylarctia* Schaus, 1901 (Arctiidae) Synonym(s): *Hylarctia Hampson nec Schau., 1901*
250. *Hyalurga* Hübner, [1819] (Arctiidae) Synonym(s): *Hyalurga Hübner, [1819]; Lauron Walker, 1854; Gyara Walker, 1855; Ditaxis Boisduval, 1870; Cletorna Boisduval, 1870*
251. *Hypagoptera* Hampson, 1900 (Arctiidae) Synonym(s): *Hypagoptera Hampson, 1900*
252. *Hyperborea* Groum-Grshimailo, [1900] (Arctiidae) Synonym(s): *Hyperborea Groum-Grshimailo, [1900]*
253. *Hypercompe* Hübner, [1819] (Arctiidae) Synonym(s): *Hypercompe Hübner, [1819]; Hypercompa Billberg, 1820; Ecantheria Hübner, [1820]; Catenina Burmeister, 1883*
254. *Hypertaema* Hampson, 1901 (Arctiidae) Synonym(s): *Hypertaema Hampson, 1901*
255. *Hyphantria* Harris, 1841 (Arctiidae) Synonym(s): *Hyphantria Harris, 1841*
256. *Hyphoraia* Hübner, [1820] (Arctiidae) Synonym(s): *Hyphoraia Hübner, [1820]*
257. *Hypocrisias* Hampson, 1901 (Arctiidae) Synonym(s): *Hypocrisias Hampson, 1901*
258. *Hyponerita* Hampson, 1901 (Arctiidae) Synonym(s): *Hyponerita Hampson, 1901*
259. *Hypoprepia* Hübner, [1831] (Arctiidae) Synonym(s): *Hypoprepia Hübner, [1831]*
260. *Idalus* Walker, 1855 (Arctiidae) Synonym(s): *Empusa Hübner, [1819] nec Ill., 1798; Idalus Walker, 1855*
261. *Ilemodes* Hampson, 1900 (Arctiidae) Synonym(s): *Ilemodes Hampson, 1900*
262. *Inopsis* R. Felder, 1874 (Arctiidae) Synonym(s): *Inopsis R. Felder, 1874*
263. *Ionthas* Hampson, 1894 (Arctiidae) Synonym(s): *Ionthas Hampson, 1894*
264. *Ischnarctia* Bartel, 1903 (Arctiidae) Synonym(s): *Ischnarctia Bartel, 1903; Bithra Fawcett, 1918*
265. *Ischnocampa* R. Felder, 1874 (Arctiidae) Synonym(s): *Ischnocampa R. Felder, 1874*
266. *Isostola* R. Felder, 1874 (Arctiidae) Synonym(s): *Isostola R. Felder, 1874*
267. *Josiomorpha* R. Felder, 1874 (Arctiidae) Synonym(s): *Josiomorpha R. Felder, 1874*
268. *Karschiola* Gaede, 1926 (Arctiidae) Synonym(s): *Karschiola Gaede, 1926*
269. *Katha* Moore, 1878 (Arctiidae) Synonym(s): *Katha Moore, 1878*
270. *Kiriakoffia* Toulgoet, 1978 (Arctiidae) Synonym(s): *Kiriakoffia Toulgoet, 1978 nec Nakam., 1974; Kiriakoffia Toulgoet, 1978*
271. *Kishidaria* Dubatolov, 2004 (Arctiidae) Synonym(s): *Kishidaria Dubatolov, 2004*
272. *Lacydes* Walker, 1855 (Arctiidae) Synonym(s): *Lacydes Walker, 1855; Acymba Rambur, 1866; Palparctia Spuler, 1906; Volgarctia Alpheraky, 1908*
273. *Lambula* Walker, 1866 (Arctiidae) Synonym(s): *Lambula Walker, 1866; Palaexera Meyrick, 1886*
274. *Lamprosiella* Collins, 1962 (Arctiidae) Synonym(s): *Lamprosiella Collins, 1962*
275. *Lamprostola* Schaus, 1899 (Arctiidae) Synonym(s): *Lamprostola Schaus, 1899*
276. *Lampruna* Schaus, 1894 (Arctiidae) Synonym(s): *Lampruna Schaus, 1894*

277. **Lemyra Walker, 1856** (Arctiidae) Synonym(s): *Lemyra Walker, 1856*; *Thyrgorina Walker, [1865]*; *Echlida Walker, 1865*; *Icambosida Walker, 1865*; *Thanatarctia Butler, 1877*; *Carbisa Moore, 1879*; *Challa Moore, 1879*; *Xanthomoenas Roepke, 1940*; *Allochista Roepke, 1946*
278. **Lepidokirbya Travassos, 1943** (Arctiidae) Synonym(s): *Arara Walker, 1855 nec Spix, 1844*; *Lepidokirbya Travassos, 1943*
279. **Lepista Wallengren, 1863** (Arctiidae) Synonym(s): *Lepista Wallengren, 1863*
280. **Lerina Walker, 1854** (Arctiidae) Synonym(s): *Lerina Walker, 1854*
281. **Leucaloea Butler, 1875** (Arctiidae) Synonym(s): *Leucaloea Butler, 1875*
282. **Leucanopsis Rego-Barros, 1956** (Arctiidae) Synonym(s): *Leucanopsis Rego-Barros, 1956*; *Lepidoneuronia Rego-Barros, 1956*
283. **Leurautia Kemal & Koçak, 2006** (Arctiidae) Synonym(s): *Eucoscinia Leraut, 1993 nec Pornell, 1872*; *Leurautia Kemal & Koçak, 2006*; *#Lerautia Kemal & Koçak, 2006*
284. **Lexis Wallengren, 1863** (Arctiidae) Synonym(s): *Lexis Wallengren, 1863*
285. **Licnoptera Meyrick, 1889** (Arctiidae) Synonym(s): *Licnoptera Meyrick, 1889*
286. **Lithosarctia Daniel, 1954** (Arctiidae) Synonym(s): *Lithosarctia Daniel, 1954*
287. **Lithosia Fabricius, 1798** (Arctiidae) Synonym(s): *Lithosia Fabricius, 1798*; *Lithosis Billberg, 1820*; *Lichenia Sodoffsky, 1837*
288. **Lophocampa Harris, 1841** (Arctiidae) Synonym(s): *Lophocampa Harris, 1841*; *Euhalisidota Grote, 1865*; *Thasela Schaus, 1896*; *Schausia Dyar, 1897 nec Karsc., 1895*; *Euschausia Dyar, 1898*; *Syntarctia Hampson, 1901*
289. **Lyclene Moore, [1860]** (Arctiidae) Synonym(s): *Pallene Walker, 1854 nec Dejean, 1821*; *Cyllene Walker, 1854 nec Griffith & Pidgeon, 1834*; *Lyclene Moore, [1860]*; *Cyme Felder, 1861*; *Cymella Felder, 1874 nec Meek, 864*; *Setinochroa Felder, 1874*; *Adites Moore, [1882]*; *Xanthocraspada Hampson, 1894*; *Prinasura Hampson, 11903*; *Mycelela Watson, 1980*
290. **Lycomorhodes Hampson, 1900** (Arctiidae) Synonym(s): *Lycomorhodes Hampson, 1900*
291. **Lysceia Walker, 1854** (Arctiidae) Synonym(s): *Lysceia Walker, 1854*
292. **Macaduma Walker, 1866** (Arctiidae) Synonym(s): *Macaduma Walker, 1866*; *Psapharacis Turner, 1899*
293. **Macrobrochis Herrich-Schäffer, 1855** (Arctiidae) Synonym(s): *Macrobrochis Herrich-Schäffer, 1855*; *Tripura Moore, 1858*; *Paraona Moore, 1878*
294. **Macrosia Hampson, 1900** (Arctiidae) Synonym(s): *Macrosia Hampson, 1900*
295. **Madagascarcia Dubatolov, 2006** (Arctiidae) Synonym(s): *Madagascarcia Dubatolov, 2006*
296. **Mannina Dyar, 1916** (Arctiidae) Synonym(s): *Mannina Dyar, 1916*
297. **Manulea Wallengren, 1863** (Arctiidae) Synonym(s): *Manulea Wallengren, 1863*; *#Manulca Turner, 1940*
298. **Maurica Freina & Witt, 1984** (Arctiidae) Synonym(s): *Maurica Freina & Witt, 1984*
299. **Melanaema Butler, 1877** (Arctiidae) Synonym(s): *Melanaema Butler, 1877*
300. **Melastrotia Hampson, 1905** (Arctiidae) Synonym(s): *Melastrotia Hampson, 1905*
301. **Melese Walker, 1854** (Arctiidae) Synonym(s): *Melese Walker, 1854*; *Malabus Walker, 1855*; *Idiactetus Herrich-Schäffer, [1856]*; *Heteromelese Zikan, 1968*
302. **Meneclia Grünberg, 1910** (Arctiidae) Synonym(s): *Meneclia Grünberg, 1910*
303. **Menegites Kiriakoff, 1954** (Arctiidae) Synonym(s): *Menegites Kiriakoff, 1954*
304. **Metacrisiodes Dyar, 1916** (Arctiidae) Synonym(s): *Metacrisiodes Dyar, 1916*; *Exemasia Dyar, 1920*
305. **Micralarctia A. Watson, 1988** (Arctiidae) Synonym(s): *Micralarctia A. Watson, 1988*
306. **Micraloea Dubatolov, 2004** (Arctiidae) Synonym(s): *Micraloea Dubatolov, 2004*
307. **Micrarctia Seitz, 1910** (Arctiidae) Synonym(s): *Micrarctia Seitz, 1910*
308. **Micrilema Hampson, 1903** (Arctiidae) Synonym(s): *Micrilema Hampson, 1903*
309. **Microstola Lower, 1920** (Arctiidae) Synonym(s): *Microstola Lower, 1920*; *Aclytophanes Turner, 1940*
310. **Miltochrista Hübner, [1819]** (Arctiidae) Synonym(s): *Miltochrista Hübner, [1819]*
311. **Murzinarctia Dubatolov, [2006]** (Arctiidae) Synonym(s): *Murzinarctia Dubatolov, [2006]*
312. **Muscula Koçak, 1991** (Arctiidae) Synonym(s): *Muscula Koçak, 1991*
313. **Nebrarctia A. Watson, 1980** (Arctiidae) Synonym(s): *Spilarctia Staudinger, 1892 nec Butl., 1875*; *Nebrarctia A. Watson, 1980*
314. **Neonerita Hampson, 1901** (Arctiidae) Synonym(s): *Neonerita Hampson, 1901*
315. **Neoplynes Hampson, 1900** (Arctiidae) Synonym(s): *Neoplynes Hampson, 1900*
316. **Neritos Walker, 1855** (Arctiidae) Synonym(s): *Neritos Walker, 1855*; *Antiloba Weymer, 1895*
317. **Neuroxena Kirby, 1896** (Arctiidae) Synonym(s): *Neuroxena Kirby, 1896*; *Parachelonia Aurivillius, 1900*; *Eohemera Aurivillius, 1904*
318. **Nikaea Moore, 1879** (Arctiidae) Synonym(s): *Nikaea Moore, 1879*; *Nicaea Hampson, 1901 nec Robineau-Desvoidy, 1863*
319. **Notarctia Smith, 1938** (Arctiidae) Synonym(s): *Notarctia Smith, 1938*
320. **Notata Hampson, 1891** (Arctiidae) Synonym(s): *Notata Hampson, 1891*; *Diphtheraspis Meyrick, 1892*
321. **Nudaria Haworth, [1809]** (Arctiidae) Synonym(s): *Nudaria Haworth, [1809]*
322. **Nyctemera Hübner, [1820]** (Arctiidae) Synonym(s): *Nyctemera Hübner, [1820]*; *Deilemera Hübner, [1820]*; *Leptosoma Boisduval, 1832 nec Desm., 1823*; *Agagles White, 1841*; *Dilemera Agassiz, 1847*; *Aglagus Agassiz, 1847*; *Amathes Gistel, 1848*; *Trypheromera Butler, 1881*; *Zonosoma Butler, 1881 nec Led., 1863*; *Tristania Kirby, 1892*; *Xylecata Swinhoe, 1904*; *Podomachla Strand, 1909*; *Chiromachla Strand, 1909*; *Arctata Roepke, 1949*; *Coleta Roepke, 1949*
323. **Nyctosia Schaus, 1899** (Arctiidae) Synonym(s): *Nyctosia Schaus, 1899*
324. **Ochrodota Hampson, 1901** (Arctiidae) Synonym(s): *Ochrodota Hampson, 1901*
325. **Ochrota Hopffer, 1862** (Arctiidae) Synonym(s): *Ochrota Hopffer, 1862*
326. **Ocnogyna (Somatotrichia) Kirby, 1892** (Arctiidae) Synonym(s): *Trichosoma Rambur, 1832 nec Rudolph, 1819*; *Somatotrichia Kirby, 1892*
327. **Ocnogyna (s.str.) Lederer, 1853** (Arctiidae) Synonym(s): *Ocnogyna Lederer, 1853*
328. **Ocnogyna Lederer, 1853** (Arctiidae) Synonym(s): *Ocnogyna Lederer, 1853*
329. **Odozana Walker, [1865]** (Arctiidae) Synonym(s): *Odozana Walker, [1865]*
330. **Oeonistis Hübner, [1819]** (Arctiidae) Synonym(s): *Oeonistis Hübner, [1819]*; *Oenistis Kirby, 1892*; *Philagria Kirby, 1892*
331. **Olepa Watson, 1980** (Arctiidae) Synonym(s): *Olepa Watson, 1980*
332. **Opharus Walker, 1855** (Arctiidae) Synonym(s): *Opharus Walker, 1855*
333. **Opsaroea Hampson, 1905** (Arctiidae) Synonym(s): *Opsaroea Hampson, 1905*
334. **Ordishia A. Watson, 1975** (Arctiidae) Synonym(s): *Ordishia A. Watson, 1975*
335. **Ormetica Clemens, 1860** (Arctiidae) Synonym(s): *Ormetica Clemens, 1860*
336. **Oroncus (Arctoroncus) Gurko & Dubatolov, 2004** (Arctiidae) Synonym(s): *Arctoroncus Gurko & Dubatolov, 2004*
337. **Oroncus Seitz, 1910** (Arctiidae) Synonym(s): *Oroncus Seitz, 1910*
338. **Orontobia De Freina, 1997** (Arctiidae) Synonym(s): *Orontobia De Freina, 1997*
339. **Ovenna Birket-Smith, 1965** (Arctiidae) Synonym(s): *Ovenna Birket-Smith, 1965*
340. **Pachydota Hampson, 1901** (Arctiidae) Synonym(s): *Pachydota Hampson, 1901*
341. **Padenodes Rothschild, 1912** (Arctiidae) Synonym(s): *Padenodes Rothschild, 1912*; *Padenodes Hampson, 1914 nec Roth., 1912*
342. **Paidia (Conjuncta) Koçak, 1991** (Arctiidae) Synonym(s): *Conjuncta Koçak, 1991*
343. **Paidia Hübner, [1819]** (Arctiidae) Synonym(s): *Paidia Hübner, [1819]*
344. **Palaeosia Hampson, 1900** (Arctiidae) Synonym(s): *Palaeosia Hampson, 1900*
345. **Palearctia Ferguson, 1984** (Arctiidae) Synonym(s): *Palearctia Ferguson, 1984*

346. **Panachranta Turner, 1922** (Arctiidae) Synonym(s): *Panachranta Turner, 1922*
347. **Paralacydes Aurivillius, 1899** (Arctiidae) Synonym(s): *Maenas Hübner, [1819] nec Walbaum, 1792; Eutaenia Wallengren, 1875 nec Thomson, 1857; Caligula Aurivillius, 1879 nec Mr., 1862; Paralacydes Aurivillius, 1899*
348. **Paralpenus A. Watson, 1988** (Arctiidae) Synonym(s): *Paralpenus A. Watson, 1988*
349. **Paramaenas Grünberg, 1911** (Arctiidae) Synonym(s): *Paramaenas Grünberg, 1911*
350. **Paraona Moore, 1878** (Arctiidae) Synonym(s): *Paraona Moore, 1878*
351. **Pararctia Sotavalta, 1965** (Arctiidae) Synonym(s): *Pararctia Sotavalta, 1965*
352. **Parascaptia Bethune-Baker, 1908** (Arctiidae) Synonym(s): *Parascaptia Bethune-Baker, 1908; Porphyrochrysa Turner, 1940*
353. **Parasemia Hübner, [1820]** (Arctiidae) Synonym(s): *Parasemia Hübner, [1820]*
354. **Parasiccia Hampson, 1910** (Arctiidae) Synonym(s): *Parasiccia Hampson, 1910*
355. **Parathyris Hübner, [1819]** (Arctiidae) Synonym(s): *Parathyris Hübner, [1819]; Thyaractia Hampson, 1901*
356. **Parelictis Meyrick, 1886** (Arctiidae) Synonym(s): *Parelictis Meyrick, 1886*
357. **Pareuchaetes Grote, 1865** (Arctiidae) Synonym(s): *Pareuchaetes Grote, 1865*
358. **Parevia Hampson, 1901** (Arctiidae) Synonym(s): *Parevia Hampson, 1901*
359. **Pasteosia Hampson, 1900** (Arctiidae) Synonym(s): *Pasteosia Hampson, 1900*
360. **Paurophleps Hampson, 1900** (Arctiidae) Synonym(s): *Paurophleps Hampson, 1900; Cycloptera Janse, 1964 nec Swainson, 1838; Cycloptera D.S. Fletcher, 1982*
361. **Pelochyta Hübner, [1819]** (Arctiidae) Synonym(s): *Pelochyta Hübner, [1819]; Sontia Walker, 1856*
362. **Pelosia Hübner, [1819]** (Arctiidae) Synonym(s): *Pelosia Hübner, [1819]*
363. **Pericaliella Dubatolov, 2006** (Arctiidae) Synonym(s): *Pericaliella Dubatolov, 2006*
364. **Pericallia Hübner, [1820]** (Arctiidae) Synonym(s): *Pericallia Hübner, [1820]; Pleretes Lederer, 1853.*
365. **Phaemolis Hampson, 1901** (Arctiidae) Synonym(s): *Phaemolis Hampson, 1901*
366. **Phaeophlebosia Hampson, 1900** (Arctiidae) Synonym(s): *Phaeophlebosia Hampson, 1900*
367. **Phaeosia Hampson, 1900** (Arctiidae) Synonym(s): *Phaeosia Hampson, 1900*
368. **Phaloesia Walker, 1854** (Arctiidae) Synonym(s): *Phaloesia Walker, 1854*
369. **Phenacomorpha Turner, 1940** (Arctiidae) Synonym(s): *Phenacomorpha Turner, 1940*
370. **Philenora Rosenstock, 1885** (Arctiidae) Synonym(s): *Philenora Rosenstock, 1885; Scaodora Meyrick, 1886*
371. **Phlyctaenogastra Gaede, 1915** (Arctiidae) Synonym(s): *Phlyctaenogastra Gaede, 1915*
372. **Phragmatobia Stephens, 1828** (Arctiidae) Synonym(s): *Phragmatobia Stephens, 1828*
373. **Phryganopsis R. Felder & Rogenhofer, 1874** (Arctiidae) Synonym(s): *Phryganopsis R. Felder & Rogenhofer, 1874*
374. **Platarctia Packard, 1864** (Arctiidae) Synonym(s): *Platarctia Packard, 1864*
375. **Pocilarctia Aurivillius, 1921** (Arctiidae) Synonym(s): *Pocilarctia Aurivillius, 1921*
376. **Poliodule Hampson, 1900** (Arctiidae) Synonym(s): *Poliodule Hampson, 1900*
377. **Poliosia Hampson, 1900** (Arctiidae) Synonym(s): *Poliosia Hampson, 1900*
378. **Popoudina (Pseudopopoudina) Dubatolov, 2006** (Arctiidae) Synonym(s): *Pseudopopoudina Dubatolov, 2006*
379. **Popoudina Dubatolov, 2006** (Arctiidae) Synonym(s): *Popoudina Dubatolov, 2006*
380. **Preparctia Hampson, 1901** (Arctiidae) Synonym(s): *Preparctia Hampson, 1901*
381. **Progonia Berg, 1882** (Arctiidae) Synonym(s): *Progonia Berg, 1882*
382. **Pseudogaltara Toulgoet, 1978** (Arctiidae) Synonym(s): *Pseudogaltara Toulgoet, 1978*
383. **Pseudophaloe M. Hering, 1925** (Arctiidae) Synonym(s): *Pseudophaloe M. Hering, 1925*
384. **Pseudophanes Turner, 1940** (Arctiidae) Synonym(s): *Pseudophanes Turner, 1940*
385. **Psilopepla Turner, 1899** (Arctiidae) Synonym(s): *Psilopepla Turner, 1899; Gymnochroma Hampson, 1900*
386. **Psychophasma Butler, 1878** (Arctiidae) Synonym(s): *Psychophasma Butler, 1878*
387. **Pteroodes Butler, 1877** (Arctiidae) Synonym(s): *Pteroodes Butler, 1877*
388. **Ptychoglene R. Felder, 1874** (Arctiidae) Synonym(s): *Ptychoglene R. Felder, 1874*
389. **Purius Walker, 1855** (Arctiidae) Synonym(s): *Purius Walker, 1855; Spodarctia Dyar, 1925*
390. **Pusiola Wallengren, 1863** (Arctiidae) Synonym(s): *Pusiola Wallengren, 1863*
391. **Pygarctia Grote, 1871** (Arctiidae) Synonym(s): *Pygarctia Grote, 1871*
392. **Pygoctenucha Grote, 1883** (Arctiidae) Synonym(s): *Pygoctenucha Grote, 1883; Protosia Hampson, 1900*
393. **Pyrrharctia Packard, 1864** (Arctiidae) Synonym(s): *Pyrrharctia Packard, 1864*
394. **Radiarctia Dubatolov, 2006** (Arctiidae) Synonym(s): *Radiarctia Dubatolov, 2006*
395. **Rajendra Moore, 1879** (Arctiidae) Synonym(s): *Rajendra Moore, 1879*
396. **Rhabdatomis Dyar, 1907** (Arctiidae) Synonym(s): *Rhabdatomis Dyar, 1907*
397. **Rhipha Walker, 1854** (Arctiidae) Synonym(s): *Rhipha Walker, 1854*
398. **Rhodogastria Hübner, [1819]** (Arctiidae) Synonym(s): *Rhodogastria Hübner, [1819]; Dionychopus Herrich-Schäffer, 1855; Munychia Wallengren, 1858*
399. **Rhyparia Hübner, [1825]** (Arctiidae) Synonym(s): *Rhyparia Hübner, [1825]*
400. **Rhyparioides Butler, 1877** (Arctiidae) Synonym(s): *Rhyparioides Butler, 1877*
401. **Robinsonia Grote, 1866** (Arctiidae) Synonym(s): *Robinsonia Grote, 1866*
402. **Saenura Wallengren, 1858** (Arctiidae) Synonym(s): *Saenura Wallengren, 1858*
403. **Sagaropsis Hering, 1925** (Arctiidae) Synonym(s): *Sagaropsis Hering, 1925*
404. **Scaphidriotis Turner, 1899** (Arctiidae) Synonym(s): *Scaphidriotis Turner, 1899*
405. **Scaptosyle Walker, 1854** (Arctiidae) Synonym(s): *Scaptosyle Walker, 1854; Chiriphe Walker, [1863]*
406. **Schistophleps Hampson, 1891** (Arctiidae) Synonym(s): *Schistophleps Hampson, 1891; Phaneropseustis Turner, 1899*
407. **Secusio Walker, 1854** (Arctiidae) Synonym(s): *Secusio Walker, 1854*
408. **Selenarctia A. Watson, 1975** (Arctiidae) Synonym(s): *Selenarctia A. Watson, 1975*
409. **Setema De Freina & Witt, 1984** (Arctiidae) Synonym(s): *Setema De Freina & Witt, 1984*
410. **Setina Schrank, 1802** (Arctiidae) Synonym(s): *Setina Schrank, 1802; Endrosa Hübner, [1819]; Philea Zetterstedt, 1839*
411. **Seydelia Kiriakoff, 1952** (Arctiidae) Synonym(s): *Seydelia Kiriakoff, 1952*
412. **Sibirarctia Dubatolov, 1987** (Arctiidae) Synonym(s): *Sibirarctia Dubatolov, 1987*
413. **Siccia Walker, 1854** (Arctiidae) Synonym(s): *Siccia Walker, 1854; Melania Wallengren, 1863*
414. **Sinowatsonia Dubatolov, 1996** (Arctiidae) Synonym(s): *Sinowatsonia Dubatolov, 1996*
415. **Sozusa Wallengren, 1863** (Arctiidae) Synonym(s): *Sozusa Wallengren, 1863*
416. **Sphaeromachia Grote, 1867** (Arctiidae) Synonym(s): *Sphaeromachia Grote, 1867*
417. **Spilarctia Butler, 1875** (Arctiidae) Synonym(s): *Spilarctia Butler, 1875; #Spilaretia Lewvanich, 2001*
418. **Spilosoma Curtis, 1825** (Arctiidae) Synonym(s): *Olistheria Hübner, [1820]; Spilosoma Curtis, 1825; Rhagonis Walker, 1862; Spilarctia Butler, 1875; Thanatarctia Butler, 1877*
419. **Spiris Hübner, [1819]** (Arctiidae) Synonym(s): *Spiris Hübner, [1819]; Callopi Billberg, 1820; Eulepia Curtis, 1825; Emydia Boisduval, 1828.*
420. **Stenarcha Hampson, 1900** (Arctiidae) Synonym(s): *Stenarcha Hampson, 1900*
421. **Stenarctia Aurivillius, 1900** (Arctiidae) Synonym(s): *Stenarctia Aurivillius, 1900*

422. *Stenoscapia* Hampson, 1900 (Arctiidae) Synonym(s): *Stenoscapia* Hampson, 1900
423. *Stenucha* Hampson, 1901 (Arctiidae) Synonym(s): *Stenucha* Hampson, 1901; *Zamolis* Dyar, 1910; *Ardonipsa* Dyar, 1912
424. *Sychesia* Möschler, 1878 (Arctiidae) Synonym(s): *Sychesia* Möschler, 1878
425. *Symmetrodes* Meyrick, 1886 (Arctiidae) Synonym(s): *Symmetrodes* Meyrick, 1886; *Habrochroma* Turner, 1940
426. *Symphlebia* R. Felder, 1874 (Arctiidae) Synonym(s): *Symphlebia* R. Felder, 1874; *Prumala* Schaus, 1896; *Antaxia* Hampson, 1898
427. *Tajigyna* Dubatolov, 1990 (Arctiidae) Synonym(s): *Tajigyna* Dubatolov, 1990
428. *Talara* Walker, 1866 (Arctiidae) Synonym(s): *Talara* Walker, 1866
429. *Tancrea* Püngeler, 1898 (Arctiidae) Synonym(s): *Tancrea* Püngeler, 1898
430. *Tancrea* Püngeler, 1898 (Arctiidae) Synonym(s): *Tancrea* Püngeler, 1898
431. *Teracotona* Butler, 1878 (Arctiidae) Synonym(s): *Teracotona* Butler, 1878; *Micronyx* R. Felder & Rogenhofer, 1874; *Seirarctia* Packard sensu Gaede, 1926
432. *Termessa* Newman, 1856 (Arctiidae) Synonym(s): *Termessa* Newman, 1856; *Termessa* Walker, 1856 nec Newm., 1856; *Clisobara* Walker, [1865]; *Lerna* Walker, 1865.
433. *Tesselarctia* Hampson, 1901 (Arctiidae) Synonym(s): *Tesselarctia* Hampson, 1901
434. *Teulisna* Walker, 1862 (Arctiidae) Synonym(s): *Teulisna* Walker, 1862; *Tegulata* Walker, 1862; *Corcura* Walker, 1862; *Cossa* Walker, [1865]; *Ityca* Walker, 1866; *Diastrophia* Felder, 1874; *Thysanoptyx* Hampson, 1894
435. *Teulisna* Walker, 1862 (Arctiidae) Synonym(s): *Teulisna* Walker, 1862; *Corcura* *Diastrophia* *Ityca* *Tegulata* *Thysanoptyx* Hampson, 1894
436. *Thallarcha* Meyrick, 1886 (Arctiidae) Synonym(s): *Thallarcha* Meyrick, 1886; *Comarchis* Meyrick, 1886
437. *Threnosia* Hampson, 1900 (Arctiidae) Synonym(s): *Threnosia* Hampson, 1900
438. *Thumatha* Walker, 1866 (Arctiidae) Synonym(s): *Thumatha* Walker, 1866; *Pelobrochis* Lucas, 1892; *Dictenus* Butler, 1897.
439. *Thysanoprymna* Butler, 1876 (Arctiidae) Synonym(s): *Thysanoprymna* Butler, 1876
440. *Tigrioides* Butler, 1877 (Arctiidae) Synonym(s): *Tigrioides* Butler, 1877; *Parapelosia* Bethune-Baker, 1908
441. *Tinoliodes* Wileman, 1915 (Arctiidae) Synonym(s): *Tinoliodes* Wileman, 1915
442. *Tricypha* Möschler, 1878 (Arctiidae) Synonym(s): *Tricypha* Möschler, 1878; *Maenoleneura* Butler, 1878; *Romanoffia* Heylaerts, 1884
443. *Trischalis* Hampson, 1894 (Arctiidae) Synonym(s): *Trischalis* Hampson, 1894
444. *Trissobrocha* Turner, 1914 (Arctiidae) Synonym(s): *Trissobrocha* Turner, 1914
445. *Tuina* Butler, 1877 (Arctiidae) Synonym(s): *Ituna* Walker, 1854 nec Doubl., 1847; *Tuina* Butler, 1877
446. *Tumicla* Wallengren, 1863 (Arctiidae) Synonym(s): *Tumicla* Wallengren, 1863
447. *Turuptiana* Walker, 1869 (Arctiidae) Synonym(s): *Turuptiana* Walker, 1869; *Sallaea* R. Felder, 1874
448. *Tylanthus* Meyrick, 1889 (Arctiidae) Synonym(s): *Tylanthus* Meyrick, 1889
449. *Tyria* Hübner, [1819] (Arctiidae) Synonym(s): *Hipocrita* Hübner, [1808] (rejected name); *Tyria* Hübner, [1819]; *Euchelia* Boisduval, 1828.
450. *Urozana* Hampson, 1900 (Arctiidae) Synonym(s): *Urozana* Hampson, 1900
451. *Utetheisa* (Atasca) Swinhoe, 1892 (Arctiidae) Synonym(s): *Atasca* Swinhoe, 1892
452. *Utetheisa* (Pitasila) Moore, 1877 (Arctiidae) Synonym(s): *Pitasila* Moore, 1877
453. *Utetheisa* Hübner, [1819] (Arctiidae) Synonym(s): *Utetheisa* Hübner, [1819]; *Deiopeia* Curtis, 1827.
454. *Virbia* Walker, 1854 (Arctiidae) Synonym(s): *Virbia* Walker, 1854; *Bepara* Walker, [1865]; *Terna* Walker, [1865]
455. *Viviennea* A. Watson, 1975 (Arctiidae) Synonym(s): *Viviennea* A. Watson, 1975
456. *Watsonarctia* Freina & Witt, 1984 (Arctiidae) Synonym(s): *Watsonarctia* Freina & Witt, 1984; *Eurachia* Dubatolov, 1985; *Eucastana* Leraut, 1985.
457. *Wittia* De Freina, 1980 (Arctiidae) Synonym(s): *Wittia* De Freina, 1980
458. *Xanthetis* Hampson, 1900 (Arctiidae) Synonym(s): *Xanthetis* Hampson, 1900
459. *Xenosoma* R. Felder, 1874 (Arctiidae) Synonym(s): *Xenosoma* R. Felder, 1874; *Cyphopora* W. Warren, 1900
460. *Zadadrina* Kiriakoff, 1954 (Arctiidae) Synonym(s): *Zadadrina* Kiriakoff, 1954
461. *Zobida* Birket-Smith, 1965 (Arctiidae) Synonym(s): *Zobida* Birket-Smith, 1965
462. *Abrota* Moore, 1857 (Argynnididae) Synonym(s): *Abrota* Moore, 1857
463. *Agatasa* Moore, 1899 (Argynnididae) Synonym(s): *Agatasa* Moore, 1899
464. *Aglais* Dalman, 1816 (Argynnididae) Synonym(s): *Aglais* Dalman, 1816; *Ichnusa* Reuss, 1939.
465. *Aldania* Moore, [1896] (Argynnididae) Synonym(s): *Aldania* Moore, [1896]
466. *Allaemona* Nishimura, 1999 (Argynnididae) Synonym(s): *Allaemona* Nishimura, 1999
467. *Amnosia* Doubleday, [1849] (Argynnididae) Synonym(s): *Amnosia* Doubleday, [1849]
468. *Amuriana* Korshunov & Dubatolov, 1984 (Argynnididae) Synonym(s): *Bremeria* Moore, [1896] nec Alpheraky, 1892; *Amuriana* Korshunov & Dubatolov, 1984.
469. *Anartia* Hübner, [1819] (Argynnididae) Synonym(s): *Anartia* Hübner, [1819]
470. *Antanartia* Rothschild & Jordan, 1903 (Argynnididae) Synonym(s): *Antanartia* Rothschild & Jordan, 1903
471. *Apatura* Fabricius, 1807 (Argynnididae) Synonym(s): *Apatura* Fabricius, 1807
472. *Apaturopsis* Aurivillius, 1898 (Argynnididae) Synonym(s): *Apaturopsis* Aurivillius, 1898
473. *Araschnia* Hübner, [1819] (Argynnididae) Synonym(s): *Araschnia* Hübner, [1819]
474. *Argynnis* (Argyreus) Scopoli, 1777 (Argynnididae) Synonym(s): *Argyreus* Scopoli, 1777; *Acidalia* Hübner, [1818].
475. *Argynnis* (Argyronome) Hübner, [1819] (Argynnididae) Synonym(s): *Argyronome* Hübner, [1819]; *Eudaphne* Reuss, 1922.
476. *Argynnis* (Childrena) Hemming, 1931 (Argynnididae) Synonym(s): *Eudryas* Reuss, 1926 nec Boisd., 1836 nec Harr., 1841 nec Fitzing., 1843 non Gistel, 1848; *Childrena* Hemming, 1931
477. *Argynnis* (Damora) Nordmann, 1851 (Argynnididae) Synonym(s): *Damora* Nordmann, 1857
478. *Argynnis* (Fabriciana) Reuss, 1920 (Argynnididae) Synonym(s): *Fabriciana* Reuss, 1920; *Profabriciana* Reuss, 1926.
479. *Argynnis* (Pandoriana) Warren, 1942 (Argynnididae) Synonym(s): *Pandoriana* Warren, 1942
480. *Argynnis* (Proacidalia) Reuss, 1926 (Argynnididae) Synonym(s): *Proacidalia* Reuss, 1926
481. *Argynnis* (Protodryas) Reuss, 1928 (Argynnididae) Synonym(s): *Protodryas* Reuss, 1928
482. *Argynnis* (Speyeria) Scudder, 1872 (Argynnididae) Synonym(s): *Speyeria* Scudder, 1872; *Mesoacidalia* Reuss, 1926
483. *Argynnis* (s.str.) Fabricius, 1807 (Argynnididae) Synonym(s): *Argynnis* Fabricius, 1807; *Mesodryas* Reuss, 1927.
484. *Argynnis* Fabricius, 1807 (Argynnididae) Synonym(s): *Argynnis* Fabricius, 1807; *Mesodryas* Reuss, 1927.
485. *Ariadne* Horsfield, 1829 (Argynnididae) Synonym(s): *Ariadne* Horsfield, 1829; *Ergolis* Boisduval, 1836
486. *Asterocampa* Röber, 1915 (Argynnididae) Synonym(s): *Asterocampa* Röber, 1915; *Celtiphaga* Barnes & Lindsey, 1922.
487. *Aterica* Boisduval, 1833 (Argynnididae) Synonym(s): *Aterica* Boisduval, 1833
488. *Athyma* (Chendrana) Moore, [1898] (Argynnididae) Synonym(s): *Chendrana* Moore, [1898]
489. *Athyma* (Kironga) Moore, [1898] (Argynnididae) Synonym(s): *Kironga* Moore, [1898]
490. *Athyma* (Tacoraea) Moore, [1898] (Argynnididae) Synonym(s): *Tacoraea* Moore, [1898]; *#Tacorea* Pinratana & Eliot, 1996
491. *Athyma* (Tatisia) Moore, [1898] (Argynnididae) Synonym(s): *Tatisia* Moore, [1898]
492. *Athyma* (s.str.) Westwood, [1850] (Argynnididae) Synonym(s): *Athyma* Westwood, [1850]
493. *Athyma* Westwood, [1850] (Argynnididae) Synonym(s): *Athyma* Westwood, [1850]
494. *Athymodes* Moore, [1896] (Argynnididae) Synonym(s): *Athymodes* Moore, [1896]

495. *Auzakia* Moore,[1898] (Argynnidae) Synonym(s): *Auzakia* Moore,[1898]
496. *Bebearia* Hemming,1960 (Argynnidae) Synonym(s): *Bebearia* Hemming,1960; *Apectinaria* Hecq,1988
497. *Bhagadatta* Moore,[1898] (Argynnidae) Synonym(s): *Bhagadatta* Moore,[1898]
498. *Bimbisara* Moore,[1898] (Argynnidae) Synonym(s): *Bimbisara* Moore,[1898]
499. *Boloria* (Clossiana) Reuss,1920 (Argynnidae) Synonym(s): *Clossiana* Reuss,1920
500. *Boloria* (Proclossiana) Reuss,1926 (Argynnidae) Synonym(s): *Proclossiana* Reuss,1926
501. *Boloria* (s.str.) Moore,[1900] (Argynnidae) Synonym(s): *Boloria* Moore,[1900]; *Smoljana* Slivov,1995.
502. *Boloria* Moore,[1900] (Argynnidae) Synonym(s): *Boloria* Moore,[1900]; *Smoljana* Slivov,1995.
503. *Brenthis* Hübner,[1819] (Argynnidae) Synonym(s): *Brenthis* Hübner,[1819]; *Neobrenthis* Koçak,1980.
504. *Byblia* Hübner,[1819] (Argynnidae) Synonym(s): *Byblia* Hübner,[1819]; *Hypanis* Boisduval,1833
505. *Calinaga* Moore,1857 (Argynnidae) Synonym(s): *Calinaga* Moore,1857
506. *Catuna* Kirby,1871 (Argynnidae) Synonym(s): *Jaera* Hübner,[1819] nec Lch.,1815; *#Evena* Westwood,1850; *Euomma* Felder & Felder,[1867]; nec Boh.,1858; *Catuna* Kirby,1871;
507. *Cethosia* Fabricius,1807 (Argynnidae) Synonym(s): *Cethosia* Fabricius,1807
508. *Charaxes* Ochseneheimer,1816 (Argynnidae) Synonym(s): *Charaxes* Ochseneheimer,1816; *Paphia* Fabricius,1807 nec Röding,1798 (rejected); *Jasia* Swainson,1832.
509. *Chersonesia* Distant,1883 (Argynnidae) Synonym(s): *Chersonesia* Distant,1883
510. *Chlosyne* Butler,1870 (Argynnidae) Synonym(s): *Synchloe* Doubleday,1844 nec Hbn.,1818; *Chlosyne* Butler,1870; *Coatlantona* Kirby,1871
511. *Cirrochroa* Doubleday,[1847] (Argynnidae) Synonym(s): *Cirrochroa* Doubleday,[1847]
512. *Crenidomimas* Karsch,1894 (Argynnidae) Synonym(s): *Crenidomimas* Karsch,1894
513. *Cupha* Billberg,1820 (Argynnidae) Synonym(s): *Cupha* Billberg,1820
514. *Cyllopsis* C.Felder,1869 (Argynnidae) Synonym(s): *Cyllopsis* C.Felder,1869
515. *Cymothoe* Hübner,[1819] (Argynnidae) Synonym(s): *Cymothoe* Hübner,[1819]; *Amphidema* C.Felder,1861; *Pallene* Doubleday,[1848]; *Paradiadema* Distant,1880; *Euptera* Staudinger,1891
516. *Cynandra* Schatz,[1887] (Argynnidae) Synonym(s): *Cynandra* Schatz,[1887]
517. *Cynitia* Snellen,1895 (Argynnidae) Synonym(s): *Cynitia* Snellen,1895
518. *Cynthia* Fabricius,1807 (Argynnidae) Synonym(s): *Cynthia* Fabricius,1807; *Neopyrameis* Scudder,1889.
519. *Cyrestis* (Azania) Martin,1903 (Argynnidae) Synonym(s): *Azania* Martin,1903
520. *Cyrestis* Boisduval,1832 (Argynnidae) Synonym(s): *Cyrestis* Boisduval,1832
521. *Diagora* Snellen,1894 (Argynnidae) Synonym(s): *Diagora* Snellen,1894
522. *Dichorragia* Butler,1869 (Argynnidae) Synonym(s): *Dichorragia* Butler,1869
523. *Dilipa* Moore,1857 (Argynnidae) Synonym(s): *Dilipa* Moore,1857
524. *Doleschallia* C.Felder & R.Felder,1860 (Argynnidae) Synonym(s): *Doleschallia* C.Felder & R.Felder,1860
525. *Doxocopa* Hübner,[1819] (Argynnidae) Synonym(s): *Doxocopa* Hübner,[1819]; *Catargyria* Hübner,[1823]; *Chlorippe* Doubleday,1844; *#Chlorippe* Boisduval,1870.
526. *Dymasia* Higgins,1960 (Argynnidae) Synonym(s): *Dymasia* Higgins,1960
527. *Dynamine* Hübner,[1819] (Argynnidae) Synonym(s): *Dynamine* Hübner,[1819]; *Sironia* Hübner,[1823]; *Eubagis* Boisduval,[1832]; *Arisba* Doubleday,1847
528. *Eriboea* Hübner,[1819] (Argynnidae) Synonym(s): *Eriboea* Hübner,[1819]
529. *Euapatura* Ebert,1971 (Argynnidae) Synonym(s): *Euapatura* Ebert,1971; *Protapatura* Igarashi,1971.
530. *Eulaceura* Butler,[1872] (Argynnidae) Synonym(s): *Eulaceura* Butler,[1872]
531. *Eunica* Hübner,[1819] (Argynnidae) Synonym(s): *Eunica* Hübner,[1819]; *Evonyme* Hübner,[1819]; *Eunice* Geyer,[1832]
532. *Euphaedra* Hübner,[1819] (Argynnidae) Synonym(s): *#Najas* Hübner,[1807]; *Euphaedra* Hübner,[1819]; *Romaleosoma* Blanchard,1840; *Romaleosoma* Röber,[1888]; *Proteuphaedra* Hecq,1976; *Medoniana* Hecq,1976; *gausapia* Hecq,1976; *Xypetana* Hecq,1976; *Radia* Hecq,1976; *Euphaedrana* Hecq,1976; *Neophronia* Hecq,1985
533. *Euphydryas* (Eurodryas) Higgins,1978 (Argynnidae) Synonym(s): *Eurodryas* Higgins,1978
534. *Euphydryas* (Hypodryas) Higgins,1978 (Argynnidae) Synonym(s): *Hypodryas* Higgins,1978
535. *Euphydryas* (Occidryas) Higgins,1978 (Argynnidae) Synonym(s): *Occidryas* Higgins,1978
536. *Euphydryas* Scudder,1872 (Argynnidae) Synonym(s): *Euphydryas* Scudder,1872
537. *Euriphene* (Euriphene) Boisduval,1847 (Argynnidae) Synonym(s): *Euriphene* Boisduval,1847; *Euryphene* Westwood,[1850]; *Diestogyna* Karsch,1893
538. *Euriphene* (Euryphura) Staudinger,1891 (Argynnidae) Synonym(s): *Euryphura* Staudinger,1891
539. *Euriphene* Boisduval,1847 (Argynnidae) Synonym(s): *Euriphene* Boisduval,1847; *Euryphene* Westwood,[1850]; *Diestogyna* Karsch,1893
540. *Euripus* Doubleday,1848 (Argynnidae) Synonym(s): *Euripus* Doubleday,1848; *Idrusia* Corbet,1943
541. *Euryphaedra* Staudinger,1891 (Argynnidae) Synonym(s): *Euryphaedra* Staudinger,1891
542. *Eurytela* Boisduval,1833 (Argynnidae) Synonym(s): *Eurytela* Boisduval,1833
543. *Euthalia* (Aconthea) Horsfield,[1829] (Argynnidae) Synonym(s): *Aconthea* Horsfield,[1829]
544. *Euthalia* (Bassarona) Moore,[1897] (Argynnidae) Synonym(s): *Bassarona* Moore,[1897]
545. *Euthalia* (Dophla) Moore,[1880] (Argynnidae) Synonym(s): *Dophla* Moore,[1880]
546. *Euthalia* (Limbusa) Moore,[1897] (Argynnidae) Synonym(s): *Limbusa* Moore,[1897]
547. *Euthalia* Hübner,[1819] (Argynnidae) Synonym(s): *Euthalia* Hübner,[1819]
548. *Hamadryas* Hübner,[1806] (Argynnidae) Synonym(s): *Hamadryas* Hübner,[1806]; *#Apatura* [Illiger],[1807]; *Ageronia* Hübner,[1819]; *Philocala* Billberg,1820; *Peridromia* Boisduval,1836; *Amphichlora* C.Felder,1861
549. *Hamanumida* Hübner,[1819] (Argynnidae) Synonym(s): *Hamanumida* Hübner,[1819]; *Canopus* Felder,1861; *Leucotricha* Rothschild & Jordan,1903.
550. *Helcyra* C.Felder,1860 (Argynnidae) Synonym(s): *Helcyra* C.Felder,1860
551. *Herona* Doubleday,1848 (Argynnidae) Synonym(s): *Herona* Doubleday,1848
552. *Hestina* Westwood,[1850] (Argynnidae) Synonym(s): *Hestina* Westwood,[1850]
553. *Hestinalis* Bryk,1938 (Argynnidae) Synonym(s): *Hestinalis* Bryk,1938
554. *Historis* Hübner,[1819] (Argynnidae) Synonym(s): *Historis* Hübner,[1819]
555. *Hypanartia* Hübner,[1821] (Argynnidae) Synonym(s): *Hypanartia* Hübner,[1821]; *Eurema* Doubleday,[1845] nec Hbn.,[1819]
556. *Hypolimnas* Hübner,[1819] (Argynnidae) Synonym(s): *Hypolimnas* Hübner,[1819]; *Diadema* Boisduval,[1832]; *Eucalia* Felder,1861; *Euralia* Westwood,[1850]
557. *Inachis* Hübner,[1819] (Argynnidae) Synonym(s): *Inachis* Hübner,[1819]
558. *Issoria* Hübner,[1819] (Argynnidae) Synonym(s): *Issoria* Hübner,[1819]; *Rathora* Moore,[1900].
559. *Kallima* Doubleday,[1849] (Argynnidae) Synonym(s): *Kallima* Doubleday,[1849]; *#Kallimna* Chen,1974
560. *Kallimoides* Shirozu & Nakanishi,1984 (Argynnidae) Synonym(s): *Kallimoides* Shirozu & Nakanishi,1984
561. *Kamilla* Collins & Larsen,1991 (Argynnidae) Synonym(s): *Kamilla* Collins & Larsen,1991
562. *Kaniska* Moore,[1899] (Argynnidae) Synonym(s): *Kaniska* Moore,[1899]
563. *Kumothales* Overlaet,1940 (Argynnidae) Synonym(s): *Kumothales* Overlaet,1940
564. *Lachnoptera* Doubleday,[1847] (Argynnidae) Synonym(s): *Lachnoptera* Doubleday,[1847]

- 565. Laringa Moore,[1901]** (Argynnidae) Synonym(s): *Laringa Moore,[1901]*
- 566. Lebadea C.Felder,1861** (Argynnidae) Synonym(s): *Lebadea C.Felder,1861*
- 567. Lelecella Hemming,1929** (Argynnidae) Synonym(s): *Lelecella Hemming,1929*
- 568. Lexias Boisduval,[1832]** (Argynnidae) Synonym(s): *Lexias Boisduval,[1832]*
- 569. Limenitis (Azuritis) Boudinot,1986** (Argynnidae) Synonym(s): *Azuritis Boudinot,1986*
- 570. Limenitis (Ladoga) Moore,[1898]** (Argynnidae) Synonym(s): *Ladoga Moore,[1898]*
- 571. Limenitis (Parasarpa) Moore,[1898]** (Argynnidae) Synonym(s): *Parasarpa Moore,[1898]*
- 572. Limenitis (Sumalia) Moore,[1898]** (Argynnidae) Synonym(s): *Sumalia Moore,[1898]*
- 573. Limenitis (s.str.) Fabricius,1807** (Argynnidae) Synonym(s): *Limenitis Fabricius,1807; Nymphalus Boitard,1828; Limonetes Billberg,1820; Nympha Krause,1839.*
- 574. Limenitis Fabricius,1807** (Argynnidae) Synonym(s): *Limenitis Fabricius,1807; Nymphalus Boitard,1828; Limonetes Billberg,1820; Nympha Krause,1839.*
- 575. Mallika Collins & T.Larsen,1991** (Argynnidae) Synonym(s): *Mallika Collins & T.Larsen,1991*
- 576. Melitaea (Cinclidia) Hübner,[1819]** (Argynnidae) Synonym(s): *Cinclidia Hübner,[1819]*
- 577. Melitaea (Didymaeformis) Verity,1950** (Argynnidae) Synonym(s): *Didymaeformis Verity,1950.*
- 578. Melitaea (s.str.) Fabricius,1807** (Argynnidae) Synonym(s): *Melitaea Fabricius,1807*
- 579. Melitaea Fabricius,1807** (Argynnidae) Synonym(s): *Melitaea Fabricius,1807; Lucina Rafinesque,1815; Schoenis Hübner,[1819]; Melinaea Sodoffsky,1837.*
- 580. Mellicta Billberg,1820** (Argynnidae) Synonym(s): *Mellicta Billberg,1820*
- 581. Mesoxantha Aurivillius,1898** (Argynnidae) Synonym(s): *Mesoxantha Aurivillius,1898*
- 582. Microtia Bates,1864** (Argynnidae) Synonym(s): *Microtia Bates,1864*
- 583. Moduza Moore,1881** (Argynnidae) Synonym(s): *Moduza Moore,1881*
- 584. Neptidopsis Aurivillius,1898** (Argynnidae) Synonym(s): *Neptidopsis Aurivillius,1898*
- 585. Neptis (Lasippa) Moore,[1898]** (Argynnidae) Synonym(s): *Lasippa Moore,[1898]; Pandassana Moore,[1898]; Bisappa Moore,[1898]; Palanda Moore,[1898]; Bacalora Moore,[1898].*
- 586. Neptis (Pantoporia) Hübner,[1819]** (Argynnidae) Synonym(s): *Pantoporia Hübner,[1819]; Acca Hübner,[1819]; Rahinda Moore,1881; Marosis Moore,[1898]; Tagatsia Moore,[1898]; Atharia Moore,[1898].*
- 587. Neptis (Phaedyman) C.Felder,1861** (Argynnidae) Synonym(s): *Phaedyman C.Felder,1861; Andrapana Moore,[1898]; Andasenodes Moore,[1898].*
- 588. Neptis (s.str.) Fabricius,1807** (Argynnidae) Synonym(s): *Neptis Fabricius,1807; Philonoma Billberg,1820; Paraneptis Moore,[1898]; Kalkasia Moore,[1898]; Hamadryodes Moore,[1898]; Bimbisara Moore,[1898]; Stabrobates Moore,[1898]; Rasalia Moore,[1898]; Neptidomina Holland,1920.*
- 589. Neptis Fabricius,1807** (Argynnidae) Synonym(s): *Neptis Fabricius,1807; Philonoma Billberg,1820; Paraneptis Moore,[1898]; Kalkasia Moore,[1898]; Hamadryodes Moore,[1898]; Bimbisara Moore,[1898]; Stabrobates Moore,[1898]; Rasalia Moore,[1898]; Neptidomina Holland,1920.*
- 590. Neurosigma Butler,1868** (Argynnidae) Synonym(s): *Neurosigma Butler,1868*
- 591. Nymphalis Kluk,1802** (Argynnidae) Synonym(s): *Nymphalis Kluk,1802; Hamadryas Hübner,[1806]; Scudder Grote,1873 nec Stal,1873; Euvanesa Scudder,1889; Antiopana Korb,2005*
- 592. Paduca Moore,1886** (Argynnidae) Synonym(s): *Paduca Moore,1886*
- 593. Palla Hübner,[1819]** (Argynnidae) Synonym(s): *Palla Hübner,[1819]; Philognoma Doubleday,1844*
- 594. Pandita Moore,[1858]** (Argynnidae) Synonym(s): *Pandita Moore,[1858]*
- 595. Parthenos Hübner,[1819]** (Argynnidae) Synonym(s): *Parthenos Hübner,[1819]*
- 596. Phalanta Horsfield,[1829]** (Argynnidae) Synonym(s): *Phalanta Horsfield,[1829]; Atella Doubleday,[1847]*
- 597. Phyciodes Hübner,[1819]** (Argynnidae) Synonym(s): *Phyciodes Hübner,[1819]; Anthanassa Scudder,1875; Tritanassa Forbes,1945*
- 598. Poladryas Bauer,1961** (Argynnidae) Synonym(s): *Poladryas Bauer,1961*
- 599. Polygonia (Comma) Rennie,1832** (Argynnidae) Synonym(s): *Comma Rennie,1832.*
- 600. Polygonia Hübner,[1819]** (Argynnidae) Synonym(s): *Polygonia Hübner,[1819]; Eugonia Hübner,[1819]; Grapta Kirby,1837.*
- 601. Polyura Billberg,1820** (Argynnidae) Synonym(s): *Polyura Billberg,1820*
- 602. Precis (Junonia) Hübner,[1819]** (Argynnidae) Synonym(s): *Junonia Hübner,[1819]*
- 603. Precis Hübner,[1819]** (Argynnidae) Synonym(s): *Precis Hübner,[1819]*
- 604. Prothoe Hübner,[1824]** (Argynnidae) Synonym(s): *Prothoe Hübner,[1824]*
- 605. Pseudacraea Westwood,[1850]** (Argynnidae) Synonym(s): *Panopea Hübner,[1819] nec Menard,1807; Pseudacraea Westwood,[1850]; Chloropoea Aurivillius,1898*
- 606. Pseudargynnis Karsch,1892** (Argynnidae) Synonym(s): *Pseudargynnis Karsch,1892*
- 607. Pseudathyma Staudinger,1891** (Argynnidae) Synonym(s): *Pseudathyma Staudinger,1891*
- 608. Pseudergolis C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *Pseudergolis C.Felder & R.Felder,[1867]*
- 609. Pseudohypolimnas Moore,[1898]** (Argynnidae) Synonym(s): *Pseudohypolimnas Moore,[1898]*
- 610. Pseudoneptis Snellen,1882** (Argynnidae) Synonym(s): *Pseudoneptis Snellen,1882*
- 611. Rhinopalpa C.Felder & R.Felder,1867** (Argynnidae) Synonym(s): *Rhinopalpa C.Felder & R.Felder,1867*
- 612. Rohana Moore,1880** (Argynnidae) Synonym(s): *Rohana Moore,1880*
- 613. Salamis Boisduval,1833** (Argynnidae) Synonym(s): *Salamis Boisduval,1833; Protogoniomorphia Wallengren,1857*
- 614. Seokia Sibatani,1943** (Argynnidae) Synonym(s): *Seokia Sibatani,1943*
- 615. Sephis Moore,1882** (Argynnidae) Synonym(s): *Sephis Moore,1882*
- 616. Sevenia Koçak,1996** (Argynnidae) Synonym(s): *Crenis Boisduval,1833 nec Hübn.,[1821]; Sallya Hemming,1964 nec Yochelson,1956; Sevenia Koçak,1997.*
- 617. Siproeta Hübner,[1823]** (Argynnidae) Synonym(s): *Siproeta Hübner,[1823]; Victorina Blanchard,1840; Amphirene Doubleday,1844; Amphirene Boisduval,1870 nec Dobl.,1844*
- 618. Smerina Hewitson,1874** (Argynnidae) Synonym(s): *Smerina Hewitson,1874*
- 619. Smyrna Hübner,[1823]** (Argynnidae) Synonym(s): *Smyrna Hübner,[1823]*
- 620. Stibochiona Butler,[1869]** (Argynnidae) Synonym(s): *Stibochiona Butler,[1869]*
- 621. Sumalia Moore,[1898]** (Argynnidae) Synonym(s): *Sumalia Moore,[1898]*
- 622. Symbrenthia Hübner,[1819]** (Argynnidae) Synonym(s): *Symbrenthia Hübner,[1819]; Laogona Boisduval,1836*
- 623. Tanaecia (Cynitia) Snellen,1895** (Argynnidae) Synonym(s): *Cynitia Snellen,1895*
- 624. Tanaecia (Kirontisa) Moore,[1897]** (Argynnidae) Synonym(s): *Kirontisa Moore,[1897]*
- 625. Tanaecia (s.str.) Butler,1869** (Argynnidae) Synonym(s): *Tanaecia Butler,1869*
- 626. Tanaecia Butler,1869** (Argynnidae) Synonym(s): *Tanaecia Butler,1869*
- 627. Terinos Boisduval,1836** (Argynnidae) Synonym(s): *Terinos Boisduval,1836*
- 628. Texola Higgins,[1959]** (Argynnidae) Synonym(s): *Texola Higgins,[1959]*
- 629. Thaleropsis Staudinger,1871** (Argynnidae) Synonym(s): *Thaleropsis Staudinger,1871*
- 630. Thessalia Scudder,1875** (Argynnidae) Synonym(s): *Thessalia Scudder,1875*
- 631. Timelea Lucas,1883** (Argynnidae) Synonym(s): *Timelea Lucas,1883*
- 632. Vagrans Hemming,1934** (Argynnidae) Synonym(s): *Vagrans Hemming,1934*
- 633. Vanessa Fabricius,1807** (Argynnidae) Synonym(s): *Vanessa Fabricius,1807; Pyrameis Hübner,[1819]; Ammiralis Rennie,1832; Phanessa Sodoffsky,1837.*

634. *Vanessula Dewitz, 1887* (Argynnididae) Synonym(s): *Vanessula Dewitz, 1887*
635. *Vindula Hemming, 1934* (Argynnididae) Synonym(s): *Vindula Hemming, 1934*
636. *Yoma Doherty, 1886* (Argynnididae) Synonym(s): *Yoma Doherty, 1886*
637. *Zalapia Moore, [1897]* (Argynnididae) Synonym(s): *Zalapia Moore, [1897]*
638. *Amselina Gozmany, 1957* (Autostichidae) Synonym(s): *Amselina Gozmany, 1957*
639. *Apatema Walsingham, 1900* (Autostichidae) Synonym(s): *Apatema Walsingham, 1900*
640. *Apiletria (Aretascetis) Meyrick, 1936* (Autostichidae) Synonym(s): *Aretascetis Meyrick, 1936*
641. *Apiletria (Xystoceros) Meyrick, 1914* (Autostichidae) Synonym(s): *Xystoceros Meyrick, 1914*
642. *Apiletria (s.str.) Lederer, 1855* (Autostichidae) Synonym(s): *Apiletria Lederer, 1855*
643. *Apiletria Lederer, 1855* (Autostichidae) Synonym(s): *Apiletria Lederer, 1855*
644. *Aprominta Gozmany, 1957* (Autostichidae) Synonym(s): *Aprominta Gozmany, 1957; Parthenoptera Gozmany, 1857.*
645. *Arragonia Amsel, 1942* (Autostichidae) Synonym(s): *Arragonia Amsel, 1942; Aragonia Agenjo, 1968.*
646. *Autosticha Meyrick, 1886* (Autostichidae) Synonym(s): *Automola Meyrick, 1883 (homonym); Autosticha Meyrick, 1886; Prosomura Turner, 1919*
647. *Catasphalma Gozmany, 1957* (Autostichidae) Synonym(s): *Catasphalma Gozmany, 1957*
648. *Charadraula Meyrick, 1931* (Autostichidae) Synonym(s): *Charadraula Meyrick, 1931; Bubulcellodes Amsel, 1942*
649. *Cyllaraxis Gozmany, 2000* (Autostichidae) Synonym(s): *Cyllaraxis Gozmany, 2000*
650. *Deroxena Meyrick, 1913* (Autostichidae) Synonym(s): *Deroxena Meyrick, 1913*
651. *Donaspastus Gozmany, 1952* (Autostichidae) Synonym(s): *Donaspastus Gozmany, 1952*
652. *Dysspastus Gozmany, 1964* (Autostichidae) Synonym(s): *Dysspastus Gozmany, 1964*
653. *Epanastasis Walsingham, 1908* (Autostichidae) Synonym(s): *Epanastasis Walsingham, 1908*
654. *Eremica Walsingham, 1904* (Autostichidae) Synonym(s): *Eremica Walsingham, 1904*
655. *Gobiletria Gozmany, 1964* (Autostichidae) Synonym(s): *Gobiletria Gozmany, 1964*
656. *Hecestoptera Gozmany, 1961* (Autostichidae) Synonym(s): *Hecestoptera Gozmany, 1961*
657. *Heringita Agenjo, 1953* (Autostichidae) Synonym(s): *Heringita Agenjo, 1953; Gigantoletria Gozmany, 1963*
658. *Hesperesta Gozmany, 1978* (Autostichidae) Synonym(s): *Hesperesta Gozmany, 1978*
659. *Hieronala Gozmany, 1963* (Autostichidae) Synonym(s): *Hieronala Gozmany, 1963*
660. *Holcopogon Staudinger, 1879* (Autostichidae) Synonym(s): *Holcopogon Staudinger, 1879*
661. *Indiospastus Gozmany, 1967* (Autostichidae) Synonym(s): *Indiospastus Gozmany, 1967*
662. *Irenidora Meyrick, 1938* (Autostichidae) Synonym(s): *Irenidora Meyrick, 1938*
663. *Kullashara Gozmany, 1963* (Autostichidae) Synonym(s): *Kullashara Gozmany, 1963*
664. *Leilaptera Gozmany, 1963* (Autostichidae) Synonym(s): *Leilaptera Gozmany, 1963*
665. *Megasymmoca Gozmany, 1963* (Autostichidae) Synonym(s): *Megasymmoca Gozmany, 1963*
666. *Metaxitagma Gozmany, 1985* (Autostichidae) Synonym(s): *Metaxitagma Gozmany, 1985*
667. *Mylothra Meyrick, 1907* (Autostichidae) Synonym(s): *Mylothra Meyrick, 1907*
668. *Nukusa Gozmany, 1963* (Autostichidae) Synonym(s): *Nukusa Gozmany, 1963*
669. *Oecia Walsingham, 1897* (Autostichidae) Synonym(s): *Macroceras Staudinger, 1876 nec Semp., 1870 [Mollusca]; Oecia Walsingham, 1897.*
670. *Oegoconia Stainton, 1854* (Autostichidae) Synonym(s): *Oegoconia Stainton, 1854; Apatema Walsingham, 1900; Clerogenes Meyrick, 1921; Microgonia Popescu-Gorj & Capuse, 1965*
671. *Orpecovalva Gozmany, 1964* (Autostichidae) Synonym(s): *Orpecovalva Gozmany, 1964*
672. *Pachnistis Meyrick, 1907* (Autostichidae) Synonym(s): *Pachnistis Meyrick, 1907*
673. *Pantacordis Gozmany, 1954* (Autostichidae) Synonym(s): *Pantacordis Gozmany, 1954*
674. *Pecteneremus Gozmany, 1963* (Autostichidae) Synonym(s): *Pecteneremus Gozmany, 1963*
675. *Procometis (Hyostola) Meyrick, 1908* (Autostichidae) Synonym(s): *Hyostola Meyrick, 1908*
676. *Procometis (s.str.) Meyrick, 1890* (Autostichidae) Synonym(s): *Procometis Meyrick, 1890*
677. *Stibaromacha Meyrick, 1928* (Autostichidae) Synonym(s): *Stibaromacha Meyrick, 1928*
678. *Symmactantha Gozmany, 1963* (Autostichidae) Synonym(s): *Symmactantha Gozmany, 1963*
679. *Symmoca Hübner, [1825]* (Autostichidae) Synonym(s): *Symmoca Hübner, [1825]; Parasyymmoca Rebel, 1903; Asarista Meyrick, 1935; Conquassata Gozmany, 1957; Symmoletria Gozmany, 1963*
680. *Symmocoides Amsel, 1939* (Autostichidae) Synonym(s): *Symmocoides Amsel, 1939*
681. *Telephirca Gozmany, 1957* (Autostichidae) Synonym(s): *Telephirca Gozmany, 1957*
682. *Turatia Amsel, 1942* (Autostichidae) Synonym(s): *Turatia Amsel, 1942; Ilionarsis Gozmany, 1959.*
683. *Xenoplaxa Gozmany, 1963* (Autostichidae) Synonym(s): *Xenoplaxa Gozmany, 1963*
684. *Batrachedra Stainton, 1854* (Batrachedridae) Synonym(s): *Batrachedra Stainton, 1854; Eustaintonia Spuler, 1910*
685. *Asaphocrita Meyrick, 1931* (Blastobasidae) Synonym(s): *Asaphocrita Meyrick, 1931*
686. *Blastobasis Zeller, 1855* (Blastobasidae) Synonym(s): *Blastobasis Zeller, 1855; Epistetus Walsingham, 1894; Agnoea Walsingham, 1907; Prosthesis Walsingham, 1908; Zenodochium Walsingham, 1908; Euresia Dietz, 1910; Xenodochium T.B. Fletcher, 1929*
687. *Cladobrostis Meyrick, 1921* (Blastobasidae) Synonym(s): *Cladobrostis Meyrick, 1921*
688. *Colosima Dietz, 1910* (Blastobasidae) Synonym(s): *Colosima Dietz, 1910*
689. *Coniogenes Meyrick, 1916* (Blastobasidae) Synonym(s): *Coniogenes Meyrick, 1916*
690. *Holcocera Clemens, 1863* (Blastobasidae) Synonym(s): *Holcocera Clemens, 1863*
691. *Homothamnis Meyrick, 1921* (Blastobasidae) Synonym(s): *Homothamnis Meyrick, 1921*
692. *Hypatopa Walsingham, 1908* (Blastobasidae) Synonym(s): *Hypatopa Walsingham, 1908*
693. *Neoblastobasis Kuznetsov & Sinev, 1985* (Blastobasidae) Synonym(s): *Neoblastobasis Kuznetsov & Sinev, 1985*
694. *Sinevina Koçak & Kemal, 2007* (Blastobasidae) Synonym(s): *Holcoceroides Sinev, 1986 nec Strd., 1913; Sinevina Koçak & Kemal, 2007*
695. *Tecnerium Walsingham, 1908* (Blastobasidae) Synonym(s): *Tecnerium Walsingham, 1908; Oroclintrus Gozmany, 1957*
696. *Andraca Walker, 1865* (Bombycidae) Synonym(s): *Andraca Walker, 1865; Bombisatur Van Eecke, 1921; Gastridiota Turner, 1922*
697. *Bombyx Linnaeus, 1758* (Bombycidae) Synonym(s): *Bombyx Linnaeus, 1758; Minyas Savigny, 1816; Theophila Moore, 1862*
698. *Dalailama Staudinger, 1896* (Bombycidae) Synonym(s): *Dalailama Staudinger, 1896*
699. *Elachyophthalma C.Felder, 1861* (Bombycidae) Synonym(s): *Elachyophthalma C.Felder, 1861; Laganda Walker, 1865; Diversosexus Bethune-Baker, 1904*
700. *Ernolatia Walker, 1862* (Bombycidae) Synonym(s): *Ernolatia Walker, 1862*
701. *Gnathocinara Dierl, 1978* (Bombycidae) Synonym(s): *Gnathocinara Dierl, 1978*
702. *Gunda Walker, 1862* (Bombycidae) Synonym(s): *Gunda Walker, 1862; Aristhala*
703. *Mustilia Walker, 1865* (Bombycidae) Synonym(s): *Mustilia Walker, 1865*
704. *Norasuma Moore, 1872* (Bombycidae) Synonym(s): *Norasuma Moore, 1872*
705. *Oberthueria Staudinger, 1892* (Bombycidae) Synonym(s): *Euphranor Oberthür, 1880 nec H.-S., 1855; Oberthueria Staudinger, 1892*
706. *Ocinara Walker, 1856* (Bombycidae) Synonym(s): *Naprepa Walker, 1855 (homonym); Ocinara Walker, 1856; Trilocha Moore, [1860]; Ernolatia Walker, 1862; Chazena Walker, 1869.*

- 707. *Penicillifera* Dierl, 1978** (Bombycidae) Synonym(s): *Penicillifera* Dierl, 1978
- 708. *Prismosticta* Butler, 1880** (Bombycidae) Synonym(s): *Prismosticta* Butler, 1880
- 709. *Trilocha* Moore, [1860]** (Bombycidae) Synonym(s): *Naprepa* Walker, 1855 (homonym); *Trilocha* Moore, [1860]; *Chazena* Walker, 1869
- 710. *Triuncina* Dierl, 1978** (Bombycidae) Synonym(s): *Triuncina* Dierl, 1978
- 711. *Atractoceros* Meyrick, 1936** (Brachodidae) Synonym(s): *Atractoceros* Meyrick, 1936
- 712. *Brachodes* Guenée, 1845** (Brachodidae) Synonym(s): *Atychia* Latreille, 1809 nec Ochs., 1808; *Brachodes* Guenée, 1845; *Palameris* Meyrick, 1906
- 713. *Miscera* Walker, 1863** (Brachodidae) Synonym(s): *Miscera* Walker, 1863
- 714. *Nigilgia* Walker, 1863** (Brachodidae) Synonym(s): *Nigilgia* Walker, 1863; *#Nigilica* Turner, 1929
- 715. *Paranigilgia* Kallies, 1998** (Brachodidae) Synonym(s): *Paranigilgia* Kallies, 1998
- 716. *Patissa* Moore, 1886** (Brachodidae) Synonym(s): *Patissa* Moore, 1886
- 717. *Phycodes* Guenée, 1852** (Brachodidae) Synonym(s): *Phycodes* Guenée, 1852; *Tegna* Walker, 1866
- 718. *Phycodopteryx* Kallies, 2004** (Brachodidae) Synonym(s): *Phycodopteryx* Kallies, 2004
- 719. *Synechodes* Turner, 1913** (Brachodidae) Synonym(s): *Synechodes* Turner, 1913
- 720. *Acanthobrahmaea* Sauter, 1967** (Brahmaeidae) Synonym(s): *Acanthobrahmaea* Sauter, 1967
- 721. *Brahmaea* (Brahmophthalma) Mell, 1929** (Brahmaeidae) Synonym(s): *Brahmophthalma* Mell, 1929
- 722. *Brahmaea* (s.str.) Walker, 1855** (Brahmaeidae) Synonym(s): *Brahmaea* Walker, 1855
- 723. *Dactyloceras* Mell, 1930** (Brahmaeidae) Synonym(s): *Dactyloceras* Mell, 1930
- 724. *Spiramiopsis* Hampson, 1901** (Brahmaeidae) Synonym(s): *Spiramiopsis* Hampson, 1901
- 725. *Bucculatrix* Zeller, 1839** (Bucculatricidae) Synonym(s): *Bucculatrix* Zeller, 1839; *Ceroclastis* Zeller, 1848
- 726. *Leucoedemia* Scoble & Scholtz, 1984** (Bucculatricidae) Synonym(s): *Leucoedemia* Scoble & Scholtz, 1984
- 727. *Callidula* Hübner, [1819]** (Callidulidae) Synonym(s): *Callidula* Hübner, [1819]; *Cleis* Guérin-Méneville, 1831
- 728. *Caloschemia* Mabilie, 1878** (Callidulidae) Synonym(s): *Caloschemia* Mabilie, 1878; *Helicomitra* Butler, 1878
- 729. *Comella* Pagenstecher, 1902** (Callidulidae) Synonym(s): *Tyndaris* C.Felder, 1860 nec Thomson, 1857; *Comella* Pagenstecher, 1902
- 730. *Griveaudia* Viette, 1958** (Callidulidae) Synonym(s): *Griveaudia* Viette, 1958
- 731. *Petavia* Horsfield, 1828** (Callidulidae) Synonym(s): *Petavia* Horsfield, 1828; *Datanga* Moore, 1879
- 732. *Pterodecta* Butler, 1877** (Callidulidae) Synonym(s): *Pterodecta* Butler, 1877
- 733. *Pterothysanus* Walker, 1854** (Callidulidae) Synonym(s): *Pterothysanus* Walker, 1854
- 734. *Tetragonus* Geyer, [1832]** (Callidulidae) Synonym(s): *Tetragonus* Geyer, [1832]
- 735. *Alexotypa* Diakonoff, 1989** (Carposinidae) Synonym(s): *Alexotypa* Diakonoff, 1989
- 736. *Archostola* Diakonoff, 1949** (Carposinidae) Synonym(s): *Archostola* Diakonoff, 1949
- 737. *Bondia* Newman, 1856** (Carposinidae) Synonym(s): *Bondia* Newman, 1856
- 738. *Carposina* Herrich-Schäffer, [1854]** (Carposinidae) Synonym(s): *Carposina* Herrich-Schäffer, [1854]; *Enopa* Walker, 1866; *Oistophora* Meyrick, 1881; *Paramorpha* Meyrick, 1881; *Heterocrossa* Meyrick, 1882
- 739. *Commataarcha* Meyrick, 1935** (Carposinidae) Synonym(s): *Commataarcha* Meyrick, 1935; *delarchis* Meyrick, 1938
- 740. *Heterogymna* Meyrick, 1918** (Carposinidae) Synonym(s): *Heterogymna* Meyrick, 1918
- 741. *Meridarchis* Zeller, 1867** (Carposinidae) Synonym(s): *Meridarchis* Zeller, 1867; *Autogriphus* Walsingham, 1897; *Propedesis* Walsingham, 1900; *Pexinola* Hampson, 1900; *Tribonica* Meyrick, 1905
- 742. *Metacosmesis* Diakonoff, 1949** (Carposinidae) Synonym(s): *Metacosmesis* Diakonoff, 1949
- 743. *Peragrarchis* Diakonoff, 1959** (Carposinidae) Synonym(s): *Peragrarchis* Diakonoff, 1959
- 744. *Tascina* Westwood, 1877** (Castniidae) Synonym(s): *Tascina* Westwood, 1877
- 745. *Anthophila* Haworth, [1811]** (Choreutidae) Synonym(s): *Pallium* Retzius, 1783; *Anthophila* Haworth, [1811]; *Simaethis* Leach, [1815]; *Xylopada* Berthold, 1827; *Symaethis* Dunning & Pickard, [1859]
- 746. *Brenthia* Clemens, 1860** (Choreutidae) Synonym(s): *Brenthia* Clemens, 1860; *Microaethia* Chambers, 1878
- 747. *Choreutis* Hübner, [1825]** (Choreutidae) Synonym(s): *Choreutis* Hübner, [1825]; *Eutromula* Frölich, 1828; *Choreutes* Treitschke, 1835; *Macropia* Costa, [1836]; *Entomoloma* Ragonot, 1875; *Orchemia* Fernald, 1900 nec Gn., 1845; *Choreutidia* Sauber, 1902; *Allonyma* Busck, 1904
- 748. *Litobrenthia* Diakonoff, 1978** (Choreutidae) Synonym(s): *Litobrenthia* Diakonoff, 1978
- 749. *Millieria* Ragonot, 1874** (Choreutidae) Synonym(s): *Millieria* Ragonot, 1874; *Ripismia* Wocke, [1876]; *Rhipismia* Reutti, 1898; *Millieria* Spuler, 1910; *#Millieria* Le Marchard, 1937; *#Millieria* Le Marchard, 1937
- 750. *Nyx* Heppner, 1982** (Choreutidae) Synonym(s): *Nyx* Heppner, 1982
- 751. *Peotyle* Diakonoff, 1978** (Choreutidae) Synonym(s): *Peotyle* Diakonoff, 1978
- 752. *Phormoestes* Heppner, 1982** (Choreutidae) Synonym(s): *Phormoestes* Heppner, 1982
- 753. *Prochoreutis* Diakonoff & Heppner, 1980** (Choreutidae) Synonym(s): *Prochoreutis* Diakonoff & Heppner, 1980
- 754. *Saptha* Walker, 1864** (Choreutidae) Synonym(s): *Saptha* Walker, 1864
- 755. *Tebenna* Billberg, 1820** (Choreutidae) Synonym(s): *Tebenna* Billberg, 1820; *Porpe* Hübner, [1825]
- 756. *Axia* (Epicimelia) Korb, 1900** (Cimeliidae) Synonym(s): *Epicimelia* Korb, 1900
- 757. *Axia* Hübner, [1821]** (Cimeliidae) Synonym(s): *Axia* Hübner, [1821]
- 758. *Ussara* Walker, 1864** (Cimeliidae) Synonym(s): *Ussara* Walker, 1864
- 759. *Amblyxena* Meyrick, 1914** (Coleophoridae) Synonym(s): *Amblyxena* Meyrick, 1914
- 760. *Augasma* Herrich-Schäffer, [1853]** (Coleophoridae) Synonym(s): *Augasma* Herrich-Schäffer, [1853]
- 761. *Coleophora* Hübner, 1822** (Coleophoridae) Synonym(s): *Galleria* Vallot, 1818 nec Fabr., 1798; *Coleophora* Hübner, 1822; *Eupista* Hübner, [1825]; *Haploptilia* Hübner, [1825]; *Apista* Hübner, [1825]; *Porrectaria* Haworth, 1828; *Damophila* Curtis, 1832; *Astyages* Stephens, 1834; *Metallosetia* Stephens, 1834; *Casas* Wallengren, 1881; *Casigneta* Wallengren, 1881; *Corythangela* Meyrick, 1897; *Casignetella* Strand, 1928; *Protocryptis* Meyrick, 1931; *Tolleophora* Capuse, 1971; *Ionescumia* Capuse, 1971; *Stollia* Capuse, 1971; *Razowskia* Capuse, 1971; *Orghidania* Capuse, 1971; *Suireia* Capuse, 1971; *Frederickoenigia* Capuse, 1971; *Zaguliaevia* Capuse, 1971; *Amseliphora* Capuse, 1971; *Nemesia* Capuse, 1971 nec Sav., 1826; *Zangheriphora* Capuse, 1971; *Bourgeoisieja* Capuse, 1971; *Aureliania* Capuse, 1971 nec Gosse, 1860; *Bacescuaia* Capuse, 1971; *Klinzigedia* Capuse, 1971; *Vladdelia* Capuse, 1971; *Klimeschja* Capuse, 1971; *Glaseria* Capuse, 1971; *Valvulongia* Capuse, 1971; *Falkovitshia* Capuse, 1971; *Helopharea* Falkovitsh, 1972; *Cricotechna* Falkovitsh, 1972; *Plegmidia* Falkovitsh, 1972; *Agapalsa* Falkovitsh, 1972;
- 762. *Enscepastra* Meyrick, 1920** (Coleophoridae) Synonym(s): *Enscepastra* Meyrick, 1920
- 763. *Goniodoma* Zeller, 1849** (Coleophoridae) Synonym(s): *Goniodoma* Zeller, 1849
- 764. *Iriothyrsa* Meyrick, 1908** (Coleophoridae) Synonym(s): *Iriothyrsa* Meyrick, 1908
- 765. *Ischnophanes* Meyrick, 1891** (Coleophoridae) Synonym(s): *Ischnophanes* Meyrick, 1891
- 766. *Ischnopsis* Walsingham, 1881** (Coleophoridae) Synonym(s): *Ischnopsis* Walsingham, 1881
- 767. *Metriotes* Herrich-Schäffer, [1855]** (Coleophoridae) Synonym(s): *Metriotes* Herrich-Schäffer, [1855]
- 768. *Porotica* Meyrick, 1913** (Coleophoridae) Synonym(s): *Porotica* Meyrick, 1913
- 769. *Sandaloecca* Meyrick, 1920** (Coleophoridae) Synonym(s): *Sandaloecca* Meyrick, 1920
- 770. *Copromorpha* Meyrick, 1886** (Copromorphidae) Synonym(s): *Copromorpha* Meyrick, 1886; *Trychnostola* Turner, 1916

771. *Sisyrroxa* Meyrick, 1916 (Coproterigidae) Synonym(s): *Sisyrroxa* Meyrick, 1916
772. *Alloclita* Staudinger, 1859 (Cosmopterigidae) Synonym(s): *Alloclita* Staudinger, 1859; *Proceleustis* Meyrick, 1914; *Dahrania* Amsel, 1958
773. *Allotalanta* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *Allotalanta* Meyrick, 1913
774. *Amneris* Riedl, 1993 (Cosmopterigidae) Synonym(s): *Amneris* Riedl, 1993
775. *Anatrachyntis* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *Anatrachyntis* Meyrick, 1915; *Lacciferophaga* Zagulyaev, 1959; *Sathrobrotia* Hodges, 1962; *Amneris* Riedl, 1993; *Euamneris* Riedl, 1996
776. *Ascalenia* Wocke, [1876] (Cosmopterigidae) Synonym(s): *Ascalenia* Wocke, [1876]
777. *Axiarcha* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *Axiarcha* Meyrick, 1921
778. *Calanesia* Sinev, 1990 (Cosmopterigidae) Synonym(s): *Calanesia* Sinev, 1990
779. *Calycobathra* Meyrick, 1891 (Cosmopterigidae) Synonym(s): *Calycobathra* Meyrick, 1891
780. *Clarkeophlebia* Özdikmen, 2005 (Cosmopterigidae) Synonym(s): *Acanthophlebia* Clarke, 1986 nec Towns, 1983; *Clarkeophlebia* Özdikmen, 2005
781. *Colonophora* Meyrick, 1914 (Cosmopterigidae) Synonym(s): *Colonophora* Meyrick, 1914
782. *Cosmopterix* Hübner, [1825] (Cosmopterigidae) Synonym(s): *Cosmopterix* Hübner, [1825]; *Cosmopteryx* Zeller, 1839; *Lienigia* Spuler, 1910
783. *Diophila* Meyrick, 1937 (Cosmopterigidae) Synonym(s): *Diophila* Meyrick, 1937
784. *Dorodoca* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *Dorodoca* Meyrick, 1915
785. *Erechthiodes* Meyrick, 1914 (Cosmopterigidae) Synonym(s): *Erechthiodes* Meyrick, 1914
786. *Eteobalea* Hodges, 1962 (Cosmopterigidae) Synonym(s): *Eteobalea* Hodges, 1962; *Parastigmatophora* Riedl, 1965
787. *Euclemensia* Grote, 1878 (Cosmopterigidae) Synonym(s): *Euclemensia* Grote, 1878
788. *Gibeauxiella* Koster & Sinev, 2003 (Cosmopterigidae) Synonym(s): *Gibeauxiella* Koster & Sinev, 2003
789. *Gisilia* Kasy, 1968 (Cosmopterigidae) Synonym(s): *Gisilia* Kasy, 1968; *Melnea* Clarke, 1986
790. *Hodgesiella* Riedl, 1965 (Cosmopterigidae) Synonym(s): *Hodgesiella* Riedl, 1965
791. *Ischnobathra* Meyrick, 1937 (Cosmopterigidae) Synonym(s): *Ischnobathra* Meyrick, 1937
792. *Isidiella* Riedl, 1965 (Cosmopterigidae) Synonym(s): *Isidiella* Riedl, 1965
793. *Labdia* Walker, 1864 (Cosmopterigidae) Synonym(s): *Labdia* Walker, 1864
794. *Limnaecia* Stainton, 1851 (Cosmopterigidae) Synonym(s): *Limnaecia* Stainton, 1851; *Limnoecia* Meyrick, 1895; *Limnaecia* Dyar, [1903]
795. *Macrobathra* Meyrick, 1883 (Cosmopterigidae) Synonym(s): *Macrobathra* Meyrick, 1883; *Leurozancla* Turner, 1933
796. *Melanozestis* Meyrick, 1930 (Cosmopterigidae) Synonym(s): *Melanozestis* Meyrick, 1930
797. *Neomariania* Mariani, 1943 (Cosmopterigidae) Synonym(s): *Mariania* Rebel, 1937 nec Airaghi, 1901; *Neomariania* Mariani, 1943
798. *Pancalia* Stephens, 1829 (Cosmopterigidae) Synonym(s): *Pancalia* Stephens, 1829
799. *Parathystas* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *Parathystas* Meyrick, 1913
800. *Pauroptila* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *Pauroptila* Meyrick, 1913
801. *Phosphaticola* Viette, 1951 (Cosmopterigidae) Synonym(s): *Phosphaticola* Viette, 1951
802. *Pseudascalenia* Kasy, 1968 (Cosmopterigidae) Synonym(s): *Pseudascalenia* Kasy, 1968
803. *Pycnagorastis* Meyrick, 1937 (Cosmopterigidae) Synonym(s): *Pycnagorastis* Meyrick, 1937
804. *Pyroderces* Herrich-Schäffer, [1853] (Cosmopterigidae) Synonym(s): *Pyroderces* Herrich-Schäffer, [1853]; *Syntomactis* Meyrick, 1889; *Anatrachyntis* Meyrick, 1915; *Lallia* Chrétien, 1915; *Lacciferophaga* Zagulyaev, 1959; *Sathrobrotia* Hodges, 1962; *Anatrachyntis* Edwards & Nielsen, 1996
805. *Ramphis* Riedl, 1969 (Cosmopterigidae) Synonym(s): *Ramphis* Riedl, 1969
806. *Sorhagenia* Spuler, 1910 (Cosmopterigidae) Synonym(s): *Sorhagenia* Spuler, 1910; *Cystioecetes* Braun, 1915; *Sorhageniella* Riedl, 1965
807. *Stigmatophora* Herrich-Schäffer, [1853] (Cosmopterigidae) Synonym(s): *Stigmatophora* Herrich-Schäffer, [1853]
808. *Strenophila* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *Strenophila* Meyrick, 1913
809. *Streptothyris* Meyrick, 1918 (Cosmopterigidae) Synonym(s): *Streptothyris* Meyrick, 1918
810. *Tenuipenna* Amsel, 1959 (Cosmopterigidae) Synonym(s): *Tenuipenna* Amsel, 1959
811. *Tolliella* Riedl, 1969 (Cosmopterigidae) Synonym(s): *Tolliella* Riedl, 1969
812. *Trachydora* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *Trachydora* Meyrick, 1897
813. *Vulcaniella* Riedl, 1965 (Cosmopterigidae) Synonym(s): *Vulcaniella* Riedl, 1965
814. *Acosus* Dyar, 1905 (Cossidae) Synonym(s): *Acosus* Dyar, 1905; *Lamellocossus* Daniel, 1954
815. *Aethalopteryx* Schoorl, 1990 (Cossidae) Synonym(s): *Aethalopteryx* Schoorl, 1990
816. *Alcterogystia* Schoorl, 1990 (Cossidae) Synonym(s): *Alcterogystia* Schoorl, 1990
817. *Allocryptobia* Viette, 1951 (Cossidae) Synonym(s): *Cryptobia* Herrich-Schäffer, [1853]; *Allocryptobia* Viette, 1951
818. *Alophonotus* Schoorl, 1990 (Cossidae) Synonym(s): *Alophonotus* Schoorl, 1990
819. *Aramos* Schoorl, 1990 (Cossidae) Synonym(s): *Aramos* Schoorl, 1990
820. *Arctiocossus* R. Felder & Rogenhofer, 1874 (Cossidae) Synonym(s): *Arctiocossus* R. Felder & Rogenhofer, 1874
821. *Azygophleps* Hampson, 1892 (Cossidae) Synonym(s): *Azygophleps* Hampson, 1892
822. *Bergaris* Schoorl, 1990 (Cossidae) Synonym(s): *Bergaris* Schoorl, 1990
823. *Bifiduncus* Chou & Hua, 1988 (Cossidae) Synonym(s): *Bifiduncus* Chou & Hua, 1988
824. *Brachygystia* Schoorl, 1990 (Cossidae) Synonym(s): *Brachygystia* Schoorl, 1990
825. *Brachyilia* R. Felder & Rogenhofer, 1874 (Cossidae) Synonym(s): *Brachyilia* R. Felder & Rogenhofer, 1874
826. *Brypocetia* Schoorl, 1990 (Cossidae) Synonym(s): *Brypocetia* Schoorl, 1990
827. *Butaya* Yakovlev, 2005 (Cossidae) Synonym(s): *Butaya* Yakovlev, 2005
828. *Carohamilia* Dyar, 1940 (Cossidae) Synonym(s): *Carohamilia* Dyar, 1940
829. *Catopta* Staudinger, 1899 (Cossidae) Synonym(s): *Catopta* Staudinger, 1899; *Newelskoia* Grun-Grshimailo, 1900; *Sinicossus* Clench, 1958
830. *Cecryphalus* Schoorl, 1990 (Cossidae) Synonym(s): *Cecryphalus* Schoorl, 1990
831. *Chalcidica* Hübner, [1820] (Cossidae) Synonym(s): *Chalcidica* Hübner, [1820]
832. *Chiangmaiana* Koçak & Kemal, 2006 (Cossidae) Synonym(s): *Nirvana* Yakovlev, 2005 nec Kirkaldy, 1900; *Chiangmaiana* Koçak & Kemal, 2006
833. *Chilecomadia* Dyar, 1940 (Cossidae) Synonym(s): *Chilecomadia* Dyar, 1940; *Diarthrosia* Bryk, 1945; *Allocossus* Bryk, 1945
834. *Comadia* Barnes & McDunnough, 1911 (Cossidae) Synonym(s): *Comadia* Barnes & McDunnough, 1911; *Heterocoma* Barnes & McDunnough, 1918
835. *Coryphodema* R. Felder & Rogenhofer, 1874 (Cossidae) Synonym(s): *Coryphodema* R. Felder & Rogenhofer, 1874
836. *Cossulus* Staudinger, 1887 (Cossidae) Synonym(s): *Cossulus* Staudinger, 1887
837. *Cossus* Fabricius, 1793 (Cossidae) Synonym(s): *Cossus* Fabricius, 1793; *Trypanus* Rambur, 1866
838. *Deserticossus* Yakovlev, 2007 (Cossidae) Synonym(s): *Deserticossus* Yakovlev, 2007
839. *Dieida* Strand, 1911 (Cossidae) Synonym(s): *Dieida* Strand, 1911
840. *Duomitus* Butler, 1880 (Cossidae) Synonym(s): *Duomitus* Butler, 1880
841. *Dyspessa* Hübner, [1820] (Cossidae) Synonym(s): *Dyspessa* Hübner, [1820]; *Endagria* Boisduval, [1837]
842. *Dyspessacossus* Daniel, 1953 (Cossidae) Synonym(s): *Dyspessacossus* Daniel, 1953
843. *Eburgemellus* Schoorl, 1990 (Cossidae) Synonym(s): *Eburgemellus* Schoorl, 1990

844. **Endoxyla** Herrich-Schäffer,[1853] (Cossidae) Synonym(s): *Endoxyla* Herrich-Schäffer,[1853]; *Xyrena* Herrich-Schäffer,[1854]; *Cossmorphus* Houlbert,1916; *Dictyocossus* Houlbert,1916; *Melanocossus* Houlbert,1916
845. **Eogystia** Schoorl,1990 (Cossidae) Synonym(s): *Eogystia* Schoorl,1990
846. **Eremocossus** Hampson,1892 (Cossidae) Synonym(s): *Eremocossus* Hampson,1892
847. **Eulophonotus** R.Felder & Rogenhofer,1874 (Cossidae) Synonym(s): *Eulophonotus* R.Felder & Rogenhofer,1874; *Engyophlebus* Karsch,1900; *Calocossus* Aurivillius,1910; *Zeuzerops* Strand,1910
848. **Fania** Barnes & McDunnough,1911 (Cossidae) Synonym(s): *Fania* Barnes & McDunnough,1911
849. **Givarbela** Clench,1957 (Cossidae) Synonym(s): *Givarbela* Clench,1957; *Schausisca* Gentili,1985
850. **Givira** Walker,1856 (Cossidae) Synonym(s): *Givira* Walker,1856; *Eugivira* Schaus,1901; *Lentagena* Dyar,1905; *Stenocyttara* Turner,1918; *Acyttara* Turner,1918; *Anastomophleps* Hering,1923
851. **Gobibatyr** (Cossidae) Synonym(s):
852. **Groenendaelia** Yakovlev,2005 (Cossidae) Synonym(s): *Groenendaelia* Yakovlev,2005
853. **Hamilcara** Barnes & McDunnough,1910 (Cossidae) Synonym(s): *Hamilcara* Barnes & McDunnough,1910
854. **Hermophyllon** Schoorl,1990 (Cossidae) Synonym(s): *Hermophyllon* Schoorl,1990
855. **Hirtocossus** Schoorl,1990 (Cossidae) Synonym(s): *Hirtocossus* Schoorl,1990
856. **Holcercus** Staudinger,1884 (Cossidae) Synonym(s): *Holcercus* Staudinger,1884
857. **Hypopta** Hübner,[1818] (Cossidae) Synonym(s): *Hypopta* Hübner,[1818]; *Dolecta* Herrich-Schäffer,[1854]; *Philanglaus* Butler,1882; *Breyeria* Orfila,1957
858. **Inguromorpha** Edwards,1888 (Cossidae) Synonym(s): *Inguromorpha* Edwards,1888; *Ravigia* Dyar,1905
859. **Isoceras** Turati,1924 (Cossidae) Synonym(s): *Isoceras* Turati,1924
860. **Isocossus** Roepke,1957 (Cossidae) Synonym(s): *Isocossus* Roepke,1957
861. **Kotchevnik** Yakovlev,2005 (Cossidae) Synonym(s): *Kotchevnik* Yakovlev,2005
862. **Lakshmia** Yakovlev,2005 (Cossidae) Synonym(s): *Lakshmia* Yakovlev,2005
863. **Langsdorfia** Hübner,[1821] (Cossidae) Synonym(s): *Langsdorfia* Hübner,[1821]
864. **Macroccossus** Aurivillius,1900 (Cossidae) Synonym(s): *Macroccossus* Aurivillius,1900
865. **Meharia** Chrétien,1915 (Cossidae) Synonym(s): *Meharia* Chrétien,1915
866. **Melisomimas** Jordan,1907 (Cossidae) Synonym(s): *Melisomimas* Jordan,1907
867. **Miacora** Dyar,1905 (Cossidae) Synonym(s): *Miacora* Dyar,1905
868. **Mirocossus** Schoorl,1990 (Cossidae) Synonym(s): *Mirocossus* Schoorl,1990
869. **Mormogystia** Schoorl,1990 (Cossidae) Synonym(s): *Mormogystia* Schoorl,1990
870. **Morpheis** Hübner,[1820] (Cossidae) Synonym(s): *Morpheis* Hübner,[1820]; *Neocossus* Houlbert,1916; *Xylotrypa* Turner,1918
871. **Neostygia** Wiltshire,1980 (Cossidae) Synonym(s): *Neostygia* Wiltshire,1980
872. **Oreocossus** Aurivillius,1910 (Cossidae) Synonym(s): *Oreocossus* Aurivillius,1910
873. **Panau** Schoorl,1990 (Cossidae) Synonym(s): *Panau* Schoorl,1990
874. **Paracossulus** Schoorl,1990 (Cossidae) Synonym(s): *Paracossulus* Schoorl,1990
875. **Paracossus** Hampson,1904 (Cossidae) Synonym(s): *Paracossus* Hampson,1904
876. **Parahypopta** Daniel,1961 (Cossidae) Synonym(s): *Parahypopta* Daniel,1961
877. **Paralophonotus** Schoorl,1990 (Cossidae) Synonym(s): *Paralophonotus* Schoorl,1990
878. **Paropta** Staudinger,1900 (Cossidae) Synonym(s): *Paropta* Staudinger,1900
879. **Patopta** (Cossidae) Synonym(s):
880. **Pecticossus** Gaede,1930 (Cossidae) Synonym(s): *Pecticossus* Gaede,1930
881. **Philiodoron** Clench,1957 (Cossidae) Synonym(s): *Philiodoron* Clench,1957
882. **Phragmacossia** Schawerda,1924 (Cossidae) Synonym(s): *Phragmacossia* Schawerda,1924
883. **Phragmataecia** Newman,1850 (Cossidae) Synonym(s): *Phragmataecia* Newman,1850; *Macrogaster* Duponchel,[1845] *nec* Thunb.,1805
884. **Planctogystia** Schoorl,1990 (Cossidae) Synonym(s): *Planctogystia* Schoorl,1990
885. **Pomeria** Barnes & McDunnough,1911 (Cossidae) Synonym(s): *Pomeria* Barnes & McDunnough,1911
886. **Prionoxystus** Grote,1882 (Cossidae) Synonym(s): *Xystus* Grote,1874; *Prionoxystus* Grote,1882
887. **Pseudozeuzera** Schoorl,1990 (Cossidae) Synonym(s): *Pseudozeuzera* Schoorl,1990
888. **Psychidocossus** D.S.Fletcher,1982 (Cossidae) Synonym(s): *Psychopsis* Dyar,1940; *Psychidocossus* D.S.Fletcher,1982
889. **Psychogena** Schaus,1911 (Cossidae) Synonym(s): *Psychogena* Schaus,1911
890. **Psychonoctua** Grote,1865 (Cossidae) Synonym(s): *Psychonoctua* Grote,1865
891. **Puseyia** Dyar,1940 (Cossidae) Synonym(s): *Puseyia* Dyar,1940
892. **Rapdalus** Schoorl,1990 (Cossidae) Synonym(s): *Rapdalus* Schoorl,1990
893. **Relluna** Schoorl,1990 (Cossidae) Synonym(s): *Relluna* Schoorl,1990
894. **Rethona** Walker,1855 (Cossidae) Synonym(s): *Rethona* Walker,1855
895. **Rhizocossus** Clench,1957 (Cossidae) Synonym(s): *Rhizocossus* Clench,1957
896. **Rugigerat** Schoorl,1990 (Cossidae) Synonym(s): *Rugigerat* Schoorl,1990
897. **Sansara** Yakovlev,2005 (Cossidae) Synonym(s): *Sansara* Yakovlev,2005
898. **Semagystia** Schoorl,1990 (Cossidae) Synonym(s): *Semagystia* Schoorl,1990; *#Samagystia* De Freina,1994
899. **Skeletohyllon** Schoorl,1990 (Cossidae) Synonym(s): *Skeletohyllon* Schoorl,1990
900. **Strigocossus** Houlbert,1916 (Cossidae) Synonym(s): *Strigocossus* Houlbert,1916; *Xylocossus* Houlbert,1916
901. **Stygia** Latreille,1803 (Cossidae) Synonym(s): *Stygia* Latreille,1803; *Cryphia* Meigen,1830 *nec* Hbn.,1818; *Hyalida* Sodoffsky,1837
902. **Stygioides** Bruand,1853 (Cossidae) Synonym(s): *Stygioides* Bruand,1853; *Bruandia* Desmarest,1857; *Psychidostygia* Daniel,1955; *Danielostygia* Reisser,1962
903. **Sympycnodes** Turner,1932 (Cossidae) Synonym(s): *Sympycnodes* Turner,1932
904. **Tarsozeuzera** Schoorl,1990 (Cossidae) Synonym(s): *Tarsozeuzera* Schoorl,1990
905. **Tornia** Barnes & McDunnough,1911 (Cossidae) Synonym(s): *Tornia* Barnes & McDunnough,1911
906. **Trismelasmos** Schoorl,1990 (Cossidae) Synonym(s): *Trismelasmos* Schoorl,1990
907. **Vartiania** Yakovlev,2005 (Cossidae) Synonym(s): *Vartiania* Yakovlev,2005
908. **Voousia** Schoorl,1990 (Cossidae) Synonym(s): *Voousia* Schoorl,1990
909. **Wittocossus** Yakovlev,2005 (Cossidae) Synonym(s): *Wittocossus* Yakovlev,2005
910. **Xyleutes** Hübner,[1820] (Cossidae) Synonym(s): *Xyleutes* Hübner,[1820]; *Strigoides* Guérin-Méneville,[1844]; *Hinnaeya* Moore,1883; *Melanostrigus* Houlbert,1916
911. **Yakovlevina** Kemal & Kocak,2005 (Cossidae) Synonym(s): *Garuda* Yakovlev,2005 *nec* Scherer,1969; *Yakovlevina* Kemal & Kocak,2005
912. **Zeuzera** Latreille,1804 (Cossidae) Synonym(s): *Zeuzera* Latreille,1804; *Aegolia* Billberg,1820; *Latagia* Hübner,[1820]
913. **Zeuzerpecten** Gaede,1930 (Cossidae) Synonym(s): *Zeuzerpecten* Gaede,1930
914. **Crinopteryx** Peyerimhoff,1871 (Crimopterygidae) Synonym(s): *Crinopteryx* Peyerimhoff,1871
915. **Amata** Fabricius,1807 (Ctenuchidae) Synonym(s): *Amata* Fabricius,1807; *Syntomis* Ochsenheimer,1808; *Coenochromia* Hübner,[1819]; *Syntoma* Billberg,1820; *Hydrusa* Walker,1854; *Asinusca* Wallengren,1862; *#Asinutea* Wallengren,1863; *Buthysia* Wallengren,1863; *#Buthisia* Walker,1866; *#Synthomis* Mabilie,1892; *Leopoldina* Hering,1934.

916. **Apisa Walker, 1855** (Ctenuchidae) Synonym(s): *Apisa Walker, 1855*; *Anace Walker, 1856*; *Parapisa Kiriakoff, 1952*; *Dufraneella Kiriakoff, 1953*
917. **Auriculoceryx Holloway, 1988** (Ctenuchidae) Synonym(s): *Auriculoceryx Holloway, 1988*
918. **Cacosoma Felder, 1874** (Ctenuchidae) Synonym(s): *Cacosoma Felder, 1874*
919. **Caeneressa Obraztsov, 1957** (Ctenuchidae) Synonym(s): *Caeneressa Obraztsov, 1957*
920. **Callitomis Butler, 1876** (Ctenuchidae) Synonym(s): *Callitomis Butler, 1876*
921. **Ceryx Wallengren, 1863** (Ctenuchidae) Synonym(s): *Ceryx Wallengren, 1863*; *Agaphthora Meyrick, 1886*; *Syntomoides Hampson, 1892*
922. **Dysauxes Hübner, [1819]** (Ctenuchidae) Synonym(s): *Dysauxes Hübner, [1819]*; *Naclia Boisduval, 1840*; *Parauxes De Laever, 1983*
923. **Epitoxis Wallengren, 1863** (Ctenuchidae) Synonym(s): *Epitoxis Wallengren, 1863*
924. **Eressa Walker, 1854** (Ctenuchidae) Synonym(s): *Eressa Walker, 1854*; *Ctenandra C. Felder, 1861*; *Trianeura Butler, 1876*; *Choromeles Meyrick, 1886*; *#Chloromeles Hampson, 1898*
925. **Eressades Bethune-Baker, 1911** (Ctenuchidae) Synonym(s): *Eressades Bethune-Baker, 1911*
926. **Euchromia Hübner, [1819]** (Ctenuchidae) Synonym(s): *Euchromia Hübner, [1819]*; *Hira Walker, 1854*; *Phalanna Walker, 1854*
927. **Eutomis Hübner, [1819]** (Ctenuchidae) Synonym(s): *Eutomis Hübner, [1819]*
928. **Hyalaethea Butler, 1887** (Ctenuchidae) Synonym(s): *Hyalaethea Butler, 1887*
929. **Meganaclia Aurivillius, 1892** (Ctenuchidae) Synonym(s): *Meganaclia Aurivillius, 1892*
930. **Micronaclia Hampson, 1898** (Ctenuchidae) Synonym(s): *Micronaclia Hampson, 1898*
931. **Neeressa Hampson, 1905** (Ctenuchidae) Synonym(s): *Neeressa Hampson, 1905*
932. **Paralaethia Hampson, 1907** (Ctenuchidae) Synonym(s): *Paralaethia Hampson, 1907*
933. **Pseudoceryx Rothschild, 1910** (Ctenuchidae) Synonym(s): *Pseudoceryx Rothschild, 1910*
934. **Pseudonaclia Butler, 1876** (Ctenuchidae) Synonym(s): *Pseudonaclia Butler, 1876*
935. **Psichotoe Boisduval, 1829** (Ctenuchidae) Synonym(s): *Psichotoe Boisduval, 1829*; *Cacosoma R. Felder & Rogenhofer, 1869*
936. **Stictonaclia Hampson, 1898** (Ctenuchidae) Synonym(s): *Stictonaclia Hampson, 1898*
937. **Streptophlebia Hampson, 1898** (Ctenuchidae) Synonym(s): *Streptophlebia Hampson, 1898*
938. **Symphlebomis Hampson, 1905** (Ctenuchidae) Synonym(s): *Symphlebomis Hampson, 1905*
939. **Syntomoides Hampson, 1892** (Ctenuchidae) Synonym(s): *Syntomoides Hampson, 1892*
940. **Thylacoptera Hampson, 1898** (Ctenuchidae) Synonym(s): *Thylacoptera Hampson, 1898*
941. **Thyrogonia Hampson, 1898** (Ctenuchidae) Synonym(s): *Thyrogonia Hampson, 1898*
942. **Thyrosticta Hampson, 1898** (Ctenuchidae) Synonym(s): *Thyrosticta Hampson, 1898*
943. **Trichaeta Swinhoe, 1892** (Ctenuchidae) Synonym(s): *Trichaeta Swinhoe, 1892*
944. **Trichaetoides Holloway, 1988** (Ctenuchidae) Synonym(s): *Trichaetoides Holloway, 1988*
945. **Tritonaclia Hampson, 1898** (Ctenuchidae) Synonym(s): *Tritonaclia Hampson, 1898*
946. **Cyclidia Guenée, [1858]** (Cyclidiidae) Synonym(s): *Cyclidia Guenée, [1858]*; *Nelcynda Walker, 1862*; *Haloplia Snellen, 1892*; *Euchera Hampson, [1893] nec Hbn., [1825]*
947. **Cyclotorna Meyrick, 1907** (Cyclotornidae) Synonym(s): *Cyclotorna Meyrick, 1907*
948. **Amauris (Amaura) Geyer, 1837** (Danaidae) Synonym(s): *Amaura Geyer, 1837*; *Conoploea Guenée, 1865*; *Cadytis Moore, 1883*; *Berethis Moore, 1883*; *Nebroda Moore, 1883*; *Amaurina Aurivillius, 1910*; *Panamauris Bryk, 1937*; *Egialea Hemming, 1964*
949. **Chittira Moore, [1880]** (Danaidae) Synonym(s): *Chittira Moore, [1880]*
950. **Danaus (Anosia) Hübner, [1816]** (Danaidae) Synonym(s): *Linnaeus Hübner, [1806] (rejected; Opinion 278, 1954)*; *Anosia Hübner, [1816]*; *Panlymnas Bryk, 1937*
951. **Danaus (Salatura) Moore, [1880]** (Danaidae) Synonym(s): *Salatura Moore, [1880]*
952. **Danaus (s.str.) Kluk, 1802** (Danaidae) Synonym(s): *Danaus Kluk, 1802*; *Danaida Latreille, 1804*; *Danais Latreille, 1807*; *Festivus Crotch, 1872*; *Tasitia Moore, 1883*; *Danaomorpha Kremky, 1925*; *Panlymnas Bryk, 1937*
953. **Danaus Kluk, 1802** (Danaidae) Synonym(s): *Danaus Kluk, 1802*; *Danaida Latreille, 1804*; *Danais Latreille, 1807*; *Festivus Crotch, 1872*; *Tasitia Moore, 1883*; *Danaomorpha Kremky, 1925*; *Panlymnas Bryk, 1937*
954. **Dircenna Doubleday, 1847** (Danaidae) Synonym(s): *Oleria Hübner, 1816*; *Dircenna Doubleday, 1847*
955. **Euploea (Crastia) Hübner, [1816]** (Danaidae) Synonym(s): *Crastia Hübner, [1816]*
956. **Euploea (Salpinx) Hübner, [1819]** (Danaidae) Synonym(s): *Salpinx Hübner, [1819]*
957. **Euploea (Stictoploea) Butler, [1878]** (Danaidae) Synonym(s): *Stictoploea Butler, [1878]*
958. **Euploea Fabricius, 1807** (Danaidae) Synonym(s): *Euploea Fabricius, 1807*; *Isamia Moore, 1880*; *Narmada Moore, 1880*; *Nipara Moore, 1883*; *Vonona Moore, 1883*; *Oranasma Moore, 1883*; *Patosa Moore, 1883*; *Sarobia Moore, 1883*; *Vadebra Moore, 1883*; *Lontara Moore, 1883*; *Gamatoba Moore, 1883*; *Menama Moore, 1883*; *Tronga Moore, 1883*; *Adigama Moore, 1883*; *Sabanasa Moore, 1883*; *Andasena Moore, 1883*; *Chanapa Moore, 1883*; *Deragena Moore, 1883*; *Betanga Moore, 1883*; *Bibisana Moore, 1883*; *Penoa Moore, 1883*; *Mahintha Moore, 1883*; *Karadira Moore, 1883*; *Pramesta Moore, 1883*; *Tagata Moore, 1883*; *Rasuma Moore, 1883*; *Chirosa Moore, 1883*; *Mestapra Moore, 1883*; *Glinama Moore, 1883*; *Danisepa Moore, 1883*; *Saphara Moore, 1883*; *Satanga Moore, 1883*; *Tabada Moore, 1883*; *Selinda Moore, 1883*; *Hirdapa Moore, 1883*; *Pademma Moore, 1883*; *Nacamsa Moore, 1883*; *Tiruna Moore, 1883*; *Anadara Moore, 1883*; *Doricha Moore, 1883*
959. **Idea Fabricius, 1807** (Danaidae) Synonym(s): *Idea Fabricius, 1807*; *Hestia Hübner, 1816*
960. **Ideopsis Horsfield, [1858]** (Danaidae) Synonym(s): *Ideopsis Horsfield, [1858]*
961. **Lycorea Doubleday & Hewitson, [1847]** (Danaidae) Synonym(s): *Lycorea Doubleday & Hewitson, [1847]*; *Lycorella Hemming, 1933*
962. **Parantica Moore, [1880]** (Danaidae) Synonym(s): *Parantica Moore, [1880]*; *Caduga Moore, 1883*; *Bahore Moore, 1883*
963. **Tellervo Kirby, 1894** (Danaidae) Synonym(s): *Tellervo Kirby, 1894*
964. **Tirumala Moore, [1880]** (Danaidae) Synonym(s): *Tirumala Moore, [1880]*; *Melinda Moore, 1883*; *Elsa Honrath, 1892*
965. **Syringopais M. Hering, 1919** (Deoclonidae) Synonym(s): *Syringopais M. Hering, 1919*; *Nochelodes Meyrick, 1920*
966. **Klimeschia Amsel, 1938** (Douglassiidae) Synonym(s): *Klimeschia Amsel, 1938*
967. **Tinagma Zeller, 1839** (Douglassiidae) Synonym(s): *Tinagma Zeller, 1839*
968. **Agnidra Moore, 1868** (Drepanidae) Synonym(s): *Agnidra Moore, 1868*; *Zanclalbara Inoue, 1962*
969. **Albara Walker, 1866** (Drepanidae) Synonym(s): *Albara Walker, 1866*; *#Albaria Walker, 1866*
970. **Amphitorna Turner, 1911** (Drepanidae) Synonym(s): *Cyclura W. Warren, 1897 nec Harlan, 1825*; *Amphitorna Turner, 1911*; *Kosemponiola Strand, [1917]*; *Tomoceroa Matsumura, 1921*; *Neoreta W. Warren, 1921*; *Procampsis W. Warren, 1923*
971. **Auzatellodes Strand, 1916** (Drepanidae) Synonym(s): *Auzatellodes Strand, 1916*
972. **Canucha Walker, 1866** (Drepanidae) Synonym(s): *Canucha Walker, 1866*
973. **Cilix Leach, [1815]** (Drepanidae) Synonym(s): *Cilix Leach, [1815]*; *Euclea Hübner, [1819]*; *#Cilix Blanchard, 1840*
974. **Crucidava Holloway, 1998** (Drepanidae) Synonym(s): *Crucidava Holloway, 1998*
975. **Ditrigona Moore, 1888** (Drepanidae) Synonym(s): *Ditrigona Moore, 1888*; *Thaleridia Moore, 1888*; *Peridrepana Butler, 1889*; *Leucodrepana Hampson, [1893]*; *Leucodrepanilla Strand, 1911*; *Auzatella Strand, 1916*
976. **Drapetodes Guenée, [1858]** (Drepanidae) Synonym(s): *Drapetodes Guenée, [1858]*
977. **Drepana Schrank, 1802** (Drepanidae) Synonym(s): *Drepana Schrank, 1802*; *Syssaura Hübner, [1819]*; *Cleopteryx Gistel, 1848*
978. **Euphalacra W. Warren, 1897** (Drepanidae) Synonym(s): *Euphalacra W. Warren, 1897*
979. **Falcaria Haworth, 1809** (Drepanidae) Synonym(s): *Falcaria Haworth, 1809*; *Prionia Hübner, [1819]*; *Edapteryx Packard, 1864*

- 980. Gogana Walker,[1866]** (Drepanidae) Synonym(s): *Gogana Walker,[1866]*
- 981. Hyalospectra W.Warren,1906** (Drepanidae) Synonym(s): *Hyalospectra W.Warren,1906*
- 982. Hyalostola Hampson,1914** (Drepanidae) Synonym(s): *Hyalostola Hampson,1914*
- 983. Hypsomadius Butler,1877** (Drepanidae) Synonym(s): *Hypsomadius Butler,1877*
- 984. Leucoblepsis W.Warren,1922** (Drepanidae) Synonym(s): *Leucoblepsis W.Warren,1922*
- 985. Macrauzata Butler,1889** (Drepanidae) Synonym(s): *Macrauzata Butler,1889*
- 986. Macroclix Butler,1886** (Drepanidae) Synonym(s): *Macroclix Butler,1886*
- 987. Microblepsis W.Warren,1922** (Drepanidae) Synonym(s): *Microblepsis W.Warren,1922*
- 988. Nordstromia Bryk,1943** (Drepanidae) Synonym(s): *Nordstromia Bryk,1943*
- 989. Oreta Walker,1855** (Drepanidae) Synonym(s): *Oreta Walker,1855; Dryopteris Grote,1862; Holoreta W.Warren,1902; Oretella Strand,[1916]; Psiloreta W.Warren,1923; Mimoreta Matsumura,1927; Rhamphoreta Bryk,1943*
- 990. Paralbara Watson,1968** (Drepanidae) Synonym(s): *Paralbara Watson,1968*
- 991. Pseuderosia Snellen,1889** (Drepanidae) Synonym(s): *Pseuderosia Snellen,1889*
- 992. Sabra Bode,1907** (Drepanidae) Synonym(s): *Sabra Bode,1907; Palaeodrepana Inoue,1962*
- 993. Scytalopteryx Ritsema,1890** (Drepanidae) Synonym(s): *Phyllopteryx Ritsema,1889 (praecox.); Scytalopteryx Ritsema,1890*
- 994. Sewa Swinhoe,1900** (Drepanidae) Synonym(s): *Sewa Swinhoe,1900*
- 995. Spectroreta W.Warren,1903** (Drepanidae) Synonym(s): *Spectroreta W.Warren,1903*
- 996. Strepsigonia W.Warren,1897** (Drepanidae) Synonym(s): *Strepsigonia W.Warren,1897*
- 997. Streptoperas Hampson,1895** (Drepanidae) Synonym(s): *Streptoperas Hampson,1895; #Streptopteras Swinhoe,1902*
- 998. Teldenia Moore,1883** (Drepanidae) Synonym(s): *Teldenia Moore,1883*
- 999. Tridrepana Swinhoe,1895** (Drepanidae) Synonym(s): *Tridrepana Swinhoe,1895*
- 1000. Watsonalla Minet,1985** (Drepanidae) Synonym(s): *Watsonalla Minet,1985*
- 1001. Zusidava Walker,1862** (Drepanidae) Synonym(s): *Zusidava Walker,1862*
- 1002. Dudgeonea Hampson,1900** (Dudgeonidae) Synonym(s): *Dudgeonea Hampson,1900; #Dudgeona Turner,1902*
- 1003. Dibrachia Sinev & Sruoga,1992** (Elachistidae) Synonym(s): *Dibrachia Sinev & Sruoga,1992*
- 1004. Elachista Treitschke,1833** (Elachistidae) Synonym(s): *Elachista Treitschke,1833; Aphelosetia Stephens,1834; Cynodia Herrich-Schäffer,1853; Phigalia Chambers,1875; Atachia Wocke,[1876]; Neaera Chambers,1880; Hecista Wallengren,1881; Aphigalia Dyar,1903; Irenicodes Meyrick,1919; Euproteodes Viette,1954; Biselachista Traugott-Olsen,1977*
- 1005. Gautengia Kemal & Koçak,2006** (Elachistidae) Synonym(s): *Pretoriana Traugott-Olsen,1996 nec Curran,1938 non Uvarov,1922; Gautengia Kemal & Koçak,2006*
- 1006. Kearfottina Kemal & Koçak,2006** (Elachistidae) Synonym(s): *Kearfottina Traugott-Olsen,1996 nec Fern.,1904; Kearfottina Kemal & Koçak,2006*
- 1007. Mendesia Joannis,1902** (Elachistidae) Synonym(s): *Mendesia Joannis,1902; Triboloneura Wallengren,1908; #Mendesina Amsel,1935*
- 1008. Myrrhinitis Meyrick,1913** (Elachistidae) Synonym(s): *Myrrhinitis Meyrick,1913*
- 1009. Perittia Stainton,1854** (Elachistidae) Synonym(s): *Perittia Stainton,1854*
- 1010. Phthinostoma Meyrick,1914** (Elachistidae) Synonym(s): *Phthinostoma Meyrick,1914*
- 1011. Polymetis Walsingham,1908** (Elachistidae) Synonym(s): *Polymetis Walsingham,1908*
- 1012. Proterochyta Meyrick,1918** (Elachistidae) Synonym(s): *Proterochyta Meyrick,1918*
- 1013. Stephensia Stainton,1854** (Elachistidae) Synonym(s): *Stephensia Stainton,1854*
- 1014. Symphoristis Meyrick,1918** (Elachistidae) Synonym(s): *Symphoristis Meyrick,1918*
- 1015. Endromis Ochsenheimer,1810** (Endromidae) Synonym(s): *Endromis Ochsenheimer,1810; Dorvillia Leach,[1815]; Dimorpha Hübner,1822 nec Jurine,1807*
- 1016. Africepermenia Gaedike,2004** (Epermeniidae) Synonym(s): *Africepermenia Gaedike,2004*
- 1017. Epermenia (Calotripis) Hübner,[1825]** (Epermeniidae) Synonym(s): *Calotripis Hübner,[1825]*
- 1018. Epermenia (Cataplectica) Walsingham,1894** (Epermeniidae) Synonym(s): *Cataplectica Walsingham,1894*
- 1019. Epermenia (Epermeniola) Gaedike,1968** (Epermeniidae) Synonym(s): *Epermeniola Gaedike,1968*
- 1020. Epermenia (s.str.) Hübner,[1825]** (Epermeniidae) Synonym(s): *Epermenia,[1825]; Heydenia Hofmann,1898 (homonym)*
- 1021. Epermenia Hübner,[1825]** (Epermeniidae) Synonym(s): *Epermenia,[1825]; Heydenia Hofmann,1898 (homonym)*
- 1022. Gnathifera Gaedike,1978** (Epermeniidae) Synonym(s): *Gnathifera Gaedike,1978*
- 1023. Mesepermenia Gaedike,2004** (Epermeniidae) Synonym(s): *Mesepermenia Gaedike,2004*
- 1024. Ochromolopis Hübner,[1825]** (Epermeniidae) Synonym(s): *Ochrololopis Hübner,[1825]; Temelucha Meyrick,1909; Temeluchella T.B.Fletcher,1940*
- 1025. Phaulernis Meyrick,1895** (Epermeniidae) Synonym(s): *Aechmia Stainton,1854 nec Tr.,1833; Phaulernis Meyrick,1895*
- 1026. Burmeia Minet,2002** (Epicopeiidae) Synonym(s): *Burmeia Minet,2002*
- 1027. Epicopeia Westwood,1841** (Epicopeiidae) Synonym(s): *Epicopeia Westwood,1841; Epicopia Hampson,1895; Epicopiopsis*
- 1028. Anopyrops Jordan,1928** (Epipyropidae) Synonym(s): *Anopyrops Jordan,1928*
- 1029. Epieurybrachys Kato,1940** (Epipyropidae) Synonym(s): *Epieurybrachys Kato,1940*
- 1030. Epipomponia Dyar,1906** (Epipyropidae) Synonym(s): *Epipomponia Dyar,1906*
- 1031. Epiricania Kato,1939** (Epipyropidae) Synonym(s): *Epiricania Kato,1939*
- 1032. Fulgoraacia Newman,1851** (Epipyropidae) Synonym(s): *Fulgoraacia Newman,1851; Epipyrops Westwood,1876*
- 1033. Heteropsyche Perkins,1905** (Epipyropidae) Synonym(s): *Heteropsyche Perkins,1905; Agamopsyche Perkins,1905*
- 1034. Microlimax Hampson,1896** (Epipyropidae) Synonym(s): *Microlimax Hampson,1896*
- 1035. Palaeopsyche Perkins,1905** (Epipyropidae) Synonym(s): *Palaeopsyche Perkins,1905*
- 1036. Compsoctena Zeller,[1854]** (Eriocottidae) Synonym(s): *Compsoctena Zeller,[1854]; Tissa Walker,1863; Thapava Walker,1864; Galaria Walker,1866*
- 1037. Deuterotinea Rebel,1900** (Eriocottidae) Synonym(s): *Deuterotinea Rebel,1900; Cronodoxa Meyrick,1922*
- 1038. Eriocottis Zeller,1847** (Eriocottidae) Synonym(s): *Eriocottis Zeller,1847*
- 1039. Eucryptogona Lower,1901** (Eriocottidae) Synonym(s): *Eucryptogona Lower,1901*
- 1040. Dyseriocrania Meess,1910** (Eriocraniidae) Synonym(s): *Dyseriocrania Meess,1910; Mnemonica Meyrick,1912*
- 1041. Eriocrania Zeller,1851** (Eriocraniidae) Synonym(s): *Eriocrania Zeller,1851; Chapmania Spuler,1910 nec Monticelli,1893; Allochapmania Strand,1917*
- 1042. Heringocrania Kuznetsov,1941** (Eriocraniidae) Synonym(s): *Heringocrania Kuznetsov,1941; Paracrania Zagulyaev,1992*
- 1043. Dasyethmia Danilevsky,1969** (Ethmiidae) Synonym(s): *Dasyethmia Danilevsky,1969*
- 1044. Ethmia Hübner,[1819]** (Ethmiidae) Synonym(s): *Ethmia Hübner,[1819]; Psecadia Hübner,[1825]; Anesychia Hübner,[1825]; Melanoleuca Stephens,1829; Aedia Duponchel,1837 nec Hübner,[1825]; Wiltshirea Amsel,1949 nec Buckman,1904*
- 1045. Acrojana Aurivillius,1901** (Eupterotidae) Synonym(s): *Acrojana Aurivillius,1901*
- 1046. Apha Walker,1855** (Eupterotidae) Synonym(s): *Apha Walker,1855*
- 1047. Bantuana Distant,1906** (Eupterotidae) Synonym(s): *Bantuana Distant,1906*
- 1048. Camerunia Aurivillius,1893** (Eupterotidae) Synonym(s): *Camerunia Aurivillius,1893*
- 1049. Catajana Strand,1910** (Eupterotidae) Synonym(s): *Catajana Strand,1910*

- 1050.** *Cyrtojana Aurivillius, 1911* (Eupterotidae) Synonym(s): *Cyrtojana Aurivillius, 1911*
- 1051.** *Eupterote Hübner, [1820]* (Eupterotidae) Synonym(s): *Eupterote Hübner, [1820]*; *Messata Walker, 1855*; *Murlida Moore, 1858*; *Leptojana Butler, 1881*; *Pachyjana Butler, 1881*; *Horanpella Moore, 1883*; *Spalyria Moore, 1884*; *Drepanojana Aurivillius, 1893*; *Drepanojana Bryk, 1944 nec Auriv., 1893*; *Heringijana Bryk, 1944*
- 1052.** *Ganisa Walker, 1855* (Eupterotidae) Synonym(s): *Ganisa Walker, 1855*; *Mallarctus Mell, 1929*
- 1053.** *Hemijana Aurivillius, 1901* (Eupterotidae) Synonym(s): *Hemijana Aurivillius, 1901*
- 1054.** *Hibrildes Druce, 1888* (Eupterotidae) Synonym(s): *Hibrildes Druce, 1888*
- 1055.** *Hoplojana Aurivillius, 1901* (Eupterotidae) Synonym(s): *Hoplojana Aurivillius, 1901*
- 1056.** *Jana Herrich-Schäffer, [1854]* (Eupterotidae) Synonym(s): *Jana Herrich-Schäffer, [1854]*
- 1057.** *Janomima Aurivillius, 1901* (Eupterotidae) Synonym(s): *Janomima Aurivillius, 1901*
- 1058.** *Lichenopteryx Felder, 1874* (Eupterotidae) Synonym(s): *Lichenopteryx Felder, 1874*
- 1059.** *Marmaroplegma Wallengren, 1860* (Eupterotidae) Synonym(s): *Marmaroplegma Wallengren, 1860*
- 1060.** *Melanothrix R. Felder, 1875* (Eupterotidae) Synonym(s): *Melanothrix R. Felder, 1875*
- 1061.** *Neopreptos Draudt, 1930* (Eupterotidae) Synonym(s): *Neopreptos Draudt, 1930*
- 1062.** *Palirisa Moore, 1884* (Eupterotidae) Synonym(s): *Palirisa Moore, 1884*
- 1063.** *Paraphyllalia Gaede, 1927* (Eupterotidae) Synonym(s): *Paraphyllalia Gaede, 1927*
- 1064.** *Phiala Wallengren, 1860* (Eupterotidae) Synonym(s): *Heteromorpha Herrich-Schäffer, [1855] (homonym)*; *Phiala Wallengren, 1860*; *Stibolepis Butler, 1878*; *#Phiala Wichgraf, 1908*
- 1065.** *Phyllalia Walker, 1855* (Eupterotidae) Synonym(s): *Phyllalia Walker, 1855*; *Homochroa Wallengren, 1858*
- 1066.** *Poloma Walker, 1855* (Eupterotidae) Synonym(s): *Poloma Walker, 1855*; *Sarvena Walker, 1855*
- 1067.** *Preptos Schaus, 1892* (Eupterotidae) Synonym(s): *Preptos Schaus, 1892*
- 1068.** *Rhabdosia Hübner, [1820]* (Eupterotidae) Synonym(s): *Rhabdosia Hübner, [1820]*
- 1069.** *Schistissa Aurivillius, 1901* (Eupterotidae) Synonym(s): *Schistissa Aurivillius, 1901*
- 1070.** *Stenoglene R. Felder, 1874* (Eupterotidae) Synonym(s): *Stenoglene R. Felder, 1874*; *Phasicnecus Butler, 1894*
- 1071.** *Striphnopteryx Wallengren, 1858* (Eupterotidae) Synonym(s): *Striphnopteryx Wallengren, 1858*
- 1072.** *Tagora Walker, 1855* (Eupterotidae) Synonym(s): *Tagora Walker, 1855*; *Sphingognatha R. Felder & Rogenhofer, 1874*
- 1073.** *Tissanga Aurivillius, 1903* (Eupterotidae) Synonym(s): *Tissanga Aurivillius, 1903*
- 1074.** *Trichophiala Aurivillius, 1879* (Eupterotidae) Synonym(s): *Trichophiala Aurivillius, 1879*
- 1075.** *Acanthophila Heinemann, 1870* (Gelechiidae) Synonym(s): *Acanthophila Heinemann, 1870*
- 1076.** *Acompsia Hübner, [1825]* (Gelechiidae) Synonym(s): *Acompsia Hübner, [1825]*
- 1077.** *Acraeologa Meyrick, 1921* (Gelechiidae) Synonym(s): *Acraeologa Meyrick, 1921*; *#Araeolga Janse, 1963*; *#Acraeologa Janse, 1963*
- 1078.** *Acribologa Meyrick, 1923* (Gelechiidae) Synonym(s): *Acribologa Meyrick, 1923*
- 1079.** *Acutitornus Janse, 1951* (Gelechiidae) Synonym(s): *Acutitornus Janse, 1951*
- 1080.** *Aeolotrocha Meyrick, 1921* (Gelechiidae) Synonym(s): *Aeolotrocha Meyrick, 1921*
- 1081.** *Agonochaetia Povolny, 1965* (Gelechiidae) Synonym(s): *Agonochaetia Povolny, 1965*
- 1082.** *Allophlebia Janse, 1960* (Gelechiidae) Synonym(s): *Allophlebia Janse, 1960*
- 1083.** *Allotelpusa Janse, 1958* (Gelechiidae) Synonym(s): *Allotelpusa Janse, 1958*
- 1084.** *Altenia Sattler, 1960* (Gelechiidae) Synonym(s): *Altenia Sattler, 1960*
- 1085.** *Amblyphylla Janse, 1960* (Gelechiidae) Synonym(s): *Amblyphylla Janse, 1960*
- 1086.** *Anacampsis Curtis, 1827* (Gelechiidae) Synonym(s): *Anacampsis Curtis, 1827*; *Tachyptilia Heinemann, 1870*; *Agriastis Meyrick, 1914*
- 1087.** *Anapatetris Janse, 1951* (Gelechiidae) Synonym(s): *Anapatetris Janse, 1951*
- 1088.** *Anarsia (Ananarsia) Amsel, 1959* (Gelechiidae) Synonym(s): *Ananarsia Amsel, 1959*
- 1089.** *Anarsia (s.str.) Zeller, 1839* (Gelechiidae) Synonym(s): *Anarsia Zeller, 1839*
- 1090.** *Anaspaltis Meyrick, 1925* (Gelechiidae) Synonym(s): *Anaspaltis Meyrick, 1925*
- 1091.** *Anastomopteryx Janse, 1951* (Gelechiidae) Synonym(s): *Anastomopteryx Janse, 1951*
- 1092.** *Andusia Walker, 1866* (Gelechiidae) Synonym(s): *Andusia Walker, 1866*
- 1093.** *Angustiphylla Janse, 1960* (Gelechiidae) Synonym(s): *Angustiphylla Janse, 1960*
- 1094.** *Anomologa Meyrick, 1926* (Gelechiidae) Synonym(s): *Anomologa Meyrick, 1926*
- 1095.** *Antoniejanse Kemal & Koçak, 2005* (Gelechiidae) Synonym(s): *Paratelpusa Janse, 1958 nec Zehntner, 1894*; *Antoniejanse Kemal & Koçak, 2005*
- 1096.** *Apatetris Staudinger, 1879* (Gelechiidae) Synonym(s): *Apatetris Staudinger, 1879*
- 1097.** *Aphnogenes Meyrick, 1921* (Gelechiidae) Synonym(s): *Aphnogenes Meyrick, 1921*
- 1098.** *Apodia Heinemann, 1870* (Gelechiidae) Synonym(s): *Apodia Heinemann, 1870*
- 1099.** *Aponoea Walsingham, 1905* (Gelechiidae) Synonym(s): *#Aponoea Walsingham, 1904*; *Aponoea Walsingham, 1905*
- 1100.** *Apotactis Meyrick, 1918* (Gelechiidae) Synonym(s): *Apotactis Meyrick, 1918*
- 1101.** *Aproaerema Durrant, 1897* (Gelechiidae) Synonym(s): *Aproaerema Durrant, 1897*
- 1102.** *Araeophalla Janse, 1960* (Gelechiidae) Synonym(s): *Araeophalla Janse, 1960*
- 1103.** *Araeophylla Janse, 1954* (Gelechiidae) Synonym(s): *Araeophylla Janse, 1954*
- 1104.** *Araeovalva Janse, 1960* (Gelechiidae) Synonym(s): *Stenovalva Janse, 1958 (homonym)*; *Araeovalva Janse, 1960*
- 1105.** *Argolamprotes Benander, 1945* (Gelechiidae) Synonym(s): *Argolamprotes Benander, 1945*
- 1106.** *Argophara Janse, 1963* (Gelechiidae) Synonym(s): *Argophara Janse, 1963*
- 1107.** *Aristotelia Hübner, [1825]* (Gelechiidae) Synonym(s): *Aristotelia Hübner, [1825]*; *Ergatis Heinemann, 1870 nec Blackwall, 1841*; *Eucatoptus Walsingham, 1897*
- 1108.** *Aroga Busck, 1914* (Gelechiidae) Synonym(s): *Aroga Busck, 1914*
- 1109.** *Asapharcha Meyrick, 1920* (Gelechiidae) Synonym(s): *Asapharcha Meyrick, 1920*; *#Asapharcha Clarke, 1955*
- 1110.** *Asbolistis Meyrick, 1936* (Gelechiidae) Synonym(s): *Asbolistis Meyrick, 1936*
- 1111.** *Aspades Vari, 1986* (Gelechiidae) Synonym(s): *Aspades Vari, 1986*
- 1112.** *Athrips Billberg, 1820* (Gelechiidae) Synonym(s): *Athrips Billberg, 1820*; *Rhynchopacha Staudinger, 1871*; *Epithectis Meyrick, 1895*; *Leobatus Walsingham, 1904*; *Ziminiola Gerasimov, 1930*; *Cremona Busck, 1934*
- 1113.** *Atremaea Staudinger, 1871* (Gelechiidae) Synonym(s): *Atremaea Staudinger, 1871*
- 1114.** *Aulidiotis Meyrick, 1925* (Gelechiidae) Synonym(s): *Aulidiotis Meyrick, 1925*
- 1115.** *Autodectis Meyrick, 1937* (Gelechiidae) Synonym(s): *Autodectis Meyrick, 1937*
- 1116.** *Bagdadia Amsel, 1949* (Gelechiidae) Synonym(s): *Bagdadia Amsel, 1949*
- 1117.** *Belovalva Janse, 1963* (Gelechiidae) Synonym(s): *Belovalva Janse, 1963*
- 1118.** *Bilobata Vari, 1986* (Gelechiidae) Synonym(s): *Bilobata Vari, 1986*
- 1119.** *Blastovalva Janse, 1960* (Gelechiidae) Synonym(s): *Blastovalva Janse, 1960*
- 1120.** *Brachmia Hübner, [1825]* (Gelechiidae) Synonym(s): *Brachmia Hübner, [1825]*; *Cladodes Heinemann, 1870 nec Solier, 1849*; *Eudodacles Snellen, 1889*; *Aulacomima Meyrick, 1904*; *Apethistis Meyrick, 1908*
- 1121.** *Brachyacma Meyrick, 1886* (Gelechiidae) Synonym(s): *Brachyacma Meyrick, 1886*; *Lathontogenus Walsingham, 1897*

- Paraspistes* Meyrick, 1905; *Lipatia* Busck, 1910; #*Brachyaema* Povolny, 1967; #*Brachiacma* Common, 1970
1122. **Bryotropha Heinemann, 1870** (Gelechiidae) Synonym(s): *Bryotropha* Heinemann, 1870; *Mniophaga* Pierce & Daltry, 1938; *Adelphotropha* Gozmany, 1955
1123. **Bucolarcha Meyrick, 1929** (Gelechiidae) Synonym(s): *Bucolarcha* Meyrick, 1929
1124. **Calliphylla Janse, 1963** (Gelechiidae) Synonym(s): *Calliphylla* Janse, 1963
1125. **Capnosema Janse, 1958** (Gelechiidae) Synonym(s): *Capnosema* Janse, 1958
1126. **Carpatolechia Capuse, 1964** (Gelechiidae) Synonym(s): *Carpatolechia* Capuse, 1964
1127. **Cartericella Fletcher, 1940** (Gelechiidae) Synonym(s): *Carterica* Meyrick, 1925 (praeocc.); *Cartericella* Fletcher, 1940
1128. **Caryocolum Gregor & Povolny, 1954** (Gelechiidae) Synonym(s): *Caryocolum* Gregor & Povolny, 1954
1129. **Catelaphris Meyrick, 1925** (Gelechiidae) Synonym(s): *Catelaphris* Meyrick, 1925
1130. **Caulastrocecis Chrétien, 1931** (Gelechiidae) Synonym(s): *Caulastrocecis* Chrétien, 1931
1131. **Cerofrontia Janse, 1951** (Gelechiidae) Synonym(s): *Cerofrontia* Janse, 1951
1132. **Chilopselaphus Mann, 1867** (Gelechiidae) Synonym(s): *Chilopselaphus* Mann, 1867
1133. **Chionodes Hübner, [1825]** (Gelechiidae) Synonym(s): *Chionodes* Hübner, [1825]
1134. **Chrysoesthia Hübner, [1825]** (Gelechiidae) Synonym(s): *Chrysoesthia* Hübner, [1825]
1135. **Clepsimorpha Janse, 1960** (Gelechiidae) Synonym(s): *Clepsimorpha* Janse, 1960
1136. **Coleotechnites Chambers, 1880** (Gelechiidae) Synonym(s): *Evagora* Chambers, 1860 (homonym); *Eidothea* Chambers, 1873 (homonym); *Coleotechnites* Chambers, 1880; *Eucodylea* Dietz, 1900; *Pulicalvaria* Freeman, 1963.
1137. **Coloptilia T.B.Fletcher, 1940** (Gelechiidae) Synonym(s): *Coloptilia* T.B.Fletcher, 1940
1138. **Compsolechia Meyrick, 1918** (Gelechiidae) Synonym(s): *Compsolechia* Meyrick, 1918
1139. **Coniogrya Meyrick, 1921** (Gelechiidae) Synonym(s): *Coniogrya* Meyrick, 1921
1140. **Cosmardia Povolny, 1965** (Gelechiidae) Synonym(s): *Cosmardia* Povolny, 1965
1141. **Crossobela Meyrick, 1923** (Gelechiidae) Synonym(s): *Crossobela* Meyrick, 1923; *Uncustriodontia* Agenjo, 1952.
1142. **Curvisignella Janse, 1951** (Gelechiidae) Synonym(s): *Curvisignella* Janse, 1951
1143. **Cymatoplicella T.B.Fletcher, 1940** (Gelechiidae) Synonym(s): *Cymatoplex* Meyrick, 1925 (homonym); *Cymatoplicella* T.B.Fletcher, 1940
1144. **Dactylethrella T.B.Fletcher, 1940** (Gelechiidae) Synonym(s): *Dactylethra* Meyrick, 1906 (homonym); *Dactylethrella* T.B.Fletcher, 1940
1145. **Daemonarcha Meyrick, 1918** (Gelechiidae) Synonym(s): *Daemonarcha* Meyrick, 1918
1146. **Deimnestra Meyrick, 1918** (Gelechiidae) Synonym(s): *Deimnestra* Meyrick, 1918
1147. **Deimophila Meyrick, 1906** (Gelechiidae) Synonym(s): *Deimophila* Meyrick, 1906
1148. **Deltolophos Janse, 1960** (Gelechiidae) Synonym(s): *Deltolophos* Janse, 1960
1149. **Deltophora Janse, 1950** (Gelechiidae) Synonym(s): *Deltophora* Janse, 1950
1150. **Demiophila Meyrick, 1906** (Gelechiidae) Synonym(s): *Demiophila* Meyrick, 1906
1151. **Dichomeris Hübner, 1818** (Gelechiidae) Synonym(s): *Dichomeris* Hübner, 1818; *Oxybelia* Hübner, [1825]; *Rhinostia* Treitschke, 1833; *Anorthostia* Clemens, 1860; *Trichotaphe* Clemens, 1860; *Rhobonda* Walker, 1864 nec 1863; *Vazugada* Walker, 1864; *Gaesa* Walker, 1864; *Tocmia* Walker, 1864; *Carna* Walker, 1864 nec Gstl., 1848; *Noeza* Walker, 1866 nec Mgn., 1800; *Acanthophila* Heinemann, 1870; *Sagaritis* Chambers, 1872 nec Billb., 1820; *Begoe* Chambers, 1872; *Epicorthylis* Zeller, 1873; *Atasthalitis* Meyrick, 1886; *Zalithia* Meyrick, 1894; *Pappophorus* Walsingham, 1897; *Arotia* Meyrick, 1904; *Dectobathra* Meyrick, 1904; *Croesopola* Meyrick, 1904; *Hypelictis* Meyrick, 1905; *Paristhemia* Meyrick, 1909; *Hylograptis* Meyrick, 1910; *Schematistis* Meyrick, 1911; *Paranoea* Walsingham, 1911; *Placomosaris* Meyrick, 1912; *Machlotricha* Meyrick, 1912; *Holaxyra* Meyrick, 1913; *Carbatina* Meyrick, 1913; *Zomeutis* Meyrick, 1913; *Ilingiotis* Meyrick, 1914; *Pachysaris* Meyrick, 1914; *Deimnestra* Meyrick, 1918; *Daemonarcha* Meyrick, 1918; *Macrozancla* Turner, 1919; *Euryzancla* Turner, 1919; *Rhadinophylla* Turner, 1919; *Eurysara* Turner, 1919; *Iochares* Meyrick, 1921; *Eporgastis* Meyrick, 1921; *Aphnogenes* Meyrick, 1921; *Uliaria* Dumont, 1921; *Taphrographa* Meyrick, 1922; *Prophoraula* Meyrick, 1922; *Acribologa* Meyrick, 1923; *Cymotricha* Meyrick, 1923; *Ageliarchis* Meyrick, 1923; *Myrophila* Meyrick, 1923; *Brochometis* Meyrick, 1923; *Neochrista* Meyrick, 1923; *Semiomeris* Meyrick, 1923; *Mythographa* Meyrick, 1923; *Sathrogenes* Meyrick, 1923; *Musurga* Meyrick, 1923; *Thelyasceta* Meyrick, 1923; *Oxysactis* Meyrick, 1923; *Rhynchotona* Meyrick, 1923; *Gomphocrates* Meyrick, 1925 nec Dum. 1921; *Catoptristis* Meyrick, 1925; *Cymatoplex* Meyrick, 1925 nec Turn., 1910; *Catelaphris* Meyrick, 1925; *Cerycangela* Meyrick, 1925; *Epicharta* Meyrick, 1926; *Prasodryas* Meyrick, 1926; *Xenorrhithma* Meyrick, 1926; *Thyrsonnestis* Meyrick, 1929; *Desmophylax* Meyrick, 1935; *Ereboscaes* Meyrick, 1937; *Chthonogenes* Meyrick, 1938; *Cymatoplicella* Fletcher, 1940; *Neopachnistis* Janse, 1954; *Picroptera* Janse, 1960; *Parabrachmia* Janse, 1960; *Deltolophos* Janse, 1960; *Mimomeris* Povolny, 1978
1152. **Dicranucha Janse, 1954** (Gelechiidae) Synonym(s): *Dicranucha* Janse, 1954
1153. **Dirhinosisia Rebel, 1905** (Gelechiidae) Synonym(s): *Dirhinosisia* Rebel, 1905
1154. **Empedaulla Meyrick, 1918** (Gelechiidae) Synonym(s): *Empedaulla* Meyrick, 1918
1155. **Encentrotis Meyrick, 1921** (Gelechiidae) Synonym(s): *Encentrotis* Meyrick, 1921
1156. **Encolapta Meyrick, 1913** (Gelechiidae) Synonym(s): *Encolapta* Meyrick, 1913
1157. **Encrasima Meyrick, 1916** (Gelechiidae) Synonym(s): *Encrasima* Meyrick, 1916
1158. **Encrasima Meyrick, 1916** (Gelechiidae) Synonym(s): *Encrasima* Meyrick, 1916
1159. **Ephysteris (Microcraspedus) Janse, 1958** (Gelechiidae) Synonym(s): *Microcraspedus* Janse, 1958; *Ochrodia* Povolny, 1964; *Opacopsis* Povolny, 1964; *Echinoglossa* Clarke, 1965
1160. **Ephysteris (Ochrodia) Povolny, 1966** (Gelechiidae) Synonym(s): *Ochrodia* Povolny, 1966
1161. **Ephysteris (s.str.) Meyrick, 1908** (Gelechiidae) Synonym(s): *Ephysteris* Meyrick, 1908
1162. **Epicharta Meyrick, 1926** (Gelechiidae) Synonym(s): *Epicharta* Meyrick, 1926
1163. **Epicoenia Meyrick, 1906** (Gelechiidae) Synonym(s): *Epicoenia* Meyrick, 1906
1164. **Epidola Staudinger, 1859** (Gelechiidae) Synonym(s): *Epidola* Staudinger, 1859
1165. **Epilechia Busck, 1939** (Gelechiidae) Synonym(s): *Epilechia* Busck, 1939
1166. **Epimesophleps Rebel, 1907** (Gelechiidae) Synonym(s): *Epimesophleps* Rebel, 1907
1167. **Epimimastis Meyrick, 1916** (Gelechiidae) Synonym(s): *Epimimastis* Meyrick, 1916
1168. **Epiparasia Rebel, 1914** (Gelechiidae) Synonym(s): *Epiparasia* Rebel, 1914
1169. **Epithecis Meyrick, 1895** (Gelechiidae) Synonym(s): *Epithecis* Meyrick, 1895
1170. **Eporgastis Meyrick, 1921** (Gelechiidae) Synonym(s): *Eporgastis* Meyrick, 1921
1171. **Ereboscaes Meyrick, 1937** (Gelechiidae) Synonym(s): *Ereboscaes* Meyrick, 1937
1172. **Erikssonella Janse, 1960** (Gelechiidae) Synonym(s): *Erikssonella* Janse, 1960
1173. **Eulamprotes Bradley, 1971** (Gelechiidae) Synonym(s): *Lamprotes* Heinemann, 1870 nec R.L., 1817; *Argyritis* Heinemann, 1870 nec Hbn., [1821]; *Eulamprotes* Bradley, 1971
1174. **Euryctista Janse, 1963** (Gelechiidae) Synonym(s): *Euryctista* Janse, 1963
1175. **Evippe Chambers, 1873** (Gelechiidae) Synonym(s): *Evippe* Chambers, 1873; *Phaetusa* Chambers, 1875 nec Wagler, 1832; *Tholerosola* Meyrick, 1917.
1176. **Excommatica Janse, 1951** (Gelechiidae) Synonym(s): *Excommatica* Janse, 1951
1177. **Exoteleia Wallengren, 1881** (Gelechiidae) Synonym(s): *Exoteleia* Wallengren, 1881; *Paralechia* Busck, 1903; *Heringia* Spuler, 1910 (homonym); *Heringiola* Strand, 1917.

1178. **Filatima Busck,1939** (Gelechiidae) Synonym(s): *Filatima Busck,1939*
1179. **Filisignella Janse,1951** (Gelechiidae) Synonym(s): *Filisignella Janse,1951*
1180. **Flexiptera Janse,1958** (Gelechiidae) Synonym(s): *Flexiptera Janse,1958*
1181. **Frumenta Janse,1958** (Gelechiidae) Synonym(s): *Frumenta Janse,1958*
1182. **Furcaphora Janse,1958** (Gelechiidae) Synonym(s): *Furcaphora Janse,1958*
1183. **Gambrostola Meyrick,1926** (Gelechiidae) Synonym(s): *Gambrostola Meyrick,1926*
1184. **Gelechia Hübner,[1825]** (Gelechiidae) Synonym(s): *Gelechia Hübner,[1825]; Guenea Bruand,[1851]; Cirrha Chambers,1872; Oeseis Chambers,1875; Mesogelesia Omelko,1986.*
1185. **Gladivalva Sattler,1960** (Gelechiidae) Synonym(s): *Gladivalva Sattler,1960*
1186. **Gnorimoschema Busck,1900** (Gelechiidae) Synonym(s): *Gnorimoschema Busck,1900; Lerupsia Riedl,1965; Neoschema Povolny,1967*
1187. **Gnosimacha Meyrick,1927** (Gelechiidae) Synonym(s): *Gnosimacha Meyrick,1927*
1188. **Grandipalpa Janse,1951** (Gelechiidae) Synonym(s): *Grandipalpa Janse,1951*
1189. **Harpagidia Ragonot,1895** (Gelechiidae) Synonym(s): *Harpagidia Ragonot,1895; Glaphyrgera Meyrick,1925*
1190. **Hedma Dumont,1932** (Gelechiidae) Synonym(s): *Hedma Dumont,1932; Megalocypha Janse,1960*
1191. **Helcystogramma Zeller,1877** (Gelechiidae) Synonym(s): *Helcystogramma Zeller,1877*
1192. **Heteroderces Meyrick,1929** (Gelechiidae) Synonym(s): *Heteroderces Meyrick,1929*
1193. **Heteroderces Meyrick,1929** (Gelechiidae) Synonym(s): *Heteroderces Meyrick,1929*
1194. **Holaxyra Meyrick,1913** (Gelechiidae) Synonym(s): *Holaxyra Meyrick,1913*
1195. **Holcophora Staudinger,[1871]** (Gelechiidae) Synonym(s): *Holcophora Staudinger,[1871]*
1196. **Hoplovalva Janse,1958** (Gelechiidae) Synonym(s): *Hoplovalva Janse,1958*
1197. **Horridivalva Sattler,1967** (Gelechiidae) Synonym(s): *Horridivalva Sattler,1967*
1198. **Hyalochna Meyrick,1918** (Gelechiidae) Synonym(s): *Hyalochna Meyrick,1918*
1199. **Hypatima Hübner,[1825]** (Gelechiidae) Synonym(s): *Hypatima Hübner,[1825]; Chelaria Haworth,1828; Cymatomorpha Meyrick,1904; Deuteroptila Meyrick,1904; Allocota Meyrick,1904; Semodictis Meyrick,1909; Allocotianiana Strand,1913; Episacta Turner,1919*
1200. **Inotica Meyrick,1913** (Gelechiidae) Synonym(s): *Inotica Meyrick,1913*
1201. **Iochares Meyrick,1921** (Gelechiidae) Synonym(s): *Iochares Meyrick,1921*
1202. **Ischnocraspedus Janse,1958** (Gelechiidae) Synonym(s): *Ischnocraspedus Janse,1958*
1203. **Ischnophylla Janse,1963** (Gelechiidae) Synonym(s): *Ischnophylla Janse,1963*
1204. **Isophrictis Meyrick,1917** (Gelechiidae) Synonym(s): *Isophrictis Meyrick,1917*
1205. **Istrianis Meyrick,1918** (Gelechiidae) Synonym(s): *Istrianis Meyrick,1918*
1206. **Iwaruna Gozmany,1957** (Gelechiidae) Synonym(s): *Iwaruna Gozmany,1957*
1207. **Klimeschiopsis Povolny,1967** (Gelechiidae) Synonym(s): *Klimeschiopsis Povolny,1967*
1208. **Lacharissa Meyrick,1937** (Gelechiidae) Synonym(s): *Lacharissa Meyrick,1937*
1209. **Lachnostola Meyrick,1918** (Gelechiidae) Synonym(s): *Lachnostola Meyrick,1918*
1210. **Lacistodes Meyrick,1921** (Gelechiidae) Synonym(s): *Lacistodes Meyrick,1921*
1211. **Lanceopenna Janse,1960** (Gelechiidae) Synonym(s): *Lanceopenna Janse,1960*
1212. **Lanceoptera Janse,1960** (Gelechiidae) Synonym(s): *Lanceoptera Janse,1960*
1213. **Lasiarchis Meyrick,1937** (Gelechiidae) Synonym(s): *Lasiarchis Meyrick,1937*
1214. **Leucophylla Janse,1960** (Gelechiidae) Synonym(s): *Leucophylla Janse,1960*
1215. **Leuronoma Meyrick,1918** (Gelechiidae) Synonym(s): *Leuronoma Meyrick,1918*
1216. **Leuropalpa Janse,1960** (Gelechiidae) Synonym(s): *Leuropalpa Janse,1960*
1217. **Lutilabria Povolny,1965** (Gelechiidae) Synonym(s): *Lutilabria Povolny,1965*
1218. **Machlotricha Meyrick,1912** (Gelechiidae) Synonym(s): *Machlotricha Meyrick,1912*
1219. **Macrocalcara Janse,1951** (Gelechiidae) Synonym(s): *Macrocalcara Janse,1951*
1220. **Megacraspedus Zeller,1839** (Gelechiidae) Synonym(s): *Megacraspedus Zeller,1839; Toxoceras Chrétien,1915; Toxidoceras Chrétien,1923*
1221. **Melitoxestis Meyrick,1921** (Gelechiidae) Synonym(s): *Melitoxestis Meyrick,1921*
1222. **Melitoxoides Janse,1958** (Gelechiidae) Synonym(s): *Melitoxoides Janse,1958*
1223. **Mesophleps Hübner,[1825]** (Gelechiidae) Synonym(s): *Mesophleps Hübner,[1825]*
1224. **Metanarsia (Parametanarsia) Gerasimov,1930** (Gelechiidae) Synonym(s): *Parametanarsia Gerasimov,1930*
1225. **Metanarsia Staudinger,1870** (Gelechiidae) Synonym(s): *Metanarsia Staudinger,1870*
1226. **Metatactis Janse,1949** (Gelechiidae) Synonym(s): *Metatactis Janse,1949*
1227. **Metzneria Zeller,1839** (Gelechiidae) Synonym(s): *Metzneria Zeller,1839*
1228. **Mirificarma (Montivaga) Koçak & Kemal,2004** (Gelechiidae) Synonym(s): *Montivaga Koçak & Kemal,2004*
1229. **Mirificarma (s.str. (Interrupta)) Koçak & Kemal,2004** (Gelechiidae) Synonym(s): *Interrupta Koçak & Kemal,2004*
1230. **Mirificarma (s.str. (s.str.)) Gozmany,1955** (Gelechiidae) Synonym(s): *Mirificarma Gozmany,1955*
1231. **Mirificarma Gozmany,1955** (Gelechiidae) Synonym(s): *Helina Guenée,1849 nec Robineau-Desvoidy,1830; Mirificarma Gozmany,1955.*
1232. **Mometa Durrant,1914** (Gelechiidae) Synonym(s): *Mometa Durrant,1914*
1233. **Monochroa Heinemann,1870** (Gelechiidae) Synonym(s): *Monochroa Heinemann,1870; Paltodora Meyrick,1894; Catabrachmia Rebel,1909*
1234. **Musurga Meyrick,1923** (Gelechiidae) Synonym(s): *Musurga Meyrick,1923*
1235. **Nealyda Dietz,1900** (Gelechiidae) Synonym(s): *Nealyda Dietz,1900*
1236. **Neofaculta Gozmany,1955** (Gelechiidae) Synonym(s): *Neofaculta Gozmany,1955*
1237. **Neofriseria Sattler,1960** (Gelechiidae) Synonym(s): *Neofriseria Sattler,1960*
1238. **Neopachnistis Janse,1954** (Gelechiidae) Synonym(s): *Neopachnistis Janse,1954*
1239. **Neopatetris Janse,1960** (Gelechiidae) Synonym(s): *Neopatetris Janse,1960*
1240. **Neotelphusa Janse,1958** (Gelechiidae) Synonym(s): *Neotelphusa Janse,1958*
1241. **Nothris Hübner,[1825]** (Gelechiidae) Synonym(s): *Nothris Hübner,[1825]*
1242. **Octonodula Janse,1951** (Gelechiidae) Synonym(s): *Octonodula Janse,1951*
1243. **Oecocercis Guenée,1870** (Gelechiidae) Synonym(s): *Oecocercis Guenée,1870*
1244. **Onebala Walker,1864** (Gelechiidae) Synonym(s): *Onebala Walker,1864; Helcystogramma Zeller,1877; #Onebala Janse,1954*
1245. **Ornativalva Gozmany,1955** (Gelechiidae) Synonym(s): *Ornativalva Gozmany,1955; Pelostola Janse,1960.*
1246. **Oxypteryx Rebel,1911** (Gelechiidae) Synonym(s): *Oxypteryx Rebel,1911*
1247. **Palumbina Rondani,1876** (Gelechiidae) Synonym(s): *Palumbina Rondani,1876; Thyrsostoma Meyrick,1907.*
1248. **Panicotricha Meyrick,1913** (Gelechiidae) Synonym(s): *Panicotricha Meyrick,1913*
1249. **Parabola Janse,1950** (Gelechiidae) Synonym(s): *Parabola Janse,1950*
1250. **Parabrachmia Janse,1960** (Gelechiidae) Synonym(s): *Parabrachmia Janse,1960*
1251. **Parachronistis Meyrick,1925** (Gelechiidae) Synonym(s): *Parachronistis Meyrick,1925*

- 1252. Paralida Clarke, 1958** (Gelechiidae) Synonym(s): *Paralida Clarke, 1958*
- 1253. Parallactis Meyrick, 1925** (Gelechiidae) Synonym(s): *Parallactis Meyrick, 1925*
- 1254. Paranarsia Ragonot, 1895** (Gelechiidae) Synonym(s): *Paranarsia Ragonot, 1895*
- 1255. Parapodia Joannis, 1912** (Gelechiidae) Synonym(s): *Parapodia Joannis, 1912; Cecidonostola Amsel, 1958*
- 1256. Parapsectris Meyrick, 1911** (Gelechiidae) Synonym(s): *Parapsectris Meyrick, 1911*
- 1257. Paraselotis Janse, 1960** (Gelechiidae) Synonym(s): *Paraselotis Janse, 1960*
- 1258. Parastenolechia Kanazawa, 1985** (Gelechiidae) Synonym(s): *Parastenolechia Kanazawa, 1985; Tutor Omelko, 1988; Origo Omelko, 1988*
- 1259. Parathecitis Janse, 1958** (Gelechiidae) Synonym(s): *Parathecitis Janse, 1958*
- 1260. Paristhmia Meyrick, 1909** (Gelechiidae) Synonym(s): *Paristhmia Meyrick, 1909*
- 1261. Pectinophora Busck, 1917** (Gelechiidae) Synonym(s): *Pectinophora Busck, 1917*
- 1262. Pexicopia Common, 1958** (Gelechiidae) Synonym(s): *Pexicopia Common, 1958*
- 1263. Phanerophalla Janse, 1960** (Gelechiidae) Synonym(s): *Phanerophalla Janse, 1960*
- 1264. Photodotis Meyrick, 1911** (Gelechiidae) Synonym(s): *Photodotis Meyrick, 1911; #Photodotus Janse, 1917*
- 1265. Phrixocrita Meyrick, 1935** (Gelechiidae) Synonym(s): *Phrixocrita Meyrick, 1935*
- 1266. Phthoracma Meyrick, 1921** (Gelechiidae) Synonym(s): *Phthoracma Meyrick, 1921*
- 1267. Phthorimaea Meyrick, 1902** (Gelechiidae) Synonym(s): *Phthorimaea Meyrick, 1902*
- 1268. Picroptera Janse, 1960** (Gelechiidae) Synonym(s): *Picroptera Janse, 1960*
- 1269. Pithanurga Meyrick, 1921** (Gelechiidae) Synonym(s): *Pithanurga Meyrick, 1921*
- 1270. Platyedra Meyrick, 1895** (Gelechiidae) Synonym(s): *Platyedra Meyrick, 1895*
- 1271. Platyphalla Janse, 1951** (Gelechiidae) Synonym(s): *Platyphalla Janse, 1951*
- 1272. Pogochaetia Staudinger, 1879** (Gelechiidae) Synonym(s): *Pogochaetia Staudinger, 1879*
- 1273. Polyhymno Chambers, 1874** (Gelechiidae) Synonym(s): *Polyhymno Chambers, 1874; Capocercia Zeller, 1877; Plectrocossa Meyrick, 1921; Oegoconoides Matsumura, 1931*
- 1274. Prolita Leraut, 1993** (Gelechiidae) Synonym(s): *Lita Treitschke, 1833 nec Koll., 1832; Prolita Leraut, 1993*
- 1275. Proselotis Meyrick, 1914** (Gelechiidae) Synonym(s): *Proselotis Meyrick, 1914; Idiobela Turner, 1919*
- 1276. Psamathocrita Meyrick, 1925** (Gelechiidae) Synonym(s): *Psamathocrita Meyrick, 1925*
- 1277. Pseudathrips Povolny, 1986** (Gelechiidae) Synonym(s): *Pseudathrips Povolny, 1986*
- 1278. Pseudosophronia Corley, 2001** (Gelechiidae) Synonym(s): *Pseudosophronia Corley, 2001*
- 1279. Pseudoteleia Amsel, 1935** (Gelechiidae) Synonym(s): *Pseudoteleia Amsel, 1935*
- 1280. Pseudotelphusa Janse, 1958** (Gelechiidae) Synonym(s): *Pseudotelphusa Janse, 1958; Sattleria Capuse, 1968 nec Pov., 1965; Klaussattleria Capuse, 1968*
- 1281. Pseudotelphusa cycota (Meyrick, 1911)** (Gelechiidae) Synonym(s): *cycota Meyrick, 1911*
- 1282. Psoricoptera Stainton, 1854** (Gelechiidae) Synonym(s): *Psoricoptera Stainton, 1854*
- 1283. Ptocheusa Heinemann, 1870** (Gelechiidae) Synonym(s): *Ptocheusa Heinemann, 1870*
- 1284. Ptychovalva Janse, 1958** (Gelechiidae) Synonym(s): *Ptychovalva Janse, 1958*
- 1285. Pyncodytis Meyrick, 1918** (Gelechiidae) Synonym(s): *Pyncodytis Meyrick, 1918*
- 1286. Pyncostola Meyrick, 1917** (Gelechiidae) Synonym(s): *Pyncostola Meyrick, 1917; Pyncostola Meyrick, 1918*
- 1287. Radionerva Janse, 1951** (Gelechiidae) Synonym(s): *Radionerva Janse, 1951*
- 1288. Recurvaria Haworth, 1828** (Gelechiidae) Synonym(s): *Recurvaria Haworth, 1828; Lita Kollar, 1832; Telea Stephens, 1834; Aphanaula Meyrick, 1895; Hinnebergia Spuler, 1910; Microlechia Turati, 1924.*
- 1289. Rotundivalva Janse, 1951** (Gelechiidae) Synonym(s): *Rotundivalva Janse, 1951*
- 1290. Sattleria Povolny, 1965** (Gelechiidae) Synonym(s): *Sattleria Povolny, 1965*
- 1291. Schematistis Meyrick, 1911** (Gelechiidae) Synonym(s): *Schematistis Meyrick, 1911*
- 1292. Schistophila Chrétien, 1899** (Gelechiidae) Synonym(s): *Schistophila Chrétien, 1899*
- 1293. Schistovalva Janse, 1960** (Gelechiidae) Synonym(s): *Schistovalva Janse, 1960*
- 1294. Schizovalva Janse, 1951** (Gelechiidae) Synonym(s): *Schizovalva Janse, 1951*
- 1295. Schneidereria Weber, 1957** (Gelechiidae) Synonym(s): *Schneidereria Weber, 1957*
- 1296. Scrobipalpa (Ergasiola) Povolny, 1967** (Gelechiidae) Synonym(s): *Ergasiola Povolny, 1967*
- 1297. Scrobipalpa (Ilseopsis) Povolny, 1965** (Gelechiidae) Synonym(s): *Ilseopsis Povolny, 1965; Euscrobipalpa Povolny, 1967*
- 1298. Scrobipalpa (s.str.) Janse, 1951** (Gelechiidae) Synonym(s): *Scrobipalpa Janse, 1951*
- 1299. Scrobipalpa Janse, 1951** (Gelechiidae) Synonym(s): *Scrobipalpa Janse, 1951*
- 1300. Scrobipalpopsis Povolny, 1967** (Gelechiidae) Synonym(s): *Scrobipalpopsis Povolny, 1967*
- 1301. Scrobipalpula Povolny, 1964** (Gelechiidae) Synonym(s): *Scrobipalpula Povolny, 1964*
- 1302. Sitotroga Heinemann, 1870** (Gelechiidae) Synonym(s): *Sitotroga Heinemann, 1870; Nesolechia Meyrick, 1921; Syngenomictis Meyrick, 1927*
- 1303. Sophronia Hübner, [1825]** (Gelechiidae) Synonym(s): *Sophronia Hübner, [1825]*
- 1304. Stegasta Meyrick, 1904** (Gelechiidae) Synonym(s): *Stegasta Meyrick, 1904*
- 1305. Stenolechia Meyrick, 1894** (Gelechiidae) Synonym(s): *Stenolechia Meyrick, 1894; Poecilia Heinemann, 1870 nec Schneider, 1801; Gibbosa Omelko, 1988.*
- 1306. Stenolechoides Elsner, [1996]** (Gelechiidae) Synonym(s): *Stenolechoides Elsner, [1996]*
- 1307. Stenovalva Amsel, 1955** (Gelechiidae) Synonym(s): *Stenovalva Amsel, 1955*
- 1308. Stomopteryx Heinemann, 1870** (Gelechiidae) Synonym(s): *Stomopteryx Heinemann, 1870.*
- 1309. Streya Janse, 1958** (Gelechiidae) Synonym(s): *Streya Janse, 1958*
- 1310. Struempelia Amsel, 1977** (Gelechiidae) Synonym(s): *Struempelia Amsel, 1977*
- 1311. Symbatica Meyrick, 1910** (Gelechiidae) Synonym(s): *Symbatica Meyrick, 1910*
- 1312. Syncopacma Meyrick, 1925** (Gelechiidae) Synonym(s): *Syncopacma Meyrick, 1925; Harpagus Stephens, 1834 nec Vigers, 1824*
- 1313. Syngelchia Janse, 1958** (Gelechiidae) Synonym(s): *Syngelchia Janse, 1958*
- 1314. Syrmadaula Meyrick, 1918** (Gelechiidae) Synonym(s): *Syrmadaula Meyrick, 1918*
- 1315. Teleiodes Sattler, 1960** (Gelechiidae) Synonym(s): *Teleiodes Sattler, 1960; Heinemann, 1870 nec Hübn., [1825]; Teleiodes Sattler, 1960*
- 1316. Teleiopsis Sattler, 1960** (Gelechiidae) Synonym(s): *Teleiopsis Sattler, 1960*
- 1317. Telephila Meyrick, 1823** (Gelechiidae) Synonym(s): *Telephila Meyrick, 1823*
- 1318. Telphusa Chambers, 1872** (Gelechiidae) Synonym(s): *Telphusa Chambers, 1872; Adrasteia Chambers, 1872; Adrastia Kirby, 1874*
- 1319. Thaumaturgis Meyrick, 1934** (Gelechiidae) Synonym(s): *Thaumaturgis Meyrick, 1934*
- 1320. Thiotricha Meyrick, 1886** (Gelechiidae) Synonym(s): *Thiotricha Meyrick, 1886; Reuttia Hofmann, 1898; Mystax Caradja, 1920*
- 1321. Thriophora Meyrick, 1911** (Gelechiidae) Synonym(s): *Thriophora Meyrick, 1911*
- 1322. Thymosopha Meyrick, 1914** (Gelechiidae) Synonym(s): *Thymosopha Meyrick, 1914*
- 1323. Tila Povolny, 1965** (Gelechiidae) Synonym(s): *Tila Povolny, 1965*
- 1324. Tituacia Walker, 1864** (Gelechiidae) Synonym(s): *Tituacia Walker, 1864; Stomylia Snellen, 1878*
- 1325. Tricerophora Janse, 1958** (Gelechiidae) Synonym(s): *Tricerophora Janse, 1958*

- 1326.** *Tricyanula Meyrick, 1925* (Gelechiidae) Synonym(s): *Tricyanula Meyrick, 1925*
- 1327.** *Trychnopalpa Janse, 1958* (Gelechiidae) Synonym(s): *Trychnopalpa Janse, 1958; Synthesiopalpa Povolny, 1966*
- 1328.** *Turcopalpa Povolny, 1973* (Gelechiidae) Synonym(s): *Turcopalpa Povolny, 1973*
- 1329.** *Uliaria Dumont, 1920* (Gelechiidae) Synonym(s): *Uliaria Dumont, 1920*
- 1330.** *Vadenia Caradja, 1933* (Gelechiidae) Synonym(s): *Vadenia Caradja, 1933*
- 1331.** *Vladimirea (Distinxia) Povolny, 1967* (Gelechiidae) Synonym(s): *Distinxia Povolny, 1967*
- 1332.** *Vladimirea Povolny, 1967* (Gelechiidae) Synonym(s): *Vladimirea Povolny, 1967*
- 1333.** *Xenolechia Meyrick, 1895* (Gelechiidae) Synonym(s): *Xenolechia Meyrick, 1895*
- 1334.** *Xystophora Wocke, 1876* (Gelechiidae) Synonym(s): *Xystophora Wocke, 1876*
- 1335.** *Zalithia Meyrick, 1894; #Zalithia Janse, 1963* (Gelechiidae) Synonym(s): *Zalithia Meyrick, 1894; #Zalithia Janse, 1963*
- 1336.** *Abaciscus Butler, 1889* (Geometridae) Synonym(s): *Abaciscus Butler, 1889; Enantiodes W. Warren, 1896; Prionostrenia Wehrli, 1939*
- 1337.** *Abraxaphantes W. Warren, 1894* (Geometridae) Synonym(s): *Abraxaphantes W. Warren, 1894*
- 1338.** *Abraxas (Calospilos) Hübner, [1825]* (Geometridae) Synonym(s): *Calospilos Hübner, [1825]*
- 1339.** *Abraxas Leach, [1815]* (Geometridae) Synonym(s): *Abraxas Leach, [1815]*
- 1340.** *Abraxesis Hampson, 1902* (Geometridae) Synonym(s): *Abraxesis Hampson, 1902*
- 1341.** *Absala Swinhoe, 1893* (Geometridae) Synonym(s): *Absala Swinhoe, 1893*
- 1342.** *Acanthovalva M. Krüger, 2001* (Geometridae) Synonym(s): *#Acanthovalva Staude, 1999; Acanthovalva M. Krüger, 2001*
- 1343.** *Acasis Duponchel, [1845]* (Geometridae) Synonym(s): *Acasis Duponchel, [1845]; Bryodis Gumpfenberg, 1887*
- 1344.** *Achrosis Guenée, [1858]* (Geometridae) Synonym(s): *Achrosis Guenée, [1858]; Sabaria Walker, 1860; Pagrasa Walker, 1861; Osicerda Walker, 1861; Omiza Walker, 1861; Isnisca Walker, [1863]; Celesdera Walker, [1863]; Zomia Moore, 1868*
- 1345.** *Acidaliastis Hampson, 1896* (Geometridae) Synonym(s): *Acidaliastis Hampson, 1896; Mixeophanes L.B. Prout, 1912*
- 1346.** *Acidromodes Hausmann, 1996* (Geometridae) Synonym(s): *Acidromodes Hausmann, 1996*
- 1347.** *Acollesis W. Warren, 1898* (Geometridae) Synonym(s): *Acollesis W. Warren, 1898*
- 1348.** *Acolutha W. Warren, 1894* (Geometridae) Synonym(s): *Acolutha W. Warren, 1894*
- 1349.** *Acrasia Rogenhofer, 1875* (Geometridae) Synonym(s): *Acrasia Rogenhofer, 1875*
- 1350.** *Acrobiston Wiltshire, 1967* (Geometridae) Synonym(s): *Acrobiston Wiltshire, 1967*
- 1351.** *Acrodontis Wehrli, 1931* (Geometridae) Synonym(s): *Acrodontis Wehrli, 1931*
- 1352.** *Actenochroma W. Warren, 1893* (Geometridae) Synonym(s): *Actenochroma W. Warren, 1893*
- 1353.** *Adactylotis Hübner, [1823]* (Geometridae) Synonym(s): *Adactylotis Hübner, [1823]*
- 1354.** *Adalbertia Wehrli, 1931* (Geometridae) Synonym(s): *Seitzia Wehrli, 1930 nec Scriba, 1919; Adalbertia Wehrli, 1931*
- 1355.** *Adeixis W. Warren, 1897* (Geometridae) Synonym(s): *Adeixis W. Warren, 1897; Paragyrtis Meyrick, 1905*
- 1356.** *Adicocrita L.B. Prout, 1930* (Geometridae) Synonym(s): *Adicocrita L.B. Prout, 1930*
- 1357.** *Aeolochroma L.B. Prout, 1912* (Geometridae) Synonym(s): *Aeolochroma L.B. Prout, 1912*
- 1358.** *Aethalura McDunnough, 1920* (Geometridae) Synonym(s): *Aethaloptera Hulst, 1896 nec Brauer, 1875; Aethalura McDunnough, 1920*
- 1359.** *Aetheometra L.B. Prout, 1931* (Geometridae) Synonym(s): *Aetheometra L.B. Prout, 1931*
- 1360.** *Afriberina Wehrli, 1943* (Geometridae) Synonym(s): *Afriberina Wehrli, 1943*
- 1361.** *Afrophyla W. Warren, 1895* (Geometridae) Synonym(s): *Afrophyla W. Warren, 1895*
- 1362.** *Agaraeus Kuznetsov & Stekolnikov, 1982* (Geometridae) Synonym(s): *Agaraeus Kuznetsov & Stekolnikov, 1982; Hyperapeira Inoue, 1982*
- 1363.** *Agathia Guenée, [1858]* (Geometridae) Synonym(s): *Agathia Guenée, [1858]; Lophochlora W. Warren, 1894; Hypagathia Inoue, 1961*
- 1364.** *Agriopis Hübner, [1825]* (Geometridae) Synonym(s): *Agriopis Hübner, [1825]; Anisopteryx Stephens, 1827*
- 1365.** *Albinospila Holloway, 1996* (Geometridae) Synonym(s): *Albinospila Holloway, 1996*
- 1366.** *Alcis Curtis, 1826* (Geometridae) Synonym(s): *Alcis Curtis, 1826; Poecilalcis W. Warren, 1893; Dictyodea Wehrli, 1934; Alcisca Wehrli, 1943*
- 1367.** *Aleucis Guenée, [1845]* (Geometridae) Synonym(s): *Aleucis Guenée, [1845]; Aleucis Stephens, 1850; Anhibernia Staudinger, 1892*
- 1368.** *Alex Walker, [1863]* (Geometridae) Synonym(s): *Alex Walker, [1863]; Orgalima Walker, 1866; Gamoruna Moore, 1888*
- 1369.** *Allochlorodes L.B. Prout, 1917* (Geometridae) Synonym(s): *Allochlorodes L.B. Prout, 1917*
- 1370.** *Allochrostes L.B. Prout, 1912* (Geometridae) Synonym(s): *Allochrostes L.B. Prout, 1912*
- 1371.** *Almabiston Djakonov, 1952* (Geometridae) Synonym(s): *Almabiston Djakonov, 1952*
- 1372.** *Almeria Agenjo, 1949* (Geometridae) Synonym(s): *Almeria Agenjo, 1949*
- 1373.** *Alsophila Hübner, [1825]* (Geometridae) Synonym(s): *Alsophila Hübner, [1825]*
- 1374.** *Alsophiloides Inoue, 1961* (Geometridae) Synonym(s): *Alsophiloides Inoue, 1961*
- 1375.** *Amblychia Guenée, [1858]* (Geometridae) Synonym(s): *Amblychia Guenée, [1858]; Elphos Guenée, [1858]*
- 1376.** *Amorphogynia W. Warren, 1894* (Geometridae) Synonym(s): *Amorphogynia W. Warren, 1894*
- 1377.** *Amraica Moore, 1888* (Geometridae) Synonym(s): *Amraica Moore, 1888*
- 1378.** *Amygdaloptera Gumpfenberg, 1887* (Geometridae) Synonym(s): *Amygdaloptera Gumpfenberg, 1887*
- 1379.** *Anacleora Janse, 1932* (Geometridae) Synonym(s): *Anacleora Janse, 1932*
- 1380.** *Androzeugma L.B. Prout, 1913* (Geometridae) Synonym(s): *Androzeugma L.B. Prout, 1913*
- 1381.** *Angerona Duponchel, 1829* (Geometridae) Synonym(s): *Angerona Duponchel, 1829*
- 1382.** *Anisodes Guenée, [1858]* (Geometridae) Synonym(s): *Anisodes Guenée, [1858]*
- 1383.** *Anonychia W. Warren, 1893* (Geometridae) Synonym(s): *Anonychia W. Warren, 1893*
- 1384.** *Antharmostes W. Warren, 1899* (Geometridae) Synonym(s): *Antharmostes W. Warren, 1899*
- 1385.** *Anthemoctena W. Warren, 1895* (Geometridae) Synonym(s): *Anthemoctena W. Warren, 1895*
- 1386.** *Anthometra Boisduval, 1840* (Geometridae) Synonym(s): *Anthometra Boisduval, 1840*
- 1387.** *Anthyperrythra Swinhoe, 1891* (Geometridae) Synonym(s): *Anthyperrythra Swinhoe, 1891*
- 1388.** *Anticlea Stephens, 1831* (Geometridae) Synonym(s): *Anticlea Stephens, 1831*
- 1389.** *Anticollix L.B. Prout, 1938* (Geometridae) Synonym(s): *Anticollix L.B. Prout, 1938*
- 1390.** *Antilurga Herbulot, 1951* (Geometridae) Synonym(s): *Antilurga Herbulot, 1951*
- 1391.** *Antilycauges L.B. Prout, 1913* (Geometridae) Synonym(s): *Antilycauges L.B. Prout, 1913*
- 1392.** *Antimimistis Turner, 1922* (Geometridae) Synonym(s): *Antimimistis Turner, 1922*
- 1393.** *Antipercnia Inoue, 1992* (Geometridae) Synonym(s): *Antipercnia Inoue, 1992*
- 1394.** *Antitrygodes W. Warren, 1895* (Geometridae) Synonym(s): *Antitrygodes W. Warren, 1895*
- 1395.** *Apeira Gistel, 1848* (Geometridae) Synonym(s): *Pericallia Stephens, 1828 nec Hbn., [1820]; Apeira Gistel, 1848; Hydrochroa Gumpfenberg, 1887; Cyphosea Grote, 1896; #Apeira Okyar & Aytac, 1999*
- 1396.** *Aphilopota W. Warren, 1899* (Geometridae) Synonym(s): *Aphilopota W. Warren, 1899; Haggardia W. Warren, 1904*
- 1397.** *Apithecia L.B. Prout, 1914* (Geometridae) Synonym(s): *Apithecia L.B. Prout, 1914*
- 1398.** *Aplasta Hübner, [1823]* (Geometridae) Synonym(s): *Aplasta Hübner, [1823]*
- 1399.** *Aplocera Stephens, 1827* (Geometridae) Synonym(s): *Aplocera Stephens, 1827; Anaitis Duponchel, 1829; Larissa Curtis, 1830; Haplocera Agassiz, 1847*

- 1400. Aplochlora W.Warren,1893** (Geometridae) Synonym(s): *Aplochlora W.Warren,1893*
- 1401. Apocheima Hübner,[1825]** (Geometridae) Synonym(s): *Apocheima Hübner,[1825]; Amphidasis Stephens,1829 nec Treitschke,1825.*
- 1402. Apochima Agassiz,1847** (Geometridae) Synonym(s): *Apocheima Herrich-Schäffer,1838 nec Hübner,[1825]; Apochima Agassiz,1847; Zamacra Meyrick,1892; Acanthocampa Dyar,1905.*
- 1403. Apocolotois Wehrli,1936** (Geometridae) Synonym(s): *Apocolotois Wehrli,1936; Neocolotois Djakonov,1952; Gozmanyita Vojnits,1975.*
- 1404. Aporandria W.Warren,1894** (Geometridae) Synonym(s): *Aporandria W.Warren,1894; Aporandria Swinhoe,1894*
- 1405. Apostates W.Warren,1897** (Geometridae) Synonym(s): *Apostates W.Warren,1897*
- 1406. Apostegania L.B.Prout,1932** (Geometridae) Synonym(s): *Apostegania L.B.Prout,1932*
- 1407. Archichlora W.Warren,1898** (Geometridae) Synonym(s): *Archichlora W.Warren,1898; Chloroteras W.Warren,1901*
- 1408. Archiearis Hübner,[1823]** (Geometridae) Synonym(s): *Archiearis Hübner,[1823].*
- 1409. Arctoscelia W.Warren,1897** (Geometridae) Synonym(s): *Arctoscelia W.Warren,1897*
- 1410. Argyrocosma Turner,1910** (Geometridae) Synonym(s): *Argyrocosma Turner,1910*
- 1411. Argyrographa L.B.Prout,1912** (Geometridae) Synonym(s): *Argyrographa L.B.Prout,1912*
- 1412. Argyrophora Guenée,[1858]** (Geometridae) Synonym(s): *Argyrophora Guenée,[1858]*
- 1413. Arichanna Moore,1868** (Geometridae) Synonym(s): *Rhyparia Hübner,[1825] nec Hbn.,[1820]; Arichanna Moore,1868; Icterodes Butler,1878; Parictorodes W.Warren,1893; Hemipyrrha Grote,1896; Phyllabraxas Leech,1897; Epictorodes Wehrli,1933*
- 1414. Artemidora Meyrick,1892** (Geometridae) Synonym(s): *Artemidora Meyrick,1892*
- 1415. Artiora Meyrick,1892** (Geometridae) Synonym(s): *Artiora Meyrick,1892*
- 1416. Ascotis Hübner,[1825]** (Geometridae) Synonym(s): *Ascotis Hübner,[1825]; Hypopalpis Guenée,1862; Burichura Moore,1888; Trigonomelea W.Warren,1904*
- 1417. Asovia Alpheraky,1908** (Geometridae) Synonym(s): *Asovia Alpheraky,1908*
- 1418. Aspilatopsis W.Warren,1897** (Geometridae) Synonym(s): *Aspilatopsis W.Warren,1897; Euomoea W.Warren,1897*
- 1419. Aspitates Treitschke,1825** (Geometridae) Synonym(s): *Aspitates Treitschke,1825; Aspilates Treitschke,1827; Paralella Sodoffsky,1837; #Aspilades Heydenreich,1846; Aspilata Unger,1856; Napuca Walker,[1863]; Eversmannia Erschoff,1871 (praeocc.); Sinope Gumpfenberg,1887; Toxogrammia Gumpfenberg,1887; Pseudosiona Butler,1893; Nyctiphanta Hulst,1896; Erschoffia Swinhoe,1900; Semiaspilates Wehrli,1953; Apoaspilates Wehrli,1954*
- 1420. Asthena Hübner,[1825]** (Geometridae) Synonym(s): *Asthena Hübner,[1825]; Roessleria Breyer,1869*
- 1421. Asthenotricha W.Warren,1899** (Geometridae) Synonym(s): *Asthenotricha W.Warren,1899; #Astenotricha Debauche,1938*
- 1422. Astygisa Walker,1864** (Geometridae) Synonym(s): *Astygisa Walker,1864; Alana Walker,1866; Apopetelia Wehrli,1936*
- 1423. Athroolopha Lederer,1853** (Geometridae) Synonym(s): *Athroolopha Lederer,1853*
- 1424. Atomorpha Staudinger,1901** (Geometridae) Synonym(s): *Atomophora Alpheraky,1892 nec Reuter,1884; Atomorpha Staudinger,1901*
- 1425. Autotrichia L.B.Prout,1934** (Geometridae) Synonym(s): *Orthotrichia Wehrli,1927 nec Eaton,1873; Autotrichia L.B.Prout,1934*
- 1426. Auzeodes W.Warren,1893** (Geometridae) Synonym(s): *Auzeodes W.Warren,1893*
- 1427. Axiodes W.Warren,1894** (Geometridae) Synonym(s): *Axiodes W.Warren,1894*
- 1428. Baptria Hübner,[1825]** (Geometridae) Synonym(s): *Baptria Hübner,[1825]; Psychogoes Butler,1877*
- 1429. Barrama W.Warren,1897** (Geometridae) Synonym(s): *Barrama W.Warren,1897*
- 1430. Bathycolpodes L.B.Prout,1912** (Geometridae) Synonym(s): *Bathycolpodes L.B.Prout,1912*
- 1431. Berta Walker,[1863]** (Geometridae) Synonym(s): *Berta Walker,[1863]*
- 1432. Bichroma Gumpfenberg,1887** (Geometridae) Synonym(s): *Bichroma Gumpfenberg,1887*
- 1433. Biclavigera W.Warren,1894** (Geometridae) Synonym(s): *Biclavigera W.Warren,1894; Lipogonia W.Warren,1911*
- 1434. Biston Leach,1815** (Geometridae) Synonym(s): *Biston Leach,1815; Dasyphara Billberg,1820; Pachys Hübner,1822; Eugyia Hübner,[1825]; Amphidasis Treitschke,1825; Amphidasys Sodoffsky,1837; Amphidasea Unger,1856; Buzura Walker,[1863]; Culcula Moore,1888; Eubyjodonta W.Warren,1893; Blepharoctenia W.Warren,1894; Epamraica Matsumura,1910; #Bazura Hutacharein & Tubtim,1995*
- 1435. Bizia Walker,1860** (Geometridae) Synonym(s): *Bizia Walker,1860*
- 1436. Blaboplutodes L.B.Prout,1934** (Geometridae) Synonym(s): *Blaboplutodes L.B.Prout,1934*
- 1437. Blechneronomia L.B.Prout,1925** (Geometridae) Synonym(s): *Blechneronomia L.B.Prout,1925*
- 1438. Blepharoctenucha W.Warren,1895** (Geometridae) Synonym(s): *Blepharoctenucha W.Warren,1895*
- 1439. Boarmacaria Holloway,[1994]** (Geometridae) Synonym(s): *Boarmacaria Holloway,[1994]*
- 1440. Boarmioides Lucas,1932** (Geometridae) Synonym(s): *Pseudoboarmia Lucas,1932 nec McDunn.,1920; Boarmioides Lucas,1932;*
- 1441. Bombia W.Warren,1906** (Geometridae) Synonym(s): *Bombia W.Warren,1906*
- 1442. Bombycodes Guenée,[1858]** (Geometridae) Synonym(s): *Bombycodes Guenée,[1858]*
- 1443. Bonatea Druce,1892** (Geometridae) Synonym(s): *Bonatea Druce,1892*
- 1444. Boninnadagara Inoue,1988** (Geometridae) Synonym(s): *Boninnadagara Inoue,1988*
- 1445. Borbacha Moore,[1887]** (Geometridae) Synonym(s): *Borbacha Moore,[1887]; Borbachodes W.Warren,1894*
- 1446. Bordeta Walker,[1865]** (Geometridae) Synonym(s): *Bordeta Walker,[1865]*
- 1447. Bornealcis Holloway,[1994]** (Geometridae) Synonym(s): *Bornealcis Holloway,[1994]*
- 1448. Bosara Walker,1866** (Geometridae) Synonym(s): *Bosara Walker,1866; Gullaca W.Warren,1903*
- 1449. Brabira Moore,1888** (Geometridae) Synonym(s): *Brabira Moore,1888*
- 1450. Brabriodes W.Warren,1904** (Geometridae) Synonym(s): *Brabriodes W.Warren,1904*
- 1451. Bracca Hübner,[1820]** (Geometridae) Synonym(s): *Bracca Hübner,[1820]; Cosmethis Hübner,[1820]; Tigridoptera Herrich-Schäffer,1855; Arycanda Walker,1856; Panaethia Guenée,[1858]; Duga Walker,[1865]*
- 1452. Brachyglossina Wagner,1914** (Geometridae) Synonym(s): *Brachyglossina Wagner,1914*
- 1453. Bupalus Leach,1815** (Geometridae) Synonym(s): *Bupalus Leach,1815*
- 1454. Bustilloxia Expósito,1979** (Geometridae) Synonym(s): *Bustilloxia Expósito,1979*
- 1455. Buttia W.Warren,1904** (Geometridae) Synonym(s): *Buttia W.Warren,1904*
- 1456. Bytharia Walker,1864** (Geometridae) Synonym(s): *Bytharia Walker,1864; Longipalpa Pagenstecher,1900; Silvaspica Schultze,1925*
- 1457. Cabera Treitschke,1825** (Geometridae) Synonym(s): *Cabera Treitschke,1825; Deilinia Hübner,[1825]; Cabera Stephens,1829 nec Tr.,1825; Cabira Sodoffsky,1837; Dilina Agassiz,1847; Cabiro Unger,1856; Thysanochilus Butler,1878; Dilinia Hampson,1895; Gyalomia L.B.Prout,1913*
- 1458. Cacochloris L.B.Prout,1912** (Geometridae) Synonym(s): *Cacochloris L.B.Prout,1912*
- 1459. Cacostegania W.Warren,1901** (Geometridae) Synonym(s): *Cacostegania W.Warren,1901*
- 1460. Calamodes Guenée,[1858]** (Geometridae) Synonym(s): *Calamodes Guenée,[1858]*
- 1461. Calcyopa Stüning,2000** (Geometridae) Synonym(s): *Calichodes Wehrli,1943 nec Wrn.,1897; Calcyopa Stüning,2000*
- 1462. Calicha Moore,1888** (Geometridae) Synonym(s): *Calicha Moore,1888*
- 1463. Calichodes W.Warren,1897** (Geometridae) Synonym(s): *Calichodes W.Warren,1897*
- 1464. Calleremites W.Warren,1894** (Geometridae) Synonym(s): *Calleremites W.Warren,1894*

1465. **Calletaera** W.Warren,1895 (Geometridae) Synonym(s): *Calletaera* W.Warren,1895
1466. **Callocasta** Swinhoe,1894 (Geometridae) Synonym(s): *Callocasta* Swinhoe,1894
1467. **Calluga** Moore,[1887] (Geometridae) Synonym(s): *Calluga* Moore,[1887]; *Aniserpetes* W.Warren,1903; *Sillophora* W.Warren,1907
1468. **Campaea** Lamarck,1816 (Geometridae) Synonym(s): *Campaea* Lamarck,1816; *Eratopis* R.L.,1817; *Tribacis* Billberg,1820; *Metrocampus* Berthold,1827; *Metrocampe* Rambur,1833; *Metrocampa* Bruand,1846
1469. **Camptogramma** Stephens,1831 (Geometridae) Synonym(s): *Camptogramma* Stephens,1831
1470. **Carige** Walker,[1863] (Geometridae) Synonym(s): *Carige* Walker,[1863]; *Epimacaria* Staudinger,1897
1471. **Carsia** Hübner,[1825] (Geometridae) Synonym(s): *Carsia* Hübner,[1825]; *Celma* Stephens,1831
1472. **Cartaletis** W.Warren,1894 (Geometridae) Synonym(s): *Cartaletis* W.Warren,1894; *Leptaletis* W.Warren,1894
1473. **Casbia** Walker,1866 (Geometridae) Synonym(s): *Casbia* Walker,1866; *Trochistis* Meyrick,1892; *Xenosina* W.Warren,1900
1474. **Casilda** Agenjo,1952 (Geometridae) Synonym(s): *Casilda* Agenjo,1952
1475. **Cassephyra** Holloway,[1994] (Geometridae) Synonym(s): *Cassephyra* Holloway,[1994]
1476. **Cassyma** Guenée,[1858] (Geometridae) Synonym(s): *Cassyma* Guenée,[1858]; *Ingena* Walker,[1863]
1477. **Casuariclystis** Holloway,1997 (Geometridae) Synonym(s): *Casuariclystis* Holloway,1997
1478. **Cataclysmes** Hübner,[1825] (Geometridae) Synonym(s): *Cataclysmes* Hübner,[1825]; *Paraplaneta* W.Warren,1895.
1479. **Catarhoe** Herbulot,1951 (Geometridae) Synonym(s): *Catarhoe* Herbulot,1951
1480. **Catoria** Moore,[1887] (Geometridae) Synonym(s): *Catoria* Moore,[1887]
1481. **Celenna** Walker,1861 (Geometridae) Synonym(s): *Celenna* Walker,1861
1482. **Celerena** Walker,1862 (Geometridae) Synonym(s): *Celerena* Walker,1862; *Bociraza* Walker,[1865]
1483. **Celidomphax** L.B.Prout,1912 (Geometridae) Synonym(s): *Celidomphax* L.B.Prout,1912
1484. **Celonoptera** Lederer,1862 (Geometridae) Synonym(s): *Celonoptera* Lederer,1862; *Sparta* Staudinger,1862
1485. **Centrochria** Gaede,1917 (Geometridae) Synonym(s): *Centrochria* Gaede,1917
1486. **Cepphis** Hübner,[1823] (Geometridae) Synonym(s): *Cepphis* Hübner,[1823]; *Hetrione* Poppius,1887
1487. **Cerurographa** Janse,1932 (Geometridae) Synonym(s): *Cerurographa* Janse,1932
1488. **Chalybocydon** W.Warren,1893 (Geometridae) Synonym(s): *Chalybocydon* W.Warren,1893
1489. **Chariaspilates** Wehrli,1953 (Geometridae) Synonym(s): *Chariaspilates* Wehrli,1953
1490. **Cheimoptena** Danilevsky,1969 (Geometridae) Synonym(s): *Cheimoptena* Danilevsky,1969
1491. **Cheloteprina** M.Krüger,1999 (Geometridae) Synonym(s): *Cheloteprina* M.Krüger,1999; *Cheloteprina* M.Krüger,2001
1492. **Chemerina** Boisduval,1840 (Geometridae) Synonym(s): *Chemerina* Boisduval,1840
1493. **Chesias** Treitschke,1825 (Geometridae) Synonym(s): *Chesias* Treitschke,1825; *Eucestia* Hübner,[1825].
1494. **Chesistege** Viidalepp,1990 (Geometridae) Synonym(s): *Chesistege* Viidalepp,1990
1495. **Chiasmia** (Godonela) Boisduval,1840 (Geometridae) Synonym(s): *Chiasmia* (Godonela) Boisduval,1840; *Pharmacis* Hübner,[1823] nec Hübner,[1820]; *Godonela* Boisduval,1840; *Acadra* Herrich-Schäffer,[1854]; *Evarzia* Walker,1860; *Gubaria* Moore,1860; *Automolodes* W.Warren,1894.
1496. **Chiasmia** Hübner,[1823] (Geometridae) Synonym(s): *Chiasmia* Hübner,[1823]; *Arte* Stephens,1829; *Hercyna* Stephens,1829 nec Treit.,1828; *Strenia* Duponchel,1829; *Sternia* Kolenati,1846; *Osteodes* Guenée,[1858] nec Conrad,1855; *Discalma* Meyrick,1892; *Tephriopsis* W.Warren,1896; *Xenoneura* W.Warren,1896; *Hyostomodes* W.Warren,1897; *Peridela* W.Warren,1897; *Iulocera* W.Warren,1905; *Allochrosis* Strand,1912; *Neomacaria* Wehrli,1937; *Thyridesia* Wehrli,1940; *#Chiasma* Hutacharern & Tubtim,1995
1497. **Chiasmiodes** W.Warren,1896 (Geometridae) Synonym(s): *Chiasmiodes* W.Warren,1896
1498. **Chionopora** L.B.Prout,1922 (Geometridae) Synonym(s): *Chionopora* L.B.Prout,1922
1499. **Chlorerythra** W.Warren,1895 (Geometridae) Synonym(s): *Chlorerythra* W.Warren,1895
1500. **Chlorissa** Stephens,1831 (Geometridae) Synonym(s): *Chlorissa* Stephens,1831; *Aoshakuna* Matsumura,1925
1501. **Chloristola** Holloway,1996 (Geometridae) Synonym(s): *Chloristola* Holloway,1996
1502. **Chloroclysta** Hübner,[1825] (Geometridae) Synonym(s): *Chloroclysta* Hübner,[1825]; *Dysstroma* Hübner,[1825]; *Polyphasia* Stephens,1831; *Euthalia* Stephens,1831
1503. **Chloroclystis** Hübner,[1825] (Geometridae) Synonym(s): *Chloroclystis* Hübner,[1825]; *Axinoptera* Hampson,1893; *Ceratorhynchus* Hampson,1893 nec Agass.,1829; *Rhinoprora* W.Warren,1895; *Gymnopora* W.Warren,1896; *Cithecia* Staudinger,1897; *Dyserga* W.Petersen,1909; *Calliclystis* Dietze,1910; *Olygoclystia* Bastelberger,1911
1504. **Chlorocoma** Turner,1910 (Geometridae) Synonym(s): *Chlorocoma* Turner,1910
1505. **Chloroctenis** W.Warren,1899 (Geometridae) Synonym(s): *Chloroctenis* W.Warren,1899
1506. **Chloroglyphica** W.Warren,1894 (Geometridae) Synonym(s): *Chloroglyphica* W.Warren,1894
1507. **Chloromianta** W.Warren,1896 (Geometridae) Synonym(s): *Chloromianta* W.Warren,1896
1508. **Chloromma** W.Warren,1896 (Geometridae) Synonym(s): *Chloromma* W.Warren,1896
1509. **Chlorosterrha** L.B.Prout,1912 (Geometridae) Synonym(s): *Chlorosterrha* L.B.Prout,1912
1510. **Chlorozancla** L.B.Prout,1912 (Geometridae) Synonym(s): *Chlorozancla* L.B.Prout,1912
1511. **Chondrosoma** Anker,1854 (Geometridae) Synonym(s): *Chondrosoma* Anker,1854
1512. **Chorodna** Walker,1860 (Geometridae) Synonym(s): *Chorodna* Walker,1860; *Medasina* Moore,[1887]
1513. **Chrioloba** L.B.Prout,1958 (Geometridae) Synonym(s): *Chrioloba* L.B.Prout,1958
1514. **Chrysoblephara** Holloway,[1994] (Geometridae) Synonym(s): *Chrysoblephara* Holloway,[1994]
1515. **Chrysoclystis** W.Warren,1896 (Geometridae) Synonym(s): *Chrysoclystis* W.Warren,1896
1516. **Chrysocraspeda** Swinhoe,1893 (Geometridae) Synonym(s): *Chrysocraspeda* Swinhoe,1893; *Chrysocraspeda* Hampson,1895; *Ptochophyle* W.Warren,1896; *Chrysolene* W.Warren,1897; *Heteroctenis* Meyrick,1897
1517. **Cidaria** Treitschke,1825 (Geometridae) Synonym(s): *Cidaria* Treitschke,1825; *Harpalyce* Stephens,1827; *Zonodonta* Sodoffsky,1837
1518. **Cinglis** Guenée,[1858] (Geometridae) Synonym(s): *Cinglis* Guenée,[1858]
1519. **Cleora** (Neocleora) Janse,1932 (Geometridae) Synonym(s): *Neocleora* Janse,1932
1520. **Cleora** (acaciaria-gr) (Geometridae) Synonym(s):
1521. **Cleora** (oculata-gr) (Geometridae) Synonym(s):
1522. **Cleora** (raphis-gr) (Geometridae) Synonym(s):
1523. **Cleora** (s.str.) Curtis,1825 (Geometridae) Synonym(s): *Cleora* Curtis,1825; *Cerotricha* Guenée,[1858]; *Barsine* Meyrick,1883 nec Walk.,1854; *Meyrickia* Butler,1884; *Chogada* Moore,1887; *Carecomotis* Warren,1896.
1524. **Cleora** Curtis,1825 (Geometridae) Synonym(s): *Cleora* Curtis,1825; *Cerotricha* Guenée,[1858]; *Barsine* Meyrick,1883 nec Walk.,1854; *Meyrickia* Butler,1884; *Chogada* Moore,1887; *Carecomotis* W.Warren,1896.
1525. **Cleorodes** W.Warren,1894 (Geometridae) Synonym(s): *Cleorodes* W.Warren,1894
1526. **Cleta** Duponchel,[1845] (Geometridae) Synonym(s): *Cleta* Duponchel,[1845]; *Chrysoctenis* Meyrick,1892
1527. **Cnestrognophos** Wehrli,1951 (Geometridae) Synonym(s): *Cnestrognophos* Wehrli,1951
1528. **Coenina** Walker,1860 (Geometridae) Synonym(s): *Coenina* Walker,1860
1529. **Coenocalpe** Hübner,[1825] (Geometridae) Synonym(s): *Coenocalpe* Hübner,[1825]
1530. **Collesis** W.Warren,1897 (Geometridae) Synonym(s): *Collesis* W.Warren,1897
1531. **Collix** Guenée,[1858] (Geometridae) Synonym(s): *Collix* Guenée,[1858]
1532. **Colocleora** L.B.Prout,1938 (Geometridae) Synonym(s): *Colocleora* L.B.Prout,1938

- 1533. Colostygia Hübner,[1825]** (Geometridae) Synonym(s): *Colostygia Hübner,[1825]*; *Amoebe Hübner,[1825]*; *Erinobia Stephens,1850*
- 1534. Colotois Hübner,[1823]** (Geometridae) Synonym(s): *Colotois Hübner,[1823]*; *Metra Stephens,1827*; *Himera Duponchel,1829*
- 1535. Comibaena Hübner,[1823]** (Geometridae) Synonym(s): *Comibaena Hübner,[1823]*
- 1536. Comostola Meyrick,1888** (Geometridae) Synonym(s): *Comostola Meyrick,1888*; *Pyrrhorachis*
- 1537. Comostolopsis W.Warren,1902** (Geometridae) Synonym(s): *Comostolopsis W.Warren,1902*
- 1538. Compsoptera Blanchard,1845** (Geometridae) Synonym(s): *Compsoptera Blanchard,1845*
- 1539. Conchylia Guenée,[1858]** (Geometridae) Synonym(s): *Conchylia Guenée,[1858]*; *Callythria Weymer,1908*
- 1540. Conchylodes L.B.Prout,1930** (Geometridae) Synonym(s): *Conchylodes L.B.Prout,1930*
- 1541. Conolophia W.Warren,1894** (Geometridae) Synonym(s): *Conolophia W.Warren,1894*; *Geolada Swinhoe,1894*; *Hypophracta W.Warren,1905*
- 1542. Coremecis Holloway,[1994]** (Geometridae) Synonym(s): *Coremecis Holloway,[1994]*
- 1543. Corymica Walker,1860** (Geometridae) Synonym(s): *Corymica Walker,1860*; *Caprilia Walker,1866*; *Thiopsyche Butler,1878*
- 1544. Cosmorhoe Hübner,[1825]** (Geometridae) Synonym(s): *Cosmorhoe Hübner,[1825]*; *Lyncometra L.B.Prout,1914*
- 1545. Costaconvexa Agenjo,1949** (Geometridae) Synonym(s): *Costaconvexa Agenjo,1949*; *Grammorhoe Herbulot,1951*
- 1546. Costignophos Wehrli,1951** (Geometridae) Synonym(s): *Costignophos Wehrli,1951*
- 1547. Crocallis (Dzhugesia) Wehrli,1936** (Geometridae) Synonym(s): *Dzhugesia Wehrli,1936*
- 1548. Crocallis Treitschke,1825** (Geometridae) Synonym(s): *Crocallis Treitschke,1825*
- 1549. Crocota Hübner,[1823]** (Geometridae) Synonym(s): *Crocota Hübner,[1823]*
- 1550. Cryopega Dumont,1925** (Geometridae) Synonym(s): *Amalthea Gumpenberg,1887* nec *Raf.,1815*; *Cryopega Dumont,1925*
- 1551. Ctimene Boisduval,1832** (Geometridae) Synonym(s): *Ctimene Boisduval,1832*; *Bursada Walker,[1865]*; *Cyrthochila R.Felder & Rogenhofer,1874*
- 1552. Culpinia L.B.Prout,1912** (Geometridae) Synonym(s): *Culpinia L.B.Prout,1912*
- 1553. Cusiala Moore,[1887]** (Geometridae) Synonym(s): *Cusiala Moore,[1887]*
- 1554. Cyclophora Hübner,1822** (Geometridae) Synonym(s): *Cyclophora Hübner,1822*; *Codonia Hübner,[1823]*; *Cosymbia Hübner,[1823]*; *Leucophthalmia Hübner,[1823]*; *Cyclophora Stephens,1829* nec *Hbn.,1822*; *Ephyra Stephen,1829*; *Matella Gistel,1848*; *Anisodes Guenée,[1858]*; *Zonosoma Lederer,1853*; *Pisoraca Walker,1861*; *Euephyra Packard,1873*; *Streptopteron Swinhoe,1892*; *Pachythalia W.Warren,1897*; *Peostenodes W.Warren,1903*
- 1555. Dalima Moore,1868** (Geometridae) Synonym(s): *Dalima Moore,1868*; *Panisala Moore,1868*; *Metoxydia Butler,1886*; *Leptostichia W.Warren,1893*; *Hololoma W.Warren,1893*; *Homoeoctenia W.Warren,1894*
- 1556. Dasyboarmia L.B.Prout,1928** (Geometridae) Synonym(s): *Dasyboarmia L.B.Prout,1928*; *Metamenophra Inoue,1990*; *Semimenophra Inoue,1990*
- 1557. Dasycorsa L.B.Prout,1915** (Geometridae) Synonym(s): *Dasycorsa L.B.Prout,1915*
- 1558. Dasypteroia Staudinger,1892** (Geometridae) Synonym(s): *Dasypteroia Staudinger,1892*
- 1559. Deileptenia Hübner,[1825]** (Geometridae) Synonym(s): *Deileptenia Hübner,[1825]*
- 1560. Dichorda W.Warren,1900** (Geometridae) Synonym(s): *Dichorda W.Warren,1900*
- 1561. Dichroma Westwood,1841** (Geometridae) Synonym(s): *Dichroma Westwood,1841*
- 1562. Dicrognophos Wehrli,1951** (Geometridae) Synonym(s): *Dicrognophos Wehrli,1951*
- 1563. Digrammia Gumpenberg,1887** (Geometridae) Synonym(s): *Digrammia Gumpenberg,1887*; *Asmate Gumpenberg,1887*; *Spinuncina Wehrli,1937*
- 1564. Dindica Moore,1888** (Geometridae) Synonym(s): *Dindica Moore,1888*
- 1565. Diplurodes W.Warren,1896** (Geometridae) Synonym(s): *Diplurodes W.Warren,1896*
- 1566. Diptychis Felder,1874** (Geometridae) Synonym(s): *Diptychis Felder,1874*
- 1567. Disclisioprocta Wallengren,1861** (Geometridae) Synonym(s): *Disclisioprocta Wallengren,1861*; *Camptolina Schaus,1940*
- 1568. Discomiosis L.B.Prout,1915** (Geometridae) Synonym(s): *Discomiosis L.B.Prout,1915*
- 1569. Dolosis L.B.Prout,1912** (Geometridae) Synonym(s): *Dolosis L.B.Prout,1912*
- 1570. Dooabia W.Warren,1894** (Geometridae) Synonym(s): *Dooabia W.Warren,1894*; *Cacamoda Swinhoe,1894*
- 1571. Dorsifulcrum Herbulot,1979** (Geometridae) Synonym(s): *Dorsifulcrum Herbulot,1979*
- 1572. Drepanognynis Guenée,[1858]** (Geometridae) Synonym(s): *Drepanognynis Guenée,[1858]*; *Eupagia Walker,1860*; *Derrioides Butler,1875*; *Sicyodes Warren,1894*; *Axiodes Warren,1894*; *Aspilatopsis Warren,1897*; *Euomoea Warren,1897*; *Apleroneura Warren,1898*; *Phrudochorda Warren,1898*; *Eulasia Warren,1902* nec *Truqui,1902*; *Lissodes Warren,1914* (praeocc.)
- 1573. Drepanopterula Hedicke,1923** (Geometridae) Synonym(s): *Drepanoptera Turati,1922* nec *Roth.,1895*; *Drepanopterula Hedicke,1923*
- 1574. Duliophyle W.Warren,1894** (Geometridae) Synonym(s): *Duliophyle W.Warren,1894*
- 1575. Durbana W.Warren,1904** (Geometridae) Synonym(s): *Durbana W.Warren,1904*
- 1576. Dyschloropsis W.Warren,1895** (Geometridae) Synonym(s): *Dyschloropsis W.Warren,1895*
- 1577. Dyscia (Calodyscia) Wehrli,1950** (Geometridae) Synonym(s): *Calodyscia Wehrli,1950*
- 1578. Dyscia (Iberafrina) Wehrli,1950** (Geometridae) Synonym(s): *Iberafrina Wehrli,1950*
- 1579. Dyscia (Rjabovana) Wehrli,1950** (Geometridae) Synonym(s): *Rjabovana Wehrli,1950*
- 1580. Dyscia (s.str.) Hübner,[1825]** (Geometridae) Synonym(s): *Dyscia Hübner,[1825]*; *Scodiona Boisduval,1840*
- 1581. Dysgnophos Wehrli,1951** (Geometridae) Synonym(s): *Dysgnophos Wehrli,1951*
- 1582. Dysphania Hübner,[1819]** (Geometridae) Synonym(s): *Dysphania Hübner,[1819]*; *Euschema Hübner,[1819]*; *Hazis Boisduval,1832*; *Deileptena Guérin-Méneville,1831*; *Heleona Swainson,1833*; *Polenivora Gistel,1848*; *Pareuschema Thierry-Mieg,1905*
- 1583. Dysrhoe Herbulot,1951** (Geometridae) Synonym(s): *Dysrhoe Herbulot,1951*
- 1584. Eccymatoge L.B.Prout,1913** (Geometridae) Synonym(s): *Eccymatoge L.B.Prout,1913*
- 1585. Ecleora Wehrli,1941** (Geometridae) Synonym(s): *Ecleora Wehrli,1941*
- 1586. Ecliptopera W.Warren,1894** (Geometridae) Synonym(s): *Ecliptopera W.Warren,1894*; *Diactinia W.Warren,1898*; *Urolophia Swinhoe,1900*
- 1587. Ecpetala D.S.Fletcher,1958** (Geometridae) Synonym(s): *Ecpetala D.S.Fletcher,1958*
- 1588. Ectropidia W.Warren,1895** (Geometridae) Synonym(s): *Ectropidia W.Warren,1895*
- 1589. Ectropis Hübner,[1825]** (Geometridae) Synonym(s): *Ectropis Hübner,[1825]*; *Boarmia Stephens,1829* (praeocc.); *Tephrosia Boisduval,1840*; *Coenobita Gistel,1848* (praeocc.)
- 1590. Eilicrinia Hübner,[1823]** (Geometridae) Synonym(s): *Eilicrinia Hübner,[1823]*; *Ilicrinia Agassiz,1847*; *Pareilicrinia Warren,1894*
- 1591. Ekboarmia Wehrli,1943** (Geometridae) Synonym(s): *Ekboarmia Wehrli,1943*
- 1592. Electrophaes L.B.Prout,1923** (Geometridae) Synonym(s): *Electrophaes L.B.Prout,1923*
- 1593. Elophos Boisduval,1840** (Geometridae) Synonym(s): *Elophos Boisduval,1840*; *Acuspis Gumpenberg,1893*; *Yezognophos Matsumura,1927*; *Parietaria Leraut,1981*
- 1594. Ematurga Lederer,1853** (Geometridae) Synonym(s): *Ematurga Lederer,1853*
- 1595. Emmiltis Hübner,[1825]** (Geometridae) Synonym(s): *Emmiltis Hübner,[1825]*
- 1596. Enanthypertythra Wehrli,1937** (Geometridae) Synonym(s): *Enanthypertythra Wehrli,1937*

1597. **Encoma Swinhoe,1904** (Geometridae) Synonym(s): *Encoma Swinhoe,1904*
1598. **Enconista Lederer,1853** (Geometridae) Synonym(s): *Enconista Lederer,1853*
1599. **Encryphia Turner,1904** (Geometridae) Synonym(s): *Encryphia Turner,1904*
1600. **Ennomos (Deuteronomos) L.B.Prout,1914** (Geometridae) Synonym(s): *Deuteronomos L.B.Prout,1914*
1601. **Ennomos (s.str.) Treitschke,1825** (Geometridae) Synonym(s): *Eugonia Hübner,[1823] nec Hübner,[1819]; Ennomos Treitschke,1825; Odoptera Sodoffsky,1837; Odontoptera Agassiz,1847.*
1602. **Entephria Hübner,[1825]** (Geometridae) Synonym(s): *Entephria Hübner,[1825]; Glaucopteryx Hübner,[1825]; Phaeolyodes Bruand,[1847]; Trichochlamys Hulst,1896.*
1603. **Eoasthena L.B.Prout,1934** (Geometridae) Synonym(s): *Eoasthena L.B.Prout,1934*
1604. **Eois Hübner,1818** (Geometridae) Synonym(s): *Eois Hübner,1818; Amaurinia Guenée,[1858]; Campogia Guenée,[1858]; Cretheis Meyrick,1886; Pseudasthena Moore,1887; Bardanes Moore,1888; Anthyria Swinhoe,1892; Psilocablogia Hampson,1893; Phrudoplaga W.Warren,1894; Amphibatodes W.Warren,1895; Prasinoscia W.Warren,1905*
1605. **Ephemerophila W.Warren,1894** (Geometridae) Synonym(s): *Ephemerophila W.Warren,1894*
1606. **Epiclecta L.B.Prout,1915** (Geometridae) Synonym(s): *Epiclecta L.B.Prout,1915*
1607. **Epicosymbia W.Warren,1897** (Geometridae) Synonym(s): *Epicosymbia W.Warren,1897; Anacosymbia L.B.Prout,1913*
1608. **Epigynopteryx W.Warren,1895** (Geometridae) Synonym(s): *Epigynopteryx W.Warren,1895; Eurythecodes W.Warren,1897; Paracrocota W.Warren,1897; Trisyndeta W.Warren,1897*
1609. **Epilobophora Inoue,1943** (Geometridae) Synonym(s): *Epilobophora Inoue,1943; Paramathia Herbulot,1948.*
1610. **Epione Duponchel,1829** (Geometridae) Synonym(s): *Epione Duponchel,1829*
1611. **Epipristis Meyrick,1888** (Geometridae) Synonym(s): *Epipristis Meyrick,1888; Terpnidia Butler,1892; Pingarmia Sterneck,1927*
1612. **Epirranthis Hübner,[1823]** (Geometridae) Synonym(s): *Epirranthis Hübner,[1823]*
1613. **Epirrhe Hübner,[1825]** (Geometridae) Synonym(s): *Epirrhe Hübner,[1825]*
1614. **Epirrita Hübner,[1822]** (Geometridae) Synonym(s): *Epirrita Hübner,[1822]*
1615. **Episothalma Swinhoe,1893** (Geometridae) Synonym(s): *Episothalma Swinhoe,1893; Episthophthalma Hampson,1895*
1616. **Episteira W.Warren,1899** (Geometridae) Synonym(s): *Episteira W.Warren,1899*
1617. **Epitherina Wehrli,1938** (Geometridae) Synonym(s): *Epitherina Wehrli,1938*
1618. **Erannis Hübner,[1825]** (Geometridae) Synonym(s): *Erannis Hübner,[1825]*
1619. **Erebomorpha Walker,1860** (Geometridae) Synonym(s): *Erebomorpha Walker,1860*
1620. **Eretmopus Turner,1910** (Geometridae) Synonym(s): *Eretmopus Turner,1910*
1621. **Euchoeca Hübner,[1823]** (Geometridae) Synonym(s): *Euchoeca Hübner,[1823]*
1622. **Eucrostes Hübner,[1823]** (Geometridae) Synonym(s): *Eucrostes Hübner,[1823]; Eucrostis Hübner,1826; Euchrostis Zeller,1872; Euchrostes Gumpfenberg,1887*
1623. **Eucyclodes W.Warren,1894** (Geometridae) Synonym(s): *Eucyclodes W.Warren,1894; Ochrognesia W.Warren,1894; Osteosema W.Warren,1894; Anisogamia W.Warren,1896; Chloromachia W.Warren,1897; Chlorostrota W.Warren,1897; Galactochlora W.Warren,1907; Anisozyga L.B.Prout,1911; Lophomachia L.B.Prout,1912; Felicia Thierry-Mieg,1915 nec Roche.,1889*
1624. **Eucyclodes albiradiata (W.Warren,1893)** (Geometridae) Synonym(s): *albiradiata W.Warren,1893*
1625. **Eulithis Hübner,[1821]** (Geometridae) Synonym(s): *Eulithis Hübner,[1821]; Lygris Hübner,[1825]; Steganolophia Stephens,1829; Neolexia Hulst,1896; Phylace Hulst,1896.*
1626. **Eumelea Duncan & Westwood,1841** (Geometridae) Synonym(s): *Eumelea Duncan & Westwood,1841; Palibothra Herrich-Schäffer,1855*
1627. **Eumera Staudinger,1892** (Geometridae) Synonym(s): *Eumera Staudinger,1892*
1628. **Eunychiodes Wehrli,1941** (Geometridae) Synonym(s): *Eunychiodes Wehrli,1941*
1629. **Euphyia Hübner,[1825]** (Geometridae) Synonym(s): *Euphyia Hübner,[1825]; Anapalta W.Warren,1904; Orthoprora W.Warren,1904; Warrenia L.B.Prout,1910*
1630. **Eupithecia Curtis,1825** (Geometridae) Synonym(s): *Eupithecia Curtis,1825; Arcyonia Hübner,[1825]; Dyscymatoge Hübner,[1825]; Eucymatoge Hübner,[1825]; Hyperirritis Hübner,[1825]; Leucocora Hübner,[1825]; Tarachia Hübner,[1825]; Tephroclysta Hübner,[1825]; Zygmene Boie,1839; Lepiodes Guenée,1858; Pena Walker,1863; Epicaste Gumpfenberg,1887; Dietzea Schütze,1956; Petersenia Schütze,1958; Bohatschia Schütze,1960; Delaeveria Schütze,1961; Catarina Vojnits & De Laever,1973; Propithecica Vojnits,1985; Heteropithecia Vojnits,1985; Neoithecica Vojnits,1985.*
1631. **Eupithecia Hampson,1895** (Geometridae) Synonym(s): *Eupithecia Hampson,1895*
1632. **Euproutia D.S.Fletcher,1979** (Geometridae) Synonym(s): *Metacneta L.B.Prout,1912 (praeocc.); Euproutia D.S.Fletcher,1979*
1633. **Eurranthis Hübner,[1823]** (Geometridae) Synonym(s): *Eurranthis Hübner,[1823]*
1634. **Eustroma Hübner,[1825]** (Geometridae) Synonym(s): *Eustroma Hübner,[1825]*
1635. **Exeliopsis L.B.Prout,1938** (Geometridae) Synonym(s): *Exeliopsis L.B.Prout,1938*
1636. **Exodezia L.B.Prout,1958** (Geometridae) Synonym(s): *Exodezia L.B.Prout,1958*
1637. **Fagivorina Wehrli,1943** (Geometridae) Synonym(s): *Fagivorina Wehrli,1943*
1638. **Fascellina Walker,1860** (Geometridae) Synonym(s): *Fascellina Walker,1860*
1639. **Foveabathra Holloway,1996** (Geometridae) Synonym(s): *Foveabathra Holloway,1996*
1640. **Gasterocome W.Warren,1894** (Geometridae) Synonym(s): *Gasterocome W.Warren,1894*
1641. **Geometra Linnaeus,1758** (Geometridae) Synonym(s): *Geometra Linnaeus,1758*
1642. **Glossotrophia (Bicalcarella) Hausmann,1993** (Geometridae) Synonym(s): *Bicalcarella Hausmann,1993*
1643. **Glossotrophia (Libanonia) Hausmann,1993** (Geometridae) Synonym(s): *Libanonia Hausmann,1993*
1644. **Glossotrophia (Parenzanella) Hausmann,1993** (Geometridae) Synonym(s): *Parenzanella Hausmann,1993*
1645. **Glossotrophia (s.str.) L.B.Prout,1913** (Geometridae) Synonym(s): *Glossotrophia L.B.Prout,1913*
1646. **Gnopharmia Staudinger,1892** (Geometridae) Synonym(s): *Gnopharmia Staudinger,1892*
1647. **Gnophos (Acrognophos) Wiltshire,1967** (Geometridae) Synonym(s): *Acrognophos Wiltshire,1967*
1648. **Gnophos (Catascia) Hübner,[1825]** (Geometridae) Synonym(s): *Catascia Hübner,[1825]*
1649. **Gnophos (Chelegnophos) Wehrli,1951** (Geometridae) Synonym(s): *Chelegnophos Wehrli,1951*
1650. **Gnophos (Cnestrognophos) Wehrli,1951** (Geometridae) Synonym(s): *Cnestrognophos Wehrli,1951*
1651. **Gnophos (Dicrognophos) Wehrli,1951** (Geometridae) Synonym(s): *Dicrognophos Wehrli,1951*
1652. **Gnophos (Dysgnophos) Wehrli,1951** (Geometridae) Synonym(s): *Dysgnophos Wehrli,1951*
1653. **Gnophos (Organognophos) Wehrli,1951** (Geometridae) Synonym(s): *Organognophos Wehrli,1951*
1654. **Gnophos (Pterygnophos) Wehrli,1951** (Geometridae) Synonym(s): *Pterygnophos Wehrli,1951*
1655. **Gnophos (Rhinognophos) Wehrli,1951** (Geometridae) Synonym(s): *Rhinognophos Wehrli,1951*
1656. **Gnophos (Rhipignophos) Wehrli,1951** (Geometridae) Synonym(s): *Rhipignophos Wehrli,1951*
1657. **Gnophos (Sacrognophos) Wehrli,1951** (Geometridae) Synonym(s): *Sacrognophos Wehrli,1951*
1658. **Gnophos (Trilobignophos) Wehrli,1951** (Geometridae) Synonym(s): *Trilobignophos Wehrli,1951*
1659. **Gnophos (Zystrognophos) Wehrli,1951** (Geometridae) Synonym(s): *Zystrognophos Wehrli,1951*
1660. **Gnophos (s.str.) Treitschke,1825** (Geometridae) Synonym(s): *#Sciadion Hübner,[1806]; Gnophos Treitschke,1825; Scotopterix Hübner,[1825]; Scotopterix Agassiz,1847; Gnophus Agassiz,1847; #Sciadion L.B.Prout,1904.*
1661. **Gnophos Treitschke,1825** (Geometridae) Synonym(s): *#Sciadion Hübner,[1806]; Gnophos Treitschke,1825; Scotopterix*

- Hübner,[1825]; *Scotopteryx* Agassiz,1847; *Gnophus* Agassiz,1847; #*Sciadion* L.B.Prout,1904.
1662. **Gnophosema** L.B.Prout,1912 (Geometridae) Synonym(s): *Gnophosema* L.B.Prout,1912
1663. **Gonanticlea** Swinhoe,1892 (Geometridae) Synonym(s): *Gonanticlea* Swinhoe,1892
1664. **Gonodontis** Hübner,[1823] (Geometridae) Synonym(s): *Gonodontini* Forbes,1948.
1665. **Gymnoscelis** Mabille,1868 (Geometridae) Synonym(s): *Gymnoscelis* Mabille,1868; *Iramba* Moore,1887; *Dolerosceles* Meyrick,1889
1666. **Gypsochroa** Hübner,[1825] (Geometridae) Synonym(s): *Gypsochroa* Hübner,[1825]
1667. **Habermania** Viidalepp,1988 (Geometridae) Synonym(s): *Habermania* Viidalepp,1988
1668. **Haplolabida** D.S.Fletcher,1958 (Geometridae) Synonym(s): *Haplolabida* D.S.Fletcher,1958
1669. **Harutalcis** Sato,1993 (Geometridae) Synonym(s): *Harutalcis* Sato,1993
1670. **Heliomata** Grote & Robinson,1866 (Geometridae) Synonym(s): *Heliomata* Grote & Robinson,1866
1671. **Heliothea** (Apetovia) Krulikovsky,1918 (Geometridae) Synonym(s): *Apetovia* Krulikovsky,1918
1672. **Heliothea** (s.str.) Boisduval,1840 (Geometridae) Synonym(s): *Heliothea* Boisduval,1840
1673. **Heliothea** Boisduval,1840 (Geometridae) Synonym(s): *Heliothea* Boisduval,1840
1674. **Hemistola** W.Warren,1893 (Geometridae) Synonym(s): *Hemistola* W.Warren,1893
1675. **Hemithea** Duponchel,1829 (Geometridae) Synonym(s): *Hemithea* Duponchel,1829; *Geometrina* Motschulsky,[1861]; *Lophocrita* W.Warren,1894; *Mixolophia* W.Warren,1894
1676. **Herbulotina** Pinker,1969 (Geometridae) Synonym(s): *Herbulotina* Pinker,1969
1677. **Herochroma** Swinhoe,1893 (Geometridae) Synonym(s): *Herochroma* Swinhoe,1893; *Chloroclydon* W.Warren,1894; *Archaeobalbis* L.B.Prout,1912; *Neobalbis* L.B.Prout,1912; #*Herchroma* Watanasit et al.,2004
1678. **Heteralex** W.Warren,1894 (Geometridae) Synonym(s): *Heteralex* W.Warren,1894; *Canonistis* Meyrick,1897; *Monotaxia* W.Warren,1894
1679. **Heterobapta** Wiltshire,1943 (Geometridae) Synonym(s): *Heterobapta* Wiltshire,1943
1680. **Heteroculpinia** Hausmann,1994 (Geometridae) Synonym(s): *Heteroculpinia* Hausmann,1994
1681. **Heterolocha** Lederer,1853 (Geometridae) Synonym(s): *Heterolocha* Lederer,1853; *Nabla* Walker,1866; *Hetaera* Gumpfenberg,1887; *Symmetresia* Wehrli,1937
1682. **Heterorachis** W.Warren,1898 (Geometridae) Synonym(s): *Heterorachis* W.Warren,1898
1683. **Heterostegane** Hampson,1893 (Geometridae) Synonym(s): *Heterostegane* Hampson,1893; *Chrostobapta* W.Warren,1907; *Liposchema* W.Warren,1914; *Deuterostegane* Wehrli,1939
1684. **Heterostegania** W.Warren,1893 (Geometridae) Synonym(s): *Heterostegania* W.Warren,1893
1685. **Heterothera** Inoue,1943 (Geometridae) Synonym(s): *Heterothera* Inoue,1943; *Viidaleppia* Inoue,1982
1686. **Hierochthonia** L.B.Prout,1912 (Geometridae) Synonym(s): *Hierochthonia* L.B.Prout,1912
1687. **Hirasa** Moore,1888 (Geometridae) Synonym(s): *Hirasa* Moore,1888; *Hirasodes* W.Warren,1899; *Hirasichlora* Wehrli,1951
1688. **Holarctias** L.B.Prout,1913 (Geometridae) Synonym(s): *Holarctias* L.B.Prout,1913
1689. **Holoterpna** Püngeler,1900 (Geometridae) Synonym(s): *Holoterpna* Püngeler,1900
1690. **Horisme** Hübner,[1825] (Geometridae) Synonym(s): *Horisme* Hübner,[1825]; *Larentia* Bruand,1847 (*praeocc.*)
1691. **Hospitalia** Agenjo,1950 (Geometridae) Synonym(s): *Hospitalia* Agenjo,1950
1692. **Hydatocapnia** W.Warren,1895 (Geometridae) Synonym(s): *Hydatocapnia* W.Warren,1895
1693. **Hydrelia** Hübner,[1825] (Geometridae) Synonym(s): *Hydrelia* Hübner,[1825]; *Autallacta* Warren,1893
1694. **Hydria** Hübner,1822 (Geometridae) Synonym(s): *Hydria* Hübner,1822
1695. **Hydriomena** Hübner,[1825] (Geometridae) Synonym(s): *Hydriomena* Hübner,[1825]; *Ypsipetes* Stephens,1829; *Hypsipetes* Stephens,1831 nec Vigors,1831; *Karacidaria* Matsumura,1925
1696. **Hyelosia** Hübner,1818 (Geometridae) Synonym(s): *Hyelosia* Hübner,1818
1697. **Hylaea** Hübner,1822 (Geometridae) Synonym(s): *Hylaea* Hübner,1822; *Therina* Hübner,[1823]; *Ellopia* Treitschke,1825; *Ellopia* Stephens,1829 nec Tr.,1825
1698. **Hylasia** Boisduval,1870 (Geometridae) Synonym(s): *Hylasia* Boisduval,1870
1699. **Hyperythra** Guenée,[1858] (Geometridae) Synonym(s): *Hyperythra* Guenée,[1858]; *Tycoonina* Warren,1894; *Pseuderythra* Swinhoe,1904; *Callipona* Turner,1904
1700. **Hypochrosis** Guenée,[1858] (Geometridae) Synonym(s): *Hypochrosis* Guenée,[1858]; *Marcala* Walker,[1863]; *Patruissa* Walker,[1863]; *Phoenix* Butler,1880
1701. **Hypocomete** W.Warren,1896 (Geometridae) Synonym(s): *Hypocomete* W.Warren,1896
1702. **Hypomecis** Hübner,[1821] (Geometridae) Synonym(s): *Hypomecis* Hübner,[1821]; *Dryocoetis* Hübner,[1825]; *Boarmia* Treitschke,1825; *Serraca* Moore,[1887]; *Pseudoangerona* Moore,[1887]; *Narapa* Moore,[1887]; *Alcippe* Gumpfenberg,1887 nec Blyth,1844; *Astacuda* Moore,1888; *Maidana* Swinhoe,1900; *Pseudoboarmia* McDunnough,1920
1703. **Hyposcotis** (Charissa) Curtis,1826 (Geometridae) Synonym(s): *Charissa* Curtis,1826; *Lycognophos* Wehrli,1951; #*Lysognophos* Wehrli,1953
1704. **Hyposcotis** (Costignophos) Wehrli,1951 (Geometridae) Synonym(s): *Costignophos* Wehrli,1951
1705. **Hyposcotis** (Euchrognophos) Wehrli,1951 (Geometridae) Synonym(s): *Euchrognophos* Wehrli,1951
1706. **Hyposcotis** (Kentrognophos) Wehrli,1951 (Geometridae) Synonym(s): *Kentrognophos* Wehrli,1951
1707. **Hyposcotis** (Neognophina) Wehrli,1946 (Geometridae) Synonym(s): *Neognophina* Wehrli,1946
1708. **Hyposcotis** (Rhopalognophos) Wehrli,1951 (Geometridae) Synonym(s): *Rhopalognophos* Wehrli,1951
1709. **Hyposcotis** (s.str.) Hübner,[1825] (Geometridae) Synonym(s): *Hyposcotis* Hübner,[1825]
1710. **Hyposcotis** Hübner,[1825] (Geometridae) Synonym(s): *Hyposcotis* Hübner,[1825]
1711. **Hyposidra** Guenée,[1858] (Geometridae) Synonym(s): *Hyposidra* Guenée,[1858]; *Lagrya* Walker,1860; *Chizala* Walker,1860; *Kalabana* Moore,1879; #*Hyposidra* Hutcharern & Tubtim,1995
1712. **Hypoxystis** L.B.Prout,1915 (Geometridae) Synonym(s): *Hypoxystis* L.B.Prout,1915; *Hypoplectis* auctorum
1713. **Hypulia** Swinhoe,1894 (Geometridae) Synonym(s): *Hypulia* Swinhoe,1894
1714. **Hysterura** W.Warren,1895 (Geometridae) Synonym(s): *Hysterura* W.Warren,1895; *Lygridopsis* W.Warren,1895; *Eulygris* Staudinger,1897
1715. **Idaea** Treitschke,1825 (Geometridae) Synonym(s): *Idaea* Treitschke,1825; *Sterrha* Hübner,[1825]; *Arrhostia* Hübner,[1825]; *Pycitis* Hübner,[1825]; *Ptychopoda* Curtis,1826; *Hyria* Stephens,1829 nec Lam.,1819; *Ania* Stephens,1831; *Goniacidalia* Packard,1873; *Pythodora* Meyrick,1886; *Janarda* Moore,1888; *Xenocentris* Meyrick,1889; *Mnesterodes* Meyrick,1889; *Aphrogeia* Gumpfenberg,1890; *Argia* Gumpfenberg,1890; *Gnidia* Gumpfenberg,1890; *Pelagia* Gumpfenberg,1890 nec Peron,1810; ; *Andragrupos* Hampson,1891; *Carphoxera* Riley,1891; *Zeuctoneura* W.Warren,1895; *Synomila* Hulst,1896; *Ptenopoda* Hulst,1896; *Polygraphodes* W.Warren,1897; *Leptacme* W.Warren,1897; *Brachyprota* W.Warren,1897; *Hemipogon* W.Warren,1897; *Cacorista* W.Warren,1899; *Anteiois* W.Warren,1900; *Hyriogona* W.Warren,1900; *Neochrysa* W.Warren,1900; *Pogonogya* W.Warren,1900; *Prospasta* W.Warren,1900; *Cysteophora* Hulst,1900; *Thysanotricha* W.Warren,1903; *Deinopyga* W.Warren,1904; *Schematorhages* W.Warren,1905; *Lobura* W.Warren,1906; *Omoopera* W.Warren,1906; *Argyroscelia* W.Warren,1907; *Pareupithex* W.Warren,1907; etc.
1716. **Idiochlora** W.Warren,1896 (Geometridae) Synonym(s): *Idiochlora* W.Warren,1896; *Acrorthis* W.Warren,1896; *Diplodesma* W.Warren,1896; *Haplophanes* W.Warren,1900
1717. **Idiodes** Guenée,[1858] (Geometridae) Synonym(s): *Idiodes* Guenée,[1858]; *Choara* Walker,1860; *Nopia* Walker,1861; *Threneta* Turner,1947
1718. **Idiotephra** W.Warren,1899 (Geometridae) Synonym(s): *Idiotephra* W.Warren,1899
1719. **Ignobilia** L.B.Prout,1932 (Geometridae) Synonym(s): *Ignobilia* L.B.Prout,1932

- 1720. Illa W.Warren,1914** (Geometridae) Synonym(s): *Illia* W.Warren,1914
- 1721. Inurois Butler,1879** (Geometridae) Synonym(s): *Inurois* Butler,1879
- 1722. Iotaphora W.Warren,1894** (Geometridae) Synonym(s): *Iotaphora* W.Warren,1894; *Iotaphora* Swinhoe,1894; *Grammicheila* Staudinger,1897
- 1723. Iridoplecta W.Warren,1899** (Geometridae) Synonym(s): *Iridoplecta* W.Warren,1899
- 1724. Isoloba W.Warren,1893** (Geometridae) Synonym(s): *Isoloba* W.Warren,1893
- 1725. Isoplenia W.Warren,1897** (Geometridae) Synonym(s): *Isoplenia* W.Warren,1897
- 1726. Isturgia Hübner,[1823]** (Geometridae) Synonym(s): *Isturgia* Hübner,[1823]; *Histurgia* Agassiz,1847; *Enconista* Lederer,1853; *Bichroma* Gumpfenberg,1887
- 1727. Itame Hübner,[1823]** (Geometridae) Synonym(s): *Itame* Hübner,[1823]; *Speranza* Curtis,1828; *Halia* Duponchel,1829 nec *Risso*,1826; *Grammatophora* Stephens,1829; *Eupisteria* Boisduval,1840; *Thamnomoma* Lederer,1853
- 1728. Ithysia Hübner,[1825]** (Geometridae) Synonym(s): *Ithysia* Hübner,[1825]
- 1729. Iulotrichia W.Warren,1894** (Geometridae) Synonym(s): *Iulotrichia* W.Warren,1894; *Iulotrichia* Watanasit et al.,2004
- 1730. Jankowskia Oberthür,1884** (Geometridae) Synonym(s): *Jankowskia* Oberthür,1884
- 1731. Jodis Hübner,[1823]** (Geometridae) Synonym(s): *Jodis* Hübner,[1823]; *Leucoglyphica* W.Warren,1894; *Pareuchloris* W.Warren,1894
- 1732. Jordanisca Wehrli,1943** (Geometridae) Synonym(s): *Jordanisca* Wehrli,1943
- 1733. Juxtephria Viidalepp,1976** (Geometridae) Synonym(s): *Juxtephria* Viidalepp,1976
- 1734. Krananda Moore,1868** (Geometridae) Synonym(s): *Krananda* Moore,1868; *Trigonoptila* W.Warren,1894
- 1735. Kuchleria Hausmann,1995** (Geometridae) Synonym(s): *Kuchleria* Hausmann,1995
- 1736. Kuldja Alpheraky,1883** (Geometridae) Synonym(s): *Kuldja* Alpheraky,1883
- 1737. Kyrtolitha Staudinger,1892** (Geometridae) Synonym(s): *Kyrtolitha* Staudinger,1892; *Cyrtolitha* Staudinger,1901.
- 1738. Laciniodes W.Warren,1894** (Geometridae) Synonym(s): *Laciniodes* W.Warren,1894; *Laciniodes* Swinhoe,1894
- 1739. Lampropteryx Stephens,1831** (Geometridae) Synonym(s): *Lampropteryx* Stephens,1831; *Paralophia* W.Warren,1893; *Anisobole* W.Warren,1902; *Paracomucha* W.Warren,1904
- 1740. Larentia Treitschke,1825** (Geometridae) Synonym(s): *Larentia* Treitschke,1825; *Plerocymia* Hübner,[1825]; *Larentia* Stephens,1829 nec *Tr.*,1825; *Cymazonita* Sodoffsky,1837
- 1741. Larerannis Wehrli,1935** (Geometridae) Synonym(s): *Larerannis* Wehrli,1935; *Phigaliohybernia* Inoue,1942; *Pachyerannis* Inoue,1982
- 1742. Lasiochlora W.Warren,1894** (Geometridae) Synonym(s): *Lasiochlora* W.Warren,1894
- 1743. Lassaba Moore,1888** (Geometridae) Synonym(s): *Lassaba* Moore,1888
- 1744. Lathochlora W.Warren,1900** (Geometridae) Synonym(s): *Lathochlora* W.Warren,1900
- 1745. Leptepistomion Wehrli,1936** (Geometridae) Synonym(s): *Leptepistomion* Wehrli,1936
- 1746. Leptomiza W.Warren,1893** (Geometridae) Synonym(s): *Leptomiza* W.Warren,1893; *Pristopera* Swinhoe,1900
- 1747. Leucaniodes L.B.Prout,1922** (Geometridae) Synonym(s): *Leucaniodes* L.B.Prout,1922
- 1748. Leucobrephe Grote,1874** (Geometridae) Synonym(s): *Leucobrephe* Grote,1874
- 1749. Lhommeia Wehrli,1939** (Geometridae) Synonym(s): *Lhommeia* Wehrli,1939
- 1750. Ligdia Guenée,[1858]** (Geometridae) Synonym(s): *Ligdia* Guenée,[1858]; *Harpicostia* Wehrli,1936
- 1751. Lignyopecta Lederer,1853** (Geometridae) Synonym(s): *Acalia* Guenée,[1845] nec *Gray*,1840; *Lignyopecta* Lederer,1853
- 1752. Limbatochlamis Rothschild,1894** (Geometridae) Synonym(s): *Limbatochlamis* Rothschild,1894
- 1753. Limeria Staudinger,1892** (Geometridae) Synonym(s): *Limeria* Staudinger,1892
- 1754. Liodesina Wehrli,1938** (Geometridae) Synonym(s): *Liodesina* Wehrli,1938
- 1755. Lipomelia W.Warren,1893** (Geometridae) Synonym(s): *Lipomelia* W.Warren,1893; *Defoa* Swinhoe,1893
- 1756. Lithostege Hübner,[1825]** (Geometridae) Synonym(s): *Lithostege* Hübner,[1825]; *Agrapha* Gumpfenberg,1887.
- 1757. Lobidiopteryx W.Warren,1902** (Geometridae) Synonym(s): *Lobidiopteryx* W.Warren,1902
- 1758. Lobophora Curtis,1825** (Geometridae) Synonym(s): *Lobophora* Curtis,1825
- 1759. Lomaspilis Hübner,[1825]** (Geometridae) Synonym(s): *Lomaspilis* Hübner,[1825]
- 1760. Lomographa Hübner,[1825]** (Geometridae) Synonym(s): *Lomographa* Hübner,[1825]; *Bapta* Stephens,1829; *Corycia* Duponchel,1829 nec *Hbn.*,[1825]; *Aleucis* Guenée,[1858]; *Lomatographa* Agassiz,1847; *Anhibernia* Staudinger,1892; *Leucetaera* Warren,1894; *Earoxyptera* Djakonov,1936; *Neobapta* Djakonov,1936 nec *Warr.*,1904; *Cyrtesia* Wehrli,1937; *Cirretaera* Wehrli,1939; *Eudjakonovia* D.S.Fletcher,1979
- 1761. Lophophelma L.B.Prout,1912** (Geometridae) Synonym(s): *Lophophelma* L.B.Prout,1912
- 1762. Lophophleps Hampson,1891** (Geometridae) Synonym(s): *Lophophleps* Hampson,1891; *Strophoptila* W.Warren,1897
- 1763. Lophorrhachia L.B.Prout,1916** (Geometridae) Synonym(s): *Lophorrhachia* L.B.Prout,1916
- 1764. Lophostola L.B.Prout,1912** (Geometridae) Synonym(s): *Lophostola* L.B.Prout,1912
- 1765. Louisproutia Wehrli,1932** (Geometridae) Synonym(s): *Louisproutia* Wehrli,1932
- 1766. Loxofidonia Packard,1876** (Geometridae) Synonym(s): *Loxofidonia* Packard,1876
- 1767. Loxomiza Holloway,[1994]** (Geometridae) Synonym(s): *Loxomiza* Holloway,[1994]
- 1768. Loxoteophria W.Warren,1905** (Geometridae) Synonym(s): *Loxoteophria* W.Warren,1905
- 1769. Luashia Debauche,1941** (Geometridae) Synonym(s): *Luashia* Debauche,1941
- 1770. Lulavia Hausmann,1991** (Geometridae) Synonym(s): *Lulavia* Hausmann,1991
- 1771. Luxiaria Walker,1860** (Geometridae) Synonym(s): *Luxiaria* Walker,1860; *Euipe* Meyrick,1886; *Bithiodes* W.Warren,1894; *Idioteophra* W.Warren,1899; *Hypochariessa* Turner,1947
- 1772. Lycaugidia Hampson,1895** (Geometridae) Synonym(s): *Lycaugidia* Hampson,1895
- 1773. Lycia Hübner,[1825]** (Geometridae) Synonym(s): *Lycia* Hübner,[1825]; *Nyssia* Duponchel,1829; *Amorphogynia* Warren,1894; *Melanocoma* Harrison,1910 nec *Woll.*,1867; *Poecilopsis* Harrison,1910
- 1774. Lythria Hübner,[1823]** (Geometridae) Synonym(s): *Lythria* Hübner,[1823]
- 1775. Macaria Curtis,1826** (Geometridae) Synonym(s): *Macaria* Curtis,1826; *Philobia* Duponchel,1829; *Eutropa* Hübner,[1831]; *Sciagrapha* Hulst,1896
- 1776. Macrohastina Inoue,1982** (Geometridae) Synonym(s): *Macrohastina* Inoue,1982
- 1777. Malacodea Tengström,1869** (Geometridae) Synonym(s): *Malacodea* Tengström,1869
- 1778. Marobia Sato,1998** (Geometridae) Synonym(s): *Marobia* Sato,1998
- 1779. Martania Mironov,2000** (Geometridae) Synonym(s): *Martania* Mironov,2000
- 1780. Mauna Walker,1865** (Geometridae) Synonym(s): *Mauna* Walker,1865; *Merida* Rogenhofer,1875; *Noctuomorpha* R.Felder,1874
- 1781. Maxates Moore,[1887]** (Geometridae) Synonym(s): *Maxates* Moore,[1887]; *Gelasma* W.Warren,1893; *Thalerura* W.Warren,1894; *Thalerura* Swinhoe,1894
- 1782. Mebepia Koçak & Kemal,2007** (Geometridae) Synonym(s): *Guara* Rindge,1986 nec *Reichenbach*,[1852]; *Mebepia* Koçak & Kemal,2007
- 1783. Medasina Moore,1887** (Geometridae) Synonym(s): *Medasina* Moore,1887; *Darisa* Moore,1888; *Lassaba* Moore,1888; *Deinotrichia* W.Warren,1893; *Sinamedia* W.Warren,1894; *Callocasta* Swinhoe,1894; *Uliura* W.Warren,1904
- 1784. Megalycinia Wehrli,1939** (Geometridae) Synonym(s): *Megalycinia* Wehrli,1939
- 1785. Megametopon Alpheraky,1892** (Geometridae) Synonym(s): *Megametopon* Alpheraky,1892
- 1786. Megaspilates W.Warren,1894** (Geometridae) Synonym(s): *Megaspilates* W.Warren,1894

- 1787. Melanthia Duponchel, 1829** (Geometridae) Synonym(s): *Melanthia Duponchel, 1829*
- 1788. Menophra Moore, 1887** (Geometridae) Synonym(s): *Hemerophila Stephens, 1829 nec Hbn., [1817]; Menophra Moore, 1887; Leptodontopera W. Warren, 1894; Ephemerophila W. Warren, 1894; Ceruncina Wehrli, 1941; Malacuncina Wehrli, 1941*
- 1789. Mesaster W. Warren, 1895** (Geometridae) Synonym(s): *Mesaster W. Warren, 1895*
- 1790. Mesaster W. Warren, 1895** (Geometridae) Synonym(s): *Mesaster W. Warren, 1895*
- 1791. Mesocoela W. Warren, 1902** (Geometridae) Synonym(s): *Mesocoela W. Warren, 1902*
- 1792. Mesocolpia W. Warren, 1901** (Geometridae) Synonym(s): *Mesocolpia W. Warren, 1901*
- 1793. Mesoleuca Hübner, [1825]** (Geometridae) Synonym(s): *Mesoleuca Hübner, [1825]*
- 1794. Mesomima W. Warren, 1897** (Geometridae) Synonym(s): *Mesomima W. Warren, 1897*
- 1795. Mesotrophe Hampson, 1893** (Geometridae) Synonym(s): *Mesotrophe Hampson, 1893*
- 1796. Mesurodes W. Warren, 1895** (Geometridae) Synonym(s): *Mesurodes W. Warren, 1895*
- 1797. Metabraxas Butler, 1881** (Geometridae) Synonym(s): *Metabraxas Butler, 1881*
- 1798. Metacrocallis Beljaev, 1997** (Geometridae) Synonym(s): *Metacrocallis Beljaev, 1997*
- 1799. Metallaxis L.B. Prout, 1932** (Geometridae) Synonym(s): *Metallaxis L.B. Prout, 1932*
- 1800. Metallochloa W. Warren, 1896** (Geometridae) Synonym(s): *Metallochloa W. Warren, 1896; Chrysomphe W. Warren, 1896*
- 1801. Metallophia W. Warren, 1895** (Geometridae) Synonym(s): *Metallophia W. Warren, 1895*
- 1802. Metapercna Wehrli, 1939** (Geometridae) Synonym(s): *Metapercna Wehrli, 1939*
- 1803. Metaterpna Yazaki, 1992** (Geometridae) Synonym(s): *Metaterpna Yazaki, 1992*
- 1804. Meteima Djakonov, 1952** (Geometridae) Synonym(s): *Meteima Djakonov, 1952*
- 1805. Methydata L.B. Prout, 1933** (Geometridae) Synonym(s): *Methydata L.B. Prout, 1933*
- 1806. Miantochora W. Warren, 1895** (Geometridae) Synonym(s): *Miantochora W. Warren, 1895*
- 1807. Micrabraxas Butler, 1889** (Geometridae) Synonym(s): *Micrabraxas Butler, 1889*
- 1808. Microbaena Hausmann, 1996** (Geometridae) Synonym(s): *Microbaena Hausmann, 1996*
- 1809. Microbiston Staudinger, 1882** (Geometridae) Synonym(s): *Microbiston Staudinger, 1882*
- 1810. Microcalicha Sato, 1981** (Geometridae) Synonym(s): *Microcalicha Sato, 1981*
- 1811. Micrologia W. Warren, 1897** (Geometridae) Synonym(s): *Micrologia W. Warren, 1897*
- 1812. Microloxia W. Warren, 1893** (Geometridae) Synonym(s): *Microloxia W. Warren, 1893*
- 1813. Micronidia Moore, 1888** (Geometridae) Synonym(s): *Micronidia Moore, 1888*
- 1814. Micronissa Swinhoe, 1891** (Geometridae) Synonym(s): *Micronissa Swinhoe, 1891*
- 1815. Micronissa Swinhoe, 1891** (Geometridae) Synonym(s): *Micronissa Swinhoe, 1891*
- 1816. Microplutodes Holloway, [1994]** (Geometridae) Synonym(s): *Microplutodes Holloway, [1994]*
- 1817. Micrulia W. Warren, 1896** (Geometridae) Synonym(s): *Micrulia W. Warren, 1896; Opistheploce W. Warren, 1896; Megatheca W. Warren, 1897*
- 1818. Mictoschema L.B. Prout, 1922** (Geometridae) Synonym(s): *Mictoschema L.B. Prout, 1922*
- 1819. Milonia Walker, 1854** (Geometridae) Synonym(s): *Milonia Walker, 1854; Bizarda Walker, [1865]; Cnissocnema Bryk, 1913*
- 1820. Mimandria W. Warren, 1894** (Geometridae) Synonym(s): *Mimandria W. Warren, 1894*
- 1821. Mimaplasta Herbulot, 1993** (Geometridae) Synonym(s): *Mimaplasta Herbulot, 1993*
- 1822. Mimochroa W. Warren, 1894** (Geometridae) Synonym(s): *Mimochroa W. Warren, 1894*
- 1823. Mimoclystia W. Warren, 1901** (Geometridae) Synonym(s): *Mimoclystia W. Warren, 1901*
- 1824. Mimomiza W. Warren, 1894** (Geometridae) Synonym(s): *Mimomiza W. Warren, 1894*
- 1825. Minoa Treitschke, 1825** (Geometridae) Synonym(s): *Minoa Treitschke, 1825*
- 1826. Mixocera W. Warren, 1895** (Geometridae) Synonym(s): *Mixocera W. Warren, 1895; Gynandria Turner, 1910*
- 1827. Mixochloa W. Warren, 1897** (Geometridae) Synonym(s): *Mixochloa W. Warren, 1897*
- 1828. Monocerotesa Wehrli, 1937** (Geometridae) Synonym(s): *Monocerotesa Wehrli, 1937*
- 1829. Myinodes Meyrick, 1892** (Geometridae) Synonym(s): *Myinodes Meyrick, 1892*
- 1830. Myrioblephara W. Warren, 1893** (Geometridae) Synonym(s): *Myrioblephara W. Warren, 1893; Prorhinia W. Warren, 1893*
- 1831. Nadagara Walker, 1861** (Geometridae) Synonym(s): *Nadagara Walker, 1861*
- 1832. Narraga Walker, 1861** (Geometridae) Synonym(s): *Narraga Walker, 1861*
- 1833. Nassinia D.S. Fletcher, 1979** (Geometridae) Synonym(s): *Nassunia Walker, 1862 nec Stal, 1860; Nassinia D.S. Fletcher, 1979*
- 1834. Naxa Walker, 1856** (Geometridae) Synonym(s): *Naxa Walker, 1856; Pylonaxa W. Warren, 1893; Desmonaxa Prout, 1912*
- 1835. Nebula Bruand, [1846]** (Geometridae) Synonym(s): *Nebula Bruand, [1846]; Coenotephria L.B. Prout, 1914*
- 1836. Necyopa Walker, 1861** (Geometridae) Synonym(s): *Necyopa Walker, 1861; Polylophodes W. Warren, 1896*
- 1837. Neognopharmia Wehrli, 1953** (Geometridae) Synonym(s): *Neognopharmia Wehrli, 1953*
- 1838. Neognophina Wehrli, 1951** (Geometridae) Synonym(s): *Neognophina Wehrli, 1951*
- 1839. Neohipparchus Inoue, 1944** (Geometridae) Synonym(s): *Neohipparchus Inoue, 1944*
- 1840. Neromia Staudinger, 1898** (Geometridae) Synonym(s): *Neromia Staudinger, 1898*
- 1841. Neurotoca W. Warren, 1897** (Geometridae) Synonym(s): *Neurotoca W. Warren, 1897*
- 1842. Nomenia Pearsall, 1905** (Geometridae) Synonym(s): *Nomenia Pearsall, 1905*
- 1843. Nothocasis L.B. Prout, 1936** (Geometridae) Synonym(s): *Nothocasis L.B. Prout, 1936*
- 1844. Nothofidonia L.B. Prout, 1915** (Geometridae) Synonym(s): *Nothofidonia L.B. Prout, 1915*
- 1845. Nothomiza W. Warren, 1894** (Geometridae) Synonym(s): *Nothomiza W. Warren, 1894; Organomiza Wehrli, 1936*
- 1846. Nychiodes (Comeesia) Wehrli, 1941** (Geometridae) Synonym(s): *Nychiodes (Comeesia) Wehrli, 1941*
- 1847. Nychiodes (Fritzwagneria) Wehrli, 1941** (Geometridae) Synonym(s): *Nychiodes (Fritzwagneria) Wehrli, 1941*
- 1848. Nychiodes (s.str.) Lederer, 1853** (Geometridae) Synonym(s): *Nychiodes Lederer, 1853*
- 1849. Nychiodes Lederer, 1853** (Geometridae) Synonym(s): *Nychiodes Lederer, 1853*
- 1850. Nyssiodes Oberthür, 1881** (Geometridae) Synonym(s): *Nyssiodes Oberthür, 1881*
- 1851. Oar L.B. Prout, 1913** (Geometridae) Synonym(s): *Oar L.B. Prout, 1913*
- 1852. Oaracta Walker, 1861** (Geometridae) Synonym(s): *Oaracta Walker, 1861*
- 1853. Ochodontia Lederer, 1853** (Geometridae) Synonym(s): *Ochodontia Lederer, 1853*
- 1854. Odezia Boisduval, 1840** (Geometridae) Synonym(s): *Tanagra Duponchel, 1829 nec Linn., 1764; Odezia Boisduval, 1840; Hodezia Spormann, 1909*
- 1855. Odontognophos Wehrli, 1951** (Geometridae) Synonym(s): *Odontognophos Wehrli, 1951; #Odontognophos Wehrli, 1951*
- 1856. Odontopera Stephens, 1831** (Geometridae) Synonym(s): *Odontopera Stephens, 1831; Corotia Moore, 1868; Niphonissa Butler, 1878; Caripetodes W. Warren, 1895; Cenoctenucha W. Warren, 1897; Aethiopodes W. Warren, 1902; Lioptilesia Wehrli, 1936; Paragonodontis Wehrli, 1936*
- 1857. Oenospila Swinhoe, 1892** (Geometridae) Synonym(s): *Oenospila Swinhoe, 1892*
- 1858. Omiza Walker, 1860** (Geometridae) Synonym(s): *Omiza Walker, 1860*
- 1859. Omizodes W. Warren, 1894** (Geometridae) Synonym(s): *Omizodes W. Warren, 1894; Haematorithra Butler, 1896*
- 1860. Omphacodes W. Warren, 1894** (Geometridae) Synonym(s): *Omphacodes W. Warren, 1894*
- 1861. Omphalucha W. Warren, 1905** (Geometridae) Synonym(s): *Omphalucha W. Warren, 1905; Heterimpia L.B. Prout, 1938*

- 1862. Omphax** Guenée,[1858] (Geometridae) Synonym(s): *Omphax* Guenée,[1858]; *Agraptochlora* W.Warren,1894; *Pycnodontia* W.Warren,1901
- 1863. Onagrodus** W.Warren,1896 (Geometridae) Synonym(s): *Onagrodus* W.Warren,1896
- 1864. Oneiliana** L.B.Prout,1922 (Geometridae) Synonym(s): *Oneiliana* L.B.Prout,1922
- 1865. Onychora** Meyrick,1892 (Geometridae) Synonym(s): *Onychora* Meyrick,1892
- 1866. Onychodes** Guenée,[1858] (Geometridae) Synonym(s): *Onychodes* Guenée,[1858]; *Chilma* Walker,[1863]; *Onychodes* Meyrick,1890
- 1867. Operophtera** Hübner,[1825] (Geometridae) Synonym(s): *Operophtera* Hübner,[1825]; *Thysanodes* Rambur,1870 nec Newm.,1842; *Rachela* Hulst,1896; *Paraptera* Hulst,1896
- 1868. Ophthalmitis** D.S.Fletcher,1979 (Geometridae) Synonym(s): *Ophthalmodes* Guenée,[1858] nec Fischer,1834; *Ophthalmitis* D.S.Fletcher,1979
- 1869. Opisthograptis** Hübner,[1823] (Geometridae) Synonym(s): *Opisthograptis* Hübner,[1823]; *Rumia* Duponchel,1829
- 1870. Opisthotia** W.Warren,1894 (Geometridae) Synonym(s): *Opisthotia* W.Warren,1894
- 1871. Orbamia** Herbulot,1966 (Geometridae) Synonym(s): *Orbamia* Herbulot,1966
- 1872. Oreometra** Aurivillius,1910 (Geometridae) Synonym(s): *Oreometra* Aurivillius,1910
- 1873. Organognophos** Wehrli,1951 (Geometridae) Synonym(s): *Organognophos* Wehrli,1951
- 1874. Organopoda** Hampson,1893 (Geometridae) Synonym(s): *Organopoda* Hampson,1893
- 1875. Orgyodes** R.Felder & Rogenhofer,1874 (Geometridae) Synonym(s): *Orgyodes* R.Felder & Rogenhofer,1874
- 1876. Ornithospila** W.Warren,1894 (Geometridae) Synonym(s): *Ornithospila* W.Warren,1894; *Urospila* W.Warren,1894; *Afrena* Hampson,1895
- 1877. Orometra** Aurivillius,1910 (Geometridae) Synonym(s): *Orometra* Aurivillius,1910
- 1878. Orothalassodes** Holloway,1996 (Geometridae) Synonym(s): *Orothalassodes* Holloway,1996
- 1879. Ortaliella** Hausmann,1993 (Geometridae) Synonym(s): *Ortaliella* Hausmann,1993
- 1880. Orthobrachia** W.Warren,1895 (Geometridae) Synonym(s): *Orthobrachia* W.Warren,1895
- 1881. Orthocabera** Butler,1879 (Geometridae) Synonym(s): *Orthocabera* Butler,1879; *Microniodes* Hampson,1893 nec Maas.,1890
- 1882. Orthonama** Hübner,[1825] (Geometridae) Synonym(s): *Orthonama* Hübner,[1825]; *Plemyria* Hübner,[1825] nec Hbn.,[1825]; *Nycterosea* Hulst,1896; *Percnoptilota* Hulst,1896
- 1883. Orthorisma** L.B.Prout,1912 (Geometridae) Synonym(s): *Orthocraspeda* L.B.Prout,1912 nec Hamps.,1893; *Orthorisma* L.B.Prout,1912
- 1884. Orthoserica** W.Warren,1896 (Geometridae) Synonym(s): *Orthoserica* W.Warren,1896
- 1885. Orthostixis** Hübner,[1799] (Geometridae) Synonym(s): *Orthostixis* Hübner,[1799]
- 1886. Oulobophora** Staudinger,1892 (Geometridae) Synonym(s): *Oulobophora* Staudinger,1892
- 1887. Ourapteryx** Leach,1814 (Geometridae) Synonym(s): *Ourapteryx* Leach,1814; *Uraptera* Billberg,1820; *Acaena* Treitschke,1825; *Uropteryx* Agassiz,1847; *Eutenurapteryx* W.Warren,1894; *Energopteryx* Thierry-Mieg,1903; *Phrudura* Swinhoe,1906
- 1888. Oxymacaria** W.Warren,1894 (Geometridae) Synonym(s): *Oxymacaria* W.Warren,1894; *Heterocallia* Leech,1897; *Ligdifformia* Wehrli,1937
- 1889. Ozola** Walker,1861 (Geometridae) Synonym(s): *Ozola* Walker,1861; *Carima* Walker,[1863]; *Zarnigethusa* Walker,[1863]; *Desmobathra* Meyrick,1886; *Tosaura* Swinhoe,1892
- 1890. Pachycnemis** Stephens,1829 (Geometridae) Synonym(s): *Pachycnemis* Stephens,1829; *sthanelia* Boisduval,1840; *Continia* Hartig,1976; #*Pachycnemis* Okyar & Aytac,1999
- 1891. Pachyodes** Guenée,[1858] (Geometridae) Synonym(s): *Pachyodes* Guenée,[1858]; *Archaeopseustes* W.Warren,1894
- 1892. Palaeaspilates** W.Warren,1894 (Geometridae) Synonym(s): *Palaeaspilates* W.Warren,1894; *Anisephyra* W.Warren,1896
- 1893. Palaeonyssia** Harrison,1916 (Geometridae) Synonym(s): *Palaeonyssia* Harrison,1916
- 1894. Palpoctenidia** L.B.Prout,1930 (Geometridae) Synonym(s): *Palpoctenidia* L.B.Prout,1930
- 1895. Paraboardia** Krampfl,1994 (Geometridae) Synonym(s): *Paraboardia* Krampfl,1994
- 1896. Paracalicha** Sato,1992 (Geometridae) Synonym(s): *Paracalicha* Sato,1992
- 1897. Paradarisa** W.Warren,1894 (Geometridae) Synonym(s): *Paradarisa* W.Warren,1894
- 1898. Paragathia** W.Warren,1902 (Geometridae) Synonym(s): *Paragathia* W.Warren,1902
- 1899. Paramaxates** W.Warren,1894 (Geometridae) Synonym(s): *Paramaxates* W.Warren,1894; *Lissolica* Swinhoe,1894
- 1900. Paraprasina** W.Warren,1897 (Geometridae) Synonym(s): *Paraprasina* W.Warren,1897
- 1901. Parptychodes** W.Warren,1894 (Geometridae) Synonym(s): *Parptychodes* W.Warren,1894
- 1902. Parasyntegia** W.Warren,1893 (Geometridae) Synonym(s): *Parasyntegia* W.Warren,1893
- 1903. Parazoma** L.B.Prout,1926 (Geometridae) Synonym(s): *Parazoma* L.B.Prout,1926
- 1904. Pareclipsis** W.Warren,1894 (Geometridae) Synonym(s): *Pareclipsis* W.Warren,1894
- 1905. Parectropis** Sato,1980 (Geometridae) Synonym(s): *Parectropis* Sato,1980
- 1906. Pareulype** Herbulot,1951 (Geometridae) Synonym(s): *Pareulype* Herbulot,1951
- 1907. Pareumelea** W.Warren,1894 (Geometridae) Synonym(s): *Pareumelea* W.Warren,1894
- 1908. Parietaria** Leraut,1981 (Geometridae) Synonym(s): *Parietaria* Leraut,1981
- 1909. Parortholitha** Herbulot,1956 (Geometridae) Synonym(s): *Parortholitha* Herbulot,1956
- 1910. Parosteodes** W.Warren,1895 (Geometridae) Synonym(s): *Parosteodes* W.Warren,1895
- 1911. Pasiphila** Meyrick,1883 (Geometridae) Synonym(s): *Pasiphila* Meyrick,1883; *Callicystis* Dietze,1910; *Cithecia* Staudinger,1897; *Helastiodus* Warren,1895; *Rhinoprora* W.Warren,1895
- 1912. Pasiphilodes** W.Warren,1895 (Geometridae) Synonym(s): *Pasiphilodes* W.Warren,1895; *Gymnodisca* W.Warren,1895
- 1913. Peetula** Moore,1888 (Geometridae) Synonym(s): *Peetula* Moore,1888
- 1914. Pelagodes** Holloway,1996 (Geometridae) Synonym(s): *Pelagodes* Holloway,1996
- 1915. Pellonia** Duponchel,1829 (Geometridae) Synonym(s): *Pellonia* Duponchel,1829
- 1916. Pelurga** Hübner,[1825] (Geometridae) Synonym(s): *Pelurga* Hübner,[1825]
- 1917. Peratophyga** W.Warren,1894 (Geometridae) Synonym(s): *Peratophyga* W.Warren,1894; *Peratophyga* Swinhoe,1894; *Euctenostega* L.B.Prout,1916
- 1918. Peratostega** W.Warren,1897 (Geometridae) Synonym(s): *Peratostega* W.Warren,1897
- 1919. Percnia** Guenée,[1858] (Geometridae) Synonym(s): *Percnia* Guenée,[1858]; #*Perenia* L.B.Prout,1928
- 1920. Perconia** Hübner,[1823] (Geometridae) Synonym(s): *Perconia* Hübner,[1823]
- 1921. Peribatodes** Wehrli,1943 (Geometridae) Synonym(s): *Peribatodes* Wehrli,1943
- 1922. Perixera** Meyrick,1886 (Geometridae) Synonym(s): *Perixera* Meyrick,1886; *Trirachopoda* Hampson,1893; *Conchocometa* W.Warren,1895; *Heterophyra* W.Warren,1895; *Phrissosceles* W.Warren,1896; *Platisodes* W.Warren,1896; *Plocucha* W.Warren,1896; *Stibarostoma* W.Warren,1896; *Xenoprora* W.Warren,1897; *Brachycola* W.Warren,1897; *Emmesura* Hampson,1898; *Crypsiplocia* W.Warren,1902; *Eremocentra* W.Warren,1903
- 1923. Perizoma** Hübner,[1825] (Geometridae) Synonym(s): *Perizoma* Hübner,[1825]; *Mesotype* Hübner,[1825]; *Emmelesia* Stephens,1829; *Zerynthia* Curtis,1830 (*praeocc.*); *Gagitodes* Warren,1893
- 1924. Petelia** Herrich-Schäffer,1855 (Geometridae) Synonym(s): *Petelia* Herrich-Schäffer,1855; *Dichroptera* Herrich-Schäffer,1855; *Bargosa* Walker,1860; *Antipetelia* Inoue,1943
- 1925. Petovia** Walker,1854 (Geometridae) Synonym(s): *Petovia* Walker,1854; *Neurophana* Guenée,1858; *Xantheliodes* Warren,1897
- 1926. Petrophora** Hübner,[1811] (Geometridae) Synonym(s): *Petrophora* Hübner,[1811]; *Ortholitha* Hübner,[1821]; *Lithina*

- Hübner,[1825]; *Lozogramma* Stephens,1829; *Loxogramma* Agassiz,1847; *Perigune* Gumpfenberg,1887
1927. **Phaioagramma Gumpfenberg,1887** (Geometridae) Synonym(s): *Phaioagramma Gumpfenberg,1887*
1928. **Phaselia Guenée,[1858]** (Geometridae) Synonym(s): *Phaselia Guenée,[1858]*
1929. **Phibalapteryx Stephens,1829** (Geometridae) Synonym(s): *Phibalapteryx Stephens,1829; Mesogramma Stephens,1850*
1930. **Phigalia Duponchel,1829** (Geometridae) Synonym(s): *Phigalia Duponchel,1829; Pterotocera Staudinger,1892; Coniodes Hulst,1896; Rhaphidodemas Hulst,1896; Metriocera Djakonov,1949.*
1931. **Philereme Hübner,[1825]** (Geometridae) Synonym(s): *Philereme Hübner,[1825]; Scotosia Stephens,1829.*
1932. **Phoenicocampa W.Warren,1895** (Geometridae) Synonym(s): *Phoenicocampa W.Warren,1895*
1933. **Pholodes D.S.Fletcher,1979** (Geometridae) Synonym(s): *Lophodes Guenée,[1858] nec Dejean,1836; Pholodes D.S.Fletcher,1979*
1934. **Photoscotosia W.Warren,1888** (Geometridae) Synonym(s): *Trichopleura Staudinger,1882 nec Kaupp,1858; Photoscotosia W.Warren,1888; Lasiogma Meyrick,1892.*
1935. **Phrissogonus Butler,1882** (Geometridae) Synonym(s): *Phrissogonus Butler,1882; Phrixogonus Meyrick,1888*
1936. **Phthonandria W.Warren,1904** (Geometridae) Synonym(s): *Phthonandria W.Warren,1904*
1937. **Phthonoloba W.Warren,1893** (Geometridae) Synonym(s): *Phthonoloba W.Warren,1893; Steirophora W.Warren,1897; Synneurodes W.Warren,1899*
1938. **Phthorarcha Meyrick,1892** (Geometridae) Synonym(s): *Phthorarcha Meyrick,1892*
1939. **Phyllometra Boisduval,1840** (Geometridae) Synonym(s): *Phyllometra Boisduval,1840; Egea Duponchel,[1845]*
1940. **Physetobasis Hampson,1895** (Geometridae) Synonym(s): *Physetobasis Hampson,1895*
1941. **Piercia Janse,1933** (Geometridae) Synonym(s): *Piercia Janse,1933*
1942. **Pingasa Moore,[1887]** (Geometridae) Synonym(s): *Pingasa Moore,[1887]; Skorpisthes Lucas,1900.*
1943. **Pitthea Walker,1854** (Geometridae) Synonym(s): *Pitthea Walker,1854; Tueckheimia Dewitz,1881; Hymenocharta W.Warren,1897*
1944. **Pityeja Walker,1861** (Geometridae) Synonym(s): *Pityeja Walker,1861; Aplorama W.Warren,1904*
1945. **Plagodis Hübner,[1823]** (Geometridae) Synonym(s): *Plagodis Hübner,[1823]; Anagoga Hübner,[1823]; Azinephora Stephens,1827; Eurymene Duponchel,1829; Numeria Duponchel,1829.*
1946. **Plateoplia W.Warren,1909** (Geometridae) Synonym(s): *Plateoplia W.Warren,1909*
1947. **Platycerota Hampson,1893** (Geometridae) Synonym(s): *Platycerota Hampson,1893; Xenagia W.Warren,1894*
1948. **Platypepla W.Warren,1900** (Geometridae) Synonym(s): *Platypepla W.Warren,1900*
1949. **Plegapteryx Herrich-Schäffer,[1856]** (Geometridae) Synonym(s): *Plegapteryx Herrich-Schäffer,[1856]; Neuropolodes Warren,1895; Syndetodes Warren,1902; Rhaphopheryx Bryk,1913*
1950. **Plemyria Hübner,[1825]** (Geometridae) Synonym(s): *Plemyria Hübner,[1825]*
1951. **Plesiomorpha W.Warren,1898** (Geometridae) Synonym(s): *Plesiomorpha W.Warren,1898*
1952. **Plesioscotosia Viidalepp,1988** (Geometridae) Synonym(s): *Plesioscotosia Viidalepp,1988*
1953. **Plutodes Guenée,[1858]** (Geometridae) Synonym(s): *Plutodes Guenée,[1858]*
1954. **Pocciasthena W.Warren,1894** (Geometridae) Synonym(s): *Pocciasthena W.Warren,1894; Astheniodes Hampson,1903*
1955. **Pogonopygia W.Warren,1894** (Geometridae) Synonym(s): *Pogonopygia W.Warren,1894*
1956. **Polymixinia Wehrli,1943** (Geometridae) Synonym(s): *Polymixinia Wehrli,1943*
1957. **Polynesia Swinhoe,1892** (Geometridae) Synonym(s): *Polynesia Swinhoe,1892; Placotome W.Warren,1894*
1958. **Polyscia W.Warren,1896** (Geometridae) Synonym(s): *Polyscia W.Warren,1896*
1959. **Polystroma W.Warren,1897** (Geometridae) Synonym(s): *Polystroma W.Warren,1897*
1960. **Polythrena Guenée,[1858]** (Geometridae) Synonym(s): *Polythrena Guenée,[1858]*
1961. **Pomasia Guenée,[1858]** (Geometridae) Synonym(s): *Pomasia Guenée,[1858]*
1962. **Povilasla Viidalepp,1986** (Geometridae) Synonym(s): *Povilasla Viidalepp,1986*
1963. **Prasinocyma W.Warren,1897** (Geometridae) Synonym(s): *Prasinocyma W.Warren,1897*
1964. **Probitia W.Warren,1894** (Geometridae) Synonym(s): *Bithia Walker,1866 nec Robineau-Desvoidy,1863; Probitia W.Warren,1894*
1965. **Problepsis Lederer,1853** (Geometridae) Synonym(s): *Caloptera Frivaldsky,1845 (praeocc.); Problepsis Lederer,1853; Argyris Guenée,[1858]; Problepsiodes Warren,1899*
1966. **Prochasma W.Warren,1897** (Geometridae) Synonym(s): *Prochasma W.Warren,1897*
1967. **Prometopidia Hampson,1902** (Geometridae) Synonym(s): *Prometopidia Hampson,1902*
1968. **Prosomphax W.Warren,1911** (Geometridae) Synonym(s): *Prosomphax W.Warren,1911*
1969. **Proteuchloris Hausmann,1996** (Geometridae) Synonym(s): *Proteuchloris Hausmann,1996*
1970. **Protonebula Inoue,1986** (Geometridae) Synonym(s): *Protonebula Inoue,1986*
1971. **Protorhoe Herbulot,1951** (Geometridae) Synonym(s): *Protorhoe Herbulot,1951*
1972. **Protosteira L.B.Prout,1932** (Geometridae) Synonym(s): *Protosteira L.B.Prout,1932*
1973. **Protuliocnemis Holloway,1996** (Geometridae) Synonym(s): *Protuliocnemis Holloway,1996*
1974. **Protuliocnemis Holloway,1996** (Geometridae) Synonym(s): *Protuliocnemis Holloway,1996*
1975. **Proutiana Janse,1932** (Geometridae) Synonym(s): *Proutiana Janse,1932*
1976. **Proutictis Bryk,1938** (Geometridae) Synonym(s): *Proutictis Bryk,1938*
1977. **Psaliodes Guenée,[1858]** (Geometridae) Synonym(s): *Psaliodes Guenée,[1858]; Hydara Walker,1859; Alydda Walker,1861; Hypolepis W.Warren,1904*
1978. **Pseudabraxas Inoue,1986** (Geometridae) Synonym(s): *Pseudabraxas Inoue,1986*
1979. **Pseudalcis W.Warren,1897** (Geometridae) Synonym(s): *Pseudalcis W.Warren,1897*
1980. **Pseudentephria Viidalepp,1976** (Geometridae) Synonym(s): *Pseudentephria Viidalepp,1976*
1981. **Pseuderythrophus L.B.Prout,1932** (Geometridae) Synonym(s): *Pseuderythrophus L.B.Prout,1932*
1982. **Pseudeuchlora Hampson,1895** (Geometridae) Synonym(s): *Pseudeuchlora Hampson,1895*
1983. **Pseudeuchromia Schultze,1907** (Geometridae) Synonym(s): *Pseudeuchromia Schultze,1907*
1984. **Pseudhemitea Bastelberger,1909** (Geometridae) Synonym(s): *Pseudhemitea Bastelberger,1909*
1985. **Pseudidiochlora Holloway,1996** (Geometridae) Synonym(s): *Pseudidiochlora Holloway,1996*
1986. **Pseudiodis L.B.Prout,1934** (Geometridae) Synonym(s): *Pseudiodis L.B.Prout,1934*
1987. **Pseudobiston Inoue,1994** (Geometridae) Synonym(s): *Pseudobiston Inoue,1994*
1988. **Pseudobraccia W.Warren,1895** (Geometridae) Synonym(s): *Pseudobraccia W.Warren,1895; Leucobursada Semper,1901*
1989. **Pseudobrepheos L.B.Prout,1910** (Geometridae) Synonym(s): *Pseudobrepheos L.B.Prout,1910; Larentiopsis Jones,1921*
1990. **Pseudocassyma Holloway,[1994]** (Geometridae) Synonym(s): *Pseudocassyma Holloway,[1994]*
1991. **Pseudochesias L.B.Prout,1932** (Geometridae) Synonym(s): *Pseudochesias L.B.Prout,1932*
1992. **Pseudocinglis Hausmann,1994** (Geometridae) Synonym(s): *Pseudocinglis Hausmann,1994*
1993. **Pseudocollix W.Warren,1895** (Geometridae) Synonym(s): *Pseudocollix W.Warren,1895*
1994. **Pseudocomostola Holloway,1996** (Geometridae) Synonym(s): *Pseudocomostola Holloway,1996*
1995. **Pseudodysstroma Heydemann,1961** (Geometridae) Synonym(s): *Pseudodysstroma Heydemann,1961*
1996. **Pseudolarentia Herbulot,[1956]** (Geometridae) Synonym(s): *Pseudolarentia Herbulot,[1956]*
1997. **Pseudomaenas L.B.Prout,1917** (Geometridae) Synonym(s): *Agrammodes Warren,1911 nec Uhler,1895; Pseudomaenas L.B.Prout,1917*

1998. **Pseudomiza** Butler, 1889 (Geometridae) Synonym(s): *Pseudomiza* Butler, 1889; *Heteromiza* W. Warren, 1893
1999. **Pseudopanthera** Hübner, [1823] (Geometridae) Synonym(s): *Pseudopanthera* Hübner, [1823]; *Venilia* Duponchel, 1829 nec Raf., 1815
2000. **Pseudopolynesia** Holloway, 1996 (Geometridae) Synonym(s): *Pseudopolynesia* Holloway, 1996
2001. **Pseudopolynesia** Holloway, 1997 (Geometridae) Synonym(s): *Pseudopolynesia* Holloway, 1997
2002. **Pseudosoloe** Bethune-Baker, 1911 (Geometridae) Synonym(s): *Pseudosoloe* Bethune-Baker, 1911
2003. **Pseudostegania** Butler, 1881 (Geometridae) Synonym(s): *Pseudostegania* Butler, 1881
2004. **Pseudosterrha** W. Warren, 1888 (Geometridae) Synonym(s): *Pseudosterrha* W. Warren, 1888
2005. **Pseudoterpna** Hübner, [1823] (Geometridae) Synonym(s): *Pseudoterpna* Hübner, [1823]
2006. **Psilalcis** W. Warren, 1893 (Geometridae) Synonym(s): *Psilalcis* W. Warren, 1893; *Paralcis* W. Warren, 1894
2007. **Psilocerea** Saalmüller, 1880 (Geometridae) Synonym(s): *Psilocerea* Saalmüller, 1880; *Eupsamma* W. Warren, 1894
2008. **Psilocladia** W. Warren, 1898 (Geometridae) Synonym(s): *Psilocladia* W. Warren, 1898
2009. **Psiloesetia** W. Warren, 1900 (Geometridae) Synonym(s): *Psiloesetia* W. Warren, 1900
2010. **Psilotagma** W. Warren, 1894 (Geometridae) Synonym(s): *Psilotagma* W. Warren, 1894
2011. **Psodos** Treitschke, 1825 (Geometridae) Synonym(s): *Psodos* Treitschke, 1825; *Psoidos* Treitschke, 1825; *Spodos* Sodoffsky, 1837; *Torula* Boisduval, 1840; *Coelibates* Gistel, 1848; *Glacies* Millièr, [1874]; *Psolos* Berthet, 1938; *Trepidina* Povolny & Moucha, 1956; *Alpina* Povolny & Moucha, 1956
2012. **Psychophora** Kirby, 1824 (Geometridae) Synonym(s): *Psychophora* Kirby, 1824
2013. **Psyra** Walker, 1860 (Geometridae) Synonym(s): *Psyra* Walker, 1860; *Orbasia* Swinhoe, 1894; *Oncodocnemis* Rebel, 1901
2014. **Psyroides** Wehrli, 1931 (Geometridae) Synonym(s): *Psyroides* Wehrli, 1931
2015. **Pterapherapteryx** Curtis, 1825 (Geometridae) Synonym(s): *Pterapherapteryx* Curtis, 1825; *Amathia* Duponchel, 1829; *Mysticoptera* Meyrick, 1892
2016. **Pungeleria** Rougemont, 1903 (Geometridae) Synonym(s): *Pungeleria* Rougemont, 1903
2017. **Pydna** Herrich-Schäffer, [1855] (Geometridae) Synonym(s): *Pydna* Herrich-Schäffer, [1855]
2018. **Pygmaena** Boisduval, 1840 (Geometridae) Synonym(s): *Pygmaena* Boisduval, 1840; *Colutogyna* Lederer, 1853
2019. **Racotis** Moore, [1887] (Geometridae) Synonym(s): *Racotis* Moore, [1887]
2020. **Ramitia** Viidalepp, 1988 (Geometridae) Synonym(s): *Ramitia* Viidalepp, 1988
2021. **Rhadinomphax** Prout, 1912 (Geometridae) Synonym(s): *Rhadinomphax* Prout, 1912
2022. **Rhanidopsis** West, 1930 (Geometridae) Synonym(s): *Rhanidopsis* West, 1930
2023. **Rhanidopsis** West, 1930 (Geometridae) Synonym(s): *Rhanidopsis* West, 1930
2024. **Rheumaptera** Hübner, 1822 (Geometridae) Synonym(s): *Rheumaptera* Hübner, 1822; *Eulype* Hübner, [1825]; *Calocalpe* Hübner, [1825]; *Melanippe* Duponchel, 1829; *Rheumatoptera* Gumpfenberg, 1887; *Xenospira* W. Warren, 1903
2025. **Rhodesia** W. Warren, 1905 (Geometridae) Synonym(s): *Rhodesia* W. Warren, 1905
2026. **Rhodomtra** Meyrick, 1892; *Sterranthia* Butler, 1894 (Geometridae) Synonym(s): *Rhodomtra* Meyrick, 1892; *Sterranthia* Butler, 1894
2027. **Rhodophthitus** Butler, 1880 (Geometridae) Synonym(s): *Rhodophthitus* Butler, 1880; *Nothabraxas* W. Warren, 1897; *Hameopsis* Butler, 1898; *Rhodopan* Oberthür, 1916
2028. **Rhodostrophia** Hübner, [1823] (Geometridae) Synonym(s): *Rhodostrophia* Hübner, [1823]; *Delocharis* Butler, 1883; *Leptosidia* Hampson, 1903; *Rhodostrophia* Calle et al., 2000.
2029. **Rhombocentra** Holloway, 1996 (Geometridae) Synonym(s): *Rhombocentra* Holloway, 1996
2030. **Rhopalognophos** Wehrli, 1951 (Geometridae) Synonym(s): *Rhopalognophos* Wehrli, 1951
2031. **Rhoptria** Guenée, [1858] (Geometridae) Synonym(s): *Rhoptria* Guenée, [1858]; *Pseudognophos* Staudinger, 1900
2032. **Rhynchobapta** Hampson, 1895 (Geometridae) Synonym(s): *Rhynchobapta* Hampson, 1895; *Phanauta* W. Warren, 1896
2033. **Rikiosatoa** Inoue, 1982 (Geometridae) Synonym(s): *Rikiosatoa* Inoue, 1982
2034. **Rougeotiana** Herbulot, 1983 (Geometridae) Synonym(s): *Rougeotiana* Herbulot, 1983
2035. **Ruttellerona** Swinhoe, 1894 (Geometridae) Synonym(s): *Ruttellerona* Swinhoe, 1894
2036. **Sabulodes** Guenée, [1858] (Geometridae) Synonym(s): *Sabulodes* Guenée, [1858]; *Phengommataea* Hulst, 1896
2037. **Sarcinodes** Guenée, [1858] (Geometridae) Synonym(s): *Sarcinodes* Guenée, [1858]; *Mergana* Walker, 1860; *Auxima* Walker, [1863]
2038. **Sardocynria** Wehrli, 1943 (Geometridae) Synonym(s): *Sardocynria* Wehrli, 1943
2039. **Satoblephara** Holloway, [1994] (Geometridae) Synonym(s): *Satoblephara* Holloway, [1994]
2040. **Satoracotis** Stünig, 1995 (Geometridae) Synonym(s): *Satoracotis* Stünig, 1995
2041. **Sauris** Guenée, [1858] (Geometridae) Synonym(s): *Sauris* Guenée, [1858]; *Remodes* Guenée, [1858]; *Holorista* W. Warren, 1894; *Coptogonia* W. Warren, 1896; *Pseudoschista* W. Warren, 1896; *Helminthoceras* W. Warren, 1896; *Anisocolpia* W. Warren, 1899; *Athierax* W. Warren, 1905
2042. **Scardamia** Guenée, [1858] (Geometridae) Synonym(s): *Scardamia* Guenée, [1858]; *Lagina* Walker, 1860
2043. **Schistophyle** W. Warren, 1896 (Geometridae) Synonym(s): *Schistophyle* W. Warren, 1896
2044. **Schistostege** Hübner, [1825] (Geometridae) Synonym(s): *Schistostege* Hübner, [1825]
2045. **Sciadia** Hübner, 1822 (Geometridae) Synonym(s): *Sciadia* Hübner, 1822; *Orphne* Hübner, [1825]; *Dasydia* Guenée, 1852
2046. **Scintillithex** Holloway, 1997 (Geometridae) Synonym(s): *Scintillithex* Holloway, 1997
2047. **Scodionista** Staudinger, 1892 (Geometridae) Synonym(s): *Scodionista* Staudinger, 1892
2048. **Scodionista** Joannis, 1912 (Geometridae) Synonym(s): *Scodionista* Joannis, 1912
2049. **Scopula** Schrank, 1802 (Geometridae) Synonym(s): *Scopula* Schrank, 1802
2050. **Scopuloides** Hausmann, 1994 (Geometridae) Synonym(s): *Scopuloides* Hausmann, 1994
2051. **Scordyliodes** Thierry-Mieg, 1903 (Geometridae) Synonym(s): *Scordyliodes* Thierry-Mieg, 1903
2052. **Scotocyma** Turner, 1904 (Geometridae) Synonym(s): *Scotocyma* Turner, 1904; *Paragramma* W. Warren, 1905
2053. **Scotopteryx** Hübner, [1825] (Geometridae) Synonym(s): *Scotopteryx* Hübner, [1825]; *Onychia* Hübner, [1825]; *Eubolia* Duponchel, 1829; *Phasiane* Duponchel, 1829; *Eusebia* Bruand, 1846 nec Dup., [1845]; *Limonophila* Gumpfenberg, 1887; *Forbachia* Albrecht, 1920.
2054. **Selenia** Hübner, [1823] (Geometridae) Synonym(s): *Selenia* Hübner, [1823]
2055. **Selidosema** Hübner, [1823] (Geometridae) Synonym(s): *Selidosema* Hübner, [1823]; *Spermo* Gumpfenberg, 1887.
2056. **Semiothisa** Hübner, [1818] (Geometridae) Synonym(s): *Semiothisa* Hübner, [1818]
2057. **Serratophyga** Holloway, [1994] (Geometridae) Synonym(s): *Serratophyga* Holloway, [1994]
2058. **Sesquialtera** L.B. Prout, 1916 (Geometridae) Synonym(s): *Sesquialtera* L.B. Prout, 1916
2059. **Shangrilana** Inoue, 1994 (Geometridae) Synonym(s): *Shangrilana* Inoue, 1994
2060. **Sicyodes** W. Warren, 1894 (Geometridae) Synonym(s): *Sicyodes* W. Warren, 1894
2061. **Siona** Duponchel, 1829 (Geometridae) Synonym(s): *Siona* Duponchel, 1829; *Sionia* Okyar & Aytac, 1999
2062. **Sirinopteryx** Butler, 1883 (Geometridae) Synonym(s): *Sirinopteryx* Butler, 1883; *Stenoromia* Hampson, 1895
2063. **Solitanea** Djakonov, 1924 (Geometridae) Synonym(s): *Solitanea* Djakonov, 1924
2064. **Somatina** Guenée, [1858] (Geometridae) Synonym(s): *Somatina* Guenée, [1858]; *Somatodes* Guenée, [1858]; *Nebessa* Walker, 1869; *Prasonesis* Meyrick, 1889; *Somatiniopsis* W. Warren, 1896
2065. **Songarica** Staudinger, 1871 (Geometridae) Synonym(s): *Songarica* Staudinger, 1871
2066. **Spaniocentra** L.B. Prout, 1912 (Geometridae) Synonym(s): *Spaniocentra* L.B. Prout, 1912

- 2067. Spargania Guenée,[1858]** (Geometridae) Synonym(s): *Spargania Guenée*,[1858]; *Amygdalopteryx* W.Warren,1897; *Eriopygidia* W.Warren,1900; *Arima Kaye*,1901
- 2068. Spartopteryx Guenée,[1858]** (Geometridae) Synonym(s): *Spartopteryx Guenée*,[1858]
- 2069. Spartopteryx Guenée,[1858]** (Geometridae) Synonym(s): *Spartopteryx Guenée*,[1858]
- 2070. Spilopera W.Warren,1893** (Geometridae) Synonym(s): *Spilopera* W.Warren,1893
- 2071. Spiralisigna Holloway,1997** (Geometridae) Synonym(s): *Spiralisigna Holloway*,1997
- 2072. Stalagmia Guenée,[1858]** (Geometridae) Synonym(s): *Stalagmia Guenée*,[1858]
- 2073. Stamnodes Guenée,[1858]** (Geometridae) Synonym(s): *Stamnodes Guenée*,[1858]; *Tora Walker*,1867; *Marmopteryx* Packard,1874; *Syneuria Mabille*,1885; *Lissopsis* W.Warren,1894; *Grammicopteryx Thierry-Mieg*,1904
- 2074. Stegania Guenée,1845** (Geometridae) Synonym(s): *Stegania Guenée*,1845; *Terpnomicta Lederer*,1853; *Liposchema* Warren,1914
- 2075. Stigma Alpheraky,1883** (Geometridae) Synonym(s): *Stigma Alpheraky*,1883
- 2076. Stueningia Hausmann,1993** (Geometridae) Synonym(s): *Stueningia Hausmann*,1993
- 2077. Sundadoxa Holloway,1996** (Geometridae) Synonym(s): *Sundadoxa Holloway*,1996
- 2078. Sundagrapha Holloway,1982** (Geometridae) Synonym(s): *Sundagrapha Holloway*,1982
- 2079. Sundascelia Holloway,[1994]** (Geometridae) Synonym(s): *Sundascelia Holloway*,[1994]
- 2080. Swannia L.B.Prout,1926** (Geometridae) Synonym(s): *Swannia* L.B.Prout,1926
- 2081. Symmacra W.Warren,1896** (Geometridae) Synonym(s): *Symmacra* W.Warren,1896
- 2082. Symmetroctena W.Warren,1895** (Geometridae) Synonym(s): *Symmetroctena* W.Warren,1895
- 2083. Symmimetis Turner,1907** (Geometridae) Synonym(s): *Symmimetis* Turner,1907; *Neoscelis Hampson*,1903; *Neoscelidia* De Joannis,1929
- 2084. Syncollesis Prout,1930** (Geometridae) Synonym(s): *Syncollesis Prout*,1930
- 2085. Syncosmia W.Warren,1897** (Geometridae) Synonym(s): *Syncosmia* W.Warren,1897
- 2086. Syndromodes W.Warren,1897** (Geometridae) Synonym(s): *Syndromodes* W.Warren,1897
- 2087. Synegia Guenée,[1858]** (Geometridae) Synonym(s): *Synegia Guenée*,[1858]; *Syntaracta* W.Warren,1894; *Eugnesia* W.Warren,1897
- 2088. Synegiodes Swinhoe,1892** (Geometridae) Synonym(s): *Synegiodes Swinhoe*,1892
- 2089. Syneora Turner,1917** (Geometridae) Synonym(s): *Syneora* Turner,1917
- 2090. Syngonorthus Butler,1892** (Geometridae) Synonym(s): *Syngonorthus* Butler,1892
- 2091. Synopsis Hübner,[1825]** (Geometridae) Synonym(s): *Synopsis* Hübner,[1825]
- 2092. Synopsidia Djakonov,1935** (Geometridae) Synonym(s): *Synopsidia* Djakonov,1935; *Hashtaresia* Wehrli,1936
- 2093. Sysstema W.Warren,1899** (Geometridae) Synonym(s): *Sysstema* W.Warren,1899
- 2094. Syzeuxis Hampson,1895** (Geometridae) Synonym(s): *Syzeuxis* Hampson,1895; *Aphantoloba* W.Warren,1896
- 2095. Tanaorhinus Butler,1879** (Geometridae) Synonym(s): *Tanaorhinus* Butler,1879
- 2096. Tanaotrichia W.Warren,1893** (Geometridae) Synonym(s): *Tanaotrichia* W.Warren,1893
- 2097. Tango Koçak & Kemal,2007** (Geometridae) Synonym(s): *Poya Rindge*,1983 nec *Peters & Peters*,1980; *Tango Koçak & Kemal*,2007
- 2098. Tasta Walker,[1863]** (Geometridae) Synonym(s): *Tasta Walker*,[1863]; *Dissophthalmus* Butler,1880
- 2099. Telletrurona Sato,1996** (Geometridae) Synonym(s): *Telletrurona* Sato,1996
- 2100. Tephрина Guenée,[1845]** (Geometridae) Synonym(s): *Tephрина Guenée*,[1845]; *#Tephрина Okyar & Aytac*,1999
- 2101. Tephronia Hübner,[1825]** (Geometridae) Synonym(s): *Tephronia Hübner*,[1825]; *Mniophila Boisduval*,1840 nec *Sph.*,1834; *Gymnospile Gumpfenberg*,1887; *Mannia* Prout,1915 nec *Davidson*,1874; *Eumannia* D.S.Fletcher,1979
- 2102. Terina Walker,1854** (Geometridae) Synonym(s): *Terina Walker*,1854; *Girpa Walker*,[1865]; *Amnemopsyche* Butler,1869; *Agirpa* W.Warren,1894
- 2103. Thalassodes Guenée,[1858]** (Geometridae) Synonym(s): *Thalassodes Guenée*,[1858]
- 2104. Thalera Hübner,[1823]** (Geometridae) Synonym(s): *Thalera Hübner*,[1823]; *Chlorochroma Duponchel*,[1845]; *Heterothalera Bryk*,1949
- 2105. Thelycera Prout,1912** (Geometridae) Synonym(s): *Thelycera* Prout,1912
- 2106. Thera (Pennithera) Viidalepp,1980** (Geometridae) Synonym(s): *Pennithera Viidalepp*,1980
- 2107. Thera Stephens,1831** (Geometridae) Synonym(s): *Thera Stephens*,1831; *Corythea Duponchel*,[1845]
- 2108. Therapis Hübner,[1823]** (Geometridae) Synonym(s): *Therapis Hübner*,[1823]; *Caustoloma Lederer*,1853
- 2109. Theria Hübner,[1825]** (Geometridae) Synonym(s): *Theria Hübner*,[1825]; *Cheimatobia Stephens*,1829
- 2110. Thetidia Boisduval,1840** (Geometridae) Synonym(s): *Euchloris Hübner*,[1823] nec *Bill.*,1820; *Thetidia Boisduval*,1840; *Aglossochloris* L.B.Prout,1912; *Anthonechloris Raineri*,1994
- 2111. Thinopteryx Butler,1883** (Geometridae) Synonym(s): *Thinopteryx* Butler,1883
- 2112. Thoyowpongia Holloway,[1994]** (Geometridae) Synonym(s): *Thoyowpongia Holloway*,[1994]
- 2113. Timandra Duponchel,1829** (Geometridae) Synonym(s): *Timandra Duponchel*,1829; *Bradyepetes Stephens*,1829; *Bradyepetes Agassiz*,1847
- 2114. Timandromorpha Inoue,1944** (Geometridae) Synonym(s): *Timandromorpha Inoue*,1944
- 2115. Toulgoetia Herbulot,1946** (Geometridae) Synonym(s): *Toulgoetia Herbulot*,1946
- 2116. Traminda Saalmüller,1891** (Geometridae) Synonym(s): *Traminda Saalmüller*,1891; *Gnamptoloma* Warren,1895
- 2117. Trichodezia W.Warren,1895** (Geometridae) Synonym(s): *Trichodezia* W.Warren,1895; *Neodezia* W.Warren,1904
- 2118. Trichoplites Swinhoe,1900** (Geometridae) Synonym(s): *Trichoplites Swinhoe*,1900
- 2119. Trichopterigia Hampson,1895** (Geometridae) Synonym(s): *Trichopterigia Hampson*,1895
- 2120. Trichopteryx Hübner,[1825]** (Geometridae) Synonym(s): *Trichopteryx Hübner*,[1825]; *Nothopteryx* Prout,1909; *Paralobophora Inoue*,1943
- 2121. Trimetopia Guenée,[1858]** (Geometridae) Synonym(s): *Trimetopia Guenée*,[1858]
- 2122. Triphosa Stephens,1829** (Geometridae) Synonym(s): *Triphosa Stephens*,1829; *Umbrosina Bruand*,1847; *Speluncaris Bruand*,1847; *Strepsizuga* Warren,1908
- 2123. Tripteridia W.Warren,1903** (Geometridae) Synonym(s): *Tripteridia* W.Warren,1903; *Prosthepteryx* W.Warren,1906; *Stenista* W.Warren,1907
- 2124. Tristeiometa Holloway,1997** (Geometridae) Synonym(s): *Tristeiometa Holloway*,1997
- 2125. Tshimganitia Wehrli,1935** (Geometridae) Synonym(s): *Tshimganitia Wehrli*,1935
- 2126. Tyloptera Christoph,1881** (Geometridae) Synonym(s): *Tyloptera Christoph*,1881; *Microloba Hampson*,1895
- 2127. Tympanota W.Warren,1895** (Geometridae) Synonym(s): *Tympanota* W.Warren,1895; *Megaloba* W.Warren,1896
- 2128. Uliura W.Warren,1904** (Geometridae) Synonym(s): *Uliura* W.Warren,1904; *Sceleuthrix Wehrli*,1943
- 2129. Veniliodes W.Warren,1894** (Geometridae) Synonym(s): *Veniliodes* W.Warren,1894
- 2130. Venusia Curtis,1839** (Geometridae) Synonym(s): *Venusia Curtis*,1839; *Discoloxia* W.Warren,1895; *Nomenia Pearsall*,1905
- 2131. Victoria W.Warren,1897** (Geometridae) Synonym(s): *Victoria* W.Warren,1897
- 2132. Vindusara Moore,1868** (Geometridae) Synonym(s): *Vindusara* Moore,1868
- 2133. Visiana Swinhoe,1900** (Geometridae) Synonym(s): *Visiana Swinhoe*,1900
- 2134. Warneckeella Wehrli,1950** (Geometridae) Synonym(s): *Warneckeella Wehrli*,1950
- 2135. Wehrliola Strand,1932** (Geometridae) Synonym(s): *Pfeifferia Wehrli*,1932 nec *Gray*,1853; *Wehrliola Strand*,1932; *Pfeifferula Wehrli*,1934
- 2136. Xandrames Moore,1868** (Geometridae) Synonym(s): *Xandrames* Moore,1868

2137. **Xanthisthisa** Speiser, 1902 (Geometridae) Synonym(s): *Acanthoscelis* W. Warren, 1901 nec *Dejean*, 1825; *Xanthisthisa* Speiser, 1902
2138. **Xanthorhoe** Hübner, [1825] (Geometridae) Synonym(s): *Xanthorhoe* Hübner, [1825]; *Malenydris* Hübner, [1825]; *Ochyria* Hübner, [1825]; *Cidaria* Stephens, 1829; *Coremia* Guenée, [1845] nec *Audinet-Serville*, 1834; *scotocoremia* Butler, 1882; *Monochryria* W. Warren, 1901; *Anisolasia* W. Warren, 1904; *Odontorhoe* Aubert, 1962; *Parodontorhoe* Aubert, 1962
2139. **Xenimpia** W. Warren, 1895 (Geometridae) Synonym(s): *Hexeris* Saalmüller, 1891 nec *Grt.*, 1875; *Xenimpia* W. Warren, 1895; *Procypha* W. Warren, 1897; *Triprora* W. Warren, 1897
2140. **Xenochlorodes** W. Warren, 1897 (Geometridae) Synonym(s): *Xenochlorodes* W. Warren, 1897; *Hissarica* Viidalepp, 1988
2141. **Xenochroma** W. Warren, 1902 (Geometridae) Synonym(s): *Xenochroma* W. Warren, 1902; *Campsiceras* W. Warren, 1914
2142. **Xenoclystia** W. Warren, 1906 (Geometridae) Synonym(s): *Xenoclystia* W. Warren, 1906
2143. **Xenographia** W. Warren, 1893 (Geometridae) Synonym(s): *Xenographia* W. Warren, 1893
2144. **Xenoplia** W. Warren, 1894 (Geometridae) Synonym(s): *Xenoplia* W. Warren, 1894
2145. **Xenortholitha** Inoue, 1944 (Geometridae) Synonym(s): *Xenortholitha* Inoue, 1944
2146. **Xenozancla** W. Warren, 1893 (Geometridae) Synonym(s): *Xenozancla* W. Warren, 1893
2147. **Xerodes** Guenée, [1858] (Geometridae) Synonym(s): *Xerodes* Guenée, [1858]; *Zethenia* Motschulsky, [1861]; *Gyadroma* Swinhoe, 1894; *Zygoctenia* W. Warren, 1895
2148. **Xeropteryx** Butler, 1883 (Geometridae) Synonym(s): *Xeropteryx* Butler, 1883
2149. **Xylinophylla** W. Warren, 1898 (Geometridae) Synonym(s): *Xylinophylla* W. Warren, 1898; *Adelphocrasta* W. Warren, 1899
2150. **Xylopteryx** Guenée, [1858] (Geometridae) Synonym(s): *Xylopteryx* Guenée, [1858]
2151. **Yashmakia** W. Warren, 1901 (Geometridae) Synonym(s): *Yashmakia* W. Warren, 1901; *Opisostorthia* Wehrli, 1939
2152. **Zanclomenophra** Holloway, 1993 (Geometridae) Synonym(s): *Zanclomenophra* Holloway, 1993
2153. **Zanclopera** W. Warren, 1894 (Geometridae) Synonym(s): *Zanclopera* W. Warren, 1894
2154. **Zeheba** Moore, [1887] (Geometridae) Synonym(s): *Zeheba* Moore, [1887]
2155. **Zerenopsis** R. Felder, 1874 (Geometridae) Synonym(s): *Zerenopsis* R. Felder, 1874
2156. **Zernyia** L. B. Prout, 1929 (Geometridae) Synonym(s): *Zernyia* L. B. Prout, 1929
2157. **Zeuctoboarmia** L. B. Prout, 1915 (Geometridae) Synonym(s): *Zeuctoboarmia* L. B. Prout, 1915; *Paracotis* Janse, 1932
2158. **Ziridava** Walker, [1863] (Geometridae) Synonym(s): *Ziridava* Walker, [1863]; *Prorocorys* W. Warren, 1899
2159. **Zola** W. Warren, 1894 (Geometridae) Synonym(s): *Zola* W. Warren, 1894
2160. **Zygophyxia** L. B. Prout, 1916 (Geometridae) Synonym(s): *Zygophyxia* L. B. Prout, 1916
2161. **Zythos** D. S. Fletcher, 1979 (Geometridae) Synonym(s): *Nobilis* Walker, 1861 nec *Gray*, 1855; *Zythos* D. S. Fletcher, 1979
2162. **Chrysocentris** Meyrick, 1914 (Glyphipterygidae) Synonym(s): *Chrysocentris* Meyrick, 1914
2163. **Electrographa** Meyrick, 1912 (Glyphipterygidae) Synonym(s): *Electrographa* Meyrick, 1912; *Carmentina* Meyrick, 1930; *Metapodistis* Meyrick, 1933
2164. **Glyphipterix** Hübner, [1825] (Glyphipterygidae) Synonym(s): *Glyphipterix* Hübner, [1825]; *Heribeia* Stephens, 1829; *Aechmia* Treitschke, 1833; *Anacampsoides* Bruand, 1851
2165. **Lepidotarphius** Pryer, 1877 (Glyphipterygidae) Synonym(s): *Lepidotarphius* Pryer, 1877; *Desmidoloma* Erschoff, 1892
2166. **Metapodistis** Meyrick, 1933 (Glyphipterygidae) Synonym(s): *Metapodistis* Meyrick, 1933
2167. **Orthotelia** Stephens, 1829 (Glyphipterygidae) Synonym(s): *Orthotelia* Stephens, 1829; *Orthotaelia* Stephens, 1834; *Agoniopteryx* Treitschke, 1835; *Caulobius* Duponchel, 1838
2168. **Tetracanthos** Meyrick, 1925 (Glyphipterygidae) Synonym(s): *Tetracanthos* Meyrick, 1925
2169. **Ussara** Walker, 1864 (Glyphipterygidae) Synonym(s): *Ussara* Walker, 1864
2170. **Acrocercops** Wallengren, 1881 (Gracillariidae) Synonym(s): *Acrocercops* Wallengren, 1881; *Eucosmophora* Walsingham, 1897; *Neurobathra* Ely, 1918; *Neurostrata* Ely, 1918
2171. **Africephala** Vari, 1986 (Gracillariidae) Synonym(s): *Paracephala* Vari, 1961 nec *Saund.*, 1868; *Africephala* Vari, 1986
2172. **Amblyptila** Vari, 1961 (Gracillariidae) Synonym(s): *Amblyptila* Vari, 1961
2173. **Apistoneura** Vari, 1961 (Gracillariidae) Synonym(s): *Apistoneura* Vari, 1961
2174. **Apophthisis** Braun, 1915 (Gracillariidae) Synonym(s): *Apophthisis* Braun, 1915
2175. **Aristaea** Meyrick, 1907 (Gracillariidae) Synonym(s): *Aristaea* Meyrick, 1907
2176. **Aristaea periphanes** Meyrick, 1907 (Gracillariidae) Synonym(s): *Periphanes* Meyrick, 1907
2177. **Artifodina** Kumata, 1985 (Gracillariidae) Synonym(s): *Artifodina* Kumata, 1985
2178. **Aspilapteryx** (Sabulopteryx) Triberti, 1985 (Gracillariidae) Synonym(s): *Sabulopteryx* Triberti, 1985
2179. **Aspilapteryx** (s.str.) Spuler, 1910 (Gracillariidae) Synonym(s): *Aspilapteryx* Spuler, 1910
2180. **Aspilapteryx** Spuler, 1910 (Gracillariidae) Synonym(s): *Aspilapteryx* Spuler, 1910
2181. **Borboryctis** Kumata & Kuroko, 1988 (Gracillariidae) Synonym(s): *Borboryctis* Kumata & Kuroko, 1988
2182. **Callicercops** Vari, 1961 (Gracillariidae) Synonym(s): *Callicercops* Vari, 1961
2183. **Callisto** Stephens, 1834 (Gracillariidae) Synonym(s): *Callisto* Stephens, 1834; *Annickia* Gibeaux, 1990
2184. **Caloptilia** (Phylloptilia) Kumata, 1982 (Gracillariidae) Synonym(s): *Phylloptilia* Kumata, 1982
2185. **Caloptilia** (Povolnya) Kuznetsov, 1979 (Gracillariidae) Synonym(s): *Povolnya* Kuznetsov, 1979
2186. **Caloptilia** (Rhadinoptilia) Kumata, 1982 (Gracillariidae) Synonym(s): *Rhadinoptilia* Kumata, 1982
2187. **Caloptilia** (Sphyrophora) Vari, 1961 (Gracillariidae) Synonym(s): *Sphyrophora* Vari, 1961
2188. **Caloptilia** (Timodora) Meyrick, 1886 (Gracillariidae) Synonym(s): *Timodora* Meyrick, 1886
2189. **Caloptilia** Hübner, [1825] (Gracillariidae) Synonym(s): *Caloptilia* Hübner, [1825]; *Ornix* Kollar, 1832; *Coriscium* Zeller, 1839; *Calliptilia* Agassiz, 1847; *Antiolopha* Meyrick, 1894
2190. **Calybites** Hübner, 1822 (Gracillariidae) Synonym(s): *Calybites* Hübner, 1822; *Euspilapteryx* Stephens, 1835; *Euspilopteryx* Agassiz, 1847; *Eucalybites* Kumata, 1982
2191. **Cameraria** Chapman, 1902 (Gracillariidae) Synonym(s): *Cameraria* Chapman, 1902
2192. **Chrysocercops** Kumata & Kuroko, 1988 (Gracillariidae) Synonym(s): *Chrysocercops* Kumata & Kuroko, 1988
2193. **Conopobathra** Vari, 1961 (Gracillariidae) Synonym(s): *Conopobathra* Vari, 1961
2194. **Conopomorpha** Meyrick, 1885 (Gracillariidae) Synonym(s): *Conopomorpha* Meyrick, 1885
2195. **Conopomorphina** Vari, 1961 (Gracillariidae) Synonym(s): *Conopomorphina* Vari, 1961
2196. **Corethrovalva** Vari, 1961 (Gracillariidae) Synonym(s): *Corethrovalva* Vari, 1961
2197. **Corythocestis** Meyrick, 1921 (Gracillariidae) Synonym(s): *Corythocestis* Meyrick, 1921; *Cryphiomystis* Meyrick, 1922
2198. **Cryptolectica** Vari, 1961 (Gracillariidae) Synonym(s): *Cryptolectica* Vari, 1961
2199. **Cryptologa** T. B. Fletcher, 1921 (Gracillariidae) Synonym(s): *Cryptologa* T. B. Fletcher, 1921
2200. **Cupedia** Klimesch & Kumata, 1973 (Gracillariidae) Synonym(s): *Cupedia* Klimesch & Kumata, 1973
2201. **Cuphodes** Meyrick, 1897 (Gracillariidae) Synonym(s): *Cuphodes* Meyrick, 1897; *Phrixosceles* Meyrick, 1908
2202. **Dekeidoryxis** Kumata, 1989 (Gracillariidae) Synonym(s): *Dekeidoryxis* Kumata, 1989
2203. **Dendrorhycter** Kumata, 1978 (Gracillariidae) Synonym(s): *Dendrorhycter* Kumata, 1978
2204. **Deoptilia** Kumata & Kuroko, 1988 (Gracillariidae) Synonym(s): *Deoptilia* Kumata & Kuroko, 1988
2205. **Dextellia** Triberti, 1986 (Gracillariidae) Synonym(s): *Dextellia* Triberti, 1986
2206. **Dialectica** Walsingham, 1897 (Gracillariidae) Synonym(s): *Dialectica* Walsingham, 1897; *Eutrichocnemis* Spuler, 1910
2207. **Diphtheroptila** Vari, 1961 (Gracillariidae) Synonym(s): *Diphtheroptila* Vari, 1961

- 2208. Dysectopa Vari,1961** (Gracillariidae) Synonym(s): *Dysectopa Vari,1961*
- 2209. Ectropina Vari,1961** (Gracillariidae) Synonym(s): *Ectropina Vari,1961*
- 2210. Epicephala Meyrick,1880** (Gracillariidae) Synonym(s): *Epicephala Meyrick,1880; Iraina Diakonoff,1955; Leiocephala Kuznetsov & Baryshnikova,2001*
- 2211. Eteoryctis Kumata & Kuroko,1988** (Gracillariidae) Synonym(s): *Eteoryctis Kumata & Kuroko,1988*
- 2212. Eucalybites Kumata,1982** (Gracillariidae) Synonym(s): *Eucalybites Kumata,1982*
- 2213. Euprophantis Meyrick,1921** (Gracillariidae) Synonym(s): *Euprophantis Meyrick,1921*
- 2214. Euspilapteryx Stephens,1835** (Gracillariidae) Synonym(s): *Euspilapteryx Stephens,1835; Euspilopteryx Agassiz,1847*
- 2215. Gibbovalva Kumata & Kuroko,1988** (Gracillariidae) Synonym(s): *Gibbovalva Kumata & Kuroko,1988*
- 2216. Gracillaria Haworth,1828** (Gracillariidae) Synonym(s): *Gracillaria Haworth,1828; Gracillaria Zeller,1839; Gracillaria Walsingham,1907; Xanthospilapteryx Spuler,1910*
- 2217. Graphiocephala Vari,1961** (Gracillariidae) Synonym(s): *Graphiocephala Vari,1961*
- 2218. Ketapangia Kumata,1995** (Gracillariidae) Synonym(s): *Ketapangia Kumata,1995*
- 2219. Lamprolectica Vari,1961** (Gracillariidae) Synonym(s): *Lamprolectica Vari,1961*
- 2220. Leucocercops Vari,1961** (Gracillariidae) Synonym(s): *Leucocercops Vari,1961*
- 2221. Leucospilapteryx Spuler,1910** (Gracillariidae) Synonym(s): *Leucospilapteryx Spuler,1910*
- 2222. Liocrobyla Meyrick,1916** (Gracillariidae) Synonym(s): *Liocrobyla Meyrick,1916*
- 2223. Macarostola Meyrick,1907** (Gracillariidae) Synonym(s): *Macarostola Meyrick,1907; #Macrostola Davis,1987*
- 2224. Marmara Clemens,1863** (Gracillariidae) Synonym(s): *Marmara Clemens,1863; Aesyle Chambers,1875*
- 2225. Metacercops Vari,1961** (Gracillariidae) Synonym(s): *Metacercops Vari,1961*
- 2226. Metriochoa Busck,1900** (Gracillariidae) Synonym(s): *Metriochoa Busck,1900; Oecophyllembius Silvestri,1908*
- 2227. Micrurapteryx Spuler,1910** (Gracillariidae) Synonym(s): *Micrurapteryx Spuler,1910*
- 2228. Monocercops Kumata,1989** (Gracillariidae) Synonym(s): *Monocercops Kumata,1989*
- 2229. Neolithocolletis Kumata,1963** (Gracillariidae) Synonym(s): *Neolithocolletis Kumata,1963*
- 2230. Neurostrota Ely,1918** (Gracillariidae) Synonym(s): *Neurostrota Ely,1918; #Neurostrata Ely,1918*
- 2231. Oligoneurina Vari,1961** (Gracillariidae) Synonym(s): *Oligoneurina Vari,1961*
- 2232. Ornixola Kuznetsov,1979** (Gracillariidae) Synonym(s): *Ornixola Kuznetsov,1979*
- 2233. Paracephala Vari,1961** (Gracillariidae) Synonym(s): *Paracephala Vari,1961*
- 2234. Pareclectis Meyrick,1937** (Gracillariidae) Synonym(s): *Pareclectis Meyrick,1937*
- 2235. Parectopa Clemens,1860** (Gracillariidae) Synonym(s): *Parectopa Clemens,1860*
- 2236. Parornix Spuler,1910** (Gracillariidae) Synonym(s): *Parornix Spuler,1910; Alfaornix Kuznetsov,1979; Betaornix Kuznetsov,1979; Gammaornix Kuznetsov,1979; Deltaornix Kuznetsov,1979*
- 2237. Phodoryctis Kumata & Kuroko,1988** (Gracillariidae) Synonym(s): *Phodoryctis Kumata & Kuroko,1988*
- 2238. Phrixosceles Meyrick,1908** (Gracillariidae) Synonym(s): *Phrixosceles Meyrick,1908*
- 2239. Phyllocnistis Zeller,1848** (Gracillariidae) Synonym(s): *Phyllocnistis Zeller,1848*
- 2240. Phyllonorycter Hübner,1822** (Gracillariidae) Synonym(s): *Phyllonorycter Hübner,1822; Lithocolletis Hübner,[1825]; Phyllorycter Walsingham,1914; Hirsuta T.B.Fletcher,1929*
- 2241. Pleiomorpha Vari,1961** (Gracillariidae) Synonym(s): *Pleiomorpha Vari,1961*
- 2242. Pogonocephala Vari,1961** (Gracillariidae) Synonym(s): *Pogonocephala Vari,1961*
- 2243. Polydema Vari,1961** (Gracillariidae) Synonym(s): *Polydema Vari,1961*
- 2244. Polymitia Triberti,1986** (Gracillariidae) Synonym(s): *Polymitia Triberti,1986*
- 2245. Polysoma Vari,1961** (Gracillariidae) Synonym(s): *Polysoma Vari,1961*
- 2246. Porphyrosela Braun,1908** (Gracillariidae) Synonym(s): *Porphyrosela Braun,1908*
- 2247. Sauterina Kuznetsov,1979** (Gracillariidae) Synonym(s): *Sauterina Kuznetsov,1979*
- 2248. Schedocercops Vari,1961** (Gracillariidae) Synonym(s): *Schedocercops Vari,1961*
- 2249. Semnocera Vari,1961** (Gracillariidae) Synonym(s): *Semnocera Vari,1961*
- 2250. Spulerina Vari,1961** (Gracillariidae) Synonym(s): *Spulerina Vari,1961*
- 2251. Stomphastis Meyrick,1912** (Gracillariidae) Synonym(s): *Stomphastis Meyrick,1912*
- 2252. Synnympha Meyrick,1915** (Gracillariidae) Synonym(s): *Synnympha Meyrick,1915*
- 2253. Systoloneura Vari,1961** (Gracillariidae) Synonym(s): *Systoloneura Vari,1961*
- 2254. Telamoptilia Kumata & Kuroko,1988** (Gracillariidae) Synonym(s): *Telamoptilia Kumata & Kuroko,1988; #Telamoptillia Hutacharern,1995*
- 2255. Epicroesa Meyrick,1907** (Heliodinidae) Synonym(s): *Epicroesa Meyrick,1907*
- 2256. Heliodines Stainton,1854** (Heliodinidae) Synonym(s): *Heliodines Stainton,1854*
- 2257. Antispila Hübner,[1825]** (Heliozelidae) Synonym(s): *Antispila Hübner,[1825]*
- 2258. Antispilina M.Hering,1941** (Heliozelidae) Synonym(s): *Antispilina M.Hering,1941*
- 2259. Heliozela Herrich-Schäffer,1853** (Heliozelidae) Synonym(s): *Heliozela Herrich-Schäffer,1853*
- 2260. Holocacista Walsingham & Durrant,1909** (Heliozelidae) Synonym(s): *Holocacista Walsingham & Durrant,1909*
- 2261. Afrotheora Nielsen & Scoble,1986** (Hepialidae) Synonym(s): *Afrotheora Nielsen & Scoble,1986*
- 2262. Anthepialus Janse,1942** (Hepialidae) Synonym(s): *Ptycholoma Felder,1874; Anthepialus Janse,1942*
- 2263. Endoclyta R.Felder,1874** (Hepialidae) Synonym(s): *Endoclyta R.Felder,1874; #Endoclyta R.Felder,1875; Hypophassus Le Cerf,1919; Nevina Tindale,1941; Sahyadrasus Tindale,1941; Procharagia Viette,1949*
- 2264. Eudalaca Viette,1950** (Hepialidae) Synonym(s): *Eudalaca Viette,1950; Eudalacina Paclt,1953*
- 2265. Gazoryctra Hübner,[1820]** (Hepialidae) Synonym(s): *Gazoryctra Hübner,[1820]*
- 2266. Gorgopis Hübner,[1820]** (Hepialidae) Synonym(s): *Gorgopis Hübner,[1820]*
- 2267. Hepialus Fabricius,1775** (Hepialidae) Synonym(s): *Hepialus Fabricius,1775; Hepiolus Illiger,1801; Epialus Agassiz,1847*
- 2268. Korscheltellus Börner,1920** (Hepialidae) Synonym(s): *Korscheltellus Börner,1920*
- 2269. Leto Hübner,[1820]** (Hepialidae) Synonym(s): *Leto Hübner,[1820]*
- 2270. Metahepialus Janse,1942** (Hepialidae) Synonym(s): *Metahepialus Janse,1942*
- 2271. Pharmacis Hübner,[1820]** (Hepialidae) Synonym(s): *Pharmacis Hübner,[1820]*
- 2272. Phassus Walker,1856** (Hepialidae) Synonym(s): *Phassus Walker,1856*
- 2273. Phymatopus Wallengren,1869** (Hepialidae) Synonym(s): *Phymatopus Wallengren,1869; Hepiolopsis Börner,1920*
- 2274. Triodia Hübner,[1820]** (Hepialidae) Synonym(s): *Triodia Hübner,[1820]; Alphus Wallengren,1869 nec Thomson,1860*
- 2275. Vietteogorgopis Özdikmen,2007** (Hepialidae) Synonym(s): *Paragorgopis Viette,1951 nec Giglio-Tos,1893; Vietteogorgopis Özdikmen,2007; #Paragorgopis Özdikmen,2007*
- 2276. Zenophassus Tindale,1941** (Hepialidae) Synonym(s): *Zenophassus Tindale,1941*
- 2277. Abantis Hopffer,1855** (Hesperiidae) Synonym(s): *Abantis Hopffer,1855; Sapaea Plötz,1879; Abantiades Fairmaire,1894*
- 2278. Abraximorpha Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *Abraximorpha Elwes & Edwards,1897*
- 2279. Acada Evans,1937** (Hesperiidae) Synonym(s): *Acada Evans,1937*
- 2280. Acerbas De Nicéville,1895** (Hesperiidae) Synonym(s): *Acerbas De Nicéville,1895*
- 2281. Achalarus Scudder,1872** (Hesperiidae) Synonym(s): *Achalarus Scudder,1872; Murgaria E.Y.Watson,1893*

- 2282.** *Achlyodes* Hübner,[1819] (Hesperiidae) Synonym(s): *Achlyodes* Hübner,[1819]; *Eantis* Boisduval,1836; *Sebaldia* Mabilite,1903
- 2283.** *Acleros* Mabilite,[1886] (Hesperiidae) Synonym(s): *Acleros* Mabilite,[1886]
- 2284.** *Actinor* E.Y.Watson,1893 (Hesperiidae) Synonym(s): *Actinor* E.Y.Watson,1893
- 2285.** *Adopaeoides* Godman,1900 (Hesperiidae) Synonym(s): *Adopaeoides* Godman,1900; *Neadopea* Hayward,1941
- 2286.** *Aegiale* C.Felder & R.Felder,1860 (Hesperiidae) Synonym(s): *Aegiale* C.Felder & R.Felder,1860; *Teria* Blasquez,1870; *Acentrocneme* Scudder,1875
- 2287.** *Aeromachus* De Nicéville,1890 (Hesperiidae) Synonym(s): *Aeromachus* De Nicéville,1890; *Machacus* Swinhoe,1912
- 2288.** *Aethilla* Hewitson,1868 (Hesperiidae) Synonym(s): *Aethilla* Hewitson,1868
- 2289.** *Agathymus* Freeman,1959 (Hesperiidae) Synonym(s): *Agathymus* Freeman,1959
- 2290.** *Aguna* R.C.Williams,1927 (Hesperiidae) Synonym(s): *Tmetocerus* Poujade,1895 nec *Hartert*,1891; *Aguna* R.C.Williams,1927
- 2291.** *Aides* Billberg,1820 (Hesperiidae) Synonym(s): *Aides* Billberg,1820; *Paraides* Godman,1900
- 2292.** *Alenia* Evans,1935 (Hesperiidae) Synonym(s): *Alenia* Evans,1935
- 2293.** *Allora* Waterhouse & Lyell,1914 (Hesperiidae) Synonym(s): *Allora* Waterhouse & Lyell,1914
- 2294.** *Amblyscirtes* Scudder,1872 (Hesperiidae) Synonym(s): *Amblyscirtes* Scudder,1872; *Stomyles* Scudder,1872; *Mastor* Godman,1900; *Epiphyes* Dyar,1905
- 2295.** *Amenis* E.Y.Watson,1893 (Hesperiidae) Synonym(s): *Amenis* E.Y.Watson,1893
- 2296.** *Ampittia* Moore,[1882] (Hesperiidae) Synonym(s): *Ampittia* Moore,[1882]
- 2297.** *Amysoria* Mielke,2002 (Hesperiidae) Synonym(s): *Amysoria* Mielke,2002
- 2298.** *Anastrus* Hübner,[1824] (Hesperiidae) Synonym(s): *Anastrus* Hübner,[1824]; *Echelatus* Godman & Salvin,1894; *gorgophone* Godman & Salvin,1894
- 2299.** *Anatrytone* Dyar,1905 (Hesperiidae) Synonym(s): *Anatrytone* Dyar,1905; *Mellana* Hayward,1948
- 2300.** *Ancistroides* Butler,1874 (Hesperiidae) Synonym(s): *Ancistroides* Butler,1874; *Kerana* Distant,1886; *Tamela* Swinhoe,1913
- 2301.** *Ancyloxypha* C.Felder,1862 (Hesperiidae) Synonym(s): *Ancyloxypha* C.Felder,1862
- 2302.** *Andronymus* Holland,1896 (Hesperiidae) Synonym(s): *Andronymus* Holland,1896; *Acromecis* Mabilite,1904
- 2303.** *Anisochoria* Mabilite,[1877] (Hesperiidae) Synonym(s): *Anisochoria* Mabilite,[1877]; *Dichrosema* Bryk,1953
- 2304.** *Anisynta* Lower,1911 (Hesperiidae) Synonym(s): *Anisynta* Lower,1911
- 2305.** *Ankola* Evans,1937 (Hesperiidae) Synonym(s): *Ankola* Evans,1937
- 2306.** *Anthoptus* Bell,1942 (Hesperiidae) Synonym(s): *Anthoptus* Bell,1942
- 2307.** *Antigonus* Hübner,[1819] (Hesperiidae) Synonym(s): *Antigonus* Hübner,[1819]; *Chaetoneura* C.Felder & R.Felder,1862; *Systaspes* Weeks,1905
- 2308.** *Apostictopterus* Leech,1894 (Hesperiidae) Synonym(s): *Apostictopterus* Leech,1894; *Tecupa* Swinhoe,1917
- 2309.** *Apyrrothrix* Lindsey,1921 (Hesperiidae) Synonym(s): *Apyrrothrix* Lindsey,1921
- 2310.** *Ardaris* E.Y.Watson,1893 (Hesperiidae) Synonym(s): *Ardaris* E.Y.Watson,1893
- 2311.** *Argon* Evans,1955 (Hesperiidae) Synonym(s): *Argon* Evans,1955
- 2312.** *Arita* Evans,1955 (Hesperiidae) Synonym(s): *Arita* Evans,1955
- 2313.** *Arnetta* E.Y.Watson,1893 (Hesperiidae) Synonym(s): *Arnetta* E.Y.Watson,1893
- 2314.** *Arrhenes* Mabilite,1874 (Hesperiidae) Synonym(s): *Arrhenes* Mabilite,1874; *Arrhenella* Waterhouse,1937
- 2315.** *Arteurotia* Butler & Druce,1872 (Hesperiidae) Synonym(s): *Arteurotia* Butler & Druce,1872
- 2316.** *Artitropa* Holland,1896 (Hesperiidae) Synonym(s): *Artitropa* Holland,1896
- 2317.** *Asictopterus* C.Felder & R.Felder,1860 (Hesperiidae) Synonym(s): *Asictopterus* C.Felder & R.Felder,1860
- 2318.** *Astraptes* Hübner,[1819] (Hesperiidae) Synonym(s): *Astraptes* Hübner,[1819]; *Telegonus* Hübner,[1819]; *Euthymele* Mabilite,1879
- 2319.** *Atalopedes* Scudder,1872 (Hesperiidae) Synonym(s): *Atalopedes* Scudder,1872; *Pansydia* Scudder,1872
- 2320.** *Atarnes* Godman & Salvin,1897 (Hesperiidae) Synonym(s): *Atarnes* Godman & Salvin,1897
- 2321.** *Atrytonopsis* Godman,1900 (Hesperiidae) Synonym(s): *Atrytonopsis* Godman,1900
- 2322.** *Aurina* Evans,1937 (Hesperiidae) Synonym(s): *Aurina* Evans,1937
- 2323.** *Autochton* Hübner,[1823] (Hesperiidae) Synonym(s): *Autochton* Hübner,[1823]; *Cecropterus* Herrich-Schäffer,1869; *Rhabdoides* Scudder,1869
- 2324.** *Azonax* Godman & Salvin,1893 (Hesperiidae) Synonym(s): *Azonax* Godman & Salvin,1893
- 2325.** *Badamia* Moore,[1881] (Hesperiidae) Synonym(s): *Badamia* Moore,[1881]; *#Badhamia* Burns,1933
- 2326.** *Banta* Evans,1949 (Hesperiidae) Synonym(s): *Banta* Evans,1949
- 2327.** *Baoris* Moore,[1881] (Hesperiidae) Synonym(s): *Baoris* Moore,[1881]
- 2328.** *Barachus* Moore,1881 (Hesperiidae) Synonym(s): *Barachus* Moore,1881
- 2329.** *Barca* De Nicéville,1902 (Hesperiidae) Synonym(s): *Dejeania* Oberthür,1896 nec *Robineau-Desvoidy*,1830; *Barca* De Nicéville,1902.
- 2330.** *Bibasis* Moore,[1881] (Hesperiidae) Synonym(s): *Bibasis* Moore,[1881]; *Ismene* Swainson,1820; *Burara* Swinhoe,1893; *Pola* Swinhoe,1912; *Sartora* Swinhoe,1912; *Zehala* Swinhoe,1912; *Gecana* Swinhoe,1912; *Tothrix* Swinhoe,1912.
- 2331.** *Bolla* Mabilite,1903 (Hesperiidae) Synonym(s): *Bolla* Mabilite,1903
- 2332.** *Borbo* Evans,1949 (Hesperiidae) Synonym(s): *Borbo* Evans,1949
- 2333.** *Brusa* Evans,1937 (Hesperiidae) Synonym(s): *Brusa* Evans,1937
- 2334.** *Bungalotis* E.Y.Watson,1893 (Hesperiidae) Synonym(s): *Bungalotis* E.Y.Watson,1893
- 2335.** *Cabares* Godman & Salvin,1894 (Hesperiidae) Synonym(s): *Cabares* Godman & Salvin,1894
- 2336.** *Caenides* Holland,1896 (Hesperiidae) Synonym(s): *Caenides* Holland,1896; *Leona* Evans,1937.
- 2337.** *Callegaris* Aurivillius,[1925] (Hesperiidae) Synonym(s): *Callegaris* Aurivillius,[1925].
- 2338.** *Calliades* Mabilite & Boulet,1912 (Hesperiidae) Synonym(s): *Calliades* Mabilite & Boulet,1912
- 2339.** *Callimormus* Scudder,1872 (Hesperiidae) Synonym(s): *Callimormus* Scudder,1872
- 2340.** *Calpodes* Hübner,[1819] (Hesperiidae) Synonym(s): *Calpodes* Hübner,[1819]
- 2341.** *Caltoris* Swinhoe,1893 (Hesperiidae) Synonym(s): *Caltoris* Swinhoe,1893; *Milena* Evans,1913
- 2342.** *Camptopleura* Mabilite,1877 (Hesperiidae) Synonym(s): *Camptopleura* Mabilite,1877
- 2343.** *Capila* Moore,[1866] (Hesperiidae) Synonym(s): *Capila* Moore,[1866]; *Pisola* Moore,[1866]; *Calliana* Moore,1878; *Crossiura* De Nicéville,1892; *Pteroxys* Watson,1893 nec *Hamps.*,1893; *Orthophoetus* Watson,1895.
- 2344.** *Caprona* Wallengren,1857 (Hesperiidae) Synonym(s): *Caprona* Wallengren,1857; *Abaratha* Moore,1881; *Stethotrix* Mabilite,1890
- 2345.** *Carcharodus* (Lavatheria) Verity,1940 (Hesperiidae) Synonym(s): *Lavatheria* Verity,1940
- 2346.** *Carcharodus* (Reverdinus) Ragusa,1919 (Hesperiidae) Synonym(s): *Reverdinus* Ragusa,1919
- 2347.** *Carcharodus* (s.str.) Hübner,[1819] (Hesperiidae) Synonym(s): *Carcharodus* Hübner,[1819]; *Spilothyrus* Duponchel,1835
- 2348.** *Carcharodus* Hübner,[1819] (Hesperiidae) Synonym(s): *Carcharodus* Hübner,[1819]; *Spilothyrus* Duponchel,1835
- 2349.** *Carrhenes* Godman & Salvin,1895 (Hesperiidae) Synonym(s): *Carrhenes* Godman & Salvin,1895
- 2350.** *Carterocephalus* Lederer,1852 (Hesperiidae) Synonym(s): *Carterocephalus* Lederer,1852; *Aubertia* Oberthür,1896; *Pamphilida* Lindsey,1925.
- 2351.** *Carystoides* Godman,1901 (Hesperiidae) Synonym(s): *Carystoides* Godman,1901; *Themesion* Godman,1901

- 2352.** *Carystus* **Hübner,[1819]** (Hesperiidae) Synonym(s): *Carystus* **Hübner,[1819]**
- 2353.** *Celaenorrhinus* **Hübner,[1819]** (Hesperiidae) Synonym(s): *Celaenorrhinus* **Hübner,[1819]**; *Ancistrocampta* **C.Felder & R.Felder,1862**; *Hantana* **Moore,1881**; *Gehlota* **Doherty,1889**; *Apallaga* **Strand,1891**; *Narga* **Mabille,1891**; *Charmion* **De Nicéville,1894**; *Orneates* **Godman & Salvin,1894**
- 2354.** *Celotes* **Godman & Salvin,1899** (Hesperiidae) Synonym(s): *Celotes* **Godman & Salvin,1899**
- 2355.** *Cephise* **Evans,1952** (Hesperiidae) Synonym(s): *Cephise* **Evans,1952**
- 2356.** *Cephrenes* **Waterhouse & Lyell,1914** (Hesperiidae) Synonym(s): *Corone* **Mabille,1904 nec Hemp,1829**; *Cephrenes* **Waterhouse & Lyell,1914**
- 2357.** *Ceratrachia* **Butler,[1870]** (Hesperiidae) Synonym(s): *Ceratrachia* **Butler,[1870]**
- 2358.** *Chaetocneme* **Felder,1860** (Hesperiidae) Synonym(s): *Chaetocneme* **Felder,1860**; *Casyapa* **Kirby,1871**; *Phoenicops* **Watson,1893**
- 2359.** *Chalypyge* **Mielke,2002** (Hesperiidae) Synonym(s): *Chalypyge* **Mielke,2002**
- 2360.** *Chamunda* **Evans,1949** (Hesperiidae) Synonym(s): *Chamunda* **Evans,1949**
- 2361.** *Chioides* **Lindsey,1921** (Hesperiidae) Synonym(s): *Chioides* **Lindsey,1921**
- 2362.** *Chiomara* **Godman & Salvin,1899** (Hesperiidae) Synonym(s): *Chiomara* **Godman & Salvin,1899**
- 2363.** *Choaspes* **Moore,[1881]** (Hesperiidae) Synonym(s): *Choaspes* **Moore,[1881]**
- 2364.** *Chondrolepis* **Mabille,1904** (Hesperiidae) Synonym(s): *Chondrolepis* **Mabille,1904**; *Chioneigia* **Heron,1909**
- 2365.** *Chrysopspectrum* **E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Chrysopspectrum* **E.Y.Watson,1893**
- 2366.** *Cobalopsis* **Godman,1900** (Hesperiidae) Synonym(s): *Cobalopsis* **Godman,1900**
- 2367.** *Cobalus* **Hübner,[1819]** (Hesperiidae) Synonym(s): *Cobalus* **Hübner,[1819]**
- 2368.** *Codatractus* **Lindsey,1921** (Hesperiidae) Synonym(s): *Heteroptia* **Mabille,1889 nec Cart.,1886**; *Codatractus* **Lindsey,1921**
- 2369.** *Coeliades* **Hübner,1818** (Hesperiidae) Synonym(s): *Coeliades* **Hübner,1818**; *Rhopalocampta* **Wallengren,1857**
- 2370.** *Cogia* **Butler,1870** (Hesperiidae) Synonym(s): *Cogia* **Butler,1870**; *Phoedinus* **Godman & Salvin,1894**; *Caicella* **Hemming,1934**
- 2371.** *Coladenia* **Moore,[1881]** (Hesperiidae) Synonym(s): *Coladenia* **Moore,[1881]**
- 2372.** *Conga* **Evans,1955** (Hesperiidae) Synonym(s): *Conga* **Evans,1955**
- 2373.** *Copaeodes* **Speyer,1877** (Hesperiidae) Synonym(s): *Copaeodes* **Speyer,1877**
- 2374.** *Corticea* **Evans,1955** (Hesperiidae) Synonym(s): *Corticea* **Evans,1955**
- 2375.** *Croitana* **Waterhouse,1932** (Hesperiidae) Synonym(s): *Croitana* **Waterhouse,1932**
- 2376.** *Croniades* **Mabille,1904** (Hesperiidae) Synonym(s): *Croniades* **Mabille,1904**
- 2377.** *Ctenoptilum* **De Nicéville,1890** (Hesperiidae) Synonym(s): *Ctenoptilum* **De Nicéville,1890**
- 2378.** *Cupitha* **Moore,1884** (Hesperiidae) Synonym(s): *Cupitha* **Moore,1884**
- 2379.** *Cycloglypha* **Mabille,1903** (Hesperiidae) Synonym(s): *Cycloglypha* **Mabille,1903**
- 2380.** *Cyclosemia* **Mabille,1878** (Hesperiidae) Synonym(s): *Cyclosemia* **Mabille,1878**
- 2381.** *Cymaenes* **Scudder,1872** (Hesperiidae) Synonym(s): *Cymaenes* **Scudder,1872**; *Megistias* **Godman,1900**
- 2382.** *Cynea* **Evans,1955** (Hesperiidae) Synonym(s): *Cynea* **Evans,1955**
- 2383.** *Cyrina* **Hemming,1939** (Hesperiidae) Synonym(s): *Cyrina* **Hemming,1939**; *Nicéville,1895 nec Westw.,1852; *Cyrina* **Hemming,1939***
- 2384.** *Daimio* **Murray,1875** (Hesperiidae) Synonym(s): *Daimio* **Murray,1875**; *Catodaulis* **Speyer,1878**
- 2385.** *Dalla* **Mabille,1904** (Hesperiidae) Synonym(s): *Dalla* **Mabille,1904**
- 2386.** *Damas* **Godman,1901** (Hesperiidae) Synonym(s): *Damas* **Godman,1901**
- 2387.** *Dardarina* **Evans,1937** (Hesperiidae) Synonym(s): *Dardarina* **Evans,1937**
- 2388.** *Darpa* **Moore,[1866]** (Hesperiidae) Synonym(s): *Darpa* **Moore,[1866]**
- 2389.** *Decinea* **Evans,1955** (Hesperiidae) Synonym(s): *Decinea* **Evans,1955**
- 2390.** *Diaeus* **Godman & Salvin,1895** (Hesperiidae) Synonym(s): *Diaeus* **Godman & Salvin,1895**
- 2391.** *Dispar* **Waterhouse & Lyell,1914** (Hesperiidae) Synonym(s): *Dispar* **Waterhouse & Lyell,1914**
- 2392.** *Doberes* **Godman & Salvin,1895** (Hesperiidae) Synonym(s): *Doberes* **Godman & Salvin,1895**; *Masices* **Godman & Salvin,1895**
- 2393.** *Drephalys* **E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Drephalys* **E.Y.Watson,1893**; *Paradros* **E.Y.Watson,1893**
- 2394.** *Dubiella* **Evans,1936** (Hesperiidae) Synonym(s): *Dubiella* **Evans,1936**
- 2395.** *Dyscophellus* **Godman & Salvin,1893** (Hesperiidae) Synonym(s): *Dyscophellus* **Godman & Salvin,1893**
- 2396.** *Eagris* **Guenée,1863** (Hesperiidae) Synonym(s): *Eagris* **Guenée,1863**; *Tricosemeia* **Holland,1892**
- 2397.** *Eanthis* **Boisduval,1836** (Hesperiidae) Synonym(s): *Eanthis* **Boisduval,1836**
- 2398.** *Ebrietas* **Godman & Salvin,1896** (Hesperiidae) Synonym(s): *Ebrietas* **Godman & Salvin,1896**
- 2399.** *Ebusus* **Evans,1955** (Hesperiidae) Synonym(s): *Ebusus* **Evans,1955**
- 2400.** *Eetion* **De Nicéville,1895** (Hesperiidae) Synonym(s): *Eetion* **De Nicéville,1895**
- 2401.** *Enosis* **Mabille,1889** (Hesperiidae) Synonym(s): *Enosis* **Mabille,1889**; *Metiscus* **Godman,1900**; *Epinosis* **Schaus,1913**
- 2402.** *Entheus* **Hübner,[1819]** (Hesperiidae) Synonym(s): *Entheus* **Hübner,[1819]**; *Peleus* **Swainson,1831**; *Brachycneme* **C.Felder & R.Felder,1862**
- 2403.** *Eogenes* **Mabille,1909** (Hesperiidae) Synonym(s): *Eogenes* **Mabille,1909**
- 2404.** *Epargyreus* **Hübner,[1819]** (Hesperiidae) Synonym(s): *Epargyreus* **Hübner,[1819]**; *Eridamus* **Burmeister,1875**
- 2405.** *Eprius* **Godman,1901** (Hesperiidae) Synonym(s): *Eprius* **Godman,1901**
- 2406.** *Eretis* **Mabille,1891** (Hesperiidae) Synonym(s): *Eretis* **Mabille,1891**
- 2407.** *Erionota* **Mabille,1878** (Hesperiidae) Synonym(s): *Erionota* **Mabille,1878**
- 2408.** *Erynnis* **(Erynnides) Burns,1964** (Hesperiidae) Synonym(s): *Erynnides* **Burns,1964**
- 2409.** *Erynnis* **(Hesperopegasus) Seven,2002** (Hesperiidae) Synonym(s): *Hallia* **Tutt,[1906] nec Edwards & Haime,1850**; *Hesperopegasus* **Seven,2002**
- 2410.** *Erynnis* **(s.str.) Schrank,1801** (Hesperiidae) Synonym(s): *Erynnis* **Schrank,1801**
- 2411.** *Euphyes* **Scudder,1872** (Hesperiidae) Synonym(s): *Euphyes* **Scudder,1872**; *Arotis* **Mabille,1904**; *Pereneia* **Lindsey,1925**
- 2412.** *Euschemon* **Doubleday,1846** (Hesperiidae) Synonym(s): *Euschemon* **Doubleday,1846**
- 2413.** *Eutocus* **Godman,1901** (Hesperiidae) Synonym(s): *Eutocus* **Godman,1901**
- 2414.** *Eutychide* **Godman,1900** (Hesperiidae) Synonym(s): *Eutychide* **Godman,1900**
- 2415.** *Exometoea* **Meyrick,1887** (Hesperiidae) Synonym(s): *Exometoea* **Meyrick,1887**
- 2416.** *Felicena* **Waterhouse,1932** (Hesperiidae) Synonym(s): *Felicena* **Waterhouse,1932**
- 2417.** *Flaccilla* **Godman,1901** (Hesperiidae) Synonym(s): *Flaccilla* **Godman,1901**; *Aecas* **Hemming,1939**
- 2418.** *Fresna* **Evans,1937** (Hesperiidae) Synonym(s): *Fresna* **Evans,1937**
- 2419.** *Fulda* **Evans,1937** (Hesperiidae) Synonym(s): *Fulda* **Evans,1937**
- 2420.** *Galerga* **Mabille,1898** (Hesperiidae) Synonym(s): *Galerga* **Mabille,1898**
- 2421.** *Gamia* **Holland,1896** (Hesperiidae) Synonym(s): *Gamia* **Holland,1896**
- 2422.** *Gangara* **Moore,1881** (Hesperiidae) Synonym(s): *Gangara* **Moore,1881**; *Paduka* **Distant,1886**
- 2423.** *Ge* **De Nicéville,1895** (Hesperiidae) Synonym(s): *Ge* **De Nicéville,1895**
- 2424.** *Gegenes* **Hübner,[1819]** (Hesperiidae) Synonym(s): *Gegenes* **Hübner,[1819]**; *Philoodus* **Rambur,1842**
- 2425.** *Gerosis* **Mabille,1903** (Hesperiidae) Synonym(s): *Gerosis* **Mabille,1903**

- 2426. Gesta Evans,1953** (Hesperiidae) Synonym(s): *Gesta Evans,1953*
- 2427. Gindanes Godman & Salvin,1895** (Hesperiidae) Synonym(s): *Gindanes Godman & Salvin,1895*
- 2428. Gomalia Moore,1879** (Hesperiidae) Synonym(s): *Gomalia Moore,1879; Tavetana Picard,1949*
- 2429. Gorgyra Holland,1896** (Hesperiidae) Synonym(s): *Gorgyra Holland,1896; Oedaloneura Mabilie,1904.*
- 2430. Gorgythion Godman & Salvin,1896** (Hesperiidae) Synonym(s): *Gorgythion Godman & Salvin,1896*
- 2431. Grais Godman & Salvin,1894** (Hesperiidae) Synonym(s): *Grais Godman & Salvin,1894*
- 2432. Granila Mabilie,1904** (Hesperiidae) Synonym(s): *Granila Mabilie,1904*
- 2433. Gretna Evans,1937** (Hesperiidae) Synonym(s): *Gretna Evans,1937*
- 2434. Gyrogra Lindsey & Miller,1965** (Hesperiidae) Synonym(s): *Gyrogra Lindsey & Miller,1965.*
- 2435. Halotus Godman,1900** (Hesperiidae) Synonym(s): *Halotus Godman,1900*
- 2436. Halpe Moore,1878** (Hesperiidae) Synonym(s): *Halpe Moore,1878*
- 2437. Hasora (Lizetta-gr.)** (Hesperiidae) Synonym(s): *Hasora (Lizetta-gr.)*
- 2438. Hasora (s.str.) Moore,[1881]** (Hesperiidae) Synonym(s): *Hasora Moore,[1881]; Prata Moore,[1881]*
- 2439. Hasora Moore,[1881]** (Hesperiidae) Synonym(s): *Hasora Moore,[1881]; Prata Moore,[1881]*
- 2440. Helias Fabricius,1807** (Hesperiidae) Synonym(s): *Helias Fabricius,1807; Achna Billberg,1820; Diphoridas Godman & Salvin,1896*
- 2441. Heliopetes Billberg,1820** (Hesperiidae) Synonym(s): *Heliopetes Billberg,1820; Leucoscirtes Scudder,1872*
- 2442. Heliopyrgus Herrera,1957** (Hesperiidae) Synonym(s): *Heliopyrgus Herrera,1957*
- 2443. Hesperia Fabricius,1793** (Hesperiidae) Synonym(s): *Hesperia Fabricius,1793; Pamphila Fabricius,1807; Diorthosus Rafinesque,1815; Symmachia Sodoffsky,1837 nec Hübn.,1819; Anthomaster Scudder,1872; Ocytes Scudder,1872; Urbicola Tutt,1905*
- 2444. Hesperilla Hewitson,1867** (Hesperiidae) Synonym(s): *Hesperilla Hewitson,1867*
- 2445. Hesperopsis Dyar,1905** (Hesperiidae) Synonym(s): *Hesperopsis Dyar,1905*
- 2446. Heteropterus Duméril,1806** (Hesperiidae) Synonym(s): *Heteropterus Duméril,1806*
- 2447. Hewitsoniella Shepard,1931** (Hesperiidae) Synonym(s): *Hewitsonia Evans,1926 nec Kirb.,1871; Hewitsoniella Shepard,1931*
- 2448. Hidari Distant,1886** (Hesperiidae) Synonym(s): *Hidari Distant,1886*
- 2449. Hovala Evans,1937** (Hesperiidae) Synonym(s): *Hovala Evans,1937*
- 2450. Hyalothyrs Mabilie,[1879]** (Hesperiidae) Synonym(s): *Hyalothyrs Mabilie,[1879]; lignyostola Mabilie,1888; Plagiothyrs Mabilie & Boulet,[1919]; Onzis Lindsey,1925*
- 2451. Hyarotis Moore,[1881]** (Hesperiidae) Synonym(s): *Hyarotis Moore,[1881]; Itys De Nicéville,1895 nec Wagler,1831; Kineta Lindsey,1925*
- 2452. Hylephila Billberg,1820** (Hesperiidae) Synonym(s): *Hylephila Billberg,1820; Euthymus Scudder,1872; Andinus Hayward,1940; Cordillana Hayward,1941*
- 2453. Hypoleucis Mabilie,1891** (Hesperiidae) Synonym(s): *Hypoleucis Mabilie,1891*
- 2454. Iambrix E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Iambrix E.Y.Watson,1893; Idmon De Nicéville,1895.*
- 2455. Ilma Swinhoe,1905** (Hesperiidae) Synonym(s): *Ilma Swinhoe,1905*
- 2456. Isma Distant,1886** (Hesperiidae) Synonym(s): *Isma Distant,1886; Lophoides Watson,1893; Sepa De Nicéville,1894*
- 2457. Isteion C.Felder & R.Felder,1862** (Hesperiidae) Synonym(s): *Isteion C.Felder & R.Felder,1862*
- 2458. Iton De Nicéville,1895** (Hesperiidae) Synonym(s): *Iton De Nicéville,1895*
- 2459. Jemadia E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Jemadia E.Y.Watson,1893*
- 2460. Joanna Evans,1955** (Hesperiidae) Synonym(s): *Joanna Evans,1955*
- 2461. Jonaspyge Mielke,2002** (Hesperiidae) Synonym(s): *Jonaspyge Mielke,2002*
- 2462. Justinia Evans,1955** (Hesperiidae) Synonym(s): *Justinia Evans,1955*
- 2463. Katreus E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Christoneura Mabilie,1890 nec Led.,1859; Katreus E.Y.Watson,1893; Ortholexis Karsch,1895; Loxolexis Karsch,1895; Acallopiestes Holland,1896; Daratus Lindsey,1925.*
- 2464. Kedestes E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Kedestes E.Y.Watson,1893*
- 2465. Kobrona Evans,1934** (Hesperiidae) Synonym(s): *Kobrona Evans,1934*
- 2466. Koruthaialos E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Koruthaialos E.Y.Watson,1893; Arunena Swinhoe,1919.*
- 2467. Lento Evans,1955** (Hesperiidae) Synonym(s): *Lento Evans,1955*
- 2468. Lepella Evans,1937** (Hesperiidae) Synonym(s): *Lepella Evans,1937*
- 2469. Leptalina Mabilie,1904** (Hesperiidae) Synonym(s): *Leptalina Mabilie,1904*
- 2470. Lerema Scudder,1872** (Hesperiidae) Synonym(s): *Lerema Scudder,1872; Sarega Mabilie,1904*
- 2471. Lerodea Scudder,1872** (Hesperiidae) Synonym(s): *Lerodea Scudder,1872*
- 2472. Leucochitonea Wallengren,1857** (Hesperiidae) Synonym(s): *Leucochitonea Wallengren,1857*
- 2473. Librita Evans,1955** (Hesperiidae) Synonym(s): *Librita Evans,1955*
- 2474. Lobocla Moore,1884** (Hesperiidae) Synonym(s): *Lobocla Moore,1884*
- 2475. Lotongus Distant,1886** (Hesperiidae) Synonym(s): *Lotongus Distant,1886*
- 2476. Lychnuchoides Godman,1901** (Hesperiidae) Synonym(s): *Lychnuchoides Godman,1901*
- 2477. Mahotis E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Mahotis E.Y.Watson,1893*
- 2478. Malaza Mabilie,1904** (Hesperiidae) Synonym(s): *Malaza Mabilie,1904; Manarina Mabilie,1904*
- 2479. Matapa Moore,[1881]** (Hesperiidae) Synonym(s): *Matapa Moore,[1881]*
- 2480. Megathymus Scudder,1872** (Hesperiidae) Synonym(s): *Megathymus Scudder,1872*
- 2481. Melanopyge Mielke,2002** (Hesperiidae) Synonym(s): *Melanopyge Mielke,2002*
- 2482. Mellana Hayward,1948** (Hesperiidae) Synonym(s): *Mellana Hayward,1948*
- 2483. Melphina Evans,1937** (Hesperiidae) Synonym(s): *Melphina Evans,1937*
- 2484. Mesodina Meyrick,1901** (Hesperiidae) Synonym(s): *Mesodina Meyrick,1901*
- 2485. Metardaris Mabilie,1904** (Hesperiidae) Synonym(s): *Metardaris Mabilie,1904*
- 2486. Methion Godman,1900** (Hesperiidae) Synonym(s): *Methion Godman,1900*
- 2487. Methionopsis Godman,1901** (Hesperiidae) Synonym(s): *Methionopsis Godman,1901*
- 2488. Metisella Hemming,1934** (Hesperiidae) Synonym(s): *Watsonia Tutt,[1906] nec Elw. & Edw.,1897 non Folin,[1880]; Metisella Hemming,1934*
- 2489. Metron Godman,1900** (Hesperiidae) Synonym(s): *Metron Godman,1900; Metrocles Godman,1900; Ametron Hayward,1940*
- 2490. Meza Hemming,1939** (Hesperiidae) Synonym(s): *Gastrochaeta Holland,1893 nec Dujard.,1841; Meza Hemming,1939.*
- 2491. Microceris E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Microceris E.Y.Watson,1893*
- 2492. Mictris Evans,1955** (Hesperiidae) Synonym(s): *Mictris Evans,1955*
- 2493. Mimene Joicey & Talbot,1917** (Hesperiidae) Synonym(s): *Mimas De Nicéville,1895 nec Hbn.,1822; Mimene Joicey & Talbot,1917*
- 2494. Mimia Evans,1953** (Hesperiidae) Synonym(s): *Mimia Evans,1953*
- 2495. Mimoniades Hübner,1823** (Hesperiidae) Synonym(s): *Mimoniades Hübner,1823*
- 2496. Miraja Evans,1937** (Hesperiidae) Synonym(s): *Miraja Evans,1937*
- 2497. Mnaseas Godman,1901** (Hesperiidae) Synonym(s): *Mnaseas Godman,1901*
- 2498. Mnasicles Godman,1901** (Hesperiidae) Synonym(s): *Mnasicles Godman,1901*

2499. **Mnasilus Godman,1900** (Hesperiidae) Synonym(s): *Mnasilus Godman,1900*
2500. **Mnasinous Godman,1900** (Hesperiidae) Synonym(s): *Mnasinous Godman,1900*
2501. **Mnasitheus Godman,1900** (Hesperiidae) Synonym(s): *Mnasitheus Godman,1900; Mnasalcas Godman,1900*
2502. **Moeris Godman,1900** (Hesperiidae) Synonym(s): *Moeris Godman,1900*
2503. **Moltena Evans,1937** (Hesperiidae) Synonym(s): *Moltena Evans,1937*
2504. **Monca Evans,1955** (Hesperiidae) Synonym(s): *Monca Evans,1955*
2505. **Monza Evans,1937** (Hesperiidae) Synonym(s): *Monza Evans,1937*
2506. **Mooreana Evans,1926** (Hesperiidae) Synonym(s): *Mooreana Evans,1926*
2507. **Mopala Evans,1937** (Hesperiidae) Synonym(s): *Mopala Evans,1937*
2508. **Morvinia Evans,1953** (Hesperiidae) Synonym(s): *Morvinia Evans,1953*
2509. **Morys Godman,1900** (Hesperiidae) Synonym(s): *Morys Godman,1900; Euroto Godman,1900*
2510. **Motasingha E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Motasingha E.Y.Watson,1893*
2511. **Mucia Godman,1900** (Hesperiidae) Synonym(s): *Mucia Godman,1900*
2512. **Muschampia Tutt,[1906]** (Hesperiidae) Synonym(s): *Muschampia Tutt,1906*
2513. **Mylon Godman & Salvin,1894** (Hesperiidae) Synonym(s): *Mylon Godman & Salvin,1894; Eudamias Godman & Salvin,1895*
2514. **Myrinia Evans,1953** (Hesperiidae) Synonym(s): *Myrinia Evans,1953*
2515. **Myscelus Hübner,[1819]** (Hesperiidae) Synonym(s): *Myscelus Hübner,[1819]*
2516. **Mysoria E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Mysoria E.Y.Watson,1893; Agara Mabil & Boullet,1908*
2517. **Naevolus Hemming,1939** (Hesperiidae) Synonym(s): *Naevolus Hemming,1939*
2518. **Narcosius Steinhäuser,1986** (Hesperiidae) Synonym(s): *Narcosius Steinhäuser,1986*
2519. **Narcus E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Narcus E.Y.Watson,1893*
2520. **Nastra Evans,1955** (Hesperiidae) Synonym(s): *Nastra Evans,1955*
2521. **Neohesperilla Waterhouse & Lyell,1914** (Hesperiidae) Synonym(s): *Neohesperilla Waterhouse & Lyell,1914*
2522. **Neoxeniades Hayward,1938** (Hesperiidae) Synonym(s): *Neoxeniades Hayward,1938*
2523. **Netrobalane Mabil,1903** (Hesperiidae) Synonym(s): *Netrobalane Mabil,1903*
2524. **Netrocoryne Felder,1867** (Hesperiidae) Synonym(s): *Netrocoryne Felder,1867*
2525. **Nisoniades Hübner,[1819]** (Hesperiidae) Synonym(s): *Nisoniades Hübner,[1819]; Goniloba Westwood,1852*
2526. **Noctuana Bell,1937** (Hesperiidae) Synonym(s): *Noctuana Bell,1937*
2527. **Nosphittia Mabil & Boullet,1908** (Hesperiidae) Synonym(s): *Nosphittia Mabil & Boullet,1908*
2528. **Notocrypta De Nicéville,1889** (Hesperiidae) Synonym(s): *Notocrypta De Nicéville,1889; Plesioneura Felder & Felder,1862*
2529. **Nyctelius Hayward,1948** (Hesperiidae) Synonym(s): *Nyctelius Hayward,1948*
2530. **Oarisma Scudder,1872** (Hesperiidae) Synonym(s): *Oarisma Scudder,1872; Paradopaea Godman,1900*
2531. **Ochlodes Scudder,1872** (Hesperiidae) Synonym(s): *Ochlodes Scudder,1872*
2532. **Ochus De Nicéville,1894** (Hesperiidae) Synonym(s): *Ochus De Nicéville,1894*
2533. **Ocyba Lindsey,1925** (Hesperiidae) Synonym(s): *Ocyba Lindsey,1925*
2534. **Ocybadistes Heron,1894** (Hesperiidae) Synonym(s): *Ocybadistes Heron,1894*
2535. **Odina Mabil,1891** (Hesperiidae) Synonym(s): *Odina Mabil,1891*
2536. **Odontoptilum De Nicéville,1890** (Hesperiidae) Synonym(s): *Odontoptilum De Nicéville,1890*
2537. **Oeonus Godman,1900** (Hesperiidae) Synonym(s): *Oeonus Godman,1900*
2538. **Oerane Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *Oerane Elwes & Edwards,1897*
2539. **Onenses Godman & Salvin,1895** (Hesperiidae) Synonym(s): *Onenses Godman & Salvin,1895*
2540. **Onespa Steinhäuser,1974** (Hesperiidae) Synonym(s): *Onespa Steinhäuser,1974*
2541. **Onophas Godman,1900** (Hesperiidae) Synonym(s): *Onophas Godman,1900*
2542. **Onryza E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Onryza E.Y.Watson,1893*
2543. **Oreisplanus Waterhouse & Lyell,1914** (Hesperiidae) Synonym(s): *Oreisplanus Waterhouse & Lyell,1914*
2544. **Oriens Evans,1932** (Hesperiidae) Synonym(s): *Oriens Evans,1932*
2545. **Orses Godman,1901** (Hesperiidae) Synonym(s): *Orses Godman,1901*
2546. **Orthos Evans,1955** (Hesperiidae) Synonym(s): *Orthos Evans,1955*
2547. **Osmodes Holland,1892** (Hesperiidae) Synonym(s): *Osmodes Holland,1892*
2548. **Osphantes Holland,1896** (Hesperiidae) Synonym(s): *Osphantes Holland,1896*
2549. **Ouleus Lindsey,1925** (Hesperiidae) Synonym(s): *Ouleus Lindsey,1925*
2550. **Oxynetra Felder,1862** (Hesperiidae) Synonym(s): *Oxynetra Felder,1862*
2551. **Oxyntes Godman,1900** (Hesperiidae) Synonym(s): *Oxyntes Godman,1900*
2552. **Paches Godman & Salvin,1895** (Hesperiidae) Synonym(s): *Paches Godman & Salvin,1895*
2553. **Pachyneuria Mabil,1888** (Hesperiidae) Synonym(s): *Pachyneuria Mabil,1888*
2554. **Panoquina Hemming,1934** (Hesperiidae) Synonym(s): *Prenes Scudder,1871 nec Gist.,1848; Panoquina Hemming,1934*
2555. **Papias Godman,1900** (Hesperiidae) Synonym(s): *Papias Godman,1900*
2556. **Paracleros Berger,1978** (Hesperiidae) Synonym(s): *Paracleros Berger,1978*
2557. **Paratrytone Godman,1900** (Hesperiidae) Synonym(s): *Paratrytone Godman,1900*
2558. **Pardaleodes Butler,1870** (Hesperiidae) Synonym(s): *Pardaleodes Butler,1870*
2559. **Parellbella Mielke,1995** (Hesperiidae) Synonym(s): *Parellbella Mielke,1995*
2560. **Parnara Moore,[1881]** (Hesperiidae) Synonym(s): *Parnara Moore,[1881]; Baorynnis Waterhouse,1932*
2561. **Paronymus Aurivillius,[1925]** (Hesperiidae) Synonym(s): *Paronymus Aurivillius,[1925]*
2562. **Parosmodes Holland,1896** (Hesperiidae) Synonym(s): *Parosmodes Holland,1896*
2563. **Parphorus Godman,1900** (Hesperiidae) Synonym(s): *Parphorus Godman,1900; Vorates Godman,1900*
2564. **Pasma Waterhouse,1932** (Hesperiidae) Synonym(s): *Pasma Waterhouse,1932*
2565. **Pastria Evans,1949** (Hesperiidae) Synonym(s): *Pastria Evans,1949*
2566. **Pedesta Hemming,1934** (Hesperiidae) Synonym(s): *Pedestes E.Y.Watson,1893 nec Gray,1842; Pedesta Hemming,1934*
2567. **Pellicia Herrich-Schäffer,1870** (Hesperiidae) Synonym(s): *Pellicia Herrich-Schäffer,1870; Hemipteris Mabil,1889*
2568. **Pelopidas Walker,1870** (Hesperiidae) Synonym(s): *Pelopidas Walker,1870; Chapra Moore,[1881]*
2569. **Pemara Eliot,1978** (Hesperiidae) Synonym(s): *Pemara Eliot,1978*
2570. **Perichares Scudder,1872** (Hesperiidae) Synonym(s): *Perichares Scudder,1872*
2571. **Perrotia Oberthür,1916** (Hesperiidae) Synonym(s): *Perrotia Oberthür,1916*
2572. **Phanes Godman,1901** (Hesperiidae) Synonym(s): *Phanes Godman,1901; Tarmia Lindsey,1925*
2573. **Phanus Hübner,[1819]** (Hesperiidae) Synonym(s): *Phanus Hübner,[1819]*
2574. **Pheraeus Godman,1900** (Hesperiidae) Synonym(s): *Pheraeus Godman,1900*
2575. **Phocides Hübner,[1819]** (Hesperiidae) Synonym(s): *Phocides Hübner,[1819]; Erycides Hübner,[1819]; Dysenius Scudder,[1871].*
2576. **Pholisora Scudder,1872** (Hesperiidae) Synonym(s): *Pholisora Scudder,1872*

2577. **Pintara Evans,1932** (Hesperiidae) Synonym(s): *Pintara Evans,1932*
2578. **Pirdana Distant,1886** (Hesperiidae) Synonym(s): *Pirdana Distant,1886*
2579. **Piruna Evans,1955** (Hesperiidae) Synonym(s): *Piruna Evans,1955*
2580. **Pithauria Moore,1878** (Hesperiidae) Synonym(s): *Pithauria Moore,1878; Pithauriopsis Wood-Mason & De Nicéville,[1887]*
2581. **Plastingia Butler,1870** (Hesperiidae) Synonym(s): *Plastingia Butler,1870*
2582. **Platylesches Holland,1896** (Hesperiidae) Synonym(s): *Platylesches Holland,1896*
2583. **Ploetzia Saalmüller,1884** (Hesperiidae) Synonym(s): *Ploetzia Saalmüller,1884*
2584. **Poanes Scudder,1872** (Hesperiidae) Synonym(s): *Poanes Scudder,1872; Phycanassa Scudder,1872; Paratrytone Dyar,1905 nec Godm.,1900*
2585. **Polites Scudder,1872** (Hesperiidae) Synonym(s): *Polites Scudder,1872; Hedone Scudder,1872; Limochores Scudder,1872; Pyrrhosidia Scudder,1874; Yvretta Hemming,1935; Poanopsis Evans,1955*
2586. **Polyctor Evans,1953** (Hesperiidae) Synonym(s): *Polyctor Evans,1953*
2587. **Polygonus Hübner,[1819]** (Hesperiidae) Synonym(s): *Polygonus Hübner,[1819]; Acolastus Scudder,1871 nec Gerstäcker,[1855]; Nennius Kirby,[1902].*
2588. **Polygonus Hübner,[1825]** (Hesperiidae) Synonym(s): *Polygonus Hübner,[1825]; Nennius Kirby,1902*
2589. **Polythrix E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Polythrix E.Y.Watson,1893*
2590. **Polytremis Mabilie,1904** (Hesperiidae) Synonym(s): *Polytremis Mabilie,1904; Zinaida Evans,1937*
2591. **Pompeius Evans,1955** (Hesperiidae) Synonym(s): *Pompeius Evans,1955*
2592. **Potamanaxas Lindsey,1925** (Hesperiidae) Synonym(s): *Potamanaxas Lindsey,1925*
2593. **Potanthus Scudder,1872** (Hesperiidae) Synonym(s): *Potanthus Scudder,1872; Padraona Moore,1881; Inessa De Nicéville,1897.*
2594. **Prada Evans,1949** (Hesperiidae) Synonym(s): *Prada Evans,1949*
2595. **Procampta Holland,1892** (Hesperiidae) Synonym(s): *Procampta Holland,1892*
2596. **Prosopalpus Holland,1896** (Hesperiidae) Synonym(s): *Prosopalpus Holland,1896*
2597. **Proteides Hübner,[1819]** (Hesperiidae) Synonym(s): *Proteides Hübner,[1819]; Dicranaspis Mabilie,1878.*
2598. **Prusiana Evans,1937** (Hesperiidae) Synonym(s): *Prusiana Evans,1937*
2599. **Pseudoborbo Lee,1966** (Hesperiidae) Synonym(s): *Pseudoborbo Lee,1966*
2600. **Pseudocoladenia Shirozu & Saigusa,1962** (Hesperiidae) Synonym(s): *Pseudocoladenia Shirozu & Saigusa,1962*
2601. **Pseudokerana Eliot,1978** (Hesperiidae) Synonym(s): *Pseudokerana Eliot,1978*
2602. **Pteroteinon E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Tanyptera Mabilie,1877 nec Latr.,1804; Pteroteinon E.Y.Watson,1893*
2603. **Pudicitia De Nicéville,1895** (Hesperiidae) Synonym(s): *Pudicitia De Nicéville,1895*
2604. **Pyrgus Hübner,[1819]** (Hesperiidae) Synonym(s): *Pyrgus Hübner,[1819]; Scelotrix Rambur,1858; Teleomorpha Warren,1926; Hemitelemorpha Warren,1926; Ateleomorpha Warren,1926; Scelotrix Scudder,1875; Bremeria Tutt,1906 nec Moore,[1896] non Alpheraky,1892.*
2605. **Pyroneura Eliot,1978** (Hesperiidae) Synonym(s): *Pyroneura Eliot,1978*
2606. **Pyrrhiades Lindsey & Miller,1965** (Hesperiidae) Synonym(s): *Pyrrhiades Lindsey & Miller,1965*
2607. **Pyrrhochalcia Mabilie,1904** (Hesperiidae) Synonym(s): *Pyrrhochalcia Mabilie,1904*
2608. **Pyrrhopyege Hübner,[1819]** (Hesperiidae) Synonym(s): *Pyrrhopyege Hübner,[1819]; Tamyris Swainson,[1821]; #Pyrrhopyege Westwood,1852; Pachyrhopala Wallengren,1858; Yanguna E.Y.Watson,1893; Apyrrothrix Lindsey,1921*
2609. **Pythonides Hübner,[1819]** (Hesperiidae) Synonym(s): *Pythonides Hübner,[1819]; Ate Godman & Salvin,1895*
2610. **Quadrus Lindsey,1925** (Hesperiidae) Synonym(s): *Quadrus Lindsey,1925*
2611. **Quasimellana Burns,1994** (Hesperiidae) Synonym(s): *Quasimellana Burns,1994*
2612. **Quedara Swinhoe,1907** (Hesperiidae) Synonym(s): *Quedara Swinhoe,1907*
2613. **Quinta Evans,1955** (Hesperiidae) Synonym(s): *Quinta Evans,1955*
2614. **Rachelia Hemming,1964** (Hesperiidae) Synonym(s): *Protogenes Mabilie & Boulet,1912 nec Saalmüller,1884; Vlasta Lindsey,1925 nec Barrande,1881; Rachelia Hemming,1964.*
2615. **Remella Hemming,1939** (Hesperiidae) Synonym(s): *Remella Hemming,1939*
2616. **Rhabdomantis Holland,1896** (Hesperiidae) Synonym(s): *Rhabdomantis Holland,1896*
2617. **Rhinthon Godman,1900** (Hesperiidae) Synonym(s): *Rhinthon Godman,1900*
2618. **Ridens Evans,1952** (Hesperiidae) Synonym(s): *Ridens Evans,1952*
2619. **Sabera Swinhoe,1908** (Hesperiidae) Synonym(s): *Sabera Swinhoe,1908*
2620. **Salanoemia Eliot,1978** (Hesperiidae) Synonym(s): *Salanoemia Eliot,1978*
2621. **Saliana Evans,1955** (Hesperiidae) Synonym(s): *Saliana Evans,1955*
2622. **Sancus De Nicéville,1891** (Hesperiidae) Synonym(s): *#Psolos Staudinger,1889; Sancus De Nicéville,1891*
2623. **Sarangesa Moore,[1881]** (Hesperiidae) Synonym(s): *Sarangesa Moore,[1881]; Hyda Mabilie,1890; Sape Mabilie,1891; Tabraca Holland,1896; Ulva Lindsey,1925.*
2624. **Sarbia E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Sarbia E.Y.Watson,1893*
2625. **Satarupa Moore,[1866]** (Hesperiidae) Synonym(s): *Satarupa Moore,[1866]*
2626. **Saturnus Evans,1955** (Hesperiidae) Synonym(s): *Saturnus Evans,1955*
2627. **Scobura Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *Scobura Elwes & Edwards,1897; Mimambrix Riley,1923*
2628. **Sebastonyma E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Sebastonyma E.Y.Watson,1893*
2629. **Semalea Holland,1896** (Hesperiidae) Synonym(s): *Semalea Holland,1896*
2630. **Seseria Matsumura,1919** (Hesperiidae) Synonym(s): *Seseria Matsumura,1919*
2631. **Signeta Waterhouse & Lyell,1914** (Hesperiidae) Synonym(s): *Signeta Waterhouse & Lyell,1914*
2632. **Sostrata Godman & Salvin,1895** (Hesperiidae) Synonym(s): *Sostrata Godman & Salvin,1895*
2633. **Sovia Evans,1949** (Hesperiidae) Synonym(s): *Sovia Evans,1949*
2634. **Spathilepia Butler,1870** (Hesperiidae) Synonym(s): *Spathilepia Butler,1870*
2635. **Spialia (Neospialia) Koçak,1989** (Hesperiidae) Synonym(s): *Powellia Tutt,[1906] nec Maskell,1879; Neospialia Koçak,1989.*
2636. **Spialia (s.str.) Swinhoe,[1912]** (Hesperiidae) Synonym(s): *Spialia Swinhoe,1912*
2637. **Spialia Swinhoe,[1912]** (Hesperiidae) Synonym(s): *Spialia Swinhoe,1912*
2638. **Stallingsia Freeman,1959** (Hesperiidae) Synonym(s): *Stallingsia Freeman,1959*
2639. **Staphylus Godman & Salvin,1896** (Hesperiidae) Synonym(s): *Staphylus Godman & Salvin,1896; Scantilla Godman & Salvin,1896*
2640. **Stimula De Nicéville,1898** (Hesperiidae) Synonym(s): *Watsonia Elwes & Edwards,1897 nec Folin,1879; Stimula De Nicéville,1898; Watsoniella Berg,1898.*
2641. **Stinga Evans,1955** (Hesperiidae) Synonym(s): *Stinga Evans,1955*
2642. **Suada De Nicéville,1895** (Hesperiidae) Synonym(s): *Suada De Nicéville,1895*
2643. **Suastus Moore,1881** (Hesperiidae) Synonym(s): *Suastus Moore,1881*
2644. **Suniana Evans,1934** (Hesperiidae) Synonym(s): *Suniana Evans,1934*
2645. **Synale Mabilie,1904** (Hesperiidae) Synonym(s): *Synale Mabilie,1904*
2646. **Synapte Mabilie,1904** (Hesperiidae) Synonym(s): *Synapte Mabilie,1904; Godmania Skinner & Ramsden,1923 nec Horvath,1919*
2647. **Systasea Edwards,1877** (Hesperiidae) Synonym(s): *Systasea Edwards,1877*

2648. **Tagiades (Nestus-gr)** (Hesperiidae) Synonym(s):
2649. **Tagiades Hübner,[1819]** (Hesperiidae) Synonym(s):
Tagiades Hübner,[1819]; Pterygospidea Wallengren,1857.
2650. **Talides Hübner,[1819]** (Hesperiidae) Synonym(s): *Talides Hübner,[1819]*
2651. **Tapena Moore,1881** (Hesperiidae) Synonym(s): *Tapena Moore,1881*
2652. **Taractrocera Butler,[1870]** (Hesperiidae) Synonym(s):
Taractrocera Butler,[1870]; Bibla Mabilie,1904
2653. **Telemiades Hübner,[1819]** (Hesperiidae) Synonym(s):
Telemiades Hübner,[1819]
2654. **Telicota Moore,[1881]** (Hesperiidae) Synonym(s): *Telicota Moore,[1881]*
2655. **Telles Godman,1900** (Hesperiidae) Synonym(s): *Telles Godman,1900*
2656. **Teniorhinus Holland,1892** (Hesperiidae) Synonym(s):
Teniorhinus Holland,1892; Oxypalpus Holland,1892; Teinorhinus Watson,1893.
2657. **Thargella Godman,1900** (Hesperiidae) Synonym(s):
Thargella Godman,1900
2658. **Theagenes Godman & Salvin,1896** (Hesperiidae)
Synonym(s): *Theagenes Godman & Salvin,1896*
2659. **Thespies Godman,1900** (Hesperiidae) Synonym(s):
Thespies Godman,1900
2660. **Thessia Steinhäuser,1989** (Hesperiidae) Synonym(s):
Thessia Steinhäuser,1989
2661. **Thoon Godman,1900** (Hesperiidae) Synonym(s): *Thoon Godman,1900*
2662. **Thoressa Swinhoe,1913** (Hesperiidae) Synonym(s):
Thoressa Swinhoe,1913
2663. **Thorybes Scudder,[1871]** (Hesperiidae) Synonym(s):
Thorybes Scudder,[1871]
2664. **Thracides Hübner,[1819]** (Hesperiidae) Synonym(s):
Thracides Hübner,[1819]
2665. **Thymelicus Hübner,[1819]** (Hesperiidae) Synonym(s):
Thymelicus Hübner,[1819]; Adopoea Billberg,1820; Pelion Kirby,1858.
2666. **Tiacellia Evans,1949** (Hesperiidae) Synonym(s): *Tiacellia Evans,1949*
2667. **Tigasis Godman,1900** (Hesperiidae) Synonym(s): *Tigasis Godman,1900; Alerema Hayward,1942*
2668. **Timochares Godman & Salvin,1896** (Hesperiidae)
Synonym(s): *Timochares Godman & Salvin,1896*
2669. **Tirynthia Godman,1900** (Hesperiidae) Synonym(s):
Tirynthia Godman,1900
2670. **Toxidia Mabilie,1891** (Hesperiidae) Synonym(s): *Toxidia Mabilie,1891; Oxytoxia Mabilie,1904; Timoconia Strand,1909.*
2671. **Trapezites Hübner,[1819]** (Hesperiidae) Synonym(s):
Trapezites Hübner,[1819]; Steropes Boisduval,1832 nec Steven,1806; Pallasingha Watson,1893; Anisyntoides Waterhouse,1932.
2672. **Tromba Evans,1955** (Hesperiidae) Synonym(s): *Tromba Evans,1955*
2673. **Tsitana Evans,1937** (Hesperiidae) Synonym(s): *Tsitana Evans,1937*
2674. **Turesis Godman,1901** (Hesperiidae) Synonym(s): *Turesis Godman,1901*
2675. **Turnerina Freeman,1959** (Hesperiidae) Synonym(s):
Turnerina Freeman,1959
2676. **Typhedanus Butler,[1870]** (Hesperiidae) Synonym(s):
Typhedanus Butler,[1870]
2677. **Udaspes Moore,[1881]** (Hesperiidae) Synonym(s): *Udaspes Moore,[1881]*
2678. **Udranomia Butler,1870** (Hesperiidae) Synonym(s):
Udranomia Butler,1870; Hydraenomia Butler,1870
2679. **Unkana Distant,1886** (Hesperiidae) Synonym(s): *Unkana Distant,1886; Zea Distant,1886*
2680. **Urbanus Hübner,[1807]** (Hesperiidae) Synonym(s):
Urbanus Hübner,[1807]; Goniurus Hübner,[1819]; Eudamus Swainson,1821; Lyroptera Plötz,1881
2681. **Vacerra Godman,1900** (Hesperiidae) Synonym(s): *Vacerra Godman,1900*
2682. **Venada Evans,1952** (Hesperiidae) Synonym(s): *Venada Evans,1952*
2683. **Vettius Godman,1901** (Hesperiidae) Synonym(s): *Vettius Godman,1901*
2684. **Vidius Evans,1955** (Hesperiidae) Synonym(s): *Vidius Evans,1955*
2685. **Vinius Godman,1900** (Hesperiidae) Synonym(s): *Vinius Godman,1900*
2686. **Vinpeius Austin,1998** (Hesperiidae) Synonym(s): *Vinpeius Austin,1998*
2687. **Virga Evans,1955** (Hesperiidae) Synonym(s): *Virga Evans,1955; Megistias Godman,1900*
2688. **Vlasta Lindsey,1925** (Hesperiidae) Synonym(s): *Vlasta Lindsey,1925; Protogenes Mabilie & Boulet,1912.*
2689. **Wallengrenia Berg,1897** (Hesperiidae) Synonym(s):
Wallengrenia Berg,1897; Catia Godman,1900
2690. **Windia Freeman,1969** (Hesperiidae) Synonym(s): *Windia Freeman,1969*
2691. **Xanthodisca Aurivillius,[1925]** (Hesperiidae) Synonym(s):
Xanthodisca Aurivillius,[1925]
2692. **Xanthoneura Eliot,1978** (Hesperiidae) Synonym(s):
Xanthoneura Eliot,1978
2693. **Xeniades Godman,1900** (Hesperiidae) Synonym(s):
Xeniades Godman,1900
2694. **Xenophanes Godman & Salvin,1895** (Hesperiidae)
Synonym(s): *Xenophanes Godman & Salvin,1895*
2695. **Yanguna E.Y.Watson,1893** (Hesperiidae) Synonym(s):
Yanguna E.Y.Watson,1893
2696. **Yanoancistroides H.Huang,1999** (Hesperiidae) Synonym(s):
Yania H.Huang,1997 nec Roewer,1914; Yanoancistroides H.Huang,1999
2697. **Zariaspes Godman,1900** (Hesperiidae) Synonym(s):
Zariaspes Godman,1900; Aella Mabilie,1904
2698. **Zela De Nicéville,1895** (Hesperiidae) Synonym(s): *Zela De Nicéville,1895; Zampa De Nicéville,1895; Matapoides Druce,1913.*
2699. **Zenis Godman,1900** (Hesperiidae) Synonym(s): *Zenis Godman,1900*
2700. **Zenonia Evans,1935** (Hesperiidae) Synonym(s): *Zenonia Evans,1935*
2701. **Zera Evans,1953** (Hesperiidae) Synonym(s): *Zera Evans,1953*
2702. **Zestusa Lindsey,1925** (Hesperiidae) Synonym(s): *Zestusa Lindsey,1925*
2703. **Zobera Freeman,1970** (Hesperiidae) Synonym(s): *Zobera Freeman,1970*
2704. **Zographetus E.Y.Watson,1893** (Hesperiidae) Synonym(s):
Zographetus E.Y.Watson,1893; Gehenna E.Y.Watson,1893
2705. **Zophopetes Mabilie,1904** (Hesperiidae) Synonym(s):
Zophopetes Mabilie,1904
2706. **Zopyrion Godman & Salvin,1896** (Hesperiidae)
Synonym(s): *Zopyrion Godman & Salvin,1896*
2707. **Heterogynis Rambur,1837** (Heterogynidae) Synonym(s):
Heterogynis Rambur,1837
2708. **Dorapteryx Rogenhofer,1884** (Himantopteridae)
Synonym(s): *Dorapteryx Rogenhofer,1884*
2709. **Himantopterus Wesmael,1836** (Himantopteridae)
Synonym(s): *Himantopterus Wesmael,1836; Thymara Doubleday,1843; Nemoptera Hagen,1866*
2710. **Pedoptila Butler,1885** (Himantopteridae) Synonym(s):
Pedoptila Butler,1885
2711. **Pseudothymara Rebel,1906** (Himantopteridae) Synonym(s):
Pseudothymara Rebel,1906
2712. **Semioptila Butler,1887** (Himantopteridae) Synonym(s):
Semioptila Butler,1887
2713. **Hyblaea Fabricius,1793** (Hyblaeidae) Synonym(s):
Hyblaea Fabricius,1793; Nychophila Billberg,1820; Nabara Walker,1866; Aenigma Strecker,1876 nec Newm.,1836.
2714. **Alampla Diakonoff,1978** (Immididae) Synonym(s): *Alampla Diakonoff,1978*
2715. **Birhana Walker,1865** (Immididae) Synonym(s): *Birhana Walker,1865; Methypsa Butler,1875; Hyperperissa Walsingham,1900*
2716. **Bryonympha Meyrick,1930** (Immididae) Synonym(s):
Bryonympha Meyrick,1930
2717. **Bursadella Snellen,1880** (Immididae) Synonym(s):
Bursadella Snellen,1880; Scaptosylx Hampson,1895
2718. **Imma Walker,[1858]** (Immididae) Synonym(s): *Imma Walker,[1858]; Pingrasa Walker,[1859]; Tortricomorpha C.Felder,1861; Topaza Walker,1864; Vinzela Walker,[1866]; Thylacopleura Meyrick,1886; Davendra Moore,1887; Pseudotortrix Turner,1900*
2719. **Loxotrochis Meyrick,1906** (Immididae) Synonym(s):
Loxotrochis Meyrick,1906

- 2720. Moca Walker, 1863** (Immidae) Synonym(s): *Moca Walker, 1863*; *Adricara Walker, 1863*; *Adricadra Walker, [1866]*; *Jobula Walker, 1866*; *Callartona Hampson, [1893]*
- 2721. Ptochaula Meyrick, 1920** (Immidae) Synonym(s): *Ptochaula Meyrick, 1920*
- 2722. Sthenistis Hampson, 1896** (Immidae) Synonym(s): *Sthenistis Hampson, 1896*
- 2723. Alloclemensia Schmidt-Nielsen, 1981** (Incurvariidae) Synonym(s): *Alloclemensia Schmidt-Nielsen, 1981*
- 2724. Excurvaria Kuprijanov, 1994** (Incurvariidae) Synonym(s): *Excurvaria Kuprijanov, 1994*
- 2725. Incurvaria Haworth, 1828** (Incurvariidae) Synonym(s): *Brosis Bilberg, 1820*; *Incurvaria Haworth, 1828*
- 2726. Paraclemensia Busck, 1904** (Incurvariidae) Synonym(s): *Brackenridgia Busck, 1903 nec Eigenmann & Ulrich, 1902*; *Paraclemensia Busck, 1904*
- 2727. Phylloporia Heinemann, 1870** (Incurvariidae) Synonym(s): *Phylloporia Heinemann, 1870*
- 2728. Anticrates Meyrick, 1905** (Lacturidae) Synonym(s): *Epopsia Turner, 1903*; *Anticrates Meyrick, 1905*; *Pyrozela Meyrick, 1906*
- 2729. Eustixis Hübner, [1821]** (Lacturidae) Synonym(s): *Eustixis Hübner, [1821]*
- 2730. Alompra Moore, 1872** (Lasiocampidae) Synonym(s): *Alompra Moore, 1872*
- 2731. Amurilla Aurivillius, 1902** (Lasiocampidae) Synonym(s): *Amuria Aurivillius, 1894 nec Stgr., 1887*; *Amurilla Aurivillius, 1902*
- 2732. Anadiasa Aurivillius, 1904** (Lasiocampidae) Synonym(s): *Nadiasa Aurivillius, 1894 nec Walker, 1855*; *Anadiasa Aurivillius, 1904*; *Arcadiasa Wichgraff, 1922*
- 2733. Argonestis Zolotuhin, 1995** (Lasiocampidae) Synonym(s): *Argonestis Zolotuhin, 1995*
- 2734. Arguda Moore, 1879** (Lasiocampidae) Synonym(s): *Arguda Moore, 1879*; *Syrastrenoides Matsumura, 1927*
- 2735. Berelade Walker, 1855** (Lasiocampidae) Synonym(s): *Berelade Walker, 1855*; *Labea Wallengren, 1865*
- 2736. Bharetta Moore, [1866]** (Lasiocampidae) Synonym(s): *Bharetta Moore, [1866]*
- 2737. Bombycomorpha R. Felder, 1874** (Lasiocampidae) Synonym(s): *Bombycomorpha R. Felder, 1874*
- 2738. Bombycopsis R. Felder, 1874** (Lasiocampidae) Synonym(s): *Bombycopsis R. Felder, 1874*
- 2739. Bufoidia Wiltshire & Legrain, 1987** (Lasiocampidae) Synonym(s): *Bufoidia Wiltshire & Legrain, 1987*
- 2740. Catalebeda Aurivillius, 1902** (Lasiocampidae) Synonym(s): *Catalebeda Aurivillius, 1902*
- 2741. Cerberolebeda Zolotuhin, 1995** (Lasiocampidae) Synonym(s): *Cerberolebeda Zolotuhin, 1995*
- 2742. Chilena Walker, 1855** (Lasiocampidae) Synonym(s): *Chilena Walker, 1855*
- 2743. Chondrostega Lederer, 1858** (Lasiocampidae) Synonym(s): *Chondrostega Lederer, 1858*; *Eustaudingeria Dyar, 1898*
- 2744. Chondrostegoides Aurivillius, 1905** (Lasiocampidae) Synonym(s): *Chondrostegoides Aurivillius, 1905*
- 2745. Chonopla De Lajonquière, 1979** (Lasiocampidae) Synonym(s): *Chonopla De Lajonquière, 1979*
- 2746. Chrysopsyche Butler, 1880** (Lasiocampidae) Synonym(s): *Chrysopsyche Butler, 1880*; *Protogenes Saalmüller, 1884 (homonym)*; *Trabaloides Kirby, 1892*
- 2747. Cosmeptera De Lajonquière, 1979** (Lasiocampidae) Synonym(s): *Cosmeptera De Lajonquière, 1979*
- 2748. Cosmotriche Hübner, [1820]** (Lasiocampidae) Synonym(s): *Cosmotriche Hübner, [1820]*
- 2749. Craspia Aurivillius, 1909** (Lasiocampidae) Synonym(s): *Craspia Aurivillius, 1909*
- 2750. Crinocraspeda Hampson, [1893]** (Lasiocampidae) Synonym(s): *Crinocraspeda Hampson, [1893]*
- 2751. Cymatopacha Aurivillius, 1921** (Lasiocampidae) Synonym(s): *Cymatopacha Aurivillius, 1921*
- 2752. Dendrolimus Germar, 1812** (Lasiocampidae) Synonym(s): *Dendrolimus Germar, 1812*; *Eutricha Stephens, 1829 nec Hbn., [1814]*; *Ptilorhina Zetterstedt, 1839*; *Oenona Walker, 1855*; *Chatra Moore, 1879*; *Karenkonkia Matsumura, 1932*
- 2753. Dinometa Aurivillius, 1927** (Lasiocampidae) Synonym(s): *Dinometa Aurivillius, 1927*
- 2754. Dollmania Tams, 1930** (Lasiocampidae) Synonym(s): *Dollmania Tams, 1930*
- 2755. Epichnapteroides Strand, 1913** (Lasiocampidae) Synonym(s): *Epichnapteroides Strand, 1913*
- 2756. Epitrabala Hering, 1932** (Lasiocampidae) Synonym(s): *Epitrabala Hering, 1932*
- 2757. Eriogaster Germar, 1810** (Lasiocampidae) Synonym(s): *Eriogaster Germar, 1810*; *Gastris Billberg, 1820*; *Dasysoma Hübner, [1820]*; *Lachneis Hübner, 1822*; *Autosphylla Rambur, 1866*
- 2758. Eteinopla De Lajonquière, 1979** (Lasiocampidae) Synonym(s): *Eteinopla De Lajonquière, 1979*
- 2759. Eucraera Tams, 1930** (Lasiocampidae) Synonym(s): *Ceratopacha Aurivillius, 1909 (homonym)*; *Eucraera Tams, 1930*
- 2760. Euthrix Meigen, 1830** (Lasiocampidae) Synonym(s): *Euthrix Meigen, 1830*; *Philudoria Kirby, 1892*; *Routledgeia Tutt, 1902*; *Orientrix Tshisjakov, 1998*
- 2761. Eutricha Hübner, [1814]** (Lasiocampidae) Synonym(s): *Eutricha Hübner, [1814]*; *Pachypasa Walker, 1855*; *Baura Walker, 1865*; *Mecistosoma Rambur, 1866*; *Pachyma Weymer, 1892*
- 2762. Euwallengrenia D.S. Fletcher, 1968** (Lasiocampidae) Synonym(s): *Olyra Wallengren, 1865 (homonym)*; *Euwallengrenia D.S. Fletcher, 1968*
- 2763. Gastropacha (Estigena) Moore, 1879** (Lasiocampidae) Synonym(s): *Estigena Moore, 1879*
- 2764. Gastropacha (Stenophyllides) Hampson, [1893]** (Lasiocampidae) Synonym(s): *Stenophylloides Hampson, [1893]*
- 2765. Gastropacha (s.str.) Ochsenheimer, 1810** (Lasiocampidae) Synonym(s): *Gastropacha Ochsenheimer, 1810*; *Phylloma Billberg, 1820*; *Bombyx Boisduval, 1828 nec Linn., 1758*
- 2766. Gastropacha Ochsenheimer, 1810** (Lasiocampidae) Synonym(s): *Gastropacha Ochsenheimer, 1810*; *Phylloma Billberg, 1820*; *Bombyx Boisduval, 1828 nec Linn., 1758*
- 2767. Gastropalaeis Möschler, 1887** (Lasiocampidae) Synonym(s): *Gastropalaeis Möschler, 1887*
- 2768. Gonometa Walker, 1855** (Lasiocampidae) Synonym(s): *Gonometa Walker, 1855*; *Caphara Walker, 1862*
- 2769. Grammodora Aurivillius, 1927** (Lasiocampidae) Synonym(s): *Grammodora Aurivillius, 1927*
- 2770. Hallicarnia Kirby, 1892** (Lasiocampidae) Synonym(s): *Hallicarnia Kirby, 1892*
- 2771. Haplopacha Aurivillius, 1905** (Lasiocampidae) Synonym(s): *Haplopacha Aurivillius, 1905*
- 2772. Henometa Aurivillius, 1927** (Lasiocampidae) Synonym(s): *Henometa Aurivillius, 1927*
- 2773. Hypotrabala Holland, 1893** (Lasiocampidae) Synonym(s): *Hypotrabala Holland, 1893*; *Parameta Aurivillius, 1909*; *Pehria Strand, 1910*
- 2774. Kosala Moore, 1879** (Lasiocampidae) Synonym(s): *Kosala Moore, 1879*
- 2775. Kunugia Nagano, 1917** (Lasiocampidae) Synonym(s): *Kunugia Nagano, 1917*
- 2776. Laeliopsis Aurivillius, 1911** (Lasiocampidae) Synonym(s): *Laeliopsis Aurivillius, 1911*
- 2777. Lajonquiereia Holloway, 1987** (Lasiocampidae) Synonym(s): *Lajonquiereia Holloway, 1987*
- 2778. Lasiocampa Schrank, 1802** (Lasiocampidae) Synonym(s): *Lasiocampa Schrank, 1802*; *Pachygastria Hübner, [1820]*; *Irenocampa Rambur, 1858*
- 2779. Lebeda Walker, 1855** (Lasiocampidae) Synonym(s): *Lebeda Walker, 1855*
- 2780. Leipoxais Holland, 1893** (Lasiocampidae) Synonym(s): *Leipoxais Holland, 1893*
- 2781. Libanopacha Zerny, 1933** (Lasiocampidae) Synonym(s): *Libanopacha Zerny, 1933*
- 2782. Macrothylacia Rambur, 1866** (Lasiocampidae) Synonym(s): *Macrothylacia Rambur, 1866*; *Lachnocampa Wallengren, 1869*
- 2783. Malacosoma Hübner, [1820]** (Lasiocampidae) Synonym(s): *Malacosoma Hübner, [1820]*; *Trichoda Hübner, 1822 nec Müll., 1773*; *Trichodia Stephens, 1827*; *Clisiocampa Curtis, 1828*; *Cliseocampa Agassiz, 1847*
- 2784. Mallocampa Aurivillius, 1902** (Lasiocampidae) Synonym(s): *Mallocampa Aurivillius, 1902*
- 2785. Mesocelis Hübner, [1820]** (Lasiocampidae) Synonym(s): *Mesocelis Hübner, [1820]*; *Mesocelis Walker, 1855*
- 2786. Metadula Walker, 1865** (Lasiocampidae) Synonym(s): *Metadula Walker, 1865*
- 2787. Metanastria Hübner, [1820]** (Lasiocampidae) Synonym(s): *Metanastria Hübner, [1820]*
- 2788. Micropacha Roepke, 1953** (Lasiocampidae) Synonym(s): *Micropacha Roepke, 1953*
- 2789. Mimopacha Aurivillius, 1905** (Lasiocampidae) Synonym(s): *Mimopacha Aurivillius, 1905*; *Libyopacha Clos, 1920*

- 2790.** *Napta Guenée, 1865* (Lasiocampidae) Synonym(s): *Napta Guenée, 1865*; *Glacia Saalmüller, 1884*
- 2791.** *Notogroma Zolotuhin & Witt, 2000* (Lasiocampidae) Synonym(s): *Notogroma Zolotuhin & Witt, 2000*
- 2792.** *Ocinaropsis Aurivillius, 1905* (Lasiocampidae) Synonym(s): *Ocinaropsis Aurivillius, 1905*
- 2793.** *Odonestis Germar, 1812* (Lasiocampidae) Synonym(s): *Odonestis Germar, 1812*; *Chrostogastria Hübner, [1820]*; *Phylloxera Rambur, 1866 nec Boyer, 1834*; *Lobocampa Wallengren, 1869*; *Pseudarguda Matsumura, 1932*; *#Odonestia Lewvanich, 2001*
- 2794.** *Odontocheilopteryx Wallengren, 1860* (Lasiocampidae) Synonym(s): *Odontocheilopteryx Wallengren, 1860*
- 2795.** *Odontocraspis Swinhoe, 1894* (Lasiocampidae) Synonym(s): *Odontocraspis Swinhoe, 1894*
- 2796.** *Odontopacha Aurivillius, 1909* (Lasiocampidae) Synonym(s): *Odontopacha Aurivillius, 1909*
- 2797.** *Opisthodontia Aurivillius, 1895* (Lasiocampidae) Synonym(s): *Opisthodontia Aurivillius, 1895*
- 2798.** *Pachymeta Aurivillius, 1906* (Lasiocampidae) Synonym(s): *Pachymeta Aurivillius, 1906*
- 2799.** *Pachymetana Strand, 1912* (Lasiocampidae) Synonym(s): *Pachymetana Strand, 1912*
- 2800.** *Pachypasa Walker, 1855* (Lasiocampidae) Synonym(s): *Pachypasa Walker, 1855*; *Mecistosoma Rambur, 1866*
- 2801.** *Pachypasoides Matsumura, 1927* (Lasiocampidae) Synonym(s): *Pachypasoides Matsumura, 1927*; *Hoenimnema De Lajonquière, 1971*
- 2802.** *Paradoxopla De Lajonquière, 1976* (Lasiocampidae) Synonym(s): *Paradoxopla De Lajonquière, 1976*
- 2803.** *Paralebeda Aurivillius, 1894* (Lasiocampidae) Synonym(s): *Paralebeda Aurivillius, 1894*
- 2804.** *Philotherma Möschler, 1887* (Lasiocampidae) Synonym(s): *Philotherma Möschler, 1887*
- 2805.** *Phylloidesma Hübner, [1820]* (Lasiocampidae) Synonym(s): *Phylloidesma Hübner, [1820]*
- 2806.** *Poecilocampa Stephens, 1828* (Lasiocampidae) Synonym(s): *Poecilocampa Stephens, 1828*
- 2807.** *Pseudolyra Aurivillius, 1925* (Lasiocampidae) Synonym(s): *Pseudolyra Aurivillius, 1925*
- 2808.** *Pseudometa Aurivillius, 1901* (Lasiocampidae) Synonym(s): *Pseudometa Aurivillius, 1901*; *Alenella Strand, 1912*; *Gastroplakaena Strand, 1912*
- 2809.** *Psilogaster Reichenbach, 1817* (Lasiocampidae) Synonym(s): *Psilogaster Reichenbach, 1817*; *Diplura Rambur, 1866 nec Koch, 1850*; *Diplurella Strand, 1910*
- 2810.** *Pyrosis Oberthür, 1880* (Lasiocampidae) Synonym(s): *Pyrosis Oberthür, 1880*; *Bhima Moore, 1888*
- 2811.** *Radhica Moore, 1879* (Lasiocampidae) Synonym(s): *Radhica Moore, 1879*
- 2812.** *Rhinobombyx Aurivillius, 1879* (Lasiocampidae) Synonym(s): *Rhinobombyx Aurivillius, 1879*
- 2813.** *Schausinna Aurivillius, 1909* (Lasiocampidae) Synonym(s): *Schausinna Aurivillius, 1909*
- 2814.** *Sena Walker, 1862* (Lasiocampidae) Synonym(s): *Sena Walker, 1862*
- 2815.** *Stenophatna Aurivillius, 1909* (Lasiocampidae) Synonym(s): *Stenophatna Aurivillius, 1909*
- 2816.** *Stoermeriana De Freina & Witt, 1983* (Lasiocampidae) Synonym(s): *Stoermeriana De Freina & Witt, 1983*
- 2817.** *Streblote Hübner, [1820]* (Lasiocampidae) Synonym(s): *Streblote Hübner, [1820]*; *Megasoma Boisduval, 1833 nec Kby, 1825*; *Nadiasa Walker, 1855*; *Taragama Moore, [1860]*; *Concaedes Wallengren, 1865*; *Ticera Swinhoe, 1892*; *Megamosa Collier, 1936*
- 2818.** *Suana Walker, 1855* (Lasiocampidae) Synonym(s): *Suana Walker, 1855*
- 2819.** *Syrastrena Moore, 1884* (Lasiocampidae) Synonym(s): *Syrastrena Moore, 1884*
- 2820.** *Syrastrenopsis Grünberg, 1914* (Lasiocampidae) Synonym(s): *Syrastrenopsis Grünberg, 1914*
- 2821.** *Takanea Nagano, 1917* (Lasiocampidae) Synonym(s): *Takanea Nagano, 1917*; *Seitzia Scriba, 1919*
- 2822.** *Trabala Walker, 1856* (Lasiocampidae) Synonym(s): *Trabala Walker, 1856*; *Amydona Walker, 1855 nec Wlk., 1855*
- 2823.** *Trichiura Stephens, 1828* (Lasiocampidae) Synonym(s): *Trichiura Stephens, 1828*
- 2824.** *Trichiurana Aurivillius, 1921* (Lasiocampidae) Synonym(s): *Trichiurana Aurivillius, 1921*
- 2825.** *Trichopisthia Aurivillius, 1909* (Lasiocampidae) Synonym(s): *Trichopisthia Aurivillius, 1909*
- 2826.** *Zolotuhina Koçak & Kemal, 2006* (Lasiocampidae) Synonym(s): *Gorgonella Zolotuhin, 2000 nec Valenc., 1855*; *Zolotuhina Koçak & Kemal, 2006*
- 2827.** *Abrachmia Amsel, 1968* (Lecithoceridae) Synonym(s): *Abrachmia Amsel, 1968*
- 2828.** *Amaloxestis Gozmany, 1971* (Lecithoceridae) Synonym(s): *Macrotona Meyrick, 1904 nec Brunner, 1893*; *Amaloxestis Gozmany, 1971*
- 2829.** *Amphitrias Meyrick, 1908* (Lecithoceridae) Synonym(s): *Amphitrias Meyrick, 1908*
- 2830.** *Anamimnesis Gozmany, 1978* (Lecithoceridae) Synonym(s): *Anamimnesis Gozmany, 1978*
- 2831.** *Aproparia Gozmany, 1972* (Lecithoceridae) Synonym(s): *Aproparia Gozmany, 1972*
- 2832.** *Athymoris Meyrick, 1935* (Lecithoceridae) Synonym(s): *Athymoris Meyrick, 1935*
- 2833.** *Atrichozancla Janse, 1954* (Lecithoceridae) Synonym(s): *Atrichozancla Janse, 1954*
- 2834.** *Carodista Meyrick, 1925* (Lecithoceridae) Synonym(s): *Carodista Meyrick, 1925*
- 2835.** *Catacreagra Gozmany, 1978* (Lecithoceridae) Synonym(s): *Catacreagra Gozmany, 1978*
- 2836.** *Ceuthomadarus Mann, 1864* (Lecithoceridae) Synonym(s): *Ceuthomadarus Mann, 1864*
- 2837.** *Concordaxis* (Lecithoceridae) Synonym(s): *Concordaxis*
- 2838.** *Cophomantella T.B.Fletcher, 1940* (Lecithoceridae) Synonym(s): *Cophomantis Meyrick, 1925 (homonym)*; *Cophomantella T.B.Fletcher, 1940*
- 2839.** *Coydalla Walker, 1864* (Lecithoceridae) Synonym(s): *Coydalla Walker, 1864*
- 2840.** *Crocogma Meyrick, 1918* (Lecithoceridae) Synonym(s): *Crocogma Meyrick, 1918*; *Demopractis Meyrick, 1918*
- 2841.** *Cubitomoris Gozmany, 1978* (Lecithoceridae) Synonym(s): *Cubitomoris Gozmany, 1978*
- 2842.** *Deltoplastis Meyrick, 1925* (Lecithoceridae) Synonym(s): *Deltoplastis Meyrick, 1925*
- 2843.** *Dixognatha Wu, 2002* (Lecithoceridae) Synonym(s): *Dixognatha Wu, 2002*
- 2844.** *Dragnetucha Meyrick, 1908* (Lecithoceridae) Synonym(s): *Dragnetucha Meyrick, 1908*
- 2845.** *Eccedoxa Gozmany, 1973* (Lecithoceridae) Synonym(s): *Eccedoxa Gozmany, 1973*
- 2846.** *Epharmonia Meyrick, 1925* (Lecithoceridae) Synonym(s): *Epharmonia Meyrick, 1925*
- 2847.** *Epimactis Meyrick, 1907* (Lecithoceridae) Synonym(s): *Epimactis Meyrick, 1907*
- 2848.** *Eridachtha Meyrick, 1910* (Lecithoceridae) Synonym(s): *Eridachtha Meyrick, 1910*; *Corthyntis Meyrick, 1916*; *#Eridachtha Janse, 1963*
- 2849.** *Eurodachtha Gozmany, 1978* (Lecithoceridae) Synonym(s): *Eurodachtha Gozmany, 1978*
- 2850.** *Frisilia Walker, 1864* (Lecithoceridae) Synonym(s): *Frisilia Walker, 1864*; *Tipasa Walker, 1864*; *Macrernis Meyrick, 1887*
- 2851.** *Halolaguna Gozmany, 1978* (Lecithoceridae) Synonym(s): *Halolaguna Gozmany, 1978*
- 2852.** *Hoenea Gozmany, 1970* (Lecithoceridae) Synonym(s): *Hoenea Gozmany, 1970*
- 2853.** *Homaloxestis Meyrick, 1910* (Lecithoceridae) Synonym(s): *Homaloxestis Meyrick, 1910*; *#Homaloxestis Meyrick, 1931*
- 2854.** *Hygroplasta Meyrick, 1925* (Lecithoceridae) Synonym(s): *Hygroplasta Meyrick, 1925*
- 2855.** *Hyperochtha Meyrick, 1925* (Lecithoceridae) Synonym(s): *Hyperochtha Meyrick, 1925*
- 2856.** *Idiopteryx Walsingham, 1891* (Lecithoceridae) Synonym(s): *Idiopteryx Walsingham, 1891*
- 2857.** *Ilinarsis* (Lecithoceridae) Synonym(s): *Ilinarsis*
- 2858.** *Ilioparsis Gozmany, 1973* (Lecithoceridae) Synonym(s): *Ilioparsis Gozmany, 1973*
- 2859.** *Isotpa Janse, 1954* (Lecithoceridae) Synonym(s): *Isotpa Janse, 1954*
- 2860.** *Issikipteryx Moriuti, 1973* (Lecithoceridae) Synonym(s): *Issikipteryx Moriuti, 1973*
- 2861.** *Lecithocera Herrich-Schäffer, [1853]* (Lecithoceridae) Synonym(s): *Lecithocera Herrich-Schäffer, [1853]*; *Patouissa Walker, 1864*; *Brachyerga Meyrick, 1925*; *Periphorectis Meyrick, 1925*; *Xanthocera Amsel, 1953*; *Leviptera Janse, 1954*; *Xanthoceroles Amsel, 1955*; *Parrhasastris Gozmany, 1972*
- 2862.** *Lecitholaxa Gozmany, 1978* (Lecithoceridae) Synonym(s): *Lecitholaxa Gozmany, 1978*

- 2863. Monerista Meyrick, 1925** (Lecithoceridae) Synonym(s): *Monerista Meyrick, 1925*
- 2864. Neocorodes Meyrick, 1923** (Lecithoceridae) Synonym(s): *Neocorodes Meyrick, 1923*
- 2865. Nephelographa Gozmany, 1978** (Lecithoceridae) Synonym(s): *Nephelographa Gozmany, 1978*
- 2866. Nosphistica Meyrick, 1911** (Lecithoceridae) Synonym(s): *Nosphistica Meyrick, 1911; Philoptila Meyrick, 1918*
- 2867. Nyctocyrra Gozmany, 1978** (Lecithoceridae) Synonym(s): *Nyctocyrra Gozmany, 1978*
- 2868. Odites (Gozmaniola) Lvovsky, 1996** (Lecithoceridae) Synonym(s): *Gozmaniola Lvovsky, 1996*
- 2869. Odites (Oditoides) Lvovsky, 1996** (Lecithoceridae) Synonym(s): *Oditoides Lvovsky, 1996*
- 2870. Odites (s.str.) Walsingham, 1891** (Lecithoceridae) Synonym(s): *Odites Walsingham, 1891; Trichernis Meyrick, 1894; Myriopleura Meyrick, 1906*
- 2871. Odites Walsingham, 1891** (Lecithoceridae) Synonym(s): *Odites Walsingham, 1891; Trichernis Meyrick, 1894*
- 2872. Opacoptera (Fulvitalia) Chunsheng Wu, 1996** (Lecithoceridae) Synonym(s): *Fulvitalia Chunsheng Wu, 1996*
- 2873. Opacoptera Gozmany, 1978** (Lecithoceridae) Synonym(s): *Opacoptera Gozmany, 1978*
- 2874. Philharmonia Gozmany, 1978** (Lecithoceridae) Synonym(s): *Philharmonia Gozmany, 1978*
- 2875. Philoptila Meyrick, 1918** (Lecithoceridae) Synonym(s): *Philoptila Meyrick, 1918*
- 2876. Plagiocrossa Janse, 1954** (Lecithoceridae) Synonym(s): *Plagiocrossa Janse, 1954*
- 2877. Pompographa Gozmany, 1971** (Lecithoceridae) Synonym(s): *Pompographa Gozmany, 1971*
- 2878. Procometis Meyrick, 1908** (Lecithoceridae) Synonym(s): *Procometis Meyrick, 1908*
- 2879. Prothamnoides Meyrick, 1923** (Lecithoceridae) Synonym(s): *Prothamnoides Meyrick, 1923*
- 2880. Protolychnis Meyrick, 1925** (Lecithoceridae) Synonym(s): *Protolychnis Meyrick, 1925; #Protolichnis Janse, 1963*
- 2881. Ptochoryctis Meyrick, 1894** (Lecithoceridae) Synonym(s): *Ptochoryctis Meyrick, 1894*
- 2882. Quassitagma Gozmany, 1978** (Lecithoceridae) Synonym(s): *Quassitagma Gozmany, 1978*
- 2883. Recontracta Gozmany, 1978** (Lecithoceridae) Synonym(s): *Recontracta Gozmany, 1978*
- 2884. Rhizosthenes Meyrick, 1935** (Lecithoceridae) Synonym(s): *Rhizosthenes Meyrick, 1935*
- 2885. Sarisophora Meyrick, 1904** (Lecithoceridae) Synonym(s): *Sarisophora Meyrick, 1904; Styloceros Meyrick, 1904*
- 2886. Scythropiodes Matsumura, 1931** (Lecithoceridae) Synonym(s): *Scythropiodes Matsumura, 1931*
- 2887. Siderostigma Gozmany, 1973** (Lecithoceridae) Synonym(s): *Siderostigma Gozmany, 1973*
- 2888. Spatulignatha Gozmany, 1978** (Lecithoceridae) Synonym(s): *Spatulignatha Gozmany, 1978*
- 2889. Sphaerolbia Meyrick, 1934** (Lecithoceridae) Synonym(s): *Sphaerolbia Meyrick, 1934*
- 2890. Stryphnocolpa Meyrick, 1920** (Lecithoceridae) Synonym(s): *Stryphnocolpa Meyrick, 1920*
- 2891. Sychalara Meyrick, 1917** (Lecithoceridae) Synonym(s): *Sychalara Meyrick, 1917*
- 2892. Synchordaxis** (Lecithoceridae) Synonym(s):
- 2893. Synesarga Gozmany, 1978** (Lecithoceridae) Synonym(s): *Synesarga Gozmany, 1978*
- 2894. Tegenocharis Gozmany, 1973** (Lecithoceridae) Synonym(s): *Tegenocharis Gozmany, 1973*
- 2895. Thamnopala Gozmany, 1978** (Lecithoceridae) Synonym(s): *Thamnopala Gozmany, 1978*
- 2896. Thubana Walker, 1864** (Lecithoceridae) Synonym(s): *Thubana Walker, 1864; Titana Walker, 1864; Tiva Walker, 1864; Inapha Walker, 1864; Stelechoris Meyrick, 1925*
- 2897. Thymiatris Meyrick, 1907** (Lecithoceridae) Synonym(s): *Thymiatris Meyrick, 1907*
- 2898. Timyra Walker, 1864** (Lecithoceridae) Synonym(s): *Timyra Walker, 1864; Uipsa Walker, 1864*
- 2899. Tisis Walker, 1864** (Lecithoceridae) Synonym(s): *Tisis Walker, 1864; Tonosa Walker, 1864; Tingentera Walker, 1864; Tipha Walker, 1864; Tirallis Walker, 1864; Togia Walker, 1864; Decuaria Walker, 1864; Cacogamia Snellen, 1903*
- 2900. Torodora Meyrick, 1894** (Lecithoceridae) Synonym(s): *Torodora Meyrick, 1894; Habrogenes Meyrick, 1918; Panplatyceros Diakonoff, 1952*
- 2901. Trichernis Meyrick, 1894** (Lecithoceridae) Synonym(s): *Trichernis Meyrick, 1894*
- 2902. Trichoboscis Meyrick, 1929** (Lecithoceridae) Synonym(s): *Trichoboscis Meyrick, 1929*
- 2903. Trypherantis Meyrick, 1907** (Lecithoceridae) Synonym(s): *Trypherantis Meyrick, 1907*
- 2904. Lemonia Hübner, [1820]** (Lemoniidae) Synonym(s): *Lemonia Hübner, [1820]; Crateronyx Duponchel, [1845]; Limonia Agassiz, 1847 nec Meig., 1803*
- 2905. Sabalia Walker, 1865** (Lemoniidae) Synonym(s): *Sabalia Walker, 1865*
- 2906. Libythea (Jera) Lindsay, 1925** (Libytheidae) Synonym(s): *Dichora Scudder, 1889 nec Paetel, 1875; Jera Lindsay, 1925*
- 2907. Libythea Fabricius, 1807** (Libytheidae) Synonym(s): *Libythea Fabricius, 1807; Hecaerge Ochsenheimer, 1816; Hypatus Hübner, 1822; Libythaeus Boitard, 1828; Dichora Scudder, 1889*
- 2908. Libytheana Michener, 1943** (Libytheidae) Synonym(s): *Libytheana Michener, 1943*
- 2909. Actioleptis R. Felder, 1862** (Limaconidae) Synonym(s): *Actioleptis R. Felder, 1862*
- 2910. Afralthea M. Hering, 1955** (Limaconidae) Synonym(s): *Afralthea M. Hering, 1955*
- 2911. Afrobirthama M. Hering, 1955** (Limaconidae) Synonym(s): *Afrobirthama M. Hering, 1955*
- 2912. Afromiresa Janse, 1964** (Limaconidae) Synonym(s): *Afromiresa Janse, 1964*
- 2913. Allothoesa M. Hering, 1931** (Limaconidae) Synonym(s): *Allothoesa M. Hering, 1931*
- 2914. Altha Walker, 1862** (Limaconidae) Synonym(s): *Altha Walker, 1862; Belgoraea Walker, 1865*
- 2915. Anaxidia Swinhoe, 1892** (Limaconidae) Synonym(s): *Anaxidia Swinhoe, 1892; #Anaxidea Turner, 1926*
- 2916. Aneposia Turner, 1926** (Limaconidae) Synonym(s): *Aneposia Turner, 1926*
- 2917. Apluda Wallengren, 1863** (Limaconidae) Synonym(s): *Apluda Wallengren, 1863*
- 2918. Apoda Haworth, [1809]** (Limaconidae) Synonym(s): *Apoda Haworth, [1809]; Chelone R.L., 1817; Cochlidium Hübner, 1822; Chelonias Hübner, [1825] nec Raf., 1815; Limacodes Berthold, 1827; Manlia Agassiz, 1846; Cochlidion auct.*
- 2919. Apodecta Turner, 1902** (Limaconidae) Synonym(s): *Apodecta Turner, 1902; Anisobathra Lower, 1902*
- 2920. Apreptophanes Janse, 1964** (Limaconidae) Synonym(s): *Apreptophanes Janse, 1964*
- 2921. Araeogyia Hampson, 1892** (Limaconidae) Synonym(s): *Araeogyia Hampson, 1892*
- 2922. Arbelarosa M. Hering, 1931** (Limaconidae) Synonym(s): *Arbelarosa M. Hering, 1931*
- 2923. Arctozygaena Gaede, 1926** (Limaconidae) Synonym(s): *Arctozygaena Gaede, 1926*
- 2924. Astatophlebia Janse, 1964** (Limaconidae) Synonym(s): *Astatophlebia Janse, 1964*
- 2925. Asteria R. Felder, 1874** (Limaconidae) Synonym(s): *Asteria R. Felder, 1874*
- 2926. Atosia Snellen, 1900** (Limaconidae) Synonym(s): *Atosia Snellen, 1900*
- 2927. Baria Karsch, 1896** (Limaconidae) Synonym(s): *Baria Karsch, 1896*
- 2928. Belippa Walker, 1865** (Limaconidae) Synonym(s): *Belippa Walker, 1865*
- 2929. BIRTHAMA Walker, 1862** (Limaconidae) Synonym(s): *BIRTHAMA Walker, 1862; Nirma Van Eecke, 1929*
- 2930. BIRTHAMOIDES M. Hering, 1931** (Limaconidae) Synonym(s): *BIRTHAMOIDES M. Hering, 1931*
- 2931. BIRTHAMULA M. Hering, 1931** (Limaconidae) Synonym(s): *BIRTHAMULA M. Hering, 1931*
- 2932. BIRTHOSEA Holloway, 1986** (Limaconidae) Synonym(s): *BIRTHOSEA Holloway, 1986*
- 2933. Brachia Karsch, 1896** (Limaconidae) Synonym(s): *Brachia Karsch, 1896*
- 2934. Brachypecta Janse, 1964** (Limaconidae) Synonym(s): *Brachypecta Janse, 1964*
- 2935. Caffricola Hampson, 1920** (Limaconidae) Synonym(s): *Caffricola Hampson, 1920*
- 2936. Calcarifera M. Hering, 1931** (Limaconidae) Synonym(s): *Calcarifera M. Hering, 1931*

- 2937. Cania Walker, 1855** (Limaconidae) Synonym(s): *Cania Walker, 1855*
- 2938. Ceratonema Hampson, [1893]** (Limaconidae) Synonym(s): *Ceratonema Hampson, [1893]*
- 2939. Chalcoscelis Hampson, 1893** (Limaconidae) Synonym(s): *Chalcoscelis Hampson, 1893; Chalcoscelis Turner, 1926*
- 2940. Chalcoscelides M. Hering, 1931** (Limaconidae) Synonym(s): *Chalcoscelides M. Hering, 1931*
- 2941. Cheromettia Moore, 1883** (Limaconidae) Synonym(s): *Cheromettia Moore, 1883; #Chleromettia Hutacharern & Tubtim, 1995*
- 2942. Chibiraga Matsumura, 1931** (Limaconidae) Synonym(s): *Chibiraga Matsumura, 1931; Miresina M. Hering, 1933*
- 2943. Chrysamma Karsch, 1896** (Limaconidae) Synonym(s): *Chrysamma Karsch, 1896*
- 2944. Chrysopoloma Druce, 1886** (Limaconidae) Synonym(s): *Chrysopoloma Druce, 1886*
- 2945. Coenobasis R. Felder & Rogenhofer, 1874** (Limaconidae) Synonym(s): *Coenobasis R. Felder & Rogenhofer, 1874*
- 2946. Comana Walker, 1865** (Limaconidae) Synonym(s): *Comana Walker, 1865; Monopola Meyrick, 1891; Hildala Swinhoe, 1892; #Monopala M. Hering, 1931*
- 2947. Comanula M. Hering, 1931** (Limaconidae) Synonym(s): *Comanula M. Hering, 1931*
- 2948. Contheyla Walker, 1865** (Limaconidae) Synonym(s): *Contheyla Walker, 1865*
- 2949. Cosuma Walker, 1855** (Limaconidae) Synonym(s): *Cosuma Walker, 1855*
- 2950. Crothaema Butler, 1880** (Limaconidae) Synonym(s): *Crothaema Butler, 1880*
- 2951. Ctenocompa Karsch, 1896** (Limaconidae) Synonym(s): *Ctenocompa Karsch, 1896*
- 2952. Ctenolita Karsch, 1896** (Limaconidae) Synonym(s): *Ctenolita Karsch, 1896*
- 2953. Darna (Orthocraspeda) Hampson, [1893]** (Limaconidae) Synonym(s): *Orthocraspeda Hampson, [1893]; Thoseoides Shiraki, 1913*
- 2954. Darna (Oxyplax) Hampson, [1893]** (Limaconidae) Synonym(s): *Oxyplax Hampson, [1893]*
- 2955. Darna (Ploneta) Snellen, 1900** (Limaconidae) Synonym(s): *Ploneta Snellen, 1900*
- 2956. Darna (s.str.) Walker, 1862** (Limaconidae) Synonym(s): *Darna Walker, 1862*
- 2957. Darna Walker, 1862** (Limaconidae) Synonym(s): *Darna Walker, 1862*
- 2958. Delorhachis Karsch, 1896** (Limaconidae) Synonym(s): *Delorhachis Karsch, 1896*
- 2959. Deltoptera Janse, 1964** (Limaconidae) Synonym(s): *Deltoptera Janse, 1964; #Deltopera Hacker, 1999*
- 2960. Demonarosa Matsumura, 1931** (Limaconidae) Synonym(s): *Demonarosa Matsumura, 1931; Arbelanarosa Hering, 1931; Natarosa Hering, 1931*
- 2961. Dinawa Bethune-Baker, 1904** (Limaconidae) Synonym(s): *Dinawa Bethune-Baker, 1904*
- 2962. Doratifera Duncan [& Westwood], 1841** (Limaconidae) Synonym(s): *Doratifera Duncan [& Westwood], 1841; Doratiophora Agassiz, 1847; #Doryphora Swainson, 1851; Panisa Walker, 1855; Anapaea Walker, 1855; Pelora Walker, 1855; Doratiophora Scott, 1864; #Doratiphora Lower, 1896; Dinawa Bethune-Baker, 1904*
- 2963. Ecnomoctena Turner, 1926** (Limaconidae) Synonym(s): *Ecnomoctena Turner, 1926*
- 2964. Ectropa Wallengren, 1863** (Limaconidae) Synonym(s): *Ectropa Wallengren, 1863*
- 2965. Elasoptila Turner, 1902** (Limaconidae) Synonym(s): *Elasoptila Turner, 1902*
- 2966. Eloasa Walker, 1865** (Limaconidae) Synonym(s): *Eloasa Walker, 1865; Lethocephala R. Felder, 1874*
- 2967. Euphylycta Snellen, 1900** (Limaconidae) Synonym(s): *Euphylycta Snellen, 1900*
- 2968. Exanthica Meyrick, 1913** (Limaconidae) Synonym(s): *Exanthica Meyrick, 1913*
- 2969. Featheria Hampson, 1916** (Limaconidae) Synonym(s): *Featheria Hampson, 1916*
- 2970. Flavinarosa Holloway, 1986** (Limaconidae) Synonym(s): *Flavinarosa Holloway, 1986*
- 2971. Gavara Walker, [1858]** (Limaconidae) Synonym(s): *Gavara Walker, [1858]; Pletura Wallengren, 1863; Heterolepis Felder, 1874.*
- 2972. Gephyrophora Karsch, 1896** (Limaconidae) Synonym(s): *Gephyrophora Karsch, 1896*
- 2973. Griseothosea Holloway, 1986** (Limaconidae) Synonym(s): *Griseothosea Holloway, 1986*
- 2974. Halseyia D.S. Fletcher, 1982** (Limaconidae) Synonym(s): *Halseyia D.S. Fletcher, 1982; Paryphanta Karsch, 1896; #Paraphanta Bethune-Baker, 1909.*
- 2975. Hamartia M. Hering, 1937** (Limaconidae) Synonym(s): *Hamartia M. Hering, 1937*
- 2976. Hedraea Turner, 1926** (Limaconidae) Synonym(s): *Hedraea Turner, 1926*
- 2977. Heringarosa Holloway, 1986** (Limaconidae) Synonym(s): *Heringarosa Holloway, 1986*
- 2978. Heterogenea Knoch, 1783** (Limaconidae) Synonym(s): *Heterogenea Knoch, 1783*
- 2979. Hilopoda Karsch, 1896** (Limaconidae) Synonym(s): *Hilopoda Karsch, 1896*
- 2980. Homosusica Janse, 1964** (Limaconidae) Synonym(s): *Homosusica Janse, 1964*
- 2981. Hoyosia Agenjo, 1972** (Limaconidae) Synonym(s): *#Ruperezia Agenjo, 1968; Hoyosia Agenjo, 1972*
- 2982. Hydroclada Meyrick, 1889** (Limaconidae) Synonym(s): *Hydroclada Meyrick, 1889; Lasiolimacos Bethune-Baker, 1904; #Lasiolimachus Bethune-Baker, 1904; #Hydrocladia West, 1937*
- 2983. Hyphorma Walker, 1865** (Limaconidae) Synonym(s): *Hyphorma Walker, 1865*
- 2984. Hyphormides M. Hering, 1931** (Limaconidae) Synonym(s): *Hyphormides M. Hering, 1931*
- 2985. Hyphormoides Strand, 1914** (Limaconidae) Synonym(s): *Hyphormoides Strand, 1914*
- 2986. Hypselolopha Turner, 1926** (Limaconidae) Synonym(s): *Hypselolopha Turner, 1926*
- 2987. Idonauton Swinhoe, 1892** (Limaconidae) Synonym(s): *Idonauton Swinhoe, 1892*
- 2988. Inous Walker, 1855** (Limaconidae) Synonym(s): *Inous Walker, 1855*
- 2989. Isozinara Janse, 1964** (Limaconidae) Synonym(s): *Isozinara Janse, 1964*
- 2990. Jordaniana M. Hering, 1955** (Limaconidae) Synonym(s): *Jordaniana M. Hering, 1955*
- 2991. Lamprolepis R. Felder, 1874** (Limaconidae) Synonym(s): *Lamprolepis R. Felder, 1874 nec Fitzing, 1843; Lamprolepidia Turner, 1926*
- 2992. Lasiochara Bethune-Baker, 1904** (Limaconidae) Synonym(s): *Lasiochara Bethune-Baker, 1904*
- 2993. Lasiolimacos Bethune-Baker, 1904** (Limaconidae) Synonym(s): *Lasiolimacos Bethune-Baker, 1904*
- 2994. Latoia Guérin-Méneville, [1844]** (Limaconidae) Synonym(s): *Latoia Guérin-Méneville, [1844]; Somara Walker, 1855; Asteria R. Felder & Rogenhofer, 1874 nec Müll., 1775*
- 2995. Latoiola M. Hering, 1955** (Limaconidae) Synonym(s): *Latoiola M. Hering, 1955*
- 2996. Lepidorytis Aurivillius, 1900** (Limaconidae) Synonym(s): *Lepidorytis Aurivillius, 1900*
- 2997. Limacochara D.S. Fletcher, 1982** (Limaconidae) Synonym(s): *Lasiochara Bethune-Baker, 1904 nec Gangl., 1895; Limacochara D.S. Fletcher, 1982*
- 2998. Limacosilla M. Hering, 1931** (Limaconidae) Synonym(s): *Limacosilla M. Hering, 1931*
- 2999. Lymantricodes Holloway, 1986** (Limaconidae) Synonym(s): *Lymantricodes Holloway, 1986*
- 3000. Macroplecta Hampson, [1893]** (Limaconidae) Synonym(s): *Macroplecta Hampson, [1893]; #Microplecta Grünberg, 1912.*
- 3001. Mahanta Moore, 1879** (Limaconidae) Synonym(s): *Mahanta Moore, 1879*
- 3002. Mambara Bethune-Baker, 1908** (Limaconidae) Synonym(s): *Mambara Bethune-Baker, 1908; Hypoblechra Turner, 1926*
- 3003. Mambarilla M. Hering, 1931** (Limaconidae) Synonym(s): *Mambarilla M. Hering, 1931*
- 3004. Mecytha Walker, 1855** (Limaconidae) Synonym(s): *Mecytha Walker, 1855*
- 3005. Micraphe Karsch, 1896** (Limaconidae) Synonym(s): *Micraphe Karsch, 1896*
- 3006. Microleon Butler, 1885** (Limaconidae) Synonym(s): *Microleon Butler, 1885*
- 3007. Microlimax Hampson, 1896** (Limaconidae) Synonym(s): *Microlimax Hampson, 1896*

- 3008. Miresa Walker, 1855** (Limaconidae) Synonym(s): *Nyssia Herrich-Schäffer, [1854] nec Dup., 1829; Miresa Walker, 1855; Nyssia Walker, 1855 nec Dup., 1829; Neomiresa Butler, 1878*
- 3009. Monema Walker, 1855** (Limaconidae) Synonym(s): *Monema Walker, 1855*
- 3010. Monoplecta Janse, 1964** (Limaconidae) Synonym(s): *Monoplecta Janse, 1964*
- 3011. Nagoda Moore, 1887** (Limaconidae) Synonym(s): *Nagoda Moore, 1887*
- 3012. Nagodopsis Matsumura, 1931** (Limaconidae) Synonym(s): *Nagodopsis Matsumura, 1931*
- 3013. Narosa Walker, 1856** (Limaconidae) Synonym(s): *Narosa Walker, 1856; Penicillanarosa Strand, 1917*
- 3014. Natada Walker, 1855** (Limaconidae) Synonym(s): *Natada Walker, 1855; Bombycocera R.Felder, 1874; Rhinaxina Berg, 1882; #Rhinaxime Davis, 1983*
- 3015. Neogavara Janse, 1964** (Limaconidae) Synonym(s): *Neogavara Janse, 1964*
- 3016. Neomocena Janse, 1964** (Limaconidae) Synonym(s): *Neomocena Janse, 1964*
- 3017. Nervicompressa Bethune-Baker, 1904** (Limaconidae) Synonym(s): *Nervicompressa Bethune-Baker, 1904*
- 3018. Niphadolepis Karsch, 1896** (Limaconidae) Synonym(s): *Niphadolepis Karsch, 1896*
- 3019. Nirma Van Eecke, 1929** (Limaconidae) Synonym(s): *#Nirma Van Eecke, 1925; Nirma Van Eecke, 1929*
- 3020. Nirmides M.Hering, 1931** (Limaconidae) Synonym(s): *Nirmides M.Hering, 1931*
- 3021. Olona Snellen, 1900** (Limaconidae) Synonym(s): *Olona Snellen, 1900*
- 3022. Omocenoides Janse, 1964** (Limaconidae) Synonym(s): *Omocenoides Janse, 1964*
- 3023. Pantocenia R.Felder & Rogenhofer, 1874** (Limaconidae) Synonym(s): *Pantocenia R.Felder & Rogenhofer, 1874; #Panocenia Pinhey, 1975*
- 3024. Paraphlebs Aurivillius, 1921** (Limaconidae) Synonym(s): *Paraphlebs Aurivillius, 1921; Irostola Janse, 1964*
- 3025. Parapluda Aurivillius, 1900** (Limaconidae) Synonym(s): *Parapluda Aurivillius, 1900*
- 3026. Parasa Moore, [1860]** (Limaconidae) Synonym(s): *Neaera Herrich-Schäffer, [1854] nec Robin.-Des., 1830; Parasa Moore, [1860]; Callochloa Packard, 1864; Neaerasa Staudinger, 1892; #Pacasa Wichgraf, 1908*
- 3027. Parasoidea M.Hering, 1931** (Limaconidae) Synonym(s): *Parasoidea M.Hering, 1931*
- 3028. Phlebodicha Karsch, 1896** (Limaconidae) Synonym(s): *Phlebodicha Karsch, 1896*
- 3029. Phlossa Walker, 1858** (Limaconidae) Synonym(s): *Phlossa Walker, 1858; Iragoides Hering, 1931*
- 3030. Phocoderma Butler, 1886** (Limaconidae) Synonym(s): *Phocoderma Butler, 1886*
- 3031. Phrixolepia Butler, 1877** (Limaconidae) Synonym(s): *Phrixolepia Butler, 1877*
- 3032. Praesetora Holloway, 1986** (Limaconidae) Synonym(s): *Praesetora Holloway, 1986*
- 3033. Praesusica M.Hering, 1931** (Limaconidae) Synonym(s): *Praesusica M.Hering, 1931*
- 3034. Probalintha Walker, 1865** (Limaconidae) Synonym(s): *Probalintha Walker, 1865*
- 3035. Pseudanapaea M.Hering, 1931** (Limaconidae) Synonym(s): *Pseudanapaea M.Hering, 1931*
- 3036. Pseudidonauton M.Hering, 1931** (Limaconidae) Synonym(s): *Pseudidonauton M.Hering, 1931*
- 3037. Pseudonirmines Holloway, 1986** (Limaconidae) Synonym(s): *Pseudonirmines Holloway, 1986*
- 3038. Pseudothoesa Janse, 1964** (Limaconidae) Synonym(s): *Pseudothoesa Janse, 1964*
- 3039. Pygmaeomorpha Bethune-Baker, 1904** (Limaconidae) Synonym(s): *Pygmaeomorpha Bethune-Baker, 1904*
- 3040. Quasithoesa Holloway, 1987** (Limaconidae) Synonym(s): *Quasithoesa Holloway, 1987*
- 3041. Rhamnopsis Matsumura, 1931** (Limaconidae) Synonym(s): *Rhamnopsis Matsumura, 1931*
- 3042. Rhamnosa Fixsen, 1887** (Limaconidae) Synonym(s): *Rhamnosa Fixsen, 1887*
- 3043. Rhypteira Holland, 1893** (Limaconidae) Synonym(s): *Rhypteira Holland, 1893*
- 3044. Saccurosa Holloway, 1986** (Limaconidae) Synonym(s): *Saccurosa Holloway, 1986*
- 3045. Scirrhomia Bethune-Baker, 1915** (Limaconidae) Synonym(s): *Scirrhomia Bethune-Baker, 1915*
- 3046. Scopelodes Westwood, 1841** (Limaconidae) Synonym(s): *Scopelodes Westwood, 1841; Asbolia Herrich-Schäffer, 1855; Bethura Walker, 1862*
- 3047. Scotinocerides M.Hering, 1937** (Limaconidae) Synonym(s): *SM.cotinocerides Hering, 1937*
- 3048. Scotinochoa Butler, 1897** (Limaconidae) Synonym(s): *Scotinochoa Butler, 1897; Parathoesa Aurivillius, 1921*
- 3049. Semyrilla Aurivillius, 1900** (Limaconidae) Synonym(s): *Semyrilla Aurivillius, 1900; Hyphormoides Strand, 1914; #Smyrilla Fletcher, 1982*
- 3050. Setora Walker, 1855** (Limaconidae) Synonym(s): *Setora Walker, 1855*
- 3051. Setothoesa Holloway, 1986** (Limaconidae) Synonym(s): *Setothoesa Holloway, 1986*
- 3052. Spatulifimbria Hampson, 1892** (Limaconidae) Synonym(s): *Spatulifimbria Hampson, 1892*
- 3053. Sporetolepis Karsch, 1899** (Limaconidae) Synonym(s): *Sporetolepis Karsch, 1899*
- 3054. Squamosa Bethune-Baker, 1908** (Limaconidae) Synonym(s): *Squamosa Bethune-Baker, 1908*
- 3055. Squamosala Bethune-Baker, 1904** (Limaconidae) Synonym(s): *Squamosala Bethune-Baker, 1904*
- 3056. Striogya Holloway, 1986** (Limaconidae) Synonym(s): *Striogya Holloway, 1986*
- 3057. Stroter Karsch, 1899** (Limaconidae) Synonym(s): *Stroter Karsch, 1899*
- 3058. Susica Walker, 1855** (Limaconidae) Synonym(s): *Susica Walker, 1855; Tadema Walker, 1856*
- 3059. Susicina M.Hering, 1955** (Limaconidae) Synonym(s): *Susicina M.Hering, 1955*
- 3060. Taeda Wallengren, 1863** (Limaconidae) Synonym(s): *Taeda Wallengren, 1863*
- 3061. Tetraphleba Strand, 1921** (Limaconidae) Synonym(s): *Tetraphlebs Hampson, 1892 nec Fieber, 1861; Tetraphleba Strand, 1921*
- 3062. Thoesa Walker, 1855** (Limaconidae) Synonym(s): *Thoesa Walker, 1855; Anzabe Walker, 1855; Aphendala Walker, 1865; Autocopa Meyrick, 1889; Dasycomota Lower, 1902*
- 3063. Trachyptena Bethune-Baker, 1911** (Limaconidae) Synonym(s): *Trachyptena Bethune-Baker, 1911; Narosana Bethune-Baker, 1915; Uniserrata Janse, 1964*
- 3064. Trichogya Hampson, 1894** (Limaconidae) Synonym(s): *Trichogya Hampson, 1894*
- 3065. Triplophleps Hampson, 1892** (Limaconidae) Synonym(s): *Triplophleps Hampson, 1892*
- 3066. Trogocrada Tams, 1953** (Limaconidae) Synonym(s): *Trogocrada Tams, 1953*
- 3067. Tryphax Karsch, 1896** (Limaconidae) Synonym(s): *Tryphax Karsch, 1896*
- 3068. Unipectiphora Janse, 1964** (Limaconidae) Synonym(s): *Unipectiphora Janse, 1964*
- 3069. Unithoesa Vari, 1984** (Limaconidae) Synonym(s): *Neothoesa Janse, 1964; Unithoesa Vari, 1984*
- 3070. Zarachella Jordan, 1915** (Limaconidae) Synonym(s): *Zarachella Jordan, 1915*
- 3071. Zinara Walker, 1869** (Limaconidae) Synonym(s): *Zinara Walker, 1869*
- 3072. Zorostola Janse, 1964** (Limaconidae) Synonym(s): *Zorostola Janse, 1964*
- 3073. Actizera Chapman, 1910** (Lycaenidae) Synonym(s): *Actizera Chapman, 1910*
- 3074. Acupicta Eliot, 1973** (Lycaenidae) Synonym(s): *Acupicta Eliot, 1973*
- 3075. Acytolepis Toxopeus, 1927** (Lycaenidae) Synonym(s): *Acytolepis Toxopeus, 1927*
- 3076. Aethiopana Bethune-Baker, 1915** (Lycaenidae) Synonym(s): *Aethiopana Bethune-Baker, 1915*
- 3077. Alaena Boisduval, 1847** (Lycaenidae) Synonym(s): *Alaena Boisduval, 1847*
- 3078. Allosmaitia Clench, 1964** (Lycaenidae) Synonym(s): *Allosmaitia Clench, 1964*
- 3079. Allotinus (Fabitaras) Eliot, 1986** (Lycaenidae) Synonym(s): *Fabitaras Eliot, 1986*
- 3080. Allotinus (Paragerydus) Distant, 1884** (Lycaenidae) Synonym(s): *Paragerydus Distant, 1884*
- 3081. Allotinus (s.str.) C.Felder & R.Felder, [1865]** (Lycaenidae) Synonym(s): *Allotinus C.Felder & R.Felder, [1865]*

- 3082.** *Allotinus* C.Felder & R.Felder,[1865] (Lycaenidae) Synonym(s): *Allotinus* C.Felder & R.Felder,[1865]
- 3083.** *Aloeides* Hübner,[1819] (Lycaenidae) Synonym(s): *Aloeides* Hübner,[1819]; #*Aloeidas* Hemming,1967.
- 3084.** *Amblopala* Leech,1893 (Lycaenidae) Synonym(s): *Amblopala* Leech,1893
- 3085.** *Amblypodia* Horsfield,[1829] (Lycaenidae) Synonym(s): *Amblypodia* Horsfield,[1829]; *Horsfieldia* Riley,1922
- 3086.** *Ancema* Eliot,1973 (Lycaenidae) Synonym(s): *Camena* Hewitson,[1865] nec Martens,1860; *Ancema* Eliot,1973
- 3087.** *Anthene* Doubleday,1847 (Lycaenidae) Synonym(s): *Anthene* Doubleday,1847; *Lycaenesthes* Moore,1866; *Pseudoliptena* Stempffer,1946
- 3088.** *Antigius* Sibatani & Ito,1942 (Lycaenidae) Synonym(s): *Antigius* Sibatani & Ito,1942
- 3089.** *Aphnaeus* (Paraphnaeus) Thierry-Mieg,1904 (Lycaenidae) Synonym(s): *Paraphnaeus* Thierry-Mieg,1904
- 3090.** *Aphnaeus* Hübner,[1819] (Lycaenidae) Synonym(s): *Aphnaeus* Hübner,[1819]; *Aphnaemorphia* De Nicéville,1890
- 3091.** *Apporasa* Moore,1884 (Lycaenidae) Synonym(s): *Apporasa* Moore,1884
- 3092.** *Araotes* Doherty,1889 (Lycaenidae) Synonym(s): *Araotes* Doherty,1889
- 3093.** *Araragi* Sibatani & Ito,1942 (Lycaenidae) Synonym(s): *Araragi* Sibatani & Ito,1942
- 3094.** *Arawacus* Kaye,[1904] (Lycaenidae) Synonym(s): *Arawacus* Kaye,[1904]; *Dolymorpha* Holland,1931
- 3095.** *Argyraspodes* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *Argyraspodes* Tite & Dickson,1973.
- 3096.** *Argyrocheila* Staudinger,1892 (Lycaenidae) Synonym(s): *Argyrocheila* Staudinger,1892
- 3097.** *Arhopala* Boisduval,1832 (Lycaenidae) Synonym(s): *Arhopala* Boisduval,1832; *Narathura* Moore,[1879]; *Panchala* Moore,1882; *Aurea* Evans,1957
- 3098.** *Artipe* Boisduval,1870 (Lycaenidae) Synonym(s): *Artipe* Boisduval,1870
- 3099.** *Artopoetes* Chapman,1909 (Lycaenidae) Synonym(s): *Artopoetes* Chapman,1909
- 3100.** *Aslauga* Kirby,1890 (Lycaenidae) Synonym(s): *Aslauga* Kirby,1890
- 3101.** *Austrozephyrus* Howarth,1957 (Lycaenidae) Synonym(s): *Austrozephyrus* Howarth,1957
- 3102.** *Axiocerses* Hübner,[1819] (Lycaenidae) Synonym(s): *Axiocerses* Hübner,[1819]; *Chrysorychia* Wallengren,1857; *Chrysorychia* Wallengren,1858.
- 3103.** *Azanus* (Azanisis) Kemal,2004 (Lycaenidae) Synonym(s): *Azanisis* Kemal,2004
- 3104.** *Azanus* (s.str.) Moore,[1881] (Lycaenidae) Synonym(s): *Azanus* Moore,[1881]
- 3105.** *Azanus* Moore,[1881] (Lycaenidae) Synonym(s): *Azanus* Moore,[1881]
- 3106.** *Bindahara* Moore,1881 (Lycaenidae) Synonym(s): *Bindahara* Moore,1881
- 3107.** *Bothrinia* Chapman,1909 (Lycaenidae) Synonym(s): *Bothrinia* Chapman,1909
- 3108.** *Brephidium* Scudder,1876 (Lycaenidae) Synonym(s): *Brephidium* Scudder,1876
- 3109.** *Britomartis* De Nicéville,[1895] (Lycaenidae) Synonym(s): *Britomartis* De Nicéville,[1895]
- 3110.** *Bullis* De Nicéville,1897 (Lycaenidae) Synonym(s): *Bullis* De Nicéville,1897
- 3111.** *Cacyreus* Butler,[1898] (Lycaenidae) Synonym(s): *Cacyreus* Butler,[1898]; *Hyreus* Hübner,[1819]
- 3112.** *Caleta* Fruhstorfer,1922 (Lycaenidae) Synonym(s): *Caleta* Fruhstorfer,1922
- 3113.** *Callenya* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *Callenya* Eliot & Kawazoe,1984
- 3114.** *Callophrys* Billberg,1820 (Lycaenidae) Synonym(s): *Lycus* Hübner,[1819] nec Fabr.,1787; *Callophrys* Billberg,1820; *Licis* Hübner,[1823]; *Incisalia* Scudder,1872; *Mitoura* Scudder,1872; *Satsuma* Murray,1875 nec Adams,1868; *Ahlbergia* Bryk,1946; *Ginzia* Okano,1947; #*Callophrys* Barragué,1954; *Sandia* Clench & Ehrlich,1960; *Xamia* Clench,1961; *Cisincisalia* K.Johnson,1992; *Loranthomitoura* Ballmer & Pratt,1992; *Novosatsuma* K.Johnson,1992; *Cissatsuma* K.Johnson,1992; *Deciduphagus* K.Johnson,1992
- 3115.** *Calycopis* Scudder,1876 (Lycaenidae) Synonym(s): *Calycopis* Scudder,1876
- 3116.** *Castalius* Hübner,[1819] (Lycaenidae) Synonym(s): *Castalius* Hübner,[1819]
- 3117.** *Catapaecilma* Butler,1879 (Lycaenidae) Synonym(s): *Catapaecilma* Butler,1879
- 3118.** *Catochrysops* Boisduval,1832 (Lycaenidae) Synonym(s): *Catochrysops* Boisduval,1832
- 3119.** *Catopyrops* Toxopeus,1929 (Lycaenidae) Synonym(s): *Catopyrops* Toxopeus,1929
- 3120.** *Cebrella* (Chelakina) Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *Chelakina* Eliot & Kawazoe,1984
- 3121.** *Cebrella* (s.str.) Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *Cebrella* Eliot & Kawazoe,1984
- 3122.** *Cebrella* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *Cebrella* Eliot & Kawazoe,1984
- 3123.** *Celarchus* (Armentulus) Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *Armentulus* Eliot & Kawazoe,1984
- 3124.** *Celarchus* (s.str.) Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *Celarchus* Eliot & Kawazoe,1984
- 3125.** *Celarchus* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *Celarchus* Eliot & Kawazoe,1984
- 3126.** *Celastrina* Tutt,1906 (Lycaenidae) Synonym(s): *Celastrina* Tutt,1906; *Cyaniriodes* Matsumura,1919 nec de Niceville,1890; *Masłowska* Kurenzov,1974.
- 3127.** *Celatoxia* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *Celatoxia* Eliot & Kawazoe,1984
- 3128.** *Cesa* Seven,1997 (Lycaenidae) Synonym(s): *Cesa* Seven,1997; *Jacksonia* Heath,1997 nec *Jacksonia* Collen.,1937 non Theobald,1923.
- 3129.** *Chaetoprocta* De Nicéville,1890 (Lycaenidae) Synonym(s): *Chaetoprocta* De Nicéville,1890
- 3130.** *Charana* De Nicéville,1890 (Lycaenidae) Synonym(s): *Charana* De Nicéville,1890
- 3131.** *Cheritra* Moore,[1881] (Lycaenidae) Synonym(s): *Cheritra* Moore,[1881]
- 3132.** *Cheritrella* De Nicéville,1887 (Lycaenidae) Synonym(s): *Cheritrella* De Nicéville,1887
- 3133.** *Chilades* (Freyeria) Courvoisier,1920 (Lycaenidae) Synonym(s): *Freyeria* Courvoisier,1920
- 3134.** *Chilades* (Lachides) Nekrutenko,1984 (Lycaenidae) Synonym(s): *Lachides* Nekrutenko,1984
- 3135.** *Chilades* (Luthrodes) Druce,1895 (Lycaenidae) Synonym(s): *Luthrodes* Druce,1895
- 3136.** *Chilades* Moore,[1881] (Lycaenidae) Synonym(s): *Chilades* Moore,[1881]
- 3137.** *Chliaria* Moore,1884 (Lycaenidae) Synonym(s): *Chliaria* Moore,1884
- 3138.** *Chloroselas* Butler,[1886] (Lycaenidae) Synonym(s): *Chloroselas* Butler,[1886]
- 3139.** *Chrysoritis* (Oxychaeta) Tite & Dickson,1973 (Lycaenidae) Synonym(s): *Oxychaeta* Tite & Dickson,1973
- 3140.** *Chrysoritis* (Poecilmitis) Butler,1899 (Lycaenidae) Synonym(s): *Poecilmitis* Butler,1899; *Bowkeria* Quickelberg,1972.
- 3141.** *Chrysoritis* (s.str.) Butler,[1898] (Lycaenidae) Synonym(s): *Chrysoritis* Butler,[1898].
- 3142.** *Chrysoritis* Butler,[1898] (Lycaenidae) Synonym(s): *Chrysoritis* Butler,[1898]
- 3143.** *Chrysozephyrus* Shirozu & Yamamoto,1956 (Lycaenidae) Synonym(s): *Chrysozephyrus* Shirozu & Yamamoto,1956
- 3144.** *Cigaritis* Donzel,1847 (Lycaenidae) Synonym(s): *Cigaritis* Donzel,1847; *Spindasis* Wallengren,1857; *Apharitis* Riley,1925.
- 3145.** *Cordelia* Shirozu & Yamamoto,1956 (Lycaenidae) Synonym(s): *Cordelia* Shirozu & Yamamoto,1956
- 3146.** *Coreana* Tutt,[1907] (Lycaenidae) Synonym(s): *Coreana* Tutt,[1907]
- 3147.** *Cowania* Eliot,1973 (Lycaenidae) Synonym(s): *Cowania* Eliot,1973
- 3148.** *Creon* De Nicéville,[1896] (Lycaenidae) Synonym(s): *Creon* De Nicéville,[1896]
- 3149.** *Cupido* (Everes) Hübner,[1819] (Lycaenidae) Synonym(s): *Everes* Hübner,[1819]; *Tiora* Evans,1912; *Ununcula* van Eecke,1915
- 3150.** *Cupido* (Sinocupido) Lee,1963 (Lycaenidae) Synonym(s): *Sinocupido* Lee,1963
- 3151.** *Cupido* (s.str.) Schrank,1801 (Lycaenidae) Synonym(s): *Cupido* Schrank,1801
- 3152.** *Cupido* Schrank,1801 (Lycaenidae) Synonym(s): *Cupido* Schrank,1801
- 3153.** *Cupidopsis* Karsch,1895 (Lycaenidae) Synonym(s): *Cupidopsis* Karsch,1895

- 3154.** *Curetis* Hübner,[1819] (Lycaenidae) Synonym(s): *Curetis Hübner*,[1819]
- 3155.** *Cyaniriodes* De Nicéville,1890 (Lycaenidae) Synonym(s): *Cyaniriodes* De Nicéville,1890
- 3156.** *Cyclirius* Butler,[1897] (Lycaenidae) Synonym(s): *Cyclirius* Butler,[1897]
- 3157.** *Dacalana* Moore,1884 (Lycaenidae) Synonym(s): *Dacalana* Moore,1884
- 3158.** *Dapidodigma* Karsch,1895 (Lycaenidae) Synonym(s): *Dapidodigma* Karsch,1895
- 3159.** *Deramas* Distant,1886 (Lycaenidae) Synonym(s): *Deramas* Distant,1886
- 3160.** *Desmolycaena* Trimen,1898 (Lycaenidae) Synonym(s): *Desmolycaena* Trimen,1898
- 3161.** *Deudorix* (Virachola) Moore,[1881] (Lycaenidae) Synonym(s): *Virachola* Moore,[1881]
- 3162.** *Deudorix* (s.str.) Hewitson,[1863] (Lycaenidae) Synonym(s): *Deudorix* Hewitson,[1863]
- 3163.** *Deudorix* Hewitson,[1863] (Lycaenidae) Synonym(s): *Deudorix* Hewitson,[1863]
- 3164.** *Discolampa* Toxopeus,1929 (Lycaenidae) Synonym(s): *Discolampa* Toxopeus,1929
- 3165.** *Drina* De Nicéville,1890 (Lycaenidae) Synonym(s): *Drina* De Nicéville,1890
- 3166.** *Drupadia* Moore,1884 (Lycaenidae) Synonym(s): *Drupadia* Moore,1884; *Biduanda* Distant,1884; *Marmessus* auct.
- 3167.** *Egumbia* Bethune-Baker,1924 (Lycaenidae) Synonym(s): *Egumbia* Bethune-Baker,1924; *Euliphyrodes* Romieux,1937
- 3168.** *Eicochrysops* Bethune-Baker,1924 (Lycaenidae) Synonym(s): *Eicochrysops* Bethune-Baker,1924
- 3169.** *Electrostrymon* Clench,1961 (Lycaenidae) Synonym(s): *Electrostrymon* Clench,1961
- 3170.** *Electrostrymon* endymion (Fabricius,1775) (Lycaenidae) Synonym(s): *endymion* Fabricius,1775; *xenophon* Donovan,1800; *hugon* Godart,[1824]
- 3171.** *Eooxylides* Doherty,1889 (Lycaenidae) Synonym(s): *Eooxylides* Doherty,1889
- 3172.** *Epitola* Westwood,1851 (Lycaenidae) Synonym(s): *Epitola* Westwood,1851
- 3173.** *Epitolina* Aurivillius,1895 (Lycaenidae) Synonym(s): *Epitolina* Aurivillius,1895
- 3174.** *Eresina* Aurivillius,1898 (Lycaenidae) Synonym(s): *Eresina* Aurivillius,1898
- 3175.** *Eresinopsides* Strand,1911 (Lycaenidae) Synonym(s): *Eresinopsides* Strand,1911
- 3176.** *Eresiomera* Clench,1965 (Lycaenidae) Synonym(s): *Eresiomera* Clench,1965
- 3177.** *Erikssonia* Trimen,1891 (Lycaenidae) Synonym(s): *Erikssonia* Trimen,1891
- 3178.** *Erora* Scudder,[1871] (Lycaenidae) Synonym(s): *Erora* Scudder,[1871]
- 3179.** *Euaspa* Moore,1884 (Lycaenidae) Synonym(s): *Euaspa* Moore,1884
- 3180.** *Euchrysops* Butler,1900 (Lycaenidae) Synonym(s): *Euchrysops* Butler,1900
- 3181.** *Euliphyra* Holland,1890 (Lycaenidae) Synonym(s): *Euliphyra* Holland,1890
- 3182.** *Famegana* Eliot,1973 (Lycaenidae) Synonym(s): *Famegana* Eliot,1973
- 3183.** *Favonius* Sibatani & Ito,1942 (Lycaenidae) Synonym(s): *Favonius* Sibatani & Ito,1942
- 3184.** *Feniseca* Grote,1869 (Lycaenidae) Synonym(s): *Feniseca* Grote,1869
- 3185.** *Flos* Doherty,1889 (Lycaenidae) Synonym(s): *Flos* Doherty,1889
- 3186.** *Glaucopsyche* (Apelles) Hemming,1931 (Lycaenidae) Synonym(s): *Apelles* Hemming,1931
- 3187.** *Glaucopsyche* (Bajluana) Korshunov,1990 (Lycaenidae) Synonym(s): *Bajluana* Korshunov,1990
- 3188.** *Glaucopsyche* (s.str.) Scudder,1872 (Lycaenidae) Synonym(s): *Glaucopsyche* Scudder,1872
- 3189.** *Goldia* Dubatolov & Korshunov,1990 (Lycaenidae) Synonym(s): *Goldia* Dubatolov & Korshunov,1990
- 3190.** *Habrodais* Scudder,1876 (Lycaenidae) Synonym(s): *Habrodais* Scudder,1876
- 3191.** *Heliophorus* (Kulua) Zhdanko,1995 (Lycaenidae) Synonym(s): *Kulua* Zhdanko,1995
- 3192.** *Heliophorus* (Nesa) Zhdanko,1995 (Lycaenidae) Synonym(s): *Nesa* Zhdanko,1995
- 3193.** *Heliophorus* (s.str.) Geyer,[1832] (Lycaenidae) Synonym(s): *Heliophorus* Geyer,[1832]
- 3194.** *Heliophorus* Geyer,[1832] (Lycaenidae) Synonym(s): *Heliophorus* Geyer,[1832]
- 3195.** *Horaga* Moore,[1881] (Lycaenidae) Synonym(s): *Horaga* Moore,[1881]
- 3196.** *Hypochrysops* C.Felder & R.Felder,1860 (Lycaenidae) Synonym(s): *Hypochrysops* C.Felder & R.Felder,1860
- 3197.** *Hypolycaena* C.Felder & R.Felder,1862 (Lycaenidae) Synonym(s): *Hypolycaena* C.Felder & R.Felder,1862; *Tatura* Butler,1896
- 3198.** *Hypothecia* Semper,1890 (Lycaenidae) Synonym(s): *Hypothecia* Semper,1890
- 3199.** *Iolana* Bethune-Baker,1914 (Lycaenidae) Synonym(s): *Iolana* Bethune-Baker,1914
- 3200.** *Iolaus* (Epamera) Druce,1891 (Lycaenidae) Synonym(s): *Epamera* Druce,1891
- 3201.** *Ionolyce* Toxopeus,1929 (Lycaenidae) Synonym(s): *Ionolyce* Toxopeus,1929
- 3202.** *Iraota* Moore,[1881] (Lycaenidae) Synonym(s): *Iraota* Moore,[1881]
- 3203.** *Iridana* Aurivillius,1921 (Lycaenidae) Synonym(s): *Iris* Staudinger,1891 nec Sauss.,1872; *Iridopsis* Aurivillius,1898 nec Warr.,1894; *Iridana* Aurivillius,1921
- 3204.** *Jacoona* Distant,1884 (Lycaenidae) Synonym(s): *Jacoona* Distant,1884
- 3205.** *Jamides* Hübner,[1819] (Lycaenidae) Synonym(s): *Jamides* Hübner,[1819]
- 3206.** *Japonica* Tutt,[1907] (Lycaenidae) Synonym(s): *Japonica* Tutt,[1907]
- 3207.** *Keraunogramma* Röber,1887 (Lycaenidae) Synonym(s): *Keraunogramma* Röber,1887
- 3208.** *Laeosopsis* Rambur,1858 (Lycaenidae) Synonym(s): *Laeosopsis* Rambur,1858
- 3209.** *Lampides* Hübner,[1819] (Lycaenidae) Synonym(s): *Lampides* Hübner,[1819]; *Cosmolyce* Toxopeus,1927
- 3210.** *Lepidochrysops* Hedicke,1923 (Lycaenidae) Synonym(s): *Neochrysops* Bethune-Baker,1923 nec Szilady,1922; *Lepidochrysops* Hedicke,1923
- 3211.** *Leptotes* Scudder,1876 (Lycaenidae) Synonym(s): *Leptotes* Scudder,1876; *Syntarucus* Butler,[1901]; *Syntarucoides* Kaye,1904; *Langia* Tutt,[1906] nec Moore,1872; *Raywardia* Tutt,1908
- 3212.** *Lestranicus* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *Lestranicus* Eliot & Kawazoe,1984
- 3213.** *Leucantigius* Shirozu & Murayama,1951 (Lycaenidae) Synonym(s): *Leucantigius* Shirozu & Murayama,1951
- 3214.** *Liphyra* Westwood,1864 (Lycaenidae) Synonym(s): *Liphyra* Westwood,1864
- 3215.** *Logania* Distant,1884 (Lycaenidae) Synonym(s): *Logania* Distant,1884
- 3216.** *Loxura* Horsfield,[1829] (Lycaenidae) Synonym(s): *Loxura* Horsfield,[1829]
- 3217.** *Lycaena* (Alciphronia) Koçak,1992 (Lycaenidae) Synonym(s): *Alciphronia* Koçak,1992
- 3218.** *Lycaena* (Antipodolycaena) Smart,1975 (Lycaenidae) Synonym(s): *Antipodolycaena* Smart,1975
- 3219.** *Lycaena* (Chalceria) Scudder,1876 (Lycaenidae) Synonym(s): *Chalceria* Scudder,1876
- 3220.** *Lycaena* (Epidemia) Scudder,1876 (Lycaenidae) Synonym(s): *Epidemia* Scudder,1876
- 3221.** *Lycaena* (Gaeides) Scudder,1876 (Lycaenidae) Synonym(s): *Gaeides* Scudder,1876
- 3222.** *Lycaena* (Helleia) Verity,1943 (Lycaenidae) Synonym(s): *Helleia* Verity,1943
- 3223.** *Lycaena* (Hollylycaena) Koçak,1983 (Lycaenidae) Synonym(s): *Hollylycaena* Koçak,1983
- 3224.** *Lycaena* (Heodes) Dalman,1816 (Lycaenidae) Synonym(s): *Heodes* Dalman,1816; *Chrysoptera* Zincken,1817
- 3225.** *Lycaena* (Hermelycaena) L.Miller & F.M.Brown,1979 (Lycaenidae) Synonym(s): *Hermelycaena* L.Miller & F.M.Brown,1979
- 3226.** *Lycaena* (Hyrceanana) Bethune-Baker,1914 (Lycaenidae) Synonym(s): *Hyrceanana* Bethune-Baker,1914; *Sarthusia* Verity,1943
- 3227.** *Lycaena* (Loweia) Tutt,[1906] (Lycaenidae) Synonym(s): *Loweia* Tutt,[1906]; *Palaeoloweia* Verity,1934
- 3228.** *Lycaena* (Margelycaena) Koçak & Kemal,2001 (Lycaenidae) Synonym(s): *Phoenicurusia* auct. nec Verity,1943; *Margelycaena* Koçak & Kemal,2001

- 3229. Lycaena (Mirzakhania) Koçak,1996** (Lycaenidae) Synonym(s): *Mirzakhania Koçak,1996*
- 3230. Lycaena (Palaeochrysophanus) Verity,1943** (Lycaenidae) Synonym(s): *Palaeochrysophanus Verity,1943*
- 3231. Lycaena (Phoenicurusia) Verity,1943** (Lycaenidae) Synonym(s): *Phoenicurusia Verity,1943; Athamanthia Zhdanko,1983*
- 3232. Lycaena (Tharsalea) Scudder,1876** (Lycaenidae) Synonym(s): *Tharsalea Scudder,1876*
- 3233. Lycaena (Thersamolycaena) Verity,1957** (Lycaenidae) Synonym(s): *Disparia Verity,1943 nec Nagano,1916; Thersamolycaena Verity,1957*
- 3234. Lycaena (Thersamonia) Verity,1919** (Lycaenidae) Synonym(s): *Thersamonia Verity,1919; Hyllolycaena & L.Miller & F.M.Brown,1979*
- 3235. Lycaena (s.str.) Fabricius,1807** (Lycaenidae) Synonym(s): *Lycaena Fabricius,1807*
- 3236. Lycaena Fabricius,1807** (Lycaenidae) Synonym(s): *Lycaena Fabricius,1807; Lycia Sodoffsky,1837; Migonitis Sodoffsky,1837; Rumicia Tutt,1906.*
- 3237. Lycaenopsis C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *Lycaenopsis C.Felder & R.Felder,[1865]*
- 3238. Maculinea van Eecke,1915** (Lycaenidae) Synonym(s): *Maculinea van Eecke,1915*
- 3239. Mahathala Moore,1878** (Lycaenidae) Synonym(s): *Mahathala Moore,1878*
- 3240. Manto De Nicéville,1895** (Lycaenidae) Synonym(s): *Manto De Nicéville,1895*
- 3241. Mantoides Druce,1896** (Lycaenidae) Synonym(s): *Mantoides Druce,1896*
- 3242. Megisba Moore,1881** (Lycaenidae) Synonym(s): *Megisba Moore,1881; Pathalia Moore,1884.*
- 3243. Micropsyche Mattoni,1981** (Lycaenidae) Synonym(s): *Micropsyche Mattoni,1981*
- 3244. Miletus Hübner,[1819]** (Lycaenidae) Synonym(s): *Miletus Hübner,[1819]*
- 3245. Monodontides (Buakraengius) Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Buakraengius Eliot & Kawazoe,1984*
- 3246. Monodontides (s.str.) Toxopeus,1927** (Lycaenidae) Synonym(s): *Monodontides Toxopeus,1927*
- 3247. Monodontides Toxopeus,1927** (Lycaenidae) Synonym(s): *Monodontides (s.str.) Toxopeus,1927*
- 3248. Mota De Nicéville,1890** (Lycaenidae) Synonym(s): *Mota De Nicéville,1890*
- 3249. Myrina Fabricius,1807** (Lycaenidae) Synonym(s): *Myrina Fabricius,1807*
- 3250. Nacaduba Moore,1881** (Lycaenidae) Synonym(s): *Nacaduba Moore,1881*
- 3251. Neocheritra Distant,1885** (Lycaenidae) Synonym(s): *Neocheritra Distant,1885*
- 3252. Neolycaena (Rhyminaria) Zhdanko,1983** (Lycaenidae) Synonym(s): *Rhyminaria Zhdanko,1983*
- 3253. Neolycaena De Nicéville,1890** (Lycaenidae) Synonym(s): *Neolycaena De Nicéville,1890*
- 3254. Neomyrina Distant,1884** (Lycaenidae) Synonym(s): *Neomyrina Distant,1884*
- 3255. Neopithecops Distant,1884** (Lycaenidae) Synonym(s): *Neopithecops Distant,1884; Parapithecops Moore,1884; Papua Röber,1892.*
- 3256. Neozephyrus Sibatani & Ito,1942** (Lycaenidae) Synonym(s): *Neozephyrus Sibatani & Ito,1942*
- 3257. Neurellipes Bethune-Baker,1910** (Lycaenidae) Synonym(s): *Neurellipes Bethune-Baker,1910; Monile Ungemach,1932*
- 3258. Neurypexina Bethune-Baker,1910** (Lycaenidae) Synonym(s): *Neurypexina Bethune-Baker,1910*
- 3259. Niphanda Moore,[1875]** (Lycaenidae) Synonym(s): *Niphanda Moore,[1875]*
- 3260. Notarthrinus Chapman,1908** (Lycaenidae) Synonym(s): *Notarthrinus Chapman,1908*
- 3261. Oboronia Karsch,1893** (Lycaenidae) Synonym(s): *Oboronia Karsch,1893*
- 3262. Orachrysops Vari,1986** (Lycaenidae) Synonym(s): *Orachrysops Vari,1986*
- 3263. Oraidium Bethune-Baker,1914** (Lycaenidae) Synonym(s): *Oraidium Bethune-Baker,1914*
- 3264. Oreolyce (Arletta) Hemming,1935** (Lycaenidae) Synonym(s): *Moorea Toxopeus,1927 nec Jones & Kirby,1869; Arletta Hemming,1935.*
- 3265. Oreolyce (s.str.) Toxopeus,1927** (Lycaenidae) Synonym(s): *Oreolyce Toxopeus,1927*
- 3266. Oreolyce Toxopeus,1927** (Lycaenidae) Synonym(s): *Oreolyce Toxopeus,1927*
- 3267. Ornipholidotos Bethune-Baker,1914** (Lycaenidae) Synonym(s): *Ornipholidotos Bethune-Baker,1914*
- 3268. Orthomiella De Nicéville,1890** (Lycaenidae) Synonym(s): *Orthomiella De Nicéville,1890*
- 3269. Otnjukovia Zhdanko,1997** (Lycaenidae) Synonym(s): *Otaria Zhdanko,1984 preoccupied; Otnjukovia Zhdanko,1997; Zhdankoana Koçak,1998.*
- 3270. Oxyliodes Hübner,[1819]** (Lycaenidae) Synonym(s): *Oxyliodes Hübner,[1819].*
- 3271. Palaeophilotes (Inderskia) Korshunov,2000** (Lycaenidae) Synonym(s): *Inderskia Korshunov,2000*
- 3272. Palaeophilotes (Inderskia) svetlana Yakovlev,2003** (Lycaenidae) Synonym(s): *svetlana Yakovlev,2003*
- 3273. Palaeophilotes (s.str.) Forster,1938** (Lycaenidae) Synonym(s): *Palaeophilotes Forster,1938*
- 3274. Palaeophilotes Forster,1938** (Lycaenidae) Synonym(s): *Palaeophilotes Forster,1938*
- 3275. Pamela Hemming,1935** (Lycaenidae) Synonym(s): *Listeria De Nicéville,1894 (praeocc.); Pamela Hemming,1935*
- 3276. Paraslauga Bethune-Baker,1925** (Lycaenidae) Synonym(s): *Paraslauga Bethune-Baker,1925*
- 3277. Parelodina Bethune-Baker,1904** (Lycaenidae) Synonym(s): *Parelodina Bethune-Baker,1904*
- 3278. Parrhasius Hübner,[1819]** (Lycaenidae) Synonym(s): *Parrhasius Hübner,[1819]; Eupsyche Scudder,1876*
- 3279. Paruparo Takanami,1982** (Lycaenidae) Synonym(s): *Paruparo Takanami,1982*
- 3280. Pentila (Liptenara) Bethune-Baker,1915** (Lycaenidae) Synonym(s): *Liptenara Bethune-Baker,1915*
- 3281. Pentila (s.str.) Westwood,[1851]** (Lycaenidae) Synonym(s): *Pentila Westwood,[1851]; Tingra Boisduval,1847 [suppressed]*
- 3282. Petrelaea Toxopeus,1929** (Lycaenidae) Synonym(s): *Petrelaea Toxopeus,1929*
- 3283. Phasis Hübner,[1819]** (Lycaenidae) Synonym(s): *Phasis Hübner,[1819].*
- 3284. Phytala Westwood,[1851]** (Lycaenidae) Synonym(s): *Phytala Westwood,[1851]; Hypophytala Clench,1965*
- 3285. Pithecops Horsfield,[1828]** (Lycaenidae) Synonym(s): *Pithecops Horsfield,[1828]*
- 3286. Plautella Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Plautella Eliot & Kawazoe,1984*
- 3287. Plebejus (Alpherakya) Zhdanko,1994** (Lycaenidae) Synonym(s): *Alpherakya Zhdanko,1994*
- 3288. Plebejus (Icaricia) Nabakov,[1945]** (Lycaenidae) Synonym(s): *Icaricia Nabakov,[1945]*
- 3289. Plebejus (Kretania) Beuret,1959** (Lycaenidae) Synonym(s): *Kretania Beuret,1959*
- 3290. Plebejus (Lycaeides) Hübner,[1819]** (Lycaenidae) Synonym(s): *Lycaeides Hübner,[1819]*
- 3291. Plebejus (Plebejides) Sauter,1968** (Lycaenidae) Synonym(s): *Plebejides Sauter,1968*
- 3292. Plebejus (Plebulina) Nabakov,[1945]** (Lycaenidae) Synonym(s): *Plebulina Nabakov,[1945]*
- 3293. Plebejus (s.str.) Kluk,1802** (Lycaenidae) Synonym(s): *Plebejus Kluk,1802*
- 3294. Plebejus Kluk,1802** (Lycaenidae) Synonym(s): *Plebejus Kluk,1802; Plebeius Kirby,1871 nec Tschudi,1846.*
- 3295. Polyommatus (Agriades (Mestore)) Koçak & Kemal,2007** (Lycaenidae) Synonym(s): *Himalaya Koçak & Seven,1998 nec Malhqlra, Capoor & Ghildiyal,1983; Parahimalaya Koçak & Kemal,2007*
- 3296. Polyommatus (Agriades (s.str.)) Hübner,[1819]** (Lycaenidae) Synonym(s): *Agriades Hübner,[1819]; Latorina Tutt,[1909]*
- 3297. Polyommatus (Albulina (Pamiria)) Zhdanko,1995** (Lycaenidae) Synonym(s): *Pamiria Zhdanko,1995*
- 3298. Polyommatus (Albulina (Patricius)) Balint,1991** (Lycaenidae) Synonym(s): *Patricius Balint,1991*
- 3299. Polyommatus (Albulina (Plebejidea)) Koçak,1983** (Lycaenidae) Synonym(s): *Plebejidea Koçak,1983; Elviria Zhdanko,1994.*
- 3300. Polyommatus (Albulina (Vacciniina)) Tutt,[1909]** (Lycaenidae) Synonym(s): *Vacciniina Tutt,[1909]; Farsia Zhdanko,1994*

3301. **Polyommatus** (**Albulina** (s.str.) **Tutt**,[1909] (Lycaenidae) Synonym(s): *Albulina* Tutt,[1909]
3302. **Polyommatus** (**Aricia** (**Eumedonia**)) **Forster**,1938 (Lycaenidae) Synonym(s): *Eumedonia* Forster,1938
3303. **Polyommatus** (**Aricia** (**Pseudoaricia**)) **Beuret**,1959 (Lycaenidae) Synonym(s): *Pseudoaricia* Beuret,1959
3304. **Polyommatus** (**Aricia** (**Ultraaricia**)) **Beuret**,1959 (Lycaenidae) Synonym(s): *Ultraaricia* Beuret,1959
3305. **Polyommatus** (**Aricia** (**Umpria**)) **Zhdanko**,1994 (Lycaenidae) Synonym(s): *Umpria* Zhdanko,1994
3306. **Polyommatus** (**Aricia** (s.str.)) **Reichenbach**,1817 (Lycaenidae) Synonym(s): *Aricia* s.str. Reichenbach,1817
3307. **Polyommatus** (**Aricia**) [**Reichenbach**],1817 (Lycaenidae) Synonym(s): *Aricia* [Reichenbach],1817; *Gynomorphia* Verity,1929.
3308. **Polyommatus** (s.str. (**Agrodiaetus** (**Actisia**))) **Koçak & Kemal**,2001 (Lycaenidae) Synonym(s): *Actisia* Koçak & Kemal,2001
3309. **Polyommatus** (s.str. (**Agrodiaetus** (**Admetusia**))) **Koçak & Seven**,1998 (Lycaenidae) Synonym(s): *Admetusia* Koçak & Seven,1998
3310. **Polyommatus** (s.str. (**Agrodiaetus** (**Antidolus**))) **Koçak & Kemal**,2001 (Lycaenidae) Synonym(s): *Antidolus* Koçak & Kemal,2001
3311. **Polyommatus** (s.str. (**Agrodiaetus** (**Dagmara**))) **Koçak & Kemal**,2001 (Lycaenidae) Synonym(s): *Dagmara* Koçak & Kemal,2001
3312. **Polyommatus** (s.str. (**Agrodiaetus** (**Damaia**))) **Koçak & Kemal**,2001 (Lycaenidae) Synonym(s): *Damaia* Koçak & Kemal,2001.
3313. **Polyommatus** (s.str. (**Agrodiaetus** (**Juldus**))) **Koçak & Kemal**,2001 (Lycaenidae) Synonym(s): *Juldus* Koçak & Kemal,2001
3314. **Polyommatus** (s.str. (**Agrodiaetus** (**Musa**))) **Koçak & Kemal**,2001 (Lycaenidae) Synonym(s): *Musa* Koçak & Kemal,2001
3315. **Polyommatus** (s.str. (**Agrodiaetus** (**Paragrodiaetus**))) **Rose & Schurian**,[1978] (Lycaenidae) Synonym(s): *Paragrodiaetus* Rose & Schurian,[1978]
3316. **Polyommatus** (s.str. (**Agrodiaetus** (**Peileia**))) **Koçak & Kemal**,2001 (Lycaenidae) Synonym(s): *Peileia* Koçak & Kemal,2001
3317. **Polyommatus** (s.str. (**Agrodiaetus** (**Phyllisia**))) **Koçak & Kemal**,2001 (Lycaenidae) Synonym(s): *Phyllisia* Koçak & Kemal,2001
3318. **Polyommatus** (s.str. (**Agrodiaetus** (**Transcaspus**))) **Koçak & Kemal**,2001 (Lycaenidae) Synonym(s): *Transcaspus* Koçak & Kemal,2001
3319. **Polyommatus** (s.str. (**Agrodiaetus** (**Xerxesia**))) **Koçak & Kemal**,2001 (Lycaenidae) Synonym(s): *Xerxesia* Koçak & Kemal,2001
3320. **Polyommatus** (s.str. (**Agrodiaetus**)) **Hübner**,1822 (Lycaenidae) Synonym(s): *Agrodiaetus* Hübner,1822; *Hirsutina* Tutt,[1909].
3321. **Polyommatus** (s.str. (**Cyaniris**)) **Dalman**,1816 (Lycaenidae) Synonym(s): *Cyaniris* Dalman,1816; *Nomiades* Hübner,[1819].
3322. **Polyommatus** (s.str. (**Lysandra**)) **Hemming**,1933 (Lycaenidae) Synonym(s): *Lysandra* Hemming,1933
3323. **Polyommatus** (s.str. (**Meleageria**)) **De Sagarra**,1925 (Lycaenidae) Synonym(s): *Meleageria* De Sagarra,1925
3324. **Polyommatus** (s.str. (**Neolysandra**)) **Koçak**,1977 (Lycaenidae) Synonym(s): *Neolysandra* Koçak,1977
3325. **Polyommatus** (s.str. (**Plebicula**)) **Higgins**,1969 (Lycaenidae) Synonym(s): *Plebicula* Higgins,1969
3326. **Polyommatus** (s.str. (**Sublysandra**)) **Koçak**,1977 (Lycaenidae) Synonym(s): *Sublysandra* Koçak,1977
3327. **Polyommatus** (s.str. (**Thersitesia**)) **Koçak & Seven**,1998 (Lycaenidae) Synonym(s): *Thersitesia* Koçak & Seven,1998
3328. **Polyommatus** (s.str.) **Latreille**,1804 (Lycaenidae) Synonym(s): *Polyommatus* Latreille,1804
3329. **Polyommatus** **Latreille**,1804 (Lycaenidae) Synonym(s): *Polyommatus* Latreille,1804
3330. **Poriskina** **Druce**,1895 (Lycaenidae) Synonym(s): *Poriskina* Druce,1895
3331. **Poritia** **Moore**,[1866] (Lycaenidae) Synonym(s): *Poritia* Moore,[1866]
3332. **Praephilotes** **Forster**,1938 (Lycaenidae) Synonym(s): *Praephilotes* Forster,1938
3333. **Pratapa** **Moore**,[1881] (Lycaenidae) Synonym(s): *Pratapa* Moore,[1881]
3334. **Prosotas** **Druce**,1891 (Lycaenidae) Synonym(s): *Prosotas* Druce,1891
3335. **Protantigius** **Shirozu & Yamamoto**,1956 (Lycaenidae) Synonym(s): *Protantigius* Shirozu & Yamamoto,1956
3336. **Pseudaletis** **Druce**,1888 (Lycaenidae) Synonym(s): *Pseudaletis* Druce,1888
3337. **Pseuderesia** **Butler**,1874 (Lycaenidae) Synonym(s): *Pseuderesia* Butler,1874
3338. **Pseudonacaduba** **Stempffer**,1944 (Lycaenidae) Synonym(s): *Pseudonacaduba* Stempffer,1944
3339. **Pseudoneaveia** **Stempffer**,1964 (Lycaenidae) Synonym(s): *Pseudoneaveia* Stempffer,1964
3340. **Pseudophilotes** **Beuret**,1958 (Lycaenidae) Synonym(s): *Pseudophilotes* Beuret,1958
3341. **Pseudotajuria** **Eliot**,1973 (Lycaenidae) Synonym(s): *Pseudotajuria* Eliot,1973
3342. **Ptox** **Toxopeus**,1928 (Lycaenidae) Synonym(s): *Ptox* Toxopeus,1928
3343. **Purlisa** **Distant**,1881 (Lycaenidae) Synonym(s): *Purlisa* Distant,1881; #*Purisa* Pinratana,1981
3344. **Quercusia** **Verity**,1943 (Lycaenidae) Synonym(s): *Quercusia* Verity,1943
3345. **Rachana** **Eliot**,1978 (Lycaenidae) Synonym(s): *Rachana* Eliot,1978; *Eliotia* Hayashi,1978 nec *Vayssiere*,1909; *Eliotiana* Koçak & Seven,1997
3346. **Rapala** **Moore**,[1881] (Lycaenidae) Synonym(s): *Rapala* Moore,[1881]
3347. **Ravenna** **Shirozu & Yamamoto**,1956 (Lycaenidae) Synonym(s): *Ravenna* Shirozu & Yamamoto,1956
3348. **Remelana** **Moore**,1884 (Lycaenidae) Synonym(s): *Remelana* Moore,1884
3349. **Rhinelephas** **Toxopeus**,1927 (Lycaenidae) Synonym(s): *Rhinelephas* Toxopeus,1927
3350. **Ritra De Nicéville**,1890 (Lycaenidae) Synonym(s): *Ritra De Nicéville*,1890
3351. **Rubrapterus** **Korshunov**,1987 (Lycaenidae) Synonym(s): *Rubrapterus* Korshunov,1987
3352. **Rysops** **Eliot**,1973 (Lycaenidae) Synonym(s): *Rysops* Eliot,1973
3353. **Sancterila** **Eliot & Kawazoe**,1984 (Lycaenidae) Synonym(s): *Sancterila* Eliot & Kawazoe,1984
3354. **Satyrrium** (**Nordmannia**) **Tutt**,[1907] (Lycaenidae) Synonym(s): *Nordmannia* Tutt,[1907]
3355. **Satyrrium** (**Strymonidia**) **Tutt**,[1908] (Lycaenidae) Synonym(s): *Strymonidia* Tutt,[1908]
3356. **Satyrrium** (**Superflua**) **Strand**,1910 (Lycaenidae) Synonym(s): *Superflua* Strand,1910
3357. **Satyrrium** **Scudder**,1876 (Lycaenidae) Synonym(s): *Satyrrium* Scudder,1876; *Callipsyche* Scudder,1876.
3358. **Scolitantides** **Hübner**,[1819] (Lycaenidae) Synonym(s): *Scolitantides* Hübner,[1819]
3359. **Semanga** **Distant**,1884 (Lycaenidae) Synonym(s): *Semanga* Distant,1884
3360. **Shijimia** **Matsumura**,1919 (Lycaenidae) Synonym(s): *Shijimia* Matsumura,1919
3361. **Shijimiaeoides** **Beuret**,1958 (Lycaenidae) Synonym(s): *Shijimiaeoides* Beuret,1958
3362. **Shirozua** **Sibatani & Ito**,1942 (Lycaenidae) Synonym(s): *Shirozua* Sibatani & Ito,1942
3363. **Sidima** **Eliot & Kawazoe**,1984 (Lycaenidae) Synonym(s): *Sidima* Eliot & Kawazoe,1984
3364. **Simiskina** **Distant**,1886 (Lycaenidae) Synonym(s): *Simiskina* Distant,1886; *Massaga* Doherty,1889 nec *Wik.*,1854
3365. **Sinia** **Forster**,1940 (Lycaenidae) Synonym(s): *Sinia* Forster,1940
3366. **Sinthusia** **Moore**,1884 (Lycaenidae) Synonym(s): *Sinthusia* Moore,1884
3367. **Sithon** **Hübner**,[1819] (Lycaenidae) Synonym(s): *Sithon* Hübner,[1819]
3368. **Spalgis** **Moore**,1879 (Lycaenidae) Synonym(s): *Spalgis* Moore,1879
3369. **Stempfferia** **Jackson**,1962 (Lycaenidae) Synonym(s): *Stempfferia* Jackson,1962
3370. **Suasa** **De Nicéville**,1890 (Lycaenidae) Synonym(s): *Suasa* De Nicéville,1890
3371. **Surendra** **Moore**,1879 (Lycaenidae) Synonym(s): *Surendra* Moore,1879

3372. **Symoptera Karsch,1895** (Lycaenidae) Synonym(s): *Symoptera Karsch,1895*
3373. **Tajuria Moore,[1881]** (Lycaenidae) Synonym(s): *Tajuria Moore,[1881]*
3374. **Talica Moore,[1881]** (Lycaenidae) Synonym(s): *Talica Moore,[1881]*
3375. **Taraka Doherty,1889** (Lycaenidae) Synonym(s): *Taraka Doherty,1889*
3376. **Tarucus (Thespis-gr)** (Lycaenidae) Synonym(s):
3377. **Tarucus Moore,[1881]** (Lycaenidae) Synonym(s): *Tarucus Moore,[1881]*
3378. **Telipna Aurivillius,1895** (Lycaenidae) Synonym(s): *Telipna Aurivillius,1895*
3379. **Teratoneura Dudgeon,1909** (Lycaenidae) Synonym(s): *Teratoneura Dudgeon,1909*
3380. **Teratozephyrus Sibatani,1946** (Lycaenidae) Synonym(s): *Teratozephyrus Sibatani,1946*
3381. **Tetrarhanis Karsch,1893** (Lycaenidae) Synonym(s): *Tetrarhanis Karsch,1893; Lectiles Birket-Smith,1960*
3382. **Thaduka Moore,[1879]** (Lycaenidae) Synonym(s): *Thaduka Moore,[1879]*
3383. **Thamala Moore,[1879]** (Lycaenidae) Synonym(s): *Thamala Moore,[1879]*
3384. **Thecla Fabricius,1807** (Lycaenidae) Synonym(s): *Thecla Fabricius,1807; #Theclaria Rafinesque,1815; Zephyrus Dalman,1816; Aurotis Dalman,1816; Zephyrius Billberg,1820; Ruralis Tutt,[1906].*
3385. **Thestor Hübner,[1819]** (Lycaenidae) Synonym(s): *Thestor Hübner,[1819].*
3386. **Thrix Doherty,1891** (Lycaenidae) Synonym(s): *Thrix Doherty,1891*
3387. **Ticherra De Nicéville,1887** (Lycaenidae) Synonym(s): *Ticherra De Nicéville,1887*
3388. **Tomares Rambur,[1840]** (Lycaenidae) Synonym(s): *Tomares Rambur,[1840]*
3389. **Tongeia Tutt,[1908]** (Lycaenidae) Synonym(s): *Tongeia Tutt,[1908]*
3390. **Trimenia Tite & Dickson,1973** (Lycaenidae) Synonym(s): *Trimenia Tite & Dickson,1973; Argyrocupha Tite & Dickson,1973.*
3391. **Turanana Bethune-Baker,1916** (Lycaenidae) Synonym(s): *Turanana Bethune-Baker,1914 nec Rag.,1890; Turanana Bethune-Baker,1916*
3392. **Tuxentius T.Larsen,1982** (Lycaenidae) Synonym(s): *Tuxentius T.Larsen,1982*
3393. **Tylopaedia Tite & Dickson,1973** (Lycaenidae) Synonym(s): *Tylopaedia Tite & Dickson,1973*
3394. **Udara (Penudara) Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Penudara Eliot & Kawazoe,1984*
3395. **Udara (Perivaga) Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Perivaga Eliot & Kawazoe,1984*
3396. **Udara (Selmanix) Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Selmanix Eliot & Kawazoe,1984*
3397. **Udara (Vaga) Zimmermann,1958** (Lycaenidae) Synonym(s): *Vaga Zimmermann,1958*
3398. **Udara (s.str.) Toxopeus,1928** (Lycaenidae) Synonym(s): *Udara Toxopeus,1928; Akasinula Toxopeus,1928.*
3399. **Udara Toxopeus,1928** (Lycaenidae) Synonym(s): *Udara Toxopeus,1928; Akasinula Toxopeus,1928.*
3400. **Una De Nicéville,1890** (Lycaenidae) Synonym(s): *Una De Nicéville,1890*
3401. **Uranobothria Toxopeus,1927** (Lycaenidae) Synonym(s): *Uranobothria Toxopeus,1927*
3402. **Ussuriana Tutt,[1907]** (Lycaenidae) Synonym(s): *Ussuriana Tutt,[1907]*
3403. **Vansomerenia Heath,1997** (Lycaenidae) Synonym(s): *Vansomerenia Heath,1997*
3404. **Wagimo Sibatani & Ito,1942** (Lycaenidae) Synonym(s): *Wagimo Sibatani & Ito,1942*
3405. **Yasoda Doherty,1889** (Lycaenidae) Synonym(s): *Yasoda Doherty,1889*
3406. **Yettekizia Kemal & Koçak,2006** (Lycaenidae) Synonym(s): *Xinjiangia Huang & Murayama,1988 nec Zang,1981 non Hong,1983; Yettekizia Kemal & Koçak,2006*
3407. **Zeltus De Nicéville,1890** (Lycaenidae) Synonym(s): *Zeltus De Nicéville,1890*
3408. **Zesius Hübner,[1819]** (Lycaenidae) Synonym(s): *Zesius Hübner,[1819]*
3409. **Zinaspa De Nicéville,1890** (Lycaenidae) Synonym(s): *Zinaspa De Nicéville,1890*
3410. **Zintha Eliot,1973** (Lycaenidae) Synonym(s): *Zintha Eliot,1973*
3411. **Zizeeria (Pseudozizeeria) Beuret,1955** (Lycaenidae) Synonym(s): *Pseudozizeeria Beuret,1955*
3412. **Zizeeria Chapman,1910** (Lycaenidae) Synonym(s): *Zizeeria Chapman,1910*
3413. **Zizina Chapman,1910** (Lycaenidae) Synonym(s): *Zizina Chapman,1910*
3414. **Zizula Chapman,1910** (Lycaenidae) Synonym(s): *Zizula Chapman,1910*
3415. **Abynotha Swinhoe,1903** (Lymantriidae) Synonym(s): *Abynotha Swinhoe,1903*
3416. **Aclonophlebia Butler,1898** (Lymantriidae) Synonym(s): *Aclonophlebia Butler,1898*
3417. **Acyphas Walker,1855** (Lymantriidae) Synonym(s): *Acyphas Walker,1855; Anepa Swinhoe,1903*
3418. **Adetoneura Collenette,1933** (Lymantriidae) Synonym(s): *Adetoneura Collenette,1933*
3419. **Amphikes Collenette,1936** (Lymantriidae) Synonym(s): *Amphikes Collenette,1936*
3420. **Anexotamos M.Hering,1926** (Lymantriidae) Synonym(s): *Anexotamos M.Hering,1926*
3421. **Arctornis Germar,1811** (Lymantriidae) Synonym(s): *Arctornis Germar,1811*
3422. **Argyrotagma Aurivillius,[1905]** (Lymantriidae) Synonym(s): *Argyrotagma Aurivillius,[1905]*
3423. **Aroa Walker,1855** (Lymantriidae) Synonym(s): *Gynaephora Hübner,[1819]; Cladophora Geyer,1832; Gynophora Agassiz,1847; Aroa Walker,1855; Caenina R.Felder,1861; Ornithopsyche Wallengren,1863*
3424. **Aruta Swinhoe,1922** (Lymantriidae) Synonym(s): *Aruta Swinhoe,1922*
3425. **Aza Walker,1865** (Lymantriidae) Synonym(s): *Aza Walker,1865*
3426. **Azerturkia Koçak & Kemal,2007** (Lymantriidae) Synonym(s): *Pseudolabis Hartig,1963 nec Matth.,1904; Azerturkia Koçak & Kemal,2007*
3427. **Barlowia Talbot,1929** (Lymantriidae) Synonym(s): *Barlowia Talbot,1929*
3428. **Bicelluphara Janse,1915** (Lymantriidae) Synonym(s): *Bicelluphara Janse,1915; #Bicellulophora Pinhey,1975*
3429. **Bifurca De Joannis,1929** (Lymantriidae) Synonym(s): *Bifurca De Joannis,1929*
3430. **Birnara Butler,1879** (Lymantriidae) Synonym(s): *Birnara Butler,1879*
3431. **Bracharoa Hampson,1905** (Lymantriidae) Synonym(s): *Bracharoa Hampson,1905*
3432. **Calliteara Butler,1881** (Lymantriidae) Synonym(s): *Calliteara Butler,1881; Elkneria Börner,1932; Takashachia Matsumura,1929*
3433. **Carpenterella Collenette,1933** (Lymantriidae) Synonym(s): *Carpenterella Collenette,1933*
3434. **Carriola Swinhoe,1922** (Lymantriidae) Synonym(s): *Carriola Swinhoe,1922*
3435. **Carriola Swinhoe,1922** (Lymantriidae) Synonym(s): *Carriola Swinhoe,1922*
3436. **Casama Walker,1865** (Lymantriidae) Synonym(s): *Casama Walker,1865*
3437. **Chibidukoga Matsumura,1933** (Lymantriidae) Synonym(s): *Chibidukoga Matsumura,1933*
3438. **Chrysocyma Hampson,1905** (Lymantriidae) Synonym(s): *Chrysocyma Hampson,1905*
3439. **Cifuna Walker,1855** (Lymantriidae) Synonym(s): *Cifuna Walker,1855; Artaxa Bremer,1861; Baryaza Moore,1879*
3440. **Cimola Walker,1855** (Lymantriidae) Synonym(s): *Cimola Walker,1855*
3441. **Cispia Walker,1855** (Lymantriidae) Synonym(s): *Cispia Walker,1855; Caltura Moore,1879; Chaerotracha Oberthür,1894*
3442. **Cobanilla Moore,1883** (Lymantriidae) Synonym(s): *Cobanilla Moore,1883*
3443. **Creagra Wallengren,1865** (Lymantriidae) Synonym(s): *Creagra Wallengren,1865; Leucoperina Aurivillius,1909*
3444. **Cropera Walker,1855** (Lymantriidae) Synonym(s): *Cropera Walker,1855*
3445. **Crerema Walker,1855** (Lymantriidae) Synonym(s): *Crerema Walker,1855*
3446. **Creremopsis M.Hering,1926** (Lymantriidae) Synonym(s): *Creremopsis M.Hering,1926*

- 3447. Dactylorhyncha Hampson, 1892** (Lymantriidae) Synonym(s): *Dactylorhyncha Hampson, 1892*
- 3448. Dactylorhynchides Strand, 1920** (Lymantriidae) Synonym(s): *Dactylorhynchides Strand, 1920*
- 3449. Daplasa Moore, 1879** (Lymantriidae) Synonym(s): *Daplasa Moore, 1879*
- 3450. Dasorgyia Staudinger, 1881** (Lymantriidae) Synonym(s): *Dasorgyia Staudinger, 1881*
- 3451. Dasyarctia Gaede, 1923** (Lymantriidae) Synonym(s): *Dasyarctia Gaede, 1923*
- 3452. Dasychira Hübner, [1809]** (Lymantriidae) Synonym(s): *Dasychira Hübner, [1809]*
- 3453. Dasychirana Bethune-Baker, 1911** (Lymantriidae) Synonym(s): *Dasychirana Bethune-Baker, 1911*
- 3454. Dasychirinula M. Hering, 1926** (Lymantriidae) Synonym(s): *Dasychirinula M. Hering, 1926*
- 3455. Dasyaelia Aurivillius, 1925** (Lymantriidae) Synonym(s): *Dasyaelia Aurivillius, 1925*
- 3456. Dendrophlebs Hampson, 1893** (Lymantriidae) Synonym(s): *Dendrophlebs Hampson, 1893*
- 3457. Dicallomera Butler, 1881** (Lymantriidae) Synonym(s): *Dicallomera Butler, 1881*
- 3458. Dicranuropsis R. Felder & Rogenhofer, 1874** (Lymantriidae) Synonym(s): *Dicranuropsis R. Felder & Rogenhofer, 1874*
- 3459. Dura Moore, 1879** (Lymantriidae) Synonym(s): *Dura Moore, 1879*
- 3460. Dyasma Collenette, 1960** (Lymantriidae) Synonym(s): *Dyasma Collenette, 1960*
- 3461. Eopirga M. Hering, 1926** (Lymantriidae) Synonym(s): *Eopirga M. Hering, 1926*
- 3462. Eudasychira Möschler, 1887** (Lymantriidae) Synonym(s): *Eudasychira Möschler, 1887*
- 3463. Euproctidion Holland, 1893** (Lymantriidae) Synonym(s): *Euproctidion Holland, 1893*
- 3464. Euproctillopsis M. Hering, 1926** (Lymantriidae) Synonym(s): *Euproctillopsis M. Hering, 1926*
- 3465. Euproctis Hübner, [1819]** (Lymantriidae) Synonym(s): *Euproctis Hübner, [1819]; Nygmia Hübner, [1820]; Porthesia Stephens, 1828; Antipha Walker, 1855; Arna Walker, 1855; Artaxa Walker, 1855; Lacida Walker, 1855; Lopera Walker, 1855; Somena Walker, 1856; Urocoma Herrich-Schäffer, 1858; Ela Walker, 1862; Utidava Walker, 1863; Adhullia Walker, 1865; Orvasca Walker, 1865; Themaca Walker, 1865; Cozola Walker, 1865; Bembina Walker, 1865; Gogana Walker, 1866; Micromorphe R. Felder, 1874; Choerotracha R. Felder, 1874; Chionophasma Butler, 1886; Ocybola Turner, 1912; Meteuproctis Matsumura, 1927; Epeuproctis Matsumura, 1933; Sphrageidus Maes, 1984*
- 3466. Euproctoides Bethune-Baker, 1911** (Lymantriidae) Synonym(s): *Euproctoides Bethune-Baker, 1911*
- 3467. Euproctoides Bethune-Baker, 1911** (Lymantriidae) Synonym(s): *Euproctoides Bethune-Baker, 1911*
- 3468. Euzora Turner, 1915** (Lymantriidae) Synonym(s): *Caragola Moore, 1879 nec Gray, 1851; Euzora Turner, 1915; Caragolina Strand, 1928*
- 3469. Fodinoidea Saalmüller, 1884** (Lymantriidae) Synonym(s): *Fodinoidea Saalmüller, 1884*
- 3470. Grammoa Aurivillius, [1905]** (Lymantriidae) Synonym(s): *Grammoa Aurivillius, [1905]*
- 3471. Griveaudyria Viette, 1984** (Lymantriidae) Synonym(s): *Lemuriana Griveaud, 1976 (homonym); Griveaudyria Viette, 1984*
- 3472. Gynaephora Hübner, [1819]** (Lymantriidae) Synonym(s): *Gynaephora Hübner, [1819]; Cladophora Geyer, 1832; Gynophora Agassiz, 1847; Aroa Walker, 1855; Caenina Felder, 1861; Ornithopsyche Wallengren, 1863; Byrdia Schaus, 1927; Konokareha Matsumura, 1928*
- 3473. Habrophylla Turner, 1921** (Lymantriidae) Synonym(s): *Habrophylla Turner, 1921*
- 3474. Hemerophanes Collenette, 1953** (Lymantriidae) Synonym(s): *Dasycampa Janse, 1915 (homonym); Hemerophanes Collenette, 1953*
- 3475. Heptaptosis Talbot, 1929** (Lymantriidae) Synonym(s): *Heptaptosis Talbot, 1929*
- 3476. Heracula Moore, 1865** (Lymantriidae) Synonym(s): *Heracula Moore, 1865*
- 3477. Heteronygmia Holland, 1893** (Lymantriidae) Synonym(s): *Heteronygmia Holland, 1893*
- 3478. Himala Moore, 1879** (Lymantriidae) Synonym(s): *Himala Moore, 1879*
- 3479. Homochira Hampson, 1905** (Lymantriidae) Synonym(s): *Homochira Hampson, 1905*
- 3480. Homoeomeria Wallengren, 1865** (Lymantriidae) Synonym(s): *Homoeomeria Wallengren, 1865; Redoa Swinhoe, 1922*
- 3481. Hyaloperina Aurivillius, [1905]** (Lymantriidae) Synonym(s): *Hyaloperina Aurivillius, [1905]*
- 3482. Icta Walker, 1855** (Lymantriidae) Synonym(s): *Icta Walker, 1855*
- 3483. Ilema Moore, [1860]** (Lymantriidae) Synonym(s): *Melia Walker, 1855 nec Bosc, 1813; Ilema Moore, [1860]; Cadrusia Moore, 1879; Malachitis Hampson, 1895; Neocifuna Inoue, 1982*
- 3484. Imaus Moore, 1879** (Lymantriidae) Synonym(s): *Imaus Moore, 1879*
- 3485. Kanchia Moore, 1883** (Lymantriidae) Synonym(s): *Kanchia Moore, 1883*
- 3486. Knappetra Nye, 1980** (Lymantriidae) Synonym(s): *Dulichia Walker, 1855 (homonym); Cataphractes R. Felder & Rogenhofer, 1874; Pygetera Kirby, 1892; Knappetra Nye, 1980*
- 3487. Konokarecha Matsumura, 1927** (Lymantriidae) Synonym(s): *Konokarecha Matsumura, 1927*
- 3488. Lachana Moore, 1888** (Lymantriidae) Synonym(s): *Lachana Moore, 1888*
- 3489. Lacipa Walker, 1855** (Lymantriidae) Synonym(s): *Lacipa Walker, 1855; Microgymna Wallengren, 1865*
- 3490. Laelia Stephens, 1828** (Lymantriidae) Synonym(s): *Laelia Stephens, 1828; Anthora Walker, 1855 (homonym); Charnidas Walker, 1855; Procodeca Walker, 1855; Ricine Walker, 1855; Odagra Walker, 1865; Harapa Moore, 1879; Hondella Moore, [1883]; Laelioides Moore, [1883]; #Houdella Swinhoe, 1923*
- 3491. Laeliolina M. Hering, 1926** (Lymantriidae) Synonym(s): *Laeliolina M. Hering, 1926*
- 3492. Laelioproctis M. Hering, 1926** (Lymantriidae) Synonym(s): *Laelioprocitis M. Hering, 1926*
- 3493. Laelioproctis M. Hering, 1926** (Lymantriidae) Synonym(s): *Laelioprocitis M. Hering, 1926*
- 3494. Laeloroa M. Hering, 1926** (Lymantriidae) Synonym(s): *Laeloroa M. Hering, 1926*
- 3495. Lepidopalpus Janse, 1915** (Lymantriidae) Synonym(s): *Lepidopalpus Janse, 1915*
- 3496. Leptaroa Hampson, 1910** (Lymantriidae) Synonym(s): *Leptaroa Hampson, 1910*
- 3497. Leptocneria Butler, 1886** (Lymantriidae) Synonym(s): *Leptocneria Butler, 1886; Anthelymantria Strand, 1925*
- 3498. Leucoma Hübner, 1822** (Lymantriidae) Synonym(s): *Leucoma Hübner, 1822; Laria Schrank, 1802 nec Scop., 1763; Stilpnolia Humprey & Westwood, 1843; Leucosia Rambur, 1866 nec Wb., 1795; Nymphyxis Grote, 1895*
- 3499. Leucoperina Aurivillius, 1909** (Lymantriidae) Synonym(s): *Leucoperina Aurivillius, 1909; Syntaxis M. Hering, 1926*
- 3500. Liparodonta M. Hering, 1926** (Lymantriidae) Synonym(s): *Liparodonta M. Hering, 1926*
- 3501. Locharna Moore, 1879** (Lymantriidae) Synonym(s): *Locharna Moore, 1879*
- 3502. Lomadonta Holland, 1893** (Lymantriidae) Synonym(s): *Lomadonta Holland, 1893*
- 3503. Lymantria Hübner, [1819]** (Lymantriidae) Synonym(s): *Lymantria Hübner, [1819]; Porthetria Hübner, [1819]; Hypogymna Billberg, 1820; Sericaria Berthold, 1827; Psilura Stephens, 1828; Enome Walker, 1855*
- 3504. Lymantriades Bethune-Baker, 1911** (Lymantriidae) Synonym(s): *Lymantriades Bethune-Baker, 1911*
- 3505. Macrolaelia Aurivillius, 1925** (Lymantriidae) Synonym(s): *Macrolaelia Aurivillius, 1925*
- 3506. Malachitis Hampson, 1895** (Lymantriidae) Synonym(s): *Malachitis Hampson, 1895*
- 3507. Marbla Swinhoe, 1903** (Lymantriidae) Synonym(s): *Marbla Swinhoe, 1903*
- 3508. Marblepsis M. Hering, 1926** (Lymantriidae) Synonym(s): *Marblepsis M. Hering, 1926*
- 3509. Marblepsis M. Hering, 1926** (Lymantriidae) Synonym(s): *Marblepsis M. Hering, 1926*
- 3510. Marbloides M. Hering, 1926** (Lymantriidae) Synonym(s): *Marbloides M. Hering, 1926*
- 3511. Mardara Walker, 1865** (Lymantriidae) Synonym(s): *Mardara Walker, 1865; Mahoba Moore, 1879*
- 3512. Medama Matsumura, 1931** (Lymantriidae) Synonym(s): *Medama Matsumura, 1931*
- 3513. Meteuproctis Matsumura, 1927** (Lymantriidae) Synonym(s): *Meteuproctis Matsumura, 1927*

- 3514.** *Micraroa Hampson, 1905* (Lymantriidae) Synonym(s): *Micraroa Hampson, 1905*
- 3515.** *Morasa Walker, 1855* (Lymantriidae) Synonym(s): *Morasa Walker, 1855*
- 3516.** *Mylantria Aurivillius, [1905]* (Lymantriidae) Synonym(s): *Mylantria Aurivillius, [1905]*
- 3517.** *Naroma Walker, 1856* (Lymantriidae) Synonym(s): *Naroma Walker, 1856; Zarfa Walker, 1869; Woerdenia Snellen, 1873*
- 3518.** *Neomardara M. Hering, 1926* (Lymantriidae) Synonym(s): *Neomardara M. Hering, 1926*
- 3519.** *Neorgyia Bethune-Baker, 1908* (Lymantriidae) Synonym(s): *Neorgyia Bethune-Baker, 1908*
- 3520.** *Noleca Walker, 1855* (Lymantriidae) Synonym(s): *Noleca Walker, 1855*
- 3521.** *Noliproctis M. Hering, 1926* (Lymantriidae) Synonym(s): *Noliproctis M. Hering, 1926*
- 3522.** *Numenes Walker, 1855* (Lymantriidae) Synonym(s): *Numenes Walker, 1855; Pseudomesa Walker, 1855*
- 3523.** *Numenoides Butler, 1879* (Lymantriidae) Synonym(s): *Numenoides Butler, 1879*
- 3524.** *Ocneria Hübner, [1819]* (Lymantriidae) Synonym(s): *Ocneria Hübner, [1819]*
- 3525.** *Ocnogryia Staudinger, 1892* (Lymantriidae) Synonym(s): *Ocnogryia Staudinger, 1892*
- 3526.** *Ogoa Walker, 1856* (Lymantriidae) Synonym(s): *Ogoa Walker, 1856*
- 3527.** *Olapa Walker, 1855* (Lymantriidae) Synonym(s): *Olapa Walker, 1855*
- 3528.** *Olene Hübner, [1823]* (Lymantriidae) Synonym(s): *Olene Hübner, [1823]; Rilia Walker, 1855; Nioda Walker, 1855; Thelde Walker, 1862; Turriga Walker, 1869*
- 3529.** *Oligeria Turner, 1921* (Lymantriidae) Synonym(s): *Oligeria Turner, 1921*
- 3530.** *Orgyia Ochsenheimer, 1810* (Lymantriidae) Synonym(s): *Orgyia Ochsenheimer, 1810; Notolophus Germar, 1812; Orgyia Zetterstedt, 1839; Teia Walker, 1855; Clethrogyna Rambur, 1866; Micropterogyna Rambur, 1866; Apterogynis Guenée, [1875]*
- 3531.** *Pachycispia Butler, 1882* (Lymantriidae) Synonym(s): *Pachycispia Butler, 1882; #Pachicispia M. Hering, 1926*
- 3532.** *Palasea Wallengren, 1863* (Lymantriidae) Synonym(s): *Palasea Wallengren, 1863*
- 3533.** *Pantana Walker, 1855* (Lymantriidae) Synonym(s): *Pantana Walker, 1855; Genusa Walker, 1855; Etobema Walker, 1865; Birnara Butler, 1879*
- 3534.** *Parapellucens Holloway, 1999* (Lymantriidae) Synonym(s): *Parapellucens Holloway, 1999*
- 3535.** *Parapirga Bethune-Baker, 1911* (Lymantriidae) Synonym(s): *Parapirga Bethune-Baker, 1911*
- 3536.** *Paraproctis Bethune-Baker, 1911* (Lymantriidae) Synonym(s): *Paraproctis Bethune-Baker, 1911*
- 3537.** *Paraproctis Bethune-Baker, 1911* (Lymantriidae) Synonym(s): *Paraproctis Bethune-Baker, 1911*
- 3538.** *Paraxena Bethune-Baker, 1911* (Lymantriidae) Synonym(s): *Paraxena Bethune-Baker, 1911*
- 3539.** *Parocneria Dyar, 1897* (Lymantriidae) Synonym(s): *Parocneria Dyar, 1897; Uliolepis W. Warren, 1897; Maimaia Matsumura, 1933; Daniela Hartig, 1963.*
- 3540.** *Parvaroa Holloway, 1999* (Lymantriidae) Synonym(s): *Parvaroa Holloway, 1999*
- 3541.** *Pendria Swinhoe, 1906* (Lymantriidae) Synonym(s): *Pendria Swinhoe, 1906*
- 3542.** *Penthophera Germar, 1812* (Lymantriidae) Synonym(s): *Penthophera Germar, 1812*
- 3543.** *Perina Walker, 1855* (Lymantriidae) Synonym(s): *Perina Walker, 1855*
- 3544.** *Pida Walker, 1865* (Lymantriidae) Synonym(s): *Pida Walker, 1865; Locharna Moore, 1879; Dokuga Matsumura, 1927*
- 3545.** *Pirga Aurivillius, 1891* (Lymantriidae) Synonym(s): *Pirga Aurivillius, 1891*
- 3546.** *Pirgula Tessmann, 1921* (Lymantriidae) Synonym(s): *Pirgula Tessmann, 1921*
- 3547.** *Pirgulina Hering, 1926* (Lymantriidae) Synonym(s): *Pirgulina Hering, 1926*
- 3548.** *Polymona Walker, 1855* (Lymantriidae) Synonym(s): *Polymona Walker, 1855*
- 3549.** *Porthesaroa Hering, 1926* (Lymantriidae) Synonym(s): *Porthesaroa Hering, 1926*
- 3550.** *Porthmeia Bethune-Baker, 1908* (Lymantriidae) Synonym(s): *Porthmeia Bethune-Baker, 1908*
- 3551.** *Psalis Hübner, 1823* (Lymantriidae) Synonym(s): *Psalis Hübner, 1823*
- 3552.** *Pseudobazisa Bryk, 1934* (Lymantriidae) Synonym(s): *Pseudobazisa Bryk, 1934*
- 3553.** *Psilochira Toxopeus, 1948* (Lymantriidae) Synonym(s): *Psilochira Toxopeus, 1948*
- 3554.** *Pteredoa Hampson, 1905* (Lymantriidae) Synonym(s): *Pteredoa Hampson, 1905*
- 3555.** *Redoa Walker, 1855* (Lymantriidae) Synonym(s): *Redoa Walker, 1855*
- 3556.** *Repena Walker, 1855* (Lymantriidae) Synonym(s): *Repena Walker, 1855*
- 3557.** *Resulia Koçak & Kemal, 2007* (Lymantriidae) Synonym(s): *Beeria Hartig, 1963 nec Hatch, 1857; Resulia Koçak & Kemal, 2007*
- 3558.** *Rhodesana Bethune-Baker, 1908* (Lymantriidae) Synonym(s): *Rhodesana Bethune-Baker, 1908*
- 3559.** *Rhypteryx Aurivillius, 1879* (Lymantriidae) Synonym(s): *Rhypteryx Aurivillius, 1879*
- 3560.** *Rhyptoses Collenette, 1931* (Lymantriidae) Synonym(s): *Rhyptoses Collenette, 1931*
- 3561.** *Ruanda Strand, 1909* (Lymantriidae) Synonym(s): *Ruanda Strand, 1909*
- 3562.** *Salvatgea Griveaud, 1977* (Lymantriidae) Synonym(s): *Salvatgea Griveaud, 1977*
- 3563.** *Scarpona Walker, 1862* (Lymantriidae) Synonym(s): *Scarpona Walker, 1862; Ciaca Walker, 1865; Topomesa Walker, 1866*
- 3564.** *Schalidomitra Strand, 1911* (Lymantriidae) Synonym(s): *Schalidomitra Strand, 1911*
- 3565.** *Sevastopuloa Collenette, 1960* (Lymantriidae) Synonym(s): *Sevastopuloa Collenette, 1960*
- 3566.** *Shisa Strand, 1916* (Lymantriidae) Synonym(s): *Shisa Strand, 1916*
- 3567.** *Sitvia Walker, 1865* (Lymantriidae) Synonym(s): *Sitvia Walker, 1865*
- 3568.** *Sitvia Walker, 1865* (Lymantriidae) Synonym(s): *Sitvia Walker, 1865; Kettelia Butler, 1879; Cypra Semper, 1899*
- 3569.** *Somatoxena Aurivillius, [1905]* (Lymantriidae) Synonym(s): *Somatoxena Aurivillius, [1905]*
- 3570.** *Stenaroa Hampson, 1910* (Lymantriidae) Synonym(s): *Stenaroa Hampson, 1910*
- 3571.** *Stracena Swinhoe, 1903* (Lymantriidae) Synonym(s): *Stracena Swinhoe, 1903; Sapelia Swinhoe, 1904*
- 3572.** *Stracilla M. Hering, 1926* (Lymantriidae) Synonym(s): *Stracilla M. Hering, 1926*
- 3573.** *Tearosoma R. Felder & Rogenhofer, 1874* (Lymantriidae) Synonym(s): *Tearosoma R. Felder & Rogenhofer, 1874*
- 3574.** *Terphotrix Holland, 1893* (Lymantriidae) Synonym(s): *Terphotrix Holland, 1893*
- 3575.** *Theriophila M. Hering, 1932* (Lymantriidae) Synonym(s): *Theriophila M. Hering, 1932*
- 3576.** *Thiacidas Walker, 1855* (Lymantriidae) Synonym(s): *Thiacidas Walker, 1855*
- 3577.** *Topomesoides Strand, 1910* (Lymantriidae) Synonym(s): *Topomesoides Strand, 1910*
- 3578.** *Toxoproctis Holloway, 1999* (Lymantriidae) Synonym(s): *Toxoproctis Holloway, 1999*
- 3579.** *Bedellia Stainton, 1849* (Lyonetiidae) Synonym(s): *Bedellia Stainton, 1849; #Bedelia Parenti, 2000*
- 3580.** *Chrysolytis Meyrick, 1937* (Lyonetiidae) Synonym(s): *Chrysolytis Meyrick, 1937*
- 3581.** *Copobathra Meyrick, 1911* (Lyonetiidae) Synonym(s): *Copobathra Meyrick, 1911*
- 3582.** *Croblyophora Meyrick, 1880* (Lyonetiidae) Synonym(s): *Croblyophora Meyrick, 1880*
- 3583.** *Cycloponympha Meyrick, 1913* (Lyonetiidae) Synonym(s): *Cycloponympha Meyrick, 1913; #Cyclonympha Neave, 1939*
- 3584.** *Leucoptera Hübner, [1825]* (Lyonetiidae) Synonym(s): *Leucoptera Hübner, [1825]; Cemistoma Zeller, 1848; Proleucoptera Busck, 1902; Paraleucoptera Heinrich, 1918; Perileucoptera Silvestri, 1943.*
- 3585.** *Lyonetia Hübner, [1825]* (Lyonetiidae) Synonym(s): *Lyonetia Hübner, [1825]; Nocturno Gisl, 1847; Olethria Gisl, 1848; Gracillaroides Bruand, 1851; Syncrobyla Meyrick, 1915; Lyonetiola Kuroko, 1964*
- 3586.** *Phyllobrostis (Pilotocoma) Meyrick, 1913* (Lyonetiidae) Synonym(s): *Pilotocoma Meyrick, 1913*
- 3587.** *Phyllobrostis (s.str.) Staudinger, 1859* (Lyonetiidae) Synonym(s): *Phyllobrostis Staudinger, 1859*

- 3588. Phyllobrostis Staudinger, 1859** (Lyonetiidae) Synonym(s): *Phyllobrostis Staudinger, 1859*
- 3589. Lypusa Zeller, 1852** (Lypusidae) Synonym(s): *Lypusa Zeller, 1852*
- 3590. Arbeloides Karsch, 1896** (Metarbelidae) Synonym(s): *Arbeloides Karsch, 1896*
- 3591. Indarbela T.B.Fletcher, 1922** (Metarbelidae) Synonym(s): *Arbela Moore, 1879 (praeocc.); Indarbela T.B.Fletcher, 1922; Lepidarbela Dalla Torre & Strand, 1923*
- 3592. Lebedodes Holland, 1893** (Metarbelidae) Synonym(s): *Lebedodes Holland, 1893; #Lebododes Grünberg, 1912*
- 3593. Marschalliana Aurivillius, 1901** (Metarbelidae) Synonym(s): *Marschalliana Aurivillius, 1901*
- 3594. Metarbela Holland, 1893** (Metarbelidae) Synonym(s): *Metarbela Holland, 1893*
- 3595. Metarbelodes Strand, 1909** (Metarbelidae) Synonym(s): *Metarbelodes Strand, 1909*
- 3596. Ortharbela Aurivillius, 1910** (Metarbelidae) Synonym(s): *Ortharbela Aurivillius, 1910*
- 3597. Paralebedella Strand, 1923** (Metarbelidae) Synonym(s): *Paralebeda Hampson, 1910 (praeocc.); Paralebedella Strand, 1923*
- 3598. Salagena Walker, 1865** (Metarbelidae) Synonym(s): *Salagena Walker, 1865; Pettigramma Karsch, 1895; Catarbela Aurivillius, 1901; #Selagena Hampson, 1910*
- 3599. Squamura Heylaerts, 1890** (Metarbelidae) Synonym(s): *Squamura Heylaerts, 1890*
- 3600. Teragra Walker, 1855** (Metarbelidae) Synonym(s): *Teragra Walker, 1855*
- 3601. Agrionympha Meyrick, 1921** (Micropterigidae) Synonym(s): *Agrionympha Meyrick, 1921*
- 3602. Microptericina Zagulyaev, 1983** (Micropterigidae) Synonym(s): *Microptericina Zagulyaev, 1983*
- 3603. Micropterix Hübner, [1825]** (Micropterigidae) Synonym(s): *Micropterix Hübner, [1825]; Eriocephala Curtis, 1839; Micropteryx Zeller, 1839; Electrocrania Kuznetsov, 1941*
- 3604. Aleyda Schaus, 1928** (Mimallonidae) Synonym(s): *Aleyda Schaus, 1928*
- 3605. Cicinnus Blanchard, 1852** (Mimallonidae) Synonym(s): *Saccophora Harris, 1841 nec Brdt., 1837; Perophora Harris, 1841 nec Wieg., 1835; Cicinnus Blanchard, 1852; Ptochopsyche Grote, 1896*
- 3606. Euphaneta Schaus, 1928** (Mimallonidae) Synonym(s): *Phaneta Walker, 1855 nec Sph., 1852; Euphaneta Schaus, 1928*
- 3607. Mimallo Hübner, [1820]** (Mimallonidae) Synonym(s): *Mimallo Hübner, [1820]*
- 3608. Psychocampa Grote & Robinson, 1866** (Mimallonidae) Synonym(s): *Psychocampa Grote & Robinson, 1866*
- 3609. Roelofa Schaus, 1928** (Mimallonidae) Synonym(s): *Roelofa Schaus, 1928*
- 3610. Mirina Staudinger, 1887** (Mirinidae) Synonym(s): *Mirina Staudinger, 1887*
- 3611. Bifascia Amsel, 1961** (Mompidae) Synonym(s): *Bifascia Amsel, 1961*
- 3612. Bifascioides Kasy, 1968** (Mompidae) Synonym(s): *Bifascioides Kasy, 1968*
- 3613. Coccidiphila Danilevsky, 1950** (Mompidae) Synonym(s): *Coccidiphila Danilevsky, 1950; Bathrachedropsis Amsel, 1955*
- 3614. Mompha (Anybia) Stainton, 1854** (Mompidae) Synonym(s): *Anybia Stainton, 1854*
- 3615. Mompha (Cyphophora) Herrich-Schäffer, 1853** (Mompidae) Synonym(s): *Cyphophora Herrich-Schäffer, 1853*
- 3616. Mompha (Lophoptilus) Sircom, 1848** (Mompidae) Synonym(s): *Lophoptilus Sircom, 1848*
- 3617. Mompha (Psacaphora) Herrich-Schäffer, 1853** (Mompidae) Synonym(s): *Psacaphora Herrich-Schäffer, 1853*
- 3618. Mompha (s.str.) Hübner, [1825]** (Mompidae) Synonym(s): *Mompha Hübner, [1825]; Laverna Curtis, 1839*
- 3619. Mompha Hübner, [1825]** (Mompidae) Synonym(s): *Mompha Hübner, [1825]; Laverna Curtis, 1839*
- 3620. Urodeta Stainton, 1869** (Mompidae) Synonym(s): *Urodeta Stainton, 1869*
- 3621. Acalyptris Meyrick, 1921** (Nepticulidae) Synonym(s): *Acalyptris Meyrick, 1921; Microcalyptris Brown, 1925; Niepeltia Strand, 1934; Weberia Müller-Rutz, 1934; Weberina Müller-Rutz, 1934*
- 3622. Areticulata Scoble, 1983** (Nepticulidae) Synonym(s): *Areticulata Scoble, 1983*
- 3623. Bohemania Stainton, 1859** (Nepticulidae) Synonym(s): *Bohemania Stainton, 1859*
- 3624. Ectoedemia (Etainia) Beirne, 1945** (Nepticulidae) Synonym(s): *Etainia Beirne, 1945*
- 3625. Ectoedemia (Fomoria) Beirne, 1945** (Nepticulidae) Synonym(s): *Fomoria Beirne, 1945*
- 3626. Ectoedemia (Muhabbetana) Koçak, 2007** (Nepticulidae) Synonym(s): *Laqueus Scoble, 1983 nec Dahl, 1870; Muhabbetana Koçak, 2007*
- 3627. Ectoedemia (Zimmermannia) Hering, 1940** (Nepticulidae) Synonym(s): *Zimmermannia Hering, 1940*
- 3628. Ectoedemia (s.str.) Busck, 1907** (Nepticulidae) Synonym(s): *Ectoedemia Busck, 1907; Dechtiria Beirne, 1945*
- 3629. Ectoedemia Busck, 1907** (Nepticulidae) Synonym(s): *Ectoedemia Busck, 1907*
- 3630. Enteucha Meyrick, 1915** (Nepticulidae) Synonym(s): *Enteucha Meyrick, 1915; Oligoneura Davis, 1978 nec Big., 1878; Artaversala Davis, 1978; Manoneura Davis, 1979; Johanssonia Borkowski, 1972 nec Selensky, 1914; Johanssoniella Koçak, 1981*
- 3631. Etainia Beirne, 1945** (Nepticulidae) Synonym(s): *Obrussa Braun, 1915; Etainia Beirne, 1945*
- 3632. Fomoria Beirne, 1945** (Nepticulidae) Synonym(s): *Fomoria Beirne, 1945*
- 3633. Parafomoria Van Nieukerken, 1983** (Nepticulidae) Synonym(s): *Parafomoria Van Nieukerken, 1983*
- 3634. Simplimorpha Scoble, 1983** (Nepticulidae) Synonym(s): *Simplimorpha Scoble, 1983*
- 3635. Stigmella Schrank, 1802** (Nepticulidae) Synonym(s): *Stigmella Schrank, 1802*
- 3636. Trifurcula (Glaucolipsis) Braun, 1917** (Nepticulidae) Synonym(s): *Glaucolipsis Braun, 1917; Fedalmia Beirne, 1945; Sinopticala Yang, 1989*
- 3637. Trifurcula (Levarchama) Beirne, 1945** (Nepticulidae) Synonym(s): *Levarchama Beirne, 1945*
- 3638. Trifurcula Zeller, 1848** (Nepticulidae) Synonym(s): *Trifurcula Zeller, 1848*
- 3639. Varius Scoble, 1983** (Nepticulidae) Synonym(s): *Varius Scoble, 1983*
- 3640. Ableptina A.E.Prout, 1927** (Noctuidae) Synonym(s): *Ableptina A.E.Prout, 1927*
- 3641. Abrostola Ochsenheimer, 1816** (Noctuidae) Synonym(s): *#Unca Oken, 1813; Abrostola Ochsenheimer, 1816; Habrostola Sodoffsky, 1837; Inguridia Butler, 1879; Unca Lhomme, [1929]; Trigeminostola Beck, [1992]; Asclepietola Beck, [1992]*
- 3642. Aburina Möschler, 1887** (Noctuidae) Synonym(s): *Aburina Möschler, 1887; Ugana Swinhoe, 1909*
- 3643. Acaenica Hampson, 1918** (Noctuidae) Synonym(s): *Acaenica Hampson, 1918*
- 3644. Acanthodelta Hampson, 1908** (Noctuidae) Synonym(s): *Acanthodelta Hampson, 1908*
- 3645. Acanthofrontia Hampson, 1910** (Noctuidae) Synonym(s): *Acanthofrontia Hampson, 1910*
- 3646. Acantholipes Lederer, 1857** (Noctuidae) Synonym(s): *Acantholipes Lederer, 1857; Docela Walker, [1866]; Lasionota Warren, 1912 (homonym); Nolaseniola Strand, 1920; Isatoolna Nye, 1975*
- 3647. Acantuerta Hampson, 1907** (Noctuidae) Synonym(s): *Acantuerta Hampson, 1907*
- 3648. Achaea Hübner, [1823]** (Noctuidae) Synonym(s): *Achaea Hübner, [1823]; Geria Walker, 1858*
- 3649. Acharya Moore, 1882** (Noctuidae) Synonym(s): *Acharya Moore, 1882*
- 3650. Acontia Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Acontia Ochsenheimer, 1816; Tarache Hübner, 1823; Desmophora Stephens, 1829; Euphasia Stephens, 1830; Trichotarache Grote, 1878*
- 3651. Acosmetia Stephens, 1829** (Noctuidae) Synonym(s): *Acosmetia Stephens, 1829; Hydrilla Boisduval, 1840*
- 3652. Acrapex Hampson, 1894** (Noctuidae) Synonym(s): *Acrapex Hampson, 1894; Acutipenna Hampson, 1894*
- 3653. Acripia Walker, 1863** (Noctuidae) Synonym(s): *Acripia Walker, 1863*
- 3654. Acrobyla Rebel, 1903** (Noctuidae) Synonym(s): *Acrobyla Rebel, 1903*
- 3655. Aconicta (Plataplecta) Butler, 1878** (Noctuidae) Synonym(s): *Plataplecta Butler, 1878*
- 3656. Aconicta Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Aconicta Ochsenheimer, 1816*
- 3657. Actebia Stephens, 1829** (Noctuidae) Synonym(s): *Actebia Stephens, 1829; Hapalia Hübner, [1821] nec Hbn., 1818; Dissimactebia Beck, 1991*

- 3658. Actinotia Hübner,[1821]** (Noctuidae) Synonym(s): *Actinotia Hübner,[1821]; Radinotia Beck,1996*
- 3659. Adisura Moore,1881** (Noctuidae) Synonym(s): *Adisura Moore,1881; Astonycha Turner,1920*
- 3660. Adrapsa Walker,[1859]** (Noctuidae) Synonym(s): *Adrapsa Walker,[1859]*
- 3661. Adris Moore,1881** (Noctuidae) Synonym(s): *Adris Moore,1881*
- 3662. Aedia Hübner,[1823]** (Noctuidae) Synonym(s): *Aedia Hübner,[1823]; Anophia Guenée,1841*
- 3663. Aedophron Lederer,1857** (Noctuidae) Synonym(s): *Aedophron Lederer,1857*
- 3664. Aegilia Walker,[1858]** (Noctuidae) Synonym(s): *Aegilia Walker,[1858]*
- 3665. Aegle Hübner,[1823]** (Noctuidae) Synonym(s): *Aegle Hübner,[1823]*
- 3666. Aegocera Latreille,1809** (Noctuidae) Synonym(s): *Aegocera Latreille,1809; Aegoceropsis Karsch,1895; Polacanthopoda Hampson,1901*
- 3667. Africalpe C.G.Krüger,1939** (Noctuidae) Synonym(s): *Africalpe C.G.Krüger,1939*
- 3668. Afroortyna M.Krüger,1997** (Noctuidae) Synonym(s): *Afroortyna M.Krüger,1997*
- 3669. Agamana Walker,[1866]** (Noctuidae) Synonym(s): *Agamana Walker,[1866]; Parafodina Hampson,1926*
- 3670. Agarista Leach,1815** (Noctuidae) Synonym(s): *Agarista Leach,1815; #Agrista Angas,1847*
- 3671. Agoma Kiriakoff,1976** (Noctuidae) Synonym(s): *Agoma Kiriakoff,1976*
- 3672. Agrapha Hübner,[1821]** (Noctuidae) Synonym(s): *Agrapha Hübner,[1821]; Acanthoplia Dufay,1970; Ctenoplia Dufay,1970.*
- 3673. Agrochola (Alpichola) Ronkay,1984** (Noctuidae) Synonym(s): *Alpichola Ronkay,1984*
- 3674. Agrochola Hübner,[1821]** (Noctuidae) Synonym(s): *Agrochola Hübner,[1821]*
- 3675. Agrotis (Crassagrotis) Beck,1991** (Noctuidae) Synonym(s): *Crassagrotis Beck,1991*
- 3676. Agrotis (Leucagrotis) Beck,1991** (Noctuidae) Synonym(s): *Leucagrotis Beck,1991*
- 3677. Agrotis (Putagrotis) Beck,1991** (Noctuidae) Synonym(s): *Putagrotis Beck,1991*
- 3678. Agrotis (s.str.) Ochsenheimer,1816** (Noctuidae) Synonym(s): *Agrotis Ochsenheimer,1816*
- 3679. Aiteta Walker,1856** (Noctuidae) Synonym(s): *Aiteta Walker,1856; Capotena Walker,1857; Brada Walker,1858 (praeocc.); Chaladra Walker,1865; Phanaca Walker,1865; Thyrsocelis Meyrick,1889.*
- 3680. Ala Staudinger,1882** (Noctuidae) Synonym(s): *Ala Staudinger,1882*
- 3681. Albocosta Fibiger & Lafontaine,1997** (Noctuidae) Synonym(s): *Albocosta Fibiger & Lafontaine,1997*
- 3682. Alelimma Hampson,1895** (Noctuidae) Synonym(s): *Alelimma Hampson,1895; Hepsidera Swinhoe,1902*
- 3683. Allophytes Tams,1942** (Noctuidae) Synonym(s): *Allophytes Tams,1942*
- 3684. Alvaradoia Agenjo,1984** (Noctuidae) Synonym(s): *Alvaradoia Agenjo,1984*
- 3685. Amazonides D.S.Fletcher,1961** (Noctuidae) Synonym(s): *Amazonides D.S.Fletcher,1961*
- 3686. Amblyprora Bethune-Baker,1911** (Noctuidae) Synonym(s): *Amblyprora Bethune-Baker,1911*
- 3687. Amefrontia Hampson,1899** (Noctuidae) Synonym(s): *Amefrontia Hampson,1899*
- 3688. Amephana Hampson,1906** (Noctuidae) Synonym(s): *Amephana Hampson,1906*
- 3689. Amilaga Swinhoe,1901** (Noctuidae) Synonym(s): *Amilaga Swinhoe,1901*
- 3690. Ammoconia Lederer,1857** (Noctuidae) Synonym(s): *Ammoconia Lederer,1857*
- 3691. Ammogrotis Staudinger,1895** (Noctuidae) Synonym(s): *Ammogrotis Staudinger,1895*
- 3692. Ammopolia Boursin,1955** (Noctuidae) Synonym(s): *Ammopolia Boursin,1955*
- 3693. Amphia Guenée,1852** (Noctuidae) Synonym(s): *Amphia Guenée,1852*
- 3694. Amphigonia Guenée,1852** (Noctuidae) Synonym(s): *Amphigonia Guenée,1852*
- 3695. Amphipoea Billberg,1820** (Noctuidae) Synonym(s): *Amphipoea Billberg,1820*
- 3696. Amphipyra Ochsenheimer,1816** (Noctuidae) Synonym(s): *Amphipyra Ochsenheimer,1816; Scotophila Hübner,[1821]; Pyrophila Stephens,1829; Philopyra Guenée,1852; Neocomia Rougemont,1902.*
- 3697. Amyna Guenée,1852** (Noctuidae) Synonym(s): *Amyna Guenée,1852*
- 3698. Anacronycta W.Warren,1909** (Noctuidae) Synonym(s): *Anacronycta W.Warren,1909*
- 3699. Anadevidia Kostrowicki,1961** (Noctuidae) Synonym(s): *Anadevidia Kostrowicki,1961; Podioplusia Ichinose,1962*
- 3700. Anagnia Walker,1854** (Noctuidae) Synonym(s): *Anagnia Walker,1854; #Anagina auct.*
- 3701. Analetia (Anapoma) Berio,1980** (Noctuidae) Synonym(s): *Apoma Berio,1980 nec Beck,1837; Anapoma Berio,1980*
- 3702. Analetia (s.str.) Calora,1966** (Noctuidae) Synonym(s): *Analetia Calora,1966*
- 3703. Analetia Calora,1966** (Noctuidae) Synonym(s): *Analetia Calora,1966*
- 3704. Ananepa Hampson,1926** (Noctuidae) Synonym(s): *Ananepa Hampson,1926*
- 3705. Anaplectoides McDunnough,1929** (Noctuidae) Synonym(s): *Anaplectoides McDunnough,1929*
- 3706. Anarta Ochsenheimer,1816** (Noctuidae) Synonym(s): *Anarta Ochsenheimer,1816; Charelia Sodoffsky,1837; Melanarta Beck,1991; Coronarta Beck,1991*
- 3707. Anartomima Boursin,1952** (Noctuidae) Synonym(s): *Anartomima Boursin,1952*
- 3708. Anartomorpha Alpheraky,1892** (Noctuidae) Synonym(s): *Anartomorpha Alpheraky,1892*
- 3709. Anathetis Janse,1938** (Noctuidae) Synonym(s): *Anathetis Janse,1938*
- 3710. Androlymnia Hampson,1908** (Noctuidae) Synonym(s): *Androlymnia Hampson,1908*
- 3711. Anedhella Viette,1965** (Noctuidae) Synonym(s): *Anedhella Viette,1965*
- 3712. Anepholcia A.Prout,1924** (Noctuidae) Synonym(s): *Anepholcia A.Prout,1924*
- 3713. Anereuthina Hübner,1813** (Noctuidae) Synonym(s): *Anereuthina Hübner,1813; Hypaetra Guenée,1852*
- 3714. Anigraea Walker,1862** (Noctuidae) Synonym(s): *Anigraea Walker,1862*
- 3715. Anisoneura Guenée,1852** (Noctuidae) Synonym(s): *Anisoneura Guenée,1852*
- 3716. Anoba Walker,1858** (Noctuidae) Synonym(s): *Anoba Walker,1858; Galapha Walker,1858; Tephrias Wallengren,1860; Baxagha Walker,1865; Arctinia Möschler,1880; Bessacta W.Warren,1912*
- 3717. Anomis Hübner,[1821]** (Noctuidae) Synonym(s): *Anomis Hübner,[1821]; Cosmophila Boisduval,1833; Anomus Agassiz,1847; Amarna Walker,[1857]; Rusicada Walker,1858; Scoeisa Walker,1858; Deremma Walker,1865; Tridata Walker,1865; Capitaria Walker,1869; #Gonotis Moore,1882; Deinopalpus Holland,1894; Molopa Swinhoe,1902; Gonopteronia Bethune-Baker,1906; #Gonepteronia Kenrick,1917*
- 3718. Anomocala Tams,1935** (Noctuidae) Synonym(s): *Anomocala Tams,1935*
- 3719. Anoratha Moore,1867** (Noctuidae) Synonym(s): *Anoratha Moore,1867*
- 3720. Antarchaea Hübner,[1821]** (Noctuidae) Synonym(s): *Antarchaea Hübner,[1821]*
- 3721. Antennola de Freina & Witt,1984** (Noctuidae) Synonym(s): *Antennola de Freina & Witt,1984*
- 3722. Anthracia Hübner,[1823]** (Noctuidae) Synonym(s): *Anthraccia Hübner,[1823]*
- 3723. Anticarsia Hübner,1818** (Noctuidae) Synonym(s): *Anticarsia Hübner,1818; Azazia Walker,1858*
- 3724. Antiophlebia R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *Antiophlebia R.Felder & Rogenhofer,1874*
- 3725. Antitrisuloides Holloway,1985** (Noctuidae) Synonym(s): *Antitrisuloides Holloway,1985*
- 3726. Antitype Hübner,[1821]** (Noctuidae) Synonym(s): *Antitype Hübner,[1821]*
- 3727. Anua Walker,1858** (Noctuidae) Synonym(s): *Anua Walker,1858*
- 3728. Anuga Guenée,1852** (Noctuidae) Synonym(s): *Anuga Guenée,1852; Caecila Walker,1858; Piada Walker,1858; Phumana*

- Walker,[1863]; *Spersara* Walker,[1863]; *Mimanuga* Walker,[1863];
W.Warren,1913
3729. **Anumeta** Walker,1858 (Noctuidae) Synonym(s): *Anumeta* Walker,1858
3730. **Anydrophila** John,1909 (Noctuidae) Synonym(s): *Anydrophila* John,1909
3731. **Apaeocera** Hampson,1905 (Noctuidae) Synonym(s): *Apaeocera* Hampson,1905
3732. **Apamea** Ochseneheimer,1816 (Noctuidae) Synonym(s): *Apamea* Ochseneheimer,1816
3733. **Apautis** Hübner,[1823] (Noctuidae) Synonym(s): *Apautis* Hübner,[1823]
3734. **Aplotelia** W.Warren,1914 (Noctuidae) Synonym(s): *Aplotelia* W.Warren,1914
3735. **Apopestes** Hübner,[1823] (Noctuidae) Synonym(s): *Apopestes* Hübner,[1823]
3736. **Aporophyla** Guenée,1841 (Noctuidae) Synonym(s): *Aporophyla* Guenée,1841
3737. **Apospasta** D.S.Fletcher,1959 (Noctuidae) Synonym(s): *Apospasta* D.S.Fletcher,1959
3738. **Apostema** W.Warren,1913 (Noctuidae) Synonym(s): *Apostema* W.Warren,1913
3739. **Apsarasa** Moore,1867 (Noctuidae) Synonym(s): *Apsarasa* Moore,1867
3740. **Aquis** Walker,1858 (Noctuidae) Synonym(s): *Aquis* Walker,1858
3741. **Aquila** Walker,1863 (Noctuidae) Synonym(s): *Aquila* Walker,1863
3742. **Arachnognatha** Hampson,1894 (Noctuidae) Synonym(s): *Arachnognatha* Hampson,1894
3743. **Araea** Hampson,1908 (Noctuidae) Synonym(s): *Araea* Hampson,1908
3744. **Araeopterella** Fibiger & Hacker,2001 (Noctuidae) Synonym(s): *Araeopterella* Fibiger & Hacker,2001
3745. **Araeopteron** Hampson,1893 (Noctuidae) Synonym(s): *Araeopteron* Hampson,1893
3746. **Archanara** Walker,1866 (Noctuidae) Synonym(s): *Archanara* Walker,1866
3747. **Archephia** Hampson,1926 (Noctuidae) Synonym(s): *Archephia* Hampson,1926
3748. **Arcte** Kollar,[1844]; *Cocytodes* Guenée,1852
3749. **Arctiopais** Jordan,1896 (Noctuidae) Synonym(s): *Arctiopais* Jordan,1896
3750. **Arcyophora** Guenée,1852 (Noctuidae) Synonym(s): *Arcyophora* Guenée,1852; *Euxestis* Lederer,1869; *Gonioxestis* Hampson,1912
3751. **Arenarba** Berio,1950 (Noctuidae) Synonym(s): *Arenarba* Berio,1950
3752. **Arenostola** Hampson,1910 (Noctuidae) Synonym(s): *Arenostola* Hampson,1910
3753. **Argyrogramma** Hübner,[1823] (Noctuidae) Synonym(s): *Argyrogramma* Hübner,[1823]
3754. **Argyrolepidia** Hampson,1901 (Noctuidae) Synonym(s): *Argyrolepidia* Hampson,1901
3755. **Argyrospila** Herrich-Schäffer,1851 (Noctuidae) Synonym(s): *Argyrospila* Herrich-Schäffer,1851
3756. **Ariathisa** Walker,1865 (Noctuidae) Synonym(s): *Ariathisa* Walker,1865; *Eulaphygma* Butler,1890
3757. **Ariola** Walker,1857 (Noctuidae) Synonym(s): *Ariola* Walker,1857
3758. **Ariolica** Walker,[1863] (Noctuidae) Synonym(s): *Ariolica* Walker,[1863]; *Chionomera* Butler,1881
3759. **Armana** Swinhoe,1890 (Noctuidae) Synonym(s): *Armana* Swinhoe,1890
3760. **Aroana** Bethune-Baker,1906 (Noctuidae) Synonym(s): *Aroana* Bethune-Baker,1906
3761. **Arrhapa** Walker,1862 (Noctuidae) Synonym(s): *Arrhapa* Walker,1862
3762. **Arrothia** Jordan,1896 (Noctuidae) Synonym(s): *Arrothia* Jordan,1896
3763. **Artena** Walker,1858 (Noctuidae) Synonym(s): *Artena* Walker,1858
3764. **Arthisma** Moore,1883 (Noctuidae) Synonym(s): *Arthisma* Moore,1883
3765. **Arytrura** John,1912 (Noctuidae) Synonym(s): *Arytrura* John,1912
3766. **Arytrurides** Hampson,1926 (Noctuidae) Synonym(s): *Arytrurides* Hampson,1926
3767. **Ascalapha** Hübner,[1809] (Noctuidae) Synonym(s): *Ascalapha* Hübner,[1809]
3768. **Asiccia** Hampson,1926 (Noctuidae) Synonym(s): *Asiccia* Hampson,1926
3769. **Asinduma** Walker,[1863] (Noctuidae) Synonym(s): *Asinduma* Walker,[1863]
3770. **Aspidhampsonia** Berio,1964 (Noctuidae) Synonym(s): *Aspidhampsonia* Berio,1964
3771. **Aspidifrontia** Hampson,1902 (Noctuidae) Synonym(s): *Aspidifrontia* Hampson,1902
3772. **Asplenina** Hampson,1916 (Noctuidae) Synonym(s): *Asplenina* Hampson,1916
3773. **Asteropetes** Hampson,1901 (Noctuidae) Synonym(s): *Asteropetes* Hampson,1901
3774. **Asteroscopus** Boisduval,1828 (Noctuidae) Synonym(s): *Asteroscopus* Boisduval,1828
3775. **Atacira** Swinhoe,1900 (Noctuidae) Synonym(s): *Atacira* Swinhoe,1900
3776. **Atethmia** Hübner,[1821] (Noctuidae) Synonym(s): *Atethmia* Hübner,[1821]
3777. **Athaumasta** Hampson,1906 (Noctuidae) Synonym(s): *Athaumasta* Hampson,1906; *Athaumasta* Hacker,1990
3778. **Athetis** Hübner,[1821] (Noctuidae) Synonym(s): *Athetis* Hübner,[1821]; *Proxenus* Herrich-Schäffer,[1850]; *Elydna* Walker,1858; *Nebrissa* Walker,1862; *Radinacra* Butler,1878; *Dadica* Moore,1881; *Radingoes* Butler,1886; *Strepselydna* Warren,1911; *Hydrillula* Tams,1938; *Tectorea* Berio,1955.
3779. **Athyra** Hübner,[1823] (Noctuidae) Synonym(s): *Athyra* Hübner,[1823]
3780. **Attatha** Moore,1878 (Noctuidae) Synonym(s): *Attatha* Moore,1878
3781. **Attonda** Swinhoe,1919 (Noctuidae) Synonym(s): *Attonda* Swinhoe,1919
3782. **Atunsea** Berio,1977 (Noctuidae) Synonym(s): *Atunsea* Berio,1977
3783. **Atypha** Hübner,[1821] (Noctuidae) Synonym(s): *Atypha* Hübner,[1821]
3784. **Auchenisa** Hampson,1905 (Noctuidae) Synonym(s): *Auchenisa* Hampson,1905
3785. **Auchmis** (s.str.) Hübner,[1821] (Noctuidae) Synonym(s): *Auchmis* Hübner,[1821]
3786. **Auchmis** Hübner,[1821] (Noctuidae) Synonym(s): *Auchmis* Hübner,[1821]
3787. **Audea** Walker,[1858] (Noctuidae) Synonym(s): *Audea* Walker,[1858]
3788. **Australothis** Matthews,1991 (Noctuidae) Synonym(s): *Australothis* Matthews,1991; *Australoverpa* Matthews,1991
3789. **Authadistis** Hampson,1902 (Noctuidae) Synonym(s): *Authadistis* Hampson,1902
3790. **Autoba** Walker,[1863] (Noctuidae) Synonym(s): *Autoba* Walker,[1863]
3791. **Autographa** Hübner,[1821] (Noctuidae) Synonym(s): *Autographa* Hübner,[1821]
3792. **Autophila** Hübner,[1823] (Noctuidae) Synonym(s): *Autophila* Hübner,[1823]
3793. **Avatha** Walker,1857 (Noctuidae) Synonym(s): *Avatha* Walker,1857; *Pseudathyra* Butler,1892; *Pterochaeta* Holland,1900
3794. **Avitta** Walker,1858 (Noctuidae) Synonym(s): *Avitta* Walker,1858; *Oroba* Walker,[1863]
3795. **Axylia** Hübner,[1821] (Noctuidae) Synonym(s): *Axylia* Hübner,[1821]; *Actinia* Ebert & Hacker,2002
3796. **Badiza** Walker,1864 (Noctuidae) Synonym(s): *Badiza* Walker,1864
3797. **Ballatha** Walker,1865 (Noctuidae) Synonym(s): *Ballatha* Walker,1865
3798. **Bamra** Moore,1882 (Noctuidae) Synonym(s): *Bamra* Moore,1882
3799. **Baniana** Walker,1858 (Noctuidae) Synonym(s): *Baniana* Walker,1858
3800. **Baorisa** Moore,1882 (Noctuidae) Synonym(s): *Baorisa* Moore,1882
3801. **Barasa** Walker,1862 (Noctuidae) Synonym(s): *Barasa* Walker,1862
3802. **Barastrotia** W.Warren,1913 (Noctuidae) Synonym(s): *Barastrotia* W.Warren,1913
3803. **Bareia** Walker,1858 (Noctuidae) Synonym(s): *Bareia* Walker,1858

- 3804. Basistriga Fibiger & Lafontaine, 1997** (Noctuidae) Synonym(s): *Basistriga Fibiger & Lafontaine, 1997*
- 3805. Bastilla Swinhoe, 1918** (Noctuidae) Synonym(s): *Naxia Guenée, 1852 nec Leach, 1823; Bastilla Swinhoe, 1918; Xiana Nye, 1975*
- 3806. Batracharta Walker, 1862** (Noctuidae) Synonym(s): *Batracharta Walker, 1862; Carissa Walker, 1864; Pilosocruces Hampson, 1881*
- 3807. Beana Walker, 1862** (Noctuidae) Synonym(s): *Beana Walker, 1862*
- 3808. Beara Walker, 1866** (Noctuidae) Synonym(s): *Beara Walker, 1866*
- 3809. Behounekia Hacker, 1990** (Noctuidae) Synonym(s): *Behounekia Hacker, 1990*
- 3810. Beihania Wiltshire, 1967** (Noctuidae) Synonym(s): *Beihania Wiltshire, 1967*
- 3811. Belciades Kozhantschikov, 1950** (Noctuidae) Synonym(s): *Belciades Kozhantschikov, 1950*
- 3812. Belciana Walker, 1862** (Noctuidae) Synonym(s): *Belciana Walker, 1862; Nalca Walker, 1866; Diptheroides Bethune-Baker, 1906*
- 3813. Bematha Walker, 1865** (Noctuidae) Synonym(s): *Bematha Walker, 1865*
- 3814. Bena Billberg, 1820** (Noctuidae) Synonym(s): *Bena Billberg, 1820*
- 3815. Benshirachia Gyulai, Varga & L.Ronkay, 2002** (Noctuidae) Synonym(s): *Benshirachia Gyulai, Varga & L.Ronkay, 2002*
- 3816. Beriohansa Nye, 1975** (Noctuidae) Synonym(s): *Hansa Berio, 1959 (praeocc.); Beriohansa Nye, 1975*
- 3817. Bertula Walker, [1859]** (Noctuidae) Synonym(s): *Bertula Walker, [1859]; Neviasca Walker, [1859]; Cardalena Walker, 1859; Gabrisa Walker, 1865; #Newascia Kononenko & Pinratana, 2005*
- 3818. Blastikorhinus Butler, 1893** (Noctuidae) Synonym(s): *Blasticorhinus Butler, 1893*
- 3819. Blenina Walker, [1858]** (Noctuidae) Synonym(s): *Blenina Walker, [1858]; Eliocroea Walker, 1865; Amrella Moore, 1882*
- 3820. Blepharita Hampson, 1907** (Noctuidae) Synonym(s): *Blepharita Hampson, 1907*
- 3821. Blepharomorpha Hreblay & L.Ronkay, 1998** (Noctuidae) Synonym(s): *Blepharomorpha Hreblay & L.Ronkay, 1998*
- 3822. Bleptina Guenée, 1854** (Noctuidae) Synonym(s): *Bleptina Guenée, 1854*
- 3823. Bocana Walker, [1859]** (Noctuidae) Synonym(s): *Bocana Walker, [1859]; Lamura Walker, [1859]; Bithiasa Walker, 1865*
- 3824. Bocula Guenée, 1852** (Noctuidae) Synonym(s): *Bocula Guenée, 1852; Lacibisa Walker, [1863]; Aramuna Moore, 1884; Trichoptya Warren, 1912; Sillophora Warren, 1912 nec Wm., 1907; Trapezoptera Hulstaert, 1924*
- 3825. Bonaberiana Strand, 1915** (Noctuidae) Synonym(s): *Bonaberiana Strand, 1915*
- 3826. Borbotana Walker, 1858** (Noctuidae) Synonym(s): *Borbotana Walker, 1858*
- 3827. Bornolis Holloway, 1989** (Noctuidae) Synonym(s): *Bornolis Holloway, 1989*
- 3828. Boursinia Brandt, 1938** (Noctuidae) Synonym(s): *Boursinia Brandt, 1938; Anamecia Boursin, 1958; #Bousinia Hacker, 1998*
- 3829. Brachionycha Hübner, [1819]** (Noctuidae) Synonym(s): *Brachionycha Hübner, [1819]*
- 3830. Brachygalea Hampson, 1906** (Noctuidae) Synonym(s): *Brachygalea Hampson, 1906*
- 3831. Brachylomia Hampson, 1906** (Noctuidae) Synonym(s): *Brachylomia Hampson, 1906*
- 3832. Brachypteragrotis Viette, 1959** (Noctuidae) Synonym(s): *Brachypteragrotis Viette, 1959*
- 3833. Brachyxanthia Butler, 1878** (Noctuidae) Synonym(s): *Brachyxanthia Butler, 1878*
- 3834. Brana Walker, [1858]** (Noctuidae) Synonym(s): *Brana Walker, [1858]*
- 3835. Brandtina Bytinski-Salz & Brandt, 1937** (Noctuidae) Synonym(s): *Brandtina Bytinski-Salz & Brandt, 1937; Cometera Hacker, 1996; #Brandtaxia Ebert & Hacker, 2002*
- 3836. Brephos Hübner, [1813]** (Noctuidae) Synonym(s): *Brephos Hübner, [1813]; Pais Hübner, [1821]; Brephia Hübner, 1822*
- 3837. Briha Walker, [1866]** (Noctuidae) Synonym(s): *Briha Walker, [1866]; Hyposemeia Hampson, 1893; #Hyposemia Poole, 1989*
- 3838. Brithys Hübner, [1821]** (Noctuidae) Synonym(s): *Brithys Hübner, [1821]; Cocytia Treitschke, 1835 (praeocc.); Glottula Guenée, 1857*
- 3839. Brithysana Viette, 1962** (Noctuidae) Synonym(s): *Brithysana Viette, 1962*
- 3840. Bryomima Staudinger, 1900** (Noctuidae) Synonym(s): *Bryomima Staudinger, 1900*
- 3841. Bryonycta Boursin, 1955** (Noctuidae) Synonym(s): *Bryonycta Boursin, 1955*
- 3842. Bryophilopsis Hampson, 1894** (Noctuidae) Synonym(s): *Bryophilopsis Hampson, 1894*
- 3843. Bryopolia Boursin, 1954** (Noctuidae) Synonym(s): *Bryopolia Boursin, 1954*
- 3844. Bryothripa Hampson, 1912** (Noctuidae) Synonym(s): *Bryothripa Hampson, 1912*
- 3845. Bryoxena Varga, L.Ronkay & Hacker, 1990** (Noctuidae) Synonym(s): *Bryoxena Varga, L.Ronkay & Hacker, 1990*
- 3846. Burgena Walker, 1864** (Noctuidae) Synonym(s): *Burgena Walker, 1864*
- 3847. Busseola Thureau, 1904** (Noctuidae) Synonym(s): *Busseola Thureau, 1904*
- 3848. Cacyparis Walker, 1862** (Noctuidae) Synonym(s): *Cacyparis Walker, 1862*
- 3849. Caduca Moore, 1887** (Noctuidae) Synonym(s): *Caduca Moore, 1887*
- 3850. Caffristis Hampson, 1906** (Noctuidae) Synonym(s): *Caffristis Hampson, 1906*
- 3851. Calamia Hübner, [1821]** (Noctuidae) Synonym(s): *Calamia Hübner, [1821]*
- 3852. Calesia Guenée, 1852** (Noctuidae) Synonym(s): *Calesia Guenée, 1852; Pasipeda Walker, 1858; Mecyra Walker, 1865; Zirona Walker, 1869; Asymbata Gerstaecker, 1871; Caradana Moore, [1884]; Lecasia Fawcett, 1916*
- 3853. Caligatus Wing, [1850]** (Noctuidae) Synonym(s): *Caligatus Wing, [1850]*
- 3854. Callierges Hübner, [1821]** (Noctuidae) Synonym(s): *Callierges Hübner, [1821]; Lithocampa Guenée, 1852*
- 3855. Calliodes Guenée, 1852** (Noctuidae) Synonym(s): *Calliodes Guenée, 1852*
- 3856. Callistege Hübner, [1823]** (Noctuidae) Synonym(s): *Callistege Hübner, [1823]; Euclidimera Hampson, 1913*
- 3857. Callixena Saalmüller, 1891** (Noctuidae) Synonym(s): *Callixena Saalmüller, 1891*
- 3858. Callopietria Hübner, [1821]** (Noctuidae) Synonym(s): *Callopietria Hübner, [1821]; Lagopus R.L., 1817 nec Brisson, 1760; Eriopus Treitschke, 1825; Agabra Walker, 1862; Obana Walker, 1862 nec Walk., 1862; Gnamptocera Butler, 1881; Haploolophus Butler, 1881; Dissolophus Butler, 1881; Hemipachycera Butler, 1881; Rheptrotrichia Butler, 1881; Platydasy Butler, 1881; Methorasa Moore, 1881; Cotanda Moore, 1881; Herrichia Grote, 1882 nec Stgr., 1871; Euherrichia Grote, 1882; Hyperdasis Swinhoe, 1901; Miropalpa Berio, 1955*
- 3859. Callyna Guenée, 1852** (Noctuidae) Synonym(s): *Callyna Guenée, 1852*
- 3860. Calocucullia G.Ronkay & L.Ronkay, 1987** (Noctuidae) Synonym(s): *Calocucullia G.Ronkay & L.Ronkay, 1987*
- 3861. Calophasia Stephens, 1829** (Noctuidae) Synonym(s): *Calophasia Stephens, 1829*
- 3862. Caloplusia Smith, 1884** (Noctuidae) Synonym(s): *Caloplusia Smith, 1884*
- 3863. Calpiformis Hampson, 1908** (Noctuidae) Synonym(s): *Calpiformis Hampson, 1908*
- 3864. Calymera Moore, 1882** (Noctuidae) Synonym(s): *Calymera Moore, 1882*
- 3865. Calymma Hübner, [1823]** (Noctuidae) Synonym(s): *Calymma Hübner, [1823]*
- 3866. Calyptra Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Calyptra Ochsenheimer, 1816; Calpe Treitschke, 1825; Culasta Moore, 1881; Hypocalpe Butler, 1883; Percalpe Berio, 1956*
- 3867. Camptoloma R.Felder, 1875** (Noctuidae) Synonym(s): *Camptoloma R.Felder, 1875*
- 3868. Campydelta Berio, 1964** (Noctuidae) Synonym(s): *Campydelta Berio, 1964*
- 3869. Caradrina (Boursinidrina) Hacker, 2004** (Noctuidae) Synonym(s): *Boursinidrina Hacker, 2004*
- 3870. Caradrina (Eremodrina) Boursin, 1937** (Noctuidae) Synonym(s): *Eremodrina Boursin, 1937*
- 3871. Caradrina (Kalchbergiana) Hacker, 2004** (Noctuidae) Synonym(s): *Kalchbergiana Hacker, 2004*
- 3872. Caradrina (Levantrina) Hacker, 2004** (Noctuidae) Synonym(s): *Levantrina Hacker, 2004*

- 3873.** *Caradrina* (*Paradrina*) **Boursin,1937** (Noctuidae) Synonym(s): *Paradrina Boursin,1937*
- 3874.** *Caradrina* (*Platyperigea*) **Smith,1894** (Noctuidae) Synonym(s): *Platyperigea Smith,1894; Hymenodrina Boursin,1937*
- 3875.** *Caradrina* (*Weigertrina*) **Hacker,2004** (Noctuidae) Synonym(s): *Weigertrina Hacker,2004*
- 3876.** *Caradrina* (s.str.) *likiangia* (**Berio,1977**) (Noctuidae) Synonym(s): *likiangia Berio,1977*
- 3877.** *Caradrina* **Ochsenheimer,1816** (Noctuidae) Synonym(s): *Caradrina Ochsenheimer,1816; Charadrina Agassiz,1847; Amphidrina Staudinger,1892*
- 3878.** *Carcharoda* **Hampson,1910** (Noctuidae) Synonym(s): *Carcharoda Hampson,1910*
- 3879.** *Cardepia* **Hampson,1905** (Noctuidae) Synonym(s): *Cardepia Hampson,1905*
- 3880.** *Cardiosace* **Hampson,1910** (Noctuidae) Synonym(s): *Cardiosace Hampson,1910*
- 3881.** *Carea* **Walker,[1857]** (Noctuidae) Synonym(s): *Carea Walker,[1857]; Chora Walker,1862; Didigua Walker,1862; Xenochroa R.Felder,1874; Calymera Moore,1882; Ranaja Moore,1882*
- 3882.** *Carsina* **Hampson,1924** (Noctuidae) Synonym(s): *Carsina Hampson,1924*
- 3883.** *Catada* **Walker,[1859]** (Noctuidae) Synonym(s): *Catada Walker,[1859]*
- 3884.** *Catamecia* **Staudinger,1897** (Noctuidae) Synonym(s): *Catamecia Staudinger,1897*
- 3885.** *Catephia* **Ochsenheimer,1816** (Noctuidae) Synonym(s): *Catephia Ochsenheimer,1816; Idicara Walker,[1863]; Zarima Moore,1882; Mageutica Hampson,1926*
- 3886.** *Catocala* **Schränk,1802** (Noctuidae) Synonym(s): *Catocala Schränk,1802; Hemigeometra Haworth,1809; Lamprosia Hübner,[1821]; Belparidia Hübner,1822; Astiotes, Corisce, Eucora, Eunetis Hübner,[1823]; Andrewsia Grote,1882; Catabapta Hulst,1884; Andreusia Hampson,1913.*
- 3887.** *Celaena* **Stephens,1829** (Noctuidae) Synonym(s): *Celaena Stephens,1829*
- 3888.** *Centrartha* **Hampson,1908** (Noctuidae) Synonym(s): *Centrartha Hampson,1908*
- 3889.** *Centrogone* **Hampson,1908** (Noctuidae) Synonym(s): *Centrogone Hampson,1908*
- 3890.** *Cephena* **Moore,1882** (Noctuidae) Synonym(s): *Cephena Moore,1882*
- 3891.** *Cerapteryx* **Curtis,1833** (Noctuidae) Synonym(s): *Cerapteryx Curtis,1833*
- 3892.** *Ceraptila* **Guenée,1854** (Noctuidae) Synonym(s): *Ceraptila Guenée,1854*
- 3893.** *Cerastis* **Ochsenheimer,1816** (Noctuidae) Synonym(s): *Cerastis Ochsenheimer,1816; Cerastia Stephens,1850; Sora Heinemann,1859 nec Wlk.,1859; Matuta Grote,1874; Gypsitesa Tams,1939; Facastis Beck,1991*
- 3894.** *Cerocala* **Boisduval,1829** (Noctuidae) Synonym(s): *Cerocala Boisduval,1829*
- 3895.** *Cerynea* **Walker,1859** (Noctuidae) Synonym(s): *Cerynea Walker,1859*
- 3896.** *Cetola* **Walker,1855** (Noctuidae) Synonym(s): *Cetola Walker,1855*
- 3897.** *Chabuata* **Walker,[1858]** (Noctuidae) Synonym(s): *Chabuata Walker,[1858]*
- 3898.** *Chaetostephana* **Jordan,1913** (Noctuidae) Synonym(s): *Chaetostephana Jordan,1913*
- 3899.** *Chalciope* **Hübner,[1823]** (Noctuidae) Synonym(s): *Chalciope Hübner,[1823]; Euclidisema Hampson,1913*
- 3900.** *Chalestra* **Walker,1859** (Noctuidae) Synonym(s): *Chalestra Walker,1859*
- 3901.** *Chandata* **Moore,1882** (Noctuidae) Synonym(s): *Chandata Moore,1882*
- 3902.** *Chandica* **Moore,1888** (Noctuidae) Synonym(s): *Chandica Moore,1888*
- 3903.** *Characoma* **Walker,1863** (Noctuidae) Synonym(s): *Characoma Walker,1863; Corticata Walker,[1863]; Paraxia Möschler,1890; Hypothripa Hampson,1894.*
- 3904.** *Charanyca* **Billberg,1820** (Noctuidae) Synonym(s): *Charanyca Billberg,1820*
- 3905.** *Chasmina* **Walker,1856** (Noctuidae) Synonym(s): *Chasmina Walker,1856*
- 3906.** *Chasminodes* **Hampson,1908** (Noctuidae) Synonym(s): *Chasminodes Hampson,1908*
- 3907.** *Chazaria* **Moore,1881** (Noctuidae) Synonym(s): *Chazaria Moore,1881; Rhodocleptia Hampson,1903.*
- 3908.** *Chelonomorpha* **Motschulsky,1860** (Noctuidae) Synonym(s): *Chelonomorpha Motschulsky,1860*
- 3909.** *Chersotis* **Boisduval,1840** (Noctuidae) Synonym(s): *Chersotis Boisduval,1840*
- 3910.** *Chilkasa* **Swinhoe,1885** (Noctuidae) Synonym(s): *Chilkasa Swinhoe,1885; Acygonia Roepke,1948*
- 3911.** *Chilodes* **Herrich-Schäffer,1849** (Noctuidae) Synonym(s): *Chilodes Herrich-Schäffer,1849; Hypostilbia Hampson,1908*
- 3912.** *Chionoxantha* **Hampson,1914** (Noctuidae) Synonym(s): *Xantholeuca Hampson,1910 (praeocc.); Chionoxantha Hampson,1914*
- 3913.** *Chitasida* **Hampson,1926** (Noctuidae) Synonym(s): *Chitasida Hampson,1926*
- 3914.** *Chloantha* **Boisduval, Rambur & Graslin,1836** (Noctuidae) Synonym(s): *Chloantha Boisduval, Rambur & Graslin,1836*
- 3915.** *Chloethripa* **Hampson,1912** (Noctuidae) Synonym(s): *Chloethripa Hampson,1912*
- 3916.** *Chloriola* **Hampson,1912** (Noctuidae) Synonym(s): *Chloriola Hampson,1912*
- 3917.** *Chlorognesia* **W.Warren,1913** (Noctuidae) Synonym(s): *Chlorognesia W.Warren,1913*
- 3918.** *Chloroplaga* **Hampson,1912** (Noctuidae) Synonym(s): *Chloroplaga Hampson,1912*
- 3919.** *Chlorozada* **Hampson,1912** (Noctuidae) Synonym(s): *Chlorozada Hampson,1912*
- 3920.** *Chlumetia* **Walker,[1866]** (Noctuidae) Synonym(s): *Nachaba Walker,1863 nec Wlk.,1859; Chlumetia Walker,[1866]*
- 3921.** *Chora* **Walker,1862** (Noctuidae) Synonym(s): *Chora Walker,1862*
- 3922.** *Chortodes* **Tutt,1897** (Noctuidae) Synonym(s): *Chortodes Tutt,1897*
- 3923.** *Chrysodeixis* **Hübner,[1821]** (Noctuidae) Synonym(s): *Chrysodeixis Hübner,[1821]; Neoplusia Okano,1963*
- 3924.** *Chrysograptia* **Hampson,1926** (Noctuidae) Synonym(s): *Chrysograptia Hampson,1926*
- 3925.** *Chrysopera* **Hampson,1894** (Noctuidae) Synonym(s): *Chrysopera Hampson,1894*
- 3926.** *Chrysozonata* **Hampson,1914** (Noctuidae) Synonym(s): *Chrysozonata Hampson,1914*
- 3927.** *Chusaris* **Walker,[1859]** (Noctuidae) Synonym(s): *Chusaris Walker,[1859]*
- 3928.** *Chytonix* **Grote,1874** (Noctuidae) Synonym(s): *Chytonix Grote,1874*
- 3929.** *Cirrodos* **Hampson,1910** (Noctuidae) Synonym(s): *Cirrodos Hampson,1910*
- 3930.** *Cladocerotis* **Hampson,1903** (Noctuidae) Synonym(s): *Cladocerotis Hampson,1903*
- 3931.** *Claterna* **Walker,1858** (Noctuidae) Synonym(s): *Claterna Walker,1858; Trigonina Guenée,1854*
- 3932.** *Cleoceris* **Boisduval,1836** (Noctuidae) Synonym(s): *Cleoceris Boisduval,1836*
- 3933.** *Cleonymia* (*Serryvania*) **Berio,1980** (Noctuidae) Synonym(s): *Serryvania Berio,1980*
- 3934.** *Cleonymia* **Berio,1966** (Noctuidae) Synonym(s): *Cleonymia Berio,1966*
- 3935.** *Clethrurasa* **Hampson,1910** (Noctuidae) Synonym(s): *Clethrurasa Hampson,1910*
- 3936.** *Clettharina* **Hampson,1894** (Noctuidae) Synonym(s): *Clettharina Hampson,1894*
- 3937.** *Clytie* (*Hypoglaucitis*) **Staudinger,1895** (Noctuidae) Synonym(s): *Hypoglaucitis Staudinger,1895*
- 3938.** *Clytie* (s.str.) **Hübner,[1823]** (Noctuidae) Synonym(s): *Clytie Hübner,[1823]; Pseudophia Guenée,1852.*
- 3939.** *Clytie* **Hübner,[1823]** (Noctuidae) Synonym(s): *Clytie Hübner,[1823]; Pseudophia Guenée,1852.*
- 3940.** *Cnodifrontia* **Hampson,1902** (Noctuidae) Synonym(s): *Cnodifrontia Hampson,1902*
- 3941.** *Coarica* **Moore,1882** (Noctuidae) Synonym(s): *Coarica Moore,1882*
- 3942.** *Codalithia* **Holloway,1979** (Noctuidae) Synonym(s): *Codalithia Holloway,1979*
- 3943.** *Coenobia* **Stephens,1850** (Noctuidae) Synonym(s): *Coenobia Stephens,1850*
- 3944.** *Coenophila* **Stephens,1850** (Noctuidae) Synonym(s): *Coenophila Stephens,1850*
- 3945.** *Colbusa* **Walker,1865** (Noctuidae) Synonym(s): *Colbusa Walker,1865*

- 3946. Colobochyla (Caspicastra) Koçak & Kemal, 2002** (Noctuidae) Synonym(s): *Caspicastra Koçak & Kemal, 2002*
- 3947. Colobochyla Hübner, [1825]** (Noctuidae) Synonym(s): *#Salia Hübner, [1806]; Colobochyla Hübner, [1825]; #Cholobochyla Hübner, [1826]; Madopa Stephens, 1829; Cholobochyla Agassiz, 1846; #Colobochyla Walker, [1859]; #Matopa Hacker, 1990.*
- 3948. Colocasia Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Colocasia Ochsenheimer, 1816; Leptostola Billberg, 1820; Demas Stephens, 1829; #Calocasia auct.*
- 3949. Colpocheilopteryx Wallengren, 1865** (Noctuidae) Synonym(s): *Colpocheilopteryx Wallengren, 1865*
- 3950. Cometaster Hampson, 1913** (Noctuidae) Synonym(s): *Cometaster Hampson, 1913*
- 3951. Comocrus Jordan, 1896** (Noctuidae) Synonym(s): *Comocrus Jordan, 1896*
- 3952. Compsotata Prout, 1907** (Noctuidae) Synonym(s): *Compsotata Prout, 1907*
- 3953. Condate Walker, 1862** (Noctuidae) Synonym(s): *Condate Walker, 1862*
- 3954. Condica Walker, 1856** (Noctuidae) Synonym(s): *Condica Walker, 1856; Gaphara Walker, 1862; Platysenta Grote, 1874; Myrtale Druce, 1891; Monocondica Berio, 1981; Bicondica Berio, 1981.*
- 3955. Conicofrontia Hampson, 1902** (Noctuidae) Synonym(s): *Conicofrontia Hampson, 1902*
- 3956. Conistra (Dasycampa) Guenée, 1837** (Noctuidae) Synonym(s): *Dasycampa Guenée, 1837*
- 3957. Conistra (s.str.) Hübner, [1821]** (Noctuidae) Synonym(s): *Conistra Hübner, [1821]; Orrhodia Hübner, [1821]; Gloia Hübner, 1822; Peperina Hreblay, 1992*
- 3958. Conservula Grote, 1874** (Noctuidae) Synonym(s): *Conservula Grote, 1874*
- 3959. Cophanta Walker, 1864** (Noctuidae) Synonym(s): *Cophanta Walker, 1864; Toxophleps Hampson, 1893*
- 3960. Copifrontia Hampson, 1905** (Noctuidae) Synonym(s): *Copifrontia Hampson, 1905*
- 3961. Copiphana Hampson, 1906** (Noctuidae) Synonym(s): *Copiphana Hampson, 1906*
- 3962. Corcobara Moore, 1882** (Noctuidae) Synonym(s): *Corcobara Moore, 1882*
- 3963. Corgatha Walker, [1859]** (Noctuidae) Synonym(s): *Corgatha Walker, [1859]*
- 3964. Cornutiplusia Kostrowicki, 1961** (Noctuidae) Synonym(s): *Cornutiplusia Kostrowicki, 1961*
- 3965. Corsa Walker, [1858]** (Noctuidae) Synonym(s): *Corsa Walker, [1858]*
- 3966. Cortyta Walker, [1858]** (Noctuidae) Synonym(s): *Cortyta Walker, [1858]*
- 3967. Cosmia Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Cosmia Ochsenheimer, 1816; Eustegnia Hübner, [1821].*
- 3968. Cossedia Walker, 1865** (Noctuidae) Synonym(s): *Cossedia Walker, 1865*
- 3969. Crambiforma Hampson, 1926** (Noctuidae) Synonym(s): *Crambiforma Hampson, 1926*
- 3970. Crameria Hübner, [1819]** (Noctuidae) Synonym(s): *Crameria Hübner, [1819]; Charilina Walker, 1854*
- 3971. Craniophora Snellen, 1867** (Noctuidae) Synonym(s): *Craniophora Snellen, 1867; Bisulcia Chapman, 1890; Cranionycta De Lattin, 1949; Hampsonia Kozhantschikov, 1950; Miracopa Draudt, 1950; Hampsonidia Inoue, 1958.*
- 3972. Cremopalpus Strand, 1909** (Noctuidae) Synonym(s): *Cremopalpus Strand, 1909*
- 3973. Cretonia Walker, 1866** (Noctuidae) Synonym(s): *Cretonia Walker, 1866*
- 3974. Crinala Jordan, 1896** (Noctuidae) Synonym(s): *Crinala Jordan, 1896*
- 3975. Crinocula Jordan, 1896** (Noctuidae) Synonym(s): *Crinocula Jordan, 1896*
- 3976. Crionica Hampson, 1926** (Noctuidae) Synonym(s): *Crionica Hampson, 1926*
- 3977. Criophasia Hampson, 1906** (Noctuidae) Synonym(s): *Criophasia Hampson, 1906*
- 3978. Crithote Walker, 1864** (Noctuidae) Synonym(s): *Crithote Walker, 1864; Crusiseta Schultze, 1908*
- 3979. Cruria Jordan, 1896** (Noctuidae) Synonym(s): *Cruria Jordan, 1896*
- 3980. Cruriopsis Jordan, 1912** (Noctuidae) Synonym(s): *Cruriopsis Jordan, 1912*
- 3981. Cryphia Hübner, 1818** (Noctuidae) Synonym(s): *Cryphia Hübner, 1818; Heterocryphia Beck, 1996*
- 3982. Crypsotidia Rothschild, 1901** (Noctuidae) Synonym(s): *Crypsotidia Rothschild, 1901*
- 3983. Cryptastria Hampson, 1926** (Noctuidae) Synonym(s): *Cryptastria Hampson, 1926; #Cryptastria Kononenko & Pinratana, 2005; #Cryptastria Kononenko & Pinratana, 2005*
- 3984. Cryptocala Benjamin, 1921** (Noctuidae) Synonym(s): *Cryptocala Benjamin, 1921*
- 3985. Cryptothripa Hampson, 1912** (Noctuidae) Synonym(s): *Cryptothripa Hampson, 1912*
- 3986. Csorbatype Hreblay, Peregovits & L.Ronkay, 1999** (Noctuidae) Synonym(s): *Csorbatype Hreblay, Peregovits & L.Ronkay, 1999*
- 3987. Ctenane Swinhoe, 1905** (Noctuidae) Synonym(s): *Ctenane Swinhoe, 1905*
- 3988. Ctenoceratoda Varga, 1992** (Noctuidae) Synonym(s): *Ctenoceratoda Varga, 1992*
- 3989. Ctenoplusia (Acanthoplusia) Dufay, 1970** (Noctuidae) Synonym(s): *Acanthoplusia Dufay, 1970*
- 3990. Ctenoplusia (s.str.) Dufay, 1970** (Noctuidae) Synonym(s): *Ctenoplusia Dufay, 1970*
- 3991. Ctenoplusia Dufay, 1970** (Noctuidae) Synonym(s): *Ctenoplusia Dufay, 1970*
- 3992. Ctenusa Hampson, 1910** (Noctuidae) Synonym(s): *Acanthonyx Hampson, 1902 (praeocc.); Ctenusa Hampson, 1910*
- 3993. Cucullia (Shargacucullia) G.Ronkay & L.Ronkay, 1992** (Noctuidae) Synonym(s): *Shargacucullia G.Ronkay & L.Ronkay, 1992; Prenanthcucullia Beck, 1996*
- 3994. Cucullia (s.str.) Schrank, 1802** (Noctuidae) Synonym(s): *Cucullia Schrank, 1802; Euderaea Hübner, [1821]; Empusa Hübner, [1821]; Eucalimia Hübner, [1821]; Callaenia Hübner, [1821]; Argryritis Hübner, [1821]; Tribunophora Hübner, 1822; Lophia Sodoffsky, 1837; Argyroglea Hampson, 1906; Cheligalea Hampson, 1906; Argyromata Hampson, 1906; Empusada Hampson, 1906; Pseudocopicucullia Dumont, 1929*
- 3995. Cucullia Schrank, 1802** (Noctuidae) Synonym(s): *Cucullia Schrank, 1802; Euderaea Hübner, [1821]; Empusa Hübner, [1821]; Eucalimia Hübner, [1821]; Callaenia Hübner, [1821]; Argryritis Hübner, [1821]; Tribunophora Hübner, 1822; Lophia Sodoffsky, 1837; Argyroglea Hampson, 1906; Cheligalea Hampson, 1906; Argyromata Hampson, 1906; Empusada Hampson, 1906; Pseudocopicucullia Dumont, 1929*
- 3996. Cultripalpa Guenée, 1852** (Noctuidae) Synonym(s): *Cultripalpa Guenée, 1852*
- 3997. Cuneisigna Hampson, 1913** (Noctuidae) Synonym(s): *Cuneisigna Hampson, 1913*
- 3998. Cyclodes Guenée, 1852** (Noctuidae) Synonym(s): *Cyclodes Guenée, 1852; Beregra Walker, 1858*
- 3999. Cyclopera Hampson, 1908** (Noctuidae) Synonym(s): *Cyclopera Hampson, 1908*
- 4000. Cyligramma Boisduval, 1833** (Noctuidae) Synonym(s): *Cyligramma Boisduval, 1833*
- 4001. Cymatophoropsis Hampson, 1894** (Noctuidae) Synonym(s): *Cymatophoropsis Hampson, 1894; Trispila Houlbert, 1921; Thyatirides Kozhantschikov, 1950*
- 4002. Cymodegma Tams, 1935** (Noctuidae) Synonym(s): *Cymodegma Tams, 1935*
- 4003. Cyrebia Guenée, 1852** (Noctuidae) Synonym(s): *Cyrebia Guenée, 1852*
- 4004. Cytothymia Hampson, 1908** (Noctuidae) Synonym(s): *Cytothymia Hampson, 1908*
- 4005. Dactyloplusia Chou & Lu, 1979** (Noctuidae) Synonym(s): *Dactyloplusia Chou & Lu, 1979*
- 4006. Daddala Walker, 1865** (Noctuidae) Synonym(s): *Daddala Walker, 1865; #Daddala Walker, 1865; Elpia Walker, 1865*
- 4007. Daona Walker, 1864** (Noctuidae) Synonym(s): *Daona Walker, 1864*
- 4008. Daseuplexia Hampson, 1906** (Noctuidae) Synonym(s): *Daseuplexia Hampson, 1906*
- 4009. Daseutype Hreblay, Peregovits & L.Ronkay, 1999** (Noctuidae) Synonym(s): *Daseutype Hreblay, Peregovits & L.Ronkay, 1999*
- 4010. Dasypolia (Auropolia) Hreblay & L.Ronkay, 1999** (Noctuidae) Synonym(s): *Auropolia Hreblay & L.Ronkay, 1999*
- 4011. Dasypolia (Cteipolia) Staudinger, 1896** (Noctuidae) Synonym(s): *Cteipolia Staudinger, 1896*
- 4012. Dasypolia (Dasymixis) L.Ronkay & Varga, 1990** (Noctuidae) Synonym(s): *Dasymixis L.Ronkay & Varga, 1990*

- 4013. Dasypolia (Dasythorax) Staudinger,1889** (Noctuidae) Synonym(s): *Dasythorax Staudinger,1889*
- 4014. Dasypolia (Sinipolia) L.Ronkay & Zilli,1992** (Noctuidae) Synonym(s): *Sinipolia L.Ronkay & Zilli,1992*
- 4015. Dasypolia (Tschetwerikovia) Bundel,1966** (Noctuidae) Synonym(s): *Tschetwerikovia Bundel,1966*
- 4016. Dasypolia (s.str.) Guenée,1852** (Noctuidae) Synonym(s): *Dasypolia Guenée,1852*
- 4017. Dasypolia Guenée,1852** (Noctuidae) Synonym(s): *Dasypolia Guenée,1852*
- 4018. Deinopa Walker,1856** (Noctuidae) Synonym(s): *Deinopa Walker,1856; Poesula Walker,1858; Asthana Walker,1862; Rethma Walker,1866.*
- 4019. Deltote Reichenbach,1817** (Noctuidae) Synonym(s): *Deltote Reichenbach,1817*
- 4020. Detounda Walker,1864** (Noctuidae) Synonym(s): *Detounda Walker,1864*
- 4021. Diachrysia Hübner,[1821]** (Noctuidae) Synonym(s): *Diachrysia Hübner,[1821]*
- 4022. Diadochia Püngeler,1914** (Noctuidae) Synonym(s): *Diadochia Püngeler,1914*
- 4023. Dialithoptera Hampson,1900** (Noctuidae) Synonym(s): *Dialithoptera Hampson,1900*
- 4024. Diaphone Hübner,[1821]** (Noctuidae) Synonym(s): *Diaphone Hübner,[1821]; Taeniopyga Wallengren,1858*
- 4025. Diarsia Hübner,[1821]** (Noctuidae) Synonym(s): *Diarsia Hübner,[1821]; Oxira Walker,1865*
- 4026. Diascia Hampson,1926** (Noctuidae) Synonym(s): *Diascia Hampson,1926*
- 4027. Dicerogastra D.S.Fletcher,1961** (Noctuidae) Synonym(s): *Dicerogastra D.S.Fletcher,1961*
- 4028. Dichagyris (Yigoga) Nye,1975** (Noctuidae) Synonym(s): *Yigoga Nye,1975; Flavyigoga Beck,1996; Nigryigoga Beck,1996*
- 4029. Dichagyris Lederer,1857** (Noctuidae) Synonym(s): *Dichagyris Lederer,1857*
- 4030. Dichonia Hübner,[1821]** (Noctuidae) Synonym(s): *Dichonia Hübner,[1821]*
- 4031. Dichromia (Ametropalpis) Mabille,1884** (Noctuidae) Synonym(s): *Ametropalpis Mabille,1884; Eugorna Holland,1894.*
- 4032. Dichromia (Camphypena) A.E.Prout,1927** (Noctuidae) Synonym(s): *Camphypena A.E.Prout,1927*
- 4033. Dicycla Guenée,1852** (Noctuidae) Synonym(s): *Dicycla Guenée,1852*
- 4034. Didigua Walker,1862** (Noctuidae) Synonym(s): *Bessara Walker,1862; Didigua Walker,1862; Lasionotella W.Warren,1916*
- 4035. Didiguides Kobes,1994** (Noctuidae) Synonym(s): *Didiguides Kobes,1994*
- 4036. Diehlea Kobes,1997** (Noctuidae) Synonym(s): *Diehlea Kobes,1997*
- 4037. Dierna Walker,1858** (Noctuidae) Synonym(s): *Dierna Walker,1858; Nahara Walker,1865*
- 4038. Diloba Boisduval,1840** (Noctuidae) Synonym(s): *Diloba Boisduval,1840*
- 4039. Dilophothripa Hampson,1898** (Noctuidae) Synonym(s): *Dilophothripa Hampson,1898*
- 4040. Dimorphinoctua Viette,1952** (Noctuidae) Synonym(s): *Dimorphinoctua Viette,1952*
- 4041. Dinumma Walker,1858** (Noctuidae) Synonym(s): *Dinumma Walker,1858; Ortheaga Walker,1865*
- 4042. Diomea Walker,[1858]** (Noctuidae) Synonym(s): *Diomea Walker,[1858]; Zigera Walker,1862; Panilla Moore,[1885]; Heteroscotia Bryk,1948*
- 4043. Diparopsis Hampson,1902** (Noctuidae) Synonym(s): *Diparopsis Hampson,1902*
- 4044. Diphtherocome W.Warren,[1907]** (Noctuidae) Synonym(s): *Diphtherocome W.Warren,[1907]*
- 4045. Disepholcia Prout,1924** (Noctuidae) Synonym(s): *Disepholcia Prout,1924*
- 4046. Disticta Hampson,1902** (Noctuidae) Synonym(s): *Disticta Hampson,1902*
- 4047. Donda Moore,1882** (Noctuidae) Synonym(s): *Donda Moore,1882*
- 4048. Dordura Moore,1882** (Noctuidae) Synonym(s): *Dordura Moore,1882*
- 4049. Drasteria Hübner,1818** (Noctuidae) Synonym(s): *Drasteria Hübner,1818*
- 4050. Dryobota Lederer,1857** (Noctuidae) Synonym(s): *Dryobota Lederer,1857*
- 4051. Dryobotodes (Dichonioxa) Berio,1980** (Noctuidae) Synonym(s): *Dichonioxa Berio,1980*
- 4052. Dryobotodes (s.str.) Warren,1911** (Noctuidae) Synonym(s): *Dryobotodes Warren,1911*
- 4053. Dryobotodes Warren,1911** (Noctuidae) Synonym(s): *Dryobotodes Warren,1911*
- 4054. Dypterygia Stephens,1829** (Noctuidae) Synonym(s): *Dypterygia Stephens,1829*
- 4055. Dyrzela Walker,1858** (Noctuidae) Synonym(s): *Dyrzela Walker,1858; Maxilua Walker,[1863]*
- 4056. Dysaletia Sugi,1982** (Noctuidae) Synonym(s): *Dysaletia Sugi,1982*
- 4057. Dysgnathia W.Warren,1913** (Noctuidae) Synonym(s): *Dysgnathia W.Warren,1913*
- 4058. Dysmilichia Speiser,1902** (Noctuidae) Synonym(s): *Phalacra Staudinger,1892 (praeocc.); Milichia Snellen,1899 (praeocc.); Dysmilichia Speiser,1902.*
- 4059. Earias Hübner,[1825]** (Noctuidae) Synonym(s): *Earias Hübner,[1825]; Aphusia Walker,[1858]; Digba Walker,1862*
- 4060. Eclipsea Hampson,1926** (Noctuidae) Synonym(s): *Eclipsea Hampson,1926*
- 4061. Ecpatia Turner,1902** (Noctuidae) Synonym(s): *Ecpatia Turner,1902*
- 4062. Ectochela Hampson,1902** (Noctuidae) Synonym(s): *Ectochela Hampson,1902*
- 4063. Ectolopha Hampson,1902** (Noctuidae) Synonym(s): *Ectolopha Hampson,1902*
- 4064. Edessena Walker,[1859]** (Noctuidae) Synonym(s): *Edessena Walker,[1859]*
- 4065. Effractilis Berio,1977** (Noctuidae) Synonym(s): *Effractilis Berio,1977*
- 4066. Egira Duponchel,[1845]** (Noctuidae) Synonym(s): *Egira Duponchel,[1845]*
- 4067. Egnasia Walker,[1859]** (Noctuidae) Synonym(s): *Egnasia Walker,[1859]; Margana Walker,[1866]; Matella Moore,[1885] nec Gistl.,1848; Spectrophysa Swinhoe,1900; Talmela Nye,1975*
- 4068. Egybolis Boisduval,1847** (Noctuidae) Synonym(s): *Egybolis Boisduval,1847*
- 4069. Elaphria Hübner,[1821]** (Noctuidae) Synonym(s): *Elaphria Hübner,[1821]*
- 4070. Eligma Hübner,[1819]** (Noctuidae) Synonym(s): *Eligma Hübner,[1819]; Heligma Agassiz,1846; Panglima Moore,1858*
- 4071. Elwesia Hampson,1894** (Noctuidae) Synonym(s): *Elwesia Hampson,1894; Elvesia Hampson,1894*
- 4072. Elydna Walker,1858** (Noctuidae) Synonym(s): *Elydna Walker,1858*
- 4073. Elydnodes Hampson,1913** (Noctuidae) Synonym(s): *Elydnodes Hampson,1913*
- 4074. Elyptron Saalmüller,1891** (Noctuidae) Synonym(s): *Elyptron Saalmüller,1891; Tegarparon Berio,1955.*
- 4075. Emmelia Hübner,[1821]** (Noctuidae) Synonym(s): *Emmelia Hübner,[1821]; Erotyla Hübner,1822; Agrophila Boisduval,1840; Uracontia Beck,1996*
- 4076. Enargia Hübner,[1821]** (Noctuidae) Synonym(s): *Enargia Hübner,[1821]*
- 4077. Engusanacantha Berio,1941** (Noctuidae) Synonym(s): *Engusanacantha Berio,1941*
- 4078. Enispa Walker,[1866]** (Noctuidae) Synonym(s): *Enispa Walker,[1866]*
- 4079. Entomogramma Guenée,1852** (Noctuidae) Synonym(s): *Entomogramma Guenée,1852; Taramina Moore,[1885]*
- 4080. Eogena Guenée,1852** (Noctuidae) Synonym(s): *Eogena Guenée,1852*
- 4081. Epilecta Hübner,[1821]** (Noctuidae) Synonym(s): *Epilecta Hübner,[1821]*
- 4082. Epimecia Guenée,1839** (Noctuidae) Synonym(s): *Epimecia Guenée,1839*
- 4083. Epimeciodes Hampson,1926** (Noctuidae) Synonym(s): *Epimeciodes Hampson,1926*
- 4084. Epipsammia Staudinger,1879** (Noctuidae) Synonym(s): *Epipsammia Staudinger,1879; Namangana Staudinger,1888; Namanganum Riesen,1891; Sartha Staudinger,1891; Pseudathetis Boursin,1937.*
- 4085. Episema Ochsenheimer,1816** (Noctuidae) Synonym(s): *Episema Ochsenheimer,1816*
- 4086. Episparina Berio,1964** (Noctuidae) Synonym(s): *Episparina Berio,1964*
- 4087. Episparis Walker,[1857]** (Noctuidae) Synonym(s): *Episparis Walker,[1857]*

- 4088. Episteme Hübner,[1820]** (Noctuidae) Synonym(s): *Episteme Hübner,[1820]*; *Eusemia Dalman,1825*; #*Eusemia Huttacharern & Tubtim,1995*
- 4089. Ercheia Walker,[1858]** (Noctuidae) Synonym(s): *Ercheia Walker,[1858]*
- 4090. Erebus Latreille,1810** (Noctuidae) Synonym(s): *Erebus Latreille,1810*; *Byas Billberg,1820*; *Nyctipao Hübner,[1823]*; *Argiva Hübner,[1823]*; #*Nyctipao Hübner,[1826]*; *Patula Guenée,1852* (praeocc.); *Bocana Walker,[1865]* (praeocc.); *Coria Walker,1866*; *Eupatula Ragonot,1894*; *Crishna Kirby,1897*; *Cariona Swinh Cariona Swinhoe,1918*.
- 4091. Eremobastis Perez-Lopez & Morente-Benitez,1996** (Noctuidae) Synonym(s): *Eremobastis Perez-Lopez & Morente-Benitez,1996*
- 4092. Eremobia Stephens,1829** (Noctuidae) Synonym(s): *Eremobia Stephens,1829*
- 4093. Eremobina McDunnough,1927** (Noctuidae) Synonym(s): *Eremobina McDunnough,1927*; *Pabulatricula Sugi,1982*.
- 4094. Eremochlaena Boursin,1953** (Noctuidae) Synonym(s): *Eremochlaena Boursin,1953*
- 4095. Eremohadena Ronkay, Varga & Fabian,1995** (Noctuidae) Synonym(s): *Eremohadena Ronkay, Varga & Fabian,1995*
- 4096. Eremopola Warren,1911** (Noctuidae) Synonym(s): *Eremopola Warren,1911*
- 4097. Eremotrachea Hacker,2001** (Noctuidae) Synonym(s): *Eremotrachea Hacker,2001*
- 4098. Ericeia Walker,[1858]** (Noctuidae) Synonym(s): *Ericeia Walker,[1858]*; *Girpa Walker,1858*; *Villosa Koch,1865*
- 4099. Eriopygodes Hampson,1905** (Noctuidae) Synonym(s): *Eriopygodes Hampson,1905*
- 4100. Erizada Walker,1865** (Noctuidae) Synonym(s): *Erizada Walker,1865*; *Rhizana Walker,1865*; *Tinosoma Hampson,1894*
- 4101. Erygia Guenée,1852** (Noctuidae) Synonym(s): *Erygia Guenée,1852*; *Calicula Walker,1858*
- 4102. Erythrophaia Staudinger,1892** (Noctuidae) Synonym(s): *Erythrophaia Staudinger,1892*; *Erythrophaea Rebel,1901*.
- 4103. Erythroplusia Ichinose,1962** (Noctuidae) Synonym(s): *Erythroplusia Ichinose,1962*
- 4104. Estimata Kozhantschikov,1928** (Noctuidae) Synonym(s): *Estimata Kozhantschikov,1928*; *Estimaja Kozhantschikov,1937*
- 4105. Etanna Walker,1862** (Noctuidae) Synonym(s): *Etanna Walker,1862*
- 4106. Ethiopica Hampson,1908** (Noctuidae) Synonym(s): *Ethiopica Hampson,1908*
- 4107. Ethioterpia Hampson,1910** (Noctuidae) Synonym(s): *Ethioterpia Hampson,1910*
- 4108. Eublemma (Coccidiphaga) Spuler,1907** (Noctuidae) Synonym(s): *Coccidiphaga Spuler,1907*; *Zonesthiousa Thierry-Mieg,1907*
- 4109. Eublemma Hübner,[1821]** (Noctuidae) Synonym(s): #*Anthophila Hübner,1806*; *Anthophila Ochsenheimer,1816* (praeocc.); *Eublemma Hübner,[1821]*; *Eromene Hübner,[1821]*; *Porphyria Hübner,[1821]*; *Throthia Hübner,[1821]*; *Ecthesis Hübner,[1823]*; *Heliomanes Sodoffsky,1837*; *Microphisa Boisduval,1840*; *Mixocharis Lederer,1853*; *Thalpocharis Lederer,1853*; *Eumestleta Butler,1892*; *Thalomicra Spuler,1907*; *Polyorycta W.Warren,1911*; *Gyophora W.Warren,1913*; *Eumicremma Berio,1954*; *Roseoblemma Beck,1996*; *Parvablemma Beck,1996*.
- 4110. Eublemmistis Hampson,1902** (Noctuidae) Synonym(s): *Eublemmistis Hampson,1902*
- 4111. Eublemmoides Bethune-Baker,1906** (Noctuidae) Synonym(s): *Eublemmoides Bethune-Baker,1906*
- 4112. Eubryopterella Roepke,1938** (Noctuidae) Synonym(s): *Eubryopterella Roepke,1938*
- 4113. Eucarta Lederer,1857** (Noctuidae) Synonym(s): *Eucarta Lederer,1857*
- 4114. Euchalcia (Pseudochalcia) Kljutschko,1984** (Noctuidae) Synonym(s): *Pseudochalcia Kljutschko,1984*
- 4115. Euchalcia (s.str.) Hübner,[1821]** (Noctuidae) Synonym(s): *Euchalcia Hübner,[1821]*; *Adeva McDunnough,1944*; *Pareuchalcia Beck,1991*
- 4116. Euchalcia Hübner,[1821]** (Noctuidae) Synonym(s): *Euchalcia Hübner,[1821]*; *Adeva McDunnough,1944*; *Pareuchalcia Beck,1991*
- 4117. Euclidia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Euclidia Ochsenheimer,1816*; *Ectypa Billberg,1820*; *Gonospileia Hübner,[1823]*; *Euclidina McDunnough,1937*
- 4118. Eudocima Billberg,1820** (Noctuidae) Synonym(s): *Eudocima Billberg,1820*; *Elygea Billberg,1820*; *Leptophara Billberg,1820*; *Acacallis Hübner,[1823]*; *Corycia Hübner,[1823]*; *Maenas Hübner,[1823]* (praeocc.); *Othreis Hübner,[1823]*; *Rhytia Hübner,[1823]*; *Trissophanes Hübner,[1823]*; *Ophideres Boisduval,1832*; *Acacalis Agassiz,1847*; *Ophideres Agassiz,1847*; *Othryis Agassiz,1847*; *Adris Moore,1881*; *Argadesa Moore,1881*; *Khadira Moore,1881*; *Purbia Moore,1881*; *Vandana Moore,1881*; *Halastus Butler,1892*; *Eumaenas Hampson,1924*
- 4119. Eugnorisma Boursin,1946** (Noctuidae) Synonym(s): *Eugnorisma Boursin,1946*
- 4120. Eugraphe Hübner,[1821]** (Noctuidae) Synonym(s): *Eugraphe Hübner,[1821]*
- 4121. Euippodes Hampson,1926** (Noctuidae) Synonym(s): *Euippodes Hampson,1926*
- 4122. Eulocastra Butler,1886** (Noctuidae) Synonym(s): *Eulocastra Butler,1886*; *Thalerastraria Staudinger,1897*.
- 4123. Eulymnia Hampson,1910** (Noctuidae) Synonym(s): *Eulymnia Hampson,1910*
- 4124. Eumichtis Hübner,[1821]** (Noctuidae) Synonym(s): *Eumichtis Hübner,[1821]*
- 4125. Euonychodes Warren,1914** (Noctuidae) Synonym(s): *Euonychodes Warren,1914*
- 4126. Euphysa Hampson,1913** (Noctuidae) Synonym(s): *Euphysa Hampson,1913*
- 4127. Euplexia Stephens,1829** (Noctuidae) Synonym(s): *Euplexia Stephens,1829*; *Berrhaea Walker,1858*; *Epa Bethune-Baker,1906*; *Yula Bethune-Baker,1906*.
- 4128. Euplexidia Hampson,1896** (Noctuidae) Synonym(s): *Euplexidia Hampson,1896*
- 4129. Eupsilia Hübner,[1821]** (Noctuidae) Synonym(s): *Eupsilia Hübner,[1821]*
- 4130. Eurois Hübner,[1821]** (Noctuidae) Synonym(s): *Eurois Hübner,[1821]*
- 4131. Eustrotia Hübner,[1821]** (Noctuidae) Synonym(s): *Eustrotia Hübner,[1821]*
- 4132. Eutelia Hübner,[1823]** (Noctuidae) Synonym(s): *Eutelia Hübner,[1823]*; *Eurhipia Boisduval,1829*; *Phlegetonia Guenée,1852*; *Ripogenus Grote,1865*; *Zobia Saalmüller,1891*; *Alotsa Swinhoe,1900*; *Silacida Swinhoe,1900*; *Noctasota Clench,1954*; *Adoraria Beck,1996*; #*Alotoa Leraut,1997*; #*Phlegetomia Leraut,1997*
- 4133. Euterpiodes Hampson,1908** (Noctuidae) Synonym(s): *Euterpiodes Hampson,1908*
- 4134. Eutrichopidia Hampson,1901** (Noctuidae) Synonym(s): *Eutrichopidia Hampson,1901*
- 4135. Euxoa (Chorizagrotis) Smith,1890** (Noctuidae) Synonym(s): *Chorizagrotis Smith,1890*
- 4136. Euxoa (Pleonectopoda) Grote,1873** (Noctuidae) Synonym(s): *Pleonectopoda Grote,1873*
- 4137. Euxoa Hübner,[1821]** (Noctuidae) Synonym(s): *Euxoa Hübner,[1821]*; *Metaxyja Hübner,[1821]*; *Exarnis Hübner,[1821]*; *Brotis Hübner,[1821]*; *Mimetes Hübner,[1821]* nec Esch.,1818; *Telmia Hübner,[1821]*; *Carneades Grote,1883*; *Paragrotis Dyar,1902*
- 4138. Euxootera D.S.Fletcher,1961** (Noctuidae) Synonym(s): *Euxootera D.S.Fletcher,1961*
- 4139. Evisa Reisser,1930** (Noctuidae) Synonym(s): *Evisa Reisser,1930*
- 4140. Evonima Walker,1865** (Noctuidae) Synonym(s): *Evonima Walker,1865*; *Mimerastraria Butler,1881*; *Poecilonola Hampson,1900*
- 4141. Exathetis Janse,1938** (Noctuidae) Synonym(s): *Exathetis Janse,1938*
- 4142. Exophila Guenée,1841** (Noctuidae) Synonym(s): *Exophila Guenée,1841*
- 4143. Exophyla Guenée,1941** (Noctuidae) Synonym(s): *Exophyla Guenée,1941*; *Exophila Mabilie,1890*.
- 4144. Exsula Jordan,1896** (Noctuidae) Synonym(s): *Exsula Jordan,1896*
- 4145. Exsula Jordan,1896** (Noctuidae) Synonym(s): *Exsula Jordan,1896*
- 4146. Extremoplusia Ronkay,1987** (Noctuidae) Synonym(s): *Extremoplusia Ronkay,1987*
- 4147. Facidia Walker,1865** (Noctuidae) Synonym(s): *Facidia Walker,1865*
- 4148. Facidina Hampson,1926** (Noctuidae) Synonym(s): *Facidina Hampson,1926*
- 4149. Falana Moore,1882** (Noctuidae) Synonym(s): *Falana Moore,1882*

4150. **Faronta Smith, 1908** (Noctuidae) Synonym(s): *Faronta Smith, 1908*
4151. **Felinia Guenée, 1852** (Noctuidae) Synonym(s): *Felinia Guenée, 1852; Briarda Walker, [1858]; Ansa Walker, [1858]; Erygansa Bethune-Baker, 1906*
4152. **Feliniopsis Roepke, 1938** (Noctuidae) Synonym(s): *Feliniopsis Roepke, 1938; Eutamsia D.S. Fletcher, 1961*
4153. **Feralia Grote, 1874** (Noctuidae) Synonym(s): *Feralia Grote, 1874*
4154. **Fergana Staudinger, 1892** (Noctuidae) Synonym(s): *Fergana Staudinger, 1892*
4155. **Fleta Jordan, 1896** (Noctuidae) Synonym(s): *Fleta Jordan, 1896*
4156. **Fodina Guenée, 1852** (Noctuidae) Synonym(s): *Fodina Guenée, 1852; Anocala Scott, 1891.*
4157. **Foveades Bethune-Baker, 1908** (Noctuidae) Synonym(s): *Foveades Bethune-Baker, 1908; Anomophlebia Turner, 1908; Pachygnathesis Hampson, 1918*
4158. **Fredina Brandt, 1939** (Noctuidae) Synonym(s): *Fredina Brandt, 1939*
4159. **Fulvarba Berio, 1950** (Noctuidae) Synonym(s): *Fulvarba Berio, 1950*
4160. **Gadirtha Walker, 1857** (Noctuidae) Synonym(s): *Gadirtha Walker, 1857*
4161. **Galgula Guenée, 1852** (Noctuidae) Synonym(s): *Galgula Guenée, 1852*
4162. **Garella Walker, [1863]** (Noctuidae) Synonym(s): *Garella Walker, [1863]*
4163. **Gelastocera Butler, 1877** (Noctuidae) Synonym(s): *Gelastocera Butler, 1877*
4164. **Geniascota Hampson, 1926** (Noctuidae) Synonym(s): *Geniascota Hampson, 1926*
4165. **Gesonina Walker, [1859]** (Noctuidae) Synonym(s): *Gesonina Walker, [1859]; Dragana Walker, [1859]; Hileia Walker, 1861; Maresia Walker, 1866; Apphadana Walker, [1866] nec Wlk., 1865; Amblygoes Butler, 1879; Nolaseniola Strand, 1920*
4166. **Gespanna Swinhoe, 1900** (Noctuidae) Synonym(s): *Gespanna Swinhoe, 1900*
4167. **Giaura Walker, 1863** (Noctuidae) Synonym(s): *Giaura Walker, 1863*
4168. **Gigantoceras Holland, 1893** (Noctuidae) Synonym(s): *Gigantoceras Holland, 1893*
4169. **Gloriana Kirby, 1897** (Noctuidae) Synonym(s): *Gloriana Kirby, 1897*
4170. **Glossodice Berio, 1991** (Noctuidae) Synonym(s): *Glossodice Berio, 1991*
4171. **Gnamptogya Hampson, 1894** (Noctuidae) Synonym(s): *Gnamptogya Hampson, 1894*
4172. **Gnamptonyx Hampson, 1894** (Noctuidae) Synonym(s): *Gnamptonyx Hampson, 1894*
4173. **Godasa Walker, 1864** (Noctuidae) Synonym(s): *Godasa Walker, 1864*
4174. **Goenycta Hampson, 1908** (Noctuidae) Synonym(s): *Goenycta Hampson, 1908*
4175. **Goniocalpe Hampson, 1912** (Noctuidae) Synonym(s): *Goniocalpe Hampson, 1912*
4176. **Goniophila Hampson, 1926** (Noctuidae) Synonym(s): *Goniophila Hampson, 1926*
4177. **Gonoglasa Hampson, 1924** (Noctuidae) Synonym(s): *Gonoglasa Hampson, 1924*
4178. **Gonospileia Hübner, [1823]** (Noctuidae) Synonym(s): *Gonospileia Hübner, [1823]*
4179. **Gortyna Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Gortyna Ochsenheimer, 1816*
4180. **Gracillina Hampson, 1924** (Noctuidae) Synonym(s): *Gracillina Hampson, 1924*
4181. **Gracilodes Guenée, 1852** (Noctuidae) Synonym(s): *Gracilodes Guenée, 1852*
4182. **Grammodes Guenée, 1852** (Noctuidae) Synonym(s): *Grammodes Guenée, 1852; Prodotis John, 1910*
4183. **Grammoscelis Hampson, 1906** (Noctuidae) Synonym(s): *Grammoscelis Hampson, 1906*
4184. **Graphania Hampson, 1905** (Noctuidae) Synonym(s): *Graphania Hampson, 1905*
4185. **Graphiphora Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Graphiphora Ochsenheimer, 1816*
4186. **Gripisia Tams, 1939** (Noctuidae) Synonym(s): *Gripisia Tams, 1939*
4187. **Gyrtona Walker, 1863** (Noctuidae) Synonym(s): *Gyrtona Walker, 1863*
4188. **Gyrtothripa Hampson, 1912** (Noctuidae) Synonym(s): *Gyrtothripa Hampson, 1912*
4189. **Hada Billberg, 1820** (Noctuidae) Synonym(s): *Hada Billberg, 1820; Clemathada Beck, 1991*
4190. **Hadena (Klappericola) Hacker, 1996** (Noctuidae) Synonym(s): *Klappericola Hacker, 1996*
4191. **Hadena (Maschukia) Hacker, 1996** (Noctuidae) Synonym(s): *Maschukia Hacker, 1996*
4192. **Hadena (Pinkericola) Hacker, 1987** (Noctuidae) Synonym(s): *Pinkericola Hacker, 1987*
4193. **Hadena (s.str.(Anatolidena)) Koçak & Kemal, 2006** (Noctuidae) Synonym(s): *Anatolidena Koçak & Kemal, 2006*
4194. **Hadena (s.str.(Clarhadena)) Koçak & Kemal, 2006** (Noctuidae) Synonym(s): *Clarhadena Koçak & Kemal, 2006*
4195. **Hadena (s.str.(Filograna)) Koçak & Kemal, 2006** (Noctuidae) Synonym(s): *Filograna Koçak & Kemal, 2006*
4196. **Hadena (s.str.(Hadenilia)) Koçak & Kemal, 2006** (Noctuidae) Synonym(s): *Hadenilia Koçak & Kemal, 2006*
4197. **Hadena (s.str.(Luteocincta)) Koçak & Kemal, 2006** (Noctuidae) Synonym(s): *Luteocincta Koçak & Kemal, 2006*
4198. **Hadena (s.str.(Magnifica)) Koçak & Kemal, 2006** (Noctuidae) Synonym(s): *Magnifica Koçak & Kemal, 2006*
4199. **Hadena (s.str.(Magnolihadena)) Koçak & Kemal, 2006** (Noctuidae) Synonym(s): *Maghadena Beck, 1991 nec Viett., 1962; Magnolihadena Koçak & Kemal, 2006*
4200. **Hadena (s.str.(Montanohadena)) Koçak & Kemal, 2006** (Noctuidae) Synonym(s): *Montanohadena Koçak & Kemal, 2006*
4201. **Hadena (s.str.(Turkihadena)) Koçak & Kemal, 2006** (Noctuidae) Synonym(s): *Turkihadena Koçak & Kemal, 2006*
4202. **Hadena (s.str.(Zeteolyga)) Billberg, 1820** (Noctuidae) Synonym(s): *Zeteolyga Billberg, 1820*
4203. **Hadena Schrank, 1802** (Noctuidae) Synonym(s): *Hadena Schrank, 1802; Dianthoecia Boisduval, 1834; Adena Agassiz, 1847.*
4204. **Hadennia Moore, 1887** (Noctuidae) Synonym(s): *Hadennia Moore, 1887; Wilkara Swinhoe, 1918; Walkara Swinhoe, 1918; Bertula auct. nec Walker, [1859]*
4205. **Haderonia Staudinger, 1895** (Noctuidae) Synonym(s): *Haderonia Staudinger, 1895; Lasiridia Draudt, 1950.*
4206. **Hadjina Staudinger, 1892** (Noctuidae) Synonym(s): *Hadjina Staudinger, 1892; Aridagricola Shchetkin, 1965*
4207. **Hadula (Aglossestra) Hampson, 1905** (Noctuidae) Synonym(s): *Aglossestra Hampson, 1905*
4208. **Hadula (Calocestra) Beck, 1991** (Noctuidae) Synonym(s): *Calocestra Beck, 1991*
4209. **Hadula (Discestra) Hampson, 1905** (Noctuidae) Synonym(s): *Discestra Hampson, 1905*
4210. **Hadula (Ptochicestra) Hacker, 1998** (Noctuidae) Synonym(s): *Ptochicestra Hacker, 1998*
4211. **Hadula (Pulchrohadula) Hacker, 1998** (Noctuidae) Synonym(s): *Pulchrohadula Hacker, 1998*
4212. **Hadula Staudinger, 1889** (Noctuidae) Synonym(s): *Hadula Staudinger, 1889*
4213. **Hadulipolia Boursin, 1964** (Noctuidae) Synonym(s): *Hadulipolia Boursin, 1964*
4214. **Hadulomorpha Hacker, 1998** (Noctuidae) Synonym(s): *Ala Staudinger, 1882 (praeocc.); Hadulomorpha Hacker, 1998*
4215. **Haemerosia Boisduval, 1840** (Noctuidae) Synonym(s): *Haemerosia Boisduval, 1840; #Haemeosia Ebert & Hacker, 2002*
4216. **Hakkaria L.Ronkay & Varga, 1990** (Noctuidae) Synonym(s): *Hakkaria L.Ronkay & Varga, 1990*
4217. **Halochroa Hampson, 1926** (Noctuidae) Synonym(s): *Halochroa Hampson, 1926*
4218. **Hamodes Guenée, 1852** (Noctuidae) Synonym(s): *Hamodes Guenée, 1852; Kalmina Swinhoe, 1891*
4219. **Harita Moore, 1882** (Noctuidae) Synonym(s): *Harita Moore, 1882; Placerobela Turner, 1903.*
4220. **Haritalopha Hampson, 1895** (Noctuidae) Synonym(s): *Haritalopha Hampson, 1895*
4221. **Harpagophana Hampson, 1906** (Noctuidae) Synonym(s): *Harpagophana Hampson, 1906*
4222. **Harutaeographa Yoshimoto, 1993** (Noctuidae) Synonym(s): *Harutaeographa Yoshimoto, 1993*
4223. **Hebdomochondra Staudinger, 1879** (Noctuidae) Synonym(s): *Hebdomochondra Staudinger, 1879*
4224. **Hecatera Guenée, 1852** (Noctuidae) Synonym(s): *Aethria Hübner, [1821] nec Hübner., [1819]; Hecatera Guenée, 1852.*

- 4225. Hecatesia Boisduval, 1829** (Noctuidae) Synonym(s): *Hecatesia Boisduval, 1829*
- 4226. Helicoverpa Hardwick, 1965** (Noctuidae) Synonym(s): *Helicoverpa Hardwick, 1965*
- 4227. Heliocheilus Grote, 1865** (Noctuidae) Synonym(s): *Heliocheilus Grote, 1865; Raghuva Moore, 1881; Rhodosea Grote, 1883; Canthylidia Butler, 1886.*
- 4228. Heliophisma Hampson, 1913** (Noctuidae) Synonym(s): *Heliophisma Hampson, 1913*
- 4229. Heliophobus Boisduval, 1829** (Noctuidae) Synonym(s): *Heliophobus Boisduval, 1829; Neuria Guenée, 1841*
- 4230. Heliothis (Masalia) Moore, 1881** (Noctuidae) Synonym(s): *Masalia Moore, 1881*
- 4231. Heliothis Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Heliothis Ochsenheimer, 1816; Heliotis Lefebvre, 1827; Heliothisa Meigen, 1832; Heliotis Sodoffsky, 1837; Chloridea Duncan & [Westwood], 1841; Aspila Guenée, 1852 (praeocc.); Disocnemis Grote, 1883; Dysocnemis Grote, 1890; Neocleptria Hampson, 1903; Nubiothis Berio; Peltothis Beck, 1996.*
- 4232. Hemiceratoides Strand, 1911** (Noctuidae) Synonym(s): *Hemiceratoides Strand, 1911*
- 4233. Hemiexarnis Boursin, 1948** (Noctuidae) Synonym(s): *Hemiexarnis Boursin, 1948*
- 4234. Hemiglaea Sugi, 1980** (Noctuidae) Synonym(s): *Hemiglaea Sugi, 1980*
- 4235. Hemipsestra Hampson, 1891** (Noctuidae) Synonym(s): *Hemipsestra Hampson, 1891*
- 4236. Hemituerta Kiriakoff, 1976** (Noctuidae) Synonym(s): *Hemituerta Kiriakoff, 1976*
- 4237. Heoeugorna Hampson, 1924** (Noctuidae) Synonym(s): *Heoeugorna Hampson, 1924*
- 4238. Hepatica Staudinger, 1892** (Noctuidae) Synonym(s): *Hepatica Staudinger, 1892*
- 4239. Heptapotamia Alpheraky, 1882** (Noctuidae) Synonym(s): *Heptapotamia Alpheraky, 1882; Guselderia Hacker, Kuhna & Gross, 1986.*
- 4240. Heraclia Hübner, [1820]** (Noctuidae) Synonym(s): *Heraclia Hübner, [1820]; Xanthopilopteryx Wallengren, 1858*
- 4241. Herminia Latreille, 1802** (Noctuidae) Synonym(s): *Herminia Latreille, 1802; Pogonitis Sodoffsky, 1837; Quaramia Berio, 1988; Hypertrocon Berio, 1989; Zellerminia Beck, 1996*
- 4242. Hermonassa Walker, 1865** (Noctuidae) Synonym(s): *Hermonassa Walker, 1865*
- 4243. Herpeperas Hampson, 1926** (Noctuidae) Synonym(s): *Herpeperas Hampson, 1926*
- 4244. Hespagarista Walker, 1854** (Noctuidae) Synonym(s): *Hespagarista Walker, 1854*
- 4245. Heterographa Staudinger, 1877** (Noctuidae) Synonym(s): *Heterographa Staudinger, 1877*
- 4246. Heteropalpia Berio, 1939** (Noctuidae) Synonym(s): *Heteropalpia Berio, 1939*
- 4247. Heterophysa Boursin, 1953** (Noctuidae) Synonym(s): *Heterophysa Boursin, 1953*
- 4248. Heterospila Guenée, 1852** (Noctuidae) Synonym(s): *Heterospila Guenée, 1852; Talapoptera Hampson, 1926*
- 4249. Hiaspis Walker, [1866]** (Noctuidae) Synonym(s): *Hiaspis Walker, [1866]*
- 4250. Hiemopolia (Pectinipolia) Hreblay & L.Ronkay, 1999** (Noctuidae) Synonym(s): *Pectinipolia Hreblay & L.Ronkay, 1999*
- 4251. Hiemopolia (Thaipolia) Hreblay & L.Ronkay, 1999** (Noctuidae) Synonym(s): *Thaipolia Hreblay & L.Ronkay, 1999*
- 4252. Hiemopolia (Yoshimotoia) Kemal & Koçak, 2007** (Noctuidae) Synonym(s): *Lithopolia Yoshimoto, 1993 nec Sugi, 1992; Yoshimotoia Kemal & Koçak, 2007*
- 4253. Hiemopolia (s.str.) Hreblay & L.Ronkay, 1999** (Noctuidae) Synonym(s): *Hiemopolia Hreblay & L.Ronkay, 1999*
- 4254. Hiemopolia Hreblay & L.Ronkay, 1999** (Noctuidae) Synonym(s): *Hiemopolia Hreblay & L.Ronkay, 1999*
- 4255. Hillia Grote, 1883** (Noctuidae) Synonym(s): *Hillia Grote, 1883*
- 4256. Himalistra Hacker & Ronkay, 1993** (Noctuidae) Synonym(s): *Himalistra Hacker & Ronkay, 1993*
- 4257. Hipoepa Walker, [1859]** (Noctuidae) Synonym(s): *Hipoepa Walker, [1859]*
- 4258. Holocryptis Meyrick, 1893** (Noctuidae) Synonym(s): *Holocryptis Meyrick, 1893*
- 4259. Homaea Guenée, 1852** (Noctuidae) Synonym(s): *Homaea Guenée, 1852*
- 4260. Homodes Guenée, 1852** (Noctuidae) Synonym(s): *Homodes Guenée, 1852; Philecia Walker, 1861*
- 4261. Hondryches Nye, 1975** (Noctuidae) Synonym(s): *Rhynchodes Guenée, 1852 (praeocc.); Hondryches Nye, 1975*
- 4262. Hoplarista Hampson, 1910** (Noctuidae) Synonym(s): *Hoplarista Hampson, 1910*
- 4263. Hoplodrina Boursin, 1937** (Noctuidae) Synonym(s): *Hoplodrina Boursin, 1937*
- 4264. Hoplotarache Hampson, 1910** (Noctuidae) Synonym(s): *Hoplotarache Hampson, 1910*
- 4265. Hulodes Guenée, 1852** (Noctuidae) Synonym(s): *Hulodes Guenée, 1852*
- 4266. Hyalobole W.Warren, 1911** (Noctuidae) Synonym(s): *Hyalobole W.Warren, 1911*
- 4267. Hyamia Walker, [1859]** (Noctuidae) Synonym(s): *Hyamia Walker, [1859]; Juncaria Walker, [1863] (praeocc.).*
- 4268. Hydraecia Guenée, 1841** (Noctuidae) Synonym(s): *Hydraecia Guenée, 1841*
- 4269. Hydrillodes Guenée, 1854** (Noctuidae) Synonym(s): *Hydrillodes Guenée, 1854; Echana Walker, [1859]; Olybama Walker, [1859]; Bibacta Moore, 1882; Ragana Swinhoe, 1900; Cellacrinata Bethune-Baker, 1908.*
- 4270. Hypanua Hampson, 1913** (Noctuidae) Synonym(s): *Hypanua Hampson, 1913*
- 4271. Hypena (Conscitalypena) Lödl, 1994** (Noctuidae) Synonym(s): *Conscitalypena Lödl, 1994*
- 4272. Hypena (Jussalypena) Lödl, 1994** (Noctuidae) Synonym(s): *Jussalypena Lödl, 1994*
- 4273. Hypena (Ophiuche) Hübner, [1825]** (Noctuidae) Synonym(s): *Ophiuche Hübner, [1825]*
- 4274. Hypena (Pseudodichromia) Lödl, 1994** (Noctuidae) Synonym(s): *Pseudodichromia Lödl, 1994*
- 4275. Hypena (Tetrastictypena) Lödl, 1994** (Noctuidae) Synonym(s): *Tetrastictypena Lödl, 1994*
- 4276. Hypena (Trichypena) De Joannis, 1915** (Noctuidae) Synonym(s): *Trichypena De Joannis, 1915*
- 4277. Hypena (s.str.) Schrank, 1802** (Noctuidae) Synonym(s): *Hypena Schrank, 1802; Erichila Billberg, 1820; Herpyzon Hübner, 1822; Bomolocha Hübner, [1825]; Badausa Walker, 1863; Peliala Walker, 1865; Euhypena Grote, 1873; Lomanaltes Grote, 1873; Macrhypena Grote, 1873; Meghypena Grote, 1873; Plathypena Grote, 1873; Mathura Moore, 1882; Apanda Moore, 1882; Hypoepa Leech, 1889; Nesamiptis Meyrick, 1899; Anepischetos Smith, 1900; Placerobela Turner, 1903; Obesypena Beck, 1996; Rostrypena Beck, 1996.*
- 4278. Hypena Schrank, 1802** (Noctuidae) Synonym(s): *Hypena Schrank, 1802; Erichila Billberg, 1820; Herpyzon Hübner, 1822; Bomolocha Hübner, [1825]; Badausa Walker, 1863; Peliala Walker, 1865; Euhypena Grote, 1873; Lomanaltes Grote, 1873; Macrhypena Grote, 1873; Meghypena Grote, 1873; Plathypena Grote, 1873; Mathura Moore, 1882; Apanda Moore, 1882; Hypoepa Leech, 1889; Nesamiptis Meyrick, 1899; Anepischetos Smith, 1900; Placerobela Turner, 1903; Obesypena Beck, 1996; Rostrypena Beck, 1996.*
- 4279. Hypenodes Doubleday, 1850** (Noctuidae) Synonym(s): *Hypenodes Doubleday, 1850*
- 4280. Hypercodia Hampson, 1910** (Noctuidae) Synonym(s): *Hypercodia Hampson, 1910*
- 4281. Hyperlopha Hampson, 1895** (Noctuidae) Synonym(s): *Hyperlopha Hampson, 1895*
- 4282. Hypersynoides Berio, 1954** (Noctuidae) Synonym(s): *Hypersynoides Berio, 1954; Hyposynoides Berio, 1954; Othresynpa Berio, 1958*
- 4283. Hypeuthina Lederer, 1855** (Noctuidae) Synonym(s): *Hypeuthina Lederer, 1855; #Hypeuthina Oberthür, 1890*
- 4284. Hypobarathra Hampson, 1905** (Noctuidae) Synonym(s): *Hypobarathra Hampson, 1905*
- 4285. Hypocala Guenée, 1852** (Noctuidae) Synonym(s): *Hypocala Guenée, 1852; Eudragana Butler, 1888*
- 4286. Hypoplexia Hampson, 1908** (Noctuidae) Synonym(s): *Hypoplexia Hampson, 1908*
- 4287. Hypopyra Guenée, 1852** (Noctuidae) Synonym(s): *Hypopyra Guenée, 1852; Enmonodia Walker, 1858; Maxula Walker, 1865; Pyramarista Kirby, 1896.*
- 4288. Hyposada Hampson, 1910** (Noctuidae) Synonym(s): *Hyposada Hampson, 1910*
- 4289. Hyposemansis Hampson, 1895** (Noctuidae) Synonym(s): *Hyposemansis Hampson, 1895*

- 4290. Hypospila Guenée, 1852** (Noctuidae) Synonym(s): *Hypospila Guenée, 1852*; *Moepa Walker, 1865 nec Wlk., 1865*; *Orrea Walker, 1866*
- 4291. Hypotacha Hampson, 1913** (Noctuidae) Synonym(s): *Hypotacha Hampson, 1913*
- 4292. Hypotype Hampson, 1906** (Noctuidae) Synonym(s): *Hypotype Hampson, 1906*
- 4293. Hyppa Duponchel, 1845** (Noctuidae) Synonym(s): *Hyppa Duponchel, 1845*
- 4294. Hypsophila Staudinger, 1888** (Noctuidae) Synonym(s): *Hypsophila Staudinger, 1888*
- 4295. Hyssia Guenée, 1845** (Noctuidae) Synonym(s): *Hyssia Guenée, 1845*
- 4296. Iambia Walker, 1863** (Noctuidae) Synonym(s): *Iambia Walker, 1863*
- 4297. Iambiodes Hampson, 1908** (Noctuidae) Synonym(s): *Iambiodes Hampson, 1908*
- 4298. Idia Hübner, [1813]** (Noctuidae) Synonym(s): *Idia Hübner, [1813]*; *Epizeuxis Hübner, 1818*; *Camptylachila Stephens, 1834 nec Hbn., 1818*; *Camptylachila Agassiz, 1847*; *Helia Guenée, 1854 nec Hbn., 1818*; *Pseudaglossa Grote, 1874*
- 4299. Immetalia Jordan, 1896** (Noctuidae) Synonym(s): *Immetalia Jordan, 1896*
- 4300. Interdelta Berio, 1964** (Noctuidae) Synonym(s): *Interdelta Berio, 1964*
- 4301. Iontha Doubleday, 1842** (Noctuidae) Synonym(s): *Iontha Doubleday, 1842*
- 4302. Ipimorpha Hübner, [1821]** (Noctuidae) Synonym(s): *Ipimorpha Hübner, [1821]*
- 4303. Iranada Wiltshire, 1977** (Noctuidae) Synonym(s): *Iranada Wiltshire, 1977*
- 4304. Isadelphina Hampson, 1926** (Noctuidae) Synonym(s): *Isadelphina Hampson, 1926*
- 4305. Ischyja Hübner, [1823]** (Noctuidae) Synonym(s): *Ischyja Hübner, [1823]*; *Ischyia Agassiz, 1846*; *Potamorpha Guenée, 1852*
- 4306. Isochlora Staudinger, 1892** (Noctuidae) Synonym(s): *Isochlora Staudinger, 1892*; *Chamyla Staudinger, [1900]*
- 4307. Isolasia W. Warren, 1912** (Noctuidae) Synonym(s): *Isolasia W. Warren, 1912*
- 4308. Itmaharella Nye, 1975** (Noctuidae) Synonym(s): *Harmatelia Moore, 1882 nec Wlk., 1858*; *Itmaharella Nye, 1975*
- 4309. Janseodes Viette, 1967** (Noctuidae) Synonym(s): *Janseodes Viette, 1967*
- 4310. Janthinea Guenée, 1852** (Noctuidae) Synonym(s): *Janthinea Guenée, 1852*
- 4311. Jodia Hübner, 1818** (Noctuidae) Synonym(s): *Jodia Hübner, 1818*; *Xanthia Boisduval, 1829*; *Lampetia Curtis, [1830] (hom.)*; *Xantholeuca Stephens, 1831*; *Hoporina Blanchard, 1840*; *Oporina Agassiz, [1847]*
- 4312. Karana Moore, 1882** (Noctuidae) Synonym(s): *Karana Moore, 1882*; *Yula Bethune-Baker, 1906*
- 4313. Karmanica Hacker, 2002** (Noctuidae) Synonym(s): *Karmanica Hacker, 2002*
- 4314. Kisegira Hreblay & L. Ronkay, 1999** (Noctuidae) Synonym(s): *Kisegira Hreblay & L. Ronkay, 1999*
- 4315. Klugeana Geertsema, 1990** (Noctuidae) Synonym(s): *Klugeana Geertsema, 1990*
- 4316. Kobestelia Holloway, 1985** (Noctuidae) Synonym(s): *Kobestelia Holloway, 1985*
- 4317. Kocakina Özdikmen & Seven, 2006** (Noctuidae) Synonym(s): *Himella Grote, 1874 nec Adams, 1860 non Dallas, 1852*; *Kocakina Özdikmen & Seven, 2006*
- 4318. Labanda Walker, 1859** (Noctuidae) Synonym(s): *Labanda Walker, 1859*; *Bariana Walker, 1865*; *Gerbatha Walker, 1865*; *Lazanda Walker, 1865*; *Pseudalea Turner, 1936*
- 4319. Lacanobia (Dianobia) Behounek, 1992** (Noctuidae) Synonym(s): *Dianobia Behounek, 1992*
- 4320. Lacanobia (Diataraxia) Hübner, 1816** (Noctuidae) Synonym(s): *Diataraxia Hübner, 1816*
- 4321. Lacanobia (s.str.) Billberg, 1820** (Noctuidae) Synonym(s): *Lacanobia Billberg, 1820*
- 4322. Lacanobia Billberg, 1820** (Noctuidae) Synonym(s): *Lacanobia Billberg, 1820*; *Diataraxia Hübner, [1821]*; *Peucephila Hampson, 1909*
- 4323. Lacera Guenée, 1852** (Noctuidae) Synonym(s): *Lacera Guenée, 1852*
- 4324. Lamprosticta Hübner, [1820]** (Noctuidae) Synonym(s): *Lamprosticta Hübner, [1820]*
- 4325. Lamprotes Reichenbach, 1817** (Noctuidae) Synonym(s): *Lamprotes Reichenbach, 1817*; *Chrysoptera Berthold, 1827*
- 4326. Lamprothripa Hampson, 1912** (Noctuidae) Synonym(s): *Lamprothripa Hampson, 1912*
- 4327. Lanatopyga Gyulai & L. Ronkay, 2002** (Noctuidae) Synonym(s): *Lanatopyga Gyulai & L. Ronkay, 2002*
- 4328. Lasiestra Hampson, 1905** (Noctuidae) Synonym(s): *Lasiestra Hampson, 1905*
- 4329. Lasiolopha Turner, 1920** (Noctuidae) Synonym(s): *Lasiolopha Turner, 1920*
- 4330. Lasionycta Aurivillius, 1892** (Noctuidae) Synonym(s): *Lasionycta Aurivillius, 1892*
- 4331. Laspeyria Germar, 1810** (Noctuidae) Synonym(s): *Laspeyria Germar, 1810*
- 4332. Latiphea Özdikmen & Seven, 2006** (Noctuidae) Synonym(s): *Lobocheilos Hampson, 1891 nec Bleeker, 1853*; *Latiphea Özdikmen & Seven, 2006*
- 4333. Ledereragrotis Varga, 1991** (Noctuidae) Synonym(s): *Ledereragrotis Varga, 1991*
- 4334. Leiorhynchus Hampson, 1902** (Noctuidae) Synonym(s): *Leiorhynchus Hampson, 1902*
- 4335. Leocyma Guenée, 1852** (Noctuidae) Synonym(s): *Leocyma Guenée, 1852*; *Thiganusa Walker, 1865*
- 4336. Leoniloma Hampson, 1926** (Noctuidae) Synonym(s): *Leoniloma Hampson, 1926*
- 4337. Lepidodelta Viette, 1967** (Noctuidae) Synonym(s): *Lepidodelta Viette, 1967*
- 4338. Leucania Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Leucania Ochsenheimer, 1816*; *Donachlora Sodoffsky, 1837*; *Leucadia Sodoffsky, 1837*; *Donacochlora Agassiz, 1847*; *Pudorina Gistel, 1848*; *Cirphis Walker, 1865*; *Borolia Moore, 1881*; *Neoborolia Matsumura, 1926*; *Acantholeucania Rungs, 1953*; *Boursinania Rungs, 1955*; *Xipholeucania Sugi, 1970*
- 4339. Leucochlaena Hampson, 1906** (Noctuidae) Synonym(s): *Leucochlaena Hampson, 1906*
- 4340. Leucocoscma Butler, 1886** (Noctuidae) Synonym(s): *Curgia Walker, 1863 nec Wlk., 1860*; *Leucocoscma Butler, 1886*
- 4341. Leucopardus Hampson, 1894** (Noctuidae) Synonym(s): *Leucopardus Hampson, 1894*
- 4342. Leucotrachea Janse, 1937** (Noctuidae) Synonym(s): *Leucotrachea Janse, 1937*
- 4343. Leucovis Hampson, 1908** (Noctuidae) Synonym(s): *Leucovis Hampson, 1908*; *Perimagia Strand, 1909*
- 4344. Leumicamia Viette, 1965** (Noctuidae) Synonym(s): *Leumicamia Viette, 1965*
- 4345. Lignicida Swinhoe, 1905** (Noctuidae) Synonym(s): *Lignicida Swinhoe, 1905*
- 4346. Lineopalpa Guenée, 1852** (Noctuidae) Synonym(s): *Lineopalpa Guenée, 1852*
- 4347. Lipatephia Hampson, 1926** (Noctuidae) Synonym(s): *Lipatephia Hampson, 1926*
- 4348. Lithacodia Hübner, 1818** (Noctuidae) Synonym(s): *Lithacodia Hübner, 1818*
- 4349. Lithomoia Hübner, [1821]** (Noctuidae) Synonym(s): *Lithomoia Hübner, [1821]*
- 4350. Lithophane Hübner, [1821]** (Noctuidae) Synonym(s): *Lithophane Hübner, [1821]*
- 4351. Lithosiopsis Hampson, 1895** (Noctuidae) Synonym(s): *Lithosiopsis Hampson, 1895*
- 4352. Loboplusia Roepke, 1941** (Noctuidae) Synonym(s): *Loboplusia Roepke, 1941*; *#Lobeplesa Huttacharern & Tuftim, 1995*
- 4353. Longicella Jordan, 1896** (Noctuidae) Synonym(s): *Longicella Jordan, 1896*
- 4354. Lopharthrum Hampson, 1895** (Noctuidae) Synonym(s): *Lopharthrum Hampson, 1895*
- 4355. Lophocrama Hampson, 1912** (Noctuidae) Synonym(s): *Lophocrama Hampson, 1912*
- 4356. Lophocytarra Hampson, 1914** (Noctuidae) Synonym(s): *Lophocytarra Hampson, 1914*
- 4357. Lophonotidia Hampson, 1901** (Noctuidae) Synonym(s): *Lophonotidia Hampson, 1901*
- 4358. Lophoptera Guenée, 1852** (Noctuidae) Synonym(s): *Lophoptera Guenée, 1852*; *Evia Walker, 1863*; *Ciasa Walker, [1863]*; *Sadarsa Moore, 1882*
- 4359. Lophotarsia Hampson, 1902** (Noctuidae) Synonym(s): *Lophotarsia Hampson, 1902*
- 4360. Lophoterges (Fibigeres) L. Ronkay, 2005** (Noctuidae) Synonym(s): *Fibigeres L. Ronkay, 2005*

4361. **Lophoterges (Tibeterges) L.Ronkay,2005** (Noctuidae) Synonym(s): *Tibeterges L.Ronkay,2005*
4362. **Lophoterges (Variterges) L.Ronkay,2005** (Noctuidae) Synonym(s): *Variterges L.Ronkay,2005*
4363. **Lophoterges (s.str.) Hampson,1906** (Noctuidae) Synonym(s): *Lophoterges Hampson,1906*
4364. **Lophoterges Hampson,1906** (Noctuidae) Synonym(s): *Lophoterges Hampson,1906*
4365. **Lophotidia Hampson,1913** (Noctuidae) Synonym(s): *Lophotidia Hampson,1913*
4366. **Lophotripa Hampson,1896** (Noctuidae) Synonym(s): *Lophotripa Hampson,1896*
4367. **Lophotyna Hampson,1908** (Noctuidae) Synonym(s): *Lophotyna Hampson,1908*
4368. **Lophpruza Hampson,1910** (Noctuidae) Synonym(s): *Lophpruza Hampson,1910*
4369. **Loxioda Warren,1913** (Noctuidae) Synonym(s): *Loxioda Warren,1913*
4370. **Luperina Boisduval,1829** (Noctuidae) Synonym(s): *Luperina Boisduval,1829*
4371. **Lycimna Walker,1860** (Noctuidae) Synonym(s): *Lycimna Walker,1860*
4372. **Lycophorus Staudinger,1901** (Noctuidae) Synonym(s): *Lycophorus Staudinger,1901; Pachyagrotis Boursin,1953*
4373. **Lycophotia Hübner,[1821]** (Noctuidae) Synonym(s): *Lycophotia Hübner,[1821]; Scotophila Stephens,1829 nec Hbn.,1821; Violaphotia Beck,1991; Paucographia Beck,1991*
4374. **Lygephila Billberg,1820** (Noctuidae) Synonym(s): *Lygephila Billberg,1820; Asticta Hübner,[1823]; Eccrita Lederer,1857; Toxocampa Guenée,1841; Craccaphila Beck,1996*
4375. **Lygniodes Guenée,1852** (Noctuidae) Synonym(s): *Lygniodes Guenée,1852; Agonista R.Felder & Rogenhofer,1875*
4376. **Lyncestis Walker,1857** (Noctuidae) Synonym(s): *Lyncestis Walker,1857*
4377. **Lysimelia Walker,[1859]** (Noctuidae) Synonym(s): *Lysimelia Walker,[1859]*
4378. **Macaldenia Moore,1884** (Noctuidae) Synonym(s): *Pasipeda Moore,1882 nec Wlk.,1858; Macaldenia Moore,1884*
4379. **Macdunnoughia (Puriphusia) Chou & Lu,1974** (Noctuidae) Synonym(s): *Puriphusia Chou & Lu,1974*
4380. **Macdunnoughia (Sclerogenia) Ichinose,1973** (Noctuidae) Synonym(s): *Sclerogenia Ichinose,1973*
4381. **Macdunnoughia Kostrowicki,1961** (Noctuidae) Synonym(s): *Macdunnoughia Kostrowicki,1961; Scleroplusia Ichinose,1962*
4382. **Macrochilo Hübner,[1825]** (Noctuidae) Synonym(s): *Macrochilo Hübner,[1825]*
4383. **Malagonia Hampson,1926** (Noctuidae) Synonym(s): *Malagonia Hampson,1926*
4384. **Maliattha Walker,1863** (Noctuidae) Synonym(s): *Maliattha Walker,1863*
4385. **Mamestra Ochsenheimer,1816** (Noctuidae) Synonym(s): *Mamestra Ochsenheimer,1816; Barathra Hübner,[1820]; Mamistra Sodoffsky,1837; Copimamestra Grote,1883*
4386. **Manga Bowden,1956** (Noctuidae) Synonym(s): *Manga Bowden,1956*
4387. **Manoba Walker,[1863]** (Noctuidae) Synonym(s): *Manoba Walker,[1863]*
4388. **Marapana Moore,[1885]** (Noctuidae) Synonym(s): *Marapana Moore,[1885]*
4389. **Maraschia Osthelder,1933** (Noctuidae) Synonym(s): *Maraschia Osthelder,1933*
4390. **Marathyssa Walker,1865** (Noctuidae) Synonym(s): *Marathyssa Walker,1865*
4391. **Marca Saalmüller,1891** (Noctuidae) Synonym(s): *Marca Saalmüller,1891*
4392. **Marcillada Walker,1865** (Noctuidae) Synonym(s): *Marcillada Walker,1865*
4393. **Marcipa Walker,1855** (Noctuidae) Synonym(s): *Marcipa Walker,1855*
4394. **Margelana Staudinger,1888** (Noctuidae) Synonym(s): *Margelana Staudinger,1888*
4395. **Marsipiophora John,1909** (Noctuidae) Synonym(s): *Marsipiophora John,1909*
4396. **Masca Walker,[1859]** (Noctuidae) Synonym(s): *Masca Walker,[1859]; Phagytra Walker,[1866]*
4397. **Massaga Walker,1854** (Noctuidae) Synonym(s): *Massaga Walker,1854; Massagidia Hampson,1901*
4398. **Matopo Distant,1898** (Noctuidae) Synonym(s): *Matopo Distant,1898; Gigaglossa Berio,1966*
4399. **Maurilia Möschler,1883** (Noctuidae) Synonym(s): *Maurilia Möschler,1883*
4400. **Maxera Walker,1865** (Noctuidae) Synonym(s): *Maxera Walker,1865; Parathermes Hampson,1902*
4401. **Mazuca Walker,1866** (Noctuidae) Synonym(s): *Mazuca Walker,1866; Mila Aurivillius,1892*
4402. **Mecistoptera Hampson,1893** (Noctuidae) Synonym(s): *Mecistoptera Hampson,1893*
4403. **Mecodina Guenée,1852** (Noctuidae) Synonym(s): *Mecodina Guenée,1852; Boethantha Walker,1865; Seneratia Moore,[1885]; Araeognatha Hampson,1893*
4404. **Megalodes Guenée,1852** (Noctuidae) Synonym(s): *Megalodes Guenée,1852*
4405. **Meganephria Hübner,[1821]** (Noctuidae) Synonym(s): *Meganephria Hübner,[1821]*
4406. **Meganola Dyar,1898** (Noctuidae) Synonym(s): *Meganola Dyar,1898*
4407. **Meganycyticia Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *Meganycyticia Hreblay & L.Ronkay,1998*
4408. **Megathripa Hampson,1912** (Noctuidae) Synonym(s): *Megathripa Hampson,1912*
4409. **Melanchra Hübner,[1820]** (Noctuidae) Synonym(s): *Melanchra Hübner,[1820]*
4410. **Melanephia Le Cerf,1922** (Noctuidae) Synonym(s): *Melanephia Cerf,1922; Melanephia Hampson,1926 nec Cf.,1922*
4411. **Melanographia Hampson,1900** (Noctuidae) Synonym(s): *Melanographia Hampson,1900*
4412. **Meliaba Walker,[1859]** (Noctuidae) Synonym(s): *Meliaba Walker,[1859]*
4413. **Melipotis Hübner,1818** (Noctuidae) Synonym(s): *Melipotis Hübner,1818*
4414. **Meneptera Hampson,1910** (Noctuidae) Synonym(s): *Meneptera Hampson,1910*
4415. **Mentaxya Geyer,1837** (Noctuidae) Synonym(s): *Mentaxya Geyer,1837*
4416. **Mepantadrea Hampson,1926** (Noctuidae) Synonym(s): *Mepantadrea Hampson,1926*
4417. **Mesapamea (Resapamea) Varga & Ronkay,1992** (Noctuidae) Synonym(s): *Resapamea Varga & Ronkay,1992*
4418. **Mesapamea Heinicke,1959** (Noctuidae) Synonym(s): *Mesapamea Heinicke,1959*
4419. **Mesogenea Hampson,1902** (Noctuidae) Synonym(s): *Mesogenea Hampson,1902*
4420. **Mesogona Boisduval,1840** (Noctuidae) Synonym(s): *Mesogona Boisduval,1840*
4421. **Mesoligia Boursin,1965** (Noctuidae) Synonym(s): *Mesoligia Boursin,1965*
4422. **Mesoplus Boursin,1949** (Noctuidae) Synonym(s): *Mesoplus Boursin,1949*
4423. **Mesorhynchaglaea Sugi,1980** (Noctuidae) Synonym(s): *Mesorhynchaglaea Sugi,1980*
4424. **Mesosciera Hampson,1926** (Noctuidae) Synonym(s): *Mesosciera Hampson,1926*
4425. **Mesotrosta Lederer,1857** (Noctuidae) Synonym(s): *Mesotrosta Lederer,1857*
4426. **Metachrostis Hübner,[1820]** (Noctuidae) Synonym(s): *Metachrostis Hübner,[1820]; Leptosia Guenée,1841 (praeocc.)*
4427. **Metaegle Hampson,1908** (Noctuidae) Synonym(s): *Metaegle Hampson,1908*
4428. **Metagarista Walker,1854** (Noctuidae) Synonym(s): *Metagarista Walker,1854*
4429. **Metagarista Walker,1854** (Noctuidae) Synonym(s): *Metagarista Walker,1854*
4430. **Metanola Van Son,1933** (Noctuidae) Synonym(s): *Metanola Van Son,1933*
4431. **Metaphoenia Hampson,1926** (Noctuidae) Synonym(s): *Metaphoenia Hampson,1926*
4432. **Metapioplasta Wallengren,1865** (Noctuidae) Synonym(s): *Metapioplasta Wallengren,1865*
4433. **Metlaouia Dumont,1928** (Noctuidae) Synonym(s): *Metlaouia Dumont,1928*
4434. **Metopistis Warren,1913** (Noctuidae) Synonym(s): *Metopistis Warren,1913*
4435. **Metopoceras (Tritomoceras) Berio,1980** (Noctuidae) Synonym(s): *Tritomoceras Berio,1980*
4436. **Metopoceras Guenée,1850** (Noctuidae) Synonym(s): *Metopoceras Guenée,1850*

4437. **Metopodicha Draudt,1936** (Noctuidae) Synonym(s): *Metopodicha Draudt,1936; Persidia Wiltshire,1946*
4438. **Metopoplus Alpheraky,1892** (Noctuidae) Synonym(s): *Metopoplus Alpheraky,1892*
4439. **Miaromima Meyrick,1889** (Noctuidae) Synonym(s): *Miaromima Meyrick,1889*
4440. **Micragrotis Hampson,1903** (Noctuidae) Synonym(s): *Micragrotis Hampson,1903*
4441. **Micronola Amsel,1935** (Noctuidae) Synonym(s): *Micronola Amsel,1935; Micronoctua Fibiger,1997*
4442. **Mimasura Hampson,1910** (Noctuidae) Synonym(s): *Mimasura Hampson,1910*
4443. **Mimeugoa Hampson,1895** (Noctuidae) Synonym(s): *Mimeugoa Hampson,1895*
4444. **Mimeusemia Butler,1875** (Noctuidae) Synonym(s): *Mimeusemia Butler,1875*
4445. **Mimleucania Hampson,1908** (Noctuidae) Synonym(s): *Mimleucania Hampson,1908*
4446. **Miniodes Guenée,1852** (Noctuidae) Synonym(s): *Miniodes Guenée,1852*
4447. **Minucia Moore,[1885]** (Noctuidae) Synonym(s): *Minucia Moore,[1885]*
4448. **Mionides Hampson,1902** (Noctuidae) Synonym(s): *Mionides Hampson,1902*
4449. **Mitrophrys Karsch,1895** (Noctuidae) Synonym(s): *Mitrophrys Karsch,1895*
4450. **Mixomelia Hampson,1898** (Noctuidae) Synonym(s): *Mixomelia Hampson,1898*
4451. **Mniothripa Hampson,1912** (Noctuidae) Synonym(s): *Mniothripa Hampson,1912*
4452. **Mniotype Franclemont,1941** (Noctuidae) Synonym(s): *Mniotype Franclemont,1941*
4453. **Mocis Hübner,[1823]** (Noctuidae) Synonym(s): *Mocis Hübner,[1823]; Pelamia Guenée,1852; Remigia Guenée,1852; Baratha Walker,1865; Cauninda Moore,[1885].*
4454. **Moma Hübner,[1820]** (Noctuidae) Synonym(s): *#Diphthera Hübner,[1806]; Moma Hübner,[1820]; Diphtheramoma Berio,1961*
4455. **Monocondica Berio,1981** (Noctuidae) Synonym(s): *Monocondica Berio,1981*
4456. **Mormo Ochsenheimer,1816** (Noctuidae) Synonym(s): *Mormo Ochsenheimer,1816; Lemur Hübner,1822 nec Linn.,1758; Mania Treitschke,1825 nec Hbn.,[1821]; Acyra Gistl,1848*
4457. **Mosopia Walker,[1866]** (Noctuidae) Synonym(s): *Mosopia Walker,[1866]; Trotosema Butler,1879*
4458. **Mudaria Moore,1893** (Noctuidae) Synonym(s): *Mudaria Moore,1893*
4459. **Myalila Strand,1909** (Noctuidae) Synonym(s): *Myalila Strand,1909*
4460. **Mycteroplus Herrich-Schäffer,1850** (Noctuidae) Synonym(s): *Mycteroplus Herrich-Schäffer,1850*
4461. **Mythimna (Aletia) Hübner,[1821]** (Noctuidae) Synonym(s): *Aletia Hübner,[1821]*
4462. **Mythimna (Hyphilare) Hübner,[1821]** (Noctuidae) Synonym(s): *Hyphilare Hübner,[1821]; Allitoria Beck,1996*
4463. **Mythimna (Morphopoliana) Hreblay,1996** (Noctuidae) Synonym(s): *Morphopoliana Hreblay,1996*
4464. **Mythimna (Pseudaletia) Franclemont,1951** (Noctuidae) Synonym(s): *Pseudaletia Franclemont,1951*
4465. **Mythimna Ochsenheimer,1816** (Noctuidae) Synonym(s): *Mythimna Ochsenheimer,1816*
4466. **Naarda Walker,1866** (Noctuidae) Synonym(s): *Naarda Walker,1866*
4467. **Nacna D.S.Fletcher,1961** (Noctuidae) Synonym(s): *Canna Walker,1865 nec Gry,1821; Nacna D.S.Fletcher,1961*
4468. **Naenia Stephens,1827** (Noctuidae) Synonym(s): *Naenia Stephens,1827*
4469. **Naganoella Sugi,1982** (Noctuidae) Synonym(s): *Naganoella Sugi,1982*
4470. **Nagia Walker,1858** (Noctuidae) Synonym(s): *Nagia Walker,1858*
4471. **Namangana Staudinger,1888** (Noctuidae) Synonym(s): *Namangana Staudinger,1888*
4472. **Nanaguna Walker,1863** (Noctuidae) Synonym(s): *Nanaguna Walker,1863; Bagistana Walker,[1863]; Dumatha Walker,[1863]; Cleitharra Walker,1863; Tamusida Walker,1866; Thrypticodes Lucas,1890*
4473. **Narangodes Hampson,1910** (Noctuidae) Synonym(s): *Narangodes Hampson,1910*
4474. **Neachrostia Hampson,1907** (Noctuidae) Synonym(s): *Neachrostia Hampson,1907*
4475. **Neaxestis Hampson,1902** (Noctuidae) Synonym(s): *Neaxestis Hampson,1902*
4476. **Negeta Walker,1862** (Noctuidae) Synonym(s): *Negeta Walker,1862*
4477. **Negritothripa Inoue,1970** (Noctuidae) Synonym(s): *Negritothripa Inoue,1970*
4478. **Nekrasovia Ronkay & Varga,1993** (Noctuidae) Synonym(s): *Nekrasovia Ronkay & Varga,1993*
4479. **Neochrostis Hampson,1902** (Noctuidae) Synonym(s): *Neochrostis Hampson,1902*
4480. **Neocucullia Janse,1939** (Noctuidae) Synonym(s): *Neocucullia Janse,1939*
4481. **Neoeriocera Özdikmen & Seven,2006** (Noctuidae) Synonym(s): *Eriocera Guenée,1852 nec Macquart,1838; Neoeriocera Özdikmen & Seven,2006*
4482. **Neogalea Hampson,1906** (Noctuidae) Synonym(s): *Neogalea Hampson,1906*
4483. **Neostichtis Janse,1937** (Noctuidae) Synonym(s): *Neostichtis Janse,1937*
4484. **Netrocerocora Bartel,1903** (Noctuidae) Synonym(s): *Netrocerocora Bartel,1903*
4485. **Neurois Hampson,1903** (Noctuidae) Synonym(s): *Neurois Hampson,1903*
4486. **Nezonymia Varga & Ronkay,1991** (Noctuidae) Synonym(s): *Nezonymia Varga & Ronkay,1991*
4487. **Nicevillea Hampson,1895** (Noctuidae) Synonym(s): *Nicevillea Hampson,1895*
4488. **Nigramma Walker,1863** (Noctuidae) Synonym(s): *Nigramma Walker,1863*
4489. **Nimasia Wiltshire,1982** (Noctuidae) Synonym(s): *Nimasia Wiltshire,1982*
4490. **Noctua (Divaena) Fibiger,1993** (Noctuidae) Synonym(s): *Divaena Fibiger,1993*
4491. **Noctua (Euschesis) Hübner,[1821]** (Noctuidae) Synonym(s): *Euschesis Hübner,[1821]*
4492. **Noctua (Lampra) Hübner,[1821]** (Noctuidae) Synonym(s): *Lampra Hübner,[1821]*
4493. **Noctua (Latanoctua) Beck, Kobes & Ahola,1993** (Noctuidae) Synonym(s): *Latanoctua Beck, Kobes & Ahola,1993*
4494. **Noctua (Paranoctua) Beck, Kobes & Ahola,1993** (Noctuidae) Synonym(s): *Paranoctua Beck, Kobes & Ahola,1993; Carvalhoia Beck,1999 nec Kormilev,1951 non Miller & China,1956*
4495. **Noctua Linnaeus,1758** (Noctuidae) Synonym(s): *Noctua Linnaeus,1758; Noctuella Rafinesque,1815; Nyctemia Rafinesque,1815; Triphaena Ochsenheimer,1816; Triphaena Hübner,[1821]; Xanthoptera Sodoffsky,1837*
4496. **Nodaria Guenée,1854** (Noctuidae) Synonym(s): *Nodaria Guenée,1854*
4497. **Nola Leach,1815** (Noctuidae) Synonym(s): *Nola Leach,1815; Lira Billberg,1820; Chlamifera Hübner,1822; Roeselia Hübner,[1825]; Manoba Walker,[1863]; Celama Walker,1865; Selca Walker,[1866]; Tribunta Walker,[1866]; Aradrapha Walker,[1866]; Lebena Walker,1866; Minnagara Walker,1866; Argrophyes Grote,1873; Epizeuctis Meyrick,1889; Sorocostia Rosenstock,1885; ztenola Möschler,1890; Rhynchopalpus Hampson,1893; Poliothripa Hampson,1902; Cryphimaea Turner,1933; Nestiodes Turner,1939; Idiocyttara Turner,1944; Neocleta Turner,1944*
4498. **Nolidia Van Son,1933** (Noctuidae) Synonym(s): *Nolidia Van Son,1933*
4499. **Nonagria Ochsenheimer,1816** (Noctuidae) Synonym(s): *Nonagria Ochsenheimer,1816*
4500. **Nycteola Hübner,1822** (Noctuidae) Synonym(s): *Nycteola Hübner,1822; Sarrothripus Curtis,1824; Axia Hübner,[1825]; Subrita Walker,1866; Dufayella Capuse,1972; #Nycteola Hacker,1998*
4501. **Nyctycia Hampson,1906** (Noctuidae) Synonym(s): *Nyctycia Hampson,1906*
4502. **Nyodes Laporte,1970** (Noctuidae) Synonym(s): *Nyodes Laporte,1970*
4503. **Nyssocnemis Lederer,1857** (Noctuidae) Synonym(s): *Nyssocnemis Lederer,1857*
4504. **Ochrocalama Hampson,1910** (Noctuidae) Synonym(s): *Ochrocalama Hampson,1910*
4505. **Ochropleura Hübner,[1821]** (Noctuidae) Synonym(s): *Ochropleura Hübner,[1821]*

4506. **Ochrotrigona Hampson, 1926** (Noctuidae) Synonym(s): *Ochrotrigona Hampson, 1926*
4507. **Odice Hübner, [1823]** (Noctuidae) Synonym(s): *Odice Hübner, [1823]; Microphisa Boisduval, 1840*
4508. **Odontelia Hampson, 1905** (Noctuidae) Synonym(s): *Odontelia Hampson, 1905*
4509. **Odontestis Hampson, 1912** (Noctuidae) Synonym(s): *Odontestis Hampson, 1912*
4510. **Odontestra Hampson, 1905** (Noctuidae) Synonym(s): *Odontestra Hampson, 1905*
4511. **Odontodes Guenée, 1852** (Noctuidae) Synonym(s): *Odontodes Guenée, 1852; Burdria Walker, 1869; Nedroma Walker, 1869*
4512. **Odontoretha Hampson, 1916** (Noctuidae) Synonym(s): *Odontoretha Hampson, 1916*
4513. **Oedebasis Hampson, 1902** (Noctuidae) Synonym(s): *Oedebasis Hampson, 1902*
4514. **Oederastris Hampson, 1902** (Noctuidae) Synonym(s): *Oederastris Hampson, 1902*
4515. **Oediblemma Hampson, 1918** (Noctuidae) Synonym(s): *Oediblemma Hampson, 1918*
4516. **Oedicodia Hampson, 1910** (Noctuidae) Synonym(s): *Oedicodia Hampson, 1910*
4517. **Oedicraspis Hampson, 1912** (Noctuidae) Synonym(s): *Oedicraspis Hampson, 1912*
4518. **Oglasa Walker, 1859** (Noctuidae) Synonym(s): *Oglasa Walker, 1859; Brevipecten Hampson, 1894*
4519. **Oglasa Walker, [1859]** (Noctuidae) Synonym(s): *Oglasa Walker, [1859]; Barbesola Walker, 1862; Dorsippa Walker, [1863]; Chorsia Walker, [1863]; Alika Strand, 1920*
4520. **Ogovia Holland, 1892** (Noctuidae) Synonym(s): *Ogovia Holland, 1892*
4521. **Oligia Hübner, [1821]** (Noctuidae) Synonym(s): *Oligia Hübner, [1821]*
4522. **Olivenebula Kishida & Yoshimoto, 1977** (Noctuidae) Synonym(s): *Olivenebula Kishida & Yoshimoto, 1977; Chlorothalpa Beck, 1996*
4523. **Olulis Walker, 1863** (Noctuidae) Synonym(s): *Olulis Walker, 1863*
4524. **Omia Hübner, [1821]** (Noctuidae) Synonym(s): *Omia Hübner, [1821]*
4525. **Ommatophora Guenée, 1852** (Noctuidae) Synonym(s): *Ommatophora Guenée, 1852*
4526. **Omphalestra D.S.Fletcher, 1961** (Noctuidae) Synonym(s): *Omphalestra D.S.Fletcher, 1961*
4527. **Omphaloceps Hampson, 1901** (Noctuidae) Synonym(s): *Omphaloceps Hampson, 1901*
4528. **Omphalophana Hampson, 1906** (Noctuidae) Synonym(s): *Omphalophana Hampson, 1906*
4529. **Omphaloscelis Hampson, 1906** (Noctuidae) Synonym(s): *Omphaloscelis Hampson, 1906*
4530. **Oncocnemis Lederer, 1853** (Noctuidae) Synonym(s): *Oncocnemis Lederer, 1853*
4531. **Oncotibialis Janse, 1938** (Noctuidae) Synonym(s): *Oncotibialis Janse, 1938*
4532. **Ophisma Guenée, 1852** (Noctuidae) Synonym(s): *Ophisma Guenée, 1852*
4533. **Ophiusa Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Ophiusa Ochsenheimer, 1816; Ophiogenes Reichenbach, 1816; Meropis Hübner, 1822; Ophiussa Hübner, [1823]; Hemachra Sodoffsky, 1837; Anua Walker, 1858; Stenopis Mabilie, 1880; Trichanua Berio, 1954; Subanua Berio, 1959; Peranua Berio, 1959; Perophiusa Berio, 1959.*
4534. **Ophthalmis Hübner, [1819]** (Noctuidae) Synonym(s): *Ophthalmis Hübner, [1819]; Pristoceraea Karsch, 1895*
4535. **Opigena Boisduval, 1840** (Noctuidae) Synonym(s): *Opigena Boisduval, 1840*
4536. **Oporophylla Hampson, 1913** (Noctuidae) Synonym(s): *Oporophylla Hampson, 1913*
4537. **Opsyra Hampson, 1910** (Noctuidae) Synonym(s): *Opsyra Hampson, 1910*
4538. **Oraesia Guenée, 1852** (Noctuidae) Synonym(s): *Oraesia Guenée, 1852*
4539. **Orbona Hübner, [1821]** (Noctuidae) Synonym(s): *Orbona Hübner, [1821]*
4540. **Orectis Lederer, 1857** (Noctuidae) Synonym(s): *Orectis Lederer, 1857*
4541. **Oria Hübner, [1821]** (Noctuidae) Synonym(s): *Oria Hübner, [1821]*
4542. **Oroplexia Hampson, 1908** (Noctuidae) Synonym(s): *Oroplexia Hampson, 1908*
4543. **Orthosia (Cororthosia) Berio, 1980** (Noctuidae) Synonym(s): *Cororthosia Berio, 1980*
4544. **Orthosia (Dioszeghyana) Hreblay, 1993** (Noctuidae) Synonym(s): *Dioszeghyana Hreblay, 1993*
4545. **Orthosia (Monima) Hübner, [1821]** (Noctuidae) Synonym(s): *Monima Hübner, [1821]; Microrthisia Berio, 1980.*
4546. **Orthosia (Semiophora) Stephens, 1829** (Noctuidae) Synonym(s): *Semiophora Stephens, 1829*
4547. **Orthosia (s.str.) Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Orthosia Ochsenheimer, 1816*
4548. **Orthosia Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Orthosia Ochsenheimer, 1816*
4549. **Ortopla Walker, [1859]** (Noctuidae) Synonym(s): *Ortopla Walker, [1859]; Koptoplax Hampson, 1891*
4550. **Oruza Walker, 1861** (Noctuidae) Synonym(s): *Oruza Walker, 1861*
4551. **Osmanosizikia Koçak & Kemal, 2007** (Noctuidae) Synonym(s): *Oligonox Sugi, 1982 nec Saussure, 1869; Osmanosizikia Koçak & Kemal, 2007*
4552. **Ostheldera Nye, 1975** (Noctuidae) Synonym(s): *Pfeifferella Osthelder, 1933 nec Labbe, 1899; Ostheldera Nye, 1975*
4553. **Ovios Walker, 1855** (Noctuidae) Synonym(s): *Ovios Walker, 1855*
4554. **Owadaglaea Hacker & L.Ronkay, 1996** (Noctuidae) Synonym(s): *Owadaglaea Hacker & L.Ronkay, 1996*
4555. **Oxaeanus Swinhoe, 1900** (Noctuidae) Synonym(s): *Oxaeanus Swinhoe, 1900*
4556. **Oxicesta Hübner, [1819]** (Noctuidae) Synonym(s): *Oxicesta Hübner, [1819]*
4557. **Oxyodes Guenée, 1852** (Noctuidae) Synonym(s): *Oxyodes Guenée, 1852; Rectipalpa De Joannis, 1900*
4558. **Oxytripia Staudinger, 1871** (Noctuidae) Synonym(s): *Oxytripia Staudinger, 1871*
4559. **Ozarba Walker, 1865** (Noctuidae) Synonym(s): *Ozarba Walker, 1865; Acontiola Staudinger, [1900]*
4560. **Paectes Hübner, 1818** (Noctuidae) Synonym(s): *Paectes Hübner, 1818; Ingura Guenée, 1852; Adrana Walker, 1858; Orthoclostera Butler, 1878; Calligura Butler, 1894*
4561. **Paida Jordan, 1896** (Noctuidae) Synonym(s): *Paida Jordan, 1896*
4562. **Pamirorea L.Ronkay & Varga, 1990** (Noctuidae) Synonym(s): *Pamirorea L.Ronkay & Varga, 1990*
4563. **Pamparama G.Ronkay & L.Ronkay, 1995** (Noctuidae) Synonym(s): *Pamparama G.Ronkay & L.Ronkay, 1995*
4564. **Panchrysia Hübner, [1821]** (Noctuidae) Synonym(s): *Panchrysia Hübner, [1821]; Tetrargentia Beck, 1991*
4565. **Pandesma Guenée, 1852** (Noctuidae) Synonym(s): *Pandesma Guenée, 1852; Cerbia Walker, 1858; Michera Walker, 1865; Vapara Moore, 1882; Subpandesma Berio, 1966*
4566. **Panemeria Hübner, [1823]** (Noctuidae) Synonym(s): *Panemeria Hübner, [1823]*
4567. **Pangrapta Hübner, 1818** (Noctuidae) Synonym(s): *Pangrapta Hübner, 1818; Marmorinia Guenée, 1852; Saraca Walker, [1866]; Stenozethes Hampson, 1926*
4568. **Panolis Hübner, [1821]** (Noctuidae) Synonym(s): *Panolis Hübner, [1821]; Ilarus Boisduval, 1829; Hilarus Agassiz, 1847*
4569. **Panthea Hübner, [1820]** (Noctuidae) Synonym(s): *Panthea Hübner, [1820]; Elatina Duponchel, [1845]*
4570. **Pantydina Guenée, 1852** (Noctuidae) Synonym(s): *Pantydina Guenée, 1852*
4571. **Papestra Sukhareva, 1973** (Noctuidae) Synonym(s): *Papestra Sukhareva, 1973*
4572. **Parachalciope Hampson, 1913** (Noctuidae) Synonym(s): *Parachalciope Hampson, 1913*
4573. **Paracolax Hübner, [1825]** (Noctuidae) Synonym(s): *Paracolax Hübner, [1825]*
4574. **Paracrama Moore, 1884** (Noctuidae) Synonym(s): *Paracrama Moore, 1884*
4575. **Paracroria Hampson, 1908** (Noctuidae) Synonym(s): *Paracroria Hampson, 1908*
4576. **Paradiarsia McDunnough, [1929]** (Noctuidae) Synonym(s): *Paradiarsia McDunnough, [1929]*
4577. **Paraegocera Hampson, 1901** (Noctuidae) Synonym(s): *Paraegocera Hampson, 1901*
4578. **Paragria Hampson, 1926** (Noctuidae) Synonym(s): *Paragria Hampson, 1926*

4579. **Paralephana Hampson, 1926** (Noctuidae) Synonym(s): *Paralephana Hampson, 1926*
4580. **Parallelia Hübner, 1818** (Noctuidae) Synonym(s): *Parallelia Hübner, 1818; Dysgonia Hübner, [1823]*
4581. **Parallelula Berio, 1954** (Noctuidae) Synonym(s): *Parallelula Berio, 1954*
4582. **Paranola Van Son, 1933** (Noctuidae) Synonym(s): *Paranola Van Son, 1933*
4583. **Paranycticia Hreblay & L.Ronkay, 1998** (Noctuidae) Synonym(s): *Paranycticia Hreblay & L.Ronkay, 1998*
4584. **Parascotia Hübner, [1825]** (Noctuidae) Synonym(s): *Parascotia Hübner, [1825]; Kara Matsumura, 1925 nec Strebel*
4585. **Parastichtis Hübner, [1821]** (Noctuidae) Synonym(s): *Parastichtis Hübner, [1821]; Dyschorista Lederer, 1857.*
4586. **Paratuerta Hampson, 1902** (Noctuidae) Synonym(s): *Paratuerta Hampson, 1902*
4587. **Paratuerta Hampson, 1902** (Noctuidae) Synonym(s): *Paratuerta Hampson, 1902; Ancarista Jordan, 1921*
4588. **Paraxestis Hampson, 1902** (Noctuidae) Synonym(s): *Paraxestis Hampson, 1902*
4589. **Parca Saalmüller, 1891** (Noctuidae) Synonym(s): *Parca Saalmüller, 1891*
4590. **Pardasena Walker, 1866** (Noctuidae) Synonym(s): *Pardasena Walker, 1866*
4591. **Pardasena Walker, 1866** (Noctuidae) Synonym(s): *Pardasena Walker, 1866*
4592. **Pardoxia Vives & González, 1981** (Noctuidae) Synonym(s): *Pardoxia Vives & González, 1981*
4593. **Pareuplexia Warren, 1911** (Noctuidae) Synonym(s): *Pareuplexia Warren, 1911*
4594. **Parexarnis Boursin, 1946** (Noctuidae) Synonym(s): *Parexarnis Boursin, 1946*
4595. **Parolulis Hampson, 1926** (Noctuidae) Synonym(s): *Parolulis Hampson, 1926*
4596. **Paroruza Hampson, 1902** (Noctuidae) Synonym(s): *Paroruza Hampson, 1902*
4597. **Pataeta Walker, 1858** (Noctuidae) Synonym(s): *Pataeta Walker, 1858*
4598. **Pechipogo Hübner, [1825]** (Noctuidae) Synonym(s): *Pechipogo Hübner, [1825]; Pechypogon Agassiz, 1847; Microphtha Berio, 1988*
4599. **Penicillaria Guenée, 1852** (Noctuidae) Synonym(s): *Penicillaria Guenée, 1852*
4600. **Percalpe Berio, 1956** (Noctuidae) Synonym(s): *Percalpe Berio, 1956*
4601. **Perciana Walker, 1865** (Noctuidae) Synonym(s): *Perciana Walker, 1865*
4602. **Pericyma Herrich-Schäffer, [1851]** (Noctuidae) Synonym(s): *Pericyma Herrich-Schäffer, [1851]; Alamis Guenée, 1852; Dugaria Walker, [1858]; Moepa Walker, 1865.*
4603. **Peridroma Hübner, [1821]** (Noctuidae) Synonym(s): *Peridroma Hübner, [1821]*
4604. **Perigrapha (Anorthoa) Berio, 1980** (Noctuidae) Synonym(s): *Anorthoa Berio, 1980*
4605. **Perigrapha (Harutaeographa) Yoshimoto, 1993** (Noctuidae) Synonym(s): *Harutaeographa Yoshimoto, 1993*
4606. **Perigrapha (Opacographa (Turcographa)) Koçak & Kemal, 2007** (Noctuidae) Synonym(s): *Turcographa Koçak & Kemal, 2007*
4607. **Perigrapha (Opacographa (s.str.)) Hreblay, 1996** (Noctuidae) Synonym(s): *Opacographa Hreblay, 1996*
4608. **Perigrapha (Opacographa) Hreblay, 1995** (Noctuidae) Synonym(s): *Opacographa Hreblay, 1995*
4609. **Perigrapha (s.str.) Lederer, 1857** (Noctuidae) Synonym(s): *Perigrapha Lederer, 1857*
4610. **Perigrapha Lederer, 1857** (Noctuidae) Synonym(s): *Perigrapha Lederer, 1857*
4611. **Periphanes Hübner, [1821]** (Noctuidae) Synonym(s): *Periphanes Hübner, [1821]; Chariclea Curtis, 1825*
4612. **Periplusia Holland, 1894** (Noctuidae) Synonym(s): *Periplusia Holland, 1894*
4613. **Phaeothripa Hampson, 1912** (Noctuidae) Synonym(s): *Phaeothripa Hampson, 1912*
4614. **Phalaenoides Lewin, 1805** (Noctuidae) Synonym(s): *Phalaenoides Lewin, 1805*
4615. **Phalerodes Hampson, 1908** (Noctuidae) Synonym(s): *Phalerodes Hampson, 1908*
4616. **Phalga Moore, 1881** (Noctuidae) Synonym(s): *Phalga Moore, 1881*
4617. **Phanaspa Walker, [1866]** (Noctuidae) Synonym(s): *Phanaspa Walker, [1866]*
4618. **Phleboeis Christoph, 1887** (Noctuidae) Synonym(s): *Phleboeis Christoph, 1887; Stenosomides Strand, 1942 (cf. Koçak, 1991; Fibiger, 1997).*
4619. **Phlogophora Treitschke, 1825** (Noctuidae) Synonym(s): *Phlogophora Treitschke, 1825*
4620. **Phoebophilus Staudinger, 1888** (Noctuidae) Synonym(s): *Phoebophilus Staudinger, 1888*
4621. **Photedes Lederer, 1857** (Noctuidae) Synonym(s): *Photedes Lederer, 1857*
4622. **Phragmatiphila Hampson, 1908** (Noctuidae) Synonym(s): *Phragmatiphila Hampson, 1908*
4623. **Phyllophila Guenée, 1852** (Noctuidae) Synonym(s): *Phyllophila Guenée, 1852*
4624. **Phytometra Haworth, 1809** (Noctuidae) Synonym(s): *Phytometra Haworth, 1809*
4625. **Pindara Moore, [1885]** (Noctuidae) Synonym(s): *Pindara Moore, [1885]*
4626. **Plagiograptia Hampson, 1907** (Noctuidae) Synonym(s): *Plagiograptia Hampson, 1907*
4627. **Platyja Hübner, [1823]** (Noctuidae) Synonym(s): *Platyja Hübner, [1823]; Ginaea Walker, 1858; Cotuza Walker, 1858; Yeronponga Lucas, 1901; Plateja Rothschild, 1915*
4628. **Platyjonia Hampson, 1926** (Noctuidae) Synonym(s): *Platyjonia Hampson, 1926*
4629. **Plecoptera Guenée, 1852** (Noctuidae) Synonym(s): *Plecoptera Guenée, 1852; Carteia Walker, [1863]; Biregula Saalmüller, 1891; Plecopteroides Strand, 1918.*
4630. **Plecopterodes Hampson, 1913** (Noctuidae) Synonym(s): *Plecopterodes Hampson, 1913*
4631. **Pleurona Walker, 1866** (Noctuidae) Synonym(s): *Pleurona Walker, 1866*
4632. **Pleuronodes Hampson, 1926** (Noctuidae) Synonym(s): *Pleuronodes Hampson, 1926*
4633. **Plotheia Walker, 1857** (Noctuidae) Synonym(s): *Plotheia Walker, 1857*
4634. **Plusia Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Plusia Ochsenheimer, 1816; Chrysapidia Hübner, [1821]*
4635. **Plusidia Butler, 1879** (Noctuidae) Synonym(s): *Plusidia Butler, 1879*
4636. **Plusiodonta Guenée, 1852** (Noctuidae) Synonym(s): *Plusiodonta Guenée, 1852; Deva Walker, [1858]; Gadera Walker, [1858]; Odontina Guenée, 1862; Tafalla Walker, 1869; Tinmodoa Nye, 1975.*
4637. **Plusiopalpa Holland, 1894** (Noctuidae) Synonym(s): *Plusiopalpa Holland, 1894*
4638. **Plusiophaes A.Prout, 1921** (Noctuidae) Synonym(s): *Plusiophaes A.Prout, 1921*
4639. **Plusiotricha Holland, 1894** (Noctuidae) Synonym(s): *Plusiotricha Holland, 1894*
4640. **Poecilnola Hampson, 1900** (Noctuidae) Synonym(s): *Poecilnola Hampson, 1900*
4641. **Poeta Walker, 1865** (Noctuidae) Synonym(s): *Poeta Walker, 1865*
4642. **Polia Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Polia Ochsenheimer, 1816; Chera Hübner, [1821]; Aplecta Guenée, 1838*
4643. **Poliofoca Hampson, 1926** (Noctuidae) Synonym(s): *Poliofoca Hampson, 1926*
4644. **Polychrysia Hübner, [1821]** (Noctuidae) Synonym(s): *Polychrysia Hübner, [1821]*
4645. **Polydesma Boisduval, 1833** (Noctuidae) Synonym(s): *Polydesma Boisduval, 1833; Anthemoisia Blanchard, 1840; Anthemoessa Agassiz, 1847; Anodapha Moore, [1885]; Trichopolydesma Berio, 1954; Anthoemoisia Poole, 1989*
4646. **Polymixis (Bischoffia) Hacker & Ronkay, 1992** (Noctuidae) Synonym(s): *Bischoffia Hacker & Ronkay, 1992*
4647. **Polymixis (Bousinixis) Hacker & L.Ronkay, 1992** (Noctuidae) Synonym(s): *Bousinixis Hacker & L.Ronkay, 1992*
4648. **Polymixis (Brandticola) Hacker & L.Ronkay, 1992** (Noctuidae) Synonym(s): *Brandticola Hacker & L.Ronkay, 1992*
4649. **Polymixis (Eremophysa) Boursin, 1958** (Noctuidae) Synonym(s): *Eremophysa Boursin, 1958*
4650. **Polymixis (Eumichtis) Hübner, [1821]** (Noctuidae) Synonym(s): *Eumichtis Hübner, [1821]*
4651. **Polymixis (Myxinia) Berio, 1985** (Noctuidae) Synonym(s): *Myxinia Berio, 1985*
4652. **Polymixis (Parabrachionycha) Hacker, 1990** (Noctuidae) Synonym(s): *Parabrachionycha Hacker, 1990*

- 4653. Polymixis (Propolymixis) Berio, 1980** (Noctuidae) Synonym(s): *Propolymixis Berio, 1980*
- 4654. Polymixis (Serpimixis) Beck, 1991** (Noctuidae) Synonym(s): *Serpimixis Beck, 1991*
- 4655. Polymixis (Simplitype) Berio, 1980** (Noctuidae) Synonym(s): *Simplitype Berio, 1980*
- 4656. Polymixis (s.str.) Hübner, [1820]** (Noctuidae) Synonym(s): *Polymixis Hübner, [1820]*
- 4657. Polymixis Hübner, [1820]** (Noctuidae) Synonym(s): *Polymixis Hübner, [1820]*
- 4658. Polyphaenis Boisduval, 1840** (Noctuidae) Synonym(s): *Polyphaenis Boisduval, 1840*
- 4659. Polypogon Schrank, 1802** (Noctuidae) Synonym(s): *Polypogon Schrank, 1802; Hyrcanypena Wagner, 1937; Zanclostathme Draudt, 1937; Gryphopogon Beck, 1996*
- 4660. Polytelea Guenée, 1852** (Noctuidae) Synonym(s): *Polytelea Guenée, 1852*
- 4661. Polytelodes Hampson, 1905** (Noctuidae) Synonym(s): *Polytelodes Hampson, 1905*
- 4662. Porcellanola Laszlo, G. Ronkay & Witt, 2006** (Noctuidae) Synonym(s): *Porcellanola Laszlo, G. Ronkay & Witt, 2006*
- 4663. Potnyctycia Hreblay & Ronkay, 1998** (Noctuidae) Synonym(s): *Potnyctycia Hreblay & Ronkay, 1998*
- 4664. Powellinia Oberthür, 1912** (Noctuidae) Synonym(s): *Powellinia Oberthür, 1912*
- 4665. Praestilbia Staudinger, 1892** (Noctuidae) Synonym(s): *Praestilbia Staudinger, 1892*
- 4666. Premusia Walker, 1858** (Noctuidae) Synonym(s): *Premusia Walker, 1858; Dysedia Rogenhofer, 1874; Herchunda Swinhoe, 1900*
- 4667. Prionofrontia Hampson, 1902** (Noctuidae) Synonym(s): *Prionofrontia Hampson, 1902*
- 4668. Pristanepa Hampson, 1926** (Noctuidae) Synonym(s): *Pristanepa Hampson, 1926*
- 4669. Proconis Hampson, 1902** (Noctuidae) Synonym(s): *Proconis Hampson, 1902*
- 4670. Procrateria Hampson, 1905** (Noctuidae) Synonym(s): *Procrateria Hampson, 1905*
- 4671. Prodotis John, 1910** (Noctuidae) Synonym(s): *Prodotis John, 1910*
- 4672. Progonia Hampson, 1896** (Noctuidae) Synonym(s): *Progonia Hampson, 1896*
- 4673. Proruaca (Aproruaca) Kemal & Koçak, 2004** (Noctuidae) Synonym(s): *Proruaca Hampson, 1902 nec Dist., 1901; Aproruaca Kemal & Koçak, 2004*
- 4674. Proruaca (s.str.) Distant, 1901** (Noctuidae) Synonym(s): *Proruaca Distant, 1901*
- 4675. Proruaca Distant, 1901** (Noctuidae) Synonym(s): *Proruaca Distant, 1901*
- 4676. Prospalta Walker, 1858** (Noctuidae) Synonym(s): *Prospalta Walker, 1858; Bagada Walker, 1858; Monocondica Perigerodes*
- 4677. Protarache Hampson, 1910** (Noctuidae) Synonym(s): *Protarache Hampson, 1910*
- 4678. Protexarnis McDunnough, 1929** (Noctuidae) Synonym(s): *Protexarnis McDunnough, 1929*
- 4679. Protodeltote Ueda, 1984** (Noctuidae) Synonym(s): *Protodeltote Ueda, 1984*
- 4680. Protolampra McDunnough, [1929]** (Noctuidae) Synonym(s): *Protolampra McDunnough, [1929]*
- 4681. Protoseudyra Hampson, 1910** (Noctuidae) Synonym(s): *Protoseudyra Hampson, 1910*
- 4682. Proxenus Herrich-Schäffer, [1850]** (Noctuidae) Synonym(s): *Proxenus Herrich-Schäffer, [1850]*
- 4683. Pseudagoma Kiriakoff, 1975** (Noctuidae) Synonym(s): *Pseudagoma Kiriakoff, 1975*
- 4684. Pseudalypia Edwards, 1874** (Noctuidae) Synonym(s): *Pseudalypia Edwards, 1874*
- 4685. Pseudenargia Boursin, 1956** (Noctuidae) Synonym(s): *Pseudenargia Boursin, 1956*
- 4686. Pseudeustrotia W. Warren, 1913** (Noctuidae) Synonym(s): *Pseudeustrotia W. Warren, 1913*
- 4687. Pseudoarcte Viette, 1949** (Noctuidae) Synonym(s): *Pseudoarcte Viette, 1949*
- 4688. Pseudogiria Berio, 1965** (Noctuidae) Synonym(s): *Pseudogiria Berio, 1965*
- 4689. Pseudogyrtonea Bethune-Baker, 1908** (Noctuidae) Synonym(s): *Pseudogyrtonea Bethune-Baker, 1908*
- 4690. Pseudohadena (Jaxartia) Püngeler, 1914** (Noctuidae) Synonym(s): *Jaxartia Püngeler, 1914*
- 4691. Pseudohadena (Pseudopseustis) Hampson, 1910** (Noctuidae) Synonym(s): *Pseudopseustis Hampson, 1910*
- 4692. Pseudohadena Alpheraky, 1889** (Noctuidae) Synonym(s): *Pseudohadena Alpheraky, 1889*
- 4693. Pseudoips Hübner, 1822** (Noctuidae) Synonym(s): *Pseudoips Hübner, 1822*
- 4694. Pseudomicrodes Hampson, 1910** (Noctuidae) Synonym(s): *Pseudomicrodes Hampson, 1910*
- 4695. Pseudopais Bartel, 1903** (Noctuidae) Synonym(s): *Pseudopais Bartel, 1903*
- 4696. Pseudosphetta Hampson, 1926** (Noctuidae) Synonym(s): *Pseudosphetta Hampson, 1926*
- 4697. Pseudoxestia Boursin, 1953** (Noctuidae) Synonym(s): *Pseudoxestia Boursin, 1953*
- 4698. Pseudozarba Warren, 1914** (Noctuidae) Synonym(s): *Pseudozarba Warren, 1914*
- 4699. Psimada Walker, 1858** (Noctuidae) Synonym(s): *Psimada Walker, 1858*
- 4700. Pterocyclophora Hampson, 1893** (Noctuidae) Synonym(s): *Pterocyclophora Hampson, 1893*
- 4701. Pterogonia Swinhoe, 1891** (Noctuidae) Synonym(s): *Pterogonia Swinhoe, 1891*
- 4702. Pteronycta Fawcett, 1918** (Noctuidae) Synonym(s): *Pteronycta Fawcett, 1918; Pteronycta Hampson, 1926 nec Fawc., 1918.*
- 4703. Ptisciana Walker, 1865** (Noctuidae) Synonym(s): *Ptisciana Walker, 1865*
- 4704. Ptyonota Hampson, 1894** (Noctuidae) Synonym(s): *Ptyonota Hampson, 1894*
- 4705. Ptyorhyncha Hampson, 1895** (Noctuidae) Synonym(s): *Ptyorhyncha Hampson, 1895*
- 4706. Pulcheria Alpheraky, 1887** (Noctuidae) Synonym(s): *Pulcheria Alpheraky, 1887*
- 4707. Pyrocleptria Hampson, 1903** (Noctuidae) Synonym(s): *Pyrocleptria Hampson, 1903*
- 4708. Pyrois Hübner, [1820]** (Noctuidae) Synonym(s): *Pyrois Hübner, [1820]*
- 4709. Pyrrhia Hübner, [1821]** (Noctuidae) Synonym(s): *Pyrrhia Hübner, [1821]*
- 4710. Radara Walker, 1862** (Noctuidae) Synonym(s): *Radara Walker, 1862; Chabora Walker, [1866] (praeocc.); Rhaesena Walker, 1866; Symplusia Holland, 1894; Mecynoptera Schaus, 1913 (praeocc.); Chirconia Schaus, 1916; Diodines Schaus, 1916; Matiloxis Schaus, 1916; Duriga Schaus, 1940.*
- 4711. Ramadasa Moore, 1877** (Noctuidae) Synonym(s): *Ramadasa Moore, 1877*
- 4712. Ramesodes Hampson, 1908** (Noctuidae) Synonym(s): *Ramesodes Hampson, 1908*
- 4713. Raparna Moore, 1882** (Noctuidae) Synonym(s): *Raparna Moore, 1882*
- 4714. Raphia Hübner, [1821]** (Noctuidae) Synonym(s): *Raphia Hübner, [1821]*
- 4715. Recophora Nye, 1975** (Noctuidae) Synonym(s): *Recophora Nye, 1975*
- 4716. Rema Swinhoe, 1900** (Noctuidae) Synonym(s): *Rema Swinhoe, 1900*
- 4717. Rhabdophera Staudinger, 1898** (Noctuidae) Synonym(s): *Rhabdophera Staudinger, 1898; Hansa Berio, 1959; Beriohansa Nye, 1975*
- 4718. Rhabinopteryx Christoph, 1889** (Noctuidae) Synonym(s): *Rhabinopteryx Christoph, 1889*
- 4719. Rhanidophora Wallengren, 1858** (Noctuidae) Synonym(s): *Rhanidophora Wallengren, 1858; Enydra Walker, 1862*
- 4720. Rhesala Walker, 1858** (Noctuidae) Synonym(s): *Rhesala Walker, 1858; Magulaba Walker, [1866]; Hingula Moore, 1882; Rimulia Saalmüller, 1891; #Hingvla Kononenko & Pinratana, 2005*
- 4721. Rhesalides Prout, 1921** (Noctuidae) Synonym(s): *Rhesalides Prout, 1921*
- 4722. Rhizedra Warren, 1911** (Noctuidae) Synonym(s): *Rhizedra Warren, 1911*
- 4723. Rhodochlaena Hampson, 1906** (Noctuidae) Synonym(s): *Rhodochlaena Hampson, 1906*
- 4724. Rhodotarache W. Warren, 1914** (Noctuidae) Synonym(s): *Rhodotarache W. Warren, 1914*
- 4725. Rhyacia (Epipsilia) Hübner, [1821]** (Noctuidae) Synonym(s): *Epipsilia Hübner, [1821]*
- 4726. Rhyacia (s.str.) Hübner, [1821]** (Noctuidae) Synonym(s): *Rhyacia Hübner, [1821]; Antirhyacia Beck, 1991*

4727. **Rhyacia Hübner,[1821]** (Noctuidae) Synonym(s): *Rhyacia Hübner,[1821]*
4728. **Rhynchaglaea Hampson,1906** (Noctuidae) Synonym(s): *Rhynchaglaea Hampson,1906*
4729. **Rhynchina Guenée,1854** (Noctuidae) Synonym(s): *Rhynchina Guenée,1854; Ceraptila Guenée,1854.*
4730. **Rhynchoplexia Hampson,1908** (Noctuidae) Synonym(s): *Rhynchoplexia Hampson,1908*
4731. **Rhyapaga Nye,1975** (Noctuidae) Synonym(s): *Rhyapaga Nye,1975*
4732. **Riadhia Wiltshire,1961** (Noctuidae) Synonym(s): *Riadhia Wiltshire,1961*
4733. **Rileyiana Moucha & Chávala,1963** (Noctuidae) Synonym(s): *Rileyiana Moucha & Chávala,1963*
4734. **Risoba Moore,1881** (Noctuidae) Synonym(s): *Risoba Moore,1881*
4735. **Rivula Guenée,1845** (Noctuidae) Synonym(s): *Rivula Guenée,1845; Cholimma Walker,1863; Motina Walker,1863; Rhazunda Walker,1866; Pasira Moore,1882 nec Stal,1859; Rivulana Bethune-Baker,1911; Alikangiana Strand,1920; Paurosceles Turner,1945*
4736. **Rothia Westwood,1877** (Noctuidae) Synonym(s): *Rothia Westwood,1877*
4737. **Rusina Stephens,1829** (Noctuidae) Synonym(s): *Rusina Stephens,1829*
4738. **Ruttenstorferia Lödl,2003** (Noctuidae) Synonym(s): *Ruttenstorferia Lödl,2003*
4739. **Saalmuellerana D.S.Fletcher & Viette,1962** (Noctuidae) Synonym(s): *Saalmuellerana D.S.Fletcher & Viette,1962*
4740. **Saigonita Kiriakoff,1971** (Noctuidae) Synonym(s): *Saigonita Kiriakoff,1971*
4741. **Saragossa Staudinger,1900** (Noctuidae) Synonym(s): *Saragossa Staudinger,1900*
4742. **Sarbanissa Walker,1865** (Noctuidae) Synonym(s): *Sarbanissa Walker,1865; Seudyra Stretch,1875*
4743. **Sarbena Walker,1862** (Noctuidae) Synonym(s): *Sarbena Walker,1862*
4744. **Sarmatia Guenée,1854** (Noctuidae) Synonym(s): *Sarmatia Guenée,1854; Suma Walker,[1866]; Ricla Walker,1869.*
4745. **Saroba Walker,1865** (Noctuidae) Synonym(s): *Saroba Walker,1865*
4746. **Sarobela Turner,1936** (Noctuidae) Synonym(s): *Sarobela Turner,1936*
4747. **Sarobides Hampson,1926** (Noctuidae) Synonym(s): *Sarobides Hampson,1926*
4748. **Sasunaga Moore,1881** (Noctuidae) Synonym(s): *Sasunaga Moore,1881*
4749. **Savara Walker,1862** (Noctuidae) Synonym(s): *Savara Walker,1862; Pseudogonitis Hampson,1894*
4750. **Scambina Walker,1865** (Noctuidae) Synonym(s): *Scambina Walker,1865*
4751. **Schausia Karsch,1895** (Noctuidae) Synonym(s): *Schausia Karsch,1895; Misa Karsch,1895; Omphaloceps Hampson,1901; Paraegocera Hampson,1901*
4752. **Schinia Hübner,[1823]** (Noctuidae) Synonym(s): *Schinia Hübner,[1823]*
4753. **Schistorhynx Hampson,1898** (Noctuidae) Synonym(s): *Schistorhynx Hampson,1898; #Schistorhynx Kononenko & Pinratana,2005*
4754. **Schoeyenia Aurivillius,1883** (Noctuidae) Synonym(s): *Schoeyenia Aurivillius,1883*
4755. **Schrankia Hübner,[1825]** (Noctuidae) Synonym(s): *Schrankia Hübner,[1825]*
4756. **Sciomesa Tams & Bowden,1953** (Noctuidae) Synonym(s): *Sciomesa Tams & Bowden,1953*
4757. **Scleureuxoa Berio,1977** (Noctuidae) Synonym(s): *Scleureuxoa Berio,1977*
4758. **Sclerogenia Ichinose,1973** (Noctuidae) Synonym(s): *Sclerogenia Ichinose,1973; Melanoplusia Chou & Lu,1978*
4759. **Scodionyx Staudinger,1900** (Noctuidae) Synonym(s): *Scodionyx Staudinger,1900*
4760. **Scoliopteryx Germar,1810** (Noctuidae) Synonym(s): *Scoliopteryx Germar,1810; Pterodonta Reichenbach,1817; Ephemias Hübner,[1821]; Euphais Hüber,1822; Gonoptera Berthold,1827 nec Billb.,1820*
4761. **Scotocampa Staudinger,1888** (Noctuidae) Synonym(s): *Scotocampa Staudinger,1888*
4762. **Scotochrosta Lederer,1857** (Noctuidae) Synonym(s): *Scotochrosta Lederer,1857*
4763. **Scriptoplusia Ronkay,1987** (Noctuidae) Synonym(s): *Scriptoplusia Ronkay,1987*
4764. **Scrobigera Jordan,1896** (Noctuidae) Synonym(s): *Scrobigera Jordan,1896*
4765. **Scythocentropus Speiser,1902** (Noctuidae) Synonym(s): *Scythocentropus Speiser,1902; Ebolema Hampson,1908*
4766. **Sedina Urbahn,1933** (Noctuidae) Synonym(s): *Sedina Urbahn,1933*
4767. **Selca Walker,1865** (Noctuidae) Synonym(s): *Selca Walker,1865*
4768. **Selenistis Hampson,1908** (Noctuidae) Synonym(s): *Selenistis Hampson,1908*
4769. **Selenoperas Hampson,1926** (Noctuidae) Synonym(s): *Selenoperas Hampson,1926*
4770. **Selepa Moore,1858** (Noctuidae) Synonym(s): *Selepa Moore,1858; Detounda Walker,1864*
4771. **Semiothisops Hampson,1926** (Noctuidae) Synonym(s): *Semiothisops Hampson,1926*
4772. **Sergiusia Nye,1980** (Noctuidae) Synonym(s): *Pentelia Kiriakoff,1976 nec Brenske,1891; Sergiusia Nye,1980*
4773. **Serrodes Guenée,1852** (Noctuidae) Synonym(s): *Serrodes Guenée,1852*
4774. **Sesamia Guenée,1852** (Noctuidae) Synonym(s): *Sesamia Guenée,1852*
4775. **Setoctena Wallengren,1863** (Noctuidae) Synonym(s): *Setoctena Wallengren,1863; Pseudocalpe Hampson,1894 (praeocc.); Metaculasta Butler,1898*
4776. **Sidemia Staudinger,1892** (Noctuidae) Synonym(s): *Sidemia Staudinger,1892*
4777. **Sideridis (Conisania) Hampson,1905** (Noctuidae) Synonym(s): *Conisania Hampson,1905*
4778. **Sideridis (Haderonidis) Hacker,1992** (Noctuidae) Synonym(s): *Haderonidis Hacker,1992*
4779. **Sideridis (Luteohadena) Beck,1991** (Noctuidae) Synonym(s): *Luteohadena Beck,1991*
4780. **Sideridis Hübner,[1821]** (Noctuidae) Synonym(s): *Sideridis Hübner,[1821]; Colonsideridis Beck,1991.*
4781. **Siglophora Butler,1892** (Noctuidae) Synonym(s): *Siglophora Butler,1892*
4782. **Sigmuncus Holloway,1985** (Noctuidae) Synonym(s): *Sigmuncus Holloway,1985*
4783. **Simplicia Guenée,1854** (Noctuidae) Synonym(s): *Simplicia Guenée,1854; Libisosa Walker,[1859]; Culicula Walker,1864; Aginna Walker,1865; Nabartha Moore,1887*
4784. **Simyra Ochsenheimer,1816** (Noctuidae) Synonym(s): *Simyra Ochsenheimer,1816*
4785. **Sinarella Bryk,1948** (Noctuidae) Synonym(s): *Sinarella Bryk,1948*
4786. **Singara Walker,1865** (Noctuidae) Synonym(s): *Singara Walker,1865*
4787. **Sinna Walker,1865** (Noctuidae) Synonym(s): *Sinna Walker,1865*
4788. **Spaelotis Boisduval,1840** (Noctuidae) Synonym(s): *Spaelotis Boisduval,1840*
4789. **Spectronissa Sugi,1996** (Noctuidae) Synonym(s): *Spectronissa Sugi,1996*
4790. **Speia Tams & Bowden,1953** (Noctuidae) Synonym(s): *Speia Tams & Bowden,1953*
4791. **Speiredonia Hübner,[1823]** (Noctuidae) Synonym(s): *Speiredonia Hübner,[1823]; #Spiredonia R.Felder & Rogenhofer,1874*
4792. **Sphetta Walker,1865** (Noctuidae) Synonym(s): *Sphetta Walker,1865*
4793. **Sphingomorpha Guenée,1852** (Noctuidae) Synonym(s): *Sphingomorpha Guenée,1852*
4794. **Sphragifera Staudinger,1892** (Noctuidae) Synonym(s): *Sphragifera Staudinger,1892*
4795. **Spirama Guenée,1852** (Noctuidae) Synonym(s): *Spirama Guenée,1852; Spiramia Walker,1858*
4796. **Spodoptera Guenée,1852** (Noctuidae) Synonym(s): *Spodoptera Guenée,1852; Calogramma Guenée,1852; Laphygma Guenée,1852; Prodenia Guenée,1852; Rusidrina Staudinger,1892; Douzdrina De Laever,1985.*
4797. **Spudaea Snellen,1867** (Noctuidae) Synonym(s): *Spudaea Snellen,1867*
4798. **Standfussiana Boursin,1946** (Noctuidae) Synonym(s): *Standfussiana Boursin,1946*
4799. **Staurophora Reichenbach,1817** (Noctuidae) Synonym(s): *Staurophora Reichenbach,1817*

4800. **Stenodrina Boursin,1937** (Noctuidae) Synonym(s): *Stenodrina Boursin,1937*
4801. **Stenoecia Warren,1911** (Noctuidae) Synonym(s): *Stenoecia Warren,1911*
4802. **Stenopterygia Hampson,1908** (Noctuidae) Synonym(s): *Stenopterygia Hampson,1908*
4803. **Stenosomides Strand,1942** (Noctuidae) Synonym(s): *Stenosomides Strand,1942*
4804. **Stenosticta Hampson,1912** (Noctuidae) Synonym(s): *Stenosticta Hampson,1912*
4805. **Stictoptera Guenée,1852** (Noctuidae) Synonym(s): *Stictoptera Guenée,1852; Steiria Walker,[1858]*
4806. **Stigmoplusia Dufay,1970** (Noctuidae) Synonym(s): *Stigmoplusia Dufay,1970*
4807. **Stilbia Stephens,1829** (Noctuidae) Synonym(s): *Stilbia Stephens,1829*
4808. **Stilbina Staudinger,1892** (Noctuidae) Synonym(s): *Stilbina Staudinger,1892*
4809. **Stomafrontia Hampson,1905** (Noctuidae) Synonym(s): *Stomafrontia Hampson,1905*
4810. **Strongylosia Hampson,1926** (Noctuidae) Synonym(s): *Strongylosia Hampson,1926*
4811. **Sundwarda Swinhoe,1901** (Noctuidae) Synonym(s): *Sundwarda Swinhoe,1901*
4812. **Supernola Hampson,1918** (Noctuidae) Synonym(s): *Supernola Hampson,1918*
4813. **Syfanina Oberthür,1893** (Noctuidae) Synonym(s): *Syfanina Oberthür,1893; Syphanina Strand,1912*
4814. **Syfanioidea Bartel,1903** (Noctuidae) Synonym(s): *Syfanioidea Bartel,1903*
4815. **Sympis Guenée,1852** (Noctuidae) Synonym(s): *Sympis Guenée,1852*
4816. **Sympistis Hübner,[1823]** (Noctuidae) Synonym(s): *Sympistis Hübner,[1823]*
4817. **Syncalama Hampson,1908** (Noctuidae) Synonym(s): *Syncalama Hampson,1908*
4818. **Syngrapha Hübner,[1821]** (Noctuidae) Synonym(s): *Syngrapha Hübner,[1821]; Caloplusia Smith,1884; Palaeographa Kljutschko,1983; Aingrapha Beck,1991.*
4819. **Synthymia Hübner,[1823]** (Noctuidae) Synonym(s): *Synthymia Hübner,[1823]; Metopria Duponchel,[1845]*
4820. **Sypnoides Hampson,1913** (Noctuidae) Synonym(s): *Sypnoides Hampson,1913; Pysnoides Berio,1950*
4821. **Tachosa Walker,1869** (Noctuidae) Synonym(s): *Tachosa Walker,1869*
4822. **Talhoukia Wiltshire,1986** (Noctuidae) Synonym(s): *Talhoukia Wiltshire,1986*
4823. **Tamba Walker,1869** (Noctuidae) Synonym(s): *Tamba Walker,1869; Obdora Walker,1869*
4824. **Tambana Moore,1882** (Noctuidae) Synonym(s): *Tambana Moore,1882; Trisulipsa Berio,1973*
4825. **Tamsia Roepke,1938** (Noctuidae) Synonym(s): *Tamsia Roepke,1938*
4826. **Tamsola Wiltshire,1949** (Noctuidae) Synonym(s): *Tamsola Wiltshire,1949*
4827. **Tanocryx Viette,1965** (Noctuidae) Synonym(s): *Tanocryx Viette,1965*
4828. **Tarachephia Hampson,1926** (Noctuidae) Synonym(s): *Tarachephia Hampson,1926*
4829. **Targalla Walker,1858** (Noctuidae) Synonym(s): *Targalla Walker,1858*
4830. **Tathorhynchus Hampson,1894** (Noctuidae) Synonym(s): *Tathorhynchus Hampson,1894; Xymehops Viette,1954*
4831. **Tathotripa Hampson,1912** (Noctuidae) Synonym(s): *Tathotripa Hampson,1912*
4832. **Tatorinia Butler,1875** (Noctuidae) Synonym(s): *Tatorinia Butler,1875*
4833. **Taveta Fawcett,1916** (Noctuidae) Synonym(s): *Taveta Fawcett,1916*
4834. **Tavia Walker,1858** (Noctuidae) Synonym(s): *Tavia Walker,1858*
4835. **Taviodes Hampson,1926** (Noctuidae) Synonym(s): *Taviodes Hampson,1926*
4836. **Tegiapa Nye,1975** (Noctuidae) Synonym(s): *Tegiapa Nye,1975*
4837. **Teinoptera Calberla,1891** (Noctuidae) Synonym(s): *Teinoptera Calberla,1891; Copiphana Hampson,1906*
4838. **Tephralia Hampson,1926** (Noctuidae) Synonym(s): *Tephralia Hampson,1926*
4839. **Tephriopsis Hampson,1926** (Noctuidae) Synonym(s): *Tephriopsis Hampson,1926*
4840. **Tetracme Hampson,1902** (Noctuidae) Synonym(s): *Tetracme Hampson,1902*
4841. **Thalatha Walker,1862** (Noctuidae) Synonym(s): *Thalatha Walker,1862; Molvena Walker,[1866]; Macropropa Turner,1941; Conocrana Turner,1942*
4842. **Thalathoides Holloway,1989** (Noctuidae) Synonym(s): *Thalathoides Holloway,1989*
4843. **Thalpophila Hübner,[1820]** (Noctuidae) Synonym(s): *Thalpophila Hübner,[1820]*
4844. **Thecobathra Meyrick,1922** (Noctuidae) Synonym(s): *Thecobathra Meyrick,1922*
4845. **Thiacidas Walker,1855** (Noctuidae) Synonym(s): *Thiacidas Walker,1855*
4846. **Tholera Hübner,[1821]** (Noctuidae) Synonym(s): *Tholera Hübner,[1821]*
4847. **Thria Walker,[1858]** (Noctuidae) Synonym(s): *Thria Walker,[1858]*
4848. **Throana Walker,[1858]** (Noctuidae) Synonym(s): *Throana Walker,[1858]*
4849. **Thyas Hübner,[1824]** (Noctuidae) Synonym(s): *Thyas Hübner,[1824]; Dermaleipa Saalmüller,1891; Lagoptera Guenée,1852*
4850. **Thyatrina Hampson,1910** (Noctuidae) Synonym(s): *Thyatrina Hampson,1910*
4851. **Thyrostipa Hampson,1926** (Noctuidae) Synonym(s): *Thyrostipa Hampson,1926*
4852. **Thysanoplusia (Daubeiplusia) Beck,1991** (Noctuidae) Synonym(s): *Daubeiplusia Beck,1991*
4853. **Thysanoplusia (s.str.) Ichinose,1973** (Noctuidae) Synonym(s): *Thysanoplusia Ichinose,1973*
4854. **Thysanoplusia Ichinose,1973** (Noctuidae) Synonym(s): *Thysanoplusia Ichinose,1973*
4855. **Timora Walker,1856** (Noctuidae) Synonym(s): *Timora Walker,1856; Dorika Moore,1881; Sophaga Moore,1881*
4856. **Tinolius Walker,1855** (Noctuidae) Synonym(s): *Tinolius Walker,1855*
4857. **Tipasa Walker,1863** (Noctuidae) Synonym(s): *Tipasa Walker,1863*
4858. **Tiracola Moore,1881** (Noctuidae) Synonym(s): *Tiracola Moore,1881*
4859. **Tiruvaca Swinhoe,1901** (Noctuidae) Synonym(s): *Tiruvaca Swinhoe,1901*
4860. **Titulcia Walker,1864** (Noctuidae) Synonym(s): *Titulcia Walker,1864*
4861. **Toana Walker,1865** (Noctuidae) Synonym(s): *Toana Walker,1865*
4862. **Tochara Moore,1882** (Noctuidae) Synonym(s): *Tochara Moore,1882*
4863. **Tolna Walker,1869** (Noctuidae) Synonym(s): *Tolna Walker,1869*
4864. **Tolpia Walker,1863** (Noctuidae) Synonym(s): *Tolpia Walker,1863*
4865. **Trachea Ochsenheimer,1816** (Noctuidae) Synonym(s): *Trachea Ochsenheimer,1816; Achatia Billberg,1820; Berrhaea Walker,1858*
4866. **Tracheplexia Janse,1937** (Noctuidae) Synonym(s): *Tracheplexia Janse,1937*
4867. **Trichanarta Hampson,1895** (Noctuidae) Synonym(s): *Trichanarta Hampson,1895*
4868. **Tricheurois Hampson,1905** (Noctuidae) Synonym(s): *Tricheurois Hampson,1905*
4869. **Trichopalpina Hampson,1926** (Noctuidae) Synonym(s): *Trichopalpina Hampson,1926*
4870. **Trichoplusia McDunnough,1944** (Noctuidae) Synonym(s): *Trichoplusia McDunnough,1944; Thysanoplusia Inoue,1973; Daubeplusia Beck,1991.*
4871. **Trichoridia Hampson,1906** (Noctuidae) Synonym(s): *Trichoridia Hampson,1906*
4872. **Trichosea Grote,1875** (Noctuidae) Synonym(s): *Trichosea Grote,1875*
4873. **Trichosilia Hampson,1918** (Noctuidae) Synonym(s): *Trichosilia Hampson,1918*
4874. **Trigonodes Guenée,1852** (Noctuidae) Synonym(s): *Trigonodes Guenée,1852*
4875. **Trigonophora Hübner,[1821]** (Noctuidae) Synonym(s): *Trigonophora Hübner,[1821]; Rhizotype Hampson,1906*

4876. **Triorbis Hampson, 1894** (Noctuidae) Synonym(s): *Triorbis Hampson, 1894*
4877. **Trisateles Tams, 1939** (Noctuidae) Synonym(s): *Trisateles Tams, 1939*
4878. **Trisulana Bethune-Baker, 1911** (Noctuidae) Synonym(s): *Trisulana Bethune-Baker, 1911*
4879. **Trisuloides Butler, 1881** (Noctuidae) Synonym(s): *Trisuloides Butler, 1881*
4880. **Trogocraspis Hampson, 1918** (Noctuidae) Synonym(s): *Trogocraspis Hampson, 1918*
4881. **Tropidamba Hampson, 1926** (Noctuidae) Synonym(s): *Tropidamba Hampson, 1926*
4882. **Tuerta Walker, 1869** (Noctuidae) Synonym(s): *Tuerta Walker, 1869*
4883. **Tumidifrontia Hampson, 1902** (Noctuidae) Synonym(s): *Tumidifrontia Hampson, 1902*
4884. **Turacina Warren, 1911** (Noctuidae) Synonym(s): *Turacina Warren, 1911*
4885. **Turanica Boursin, 1963** (Noctuidae) Synonym(s): *Turanica Boursin, 1963*
4886. **Tyana Walker, 1866** (Noctuidae) Synonym(s): *Tyana Walker, 1866*
4887. **Tycomarptes D.S. Fletcher, 1961** (Noctuidae) Synonym(s): *Tycomarptes D.S. Fletcher, 1961*
4888. **Tycacona Moore, 1882** (Noctuidae) Synonym(s): *Tycacona Moore, 1882*
4889. **Tympanistes Moore, 1867** (Noctuidae) Synonym(s): *Tympanistes Moore, 1867*
4890. **Tyta Billberg, 1820** (Noctuidae) Synonym(s): *Tyta Billberg, 1820; Dysthymia Newman, 1863*
4891. **Tytroca Wiltshire, 1970** (Noctuidae) Synonym(s): *Tytroca Wiltshire, 1970*
4892. **Ugia Walker, 1858** (Noctuidae) Synonym(s): *Ugia Walker, 1858; Sarthida Walker, [1863]*
4893. **Uighuria Koçak & Kemal, 2007** (Noctuidae) Synonym(s): *Uighuria Koçak & Kemal, 2007*
4894. **Ulochlaena Lederer, 1857** (Noctuidae) Synonym(s): *Ulochlaena Lederer, 1857*
4895. **Ulotrichopus Wallengren, 1860** (Noctuidae) Synonym(s): *Ulotrichopus Wallengren, 1860*
4896. **Uncula Swinhoe, 1900** (Noctuidae) Synonym(s): *Uncula Swinhoe, 1900*
4897. **Urbona Walker, 1862** (Noctuidae) Synonym(s): *Urbona Walker, 1862*
4898. **Usbeca Püngeler, 1914** (Noctuidae) Synonym(s): *Usbeca Püngeler, 1914*
4899. **Valeria Stephens, 1829** (Noctuidae) Synonym(s): *Valeria Stephens, 1829*
4900. **Valerietta Draudt, 1938** (Noctuidae) Synonym(s): *Valerietta Draudt, 1938*
4901. **Valeriodes W. Warren, 1913** (Noctuidae) Synonym(s): *Valeriodes W. Warren, 1913*
4902. **Vandamia Van Son, 1933** (Noctuidae) Synonym(s): *Vandamia Van Son, 1933*
4903. **Veia Walker, [1863]** (Noctuidae) Synonym(s): *Veia Walker, [1863]*
4904. **Vestura Swinhoe, 1904** (Noctuidae) Synonym(s): *Vestura Swinhoe, 1904*
4905. **Victrix (Moureia) Orfila & Rossi, 1956** (Noctuidae) Synonym(s): *Moureia Orfila & Rossi, 1956*
4906. **Victrix (Poliobrya) Hampson, 1908** (Noctuidae) Synonym(s): *Poliobrya Hampson, 1908*
4907. **Victrix (Rasihia) Koçak, 1989** (Noctuidae) Synonym(s): *Christophia Varga & Ronkay, 1989 nec Rag.; Rasihia Koçak, 1989.*
4908. **Victrix (s.str.) Staudinger, 1879** (Noctuidae) Synonym(s): *Victrix Staudinger, 1879*
4909. **Victrix Staudinger, 1879** (Noctuidae) Synonym(s): *Victrix Staudinger, 1879*
4910. **Vietteania Rungs, 1955** (Noctuidae) Synonym(s): *Vietteania Rungs, 1955*
4911. **Westermannia Hübner, [1821]** (Noctuidae) Synonym(s): *Westermannia Hübner, [1821]; Plusiodes Guenée, 1852; Miaromima Meyrick, 1889; Vestermannia Hampson, 1912.*
4912. **Weymeria Karsch, 1895** (Noctuidae) Synonym(s): *Weymeria Karsch, 1895; Veymeria Hampson, 1901*
4913. **Wiltshireola Hacker, 2001** (Noctuidae) Synonym(s): *Wiltshireola Hacker, 2001*
4914. **Wittstrotia Speidel & Behounek, 2005** (Noctuidae) Synonym(s): *Wittstrotia Speidel & Behounek, 2005*
4915. **Xanthanomis Hampson, 1926** (Noctuidae) Synonym(s): *Xanthanomis Hampson, 1926*
4916. **Xanthia Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Xanthia Ochsenheimer, 1816*
4917. **Xanthodes Guenée, 1852** (Noctuidae) Synonym(s): *Xanthodes Guenée, 1852*
4918. **Xanthomantis W. Warren, 1909** (Noctuidae) Synonym(s): *Xanthomantis W. Warren, 1909*
4919. **Xanthomera Hampson, 1914** (Noctuidae) Synonym(s): *Xanthomera Hampson, 1914*
4920. **Xanthothrix Edwards, 1878** (Noctuidae) Synonym(s): *Xanthothrix Edwards, 1878*
4921. **Xenochroa R. Felder, 1874** (Noctuidae) Synonym(s): *Xenochroa R. Felder, 1874*
4922. **Xenophysa Boursin, 1969** (Noctuidae) Synonym(s): *Xenophysa Boursin, 1969*
4923. **Xestia (Anomogyna) Staudinger, 1871** (Noctuidae) Synonym(s): *Anomogyna Staudinger, 1871; Platagrotis Smith, 1890*
4924. **Xestia (Megasema) Hübner, [1821]** (Noctuidae) Synonym(s): *Megasema Hübner, [1821]; Agrotiphila Grote, 1876; Agrotimorpha Barnes & McDunnough, 1929; Ashworthia Beck, 1996*
4925. **Xestia (Pachnobia) Guenée, 1852** (Noctuidae) Synonym(s): *Pachnobia Guenée, 1852; Pteroscia Morrison, 1874; Lorezia Beck, 1996*
4926. **Xestia (s.str.) Hübner, 1818** (Noctuidae) Synonym(s): *Xestia Hübner, 1818; Amathes Hübner, [1821]; Lytaea Stephens, 1829; Segetia Stephens, 1829; Hiptelia Guenée, 1852; Ericarhia Beck, 1996; Castanasta Beck, 1996; Palkermes Beck, 1996; Monticollia Beck, 1996*
4927. **Xestia Hübner, 1818** (Noctuidae) Synonym(s): *Xestia Hübner, 1818; Amathes Hübner, [1821]; Lytaea Stephens, 1829; Segetia Stephens, 1829; Hiptelia Guenée, 1852; Ericarhia Beck, 1996; Castanasta Beck, 1996; Palkermes Beck, 1996; Monticollia Beck, 1996*
4928. **Xylena Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Xylena Ochsenheimer, 1816; Xylites R.L., 1817; Xylina Treitschke, 1826; Calocampa Stephens, 1829*
4929. **Xylocampa Guenée, 1837** (Noctuidae) Synonym(s): *Xylocampa Guenée, 1837*
4930. **Xylomoia Staudinger, 1892** (Noctuidae) Synonym(s): *Xylomoia Staudinger, 1892*
4931. **Yepcalphis Nye, 1975** (Noctuidae) Synonym(s): *Pachylepis R. Felder & Rogenhofer, 1874 (praeocc.); Yepcalphis Nye, 1975*
4932. **Zalaca Walker, [1866]** (Noctuidae) Synonym(s): *Zalaca Walker, [1866]*
4933. **Zanclognatha Lederer, 1857** (Noctuidae) Synonym(s): *Erypyzon Hübner, 1808 (rejected); Zanclognatha Lederer, 1857; Cleptomita Grote, 1873; Megachyta Grote, 1873; Pityolita Grote, 1873; Mesoplectra Butler, 1879; Adrapsoides Matsumura, 1925; Treitschkendia Berio, 1989*
4934. **Zebeeba Kirby, 1892** (Noctuidae) Synonym(s): *Zebeeba Kirby, 1892*
4935. **Zekelita (Ravalita) Lödl & Mayerl, 1997** (Noctuidae) Synonym(s): *Ravalita Lödl & Mayerl, 1997*
4936. **Zekelita (Rhynchodontodes) Warren, 1913** (Noctuidae) Synonym(s): *Rhynchodontodes Warren, 1913*
4937. **Zekelita (s.str.) Walker, 1863** (Noctuidae) Synonym(s): *Zekelita Walker, 1863*
4938. **Zethes Rambur, 1833** (Noctuidae) Synonym(s): *Zethes Rambur, 1833*
4939. **Zethesides Hampson, 1926** (Noctuidae) Synonym(s): *Zethesides Hampson, 1926*
4940. **Zonoplusia Chou & Lu, 1979** (Noctuidae) Synonym(s): *Zonoplusia Chou & Lu, 1979*
4941. **Achaera Kiriakoff, 1963** (Notodontidae) Synonym(s): *Achaera Kiriakoff, 1963*
4942. **Acmeshachia Matsumura, 1929** (Notodontidae) Synonym(s): *Acmeshachia Matsumura, 1929*
4943. **Acasiella Kiriakoff, 1963** (Notodontidae) Synonym(s): *Acasiella Kiriakoff, 1963*
4944. **Afrocerura Kiriakoff, 1963** (Notodontidae) Synonym(s): *Afrocerura Kiriakoff, 1963*
4945. **Afrogluphisia Kiriakoff, 1970** (Notodontidae) Synonym(s): *Afrogluphisia Kiriakoff, 1970*
4946. **Afroplitis Kiriakoff, 1964** (Notodontidae) Synonym(s): *Afroplitis Kiriakoff, 1964*
4947. **Allata (Celeia) Walker, 1865** (Notodontidae) Synonym(s): *Celeia Walker, 1865*

4948. **Allata (Pseudallata) Kiriakoff,1968** (Notodontidae)
Synonym(s): *Pseudallata* Kiriakoff,1968
4949. **Allata (Pseudallata) laticostalis (Hampson,1900)** (Notodontidae) Synonym(s): *laticostalis* Hampson,1900
4950. **Allata (s.str.) Walker,1862** (Notodontidae) Synonym(s): *Allata* Walker,1862
4951. **Allata Walker,1862** (Notodontidae) Synonym(s): *Allata* Walker,1862
4952. **Allodonta Matsumura,1922** (Notodontidae) Synonym(s): *Allodonta* Matsumura,1922
4953. **Amphiphalaria Hampson,1910** (Notodontidae) Synonym(s): *Amphiphalaria* Hampson,1910
4954. **Amyops Karsch,1895** (Notodontidae) Synonym(s): *Amyops* Karsch,1895
4955. **Antheua Walker,1855** (Notodontidae) Synonym(s): *Antheua* Walker,1855
4956. **Antheuella Kiriakoff,1961** (Notodontidae) Synonym(s): *Antheuella* Kiriakoff,1961
4957. **Anticleapa Kiriakoff,1970** (Notodontidae) Synonym(s): *Anticleapa* Kiriakoff,1970
4958. **Antiphalera Gaede,1930** (Notodontidae) Synonym(s): *Antiphalera* Gaede,1930
4959. **Antizana Gaede,1928** (Notodontidae) Synonym(s): *Antizana* Gaede,1928
4960. **Archistilbia Kiriakoff,1954** (Notodontidae) Synonym(s): *Archistilbia* Kiriakoff,1954
4961. **Arciera Kiriakoff,1962** (Notodontidae) Synonym(s): *Arciera* Kiriakoff,1962
4962. **Armiana Walker,1862** (Notodontidae) Synonym(s): *Armiana* Walker,1862; *Ceira* Walker,1865; *Norraca* Moore,1881; *Oraura* Kiriakoff,1962; *Norracana* Kiriakoff,1962.
4963. **Atrasana Walker,1856** (Notodontidae) Synonym(s): *Atrasana* Walker,1856
4964. **Baradesa Moore,1883** (Notodontidae) Synonym(s): *Baradesa* Moore,1883
4965. **Batempa Kiriakoff,1962** (Notodontidae) Synonym(s): *Batempa* Kiriakoff,1962
4966. **Benbowia Kiriakoff,1967** (Notodontidae) Synonym(s): *Benbowia* Kiriakoff,1967
4967. **Besaia (Achepydna) Matsumura,1925** (Notodontidae) Synonym(s): *Achepydna* Matsumura,1925; *Loxobireta* Nakamura,1976
4968. **Besaia (Curuzza) Kiriakoff,1962** (Notodontidae) Synonym(s): *Curuzza* Kiriakoff,1962
4969. **Besaia (Mimopydna) Matsumura,1924** (Notodontidae) Synonym(s): *Mimopydna* Matsumura,1924
4970. **Besaia (Ogulina) Kiriakoff,1962** (Notodontidae) Synonym(s): *Ogulina* Kiriakoff,1962; *Innisca* Kiriakoff,1962; *Odnarda* Kiriakoff,1962; *Ptilurodes* Kiriakoff,1963.
4971. **Besaia (s.str.) Walker,1865** (Notodontidae) Synonym(s): *Besaia* Walker,1865; *Ottachana* Kiriakoff,1962; *Palessa* Kiriakoff,1962; *Kuohsingia* Nakamura,1974
4972. **Besaia Walker,1865** (Notodontidae) Synonym(s): *Besaia* Walker,1865; *Ottachana* Kiriakoff,1962; *Palessa* Kiriakoff,1962; *Kuohsingia* Nakamura,1974
4973. **Besida Walker,1865** (Notodontidae) Synonym(s): *Besida* Walker,1865
4974. **Betashachia Matsumura,1925** (Notodontidae) Synonym(s): *Betashachia* Matsumura,1925; *Mesaeschra* Kiriakoff,1963; *Apistaeschra* Kiriakoff,1963; *Pseudofentonia* Kiriakoff,1963 *nec* Strand,1912; *Antifentonia* Kiriakoff,1967.
4975. **Bilulua Kiriakoff,1954** (Notodontidae) Synonym(s): *Bilulua* Kiriakoff,1954
4976. **Bireta Walker,1856** (Notodontidae) Synonym(s): *Bireta* Walker,1856
4977. **Bisolita Kiriakoff,1961** (Notodontidae) Synonym(s): *Bisolita* Kiriakoff,1961
4978. **Blakaia Kiriakoff,1967** (Notodontidae) Synonym(s): *Blakaia* Kiriakoff,1967
4979. **Brykia Gaede,1930** (Notodontidae) Synonym(s): *Brykia* Gaede,1930
4980. **Catastygne Kiriakoff,1962** (Notodontidae) Synonym(s): *Catastygne* Kiriakoff,1962
4981. **Catochria Herrich-Schäffer,[1855]** (Notodontidae) Synonym(s): *Catochria* Herrich-Schäffer,[1855]
4982. **Cerura (Neocerura) Matsumura,1929** (Notodontidae) Synonym(s): *Neocerura* Matsumura,1929
4983. **Cerura Schrank,1802** (Notodontidae) Synonym(s): *Cerura* Schrank,1802; *Andria* Hübner,1822; *Pania* Dalman,1823; *Dicranura* Boisduval,1828 *nec* Reichenbach,1817; *Apocerura* De Lattin, Becker & Bender,1974
4984. **Cerurella Kiriakoff,1962** (Notodontidae) Synonym(s): *Cerurella* Kiriakoff,1962
4985. **Cerurina Kiriakoff,1963** (Notodontidae) Synonym(s): *Cerurina* Kiriakoff,1963
4986. **Chadisa Walker,1862** (Notodontidae) Synonym(s): *Chadisa* Walker,1862
4987. **Chlorocalliope Kiriakoff,1958** (Notodontidae) Synonym(s): *Chlorocalliope* Kiriakoff,1958
4988. **Chlorochadisa Kiriakoff,1963** (Notodontidae) Synonym(s): *Chlorochadisa* Kiriakoff,1963
4989. **Clostera Samouelle,1819** (Notodontidae) Synonym(s): *Clostera* Samouelle,1819; *Ichtyura* Hübner,[1819]; *Melalopha* Hübner,1822; *Tholoda* Gistel,1848; *Neoclostera* Kiriakoff,1963
4990. **Cnethodonta Staudinger,1887** (Notodontidae) Synonym(s): *Cnethodonta* Staudinger,1887
4991. **Cophocosma Staudinger,1887** (Notodontidae) Synonym(s): *Cophocosma* Staudinger,1887
4992. **Crambometra Prout,1915** (Notodontidae) Synonym(s): *Crambometra* Prout,1915
4993. **Cyphanta Walker,1865** (Notodontidae) Synonym(s): *Cyphanta* Walker,1865
4994. **Damata Walker,1855** (Notodontidae) Synonym(s): *Damata* Walker,1855
4995. **Dasychirella Kiriakoff,1970** (Notodontidae) Synonym(s): *Dasychirella* Kiriakoff,1970
4996. **Deinarchia Kiriakoff,1958** (Notodontidae) Synonym(s): *Deinarchia* Kiriakoff,1958
4997. **Desmeocraera Wallengren,1865** (Notodontidae) Synonym(s): *Desmeocraera* Wallengren,1865
4998. **Dicranura Reichenbach,1817** (Notodontidae) Synonym(s): *Dicranura* Reichenbach,1817; *Exaereta* Hübner,[1820].
4999. **Disracha Kiriakoff,1962** (Notodontidae) Synonym(s): *Disracha* Kiriakoff,1962
5000. **Drapetides Kiriakoff,1963** (Notodontidae) Synonym(s): *Drapetides* Kiriakoff,1963
5001. **Drymonia Hübner,[1819]** (Notodontidae) Synonym(s): *Drymonia* Hübner,[1819]; *Ochrostigma* Hübner,[1819]; *Chaonia* Stephens,1828; *Drynobia* Duponchel,[1845].
5002. **Dudusa Walker,1865** (Notodontidae) Synonym(s): *Dudusa* Walker,1865; *Dudusoides* Matsumura,1929; *Dudusopsis* Matsumura,1929.
5003. **Egonociades Kiriakoff,1963** (Notodontidae) Synonym(s): *Egonociades* Kiriakoff,1963
5004. **Eguria Matsumura,1924** (Notodontidae) Synonym(s): *Eguria* Matsumura,1924
5005. **Elaphrodes Bethune-Baker,1909** (Notodontidae) Synonym(s): *Elaphrodes* Bethune-Baker,1909
5006. **Ellida Grote,1876** (Notodontidae) Synonym(s): *Ellida* Grote,1876
5007. **Epicerulella Kiriakoff,1981** (Notodontidae) Synonym(s): *Epicerulella* Kiriakoff,1981
5008. **Epicerura Bethune-Baker,1911** (Notodontidae) Synonym(s): *Epicerura* Bethune-Baker,1911
5009. **Epidonta Bethune-Baker,1911** (Notodontidae) Synonym(s): *Epidonta* Bethune-Baker,1911
5010. **Euanthia Kiriakoff,1962** (Notodontidae) Synonym(s): *Euanthia* Kiriakoff,1962
5011. **Eubreyeria D.S.Fletcher,1980** (Notodontidae) Synonym(s): *Eubreyeria* D.S.Fletcher,1980
5012. **Euhampsonia Dyar,1897** (Notodontidae) Synonym(s): *Euhampsonia* Dyar,1897; *Shachihoka* Matsumura,1925; *Rabta* Draeseke,1926; *Lampronadata* Kiriakoff,1967
5013. **Eujansea D.S.Fletcher,1980** (Notodontidae) Synonym(s): *Eujansea* D.S.Fletcher,1980
5014. **Eurystaura Janse,1920** (Notodontidae) Synonym(s): *Eurystaura* Janse,1920
5015. **Eurystauridia Kiriakoff,1964** (Notodontidae) Synonym(s): *Eurystauridia* Kiriakoff,1964
5016. **Eushachia Matsumura,1925** (Notodontidae) Synonym(s): *Eushachia* Matsumura,1925; *Midasia* Kiriakoff,1962
5017. **Eutimia Wallengren,1858** (Notodontidae) Synonym(s): *Eutimia* Wallengren,1858
5018. **Fentonia Butler,1881** (Notodontidae) Synonym(s): *Fentonia* Butler,1881
5019. **Fentonina Gaede,1928** (Notodontidae) Synonym(s): *Fentonina* Gaede,1928

- 5020. Formofentonia Matsumura, 1925** (Notodontidae) Synonym(s): *Formofentonia Matsumura, 1925*
- 5021. Franzdaniela Sugi, 1992** (Notodontidae) Synonym(s): *Franzdaniela Sugi, 1992*
- 5022. Furcula Lamarck, 1816** (Notodontidae) Synonym(s): *Furcula Lamarck, 1816; Harpyias Hübner, [1819]*
- 5023. Galona Karsch, 1895** (Notodontidae) Synonym(s): *Galona Karsch, 1895*
- 5024. Gangarides Moore, 1865** (Notodontidae) Synonym(s): *Gangarides Moore, 1865*
- 5025. Gangaridopsis Grünberg, 1912** (Notodontidae) Synonym(s): *Gangaridopsis Grünberg, 1912*
- 5026. Gargetta Walker, 1865** (Notodontidae) Synonym(s): *Gargetta Walker, 1865*
- 5027. Ginshachia Matsumura, 1929** (Notodontidae) Synonym(s): *Ginshachia Matsumura, 1929; #Ginschachia*
- 5028. Gluphisia Boisduval, 1828** (Notodontidae) Synonym(s): *Gluphisia Boisduval, 1828; Glyphidia Agassiz, 1847; Paraglyphisia Djakonov, 1929*
- 5029. Gonoclostera Butler, 1877** (Notodontidae) Synonym(s): *Gonoclostera Butler, 1877*
- 5030. Graphodonta Kiriakoff, 1981** (Notodontidae) Synonym(s): *Graphodonta Kiriakoff, 1981*
- 5031. Hagapteryx Matsumura, 1920** (Notodontidae) Synonym(s): *Hagapteryx Matsumura, 1920*
- 5032. Hampsonita Kiriakoff, 1963** (Notodontidae) Synonym(s): *Hampsonita Kiriakoff, 1963*
- 5033. Haplozana Aurivillius, 1901** (Notodontidae) Synonym(s): *Haplozana Aurivillius, 1901*
- 5034. Harpyia Ochsenheimer, 1810** (Notodontidae) Synonym(s): *Harpyia Ochsenheimer, 1810; Hoplitis Hübner, [1819] nec Klug, 1807; Damatoides Matsumura, 1927; Hybocampa Lederer, 1853.*
- 5035. Hemifentonia Kiriakoff, 1967** (Notodontidae) Synonym(s): *Parafentonia Kiriakoff, 1963 nec Roepk., 1944; Hemifentonia Kiriakoff, 1967*
- 5036. Heraia Kiriakoff, 1958** (Notodontidae) Synonym(s): *Heraia Kiriakoff, 1958*
- 5037. Hexafrenum Matsumura, 1925** (Notodontidae) Synonym(s): *Hexafrenum Matsumura, 1925*
- 5038. Higena Matsumura, 1925** (Notodontidae) Synonym(s): *Higena Matsumura, 1925*
- 5039. Himeropteryx Staudinger, 1887** (Notodontidae) Synonym(s): *Himeropteryx Staudinger, 1887*
- 5040. Hiradonta Matsumura, 1924** (Notodontidae) Synonym(s): *Hiradonta Matsumura, 1924*
- 5041. Homocentridia Kiriakoff, 1967** (Notodontidae) Synonym(s): *Homocentridia Kiriakoff, 1967*
- 5042. Hupodonta Butler, 1877** (Notodontidae) Synonym(s): *Hupodonta Butler, 1877*
- 5043. Hyperaeschra Butler, 1880** (Notodontidae) Synonym(s): *Hyperaeschra Butler, 1880*
- 5044. Hyperaeschrella Strand, 1916** (Notodontidae) Synonym(s): *Hyperaeschrella Strand, 1916; Polyaeschra Kiriakoff, 1967; Kumataia Kiriakoff, 1967*
- 5045. Induba Kiriakoff, 1975** (Notodontidae) Synonym(s): *Induba Kiriakoff, 1975*
- 5046. Iostaura Kiriakoff, 1970** (Notodontidae) Synonym(s): *Iostaura Kiriakoff, 1970*
- 5047. Iridoplitis Kiriakoff, 1955** (Notodontidae) Synonym(s): *Iridoplitis Kiriakoff, 1955*
- 5048. Janthinisca Kiriakoff, 1959** (Notodontidae) Synonym(s): *Janthinisca Kiriakoff, 1959*
- 5049. Jozinia Kiriakoff, 1970** (Notodontidae) Synonym(s): *Jozinia Kiriakoff, 1970*
- 5050. Kamalia Koçak & Kemal, 2006** (Notodontidae) Synonym(s): *Paracerura Schintlmeister, 2002 nec Deharveng & Oliviera, 1994; Kamalia Koçak & Kemal, 2006*
- 5051. Khasidonta Kiriakoff, 1968** (Notodontidae) Synonym(s): *Khasidonta Kiriakoff, 1968*
- 5052. Leucodonta Staudinger, 1892** (Notodontidae) Synonym(s): *Microdonta Duponchel, [1835] nec Dej., 1835; Leucodonta Staudinger, 1892; Hierophanta Meyrick, 1894; Shironia Matsumura, 1925*
- 5053. Leucolopha Hampson, 1896** (Notodontidae) Synonym(s): *Leucolopha Hampson, 1896*
- 5054. Leucophalera Janse, 1920** (Notodontidae) Synonym(s): *Leucophalera Janse, 1920*
- 5055. Liccana Kiriakoff, 1962** (Notodontidae) Synonym(s): *Liccana Kiriakoff, 1962*
- 5056. Liparopsis Hampson, [1893]** (Notodontidae) Synonym(s): *Liparopsis Hampson, [1893]*
- 5057. Lophontosia Staudinger, 1892** (Notodontidae) Synonym(s): *ophontosia Staudinger, 1892*
- 5058. Lopiena Kiriakoff, 1961** (Notodontidae) Synonym(s): *Lopiena Kiriakoff, 1961*
- 5059. Medanella Kiriakoff, 1974** (Notodontidae) Synonym(s): *Medanella Kiriakoff, 1974*
- 5060. Megaceramis Hampson, 1893** (Notodontidae) Synonym(s): *Megaceramis Hampson, 1893*
- 5061. Megashachia Matsumura, 1929** (Notodontidae) Synonym(s): *Megashachia Matsumura, 1929*
- 5062. Mesophalera Matsumura, 1920** (Notodontidae) Synonym(s): *Mesophalera Matsumura, 1920*
- 5063. Metaschalis Hampson, 1892** (Notodontidae) Synonym(s): *Metaschalis Hampson, 1892*
- 5064. Metascrancia Kiriakoff, 1970** (Notodontidae) Synonym(s): *Metascrancia Kiriakoff, 1970*
- 5065. Metopteryx (Helga) Kiriakoff, 1964** (Notodontidae) Synonym(s): *Helga Kiriakoff, 1964*
- 5066. Metopteryx (Metopteryx) D.S.Fletcher, 1980** (Notodontidae) Synonym(s): *Metopteryx D.S.Fletcher, 1980*
- 5067. Micromelalopha Nagano, 1916** (Notodontidae) Synonym(s): *Micromelalopha Nagano, 1916; #Micromelolapha Matsumura, 1929; Bifurcifer Ebert, 1968; Closteroides Kiriakoff, 1977 nec Tomlin, 1929; Closterellus D.S.Fletcher, 1980.*
- 5068. Microphalera Butler, 1885** (Notodontidae) Synonym(s): *Microphalera Butler, 1885*
- 5069. Miostauropus Kiriakoff, 1963** (Notodontidae) Synonym(s): *Miostauropus Kiriakoff, 1963*
- 5070. Neodrymonia (Epistauropus) Gaede, 1930** (Notodontidae) Synonym(s): *Epistauropus Gaede, 1930*
- 5071. Neodrymonia (Libido) Bryk, 1949** (Notodontidae) Synonym(s): *Libido Bryk, 1949*
- 5072. Neodrymonia (Pantherinus) Nakamura, 1973** (Notodontidae) Synonym(s): *Pantherinus Nakamura, 1973*
- 5073. Neodrymonia (Polystictina) Kiriakoff, 1968** (Notodontidae) Synonym(s): *Polystictina Kiriakoff, 1968*
- 5074. Neodrymonia (s.str.) Matsumura, 1920** (Notodontidae) Synonym(s): *Neodrymonia Matsumura, 1920*
- 5075. Neodrymonia Matsumura, 1920** (Notodontidae) Synonym(s): *Neodrymonia Matsumura, 1920*
- 5076. Neoharpyia Daniel, 1938** (Notodontidae) Synonym(s): *Neoharpyia Daniel, 1938*
- 5077. Neola Walker, 1855** (Notodontidae) Synonym(s): *Neola Walker, 1855*
- 5078. Neopheosia Matsumura, 1920** (Notodontidae) Synonym(s): *Neopheosia Matsumura, 1920*
- 5079. Nephodonta Sugi, 1980** (Notodontidae) Synonym(s): *Nephodonta Sugi, 1980*
- 5080. Nerice Walker, 1855** (Notodontidae) Synonym(s): *Nerice Walker, 1855*
- 5081. Netria Walker, 1855** (Notodontidae) Synonym(s): *Netria Walker, 1855*
- 5082. Niganda Moore, 1879** (Notodontidae) Synonym(s): *Niganda Moore, 1879; Stenadonta Hampson, 1895*
- 5083. Notocerura Kiriakoff, 1963** (Notodontidae) Synonym(s): *Notocerura Kiriakoff, 1963*
- 5084. Notodonta Ochsenheimer, 1810** (Notodontidae) Synonym(s): *Notodonta Ochsenheimer, 1810; Notodon Meigen, 1830; Mimodonta Matsumura, 1920; Microdонтella Strand, 1934; Triophia Kiriakoff, 1967; Eligmodonta Kiriakoff, 1967*
- 5085. Notoxantha Hampson, 1910** (Notodontidae) Synonym(s): *Notoxantha Hampson, 1910*
- 5086. Odontoperas Kiriakoff, 1959** (Notodontidae) Synonym(s): *Odontoperas Kiriakoff, 1959*
- 5087. Odontosia Hübner, [1819]** (Notodontidae) Synonym(s): *Odontosia Hübner, [1819]*
- 5088. Odontosiana Kiriakoff, 1963** (Notodontidae) Synonym(s): *Odontosiana Kiriakoff, 1963*
- 5089. Omichlis Hampson, 1895** (Notodontidae) Synonym(s): *Omichlis Hampson, 1895*
- 5090. Palaeostauropus Okagaki & Nakamura, 1958** (Notodontidae) Synonym(s): *Palaeostauropus Okagaki & Nakamura, 1958*
- 5091. Parachadisra Gaede, 1930** (Notodontidae) Synonym(s): *Parachadisra Gaede, 1930*

- 5092. Paradiastema Aurivillius, 1901** (Notodontidae) Synonym(s): *Paradiastema Aurivillius, 1901*
- 5093. Paradrymonia Kiriakoff, 1967** (Notodontidae) Synonym(s): *Paradrymonia Kiriakoff, 1967*
- 5094. Paraptilon Schintlmeister, 1997** (Notodontidae) Synonym(s): *Paraptilon Schintlmeister, 1997*
- 5095. Pararethona Janse, 1920** (Notodontidae) Synonym(s): *Pararethona Janse, 1920*
- 5096. Parastaura Gaede, 1928** (Notodontidae) Synonym(s): *Parastaura Gaede, 1928*
- 5097. Peratodonta Aurivillius, 1904** (Notodontidae) Synonym(s): *Peratodonta Aurivillius, 1904*
- 5098. Peridea Stephens, 1828** (Notodontidae) Synonym(s): *Peridea Stephens, 1828; Mesodonta Matsumura, 1920 nec Baly, 1865; Fusadonta Matsumura, 1920*
- 5099. Periergos (Hunyada) Kiriakoff, 1962** (Notodontidae) Synonym(s): *Hunyada Kiriakoff, 1962*
- 5100. Periergos (Rosiora) Kiriakoff, 1962** (Notodontidae) Synonym(s): *Rosiora Kiriakoff, 1962*
- 5101. Periergos (s.str.) Kiriakoff, 1962** (Notodontidae) Synonym(s): *Pydna Walker, 1856 nec Herr.-Schäffer, 1855; Periergos Kiriakoff, 1962; Mismia Kiriakoff, 1962; Loudonta Kiriakoff, 1962; Eupydna D.S.Fletcher, 1980*
- 5102. Periergos Kiriakoff, 1962** (Notodontidae) Synonym(s): *Pydna Walker, 1856 nec Herr.-Schäffer, 1855; Periergos Kiriakoff, 1962; Mismia Kiriakoff, 1962; Loudonta Kiriakoff, 1962; Eupydna D.S.Fletcher, 1980*
- 5103. Periphalaria Kiriakoff, 1959** (Notodontidae) Synonym(s): *Periphalaria Kiriakoff, 1959*
- 5104. Phalera Hübner, [1819]** (Notodontidae) Synonym(s): *Phalera Hübner, [1819]; Acrosemia Meigen, 1830; Hammatophora Westwood, 1843; Dinara Walker, 1856; Horishachia Matsumura, 1925; Phaleromimus Bryk, 1950*
- 5105. Phalerodonta Staudinger, 1892** (Notodontidae) Synonym(s): *Phalerodonta Staudinger, 1892*
- 5106. Pheosia Hübner, [1819]** (Notodontidae) Synonym(s): *Pheosia Hübner, [1819]; Leiocampa Stephens, 1828; Liocampa Agassiz, 1847*
- 5107. Pheosiopsis (Cauphucia) Kemal & Koçak, 2005** (Notodontidae) Synonym(s): *Letitia Schintlmeister, 1997 nec Iredale, 1941; Cauphucia Kemal & Koçak, 2005*
- 5108. Pheosiopsis (Oligaeschra) Kiriakoff, 1963** (Notodontidae) Synonym(s): *Oligaeschra Kiriakoff, 1963*
- 5109. Pheosiopsis (Schintlmeistera) Kemal & Koçak, 2005** (Notodontidae) Synonym(s): *Lupa Schintlmeister, 1997 nec Leach, 1814 non De Haan, 1833; Schintlmeistera Kemal & Koçak, 2005*
- 5110. Pheosiopsis (Suzukiana) Sugi, 1976** (Notodontidae) Synonym(s): *Suzukia Matsumura, 1920 nec Okamoto, 1913; Suzukiana Sugi, 1976*
- 5111. Pheosiopsis (s.str.) Bryk, 1949** (Notodontidae) Synonym(s): *Pheosiopsis Bryk, 1949*
- 5112. Pheosiopsis Bryk, 1949** (Notodontidae) Synonym(s): *Pheosiopsis Bryk, 1949*
- 5113. Phycidopsis Hampson, 1893** (Notodontidae) Synonym(s): *Phycidopsis Hampson, 1893*
- 5114. Phycitimorpha Janse, 1920** (Notodontidae) Synonym(s): *Phycitimorpha Janse, 1920*
- 5115. Phyllalodes Hampson, 1910** (Notodontidae) Synonym(s): *Phyllalodes Hampson, 1910*
- 5116. Pinheyia Kiriakoff, 1971** (Notodontidae) Synonym(s): *Pinheyia Kiriakoff, 1971*
- 5117. Plastystaura Kiriakoff, 1965** (Notodontidae) Synonym(s): *Plastystaura Kiriakoff, 1965*
- 5118. Polelassothys Janse, 1920** (Notodontidae) Synonym(s): *Polelassothys Janse, 1920*
- 5119. Polienus Distant, 1903** (Notodontidae) Synonym(s): *Polienus Distant, 1903*
- 5120. Porsica Walker, 1866** (Notodontidae) Synonym(s): *Porsica Walker, 1866*
- 5121. Psalisodes Hampson, 1910** (Notodontidae) Synonym(s): *Psalisodes Hampson, 1910*
- 5122. Psegmaphora Gaede, 1930** (Notodontidae) Synonym(s): *segmaphora Gaede, 1930*
- 5123. Pseudallata Kiriakoff, 1968** (Notodontidae) Synonym(s): *Pseudallata Kiriakoff, 1968*
- 5124. Pseudofentonia (Calyptronotum) Roepke, 1944** (Notodontidae) Synonym(s): *Calyptronotum Roepke, 1944*
- 5125. Pseudofentonia (Disparia) Nagano, 1916** (Notodontidae) Synonym(s): *Disparia Nagano, 1916; Parafentonia Roepke, 1944; Epifentonia Kiriakoff, 1960*
- 5126. Pseudofentonia (Lanna) Kemal & Koçak, 2005** (Notodontidae) Synonym(s): *Mimus Schintlmeister, 1989 nec Boie, 1826 non Fahreus, 1871; Lanna Kemal & Koçak, 2005*
- 5127. Pseudofentonia (Vietamina) Kemal & Koçak, 2005** (Notodontidae) Synonym(s): *Dymantis Schintlmeister, 1997 nec Stal, 1861; Vietamina Kemal & Koçak, 2005*
- 5128. Pseudofentonia (Viridifentonia) Nakamura, 1974** (Notodontidae) Synonym(s): *Viridifentonia Nakamura, 1974*
- 5129. Pseudofentonia (s.str.) Strand, 1912** (Notodontidae) Synonym(s): *Pseudofentonia Strand, 1912*
- 5130. Pseudofentonia Strand, 1912** (Notodontidae) Synonym(s): *Pseudofentonia Strand, 1912*
- 5131. Pseudorethona Janse, 1920** (Notodontidae) Synonym(s): *Pseudorethona Janse, 1920*
- 5132. Pseudoscraucia Strand, 1915** (Notodontidae) Synonym(s): *Pseudoscraucia Strand, 1915*
- 5133. Pseudosomera Bender & Steiniger, 1984** (Notodontidae) Synonym(s): *Pseudosomera Bender & Steiniger, 1984*
- 5134. Pseudoteleclita Kiriakoff, 1968** (Notodontidae) Synonym(s): *Pseudoteleclita Kiriakoff, 1968*
- 5135. Pterostoma Germar, 1812** (Notodontidae) Synonym(s): *Pterostoma Germar, 1812; Euchila Billberg, 1820; Orthorhinia Bosidival, [1828]; Ptilodontis Stephens, 1828; Odonoptera Latreille, 1829; Orthorhinia Meigen, 1830; Orthorhinia Agassiz, 1847.*
- 5136. Ptilodon Hübner, 1822** (Notodontidae) Synonym(s): *#Ptilodon Hübner, 1806; Ptilodon Hübner, 1822; Lophopteryx Stephens, 1828*
- 5137. Ptilodontella Kiriakoff, 1967** (Notodontidae) Synonym(s): *Ptilodontella Kiriakoff, 1967*
- 5138. Ptilophora Stephens, 1828** (Notodontidae) Synonym(s): *Ptilophora Stephens, 1828; Ptilophoroides Matsumura, 1920*
- 5139. Pydnella Roepke, 1943** (Notodontidae) Synonym(s): *Pydnella Roepke, 1943*
- 5140. Pygaera Ochsenheimer, 1810** (Notodontidae) Synonym(s): *Pygaera Ochsenheimer, 1810*
- 5141. Quadricalcarifera Strand, 1915** (Notodontidae) Synonym(s): *Quadricalcarifera Strand, 1915; Egonocia Marumo, 1920; Taiwa Kiriakoff, 1974*
- 5142. Quista Kiriakoff, 1959** (Notodontidae) Synonym(s): *Quista Kiriakoff, 1959*
- 5143. Rachia Moore, 1879** (Notodontidae) Synonym(s): *Rachia Moore, 1879; Macroshachia Matsumura, 1925; Angustiala Bryk, 1949.*
- 5144. Rachiades Kiriakoff, 1967** (Notodontidae) Synonym(s): *Rachiades Kiriakoff, 1967*
- 5145. Ramesa Walker, 1855** (Notodontidae) Synonym(s): *Ramesa Walker, 1855*
- 5146. Rasemia Kiriakoff, 1962** (Notodontidae) Synonym(s): *Rasemia Kiriakoff, 1962*
- 5147. Rhegmatophila Standfuss, 1888** (Notodontidae) Synonym(s): *Rhegmatophila Standfuss, 1888*
- 5148. Rhenea Saalmüller, 1884** (Notodontidae) Synonym(s): *Rhenea Saalmüller, 1884*
- 5149. Rheneina Kiriakoff, 1971** (Notodontidae) Synonym(s): *Rheneina Kiriakoff, 1971*
- 5150. Riebeeckia Kiriakoff, 1981** (Notodontidae) Synonym(s): *Riebeeckia Kiriakoff, 1981*
- 5151. Rodneya Kiriakoff, 1967** (Notodontidae) Synonym(s): *Rodneya Kiriakoff, 1967*
- 5152. Rosama Walker, 1855** (Notodontidae) Synonym(s): *Rosama Walker, 1855*
- 5153. Rosinella Kiriakoff, 1963** (Notodontidae) Synonym(s): *Rosinella Kiriakoff, 1963*
- 5154. Saliocleta Walker, 1862** (Notodontidae) Synonym(s): *Saliocleta Walker, 1862*
- 5155. Sarimarais Kiriakoff, 1962** (Notodontidae) Synonym(s): *Sarimarais Kiriakoff, 1962*
- 5156. Scalmicauda Holland, 1893** (Notodontidae) Synonym(s): *Scalmicauda Holland, 1893*
- 5157. Scraucia Holland, 1893** (Notodontidae) Synonym(s): *Scraucia Holland, 1893*
- 5158. Semidonta Staudinger, 1892** (Notodontidae) Synonym(s): *Semidonta Staudinger, 1892; Sinodonta Kiriakoff, 1967*
- 5159. Shachia Matsumura, 1919** (Notodontidae) Synonym(s): *Shachia Matsumura, 1919; Microhoplitis Marumo, 1920*

- 5160.** *Simesia* Kiriakoff, 1955 (Notodontidae) Synonym(s): *Simesia* Kiriakoff, 1955; *Critobulus* Kiriakoff, 1963 nec Dist., 1903
- 5161.** *Snellentia* Kiriakoff, 1968 (Notodontidae) Synonym(s): *Snellentia* Kiriakoff, 1968
- 5162.** *Somera* Walker, 1855 (Notodontidae) Synonym(s): *Somera* Walker, 1855
- 5163.** *Spatalia* Hübner, [1819] (Notodontidae) Synonym(s): *Spatalia* Hübner, [1819]; *Heterodonta* Duponchel, [1845]; *Spataliodes* Matsumura, 1924; *Stenospatialia* Matsumura, 1924
- 5164.** *Spatalina* Bryk, 1949 (Notodontidae) Synonym(s): *Spatalina* Bryk, 1949; *Xeropteryx* Kiriakoff, 1963 nec Butl., 1883; *Inouella* Kiriakoff, 1967; *Euxeropteryx* Koçak, 1980
- 5165.** *Stauropus* Germar, 1812 (Notodontidae) Synonym(s): *Stauropus* Germar, 1812; *Terasion* Hübner, [1819]; *Neostauropus* Kiriakoff, 1967
- 5166.** *Stemmatophalera* Aurivillius, 1910 (Notodontidae) Synonym(s): *Stemmatophalera* Aurivillius, 1910
- 5167.** *Stenadonta* Hampson, 1895 (Notodontidae) Synonym(s): *Stenadonta* Hampson, 1895; *#Stenodonta* Huthacharern & Tuhtim, 1995
- 5168.** *Stenostaura* Hampson, 1909 (Notodontidae) Synonym(s): *Stenostaura* Hampson, 1909
- 5169.** *Stigmatophorina* Mell, 1922 (Notodontidae) Synonym(s): *Stigmatophorina* Mell, 1922
- 5170.** *Subscrancia* Gaede, 1928 (Notodontidae) Synonym(s): *Subscrancia* Gaede, 1928
- 5171.** *Sumeria* Tams, 1938 (Notodontidae) Synonym(s): *Sumeria* Tams, 1938
- 5172.** *Synete* Kiriakoff, 1959 (Notodontidae) Synonym(s): *Synete* Kiriakoff, 1959
- 5173.** *Tarsolepsis* Butler, 1872 (Notodontidae) Synonym(s): *Crino* Hübner, [1821] nec Lamarck, 1798; *Tarsolepsis* Butler, 1872; *Pika* Matsumura, 1929; *Tarsolepsioides* Nakamura, 1976.
- 5174.** *Teinophalera* Kiriakoff, 1968 (Notodontidae) Synonym(s): *Teinophalera* Kiriakoff, 1968
- 5175.** *Teleclita* Turner, 1903 (Notodontidae) Synonym(s): *Teleclita* Turner, 1903
- 5176.** *Tensha* Matsumura, 1925 (Notodontidae) Synonym(s): *Tensha* Matsumura, 1925
- 5177.** *Thaila* Kiriakoff, 1974 (Notodontidae) Synonym(s): *Thaila* Kiriakoff, 1974
- 5178.** *Togarishachia* Matsumura, 1925 (Notodontidae) Synonym(s): *Togarishachia* Matsumura, 1925; *Poncetia* Kiriakoff, 1962
- 5179.** *Togaritensha* Matsumura, 1929 (Notodontidae) Synonym(s): *Togaritensha* Matsumura, 1929
- 5180.** *Torigea* Matsumura, 1934 (Notodontidae) Synonym(s): *Torigea* Matsumura, 1934; *Cutuza* Kiriakoff, 1962; *Dypna* Kiriakoff, 1962; *Biraia* Kiriakoff, 1962; *Struba* Kiriakoff, 1962.
- 5181.** *Trotonotus* Butler, 1898 (Notodontidae) Synonym(s): *Trotonotus* Butler, 1898
- 5182.** *Turnaca* (s.str.) Walker, 1864 (Notodontidae) Synonym(s): *Turnaca* Walker, 1864
- 5183.** *Turnaca* Walker, 1864 (Notodontidae) Synonym(s): *Turnaca* Walker, 1864
- 5184.** *Turnacoides* Gaede, 1928 (Notodontidae) Synonym(s): *Turnacoides* Gaede, 1928
- 5185.** *Ulinodes* Kiriakoff, 1968 (Notodontidae) Synonym(s): *Ulinodes* Kiriakoff, 1968
- 5186.** *Uropyia* Staudinger, 1892 (Notodontidae) Synonym(s): *Uropyia* Staudinger, 1892
- 5187.** *Vaneeckia* Kiriakoff, 1968 (Notodontidae) Synonym(s): *Vaneeckia* Kiriakoff, 1968
- 5188.** *Wilemanus* Nagano, 1916 (Notodontidae) Synonym(s): *Wilemanus* Nagano, 1916
- 5189.** *Zaranga* Moore, 1884 (Notodontidae) Synonym(s): *Zaranga* Moore, 1884; *Epizaranga* Matsumura, 1920; *Densitas* Marumo, 1920
- 5190.** *Zerafia* Strand, 1915 (Notodontidae) Synonym(s): *Zerafia* Strand, 1915
- 5191.** *Agonopterix* Hübner, [1825] (Oecophoridae) Synonym(s): *Agonopterix* Hübner, [1825]
- 5192.** *Agroecodes* Meyrick, 1937 (Oecophoridae) Synonym(s): *Agroecodes* Meyrick, 1937
- 5193.** *Alabonia* Hübner, [1825] (Oecophoridae) Synonym(s): *Alabonia* Hübner, [1825]; *Enicostoma* Stephens, 1829; *Henicostoma* Agassiz, 1847
- 5194.** *Amphipseustis* Meyrick, 1921 (Oecophoridae) Synonym(s): *Amphipseustis* Meyrick, 1921
- 5195.** *Amphisbatis* Zeller, 1870 (Oecophoridae) Synonym(s): *Amphisbatis* Zeller, 1870
- 5196.** *Amseloecia* Povolny, 1983 (Oecophoridae) Synonym(s): *Amseloecia* Povolny, 1983
- 5197.** *Anchinia* Hübner, [1825] (Oecophoridae) Synonym(s): *Anchinia* Hübner, [1825]; *Palpula* Kollar, 1832; *Fugia* Duponchel, [1846]
- 5198.** *Aplota* Stephens, 1834 (Oecophoridae) Synonym(s): *Aplota* Stephens, 1834
- 5199.** *Areocosma* Meyrick, 1917 (Oecophoridae) Synonym(s): *Areocosma* Meyrick, 1917
- 5200.** *Aulotropha* Meyrick, 1918 (Oecophoridae) Synonym(s): *Aulotropha* Meyrick, 1918
- 5201.** *Batia* Stephens, 1834 (Oecophoridae) Synonym(s): *Batia* Stephens, 1834
- 5202.** *Bisigna* Toll, 1956 (Oecophoridae) Synonym(s): *Bisigna* Toll, 1956
- 5203.** *Borkhausenia* Hübner, [1825] (Oecophoridae) Synonym(s): *Borkhausenia* Hübner, [1825]
- 5204.** *Briarostoma* Meyrick, 1920 (Oecophoridae) Synonym(s): *Briarostoma* Meyrick, 1920
- 5205.** *Buvatina* Leraut, 1984 (Oecophoridae) Synonym(s): *Buvatina* Leraut, 1984
- 5206.** *Cacochroa* Heinemann, 1870 (Oecophoridae) Synonym(s): *Cacochroa* Heinemann, 1870
- 5207.** *Caenorycta* Meyrick, 1922 (Oecophoridae) Synonym(s): *Caenorycta* Meyrick, 1922
- 5208.** *Callima* Clemens, 1860 (Oecophoridae) Synonym(s): *Callima* Clemens, 1860
- 5209.** *Carcina* Hübner, [1825] (Oecophoridae) Synonym(s): *Carcina* Hübner, [1825]
- 5210.** *Casmara* Walker, 1863 (Oecophoridae) Synonym(s): *Casmara* Walker, 1863
- 5211.** *Cephalispheira* Bruand, 1850 (Oecophoridae) Synonym(s): *Cephalispheira* Bruand, 1850
- 5212.** *Ceranthus* Meyrick, 1918 (Oecophoridae) Synonym(s): *Ceranthus* Meyrick, 1918
- 5213.** *Chalcocolona* Meyrick, 1921 (Oecophoridae) Synonym(s): *Chalcocolona* Meyrick, 1921
- 5214.** *Chalcorectis* Meyrick, 1937 (Oecophoridae) Synonym(s): *Chalcorectis* Meyrick, 1937
- 5215.** *Chemidolophus* Walsingham, 1881 (Oecophoridae) Synonym(s): *Chemidolophus* Walsingham, 1881
- 5216.** *Choronoma* Meyrick, 1926 (Oecophoridae) Synonym(s): *Choronoma* Meyrick, 1926
- 5217.** *Coesyra* Meyrick, 1883 (Oecophoridae) Synonym(s): *Coesyra* Meyrick, 1883
- 5218.** *Colchia* Lvovsky, 1995 (Oecophoridae) Synonym(s): *Colchia* Lvovsky, 1995
- 5219.** *Commonina* Kemal & Koçak, 2006 (Oecophoridae) Synonym(s): *Erythroba* Common, 2000 nec Weise, 1902; *Commonina* Kemal & Koçak, 2006
- 5220.** *Crassa* Bruand, 1850 (Oecophoridae) Synonym(s): *Crassa* Bruand, 1850
- 5221.** *Crossotocera* Zerny, 1930 (Oecophoridae) Synonym(s): *Crossotocera* Zerny, 1930
- 5222.** *Crystallogenes* Meyrick, 1937 (Oecophoridae) Synonym(s): *Crystallogenes* Meyrick, 1937
- 5223.** *Dasytroma* Curtis, 1833 (Oecophoridae) Synonym(s): *Dasytroma* Curtis, 1833
- 5224.** *Decantha* Busck, 1908 (Oecophoridae) Synonym(s): *Decantha* Busck, 1908
- 5225.** *Denisia* Hübner, [1825] (Oecophoridae) Synonym(s): *Denisia* Hübner, [1825]
- 5226.** *Depressaria* Haworth, [1811] (Oecophoridae) Synonym(s): *Depressaria* Haworth, [1811]; *Piesta* Billberg, 1820; *Volucrum* Berthold, 1827; *#Depressia* Staudinger, 1879; *Schistodepressaria* Spuler, 1910
- 5227.** *Deuterogonia* Rebel, 1901 (Oecophoridae) Synonym(s): *Gonia* Heinemann, 1870 (praeocc.); *Deuterogonia* Rebel, 1901
- 5228.** *Diocosma* Meyrick, 1909 (Oecophoridae) Synonym(s): *Diocosma* Meyrick, 1909
- 5229.** *Diurnea* Haworth, 1811 (Oecophoridae) Synonym(s): *Diurnea* Haworth, 1811; *Enyphantes* Hübner, 1822; *Chimabache* Hübner, [1825]; *Cheimophila* Hübner, [1825]; *Lemnaphila* Treitschke, 1832; *Xenomicta* Meyrick, 1914
- 5230.** *Diurnea* Haworth, [1811] (Oecophoridae) Synonym(s): *Diurnea* Haworth, [1811]

- 5231. Doxomeres Meyrick, 1917** (Oecophoridae) Synonym(s): *Doxomeres Meyrick, 1917*
- 5232. Endrosis Hübner, [1825]** (Oecophoridae) Synonym(s): *Endrosis Hübner, [1825]*
- 5233. Epicallima Dyar, [1903]** (Oecophoridae) Synonym(s): *Callima Clemens, 1860 nec Herrich-Schäffer, [1858]; Epicallima Dyar, [1903]; Dafa Hodges, 1974; Hannemanniana Vives Moreno, 1986; Subcallima L'vovsky & Arutjunova, 1992.*
- 5234. Epiphractis Meyrick, 1908** (Oecophoridae) Synonym(s): *Epiphractis Meyrick, 1908*
- 5235. Eratophyes Diakonoff, 1975** (Oecophoridae) Synonym(s): *Eratophyes Diakonoff, 1975*
- 5236. Erotis Meyrick, 1910** (Oecophoridae) Synonym(s): *Erotis Meyrick, 1910*
- 5237. Esperia Hübner, [1825]** (Oecophoridae) Synonym(s): *Esperia Hübner, [1825]*
- 5238. Eucledora Walsingham, 1881** (Oecophoridae) Synonym(s): *Eucledora Walsingham, 1881*
- 5239. Eulechria Meyrick, 1883** (Oecophoridae) Synonym(s): *Eulechria Meyrick, 1883; Eriodyta Meyrick, 1883; Cormotypha Meyrick, 1914; #Utidana Turner, 1935*
- 5240. Eutorna Meyrick, 1889** (Oecophoridae) Synonym(s): *Eutorna Meyrick, 1889; Heterozancla Turner, 1919*
- 5241. Exaeretia Stainton, 1849** (Oecophoridae) Synonym(s): *Exaeretia Stainton, 1849*
- 5242. Fabiola Busck, 1908** (Oecophoridae) Synonym(s): *Fabiola Busck, 1908*
- 5243. Fuchsia Spuler, 1910** (Oecophoridae) Synonym(s): *Fuchsia Spuler, 1910*
- 5244. Goidanichiana Agenjo, 1977** (Oecophoridae) Synonym(s): *Goidanichiana Agenjo, 1977*
- 5245. Harpella Schrank, 1802** (Oecophoridae) Synonym(s): *Harpella Schrank, 1802*
- 5246. Hednophora Meyrick, 1911** (Oecophoridae) Synonym(s): *Hednophora Meyrick, 1911*
- 5247. Herrichia Staudinger, 1871** (Oecophoridae) Synonym(s): *Herrichia Staudinger, 1871*
- 5248. Hofmannophila Spuler, 1910** (Oecophoridae) Synonym(s): *Hofmannophila Spuler, 1910; #Hophmannophila Parenti, 2000*
- 5249. Holoscolia Zeller, 1839** (Oecophoridae) Synonym(s): *Holoscolia Zeller, 1839*
- 5250. Horridopalpus Hannemann, 1953** (Oecophoridae) Synonym(s): *Horridopalpus Hannemann, 1953*
- 5251. Hypercallia Stephens, 1829** (Oecophoridae) Synonym(s): *Hypercallia Stephens, 1829*
- 5252. Idioglossa Walsingham, 1881** (Oecophoridae) Synonym(s): *Metamorphia Frey & Boll, 1878 nec Hbn., [1819]; Idioglossa Walsingham, 1881; Idiostoma Walsingham, 1882*
- 5253. Irepacma Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *Irepacma Moriuti, Saito & Lewvanich, 1985*
- 5254. Isocrita Meyrick, 1909** (Oecophoridae) Synonym(s): *Isocrita Meyrick, 1909*
- 5255. Karwandania Amsel, 1959** (Oecophoridae) Synonym(s): *Karwandania Amsel, 1959*
- 5256. Kasyniana Vives Moreno, 1986** (Oecophoridae) Synonym(s): *Kasyniana Vives Moreno, 1986*
- 5257. Lasiomactra Meyrick, 1921** (Oecophoridae) Synonym(s): *Lasiomactra Meyrick, 1921*
- 5258. Levipalpus Hannemann, 1953** (Oecophoridae) Synonym(s): *Levipalpus Hannemann, 1953*
- 5259. Linoclostis Meyrick, 1908** (Oecophoridae) Synonym(s): *Linoclostis Meyrick, 1908*
- 5260. Luquetia Leraut, 1991** (Oecophoridae) Synonym(s): *Luquetia Leraut, 1991*
- 5261. Martyrhilda Clarke, 1941** (Oecophoridae) Synonym(s): *Martyrhilda Clarke, 1941*
- 5262. Martyringa Busck, 1902** (Oecophoridae) Synonym(s): *Martyringa Busck, 1902*
- 5263. Meloteles Meyrick, 1920** (Oecophoridae) Synonym(s): *Meloteles Meyrick, 1920*
- 5264. Metachanda Meyrick, 1911** (Oecophoridae) Synonym(s): *Metachanda Meyrick, 1911*
- 5265. Metalampra Toll, 1956** (Oecophoridae) Synonym(s): *Metalampra Toll, 1956*
- 5266. Minetia Leraut, 1991** (Oecophoridae) Synonym(s): *Minetia Leraut, 1991; Athopeutis Koçak, 1993.*
- 5267. Neomariania Mariani, 1943** (Oecophoridae) Synonym(s): *Mariania Rebel, 1937 nec Air., 1901; #Megaceraea Rebel, 1940; Neomariania Mariani, 1943; Megaceraea Nye & D.S. Fletcher, 1991*
- 5268. Ocyphron Meyrick, 1921** (Oecophoridae) Synonym(s): *Ocyphron Meyrick, 1921*
- 5269. Ocystola Meyrick, 1885** (Oecophoridae) Synonym(s): *Ocystola Meyrick, 1885; #Oxystola Hodges, 1999*
- 5270. Oecophora (Oecophoreola) L'vovsky, 1995** (Oecophoridae) Synonym(s): *Oecophoreola L'vovsky, 1995*
- 5271. Oecophora (s.str.) Latreille, 1796** (Oecophoridae) Synonym(s): *Oecophora Latreille, 1796*
- 5272. Oecophora Latreille, 1796** (Oecophoridae) Synonym(s): *Oecophora Latreille, 1796*
- 5273. Opsigenes Meyrick, 1918** (Oecophoridae) Synonym(s): *Opsigenes Meyrick, 1918*
- 5274. Orophia Hübner, [1825]** (Oecophoridae) Synonym(s): *Orophia Hübner, [1825]*
- 5275. Orygocera Walsingham, 1897** (Oecophoridae) Synonym(s): *Orygocera Walsingham, 1897*
- 5276. Oxyscopa Meyrick, 1926** (Oecophoridae) Synonym(s): *Oxyscopa Meyrick, 1926*
- 5277. Paradeuteronogonia Saito, 1989** (Oecophoridae) Synonym(s): *Paradeuteronogonia Saito, 1989*
- 5278. Paralecta Turner, 1897** (Oecophoridae) Synonym(s): *Paralecta Turner, 1897*
- 5279. Parapleuris Meyrick, 1937** (Oecophoridae) Synonym(s): *Parapleuris Meyrick, 1937*
- 5280. Periacma Meyrick, 1894** (Oecophoridae) Synonym(s): *Periacma Meyrick, 1894*
- 5281. Philametris Meyrick, 1924** (Oecophoridae) Synonym(s): *Philametris Meyrick, 1924*
- 5282. Philobota Meyrick, 1883** (Oecophoridae) Synonym(s): *Latometus Butler, 1882 (homonym); Philobota Meyrick, 1883; Antidica Meyrick, 1883; Mesolecta Meyrick, 1883; Talantis Meyrick, 1889; Oenochrodes Lower, 1907; Atribasta Turner, 1916*
- 5283. Phratriodes Meyrick, 1926** (Oecophoridae) Synonym(s): *Phratriodes Meyrick, 1926*
- 5284. Picrogenes Meyrick, 1917** (Oecophoridae) Synonym(s): *Picrogenes Meyrick, 1917*
- 5285. Pisinidea Butler, 1883** (Oecophoridae) Synonym(s): *Pisinidea Butler, 1883*
- 5286. Plesiosticha Meyrick, 1921** (Oecophoridae) Synonym(s): *Plesiosticha Meyrick, 1921*
- 5287. Pleurota Hübner, [1825]** (Oecophoridae) Synonym(s): *Pleurota Hübner, [1825]; Eupleuris Hübner, [1825]; Macrochila Stephens, 1829; Palpula Treitschke, 1833 nec Koll., 1832; Acropogona Sodoffsky, 1837*
- 5288. Porthmologa Meyrick, 1914** (Oecophoridae) Synonym(s): *Porthmologa Meyrick, 1914*
- 5289. Promalactis Meyrick, 1908** (Oecophoridae) Synonym(s): *Promalactis Meyrick, 1908*
- 5290. Protasis Herrich-Schäffer, [1853]** (Oecophoridae) Synonym(s): *Protasis Herrich-Schäffer, [1853]*
- 5291. Protomacha Meyrick, 1883** (Oecophoridae) Synonym(s): *Protomacha Meyrick, 1883*
- 5292. Pseudatemelia Rebel, 1910** (Oecophoridae) Synonym(s): *Pseudatemelia Rebel, 1910*
- 5293. Rhoecoptera Meyrick, 1909** (Oecophoridae) Synonym(s): *Rhoecoptera Meyrick, 1909*
- 5294. Ripeacma Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *Ripeacma Moriuti, Saito & Lewvanich, 1985*
- 5295. Saropla Meyrick, 1883** (Oecophoridae) Synonym(s): *Saropla Meyrick, 1883*
- 5296. Schiffermuelleria Hübner, [1825]** (Oecophoridae) Synonym(s): *Schiffermuelleria Hübner, [1825]; Disqueia Spuler, 1910*
- 5297. Schiffermuellerina Leraut, 1989** (Oecophoridae) Synonym(s): *Schiffermuellerina Leraut, 1989*
- 5298. Selidoris Meyrick, 1926** (Oecophoridae) Synonym(s): *Selidoris Meyrick, 1926*
- 5299. Semioscopis Hübner, [1825]** (Oecophoridae) Synonym(s): *Semioscopis Hübner, [1825]; Epigraphia Stephens, 1829*
- 5300. Tachystola Meyrick, 1914** (Oecophoridae) Synonym(s): *Tachystola Meyrick, 1914*
- 5301. Tanyzancla Meyrick, 1918** (Oecophoridae) Synonym(s): *Tanyzancla Meyrick, 1918*
- 5302. Telechrysis Toll, 1956** (Oecophoridae) Synonym(s): *Telechrysis Toll, 1956*

- 5303. Thamnocrana Meyrick, 1927** (Oecophoridae) Synonym(s): *Thamnocrana Meyrick, 1927*
- 5304. Thyestarcha Meyrick, 1912** (Oecophoridae) Synonym(s): *Thyestarcha Meyrick, 1912*
- 5305. Tonica Walker, 1864** (Oecophoridae) Synonym(s): *Tonica Walker, 1864; Binsitta Walker, 1864; Teratomorpha Turner, 1896; Cononia Snellen, 1901*
- 5306. Tubuliferola Strand, 1917** (Oecophoridae) Synonym(s): *Tubulifera Spuler, 1910 nec Zopf, 1885; Tubuliferola Strand, 1917*
- 5307. Urodeta Stainton, 1869** (Oecophoridae) Synonym(s): *Urodeta Stainton, 1869*
- 5308. Xenophanta Meyrick, 1914** (Oecophoridae) Synonym(s): *Xenophanta Meyrick, 1914*
- 5309. Eosopostega Davis, 1989** (Opotegidae) Synonym(s): *Eosopostega Davis, 1989*
- 5310. Opotega Zeller, 1839** (Opotegidae) Synonym(s): *Opotega Zeller, 1839*
- 5311. Opotegoides Kozlov, 1985** (Opotegidae) Synonym(s): *Opotegoides Kozlov, 1985*
- 5312. Pseudopostega Kozlov, 1985** (Opotegidae) Synonym(s): *Pseudopostega Kozlov, 1985*
- 5313. Ogygiodes Issiki & Stringer, 1932** (Palaeosetidae) Synonym(s): *Ogygiodes Issiki & Stringer, 1932*
- 5314. Archon Hübner, 1822** (Papilionidae) Synonym(s): *Archon Hübner, 1822; Dorarchon Rothschild, 1918.*
- 5315. Atrophaneura (Pharmacophagus) Haase, 1892** (Papilionidae) Synonym(s): *Pharmacophagus Haase, 1892*
- 5316. Atrophaneura (s.str. (Byasa)) Moore, 1882** (Papilionidae) Synonym(s): *Byasa Moore, 1882*
- 5317. Atrophaneura (s.str. (Losaria)) Moore, [1902]** (Papilionidae) Synonym(s): *Losaria Moore, [1902]; Balignina Moore, [1902].*
- 5318. Atrophaneura (s.str. (Pachliopta)) Reakirt, [1865]** (Papilionidae) Synonym(s): *Polydorus Swainson, 1833 nec Blainville, 1826; Pachliopta Reakirt, [1865]; Tros Kirby, 1896.*
- 5319. Atrophaneura (s.str. (Pangerana)) Moore, 1886** (Papilionidae) Synonym(s): *Pangerana Moore, 1886; Karanga Moore, [1902].*
- 5320. Atrophaneura Reakirt, [1865]** (Papilionidae) Synonym(s): *Atrophaneura Reakirt, [1865]*
- 5321. Battus Scopoli, 1777** (Papilionidae) Synonym(s): *Battus Scopoli, 1777*
- 5322. Bhutanitis Atkinson, 1873** (Papilionidae) Synonym(s): *Armandia Atkinson, 1871 nec Filippi, 1862; Bhutanitis Atkinson, 1873.*
- 5323. Chilasa (Agehana) Matsumura, 1936** (Papilionidae) Synonym(s): *Agehana Matsumura, 1936*
- 5324. Chilasa (s.str. (Cadugoides)) Moore, 1882** (Papilionidae) Synonym(s): *Cadugoides Moore, 1882; Menamopsis De Nicéville, [1887]*
- 5325. Chilasa Moore, [1881]** (Papilionidae) Synonym(s): *Clytia Swainson, [1833] nec Lamouroux, 1812; Chilasa Moore, [1881]; Euploeopsis De Nicéville, [1887]; Isamiopsis Moore, 1888.*
- 5326. Cressida Swinhoe, 1832** (Papilionidae) Synonym(s): *Cressida Swinhoe, 1832.*
- 5327. Eurytides Hübner, [1821]** (Papilionidae) Synonym(s): *Eurytides Hübner, [1821]; Protesilaus Swainson, [1821]; Cosmodesmus Haase, [1891].*
- 5328. Graphium (Arisbe) Hübner, [1819]** (Papilionidae) Synonym(s): *Arisbe Hübner, [1819]; leonidas Group sensu Aurivillius, 1899 et seq.*
- 5329. Graphium (Pathysa (Paranticopsis)) Wood-Mason & De Nicéville, 1887** (Papilionidae) Synonym(s): *Paranticopsis Wood-Mason & De Nicéville, 1887*
- 5330. Graphium (Pathysa (s.str.)) Reakirt, [1865]** (Papilionidae) Synonym(s): *Pathysa Reakirt, [1865]; Deoris Moore, [1903].*
- 5331. Graphium (Pazala (s.str.)) Moore, 1888** (Papilionidae) Synonym(s): *Pazala Moore, 1888*
- 5332. Graphium (s.str. (Eurypyleana)) Niculescu, 1989** (Papilionidae) Synonym(s): *Eurypyleana Niculescu, 1989*
- 5333. Graphium (s.str. (Macfarlaneana)) Niculescu, 1989** (Papilionidae) Synonym(s): *Macfarlaneana Niculescu, 1989*
- 5334. Graphium (s.str. (Wallaceana)) Niculescu, 1989** (Papilionidae) Synonym(s): *Wallaceana Niculescu, 1989*
- 5335. Graphium (s.str. (Zetides)) Hübner, [1819]** (Papilionidae) Synonym(s): *Zetides Hübner, [1819]; Idaides Hübner, [1819]; Chlorisses Swainson, 1832; Dalchina Moore, [1881]; Klinzigia Niculescu, 1977 nec Lehrer, 1870; Klinzigiana Niculescu, 1989.*
- 5336. Graphium (s.str. (mendana-gr))** (Papilionidae) Synonym(s):
- 5337. Graphium Scopoli, 1777** (Papilionidae) Synonym(s): *Graphium Scopoli, 1777*
- 5338. Heraclides Hübner, [1819]** (Papilionidae) Synonym(s): *Heraclides Hübner, [1819]*
- 5339. Hypermnestra Ménétériés, 1848** (Papilionidae) Synonym(s): *Hypermnestra Ménétériés, 1848*
- 5340. Iphiclides Hübner, [1819]** (Papilionidae) Synonym(s): *Iphiclides Hübner, [1819]; Podalirius Swainson, [1833] nec Latreille, 1802.*
- 5341. Lamproptera Gray, 1832** (Papilionidae) Synonym(s): *Lamproptera Gray, 1832*
- 5342. Luehdorfia Crüger, 1878** (Papilionidae) Synonym(s): *Lühdorfia Crüger, 1878; #Luedorfia Lang, 1884*
- 5343. Meandrusa Moore, 1888** (Papilionidae) Synonym(s): *Meandrusa Moore, 1888 [p.284]; Dabasa Moore, 1888 [p.283].*
- 5344. Mimoides Brown, 1991** (Papilionidae) Synonym(s): *Mimoides Brown, 1991*
- 5345. Papilio (s.str. (Alexanoria)) Koçak & Kemal, 2002** (Papilionidae) Synonym(s): *Alexanoria Koçak & Kemal, 2002*
- 5346. Papilio (s.str.) Linnaeus, 1758** (Papilionidae) Synonym(s): *Papilio Linnaeus, 1758; Amaryssus Dalman, 1816; Aernauta Berge, 1842.*
- 5347. Parides Hübner, [1819]** (Papilionidae) Synonym(s): *Parides Hübner, [1819]*
- 5348. Parnassius (Driopa) Korshunov, 1988** (Papilionidae) Synonym(s): *Driopa Korshunov, 1988; Erythrodrüpa Korshunov, 1988; Adoritis Koçak, 1989; Eversmanniodriopa Korb, 2005*
- 5349. Parnassius (s.str.) Schneider, 1785** (Papilionidae) Synonym(s): *Parnassius Schn., 1785; Parnassius Latr., 1804; Doritis Fabr., 1807; Parnassius Hübner, [1819]; Therius Billb., 1820; Tadumia Moore, 1902; Kailasius Moore, 1902; Koramius Moore, 1902; Lingamius Bryk, 1935; Eukoramus Bryk, 1935; Sachaia, Quinhaicus, Krezbergius Korshunov, 1988.*
- 5350. Parnassius Schneider, 1785** (Papilionidae) Synonym(s): *Parnassius Schn., 1785; Parnassius Latr., 1804; Doritis Fabr., 1807; Parnassius Hübner, [1819]; Therius Billb., 1820; Tadumia Moore, 1902; Kailasius Moore, 1902; Koramius Moore, 1902; Lingamius Bryk, 1935; Eukoramus Bryk, 1935; Sachaia, Quinhaicus, Krezbergius Korshunov, 1988.*
- 5351. Princeps (Druryia (Iteus)) Donitz, 1899** (Papilionidae) Synonym(s): *Icarus Röber, 1898 nec Forbes, 1844; Iteus Donitz, 1899*
- 5352. Princeps (Druryia (Melindopsis)) Aurivillius, [1899]** (Papilionidae) Synonym(s): *Melindopsis Aurivillius, [1899]*
- 5353. Princeps (Druryia (nireus-gr))** (Papilionidae) Synonym(s): *Eques Kirby, 1896 nec Bloch, 1793.*
- 5354. Princeps (Druryia (s.str.)) Aurivillius, 1881** (Papilionidae) Synonym(s): *Druryia Aurivillius, 1881.*
- 5355. Princeps (Eleppone) Hancock, 1979** (Papilionidae) Synonym(s): *Eleppone Hancock, 1979*
- 5356. Princeps (Menelaides (Charus)) Moore, [1881]** (Papilionidae) Synonym(s): *Charus Moore, [1881]*
- 5357. Princeps (Menelaides (Iliades)) Hübner, [1819]** (Papilionidae) Synonym(s): *Iliades Hübner, [1819]; Panosmiopsis Wood-Mason & De Nicéville, [1887].*
- 5358. Princeps (Menelaides (Nestorides)) Hübner, [1819]** (Papilionidae) Synonym(s): *Nestorides Hübner, [1819]*
- 5359. Princeps (Menelaides (Sainia)) Moore, 1882** (Papilionidae) Synonym(s): *Sainia Moore, 1882; Araminta Moore, 1886; Mimbyasa Evans, 1912.*
- 5360. Princeps (Menelaides (Tamera)) Moore, 1888** (Papilionidae) Synonym(s): *Tamera Moore, 1888; Sadengia Moore, [1902].*
- 5361. Princeps (Menelaides) Hübner, [1819]** (Papilionidae) Synonym(s): *Menelaides Hübner, [1819]; Heterocreon Kirby, [1904].*
- 5362. Princeps (Sinoprinceps) Hancock, 1983** (Papilionidae) Synonym(s): *Sinoprinceps Hancock, 1983*
- 5363. Princeps (s.str. (Achillides)) Hübner, [1819]** (Papilionidae) Synonym(s): *Achillides Hübner, [1819]; Pangeranopsis Wood-Mason & De Nicéville, [1887].*
- 5364. Princeps (s.str.) Hübner, [1807]** (Papilionidae) Synonym(s): *Princeps Hübner, [1807]*
- 5365. Protesilaus Swainson, 1832** (Papilionidae) Synonym(s): *Protesilaus Swainson, 1832*
- 5366. Protographium Munroe, 1951** (Papilionidae) Synonym(s): *Protographium Munroe, 1951*
- 5367. Pterourus (Pyrrhosticta) Butler, 1872** (Papilionidae) Synonym(s): *Pyrrhosticta Butler, 1872*

- 5368. Pterourus Scopoli,1777** (Papilionidae) Synonym(s): *Pterourus Scopoli,1777*; *Jasoniades Hübner,[1819]*; *Euphoeades Hübner,[1819]*; *Pterurus Kirby,1903*; *Motasiona Niculescu,1979*
- 5369. Sericinus Westwood,1851** (Papilionidae) Synonym(s): *Sericinus Westwood,1851*
- 5370. Teinopalpus Hope,1843** (Papilionidae) Synonym(s): *Teinopalpus Hope,1843*; *Teinoprosopus C.Felder & R.Felder,1864*; *Teinorhinus Watson,1893*.
- 5371. Trogonoptera Rippon,[1890]** (Papilionidae) Synonym(s): *Trogonoptera Rippon,[1890]*
- 5372. Troides (Ornithoptera (Schoenbergia)) Pagenstecher,1893** (Papilionidae) Synonym(s): *Schoenbergia Pagenstecher,1893*; *Phalaenosoma Rippon,[1906]*
- 5373. Troides (Ornithoptera (s.str.)) Boisduval,[1832]** (Papilionidae) Synonym(s): *Ornithoptera Boisduval,[1832]*; *Ornithopterus Westwood,1840*; *Aetheoptera Rippon,[1890]*; *Priamoptera Rippon,[1890]*.
- 5374. Troides (Ripponia) Haugum & Low,1975** (Papilionidae) Synonym(s): *Ripponia Haugum & Low,1975*
- 5375. Troides (s.str.) Hübner,[1819]** (Papilionidae) Synonym(s): *Troides Hübner,[1819]*; *Pompeoptera Rippon,[1890]*.
- 5376. Zerynthia (Allancastris) Bryk,1934** (Papilionidae) Synonym(s): *Allancastris Bryk,1934*
- 5377. Zerynthia (s.str.) Ochsenheimer,1816** (Papilionidae) Synonym(s): *Thais Fabricius,1807 nec Röding,1798*; *Zerynthia Ochsenheimer,1816*; *Eugraphis Billberg,1820*;
- 5378. Zerynthia Ochsenheimer,1816** (Papilionidae) Synonym(s): *Thais Fabricius,1807 nec Röding,1798*; *Zerynthia Ochsenheimer,1816*; *Eugraphis Billberg,1820*;
- 5379. Abaeis Hübner,[1819]** (Pieridae) Synonym(s): *Abaeis Hübner,[1819]*; *Xanthidia Boisduval & Le Conte,[1830]*
- 5380. Anteos Hübner,[1819]** (Pieridae) Synonym(s): *Anteos Hübner,[1819]*; *Amynthia Swainson,1831*; *Klotsius Hemming,1964*
- 5381. Anthocharis Boisduval, Rambur, Duméril & Graslén,1833** (Pieridae) Synonym(s): *Anthocharis Boisduval, Rambur, Duméril & Graslén,1833*
- 5382. Aphrissa Butler,1873** (Pieridae) Synonym(s): *Aphrissa Butler,1873*
- 5383. Aporia (Metaporia (Turanoporia)) Koçak & Kemal,2001** (Pieridae) Synonym(s): *Turanoporia Koçak & Kemal,2001*
- 5384. Aporia (Metaporia) Butler,1870** (Pieridae) Synonym(s): *Metaporia Butler,1870*
- 5385. Aporia (s.str.) Hübner,[1819]** (Pieridae) Synonym(s): *Aporia Hübner,[1819]*; *Leuconea Donzel,1837*.
- 5386. Aporia Hübner,[1819]** (Pieridae) Synonym(s): *Aporia Hübner,[1819]*; *Leuconea Donzel,1837*.
- 5387. Appias (Catophaga) Hübner,[1819]** (Pieridae) Synonym(s): *Catophaga Hübner,[1819]*
- 5388. Appias (Glutophrissa) Butler,1887** (Pieridae) Synonym(s): *Glutophrissa Butler,1887*
- 5389. Appias (Lade) De Nicéville,1887** (Pieridae) Synonym(s): *Lade De Nicéville,1887*
- 5390. Appias (Phrissura) Butler,1870** (Pieridae) Synonym(s): *Phrissura Butler,1870*; *Udaiana Distant,1885*
- 5391. Appias (Tachyris) Wallace,1867** (Pieridae) Synonym(s): *Trigonia Geyer,[1837] nec Brug.,1789*; *Tachyris Wallace,1867*.
- 5392. Appias (s.str.) Hübner,[1819]** (Pieridae) Synonym(s): *Appias Hübner,[1819]*
- 5393. Appias Hübner,[1819]** (Pieridae) Synonym(s): *Appias Hübner,[1819]*; *Hiposcrita Geyer,[1837]*
- 5394. Ascia Scopoli,1777** (Pieridae) Synonym(s): *Ascia Scopoli,1777*
- 5395. Baltia Moore,1878** (Pieridae) Synonym(s): *Baltia Moore,1878*
- 5396. Belenois Hübner,[1819]** (Pieridae) Synonym(s): *Belenois Hübner,[1819]*; *Anaphaeis Hübner,[1819]*; *Pseudohuphina Stoneham,1940*; *Pseudonaphaeis Bernardi,1953*
- 5397. Calopieris Aurivillius,1898** (Pieridae) Synonym(s): *Calopieris Aurivillius,1898*
- 5398. Catasticta Butler,1870** (Pieridae) Synonym(s): *Catasticta Butler,1870*; *Archonoia Reissinger,1972*; *Hesperochoia Reissinger,1972*; *Leodontoia Reissinger,1972*; *Pierinoia Reissinger,1972*
- 5399. Catopsilia Hübner,[1819]** (Pieridae) Synonym(s): *Catopsilia Hübner,[1819]*; *Murtia Hübner,[1819]*
- 5400. Cepora Billberg,1820** (Pieridae) Synonym(s): *Acraea Hübner,[1819] nec Fabr.,1807*; *Cepora Billberg,1820*; *Huphina Moore,1881*
- 5401. Colias (Eriocolias) Watson,1895** (Pieridae) Synonym(s): *Eriocolias Watson,1895*
- 5402. Colias (Eucolias) Berger,1986** (Pieridae) Synonym(s): *Eucolias Berger,1986*
- 5403. Colias (Neocolias) Berger,1986** (Pieridae) Synonym(s): *Neocolias Berger,1986*
- 5404. Colias (Palaeocolias) Berger,1986** (Pieridae) Synonym(s): *Palaeocolias Berger,1986*
- 5405. Colias (Paracolias) Berger,1986** (Pieridae) Synonym(s): *Paracolias Berger,1986*
- 5406. Colias (Scalidoneura) Butler,1871** (Pieridae) Synonym(s): *Scalidoneura Butler,1871*
- 5407. Colias (Similicolias) Berger,1986** (Pieridae) Synonym(s): *Similicolias Berger,1986*
- 5408. Colias (s.str.) Fabricius,1807** (Pieridae) Synonym(s): *Colias Fabricius,1807*; *Eurymus Horsfield,1829*; *Coliastes Hemming,1931*; *Protocolias Petersen,1963*; *Mesocolias Petersen,1963*
- 5409. Colias Fabricius,1807** (Pieridae) Synonym(s): *Colias Fabricius,1807*; *Eurymus Horsfield,1829*; *Coliastes Hemming,1931*; *Protocolias Petersen,1963*; *Mesocolias Petersen,1963*
- 5410. Colotis (Cuneacolis) Henning et al.,1997** (Pieridae) Synonym(s): *Cuneacolis Henning et al.,1997*
- 5411. Colotis (Teracolis) Swainson,[1833]** (Pieridae) Synonym(s): *Teracolis Swainson,[1833]*
- 5412. Colotis Hübner,[1819]** (Pieridae) Synonym(s): *Colotis Hübner,[1819]*; *Aphrodite Hübner,[1819]*; *Idmais Boisduval,1836*; *Callosune Doubleday,1847*; *Anthopsyche Wallengren,1857*; *Ptychopteryx Wallengren,1857*; *Thespia Wallengren,1858*; *Calicharis Oberthür,1876*; *Madais Swinhoe,1909*.
- 5413. Delias Hübner,[1819]** (Pieridae) Synonym(s): *Delias Hübner,[1819]*
- 5414. Dercas Doubleday,1847** (Pieridae) Synonym(s): *Dercas Doubleday,1847*
- 5415. Dismorphia Hübner,[1816]** (Pieridae) Synonym(s): *Dismorphia Hübner,[1816]*; *Acaptera Billberg,1820*; *Leptalis Dalman,1823*; *Hemeriocharis Boisduval,1836*
- 5416. Dixeia Talbot,1932** (Pieridae) Synonym(s): *Dixeia Talbot,1932*
- 5417. Elodina C.Felder & R.Felder,1865** (Pieridae) Synonym(s): *Elodina C.Felder & R.Felder,1865*; *Parelodina Fruhstorfer,1910 nec Bet.-Bak.,1904*; *Elodines thes Fruhstorfer,1914*; *Metelodina Seitz,1927*
- 5418. Enantia Hübner,[1819]** (Pieridae) Synonym(s): *Enantia Hübner,[1819]*; *Licina Swainson,1820*
- 5419. Eronia Hübner,[1823]** (Pieridae) Synonym(s): *Eronia Hübner,[1823]*
- 5420. Euchloe (Elphinstonia) Klotz,1930** (Pieridae) Synonym(s): *Elphinstonia Klotz,1930*
- 5421. Euchloe (s.str.) Hübner,[1819]** (Pieridae) Synonym(s): *Euchloe Hübner,[1819]*; *Phyllocharis Schatz,[1886] nec Dalman,1824*
- 5422. Euchloe Hübner,[1819]** (Pieridae) Synonym(s): *Euchloe Hübner,[1819]*; *Phyllocharis Schatz,[1886] nec Dalman,1824*
- 5423. Eurema (Terias) Swainson,[1821]** (Pieridae) Synonym(s): *Terias Swainson,[1821]*
- 5424. Eurema (s.str.) Hübner,[1819]** (Pieridae) Synonym(s): *Eurema Hübner,[1819]*; *Maiva Grose-Smith & Kirby,1893*.
- 5425. Eurema Hübner,[1819]** (Pieridae) Synonym(s): *Eurema Hübner,[1819]*; *Maiva Grose-Smith & Kirby,1893*.
- 5426. Gandaca Moore,[1906]** (Pieridae) Synonym(s): *Gandaca Moore,[1906]*
- 5427. Gideona Klotz,1933** (Pieridae) Synonym(s): *Gideona Klotz,1933*
- 5428. Gonepteryx (Isogonepteryx) Nekrutenko,1968** (Pieridae) Synonym(s): *Isogonepteryx Nekrutenko,1968*
- 5429. Gonepteryx [Leach],[1815]** (Pieridae) Synonym(s): *Gonepteryx [Leach],[1815]*; *Rhodocera Boisduval & Leconte,[1830]*; *Earina Speyer,1839*; *Eugonepteryx Nekrutenko,1968*.
- 5430. Hebomoia Hübner,[1819]** (Pieridae) Synonym(s): *Hebomoia Hübner,[1819]*; *Iphia Boisduval,1836*
- 5431. Ixias Hübner,[1819]** (Pieridae) Synonym(s): *Ixias Hübner,[1819]*; *Thestias Boisduval,1847*
- 5432. Leptidea Billberg,1820** (Pieridae) Synonym(s): *Leptidea Billberg,1820*; *Leucophasia Stephens,1827*
- 5433. Leptosia Hübner,[1818]** (Pieridae) Synonym(s): *Leptosia Hübner,[1818]*; *Nina Horsfield,1829*; *Nychitona Butler,1870*.

- 5434. Leuciactria Rothschild & Jordan, 1905** (Pieridae) Synonym(s): *Leuciactria Rothschild & Jordan, 1905*
- 5435. Lieinix Gray, 1832** (Pieridae) Synonym(s): *Lieinix Gray, 1832; Acmepteron Godman & Salvin, 1889*
- 5436. Mesapia Gray, 1856** (Pieridae) Synonym(s): *Mesapia Gray, 1856*
- 5437. Microzegris Alpheraky, 1913** (Pieridae) Synonym(s): *Microzegris Alpheraky, 1913*
- 5438. Moschoneura Butler, 1870** (Pieridae) Synonym(s): *Moschoneura Butler, 1870*
- 5439. Mylothris Hübner, [1819]** (Pieridae) Synonym(s): *Mylothris Hübner, [1819]; Pseudomylothris Neustetter, 1929.*
- 5440. Nephronia Butler, 1870** (Pieridae) Synonym(s): *Nephronia Butler, 1870; Leuceronia Aurivillius, 1895; Lepteronia Stoneham, 1957.*
- 5441. Paramidea Kuznetsov, 1929** (Pieridae) Synonym(s): *Paramidea Kuznetsov, 1929*
- 5442. Pareronia Bingham, 1907** (Pieridae) Synonym(s): *Valeria Horsfield, [1829] nec Sph., [1829]; Pareronia Bingham, 1907*
- 5443. Patia Klots, 1933** (Pieridae) Synonym(s): *Patia Klots, 1933*
- 5444. Phoebis Hübner, [1819]** (Pieridae) Synonym(s): *Phoebis Hübner, [1819]; Colias Hübner, [1819] nec Fabr., 1807; Callidryas Boisduval & Le conte, [1830]; Metura Butler, 1873 nec Wlk., 1855; Parura W.F. Kirby, 1896*
- 5445. Piercolias Grote, 1903** (Pieridae) Synonym(s): *Trifurcula Staudinger, 1894 nec Stt., 1846 non Zell., 1848; Piercolias Grote, 1903*
- 5446. Pieris (Artogeia) Verity, 1947** (Pieridae) Synonym(s): *Artogeia Verity, 1947*
- 5447. Pieris (s.str.) Schrank, 1801** (Pieridae) Synonym(s): *Pieris Schrank, 1801; Ganoris Dalman, 1816; Andropodum Hübner, 1822*
- 5448. Pieris Schrank, 1801** (Pieridae) Synonym(s): *Pieris Schrank, 1801; Ganoris Dalman, 1816; Andropodum Hübner, 1822*
- 5449. Pinacopteryx Wallengren, 1867** (Pieridae) Synonym(s): *Pinacopteryx Wallengren, 1867; Herpaenia Butler, 1870*
- 5450. Pontia Fabricius, 1807** (Pieridae) Synonym(s): *Pontia Fabricius, 1807; Synchloe Hübner, 1818; Mancipium Stephens, 1827; Parapieris Nicéville, 1897; Leucochloe Röber, 1907; Pontieuchloia Verity, 1929.*
- 5451. Prestonia Schaus, 1920** (Pieridae) Synonym(s): *Prestonia Schaus, 1920*
- 5452. Prioneris Wallace, 1867** (Pieridae) Synonym(s): *Prioneris Wallace, 1867*
- 5453. Pseudopieris Godman & Salvin, 1889** (Pieridae) Synonym(s): *Pseudopieris Godman & Salvin, 1889*
- 5454. Pseudopontia Plötz, 1870** (Pieridae) Synonym(s): *Pseudopontia Plötz, 1870 [Sept.]; Globiceps C.Felder & R.Felder, 1869 nec Le Peletier & Serville, 1825; Gonophlebia C.Felder & R.Felder, 1870 [June] (see Hemming, 1967: 385).*
- 5455. Pyrisitia Butler, 1870** (Pieridae) Synonym(s): *Pyrisitia Butler, 1870*
- 5456. Rhabdodryas Godman & Salvin, 1889** (Pieridae) Synonym(s): *Rhabdodryas Godman & Salvin, 1889*
- 5457. Saletara Distant, 1885** (Pieridae) Synonym(s): *Saletara Distant, 1885*
- 5458. Zegris Boisduval, 1836** (Pieridae) Synonym(s): *Zegris Boisduval, 1836; Zegris Rambur, [1837].*
- 5459. Zerene Hübner, [1819]** (Pieridae) Synonym(s): *Zerene Hübner, [1819]; Meganostoma Reakirt, 1863; #Meganostoma Butler & Druce, 1874*
- 5460. Prodidactis Meyrick, 1921** (Prodidactidae) Synonym(s): *Prodidactis Meyrick, 1921*
- 5461. Lampronia Stephens, 1829** (Prodoxidae) Synonym(s): *Lampronia Stephens, 1829*
- 5462. Vespina Davis, 1972** (Prodoxidae) Synonym(s): *Vespina Davis, 1972*
- 5463. Prototheora Meyrick, 1917** (Prototheoridae) Synonym(s): *Prototheora Meyrick, 1917; Metaheora Meyrick, 1919*
- 5464. Acanthoecia De Joannis, 1929** (Psychidae) Synonym(s): *Acanthoecia De Joannis, 1929*
- 5465. Acanthopsyche Heylaerts, 1881** (Psychidae) Synonym(s): *Acanthopsyche Heylaerts, 1881*
- 5466. Acentra Burrows, 1932** (Psychidae) Synonym(s): *Acentra Burrows, 1932*
- 5467. Amatissa Walker, 1862** (Psychidae) Synonym(s): *Amatissa Walker, 1862*
- 5468. Amicta Heylaerts, 1881** (Psychidae) Synonym(s): *Amicta Heylaerts, 1881*
- 5469. Apterona Millièr, 1857** (Psychidae) Synonym(s): *Apterona Millièr, 1857; Cochliothea Rambur, 1866; Cochlophanes Staudinger, 1871; Cochlophora Siebold, 1871.*
- 5470. Auchmophila Rebel, 1907** (Psychidae) Synonym(s): *Auchmophila Rebel, 1907*
- 5471. Bacotia Tutt, 1899** (Psychidae) Synonym(s): *Bacotia Tutt, 1899*
- 5472. Bambalina Moore, 1883** (Psychidae) Synonym(s): *Bambalina Moore, 1883*
- 5473. Bankesia Tutt, 1899** (Psychidae) Synonym(s): *Bankesia Tutt, 1899*
- 5474. Bijugis Heylaerts, 1881** (Psychidae) Synonym(s): *Bijugis Heylaerts, 1881*
- 5475. Brachycyttarus Hampson, 1893** (Psychidae) Synonym(s): *Brachycyttarus Hampson, 1893*
- 5476. Brevantennia Sieder, 1953** (Psychidae) Synonym(s): *Brevantennia Sieder, 1953*
- 5477. Bruandia Tutt, 1900** (Psychidae) Synonym(s): *Bruandia Tutt, 1900; Anaprouitia Lewin, 1949*
- 5478. Canephora Hübner, 1822** (Psychidae) Synonym(s): *Canephora Hübner, 1822; Pachytelia Westwood, 1848; Lepidopsyche Newman, 1850; Oiketicoides Heylaerts, 1881; Oiceticoides Kirby, 1882; Eurukuttarus Hampson, 1891; #Amictoides Gerasimov, 1937; Amictoides Bourgogne, 1949 nec Bezzi, 1909; Paramictoides Koçak, 1980.*
- 5479. Chalioides Swinhoe, 1892** (Psychidae) Synonym(s): *Chalioides Swinhoe, 1892*
- 5480. Clania Walker, 1855** (Psychidae) Synonym(s): *Clania Walker, 1855*
- 5481. Cremastopsyche De Joannis, 1929** (Psychidae) Synonym(s): *Cremastopsyche De Joannis, 1929; #Crematopsyche De Joannis, 1929*
- 5482. Cryptothelea Duncan & Westwood, 1841** (Psychidae) Synonym(s): *Cryptothelea Duncan & Westwood, 1841; Plateoeticus Packard, 1869; Landsdownia Heylaerts, 1881*
- 5483. Dahlica Enderlein, 1912** (Psychidae) Synonym(s): *Dahlica Enderlein, 1912*
- 5484. Dappula Moore, 1883** (Psychidae) Synonym(s): *Dappula Moore, 1883*
- 5485. Dasaratha Moore, 1888** (Psychidae) Synonym(s): *Dasaratha Moore, 1888*
- 5486. Degia Walker, 1862** (Psychidae) Synonym(s): *Degia Walker, 1862*
- 5487. Diplodoma Zeller, 1852** (Psychidae) Synonym(s): *Diplodoma Zeller, 1852*
- 5488. Dissoctena Staudinger, 1859** (Psychidae) Synonym(s): *Dissoctena Staudinger, 1859*
- 5489. Dissoctenioides Rebel, 1934** (Psychidae) Synonym(s): *Dissoctenioides Rebel, 1934*
- 5490. Eochorica Rebel, 1940** (Psychidae) Synonym(s): *Eochorica Rebel, 1940*
- 5491. Eosolenobia Filipjev, 1924** (Psychidae) Synonym(s): *Eosolenobia Filipjev, 1924*
- 5492. Eotaleporia Sauter, 1986** (Psychidae) Synonym(s): *Eotaleporia Sauter, 1986*
- 5493. Epichnopterix Hübner, [1825]** (Psychidae) Synonym(s): *Epichnopterix Hübner, [1825]*
- 5494. Eudissoctena Rebel, 1934** (Psychidae) Synonym(s): *Eudissoctena Rebel, 1934*
- 5495. Eumasia Chrétien, 1904** (Psychidae) Synonym(s): *Eumasia Chrétien, 1904; Kruegeria Müller-Rutz, 1920.*
- 5496. Eumelasina Kozhantschikov, 1956** (Psychidae) Synonym(s): *Eumelasina Kozhantschikov, 1956; Melapsyche Kozhantschikov, 1956.*
- 5497. Eumeta Walker, 1855** (Psychidae) Synonym(s): *Eumeta Walker, 1855*
- 5498. Eurukuttarus Hampson, 1891** (Psychidae) Synonym(s): *Eurukuttarus Hampson, 1891; Eurycyttarus Hampson, [1893]*
- 5499. Heliopsychea Pinker, 1956** (Psychidae) Synonym(s): *Heliopsychea Pinker, 1956*
- 5500. Kalliesia Sobczyk, 2004** (Psychidae) Synonym(s): *Kalliesia Sobczyk, 2004*
- 5501. Kophene Moore, 1879** (Psychidae) Synonym(s): *Kophene Moore, 1879; #Kophana Pagenstecher, 1909*
- 5502. Kotochalia Sonan, 1935** (Psychidae) Synonym(s): *Kotochalia Sonan, 1935*
- 5503. Lepidosciptera Dalla Torre, 1913** (Psychidae) Synonym(s): *Leptopterix Hübner, [1825]; Scioptera Rambur, 1866; Lepidosciptera Dalla Torre, 1913; Parascioptera Hartig, 1936.*

- 5504.** *Loebelia* **Pinker, 1956** (Psychidae) Synonym(s): *Loebelia* *Pinker, 1956*
- 5505.** *Luffia* **Tutt, 1899** (Psychidae) Synonym(s): *Luffia* *Tutt, 1899*
- 5506.** *Mahasena* **Moore, 1877** (Psychidae) Synonym(s): *Mahasena* *Moore, 1877*
- 5507.** *Masonia* **Tutt, 1900** (Psychidae) Synonym(s): *Masonia* *Tutt, 1900*
- 5508.** *Megalophanes* **Heylaerts, 1881** (Psychidae) Synonym(s): *Megalophanes* *Heylaerts, 1881*
- 5509.** *Mekla* **Swinhoe, 1892** (Psychidae) Synonym(s): *Mekla* *Swinhoe, 1892*
- 5510.** *Melasina* **Boisduval, 1840** (Psychidae) Synonym(s): *Melasina* *Boisduval, 1840*
- 5511.** *Metisa* **Walker, 1855** (Psychidae) Synonym(s): *Metisa* *Walker, 1855*; *Dasaratha* *Moore, 1888*; *#Dasaretha* *Pagenstecher, 1909*; *Semimanatha* *Janse, 1919*
- 5512.** *Montanima* **Sieder, 1949** (Psychidae) Synonym(s): *Montanima* *Sieder, 1949*
- 5513.** *Muhabbetina* **Koçak, 2006** (Psychidae) Synonym(s): *Muhabbetina* *Koçak, 2006*; *Psomocolax* *Das, 1956* nec *Peters, 1929*
- 5514.** *Narycia* **Stephens, 1836** (Psychidae) Synonym(s): *Narycia* *Stephens, 1836*
- 5515.** *Neocoloneura* **Özdikmen, 2007** (Psychidae) Synonym(s): *Coloneura* *Davis, 1964* nec *Förster, 1862*; *Neocoloneura* *Özdikmen, 2007*
- 5516.** *Oiketicus* **Landsdown, 1827** (Psychidae) Synonym(s): *Oiketicus* *Landsdown, 1827*; *Dappula* *Moore, 1883*
- 5517.** *Oreopsyche* **Speyer, 1865** (Psychidae) Synonym(s): *Oreopsyche* *Speyer, 1865*; *Standfussia* *Tutt, 1900*
- 5518.** *Pagodiella* **Betrem, 1952** (Psychidae) Synonym(s): *Pagodia* *Heylaerts, 1909* (praeocc.); *Pagodiella* *Betrem, 1952*
- 5519.** *Paranarychia* **Saigusa, 1961** (Psychidae) Synonym(s): *Paranarychia* *Saigusa, 1961*
- 5520.** *Peloponnesia* **Sieder, 1959** (Psychidae) Synonym(s): *Peloponnesia* *Sieder, 1959*; *Hellenia* *Sieder, 1961*
- 5521.** *Penestoglossa* **Rogenhofer, 1875** (Psychidae) Synonym(s): *Psilothrix* *Wocke, 1871* nec *Küster, 1850*; *Penestoglossa* *Rogenhofer, 1875*; *Dyselpistis* *Meyrick, 1938*
- 5522.** *Phalacropterix* **Hübner, [1825]** (Psychidae) Synonym(s): *Phalacropterix* *Hübner, [1825]*; *Phalacropterix* *Agassiz, 1847*; *Arctus* *Rambur, 1866* nec *haan, 1849*; *Stenophanes* *Heylaerts, 1881*
- 5523.** *Placodoma* **Chrétien, 1915** (Psychidae) Synonym(s): *Placodoma* *Chrétien, 1915*; *Pseudodiplodoma* *Kozhantschikov, 1956*
- 5524.** *Postsolenobia* **Meier, 1958** (Psychidae) Synonym(s): *Postsolenobia* *Meier, 1958*
- 5525.** *Praesolenobia* **Sieder, 1954** (Psychidae) Synonym(s): *Praesolenobia* *Sieder, 1954*
- 5526.** *Proutia* **Tutt, 1899** (Psychidae) Synonym(s): *Proutia* *Tutt, 1899*
- 5527.** *Pseudobankesia* **Meier, 1963** (Psychidae) Synonym(s): *Pseudobankesia* *Meier, 1963*
- 5528.** *Pseudofumea* **Rebel, 1934** (Psychidae) Synonym(s): *Pseudofumea* *Rebel, 1934*
- 5529.** *Psyche* **Schrank, 1802** (Psychidae) Synonym(s): *Psyche* *Schrank, 1802*; *Fumaria* *Haworth, 1811*; *Fumea* *Haworth, 1812*; *Saccofera* *Sodoffsky, 1837*; *Saccofora* *Sodoffsky, 1837*; *Saccophora* *Agassiz, 1847* nec *Brandt, 1837*; *Masonia* *Tutt, 1900*; *#Massonia* *Siedler, 1975*
- 5530.** *Psychidea* **Rambur, 1866** (Psychidae) Synonym(s): *Psychidea* *Rambur, 1866*
- 5531.** *Psychidopsis* **Kozhantschikov, 1956** (Psychidae) Synonym(s): *Psychidopsis* *Kozhantschikov, 1956*
- 5532.** *Pteroma* **Hampson, 1893** (Psychidae) Synonym(s): *Pteroma* *Hampson, 1893*; *Cremastopsyche* *De Joannis, 1929*
- 5533.** *Ptilamicta* **Kozhantschikov, 1956** (Psychidae) Synonym(s): *Ptilamicta* *Kozhantschikov, 1956*
- 5534.** *Ptilocephala* **(Bourgognia) Agenjo, 1954** (Psychidae) Synonym(s): *Bourgognia* *Agenjo, 1954*
- 5535.** *Ptilocephala* **(Deuterohyalina) Dalla Torre, 1920** (Psychidae) Synonym(s): *Deuterohyalina* *Dalla Torre, 1920*
- 5536.** *Ptilocephala* **(gr.4)** (Psychidae) Synonym(s):
- 5537.** *Ptilocephala* **(s.str.) Rambur, 1866** (Psychidae) Synonym(s): *Ptilocephala* *Rambur, 1866*; *Pyropsyche* *Chapman, 1903*
- 5538.** *Ptilocephala* **Rambur, 1866** (Psychidae) Synonym(s): *Ptilocephala* *Rambur, 1866*; *Pyropsyche* *Chapman, 1903*
- 5539.** *Pygmaeotinea* **Amsel, 1957** (Psychidae) Synonym(s): *Pygmaeotinea* *Amsel, 1957*
- 5540.** *Rebelia* **Heylaerts, 1900** (Psychidae) Synonym(s): *Rebelia* *Heylaerts, 1900*; *Leucanacantha* *Kozhantschikov, 1956*; *Micropsychia* *Gomez-Bustillo, 1979* nec *Agassiz, 1847*; *Micropsychnia* *Gomez-Bustillo, 1979*
- 5541.** *Reisseronia* **Siedler, 1956** (Psychidae) Synonym(s): *Reisseronia* *Siedler, 1956*
- 5542.** *Sciopetris* **Meyrick, 1891** (Psychidae) Synonym(s): *Sciopetris* *Meyrick, 1891*
- 5543.** *Siederia* **Meier, 1957** (Psychidae) Synonym(s): *Siederia* *Meier, 1957*
- 5544.** *Solemasia* **Zagulyaev, 1995** (Psychidae) Synonym(s): *Solemasia* *Zagulyaev, 1995*
- 5545.** *Sterrhopterix* **Hübner, [1825]** (Psychidae) Synonym(s): *Sterrhopterix* *Hübner, [1825]*; *Sterrhopteryx* *Agassiz, 1847*; *Gymna* *Rambur, 1866*; *Trichopsyche* *Wallengren, 1869*; *Empedopsyche* *Standfuss, 1879*
- 5546.** *Stichobasis* **Kirby, 1892** (Psychidae) Synonym(s): *Stichobasis* *Kirby, 1892*
- 5547.** *Taleporia* **Hübner, [1825]** (Psychidae) Synonym(s): *Taleporia* *Hübner, [1825]*; *Cochleophasia* *Curtis, 1834*; *Solenobia* *Duponchel, [1843]*; *Cochliophasia* *Agassiz, 1847*; *Talaeporia* *Agassiz, 1847*
- 5548.** *Urobarba* **Dierl, 1969** (Psychidae) Synonym(s): *Urobarba* *Dierl, 1969*
- 5549.** *Whittleia* **Tutt, 1900** (Psychidae) Synonym(s): *Whittleia* *Tutt, 1900*
- 5550.** *Anathyrza* **Meyrick, 1920** (Pterolonchidae) Synonym(s): *Anathyrza* *Meyrick, 1920*
- 5551.** *Kruegerius* **Vives Moreno, 1999** (Pterolonchidae) Synonym(s): *Kruegerius* *Vives Moreno, 1999*
- 5552.** *Pterolonche* **(Agenjius) Vives Moreno, 1986** (Pterolonchidae) Synonym(s): *Agenjius* *Vives Moreno, 1986*
- 5553.** *Pterolonche* **(Gomezustillus) Vives Moreno, 1986** (Pterolonchidae) Synonym(s): *Gomezustillus* *Vives Moreno, 1986*
- 5554.** *Pterolonche* **(s.str.) Zeller, 1847** (Pterolonchidae) Synonym(s): *Pterolonche* *Zeller, 1847*
- 5555.** *Pterolonche* **Zeller, 1847** (Pterolonchidae) Synonym(s): *Pterolonche* *Zeller, 1847*
- 5556.** *Adaina* **Tutt, 1905** (Pterophoridae) Synonym(s): *Adaina* *Tutt, 1905*
- 5557.** *Agdistis* **(Adenistis) Koçak & Kemal, 2004** (Pterophoridae) Synonym(s): *Adenistis* *Koçak & Kemal, 2004*
- 5558.** *Agdistis* **(Frankistis) Koçak & Kemal, 2003** (Pterophoridae) Synonym(s): *Ernestia* *Tutt, 1906* nec *Robineau-Desvoidy, 1830*; *Frankistis* *Koçak & Kemal, 2003*
- 5559.** *Agdistis* **(Meridistis) Koçak & Kemal, 2007** (Pterophoridae) Synonym(s): *Meridistis* *Koçak & Kemal, 2007*
- 5560.** *Agdistis* **(Pardistis) Koçak & Kemal, 2007** (Pterophoridae) Synonym(s): *Pardistis* *Koçak & Kemal, 2007*
- 5561.** *Agdistis* **(Tamaristis) Koçak & Kemal, 2003** (Pterophoridae) Synonym(s): *Herbertia* *Tutt, 1906* nec *Howard, 1894*; *Tamaristis* *Koçak & Kemal, 2003*
- 5562.** *Agdistis* **(s.str.) Hübner, [1825]** (Pterophoridae) Synonym(s): *Agdistis* *Hübner, [1825]*; *Adactylus* *Curtis, 1833*; *Adactyla* *Zeller, 1841*; *Ernestia* *Tutt, 1906* nec *Robineau-Desvoidy, 1830*; *Herbertia* *Tutt, 1906* nec *Howard, 1894*
- 5563.** *Agdistis* **Hübner, [1825]** (Pterophoridae) Synonym(s): *Agdistis* *Hübner, [1825]*; *Adactylus* *Curtis, 1833*; *Adactyla* *Zeller, 1841*
- 5564.** *Amblyptilia* **Hübner, [1825]** (Pterophoridae) Synonym(s): *Amblyptilia* *Hübner, [1825]*; *Amblyptilus* *Wallengren, 1862*
- 5565.** *Buckleria* **Tutt, 1905** (Pterophoridae) Synonym(s): *Buckleria* *Tutt, 1905*
- 5566.** *Buszkoiana* **Koçak, 1981** (Pterophoridae) Synonym(s): *Richardia* *Buszko, 1978* nec *Robineau-Desvoidy, 1830*; *Buszkoiana* *Koçak, 1981*; *#Buzkoiana* *Gielis, 1996*
- 5567.** *Calyciphora* **Kasy, 1960** (Pterophoridae) Synonym(s): *Calyciphora* *Kasy, 1960*
- 5568.** *Capperia* **Tutt, 1905** (Pterophoridae) Synonym(s): *Capperia* *Tutt, 1905*; *Anacapperia* *Bigot & Picard, 1886*
- 5569.** *Cnaemidophorus* **Wallengren, 1859** (Pterophoridae) Synonym(s): *Cnaemidophorus* *Wallengren, 1859*
- 5570.** *Cosmoclostis* **Meyrick, 1886** (Pterophoridae) Synonym(s): *Cosmoclostis* *Meyrick, 1886*
- 5571.** *Crombrugghia* **Tutt, 1906** (Pterophoridae) Synonym(s): *Crombrugghia* *Tutt, 1906*
- 5572.** *Deuterocopus* **Zeller, 1852** (Pterophoridae) Synonym(s): *Deuterocopus* *Zeller, 1852*; *#Deuterocopus* *Hofmann, 1898*
- 5573.** *Diacrotricha* **Zeller, 1852** (Pterophoridae) Synonym(s): *Diacrotricha* *Zeller, 1852*

- 5574. Emmelina Tutt, 1905** (Pterophoridae) Synonym(s): *Emmelina* Tutt, 1905
- 5575. Exelastis Meyrick, 1907** (Pterophoridae) Synonym(s): *Exelastis* Meyrick, 1907
- 5576. Fuscoptilia Arenberger, 1991** (Pterophoridae) Synonym(s): *Fuscoptilia* Arenberger, 1991; *Snellenia* Ustjuzhanin, 1996 [praeocc.] (cf. Seven, 1996, *Priamus* 7(4): 171-172; Qin & Zheng, 2003).
- 5577. Geina Tutt, 1907** (Pterophoridae) Synonym(s): *Geina* Tutt, 1907
- 5578. Gypsochares Meyrick, 1890** (Pterophoridae) Synonym(s): *Gypsochares* Meyrick, 1890; *Sibiretta* Ustjuzhanin, 1996.
- 5579. Hellinsia Tutt, 1905** (Pterophoridae) Synonym(s): *Hellinsia* Tutt, 1905; *Leioptilus* Wallengren, 1862 nec Gray, 1860; *Lioptilus* Zeller, 1867 nec Cabanis, 1850.
- 5580. Hepalastis Gibeaux, 1994** (Pterophoridae) Synonym(s): *Hepalastis* Gibeaux, 1994
- 5581. Intercapperia Arenberger, 1988** (Pterophoridae) Synonym(s): *Intercapperia* Arenberger, 1988
- 5582. Lantanophaga Zimmermann, 1958** (Pterophoridae) Synonym(s): *Lantanophaga* Zimmermann, 1958
- 5583. Macroctenactis Meyrick, 1912** (Pterophoridae) Synonym(s): *Macroctenactis* Meyrick, 1912
- 5584. Marasmarcha Meyrick, 1886** (Pterophoridae) Synonym(s): *Marasmarcha* Meyrick, 1886
- 5585. Megalorhipida Amsel, 1935** (Pterophoridae) Synonym(s): *Megalorhipida* Amsel, 1935
- 5586. Merrifieldia Tutt, 1905** (Pterophoridae) Synonym(s): *Merrifieldia* Tutt, 1905
- 5587. Ochytica Walsingham, 1891** (Pterophoridae) Synonym(s): *Ochytica* Walsingham, 1891; *Steganodactyla* Walsingham, 1891
- 5588. Oidaematophorus Wallengren, 1862** (Pterophoridae) Synonym(s): *Oidaematophorus* Wallengren, 1862; *Oedematophorus* Zeller, 1867; *Ovendenia* Tutt, 1905; *Euleioptilus* Bigot & Picard, 1996; *Oidaemalus* Bigot & Picard, 1996.
- 5589. Oidematophorus Wallengren, 1859** (Pterophoridae) Synonym(s): *Oidematophorus* Wallengren, 1859
- 5590. Oxyptilus Zeller, 1841** (Pterophoridae) Synonym(s): *Oxyptilus* Zeller, 1841
- 5591. Paracapperia Bigot & Picard, 1986** (Pterophoridae) Synonym(s): *Paracapperia* Bigot & Picard, 1986
- 5592. Paraplatyptilia Bigot & Picard, 1986** (Pterophoridae) Synonym(s): *Mariana* Tutt, 1907 nec Locard, 1889; *Paraplatyptilia* Bigot & Picard, 1986.
- 5593. Platyptilia Hübner, [1825]** (Pterophoridae) Synonym(s): *Platyptilia* Hübner, [1825]; *Platyptilus* Zeller, 1841; *Gillmeria* Tutt, 1905; *Fredericina* Tutt, 1905.
- 5594. Porritia Tutt, 1905** (Pterophoridae) Synonym(s): *Porritia* Tutt, 1905
- 5595. Procapperia Adamczewski, 1951** (Pterophoridae) Synonym(s): *Procapperia* Adamczewski, 1951
- 5596. Pselnophorus Wallengren, 1881** (Pterophoridae) Synonym(s): *Pselnophorus* Wallengren, 1881; *Crasimetis* Meyrick, 1890.
- 5597. Pseudoxyroptila Hori, 1933** (Pterophoridae) Synonym(s): *Pseudoxyroptila* Hori, 1933
- 5598. Pterophorus Schäffer, 1766** (Pterophoridae) Synonym(s): *Pterophorus* Schäffer, 1766; *Pterophora* Hübner, 1822; *Acipitilia* Hübner, [1825]; *Acipitilus* Zeller, 1841; *Acopitilia* Agassiz, 1847.
- 5599. Puerphorus Arenberger, 1990** (Pterophoridae) Synonym(s): *Puerphorus* Arenberger, 1990
- 5600. Sphenarches Meyrick, 1886** (Pterophoridae) Synonym(s): *Sphenarches* Meyrick, 1886
- 5601. Stangeia Tutt, 1906** (Pterophoridae) Synonym(s): *Stangeia* Tutt, 1906
- 5602. Stenodacma Amsel, 1959** (Pterophoridae) Synonym(s): *Stenodacma* Amsel, 1959
- 5603. Stenoptilia Hübner, [1825]** (Pterophoridae) Synonym(s): *Stenoptilia* Hübner, [1825]; *Mimaeseoptilus* Wallengren, 1862; *Mimeseoptilus* Zeller, 1867; *Doxosteres* Meyrick, 1886; *Adkinia* Tutt, 1905.
- 5604. Stenoptilodes Zimmermann, 1958** (Pterophoridae) Synonym(s): *Stenoptilodes* Zimmermann, 1958
- 5605. Tabulaephorus Arenberger, 1993** (Pterophoridae) Synonym(s): *Tabulaephorus* Arenberger, 1993
- 5606. Tetraschalis Meyrick, 1887** (Pterophoridae) Synonym(s): *Tetraschalis* Meyrick, 1887; *Xenopterophora* Hori, 1933.
- 5607. Titanoptilus Hampson, 1905** (Pterophoridae) Synonym(s): *Titanoptilus* Hampson, 1905
- 5608. Trichoptilus Walsingham, 1880** (Pterophoridae) Synonym(s): *Trichoptilus* Walsingham, 1880
- 5609. Wheeleria Tutt, 1905** (Pterophoridae) Synonym(s): *Wheeleria* Tutt, 1905
- 5610. Abachausia Balinsky, 1994** (Pterophoridae) Synonym(s): *Abachausia* Balinsky, 1994
- 5611. Abareia Whalley, 1970** (Pterophoridae) Synonym(s): *Abareia* Whalley, 1970
- 5612. Aboetheta Turner, 1914** (Pterophoridae) Synonym(s): *Aboetheta* Turner, 1914
- 5613. Acara Walker, 1863** (Pterophoridae) Synonym(s): *Acara* Walker, 1863
- 5614. Acentria Stephens, 1829** (Pterophoridae) Synonym(s): *Acentria* Stephens, 1829
- 5615. Achroia Hübner, [1819]** (Pterophoridae) Synonym(s): *Achroia* Hübner, [1819]; *Meliphora* Guenée, 1845; *Achroea* Agassiz, 1847; *Vobrix* Walker, 1864.
- 5616. Achyra Guenée, 1849** (Pterophoridae) Synonym(s): *Achyra* Guenée, 1849; *Dosara* Walker, 1859; *Eurycreon* Lederer, 1863; *Tritaea* Meyrick, 1884.
- 5617. Acicys Turner, 1911** (Pterophoridae) Synonym(s): *Acicys* Turner, 1911
- 5618. Acigona Hübner, [1825]** (Pterophoridae) Synonym(s): *Acigona* Hübner, [1825]; *Eoreuma* Ely, 1910; *Coniesta* Hampson, 1919; *Chiloides* Amsel, 1949.
- 5619. Acrobasis Zeller, 1839** (Pterophoridae) Synonym(s): *Acrobasis* Zeller, 1839; *Mineola* Hulst, 1890; *Seneca* Hulst, 1890; *Numonia* Ragonot, 1893; *Acrocaula* Hulst, 1900; *Catacrobasis* Gozmany, 1958.
- 5620. Acrobasopsis Amsel, 1958** (Pterophoridae) Synonym(s): *Acrobasopsis* Amsel, 1958
- 5621. Acropentias Meyrick, 1890** (Pterophoridae) Synonym(s): *Acropentias* Meyrick, 1890
- 5622. Actenia Guenée, 1854** (Pterophoridae) Synonym(s): *Actenia* Guenée, 1854; *Libora* Ragonot, 1891
- 5623. Acteniopsis Amsel, 1959** (Pterophoridae) Synonym(s): *Acteniopsis* Amsel, 1959
- 5624. Addyme Walker, 1863** (Pterophoridae) Synonym(s): *Addyme* Walker, 1863; *Coleothrix* Ragonot, 1888
- 5625. Adelpherupa Hampson, 1919** (Pterophoridae) Synonym(s): *Adelpherupa* Hampson, 1919; *Schoenoploca* Meyrick, 1933; *Limnopsares* Meyrick, 1934
- 5626. Adoxobotys Munroe, 1978** (Pterophoridae) Synonym(s): *Adoxobotys* Munroe, 1978
- 5627. Aeglotis Amsel, 1949** (Pterophoridae) Synonym(s): *Aeglotis* Amsel, 1949
- 5628. Aeschremon Lederer, 1863** (Pterophoridae) Synonym(s): *Aeschremon* Lederer, 1863
- 5629. Aethaloessa Lederer, 1863** (Pterophoridae) Synonym(s): *Aethaloessa* Lederer, 1863; *Chnaura* Lederer, 1863
- 5630. Aetholix Lederer, 1863** (Pterophoridae) Synonym(s): *Aetholix* Lederer, 1863
- 5631. Afromyelois Balinsky, 1991** (Pterophoridae) Synonym(s): *Afromyelois* Balinsky, 1991
- 5632. Afromylea Balinsky, 1994** (Pterophoridae) Synonym(s): *Afromylea* Balinsky, 1994
- 5633. Afropsipyla Balinsky, 1994** (Pterophoridae) Synonym(s): *Afropsipyla* Balinsky, 1994
- 5634. Afroscoparia Nuss, 2003** (Pterophoridae) Synonym(s): *Afroscoparia* Nuss, 2003
- 5635. Agassiziella Yoshiyasu, 1989** (Pterophoridae) Synonym(s): *Agassiziella* Yoshiyasu, 1989 nec Behr, 1870; *Agassiziella* Yoshiyasu, 1989
- 5636. Agastophanes Turner, 1937** (Pterophoridae) Synonym(s): *Agastophanes* Turner, 1937
- 5637. Agathodes Guenée, 1854** (Pterophoridae) Synonym(s): *Agathodes* Guenée, 1854; *Stenurges* Lederer, 1863
- 5638. Aglossa Latreille, [1796]** (Pterophoridae) Synonym(s): *Aglossa* Latreille, [1796]; *Euclita* Hübner, [1825]; *Agriope* Ragonot, 1894
- 5639. Aglossodes Ragonot, 1891** (Pterophoridae) Synonym(s): *Aglossodes* Ragonot, 1891
- 5640. Agrioglypta Meyrick, 1932** (Pterophoridae) Synonym(s): *Agrioglypta* Meyrick, 1932
- 5641. Agriophila Hübner, [1825]** (Pterophoridae) Synonym(s): *Agriophila* Hübner, [1825]; *Agrophila* Agassiz, 1847 nec Bsd., 1840
- 5642. Agriphiloides Bleszynski, 1965** (Pterophoridae) Synonym(s): *Agriphiloides* Bleszynski, 1965
- 5643. Agrotea Schrank, 1802** (Pterophoridae) Synonym(s): *Agrotea* Schrank, 1802; *Tetracona* Meyrick, 1884; *Sagariphora* Meyrick, 1894

- 5644.** *Algedonia* (s.str.) **Lederer, 1863** (Pyralidae) Synonym(s): *Algedonia Lederer, 1863*
- 5645.** *Alisa* **Ganev & Hacker, 1984** (Pyralidae) Synonym(s): *Alisa Ganev & Hacker, 1984*
- 5646.** *Alophia* **Ragonot, 1893** (Pyralidae) Synonym(s): *Alophia Ragonot, 1893*
- 5647.** *Alphacrambus* **Bassi, 1995** (Pyralidae) Synonym(s): *Alphacrambus Bassi, 1995*
- 5648.** *Amaurophanes* **Lederer, 1863** (Pyralidae) Synonym(s): *Amaurophanes Lederer, 1863*
- 5649.** *Ambetilia* **Balinsky, 1994** (Pyralidae) Synonym(s): *Ambetilia Balinsky, 1994*
- 5650.** *Ambia* **Walker, 1859** (Pyralidae) Synonym(s): *Ambia Walker, 1859; Metathyrida Viette, 1954; #Metathyridia Whalley, 1964*
- 5651.** *Ambluncus* **Amsel, 1953** (Pyralidae) Synonym(s): *Ambluncus Amsel, 1953*
- 5652.** *Amechedia* **Amsel, 1961** (Pyralidae) Synonym(s): *Amechedia Amsel, 1961*
- 5653.** *Ammatucha* **Turner, 1922** (Pyralidae) Synonym(s): *Ammatucha Turner, 1922; Sumatraphycis Roesler & Küppers, 1979*
- 5654.** *Amphiderita* **Turner, 1925** (Pyralidae) Synonym(s): *Amphiderita Turner, 1925*
- 5655.** *Amselia* **Bleszynski, 1959** (Pyralidae) Synonym(s): *Amselia Bleszynski, 1959*
- 5656.** *Anaclastis* **Turner, 1904** (Pyralidae) Synonym(s): *Anaclastis Turner, 1904*
- 5657.** *Analcina* **Turner, 1911** (Pyralidae) Synonym(s): *Analcina Turner, 1911*
- 5658.** *Analyta* **Lederer, 1863** (Pyralidae) Synonym(s): *Analyta Lederer, 1863; Hyperanalyta Strand, 1918*
- 5659.** *Anania* **Hübner, [1823]** (Pyralidae) Synonym(s): *Anania Hübner, [1823]; Ennychia Treitschke, 1828; Trichovalva Amsel, 1956*
- 5660.** *Anarpia* **Chapman, 1912** (Pyralidae) Synonym(s): *Anarpia Chapman, 1912*
- 5661.** *Anartula* **Staudinger, 1893** (Pyralidae) Synonym(s): *Anartula Staudinger, 1893; #Arnatura Hampson, 1906*
- 5662.** *Anassodes* **Turner, 1932** (Pyralidae) Synonym(s): *Anassodes Turner, 1932*
- 5663.** *Anchylobela* **Turner, 1947** (Pyralidae) Synonym(s): *Anchylobela Turner, 1947*
- 5664.** *Ancylodes* **Ragonot, 1887** (Pyralidae) Synonym(s): *Ancylodes Ragonot, 1887*
- 5665.** *Ancylolomia* **Hübner, [1825]** (Pyralidae) Synonym(s): *Ancylolomia Hübner, [1825]; Jartheza Walker, 1863; Ctenus Mabilie, 1906 nec Walckenaer, 1805; Pseudoctenella Strand, 1907; Tollia Amsel, 1949 nec Pavlov, 1914*
- 5666.** *Ancylosis* (Cabotia) **Ragonot, 1888** (Pyralidae) Synonym(s): *Cabotia Ragonot, 1888; Canarsia Hulst, 1890; Hulstia Hampson, 1901; Encystia Hampson, 1901; Harnocha Dyar, 1914; Canarsiana Strand, 1920*
- 5667.** *Ancylosis* (Heterographis) **Ragonot, 1885** (Pyralidae) Synonym(s): *Heterographis Ragonot, 1885; Mona Hulst, 1888; Acornigerula Amsel, 1935*
- 5668.** *Ancylosis* (Syria) **Ragonot, 1887** (Pyralidae) Synonym(s): *Syria Ragonot, 1887; Hedemannia Ragonot, 1887; Iransharia Amsel, 1959*
- 5669.** *Ancylosis* (s.str.) **Zeller, 1839** (Pyralidae) Synonym(s): *Ancylosis Zeller, 1839; Heterographia Ragonot, 1890; Hypogryphia Ragonot, 1890*
- 5670.** *Ancylsoma* **Roesler, 1973** (Pyralidae) Synonym(s): *Ancylsoma Roesler, 1973*
- 5671.** *Anemosa* **Walker, 1859** (Pyralidae) Synonym(s): *Anemosa Walker, 1859; Drymiarcha Meyrick, 1885*
- 5672.** *Anephoptyx* **Amsel, 1955** (Pyralidae) Synonym(s): *Anephoptyx Amsel, 1955*
- 5673.** *Anerastia* **Hübner, [1825]** (Pyralidae) Synonym(s): *Anerastia Hübner, [1825]; Prinanerastia Hampson, 1918*
- 5674.** *Anerosoma* **Roesler, 1971** (Pyralidae) Synonym(s): *Anerosoma Roesler, 1971*
- 5675.** *Anexophana* **Viette, 1960** (Pyralidae) Synonym(s): *Anexophana Viette, 1960*
- 5676.** *Angustalius* **Marion, 1954** (Pyralidae) Synonym(s): *Angustalius Marion, 1954; Crambopsis De Lattin, 1952 nec Walk., 1865; Bleszynskia De Lattin, 1961*
- 5677.** *Anobostra* **Hampson, 1917** (Pyralidae) Synonym(s): *Anobostra Hampson, 1917*
- 5678.** *Anomocrambus* **Bleszynski, 1961** (Pyralidae) Synonym(s): *Anomocrambus Bleszynski, 1961*
- 5679.** *Anonaepestis* **Ragonot, 1894** (Pyralidae) Synonym(s): *Anonaepestis Ragonot, 1894*
- 5680.** *Anoristia* **Ragonot, 1887** (Pyralidae) Synonym(s): *Anoristia Ragonot, 1887; Ingridiola Roesler, 1969*
- 5681.** *Anthophilopsis* **Ragonot, 1891** (Pyralidae) Synonym(s): *Anthophilopsis Ragonot, 1891*
- 5682.** *Antigastra* **Lederer, 1863** (Pyralidae) Synonym(s): *Antigastra Lederer, 1863*
- 5683.** *Anydraula* **Meyrick, 1885** (Pyralidae) Synonym(s): *Anydraula Meyrick, 1885*
- 5684.** *Aphomia* **Hübner, [1825]** (Pyralidae) Synonym(s): *Aphomia Hübner, [1825]; Ilithyia Berthold, 1827; Melia Curtis, 1828; Melissoblastes Zeller, 1839; Aphomoea Agassiz, 1847*
- 5685.** *Aphrophantis* **Meyrick, 1933** (Pyralidae) Synonym(s): *Aphrophantis Meyrick, 1933*
- 5686.** *Aphyletes* **Ragonot, 1893** (Pyralidae) Synonym(s): *Aphyletes Ragonot, 1893*
- 5687.** *Aphytoceros* **Meyrick, 1884** (Pyralidae) Synonym(s): *Aphytoceros Meyrick, 1884*
- 5688.** *Apoblepta* **Turner, 1911** (Pyralidae) Synonym(s): *Apoblepta Turner, 1911*
- 5689.** *Apomyelois* **Heinrich, 1956** (Pyralidae) Synonym(s): *Apomyelois Heinrich, 1956; Ectomyelois Heinrich, 1956*
- 5690.** *Apomyelois* **Heinrich, 1956** (Pyralidae) Synonym(s): *Apomyelois Heinrich, 1956; Ectomyelois Heinrich, 1956; Spectrobates sensu Roesler, 1965*
- 5691.** *Aporocosmus* **Butler, 1886** (Pyralidae) Synonym(s): *Aporocosmus Butler, 1886*
- 5692.** *Aporodes* **Guenée, 1854** (Pyralidae) Synonym(s): *Aporodes Guenée, 1854*
- 5693.** *Apyrausta* **Amsel, 1951** (Pyralidae) Synonym(s): *Apyrausta Amsel, 1951*
- 5694.** *Araeomorpha* **Turner, 1908** (Pyralidae) Synonym(s): *Araeomorpha Turner, 1908; Tholerastis Turner, 1915*
- 5695.** *Araeopaschia* **Hampson, 1906** (Pyralidae) Synonym(s): *Araeopaschia Hampson, 1906*
- 5696.** *Archernis* **Meyrick, 1886** (Pyralidae) Synonym(s): *Archernis Meyrick, 1886; Chrysommatodes Warren, 1896*
- 5697.** *Archiephestia* **Amsel, 1955** (Pyralidae) Synonym(s): *Archiephestia Amsel, 1955; Bignathosia Amsel, 1955*
- 5698.** *Archigalleria* **Rebel, 1901** (Pyralidae) Synonym(s): *Archigalleria Rebel, 1901*
- 5699.** *Arcola* **Schaffer, 1995** (Pyralidae) Synonym(s): *Vogtia Pastrana, 1961 nec Kolliker, 1853; Arcola Schaffer, 1995*
- 5700.** *Ardekania* **Amsel, 1951** (Pyralidae) Synonym(s): *Ardekania Amsel, 1951*
- 5701.** *Ardekanopsis* **Amsel, 1954** (Pyralidae) Synonym(s): *Ardekanopsis Amsel, 1954*
- 5702.** *Ardjuna* **Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Ardjuna Roesler & Küppers, 1979*
- 5703.** *Arenipises* **Hampson, 1901** (Pyralidae) Synonym(s): *Arenipises Hampson, 1901*
- 5704.** *Arenochroa* **Munroe, 1976** (Pyralidae) Synonym(s): *Arenochroa Munroe, 1976*
- 5705.** *Arescoptera* **Turner, 1911** (Pyralidae) Synonym(s): *Arescoptera Turner, 1911*
- 5706.** *Argentochiloides* **Bleszynski, 1961** (Pyralidae) Synonym(s): *Argentochiloides Bleszynski, 1961; #Argentochilo Bleszynski & Collins, 1962*
- 5707.** *Argyractis* **Hampson, 1897** (Pyralidae) Synonym(s): *Argyractis Hampson, 1897; Oxyelophila Forbes, 1922*
- 5708.** *Argyria* **Hübner, [1825]** (Pyralidae) Synonym(s): *Argyria Hübner, [1825]; Urola Walker, 1863*
- 5709.** *Argyrorhabda* **Hampson, 1926** (Pyralidae) Synonym(s): *Argyrorhabda Hampson, 1926*
- 5710.** *Arimania* **Amsel, 1953** (Pyralidae) Synonym(s): *Arimania Amsel, 1953*
- 5711.** *Arippara* **Walker, [1863]** (Pyralidae) Synonym(s): *Arippara Walker, [1863]; Paleca Butler, 1879; Paredra Snellen, 1880*
- 5712.** *Arnia* **Guenée, 1849** (Pyralidae) Synonym(s): *Arnia Guenée, 1849*
- 5713.** *Arsissa* **Ragonot, 1893** (Pyralidae) Synonym(s): *Arsissa Ragonot, 1893; Myeloisiphana Hartig, 1937; Palloria Amsel, 1961; Farsia Amsel, 1961; Anjumania Amsel, 1970*
- 5714.** *Arthroschista* **Hampson, 1893** (Pyralidae) Synonym(s): *Arthroschista Hampson, 1893*
- 5715.** *Arxama* **Walker, [1866]** (Pyralidae) Synonym(s): *Arxama Walker, [1866]*

- 5716.** *Asalebria (Exophora) Roesler, 1988* (Pyralidae) Synonym(s): *Exophora Roesler, 1988*
- 5717.** *Asalebria (s.str.) Amsel, 1953* (Pyralidae) Synonym(s): *Asalebria Amsel, 1953; Praesalebria Amsel, 1954; Postsalebria Amsel, 1955.*
- 5718.** *Asarta Zeller, 1848* (Pyralidae) Synonym(s): *Chionea Guenée, 1845 nec Dalm., 1816; Asarta Zeller, 1848.*
- 5719.** *Asartodes Ragonot, 1893* (Pyralidae) Synonym(s): *Asartodes Ragonot, 1893*
- 5720.** *Asclerobia Roesler, 1969* (Pyralidae) Synonym(s): *Asclerobia Roesler, 1969*
- 5721.** *Aspithroides Balinsky, 1994* (Pyralidae) Synonym(s): *Aspithroides Balinsky, 1994*
- 5722.** *Assara Walker, 1863* (Pyralidae) Synonym(s): *Assara Walker, 1863; Cateremna Meyrick, 1882.*
- 5723.** *Astrapometis Meyrick, 1884* (Pyralidae) Synonym(s): *Astrapometis Meyrick, 1884*
- 5724.** *Ategumia Amsel, 1956* (Pyralidae) Synonym(s): *Ategumia Amsel, 1956*
- 5725.** *Atelocentra Meyrick, 1884* (Pyralidae) Synonym(s): *Atelocentra Meyrick, 1884*
- 5726.** *Atralata Sylven, 1947* (Pyralidae) Synonym(s): *Atralata Sylven, 1947*
- 5727.** *Atritis Roesler, 1987* (Pyralidae) Synonym(s): *Atritis Roesler, 1987*
- 5728.** *Auchmophoba Turner, 1913* (Pyralidae) Synonym(s): *Petta Warren, 1895 nec Malmgren, 1866; Auchmophoba Turner, 1913.*
- 5729.** *Audeoudia Joannis, 1927* (Pyralidae) Synonym(s): *Audeoudia Joannis, 1927*
- 5730.** *Aulacoptera Hampson, 1896* (Pyralidae) Synonym(s): *Aulacoptera Hampson, 1896*
- 5731.** *Aurana Walker, 1863* (Pyralidae) Synonym(s): *Aurana Walker, 1863; Longiculcita Roesler, 1975*
- 5732.** *Aureocramboides Bleszynski, 1961* (Pyralidae) Synonym(s): *Aureocramboides Bleszynski, 1961*
- 5733.** *Aurotalis Bleszynski, 1970* (Pyralidae) Synonym(s): *Aurotalis Bleszynski, 1970*
- 5734.** *Austropaschia Hampson, 1916* (Pyralidae) Synonym(s): *Austropaschia Hampson, 1916*
- 5735.** *Autarotis Meyrick, 1886* (Pyralidae) Synonym(s): *Autarotis Meyrick, 1886; Pogonoptera Turner, 1911*
- 5736.** *Autocharis Swinhoe, 1894* (Pyralidae) Synonym(s): *Autocharis Swinhoe, 1894*
- 5737.** *Autocharis Swinhoe, 1894* (Pyralidae) Synonym(s): *Autocharis Swinhoe, 1894*
- 5738.** *Auxacia Ragonot, 1888* (Pyralidae) Synonym(s): *Auxacia Ragonot, 1888*
- 5739.** *Auxolophotis Meyrick, 1933* (Pyralidae) Synonym(s): *Auxolophotis Meyrick, 1933*
- 5740.** *Axiocrita Turner, 1913* (Pyralidae) Synonym(s): *Axiocrita Turner, 1913*
- 5741.** *Azanicola Balinsky, 1991* (Pyralidae) Synonym(s): *Azanicola Balinsky, 1991*
- 5742.** *Bacotoma Moore, [1885]* (Pyralidae) Synonym(s): *Bacotoma Moore, [1885]; Platamonia Lederer, 1863 nec Busch, 1851*
- 5743.** *Baeoptila Turner, 1908* (Pyralidae) Synonym(s): *Baeoptila Turner, 1908*
- 5744.** *Bahiria Balinsky, 1994* (Pyralidae) Synonym(s): *Bahiria Balinsky, 1994*
- 5745.** *Balaenifrons Hampson, 1896* (Pyralidae) Synonym(s): *Balaenifrons Hampson, 1896*
- 5746.** *Balanomis Meyrick, 1887* (Pyralidae) Synonym(s): *Balanomis Meyrick, 1887*
- 5747.** *Banepa Moore, 1888* (Pyralidae) Synonym(s): *Banepa Moore, 1888*
- 5748.** *Bapara Walker, 1865* (Pyralidae) Synonym(s): *Bapara Walker, 1865*
- 5749.** *Barbifrontia Hampson, 1901* (Pyralidae) Synonym(s): *Barbifrontia Hampson, 1901; Sthenobela Turner, 1904*
- 5750.** *Bassiknysna Kemal & Koçak, 2005* (Pyralidae) Synonym(s): *Knysna Bassi, 1999 nec Peringuey, 1902; Bassiknysna Kemal & Koçak, 2005*
- 5751.** *Batiana Walker, 1866* (Pyralidae) Synonym(s): *Batiana Walker, 1866*
- 5752.** *Bazaria Ragonot, 1887* (Pyralidae) Synonym(s): *Bazaria Ragonot, 1887; Anorista Rebel, 1914; Culcita Amsel, 1959; Culcitaria Amsel, 1970; Vixsinusia Amsel, 1970.*
- 5753.** *Belutchistania Amsel, 1951* (Pyralidae) Synonym(s): *Belutchistania Amsel, 1951; #Belutchistania Amsel, 1951*
- 5754.** *Benderia Amsel, 1949* (Pyralidae) Synonym(s): *Benderia Amsel, 1949*
- 5755.** *Bepea Koçak & Kemal, 2007* (Pyralidae) Synonym(s): *Notaspis W. Warren, 1892 nec Hermann, 1804; Notesia Yamanaka, 1992 nec Casey, 1922*
- 5756.** *Berastagia Roesler & Küppers, 1979* (Pyralidae) Synonym(s): *Berastagia Roesler & Küppers, 1979*
- 5757.** *Biafra Ragonot, 1888* (Pyralidae) Synonym(s): *Biafra Ragonot, 1888; Meliarpha Ragonot, 1888*
- 5758.** *Bissetia Kapur, 1950* (Pyralidae) Synonym(s): *Bissetia Kapur, 1950; Girdharia Kapur, 1950*
- 5759.** *Blepharucha Warren, 1892* (Pyralidae) Synonym(s): *Blepharucha Warren, 1892*
- 5760.** *Bocchoris Moore, [1885]* (Pyralidae) Synonym(s): *Bocchoris Moore, [1885]*
- 5761.** *Boeotarcha Meyrick, 1884* (Pyralidae) Synonym(s): *Boeotarcha Meyrick, 1884*
- 5762.** *Boreophila Guenée, 1854* (Pyralidae) Synonym(s): *Boreophila Guenée, 1854*
- 5763.** *Bostra Walker, 1863* (Pyralidae) Synonym(s): *Bostra Walker, 1863*
- 5764.** *Botyodes Guenée, 1854* (Pyralidae) Synonym(s): *Botyodes Guenée, 1854; Endocrossis Meyrick, 1889*
- 5765.** *Bradina Lederer, 1863* (Pyralidae) Synonym(s): *Bradina Lederer, 1863; Erilita Lederer, 1863; Pleonectusa Lederer, 1863; Stegothyris Lederer, 1863; Trematarcha Meyrick, 1886*
- 5766.** *Bradyrrhoa Zeller, 1848* (Pyralidae) Synonym(s): *Bradyrrhoa Zeller, 1848; #Bradyrrhaea Marschall, 1873*
- 5767.** *Brevicella Kenrick, 1912* (Pyralidae) Synonym(s): *Brevicella Kenrick, 1912*
- 5768.** *Brihaspa Moore, 1868* (Pyralidae) Synonym(s): *Brihaspa Moore, 1868*
- 5769.** *Burmanna Bleszynski, 1965* (Pyralidae) Synonym(s): *Burmanna Bleszynski, 1965*
- 5770.** *Cabotella Balinsky, 1994* (Pyralidae) Synonym(s): *Cabotella Balinsky, 1994*
- 5771.** *Cactoblastis Ragonot, 1901* (Pyralidae) Synonym(s): *Cactoblastis Ragonot, 1901; Neopyralis Brethes, 1920*
- 5772.** *Cadarena Moore, [1886]* (Pyralidae) Synonym(s): *Idalia Hübner, [1825]; Cadarena Moore, [1886]; #Codarina Hampson, 1898*
- 5773.** *Cadra Walker, 1864* (Pyralidae) Synonym(s): *Cadra Walker, 1864; Xenephestia Gozmany, 1958.*
- 5774.** *Caffrocrambus Bleszynski, 1961* (Pyralidae) Synonym(s): *Caffrocrambus Bleszynski, 1961*
- 5775.** *Caina Ragonot, 1893* (Pyralidae) Synonym(s): *Caina Ragonot, 1893*
- 5776.** *Calamochrous Lederer, 1863* (Pyralidae) Synonym(s): *Calamochrous Lederer, 1863; Calamochrosta Lederer, 1863*
- 5777.** *Calamoschoena Hampson, 1916* (Pyralidae) Synonym(s): *Calamoschoena Hampson, 1916*
- 5778.** *Calamotropa Hampson, 1918* (Pyralidae) Synonym(s): *Calamotropa Hampson, 1918; #Calamotropha Turner, 1947*
- 5779.** *Calamotropha Zeller, 1863* (Pyralidae) Synonym(s): *Calamotropha Zeller, 1863; Myeza Walker, 1863; Aurelianus Bleszynski, 1962 nec Dist., 1902*
- 5780.** *Calamotropodes Janse, 1922* (Pyralidae) Synonym(s): *Calamotropodes Janse, 1922; #Calamotropodus Janse, 1922*
- 5781.** *Calguia Walker, 1863* (Pyralidae) Synonym(s): *Calguia Walker, 1863; Cabragus Moore, [1886]; Sigmarthria Ragonot, 1888*
- 5782.** *Callionyma Meyrick, 1883* (Pyralidae) Synonym(s): *Callionyma Meyrick, 1883; Eucallionyma Ragonot, 1901*
- 5783.** *Calomacalla Janse, 1931* (Pyralidae) Synonym(s): *Lampropygia Hampson, 1906; Calomacalla Janse, 1931.*
- 5784.** *Camptomastix Warren, 1892* (Pyralidae) Synonym(s): *Camptomastix Warren, 1892; Camptomastyx Hampson, 1896*
- 5785.** *Candiope Ragonot, 1888* (Pyralidae) Synonym(s): *Candiope Ragonot, 1888*
- 5786.** *Candiopeella Balinsky, 1994* (Pyralidae) Synonym(s): *Candiopeella Balinsky, 1994*
- 5787.** *Cangetta Moore, [1886]* (Pyralidae) Synonym(s): *Cangetta Moore, [1886]; Blechrophanes Turner, 1937*
- 5788.** *Canipsa Walker, [1866]* (Pyralidae) Synonym(s): *Canipsa Walker, [1866]; Scopocera Moore, 1888; Sarama Moore, 1888*
- 5789.** *Cantheleamima Balinsky, 1994* (Pyralidae) Synonym(s): *Cantheleamima Balinsky, 1994*
- 5790.** *Canuza Walker, 1866* (Pyralidae) Synonym(s): *Canuza Walker, 1866; Erotomanes Meyrick, 1882*

- 5791.** *Caprinia* Walker, 1859 (Pyralidae) Synonym(s): *Caprinia* Walker, 1859
- 5792.** *Cardamyla* Walker, 1859 (Pyralidae) Synonym(s): *Cardamyla* Walker, 1859; *Balanotis* Meyrick, 1884
- 5793.** *Cataclysta* Hübner, [1825] (Pyralidae) Synonym(s): *Cataclysta* Hübner, [1825]; *Cryptocosma* Lederer, 1863; *Eugauria* Snellen, 1901; *Chalcoelopsis* Dyar, 1914
- 5794.** *Catagela* Walker, 1863 (Pyralidae) Synonym(s): *Catagela* Walker, 1863
- 5795.** *Catalaodes* Viette, 1953 (Pyralidae) Synonym(s): *Catalaodes* Viette, 1953
- 5796.** *Catamola* Meyrick, 1884 (Pyralidae) Synonym(s): *Catamola* Meyrick, 1884; *Elaphernis* Meyrick, 1936
- 5797.** *Catancya* Hampson, 1919 (Pyralidae) Synonym(s): *Catancya* Hampson, 1919
- 5798.** *Cataonia* Ragonot, 1891 (Pyralidae) Synonym(s): *Cataonia* Ragonot, 1891
- 5799.** *Catapsephis* Hampson, 1898 (Pyralidae) Synonym(s): *Catapsephis* Hampson, 1898
- 5800.** *Catastia* Hübner, [1825] (Pyralidae) Synonym(s): *Catastia* Hübner, [1825]
- 5801.** *Catharia* Lederer, 1863 (Pyralidae) Synonym(s): *Catharia* Lederer, 1863
- 5802.** *Catharylla* Zeller, 1863 (Pyralidae) Synonym(s): *Catharylla* Zeller, 1863
- 5803.** *Cathyalia* Ragonot, 1888 (Pyralidae) Synonym(s): *Cathyalia* Ragonot, 1888
- 5804.** *Catoptria* Hübner, [1825] (Pyralidae) Synonym(s): *Catoptria* Hübner, [1825]; *Exoria* Hübner, [1825].
- 5805.** *Caustella* Hampson, 1930 (Pyralidae) Synonym(s): *Caustella* Hampson, 1930
- 5806.** *Cavipalpia* Ragonot, 1893 (Pyralidae) Synonym(s): *Cavipalpia* Ragonot, 1893
- 5807.** *Centropseustis* Meyrick, 1890 (Pyralidae) Synonym(s): *Centropseustis* Meyrick, 1890
- 5808.** *Ceroprepes* Zeller, 1867 (Pyralidae) Synonym(s): *Ceroprepes* Zeller, 1867
- 5809.** *Ceuthalea* Balinsky, 1994 (Pyralidae) Synonym(s): *Ceuthalea* Balinsky, 1994
- 5810.** *Ceuthobotys* Munroe, 1978 (Pyralidae) Synonym(s): *Ceuthobotys* Munroe, 1978
- 5811.** *Ceutholopha* Zeller, 1867 (Pyralidae) Synonym(s): *Ceutholopha* Zeller, 1867; *Hypophana* Meyrick, 1882; *#Centolopha* Caradja, 1910
- 5812.** *Chabula* Moore, [1886] (Pyralidae) Synonym(s): *Chabula* Moore, [1886]
- 5813.** *Chalcidoptera* Butler, 1887 (Pyralidae) Synonym(s): *Chalcidoptera* Butler, 1887; *Euthalantha* Snellen, 1895
- 5814.** *Charltona* Swinhoe, 1885 (Pyralidae) Synonym(s): *Charltona* Swinhoe, 1885
- 5815.** *Charltoniada* Strand, 1919 (Pyralidae) Synonym(s): *Charltoniada* Strand, 1919
- 5816.** *Chilo* Zincken, 1817 (Pyralidae) Synonym(s): *Chilo* Zincken, 1817; *Chilona* Sodoffsky, 1837; *Borer* Guenée, 1854; *Diphryx* Grote, 1881; *Nephalia* Turner, 1911; *Hypiasta* Hampson, 1919; *Silveria* Dyar, 1925
- 5817.** *Chilochroma* Amsel, 1956 (Pyralidae) Synonym(s): *Chilochroma* Amsel, 1956
- 5818.** *Chilocorsia* Munroe, 1964 (Pyralidae) Synonym(s): *Chilocorsia* Munroe, 1964
- 5819.** *Chilopionea* Munroe, 1964 (Pyralidae) Synonym(s): *Chilopionea* Munroe, 1964
- 5820.** *Chilotraea* Kapur, 1950 (Pyralidae) Synonym(s): *Chilotraea* Kapur, 1950
- 5821.** *Chionobosca* Turner, 1911 (Pyralidae) Synonym(s): *Chionobosca* Turner, 1911
- 5822.** *Christophia* Ragonot, 1887 (Pyralidae) Synonym(s): *Christophia* Ragonot, 1887; *Centrometopia* Ragonot, 1887.
- 5823.** *Chrysocatharylla* Bassi, 1999 (Pyralidae) Synonym(s): *Chrysocatharylla* Bassi, 1999
- 5824.** *Chrysocrambus* Bleszynski, 1957 (Pyralidae) Synonym(s): *Chrysocrambus* Bleszynski, 1957
- 5825.** *Chrysoteuchia* Hübner, [1825] (Pyralidae) Synonym(s): *Chrysoteuchia* Hübner, [1825]; *Amphibolia* Snellen, 1884.
- 5826.** *Chrysothyridia* Munroe, 1967 (Pyralidae) Synonym(s): *Chrysothyridia* Munroe, 1967
- 5827.** *Circobotys* Butler, 1879 (Pyralidae) Synonym(s): *Circobotys* Butler, 1879
- 5828.** *Cirrhochrasta* Lederer, 1863 (Pyralidae) Synonym(s): *Cirrhochrasta* Lederer, 1863; *Eucallaenia* Snellen, 1892; *Pachybotys* Warren, 1895; *Margaronia* Marumo, 1917 nec Hübner, [1825]; *Ancalidia* Joannis, 1932
- 5829.** *Cissachroa* Turner, 1937 (Pyralidae) Synonym(s): *Cissachroa* Turner, 1937
- 5830.** *Citripestis* Ragonot, 1893 (Pyralidae) Synonym(s): *Citripestis* Ragonot, 1893
- 5831.** *Classeya* Bleszynski, 1960 (Pyralidae) Synonym(s): *Classeya* Bleszynski, 1960
- 5832.** *Cleptotypodes* Minet, 1983 (Pyralidae) Synonym(s): *Cleptotypodes* Minet, 1983
- 5833.** *Clupeosoma* Snellen, 1880 (Pyralidae) Synonym(s): *Clupeosoma* Snellen, 1880
- 5834.** *Cnaphalocrocis* Lederer, 1863 (Pyralidae) Synonym(s): *Cnaphalocrocis* Lederer, 1863; *Marasmia* Lederer, 1863; *Dolichosticha* Meyrick, 1884; *Epimima* Meyrick, 1886; *Lasiacme* Warren, 1896; *Bradynomorpha* Matsumura, 1920; *Susumia* Marumo, 1930; *Prodotaula* Meyrick, 1934; *#Neomarasmia* Kalra, David & Banerji, 1967
- 5835.** *Coelobathra* Turner, 1908 (Pyralidae) Synonym(s): *Coelobathra* Turner, 1908
- 5836.** *Coenodomus* Walsingham, 1889 (Pyralidae) Synonym(s): *Coenodomus* Walsingham, 1889; *Alippe* Aurivillius, 1894
- 5837.** *Coleothrix* Ragonot, 1888 (Pyralidae) Synonym(s): *Coleothrix* Ragonot, 1888
- 5838.** *Cometura* Meyrick, 1886 (Pyralidae) Synonym(s): *Cometura* Meyrick, 1886
- 5839.** *Commotria* Berg, 1885 (Pyralidae) Synonym(s): *Commotria* Berg, 1885; *#Commatria* Berg, 1885
- 5840.** *Comorta* Ragonot, 1888 (Pyralidae) Synonym(s): *Comorta* Ragonot, 1888
- 5841.** *Conchylodes* (Zebraptera) Koçak & Kemal, 2007 (Pyralidae) Synonym(s): *Ledereria* Snellen, 1875 nec Marsch., 1873; *Zebraptera* Koçak & Kemal, 2007
- 5842.** *Conchylodes* (s.str.) Guenée, 1854 (Pyralidae) Synonym(s): *Conchylodes* Guenée, 1854
- 5843.** *Conchylodes* Guenée, 1854 (Pyralidae) Synonym(s): *Conchylodes* Guenée, 1854
- 5844.** *Coniesta* Hampson, 1919 (Pyralidae) Synonym(s): *Coniesta* Hampson, 1919
- 5845.** *Conobathra* Meyrick, 1886 (Pyralidae) Synonym(s): *Conobathra* Meyrick, 1886; *Mahela* Ragonot, 1888; *Cyphita* Roesler, 1971.
- 5846.** *Conocrambus* Hampson, 1919 (Pyralidae) Synonym(s): *Conocrambus* Hampson, 1919
- 5847.** *Conogethes* Meyrick, 1884 (Pyralidae) Synonym(s): *Conogethes* Meyrick, 1884; *Dadessa* Moore, [1886]
- 5848.** *Conotalis* Hampson, 1910 (Pyralidae) Synonym(s): *Conotalis* Hampson, 1910
- 5849.** *Copamyntis* Meyrick, 1934 (Pyralidae) Synonym(s): *Copamyntis* Meyrick, 1934; *#Compamyntis* Roeler & Küppers, 1979
- 5850.** *Coptobasis* Lederer, 1863 (Pyralidae) Synonym(s): *Coptobasis* Lederer, 1863
- 5851.** *Corcyra* Ragonot, 1885 (Pyralidae) Synonym(s): *Corcyra* Ragonot, 1885; *Tineopsis* Dyar, 1913 nec Felder, 1861.
- 5852.** *Cornifrons* Lederer, 1858 (Pyralidae) Synonym(s): *Cornifrons* Lederer, 1858
- 5853.** *Corynophora* Berg, 1898 (Pyralidae) Synonym(s): *Corynophora* Berg, 1898; *Halterophora* Meyrick, 1897 nec Endlicher, [1836]
- 5854.** *Cosmethella* Munroe & Shaffer, 1980 (Pyralidae) Synonym(s): *Cosmethella* Munroe & Shaffer, 1980
- 5855.** *Cotachena* Moore, [1885] (Pyralidae) Synonym(s): *Cotachena* Moore, [1885]
- 5856.** *Crambidiatraea* Box & Capps, 1955 (Pyralidae) Synonym(s): *Crambidiatraea* Box & Capps, 1955
- 5857.** *Crambixon* Bleszynski, 1965 (Pyralidae) Synonym(s): *Crambixon* Bleszynski, 1965
- 5858.** *Crambus* Fabricius, 1798 (Pyralidae) Synonym(s): *Crambus* Fabricius, 1798; *Palparia* Haworth, [1811]; *Tetrachila* Hübner, 1822; *Argyrotheuchia* Hübner, [1825]; *Arequipa* Walker, 1863.
- 5859.** *Creobota* Turner, 1931 (Pyralidae) Synonym(s): *Creobota* Turner, 1931
- 5860.** *Criophthona* Meyrick, 1884 (Pyralidae) Synonym(s): *Criophthona* Meyrick, 1884; *Conoprora* Turner, 1913
- 5861.** *Crocalia* Ragonot, 1892 (Pyralidae) Synonym(s): *Crocalia* Ragonot, 1892

- 5862. Crocidolomia Zeller, 1852** (Pyralidae) Synonym(s): *Crocidolomia* Zeller, 1852; *Godara* Walker, 1859; *Pseudopisara* Shiraki, 1913; *Tschahbaharia* Amsel, 1951
- 5863. Crocidophora Lederer, 1863** (Pyralidae) Synonym(s): *Crocidophora* Lederer, 1863
- 5864. Crocydopora Meyrick, 1882** (Pyralidae) Synonym(s): *Crocydopora* Meyrick, 1882; *#Crocidopora* Hampson, 1908; *#Crocydophora* Whalley, 1970
- 5865. Crypsitya Meyrick, 1894** (Pyralidae) Synonym(s): *Crypsitya* Meyrick, 1894; *Coclebotys* Munroe & Mutuura, 1969
- 5866. Cryptadia Turner, 1913** (Pyralidae) Synonym(s): *Cryptadia* Turner, 1913
- 5867. Cryptarthria Roesler, 1981** (Pyralidae) Synonym(s): *Cryptarthria* Roesler, 1981
- 5868. Cryptoblabes Zeller, 1848** (Pyralidae) Synonym(s): *Cryptoblabes* Zeller, 1848; *Albinia* Briosi, [1877] nec *Robineau-Desvoidy*, 1830
- 5869. Cryptomyelois Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Cryptomyelois* Roesler & Küppers, 1979
- 5870. Cryptophycita Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Cryptophycita* Roesler & Küppers, 1979
- 5871. Cryptozophera Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Cryptozophera* Roesler & Küppers, 1979
- 5872. Ctenarthria Ragonot, 1891** (Pyralidae) Synonym(s): *Ctenarthria* Ragonot, 1891
- 5873. Ctenomedes Meyrick, 1935** (Pyralidae) Synonym(s): *Ctenomedes* Meyrick, 1935
- 5874. Ctenomeristis Meyrick, 1929** (Pyralidae) Synonym(s): *Ctenomeristis* Meyrick, 1929
- 5875. Culladia Moore, 1886** (Pyralidae) Synonym(s): *Araxes* Walker, 1863 nec *Sthp.*, 1834; *Culladia* Moore, 1886; *Crambidion* Mabile, 1900; *Nirmaladia* Rose, 1983
- 5876. Culladiella Bleszynski, 1970** (Pyralidae) Synonym(s): *Culladiella* Bleszynski, 1970
- 5877. Cunibertoides Balinsky, 1991** (Pyralidae) Synonym(s): *Cunibertoides* Balinsky, 1991
- 5878. Curena Walker, [1866]** (Pyralidae) Synonym(s): *Curena* Walker, [1866]
- 5879. Cybalomia Lederer, 1863** (Pyralidae) Synonym(s): *Cybalomia* Lederer, 1863; *#Cybolomia* Ragonot, 1887; *Capparidia* Dumont, 1931
- 5880. Cydalima Lederer, 1863** (Pyralidae) Synonym(s): *Cydalima* Lederer, 1863
- 5881. Cymoriza Guenée, 1854** (Pyralidae) Synonym(s): *Cymoriza* Guenée, 1854
- 5882. Cynaeda Hübner, [1825]** (Pyralidae) Synonym(s): *Cynaeda* Hübner, [1825]; *Odontia* Duponchel, 1832
- 5883. Cypholomia Meyrick, 1933** (Pyralidae) Synonym(s): *Cypholomia* Meyrick, 1933
- 5884. Cyrtogramme Yoshiyasu, 1985** (Pyralidae) Synonym(s): *Cyrtogramme* Yoshiyasu, 1985
- 5885. Daria Ragonot, 1888** (Pyralidae) Synonym(s): *Daria* Ragonot, 1888; *Paradaria* Kusnesov, 1908.
- 5886. Dasyscopa Meyrick, 1894** (Pyralidae) Synonym(s): *Dasyscopa* Meyrick, 1894
- 5887. Dattinia Ragonot, 1887** (Pyralidae) Synonym(s): *Dattinia* Ragonot, 1887; *Constantia* Ragonot, 1887; *Mnesixena* Meyrick, 1890; *Palura* Ragonot, 1891; *Baniura* Ragonot, 1891; *Macroctenia* Hampson, 1900; *Buliana* Navas, 1913; *Boursinella* Amsel, 1954; *Gomezmenoria* Agenjo, 1966
- 5888. Daulia Walker, 1859** (Pyralidae) Synonym(s): *Daulia* Walker, 1859; *Girtexia* Swinhoe, 1890
- 5889. Dausara Walker, 1859** (Pyralidae) Synonym(s): *Dausara* Walker, 1859
- 5890. Deanolis Snellen, 1899** (Pyralidae) Synonym(s): *Deanolis* Snellen, 1899
- 5891. Dectocera Ragonot, 1887** (Pyralidae) Synonym(s): *Dectocera* Ragonot, 1887
- 5892. Dejoannisia Vari, 2002** (Pyralidae) Synonym(s): *Schoenobiodes* Joannis, 1927 (*praeocc.*); *Dejoannisia* Vari, 2002
- 5893. Delopteris Janse, 1922** (Pyralidae) Synonym(s): *Delopteris* Janse, 1922
- 5894. Deltobotys Munroe, 1964** (Pyralidae) Synonym(s): *Deltobotys* Munroe, 1964
- 5895. Dentifovea Amsel, 1970** (Pyralidae) Synonym(s): *Dentifovea* Amsel, 1970
- 5896. Dentitegumia (Uyghuria) Kemal & Koçak, 2004** (Pyralidae) Synonym(s): *Uyghuria* Kemal & Koçak, 2004
- 5897. Dentitegumia Amsel, 1961** (Pyralidae) Synonym(s): *Dentitegumia* Amsel, 1961
- 5898. Desmia Westwood, 1832** (Pyralidae) Synonym(s): *Desmia* Westwood, 1832; *Aediodes* Guenée, 1854; *Hyalitis* Guenée, 1854; *Arna* Walker, 1856 nec *Walker*, 1855
- 5899. Deuterarcha Meyrick, 1884** (Pyralidae) Synonym(s): *Deuterarcha* Meyrick, 1884
- 5900. Deuterolia Dyar, 1914** (Pyralidae) Synonym(s): *Deuterolia* Dyar, 1914
- 5901. Deuterophysa Warren, 1889** (Pyralidae) Synonym(s): *Deuterophysa* Warren, 1889; *Gonopionea* Hampson, 1913
- 5902. Diadexia Turner, 1905** (Pyralidae) Synonym(s): *Diadexia* Turner, 1905
- 5903. Dialepta Turner, 1913** (Pyralidae) Synonym(s): *Dialepta* Turner, 1913
- 5904. Diaphania Hübner, 1818** (Pyralidae) Synonym(s): *Diaphania* Hübner, 1818; *Eudiotis* Hübner, 1823; *Diaphania* Stephens, 1829 nec *Hübner*, 1818; *Phakellura* Guilding, 1830; *Phacellura* Agassiz, 1847; *Sestia* Snellen, 1875
- 5905. Diasemia Hübner, [1825]** (Pyralidae) Synonym(s): *Diasemia* Hübner, [1825]; *Prodelia* Doubleday, [1849]; *Goniogramma* Mann, 1854
- 5906. Diasemiopsis Munroe, 1957** (Pyralidae) Synonym(s): *Diasemiopsis* Munroe, 1957; *#Diasemiopsis* Leraut, 1997
- 5907. Diastictis Hübner, 1818** (Pyralidae) Synonym(s): *Diastictis* Hübner, 1818; *Anomostictis* Warren, 1892
- 5908. Diathrausta Lederer, 1863** (Pyralidae) Synonym(s): *Diathrausta* Lederer, 1863; *Tripodaula* Meyrick, 1933; *#Triplodaula* Meyrick, 1956
- 5909. Diatraea Guilding, 1832** (Pyralidae) Synonym(s): *Diatraea* Guilding, 1832; *Iesta* Dyar, 1909; *Diatraerupa* Schaus, 1913; *Trinidadia* Dyar & Heinrich, 1927
- 5910. Dichocrocis Lederer, 1863** (Pyralidae) Synonym(s): *Dichocrocis* Lederer, 1863
- 5911. Didia Ragonot, 1893** (Pyralidae) Synonym(s): *Didia* Ragonot, 1893
- 5912. Didymostoma Warren, 1892** (Pyralidae) Synonym(s): *Didymostoma* Warren, 1892
- 5913. Dilacinia Amsel, 1961** (Pyralidae) Synonym(s): *Dilacinia* Amsel, 1961; *#Dilacina* Amsel, 1961
- 5914. Dinopleura Turner, 1941** (Pyralidae) Synonym(s): *Dinopleura* Turner, 1941
- 5915. Dioryctria Zeller, 1846** (Pyralidae) Synonym(s): *Dioryctria* Zeller, 1846
- 5916. Dipha Yoshiyasu, 1988** (Pyralidae) Synonym(s): *Dipha* Yoshiyasu, 1988
- 5917. Dipleurina Chapman, 1912** (Pyralidae) Synonym(s): *Dipleurina* Chapman, 1912
- 5918. Dipleurinodes Leraut, 1989** (Pyralidae) Synonym(s): *Dipleurinodes* Leraut, 1989
- 5919. Diploseustis Meyrick, 1884** (Pyralidae) Synonym(s): *Diploseustis* Meyrick, 1884; *#Diploseustis* Evenhuis, 2006
- 5920. Diploschistis Meyrick, 1937** (Pyralidae) Synonym(s): *Diploschistis* Meyrick, 1937
- 5921. Diplotalis Hampson, 1919** (Pyralidae) Synonym(s): *Diplotalis* Hampson, 1919
- 5922. Diptychophora Zeller, 1866** (Pyralidae) Synonym(s): *Diptychophora* Zeller, 1866; *Ditomoptera* Hampson, 1893
- 5923. Discofrontia Hampson, 1901** (Pyralidae) Synonym(s): *Discofrontia* Hampson, 1901
- 5924. Ditrachyptera Ragonot, 1893** (Pyralidae) Synonym(s): *Ditrachyptera* Ragonot, 1893
- 5925. Doddiana Turner, 1902** (Pyralidae) Synonym(s): *Doddiana* Turner, 1902
- 5926. Dolicharthria Stephens, 1834** (Pyralidae) Synonym(s): *Dolicharthria* Stephens, 1834; *Dolycharthria* Stephens, 1850; *Stenia* Guenée, 1854
- 5927. Dolichobela Turner, 1932** (Pyralidae) Synonym(s): *Dolichobela* Turner, 1932
- 5928. Doloessa Zeller, 1848** (Pyralidae) Synonym(s): *Doloessa* Zeller, 1848; *Thagora* Walker, 1863; *Carcinoptera* Ragonot, 1893
- 5929. Donacaula Meyrick, 1890** (Pyralidae) Synonym(s): *Donacaula* Meyrick, 1890
- 5930. Donacoscaptes Zeller, 1877** (Pyralidae) Synonym(s): *Donacoscaptes* Zeller, 1877
- 5931. Dracaenura Meyrick, 1886** (Pyralidae) Synonym(s): *Dracaenura* Meyrick, 1886
- 5932. Drasa Kapur, 1950** (Pyralidae) Synonym(s): *Drasa* Kapur, 1950

- 5933.** **Drosophantis** Meyrick,1935 (Pyralidae) Synonym(s): *Drosophantis* Meyrick,1935
- 5934.** **Duponchelia** Zeller,1847 (Pyralidae) Synonym(s): *Duponchelia* Zeller,1847
- 5935.** **Duzulla** Amsel,1952 (Pyralidae) Synonym(s): *Duzulla* Amsel,1952
- 5936.** **Dysallacta** Lederer,1863 (Pyralidae) Synonym(s): *Dysallacta* Lederer,1863
- 5937.** **Dysphyllia** Ragonot,1888 (Pyralidae) Synonym(s): *Dysphyllia* Ragonot,1888
- 5938.** **Ebulea Doubleday**,[1849] (Pyralidae) Synonym(s): *Ebulea* Doubleday,[1849]
- 5939.** **Ecbatania** Amsel,1961 (Pyralidae) Synonym(s): *Ecbatania* Amsel,1961; *Rhinogradentia* Amsel,1970.
- 5940.** **Echletodes** Turner,1904 (Pyralidae) Synonym(s): *Echletodes* Turner,1904
- 5941.** **Eccopisa** Zeller,1848 (Pyralidae) Synonym(s): *Eccopisa* Zeller,1848
- 5942.** **Eclipsiodes** Meyrick,1884 (Pyralidae) Synonym(s): *Eclipsiodes* Meyrick,1884
- 5943.** **Ecnomoneura** Turner,1942 (Pyralidae) Synonym(s): *Ecnomoneura* Turner,1942
- 5944.** **Ecpyrrhorhoe** Hübner,[1825] (Pyralidae) Synonym(s): *Ecpyrrhorhoe* Hübner,[1825]; *Harpadispar* Agenjo,1952; *Pyraustegia* Marion,1963.
- 5945.** **Ectadiosoma** Turner,1937 (Pyralidae) Synonym(s): *Ectadiosoma* Turner,1937
- 5946.** **Elachypteryx** Turner,1908 (Pyralidae) Synonym(s): *Elachypteryx* Turner,1908
- 5947.** **Eldana** Walker,1865 (Pyralidae) Synonym(s): *Eldana* Walker,1865; *Ancylusidia* Strand,1913
- 5948.** **Elegia** Ragonot,1887 (Pyralidae) Synonym(s): *Elegia* Ragonot,1887; *Ichorarchis* Meyrick,1937.
- 5949.** **Elethya** Ragonot,1888 (Pyralidae) Synonym(s): *Elethya* Ragonot,1888
- 5950.** **Eleusina** Hampson,1901 (Pyralidae) Synonym(s): *Eleusina* Hampson,1901
- 5951.** **Elisabethinia** Ghesquière,1942 (Pyralidae) Synonym(s): *Elisabethinia* Ghesquière,1942
- 5952.** **Eloeidiphilos** Praviel,1938 (Pyralidae) Synonym(s): *Eloeidiphilos* Praviel,1938; *Palmia* Whalley,1964 nec *Beutenm.*,1896; *Eloeidiphilos*
- 5953.** **Elophila** Hübner,1822 (Pyralidae) Synonym(s): *Elophila* Hübner,1822; *Hydrocampus* Berthold,1827; *Hydrocampe* Stephens,1829; *Hydrocampe* Latreille,1829; *Cyrtogramme* Yoshiyasu,1985
- 5954.** **Ematheudes** Zeller,1867 (Pyralidae) Synonym(s): *Ematheudes* Zeller,1867; *Proavitheudes* Amsel,1961
- 5955.** **Emmalocera** Ragonot,1888 (Pyralidae) Synonym(s): *Ampycophora* Meyrick,1882 nec *Wahlb.*,1847; *Emmalocera* Ragonot,1888; *Lodiana* Ragonot,1888; *Poujadia* Ragonot,1888; *Baroda* Ragonot,1888 nec *Stoliczka*,1870; *Pectinigeria* Ragonot,1888; *Ambala* Ragonot,1888; *Socora* Ragonot,1888; *Papua* Ragonot,1890; *Critonia* Ragonot,1891; *Enosima* Ragonot,1901; *Singhaliella* Strand,1920
- 5956.** **Emphylica** Turner,1913 (Pyralidae) Synonym(s): *Emphylica* Turner,1913
- 5957.** **Emporia** Ragonot,1887 (Pyralidae) Synonym(s): *Emporia* Ragonot,1887
- 5958.** **Emprepes** Lederer,1863 (Pyralidae) Synonym(s): *Phlyctaenodes* Guenée,1854 nec *Newm.*,1840; *Emprepes* Lederer,1863
- 5959.** **Enchocnemidia** Lederer,1863 (Pyralidae) Synonym(s): *Enchocnemidia* Lederer,1863
- 5960.** **Encryphodes** Turner,1913 (Pyralidae) Synonym(s): *Encryphodes* Turner,1913
- 5961.** **Endocrossis** Meyrick,1889 (Pyralidae) Synonym(s): *Endocrossis* Meyrick,1889
- 5962.** **Endolasia** Hampson,1896 (Pyralidae) Synonym(s): *Endolasia* Hampson,1896
- 5963.** **Endosimilis** Whalley,1961 (Pyralidae) Synonym(s): *Endosimilis* Whalley,1961
- 5964.** **Endotricha** Zeller,1847 (Pyralidae) Synonym(s): *Endotricha* Zeller,1847; *Doththa* Walker,1859; *Messatis* Walker,1859; *Pacoria* Walker,1866; *Zania* Walker,1866; *Tricomia* Walker,1866; *Rhisina* Walker,1866; *#Paconia* Walker,1866; *Endotrichodes* Ragonot,1891; *Endotrichopsis* Warren,1895; *#Rhisinia* Whalley,1961
- 5965.** **Ennomosia** Amsel,1956 (Pyralidae) Synonym(s): *Ennomosia* Amsel,1956
- 5966.** **Eodiatraea** Box,1953 (Pyralidae) Synonym(s): *Eodiatraea* Box,1953
- 5967.** **Eoophyla** Swinhoe,1900 (Pyralidae) Synonym(s): *Eoophyla* Swinhoe,1900
- 5968.** **Eoparargyractis** Lange,1956 (Pyralidae) Synonym(s): *Eoparargyractis* Lange,1956
- 5969.** **Epactoctena** Meyrick,1937 (Pyralidae) Synonym(s): *Epactoctena* Meyrick,1937
- 5970.** **Epascestria** Hübner,[1825] (Pyralidae) Synonym(s): *Epascestria* Hübner,[1825]
- 5971.** **Ephedrophila** Dumont,1928 (Pyralidae) Synonym(s): *Ephedrophila* Dumont,1928
- 5972.** **Ephelis** Lederer,1863 (Pyralidae) Synonym(s): *Ephelis* Lederer,1863
- 5973.** **Ephestia (Anagasta)** Heinrich,1956 (Pyralidae) Synonym(s): *Anagasta* Heinrich,1956
- 5974.** **Ephestia (s.str.)** Guenée,1845 (Pyralidae) Synonym(s): *Ephestia* Guenée,1845; *Hyphantidium* Scott,1859.
- 5975.** **Ephestiopsis** Ragonot,1893 (Pyralidae) Synonym(s): *Ephestiopsis* Ragonot,1893; *#Ephesitopsis* Neave,1939
- 5976.** **Ephormotris** Meyrick,1933 (Pyralidae) Synonym(s): *Ephormotris* Meyrick,1933
- 5977.** **Epichalcia** Roesler,1969 (Pyralidae) Synonym(s): *Epichalcia* Roesler,1969
- 5978.** **Epichilo** Ragonot,1888 (Pyralidae) Synonym(s): *Epichilo* Ragonot,1888
- 5979.** **Epicorsia** Hübner,1818 (Pyralidae) Synonym(s): *Epicorsia* Hübner,1818
- 5980.** **Epicrocis** Zeller,1848 (Pyralidae) Synonym(s): *Epicrocis* Zeller,1848; *Gabra* Walker,1866; *Canthelea* Walker,1866
- 5981.** **Epidauria** Hampson,1901 (Pyralidae) Synonym(s): *Epidauria* Hampson,1901
- 5982.** **Epiecia** Walker,1866 (Pyralidae) Synonym(s): *Epiecia* Walker,1866
- 5983.** **Epiepischnia** Amsel,1953 (Pyralidae) Synonym(s): *Epiepischnia* Amsel,1953
- 5984.** **Epilepia** Janse,1931 (Pyralidae) Synonym(s): *Epilepia* Janse,1931
- 5985.** **Epilydia** Amsel,1954 (Pyralidae) Synonym(s): *Epilydia* Amsel,1954
- 5986.** **Epimetasia** Ragonot,1894 (Pyralidae) Synonym(s): *Epimetasia* Ragonot,1894
- 5987.** **Epina** Walker,1866 (Pyralidae) Synonym(s): *Epina* Walker,1866; *Diatraenopsis* Dyar & Heinrich,1927
- 5988.** **Epipagis** Hübner,[1825] (Pyralidae) Synonym(s): *Epipagis* Hübner,[1825]; *Stenophyes* Lederer,1863
- 5989.** **Epiparthia** Amsel,1935 (Pyralidae) Synonym(s): *Epiparthia* Amsel,1935; *Irakia* Amsel,1955.
- 5990.** **Epischnia** Hübner,[1825] (Pyralidae) Synonym(s): *Epischnia* Hübner,[1825]
- 5991.** **Epischnopsis** Amsel,1953 (Pyralidae) Synonym(s): *Epischnopsis* Amsel,1953
- 5992.** **Episcythra** Meyrick,1937 (Pyralidae) Synonym(s): *Episcythra* Meyrick,1937; *Myelopsis* Heinrich,1956.
- 5993.** **Episindris** Ragonot,1891 (Pyralidae) Synonym(s): *Episindris* Ragonot,1891
- 5994.** **Epizonora** Ragonot,1892 (Pyralidae) Synonym(s): *Epizonora* Ragonot,1892
- 5995.** **Eporidia** Walker,1859 (Pyralidae) Synonym(s): *Eporidia* Walker,1859
- 5996.** **Eranistis** Meyrick,1909 (Pyralidae) Synonym(s): *Eranistis* Meyrick,1909
- 5997.** **Ercta** Walker,1859 (Pyralidae) Synonym(s): *Ercta* Walker,1859
- 5998.** **Eremographa** Meyrick,1932 (Pyralidae) Synonym(s): *Eremographa* Meyrick,1932
- 5999.** **Eristena** W.Warren,1896 (Pyralidae) Synonym(s): *Eristena* W.Warren,1896
- 6000.** **Ernophthora** Meyrick,1887 (Pyralidae) Synonym(s): *Ernophthora* Meyrick,1887; *Aspithra* Ragonot,1888; *Mimistis* Hampson,1896
- 6001.** **Erpis** Walker,1863 (Pyralidae) Synonym(s): *Erpis* Walker,1863
- 6002.** **Erupa** Walker,1864 (Pyralidae) Synonym(s): *Erupa* Walker,1864; *Zolea* Walker,1866; *Gabalanea* Walker,1866
- 6003.** **Eschata** Walker,1856 (Pyralidae) Synonym(s): *Eschata* Walker,1856; *Chaecla* Walker,1865.

- 6004.** **Essina Ragonot, 1891** (Pyralidae) Synonym(s): *Essina Ragonot, 1891*
- 6005.** **Etiella Zeller, 1839** (Pyralidae) Synonym(s): *Etiella Zeller, 1839; Rhampodes Guenée, 1845; Mella Walker, 1859; Modiana Walker, 1863; Alata Walker, 1863 nec Linck, 1783; Arucha Walker, 1863; Ceratamma Butler, 1881.*
- 6006.** **Euageta Turner, 1947** (Pyralidae) Synonym(s): *Euageta Turner, 1947*
- 6007.** **Eucampyla Meyrick, 1882** (Pyralidae) Synonym(s): *Eucampyla Meyrick, 1882; Patagonia Hampson, 1901*
- 6008.** **Eucarpia Hübner, [1825]** (Pyralidae) Synonym(s): *Eucarpia Hübner, [1825]; Argyrodes Guenée, 1845; Argyrohabda Hampson, 1926.*
- 6009.** **Euchromius Guenée, 1845** (Pyralidae) Synonym(s): *Eromene Hübner, [1825] nec Hübn., [1821]; Euchromius Guenée, 1845; Ommatopteryx Kirby, 1897; Pseudoancylolomia Ahmad, Zaidi & Kamaluddin, 1982.*
- 6010.** **Euclasta (Proteuclasta) Munroe, 1958** (Pyralidae) Synonym(s): *Proteuclasta Munroe, 1958*
- 6011.** **Euclasta (s.str.) Lederer, 1855** (Pyralidae) Synonym(s): *Euclasta Lederer, 1855; Ilurgia Walker, 1859*
- 6012.** **Euclasta Lederer, 1855** (Pyralidae) Synonym(s): *Euclasta Lederer, 1855; Ilurgia Walker, 1859*
- 6013.** **Euctenospila Warren, 1892** (Pyralidae) Synonym(s): *Euctenospila Warren, 1892*
- 6014.** **Eudaimonisma Lucas, 1902** (Pyralidae) Synonym(s): *Eudaimonisma Lucas, 1902*
- 6015.** **Eudonia Billberg, 1820** (Pyralidae) Synonym(s): *Eudonia Billberg, 1820; Boiea Zetterstedt, [1839]; Witlesia Chapman, 1912; #Eudoria Marion, 1959*
- 6016.** **Eufernaldia Hulst, 1900** (Pyralidae) Synonym(s): *Eufernaldia Hulst, 1900*
- 6017.** **Eugauria Snellen, 1901** (Pyralidae) Synonym(s): *Eugauria Snellen, 1901*
- 6018.** **Eulophota Hampson, 1926** (Pyralidae) Synonym(s): *Eulophota Hampson, 1926*
- 6019.** **Euparolia Dyar, 1914** (Pyralidae) Synonym(s): *Euparolia Dyar, 1914*
- 6020.** **Eurhodope (Eurhobasis) Roesler, 1988** (Pyralidae) Synonym(s): *Eurhodope (Eurhobasis) Roesler, 1988*
- 6021.** **Eurhodope (s.str.) Hübner, [1825]** (Pyralidae) Synonym(s): *Eurhodope Hübner, [1825]; Semnia Guenée, 1845 nec Hübn., [1823]; Kyra Gozmany, 1958*
- 6022.** **Eurhythmia Turner, 1904** (Pyralidae) Synonym(s): *Eurhythmia Turner, 1904; #Eurythma Bleszynski & Collins, 1962*
- 6023.** **Eurrhypha Hübner, [1825]** (Pyralidae) Synonym(s): *Eurrhypha Hübner, [1825]*
- 6024.** **Eurrhypharodes Snellen, 1880** (Pyralidae) Synonym(s): *Eurrhypharodes Snellen, 1880; Molybdantha Meyrick, 1884*
- 6025.** **Eurrhyphis Hübner, [1825]** (Pyralidae) Synonym(s): *Eurrhyphis Hübner, [1825]; Threnodes Duponchel, [1845]*
- 6026.** **Eurybela Turner, 1908** (Pyralidae) Synonym(s): *Eurybela Turner, 1908*
- 6027.** **Eusabena Snellen, 1901** (Pyralidae) Synonym(s): *Eusabena Snellen, 1901*
- 6028.** **Eutrichodes W. Warren, 1891** (Pyralidae) Synonym(s): *Eutrichodes W. Warren, 1891*
- 6029.** **Euzophera (Cymbalorissa) Gozmany, 1958** (Pyralidae) Synonym(s): *Cymbalorissa Gozmany, 1958*
- 6030.** **Euzophera (Quadrepista) Roesler, 1973** (Pyralidae) Synonym(s): *Quadrepista Roesler, 1973*
- 6031.** **Euzophera (s.str.) Zeller, 1867** (Pyralidae) Synonym(s): *Stenoptycha Heinemann, 1865 nec Agas., 1862; Melia Heinemann, 1865 nec Risso, 1813; Euzophera Zeller, 1867; Pistogenes Meyrick, 1937; Ahwazia Amsel, 1949; Longignathia Roesler, 1965*
- 6032.** **Euzopherodes Hampson, 1899** (Pyralidae) Synonym(s): *Euzopherodes Hampson, 1899; Lydia Rebel, 1901 nec Gistel, 1848; Lydia Hampson, 1901 nec Gistel, 1848; Phloeophaga Chrétien, 1910; Radiestra Hampson, 1927; Neononia Hampson, 1930; Symphestia Hampson, 1930; Trigonopyralis Amsel, 1935; Nyctigenes Meyrick, 1937 Epilydia Amsel, 1954; Delattinia Roesler, 1965; Infinita Whalley, 1970.*
- 6033.** **Evergestis Hübner, [1825]** (Pyralidae) Synonym(s): *Evergestis Hübner, [1825]*
- 6034.** **Exsilirarcha Salmon & Bradley, 1956** (Pyralidae) Synonym(s): *Exsilirarcha Salmon & Bradley, 1956*
- 6035.** **Faveria Walker, 1859** (Pyralidae) Synonym(s): *Faveria Walker, 1859; Oligochroa Ragonot, 1888; Pristarthria Ragonot, 1893; Sclerobia Ragonot, 1893*
- 6036.** **Fernandocrambus Aurivillius, 1922** (Pyralidae) Synonym(s): *Fernandocrambus Aurivillius, 1922*
- 6037.** **Filodes Guenée, 1854** (Pyralidae) Synonym(s): *Filodes Guenée, 1854; Auxomitia Lederer, 1863*
- 6038.** **Flabellobasis Balinsky, 1991** (Pyralidae) Synonym(s): *Flabellobasis Balinsky, 1991*
- 6039.** **Flavocrambus Bleszynski, 1959** (Pyralidae) Synonym(s): *Flavocrambus Bleszynski, 1959*
- 6040.** **Fossifrontia Hampson, 1901** (Pyralidae) Synonym(s): *Fossifrontia Hampson, 1901*
- 6041.** **Fregenia Hartig, 1947** (Pyralidae) Synonym(s): *Fregenia Hartig, 1947*
- 6042.** **Friedlanderia Agnew, 1987** (Pyralidae) Synonym(s): *#Chiloides Amsel, 1949; Chiloides Bleszynski, 1963 nec Butl., 1881; Friedlanderia Agnew, 1987*
- 6043.** **Gaana Walker, 1866** (Pyralidae) Synonym(s): *Gaana Walker, 1866*
- 6044.** **Gadira Walker, 1866** (Pyralidae) Synonym(s): *Gadira Walker, 1866; Cryptomima Meyrick, 1882; Scenoploca Meyrick, 1882*
- 6045.** **Galleria Fabricius, 1798** (Pyralidae) Synonym(s): *Galleria Fabricius, 1798; #Adeona Rafinesque, 1815; Ceriolepta Sodoffsky, 1837; Vindana Walker, 1866.*
- 6046.** **Galleristhenia Hampson, 1917** (Pyralidae) Synonym(s): *Galleristhenia Hampson, 1917*
- 6047.** **Gargela Walker, 1864** (Pyralidae) Synonym(s): *Gargela Walker, 1864; Mixophyla Meyrick, 1887; Mixophila Hampson, 1896; Angonia Snellen, 1893*
- 6048.** **Gauna Walker, [1866]** (Pyralidae) Synonym(s): *Gauna Walker, [1866]; Oedematophaga Meyrick, 1884*
- 6049.** **Gesneria Hübner, [1825]** (Pyralidae) Synonym(s): *Gesneria Hübner, [1825]; Scoparona Chapman, 1912*
- 6050.** **Getulia Ragonot, 1888** (Pyralidae) Synonym(s): *Getulia Ragonot, 1888*
- 6051.** **Ghesquierellana Berger, 1955** (Pyralidae) Synonym(s): *Phalanta Ghesquière, 1942 (praeocc.); Ghesquierellana Berger, 1955; #Ghesquierellana Munroe, 1959*
- 6052.** **Glaucobaris Meyrick, 1938** (Pyralidae) Synonym(s): *Ditomoptera Hampson, 1893 nec Germ., 1839; Glaucobaris Meyrick, 1938; Pareromene Osthelder, 1941; Pagmania Amsel, 1961*
- 6053.** **Glaucanoe Warren, 1892** (Pyralidae) Synonym(s): *Glaucanoe Warren, 1892*
- 6054.** **Glycythyma Turner, 1908** (Pyralidae) Synonym(s): *Glycythyma Turner, 1908*
- 6055.** **Glyphodes Guenée, 1854** (Pyralidae) Synonym(s): *Caloptychia Hübner, [1825]; Calliptychia Agassiz, 1847; Glyphodes Guenée, 1854; Morocosma Lederer, 1863*
- 6056.** **Glyptoteles Zeller, 1848** (Pyralidae) Synonym(s): *Glyptoteles Zeller, 1848*
- 6057.** **Goniophyetis Hampson, 1916** (Pyralidae) Synonym(s): *Goniophyetis Hampson, 1916; Leucinocrambus Viette, 1960*
- 6058.** **Gozmanyia Roesler, 1965** (Pyralidae) Synonym(s): *Gozmanyia Roesler, 1965*
- 6059.** **Grammiphlebia Hampson, 1906** (Pyralidae) Synonym(s): *Grammiphlebia Hampson, 1906*
- 6060.** **Guastica Walker, 1863** (Pyralidae) Synonym(s): *Guastica Walker, 1863*
- 6061.** **Guayana Koçak & Kemal, 2006** (Pyralidae) Synonym(s): *Gennadius Heinrich, 1856 nec Jord. & Seale, 1907; Guayana Koçak & Kemal, 2006*
- 6062.** **Gunungia Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Gunungia Roesler & Küppers, 1979*
- 6063.** **Gunungodes Roesler & Küppers, 1981** (Pyralidae) Synonym(s): *Gunungodes Roesler & Küppers, 1981*
- 6064.** **Gymnancyla (Dentinodia) Ragonot, 1887** (Pyralidae) Synonym(s): *Dentinodia Ragonot, 1887*
- 6065.** **Gymnancyla (Spermatophthora) Lederer, 1852** (Pyralidae) Synonym(s): *Spermatophthora Lederer, 1852*
- 6066.** **Gymnancyla (s.str.) Zeller, 1848** (Pyralidae) Synonym(s): *Gymnancyla Zeller, 1848; Nefertitita Gozmany, 1960.*
- 6067.** **Gyrtona Walker, 1863** (Pyralidae) Synonym(s): *Gyrtona Walker, 1863*
- 6068.** **Hafisia Amsel, 1950** (Pyralidae) Synonym(s): *Hafisia Amsel, 1950*
- 6069.** **Hahncappisia Munroe, 1976** (Pyralidae) Synonym(s): *Hahncappisia Munroe, 1976*

- 6070. Haimbachia Dyar, 1909** (Pyralidae) Synonym(s): *Haimbachia* Dyar, 1909; *Eoreuma* Ely, 1910; *Coniesta* Hampson, 1919
- 6071. Hannemannea Roesler, 1967** (Pyralidae) Synonym(s): *Hannemannea* Roesler, 1967
- 6072. Hansreisseria Roesler, 1973** (Pyralidae) Synonym(s): *Hansreisseria* Roesler, 1973
- 6073. Haritalodes W. Warren, 1890** (Pyralidae) Synonym(s): *Haritalodes* W. Warren, 1890
- 6074. Harpadispar Agenjo, 1952** (Pyralidae) Synonym(s): *Harpadispar* Agenjo, 1952
- 6075. Harraria Hampson, 1930** (Pyralidae) Synonym(s): *Harraria* Hampson, 1930
- 6076. Hednota Meyrick, 1886** (Pyralidae) Synonym(s): *Hednota* Meyrick, 1886
- 6077. Hednotodes Lower, 1893** (Pyralidae) Synonym(s): *Hednotodes* Lower, 1893; *Calliphlycta* Hampson, 1918
- 6078. Hedyleptopsis Munroe, 1960** (Pyralidae) Synonym(s): *Hedyleptopsis* Munroe, 1960
- 6079. Helenoscopia Nuss, 1999** (Pyralidae) Synonym(s): *Helenoscopia* Nuss, 1999
- 6080. Heliothela Guenée, 1854** (Pyralidae) Synonym(s): *Heliothela* Guenée, 1854; *Orosana* Walker, 1863; *Nyctarcha* Meyrick, 1884
- 6081. Hellula Guenée, 1854** (Pyralidae) Synonym(s): *Oeobia* Hübner, [1825] (rejected name by ICZN, 1959 Opinion 536); *Hellula* Guenée, 1854; *Phyratocosma* Meyrick, 1936; *Ashwania* Pajni & Rose, 1977
- 6082. Helonastes Common, 1960** (Pyralidae) Synonym(s): *Helonastes* Common, 1960
- 6083. Helvibotys Munroe, 1976** (Pyralidae) Synonym(s): *Helvibotys* Munroe, 1976
- 6084. Heminomistis Meyrick, 1933** (Pyralidae) Synonym(s): *Heminomistis* Meyrick, 1933
- 6085. Hemiplatytes Barnes & Benjamin, 1924** (Pyralidae) Synonym(s): *Hemiplatytes* Barnes & Benjamin, 1924
- 6086. Hemiptocha Dognin, 1905** (Pyralidae) Synonym(s): *Hemiptocha* Dognin, 1905
- 6087. Hemiscopis Warren, 1890** (Pyralidae) Synonym(s): *Hemiscopis* Warren, 1890
- 6088. Hendecasis Hampson, 1896** (Pyralidae) Synonym(s): *Hendecasis* Hampson, 1896; *Neohendecasis* Shibuya, 1931
- 6089. Heortia Lederer, 1863** (Pyralidae) Synonym(s): *Heortia* Lederer, 1863; *Eteta* Walker, [1865]; *Tyspana* Moore, [1885]
- 6090. Heosphora Meyrick, 1882** (Pyralidae) Synonym(s): *Heosphora* Meyrick, 1882; *Talamba* Ragonot, 1888; *Erythphlebia* Hampson, 1901
- 6091. Herculia Walker, 1859** (Pyralidae) Synonym(s): *Herculia* Walker, 1859; *Cisse* Walker, 1863; *Buzala* Walker, 1863; *Bejuda* Walker, [1866]; *Pseudasopia* Grote, 1873; *Bleone* Ragonot, 1890; *Dolichomia* Ragonot, 1891
- 6092. Hercynodes Ragonot, 1895** (Pyralidae) Synonym(s): *Hercynodes* Ragonot, 1895
- 6093. Herpetogramma Lederer, 1863** (Pyralidae) Synonym(s): *Herpetogramma* Lederer, 1863; *Pachyzancla* Meyrick, 1884; *Acharana* Moore, [1885]; *Piloptyla* Swinhoe, 1894; *Pantoeocome* Warren, 1896; *Macrobotys* Munroe, 1950; *Coremataria* Amsel, 1956; *Culcitaria* Amsel, 1957; *#Herpetogramma* Hutacharn & Tubtim, 1995
- 6094. Heterochrosis Hampson, 1926** (Pyralidae) Synonym(s): *Heterochrosis* Hampson, 1926
- 6095. Heteromicta Meyrick, 1886** (Pyralidae) Synonym(s): *Heteromicta* Meyrick, 1886
- 6096. Hobohmia Balinsky, 1994** (Pyralidae) Synonym(s): *Hobohmia* Balinsky, 1994
- 6097. Hoeneodes Roesler, 1969** (Pyralidae) Synonym(s): *Hoeneodes* Roesler, 1969
- 6098. Homoeosoma (Anhomoeosoma) Roesler, 1965** (Pyralidae) Synonym(s): *Anhomoeosoma* Roesler, 1965
- 6099. Homoeosoma (Ectohomoeosoma) Roesler, 1965** (Pyralidae) Synonym(s): *Ectohomoeosoma* Roesler, 1965
- 6100. Homoeosoma (s.str.) Curtis, 1833** (Pyralidae) Synonym(s): *Homoeosoma* Curtis, 1833; *Phycidea* Zeller, 1839; *Lotria* Guenée, 1845.
- 6101. Hoploscopa Meyrick, 1886** (Pyralidae) Synonym(s): *Hoploscopa* Meyrick, 1886
- 6102. Hornigia Ragonot, 1885** (Pyralidae) Synonym(s): *Hornigia* Ragonot, 1885
- 6103. Hosidia Hampson, 1901** (Pyralidae) Synonym(s): *Hosidia* Hampson, 1901
- 6104. Hyalea Guenée, 1854** (Pyralidae) Synonym(s): *Hyalea* Guenée, 1854
- 6105. Hyalobathra Meyrick, 1885** (Pyralidae) Synonym(s): *Hyalobathra* Meyrick, 1885; *Leucocraspeda* Warren, 1890
- 6106. Hydaspia Ragonot, 1888** (Pyralidae) Synonym(s): *Hydaspia* Ragonot, 1888
- 6107. Hydriris Meyrick, 1885** (Pyralidae) Synonym(s): *Spanista* Lederer, 1863 nec Foester, 1862; *Hydriris* Meyrick, 1885; *Antiercta* Amsel, 1956
- 6108. Hydrorybina Hampson, 1896** (Pyralidae) Synonym(s): *Hydrorybina* Hampson, 1896
- 6109. Hygraula Meyrick, 1885** (Pyralidae) Synonym(s): *Hygraula* Meyrick, 1885; *Blechroglossa* Turner, 1937
- 6110. Hylebatis Turner, 1908** (Pyralidae) Synonym(s): *Hylebatis* Turner, 1908
- 6111. Hymenia Hübner, [1825]** (Pyralidae) Synonym(s): *Hymenia* Hübner, [1825]; *Zinckenia* Zeller, 1852
- 6112. Hymenoptychis Zeller, 1852** (Pyralidae) Synonym(s): *Hymenoptychis* Zeller, 1852; *Syrbatis* Walker, 1863
- 6113. Hypargyria Ragonot, 1888** (Pyralidae) Synonym(s): *Hypargyria* Ragonot, 1888
- 6114. Hyperlais Marion, 1959** (Pyralidae) Synonym(s): *Hyperlais* Marion, 1959
- 6115. Hypiesta Hampson, 1919** (Pyralidae) Synonym(s): *Hypiasta* Hampson, 1919
- 6116. Hypochalcia Hübner, [1825]** (Pyralidae) Synonym(s): *Hypochalcia* Hübner, [1825]; *Araxes* Stephens, 1834
- 6117. Hypodaria Hartig, 1939** (Pyralidae) Synonym(s): *Paradaria* Hartig, 1937 nec Kuzn., 1908; *Hypodaria* Hartig, 1939; *Gnathomorpha* Amsel, 1959
- 6118. Hypolophota Turner, 1904** (Pyralidae) Synonym(s): *Hypolophota* Turner, 1904
- 6119. Hyporatasa Ragonot, 1901** (Pyralidae) Synonym(s): *Hyporatasa* Ragonot, 1901
- 6120. Hypotia Zeller, 1847** (Pyralidae) Synonym(s): *Hypotia* Zeller, 1847; *Dattinia* Ragonot, 1887; *Constantia* Ragonot, 1887 nec Adams, 1860; *Baniura* Ragonot, 1891; *Palura* Ragonot, 1891 (homonym).
- 6121. Hypsipyla Ragonot, 1888** (Pyralidae) Synonym(s): *Hypsipyla* Ragonot, 1888
- 6122. Hypsopygia Hübner, [1825]** (Pyralidae) Synonym(s): *Hypsopygia* Hübner, [1825]
- 6123. Hypsotropa Zeller, 1848** (Pyralidae) Synonym(s): *Hypsotropa* Zeller, 1848; *#Hypsotropa* Snellen, 1880; *Seleucia* Ragonot, 1887; *Tiarra* Ragonot, 1888; *Lymira* Ragonot, 1888; *Ambala* Ragonot, 1888; *Socora* Ragonot, 1888; *Talamba* Ragonot, 1888; *Hypsotropa* Hampson, 1896
- 6124. Iangaigheria Kemal & Koçak, 2004** (Pyralidae) Synonym(s): *Joannisia* Balinsky, 1994 nec ; *Iangaigheria* Kemal & Koçak, 2004
- 6125. Indomalayia Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Indomalayia* Roesler & Küppers, 1979
- 6126. Indomyrlaea Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Indomyrlaea* Roesler & Küppers, 1979
- 6127. Ingridiola Roesler, 1969** (Pyralidae) Synonym(s): *Ingridiola* Roesler, 1969
- 6128. Iranarpia Leraut, 1982** (Pyralidae) Synonym(s): *Iranarpia* Leraut, 1982
- 6129. Iraniodes Amsel, 1961** (Pyralidae) Synonym(s): *Iraniodes* Amsel, 1961
- 6130. Isauria Ragonot, 1887** (Pyralidae) Synonym(s): *Isauria* Ragonot, 1887; *Adelosemia* Ragonot, 1887; *Melitene* Ragonot, 1888; *Divona* Ragonot, 1893; *Pseudomegasis* Chrétien, 1931.
- 6131. Ischnurges Lederer, 1863** (Pyralidae) Synonym(s): *Ischnurges* Lederer, 1863; *Nesolocha* Meyrick, 1886; *Stenochora* W. Warren, 1892
- 6132. Isocentris Meyrick, 1887** (Pyralidae) Synonym(s): *Isocentris* Meyrick, 1887
- 6133. Jacutscia Hampson, 1930** (Pyralidae) Synonym(s): *Jacutscia* Hampson, 1930
- 6134. Japonichilo Okano, 1962** (Pyralidae) Synonym(s): *Japonichilo* Okano, 1962
- 6135. Japonicrambus Okano, 1962** (Pyralidae) Synonym(s): *Japonicrambus* Okano, 1962
- 6136. Juania Aurivillius, 1922** (Pyralidae) Synonym(s): *Juania* Aurivillius, 1922
- 6137. Kasania Krulikowsky, 1910** (Pyralidae) Synonym(s): *Kasania* Krulikowsky, 1910

6138. **Kasyapa Roesler & Küppers, 1981** (Pyrilidae) Synonym(s): *Kasyapa Roesler & Küppers, 1981*
6139. **Katja Amsel, 1951** (Pyrilidae) Synonym(s): *Katja Amsel, 1951*
6140. **Kaurava Roesler & Küppers, 1981** (Pyrilidae) Synonym(s): *Kaurava Roesler & Küppers, 1981*
6141. **Keradere Whalley, 1970** (Pyrilidae) Synonym(s): *Keradere Whalley, 1970*
6142. **Kerbela Amsel, 1949** (Pyrilidae) Synonym(s): *Kerbela Amsel, 1949*
6143. **Ketambeia Roesler & Küppers, 1979** (Pyrilidae) Synonym(s): *Ketambeia Roesler & Küppers, 1979*
6144. **Khorassania Amsel, 1951** (Pyrilidae) Synonym(s): *Brephia Heinemann, 1865 nec Hübn., 1822; Khorassania Amsel, 1951; Abrephia Amsel, 1953*
6145. **Khuzistania Amsel, 1959** (Pyrilidae) Synonym(s): *Khuzistania Amsel, 1959*
6146. **Kivia Balinsky, 1994** (Pyrilidae) Synonym(s): *Kivia Balinsky, 1994*
6147. **Klimeschiola Roesler, 1965** (Pyrilidae) Synonym(s): *Klimeschiola Roesler, 1965*
6148. **Kobesia Roesler, 1983** (Pyrilidae) Synonym(s): *Kobesia Roesler, 1983*
6149. **Krombia Chrétien, 1911** (Pyrilidae) Synonym(s): *Krombia Chrétien, 1911*
6150. **Kupea Philpott, 1930** (Pyrilidae) Synonym(s): *Kupea Philpott, 1930*
6151. **Lacalma Janse, 1931** (Pyrilidae) Synonym(s): *Lacalma Janse, 1931*
6152. **Laetilia Ragonot, 1889** (Pyrilidae) Synonym(s): *Laetilia Ragonot, 1889; Laosticha Hulst, 1902.*
6153. **Lambaesia Rebel, 1903** (Pyrilidae) Synonym(s): *Lambaesia Rebel, 1903; Monotonia Amsel, 1955*
6154. **Lamida Walker, 1858** (Pyrilidae) Synonym(s): *Lamida Walker, 1858*
6155. **Lamoria Walker, 1863** (Pyrilidae) Synonym(s): *Lamoria Walker, 1863; Maraclea Walker, 1863; Hornigia Ragonot, 1885; Tugela Ragonot, 1888.*
6156. **Lamprophaia Caradja, 1925** (Pyrilidae) Synonym(s): *Lamprophaia Caradja, 1925*
6157. **Lamprosema Hübner, 1823** (Pyrilidae) Synonym(s): *Lamprosema Hübner, 1823; Lotanga Moore, [1886]*
6158. **Lamprosema Hübner, [1823]** (Pyrilidae) Synonym(s): *Lamprosema Hübner, [1823]*
6159. **Laodamia Ragonot, 1888** (Pyrilidae) Synonym(s): *Laodamia Ragonot, 1888; Alophia Ragonot, 1893*
6160. **Laristania Amsel, 1951** (Pyrilidae) Synonym(s): *Laristania Amsel, 1951*
6161. **Larodryas Turner, 1922** (Pyrilidae) Synonym(s): *Larodryas Turner, 1922; #Laryodryas Whalley, 1961*
6162. **Lasiosticha Meyrick, 1887** (Pyrilidae) Synonym(s): *Lasiocera Meyrick, 1879 nec Dejean, 1831; Lasiosticha Meyrick, 1887; #Laosticha Hulst, 1903*
6163. **Leechia South, 1901** (Pyrilidae) Synonym(s): *Leechia South, 1901*
6164. **Leonardo Bleszynski, 1965** (Pyrilidae) Synonym(s): *Leonardo Bleszynski, 1965*
6165. **Lepidogma Meyrick, 1890** (Pyrilidae) Synonym(s): *Lepidogma Meyrick, 1890*
6166. **Lepidoneura Hampson, 1899** (Pyrilidae) Synonym(s): *Lepidoneura Hampson, 1899*
6167. **Leptarchis Meyrick, 1937** (Pyrilidae) Synonym(s): *Leptarchis Meyrick, 1937*
6168. **Leucargyra Hampson, 1896** (Pyrilidae) Synonym(s): *Leucargyra Hampson, 1896*
6169. **Leucinodes Guenée, 1854** (Pyrilidae) Synonym(s): *Leucinodes Guenée, 1854*
6170. **Leucoides Hampson, 1893** (Pyrilidae) Synonym(s): *Leucoides Hampson, 1893*
6171. **Levantenna Balinsky, 1994** (Pyrilidae) Synonym(s): *Levantenna Balinsky, 1994*
6172. **Limbobotys Munroe & Mutuura, 1970** (Pyrilidae) Synonym(s): *Limbobotys Munroe & Mutuura, 1970*
6173. **Lioprosopa Turner, 1947** (Pyrilidae) Synonym(s): *Lioprosopa Turner, 1947*
6174. **Lipararchis Meyrick, 1934** (Pyrilidae) Synonym(s): *Notaspis Warren, 1892 nec Hermann, 1804; Lipararchis Meyrick, 1934.*
6175. **Lista Walker, 1859** (Pyrilidae) Synonym(s): *Lista Walker, 1859*
6176. **Lixa Walker, [1866]** (Pyrilidae) Synonym(s): *Lixa Walker, [1866]*
6177. **Locastra Walker, 1858** (Pyrilidae) Synonym(s): *Locastra Walker, 1858*
6178. **Lodiana Ragonot, 1888** (Pyrilidae) Synonym(s): *Lodiana Ragonot, 1888*
6179. **Lophothoracia Hampson, 1901** (Pyrilidae) Synonym(s): *Lophothoracia Hampson, 1901*
6180. **Loryma Walker, 1859** (Pyrilidae) Synonym(s): *Loryma Walker, 1859; Beria Walker, 1863 nec Robineau-Desvoidy, 1830; Tauba Walker, 1866; Ulotrichodes Ragonot, 1891.*
6181. **Lorymodes Hampson, 1917** (Pyrilidae) Synonym(s): *Lorymodes Hampson, 1917*
6182. **Loxmaionia Schaus, 1913** (Pyrilidae) Synonym(s): *Loxmaionia Schaus, 1913*
6183. **Loxocrambus Forbes, 1920** (Pyrilidae) Synonym(s): *Loxocrambus Forbes, 1920*
6184. **Loxomorpha Amsel, 1956** (Pyrilidae) Synonym(s): *Loxomorpha Amsel, 1956; Chrysobotys Munroe, 1956*
6185. **Loxophantis Meyrick, 1935** (Pyrilidae) Synonym(s): *Loxophantis Meyrick, 1935*
6186. **Loxostege Hübner, [1825]** (Pyrilidae) Synonym(s): *Loxostege Hübner, [1825]; Leimonia Hübner, [1825]; Margaritia Stephens, 1827; Boreophila Guenée, 1845; Limonia Agassiz, 1847; Cosmocreon Warren, 1892; Maroa Barnes & McDunnough, 1914; Polingia Barnes & McDunnough, 1914; Parasitochroa Hannemann, 1964*
6187. **Luma Walker, 1863** (Pyrilidae) Synonym(s): *Luma Walker, 1863; Zebronia Leech, 1899*
6188. **Lygropia Lederer, 1863** (Pyrilidae) Synonym(s): *Lygropia Lederer, 1863; Hyperthalia Warren, 1896*
6189. **Mabra Moore, [1885]** (Pyrilidae) Synonym(s): *Mabra Moore, [1885]; Streptobela Turner, 1937*
6190. **Macalla Walker, [1859]** (Pyrilidae) Synonym(s): *Macalla Walker, [1859]; Aradrappa Walker, [1866]*
6191. **Macaretaera Meyrick, 1886** (Pyrilidae) Synonym(s): *Macaretaera Meyrick, 1886; Trichoptychodes Swinhoe, 1894; Trigonophylla Turner, 1937 nec Turner, 1919*
6192. **Macna Walker, [1859]** (Pyrilidae) Synonym(s): *Macna Walker, [1859]; Curicta Walker, [1866]; Rhabana Walker, [1866]; Goossenia Ragonot, 1891 nec Cossmann, 1885; Teratomorpha De Nicéville, 1896; Plinthopa Bethune-Baker, 1908; Gateclarkeia Orfila & Rossi, 1956*
6193. **Macrobela Turner, 1939** (Pyrilidae) Synonym(s): *Macrobela Turner, 1939*
6194. **Macrochilo Hampson, 1896** (Pyrilidae) Synonym(s): *Macrochilo Hampson, 1896*
6195. **Macroctenia Hampson, 1900** (Pyrilidae) Synonym(s): *Macroctenia Hampson, 1900*
6196. **Macrovalva Balinsky, 1994** (Pyrilidae) Synonym(s): *Macrovalva Balinsky, 1994*
6197. **Magiria Zeller, 1867** (Pyrilidae) Synonym(s): *Magiria Zeller, 1867*
6198. **Magiriamorpha Balinsky, 1994** (Pyrilidae) Synonym(s): *Magiriamorpha Balinsky, 1994*
6199. **Makrania Amsel, 1959** (Pyrilidae) Synonym(s): *Makrania Amsel, 1959*
6200. **Mampava Ragonot, 1888** (Pyrilidae) Synonym(s): *Mampava Ragonot, 1888; Anerastidia Hampson, 1901*
6201. **Marasmia Lederer, 1863** (Pyrilidae) Synonym(s): *Marasmia Lederer, 1863; Dolichosticha Meyrick, 1884; Epimima Meyrick, 1886; Lasiacme Warren, 1896; Bradinomorpha Matsumura, 1920; Susumia Marumo, 1930; Prototaula Meyrick, 1934; #Neomarasamia Kulra, David & Banerji, 1967*
6202. **Mardinia Amsel, 1952** (Pyrilidae) Synonym(s): *Mardinia Amsel, 1952*
6203. **Margaretania Amsel, 1961** (Pyrilidae) Synonym(s): *Margaretania Amsel, 1961*
6204. **Margaritia Stephens, 1827** (Pyrilidae) Synonym(s): *Margaritia Stephens, 1827*
6205. **Margarochroma Warren, 1896** (Pyrilidae) Synonym(s): *Margarochroma Warren, 1896*
6206. **Margarosticha Lederer, 1863** (Pyrilidae) Synonym(s): *Margarosticha Lederer, 1863*
6207. **Maruca Walker, 1859** (Pyrilidae) Synonym(s): *Maruca Walker, 1859; #Maruea Walker, 1859; Sirocauta Lederer, 1863*

- 6208.** *Marwitzia* Gaede, 1917 (Pyralidae) Synonym(s): *Marwitzia* Gaede, 1917
- 6209.** *Massepha* Walker, 1859 (Pyralidae) Synonym(s): *Massepha* Walker, 1859; *Physematia* Snellen, 1880; *Ceratoclassis* Druce, 1899
- 6210.** *Masthala* Walker, 1864 (Pyralidae) Synonym(s): *Masthala* Walker, 1864
- 6211.** *Mecistophylla* Turner, 1937 (Pyralidae) Synonym(s): *Mecistophylla* Turner, 1937
- 6212.** *Mecyna* Doubleday, 1849 (Pyralidae) Synonym(s): *Mecyna* Doubleday, 1849
- 6213.** *Medaniaria* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *Medaniaria* Roesler & Küppers, 1979
- 6214.** *Megasis* Guenée, 1845 (Pyralidae) Synonym(s): *Megasis* Guenée, 1845; *Tsaraphycis* Viette, 1970.
- 6215.** *Melanalis* Hampson, 1906 (Pyralidae) Synonym(s): *Melanalis* Hampson, 1906
- 6216.** *Melanastia* Hampson, 1930 (Pyralidae) Synonym(s): *Melanastia* Hampson, 1930; *Melanistia* Whalley, 1970
- 6217.** *Melathrix* Ragonot, 1893 (Pyralidae) Synonym(s): *Melathrix* Ragonot, 1893
- 6218.** *Melitara* Walker, 1863 (Pyralidae) Synonym(s): *Melitara* Walker, 1863; *Megaphycis* Grote, 1882
- 6219.** *Merangiria* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *Merangiria* Roesler & Küppers, 1979
- 6220.** *Meridiophila* Marion, 1963 (Pyralidae) Synonym(s): *Meridiophila* Marion, 1963
- 6221.** *Meroctena* Lederer, 1863 (Pyralidae) Synonym(s): *Meroctena* Lederer, 1863
- 6222.** *Merodictya* W. Warren, 1896 (Pyralidae) Synonym(s): *Merodictya* W. Warren, 1896
- 6223.** *Merotoma* Meyrick, 1894 (Pyralidae) Synonym(s): *Merotoma* Meyrick, 1894
- 6224.** *Merulempista* Roesler, 1967 (Pyralidae) Synonym(s): *Merulempista* Roesler, 1967
- 6225.** *Mesciniadia* Hampson, 1901 (Pyralidae) Synonym(s): *Mesciniadia* Hampson, 1901; *Meseiniadia* Turner, 1913
- 6226.** *Mesocrambus* Bleszynski, 1957 (Pyralidae) Synonym(s): *Mesocrambus* Bleszynski, 1957
- 6227.** *Mesodiphlebia* Zeller, 1881 (Pyralidae) Synonym(s): *Mesodiphlebia* Zeller, 1881
- 6228.** *Mesolia* Ragonot, 1888 (Pyralidae) Synonym(s): *Mesolia* Ragonot, 1888; *Eugrotea* Fernald, 1896; *Deuterolia* Dyar, 1914; *Euparolia* Dyar, 1914
- 6229.** *Mestolobes* Butler, 1882 (Pyralidae) Synonym(s): *Mestolobes* Butler, 1882; *Promylaea* Meyrick, 1899
- 6230.** *Metaclysta* Hampson, 1906 (Pyralidae) Synonym(s): *Metaclysta* Hampson, 1906
- 6231.** *Metacrambus* Bleszynski, 1957 (Pyralidae) Synonym(s): *Metacrambus* Bleszynski, 1957
- 6232.** *Metacrateria* Hampson, 1918 (Pyralidae) Synonym(s): *Metacrateria* Hampson, 1918
- 6233.** *Metaeuchromius* Bleszynski, 1960 (Pyralidae) Synonym(s): *Metaeuchromius* Bleszynski, 1960
- 6234.** *Metallarcha* Meyrick, 1884 (Pyralidae) Synonym(s): *Metallarcha* Meyrick, 1884; *Panopsia* Turner, 1913
- 6235.** *Metallosticha* Rebel, 1901 (Pyralidae) Synonym(s): *Metallosticha* Rebel, 1901; *Ametallosticha* Amsel, 1935.
- 6236.** *Metallostichodes* Roesler, 1967 (Pyralidae) Synonym(s): *Metallostichodes* Roesler, 1967
- 6237.** *Metasia* (Clasperia) Hartig, 1952 (Pyralidae) Synonym(s): *Clasperia* Hartig, 1952.
- 6238.** *Metasia* (Hystricia) Hartig, 1952 (Pyralidae) Synonym(s): *Hystricia* Hartig, 1952
- 6239.** *Metasia* (s.str.) Guenée, 1854 (Pyralidae) Synonym(s): *Metasia* Guenée, 1854
- 6240.** *Metasia* Guenée, 1854 (Pyralidae) Synonym(s): *Metasia* Guenée, 1854
- 6241.** *Metaxmeste* Hübner, [1825] (Pyralidae) Synonym(s): *Metaxmeste* Hübner, [1825]; *Hercyna* Treitschke, 1828.
- 6242.** *Metoeca* W. Warren, 1896 (Pyralidae) Synonym(s): *Metoeca* W. Warren, 1896
- 6243.** *Metoecis* Mabilie, 1880 (Pyralidae) Synonym(s): *Metoecis* Mabilie, 1880
- 6244.** *Meyriccia* Hampson, 1917 (Pyralidae) Synonym(s): *Meyriccia* Ragonot, 1901 nec Butler, 1884; *Meyriccia* Hampson, 1917; *Hylaletis* Meyrick, 1932.
- 6245.** *Meyrickiella* Hampson, 1901 (Pyralidae) Synonym(s): *Meyrickiella* Hampson, 1901; *Meyrickialis* Hampson, 1930
- 6246.** *Michaeliodes* Roesler, 1970 (Pyralidae) Synonym(s): *Michaeliodes* Roesler, 1970
- 6247.** *Micraglossa* Warren, 1891 (Pyralidae) Synonym(s): *Micraglossa* Warren, 1891; *Microglossa* Hampson, 1917
- 6248.** *Microchilo* Okano, 1962 (Pyralidae) Synonym(s): *Microchilo* Okano, 1962
- 6249.** *Microphysetica* Hampson, 1917 (Pyralidae) Synonym(s): *Microphysetica* Hampson, 1917; *Falx* Amsel, 1956; *Falcimorpha* Amsel, 1957
- 6250.** *Microstega* Meyrick, 1890 (Pyralidae) Synonym(s): *Microstega* Meyrick, 1890
- 6251.** *Microtalis* Turner, 1911 (Pyralidae) Synonym(s): *Microtalis* Turner, 1911
- 6252.** *Microthrix* Ragonot, 1888 (Pyralidae) Synonym(s): *Microthrix* Ragonot, 1888
- 6253.** *Miliberta* Balinsky, 1994 (Pyralidae) Synonym(s): *Miliberta* Balinsky, 1994
- 6254.** *Mimaglossa* W. Warren, 1891 (Pyralidae) Synonym(s): *Mimaglossa* W. Warren, 1891
- 6255.** *Mimorista* W. Warren, 1890 (Pyralidae) Synonym(s): *Mimorista* W. Warren, 1890
- 6256.** *Mimudea* W. Warren, 1892 (Pyralidae) Synonym(s): *Mimudea* W. Warren, 1892; *Eudaimonisma* Lucas, 1902; *Otiophora* Turner, 1908; *Emphylica* Turner, 1913
- 6257.** *Miraxis* Bleszynski, 1962 (Pyralidae) Synonym(s): *Miraxis* Bleszynski, 1962
- 6258.** *Mittonia* Whalley, 1964 (Pyralidae) Synonym(s): *Mittonia* Whalley, 1964
- 6259.** *Miyakea* Marumo, 1933 (Pyralidae) Synonym(s): *Miyakea* Marumo, 1933
- 6260.** *Mnesixena* Meyrick, 1890 (Pyralidae) Synonym(s): *Mnesixena* Meyrick, 1890
- 6261.** *Modestia* Bleszynski, 1965 (Pyralidae) Synonym(s): *Modestia* Bleszynski, 1965
- 6262.** *Monocoptopera* Hampson, 1898 (Pyralidae) Synonym(s): *Monocoptopera* Hampson, 1898
- 6263.** *Munroeodes* Amsel, 1957 (Pyralidae) Synonym(s): *Munroeia* Amsel, 1956 nec Mar., 1954; *Munroeodes* Amsel, 1957
- 6264.** *Musotima* Meyrick, 1884 (Pyralidae) Synonym(s): *Musotima* Meyrick, 1884
- 6265.** *Mussidia* Ragonot, 1888 (Pyralidae) Synonym(s): *Mussidia* Ragonot, 1888; *Muscidia* Sharp, 1890
- 6266.** *Mutuuraia* Munroe, 1976 (Pyralidae) Synonym(s): *Mutuuraia* Munroe, 1976
- 6267.** *Myelobia* Herrich-Schäffer, 1856 (Pyralidae) Synonym(s): *Myelobia* Herrich-Schäffer, 1856; *Doratooperas* Hampson, 1896; *Chilopsis* Hampson, 1919; *Xanthopherne* Dyar & Heinrich, 1927
- 6268.** *Myelodes* Hampson, 1930 (Pyralidae) Synonym(s): *Myelodes* Hampson, 1930
- 6269.** *Myelois* (Gnathogutta) Roesler, 1988 (Pyralidae) Synonym(s): *Gnathogutta* Roesler, 1988
- 6270.** *Myelois* (s.str.) Hübner, [1825] (Pyralidae) Synonym(s): *Myelois* Hübner, [1825]; *Lispe* Treitschke, 1832; *Myelophila* Treitschke, 1835
- 6271.** *Myeloisiphana* Hartig, 1937 (Pyralidae) Synonym(s): *Myeloisiphana* Hartig, 1937
- 6272.** *Myriostephes* Meyrick, 1884 (Pyralidae) Synonym(s): *Myriostephes* Meyrick, 1884
- 6273.** *Myrlaea* Ragonot, 1887 (Pyralidae) Synonym(s): *Myrlaea* Ragonot, 1887
- 6274.** *Myrmidonistis* Meyrick, 1887 (Pyralidae) Synonym(s): *Myrmidonistis* Meyrick, 1887
- 6275.** *Nacoleia* Walker, 1859 (Pyralidae) Synonym(s): *Nacoleia* Walker, 1859; *Semioceros* Meyrick, 1884; *Aplomastix* Warren, 1890; *Metasiodes* Meyrick, 1894; *Orthocona* Warren, 1896
- 6276.** *Nakurubia* Balinsky, 1994 (Pyralidae) Synonym(s): *Nakurubia* Balinsky, 1994
- 6277.** *Namangania* Amsel, 1952 (Pyralidae) Synonym(s): *Namangania* Amsel, 1952
- 6278.** *Namibicola* Balinsky, 1991 (Pyralidae) Synonym(s): *Namibicola* Balinsky, 1991
- 6279.** *Namibiopsis* Balinsky, 1994 (Pyralidae) Synonym(s): *Namibiopsis* Balinsky, 1994
- 6280.** *Nascia* Curtis, 1835 (Pyralidae) Synonym(s): *Nascia* Curtis, 1835
- 6281.** *Nausinoe* Hübner, [1825] (Pyralidae) Synonym(s): *Nausinoe* Hübner, [1825]; *Lepyrodes* Guenée, 1854; *Phalangiodes* Guenée, 1854.

- 6282. Navasota Ragonot, 1887** (Pyralidae) Synonym(s): *Navasota Ragonot, 1887*
- 6283. Neargyractis Lange, 1956** (Pyralidae) Synonym(s): *Neargyractis Lange, 1956*
- 6284. Neargyria Hampson, 1896** (Pyralidae) Synonym(s): *Neargyria Hampson, 1896*
- 6285. Neargyrioides Bleszynski, 1970** (Pyralidae) Synonym(s): *Neargyrioides Bleszynski, 1970*
- 6286. Nechilo Bleszynski, 1970** (Pyralidae) Synonym(s): *Nechilo Bleszynski, 1970*
- 6287. Neerupa Hampson, 1919** (Pyralidae) Synonym(s): *Neerupa Hampson, 1919*
- 6288. Neobostra Hampson, 1906** (Pyralidae) Synonym(s): *Neobostra Hampson, 1906*
- 6289. Neocrambus Bleszynski, 1957** (Pyralidae) Synonym(s): *Neocrambus Bleszynski, 1957*
- 6290. Neopicorsia Munroe, 1964** (Pyralidae) Synonym(s): *Neopicorsia Munroe, 1964*
- 6291. Neohelviobytis Munroe, 1976** (Pyralidae) Synonym(s): *Neohelviobytis Munroe, 1976*
- 6292. Neopaschia Janse, 1922** (Pyralidae) Synonym(s): *Neopaschia Janse, 1922*
- 6293. Neopediasia Okano, 1962** (Pyralidae) Synonym(s): *Neopediasia Okano, 1962*
- 6294. Neoschoenobia Hampson, 1900** (Pyralidae) Synonym(s): *Neoschoenobia Hampson, 1900*
- 6295. Neostege Hampson, 1910** (Pyralidae) Synonym(s): *Neostege Hampson, 1910*
- 6296. Nephelobotys Munroe & Mutuura, 1970** (Pyralidae) Synonym(s): *Nephelobotys Munroe & Mutuura, 1970*
- 6297. Nephopterix Hübner, [1825]** (Pyralidae) Synonym(s): *Nephopterix Hübner, [1825]; #Nephopterix Zeller, 1839; Alispa Zeller, 1848; Denticera Amsel, 1961; Clasperopsis Roesler, 1969; Paranephopterix Roesler, 1969.*
- 6298. Niethammeriodes Roesler, 1969** (Pyralidae) Synonym(s): *Niethammeriodes Roesler, 1969*
- 6299. Niphadoses Common, 1960** (Pyralidae) Synonym(s): *Niphadoses Common, 1960*
- 6300. Niphograptia Warren, 1892** (Pyralidae) Synonym(s): *Niphograptia Warren, 1892*
- 6301. Niphopyralis Hampson, 1893** (Pyralidae) Synonym(s): *Niphopyralis Hampson, 1893; Wurthia Roepke, 1916*
- 6302. Niphostola Hampson, 1896** (Pyralidae) Synonym(s): *Niphostola Hampson, 1896*
- 6303. Noctuella Guenée, 1854** (Pyralidae) Synonym(s): *Noctuella Guenée, 1854; Noctuella Wocke, 1871*
- 6304. Nomophila Hübner, [1825]** (Pyralidae) Synonym(s): *Nomophila Hübner, [1825]; Stenopteryx Guenée, [1845] nec Meigen, 1830; Macronomeutis Meyrick, 1936*
- 6305. Nonambesa Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Nonambesa Roesler & Küppers, 1979*
- 6306. Nonphycita Balinsky, 1994** (Pyralidae) Synonym(s): *Nonphycita Balinsky, 1994*
- 6307. Noorda Walker, 1859** (Pyralidae) Synonym(s): *Noorda Walker, 1859; Epinoorda Rebel, 1902*
- 6308. Nosophora Lederer, 1863** (Pyralidae) Synonym(s): *Nosophora Lederer, 1863; Analthes Lederer, 1863; Eidama Walker, [1866]*
- 6309. Notarcha Meyrick, 1884** (Pyralidae) Synonym(s): *Notarcha Meyrick, 1884; Haritala Moore, [1886]*
- 6310. Notocrambus Turner, 1922** (Pyralidae) Synonym(s): *Notocrambus Turner, 1922*
- 6311. Novocrambus Amsel, 1956** (Pyralidae) Synonym(s): *Novocrambus Amsel, 1956*
- 6312. Numonia Ragonot, 1893** (Pyralidae) Synonym(s): *Numonia Ragonot, 1893*
- 6313. Nyctegretis Zeller, 1848** (Pyralidae) Synonym(s): *Nyctegretis Zeller, 1848; Trichorachia Hampson, 1930; Synallorema Gozmany, 1958.*
- 6314. Nyctereutica Turner, 1904** (Pyralidae) Synonym(s): *Nyctereutica Turner, 1904; Diastrophica Turner, 1937*
- 6315. Nyctiplanes Turner, 1937** (Pyralidae) Synonym(s): *Nyctiplanes Turner, 1937*
- 6316. Nymphicula Snellen, [1880]** (Pyralidae) Synonym(s): *Nymphicula Snellen, [1880]*
- 6317. Nymphula Schrank, 1802** (Pyralidae) Synonym(s): *Nymphula Schrank, 1802*
- 6318. Nymphulosis Amsel, 1959** (Pyralidae) Synonym(s): *Nymphulosis Amsel, 1959*
- 6319. Obtusipalpis Hampson, 1896** (Pyralidae) Synonym(s): *Obtusipalpis Hampson, 1896*
- 6320. Occidentalia Dyar & Heinrich, 1927** (Pyralidae) Synonym(s): *Occidentalia Dyar & Heinrich, 1927*
- 6321. Ocrasa Walker, [1866]** (Pyralidae) Synonym(s): *Ocrasa Walker, [1866]*
- 6322. Ocrisiodes Amsel, 1950** (Pyralidae) Synonym(s): *Pristophora Ragonot, 1887 nec Newman, 1837; Ocrisiodes Amsel, 1950; Mechedia Amsel, 1951; Pristophorodes Amsel, 1953; Uncinomorpha Amsel, 1958.*
- 6323. Odontarthria Ragonot, 1893** (Pyralidae) Synonym(s): *Odontarthria Ragonot, 1893*
- 6324. Odontopaschia Hampson, 1903** (Pyralidae) Synonym(s): *Odontopaschia Hampson, 1903*
- 6325. Oenobotys Munroe, 1976** (Pyralidae) Synonym(s): *Oenobotys Munroe, 1976*
- 6326. Oenogenes Meyrick, 1884** (Pyralidae) Synonym(s): *Oenogenes Meyrick, 1884; #Oenogenes Whalley, 1961*
- 6327. Ogilvia Hampson, 1930** (Pyralidae) Synonym(s): *Ogilvia Hampson, 1930*
- 6328. Oligochroides Strand, 1909** (Pyralidae) Synonym(s): *Oligochroides Strand, 1909*
- 6329. Oligostigma Guenée, 1876** (Pyralidae) Synonym(s): *Oligostigma Guenée, 1876; Hemiloba Swinhoe, 1901*
- 6330. Olycella Dyar, 1928** (Pyralidae) Synonym(s): *Olycella Dyar, 1928*
- 6331. Omiodes Guenée, 1854** (Pyralidae) Synonym(s): *Omiodes Guenée, 1854; Spargeta Lederer, 1863; Coenostola Lederer, 1863; Deba Walker, [1866]; Phycidicera Snellen, [1880]; Pelecynthys Meyrick, 1884; Charema Moore, 1887; Loxocreon W. Warren, 1892; Merotoma Meyrick, 1894; #Coenolestia Whalley, 1962; #Hedepleta Hutacharern & Tuhtim, 1995*
- 6332. Omphaloptera Hampson, 1897** (Pyralidae) Synonym(s): *Omphaloptera Hampson, 1897*
- 6333. Omphisa Moore, [1886]** (Pyralidae) Synonym(s): *Omphisa Moore, [1886]*
- 6334. Oncocera Stephens, 1829** (Pyralidae) Synonym(s): *Oncocera Stephens, 1829; Pollichia Roesler, 1980*
- 6335. Opsibotys Warren, 1890** (Pyralidae) Synonym(s): *Opsibotys Warren, 1890*
- 6336. Orenaia Duponchel, [1845]** (Pyralidae) Synonym(s): *Orenaia Duponchel, [1845]*
- 6337. Orocrambus Purdie, 1884** (Pyralidae) Synonym(s): *Orocrambus Purdie, 1884*
- 6338. Orphanostigma Warren, 1890** (Pyralidae) Synonym(s): *Orphanostigma Warren, 1890*
- 6339. Orphnophanes Lederer, 1863** (Pyralidae) Synonym(s): *Orphnophanes Lederer, 1863; Syntomodora Meyrick, 1894*
- 6340. Orthaga Walker, [1859]** (Pyralidae) Synonym(s): *Orthaga Walker, [1859]; Edeta Walker, [1859]; Pannucha Moore, 1888; Probosciphora Warren, 1891; Hyperbalanotis Warren, 1891.*
- 6341. Ortholepis Ragonot, 1887** (Pyralidae) Synonym(s): *Ortholepis Ragonot, 1887; Metriostola Ragonot, 1893*
- 6342. Orthomecyna Butler, 1883** (Pyralidae) Synonym(s): *Orthomecyna Butler, 1883*
- 6343. Orthopygia Ragonot, 1890** (Pyralidae) Synonym(s): *Orthopygia Ragonot, 1890*
- 6344. Orthoraphis Hampson, 1896** (Pyralidae) Synonym(s): *Orthoraphis Hampson, 1896*
- 6345. Orthospila Warren, 1890** (Pyralidae) Synonym(s): *Orthospila Warren, 1890*
- 6346. Orybina Snellen, 1895** (Pyralidae) Synonym(s): *Orybina Snellen, 1895*
- 6347. Oryctocera Ragonot, 1891** (Pyralidae) Synonym(s): *Oryctocera Ragonot, 1891*
- 6348. Osiriaca Walker, [1866]** (Pyralidae) Synonym(s): *Osiriaca Walker, [1866]; Myriotis Meyrick, 1885*
- 6349. Ostrinia Hübner, [1825]** (Pyralidae) Synonym(s): *Ostrinia Hübner, [1825]; Micractis W. Warren, 1892; Eupolemarcha Meyrick, 1937; Zeaphagus Agenjo, 1952.*
- 6350. Otiophora Turner, 1908** (Pyralidae) Synonym(s): *Otiophora Turner, 1908*
- 6351. Oxybia Rebel, 1901** (Pyralidae) Synonym(s): *Oxybia Rebel, 1901*
- 6352. Oxydisia Hampson, 1901** (Pyralidae) Synonym(s): *Oxydisia Hampson, 1901*
- 6353. Pachymorphus Möschler, 1890** (Pyralidae) Synonym(s): *Pachymorphus Möschler, 1890*

- 6354.** **Pachynoa Lederer, 1863** (Pylalidae) Synonym(s): *Pachynoa Lederer, 1863*; *Pitacanda Moore, [1886]*; *Hypermeceles Turner, 1933*
- 6355.** **Pagyda Walker, 1859** (Pylalidae) Synonym(s): *Pagyda Walker, 1859*
- 6356.** **Paliga Moore, [1886]** (Pylalidae) Synonym(s): *Paliga Moore, [1886]*; *Eutectona Wang & Sung, 1980*
- 6357.** **Palmitia Ragonot, 1890** (Pylalidae) Synonym(s): *Palmitia Ragonot, 1890*
- 6358.** **Palpita Hübner, [1808]** (Pylalidae) Synonym(s): *Palpita Hübner, [1808]*; *Hapalia Hübner, 1818*; *Conchia Hübner, [1821]*; *Margaronia Hübner, [1825]*; *Paradosis Zeller, 1852*; *Margarodes Guenée, 1854* nec *Guinding, 1829*; *Sarothronota Lederer, 1863*; *Sebuntia Walker, 1863*; *Ledereria Marschall, 1873*; *Sylora Swinhoe, 1900*; *Hvidodes Swinhoe, 1900*; *Apyrausta Amsel, 1951*
- 6359.** **Palpusopsis Amsel, 1959** (Pylalidae) Synonym(s): *#Palpusopsis Amsel, 1959 [proposed conditionally!]*
- 6360.** **Panotima Meyrick, 1934** (Pylalidae) Synonym(s): *Panotima Meyrick, 1934*
- 6361.** **Panstegia Hübner, [1825]** (Pylalidae) Synonym(s): *Panstegia Hübner, [1825]*
- 6362.** **Paracataclysta Yoshiyasu, 1983** (Pylalidae) Synonym(s): *Paracataclysta Yoshiyasu, 1983*
- 6363.** **Paracorsia Marion, 1959** (Pylalidae) Synonym(s): *Paracorsia Marion, 1959*
- 6364.** **Paractenia Ragonot, 1892** (Pylalidae) Synonym(s): *Paractenia Ragonot, 1892*
- 6365.** **Paracymoriza W. Warren, 1890** (Pylalidae) Synonym(s): *Paracymoriza W. Warren, 1890*
- 6366.** **Paradiseguayana Koçak & Kemal, 2006** (Pylalidae) Synonym(s): *Cayennia Hampson, 1930* nec ; *Paradiseguayana Koçak & Kemal, 2006*
- 6367.** **Paraemporia Amsel, 1951** (Pylalidae) Synonym(s): *Paraemporia Amsel, 1951*
- 6368.** **Paralaodamia Balinsky, 1994** (Pylalidae) Synonym(s): *Paralaodamia Balinsky, 1994*
- 6369.** **Paralipsa Butler, 1879** (Pylalidae) Synonym(s): *Paralipsa Butler, 1879*; *Paralipsa Spuler, 1910*
- 6370.** **Paramaxillaria Inoue, 1955** (Pylalidae) Synonym(s): *Maxillaria Staudinger, 1880* nec *Gistel, 1848*; *Paramaxillaria Inoue, 1955*
- 6371.** **Parambia Dyar, 1914** (Pylalidae) Synonym(s): *Parambia Dyar, 1914*
- 6372.** **Paramecyna Amsel, 1961** (Pylalidae) Synonym(s): *Paramecyna Amsel, 1961*
- 6373.** **Parancyla Hampson, 1919** (Pylalidae) Synonym(s): *Parancyla Hampson, 1919*
- 6374.** **Paranephopterix Roesler, 1969** (Pylalidae) Synonym(s): *Paranephopterix Roesler, 1969*
- 6375.** **Paraphomia Hampson, 1901** (Pylalidae) Synonym(s): *Paraphomia Hampson, 1901*
- 6376.** **Paraplatytes Bleszynski, 1965** (Pylalidae) Synonym(s): *Paraplatytes Bleszynski, 1965*
- 6377.** **Paraponyx Hübner, [1825]** (Pylalidae) Synonym(s): *Paraponyx Hübner, [1825]*; *#Paraponyx Guenée, 1854*; *Eustales Clemens, 1860* nec *Schönherr, 1826*; *Sironia Clemens, 1860* nec *Hübner, [1823]*; *Nymphaeella Grote, 1880*; *Hydreuretis Meyrick, 1885*; *Microdracon Warren, 1890*; *Cosmophylla Turner, 1905*
- 6378.** **Pararotruda Roesler, 1965** (Pylalidae) Synonym(s): *Pararotruda Roesler, 1965*
- 6379.** **Parasefidia Amsel, 1950** (Pylalidae) Synonym(s): *Parasefidia Amsel, 1950*
- 6380.** **Paratalanta Meyrick, 1867** (Pylalidae) Synonym(s): *Paratalanta Meyrick, 1867*; *Microstega Meyrick, 1890*
- 6381.** **Paratraea Hampson, 1919** (Pylalidae) Synonym(s): *Paratraea Hampson, 1919*
- 6382.** **Parbattia Moore, 1888** (Pylalidae) Synonym(s): *Parbattia Moore, 1888*
- 6383.** **Pardomima W. Warren, 1890** (Pylalidae) Synonym(s): *Pardomima W. Warren, 1890*; *Pachyparda E.L. Martin, 1955*
- 6384.** **Paremathuedes J.C. Shaffer, 1997** (Pylalidae) Synonym(s): *Paremathuedes J.C. Shaffer, 1997*
- 6385.** **Parerupa Hampson, 1919** (Pylalidae) Synonym(s): *Parerupa Hampson, 1919*; *Coenotalis Hampson, 1919*
- 6386.** **Parotis Hübner, [1825]** (Pylalidae) Synonym(s): *Parotis Hübner, [1825]*; *Pachyarches Lederer, 1863*; *Enchocnemidia Lederer, 1863*; *Chloauges Lederer, 1863* nec *Heine, 1863*; *Cenocnemis Warren, 1896*
- 6387.** **Paroxyptera Ragonot, 1901** (Pylalidae) Synonym(s): *Paroxyptera Ragonot, 1901*
- 6388.** **Parramatta Hampson, 1901** (Pylalidae) Synonym(s): *Parramatta Hampson, 1901*; *Macrochilota Turner, 1913*; *#Parramatta Neave, 1940*
- 6389.** **Parthenodes Guenée, 1854** (Pylalidae) Synonym(s): *Parthenodes Guenée, 1854*; *Paracymoriza Warren, 1890*; *Gethosyne Warren, 1896*; *Stenicula Snellen, 1901*
- 6390.** **Parthia Ragonot, 1887** (Pylalidae) Synonym(s): *Parthia Ragonot, 1887*
- 6391.** **Paschiodes Hampson, 1913** (Pylalidae) Synonym(s): *Paschiodes Hampson, 1913*; *#Paschioides Viette, 1957*
- 6392.** **Patagoniodes Roesler, 1969** (Pylalidae) Synonym(s): *Patagoniodes Roesler, 1969*
- 6393.** **Patania Moore, 1888** (Pylalidae) Synonym(s): *Patania Moore, 1888*
- 6394.** **Patissa Moore, [1886]** (Pylalidae) Synonym(s): *Patissa Moore, [1886]*; *Eurycraspeda Warren, 1890*
- 6395.** **Patna Ragonot, 1888** (Pylalidae) Synonym(s): *Patna Ragonot, 1888*
- 6396.** **Pediasia Hübner, [1825]** (Pylalidae) Synonym(s): *Pediasia Hübner, [1825]*; *Carvanca Walker, 1856*
- 6397.** **Pelena Moore, 1886** (Pylalidae) Synonym(s): *Pelena Moore, 1886*; *Loxocoryx Meyrick, 1894*
- 6398.** **Pelinopsis Dognin, 1905** (Pylalidae) Synonym(s): *Pelinopsis Dognin, 1905*
- 6399.** **Pempelia Hübner, [1825]** (Pylalidae) Synonym(s): *Pempelia Hübner, [1825]*; *Rhodophaea Guenée, 1845*; *Salebria Zeller, 1846*; *Neurotomia Chrétien, 1911*; *Hoeneia Caradja, 1938*
- 6400.** **Pempeliella Caradja, 1917** (Pylalidae) Synonym(s): *Pempeliella Caradja, 1917*; *Pseudosyria Rebel, 1926*
- 6401.** **Perimeceta Turner, 1915** (Pylalidae) Synonym(s): *Perimeceta Turner, 1915*; *Phanerobela Turner, 1915*
- 6402.** **Perinephela Hübner, [1825]** (Pylalidae) Synonym(s): *Perinephela Hübner, [1825]*; *#Perinephele Hübner, [1826]*; *#Perinephela Hampson, 1897*
- 6403.** **Perispasta Zeller, 1875** (Pylalidae) Synonym(s): *Perispasta Zeller, 1875*
- 6404.** **Perisseretma Warren, 1895** (Pylalidae) Synonym(s): *Perisseretma Warren, 1895*; *#Perisseretema Whalley, 1961*
- 6405.** **Perisyntrocha Meyrick, 1894** (Pylalidae) Synonym(s): *Perisyntrocha Meyrick, 1894*
- 6406.** **Persicoptera Meyrick, 1884** (Pylalidae) Synonym(s): *Persicoptera Meyrick, 1884*
- 6407.** **Petrophila Guilding, 1830** (Pylalidae) Synonym(s): *Petrophila Guilding, 1830*; *Parargyractis Lange, 1956*
- 6408.** **Phanomorpha Turner, 1937** (Pylalidae) Synonym(s): *Phanomorpha Turner, 1937*
- 6409.** **Phenacodes Turner, 1937** (Pylalidae) Synonym(s): *Phenacodes Turner, 1937*
- 6410.** **Phlyctaenia Hübner, [1825]** (Pylalidae) Synonym(s): *Phlyctaenia Hübner, [1825]*
- 6411.** **Phlyctaenomorpha Amsel, 1970** (Pylalidae) Synonym(s): *Phlyctaenomorpha Amsel, 1970*
- 6412.** **Phostria Hübner, [1819]** (Pylalidae) Synonym(s): *Phostria Hübner, [1819]*; *Vatica Walker, 1869*; *Plectroctena Snellen, 1881* (praeocc.); *Condega Moore, 1886*; *Saroscelis Meyrick, 1894*; *Hoplisa Snellen, 1899*; *Oedemara Swinhoe, 1900*; *Parbokla Swinhoe, 1900*; *Antennodes Swinhoe, 1906*
- 6413.** **Phycita Curtis, 1828** (Pylalidae) Synonym(s): *Phycis Fabricius, 1798* nec *Walbaum, 1792*; *Phycita Curtis, 1828*; *Ceratium Thienemann, 1828* nec *Schrank, 1793*; *Gyra Gistel, 1848*
- 6414.** **Phycitodes Hampson, 1917** (Pylalidae) Synonym(s): *Phycitodes Hampson, 1917*; *Rotruda Heinrich, 1956*
- 6415.** **Phycitophila Balinsky, 1994** (Pylalidae) Synonym(s): *Phycitophila Balinsky, 1994*
- 6416.** **Phycitopsis Ragonot, 1887** (Pylalidae) Synonym(s): *Phycitopsis Ragonot, 1887*
- 6417.** **Physematia Lederer, 1863** (Pylalidae) Synonym(s): *Physematia Lederer, 1863*; *#Thysematia Shibuya, 1928*
- 6418.** **Picrogama Meyrick, 1897** (Pylalidae) Synonym(s): *Picrogama Meyrick, 1897*
- 6419.** **Piesmopoda Zeller, 1848** (Pylalidae) Synonym(s): *Piesmopoda Zeller, 1848*
- 6420.** **Piletocera Lederer, 1863** (Pylalidae) Synonym(s): *Piletocera Lederer, 1863*; *Rinecera Butler, 1884*; *Danaga Moore, [1885]*; *Graphicopoda Butler, 1886*; *Hormatholepis Butler, 1886*; *Ptilaeola Meyrick, 1886*; *Erebangela Meyrick, 1886*

- Diplotyla* Meyrick, 1886; *Strepsimela* Meyrick, 1886; *Alutefa Swinhoe*, 1900; *Ellogima* Turner, 1913; *Sematosopha* Meyrick, 1937
- 6421. *Pilocrocis* Lederer, 1863** (Pyralidae) Synonym(s): *Pilocrocis* Lederer, 1863; *Anisoctena* Meyrick, 1894; *#Pilocrocis* Janse, 1917
- 6422. *Pilocrocis* Lederer, 1863** (Pyralidae) Synonym(s): *Pilocrocis* Lederer, 1863; *Ceratoclasia* Lederer, 1863; *Lotanga* Moore, [1886]; *Arthromastix* W. Warren, 1890; *Stenomeles* W. Warren, 1892; *Anisoctena* Meyrick, 1894; *Syntrita* Dognin, 1905
- 6423. *Pima* Hulst, 1888** (Pyralidae) Synonym(s): *Pima* Hulst, 1888
- 6424. *Pithyllis* Grünberg, 1910** (Pyralidae) Synonym(s): *Pithyllis* Grünberg, 1910
- 6425. *Plagoa* Whalley, 1970** (Pyralidae) Synonym(s): *Mabillia* Ragonot, 1888 (*praecox*); *Plagoa* Whalley, 1970
- 6426. *Platytes* Guenée, 1845** (Pyralidae) Synonym(s): *Platytes* Guenée, 1845; *Nagahama* Marumo, 1933
- 6427. *Pleuroptya* Meyrick, 1890** (Pyralidae) Synonym(s): *Pleuroptya* Meyrick, 1890; *Loxoscia* W. Warren, 1890
- 6428. *Plodia* Guenée, 1845** (Pyralidae) Synonym(s): *Plodia* Guenée, 1845
- 6429. *Pogononeura* Ragonot, 1888** (Pyralidae) Synonym(s): *Pogononeura* Ragonot, 1888
- 6430. *Pogonotropha* Zeller, 1852** (Pyralidae) Synonym(s): *Pogonotropha* Zeller, 1852
- 6431. *Pogonotrophus* Sauber, 1899** (Pyralidae) Synonym(s): *Pogonotrophus* Sauber, 1899
- 6432. *Poliopaschia* Hampson, 1916** (Pyralidae) Synonym(s): *Poliopaschia* Hampson, 1916
- 6433. *Polioctola* Janse, 1922** (Pyralidae) Synonym(s): *Polioctola* Janse, 1922
- 6434. *Polopeustis* Ragonot, 1893** (Pyralidae) Synonym(s): *Polopeustis* Ragonot, 1893
- 6435. *Polygrammodes* Guenée, 1854** (Pyralidae) Synonym(s): *Polygrammodes* Guenée, 1854; *Astura* Guenée, 1854; *Hilaopsis* Lederer, 1863; *Dichocrocopsis* Dyar, 1910; *#Dichocrocopsis* Munroe, 1983
- 6436. *Polyocha* Zeller, 1848** (Pyralidae) Synonym(s): *Polyocha* Zeller, 1848
- 6437. *Polyochodes* Chrétien, 1911** (Pyralidae) Synonym(s): *Polyochodes* Chrétien, 1911
- 6438. *Polyterpnes* Turner, 1932** (Pyralidae) Synonym(s): *Polyterpnes* Turner, 1932
- 6439. *Polythlipta* Lederer, 1863** (Pyralidae) Synonym(s): *Polythlipta* Lederer, 1863
- 6440. *Postemmalocera* Amsel, 1955** (Pyralidae) Synonym(s): *Postemmalocera* Amsel, 1955
- 6441. *Praeepischnia* Amsel, 1953** (Pyralidae) Synonym(s): *Praeepischnia* Amsel, 1953
- 6442. *Praekatja* Amsel, 1961** (Pyralidae) Synonym(s): *Praekatja* Amsel, 1961
- 6443. *Pramadea* Moore, 1888** (Pyralidae) Synonym(s): *Pramadea* Moore, 1888
- 6444. *Prasinoxena* Meyrick, 1894** (Pyralidae) Synonym(s): *Prasinoxena* Meyrick, 1894
- 6445. *Prenesta* Snellen, 1875** (Pyralidae) Synonym(s): *Prenesta* Snellen, 1875; *#Prenesta* Hampson, 1899
- 6446. *Pretoria* Ragonot, 1893** (Pyralidae) Synonym(s): *Pretoria* Ragonot, 1893
- 6447. *Prionapteron* Bleszynski, 1965** (Pyralidae) Synonym(s): *Prionapteron* Bleszynski, 1965
- 6448. *Prionapteryx* Stephens, 1834** (Pyralidae) Synonym(s): *Prionapteryx* Stephens, 1834; *Prionopteryx* Zeller, 1863; *Surattha* Walker, 1863; *Pindictora* Walker, 1863; *Nuarace* Walker, 1863; *Calarina* Walker, 1866; *Hypotomorpha* Rebel, 1892; *Platytesia* Strand, 1919; *Alloea* Turner, 1947 nec *Haliday*, 1833; *#Nuarace* Bleszynski, 1962
- 6449. *Prionotalis* Hampson, 1919** (Pyralidae) Synonym(s): *Prionotalis* Hampson, 1919
- 6450. *Pristathria* Ragonot, 1893** (Pyralidae) Synonym(s): *Pristathria* Ragonot, 1893
- 6451. *Pristocercella* Kiefer, 1909** (Pyralidae) Synonym(s): *Pristocercella* Ragonot, 1893 nec *Klug*, 1808; *Pristocercella* Kiefer, 1909; *#Pristocercella* Osthelder, 1935; *#Pristocercella* Whalley, 1970.
- 6452. *Proancylus* Balinsky, 1991** (Pyralidae) Synonym(s): *Proancylus* Balinsky, 1991
- 6453. *Proceras* Bojer, 1856** (Pyralidae) Synonym(s): *Proceras* Bojer, 1856; *Borer* Guenée, 1862.
- 6454. *Proceras* Bojer, 1856** (Pyralidae) Synonym(s): *Proceras* Bojer, 1856
- 6455. *Proceratia* Hampson, 1901** (Pyralidae) Synonym(s): *Proceratia* Hampson, 1901; *Epischidia* Rebel, 1901.
- 6456. *Prochoristis* Meyrick, 1890** (Pyralidae) Synonym(s): *Prochoristis* Meyrick, 1890
- 6457. *Procunea* Hampson, 1930** (Pyralidae) Synonym(s): *Procunea* Hampson, 1930; *Kobesia* Roesler, 1983
- 6458. *Productalium* Marion, 1954** (Pyralidae) Synonym(s): *Productalium* Marion, 1954
- 6459. *Prolais* Amsel, 1961** (Pyralidae) Synonym(s): *Prolais* Amsel, 1961
- 6460. *Promylaea* Meyrick, 1899** (Pyralidae) Synonym(s): *Promylaea* Meyrick, 1899
- 6461. *Prooedema* Hampson, 1896** (Pyralidae) Synonym(s): *Prooedema* Hampson, 1896
- 6462. *Prophantis* Warren, 1896** (Pyralidae) Synonym(s): *Prophantis* Warren, 1896
- 6463. *Proptasia* Ragonot, 1887** (Pyralidae) Synonym(s): *Proptasia* Ragonot, 1887
- 6464. *Prorodes* Swinhoe, 1894** (Pyralidae) Synonym(s): *Prorodes* Swinhoe, 1894; *Idiostrophe* Warren, 1896
- 6465. *Prorophora* (Epischidia) Ragonot, 1901** (Pyralidae) Synonym(s): *Epischidia* Ragonot, 1901; *Aproceratia* Amsel, 1950.
- 6466. *Prorophora* (Reisserempista) Roesler, 1970** (Pyralidae) Synonym(s): *Reisserempista* Roesler, 1970
- 6467. *Prorophora* (s.str.) Ragonot, 1887** (Pyralidae) Synonym(s): *Prorophora* Ragonot, 1887
- 6468. *Prorophora* Ragonot, 1887** (Pyralidae) Synonym(s): *Prorophora* Ragonot, 1887
- 6469. *Prosaris* Meyrick, 1894** (Pyralidae) Synonym(s): *Prosaris* Meyrick, 1894
- 6470. *Prosthenia* Hampson, 1901** (Pyralidae) Synonym(s): *Prosthenia* Hampson, 1901
- 6471. *Protepicorsia* Munroe, 1964** (Pyralidae) Synonym(s): *Protepicorsia* Munroe, 1964
- 6472. *Protoetiella* Inoue, 1959** (Pyralidae) Synonym(s): *Protoetiella* Inoue, 1959; *Ketambeia* Roesler & Küppers, 1979
- 6473. *Protonoceras* Warren, 1890** (Pyralidae) Synonym(s): *Protonoceras* Warren, 1890; *Metoportha* Meyrick, 1884
- 6474. *Protyparcha* Meyrick, 1909** (Pyralidae) Synonym(s): *Protyparcha* Meyrick, 1909
- 6475. *Psammotis* Hübner, [1825]** (Pyralidae) Synonym(s): *Psammotis* Hübner, [1825]
- 6476. *Psara* Snellen, 1875** (Pyralidae) Synonym(s): *Psara* Snellen, 1875; *Epichronistis* Meyrick, 1886
- 6477. *Pseudarenipses* Speidel & Schmitz, 1991** (Pyralidae) Synonym(s): *Pseudarenipses* Speidel & Schmitz, 1991
- 6478. *Pseudargyria* Okano, 1962** (Pyralidae) Synonym(s): *Pseudargyria* Okano, 1962
- 6479. *Pseudepicorsia* Munroe, 1964** (Pyralidae) Synonym(s): *Pseudepicorsia* Munroe, 1964
- 6480. *Pseudeuchromius* Bleszynski, 1965** (Pyralidae) Synonym(s): *Pseudeuchromius* Bleszynski, 1965
- 6481. *Pseudobissetia* Bleszynski, 1959** (Pyralidae) Synonym(s): *Pseudobissetia* Bleszynski, 1959
- 6482. *Pseudocadra* Roesler, 1965** (Pyralidae) Synonym(s): *Pseudocadra* Roesler, 1965
- 6483. *Pseudocatharylla* Bleszynski, 1961** (Pyralidae) Synonym(s): *Pseudocatharylla* Bleszynski, 1961
- 6484. *Pseudocera* Walker, 1863** (Pyralidae) Synonym(s): *Pseudocera* Walker, 1863
- 6485. *Pseudoceroprepes* Roesler, 1982** (Pyralidae) Synonym(s): *Pseudoceroprepes* Roesler, 1982
- 6486. *Pseudoclasseyia* Bleszynski, 1964** (Pyralidae) Synonym(s): *Pseudoclasseyia* Bleszynski, 1964
- 6487. *Pseudodavara* Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Pseudodavara* Roesler & Küppers, 1979
- 6488. *Pseudogetulia* Balinsky, 1994** (Pyralidae) Synonym(s): *Pseudogetulia* Balinsky, 1994
- 6489. *Pseudographis* Balinsky, 1989** (Pyralidae) Synonym(s): *Pseudographis* Balinsky, 1989
- 6490. *Pseudolithosia* Hampson, 1907** (Pyralidae) Synonym(s): *Pseudolithosia* Hampson, 1907
- 6491. *Pseudomegasis* Chrétien, 1931** (Pyralidae) Synonym(s): *Pseudomegasis* Chrétien, 1931
- 6492. *Pseudometachilo* Bleszynski, 1962** (Pyralidae) Synonym(s): *Pseudometachilo* Bleszynski, 1962
- 6493. *Pseudonoorda* Munroe, 1974** (Pyralidae) Synonym(s): *Pseudonoorda* Munroe, 1974

6494. **Pseudophycita Roesler, 1969** (Pyralidae) Synonym(s): *Pseudophycita Roesler, 1969*
6495. **Pseudopyrausta Amsel, 1956** (Pyralidae) Synonym(s): *Pseudopyrausta Amsel, 1956*
6496. **Pseudoschoenobius Fernald, 1896** (Pyralidae) Synonym(s): *Pseudoschoenobius Fernald, 1896*
6497. **Pseudosyria Rebel, 1927** (Pyralidae) Synonym(s): *Pseudosyria Rebel, 1927*
6498. **Psorosa Zeller, 1846** (Pyralidae) Synonym(s): *Psorosa Zeller, 1846; Ectyposa Joannis, 1929*
6499. **Psorosodes Amsel, 1953** (Pyralidae) Synonym(s): *Psorosodes Amsel, 1953*
6500. **Psorozophera Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Psorozophera Roesler & Küppers, 1979*
6501. **Pterothrixidia Amsel, 1953** (Pyralidae) Synonym(s): *Pterothrixidia Amsel, 1953*
6502. **Ptochostola Meyrick, 1882** (Pyralidae) Synonym(s): *Ptochostola Meyrick, 1882*
6503. **Ptychopseustis Meyrick, 1889** (Pyralidae) Synonym(s): *Ptychopseustis Meyrick, 1889*
6504. **Ptyobathra Turner, 1905** (Pyralidae) Synonym(s): *Ptyobathra Turner, 1905*
6505. **Ptyomaxia Hampson, 1903** (Pyralidae) Synonym(s): *Palibothra Ragonot, 1890 nec Herrich-Schäffer, 1855; Ptyomaxia Hampson, 1903.*
6506. **Ptyonocera Hampson, 1901** (Pyralidae) Synonym(s): *Ptyonocera Hampson, 1901*
6507. **Pycnarmon Lederer, 1863** (Pyralidae) Synonym(s): *Pycnarmon Lederer, 1863; Entephria Lederer, 1863 nec Hbn., [1825]; Aripaana Moore, [1886]; Satanastra Meyrick, 1890; Eutrichotis Swinhoe, 1900; Pyralocymatophora Strand, 1918*
6508. **Pygospila Guenée, 1854** (Pyralidae) Synonym(s): *Pygospila Guenée, 1854; Lomotropa Lederer, 1863; #Pygospila Lederer, 1863; Telespasta Swinhoe, 1906.*
6509. **Pyla Grote, 1882** (Pyralidae) Synonym(s): *Pyla Grote, 1882*
6510. **Pyalamorpha Balinsky, 1994** (Pyralidae) Synonym(s): *Pyalamorpha Balinsky, 1994*
6511. **Pyralestes Turati, 1922** (Pyralidae) Synonym(s): *Pyralestes Turati, 1922*
6512. **Pyralis Linnaeus, 1758** (Pyralidae) Synonym(s): *Pyralis Linnaeus, 1758; Spirella Rafinesque, 1815; Asopia Treitschke, 1828; Sacatia Walker, 1863*
6513. **Pyrasia Martin, 1987** (Pyralidae) Synonym(s): *Pyrasia Martin, 1987*
6514. **Pyrausta (Haematia) Hübner, 1818** (Pyralidae) Synonym(s): *Haematia Hübner, 1818*
6515. **Pyrausta (s.str.) Schrank, 1802** (Pyralidae) Synonym(s): *Pyrausta Schrank, 1802 [Apr.]; Botys Latreille, 1802 [Nov.]; Pyraustes Billberg, 1820; Botis Swainson, 1821; Heliaca Hübner, 1822; Tholeria Hübner, [1823]; Porphyritis Hübner, [1825]; Leimonia Hübner, [1825]; Perilypa Hübner, [1825]; Osterophena Sodoffsky, 1837; Rhodaria Guenée, 1854; Limonia Agassiz, 1847; Herbula Guenée, 1854; Synchronia Guenée, 1854; Cindaphia Lederer, 1863; Sciorista Warren, 1890; Autocosmia Warren, 1892; Rattana Pajni & Rose, 1979.*
6516. **Pyrausta Schrank, 1802** (Pyralidae) Synonym(s): *Pyrausta Schrank, 1802 [Apr.]; Botys Latreille, 1802 [Nov.]; Pyraustes Billberg, 1820; Botis Swainson, 1821; Heliaca Hübner, 1822; Tholeria Hübner, [1823]; Porphyritis Hübner, [1825]; Leimonia Hübner, [1825]; Perilypa Hübner, [1825]; Osterophena Sodoffsky, 1837; Rhodaria Guenée, 1854; Limonia Agassiz, 1847; Herbula Guenée, 1854; Synchronia Guenée, 1854; Cindaphia Lederer, 1863; Sciorista Warren, 1890; Autocosmia Warren, 1892; Rattana Pajni & Rose, 1979.*
6517. **Pyraustimorpha Koçak & Seven, 1995** (Pyralidae) Synonym(s): *Pyraustimorpha Koçak & Seven, 1995*
6518. **Quasiexuperius Balinsky, 1994** (Pyralidae) Synonym(s): *Quasiexuperius Balinsky, 1994*
6519. **Quasipuer Roesler, 1973** (Pyralidae) Synonym(s): *Quasipuer Roesler, 1973*
6520. **Ralpharia Roesler, 1990** (Pyralidae) Synonym(s): *Ralpharia Roesler, 1990*
6521. **Rambutaneia Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Rambutaneia Roesler & Küppers, 1979*
6522. **Ramila Moore, 1867** (Pyralidae) Synonym(s): *Ramila Moore, 1867*
6523. **Ramosignathos Balinsky, 1994** (Pyralidae) Synonym(s): *Ramosignathos Balinsky, 1994*
6524. **Raphimetopus Hampson, 1918** (Pyralidae) Synonym(s): *Raphimetopus Hampson, 1918*
6525. **Raphiptera Hampson, 1896** (Pyralidae) Synonym(s): *Raphiptera Hampson, 1896*
6526. **Rasputinka Roesler, 1989** (Pyralidae) Synonym(s): *Rasputinka Roesler, 1989.*
6527. **Ratasa Herrich-Schäffer, 1849** (Pyralidae) Synonym(s): *Ratasa Herrich-Schäffer, 1849*
6528. **Rehimena Walker, [1866]** (Pyralidae) Synonym(s): *Rehimena Walker, [1866]*
6529. **Remanephycis Roesler, 1989** (Pyralidae) Synonym(s): *Remanephycis Roesler, 1989*
6530. **Repetekiodes Amsel, 1961** (Pyralidae) Synonym(s): *Repetekiodes Amsel, 1961*
6531. **Reskovitsia Szent-Ivany, 1942** (Pyralidae) Synonym(s): *Reskovitsia Szent-Ivany, 1942*
6532. **Rhectoathyris Warren, 1890** (Pyralidae) Synonym(s): *Rhectoathyris Warren, 1890*
6533. **Rhimphalea Lederer, 1863** (Pyralidae) Synonym(s): *Rhimphalea Lederer, 1863*
6534. **Rhimphaliodes Hampson, 1896** (Pyralidae) Synonym(s): *Rhimphaliodes Hampson, 1896; #Rhimphaleodes Hampson, 1896.*
6535. **Rhinaphe Berg, 1875** (Pyralidae) Synonym(s): *Rhinaphe Berg, 1875; #Phinaphe Berg, 1875*
6536. **Rhodochrysa Hampson, 1901** (Pyralidae) Synonym(s): *Rhodochrysa Hampson, 1901*
6537. **Rhynchopaschia Hampson, 1906** (Pyralidae) Synonym(s): *Rhynchopaschia Hampson, 1906*
6538. **Rotrudosoma Roesler, 1964** (Pyralidae) Synonym(s): *Rotrudosoma Roesler, 1964*
6539. **Sacada Walker, 1862** (Pyralidae) Synonym(s): *Sacada Walker, 1862*
6540. **Salbia Guenée, 1854** (Pyralidae) Synonym(s): *Salbia Guenée, 1854*
6541. **Salebriopsis Hannemann, 1965** (Pyralidae) Synonym(s): *Salebriopsis Hannemann, 1965; Turdoempista Roesler, 1967.*
6542. **Salinaria Ragonot, 1901** (Pyralidae) Synonym(s): *Salinaria Ragonot, 1901*
6543. **Salma Walker, 1863** (Pyralidae) Synonym(s): *Salma Walker, 1863; Exacosmia Walker, 1865; Calinipaxa Walker, [1866]; Parasarama Warren, 1890; Pseudolocastra Snellen, 1890; Pseudolocastra Warren, 1891 nec Snellen, 1890; Orthotrichophora Warren, 1891; Heterobella Turner, 1904; Enchesphora Turner, 1913.*
6544. **Saluria Ragonot, 1887** (Pyralidae) Synonym(s): *Saluria Ragonot, 1887; Baroda Ragonot, 1888*
6545. **Samaria Ragonot, 1893** (Pyralidae) Synonym(s): *Samaria Ragonot, 1893*
6546. **Samea Guenée, 1854** (Pyralidae) Synonym(s): *Samea Guenée, 1854; Isoptryx Guenée, 1854 nec Pictet, 1841; Pterygisus Butler, 1886*
6547. **Sameodes Snellen, 1880** (Pyralidae) Synonym(s): *Sameodes Snellen, 1880; Pessocoma Meyrick, 1884*
6548. **Sandrabatis Ragonot, 1893** (Pyralidae) Synonym(s): *Sandrabatis Ragonot, 1893*
6549. **Sarabotys Munroe, 1964** (Pyralidae) Synonym(s): *Sarabotys Munroe, 1964*
6550. **Saucrobotys Munroe, 1976** (Pyralidae) Synonym(s): *Saucrobotys Munroe, 1976*
6551. **Sceliodes Guenée, 1854** (Pyralidae) Synonym(s): *Sceliodes Guenée, 1854; Daraba Walker, 1859; Eretria Snellen, 1880 nec Robineau-Desvoidy, 1863*
6552. **Scenedra Meyrick, 1884** (Pyralidae) Synonym(s): *Scenedra Meyrick, 1884*
6553. **Scenidiopsis Turner, 1904** (Pyralidae) Synonym(s): *Scenidiopsis Turner, 1904; #Scenidiopsis Whalley, 1961*
6554. **Scenoploca Meyrick, 1882** (Pyralidae) Synonym(s): *Scenoploca Meyrick, 1882*
6555. **Schoenobius Duponchel, 1836** (Pyralidae) Synonym(s): *Schoenobius Duponchel, 1836; Erioproctus Zeller, 1839*
6556. **Sciota (Ciliocerodes) Amsel, 1961** (Pyralidae) Synonym(s): *Ciliocerodes Amsel, 1961*
6557. **Sciota (Clasperopsis) Roesler, 1969** (Pyralidae) Synonym(s): *Clasperopsis Roesler, 1969*
6558. **Sciota (s.str.) Hulst, 1888** (Pyralidae) Synonym(s): *Sciota Hulst, 1888*
6559. **Scirpophaga Treitschke, 1832** (Pyralidae) Synonym(s): *Scirpophaga Treitschke, 1832; Schoenophaga Duponchel, 1836; Spartophaga Duponchel, 1836; Schoinophaga Sodoffsky, 1837;*

- Schoenophaga* Agassiz, 1847 nec Dup., 1836; *Apurima* Walker, 1863; *Tryporyza* Common, 1960.
6560. **Sclerobiodes** Amsel, 1951 (Pyralidae) Synonym(s): *Sclerobiodes* Amsel, 1951
6561. **Sclerocona** Meyrick, 1890 (Pyralidae) Synonym(s): *Sclerocona* Meyrick, 1890
6562. **Scoparia** Haworth, [1811] (Pyralidae) Synonym(s): *Scoparia* Haworth, [1811]; *Eudorea* Curtis, 1827; *Scopea* Haworth, 1828; *Cholius* Guenée, 1845; *Phegea* Gistel, 1848; *Tetrapsopos* Butler, 1882; *Xeroscopa* Meyrick, 1884; *Eudoria* Chapman, 1912
6563. **Scotomera** Butler, 1881 (Pyralidae) Synonym(s): *Scotomera* Butler, 1881
6564. **Scotomerodes** Ragonot, 1895 (Pyralidae) Synonym(s): *Scotomerodes* Ragonot, 1895
6565. **Sebrus** Bleszynski, 1970 (Pyralidae) Synonym(s): *Sebrus* Bleszynski, 1970
6566. **Sedenia** Guenée, 1854 (Pyralidae) Synonym(s): *Sedenia* Guenée, 1854
6567. **Seeboldia** Ragonot, 1887 (Pyralidae) Synonym(s): *Seeboldia* Ragonot, 1887
6568. **Sefidia** Amsel, 1950 (Pyralidae) Synonym(s): *Sefidia* Amsel, 1950
6569. **Selagia** Hübner, [1825] (Pyralidae) Synonym(s): *Selagia* Hübner, [1825]
6570. **Seleucia** Ragonot, 1887 (Pyralidae) Synonym(s): *Seleucia* Ragonot, 1887; *Lymira* Ragonot, 1888
6571. **Sematoneura** Ragonot, 1888 (Pyralidae) Synonym(s): *Sematoneura* Ragonot, 1888
6572. **Semniomima** W. Warren, 1892 (Pyralidae) Synonym(s): *Semniomima* W. Warren, 1892
6573. **Sempronia** Ragonot, 1888 (Pyralidae) Synonym(s): *Sempronia* Ragonot, 1888
6574. **Sengania** Amsel, 1951 (Pyralidae) Synonym(s): *Sengania* Amsel, 1951
6575. **Sericocrambus** Wallengren, 1868 (Pyralidae) Synonym(s): *Sericocrambus* Wallengren, 1868
6576. **Sericophylla** Turner, 1937 (Pyralidae) Synonym(s): *Sericophylla* Turner, 1937; *#Sericophora* Turner, 1937
6577. **Sericoplaga** W. Warren, 1892 (Pyralidae) Synonym(s): *Sericoplaga* W. Warren, 1892
6578. **Serrulacera** Amsel, 1955 (Pyralidae) Synonym(s): *Serrulacera* Amsel, 1955
6579. **Shebania** Balinsky, 1991 (Pyralidae) Synonym(s): *Shebania* Balinsky, 1991
6580. **Siamusotima** Solis & Yen, 2005 (Pyralidae) Synonym(s): *Siamusotima* Solis & Yen, 2005
6581. **Sindris** Boisduval, 1833 (Pyralidae) Synonym(s): *Sindris* Boisduval, 1833
6582. **Sisyrophora** Lederer, 1863 (Pyralidae) Synonym(s): *Sisyrophora* Lederer, 1863
6583. **Sitochroa** Hübner, [1825] (Pyralidae) Synonym(s): *Sitochroa* Hübner, [1825]
6584. **Spatulipalpia** Ragonot, 1893 (Pyralidae) Synonym(s): *Spatulipalpia* Ragonot, 1893
6585. **Spectrotrota** Warren, 1891 (Pyralidae) Synonym(s): *Spectrotrota* Warren, 1891
6586. **Sphaerodeltis** Meyrick, 1933 (Pyralidae) Synonym(s): *Sphaerodeltis* Meyrick, 1933
6587. **Sphinctocera** W. Warren, 1897 (Pyralidae) Synonym(s): *Sphinctocera* W. Warren, 1897
6588. **Spoladea** Guenée, 1854 (Pyralidae) Synonym(s): *Spoladea* Guenée, 1854
6589. **Stanempista** Roesler, 1969 (Pyralidae) Synonym(s): *Stanempista* Roesler, 1969
6590. **Statina** Ragonot, 1887 (Pyralidae) Synonym(s): *Statina* Ragonot, 1887
6591. **Staudingeria** (Homoeograptia) Hampson, 1930 (Pyralidae) Synonym(s): *Homoeograptia* Hampson, 1930
6592. **Staudingeria** (s.str.) Ragonot, 1887 (Pyralidae) Synonym(s): *Staudingeria* Ragonot, 1887; *Cornigerula* Amsel, 1935
6593. **Staudingeria** Ragonot, 1887 (Pyralidae) Synonym(s): *Staudingeria* Ragonot, 1887; *Cornigerula* Amsel, 1935
6594. **Stegothyris** Lederer, 1863 (Pyralidae) Synonym(s): *Stegothyris* Lederer, 1863
6595. **Stemmatophora** Guenée, 1854 (Pyralidae) Synonym(s): *Stemmatophora* Guenée, 1854; *Maradana* Moore, [1884]; *Koremalepis* Hampson, 1891
6596. **Stemorrhages** Lederer, 1863 (Pyralidae) Synonym(s): *Stemorrhages* Lederer, 1863; *#Stemorrhages* Möschler, 1887
6597. **Stereobela** Turner, 1905 (Pyralidae) Synonym(s): *Stereobela* Turner, 1905
6598. **Stericta** Lederer, 1863 (Pyralidae) Synonym(s): *Glossina* Guenée, 1854 nec Wiedemann, 1830; *Stericta* Lederer, 1863; *Matalia* Walker, 1866; *Phialia* Walker, 1866; *Oncobela* Turner, 1937
6599. **Stiphrometasia** Zerny, 1914 (Pyralidae) Synonym(s): *Stiphrometasia* Zerny, 1914
6600. **Strepsinoma** Meyrick, 1897 (Pyralidae) Synonym(s): *Strepsinoma* Meyrick, 1897
6601. **Styphlolepis** Hampson, 1896 (Pyralidae) Synonym(s): *Styphlolepis* Hampson, 1896
6602. **Styphlorachis** Hampson, 1930 (Pyralidae) Synonym(s): *Styphlorachis* Hampson, 1930
6603. **Styxon** Bleszynski, 1962 (Pyralidae) Synonym(s): *Styxon* Bleszynski, 1962
6604. **Succadana** Ragonot, 1888 (Pyralidae) Synonym(s): *Succadana* Ragonot, 1888
6605. **Sudaniola** Roesler, 1973 (Pyralidae) Synonym(s): *Sudaniola* Roesler, 1973
6606. **Sufetula** Walker, 1859 (Pyralidae) Synonym(s): *Sufetula* Walker, 1859; *Mirobriga* Walker, 1863; *Loetrina* Walker, 1863; *Pseudochoreutes* Snellen, 1880; *Nannomorpha* Turner, 1908; *Perforadix* Sein., 1930
6607. **Sultania** Koçak, 1987 (Pyralidae) Synonym(s): *Sultania* Koçak, 1987
6608. **Surattha** Walker, 1863 (Pyralidae) Synonym(s): *Surattha* Walker, 1863; *Calarina* Walker, 1866; *Hypotomorpha* Rebel, 1892; *Platytesia* Strand, 1919
6609. **Susia** Ragonot, 1888 (Pyralidae) Synonym(s): *Susia* Ragonot, 1888; *Anephoptyx* Amsel, 1955
6610. **Susumia** Marumo, 1930 (Pyralidae) Synonym(s): *Susumia* Marumo, 1930; *Bradinomorpha* Matsumura, 1920
6611. **Syllepte** Hübner, 1823 (Pyralidae) Synonym(s): *Syllepte* Hübner, 1823; *#Sylepta* Hübner, [1825]; *Patania* Moore, 1888; *Pramadea* Moore, 1888; *Crocidocnemis* Warren, 1889; *Arthriobasis* Warren, 1896; *Polycorys* Warren, 1896; *Nothosaltia* Swinhoe, 1900; *Haitufa* Swinhoe, 1900; *Neomabara* Dognin, 1905; *Troctoceras* Dognin, 1905; *Subhedylepta* Strand, 1918
6612. **Symmoracma** Meyrick, 1894 (Pyralidae) Synonym(s): *Symmoracma* Meyrick, 1894
6613. **Symphonia** Hampson, 1896 (Pyralidae) Synonym(s): *Symphonia* Hampson, 1896
6614. **Symphonitis** Turner, 1904 (Pyralidae) Synonym(s): *Symphonitis* Turner, 1904; *Cyanaphycis* Roesler & Küppers, 1979
6615. **Synaphe** Hübner, [1825] (Pyralidae) Synonym(s): *Synaphe* Hübner, [1825]; *Cledeobia* Stephens, 1829; *Mitopoda* Mann, 1854
6616. **Synclera** Lederer, 1863 (Pyralidae) Synonym(s): *Synclera* Lederer, 1863; *#Syncleta* Möschler, 1886
6617. **Syngamia** Guenée, 1854 (Pyralidae) Synonym(s): *Ochlia* Hübner, 1823; *Syngamia* Guenée, 1854
6618. **Synoria** Ragonot, 1888 (Pyralidae) Synonym(s): *Synoria* Ragonot, 1888
6619. **Syntonarcha** Meyrick, 1890 (Pyralidae) Synonym(s): *Syntonarcha* Meyrick, 1890
6620. **Syntypica** Turner, 1905 (Pyralidae) Synonym(s): *Syntypica* Turner, 1905; *#Syntypica* Turner, 1905
6621. **Syrianarpia** Leraut, 1982 (Pyralidae) Synonym(s): *Syrianarpia* Leraut, 1982
6622. **Tabidia** Snellen, 1880 (Pyralidae) Synonym(s): *Tabidia* Snellen, 1880
6623. **Taftania** Amsel, 1951 (Pyralidae) Synonym(s): *Taftania* Amsel, 1951
6624. **Talanga** Moore, [1885] (Pyralidae) Synonym(s): *Talanga* Moore, [1885]
6625. **Talis** Guenée, 1845 (Pyralidae) Synonym(s): *Talis* Guenée, 1845; *Prosmixis* Zeller, 1846; *Araxates* Ragonot, 1888
6626. **Tamsica** Zimmermann, 1958 (Pyralidae) Synonym(s): *Tamsica* Zimmermann, 1958
6627. **Tanaobela** Turner, 1915 (Pyralidae) Synonym(s): *Tanaobela* Turner, 1915
6628. **Tanyethira** Turner, 1911 (Pyralidae) Synonym(s): *Tanyethira* Turner, 1911
6629. **Tatobotys** Butler, 1880 (Pyralidae) Synonym(s): *Tatobotys* Butler, 1880; *Cometura* Meyrick, 1886
6630. **Taurometopa** Meyrick, 1933 (Pyralidae) Synonym(s): *Taurometopa* Meyrick, 1933

6631. **Tauroscopa Meyrick, 1888** (Pyralidae) Synonym(s): *Tauroscopa Meyrick, 1888*; *Oressaula Turner, 1913*
6632. **Tawhitia Philpott, 1931** (Pyralidae) Synonym(s): *Tawhitia Philpott, 1931*; *Velasquez Bleszynski, 1962*
6633. **Tegostoma Zeller, 1847** (Pyralidae) Synonym(s): *Tegostoma Zeller, 1847*
6634. **Tegulifera Saalmüller, 1880** (Pyralidae) Synonym(s): *Tegulifera Saalmüller, 1880*; *Sphalerosticha Warren, 1897*
6635. **Tehama Hulst, 1888** (Pyralidae) Synonym(s): *Tehama Hulst, 1888*
6636. **Tephris Ragonot, 1891** (Pyralidae) Synonym(s): *Tephris Ragonot, 1891*
6637. **Tephroniopsis Amsel, 1961** (Pyralidae) Synonym(s): *Tephroniopsis Amsel, 1961*
6638. **Terastia Guenée, 1854** (Pyralidae) Synonym(s): *Terastia Guenée, 1854*; *#Tersatia Lederer, 1863*
6639. **Teratauxa E. Hering, 1901** (Pyralidae) Synonym(s): *Teratauxa E. Hering, 1901*; *Ridleyana Hampson, 1906*
6640. **Teratauxa Hering, 1901** (Pyralidae) Synonym(s): *Teratauxa Hering, 1901*; *Ridleyana Hampson, 1906*
6641. **Termiptycha Meyrick, 1889** (Pyralidae) Synonym(s): *Termiptycha Meyrick, 1889*; *Sialocytara Turner, 1913*
6642. **Tetrernia Meyrick, 1890** (Pyralidae) Synonym(s): *Tetrernia Meyrick, 1890*; *Metaclysta Hampson, 1906*
6643. **Tetridia Warren, 1890** (Pyralidae) Synonym(s): *Tetridia Warren, 1890*
6644. **Thagora Walker, 1863** (Pyralidae) Synonym(s): *Thagora Walker, 1863*
6645. **Thalamarchis Meyrick, 1897** (Pyralidae) Synonym(s): *Thalamarchis Meyrick, 1897*
6646. **Thaumtops Morrison, 1874** (Pyralidae) Synonym(s): *Thaumtops Morrison, 1874*; *Propexus Grote, 1880*
6647. **Theila Swinhoe, 1900** (Pyralidae) Synonym(s): *Theila Swinhoe, 1900*
6648. **Therapne Ragonot, 1890** (Pyralidae) Synonym(s): *Therapne Ragonot, 1890*
6649. **Thesaurica Turner, 1915** (Pyralidae) Synonym(s): *Thesaurica Turner, 1915*
6650. **Thiallela Walker, 1863** (Pyralidae) Synonym(s): *Thiallela Walker, 1863*
6651. **Thisanotia Hübner, [1825]** (Pyralidae) Synonym(s): *Thisanotia Hübner, [1825]*
6652. **Thliptoceras W. Warren, 1890** (Pyralidae) Synonym(s): *Thliptoceras W. Warren, 1890*; *Mimocomma W. Warren, 1895*; *Parudea Swinhoe, 1900*
6653. **Thopeutis Hübner, 1818** (Pyralidae) Synonym(s): *Thopeutis Hübner, 1818*; *Cephis Ragonot, 1892*; *Stenochilo Hampson, 1896*; *Hombergia De Joannis, 1910*
6654. **Thospia Ragonot, 1888** (Pyralidae) Synonym(s): *Thospia Ragonot, 1888*
6655. **Threnosia Hampson, 1900** (Pyralidae) Synonym(s): *Threnosia Hampson, 1900*
6656. **Thylacoptila Meyrick, 1885** (Pyralidae) Synonym(s): *Thylacoptila Meyrick, 1885*; *Bussa Ragonot, 1888*
6657. **Thyridiphora Warren, 1888** (Pyralidae) Synonym(s): *Thyridiphora Warren, 1888*; *#Thyridophora Hampson, 1896*
6658. **Tipanaea Walker, 1863** (Pyralidae) Synonym(s): *Tipanaea Walker, 1863*
6659. **Tirathaba Walker, 1864** (Pyralidae) Synonym(s): *Tirathaba Walker, 1864*; *Mucialla Walker, 1866*; *Harpagoneura Butler, 1885*; *Coleoneura Ragonot, 1888*; *Metachrysia Hampson, 1901*; *Suisharyona Strand, 1920*; *Harpagomorpha Turner, 1937*
6660. **Titanio Hübner, [1825]** (Pyralidae) Synonym(s): *Titanio Hübner, [1825]*; *Noctuomorpha Guenée, 1854*
6661. **Titanoceros Meyrick, 1884** (Pyralidae) Synonym(s): *Titanoceros Meyrick, 1884*
6662. **Tocolosida Walker, 1863** (Pyralidae) Synonym(s): *Tocolosida Walker, 1863*
6663. **Torqueola Swinhoe, 1906** (Pyralidae) Synonym(s): *Torqueola Swinhoe, 1906*
6664. **Toxobotys Munroe & Mutuura, 1968** (Pyralidae) Synonym(s): *Toxobotys Munroe & Mutuura, 1968*
6665. **Trachycera Ragonot, 1893** (Pyralidae) Synonym(s): *Trachycera Ragonot, 1893*; *Styphlorachis Hampson, 1930*; *Hylopylora Meyrick, 1933*; *Rhodophaeopsis Amsel, 1950*; *Aurana sensu Leraut, 1979*; *Gaana sensu Roesler, 1981*; *Numonia sensu Roesler, 1985*
6666. **Trachylepidia Ragonot, 1887** (Pyralidae) Synonym(s): *Trachylepidia Ragonot, 1887*
6667. **Trachypteryx Ragonot, 1893** (Pyralidae) Synonym(s): *Trachypteryx Ragonot, 1893*
6668. **Tragonitis Zeller, 1848** (Pyralidae) Synonym(s): *Tragonitis Zeller, 1848*
6669. **Tretopteryx Ragonot, 1891** (Pyralidae) Synonym(s): *Tretopteryx Ragonot, 1891*
6670. **Trichophysetis Meyrick, 1884** (Pyralidae) Synonym(s): *Trichophysetis Meyrick, 1884*; *Trieropis Meyrick, 1886*; *Alpherakia Ragonot, 1890*; *Callinaias Warren, 1890*; *Crasigenes Meyrick, 1894*; *#Trichophyretis Pagenstecher, 1909*; *Puriella Strand, 1918*
6671. **Trigonobela Turner, 1915** (Pyralidae) Synonym(s): *Trigonobela Turner, 1915*
6672. **Trigonoorda Munroe, 1974** (Pyralidae) Synonym(s): *Trigonoorda Munroe, 1974*
6673. **Trigonuncus Amsel, 1952** (Pyralidae) Synonym(s): *Trigonuncus Amsel, 1952*
6674. **Triphassa Hübner, 1818** (Pyralidae) Synonym(s): *Triphassa Hübner, 1818*
6675. **Trisidis Walker, 1863** (Pyralidae) Synonym(s): *Trisidis Walker, 1863*
6676. **Trissonca Meyrick, 1882** (Pyralidae) Synonym(s): *Trissonca Meyrick, 1882*
6677. **Triuncidia Munroe, 1976** (Pyralidae) Synonym(s): *Triuncidia Munroe, 1976*
6678. **Trychnocrana Turner, 1925** (Pyralidae) Synonym(s): *Trychnocrana Turner, 1925*
6679. **Tucumania Dyar, 1925** (Pyralidae) Synonym(s): *Tucumania Dyar, 1925*
6680. **Tulaya Özdikmen, 2007** (Pyralidae) Synonym(s): *Hercynella Bethune-Baker, 1893 nec Kayser, 1878*; *Tulaya Özdikmen, 2007*
6681. **Tulla Zimmermann, 1958** (Pyralidae) Synonym(s): *Tulla Zimmermann, 1958*
6682. **Turania Ragonot, 1891** (Pyralidae) Synonym(s): *Turania Ragonot, 1891*
6683. **Tylocharis Meyrick, 1883** (Pyralidae) Synonym(s): *Tylocharis Meyrick, 1883*; *#Tylcharis Turner, 1947*
6684. **Tyndis Ragonot, 1891** (Pyralidae) Synonym(s): *Tyndis Ragonot, 1891*
6685. **Tyspanodes W. Warren, 1891** (Pyralidae) Synonym(s): *Tyspanodes W. Warren, 1891*; *#Tyspanodes Munroe, 1960*
6686. **Ubida Walker, 1863** (Pyralidae) Synonym(s): *Ubida Walker, 1863*; *Crunophila Meyrick, 1882 nec Kolenati, 1859*
6687. **Udea Guenée, [1845]** (Pyralidae) Synonym(s): *Udea Guenée, [1845]*; *Stantira Walker, 1863*; *Melanomecyna Butler, 1883*; *Mnesictena Meyrick, 1884*; *Protocolletis Meyrick, 1888*; *Prototaulacis Meyrick, 1899*; *Notophytis Meyrick, 1932*
6688. **Uinta Hulst, 1888** (Pyralidae) Synonym(s): *Uinta Hulst, 1888*
6689. **Ulopeza Zeller, 1852** (Pyralidae) Synonym(s): *Ulopeza Zeller, 1852*; *Xacca Walker, 1869*; *Pseudanalthes Warren, 1890*; *#Pseudanalthes Hampson, 1898*; *#Xacca Neave, 1940*
6690. **Ulophora Ragonot, 1890** (Pyralidae) Synonym(s): *Ulophora Ragonot, 1890*
6691. **Ulotricha Lederer, 1863** (Pyralidae) Synonym(s): *Ulotricha Lederer, 1863*
6692. **Unadillides Hampson, 1930** (Pyralidae) Synonym(s): *Unadillides Hampson, 1930*
6693. **Unadophanes Shaffer, 1996** (Pyralidae) Synonym(s): *Scythrophanes Turner, 1947 nec Turner, 1926*; *Unadophanes Shaffer, 1996*
6694. **Uncinus Amsel, 1951** (Pyralidae) Synonym(s): *Uncinus Amsel, 1951*
6695. **Urbania Hampson, 1901** (Pyralidae) Synonym(s): *Urbania Hampson, 1901*
6696. **Uresiphita Hübner, [1825]** (Pyralidae) Synonym(s): *Uresiphita Hübner, [1825]*; *Uresiphoeta Agassiz, 1847*; *Mecyna Guenée, 1854 nec Doubl., [1849]*
6697. **Usingeriessa Lange, 1956** (Pyralidae) Synonym(s): *Usingeriessa Lange, 1956*
6698. **Uthinia Snellen, 1898** (Pyralidae) Synonym(s): *Uthinia Snellen, 1898*
6699. **Valdovecaria Zerny, 1927** (Pyralidae) Synonym(s): *Valdovecaria Zerny, 1927*
6700. **Valva Amsel, 1961** (Pyralidae) Synonym(s): *Valva Amsel, 1961*
6701. **Vaxi Bleszynski, 1962** (Pyralidae) Synonym(s): *Vaxi Bleszynski, 1962*
6702. **Veldticola Hampson, 1930** (Pyralidae) Synonym(s): *Veldticola Hampson, 1930*

6703. **Veronese Bleszynski, 1962** (Pyralidae) Synonym(s): *Veronese Bleszynski, 1962*
6704. **Vietteia Amsel, 1955** (Pyralidae) Synonym(s): *Vietteia Amsel, 1955*
6705. **Vietessa Minet, 1980** (Pyralidae) Synonym(s): *Vietessa Minet, 1980*
6706. **Vinicia Ragonot, 1893** (Pyralidae) Synonym(s): *Vinicia Ragonot, 1893*
6707. **Vitessa Moore, [1860]** (Pyralidae) Synonym(s): *Vitessa Moore, [1860]; Cosmethis sensu De Joannis, 1930*
6708. **Vitessidia Rothschild & Jordan, 1905** (Pyralidae) Synonym(s): *Vitessidia Rothschild & Jordan, 1905*
6709. **Vittabotys Munroe & Mutuura, 1970** (Pyralidae) Synonym(s): *Vittabotys Munroe & Mutuura, 1970*
6710. **Vitula Ragonot, 1887** (Pyralidae) Synonym(s): *Vitula Ragonot, 1887; Hornigia Ragonot, 1887; Mambatta Hulst, 1890; Moodnella Heinrich, 1956; Volatica Heinrich, 1956; Sasipatra Heinrich, 1956.*
6711. **Voliba Walker, 1866** (Pyralidae) Synonym(s): *Voliba Walker, 1866; Gabrisa Walker, [1866] nec Walker, [1866]; Stereocopa Meyrick, 1885*
6712. **Volobilis Walker, 1863** (Pyralidae) Synonym(s): *Volobilis Walker, 1863*
6713. **Witlesia Chapman, 1912** (Pyralidae) Synonym(s): *Witlesia Chapman, 1912*
6714. **Xanthocrambus Bleszynski, 1955** (Pyralidae) Synonym(s): *Xanthocrambus Bleszynski, 1955*
6715. **Xanthomelaena Hampson, 1896** (Pyralidae) Synonym(s): *Xanthomelaena Hampson, 1896*
6716. **Xanthopsamma Munroe & Mutuura, 1968** (Pyralidae) Synonym(s): *Xanthopsamma Munroe & Mutuura, 1968*
6717. **Xanthostege Munroe, 1976** (Pyralidae) Synonym(s): *Xanthostege Munroe, 1976*
6718. **Xenomilia W. Warren, 1896** (Pyralidae) Synonym(s): *Xenomilia W. Warren, 1896*
6719. **Xubida Schaus, 1922** (Pyralidae) Synonym(s): *Xubida Schaus, 1922*
6720. **Yoshiyasua Koçak & Kemal, 2005** (Pyralidae) Synonym(s): *Melanochroa Yoshiyasu, 1985 nec Broun, 1882 non Roeder, 1886; Yoshiyasua Koçak & Kemal, 2005*
6721. **Zacatecas Bleszynski, 1962** (Pyralidae) Synonym(s): *Zacatecas Bleszynski, 1962*
6722. **Zagiridia Hampson, 1897** (Pyralidae) Synonym(s): *Zagiridia Hampson, 1897*
6723. **Zeadiatraea Box, 1955** (Pyralidae) Synonym(s): *Zeadiatraea Box, 1955*
6724. **Zebronia Hübner, [1825]** (Pyralidae) Synonym(s): *Zebronia Hübner, [1825]*
6725. **Zitha Walker, [1866]** (Pyralidae) Synonym(s): *Zitha Walker, [1866]*
6726. **Zonora Swinhoe, 1890** (Pyralidae) Synonym(s): *Zonora Swinhoe, 1890*
6727. **Zophodia Hübner, [1825]** (Pyralidae) Synonym(s): *Zophodia Hübner, [1825]; Olyca Walker, 1857; Melitara Walker, 1863; Dakrura Grote, 1878; Megaphycis Grote, 1882; Ozamia Ragonot, 1901; Yosemiteia Ragonot, 1901; Cactobrosis Dyar, 1915; Olycella Dyar, 1928; Parolyca Dyar, 1928; Nanaia Heinrich, 1929*
6728. **Zophodiodes Ragonot, 1887** (Pyralidae) Synonym(s): *Zophodiodes Ragonot, 1887*
6729. **Zovax Bleszynski, 1962** (Pyralidae) Synonym(s): *Zovax Bleszynski, 1962*
6730. **Callosiope M. Hering, 1925** (Ratardidae) Synonym(s): *Callosiope M. Hering, 1925*
6731. **Ratarda Moore, 1879** (Ratardidae) Synonym(s): *Ratarda Moore, 1879*
6732. **Abisara C. Felder & R. Felder, 1860** (Riodinidae) Synonym(s): *Abisara Felder & Felder, 1860*
6733. **Dodona Hewitson, [1861]** (Riodinidae) Synonym(s): *Dodona Hewitson, [1861]*
6734. **Hamearis Hübner, [1819]** (Riodinidae) Synonym(s): *Hamearis Hübner, [1819]*
6735. **Laxita Butler, 1869** (Riodinidae) Synonym(s): *Laxita Butler, 1869*
6736. **Paralaxita Eliot, 1978** (Riodinidae) Synonym(s): *Paralaxita Eliot, 1978*
6737. **Polycena Staudinger, 1886** (Riodinidae) Synonym(s): *Polycena Staudinger, 1886*
6738. **Stiboges Butler, 1876** (Riodinidae) Synonym(s): *Stiboges Butler, 1876*
6739. **Taxila Doubleday, 1847** (Riodinidae) Synonym(s): *Taxila Doubleday, 1847*
6740. **Zemerus Boisduval, [1836]** (Riodinidae) Synonym(s): *Zemerus Boisduval, [1836]*
6741. **Agriothera Meyrick, 1907** (Roeslerstammiidae) Synonym(s): *Agriothera Meyrick, 1907*
6742. **Roeslerstammia Zeller, 1839** (Roeslerstammiidae) Synonym(s): *Roeslerstammia Zeller, 1839*
6743. **Telethera Meyrick, 1913** (Roeslerstammiidae) Synonym(s): *Telethera Meyrick, 1913*
6744. **Actias Leach, 1815** (Saturniidae) Synonym(s): *Echidna Hübner, [1807] nec Forst., 1788; Actias Leach, 1815; Tropaea Hübner, [1819]; Meceura Billberg, 1820; Artemis Kirby & Spence, 1828; Plectropteron Hutton, 1846; Argema Wallengren, 1858; Angas Wallengren, 1865; Graellsia Grote, 1896; Sonthonnaxia Watson, 1913; Proactias Arora & Gupta, 1979*
6745. **Aglia Ochsenheimer, 1810** (Saturniidae) Synonym(s): *Aglia Ochsenheimer, 1810; Tachyptena Germar, 1910*
6746. **Antheraea (Antheraeopsis) Wood-Mason, 1886** (Saturniidae) Synonym(s): *Antheraeopsis Wood-Mason, 1886*
6747. **Antheraea (s.str.) Hübner, [1819]** (Saturniidae) Synonym(s): *Antheraea Hübner, [1819]*
6748. **Antheraea Hübner, [1819]** (Saturniidae) Synonym(s): *Antheraea Hübner, [1819]*
6749. **Antistathmoptera Tams, 1935** (Saturniidae) Synonym(s): *Antistathmoptera Tams, 1935*
6750. **Archeoattacus Watson, 1914** (Saturniidae) Synonym(s): *Archeoattacus Watson, 1914*
6751. **Argema Wallengren, 1858** (Saturniidae) Synonym(s): *Argema Wallengren, 1858; Angas Wallengren, 1865; Cometesia Bouvier, 1928*
6752. **Athletes Karsch, 1896** (Saturniidae) Synonym(s): *Athletes Karsch, 1896*
6753. **Attacus Linnaeus, 1767** (Saturniidae) Synonym(s): *Attacus Linnaeus, 1767*
6754. **Aurivillius Packard, 1902** (Saturniidae) Synonym(s): *Aurivillius Packard, 1902; Euaurivillius Packard, 1902*
6755. **Bunaea Hübner, [1819]** (Saturniidae) Synonym(s): *Bunaea Hübner, [1819]; Thyella Wallengren, 1858; #Thyelia Walker, 1865; Angelica Distant, 1903*
6756. **Bunaeopsis Bouvier, 1927** (Saturniidae) Synonym(s): *Bunaeopsis Bouvier, 1927*
6757. **Cinabra Sonthonnax, 1901** (Saturniidae) Synonym(s): *Cinabra Sonthonnax, 1901*
6758. **Cricula Walker, 1855** (Saturniidae) Synonym(s): *Cricula Walker, 1855; Euphranor Herrich-Schäffer, 1855*
6759. **Decachorda Aurivillius, 1898** (Saturniidae) Synonym(s): *Decachorda Aurivillius, 1898*
6760. **Eochroa Felder, 1874** (Saturniidae) Synonym(s): *Eochroa Felder, 1874*
6761. **Epiphora Wallengren, 1860** (Saturniidae) Synonym(s): *Epiphora Wallengren, 1860; Faidherbia Guérin-Méneville, 1865; Drepanoptera Rothschild, 1895; Falcipennae Pinhey, 1972*
6762. **Goodia Holland, 1893** (Saturniidae) Synonym(s): *Goodia Holland, 1893; Campimoptilus Karsch, 1896; Lasiptila Kirby, 1896*
6763. **Gynanisa Walker, 1855** (Saturniidae) Synonym(s): *Gynanisa Walker, 1855; Ancalaespina Wallengren, 1858; #Cyanissa Crawley, 1886*
6764. **Hemileuca Walker, 1855** (Saturniidae) Synonym(s): *Hemileuca Walker, 1855*
6765. **Heniocha Hübner, [1819]** (Saturniidae) Synonym(s): *Heniocha Hübner, [1819]; #Henucha Walker, 1855; #Heniocha Pagenstecher, 1909*
6766. **Holocerina Pinhey, 1956** (Saturniidae) Synonym(s): *Holocerina Felder, 1874 (homonym); Holocerina Pinhey, 1956*
6767. **Imbrasia (Gonimbrasia) Hübner, [1819]** (Saturniidae) Synonym(s): *Gonimbrasia Hübner, [1819]; Acanthocampa Packard, 1902; Parabunaeopsis Bouvier, 1934*
6768. **Imbrasia (s.str.) Hübner, [1819]** (Saturniidae) Synonym(s): *Imbrasia Hübner, [1819]; Lomelia Duncan & Westwood, 1841; Cirina Walker, 1855; Sculna Wallengren, 1858*
6769. **Lemaireia Nässig & Holloway, 1997** (Saturniidae) Synonym(s): *Lemaireia Nässig & Holloway, 1997*
6770. **Lobobunaea Packard, 1901** (Saturniidae) Synonym(s): *Lobobunaea Packard, 1901*
6771. **Loepa Moore, [1860]** (Saturniidae) Synonym(s): *Loepa Moore, [1860]*

6772. **Ludia Wallengren, 1856** (Saturniidae) Synonym(s): *Ludia Wallengren, 1856*
6773. **Maltagorea Bouyer, 1993** (Saturniidae) Synonym(s): *Maltagorea Bouyer, 1993*
6774. **Melanocera Sonthonnax, 1901** (Saturniidae) Synonym(s): *Melanocera Sonthonnax, 1901*
6775. **Micragone Walker, 1855** (Saturniidae) Synonym(s): *Micragone Walker, 1855; Cyrtogone Walker, 1855*
6776. **Orthogoniopitulum Karsch, [1893]** (Saturniidae) Synonym(s): *Orthogoniopitulum Karsch, [1893]; Guillemeia Sonthonnax, 1899*
6777. **Pselaphelia Aurivillius, 1904** (Saturniidae) Synonym(s): *Pselaphelia Aurivillius, 1904*
6778. **Pseudantheraea Weymer, 1892** (Saturniidae) Synonym(s): *Pseudantheraea Weymer, 1892*
6779. **Pseudaphelia Kirby, 1892** (Saturniidae) Synonym(s): *Aphelia Westwood, 1849 (homonym); Pseudaphelia Kirby, 1892*
6780. **Pseudimbrasia Rougeot, 1962** (Saturniidae) Synonym(s): *Pseudimbrasia Rougeot, 1962*
6781. **Pseudobunaea Bouvier, 1927** (Saturniidae) Synonym(s): *Pseudobunaea Bouvier, 1927; Alindabunaea Stoneham, 1962*
6782. **Rhodinia Staudinger, 1892** (Saturniidae) Synonym(s): *Rhodia Moore, 1872 nec Bell, 1836; Rhodinia Staudinger, 1892*
6783. **Rohaniella Bouvier, 1927** (Saturniidae) Synonym(s): *Rohaniella Bouvier, 1927*
6784. **Salassa Moore, 1859** (Saturniidae) Synonym(s): *Salassa Moore, 1859*
6785. **Samia Hübner, [1819]** (Saturniidae) Synonym(s): *Samia Hübner, [1819]; Philosamia Grote, 1874; Desgodinsia Oberthür, 1914 nec Senna, 1894*
6786. **Saturnia (Agapema) Neumoegen & Dyar, 1894** (Saturniidae) Synonym(s): *Agapema Neumoegen & Dyar, 1894*
6787. **Saturnia (Calosaturia) Smith, 1886** (Saturniidae) Synonym(s): *Calosaturia Smith, 1886*
6788. **Saturnia (Neoris) Moore, 1862** (Saturniidae) Synonym(s): *Neoris Moore, 1862*
6789. **Saturnia (Perisomena) Walker, 1855** (Saturniidae) Synonym(s): *Perisomena Walker, 1855; Typhloteta Rambur, 1866*
6790. **Saturnia (Rinaca) Walker, 1855** (Saturniidae) Synonym(s): *Rinaca Walker, 1855; Caligula Moore, 1862; Dictyoploca Jordan, 1911*
6791. **Saturnia (s.str.) Schrank, 1802** (Saturniidae) Synonym(s): *Saturnia Schrank, 1802; Nyctaon Billberg, 1820; Eriogyna Jordan, 1913*
6792. **Sinobirma Bryk, 1944** (Saturniidae) Synonym(s): *Sinobirma Bryk, 1944*
6793. **Solus Watson, 1913** (Saturniidae) Synonym(s): *Solus Watson, 1913*
6794. **Tagoropsis Felder, 1874** (Saturniidae) Synonym(s): *Tagoropsis Felder, 1874*
6795. **Urota Westwood, 1849** (Saturniidae) Synonym(s): *Urota Westwood, 1849*
6796. **Usta Wallengren, 1863** (Saturniidae) Synonym(s): *Usta Wallengren, 1863*
6797. **Vegetia Jordan, 1922** (Saturniidae) Synonym(s): *Vegetia Jordan, 1922*
6798. **Admiratio Hemming, 1964** (Satyridae) Synonym(s): *Smithia Mabilie, [1880] (praeocc.); Admiratio Hemming, 1964*
6799. **Aeropetes Billberg, 1820** (Satyridae) Synonym(s): *Aeropetes Billberg, 1820; Meneris Doubleday, 1844*
6800. **Aphantopus Wallengren, 1853** (Satyridae) Synonym(s): *Aphantopus Wallengren, 1853*
6801. **Aphysoneura Karsch, 1894** (Satyridae) Synonym(s): *Aphysoneura Karsch, 1894; Raphiceropsis Sharpe, 1894*
6802. **Arethusana De Lesse, 1951** (Satyridae) Synonym(s): *Arethusana De Lesse, 1951*
6803. **Argestina Riley, 1923** (Satyridae) Synonym(s): *Argestina Riley, 1923*
6804. **Aulocera Butler, 1867** (Satyridae) Synonym(s): *Aulocera Butler, 1867*
6805. **Berberia De Lesse, 1951** (Satyridae) Synonym(s): *Berberia De Lesse, 1951*
6806. **Bicyclus Kirby, 1871** (Satyridae) Synonym(s): *Idiomorphus Doumet, 1861 nec De Chaudoir, 1846; Bicyclus Kirby, 1871; Monotrichtis Hampson, 1891; Dicothyris Karsch, 1893*
6807. **Boeberia Prout, 1901** (Satyridae) Synonym(s): *Boeberia Prout, 1901*
6808. **Brintesia Fruhstorfer, 1911** (Satyridae) Synonym(s): *Brintesia Fruhstorfer, 1911*
6809. **Calinaga Moore, 1857** (Satyridae) Synonym(s): *Calinaga Moore, 1857*
6810. **Callerebia Butler, 1867** (Satyridae) Synonym(s): *Callerebia Butler, 1867*
6811. **Cassionympha Van Son, 1955** (Satyridae) Synonym(s): *Cassionympha Van Son, 1955*
6812. **Chazara (Neochazara) Koçak, 1989** (Satyridae) Synonym(s): *Philareta Moore, 1893 nec Mr.,; Neochazara Koçak, 1989*
6813. **Chazara (s.str.) Moore, [1893]** (Satyridae) Synonym(s): *Chazara Moore, [1893]*
6814. **Chazara Moore, [1893]** (Satyridae) Synonym(s): *Chazara Moore, [1893]*
6815. **Coelites Westwood, 1850** (Satyridae) Synonym(s): *Coelites Westwood, 1850; #Coerites Pinratana, 1988*
6816. **Coenonympha (Lyela) Swinhoe, 1908** (Satyridae) Synonym(s): *Lyela Swinhoe, 1908*
6817. **Coenonympha Hübner, [1819]** (Satyridae) Synonym(s): *Coenonympha Hübner, [1819]; Chortobius [Dunning & Pickard], 1859; Sicca Verity, 1953*
6818. **Coenyra Hewitson, 1865** (Satyridae) Synonym(s): *Coenyra Hewitson, 1865*
6819. **Coenyropsis Van Son, 1958** (Satyridae) Synonym(s): *Coenyropsis Van Son, 1958*
6820. **Crebeta Moore, [1893]** (Satyridae) Synonym(s): *Crebeta Moore, [1893]*
6821. **Dallacha Moore, [1893]** (Satyridae) Synonym(s): *Dallacha Moore, [1893]*
6822. **Dingana Van Son, 1955** (Satyridae) Synonym(s): *Dingana Van Son, 1955*
6823. **Dira Hübner, [1819]** (Satyridae) Synonym(s): *Dira Hübner, [1819]*
6824. **Elymnias Hübner, [1818]** (Satyridae) Synonym(s): *Elymnias Hübner, [1818]; Bruasa Moore, 1894; Elymniopsis Fruhstorfer, 1907*
6825. **Erebia Dalman, 1816** (Satyridae) Synonym(s): *Erebia Dalman, 1816; Epigea Hübner, 1819; Phorcis Hübner, 1819; Syngea Hübner, 1819; Marica Hübner, 1819; Oreina Humphrey & Westwood, 1841 nec Chevr., 1835; Medusia Verity, 1953; Triariia Verity, 1953; Simplicia Verity, 1953 nec Gn., 1854; Truncaefalcia Verity, 1953; Simpospinosia Verity, 1957*
6826. **Erites Westwood, 1851** (Satyridae) Synonym(s): *Erites Westwood, 1851*
6827. **Esperarge (Marginarge) Korb, 2005** (Satyridae) Synonym(s): *Marginarge Korb, 2005*
6828. **Esperarge Nekrutenko, 1988** (Satyridae) Synonym(s): *Esperia Nekrutenko, 1987 nec Hübn., [1825]; Esperella Nekrutenko, 1987 nec Vosmaer, 1885; Esperarge Nekrutenko, 1988*
6829. **Ethope Moore, [1866]** (Satyridae) Synonym(s): *Theope Moore, 1857 nec Doubl., 1847; Ethope Moore, [1866]*
6830. **Eugrumia Bruna et al., 2000** (Satyridae) Synonym(s): *Grumia Bruna et al., 2000 nec Alph., 1892 non Oppenheim, 1899; Eugrumia Bruna et al., 2000*
6831. **Gnophodes Doubleday, [1849]** (Satyridae) Synonym(s): *Gnophodes Doubleday, [1849]*
6832. **Hallelesis Condamin, 1961** (Satyridae) Synonym(s): *Hallelesis Condamin, 1961*
6833. **Henotesia Butler, 1879** (Satyridae) Synonym(s): *Henotesia Butler, 1879*
6834. **Hermeuptychia Forster, 1964** (Satyridae) Synonym(s): *Hermeuptychia Forster, 1964*
6835. **Heteropsis Westwood, [1850]** (Satyridae) Synonym(s): *Heteropsis Westwood, [1850]*
6836. **Hipparchia (Euhipparchia) Kudrna, 1977** (Satyridae) Synonym(s): *Euhipparchia Kudrna, 1977*
6837. **Hipparchia (Neohipparchia) De Lesse, 1951** (Satyridae) Synonym(s): *Neohipparchia De Lesse, 1951*
6838. **Hipparchia (Parahipparchia) Kudrna, 1977** (Satyridae) Synonym(s): *Parahipparchia Kudrna, 1977*
6839. **Hipparchia (Pseudotergumia) Agenjo, 1947** (Satyridae) Synonym(s): *Pseudotergumia Agenjo, 1947*
6840. **Hipparchia (s.str.) Fabricius, 1807** (Satyridae) Synonym(s): *Hipparchia Fabricius, 1807*
6841. **Hipparchia Fabricius, 1807** (Satyridae) Synonym(s): *Hipparchia Fabricius, 1807*
6842. **Houlbertia Oberthür, 1916** (Satyridae) Synonym(s): *Houlbertia Oberthür, 1916*
6843. **Hyponephele (s.str. (Caspinephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Caspinephele Koçak & Kemal, 2001*
6844. **Hyponephele (s.str. (Coenonephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Coenonephele Koçak & Kemal, 2001*

- 6845. Hyponephele (s.str. (Ereminephele)) Koçak & Kemal,2001** (Satyridae) Synonym(s): *Ereminephele Koçak & Kemal,2001*
- 6846. Hyponephele (s.str. (Iranonephele)) Koçak & Kemal,2001** (Satyridae) Synonym(s): *Iranonephele Koçak & Kemal,2001*
- 6847. Hyponephele (s.str. (Orientinephele)) Koçak & Kemal,2001** (Satyridae) Synonym(s): *Orientinephele Koçak & Kemal,2001*
- 6848. Hyponephele (s.str. (Tengrinephele)) Koçak & Kemal,2001** (Satyridae) Synonym(s): *Tengrinephele Koçak & Kemal,2001*
- 6849. Hyponephele (s.str. (Turaninephele)) Koçak & Kemal,2001** (Satyridae) Synonym(s): *Turaninephele Koçak & Kemal,2001*
- 6850. Hyponephele (s.str. (Turkestaninephele)) Koçak & Kemal,2001** (Satyridae) Synonym(s): *Turkestaninephele Koçak & Kemal,2001*
- 6851. Hyponephele (s.str.) Muschamp,1915** (Satyridae) Synonym(s): *Hyponephele Muschamp,1915*
- 6852. Idata De Lesse,1952** (Satyridae) Synonym(s): *Idata De Lesse,1952*
- 6853. Kanetisa Moore,[1893]** (Satyridae) Synonym(s): *Kanetisa Moore,[1893]*
- 6854. Karanasa Moore,[1893]** (Satyridae) Synonym(s): *Karanasa Moore,[1893]*
- 6855. Kirinia (Melike) Koçak & Kemal,2002** (Satyridae) Synonym(s): *Melike Koçak & Kemal,2002*
- 6856. Kirinia Moore,[1893]** (Satyridae) Synonym(s): *Kirinia Moore,[1893]*
- 6857. Lasiommata Westwood,1841** (Satyridae) Synonym(s): *Lasiommata Westwood,1841*
- 6858. Lethe Hübner,[1819]** (Satyridae) Synonym(s): *Lethe Hübner,[1819]*
- 6859. Lopinga Moore,[1893]** (Satyridae) Synonym(s): *Lopinga Moore,[1893]*
- 6860. Loxerebia Watkins,1925** (Satyridae) Synonym(s): *Loxerebia Watkins,1925*
- 6861. Mandarinina Leech,1892** (Satyridae) Synonym(s): *Mandarinina Leech,1892*
- 6862. Maniola (Telmessiola) Koçak & Kemal,2002** (Satyridae) Synonym(s): *Telmessiola Koçak & Kemal,2002*
- 6863. Maniola (s.str.) Schrank,1801** (Satyridae) Synonym(s): *Maniola Schrank,1801; Epinephele Hübner,[1819].*
- 6864. Mashuna Van Son,1955** (Satyridae) Synonym(s): *Mashuna Van Son,1955; Ypthimorpha Overlaet,1955.*
- 6865. Masoura Hemming,1964** (Satyridae) Synonym(s): *Gallienia Oberthür,1910 (praeocc.); Masoura Hemming,1964*
- 6866. Megisto Hübner,[1819]** (Satyridae) Synonym(s): *Megisto Hübner,[1819]*
- 6867. Melampias Hübner,[1819]** (Satyridae) Synonym(s): *Melampias Hübner,[1819]*
- 6868. Melanargia (Parce) Oberthür & Houlbert,1922** (Satyridae) Synonym(s): *Parce Oberthür & Houlbert,1922*
- 6869. Melanargia (Turcargia) Koçak & Kemal,2002** (Satyridae) Synonym(s): *Turcargia Koçak & Kemal,2002*
- 6870. Melanargia (s.str.) Meigen,1828** (Satyridae) Synonym(s): *Agapetes Billberg,1820 (rejected); Melanargia Meigen,1828; Lachesis Oberthür & Houlbert,1922 nec Daudin,1803.*
- 6871. Melanargia Meigen,1828** (Satyridae) Synonym(s): *Agapetes Billberg,1820 (rejected); Melanargia Meigen,1828; Lachesis Oberthür & Houlbert,1922 nec Daudin,1803.*
- 6872. Melanitis Fabricius,1807** (Satyridae) Synonym(s): *Melanitis Fabricius,1807; Cylo Boisduval,1832*
- 6873. Minois Hübner,[1819]** (Satyridae) Synonym(s): *Minois Hübner,[1819]*
- 6874. Mycalesis Hübner,1818** (Satyridae) Synonym(s): *Mycalesis Hübner,1818; Dasyomma C.Felder & R.Felder,1860 nec Macquart,1841; Culapa Moore,1879; Mydosama Moore,1880; Calysisme Moore,1880; Dalapa Moore,1880; Gareris Moore,1880; Indalasa Moore,1880; Jatana Moore,1880; Kabanda Moore,1880; Loesa Moore,1880; Lohora Moore,1880; Martanda Moore,1880; Nasapa Moore,1880; Nebdara Moore,1880; Nissanga Moore,1880; Pachama Moore,1880; Sadarga Moore,1880; Samanta Moore,1880; Satoa Moore,1880; Sevanda Moore,1880; Suralaya Moore,1880; Virapa Moore,1880; Telinga Moore,1880; Myrtilus De Nicéville,1891; Samundra Moore,[1891]; Physcon De Nicéville,1898; Celebina Fruhstorfer,[1899].*
- 6875. Neita Van Son,1955** (Satyridae) Synonym(s): *Neita Van Son,1955*
- 6876. Neocoenyra Butler,1886** (Satyridae) Synonym(s): *Neocoenyra Butler,1886*
- 6877. Neominois Scudder,1875** (Satyridae) Synonym(s): *Neominois Scudder,1875*
- 6878. Neonympha Hübner,1818** (Satyridae) Synonym(s): *Neonympha Hübner,1818*
- 6879. Neope Moore,[1866]** (Satyridae) Synonym(s): *Enope Moore,1857 nec Walk.,1854; Neope Moore,[1866]; Neope Butler,1867.*
- 6880. Neorina Westwood,1850** (Satyridae) Synonym(s): *Neorina Westwood,1850*
- 6881. Ninguta Moore,1892** (Satyridae) Synonym(s): *Ninguta Moore,1892*
- 6882. Nirvanopsis Vane-Wright,2003** (Satyridae) Synonym(s): *Nirvana Tsukada & Nishiyama,1979 nec Kirk.,1900; Nirvanopsis Vane-Wright,2003*
- 6883. Oeneis Hübner,[1819]** (Satyridae) Synonym(s): *Oeneis Hübner,[1819]; Chionobas Boisduval,[1833]; Paroeneis Moore,1891*
- 6884. Orinoma Gray,1846** (Satyridae) Synonym(s): *Orinoma Gray,1846*
- 6885. Orsotriaena Wallengren,1858** (Satyridae) Synonym(s): *Orsotriaena Wallengren,1858*
- 6886. Paralasa Moore,[1893]** (Satyridae) Synonym(s): *Paralasa Moore,[1893]*
- 6887. Paralethe Van Son,1955** (Satyridae) Synonym(s): *Paralethe Van Son,1955.*
- 6888. Pararge Hübner,[1819]** (Satyridae) Synonym(s): *Pararge Hübner,[1819]*
- 6889. PentHEMA Doubleday,1848** (Satyridae) Synonym(s): *PentHEMA Doubleday,1848*
- 6890. Physcaeneura Wallengren,1857** (Satyridae) Synonym(s): *Physcaeneura Wallengren,1857; Periplysia Gerstraecker,1871.*
- 6891. Proteberia Roos & Arnscheid,1980** (Satyridae) Synonym(s): *Proteberia Roos & Arnscheid,1980*
- 6892. Pseudochazara (Achazara) Koçak,1996** (Satyridae) Synonym(s): *Achazara Koçak,1996*
- 6893. Pseudochazara (s.str.) De Lesse,1951** (Satyridae) Synonym(s): *Pseudochazara De Lesse,1951*
- 6894. Ptychandra C.Felder & R.Felder,1861** (Satyridae) Synonym(s): *Ptychandra C.Felder & R.Felder,1861*
- 6895. Pyronia Hübner,[1819]** (Satyridae) Synonym(s): *Pyronia Hübner,[1819]; Pasiphana De Lesse,1952.*
- 6896. Ragadia Westwood,1851** (Satyridae) Synonym(s): *Ragadia Westwood,1851*
- 6897. Rhaiphicera Butler,1867** (Satyridae) Synonym(s): *Rhaiphicera Butler,1867*
- 6898. Satyrus (Asatyrus (Asatyrus)) Koçak & Kemal,2002** (Satyridae) Synonym(s): *Asatyrus Koçak & Kemal,2002*
- 6899. Satyrus (Asatyrus) Koçak & Kemal,2002** (Satyridae) Synonym(s): *Asatyrus Koçak & Kemal,2002*
- 6900. Satyrus (s.str.(s.str.)) Latreille,1810** (Satyridae) Synonym(s): *Satyrus Latreille,1810*
- 6901. Satyrus Latreille,1810** (Satyridae) Synonym(s): *Satyrus Latreille,1810*
- 6902. Sinonympha Lee,1974** (Satyridae) Synonym(s): *Sinonympha Lee,1974*
- 6903. Strabena Mabilite,1877** (Satyridae) Synonym(s): *Strabena Mabilite,1877; Callyphthima Butler,1880.*
- 6904. Stygionympha Van Son,1955** (Satyridae) Synonym(s): *Stygionympha Van Son,1955*
- 6905. Tarsocera Butler,[1899]** (Satyridae) Synonym(s): *Tarsocera Butler,[1899]; Cassus Van Son,1955*
- 6906. Tornyesis Butler,[1899]** (Satyridae) Synonym(s): *Tornyesis Butler,[1899]; Mintha Van Son,1955*
- 6907. Triphysa Zeller,1850** (Satyridae) Synonym(s): *Triphysa Zeller,1850*
- 6908. Ypthima Hübner,1818** (Satyridae) Synonym(s): *Ypthima Hübner,1818*
- 6909. Ypthimomorpha Van Son,1955** (Satyridae) Synonym(s): *Ypthimomorpha Van Son,1955*
- 6910. Schreckensteiniia Hübner,[1825]** (Schreckensteiniidae) Synonym(s): *Schreckensteiniia Hübner,[1825]*
- 6911. Apostibes Walsingham,1907** (Scythridae) Synonym(s): *Apostibes Walsingham,1907; Coleophorides Amsel,1935*
- 6912. Areniscythris Powell,1976** (Scythridae) Synonym(s): *Areniscythris Powell,1976*
- 6913. Arotura Walsingham,1888** (Scythridae) Synonym(s): *Arotura Walsingham,1888; Colinita Busck,1907*
- 6914. Enolmis Duponchel,[1846]** (Scythridae) Synonym(s): *Enolmis Duponchel,[1846]; Bryophaga Ragonot,1875*
- 6915. Episcythris Amsel,1938** (Scythridae) Synonym(s): *Episcythris Amsel,1938*

6916. **Eretmocera** Zeller, 1852 (Scythridae) Synonym(s): *Eretmocera* Zeller, 1852; *Staintonia* Staudinger, 1859; *Exodomorpha* Walker, 1864; *Castorura* Meyrick, 1887; *Aeraula* Meyrick, 1897; *Leuroscelis* Turner, 1927
6917. **Erigethes** Walsingham, 1907 (Scythridae) Synonym(s): *Erigethes* Walsingham, 1907
6918. **Haploscythris** Viette, 1956 (Scythridae) Synonym(s): *Haploscythris* Viette, 1956
6919. **Landryia** Kemal & Koçak, 2006 (Scythridae) Synonym(s): *Asymmetrura* Landry, 1991 nec Faria, 1981; *Landryia* Kemal & Koçak, 2006
6920. **Mapsidius** Walsingham, 1907 (Scythridae) Synonym(s): *Mapsidius* Walsingham, 1907
6921. **Necrothalassia** Amsel, 1935 (Scythridae) Synonym(s): *Necrothalassia* Amsel, 1935
6922. **Neoscythris** Landry, 1991 (Scythridae) Synonym(s): *Neoscythris* Landry, 1991
6923. **Oedematopoda** Zeller, 1852 (Scythridae) Synonym(s): *Oedematopoda* Zeller, 1852
6924. **Paralogistis** Meyrick, 1913 (Scythridae) Synonym(s): *Paralogistis* Meyrick, 1913
6925. **Parascythis** Hannemann, 1960 (Scythridae) Synonym(s): *Parascythis* Hannemann, 1960
6926. **Proterochyta** Meyrick, 1918 (Scythridae) Synonym(s): *Proterochyta* Meyrick, 1918
6927. **Rhampura** Landry, 1991 (Scythridae) Synonym(s): *Rhampura* Landry, 1991
6928. **Scythis** (Catascythis) Amsel, 1935 (Scythridae) Synonym(s): *Catascythis* Amsel, 1935
6929. **Scythis** (Rubioia) Agenjo, 1962 (Scythridae) Synonym(s): *Rubioia* Agenjo, 1962
6930. **Scythis** Hübner, [1825] (Scythridae) Synonym(s): *Scythis* Hübner, [1825]; *Galanthia* Hübner, [1825]; *Butalis* Treitschke, 1833 nec Boie, 1826; *Copida* Sodoffsky, 1837
6931. **Aegerospehia** Le Cerf, 1916 (Sesiidae) Synonym(s): *Aegerospehia* Le Cerf, 1916
6932. **Alonina** Walker, 1856 (Sesiidae) Synonym(s): *Alonina* Walker, 1856; *Cicinnoscelis* Holland, 1893
6933. **Anaudia** Wallengren, 1863 (Sesiidae) Synonym(s): *Anaudia* Wallengren, 1863
6934. **Aschistophleps** Hampson, [1893] (Sesiidae) Synonym(s): *Aschistophleps* Hampson, [1893]
6935. **Bembecia** (Ductispina) Capuse, 1973 (Sesiidae) Synonym(s): *Ductispina* Capuse, 1973
6936. **Bembecia** (Paradipsospehia) Capuse, 1973 (Sesiidae) Synonym(s): *Paradipsospehia* Capuse, 1973
6937. **Bembecia** (Pseudospehia) Capuse, 1973 (Sesiidae) Synonym(s): *Pseudospehia* Capuse, 1973
6938. **Bembecia** Hübner, [1819] (Sesiidae) Synonym(s): *Bembecia* Hübner, [1819]
6939. **Carmenta** Edwards, 1881 (Sesiidae) Synonym(s): *Rhipidura* Philippi, 1859 nec Vigors & Horsfield, 1827; *Carmenta* Edwards, 1881; *Parasesia* Le Cerf, 1916; *Teleospehia* Le Cerf, 1916; *Rhipidurina* Naumann, 1971
6940. **Ceratocorema** Hampson, [1893] (Sesiidae) Synonym(s): *Ceratocorema* Hampson, [1893]; *Neotinthis* Hampson, 1919
6941. **Chamaespehia** Spuler, 1910 (Sesiidae) Synonym(s): *Chamaespehia* Spuler, 1910; *Scopulospehia* Lastuvka, [1990]
6942. **Chamanthodon** Le Cerf, 1916 (Sesiidae) Synonym(s): *Chamanthodon* Le Cerf, 1916
6943. **Clavigera** Kallies & Arita, 2004 (Sesiidae) Synonym(s): *Clavigera* Kallies & Arita, 2004 nec
6944. **Crinipus** Hampson, 1896 (Sesiidae) Synonym(s): *Crinipus* Hampson, 1896
6945. **Cyanosesia** Gorbunov & Arita, 1995 (Sesiidae) Synonym(s): *Cyanosesia* Gorbunov & Arita, 1995
6946. **Diphaspehia** Capuse, 1973 (Sesiidae) Synonym(s): *Diphaspehia* Capuse, 1973
6947. **Echidnathia** Hampson, 1919 (Sesiidae) Synonym(s): *Echidnathia* Hampson, 1919
6948. **Erismatica** Meyrick, 1933 (Sesiidae) Synonym(s): *Erismatica* Meyrick, 1933
6949. **Euhagena** Edwards, 1881 (Sesiidae) Synonym(s): *Euhagena* Edwards, 1881; *Larunda* Edwards, 1881; *Gaea* Beutenmüller, 1896
6950. **Grypopalpia** Hampson, 1919 (Sesiidae) Synonym(s): *Grypopalpia* Hampson, 1919
6951. **Homogyna** Le Cerf, 1911 (Sesiidae) Synonym(s): *Homogyna* Le Cerf, 1911
6952. **Hypanthodon** Hampson, 1919 (Sesiidae) Synonym(s): *Hypanthodon* Hampson, 1919
6953. **Isothamnis** Meyrick, 1928 (Sesiidae) Synonym(s): *Isothamnis* Meyrick, 1928
6954. **Lamellispehia** Kallies & Arita, 2004 (Sesiidae) Synonym(s): *Lamellispehia* Kallies & Arita, 2004
6955. **Lenyra** Walker, 1856 (Sesiidae) Synonym(s): *Lenyra* Walker, 1856
6956. **Macrotarsipus** Hampson, [1893] (Sesiidae) Synonym(s): *Macrotarsipus* Hampson, [1893]
6957. **Melittia** Hübner, [1819] (Sesiidae) Synonym(s): *Melittia* Hübner, [1819]; *Eumallopoda* Wallengren, 1858; *Parasa* Wallengren, 1863 nec Mr., 1860; *Pansa* Wallengren, 1865; *Poderis* Boisduval, [1875]; *Premelittia* Le Cerf, 1916; *Neospehia* Le Cerf, 1916; *Melittina* Le Cerf, 1917
6958. **Monopetalotaxis** Wallengren, 1858 (Sesiidae) Synonym(s): *Monopetalotaxis* Wallengren, 1858
6959. **Osminia** Le Cerf, 1917 (Sesiidae) Synonym(s): *Osminia* Le Cerf, 1917; *Signaphora* Engelhardt, 1946
6960. **Paradoxecia** Hampson, 1919 (Sesiidae) Synonym(s): *Paradoxecia* Hampson, 1919
6961. **Paranthrene** Hübner, [1819] (Sesiidae) Synonym(s): *Paranthrene* auct.; *Paranthrene* Hübner, [1819]; *Memythrus* Newman, 1832; *Sciapteron* Staudinger, 1854; *Tarsa* Walker, 1856; *Pseudosesia* Felder, 1861; *Pramila* Moore, 1879; *Fatua* Edwards, 1882 nec Dej., 1835; *Phlogothauma* Butler, 1882; *Sciapteron* Bartel, 1912; *Leptocimb*
6962. **Paranthrenopsis** Le Cerf, 1911 (Sesiidae) Synonym(s): *Paranthrenopsis* Le Cerf, 1911; *Enrichella* Bryk, 1947
6963. **Pennisetia** Dehne, 1850 (Sesiidae) Synonym(s): *Pennisetia* Dehne, 1850; *Anthrenoptera* Swinhoe, 1892; *Lophocnema* Turner, 1917; *Diapryra* Turner, 1917; *Glossacia* Hampson, 1919
6964. **Pseudomelittia** Le Cerf, 1917 (Sesiidae) Synonym(s): *Pseudomelittia* Le Cerf, 1917
6965. **Pseudosesia** C. Felder, 1961 (Sesiidae) Synonym(s): *Pseudosesia* C. Felder, 1961
6966. **Pyropteron** Newman, 1832 (Sesiidae) Synonym(s): *Pyropteron* Newman, 1832; *Pyropteron* Agassiz, 1847
6967. **Rectala** Bryk, 1947 (Sesiidae) Synonym(s): *Rectala* Bryk, 1947
6968. **Scasiba** Matsumura, 1931 (Sesiidae) Synonym(s): *Scasiba* Matsumura, 1931
6969. **Sesia** Fabricius, 1775 (Sesiidae) Synonym(s): *Sesia* Fabricius, 1775; *Trochilium* Scopoli, 1777; *Aegeria* Fabricius, 1807; *Spehia* Hübner, [1819]; *Setia* Meigen, 1829; *Trochilia* Speyer & Speyer, 1858 nec Duj., 1841; *Sphecodoptera* Hampson, 1893; *Euspehia* Le Cerf, 1937
6970. **Sphecosesia** Hampson, 1910 (Sesiidae) Synonym(s): *Sphecosesia* Hampson, 1910
6971. **Sura** Walker, 1856 (Sesiidae) Synonym(s): *Sura* Walker, 1856; *Sara* Druce, 1882
6972. **Synanspehia** Capuse, 1973 (Sesiidae) Synonym(s): *Synanspehia* Capuse, 1973
6973. **Synanthodon** Hübner, [1819] (Sesiidae) Synonym(s): *Synanthodon* Hübner, [1819]; *Conopia* Hübner, [1819]; *Pyrhotaeni* Grote, 1875; *Vespa* Beutenmüller, 1894; *Thamnosphecia* Spuler, 1910; *Sylvora* Engelhardt, 1946; *Tipulia* Kralicek & Povolny, 1977
6974. **Teinotarsina** R. Felder, 1874 (Sesiidae) Synonym(s): *Teinotarsina* R. Felder, 1874
6975. **Thyranthrene** Hampson, 1919 (Sesiidae) Synonym(s): *Thyranthrene* Hampson, 1919
6976. **Tinthis** Walker, [1865] (Sesiidae) Synonym(s): *Tinthis* Walker, [1865]; *Soronia* Moore, 1877 nec Erichson, 1843; *Microspehia* Bartel, 1912; *Zenodoxus* auct.
6977. **Tipulamima** Holland, 1893 (Sesiidae) Synonym(s): *Tipulamima* Holland, 1893
6978. **Tradescanticola** Hampson, 1919 (Sesiidae) Synonym(s): *Tradescanticola* Hampson, 1919
6979. **Trichobaptis** Holland, 1894 (Sesiidae) Synonym(s): *Trichobaptis* Holland, 1894
6980. **Trilochana** Moore, 1879 (Sesiidae) Synonym(s): *Trilochana* Moore, 1879; *Scoliomima* Butler, 1885
6981. **Vespanthodon** Le Cerf, 1917 (Sesiidae) Synonym(s): *Vespanthodon* Le Cerf, 1917
6982. **Weismanniola** Naumann, 1971 (Sesiidae) Synonym(s): *Weismanniola* Spuler, 1910 nec Tt., 1904; *Weismanniola* Naumann, 1971

6983. **Zenodoxus Grote & Robinson, 1868** (Sesiidae) Synonym(s): *Zenodoxus Grote & Robinson, 1868*
6984. **Somabrachys Kirby, 1892** (Somabrachyidae) Synonym(s): *Somabrachys Kirby, 1892*
6985. **Acherontia [Laspeyres], 1809** (Sphingidae) Synonym(s): *#Manduca Hübner, [1806]; Acherontia [Laspeyres], 1809; #Atropos Oken, 1815; Brachylossa Boisduval, 1828; Atropos Agassiz, 1846*
6986. **Acosmerycoides Mell, 1922** (Sphingidae) Synonym(s): *Acosmerycoides Mell, 1922*
6987. **Acosmeryx Boisduval, [1875]** (Sphingidae) Synonym(s): *Acosmeryx Boisduval, [1875]*
6988. **Adhemarius Oicetica, 1939** (Sphingidae) Synonym(s): *Adhemarius Oicetica, 1939*
6989. **Aellopos Hübner, [1819]** (Sphingidae) Synonym(s): *Aellopos Hübner, [1819]*
6990. **Afroclanis Carcasson, 1968** (Sphingidae) Synonym(s): *Afroclanis Carcasson, 1968*
6991. **Agrius Hübner, [1819]** (Sphingidae) Synonym(s): *Agrius Hübner, [1819]; Timoria Kaye, 1919*
6992. **Akbesia Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Akbesia Rothschild & Jordan, 1903*
6993. **Aleuron Boisduval, 1870** (Sphingidae) Synonym(s): *Aleuron Boisduval, 1870; Tylognathus R. Felder, 1874 nec Heckel, 1843; Callenyo Grote, 1874; Gonenyio Butler, [1877]; #Gonenyio Rothschild, 1894*
6994. **Ambulyx Westwood, 1847** (Sphingidae) Synonym(s): *Ambulyx Westwood, 1847*
6995. **Amorpha Hübner, [1809]** (Sphingidae) Synonym(s): *Amorpha Hübner, [1809]; Cressonia Grote & Robinson, 1865*
6996. **Ampelophaga Bremer & Grey, [1852]** (Sphingidae) Synonym(s): *Ampelophaga Bremer & Grey, [1852]*
6997. **Amphimoea Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Amphimoea Rothschild & Jordan, 1903*
6998. **Amphion Hübner, [1819]** (Sphingidae) Synonym(s): *Amphion Hübner, [1819]*
6999. **Amphypterus Hübner, [1819]** (Sphingidae) Synonym(s): *Amphypterus Hübner, [1819]*
7000. **Anambulyx Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Anambulyx Rothschild & Jordan, 1903*
7001. **Andriasa Walker, 1856** (Sphingidae) Synonym(s): *Andriasa Walker, 1856; Pseudosmerinthus Butler, 1876; Devitzia Holland, 1889; #Dewitzia Holland, 1893*
7002. **Angonyx Boisduval, [1875]** (Sphingidae) Synonym(s): *Angonyx Boisduval, [1875]*
7003. **Antinephele Holland, 1889** (Sphingidae) Synonym(s): *Antinephele Holland, 1889*
7004. **Apocalypsis Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Apocalypsis Rothschild & Jordan, 1903*
7005. **Arctonotus Boisduval, 1852** (Sphingidae) Synonym(s): *Arctonotus Boisduval, 1852*
7006. **Aspledon Boisduval, [1875]** (Sphingidae) Synonym(s): *Lophura Herrich-Schäffer, [1854] nec Fleming, 1822; Aspledon Boisduval, [1875]; Gurelca Kirby, 1880*
7007. **Atemnora Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Atemnora Rothschild & Jordan, 1903*
7008. **Baniwa Lichy, 1981** (Sphingidae) Synonym(s): *Baniwa Lichy, 1981*
7009. **Barbourion Clark, 1934** (Sphingidae) Synonym(s): *Barbourion Clark, 1934*
7010. **Basiothia Walker, 1856** (Sphingidae) Synonym(s): *Basiothia Walker, 1856*
7011. **Batocnema Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Batocnema Rothschild & Jordan, 1903*
7012. **Callambulyx Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Callambulyx Rothschild & Jordan, 1903*
7013. **Callionima Lucas, 1857** (Sphingidae) Synonym(s): *Callionima Lucas, 1857; Callionima Lucas, 1857; Eucherix Boisduval, [1875]*
7014. **Cautethia Grote, 1865** (Sphingidae) Synonym(s): *Oenosanda Walker, 1856 nec Wlk., 1856; Cautethia Grote, 1865*
7015. **Cechenena Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Cechenena Rothschild & Jordan, 1903*
7016. **Centroctena Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Centroctena Rothschild & Jordan, 1903*
7017. **Cephanodes Hübner, [1819]** (Sphingidae) Synonym(s): *Cephanodes Hübner, [1819]; #Cephanodes Stephens, 1835; Potidaea Wallengren, 1858*
7018. **Ceratomia Harris, 1839** (Sphingidae) Synonym(s): *Ceratomia Harris, 1839; Daremma Walker, 1856; Isogramma Rothschild & Jordan, 1903 nec Meek & Worthen, 1873; Autogramma Jordan, 1946*
7019. **Cizara Walker, 1856** (Sphingidae) Synonym(s): *Cizara Walker, 1856*
7020. **Clanis Hübner, [1825]** (Sphingidae) Synonym(s): *Clanis Hübner, [1825]*
7021. **Clarina Tutt, 1903** (Sphingidae) Synonym(s): *Clarina Tutt, 1903; Berutana Rothschild & Jordan, 1903*
7022. **Cocytius Hübner, [1819]** (Sphingidae) Synonym(s): *Cocytius Hübner, [1819]; Amphonyx Poey, 1832; Ancistrognathus Wallengren, 1858*
7023. **Coelonia Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Coelonia Rothschild & Jordan, 1903*
7024. **Craspedortha Mell, 1922** (Sphingidae) Synonym(s): *Craspedortha Mell, 1922*
7025. **Cypa Walker, [1865]** (Sphingidae) Synonym(s): *Cypa Walker, [1865]*
7026. **Cypoides Matsumura, 1921** (Sphingidae) Synonym(s): *Cypoides Matsumura, 1921*
7027. **Dahira Moore, 1888** (Sphingidae) Synonym(s): *Dahira Moore, 1888*
7028. **Daphnis Hübner, [1819]** (Sphingidae) Synonym(s): *Daphnis Hübner, [1819]; Regia Tutt, 1903; Histriosphinx, 1976*
7029. **Daphnusa Walker, 1856** (Sphingidae) Synonym(s): *Daphnusa Walker, 1856*
7030. **Darapsa Walker, 1856** (Sphingidae) Synonym(s): *Otus Hübner, [1819] nec Pennant, 1769; Darapsa Walker, 1856; Ampeloea Rothschild & Jordan, 1903*
7031. **Degmaptera Hampson, 1896** (Sphingidae) Synonym(s): *Degmaptera Hampson, 1896*
7032. **Deilephila Laspeyres, 1809** (Sphingidae) Synonym(s): *Deilephila Laspeyres, 1809*
7033. **Dolba Walker, 1856** (Sphingidae) Synonym(s): *Dolba Walker, 1856*
7034. **Dolbina Staudinger, 1887** (Sphingidae) Synonym(s): *Dolbina Staudinger, 1887; Dolbinopsis Rothschild & Jordan, 1903; Elegodolba Eitschberger & Zolotuhin, 1997*
7035. **Dolbogene Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Dolbogene Rothschild & Jordan, 1903*
7036. **Elibia Walker, 1856** (Sphingidae) Synonym(s): *Elibia Walker, 1856*
7037. **Enpinanga Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Enpinanga Rothschild & Jordan, 1903*
7038. **Enyo Hübner, [1819]** (Sphingidae) Synonym(s): *Enyo Hübner, [1819]; Unzela Walker, 1856; Triptogon Ménériés, 1857; Epistor Boisduval, [1875]; #Triptogom Moore, [1882]*
7039. **Erinnys Hübner, [1819]** (Sphingidae) Synonym(s): *Erinnys Hübner, [1819]; Dilophonota Burmeister, 1855; #Erinnis Carcasson, 1968; #Erinnis Belloti & Arias, 1978*
7040. **Euchloron Boisduval, [1875]** (Sphingidae) Synonym(s): *Chlorina Guenée, 1862 (praeocc.); Euchloron Boisduval, [1875]*
7041. **Eumorpha Hübner, [1807]** (Sphingidae) Synonym(s): *Eumorpha Hübner, [1807]; Pholus Hübner, [1819]; Argeus Hübner, [1819]; Dupo Hübner, [1819]; Philampelus Harris, 1839*
7042. **Euproserpinus Grote & Robinson, 1865** (Sphingidae) Synonym(s): *Euproserpinus Grote & Robinson, 1865*
7043. **Eupyrroglossum Grote, 1865** (Sphingidae) Synonym(s): *Eupyrroglossum Grote, 1865*
7044. **Euryglottis Boisduval, [1875]** (Sphingidae) Synonym(s): *Euryglottis Boisduval, [1875]*
7045. **Eurypteryx R. Felder, 1874** (Sphingidae) Synonym(s): *Eurypteryx R. Felder, 1874*
7046. **Falcata Carcasson, 1968** (Sphingidae) Synonym(s): *Falcata Carcasson, 1968*
7047. **Gehlenia Bryk, 1944** (Sphingidae) Synonym(s): *Gehlenia Bryk, 1944*
7048. **Giganteopalpus Huwe, 1895** (Sphingidae) Synonym(s): *Giganteopalpus Huwe, 1895*
7049. **Gnathothlibus Wallengren, 1858** (Sphingidae) Synonym(s): *Gnathothlibus Wallengren, 1858*
7050. **Gnathothlibus Wallengren, 1858** (Sphingidae) Synonym(s): *Chromis Hübner, [1819] nec Lacepede, 1802; Gnathothlibus Wallengren, 1858*
7051. **Griseosphinx Cadiou & Kitching, 1990** (Sphingidae) Synonym(s): *Griseosphinx Cadiou & Kitching, 1990*
7052. **Hayesiana Fletcher, 1982** (Sphingidae) Synonym(s): *Rhodossoma Butler, 1870 (preocc.); Hayesiana Fletcher, 1982*
7053. **Hemaris (Cochrania) Tutt, 1902** (Sphingidae) Synonym(s): *Cochrania Tutt, 1902*

- 7054. Hemaris (Eitschbergera) Kemal & Koçak,2005** (Sphingidae) Synonym(s): *Mandarina Eitschberger, Danner & Surholt,1998 nec Pilsbry,1894; Eitschbergera Kemal & Koçak,2005*
- 7055. Hemaris (s.str.) Dalman,1816** (Sphingidae) Synonym(s): *Hemaris Dalman,1816; Hemaria Billberg,1820; Haemorrhagia Grote & Robinson,1865; Chamaesia Grote,1873; Jilinga Eitschberger, Danner & Surholt,1998 (homonym), Saudersia Eitschberger, Danner & Surholt,1998 (homonym)*
- 7056. Hemaris Dalman,1816** (Sphingidae) Synonym(s): *Hemaris Dalman,1816; Hemaria Billberg,1820; Haemorrhagia Grote & Robinson,1865; Chamaesia Grote,1873; Jilinga Eitschberger, Danner & Surholt,1998 (homonym), Saudersia Eitschberger, Danner & Surholt,1998 (homonym)*
- 7057. Hemeroplanes Hübner,[1819]** (Sphingidae) Synonym(s): *Hemeroplanes Hübner,[1819]; Leucorhampha Rothschild & Jordan,1903*
- 7058. Himantoides Butler,[1877]** (Sphingidae) Synonym(s): *Himantoides Butler,[1877]*
- 7059. Hippotion Hübner,[1819]** (Sphingidae) Synonym(s): *Hippotion Hübner,[1819]; Panacra Walker,1856; Lilina Tutt,1903*
- 7060. Hoplistopus Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Hoplistopus Rothschild & Jordan,1903*
- 7061. Hyles Hübner,[1819]** (Sphingidae) Synonym(s): *Hyles Hübner,[1819]; Thaumasia Hübner,[1819]; Celerio Agassiz,1846; Turneria Tutt,1903; Hawaiina Tutt,1903; Weismannia Tutt,1904; Danneria Eitschberger & Zolotuhin,1998; Eremohyles Eitschberger & Zolotuhin,1998; Hipohyles Eitschberger & Zolotuhin,1998; Rommeliana Eitschberger & Zolotuhin,1998; Surholtia Eitschberger & Zolotuhin,1998*
- 7062. Ihlegramma Eitschberger,2003** (Sphingidae) Synonym(s): *Ihlegramma Eitschberger,2003*
- 7063. Isognathus C.Felder & R.Felder,1862** (Sphingidae) Synonym(s): *Isognathus C.Felder & R.Felder,1862; Tatoglossum Butler,[1877]*
- 7064. Kloneus Skinner,1923** (Sphingidae) Synonym(s): *Kloneus Skinner,1923; Oberthurion B.P.Clark,1923*
- 7065. Langia Moore,1872** (Sphingidae) Synonym(s): *Langia Moore,1872*
- 7066. Laothoe Fabricius,1807** (Sphingidae) Synonym(s): *#Amorpha Hübner,[1806]; Laothoe Fabricius,1807.*
- 7067. Lepchina Oberthür,1904** (Sphingidae) Synonym(s): *Lepchina Oberthür,1904*
- 7068. Leptoclanis Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Leptoclanis Rothschild & Jordan,1903*
- 7069. Leucophlebia (Afrophlebia) Eitschberger,2003** (Sphingidae) Synonym(s): *Afrophlebia Eitschberger,2003*
- 7070. Leucophlebia (Indiaphlebia) Eitschberger,2003** (Sphingidae) Synonym(s): *Indiaphlebia Eitschberger,2003*
- 7071. Leucophlebia (Thaiphlebia) Eitschberger,2003** (Sphingidae) Synonym(s): *Thaiphlebia Eitschberger,2003*
- 7072. Leucophlebia (s.str.) Westwood,1847** (Sphingidae) Synonym(s): *Leucophlebia Westwood,1847; Rasphele Boisduval,[1875]*
- 7073. Leucophlebia Westwood,1847** (Sphingidae) Synonym(s): *Leucophlebia Westwood,1847; Rasphele Boisduval,[1875]*
- 7074. Leucostrophus Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Leucostrophus Rothschild & Jordan,1903*
- 7075. Likoma Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Likoma Rothschild & Jordan,1903*
- 7076. Litosphingia Jordan,1920** (Sphingidae) Synonym(s): *Litosphingia Jordan,1920*
- 7077. Lophostethus Butler,1876** (Sphingidae) Synonym(s): *Euclea Boisduval,[1875] (praeocc.); Lophostethus Butler,1876*
- 7078. Macroglossum Scopoli,1777** (Sphingidae) Synonym(s): *Macroglossum Scopoli,1777; #Bombylia Hübner,[1806]; Macroglossa Ochsenheimer,1816; Psithyros Hübner,[1819]; Bombylia Hübner,1822; Macroglossa Boisduval,1833 (praeocc.); Rhamphosschisma Wallengren,1858; Rhopalopsyche Butler,1875*
- 7079. Macropoliana Carcasson,1968** (Sphingidae) Synonym(s): *Macropoliana Carcasson,1968*
- 7080. Madoryx Boisduval,[1875]** (Sphingidae) Synonym(s): *Madoryx Boisduval,[1875]*
- 7081. Manduca Hübner,[1807]** (Sphingidae) Synonym(s): *Manduca Hübner,[1807]; Phlegethontius Hübner,[1819]; Protoparce Burmeister,1855; Macrosila Walker,1856; Syzygia Grote & Robinson,1865; Diludia Grote & Robinson,1865; Chlaenogramma J.B.Smith,1887*
- 7082. Marumba Moore,[1882]** (Sphingidae) Synonym(s): *Marumba Moore,[1882]; Burrowsia Tutt,1902; Kayeia Tutt,1902; Sichia Tutt,1902.*
- 7083. Megacorma Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Megacorma Rothschild & Jordan,1903*
- 7084. Meganoton Boisduval,[1875]** (Sphingidae) Synonym(s): *Meganoton Boisduval,[1875]*
- 7085. Microsphinx Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Microsphinx Rothschild & Jordan,1903*
- 7086. Mimas Hübner,[1819]** (Sphingidae) Synonym(s): *Mimas Hübner,[1819]*
- 7087. Monarda Druce,1896** (Sphingidae) Synonym(s): *Monarda Druce,1896*
- 7088. Morvennius Cassidy, Allen & Harman,2002** (Sphingidae) Synonym(s): *Morvennius Cassidy, Allen & Harman,2002*
- 7089. Nannoparce Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Nannoparce Rothschild & Jordan,1903*
- 7090. Neoclanis Carcasson,1968** (Sphingidae) Synonym(s): *Neoclanis Carcasson,1968*
- 7091. Neococytioides Hodges,1971** (Sphingidae) Synonym(s): *Neococytioides Hodges,1971*
- 7092. Neogene Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Neogene Rothschild & Jordan,1903*
- 7093. Neogurelca Hogenes & Treadaway,1993** (Sphingidae) Synonym(s): *Neogurelca Hogenes & Treadaway,1993*
- 7094. Neopolyptychus Carcasson,1968** (Sphingidae) Synonym(s): *Neopolyptychus Carcasson,1968*
- 7095. Neopterodonta Eitschberger,1999** (Sphingidae) Synonym(s): *Pterodonta Austaut,1905 nec R.L.,1817; Neopterodonta Eitschberger,1999*
- 7096. Nephele Hübner,[1819]** (Sphingidae) Synonym(s): *Nephele Hübner,[1819]; Orneus Hübner,[1824]; Zonilia Walker,1856; #Nephile Butler,1879*
- 7097. Nyceryx Boisduval,[1875]** (Sphingidae) Synonym(s): *Nyceryx Boisduval,[1875]*
- 7098. Odontosida Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Odontosida Rothschild & Jordan,1903*
- 7099. Oligographa Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Oligographa Rothschild & Jordan,1903*
- 7100. Opistoclanis Jordan,1929** (Sphingidae) Synonym(s): *Opistoclanis Jordan,1929*
- 7101. Orecta Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Orecta Rothschild & Jordan,1903*
- 7102. Oryba Walker,1856** (Sphingidae) Synonym(s): *Oryba Walker,1856*
- 7103. Pachygonidia D.S.Fletcher,1982** (Sphingidae) Synonym(s): *Pachygonia R.Felder,1874 nec Huxley,1865; Pachygonidia D.S.Fletcher,1982*
- 7104. Pachylia Walker,1856** (Sphingidae) Synonym(s): *Pachylia Walker,1856; Pachylia Lucas,1857*
- 7105. Pachylioides Hodges,1971** (Sphingidae) Synonym(s): *Pachylioides Hodges,1971*
- 7106. Pachysphinx Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Pachysphinx Rothschild & Jordan,1903*
- 7107. Pantophaea Jordan,1946** (Sphingidae) Synonym(s): *Pantophaea Rothschild & Jordan,1903 (praeocc.); Pantophaea Jordan,1946*
- 7108. Paonias Hübner,[1819]** (Sphingidae) Synonym(s): *Paonias Hübner,[1819]; Calasymbolus Grote,1873*
- 7109. Paratreia Grote,1903** (Sphingidae) Synonym(s): *Atreus Grote,1886 nec Koch,1837; Paratreia Grote,1903; Atreides Holland,1903*
- 7110. Parum Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Parum Rothschild & Jordan,1903*
- 7111. Pentateucha Swinhoe,1908** (Sphingidae) Synonym(s): *Pentateucha Swinhoe,1908*
- 7112. Pergesa Walker,1856** (Sphingidae) Synonym(s): *Pergesa Walker,1856*
- 7113. Perigonia Herrich-Schäffer,[1854]** (Sphingidae) Synonym(s): *Perigonia Herrich-Schäffer,[1854]; Perigonia Walker,1856*
- 7114. Phanoxyla Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Phanoxyla Rothschild & Jordan,1903*
- 7115. Phryxus Hübner,[1819]** (Sphingidae) Synonym(s): *Phryxus Hübner,[1819]; Grammodia Rothschild & Jordan,1903*
- 7116. Phyllosphingia Swinhoe,1897** (Sphingidae) Synonym(s): *Phyllosphingia Swinhoe,1897; Clarkia Tutt,1902; Clarkunella Strand,1943*
- 7117. Phylloxiphia Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Phylloxiphia Rothschild & Jordan,1903; Libyoclanis*

- Rothschild & Jordan, 1906; Typhosia Rothschild & Jordan, 1906; Acentropoclanis Strand, 1915*
- 7118. *Platysphinx Rothschild & Jordan, 1903*** (Sphingidae)
Synonym(s): *Platysphinx Rothschild & Jordan, 1903*
- 7119. *Poliana Rothschild & Jordan, 1903*** (Sphingidae)
Synonym(s): *Poliana Rothschild & Jordan, 1903; Taboribia Strand, 1910*
- 7120. *Polyptychoides Carcasson, 1968*** (Sphingidae) Synonym(s): *Polyptychoides Carcasson, 1968*
- 7121. *Polyptychopsis Carcasson, 1968*** (Sphingidae) Synonym(s): *Polyptychopsis Carcasson, 1968*
- 7122. *Polyptychus Hübner, [1819]*** (Sphingidae) Synonym(s): *Polyptychus Hübner, [1819]*
- 7123. *Praedora Rothschild & Jordan, 1903*** (Sphingidae)
Synonym(s): *Praedora Rothschild & Jordan, 1903*
- 7124. *Proserpinus Hübner, [1819]*** (Sphingidae) Synonym(s): *Proserpinus Hübner, [1819]*
- 7125. *Protaleuron Rothschild & Jordan, 1903*** (Sphingidae)
Synonym(s): *Protaleuron Rothschild & Jordan, 1903*
- 7126. *Protoambulyx Rothschild & Jordan, 1903*** (Sphingidae)
Synonym(s): *Protoambulyx Rothschild & Jordan, 1903*
- 7127. *Pseudandriasa Carcasson, 1968*** (Sphingidae) Synonym(s): *Pseudandriasa Carcasson, 1968*
- 7128. *Pseudoclanis Rothschild, 1894*** (Sphingidae) Synonym(s): *Pseudoclanis Rothschild, 1894; Larunda Kernbach, 1954 (praeocc.)*
- 7129. *Pseudosphinx Burmeister, 1855*** (Sphingidae) Synonym(s): *Pseudosphinx Burmeister, 1855; Macrosila Lucas, 1857 nec Wlk., 1856*
- 7130. *Psilogramma Rothschild & Jordan, 1903*** (Sphingidae)
Synonym(s): *Psilogramma Rothschild & Jordan, 1903*
- 7131. *Rethera Rothschild & Jordan, 1903*** (Sphingidae)
Synonym(s): *Rethera Rothschild & Jordan, 1903; Borshomia Austaut, 1905.*
- 7132. *Rhagastis Rothschild & Jordan, 1903*** (Sphingidae)
Synonym(s): *Rhagastis Rothschild & Jordan, 1903*
- 7133. *Rhodafrax Rothschild & Jordan, 1903*** (Sphingidae)
Synonym(s): *Rhodafrax Rothschild & Jordan, 1903*
- 7134. *Rhodambulyx Mell, 1938*** (Sphingidae) Synonym(s): *Rhodambulyx Mell, 1938*
- 7135. *Rhodoprasina Rothschild & Jordan, 1903*** (Sphingidae)
Synonym(s): *Rhodoprasina Rothschild & Jordan, 1903*
- 7136. *Rufoclanis Carcasson, 1968*** (Sphingidae) Synonym(s): *Rufoclanis Carcasson, 1968*
- 7137. *Sagenosoma Jordan, 1946*** (Sphingidae) Synonym(s): *Dictyosema Rothschild & Jordan, 1903 nec Schegel & Temminck, 1845; Sagenosoma Jordan, 1946*
- 7138. *Sataspes Moore, [1858]*** (Sphingidae) Synonym(s): *Sataspes Moore, [1858]*
- 7139. *Smerinthulus Huwe, 1895*** (Sphingidae) Synonym(s): *Smerinthulus Huwe, 1895*
- 7140. *Smerinthus Latreille, [1802]*** (Sphingidae) Synonym(s): *Smerinthus Latreille, [1802]; Dilina Dalman, 1816; Merinthus Meigen, 1830; Bebroptera Sod., 1837; Eusmerinthus Grote, 1877; Copismerinthus Kirby, 1892; Bellia Tutt, 1902 (praeocc.); Daddia Tutt, 1902; Nicholsonia Tutt, 1902 (praeocc.); Bellinca, Niia Strand, 1943.*
- 7141. *Sphecodina Blanchard, 1840*** (Sphingidae) Synonym(s): *Sphecodina Blanchard, 1840*
- 7142. *Sphingonaepiopsis Wallengren, 1856*** (Sphingidae)
Synonym(s): *Sphingonaepiopsis Wallengren, 1856*
- 7143. *Sphingulus Staudinger, 1887*** (Sphingidae) Synonym(s): *Sphingulus Staudinger, 1887*
- 7144. *Sphinx Linnaeus, 1758*** (Sphingidae) Synonym(s): *Sphinx Linnaeus, 1758; Spectrum Scopoli, 1777; Hyloicus Hübner, [1819]; Lethia Hübner, [1819]; Herse Agassiz, 1846; Hyloecus Agassiz, 1846; Lintheria Butler, 1876; Gargantua Kirby, 1892; Mesosphinx Cockerell, 1920.*
- 7145. *Stolidoptera Rothschild & Jordan, 1903*** (Sphingidae)
Synonym(s): *Stolidoptera Rothschild & Jordan, 1903*
- 7146. *Temnora Walker, 1856*** (Sphingidae) Synonym(s): *Lophura Herrich-Schäffer, 1854; Lophura Walker, 1856 (praeocc.); Temnora Walker, 1856; Diodosida Walker, 1856; Lophuron Wallengren, 1865; Ocyton Boisduval, 1875; Aspledon Boisduval, 1875; Eulophura Holland, 1889; Gurelca Kirby, 1880*
- 7147. *Theretra Hübner, [1819]*** (Sphingidae) Synonym(s): *Theretra Hübner, [1819]; Oreus Hübner, [1819]; Gnathostypis Wallengren, 1858; Hathia Moore, [1882]; Florina Tutt, 1903.*
- 7148. *Trogolenum Rothschild & Jordan, 1903*** (Sphingidae)
Synonym(s): *Trogolenum Rothschild & Jordan, 1903*
- 7149. *Xanthopan Rothschild & Jordan, 1903*** (Sphingidae)
Synonym(s): *Xanthopan Rothschild & Jordan, 1903*
- 7150. *Xenosphingia Jordan, 1920*** (Sphingidae) Synonym(s): *Xenosphingia Jordan, 1920*
- 7151. *Xylophanes Hübner, [1819]*** (Sphingidae) Synonym(s): *Xylophanes Hübner, [1819]; Deilonche Grote, 1886; Dilonche Kirby, 1897*
- 7152. *Aeoloscelis Meyrick, 1897*** (Stathmopodidae) Synonym(s): *Aeoloscelis Meyrick, 1897*
- 7153. *Calicotis Meyrick, 1889*** (Stathmopodidae) Synonym(s): *Calicotis Meyrick, 1889*
- 7154. *Hieromantis Meyrick, 1897*** (Stathmopodidae) Synonym(s): *Hieromantis Meyrick, 1897*
- 7155. *Pachyrhabda Meyrick, 1897*** (Stathmopodidae) Synonym(s): *Pachyrhabda Meyrick, 1897*
- 7156. *Stathmopoda Herrich-Schäffer, [1853]*** (Stathmopodidae)
Synonym(s): *Stathmopoda Herrich-Schäffer, [1853]; Boocara Butler, 1880; Placostola Meyrick, 1887; Erineda Busck, 1909; Agrioscelis Meyrick, 1913; Kakivoria Nagano, 1916.*
- 7157. *Thylacoscels Meyrick, 1889*** (Stathmopodidae) Synonym(s): *Thylacoscels Meyrick, 1889*
- 7158. *Tortilia Chrétien, 1908*** (Stathmopodidae) Synonym(s): *Tortilia Chrétien, 1908; Diadoxastis Meyrick, 1913; Apertodiscus Amsel, 1935*
- 7159. *Acria Stephens, 1834*** (Stenomidae) Synonym(s): *Acria Stephens, 1834; Tisdra Walker, 1864; Amphoritis Meyrick, 1905*
- 7160. *Aeolanthus Meyrick, 1907*** (Stenomidae) Synonym(s): *Aeolanthus Meyrick, 1907*
- 7161. *Amorbaea Meyrick, 1908*** (Stenomidae) Synonym(s): *Amorbaea Meyrick, 1908*
- 7162. *Antaeotricha Zeller, 1854*** (Stenomidae) Synonym(s): *Antaeotricha Zeller, 1854*
- 7163. *Antolaea Meyrick, 1914*** (Stenomidae) Synonym(s): *Antolaea Meyrick, 1914*
- 7164. *Deoryctis Meyrick, 1934*** (Stenomidae) Synonym(s): *Deoryctis Meyrick, 1934*
- 7165. *Stenoma Zeller, 1839*** (Stenomidae) Synonym(s): *Stenoma Zeller, 1839; Diastoma Möschler, 1882*
- 7166. *Adrallia Walker, 1865*** (Thaumetopoeidae) Synonym(s): *Adrallia Walker, 1865*
- 7167. *Aglasoma Scott, 1864*** (Thaumetopoeidae) Synonym(s): *Aglasoma Scott, 1864*
- 7168. *Anaphe Walker, 1855*** (Thaumetopoeidae) Synonym(s): *Anaphe Walker, 1855*
- 7169. *Axiocleta Turner, 1911*** (Thaumetopoeidae) Synonym(s): *Axiocleta Turner, 1911*
- 7170. *Cynosarga Walker, 1865*** (Thaumetopoeidae) Synonym(s): *Cynosarga Walker, 1865*
- 7171. *Epanaphe Aurivillius, 1904*** (Thaumetopoeidae) Synonym(s): *Epanaphe Aurivillius, 1904*
- 7172. *Epicoma Hübner, [1819]*** (Thaumetopoeidae) Synonym(s): *Epicoma Hübner, [1819]; Marane Walker, 1865; Epicomana Kiriakoff, 1970*
- 7173. *Gazalina (Oligochlona) R. Felder & Rogenhofer, 1874*** (Thaumetopoeidae) Synonym(s): *Oligochlona R. Felder & Rogenhofer, 1874; Ansonia Kiriakoff, 1967 nec Stolicza, 1870*
- 7174. *Gazalina (s.str.) Walker, 1865*** (Thaumetopoeidae)
Synonym(s): *Gazalina Walker, 1865*
- 7175. *Gazalina Walker, 1865*** (Thaumetopoeidae) Synonym(s): *Gazalina Walker, 1865*
- 7176. *Mesodrepta Turner, 1924*** (Thaumetopoeidae) Synonym(s): *Mesodrepta Turner, 1924*
- 7177. *Ochrogaster Herrich-Schäffer, [1855]*** (Thaumetopoeidae)
Synonym(s): *Ochrogaster Herrich-Schäffer, [1855]; Teara Walker, 1855; Adelaidina Kiriakoff, 1969*
- 7178. *Paradrallia Bethune-Baker, 1908*** (Thaumetopoeidae)
Synonym(s): *Paradrallia Bethune-Baker, 1908*
- 7179. *Tanystola Turner, 1922*** (Thaumetopoeidae) Synonym(s): *Tanystola Turner, 1922; Sthenadelpha Turner, 1922*
- 7180. *Thaumetopoea (s.str.) Hübner, [1820]*** (Thaumetopoeidae)
Synonym(s): *Thaumetopoea Hübner, [1820]; Cnethocampa Stephens, 1828; Helianthocampa De Freina & Witt, 1985*
- 7181. *Thaumetopoea Hübner, [1820]*** (Thaumetopoeidae)
Synonym(s): *Thaumetopoea Hübner, [1820]; Cnethocampa Stephens, 1828; Helianthocampa De Freina & Witt, 1985*
- 7182. *Trichiocercus Stephens, 1835*** (Thaumetopoeidae)
Synonym(s): *Arcturus Curtis, 1830 nec Berth., 1827; Trichiocercus Stephens, 1835; Trichetra Westwood, 1840; Arctoproctus Herrich-Schäffer, 1855*

- 7183. Achyla Billberg, 1820** (Thyatiridae) Synonym(s): *Achyla* Billberg, 1820; *Cymatophora Treitschke*, 1825 nec Hübner, 1812; *Daruma Matsumura*, 1927 nec Jord. & Starks, 1904; *Darumona Strand*, 1935
- 7184. Aethiopsestis Watson, 1965** (Thyatiridae) Synonym(s): *Aethiopsestis* Watson, 1965
- 7185. Asphalia Hübner, [1821]** (Thyatiridae) Synonym(s): *Asphalia* Hübner, [1821]; *Scodra Heinemann*, 1859.
- 7186. Bycambia Benjamin, 1938** (Thyatiridae) Synonym(s): *Bycambia* Benjamin, 1938
- 7187. Camptopsestis Yoshimoto, 1982** (Thyatiridae) Synonym(s): *Camptopsestis* Yoshimoto, 1982
- 7188. Ceranemota Clarke, 1938** (Thyatiridae) Synonym(s): *Ceranemota* Clarke, 1938
- 7189. Chaepsestis Le Cerf, 1941** (Thyatiridae) Synonym(s): *Chaepsestis* Le Cerf, 1941
- 7190. Cymatophorima Spuler, 1908** (Thyatiridae) Synonym(s): *Pachycera Stephens*, 1827 nec Billb., 1820; *Cymatophorima* Spuler, 1908
- 7191. Gaurena Walker, 1865** (Thyatiridae) Synonym(s): *Gaurena* Walker, 1865
- 7192. Habrosyne Hübner, [1821]** (Thyatiridae) Synonym(s): *Habrosyne* Hübner, [1821]; *Gonophora Bruand*, 1845 nec Dejean, 1835; *Cymatochrocis Houlbert*, 1921; *Hannya Matsumura*, 1927; *Miothyatira Matsumura*, 1933; *Habrosynula Bryk*, 1943
- 7193. Hiroshia Laszlo, G. Ronkay, L. Ronkay, 2001** (Thyatiridae) Synonym(s): *Hiroshia* Laszlo, G. Ronkay, L. Ronkay, 2001
- 7194. Horithyatira Matsumura, 1933** (Thyatiridae) Synonym(s): *Horithyatira* Matsumura, 1933
- 7195. Lithocharis W. Warren, 1912** (Thyatiridae) Synonym(s): *Lithocharis* W. Warren, 1912
- 7196. Marplena Lane, 1973** (Thyatiridae) Synonym(s): *Marplena* Lane, 1973
- 7197. Mimopsestis Matsumura, 1921** (Thyatiridae) Synonym(s): *Mimopsestis* Matsumura, 1921; *Spilobasis Houlbert*, 1921
- 7198. Nemacerota Hampson, 1892** (Thyatiridae) Synonym(s): *Nemacerota* Hampson, 1892
- 7199. Neotogaria Matsumura, 1931** (Thyatiridae) Synonym(s): *Neotogaria* Matsumura, 1931
- 7200. Ochropacha Wallengren, 1871** (Thyatiridae) Synonym(s): *Ochropacha* Wallengren, 1871
- 7201. Paragnorima W. Warren, 1912** (Thyatiridae) Synonym(s): *Paragnorima* W. Warren, 1912
- 7202. Parapsestis W. Warren, 1912** (Thyatiridae) Synonym(s): *Parapsestis* W. Warren, 1912
- 7203. Polyploca Hübner, [1821]** (Thyatiridae) Synonym(s): *Polyploca* Hübner, [1821]
- 7204. Takapsestis (Neogaurena) Roepke, 1944** (Thyatiridae) Synonym(s): *Neogaurena* Roepke, 1944
- 7205. Takapsestis (Neotakatogaria) Laszlo, G. Ronkay, L. Ronkay, 2001** (Thyatiridae) Synonym(s): *Neotakatogaria* Laszlo, G. Ronkay, L. Ronkay, 2001
- 7206. Takapsestis (s.str.) Matsumura, 1933** (Thyatiridae) Synonym(s): *Takapsestis* Matsumura, 1933
- 7207. Tethea Ochseneimer, 1816** (Thyatiridae) Synonym(s): *Tethea* Ochseneimer, 1816; *Palimpsestis Hübner*, [1821]; *Bombycia Hübner*, 1822; *Ceropacha Stephens*, 1829; *Ceratopacha Stephens*, 1850; *Saronaga Moore*, 1881; *Eutethia Grote*, 1902; *Episaronaga Matsumura*, 1933
- 7208. Tetheella Werny, [1967]** (Thyatiridae) Synonym(s): *Tetheella* Werny, [1967]
- 7209. Thyatira Ochseneimer, 1816** (Thyatiridae) Synonym(s): *Thyatira* Ochseneimer, 1816; *Strophia Ochseneimer*, 1816; *Calleida Sodoffsky*, 1837 nec Latr., 1824; *Thyathira Bruand*, 1845
- 7210. Wernya Yoshimoto, 1987** (Thyatiridae) Synonym(s): *Wernya* Yoshimoto, 1987
- 7211. Automolis Hübner, [1819]** (Thyretidae) Synonym(s): *Automolis* Hübner, [1819]; *Zagaris Walker*, 1855; *Metarctia Walker*, 1855; *Anace Walker*, 1856; *Decimia Walker*, 1856; *Hebena Walker*, 1856; *Thyretarctia Strand*, 1912; *Pterophaea Kiriakoff*, 1953; *Metarhodia Kiriakoff*, 1953; *Notharctia Kiriakoff*, 1953; *Collocaliodes Kiriakoff*, 1957; *Pinheyata Nye*, 1980
- 7212. Balacra Walker, 1856** (Thyretidae) Synonym(s): *Balacra* Walker, 1856
- 7213. Owambarctia Kiriakoff, 1957** (Thyretidae) Synonym(s): *Owambarctia* Kiriakoff, 1957
- 7214. Takwa Kiriakoff, 1957** (Thyretidae) Synonym(s): *Takwa* Kiriakoff, 1957
- 7215. Thyretes Boisduval, 1847** (Thyretidae) Synonym(s): *Thyretes* Boisduval, 1847
- 7216. Addaea Walker, 1865** (Thyridae) Synonym(s): *Addaea* Walker, 1865; *Mesopempta Meyrick*, 1886
- 7217. Aglaopus Turner, 1911** (Thyridae) Synonym(s): *Aglaopus* Turner, 1911; *Cydrastis Turner*, 1915; *Misalina Whalley*, 1976
- 7218. Arniocera Hopffer, 1857** (Thyridae) Synonym(s): *Arniocera* Hopffer, 1857; *Arichalca Wallengren*, 1858
- 7219. Banisia Walker, [1863]** (Thyridae) Synonym(s): *Banisia* Walker, [1863]; *Durdara Moore*, 1882; *Vernifilia Schultze*, 1907; *Trophoessa Turner*, 1911; *Neobanisia Whalley*, 1967
- 7220. Beguma W. Warren, 1896** (Thyridae) Synonym(s): *Beguma* W. Warren, 1896
- 7221. Belonoptera Herrich-Schäffer, 1858** (Thyridae) Synonym(s): *Belonoptera* Herrich-Schäffer, 1858
- 7222. Betousa Walker, 1865** (Thyridae) Synonym(s): *Betousa* Walker, 1865; *Neothyris Warren*, 1899
- 7223. Calindoea Walker, 1863** (Thyridae) Synonym(s): *Brixia* Walker, 1859 nec Stal, 1856; *Calindoea Walker*, 1863
- 7224. Camadena Moore, 1888** (Thyridae) Synonym(s): *Camadena* Moore, 1888
- 7225. Camptochilus Hampson, 1892** (Thyridae) Synonym(s): *Camptochilus* Hampson, 1892
- 7226. Canaea Walker, 1864** (Thyridae) Synonym(s): *Canaea* Walker, 1864
- 7227. Collinsa Whalley, 1964** (Thyridae) Synonym(s): *Dohertya* W. Warren, 1902 nec Hamps., 1894; *Collinsa Whalley*, 1964
- 7228. Dixoa Hampson, 1892** (Thyridae) Synonym(s): *Dixoa* Hampson, 1892
- 7229. Draconia Hübner, [1825]** (Thyridae) Synonym(s): *Draconia* Hübner, [1825]
- 7230. Dysodia Clemens, 1860** (Thyridae) Synonym(s): *Dysodia* Clemens, 1860; *Varnia Walker*, 1864; *Platythyris Grote & Robinson*, 1867; *Pachythyris R. Felder & Rogenhofer*, 1875
- 7231. Endolophia Hampson, 1906** (Thyridae) Synonym(s): *Endolophia* Hampson, 1906
- 7232. Glanyeus Walker, 1855** (Thyridae) Synonym(s): *Glanyeus* Walker, 1855
- 7233. Hepialodes Guenée, 1877** (Thyridae) Synonym(s): *Hepialodes* Guenée, 1877
- 7234. Hepialopsis Warren, 1907** (Thyridae) Synonym(s): *Hepialopsis* Warren, 1907
- 7235. Herdonia Walker, 1859** (Thyridae) Synonym(s): *Herdonia* Walker, 1859
- 7236. Herimba Moore, 1879** (Thyridae) Synonym(s): *Herimba* Moore, 1879
- 7237. Heteroschista Warren, 1903** (Thyridae) Synonym(s): *Heteroschista* Warren, 1903
- 7238. Hexeris Grote, 1875** (Thyridae) Synonym(s): *Hexeris* Grote, 1875; *Ottolengua Beutenmüller*, 1896
- 7239. Hyperthyris Leech, 1889** (Thyridae) Synonym(s): *Hyperthyris* Leech, 1889
- 7240. Hypolamprus Hampson, 1892** (Thyridae) Synonym(s): *Hypolamprus* Hampson, 1892; *Betousa Swinhoe*, 1900
- 7241. Iridesmoides Bethune-Baker, 1911** (Thyridae) Synonym(s): *Iridesmoides* Bethune-Baker, 1911
- 7242. Isothauma Warren, 1899** (Thyridae) Synonym(s): *Isothauma* Warren, 1899
- 7243. Kanshizeia Strand, 1920** (Thyridae) Synonym(s): *Kanshizeia* Strand, 1920; *#Kanshireia O. Bang-Haas*, 1926; *Hapana Whalley*, 1967
- 7244. Letchenodes Warren, 1908** (Thyridae) Synonym(s): *Letchenodes* Warren, 1908
- 7245. Loxiorhiza Warren, 1904** (Thyridae) Synonym(s): *Loxiorhiza* Warren, 1904
- 7246. Macrogonia Herrich-Schäffer, 1850** (Thyridae) Synonym(s): *Macrogonia* Herrich-Schäffer, 1850
- 7247. Macropota Warren, 1905** (Thyridae) Synonym(s): *Macropota* Warren, 1905
- 7248. Marmax Rafinesque, 1815** (Thyridae) Synonym(s): *Glaucoptis Fabricius*, 1807 (homonym); *Marmax Rafinesque*, 1815; *Charidea Dalman*, 1816; *Cnemolopha*
- 7249. Mathoris Guenée, 1877** (Thyridae) Synonym(s): *Mathoris* Guenée, 1877
- 7250. Mellea Gaede, 1922** (Thyridae) Synonym(s): *Mellea* Gaede, 1922
- 7251. Meskea Grote, 1877** (Thyridae) Synonym(s): *Meskea* Grote, 1877

- 7252. Microbelia Warren, 1906** (Thyridae) Synonym(s): *Microbelia Warren, 1906*
- 7253. Microctenucha Warren, 1900** (Thyridae) Synonym(s): *Microctenucha Warren, 1900*
- 7254. Morova Walker, 1865** (Thyridae) Synonym(s): *Morova Walker, 1865*
- 7255. Obelura Warren, 1908** (Thyridae) Synonym(s): *Obelura Warren, 1908*
- 7256. Orneostoma Warren, 1907** (Thyridae) Synonym(s): *Orneostoma Warren, 1907*
- 7257. Oxycephina W. Warren, 1896** (Thyridae) Synonym(s): *Oxycephina W. Warren, 1896*
- 7258. Plagiosella Hampson, 1898** (Thyridae) Synonym(s): *Plagiosella Hampson, 1898*
- 7259. Plesiodesma Warren, 1908** (Thyridae) Synonym(s): *Plesiodesma Warren, 1908*
- 7260. Proterozexis Warren, 1899** (Thyridae) Synonym(s): *Proterozexis Warren, 1899*
- 7261. Pycnopera Warren, 1898** (Thyridae) Synonym(s): *Pycnopera Warren, 1898*
- 7262. Pycnosoma Hampson, 1898** (Thyridae) Synonym(s): *Pycnosoma Hampson, 1898*
- 7263. Rhodogonia Warren, 1897** (Thyridae) Synonym(s): *Rhodogonia Warren, 1897*
- 7264. Rhodoneura Guenée, 1857** (Thyridae) Synonym(s): *Rhodoneura Guenée, 1857; Brixia Walker, 1859; Calindaea Walker, 1863; Osa Walker, 1864; Canaea Walker, 1864; Banisia Walker, 1864; Iza Walker, 1865; Pharambara Walker, 1865; Opula Walker, 1869; Microsa Butler, 1879; Pyrinoides Butler, 1881; Durdara Moore, 1882; Letchena Moore, 1887; Sericophora Christoph, 1880*
- 7265. Risama Walker, 1865** (Thyridae) Synonym(s): *Risama Walker, 1865; Axiba Walker, 1865*
- 7266. Siculodes Herrich-Schäffer, [1855]** (Thyridae) Synonym(s): *Siculodes Herrich-Schäffer, [1855]*
- 7267. Stenocopsis Warren, 1900** (Thyridae) Synonym(s): *Stenocopsis Warren, 1900*
- 7268. Striglina Guenée, 1877** (Thyridae) Synonym(s): *Striglina Guenée, 1877; Tanyodes Möschler, 1881; Sonagara Moore, 1882*
- 7269. Symphleps Warren, 1897** (Thyridae) Synonym(s): *Symphleps Warren, 1897*
- 7270. Telchines Whalley, 1976** (Thyridae) Synonym(s): *Telchines Whalley, 1976*
- 7271. Thyris Laspeyres, 1803** (Thyridae) Synonym(s): *Thyris Laspeyres, 1803; Apyralis Hübner, 1822*
- 7272. Tridesmodes W. Warren, 1899** (Thyridae) Synonym(s): *Tridesmodes W. Warren, 1899*
- 7273. Trophoessa Turner, 1911** (Thyridae) Synonym(s): *Trophoessa Turner, 1911*
- 7274. Vadata Walker, 1865** (Thyridae) Synonym(s): *Vadata Walker, 1865*
- 7275. Vaena Walker, 1873** (Thyridae) Synonym(s): *Vaena Walker, 1873*
- 7276. Vernifilia Schultze, 1907** (Thyridae) Synonym(s): *Vernifilia Schultze, 1907*
- 7277. Zeuzerodes Pagenstecher, 1892** (Thyridae) Synonym(s): *Zeuzerodes Pagenstecher, 1892*
- 7278. Acanthocheira Gozmany, 1968** (Tineidae) Synonym(s): *Acanthocheira Gozmany, 1968*
- 7279. Acridotarsa Meyrick, 1893** (Tineidae) Synonym(s): *Acridotarsa Meyrick, 1893; Paraclystis Meyrick, 1915; Holacarta Meyrick, 1917; Plastopolypus Silvestri, 1920; Emmetoeca Meyrick, 1921; Passalactis Meyrick, 1935; Ectinocampa Silvestri, 1944*
- 7280. Agnathosia Amsel, 1954** (Tineidae) Synonym(s): *Agnathosia Amsel, 1954*
- 7281. Amorophaga Zagulyaev, 1968** (Tineidae) Synonym(s): *Amorophaga Zagulyaev, 1968*
- 7282. Amphixystis Meyrick, 1901** (Tineidae) Synonym(s): *Amphixystis Meyrick, 1901; Gephyristis Meyrick, 1909; Sporadarthra Meyrick, 1911; Ulocorys Meyrick, 1915; Coeliometopa Turner, 1923; Machimostola Meyrick, 1928; Orthochtha Meyrick, 1928 (praeocc.); Problastodes Meyrick, 1928; Orthochthella T.B. Fletcher, 1940*
- 7283. Anemapogon Zagulyaev, 1963** (Tineidae) Synonym(s): *Anemapogon Zagulyaev, 1963*
- 7284. Antigambra Meyrick, 1927** (Tineidae) Synonym(s): *Antigambra Meyrick, 1927*
- 7285. Archinemapogon Zagulajev, 1962** (Tineidae) Synonym(s): *Archinemapogon Zagulajev, 1962*
- 7286. Asymphyla Gozmany & Vari, 1973** (Tineidae) Synonym(s): *Asymphyla Gozmany & Vari, 1973*
- 7287. Asymplecta Meyrick, 1921** (Tineidae) Synonym(s): *Asymplecta Meyrick, 1921; Pycnobela Turner, 1923*
- 7288. Ateliotum Zeller, 1839** (Tineidae) Synonym(s): *Ateliotum Zeller, 1839*
- 7289. Betroka G. Petersen, 1988** (Tineidae) Synonym(s): *Betroka G. Petersen, 1988*
- 7290. Bythocrates Meyrick, 1919** (Tineidae) Synonym(s): *Bythocrates Meyrick, 1919*
- 7291. Cephimallota Bruand, 1849** (Tineidae) Synonym(s): *Cephimallota Bruand, 1849; Anemallota Zagulyaev, 1965*
- 7292. Cephitinea Zagulyaev, 1964** (Tineidae) Synonym(s): *Cephitinea Zagulyaev, 1964*
- 7293. Ceratobia Zagulajev, 1974** (Tineidae) Synonym(s): *Ceratobia Zagulajev, 1974*
- 7294. Ceratosticha Meyrick, 1935** (Tineidae) Synonym(s): *Ceratosticha Meyrick, 1935*
- 7295. Ceratuncus G. Petersen, 1957** (Tineidae) Synonym(s): *Ceratuncus G. Petersen, 1957*
- 7296. Cimitra Walker, 1864** (Tineidae) Synonym(s): *Cimitra Walker, 1864; Scalidomia Walsingham, 1891*
- 7297. Cinnerethica Amsel, 1935** (Tineidae) Synonym(s): *Cinnerethica Amsel, 1935*
- 7298. Clepticodes Meyrick, 1927** (Tineidae) Synonym(s): *Clepticodes Meyrick, 1927*
- 7299. Contralissa Gozmany & Vari, 1973** (Tineidae) Synonym(s): *Contralissa Gozmany & Vari, 1973*
- 7300. Coryptilum Zeller, 1839** (Tineidae) Synonym(s): *Coryptilum Zeller, 1839*
- 7301. Cosmeombra Gozmany & Vari, 1973** (Tineidae) Synonym(s): *Cosmeombra Gozmany & Vari, 1973*
- 7302. Criticonoma Meyrick, 1910** (Tineidae) Synonym(s): *Criticonoma Meyrick, 1910; Etnodoma Meyrick, 1915; Microsophista Meyrick, 1932*
- 7303. Crypsithyris Meyrick, 1907** (Tineidae) Synonym(s): *Crypsithyris Meyrick, 1907*
- 7304. Cylicobathra Meyrick, 1920** (Tineidae) Synonym(s): *Cylicobathra Meyrick, 1920*
- 7305. Dacryphanes Meyrick, 1907** (Tineidae) Synonym(s): *Dacryphanes Meyrick, 1907*
- 7306. Dasydes Durrant, 1903** (Tineidae) Synonym(s): *Dasydes Durrant, 1903*
- 7307. Daviscardia G.S. Robinson, 1986** (Tineidae) Synonym(s): *Daviscardia G.S. Robinson, 1986*
- 7308. Dentilunicula G. Petersen, 1988** (Tineidae) Synonym(s): *Dentilunicula G. Petersen, 1988*
- 7309. Dicanica Meyrick, 1913** (Tineidae) Synonym(s): *Dicanica Meyrick, 1913*
- 7310. Drosica Walker, 1863** (Tineidae) Synonym(s): *Drosica Walker, 1863*
- 7311. Dryadula Meyrick, 1893** (Tineidae) Synonym(s): *Cyane Chambers, 1873 (praeocc.); Dryadula Meyrick, 1893; Ditrigonophora Walsingham, 1897; Choropleca Durrant, 1914; Opsodoca Meyrick, 1919; Diachalastis Meyrick, 1920; Thermocrates Meyrick, 1936; Archimeessa Zagulyaev, 1970; Eressoxesta Gozmany & Vari, 1973; Strophalinga Gozmany & Vari, 1973; Reinhardia Satschkov, 1996; Slitereia Satschkov, 1996*
- 7312. Eccritothrix Bradley & Hinton, 1956** (Tineidae) Synonym(s): *Eccritothrix Bradley & Hinton, 1956*
- 7313. Ectabola Gozmany, 1966** (Tineidae) Synonym(s): *Ectabola Gozmany, 1966*
- 7314. Edosa Walker, 1866** (Tineidae) Synonym(s): *Edosa Walker, 1866; Chrysoryctis Meyrick, 1886; Episcardia Ragonot, 1895; Bilobatana Zagulyaev, 1975*
- 7315. Elatobia Herrich-Schäffer, 1853** (Tineidae) Synonym(s): *Elatobia Herrich-Schäffer, 1853*
- 7316. Ellochotis Meyrick, 1920** (Tineidae) Synonym(s): *Ellochotis Meyrick, 1920*
- 7317. Enargocrasis Gozmany & Vari, 1973** (Tineidae) Synonym(s): *Enargocrasis Gozmany & Vari, 1973*
- 7318. Episcardia (Bilobatana) Zagulyaev, 1975** (Tineidae) Synonym(s): *Bilobatana Zagulyaev, 1975*
- 7319. Episcardia (s.str.) Ragonot, 1895** (Tineidae) Synonym(s): *Episcardia Ragonot, 1895*
- 7320. Episcardia Ragonot, 1895** (Tineidae) Synonym(s): *Episcardia Ragonot, 1895*
- 7321. Erechthias Meyrick, 1880** (Tineidae) Synonym(s): *Erechthias Meyrick, 1880; Ereunetis Meyrick, 1880; Decadarchis*

- Meyrick, 1886; *Hectacma* Meyrick, 1915; *Zanclopestus* Meyrick, 1921; *Malacograptis* Meyrick, 1922; *Nesoxena* Meyrick, 1929; *Gongylodes* Turner, 1933; *Amphisyncentris* Meyrick, 1933; *Caryolestis* Meyrick, 1934; *Aeolarchis* Meyrick, 1935; *Anemerarcha* Meyrick, 1937; *Triadogona* Meyrick, 1937; *Empaesta* Bradley, 1956; *Acrocnetes* Diakonoff, 1968; *Tinexotaxa* Gozmany, 1968; *Lepidobregma* Zimmermann, 1978; *Mecomodica* Zimmermann, 1978; *Pantheus* Zimmermann, 1978; *Neodecadarchis* Zimmermann, 1978
- 7322.** *Eremicola* Amsel, 1935 (Tineidae) Synonym(s): *Eremicola* Amsel, 1935
- 7323.** *Eriozancla* Gozmany & Vari, 1973 (Tineidae) Synonym(s): *Eriozancla* Gozmany & Vari, 1973
- 7324.** *Eudarcia* (Abchagleris) Zaguljaev, 1979 (Tineidae) Synonym(s): *Abchagleris* Zaguljaev, 1979
- 7325.** *Eudarcia* (Obesoceras) G. Petersen, 1957 (Tineidae) Synonym(s): *Obesoceras* G. Petersen, 1957
- 7326.** *Eudarcia* Clemens, 1880 (Tineidae) Synonym(s): *Eudarcia* Clemens, 1880
- 7327.** *Euplocamus* Latreille, 1809 (Tineidae) Synonym(s): *Euplocamus* Latreille, 1809
- 7328.** *Exonomasis* Gozmany & Vari, 1973 (Tineidae) Synonym(s): *Exonomasis* Gozmany & Vari, 1973
- 7329.** *Fermocelina* Hartig, 1950 (Tineidae) Synonym(s): *Fermocelina* Hartig, 1950; *Subpentagona* Agenjo, 1952; *Praetinea* Amsel, 1955.
- 7330.** *Gerontha* Walker, 1864 (Tineidae) Synonym(s): *Gerontha* Walker, 1864
- 7331.** *Glaucostolella* T.B. Fletcher, 1940 (Tineidae) Synonym(s): *Glaucosola* Meyrick, 1926 (praeocc.); *Glaucostolella* T.B. Fletcher, 1940
- 7332.** *Graphidivalva* Gozmany, 1965 (Tineidae) Synonym(s): *Graphidivalva* Gozmany, 1965
- 7333.** *Haplotinea* Diakonoff & Hinton, 1956 (Tineidae) Synonym(s): *Haplotinea* Diakonoff & Hinton, 1956
- 7334.** *Hapsifera* Zeller, 1847 (Tineidae) Synonym(s): *Hapsifera* Zeller, 1847; *Euplocera* Ragonot, 1895; *Pseudohapsifera* Amsel, 1935; *Ptochoglyptis* Meyrick, 1938
- 7335.** *Hapsiferona* Gozmany, 1967 (Tineidae) Synonym(s): *Hapsiferona* Gozmany, 1967
- 7336.** *Harmaclona* Busck, 1914 (Tineidae) Synonym(s): *Harmaclona* Busck, 1914; *Ptychoxena* Meyrick, 1916
- 7337.** *Homalopsyche* Meyrick, 1920 (Tineidae) Synonym(s): *Homalopsyche* Meyrick, 1920
- 7338.** *Hylophygas* Meyrick, 1932 (Tineidae) Synonym(s): *Hylophygas* Meyrick, 1932
- 7339.** *Hyperbola* Gozmany, 1965 (Tineidae) Synonym(s): *Hyperbola* Gozmany, 1965
- 7340.** *Infurcitinea* Spuler, 1910 (Tineidae) Synonym(s): *Infurcitinea* Spuler, 1910; *Omichlopora* Meyrick, 1928; *Tineiforma* Amsel, 1952; *Atinea* Amsel, 1954; *Microtinea* Amsel, 1954; *Gozmanyitinea* Capuse, 1966; *Finalis* Zaguljaev, 1979; *Atris* Zaguljaev, 1979; *Rumelis* Zaguljaev, 1979; *Pseudorumelis* Satschkov, 1995.
- 7341.** *Ischnoscia* Meyrick, 1895 (Tineidae) Synonym(s): *Ischnoscia* Meyrick, 1895
- 7342.** *Janseana* Gozmany & Vari, 1973 (Tineidae) Synonym(s): *Janseana* Gozmany & Vari, 1973
- 7343.** *Karsholtia* Gaedike, 1986 (Tineidae) Synonym(s): *Karsholtia* Gaedike, 1986
- 7344.** *Kermania* Amsel, 1964 (Tineidae) Synonym(s): *Kermania* Amsel, 1964
- 7345.** *Lazocatena* Gozmany, 1959 (Tineidae) Synonym(s): *Lazocatena* Gozmany, 1959
- 7346.** *Lichenotinea* G. Petersen, 1957 (Tineidae) Synonym(s): *Lichenotinea* G. Petersen, 1957
- 7347.** *Lindera* Blanchard, 1852 (Tineidae) Synonym(s): *Lindera* Blanchard, 1852; *Saфра* Walker, 1864 (praeocc.); *Chrestotes* Butler, 1881 (praeocc.); *Paraneura* Dietz, 1905; *Cervitinea* Amsel, 1956
- 7348.** *Lysitona* Meyrick, 1918 (Tineidae) Synonym(s): *Lysitona* Meyrick, 1918; *Isozyga* Meyrick, 1921
- 7349.** *Machaeropteris* Walsingham, 1887 (Tineidae) Synonym(s): *Machaeropteris* Walsingham, 1887
- 7350.** *Malacyntis* Meyrick, 1908 (Tineidae) Synonym(s): *Malacyntis* Meyrick, 1908
- 7351.** *Matratinea* Sziraki, 1990 (Tineidae) Synonym(s): *Matratinea* Sziraki, 1990
- 7352.** *Meessia* Spuler, 1910 (Tineidae) Synonym(s): *Meessia* Spuler, 1910
- 7353.** *Miarotagmata* Gozmany & Vari, 1973 (Tineidae) Synonym(s): *Miarotagmata* Gozmany & Vari, 1973
- 7354.** *Micrerethista* Meyrick, 1938 (Tineidae) Synonym(s): *Synopacma* Meyrick, 1938 nec Meyr., 1925; *Lophosetia* Fletcher, 1939
- 7355.** *Minicorona* Gozmany & Vari, 1973 (Tineidae) Synonym(s): *Minicorona* Gozmany & Vari, 1973
- 7356.** *Monopis* Hübner, [1825] (Tineidae) Synonym(s): *Monopis* Hübner, [1825]
- 7357.** *Montescardia* Amsel, 1952 (Tineidae) Synonym(s): *Montescardia* Amsel, 1952
- 7358.** *Montetinea* G. Petersen, 1957 (Tineidae) Synonym(s): *Montetinea* G. Petersen, 1957
- 7359.** *Morphaga* Herrich-Schäffer, [1853] (Tineidae) Synonym(s): *Morphaga* Herrich-Schäffer, [1853]; *Atabyria* Snellen, 1884; *#Atabyria* Rebel, 1901; *Osphretica* Meyrick, 1908; *Microscardia* Amsel, 1952
- 7360.** *Morphagoides* G. Petersen, 1957 (Tineidae) Synonym(s): *Morphagoides* G. Petersen, 1957
- 7361.** *Moscardia* G.S. Robinson, 1986 (Tineidae) Synonym(s): *Moscardia* G.S. Robinson, 1986
- 7362.** *Myrmecozela* (Dulcana) Zaguljaev, 1975 (Tineidae) Synonym(s): *Dulcana* Zaguljaev, 1975
- 7363.** *Myrmecozela* (Flavida) Zaguljaev, 1975 (Tineidae) Synonym(s): *Flavida* Zaguljaev, 1975
- 7364.** *Myrmecozela* (Promasia) Chrétien, 1905 (Tineidae) Synonym(s): *Promasia* Chrétien, 1905
- 7365.** *Myrmecozela* Zeller, 1852 (Tineidae) Synonym(s): *Myrmecozela* Zeller, 1852
- 7366.** *Nearolyma* Gozmany & Vari, 1973 (Tineidae) Synonym(s): *Nearolyma* Gozmany & Vari, 1973
- 7367.** *Nemapogon* Schrank, 1802 (Tineidae) Synonym(s): *Nemapogon* Schrank, 1802; *Brosis* Hübner, 1822 nec Billb., 1820; *Diaphthirus* Hübner, [1825]; *Petalographis* Zaguljaev, 1962; *Anemapogon* Zaguljaev, 1963; *Longiductus* Zaguljaev, 1964; *Paranemapogon* Zaguljaev, 1964
- 7368.** *Nemaxera* Zaguljaev, 1964 (Tineidae) Synonym(s): *Nemaxera* Zaguljaev, 1964
- 7369.** *Neopiscardia* G. Petersen & Gaedike, 1982 (Tineidae) Synonym(s): *Neopiscardia* G. Petersen & Gaedike, 1982
- 7370.** *Neomeessia* G. Petersen, 1968 (Tineidae) Synonym(s): *Neomeessia* G. Petersen, 1968
- 7371.** *Neospolarcha* G. Petersen, 1988 (Tineidae) Synonym(s): *Neospolarcha* G. Petersen, 1988
- 7372.** *Neurothaumasia* Marchand, 1934 (Tineidae) Synonym(s): *Neurothaumasia* Marchand, 1934
- 7373.** *Niditinea* G. Petersen, 1957 (Tineidae) Synonym(s): *Niditinea* G. Petersen, 1957; *Tineidia* Zaguljaev, 1960
- 7374.** *Novotinea* Amsel, 1938 (Tineidae) Synonym(s): *Novotinea* Amsel, 1938
- 7375.** *Nyctocyrmata* Gozmany & Vari, 1973 (Tineidae) Synonym(s): *Nyctocyrmata* Gozmany & Vari, 1973
- 7376.** *Ochetoxena* Meyrick, 1920 (Tineidae) Synonym(s): *Ochetoxena* Meyrick, 1920
- 7377.** *Ocnophilella* T.B. Fletcher, 1940 (Tineidae) Synonym(s): *Ocnophila* Meyrick, 1926 (praeocc.); *Ocnophilella* T.B. Fletcher, 1940; *Hilarochorda* Gozmany & Vari, 1973
- 7378.** *Oinophila* Stephens, 1848 (Tineidae) Synonym(s): *Oinophila* Stephens, 1848; *Oenophila* Dunning & Pickard, 1859
- 7379.** *Opogona* Zeller, 1853 (Tineidae) Synonym(s): *Opogona* Zeller, 1853; *Lozostoma* Stainton, 1859; *Conchyliospora* Wallengren, 1861; *Cachura* Walker, 1864; *Dendroneura* Walsingham, 1892; *Hieroxestis* Meyrick, 1893; *Exala* Meyrick, 1912; *Lissocarena* Turner, 1923
- 7380.** *Organodesma* Gozmany, 1965 (Tineidae) Synonym(s): *Organodesma* Gozmany, 1965
- 7381.** *Oxymachaeis* Walsingham, 1891 (Tineidae) Synonym(s): *Oxymachaeis* Walsingham, 1891
- 7382.** *Pachyarthra* Amsel, 1940 (Tineidae) Synonym(s): *Pachyarthra* Amsel, 1940
- 7383.** *Pachypsaltis* Meyrick, 1914 (Tineidae) Synonym(s): *Pachypsaltis* Meyrick, 1914
- 7384.** *Paraptica* Meyrick, 1917 (Tineidae) Synonym(s): *Paraptica* Meyrick, 1917
- 7385.** *Pararhodobates* G. Petersen, 1958 (Tineidae) Synonym(s): *Pararhodobates* G. Petersen, 1958

- 7386. Paratinea G.Petersen,1957** (Tineidae) Synonym(s): *Paratinea G.Petersen,1957*
- 7387. Pelecystola Meyrick,1920** (Tineidae) Synonym(s): *Pelecystola Meyrick,1920; Zularcha Meyrick,1937; Neurozestis Meyrick,1938*
- 7388. Perilicmetis Meyrick,1932** (Tineidae) Synonym(s): *Perilicmetis Meyrick,1932*
- 7389. Perissomastix (Aphrodoxa) Gozmany,1959** (Tineidae) Synonym(s): *Aphrodoxa Gozmany,1959*
- 7390. Perissomastix (s.str.) W.Warren & Rothschild,1905** (Tineidae) Synonym(s): *Perissomastix W.Warren & Rothschild,1905; Malacynitis Meyrick,1908; Catabola Durrant,1913; Boviceras Turati,1919; Crassicornella Agenjo,1952; Praelongicera Amsel,1956; Tineomorpha Amsel,1956; Lazocatena Gozmany,1959; Petersenia Gozmany,1960 (praeocc.); Denticulicula Petersen,1988; Betroka Petersen,1988 (praeocc.); Neopsolarcha Petersen,1988; Trokabe Viette,1993*
- 7391. Phaeoses Forbes,1922** (Tineidae) Synonym(s): *Phaeoses Forbes,1922; Calamograptis Meyrick,1937*
- 7392. Philagrias Meyrick,1932** (Tineidae) Synonym(s): *Philagrias Meyrick,1932*
- 7393. Phthoropoea Walsingham,1896** (Tineidae) Synonym(s): *Phthoropoea Walsingham,1896*
- 7394. Phyciodyta Meyrick,1918** (Tineidae) Synonym(s): *Phyciodyta Meyrick,1918*
- 7395. Pitharcha Meyrick,1908** (Tineidae) Synonym(s): *Pitharcha Meyrick,1908*
- 7396. Praelongicera Amsel,1956** (Tineidae) Synonym(s): *Praelongicera Amsel,1956*
- 7397. Pringleophaga Enderlein,1905** (Tineidae) Synonym(s): *Pringleophaga Enderlein,1905; Antipodesma Salmon & Bradley,1956*
- 7398. Probatostola Meyrick,1926** (Tineidae) Synonym(s): *Probatostola Meyrick,1926*
- 7399. Propachyartha Gozmany & Vari,1973** (Tineidae) Synonym(s): *Propachyartha Gozmany & Vari,1973*
- 7400. Proterospastis Meyrick,1937** (Tineidae) Synonym(s): *Proterospastis Meyrick,1937; Paratinea G.Petersen,1957*
- 7401. Prothinodes Meyrick,1914** (Tineidae) Synonym(s): *Prothinodes Meyrick,1914*
- 7402. Psolarcha Meyrick,1933** (Tineidae) Synonym(s): *Psolarcha Meyrick,1933*
- 7403. Psychoides Bruand,1853** (Tineidae) Synonym(s): *Psychoides Bruand,1853*
- 7404. Reisserita Agenjo,1952** (Tineidae) Synonym(s): *Reisserita Agenjo,1952*
- 7405. Rhodobates Ragonot,1895** (Tineidae) Synonym(s): *Rhodobates Ragonot,1895; Paraplutella Rebel,1900; Tineodoxa Amsel,1955.*
- 7406. Sapheneutis Meyrick,1914** (Tineidae) Synonym(s): *Sapheneutis Meyrick,1914*
- 7407. Scalmatica Meyrick,1911** (Tineidae) Synonym(s): *Scalmatica Meyrick,1911*
- 7408. Scardia Treitschke,1830** (Tineidae) Synonym(s): *Scardia Treitschke,1830; Agarica Sodoffsky,1837; Fernaldia Grote,1881; Duomitella Kozhantschikov,1923*
- 7409. Setomorpha Zeller,1852** (Tineidae) Synonym(s): *Setomorpha Zeller,1852; Apotomia Dietz,1905; Epilegis Dietz,1905; Semiota Dietz,1905; Atticonviva Busck,1935*
- 7410. Silosca Gozmany,1965** (Tineidae) Synonym(s): *Silosca Gozmany,1965*
- 7411. Spatularia Deventer,1904** (Tineidae) Synonym(s): *Spatularia Deventer,1904; Pylaetis Meyrick,1907*
- 7412. Sphallesthesis Gozmany,1959** (Tineidae) Synonym(s): *Sphallesthesis Gozmany,1959; #Sphallesthesis G.Petersen & Gaedike,1982*
- 7413. Stenoptinea Dietz,1905** (Tineidae) Synonym(s): *Stenoptinea Dietz,1905*
- 7414. Struthisca Meyrick,1905** (Tineidae) Synonym(s): *Struthisca Meyrick,1905*
- 7415. Tenaga Clemens,1862** (Tineidae) Synonym(s): *Tenaga Clemens,1862; Macraeola Meyrick,1893; Lichenovora G.Petersen,1957*
- 7416. Tetracladessa Gozmany & Vari,1973** (Tineidae) Synonym(s): *Tetracladessa Gozmany & Vari,1973*
- 7417. Theatrochora Meyrick,1921** (Tineidae) Synonym(s): *Theatrochora Meyrick,1921*
- 7418. Thisizima Walker,1864** (Tineidae) Synonym(s): *Thisizima Walker,1864*
- 7419. Thuriostoma Meyrick,1934** (Tineidae) Synonym(s): *Thuriostoma Meyrick,1934*
- 7420. Tinea Linnaeus,1758** (Tineidae) Synonym(s): *Tinea Linnaeus,1758; Tinaea Geoffroy,1762; Tinearia Rafinesque,1815; Ses Hübner,1822; Acedes Hübner,[1825]; Autoses Hübner,[1825]; Scleroplasta Meyrick,1919; Dystinea Börner,1925; #Monopina Zaguljaev,1955; Tineopsis Zaguljaev,1960; Tineopsis Bradley,1972*
- 7421. Tineola Herrich-Schäffer,[1853]** (Tineidae) Synonym(s): *Tineola Herrich-Schäffer,[1853]*
- 7422. Tineovortex Moriuti,1982** (Tineidae) Synonym(s): *Tineovortex Moriuti,1982*
- 7423. Tinissa Walker,1864** (Tineidae) Synonym(s): *Tinissa Walker,1864; Polymnestra Meyrick,1927*
- 7424. Tiquadra Walker,1863** (Tineidae) Synonym(s): *Tiquadra Walker,1863; Oscella Walker,1864; Ventia Walker,1866; Manchana Walker,1866; Acureuta Zeller,1877; Cyathaula Meyrick,1886; Mastigostoma Meyrick,1911*
- 7425. Tracheloteina Gozmany,1967** (Tineidae) Synonym(s): *Tracheloteina Gozmany,1967*
- 7426. Transmixta Gozmany & Vari,1973** (Tineidae) Synonym(s): *Transmixta Gozmany & Vari,1973*
- 7427. Triaxomasia Zaguljaev,1964** (Tineidae) Synonym(s): *Triaxomasia Zaguljaev,1964*
- 7428. Triaxomera Zagulyaev,1959** (Tineidae) Synonym(s): *Triaxomera Zagulyaev,1959*
- 7429. Trichophaga Ragonot,1894** (Tineidae) Synonym(s): *Trichophaga Ragonot,1894*
- 7430. Wegneria Diakonoff,1951** (Tineidae) Synonym(s): *Wegneria Diakonoff,1951*
- 7431. Astrotischeria Puplesis & Diskus,2003** (Tischeriidae) Synonym(s): *Astrotischeria Puplesis & Diskus,2003*
- 7432. Emmetia Leraut,1993** (Tischeriidae) Synonym(s): *Emmetia Leraut,1993*
- 7433. Tischeria Zeller,1839** (Tischeriidae) Synonym(s): *Tischeria Zeller,1839*
- 7434. Abrepagoge Razowski,1992** (Tortricidae) Synonym(s): *Abrepagoge Razowski,1992*
- 7435. Acanthoclita Diakonoff,1982** (Tortricidae) Synonym(s): *Acanthoclita Diakonoff,1982*
- 7436. Acarolella Razowski & Becker,1983** (Tortricidae) Synonym(s): *Acarolella Razowski & Becker,1983*
- 7437. Accra Razowski,1964** (Tortricidae) Synonym(s): *Accra Razowski,1964; #Accara Razowski,1990*
- 7438. Acleris Hübner,[1825]** (Tortricidae) Synonym(s): *Peronea Curtis,1824 nec Raf.,1815; Acleris Hübner,[1825]; Lopas Hübner,[1825]; Rhacodia Hübner,[1825]; Eclectis Hübner,[1825]; Teleia Hübner,[1825]; Oxigraha Hübner,[1825]; Leptogramma Stephens,1829; Glyphisia Stephens,1829; Cheimatophila Stephens,1829; Teras Treitschke,1829; Phloiophila Duponchel,1834; Phloeophila Duponchel,1835; Glyphiptera Duponchel,1835; Chimatophila Agassiz,1847; Glyphidia Agassiz,1847; Oxygrapha Agassiz,1847; Telia Agassiz,1847; Phylacophora Filipjev,1931;*
- 7439. Acroclita Lederer,1859** (Tortricidae) Synonym(s): *Acroclita Lederer,1859; Acrolita Fernald,1908; #Acroctita Turner,1946*
- 7440. Acroplectis Meyrick,1927** (Tortricidae) Synonym(s): *Acroplectis Meyrick,1927*
- 7441. Actihema Razowski,1993** (Tortricidae) Synonym(s): *Actihema Razowski,1993*
- 7442. Adoxophyes Meyrick,1881** (Tortricidae) Synonym(s): *Adoxophyes Meyrick,1881*
- 7443. Aemulatrix Diakonoff,1982** (Tortricidae) Synonym(s): *Aemulatrix Diakonoff,1982*
- 7444. Aesiocopa Zeller,1877** (Tortricidae) Synonym(s): *Aesiocopa Zeller,1877*
- 7445. Aethes Billberg,1820** (Tortricidae) Synonym(s): *Aethes Billberg,1820; Chlidonia Hübner,[1825]; Phalonia Hübner,[1825]; Dapsilia Hübner,[1825]; Lozopera Stephens,1834; Argyridia Stephens,1852; Coecaethes Obratzov,1943; Cirriaethes Obratzov,1943.*
- 7446. Aethesoides Razowski,1964** (Tortricidae) Synonym(s): *Aethesoides Razowski,1964*
- 7447. Afrocostosa Aarvik,2004** (Tortricidae) Synonym(s): *Afrocostosa Aarvik,2004*
- 7448. Afroploce Aarvik,2004** (Tortricidae) Synonym(s): *Afroploce Aarvik,2004*
- 7449. Afrothreutes Aarvik,2004** (Tortricidae) Synonym(s): *Afrothreutes Aarvik,2004*

- 7450.** *Agapeta Hübner, 1822* (Tortricidae) Synonym(s): *Agapeta Hübner, 1822*; *Agapete Hübner, [1825]*; *Euxanthis Hübner, [1825]*; *Xanthosetia Stephens, 1829*.
- 7451.** *Age Diakonoff, 1982* (Tortricidae) Synonym(s): *Age Diakonoff, 1982*
- 7452.** *Agriophanes Meyrick, 1930* (Tortricidae) Synonym(s): *Agriophanes Meyrick, 1930*
- 7453.** *Aleimma Hübner, [1825]* (Tortricidae) Synonym(s): *Aleimma Hübner, [1825]*; *Dictyopteryx Stephens, 1829*; *Alimma Agassiz, 1847*; *Gastrolatrix Gistel, 1848*
- 7454.** *Alexiloga Meyrick, 1922* (Tortricidae) Synonym(s): *Alexiloga Meyrick, 1922*
- 7455.** *Alischirnevaia Koçak, 1981* (Tortricidae) Synonym(s): *Omochaeta Diakonoff, 1966* (homonym); *Alischirnevaia Koçak, 1981*
- 7456.** *Allobrachygonia Fernald, 1908* (Tortricidae) Synonym(s): *Brachygonia Walsingham, 1900* (homonym); *Allobrachygonia Fernald, 1908*
- 7457.** *Allodemis Diakonoff, 1983* (Tortricidae) Synonym(s): *Allodemis Diakonoff, 1983*
- 7458.** *Amallectis Meyrick, 1917* (Tortricidae) Synonym(s): *Amallectis Meyrick, 1917*
- 7459.** *Amorbia Clemens, 1860* (Tortricidae) Synonym(s): *Amorbia Clemens, 1860*; *Hendecastema Walsingham, 1879*; *Ptychamorbia Walsingham, 1892*
- 7460.** *Amphicoecia Razowski, 1975* (Tortricidae) Synonym(s): *Amphicoecia Razowski, 1975*
- 7461.** *Anaccra Razowski, 1990* (Tortricidae) Synonym(s): *Anaccra Razowski, 1990*
- 7462.** *Anacrusis Zeller, 1877* (Tortricidae) Synonym(s): *Anacrusis Zeller, 1877*
- 7463.** *Anameristes Common, 1965* (Tortricidae) Synonym(s): *Anameristes Common, 1965*
- 7464.** *Anathamna Meyrick, 1911* (Tortricidae) Synonym(s): *Anathamna Meyrick, 1911*
- 7465.** *Anchicremna Meyrick, 1926* (Tortricidae) Synonym(s): *Anchicremna Meyrick, 1926*
- 7466.** *Ancylis Hübner, [1825]* (Tortricidae) Synonym(s): *Ancylis Hübner, [1825]*; *Epicharis Hübner, [1825]* nec Klg., 1907; *Anchylopera Stephens, 1829*; *Phoxopteris Treitschke, 1830*; *Anticlea Stephens, 1834* nec Sph., 1831; *Philaclea Stephens, 1835*; *Phoxopteris Soderfsky, 1837*; *Sideria Guenée, 1845*; *Palaeobia Meyrick, 1881*; *Lamyrodes Meyrick, 1910*; *Ancyloides Diakonoff, 1982* nec Kuzn., 1964; *Ancylophytes Diakonoff, 1988*; *Diakonoffiella Kuznetsov, 1997*
- 7467.** *Ancyroclepsis Diakonoff, 1976* (Tortricidae) Synonym(s): *Ancyroclepsis Diakonoff, 1976*
- 7468.** *Andrioplecta Obratzov, 1968* (Tortricidae) Synonym(s): *Andrioplecta Obratzov, 1968*
- 7469.** *Aneuxanthis Le Marchand, 1933* (Tortricidae) Synonym(s): *Aneuxanthis Le Marchand, 1933*
- 7470.** *Anielia Razowski & Becker, 1983* (Tortricidae) Synonym(s): *Anielia Razowski & Becker, 1983*
- 7471.** *Anopina Obratzov, 1962* (Tortricidae) Synonym(s): *Anopina Obratzov, 1962*
- 7472.** *Anopinella Powell, 1986* (Tortricidae) Synonym(s): *Anopinella Powell, 1986*
- 7473.** *Anoplocnephasia Réal, 1953* (Tortricidae) Synonym(s): *Anoplocnephasia Réal, 1953*
- 7474.** *Antaeola Diakonoff, 1973* (Tortricidae) Synonym(s): *Antaeola Diakonoff, 1973*
- 7475.** *Anthozela Meyrick, 1913* (Tortricidae) Synonym(s): *Anthozela Meyrick, 1913*
- 7476.** *Antigraptis Meyrick, 1930* (Tortricidae) Synonym(s): *Antigraptis Meyrick, 1930*
- 7477.** *Antiphrastis Meyrick, 1930* (Tortricidae) Synonym(s): *Antiphrastis Meyrick, 1930*
- 7478.** *Antirrhopa Diakonoff, 1973* (Tortricidae) Synonym(s): *Antirrhopa Diakonoff, 1973*
- 7479.** *Apeleptera Diakonoff, 1973* (Tortricidae) Synonym(s): *Apeleptera Diakonoff, 1973*
- 7480.** *Aphelia (Anaphelia) Razowski, 1981* (Tortricidae) Synonym(s): *Anaphelia Razowski, 1981*
- 7481.** *Aphelia (Zelotheres) Lederer, 1859* (Tortricidae) Synonym(s): *Zelotheres Lederer, 1859*
- 7482.** *Aphelia (s.str.) Hübner, [1825]* (Tortricidae) Synonym(s): *Aphelia Hübner, [1825]*
- 7483.** *Aphelia Hübner, [1825]* (Tortricidae) Synonym(s): *Aphelia Hübner, [1825]*
- 7484.** *Apinoglossa Möschler, 1890* (Tortricidae) Synonym(s): *Apinoglossa Möschler, 1890*
- 7485.** *Apolychrosis Amsel, 1962* (Tortricidae) Synonym(s): *Apolychrosis Amsel, 1962*
- 7486.** *Apotoforma Busck, 1934* (Tortricidae) Synonym(s): *Apotoforma Busck, 1934*; *Emeralda Diakonoff, 1960*
- 7487.** *Apotomis Hübner, [1825]* (Tortricidae) Synonym(s): *Apotomis Hübner, [1825]*; *Aphania Hübner, [1825]*; *Limma Hübner, [1825]*; *Antithesia Stephens, 1829*; *Apotomus Agassiz, 1847* nec Ill., 1807; *Brachytaenia Stephens, 1852*
- 7488.** *Apotomops Powell & Obratzov, 1986* (Tortricidae) Synonym(s): *Apotomops Powell & Obratzov, 1986*
- 7489.** *Aprepodoxa Meyrick, 1937* (Tortricidae) Synonym(s): *Aprepodoxa Meyrick, 1937*
- 7490.** *Apsidophora Diakonoff, 1973* (Tortricidae) Synonym(s): *Apsidophora Diakonoff, 1973*
- 7491.** *Arcesis Diakonoff, 1983* (Tortricidae) Synonym(s): *Arcesis Diakonoff, 1983*
- 7492.** *Archicnephasia Razowski, 1983* (Tortricidae) Synonym(s): *Archicnephasia Razowski, 1983*
- 7493.** *Archidemmis Diakonoff, [1968]* (Tortricidae) Synonym(s): *Archidemmis Diakonoff, [1968]*
- 7494.** *Archigraptis Razowski, 1964* (Tortricidae) Synonym(s): *Archigraptis Razowski, 1964*
- 7495.** *Archimaga Meyrick, 1905* (Tortricidae) Synonym(s): *Archimaga Meyrick, 1905*
- 7496.** *Archipimima Powell, 1986* (Tortricidae) Synonym(s): *Archipimima Powell, 1986*
- 7497.** *Archips Hübner, 1822* (Tortricidae) Synonym(s): *Archips Hübner, 1822*; *Cacoecia Hübner, [1825]*; *Archippus Freeman, 1958*; *Pararchips Kuznetsov, 1970*
- 7498.** *Ardeutica Meyrick, 1913* (Tortricidae) Synonym(s): *Ardeutica Meyrick, 1913*
- 7499.** *Argyroptocha Diakonoff, [1968]* (Tortricidae) Synonym(s): *Argyroptocha Diakonoff, [1968]*
- 7500.** *Argyrotaenia Stephens, 1852* (Tortricidae) Synonym(s): *Argyrotaenia Stephens, 1852*; *Subargyrotaenia Obratzov, 1961*
- 7501.** *Artiphanes Diakonoff, 1966* (Tortricidae) Synonym(s): *Artiphanes Diakonoff, 1966*
- 7502.** *Asaphistis Meyrick, 1909* (Tortricidae) Synonym(s): *Asaphistis Meyrick, 1909*; *Metaschistis Diakonoff, 1953*
- 7503.** *Asketria Falkovitsh, 1964* (Tortricidae) Synonym(s): *Asketria Falkovitsh, 1964*
- 7504.** *Assulella Kuznetsov, 1973* (Tortricidae) Synonym(s): *Assulella Kuznetsov, 1973*
- 7505.** *Asymmetrarcha Diakonoff, 1973* (Tortricidae) Synonym(s): *Asymmetrarcha Diakonoff, 1973*
- 7506.** *Atepa Razowski, [1992]* (Tortricidae) Synonym(s): *Atepa Razowski, [1992]*; *#Apeta Razowski, [1992]*
- 7507.** *Aterpia Guenée, 1845* (Tortricidae) Synonym(s): *Aterpia Guenée, 1845*; *Esia Heinrich, 1926*; *Leptocera Diakonoff, 1983* nec Kroeber, 1928
- 7508.** *Atteria Walker, 1863* (Tortricidae) Synonym(s): *Atteria Walker, 1863*
- 7509.** *Auratonota Razowski, 1987* (Tortricidae) Synonym(s): *Auratonota Razowski, 1987*; *#Aurantonota Razowski, 1987*
- 7510.** *Avaria Koçak, 1981* (Tortricidae) Synonym(s): *Hastula Milliere, 1858* nec Adams, 1853; *Avaria Koçak, 1981*
- 7511.** *Baburia Koçak, 1981* (Tortricidae) Synonym(s): *Monachantha Diakonoff, 1973* (praeocc.); *Baburia Koçak, 1981*
- 7512.** *Bactra (Chiloides) Butler, 1881* (Tortricidae) Synonym(s): *Chiloides Butler, 1881*
- 7513.** *Bactra (Nannobactra) Diakonoff, 1956* (Tortricidae) Synonym(s): *Nannobactra Diakonoff, 1956*
- 7514.** *Bactra (Spinobactra) Diakonoff, 1963* (Tortricidae) Synonym(s): *Spinobactra Diakonoff, 1963*
- 7515.** *Bactra (s.str.) Stephens, 1834* (Tortricidae) Synonym(s): *Bactra Stephens, 1834*
- 7516.** *Bactra Stephens, 1834* (Tortricidae) Synonym(s): *Bactra Stephens, 1834*
- 7517.** *Bakia Koçak, 1981* (Tortricidae) Synonym(s): *Idiomorpha Turner, 1946* nec Foerster, 1869; *Bakia Koçak, 1981*
- 7518.** *Balbidomaga Diakonoff, 1983* (Tortricidae) Synonym(s): *Balbidomaga Diakonoff, 1983*
- 7519.** *Banhadoa Razowski & Becker, 1983* (Tortricidae) Synonym(s): *Banhadoa Razowski & Becker, 1983*
- 7520.** *Barbara Heinrich, 1923* (Tortricidae) Synonym(s): *Barbara Heinrich, 1923*

7521. **Bathypluta Diakonoff,1950** (Tortricidae) Synonym(s): *Bathypluta Diakonoff,1950*
7522. **Battalia Koçak,1981** (Tortricidae) Synonym(s): *Parachorista Diakonoff,1953 nec Tillyard,1926; Battalia Koçak,1981*
7523. **Belemgena Razowski & Becker,1994** (Tortricidae) Synonym(s): *Belemgena Razowski & Becker,1994*
7524. **Bicavernaria Razowski,1988** (Tortricidae) Synonym(s): *Bicavernaria Razowski,1988*
7525. **Biclonuncaria Razowski & Becker,1993** (Tortricidae) Synonym(s): *Biclonuncaria Razowski & Becker,1993*
7526. **Bidorpidia J.Brown,1991** (Tortricidae) Synonym(s): *Bidorpidia J.Brown,1991*
7527. **Bipartivalva Kuznetsov,1988** (Tortricidae) Synonym(s): *Bipartivalva Kuznetsov,1988*
7528. **Bonagota Razowski,1986** (Tortricidae) Synonym(s): *Bonagota Razowski,1986*
7529. **Brachiocera Diakonoff,1959** (Tortricidae) Synonym(s): *Brachiocera Diakonoff,1959*
7530. **Brachiolia Razowski,1964** (Tortricidae) Synonym(s): *Brachiolia Razowski,1964*
7531. **Brachioxena Diakonoff,1968** (Tortricidae) Synonym(s): *Brachioxena Diakonoff,1968; Bipenicillia Amsel,1968*
7532. **Bubonoxena Diakonoff,[1968]** (Tortricidae) Synonym(s): *Bubonoxena Diakonoff,[1968]*
7533. **Cacocharis Walsingham,1892** (Tortricidae) Synonym(s): *Cacocharis Walsingham,1892*
7534. **Cacochroea Lederer,1859** (Tortricidae) Synonym(s): *Cacochroea Lederer,1859*
7535. **Cacoecimorpha Obraztsov,1954** (Tortricidae) Synonym(s): *Cacoecimorpha Obraztsov,1954*
7536. **Caenognosis Walsingham,1900** (Tortricidae) Synonym(s): *Caenognosis Walsingham,1900; Epirrhoeca Meyrick,1911*
7537. **Callibryastis Meyrick,1912** (Tortricidae) Synonym(s): *Callibryastis Meyrick,1912*
7538. **Campitrodoxa Meyrick,1925** (Tortricidae) Synonym(s): *Campitrodoxa Meyrick,1925*
7539. **Capricornia Obraztsov,1960** (Tortricidae) Synonym(s): *Melodes Guenée,1845 nec Keyserling & Blasius,1840; Capricornia Obraztsov,1960*
7540. **Capua Stephens,1834** (Tortricidae) Synonym(s): *Capua Stephens,1834; Teratodes Guenée,1845 nec Brullé,[1837]*
7541. **Carolella Busck,1939** (Tortricidae) Synonym(s): *Pharmacis Hübner,[1823] nec Hbn.,[1820]; Carolella Busck,1939*
7542. **Cartagogenea Razowski,[1992]** (Tortricidae) Synonym(s): *Cartagogenea Razowski,[1992]*
7543. **Catamacta Meyrick,1911** (Tortricidae) Synonym(s): *Catamacta Meyrick,1911*
7544. **Catastega Clemens,1861** (Tortricidae) Synonym(s): *Catastega Clemens,1861*
7545. **Celypha Hübner,[1825]** (Tortricidae) Synonym(s): *Euchromia Stephens,1829 nec Hübn,[1819]; Celypha Hübner,[1825]; Syricoris Treitschke,1829; Sericoris Treitschke,1830; Loxoterna Busck,1906; Paracelypha Obraztsov,1960; Celyphoides Obraztsov,1960*
7546. **Cephalophyes Diakonoff,1973** (Tortricidae) Synonym(s): *Cephalophyes Diakonoff,1973*
7547. **Cerace Walker,1863** (Tortricidae) Synonym(s): *Cerace Walker,1863*
7548. **Ceramea Diakonoff,1951** (Tortricidae) Synonym(s): *Ceramea Diakonoff,1951*
7549. **Ceratoxanthia Razowski,1960** (Tortricidae) Synonym(s): *Ceratoxanthia Razowski,1960*
7550. **Charitographa Diakonoff,1979** (Tortricidae) Synonym(s): *Charitographa Diakonoff,1979*
7551. **Charitostega Diakonoff,1988** (Tortricidae) Synonym(s): *Charitostega Diakonoff,1988*
7552. **Chersomorpha Meyrick,1926** (Tortricidae) Synonym(s): *Chersomorpha Meyrick,1926*
7553. **Chicotortrix Razowski,1987** (Tortricidae) Synonym(s): *Chicotortrix Razowski,1987*
7554. **Chileulia Powell,1986** (Tortricidae) Synonym(s): *Chileulia Powell,1986*
7555. **Chilips Razowski,1988** (Tortricidae) Synonym(s): *Chilips Razowski,1988*
7556. **Chiraps Diakonoff & Razowski,1971** (Tortricidae) Synonym(s): *Chiraps Diakonoff & Razowski,1971*
7557. **Chlorortha Razowski,1984** (Tortricidae) Synonym(s): *Chlorortha Razowski,1984*
7558. **Choanograptis Meyrick,1938** (Tortricidae) Synonym(s): *Choanograptis Meyrick,1938*
7559. **Choristoneura Lederer,1859** (Tortricidae) Synonym(s): *Choristoneura Lederer,1859; Cornicacoecia Obraztsov,1954; Hoshinoa Kawabe,1965*
7560. **Chrysoxena Meyrick,1912** (Tortricidae) Synonym(s): *Chrysoxena Meyrick,1912*
7561. **Cimeliomorpha Diakonoff,1966** (Tortricidae) Synonym(s): *Cimeliomorpha Diakonoff,1966*
7562. **Cirrilaspeyresia Razowski,1961** (Tortricidae) Synonym(s): *Cirrilaspeyresia Razowski,1961*
7563. **Cirriphora Obraztsov,1951** (Tortricidae) Synonym(s): *Cirriphora Obraztsov,1951*
7564. **Cirrothaumatia Razowski & Becker,1986** (Tortricidae) Synonym(s): *Cirrothaumatia Razowski & Becker,1986*
7565. **Clarkenia Razowski,1988** (Tortricidae) Synonym(s): *Clarkenia Razowski,1988*
7566. **Clarkeulia Razowski,1982** (Tortricidae) Synonym(s): *Clarkeulia Razowski,1982*
7567. **Clavigesta Obraztsov,1946** (Tortricidae) Synonym(s): *Clavigesta Obraztsov,1946*
7568. **Clepsis Guenée,1845** (Tortricidae) Synonym(s): *Clepsis Guenée,1845; Smicrotes Clemens,1860; Siclobola Diakonoff,1948; Pseudamelia Obraztsov,1954; Clepsodes Diakonoff,1957; Mochlopyga Diakonoff,1964*
7569. **Cnephasia (Cnephasiella) Adamczewski,1935** (Tortricidae) Synonym(s): *Cnephasiella Adamczewski,1935*
7570. **Cnephasia (s.str.) Curtis,1826** (Tortricidae) Synonym(s): *Cnephasia Curtis,1826; Sciaphila Treitschke,1829; Hypostephanuntia Réal,1951; Anoplocnephasia Réal,1953; Brachycnephasia Réal,1953*
7571. **Cnephasia Curtis,1826** (Tortricidae) Synonym(s): *Cnephasia Curtis,1826*
7572. **Cnephasis Razowski,1965** (Tortricidae) Synonym(s): *Cnephasis Razowski,1965*
7573. **Cnesteboda Razowski,1990** (Tortricidae) Synonym(s): *Cnesteboda Razowski,1990*
7574. **Coccothera Meyrick,1914** (Tortricidae) Synonym(s): *Coccothera Meyrick,1914*
7575. **Cochylidia Obraztsov,1956** (Tortricidae) Synonym(s): *Cochylidia Obraztsov,1956*
7576. **Cochylidichnium Razowski,1986** (Tortricidae) Synonym(s): *Cochylidichnium Razowski,1986*
7577. **Cochylimorpha Razowski,1959** (Tortricidae) Synonym(s): *Stenodes Guenée,1845 nec Dujard.,[1844]; Cochylimorpha Razowski,1959; Euxanthoides Razowski,1960; Substenodes Razowski,1960; Eustenodes Razowski,1960; Bipenisia Razowski,1960; Bleszynskiella Razowski,1960; Paraxanthoides Raz.,1960; Parastenodes Raz.,1960*
7578. **Cochylis Treitschke,1929** (Tortricidae) Synonym(s): *Cochylis Treitschke,1829; Conchylis Sodoffsky,1837; Ponturania Obraztsov,1943; Acornutia Obraztsov,1944; Cochylischroa Obraztsov & Swatschek,1958; Longicornutia, Neocochylis, Paracochylis, Brevicornutia Razowski,1960.*
7579. **Coelostathma Clemens,1860** (Tortricidae) Synonym(s): *Coelostathma Clemens,1860*
7580. **Collicularia Obraztsov,1960** (Tortricidae) Synonym(s): *Collicularia Obraztsov,1960*
7581. **Collogenes Meyrick,1931** (Tortricidae) Synonym(s): *Collogenes Meyrick,1931*
7582. **Commophila Hübner,[1825]** (Tortricidae) Synonym(s): *Commophila Hübner,[1825]*
7583. **Coniostola Diakonoff,1961** (Tortricidae) Synonym(s): *Coniostola Diakonoff,1961*
7584. **Coristaca Razowski,[1992]** (Tortricidae) Synonym(s): *Coristaca Razowski,[1992]*
7585. **Cornesia Razowski,1981** (Tortricidae) Synonym(s): *Cornesia Razowski,1981*
7586. **Coryssovalva Razowski,1987** (Tortricidae) Synonym(s): *Coryssovalva Razowski,1987*
7587. **Cosmorrhyncha Meyrick,1913** (Tortricidae) Synonym(s): *Cosmorrhyncha Meyrick,1913*
7588. **Costosa Diakonoff,[1968]** (Tortricidae) Synonym(s): *Costosa Diakonoff,[1968]; Rhodonympha Diakonoff,1968*
7589. **Crociosema Zeller,1847** (Tortricidae) Synonym(s): *Crociosema Zeller,1847; #Crocidosoma Walker,1863; Heligmocera Walsingham,1892; Parasuleima Clarke,1965*

- 7590. Croesia Hübner,[1825]** (Tortricidae) Synonym(s): *Croesia Hübner,[1825]*; *Argyrotoza Stephens,1829*; *Argyrotoxa Agassiz,1847*; *Ergasia Issiki & Stringer,1932*
- 7591. Cryptaspasma (Allobrachygonia) Fernald,1908** (Tortricidae) Synonym(s): *Brachygonia Walsingham,1900* (praeocc.); *Allobrachygonia Fernald,1908*; *Acharneodes Meyrick,1926*
- 7592. Cryptaspasma (Anaphorodes) Diakonoff,1959** (Tortricidae) Synonym(s): *Anaphorodes Diakonoff,1959*
- 7593. Cryptaspasma (Metaspasma) Diakonoff,1959** (Tortricidae) Synonym(s): *Metaspasma Diakonoff,1959*
- 7594. Cryptaspasma (Microcorses) Walsingham,1900** (Tortricidae) Synonym(s): *Microcorses Walsingham,1900*
- 7595. Cryptaspasma (s.str.) Walsingham,1900** (Tortricidae) Synonym(s): *Cryptaspasma Walsingham,1900*; *Brachygonia Walsingham,1900*; *Microcorses Walsingham,1900*; *Allobrachygonia Fernald,1908*; *Acharneodes Meyrick,1926*
- 7596. Cryptaspasma Walsingham,1900** (Tortricidae) Synonym(s): *Cryptaspasma Walsingham,1900*; *Brachygonia Walsingham,1900*; *Microcorses Walsingham,1900*; *Allobrachygonia Fernald,1908*; *Acharneodes Meyrick,1926*
- 7597. Cryptocochylis Razowski,1960** (Tortricidae) Synonym(s): *Cryptocochylis Razowski,1960*
- 7598. Cryptomelaena Diakonoff,1983** (Tortricidae) Synonym(s): *Cryptomelaena Diakonoff,1983*
- 7599. Cryptophlebia Walsingham,1899** (Tortricidae) Synonym(s): *Cryptophlebia Walsingham,1899*; *Pogonozada Hampson,1905*; *Thaumatotibia Zacker,1915*; *Metriophlebia Diakonoff,1969*; *#Cryptophlebia Hutacharern & Tuhtim,1995*
- 7600. Cuproxena Powell & J.Brown,1991** (Tortricidae) Synonym(s): *Cuproxena Powell & J.Brown,1991*
- 7601. Cydia Hübner,[1825]** (Tortricidae) Synonym(s): *Cydia Hübner,[1825]*; *Laspeyresia Hübner,[1825] nec R.L.,1817*; *Eucelis Hübner,[1825]*; *Erminea Kirby & Spence,1826 nec Hw.,1811*; *Semasia Stephens,1829*; *Carpocapsa Treitschke,1829*; *Coccyx Treitschke,1829*; *Grapholita Treitschke,1829*; *Aspila Stephens,1834*; *Euspila Stephens,1834*; *Ephippiphora Duponchel,1834*; *Strobila Sodoffsky,1837 nec Sars,1829*; *Carpocampa Harris,1841*; *Trycheris Guenée,1845*; *Orchemia Guenée,1845*; *Opadia Guenée,1845*; *Endopisa Guenée,1845*; *Stigmonota Guenée,1845*; *Cerata Stephens,1852*; *Coptoloma Lederer,1859*; *Melissopus Riley,1882*; *Adenoneura Walsingham,1907*; *Crobylophora Kennel,1908 nec Meyr.,1880*; *Kenneliola Paclt,1951*; *Pseudotomoides Obraztsov,1968*; *Danilevskia Kuznetsov,1970*; *Dicraniana Diakonoff,1984*
- 7602. Cylichneulia Razowski,1994** (Tortricidae) Synonym(s): *Cylichneulia Razowski,1994*
- 7603. Cymolomia Lederer,1859** (Tortricidae) Synonym(s): *Cymolomia Lederer,1859*
- 7604. Dactylioglypha Diakonoff,1973** (Tortricidae) Synonym(s): *Dactylioglypha Diakonoff,1973*
- 7605. Dasodis Diakonoff,1983** (Tortricidae) Synonym(s): *Dasodis Diakonoff,1983*
- 7606. Decodes Obraztsov,1961** (Tortricidae) Synonym(s): *Decodes Obraztsov,1961*
- 7607. Decodina Powell,1980** (Tortricidae) Synonym(s): *Decodina Powell,1980*
- 7608. Deltinea Pastrana,1961** (Tortricidae) Synonym(s): *Deltinea Pastrana,1961*
- 7609. Deltobathra Meyrick,1923** (Tortricidae) Synonym(s): *Deltobathra Meyrick,1923*
- 7610. Demeijerella Diakonoff,1954** (Tortricidae) Synonym(s): *Demeijerella Diakonoff,1954*; *Parepisimia Diakonoff,1975*
- 7611. Diakonoffiana Koçak,1981** (Tortricidae) Synonym(s): *Nyctidea Diakonoff,1973 nec Reuter,1903*; *Diakonoffiana Koçak,1981*
- 7612. Dicellitis Meyrick,1908** (Tortricidae) Synonym(s): *Dicellitis Meyrick,1908*
- 7613. Dicephalarcha Diakonoff,1973** (Tortricidae) Synonym(s): *Dicephalarcha Diakonoff,1973*
- 7614. Diceratura Djakonov,1929** (Tortricidae) Synonym(s): *Diceratura Djakonov,1929*
- 7615. Dichelia Guenée,1845** (Tortricidae) Synonym(s): *Dichelia Guenée,1845*; *Parasyndemis Obraztsov,1954*
- 7616. Dichrorampha Guenée,1845** (Tortricidae) Synonym(s): *Amaurosetia Stephens,1835* (suppressed, ICZN,1999); *Dichrorampha Guenée,1845*; *Lipoptycha Lederer,1859*; *Balbis Walsingham,1897*; *Dichroramphoides Obraztsov,1953*; *Lipoptychodes Obraztsov,1953*; *Paralipoptycha Obraztsov,1958*
- 7617. Dicnecidia Diakonoff,1982** (Tortricidae) Synonym(s): *Dicnecidia Diakonoff,1982*
- 7618. Dierlia Diakonoff,1976** (Tortricidae) Synonym(s): *Dierlia Diakonoff,1976*
- 7619. Dinogenes Meyrick,1934** (Tortricidae) Synonym(s): *Dinogenes Meyrick,1934*
- 7620. Dinophalia Razowski & Becker,1993** (Tortricidae) Synonym(s): *Dinophalia Razowski & Becker,1993*
- 7621. Ditula Stephens,1829** (Tortricidae) Synonym(s): *Ditula Stephens,1829*; *Batodes Guenée,1845*
- 7622. Dolichurella Diakonoff,1983** (Tortricidae) Synonym(s): *Dolichurella Diakonoff,1983*
- 7623. Doliochastis Meyrick,1920** (Tortricidae) Synonym(s): *Doliochastis Meyrick,1920*
- 7624. Doloploca Hübner,[1825]** (Tortricidae) Synonym(s): *Doloploca Hübner,[1825]*
- 7625. Dorithia Powell,1964** (Tortricidae) Synonym(s): *Dorithia Powell,1964*
- 7626. Dudua Walker,1864** (Tortricidae) Synonym(s): *Dudua Walker,1864*; *Platypeplus Walsingham,1887*; *Platypeplum Walsingham,1899*
- 7627. Durangarchips Powell,1991** (Tortricidae) Synonym(s): *Durangarchips Powell,1991*
- 7628. Dynatocephala Diakonoff,1983** (Tortricidae) Synonym(s): *Dynatocephala Diakonoff,1983*
- 7629. Eana (Eutrachia) Hübner,1822** (Tortricidae) Synonym(s): *Eutrachia Hübner,1822*; *Ablabia Hübner,[1825]*; *Argyroptera Duponchel,1834*
- 7630. Eana (Subeana) Obraztsov,1962** (Tortricidae) Synonym(s): *Subeana Obraztsov,1962*
- 7631. Eana (s.str.) Billberg,1820** (Tortricidae) Synonym(s): *Eana Billberg,1820*; *Nephodesme Hübner,[1825]*
- 7632. Eana Billberg,1820** (Tortricidae) Synonym(s): *Eana Billberg,1820*; *Nephodesme Hübner,[1825]*
- 7633. Eboda Walker,1866** (Tortricidae) Synonym(s): *Eboda Walker,1866*
- 7634. Ebodina Diakonoff,[1968]** (Tortricidae) Synonym(s): *Ebodina Diakonoff,[1968]*
- 7635. Eccopsis Zeller,1852** (Tortricidae) Synonym(s): *Eccopsis Zeller,1852*
- 7636. Ecdytolopha Zeller,1875** (Tortricidae) Synonym(s): *Ecdytolopha Zeller,1875*
- 7637. Ecnomiomorpha Obraztsov,1959** (Tortricidae) Synonym(s): *Ecnomiomorpha Obraztsov,1959*
- 7638. Electraglaia Diakonoff,1976** (Tortricidae) Synonym(s): *Electraglaia Diakonoff,1976*
- 7639. Embolostoma Diakonoff,1977** (Tortricidae) Synonym(s): *Embolostoma Diakonoff,1977*
- 7640. Emrahia Koçak,1981** (Tortricidae) Synonym(s): *Scoliographa Diakonoff,1975 nec Myr.,1916*; *Emrahia Koçak,1981*
- 7641. Enallcochylis Razowski & Becker,1986** (Tortricidae) Synonym(s): *Enallcochylis Razowski & Becker,1986*
- 7642. Enarmonia Hübner,[1825]** (Tortricidae) Synonym(s): *Enarmonia Hübner,[1825]*; *#Enarmonia Hübner,[1825]*; *Enarmonopsis Kuznetsov,1969*
- 7643. Endothenia Stephens,1852** (Tortricidae) Synonym(s): *Orthotaenia Stainton,1859 nec Stt.,1829*; *Endothenia Stephens,1852*; *Taniva Heinrich,1926*; *Tia Heinrich,1926*; *Hulda Heinrich,1926*; *Alloendothenia Oku,1963*; *Neothernia Diakonoff,1973*
- 7644. Engelana Diakonoff,1968** (Tortricidae) Synonym(s): *Engelana Diakonoff,1968*
- 7645. Enveryucelia Koçak,1981** (Tortricidae) Synonym(s): *Lobophora Turner,1946 nec Curt.,1815*; *Enveryucelia Koçak,1981*
- 7646. Epagoge Hübner,[1825]** (Tortricidae) Synonym(s): *Epagoge Hübner,[1825]*; *#Epagoge Hübner,[1825]*
- 7647. Epelebodina Razowski,2006** (Tortricidae) Synonym(s): *Epelebodina Razowski,2006*
- 7648. Epibactra Ragonot,1894** (Tortricidae) Synonym(s): *Epibactra Ragonot,1894*
- 7649. Epiblema Hübner,[1825]** (Tortricidae) Synonym(s): *Epiblema Hübner,[1825]*; *#Epiblemma Hübner,[1825]*; *Cacochroea Lederer,1859*; *Monosphragis Clemens,1860*; *Euryptychia Clemens,1865*; *#Euryptychia Heinrich,1923*
- 7650. Epichorista Meyrick,1909** (Tortricidae) Synonym(s): *Epichorista Meyrick,1909*
- 7651. Epichoristodes (Tubula) Diakonoff,1960** (Tortricidae) Synonym(s): *Tubula Diakonoff,1960*

- 7652. Epichoristodes (s.str.) Diakonoff,1960** (Tortricidae) Synonym(s): *Epichoristodes Diakonoff,1960*
- 7653. Epichoristodes Diakonoff,1960** (Tortricidae) Synonym(s): *Epichoristodes Diakonoff,1960*
- 7654. Epinotia Hübner,[1825]** (Tortricidae) Synonym(s): *Epinotia Hübner,[1825]; Astatia Hübner,[1825]; Asthenia Hübner,[1825]; Evetria Hübner,[1825]; Panoplia Hübner,[1825]; Acala Hübner,[1825]; Poecilochroma Stephens,1829; Paedisca Treitschke,1830; Steganoptycha Stephens,1834; Paragrapha Sodoffsky,1837; Hypermecia Guenée,1845; Phlaeodes Guenée,1845; Pamplusia Guenée,1845; Cartella Stephens,1852; Halonota Stephens,1852; Lithographia Stephens,1852; #Curtella Stainton,1859; Proteopteryx Walsingham,1879; #Epinotis Kearfott,1907; Neurasthenia Pierce & Metcalfe,1922; Griselda Heinrich,1923; Hamuligera Obratzov,1946*
- 7655. Epiphyas Turner,1927** (Tortricidae) Synonym(s): *Epiphyas Turner,1927*
- 7656. Episimus Walsingham,1892** (Tortricidae) Synonym(s): *Episimus Walsingham,1892; Antictenista Meyrick,1927*
- 7657. Epitrichosma Lower,1908** (Tortricidae) Synonym(s): *Epitrichosma Lower,1908; #Epitrichosma Common,1965*
- 7658. Eppihus Razowski,2006** (Tortricidae) Synonym(s): *Eppihus Razowski,2006*
- 7659. Erinaea Meyrick,1907** (Tortricidae) Synonym(s): *Erinaea Meyrick,1907*
- 7660. Eriopsela Guenée,1845** (Tortricidae) Synonym(s): *Eriopsela Guenée,1845*
- 7661. Eriotortrix Razowski,1988** (Tortricidae) Synonym(s): *Eriotortrix Razowski,1988*
- 7662. Ernocornutia Razowski,1988** (Tortricidae) Synonym(s): *Ernocornutia Razowski,1988*
- 7663. Ernocornutina Razowski,1988** (Tortricidae) Synonym(s): *Ernocornutina Razowski,1988*
- 7664. Ethelgoda Heinrich,1926** (Tortricidae) Synonym(s): *Ethelgoda Heinrich,1926*
- 7665. Eubrochoneura Diakonoff,1966** (Tortricidae) Synonym(s): *Eubrochoneura Diakonoff,1966*
- 7666. Eucoenogenes Meyrick,1939** (Tortricidae) Synonym(s): *Caenogenes Meyrick,1937 (homonym); Eucoenogenes Meyrick,1939*
- 7667. Eucosma Hübner,[1823]** (Tortricidae) Synonym(s): *Eucosma Hübner,[1823]; Catoptria Guenée,1845 nec Hübner,[1825]; Phaneta Stephens,1852; Calosetia Stainton,1859; Pygolopha Lederer,1859; Ioplocama Clemens,1860; Affa Walker,1863; Exentera Grote,1877; Exenterella Grote,1883; Palpocrintia Kennel,1919; Astenodes Kuznetsov,1966*
- 7668. Eucosmogastra Diakonoff,1975** (Tortricidae) Synonym(s): *Eucosmogastra Diakonoff,1975; Nenomoshia Clarke,1976*
- 7669. Eucosmomorpha Obratzov,1951** (Tortricidae) Synonym(s): *Eucosmomorpha Obratzov,1951*
- 7670. Eudemis (Acanthothyspoda) Lower,1908** (Tortricidae) Synonym(s): *Acanthothyspoda Lower,1908; Choganthia Razowski,1960*
- 7671. Eudemis Hübner,[1825]** (Tortricidae) Synonym(s): *Eudemis Hübner,[1825]; Thirates Treitschke,1829; Therates Agassiz,1847 nec Latr.,1817*
- 7672. Eudemopsis Falkovitsh,1962** (Tortricidae) Synonym(s): *Eudemopsis Falkovitsh,1962*
- 7673. Eugnosta Hübner,[1825]** (Tortricidae) Synonym(s): *Eugnosta Hübner,[1825]; Argyrolepis Stephens,1829; Safrá Walker,1863*
- 7674. Euledereria Fernald,1908** (Tortricidae) Synonym(s): *Euledereria Fernald,1908*
- 7675. Eulia Hübner,[1825]** (Tortricidae) Synonym(s): *Eulia Hübner,[1825]; Lophoderus Stephens,1829*
- 7676. Eumaroza Heinrich,1926** (Tortricidae) Synonym(s): *Eumaroza Heinrich,1926*
- 7677. Eupoecilia Stephens,1829** (Tortricidae) Synonym(s): *Eupoecilia Stephens,1829; Clysia Hübner,[1825]; Clysiana T.B.Fletcher,1941; Arachnoites Diakonoff,1952*
- 7678. Exapate Hübner,[1825]** (Tortricidae) Synonym(s): *Exapate Hübner,[1825]*
- 7679. Exoletuncus Razowski,1988** (Tortricidae) Synonym(s): *Exoletuncus Razowski,1988*
- 7680. Falseuncaria Obratzov & Swatschek,1958** (Tortricidae) Synonym(s): *Falseuncaria Obratzov & Swatschek,1958*
- 7681. Fulcrifera Danilevsky & Kuznetsov,1968** (Tortricidae) Synonym(s): *Fulcrifera Danilevsky & Kuznetsov,1968*
- 7682. Fulvoclysia Obratzov,1943** (Tortricidae) Synonym(s): *Fulvoclysia Obratzov,1943*
- 7683. Galomecalpa Razowski,1990** (Tortricidae) Synonym(s): *Galomecalpa Razowski,1990*
- 7684. Gatesclarkeana Diakonoff,1966** (Tortricidae) Synonym(s): *Gatesclarkeana Diakonoff,1966*
- 7685. Gauruncus Razowski,1988** (Tortricidae) Synonym(s): *Gauruncus Razowski,1988*
- 7686. Geitocochylis Razowski,1984** (Tortricidae) Synonym(s): *Geitocochylis Razowski,1984*
- 7687. Genetancylis Razowski,1995** (Tortricidae) Synonym(s): *Genetancylis Razowski,1995*
- 7688. Genetancylis Razowski,1995** (Tortricidae) Synonym(s): *Genetancylis Razowski,1995*
- 7689. Gibberifera Obratzov,1946** (Tortricidae) Synonym(s): *Gibberifera Obratzov,1946; #Gibberelifera Byun & Park,1994*
- 7690. Gnathmocerodes Diakonoff,[1968]** (Tortricidae) Synonym(s): *Gnathmocerodes Diakonoff,[1968]*
- 7691. Gnorismoneura Issiki & Stringer,1932** (Tortricidae) Synonym(s): *Gnorismoneura Issiki & Stringer,1932*
- 7692. Grapholita Treitschke,1829** (Tortricidae) Synonym(s): *Grapholita Treitschke,1829; Grapholitha Treitschke,1830; Ehiphiphora Duponchel,1834; Aspila Stephens,1834; Euspila Stephens,1834; Endopisa Guenée,1845; Opadia Guenée,1845; Stigmonota Guenée,1845; #Ehiphiphora Agassiz,1848; Coptoloma Lederer,1859; Ebisma Walker,1866*
- 7693. Gravarmata Obratzov,1946** (Tortricidae) Synonym(s): *Gravarmata Obratzov,1946*
- 7694. Gretchena Heinrich,1923** (Tortricidae) Synonym(s): *Gretchena Heinrich,1923; Gwendolina Heinrich,1923; #Gretchina Forbes*
- 7695. Gryposcleroma Razowski,1986** (Tortricidae) Synonym(s): *Gryposcleroma Razowski,1986*
- 7696. Gynnidomorpha Turner,1916** (Tortricidae) Synonym(s): *Gynnidomorpha Turner,1916; Piercea Filipjev,1940*
- 7697. Gypsonoma Meyrick,1895** (Tortricidae) Synonym(s): *Gypsonoma Meyrick,1895*
- 7698. Harposcleritia Razowski,1990** (Tortricidae) Synonym(s): *Harposcleritia Razowski,1990*
- 7699. Hedyia Hübner,[1825]** (Tortricidae) Synonym(s): *Hedyia Hübner,[1825]; Episagma Hübner,[1825]; Pendina Treitschke,1829; Penthina Treitschke,1830*
- 7700. Heleanna Clarke,1976** (Tortricidae) Synonym(s): *Heleanna Clarke,1976*
- 7701. Helicteulia Razowski,1988** (Tortricidae) Synonym(s): *Helicteulia Razowski,1988*
- 7702. Helictophanes Meyrick,1881** (Tortricidae) Synonym(s): *Helictophanes Meyrick,1881; Ruthita Clarke,1976*
- 7703. Henricus Busck,1943** (Tortricidae) Synonym(s): *Heinrichia Busck,1939 (praeocc.); Henricus Busck,1943; Irazona Razowski,1964*
- 7704. Heppnerographa Razowski,1987** (Tortricidae) Synonym(s): *Heppnerographa Razowski,1987*
- 7705. Hermenias Meyrick,1911** (Tortricidae) Synonym(s): *Hermenias Meyrick,1911*
- 7706. Herpystis Meyrick,1911** (Tortricidae) Synonym(s): *Herpystis Meyrick,1911*
- 7707. Hilarographa Zeller,1877** (Tortricidae) Synonym(s): *Hilarographa Zeller,1877*
- 7708. Histura Razowski,1981** (Tortricidae) Synonym(s): *Histura Razowski,1981*
- 7709. Histurodes Razowski,1984** (Tortricidae) Synonym(s): *Histurodes Razowski,1984*
- 7710. Holoptygma Powell,1986** (Tortricidae) Synonym(s): *Holoptygma Powell,1986*
- 7711. Homona Walker,1863** (Tortricidae) Synonym(s): *Homona Walker,1863; Ericia Walker,1866 (homonym); Godana Walker,1866; Ericiana Strand,1910*
- 7712. Hoplitendemis Diakonoff,1973** (Tortricidae) Synonym(s): *Hoplitendemis Diakonoff,1973*
- 7713. Hynhamia Razowski,1987** (Tortricidae) Synonym(s): *Hynhamia Razowski,1987*
- 7714. Hypenolobosa Razowski,[1992]** (Tortricidae) Synonym(s): *Hypenolobosa Razowski,[1992]*
- 7715. Hypostromatia Zeller,1866** (Tortricidae) Synonym(s): *Hypostromatia Zeller,1866*
- 7716. Hyptiharpa Razowski,[1992]** (Tortricidae) Synonym(s): *Hyptiharpa Razowski,[1992]*
- 7717. Hysterophora Obratzov,1944** (Tortricidae) Synonym(s): *Hysterophora Obratzov,1944*

7718. **Icteralaria Razowski,[1992]** (Tortricidae) Synonym(s): *Icteralaria Razowski,[1992]*
7719. **Idiothauma Walsingham,1897** (Tortricidae) Synonym(s): *Idiothauma Walsingham,1897*
7720. **Idolatteria Walsingham,1913** (Tortricidae) Synonym(s): *Idolatteria Walsingham,1913*
7721. **Inape Razowski,1988** (Tortricidae) Synonym(s): *Inape Razowski,1988*
7722. **Isodemis Diakonoff,1952** (Tortricidae) Synonym(s): *Isodemis Diakonoff,1952*
7723. **Isotenes Meyrick,1938** (Tortricidae) Synonym(s): *Isotenes Meyrick,1938*
7724. **Isotrias Meyrick,1895** (Tortricidae) Synonym(s): *Isotrias Meyrick,1895*
7725. **Juxtolenia Razowski & Becker,1993** (Tortricidae) Synonym(s): *Juxtolenia Razowski & Becker,1993*
7726. **Karacaoglania Koçak,1981** (Tortricidae) Synonym(s): *Diacantha Diakonoff,1976 nec Swains.,1839; Karacaoglania Koçak,1981*
7727. **Kenneliola Paclt,1951** (Tortricidae) Synonym(s): *Kenneliola Paclt,1951*
7728. **Lambertiodes Diakonoff,1959** (Tortricidae) Synonym(s): *Lambertiodes Diakonoff,1959*
7729. **Lasiothyris Meyrick,1917** (Tortricidae) Synonym(s): *Lasiothyris Meyrick,1917*
7730. **Lathronympha Meyrick,1936** (Tortricidae) Synonym(s): *Lathronympha Meyrick,1936*
7731. **Lepteucosma Diakonoff,1971** (Tortricidae) Synonym(s): *Lepteucosma Diakonoff,1971; Ceriodes Diakonoff,1984*
7732. **Lincicochylis Razowski,1986** (Tortricidae) Synonym(s): *Lincicochylis Razowski,1986*
7733. **Lipoptycha Lederer,1859** (Tortricidae) Synonym(s): *Lipoptycha Lederer,1859*
7734. **Lipsotelus Walsingham,1900** (Tortricidae) Synonym(s): *Lipsotelus Walsingham,1900*
7735. **Lobesia (Harmosma) Diakonoff,1963** (Tortricidae) Synonym(s): *Harmosma Diakonoff,1963*
7736. **Lobesia (Lomaschiza) Lower,1901** (Tortricidae) Synonym(s): *Lomaschiza Lower,1901*
7737. **Lobesia (s.str.) Guenée,1845** (Tortricidae) Synonym(s): *Lobesia Guenée,1845; Lomaschizodes Diakonoff,1954*
7738. **Lobesia Guenée,1845** (Tortricidae) Synonym(s): *Lobesia Guenée,1845; Lomaschizodes Diakonoff,1954*
7739. **Lobesiodes Diakonoff,1954** (Tortricidae) Synonym(s): *Lobesiodes Diakonoff,1954*
7740. **Lobogenesis Razowski,1990** (Tortricidae) Synonym(s): *Lobogenesis Razowski,1990*
7741. **Loboschiza Diakonoff,[1968]** (Tortricidae) Synonym(s): *Loboschiza Diakonoff,[1968]; Rhadinoscolops Obratzov,1968*
7742. **Lopharcha Diakonoff,1941** (Tortricidae) Synonym(s): *Lopharcha Diakonoff,1941; Laciniella Dugdale,1966; #Loparcha Kuznetsov,2000*
7743. **Lorita Busck,1939** (Tortricidae) Synonym(s): *Lorita Busck,1939*
7744. **Lozotaenia Stephens,1829** (Tortricidae) Synonym(s): *Lozotaenia Stephens,1829*
7745. **Lozotaeniodes Obratzov,1954** (Tortricidae) Synonym(s): *Lozotaeniodes Obratzov,1954*
7746. **Lumaria Diakonoff,1976** (Tortricidae) Synonym(s): *Lumaria Diakonoff,1976*
7747. **Lypothora Razowski,1981** (Tortricidae) Synonym(s): *Lypothora Razowski,1981*
7748. **Macrochlidia J.Brown,1990** (Tortricidae) Synonym(s): *Macrochlidia J.Brown,1990*
7749. **Marylina Razowski & Becker,1983** (Tortricidae) Synonym(s): *Marylina Razowski & Becker,1983*
7750. **Matsumuraesia Issiki,1957** (Tortricidae) Synonym(s): *Matsumuraesia Issiki,1957; Laspeyresinia Razowski,1960*
7751. **Maurecochylis Razowski & Becker,1983** (Tortricidae) Synonym(s): *Maurecochylis Razowski & Becker,1983*
7752. **Megaherpystis Diakonoff,1969** (Tortricidae) Synonym(s): *Megaherpystis Diakonoff,1969*
7753. **Megalota Diakonoff,1966** (Tortricidae) Synonym(s): *Megalota Diakonoff,1966*
7754. **Mehteria Koçak,1981** (Tortricidae) Synonym(s): *Gephyroneura Obratzov,1968 nec Turner,1919; Mehteria Koçak,1981*
7755. **Meiligma Diakonoff,1973** (Tortricidae) Synonym(s): *Meiligma Diakonoff,1973*
7756. **Melanolopha Diakonoff,1941** (Tortricidae) Synonym(s): *Melanolopha Diakonoff,1941*
7757. **Meridemis Diakonoff,1976** (Tortricidae) Synonym(s): *Meridemis Diakonoff,1976*
7758. **Mesocallyntera Diakonoff,1959** (Tortricidae) Synonym(s): *Mesocallyntera Diakonoff,1959*
7759. **Metacosma Kuznetsov,1985** (Tortricidae) Synonym(s): *Metacosma Kuznetsov,1985*
7760. **Metamesia Diakonoff,1960** (Tortricidae) Synonym(s): *Metamesia Diakonoff,1960*
7761. **Metendothenia Diakonoff,1972** (Tortricidae) Synonym(s): *Metendothenia Diakonoff,1972*
7762. **Microsarotis Diakonoff,1982** (Tortricidae) Synonym(s): *Microsarotis Diakonoff,1982*
7763. **Mictocommosis Diakonoff,1977** (Tortricidae) Synonym(s): *Mictocommosis Diakonoff,1977*
7764. **Mictopsichia Hübner,[1825]** (Tortricidae) Synonym(s): *Mictopsichia Hübner,[1825]*
7765. **Mielkeana Razowski & Becker,1983** (Tortricidae) Synonym(s): *Mielkeana Razowski & Becker,1983*
7766. **Mimarsinania Koçak,1981** (Tortricidae) Synonym(s): *Diamphidia Obratzov,1961 nec Gerstr.,1855; Mimarsinania Koçak,1981*
7767. **Mimcochylis Razowski,1985** (Tortricidae) Synonym(s): *Mimcochylis Razowski,1985*
7768. **Mimeugnota Razowski,1986** (Tortricidae) Synonym(s): *Mimeugnota Razowski,1986*
7769. **Monimosocia Razowski,1990** (Tortricidae) Synonym(s): *Monimosocia Razowski,1990*
7770. **Monoceratuncus Razowski,[1992]** (Tortricidae) Synonym(s): *Ceratuncus Razowski,1986 nec Pet.,1957; Monoceratuncus Razowski,[1992]*
7771. **Monortha Razowski & Becker,1981** (Tortricidae) Synonym(s): *Monortha Razowski & Becker,1981*
7772. **Muhabbetina Koçak,2006** (Tortricidae) Synonym(s): *Mesotes Diakonoff,1988 nec Jan,1862; Muhabbetina Koçak,2006*
7773. **Namasia Diakonoff,1983** (Tortricidae) Synonym(s): *Namasia Diakonoff,1983*
7774. **Neobarbara Liu & Nasu,1993** (Tortricidae) Synonym(s): *Neobarbara Liu & Nasu,1993*
7775. **Neocalyptis Diakonoff,1941** (Tortricidae) Synonym(s): *Neocalyptis Diakonoff,1941*
7776. **Neoaulia Powell,1986** (Tortricidae) Synonym(s): *Neoaulia Powell,1986*
7777. **Neohermenias Diakonoff,1966** (Tortricidae) Synonym(s): *Neohermenias Diakonoff,1966*
7778. **Neopotamia Diakonoff,1973** (Tortricidae) Synonym(s): *Neopotamia Diakonoff,1973*
7779. **Neosphaleroptera Réal,1953** (Tortricidae) Synonym(s): *Neosphaleroptera Réal,1953*
7780. **Nesochoris Clarke,1965** (Tortricidae) Synonym(s): *Nesochoris Clarke,1965*
7781. **Netchma Razowski,[1992]** (Tortricidae) Synonym(s): *Netchma Razowski,[1992]*
7782. **Nexosa Diakonoff,1977** (Tortricidae) Synonym(s): *Nexosa Diakonoff,1977*
7783. **Noduliferola Kuznetsov,1973** (Tortricidae) Synonym(s): *Noduliferola Kuznetsov,1973*
7784. **Notocelia Hübner,[1825]** (Tortricidae) Synonym(s): *Notocelia Hübner,[1825]*
7785. **Nuritamburia Koçak & Kemal,2007** (Tortricidae) Synonym(s): *Bradleyella Zimmermann,1978 nec Krombein,1963; Nuritamburia Koçak & Kemal,2007*
7786. **Nyctidea Diakonoff,1973** (Tortricidae) Synonym(s): *Nyctidea Diakonoff,1973*
7787. **Odonthalitus Razowski,1990** (Tortricidae) Synonym(s): *Odonthalitus Razowski,1990*
7788. **Ofatulena Heinrich,1926** (Tortricidae) Synonym(s): *Ofatulena Heinrich,1926*
7789. **Olethreutes (Argyroplote) Hübner,[1825]** (Tortricidae) Synonym(s): *Argyroplote Hübner,[1825]; Phiaris Hübner,[1825]; Mixodia Guenée,1845; Stictea Guenée,1845; Biscopa Diakonoff,1973*
7790. **Olethreutes Hübner,1822** (Tortricidae) Synonym(s): *Olethreutes Hübner,1822; Phiaris Hübner,[1825]; Roxana Stephens,1834; Mixodia Guenée,1845; Exartema Clemens,1860; Biscopa Diakonoff,1973*
7791. **Olindia Guenée,1845** (Tortricidae) Synonym(s): *Olindia Guenée,1845; Anisotaenia Stephens,1852; #Olinda Lhomme,1939*

7792. **Omiostola Meyrick, 1922** (Tortricidae) Synonym(s): *Omiostola Meyrick, 1922*
7793. **Ophiorrhada Diakonoff, 1966** (Tortricidae) Synonym(s): *Ophiorrhada Diakonoff, 1966*; *Cellifera Diakonoff, 1968*; *Didrimys Diakonoff, 1973*; *Lasiognatha Diakonoff, 1973*
7794. **Oregocerata Razowski, 1988** (Tortricidae) Synonym(s): *Oregocerata Razowski, 1988*
7795. **Orthocomotis Dognin, 1905** (Tortricidae) Synonym(s): *Orthocomotis Dognin, 1905*; *Sociphora Busck, 1920*
7796. **Orthognathosia Razowski, 1988** (Tortricidae) Synonym(s): *Orthognathosia Razowski, 1988*
7797. **Orthotaenia Stephens, 1829** (Tortricidae) Synonym(s): *Orthotaenia Stephens, 1829*; *Badebecia Heinrich, 1926*
7798. **Oryguncus Razowski, 1988** (Tortricidae) Synonym(s): *Oryguncus Razowski, 1988*; *#Origuncus Razowski, 1988*
7799. **Osmaria Razowski, 1991** (Tortricidae) Synonym(s): *Osmaria Razowski, 1991*
7800. **Osthelderiella Obraztsov, 1961** (Tortricidae) Synonym(s): *Osthelderiella Obraztsov, 1961*
7801. **Oxypteron Staudinger, 1871** (Tortricidae) Synonym(s): *Oxypteron Staudinger, 1871*; *Gynoxypteron Speiser, 1902*; *Mauginia Turati, 1924*; *Oporopsamma Gozmany, 1954*; *Psammozesta Gozmany, 1954*
7802. **Pammene Hübner, [1825]** (Tortricidae) Synonym(s): *Palla Billberg, 1820 (homonym)*; *Pammene Hübner, [1825]*; *Eucelis Hübner, [1825]*; *Hemimene Hübner, [1825]*; *Pseudotomia Stephens, 1829*; *Heusimene Stephens, 1834*; *Orchemia Guenée, 1845*; *Pyrodes Guenée, 1845*; *Trycheris Guenée, 1845*; *Halonota Stephens, 1852*; *Hemerostia Stephens, 1852*; *Phthoroblastis Lederer, 1859*; *Sphaeroeca Meyrick, 1895*; *Metasphaeroeca Fernald, 1908*
7803. **Pammenemima Diakonoff, 1982** (Tortricidae) Synonym(s): *Pammenemima Diakonoff, 1982*
7804. **Pammenitis Diakonoff, 1988** (Tortricidae) Synonym(s): *Pammenitis Diakonoff, 1988*
7805. **Pammenopsis Kuznetsov, 2003** (Tortricidae) Synonym(s): *Pammenopsis Kuznetsov, 2003*
7806. **Pandemis Hübner, [1825]** (Tortricidae) Synonym(s): *Pandemis Hübner, [1825]*
7807. **Parachanda Meyrick, 1927** (Tortricidae) Synonym(s): *Parachanda Meyrick, 1927*
7808. **Paracomotis Razowski, 1982** (Tortricidae) Synonym(s): *Paracomotis Razowski, 1982*
7809. **Paracroesia Yasuda, 1972** (Tortricidae) Synonym(s): *Paracroesia Yasuda, 1972*
7810. **Paralipoptycha Obraztsov, 1958** (Tortricidae) Synonym(s): *Paralipoptycha Obraztsov, 1958*
7811. **Paramesia Stephens, 1829** (Tortricidae) Synonym(s): *Paramesia Stephens, 1829*; *Ramapesia Razowski, 1981*; *#Ramapezia Chambon & Khou, 1993*
7812. **Paramorbia Powell & Lambert, 1986** (Tortricidae) Synonym(s): *Paramorbia Powell & Lambert, 1986*
7813. **Paraptila Meyrick, 1912** (Tortricidae) Synonym(s): *Paraptila Meyrick, 1912*
7814. **Paratorna Meyrick, 1907** (Tortricidae) Synonym(s): *Paratorna Meyrick, 1907*
7815. **Parirazona Razowski, 1984** (Tortricidae) Synonym(s): *Parirazona Razowski, 1984*
7816. **Pelatea Guenée, 1845** (Tortricidae) Synonym(s): *Pelatea Guenée, 1845*
7817. **Pelochrista Lederer, 1859** (Tortricidae) Synonym(s): *Pelochrista Lederer, 1859*; *Callimosema Clemens, 1865*; *Pseudeucosma Obraztsov, 1946*; *Eucosmoides Obraztsov, 1946*
7818. **Pentacitrotus Butler, 1881** (Tortricidae) Synonym(s): *Pentacitrotus Butler, 1881*
7819. **Penthostola Diakonoff, 1978** (Tortricidae) Synonym(s): *Penthostola Diakonoff, 1978*
7820. **Periclepsis Bradley, 1977** (Tortricidae) Synonym(s): *Periclepsis Bradley, 1977*
7821. **Peridaedala Meyrick, 1925** (Tortricidae) Synonym(s): *Peridaedala Meyrick, 1925*
7822. **Phaecedophora Walsingham, 1900** (Tortricidae) Synonym(s): *Phaecedophora Walsingham, 1900*
7823. **Phaesiophora Grote, 1873** (Tortricidae) Synonym(s): *Phaesiophora Grote, 1873*; *Megasyca Diakonoff, 1959*
7824. **Phalonidia Le Marchand, 1933** (Tortricidae) Synonym(s): *Phalonidia Le Marchand, 1933*; *Brevisociaria Obraztsov, 1943*
7825. **Phaneta Stephens, 1852** (Tortricidae) Synonym(s): *Phaneta Stephens, 1852*
7826. **Phaulacantha Diakonoff, 1973** (Tortricidae) Synonym(s): *Phaulacantha Diakonoff, 1973*
7827. **Philedone Hübner, [1825]** (Tortricidae) Synonym(s): *Philedone Hübner, [1825]*; *Amphisa Curtis, 1828*
7828. **Philedonides Obraztsov, 1954** (Tortricidae) Synonym(s): *Philedonides Obraztsov, 1954*; *#Philedonides Razowski, 1969*
7829. **Phlebozemina Diakonoff, 1985** (Tortricidae) Synonym(s): *Phlebozemina Diakonoff, 1985*
7830. **Phricanthes Meyrick, 1881** (Tortricidae) Synonym(s): *Phricanthes Meyrick, 1881*
7831. **Phtheochroa Stephens, 1829** (Tortricidae) Synonym(s): *Phtheochroa Stephens, 1829*; *Trachysmia Guenée, 1845*; *Hysterosia Stephens, 1852*; *Idiographis Lederer, 1859*; *Propira Durrant, 94*; *Arce Joannis, 1919*; *Parahysterosia Razowski, 1960*; *Durrantia Razowski, 1960 nec Busck, 1908*
7832. **Phtheochroides Obraztsov, 1943** (Tortricidae) Synonym(s): *Phtheochroides Obraztsov, 1943*
7833. **Piniphila Falkovitsh, 1962** (Tortricidae) Synonym(s): *Piniphila Falkovitsh, 1962*
7834. **Planaltinella Razowski & Becker, 1994** (Tortricidae) Synonym(s): *Planaltinella Razowski & Becker, 1994*
7835. **Planostocha Meyrick, 1912** (Tortricidae) Synonym(s): *Planostocha Meyrick, 1912*
7836. **Platphalonidia Razowski, 1985** (Tortricidae) Synonym(s): *Platphalonidia Razowski, 1985*
7837. **Platynota Clemens, 1860** (Tortricidae) Synonym(s): *Platynota Clemens, 1860*; *Cerorhineta Zeller, 1877*; *Ceratorrhina Kirby, 1878*; *Phylacteritis Meyrick, 1922*
7838. **Polemograptis Meyrick, 1910** (Tortricidae) Synonym(s): *Polemograptis Meyrick, 1910*
7839. **Polylopha Lower, 1901** (Tortricidae) Synonym(s): *Polylopha Lower, 1901*; *Colocyttara Turner, 1925*
7840. **Polyortha Dognin, 1905** (Tortricidae) Synonym(s): *Polyortha Dognin, 1905*
7841. **Polythora Razowski, 1981** (Tortricidae) Synonym(s): *Polythora Razowski, 1981*
7842. **Popayanita Razowski, 1987** (Tortricidae) Synonym(s): *Popayanita Razowski, 1987*
7843. **Pristerognatha Obraztsov, 1960** (Tortricidae) Synonym(s): *Pristerognatha Obraztsov, 1960*
7844. **Prochlidonia Razowski, 1960** (Tortricidae) Synonym(s): *Prochlidonia Razowski, 1960*
7845. **Procoronis Meyrick, 1911** (Tortricidae) Synonym(s): *Procoronis Meyrick, 1911*
7846. **Proeulia Clarke, 1962** (Tortricidae) Synonym(s): *Proeulia Clarke, 1962*; *#Proseulia Razowski, 1987*
7847. **Prohysterophora Razowski, 1961** (Tortricidae) Synonym(s): *Prohysterophora Razowski, 1961*; *#Prohysterophoria Razowski, 1961*
7848. **Propiomorpha Obraztsov, 1955** (Tortricidae) Synonym(s): *Propiomorpha Obraztsov, 1955*
7849. **Proschistis Meyrick, 1907** (Tortricidae) Synonym(s): *Proschistis Meyrick, 1907*; *Sporocelis Meyrick, 1907*
7850. **Protancylis Diakonoff, 1983** (Tortricidae) Synonym(s): *Protancylis Diakonoff, 1983*
7851. **Protancylis Diakonoff, 1983** (Tortricidae) Synonym(s): *Protancylis Diakonoff, 1983*
7852. **Protarchella Diakonoff, 1976** (Tortricidae) Synonym(s): *Protarchella Diakonoff, 1976*
7853. **Proteoteras Riley, 1881** (Tortricidae) Synonym(s): *Proteoteras Riley, 1881*
7854. **Protobactra Diakonoff, 1964** (Tortricidae) Synonym(s): *Protobactra Diakonoff, 1964*
7855. **Protopterna Meyrick, 1908** (Tortricidae) Synonym(s): *Protopterna Meyrick, 1908*
7856. **Psecmatica Meyrick, 1930** (Tortricidae) Synonym(s): *Psecmatica Meyrick, 1930*
7857. **Pseudacroclita Oku, 1979** (Tortricidae) Synonym(s): *Pseudacroclita Oku, 1979*
7858. **Pseudamelia Obraztsov, 1954** (Tortricidae) Synonym(s): *Pseudamelia Obraztsov, 1954*
7859. **Pseudargyrotoza Obraztsov, 1954** (Tortricidae) Synonym(s): *Pseudargyrotoza Obraztsov, 1954*
7860. **Pseudatteria Walsingham, 1913** (Tortricidae) Synonym(s): *Pseudatteria Walsingham, 1913*; *Eurynatteria Obraztsov, 1966*
7861. **Pseudeboda Razowski, 1964** (Tortricidae) Synonym(s): *Pseudeboda Razowski, 1964*
7862. **Pseudeulia Obraztsov, 1954** (Tortricidae) Synonym(s): *Pseudeulia Obraztsov, 1954*

- 7863.** *Pseudexentera* Heinrich, 1940 (Tortricidae) Synonym(s): *Pseudexentera* Heinrich, 1940
- 7864.** *Pseudococcyx* Swatschek, 1958 (Tortricidae) Synonym(s): *#Pseudococcyx* Agenjo, 1955; *#Subepiblemma* Agenjo, 1955; *Pseudococcyx* Swatschek, 1958; *Blastesthia* Obraztsov, 1960.
- 7865.** *Pseudocomotis* J. Brown, 1990 (Tortricidae) Synonym(s): *Pseudocomotis* J. Brown, 1990
- 7866.** *Pseudocroesia* Razowski, 1966 (Tortricidae) Synonym(s): *Pseudocroesia* Razowski, 1966
- 7867.** *Pseudohedya* Falkovitsh, 1962 (Tortricidae) Synonym(s): *Pseudohedya* Falkovitsh, 1962
- 7868.** *Pseudohermenias* Obraztsov, 1960 (Tortricidae) Synonym(s): *Pseudohermenias* Obraztsov, 1960
- 7869.** *Pseudomeritastis* Obraztsov, 1966 (Tortricidae) Synonym(s): *Pseudomeritastis* Obraztsov, 1966
- 7870.** *Pseudophiaris* Obraztsov, 1961 (Tortricidae) Synonym(s): *Pseudophiaris* Obraztsov, 1961
- 7871.** *Pseudosciaphila* Obraztsov, 1966 (Tortricidae) Synonym(s): *Pseudosciaphila* Obraztsov, 1966
- 7872.** *Psiathovalva* Razowski, 1994 (Tortricidae) Synonym(s): *Psiathovalva* Razowski, 1994
- 7873.** *Ptoseulia* Razowski, 1990 (Tortricidae) Synonym(s): *Ptoseulia* Razowski, 1990
- 7874.** *Ptycholoma* Stephens, 1929 (Tortricidae) Synonym(s): *Ptycholoma* Stephens, 1929
- 7875.** *Ptycholomoides* Obraztsov, 1954 (Tortricidae) Synonym(s): *Ptycholomoides* Obraztsov, 1954
- 7876.** *Ptyognathosia* Razowski, 1988 (Tortricidae) Synonym(s): *Ptyognathosia* Razowski, 1988
- 7877.** *Punctapinella* J. Brown, 1991 (Tortricidae) Synonym(s): *Punctapinella* J. Brown, 1991
- 7878.** *Pysrarcha* Meyrick, 1932 (Tortricidae) Synonym(s): *Pysrarcha* Meyrick, 1932
- 7879.** *Quasieulia* Powell, 1986 (Tortricidae) Synonym(s): *Quasieulia* Powell, 1986
- 7880.** *Razowskina* Kemal & Koçak, 2005 (Tortricidae) Synonym(s): *Silenis* Razowski, 1987 nec *Neckaja*, 1958; *Razowskina* Kemal & Koçak, 2005
- 7881.** *Rebinea* Razowski, 1986 (Tortricidae) Synonym(s): *Rebinea* Razowski, 1986
- 7882.** *Reptilisocia* Diakonoff, 1983 (Tortricidae) Synonym(s): *Reptilisocia* Diakonoff, 1983
- 7883.** *Retinia* Guenée, 1845 (Tortricidae) Synonym(s): *Retinia* Guenée, 1845; *Petrova* Heinrich, 1923
- 7884.** *Revertuncaria* Razowski, 1986 (Tortricidae) Synonym(s): *Revertuncaria* Razowski, 1986
- 7885.** *Rhetogonia* Diakonoff, 1966 (Tortricidae) Synonym(s): *Rhetogonia* Diakonoff, 1966
- 7886.** *Rhodacra* Diakonoff, 1973 (Tortricidae) Synonym(s): *Rhodacra* Diakonoff, 1973; *Chorethrarcha* Diakonoff, 1973
- 7887.** *Rhodocosmaria* Diakonoff, 1973 (Tortricidae) Synonym(s): *Rhodocosmaria* Diakonoff, 1973
- 7888.** *Rhopaltrioplasia* Diakonoff, 1973 (Tortricidae) Synonym(s): *Rhopaltrioplasia* Diakonoff, 1973
- 7889.** *Rhopobota* Lederer, 1859 (Tortricidae) Synonym(s): *Rhopobota* Lederer, 1859; *Erinaea* Meyrick, 1907; *Norma* Heinrich, 1923; *Kundrya* Heinrich, 1923; *Eumarissa* Clarke, 1976.
- 7890.** *Rhyacionia* Hübner, [1825] (Tortricidae) Synonym(s): *Rhyacionia* Hübner, [1825]
- 7891.** *Rhychophyllis* Meyrick, 1932 (Tortricidae) Synonym(s): *Rhychophyllis* Meyrick, 1932
- 7892.** *Rhythmologa* Meyrick, 1926 (Tortricidae) Synonym(s): *Rhythmologa* Meyrick, 1926
- 7893.** *Riculoides* Pastrana, 1952 (Tortricidae) Synonym(s): *Riculoides* Pastrana, 1952
- 7894.** *Rigidsociaria* Razowski, 1986 (Tortricidae) Synonym(s): *Rigidsociaria* Razowski, 1986
- 7895.** *Rubidograptis* Razowski, 1981 (Tortricidae) Synonym(s): *Rubidograptis* Razowski, 1981
- 7896.** *Rubrograptis* Razowski, 1981 (Tortricidae) Synonym(s): *Rubrograptis* Razowski, 1981
- 7897.** *Rudenia* Razowski, 1985 (Tortricidae) Synonym(s): *Rudenia* Razowski, 1985
- 7898.** *Rudisociaria* Falkovitsh, 1962 (Tortricidae) Synonym(s): *Rudisociaria* Falkovitsh, 1962
- 7899.** *Russograptis* Razowski, 1981 (Tortricidae) Synonym(s): *Russograptis* Razowski, 1981
- 7900.** *Rutilograptis* Razowski, 1981 (Tortricidae) Synonym(s): *Rutilograptis* Razowski, 1981
- 7901.** *Saetosacculina* Razowski, 1990 (Tortricidae) Synonym(s): *Saetosacculina* Razowski, 1990
- 7902.** *Saliciphaga* Falkovitsh, 1962 (Tortricidae) Synonym(s): *Saliciphaga* Falkovitsh, 1962
- 7903.** *Salsolicola* Kuznetsov, 1960 (Tortricidae) Synonym(s): *Salsolicola* Kuznetsov, 1960
- 7904.** *Sambara* Aarvik, 2004 (Tortricidae) Synonym(s): *Sambara* Aarvik, 2004
- 7905.** *Saphenista* Walsingham, 1914 (Tortricidae) Synonym(s): *Saphenista* Walsingham, 1914
- 7906.** *Schoenotenes* Meyrick, 1908 (Tortricidae) Synonym(s): *Schoenotenes* Meyrick, 1908
- 7907.** *Scotiophyes* Diakonoff, 1976 (Tortricidae) Synonym(s): *Scotiophyes* Diakonoff, 1976
- 7908.** *Selania* Stephens, 1834 (Tortricidae) Synonym(s): *Selania* Stephens, 1834; *Chretienia* Obraztsov, 1968 nec *Splr.*, 1910; *Mevlanaia* Koçak, 1981
- 7909.** *Selenodes* Guenée, 1845 (Tortricidae) Synonym(s): *Selenodes* Guenée, 1845; *Froelichia* Obraztsov, 1960
- 7910.** *Semniotes* Diakonoff, 1973 (Tortricidae) Synonym(s): *Semniotes* Diakonoff, 1973
- 7911.** *Semutophila* Tuck, 1986 (Tortricidae) Synonym(s): *Semutophila* Tuck, 1986
- 7912.** *Seticosta* Razowski, 1986 (Tortricidae) Synonym(s): *Seticosta* Razowski, 1986
- 7913.** *Siclobola* Diakonoff, 1947 (Tortricidae) Synonym(s): *Siclobola* Diakonoff, 1947
- 7914.** *Sisona* Snellen, 1901 (Tortricidae) Synonym(s): *Sisona* Snellen, 1901
- 7915.** *Sisurcana* Powell, 1986 (Tortricidae) Synonym(s): *Sisurcana* Powell, 1986
- 7916.** *Snodgrassia* Diakonoff, [1968] (Tortricidae) Synonym(s): *Snodgrassia* Diakonoff, [1968]
- 7917.** *Sonia* Heinrich, 1923 (Tortricidae) Synonym(s): *Sonia* Heinrich, 1923
- 7918.** *Sorolopha* Lower, 1901 (Tortricidae) Synonym(s): *Sorolopha* Lower, 1901; *Acanthothyspoda* Lower, 1908; *Alypeta* Turner, 1916; *#Aytopena* Fletcher, 1929; *Choganthia* Razowski, 1960
- 7919.** *Sparganopseustis* Powell & Lambert, 1986 (Tortricidae) Synonym(s): *Sparganopseustis* Powell & Lambert, 1986
- 7920.** *Sparganothina* Powell, 1986 (Tortricidae) Synonym(s): *Sparganothina* Powell, 1986
- 7921.** *Sparganothis* Hübner, [1825] (Tortricidae) Synonym(s): *Sparganothis* Hübner, [1825]
- 7922.** *Sparganothoides* Lambert & Powell, 1986 (Tortricidae) Synonym(s): *Sparganothoides* Lambert & Powell, 1986
- 7923.** *Spatalistis* Meyrick, 1907 (Tortricidae) Synonym(s): *Spatalistis* Meyrick, 1907
- 7924.** *Spilonota* Stephens, 1829 (Tortricidae) Synonym(s): *Spilonota* Stephens, 1829; *Tmetocera* Lederer, 1859.
- 7925.** *Spinipogon* Razowski, 1967 (Tortricidae) Synonym(s): *Spinipogon* Razowski, 1967
- 7926.** *Statherotis* Meyrick, 1909 (Tortricidae) Synonym(s): *Statherotis* Meyrick, 1909
- 7927.** *Statherotmantis* Diakonoff, 1973 (Tortricidae) Synonym(s): *Statherotmantis* Diakonoff, 1973; *#Statheromantis* Razowski, 1977
- 7928.** *Statherotoxys* Diakonoff, 1973 (Tortricidae) Synonym(s): *Statherotoxys* Diakonoff, 1973; *#Statherotyxis* Razowski, 1977
- 7929.** *Statignatha* Kuznetsov, 1992 (Tortricidae) Synonym(s): *Statignatha* Kuznetsov, 1992
- 7930.** *Stenarchella* Diakonoff, [1968] (Tortricidae) Synonym(s): *Stenarchella* Diakonoff, [1968]
- 7931.** *Strepsicrates* Meyrick, 1888 (Tortricidae) Synonym(s): *Strepsicrates* Meyrick, 1881 nec *Raf.*, 1815; *Strepsicrates* Meyrick, 1888; *Phthinolophus* Dyar, 1903; *Phthenolophus* Busck, 1910
- 7932.** *Strophedra* Herrich-Schäffer, [1854] (Tortricidae) Synonym(s): *Strophosoma* Herrich-Schäffer, [1853] nec *Billb.*, 1820; *Strophedra* Herrich-Schäffer, [1854].
- 7933.** *Strophotina* Brown, 1998 (Tortricidae) Synonym(s): *Strophotina* Brown, 1998; *Chirotes* Razowski & Becker, 1999 nec *Cuvier*, 1817; *Prochirotes* Razowski, 2001
- 7934.** *Subtrantillaspis* Razowski, 1990 (Tortricidae) Synonym(s): *Subtrantillaspis* Razowski, 1990
- 7935.** *Suleima* Heinrich, 1923 (Tortricidae) Synonym(s): *Suleima* Heinrich, 1923
- 7936.** *Sycacantha* Diakonoff, 1959 (Tortricidae) Synonym(s): *Sycacantha* Diakonoff, 1959

7937. **Syndemis Hübner,[1825]** (Tortricidae) Synonym(s): *Syndemis Hübner,[1825]*
7938. **Syntozyga Lower,1901** (Tortricidae) Synonym(s): *Syntozyga Lower,1901; Eleuthodema Bradley,1957*
7939. **Talponia Heinrich,1926** (Tortricidae) Synonym(s): *Talponia Heinrich,1926*
7940. **Tambomachaya Razowski,1989** (Tortricidae) Synonym(s): *Tambomachaya Razowski,1989*
7941. **Teleta Diakonoff,1966** (Tortricidae) Synonym(s): *Teleta Diakonoff,1966*
7942. **Telurips Razowski,1988** (Tortricidae) Synonym(s): *Telurips Razowski,1988*
7943. **Temnolopha Lower,1901** (Tortricidae) Synonym(s): *Temnolopha Lower,1901; #Temnolopha Pinkaew & Chandrapatya,2006*
7944. **Templemania Busck,1940** (Tortricidae) Synonym(s): *Templemania Busck,1940*
7945. **Terinebrica Razowski,1987** (Tortricidae) Synonym(s): *Terinebrica Razowski,1987*
7946. **Terricula Falkovitsh,1965** (Tortricidae) Synonym(s): *Terricula Falkovitsh,1965*
7947. **Terthreutis Meyrick,1918** (Tortricidae) Synonym(s): *Terthreutis Meyrick,1918; Amniodes Meyrick,1938*
7948. **Tetramoera Diakonoff,[1968]** (Tortricidae) Synonym(s): *Tetramoera Diakonoff,[1968]*
7949. **Thaumato-grapha Walsingham,1897** (Tortricidae) Synonym(s): *Thaumato-grapha Walsingham,1897*
7950. **Thaumatotibia Zacher,1915** (Tortricidae) Synonym(s): *Thaumatotibia Zacher,1915*
7951. **Theorica Diakonoff,1966** (Tortricidae) Synonym(s): *Theorica Diakonoff,1966*
7952. **Thiodia Hübner,[1825]** (Tortricidae) Synonym(s): *Thiodia Hübner,[1825]; Botropteryx Caradja,1916; Gypsonomoides Obraztsov,1946; Foveifera Obraztsov,1946.*
7953. **Thiodiodes Obraztsov,1964** (Tortricidae) Synonym(s): *#Thiodiodes Agenjo,1955; Thiodiodes Obraztsov,1964*
7954. **Thoridia J.Brown,1991** (Tortricidae) Synonym(s): *Thoridia J.Brown,1991*
7955. **Thymioptila Diakonoff,1971** (Tortricidae) Synonym(s): *Thymioptila Diakonoff,1971*
7956. **Thysanocrepis Diakonoff,1966** (Tortricidae) Synonym(s): *Thysanocrepis Diakonoff,1966*
7957. **Thysanphalonia Razowski & Becker,1986** (Tortricidae) Synonym(s): *Thysanphalonia Razowski & Becker,1986*
7958. **Tia Heinrich,1926** (Tortricidae) Synonym(s): *Tia Heinrich,1926*
7959. **Tina Powell,1986** (Tortricidae) Synonym(s): *Tina Powell,1986*
7960. **Tinacurris Powell,1986** (Tortricidae) Synonym(s): *Tinacurris Powell,1986*
7961. **Tortricodes Guenée,1845** (Tortricidae) Synonym(s): *Tortricodes Guenée,1845*
7962. **Tortrix Linnaeus,1758** (Tortricidae) Synonym(s): *Tortrix Linnaeus,1758; Heterognomon Lederer,1859*
7963. **Tosirips Razowski,1987** (Tortricidae) Synonym(s): *Tosirips Razowski,1987*
7964. **Trachybyrsis Meyrick,1927** (Tortricidae) Synonym(s): *Trachybyrsis Meyrick,1927*
7965. **Trachysmia Guenée,1845** (Tortricidae) Synonym(s): *Trachysmia Guenée,1845*
7966. **Transtillaspis Razowski,1987** (Tortricidae) Synonym(s): *Transtillaspis Razowski,1987*
7967. **Triheteracra Diakonoff,1971** (Tortricidae) Synonym(s): *Triheteracra Diakonoff,1971*
7968. **Tritopterna Meyrick,1921** (Tortricidae) Synonym(s): *Tritopterna Meyrick,1921*
7969. **Trymalitis Meyrick,1905** (Tortricidae) Synonym(s): *Trymalitis Meyrick,1905*
7970. **Tsinilla Heinrich,1931** (Tortricidae) Synonym(s): *Tsinilla Heinrich,1931*
7971. **Tuckia Razowski,2001** (Tortricidae) Synonym(s): *Tuckia Razowski,2001*
7972. **Tymbarcha Meyrick,1908** (Tortricidae) Synonym(s): *Tymbarcha Meyrick,1908*
7973. **Uelia Razowski,1982** (Tortricidae) Synonym(s): *Uelia Razowski,1982*
7974. **Ulodemis Meyrick,1907** (Tortricidae) Synonym(s): *Ulodemis Meyrick,1907*
7975. **Uncicida Razowski,1988** (Tortricidae) Synonym(s): *Uncicida Razowski,1988*
7976. **Utrivalva Razowski,1987** (Tortricidae) Synonym(s): *Utrivalva Razowski,1987*
7977. **Vellonifer Razowski,1964** (Tortricidae) Synonym(s): *Vellonifer Razowski,1964; #Vellonifer Razowski,1964*
7978. **Vialonga Diakonoff,1960** (Tortricidae) Synonym(s): *Vialonga Diakonoff,1960*
7979. **Viettea Diakonoff,1960** (Tortricidae) Synonym(s): *Viettea Diakonoff,1960*
7980. **Vulpoxena J.Brown,1991** (Tortricidae) Synonym(s): *Vulpoxena J.Brown,1991*
7981. **Williella Horak,1984** (Tortricidae) Synonym(s): *Williella Horak,1984*
7982. **Xeneboda Razowski & Tuck,2000** (Tortricidae) Synonym(s): *Xeneboda Razowski & Tuck,2000*
7983. **Xeneda Diakonoff,1961** (Tortricidae) Synonym(s): *Xeneda Diakonoff,1961*
7984. **Xenophylla Diakonoff,1960** (Tortricidae) Synonym(s): *Xenophylla Diakonoff,1960*
7985. **Xenothictis Meyrick,1910** (Tortricidae) Synonym(s): *Xenothictis Meyrick,1910; Barnardiella Turner,1925*
7986. **Xerocnephasia Leraut,[1979]** (Tortricidae) Synonym(s): *Xerocnephasia Leraut,[1979]*
7987. **Yunusemreia Koçak,1981** (Tortricidae) Synonym(s): *Stephanoma Diakonoff,1970 nec Werneck,1841; Yunusemreia Koçak,1981*
7988. **Zacorisca Meyrick,1910; Chresmarcha Meyrick,1910; Megalodoris Meyrick,1912** (Tortricidae) Synonym(s): *Zacorisca Meyrick,1910*
7989. **Zeiraphera Treitschke,1829** (Tortricidae) Synonym(s): *Zeiraphera Treitschke,1829; Charlotta Forbes,1923; Sinusia Caradja,1916*
7990. **Zomaria Heinrich,1926** (Tortricidae) Synonym(s): *Zomaria Heinrich,1926*
7991. **Zomariana Diakonoff,1984** (Tortricidae) Synonym(s): *Zomariana Diakonoff,1984*
7992. **Acropterus Geyer,1832** (Uraniidae) Synonym(s): *Acropterus Geyer,1832; Chlevasta Herrich-Schäffer,1855*
7993. **Amana Walker,1855** (Uraniidae) Synonym(s): *Amana Walker,1855*
7994. **Brachydecetia Holloway,1998** (Uraniidae) Synonym(s): *Brachydecetia Holloway,1998*
7995. **Chaetoceras W.Warren,1896** (Uraniidae) Synonym(s): *Chaetoceras W.Warren,1896*
7996. **Chionoplema Holloway,1998** (Uraniidae) Synonym(s): *Chionoplema Holloway,1998*
7997. **Chundana Walker,1862** (Uraniidae) Synonym(s): *Chundana Walker,1862*
7998. **Decetia Walker,1860** (Uraniidae) Synonym(s): *Decetia Walker,1860*
7999. **Dirades Walker,1866** (Uraniidae) Synonym(s): *Dirades Walker,1866*
8000. **Dysaethria Turner,1911** (Uraniidae) Synonym(s): *Dysaethria Turner,1911*
8001. **Epimesophantia Krampl,1983** (Uraniidae) Synonym(s): *Epimesophantia Krampl,1983*
8002. **Epiplema Herrich-Schäffer,[1855]** (Uraniidae) Synonym(s): *Epiplema Herrich-Schäffer,[1855]; Paloda Walker,1861; Eversmannia Staudinger,1871; Chaetopyga Warren,1896*
8003. **Europlema Holloway,1998** (Uraniidae) Synonym(s): *Europlema Holloway,1998*
8004. **Heteroplema W.Warren,1902** (Uraniidae) Synonym(s): *Heteroplema W.Warren,1902*
8005. **Hypoplema W.Warren,1902** (Uraniidae) Synonym(s): *Hypoplema W.Warren,1902*
8006. **Leucoplema Janse,1932** (Uraniidae) Synonym(s): *Leucoplema Janse,1932*
8007. **Micronia Guenée,[1858]** (Uraniidae) Synonym(s): *Micronia Guenée,[1858]*
8008. **Monobolodes W.Warren,1898** (Uraniidae) Synonym(s): *Monobolodes W.Warren,1898*
8009. **Monoplema Janse,1932** (Uraniidae) Synonym(s): *Monoplema Janse,1932*
8010. **Nyctalemon Dalman,1825** (Uraniidae) Synonym(s): *Lyssa Hübner,[1823] (suppressed); Nyctalemon Dalman,1825; Nyctalaemon Salvin & Godman,1877; Lyssidia Westwood,1879*
8011. **Oroplema Holloway,1998** (Uraniidae) Synonym(s): *Oroplema Holloway,1998*

- 8012.** **Orudiza** Walker, 1861 (Uraniidae) Synonym(s): *Orudiza* Walker, 1861
- 8013.** **Paradecetia** Swinhoe, 1894 (Uraniidae) Synonym(s): *Paradecetia* Swinhoe, 1894
- 8014.** **Phazaca** Walker, 1863 (Uraniidae) Synonym(s): *Phazaca* Walker, 1863
- 8015.** **Pseudodirades** Janse, 1932 (Uraniidae) Synonym(s): *Pseudodirades* Janse, 1932
- 8016.** **Pseudomicronia** Moore, 1887 (Uraniidae) Synonym(s): *Pseudomicronia* Moore, 1887
- 8017.** **Rhombophylla** Turner, 1911 (Uraniidae) Synonym(s): *Rhombophylla* Turner, 1911
- 8018.** **Strophidia** Hübner, [1823] (Uraniidae) Synonym(s): *Strophidia* Hübner, [1823]
- 8019.** **Urapteroides** Moore, 1888 (Uraniidae) Synonym(s): *Urapteroides* Moore, 1888
- 8020.** **Warreniplema** Holloway, 1998 (Uraniidae) Synonym(s): *Warreniplema* Holloway, 1998
- 8021.** **Wockia** Heinemann, 1870 (Urodidae) Synonym(s): *Wockia* Heinemann, 1870
- 8022.** **Caenorycta** Meyrick, 1922 (Xyloryctidae) Synonym(s): *Caenorycta* Meyrick, 1922
- 8023.** **Chlorolychnis** Meyrick, 1925 (Xyloryctidae) Synonym(s): *Chlorolychnis* Meyrick, 1925
- 8024.** **Cladophantis** Meyrick, 1918 (Xyloryctidae) Synonym(s): *Cladophantis* Meyrick, 1918
- 8025.** **Cophomantella** Fletcher, 1940 (Xyloryctidae) Synonym(s): *Cophomantella* Fletcher, 1940
- 8026.** **Cryptophasa** Lewin, 1805 (Xyloryctidae) Synonym(s): *Cryptophasa* Lewin, 1805
- 8027.** **Cynicocrates** Meyrick, 1935 (Xyloryctidae) Synonym(s): *Cynicocrates* Meyrick, 1935
- 8028.** **Enthetica** Meyrick, 1916 (Xyloryctidae) Synonym(s): *Enthetica* Meyrick, 1916
- 8029.** **Epichostis** Meyrick, 1906 (Xyloryctidae) Synonym(s): *Epichostis* Meyrick, 1906
- 8030.** **Epimactis** Meyrick, 1907 (Xyloryctidae) Synonym(s): *Epimactis* Meyrick, 1907
- 8031.** **Eporycta** Meyrick, 1908 (Xyloryctidae) Synonym(s): *Eporycta* Meyrick, 1908
- 8032.** **Eupetochira** Meyrick, 1917 (Xyloryctidae) Synonym(s): *Eupetochira* Meyrick, 1917
- 8033.** **Exacristis** Meyrick, 1921 (Xyloryctidae) Synonym(s): *Exacristis* Meyrick, 1921
- 8034.** **Gemorodes** Meyrick, 1925 (Xyloryctidae) Synonym(s): *Gemorodes* Meyrick, 1925
- 8035.** **Glycynympha** Meyrick, 1925 (Xyloryctidae) Synonym(s): *Glycynympha* Meyrick, 1925
- 8036.** **Lasiodictis** Meyrick, 1912 (Xyloryctidae) Synonym(s): *Lasiodictis* Meyrick, 1912
- 8037.** **Letogenes** Meyrick, 1930 (Xyloryctidae) Synonym(s): *Letogenes* Meyrick, 1930
- 8038.** **Linoclostis** Meyrick, 1908 (Xyloryctidae) Synonym(s): *Linoclostis* Meyrick, 1908
- 8039.** **Metathrinca** Meyrick, 1908 (Xyloryctidae) Synonym(s): *Metathrinca* Meyrick, 1908
- 8040.** **Microphidias** Meyrick, 1937 (Xyloryctidae) Synonym(s): *Microphidias* Meyrick, 1937
- 8041.** **Paralecta** Turner, 1897 (Xyloryctidae) Synonym(s): *Paralecta* Turner, 1897
- 8042.** **Philarachnis** Meyrick, 1925 (Xyloryctidae) Synonym(s): *Philarachnis* Meyrick, 1925
- 8043.** **Semnocha** Meyrick, 1936 (Xyloryctidae) Synonym(s): *Semnocha* Meyrick, 1936
- 8044.** **Sisyrodonta** Meyrick, 1922 (Xyloryctidae) Synonym(s): *Sisyrodonta* Meyrick, 1922
- 8045.** **Sphagiocrates** Meyrick, 1925 (Xyloryctidae) Synonym(s): *Sphagiocrates* Meyrick, 1925
- 8046.** **Xylorycta** Meyrick, 1890 (Xyloryctidae) Synonym(s): *Xylorycta* Meyrick, 1890; *Neodrepta* Turner, 1898
- 8047.** **Acrolepia** Curtis, 1838 (Yponomeutidae) Synonym(s): *Acrolepia* Curtis, 1838
- 8048.** **Acrolepiopsis** Gaedike, 1970 (Yponomeutidae) Synonym(s): *Acrolepiopsis* Gaedike, 1970
- 8049.** **Anoista** Turner, 1939 (Yponomeutidae) Synonym(s): *Anoista* Turner, 1939
- 8050.** **Anthonympha** Moriuti, 1971 (Yponomeutidae) Synonym(s): *Anthonympha* Moriuti, 1971
- 8051.** **Argyresthia** (Blastotere) Ratzeburg, 1840 (Yponomeutidae) Synonym(s): *Blastotere* Ratzeburg, 1840
- 8052.** **Argyresthia** (s.str.) Hübner, [1825] (Yponomeutidae) Synonym(s): *Argyresthia* Hübner, [1825]; *Argyrosetia* Stephens, 1829; *Oligos* Treitschke, 1830; *Ederesa* Curtis, 1833; *Ismene* Stephens, 1834 nec Savigny, 1816; *Paraargyresthia* Moriuti, 1969; #*Parargyresthia* Kyrki, 1984
- 8053.** **Argyresthia** Hübner, [1825] (Yponomeutidae) Synonym(s): *Argyresthia* Hübner, [1825]; *Argyrosetia* Stephens, 1829; *Oligos* Treitschke, 1830; *Ederesa* Curtis, 1833; *Ismene* Stephens, 1834 nec Savigny, 1816; *Paraargyresthia* Moriuti, 1969; #*Parargyresthia* Kyrki, 1984
- 8054.** **Atemelia** Herrich-Schäffer, [1853] (Yponomeutidae) Synonym(s): *Atemelia* Herrich-Schäffer, [1853]; *Orinympha* Meyrick, 1927
- 8055.** **Atteva** Walker, 1854 (Yponomeutidae) Synonym(s): *Atteva* Walker, 1854; *Poeciloptera* Clemens, 1860 nec Latr., 1829 non Lw., 1846; *Amblothridia* Wallengren, 1861; *Corinea* Walker, 1863; *Carthara* Walker, 1866 nec Wlk., 1865; *Synadia* Walker, 2866; *Scyntilla* Guenée, 1879 nec Desh., 1856; *Syblis* Guenée, 1879
- 8056.** **Banghaasia** Friese, 1960 (Yponomeutidae) Synonym(s): *Banghaasia* Friese, 1960
- 8057.** **Callitrinca** Meyrick, 1913 (Yponomeutidae) Synonym(s): *Callitrinca* Meyrick, 1913
- 8058.** **Cedestis** Zeller, 1839 (Yponomeutidae) Synonym(s): *Cedestis* Zeller, 1839; *Dyscedestis* Spuler, 1910; *Eucedestis* Paclt, 1951
- 8059.** **Charicrita** Meyrick, 1913 (Yponomeutidae) Synonym(s): *Charicrita* Meyrick, 1913
- 8060.** **Chionogenes** Meyrick, 1913 (Yponomeutidae) Synonym(s): *Chionogenes* Meyrick, 1913
- 8061.** **Diaphragmistis** Meyrick, 1914 (Yponomeutidae) Synonym(s): *Diaphragmistis* Meyrick, 1914
- 8062.** **Digitivalva** (Inuliphila) Gaedike, 1970 (Yponomeutidae) Synonym(s): *Inuliphila* Gaedike, 1970
- 8063.** **Digitivalva** Gaedike, 1970 (Yponomeutidae) Synonym(s): *Digitivalva* Gaedike, 1970
- 8064.** **Distagmos** Herrich-Schäffer, 1853 (Yponomeutidae) Synonym(s): *Distagmos* Herrich-Schäffer, 1853; *Artenacia* Chrétien, 1905
- 8065.** **Eidophasia** Stephens, 1842 (Yponomeutidae) Synonym(s): *Parasemia* Stephens, 1841 nec Hübner, [1820]; *Eidophasia* Stephens, 1842; *Spania* Guenée, 1845; *Eudophasia* Herrich-Schäffer, 1853; *Hufnagelia* Reutti, 1853
- 8066.** **Euhypnometeuta** Toll, 1941 (Yponomeutidae) Synonym(s): *Euhypnometeuta* Toll, 1941
- 8067.** **Euhypnometoides** Gaj, 1954 (Yponomeutidae) Synonym(s): *Euhypnometoides* Gaj, 1954
- 8068.** **Galactica** Walsingham, 1911 (Yponomeutidae) Synonym(s): *Galactica* Walsingham, 1911
- 8069.** **Genostele** Walsingham, 1900 (Yponomeutidae) Synonym(s): *Genostele* Walsingham, 1900
- 8070.** **Gypsosaris** Meyrick, 1909 (Yponomeutidae) Synonym(s): *Gypsosaris* Meyrick, 1909
- 8071.** **Kessleria** (Hofmannia) Wocke, 1876 (Yponomeutidae) Synonym(s): *Hofmannia* Wocke, 1876
- 8072.** **Kessleria** (s.str.) Nowicki, 1864 (Yponomeutidae) Synonym(s): *Kessleria* Nowicki, 1864; *Paradoxus* Stainton, 1869; *Hofmannia* Wocke, 1876; *Parahypnometeuta* Toll, 1941
- 8073.** **Kessleria** Nowicki, 1864 (Yponomeutidae) Synonym(s): *Kessleria* Nowicki, 1864; *Paradoxus* Stainton, 1869; *Hofmannia* Wocke, 1876; *Parahypnometeuta* Toll, 1941
- 8074.** **Lepocnemis** Meyrick, 1913 (Yponomeutidae) Synonym(s): *Lepocnemis* Meyrick, 1913
- 8075.** **Lissochroa** Turner, 1923 (Yponomeutidae) Synonym(s): *Lissochroa* Turner, 1923
- 8076.** **Litaneutis** Meyrick, 1913 (Yponomeutidae) Synonym(s): *Litaneutis* Meyrick, 1913
- 8077.** **Lunakia** Klimesch, 1941 (Yponomeutidae) Synonym(s): *Lunakia* Klimesch, 1941
- 8078.** **Miezia** Walker, 1854 (Yponomeutidae) Synonym(s): *Miezia* Walker, 1854
- 8079.** **Niphonympha** Meyrick, 1914 (Yponomeutidae) Synonym(s): *Calantica* Zeller, 1847 nec Gry., 1825; *Niphonympha* Meyrick, 1914
- 8080.** **Nosymna** Walker, 1864 (Yponomeutidae) Synonym(s): *Nosymna* Walker, 1864; *Androgyne* Walsingham, 1900
- 8081.** **Nymphonia** Meyrick, 1913 (Yponomeutidae) Synonym(s): *Nymphonia* Meyrick, 1913

- 8082. Ochsenheimeria** Hübner,[1825] (Yponomeutidae) Synonym(s): *Ochsenheimeria* Hübner,[1825]; *Lepidocera* Stephens,1829; *Phygas Treitschke*,1833; *Aeria Gistel*,1848 nec Hübner,1816
- 8083. Ocnerosstoma** Zeller,1847 (Yponomeutidae) Synonym(s): *Ocnerosstoma* Zeller,1847
- 8084. Opsiclines** Meyrick,1907 (Yponomeutidae) Synonym(s): *Opsiclines* Meyrick,1907
- 8085. Orsocomia** Meyrick,1921 (Yponomeutidae) Synonym(s): *Orsocomia* Meyrick,1921
- 8086. Palleura** Turner,1926 (Yponomeutidae) Synonym(s): *Palleura* Turner,1926
- 8087. Paraswammerdamia** Friese,1960 (Yponomeutidae) Synonym(s): *Paraswammerdamia* Friese,1960
- 8088. Phrealcia** Chrétien,1900 (Yponomeutidae) Synonym(s): *Phrealcia* Chrétien,1900; *Procalantica Rebel*,1900
- 8089. Plutella (Anadetia)** Hübner,[1825] (Yponomeutidae) Synonym(s): *Anadetia* Hübner,[1825]
- 8090. Plutella (s.str.)** Schrank,1802 (Yponomeutidae) Synonym(s): *Plutella* Schrank,1802; *Euota* Hübner,[1825]; *Creagria* Sodoffsky,1837; *Evota* Agassiz,1847.
- 8091. Prays** Hübner,[1825] (Yponomeutidae) Synonym(s): *Prays* Hübner,[1825]; *Pepilla Guenée*,1845
- 8092. Pseudoswammerdamia** Friese,1960 (Yponomeutidae) Synonym(s): *Pseudoswammerdamia* Friese,1960
- 8093. Rhigognotis** Staudinger,1857 (Yponomeutidae) Synonym(s): *Rhigognotis* Staudinger,1857; *Caunaca* Wallengren,1880; *Eumachaeristis* Meyrick,1938; *Subeidophasia* Moriuti,1977
- 8094. Scythropia** Hübner,[1825] (Yponomeutidae) Synonym(s): *Scythropia* Hübner,[1825]
- 8095. Spaniophylla** Turner,1917 (Yponomeutidae) Synonym(s): *Spaniophylla* Turner,1917
- 8096. Swammerdamia** Hübner,[1825] (Yponomeutidae) Synonym(s): *Swammerdamia* Hübner,[1825]
- 8097. Syncrotaula** Meyrick,1937 (Yponomeutidae) Synonym(s): *Syncrotaula* Meyrick,1937
- 8098. Teinoptila** Sauber,1902 (Yponomeutidae) Synonym(s): *Teinoptila* Sauber,1902
- 8099. Telosphrantis** Meyrick,1932 (Yponomeutidae) Synonym(s): *Telosphrantis* Meyrick,1932
- 8100. Thecobathra** Meyrick,1922 (Yponomeutidae) Synonym(s): *Thecobathra* Meyrick,1922
- 8101. Turneriella** Seven & Özdikmen,2005 (Yponomeutidae) Synonym(s): *Amblyzancla* Turner,1939 nec Turn.,1936; *Turneriella* Seven & Özdikmen,2005
- 8102. Yponomeuta** Latreille,1796 (Yponomeutidae) Synonym(s): *Yponomeuta* Latreille,1796
- 8103. Ypsolopha** Latreille,1796 (Yponomeutidae) Synonym(s): *Ypsolopha* Latreille,1796; *Ypsolophus* Fabricius,1798; *Cerostoma* Latreille,1802; *Hypsolopha* Billberg,1820; *Theristis* Hübner,[1825]; *Harpipterix* Hübner,[1825]; *Abebaea* Hübner,[1825]; *Harpipteryx* Stephens,1834; *Chaetochilus* Stephens,1834; *Pteroxia* Guenée,1845; *Hypolepia* Guenée,1845; *Credemnon* Wallengren,1880; *Periclymenobius* Wallengren,1880; *Trachoma* Wallengren,1880; *Pycnopogon* Chrétien,1922 nec Loew,1847
- 8104. Zelleria** Stainton,1849 (Yponomeutidae) Synonym(s): *Zelleria* Stainton,1849; *Eudrymopa* Lower,1908
- 8105. Achelura** Kirby,1892 (Zygaenidae) Synonym(s): *Chelura* Hope,1840 nec Philippi,1839; *Achelura* Kirby,1892
- 8106. Adscita (Procriterna)** Efetov & Tarmann,2004 (Zygaenidae) Synonym(s): *Procrita* Efetov & Tarmann,1999 nec Hendel,1908; *Procriterna* Efetov & Tarmann,2004
- 8107. Adscita (Tarmannita)** Efetov,2000 (Zygaenidae) Synonym(s): *Tarmannita* Efetov,2000
- 8108. Adscita (s.str.)** Retzius,1783 (Zygaenidae) Synonym(s): *Adscita* Retzius,1783; *Procris* Fabricius,1807; *Atychia* Ochsenheimer,1808; *Ino Leach*,[1815]; *Bradyptesis* Sodoffsky,1837
- 8109. Adscita** Retzius,1783 (Zygaenidae) Synonym(s): *Adscita* Retzius,1783; *Procris* Fabricius,1807; *Atychia* Ochsenheimer,1808; *Ino Leach*,[1815]; *Bradyptesis* Sodoffsky,1837
- 8110. Agalope** Walker,1854 (Zygaenidae) Synonym(s): *Chelura* Hope,1841 nec Phil.,1839; *Agalope* Walker,1854; *Achelura* Kirby,1892
- 8111. Aglaope** Latreille,1809 (Zygaenidae) Synonym(s): *Aglaope* Latreille,1809
- 8112. Allocaprima** M.Hering,1922 (Zygaenidae) Synonym(s): *Allocaprima* M.Hering,1922
- 8113. Allocyclosia** M.Hering,1925 (Zygaenidae) Synonym(s): *Allocyclosia* M.Hering,1925
- 8114. Alohogaster** Hampson,1892 (Zygaenidae) Synonym(s): *Alohogaster* Hampson,1892
- 8115. Amalthocera** Boisduval,1836 (Zygaenidae) Synonym(s): *Amalthocera* Boisduval,1836; *Amathocera* Agassiz,1846
- 8116. Amesia** Duncan,1841 (Zygaenidae) Synonym(s): *Amesia* Duncan,1841; *Erasmia* Dohrn,1906; *Amesina Alberti*,1954
- 8117. Anticrates** Meyrick,1905 (Zygaenidae) Synonym(s): *Anticrates* Meyrick,1905
- 8118. Aphantocephala** C.Felder,1861 (Zygaenidae) Synonym(s): *Aphantocephala* C.Felder,1861
- 8119. Arachotia** Moore,1879 (Zygaenidae) Synonym(s): *Arachotia* Moore,1879
- 8120. Araocera** Hampson,1892 (Zygaenidae) Synonym(s): *Araocera* Hampson,1892
- 8121. Arbudas** Moore,1879 (Zygaenidae) Synonym(s): *Arbudas* Moore,1879; *Kubia* Matsumura,1927
- 8122. Artona** Walker,1854 (Zygaenidae) Synonym(s): *Artona* Walker,1854; *Bintha* Walker,1864; *Aglaino* Staudinger,1887
- 8123. Astyloneura** Gaede,1914 (Zygaenidae) Synonym(s): *Astyloneura* Gaede,1914
- 8124. Atelesia** Jordan,1930 (Zygaenidae) Synonym(s): *Atelesia* Jordan,1930
- 8125. Balataea** Walker,1864 (Zygaenidae) Synonym(s): *Balataea* Walker,1864; *Amuria* Staudinger,1887
- 8126. Barbaroscia** M.Hering,1922 (Zygaenidae) Synonym(s): *Barbaroscia* M.Hering,1922
- 8127. Boradia** Moore,1879 (Zygaenidae) Synonym(s): *Boradia* Moore,1879
- 8128. Boradiopsis** M.Hering,1922 (Zygaenidae) Synonym(s): *Boradiopsis* M.Hering,1922
- 8129. Brachartona** Hampson,1891 (Zygaenidae) Synonym(s): *Brachartona* Hampson,1891
- 8130. Byblisia** Walker,1864 (Zygaenidae) Synonym(s): *Byblisia* Walker,1864
- 8131. Cadphises** Moore,1865 (Zygaenidae) Synonym(s): *Cadphises* Moore,1865
- 8132. Callartona** Hampson,1892 (Zygaenidae) Synonym(s): *Callartona* Hampson,1892
- 8133. Callizygaena** R.Felder & Rogenhofer,1875 (Zygaenidae) Synonym(s): *Callizygaena* R.Felder & Rogenhofer,1875
- 8134. Campylotes** Westwood,1839 (Zygaenidae) Synonym(s): *Campylotes* Westwood,1839; *Ephyrgis* Oberthür,1884
- 8135. Cerodendra** Tremewan,1973 (Zygaenidae) Synonym(s): *Dendrocera* Hampson,1892 nec Lam.,1817; *Cerodendra* Tremewan,1973
- 8136. Chalcophaedra** Jordan,1907 (Zygaenidae) Synonym(s): *Chalcophaedra* Jordan,1907
- 8137. Chalcosia** Hübner,[1819] (Zygaenidae) Synonym(s): *Chalcosia* Hübner,[1819]; *Charmona* Billberg,1820; *Chalconia* Lucas,1902; *Chaleosia* Bryk,1936
- 8138. Chalcosiopsis** Swinhoe,1894 (Zygaenidae) Synonym(s): *Chalcosiopsis* Swinhoe,1894; *Eumorphiopsis* Hering,1922
- 8139. Chrysartona** Swinhoe,1892 (Zygaenidae) Synonym(s): *Chrysartona* Swinhoe,1892
- 8140. Cicinnocnemis** Holland,1893 (Zygaenidae) Synonym(s): *Ninia* Walker,1856 nec Baird & Girard,1853 [Rept.]; *Cicinnocnemis* Holland,1893
- 8141. Clelea** Walker,1854 (Zygaenidae) Synonym(s): *Clelea* Walker,1854
- 8142. Cleoda** Tremewan,1973 (Zygaenidae) Synonym(s): *Doclea* Walker,1864 nec Leac.,1815; *Cleoda* Tremewan,1973
- 8143. Coptoproctis** Zeller,1852 (Zygaenidae) Synonym(s): *Coptoproctis* Zeller,1852
- 8144. Corma** Walker,1864 (Zygaenidae) Synonym(s): *Corma* Walker,1864
- 8145. Cryptophysophilus** M.Hering,1922 (Zygaenidae) Synonym(s): *Cryptophysophilus* M.Hering,1922
- 8146. Cyclosia** Hübner,[1820] (Zygaenidae) Synonym(s): *Cyclosia* Hübner,[1820]; *Esthema* Hübner,[1820]; *Heleona* Westwood,1837; *Pintia* Walker,1854; *Pinorus* Walker,1862; *Isbarta* Walker,1856; *Arycanda* Walker,1862; *Didina* Walker,1862; *Mimeuploea* Swinhoe,1877; *Klaboana* Moore,1879; *Amesia* Moore,1882; *Callamesia* Butler,1885.
- 8147. Dilophura** Hampson,1918 (Zygaenidae) Synonym(s): *Dilophura* Hampson,1918
- 8148. Docleomorpha** M.Hering,1922 (Zygaenidae) Synonym(s): *Docleomorpha* M.Hering,1922

- 8149.** *Docleopsis* Jordan,1907 (Zygaenidae) Synonym(s): *Docleopsis* Jordan,1907
- 8150.** *Elcysma* Butler,1881 (Zygaenidae) Synonym(s): *Elcysma* Butler,1881
- 8151.** *Ephemeroidea* Hampson,1892 (Zygaenidae) Synonym(s): *Ephemeroidea* Hampson,1892
- 8152.** *Epiorna* Alberti,1954 (Zygaenidae) Synonym(s): *Epiorna* Alberti,1954
- 8153.** *Epizygaena* Jordan,1907 (Zygaenidae) Synonym(s): *Epizygaena* Jordan,1907
- 8154.** *Erasmia* Hope,1841 (Zygaenidae) Synonym(s): *Erasmia* Hope,1841
- 8155.** *Erasmiphleboecta* Strand,1916 (Zygaenidae) Synonym(s): *Erasmiphleboecta* Strand,1916
- 8156.** *Eterusia* Hope,1841 (Zygaenidae) Synonym(s): *Eterusia* Hope,1841
- 8157.** *Eucorma* Jordan,1907 (Zygaenidae) Synonym(s): *Eucorma* Jordan,1907
- 8158.** *Eucormopsis* Jordan,1907 (Zygaenidae) Synonym(s): *Eucormopsis* Jordan,1907
- 8159.** *Eumorphiopais* M.Hering,1922 (Zygaenidae) Synonym(s): *Eumorphiopais* M.Hering,1922
- 8160.** *Eusphalera* Jordan,1907 (Zygaenidae) Synonym(s): *Eusphalera* Jordan,1907
- 8161.** *Euxanthopyge* M.Hering,1922 (Zygaenidae) Synonym(s): *Euxanthopyge* M.Hering,1922
- 8162.** *Formozygaena* Inoue,1987 (Zygaenidae) Synonym(s): *Formozygaena* Inoue,1987
- 8163.** *Goe* Hampson,[1893] (Zygaenidae) Synonym(s): *Goe* Hampson,[1893]; *Kublalia* Alberti,1954
- 8164.** *Gyneutocera* Guérin-Méneville,1830 (Zygaenidae) Synonym(s): *Gyneutocera* Guérin-Méneville,1830
- 8165.** *Hampsonia* Swinhoe,1894 (Zygaenidae) Synonym(s): *Hampsonia* Swinhoe,1894
- 8166.** *Harrisina* Packard,1864 (Zygaenidae) Synonym(s): *Harrisina* Packard,1864
- 8167.** *Hemiscia* Jordan,1907 (Zygaenidae) Synonym(s): *Hemiscia* Jordan,1907
- 8168.** *Herpa* Walker,1854 (Zygaenidae) Synonym(s): *Herpa* Walker,1854
- 8169.** *Herpidia* Bryk,1936 (Zygaenidae) Synonym(s): *Herpidia* Bryk,1936
- 8170.** *Heteropanula* Tarmann,1992 (Zygaenidae) Synonym(s): *Heteropanula* Tarmann,1992
- 8171.** *Heterusinula* Bryk,1937 (Zygaenidae) Synonym(s): *Heterusinula* Bryk,1937
- 8172.** *Histia* Hübner,[1820] (Zygaenidae) Synonym(s): *Histia* Hübner,[1820]
- 8173.** *Homophylotis* Turner,1904 (Zygaenidae) Synonym(s): *Homophylotis* Turner,1904
- 8174.** *Hysteroscene* M.Hering,1925 (Zygaenidae) Synonym(s): *Hysteroscene* M.Hering,1925
- 8175.** *Illiberis* (Hedina) Alberti,1954 (Zygaenidae) Synonym(s): *Hedina* Alberti,1954
- 8176.** *Illiberis* (Primilliberis) Alberti,1954 (Zygaenidae) Synonym(s): *Primilliberis* Alberti,1954
- 8177.** *Illiberis* (s.str.) Walker,1854 (Zygaenidae) Synonym(s): *Illiberis* Walker,1854; *Zama* Herrich-Schäffer,1855; *Thyrina* Poujade,1896; *Euphacusa* Matsumura,1927; *Euphascusa* Matsumura,1931; *Svenia* Alberti,1954 nec Brotzen,1937; *Alterasvenia* Alberti,1971
- 8178.** *Illiberis* Walker,1854 (Zygaenidae) Synonym(s): *Illiberis* Walker,1854; *Zama* Herrich-Schäffer,1855; *Thyrina* Poujade,1896; *Euphacusa* Matsumura,1927; *Euphascusa* Matsumura,1931; *Svenia* Alberti,1954 nec Brotzen,1937; *Alterasvenia* Alberti,1971
- 8179.** *Inouela* Efetov,1999 (Zygaenidae) Synonym(s): *Inouela* Efetov,1999
- 8180.** *Janseola* Hopp,1923 (Zygaenidae) Synonym(s): *Janseola* Hopp,1923
- 8181.** *Jordanita* (Gregorita) Povolny & Smelhaus,1951 (Zygaenidae) Synonym(s): *Gregorita* Povolny & Smelhaus,1951
- 8182.** *Jordanita* (Lucasiterna) Alberti,1961 (Zygaenidae) Synonym(s): *Lucasiterna* Alberti,1961
- 8183.** *Jordanita* (Praviela) Alberti,1954 (Zygaenidae) Synonym(s): *Praviela* Alberti,1954
- 8184.** *Jordanita* (Rjabovia) Efetov & Tarmann,1995 (Zygaenidae) Synonym(s): *Rjabovia* Efetov & Tarmann,1995
- 8185.** *Jordanita* (Roccia) Alberti,1954 (Zygaenidae) Synonym(s): *Roccia* Alberti,1954
- 8186.** *Jordanita* (Tremewania) Efetov & Tarmann,1999 (Zygaenidae) Synonym(s): *Tremewania* Efetov & Tarmann,1999
- 8187.** *Jordanita* (s.str.) Verity,1946 (Zygaenidae) Synonym(s): *Jordanita* Verity,1946
- 8188.** *Jordanita* Verity,1946 (Zygaenidae) Synonym(s): *Jordanita* Verity,1946
- 8189.** *Lamprochrysa* Hampson,1918 (Zygaenidae) Synonym(s): *Lamprochrysa* Hampson,1918
- 8190.** *Lophosoma* Swinhoe,1892 (Zygaenidae) Synonym(s): *Lophosoma* Swinhoe,1892
- 8191.** *Malamblia* Jordan,1907 (Zygaenidae) Synonym(s): *Malamblia* Jordan,1907; *Malarbela* Neave,1940
- 8192.** *Milleria* Herrich-Schäffer,1853 (Zygaenidae) Synonym(s): *Milleria* Herrich-Schäffer,1853
- 8193.** *Mimascaptysyle* M.Hering,1922 (Zygaenidae) Synonym(s): *Mimascaptysyle* M.Hering,1922
- 8194.** *Neochalcusia* Yen & Yang,1997 (Zygaenidae) Synonym(s): *Neochalcusia* Yen & Yang,1997
- 8195.** *Neoherpa* Tremewan,1973 (Zygaenidae) Synonym(s): *Neoherpa* Tremewan,1973
- 8196.** *Neopryeria* Matsumura,1927 (Zygaenidae) Synonym(s): *Neopryeria* Matsumura,1927
- 8197.** *Neurosymploca* Wallengren,1858 (Zygaenidae) Synonym(s): *Neurosymploca* Wallengren,1858; *Neosymploca* Barrett,1901; *Callosymploca* Vari,1986
- 8198.** *Opisoplatia* Jordan,1907 (Zygaenidae) Synonym(s): *Opisoplatia* Jordan,1907
- 8199.** *Orna* Kirby,1892 (Zygaenidae) Synonym(s): *Euctenia* R.Felder & Rogenhofer,1874 (*praeocc.*); *Orna* Kirby,1892
- 8200.** *Panherpina* Bryk,1937 (Zygaenidae) Synonym(s): *Panherpina* Bryk,1937
- 8201.** *Phacusa* Walker,1854 (Zygaenidae) Synonym(s): *Phacusa* Walker,1854; *Northia* Butler,1877; *Piarosoma* Jordan,1908
- 8202.** *Phauda* Walker,1854 (Zygaenidae) Synonym(s): *Phauda* Walker,1854; *Xenares* Herrich-Schäffer,1854; *Collestis* Wallengren,1861
- 8203.** *Philipator* Moore,[1866] (Zygaenidae) Synonym(s): *Philipator* Moore,[1866]
- 8204.** *Phebohecta* Hampson,1892 (Zygaenidae) Synonym(s): *Phebohecta* Hampson,1892
- 8205.** *Piarosoma* Hampson,1892 (Zygaenidae) Synonym(s): *Piarosoma* Hampson,1892
- 8206.** *Pidorus* Walker,1854 (Zygaenidae) Synonym(s): *Pidorus* Walker,1854
- 8207.** *Platyzygaena* Swinhoe,1892 (Zygaenidae) Synonym(s): *Platyzygaena* Swinhoe,1892
- 8208.** *Polianista* Strand,1915 (Zygaenidae) Synonym(s): *Polianista* Strand,1915
- 8209.** *Pollanisus* Walker,1854 (Zygaenidae) Synonym(s): *Pollanisus* Walker,1854
- 8210.** *Pompelon* Walker,1854 (Zygaenidae) Synonym(s): *Pompelon* Walker,1854
- 8211.** *Praezygaena* Alberti,1954 (Zygaenidae) Synonym(s): *Praezygaena* Alberti,1954; *Epizygaenella* Tremewan & Povolny,1968
- 8212.** *Procotes* Butler,1876 (Zygaenidae) Synonym(s): *Procotes* Butler,1876
- 8213.** *Prosopandrophila* M.Hering,1922 (Zygaenidae) Synonym(s): *Prosopandrophila* M.Hering,1922
- 8214.** *Pryeria* Moore,1877 (Zygaenidae) Synonym(s): *Pryeria* Moore,1877; *Sinica* Rebel,1915; *Neopryeria* Matsumura,1927; *Reissita* Tremewan,1959
- 8215.** *Psaphis* Walker,1854 (Zygaenidae) Synonym(s): *Psaphis* Walker,1854; *Canerces* Hampson,1892
- 8216.** *Pseudarbudas* Tarmann,1992 (Zygaenidae) Synonym(s): *Pseudarbudas* Tarmann,1992
- 8217.** *Pseudocaptysyle* M.Hering,1922 (Zygaenidae) Synonym(s): *Pseudocaptysyle* M.Hering,1922
- 8218.** *Pseudonycetmera* Snellen,[1902] (Zygaenidae) Synonym(s): *Pseudonycetmera* Snellen,[1902]
- 8219.** *Pseudopidorus* Yen & Yang,1997 (Zygaenidae) Synonym(s): *Pseudopidorus* Yen & Yang,1997
- 8220.** *Pyromorpha* Herrich-Schäffer,[1856] (Zygaenidae) Synonym(s): *Pyromorpha* Herrich-Schäffer,[1856]
- 8221.** *Retina* Walker,1854 (Zygaenidae) Synonym(s): *Retina* Walker,1854
- 8222.** *Rhagades* (Naufockia) Alberti,1954 (Zygaenidae) Synonym(s): *Naufockia* Alberti,1954

- 8223. Rhagades (Wiegelia) Efetov & Tarmann, 1995** (Zygaenidae)
Synonym(s): *Wiegelia Efetov & Tarmann, 1995*
- 8224. Rhagades (s.str.) Wallengren, 1863** (Zygaenidae)
Synonym(s): *Rhagades Wallengren, 1863*
- 8225. Rhagades Wallengren, 1863** (Zygaenidae) Synonym(s):
Rhagades Wallengren, 1863
- 8226. Rhodopsona Jordan, [1907]** (Zygaenidae) Synonym(s):
Rhodopsona Jordan, [1907]
- 8227. Saliunca Walker, 1864** (Zygaenidae) Synonym(s): *Saliunca Walker, 1864*
- 8228. Saliunca Walker, [1865]** (Zygaenidae) Synonym(s):
Saliunca Walker, [1865]
- 8229. Saliuncella Jordan, 1907** (Zygaenidae) Synonym(s):
Saliuncella Jordan, 1907
- 8230. Scotopais M. Hering, 1922** (Zygaenidae) Synonym(s):
Scotopais M. Hering, 1922; Phlebohecta Mell, 1922
- 8231. Soritia Walker, 1854** (Zygaenidae) Synonym(s): *Soritia Walker, 1854; Devanica Moore, 1884*
- 8232. Tascia Walker, 1856** (Zygaenidae) Synonym(s): *Tascia Walker, 1856; Parasyntomis Distant, 1897; #Tassia Druce, 1910*
- 8233. Tasema Walker, 1856** (Zygaenidae) Synonym(s): *Tasema Walker, 1856*
- 8234. Tasema Walker, 1856** (Zygaenidae) Synonym(s): *Tasema Walker, 1856*
- 8235. Theresimima Strand, 1917** (Zygaenidae) Synonym(s):
Theresimima Strand, 1917
- 8236. Thibetana Efetov & Tarmann, 1995** (Zygaenidae)
Synonym(s): *Thibetana Efetov & Tarmann, 1995*
- 8237. Thyraasia Butler, 1876** (Zygaenidae) Synonym(s):
Thyraasia Butler, 1876; Monoschalis Hampson, 1892
- 8238. Toosa Walker, 1856** (Zygaenidae) Synonym(s): *Toosa Walker, 1856*
- 8239. Trypanophora Kollar, [1844]** (Zygaenidae) Synonym(s):
Trypanophora Kollar, [1844]; Tryphanonophora Snellen, [1902]
- 8240. Watermenia Owada & Horie, 2002** (Zygaenidae)
Synonym(s): *Watermenia Owada & Horie, 2002*
- 8241. Zeuxippa Herrich-Schäffer, [1856]** (Zygaenidae)
Synonym(s): *Zeuxippa Herrich-Schäffer, [1856]*
- 8242. Zutulba Kirby, 1892** (Zygaenidae) Synonym(s): *Anteris Wallengren, 1865 (praeocc.); Zutulba Kirby, 1892*
- 8243. Zygaena (Agrumenia) Hübner, [1819]** (Zygaenidae)
Synonym(s): *Agrumenia Hübner, [1819]; Epizygaena Jordan, 1907; Agrumenoidea Holik, 1937; Coelestina Holik, 1953*
- 8244. Zygaena (Mesembrynus) Hübner, [1819]** (Zygaenidae)
Synonym(s): *Mesembrynus Hübner, [1819]; Heschia Hübner, [1819]; Hyala Burgeff, 1926 nec Adams, 1852; Santolinophaga Burgeff, 1926; Peucedanophila Burgeff, 1926; Coelestis Burgeff, 1926; Yasumatsuia Strand, 1936; #Cirsiphaga Holik, 1953; Libania Holik & Sheljuzhko, 1956; Usgenta Holik & Sheljuzhko, 1956; Mesembrynoidea Holik & Sheljuzhko, 1956; Cirsiphaga Tremewan, 1961*
- 8245. Zygaena (s.str.) Fabricius, 1775** (Zygaenidae) Synonym(s):
Zygaena Fabricius, 1775; Anthrocera Scopoli, 1777; Euthychia Hübner, [1819]; Anthilaria Hübner, [1819]; Aeacis Hübner, [1819]; Thermophila Hübner, [1819]; Lycastes Hübner, [1819]; Silvicola Burgeff, 1926; Lictoria Burgeff, 1926; Peristygia Burgeff, 1926; Polymorpha Burgeff, 1926 nec Soldani, 1791; Biezankoia Strand, 1936; Huebneriana Holik & Sheljuzhko, 1957; Burgeffia Holik & Sheljuzhko, 1957; Rhaphidozygaena Burgeff, 1975
- 8246. Zygaena Fabricius, 1775** (Zygaenidae) Synonym(s):
Zygaena Fabricius, 1775; Anthrocera Scopoli, 1777; Euthychia Hübner, [1819]; Anthilaria Hübner, [1819]; Aeacis Hübner, [1819]; Thermophila Hübner, [1819]; Lycastes Hübner, [1819]; Silvicola Burgeff, 1926; Lictoria Burgeff, 1926; Peristygia Burgeff, 1926; Polymorpha Burgeff, 1926 nec Soldani, 1791; Biezankoia Strand, 1936; Huebneriana Holik & Sheljuzhko, 1957; Burgeffia Holik & Sheljuzhko, 1957; Rhaphidozygaena Burgeff, 1975
- 8247. Zygaenoprocris (Efetovia) Mollet, 2001** (Zygaenidae)
Synonym(s): *Efetovia Mollet, 2001*
- 8248. Zygaenoprocris (Keilia) Efetov, 2001** (Zygaenidae)
Synonym(s): *Keilia Efetov, 2001*
- 8249. Zygaenoprocris (Molletia) Efetov, 2001** (Zygaenidae)
Synonym(s): *Molletia Efetov, 2001*
- 8250. Zygaenoprocris (s.str.) Hampson, 1900** (Zygaenidae)
Synonym(s): *Zygaenoprocris Hampson, 1900*
- 8251. Zygaenoprocris Hampson, 1900** (Zygaenidae) Synonym(s):
Zygaenoprocris Hampson, 1900

Chapter 3

"Kötülemeyin dostlarım
Allah'ın bir kuluyum ben,
Kişi bilmez değerimi
Vatanın bir cevheriyim ben"

Molla Bilal bin Molla Yusuf "Nazım",
Uighurian Poet and Philosopher in
19.Century

Valid Species Group Names (Species and subspecies) recorded in the Databank of the CESA

by
Ahmet Ömer Koçak Selma Seven Muhabbet Kemal

Abstract: Chapter 3: Valid Species Group Names (Species and Subspecies) recorded in the Databank of the CESA [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 143-1116, Pls 1-16. The partial results of the project "The Diversity of the Lepidoptera in the World (DLW)" are given in this Chapter as synonymous list of the valid species-group names. Totally 82189 taxa [stand 1 May 2007] are listed alphabetically under the related families. Synonymous names are given in chronological order.

List of the Species Group Names based upon the Databank of the Cesa¹⁶

- 1) *Acraea* (Abananote) *abana* (Hewitson,1868) (Acraeidae) Synonym(s): *abana* Hewitson,1868
- 2) *Acraea* (Abananote) *erinome* (C.Felder & R.Felder,1861) (Acraeidae) Synonym(s): *erinome* C.Felder & R.Felder,1861
- 3) *Acraea* (Abananote) *erinome mathani* Oberthür,1917 (Acraeidae) Synonym(s): *mathani* Oberthür,1917; *carmentis* Potts,1944
- 4) *Acraea* (Abananote) *euryleuca* Jordan,1910 (Acraeidae) Synonym(s): *euryleuca* Jordan,1910
- 5) *Acraea* (Abananote) *intensa* (Jordan,1910) (Acraeidae) Synonym(s): *intensa* Jordan,1910
- 6) *Acraea* (Abananote) *intensa gerardolamas* Kemal & Koçak,2007 (Acraeidae) Synonym(s): *radiata* Hewitson,1868 nec Gn.,1865; *gerardolamas* Kemal & Koçak,2007
- 7) *Acraea* (Abananote) *intensa intensa* (Jordan,1910) (Acraeidae) Synonym(s): *intensa* Jordan,1910
- 8) *Acraea* (Abananote) *intensa ssp.n.* (Acraeidae) Synonym(s):
- 9) *Acraea* (Actinote) *acerata* Hewitson,1874 (Acraeidae) Synonym(s): *acerata* Hewitson,1874; *vinidia* Hewitson,1874; *tenella* Rogenhofer,1891; *abbotti* Holland,1892; *brahmisi* Suffert,1904; *pullula* Grünberg,1911; *hoursti* Le Cerf,1927.
- 10) *Acraea* (Actinote) *actinotina* (Lathy,1903) (Acraeidae) Synonym(s): *actinotina* Lathy,1903
- 11) *Acraea* (Actinote) *acuta* Howarth,1969 (Acraeidae) Synonym(s): *acuta* Howarth,1969
- 12) *Acraea* (Actinote) *acuta acuta* Howarth,1969 (Acraeidae) Synonym(s): *acuta* Howarth,1969
- 13) *Acraea* (Actinote) *acuta ngorongoro* Kielland,1990 (Acraeidae) Synonym(s): *ngorongoro* Kielland,1990
- 14) *Acraea* (Actinote) *acuta nigromaculata* Kielland,1990 (Acraeidae) Synonym(s): *nigromaculata* Kielland,1990
- 15) *Acraea* (Actinote) *acuta rubrobasalis* Kielland,1990 (Acraeidae) Synonym(s): *rubrobasalis* Kielland,1990
- 16) *Acraea* (Actinote) *alciope* Hewitson,1852 (Acraeidae) Synonym(s): *alciope* Hewitson,1852; *macarina* Butler,1868; *cydonia* Ward,1873
- 17) *Acraea* (Actinote) *alciopoides* Joicey & Talbot,1921 (Acraeidae) Synonym(s): *alciopoides* Joicey & Talbot,1921
- 18) *Acraea* (Actinote) *alicia* (Sharpe,1890) (Acraeidae) Synonym(s): *alicia* Sharpe,1890; *cappadox* Oberthür,1893
- 19) *Acraea* (Actinote) *alicia alicia* (Sharpe,1890) (Acraeidae) Synonym(s): *alicia* Sharpe,1890; *cappadox* Oberthür,1893
- 20) *Acraea* (Actinote) *alicia mbulu* Kielland,1990 (Acraeidae) Synonym(s): *mbulu* Kielland,1990
- 21) *Acraea* (Actinote) *alicia uzungwae* Kielland,1990 (Acraeidae) Synonym(s): *uzungwae* Kielland,1990
- 22) *Acraea* (Actinote) *althoffi* Dewitz,1889 (Acraeidae) Synonym(s): *althoffi* Dewitz,1889
- 23) *Acraea* (Actinote) *althoffi althoffi* Dewitz,1889 (Acraeidae) Synonym(s): *althoffi* Dewitz,1889
- 24) *Acraea* (Actinote) *althoffi bitjana* Bethune-Baker,1926 (Acraeidae) Synonym(s): *bitjana* Bethune-Baker,1926
- 25) *Acraea* (Actinote) *althoffi neavei* Poulton,1924 (Acraeidae) Synonym(s): *neavei* Poulton,1924
- 26) *Acraea* (Actinote) *althoffi pseudopaea* Dudgeon,1909 (Acraeidae) Synonym(s): *pseudopaea* Dudgeon,1909
- 27) *Acraea* (Actinote) *althoffi rubrofasciata* Aurivillius,1895 (Acraeidae) Synonym(s): *rubrofasciata* Aurivillius,1895
- 28) *Acraea* (Actinote) *amicitiae* Heron,1909 (Acraeidae) Synonym(s): *amicitiae* Heron,1909; *polychroma* Rebel,1911
- 29) *Acraea* (Actinote) *anacreon* Trimen,1868 (Acraeidae) Synonym(s): *anacreon* Trimen,1868
- 30) *Acraea* (Actinote) *anacreon anacreon* Trimen,1868 (Acraeidae) Synonym(s): *anacreon* Trimen,1868
- 31) *Acraea* (Actinote) *anacreon anacreontica* Grose-Smith,1898 (Acraeidae) Synonym(s): *anacreontica* Grose-Smith,1898
- 32) *Acraea* (Actinote) *anacreon bomba* Grose-Smith,1889 (Acraeidae) Synonym(s): *bomba* Grose-Smith,1889
- 33) *Acraea* (Actinote) *anacreon chyulu* Van Someren,1939 (Acraeidae) Synonym(s): *chyulu* Van Someren,1939
- 34) *Acraea* (Actinote) *anacreon lusinga* Overlaet,1955 (Acraeidae) Synonym(s): *lusinga* Overlaet,1955
- 35) *Acraea* (Actinote) *anacreon speciosa* Wichgraf,1909 (Acraeidae) Synonym(s): *speciosa* Wichgraf,1909
- 36) *Acraea* (Actinote) *ansorgei* Grose-Smith,1898 (Acraeidae) Synonym(s): *ansorgei* Grose-Smith,1898; *conjuncta* Grose-Smith,1898; *nandensis* Sharp,1899.
- 37) *Acraea* (Actinote) *aubyni* Eltringham,1912 (Acraeidae) Synonym(s): *aubyni* Eltringham,1912
- 38) *Acraea* (Actinote) *aurivillii* Staudinger,1896 (Acraeidae) Synonym(s): *aurivillii* Staudinger,1896; *alicia* Grose-Smith,1900 nec Shrp.,1890; *smithi* Aurivillius,1922 nec Mab.,1879; *bombensis* Stoneham,1937; *ochrestensa* Stoneham,1937; #flavifasciata Stoneham,1937.
- 39) *Acraea* (Actinote) *aurivillii aurivillii* Staudinger,1896 (Acraeidae) Synonym(s): *aurivillii* Staudinger,1896; *alicia* Grose-Smith,1900 nec Shrp.,1890; *smithi* Aurivillius,1922 nec Mab.,1879; *bombensis* Stoneham,1937; *ochrestensa* Stoneham,1937; #flavifasciata Stoneham,1937.
- 40) *Acraea* (Actinote) *aurivillii schecana* Rothschild & Jordan,1905 (Acraeidae) Synonym(s): *schecana* Rothschild & Jordan,1905
- 41) *Acraea* (Actinote) *baxteri* Sharpe,1902 (Acraeidae) Synonym(s): *baxteri* Sharpe,1902; *fuellleborni* Thurnau,1903
- 42) *Acraea* (Actinote) *baxteri baxteri* Sharpe,1902 (Acraeidae) Synonym(s): *baxteri* Sharpe,1902; *fuellleborni* Thurnau,1903
- 43) *Acraea* (Actinote) *baxteri oldeani* Kielland,1990 (Acraeidae) Synonym(s): *oldeani* Kielland,1990
- 44) *Acraea* (Actinote) *baxteri philos* Le Cerf,1933 (Acraeidae) Synonym(s): *philos* Le Cerf,1933; #lutea Carpenter & Jackson,1950
- 45) *Acraea* (Actinote) *baxteri subsquamia* Thurnau,1903 (Acraeidae) Synonym(s): *subsquamia* Thurnau,1903
- 46) *Acraea* (Actinote) *bergeri* Gaede,1915 (Acraeidae) Synonym(s): *bergeri* Gaede,1915
- 47) *Acraea* (Actinote) *bonasia* (Fabricius,1775) (Acraeidae) Synonym(s): *bonasia* Fabricius,1775; *cynthius* Drury,1782; *praeponina* Staudinger,1896; *siabona* Suffert,1904.
- 48) *Acraea* (Actinote) *bonasia banka* Eltringham,1912 (Acraeidae) Synonym(s): *banka* Eltringham,1912
- 49) *Acraea* (Actinote) *bonasia bonasia* (Fabricius,1775) (Acraeidae) Synonym(s): *bonasia* Fabricius,1775; *cynthius* Drury,1782; *praeponina* Staudinger,1896; *siabona* Suffert,1904.
- 50) *Acraea* (Actinote) *burgessi* Jackson,1956 (Acraeidae) Synonym(s): *burgessi* Jackson,1956
- 51) *Acraea* (Actinote) *buschbecki* Dewitz,1889 (Acraeidae) Synonym(s): *buschbecki* Dewitz,1889
- 52) *Acraea* (Actinote) *cabira* Hopffer,1855 (Acraeidae) Synonym(s): *cabira* Hopffer,1855; *apecida* Oberthür,1893; *flavomaculata* Lanz,1896; *natalensis* Staudinger,1896; *biraca* Suffert,1904; *abrupta* Grünberg,1910; *swinburnei* Stevenson,1940.
- 53) *Acraea* (Actinote) *cinerea* Neave,1904 (Acraeidae) Synonym(s): *cinerea* Neave,1904; *alberta* Eltringham,1911
- 54) *Acraea* (Actinote) *cinerea cinerea* Neave,1904 (Acraeidae) Synonym(s): *cinerea* Neave,1904; *alberta* Eltringham,1911
- 55) *Acraea* (Actinote) *cinerea luluae* Berger,1981 (Acraeidae) Synonym(s): *luluae* Berger,1981
- 56) *Acraea* (Actinote) *circeis* (Drury,1782) (Acraeidae) Synonym(s): *circeis* Drury,1782; *mandane* Fabricius,1793; *leona* Staudinger,1896; *leonina* Bethune-Baker,1903.
- 57) *Acraea* (Actinote) *conradti* Oberthür,1893 (Acraeidae) Synonym(s): *conradti* Oberthür,1893
- 58) *Acraea* (Actinote) *conradti conradti* Oberthür,1893 (Acraeidae) Synonym(s): *conradti* Oberthür,1893
- 59) *Acraea* (Actinote) *conradti vumbui* Stevenson,1934 (Acraeidae) Synonym(s): *vumbui* Stevenson,1934
- 60) *Acraea* (Actinote) *disjuncta* Grose-Smith,1898 (Acraeidae) Synonym(s): *disjuncta* Grose-Smith,1898
- 61) *Acraea* (Actinote) *disjuncta disjuncta* Grose-Smith,1898 (Acraeidae) Synonym(s): *disjuncta* Grose-Smith,1898
- 62) *Acraea* (Actinote) *disjuncta kigeziensis* Jackson,1956 (Acraeidae) Synonym(s): *kigeziensis* Jackson,1956
- 63) *Acraea* (Actinote) *encedana* Pierre,1976 (Acraeidae) Synonym(s): *encedana* Pierre,1976
- 64) *Acraea* (Actinote) *encedon* (Linnaeus,1758) (Acraeidae) Synonym(s): *encedon* Linnaeus,1758; *lycia* Fabricius,1775; *sganzini* Boisduval,1833; *fulva* Doubleday,1848; *daira* Godman & Salvin,1884; *braunei* Staudinger,1885; *usagarae* Vuillot,1891; *nigeriae* Schulze,1923.
- 65) *Acraea* (Actinote) *encedon encedon* (Linnaeus,1758) (Acraeidae) Synonym(s): *encedon* Linnaeus,1758; *lycia* Fabricius,1775; *sganzini* Boisduval,1833; *fulva* Doubleday,1848; *daira* Godman & Salvin,1884; *braunei* Staudinger,1885; *usagarae* Vuillot,1891; *nigeriae* Schulze,1923.
- 66) *Acraea* (Actinote) *encedon rathjensi* Le Doux,1933 (Acraeidae) Synonym(s): *rathjensi* Le Doux,1933
- 67) *Acraea* (Actinote) *encoda* Pierre,1981 (Acraeidae) Synonym(s): *encoda* Pierre,1981
- 68) *Acraea* (Actinote) *eponina* (Cramer,1780) (Acraeidae) Synonym(s): *eponina* Cramer,1780; *janisca* Godart,1819; *manjaca* Boisduval,1833; *rougetii* Guérin-Méneville,1849; *buxtoni* Butler,1875; *perrupta* Butler,1875; *subserena* Grose-Smith,1900; *intermediana* Strand,1911; *eliana* Strand,1912; *jordani* Le Doux,1928.

¹⁶ For explanations in the generic combinations, see page 24, the explanations the generic checklist

- 69) *Acraea* (Actinote) *eponina eponina* (Cramer,[1780]) (Acraeidae) Synonym(s): *eponina* Cramer,[1780]; *janisca* Godart,[1819]; *manjaca* Boisdual,1833; *rougetii* Guérin-Mèneville,1849; *buxtoni* Butler,1875; *perrupta* Butler,1875; *subserena* Grose-Smith,1900; *intermediana* Strand,1911; *eliana* Strand,1912; *jordani* Le Doux,1928.
- 70) *Acraea* (Actinote) *esebria* Hewitson,1861 (Acraeidae) Synonym(s): *esebria* Hewitson,1861; *protea* Trimen,1862; *metaprotea* Butler,1874; *monteironis* Butler,1874; *arcifascia* Butler,1874; *pseudoprotea* Butler,1874; *amphiprotea* Butler,1874; *jacksoni* Sharpe,1890; *ertli* Aurivillius,1904; *actinotis* Neustetter,1916.
- 71) *Acraea* (Actinote) *esebria* *esebria* Hewitson,1861 (Acraeidae) Synonym(s): *esebria* Hewitson,1861; *protea* Trimen,1862; *metaprotea* Butler,1874; *monteironis* Butler,1874; *arcifascia* Butler,1874; *pseudoprotea* Butler,1874; *amphiprotea* Butler,1874; *jacksoni* Sharpe,1890; *ertli* Aurivillius,1904; *actinotis* Neustetter,1916.
- 72) *Acraea* (Actinote) *esebria* *masaris* Oberthür,1893 (Acraeidae) Synonym(s): *masaris* Oberthür,1893
- 73) *Acraea* (Actinote) *excelsior* Sharpe,1891 (Acraeidae) Synonym(s): *excelsior* Sharpe,1891
- 74) *Acraea* (Actinote) *excelsior* *excelsior* Sharpe,1891 (Acraeidae) Synonym(s): *excelsior* Sharpe,1891
- 75) *Acraea* (Actinote) *excelsior* *usambarae* Jackson,1951 (Acraeidae) Synonym(s): *usambarae* Jackson,1951
- 76) *Acraea* (Actinote) *fornax* Butler,1879 (Acraeidae) Synonym(s): *fornax* Butler,1879; *smithi* Mabille,1890; *blachieri* Oberthür,1916.
- 77) *Acraea* (Actinote) *goetzei* Thurnau,1903 (Acraeidae) Synonym(s): *goetzei* Thurnau,1903; *hyatti* Neave,1904.
- 78) *Acraea* (Actinote) *grosvenori* Eltringham,1912 (Acraeidae) Synonym(s): *grosvenori* Eltringham,1912
- 79) *Acraea* (Actinote) *guichardi* Gabriel,1949 (Acraeidae) Synonym(s): *guichardi* Gabriel,1949
- 80) *Acraea* (Actinote) *hecqui* Berger,1981 (Acraeidae) Synonym(s): *hecqui* Berger,1981
- 81) *Acraea* (Actinote) *humilis* Sharpe,1897 (Acraeidae) Synonym(s): *humilis* Sharpe,1897
- 82) *Acraea* (Actinote) *igola* Trimen,1889 (Acraeidae) Synonym(s): *igola* Trimen,1889; *maculiventris* Grose-Smith & Kirby,1894.
- 83) *Acraea* (Actinote) *induna* (Trimen,1895) (Acraeidae) Synonym(s): *induna* Trimen,1895
- 84) *Acraea* (Actinote) *induna* *induna* (Trimen,1895) (Acraeidae) Synonym(s): *induna* Trimen,1895
- 85) *Acraea* (Actinote) *insularis* Sharpe,1893 (Acraeidae) Synonym(s): *insularis* Sharpe,1893
- 86) *Acraea* (Actinote) *iturina* Grose-Smith,1890 (Acraeidae) Synonym(s): *iturina* Grose-Smith,1890; *iturinoides* Stoneham,1936.
- 87) *Acraea* (Actinote) *iturina* *iturina* Grose-Smith,1890 (Acraeidae) Synonym(s): *iturina* Grose-Smith,1890; *iturinoides* Stoneham,1936.
- 88) *Acraea* (Actinote) *iturina* *kakana* Eltringham,1911 (Acraeidae) Synonym(s): *kakana* Eltringham,1911; *#infernalis* Ungemach,1932.
- 89) *Acraea* (Actinote) *jodutta* (Fabricius,1793) (Acraeidae) Synonym(s): *jodutta* Fabricius,1793; *carmentis* Doubleday,1847; *flava* Dewitz,1879; *dorotheae* Sharpe,1902.
- 90) *Acraea* (Actinote) *jodutta* *aethiops* Rothschild & Jordan,1905 (Acraeidae) Synonym(s): *aethiops* Rothschild & Jordan,1905; *#clara* Ungemach,1932.
- 91) *Acraea* (Actinote) *jodutta* *jodutta* (Fabricius,1793) (Acraeidae) Synonym(s): *jodutta* Fabricius,1793; *carmentis* Doubleday,1847; *flava* Dewitz,1879; *dorotheae* Sharpe,1902.
- 92) *Acraea* (Actinote) *johnstoni* Godman,1885 (Acraeidae) Synonym(s): *johnstoni* Godman,1885
- 93) *Acraea* (Actinote) *johnstoni* *johnstoni* Godman,1885 (Acraeidae) Synonym(s): *johnstoni* Godman,1885
- 94) *Acraea* (Actinote) *johnstoni* *praelongata* Hancock & Heath,1988 (Acraeidae) Synonym(s): *praelongata* Hancock & Heath,1988
- 95) *Acraea* (Actinote) *johnstoni* *toruna* Grose-Smith,1900 (Acraeidae) Synonym(s): *toruna* Grose-Smith,1900; *butleri* Eltringham,1912
- 96) *Acraea* (Actinote) *kalinzu* Carpenter,1936 (Acraeidae) Synonym(s): *kalinzu* Carpenter,1936; *albipicta* Carpenter,1936
- 97) *Acraea* (Actinote) *kuekenhali* Le Doux,1922 (Acraeidae) Synonym(s): *kuekenhali* Le Doux,1922; *salmonea* Le Doux,1922 *nec* Jord.,1910
- 98) *Acraea* (Actinote) *lia* Mabille,1879 (Acraeidae) Synonym(s): *lia* Mabille,1879
- 99) *Acraea* (Actinote) *lumiri* Bethune-Baker,1908 (Acraeidae) Synonym(s): *lumiri* Bethune-Baker,1908; *camerunica* Strand,1914 *nec* Auriv.,1893
- 100) *Acraea* (Actinote) *lycoa* Godart,[1819] (Acraeidae) Synonym(s): *lycoa* Godart,[1819]
- 101) *Acraea* (Actinote) *lycoa* *aequalis* Rothschild & Jordan,1905 (Acraeidae) Synonym(s): *aequalis* Rothschild & Jordan,1905
- 102) *Acraea* (Actinote) *lycoa* *entebbia* Eltringham,1911 (Acraeidae) Synonym(s): *entebbia* Eltringham,1911
- 103) *Acraea* (Actinote) *lycoa* *fallax* (Rogenhofer,1891) (Acraeidae) Synonym(s): *fallax* Rogenhofer,1891; *kilimandjara* Oberthür,1893
- 104) *Acraea* (Actinote) *lycoa* *kenia* Eltringham,1911 (Acraeidae) Synonym(s): *kenia* Eltringham,1911
- 105) *Acraea* (Actinote) *lycoa* *kindua* Ackery,1995 (Acraeidae) Synonym(s): *#eltringhami* Schouteden,1919; *kindua* Ackery,1995
- 106) *Acraea* (Actinote) *lycoa* *lycoa* Godart,[1819] (Acraeidae) Synonym(s): *lycoa* Godart,[1819]
- 107) *Acraea* (Actinote) *lycoa* *media* Eltringham,1911 (Acraeidae) Synonym(s): *media* Eltringham,1911; *mediafra* Stoneham,1936
- 108) *Acraea* (Actinote) *lycoa* *stonehami* D'Abrera,1980 (Acraeidae) Synonym(s): *bukoba* Eltringham,1911 *nec* Weym.,1903; *stonehami* D'Abrera,1980
- 109) *Acraea* (Actinote) *lycoa* *tirika* Eltringham,1911 (Acraeidae) Synonym(s): *tirika* Eltringham,1911
- 110) *Acraea* (Actinote) *masamba* Ward,1872 (Acraeidae) Synonym(s): *masamba* Ward,1872; *rupeelli* Saalmüller,1878; *boseae* Saalmüller,1880; *silia* Mabille,[1887]; *siliana* Oberthür,1916; *vulgaris* Oberthür,1916; *debilis* Oberthür,1916; *#torquata* Le Cerf,1927
- 111) *Acraea* (Actinote) *melanoxantha* Sharpe,1891 (Acraeidae) Synonym(s): *melanoxantha* Sharpe,1891
- 112) *Acraea* (Actinote) *mirifica* Lathy,1906 (Acraeidae) Synonym(s): *mirifica* Lathy,1906
- 113) *Acraea* (Actinote) *necoda* Hewitson,1861 (Acraeidae) Synonym(s): *necoda* Hewitson,1861
- 114) *Acraea* (Actinote) *newtoni* Sharpe,1893 (Acraeidae) Synonym(s): *newtoni* Sharpe,1893
- 115) *Acraea* (Actinote) *ntebiae* Sharpe,1897 (Acraeidae) Synonym(s): *ntebiae* Sharpe,1897; *melanosticha* Sharpe,1904; *mairessei* Aurivillius,1904
- 116) *Acraea* (Actinote) *ntebiae* *alticola* Schultze,1923 (Acraeidae) Synonym(s): *alticola* Schultze,1923; *nyongana* D'Abrera,1980
- 117) *Acraea* (Actinote) *ntebiae* *dewitzi* Carcasson,1981 (Acraeidae) Synonym(s): *#dewitzi* Aurivillius,1904; *dewitzi* Carcasson,1981
- 118) *Acraea* (Actinote) *ntebiae* *kgoma* Kiehl,1978 (Acraeidae) Synonym(s): *kgoma* Kiehl,1978
- 119) *Acraea* (Actinote) *ntebiae* *ntebiae* Sharpe,1897 (Acraeidae) Synonym(s): *ntebiae* Sharpe,1897; *melanosticha* Sharpe,1904; *mairessei* Aurivillius,1904
- 120) *Acraea* (Actinote) *obeira* Hewitson,1863 (Acraeidae) Synonym(s): *obeira* Hewitson,1863; *piva* Guenée,1865; *andromba* Grose-Smith,1891.
- 121) *Acraea* (Actinote) *obeira* *burni* Butler,1896 (Acraeidae) Synonym(s): *burni* Butler,1896
- 122) *Acraea* (Actinote) *obeira* *meyerana* Ackery,1995 (Acraeidae) Synonym(s): *meyerana* Van Son,1963 *nec* Kirsh.,1877; *meyerana* Ackery,1995
- 123) *Acraea* (Actinote) *obeira* *obeira* Hewitson,1863 (Acraeidae) Synonym(s): *obeira* Hewitson,1863; *piva* Guenée,1865; *andromba* Grose-Smith,1891.
- 124) *Acraea* (Actinote) *oberthueri* Butler,1895 (Acraeidae) Synonym(s): *oberthueri* Butler,1895; *confluens* Suffert,1904; *laetopicta* Rebel,1914; *confluens* Schouteden,1919
- 125) *Acraea* (Actinote) *oreas* Sharpe,1891 (Acraeidae) Synonym(s): *oreas* Sharpe,1891
- 126) *Acraea* (Actinote) *oreas* *angolanus* Lathy,1906 (Acraeidae) Synonym(s): *angolanus* Lathy,1906; *#radians* Aurivillius,1913
- 127) *Acraea* (Actinote) *oreas* *oreas* Sharpe,1891 (Acraeidae) Synonym(s): *oreas* Sharpe,1891; *#albimaculata* Neave,1904
- 128) *Acraea* (Actinote) *orestia* Hewitson,1874 (Acraeidae) Synonym(s): *orestia* Hewitson,1874; *orestina* Plötz,1880; *acutipennis* Schultze,1923 *nec* Lath.,1906
- 129) *Acraea* (Actinote) *orestia* *orestia* Hewitson,1874 (Acraeidae) Synonym(s): *orestia* Hewitson,1874; *orestina* Plötz,1880; *acutipennis* Schultze,1923 *nec* Lath.,1906
- 130) *Acraea* (Actinote) *orestia* *sambar* Stoneham,1943 (Acraeidae) Synonym(s): *sambar* Stoneham,1943
- 131) *Acraea* (Actinote) *orina* Hewitson,1874 (Acraeidae) Synonym(s): *orina* Hewitson,1874; *oreta* Hewitson,1874; *niagroapicalis* Aurivillius,1893
- 132) *Acraea* (Actinote) *orinata* Oberthür,1893 (Acraeidae) Synonym(s): *orinata* Oberthür,1893; *orineta* Eltringham,1912
- 133) *Acraea* (Actinote) *parrhasia* (Fabricius,1793) (Acraeidae) Synonym(s): *parrhasia* Fabricius,1793; *oppidia* Hewitson,1874; *parrhoppidia* Staudinger,1896; *#pseudoppidia* Stirn,1914
- 134) *Acraea* (Actinote) *pellenea* (Hübner,[1821]) (Acraeidae) Synonym(s): *pellenea* Hübner,[1821]
- 135) *Acraea* (Actinote) *pellenea* *adriana* Hopffer,1874 (Acraeidae) Synonym(s): *adriana* Hopffer,1874; *grammica* Jordan,1913
- 136) *Acraea* (Actinote) *pellenea* *equatoria* Bates,1864 (Acraeidae) Synonym(s): *equatoria* Bates,1864
- 137) *Acraea* (Actinote) *pellenea* *pellenea* (Hübner,[1821]) (Acraeidae) Synonym(s): *pellenea* Hübner,[1821]
- 138) *Acraea* (Actinote) *pellenea* *subhyalina* Staudinger,1885 (Acraeidae) Synonym(s): *subhyalina* Staudinger,1885
- 139) *Acraea* (Actinote) *peloepia* Staudinger,1896 (Acraeidae) Synonym(s): *peloepia* Staudinger,1896; *tropicalis* Blachier,1912; *lineata* Aurivillius,1925
- 140) *Acraea* (Actinote) *peneleos* Ward,1871 (Acraeidae) Synonym(s): *peneleos* Ward,1871
- 141) *Acraea* (Actinote) *peneleos* *gelonica* Rothschild & Jordan,1905 (Acraeidae) Synonym(s): *gelonica* Rothschild & Jordan,1905
- 142) *Acraea* (Actinote) *peneleos* *pelasgius* Grose-Smith,1900 (Acraeidae) Synonym(s): *pelasgius* Grose-Smith,1900
- 143) *Acraea* (Actinote) *peneleos* *peneleos* Ward,1871 (Acraeidae) Synonym(s): *peneleos* Ward,1871
- 144) *Acraea* (Actinote) *penelope* Staudinger,1896 (Acraeidae) Synonym(s): *penelope* Staudinger,1896
- 145) *Acraea* (Actinote) *penelope* *derubescens* Eltringham,1912 (Acraeidae) Synonym(s): *derubescens* Eltringham,1912
- 146) *Acraea* (Actinote) *penelope* *penelope* Staudinger,1896 (Acraeidae) Synonym(s): *penelope* Staudinger,1896
- 147) *Acraea* (Actinote) *penelope* *translucida* Eltringham,1912 (Acraeidae) Synonym(s): *translucida* Eltringham,1912
- 148) *Acraea* (Actinote) *penelope* *vitrea* Eltringham,1912 (Acraeidae) Synonym(s): *vitrea* Eltringham,1912
- 149) *Acraea* (Actinote) *pentapolis* Ward,1871 (Acraeidae) Synonym(s): *pentapolis* Ward,1871
- 150) *Acraea* (Actinote) *pentapolis* *epidica* Oberthür,1893 (Acraeidae) Synonym(s): *epidica* Oberthür,1893

- 151) *Acraea* (Actinote) *pentapolis pentapolis* Ward,1871 (Acraeidae) Synonym(s): *pentapolis* Ward,1871; *thelestis* Oberthür,1893; *#sjoestedti* Bryk,1917
- 152) *Acraea* (Actinote) *perenna Doubleday*,[1847] (Acraeidae) Synonym(s): *perenna* Doubleday,[1847]
- 153) *Acraea* (Actinote) *perenna kaffana* Rothschild,1902 (Acraeidae) Synonym(s): *kaffana* Rothschild,1902
- 154) *Acraea* (Actinote) *perenna perenna* Doubleday,[1847] (Acraeidae) Synonym(s): *perenna* Doubleday,[1847]; *polydectes* Ward,1871
- 155) *Acraea* (Actinote) *perenna thesprio* Oberthür,1893 (Acraeidae) Synonym(s): *thesprio* Oberthür,1893
- 156) *Acraea* (Actinote) *pharsalus Ward*,1871 (Acraeidae) Synonym(s): *pharsalus* Ward,1871; *#duplicatus* Stoneham,1943
- 157) *Acraea* (Actinote) *pharsalus carmen* Pycr,1991 (Acraeidae) Synonym(s): *carmen* Pycr,1991
- 158) *Acraea* (Actinote) *pharsalus pharsaloides* Holland,1892 (Acraeidae) Synonym(s): *pharsaloides* Holland,1892; *saluspha* Suffert,1904
- 159) *Acraea* (Actinote) *pharsalus pharsalus* Ward,1871 (Acraeidae) Synonym(s): *pharsalus* Ward,1871; *#duplicatus* Stoneham,1943
- 160) *Acraea* (Actinote) *pharsalus rhodina* Rothschild,1902 (Acraeidae) Synonym(s): *rhodina* Rothschild,1902
- 161) *Acraea* (Actinote) *pierrei* Berger,1981 (Acraeidae) Synonym(s): *pierrei* Berger,1981
- 162) *Acraea* (Actinote) *quirinalis* Grose-Smith,1900 (Acraeidae) Synonym(s): *quirinalis* Grose-Smith,1900
- 163) *Acraea* (Actinote) *rahira Boisduval*,1833 (Acraeidae) Synonym(s): *rahira* Boisduval,1833
- 164) *Acraea* (Actinote) *rahira mufindi* Kielland,1990 (Acraeidae) Synonym(s): *mufindi* Kielland,1990
- 165) *Acraea* (Actinote) *rahira rahira* Boisduval,1833 (Acraeidae) Synonym(s): *rahira* Boisduval,1833
- 166) *Acraea* (Actinote) *rahira wasingishuensis* Stoneham,1943 (Acraeidae) Synonym(s): *wasingishuensis* Stoneham,1943
- 167) *Acraea* (Actinote) *rangatana Eltringham*,1912 (Acraeidae) Synonym(s): *rangatana* Eltringham,1912
- 168) *Acraea* (Actinote) *rangatana bettiana Joicey & Talbot*,1921 (Acraeidae) Synonym(s): *bettiana* Joicey & Talbot,1921; *basilewskyi* Berger,1956
- 169) *Acraea* (Actinote) *rangatana ecketti* Jackson,1951 (Acraeidae) Synonym(s): *ecketti* Jackson,1951
- 170) *Acraea* (Actinote) *rangatana maji* Carpenter,1935 (Acraeidae) Synonym(s): *maji* Carpenter,1935
- 171) *Acraea* (Actinote) *rangatana rangatana* Eltringham,1912 (Acraeidae) Synonym(s): *rangatana* Eltringham,1912
- 172) *Acraea* (Actinote) *rileyi* Le Doux,1931 (Acraeidae) Synonym(s): *rileyi* Le Doux,1931
- 173) *Acraea* (Actinote) *rufina* Oberthür,1917 (Acraeidae) Synonym(s): *rufina* Oberthür,1917
- 174) *Acraea* (Actinote) *safie C.Felder & R.Felder*,[1865] (Acraeidae) Synonym(s): *safie C.Felder & R.Felder*,[1865]; *#tillini* Gabriel,1949
- 175) *Acraea* (Actinote) *safie antinorii* Oberthür,1880 (Acraeidae) Synonym(s): *antinorii* Oberthür,1880; *#neumanni* Le Doux,1928; *#albipuncta* Ungemach,1932; *#oumbiana* Ungemach,1932
- 176) *Acraea* (Actinote) *safie safie C.Felder & R.Felder*,[1865] (Acraeidae) Synonym(s): *safie C.Felder & R.Felder*,[1865]; *#tillini* Gabriel,1949
- 177) *Acraea* (Actinote) *sambavae* Ward,1873 (Acraeidae) Synonym(s): *sambavae* Ward,1873
- 178) *Acraea* (Actinote) *semivitreia Aurivillius*,1895 (Acraeidae) Synonym(s): *semivitreia* Aurivillius,1895; *pervia* Sharpe,1897
- 179) *Acraea* (Actinote) *servona Godart*,[1819] (Acraeidae) Synonym(s): *servona* Godart,[1819]; *lycoides* Boisduval,1836; *dejana* Godman & Salvin,1890
- 180) *Acraea* (Actinote) *servona kenya* Van Someren & Rogers,1926 (Acraeidae) Synonym(s): *kenya* Van Someren & Rogers,1926
- 181) *Acraea* (Actinote) *servona limonata* Eltringham,1912 (Acraeidae) Synonym(s): *limonata* Eltringham,1912
- 182) *Acraea* (Actinote) *servona orientis Aurivillius*,1904 (Acraeidae) Synonym(s): *orientis* Aurivillius,1904
- 183) *Acraea* (Actinote) *servona servona* Godart,[1819] (Acraeidae) Synonym(s): *servona* Godart,[1819]; *lycoides* Boisduval,1836; *dejana* Godman & Salvin,1890
- 184) *Acraea* (Actinote) *servona subochreata* Grünberg,1910 (Acraeidae) Synonym(s): *rhodina* Rothschild & Jordan,1905 *nec* Roth.,1902; *subochreata* Grünberg,1910; *#digitata* Carpenter,1935
- 185) *Acraea* (Actinote) *servona tenebrosana* Ackery,1995 (Acraeidae) Synonym(s): *tenebrosa* Eltringham,1912 *nec* Hew.,1868; *tenebrosana* Ackery,1995
- 186) *Acraea* (Actinote) *simulata* Le Doux,1923 (Acraeidae) Synonym(s): *simulata* Le Doux,1923
- 187) *Acraea* (Actinote) *sotikensis* Sharpe,1892 (Acraeidae) Synonym(s): *sotikensis* Sharpe,1892; *supponina* Staudinger,1896; *karschi* Aurivillius,1898; *sinapo* Suffert,1904; *rowena* Eltringham,1912; *rupicola* Schultze,1912; *hansmeyer* Strand,1913; *rowenina* Gaede,1915; *cruentata* Gaede,1916; *katarens* Stoneham,1943
- 188) *Acraea* (Actinote) *strattipocles Oberthür*,1893 (Acraeidae) Synonym(s): *strattipocles* Oberthür,1893; *albescens* Oberthür,1916; *cervina* Oberthür,1916
- 189) *Acraea* (Actinote) *thalia* (Linnaeus,1758) (Acraeidae) Synonym(s): *thalia* Linnaeus,1758
- 190) *Acraea* (Actinote) *thalia cedeis* Jordan,1913 (Acraeidae) Synonym(s): *cedeis* Jordan,1913
- 191) *Acraea* (Actinote) *thalia suspecta* Jordan,1913 (Acraeidae) Synonym(s): *suspecta* Jordan,1913
- 192) *Acraea* (Actinote) *ungemachii* Le Cerf,1927 (Acraeidae) Synonym(s): *ungemachii* Le Cerf,1927; *#nuda* Ungemach,1932
- 193) *Acraea* (Actinote) *uvui* Grose-Smith,1890 (Acraeidae) Synonym(s): *uvui* Grose-Smith,1890; *minima* Holland,1892
- 194) *Acraea* (Actinote) *uvui balina* Karsch,1892 (Acraeidae) Synonym(s): *balina* Karsch,1892
- 195) *Acraea* (Actinote) *uvui uvui* Grose-Smith,1890 (Acraeidae) Synonym(s): *uvui* Grose-Smith,1890; *minima* Holland,1892
- 196) *Acraea* (Actinote) *ventura* Hewitson,1877 (Acraeidae) Synonym(s): *ventura* Hewitson,1877
- 197) *Acraea* (Actinote) *ventura ochrascens* Sharpe,1902 (Acraeidae) Synonym(s): *ochrascens* Sharpe,1902; *bukoba* Weymer,1903
- 198) *Acraea* (Actinote) *ventura ventura* Hewitson,1877 (Acraeidae) Synonym(s): *ventura* Hewitson,1877
- 199) *Acraea* (Actinote) *vesperalis* Grose-Smith,1890 (Acraeidae) Synonym(s): *vesperalis* Grose-Smith,1890; *catori* Bethune-Baker,1904
- 200) *Acraea* (Actinote) *viviana* Staudinger,1896 (Acraeidae) Synonym(s): *viviana* Staudinger,1896
- 201) *Acraea* (Actinote) *vuilloti* Mabille,1889 (Acraeidae) Synonym(s): *vuilloti* Mabille,1889
- 202) *Acraea* (Actinote) *wiggins* Neave,1904 (Acraeidae) Synonym(s): *wiggins* Neave,1904
- 203) *Acraea* (Actinote) *wiggins occidentalis* Bethune-Baker,1926 (Acraeidae) Synonym(s): *occidentalis* Bethune-Baker,1926
- 204) *Acraea* (Actinote) *wiggins wiggins* Neave,1904 (Acraeidae) Synonym(s): *wiggins* Neave,1904
- 205) *Acraea* (Actinote) *zitja* Boisduval,1833 (Acraeidae) Synonym(s): *zitja* Boisduval,1833; *rakeli* Boisduval,1833; *radiata* Guenée,1865; *calida* Butler,1878; *fumida* Mabille,1880
- 206) *Acraea* (Altinote) *alcione* (Hewitson,1852) (Acraeidae) Synonym(s): *alcione* Hewitson,1852
- 207) *Acraea* (Altinote) *alcione alcione* (Hewitson,1852) (Acraeidae) Synonym(s): *alcione* Hewitson,1852
- 208) *Acraea* (Altinote) *alcione elatus* (Druce,1903) (Acraeidae) Synonym(s): *elatus* Druce,1903; *sarsanda* Druce,1903; *subelatus* Jordan,1913
- 209) *Acraea* (Altinote) *alcione theophila* (Dognin,1887) (Acraeidae) Synonym(s): *theophila* Dognin,1887; *moneta* Potts,1944
- 210) *Acraea* (Altinote) *callianthe* (C.Felder & R.Felder,1862) (Acraeidae) Synonym(s): *callianthe* C.Felder & R.Felder,1862
- 211) *Acraea* (Altinote) *callianthe rufa* Jordan,1910 (Acraeidae) Synonym(s): *rufa* Jordan,1910
- 212) *Acraea* (Altinote) *dicaeus* (Latreille,[1817]) (Acraeidae) Synonym(s): *dicaeus* Latreille,[1817]
- 213) *Acraea* (Altinote) *dicaeus albofasciata* (Hewitson,1869) (Acraeidae) Synonym(s): *albofasciata* Hewitson,1869; *rosaria* Weymer,1890; *crina* Schaus,1902; *napensis* Jordan,1910
- 214) *Acraea* (Altinote) *dicaeus dicaeus* (Latreille,[1817]) (Acraeidae) Synonym(s): *dicaeus* Latreille,[1817]
- 215) *Acraea* (Altinote) *erebia* Oberthür,1917 (Acraeidae) Synonym(s): *erebia* Oberthür,1917
- 216) *Acraea* (Altinote) *eresia* (C.Felder & R.Felder,1862) (Acraeidae) Synonym(s): *eresia* C.Felder & R.Felder,1862
- 217) *Acraea* (Altinote) *eresia eresia* (C.Felder & R.Felder,1862) (Acraeidae) Synonym(s): *eresia* C.Felder & R.Felder,1862
- 218) *Acraea* (Altinote) *eresia leptogramma* (Jordan,[1913]) (Acraeidae) Synonym(s): *leptogramma* Jordan,[1913]
- 219) *Acraea* (Altinote) *hilaris* Jordan,1910 (Acraeidae) Synonym(s): *hilaris* Jordan,1910
- 220) *Acraea* (Altinote) *hilaris desmiala* Jordan,1913 (Acraeidae) Synonym(s): *desmiala* Jordan,1913; *culoti* Oberthür,1917; *brownorum* Potts,1943
- 221) *Acraea* (Altinote) *negra* (C.Felder & R.Felder,1862) (Acraeidae) Synonym(s): *negra* C.Felder & R.Felder,1862
- 222) *Acraea* (Altinote) *negra euclia* Dognin,1887 (Acraeidae) Synonym(s): *euclia* Dognin,1887; *leontine* Weymer,1890; *catochaera* Jordan,1910; *mesia* Jordan,1910
- 223) *Acraea* (Altinote) *negra scotosis* Jordan,1910 (Acraeidae) Synonym(s): *scotosis* Jordan,1910; *amphilecta* Jordan,[1913]
- 224) *Acraea* (Altinote) *neleus* (Latreille,[1813]) (Acraeidae) Synonym(s): *neleus* Latreille,[1813]; *ara* Hewitson,1877; *edulis* Weymer,1890; *haemera* Jordan,1913
- 225) *Acraea* (Altinote) *ozomene* (Godart,[1824]) (Acraeidae) Synonym(s): *ozomene* Godart,[1824]
- 226) *Acraea* (Altinote) *ozomene cleasa* Hewitson,1868 (Acraeidae) Synonym(s): *cleasa* Hewitson,1868; *catopasta* Jordan,1910
- 227) *Acraea* (Altinote) *ozomene gabrielae* Rebel,1902 (Acraeidae) Synonym(s): *gabrielae* Rebel,1902; *zarayaquilionis* Strand,1916
- 228) *Acraea* (Altinote) *stratonice* (Latreille,[1813]) (Acraeidae) Synonym(s): *stratonice* Latreille,[1813]
- 229) *Acraea* (Altinote) *stratonice aerea* Jordan,1913 (Acraeidae) Synonym(s): *aerea* Jordan,1913; *diversa* Jordan,1913; *laeta* Oberthür,1917; *albunea* Potts,1944
- 230) *Acraea* (Altinote) *tenebrosa* Hewitson,1868 (Acraeidae) Synonym(s): *tenebrosa* Hewitson,1868; *segesta* Weymer,1890; *dognini* Schaus,1902
- 231) *Acraea* (s.str.) *abdera* Hewitson,1852 (Acraeidae) Synonym(s): *abdera* Hewitson,1852
- 232) *Acraea* (s.str.) *abdera abdera* Hewitson,1852 (Acraeidae) Synonym(s): *abdera* Hewitson,1852
- 233) *Acraea* (s.str.) *abdera eginopsis* Aurivillius,1898 (Acraeidae) Synonym(s): *eginopsis* Aurivillius,1898
- 234) *Acraea* (s.str.) *acara* Hewitson,1865 (Acraeidae) Synonym(s): *acara* Hewitson,1865; *caffra* C.Felder & R.Felder,[1865]; *tescea* Suffert,1904; *mhondana* Suffert,1904 *nec* Vuill.,1891; *kuereensis* Le Doux,1923; *sufferti* Le Cerf,1927; *melanophanes* Le Cerf,1927; *#barberina* Van Son,1963.

- 235) *Acraea* (s.str.) *acara* Hewitson, 1865 (Acraeidae) Synonym(s): *acara* Hewitson, 1865; *caffra* C.Felder & R.Felder, [1865]; *tescea* Suffert, 1904; *rhondana* Suffert, 1904 nec Vuill., 1891; *kuereensis* Le Doux, 1923; *sufferti* Le Cerf, 1927; *melanophanes* Le Cerf, 1927; *#barberina* Van Son, 1963.
- 236) *Acraea* (s.str.) *acrita* Hewitson, 1865 (Acraeidae) Synonym(s): *acrita* Hewitson, 1865; *ambigua* Trimen, 1891; *bella* Weymer, 1901; *#pauperata* Thurnau, 1903; *aquila* Thurnau, 1903; *littoralis* Eltringham, 1912
- 237) *Acraea* (s.str.) *admatha* Hewitson, 1865 (Acraeidae) Synonym(s): *admatha* Hewitson, 1865; *#mildbraedi* Schultze, 1917
- 238) *Acraea* (s.str.) *adrasta* Weymer, 1892 (Acraeidae) Synonym(s): *adrasta* Weymer, 1892; *machoni* Oberthür, 1893; *haydni* Suffert, 1904
- 239) *Acraea* (s.str.) *adrasta* *adrasta* Weymer, 1892 (Acraeidae) Synonym(s): *adrasta* Weymer, 1892; *machoni* Oberthür, 1893; *haydni* Suffert, 1904
- 240) *Acraea* (s.str.) *adrasta* *pancalis* (Jordan, 1910) (Acraeidae) Synonym(s): *pancalis* Jordan, 1910
- 241) *Acraea* (s.str.) *aganice* Hewitson, 1852 (Acraeidae) Synonym(s): *aganice* Hewitson, 1852
- 242) *Acraea* (s.str.) *aganice* *aganice* Hewitson, 1852 (Acraeidae) Synonym(s): *aganice* Hewitson, 1852
- 243) *Acraea* (s.str.) *aganice* *montana* (Butler, 1888) (Acraeidae) Synonym(s): *montana* Butler, 1888; *bertha* Vuillot, 1891; *meruana* Rogenhofer, 1891; *chanleri* Holland, 1896
- 244) *Acraea* (s.str.) *aganice* *nicega* (Suffert, 1904) (Acraeidae) Synonym(s): *nicega* Suffert, 1904
- 245) *Acraea* (s.str.) *aganice* *nyassae* (Carpenter, 1920) (Acraeidae) Synonym(s): *nyassae* Carpenter, 1920
- 246) *Acraea* (s.str.) *aganice* *orientalis* (Ungemach, 1932) (Acraeidae) Synonym(s): *orientalis* Ungemach, 1932
- 247) *Acraea* (s.str.) *aganice* *ugandae* (Van Someren, 1936) (Acraeidae) Synonym(s): *ugandae* Van Someren, 1936
- 248) *Acraea* (s.str.) *aglaonice* Westwood, 1881 (Acraeidae) Synonym(s): *aglaonice* Westwood, 1881; *fenestrata* Trimen, 1881; *#leucaspis* Wichgraf, 1914; *#latimarginata* Van Son, 1963.
- 249) *Acraea* (s.str.) *alcinoe* C.Felder & R.Felder, [1865] (Acraeidae) Synonym(s): *alcinoe* C.Felder & R.Felder, [1865]; *godmani* Butler, 1895; *timandra* Karsch, 1893
- 250) *Acraea* (s.str.) *alcinoe* *alcinoe* C.Felder & R.Felder, [1865] (Acraeidae) Synonym(s): *alcinoe* C.Felder & R.Felder, [1865]; *godmani* Butler, 1895; *timandra* Karsch, 1893
- 251) *Acraea* (s.str.) *alcinoe* *camerunica* (Aurivillius, 1893) (Acraeidae) Synonym(s): *camerunica* Aurivillius, 1893; *salvini* Butler, 1895
- 252) *Acraea* (s.str.) *alcinoe* *nado* (Ungemach, 1932) (Acraeidae) Synonym(s): *nado* Ungemach, 1932
- 253) *Acraea* (s.str.) *alcinoe* *racaji* (Pyrce, 1991) (Acraeidae) Synonym(s): *racaji* Pyrce, 1991
- 254) *Acraea* (s.str.) *anemosa* Hewitson, 1865 (Acraeidae) Synonym(s): *anemosa* Hewitson, 1865; *arcticincta* Butler, 1883; *welwitschii* Rogenhofer, 1893; *mosana* Suffert, 1904; *dubiosa* Suffert, 1904; *lobemba* Eltringham, 1912; *lutea* Riley, 1921; *nivea* Riley, 1921; *macrosticta* Storace, 1949.
- 255) *Acraea* (s.str.) *annonae* Pierre, 1987 (Acraeidae) Synonym(s): *#kapiriensis* Schouteden, 1927; *annonae* Pierre, 1987
- 256) *Acraea* (s.str.) *asboloplintha* Karsch, 1894 (Acraeidae) Synonym(s): *asboloplintha* Karsch, 1894; *dissociata* Grose-Smith, 1898.
- 257) *Acraea* (s.str.) *asboloplintha* *asboloplintha* Karsch, 1894 (Acraeidae) Synonym(s): *asboloplintha* Karsch, 1894; *dissociata* Grose-Smith, 1898.
- 258) *Acraea* (s.str.) *asboloplintha* *rubescens* Trimen, 1909 (Acraeidae) Synonym(s): *rubescens* Trimen, 1909
- 259) *Acraea* (s.str.) *asema* Hewitson, 1877 (Acraeidae) Synonym(s): *asema* Hewitson, 1877; *empusa* Butler, 1894.
- 260) *Acraea* (s.str.) *atatis* Pierre, 2004 (Acraeidae) Synonym(s): *atatis* Pierre, 2004
- 261) *Acraea* (s.str.) *atergatis* Westwood, 1881 (Acraeidae) Synonym(s): *atergatis* Westwood, 1881; *#eichleri* Van Son, 1963.
- 262) *Acraea* (s.str.) *atolmis* Westwood, 1881 (Acraeidae) Synonym(s): *atolmis* Westwood, 1881; *acontias* Westwood, 1881; *luxi* Rogenhofer, 1890; *#westwoodi* Van Son, 1963.
- 263) *Acraea* (s.str.) *axina* Westwood, 1881 (Acraeidae) Synonym(s): *axina* Westwood, 1881; *#illuminata* Van Son, 1963.
- 264) *Acraea* (s.str.) *bailundensis* Wichgraf, 1918 (Acraeidae) Synonym(s): *bailundensis* Wichgraf, 1918; *schoutedeni* Overlaet, 1954 nec Le Deux, 1937.
- 265) *Acraea* (s.str.) *barberi* Trimen, 1881 (Acraeidae) Synonym(s): *barberi* Trimen, 1881
- 266) *Acraea* (s.str.) *bellona* Weymer, 1908 (Acraeidae) Synonym(s): *bellona* Weymer, 1908
- 267) *Acraea* (s.str.) *boopis* Wichgraf, 1914 (Acraeidae) Synonym(s): *boopis* Wichgraf, 1914
- 268) *Acraea* (s.str.) *boopis* *ama* Pierre, 1979 (Acraeidae) Synonym(s): *ama* Pierre, 1979
- 269) *Acraea* (s.str.) *boopis* *boopis* Wichgraf, 1914 (Acraeidae) Synonym(s): *boopis* Wichgraf, 1914
- 270) *Acraea* (s.str.) *boopis* *choloui* Pierre, 1979 (Acraeidae) Synonym(s): *choloui* Pierre, 1979
- 271) *Acraea* (s.str.) *braesia* Godman, 1885 (Acraeidae) Synonym(s): *braesia* Godman, 1885; *leucosoma* Staudinger, 1885; *regalis* Oberthür, 1893; *mystica* Neave, 1904; *ochracea* Le Deux, 1931
- 272) *Acraea* (s.str.) *brainei* Henning, 1986 (Acraeidae) Synonym(s): *brainei* Henning, 1986
- 273) *Acraea* (s.str.) *buettneri* Rogenhofer, 1890 (Acraeidae) Synonym(s): *buettneri* Rogenhofer, 1890; *felina* Trimen, 1891; *parapetraea* Schouteden, 1919.
- 274) *Acraea* (s.str.) *caecilia* Fabricius, 1781 (Acraeidae) Synonym(s): *caecilia* Fabricius, 1781; *hypatia* Drury, 1782; *artemesa* Stoll, 1790; *bendis* H'bner, [1819]
- 275) *Acraea* (s.str.) *caecilia* *caecilia* Fabricius, 1781 (Acraeidae) Synonym(s): *caecilia* Fabricius, 1781; *hypatia* Drury, 1782; *artemesa* Stoll, 1790; *bendis* H'bner, [1819]
- 276) *Acraea* (s.str.) *caecilia* *kulal* Van Someren, 1936 (Acraeidae) Synonym(s): *kulal* Van Someren, 1936
- 277) *Acraea* (s.str.) *caecilia* *podura* Aurivillius, 1910 (Acraeidae) Synonym(s): *podura* Aurivillius, 1910
- 278) *Acraea* (s.str.) *caldarena* Hewitson, 1877 (Acraeidae) Synonym(s): *caldarena* Hewitson, 1877; *amphimalla* Westwood, 1881; *dircaea* Westwood, 1881; *nero* Butler, 1883; *recaldana* Suffert, 1904; *latiapicalis* Joicey & Talbot, 1921; *necessaria* Le Doux, 1923.
- 279) *Acraea* (s.str.) *caldarena* *caldarena* Hewitson, 1877 (Acraeidae) Synonym(s): *caldarena* Hewitson, 1877; *amphimalla* Westwood, 1881; *dircaea* Westwood, 1881; *nero* Butler, 1883; *recaldana* Suffert, 1904; *latiapicalis* Joicey & Talbot, 1921; *necessaria* Le Doux, 1923.
- 280) *Acraea* (s.str.) *caldarena* *neluska* Oberthür, 1878 (Acraeidae) Synonym(s): *neluska* Oberthür, 1878; *ombria* Weymer, 1892
- 281) *Acraea* (s.str.) *camaena* (Drury, [1773]) (Acraeidae) Synonym(s): *camaena* Drury, [1773]; *murcia* Fabricius, 1781.
- 282) *Acraea* (s.str.) *cephesus* (Linnaeus, 1758) (Acraeidae) Synonym(s): *cephesus* Linnaeus, 1758; *zosteria* Godart, [1819]; *baumanni* Rogenhofer, 1890; *pheusaca* Suffert, 1904; *sucepha* Suffert, 1904
- 283) *Acraea* (s.str.) *cephesus* *bergeriana* Pierre, 1979 (Acraeidae) Synonym(s): *bergeri* Pierre, 1976 nec Gaed., 1915; *bergeriana* Pierre, 1979
- 284) *Acraea* (s.str.) *cephesus* *cephesus* (Linnaeus, 1758) (Acraeidae) Synonym(s): *cephesus* Linnaeus, 1758; *zosteria* Godart, [1819]; *baumanni* Rogenhofer, 1890; *pheusaca* Suffert, 1904; *sucepha* Suffert, 1904
- 285) *Acraea* (s.str.) *cerasa* Hewitson, 1861 (Acraeidae) Synonym(s): *cerasa* Hewitson, 1861
- 286) *Acraea* (s.str.) *cerasa* *cerasa* Hewitson, 1861 (Acraeidae) Synonym(s): *cerasa* Hewitson, 1861
- 287) *Acraea* (s.str.) *cerasa* *cerita* Sharpe, 1906 (Acraeidae) Synonym(s): *cerita* Sharpe, 1906; *kigezia* Howarth, 1959
- 288) *Acraea* (s.str.) *cerasa* *kiellandi* Carcasson, 1964 (Acraeidae) Synonym(s): *kiellandi* Carcasson, 1964
- 289) *Acraea* (s.str.) *cerasa* *unimaculata* Grose-Smith, 1898 (Acraeidae) Synonym(s): *unimaculata* Grose-Smith, 1898
- 290) *Acraea* (s.str.) *chaeribula* Oberthür, 1893 (Acraeidae) Synonym(s): *chaeribula* Oberthür, 1893
- 291) *Acraea* (s.str.) *chambezi* Neave, 1910 (Acraeidae) Synonym(s): *chambezi* Neave, 1910
- 292) *Acraea* (s.str.) *chilo* Godman, 1880 (Acraeidae) Synonym(s): *chilo* Godman, 1880; *chrystallina* Grose-Smith, 1890; *rosina* Rogenhofer, 1891; *hoehneli* Holland, 1896; *wissmanni* Weymer, 1903
- 293) *Acraea* (s.str.) *chilo* *chilo* Godman, 1880 (Acraeidae) Synonym(s): *chilo* Godman, 1880; *chrystallina* Grose-Smith, 1890; *rosina* Rogenhofer, 1891; *hoehneli* Holland, 1896; *wissmanni* Weymer, 1903
- 294) *Acraea* (s.str.) *chilo* *magnifica* Carpenter & Jackson, 1950 (Acraeidae) Synonym(s): *magnifica* Carpenter & Jackson, 1950
- 295) *Acraea* (s.str.) *chilo* *yemensis* Le Doux, 1931 (Acraeidae) Synonym(s): *yemensis* Le Doux, 1931
- 296) *Acraea* (s.str.) *consanguinea* (Aurivillius, 1893) (Acraeidae) Synonym(s): *consanguinea* Aurivillius, 1893
- 297) *Acraea* (s.str.) *consanguinea* *albicolor* (Karsch, 1895) (Acraeidae) Synonym(s): *albicolor* Karsch, 1895; *arenaria* Sharpe, 1902; *#flava* Le Doux, 1931
- 298) *Acraea* (s.str.) *consanguinea* *consanguinea* (Aurivillius, 1893) (Acraeidae) Synonym(s): *consanguinea* Aurivillius, 1893
- 299) *Acraea* (s.str.) *consanguinea* *intermedia* (Aurivillius, 1898) (Acraeidae) Synonym(s): *intermedia* Aurivillius, 1898
- 300) *Acraea* (s.str.) *consanguinea* *sartina* (Jordan, 1910) (Acraeidae) Synonym(s): *sartina* Jordan, 1910
- 301) *Acraea* (s.str.) *cuva* Grose-Smith, 1889 (Acraeidae) Synonym(s): *cuva* Grose-Smith, 1889; *nidama* Suffert, 1904
- 302) *Acraea* (s.str.) *cuva* *cuva* Grose-Smith, 1889 (Acraeidae) Synonym(s): *cuva* Grose-Smith, 1889; *nidama* Suffert, 1904
- 303) *Acraea* (s.str.) *cuva* *villettei* Oberthür, 1925 (Acraeidae) Synonym(s): *villettei* Oberthür, 1925
- 304) *Acraea* (s.str.) *dammii* Vollenhoven, 1869 (Acraeidae) Synonym(s): *dammii* Vollenhoven, 1869; *percuta* Keferstein, 1870; *masonala* Ward, 1872
- 305) *Acraea* (s.str.) *diogenes* Suffert, 1904 (Acraeidae) Synonym(s): *diogenes* Suffert, 1904; *acutipennis* Lathy, 1906; *lactea* Neave, 1910
- 306) *Acraea* (s.str.) *doubledayi* Guérin-Méneville, 1849 (Acraeidae) Synonym(s): *doubledayi* Guérin-Méneville, 1849; *gaekwari* Sharpe, 1901; *#rileyi* Eltringham, 1913
- 307) *Acraea* (s.str.) *doubledayi* *azvaki* D'Abbrera, 1980 (Acraeidae) Synonym(s): *arabica* Eltringham, 1912 nec Rbl., 1899; *azvaki* D'Abbrera, 1980; *azvaki* Carcasson, 1981.
- 308) *Acraea* (s.str.) *doubledayi* *doubledayi* Guérin-Méneville, 1849 (Acraeidae) Synonym(s): *doubledayi* Guérin-Méneville, 1849; *gaekwari* Sharpe, 1901; *#rileyi* Eltringham, 1913

- 309) *Acraea* (s.str.) *egina* (Cramer,[1775]) (Acraeidae) Synonym(s): *egina* Cramer,[1775]; *rudolphina* Herbst,1792; *persephone* Fabricius,1793; *zidora* Godart,[1819]; *khara* Grose-Smith,1889; *harrisoni* Sharpe,1904; *intensa* Stoneham,1937; *bellehui* Carcasson,1961.
- 310) *Acraea* (s.str.) *egina areca* Mabille,1888 (Acraeidae) Synonym(s): *areca* Mabille,1888
- 311) *Acraea* (s.str.) *egina egina* (Cramer,[1775]) (Acraeidae) Synonym(s): *egina* Cramer,[1775]; *rudolphina* Herbst,1792; *persephone* Fabricius,1793; *zidora* Godart,[1819]; *khara* Grose-Smith,1889; *harrisoni* Sharpe,1904; *intensa* Stoneham,1937; *bellehui* Carcasson,1961.
- 312) *Acraea* (s.str.) *egina pembanus* Kielland,1990 (Acraeidae) Synonym(s): *pembanus* Kielland,1990
- 313) *Acraea* (s.str.) *ella* Eltringham,1911 (Acraeidae) Synonym(s): *ella* Eltringham,1911
- 314) *Acraea* (s.str.) *elongata* (Butler,1874) (Acraeidae) Synonym(s): *elongata* Butler,1874; *serena* Schultze,1923 nec Fabr.,1775; *#varia* Le Doux,1937
- 315) *Acraea* (s.str.) *eltringhami* Joicey & Talbot,1921 (Acraeidae) Synonym(s): *eltringhami* Joicey & Talbot,1921; *kisaba* Carcasson,1981
- 316) *Acraea* (s.str.) *eltringhamiana* Le Doux,1932 (Acraeidae) Synonym(s): *eltringhamiana* Le Doux,1932
- 317) *Acraea* (s.str.) *endoscota* Le Doux,1928 (Acraeidae) Synonym(s): *endoscota* Le Doux,1928; *#albanis* Pierre,1979
- 318) *Acraea* (s.str.) *epaea* (Cramer,[1779]) (Acraeidae) Synonym(s): *epaea* Cramer,[1779]; *gea* Fabricius,1781; *#sublutosa* Strand,1914
- 319) *Acraea* (s.str.) *epaea angustifasciata* (D'Abrera,1980) (Acraeidae) Synonym(s): *#angustifasciata* Grünberg,1910; *angustifasciata* D'Abrera,1980
- 320) *Acraea* (s.str.) *epaea bicolorata* (Le Doux,1937) (Acraeidae) Synonym(s): *bicolorata* Le Doux,1937; *#insolita* Le Doux,1937; *#aurata* Le Doux,1937; *nigrita* Le Doux,1937
- 321) *Acraea* (s.str.) *epaea epaea* (Cramer,[1779]) (Acraeidae) Synonym(s): *epaea* Cramer,[1779]; *gea* Fabricius,1781; *#sublutosa* Strand,1914
- 322) *Acraea* (s.str.) *epaea epitellus* Staudinger,1896 (Acraeidae) Synonym(s): *epitellus* Staudinger,1896
- 323) *Acraea* (s.str.) *epaea homochroa* (Rothschild & Jordan,1905) (Acraeidae) Synonym(s): *homochroa* Rothschild & Jordan,1905
- 324) *Acraea* (s.str.) *epaea insulana* Ackery,1995 (Acraeidae) Synonym(s): *insularis* Aurivillius,1910 nec Sharp.,1893; *insulana* Ackery,1995
- 325) *Acraea* (s.str.) *epaea kivuana* (Jordan,1910) (Acraeidae) Synonym(s): *kivuana* Jordan,1910
- 326) *Acraea* (s.str.) *epaea lutosa* (Suffert,1904) (Acraeidae) Synonym(s): *lutosa* Suffert,1904; *#cremea* Le Doux,1937
- 327) *Acraea* (s.str.) *epaea melina* (Thurau,1903) (Acraeidae) Synonym(s): *melina* Thurau,1903
- 328) *Acraea* (s.str.) *epaea paragea* (Grose-Smith,1900) (Acraeidae) Synonym(s): *paragea* Grose-Smith,1900
- 329) *Acraea* (s.str.) *epiprotea* (Butler,1874) (Acraeidae) Synonym(s): *epiprotea* Butler,1874; *#conformis* Schultze,1923
- 330) *Acraea* (s.str.) *equatorialis* Neave,1904 (Acraeidae) Synonym(s): *equatorialis* Neave,1904
- 331) *Acraea* (s.str.) *equatorialis anaemia* Eltringham,1912 (Acraeidae) Synonym(s): *anaemia* Eltringham,1912
- 332) *Acraea* (s.str.) *equatorialis equatorialis* Neave,1904 (Acraeidae) Synonym(s): *equatorialis* Neave,1904
- 333) *Acraea* (s.str.) *eugenia* Karsch,1893 (Acraeidae) Synonym(s): *eugenia* Karsch,1893; *ochreata* Grünberg,1910
- 334) *Acraea* (s.str.) *excisa* (Butler,1874) (Acraeidae) Synonym(s): *excisa* Butler,1874
- 335) *Acraea* (s.str.) *formosa* (Butler,1874) (Acraeidae) Synonym(s): *formosa* Butler,1874
- 336) *Acraea* (s.str.) *guillemei* Oberthür,1893 (Acraeidae) Synonym(s): *guillemei* Oberthür,1893
- 337) *Acraea* (s.str.) *guluensis* Le Doux,1932 (Acraeidae) Synonym(s): *guluensis* Le Doux,1932
- 338) *Acraea* (s.str.) *hamata* Joicey & Talbot,1922 (Acraeidae) Synonym(s): *hamata* Joicey & Talbot,1922
- 339) *Acraea* (s.str.) *horta* (Linnaeus,1764) (Acraeidae) Synonym(s): *horta* Linnaeus,1764; *#conjuncta* Blachier,1912
- 340) *Acraea* (s.str.) *hova* Boisduval,1833 (Acraeidae) Synonym(s): *hova* Boisduval,1833
- 341) *Acraea* (s.str.) *hypoleuca* Trimen,1898 (Acraeidae) Synonym(s): *hypoleuca* Trimen,1898
- 342) *Acraea* (s.str.) *igati* Boisduval,1833 (Acraeidae) Synonym(s): *igati* Boisduval,1833
- 343) *Acraea* (s.str.) *indendata* (Butler,1895) (Acraeidae) Synonym(s): *indendata* Butler,1895
- 344) *Acraea* (s.str.) *insignis* Distant,1880 (Acraeidae) Synonym(s): *buxtoni* Hewitson,1877 nec Butl.,1875; *insignis* Distant,1880; *balbina* Oberthür,1888; *signina* Suffert,1904
- 345) *Acraea* (s.str.) *insignis gorongozae* Van Son,1963 (Acraeidae) Synonym(s): *gorongozae* Van Son,1963
- 346) *Acraea* (s.str.) *insignis insignis* Distant,1880 (Acraeidae) Synonym(s): *buxtoni* Hewitson,1877 nec Butl.,1875; *insignis* Distant,1880; *balbina* Oberthür,1888; *signina* Suffert,1904
- 347) *Acraea* (s.str.) *intermediodes* Ackery,1995 (Acraeidae) Synonym(s): *intermedia* Wichgraf,1909 nec Auriv.,[1898]; *intermediodes* Ackery,1995
- 348) *Acraea* (s.str.) *kappa* Pierre,1979 (Acraeidae) Synonym(s): *kappa* Pierre,1979
- 349) *Acraea* (s.str.) *kia* Pierre,1990 (Acraeidae) Synonym(s): *kia* Pierre,1990
- 350) *Acraea* (s.str.) *kinduana* Pierre,1979 (Acraeidae) Synonym(s): *#kinduana* Schouteden,1919; *kinduana* Pierre,1979
- 351) *Acraea* (s.str.) *kraka Aurivillius*,1893 (Acraeidae) Synonym(s): *kraka* Aurivillius,1893
- 352) *Acraea* (s.str.) *kraka kibi* Usher,1986 (Acraeidae) Synonym(s): *kibi* Usher,1986
- 353) *Acraea* (s.str.) *kraka kraka Aurivillius*,1893 (Acraeidae) Synonym(s): *kraka* Aurivillius,1893
- 354) *Acraea* (s.str.) *kraka pallida* Carpenter,1932 (Acraeidae) Synonym(s): *pallida* Carpenter,1932
- 355) *Acraea* (s.str.) *lapidorum* Pierre,1888 (Acraeidae) Synonym(s): *lapidorum* Pierre,1888
- 356) *Acraea* (s.str.) *leopoldina* (Aurivillius,1895) (Acraeidae) Synonym(s): *leopoldina* Aurivillius,1895
- 357) *Acraea* (s.str.) *leopoldina brevimacla* (Talbot,1928) (Acraeidae) Synonym(s): *brevimacla* Talbot,1928; *schoutedeni* Le Doux,1937
- 358) *Acraea* (s.str.) *leopoldina leopoldina* (Aurivillius,1895) (Acraeidae) Synonym(s): *leopoldina* Aurivillius,1895
- 359) *Acraea* (s.str.) *leopoldina macrosticha* (Bethune-Baker,1908) (Acraeidae) Synonym(s): *macrosticha* Bethune-Baker,1908; *intermissa* Gaede,1916
- 360) *Acraea* (s.str.) *leucographa* Ribbe,1889 (Acraeidae) Synonym(s): *leucographa* Ribbe,1889
- 361) *Acraea* (s.str.) *leucopyga Aurivillius*,1904 (Acraeidae) Synonym(s): *leucopyga* Aurivillius,1904; *liszti* Suffert,1904
- 362) *Acraea* (s.str.) *lofua* Eltringham,1911 (Acraeidae) Synonym(s): *lofua* Eltringham,1911
- 363) *Acraea* (s.str.) *loranae* Pierre,1987 (Acraeidae) Synonym(s): *loranae* Pierre,1987
- 364) *Acraea* (s.str.) *lualabae* Neave,1910 (Acraeidae) Synonym(s): *lualabae* Neave,1910
- 365) *Acraea* (s.str.) *lygus* Druce,1875 (Acraeidae) Synonym(s): *lygus* Druce,1875
- 366) *Acraea* (s.str.) *macaria* (Fabricius,1793) (Acraeidae) Synonym(s): *macaria* Fabricius,1793
- 367) *Acraea* (s.str.) *macaria hemileuca* (Jordan,1914) (Acraeidae) Synonym(s): *hemileuca* Jordan,1914
- 368) *Acraea* (s.str.) *macaria macaria* (Fabricius,1793) (Acraeidae) Synonym(s): *macaria* Fabricius,1793
- 369) *Acraea* (s.str.) *macaria macarioides* (Aurivillius,1893) (Acraeidae) Synonym(s): *macarioides* Aurivillius,1893; *rabuma* Suffert,1904
- 370) *Acraea* (s.str.) *macarista* (Sharpe,1906) (Acraeidae) Synonym(s): *macarista* Sharpe,1906; *moforsa* Suffert,1904; *placioscia* Bethune-Baker,1908; *vendita* Wichgraf,1911.
- 371) *Acraea* (s.str.) *macarista latefasciata* Suffert,1904 (Acraeidae) Synonym(s): *latefasciata* Suffert,1904; *rileyi* Le Doux,1937 nec 1931.
- 372) *Acraea* (s.str.) *macarista macarista* (Sharpe,1906) (Acraeidae) Synonym(s): *macarista* Sharpe,1906; *moforsa* Suffert,1904; *placioscia* Bethune-Baker,1908; *vendita* Wichgraf,1911.
- 373) *Acraea* (s.str.) *machequena* Grose-Smith,1887 (Acraeidae) Synonym(s): *machequena* Grose-Smith,1887
- 374) *Acraea* (s.str.) *mahela* Boisduval,1833 (Acraeidae) Synonym(s): *mahela* Boisduval,1833
- 375) *Acraea* (s.str.) *manca* Thurau,1904 (Acraeidae) Synonym(s): *manca* Thurau,1904
- 376) *Acraea* (s.str.) *mansya* Eltringham,1911 (Acraeidae) Synonym(s): *mansya* Eltringham,1911; *janssens* Overlaet,1955.
- 377) *Acraea* (s.str.) *marnois* Rogenhofer,1890 (Acraeidae) Synonym(s): *marnois* Rogenhofer,1890
- 378) *Acraea* (s.str.) *matuapa* Grose-Smith,1889 (Acraeidae) Synonym(s): *matuapa* Grose-Smith,1889
- 379) *Acraea* (s.str.) *medea* (Cramer,[1775]) (Acraeidae) Synonym(s): *medea* Cramer,[1775]; *pasiphae* Fabricius,1781; *saronis* Hübner,[1819].
- 380) *Acraea* (s.str.) *mirabilis* Butler,1886 (Acraeidae) Synonym(s): *mirabilis* Butler,1886
- 381) *Acraea* (s.str.) *miranda* Riley,1920 (Acraeidae) Synonym(s): *miranda* Riley,1920; *#selousi* Riley,1920
- 382) *Acraea* (s.str.) *natalica* Boisduval,1847 (Acraeidae) Synonym(s): *natalica* Boisduval,1847; *bellua* Wallengren,1857; *umbrata* Suffert,1904; *#mesoleuca* Wichgraf,1914; *oatesi* Van Son,1936.
- 383) *Acraea* (s.str.) *neobule Doubleday*,[1847] (Acraeidae) Synonym(s): *neobule* Doubleday,[1847]; *arabica* Rebel,1899; *#sheba* Gabriel,1954.
- 384) *Acraea* (s.str.) *neobule legrandi* Carcasson,1964 (Acraeidae) Synonym(s): *legrandi* Carcasson,1964
- 385) *Acraea* (s.str.) *neobule neobule Doubleday*,[1847] (Acraeidae) Synonym(s): *neobule* Doubleday,[1847]; *arabica* Rebel,1899; *#sheba* Gabriel,1954.
- 386) *Acraea* (s.str.) *neobule seis* Feisthamel,1850 (Acraeidae) Synonym(s): *seis* Feisthamel,1850; *calyce* Godman & Salvin,1884; *#cyaniris* Le Cerf,1927
- 387) *Acraea* (s.str.) *niobe* Sharpe,1893 (Acraeidae) Synonym(s): *niobe* Sharpe,1893
- 388) *Acraea* (s.str.) *nohara* Boisduval,1847 (Acraeidae) Synonym(s): *nohara* Boisduval,1847; *actiaca* Hewitson,1852.
- 389) *Acraea* (s.str.) *nohara dondoensis* Stevenson,1934 (Acraeidae) Synonym(s): *dondoensis* Stevenson,1934; *junodi* D'Abrera,1980.
- 390) *Acraea* (s.str.) *nohara halali* Marschall,1896 (Acraeidae) Synonym(s): *halali* Marschall,1896
- 391) *Acraea* (s.str.) *nohara nohara* Boisduval,1847 (Acraeidae) Synonym(s): *nohara* Boisduval,1847; *actiaca* Hewitson,1852.

- 392) *Acraea* (s.str.) *obliqua* (Aurivillius,1913) (Acraeidae) Synonym(s): *obliqua* Aurivillius,1913
- 393) *Acraea* (s.str.) *obliqua elgonense* (Poulton,1927) (Acraeidae) Synonym(s): *elgonense* Poulton,1927; *#ela Rumbucher*,1992
- 394) *Acraea* (s.str.) *obliqua kivuensis* (Joicey & Talbot,1927) (Acraeidae) Synonym(s): *kivuensis* Joicey & Talbot,1927; *toroense* Poulton,1929
- 395) *Acraea* (s.str.) *obliqua obliqua* (Aurivillius,1913) (Acraeidae) Synonym(s): *obliqua* Aurivillius,1913
- 396) *Acraea* (s.str.) *omrora* Trimen,1894 (Acraeidae) Synonym(s): *omrora* Trimen,1894
- 397) *Acraea* (s.str.) *omrora omrora* Trimen,1894 (Acraeidae) Synonym(s): *omrora* Trimen,1894
- 398) *Acraea* (s.str.) *omrora umbratae* Pierre,1888 (Acraeidae) Synonym(s): *umbrata* Wichgraf,1909 nec Suff.,1904; *umbratae* Pierre,1888
- 399) *Acraea* (s.str.) *oncaea* Hopffer,1855 (Acraeidae) Synonym(s): *oncaea* Hopffer,1855; *caoncius* Suffert,1904; *alboradiata* Suffert,1904; *modesta* Suffert,1904; *obscura* Suffert,1904; *defasciata* Suffert,1904; *liacea* Suffert,1904;
- 400) *Acraea* (s.str.) *onerata* Trimen,1891 (Acraeidae) Synonym(s): *onerata* Trimen,1891; *aureola* Eltringham,1911
- 401) *Acraea* (s.str.) *oscari* Rothschild,1902 (Acraeidae) Synonym(s): *oscari* Rothschild,1902
- 402) *Acraea* (s.str.) *overlaeti* Pierre,1988 (Acraeidae) Synonym(s): *overlaeti* Pierre,1988
- 403) *Acraea* (s.str.) *periphanes* Oberthür,1893 (Acraeidae) Synonym(s): *periphanes* Oberthür,1893; *beni* Bethune-Baker,1908
- 404) *Acraea* (s.str.) *persanguinea* (Rebel,1914) (Acraeidae) Synonym(s): *persanguinea* Rebel,1914; *consanguinoides* Le Doux,1931.
- 405) *Acraea* (s.str.) *petraea* Boisduval,1847 (Acraeidae) Synonym(s): *petraea* Boisduval,1847; *petrina* Suffert,1904; *taborana* Suffert,1904.
- 406) *Acraea* (s.str.) *poggei* Dewitz,1879 (Acraeidae) Synonym(s): *poggei* Dewitz,1879; *entalis* Jordan,1910; *amela* Hering,1936.
- 407) *Acraea* (s.str.) *poggei nelsoni* Grose-Smith & Kirby,1892 (Acraeidae) Synonym(s): *nelsoni* Grose-Smith & Kirby,1892; *paragoga* Hering,1936.
- 408) *Acraea* (s.str.) *poggei poggei* Dewitz,1879 (Acraeidae) Synonym(s): *poggei* Dewitz,1879; *entalis* Jordan,1910; *amela* Hering,1936.
- 409) *Acraea* (s.str.) *poggei ras* (Ungemach,1932) (Acraeidae) Synonym(s): *ras* Ungemach,1932
- 410) *Acraea* (s.str.) *pseudatolmis* Eltringham,1912 (Acraeidae) Synonym(s): *pseudatolmis* Eltringham,1912
- 411) *Acraea* (s.str.) *pseudogina* Westwood,1852] (Acraeidae) Synonym(s): *pseudogina* Westwood,1852]; *abadima* Ribbe,1889; *clarei* Neave,1904; *#stephanophora* Le Cerf,1927; *#inexpectata* Le Doux,1931
- 412) *Acraea* (s.str.) *pseuderyta* Godman & Salvin,1890 (Acraeidae) Synonym(s): *pseuderyta* Godman & Salvin,1890; *dewitzi* Staudinger,1896; *angulata* Suffert,1904
- 413) *Acraea* (s.str.) *pseudolycia* Butler,1874 (Acraeidae) Synonym(s): *pseudolycia* Butler,1874
- 414) *Acraea* (s.str.) *pseudolycia astrigera* Butler,1899 (Acraeidae) Synonym(s): *astrigera* Butler,1899; *emini* Weyermer,1903; *#auasa* Gabriel,1949
- 415) *Acraea* (s.str.) *pseudolycia pseudolycia* Butler,1874 (Acraeidae) Synonym(s): *pseudolycia* Butler,1874; *#brunnea* Eltringham,1911
- 416) *Acraea* (s.str.) *pudorella* Aurivillius,1898 (Acraeidae) Synonym(s): *pudorella* Aurivillius,1898; *reducta* Wichgraf,1918; *#heringi* Le Doux,1923
- 417) *Acraea* (s.str.) *pudorella detecta* Neave,1910 (Acraeidae) Synonym(s): *detecta* Neave,1910
- 418) *Acraea* (s.str.) *pudorella pudorella* Aurivillius,1898 (Acraeidae) Synonym(s): *pudorella* Aurivillius,1898; *reducta* Wichgraf,1918; *#heringi* Le Doux,1923
- 419) *Acraea* (s.str.) *pudorina* Staudinger,1885 (Acraeidae) Synonym(s): *pudorina* Staudinger,1885; *emboensis* Gaede,1915; *#rubida* Le Doux,1923; *#mancamorphia* Le Doux,1932
- 420) *Acraea* (s.str.) *punctellata* Eltringham,1912 (Acraeidae) Synonym(s): *punctellata* Eltringham,1912; *#noharoides* Le Doux,1923
- 421) *Acraea* (s.str.) *punctimarginea* Pinhey,1956 (Acraeidae) Synonym(s): *punctimarginea* Pinhey,1956
- 422) *Acraea* (s.str.) *quadricolor* (Rogenhofer,1891) (Acraeidae) Synonym(s): *quadricolor* Rogenhofer,1891
- 423) *Acraea* (s.str.) *quadricolor itumbana* (Jordan,1910) (Acraeidae) Synonym(s): *itumbana* Jordan,1910
- 424) *Acraea* (s.str.) *quadricolor latifasciata* (Sharpe,1892) (Acraeidae) Synonym(s): *latifasciata* Sharpe,1892; *#pallascens* Gabriel,1939
- 425) *Acraea* (s.str.) *quadricolor leptis* (Jordan,1910) (Acraeidae) Synonym(s): *leptis* Jordan,1910
- 426) *Acraea* (s.str.) *quadricolor mahale* (Kielland,1990) (Acraeidae) Synonym(s): *mahale* Kielland,1990
- 427) *Acraea* (s.str.) *quadricolor morogoro* (Carpenter & Jackson,1950) (Acraeidae) Synonym(s): *morogoro* Carpenter & Jackson,1950
- 428) *Acraea* (s.str.) *quadricolor quadricolor* (Rogenhofer,1891) (Acraeidae) Synonym(s): *quadricolor* Rogenhofer,1891
- 429) *Acraea* (s.str.) *quadricolor uluguru* (Kielland,1990) (Acraeidae) Synonym(s): *uluguru* Kielland,1990
- 430) *Acraea* (s.str.) *quirina* (Fabricius,1781) (Acraeidae) Synonym(s): *quirina* Fabricius,1781; *dice* Drury,1782; *#bourgeoni* Schouteden,1919.
- 431) *Acraea* (s.str.) *quirina quirina* (Fabricius,1781) (Acraeidae) Synonym(s): *quirina* Fabricius,1781; *dice* Drury,1782; *#bourgeoni* Schouteden,1919.
- 432) *Acraea* (s.str.) *quirina rosa* Eltringham,1912 (Acraeidae) Synonym(s): *rosa* Eltringham,1912
- 433) *Acraea* (s.str.) *rabbaiiae* Ward,1873 (Acraeidae) Synonym(s): *rabbaiiae* Ward,1873; *mombasae* Grose-Smith,1889.
- 434) *Acraea* (s.str.) *ranavalona* Boisduval,1833 (Acraeidae) Synonym(s): *ranavalona* Boisduval,1833; *maransetra* Ward,1872; *manandaza* Ward,1872.
- 435) *Acraea* (s.str.) *rhodesiana* Wichgraf,1909 (Acraeidae) Synonym(s): *rhodesiana* Wichgraf,1909; *mima* Neave,1910; *#flaviapicalis* Overlaet,19555
- 436) *Acraea* (s.str.) *rogersi* Hewitson,1873 (Acraeidae) Synonym(s): *rogersi* Hewitson,1873; *salambo* Grose-Smith,1887; *ehmckeii* Dewitz,1889; *lamborni* Eltringham,1912.
- 437) *Acraea* (s.str.) *rogersi lankesteri* Carpenter,1941 (Acraeidae) Synonym(s): *lankesteri* Carpenter,1941
- 438) *Acraea* (s.str.) *rogersi rogersi* Hewitson,1873 (Acraeidae) Synonym(s): *rogersi* Hewitson,1873; *salambo* Grose-Smith,1887; *ehmckeii* Dewitz,1889; *lamborni* Eltringham,1912.
- 439) *Acraea* (s.str.) *rohlfsi* Suffert,1904 (Acraeidae) Synonym(s): *rohlfsi* Suffert,1904
- 440) *Acraea* (s.str.) *satis* Ward,1871 (Acraeidae) Synonym(s): *satis* Ward,1871; *corona* Staudinger,1885.
- 441) *Acraea* (s.str.) *scalivittata* (Butler,1896) (Acraeidae) Synonym(s): *scalivittata* Butler,1896
- 442) *Acraea* (s.str.) *scalivittata kiellandianus* Koçak,1996 (Acraeidae) Synonym(s): *kiellandi* Collins,1990 nec Carc.,1964; *kiellandianus* Koçak,1996.
- 443) *Acraea* (s.str.) *scalivittata scalivittata* (Butler,1896) (Acraeidae) Synonym(s): *scalivittata* Butler,1896
- 444) *Acraea* (s.str.) *simulator* Ackery,1995 (Acraeidae) Synonym(s): *simulata* Le Doux,1932 nec 1923; *simulator* Ackery,1995.
- 445) *Acraea* (s.str.) *stenobea* Wallengren,1860 (Acraeidae) Synonym(s): *stenobea* Wallengren,1860; *acronycta* Westwood,1881; *albomaculata* Weyermer,1892
- 446) *Acraea* (s.str.) *sykesi* Sharpe,1902 (Acraeidae) Synonym(s): *sykesi* Sharpe,1902; *#candida* Eltringham,1912
- 447) *Acraea* (s.str.) *tellus* (Aurivillius,1893) (Acraeidae) Synonym(s): *tellus* Aurivillius,1893; *lustella* Suffert,1904
- 448) *Acraea* (s.str.) *tellus eumelis* (Jordan,1910) (Acraeidae) Synonym(s): *eumelis* Jordan,1910
- 449) *Acraea* (s.str.) *tellus schubotzi* (Grünberg,1911) (Acraeidae) Synonym(s): *schubotzi* Grünberg,1911
- 450) *Acraea* (s.str.) *tellus tellus* (Aurivillius,1893) (Acraeidae) Synonym(s): *tellus* Aurivillius,1893; *lustella* Suffert,1904
- 451) *Acraea* (s.str.) *terpsicore* (Linnaeus,1758) (Acraeidae) Synonym(s): *terpsicore* Linnaeus,1758; *violae* Fabricius,1775
- 452) *Acraea* (s.str.) *terpsicore terpsicore* (Linnaeus,1758) (Acraeidae) Synonym(s): *terpsicore* Linnaeus,1758; *violae* Fabricius,1775
- 453) *Acraea* (s.str.) *turlini* Pierre,1979 (Acraeidae) Synonym(s): *turlini* Pierre,1979
- 454) *Acraea* (s.str.) *turna* Mabille,1877 (Acraeidae) Synonym(s): *turna* Mabille,1877; *marmorata* Grose-Smith & Kirby,1892; *#lacteata* Le Cerf,1927; *#scioptera* Le Cerf,1927
- 455) *Acraea* (s.str.) *umbra* (Drury,1782) (Acraeidae) Synonym(s): *umbra* Drury,1782
- 456) *Acraea* (s.str.) *umbra carpenteri* (Le Doux,1937) (Acraeidae) Synonym(s): *carpenteri* Le Doux,1937
- 457) *Acraea* (s.str.) *umbra umbra* (Drury,1782) (Acraeidae) Synonym(s): *umbra* Drury,1782
- 458) *Acraea* (s.str.) *utengulensis* Thureau,1903 (Acraeidae) Synonym(s): *utengulensis* Thureau,1903; *#taborensis* Le Doux,1931
- 459) *Acraea* (s.str.) *vestalis* C.Felder & R.Felder,[1865] (Acraeidae) Synonym(s): *vestalis* C.Felder & R.Felder,[1865]
- 460) *Acraea* (s.str.) *vestalis congoensis* (Le Doux,1937) (Acraeidae) Synonym(s): *congoensis* Le Doux,1937
- 461) *Acraea* (s.str.) *vestalis stavelia* (Suffert,1904) (Acraeidae) Synonym(s): *stavelia* Suffert,1904; *#fasciata* Aurivillius,1913
- 462) *Acraea* (s.str.) *vestalis vestalis* C.Felder & R.Felder,[1865] (Acraeidae) Synonym(s): *vestalis* C.Felder & R.Felder,[1865]
- 463) *Acraea* (s.str.) *violarum* Boisduval,1847 (Acraeidae) Synonym(s): *violarum* Boisduval,1847; *nataliensis* Angas,[1849]; *gracilis* Wichgraf,1909.
- 464) *Acraea* (s.str.) *zetes* (Linnaeus,1758) (Acraeidae) Synonym(s): *zetes* Linnaeus,1758; *menippe* Drury,1782; *mycenaee* Hübner,[1819]; *jalema* Godart,[1819].
- 465) *Acraea* (s.str.) *zetes annobona* D'Abrera,1980 (Acraeidae) Synonym(s): *annobona* D'Abrera,1980
- 466) *Acraea* (s.str.) *zetes rudolfi* Eltringham,1929 (Acraeidae) Synonym(s): *rudolfi* Eltringham,1929
- 467) *Acraea* (s.str.) *zetes sidamona* Rothschild & Jordan,1905 (Acraeidae) Synonym(s): *sidamona* Rothschild & Jordan,1905
- 468) *Acraea* (s.str.) *zetes trimeni* Aurivillius,1898 (Acraeidae) Synonym(s): *trimeni* Aurivillius,1898; *#eros* Le Doux,1923
- 469) *Acraea* (s.str.) *zetes zetes* (Linnaeus,1758) (Acraeidae) Synonym(s): *zetes* Linnaeus,1758; *menippe* Drury,1782; *mycenaee* Hübner,[1819]; *jalema* Godart,[1819].
- 470) *Acraea* (s.str.) *zonata* Hewitson,1877 (Acraeidae) Synonym(s): *zonata* Hewitson,1877; *makupa* Grose-Smith,1889.
- 471) *Pardopsis punctatissima* (Boisduval,1833) (Acraeidae) Synonym(s): *punctatissima* Boisduval,1833; *stictica* Boisduval,1847
- 472) *Pareba issoria* (Hübner,[1819]) (Acraeidae) Synonym(s): *issoria* Hübner,[1819]
- 473) *Pareba issoria anomala* (Kollar,[1844]) (Acraeidae) Synonym(s): *anomala* Kollar,[1844]
- 474) *Pareba issoria issoria* (Hübner,[1819]) (Acraeidae) Synonym(s): *issoria* Hübner,[1819]
- 475) *Pareba issoria sordice* (Fruhstorfer,1914) (Acraeidae) Synonym(s): *sordice* Fruhstorfer,1914
- 476) *Adela albicinctella* Mann,1852 (Adelidae) Synonym(s): *albicinctella* Mann,1852; *panicensis* Frey,1870

- 477) *Adela alurgis* Kozlov, 2006 (Adelidae) Synonym(s): *alurgis* Kozlov, 2006
- 478) *Adela antilyca* (Meyrick, 1936) (Adelidae) Synonym(s): *antilyca* Meyrick, 1936
- 479) *Adela argyrosipila* Meyrick, 1924 (Adelidae) Synonym(s): *argyrosipila* Meyrick, 1924
- 480) *Adela associatella* (Zeller, 1839) (Adelidae) Synonym(s): *associatella* Zeller, 1839
- 481) *Adela associatella tancrei* Sauber, 1899 (Adelidae) Synonym(s): *tancrei* Sauber, 1899
- 482) *Adela auricella* Ragonot, 1874 (Adelidae) Synonym(s): *auricella* Ragonot, 1874
- 483) *Adela australis* (Herrich-Schäffer, 1855) (Adelidae) Synonym(s): *australis* Herrich-Schäffer, 1855
- 484) *Adela chlorista* (Meyrick, 1912) (Adelidae) Synonym(s): *chlorista* Meyrick, 1912
- 485) *Adela collicolella* (Walsingham, 1904) (Adelidae) Synonym(s): *collicolella* Walsingham, 1904
- 486) *Adela croesella* (Scopoli, 1763) (Adelidae) Synonym(s): *croesella* Scopoli, 1763; *podaella* Linnaeus, 1767; *sultzella* Linnaeus, 1767; *malletella* Fourcroy, 1785; *fasciata* Esper, 1791; *sultzii* Haworth, 1828; *zulzeriella* Zeller, 1839; *laqueatella* Zeller, 1850.
- 487) *Adela cuneella* Walsingham, 1891 (Adelidae) Synonym(s): *cuneella* Walsingham, 1891
- 488) *Adela cuprella* ([Denis & Schiffermüller], 1775) (Adelidae) Synonym(s): *cuprella* [Denis & Schiffermüller], 1775; *cuprea* Haworth, 1828; *aeneella* Zetterstedt, [1839]; *crinitella* Zetterstedt, [1839]
- 489) *Adela droseropa* Meyrick, 1921 (Adelidae) Synonym(s): *droseropa* Meyrick, 1921
- 490) *Adela electella* (Walker, [1863]) (Adelidae) Synonym(s): *electella* Walker, [1863]
- 491) *Adela glabrata* (Meyrick, 1922) (Adelidae) Synonym(s): *glabrata* Meyrick, 1922
- 492) *Adela homalella* (Staudinger, 1859) (Adelidae) Synonym(s): *homalella* Staudinger, 1859
- 493) *Adela mazzolella* (Hübner, [1801]) (Adelidae) Synonym(s): *aurella* [Denis & Schiffermüller], 1775 nec Fabr., 1775; *mazzolella* Hübner, [1801]; *armeniella* Rebel, 1902
- 494) *Adela mutabilella* Küppers, 1980 (Adelidae) Synonym(s): *mutabilella* Küppers, 1980
- 495) *Adela natalensis* Stainton, 1860 (Adelidae) Synonym(s): *natalensis* Stainton, 1860; *albicornis* Walker, 1863
- 496) *Adela paludicolella* (Zeller, 1850) (Adelidae) Synonym(s): *paludicolella* Zeller, 1850
- 497) *Adela pantherella* (Guenée, 1848) (Adelidae) Synonym(s): *pantherella* Guenée, 1848
- 498) *Adela reaumurella* (Linnaeus, 1758) (Adelidae) Synonym(s): *reaumurella* Linnaeus, 1758; *viridella* Scopoli, 1763; *sphingiella* Hübner, 1793; *viridis* Haworth, 1828; *#nigra* Zeller, 1853; *speyeri* Zeller, 1853; *vernella* Bruand, 1859
- 499) *Adela repetitella* Mann, 1861 (Adelidae) Synonym(s): *repetitella* Mann, 1861
- 500) *Adela violella* ([Denis & Schiffermüller], 1775) (Adelidae) Synonym(s): *violella* [Denis & Schiffermüller], 1775; *tombacinella* Stainton, 1851
- 501) *Cauchas anatolica* (Rebel, 1902) (Adelidae) Synonym(s): *anatolica* Rebel, 1902
- 502) *Cauchas breviannella* Nielsen & Johansson, 1980 (Adelidae) Synonym(s): *breviannella* Nielsen & Johansson, 1980
- 503) *Cauchas chrysoterpella* Küppers, 1980 (Adelidae) Synonym(s): *chrysoterpella* Küppers, 1980
- 504) *Cauchas fibulella* ([Denis & Schiffermüller], 1775) (Adelidae) Synonym(s): *fibulella* [Denis & Schiffermüller], 1775; *pulchella* Eversmann, 1844; *immaculata* Wocke, 1877
- 505) *Cauchas florella* (Staudinger, 1871) (Adelidae) Synonym(s): *florella* Staudinger, 1871
- 506) *Cauchas leucocerella* (Scopoli, 1763) (Adelidae) Synonym(s): *leucocerella* Scopoli, 1763; *conformella* Zeller, 1839; *bimaculella* Fischer v. Rösslerstamm, 1840
- 507) *Cauchas rufifrontella* (Treitschke, 1833) (Adelidae) Synonym(s): *rufifrontella* Treitschke, 1833
- 508) *Cauchas rufimitrella* (Scopoli, 1763) (Adelidae) Synonym(s): *rufimitrella* Scopoli, 1763; *purpuratella* Zeller, 1850
- 509) *Cauchas terskella* Kuprijanov, 1994 (Adelidae) Synonym(s): *terskella* Kuprijanov, 1994
- 510) *Cauchas tridesma* (Meyrick, 1912) (Adelidae) Synonym(s): *trifasciella* Staudinger, 1879 (*praeocc.*); *tridesma* Meyrick, 1912.
- 511) *Cauchas uhrikmeszarosiella* (Szenz-Ivány, 1945) (Adelidae) Synonym(s): *uhrikmeszarosiella* Szenz-Ivány, 1945
- 512) *Ceromitia albosparsa* Janse, 1945 (Adelidae) Synonym(s): *albosparsa* Janse, 1945
- 513) *Ceromitia alternipunctella* (Walsingham, 1881) (Adelidae) Synonym(s): *alternipunctella* Walsingham, 1881
- 514) *Ceromitia amphichroa* Meyrick, 1908 (Adelidae) Synonym(s): *amphichroa* Meyrick, 1908
- 515) *Ceromitia arata* Meyrick, 1920 (Adelidae) Synonym(s): *arata* Meyrick, 1920
- 516) *Ceromitia bipartita* (Janse, 1945) (Adelidae) Synonym(s): *bipartita* Janse, 1945
- 517) *Ceromitia bipectinifera* Janse, 1945 (Adelidae) Synonym(s): *bipectinifera* Janse, 1945
- 518) *Ceromitia brevibobata* (Janse, 1945) (Adelidae) Synonym(s): *brevibobata* Janse, 1945
- 519) *Ceromitia centrologa* Meyrick, 1937 (Adelidae) Synonym(s): *centrologa* Meyrick, 1937
- 520) *Ceromitia cerochlora* Meyrick, 1921 (Adelidae) Synonym(s): *cerochlora* Meyrick, 1921
- 521) *Ceromitia crinigerella* (Zeller, 1850) (Adelidae) Synonym(s): *crinigerella* Zeller, 1850
- 522) *Ceromitia decepta* Janse, 1945 (Adelidae) Synonym(s): *decepta* Janse, 1945
- 523) *Ceromitia delta* Janse, 1945 (Adelidae) Synonym(s): *delta* Janse, 1945
- 524) *Ceromitia descripta* Meyrick, 1924 (Adelidae) Synonym(s): *descripta* Meyrick, 1924
- 525) *Ceromitia devia* (Janse, 1945) (Adelidae) Synonym(s): *devia* Janse, 1945
- 526) *Ceromitia dicksoni* (Janse, 1945) (Adelidae) Synonym(s): *dicksoni* Janse, 1945
- 527) *Ceromitia durbanica* (Janse, 1945) (Adelidae) Synonym(s): *durbanica* Janse, 1945
- 528) *Ceromitia elongatella* (Walsingham, 1881) (Adelidae) Synonym(s): *elongatella* Walsingham, 1881; *somphodes* Meyrick, 1912
- 529) *Ceromitia fuscipunctella* (Janse, 1945) (Adelidae) Synonym(s): *fuscipunctella* Janse, 1945
- 530) *Ceromitia geminata* Meyrick, 1914 (Adelidae) Synonym(s): *geminata* Meyrick, 1914
- 531) *Ceromitia gigantea* Janse, 1945 (Adelidae) Synonym(s): *gigantea* Janse, 1945
- 532) *Ceromitia graptosema* Meyrick, 1914 (Adelidae) Synonym(s): *graptosema* Meyrick, 1914
- 533) *Ceromitia grisata* (Janse, 1945) (Adelidae) Synonym(s): *grisata* Janse, 1945
- 534) *Ceromitia heteroloba* (Janse, 1945) (Adelidae) Synonym(s): *heteroloba* Janse, 1945
- 535) *Ceromitia holosticta* Meyrick, 1918 (Adelidae) Synonym(s): *holosticta* Meyrick, 1918
- 536) *Ceromitia impura* (Janse, 1945) (Adelidae) Synonym(s): *impura* Janse, 1945
- 537) *Ceromitia indigna* (Meyrick, 1912) (Adelidae) Synonym(s): *indigna* Meyrick, 1912
- 538) *Ceromitia intermedia* (Janse, 1945) (Adelidae) Synonym(s): *intermedia* Janse, 1945
- 539) *Ceromitia laureata* Meyrick, 1911 (Adelidae) Synonym(s): *laureata* Meyrick, 1911
- 540) *Ceromitia libropis* Meyrick, 1908 (Adelidae) Synonym(s): *libropis* Meyrick, 1908
- 541) *Ceromitia melanodesma* Meyrick, 1914 (Adelidae) Synonym(s): *melanodesma* Meyrick, 1914
- 542) *Ceromitia melanostrotata* Meyrick, 1912 (Adelidae) Synonym(s): *melanostrotata* Meyrick, 1912
- 543) *Ceromitia mellicoma* Meyrick, 1912 (Adelidae) Synonym(s): *mellicoma* Meyrick, 1912
- 544) *Ceromitia mioclina* Meyrick, 1921 (Adelidae) Synonym(s): *mioclina* Meyrick, 1921
- 545) *Ceromitia mitrata* Meyrick, 1917 (Adelidae) Synonym(s): *mitrata* Meyrick, 1917
- 546) *Ceromitia monopectinifera* Janse, 1945 (Adelidae) Synonym(s): *monopectinifera* Janse, 1945
- 547) *Ceromitia multipunctata* Janse, 1945 (Adelidae) Synonym(s): *multipunctata* Janse, 1945
- 548) *Ceromitia nerina* Meyrick, 1912 (Adelidae) Synonym(s): *nerina* Meyrick, 1912
- 549) *Ceromitia ochrotricha* Meyrick, 1912 (Adelidae) Synonym(s): *ochrotricha* Meyrick, 1912
- 550) *Ceromitia palyntis* Meyrick, 1908 (Adelidae) Synonym(s): *palyntis* Meyrick, 1908
- 551) *Ceromitia phaeocoma* Meyrick, 1912 (Adelidae) Synonym(s): *phaeocoma* Meyrick, 1912; *mesosema* Meyrick, 1921
- 552) *Ceromitia phaeocomoides* Janse, 1945 (Adelidae) Synonym(s): *phaeocomoides* Janse, 1945
- 553) *Ceromitia phyrsuma* Meyrick, 1911 (Adelidae) Synonym(s): *phyrsuma* Meyrick, 1911
- 554) *Ceromitia pilularis* Meyrick, 1921 (Adelidae) Synonym(s): *pilularis* Meyrick, 1921; *rixata* Meyrick, 1924
- 555) *Ceromitia praetexta* Meyrick, 1924 (Adelidae) Synonym(s): *praetexta* Meyrick, 1924
- 556) *Ceromitia punctulata* Janse, 1945 (Adelidae) Synonym(s): *punctulata* Janse, 1945
- 557) *Ceromitia resonans* Meyrick, 1918 (Adelidae) Synonym(s): *resonans* Meyrick, 1918
- 558) *Ceromitia simplicella* (Janse, 1945) (Adelidae) Synonym(s): *simplicella* Janse, 1945
- 559) *Ceromitia spatulodes* Meyrick, 1920 (Adelidae) Synonym(s): *spatulodes* Meyrick, 1920
- 560) *Ceromitia spilodesma* Meyrick, 1908 (Adelidae) Synonym(s): *spilodesma* Meyrick, 1908
- 561) *Ceromitia sporaeca* Meyrick, 1908 (Adelidae) Synonym(s): *sporaeca* Meyrick, 1908
- 562) *Ceromitia stathmodes* Meyrick, 1908 (Adelidae) Synonym(s): *stathmodes* Meyrick, 1908

- 563) *Ceromitia synchrona* (Janse,1945) (Adelidae) Synonym(s): *synchrona* Janse,1945
 564) *Ceromitia synneura* Meyrick,1921 (Adelidae) Synonym(s): *synneura* Meyrick,1921
 565) *Ceromitia systelitis* Meyrick,1921 (Adelidae) Synonym(s): *systelitis* Meyrick,1921
 566) *Ceromitia transtrifera* Meyrick,1912 (Adelidae) Synonym(s): *transtrifera* Meyrick,1912
 567) *Ceromitia trigoniferella* (Walsingham,1881) (Adelidae) Synonym(s): *trigoniferella* Walsingham,1881; ? *brevipalpa* Janse,1942.
 568) *Ceromitia trilobata* (Janse,1945) (Adelidae) Synonym(s): *trilobata* Janse,1945
 569) *Ceromitia turpisella* (Walker,1863) (Adelidae) Synonym(s): *turpisella* Walker,1863; *caffrariella* Möschler,1883; *turpis* Meyrick,1912; *flavicomma* Meyrick,1937.
 570) *Ceromitia tyrochlora* Meyrick,1908 (Adelidae) Synonym(s): *tyrochlora* Meyrick,1908; *benedicta* Meyrick,1918
 571) *Ceromitia unguiphora* (Janse,1945) (Adelidae) Synonym(s): *unguiphora* Janse,1945
 572) *Ceromitia vansonii* Janse,1945 (Adelidae) Synonym(s): *vansonii* Janse,1945
 573) *Ceromitia wahlbergi* Zeller,1852 (Adelidae) Synonym(s): *wahlbergi* Zeller,1852
 574) *Ceromitia xanthocoma* Meyrick,1917 (Adelidae) Synonym(s): *xanthocoma* Meyrick,1917
 575) *Nematopogon adansonella* (Villers,1789) (Adelidae) Synonym(s): *adansonella* Villers,1789; *panzerella* Fabricius,1794; *panzeri* Haworth,1828; *sabulosella* Walker,1863; *annulata* Ragonot,1876; *pseudopilella* Peyerimhoff,1877.
 576) *Nematopogon magna* (Zeller,1878) (Adelidae) Synonym(s): *magna* Zeller,1878
 577) *Nematopogon metaxella* (Hübner,1813) (Adelidae) Synonym(s): *metaxella* Hübner,1813
 578) *Nematopogon pilella* (Denis & Schiffermüller,1775) (Adelidae) Synonym(s): *pilella* [Denis & Schiffermüller],1775; *pilea* Haworth,1828; *minutella* Snellen,1884; *submetallica* Caradja,1920; *flavicomella* Müller-Rutz,1927
 579) *Nematopogon prolai* (Hartig,1941) (Adelidae) Synonym(s): *prolai* Hartig,1941
 580) *Nematopogon robertella* (Clerck,1759) (Adelidae) Synonym(s): *robertella* Clerck,1759; *pilulella* Hübner,1813].
 581) *Nematopogon schwarziella* Zeller,1839 (Adelidae) Synonym(s): *schwarziellus* Zeller,1839; *carteri* Stainton,1854
 582) *Nematopogon sericinellus* Zeller,1847 (Adelidae) Synonym(s): *sericinellus* Zeller,1847
 583) *Nematopogon swammerdamella* (Linnaeus,1758) (Adelidae) Synonym(s): *swammerdamella* Linnaeus,1758; *reamurella* Peyerimhoff,1877.
 584) *Nemophora albiciliellus* (Staudinger,1859) (Adelidae) Synonym(s): *albiciliellus* Staudinger,1859; *beryllopa* Meyrick,1935
 585) *Nemophora amatella* (Staudinger,1892) (Adelidae) Synonym(s): *amatella* Staudinger,1892; *amurensis* Alpheraky,1897; *kukunorensis* Sauber,1899; *badioumbrella* Sauber,1899; *coreana* Matsumura,1931; *hogasawarai* Matsumura,1932
 586) *Nemophora askoldella* (Millière,1879) (Adelidae) Synonym(s): *askoldella* Millière,1879; *griseella* Walsingham,1880; *irroratella* Christoph,1882
 587) *Nemophora aurisparsella* Walker,1863 (Adelidae) Synonym(s): *aurisparsella* Walker,1863
 588) *Nemophora barbatella* (Zeller,1847) (Adelidae) Synonym(s): *barbatellus* Zeller,1847; *chalcophrysellus* Mann,1855; *constantinella* Baker,1888; *demaioni* Ragonot,1889; *ipadregusto* Agenjo,1965
 589) *Nemophora basella* (Eversmann,1844) (Adelidae) Synonym(s): *basella* Eversmann,1844; *basiradiella* Christoph,1888
 590) *Nemophora belella* (Walker,1863) (Adelidae) Synonym(s): *belella* Walker,1863; *esmarkella* Wocke,1864; *hedemanni* Christoph,1888
 591) *Nemophora canalella* (Eversmann,1844) (Adelidae) Synonym(s): *canalella* Eversmann,1844
 592) *Nemophora chrysochraon* (Razowski,1978) (Adelidae) Synonym(s): *pfeifferella* Hübner,1813] (fig.422) *nec* Hbn,1813] (fig.398); *chrysochraon* Razowski,1978; *#chrysochranon* Razowski,1978; *huebneri* Koçak,1980.
 593) *Nemophora congruella* (Zeller,1839) (Adelidae) Synonym(s): *congruella* Zeller,1839
 594) *Nemophora cupriacella* (Hübner,1819) (Adelidae) Synonym(s): *cupriacella* Hübner,1819
 595) *Nemophora decisella* Walker,1863 (Adelidae) Synonym(s): *decisella* Walker,1863
 596) *Nemophora degeerella* (Linnaeus,1758) (Adelidae) Synonym(s): *degeerella* Linnaeus,1758; *debornella* Scopoli,1772; *striatella* Fabricius,1781; *phryganoides* Retzius,1783; *geerella* Hübner,1796; *degeerii* Haworth,1828
 597) *Nemophora dumerilella* (Duponchel,1839) (Adelidae) Synonym(s): *basochesella* Hübner,1824] (n.o.); *dumerilella* Duponchel,1839; *inauratella* Duponchel,1844; *#fervidellus* Zeller,1853; *#zelleriellus* Zeller,1853
 598) *Nemophora eretna* Kemal & Koçak,2006 (Adelidae) Synonym(s): *eretna* Kemal & Koçak,2006
 599) *Nemophora fasciella* (Fabricius,1775) (Adelidae) Synonym(s): *fasciella* Fabricius,1775; *schiffermillerella* [Denis & Schiffermüller],1775; *fascia* Haworth,1828; *schiffermullerella* Treitschke,1833; *annae* Zeller,1853; *purpureus* Stainton,1867
 600) *Nemophora humilis* (Walsingham,1891) (Adelidae) Synonym(s): *humilis* Walsingham,1891
 601) *Nemophora istriana* (Heydenreich,1851) (Adelidae) Synonym(s): *istriana* Heydenreich,1851; *dalmatinellus* Zeller,1853; *beyruthella* Bruand,1858; *chlorista* Meyrick,1912
 602) *Nemophora limenites* (Meyrick,1914) (Adelidae) Synonym(s): *limenites* Meyrick,1914
 603) *Nemophora maxinae* Kozlov & G.S.Robinson,1996 (Adelidae) Synonym(s): *maxinae* Kozlov & G.S.Robinson,1996
 604) *Nemophora metallica* (Poda,1761) (Adelidae) Synonym(s): *metallica* Poda,1761; *scabiosella* Scopoli,1763; *viridella* Hübner,1796; *aerosellus* Zeller,1850; *rebelellus* Turati,1924
 605) *Nemophora minimella* ([Denis & Schiffermüller],1775) (Adelidae) Synonym(s): *minimella* [Denis & Schiffermüller],1775; *lenellus* Zeller,1853
 606) *Nemophora mollella* (Hübner,1813) (Adelidae) Synonym(s): *mollella* Hübner,1813; *glabrata* Meyrick,1922
 607) *Nemophora ochenheimerella* (Hübner,1813) (Adelidae) Synonym(s): *ochenheimerella* Hübner,1813; *chibiana* Matsumura,1931; *japanalpina* Yasuda,1957
 608) *Nemophora paradisea* (Butler,1881) (Adelidae) Synonym(s): *paradisea* Butler,1881
 609) *Nemophora polychorda* (Meyrick,1914) (Adelidae) Synonym(s): *polychorda* Meyrick,1914
 610) *Nemophora prodigella* (Zeller,1853) (Adelidae) Synonym(s): *prodigellus* Zeller,1853; *auricellus* Ragonot,1874; *splendidus* Staudinger,1880
 611) *Nemophora raddella* (Hübner,1793) (Adelidae) Synonym(s): *raddella* Hübner,1793; *latreillella* Fabricius,1798; *raddaellus* Wocke,1871; *algeriensis* Walsingham,1907
 612) *Nemophora viollellus* (Herrich-Schäffer,1851) (Adelidae) Synonym(s): *viollella* Herrich-Schäffer,1851; *violaria* Razowski,1978
 613) *Agape chloropyga* (Walker,1854) (Aganaiidae) Synonym(s): *chloropyga* Walker,1854; *analys* Walker,1856; *cyanopyga* R.Felder,1874; *snelleni* Gaede,1914
 614) *Asota alienata* (Walker,1864) (Aganaiidae) Synonym(s): *alienata* Walker,1864
 615) *Asota australis* (Boisduval,1832) (Aganaiidae) Synonym(s): *australis* Boisduval,1832; *aequalis* Walker,1864; *sinuosa* Rothschild,1897; *septentrionalis* Rothschild,1897; *lineata* Rothschild,1897; *assimilis* Rothschild,1897.
 616) *Asota borbonica* (Boisduval,1833) (Aganaiidae) Synonym(s): *borbonica* Boisduval,1833; *insularis* Boisduval,1833; *antica* Walker,1856; *stipata* Walker,1864
 617) *Asota caledonica* Holloway,1979 (Aganaiidae) Synonym(s): *caledonica* Holloway,1979
 618) *Asota caricae* (Fabricius,1775) (Aganaiidae) Synonym(s): *caricae* Fabricius,1775; *alciphron* Cramer,1777; *europa* Rothschild,1897; *#purimargo* Seitz,1914; *#alerphron* Huttacharearn & Tubtim,1995
 619) *Asota diana* (Butler,1887) (Aganaiidae) Synonym(s): *diana* Butler,1887
 620) *Asota egens* (Walker,1854) (Aganaiidae) Synonym(s): *egens* Walker,1854; *nebulosa* Butler,1875; *confinens* Rothschild,1897
 621) *Asota ficus* (Fabricius,1775) (Aganaiidae) Synonym(s): *ficus* Fabricius,1775
 622) *Asota heliconia* (Linnaeus,1758) (Aganaiidae) Synonym(s): *heliconia* Linnaeus,1758; *dama* Fabricius,1775; *monycha* Cramer,1779; *silvandra* Stoll,1782; *doryca* Boisduval,1832; *intacta* Walker,1854; *lanceolata* Walker,1856; *clavata* Butler,1875; *dicta* Butler,1875; *zebrina* Butler,1877; *venalba* Moore,1877; *leuconura* Butler,1879; *perimela* Weymer,1885; *semifusca* Butler,1887; *nicobarica* Swinhoe,1892; *malisa* Swinhoe,1892; *ghara* Swinhoe,1892; *enganensis* Rothschild,1896; *naturansis* Rothschild,1896; *murina* Rothschild,1896; *timorana* Rothschild,1896; *kalaonica* Rothschild,1896; *riukuiana* Rothschild,1896; *philippina* Rothschild,1896; *sangirensis* Rothschild,1896; *bandana* Rothschild,1896; *kirivinae* Rothschild,1896; *hextensa* Rothschild,1896; *#diluta* Rothschild,1896; *#brevipennis* Rothschild,1896; *#nervosa* Rothschild,1896; *extensa* Seitz,1914; *arata* Jordan,1924
 623) *Asota iodamia* (Herrich-Schäffer,1854) (Aganaiidae) Synonym(s): *iodamia* Herrich-Schäffer,1854; *sphaerifera* Butler,1875; *nesophora* Meyrick,1886
 624) *Asota javana* (Cramer,1780) (Aganaiidae) Synonym(s): *javana* Cramer,1780; *flavipennis* Rothschild,1897
 625) *Asota orbona* (Vollenhoven,1863) (Aganaiidae) Synonym(s): *orbona* Vollenhoven,1863; *significans* Walker,1864; *ochrealis* Swinhoe,1892; *discoidal* Rothschild,1897; *queenslandica* Rothschild,1897; *ocellata* Rothschild,1897.
 626) *Asota paphos* (Fabricius,1787) (Aganaiidae) Synonym(s): *paphos* Fabricius,1787
 627) *Asota plagiata* (Walker,1854) (Aganaiidae) Synonym(s): *plagiata* Walker,1854; *discreta* Walker,1865; *henschkei* Hulstaert,1924
 628) *Asota plaginota* (Butler,1875) (Aganaiidae) Synonym(s): *plaginota* Butler,1875
 629) *Asota plana* Walker,1854 (Aganaiidae) Synonym(s): *plana* Walker,1854
 630) *Asota producta* (Butler,1875) (Aganaiidae) Synonym(s): *producta* Butler,1875; *strigivenata* Butler,1875; *stigmatic* Rothschild,1897; *kuluensis* Rothschild,1897
 631) *Asota speciosa* (Drury,1773) (Aganaiidae) Synonym(s): *speciosa* Drury,1773
 632) *Asota subsimilis* (Walker,1864) (Aganaiidae) Synonym(s): *subsimilis* Walker,1864
 633) *Digama aganais* (R.Felder,1874) (Aganaiidae) Synonym(s): *aganais* R.Felder,1874
 634) *Digama budonga* Bethune-Baker,1913 (Aganaiidae) Synonym(s): *budonga* Bethune-Baker,1913

- 635) *Digama burmana* Hampson, 1892 (Aganaidae) Synonym(s): *burmana* Hampson, 1892
- 636) *Digama hearseyana* Moore, [1860] (Aganaidae) Synonym(s): *hearseyana* Moore, [1860]; *similis* Moore, 1878
- 637) *Digama lithosioides* Swinhoe, 1907 (Aganaidae) Synonym(s): *lithosioides* Swinhoe, 1907
- 638) *Digama marchali* (Guérin-Ménéville, 1843) (Aganaidae) Synonym(s): *marchali* Guérin-Ménéville, 1843; *nebulosa* Walker, 1864; *figurata* Moore, 1878; *intermedia* Hampson, 1891
- 639) *Digama marmorea* Butler, 1877 (Aganaidae) Synonym(s): *marmorea* Butler, 1877; *piepersiana* Snellen, 1879; *clinchorum* Holloway, 1979
- 640) *Digama meridionalis* Swinhoe, 1907 (Aganaidae) Synonym(s): *meridionalis* Swinhoe, 1907
- 641) *Digama nepheloptera* Hampson, 1910 (Aganaidae) Synonym(s): *nepheloptera* Hampson, 1910
- 642) *Digama ostentata* Distant, 1899 (Aganaidae) Synonym(s): *ostentata* Distant, 1899
- 643) *Digama spilleri* (Bethune-Baker, 1908) (Aganaidae) Synonym(s): *spilleri* Bethune-Baker, 1908
- 644) *Euplocia memblaria* (Cramer, [1780]) (Aganaidae) Synonym(s): *memblaria* Cramer, [1780]; *renifer* R. Felder & Rogenhofer, 1874; *moderata* Butler, 1875; *inconspicua* Butler, 1875; *radians* Snellen, 1879
- 645) *Neochera dominia* (Cramer, [1780]) (Aganaidae) Synonym(s): *dominia* Cramer, [1780]; *echione* Fabricius, 1793; *eugenia* Cramer, 1782; *stibosthetia* Butler, 1875; *herpa* Snellen, 1879; *basilissa* Meyrick, 1886; *heliconides* Snellen, 1888; *butleri* Swinhoe, 1892; *zaria* Swinhoe, 1892; *affinis* Rothschild, 1896; *fumosa* Rothschild, 1896
- 646) *Neochera inops* (Walker, 1854) (Aganaidae) Synonym(s): *inops* Walker, 1854; *cinerascens* Moore, 1877; *tenuimargo* Rothschild, 1896
- 647) *Neochera marmorea* (Walker, 1856) (Aganaidae) Synonym(s): *marmorea* Walker, 1856; *bhawana* Moore, 1859
- 648) *Peridrome orbicularis* Walker, 1854 (Aganaidae) Synonym(s): *orbicularis* Walker, 1854; *subquadrata* Herrich-Schäffer, [1856]; *longipennis* Herrich-Schäffer, [1856]
- 649) *Peridrome subfascia* Walker, 1854 (Aganaidae) Synonym(s): *subfascia* Walker, 1854; *subfasciata* Moore, 1886
- 650) *Phaegorista agaristoides* Boisduval, 1836 (Aganaidae) Synonym(s): *agaristoides* Boisduval, 1836
- 651) *Phaegorista xanthosoma* Hampson, 1910 (Aganaidae) Synonym(s): *xanthosoma* Hampson, 1910
- 652) *Soloe fumipennis* Hampson, 1910 (Aganaidae) Synonym(s): *fumipennis* Hampson, 1910
- 653) *Soloe tripunctata* Druce, 1896 (Aganaidae) Synonym(s): *tripunctata* Druce, 1896
- 654) *Sommeria culta* Hübner, [1831] (Aganaidae) Synonym(s): *culta* Hübner, [1831]; *marmorata* Walker, 1865
- 655) *Sommeria sinuosa* (Hampson, 1905) (Aganaidae) Synonym(s): *sinuosa* Hampson, 1905
- 656) *Sommeria spilosoma* (R. Felder & Rogenhofer, 1874) (Aganaidae) Synonym(s): *spilosoma* R. Felder & Rogenhofer, 1874
- 657) *Sommeria spilosomoides* (Walker, 1865) (Aganaidae) Synonym(s): *spilosomoides* Walker, 1865
- 658) *Sommeria strabonis* (Hampson, 1910) (Aganaidae) Synonym(s): *strabonis* Hampson, 1910
- 659) *Blastodacna atra* (Haworth, [1828]) (Agonoxenidae) Synonym(s): *atra* Haworth, [1828]; *putripennella* Zeller, 1839
- 660) *Blastodacna georgella* Sinev, 1988 (Agonoxenidae) Synonym(s): *georgella* Sinev, 1988
- 661) *Blastodacna hellerella* (Duponchel, 1838) (Agonoxenidae) Synonym(s): *hellerella* Duponchel, 1838
- 662) *Blastodacna libanotica* Diakonoff, 1939 (Agonoxenidae) Synonym(s): *libanotica* Diakonoff, 1939
- 663) *Blastodacna vinolentella* (Herrich-Schäffer, [1854]) (Agonoxenidae) Synonym(s): *vinolentella* Herrich-Schäffer, [1854]
- 664) *Chrysoclista abchasica* (Sinev, 1986) (Agonoxenidae) Synonym(s): *abchasica* Sinev, 1986
- 665) *Chrysoclista lathamella* (Fletcher, 1936) (Agonoxenidae) Synonym(s): *bimaculella* Haworth, 1828 *nec* Thunb., 1794; *lathamella* Fletcher, 1936; *razowskii* Riedl, 1965
- 666) *Chrysoclista lathamella* T.B. Fletcher, 1936 (Agonoxenidae) Synonym(s): *lathamella* T.B. Fletcher, 1936
- 667) *Chrysoclista linneella* (Clerck, 1759) (Agonoxenidae) Synonym(s): *linneella* Clerck, 1759; *linneella* Linnaeus, 1761
- 668) *Chrysoclista splendida* Karsholt, 1997 (Agonoxenidae) Synonym(s): *splendida* Karsholt, 1997
- 669) *Chrysoclista zagulyaevi* Sinev, 1979 (Agonoxenidae) Synonym(s): *zagulyaevi* Sinev, 1979
- 670) *Dystebenna stephensi* (Stainton, 1849) (Agonoxenidae) Synonym(s): *stephensi* Stainton, 1849; *tessellatella* Herrich-Schäffer, [1854]; *stephensiella* Doubleday, 1859
- 671) *Haplochrois albanica* (Rebel & Zerny, [1932]) (Agonoxenidae) Synonym(s): *albanica* Rebel & Zerny, [1932]
- 672) *Haplochrois buvati* (Baldizzone, 1985) (Agonoxenidae) Synonym(s): *buvati* Baldizzone, 1985
- 673) *Haplochrois gelechiella* (Rebel, 1902) (Agonoxenidae) Synonym(s): *gelechiella* Rebel, 1902
- 674) *Haplochrois ochraceella* (Rebel, 1903) (Agonoxenidae) Synonym(s): *ochraceella* Rebel, 1903
- 675) *Haplochrois sinevi* (Baldizzone, 1993) (Agonoxenidae) Synonym(s): *sinevi* Baldizzone, 1993
- 676) *Haplochrois theae* (Kuznetsov, 1916) (Agonoxenidae) Synonym(s): *theae* Kuznetsov, 1916
- 677) *Heinemannia albidorsella* (Staudinger, 1877) (Agonoxenidae) Synonym(s): *albidorsella* Staudinger, 1877; *albidecorella* Hartig, 1951
- 678) *Heinemannia festivella* (Denis & Schiffermüller, [1775]) (Agonoxenidae) Synonym(s): *festivella* [Denis & Schiffermüller], 1775; *kokujevi* Krulikowsky, 1903
- 679) *Heinemannia laspeyrella* (Hübner, 1796) (Agonoxenidae) Synonym(s): *laspeyrella* Hübner, 1796
- 680) *Microcolona lychnacma* (Meyrick, 1927) (Agonoxenidae) Synonym(s): *lychnacma* Meyrick, 1927
- 681) *Microcolona omphalias* Meyrick, 1913 (Agonoxenidae) Synonym(s): *omphalias* Meyrick, 1913
- 682) *Microcolona pantomima* Meyrick, 1917 (Agonoxenidae) Synonym(s): *pantomima* Meyrick, 1917
- 683) *Microcolona trichodora* (Meyrick, 1909) (Agonoxenidae) Synonym(s): *trichodora* Meyrick, 1909
- 684) *Platybathra ganota* Meyrick, 1911 (Agonoxenidae) Synonym(s): *ganota* Meyrick, 1911
- 685) *Platybathra hysterotha* Meyrick, 1918 (Agonoxenidae) Synonym(s): *hysterotha* Meyrick, 1918
- 686) *Platybathra picropa* Meyrick, 1921 (Agonoxenidae) Synonym(s): *picropa* Meyrick, 1921
- 687) *Spuleria flavicaput* (Haworth, 1828) (Agonoxenidae) Synonym(s): *flavicaput* Haworth, 1828; *aurifrontella* Geyer, [1832]; *aurocapitella* Bruand, [1851]; *flavicapitella* Doubleday, 1859
- 688) *Alucita acalyptra* (Meyrick, 1913) (Alucitidae) Synonym(s): *acalyptra* Meyrick, 1913
- 689) *Alucita acutata* Scholz & Jäckh, 1994 (Alucitidae) Synonym(s): *Scholz & Jäckh, 1994*
- 690) *Alucita bidentata* Scholz & Jäckh, 1994 (Alucitidae) Synonym(s): *bidentata* Scholz & Jäckh, 1994
- 691) *Alucita brachyzona* (Meyrick, 1920) (Alucitidae) Synonym(s): *brachyzona* Meyrick, 1920
- 692) *Alucita cancellata* (Meyrick, 1908) (Alucitidae) Synonym(s): *cancellata* Meyrick, 1908
- 693) *Alucita capensis* R. Felder & Rogenhofer, 1875 (Alucitidae) Synonym(s): *capensis* R. Felder & Rogenhofer, 1875
- 694) *Alucita certifica* (Meyrick, 1909) (Alucitidae) Synonym(s): *certifica* Meyrick, 1909
- 695) *Alucita cinnerethella* Amsel, 1935 (Alucitidae) Synonym(s): *cinnerethella* Amsel, 1935
- 696) *Alucita composanthes* (Meyrick, 1924) (Alucitidae) Synonym(s): *composanthes* Meyrick, 1924
- 697) *Alucita crococyra* (Meyrick, 1937) (Alucitidae) Synonym(s): *crococyra* Meyrick, 1937
- 698) *Alucita cymatodactyla* Zeller, 1852 (Alucitidae) Synonym(s): *cymatodactyla* Zeller, 1852
- 699) *Alucita debilella* Scholz & Jäckh, 1994 (Alucitidae) Synonym(s): *debilella* Scholz & Jäckh, 1994
- 700) *Alucita desmodactyla* Zeller, 1847 (Alucitidae) Synonym(s): *desmodactyla* Zeller, 1847
- 701) *Alucita endophaea* Meyrick, 1930 (Alucitidae) Synonym(s): *endophaea* Meyrick, 1930
- 702) *Alucita ferruginea* Walsingham, 1881 (Alucitidae) Synonym(s): *ferruginea* Walsingham, 1881
- 703) *Alucita flaviseria* (Meyrick, 1921) (Alucitidae) Synonym(s): *flaviseria* Meyrick, 1921
- 704) *Alucita grammodyctyla* Zeller, 1841 (Alucitidae) Synonym(s): *grammodyctyla* Zeller, 1841
- 705) *Alucita granata* (Meyrick, 1921) (Alucitidae) Synonym(s): *granata* Meyrick, 1921
- 706) *Alucita habrophila* (Meyrick, 1920) (Alucitidae) Synonym(s): *habrophila* Meyrick, 1920
- 707) *Alucita hexadactyla* Linnaeus, 1758 (Alucitidae) Synonym(s): *hexadactyla* Linnaeus, 1758
- 708) *Alucita homotrocha* (Meyrick, 1921) (Alucitidae) Synonym(s): *homotrocha* Meyrick, 1921
- 709) *Alucita huebneri* Wallengren, 1859 (Alucitidae) Synonym(s): *huebneri* Wallengren, 1859
- 710) *Alucita iberica* Scholz & Jäckh, 1994 (Alucitidae) Synonym(s): *iberica* Scholz & Jäckh, 1994
- 711) *Alucita iranensis* Scholz & Jäckh, 1994 (Alucitidae) Synonym(s): *iranensis* Scholz & Jäckh, 1994
- 712) *Alucita ithycypha* (Meyrick, 1927) (Alucitidae) Synonym(s): *ithycypha* Meyrick, 1927
- 713) *Alucita japonica* (Matsumura) (Alucitidae) Synonym(s):
- 714) *Alucita klimeschi* Scholz, 1997 (Alucitidae) Synonym(s): *klimeschi* Scholz, 1997
- 715) *Alucita libraria* (Meyrick, 1911) (Alucitidae) Synonym(s): *libraria* Meyrick, 1911
- 716) *Alucita major* (Rebel, 1906) (Alucitidae) Synonym(s): *major* Rebel, 1906
- 717) *Alucita palodactyla* Zeller, 1847 (Alucitidae) Synonym(s): *palodactyla* Zeller, 1847; *perittodactyla* Staudinger, 1859; *parthenodactyla* Chrétien, 1915
- 718) *Alucita pectinata* Scholz & Jäckh, 1994 (Alucitidae) Synonym(s): *pectinata* Scholz & Jäckh, 1994

- 719) *Alucita phanerarcha* (Meyrick, 1924) (Alucitidae) Synonym(s): *phanerarcha* Meyrick, 1924
 720) *Alucita photaula* (Meyrick, 1918) (Alucitidae) Synonym(s): *photaula* Meyrick, 1918
 721) *Alucita pseudohuebneri* Scholz, 1997 (Alucitidae) Synonym(s): *pseudohuebneri* Scholz, 1997
 722) *Alucita spicifera* (Meyrick, 1911) (Alucitidae) Synonym(s): *spicifera* Meyrick, 1911
 723) *Alucita tesserata* (Meyrick, 1918) (Alucitidae) Synonym(s): *tesserata* Meyrick, 1918
 724) *Alucita tridentata* Scholz & Jäckh, 1994 (Alucitidae) Synonym(s): *tridentata* Scholz & Jäckh, 1994
 725) *Alucita zonodactyla* Zeller, 1847 (Alucitidae) Synonym(s): *zonodactyla* Zeller, 1847
 726) *Microschismus antennatus* T.B. Fletcher, 1909 (Alucitidae) Synonym(s): *antennatus* T.B. Fletcher, 1909
 727) *Microschismus cato* Meyrick, 1927 (Alucitidae) Synonym(s): *cato* Meyrick, 1927
 728) *Microschismus columella* Meyrick, 1927 (Alucitidae) Synonym(s): *columella* Meyrick, 1927
 729) *Microschismus ctenias* Meyrick, 1911 (Alucitidae) Synonym(s): *fortis* Meyrick, 1910 nec Walsingham, 1881; *ctenias* Meyrick, 1911.
 730) *Microschismus cymatias* Meyrick, 1918 (Alucitidae) Synonym(s): *cymatias* Meyrick, 1918
 731) *Microschismus fortis* Walsingham, 1881 (Alucitidae) Synonym(s): *fortis* Walsingham, 1881
 732) *Microschismus premnias* Meyrick, 1913 (Alucitidae) Synonym(s): *premnias* Meyrick, 1913
 733) *Microschismus sceletias* Meyrick, 1911 (Alucitidae) Synonym(s): *sceletias* Meyrick, 1911
 734) *Microschismus serricornis* Meyrick, 1914 (Alucitidae) Synonym(s): *serricornis* Meyrick, 1914
 735) *Pteropteryx dodecadactyla* (Hübner, 1813) (Alucitidae) Synonym(s): *dodecadactyla* Hübner, 1813; *dorcadius* Hering, 1917
 736) *Pteropteryx koreana* Byun, 2006 (Alucitidae) Synonym(s): *koreana* Byun, 2006
 737) *Pteropteryx nigrifasciata* Byun & Park, 2007 (Alucitidae) Synonym(s): *nigrifasciata* Byun & Park, 2007
 738) *Pteropteryx spilodesma* (Meyrick, 1907) (Alucitidae) Synonym(s): *spilodesma* Meyrick, 1907
 739) *Pteropteryx vietana* Byun & Park, 2007 (Alucitidae) Synonym(s): *vietana* Byun & Park, 2007
 740) *Aemona lena* Atkinson, 1871 (Amathusiidae) Synonym(s): *lena* Atkinson, 1871
 741) *Aemona lena lena* Atkinson, 1871 (Amathusiidae) Synonym(s): *lena* Atkinson, 1871
 742) *Aemona lena salweena* Tytler, 1939 (Amathusiidae) Synonym(s): *salweena* Tytler, 1939
 743) *Amathusia binghami* Fruhstorfer, 1904 (Amathusiidae) Synonym(s): *binghami* Fruhstorfer, 1904
 744) *Amathusia friderici* Fruhstorfer, 1904 (Amathusiidae) Synonym(s): *friderici* Fruhstorfer, 1904
 745) *Amathusia friderici* Fruhstorfer, 1904 (Amathusiidae) Synonym(s): *friderici* Fruhstorfer, 1904
 746) *Amathusia friderici holmanhunti* Corbet & Pendlebury, 1936 (Amathusiidae) Synonym(s): *holmanhunti* Corbet & Pendlebury, 1936; *utana* Corbet & Pendlebury, 1936
 747) *Amathusia gunneryi* Corbet & Pendlebury, 1936 (Amathusiidae) Synonym(s): *gunneryi* Corbet & Pendlebury, 1936
 748) *Amathusia masina* (Fruhstorfer, 1904) (Amathusiidae) Synonym(s): *masina* Fruhstorfer, 1904
 749) *Amathusia masina malaya* Corbet & Pendlebury, 1936 (Amathusiidae) Synonym(s): *malaya* Corbet & Pendlebury, 1936
 750) *Amathusia masina masina* (Fruhstorfer, 1904) (Amathusiidae) Synonym(s): *masina* Fruhstorfer, 1904
 751) *Amathusia ochraceofusca* Honrath, [1888] (Amathusiidae) Synonym(s): *ochraceofusca* Honrath, [1888]
 752) *Amathusia ochraceofusca ochraceofusca* Honrath, [1888] (Amathusiidae) Synonym(s): *ochraceofusca* Honrath, [1888]
 753) *Amathusia perakana* Honrath, [1888] (Amathusiidae) Synonym(s): *perakana* Honrath, [1888]
 754) *Amathusia perakana perakana* Honrath, [1888] (Amathusiidae) Synonym(s): *perakana* Honrath, [1888]
 755) *Amathusia phidippus* (Linnaeus, 1763) (Amathusiidae) Synonym(s): *phidippus* Linnaeus, 1763; *chersias* Fruhstorfer, 1911; *gunneryi* Corbet & Pendlebury, 1936
 756) *Amathusia phidippus adastatus* Fruhstorfer, 1904 (Amathusiidae) Synonym(s): *adastatus* Fruhstorfer, 1904
 757) *Amathusia phidippus cebuensis* M.Okano & T.Okano, 1986 (Amathusiidae) Synonym(s): *cebuensis* M.Okano & T.Okano, 1986
 758) *Amathusia phidippus negrosensis* M.Okano & T.Okano, 1986 (Amathusiidae) Synonym(s): *negrosensis* M.Okano & T.Okano, 1986
 759) *Amathusia phidippus phidippus* (Linnaeus, 1763) (Amathusiidae) Synonym(s): *phidippus* Linnaeus, 1763; *chersias* Fruhstorfer, 1911; *gunneryi* Corbet & Pendlebury, 1936
 760) *Amathusia phidippus pollicaris* Butler, 1870 (Amathusiidae) Synonym(s): *pollicaris* Butler, 1870
 761) *Amathusia schoenbergi* Honrath, [1888] (Amathusiidae) Synonym(s): *schoenbergi* Honrath, [1888]
 762) *Amathusia schoenbergi schoenbergi* Honrath, [1888] (Amathusiidae) Synonym(s): *schoenbergi* Honrath, [1888]
 763) *Amathuxidia amynthaon* (Doubleday, 1847) (Amathusiidae) Synonym(s): *amynthaon* Doubleday, 1847
 764) *Amathuxidia amynthaon amynthaon* (Doubleday, 1847) (Amathusiidae) Synonym(s): *amynthaon* Doubleday, 1847
 765) *Amathuxidia amynthaon dilucida* Honrath, 1884 (Amathusiidae) Synonym(s): *dilucida* Honrath, 1884
 766) *Amathuxidia amynthaon negrosensis* Schröder & Treadaway, 1980 (Amathusiidae) Synonym(s): *negrosensis* Schröder & Treadaway, 1980
 767) *Amathuxidia amynthaon perinthas* Fruhstorfer, 1911 (Amathusiidae) Synonym(s): *perinthas* Fruhstorfer, 1911
 768) *Amathuxidia amynthaon philippina* Moore, 1895 (Amathusiidae) Synonym(s): *philippina* Moore, 1895
 769) *Discophora deo De Nicéville*, 1898 (Amathusiidae) Synonym(s): *deo De Nicéville*, 1898
 770) *Discophora deo deo De Nicéville*, 1898 (Amathusiidae) Synonym(s): *deo De Nicéville*, 1898
 771) *Discophora dodong* Schröder & Treadaway, 1981 (Amathusiidae) Synonym(s): *dodong* Schröder & Treadaway, 1981
 772) *Discophora necho* C.Felder & R.Felder, [1867] (Amathusiidae) Synonym(s): *necho* C.Felder & R.Felder, [1867]
 773) *Discophora necho confluens* Schröder & Treadaway, 1989 (Amathusiidae) Synonym(s): *confluens* Schröder & Treadaway, 1989
 774) *Discophora necho engamon* Fruhstorfer, 1911 (Amathusiidae) Synonym(s): *engamon* Fruhstorfer, 1911
 775) *Discophora necho erasmus* Fruhstorfer, 1911 (Amathusiidae) Synonym(s): *erasmus* Fruhstorfer, 1911
 776) *Discophora necho guyi* Treadaway & Nuyda, 1994 (Amathusiidae) Synonym(s): *guyi* Treadaway & Nuyda, 1994
 777) *Discophora necho mariebellae* Nihira, Nuyda & Kitamura, 1994 (Amathusiidae) Synonym(s): *mariebellae* Nihira, Nuyda & Kitamura, 1994
 778) *Discophora necho mindorana* Fruhstorfer, 1911 (Amathusiidae) Synonym(s): *mindorana* Fruhstorfer, 1911
 779) *Discophora necho necho* C.Felder & R.Felder, [1867] (Amathusiidae) Synonym(s): *necho* C.Felder & R.Felder, [1867]
 780) *Discophora necho odora* Fruhstorfer, 1900 (Amathusiidae) Synonym(s): *odora* Fruhstorfer, 1900
 781) *Discophora necho sahi* Treadaway & Nuyda, 1994 (Amathusiidae) Synonym(s): *sahi* Treadaway & Nuyda, 1994
 782) *Discophora ogina* (Godart, [1824]) (Amathusiidae) Synonym(s): *ogina* Godart, [1824]
 783) *Discophora ogina ogina* (Godart, [1824]) (Amathusiidae) Synonym(s): *ogina* Godart, [1824]
 784) *Discophora ogina pulchra* Nihira, 1987 (Amathusiidae) Synonym(s): *pulchra* Nihira, 1987
 785) *Discophora philippina* Moore, 1895 (Amathusiidae) Synonym(s): *philippina* Moore, 1895
 786) *Discophora simplex* Staudinger, 1889 (Amathusiidae) Synonym(s): *simplex* Staudinger, 1889
 787) *Discophora sondaica* (Boisduval, 1836) (Amathusiidae) Synonym(s): *sondaica* Boisduval, 1836
 788) *Discophora sondaica camdao* Schröder & Treadaway, 1995 (Amathusiidae) Synonym(s): *camdao* Schröder & Treadaway, 1995
 789) *Discophora sondaica despoliata* Stichel, 1902 (Amathusiidae) Synonym(s): *despoliata* Stichel, 1902
 790) *Discophora sondaica samarana* Schröder & Treadaway, 1995 (Amathusiidae) Synonym(s): *samarana* Schröder & Treadaway, 1995
 791) *Discophora sondaica semperi* Moore, 1895 (Amathusiidae) Synonym(s): *semperi* Moore, 1895
 792) *Discophora sondaica zal* Westwood, [1851] (Amathusiidae) Synonym(s): *zal* Westwood, [1851]
 793) *Discophora timora* Westwood, [1850] (Amathusiidae) Synonym(s): *timora* Westwood, [1850]
 794) *Discophora timora perakensis* Stichel, 1900 (Amathusiidae) Synonym(s): *perakensis* Stichel, 1900
 795) *Discophora timora timora* Westwood, [1850] (Amathusiidae) Synonym(s): *timora* Westwood, [1850]
 796) *Enispe intermedia* Rothschild, 1916 (Amathusiidae) Synonym(s): *intermedia* Rothschild, 1916
 797) *Enispe intermedia corbeti* Pendlebury, 1933 (Amathusiidae) Synonym(s): *corbeti* Pendlebury, 1933
 798) *Enispe intermedia intermedia* Rothschild, 1916 (Amathusiidae) Synonym(s): *intermedia* Rothschild, 1916
 799) *Faunis canens* Hübner, [1826] (Amathusiidae) Synonym(s): *canens* Hübner, [1826]
 800) *Faunis canens arcesilas* Stichel, 1933 (Amathusiidae) Synonym(s): *arcesilaus* Fabricius, 1787; *arcesilas* Stichel, 1933; *taraki* Pendlebury, 1933
 801) *Faunis eumeus* (Drury, 1773) (Amathusiidae) Synonym(s): *eumeus* Drury, 1773
 802) *Faunis eumeus eumeus* (Drury, 1773) (Amathusiidae) Synonym(s): *eumeus* Drury, 1773
 803) *Faunis eumeus incerta* Staudinger, 1887 (Amathusiidae) Synonym(s): *incerta* Staudinger, 1887
 804) *Faunis gracilis* (Butler, 1867) (Amathusiidae) Synonym(s): *gracilis* Butler, 1867
 805) *Faunis kirata* (De Nicéville, 1891) (Amathusiidae) Synonym(s): *kirata* De Nicéville, 1891
 806) *Faunis phaon* (Erichson, 1834) (Amathusiidae) Synonym(s): *phaon* Erichson, 1834
 807) *Faunis phaon carfinia* Fruhstorfer, 1911 (Amathusiidae) Synonym(s): *carfinia* Fruhstorfer, 1911

- 808) *Faunis phaon leucis* C.Felder & R.Felder,1861 (Amathusiidae) Synonym(s): *leucis* C.Felder & R.Felder,1861
809) *Faunis phaon lurida* C.Felder & R.Felder,[1867] (Amathusiidae) Synonym(s): *lurida* C.Felder & R.Felder,[1867]
810) *Faunis phaon phaon* (Erichson,1834) (Amathusiidae) Synonym(s): *phaon* Erichson,1834
811) *Faunis phaon sibuyanensis* Aoki & Uémura,1982 (Amathusiidae) Synonym(s): *sibuyanensis* Aoki & Uémura,1982
812) *Faunis sappho Semper*,1878 (Amathusiidae) Synonym(s): *sappho Semper*,1878
813) *Faunis sappho ameinokleia Fruhstorfer*,1911 (Amathusiidae) Synonym(s): *ameinokleia Fruhstorfer*,1911
814) *Faunis sappho dinagatensis* Aoki & Uémura,1982 (Amathusiidae) Synonym(s): *dinagatensis* Aoki & Uémura,1982
815) *Faunis sappho kleis Semper*,1878 (Amathusiidae) Synonym(s): *kleis Semper*,1878
816) *Faunis sappho sappho Semper*,1878 (Amathusiidae) Synonym(s): *sappho Semper*,1878
817) *Faunis stomphax* (Westwood,[1858]) (Amathusiidae) Synonym(s): *stomphax* Westwood,[1858]
818) *Faunis stomphax plateni* Staudinger,1889 (Amathusiidae) Synonym(s): *plateni* Staudinger,1889
819) *Faunis stomphax stomphax* (Westwood,[1858]) (Amathusiidae) Synonym(s): *stomphax* Westwood,[1858]
820) *Melanocyma faunula* (Westwood,[1850]) (Amathusiidae) Synonym(s): *faunula* Westwood,[1850]
821) *Melanocyma faunula faunula* (Westwood,[1850]) (Amathusiidae) Synonym(s): *faunula* Westwood,[1850]
822) *Morpho polyphemus* Westwood,[1850] (Amathusiidae) Synonym(s): *polyphemus* Westwood,[1850]
823) *Stichophthalma camadeva* (Westwood,[1848]) (Amathusiidae) Synonym(s): *camadeva* Westwood,[1848]
824) *Stichophthalma camadeva camadeva* (Westwood,[1848]) (Amathusiidae) Synonym(s): *camadeva* Westwood,[1848]
825) *Stichophthalma camadeva camadevoidea* De Nicéville,1899 (Amathusiidae) Synonym(s): *camadevoidea* De Nicéville,1899
826) *Stichophthalma cambodia* Hewitson,1862 (Amathusiidae) Synonym(s): *cambodia* Hewitson,1862
827) *Stichophthalma cambodia aditha* Riley & Godfrey,1921 (Amathusiidae) Synonym(s): *aditha* Riley & Godfrey,1921
828) *Stichophthalma cambodia cambodia* Hewitson,1862 (Amathusiidae) Synonym(s): *cambodia* Hewitson,1862
829) *Stichophthalma godfreyi* Rothschild,1916 (Amathusiidae) Synonym(s): *godfreyi* Rothschild,1916
830) *Stichophthalma godfreyi godfreyi* Rothschild,1916 (Amathusiidae) Synonym(s): *godfreyi* Rothschild,1916
831) *Stichophthalma louisa* Wood-Mason,1871 (Amathusiidae) Synonym(s): *louisa* Wood-Mason,1871
832) *Stichophthalma louisa louisa* Wood-Mason,1871 (Amathusiidae) Synonym(s): *louisa* Wood-Mason,1871
833) *Stichophthalma louisa siamensis* Rothschild,1916 (Amathusiidae) Synonym(s): *siamensis* Rothschild,1916
834) *Taenaris artemis* (Snellen,1860) (Amathusiidae) Synonym(s): *artemis* Snellen,1860; *jamesi* Butler,1877; *sticheli* Fruhstorfer,1901; *queenslandica* Rothschild,1916; *zetes* Brooks,1944
835) *Taenaris horsfieldi* (Swainson,[1820]) (Amathusiidae) Synonym(s): *horsfieldi* Swainson,[1820]
836) *Taenaris horsfieldi birchi* Distant,1883 (Amathusiidae) Synonym(s): *birchi* Distant,1883
837) *Taenaris horsfieldi horsfieldi* (Swainson,[1820]) (Amathusiidae) Synonym(s): *horsfieldi* Swainson,[1820]
838) *Taenaris horsfieldi plateni* Staudinger,1889 (Amathusiidae) Synonym(s): *plateni* Staudinger,1889
839) *Thaumantis diores Doubleday*,1845 (Amathusiidae) Synonym(s): *diores* Doubleday,1845
840) *Thaumantis diores diores* Doubleday,1845 (Amathusiidae) Synonym(s): *diores* Doubleday,1845
841) *Thaumantis diores splendens* Tytler,1939 (Amathusiidae) Synonym(s): *splendens* Tytler,1939
842) *Thaumantis klugius* (Zincken,1831) (Amathusiidae) Synonym(s): *klugius* Zincken,1831
843) *Thaumantis klugius klugius* (Zincken,1831) (Amathusiidae) Synonym(s): *klugius* Zincken,1831
844) *Thaumantis klugius lucipor* Westwood,[1851] (Amathusiidae) Synonym(s): *lucipor* Westwood,[1851]
845) *Thaumantis noureddin* Westwood,[1851] (Amathusiidae) Synonym(s): *noureddin* Westwood,[1851]
846) *Thaumantis noureddin noureddin* Westwood,[1851] (Amathusiidae) Synonym(s): *noureddin* Westwood,[1851]
847) *Thaumantis noureddin sultanus* Stichel,1906 (Amathusiidae) Synonym(s): *sultanus* Stichel,1906
848) *Thaumantis odana* (Godart,[1824]) (Amathusiidae) Synonym(s): *odana* Godart,[1824]
849) *Thaumantis odana odana* (Godart,[1824]) (Amathusiidae) Synonym(s): *odana* Godart,[1824]
850) *Thaumantis odana pishuna* Fruhstorfer,1905 (Amathusiidae) Synonym(s): *pishuna* Fruhstorfer,1905
851) *Thauria aliris* (Westwood,[1858]) (Amathusiidae) Synonym(s): *aliris* Westwood,[1858]
852) *Thauria aliris aliris* (Westwood,[1858]) (Amathusiidae) Synonym(s): *aliris* Westwood,[1858]
853) *Thauria aliris intermedia* Crowley,1896 (Amathusiidae) Synonym(s): *intermedia* Crowley,1896
854) *Thauria aliris pseudaliris* Butler,1877 (Amathusiidae) Synonym(s): *pseudaliris* Butler,1877
855) *Thauria aliris siamensis* Rothschild,1916 (Amathusiidae) Synonym(s): *siamensis* Rothschild,1916
856) *Xanthotaenia busiris* Westwood,[1858] (Amathusiidae) Synonym(s): *busiris* Westwood,[1858]
857) *Zeuxidia amethysta* Butler,1865 (Amathusiidae) Synonym(s): *amethysta* Butler,1865
858) *Zeuxidia amethysta amethysta* Butler,1865 (Amathusiidae) Synonym(s): *amethysta* Butler,1865
859) *Zeuxidia amethysta amethystina* Stichel,1906 (Amathusiidae) Synonym(s): *amethystina* Stichel,1906
860) *Zeuxidia amethysta masoni* Moore,1879 (Amathusiidae) Synonym(s): *masoni* Moore,1879
861) *Zeuxidia amethysta tawiensis* Schröder & Treadaway,1991 (Amathusiidae) Synonym(s): *tawiensis* Schröder & Treadaway,1991
862) *Zeuxidia amethysta victrix* Staudinger,1889 (Amathusiidae) Synonym(s): *victrix* Staudinger,1889
863) *Zeuxidia aurelia* (Cramer,[1777]) (Amathusiidae) Synonym(s): *aurelia* Cramer,[1777]
864) *Zeuxidia aurelia aurelia* (Cramer,[1777]) (Amathusiidae) Synonym(s): *aurelia* Cramer,[1777]
865) *Zeuxidia doubledayi* Westwood,[1851] (Amathusiidae) Synonym(s): *doubledayi* Westwood,[1851]
866) *Zeuxidia doubledayi doubledayi* Westwood,[1851] (Amathusiidae) Synonym(s): *doubledayi* Westwood,[1851]
867) *Zeuxidia semperi* C.Felder & R.Felder,1861 (Amathusiidae) Synonym(s): *semperi* C.Felder & R.Felder,1861
868) *Zeuxidia semperi excelsa* Rothschild,1916 (Amathusiidae) Synonym(s): *excelsa* Rothschild,1916
869) *Zeuxidia semperi semperi* C.Felder & R.Felder,1861 (Amathusiidae) Synonym(s): *semperi* C.Felder & R.Felder,1861
870) *Zeuxidia semperi therionarca* Fruhstorfer,1911 (Amathusiidae) Synonym(s): *therionarca* Fruhstorfer,1911
871) *Zeuxidia sibulana* Honrath,1884 (Amathusiidae) Synonym(s): *sibulana* Honrath,1884
872) *Zeuxidia sibulana mediciei* Schröder,1977 (Amathusiidae) Synonym(s): *mediciei* Schröder,1977
873) *Zeuxidia sibulana sibulana* Honrath,1884 (Amathusiidae) Synonym(s): *sibulana* Honrath,1884
874) *Anticla antica* Walker,1855 (Apatelodidae) Synonym(s): *antica* Walker,1855; *carya* Druce,1887; *rutila* Druce,1887; *amycla* Druce,1890
875) *Anticla flavaria* (Cramer,1780) (Apatelodidae) Synonym(s): *flavaria* Cramer,1780; *flavifuscula* Hübner,[1819]
876) *Anticla limosa* (Schaus,1892) (Apatelodidae) Synonym(s): *limosa* Schaus,1892
877) *Anticla ortygia* Druce,1892 (Apatelodidae) Synonym(s): *ortygia* Druce,1892; *amphea* Druce,1890
878) *Anticla symphora* Schaus,1929 (Apatelodidae) Synonym(s): *symphora* Schaus,1929
879) *Anticla tarasia* Schaus,1929 (Apatelodidae) Synonym(s): *tarasia* Schaus,1929
880) *Apatelodes adrastia* Druce,1887 (Apatelodidae) Synonym(s): *adrastia* Druce,1887; *diffidens* Edwards,1887; *costaricensis* Draudt,1929
881) *Apatelodes albipunctata* Druce,1897 (Apatelodidae) Synonym(s): *albipunctata* Druce,1897
882) *Apatelodes amaryllis* Dyar,1907 (Apatelodidae) Synonym(s): *amaryllis* Dyar,1907
883) *Apatelodes anna* (Schaus,1905) (Apatelodidae) Synonym(s): *anna* Schaus,1905
884) *Apatelodes ardeola* Druce,1887 (Apatelodidae) Synonym(s): *ardeola* Druce,1887
885) *Apatelodes ardeola ardeola* Druce,1887 (Apatelodidae) Synonym(s): *ardeola* Druce,1887
886) *Apatelodes ardeola mediana* (Schaus,1900) (Apatelodidae) Synonym(s): *mediana* Schaus,1900
887) *Apatelodes ardeola vitrea* Schaus,1910 (Apatelodidae) Synonym(s): *vitrea* Schaus,1910
888) *Apatelodes banepa* Druce,1904 (Apatelodidae) Synonym(s): *banepa* Druce,1904
889) *Apatelodes batima* Dyar,1912 (Apatelodidae) Synonym(s): *batima* Dyar,1912
890) *Apatelodes brueckneri* Draudt,1929 (Apatelodidae) Synonym(s): *brueckneri* Draudt,1929
891) *Apatelodes castanea* Jones,1908 (Apatelodidae) Synonym(s): *castanea* Jones,1908
892) *Apatelodes cerrita* Draudt,1929 (Apatelodidae) Synonym(s): *cerrita* Draudt,1929
893) *Apatelodes cirna* Druce,1893 (Apatelodidae) Synonym(s): *cirna* Druce,1893
894) *Apatelodes concerpta* Draudt,1929 (Apatelodidae) Synonym(s): *concerpta* Draudt,1929
895) *Apatelodes concerpta concerpta* Draudt,1929 (Apatelodidae) Synonym(s): *concerpta* Draudt,1929
896) *Apatelodes concerpta fucosa* Draudt,1929 (Apatelodidae) Synonym(s): *fucosa* Draudt,1929
897) *Apatelodes corema* Schaus,1896 (Apatelodidae) Synonym(s): *corema* Schaus,1896

- 898) *Apatelodes damora* Schaus,1939 (Apatelodidae) Synonym(s): *damora* Schaus,1939
 899) *Apatelodes datanoides* Draudt,1929 (Apatelodidae) Synonym(s): *datanoides* Draudt,1929
 900) *Apatelodes diana* Dognin,1916 (Apatelodidae) Synonym(s): *diana* Dognin,1916
 901) *Apatelodes dianita* Dognin,1920 (Apatelodidae) Synonym(s): *dianita* Dognin,1920
 902) *Apatelodes dorama* Dyar,1912 (Apatelodidae) Synonym(s): *dorama* Dyar,1912
 903) *Apatelodes ennomoides* (Walker,1865) (Apatelodidae) Synonym(s): *ennomoides* Walker,1865
 904) *Apatelodes erotina* Schaus,1939 (Apatelodidae) Synonym(s): *erotina* Schaus,1939
 905) *Apatelodes erubescens* Draudt,1929 (Apatelodidae) Synonym(s): *erubescens* Draudt,1929; *telano* Schaus,1939
 906) *Apatelodes firmiana* (Stoll,1782) (Apatelodidae) Synonym(s): *firmiana* Stoll,1782
 907) *Apatelodes florisa* Schaus,1939 (Apatelodidae) Synonym(s): *florisa* Schaus,1939
 908) *Apatelodes garleppi* Draudt,1929 (Apatelodidae) Synonym(s): *garleppi* Draudt,1929
 909) *Apatelodes gaveta* (Dognin,1894) (Apatelodidae) Synonym(s): *gaveta* Dognin,1894
 910) *Apatelodes gladys* Dyar,1918 (Apatelodidae) Synonym(s): *gladys* Dyar,1918
 911) *Apatelodes heptaloba* Druce,1887 (Apatelodidae) Synonym(s): *heptaloba* Druce,1887; *bunca* Dyar,1912
 912) *Apatelodes hierax* Dognin,1924 (Apatelodidae) Synonym(s): *hierax* Dognin,1924
 913) *Apatelodes horina* Schaus,1920 (Apatelodidae) Synonym(s): *horina* Schaus,1920
 914) *Apatelodes ilia* Dognin,1916 (Apatelodidae) Synonym(s): *ilia* Dognin,1916
 915) *Apatelodes imparata* Dognin,1907 (Apatelodidae) Synonym(s): *imparata* Dognin,1907
 916) *Apatelodes infesta* (Dognin,1922) (Apatelodidae) Synonym(s): *infesta* Dognin,1922
 917) *Apatelodes inviolata* Dognin,1911 (Apatelodidae) Synonym(s): *inviolata* Dognin,1911
 918) *Apatelodes jessica* Dyar,1926 (Apatelodidae) Synonym(s): *jessica* Dyar,1926
 919) *Apatelodes jessica floramia* Dyar,1926 (Apatelodidae) Synonym(s): *floramia* Dyar,1926
 920) *Apatelodes jessica jessica* Dyar,1926 (Apatelodidae) Synonym(s): *jessica* Dyar,1926
 921) *Apatelodes jessica maudamia* Dyar,1926 (Apatelodidae) Synonym(s): *maudamia* Dyar,1926
 922) *Apatelodes kotzschii* Draudt,1929 (Apatelodidae) Synonym(s): *kotzschii* Draudt,1929
 923) *Apatelodes lacetania* Druce,1898 (Apatelodidae) Synonym(s): *lacetania* Druce,1898; *hiantha* Dyar,1912
 924) *Apatelodes lapitha* Druce,1900 (Apatelodidae) Synonym(s): *lapitha* Druce,1900
 925) *Apatelodes lepida* (Schaus,1905) (Apatelodidae) Synonym(s): *lepida* Schaus,1905
 926) *Apatelodes lescamia* Dyar,1912 (Apatelodidae) Synonym(s): *lescamia* Dyar,1912
 927) *Apatelodes lilacina* Jones,1908 (Apatelodidae) Synonym(s): *lilacina* Jones,1908
 928) *Apatelodes martia* (Stoll,1782) (Apatelodidae) Synonym(s): *martia* Stoll,1782; *bombycina* C.Felder,1874
 929) *Apatelodes mehida* Druce,1904 (Apatelodidae) Synonym(s): *mehida* Druce,1904
 930) *Apatelodes merlona* Schaus,1939 (Apatelodidae) Synonym(s): *merlona* Schaus,1939
 931) *Apatelodes milma* Dyar,1912 (Apatelodidae) Synonym(s): *milma* Dyar,1912
 932) *Apatelodes moresca* Schaus,1900 (Apatelodidae) Synonym(s): *moresca* Schaus,1900
 933) *Apatelodes narda* (Schaus,1900) (Apatelodidae) Synonym(s): *narda* Schaus,1900
 934) *Apatelodes olaus* Schaus,1924 (Apatelodidae) Synonym(s): *olaus* Schaus,1924
 935) *Apatelodes palma* Druce,1924 (Apatelodidae) Synonym(s): *palma* Druce,1924
 936) *Apatelodes pandara* Druce,1893 (Apatelodidae) Synonym(s): *pandara* Druce,1893
 937) *Apatelodes pandara pandara* Druce,1893 (Apatelodidae) Synonym(s): *pandara* Druce,1893
 938) *Apatelodes pandara romani* Bryk,1953 (Apatelodidae) Synonym(s): *romani* Bryk,1953
 939) *Apatelodes pandarioides* Schaus,1905 (Apatelodidae) Synonym(s): *pandarioides* Schaus,1905
 940) *Apatelodes paraguayana* Schaus,1927 (Apatelodidae) Synonym(s): *paraguayana* Schaus,1927
 941) *Apatelodes paratima* Schaus,1910 (Apatelodidae) Synonym(s): *paratima* Schaus,1910
 942) *Apatelodes parvula* Schaus,1894 (Apatelodidae) Synonym(s): *parvula* Schaus,1894
 943) *Apatelodes paulista* Jones,1908 (Apatelodidae) Synonym(s): *paulista* Jones,1908
 944) *Apatelodes pertuisa* (Dognin,1916) (Apatelodidae) Synonym(s): *pertuisa* Dognin,1916
 945) *Apatelodes pervicax* (Dognin,1911) (Apatelodidae) Synonym(s): *pervicax* Dognin,1911
 946) *Apatelodes pithala* Dognin,1920 (Apatelodidae) Synonym(s): *pithala* Dognin,1920
 947) *Apatelodes princeps* Dognin,1911 (Apatelodidae) Synonym(s): *princeps* Dognin,1911
 948) *Apatelodes pudefacta* Dyar,1904 (Apatelodidae) Synonym(s): *pudefacta* Dyar,1904; *uvada* Barnes,1904
 949) *Apatelodes quadrata* Jones,1908 (Apatelodidae) Synonym(s): *quadrata* Jones,1908
 950) *Apatelodes sadisma* Dyar,1918 (Apatelodidae) Synonym(s): *sadisma* Dyar,1918
 951) *Apatelodes satellitia* (Walker,1855) (Apatelodidae) Synonym(s): *satellitita* Walker,1855
 952) *Apatelodes schreiteri* Schaus,1924 (Apatelodidae) Synonym(s): *schreiteri* Schaus,1924
 953) *Apatelodes sericea* Schaus,1896 (Apatelodidae) Synonym(s): *sericea* Schaus,1896; *erecta* Dognin,1916
 954) *Apatelodes signata* Druce,1904 (Apatelodidae) Synonym(s): *signata* Druce,1904
 955) *Apatelodes singularis* (Butler,1881) (Apatelodidae) Synonym(s): *singularis* Butler,1881
 956) *Apatelodes striata* Druce,1906 (Apatelodidae) Synonym(s): *striata* Druce,1906
 957) *Apatelodes sublnata* Schaus,1920 (Apatelodidae) Synonym(s): *sublnata* Schaus,1920
 958) *Apatelodes taperinha* (Dognin,1922) (Apatelodidae) Synonym(s): *taperinha* Dognin,1922
 959) *Apatelodes thinaha* Draudt,1929 (Apatelodidae) Synonym(s): *thinaha* Draudt,1929
 960) *Apatelodes torrefacta* (J.E.Smith,1797) (Apatelodidae) Synonym(s): *torrefacta* J.E.Smith,1797; *floridana* Edwards,1886
 961) *Apatelodes tropea* (Schaus,1896) (Apatelodidae) Synonym(s): *tropea* Schaus,1896
 962) *Apatelodes tuisa* (Schaus,1910) (Apatelodidae) Synonym(s): *tuisa* Schaus,1910
 963) *Apatelodes turrialba* Schaus,1910 (Apatelodidae) Synonym(s): *turrialba* Schaus,1910
 964) *Apatelodes velutina* Schaus,1896 (Apatelodidae) Synonym(s): *velutina* Schaus,1896
 965) *Apatelodes verena* Druce,1897 (Apatelodidae) Synonym(s): *verena* Druce,1897
 966) *Apatelodes vistana* Schaus,1939 (Apatelodidae) Synonym(s): *vistana* Schaus,1939
 967) *Apatelodes xanthapex* Draudt,1929 (Apatelodidae) Synonym(s): *xanthapex* Draudt,1929
 968) *Apatelodes zikani* Draudt,1929 (Apatelodidae) Synonym(s): *zikani* Draudt,1929
 969) *Arotros striata* Schaus,1892 (Apatelodidae) Synonym(s): *striata* Schaus,1892
 970) *Carnotena xanthiata* Walker,1865 (Apatelodidae) Synonym(s): *perlineata* Walker,1862; *xanthiata* Walker,1865; *configurata* C.Felder,1874
 971) *Cheneya irrufata* (Dognin,1911) (Apatelodidae) Synonym(s): *irrufata* Dognin,1911
 972) *Cheneya morrisa* Schaus,1929 (Apatelodidae) Synonym(s): *morrisa* Schaus,1929
 973) *Cheneya rovena* Schaus,1929 (Apatelodidae) Synonym(s): *rovena* Schaus,1929
 974) *Colla aerilia* Schaus,1929 (Apatelodidae) Synonym(s): *aerilia* Schaus,1929
 975) *Colla aminula* (Druce,1890) (Apatelodidae) Synonym(s): *aminula* Druce,1890
 976) *Colla amoena* Dognin,1923 (Apatelodidae) Synonym(s): *amoena* Dognin,1923
 977) *Colla amoena amoena* Dognin,1923 (Apatelodidae) Synonym(s): *amoena* Dognin,1923
 978) *Colla amoena antaziana* Bryk,1953 (Apatelodidae) Synonym(s): *antaziana* Bryk,1953
 979) *Colla coelestis* Schaus,1910 (Apatelodidae) Synonym(s): *coelestis* Schaus,1910
 980) *Colla coelestis autaziana* Bryk,1953 (Apatelodidae) Synonym(s): *autaziana* Bryk,1953
 981) *Colla coelestis coelestis* Schaus,1910 (Apatelodidae) Synonym(s): *coelestis* Schaus,1910
 982) *Colla gaudialis* Schaus,1905 (Apatelodidae) Synonym(s): *gaudialis* Schaus,1905
 983) *Colla glaucescens* Walker,1865 (Apatelodidae) Synonym(s): *glaucescens* Walker,1865
 984) *Colla jehlii* Schade,1939 (Apatelodidae) Synonym(s): *jehlii* Schade,1939
 985) *Colla klagesi* (W.Warren,1901) (Apatelodidae) Synonym(s): *klagesi* W.Warren,1901
 986) *Colla lilacina* Dognin,1916 (Apatelodidae) Synonym(s): *lilacina* Dognin,1916
 987) *Colla margaritacea* (Möschler,1872) (Apatelodidae) Synonym(s): *margaritacea* Möschler,1872; *blandiatix* C.Felder,1874;
 988) *Colla melini* Bryk,1953 (Apatelodidae) Synonym(s): *melini* Bryk,1953

- 989) *Colla micacea* (Walker,1865) (Apatelodidae) Synonym(s): *micacea* Walker,1865; *albescens* Schaus,1905
- 990) *Colla netrix* (Stoll,1780) (Apatelodidae) Synonym(s): *netrix* Stoll,1780
- 991) *Colla opalifera* Dognin,1911 (Apatelodidae) Synonym(s): *opalifera* Dognin,1911; *manni* Schaus,1924
- 992) *Colla rhodope* (Drury,1782) (Apatelodidae) Synonym(s): *rhodope* Drury,1782
- 993) *Colla rhodope rhodope* (Drury,1782) (Apatelodidae) Synonym(s): *rhodope* Drury,1782
- 994) *Colla rhodope transparens* Bryk,1953 (Apatelodidae) Synonym(s): *transparens* Bryk,1953
- 995) *Colla similis* (C.Felder,1874) (Apatelodidae) Synonym(s): *similis* C.Felder,1874
- 996) *Colla umbrata* Schaus,1905 (Apatelodidae) Synonym(s): *umbrata* Schaus,1905
- 997) *Drepatelodes friburgensis* (Schaus,1924) (Apatelodidae) Synonym(s): *friburgensis* Schaus,1924
- 998) *Drepatelodes ostenta* (Schaus,1905) (Apatelodidae) Synonym(s): *ostenta* Schaus,1905
- 999) *Drepatelodes quadrilineata* (Schaus,1920) (Apatelodidae) Synonym(s): *quadrilineata* Schaus,1920
- 1000) *Drepatelodes tanais* (Druce,1898) (Apatelodidae) Synonym(s): *tanais* Druce,1898
- 1001) *Drepatelodes trilineata* (Dognin,1912) (Apatelodidae) Synonym(s): *trilineata* Dognin,1912
- 1002) *Drepatelodes umbrilinea* (Schaus,1905) (Apatelodidae) Synonym(s): *umbrilinea* Schaus,1905
- 1003) *Ephoria dora* (Schaus,1896) (Apatelodidae) Synonym(s): *dora* Schaus,1896
- 1004) *Ephoria eadgara* (Schaus,1934) (Apatelodidae) Synonym(s): *eadgara* Schaus,1934
- 1005) *Ephoria ephora* (Stoll,1781) (Apatelodidae) Synonym(s): *ephora* Stoll,1781; *paradoxa* Herrich-Schäffer,1855; *uzita* Druce,1899
- 1006) *Ephoria hezia* (Druce,1899) (Apatelodidae) Synonym(s): *hezia* Druce,1899
- 1007) *Ephoria illauta* (Draudt,1929) (Apatelodidae) Synonym(s): *illauta* Draudt,1929
- 1008) *Ephoria liliana* (Schaus,1900) (Apatelodidae) Synonym(s): *liliana* Schaus,1900
- 1009) *Ephoria lybia* (Druce,1898) (Apatelodidae) Synonym(s): *lybia* Druce,1898
- 1010) *Ephoria lybia hoppi* (Draudt,1929) (Apatelodidae) Synonym(s): *hoppi* Draudt,1929
- 1011) *Ephoria lybia lybia* (Druce,1898) (Apatelodidae) Synonym(s): *lybia* Druce,1898
- 1012) *Ephoria lybia nubilosa* (Dognin,1924) (Apatelodidae) Synonym(s): *nubilosa* Dognin,1924
- 1013) *Ephoria marginalis* (Walker,1856) (Apatelodidae) Synonym(s): *marginalis* Walker,1856; *lineosa* Walker,1856; *basifulva* Kaye,1901
- 1014) *Ephoria mendozata* (Dognin,1923) (Apatelodidae) Synonym(s): *mendozata* Dognin,1923
- 1015) *Ephoria thea* (Schaus,1924) (Apatelodidae) Synonym(s): *thea* Schaus,1924
- 1016) *Epia casnonia* (Druce,1887) (Apatelodidae) Synonym(s): *casnonia* Druce,1887
- 1017) *Epia casnonia casnonia* (Druce,1887) (Apatelodidae) Synonym(s): *casnonia* Druce,1887
- 1018) *Epia casnonia romanepia* Bryk,1953 (Apatelodidae) Synonym(s): *romanepia* Bryk,1953
- 1019) *Epia domina* (Cramer,1780) (Apatelodidae) Synonym(s): *domina* Cramer,1780
- 1020) *Epia erdae* Schaus,1929 (Apatelodidae) Synonym(s): *erdae* Schaus,1929
- 1021) *Epia hiemalis* (Butler,1878) (Apatelodidae) Synonym(s): *hiemalis* Butler,1878
- 1022) *Epia intricata* (Druce,1904) (Apatelodidae) Synonym(s): *intricata* Druce,1904
- 1023) *Epia lebethra* (Druce,1890) (Apatelodidae) Synonym(s): *lebethra* Druce,1890
- 1024) *Epia lunilinea* Schaus,1920 (Apatelodidae) Synonym(s): *lunilinea* Schaus,1920
- 1025) *Epia madeira* Schaus,1920 (Apatelodidae) Synonym(s): *madeira* Schaus,1920
- 1026) *Epia muscosa* (Butler,1878) (Apatelodidae) Synonym(s): *muscosa* Butler,1878; *cuneifera* Butler,1878
- 1027) *Epia parsenia* Schaus,1934 (Apatelodidae) Synonym(s): *parsenia* Schaus,1934
- 1028) *Epia picta* Schaus,1920 (Apatelodidae) Synonym(s): *picta* Schaus,1920
- 1029) *Epia vulnerata* (C.Felder,1874) (Apatelodidae) Synonym(s): *vulnerata* C.Felder,1874
- 1030) *Falcatelodes anava* (Druce,1890) (Apatelodidae) Synonym(s): *anava* Druce,1890; *laffonti* Dognin,1897
- 1031) *Moeschleria hulttii* Möschler,1890 (Apatelodidae) Synonym(s): *hulttii* Möschler,1890
- 1032) *Olceclostera amelda* Dyar,1915 (Apatelodidae) Synonym(s): *amelda* Dyar,1915
- 1033) *Olceclostera amoria* Druce,1890 (Apatelodidae) Synonym(s): *amoria* Druce,1890
- 1034) *Olceclostera avangareza* Schaus,1910 (Apatelodidae) Synonym(s): *avangareza* Schaus,1910
- 1035) *Olceclostera azteca* Schaus,1894 (Apatelodidae) Synonym(s): *azteca* Schaus,1894
- 1036) *Olceclostera basifusca* Draudt,1929 (Apatelodidae) Synonym(s): *basifusca* Draudt,1929
- 1037) *Olceclostera bifenestrata* Schaus,1912 (Apatelodidae) Synonym(s): *bifenestrata* Schaus,1912
- 1038) *Olceclostera bilinea* Schaus,1900 (Apatelodidae) Synonym(s): *bilinea* Schaus,1900
- 1039) *Olceclostera brama* Schaus,1920 (Apatelodidae) Synonym(s): *brama* Schaus,1920
- 1040) *Olceclostera castra* Jones,1908 (Apatelodidae) Synonym(s): *castra* Jones,1908
- 1041) *Olceclostera castrona* Schaus,1894 (Apatelodidae) Synonym(s): *castrona* Schaus,1894
- 1042) *Olceclostera cuyabata* Draudt,1929 (Apatelodidae) Synonym(s): *cuyabata* Draudt,1929
- 1043) *Olceclostera guanduna* Draudt,1929 (Apatelodidae) Synonym(s): *guanduna* Draudt,1929
- 1044) *Olceclostera ibar* (Schaus,1910) (Apatelodidae) Synonym(s): *ibar* Schaus,1910
- 1045) *Olceclostera indentata* Schaus,1910 (Apatelodidae) Synonym(s): *indentata* Schaus,1910
- 1046) *Olceclostera interniplaga* Draudt,1929 (Apatelodidae) Synonym(s): *interniplaga* Draudt,1929
- 1047) *Olceclostera irrorata* Butler,1878 (Apatelodidae) Synonym(s): *irrorata* Butler,1878
- 1048) *Olceclostera magniplaga* Schaus,1910 (Apatelodidae) Synonym(s): *magniplaga* Schaus,1910
- 1049) *Olceclostera maya* Schaus,1892 (Apatelodidae) Synonym(s): *maya* Schaus,1892
- 1050) *Olceclostera microps* (Walker,1855) (Apatelodidae) Synonym(s): *microps* Walker,1855
- 1051) *Olceclostera mutusca* Schaus,1892 (Apatelodidae) Synonym(s): *mutusca* Schaus,1892
- 1052) *Olceclostera nigripuncta* Schaus,1910 (Apatelodidae) Synonym(s): *nigripuncta* Schaus,1910
- 1053) *Olceclostera oriunda* Schaus,1905 (Apatelodidae) Synonym(s): *oriunda* Schaus,1905
- 1054) *Olceclostera reperta* (Walker,1865) (Apatelodidae) Synonym(s): *reperta* Walker,1865
- 1055) *Olceclostera seraphica* (Dyar,1906) (Apatelodidae) Synonym(s): *seraphica* Dyar,1906
- 1056) *Olceclostera truncata* (Walker,1855) (Apatelodidae) Synonym(s): *truncata* Walker,1855
- 1057) *Phiditia cuprea* (Kaye,1901) (Apatelodidae) Synonym(s): *cuprea* Kaye,1901
- 1058) *Phiditia diores* (Cramer,1775) (Apatelodidae) Synonym(s): *diores* Cramer,1775
- 1059) *Phiditia lucernaria* (Walker,1866) (Apatelodidae) Synonym(s): *lucernaria* Walker,1866
- 1060) *Phiditia maculosa* (Dognin,1916) (Apatelodidae) Synonym(s): *maculosa* Dognin,1916
- 1061) *Phiditia maculosissima* (Dognin,1916) (Apatelodidae) Synonym(s): *maculosissima* Dognin,1916
- 1062) *Phiditia minor* Schaus,1924 (Apatelodidae) Synonym(s): *minor* Schaus,1924
- 1063) *Phiditia scriptigera* (Dognin,1916) (Apatelodidae) Synonym(s): *scriptigera* Dognin,1916; *johanna* Schaus,1920
- 1064) *Prothysana terminalis* Walker,1865 (Apatelodidae) Synonym(s): *terminalis* Walker,1865
- 1065) *Quentalia altura* (Schaus,1920) (Apatelodidae) Synonym(s): *altura* Schaus,1920
- 1066) *Quentalia amisena* (Druce,1890) (Apatelodidae) Synonym(s): *amisena* Druce,1890
- 1067) *Quentalia brunnea* (Dognin,1916) (Apatelodidae) Synonym(s): *brunnea* Dognin,1916
- 1068) *Quentalia callinicia* Schaus,1929 (Apatelodidae) Synonym(s): *callinicia* Schaus,1929
- 1069) *Quentalia cameloi* Schaus,1939 (Apatelodidae) Synonym(s): *cameloi* Schaus,1939
- 1070) *Quentalia caulea* Schaus,1929 (Apatelodidae) Synonym(s): *caulea* Schaus,1929
- 1071) *Quentalia chromana* Schaus,1929 (Apatelodidae) Synonym(s): *chromana* Schaus,1929
- 1072) *Quentalia coarya* Schaus,1929 (Apatelodidae) Synonym(s): *coarya* Schaus,1929
- 1073) *Quentalia crenulosa* (Dyar,1918) (Apatelodidae) Synonym(s): *crenulosa* Dyar,1918
- 1074) *Quentalia demerida* (Schaus,1920) (Apatelodidae) Synonym(s): *demerida* Schaus,1920
- 1075) *Quentalia denticulata* (Schaus,1920) (Apatelodidae) Synonym(s): *denticulata* Schaus,1920
- 1076) *Quentalia dolorosa* (Jones,1908) (Apatelodidae) Synonym(s): *dolorosa* Jones,1908
- 1077) *Quentalia drepanoides* (Walker,1866) (Apatelodidae) Synonym(s): *drepanoides* Walker,1866
- 1078) *Quentalia ephonia* (Stoll,1791) (Apatelodidae) Synonym(s): *ephonia* Stoll,1791; *lividia* Druce,1887
- 1079) *Quentalia ephonia ephonia* (Stoll,1791) (Apatelodidae) Synonym(s): *ephonia* Stoll,1791; *lividia* Druce,1887

- 1080) *Quentalia ephonia romani* Bryk,1953 (Apatelodidae) Synonym(s): *romani* Bryk,1953
 1081) *Quentalia excisa* (Maassen,1890) (Apatelodidae) Synonym(s): *excisa* Maassen,1890
 1082) *Quentalia felina* (Beutelspacher,1984) (Apatelodidae) Synonym(s): *felina* Beutelspacher,1984
 1083) *Quentalia ficus* (Herrich-Schäffer,1856) (Apatelodidae) Synonym(s): *ficus* Herrich-Schäffer,1856; *cachiana* Schaus,1912
 1084) *Quentalia granisca* (Schaus,1920) (Apatelodidae) Synonym(s): *granisca* Schaus,1920
 1085) *Quentalia incurvata* (Dognin,1922) (Apatelodidae) Synonym(s): *incurvata* Dognin,1922
 1086) *Quentalia intranea* (Dognin,1914) (Apatelodidae) Synonym(s): *intranea* Dognin,1914
 1087) *Quentalia lapana* (Schaus,1920) (Apatelodidae) Synonym(s): *lapana* Schaus,1920
 1088) *Quentalia lapanensis* Schaus,1929 (Apatelodidae) Synonym(s): *lapanensis* Schaus,1929
 1089) *Quentalia lapanensis lapanensis* Schaus,1929 (Apatelodidae) Synonym(s): *lapanensis* Schaus,1929
 1090) *Quentalia lapanensis lapanula* Bryk,1953 (Apatelodidae) Synonym(s): *lapanula* Bryk,1953
 1091) *Quentalia macerina* Schaus,1929 (Apatelodidae) Synonym(s): *macerina* Schaus,1929
 1092) *Quentalia maevia* (Druce,1898) (Apatelodidae) Synonym(s): *maevia* Druce,1898; *umbrata* Schaus,1905; *subrufa* Schaus,1912
 1093) *Quentalia medinara* Schaus,1929 (Apatelodidae) Synonym(s): *medinara* Schaus,1929
 1094) *Quentalia melchthala* Schaus,1929 (Apatelodidae) Synonym(s): *melchthala* Schaus,1929
 1095) *Quentalia minasa* Schaus,1929 (Apatelodidae) Synonym(s): *minasa* Schaus,1929
 1096) *Quentalia moratina* Schaus,1929 (Apatelodidae) Synonym(s): *moratina* Schaus,1929
 1097) *Quentalia napima* Schaus,1929 (Apatelodidae) Synonym(s): *napima* Schaus,1929
 1098) *Quentalia numalia* Schaus,1929 (Apatelodidae) Synonym(s): *numalia* Schaus,1929
 1099) *Quentalia oaxacana* (Schaus,1900) (Apatelodidae) Synonym(s): *oaxacana* Schaus,1900
 1100) *Quentalia ojeda* (Dognin,1889) (Apatelodidae) Synonym(s): *ojeda* Dognin,1889
 1101) *Quentalia orizava* (Schaus,1900) (Apatelodidae) Synonym(s): *orizava* Schaus,1900
 1102) *Quentalia pallida* (Maassen,1890) (Apatelodidae) Synonym(s): *pallida* Maassen,1890
 1103) *Quentalia pamina* (Schaus,1900) (Apatelodidae) Synonym(s): *pamina* Schaus,1900
 1104) *Quentalia paminella* (Dognin,1922) (Apatelodidae) Synonym(s): *paminella* Dognin,1922
 1105) *Quentalia paminella paminella* (Dognin,1922) (Apatelodidae) Synonym(s): *paminella* Dognin,1922
 1106) *Quentalia paminella postarcuata* Bryk,1953 (Apatelodidae) Synonym(s): *postarcuata* Bryk,1953
 1107) *Quentalia punctilinea* (Dognin,1922) (Apatelodidae) Synonym(s): *punctilinea* Dognin,1922
 1108) *Quentalia purulhana* (Schaus,1920) (Apatelodidae) Synonym(s): *purulhana* Schaus,1920
 1109) *Quentalia surynorta* Schaus,1929 (Apatelodidae) Synonym(s): *ragna* Schaus,1929
 1110) *Quentalia roseilinea* (Schaus,1906) (Apatelodidae) Synonym(s): *roseilinea* Schaus,1906; *secata* Dognin,1912
 1111) *Quentalia secatina* Schaus,1929 (Apatelodidae) Synonym(s): *secatina* Schaus,1929
 1112) *Quentalia sheila* Schaus,1929 (Apatelodidae) Synonym(s): *sheila* Schaus,1929
 1113) *Quentalia subrubicunda* (Dognin,1922) (Apatelodidae) Synonym(s): *subrubicunda* Dognin,1922
 1114) *Quentalia subumbrata* (Dognin,1922) (Apatelodidae) Synonym(s): *subumbrata* Dognin,1922
 1115) *Quentalia surynorta* (Schaus,1900) (Apatelodidae) Synonym(s): *surynorta* Schaus,1900
 1116) *Quentalia tolima* (Dognin,1922) (Apatelodidae) Synonym(s): *tolima* Dognin,1922
 1117) *Quentalia tremulans* (Schaus,1920) (Apatelodidae) Synonym(s): *tremulans* Schaus,1920
 1118) *Quentalia veca* (Druce,1887) (Apatelodidae) Synonym(s): *veca* Druce,1887; *reissi* Maassen,1890; *chromana* Schaus,1929
 1119) *Quentalia viridans* (Dognin,1922) (Apatelodidae) Synonym(s): *viridans* Dognin,1922
 1120) *Quentalia vittata* (Walker,1855) (Apatelodidae) Synonym(s): *vittata* Walker,1855
 1121) *Rolepa costrona* Schaus,1920 (Apatelodidae) Synonym(s): *costrona* Schaus,1920
 1122) *Rolepa delineata* Walker,1855 (Apatelodidae) Synonym(s): *delineata* Walker,1855; *flavolimbata* Herrich-Schäffer,[1856]; *saturnioides* Walker,1862
 1123) *Rolepa demerara* Schaus,1927 (Apatelodidae) Synonym(s): *demerara* Schaus,1927
 1124) *Rolepa erica* Schaus,1927 (Apatelodidae) Synonym(s): *erica* Schaus,1927
 1125) *Rolepa fiachna* Schaus,1927 (Apatelodidae) Synonym(s): *fiachna* Schaus,1927
 1126) *Rolepa innotabilis* (Walker,1865) (Apatelodidae) Synonym(s): *innotabilis* Walker,1865
 1127) *Rolepa lojana* Dognin,1916 (Apatelodidae) Synonym(s): *lojana* Dognin,1916
 1128) *Rolepa marginipicta* Dognin,1914 (Apatelodidae) Synonym(s): *marginipicta* Dognin,1914
 1129) *Rolepa medina* (Dognin,1916) (Apatelodidae) Synonym(s): *medina* Dognin,1916
 1130) *Rolepa nigrostriga* Schaus,1920 (Apatelodidae) Synonym(s): *nigrostriga* Schaus,1920; *lamothei* Beutelspacher,1984
 1131) *Rolepa sicyata* (Dognin,1901) (Apatelodidae) Synonym(s): *sicyata* Dognin,1901
 1132) *Rolepa unimoda* (Dognin,1923) (Apatelodidae) Synonym(s): *unimoda* Dognin,1923
 1133) *Sorocaba carmelitaria* (Guenée,1857) (Apatelodidae) Synonym(s): *carmelitaria* Guenée,1857; *anomala* Moore,1882
 1134) *Tamphana inferna* Dognin,1916 (Apatelodidae) Synonym(s): *inferna* Dognin,1916
 1135) *Tamphana lojanara* Schaus,1929 (Apatelodidae) Synonym(s): *lojanara* Schaus,1929
 1136) *Tamphana maoma* Schaus,1920 (Apatelodidae) Synonym(s): *maoma* Schaus,1920
 1137) *Tamphana marmorea* Schaus,1892 (Apatelodidae) Synonym(s): *marmorea* Schaus,1892
 1138) *Tamphana orion* (Dognin,1916) (Apatelodidae) Synonym(s): *orion* Dognin,1916
 1139) *Tamphana praecipua* Schaus,1905 (Apatelodidae) Synonym(s): *praecipua* Schaus,1905
 1140) *Tarchon felderi* Druce,1887 (Apatelodidae) Synonym(s): *felderi* Druce,1887
 1141) *Tarchon trilunula* (Herrich-Schäffer,[1856]) (Apatelodidae) Synonym(s): *trilunula* Herrich-Schäffer,[1856]; *saturata* Walker,1862
 1142) *Tepilia biluna* Walker,1855 (Apatelodidae) Synonym(s): *biluna* Walker,1855; *confinis* Walker,1856; *orbiger* Herrich-Schäffer,[1856]
 1143) *Tepilia dodala* Schaus,1927 (Apatelodidae) Synonym(s): *dodala* Schaus,1927
 1144) *Tepilia fastidiosa* (Dognin,1901) (Apatelodidae) Synonym(s): *fastidiosa* Dognin,1901; *joanna* Schaus,1906
 1145) *Thelosia camina* Schaus,1896 (Apatelodidae) Synonym(s): *camina* Schaus,1896
 1146) *Thelosia herta* Schaus,1939 (Apatelodidae) Synonym(s): *herta* Schaus,1939
 1147) *Thelosia impedita* Dyar,1928 (Apatelodidae) Synonym(s): *impedita* Dyar,1928
 1148) *Thelosia jorgenseni* Schaus,1927 (Apatelodidae) Synonym(s): *jorgenseni* Schaus,1927
 1149) *Thelosia mayaca* Schaus,1939 (Apatelodidae) Synonym(s): *mayaca* Schaus,1939
 1150) *Thelosia meldola* Schaus,1900 (Apatelodidae) Synonym(s): *meldola* Schaus,1900
 1151) *Thelosia minois* (Schaus,1892) (Apatelodidae) Synonym(s): *minois* Schaus,1892
 1152) *Thelosia phalaena* Schaus,1896 (Apatelodidae) Synonym(s): *phalaena* Schaus,1896
 1153) *Thelosia postflavida* Draudt,1929 (Apatelodidae) Synonym(s): *postflavida* Draudt,1929
 1154) *Thelosia resputa* Draudt,1929 (Apatelodidae) Synonym(s): *resputa* Draudt,1929
 1155) *Thelosia truncata* (Schaus,1894) (Apatelodidae) Synonym(s): *truncata* Schaus,1894
 1156) *Thelosia truncata rectilinea* (Dognin,1922) (Apatelodidae) Synonym(s): *rectilinea* Dognin,1922
 1157) *Thelosia truncata truncata* (Schaus,1894) (Apatelodidae) Synonym(s): *truncata* Schaus,1894
 1158) *Thelosia truvena* Schaus,1896 (Apatelodidae) Synonym(s): *truvena* Schaus,1896
 1159) *Thyrioclostera trespuntada* (Dognin,1894) (Apatelodidae) Synonym(s): *trespuntada* Dognin,1894
 1160) *Zanola aegina* (Stoll,1782) (Apatelodidae) Synonym(s): *aegina* Stoll,1782
 1161) *Zanola elongata* Schaus,1910 (Apatelodidae) Synonym(s): *elongata* Schaus,1910
 1162) *Zanola fieldi* Schaus,1910 (Apatelodidae) Synonym(s): *fieldi* Schaus,1910
 1163) *Zanola impedita* Dognin,1916 (Apatelodidae) Synonym(s): *impedita* Dognin,1916
 1164) *Zanola lychnica* Dognin,1920 (Apatelodidae) Synonym(s): *lychnica* Dognin,1920
 1165) *Zanola poecila* Draudt,1929 (Apatelodidae) Synonym(s): *poecila* Draudt,1929
 1166) *Zanola verago* (Cramer,1777) (Apatelodidae) Synonym(s): *verago* Cramer,1777; *difficilis* Walker,1855; *vivax* Edwards,1884; *harpis* Druce,1887
 1167) "*Aedoea*" *distigmata* (Turner,1940) (Arctiidae) Synonym(s): *distigmata* Turner,1940
 1168) "*Genus*" *huizensis* (Fang,2000) (Arctiidae) Synonym(s): *huizensis* Fang,2000
 1169) "*Genus*" *x-album* (Oberthür,1911) (Arctiidae) Synonym(s): *x-album* Oberthür,1911
 1170) "*Genus*" *zhongtiao* (Fang & Cao,1984) (Arctiidae) Synonym(s): *zhongtiao* Fang & Cao,1984

- 1171) "Termessa" *amorpha* Turner, 1940 (Arctiidae) Synonym(s): *amorpha* Turner, 1940
 1172) "Trichosoma" *houlberti* Oberthür, 1911 (Arctiidae) Synonym(s): *houlberti* Oberthür, 1911
 1173) *Acantharctia atriramosa* Hampson, 1907 (Arctiidae) Synonym(s): *atriramosa* Hampson, 1907
 1174) *Acantharctia aurivillii* Bartel, 1903 (Arctiidae) Synonym(s): *aurivillii* Bartel, 1903
 1175) *Acantharctia bivittata* (Butler, 1898) (Arctiidae) Synonym(s): *bivittata* Butler, 1898.
 1176) *Acantharctia flavicosta* (Hampson, 1900) (Arctiidae) Synonym(s): *flavicosta* Hampson, 1900
 1177) *Acantharctia lacteata* Rothschild, 1933 (Arctiidae) Synonym(s): *lacteata* Rothschild, 1933
 1178) *Acantharctia latifasciata* Hampson, 1909 (Arctiidae) Synonym(s): *latifasciata* Hampson, 1909
 1179) *Acantharctia latifusca* (Hampson, 1907) (Arctiidae) Synonym(s): *latifusca* Hampson, 1907; *aurantiaca* Rothschild, 1935; *flavimarginata* Rothschild, 1935; *#suffusa* Rothschild, 1935; *tenebrosa* Rothschild, 1935.
 1180) *Acantharctia metaleuca* Hampson, 1901 (Arctiidae) Synonym(s): *metaleuca* Hampson, 1901
 1181) *Acantharctia mundata* (Walker, [1865]) (Arctiidae) Synonym(s): *mundata* Walker, [1865]
 1182) *Acantharctia nigrivena* Rothschild, 1935 (Arctiidae) Synonym(s): *nigrivena* Rothschild, 1935
 1183) *Acantharctia nivea* Aurivillius, 1900 (Arctiidae) Synonym(s): *nivea* Aurivillius, 1900
 1184) *Acantharctia tenuifasciata* Hampson, 1910 (Arctiidae) Synonym(s): *tenuifasciata* Hampson, 1910
 1185) *Acantharctia vittata* Aurivillius, 1900 (Arctiidae) Synonym(s): *vittata* Aurivillius, 1900
 1186) *Acanthofrontia dicycla* Hampson, 1918 (Arctiidae) Synonym(s): *dicycla* Hampson, 1918
 1187) *Acanthofrontia lithosiana* Hampson, 1910 (Arctiidae) Synonym(s): *lithosiana* Hampson, 1910
 1188) *Acerbia alpina* (Quensel, 1802) (Arctiidae) Synonym(s): *alpina* Quensel, 1802; *thulea* Dalman, 1823; *sibirica* O. Bang-Haas, 1927.
 1189) *Acerbia alpina alpina* (Quensel, 1802) (Arctiidae) Synonym(s): *alpina* Quensel, 1802; *thulea* Dalman, 1823; *sibirica* O. Bang-Haas, 1927.
 1190) *Acerbia alpina johanseni* (O. Bang-Haas, 1927) (Arctiidae) Synonym(s): *johanseni* O. Bang-Haas, 1927
 1191) *Acerbia alpina severa* Saldaitis & Ivinskis, 2004 (Arctiidae) Synonym(s): *severa* Saldaitis & Ivinskis, 2004
 1192) *Acerbia alpina sibirica* (O. Bang-Haas, 1927) (Arctiidae) Synonym(s): *sibirica* O. Bang-Haas, 1927
 1193) *Acerbia seitzii* (A. Bang-Haas, 1910) (Arctiidae) Synonym(s): *seitzii* A. Bang-Haas, 1910; *strandii* Niepelt, 1911; *niepeltiana* Strand, 1919; *khumbeli* O. Bang-Haas, 1927.
 1194) *Acerbia seitzii seitzii* (A. Bang-Haas, 1910) (Arctiidae) Synonym(s): *seitzii* A. Bang-Haas, 1910; *strandii* Niepelt, 1911; *niepeltiana* Strand, 1919; *khumbeli* O. Bang-Haas, 1927.
 1195) *Aedoea decreta* (Butler, 1877) (Arctiidae) Synonym(s): *decreta* Butler, 1877; *monochroa* Turner, 1899
 1196) *Aemilia ambigua* (Strecker, 1878) (Arctiidae) Synonym(s): *ambigua* Strecker, 1878; *bolteri* Edwards, 1885; *syracosia* Druce, 1889
 1197) *Aemilia carmen* Schaus, 1920 (Arctiidae) Synonym(s): *carmen* Schaus, 1920
 1198) *Afraloe bifurca* (Walker, 1855) (Arctiidae) Synonym(s): *bifurca* Walker, 1855; *radiosa* Druce, 1898
 1199) *Afrida coagulata* Dyar, 1914 (Arctiidae) Synonym(s): *coagulata* Dyar, 1914
 1200) *Afrida exegens* Dyar, 1922 (Arctiidae) Synonym(s): *exegens* Dyar, 1922
 1201) *Afrida melicerta* (Druce, 1885) (Arctiidae) Synonym(s): *melicerta* Druce, 1885
 1202) *Afrida minuta* (Druce, 1885) (Arctiidae) Synonym(s): *minuta* Druce, 1885
 1203) *Afrida pnixix* Dyar, 1913 (Arctiidae) Synonym(s): *pnixix* Dyar, 1913
 1204) *Afrida zoephila* Dyar, 1914 (Arctiidae) Synonym(s): *zoephila* Dyar, 1914
 1205) *Afrida zolda* Dyar, 1914 (Arctiidae) Synonym(s): *zolda* Dyar, 1914
 1206) *Afroarctia bergeri* Toulgoet, 1978 (Arctiidae) Synonym(s): *bergeri* Toulgoet, 1978.
 1207) *Afroarctia dargeri* Toulgoet, 1976 (Arctiidae) Synonym(s): *dargeri* Toulgoet, 1976
 1208) *Afroarctia histrionica* Toulgoet, 1978 (Arctiidae) Synonym(s): *histrionica* Toulgoet, 1978
 1209) *Afroarctia kenya* (Rothschild, 1933) (Arctiidae) Synonym(s): *kenya* Rothschild, 1933; *leopoldi* Debauche, 1942.
 1210) *Afroarctia mamfai* Toulgoet, 1978 (Arctiidae) Synonym(s): *mamfai* Toulgoet, 1978
 1211) *Afroarctia nebulosa* Toulgoet, 1980 (Arctiidae) Synonym(s): *nebulosa* Toulgoet, 1980
 1212) *Afroarctia sjostedti* Aurivillius, 1900 (Arctiidae) Synonym(s): *sjostedti* Aurivillius, 1900
 1213) *Afrojavania kostlani* (Gaede, 1923) (Arctiidae) Synonym(s): *kostlani* Gaede, 1923
 1214) *Afrojavania melaena* (Hampson, 1901) (Arctiidae) Synonym(s): *melaena* Hampson, 1901; *georgina* Kalis, 1934
 1215) *Afrojavania melaenoides* (Rothschild, 1935) (Arctiidae) Synonym(s): *melaenoides* Rothschild, 1935
 1216) *Afrosipilartia dissimilis* (Distant, 1897) (Arctiidae) Synonym(s): *dissimilis* Distant, 1897
 1217) *Afrosipilartia lucida* (Druce, 1898) (Arctiidae) Synonym(s): *lucida* Druce, 1898; *steudeli* Bartel, 1903
 1218) *Afrowatsonius burgeoni* (Talbot, 1928) (Arctiidae) Synonym(s): *burgeoni* Talbot, 1928
 1219) *Afrowatsonius fulvomarginalis* (Wichgraf, 1921) (Arctiidae) Synonym(s): *fulvomarginalis* Wichgraf, 1921; *#fuscomarginalis* Gaede, 1926.
 1220) *Afrowatsonius marginalis* (Walker, 1855) (Arctiidae) Synonym(s): *marginalis* Walker, 1855
 1221) *Afrowatsonius sudanicus* (Rothschild, 1933) (Arctiidae) Synonym(s): *sudanicus* Rothschild, 1933
 1222) *Agaltara nebulosa* Toulgoet, 1979 (Arctiidae) Synonym(s): *nebulosa* Toulgoet, 1979
 1223) *Agape arctioides* Butler, 1887 (Arctiidae) Synonym(s): *arctioides* Butler, 1887
 1224) *Agape chloropyga* (Walker, 1854) (Arctiidae) Synonym(s): *chloropyga* Walker, 1854
 1225) *Agape leonina* Butler, 1879 (Arctiidae) Synonym(s): *leonina* Butler, 1879
 1226) *Agape lifuensis* (Rothschild, 1896) (Arctiidae) Synonym(s): *lifuensis* Rothschild, 1896
 1227) *Agape lifuensis hebridesia* Holloway, 1979 (Arctiidae) Synonym(s): *hebridesia* Holloway, 1979
 1228) *Agape stapialis* Gaede, 1914 (Arctiidae) Synonym(s): *stapialis* Gaede, 1914
 1229) *Agaraea longicornis* Herrich-Schäffer, 1855 (Arctiidae) Synonym(s): *longicornis* Herrich-Schäffer, 1855; *venosa* Walker, 1856
 1230) *Agaraea minuta* Schaus, 1892 (Arctiidae) Synonym(s): *minuta* Schaus, 1892
 1231) *Agaraea santaria* Schaus, 1920 (Arctiidae) Synonym(s): *santaria* Schaus, 1920
 1232) *Agaraea schausi* Rothschild, 1909 (Arctiidae) Synonym(s): *schausi* Rothschild, 1909
 1233) *Agaraea semivitreata* Rothschild, 1909 (Arctiidae) Synonym(s): *semivitreata* Rothschild, 1909
 1234) *Agaraea sorex* (Druce, 1902) (Arctiidae) Synonym(s): *sorex* Druce, 1902
 1235) *Aglaomorpha histrio* (Walker, 1855) (Arctiidae) Synonym(s): *histrio* Walker, 1855
 1236) *Aglaomorpha histrio coreana* (Matsumura, 1927) (Arctiidae) Synonym(s): *coreana* Matsumura, 1927; *chosensis* Bryk, 1949.
 1237) *Aglaomorpha histrio formosana* Miyake, 1907 (Arctiidae) Synonym(s): *formosana* Miyake, 1907; *arisana* Matsumura, 1911
 1238) *Aglaomorpha histrio histrio* (Walker, 1855) (Arctiidae) Synonym(s): *histrio* Walker, 1855.
 1239) *Aglaomorpha plagiata* (Walker, 1855) (Arctiidae) Synonym(s): *plagiata* Walker, 1855
 1240) *Aglossosia flavimarginata* Hampson, 1900 (Arctiidae) Synonym(s): *flavimarginata* Hampson, 1900
 1241) *Agylla alboluteola* Rothschild, 1912 (Arctiidae) Synonym(s): *alboluteola* Rothschild, 1912
 1242) *Agylla bipars* (Moore, 1878) (Arctiidae) Synonym(s): *bipars* Moore, 1878
 1243) *Agylla nepalica* Daniel, 1955 (Arctiidae) Synonym(s): *nepalica* Daniel, 1955
 1244) *Agylla nigritia* Dognin, 1911 (Arctiidae) Synonym(s): *nigritia* Dognin, 1911
 1245) *Agylla thailandica* (Kishida, 1998) (Arctiidae) Synonym(s): *thailandica* Kishida, 1998
 1246) *Agylla yuennanica* Daniel, 1953 (Arctiidae) Synonym(s): *yuennanica* Daniel, 1953
 1247) *Aloa costalis* Walker, [1865] (Arctiidae) Synonym(s): *costalis* Walker, [1865]; *corsima* Swinhoe, 1892; *#corsina* Rothschild, 1910
 1248) *Aloa gangara* Swinhoe, 1892 (Arctiidae) Synonym(s): *gangara* Swinhoe, 1892; *gangarides* Strand, 1919
 1249) *Aloa lactinea* (Cramer, [1777]) (Arctiidae) Synonym(s): *lactinea* Cramer, [1777]
 1250) *Aloa lactinea lactinea* (Cramer, [1777]) (Arctiidae) Synonym(s): *lactinea* Cramer, [1777]
 1251) *Aloa marginata* (Donovan, 1805) (Arctiidae) Synonym(s): *marginata* Donovan, 1805; *roseicostis* Butler, 1897; *punctipennis* Butler, 1876; *#flaveola* Rothschild, 1914; *#simplicans* Strand, 1919; *pura* Hulstaert, 1923; *euymochla* Turner, 1927
 1252) *Aloa moloneyi* (Druce, 1887) (Arctiidae) Synonym(s): *moloneyi* Druce, 1887; *hampsoni* Rothschild, 1910; *senegalensis* Rothschild, 1933.
 1253) *Alpenus affiniola* (Strand, 1919) (Arctiidae) Synonym(s): *affinis* Rothschild, 1910 *nec* Bartel, 1903; *affiniola* Strand, 1919; *homaema* Hampson, 1920; *tristicta* Hampson, 1920; *diffinis* Jordan, 1933.
 1254) *Alpenus auriculatus* A. Watson, 1988 (Arctiidae) Synonym(s): *auriculatus* A. Watson, 1988
 1255) *Alpenus diversatus* (Hampson, 1916) (Arctiidae) Synonym(s): *diversatus* Hampson, 1916
 1256) *Alpenus dollmani* (Hampson, 1920) (Arctiidae) Synonym(s): *dollmani* Hampson, 1920
 1257) *Alpenus geminipuncta* (Hampson, 1916) (Arctiidae) Synonym(s): *geminipuncta* Hampson, 1916

- 1258) *Alpenus intactus* (Hampson,1916) (Arctiidae) Synonym(s): *intactus* Hampson,1916
- 1259) *Alpenus investigatorum* (Karsch,1898) (Arctiidae) Synonym(s): *investigatorum* Karsch,1898; *cribraria* Bartel,1903; *mhondana* Bartel,1903; *#extrema* Dufrene,1953.
- 1260) *Alpenus maculosus* (Stoll,[1781]) (Arctiidae) Synonym(s): *maculosus* Stoll,[1781]; *assimilis* Hübner,[1820]; *aequalis* Walker,1855; *indeterminata* Walker,1855; *macularia* Walker,[1865]; *eyralpenus* Plötz,1880.
- 1261) *Alpenus microstictus* (Hampson,1920) (Arctiidae) Synonym(s): *microstictus* Hampson,1920
- 1262) *Alpenus nigropunctatus* (Bethune-Baker,1908) (Arctiidae) Synonym(s): *nigropunctatus* Bethune-Baker,1908; *jacksoni* Rothschild,1910 *nec jacksoni* Rothschild,1901; *cincticorpus* Hampson,1920; *oligosticta* Hampson,1920; *antemediata* Rothschild,1933.
- 1263) *Alpenus pardalina* (Rothschild,1910) (Arctiidae) Synonym(s): *pardalina* Rothschild,1910
- 1264) *Alpenus schraderi* (Rothschild,1910) (Arctiidae) Synonym(s): *schraderi* Rothschild,1910
- 1265) *Alpenus schraderi rattrayi* (Rothschild,1910) (Arctiidae) Synonym(s): *rattrayi* Rothschild,1910
- 1266) *Alpenus schraderi schraderi* (Rothschild,1910) (Arctiidae) Synonym(s): *schraderi* Rothschild,1910
- 1267) *Alpenus thomasi* A.Watson,1988 (Arctiidae) Synonym(s): *thomasi* A.Watson,1988
- 1268) *Alpenus whalleyi* A.Watson,1988 (Arctiidae) Synonym(s): *whalleyi* A.Watson,1988
- 1269) *Alpenus wichgrafi* A.Watson,1988 (Arctiidae) Synonym(s): *wichgrafi* A.Watson,1988
- 1270) *Alphaea anopunctata* Oberthür,1911 (Arctiidae) Synonym(s): *anopunctata* Oberthür,1911
- 1271) *Alphaea armini* De Freina,1999 (Arctiidae) Synonym(s): *armini* De Freina,1999
- 1272) *Amastus alba* (Druce,1913) (Arctiidae) Synonym(s): *alba* Druce,1913
- 1273) *Amastus edaphus* Dyar,1913 (Arctiidae) Synonym(s): *edaphus* Dyar,1913
- 1274) *Amastus ochraceator* (Walker,1864) (Arctiidae) Synonym(s): *ochraceator* Walker,1864
- 1275) *Amastus vitripennis* (Hampson,1920) (Arctiidae) Synonym(s): *vitripennis* Hampson,1920; *hyalina* Druce,1889
- 1276) *Amaxia agaensis* (Seitz,1921) (Arctiidae) Synonym(s): *agaensis* Seitz,1921
- 1277) *Amaxia apyga* Hampson,1901 (Arctiidae) Synonym(s): *apyga* Hampson,1901
- 1278) *Amaxia beata* (Dognin,1909) (Arctiidae) Synonym(s): *beata* Dognin,1909
- 1279) *Amaxia bella* (Schaus,1905) (Arctiidae) Synonym(s): *bella* Schaus,1905
- 1280) *Amaxia chaon* (Druce,1883) (Arctiidae) Synonym(s): *chaon* Druce,1883
- 1281) *Amaxia consistens* Schaus,1905 (Arctiidae) Synonym(s): *consistens* Schaus,1905; *#maroniensis* Rothschild,1917
- 1282) *Amaxia duchatae* Toulgoet,1987 (Arctiidae) Synonym(s): *duchatae* Toulgoet,1987
- 1283) *Amaxia elongata* Toulgoet,1987 (Arctiidae) Synonym(s): *elongata* Toulgoet,1987
- 1284) *Amaxia erythrophleps* Hampson,1901 (Arctiidae) Synonym(s): *erythrophleps* Hampson,1901
- 1285) *Amaxia fallax* Toulgoet,1998 (Arctiidae) Synonym(s): *fallax* Toulgoet,1998
- 1286) *Amaxia flavicollis* (Rothschild,1909) (Arctiidae) Synonym(s): *flavicollis* Rothschild,1909
- 1287) *Amaxia gnosis* (Schaus,1905) (Arctiidae) Synonym(s): *gnosis* Schaus,1905
- 1288) *Amaxia klagesi* (Rothschild,1909) (Arctiidae) Synonym(s): *klagesi* Rothschild,1909
- 1289) *Amaxia lepida* (Schaus,1912) (Arctiidae) Synonym(s): *lepida* Schaus,1912
- 1290) *Amaxia ornata* Toulgoet,1989 (Arctiidae) Synonym(s): *ornata* Toulgoet,1989
- 1291) *Amaxia pandama* (Druce,1893) (Arctiidae) Synonym(s): *pandama* Druce,1893
- 1292) *Amaxia pardalis* Walker,1855 (Arctiidae) Synonym(s): *pardalis* Walker,1855
- 1293) *Amaxia pseudamaxia* (Rothschild,1917) (Arctiidae) Synonym(s): *pseudamaxia* Rothschild,1917
- 1294) *Amaxia pseudodyuna* Rothschild,1922 (Arctiidae) Synonym(s): *pseudodyuna* Rothschild,1922
- 1295) *Amaxia reticulata* (Rothschild,1909) (Arctiidae) Synonym(s): *reticulata* Rothschild,1909
- 1296) *Amaxia rubrosignata* (Rothschild,1917) (Arctiidae) Synonym(s): *rubrosignata* Rothschild,1917
- 1297) *Amaxia rufobasalis* (Rothschild,1909) (Arctiidae) Synonym(s): *rufobasalis* Rothschild,1909
- 1298) *Amaxia tenuestriata* Toulgoet,1994 (Arctiidae) Synonym(s): *tenuestriata* Toulgoet,1994
- 1299) *Amaxia theon* Druce,1900 (Arctiidae) Synonym(s): *theon* Druce,1900
- 1300) *Ameleta panochra* Turner,1940 (Arctiidae) Synonym(s): *panochra* Turner,1940
- 1301) *Amerila accra* Strand,1919 (Arctiidae) Synonym(s): *accra* Strand,1919
- 1302) *Amerila affinis* (Rothschild,1910) (Arctiidae) Synonym(s): *affinis* Rothschild,1910; *pallens* Bethune-Baker,1925
- 1303) *Amerila aldabrensis* (Fryer,1912) (Arctiidae) Synonym(s): *aldabrensis* Fryer,1912
- 1304) *Amerila androfusca* (Pinhey,1952) (Arctiidae) Synonym(s): *androfusca* Pinhey,1952
- 1305) *Amerila atrivena* (Hampson,1907) (Arctiidae) Synonym(s): *atrivena* Hampson,1907
- 1306) *Amerila bauri* Möschler,1884 (Arctiidae) Synonym(s): *bauri* Möschler,1884
- 1307) *Amerila bipartita* (Rothschild,1910) (Arctiidae) Synonym(s): *bipartita* Rothschild,1910
- 1308) *Amerila brunnea* (Hampson,1901) (Arctiidae) Synonym(s): *brunnea* Hampson,1901; *subvitrea* Bartel,1903
- 1309) *Amerila brunnea bipartitoides* Häuser & Boppré,1997 (Arctiidae) Synonym(s): *bipartitoides* Häuser & Boppré,1997
- 1310) *Amerila bubo* (Walker,1855) (Arctiidae) Synonym(s): *bubo* Walker,1855
- 1311) *Amerila castanea* (Hampson,1911) (Arctiidae) Synonym(s): *castanea* Hampson,1911
- 1312) *Amerila femina* (Berio,1935) (Arctiidae) Synonym(s): *femina* Berio,1935
- 1313) *Amerila fennia* (Druce,1887) (Arctiidae) Synonym(s): *fennia* Druce,1887; *metasarca* Hampson,1911
- 1314) *Amerila fuscivena* (Hampson,1916) (Arctiidae) Synonym(s): *fuscivena* Hampson,1916
- 1315) *Amerila howardi* (Pinhey,1955) (Arctiidae) Synonym(s): *howardi* Pinhey,1955
- 1316) *Amerila kiellandi* Häuser & Boppré,1997 (Arctiidae) Synonym(s): *kiellandi* Häuser & Boppré,1997
- 1317) *Amerila leucoptera* (Hampson,1901) (Arctiidae) Synonym(s): *leucoptera* Hampson,1901; *pannosa* Grünberg,1908; *sarconota* Hampson,1911
- 1318) *Amerila lineolata* (Kiriakoff,1954) (Arctiidae) Synonym(s): *lineolata* Kiriakoff,1954
- 1319) *Amerila lupia* (Druce,1887) (Arctiidae) Synonym(s): *lupia* Druce,1887; *nivaria* Weymer,1892; *sanguinota* Strand,1911.
- 1320) *Amerila luteibarba* (Hampson,1901) (Arctiidae) Synonym(s): *luteibarba* Hampson,1901
- 1321) *Amerila madagascariensis* (Boisduval,1847) (Arctiidae) Synonym(s): *madagascariensis* Boisduval,1847; *vitripennis* Blanchard,1849; *radama* Mabille,1879.
- 1322) *Amerila magnifica* (Rothschild,1910) (Arctiidae) Synonym(s): *magnifica* Rothschild,1910
- 1323) *Amerila mulleri* Häuser & Boppré,1997 (Arctiidae) Synonym(s): *mulleri* Häuser & Boppré,1997
- 1324) *Amerila nigrivenosa* (Grünberg,1910) (Arctiidae) Synonym(s): *nigrivenosa* Grünberg,1910
- 1325) *Amerila nigroapicalis* (Aurivillius,1900) (Arctiidae) Synonym(s): *nigroapicalis* Aurivillius,1900
- 1326) *Amerila niveivitreata* (Bartel,1903) (Arctiidae) Synonym(s): *niveivitreata* Bartel,1903; *subleucoptera* Strand,1911.
- 1327) *Amerila phaedra* (Weymer,1892) (Arctiidae) Synonym(s): *phaedra* Weymer,1892; *subleucoptera* Strand,1911
- 1328) *Amerila puella* (Fabricius,1794) (Arctiidae) Synonym(s): *puella* Fabricius,1794; *uniformis* Berio,1935
- 1329) *Amerila puella carneola* (Hampson,1916) (Arctiidae) Synonym(s): *carneola* Hampson,1916; *nigricornis* Debauche,1938
- 1330) *Amerila puella invidua* (Bethune-Baker,1925) (Arctiidae) Synonym(s): *invidua* Bethune-Baker,1925
- 1331) *Amerila puella rothi* (Rothschild,1910) (Arctiidae) Synonym(s): *rothi* Rothschild,1910
- 1332) *Amerila roseibarba* (Druce,1901) (Arctiidae) Synonym(s): *roseibarba* Druce,1901
- 1333) *Amerila roseomarginata* (Rothschild,1910) (Arctiidae) Synonym(s): *roseomarginata* Rothschild,1910
- 1334) *Amerila ruffemur* (Walker,1855) (Arctiidae) Synonym(s): *ruffemur* Walker,1855
- 1335) *Amerila shimbaensis* Häuser & Boppré,1997 (Arctiidae) Synonym(s): *shimbaensis* Häuser & Boppré,1997
- 1336) *Amerila thermochroa* (Hampson,1916) (Arctiidae) Synonym(s): *thermochroa* Hampson,1916
- 1337) *Amerila vidua* (Cramer,[1780]) (Arctiidae) Synonym(s): *vidua* Cramer,[1780]
- 1338) *Amerila vidua mauritia* (Stoll,[1781]) (Arctiidae) Synonym(s): *mauritica* Stoll,[1781]
- 1339) *Amerila vidua vidua* (Cramer,[1780]) (Arctiidae) Synonym(s): *vidua* Cramer,[1780]
- 1340) *Amerila vitrea* (Plötz,1880) (Arctiidae) Synonym(s): *vitrea* Plötz,1880
- 1341) *Amerila vitrea saalmuelleri* (Rothschild,1911) (Arctiidae) Synonym(s): *saalmuelleri* Rothschild,1911
- 1342) *Amerila vitrea vitrea* (Plötz,1880) (Arctiidae) Synonym(s): *vitrea* Plötz,1880
- 1343) *Ammalo bipunctata* (Walker,1855) (Arctiidae) Synonym(s): *bipunctata* Walker,1855
- 1344) *Ammalo helops* (Cramer,1775) (Arctiidae) Synonym(s): *helops* Cramer,1775; *fervidus* Walker,1855; *megapyrrha* Walker,1865; *impunctus* Grote,1866
- 1345) *Ammalo paranomon* Dyar,1902 (Arctiidae) Synonym(s): *paranomon* Dyar,1902

- 1346) *Amphicallia bellatrix* (Dalman,1823) (Arctiidae) Synonym(s): *bellatrix* Dalman,1823; *pardalina* Herrich-Schäffer,1854.
 1347) *Amphicallia kostlani* Strand,1911 (Arctiidae) Synonym(s): *kostlani* Strand,1911
 1348) *Amphicallia pactolicus* (Butler,1888) (Arctiidae) Synonym(s): *pactolicus* Butler,1888
 1349) *Amphicallia pratti* (Kenrick,1914) (Arctiidae) Synonym(s): *pratti* Kenrick,1914
 1350) *Amphicallia quagga* Strand,1909 (Arctiidae) Synonym(s): *quagga* Strand,1909
 1351) *Amphicallia solai* Druce,1907 (Arctiidae) Synonym(s): *solai* Druce,1907; *piceosignata* Bartel,1903.
 1352) *Amphicallia thelwalli* (Druce,1882) (Arctiidae) Synonym(s): *thelwalli* Druce,1882; *incomparabilis* Mabille,1891.
 1353) *Amphicallia thelwalli thelwalli* (Druce,1882) (Arctiidae) Synonym(s): *thelwalli* Druce,1882; *incomparabilis* Mabille,1891.
 1354) *Amphicallia thelwalli tigris* (Butler,1882) (Arctiidae) Synonym(s): *tigris* Butler,1882
 1355) *Amphicallia thelwalli zebra* (Rogenhofer,1894) (Arctiidae) Synonym(s): *zebra* Rogenhofer,1894
 1356) *Amsacta* (s.l.) *aureolimbata* Rothschild,1910 (Arctiidae) Synonym(s): *aureolimbata* Rothschild,1910
 1357) *Amsacta* (s.l.) *bicoloria* (Gaede,1916) (Arctiidae) Synonym(s): *bicoloria* Gaede,1916
 1358) *Amsacta* (s.l.) *duberneti* (Toulgoet,1968) (Arctiidae) Synonym(s): *duberneti* Toulgoet,1968
 1359) *Amsacta* (s.l.) *flavicostata* (Gaede,1916) (Arctiidae) Synonym(s): *flavicostata* Gaede,1916
 1360) *Amsacta* (s.l.) *grammiphlebia* Hampson,1901 (Arctiidae) Synonym(s): *grammiphlebia* Hampson,1901
 1361) *Amsacta* (s.l.) *melanogastra* (Holland,1897) (Arctiidae) Synonym(s): *melanogastra* Holland,1897; *occidentalis* Bartel,1903; *epicaste* Fawcett,1915.
 1362) *Amsacta* (s.l.) *nigrisignata* Gaede,1923 (Arctiidae) Synonym(s): *nigrisignata* Gaede,1923
 1363) *Amsacta* (s.l.) *nivea* Hampson,1916 (Arctiidae) Synonym(s): *nivea* Hampson,1916
 1364) *Amsacta* (s.l.) *paolii* Berio,1936 (Arctiidae) Synonym(s): *paolii* Berio,1936
 1365) *Amsacta fuscata* (Bartel,1903) (Arctiidae) Synonym(s): *fuscata* Bartel,1903
 1366) *Amsacta grammiphlebia* Hampson,1901 (Arctiidae) Synonym(s): *grammiphlebia* Hampson,1901
 1367) *Amsacta latimarginalis* Rothschild,1933 (Arctiidae) Synonym(s): *latimarginalis* Rothschild,1933
 1368) *Amsacta latimarginalis elongata* Rothschild,1933 (Arctiidae) Synonym(s): *elongata* Rothschild,1933
 1369) *Amsacta latimarginalis latimarginalis* Rothschild,1933 (Arctiidae) Synonym(s): *latimarginalis* Rothschild,1933
 1370) *Amsactartia pulchra* (Rothschild,1933) (Arctiidae) Synonym(s): *pulchra* Rothschild,1933
 1371) *Amsactartia radiosa* (Pagenstecher,1903) (Arctiidae) Synonym(s): *radiosa* Pagenstecher,1903
 1372) *Amsactartia venusta* (Toulgoet,1980) (Arctiidae) Synonym(s): *venusta* Toulgoet,1980
 1373) *Amurrhyparia leopardinula* (Strand,1919) (Arctiidae) Synonym(s): *leopardina* Ménétériés,1859 nec Kollar,[1844]; *leopardinula* Strand,1919; *mandschurica* O.Bang-Haas,1927; *sinensis* O.Bang-Haas,1936.
 1374) *Amurrhyparia leopardinula leopardinula* (Strand,1919) (Arctiidae) Synonym(s): *leopardina* Ménétériés,1859 nec Kollar,[1844]; *leopardinula* Strand,1919; *mandschurica* O.Bang-Haas,1927; *sinensis* O.Bang-Haas,1936.
 1375) *Anaphosia astrigata* Hampson,1910 (Arctiidae) Synonym(s): *astrigata* Hampson,1910
 1376) *Anaphosia aurantiaca* Hampson,1909 (Arctiidae) Synonym(s): *aurantiaca* Hampson,1909
 1377) *Anaphosia cyanogramma* Hampson,1903 (Arctiidae) Synonym(s): *cyanogramma* Hampson,1903
 1378) *Anaxita decorata* Walker,1855 (Arctiidae) Synonym(s): *decorata* Walker,1855; *elegantissima* Herrich-Schäffer,[1856]; *calypso* Boisduval,1870
 1379) *Anaxita drucei* Rodriguez,1893 (Arctiidae) Synonym(s): *drucei* Rodriguez,1893
 1380) *Anaxita tricoloripes* Strand,1911 (Arctiidae) Synonym(s): *tricoloripes* Strand,1911
 1381) *Andala unifascia* Walker,1855 (Arctiidae) Synonym(s): *unifascia* Walker,1855
 1382) *Anestia ombrophanes* Meyrick,1886 (Arctiidae) Synonym(s): *ombrophanes* Meyrick,1886; *fuscogrisea* Rothschild,1913
 1383) *Anestia semiochrea* (Butler,1886) (Arctiidae) Synonym(s): *semiochrea* Butler,1886; *inquinata* Lucas,1890
 1384) *Apaidia mesogona* (Godart,1824) (Arctiidae) Synonym(s): *mesogona* Godart,1824
 1385) *Apaidia rufcola* (Rambur,1832) (Arctiidae) Synonym(s): *rufcola* Rambur,1832
 1386) *Apantesis phalerata* (Harris,1837) (Arctiidae) Synonym(s): *phalerata* Harris,1837; *radians* Walker,1855; *decorata* Saunders,1863; *colorata* Walker,1864; *rhoda* Butler,1881; *ochreate* Butler,1881; *incompleta* Butler,1881
 1387) *Apistosis judas* Hübner,1818 (Arctiidae) Synonym(s): *judas* Hübner,1818
 1388) *Arachnis aulaea* Geyer,[1837] (Arctiidae) Synonym(s): *aulaea* Geyer,[1837]; *incarnata* Walker,1855; *bituninosa* Seitz,1919; *tristis* Rothschild,1935
 1389) *Arachnis dilecta* (Boisduval,1870) (Arctiidae) Synonym(s): *dilecta* Boisduval,1870; *sanguinea* Oberthür,1881
 1390) *Arachnis martina* Druce,1897 (Arctiidae) Synonym(s): *martina* Druce,1897
 1391) *Arachnis mishma* Druce,1897 (Arctiidae) Synonym(s): *mishma* Druce,1897
 1392) *Arachnis picta* Packard,1864 (Arctiidae) Synonym(s): *picta* Packard,1864; *perotensis* Schaus,1889
 1393) *Arachnis zuni* Neumoegen,1890 (Arctiidae) Synonym(s): *zuni* Neumoegen,1890
 1394) *Arctia* (Epicalia) *villica* (Linnaeus,1758) (Arctiidae) Synonym(s): *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923.
 1395) *Arctia* (Epicalia) *villica angelica* (Boisduval,1829) (Arctiidae) Synonym(s): *angelica* Boisduval,1829; *konewkai* Freyer,1831; *scicula* Zeller,1847; *arabum* Oberthür,1910.
 1396) *Arctia* (Epicalia) *villica confluens* (Romanoff,1884) (Arctiidae) Synonym(s): *confluens* Romanoff,1884.
 1397) *Arctia* (Epicalia) *villica fulminans* (Staudinger,1871) (Arctiidae) Synonym(s): *fulminans* Staudinger,1871; *syriaca* Oberthür,1911.
 1398) *Arctia* (Epicalia) *villica marchandi* (De Freina,1983) (Arctiidae) Synonym(s): *marchandi* De Freina,1983.
 1399) *Arctia* (Epicalia) *villica villica* (Linnaeus,1758) (Arctiidae) Synonym(s): *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923.
 1400) *Arctia* (Eucharia) *festiva* (Hufnagel,1766) (Arctiidae) Synonym(s): *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétériés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928.
 1401) *Arctia* (Eucharia) *festiva arafati* De Freina,1997 (Arctiidae) Synonym(s): *arafati* De Freina,1997
 1402) *Arctia* (Eucharia) *festiva collaris* (Groum-Grshimailo,1899) (Arctiidae) Synonym(s): *collaris* Groum-Grshimailo,1899; *culoti* Oberthür,1912.
 1403) *Arctia* (Eucharia) *festiva festiva* (Hufnagel,1766) (Arctiidae) Synonym(s): *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétériés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928.
 1404) *Arctia* (Eucharia) *festiva hormozgana* Dubatolov,[2006] (Arctiidae) Synonym(s): *hormozgana* Dubatolov,[2006]
 1405) *Arctia* (Eucharia) *festiva iliensis* Wagner,1913 (Arctiidae) Synonym(s): *iliensis* Wagner,1913
 1406) *Arctia* (s.str.) *caja* (Linnaeus,1758) (Arctiidae) Synonym(s): *caja* Linnaeus,1758; *erinacea* Retzius,1783; *phantasma* Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 nec Rom.,1884; *rebeli* Wnukowsky,1929.
 1407) *Arctia* (s.str.) *caja americana* Harris,1841 (Arctiidae) Synonym(s): *americana* Harris,1841
 1408) *Arctia* (s.str.) *caja caja* (Linnaeus,1758) (Arctiidae) Synonym(s): *caja* Linnaeus,1758; *erinacea* Retzius,1783; *phantasma* Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 nec Rom.,1884; *rebeli* Wnukowsky,1929.
 1409) *Arctia* (s.str.) *caja kamschadalensis* Draudt,1934 (Arctiidae) Synonym(s): *kamschadalensis* Draudt,1934
 1410) *Arctia* (s.str.) *caja martinhoneyi* Dubatolov & Gurko,[2006] (Arctiidae) Synonym(s): *martinhoneyi* Dubatolov & Gurko,[2006]
 1411) *Arctia* (s.str.) *caja mazandarana* Dubatolov & Zahiri,[2006] (Arctiidae) Synonym(s): *mazandarana* Dubatolov & Zahiri,[2006]
 1412) *Arctia* (s.str.) *caja orientalis* Moore,1878 (Arctiidae) Synonym(s): *orientalis* Moore,1878
 1413) *Arctia* (s.str.) *caja ossetica* Dubatolov,1996 (Arctiidae) Synonym(s): *ossetica* Dubatolov,1996
 1414) *Arctia* (s.str.) *caja pamiroalaica* Stshetkin,1982 (Arctiidae) Synonym(s): *pamiroalaica* Stshetkin,1982
 1415) *Arctia* (s.str.) *caja parva* Rothschild,1910 (Arctiidae) Synonym(s): *parva* Rothschild,1910
 1416) *Arctia* (s.str.) *caja phaeosoma* (Butler,1877) (Arctiidae) Synonym(s): *phaeosoma* Butler,1877; *auripennis* Butler,1881; *immaculata* Matsumura,1927
 1417) *Arctia* (s.str.) *caja roschaengul* Kemal & Koçak,2007 (Arctiidae) Synonym(s): *roschaengul* Kemal & Koçak,2007
 1418) *Arctia* (s.str.) *caja sajana* O.Bang-Haas,1927 (Arctiidae) Synonym(s): *sajana* O.Bang-Haas,1927
 1419) *Arctia* (s.str.) *caja tschiliensis* Draudt,1931 (Arctiidae) Synonym(s): *tschiliensis* Draudt,1931
 1420) *Arctia* (s.str.) *caja tshimgana* Sheljuzhko,1935 (Arctiidae) Synonym(s): *tshimgana* Sheljuzhko,1935
 1421) *Arctia* (s.str.) *caja utahensis* (Edwards,1887) (Arctiidae) Synonym(s): *utahensis* Edwards,1887; *transmontana* Neumoegen & Dyar,1893
 1422) *Arctia* (s.str.) *caja waroi* Barnes & Benjamin,1927 (Arctiidae) Synonym(s): *waroi* Barnes & Benjamin,1927
 1423) *Arctia* (s.str.) *caja wiskotti* Staudinger,1879 (Arctiidae) Synonym(s): *wiskotti* Staudinger,1879
 1424) *Arctia* (s.str.) *flavia* (Fuessly,1779) (Arctiidae) Synonym(s): *flavia* Fuessly,1779; *virgo* Hübner,[1804]; *campestris* Graeser,1892; *uralensis* Heyne,1899; *sibirica* Heyne,1899; *lederi* O.Bang-Haas,1927; *baicalensis* O.Bang-Haas,1927; *jeholensis* O.Bang-Haas,1927

- 1425) *Arctia* (s.str.) *flavia flavia* (Fuessly,1779) (Arctiidae) Synonym(s): *flavia* Fuessly,1779; *virgo* Hübner,[1804]; *campestris* Graeser,1892; *uralensis* Heyne,1899; *sibirica* Heyne,1899; *lederi* O.Bang-Haas,1927; *baicalensis* O.Bang-Haas,1927; *jeholensis* O.Bang-Haas,1927
- 1426) *Arctia* (s.str.) *intercalaris* (Eversmann,1843) (Arctiidae) Synonym(s): *intercalaris* Eversmann,1843; *boettcheri* O.Bang-Haas,1927.
- 1427) *Arctia* (s.str.) *intercalaris* ? *truncata* Kotsch,1939 (Arctiidae) Synonym(s): *truncata* Kotsch,1939
- 1428) *Arctia* (s.str.) *intercalaris* *alpherakyi* Staudinger,1886 (Arctiidae) Synonym(s): *alpherakyi* Staudinger,1886; *badakhshana* Wiltshire,1961.
- 1429) *Arctia* (s.str.) *intercalaris* *aurantiaca* Seitz,1910 (Arctiidae) Synonym(s): *aurantiaca* Seitz,1910
- 1430) *Arctia* (s.str.) *intercalaris* *cajula* Staudinger,1886 (Arctiidae) Synonym(s): *cajula* Staudinger,1886
- 1431) *Arctia* (s.str.) *intercalaris* *elisabethana* Bender & Naumann,1980 (Arctiidae) Synonym(s): *elisabethana* Bender & Naumann,1980
- 1432) *Arctia* (s.str.) *intercalaris* *intercalaris* (Eversmann,1843) (Arctiidae) Synonym(s): *intercalaris* Eversmann,1843; *boettcheri* O.Bang-Haas,1927.
- 1433) *Arctia* (s.str.) *intercalaris* *suttadra* Moore,1879 (Arctiidae) Synonym(s): *suttadra* Moore,1879
- 1434) *Arctia* (s.str.) *intercalaris* *thibetica* Felder,1874 (Arctiidae) Synonym(s): *thibetica* Felder,1874
- 1435) *Arctia* (s.str.) *intercalaris* *triangulum* Peschke,1934 (Arctiidae) Synonym(s): *triangulum* Peschke,1934
- 1436) *Arctia* (s.str.) *ladakensis* (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *ladakensis* O.Bang-Haas,1927
- 1437) *Arctia* (s.str.) *olschwangi* Dubatolov,1990 (Arctiidae) Synonym(s): *olschwangi* Dubatolov,1990
- 1438) *Arctia* (s.str.) *olschwangi* *olschwangi* Dubatolov,1990 (Arctiidae) Synonym(s): *olschwangi* Dubatolov,1990
- 1439) *Arctia* (s.str.) *rueckbeili* Püngeler,1901 (Arctiidae) Synonym(s): *rueckbeili* Püngeler,1901
- 1440) *Arctia* (s.str.) *rueckbeili* *rueckbeili* Püngeler,1901 (Arctiidae) Synonym(s): *rueckbeili* Püngeler,1901
- 1441) *Arctia* (s.str.) *weigerti* De Freina & Witt,1985 (Arctiidae) Synonym(s): *weigerti* De Freina & Witt,1985
- 1442) *Arctia* (s.str.) *weigerti* *weigerti* De Freina & Witt,1985 (Arctiidae) Synonym(s): *weigerti* De Freina & Witt,1985
- 1443) *Ardonea* *morio* Walker,1854 (Arctiidae) Synonym(s): *morio* Walker,1854; *coracina* Boisduval,1870
- 1444) *Areas* (Melanareas) *imperialis* (Kollar,[1844]) (Arctiidae) Synonym(s): *imperialis* Kollar,[1844]
- 1445) *Areas* (Melanareas) *imperialis* *imperialis* (Kollar,[1844]) (Arctiidae) Synonym(s): *imperialis* Kollar,[1844]
- 1446) *Areas* (s.str.) *galactina* (Hoeven,1840) (Arctiidae) Synonym(s): *galactina* Hoeven,1840
- 1447) *Areas* (s.str.) *galactina* *formosana* Okano,1960 (Arctiidae) Synonym(s): *formosana* Okano,1960
- 1448) *Areas* (s.str.) *galactina* *galactina* (Hoeven,1840) (Arctiidae) Synonym(s): *galactina* Hoeven,1840
- 1449) *Areas* (s.str.) *galactina* *intermedia* Rothschild,1933 (Arctiidae) Synonym(s): *intermedia* Rothschild,1933
- 1450) *Areas* (s.str.) *galactina* *latifascia* Rothschild,1933 (Arctiidae) Synonym(s): *latifascia* Rothschild,1933
- 1451) *Areas* (s.str.) *galactina* *ochracea* (Mell,1922) (Arctiidae) Synonym(s): *#khasiana* Rothschild,1914; *ochracea* Mell,1922
- 1452) *Areas* (s.str.) *galactina* *orientalis* Walker,1855 (Arctiidae) Synonym(s): *orientalis* Walker,1855
- 1453) *Areas* (s.str.) *galactina* *trigonalis* (Vollenhoven,1863) (Arctiidae) Synonym(s): *trigonalis* Vollenhoven,1863; *cana* Druce,1899
- 1454) *Areva* *trigemmis* (Hübner,[1827]) (Arctiidae) Synonym(s): *trigemmis* Hübner,[1827]; *ziza* Druce,1897
- 1455) *Argina* *amanda* (Boisduval,1847) (Arctiidae) Synonym(s): *amanda* Boisduval,1847; *cingulifera* Walker,1854; *ocellina* Walker,1854; *albicincta* Rambur,[1866]; *serrata* Mabille,1879.
- 1456) *Argina* *argus* (Kollar,[1844]) (Arctiidae) Synonym(s): *argus* Kollar,[1844]
- 1457) *Argina* *astrea* (Drury,[1773]) (Arctiidae) Synonym(s): *cribraria* Clerck,1764 nec Linn.,1758; *astrea* Drury,[1773]; *pylotis* Fabricius,1775; *dulcis* Walker,1854; *guttata* Rambur,1866; *notata* Butler,1877; *pylotes* Butler,1877; *multiguttatus* Swinhoe,1892; *#perforata* Seitz,1914; *#detersa* Hulstaert,1923.
- 1458) *Argina* *astrea* *astrea* (Drury,[1773]) (Arctiidae) Synonym(s): *cribraria* Clerck,1764 nec Linn.,1758; *astrea* Drury,[1773]; *pylotis* Fabricius,1775; *dulcis* Walker,1854; *guttata* Rambur,1866; *notata* Butler,1877; *pylotes* Butler,1877; *multiguttatus* Swinhoe,1892; *#perforata* Seitz,1914; *#detersa* Hulstaert,1923.
- 1459) *Argina* *astrea* *pardalina* Walker,1864 (Arctiidae) Synonym(s): *pardalina* Walker,1864
- 1460) *Argina* *leonina* (Walker,[1865]) (Arctiidae) Synonym(s): *leonina* Walker,[1865]
- 1461) *Argina* *pulchra* Swinhoe,1892 (Arctiidae) Synonym(s): *pulchra* Swinhoe,1892; *callargus* Reich,1932
- 1462) *Argina* *syringa* (Cramer,1775) (Arctiidae) Synonym(s): *syringa* Cramer,1775; *crotolariae* Fabricius,1793
- 1463) *Argylla* *argentifera* (Walker,1866) (Arctiidae) Synonym(s): *argentifera* Walker,1866
- 1464) *Argylla* *brailovsky* Beutelspacher,1981 (Arctiidae) Synonym(s): *brailovsky* Beutelspacher,1981
- 1465) *Argylla* *dyari* Beutelspacher,1984 (Arctiidae) Synonym(s): *dyari* Beutelspacher,1984
- 1466) *Argylla* *idolon* Dyar,1912 (Arctiidae) Synonym(s): *idolon* Dyar,1912
- 1467) *Argylla* *marginata* (Druce,1885) (Arctiidae) Synonym(s): *marginata* Druce,1885
- 1468) *Argylla* *nivea* (Walker,1856) (Arctiidae) Synonym(s): *nivea* Walker,1856; *monoleuca* Walker,1866; *argentea* R.Felder,1874; *virginea* Schaus,1894; *plateada* Dognin,1894; *floreccilla* Dognin,1894
- 1469) *Argylla* *nubens* (Schaus,1899) (Arctiidae) Synonym(s): *nubens* Schaus,1899
- 1470) *Argylla* *perpensa* (Schaus,1894) (Arctiidae) Synonym(s): *perpensa* Schaus,1894
- 1471) *Argylla* *sericea* (Druce,1885) (Arctiidae) Synonym(s): *sericea* Druce,1885; *galactina* Mass,1890; *limpida* Möschler,1890; *petrola* Schaus,1894
- 1472) *Argylla* *tolteca* (Schaus,1889) (Arctiidae) Synonym(s): *tolteca* Schaus,1889
- 1473) *Argylla* *tumidicosta* Hampson,1900 (Arctiidae) Synonym(s): *tumidicosta* Hampson,1900; *laticilia* Druce,1885
- 1474) *Arrhythmica* *semifusca* Turner,1940 (Arctiidae) Synonym(s): *semifusca* Turner,1940
- 1475) *Artimelia* *latreillei* (Godart,1823) (Arctiidae) Synonym(s): *latreillei* Godart,1823
- 1476) *Artimelia* *latreillei* *latreillei* (Godart,1823) (Arctiidae) Synonym(s): *latreillei* Godart,1823
- 1477) *Artimelia* *latreillei* *lusitanica* (Schawerda,1934) (Arctiidae) Synonym(s): *lusitanica* Schawerda,1934
- 1478) *Asparus* *bicolor* (Walker,1855) (Arctiidae) Synonym(s): *bicolor* Walker,1855
- 1479) *Asura* *andamana* (Moore,1877) (Arctiidae) Synonym(s): *andamana* Moore,1877
- 1480) *Asura* *arenaria* Rothschild,1913 (Arctiidae) Synonym(s): *arenaria* Rothschild,1913
- 1481) *Asura* *basitessellata* Rothschild,1913 (Arctiidae) Synonym(s): *basitessellata* Rothschild,1913
- 1482) *Asura* *bipars* (Walker,[1865]) (Arctiidae) Synonym(s): *bipars* Walker,[1865]; *habrotis* Meyrick,1886
- 1483) *Asura* *calamaria* (Moore,1888) (Arctiidae) Synonym(s): *calamaria* Moore,1888
- 1484) *Asura* *calamaria* *mediopuncta* Rothschild,1913 (Arctiidae) Synonym(s): *mediopuncta* Rothschild,1913
- 1485) *Asura* *catameces* Turner,1940 (Arctiidae) Synonym(s): *catameces* Turner,1940
- 1486) *Asura* *cervicalis* Walker,1854 (Arctiidae) Synonym(s): *cervicalis* Walker,1854
- 1487) *Asura* *chrysomela* Hampson,1905 (Arctiidae) Synonym(s): *chrysomela* Hampson,1905
- 1488) *Asura* *chrysomela* *reducta* Rothschild,1913 (Arctiidae) Synonym(s): *reducta* Rothschild,1913
- 1489) *Asura* *citrinopuncta* Rothschild,1913 (Arctiidae) Synonym(s): *citrinopuncta* Rothschild,1913
- 1490) *Asura* *coccinocosma* Turner,1940 (Arctiidae) Synonym(s): *coccinocosma* Turner,1940
- 1491) *Asura* *composodes* Turner,1940 (Arctiidae) Synonym(s): *composodes* Turner,1940
- 1492) *Asura* *creatina* (Snellen,1879) (Arctiidae) Synonym(s): *creatina* Snellen,1879; *javanica* van Eecke,1920
- 1493) *Asura* *crocoplepa* Turner,1940 (Arctiidae) Synonym(s): *crocoplepa* Turner,1940
- 1494) *Asura* *crocoplepa* Turner,1940 (Arctiidae) Synonym(s): *crocoplepa* Turner,1940
- 1495) *Asura* *euprepoides* (Walker,1862) (Arctiidae) Synonym(s): *euprepoides* Walker,1862; *interserta* Moore,1878
- 1496) *Asura* *fruhstorferi* (Aurivillius,1894) (Arctiidae) Synonym(s): *fruhstorferi* Aurivillius,1894
- 1497) *Asura* *fulvia* Hampson,1900 (Arctiidae) Synonym(s): *fulvia* Hampson,1900
- 1498) *Asura* *griseotincta* Rothschild,1913 (Arctiidae) Synonym(s): *griseotincta* Rothschild,1913
- 1499) *Asura* *hopkinsi* Tams,1935 (Arctiidae) Synonym(s): *hopkinsi* Tams,1935
- 1500) *Asura* *infumata* (R.Felder & Rogenhofer,1874) (Arctiidae) Synonym(s): *infumata* R.Felder & Rogenhofer,1874
- 1501) *Asura* *infumata* *rufotincta* Rothschild,1913 (Arctiidae) Synonym(s): *rufotincta* Rothschild,1913
- 1502) *Asura* *lacteoflava* Rothschild,1913 (Arctiidae) Synonym(s): *lacteoflava* Rothschild,1913
- 1503) *Asura* *lacteoflava* *aureata* Rothschild,1913 (Arctiidae) Synonym(s): *aureata* Rothschild,1913
- 1504) *Asura* *lacteoflava* *lacteoflava* Rothschild,1913 (Arctiidae) Synonym(s): *lacteoflava* Rothschild,1913
- 1505) *Asura* *liparidia* Rothschild,1913 (Arctiidae) Synonym(s): *liparidia* Rothschild,1913
- 1506) *Asura* *luzonica* Wileman (Arctiidae) Synonym(s):
- 1507) *Asura* *lydia* (Donovan,1805) (Arctiidae) Synonym(s): *lydia* Donovan,1805; *mediastina* Hübner,1827; *gaudens* Walker,1854; *pectinata* Wallengren,1860; *incompleta* Draudt,1914; *confluens* Draudt,1914
- 1508) *Asura* *monospila* Turner,1940 (Arctiidae) Synonym(s): *monospila* Turner,1940
- 1509) *Asura* *obliterans* Draudt,1914 (Arctiidae) Synonym(s): *obliterans* Draudt,1914

- 1510) *Asura obsoleta* (Moore, 1878) (Arctiidae) Synonym(s): *obsoleta* Moore, 1878; *assamica* Moore, 1878
- 1511) *Asura polyspila* Turner, 1940 (Arctiidae) Synonym(s): *polyspila* Turner, 1940
- 1512) *Asura punctata* Rothschild, 1913 (Arctiidae) Synonym(s): *punctata* Rothschild, 1913
- 1513) *Asura pyropa* Tams, 1935 (Arctiidae) Synonym(s): *pyropa* Tams, 1935
- 1514) *Asura roseogrisea* Rothschild, 1913 (Arctiidae) Synonym(s): *roseogrisea* Rothschild, 1913
- 1515) *Asura semivittrea* (Rothschild, 1913) (Arctiidae) Synonym(s): *semivittrea* Rothschild, 1913
- 1516) *Asura strigatula* Rothschild, 1913 (Arctiidae) Synonym(s): *strigatula* Rothschild, 1913
- 1517) *Asura thumataeformis* Strand, 1912 (Arctiidae) Synonym(s): *thumataeformis* Strand, 1912
- 1518) *Asura unifascia* Rothschild, 1913 (Arctiidae) Synonym(s): *unifascia* Rothschild, 1913
- 1519) *Asura uniformella* Hampson, 1900 (Arctiidae) Synonym(s): *uniformella* Hampson, 1900
- 1520) *Asura unipuncta* (Leech, 1890) (Arctiidae) Synonym(s): *unipuncta* Leech, 1890
- 1521) *Asura unipuncta szetschwanica* (Daniel, 1952) (Arctiidae) Synonym(s): *szetschwanica* Daniel, 1952
- 1522) *Asura zebrina* (Hampson, 1914) (Arctiidae) Synonym(s): *zebrina* Hampson, 1914
- 1523) *Asuridia metaphae* Hampson, 1900 (Arctiidae) Synonym(s): *metaphae* Hampson, 1900
- 1524) *Atelophleps tridesma* Turner, 1940 (Arctiidae) Synonym(s): *tridesma* Turner, 1940
- 1525) *Ateucheta zatesima* (Hampson, 1914) (Arctiidae) Synonym(s): *zatesima* Hampson, 1914; *zetesima* Turner, 1915
- 1526) *Atlantartia dido* (Wagner, 1841) (Arctiidae) Synonym(s): *dido* Wagner, 1841
- 1527) *Atlantartia dido dido* (Wagner, 1841) (Arctiidae) Synonym(s): *dido* Wagner, 1841
- 1528) *Atlantartia oberthueri* (Oberthür, 1890) (Arctiidae) Synonym(s): *oberthueri* Oberthür, 1890; *else* Nissen, 1917.
- 1529) *Atlantartia oberthueri oberthueri* (Oberthür, 1890) (Arctiidae) Synonym(s): *oberthueri* Oberthür, 1890; *else* Nissen, 1917.
- 1530) *Atlantartia tigrina* (Villers, 1789) (Arctiidae) Synonym(s): *fasciata* Esper, [1785] (*praeocc.*); *tigrina* Villers, 1789.
- 1531) *Atlantartia tigrina esperi* (Staudinger, 1870) (Arctiidae) Synonym(s): *esperi* Staudinger, 1870; *bevani* Gomez-Bustillo & Viedma, 1977.
- 1532) *Atlantartia tigrina tigrina* (Villers, 1789) (Arctiidae) Synonym(s): *fasciata* Esper, [1785] (*praeocc.*); *tigrina* Villers, 1789.
- 1533) *Atlantartia ungemachi* (Le Cerf, 1924) (Arctiidae) Synonym(s): *ungemachi* Le Cerf, 1924
- 1534) *Atlantartia ungemachi ungemachi* (Le Cerf, 1924) (Arctiidae) Synonym(s): *ungemachi* Le Cerf, 1924
- 1535) *Atolmis rubricollis* (Linnaeus, 1758) (Arctiidae) Synonym(s): *rubricollis* Linnaeus, 1758
- 1536) *Axiopoea karelini Ménétries*, 1853 (Arctiidae) Synonym(s): *karelini Ménétries*, 1853; *transcaucasia* Sheljuzhko, 1926; *manissadjani* O. Bang-Haas, 1927.
- 1537) *Axiopoea karelini karelini Ménétries*, 1853 (Arctiidae) Synonym(s): *karelini Ménétries*, 1853; *transcaucasia* Sheljuzhko, 1926; *manissadjani* O. Bang-Haas, 1927.
- 1538) *Axiopoea maura* (Eichwald, 1830) (Arctiidae) Synonym(s): *maura* Eichwald, 1830; *fluvialis* Swinhoe, 1885.
- 1539) *Axiopoea maura maura* (Eichwald, 1830) (Arctiidae) Synonym(s): *maura* Eichwald, 1830; *fluvialis* Swinhoe, 1885.
- 1540) *Balbura dorsisigna* Walker, 1854 (Arctiidae) Synonym(s): *dorsisigna* Walker, 1854
- 1541) *Balbura fasciata* Schaus, 1911 (Arctiidae) Synonym(s): *fasciata* Schaus, 1911
- 1542) *Barsine cuneonotata* (Walker, 1855) (Arctiidae) Synonym(s): *cuneonotata* Walker, 1855
- 1543) *Barsine defecta* Walker, 1854 (Arctiidae) Synonym(s): *defecta* Walker, 1854
- 1544) *Barsine eccentrica* (Meyrick, 1894) (Arctiidae) Synonym(s): *eccentrica* Meyrick, 1894
- 1545) *Barsine gratiosa Guérin-Ménéville*, 1843 (Arctiidae) Synonym(s): *gratiosa* Guérin-Ménéville, 1843; *striata* Bremer & Grey, 1852; *mactans* Butler, 1877; *pulchra* Butler, 1877; *flammealis* Moore, 1878; *pretiosa* Moore, 1879
- 1546) *Barsine maculifasciata* (Hampson, 1894) (Arctiidae) Synonym(s): *maculifasciata* Hampson, 1894
- 1547) *Bertholdia albipuncta* Schaus, 1896 (Arctiidae) Synonym(s): *albipuncta* Schaus, 1896
- 1548) *Bertholdia crocea* Schaus, 1910 (Arctiidae) Synonym(s): *crocea* Schaus, 1910
- 1549) *Bertholdia flavilucens* Schaus, 1920 (Arctiidae) Synonym(s): *flavilucens* Schaus, 1920
- 1550) *Bertholdia myosticta* Hampson, 1901 (Arctiidae) Synonym(s): *myosticta* Hampson, 1901
- 1551) *Bertholdia schausiana* Dyar, 1898 (Arctiidae) Synonym(s): *schausiana* Dyar, 1898
- 1552) *Bertholdia specularis* (Herrich-Schäffer, [1853]) (Arctiidae) Synonym(s): *specularis* Herrich-Schäffer, [1853]
- 1553) *Bertholdia trigona* (Grote, 1879) (Arctiidae) Synonym(s): *trigona* Grote, 1879
- 1554) *Binna pencillata* Walker, [1865] (Arctiidae) Synonym(s): *pencillata* Walker, [1865]
- 1555) *Binna scita* (Walker, [1865]) (Arctiidae) Synonym(s): *scita* Walker, [1865]
- 1556) *Biturix venosata* Walker, 1864 (Arctiidae) Synonym(s): *venosata* Walker, 1864
- 1557) *Boadicea flavimacula* Pinhey, 1968 (Arctiidae) Synonym(s): *flavimacula* Pinhey, 1968
- 1558) *Borearctia menetriesi* (Eversmann, 1846) (Arctiidae) Synonym(s): *menetriesi* Eversmann, 1846
- 1559) *Borearctia menetriesi menetriesi* (Eversmann, 1846) (Arctiidae) Synonym(s): *menetriesi* Eversmann, 1846
- 1560) *Calamidia hirta* (Walker, 1854) (Arctiidae) Synonym(s): *hirta* Walker, 1854; *salpinctis* Meyrick, 1886
- 1561) *Calidota clarcana* Dyar, 1916 (Arctiidae) Synonym(s): *clarcana* Dyar, 1916
- 1562) *Calidota divina* (Schaus, 1889) (Arctiidae) Synonym(s): *divina* Schaus, 1889
- 1563) *Calidota guzmani* Beutelspacher, 1981 (Arctiidae) Synonym(s): *guzmani* Beutelspacher, 1981
- 1564) *Calidota lubeckei* Beutelspacher, 1986 (Arctiidae) Synonym(s): *lubeckei* Beutelspacher, 1986
- 1565) *Calidota obscurior* (Druce, 1885) (Arctiidae) Synonym(s): *obscurior* Druce, 1885
- 1566) *Calidota phryganoides* (Walker, 1885) (Arctiidae) Synonym(s): *phryganoides* Walker, 1885
- 1567) *Callimorpha dominula* (Linnaeus, 1758) (Arctiidae) Synonym(s): *dominula* Linnaeus, 1758; *insubrica* Wackerzapp, 1890; *rhodanica* Kettlewell, 1943.
- 1568) *Callimorpha dominula bithynica* Staudinger, 1871 (Arctiidae) Synonym(s): *bithynica* Staudinger, 1871; *balcanica* Daniel, 1952.
- 1569) *Callimorpha dominula dominula* (Linnaeus, 1758) (Arctiidae) Synonym(s): *dominula* Linnaeus, 1758; *insubrica* Wackerzapp, 1890; *rhodanica* Kettlewell, 1943.
- 1570) *Callimorpha dominula italica* Standfuss, 1884 (Arctiidae) Synonym(s): *italica* Standfuss, 1884
- 1571) *Callimorpha dominula kurdistana* Thomas, 1983 (Arctiidae) Synonym(s): *kurdistanica* Thomas, 1983
- 1572) *Callimorpha dominula lusitanica* Staudinger, 1894 (Arctiidae) Synonym(s): *lusitanica* Staudinger, 1894
- 1573) *Callimorpha dominula persica* Le Cerf, 1913 (Arctiidae) Synonym(s): *persica* Le Cerf, 1913
- 1574) *Callimorpha dominula persona* (Hübner, 1790) (Arctiidae) Synonym(s): *persona* Hübner, 1790; *donna* Esper, [1794].
- 1575) *Callimorpha dominula philippi* Bartel, 1906 (Arctiidae) Synonym(s): *philippi* Bartel, 1906.
- 1576) *Callimorpha dominula pompalis* Nitschke, [1926] (Arctiidae) Synonym(s): *pompalis* Nitschke, [1926]; *subalpina* Dannehl, 1928; *majellica* Dannehl, 1929.
- 1577) *Callimorpha dominula postochrea* Stauder, 1925 (Arctiidae) Synonym(s): *postochrea* Stauder, 1925
- 1578) *Callimorpha dominula rossica* Kolenati, 1846 (Arctiidae) Synonym(s): *rossica* Kolenati, 1846; ? *lutea* Staudinger, 1861; *teberdina* Sheljuzhko, 1934; *swanetica* Reichl, 1935.
- 1579) *Callindra arginalis* (Hampson, 1894) (Arctiidae) Synonym(s): *arginalis* Hampson, 1894; *gigantea* Röber, 1925
- 1580) *Calodesma maculifrons* (Walker, 1865) (Arctiidae) Synonym(s): *maculifrons* Walker, 1865
- 1581) *Calodesma melanchroia* (Boisduval, 1870) (Arctiidae) Synonym(s): *melanchroia* Boisduval, 1870
- 1582) *Calpenia (Sebastia) argus* (Walker, 1862) (Arctiidae) Synonym(s): *argus* Walker, 1862; *elegans* Moore, 1866
- 1583) *Calpenia* (s.str.) *khassiana* Moore, 1878 (Arctiidae) Synonym(s): *khassiana* Moore, 1878
- 1584) *Calpenia* (s.str.) *saundersi* Moore, 1872 (Arctiidae) Synonym(s): *saundersi* Moore, 1872
- 1585) *Calpenia* (s.str.) *siniaevi* Witt & Speidel, 2006 (Arctiidae) Synonym(s): *siniaevi* Witt & Speidel, 2006
- 1586) *Calpenia* (s.str.) *takamukui* Matsumura, 1930 (Arctiidae) Synonym(s): *takamukui* Matsumura, 1930
- 1587) *Calpenia* (s.str.) *zerenaria* (Oberthür, 1886) (Arctiidae) Synonym(s): *zerenaria* Oberthür, 1886
- 1588) *Canaractia rufescens* (Brullé, 1836) (Arctiidae) Synonym(s): *rufescens* Brullé, 1836
- 1589) *Canaractia rufescens gomerensis* (Pinker & Bacallado, [1979]) (Arctiidae) Synonym(s): *gomerensis* Pinker & Bacallado, [1979]
- 1590) *Canaractia rufescens rufescens* (Brullé, 1836) (Arctiidae) Synonym(s): *rufescens* Brullé, 1836
- 1591) *Carales astur* (Cramer, 1779) (Arctiidae) Synonym(s): *astur* Cramer, 1779; *albicans* Walker, 1855; *pustulata* Packard, 1869
- 1592) *Carathis byblis* (Schaus, 1892) (Arctiidae) Synonym(s): *byblis* Schaus, 1892
- 1593) *Carcinarctia kivuensis* Joicey & Talbot, 1924 (Arctiidae) Synonym(s): *kivuensis* Joicey & Talbot, 1924
- 1594) *Carcinarctia laeliodes* Hampson, 1916 (Arctiidae) Synonym(s): *laeliodes* Hampson, 1916; *clarissima* Gaede, 1926.
- 1595) *Carcinarctia laeliodes fasciata* Debauche, 1942 (Arctiidae) Synonym(s): *fasciata* Debauche, 1942
- 1596) *Carcinarctia laeliodes laeliodes* Hampson, 1916 (Arctiidae) Synonym(s): *laeliodes* Hampson, 1916; *clarissima* Gaede, 1926.
- 1597) *Carcinarctia metamelana* Hampson, 1901 (Arctiidae) Synonym(s): *metamelana* Hampson, 1901
- 1598) *Carcinarctia rougeoti* Toulgoet, 1977 (Arctiidae) Synonym(s): *rougeoti* Toulgoet, 1977

- 1599) *Carcinarctia rufa* Joicey & Talbot, 1921 (Arctiidae) Synonym(s): *rufa* Joicey & Talbot, 1921; *xanthica* Joicey & Talbot, 1924; *kivuensis* Debauche, 1942.
1600) *Carcinopodia argentata* (Distant, 1897) (Arctiidae) Synonym(s): *argentata* Distant, 1897
1601) *Carcinopyga gурkoi* Kautt & Saldaitis, 1997 (Arctiidae) Synonym(s): *gурkoi* Kautt & Saldaitis, 1997
1602) *Carcinopyga gурkoi gурkoi* Kautt & Saldaitis, 1997 (Arctiidae) Synonym(s): *gурkoi* Kautt & Saldaitis, 1997
1603) *Carcinopyga lichenigera* C.Felder & R.Felder, 1874 (Arctiidae) Synonym(s): *lichenigera* C.Felder & R.Felder, 1874
1604) *Carcinopyga lichenigera nuytenae* De Freina, 1982 (Arctiidae) Synonym(s): *nuytenae* De Freina, 1982
1605) *Carcinopyga lindti* Cerny, 1986 (Arctiidae) Synonym(s): *lindti* Cerny, 1986
1606) *Carcinopyga lindti lindti* Cerny, 1986 (Arctiidae) Synonym(s): *lindti* Cerny, 1986
1607) *Carcinopyga proserpina* (Staudinger, 1887) (Arctiidae) Synonym(s): *proserpina* Staudinger, 1887
1608) *Carcinopyga proserpina proserpina* (Staudinger, 1887) (Arctiidae) Synonym(s): *proserpina* Staudinger, 1887
1609) *Caripodia chrysargyria* Hampson, 1900 (Arctiidae) Synonym(s): *chrysargyria* Hampson, 1900
1610) *Caripodia consimilis* Hampson, 1918 (Arctiidae) Synonym(s): *consimilis* Hampson, 1918
1611) *Caryatis hersilia* Druce, 1887 (Arctiidae) Synonym(s): *hersilia* Druce, 1887
1612) *Caryatis phileta* (Drury, [1782]) (Arctiidae) Synonym(s): *phileta* Drury, [1782]
1613) *Caryatis stenoperas* Hampson, 1910 (Arctiidae) Synonym(s): *stenoperas* Hampson, 1910
1614) *Caryatis syntomina* Butler, 1878 (Arctiidae) Synonym(s): *syntomina* Butler, 1878
1615) *Castrica phalaenoides* (Drury, 1773) (Arctiidae) Synonym(s): *phalaenoides* Drury, 1773; *oweni* Schaus, 1896
1616) *Castulo doubledayi* Newman, 1857 (Arctiidae) Synonym(s): *doubledayi* Newman, 1857; *rubricosta* Walker, [1865]; *binotata* Walker, 1869
1617) *Castulo plagiata* Walker, 1854 (Arctiidae) Synonym(s): *plagiata* Walker, 1854; *struthias* Meyrick, 1886
1618) *Centrarctia mongolica* (Alpheraky, 1888) (Arctiidae) Synonym(s): *mongolica* Alpheraky, 1888; *serarum* Grum-Grshimailo, 1899; *serum* Grum-Grshimailo, 1902.
1619) *Centrarctia mongolica mongolica* (Alpheraky, 1888) (Arctiidae) Synonym(s): *mongolica* Alpheraky, 1888; *serarum* Grum-Grshimailo, 1899; *serum* Grum-Grshimailo, 1902.
1620) *Chamaita barbardi* (Lucas, 1894) (Arctiidae) Synonym(s): *barbardi* Lucas, 1894
1621) *Chelis caecilia* (Lederer, 1853) (Arctiidae) Synonym(s): *caecilia* Lederer, 1853; *insularia* Kozhantschikov, 1904.
1622) *Chelis caecilia caecilia* (Lederer, 1853) (Arctiidae) Synonym(s): *caecilia* Lederer, 1853; *insularia* Kozhantschikov, 1904.
1623) *Chelis dahurica* (Boisduval, 1832) (Arctiidae) Synonym(s): *dahurica* Boisduval, 1832; *gruneri* Staudinger, 1867; *sojota* Tschetverikov, 1904.
1624) *Chelis dahurica dahurica* (Boisduval, 1832) (Arctiidae) Synonym(s): *dahurica* Boisduval, 1832; *gruneri* Staudinger, 1867; *sojota* Tschetverikov, 1904.
1625) *Chelis ferghana* Dubatolov, 1988 (Arctiidae) Synonym(s): *ferghana* Dubatolov, 1988
1626) *Chelis ferghana ferghana* Dubatolov, 1988 (Arctiidae) Synonym(s): *ferghana* Dubatolov, 1988
1627) *Chelis maculosa* (Gerning, 1780) (Arctiidae) Synonym(s): *#maculosa* [Denis & Schiffermüller], 1775; *maculosa* Gerning, 1780; *monacensis* Osthelder, 1933.
1628) *Chelis maculosa arragonensis* (Staudinger, 1894) (Arctiidae) Synonym(s): *arragonensis* Staudinger, 1894; *centralhispanica* Daniel, 1935.
1629) *Chelis maculosa honesta* (Tauscher, 1806) (Arctiidae) Synonym(s): *honesta* Tauscher, 1806; *mannerheimi* Duponchel, 1836
1630) *Chelis maculosa maculosa* (Gerning, 1780) (Arctiidae) Synonym(s): *#maculosa* [Denis & Schiffermüller], 1775; *maculosa* Gerning, 1780; *monacensis* Osthelder, 1933.
1631) *Chelis maculosa slivnoensis* (Rebel, 1903) (Arctiidae) Synonym(s): *slivnoensis* Rebel, 1903
1632) *Chelis maculosa stertzi* (Schulz, 1902) (Arctiidae) Synonym(s): *stertzi* Schulz, 1902; *latina* Turati, 1909; *marsicana* Dannehl, 1929; *boursini* Daniel, 1935; *arlanzona* Agenjo, 1937; *nordiberica* Agenjo, 1937.
1633) *Chelis reticulata* (Christoph, 1887) (Arctiidae) Synonym(s): *reticulata* Christoph, 1887
1634) *Chelis reticulata reticulata* (Christoph, 1887) (Arctiidae) Synonym(s): *reticulata* Christoph, 1887
1635) *Chelis reticulata schwingenschussi* Daniel, 1933 (Arctiidae) Synonym(s): *schwingenschussi* Daniel, 1933
1636) *Chelis reticulata sultana* Schwingenschuss, 1938 (Arctiidae) Synonym(s): *sultana* Schwingenschuss, 1938
1637) *Chelis reticulata transcaucasica* Dubatolov, 1988 (Arctiidae) Synonym(s): *transcaucasica* Dubatolov, 1988
1638) *Chelis simplonica* (Boisduval, 1840) (Arctiidae) Synonym(s): *simplonica* Boisduval, 1840; *simplonia* Freyer, 1843.
1639) *Chelis simplonica simplonica* (Boisduval, 1840) (Arctiidae) Synonym(s): *simplonica* Boisduval, 1840; *simplonia* Freyer, 1843.
1640) *Chelis strigulosa* (Böttcher, 1905) (Arctiidae) Synonym(s): *strigulosa* Böttcher, 1905; *thianshana* Dubatolov, 1988
1641) *Chelis strigulosa strigulosa* (Böttcher, 1905) (Arctiidae) Synonym(s): *strigulosa* Böttcher, 1905; *thianshana* Dubatolov, 1988
1642) *Chetone angulosa* (Walker, 1854) (Arctiidae) Synonym(s): *angulosa* Walker, 1854
1643) *Chetone ithomia* Boisduval, 1870 (Arctiidae) Synonym(s): *ithomia* Boisduval, 1870
1644) *Chionarctia nivea* (Ménétriés, 1859) (Arctiidae) Synonym(s): *nivea* Ménétriés, 1859
1645) *Chionarctia nivea nivea* (Ménétriés, 1859) (Arctiidae) Synonym(s): *nivea* Ménétriés, 1859
1646) *Chrysaeglia samoensis* Rebel, 1915 (Arctiidae) Synonym(s): *samoensis* Rebel, 1915
1647) *Chrysallactis* sp. (Arctiidae) Synonym(s):
1648) *Chrysomesia lophoptera* (Turner, 1940) (Arctiidae) Synonym(s): *lophoptera* Turner, 1940
1649) *Chrysorabdia bivitta* (Walker, 1856) (Arctiidae) Synonym(s): *bivitta* Walker, 1856
1650) *Cisthene angelus* (Dyar, 1907) (Arctiidae) Synonym(s): *angelus* Dyar, 1907
1651) *Cisthene lineea* (Schaus, 1921) (Arctiidae) Synonym(s): *lineea* Schaus, 1921
1652) *Cisthene phaeocephala* (Hampson, 1900) (Arctiidae) Synonym(s): *phaeocephala* Hampson, 1900
1653) *Cisthene polyzona* Druce, 1885 (Arctiidae) Synonym(s): *polyzona* Druce, 1885
1654) *Cisthene subrufa* (Barnes & McDunnough, 1913) (Arctiidae) Synonym(s): *subrufa* Barnes & McDunnough, 1913
1655) *Cisthene tenuifascia* Harvey, 1875 (Arctiidae) Synonym(s): *tenuifascia* Harvey, 1875; *schwarziorum* Dyar, 1899; *interrupta* Draudt, 1918
1656) *Cisthene triplagiata* (Rothschild, 1913) (Arctiidae) Synonym(s): *triplagiata* Rothschild, 1913
1657) *Clemensia albata* Packard, 1864 (Arctiidae) Synonym(s): *albata* Packard, 1864; *albida* Walker, 1866; *cana* Walker, 1866; *umbrata* Packard, 1872; *irrorata* Edwards, 1874; *patella* Druce, 1885; *philodina* Druce, 1885
1658) *Clemensia alembis* Dyar, 1910 (Arctiidae) Synonym(s): *alembis* Dyar, 1910
1659) *Clemensia brunneomedia* Schaus, 1905 (Arctiidae) Synonym(s): *brunneomedia* Schaus, 1905
1660) *Clemensia cernitis* (Druce, 1897) (Arctiidae) Synonym(s): *cernitis* Druce, 1897
1661) *Clemensia holocerna* Dyar, 1916 (Arctiidae) Synonym(s): *holocerna* Dyar, 1916
1662) *Clemensia leisova* Dyar, 1916 (Arctiidae) Synonym(s): *leisova* Dyar, 1916
1663) *Clemensia ophrydina* (Druce, 1885) (Arctiidae) Synonym(s): *ophrydina* Druce, 1885; *picoa* Dognin, 1898
1664) *Clemensia quinqueferana* (Walker, 1863) (Arctiidae) Synonym(s): *quinqueferana* Walker, 1863
1665) *Composia fidelissima* Herrich-Schäffer, 1866 (Arctiidae) Synonym(s): *fidelissima* Herrich-Schäffer, 1866
1666) *Coscinia benderi* (Marten, 1957) (Arctiidae) Synonym(s): *benderi* Marten, 1957
1667) *Coscinia benderi benderi* (Marten, 1957) (Arctiidae) Synonym(s): *benderi* Marten, 1957
1668) *Coscinia cribraria* (Linnaeus, 1758) (Arctiidae) Synonym(s): *cribraria* Linnaeus, 1758; *cribrum* Linnaeus, 1761; *chrysocephala* Hübner, [1804]; *punctigera* Freyer, 1834; *sibirica* Staudinger, 1892; *bivittata* South, 1900; *fumidaria* O.Bang-Haas, 1927; *arenaria* Lempke, 1937; *nikitini* O.Bang-Haas, 1938; *pannonica* Daniel, 1955;...
1669) *Coscinia cribraria cribraria* (Linnaeus, 1758) (Arctiidae) Synonym(s): *cribraria* Linnaeus, 1758; *cribrum* Linnaeus, 1761; *chrysocephala* Hübner, [1804]; *punctigera* Freyer, 1834; *sibirica* Staudinger, 1892; *bivittata* South, 1900; *fumidaria* O.Bang-Haas, 1927; *arenaria* Lempke, 1937; *nikitini* O.Bang-Haas, 1938; *pannonica* Daniel, 1955;...
1670) *Coscinia libyssa* (Püngeler, 1907) (Arctiidae) Synonym(s): *libyssa* Püngeler, 1907
1671) *Coscinia libyssa caligans* Turati, 1907 (Arctiidae) Synonym(s): *caligans* Turati, 1907
1672) *Coscinia libyssa libyssa* (Püngeler, 1907) (Arctiidae) Synonym(s): *libyssa* Püngeler, 1907
1673) *Coscinia libyssa liouvillei* Le Cerf, 1928 (Arctiidae) Synonym(s): *liouvillei* Le Cerf, 1928
1674) *Coscinia mariarosae* Expósito, 1991 (Arctiidae) Synonym(s): *mariarosae* Expósito, 1991
1675) *Coscinia mariarosae mariarosae* Expósito, 1991 (Arctiidae) Synonym(s): *mariarosae* Expósito, 1991
1676) *Coscinia romeii* (Sagarrá, 1924) (Arctiidae) Synonym(s): *romeii* Sagarrá, 1924
1677) *Coscinia romeii romeii* (Sagarrá, 1924) (Arctiidae) Synonym(s): *romeii* Sagarrá, 1924
1678) *Crambidia cinnica* Schaus, 1924 (Arctiidae) Synonym(s): *cinnica* Schaus, 1924
1679) *Crambidia roberto* Dyar, 1907 (Arctiidae) Synonym(s): *roberto* Dyar, 1907
1680) *Cratoplastis diluta* R.Felder & Rogenhofer, 1874 (Arctiidae) Synonym(s): *diluta* R.Felder & Rogenhofer, 1874
1681) *Creataloum arabicum* (Hampson, 1896) (Arctiidae) Synonym(s): *arabicum* Hampson, 1896; *gracilis* Staudinger, 1899

- 1682) *Creataloum arabicum arabicum* (Hampson,1896) (Arctiidae) Synonym(s): *arabicum* Hampson,1896; *gracilis* Staudinger,1899
- 1683) *Creatonotos albidior* Wiltshire,1986 (Arctiidae) Synonym(s): *albidior* Wiltshire,1986
- 1684) *Creatonotos albidior albidior* Wiltshire,1986 (Arctiidae) Synonym(s): *albidior* Wiltshire,1986
- 1685) *Creatonotos brunnipennis* Bartel,1903 (Arctiidae) Synonym(s): *brunnipennis* Bartel,1903
- 1686) *Creatonotos flavidus* Bartel,1903 (Arctiidae) Synonym(s): *flavidus* Bartel,1903
- 1687) *Creatonotos gangis* (Linnaeus,1763) (Arctiidae) Synonym(s): *gangis* Linnaeus,1763; *interrupta* Linnaeus,1767; *francisca* Fabricius,1787; *continuatus* Moore,1877; *#pallida* Rothschild,1914; *#nigrescens* Rothschild,1914; *#feminatus* Strand,1919.
- 1688) *Creatonotos gangis gangis* (Linnaeus,1763) (Arctiidae) Synonym(s): *gangis* Linnaeus,1763; *interrupta* Linnaeus,1767; *francisca* Fabricius,1787; *continuatus* Moore,1877; *#pallida* Rothschild,1914; *#nigrescens* Rothschild,1914; *#feminatus* Strand,1919.
- 1689) *Creatonotos leucanioides* Holland,1893 (Arctiidae) Synonym(s): *leucanioides* Holland,1893; *defasciata* Strand,1919.
- 1690) *Creatonotos leucanioides leucanioides* Holland,1893 (Arctiidae) Synonym(s): *leucanioides* Holland,1893
- 1691) *Creatonotos marginalis* (Walker,1855) (Arctiidae) Synonym(s): *marginalis* Walker,1855; *ramivitta* Walker,1869.
- 1692) *Creatonotos marginalis confluens* Rothschild,1933 (Arctiidae) Synonym(s): *confluens* Rothschild,1933
- 1693) *Creatonotos marginalis marginalis* (Walker,1855) (Arctiidae) Synonym(s): *marginalis* Walker,1855; *ramivitta* Walker,1869.
- 1694) *Creatonotos neurophaea* Hampson,1911 (Arctiidae) Synonym(s): *neurophaea* Hampson,1911
- 1695) *Creatonotos perineti* Rothschild,1933 (Arctiidae) Synonym(s): *perineti* Rothschild,1933
- 1696) *Creatonotos punctivitta* Walker,1855 (Arctiidae) Synonym(s): *punctivitta* Walker,1855; *nitivitta* Strand,1915.
- 1697) *Creatonotos transiens* (Walker,1855) (Arctiidae) Synonym(s): *transiens* Walker,1855
- 1698) *Creatonotos transiens albina* (Daniel,1971) (Arctiidae) Synonym(s): *albina* Daniel,1971
- 1699) *Creatonotos transiens transiens* (Walker,1855) (Arctiidae) Synonym(s): *transiens* Walker,1855
- 1700) *Ctenosia infuscata* (Lower,1902) (Arctiidae) Synonym(s): *infuscata* Lower,1902
- 1701) *Ctenosia psectriphora* (Distant,1899) (Arctiidae) Synonym(s): *psectriphora* Distant,1899
- 1702) *Cyana asticta* (Hampson,1909) (Arctiidae) Synonym(s): *asticta* Hampson,1909
- 1703) *Cyana barisana* Roesler & Küppers,1976 (Arctiidae) Synonym(s): *barisana* Roesler & Küppers,1976
- 1704) *Cyana bebas* Roesler & Küppers,1976 (Arctiidae) Synonym(s): *bebas* Roesler & Küppers,1976
- 1705) *Cyana bigutta* Karisch,[2006] (Arctiidae) Synonym(s): *bigutta* Karisch,[2006]
- 1706) *Cyana capensis* (Hampson,1903) (Arctiidae) Synonym(s): *capensis* Hampson,1903
- 1707) *Cyana coccinea* (Moore,1878) (Arctiidae) Synonym(s): *coccinea* Moore,1878
- 1708) *Cyana distincta* (Rothschild,1912) (Arctiidae) Synonym(s): *distincta* Rothschild,1912
- 1709) *Cyana dudgeoni* Hampson,1895 (Arctiidae) Synonym(s): *dudgeoni* Hampson,1895
- 1710) *Cyana garuda* Roesler & Küppers,1976 (Arctiidae) Synonym(s): *garuda* Roesler & Küppers,1976
- 1711) *Cyana hamata* (Walker,1854) (Arctiidae) Synonym(s): *hamata* Walker,1854
- 1712) *Cyana inconclusa* (Walker,1862) (Arctiidae) Synonym(s): *inconclusa* Walker,1862; *amelaena* Hampson,1903; *rufistigma* Rothschild,1912; *#nexilis* Draudt,1914; *rafflesiana* Roepke,1946
- 1713) *Cyana indonesia* Roesler & Küppers,1976 (Arctiidae) Synonym(s): *indonesia* Roesler & Küppers,1976
- 1714) *Cyana marshallii* Hampson,1900 (Arctiidae) Synonym(s): *marshallii* Hampson,1900
- 1715) *Cyana meyricki* (Rothschild,1901) (Arctiidae) Synonym(s): *meyricki* Rothschild,1901; *meyricci* Hampson,1914
- 1716) *Cyana nemasisha* Roesler,1990 (Arctiidae) Synonym(s): *nemasisha* Roesler,1990
- 1717) *Cyana obscura* (Hampson,1900) (Arctiidae) Synonym(s): *obscura* Hampson,1900; *phaeocyma* Meyrick,1886
- 1718) *Cyana pretoriae* (Distant,1897) (Arctiidae) Synonym(s): *pretoriae* Distant,1897
- 1719) *Cyana pteroleuca* Roesler & Küppers,1976 (Arctiidae) Synonym(s): *pteroleuca* Roesler & Küppers,1976
- 1720) *Cyana quadrinotata* (Walker,1869) (Arctiidae) Synonym(s): *quadrinotata* Walker,1869
- 1721) *Cyana rejecta* (Walker,1854) (Arctiidae) Synonym(s): *rejecta* Walker,1854
- 1722) *Cyana rhodostriata* Hampson,1914 (Arctiidae) Synonym(s): *rhodostriata* Hampson,1914
- 1723) *Cyana shakalesha* Roesler,1990 (Arctiidae) Synonym(s): *shakalesha* Roesler,1990
- 1724) *Cyanarctia dama* (Druce,1894) (Arctiidae) Synonym(s): *dama* Druce,1894
- 1725) *Cybosis mesomella* (Linnaeus,1758) (Arctiidae) Synonym(s): *mesomella* Linnaeus,1758; *eborina* Denis & Schiffermüller,1775; *quatrilis* Fourcroy,1785; *eremella* Vörbrodt,1914
- 1726) *Cyenia luctuosa* (Geyer,[1833]) (Arctiidae) Synonym(s): *luctuosa* Geyer,[1833]; *lugubris* Herrich-Schäffer,[1844]; *djamila* Schawerda,1910.
- 1727) *Cyenia luctuosa luctuosa* (Geyer,[1833]) (Arctiidae) Synonym(s): *luctuosa* Geyer,[1833]; *lugubris* Herrich-Schäffer,[1844]; *djamila* Schawerda,1910.
- 1728) *Cyenia sordida* (Hübner,[1803]) (Arctiidae) Synonym(s): *sordida* Hübner,[1803]; *carbonis* Freyer,1854.
- 1729) *Cyenia sordida sordida* (Hübner,[1803]) (Arctiidae) Synonym(s): *sordida* Hübner,[1803]; *carbonis* Freyer,1854.
- 1730) *Cyenia tenerosa* (Dyar,1913) (Arctiidae) Synonym(s): *tenerosa* Dyar,1913
- 1731) *Cymaroea grisea* (Thunberg,1784) (Arctiidae) Synonym(s): *grisea* Thunberg,1784
- 1732) *Cymaroea leptopepla* Hampson,1905 (Arctiidae) Synonym(s): *leptopepla* Hampson,1905
- 1733) *Cymbalophora haroldi* (Oberthür,1911) (Arctiidae) Synonym(s): *haroldi* Oberthür,1911
- 1734) *Cymbalophora haroldi haroldi* (Oberthür,1911) (Arctiidae) Synonym(s): *haroldi* Oberthür,1911
- 1735) *Cymbalophora oetzeni* (Lederer,1855) (Arctiidae) Synonym(s): *oetzeni* Lederer,1855
- 1736) *Cymbalophora oetzeni oetzeni* (Lederer,1855) (Arctiidae) Synonym(s): *oetzeni* Lederer,1855
- 1737) *Cymbalophora powelli* Oberthür,1910 (Arctiidae) Synonym(s): *powelli* Oberthür,1910
- 1738) *Cymbalophora powelli powelli* Oberthür,1910 (Arctiidae) Synonym(s): *powelli* Oberthür,1910
- 1739) *Cymbalophora pudica* (Esper,[1784]) (Arctiidae) Synonym(s): *pudica* Esper,[1784]; *tessellata* Villers,1789 nec Goeze,1781
- 1740) *Cymbalophora pudica pudica* (Esper,[1784]) (Arctiidae) Synonym(s): *pudica* Esper,[1784]; *tessellata* Villers,1789 nec Goeze,1781
- 1741) *Cymbalophora rivularis* (Ménétriés,1832) (Arctiidae) Synonym(s): *rivularis* Ménétriés,1832; *dannehli* Dannehl,1929.
- 1742) *Cymbalophora rivularis rivularis* (Ménétriés,1832) (Arctiidae) Synonym(s): *rivularis* Ménétriés,1832; *dannehli* Dannehl,1929.
- 1743) *Cyptonychia flaviceps* Druce,1899 (Arctiidae) Synonym(s): *flaviceps* Druce,1899
- 1744) *Damias catarrhoa* (Meyrick,1886) (Arctiidae) Synonym(s): *catarrhoa* Meyrick,1886
- 1745) *Damias elegans* Boisduval,1832 (Arctiidae) Synonym(s): *elegans* Boisduval,1832; *albicollis* Pagenstecher,1886; *mendax* Rothschild & Jordan,1901
- 1746) *Damias leptosema* (Turner,1940) (Arctiidae) Synonym(s): *leptosema* Turner,1940
- 1747) *Damias pelochroa* (Hampson,1914) (Arctiidae) Synonym(s): *pelochroa* Hampson,1914
- 1748) *Damias procrena* (Meyrick,1886) (Arctiidae) Synonym(s): *procrena* Meyrick,1886
- 1749) *Damias scripta* (Lower,1902) (Arctiidae) Synonym(s): *scripta* Lower,1902
- 1750) *Damias sicciodes* (Hampson,1914) (Arctiidae) Synonym(s): *sicciodes* Hampson,1914
- 1751) *Dasyarctia grisea* Gaede,1923 (Arctiidae) Synonym(s): *grisea* Gaede,1923
- 1752) *Detoulogetia aspersa* (Mabille,1878) (Arctiidae) Synonym(s): *aspersa* Mabille,1878; *virginalis* Butler,1878
- 1753) *Detoulogetia comorensis* (Rothschild,1933) (Arctiidae) Synonym(s): *comorensis* Rothschild,1933
- 1754) *Detoulogetia pseudosparsata* (Rothschild,1933) (Arctiidae) Synonym(s): *pseudosparsata* Rothschild,1933
- 1755) *Diacrisia irene* Butler,1881 (Arctiidae) Synonym(s): *irene* Butler,1881; *amuri* Staudinger,1892; *rishiriensis* Matsumura,1930; *rubrocentralis* Bryk,1948.
- 1756) *Diacrisia irene irene* Butler,1881 (Arctiidae) Synonym(s): *irene* Butler,1881; *amuri* Staudinger,1892; *rishiriensis* Matsumura,1930; *rubrocentralis* Bryk,1948.
- 1757) *Diacrisia sannio* (Linnaeus,1758) (Arctiidae) Synonym(s): *sannio* Linnaeus,1758; *russula* Linnaeus,1758; *vulpinaria* Linnaeus,1758; *hesperidea* Fourcroy,1785; *pallida* Staudinger,1892.
- 1758) *Diacrisia sannio caucasica* Schaposchnikoff,1904 (Arctiidae) Synonym(s): *caucasica* Schaposchnikoff,1904; *caucasiana* Strand,1919.
- 1759) *Diacrisia sannio mortua* (Staudinger,1887) (Arctiidae) Synonym(s): *mortua* Staudinger,1887; *uniformis* A.Bang-Haas,1907; *syrdarja* Strand,1919.
- 1760) *Diacrisia sannio sannio* (Linnaeus,1758) (Arctiidae) Synonym(s): *sannio* Linnaeus,1758; *russula* Linnaeus,1758; *vulpinaria* Linnaeus,1758; *hesperidea* Fourcroy,1785; *pallida* Staudinger,1892.
- 1761) *Diaphora mendica* (Linnaeus,1761) (Arctiidae) Synonym(s): *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791]; *syra* Daniel,1933; *malatiana* Bytinski-Salz,1936.
- 1762) *Diaphora mendica mendica* (Linnaeus,1761) (Arctiidae) Synonym(s): *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791]; *syra* Daniel,1933; *malatiana* Bytinski-Salz,1936.
- 1763) *Diarhabdosia minima* (Butler,1878) (Arctiidae) Synonym(s): *minima* Butler,1878
- 1764) *Diduga flavicostata* (Snellen,1878) (Arctiidae) Synonym(s): *flavicostata* Snellen,1878; *costata* Moore,[1887]; *fulvicosta* Hampson,1891.

- 1765) *Didymonyx infumata* Hampson, 1900 (Arctiidae) Synonym(s): *infumata* Hampson, 1900
 1766) *Digama marmorea* Butler, 1877 (Arctiidae) Synonym(s): *marmorea* Butler, 1877
 1767) *Digama marmorea clinchorum* Holloway, 1979 (Arctiidae) Synonym(s): *clinchorum* Holloway, 1979
 1768) *Dionychoscelis venata* Aurivillius, 1922 (Arctiidae) Synonym(s): *venata* Aurivillius, 1922; *lactea* Talbot, 1929.
 1769) *Diota rostrata* (Wallengren, 1860) (Arctiidae) Synonym(s): *rostrata* Wallengren, 1860
 1770) *Disoidemata osmophora* Hampson, 1900 (Arctiidae) Synonym(s): *osmophora* Hampson, 1900
 1771) *Disparctia thomensis* (Joicey & Talbot, 1926) (Arctiidae) Synonym(s): *thomensis* Joicey & Talbot, 1926
 1772) *Disparctia varicolor* Toulgoet, 1978 (Arctiidae) Synonym(s): *varicolor* Toulgoet, 1978
 1773) *Disparctia vittata* (Druce, 1898) (Arctiidae) Synonym(s): *vittata* Druce, 1898
 1774) *Divarctia diva* (Staudinger, 1887) (Arctiidae) Synonym(s): *diva* Staudinger, 1887; *haberhaueri* Alpheraky, 1888.
 1775) *Divarctia diva diva* (Staudinger, 1887) (Arctiidae) Synonym(s): *diva* Staudinger, 1887; *haberhaueri* Alpheraky, 1888.
 1776) *Dodia albertae* Dyar, 1901 (Arctiidae) Synonym(s): *albertae* Dyar, 1901; *atra* A. Bang-Haas, 1912; *kozantshikovi* Sheljuzhko, 1918.
 1777) *Dodia albertae albertae* Dyar, 1901 (Arctiidae) Synonym(s): *albertae* Dyar, 1901; *atra* A. Bang-Haas, 1912; *kozantshikovi* Sheljuzhko, 1918.
 1778) *Dodia albertae eudiopta* Tshistjakov, 1988 (Arctiidae) Synonym(s): *eudiopta* Tshistjakov, 1988
 1779) *Dodia kononenkoi* Tshistjakov & Lanfontaine, 1984 (Arctiidae) Synonym(s): *kononenkoi* Tshistjakov & Lanfontaine, 1984
 1780) *Dodia kononenkoi kononenkoi* Tshistjakov & Lanfontaine, 1984 (Arctiidae) Synonym(s): *kononenkoi* Tshistjakov & Lanfontaine, 1984
 1781) *Dodia kononenkoi sikhotensis* Tshistjakov, 1988 (Arctiidae) Synonym(s): *sikhotensis* Tshistjakov, 1988
 1782) *Dodia sazanovi* Dubatolov, 1990 (Arctiidae) Synonym(s): *sazanovi* Dubatolov, 1990
 1783) *Dodia sazanovi sazanovi* Dubatolov, 1990 (Arctiidae) Synonym(s): *sazanovi* Dubatolov, 1990
 1784) *Dodia transbaikalensis* Tshistjakov, 1988 (Arctiidae) Synonym(s): *transbaikalensis* Tshistjakov, 1988
 1785) *Dodia transbaikalensis transbaikalensis* Tshistjakov, 1988 (Arctiidae) Synonym(s): *transbaikalensis* Tshistjakov, 1988
 1786) *Doliche alexi* Cerny, 1993 (Arctiidae) Synonym(s): *alexi* Cerny, 1993
 1787) *Doliche andromeda* Cerny, 1993 (Arctiidae) Synonym(s): *andromeda* Cerny, 1993
 1788) *Doliche aurifinis* Cerny, 1993 (Arctiidae) Synonym(s): *aurifinis* Cerny, 1993
 1789) *Doliche cara* (Kishida, 1991) (Arctiidae) Synonym(s): *cara* Kishida, 1991
 1790) *Doliche carmina* Cerny, 1993 (Arctiidae) Synonym(s): *carmina* Cerny, 1993
 1791) *Doliche costifimbria* (Walker, 1862) (Arctiidae) Synonym(s): *costifimbria* Walker, 1862
 1792) *Doliche crasizona* (Wileman & West, 1928) (Arctiidae) Synonym(s): *crasizona* Wileman & West, 1928
 1793) *Doliche euryxantha* (Hampson, 1914) (Arctiidae) Synonym(s): *euryxantha* Hampson, 1914
 1794) *Doliche gabriellae* Cerny, 1993 (Arctiidae) Synonym(s): *gabriellae* Cerny, 1993
 1795) *Doliche geminipuncta* Cerny, 1993 (Arctiidae) Synonym(s): *geminipuncta* Cerny, 1993
 1796) *Doliche gonypetes* (Prout, 1919) (Arctiidae) Synonym(s): *gonypetes* Prout, 1919
 1797) *Doliche inconclusa* (Walker, 1862) (Arctiidae) Synonym(s): *inconclusa* Walker, 1862
 1798) *Doliche indonesia palawamica* Cerny, 1993 (Arctiidae) Synonym(s): *palawamica* Cerny, 1993
 1799) *Doliche libulae* Cerny, 1993 (Arctiidae) Synonym(s): *libulae* Cerny, 1993
 1800) *Doliche lunulata* (Semper, 1899) (Arctiidae) Synonym(s): *lunulata* Semper, 1899
 1801) *Doliche lutipes* (Hampson, 1900) (Arctiidae) Synonym(s): *lutipes* Hampson, 1900
 1802) *Doliche luzonica* (Wileman & South, 1919) (Arctiidae) Synonym(s): *luzonica* Wileman & South, 1919
 1803) *Doliche malayensis palawanensis* (Kishida, 1991) (Arctiidae) Synonym(s): *palawanensis* Kishida, 1991
 1804) *Doliche owadai* (Kishida, 1991) (Arctiidae) Synonym(s): *owadai* Kishida, 1991
 1805) *Doliche phycomata* (Wileman & West, 1928) (Arctiidae) Synonym(s): *phycomata* Wileman & West, 1928
 1806) *Doliche pudens* (Walker, 1862) (Arctiidae) Synonym(s): *pudens* Walker, 1862
 1807) *Doliche rosabra* (Wileman, 1925) (Arctiidae) Synonym(s): *rosabra* Wileman, 1925
 1808) *Doliche soror* Cerny, 1993 (Arctiidae) Synonym(s): *soror* Cerny, 1993
 1809) *Doliche soror denigrata* Cerny, 1993 (Arctiidae) Synonym(s): *denigrata* Cerny, 1993
 1810) *Doliche soror soror* Cerny, 1993 (Arctiidae) Synonym(s): *soror* Cerny, 1993
 1811) *Doliche sublutipes* (Kishida, 1991) (Arctiidae) Synonym(s): *sublutipes* Kishida, 1991
 1812) *Doliche tettigonioides* (Heylaerts, 1892) (Arctiidae) Synonym(s): *tettigonioides* Heylaerts, 1892
 1813) *Doliche treadawayi* Cerny, 1993 (Arctiidae) Synonym(s): *treadawayi* Cerny, 1993
 1814) *Doliche v-nigrum* Cerny, 1993 (Arctiidae) Synonym(s): *v-nigrum* Cerny, 1993
 1815) *Doliche v-nigrum v-nigrum* Cerny, 1993 (Arctiidae) Synonym(s): *v-nigrum* Cerny, 1993
 1816) *Doliche v-nigrum visayana* Cerny, 1993 (Arctiidae) Synonym(s): *visayana* Cerny, 1993
 1817) *Doliche vespertata* Cerny, 1993 (Arctiidae) Synonym(s): *vespertata* Cerny, 1993
 1818) *Doliche vespertata decolorata* Cerny, 1993 (Arctiidae) Synonym(s): *decolorata* Cerny, 1993
 1819) *Doliche vespertata vespertata* Cerny, 1993 (Arctiidae) Synonym(s): *vespertata* Cerny, 1993
 1820) *Dolichesia falsimonia* Schaus, 1911 (Arctiidae) Synonym(s): *falsimonia* Schaus, 1911
 1821) *Dysschema aorsa* (Boisduval, 1870) (Arctiidae) Synonym(s): *aorsa* Boisduval, 1870; *lucretia* Butler, 1876; *umbra* Druce, 1885; *recta* Hering, 1925
 1822) *Dysschema bivittata* (Walker, 1856) (Arctiidae) Synonym(s): *bivittata* Walker, 1856; *disjuncta* Walker, 1856
 1823) *Dysschema fenestrata* (Walker, 1855) (Arctiidae) Synonym(s): *fenestrata* Walker, 1855
 1824) *Dysschema gaumeri* (Druce, 1884) (Arctiidae) Synonym(s): *gaumeri* Druce, 1884
 1825) *Dysschema humeralis* (Walker, 1854) (Arctiidae) Synonym(s): *humeralis* Walker, 1854
 1826) *Dysschema jansonis* Butler, 1870 (Arctiidae) Synonym(s): *jansonis* Butler, 1870
 1827) *Dysschema leucophaea* (Walker, 1854) (Arctiidae) Synonym(s): *leucophaea* Walker, 1854; *rubrimargo* Boisduval, 1870; *salvatoris* Boisduval, 1870; *flora* Butler, 1873
 1828) *Dysschema lycaste* (Kluger, 1836) (Arctiidae) Synonym(s): *lycaste* Kluger, 1836; *iscariotes* Boisduval, 1870; *tibesis* Druce, 1884; *cydon* Druce, 1894; *praetides* Druce, 1894; *tibesina* Hering, 1930
 1829) *Dysschema magdala* Boisduval, 1870 (Arctiidae) Synonym(s): *magdala* Boisduval, 1870
 1830) *Dysschema mariamne* (Geyer, [1838]) (Arctiidae) Synonym(s): *mariamne* Geyer, [1838]; *thetis* Kluger, 1838; *fenestrata* Butler, 1872 nec Wlk., 1855
 1831) *Dysschema montezuma* (Schaus, 1892) (Arctiidae) Synonym(s): *montezuma* Schaus, 1892
 1832) *Dysschema zeladon* (Dyar, 1913) (Arctiidae) Synonym(s): *zeladon* Dyar, 1913
 1833) *Ebertartia afghanicola* (Ebert, 1974) (Arctiidae) Synonym(s): *afghanicola* Ebert, 1974
 1834) *Ebertartia afghanicola afghanicola* (Ebert, 1974) (Arctiidae) Synonym(s): *afghanicola* Ebert, 1974
 1835) *Ebertartia nordstroemi* (Brandt, 1947) (Arctiidae) Synonym(s): *nordstroemi* Brandt, 1947
 1836) *Ebertartia nordstroemi nordstroemi* (Brandt, 1947) (Arctiidae) Synonym(s): *nordstroemi* Brandt, 1947
 1837) *Ebertartia solitaria* (Ebert, 1974) (Arctiidae) Synonym(s): *solitaria* Ebert, 1974
 1838) *Ebertartia solitaria solitaria* (Ebert, 1974) (Arctiidae) Synonym(s): *solitaria* Ebert, 1974
 1839) *Ectypia bivittata* Clemens, 1861 (Arctiidae) Synonym(s): *bivittata* Clemens, 1861; *nigroflava* Graef, 1887
 1840) *Ectypia clio* (Packard, 1864) (Arctiidae) Synonym(s): *clio* Packard, 1864; *thona* Strecker, 1899
 1841) *Ectypia mexicana* (Dognin, 1911) (Arctiidae) Synonym(s): *mexicana* Dognin, 1911
 1842) *Eilema achrosis* Hampson, 1918 (Arctiidae) Synonym(s): *achrosis* Hampson, 1918
 1843) *Eilema albicosta* (Rogenhofer, 1894) (Arctiidae) Synonym(s): *albicosta* Rogenhofer, 1894
 1844) *Eilema amaura* Rothschild, 1916 (Arctiidae) Synonym(s): *amaurus* Rothschild, 1916
 1845) *Eilema bifasciata* Hampson, 1900 (Arctiidae) Synonym(s): *bifasciata* Hampson, 1900
 1846) *Eilema brunneotincta* Rothschild, 1912 (Arctiidae) Synonym(s): *brunneotincta* Rothschild, 1912
 1847) *Eilema cafrana* Strand, 1912 (Arctiidae) Synonym(s): *cafrana* Strand, 1912
 1848) *Eilema caledonica* Holloway, 1979 (Arctiidae) Synonym(s): *caledonica* Holloway, 1979
 1849) *Eilema caniola* (Hübner, [1808]) (Arctiidae) Synonym(s): *caniola* Hübner, [1808]
 1850) *Eilema colon* Möschler, 1872 (Arctiidae) Synonym(s): *colon* Möschler, 1872
 1851) *Eilema complana* (Linnaeus, 1758) (Arctiidae) Synonym(s): *complanata* Linnaeus, 1758; *ochrocephala* Fourcroy, 1785; *sericea* Gregson, 1860; *molybdeola* Guenée, 1861; *balcanica* Daniel, 1939.
 1852) *Eilema costalis* (Zeller, 1847) (Arctiidae) Synonym(s): *#morosina* Herrich-Schäffer, 1847; *costalis* Zeller, 1847

- 1853) *Eilema creatoplaga* Hampson, 1901 (Arctiidae) Synonym(s): *creatoplaga* Hampson, 1901
 1854) *Eilema diliensis* Holloway, 1979 (Arctiidae) Synonym(s): *diliensis* Holloway, 1979
 1855) *Eilema discifera* Hampson, 1900 (Arctiidae) Synonym(s): *discifera* Hampson, 1900
 1856) *Eilema distigmata* Hampson, 1901 (Arctiidae) Synonym(s): *distigmata* Hampson, 1901
 1857) *Eilema elegans restricta* Hampson, 1910 (Arctiidae) Synonym(s): *restricta* Hampson, 1910
 1858) *Eilema flavibasis* Hampson, 1900 (Arctiidae) Synonym(s): *flavibasis* Hampson, 1900
 1859) *Eilema goniophora* Hampson, 1900 (Arctiidae) Synonym(s): *goniophora* Hampson, 1900
 1860) *Eilema gracilipennis* (Wallengren, 1860) (Arctiidae) Synonym(s): *gracilipennis* Wallengren, 1860; *planissima* Wallengren, 1876
 1861) *Eilema griseola* (Hübner, 1803) (Arctiidae) Synonym(s): *griseola* Hübner, 1803; *plumbeolata* Stephens, 1829; *stramineola* Doubleday, 1847.
 1862) *Eilema interpositella* Strand, 1920 (Arctiidae) Synonym(s): *interpositella* Strand, 1920
 1863) *Eilema leia* Hampson, 1901 (Arctiidae) Synonym(s): *leia* Hampson, 1901
 1864) *Eilema lurideola* (Zincken, 1817) (Arctiidae) Synonym(s): *lurideolum* Zincken, 1817; *complanula* Boisduval, 1834; *plumbeolana* Herrich-Schäffer, 1852.
 1865) *Eilema lutarella* (Linnaeus, 1758) (Arctiidae) Synonym(s): *lutarella* Linnaeus, 1758; *luteola* [Denis & Schiffermüller], 1775; *alboflava* Retzius, 1783; *flava* Fabricius, 1798; *lutea* Fabricius, 1798 nec Fabr., 1775
 1866) *Eilema minutissima* Bethune-Baker, 1911 (Arctiidae) Synonym(s): *minutissima* Bethune-Baker, 1911
 1867) *Eilema monochroma* (Holland, 1893) (Arctiidae) Synonym(s): *monochroma* Holland, 1893
 1868) *Eilema nitens* (Walker, 1856) (Arctiidae) Synonym(s): *nitens* Walker, 1856
 1869) *Eilema nitens minima* (Hampson, 1903) (Arctiidae) Synonym(s): *minima* Hampson, 1903
 1870) *Eilema oblonga* (Butler, 1877) (Arctiidae) Synonym(s): *oblonga* Butler, 1877
 1871) *Eilema palliatella* (Scopoli, 1763) (Arctiidae) Synonym(s): *palliatella* Scopoli, 1763; *unita* [Denis & Schiffermüller], 1775; *palleola* Hübner, [1808]; *gilveola* Ochsenheimer, 1810; *viellina* Treitschke, 1834; *flaveola* Rambur, 1866.
 1872) *Eilema palliatella hyrcana* Daniel, 1939 (Arctiidae) Synonym(s): *hyrcana* Daniel, 1939
 1873) *Eilema phaeopera* Hampson, 1900 (Arctiidae) Synonym(s): *phaeopera* Hampson, 1900
 1874) *Eilema plana* (Boisduval, 1832) (Arctiidae) Synonym(s): *planum* Boisduval, 1832; *repleta* Lucas, 1890; *xanthopleura* Turner, 1899; *costistrigata* Bethune-Baker, 1904.
 1875) *Eilema predotae* (Schawerda, 1927) (Arctiidae) Synonym(s): *predotae* Schawerda, 1927
 1876) *Eilema pseudocomplana* (Daniel, 1939) (Arctiidae) Synonym(s): *pseudocomplana* Daniel, 1939
 1877) *Eilema pseudoluteola* Strand, 1922 (Arctiidae) Synonym(s): *pseudoluteolum* Strand, 1922
 1878) *Eilema punctilineata* Hampson, 1901 (Arctiidae) Synonym(s): *punctilineatum* Hampson, 1901
 1879) *Eilema pustulatum* Wallengren, 1860 (Arctiidae) Synonym(s): *pustulatum* Wallengren, 1860
 1880) *Eilema pygmaeola* (Doubleday, 1847) (Arctiidae) Synonym(s): *pygmaeolum* Doubleday, 1847
 1881) *Eilema pygmaeola pallifrons* (Zeller, 1847) (Arctiidae) Synonym(s): *pallifrons* Zeller, 1847; *marcida* Mann, 1859; *sordidula* Rambur, 1866
 1882) *Eilema rungsi* (Toulgoet, 1960) (Arctiidae) Synonym(s): *rungs* Toulgoet, 1960
 1883) *Eilema sanguicosta* Hampson, 1901 (Arctiidae) Synonym(s): *sanguicostum* Hampson, 1901
 1884) *Eilema sarceola* Hampson, 1900 (Arctiidae) Synonym(s): *sarceola* Hampson, 1900
 1885) *Eilema similipuncta* Hampson, 1914 (Arctiidae) Synonym(s): *similipunctum* Hampson, 1914
 1886) *Eilema simulans* (Mabille, 1878) (Arctiidae) Synonym(s): *simulans* Mabille, 1878
 1887) *Eilema sororcula* (Hufnagel, 1766) (Arctiidae) Synonym(s): *sororcula* Hufnagel, 1766; *crocella* Fourcroy, 1785; *crocinea* Villers, 1789; *aureola* Hübner, [1808]; *aurantia* Haworth, 1809.
 1888) *Eilema uniola* (Rambur, 1866) (Arctiidae) Synonym(s): *uniola* Rambur, 1866
 1889) *Eilema virgineola* Hampson, 1900 (Arctiidae) Synonym(s): *virgineola* Hampson, 1900
 1890) *Elysium conspersus* Walker, 1855 (Arctiidae) Synonym(s): *conspersus* Walker, 1855
 1891) *Elysium discoplaga* Walker, 1885 (Arctiidae) Synonym(s): *discoplaga* Walker, 1885; *breviuscula* Walker, 1865; *aperta* Edwards, 1884
 1892) *Elysium proba* (Schaus, 1892) (Arctiidae) Synonym(s): *proba* Schaus, 1892
 1893) *Elysium superba* (Druce, 1884) (Arctiidae) Synonym(s): *superba* Druce, 1884
 1894) *Elysium thraillkilli* (Schaus, 1892) (Arctiidae) Synonym(s): *thraillkilli* Schaus, 1892
 1895) *Eospilarctia klapperichi* (Daniel, 1943) (Arctiidae) Synonym(s): *klapperichi* Daniel, 1943
 1896) *Eospilarctia lewisi* (Butler, 1885) (Arctiidae) Synonym(s): *lewisi* Butler, 1885; *formsana* Rothschild, 1933; *chuanxina* Fang, 1982
 1897) *Eospilarctia lewisi lewisi* (Butler, 1885) (Arctiidae) Synonym(s): *lewisi* Butler, 1885; *formsana* Rothschild, 1933; *chuanxina* Fang, 1982
 1898) *Eospilarctia pauper* (Oberthür, 1911) (Arctiidae) Synonym(s): *pauper* Oberthür, 1911
 1899) *Eospilarctia taliensis* (Rothschild, 1933) (Arctiidae) Synonym(s): *taliensis* Rothschild, 1933; *jordansi* Daniel, 1943; *#jordansii* Koda, 1988
 1900) *Eospilarctia yuennanica* (Daniel, 1943) (Arctiidae) Synonym(s): *yuennanica* Daniel, 1943
 1901) *Epatolmis caesarea* (Goeze, 1781) (Arctiidae) Synonym(s): *#luctifera* [Denis & Schiffermüller], 1775; *caesarea* Goeze, 1781; *japonica* Walker, [1865].
 1902) *Epatolmis caesarea caesarea* (Goeze, 1781) (Arctiidae) Synonym(s): *#luctifera* [Denis & Schiffermüller], 1775; *caesarea* Goeze, 1781; *japonica* Walker, [1865].
 1903) *Epeimoluna roseata* Field, 1952 (Arctiidae) Synonym(s): *roseata* Field, 1952
 1904) *Epiceris eschara* Dyar, 1912 (Arctiidae) Synonym(s): *eschara* Dyar, 1912
 1905) *Epilacydes bayoni* (Berio, 1935) (Arctiidae) Synonym(s): *bayoni* Berio, 1935
 1906) *Epilacydes pseudoscita* Dubatolov, 2006 (Arctiidae) Synonym(s): *pseudoscita* Dubatolov, 2006
 1907) *Epilacydes simulans* Butler, 1875 (Arctiidae) Synonym(s): *simulans* Butler, 1875
 1908) *Epilacydes unilinea* (Rothschild, 1910) (Arctiidae) Synonym(s): *unilinea* Rothschild, 1910
 1909) *Epimolis creon* (Druce, 1897) (Arctiidae) Synonym(s): *creon* Druce, 1897
 1910) *Epimolis zatrephica* Dyar, 1913 (Arctiidae) Synonym(s): *zatrephica* Dyar, 1913
 1911) *Epimydia dialampra* Staudinger, 1892 (Arctiidae) Synonym(s): *dialampra* Staudinger, 1892
 1912) *Epimydia dialampra dialampra* Staudinger, 1892 (Arctiidae) Synonym(s): *dialampra* Staudinger, 1892
 1913) *Estigmene acrea* (Drury, 1773) (Arctiidae) Synonym(s): *acrea* Drury, 1773; *caprotina* Drury, 1773; *acria* Fabricius, 1793; *pseudoerminea* Harris, 1823; *californica* Packard, 1864; *mexicana* Walker, 1865; *packardii* Schaupp, 1882; *rickseckeri* Behr, 1893; *klagesii* Ehrmann, 1894; *arizonensis* Rothschild, 1910; *columbiana* Rothschild, 1910; *mombasana* Rothschild, 1910
 1914) *Estigmene atrifascia* (Hampson, 1907) (Arctiidae) Synonym(s): *atrifascia* Hampson, 1907
 1915) *Estigmene flaviceps* Hampson, 1907 (Arctiidae) Synonym(s): *flaviceps* Hampson, 1907; *aureocosta* Bethune-Baker, 1911
 1916) *Estigmene griseata* Hampson, 1916 (Arctiidae) Synonym(s): *griseata* Hampson, 1916
 1917) *Estigmene internigralis* Hampson, 1905 (Arctiidae) Synonym(s): *internigralis* Hampson, 1905
 1918) *Estigmene laglaizei* Rothschild, 1910 (Arctiidae) Synonym(s): *laglaizei* Rothschild, 1910
 1919) *Estigmene melanoxantha* Gaede, 1926 (Arctiidae) Synonym(s): *melanoxantha* Gaede, 1926
 1920) *Estigmene multivittata* Rothschild, 1910 (Arctiidae) Synonym(s): *multivittata* Rothschild, 1910
 1921) *Estigmene neuriastis* Hampson, 1907 (Arctiidae) Synonym(s): *neuriastis* Hampson, 1907
 1922) *Estigmene ochreolutescens* Kiriakoff, 1954 (Arctiidae) Synonym(s): *ansorgei* Rothschild, 1910 nec Roths., 1910; *ochreolutescens* Kiriakoff, 1954
 1923) *Estigmene ochreomarginata* Bethune-Baker, 1909 (Arctiidae) Synonym(s): *ochreomarginata* Bethune-Baker, 1909; *ansorgei* Rothschild, 1910
 1924) *Estigmene rothi* Rothschild, 1910 (Arctiidae) Synonym(s): *rothi* Rothschild, 1910
 1925) *Estigmene sabulosa* Romieux, 1943 (Arctiidae) Synonym(s): *sabulosa* Romieux, 1943
 1926) *Estigmene senegalensis* Rothschild, 1933 (Arctiidae) Synonym(s): *senegalensis* Rothschild, 1933
 1927) *Estigmene similis* Rothschild, 1910 (Arctiidae) Synonym(s): *similis* Rothschild, 1910
 1928) *Estigmene tenuistrigata* Hampson, 1900 (Arctiidae) Synonym(s): *tenuistrigata* Hampson, 1900
 1929) *Estigmene testaceoflava* Rothschild, 1933 (Arctiidae) Synonym(s): *testaceoflava* Rothschild, 1933
 1930) *Estigmene trivitta* (Walker, 1855) (Arctiidae) Synonym(s): *trivitta* Walker, 1855
 1931) *Eucallimorpha albipuncta* (Wileman, 1910) (Arctiidae) Synonym(s): *albipuncta* Wileman, 1910; *arizana* Matsumura, 1911
 1932) *Eucallimorpha eques* (Reich, 1932) (Arctiidae) Synonym(s): *eques* Reich, 1932
 1933) *Eucallimorpha equitalis* (Kollar, [1844]) (Arctiidae) Synonym(s): *equitalis* Kollar, [1844]
 1934) *Eucallimorpha equitalis equitalis* (Kollar, [1844]) (Arctiidae) Synonym(s): *equitalis* Kollar, [1844]
 1935) *Eucallimorpha lenzeni* (Daniel, 1943) (Arctiidae) Synonym(s): *lenzeni* Daniel, 1943
 1936) *Eucallimorpha nehos* (Leech, 1899) (Arctiidae) Synonym(s): *nehos* Leech, 1899
 1937) *Eucallimorpha nyctemerata* (Moore, 1879) (Arctiidae) Synonym(s): *nyctemerata* Moore, 1879

- 1938) *Eucallimorpha ochricolor* (Alpheraky,1897) (Arctiidae) Synonym(s): *ochricolor* Alpheraky,1897
 1939) *Eucallimorpha ochricolor ochricolor* (Alpheraky,1897) (Arctiidae) Synonym(s): *ochricolor* Alpheraky,1897
 1940) *Eucallimorpha principalis* (Kollar,[1844]) (Arctiidae) Synonym(s): *principalis* Kollar,[1844]; *flavicolor* Moore,1879
 1941) *Eucallimorpha principalis fedtschenkoi* (Groum-Grshimailo,1902) (Arctiidae) Synonym(s): *fedtschenkoi* Groum-Grshimailo,1902
 1942) *Eucallimorpha principalis ladakensis* (Reich,1933) (Arctiidae) Synonym(s): *ladakensis* Reich,1933
 1943) *Eucallimorpha principalis nuristanica* (Kardakoff,1937) (Arctiidae) Synonym(s): *nuristanica* Kardakoff,1937
 1944) *Eucallimorpha principalis principalis* (Kollar,[1844]) (Arctiidae) Synonym(s): *principalis* Kollar,[1844]; *flavicolor* Moore,1879
 1945) *Eucallimorpha principalis regalis* (Leech,1881) (Arctiidae) Synonym(s): *regalis* Leech,1881
 1946) *Eucallimorpha similis* (Moore,1879) (Arctiidae) Synonym(s): *similis* Moore,1879
 1947) *Euchaetes albaticosta* (Dyar,1912) (Arctiidae) Synonym(s): *albaticosta* Dyar,1912
 1948) *Euchaetes albicosta* (Walker,1855) (Arctiidae) Synonym(s): *albicosta* Walker,1855; *fumidus* Edwards,1884; *scapsiformis* Graef,1887
 1949) *Euchaetes antica* (Walker,1856) (Arctiidae) Synonym(s): *antica* Walker,1856; *salatis* Boisduval,1780; *pollinia* Boisduval,1870; *zonalis* Grote,1882; *pollenia* Kirby,1892; *parazona* Dyar,1912; *sinaloensis* Dyar,1921
 1950) *Euchaetes castalla* Barnes & McDunnough,1910 (Arctiidae) Synonym(s): *castalla* Barnes & McDunnough,1910
 1951) *Euchaetes cressida* Dyar,1913 (Arctiidae) Synonym(s): *cressida* Dyar,1913; *helena* Cassino,1928
 1952) *Euchaetes egle* (Drury,[1773]) (Arctiidae) Synonym(s): *egle* Drury,[1773]
 1953) *Euchaetes egle egle* (Drury,[1773]) (Arctiidae) Synonym(s): *egle* Drury,[1773]
 1954) *Euchaetes elegans* Stretch,1873 (Arctiidae) Synonym(s): *elegans* Stretch,1873; *roseicapitis* Neumoegen & Dyar,1890
 1955) *Euchaetes expressa* (Edwards,1884) (Arctiidae) Synonym(s): *expressa* Edwards,1884; *rhadia* Dyar,1913
 1956) *Euchaetes mitis* Schaus,1910 (Arctiidae) Synonym(s): *mitis* Schaus,1910; *epagoga* Dyar,1913; *jalapa* Strand,1919; *crassipyga* Strand,1921
 1957) *Euchaetes pannycha* (Dyar,1918) (Arctiidae) Synonym(s): *pannycha* Dyar,1918
 1958) *Euchaetes perlevis* Grote,1882 (Arctiidae) Synonym(s): *perlevis* Grote,1882
 1959) *Euchaetes promathides* (Druce,1894) (Arctiidae) Synonym(s): *promathides* Druce,1894
 1960) *Euchaetes psara* Dyar,1907 (Arctiidae) Synonym(s): *psara* Dyar,1907
 1961) *Euchaetes zella* (Dyar,1903) (Arctiidae) Synonym(s): *zella* Dyar,1903
 1962) *Eucraegra arculifera* Felder,1874 (Arctiidae) Synonym(s): *arculifera* Felder,1874
 1963) *Eucraegra arculifera natalica* (Strand,1912) (Arctiidae) Synonym(s): *natalica* Strand,1912
 1964) *Eudesmia abdulla* (Dyar,1922) (Arctiidae) Synonym(s): *abdulla* Dyar,1922
 1965) *Eudesmia chorion* (Dyar,1917) (Arctiidae) Synonym(s): *chorion* Dyar,1917
 1966) *Eudesmia cynara* (Druce,1894) (Arctiidae) Synonym(s): *cynara* Druce,1894
 1967) *Eudesmia cynossema* (Druce,1894) (Arctiidae) Synonym(s): *cynossema* Druce,1894
 1968) *Eudesmia cypris* (Druce,1894) (Arctiidae) Synonym(s): *cypris* Druce,1894
 1969) *Eudesmia loccea* (Schaus,1921) (Arctiidae) Synonym(s): *loccea* Schaus,1921
 1970) *Eudesmia menea* (Drury,1782) (Arctiidae) Synonym(s): *menea* Drury,1782; *laetifera* Walker,1864; *latifasciatus* Butler,1875; *arctifascia* Butler,1877
 1971) *Eudesmia praxis* (Druce,1894) (Arctiidae) Synonym(s): *praxis* Druce,1894
 1972) *Eudesmia prusias* (Druce,1894) (Arctiidae) Synonym(s): *prusias* Druce,1894
 1973) *Eudesmia quadrifasciata* (Walker,1864) (Arctiidae) Synonym(s): *quadrifasciata* Walker,1864
 1974) *Eudesmia tehuacana* (Dyar,1917) (Arctiidae) Synonym(s): *tehuacana* Dyar,1917
 1975) *Eudiaphora turensis* (Erschoff,1874) (Arctiidae) Synonym(s): *turensis* Erschoff,1874; *maracandica* Seitz,1910; *afghanistanensis* Daniel,1966.
 1976) *Eudiaphora turensis kopetdaghica* Dubatolov,2004 (Arctiidae) Synonym(s): *kopetdaghica* Dubatolov,2004
 1977) *Eudiaphora turensis turensis* (Erschoff,1874) (Arctiidae) Synonym(s): *turensis* Erschoff,1874; *maracandica* Seitz,1910; *afghanistanensis* Daniel,1966.
 1978) *Eugoa africana* Hampson,1900 (Arctiidae) Synonym(s): *africana* Hampson,1900
 1979) *Eugoa basipuncta* (Hampson,1891) (Arctiidae) Synonym(s): *basipuncta* Hampson,1891; ? *formosicola* Matsumura,1927
 1980) *Eugoa similis* Rothschild,1913 (Arctiidae) Synonym(s): *similis* Rothschild,1913
 1981) *Eugoa* sp. (Arctiidae) Synonym(s):
 1982) *Euleechia bieti* (Oberthür,1884) (Arctiidae) Synonym(s): *bieti* Oberthür,1884
 1983) *Euleechia bieti bieti* (Oberthür,1884) (Arctiidae) Synonym(s): *bieti* Oberthür,1884
 1984) *Euleechia bieti hoenei* (O.Bang-Haas,1932) (Arctiidae) Synonym(s): *hoenei* O.Bang-Haas,1932
 1985) *Euleechia bieti minschani* (O.Bang-Haas,1932) (Arctiidae) Synonym(s): *minschani* O.Bang-Haas,1932
 1986) *Euleechia bieti pratti* (Leech,1890) (Arctiidae) Synonym(s): *pratti* Leech,1890
 1987) *Euleechia miranda* (Oberthür,1894) (Arctiidae) Synonym(s): *miranda* Oberthür,1894
 1988) *Euleechia miranda dubernardi* (Oberthür,1912) (Arctiidae) Synonym(s): *dubernardi* Oberthür,1912
 1989) *Euleechia miranda lugens* (Oberthür,1912) (Arctiidae) Synonym(s): *lugens* Oberthür,1912
 1990) *Euleechia miranda miranda* (Oberthür,1894) (Arctiidae) Synonym(s): *miranda* Oberthür,1894
 1991) *Euleechia poultoni* (Oberthür,1913) (Arctiidae) Synonym(s): *poultoni* Oberthür,1913
 1992) *Euleechia poultoni poultoni* (Oberthür,1913) (Arctiidae) Synonym(s): *poultoni* Oberthür,1913
 1993) *Euplagia quadripunctaria* (Poda,1761) (Arctiidae) Synonym(s): *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 *nec* Hol.,1897; *latefasciata* Bubacek,1915.
 1994) *Euplagia quadripunctaria fulgida* (Oberthür,1896) (Arctiidae) Synonym(s): *fulgida* Oberthür,1896; *magna* Holtz,1897
 1995) *Euplagia quadripunctaria ingridae* Roesler,1968 (Arctiidae) Synonym(s): *ingridae* Roesler,1968
 1996) *Euplagia quadripunctaria quadripunctaria* (Poda,1761) (Arctiidae) Synonym(s): *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 *nec* Hol.,1897; *latefasciata* Bubacek,1915.
 1997) *Euplagia quadripunctaria rhodosensis* (Daniel,1953) (Arctiidae) Synonym(s): *rhodosensis* Daniel,1953
 1998) *Euplagia splendidior* (Tams,1922) (Arctiidae) Synonym(s): *splendidior* Tams,1922; *tkatshukovi* Sheljuzhko,1935.
 1999) *Euplagia splendidior splendidior* (Tams,1922) (Arctiidae) Synonym(s): *splendidior* Tams,1922; *tkatshukovi* Sheljuzhko,1935.
 2000) *Euplocia memblaria* (Cramer,[1780]) (Arctiidae) Synonym(s): *memblaria* Cramer,[1780]
 2001) *Eupseudosoma aberrans* Schaus,1905 (Arctiidae) Synonym(s): *aberrans* Schaus,1905
 2002) *Eupseudosoma agramma* Hampson,1901 (Arctiidae) Synonym(s): *agramma* Hampson,1901
 2003) *Eupseudosoma involuta* (Sepp,[1855]) (Arctiidae) Synonym(s): *involuta* Sepp,[1855]; *nivea* Herrich-Schäffer,[1855]; *floridum* Grote,1882; *immaculata* Graef,1887
 2004) *Eurosia fuliginea* Hampson,1903 (Arctiidae) Synonym(s): *fuliginea* Hampson,1903
 2005) *Eurosia lineata* Hampson,1900 (Arctiidae) Synonym(s): *lineata* Hampson,1900
 2006) *Eurylomia cordula* (Boisduval,1870) (Arctiidae) Synonym(s): *cordula* Boisduval,1870; *curvinervis* R.Felder & Rogenhofer,1874
 2007) *Eurylomia ochreata* Druce,1885 (Arctiidae) Synonym(s): *ochreata* Druce,1885
 2008) *Euryptidia ira* (Druce,1899) (Arctiidae) Synonym(s): *ira* Druce,1899
 2009) *Eutane terminalis* Walker,1854 (Arctiidae) Synonym(s): *terminalis* Walker,1854; *maculata* Butler,1877; *gradata* Lucas,1890
 2010) *Eutane trimochla* Turner,1940 (Arctiidae) Synonym(s): *trimochla* Turner,1940
 2011) *Euthyone fractivittarum* (Dyar,1914) (Arctiidae) Synonym(s): *fractivittarum* Dyar,1914
 2012) *Euthyone grisescens* (Schaus,1911) (Arctiidae) Synonym(s): *grisescens* Schaus,1911
 2013) *Euthyone simplex* (Walker,1854) (Arctiidae) Synonym(s): *simplex* Walker,1854; *alba* Druce,1885; *parvita* Schaus,1896
 2014) *Euthyone theodula* (Schaus,1924) (Arctiidae) Synonym(s): *theodula* Schaus,1924
 2015) *Evius hippia* (Stoll,1790) (Arctiidae) Synonym(s): *hippia* Stoll,1790; *albicollis* Walker,1865; *lemba* Druce,1890; *prostrotata* Dognin,1908
 2016) *Eyrallpenus atricures* (Hampson,1916) (Arctiidae) Synonym(s): *atricures* Hampson,1916
 2017) *Eyrallpenus diplosticta* (Hampson,1900) (Arctiidae) Synonym(s): *diplosticta* Hampson,1900; #*diplosticta* Hampson,1901
 2018) *Eyrallpenus diplostictus* (Hampson,1900) (Arctiidae) Synonym(s): *diplostictus* Hampson,1900
 2019) *Eyrallpenus inconspicua* (Rothschild,1910) (Arctiidae) Synonym(s): *inconspicua* Rothschild,1910
 2020) *Eyrallpenus meinhoferi* (Bartel,1903) (Arctiidae) Synonym(s): *meinhoferi* Bartel,1903
 2021) *Eyrallpenus melanocera* (Hampson,1916) (Arctiidae) Synonym(s): *melanocera* Hampson,1916
 2022) *Eyrallpenus metaxantha* (Hampson,1920) (Arctiidae) Synonym(s): *metaxantha* Hampson,1920
 2023) *Eyrallpenus postflavida* (Rothschild,1933) (Arctiidae) Synonym(s): *postflavida* Rothschild,1933
 2024) *Eyrallpenus scioana* (Oberthür,1880) (Arctiidae) Synonym(s): *scioana* Oberthür,1880; *abbotti* Holland,1892; *multipicta* Strand,1921

- 2025) *Eyrallpenus scioana intensa* (Rothschild,1910) (Arctiidae) Synonym(s): *intensa* Rothschild,1910
- 2026) *Eyrallpenus scioana paucipunctata* (Kiriakoff,1963) (Arctiidae) Synonym(s): *paucipunctata* Kiriakoff,1963
- 2027) *Eyrallpenus scioana scioana* (Oberthür,1880) (Arctiidae) Synonym(s): *scioana* Oberthür,1880; *abbotti* Holland,1892; *multipicta* Strand,1921
- 2028) *Eyrallpenus sublutea* (Bartel,1903) (Arctiidae) Synonym(s): *sublutea* Bartel,1903
- 2029) *Eyrallpenus testacea* (Walker,1855) (Arctiidae) Synonym(s): *testacea* Walker,1855; *subflavescens* Walker,1865
- 2030) *Eyrallpenus trifasciata* (Holland,1892) (Arctiidae) Synonym(s): *trifasciata* Holland,1892
- 2031) *Fabresema bicornuta* Holloway,1979 (Arctiidae) Synonym(s): *bicornuta* Holloway,1979
- 2032) *Fabresema catherinae* Holloway,1979 (Arctiidae) Synonym(s): *catherinae* Holloway,1979
- 2033) *Fabresema cheesmanae* Holloway,1979 (Arctiidae) Synonym(s): *cheesmanae* Holloway,1979
- 2034) *Fabresema costiplaga* Holloway,1979 (Arctiidae) Synonym(s): *costiplaga* Holloway,1979
- 2035) *Fabresema elisabethae* Holloway,1979 (Arctiidae) Synonym(s): *elisabethae* Holloway,1979
- 2036) *Fabresema flavibasalis* Holloway,1979 (Arctiidae) Synonym(s): *flavibasalis* Holloway,1979
- 2037) *Fabresema gerardi* Holloway,1979 (Arctiidae) Synonym(s): *gerardi* Holloway,1979
- 2038) *Fabresema grisea* Holloway,1979 (Arctiidae) Synonym(s): *grisea* Holloway,1979
- 2039) *Fabresema obliqua* Holloway,1979 (Arctiidae) Synonym(s): *obliqua* Holloway,1979
- 2040) *Fabresema sarramea* Holloway,1979 (Arctiidae) Synonym(s): *sarramea* Holloway,1979
- 2041) *Fabresema suffusa* Holloway,1979 (Arctiidae) Synonym(s): *suffusa* Holloway,1979
- 2042) *Fabresema sylviae* Holloway,1979 (Arctiidae) Synonym(s): *sylviae* Holloway,1979
- 2043) *Fabresema toma* Holloway,1979 (Arctiidae) Synonym(s): *toma* Holloway,1979
- 2044) *Fabresema valeriae* Holloway,1979 (Arctiidae) Synonym(s): *valeriae* Holloway,1979
- 2045) *Fodinoidea cheesmanae* Toulgoet,1984 (Arctiidae) Synonym(s): *formosa* Toulgoet,1984
- 2046) *Fodinoidea pluto* Toulgoet,1961 (Arctiidae) Synonym(s): *pluto* Toulgoet,1961
- 2047) *Fodinoidea pluto celsicola* Toulgoet,1961 (Arctiidae) Synonym(s): *celsicola* Toulgoet,1961
- 2048) *Fodinoidea pluto pluto* Toulgoet,1961 (Arctiidae) Synonym(s): *pluto* Toulgoet,1961
- 2049) *Fodinoidea pulchra* Toulgoet,1971 (Arctiidae) Synonym(s): *pulchra* Toulgoet,1971
- 2050) *Fodinoidea pupieri* Toulgoet,1972 (Arctiidae) Synonym(s): *pupieri* Toulgoet,1972
- 2051) *Fodinoidea rectifascia* Collenette,1930 (Arctiidae) Synonym(s): *rectifascia* Collenette,1930
- 2052) *Fodinoidea staudingeri* Saalmüller,1884 (Arctiidae) Synonym(s): *staudingeri* Saalmüller,1884
- 2053) *Fodinoidea staudingeri laeta* Toulgoet,1957 (Arctiidae) Synonym(s): *laeta* Toulgoet,1957
- 2054) *Fodinoidea staudingeri staudingeri* Saalmüller,1884 (Arctiidae) Synonym(s): *staudingeri* Saalmüller,1884
- 2055) *Fodinoidea vectigera* Mabille,1882 (Arctiidae) Synonym(s): *vectigera* Mabille,1882; *maculata* Butler,1885; *#sanguinea* Toulgoet,1954
- 2056) *Galtara aurivillii* (Pagenstecher,1901) (Arctiidae) Synonym(s): *fasciata* Aurivillius,1897 (homonym); *aurivillii* Pagenstecher,1901
- 2057) *Galtara collettei* Toulgoet,1976 (Arctiidae) Synonym(s): *collettei* Toulgoet,1976
- 2058) *Galtara convergens* Toulgoet,1979 (Arctiidae) Synonym(s): *convergens* Toulgoet,1979
- 2059) *Galtara doriae* (Oberthür,1879) (Arctiidae) Synonym(s): *doriae* Oberthür,1879
- 2060) *Galtara doriae doriae* (Oberthür,1879) (Arctiidae) Synonym(s): *doriae* Oberthür,1879
- 2061) *Galtara doriae megadoriae* Toulgoet,1977 (Arctiidae) Synonym(s): *megadoriae* Toulgoet,1977
- 2062) *Galtara elongata* (Swinhoe,1907) (Arctiidae) Synonym(s): *elongata* Swinhoe,1907
- 2063) *Galtara extensa* (Butler,1880) (Arctiidae) Synonym(s): *extensa* Butler,1880
- 2064) *Galtara laportei* Toulgoet,1979 (Arctiidae) Synonym(s): *laportei* Toulgoet,1979
- 2065) *Galtara nepheloptera* (Hampson,1910) (Arctiidae) Synonym(s): *nepheloptera* Hampson,1910
- 2066) *Galtara notabilis* Toulgoet,1980 (Arctiidae) Synonym(s): *notabilis* Toulgoet,1980
- 2067) *Galtara pulverata* (Hampson,1900) (Arctiidae) Synonym(s): *pulverata* Hampson,1900
- 2068) *Galtara purata* Walker,[1863] (Arctiidae) Synonym(s): *purata* Walker,[1863]; *basifurca* Walker,1865
- 2069) *Galtara reticulata* (Hampson,1909) (Arctiidae) Synonym(s): *reticulata* Hampson,1909
- 2070) *Galtara somaliensis* (Hampson,1916) (Arctiidae) Synonym(s): *somaliensis* Hampson,1916
- 2071) *Galtara turlini* Toulgoet,1979 (Arctiidae) Synonym(s): *turlini* Toulgoet,1979
- 2072) *Gardinia anopla* Hering,1925 (Arctiidae) Synonym(s): *anopla* Hering,1925
- 2073) *Gardinia magnifica* (Walker,1856) (Arctiidae) Synonym(s): *magnifica* Walker,1856
- 2074) *Glaucostola guttipalpis* (Walker,1856) (Arctiidae) Synonym(s): *guttipalpis* Walker,1856; *romula* Druce,1895
- 2075) *Gnamptonychia flavicollis* (Druce,1885) (Arctiidae) Synonym(s): *flavicollis* Druce,1885; *tiria* Druce,1897
- 2076) *Gnamptonychia orsola* Dyar,1910 (Arctiidae) Synonym(s): *orsola* Dyar,1910
- 2077) *Gnophaela aequinoctialis* Walker,1854 (Arctiidae) Synonym(s): *aequinoctialis* Walker,1854
- 2078) *Gnophaela discreta* Stretch,1878 (Arctiidae) Synonym(s): *discreta* Stretch,1878
- 2079) *Gonerda aglaia* Kishida,1995 (Arctiidae) Synonym(s): *aglaia* Kishida,1995
- 2080) *Gonerda aglaia aglaia* Kishida,1995 (Arctiidae) Synonym(s): *aglaia* Kishida,1995
- 2081) *Gonerda bretaudeaui* Oberthür,1896 (Arctiidae) Synonym(s): *auxo* Kishida,1995; *thaleia* Kishida,1995; *kale* Kishida,1995
- 2082) *Gonerda gloria* De Freina,1999 (Arctiidae) Synonym(s): *gloria* De Freina,1999
- 2083) *Gonerda gloria gloria* De Freina,1999 (Arctiidae) Synonym(s): *gloria* De Freina,1999
- 2084) *Gonerda perornata* Moore,1879 (Arctiidae) Synonym(s): *perornata* Moore,1879
- 2085) *Gonerda perornata perornata* Moore,1879 (Arctiidae) Synonym(s): *perornata* Moore,1879
- 2086) *Gonerda watsoni* Thomas,1987 (Arctiidae) Synonym(s): *watsoni* Thomas,1987
- 2087) *Goniosema angulicriptus* (Lucas,1890) (Arctiidae) Synonym(s): *angulicriptus* Lucas,1890
- 2088) *Goniosema euraphota* Turner,1940 (Arctiidae) Synonym(s): *euraphota* Turner,1940
- 2089) *Gorgonidia buckleyi* (Druce,1883) (Arctiidae) Synonym(s): *buckleyi* Druce,1883; *harterti* Rothschild,1910
- 2090) *Grammia* (Holartica) *turbans* (Christoph,1892) (Arctiidae) Synonym(s): *turbans* Christoph,1892
- 2091) *Grammia* (Holartica) *turbans turbans* (Christoph,1892) (Arctiidae) Synonym(s): *turbans* Christoph,1892
- 2092) *Grammia* (s.str.) *philippiana* Ferguson,1985 (Arctiidae) Synonym(s): *philippiana* Ferguson,1985; *olga* Dubatolov,1990.
- 2093) *Grammia* (s.str.) *philippiana philippiana* Ferguson,1985 (Arctiidae) Synonym(s): *philippiana* Ferguson,1985; *olga* Dubatolov,1990.
- 2094) *Grammia* (s.str.) *quenseli* (Paykull,1793) (Arctiidae) Synonym(s): *quenseli* Paykull,1793; *strigosa* Fabricius,1793; *falloui* Jourdeuil,1866; *gelida* Schöyen,1880; *norvegica* Strand,1919; *alpivolans* Warnecke,1949; *dolomitica* Loritz,1952.
- 2095) *Grammia* (s.str.) *quenseli liturata* (Ménétriés,1859) (Arctiidae) Synonym(s): *liturata* Ménétriés,1859; *daisetsuzana* Matsumura,1927.
- 2096) *Grammia* (s.str.) *quenseli quenseli* (Paykull,1793) (Arctiidae) Synonym(s): *quenseli* Paykull,1793; *strigosa* Fabricius,1793; *falloui* Jourdeuil,1866; *gelida* Schöyen,1880; *norvegica* Strand,1919; *alpivolans* Warnecke,1949; *dolomitica* Loritz,1952.
- 2097) *Grammia arge* (Drury,1773) (Arctiidae) Synonym(s): *arge* Drury,1773; *dione* Fabricius,1775; *incarnatorubra* Goeze,1781; *nervosa* Neumoegen & Dyar,1893; *strigosa* Stretch,1906
- 2098) *Grammia geneura* (Strecker,1880) (Arctiidae) Synonym(s): *geneura* Strecker,1880
- 2099) *Grucia monacheicauda* Dyar,1916 (Arctiidae) Synonym(s): *monacheicauda* Dyar,1916
- 2100) *Gymnasura flavia* (Hampson,1900) (Arctiidae) Synonym(s): *flavia* Hampson,1900; *homoea* Turner,1940
- 2101) *Gymnasura prionosticha* Turner,1940 (Arctiidae) Synonym(s): *prionosticha* Turner,1940
- 2102) *Gymnasura saginaea* (Turner,1899) (Arctiidae) Synonym(s): *saginaea* Turner,1899; *limonis* Lucas,1900; *eldola* Swinhoe,1901.
- 2103) *Haematomis mexicana* (Druce,1885) (Arctiidae) Synonym(s): *mexicana* Druce,1885
- 2104) *Haematomis radians* Dyar,1907 (Arctiidae) Synonym(s): *radians* Dyar,1907
- 2105) *Haematomis uniformis* Schaus,1899 (Arctiidae) Synonym(s): *uniformis* Schaus,1899
- 2106) *Halone consolatix* (Rosenstock,1885) (Arctiidae) Synonym(s): *consolatix* Rosenstock,1885; *hemichroa* Turner,1899
- 2107) *Halone coryphoea* Hampson,1914 (Arctiidae) Synonym(s): *coryphoea* Hampson,1914; *coryphaea* Turner,1915; *farinosa* Strand,1922
- 2108) *Halone ebaea* Hampson,1914 (Arctiidae) Synonym(s): *ebaea* Hampson,1914
- 2109) *Halone epiopsis* Turner,1940 (Arctiidae) Synonym(s): *epiopsis* Turner,1940
- 2110) *Halone interspersa* (Lucas,1890) (Arctiidae) Synonym(s): *interspersa* Lucas,1890
- 2111) *Halone ophiodes* (Meyrick,1886) (Arctiidae) Synonym(s): *ophiodes* Meyrick,1886
- 2112) *Halone prosenes* Turner,1940 (Arctiidae) Synonym(s): *prosenes* Turner,1940

- 2113) *Halone pteridaula* (Turner,1922) (Arctiidae) Synonym(s): *pteridaula* Turner,1922
 2114) *Halone sejuncta* (R.Felder & Rogenhofer,1875) (Arctiidae) Synonym(s): *sejuncta* R.Felder & Rogenhofer,1875
 2115) *Halone servilis* (Meyrick,1886) (Arctiidae) Synonym(s): *servilis* Meyrick,1886
 2116) *Halone sinuata* (Wallengren,1860) (Arctiidae) Synonym(s): *sinuata* Wallengren,1860; *anartoides* Walker,1866
 2117) *Halone sobria* Walker,1854 (Arctiidae) Synonym(s): *sobria* Walker,1854; *nephobola* Turner,1944
 2118) *Halysidota atra* Druce,1884 (Arctiidae) Synonym(s): *atra* Druce,1884
 2119) *Halysidota davisii* Edwards,1875 (Arctiidae) Synonym(s): *davisii* Edwards,1875
 2120) *Halysidota donahuei* A.Watson,1940 (Arctiidae) Synonym(s): *donahuei* A.Watson,1940
 2121) *Halysidota fuliginosa* Rothschild,1909 (Arctiidae) Synonym(s): *fuliginosa* Rothschild,1909; *carinator* Dyar,1912; *#meta* Strand,1919
 2122) *Halysidota grandis* (Rothschild,1909) (Arctiidae) Synonym(s): *grandis* Rothschild,1909
 2123) *Halysidota instabilis* Dyar,1912 (Arctiidae) Synonym(s): *instabilis* Dyar,1912
 2124) *Halysidota interlineata* Walker,1855 (Arctiidae) Synonym(s): *interlineata* Walker,1855; *jucunda* Herrich-Schäffer,[1855]
 2125) *Halysidota masoni* Schaus,1895 (Arctiidae) Synonym(s): *masoni* Schaus,1895
 2126) *Halysidota meridionalis* Rothschild,1909 (Arctiidae) Synonym(s): *meridionalis* Rothschild,1909; *distincta* Rothschild,1909
 2127) *Halysidota mexiconis* Strand,1919 (Arctiidae) Synonym(s): *mexiconis* Strand,1919
 2128) *Halysidota schausi* Rothschild,1909 (Arctiidae) Synonym(s): *schausi* Rothschild,1909
 2129) *Hectobrocha adoxa* (Meyrick,1886) (Arctiidae) Synonym(s): *adoxo* Meyrick,1886
 2130) *Hectobrocha multilinea* Lucas,1890 (Arctiidae) Synonym(s): *multilinea* Lucas,1890
 2131) *Hectobrocha pentacyma* Meyrick,1886 (Arctiidae) Synonym(s): *pentacyma* Meyrick,1886
 2132) *Hectobrocha subnigra* Lucas,1890 (Arctiidae) Synonym(s): *subnigra* Lucas,1890
 2133) *Heliosia atriplaga* Hampson,1914 (Arctiidae) Synonym(s): *atriplaga* Hampson,1914
 2134) *Heliosia charopa* Turner,1904 (Arctiidae) Synonym(s): *charopa* Turner,1904
 2135) *Heliosia jucunda* (Walker,1854) (Arctiidae) Synonym(s): *jucunda* Walker,1854; *transitana* Walker,1863
 2136) *Heliosia micra* Hampson,1903 (Arctiidae) Synonym(s): *micra* Hampson,1903
 2137) *Heliosia perichares* Turner,1944 (Arctiidae) Synonym(s): *perichares* Turner,1944
 2138) *Hemihyalea cornea* (Herrich-Schäffer,[1853]) (Arctiidae) Synonym(s): *cornea* Herrich-Schäffer,[1853]
 2139) *Hemihyalea daraba* (Druce,1894) (Arctiidae) Synonym(s): *daraba* Druce,1894
 2140) *Hemihyalea euornithia* Dyar,1914 (Arctiidae) Synonym(s): *euornithia* Dyar,1914
 2141) *Hemihyalea labecula* (Grote,1881) (Arctiidae) Synonym(s): *labecula* Grote,1881
 2142) *Hemihyalea ludwigi* (Beutelspacher,1984) (Arctiidae) Synonym(s): *ludwigi* Beutelspacher,1984
 2143) *Hemihyalea mansueta* (Edwards,1884) (Arctiidae) Synonym(s): *mansueta* Edwards,1884
 2144) *Hemihyalea nimbipicta* Dyar,1914 (Arctiidae) Synonym(s): *nimbipicta* Dyar,1914
 2145) *Hemihyalea rhoda* (Druce,1894) (Arctiidae) Synonym(s): *rhoda* Druce,1894; *hidalgonis* Dyar,1916
 2146) *Hemihyalea splendens* Barnes & McDunnough,1910 (Arctiidae) Synonym(s): *splendens* Barnes & McDunnough,1910
 2147) *Hemihyalea testacea* Rothschild,1909 (Arctiidae) Synonym(s): *testacea* Rothschild,1909
 2148) *Hemihyalea utica* (Druce,1897) (Arctiidae) Synonym(s): *utica* Druce,1897
 2149) *Hemonia micrommata* (Turner,1899) (Arctiidae) Synonym(s): *micrommata* Turner,1899
 2150) *Hemonia orbiferana* (Walker,1863) (Arctiidae) Synonym(s): *orbiferana* Walker,1863; *ciliata* Hampson,1914
 2151) *Hemonia pallida* Hampson,1914 (Arctiidae) Synonym(s): *pallida* Hampson,1914; *peristerodes* Turner,1940
 2152) *Hemonia rotundata* (Snellen,1879) (Arctiidae) Synonym(s): *rotundata* Snellen,1879
 2153) *Hemonia simillima* Rothschild,1913 (Arctiidae) Synonym(s): *simillima* Rothschild,1913
 2154) *Hestiarcha pyrrhopa* Meyrick,1886 (Arctiidae) Synonym(s): *pyrrhopa* Meyrick,1886
 2155) *Hesychopa chionora* (Meyrick,1886) (Arctiidae) Synonym(s): *chionora* Meyrick,1886
 2156) *Hesychopa molybdica* Turner,1940 (Arctiidae) Synonym(s): *molybdica* Turner,1940
 2157) *Heterallactis euchrysa* Meyrick,1886 (Arctiidae) Synonym(s): *euchrysa* Meyrick,1886
 2158) *Heterallactis microchrysa* Turner,1940 (Arctiidae) Synonym(s): *microchrysa* Turner,1940
 2159) *Heterallactis nipocephala* Turner,1940 (Arctiidae) Synonym(s): *nipocephala* Turner,1940
 2160) *Heterallactis phlogozona* (Turner,1904) (Arctiidae) Synonym(s): *phlogozona* Turner,1904; *chrysauges* Turner,1940
 2161) *Heterallactis stenochrysa* Turner,1940 (Arctiidae) Synonym(s): *stenochrysa* Turner,1940
 2162) *Heterallactis trigonochrysa* Turner,1940 (Arctiidae) Synonym(s): *trigonochrysa* Turner,1940
 2163) *Heterotropa fastosa* Turner,1940 (Arctiidae) Synonym(s): *fastosa* Turner,1940
 2164) *Hiera gyge* Druce,1885 (Arctiidae) Synonym(s): *gyge* Druce,1885
 2165) *Hobapromea cleta* (Turner,1940) (Arctiidae) Synonym(s): *cleta* Turner,1940
 2166) *Holoarctia cervini* (Fallou,1864) (Arctiidae) Synonym(s): *cervini* Fallou,1864; *hnatecki* Frey,1872; *sordida* McDunnough,1921; *scriniensis* Berthet,1948; *teriolensis* Burmann,1975
 2167) *Holoarctia cervini cervini* (Fallou,1864) (Arctiidae) Synonym(s): *cervini* Fallou,1864; *hnatecki* Frey,1872; *sordida* McDunnough,1921; *scriniensis* Berthet,1948; *teriolensis* Burmann,1975
 2168) *Holoarctia marinae* Dubatolov,1985 (Arctiidae) Synonym(s): *marinae* Dubatolov,1985
 2169) *Holoarctia marinae marinae* Dubatolov,1985 (Arctiidae) Synonym(s): *marinae* Dubatolov,1985
 2170) *Holoarctia puengeleri* (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *puengeleri* O.Bang-Haas,1927
 2171) *Holoarctia puengeleri fridolini* (Torstenius,1971) (Arctiidae) Synonym(s): *fridolini* Torstenius,1971
 2172) *Holoarctia puengeleri perunovi* Dubatolov,1990 (Arctiidae) Synonym(s): *perunovi* Dubatolov,1990
 2173) *Holoarctia puengeleri puengeleri* (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *puengeleri* O.Bang-Haas,1927
 2174) *Holomelina arbela* (Druce,1889) (Arctiidae) Synonym(s): *arbela* Druce,1889
 2175) *Holomelina cetes* (Druce,1897) (Arctiidae) Synonym(s): *cetes* Druce,1897
 2176) *Holomelina erythina* Beutelspacher,1991 (Arctiidae) Synonym(s): *erythina* Beutelspacher,1991
 2177) *Holomelina esula* (Druce,1889) (Arctiidae) Synonym(s): *esula* Druce,1889
 2178) *Holomelina feronia* (Druce,1889) (Arctiidae) Synonym(s): *feronia* Druce,1889
 2179) *Holomelina loti* Beutelspacher,1991 (Arctiidae) Synonym(s): *loti* Beutelspacher,1991
 2180) *Holomelina mirma* (Druce,1897) (Arctiidae) Synonym(s): *mirma* Druce,1897
 2181) *Holomelina ostenta* (Edwards,1881) (Arctiidae) Synonym(s): *ostenta* Edwards,1881; *calera* Barnes,1907
 2182) *Holomelina pamphyli* (Druce,1889) (Arctiidae) Synonym(s): *pamphyli* Druce,1889
 2183) *Holomelina polyphron* (Druce,1894) (Arctiidae) Synonym(s): *polyphron* Druce,1894; *consors* Hoffmann,1934
 2184) *Holomelina pomponia* (Druce,1889) (Arctiidae) Synonym(s): *pomponia* Druce,1889
 2185) *Holomelina rubicundaria* (Hübner,[1831]) (Arctiidae) Synonym(s): *rubicundaria* Hübner,[1831]; *ferruginosa* Walker,1854; *brevicornis* Walker,1854; *quiharia* Grote,1863; *choriona* Reakirt,1864; *bimaculat* Saunders,1869; *belfragei* Stretch,1885; *marginata* Druce,1885; *diminutiva* Graef,1887; *rosa* French,1890
 2186) *Holomelina semirosea* (Druce,1889) (Arctiidae) Synonym(s): *semirosea* Druce,1889
 2187) *Holomelina tenuicincta* Hampson,1901 (Arctiidae) Synonym(s): *tenuicincta* Hampson,1901
 2188) *Holomelina trigonifera* Schaus,1901 (Arctiidae) Synonym(s): *trigonifera* Schaus,1901
 2189) *Hylarctia tepica* Dyar,1914 (Arctiidae) Synonym(s): *tepica* Dyar,1914
 2190) *Hyalurga chthonophyle* (Druce,1885) (Arctiidae) Synonym(s): *chthonophyle* Druce,1885
 2191) *Hyalurga fenestrata* (Walker,1855) (Arctiidae) Synonym(s): *fenestrata* Walker,1855
 2192) *Hyalurga rica* (Hübner,[1813]) (Arctiidae) Synonym(s): *rica* Hübner,[1813]
 2193) *Hyalurga sora* (Boisduval,1870) (Arctiidae) Synonym(s): *sora* Boisduval,1870; *panamensis* Butler,1876; *soroides* Hering,1925
 2194) *Hypagoptera rufeola* Hampson,1900 (Arctiidae) Synonym(s): *rufeola* Hampson,1900
 2195) *Hyperborea czezanowskii* Groum-Grshimailo,[1900] (Arctiidae) Synonym(s): *czezanowskii* Groum-Grshimailo,[1900]
 2196) *Hyperborea czezanowskii czezanowskii* Groum-Grshimailo,[1900] (Arctiidae) Synonym(s): *czezanowskii* Groum-Grshimailo,[1900]
 2197) *Hypercompe albescens* (Hampson,1901) (Arctiidae) Synonym(s): *albescens* Hampson,1901
 2198) *Hypercompe alpha* (Oberthür,1881) (Arctiidae) Synonym(s): *alpha* Oberthür,1881; *#alpheoides* Strand,1919
 2199) *Hypercompe amulaensis* (Druce,1889) (Arctiidae) Synonym(s): *amulaensis* Druce,1889
 2200) *Hypercompe andromela* (Dyar,1909) (Arctiidae) Synonym(s): *andromela* Dyar,1909

- 2201) *Hypercompe atra* (Oberthür,1881) (Arctiidae) Synonym(s): *atra* Oberthür,1881; *eminens* Edwards,1884
- 2202) *Hypercompe castronis* (Strand,1919) (Arctiidae) Synonym(s): *castronis* Strand,1919
- 2203) *Hypercompe caudata* (Walker,1855) (Arctiidae) Synonym(s): *caudata* Walker,1855; *abscondens* Oberthür,1881; *yukatanensis* Oberthür,1881; *mexicana* Oberthür,1881; *sennettii* Lintner,1884
- 2204) *Hypercompe confusa* (Druce,1884) (Arctiidae) Synonym(s): *confusa* Druce,1884
- 2205) *Hypercompe cotyora* (Druce,1884) (Arctiidae) Synonym(s): *cotyora* Druce,1884
- 2206) *Hypercompe decora* (Walker,1855) (Arctiidae) Synonym(s): *decora* Walker,1855; *haitensis* Oberthür,1881; *cyaneicornis* Grote,1867
- 2207) *Hypercompe deflorata* (Fabricius,1775) (Arctiidae) Synonym(s): *deflorata* Fabricius,1775
- 2208) *Hypercompe euripides* (Dyar,1912) (Arctiidae) Synonym(s): *euripides* Dyar,1912
- 2209) *Hypercompe extrema* (Walker,1855) (Arctiidae) Synonym(s): *extrema* Walker,1855; *chilensis* Oberthür,1881
- 2210) *Hypercompe leucartioides* (Grote & Robinson,1867) (Arctiidae) Synonym(s): *leucartioides* Grote & Robinson,1867; *trebula* Druce,1884; *tenella* Edwards,1884
- 2211) *Hypercompe muzina* (Oberthür,1881) (Arctiidae) Synonym(s): *muzina* Oberthür,1881; *albicollis* Oberthür,1881; *thiemei* Oberthür,1881; *depauperata* Oberthür,1881; *xanthonota* Oberthür,1881; *garzoni* Oberthür,1881
- 2212) *Hypercompe nemophyla* (Herrich-Schäffer,1854) (Arctiidae) Synonym(s): *nemophyla* Herrich-Schäffer,1854
- 2213) *Hypercompe suffusa* (Schaus,1889) (Arctiidae) Synonym(s): *suffusa* Schaus,1889
- 2214) *Hypercompe tenebra* (Schaus,1894) (Arctiidae) Synonym(s): *tenebra* Schaus,1894
- 2215) *Hypertaema sororita* Schaus,1920 (Arctiidae) Synonym(s): *sororita* Schaus,1920
- 2216) *Hyphantria cunea* (Drury,1773) (Arctiidae) Synonym(s): *cunea* Drury,1773; *punctatissima* Smith,1797; *budea* Hübner,1823; *textor* Harris,1828; *mutans* Walker,1856; *collaris* Fitch,1857; *punctata* Fitch,1857; *pallida* Packard,1864; *candida* Walker,1865; *suffusa* Strecker,1900; *brunnea* Strecker,1900
- 2217) *Hyphantria cunea cunea* (Drury,1773) (Arctiidae) Synonym(s): *cunea* Drury,1773; *punctatissima* Smith,1797; *budea* Hübner,1823; *textor* Harris,1828; *mutans* Walker,1856; *collaris* Fitch,1857; *punctata* Fitch,1857; *pallida* Packard,1864; *candida* Walker,1865; *suffusa* Strecker,1900; *brunnea* Strecker,1900
- 2218) *Hyphantria orizaba* (Druce,1897) (Arctiidae) Synonym(s): *orizaba* Druce,1897
- 2219) *Hyphantria panoezys* (Dyar,1897) (Arctiidae) Synonym(s): *panoezys* Dyar,1897
- 2220) *Hyphantria penthetria* Dyar,1912 (Arctiidae) Synonym(s): *penthetria* Dyar,1912
- 2221) *Hyphoraia aulica* (Linnaeus,1758) (Arctiidae) Synonym(s): *aulica* Linnaeus,1758; *pustulata* Müller,1764
- 2222) *Hyphoraia aulica aulica* (Linnaeus,1758) (Arctiidae) Synonym(s): *aulica* Linnaeus,1758; *pustulata* Müller,1764
- 2223) *Hyphoraia aulica testudinarioides* (Sovinsky,1905) (Arctiidae) Synonym(s): *testudinarioides* Sovinsky,1905
- 2224) *Hyphoraia dejeani* (Godart,1822) (Arctiidae) Synonym(s): *dejeani* Godart,1822
- 2225) *Hyphoraia dejeani dejeani* (Godart,1822) (Arctiidae) Synonym(s): *dejeani* Godart,1822
- 2226) *Hyphoraia kolpakofskii* (Alpheraky,1882) (Arctiidae) Synonym(s): *kolpakofskii* Alpheraky,1882
- 2227) *Hyphoraia testudinaria* (Fourcroy,1785) (Arctiidae) Synonym(s): *testudinaria* Fourcroy,1785; *curialis* Esper,1789; *meridialpina* Daniel,1939
- 2228) *Hyphoraia testudinaria testudinaria* (Fourcroy,1785) (Arctiidae) Synonym(s): *testudinaria* Fourcroy,1785; *curialis* Esper,1789; *meridialpina* Daniel,1939
- 2229) *Hypocrisias berthula* Dyar,1912 (Arctiidae) Synonym(s): *berthula* Dyar,1912
- 2230) *Hypocrisias limosa* Dyar,1912 (Arctiidae) Synonym(s): *limosa* Dyar,1912
- 2231) *Hypocrisias minima* (Neumoegen,1883) (Arctiidae) Synonym(s): *minima* Neumoegen,1883; *armillata* Edwards,1884
- 2232) *Hypocrita albimacula* (Druce,1897) (Arctiidae) Synonym(s): *albimacula* Druce,1897
- 2233) *Hypocrita arcae* (Druce,1884) (Arctiidae) Synonym(s): *arcae* Druce,1884
- 2234) *Hypocrita celina* (Boisduval,1870) (Arctiidae) Synonym(s): *celina* Boisduval,1870
- 2235) *Hypocrita drucei* (Schaus,1910) (Arctiidae) Synonym(s): *drucei* Schaus,1910
- 2236) *Hypocrita pylotes* (Drury,1773) (Arctiidae) Synonym(s): *pylotes* Drury,1773
- 2237) *Hyponerita tipolis* (Druce,1896) (Arctiidae) Synonym(s): *tipolis* Druce,1896
- 2238) *Hypoprepia muelleri* Dyar,1907 (Arctiidae) Synonym(s): *muelleri* Dyar,1907
- 2239) *Idalus agricus* Dyar,1910 (Arctiidae) Synonym(s): *agricus* Dyar,1910
- 2240) *Idalus crinis* Druce,1884 (Arctiidae) Synonym(s): *crinis* Druce,1884
- 2241) *Idalus herois* Schaus,1899 (Arctiidae) Synonym(s): *herois* Schaus,1899
- 2242) *Idalus lineolus* Walker,1869 (Arctiidae) Synonym(s): *lineolus* Walker,1869
- 2243) *Idalus vitrea* (Cramer,1780) (Arctiidae) Synonym(s): *vitrea* Cramer,1780; *borealis* Rothschild,1910
- 2244) *Ilemodes astriga* Hampson,1916 (Arctiidae) Synonym(s): *astriga* Hampson,1916
- 2245) *Ilemodes heterogyna* Hampson,1900 (Arctiidae) Synonym(s): *heterogyna* Hampson,1900
- 2246) *Ilemodes heterogyna astrigoides* Rothschild,1933 (Arctiidae) Synonym(s): *astrigoides* Rothschild,1933
- 2247) *Ilemodes heterogyna heterogyna* Hampson,1900 (Arctiidae) Synonym(s): *heterogyna* Hampson,1900
- 2248) *Ilemodes isogyna* Romieux,1935 (Arctiidae) Synonym(s): *isogyna* Romieux,1935
- 2249) *Inopsis catoxantha* R.Felder,1874 (Arctiidae) Synonym(s): *catoxantha* R.Felder,1874; *flavicollis* Druce,1885; *imitata* Edwards,1887
- 2250) *Inopsis modulata* (Edwards,1884) (Arctiidae) Synonym(s): *modulata* Edwards,1884; *scylla* Druce,1885
- 2251) *Ionthas ataracta* Hampson,1894 (Arctiidae) Synonym(s): *ataracta* Hampson,1894
- 2252) *Ionthas thirkelli* (Fraser,1961) (Arctiidae) Synonym(s): *thirkelli* Fraser,1961
- 2253) *Ischnarctia brunnescens* Bartel,1903 (Arctiidae) Synonym(s): *brunnescens* Bartel,1903
- 2254) *Ischnarctia cinerea* (Pagenstecher,1903) (Arctiidae) Synonym(s): *cinerea* Pagenstecher,1903
- 2255) *Ischnarctia oberthueri* (Rothschild,1910) (Arctiidae) Synonym(s): *oberthueri* Rothschild,1910
- 2256) *Ischnocampa tristis* (Schaus,1899) (Arctiidae) Synonym(s): *tristis* Schaus,1899; *dolens* Druce,1894
- 2257) *Isostola superba* Druce,1885 (Arctiidae) Synonym(s): *superba* Druce,1885
- 2258) *Josiomorpha penetrata* (Walker,1865) (Arctiidae) Synonym(s): *penetrata* Walker,1865; *longivitta* R.Felder & Rogenhofer,1874; *triangulifera* Hering,1925
- 2259) *Karschiola holoclera* (Karsch,1894) (Arctiidae) Synonym(s): *holoclera* Karsch,1894
- 2260) *Katha depressa* (Esper,1787) (Arctiidae) Synonym(s): *deplana* Esper,1787; *nec* Linn.,1771; *depressa* Esper,1787; *helvola* Hübner,1803; *ochreola* Hübner,1803; *helvola* Oechsenheimer,1810.
- 2261) *Kiriakoffalia costimacula* (Joicey & Talbot,1924) (Arctiidae) Synonym(s): *costimacula* Joicey & Talbot,1924
- 2262) *Kiriakoffalia guineae* (Strand,1912) (Arctiidae) Synonym(s): *guineae* Strand,1912
- 2263) *Kiriakoffalia lemairei* (Toulgoet,1976) (Arctiidae) Synonym(s): *lemairei* Toulgoet,1976
- 2264) *Kiriakoffalia lemairei lemairei* (Toulgoet,1976) (Arctiidae) Synonym(s): *lemairei* Toulgoet,1976
- 2265) *Kiriakoffalia lemairei paleacea* (Toulgoet,1978) (Arctiidae) Synonym(s): *paleacea* Toulgoet,1978
- 2266) *Kishidaria khasiana* (Moore,1878) (Arctiidae) Synonym(s): *khasiana* Moore,1878
- 2267) *Lacydes incurvata* Ebert,1973 (Arctiidae) Synonym(s): *incurvata* Ebert,1973
- 2268) *Lacydes incurvata incurvata* Ebert,1973 (Arctiidae) Synonym(s): *incurvata* Ebert,1973
- 2269) *Lacydes spectabilis* (Tauscher,1806) (Arctiidae) Synonym(s): *spectabilis* Tauscher,1806; *intercissa* Freyer,1842.
- 2270) *Lacydes spectabilis annelata* (Christoph,1887) (Arctiidae) Synonym(s): *annelata* Christoph,1887; *kendevani* Schwingenschuss,1937.
- 2271) *Lacydes spectabilis sheljuzhkoii* Dubatolov,1996 (Arctiidae) Synonym(s): *sheljuzhkoii* Dubatolov,1996
- 2272) *Lacydes spectabilis spectabilis* (Tauscher,1806) (Arctiidae) Synonym(s): *spectabilis* Tauscher,1806; *intercissa* Freyer,1842.
- 2273) *Lambula errata* Van Eecke,1927 (Arctiidae) Synonym(s): *errata* Van Eecke,1927
- 2274) *Lambula fuliginosa* (Walker,1862) (Arctiidae) Synonym(s): *fuliginosa* Walker,1862
- 2275) *Lambula pallida* Hampson,1900 (Arctiidae) Synonym(s): *pallida* Hampson,1900
- 2276) *Lamprosiella eborella* (Boisduval,1847) (Arctiidae) Synonym(s): *eborella* Boisduval,1847; *pygmaea* Walker,1854
- 2277) *Lamprostola aglaope* (R.Felder & Rogenhofer,1875) (Arctiidae) Synonym(s): *aglaope* R.Felder & Rogenhofer,1875; *hercyna* Druce,1885
- 2278) *Lamprostola endochrysis* Dognin,1909 (Arctiidae) Synonym(s): *endochrysis* Dognin,1909
- 2279) *Lamprostola molybdipera* Schaus,1899 (Arctiidae) Synonym(s): *molybdipera* Schaus,1899
- 2280) *Lampruna rosea* Schaus,1894 (Arctiidae) Synonym(s): *rosea* Schaus,1894
- 2281) *Lemyra alikangensis* (Strand,1915) (Arctiidae) Synonym(s): *punctilinea* Wileman,1910; *nec* Mr.,1879; *alikangensis* Strand,1915; *punctilineola* Strand,1919
- 2282) *Lemyra alleni* Thomas,1990 (Arctiidae) Synonym(s): *alleni* Thomas,1990
- 2283) *Lemyra anormala* (Daniel,1943) (Arctiidae) Synonym(s): *anormala* Daniel,1943
- 2284) *Lemyra anormala anormala* (Daniel,1943) (Arctiidae) Synonym(s): *anormala* Daniel,1943
- 2285) *Lemyra anormala danieli* Thomas,1990 (Arctiidae) Synonym(s): *danieli* Thomas,1990
- 2286) *Lemyra barliga* Thomas,1990 (Arctiidae) Synonym(s): *barliga* Thomas,1990

- 2287) *Lemyra bimaculata* (Moore,1879) (Arctiidae) Synonym(s): *bimaculata* Moore,1879; *discalis* Moore,1879; *quadrimaculata* Moore,1888
- 2288) *Lemyra biseriata* (Moore,1877) (Arctiidae) Synonym(s): *biseriata* Moore,1877; *flavens* Moore,1879
- 2289) *Lemyra boghaica* (Tshistjakov & Kishida,1994) (Arctiidae) Synonym(s): *boghaica* Tshistjakov & Kishida,1994
- 2290) *Lemyra boghaica boghaica* (Tshistjakov & Kishida,1994) (Arctiidae) Synonym(s): *boghaica* Tshistjakov & Kishida,1994
- 2291) *Lemyra borneomontana* Holloway,1988 (Arctiidae) Synonym(s): *borneomontana* Holloway,1988
- 2292) *Lemyra burmanica* (Rothschild,1910) (Arctiidae) Synonym(s): *burmanica* Rothschild,1910
- 2293) *Lemyra copiosa* Thomas,1990 (Arctiidae) Synonym(s): *copiosa* Thomas,1990
- 2294) *Lemyra costimacula* (Leech,1899) (Arctiidae) Synonym(s): *costimacula* Leech,1899
- 2295) *Lemyra dejongi* Thomas,1990 (Arctiidae) Synonym(s): *dejongi* Thomas,1990
- 2296) *Lemyra diluta* Thomas,1990 (Arctiidae) Synonym(s): *diluta* Thomas,1990
- 2297) *Lemyra everetti* (Rothschild,1910) (Arctiidae) Synonym(s): *everetti* Rothschild,1910
- 2298) *Lemyra excelsa* Thomas,1990 (Arctiidae) Synonym(s): *excelsa* Thomas,1990
- 2299) *Lemyra eximia* (Swinhoe,1891) (Arctiidae) Synonym(s): *eximia* Swinhoe,1891
- 2300) *Lemyra extensa* Walker,1856 (Arctiidae) Synonym(s): *extensa* Walker,1856
- 2301) *Lemyra fallaciosa* (Matsumura,1927) (Arctiidae) Synonym(s): *fallaciosa* Matsumura,1927; *usuguronis* Matsumura,1931; *shironis* Matsumura,1931
- 2302) *Lemyra flammeola* (Moore,1877) (Arctiidae) Synonym(s): *flammeola* Moore,1877
- 2303) *Lemyra flammeola flammeola* (Moore,1877) (Arctiidae) Synonym(s): *flammeola* Moore,1877
- 2304) *Lemyra flammeola hunana* (Daniel,1943) (Arctiidae) Synonym(s): *hunana* Daniel,1943
- 2305) *Lemyra flavalis* (Moore,1865) (Arctiidae) Synonym(s): *flavalis* Moore,1865; *lativitta* Moore,1865; *rubitincta* Moore,1865
- 2306) *Lemyra flaveola* (Leech,1899) (Arctiidae) Synonym(s): *flaveola* Leech,1899
- 2307) *Lemyra hanoica* (Daniel,1953) (Arctiidae) Synonym(s): *hanoica* Daniel,1953
- 2308) *Lemyra heringi* (Daniel,1943) (Arctiidae) Synonym(s): *heringi* Daniel,1943
- 2309) *Lemyra imparilis* (Butler,1877) (Arctiidae) Synonym(s): *imparilis* Butler,1877; *jezoensis* Matsumura,1927
- 2310) *Lemyra imparilis* (Butler,1877) (Arctiidae) Synonym(s): *imparilis* Butler,1877; *#simplicipennis* Strand,1919; *jezoensis* Matsumura,1927; *#simplicior* Matsumura,1927
- 2311) *Lemyra imparilis imparilis* (Butler,1877) (Arctiidae) Synonym(s): *imparilis* Butler,1877; *#simplicipennis* Strand,1919; *jezoensis* Matsumura,1927; *#simplicior* Matsumura,1927
- 2312) *Lemyra inaequalis* (Butler,1879) (Arctiidae) Synonym(s): *inaequalis* Butler,1879; *pseudolutea* Rothschild,1910; *japonensis* Rothschild,1914
- 2313) *Lemyra inaequalis inaequalis* (Butler,1879) (Arctiidae) Synonym(s): *inaequalis* Butler,1879; *pseudolutea* Rothschild,1910; *japonensis* Rothschild,1914
- 2314) *Lemyra inaequalis sakaguchii* (Matsumura,1930) (Arctiidae) Synonym(s): *sakaguchii* Matsumura,1930
- 2315) *Lemyra infernalis* (Butler,1877) (Arctiidae) Synonym(s): *infernalis* Butler,1877; *mollicula* Butler,1877; *distincta* Reich,1937
- 2316) *Lemyra infernalis infernalis* (Butler,1877) (Arctiidae) Synonym(s): *infernalis* Butler,1877; *mollicula* Butler,1877; *distincta* Reich,1937
- 2317) *Lemyra jankowskii* (Oberthür,1881) (Arctiidae) Synonym(s): *jankowskii* Oberthür,1881; *korearctia* Bryk,1948
- 2318) *Lemyra jankowskii jankowskii* (Oberthür,1881) (Arctiidae) Synonym(s): *jankowskii* Oberthür,1881; *korearctia* Bryk,1948
- 2319) *Lemyra jankowskii soror* (Leech,[1899]) (Arctiidae) Synonym(s): *soror* Leech,[1899]; *vialis* Oberthür,1911
- 2320) *Lemyra jeremyi* Thomas,1990 (Arctiidae) Synonym(s): *jeremyi* Thomas,1990
- 2321) *Lemyra jiangxiensis* (Fang,1990) (Arctiidae) Synonym(s): *jiangxiensis* Fang,1990
- 2322) *Lemyra kannegieteri* (Rothschild,1910) (Arctiidae) Synonym(s): *kannegieteri* Rothschild,1910; *cannegieteri* Hampson,1920
- 2323) *Lemyra khasiana* Thomas,1990 (Arctiidae) Synonym(s): *khasiana* Thomas,1990
- 2324) *Lemyra kobesi* Thomas,1990 (Arctiidae) Synonym(s): *kobesi* Thomas,1990
- 2325) *Lemyra kodai* (Kaleka,2000) (Arctiidae) Synonym(s): *kodai* Kaleka,2000
- 2326) *Lemyra kuangtungensis* (Daniel,1955) (Arctiidae) Synonym(s): *kuangtungensis* Daniel,1955
- 2327) *Lemyra maculifascia* (Walker,1855) (Arctiidae) Synonym(s): *maculifascia* Walker,1855
- 2328) *Lemyra melanochroa* (Hampson,1918) (Arctiidae) Synonym(s): *melanochroa* Hampson,1918
- 2329) *Lemyra melanosoma* (Hampson,1894) (Arctiidae) Synonym(s): *melanosoma* Hampson,1894
- 2330) *Lemyra melli* (Daniel,1943) (Arctiidae) Synonym(s): *melli* Daniel,1943
- 2331) *Lemyra melli melli* (Daniel,1943) (Arctiidae) Synonym(s): *melli* Daniel,1943
- 2332) *Lemyra melli shensii* (Daniel,1943) (Arctiidae) Synonym(s): *shensii* Daniel,1943
- 2333) *Lemyra moltrechti* (Miyake,1909) (Arctiidae) Synonym(s): *moltrechti* Miyake,1909; *ukona* Matsumura,1930
- 2334) *Lemyra multivittata* (Moore,1865) (Arctiidae) Synonym(s): *multivittata* Moore,1865; *assama* Rothschild,1910
- 2335) *Lemyra neglecta* (Rothschild,1910) (Arctiidae) Synonym(s): *neglecta* Rothschild,1910; *#frontalis* Strand,1919
- 2336) *Lemyra neurica* (Hampson,1911) (Arctiidae) Synonym(s): *neurica* Hampson,1911
- 2337) *Lemyra nigrescens* (Rothschild,1910) (Arctiidae) Synonym(s): *nigrescens* Rothschild,1910
- 2338) *Lemyra nigricosta* Thomas,1990 (Arctiidae) Synonym(s): *nigricosta* Thomas,1990
- 2339) *Lemyra nigrifrons* (Walker,1865) (Arctiidae) Synonym(s): *nigrifrons* Walker,1865
- 2340) *Lemyra nocturna* Thomas,1990 (Arctiidae) Synonym(s): *nocturna* Thomas,1990
- 2341) *Lemyra obliquivitta* (Moore,1879) (Arctiidae) Synonym(s): *obliquivitta* Moore,1879; *jucunda* Butler,1881
- 2342) *Lemyra phasma* (Leech,1899) (Arctiidae) Synonym(s): *phasma* Leech,1899; *hoenei* Daniel,1943
- 2343) *Lemyra philippinica* Thomas,1990 (Arctiidae) Synonym(s): *philippinica* Thomas,1990
- 2344) *Lemyra pilosa* (Rothschild,1910) (Arctiidae) Synonym(s): *pilosa* Rothschild,1910
- 2345) *Lemyra pilosoides* (Daniel,1943) (Arctiidae) Synonym(s): *pilosoides* Daniel,1943
- 2346) *Lemyra proteus* (De Joannis,1928) (Arctiidae) Synonym(s): *proteus* De Joannis,1928
- 2347) *Lemyra pseudoflammeoides* (Fang,1983) (Arctiidae) Synonym(s): *pseudoflammeoides* Fang,1983
- 2348) *Lemyra punctatostriagata* (Bethune-Baker,1904) (Arctiidae) Synonym(s): *punctatostriagata* Bethune-Baker,1904; *avola* Bethune-Baker,1908; *ceramensis* Talbot,1929
- 2349) *Lemyra punctilinea* (Moore,1879) (Arctiidae) Synonym(s): *punctilinea* Moore,1879; *unilinea* Rothschild,1910
- 2350) *Lemyra quadrisaccus* (Holloway,1982) (Arctiidae) Synonym(s): *quadrisaccus* Holloway,1982
- 2351) *Lemyra rhodophila* (Walker,1864) (Arctiidae) Synonym(s): *rhodophila* Walker,1864
- 2352) *Lemyra rhodophiloides* (Hampson,1909) (Arctiidae) Synonym(s): *rhodophiloides* Hampson,1909
- 2353) *Lemyra rubridorsa* (Moore,1865) (Arctiidae) Synonym(s): *rubridorsa* Moore,1865; *dorsalis* Moore,1888
- 2354) *Lemyra rubrocollaris* (Reich,1937) (Arctiidae) Synonym(s): *rubrocollaris* Reich,1937
- 2355) *Lemyra saccuens* (Kaleka,2000) (Arctiidae) Synonym(s): *saccuens* Kaleka,2000
- 2356) *Lemyra sikkimensis* (Moore,1879) (Arctiidae) Synonym(s): *sikkimensis* Moore,1879
- 2357) *Lemyra sincera* Fang,1993 (Arctiidae) Synonym(s): *sincera* Fang,1993
- 2358) *Lemyra singularis* (Roepke,1940) (Arctiidae) Synonym(s): *singularis* Roepke,1940; *javana* Roepke,1940
- 2359) *Lemyra sordidescens* (Hampson,1901) (Arctiidae) Synonym(s): *sordida* Moore,1865 nec Hbn.,1827; *sordidescens* Hampson,1901
- 2360) *Lemyra spilosomata* (Walker,1864) (Arctiidae) Synonym(s): *spilosomata* Walker,1864; *subjecta* Walker,1865; *albans* Rothschild,1910; *flavifrons* Rothschild,1910; *#mediosimplex* Strand,1919; *#angularis* Strand,1919
- 2361) *Lemyra stigmata* (Moore,1865) (Arctiidae) Synonym(s): *stigmata* Moore,1865; *lacteata* Butler,1881; *aurantiacana* Strand,1919
- 2362) *Lemyra subfascia* (Walker,1855) (Arctiidae) Synonym(s): *subfascia* Walker,1855
- 2363) *Lemyra toxopei* (Roepke,1948) (Arctiidae) Synonym(s): *toxopei* Roepke,1948
- 2364) *Lemyra venosa* (Moore,1879) (Arctiidae) Synonym(s): *venosa* Moore,1879; *pseudomaenas* Rothschild,1910
- 2365) *Lemyra wernerthomasi* Inoue,1993 (Arctiidae) Synonym(s): *wernerthomasi* Inoue,1993
- 2366) *Lemyra ypsilon* (Rothschild,1910) (Arctiidae) Synonym(s): *ypsilon* Rothschild,1910; *furcatula* Van Eecke,1927
- 2367) *Lemyra zhangmuna* (Fang,1982) (Arctiidae) Synonym(s): *zhangmuna* Fang,1982
- 2368) *Lepidokirbya vittipes* (Walker,1855) (Arctiidae) Synonym(s): *vittipes* Walker,1855
- 2369) *Lepista pandula* (Boisduval,1847) (Arctiidae) Synonym(s): *pandula* Boisduval,1847; *trimenii* R.Felder & Rogenhofer,1874; *limbata* Butler,1888
- 2370) *Lepista semiochracea* (R.Felder & Rogenhofer,1874) (Arctiidae) Synonym(s): *semiochracea* R.Felder & Rogenhofer,1874
- 2371) *Lerina incarnata* Walker,1854 (Arctiidae) Synonym(s): *incarnata* Walker,1854; *robinsoni* Boisduval,1869
- 2372) *Leucaloe eugraphica* (Walker,[1865]) (Arctiidae) Synonym(s): *eugraphica* Walker,[1865]; *undistriga* R.Felder & Rogenhofer,1874; *#engraphica* Rothschild,1910.
- 2373) *Leucanopsis cuneipuncta* (Rothschild,1909) (Arctiidae) Synonym(s): *cuneipuncta* Rothschild,1909

- 2374) *Leucanopsis lua* (Dyar,1910) (Arctiidae) Synonym(s): *lua* Dyar,1910
- 2375) *Leucanopsis lurida* (Edwards,1887) (Arctiidae) Synonym(s): *lurida* Edwards,1887; *otto* Barnes & McDunnough,1901
- 2376) *Leucanopsis nimbscripta* (Dyar,1912) (Arctiidae) Synonym(s): *nimbscripta* Dyar,1912
- 2377) *Leucanopsis perdentata* (Schaus,1901) (Arctiidae) Synonym(s): *perdentata* Schaus,1901
- 2378) *Leucanopsis pulverulenta* (Dognin,1923) (Arctiidae) Synonym(s): *pulverulenta* Dognin,1923
- 2379) *Leucanopsis rhomboidea* (Sepp,1848) (Arctiidae) Synonym(s): *rhomboidea* Sepp,1848
- 2380) *Leucanopsis vangetta* (Dyar,1910) (Arctiidae) Synonym(s): *vangetta* Dyar,1910
- 2381) *Leucanopsis velivolans* (Dyar,1920) (Arctiidae) Synonym(s): *velivolans* Dyar,1920
- 2382) *Leucanopsis zacualpana* (Schaus,1941) (Arctiidae) Synonym(s): *zacualpana* Schaus,1941
- 2383) *Leuraulia bifasciata* (Rambur,1832) (Arctiidae) Synonym(s): *bifasciata* Rambur,1832
- 2384) *Lexis bipunctigera* (Wallengren,1860) (Arctiidae) Synonym(s): *bipunctigera* Wallengren,1860; *quadrinotata* Walker,1864
- 2385) *Licnoptera* sp. (Arctiidae) Synonym(s):
- 2386) *Lithosarcitia goergneri* De Freina & Witt,1994 (Arctiidae) Synonym(s): *goergneri* De Freina & Witt,1994
- 2387) *Lithosarcitia goergneri goergneri* De Freina & Witt,1994 (Arctiidae) Synonym(s): *goergneri* De Freina & Witt,1994
- 2388) *Lithosarcitia hoenei* Daniel,1954 (Arctiidae) Synonym(s): *hoenei* Daniel,1954
- 2389) *Lithosarcitia hoenei hoenei* Daniel,1954 (Arctiidae) Synonym(s): *hoenei* Daniel,1954
- 2390) *Lithosarcitia kozlovi* Dubatolov,2002 (Arctiidae) Synonym(s): *kozlovi* Dubatolov,2002
- 2391) *Lithosarcitia kozlovi kozlovi* Dubatolov,2002 (Arctiidae) Synonym(s): *kozlovi* Dubatolov,2002
- 2392) *Lithosarcitia thomasi* De Freina,1994 (Arctiidae) Synonym(s): *thomasi* De Freina,1994
- 2393) *Lithosarcitia thomasi thomasi* De Freina,1994 (Arctiidae) Synonym(s): *thomasi* De Freina,1994
- 2394) *Lithosarcitia y-albulum* (Oberthür,1886) (Arctiidae) Synonym(s): *y-albulum* Oberthür,1886; *lugubris* Oberthür,1886; *rubida* Leech,1899
- 2395) *Lithosarcitia y-albulum y-albulum* (Oberthür,1886) (Arctiidae) Synonym(s): *y-albulum* Oberthür,1886; *lugubris* Oberthür,1886; *rubida* Leech,1899
- 2396) *Lithosia quadra* (Linnaeus,1758) (Arctiidae) Synonym(s): *quadra* Linnaeus,1758; *flava* Müller,1764; *deplana* Linnaeus,1771; *quadrata* Walckenaer,1802; *dives* Butler,1877.
- 2397) *Logunovium Dubatolov,2006* (Arctiidae) Synonym(s): *Logunovium Dubatolov,2006*
- 2398) *Logunovium nigricostum* (Holland,1893) (Arctiidae) Synonym(s): *nigricosta* Holland,1893
- 2399) *Logunovium scortillum* (Wallengren,1875) (Arctiidae) Synonym(s): *scortillum* Wallengren,1875
- 2400) *Logunovium scortillum costalis* (Kiriakoff,1954) (Arctiidae) Synonym(s): *costalis* Kiriakoff,1954
- 2401) *Logunovium scortillum scortillum* (Wallengren,1875) (Arctiidae) Synonym(s): *scortillum* Wallengren,1875
- 2402) *Lophocampa affinis* (Rothschild,1909) (Arctiidae) Synonym(s): *affinis* Rothschild,1909
- 2403) *Lophocampa alsus* (Cramer,1775) (Arctiidae) Synonym(s): *alsus* Cramer,1775; *pectina* Schaus,1896
- 2404) *Lophocampa alternata* (Grote,1867) (Arctiidae) Synonym(s): *alternata* Grote,1867; *albiguttata* Boisduval,1870
- 2405) *Lophocampa annulosa* (Walker,1855) (Arctiidae) Synonym(s): *annulosa* Walker,1855; *niveigutta* Walker,1856
- 2406) *Lophocampa caryae* Harris,1841 (Arctiidae) Synonym(s): *caryae* Harris,1841; *annulifascia* Walker,1855; *porphyrea* Herrich-Schäffer,[1855]; *bicolor* Walker,1855; *pura* Neumoegen,1882; *propinqua* Edwards,1884
- 2407) *Lophocampa catenulata* (Hübner,[1827]) (Arctiidae) Synonym(s): *catenulata* Hübner,[1827]
- 2408) *Lophocampa cibriani* Beutelspacher,1986 (Arctiidae) Synonym(s): *cibriani* Beutelspacher,1986
- 2409) *Lophocampa citrina* (Sepp,1848) (Arctiidae) Synonym(s): *citrina* Sepp,1848
- 2410) *Lophocampa debilis* (Schaus,1920) (Arctiidae) Synonym(s): *debilis* Schaus,1920
- 2411) *Lophocampa donahuei* Beutelspacher,1992 (Arctiidae) Synonym(s): *donahuei* Beutelspacher,1992
- 2412) *Lophocampa labaca* (Druce,1890) (Arctiidae) Synonym(s): *labaca* Druce,1890
- 2413) *Lophocampa margona* (Schaus,1896) (Arctiidae) Synonym(s): *margona* Schaus,1896
- 2414) *Lophocampa modesta* (Kirby,1892) (Arctiidae) Synonym(s): *modesta* Kirby,1892; *sobrina* Möschler,1878
- 2415) *Lophocampa nimbifacta* (Dyar,1912) (Arctiidae) Synonym(s): *nimbifacta* Dyar,1912
- 2416) *Lophocampa roseata* (Walker,1866) (Arctiidae) Synonym(s): *roseata* Walker,1866
- 2417) *Lophocampa sobrina* (Strech,1872) (Arctiidae) Synonym(s): *sobrina* Strech,1872
- 2418) *Lyclene pyrula* (Meyrick,1886) (Arctiidae) Synonym(s): *pyrula* Meyrick,1886
- 2419) *Lyclene quadrilineata* (Pagenstecher,1886) (Arctiidae) Synonym(s): *quadrilineata* Pagenstecher,1886; *melitaula* Meyrick,1886; *simulans* Butler,1886; *bastiessellata* Rothschild,1913
- 2420) *Lyclene reticulata* (Felder,1861) (Arctiidae) Synonym(s): *reticulata* Felder,1861; *placens* Walker,[1865]; *cyclota* Meyrick,1886; *intrita* Swinhoe,1892
- 2421) *Lyclene serratilinea* (Turner,1940) (Arctiidae) Synonym(s): *serratilinea* Turner,1940
- 2422) *Lyclene structa* (Walker,1854) (Arctiidae) Synonym(s): *structa* Walker,1854; *pyrrhopsamma* Hampson,1903
- 2423) *Lycomorphodes sordida* (Butler,1877) (Arctiidae) Synonym(s): *sordida* Butler,1877; *coccinea* Druce,1885
- 2424) *Lysecia bigutta* Walker,1854 (Arctiidae) Synonym(s): *bigutta* Walker,1854
- 2425) *Macaduma albata* Hampson,1900 (Arctiidae) Synonym(s): *albata* Hampson,1900
- 2426) *Macaduma aroa* Bethune-Baker,1906 (Arctiidae) Synonym(s): *aroa* Bethune-Baker,1906
- 2427) *Macaduma biangulata* Holloway,1979 (Arctiidae) Synonym(s): *biangulata* Holloway,1979
- 2428) *Macaduma cristata* Holloway,1979 (Arctiidae) Synonym(s): *cristata* Holloway,1979
- 2429) *Macaduma pallipecta* Rothschild,1912 (Arctiidae) Synonym(s): *pallipecta* Rothschild,1912; *nigricans* Aurivillius,1920
- 2430) *Macaduma samoensis* Tams,1935 (Arctiidae) Synonym(s): *samoensis* Tams,1935
- 2431) *Macaduma strongyla* Turner,1922 (Arctiidae) Synonym(s): *strongyla* Turner,1922; *#kurandana* Strand-1922
- 2432) *Macaduma torticella* Walker,1866 (Arctiidae) Synonym(s): *torticella* Walker,1866
- 2433) *Macaduma toxophora* (Turner,1899) (Arctiidae) Synonym(s): *toxophora* Turner,1899; *picroptila* Hampson,1914
- 2434) *Macrobrochis borneensis* Roepke,1938 (Arctiidae) Synonym(s): *borneensis* Roepke,1938
- 2435) *Macrobrochis flavicincta* Hampson (Arctiidae) Synonym(s): *flavicincta* Hampson; *notabilis* Kishida,1997
- 2436) *Macrobrochis gigas* (Walker,1854) (Arctiidae) Synonym(s): *gigas* Walker,1854; *interstitialis* Herrich-Schäffer,1855; *leucospilota* Moore,1878; *atrata* Butler,1881; *#metallica* Mell,1922
- 2437) *Macrobrochis infernalis* Roepke,1938 (Arctiidae) Synonym(s): *infernalis* Roepke,1938
- 2438) *Macrobrochis staudingeri* Alpheraky,1897 (Arctiidae) Synonym(s): *staudingeri* Alpheraky,1897
- 2439) *Macrosia chalybeata* Hampson,1901 (Arctiidae) Synonym(s): *chalybeata* Hampson,1901
- 2440) *Macrosia fumeola* (Walker,1854) (Arctiidae) Synonym(s): *fumeola* Walker,1854
- 2441) *Madagascarcitia cellularis* (Toulgoet,1954) (Arctiidae) Synonym(s): *cellularis* Toulgoet,1954
- 2442) *Madagascarcitia madagascariensis* (Butler,1882) (Arctiidae) Synonym(s): *madagascariensis* Butler,1882
- 2443) *Madagascarcitia madagascariensis madagascariensis* (Butler,1882) (Arctiidae) Synonym(s): *madagascariensis* Butler,1882
- 2444) *Madagascarcitia sparsipuncta* (Hampson,1901) (Arctiidae) Synonym(s): *sparsipuncta* Hampson,1901
- 2445) *Mannina hagnoleuca* Dyar,1916 (Arctiidae) Synonym(s): *hagnoleuca* Dyar,1916
- 2446) *Manulea dorsalis* (Walker,1866) (Arctiidae) Synonym(s): *dorsalis* Walker,1866; *harpophora* Meyrick,1886; *lousiadalis* Rothschild,1912
- 2447) *Manulea replana* (Lewin,1805) (Arctiidae) Synonym(s): *replana* Lewin,1805; *dispar* Leach,1814
- 2448) *Maurica breveti* (Oberthür,1882) (Arctiidae) Synonym(s): *breveti* Oberthür,1882
- 2449) *Maurica breveti breveti* (Oberthür,1882) (Arctiidae) Synonym(s): *breveti* Oberthür,1882
- 2450) *Maurica joiceyi* (Talbot,1928) (Arctiidae) Synonym(s): *joiceyi* Talbot,1928
- 2451) *Maurica joiceyi chneouri* (Rungs,1951) (Arctiidae) Synonym(s): *chneouri* Rungs,1951
- 2452) *Maurica joiceyi joiceyi* (Talbot,1928) (Arctiidae) Synonym(s): *joiceyi* Talbot,1928
- 2453) *Maurica joiceyi monticola* (Reisser,1934) (Arctiidae) Synonym(s): *monticola* Reisser,1934
- 2454) *Melanaema venata* Butler,1877 (Arctiidae) Synonym(s): *venata* Butler,1877
- 2455) *Melastrota nigrisquamata* (Swinhoe,1901) (Arctiidae) Synonym(s): *nigrisquamata* Swinhoe,1901; *dona* Swinhoe,1905
- 2456) *Melese amastris* (Druce,1884) (Arctiidae) Synonym(s): *amastris* Druce,1884
- 2457) *Melese asana* (Druce,1884) (Arctiidae) Synonym(s): *asana* Druce,1884
- 2458) *Melese chiriquensis* Schaus,1905 (Arctiidae) Synonym(s): *chiriquensis* Schaus,1905
- 2459) *Melese chozeba* (Druce,1884) (Arctiidae) Synonym(s): *chozeba* Druce,1884
- 2460) *Melese incertus* (Walker,1855) (Arctiidae) Synonym(s): *incertus* Walker,1855; *blanda* Druce,1901; *flavipuncta* Rothschild,1909; *surdus* Rothschild,1909

- 2461) *Melese laodamia* (Druce,1884) (Arctiidae) Synonym(s): *laodamia* Druce,1884; *cutheans* Druce,1896
- 2462) *Melese russata* (Edwards,1884) (Arctiidae) Synonym(s): *russata* Edwards,1884
- 2463) *Meneclia pallidula* Grünberg,1910 (Arctiidae) Synonym(s): *pallidula* Grünberg,1910
- 2464) *Menegites nivea* Kiriakoff,1954 (Arctiidae) Synonym(s): *nivea* Kiriakoff,1954
- 2465) *Metacrisiodes pua* Dyar,1916 (Arctiidae) Synonym(s): *pua* Dyar,1916; *ochropasa* Dyar,1920
- 2466) *Micralarctia australis* A.Watson,1988 (Arctiidae) Synonym(s): *australis* A.Watson,1988
- 2467) *Micralarctia punctulata* (Wallengren,1860) (Arctiidae) Synonym(s): *punctulata* Wallengren,1860
- 2468) *Micralarctia punctulata auricincta* (Butler,1897) (Arctiidae) Synonym(s): *auricincta* Butler,1897; *nivaria* Bartel,1903; *nyassana* Bartel,1903; *ewadne* Favcett,1915
- 2469) *Micralarctia punctulata euproctina* (Aurivillius,1900) (Arctiidae) Synonym(s): *euproctina* Aurivillius,1900
- 2470) *Micralarctia punctulata punctulata* (Wallengren,1860) (Arctiidae) Synonym(s): *punctulata* Wallengren,1860
- 2471) *Micralarctia punctulata pura* (Butler,1878) (Arctiidae) Synonym(s): *pura* Butler,1878; *schraderei* Rothschild,1910
- 2472) *Micralarctia semipura* (Bartel,1903) (Arctiidae) Synonym(s): *semipura* Bartel,1903; *nigripunctata* Bartel,1903
- 2473) *Micralarctia toulgoeti* A.Watson,1988 (Arctiidae) Synonym(s): *toulgoeti* A.Watson,1988
- 2474) *Micraloa lineola* (Fabricius,1793) (Arctiidae) Synonym(s): *lineola* Fabricius,1793
- 2475) *Micrarctia trigona* (Leech,1899) (Arctiidae) Synonym(s): *trigona* Leech,1899; *nigra* Leech,1899
- 2476) *Micrarctia trigona trigona* (Leech,1899) (Arctiidae) Synonym(s): *trigona* Leech,1899; *nigra* Leech,1899
- 2477) *Micrilema crawshayi* Hampson,1903 (Arctiidae) Synonym(s): *crawshayi* Hampson,1903
- 2478) *Microstola ammoscia* Lower,1920 (Arctiidae) Synonym(s): *ammoscia* Lower,1920; *aedumena* Turner,1922
- 2479) *Miltochrista coccinea* Rothschild,1913 (Arctiidae) Synonym(s): *coccinea* Rothschild,1913
- 2480) *Miltochrista cornicornutata* Holloway,1982 (Arctiidae) Synonym(s): *cornicornutata* Holloway,1982
- 2481) *Miltochrista defecta* (Walker,1854) (Arctiidae) Synonym(s): *defecta* Walker,1854
- 2482) *Miltochrista germana* Rothschild,1913 (Arctiidae) Synonym(s): *germana* Rothschild,1913
- 2483) *Miltochrista irregularis* Rothschild,1913 (Arctiidae) Synonym(s): *irregularis* Rothschild,1913
- 2484) *Miltochrista miniata* (Forster,1771) (Arctiidae) Synonym(s): *miniata* Forster,1771; *rosea* Fabricius,1775; *rubicunda* [Denis & Schiffermüller],1775; *minialis* Thunberg,1784; *rosacea* Fourcroy,1785; *roseana* Villers,1789; *rosea* Donovan,1793 nec Fabricius,1775; *destrigata* Dannehl,1928; *mosbacheri* Roesler,1967.
- 2485) *Miltochrista orientalis* Daniel,1951 (Arctiidae) Synonym(s): *orientalis* Daniel,1951
- 2486) *Miltochrista parameia* Rothschild,1913 (Arctiidae) Synonym(s): *parameia* Rothschild,1913
- 2487) *Miltochrista rivulosa* (Walker,1854) (Arctiidae) Synonym(s): *rivulosa* Walker,1854
- 2488) *Murzinarctia murzini* Dubatolov,[2006] (Arctiidae) Synonym(s): *murzini* Dubatolov,[2006]
- 2489) *Muscula muscula* (Staudinger,1899) (Arctiidae) Synonym(s): *muscula* Staudinger,1899
- 2490) *Muscula muscula brevifurca* (Wiltshire,1957) (Arctiidae) Synonym(s): *brevifurca* Wiltshire,1957
- 2491) *Muscula muscula muscula* (Staudinger,1899) (Arctiidae) Synonym(s): *muscula* Staudinger,1899
- 2492) *Nebractia guttata* (Erschoff,1874) (Arctiidae) Synonym(s): *guttata* Erschoff,1874
- 2493) *Nebractia guttata guttata* (Erschoff,1874) (Arctiidae) Synonym(s): *guttata* Erschoff,1874
- 2494) *Nebractia hunza* (De Freina,1997) (Arctiidae) Synonym(s): *hunza* De Freina,1997
- 2495) *Nebractia hunza hunza* (De Freina,1997) (Arctiidae) Synonym(s): *hunza* De Freina,1997
- 2496) *Nebractia semiramis* (Staudinger,1892) (Arctiidae) Synonym(s): *semiramis* Staudinger,1892
- 2497) *Nebractia semiramis brandti* (Daniel,1949) (Arctiidae) Synonym(s): *brandti* Daniel,1949
- 2498) *Nebractia semiramis elbursi* (Daniel,1937) (Arctiidae) Synonym(s): *elbursi* Daniel,1937; *ninyas* Wagner,1937
- 2499) *Nebractia semiramis semiramis* (Staudinger,1892) (Arctiidae) Synonym(s): *semiramis* Staudinger,1892
- 2500) *Nebractia transversa* (Moore,1879) (Arctiidae) Synonym(s): *transversa* Moore,1879
- 2501) *Nebractia transversa transversa* (Moore,1879) (Arctiidae) Synonym(s): *transversa* Moore,1879; *puella* Staudinger,1887; *vartianae* Daniel,1965
- 2502) *Nebractia wiltshirei* (Toulgoet,1962) (Arctiidae) Synonym(s): *wiltshirei* Toulgoet,1962
- 2503) *Nebractia wiltshirei wiltshirei* (Toulgoet,1962) (Arctiidae) Synonym(s): *wiltshirei* Toulgoet,1962
- 2504) *Neonerita dorsipuncta* Hampson,1901 (Arctiidae) Synonym(s): *dorsipuncta* Hampson,1901
- 2505) *Neoplynes cytheraea* (Druce,1894) (Arctiidae) Synonym(s): *cytheraea* Druce,1894
- 2506) *Neritos cotes* Druce,1896 (Arctiidae) Synonym(s): *cotes* Druce,1896
- 2507) *Neritos flavoreus* (Walker,1855) (Arctiidae) Synonym(s): *flavoreus* Walker,1855
- 2508) *Neritos leucoplaga* Hampson,1905 (Arctiidae) Synonym(s): *leucoplaga* Hampson,1905
- 2509) *Neritos samos* Druce,1896 (Arctiidae) Synonym(s): *samos* Druce,1896
- 2510) *Neuroxena aberrans* Bethune-Baker,1927 (Arctiidae) Synonym(s): *aberrans* Bethune-Baker,1927
- 2511) *Neuroxena albofasciata* (Druce,1910) (Arctiidae) Synonym(s): *albofasciata* Druce,1910
- 2512) *Neuroxena ansorgei* Kirby,1896 (Arctiidae) Synonym(s): *ansorgei* Kirby,1896
- 2513) *Neuroxena auremaculatus* (Rothschild,1933) (Arctiidae) Synonym(s): *auremaculatus* Rothschild,1933
- 2514) *Neuroxena biplagiata* (Gaede,1926) (Arctiidae) Synonym(s): *biplagiata* Gaede,1926
- 2515) *Neuroxena flammea* (Gaede,1926) (Arctiidae) Synonym(s): *flammea* Gaede,1926
- 2516) *Neuroxena fulleri* (Druce,1883) (Arctiidae) Synonym(s): *fulleri* Druce,1883
- 2517) *Neuroxena funereus* (Rothschild,1933) (Arctiidae) Synonym(s): *funereus* Rothschild,1933
- 2518) *Neuroxena lasti* (Rothschild,1910) (Arctiidae) Synonym(s): *lasti* Rothschild,1910
- 2519) *Neuroxena medioflavus* (Rothschild,1935) (Arctiidae) Synonym(s): *medioflavus* Rothschild,1935
- 2520) *Neuroxena obscurascens* (Strand,1909) (Arctiidae) Synonym(s): *obscurascens* Strand,1909
- 2521) *Neuroxena postrubidus* (Rothschild,1933) (Arctiidae) Synonym(s): *postrubidus* Rothschild,1933
- 2522) *Neuroxena rectilineata* (Toulgoet,1972) (Arctiidae) Synonym(s): *rectilineata* Toulgoet,1972
- 2523) *Neuroxena rubriceps* (Mabille,1878) (Arctiidae) Synonym(s): *rubriceps* Mabille,1878
- 2524) *Neuroxena simulans* (Toulgoet,1971) (Arctiidae) Synonym(s): *simulans* Toulgoet,1971
- 2525) *Neuroxena sulphureovitta* (Strand,1909) (Arctiidae) Synonym(s): *sulphureovitta* Strand,1909
- 2526) *Neuroxena truncatus* (Rothschild,1933) (Arctiidae) Synonym(s): *truncatus* Rothschild,1933
- 2527) *Nikaea longipennis* (Walker,1855) (Arctiidae) Synonym(s): *longipennis* Walker,1855
- 2528) *Nikaea longipennis longipennis* (Walker,1855) (Arctiidae) Synonym(s): *longipennis* Walker,1855
- 2529) *Nikaea longipennis matsumurai* Kishida,1983 (Arctiidae) Synonym(s): *formosana* Matsumura,1930 nec Myak.,1907; *matsumurai* Kishida,1983
- 2530) *Notarctia proxima* (Guérin-Ménéville,[1844]) (Arctiidae) Synonym(s): *proxima* Guérin-Ménéville,[1844]; *docta* Walker,1855; *mexicana* Grote & Robinson,1867; *autholea* Boisduval,1869; *arizonensis* Stretch,1874
- 2531) *Notata modicus* (Lucas,1892) (Arctiidae) Synonym(s): *modicus* Lucas,1892
- 2532) *Nudaria mundana* (Linnaeus,1761) (Arctiidae) Synonym(s): *mundana* Linnaeus,1761
- 2533) *Nyctemera absurdum* (Swinhoe,1892) (Arctiidae) Synonym(s): *absurdum* Swinhoe,1892
- 2534) *Nyctemera absurdum absurdum* (Swinhoe,1892) (Arctiidae) Synonym(s): *absurdum* Swinhoe,1892
- 2535) *Nyctemera absurdum latimargo* (Rothschild,1915) (Arctiidae) Synonym(s): *latimargo* Rothschild,1915
- 2536) *Nyctemera absurdum strictifascia* (Rothschild,1915) (Arctiidae) Synonym(s): *strictifascia* Rothschild,1915
- 2537) *Nyctemera acraeina* Druce,1882 (Arctiidae) Synonym(s): *acraeina* Druce,1882
- 2538) *Nyctemera acraeina acraeina* Druce,1882 (Arctiidae) Synonym(s): *acraeina* Druce,1882
- 2539) *Nyctemera acraeina togoensis* (Strand,1909) (Arctiidae) Synonym(s): *togoensis* Strand,1909
- 2540) *Nyctemera adversata* (Schaller,1788) (Arctiidae) Synonym(s): *adversata* Schaller,1788; *plagifera* Walker,1854.
- 2541) *Nyctemera adversata adversata* (Schaller,1788) (Arctiidae) Synonym(s): *adversata* Schaller,1788; *plagifera* Walker,1854.
- 2542) *Nyctemera alba* Pagenstecher,1901 (Arctiidae) Synonym(s): *alba* Pagenstecher,1901
- 2543) *Nyctemera amicus* (White,1841) (Arctiidae) Synonym(s): *amicus* White,1841; *plagiatus* Guenée,1868
- 2544) *Nyctemera amicus amicus* (White,1841) (Arctiidae) Synonym(s): *amicus* White,1841; *plagiatus* Guenée,1868
- 2545) *Nyctemera angulata* Seitz,1915 (Arctiidae) Synonym(s): *angulata* Seitz,1915; *consobrina* Pagenstecher,1897
- 2546) *Nyctemera angustipennis* Kishida,1994 (Arctiidae) Synonym(s): *angustipennis* Kishida,1994
- 2547) *Nyctemera annulatum* (Boisduval,1832) (Arctiidae) Synonym(s): *annulatum* Boisduval,1832; *doubledayi* Walker,1854; *tripunctaria* Swinhoe,1916
- 2548) *Nyctemera annulatum annulatum* (Boisduval,1832) (Arctiidae) Synonym(s): *annulatum* Boisduval,1832; *doubledayi* Walker,1854; *tripunctaria* Swinhoe,1916

- 2549) *Nyctemera annulatum antipodea* Salmon & Bradley, 1956 (Arctiidae) Synonym(s): *antipodea* Salmon & Bradley, 1956
 2550) *Nyctemera apensis* Semper, 1899 (Arctiidae) Synonym(s): *apensis* Semper, 1899
 2551) *Nyctemera apicalis* Walker, 1854 (Arctiidae) Synonym(s): *apicalis* Walker, 1854
 2552) *Nyctemera aquimqargo* (Rothschild, 1920) (Arctiidae) Synonym(s): *aquimqargo* Rothschild, 1920
 2553) *Nyctemera arctata* Walker, 1856 (Arctiidae) Synonym(s): *arctata* Walker, 1856; *maculosa* Walker, 1864; *dentifascia* Kalis, 1934
 2554) *Nyctemera arctata albofasciata* (Wileman, 1911) (Arctiidae) Synonym(s): *albofasciata* Wileman, 1911
 2555) *Nyctemera arctata arctata* Walker, 1856 (Arctiidae) Synonym(s): *arctata* Walker, 1856; *maculosa* Walker, 1864; *dentifascia* Kalis, 1934
 2556) *Nyctemera arctata scalarium* (Snellen, 1863) (Arctiidae) Synonym(s): *scalarium* Snellen, 1863; *javana* Reich, 1932
 2557) *Nyctemera arctata zerenoides* (Butler, 1881) (Arctiidae) Synonym(s): *zerenoides* Butler, 1881
 2558) *Nyctemera arieticornis* (Strand, 1909) (Arctiidae) Synonym(s): *arieticornis* Strand, 1909
 2559) *Nyctemera baulus* (Boisduval, 1832) (Arctiidae) Synonym(s): *baulus* Boisduval, 1832; *buruana* Van Eecke, 1929
 2560) *Nyctemera baulus alba* Pagenstecher, 1901 (Arctiidae) Synonym(s): *alba* Pagenstecher, 1901; *albida* Pagenstecher, 1901
 2561) *Nyctemera baulus aluensis* Butler, 1887 (Arctiidae) Synonym(s): *aluensis* Butler, 1887; *illustris* Swinhoe, 1903
 2562) *Nyctemera baulus baulus* (Boisduval, 1832) (Arctiidae) Synonym(s): *baulus* Boisduval, 1832; *buruana* Van Eecke, 1929
 2563) *Nyctemera baulus fasciata* Walker, 1856 (Arctiidae) Synonym(s): *fasciata* Walker, 1856
 2564) *Nyctemera baulus integra* Walker, 1866 (Arctiidae) Synonym(s): *integra* Walker, 1866
 2565) *Nyctemera baulus moluccana* Roepke, 1957 (Arctiidae) Synonym(s): *moluccana* Roepke, 1957
 2566) *Nyctemera baulus mundipicta* Walker, 1859 (Arctiidae) Synonym(s): *mundipicta* Walker, 1859
 2567) *Nyctemera baulus nigrovena* (Swinhoe, 1903) (Arctiidae) Synonym(s): *nigrovena* Swinhoe, 1903
 2568) *Nyctemera baulus nisa* (Swinhoe, 1903) (Arctiidae) Synonym(s): *nisa* Swinhoe, 1903
 2569) *Nyctemera baulus pratti* (Bethune-Baker, 1904) (Arctiidae) Synonym(s): *pratti* Bethune-Baker, 1904
 2570) *Nyctemera baulus pullatus* (D.S. Fletcher, 1957) (Arctiidae) Synonym(s): *pullatus* D.S. Fletcher, 1957
 2571) *Nyctemera baulus samoensis* Tams, 1935 (Arctiidae) Synonym(s): *samoensis* Tams, 1935
 2572) *Nyctemera baulus tertiana* Meyrick, 1886 (Arctiidae) Synonym(s): *tertiana* Meyrick, 1886
 2573) *Nyctemera biformis* Mabilie, 1878 (Arctiidae) Synonym(s): *biformis* Mabilie, 1878; *mabiliei* Butler, 1882; *infumata* Oberthür, 1916
 2574) *Nyctemera bouruana* Swinhoe, 1917 (Arctiidae) Synonym(s): *bouruana* Swinhoe, 1917
 2575) *Nyctemera browni* (Schultze, 1908) (Arctiidae) Synonym(s): *browni* Schultze, 1908; *conjuncta* Wileman, 1915
 2576) *Nyctemera calcicola* Holloway, 1988 (Arctiidae) Synonym(s): *calcicola* Holloway, 1988
 2577) *Nyctemera carissima* (Swinhoe, 1891) (Arctiidae) Synonym(s): *carissima* Swinhoe, 1891; *formosana* Swinhoe, 1908
 2578) *Nyctemera cenis* (Cramer, [1777]) (Arctiidae) Synonym(s): *cenis* Cramer, [1777]
 2579) *Nyctemera cenis cenis* (Cramer, [1777]) (Arctiidae) Synonym(s): *cenis* Cramer, [1777]
 2580) *Nyctemera cenis parva* (Swinhoe, 1917) (Arctiidae) Synonym(s): *parva* Swinhoe, 1917
 2581) *Nyctemera chalcosidia* (Hampson, 1910) (Arctiidae) Synonym(s): *chalcosidia* Hampson, 1910
 2582) *Nyctemera chalcosidia chalcosidia* (Hampson, 1910) (Arctiidae) Synonym(s): *chalcosidia* Hampson, 1910
 2583) *Nyctemera chalcosidia seriatopunctata* (Aurivillius, 1925) (Arctiidae) Synonym(s): *seriatopunctata* Aurivillius, 1925
 2584) *Nyctemera chromis* (Druce, 1882) (Arctiidae) Synonym(s): *chromis* Druce, 1882
 2585) *Nyctemera clathratum* (Snellen, 1863) (Arctiidae) Synonym(s): *clathratum* Snellen, 1863
 2586) *Nyctemera coleta* (Stoll, [1781]) (Arctiidae) Synonym(s): *coleta* Stoll, [1781]
 2587) *Nyctemera coleta coleta* (Stoll, [1781]) (Arctiidae) Synonym(s): *coleta* Stoll, [1781]
 2588) *Nyctemera coleta melaneura* (Butler, 1883) (Arctiidae) Synonym(s): *melaneura* Butler, 1883
 2589) *Nyctemera coleta melas* Röber, 1891 (Arctiidae) Synonym(s): *melas* Röber, 1891
 2590) *Nyctemera coleta nigrovenosa* Moore, 1879 (Arctiidae) Synonym(s): *nigrovenosa* Moore, 1879
 2591) *Nyctemera consobriniformis* Vos & Cerny, 1999 (Arctiidae) Synonym(s): *consobriniformis* Vos & Cerny, 1999
 2592) *Nyctemera consors* (Butler, 1879) (Arctiidae) Synonym(s): *consors* Butler, 1879
 2593) *Nyctemera contrasta* Vos & Cerny, 1999 (Arctiidae) Synonym(s): *contrasta* Vos & Cerny, 1999
 2594) *Nyctemera contrasta contrasta* Vos & Cerny, 1999 (Arctiidae) Synonym(s): *contrasta* Vos & Cerny, 1999
 2595) *Nyctemera contrasta negrosica* Vos & Cerny, 1999 (Arctiidae) Synonym(s): *negrosica* Vos & Cerny, 1999
 2596) *Nyctemera contrasta supracontrasta* Vos & Cerny, 1999 (Arctiidae) Synonym(s): *supracontrasta* Vos & Cerny, 1999
 2597) *Nyctemera crassiantennata* Oberthür, 1916 (Arctiidae) Synonym(s): *crassiantennata* Oberthür, 1916
 2598) *Nyctemera dentifascia* Snellen, 1898 (Arctiidae) Synonym(s): *dentifascia* Snellen, 1898; *biserrata* Seitz, 1915; *abraxina* Rothschild, 1920; *personata* Talbot, 1929
 2599) *Nyctemera diaphana* Roepke, 1949 (Arctiidae) Synonym(s): *diaphana* Roepke, 1949
 2600) *Nyctemera dispar* (Swinhoe, 1903) (Arctiidae) Synonym(s): *dispar* Swinhoe, 1903
 2601) *Nyctemera distincta* Walker, 1854 (Arctiidae) Synonym(s): *distincta* Walker, 1854; *anthracinum* Snellen, 1863
 2602) *Nyctemera druna* (Swinhoe, 1904) (Arctiidae) Synonym(s): *druna* Swinhoe, 1904
 2603) *Nyctemera evergista* (Stoll, [1781]) (Arctiidae) Synonym(s): *evergista* Stoll, [1781]; *aeres* Boisduval, 1832; *intercisa* Walker, 1864; *mutabilis* Walker, 1864
 2604) *Nyctemera evergista agagles* (Boisduval, 1832) (Arctiidae) Synonym(s): *agagles* Boisduval, 1832
 2605) *Nyctemera evergista bismarckiana* Vos, 2002 (Arctiidae) Synonym(s): *bismarckiana* Vos, 2002
 2606) *Nyctemera evergista evergista* (Stoll, [1781]) (Arctiidae) Synonym(s): *evergista* Stoll, [1781]; *aeres* Boisduval, 1832; *intercisa* Walker, 1864; *mutabilis* Walker, 1864
 2607) *Nyctemera evergista uniplaga* (Swinhoe, 1903) (Arctiidae) Synonym(s): *uniplaga* Swinhoe, 1903
 2608) *Nyctemera extendens* Walker, 1856 (Arctiidae) Synonym(s): *extendens* Walker, 1856; *horites* Druce, 1889
 2609) *Nyctemera externa* (Swinhoe, 1917) (Arctiidae) Synonym(s): *externa* Swinhoe, 1917
 2610) *Nyctemera floresicola* Roepke, 1954 (Arctiidae) Synonym(s): *floresicola* Roepke, 1954
 2611) *Nyctemera floresicola clarior* Roepke, 1957 (Arctiidae) Synonym(s): *clarior* Roepke, 1957
 2612) *Nyctemera floresicola corbeti* Roepke, 1957 (Arctiidae) Synonym(s): *corbeti* Roepke, 1957
 2613) *Nyctemera floresicola floresicola* Roepke, 1954 (Arctiidae) Synonym(s): *floresicola* Roepke, 1954
 2614) *Nyctemera genora* (Swinhoe, 1917) (Arctiidae) Synonym(s): *genora* Swinhoe, 1917
 2615) *Nyctemera gerra* (Swinhoe, 1903) (Arctiidae) Synonym(s): *gerra* Swinhoe, 1903; *leuctra* Swinhoe, 1903; *vandenberghi* Roepke, 1957
 2616) *Nyctemera glauca* (Fawcett, 1916) (Arctiidae) Synonym(s): *glauca* Fawcett, 1916
 2617) *Nyctemera gracilis* Saalmüller, 1884 (Arctiidae) Synonym(s): *gracilis* Saalmüller, 1884
 2618) *Nyctemera gratia* Schultze, 1910 (Arctiidae) Synonym(s): *gratia* Schultze, 1910; *philippinensis* Rothschild, 1933; *venata* Wileman, 1915
 2619) *Nyctemera groenendaeli* Vos, [1995] (Arctiidae) Synonym(s): *groenendaeli* Vos, [1995]
 2620) *Nyctemera hemixantha* (Aurivillius, 1904) (Arctiidae) Synonym(s): *hemixantha* Aurivillius, 1904; *anomala* Holland, 1920
 2621) *Nyctemera herklotsii* (Snellen, 1863) (Arctiidae) Synonym(s): *herklotsii* Snellen, 1863; *quadriguttatum* Snellen, 1863; *sexmaculata* Seitz, 1915
 2622) *Nyctemera homogona* (Swinhoe, 1917) (Arctiidae) Synonym(s): *homogona* Swinhoe, 1917
 2623) *Nyctemera hyalina* (Bethune-Baker, 1910) (Arctiidae) Synonym(s): *hyalina* Bethune-Baker, 1910
 2624) *Nyctemera imitans* (Rothschild, 1915) (Arctiidae) Synonym(s): *imitans* Rothschild, 1915
 2625) *Nyctemera insulare* (Boisduval, 1833) (Arctiidae) Synonym(s): *insulare* Boisduval, 1833; *consors* Butler, 1879; *rasana* Mabilie, 1879; *howa* Strand, 1909; *madagascaria* Strand, 1909; *pauli* Strand, 1909
 2626) *Nyctemera insularis* (Talbot, 1929) (Arctiidae) Synonym(s): *insularis* Talbot, 1929; *insulana* Bryk, 1937
 2627) *Nyctemera interlecta* Walker, 1854 (Arctiidae) Synonym(s): *interlecta* Walker, 1854
 2628) *Nyctemera itokina* (Aurivillius, 1904) (Arctiidae) Synonym(s): *itokina* Aurivillius, 1904; *marcida* Swinhoe, 1906; *camerunica* Strand, 1909; *plana* Wichgraf, 1921
 2629) *Nyctemera kala* (Swinhoe, 1892) (Arctiidae) Synonym(s): *kala* Swinhoe, 1892
 2630) *Nyctemera kebeae* (Bethune-Baker, 1904) (Arctiidae) Synonym(s): *kebeae* Bethune-Baker, 1904
 2631) *Nyctemera kebeae intermedia* Vos, 1997 (Arctiidae) Synonym(s): *intermedia* Vos, 1997
 2632) *Nyctemera kebeae kebeae* (Bethune-Baker, 1904) (Arctiidae) Synonym(s): *kebeae* Bethune-Baker, 1904
 2633) *Nyctemera kebeae occidentalis* Vos, 1997 (Arctiidae) Synonym(s): *occidentalis* Vos, 1997
 2634) *Nyctemera kiauensis* Holloway, 1977 (Arctiidae) Synonym(s): *kiauensis* Holloway, 1977
 2635) *Nyctemera kinabaluensis* (Reich, 1932) (Arctiidae) Synonym(s): *kinabaluensis* Reich, 1932
 2636) *Nyctemera kinagananga* (Swinhoe, 1903) (Arctiidae) Synonym(s): *kinagananga* Swinhoe, 1903
 2637) *Nyctemera kinibalina* Snellen, 1899 (Arctiidae) Synonym(s): *kinibalina* Snellen, 1899
 2638) *Nyctemera kiriwina* (Swinhoe, 1917) (Arctiidae) Synonym(s): *kiriwina* Swinhoe, 1917

- 2639) *Nyctemera kishidai* Vos & Cerny, 1999 (Arctiidae) Synonym(s): *apoensis* Kishida, 1994; *kishidai* Vos & Cerny, 1999
- 2640) *Nyctemera lacticinia* (Cramer, [1779]) (Arctiidae) Synonym(s): *lacticinia* Cramer, [1779]
- 2641) *Nyctemera lataemarginata* Pagenstecher, 1901 (Arctiidae) Synonym(s): *lataemarginata* Pagenstecher, 1901
- 2642) *Nyctemera latera* (Swinhoe, 1917) (Arctiidae) Synonym(s): *latera* Swinhoe, 1917
- 2643) *Nyctemera latistriga* Walker, 1854 (Arctiidae) Synonym(s): *latistriga* Walker, 1854; *arcuatum* Swinhoe, 1892; *inconstans* Snellen, 1863; *negritorum* Seitz, 1915; *consobrina* Rothschild, 1920.
- 2644) *Nyctemera latistriga amplificata* (Walker, 1865) (Arctiidae) Synonym(s): *amplificata* Walker, 1865; *flavescens* Snellen, 1863.
- 2645) *Nyctemera latistriga kotoshonis* Matsumura, 1930 (Arctiidae) Synonym(s): *kotoshonis* Matsumura, 1930
- 2646) *Nyctemera latistriga latistriga* Walker, 1854 (Arctiidae) Synonym(s): *latistriga* Walker, 1854; *arcuatum* Swinhoe, 1892; *inconstans* Snellen, 1863; *negritorum* Seitz, 1915; *consobrina* Rothschild, 1920.
- 2647) *Nyctemera latistriga leucostigma* (Snellen, 1863) (Arctiidae) Synonym(s): *leucostigma* Snellen, 1863; *pallens* Snellen, 1863; *nubecula* Snellen, 1863.
- 2648) *Nyctemera leopoldi* Tams, 1935 (Arctiidae) Synonym(s): *leopoldi* Tams, 1935
- 2649) *Nyctemera letensis* Reich, 1932 (Arctiidae) Synonym(s): *letensis* Reich, 1932
- 2650) *Nyctemera leuconoe* Hopffer, 1858 (Arctiidae) Synonym(s): *leuconoe* Hopffer, 1858
- 2651) *Nyctemera leuconoe leuconoe* Hopffer, 1858 (Arctiidae) Synonym(s): *leuconoe* Hopffer, 1858
- 2652) *Nyctemera leuconoe limbalis* (Strand, 1909) (Arctiidae) Synonym(s): *limbalis* Strand, 1909
- 2653) *Nyctemera limbata* Roepke, 1949 (Arctiidae) Synonym(s): *limbata* Roepke, 1949
- 2654) *Nyctemera lombokiana* (Swinhoe, 1903) (Arctiidae) Synonym(s): *lombokiana* Swinhoe, 1903
- 2655) *Nyctemera luctuosa* (Snellen, 1863) (Arctiidae) Synonym(s): *luctuosa* Snellen, 1863; *crecens* Walker, 1864; *drucei* Swinhoe, 1903
- 2656) *Nyctemera luctuosa galbana* (Swinhoe, 1892) (Arctiidae) Synonym(s): *galbana* Swinhoe, 1892; *rostrigera* Prout, 1918
- 2657) *Nyctemera luctuosa kapauensis* (Swinhoe, 1903) (Arctiidae) Synonym(s): *kapauensis* Swinhoe, 1903; *dinawa* Bethune-Baker, 1904
- 2658) *Nyctemera luctuosa luctuosa* (Snellen, 1863) (Arctiidae) Synonym(s): *luctuosa* Snellen, 1863; *crecens* Walker, 1864; *drucei* Swinhoe, 1903
- 2659) *Nyctemera luctuosa onetha* (Swinhoe, 1901) (Arctiidae) Synonym(s): *onetha* Swinhoe, 1901
- 2660) *Nyctemera luctuosa syrnia* (Swinhoe, 1903) (Arctiidae) Synonym(s): *syria* Swinhoe, 1903
- 2661) *Nyctemera ludekingii* (Snellen, 1863) (Arctiidae) Synonym(s): *ludekingii* Snellen, 1863; *variegata* Reich, 1932
- 2662) *Nyctemera lugens* Roepke, 1949 (Arctiidae) Synonym(s): *lugens* Roepke, 1949
- 2663) *Nyctemera lunulata* Vos & Cerny, 1999 (Arctiidae) Synonym(s): *lunulata* Vos & Cerny, 1999
- 2664) *Nyctemera luzonensis* Wileman, 1915 (Arctiidae) Synonym(s): *luzonensis* Wileman, 1915
- 2665) *Nyctemera luzonensis luzonensis* Wileman, 1915 (Arctiidae) Synonym(s): *luzonensis* Wileman, 1915
- 2666) *Nyctemera luzonensis squalida* Vos & Cerny, 1999 (Arctiidae) Synonym(s): *squalida* Vos & Cerny, 1999
- 2667) *Nyctemera luzonica* (Swinhoe, 1917) (Arctiidae) Synonym(s): *luzonica* Swinhoe, 1917
- 2668) *Nyctemera luzonica luzonica* (Swinhoe, 1917) (Arctiidae) Synonym(s): *luzonica* Swinhoe, 1917
- 2669) *Nyctemera luzonica plesiastes* (West, 1932) (Arctiidae) Synonym(s): *plesiastes* West, 1932
- 2670) *Nyctemera maculata* Walker, 1854 (Arctiidae) Synonym(s): *maculata* Walker, 1854; *novispunctatum* Snellen, 1863
- 2671) *Nyctemera maculata maculata* Walker, 1854 (Arctiidae) Synonym(s): *maculata* Walker, 1854; *novispunctatum* Snellen, 1863
- 2672) *Nyctemera maculata variamacula* Vos, 2002 (Arctiidae) Synonym(s): *variamacula* Vos, 2002
- 2673) *Nyctemera malaccana* Roepke, 1957 (Arctiidae) Synonym(s): *malaccana* Roepke, 1957
- 2674) *Nyctemera mastrigti* Vos, 1996 (Arctiidae) Synonym(s): *mastrigti* Vos, 1996
- 2675) *Nyctemera mesolychna* Meyrick, 1889 (Arctiidae) Synonym(s): *mesolychna* Meyrick, 1889
- 2676) *Nyctemera montana* Holloway, 1976 (Arctiidae) Synonym(s): *montana* Holloway, 1976
- 2677) *Nyctemera muelleri* (Snellen, 1863) (Arctiidae) Synonym(s): *muelleri* Snellen, 1863
- 2678) *Nyctemera muelleri eddela* (Swinhoe, 1904) (Arctiidae) Synonym(s): *eddela* Swinhoe, 1904
- 2679) *Nyctemera muelleri mentawaiensis* Vos, 2002 (Arctiidae) Synonym(s): *mentawaiensis* Vos, 2002
- 2680) *Nyctemera muelleri muelleri* (Snellen, 1863) (Arctiidae) Synonym(s): *muelleri* Snellen, 1863
- 2681) *Nyctemera mudipecta samoensis* (Tams, 1935) (Arctiidae) Synonym(s): *samoensis* Tams, 1935
- 2682) *Nyctemera nicobarensis* Reich, 1932 (Arctiidae) Synonym(s): *nicobarensis* Reich, 1932
- 2683) *Nyctemera nonapicalis* Rothschild, 1915 (Arctiidae) Synonym(s): *nonapicalis* Rothschild, 1915
- 2684) *Nyctemera obtusa* Walker, 1856 (Arctiidae) Synonym(s): *obtusa* Walker, 1856
- 2685) *Nyctemera ovada* (Swinhoe, 1903) (Arctiidae) Synonym(s): *ovada* Swinhoe, 1903
- 2686) *Nyctemera owadai* Kishida, 1994 (Arctiidae) Synonym(s): *owadai* Kishida, 1994
- 2687) *Nyctemera pagenstecheri* Pagenstecher, 1898 (Arctiidae) Synonym(s): *pagenstecheri* Pagenstecher, 1898
- 2688) *Nyctemera palawanica* Vos & Cerny, 1999 (Arctiidae) Synonym(s): *palawanica* Vos & Cerny, 1999
- 2689) *Nyctemera pallescens* Oberthür, 1890 (Arctiidae) Synonym(s): *pallescens* Oberthür, 1890
- 2690) *Nyctemera paradelpha* (Swinhoe, 1917) (Arctiidae) Synonym(s): *paradelpha* Swinhoe, 1917
- 2691) *Nyctemera perissa* (Swinhoe, 1917) (Arctiidae) Synonym(s): *perissa* Swinhoe, 1917
- 2692) *Nyctemera perspicua* Walker, 1854 (Arctiidae) Synonym(s): *perspicua* Walker, 1854; *fallax* Holland, 1893
- 2693) *Nyctemera poliodesma* (Swinhoe, 1917) (Arctiidae) Synonym(s): *poliodesma* Swinhoe, 1917
- 2694) *Nyctemera popiya* (Swinhoe, 1903) (Arctiidae) Synonym(s): *popiya* Swinhoe, 1903
- 2695) *Nyctemera pseudokala* Vos, 1996 (Arctiidae) Synonym(s): *pseudokala* Vos, 1996
- 2696) *Nyctemera quadriplaga* Walker, 1864 (Arctiidae) Synonym(s): *quadriplaga* Walker, 1864
- 2697) *Nyctemera quaternarium* Pagenstecher, 1900 (Arctiidae) Synonym(s): *quaternarium* Pagenstecher, 1900
- 2698) *Nyctemera radiata* Walker, 1856 (Arctiidae) Synonym(s): *radiata* Walker, 1856; *alternata* Walker, 1866; *proprium* Swinhoe, 1892; *eryla* Semper, 1899; *convexa* Semper, 1899; *liligo* Seitz, 1915
- 2699) *Nyctemera rattrayi* (Swinhoe, 1904) (Arctiidae) Synonym(s): *rattrayi* Swinhoe, 1904
- 2700) *Nyctemera regalis* Roepke, 1954 (Arctiidae) Synonym(s): *regalis* Roepke, 1954
- 2701) *Nyctemera regularis* (Snellen, 1880) (Arctiidae) Synonym(s): *regularis* Snellen, 1880; *picatus* Butler, 1881; *picata* Kirby, 1892
- 2702) *Nyctemera regularis crameri* Roepke, 1949 (Arctiidae) Synonym(s): *crameri* Roepke, 1949
- 2703) *Nyctemera regularis regularis* (Snellen, 1880) (Arctiidae) Synonym(s): *regularis* Snellen, 1880; *picatus* Butler, 1881; *picata* Kirby, 1892
- 2704) *Nyctemera regularis snelleni* Pagenstecher, 1901 (Arctiidae) Synonym(s): *snelleni* Pagenstecher, 1901
- 2705) *Nyctemera restrictum* (Butler, 1894) (Arctiidae) Synonym(s): *restrictum* Butler, 1894; *#ottonis* Strand, 1909; *#subhyalina* Strand, 1909
- 2706) *Nyctemera robusta* Vos & Cerny, 1999 (Arctiidae) Synonym(s): *robusta* Vos & Cerny, 1999
- 2707) *Nyctemera secundiana* Lucas, 1891 (Arctiidae) Synonym(s): *secundiana* Lucas, 1891
- 2708) *Nyctemera semperi* (Swinhoe, 1903) (Arctiidae) Synonym(s): *leucospilota* Semper, 1899; *semperi* Swinhoe, 1903
- 2709) *Nyctemera semperi semperi* (Swinhoe, 1903) (Arctiidae) Synonym(s): *leucospilota* Semper, 1899; *semperi* Swinhoe, 1903
- 2710) *Nyctemera separata* Walker, 1864 (Arctiidae) Synonym(s): *separata* Walker, 1864
- 2711) *Nyctemera sexmaculatum* (Butler, 1887) (Arctiidae) Synonym(s): *sexmaculatum* Butler, 1887; *aoalaensis* Druce, [1889]
- 2712) *Nyctemera seychellensis* (Hampson, 1908) (Arctiidae) Synonym(s): *seychellensis* Hampson, 1908
- 2713) *Nyctemera simulatrix* Walker, 1864 (Arctiidae) Synonym(s): *simulatrix* Walker, 1864; *delocyma* Swinhoe, 1917; *everetti* Swinhoe, 1917
- 2714) *Nyctemera simulatrix basinigra* Niewenhuis, 1948 (Arctiidae) Synonym(s): *basinigra* Niewenhuis, 1948
- 2715) *Nyctemera simulatrix consobrina* (Hopffer, 1874) (Arctiidae) Synonym(s): *consobrina* Hopffer, 1874; *accepta* Swinhoe, 1892
- 2716) *Nyctemera simulatrix simulatrix* Walker, 1864 (Arctiidae) Synonym(s): *simulatrix* Walker, 1864; *delocyma* Swinhoe, 1917; *everetti* Swinhoe, 1917
- 2717) *Nyctemera sonticum* (Swinhoe, 1892) (Arctiidae) Synonym(s): *sonticum* Swinhoe, 1892; *purata* Swinhoe, 1917.
- 2718) *Nyctemera stresmanni* Rothschild, 1915 (Arctiidae) Synonym(s): *stresmanni* Rothschild, 1915
- 2719) *Nyctemera sumatraensis* Heylaerts, 1890 (Arctiidae) Synonym(s): *sumatraensis* Heylaerts, 1890; *nesites* Seitz, 1915; *instar* Rothschild, 1920
- 2720) *Nyctemera swinhoei* Vos, 2002 (Arctiidae) Synonym(s): *swinhoei* Vos, 2002
- 2721) *Nyctemera tenompoka* Holloway, 1988 (Arctiidae) Synonym(s): *tenompoka* Holloway, 1988
- 2722) *Nyctemera tenuifascia* Snellen, 1898 (Arctiidae) Synonym(s): *tenuifascia* Snellen, 1898
- 2723) *Nyctemera toxopei* Van Eecke, 1929 (Arctiidae) Synonym(s): *toxopei* Van Eecke, 1929
- 2724) *Nyctemera transitella* (Strand, 1909) (Arctiidae) Synonym(s): *transitella* Strand, 1909
- 2725) *Nyctemera tripunctaria* (Linnaeus, 1758) (Arctiidae) Synonym(s): *tripunctaria* Linnaeus, 1758; *petulca* Sparrman, 1769; *assimile* Snellen, 1863; *confusum* Swinhoe, 1892; *kondekum* Swinhoe, 1892; *sumatrensis* Pagenstecher, 1901; *elzuniaekruscheae* Bryk, 1937

- 2726) *Nyctemera tripunctaria candidissima* Seitz, 1915 (Arctiidae) Synonym(s): *candidissima* Seitz, 1915
 2727) *Nyctemera tripunctaria celsa* Walker, 1864 (Arctiidae) Synonym(s): *celsa* Walker, 1864
 2728) *Nyctemera tripunctaria cydippe* Weymer, 1885 (Arctiidae) Synonym(s): *cydippe* Weymer, 1885; *niassana* Swinhoe, 1906
 2729) *Nyctemera tripunctaria optata* (Swinhoe, 1903) (Arctiidae) Synonym(s): *optata* Swinhoe, 1903; *coequalis* Swinhoe, 1915
 2730) *Nyctemera tripunctaria simalura* Roepke, 1957 (Arctiidae) Synonym(s): *simalura* Roepke, 1957
 2731) *Nyctemera tripunctaria subvelata* Walker, 1864 (Arctiidae) Synonym(s): *subvelata* Walker, 1864; *velans* Walker, 1864; *infuscatum* Hopffer, 1874.
 2732) *Nyctemera tripunctaria tripunctaria* (Linnaeus, 1758) (Arctiidae) Synonym(s): *tripunctaria* Linnaeus, 1758; *petulca* Sparrman, 1769; *assimile* Snellen, 1863; *confusum* Swinhoe, 1892; *kondekum* Swinhoe, 1892; *sumatrensis* Pagenstecher, 1901; *elzuniaekruscheae* Bryk, 1937
 2733) *Nyctemera trita* Walker, 1864 (Arctiidae) Synonym(s): *trita* Walker, 1864
 2734) *Nyctemera trita harca* (Swinhoe, 1893) (Arctiidae) Synonym(s): *harca* Swinhoe, 1893
 2735) *Nyctemera trita trita* Walker, 1864 (Arctiidae) Synonym(s): *trita* Walker, 1864
 2736) *Nyctemera trita tritoides* Heylaerts, 1890 (Arctiidae) Synonym(s): *tritoides* Heylaerts, 1890; *herce* Pagenstecher, 1901; *assimilis* Seitz, 1915; *battakorum* Seitz, 1915; *seitzi* Van Eecke, 1927; *seitzi* Van Eecke, 1928; *reducta* Rothschild, 1920.
 2737) *Nyctemera ugandicola* (Strand, 1909) (Arctiidae) Synonym(s): *ugandicola* Strand, 1909
 2738) *Nyctemera undulata* Vos & Cerny, 1999 (Arctiidae) Synonym(s): *undulata* Vos & Cerny, 1999
 2739) *Nyctemera uniformis* (Plötz, 1880) (Arctiidae) Synonym(s): *uniformis* Plötz, 1880
 2740) *Nyctemera usambarae* (Oberthür, 1893) (Arctiidae) Synonym(s): *usambarae* Oberthür, 1893
 2741) *Nyctemera virgo* (Strand, 1909) (Arctiidae) Synonym(s): *virgo* Strand, 1909
 2742) *Nyctemera warmasina* Bethune-Baker, 1910 (Arctiidae) Synonym(s): *warmasina* Bethune-Baker, 1910
 2743) *Nyctemera xanthura* (Plötz, 1880) (Arctiidae) Synonym(s): *simplex* Walker, 1869 nec Walk., 1864; *xanthura* Plötz, 1880; *#paucipunctis* Strand, 1909; *#serrimargo* Strand, 1909;
 2744) *Nyctosia coccinea* Schaus, 1899 (Arctiidae) Synonym(s): *coccinea* Schaus, 1899
 2745) *Nyctosia poicilonotus* Dyar, 1912 (Arctiidae) Synonym(s): *poicilonotus* Dyar, 1912
 2746) *Nyctosia tenebrosa* (Druce, 1885) (Arctiidae) Synonym(s): *tenebrosa* Druce, 1885; *proxima* Edwards, 1884
 2747) *Ochrodota pronapides* (Druce, 1894) (Arctiidae) Synonym(s): *pronapides* Druce, 1894
 2748) *Ochrota bipuncta* (Hampson, 1900) (Arctiidae) Synonym(s): *bipuncta* Hampson, 1900
 2749) *Ochrota unicolor* (Hopffer, 1857) (Arctiidae) Synonym(s): *unicolor* Hopffer, 1857
 2750) *Ocnogyna (Somatotrichia) anatolica* Witt, 1980 (Arctiidae) Synonym(s): *anatolica* Witt, 1980
 2751) *Ocnogyna (Somatotrichia) anatolica anatolica* Witt, 1980 (Arctiidae) Synonym(s): *anatolica* Witt, 1980
 2752) *Ocnogyna (Somatotrichia) parasita* (Hübner, 1790) (Arctiidae) Synonym(s): *parasita* Hübner, 1790
 2753) *Ocnogyna (Somatotrichia) parasita arenosa* Witt, 1980 (Arctiidae) Synonym(s): *arenosa* Witt, 1980
 2754) *Ocnogyna (Somatotrichia) parasita intermedia* Staudinger, 1879 (Arctiidae) Synonym(s): *intermedia* Staudinger, 1879
 2755) *Ocnogyna (Somatotrichia) parasita lianea* Witt, 1980 (Arctiidae) Synonym(s): *lianea* Witt, 1980
 2756) *Ocnogyna (Somatotrichia) parasita nogelli* Lederer, 1865 (Arctiidae) Synonym(s): *nogelli* Lederer, 1865
 2757) *Ocnogyna (Somatotrichia) parasita parasita* (Hübner, 1790) (Arctiidae) Synonym(s): *parasita* Hübner, 1790
 2758) *Ocnogyna (Somatotrichia) parasita rothschildi* A.Bang-Haas, 1912 (Arctiidae) Synonym(s): *rothschildi* A.Bang-Haas, 1912
 2759) *Ocnogyna (s.str.) advena* (Fabricius, 1787) (Arctiidae) Synonym(s): *advena* Fabricius, 1787; *?pierreti* Rambur, 1841; *?mauretanica* Lucas, 1848; *massoueroi* Turati, 1930.
 2760) *Ocnogyna (s.str.) advena advena* (Fabricius, 1787) (Arctiidae) Synonym(s): *advena* Fabricius, 1787; *?pierreti* Rambur, 1841; *?mauretanica* Lucas, 1848; *massoueroi* Turati, 1930.
 2761) *Ocnogyna (s.str.) armena* Staudinger, 1871 (Arctiidae) Synonym(s): *armena* Staudinger, 1871
 2762) *Ocnogyna (s.str.) armena armena* Staudinger, 1871 (Arctiidae) Synonym(s): *armena* Staudinger, 1871
 2763) *Ocnogyna (s.str.) armena daghestana* Dubatolov, 1996 (Arctiidae) Synonym(s): *daghestana* Dubatolov, 1996
 2764) *Ocnogyna (s.str.) armena pallidior* Christoph, 1884 (Arctiidae) Synonym(s): *pallidior* Christoph, 1884
 2765) *Ocnogyna (s.str.) baetica* (Rambur, 1836) (Arctiidae) Synonym(s): *baetica* Rambur, 1836; *meridionalis* Seitz, 1910; *ramburi* Oberthür, 1911; *albescens* Oberthür, 1917.
 2766) *Ocnogyna (s.str.) baetica baetica* (Rambur, 1836) (Arctiidae) Synonym(s): *baetica* Rambur, 1836; *meridionalis* Seitz, 1910; *ramburi* Oberthür, 1911; *albescens* Oberthür, 1917.
 2767) *Ocnogyna (s.str.) bellieri* (Lederer, 1855) (Arctiidae) Synonym(s): *bellieri* Lederer, 1855; *banghaasi* Staudinger, 1895.
 2768) *Ocnogyna (s.str.) bellieri bellieri* (Lederer, 1855) (Arctiidae) Synonym(s): *bellieri* Lederer, 1855; *banghaasi* Staudinger, 1895.
 2769) *Ocnogyna (s.str.) bellieri berytta* (Staudinger, 1895) (Arctiidae) Synonym(s): *berytta* Staudinger, 1895
 2770) *Ocnogyna (s.str.) corsica* (Rambur, 1832) (Arctiidae) Synonym(s): *corsica* Rambur, 1832
 2771) *Ocnogyna (s.str.) corsica corsica* (Rambur, 1832) (Arctiidae) Synonym(s): *corsica* Rambur, 1832
 2772) *Ocnogyna (s.str.) corsica sardoa* Staudinger, 1870 (Arctiidae) Synonym(s): *sardoa* Staudinger, 1870
 2773) *Ocnogyna (s.str.) cypriaca* O.Bang-Haas, 1934 (Arctiidae) Synonym(s): *cypriaca* O.Bang-Haas, 1934; *#immaculata* O.Bang-Haas, 1934; *#maculata* O.Bang-Haas, 1934; *#rosacea* O.Bang-Haas, 1934
 2774) *Ocnogyna (s.str.) cypriaca cypriaca* O.Bang-Haas, 1934 (Arctiidae) Synonym(s): *cypriaca* O.Bang-Haas, 1934; *#immaculata* O.Bang-Haas, 1934; *#maculata* O.Bang-Haas, 1934; *#rosacea* O.Bang-Haas, 1934
 2775) *Ocnogyna (s.str.) herrichi* Staudinger, 1879 (Arctiidae) Synonym(s): *herrichi* Staudinger, 1879
 2776) *Ocnogyna (s.str.) herrichi herrichi* Staudinger, 1879 (Arctiidae) Synonym(s): *herrichi* Staudinger, 1879
 2777) *Ocnogyna (s.str.) loewii* (Zeller, 1846) (Arctiidae) Synonym(s): *loewii* Zeller, 1846; *clathrata* Lederer, 1855; *andresi* Draudt, 1931.
 2778) *Ocnogyna (s.str.) loewii loewii* (Zeller, 1846) (Arctiidae) Synonym(s): *loewii* Zeller, 1846; *clathrata* Lederer, 1855; *andresi* Draudt, 1931.
 2779) *Ocnogyna (s.str.) mutabilis* Turati, 1924 (Arctiidae) Synonym(s): *mutabilis* Turati, 1924
 2780) *Ocnogyna (s.str.) mutabilis mutabilis* Turati, 1924 (Arctiidae) Synonym(s): *mutabilis* Turati, 1924
 2781) *Ocnogyna (s.str.) pudens* (Lucas, 1853) (Arctiidae) Synonym(s): *pudens* Lucas, 1853; *vallantini* Austaut, 1894.
 2782) *Ocnogyna (s.str.) pudens leprieuri* (Oberthür, 1878) (Arctiidae) Synonym(s): *leprieuri* Oberthür, 1878
 2783) *Ocnogyna (s.str.) pudens pudens* (Lucas, 1853) (Arctiidae) Synonym(s): *pudens* Lucas, 1853; *vallantini* Austaut, 1894.
 2784) *Ocnogyna (s.str.) zoraida* (De Graslin, [1837]) (Arctiidae) Synonym(s): *zoraida* De Graslin, [1837]
 2785) *Ocnogyna (s.str.) zoraida hemigena* (De Graslin, 1850) (Arctiidae) Synonym(s): *hemigena* De Graslin, 1850
 2786) *Ocnogyna (s.str.) zoraida zoraida* (De Graslin, [1837]) (Arctiidae) Synonym(s): *zoraida* De Graslin, [1837]
 2787) *Odozana unica* Schaus, 1905 (Arctiidae) Synonym(s): *unica* Schaus, 1905
 2788) *Oeonistis altica* (Linnaeus, 1768) (Arctiidae) Synonym(s): *altica* Linnaeus, 1768; *entella* Cramer, 1779; *convoluta* Fabricius, 1781; *delia* Fabricius, 1787; *ceramensis* Snellen, 1872; *splendens* Lucas, 1890
 2789) *Oeonistis altica delia* (Fabricius, 1787) (Arctiidae) Synonym(s): *delia* Fabricius, 1787
 2790) *Oeonistis lifuensis* Rothschild, 1912 (Arctiidae) Synonym(s): *lifuensis* Rothschild, 1912
 2791) *Olepa anomia* Orhant, 1986 (Arctiidae) Synonym(s): *anomia* Orhant, 1986
 2792) *Olepa clavatus* (Swinhoe, 1885) (Arctiidae) Synonym(s): *clavatus* Swinhoe, 1885
 2793) *Olepa duboisi* Orhant, 1986 (Arctiidae) Synonym(s): *duboisi* Orhant, 1986
 2794) *Olepa kakatii* Orhant, 2000 (Arctiidae) Synonym(s): *kakatii* Orhant, 2000
 2795) *Olepa koslandana* Orhant, 1986 (Arctiidae) Synonym(s): *koslandana* Orhant, 1986
 2796) *Olepa ocellifera* (Walker, 1855) (Arctiidae) Synonym(s): *ocellifera* Walker, 1855
 2797) *Olepa ricini* (Fabricius, 1775) (Arctiidae) Synonym(s): *ricini* Fabricius, 1775; *zerah* Stoll, [1782]
 2798) *Olepa toulgoeti* Orhant, 1986 (Arctiidae) Synonym(s): *toulgoeti* Orhant, 1986
 2799) *Opharus bimaculata* (Dewitz, 1884) (Arctiidae) Synonym(s): *bimaculata* Dewitz, 1884
 2800) *Opharus calosoma* (Dyar, 1913) (Arctiidae) Synonym(s): *calosoma* Dyar, 1913
 2801) *Opharus consimilis* Hampson, 1901 (Arctiidae) Synonym(s): *consimilis* Hampson, 1901
 2802) *Opharus euchaetiformis* Edwards, 1884 (Arctiidae) Synonym(s): *euchaetiformis* Edwards, 1884
 2803) *Opharus immanis* (Edwards, 1884) (Arctiidae) Synonym(s): *immanis* Edwards, 1884; *#hochraceovirida* Strand, 1921
 2804) *Opharus jacca* Druce, 1897 (Arctiidae) Synonym(s): *jacca* Druce, 1897
 2805) *Opharus linus* Druce, 1897 (Arctiidae) Synonym(s): *linus* Druce, 1897
 2806) *Opharus momis* (Dyar, 1912) (Arctiidae) Synonym(s): *momis* Dyar, 1912

- 2807) *Opharus roseistriga* Schaus,1910 (Arctiidae) Synonym(s): *roseistriga* Schaus,1910
 2808) *Opsaroea fulvinota* Hampson,1905 (Arctiidae) Synonym(s): *fulvinota* Hampson,1905
 2809) *Ordishia rutilus* (Stoll,1782) (Arctiidae) Synonym(s): *rutilus* Stoll,1782; *striata* Druce,1895
 2810) *Ormetica atania* (Schaus,1910) (Arctiidae) Synonym(s): *atania* Schaus,1910
 2811) *Ormetica nabdalsa* (Schaus,1889) (Arctiidae) Synonym(s): *nabdalsa* Schaus,1889
 2812) *Ormetica orbona* (Schaus,1889) (Arctiidae) Synonym(s): *orbona* Schaus,1889
 2813) *Ormetica sicilia* (Druce,1884) (Arctiidae) Synonym(s): *sicilia* Druce,1884; *parma* Schaus,1889
 2814) *Ormetica taeniata* (Guérin-Ménéville,[1844]) (Arctiidae) Synonym(s): *taeniata* Guérin-Ménéville,[1844]; *sphingiformis* Clemens,1860; *imitata* Druce,1889
 2815) *Ormetica temperata* (Schaus,1921) (Arctiidae) Synonym(s): *temperata* Schaus,1921
 2816) *Oroncus (Arctoroncus) gurkoi* Dubatolov,2004 (Arctiidae) Synonym(s): *gurkoi* Dubatolov,2004
 2817) *Oroncus (Arctoroncus) ladakensis* (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *ladakensis* O.Bang-Haas,1927
 2818) *Oroncus (Arctoroncus) ladakensis* (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *ladakensis* O.Bang-Haas,1927
 2819) *Oroncus (s.str.) alaica* O.Bang-Haas,1927 (Arctiidae) Synonym(s): *alaica* O.Bang-Haas,1927
 2820) *Oroncus (s.str.) alaica* alaica O.Bang-Haas,1927 (Arctiidae) Synonym(s): *alaica* O.Bang-Haas,1927
 2821) *Oroncus (s.str.) elisabethae* Kotsch,1939 (Arctiidae) Synonym(s): *elisabethae* Kotsch,1939
 2822) *Oroncus (s.str.) elisabethae* elisabethae Kotsch,1939 (Arctiidae) Synonym(s): *elisabethae* Kotsch,1939
 2823) *Oroncus (s.str.) fasciata* O.Bang-Haas,1927 (Arctiidae) Synonym(s): *fasciata* O.Bang-Haas,1927
 2824) *Oroncus (s.str.) fasciata* fasciata O.Bang-Haas,1927 (Arctiidae) Synonym(s): *fasciata* O.Bang-Haas,1927
 2825) *Oroncus (s.str.) tancrei* (Staudinger,1887) (Arctiidae) Synonym(s): *tancrei* Staudinger,1887; *uranina* Püngeler,1904.
 2826) *Oroncus (s.str.) tancrei* tancrei (Staudinger,1887) (Arctiidae) Synonym(s): *tancrei* Staudinger,1887; *uranina* Püngeler,1904.
 2827) *Orontobia coelestina* (Püngeler,1904) (Arctiidae) Synonym(s): *coelestina* Püngeler,1904
 2828) *Orontobia coelestina* coelestina (Püngeler,1904) (Arctiidae) Synonym(s): *coelestina* Püngeler,1904
 2829) *Orontobia mooseri* De Freina,1997 (Arctiidae) Synonym(s): *mooseri* De Freina,1997
 2830) *Orontobia mooseri* mooseri De Freina,1997 (Arctiidae) Synonym(s): *mooseri* De Freina,1997
 2831) *Orontobia secreta* (Draudt,1931) (Arctiidae) Synonym(s): *secreta* Draudt,1931
 2832) *Orontobia secreta* dalailama De Freina,1997 (Arctiidae) Synonym(s): *dalailama* De Freina,1997
 2833) *Orontobia secreta* kansuensis De Freina,1997 (Arctiidae) Synonym(s): *kansuensis* De Freina,1997
 2834) *Orontobia secreta* secreta (Draudt,1931) (Arctiidae) Synonym(s): *secreta* Draudt,1931
 2835) *Orontobia taglangla* De Freina,1997 (Arctiidae) Synonym(s): *taglangla* De Freina,1997
 2836) *Orontobia taglangla* taglangla De Freina,1997 (Arctiidae) Synonym(s): *taglangla* De Freina,1997
 2837) *Ovenna agonchae* (Plötz,1880) (Arctiidae) Synonym(s): *agonchae* Plötz,1880
 2838) *Ovenna guineacola* Strand,1912 (Arctiidae) Synonym(s): *guineacola* Strand,1912
 2839) *Ovenna hailsellassiei* Birket-Smith,1965 (Arctiidae) Synonym(s): *hailsellassiei* Birket-Smith,1965
 2840) *Ovenna simplex* Birket-Smith,1965 (Arctiidae) Synonym(s): *simplex* Birket-Smith,1965
 2841) *Ovenna subgriseola* (Strand,1912) (Arctiidae) Synonym(s): *subgriseola* Strand,1912; *callidescens* Hampson,1914; *heringi* Kiriakoff,1954
 2842) *Ovenna vicaria* (Walker,1854) (Arctiidae) Synonym(s): *vicaria* Walker,1854; *imitans* Mabille,1879; *simulans* Mabille,1879; *desiccata* Kiriakoff,1954
 2843) *Pachydota drucei* Rothschild,1909 (Arctiidae) Synonym(s): *drucei* Rothschild,1909; *josephina* Schaus,1910
 2844) *Pachydota ioidea* (Herrich-Schäffer,1855) (Arctiidae) Synonym(s): *ioidea* Herrich-Schäffer,1855
 2845) *Pachydota punctata* Druce,1909 (Arctiidae) Synonym(s): *punctata* Druce,1909
 2846) *Pachydota saduca* (Druce,1895) (Arctiidae) Synonym(s): *saduca* Druce,1895
 2847) *Padenodes cuprizona* (Hampson,1914) (Arctiidae) Synonym(s): *cuprizona* Hampson,1914
 2848) *Paidia (Conjuncta) conjuncta* (Staudinger,1892) (Arctiidae) Synonym(s): *conjuncta* Staudinger,1892
 2849) *Paidia (Conjuncta) conjuncta* conjuncta (Staudinger,1892) (Arctiidae) Synonym(s): *conjuncta* Staudinger,1892
 2850) *Paidia (Conjuncta) conjuncta* major (Daniel,1963) (Arctiidae) Synonym(s): *major* Daniel,1963
 2851) *Paidia (Conjuncta) conjuncta* ovita De Freina,1999 (Arctiidae) Synonym(s): *ovita* De Freina,1999
 2852) *Paidia (s.str.) albescens* (Staudinger,1892) (Arctiidae) Synonym(s): *albescens* Staudinger,1892
 2853) *Paidia (s.str.) cinerascens* (Herrich-Schäffer,[1847]) (Arctiidae) Synonym(s): *cinerascens* Herrich-Schäffer,[1847]
 2854) *Paidia (s.str.) elegantia* De Freina & Witt,2004 (Arctiidae) Synonym(s): *elegantia* De Freina & Witt,2004
 2855) *Paidia (s.str.) griseola* (Rothschild,1933) (Arctiidae) Synonym(s): *griseola* Rothschild,1933
 2856) *Paidia (s.str.) rica* (Freyer,[1855]) (Arctiidae) Synonym(s): *rica* Freyer,[1855]
 2857) *Palaeosia bicosta* (Walker,1854) (Arctiidae) Synonym(s): *bicosta* Walker,1854; *fraterna* Butler,1877
 2858) *Palaearctia ammosovi* Dubatolov & Gurko,2002 (Arctiidae) Synonym(s): *amosovi* Dubatolov & Gurko,2002
 2859) *Palaearctia ammosovi* ammosovi Dubatolov & Gurko,2002 (Arctiidae) Synonym(s): *amosovi* Dubatolov & Gurko,2002
 2860) *Palaearctia erschoffii* (Alpheraky,1882) (Arctiidae) Synonym(s): *erschoffii* Alpheraky,1882; *korlana* O.Bang-Haas,1927
 2861) *Palaearctia erschoffii* erschoffii (Alpheraky,1882) (Arctiidae) Synonym(s): *erschoffii* Alpheraky,1882; *korlana* O.Bang-Haas,1927
 2862) *Palaearctia erschoffii* issyka (Staudinger,1887) (Arctiidae) Synonym(s): *issyka* Staudinger,1887
 2863) *Palaearctia erschoffii* selmonsi (Böttcher,1905) (Arctiidae) Synonym(s): *selmonsi* Böttcher,1905
 2864) *Palaearctia ferghana* (Staudinger,1887) (Arctiidae) Synonym(s): *ferghana* Staudinger,1887
 2865) *Palaearctia ferghana* ferghana (Staudinger,1887) (Arctiidae) Synonym(s): *ferghana* Staudinger,1887
 2866) *Palaearctia ferghana* mustangbhoti (Daniel,1961) (Arctiidae) Synonym(s): *mustangbhoti* Daniel,1961
 2867) *Palaearctia ferghana* schottlaenderi (Strand,1912) (Arctiidae) Synonym(s): *schottlaenderi* Strand,1912
 2868) *Palaearctia ferghana* süssamya Dubatolov,1996 (Arctiidae) Synonym(s): *süssamya* Dubatolov,1996
 2869) *Palaearctia ferghana* turkestan Dubatolov,1996 (Arctiidae) Synonym(s): *turkestan* Dubatolov,1996
 2870) *Palaearctia ferghana* variabilis (Daniel,1966) (Arctiidae) Synonym(s): *variabilis* Daniel,1966
 2871) *Palaearctia glaphyra* (Eversmann,1843) (Arctiidae) Synonym(s): *glaphyra* Eversmann,1843
 2872) *Palaearctia glaphyra* aksuensis (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *aksuensis* O.Bang-Haas,1927; *naryna* O.Bang-Haas,1927
 2873) *Palaearctia glaphyra* dublitzkyi (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *dublitzkyi* O.Bang-Haas,1927
 2874) *Palaearctia glaphyra* glaphyra (Eversmann,1843) (Arctiidae) Synonym(s): *glaphyra* Eversmann,1843
 2875) *Palaearctia glaphyra* manni (Staudinger,1881) (Arctiidae) Synonym(s): *manni* Staudinger,1881
 2876) *Palaearctia golbecki* Dubatolov,1996 (Arctiidae) Synonym(s): *golbecki* Dubatolov,1996
 2877) *Palaearctia golbecki* golbecki Dubatolov,1996 (Arctiidae) Synonym(s): *golbecki* Dubatolov,1996
 2878) *Palaearctia gracilis* Dubatolov,1996 (Arctiidae) Synonym(s): *gracilis* Dubatolov,1996
 2879) *Palaearctia gracilis* gracilis Dubatolov,1996 (Arctiidae) Synonym(s): *gracilis* Dubatolov,1996
 2880) *Palaearctia gratiosa* (Groum-Grshimailo,1890) (Arctiidae) Synonym(s): *gratiosa* Groum-Grshimailo,1890
 2881) *Palaearctia gratiosa* albotibetana De Freina,1997 (Arctiidae) Synonym(s): *albotibetana* De Freina,1997
 2882) *Palaearctia gratiosa* caroli Dubatolov,1996 (Arctiidae) Synonym(s): *caroli* Dubatolov,1996
 2883) *Palaearctia gratiosa* flavaola Dubatolov,1996 (Arctiidae) Synonym(s): *flavaola* Dubatolov,1996
 2884) *Palaearctia gratiosa* gratiosa (Groum-Grshimailo,1890) (Arctiidae) Synonym(s): *gratiosa* Groum-Grshimailo,1890
 2885) *Palaearctia gratiosa* kashmirica Ferguson,1985 (Arctiidae) Synonym(s): *kashmirica* Ferguson,1985
 2886) *Palaearctia gratiosa* lochmatteri (Reich,1933) (Arctiidae) Synonym(s): *lochmatteri* Reich,1933
 2887) *Palaearctia gratiosa* postflavida (Hampson,1894) (Arctiidae) Synonym(s): *postflavida* Hampson,1894
 2888) *Palaearctia gratiosa* rupicola (Groum-Grshimailo,1890) (Arctiidae) Synonym(s): *rupicola* Groum-Grshimailo,1890
 2889) *Palaearctia gratiosa* sarycola De Freina,1997 (Arctiidae) Synonym(s): *sarycola* De Freina,1997
 2890) *Palaearctia gratiosa* sergei Dubatolov,1996 (Arctiidae) Synonym(s): *sergei* Dubatolov,1996
 2891) *Palaearctia hauensteini* P.Kautt,1996 (Arctiidae) Synonym(s): *hauensteini* P.Kautt,1996
 2892) *Palaearctia hauensteini* hauensteini P.Kautt,1996 (Arctiidae) Synonym(s): *hauensteini* P.Kautt,1996
 2893) *Palaearctia marxi* (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *marxi* O.Bang-Haas,1927
 2894) *Palaearctia marxi* marxi (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *marxi* O.Bang-Haas,1927
 2895) *Palaearctia mira* Dubatolov & Tshistjakov,1989 (Arctiidae) Synonym(s): *mira* Dubatolov & Tshistjakov,1989
 2896) *Palaearctia mira* mira Dubatolov & Tshistjakov,1989 (Arctiidae) Synonym(s): *mira* Dubatolov & Tshistjakov,1989
 2897) *Palaearctia rasa* Saldaitis, Ivinskis & Churkin,2000 (Arctiidae) Synonym(s): *rasa* Saldaitis, Ivinskis & Churkin,2000

- 2898) *Palearctia wagneri* (Püngeler, 1918) (Arctiidae) Synonym(s): *wagneri* Püngeler, 1918
- 2899) *Palearctia wagneri wagneri* (Püngeler, 1918) (Arctiidae) Synonym(s): *wagneri* Püngeler, 1918
- 2900) *Panachranta lirioleuca* Turner, 1922 (Arctiidae) Synonym(s): *lirioleuca* Turner, 1922
- 2901) *Paralacydes arborifera* (Butler, 1875) (Arctiidae) Synonym(s): *arborifera* Butler, 1875; *scapulosa* Wallengren, 1875; *wallengreni* Aurivillius, 1879; *smithii* Holland, 1897; *gracilis* Butler, 1898; *impia* Strand, 1909.
- 2902) *Paralacydes bivittata* (Bartel, 1903) (Arctiidae) Synonym(s): *bivittata* Bartel, 1903; *fuscovenata* Bartel, 1903
- 2903) *Paralacydes bomfordi* (Pinhey, 1968) (Arctiidae) Synonym(s): *bomfordi* Pinhey, 1968
- 2904) *Paralacydes decemmaculata* (Rothschild, 1916) (Arctiidae) Synonym(s): *decemmaculata* Rothschild, 1916
- 2905) *Paralacydes fiorii* (Berio, 1937) (Arctiidae) Synonym(s): *fiorii* Berio, 1937
- 2906) *Paralacydes jeskei* (Grünberg, 1911) (Arctiidae) Synonym(s): *jeskei* Grünberg, 1911
- 2907) *Paralacydes maculifascia* (Walker, 1855) (Arctiidae) Synonym(s): *maculifascia* Walker, 1855; *conspurcatum* Walker, 1856; *parva* Walker, 1865; *malayensis* Hampson, 1901; *areoscopya* Turner, 1906; *roseata* Rothschild, 1910; *parvula* Hulstaert, 1924
- 2908) *Paralacydes maculifascia maculifascia* (Walker, 1855) (Arctiidae) Synonym(s): *maculifascia* Walker, 1855; *conspurcatum* Walker, 1856; *parva* Walker, 1865; *malayensis* Hampson, 1901; *areoscopya* Turner, 1906; *roseata* Rothschild, 1910; *parvula* Hulstaert, 1924
- 2909) *Paralacydes minorata* (Berio, 1935) (Arctiidae) Synonym(s): *minorata* Berio, 1935
- 2910) *Paralacydes ramosa* (Hampson, 1907) (Arctiidae) Synonym(s): *ramosa* Hampson, 1907
- 2911) *Paralacydes vocula* (Stoll, [1790]) (Arctiidae) Synonym(s): *vocula* Stoll, [1790]
- 2912) *Paralpenus atripes* (Hampson, 1909) (Arctiidae) Synonym(s): *atripes* Hampson, 1909
- 2913) *Paralpenus flavicosta* (Hampson, 1909) (Arctiidae) Synonym(s): *flavicosta* Hampson, 1909
- 2914) *Paralpenus flavicosta flavicosta* (Hampson, 1909) (Arctiidae) Synonym(s): *flavicosta* Hampson, 1909
- 2915) *Paralpenus flavicosta punctigera* (Hering, 1928) (Arctiidae) Synonym(s): *punctigera* Hering, 1928
- 2916) *Paralpenus flavizonatus* (Hampson, 1911) (Arctiidae) Synonym(s): *flavizonatus* Hampson, 1911
- 2917) *Paralpenus strigulosa* (Hampson, 1901) (Arctiidae) Synonym(s): *strigulosa* Hampson, 1901; *atropunctata* Fawcett, 1903
- 2918) *Paralpenus ugandae* (Hampson, 1916) (Arctiidae) Synonym(s): *ugandae* Hampson, 1916
- 2919) *Paralpenus wintgensii* (Strand, 1909) (Arctiidae) Synonym(s): *wintgensii* Strand, 1909; *nigrilinea* Joicey & Talbot, 1921; *paucipuncta* Joicey & Talbot, 1921; *eborina* Debauche, 1942
- 2920) *Paramaenas affinis* (Rothschild, 1933) (Arctiidae) Synonym(s): *affinis* Rothschild, 1933
- 2921) *Paramaenas nephelitis* (Hampson, 1907) (Arctiidae) Synonym(s): *nephelitis* Hampson, 1907
- 2922) *Paramaenas nephelitis diaphana* (Rothschild, 1933) (Arctiidae) Synonym(s): *diaphana* Rothschild, 1933; *hecate* Fawcett, 1916
- 2923) *Paramaenas nephelitis nephelitis* (Hampson, 1907) (Arctiidae) Synonym(s): *nephelitis* Hampson, 1907
- 2924) *Paramaenas strigosus* Grünberg, 1911 (Arctiidae) Synonym(s): *strigosus* Grünberg, 1911
- 2925) *Paraona interjecta* Strand, 1912 (Arctiidae) Synonym(s): *interjecta* Strand, 1912
- 2926) *Pararctia lapponica* (Thunberg, 1791) (Arctiidae) Synonym(s): *lapponica* Thunberg, 1791; *festiva* Borkhausen, 1790 *nec* Hufn., 1766; *avia* Hübner, [1804]; *rosea* Sheljuzhko, 1929.
- 2927) *Pararctia lapponica lapponica* (Thunberg, 1791) (Arctiidae) Synonym(s): *lapponica* Thunberg, 1791; *festiva* Borkhausen, 1790 *nec* Hufn., 1766; *avia* Hübner, [1804]; *rosea* Sheljuzhko, 1929.
- 2928) *Pararctia lapponica lemniscata* (Stichel, 1911) (Arctiidae) Synonym(s): *lemniscata* (Stichel, 1911)
- 2929) *Pararctia subnebulosa* (Dyar, 1899) (Arctiidae) Synonym(s): *subnebulosa* Dyar, 1899
- 2930) *Pararctia subnebulosa tundrana* Tshistjakov, 1990 (Arctiidae) Synonym(s): *tundrana* Tshistjakov, 1990
- 2931) *Parascaptia biplagata* Bethune-Baker, 1908 (Arctiidae) Synonym(s): *biplagata* Bethune-Baker, 1908
- 2932) *Parascaptia dochoschema* (Turner, 1940) (Arctiidae) Synonym(s): *dochoschema* Turner, 1940
- 2933) *Parasemia plantaginis* (Linnaeus, 1758) (Arctiidae) Synonym(s): *plantaginis* Linnaeus, 1758; *hospita* [Denis & Schiffermüller], 1775.
- 2934) *Parasemia plantaginis araitensis* Matsumura, 1929 (Arctiidae) Synonym(s): *araitensis* Matsumura, 1929; *paramushira* Bryk, 1942; *#kamtschadalus* Bryk, 1942.
- 2935) *Parasemia plantaginis carbonelli* De Freina, 1993 (Arctiidae) Synonym(s): *carbonelli* De Freina, 1993
- 2936) *Parasemia plantaginis carpathica* Daniel, 1939 (Arctiidae) Synonym(s): *carpathica* Daniel, 1939
- 2937) *Parasemia plantaginis caspica* Daniel, 1939 (Arctiidae) Synonym(s): *caspica* Daniel, 1939
- 2938) *Parasemia plantaginis caucasica* (Ménétrières, 1832) (Arctiidae) Synonym(s): *caucasica* Ménétrières, 1832; *passanauriensis* Alberti, 1973.
- 2939) *Parasemia plantaginis floccosa* (Graeser, 1888) (Arctiidae) Synonym(s): *floccosa* Graeser, 1888
- 2940) *Parasemia plantaginis hesselbarthi* De Freina, 1981 (Arctiidae) Synonym(s): *hesselbarthi* De Freina, 1981
- 2941) *Parasemia plantaginis insularum* Seitz, 1910 (Arctiidae) Synonym(s): *insularum* Seitz, 1910
- 2942) *Parasemia plantaginis interrupta* Schawerda, 1906 (Arctiidae) Synonym(s): *interrupta* Schawerda, 1906
- 2943) *Parasemia plantaginis jezoensis* Inoue, 1976 (Arctiidae) Synonym(s): *jezoensis* Inoue, 1976.
- 2944) *Parasemia plantaginis kunashirica* Bryk, 1942 (Arctiidae) Synonym(s): *kunashirica* Bryk, 1942
- 2945) *Parasemia plantaginis macromera* (Butler, 1881) (Arctiidae) Synonym(s): *macromera* Butler, 1881; *leucomera* Butler, 1881.
- 2946) *Parasemia plantaginis melanissima* Inoue, 1976 (Arctiidae) Synonym(s): *melanissima* Inoue, 1976
- 2947) *Parasemia plantaginis melanomera* Butler, 1881 (Arctiidae) Synonym(s): *melanomera* Butler, 1881; *japonica* Inoue & Kobayashi, 1956
- 2948) *Parasemia plantaginis nictitans* (Ménétrières, 1859) (Arctiidae) Synonym(s): *nictitans* Ménétrières, 1859; *melas* Christoph, 1893
- 2949) *Parasemia plantaginis plantaginis* (Linnaeus, 1758) (Arctiidae) Synonym(s): *plantaginis* Linnaeus, 1758; *hospita* [Denis & Schiffermüller], 1775.
- 2950) *Parasemia plantaginis sachalinensis* Matsumura, 1927 (Arctiidae) Synonym(s): *sachalinensis* Matsumura, 1927
- 2951) *Parasemia plantaginis sifanica* (Groum-Grshimailo, 1891) (Arctiidae) Synonym(s): *sifanica* Groum-Grshimailo, 1891; *altaica* Seitz, 1910.
- 2952) *Parasemia plantaginis stoetzneri* O.Bang-Haas, 1927 (Arctiidae) Synonym(s): *stoetzneri* O.Bang-Haas, 1927
- 2953) *Parasemia plantaginis uralensis* Krulikowsky, 1904 (Arctiidae) Synonym(s): *uralensis* Krulikowsky, 1904
- 2954) *Parasiccia altaica* (Lederer, 1855) (Arctiidae) Synonym(s): *altaica* Lederer, 1855
- 2955) *Parathyris cedonulli* (Stoll, 1781) (Arctiidae) Synonym(s): *cedonulli* Stoll, 1781
- 2956) *Parelictis saleuta* Meyrick, 1886 (Arctiidae) Synonym(s): *saleuta* Meyrick, 1886
- 2957) *Pareuchaetes aurata* (Butler, 1875) (Arctiidae) Synonym(s): *aurata* Butler, 1875
- 2958) *Pareuchaetes insulata* (Walker, 1855) (Arctiidae) Synonym(s): *insulata* Walker, 1855; *cadaverosa* Grote, 1866; *affinis* Grote, 1866; *aurata* Butler, 1875
- 2959) *Pareuchaetes misantlensis* Rego-Barros, 1956 (Arctiidae) Synonym(s): *misantlensis* Rego-Barros, 1956
- 2960) *Pareuchaetes pseudoinsulata* Rego-Barros, 1956 (Arctiidae) Synonym(s): *pseudoinsulata* Rego-Barros, 1956
- 2961) *Parevia parnelli* Schaus, 1911 (Arctiidae) Synonym(s): *parnelli* Schaus, 1911
- 2962) *Pasteosia irrorata* Hampson, 1900 (Arctiidae) Synonym(s): *irrorata* Hampson, 1900
- 2963) *Pasteosia plumbea* Hampson, 1900 (Arctiidae) Synonym(s): *plumbea* Hampson, 1900
- 2964) *Paurophleps minuta* Hampson, 1900 (Arctiidae) Synonym(s): *minuta* Hampson, 1900
- 2965) *Paurophleps reducta* (Janse, 1964) (Arctiidae) Synonym(s): *reducta* Janse, 1964
- 2966) *Pelochyta arontes* (Stoll, 1782) (Arctiidae) Synonym(s): *arontes* Stoll, 1782; *neuroptera* Sepp, 1848; *degenera* Walker, 1855
- 2967) *Pelochyta cervina* (Edwards, 1884) (Arctiidae) Synonym(s): *cervina* Edwards, 1884
- 2968) *Pelochyta draudti* (Seitz, 1925) (Arctiidae) Synonym(s): *draudti* Seitz, 1925
- 2969) *Pelochyta ruficollis* (Druce, 1884) (Arctiidae) Synonym(s): *ruficollis* Druce, 1884
- 2970) *Pelosia muscerda* (Hufnagel, 1766) (Arctiidae) Synonym(s): *muscerda* Hufnagel, 1766
- 2971) *Pelosia obtusa* Herrich-Schäffer, [1847] (Arctiidae) Synonym(s): *obtusa* Herrich-Schäffer, [1847]; *taurica* Daniel, 1939.
- 2972) *Pelosia plumosa* (Mabille, [1900]) (Arctiidae) Synonym(s): *plumosa* Mabille, [1900]; *hispanica* Witt, 1979.
- 2973) *Pericaliella melanodisca* (Hampson, 1907) (Arctiidae) Synonym(s): *melanodisca* Hampson, 1907
- 2974) *Pericallia matronula* (Linnaeus, 1758) (Arctiidae) Synonym(s): *matronula* Linnaeus, 1758; *idriensis* Scopoli, 1772; *matrona* Hübner, [1803]; *centralasiae* Schultz, 1905; *agassizii* Spuler, 1906; *amurensis* Sheljuzhko, 1926; *sachalinensis* Draudt, 1931.
- 2975) *Pericallia matronula matronula* (Linnaeus, 1758) (Arctiidae) Synonym(s): *matronula* Linnaeus, 1758; *idriensis* Scopoli, 1772; *matrona* Hübner, [1803]; *centralasiae* Schultz, 1905; *agassizii* Spuler, 1906; *amurensis* Sheljuzhko, 1926; *sachalinensis* Draudt, 1931.
- 2976) *Pericallia picta* (Walker, 1864) (Arctiidae) Synonym(s): *picta* Walker, 1864
- 2977) *Pericallia tripartita* (Walker, 1855) (Arctiidae) Synonym(s): *tripartita* Walker, 1855
- 2978) *Phaemolis lineatus* (Druce, 1884) (Arctiidae) Synonym(s): *lineatus* Druce, 1884
- 2979) *Phaeophlebosia furcifera* (Walker, 1854) (Arctiidae) Synonym(s): *furcifera* Walker, 1854; *trifurcata* Walker, [1865]
- 2980) *Phaeosia lutea* (Druce, 1885) (Arctiidae) Synonym(s): *lutea* Druce, 1885

- 2981) *Phaeosia lutea intermedia* (Druce,1885) (Arctiidae) Synonym(s): *intermedia* Druce,1885
 2982) *Phaloesia saucia* Walker,1854 (Arctiidae) Synonym(s): *saucia* Walker,1854
 2983) *Phenacomorpha bisecta* (Lucas,1890) (Arctiidae) Synonym(s): *bisecta* Lucas,1890; *rhaphodophora* Turner,1899
 2984) *Philagria entella delia* (Fabricius,1787) (Arctiidae) Synonym(s): *delia* Fabricius,1787
 2985) *Philenora aspectalella* (Walker,1864) (Arctiidae) Synonym(s): *aspectalella* Walker,1864; *oecophorella* Walker,1866
 2986) *Philenora brunneata* Daniel,1965 (Arctiidae) Synonym(s): *brunneata* Daniel,1965
 2987) *Philenora cataplex* Turner,1940 (Arctiidae) Synonym(s): *cataplex* Turner,1940
 2988) *Philenora chionastis* (Meyrick,1886) (Arctiidae) Synonym(s): *chionastis* Meyrick,1886; *obliquata* Lucas,1890
 2989) *Philenora elegans* (Butler,1877) (Arctiidae) Synonym(s): *elegans* Butler,1877
 2990) *Philenora irregularis* (Lucas,1890) (Arctiidae) Synonym(s): *irregularis* Lucas,1890
 2991) *Philenora lunata* Lucas,1890 (Arctiidae) Synonym(s): *lunata* Lucas,1890
 2992) *Philenora malthaca* Turner,1944 (Arctiidae) Synonym(s): *malthaca* Turner,1944
 2993) *Philenora nudaridia* Hampson,1900 (Arctiidae) Synonym(s): *nudaridia* Hampson,1900
 2994) *Philenora omophanes* (Meyrick,1886) (Arctiidae) Synonym(s): *omophanes* Meyrick,1886
 2995) *Philenora placochrysa* (Turner,1899) (Arctiidae) Synonym(s): *placochrysa* Turner,1899
 2996) *Philenora pteridopola* Turner,1922 (Arctiidae) Synonym(s): *pteridopola* Turner,1922
 2997) *Philenora undulosa* (Walker,1858) (Arctiidae) Synonym(s): *undulosa* Walker,1858; *lyelliana* Lower,1893
 2998) *Phlyctaenogaster rangei* Gaede,1915 (Arctiidae) Synonym(s): *rangei* Gaede,1915
 2999) *Phragmatobia amurensis* Seitz,1910 (Arctiidae) Synonym(s): *amurensis* Seitz,1910
 3000) *Phragmatobia amurensis amurensis* Seitz,1910 (Arctiidae) Synonym(s): *amurensis* Seitz,1910
 3001) *Phragmatobia fuliginosa japonica* Rothschild,1910 (Arctiidae) Synonym(s): *japonica* Rothschild,1910
 3002) *Phragmatobia coelestina* Püngeler,1904 (Arctiidae) Synonym(s): *coelestina* Püngeler,1904
 3003) *Phragmatobia fervida* (Walker,1855) (Arctiidae) Synonym(s): *fervida* Walker,1855; *commixta* Butler,1877; *rodriguezi* Druce,1890
 3004) *Phragmatobia fuliginosa* (Linnaeus,1758) (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 nec Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 nec Reiss.,1934
 3005) *Phragmatobia fuliginosa borealis* (Staudinger,1871) (Arctiidae) Synonym(s): *borealis* Staudinger,1871
 3006) *Phragmatobia fuliginosa fuliginosa* (Linnaeus,1758) (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 nec Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 nec Reiss.,1934
 3007) *Phragmatobia fuliginosa kroumira* Oberthür,1917 (Arctiidae) Synonym(s): *kroumira* Oberthür,1917; *harterti* Rothschild,1929.
 3008) *Phragmatobia fuliginosa melitensis* O.Bang-Haas,1927 (Arctiidae) Synonym(s): *melitensis* O.Bang-Haas,1927
 3009) *Phragmatobia fuliginosa meridionalis* Tutt,1904 (Arctiidae) Synonym(s): *meridionalis* Tutt,1904
 3010) *Phragmatobia fuliginosa paghmani* Lenek,1966 (Arctiidae) Synonym(s): *paghmani* Lenek,1966; *nawari* Ebert,1973
 3011) *Phragmatobia fuliginosa pulverulenta* (Alpheraky,1889) (Arctiidae) Synonym(s): *pulverulenta* Alpheraky,1889; *pallida* Rothschild,1910; *thibetica* Strand,1919.
 3012) *Phragmatobia fuliginosa rubricosa* Harris,1841 (Arctiidae) Synonym(s): *rubricosa* Harris,1841
 3013) *Phragmatobia fuliginosa taurica* Daniel,1970 (Arctiidae) Synonym(s): *taurica* Daniel,1970.
 3014) *Phragmatobia hodeva* (Druce,1919) (Arctiidae) Synonym(s): *hodeva* Druce,1919; *postalalis* Strand,1919
 3015) *Phragmatobia nundar* Dyar,1907 (Arctiidae) Synonym(s): *nundar* Dyar,1907
 3016) *Phragmatobia oberthueri* Rothschild,1910 (Arctiidae) Synonym(s): *oberthueri* Rothschild,1910
 3017) *Phragmatobia oberthueri oberthueri* Rothschild,1910 (Arctiidae) Synonym(s): *oberthueri* Rothschild,1910
 3018) *Phragmatobia parvula* (R.Felder & Rogenhofer,1874) (Arctiidae) Synonym(s): *parvula* R.Felder & Rogenhofer,1874
 3019) *Phragmatobia placida* (Frivaldsky,1835) (Arctiidae) Synonym(s): *placida* Frivaldsky,1835
 3020) *Phragmatobia placida mirzayansi* Dubatolov & Zahiri,[2006] (Arctiidae) Synonym(s): *mirzayansi* Dubatolov & Zahiri,[2006]
 3021) *Phragmatobia placida placida* (Frivaldsky,1835) (Arctiidae) Synonym(s): *placida* Frivaldsky,1835
 3022) *Phragmatobia placida unipuncta* Amsel,1935 (Arctiidae) Synonym(s): *unipuncta* Amsel,1935
 3023) *Phryganopsis asperatella* (Walker,1864) (Arctiidae) Synonym(s): *asperatella* Walker,1864; *sordida* R.Felder & Rogenhofer,1874
 3024) *Phryganopsis atrescens* Hampson,1903 (Arctiidae) Synonym(s): *atrescens* Hampson,1903
 3025) *Phryganopsis cinerella* (Wallengren,1860) (Arctiidae) Synonym(s): *cinerella* Wallengren,1860; *zelleri* Wallengren,1863
 3026) *Phryganopsis interstiteola* Hampson,1914 (Arctiidae) Synonym(s): *interstiteola* Hampson,1914
 3027) *Phryganopsis plumosa* Mabille,1899 (Arctiidae) Synonym(s): *plumosa* Mabille,1899
 3028) *Phryganopsis sordida* R.Felder & Rogenhofer,1874 (Arctiidae) Synonym(s): *sordida* R.Felder & Rogenhofer,1874
 3029) *Phryganopsis subasperatella* Strand,1912 (Arctiidae) Synonym(s): *subasperatella* Strand,1912
 3030) *Platarctia atropurpurea* (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *atropurpurea* O.Bang-Haas,1927
 3031) *Platarctia atropurpurea atropurpurea* (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *atropurpurea* O.Bang-Haas,1927
 3032) *Platarctia atropurpurea sotavaltai* Dubatolov,1996 (Arctiidae) Synonym(s): *sotavaltai* Dubatolov,1996
 3033) *Poecilartia venata* Aurivillius,1921 (Arctiidae) Synonym(s): *venata* Aurivillius,1921; *rubricosta* Talbot,1929
 3034) *Poliodule melanotricha* Turner,1941 (Arctiidae) Synonym(s): *melanotricha* Turner,1941
 3035) *Poliodule poliotricha* Turner,1940 (Arctiidae) Synonym(s): *poliotricha* Turner,1940
 3036) *Poliodule xanthodelta* (Lower,1897) (Arctiidae) Synonym(s): *xanthodelta* Lower,1897
 3037) *Poliolia fragilis* (Lucas,1890) (Arctiidae) Synonym(s): *fragilis* Lucas,1890
 3038) *Popoudina* (Pseudopopoudina) *broisi* (Toulgoet,1986) (Arctiidae) Synonym(s): *broisi* Toulgoet,1986
 3039) *Popoudina aliena* (Kiriakoff,1954) (Arctiidae) Synonym(s): *aliena* Kiriakoff,1954
 3040) *Popoudina dorsalis* (Walker,1855) (Arctiidae) Synonym(s): *dorsalis* Walker,1855
 3041) *Popoudina griseipennis* (Bartel,1903) (Arctiidae) Synonym(s): *griseipennis* Bartel,1903
 3042) *Popoudina lemniscata* (Distant,1898) (Arctiidae) Synonym(s): *lemniscata* Distant,1898
 3043) *Popoudina linea* (Walker,1855) (Arctiidae) Synonym(s): *linea* Walker,1855; *truncatum* Walker,1856; *strigatum* Wallengren,1860
 3044) *Popoudina pamphilia* (Kiriakoff,1958) (Arctiidae) Synonym(s): *pamphilia* Kiriakoff,1958
 3045) *Preparctia allardi* (Oberthür,1911) (Arctiidae) Synonym(s): *allardi* Oberthür,1911
 3046) *Preparctia allardi allardi* (Oberthür,1911) (Arctiidae) Synonym(s): *allardi* Oberthür,1911
 3047) *Preparctia biddenbrocki* Kotsch,1929 (Arctiidae) Synonym(s): *biddenbrocki* Kotsch,1929; *biedermanni* O.Bang-Haas,1933
 3048) *Preparctia biddenbrocki biddenbrocki* Kotsch,1929 (Arctiidae) Synonym(s): *biddenbrocki* Kotsch,1929; *biedermanni* O.Bang-Haas,1933
 3049) *Preparctia cupido* Kishida,1995 (Arctiidae) Synonym(s): *cupido* Kishida,1995
 3050) *Preparctia cupido cupido* Kishida,1995 (Arctiidae) Synonym(s): *cupido* Kishida,1995
 3051) *Preparctia hanningtoni* Hampson,1910 (Arctiidae) Synonym(s): *hanningtoni* Hampson,1910
 3052) *Preparctia hanningtoni hanningtoni* Hampson,1910 (Arctiidae) Synonym(s): *hanningtoni* Hampson,1910
 3053) *Preparctia mirifica* (Oberthür,1892) (Arctiidae) Synonym(s): *mirifica* Oberthür,1892
 3054) *Preparctia mirifica mirifica* (Oberthür,1892) (Arctiidae) Synonym(s): *mirifica* Oberthür,1892
 3055) *Preparctia romanovi* (Groum-Grshimailo,1891) (Arctiidae) Synonym(s): *romanovi* Groum-Grshimailo,1891
 3056) *Preparctia romanovi romanovi* (Groum-Grshimailo,1891) (Arctiidae) Synonym(s): *romanovi* Groum-Grshimailo,1891
 3057) *Progonia rioma* Schaus,1924 (Arctiidae) Synonym(s): *rioma* Schaus,1924
 3058) *Pseudogaltara inexpectata* Toulgoet,1978 (Arctiidae) Synonym(s): *inexpectata* Toulgoet,1978
 3059) *Pseudophaloe cerealia* (Druce,1884) (Arctiidae) Synonym(s): *cerealia* Druce,1884
 3060) *Pseudophaloe schausii* (Edwards,1884) (Arctiidae) Synonym(s): *schausii* Edwards,1884
 3061) *Pseudophaloe stenoxantha* Hering,1925 (Arctiidae) Synonym(s): *stenoxantha* Hering,1925
 3062) *Pseudophaloe verania* (Druce,1884) (Arctiidae) Synonym(s): *verania* Druce,1884
 3063) *Pseudophaloe veranioides* Hering,1925 (Arctiidae) Synonym(s): *veranioides* Hering,1925
 3064) *Pseudophanes melanoptera* Turner,1940 (Arctiidae) Synonym(s): *melanoptera* Turner,1940
 3065) *Psilopepla mollis* (Lucas,1894) (Arctiidae) Synonym(s): *mollis* Lucas,1894
 3066) *Psychopasma erosa* (Herrich-Schäffer,[1858]) (Arctiidae) Synonym(s): *erosa* Herrich-Schäffer,[1858]; *albidator* Walker,1864; *vitripennis* Walker,1869
 3067) *Pteroodes longipennis* (Walker,1854) (Arctiidae) Synonym(s): *longipennis* Walker,1854
 3068) *Ptychoglene aequalis* (Walker,1854) (Arctiidae) Synonym(s): *aequalis* Walker,1854
 3069) *Ptychoglene erythrophora* R.Felder,1874 (Arctiidae) Synonym(s): *erythrophora* R.Felder,1874

- 3070) *Ptychoglene haematodes* Dyar,1912 (Arctiidae) Synonym(s): *haematodes* Dyar,1912
 3071) *Ptychoglene pertunda* Druce,1889 (Arctiidae) Synonym(s): *pertunda* Druce,1889
 3072) *Ptychoglene phrada* Druce,1889 (Arctiidae) Synonym(s): *phrada* Druce,1889; *flammans* Dyar,1898
 3073) *Ptychoglene sanguineola* (Boisduval,1870) (Arctiidae) Synonym(s): *sanguineola* Boisduval,1870
 3074) *Ptychoglene stenodora* Dyar,1913 (Arctiidae) Synonym(s): *stenodora* Dyar,1913
 3075) *Ptychoglene tenuimargo* Holland,1904 (Arctiidae) Synonym(s): *tenuimargo* Holland,1904
 3076) *Ptychoglene xylophila* Druce,1885 (Arctiidae) Synonym(s): *xylophila* Druce,1885
 3077) *Purpur superpulvrea* (Dyar,1925) (Arctiidae) Synonym(s): *superpulvrea* Dyar,1925
 3078) *Pusiola flavicosta* (Wallengren,1860) (Arctiidae) Synonym(s): *flavicosta* Wallengren,1860
 3079) *Pusiola verulama* (Strand,1912) (Arctiidae) Synonym(s): *verulama* Strand,1912
 3080) *Pygarcia angelus* (Dyar,1907) (Arctiidae) Synonym(s): *angelus* Dyar,1907
 3081) *Pygarcia haematodes* Dyar,1921 (Arctiidae) Synonym(s): *haematodes* Dyar,1921
 3082) *Pygarcia matudai* (Beutelspacher,1978) (Arctiidae) Synonym(s): *matudai* Beutelspacher,1978
 3083) *Pygarcia murina* (Stretch,1885) (Arctiidae) Synonym(s): *murina* Stretch,1885
 3084) *Pygarcia pterygostigma* Dyar,1909 (Arctiidae) Synonym(s): *pterygostigma* Dyar,1909
 3085) *Pygoctenucha azteca* (Schaus,1892) (Arctiidae) Synonym(s): *azteca* Schaus,1892
 3086) *Pygoctenucha enna* (Druce,1885) (Arctiidae) Synonym(s): *enna* Druce,1885
 3087) *Pygoctenucha funerea* Grote,1883 (Arctiidae) Synonym(s): *funerea* Grote,1883
 3088) *Pygoctenucha terminalis* (Walker,1854) (Arctiidae) Synonym(s): *terminalis* Walker,1854; *votiva* Edwards,1884; *harrisii* Boisduval,1869
 3089) *Pyrrharctia isabella* (Smith,1797) (Arctiidae) Synonym(s): *isabella* Smith,1797; *californica* Packard,1864
 3090) *Radiarctia jacksoni* (Rothschild,1910) (Arctiidae) Synonym(s): *jacksoni* Rothschild,1910
 3091) *Radiarctia lutescens* (Walker,1855) (Arctiidae) Synonym(s): *lutescens* Walker,1855
 3092) *Radiarctia lutescens lutescens* (Walker,1855) (Arctiidae) Synonym(s): *lutescens* Walker,1855
 3093) *Radiarctia lutescens screabilis* (Wallengren,1875) (Arctiidae) Synonym(s): *screabilis* Wallengren,1875
 3094) *Radiarctia melanochoia* (M.Hering,1932) (Arctiidae) Synonym(s): *melanochoia* M.Hering,1932
 3095) *Radiarctia rhodesiana* (Hampson,1900) (Arctiidae) Synonym(s): *rhodesiana* Hampson,1900
 3096) *Rajendra perrottetii* (Guérin-Ménéville,1844) (Arctiidae) Synonym(s): *perrottetii* Guérin-Ménéville,[1844]; *biguttata* Walker,1855; *lativitta* Moore,1879; *cingulata* Rothschild,1910
 3097) *Rajendra vittata* Moore,1879 (Arctiidae) Synonym(s): *vittata* Moore,1879; *#flava* Rothschild,1914; *#confluens* Rothschild,1914.
 3098) *Rhabdatomis cora* Dyar,1907 (Arctiidae) Synonym(s): *cora* Dyar,1907; *coroides* Schaus,1911
 3099) *Rhabdatomis knabi* Field,1964 (Arctiidae) Synonym(s): *knabi* Field,1964
 3100) *Rhabdatomis laudamia* (Druce,1885) (Arctiidae) Synonym(s): *laudamia* Druce,1885; *pusa* Dognin,1900; *peruviana* Schaus,1900
 3101) *Rhabdatomis publae* (Draudt,1913) (Arctiidae) Synonym(s): *publae* Draudt,1913
 3102) *Rhabdatomis zaba* Dyar,1907 (Arctiidae) Synonym(s): *zaba* Dyar,1907
 3103) *Rhipha chionoplaga* (Dognin,1913) (Arctiidae) Synonym(s): *chionoplaga* Dognin,1913
 3104) *Rhodogastria albivirena* Hampson,1901 (Arctiidae) Synonym(s): *albivirena* Hampson,1901
 3105) *Rhodogastria amasis* (Cramer,[1779]) (Arctiidae) Synonym(s): *amasis* Cramer,[1779]; *serici* Thunberg,1781; *erythronota* Boisduval,1847; *delineata* Walker,1855; *callipyga* Wallengren,1860; *thunbergii* Guérin-Ménéville,1862
 3106) *Rhodogastria amasis amasis* (Cramer,[1779]) (Arctiidae) Synonym(s): *amasis* Cramer,[1779]; *serici* Thunberg,1781; *erythronota* Boisduval,1847; *delineata* Walker,1855; *callipyga* Wallengren,1860; *thunbergii* Guérin-Ménéville,1862
 3107) *Rhodogastria omissa* Rothschild,1910 (Arctiidae) Synonym(s): *omissa* Rothschild,1910
 3108) *Rhodogastria similis* (Möschler,1884) (Arctiidae) Synonym(s): *similis* Möschler,1884
 3109) *Rhodogastria similis similis* (Möschler,1884) (Arctiidae) Synonym(s): *similis* Möschler,1884
 3110) *Rhyparia purpurata* (Linnaeus,1758) (Arctiidae) Synonym(s): *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909.
 3111) *Rhyparia purpurata caucasica* (Alpheraky,1867) (Arctiidae) Synonym(s): *caucasica* Alpheraky,1867
 3112) *Rhyparia purpurata gerda* Warnecke,1918 (Arctiidae) Synonym(s): *gerda* Warnecke,1918
 3113) *Rhyparia purpurata purpurata* (Linnaeus,1758) (Arctiidae) Synonym(s): *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909.
 3114) *Rhyparioides amurensis* (Bremer,1861) (Arctiidae) Synonym(s): *amurensis* Bremer,1861; *meridei* Daniel,1943
 3115) *Rhyparioides amurensis nipponensis* Kishida & Inomata,1981 (Arctiidae) Synonym(s): *nipponensis* Kishida & Inomata,1981
 3116) *Rhyparioides flavida* (Bremer,1861) (Arctiidae) Synonym(s): *flavida* Bremer,1861; *occidentalis* Daniel,1939
 3117) *Rhyparioides metelkana* (Lederer,1861) (Arctiidae) Synonym(s): *metelkana* Lederer,1861; *simanensis* Miyake,1909; *okinawana* Matsumura,1927; *kiangsu* Daniel,1943
 3118) *Rhyparioides nebulosa* Butler,1877 (Arctiidae) Synonym(s): *nebulosa* Butler,1877; *simplicior* Butler,1881.
 3119) *Rhyparioides nebulosa nebulosa* Butler,1877 (Arctiidae) Synonym(s): *nebulosa* Butler,1877; *simplicior* Butler,1881.
 3120) *Rhyparioides subvaria* (Walker,1855) (Arctiidae) Synonym(s): *subvaria* Walker,1855; *flavidior* Oberthür,1911
 3121) *Robinsonia cajali* (Hoffmann,1934) (Arctiidae) Synonym(s): *cajali* Hoffmann,1934
 3122) *Robinsonia deiopaea* Druce,1895 (Arctiidae) Synonym(s): *deiopaea* Druce,1895
 3123) *Robinsonia dewitzi* Gundlach,1881 (Arctiidae) Synonym(s): *dewitzi* Gundlach,1881; *grotei* Schaus,1895
 3124) *Robinsonia punctata* Rothschild,1909 (Arctiidae) Synonym(s): *punctata* Rothschild,1909
 3125) *Robinsonia sabata* Druce,1895 (Arctiidae) Synonym(s): *sabata* Druce,1895
 3126) *Saenura flava* Wallengren,1858 (Arctiidae) Synonym(s): *flava* Wallengren,1858; *oriens* Rothschild,1917
 3127) *Sagaropsis horae* (Druce,1885) (Arctiidae) Synonym(s): *horae* Druce,1885
 3128) *Scaphidriotis camptopleura* (Turner,1941) (Arctiidae) Synonym(s): *camptopleura* Turner,1941
 3129) *Scaphidriotis xylogramma* Turner,1899 (Arctiidae) Synonym(s): *xylogramma* Turner,1899
 3130) *Scaptosyle dichotoma* (Meyrick,1886) (Arctiidae) Synonym(s): *dichotoma* Meyrick,1886
 3131) *Scaptosyle dictyota* (Meyrick,1886) (Arctiidae) Synonym(s): *dictyota* Meyrick,1886
 3132) *Scaptosyle equidistans* (Lucas,1890) (Arctiidae) Synonym(s): *equidistans* Lucas,1890
 3133) *Scaptosyle middletoni* (Turner,1941) (Arctiidae) Synonym(s): *middletoni* Turner,1941
 3134) *Scaptosyle monogrammaria* (Walker,[1863]) (Arctiidae) Synonym(s): *monogrammaria* Walker,[1863]
 3135) *Scaptosyle tetramita* Turner,1940 (Arctiidae) Synonym(s): *tetramita* Turner,1940
 3136) *Schistophleps albida* (Walker,[1865]) (Arctiidae) Synonym(s): *albida* Walker,[1865]
 3137) *Schistophleps obducta* (Lucas,1894) (Arctiidae) Synonym(s): *obducta* Lucas,1894; *thelxinoe* Turner,1940
 3138) *Schistophleps subtilis* Holloway,1979 (Arctiidae) Synonym(s): *subtilis* Holloway,1979
 3139) *Secusio ansorgei* Rothschild,1933 (Arctiidae) Synonym(s): *ansorgei* Rothschild,1933
 3140) *Secusio atrizonata* Hampson,1910 (Arctiidae) Synonym(s): *atrizonata* Hampson,1910
 3141) *Secusio deilemera* Talbot,1929 (Arctiidae) Synonym(s): *deilemera* Talbot,1929
 3142) *Secusio discoidalis* Talbot,1929 (Arctiidae) Synonym(s): *discoidalis* Talbot,1929
 3143) *Secusio drucei* Rothschild,1933 (Arctiidae) Synonym(s): *drucei* Rothschild,1933
 3144) *Secusio drucei drucei* Rothschild,1933 (Arctiidae) Synonym(s): *drucei* Rothschild,1933
 3145) *Secusio drucei intensa* Rothschild,1933 (Arctiidae) Synonym(s): *intensa* Rothschild,1933
 3146) *Secusio gaetana* Oberthür,1923 (Arctiidae) Synonym(s): *gaetana* Oberthür,1923
 3147) *Secusio javanica* Roepke,1940 (Arctiidae) Synonym(s): *javanica* Roepke,1940
 3148) *Secusio mania* Druce,1887 (Arctiidae) Synonym(s): *mania* Druce,1887
 3149) *Secusio monteironis* Rothschild,1933 (Arctiidae) Synonym(s): *monteironis* Rothschild,1933
 3150) *Secusio parvipuncta* Hampson,1891 (Arctiidae) Synonym(s): *parvipuncta* Hampson,1891
 3151) *Secusio sansibarensis* Strand,1909 (Arctiidae) Synonym(s): *sansibarensis* Strand,1909
 3152) *Secusio strigata* Walker,1854 (Arctiidae) Synonym(s): *strigata* Walker,1854; *hymenaea* Gerstaecker,1871
 3153) *Secusio strigata parvipuncta* Hampson,1901 (Arctiidae) Synonym(s): *parvipuncta* Hampson,1901
 3154) *Secusio strigata strigata* Walker,1854 (Arctiidae) Synonym(s): *strigata* Walker,1854; *hymenaea* Gerstaecker,1871

- 3155) *Selenarctia elissa* (Schaus,1892) (Arctiidae) Synonym(s): *elissa* Schaus,1892
- 3156) *Setema cereola* (Hübner,[1803]) (Arctiidae) Synonym(s): *cereola* Hübner,[1803]; *cinereola* Zeller,1847
- 3157) *Setina alpestris* Zeller,1865 (Arctiidae) Synonym(s): *alpestris* Zeller,1865
- 3158) *Setina atroradiata* Walker,1865 (Arctiidae) Synonym(s): *atorradiata* Walker,1865
- 3159) *Setina aurata* (Ménétriés,1832) (Arctiidae) Synonym(s): *aurata* Ménétriés,1832; *#pontica* Draudt,1933; *pontica* Schwingenschuss,1939
- 3160) *Setina cantabrica* (De Freina & Witt,1985) (Arctiidae) Synonym(s): *etina cantabrica* De Freina & Witt,1985
- 3161) *Setina flavicans* (Geyer,[1836]) (Arctiidae) Synonym(s): *flavicans* Geyer,[1836]
- 3162) *Setina irrorella* (Linnaeus,1758) (Arctiidae) Synonym(s): *irrorella* Linnaeus,1758; *ochracea* Scopoli,1772; *irrorea* [Denis & Schiffermüller],1775; *flavanigropunctata* Retzius,1783; *palealis* Villers,1789; *irrorata* Fabricius,1798; *binumerica* Drapiez,1819; *pseudoirrorella* Witt & De Freina,1985
- 3163) *Setina ramosa* (Fabricius,1793) (Arctiidae) Synonym(s): *aurita* Esper,[1787] *nec* Fabr.,1787; *ramosa* Fabricius,1793; *imbuta* Hübner,[1803]; *tecticola* Thomann,1951; *pfigeri* Burmann & Tarmann,1985
- 3164) *Setina roscida* ([Denis & Schiffermüller],1775) (Arctiidae) Synonym(s): *roscida* [Denis & Schiffermüller],1775; *roscidella* Fabricius,1794; *melanomos* Nickerl,1845; *bosniaca* Rebel,1910; *baltica* Wahlgren,1913; *subalpina* Thomann,1951; *rubeni* Viidalepp,1979
- 3165) *Seydelia ellioti* (Butler,1896) (Arctiidae) Synonym(s): *ellioti* Butler,1896
- 3166) *Seydelia geometrica* (Oberthür,1883) (Arctiidae) Synonym(s): *geometrica* Oberthür,1883; *#intermedia* Berio,1943
- 3167) *Seydelia turlini* Toulgoet,1976 (Arctiidae) Synonym(s): *turlini* Toulgoet,1976
- 3168) *Seydelia turlini celsicola* Toulgoet,1976 (Arctiidae) Synonym(s): *celsicola* Toulgoet,1976
- 3169) *Seydelia turlini turlini* Toulgoet,1976 (Arctiidae) Synonym(s): *turlini* Toulgoet,1976
- 3170) *Sibirarctia buraetica* (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *buraetica* O.Bang-Haas,1927; *elwesi* O.Bang-Haas,1927.
- 3171) *Sibirarctia buraetica buraetica* (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *buraetica* O.Bang-Haas,1927; *elwesi* O.Bang-Haas,1927.
- 3172) *Sibirarctia buraetica chajataensis* Dubatolov,1996 (Arctiidae) Synonym(s): *chajataensis* Dubatolov,1996
- 3173) *Sibirarctia buraetica valida* (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *valida* O.Bang-Haas,1927
- 3174) *Sibirarctia kindermanni* (Staudinger,1867) (Arctiidae) Synonym(s): *kindermanni* Staudinger,1867
- 3175) *Sibirarctia kindermanni albobittata* (Rothschild,1910) (Arctiidae) Synonym(s): *albobittata* Rothschild,1910
- 3176) *Sibirarctia kindermanni chinensis* (Groum-Grshimailo,1899) (Arctiidae) Synonym(s): *chinensis* Groum-Grshimailo,1899
- 3177) *Sibirarctia kindermanni kindermanni* (Staudinger,1867) (Arctiidae) Synonym(s): *kindermanni* Staudinger,1867
- 3178) *Sibirarctia kindermanni pomona* (Staudinger,1897) (Arctiidae) Synonym(s): *pomona* Staudinger,1897; *roseni* O.Bang-Haas,1927.
- 3179) *Sibirarctia kindermanni pretiosa* (Staudinger,1887) (Arctiidae) Synonym(s): *pretiosa* Staudinger,1887; *ussuriensis* O.Bang-Haas,1927.
- 3180) *Siccia atriguttata* Hampson,1909 (Arctiidae) Synonym(s): *atriguttata* Hampson,1909
- 3181) *Siccia caffra* Walker,1854 (Arctiidae) Synonym(s): *caffra* Walker,1854; *nigropunctata* Wallengren,1860; *punctigera* R.Felder & Rogenhofer,1874
- 3182) *Siccia melanospila* Hampson,1911 (Arctiidae) Synonym(s): *melanospila* Hampson,1911
- 3183) *Siccia punctipennis* (Wallengren,1860) (Arctiidae) Synonym(s): *punctipennis* Wallengren,1860; *nigropunctana* Saalmüller,1884
- 3184) *Sinowatsonia hoenei* (Daniel,1943) (Arctiidae) Synonym(s): *hoenei* Daniel,1943
- 3185) *Sinowatsonia hoenei alpicola* (Daniel,1943) (Arctiidae) Synonym(s): *alpicola* Daniel,1943
- 3186) *Sinowatsonia hoenei hoenei* (Daniel,1943) (Arctiidae) Synonym(s): *hoenei* Daniel,1943
- 3187) *Sinowatsonia mussoti* (Oberthür,1903) (Arctiidae) Synonym(s): *mussoti* Oberthür,1903; *batangi* Daniel,1943
- 3188) *Sinowatsonia mussoti mussoti* (Oberthür,1903) (Arctiidae) Synonym(s): *mussoti* Oberthür,1903; *batangi* Daniel,1943
- 3189) *Sozusa despecta* Walker,1862 (Arctiidae) Synonym(s): *despecta* Walker,1862
- 3190) *Sozusa heterocera* Walker,1865 (Arctiidae) Synonym(s): *heterocera* Walker,1865
- 3191) *Sozusa scutellata* (Wallengren,1860) (Arctiidae) Synonym(s): *scutellata* Wallengren,1860; *dorsiglauc* Walker,1864; *natalica* Möschler,1872
- 3192) *Sphaeromachia cubana* (Herrich-Schäffer,1866) (Arctiidae) Synonym(s): *cubana* Herrich-Schäffer,1866
- 3193) *Sphaeromachia gaumeri* (Druce,1884) (Arctiidae) Synonym(s): *gaumeri* Druce,1884
- 3194) *Spilarctia alba* (Bremer & Grey,1853) (Arctiidae) Synonym(s): *alba* Bremer & Grey,1853
- 3195) *Spilarctia alba alba* (Bremer & Grey,1853) (Arctiidae) Synonym(s): *alba* Bremer & Grey,1853
- 3196) *Spilarctia bifasciata* Butler,1881 (Arctiidae) Synonym(s): *bifasciata* Butler,1881
- 3197) *Spilarctia bifasciata bifasciata* Butler,1881 (Arctiidae) Synonym(s): *bifasciata* Butler,1881
- 3198) *Spilarctia bisecta* (Leech,[1899]) (Arctiidae) Synonym(s): *bisecta* Leech,[1899]
- 3199) *Spilarctia bisecta bisecta* (Leech,[1899]) (Arctiidae) Synonym(s): *bisecta* Leech,[1899]
- 3200) *Spilarctia inayatullahi* Dubatolov & Gurko,2004 (Arctiidae) Synonym(s): *inayatullahi* Dubatolov & Gurko,2004
- 3201) *Spilarctia leopardina* (Kollar,[1844]) (Arctiidae) Synonym(s): *leopardina* Kollar,[1844]; *divisa* Walker,1855; *liturata* Walker,1869
- 3202) *Spilarctia leopardina dhaulagiriensis* Dubatolov & Kishida,2005 (Arctiidae) Synonym(s): *dhaulagiriensis* Dubatolov & Kishida,2005
- 3203) *Spilarctia leopardina leopardina* (Kollar,[1844]) (Arctiidae) Synonym(s): *leopardina* Kollar,[1844]
- 3204) *Spilarctia leopardina rosepuma* Dubatolov & Kishida,2005 (Arctiidae) Synonym(s): *rosepuma* Dubatolov & Kishida,2005
- 3205) *Spilarctia lutea* (Hufnagel,1766) (Arctiidae) Synonym(s): *lutea* Hufnagel,1766; *radiatus* Haworth,1812; *rhododactyla* Bryk,1948; *reisseri* Koutsafitakis,1973
- 3206) *Spilarctia lutea japonica* (Rothschild,1910) (Arctiidae) Synonym(s): *japonica* Rothschild,1910
- 3207) *Spilarctia lutea lutea* (Hufnagel,1766) (Arctiidae) Synonym(s): *lutea* Hufnagel,1766; *radiatus* Haworth,1812; *rhododactyla* Bryk,1948; *reisseri* Koutsafitakis,1973
- 3208) *Spilarctia melanostigma* (Erschoff,1872) (Arctiidae) Synonym(s): *melanostigma* Erschoff,1872; *karakorumica* Daniel,1961.
- 3209) *Spilarctia melanostigma melanostigma* (Erschoff,1872) (Arctiidae) Synonym(s): *melanostigma* Erschoff,1872; *karakorumica* Daniel,1961.
- 3210) *Spilarctia montana* (Guérin-Méneville,1843) (Arctiidae) Synonym(s): *montana* Guérin-Méneville,1843
- 3211) *Spilarctia multiguttata* (Walker,1855) (Arctiidae) Synonym(s): *multiguttata* Walker,1855; *pardalina* Walker,1864; *spilosomoides* Walker,1864; *major* Rothschild,1910; *assama* Rothschild,1910; *#multiguttata* Lewvanich,2001
- 3212) *Spilarctia obliqua* (Walker,1855) (Arctiidae) Synonym(s): *obliqua* Walker,1855; *suffusa* Walker,1855; *dentilinea* Moore,1872; *confusa* Butler,1875; *howra* Moore,1879; *assamensis* Rothschild,1910
- 3213) *Spilarctia obliquizonata* (Miyake,1910) (Arctiidae) Synonym(s): *obliquizonata* Miyake,1910
- 3214) *Spilarctia obliquizonata obliquizonata* (Miyake,1910) (Arctiidae) Synonym(s): *obliquizonata* Miyake,1910
- 3215) *Spilarctia quercii* (Oberthür,1911) (Arctiidae) Synonym(s): *quercii* Oberthür,1911
- 3216) *Spilarctia quercii quercii* (Oberthür,1911) (Arctiidae) Synonym(s): *quercii* Oberthür,1911
- 3217) *Spilarctia robusta* (Leech,[1899]) (Arctiidae) Synonym(s): *robusta* Leech,[1899]
- 3218) *Spilarctia robusta robusta* (Leech,[1899]) (Arctiidae) Synonym(s): *robusta* Leech,[1899]
- 3219) *Spilarctia seriatopunctata* (Motschulsky,[1861]) (Arctiidae) Synonym(s): *seriatopunctata* Motschulsky,[1861]
- 3220) *Spilarctia seriatopunctata seriatopunctata* (Motschulsky,[1861]) (Arctiidae) Synonym(s): *seriatopunctata* Motschulsky,[1861]
- 3221) *Spilarctia strigatulum* (Walker,1855) (Arctiidae) Synonym(s): *strigatula* Walker,1855
- 3222) *Spilarctia subcarneum* (Walker,1855) (Arctiidae) Synonym(s): *subcarneum* Walker,1855; *bifrons* Walker,1855; *rybakovi* Alpheraky,1897
- 3223) *Spilarctia subcarneum charbini* (Daniel,1943) (Arctiidae) Synonym(s): *charbini* Daniel,1943
- 3224) *Spilarctia subcarneum subcarneum* (Walker,1855) (Arctiidae) Synonym(s): *subcarneum* Walker,1855; *bifrons* Walker,1855; *rybakovi* Alpheraky,1897
- 3225) *Spilosoma affinis* Bartel,1903 (Arctiidae) Synonym(s): *affinis* Bartel,1903
- 3226) *Spilosoma albiventre* Kiriakoff,1963 (Arctiidae) Synonym(s): *albiventre* Kiriakoff,1963
- 3227) *Spilosoma angolensis* Bartel,1903 (Arctiidae) Synonym(s): *angolensis* Bartel,1903
- 3228) *Spilosoma atridorsium* (Hampson,1920) (Arctiidae) Synonym(s): *rattrayi* Rothschild,1910 *nec* Roths.,1910; *atridorsia* Hampson,1920
- 3229) *Spilosoma atrivenatum* Rothschild,1933 (Arctiidae) Synonym(s): *atrivenata* Rothschild,1933
- 3230) *Spilosoma aurantiaca* (Holland,1893) (Arctiidae) Synonym(s): *aurantiaca* Holland,1893; *multiscripta* Holland,1893
- 3231) *Spilosoma batesi* (Rothschild,1910) (Arctiidae) Synonym(s): *batesi* Rothschild,1910
- 3232) *Spilosoma baxteri* (Rothschild,1910) (Arctiidae) Synonym(s): *baxteri* Rothschild,1910
- 3233) *Spilosoma bipartitum* Rothschild,1933 (Arctiidae) Synonym(s): *bipartitum* Rothschild,1933
- 3234) *Spilosoma brunneomixtum* Toulgoet,1971 (Arctiidae) Synonym(s): *brunneomixta* Toulgoet,1971
- 3235) *Spilosoma buryi* (Rothschild,1910) (Arctiidae) Synonym(s): *buryi* Rothschild,1910
- 3236) *Spilosoma butti* (Rothschild,1910) (Arctiidae) Synonym(s): *butti* Rothschild,1910
- 3237) *Spilosoma caerium* (Püngeler,1906) (Arctiidae) Synonym(s): *caeria* Püngeler,1906
- 3238) *Spilosoma caerium caerium* (Püngeler,1906) (Arctiidae) Synonym(s): *caeria* Püngeler,1906
- 3239) *Spilosoma casignetum* (Kollar,[1844]) (Arctiidae) Synonym(s): *casignetum* Kollar,[1844]
- 3240) *Spilosoma castelli* Rothschild,1933 (Arctiidae) Synonym(s): *castelli* Rothschild,1933

- 3241) *Spilosoma castelli castelli* Rothschild,1933 (Arctiidae) Synonym(s): *castelli* Rothschild,1933
 3242) *Spilosoma castelli grandis* Rothschild,1933 (Arctiidae) Synonym(s): *grandis* Rothschild,1933
 3243) *Spilosoma chioneum* (Hampson,1900) (Arctiidae) Synonym(s): *chionea* Hampson,1900
 3244) *Spilosoma chioneum* (Hampson,1900) (Arctiidae) Synonym(s): *chioneum* Hampson,1900
 3245) *Spilosoma crossi* (Rothschild,1910) (Arctiidae) Synonym(s): *crossi* Rothschild,1910
 3246) *Spilosoma curvatum* (Donovan,1805) (Arctiidae) Synonym(s): *curvata* Donovan,1805; *fuscina* Doubleday,1845; *fuscina* Walker,1855; *vittata* Möschler,1872; *vicens* Butler,1878; *notatum* Butler,1878; *nexum* Butler,1878; *lacteatum* Butler,1878; *brisbanensis* T.P.Lucas,1890; *quinquefascia* T.P.Lucas,1890; *#verticipicta* Strand,1919; *athertonensis* Turner,1940
 3247) *Spilosoma curvilineum* Walker,1855 (Arctiidae) Synonym(s): *curvilinea* Walker,1855
 3248) *Spilosoma dissimilis* Distant,1897 (Arctiidae) Synonym(s): *dissimilis* Distant,1897
 3249) *Spilosoma dufranei* Kiriakoff,1965 (Arctiidae) Synonym(s): *dufranei* Kiriakoff,1965
 3250) *Spilosoma erythrozonum* (Kollar,[1844]) (Arctiidae) Synonym(s): *erythrozona* Kollar,[1844]
 3251) *Spilosoma erythrozonum erythrozonum* (Kollar,[1844]) (Arctiidae) Synonym(s): *erythrozona* Kollar,[1844]
 3252) *Spilosoma euryphlebia* (Hampson,1903) (Arctiidae) Synonym(s): *euryphlebia* Hampson,1903
 3253) *Spilosoma euryphlebia euryphlebia* (Hampson,1903) (Arctiidae) Synonym(s): *euryphlebia* Hampson,1903
 3254) *Spilosoma feifensis* Wiltshire,1986 (Arctiidae) Synonym(s): *feifensis* Wiltshire,1986
 3255) *Spilosoma femininum* Rothschild,1933 (Arctiidae) Synonym(s): *feminina* Rothschild,1933
 3256) *Spilosoma flavidior* Gaede,1933 (Arctiidae) Synonym(s): *flavidior* Gaede,1933
 3257) *Spilosoma griveaudi* (Toulgoet,1956) (Arctiidae) Synonym(s): *griveaudi* Toulgoet,1956
 3258) *Spilosoma gynephaeum* (Hampson,1901) (Arctiidae) Synonym(s): *gynephaea* Hampson,1901
 3259) *Spilosoma gynephaeum gynephaeum* (Hampson,1901) (Arctiidae) Synonym(s): *gynephaea* Hampson,1901
 3260) *Spilosoma hercules* (Toulgoet,1956) (Arctiidae) Synonym(s): *hercules* Toulgoet,1956
 3261) *Spilosoma heterogeneum* Bartel,1903 (Arctiidae) Synonym(s): *heterogenea* Bartel,1903
 3262) *Spilosoma holoxanthum* (Hampson,1907) (Arctiidae) Synonym(s): *holoxantha* Hampson,1907
 3263) *Spilosoma immaculatum* Bartel,1903 (Arctiidae) Synonym(s): *immaculata* Bartel,1903
 3264) *Spilosoma jordani* Debauche,1938 (Arctiidae) Synonym(s): *jordani* Debauche,1938
 3265) *Spilosoma karschi* Bartel,1903 (Arctiidae) Synonym(s): *karschi* Bartel,1903
 3266) *Spilosoma lateriticum* Holloway,1979 (Arctiidae) Synonym(s): *lateriticum* Holloway,1979
 3267) *Spilosoma latiradiatum* (Hampson,1901) (Arctiidae) Synonym(s): *latiradiata* Hampson,1901
 3268) *Spilosoma latiradiatum latiradiatum* (Hampson,1901) (Arctiidae) Synonym(s): *latiradiata* Hampson,1901
 3269) *Spilosoma leighi* (Rothschild,1910) (Arctiidae) Synonym(s): *leighi* Rothschild,1910
 3270) *Spilosoma leighi leighi* (Rothschild,1910) (Arctiidae) Synonym(s): *leighi* Rothschild,1910
 3271) *Spilosoma lentifasciata* (Hampson,1916) (Arctiidae) Synonym(s): *lentifasciata* Hampson,1916
 3272) *Spilosoma lentifasciata lentifasciata* (Hampson,1916) (Arctiidae) Synonym(s): *lentifasciata* Hampson,1916
 3273) *Spilosoma lifuensis* (Rothschild,1910) (Arctiidae) Synonym(s): *lifuensis* Rothschild,1910
 3274) *Spilosoma lineatum* Walker,1855 (Arctiidae) Synonym(s): *lineata* Walker,1855; *simplex* Walker,1855; *alba* Wallengren,1860; *puella* Druce,1898; *albida* Bartel,1903
 3275) *Spilosoma lubricipedum* (Linnaeus,1758) (Arctiidae) Synonym(s): *lubricipeda* Linnaeus,1758; *menthastris* [Denis & Schiffermüller],1775; ? *sangaica* Walker,[1865]; *chishimana* Matsumura,1929; *masuensis* Matsumura,1930; *elegans* Bryk,1938; *sotiriadis* Koutsafikis,1973; *#lubricipeda* De Freina,1981.
 3276) *Spilosoma lubricipedum lubricipedum* (Linnaeus,1758) (Arctiidae) Synonym(s): *lubricipeda* Linnaeus,1758; *menthastris* [Denis & Schiffermüller],1775; ? *sangaica* Walker,[1865]; *chishimana* Matsumura,1929; *masuensis* Matsumura,1930; *elegans* Bryk,1938; *sotiriadis* Koutsafikis,1973; *#lubricipeda* De Freina,1981.
 3277) *Spilosoma luteoradians* Toulgoet,1954 (Arctiidae) Synonym(s): *luteoradians* Toulgoet,1954
 3278) *Spilosoma luteoradians jugicola* Toulgoet,1976 (Arctiidae) Synonym(s): *jugicola* Toulgoet,1976
 3279) *Spilosoma luteoradians luteoradians* Toulgoet,1954 (Arctiidae) Synonym(s): *luteoradians* Toulgoet,1954
 3280) *Spilosoma luteoradians monochroma* Toulgoet,1984 (Arctiidae) Synonym(s): *monochroma* Toulgoet,1984
 3281) *Spilosoma maniemae* Kiriakoff,1965 (Arctiidae) Synonym(s): *maniemae* Kiriakoff,1965
 3282) *Spilosoma mediocinereum* (Toulgoet,1956) (Arctiidae) Synonym(s): *mediocinerea* Toulgoet,1956
 3283) *Spilosoma mediopunctatum* (Pagenstecher,1903) (Arctiidae) Synonym(s): *mediopunctata* Pagenstecher,1903
 3284) *Spilosoma melanimon* Mabilie,1880 (Arctiidae) Synonym(s): *melanimon* Mabilie,1880; *robleti* Mabilie,1893
 3285) *Spilosoma metaleucum* (Hampson,1905) (Arctiidae) Synonym(s): *metaleuca* Hampson,1905
 3286) *Spilosoma mienshanicum* Daniel,1943 (Arctiidae) Synonym(s): *mienshanicum* Daniel,1943; *streltzovi* Dubatolov,1996
 3287) *Spilosoma mienshanicum mienshanicum* Daniel,1943 (Arctiidae) Synonym(s): *mienshanicum* Daniel,1943; *streltzovi* Dubatolov,1996
 3288) *Spilosoma milloti* Toulgoet,1954 (Arctiidae) Synonym(s): *milloti* Toulgoet,1954
 3289) *Spilosoma neglectum* (Rothschild,1910) (Arctiidae) Synonym(s): *neglectum* Rothschild,1910
 3290) *Spilosoma nigrocastaneum* (Rothschild,1917) (Arctiidae) Synonym(s): *nigrocastanea* Rothschild,1917
 3291) *Spilosoma nigrocinctum* Kenrick,1914 (Arctiidae) Synonym(s): *nigrocincta* Kenrick,1914
 3292) *Spilosoma nyasana* Rothschild,1933 (Arctiidae) Synonym(s): *nyasana* Rothschild,1933
 3293) *Spilosoma nyasicum* (Hampson,1911) (Arctiidae) Synonym(s): *nyasica* Hampson,1911
 3294) *Spilosoma occidentens* (Rothschild,1910) (Arctiidae) Synonym(s): *occidens* Rothschild,1910
 3295) *Spilosoma occidentens nyangweensis* (Strand,1922) (Arctiidae) Synonym(s): *nyangweensis* Strand,1922
 3296) *Spilosoma occidentens occidentens* (Rothschild,1910) (Arctiidae) Synonym(s): *occidens* Rothschild,1910
 3297) *Spilosoma pales* (Druce,1910) (Arctiidae) Synonym(s): *pales* Druce,1910
 3298) *Spilosoma pauliani* (Toulgoet,1956) (Arctiidae) Synonym(s): *pauliani* Toulgoet,1956
 3299) *Spilosoma pellucidum* (Rothschild,1910) (Arctiidae) Synonym(s): *pellucida* Rothschild,1910
 3300) *Spilosoma pelopea* (Druce,1897) (Arctiidae) Synonym(s): *pelopea* Druce,1897
 3301) *Spilosoma penultimum* Kiriakoff,1965 (Arctiidae) Synonym(s): *penultimum* Kiriakoff,1965
 3302) *Spilosoma pseudambrensis* (Toulgoet,1961) (Arctiidae) Synonym(s): *pseudambrensis* Toulgoet,1961
 3303) *Spilosoma punctarium* (Stoll,[1782]) (Arctiidae) Synonym(s): *punctarium* Stoll,[1782]
 3304) *Spilosoma punctarium punctarium* (Stoll,[1782]) (Arctiidae) Synonym(s): *punctarium* Stoll,[1782]
 3305) *Spilosoma quadrilunatum* (Hampson,1901) (Arctiidae) Synonym(s): *quadrilunata* Hampson,1901
 3306) *Spilosoma quadrimaculum* Toulgoet,1977 (Arctiidae) Synonym(s): *quadrimacula* Toulgoet,1977
 3307) *Spilosoma rava* (Druce,1898) (Arctiidae) Synonym(s): *rava* Druce,1898
 3308) *Spilosoma rava deletum* Debauche,1938 (Arctiidae) Synonym(s): *deleta* Debauche,1938
 3309) *Spilosoma rava rava* (Druce,1898) (Arctiidae) Synonym(s): *rava* Druce,1898
 3310) *Spilosoma scitum* (Walker,[1865]) (Arctiidae) Synonym(s): *scita* Walker,[1865]
 3311) *Spilosoma semihyalinum* Bartel,1903 (Arctiidae) Synonym(s): *semihyalina* Bartel,1903
 3312) *Spilosoma sinefascium* (Hampson,1916) (Arctiidae) Synonym(s): *sinefascia* Hampson,1916
 3313) *Spilosoma sublutescens* Kiriakoff,1958 (Arctiidae) Synonym(s): *sublutescens* Kiriakoff,1958
 3314) *Spilosoma sublutescens fletcheri* Kiriakoff,1958 (Arctiidae) Synonym(s): *fletcheri* Kiriakoff,1958
 3315) *Spilosoma sublutescens sublutescens* Kiriakoff,1958 (Arctiidae) Synonym(s): *sublutescens* Kiriakoff,1958
 3316) *Spilosoma sulphureum* Bartel,1903 (Arctiidae) Synonym(s): *sulphurea* Bartel,1903
 3317) *Spilosoma tenuivena* Kiriakoff,1965 (Arctiidae) Synonym(s): *tenuivena* Kiriakoff,1965
 3318) *Spilosoma togoensis* Bartel,1903 (Arctiidae) Synonym(s): *togoensis* Bartel,1903; *impunctata* Rothschild,1933
 3319) *Spilosoma turlini* Toulgoet,1973 (Arctiidae) Synonym(s): *turlini* Toulgoet,1973
 3320) *Spilosoma unimaculatum* Bartel,1903 (Arctiidae) Synonym(s): *unimaculata* Bartel,1903; *bipartita* Rothschild,1933
 3321) *Spilosoma unipunctum* (Hampson,1905) (Arctiidae) Synonym(s): *unipuncta* Hampson,1905
 3322) *Spilosoma urticae* (Esper,[1789]) (Arctiidae) Synonym(s): *urticae* Esper,[1789]
 3323) *Spilosoma urticae mandli* Schawerda,1922 (Arctiidae) Synonym(s): *mandli* Schawerda,1922
 3324) *Spilosoma urticae urticae* (Esper,[1789]) (Arctiidae) Synonym(s): *urticae* Esper,[1789]
 3325) *Spilosoma viettei* (Toulgoet,1954) (Arctiidae) Synonym(s): *viettei* Toulgoet,1954
 3326) *Spilosoma viettei viettei* (Toulgoet,1954) (Arctiidae) Synonym(s): *viettei* Toulgoet,1954

- 3327) *Spilosoma vieui* (Toulgoet,1956) (Arctiidae) Synonym(s): *vieui* Toulgoet,1956
 3328) *Spilosoma virginicum* (Fabricius,1798) (Arctiidae) Synonym(s): *virginica* Fabricius,1798; *fumosa* Strecker,1900
 3329) *Spilosoma virginicum virginicum* (Fabricius,1798) (Arctiidae) Synonym(s): *virginica* Fabricius,1798; *fumosa* Strecker,1900
 3330) *Spilosoma yemenensis* (Hampson,1916) (Arctiidae) Synonym(s): *yemenensis* Hampson,1916
 3331) *Spiris bipunctata* (Staudinger,1892) (Arctiidae) Synonym(s): *bipunctata* Staudinger,1892
 3332) *Spiris bipunctata bipunctata* (Staudinger,1892) (Arctiidae) Synonym(s): *bipunctata* Staudinger,1892
 3333) *Spiris striata* (Linnaeus,1758) (Arctiidae) Synonym(s): *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandii* Obratzov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948.
 3334) *Spiris striata striata* (Linnaeus,1758) (Arctiidae) Synonym(s): *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandii* Obratzov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948.
 3335) *Stenarcha stenopa* (Meyrick,1886) (Arctiidae) Synonym(s): *stenopa* Meyrick,1886
 3336) *Stenarctia abdominalis* (Rothschild,1910) (Arctiidae) Synonym(s): *abdominalis* Rothschild,1910
 3337) *Stenarctia quadripunctata* Aurivillius,1900 (Arctiidae) Synonym(s): *quadripunctata* Aurivillius,1900
 3338) *Stenarctia rothi* (Rothschild,1933) (Arctiidae) Synonym(s): *rothi* Rothschild,1933
 3339) *Stenoscapia venusta* (Lucas,1890) (Arctiidae) Synonym(s): *venusta* Lucas,1890
 3340) *Stenucha dolens* (Druce,1897) (Arctiidae) Synonym(s): *dolens* Druce,1897; *minca* Schaus,1905; *noctella* Dyar,1910; *melas* Dyar,1912
 3341) *Syeschia dryas* (Cramer,1775) (Arctiidae) Synonym(s): *dryas* Cramer,1775
 3342) *Symmetrodes platymelas* Turner,1940 (Arctiidae) Synonym(s): *platymelas* Turner,1940
 3343) *Symmetrodes sciocoma* Meyrick,1888 (Arctiidae) Synonym(s): *sciocoma* Meyrick,1888; *ectophaea* Hampson,1900; *atrifusa* Hampson,1900; *reducta* Draudt,1914 nec Roth.,1913; *reductana* Strand,1922.
 3344) *Symphlebia alinda* (Dyar,1909) (Arctiidae) Synonym(s): *alinda* Dyar,1909
 3345) *Symphlebia herbosa* (Schaus,1910) (Arctiidae) Synonym(s): *herbosa* Schaus,1910
 3346) *Symphlebia jalapa* (Druce,1894) (Arctiidae) Synonym(s): *jalapa* Druce,1894
 3347) *Symphlebia juvenis* (Schaus,1896) (Arctiidae) Synonym(s): *juvenis* Schaus,1896
 3348) *Symphlebia lophocampoides* R.Felder,1874 (Arctiidae) Synonym(s): *lophocampoides* R.Felder,1874
 3349) *Tajigyna gansoni* Dubatolov,1990 (Arctiidae) Synonym(s): *gansoni* Dubatolov,1990
 3350) *Tajigyna gansoni gansoni* Dubatolov,1990 (Arctiidae) Synonym(s): *gansoni* Dubatolov,1990
 3351) *Talara rubida* Schaus,1911 (Arctiidae) Synonym(s): *rubida* Schaus,1911
 3352) *Talara synnephela* Dyar,1916 (Arctiidae) Synonym(s): *synnephela* Dyar,1916
 3353) *Tancrea pardalina* Püngeler,1898 (Arctiidae) Synonym(s): *pardalina* Püngeler,1898
 3354) *Tancrea pardalina* Püngeler,1898 (Arctiidae) Synonym(s): *pardalina* Püngeler,1898
 3355) *Tancrea pardalina pardalina* Püngeler,1898 (Arctiidae) Synonym(s): *pardalina* Püngeler,1898
 3356) *Teracotona abyssinica* (Rothschild,1933) (Arctiidae) Synonym(s): *abyssinica* Rothschild,1933
 3357) *Teracotona alicia* (Hampson,1911) (Arctiidae) Synonym(s): *alicia* Hampson,1911
 3358) *Teracotona approximans* (Rothschild,1917) (Arctiidae) Synonym(s): *approximans* Rothschild,1917
 3359) *Teracotona buryi* Rothschild,1910 (Arctiidae) Synonym(s): *buryi* Rothschild,1910
 3360) *Teracotona clara* Holland,1892 (Arctiidae) Synonym(s): *clara* Holland,1892
 3361) *Teracotona clara clara* Holland,1892 (Arctiidae) Synonym(s): *clara* Holland,1892
 3362) *Teracotona clara rubiginea* (Toulgoet,1977) (Arctiidae) Synonym(s): *rubiginea* Toulgoet,1977
 3363) *Teracotona euprepia* Hampson,1900 (Arctiidae) Synonym(s): *euprepia* Hampson,1900
 3364) *Teracotona euprepia bicolor* Toulgoet,1980 (Arctiidae) Synonym(s): *bicolor* Toulgoet,1980
 3365) *Teracotona euprepia euprepia* Hampson,1900 (Arctiidae) Synonym(s): *euprepia* Hampson,1900
 3366) *Teracotona euprepoides* Wichgraf,1921 (Arctiidae) Synonym(s): *euprepoides* Wichgraf,1921
 3367) *Teracotona homeyeri* Rothschild,1910 (Arctiidae) Synonym(s): *homeyeri* Rothschild,1910
 3368) *Teracotona immaculata* Wichgraf,1921 (Arctiidae) Synonym(s): *immaculata* Wichgraf,1921
 3369) *Teracotona jacksoni* (Rothschild,1910) (Arctiidae) Synonym(s): *jacksoni* Rothschild,1910
 3370) *Teracotona latifasciata* Carcasson,1965 (Arctiidae) Synonym(s): *latifasciata* Carcasson,1965
 3371) *Teracotona melanocera* (Hampson,1920) (Arctiidae) Synonym(s): *melanocera* Hampson,1920
 3372) *Teracotona metaxantha* (Hampson,1909) (Arctiidae) Synonym(s): *metaxantha* Hampson,1909
 3373) *Teracotona mirabilis* Bartel,1903 (Arctiidae) Synonym(s): *mirabilis* Bartel,1903
 3374) *Teracotona multistrigata* Joicey & Talbot,1924 (Arctiidae) Synonym(s): *multistrigata* Joicey & Talbot,1924
 3375) *Teracotona murtafaa* Wiltshire,1980 (Arctiidae) Synonym(s): *murtafaa* Wiltshire,1980
 3376) *Teracotona neumanni* Rothschild,1933 (Arctiidae) Synonym(s): *neumanni* Rothschild,1933
 3377) *Teracotona pallida* Joicey & Talbot,1924 (Arctiidae) Synonym(s): *pallida* Joicey & Talbot,1924
 3378) *Teracotona pardalina* Bartel,1903 (Arctiidae) Synonym(s): *pardalina* Bartel,1903; *flavipennis* Bartel,1903; *rufipennis* Strand,1909
 3379) *Teracotona pitmanni* Rothschild,1933 (Arctiidae) Synonym(s): *pitmanni* Rothschild,1933
 3380) *Teracotona pitmanni major* Rothschild,1933 (Arctiidae) Synonym(s): *major* Rothschild,1933
 3381) *Teracotona pitmanni pitmanni* Rothschild,1933 (Arctiidae) Synonym(s): *pitmanni* Rothschild,1933
 3382) *Teracotona proditrix* (Berio,1939) (Arctiidae) Synonym(s): *proditrix* Berio,1939
 3383) *Teracotona pruinosa* Joannis,1912 (Arctiidae) Synonym(s): *pruinosa* Joannis,1912
 3384) *Teracotona rhodophaea* (Walker,1865) (Arctiidae) Synonym(s): *rhodophaea* Walker,1865; *debilis* R.Felder & Rogenhofer,1874
 3385) *Teracotona seminigra* (Hampson,1905) (Arctiidae) Synonym(s): *seminigra* Hampson,1905
 3386) *Teracotona senegalensis* Rothschild,1933 (Arctiidae) Synonym(s): *senegalensis* Rothschild,1933
 3387) *Teracotona subapproximans* Rothschild,1933 (Arctiidae) Synonym(s): *subapproximans* Rothschild,1933
 3388) *Teracotona submacula* Walker,1855 (Arctiidae) Synonym(s): *submacula* Walker,1855; *roseata* Butler,1878
 3389) *Teracotona subterminata* Hampson,1901 (Arctiidae) Synonym(s): *subterminata* Hampson,1901; *sordida* Rothschild,1917
 3390) *Teracotona translucens* (Grünberg,1907) (Arctiidae) Synonym(s): *translucens* Grünberg,1907; *subflava* Joicey & Talbot,1924
 3391) *Teracotona trifasciata* Bartel,1903 (Arctiidae) Synonym(s): *trifasciata* Bartel,1903
 3392) *Teracotona uhrikmeszarosi* Szent-Ivany,1942 (Arctiidae) Synonym(s): *uhrikmeszarosi* Szent-Ivany,1942
 3393) *Teracotona wittei* (Debauche,1942) (Arctiidae) Synonym(s): *wittei* Debauche,1942
 3394) *Termessa catocalina* (Walker,1865) (Arctiidae) Synonym(s): *catocalina* Walker,1865
 3395) *Termessa congrua* (Walker,1865) (Arctiidae) Synonym(s): *congrua* Walker,1865
 3396) *Termessa conographa* (Meyrick,1886) (Arctiidae) Synonym(s): *conographa* Meyrick,1886
 3397) *Termessa diplographa* Turner,1899 (Arctiidae) Synonym(s): *diplographa* Turner,1899
 3398) *Termessa discrepans* (Walker,1865) (Arctiidae) Synonym(s): *discrepans* Walker,1865; *hamula* Felder,1874; *hamula* Seitz,1914
 3399) *Termessa gratiosa* (Walker,1865) (Arctiidae) Synonym(s): *gratiosa* Walker,1865
 3400) *Termessa laeta* (Walker,1856) (Arctiidae) Synonym(s): *laeta* Walker,1856
 3401) *Termessa nivosa* (Walker,1865) (Arctiidae) Synonym(s): *nivosa* Walker,1865
 3402) *Termessa orthocrossa* Turner,1922 (Arctiidae) Synonym(s): *orthocrossa* Turner,1922
 3403) *Termessa shepherdii* Newman,1856 (Arctiidae) Synonym(s): *shepherdii* Newman,1856
 3404) *Termessa xanthomelas* (Lower,1892) (Arctiidae) Synonym(s): *xanthomelas* Lower,1892; *terpnodes* Turner,1940
 3405) *Termessa zonophanes* (Meyrick,1888) (Arctiidae) Synonym(s): *zonophanes* Meyrick,1888
 3406) *Tessellarctia walteri* Beutelspacher,1984 (Arctiidae) Synonym(s): *walteri* Beutelspacher,1984
 3407) *Teulisia bipunctata* (Walker,1866) (Arctiidae) Synonym(s): *bipunctata* Walker,1866; *mysolica* Swinhoe,1892; *dinawa* Bethune-Baker,1904; *dinawa* Hampson,1894
 3408) *Teulisia chiloides* Walker,1862 (Arctiidae) Synonym(s): *chiloides* Walker,1862; *torta* Walker,1862; *humeralis* Walker,1866; *dasyphyga* Felder,1874
 3409) *Teulisia pendleburyi* Holloway,1982 (Arctiidae) Synonym(s): *pendleburyi* Holloway,1982
 3410) *Thallarcha albicollis* R.Felder & Rogenhofer,1875 (Arctiidae) Synonym(s): *albicollis* R.Felder & Rogenhofer,1875; *chionea* Turner,1899
 3411) *Thallarcha catasticta* Lower,1915 (Arctiidae) Synonym(s): *catasticta* Lower,1915
 3412) *Thallarcha chrysochares* (Meyrick,1886) (Arctiidae) Synonym(s): *chrysochares* Meyrick,1886; *cosmia* Turner,1899
 3413) *Thallarcha chrysochoa* (Meyrick,1886) (Arctiidae) Synonym(s): *chrysochoa* Meyrick,1886
 3414) *Thallarcha cosmodes* Turner,1940 (Arctiidae) Synonym(s): *cosmodes* Turner,1940

- 3415) *Thallarcha epicela* Turner, 1922 (Arctiidae) Synonym(s): *epicela* Turner, 1922
 3416) *Thallarcha epigypsa* (Lower, 1902) (Arctiidae) Synonym(s): *epigypsa* Lower, 1902
 3417) *Thallarcha epileuca* Turner, 1922 (Arctiidae) Synonym(s): *epileuca* Turner, 1922
 3418) *Thallarcha epiostola* Turner, 1926 (Arctiidae) Synonym(s): *epiostola* Turner, 1926
 3419) *Thallarcha eremicola* Pescott, 1951 (Arctiidae) Synonym(s): *eremicola* Pescott, 1951
 3420) *Thallarcha erotis* Turner, 1914 (Arctiidae) Synonym(s): *erotis* Turner, 1914
 3421) *Thallarcha fusa* Hampson, 1900 (Arctiidae) Synonym(s): *fusa* Hampson, 1900
 3422) *Thallarcha homoschema* Turner, 1940 (Arctiidae) Synonym(s): *homoschema* Turner, 1940
 3423) *Thallarcha isophragma* (Meyrick, 1886) (Arctiidae) Synonym(s): *isophragma* Meyrick, 1886; *pallida* Lucas, 1892
 3424) *Thallarcha jocularis* (Rosenstock, 1885) (Arctiidae) Synonym(s): *jocularis* Rosenstock, 1885
 3425) *Thallarcha lechrioleuca* Turner, 1940 (Arctiidae) Synonym(s): *lechrioleuca* Turner, 1940
 3426) *Thallarcha leptographa* Turner, 1899 (Arctiidae) Synonym(s): *leptographa* Turner, 1899
 3427) *Thallarcha levis* Turner, 1943 (Arctiidae) Synonym(s): *levis* Turner, 1943
 3428) *Thallarcha lochaga* (Meyrick, 1886) (Arctiidae) Synonym(s): *lochaga* Meyrick, 1886
 3429) *Thallarcha macilenta* (Lucas, 1894) (Arctiidae) Synonym(s): *macilenta* Lucas, 1894
 3430) *Thallarcha mochlina* (Turner, 1899) (Arctiidae) Synonym(s): *mochlina* Turner, 1899
 3431) *Thallarcha multifasciata* Holloway, 1979 (Arctiidae) Synonym(s): *multifasciata* Holloway, 1979
 3432) *Thallarcha obliata* (R. Felder & Rogenhofer, 1875) (Arctiidae) Synonym(s): *obliata* R. Felder & Rogenhofer, 1875
 3433) *Thallarcha partita* (Walker, 1869) (Arctiidae) Synonym(s): *partita* Walker, 1869; *tineoides* Felder, 1874; *amanda* R. Felder & Rogenhofer, 1875
 3434) *Thallarcha pallax* Turner, 1940 (Arctiidae) Synonym(s): *pallax* Turner, 1940
 3435) *Thallarcha phalarota* (Meyrick, 1886) (Arctiidae) Synonym(s): *phalarota* Meyrick, 1886; *phaedropa* Meyrick, 1886; *aurantiacea* Lucas, 1890.
 3436) *Thallarcha polystigma* Turner, 1943 (Arctiidae) Synonym(s): *polystigma* Turner, 1943
 3437) *Thallarcha rhamnophora* Lower, 1915 (Arctiidae) Synonym(s): *rhamnophora* Lower, 1915
 3438) *Thallarcha sparsana* (Walker, 1863) (Arctiidae) Synonym(s): *sparsana* Walker, 1863; *gracilis* Butler, 1877; *#sparsanoides* Strand, 1922; *#sparsanella* Strand, 1922
 3439) *Thallarcha staurocola* (Meyrick, 1886) (Arctiidae) Synonym(s): *staurocola* Meyrick, 1886
 3440) *Thallarcha stramenticolor* Turner, 1940 (Arctiidae) Synonym(s): *stramenticolor* Turner, 1940
 3441) *Thallarcha trissomochla* Turner, 1940 (Arctiidae) Synonym(s): *trissomochla* Turner, 1940
 3442) *Thallarcha zophophanes* Turner, 1940 (Arctiidae) Synonym(s): *zophophanes* Turner, 1940
 3443) *Threnosia agraphes* Turner, 1940 (Arctiidae) Synonym(s): *agraphes* Turner, 1940
 3444) *Threnosia heminephes* (Meyrick, 1886) (Arctiidae) Synonym(s): *heminephes* Meyrick, 1886
 3445) *Threnosia hypopolia* Turner, 1940 (Arctiidae) Synonym(s): *hypopolia* Turner, 1940
 3446) *Threnosia myochroa* Turner, 1940 (Arctiidae) Synonym(s): *myochroa* Turner, 1940
 3447) *Thumatha fuscescens* Walker, 1866 (Arctiidae) Synonym(s): *fuscescens* Walker, 1866; *infantula* Saalmüller, 1879; *rava* Lucas, 1890
 3448) *Thumatha inconstans* Butler, 1896 (Arctiidae) Synonym(s): *inconstans* Butler, 1896
 3449) *Thumatha senex* (Hübner, [1808]) (Arctiidae) Synonym(s): *senex* Hübner, [1808]; *syriaca* Daniel, 1939.
 3450) *Thumathoides fumosa* Holloway, 1979 (Arctiidae) Synonym(s): *fumosa* Holloway, 1979
 3451) *Thysanoprymna roseocincta* (Seitz, 1925) (Arctiidae) Synonym(s): *roseocincta* Seitz, 1925
 3452) *Thysanoprymna superba* (Schaus, 1889) (Arctiidae) Synonym(s): *superba* Schaus, 1889
 3453) *Tigrioides alterna* (Walker, 1854) (Arctiidae) Synonym(s): *alterna* Walker, 1854; *histrionica* Herrich-Schäffer, 1855; *transversa* Walker, [1865]
 3454) *Tigrioides nitens* (Walker, [1865]) (Arctiidae) Synonym(s): *nitens* Walker, [1865]; *remota* Walker, 1869; *unicolor* Lucas, 1890
 3455) *Tigrioides quadrinotata* (Walker, 1864) (Arctiidae) Synonym(s): *quadrinotata* Walker, 1864
 3456) *Tinoliodes benguetensis* Wileman, 1915 (Arctiidae) Synonym(s): *benguetensis* Wileman, 1915
 3457) *Tinoliodes dehanna* (Pagenstecher, 1885) (Arctiidae) Synonym(s): *dehanna* Pagenstecher, 1885; *ruberrima* Roepke, 1947; *javana* Roepke, 1947; *borneana* Roepke, 1947
 3458) *Tricypha imperialis* Heylaerts, 1884 (Arctiidae) Synonym(s): *imperialis* Heylaerts, 1884
 3459) *Trischalis aureoplagiata* (Rothschild, 1913) (Arctiidae) Synonym(s): *aureoplagiata* Rothschild, 1913
 3460) *Trissobrocha eugraphica* Turner, 1914 (Arctiidae) Synonym(s): *eugraphica* Turner, 1914
 3461) *Tuina cingulata* (Walker, 1854) (Arctiidae) Synonym(s): *cingulata* Walker, 1854
 3462) *Tumicla sagenaria* (Wallengren, 1860) (Arctiidae) Synonym(s): *sagenaria* Wallengren, 1860
 3463) *Turruptiana lacipea* (Druce, 1890) (Arctiidae) Synonym(s): *lacipea* Druce, 1890
 3464) *Turruptiana obliqua* Walker, 1869 (Arctiidae) Synonym(s): *obliqua* Walker, 1869; *ochrosteria* R. Felder, 1874; *perfecta* Edwards, 1884
 3465) *Tylanthes ptochias* Meyrick, 1889 (Arctiidae) Synonym(s): *ptochias* Meyrick, 1889; *lousiadensis* Rothschild, 1913
 3466) *Tyria jacobaeae* (Linnaeus, 1758) (Arctiidae) Synonym(s): *jacobaeae* Linnaeus, 1758; *senecionis* Godart, 1823; *confluens* Schultz, 1908.
 3467) *Urozana cordatula* (Druce, 1885) (Arctiidae) Synonym(s): *cordatula* Druce, 1885
 3468) *Utetheisa (Atasca) aegrotum* (Swinhoe, 1892) (Arctiidae) Synonym(s): *aegrotum* Swinhoe, 1892; *mckieana* Lucas, 1898
 3469) *Utetheisa (Atasca) pellex* (Linnaeus, 1758) (Arctiidae) Synonym(s): *pellex* Linnaeus, 1758; *artemis* Boisduval, 1832; *amosa* Swinhoe, 1903; *tangens* Seitz, 1915.
 3470) *Utetheisa (Atasca) pellex albipuncta* (Druce, 1888) (Arctiidae) Synonym(s): *albipuncta* Druce, 1888; *zoilides* Prout, 1920
 3471) *Utetheisa (Atasca) pellex bougainvillensis* Strand, 1916 (Arctiidae) Synonym(s): *bougainvillensis* Strand, 1916
 3472) *Utetheisa (Atasca) pellex frosti* (Prout, 1918) (Arctiidae) Synonym(s): *frosti* Prout, 1918
 3473) *Utetheisa (Atasca) pellex pellex* (Linnaeus, 1758) (Arctiidae) Synonym(s): *pellex* Linnaeus, 1758; *artemis* Boisduval, 1832; *amosa* Swinhoe, 1903; *tangens* Seitz, 1915.
 3474) *Utetheisa (Atasca) pellex pervecta* Prout, 1920 (Arctiidae) Synonym(s): *pervecta* Prout, 1920
 3475) *Utetheisa (Atasca) pellex signata* (Butler, 1878) (Arctiidae) Synonym(s): *signata* Butler, 1878
 3476) *Utetheisa (Atasca) timorensis* Roepke, 1954 (Arctiidae) Synonym(s): *timorensis* Roepke, 1954
 3477) *Utetheisa (Pitasila) abraxoides* (Walker, 1862) (Arctiidae) Synonym(s): *abraxoides* Walker, 1862
 3478) *Utetheisa (Pitasila) fractifascia* (Wileman, 1911) (Arctiidae) Synonym(s): *fractifascia* Wileman, 1911; *basistrigata* Reich, 1932.
 3479) *Utetheisa (Pitasila) guttulosa* (Walker, 1864) (Arctiidae) Synonym(s): *guttulosa* Walker, 1864; *abraxata* Snellen, 1879
 3480) *Utetheisa (Pitasila) latifascia* (Hopffer, 1874) (Arctiidae) Synonym(s): *latifascia* Hopffer, 1874
 3481) *Utetheisa (Pitasila) leucospilota* (Moore, 1877) (Arctiidae) Synonym(s): *leucospilota* Moore, 1877
 3482) *Utetheisa (Pitasila) macklotti* (Snellen, 1863) (Arctiidae) Synonym(s): *macklotti* Snellen, 1863
 3483) *Utetheisa (Pitasila) okinawensis* (Inoue, 1982) (Arctiidae) Synonym(s): *okinawensis* Inoue, 1982
 3484) *Utetheisa (Pitasila) oroya* (Swinhoe, 1903) (Arctiidae) Synonym(s): *oroya* Swinhoe, 1903
 3485) *Utetheisa (Pitasila) sangira* (Swinhoe, 1903) (Arctiidae) Synonym(s): *sangira* Swinhoe, 1903; *distincta* Swinhoe, 1903
 3486) *Utetheisa (Pitasila) selecta* (Walker, 1854) (Arctiidae) Synonym(s): *selecta* Walker, 1854; *bijunctella* Walker, 1866; *bipunctella* Kirby, 1892; *disrupta* Butler, 1887
 3487) *Utetheisa (Pitasila) selecta burica* (Holland, 1900) (Arctiidae) Synonym(s): *burica* Holland, 1900
 3488) *Utetheisa (Pitasila) selecta inconstans* (Butler, 1880) (Arctiidae) Synonym(s): *inconstans* Butler, 1880; *brylancik* Bryk, 1937
 3489) *Utetheisa (Pitasila) selecta selecta* (Walker, 1854) (Arctiidae) Synonym(s): *selecta* Walker, 1854; *bijunctella* Walker, 1866; *bipunctella* Kirby, 1892; *disrupta* Butler, 1887
 3490) *Utetheisa (Pitasila) selecta similis* (Swinhoe, 1917) (Arctiidae) Synonym(s): *similis* Swinhoe, 1917; *angalensis* Matsumura, 1930
 3491) *Utetheisa (Pitasila) selecta vollenhovi* (Snellen, 1890) (Arctiidae) Synonym(s): *vollenhovi* Snellen, 1890
 3492) *Utetheisa (Pitasila) specularis* (Walker, 1856) (Arctiidae) Synonym(s): *specularis* Walker, 1856; *confluens* Felder, 1861
 3493) *Utetheisa (Pitasila) specularis specularis* (Walker, 1856) (Arctiidae) Synonym(s): *specularis* Walker, 1856; *confluens* Felder, 1861
 3494) *Utetheisa (Pitasila) specularis transiens* (Jurriaanse, 1919) (Arctiidae) Synonym(s): *transiens* Jurriaanse, 1919
 3495) *Utetheisa (Pitasila) vandenberghi* (Nieuwenhuis, 1948) (Arctiidae) Synonym(s): *vandenberghi* Nieuwenhuis, 1948
 3496) *Utetheisa (Pitasila) varians* (Walker, 1854) (Arctiidae) Synonym(s): *variens* Walker, 1854; *moolaica* Moore, 1878
 3497) *Utetheisa (Pitasila) variolosa* (Felder, 1874) (Arctiidae) Synonym(s): *variolosa* Felder, 1874
 3498) *Utetheisa (s.str.) amhara* Jordan, 1939 (Arctiidae) Synonym(s): *amhara* Jordan, 1939
 3499) *Utetheisa (s.str.) antennata* (Swinhoe, 1893) (Arctiidae) Synonym(s): *antennata* Swinhoe, 1893
 3500) *Utetheisa (s.str.) clareae* Robinson, 1971 (Arctiidae) Synonym(s): *clareae* Robinson, 1971
 3501) *Utetheisa (s.str.) cruentata* (Butler, 1881) (Arctiidae) Synonym(s): *cruentata* Butler, 1881
 3502) *Utetheisa (s.str.) devriesi* Hayes, 1975 (Arctiidae) Synonym(s): *devriesi* Hayes, 1975

- 3503) *Utetheisa* (s.str.) *dorsifumata* Prout,1920 (Arctiidae) Synonym(s): *dorsifumata* Prout,1920
 3504) *Utetheisa* (s.str.) *elata* (Fabricius,1798) (Arctiidae) Synonym(s): *elata* Fabricius,1798
 3505) *Utetheisa* (s.str.) *elata elata* (Fabricius,1798) (Arctiidae) Synonym(s): *elata* Fabricius,1798
 3506) *Utetheisa* (s.str.) *elata fatela* Jordan,1939 (Arctiidae) Synonym(s): *fatela* Jordan,1939
 3507) *Utetheisa* (s.str.) *elata fatua* (Heyn,1906) (Arctiidae) Synonym(s): *fatua* Heyn,1906
 3508) *Utetheisa* (s.str.) *galapagensis* (Wallengren,1860) (Arctiidae) Synonym(s): *galapagensis* Wallengren,1860
 3509) *Utetheisa* (s.str.) *lactea* (Butler,1884) (Arctiidae) Synonym(s): *lactea* Butler,1884
 3510) *Utetheisa* (s.str.) *lactea aldabrensis* T.B.Fletcher,1910 (Arctiidae) Synonym(s): *aldabrensis* T.B.Fletcher,1910
 3511) *Utetheisa* (s.str.) *lactea lactea* (Butler,1884) (Arctiidae) Synonym(s): *lactea* Butler,1884
 3512) *Utetheisa* (s.str.) *lotrix* (Cramer,[1777]) (Arctiidae) Synonym(s): *lotrix* Cramer,[1777]; *indica* Roepke,1941
 3513) *Utetheisa* (s.str.) *lotrix lepida* (Rambur,[1866]) (Arctiidae) Synonym(s): *lepida* Rambur,[1866]
 3514) *Utetheisa* (s.str.) *lotrix lotrix* (Cramer,[1777]) (Arctiidae) Synonym(s): *lotrix* Cramer,[1777]; *indica* Roepke,1941
 3515) *Utetheisa* (s.str.) *lotrix socotrensis* Jordan,1939 (Arctiidae) Synonym(s): *socotrensis* Jordan,1939
 3516) *Utetheisa* (s.str.) *lotrix stigmata* Rothschild,1910 (Arctiidae) Synonym(s): *stigmata* Rothschild,1910
 3517) *Utetheisa* (s.str.) *maddisoni* Robinson & Robinson,1980 (Arctiidae) Synonym(s): *maddisoni* Robinson & Robinson,1980
 3518) *Utetheisa* (s.str.) *ornatrix* (Linnaeus,1758) (Arctiidae) Synonym(s): *ornatrix* Linnaeus,1758; *stretchii* Butler,1877; *pura* Butler,1877; *daphoena* Dyar,1914; *butleri* Dyar,1914
 3519) *Utetheisa* (s.str.) *pectinata* Hampson,1907 (Arctiidae) Synonym(s): *pectinata* Hampson,1907
 3520) *Utetheisa* (s.str.) *perryi* Hayes,1975 (Arctiidae) Synonym(s): *perryi* Hayes,1975
 3521) *Utetheisa* (s.str.) *pulchella* (Linnaeus,1758) (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969.
 3522) *Utetheisa* (s.str.) *pulchella callima* Swinhoe,1907 (Arctiidae) Synonym(s): *callima* Swinhoe,1907
 3523) *Utetheisa* (s.str.) *pulchella dilutior* Rothschild,1910 (Arctiidae) Synonym(s): *dilutior* Rothschild,1910
 3524) *Utetheisa* (s.str.) *pulchella pulchella* (Linnaeus,1758) (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775.
 3525) *Utetheisa* (s.str.) *pulchelloides* Hampson,1907 (Arctiidae) Synonym(s): *pulchelloides* Hampson,1907
 3526) *Utetheisa* (s.str.) *pulchelloides aphanis* Jordan,1939 (Arctiidae) Synonym(s): *aphanis* Jordan,1939
 3527) *Utetheisa* (s.str.) *pulchelloides darwini* Jordan,1939 (Arctiidae) Synonym(s): *darwini* Jordan,1939
 3528) *Utetheisa* (s.str.) *pulchelloides dorsirufa* Prout,1920 (Arctiidae) Synonym(s): *dorsirufa* Prout,1920; *papuana* Jordan,1939.
 3529) *Utetheisa* (s.str.) *pulchelloides marshallorum* Rothschild,1910 (Arctiidae) Synonym(s): *marshallorum* Rothschild,1910
 3530) *Utetheisa* (s.str.) *pulchelloides rothschildi* Hampson,1907 (Arctiidae) Synonym(s): *pulchelloides* Hampson,1907.
 3531) *Utetheisa* (s.str.) *pulchelloides umata* Jordan,1939 (Arctiidae) Synonym(s): *umata* Jordan,1939
 3532) *Utetheisa* (s.str.) *pulchelloides vaga* Jordan,1939 (Arctiidae) Synonym(s): *vaga* Jordan,1939
 3533) *Utetheisa* (s.str.) *salomonis* Rothschild,1910 (Arctiidae) Synonym(s): *salomonis* Rothschild,1910; *ruberrima* Rothschild,1910.
 3534) *Utetheisa* (s.str.) *semara* Moore,1859 (Arctiidae) Synonym(s): *semara* Moore,1859
 3535) *Utetheisa* (s.str.) *sumatrana* Rothschild,1910 (Arctiidae) Synonym(s): *sumatrana* Rothschild,1910
 3536) *Virbia ampla* (Walker,1864) (Arctiidae) Synonym(s): *ampla* Walker,1864
 3537) *Virbia luteilinea* Walker,1854 (Arctiidae) Synonym(s): *luteilinea* Walker,1854; *inversa* Edwards,1884
 3538) *Virbia phalangia* Hampson,1920 (Arctiidae) Synonym(s): *phalangia* Hampson,1920
 3539) *Virbia rosenbergi* Rothschild,1910 (Arctiidae) Synonym(s): *rosenbergi* Rothschild,1910
 3540) *Virbia zonata* (R.Felder & Rogenhofer,1874) (Arctiidae) Synonym(s): *zonata* R.Felder & Rogenhofer,1874; *distincta* Edwards,1884
 3541) *Viviennea flavicincta* (Herrich-Schäffer,[1855]) (Arctiidae) Synonym(s): *flavicincta* Herrich-Schäffer,[1855]; *angulosa* Walker,1856; *immaculata* Rothschild,1935; *spitzi* Rothschild,1935
 3542) *Viviennea salma* (Druce,1896) (Arctiidae) Synonym(s): *salma* Druce,1896; *whitei* Rothschild,1935
 3543) *Watsonarctia deserta* (Bartel,1902) (Arctiidae) Synonym(s): *casta* Esper,[1784] *nec* Pall.,1771; *deserta* Bartel,1902; *sibirica* Kozhantschikov,1924; *callesi* Gomez-Bustillo,1979; *esperii* Koçak,1980.
 3544) *Watsonarctia deserta centralasiae* (O.Bang-Haas,1927) (Arctiidae) Synonym(s): *centralasiae* O.Bang-Haas,1927
 3545) *Watsonarctia deserta deserta* (Bartel,1902) (Arctiidae) Synonym(s): *casta* Esper,[1784] *nec* Pall.,1771; *deserta* Bartel,1902; *sibirica* Kozhantschikov,1924; *callesi* Gomez-Bustillo,1979; *esperii* Koçak,1980.
 3546) *Watsonarctia deserta elbursica* Dubatolov & Zahiri,[2006] (Arctiidae) Synonym(s): *elbursica* Dubatolov & Zahiri,[2006]
 3547) *Watsonarctia deserta karduchena* (De Freina,1983) (Arctiidae) Synonym(s): *karduchena* De Freina,1983
 3548) *Xanthetis ichorina* (Butler,1877) (Arctiidae) Synonym(s): *ichorina* Butler,1877
 3549) *Xenosoma flaviceps* (Walker,1865) (Arctiidae) Synonym(s): *flaviceps* Walker,1865; *nigricosta* R.Felder & Rogenhofer,1874
 3550) *Zadadrina metallica* Kiriakoff,1954 (Arctiidae) Synonym(s): *metallica* Kiriakoff,1954
 3551) *Zobida bipuncta* (Hübner,[1824]) (Arctiidae) Synonym(s): *bipuncta* Hübner,[1824]
 3552) *Abrota ganga* Moore,1857 (Argynnididae) Synonym(s): *ganga* Moore,1857
 3553) *Abrota ganga ganga* Moore,1857 (Argynnididae) Synonym(s): *ganga* Moore,1857
 3554) *Adelpha basilioides* Bates,1865 (Argynnididae) Synonym(s): *basilioides* Bates,1865
 3555) *Adelpha bredowii* (Geyer,[1837]) (Argynnididae) Synonym(s): *bredowii* Geyer,[1837]
 3556) *Adelpha bredowii californica* (Butler,1865) (Argynnididae) Synonym(s): *californica* Butler,1865
 3557) *Adelpha bredowii eulalia* (Doubleday & Hewitson,1848) (Argynnididae) Synonym(s): *eulalia* Doubleday & Hewitson,1848
 3558) *Adelpha fessonia* (Hewitson,1847) (Argynnididae) Synonym(s): *fessonia* Hewitson,1847
 3559) *Agatasa calydonia* (Hewitson,1854) (Argynnididae) Synonym(s): *calydonia* Hewitson,1854
 3560) *Agatasa calydonia belisama* (Crowley,1891) (Argynnididae) Synonym(s): *belisama* Crowley,1891
 3561) *Agatasa calydonia calydonia* (Hewitson,1854) (Argynnididae) Synonym(s): *calydonia* Hewitson,1854
 3562) *Agatasa chrysodonia* Staudinger,1890 (Argynnididae) Synonym(s): *chrysodonia* Staudinger,1890
 3563) *Agatasa chrysodonia chrysodonia* Staudinger,1890 (Argynnididae) Synonym(s): *chrysodonia* Staudinger,1890
 3564) *Agatasa chrysodonia heterodonia* Semper,1892 (Argynnididae) Synonym(s): *heterodonia* Semper,1892
 3565) *Agatasa chrysodonia luzonensis* Schröder & Treadaway,1988 (Argynnididae) Synonym(s): *luzonensis* Schröder & Treadaway,1988
 3566) *Aglais ichnusa* (Hübner,[1824]) (Argynnididae) Synonym(s): *ichnusa* Hübner,[1824]
 3567) *Aglais ichnusa ichnusa* (Hübner,[1824]) (Argynnididae) Synonym(s): *ichnusa* Hübner,[1824]
 3568) *Aglais kaschmirensis* (Kollar,[1844]) (Argynnididae) Synonym(s): *kaschmirensis* Kollar,[1844]
 3569) *Aglais kaschmirensis aesis* (Fruhstorfer,1912) (Argynnididae) Synonym(s): *aesis* Fruhstorfer,1912
 3570) *Aglais kaschmirensis kaschmirensis* (Kollar,[1844]) (Argynnididae) Synonym(s): *kaschmirensis* Kollar,[1844]
 3571) *Aglais ladakensis* (Moore,1878) (Argynnididae) Synonym(s): *ladakensis* Moore,1878
 3572) *Aglais ladakensis ladakensis* (Moore,1878) (Argynnididae) Synonym(s): *ladakensis* Moore,1878
 3573) *Aglais milberti* (Godart,[1819]) (Argynnididae) Synonym(s): *milberti* Godart,[1819]
 3574) *Aglais nixa* (Groum-Grshimailo,1890) (Argynnididae) Synonym(s): *nixa* Groum-Grshimailo,1890
 3575) *Aglais nixa nixa* (Groum-Grshimailo,1890) (Argynnididae) Synonym(s): *nixa* Groum-Grshimailo,1890
 3576) *Aglais rizana* (Moore,1872) (Argynnididae) Synonym(s): *rizana* Moore,1872
 3577) *Aglais rizana rizana* (Moore,1872) (Argynnididae) Synonym(s): *rizana* Moore,1872
 3578) *Aglais urticae* (Linnaeus,1758) (Argynnididae) Synonym(s): *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandi* Verity,1936.
 3579) *Aglais urticae chinensis* (Leech,1892) (Argynnididae) Synonym(s): *chinensis* Leech,1892
 3580) *Aglais urticae chinganensis* (Kleinschmidt,1929) (Argynnididae) Synonym(s): *chinganensis* Kleinschmidt,1929
 3581) *Aglais urticae kansuensis* (Kleinschmidt,1927) (Argynnididae) Synonym(s): *kansuensis* Kleinschmidt,1927
 3582) *Aglais urticae obtusa* O.Bang-Haas,1927 (Argynnididae) Synonym(s): *obtusa* O.Bang-Haas,1927
 3583) *Aglais urticae turcica* (Staudinger,1871) (Argynnididae) Synonym(s): *turcica* Staudinger,1871
 3584) *Aglais urticae turcicoides* (Staudinger,1901) (Argynnididae) Synonym(s): *turcicoides* Staudinger,1901
 3585) *Aglais urticae urticae* (Linnaeus,1758) (Argynnididae) Synonym(s): *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandi* Verity,1936.
 3586) *Aldania deliquata* (Stichel,[1909]) (Argynnididae) Synonym(s): *deliquata* Stichel,[1909]
 3587) *Aldania deliquata deliquata* (Stichel,[1909]) (Argynnididae) Synonym(s): *deliquata* Stichel,[1909]
 3588) *Aldania deliquata tshetverikovi* (Kurentzov,1936) (Argynnididae) Synonym(s): *tshetverikovi* Kurentzov,1936

- 3589) *Aldania ilos* (Fruhstorfer,1909) (Argynnididae) Synonym(s): *ilos Fruhstorfer,1909*
 3590) *Aldania ilos ilos* (Fruhstorfer,1909) (Argynnididae) Synonym(s): *ilos Fruhstorfer,1909*
 3591) *Aldania ilos nirei* (Nomura,1935) (Argynnididae) Synonym(s): *nirei Nomura,1935*
 3592) *Aldania ilos nise* (Sugiyama,1993) (Argynnididae) Synonym(s): *nise Sugiyama,1993*
 3593) *Aldania raddei* (Bremer,1861) (Argynnididae) Synonym(s): *raddei Bremer,1861*
 3594) *Aldania raddei raddei* (Bremer,1861) (Argynnididae) Synonym(s): *raddei Bremer,1861*
 3595) *Aldania themis* (Leech,1890) (Argynnididae) Synonym(s): *themis Leech,1890*
 3596) *Aldania themis themis* (Leech,1890) (Argynnididae) Synonym(s): *themis Leech,1890*
 3597) *Aldania thisbe* (Ménétriés,1859) (Argynnididae) Synonym(s): *thisbe Ménétriés,1859; ussuriensis Kurentzov,1970.*
 3598) *Aldania thisbe thisbe* (Ménétriés,1859) (Argynnididae) Synonym(s): *thisbe Ménétriés,1859; ussuriensis Kurentzov,1970.*
 3599) *Amnosia decora Doubleday,[1849]* (Argynnididae) Synonym(s): *decora Doubleday,[1849]*
 3600) *Amnosia decora baluana Fruhstorfer,1894* (Argynnididae) Synonym(s): *baluana Fruhstorfer,1894*
 3601) *Amnosia decora decora Doubleday,[1849]* (Argynnididae) Synonym(s): *decora Doubleday,[1849]*
 3602) *Amnosia decora decorina Fruhstorfer,1894* (Argynnididae) Synonym(s): *decorina Fruhstorfer,1894*
 3603) *Amnosia decora eudamia Grose-Smith,1885* (Argynnididae) Synonym(s): *eudamia Grose-Smith,1885*
 3604) *Amnosia decora martini Honrath,1892* (Argynnididae) Synonym(s): *martini Honrath,1892*
 3605) *Amnosia decora perakana Fruhstorfer,1908* (Argynnididae) Synonym(s): *perakana Fruhstorfer,1908*
 3606) *Amnosia decora petronia Fruhstorfer,1908* (Argynnididae) Synonym(s): *petronia Fruhstorfer,1908*
 3607) *Amuriana schreckii* (Ménétriés,1858) (Argynnididae) Synonym(s): *schreckii Ménétriés,1858*
 3608) *Amuriana schreckii schreckii* (Ménétriés,1858) (Argynnididae) Synonym(s): *schreckii Ménétriés,1858*
 3609) *Anaea aidea* (Guérin-Mèneville,[1844]) (Argynnididae) Synonym(s): *aidee Guérin-Mèneville,[1844]; morrisonii Edwards,1883; appiciata Röber,1916*
 3610) *Anaea andria Scudder,1875* (Argynnididae) Synonym(s): *andria Scudder,1875; ops Druce,1877; glycerinus Stichel,1939; #andriaesta F.Johnson & Comstock,1941*
 3611) *Anaea floralidis F.Johnson & Comstock,1941* (Argynnididae) Synonym(s): *floralidis F.Johnson & Comstock,1941; #floraesta F.Johnson & Comstock,1941*
 3612) *Anaea glycerium* (Doubleday,[1849]) (Argynnididae) Synonym(s): *glycerium Doubleday,[1849]*
 3613) *Anaea pithyusa* (Druce,1877) (Argynnididae) Synonym(s): *pithyusa Druce,1877*
 3614) *Anaea troglodyta* (Fabricius,1775) (Argynnididae) Synonym(s): *troglodyta Fabricius,1775*
 3615) *Anartia chrysopelea Hübner,[1824]* (Argynnididae) Synonym(s): *chrysopelea Hübner,[1824]*
 3616) *Anartia fatima* (Fabricius,1793) (Argynnididae) Synonym(s): *fatima Fabricius,1793*
 3617) *Anartia jatrophae* (Johansson,1763) (Argynnididae) Synonym(s): *jatrophae Johansson,1763*
 3618) *Anartia jatrophae guantanamo Munroe,1942* (Argynnididae) Synonym(s): *guantanamo Munroe,1942*
 3619) *Anartia jatrophae luteipicta Fruhstorfer,1907* (Argynnididae) Synonym(s): *luteipicta Fruhstorfer,1907*
 3620) *Antanartia abyssinica* (C.Felder & R.Felder,[1867]) (Argynnididae) Synonym(s): *abyssinica C.Felder & R.Felder,[1867]*
 3621) *Antanartia abyssinica abyssinica* (C.Felder & R.Felder,[1867]) (Argynnididae) Synonym(s): *abyssinica C.Felder & R.Felder,[1867]*
 3622) *Antanartia abyssinica jacksoni Howarth,1966* (Argynnididae) Synonym(s): *jacksoni Howarth,1966*
 3623) *Antanartia abyssinica vansomeri Howarth,1966* (Argynnididae) Synonym(s): *vansomeri Howarth,1966*
 3624) *Antanartia borbonica* (Oberthür,1879) (Argynnididae) Synonym(s): *borbonica Oberthür,1879*
 3625) *Antanartia borbonica borbonica* (Oberthür,1879) (Argynnididae) Synonym(s): *borbonica Oberthür,1879*
 3626) *Antanartia borbonica mauritiana Manders,1908* (Argynnididae) Synonym(s): *mauritiana Manders,1908*
 3627) *Antanartia delius* (Drury,1782) (Argynnididae) Synonym(s): *delius Drury,1782; eurocilia Fabricius,1793; demonica Godart,[1819]; amauroptera Sharpe,1904; nigrescens Suffert,1904; #kamitugensis Dufrane,1945*
 3628) *Antanartia delius delius* (Drury,1782) (Argynnididae) Synonym(s): *delius Drury,1782; eurocilia Fabricius,1793; demonica Godart,[1819]; amauroptera Sharpe,1904; nigrescens Suffert,1904; #kamitugensis Dufrane,1945*
 3629) *Antanartia delius guineensis Howarth,1966* (Argynnididae) Synonym(s): *guineensis Howarth,1966*
 3630) *Antanartia dimorphica Howarth,1966* (Argynnididae) Synonym(s): *dimorphica Howarth,1966*
 3631) *Antanartia dimorphica aethiopica Howarth,1966* (Argynnididae) Synonym(s): *aethiopica Howarth,1966*
 3632) *Antanartia dimorphica comorica Howarth,1966* (Argynnididae) Synonym(s): *comorica Howarth,1966*
 3633) *Antanartia dimorphica dimorphica Howarth,1966* (Argynnididae) Synonym(s): *dimorphica Howarth,1966*
 3634) *Antanartia dimorphica mortoni Howarth,1966* (Argynnididae) Synonym(s): *mortoni Howarth,1966*
 3635) *Antanartia hippomene* (Hübner,[1823]) (Argynnididae) Synonym(s): *hippomene Hübner,[1823]*
 3636) *Antanartia hippomene hippomene* (Hübner,[1823]) (Argynnididae) Synonym(s): *hippomene Hübner,[1823]*
 3637) *Antanartia hippomene madegassorum* (Aurivillius,1898) (Argynnididae) Synonym(s): *madegassorum Aurivillius,1898*
 3638) *Antanartia schaeenia* (Trimen,1879) (Argynnididae) Synonym(s): *schaeenia Trimen,1879; commixta Butler,1880*
 3639) *Antanartia schaeenia diluta Rothschild & Jordan,1903* (Argynnididae) Synonym(s): *diluta Rothschild & Jordan,1903*
 3640) *Antanartia schaeenia dubia Howarth,1966* (Argynnididae) Synonym(s): *nigerrimus Stoneham,1934; dubia Howarth,1966*
 3641) *Antanartia schaeenia schaeenia* (Trimen,1879) (Argynnididae) Synonym(s): *schaeenia Trimen,1879; commixta Butler,1880*
 3642) *Apatura ambica Kollar,[1844]* (Argynnididae) Synonym(s): *ambica Kollar,[1844]*
 3643) *Apatura ambica ambica Kollar,[1844]* (Argynnididae) Synonym(s): *ambica Kollar,[1844]*
 3644) *Apatura ambica chitralensis Evans,1912* (Argynnididae) Synonym(s): *chitralensis Evans,1912*
 3645) *Apatura ambica miranda Fruhstorfer,1902* (Argynnididae) Synonym(s): *miranda Fruhstorfer,1902*
 3646) *Apatura chevana Moore,1865* (Argynnididae) Synonym(s): *chevana Moore,1865*
 3647) *Apatura chevana chevana Moore,1865* (Argynnididae) Synonym(s): *chevana Moore,1865*
 3648) *Apatura ilia* ([Denis & Schiffermüller],1775) (Argynnididae) Synonym(s): *ilia [Denis & Schiffermüller],1775; clytie [Denis & Schiffermüller],1775; luteus Esper,1777; roeselii Bergsträßer,1779; vulgaris Bergsträßer,1779; rubescens Esper,1781; eos Rossi,1794; julia Schrank,1801; astasia Hübner,1826; heos Meigen,1828, etc.*
 3649) *Apatura ilia hereoides O.Bang-Haas,1933* (Argynnididae) Synonym(s): *hereoides O.Bang-Haas,1933*
 3650) *Apatura ilia ilia* ([Denis & Schiffermüller],1775) (Argynnididae) Synonym(s): *ilia [Denis & Schiffermüller],1775; clytie [Denis & Schiffermüller],1775; luteus Esper,1777; roeselii Bergsträßer,1779; vulgaris Bergsträßer,1779; rubescens Esper,1781; eos Rossi,1794; julia Schrank,1801; astasia Hübner,1826; heos Meigen,1828, etc.*
 3651) *Apatura iris* (Linnaeus,1758) (Argynnididae) Synonym(s): *iris Linnaeus,1758; suspirans Poda,1761; jole [Denis & Schiffermüller],1775; junonia Borkhausen,1788; beroe Fabricius,1793; pseudoirs Verity,1913.*
 3652) *Apatura iris barnica Verity,1927* (Argynnididae) Synonym(s): *barnica Verity,1927; asturiensis Le Moul,1947.*
 3653) *Apatura iris iris* (Linnaeus,1758) (Argynnididae) Synonym(s): *iris Linnaeus,1758; suspirans Poda,1761; jole [Denis & Schiffermüller],1775; junonia Borkhausen,1788; beroe Fabricius,1793; pseudoirs Verity,1913.*
 3654) *Apatura iris kansuensis O.Bang-Haas,1933* (Argynnididae) Synonym(s): *kansuensis O.Bang-Haas,1933*
 3655) *Apatura metis* Freyer,1829 (Argynnididae) Synonym(s): *metis Freyer,1829*
 3656) *Apatura metis bunea Herrich-Schäffer,[1845]* (Argynnididae) Synonym(s): *bunea Herrich-Schäffer,[1845]; gertraudis Stichel,1909; oberthueri Le Moul,1947.*
 3657) *Apatura metis irtyshika Korshunov,1982* (Argynnididae) Synonym(s): *irtyshika Korshunov,1982*
 3658) *Apatura metis metis Freyer,1829* (Argynnididae) Synonym(s): *metis Freyer,1829*
 3659) *Apaturopsis cleochares* (Hewitson,1873) (Argynnididae) Synonym(s): *cleochares Hewitson,1873*
 3660) *Apaturopsis cleochares cleochares* (Hewitson,1873) (Argynnididae) Synonym(s): *cleochares Hewitson,1873*
 3661) *Apaturopsis cleochares schultzei Schmidt,1921* (Argynnididae) Synonym(s): *schultzei Schmidt,1921*
 3662) *Apaturopsis kilusa* (Grose-Smith,1891) (Argynnididae) Synonym(s): *kilusa Grose-Smith,1891*
 3663) *Apaturopsis paulianii Viette,1962* (Argynnididae) Synonym(s): *paulianii Viette,1962*
 3664) *Araschnia burejana Bremer,1861* (Argynnididae) Synonym(s): *burejana Bremer,1861*
 3665) *Araschnia burejana burejana Bremer,1861* (Argynnididae) Synonym(s): *burejana Bremer,1861*
 3666) *Araschnia levana* (Linnaeus,1758) (Argynnididae) Synonym(s): *levana Linnaeus,1758; prorsa Linnaeus,1758.*
 3667) *Araschnia levana levana* (Linnaeus,1758) (Argynnididae) Synonym(s): *levana Linnaeus,1758; prorsa Linnaeus,1758.*
 3668) *Argynnis* (Argyreus) *hyperbius* (Linnaeus,1763) (Argynnididae) Synonym(s): *hyperbius Linnaeus,1763; niphe Linnaeus,1767.*
 3669) *Argynnis* (Argyreus) *hyperbius castetsi Oberthür,1891* (Argynnididae) Synonym(s): *castetsi Oberthür,1891*
 3670) *Argynnis* (Argyreus) *hyperbius hyperbius* (Linnaeus,1763) (Argynnididae) Synonym(s): *hyperbius Linnaeus,1763; niphe Linnaeus,1767.*
 3671) *Argynnis* (Argyreus) *hyperbius javanica Oberthür,1899* (Argynnididae) Synonym(s): *javanica Oberthür,1899*

- 3672) *Argynnis* (*Argyreus*) *hyperbius neumanni* Rothschild, 1903 (*Argynnidæ*) Synonym(s): *neumanni* Rothschild, 1903
- 3673) *Argynnis* (*Argyreus*) *hyperbius sagada* Fruhstorfer, 1900 (*Argynnidæ*) Synonym(s): *sagada* Fruhstorfer, 1900
- 3674) *Argynnis* (*Argyreus*) *hyperbius sumatrensis* (Fruhstorfer, [1905]) (*Argynnidæ*) Synonym(s): *sumatrensis* Fruhstorfer, [1905]
- 3675) *Argynnis* (*Argyreus*) *hyperbius taprobana* Moore, 1900 (*Argynnidæ*) Synonym(s): *taprobana* Moore, 1900
- 3676) *Argynnis* (*Argyronome*) *laodice* (Pallas, 1771) (*Argynnidæ*) Synonym(s): *laodice* Pallas, 1771; *cethosia* Fabricius, 1793
- 3677) *Argynnis* (*Argyronome*) *laodice laodice* (Pallas, 1771) (*Argynnidæ*) Synonym(s): *laodice* Pallas, 1771; *cethosia* Fabricius, 1793
- 3678) *Argynnis* (*Argyronome*) *laodice rudra* Moore, 1857 (*Argynnidæ*) Synonym(s): *rudra* Moore, 1857
- 3679) *Argynnis* (*Argyronome*) *ruslana* Motschulsky, 1866 (*Argynnidæ*) Synonym(s): *ruslana* Motschulsky, 1866
- 3680) *Argynnis* (*Argyronome*) *ruslana ruslana* Motschulsky, 1866 (*Argynnidæ*) Synonym(s): *ruslana* Motschulsky, 1866
- 3681) *Argynnis* (*Childrena*) *childreni* Gray, 1831 (*Argynnidæ*) Synonym(s): *childreni* Gray, 1831
- 3682) *Argynnis* (*Childrena*) *childreni caesarea* Fruhstorfer, 1912 (*Argynnidæ*) Synonym(s): *caesarea* Fruhstorfer, 1912
- 3683) *Argynnis* (*Childrena*) *childreni childreni* Gray, 1831 (*Argynnidæ*) Synonym(s): *childreni* Gray, 1831
- 3684) *Argynnis* (*Childrena*) *childreni sakontala* Kollar, [1844] (*Argynnidæ*) Synonym(s): *sakontala* Kollar, [1844]
- 3685) *Argynnis* (*Damora*) *sagana Doubleday*, 1847 (*Argynnidæ*) Synonym(s): *sagana* Doubleday, 1847; *paulina* Nordmann, 1851.
- 3686) *Argynnis* (*Damora*) *sagana relicta* Korshunov, 1984 (*Argynnidæ*) Synonym(s): *relicta* Korshunov, 1984
- 3687) *Argynnis* (*Damora*) *sagana sagana* Doubleday, 1847 (*Argynnidæ*) Synonym(s): *sagana* Doubleday, 1847; *paulina* Nordmann, 1851.
- 3688) *Argynnis* (*Fabriciana*) *adippe* (Rottemburg, 1775) (*Argynnidæ*) Synonym(s): *cydippe* Linnaeus, 1761 (rejected); *berecynthia* Poda, 1761 (rejected); *adippe* Rottemburg, 1775; *phryxa* Bergsträßer, 1780; *margaritacea* Retzius, 1783; *syrix* Borkhausen, 1788; *aspasia* Borkhausen, 1788; *liriop* Borkhausen, 1788; *baiuvarica* Spuler, 1901, etc.
- 3689) *Argynnis* (*Fabriciana*) *adippe adippe* (Rottemburg, 1775) (*Argynnidæ*) Synonym(s): *cydippe* Linnaeus, 1761 (rejected); *berecynthia* Poda, 1761 (rejected); *adippe* Rottemburg, 1775; *phryxa* Bergsträßer, 1780; *margaritacea* Retzius, 1783; *syrix* Borkhausen, 1788; *aspasia* Borkhausen, 1788; *liriop* Borkhausen, 1788; *baiuvarica* Spuler, 1901, etc.
- 3690) *Argynnis* (*Fabriciana*) *adippe alaiensis* Reuss, 1921 (*Argynnidæ*) Synonym(s): *alaiensis* Reuss, 1921
- 3691) *Argynnis* (*Fabriciana*) *adippe cancellata* Peschke, 1934 (*Argynnidæ*) Synonym(s): *cancellata* Peschke, 1934
- 3692) *Argynnis* (*Fabriciana*) *adippe chlorodippe* Herrich-Schäffer, 1851 (*Argynnidæ*) Synonym(s): *chlorodippe* Herrich-Schäffer, 1851
- 3693) *Argynnis* (*Fabriciana*) *adippe pallescens* Butler, 1873 (*Argynnidæ*) Synonym(s): *pallescens* Butler, 1873; *taigetana* Reuss.
- 3694) *Argynnis* (*Fabriciana*) *adippe persephone* Hemming, 1934 (*Argynnidæ*) Synonym(s): *pallida* Evans, 1912 nec Elwes, 1899; *persephone* Hemming, 1934.
- 3695) *Argynnis* (*Fabriciana*) *adippe taurica* Staudinger, 1878 (*Argynnidæ*) Synonym(s): *taurica* Staudinger, 1878
- 3696) *Argynnis* (*Fabriciana*) *adippe tianschanica* Alpheraky, 1881 (*Argynnidæ*) Synonym(s): *tianschanica* Alpheraky, 1881
- 3697) *Argynnis* (*Fabriciana*) *adippe vorax* Butler, 1871 (*Argynnidæ*) Synonym(s): *vorax* Butler, 1871
- 3698) *Argynnis* (*Fabriciana*) *adippe xanthodippe* Fixsen, 1887 (*Argynnidæ*) Synonym(s): *xanthodippe* Fixsen, 1887; *chrysodippe* Staudinger, 1892; *coredippe* Leech, 1892
- 3699) *Argynnis* (*Fabriciana*) *adippe xipe* Groum-Grshimailo, 1890 (*Argynnidæ*) Synonym(s): *xipe* Groum-Grshimailo, 1890
- 3700) *Argynnis* (*Fabriciana*) *adippe zarewna* Fruhstorfer, 1912 (*Argynnidæ*) Synonym(s): *zarewna* Fruhstorfer, 1912
- 3701) *Argynnis* (*Fabriciana*) *argyrosopilata* Kotsch, 1938 (*Argynnidæ*) Synonym(s): *argyrosopilata* Kotsch, 1938
- 3702) *Argynnis* (*Fabriciana*) *argyrosopilata argyrosopilata* Kotsch, 1938 (*Argynnidæ*) Synonym(s): *argyrosopilata* Kotsch, 1938
- 3703) *Argynnis* (*Fabriciana*) *auresiana* Fruhstorfer, 1908 (*Argynnidæ*) Synonym(s): *auresiana* Fruhstorfer, 1908
- 3704) *Argynnis* (*Fabriciana*) *auresiana astrifera* (Higgins, 1965) (*Argynnidæ*) Synonym(s): *astrifera* Higgins, 1965
- 3705) *Argynnis* (*Fabriciana*) *auresiana auresiana* Fruhstorfer, 1908 (*Argynnidæ*) Synonym(s): *auresiana* Fruhstorfer, 1908
- 3706) *Argynnis* (*Fabriciana*) *auresiana buckwelli* (Varin, 1961) (*Argynnidæ*) Synonym(s): *buckwelli* Varin, 1961
- 3707) *Argynnis* (*Fabriciana*) *auresiana hassani* Weiss, 1979 (*Argynnidæ*) Synonym(s): *hassani* Weiss, 1979
- 3708) *Argynnis* (*Fabriciana*) *auresiana maroccana* (Belter, 1935) (*Argynnidæ*) Synonym(s): *maroccana* Belter, 1935
- 3709) *Argynnis* (*Fabriciana*) *elisa* Godart, [1823] (*Argynnidæ*) Synonym(s): *elisa* Godart, [1823]; *cyrene* Hübner, [1824].
- 3710) *Argynnis* (*Fabriciana*) *elisa elisa* Godart, [1823] (*Argynnidæ*) Synonym(s): *elisa* Godart, [1823]; *cyrene* Hübner, [1824].
- 3711) *Argynnis* (*Fabriciana*) *jainadeva* Moore, 1865 (*Argynnidæ*) Synonym(s): *jainadeva* Moore, 1865
- 3712) *Argynnis* (*Fabriciana*) *jainadeva jainadeva* Moore, 1865 (*Argynnidæ*) Synonym(s): *jainadeva* Moore, 1865
- 3713) *Argynnis* (*Fabriciana*) *nerippe* Felder, 1862 (*Argynnidæ*) Synonym(s): *nerippe* Felder, 1862
- 3714) *Argynnis* (*Fabriciana*) *nerippe coreana* Butler, 1882 (*Argynnidæ*) Synonym(s): *coreana* Butler, 1882
- 3715) *Argynnis* (*Fabriciana*) *nerippe nerippe* Felder, 1862 (*Argynnidæ*) Synonym(s): *nerippe* Felder, 1862
- 3716) *Argynnis* (*Fabriciana*) *niobe* (Linnaeus, 1758) (*Argynnidæ*) Synonym(s): *niobe* Linnaeus, 1758.
- 3717) *Argynnis* (*Fabriciana*) *niobe changaica* Reuss, 1922 (*Argynnidæ*) Synonym(s): *changaica* Reuss, 1922
- 3718) *Argynnis* (*Fabriciana*) *niobe chinensis* (Belter, 1931) (*Argynnidæ*) Synonym(s): *chinensis* Belter, 1931
- 3719) *Argynnis* (*Fabriciana*) *niobe gigantea* Staudinger, 1871 (*Argynnidæ*) Synonym(s): *gigantea* Staudinger, 1871; *taura* Röber, 1896; *orgowa* Teich, 1901; *#kuhlmanni* Seitz, [1908]; *#philistra* Seitz, [1908]; *ancyrensis* Rebel, 1931; *khusestana* Gross & Ebert, 1975.
- 3720) *Argynnis* (*Fabriciana*) *niobe herse* (Hufnagel, 1766) (*Argynnidæ*) Synonym(s): *herse* Hufnagel, 1766; *pelopia* Borkhausen, 1788; *cleodoxa* Esper, 1789; *eris* Meigen, 1829.
- 3721) *Argynnis* (*Fabriciana*) *niobe niobe* (Linnaeus, 1758) (*Argynnidæ*) Synonym(s): *niobe* Linnaeus, 1758.
- 3722) *Argynnis* (*Fabriciana*) *niobe orientalis* Alpheraky, 1881 (*Argynnidæ*) Synonym(s): *orientalis* Alpheraky, 1881
- 3723) *Argynnis* (*Fabriciana*) *niobe ornata* Staudinger, 1901 (*Argynnidæ*) Synonym(s): *ornata* Staudinger, 1901; *alaiensis* Reuss, 1921.
- 3724) *Argynnis* (*Fabriciana*) *niobe tekkensis* Christoph, 1893 (*Argynnidæ*) Synonym(s): *tekkensis* Christoph, 1893; *demavendis* Gross & Ebert, 1975.
- 3725) *Argynnis* (*Pandoriana*) *pandora* (Denis & Schiffermüller, 1775) (*Argynnidæ*) Synonym(s): *pandora* [Denis & Schiffermüller], 1775; *maja* Cramer, 1775 nec Fabricius, 1775; *cynara* Fabricius, 1777; *cyrnea* Scherz, 1926; *transcaucasica* Moucha, 1967; *deserticola* Gross & Ebert, 1975.
- 3726) *Argynnis* (*Pandoriana*) *pandora argentifasciata* Kotsch, 1938 (*Argynnidæ*) Synonym(s): *argentifasciata* Kotsch, 1938
- 3727) *Argynnis* (*Pandoriana*) *pandora pandora* (Denis & Schiffermüller, 1775) (*Argynnidæ*) Synonym(s): *pandora* [Denis & Schiffermüller], 1775; *maja* Cramer, 1775 nec Fabricius, 1775; *cynara* Fabricius, 1777; *cyrnea* Scherz, 1926; *transcaucasica* Moucha, 1967; *deserticola* Gross & Ebert, 1975.
- 3728) *Argynnis* (*Pandoriana*) *pandora pasargades* Fruhstorfer, 1908 (*Argynnidæ*) Synonym(s): *pasargades* Fruhstorfer, 1908
- 3729) *Argynnis* (*Pandoriana*) *pandora seitzii* (Fruhstorfer, 1908) (*Argynnidæ*) Synonym(s): *seitzii* Fruhstorfer, 1908
- 3730) *Argynnis* (*Proacidalia*) *clara* Blachier, [1844] (*Argynnidæ*) Synonym(s): *clara* Blachier, [1844]; *claudia* Fawcett, 1904
- 3731) *Argynnis* (*Proacidalia*) *clara clara* Blachier, [1844] (*Argynnidæ*) Synonym(s): *clara* Blachier, [1844]; *claudia* Fawcett, 1904
- 3732) *Argynnis* (*Proacidalia*) *clara clarina* Staudinger, 1901 (*Argynnidæ*) Synonym(s): *clarina* Staudinger, 1901
- 3733) *Argynnis* (*Protodryas*) *anadyomene* C.Felder & R.Felder, 1861 (*Argynnidæ*) Synonym(s): *anadyomene* C.Felder & R.Felder, 1861
- 3734) *Argynnis* (*Protodryas*) *anadyomene anadyomene* C.Felder & R.Felder, 1861 (*Argynnidæ*) Synonym(s): *anadyomene* C.Felder & R.Felder, 1861
- 3735) *Argynnis* (*Protodryas*) *kamala* Moore, 1857 (*Argynnidæ*) Synonym(s): *kamala* Moore, 1857
- 3736) *Argynnis* (*Protodryas*) *kamala kamala* Moore, 1857 (*Argynnidæ*) Synonym(s): *kamala* Moore, 1857
- 3737) *Argynnis* (*Speyeria*) *adiaste* Edwards, 1864 (*Argynnidæ*) Synonym(s): *adiaste* Edwards, 1864; *adiante* Boisduval, 1869
- 3738) *Argynnis* (*Speyeria*) *aglaja* (Linnaeus, 1758) (*Argynnidæ*) Synonym(s): *aglaja* Linnaeus, 1758; *charlotta* Haworth, 1802; *emilia* Acerbi, 1802 nec Cr., 1779; *caroletta* Jermyn, 1827; *locuples* Verity, 1919 nec Butler, 1879; *emilocuples* Verity, 1919; *locupletata* Verity, 1922; *montesignum* Sagarra, 1926.
- 3739) *Argynnis* (*Speyeria*) *aglaja aglaja* (Linnaeus, 1758) (*Argynnidæ*) Synonym(s): *aglaja* Linnaeus, 1758; *charlotta* Haworth, 1802; *emilia* Acerbi, 1802 nec Cr., 1779; *caroletta* Jermyn, 1827; *locuples* Verity, 1919 nec Butler, 1879; *emilocuples* Verity, 1919; *locupletata* Verity, 1922; *montesignum* Sagarra, 1926.
- 3740) *Argynnis* (*Speyeria*) *aglaja alaiicola* Verity, 1935 (*Argynnidæ*) Synonym(s): *alaiicola* Verity, 1935
- 3741) *Argynnis* (*Speyeria*) *aglaja ashretha* Evans, 1912 (*Argynnidæ*) Synonym(s): *ashretha* Evans, 1912
- 3742) *Argynnis* (*Speyeria*) *aglaja auxo* Jachontov, 1909 (*Argynnidæ*) Synonym(s): *auxo* Jachontov, 1909.
- 3743) *Argynnis* (*Speyeria*) *aglaja excelsior* (Rothschild, 1933) (*Argynnidæ*) Synonym(s): *excelsior* Rothschild, 1933
- 3744) *Argynnis* (*Speyeria*) *aglaja lyauteyi* (Oberthür, 1920) (*Argynnidæ*) Synonym(s): *lyauteyi* Oberthür, 1920
- 3745) *Argynnis* (*Speyeria*) *aglaja ottomana* Röber, 1896 (*Argynnidæ*) Synonym(s): *ottomana* Röber, 1896
- 3746) *Argynnis* (*Speyeria*) *alexandra Ménétériès*, 1832 (*Argynnidæ*) Synonym(s): *alexandra* Ménétériès, 1832
- 3747) *Argynnis* (*Speyeria*) *alexandra alexandra* Ménétériès, 1832 (*Argynnidæ*) Synonym(s): *alexandra* Ménétériès, 1832
- 3748) *Argynnis* (*Speyeria*) *aphrodite* (Fabricius, 1787) (*Argynnidæ*) Synonym(s): *aphrodite* Fabricius, 1787; *bartschi* Reiff, 1910; *bakeri* A.H.Clark, 1932
- 3749) *Argynnis* (*Speyeria*) *aphrodite alcestis* (Edwards, 1877) (*Argynnidæ*) Synonym(s): *alcestis* Edwards, 1877
- 3750) *Argynnis* (*Speyeria*) *aphrodite aphrodite* (Fabricius, 1787) (*Argynnidæ*) Synonym(s): *aphrodite* Fabricius, 1787; *bartschi* Reiff, 1910; *bakeri* A.H.Clark, 1932
- 3751) *Argynnis* (*Speyeria*) *aphrodite byblis* (Barnes & Benjamin, 1926) (*Argynnidæ*) Synonym(s): *byblis* Barnes & Benjamin, 1926

- 3752) Argynnis (Speyeria) *aphrodite columbia* (Edwards,1877) (Argynnididae) Synonym(s): *columbia* Edwards,1877
- 3753) Argynnis (Speyeria) *aphrodite ethne* (Hemming,1933) (Argynnididae) Synonym(s): *cypris* Edwards,1886 *nec* Meig.,1828; *ethne* Hemming,1933
- 3754) Argynnis (Speyeria) *aphrodite manitoba* (F.Chermock & R.Chermock,1940) (Argynnididae) Synonym(s): *manitoba* F.Chermock & R.Chermock,1940
- 3755) Argynnis (Speyeria) *aphrodite whitehousei* (Gunder,1932) (Argynnididae) Synonym(s): *whitehousei* Gunder,1932
- 3756) Argynnis (Speyeria) *aphrodite winni* (Gunder,1932) (Argynnididae) Synonym(s): *winni* Gunder,1932
- 3757) Argynnis (Speyeria) *atlantis edwardsi* Edwards,1862 (Argynnididae) Synonym(s): *atlantis* Edwards,1862
- 3758) Argynnis (Speyeria) *atlantis atlantis* Edwards,1862 (Argynnididae) Synonym(s): *atlantis* Edwards,1862
- 3759) Argynnis (Speyeria) *atlantis beani* Barnes & Benjamin,1926 (Argynnididae) Synonym(s): *beani* Barnes & Benjamin,1926
- 3760) Argynnis (Speyeria) *atlantis canadensis* Dos Passos & Grey,1935 (Argynnididae) Synonym(s): *canadensis* Dos Passos & Grey,1935
- 3761) Argynnis (Speyeria) *atlantis chitone* Edwards,1879 (Argynnididae) Synonym(s): *chitone* Edwards,1879
- 3762) Argynnis (Speyeria) *atlantis dennisii* Dos Passos & Grey,1947 (Argynnididae) Synonym(s): *dennisii* Dos Passos & Grey,1947
- 3763) Argynnis (Speyeria) *atlantis dodgei* Gunder,1931 (Argynnididae) Synonym(s): *dodgei* Gunder,1931
- 3764) Argynnis (Speyeria) *atlantis dorothea* Moeck,1947 (Argynnididae) Synonym(s): *dorothea* Moeck,1947
- 3765) Argynnis (Speyeria) *atlantis electa* Edwards,1878 (Argynnididae) Synonym(s): *electa* Edwards,1878; *cornelia* Edwards,1892
- 3766) Argynnis (Speyeria) *atlantis greyi* Moeck,1950 (Argynnididae) Synonym(s): *greyi* Moeck,1950
- 3767) Argynnis (Speyeria) *atlantis hesperis* Edwards,1864 (Argynnididae) Synonym(s): *hesperis* Edwards,1864
- 3768) Argynnis (Speyeria) *atlantis hollandi* F.Chermock & R.Chermock,1940 (Argynnididae) Synonym(s): *hollandi* F.Chermock & R.Chermock,1940
- 3769) Argynnis (Speyeria) *atlantis hutchinsii* Dos Passos & Grey,1947 (Argynnididae) Synonym(s): *hutchinsii* Dos Passos & Grey,1947
- 3770) Argynnis (Speyeria) *atlantis irene* Boisduval,1869 (Argynnididae) Synonym(s): *irene* Boisduval,1869; *cottlei* Comstock,1925
- 3771) Argynnis (Speyeria) *atlantis lais* Edwards,1884 (Argynnididae) Synonym(s): *lais* Edwards,1884
- 3772) Argynnis (Speyeria) *atlantis lurana* Dos Passos & Grey,1945 (Argynnididae) Synonym(s): *lurana* Dos Passos & Grey,1945
- 3773) Argynnis (Speyeria) *atlantis nausicaa* Edwards,1874 (Argynnididae) Synonym(s): *nausicaa* Edwards,1874; *arizonensis* Elwes,1889
- 3774) Argynnis (Speyeria) *atlantis nikias* Ehrmann,1917 (Argynnididae) Synonym(s): *nikias* Ehrmann,1917
- 3775) Argynnis (Speyeria) *atlantis schellbachi* Garth,1949 (Argynnididae) Synonym(s): *schellbachi* Garth,1949
- 3776) Argynnis (Speyeria) *atlantis tetonia* Dos Passos & Grey,1950 (Argynnididae) Synonym(s): *tetonia* Dos Passos & Grey,1950
- 3777) Argynnis (Speyeria) *atlantis viola* Dos Passos & Grey,1945 (Argynnididae) Synonym(s): *viola* Dos Passos & Grey,1945
- 3778) Argynnis (Speyeria) *atlantis wasatchia* Dos Passos & Grey,1945 (Argynnididae) Synonym(s): *wasatchia* Dos Passos & Grey,1945
- 3779) Argynnis (Speyeria) *callippe boisduvali*,1852 (Argynnididae) Synonym(s): *callippe* Boisduval,1852
- 3780) Argynnis (Speyeria) *callippe calgariana* McDunnough,1924 (Argynnididae) Synonym(s): *calgariana* McDunnough,1924
- 3781) Argynnis (Speyeria) *callippe callippe* Boisduval,1852 (Argynnididae) Synonym(s): *callippe* Boisduval,1852
- 3782) Argynnis (Speyeria) *callippe comstocki* Gunder,1925 (Argynnididae) Synonym(s): *comstocki* Gunder,1925
- 3783) Argynnis (Speyeria) *callippe elaine* Dos Passos & Grey,1945 (Argynnididae) Synonym(s): *elaine* Dos Passos & Grey,1945
- 3784) Argynnis (Speyeria) *callippe gallatini* McDunnough,1929 (Argynnididae) Synonym(s): *gallatini* McDunnough,1929
- 3785) Argynnis (Speyeria) *callippe harmonia* Dos Passos & Grey,1945 (Argynnididae) Synonym(s): *harmonia* Dos Passos & Grey,1945
- 3786) Argynnis (Speyeria) *callippe juba* Boisduval,1852 (Argynnididae) Synonym(s): *juba* Boisduval,1852; *inornata* Edwards,1872
- 3787) Argynnis (Speyeria) *callippe laura* Edwards,1879 (Argynnididae) Synonym(s): *laura* Edwards,1879
- 3788) Argynnis (Speyeria) *callippe laurina* Wright,1905 (Argynnididae) Synonym(s): *laurina* Wright,1905
- 3789) Argynnis (Speyeria) *callippe liliana* Edwards,[1877] (Argynnididae) Synonym(s): *liliana* Edwards,[1877]; *baroni* Edwards,1881
- 3790) Argynnis (Speyeria) *callippe macaria* Edwards,1877 (Argynnididae) Synonym(s): *macaria* Edwards,1877
- 3791) Argynnis (Speyeria) *callippe meadii* Edwards,1872 (Argynnididae) Synonym(s): *meadii* Edwards,1872
- 3792) Argynnis (Speyeria) *callippe nevadensis* Edwards,1870 (Argynnididae) Synonym(s): *nevadensis* Edwards,1870
- 3793) Argynnis (Speyeria) *callippe rupestris* Behr,1863 (Argynnididae) Synonym(s): *rupestris* Behr,1863
- 3794) Argynnis (Speyeria) *callippe semivirida* McDunnough,1924 (Argynnididae) Synonym(s): *semivirida* McDunnough,1924
- 3795) Argynnis (Speyeria) *callippe sierra* Dos Passos & Grey,1945 (Argynnididae) Synonym(s): *sierra* Dos Passos & Grey,1945
- 3796) Argynnis (Speyeria) *coronis behr*,1864 (Argynnididae) Synonym(s): *coronis* Behr,1864; *californica* Skinner,1917
- 3797) Argynnis (Speyeria) *coronis coronis* Behr,1864 (Argynnididae) Synonym(s): *coronis* Behr,1864; *californica* Skinner,1917
- 3798) Argynnis (Speyeria) *coronis gunderi* Comstock,1925 (Argynnididae) Synonym(s): *gunderi* Comstock,1925
- 3799) Argynnis (Speyeria) *coronis halcyone* Edwards,1869 (Argynnididae) Synonym(s): *halcyone* Edwards,1869
- 3800) Argynnis (Speyeria) *coronis hennei* Gunder,1934 (Argynnididae) Synonym(s): *hennei* Gunder,1934
- 3801) Argynnis (Speyeria) *coronis semiramis* Edwards,1886 (Argynnididae) Synonym(s): *semiramis* Edwards,1886
- 3802) Argynnis (Speyeria) *coronis simaetha* Dos Passos & Grey,1945 (Argynnididae) Synonym(s): *simaetha* Dos Passos & Grey,1945
- 3803) Argynnis (Speyeria) *coronis snyderi* Skinner,1897 (Argynnididae) Synonym(s): *snyderi* Skinner,1897
- 3804) Argynnis (Speyeria) *cybele* (Fabricius,1775) (Argynnididae) Synonym(s): *cybele* Fabricius,1775; *daphnis* Cramer,1775 *nec* [Denis & Schiff],1775
- 3805) Argynnis (Speyeria) *cybele carpenterii* (W.H.Edwards,1876) (Argynnididae) Synonym(s): *carpenterii* W.H.Edwards,1876
- 3806) Argynnis (Speyeria) *cybele charlottii* (Barnes,1897) (Argynnididae) Synonym(s): *charlottii* Barnes,1897
- 3807) Argynnis (Speyeria) *cybele cybele* (Fabricius,1775) (Argynnididae) Synonym(s): *cybele* Fabricius,1775; *daphnis* Cramer,1775 *nec* [Denis & Schiff],1775
- 3808) Argynnis (Speyeria) *cybele krautwurmi* (Holland,1931) (Argynnididae) Synonym(s): *krautwurmi* Holland,1931
- 3809) Argynnis (Speyeria) *cybele leto* (Behr,1862) (Argynnididae) Synonym(s): *leto* Behr,1862; *letis* Wright,1905; *valesinoides* alba Reuss,1926
- 3810) Argynnis (Speyeria) *cybele letona* Dos Passos & Grey,1945 (Argynnididae) Synonym(s): *letona* Dos Passos & Grey,1945
- 3811) Argynnis (Speyeria) *cybele novascotiae* (McDunnough,1935) (Argynnididae) Synonym(s): *novascotiae* McDunnough,1935
- 3812) Argynnis (Speyeria) *cybele pseudocarpenteri* (F.Chermock & R.Chermock,1940) (Argynnididae) Synonym(s): *pseudocarpenteri* F.Chermock & R.Chermock,1940
- 3813) Argynnis (Speyeria) *cybele pugetensis* F.Chermock & Frechin,1947 (Argynnididae) Synonym(s): *pugetensis* F.Chermock & Frechin,1947
- 3814) Argynnis (Speyeria) *diana* (Cramer,1775) (Argynnididae) Synonym(s): *diana* Cramer,1775
- 3815) Argynnis (Speyeria) *edwardsii* Reakirt,1866 (Argynnididae) Synonym(s): *edwardsii* Reakirt,1866; *montana* Reuss,1926
- 3816) Argynnis (Speyeria) *egleis* Behr,1862 (Argynnididae) Synonym(s): *egleis* Behr,1862; *montivaga* Behr,1863
- 3817) Argynnis (Speyeria) *egleis albrighti* Gunder,1932 (Argynnididae) Synonym(s): *albrighti* Gunder,1932
- 3818) Argynnis (Speyeria) *egleis atossa* Edwards,1890 (Argynnididae) Synonym(s): *atossa* Edwards,1890; *tejonica* Comstock,1925
- 3819) Argynnis (Speyeria) *egleis clemencei* Comstock,1925 (Argynnididae) Synonym(s): *clemencei* Comstock,1925
- 3820) Argynnis (Speyeria) *egleis egleis* Behr,1862 (Argynnididae) Synonym(s): *egleis* Behr,1862; *montivaga* Behr,1863
- 3821) Argynnis (Speyeria) *egleis linda* Dos Passos & Grey,1942 (Argynnididae) Synonym(s): *linda* Dos Passos & Grey,1942
- 3822) Argynnis (Speyeria) *egleis macdunnoughi* Gunder,1932 (Argynnididae) Synonym(s): *macdunnoughi* Gunder,1932
- 3823) Argynnis (Speyeria) *egleis oweni* Edwards,1892 (Argynnididae) Synonym(s): *oweni* Edwards,1892
- 3824) Argynnis (Speyeria) *egleis secreta* Dos Passos & Grey,1945 (Argynnididae) Synonym(s): *secreta* Dos Passos & Grey,1945
- 3825) Argynnis (Speyeria) *egleis tehachapina* Comstock,1920 (Argynnididae) Synonym(s): *tehachapina* Comstock,1920
- 3826) Argynnis (Speyeria) *egleis toyabe* Howe,1975 (Argynnididae) Synonym(s): *toyabe* Howe,1975
- 3827) Argynnis (Speyeria) *egleis utahensis* Skinner,1919 (Argynnididae) Synonym(s): *utahensis* Skinner,1919
- 3828) Argynnis (Speyeria) *hydaspe boisduvali*,1869 (Argynnididae) Synonym(s): *hydaspe* Boisduval,1869
- 3829) Argynnis (Speyeria) *hydaspe conquista* Dos Passos & Grey,1945 (Argynnididae) Synonym(s): *conquista* Dos Passos & Grey,1945
- 3830) Argynnis (Speyeria) *hydaspe hydaspe* Boisduval,1869 (Argynnididae) Synonym(s): *hydaspe* Boisduval,1869
- 3831) Argynnis (Speyeria) *hydaspe minor* Dos Passos & Grey,1947 (Argynnididae) Synonym(s): *minor* Dos Passos & Grey,1947
- 3832) Argynnis (Speyeria) *hydaspe purpurascens* Edwards,[1877] (Argynnididae) Synonym(s): *purpurascens* Edwards,[1877]
- 3833) Argynnis (Speyeria) *hydaspe rhodope* Edwards,1874 (Argynnididae) Synonym(s): *rhodope* Edwards,1874
- 3834) Argynnis (Speyeria) *hydaspe sakuntala* Skinner,1911 (Argynnididae) Synonym(s): *sakuntala* Skinner,1911
- 3835) Argynnis (Speyeria) *hydaspe viridicornis* Comstock,1925 (Argynnididae) Synonym(s): *viridicornis* Comstock,1925
- 3836) Argynnis (Speyeria) *idalia* (Drury,[1773]) (Argynnididae) Synonym(s): *idalia* Drury,[1773]; *astarte* Fisher,1858; *ashtaroth* Fischer,1859
- 3837) Argynnis (Speyeria) *mormonia boisduvali*,1869 (Argynnididae) Synonym(s): *mormonia* Boisduval,1869
- 3838) Argynnis (Speyeria) *mormonia arge* Strecker,1878 (Argynnididae) Synonym(s): *astarte sensu* Edwards,1862; *montivaga* Behr,1864 *nec* Bhr.,1863; *arge* Strecker,1878
- 3839) Argynnis (Speyeria) *mormonia artonis* Edwards,1881 (Argynnididae) Synonym(s): *artoni* Edwards,1881
- 3840) Argynnis (Speyeria) *mormonia bischoffii* Edwards,1870 (Argynnididae) Synonym(s): *bischoffii* Edwards,1870
- 3841) Argynnis (Speyeria) *mormonia erinna* Edwards,1883 (Argynnididae) Synonym(s): *erinna* Edwards,1883

- 3842) *Argynnis (Speyeria) mormonia eurynome* Edwards, 1872 (Argynnididae) Synonym(s): *eurynome* Edwards, 1872; *clio* Edwards, 1874; *gunderi* Field, 1936 *nec* *Comst.*, 1925; *fieldi* Dos Passos & Grey, 1947
- 3843) *Argynnis (Speyeria) mormonia jesmondensis* Dos Passos & Grey, 1947 (Argynnididae) Synonym(s): *jesmondensis* Dos Passos & Grey, 1947
- 3844) *Argynnis (Speyeria) mormonia luskii* Barnes & McDunnough, 1913 (Argynnididae) Synonym(s): *luskii* Barnes & McDunnough, 1913
- 3845) *Argynnis (Speyeria) mormonia mormonia* Boisduval, 1869 (Argynnididae) Synonym(s): *mormonia* Boisduval, 1869
- 3846) *Argynnis (Speyeria) mormonia opis* Edwards, 1874 (Argynnididae) Synonym(s): *opis* Edwards, 1874
- 3847) *Argynnis (Speyeria) mormonia washingtonia* Barnes & McDunnough, 1913 (Argynnididae) Synonym(s): *washingtonia* Barnes & McDunnough, 1913
- 3848) *Argynnis (Speyeria) nokomis* Edwards, 1862 (Argynnididae) Synonym(s): *nokomis* Edwards, 1862; *nigrocaerulea* W. Cockerell & T. Cockerell, 1900
- 3849) *Argynnis (Speyeria) nokomis apacheana* Skinner, 1918 (Argynnididae) Synonym(s): *apacheana* Skinner, 1918
- 3850) *Argynnis (Speyeria) nokomis coerulescens* Holland, 1900 (Argynnididae) Synonym(s): *coerulescens* Holland, 1900
- 3851) *Argynnis (Speyeria) nokomis nitocris* Edwards, 1874 (Argynnididae) Synonym(s): *nitocris* Edwards, 1874
- 3852) *Argynnis (Speyeria) nokomis nokomis* Edwards, 1862 (Argynnididae) Synonym(s): *nokomis* Edwards, 1862; *nigrocaerulea* W. Cockerell & T. Cockerell, 1900
- 3853) *Argynnis (Speyeria) vitatha* Moore, 1874 (Argynnididae) Synonym(s): *vitatha* Moore, 1874; *gigasvitatha* Verity, 1935; *subvitatha* Verity, 1935.
- 3854) *Argynnis (Speyeria) vitatha vitatha* Moore, 1874 (Argynnididae) Synonym(s): *vitatha* Moore, 1874; *gigasvitatha* Verity, 1935; *subvitatha* Verity, 1935.
- 3855) *Argynnis (Speyeria) zerene* Boisduval, 1852 (Argynnididae) Synonym(s): *zerene* Boisduval, 1852; *monticola* Behr, 1863
- 3856) *Argynnis (Speyeria) zerene bremnerii* Edwards, 1872 (Argynnididae) Synonym(s): *bremnerii* Edwards, 1872
- 3857) *Argynnis (Speyeria) zerene carolae* Dos Passos & Grey, 1942 (Argynnididae) Synonym(s): *carolae* Dos Passos & Grey, 1942
- 3858) *Argynnis (Speyeria) zerene conchylatus* Comstock, 1925 (Argynnididae) Synonym(s): *conchylatus* Comstock, 1925
- 3859) *Argynnis (Speyeria) zerene cynna* Dos Passos & Grey, 1945 (Argynnididae) Synonym(s): *cynna* Dos Passos & Grey, 1945
- 3860) *Argynnis (Speyeria) zerene garrettii* Gunder, 1932 (Argynnididae) Synonym(s): *garrettii* Gunder, 1932
- 3861) *Argynnis (Speyeria) zerene gloriosa* Moeck, 1957 (Argynnididae) Synonym(s): *gloriosa* Moeck, 1957
- 3862) *Argynnis (Speyeria) zerene hippolyta* Edwards, 1879 (Argynnididae) Synonym(s): *hippolyta* Edwards, 1879
- 3863) *Argynnis (Speyeria) zerene malcolmi* Comstock, 1920 (Argynnididae) Synonym(s): *malcolmi* Comstock, 1920
- 3864) *Argynnis (Speyeria) zerene myrtilae* Dos Passos & Grey, 1945 (Argynnididae) Synonym(s): *myrtilae* Dos Passos & Grey, 1945
- 3865) *Argynnis (Speyeria) zerene pfoutsii* Gunder, 1933 (Argynnididae) Synonym(s): *pfoutsii* Gunder, 1933
- 3866) *Argynnis (Speyeria) zerene picta* McDunnough, 1924 (Argynnididae) Synonym(s): *picta* McDunnough, 1924
- 3867) *Argynnis (Speyeria) zerene platina* Skinner, 1897 (Argynnididae) Synonym(s): *platina* Skinner, 1897
- 3868) *Argynnis (Speyeria) zerene sinope* Dos Passos & Grey, 1945 (Argynnididae) Synonym(s): *sinope* Dos Passos & Grey, 1945
- 3869) *Argynnis (Speyeria) zerene sordida* Wright, 1905 (Argynnididae) Synonym(s): *sordida* Wright, 1905
- 3870) *Argynnis (Speyeria) zerene zerene* Boisduval, 1852 (Argynnididae) Synonym(s): *zerene* Boisduval, 1852; *monticola* Behr, 1863
- 3871) *Argynnis (s.str.) paphia* (Linnaeus, 1758) (Argynnididae) Synonym(s): *paphia* Linnaeus, 1758; *valesina* Esper, [1798]; *magnata* Verity, 1919; *revelata* Verity, 1934; *magnifica* Verity, 1919; *magnificamagnata* Verity, 1950.
- 3872) *Argynnis (s.str.) paphia delila* Röber, 1896 (Argynnididae) Synonym(s): *delila* Röber, 1896
- 3873) *Argynnis (s.str.) paphia dives* Oberthür, 1908 (Argynnididae) Synonym(s): *dives* Oberthür, 1908
- 3874) *Argynnis (s.str.) paphia immaculata* Bellier, 1862 (Argynnididae) Synonym(s): *immaculata* Bellier, 1862; *anargyra* Staudinger, 1871.
- 3875) *Argynnis (s.str.) paphia masandaranensis* Gross & Ebert, 1975 (Argynnididae) Synonym(s): *masandaranensis* Gross & Ebert, 1975
- 3876) *Argynnis (s.str.) paphia paphia* (Linnaeus, 1758) (Argynnididae) Synonym(s): *paphia* Linnaeus, 1758; *valesina* Esper, [1798]; *magnata* Verity, 1919; *revelata* Verity, 1934; *magnifica* Verity, 1919; *magnificamagnata* Verity, 1950.
- 3877) *Argynnis (s.str.) zenobia* Leech, 1890 (Argynnididae) Synonym(s): *zenobia* Leech, 1890.
- 3878) *Argynnis (s.str.) zenobia penelope* Staudinger, 1892 (Argynnididae) Synonym(s): *penelope* Staudinger, 1892
- 3879) *Argynnis (s.str.) zenobia zenobia* Leech, 1890 (Argynnididae) Synonym(s): *zenobia* Leech, 1890.
- 3880) *Ariadne actisanes* (Hewitson, 1875) (Argynnididae) Synonym(s): *actisanes* Hewitson, 1875
- 3881) *Ariadne albifascia* (Joicey & Talbot, 1921) (Argynnididae) Synonym(s): *albifascia* Joicey & Talbot, 1921
- 3882) *Ariadne ariadne* (Linnaeus, 1763) (Argynnididae) Synonym(s): *ariadne* Linnaeus, 1763
- 3883) *Ariadne ariadne ariadne* (Linnaeus, 1763) (Argynnididae) Synonym(s): *ariadne* Linnaeus, 1763
- 3884) *Ariadne ariadne pallidior* (Fruhstorfer, 1899) (Argynnididae) Synonym(s): *pallidior* Fruhstorfer, 1899
- 3885) *Ariadne enotrea* (Cramer, [1779]) (Argynnididae) Synonym(s): *enotrea* Cramer, [1779]; *alphaea* Drury, 1782
- 3886) *Ariadne enotrea archeri* Carcasson, 1958 (Argynnididae) Synonym(s): *archeri* Carcasson, 1958
- 3887) *Ariadne enotrea enotrea* (Cramer, [1779]) (Argynnididae) Synonym(s): *enotrea* Cramer, [1779]; *alphaea* Drury, 1782
- 3888) *Ariadne enotrea suffusa* (Joicey & Talbot, 1921) (Argynnididae) Synonym(s): *suffusa* Joicey & Talbot, 1921
- 3889) *Ariadne isaeus* (Wallace, 1869) (Argynnididae) Synonym(s): *isaeus* Wallace, 1869
- 3890) *Ariadne isaeus isaeus* (Wallace, 1869) (Argynnididae) Synonym(s): *isaeus* Wallace, 1869
- 3891) *Ariadne isaeus lysias* Fruhstorfer, 1906 (Argynnididae) Synonym(s): *lysias* Fruhstorfer, 1906
- 3892) *Ariadne isaeus pupillata* Fruhstorfer, 1896 (Argynnididae) Synonym(s): *pupillata* Fruhstorfer, 1896
- 3893) *Ariadne merione* (Cramer, [1779]) (Argynnididae) Synonym(s): *merione* Cramer, [1779]
- 3894) *Ariadne merione ahmat* Pryer, 1894 (Argynnididae) Synonym(s): *ahmat* Pryer, 1894
- 3895) *Ariadne merione assama* (Evans, 1924) (Argynnididae) Synonym(s): *assama* Evans, 1924
- 3896) *Ariadne merione cretonia* (Fruhstorfer, 1912) (Argynnididae) Synonym(s): *cretonia* Fruhstorfer, 1912
- 3897) *Ariadne merione ginosa* (Fruhstorfer, 1912) (Argynnididae) Synonym(s): *ginosa* Fruhstorfer, 1912
- 3898) *Ariadne merione luzonia* (C. Felder & R. Felder, [1867]) (Argynnididae) Synonym(s): *luzonia* C. Felder & R. Felder, [1867]
- 3899) *Ariadne merione maculata* Semper, 1887 (Argynnididae) Synonym(s): *maculata* Semper, 1887
- 3900) *Ariadne merione merione* (Cramer, [1779]) (Argynnididae) Synonym(s): *merione* Cramer, [1779]
- 3901) *Ariadne merione tapestrina* Moore, 1884 (Argynnididae) Synonym(s): *tapestrina* Moore, 1884
- 3902) *Ariadne merione taprobana* (Westwood, [1851]) (Argynnididae) Synonym(s): *taprobana* Westwood, [1851]
- 3903) *Ariadne meriones* Holland, 1898 (Argynnididae) Synonym(s): *meriones* Holland, 1898
- 3904) *Ariadne pagenstecheri* (Suffert, 1904) (Argynnididae) Synonym(s): *pagenstecheri* Suffert, 1904; *murina* Bartel, 1905; *aurantiaca* Heron, 1909
- 3905) *Ariadne personata* (Joicey & Talbot, 1921) (Argynnididae) Synonym(s): *personata* Joicey & Talbot, 1921
- 3906) *Ariadne specularia* (Fruhstorfer, 1899) (Argynnididae) Synonym(s): *specularia* Fruhstorfer, 1899
- 3907) *Ariadne specularia arca* (Fruhstorfer, 1906) (Argynnididae) Synonym(s): *arca* Fruhstorfer, 1906
- 3908) *Ariadne specularia specularia* (Fruhstorfer, 1899) (Argynnididae) Synonym(s): *specularia* Fruhstorfer, 1899
- 3909) *Ariadne taeniata* (C. Felder & R. Felder, 1861) (Argynnididae) Synonym(s): *taeniata* C. Felder & R. Felder, 1861
- 3910) *Ariadne taeniata adelpha* (C. Felder & R. Felder, 1861) (Argynnididae) Synonym(s): *adelpha* C. Felder & R. Felder, 1861
- 3911) *Ariadne taeniata taeniata* (C. Felder & R. Felder, 1861) (Argynnididae) Synonym(s): *taeniata* C. Felder & R. Felder, 1861
- 3912) *Asterocampa alicia* (Edwards, 1868) (Argynnididae) Synonym(s): *alicia* Edwards, 1868
- 3913) *Asterocampa antonia* (Edwards, [1878]) (Argynnididae) Synonym(s): *antonia* Edwards, [1878]
- 3914) *Asterocampa celtis* (Boisduval & Leconte, [1834]) (Argynnididae) Synonym(s): *celtis* Boisduval & Leconte, [1834]
- 3915) *Asterocampa clyton* (Boisduval & Leconte, [1833]) (Argynnididae) Synonym(s): *clyton* Boisduval & Leconte, [1833]; *#proserpina* Scudder, 1870; *ocellata* Edwards, 1876
- 3916) *Asterocampa flora* (Edwards, 1876) (Argynnididae) Synonym(s): *flora* Edwards, 1876
- 3917) *Asterocampa idyja* (Hübner, 1828) (Argynnididae) Synonym(s): *idyja* Hübner, 1828
- 3918) *Asterocampa idyja argus* (Bates, 1864) (Argynnididae) Synonym(s): *argus* Bates, 1864
- 3919) *Asterocampa leila* (Edwards, 1874) (Argynnididae) Synonym(s): *leila* Edwards, 1874
- 3920) *Asterocampa leila cocles* (Lintner, 1884) (Argynnididae) Synonym(s): *cocles* Lintner, 1884
- 3921) *Asterocampa leila leila* (Edwards, 1874) (Argynnididae) Synonym(s): *leila* Edwards, 1874
- 3922) *Asterocampa louisa* Stallings & Turner, 1947 (Argynnididae) Synonym(s): *louisa* Stallings & Turner, 1947
- 3923) *Asterocampa montis* (Edwards, 1883) (Argynnididae) Synonym(s): *montis* Edwards, 1883
- 3924) *Asterocampa subpallida* (Barnes & McDunnough, 1913) (Argynnididae) Synonym(s): *subpallida* Barnes & McDunnough, 1913
- 3925) *Asterocampa texana* (Skinner, 1911) (Argynnididae) Synonym(s): *texana* Skinner, 1911
- 3926) *Aterica amaxia* Hewitson, 1866 (Argynnididae) Synonym(s): *amaxia* Hewitson, 1866
- 3927) *Aterica galene* (Brown, 1776) (Argynnididae) Synonym(s): *galene* Brown, 1776; *cupavia* Cramer, [1779]; *buchholzi* Plötz, 1880; *#dimorpha* Bartel, 1905; *extensa* Heron, 1909; *#luteofasciata* Schultze, 1920; *#albimacula* Joicey & Talbot, 1921; *#juncta* Dufrane, 1933; *#pierardi* Dufrane, 1933

- 3928) *Aterica galene galene* (Brown,1776) (Argynnidae) Synonym(s): *galene* Brown,1776; *cupavia* Cramer,[1779]; *buchholzi* Plötz,1880; *#dimorpha* Bartel,1905; *extensa* Heron,1909; *#luteofasciata* Schultze,1920; *#albimacula* Joicey & Talbot,1921; *#juncta* Dufrene,1933; *#pierardi* Dufrene,1933
- 3929) *Aterica galene incisa* Rothschild & Jordan,1903 (Argynnidae) Synonym(s): *incisa* Rothschild & Jordan,1903
- 3930) *Aterica galene theophane* Hopffer,1855 (Argynnidae) Synonym(s): *theophane* Hopffer,1855; *#dechroma* Strand,1911; *omissa* Rothschild,1918
- 3931) *Aterica rabena* Boisduval,1833 (Argynnidae) Synonym(s): *rabena* Boisduval,1833
- 3932) *Athyma* (Chendrana) *pravara* Moore,[1858] (Argynnidae) Synonym(s): *pravara* Moore,[1858]
- 3933) *Athyma* (Chendrana) *pravara arturodyi* Schröder & Treadaway,1991 (Argynnidae) Synonym(s): *arturodyi* Schröder & Treadaway,1991
- 3934) *Athyma* (Chendrana) *pravara helma* (Fruhstorfer,1906) (Argynnidae) Synonym(s): *helma* Fruhstorfer,1906
- 3935) *Athyma* (Chendrana) *pravara indosinica* (Fruhstorfer,1913) (Argynnidae) Synonym(s): *indosinica* Fruhstorfer,1913
- 3936) *Athyma* (Kironga) *clerica* Butler,1879 (Argynnidae) Synonym(s): *clerica* Butler,1879
- 3937) *Athyma* (Kironga) *clerica clerica* Butler,1879 (Argynnidae) Synonym(s): *clerica* Butler,1879
- 3938) *Athyma* (Kironga) *ranga* Moore,[1858] (Argynnidae) Synonym(s): *ranga* Moore,[1858]
- 3939) *Athyma* (Kironga) *ranga malaya* (Pendlebury,1933) (Argynnidae) Synonym(s): *malaya* Pendlebury,1933
- 3940) *Athyma* (Kironga) *ranga ranga* Moore,[1858] (Argynnidae) Synonym(s): *ranga* Moore,[1858]
- 3941) *Athyma* (Tacoraia) *asura* Moore,[1858] (Argynnidae) Synonym(s): *asura* Moore,[1858]
- 3942) *Athyma* (Tacoraia) *asura asura* Moore,[1858] (Argynnidae) Synonym(s): *asura* Moore,[1858]
- 3943) *Athyma* (Tacoraia) *asura idita* Moore,[1858] (Argynnidae) Synonym(s): *idita* Moore,[1858]
- 3944) *Athyma* (Tacoraia) *asura tarpa* Staudinger,1889 (Argynnidae) Synonym(s): *tarpa* Staudinger,1889
- 3945) *Athyma* (Tacoraia) *larymna* (Doubleday,1848) (Argynnidae) Synonym(s): *larymna* Doubleday,1848
- 3946) *Athyma* (Tacoraia) *larymna larymna* (Doubleday,1848) (Argynnidae) Synonym(s): *larymna* Doubleday,1848
- 3947) *Athyma* (Tacoraia) *larymna siamensis* (Fruhstorfer,1906) (Argynnidae) Synonym(s): *siamensis* Fruhstorfer,1906
- 3948) *Athyma* (Tatisia) *cama* (Moore,[1858]) (Argynnidae) Synonym(s): *cama* Moore,[1858].
- 3949) *Athyma* (Tatisia) *cama cama* (Moore,[1858]) (Argynnidae) Synonym(s): *cama* Moore,[1858].
- 3950) *Athyma* (Tatisia) *kanwa* Moore,1858 (Argynnidae) Synonym(s): *kanwa* Moore,1858
- 3951) *Athyma* (Tatisia) *kanwa kanwa* Moore,1858 (Argynnidae) Synonym(s): *kanwa* Moore,1858
- 3952) *Athyma* (Tatisia) *nefte* (Cramer,1779) (Argynnidae) Synonym(s): *nefte* Cramer,1779
- 3953) *Athyma* (Tatisia) *nefte asita* Moore,[1858] (Argynnidae) Synonym(s): *asita* Moore,[1858]
- 3954) *Athyma* (Tatisia) *nefte nefte* (Cramer,1779) (Argynnidae) Synonym(s): *nefte* Cramer,1779
- 3955) *Athyma* (Tatisia) *nefte subrata* Moore,1858 (Argynnidae) Synonym(s): *subrata* Moore,1858
- 3956) *Athyma* (Tatisia) *opalina* (Kollar,[1844]) (Argynnidae) Synonym(s): *opalina* Kollar,[1844]
- 3957) *Athyma* (Tatisia) *opalina opalina* (Kollar,[1844]) (Argynnidae) Synonym(s): *opalina* Kollar,[1844]
- 3958) *Athyma* (Tatisia) *opalina shan* (Tytler,1940) (Argynnidae) Synonym(s): *shan* Tytler,1940
- 3959) *Athyma* (Tatisia) *punctata* (Leech,1890) (Argynnidae) Synonym(s): *punctata* Leech,1890
- 3960) *Athyma* (Tatisia) *punctata prasobsuki* Katayama,1989 (Argynnidae) Synonym(s): *prasobsuki* Katayama,1989
- 3961) *Athyma* (Tatisia) *punctata punctata* (Leech,1890) (Argynnidae) Synonym(s): *punctata* Leech,1890
- 3962) *Athyma* (Tatisia) *reta* Moore,[1858] (Argynnidae) Synonym(s): *reta* Moore,[1858]
- 3963) *Athyma* (Tatisia) *reta moorei* (Fruhstorfer,1906) (Argynnidae) Synonym(s): *moorei* Fruhstorfer,1906
- 3964) *Athyma* (Tatisia) *reta suluana* Schröder & Treadaway,1991 (Argynnidae) Synonym(s): *suluana* Schröder & Treadaway,1991
- 3965) *Athyma* (Tatisia) *selenophora* (Kollar,[1844]) (Argynnidae) Synonym(s): *selenophora* Kollar,[1844]
- 3966) *Athyma* (Tatisia) *selenophora amharina* (Moore,1898) (Argynnidae) Synonym(s): *amharina* Moore,1898
- 3967) *Athyma* (Tatisia) *selenophora bahula* Moore,[1858] (Argynnidae) Synonym(s): *bahula* Moore,[1858]
- 3968) *Athyma* (Tatisia) *selenophora selenophora* (Kollar,[1844]) (Argynnidae) Synonym(s): *selenophora* Kollar,[1844]
- 3969) *Athyma* (Tatisia) *selenophora shiraishii* Tsukada & Kaneko,1985 (Argynnidae) Synonym(s): *shiraishii* Tsukada & Kaneko,1985
- 3970) *Athyma* (Tatisia) *zeroca* Moore,1872 (Argynnidae) Synonym(s): *zeroca* Moore,1872
- 3971) *Athyma* (Tatisia) *zeroca galaesus* (Fruhstorfer,1913) (Argynnidae) Synonym(s): *galaesus* Fruhstorfer,1913
- 3972) *Athyma* (Tatisia) *zeroca zeroca* Moore,1872 (Argynnidae) Synonym(s): *zeroca* Moore,1872
- 3973) *Athyma* (s.str.) *perius* (Linnaeus,1758) (Argynnidae) Synonym(s): *perius* Linnaeus,1758
- 3974) *Athyma* (s.str.) *perius perius* (Linnaeus,1758) (Argynnidae) Synonym(s): *perius* Linnaeus,1758
- 3975) *Athyma* *alcamene* C.Felder & R.Felder,1863 (Argynnidae) Synonym(s): *alcamene* C.Felder & R.Felder,1863
- 3976) *Athyma* *alcamene alcamene* C.Felder & R.Felder,1863 (Argynnidae) Synonym(s): *alcamene* C.Felder & R.Felder,1863
- 3977) *Athyma* *alcamene angelesi* Schröder & Treadaway,1992 (Argynnidae) Synonym(s): *angelesi* Schröder & Treadaway,1992
- 3978) *Athyma* *alcamene baltazarae* Jumalon,1975 (Argynnidae) Synonym(s): *baltazarae* Jumalon,1975
- 3979) *Athyma* *alcamene generosior* Fruhstorfer,1906 (Argynnidae) Synonym(s): *generosior* Fruhstorfer,1906
- 3980) *Athyma* *alcamene jagori* Fruhstorfer,1906 (Argynnidae) Synonym(s): *jagori* Fruhstorfer,1906
- 3981) *Athyma* *alcamene masbatensis* Schröder & Treadaway,1991 (Argynnidae) Synonym(s): *masbatensis* Schröder & Treadaway,1991
- 3982) *Athyma* *arayata* C.Felder & R.Felder,1863 (Argynnidae) Synonym(s): *arayata* Felder & Felder,1863
- 3983) *Athyma* *fortuna* Leech,1889 (Argynnidae) Synonym(s): *fortuna* Leech,1889
- 3984) *Athyma* *godmani* Staudinger,1889 (Argynnidae) Synonym(s): *godmani* Staudinger,1889
- 3985) *Athyma* *godmani godmani* Staudinger,1889 (Argynnidae) Synonym(s): *godmani* Staudinger,1889
- 3986) *Athyma* *godmani reducta* Fruhstorfer,1906 (Argynnidae) Synonym(s): *reducta* Fruhstorfer,1906
- 3987) *Athyma* *jina* (Moore,1857) (Argynnidae) Synonym(s): *jina* Moore,1857
- 3988) *Athyma* *kasa* Moore,1858 (Argynnidae) Synonym(s): *kasa* Moore,1858
- 3989) *Athyma* *kasa bignayana* Fruhstorfer,1906 (Argynnidae) Synonym(s): *bignayana* Fruhstorfer,1906
- 3990) *Athyma* *kasa epimethis* C.Felder & R.Felder,1863 (Argynnidae) Synonym(s): *epimethis* C.Felder & R.Felder,1863
- 3991) *Athyma* *kasa gordia* C.Felder & R.Felder,1863 (Argynnidae) Synonym(s): *gordia* C.Felder & R.Felder,1863
- 3992) *Athyma* *kasa kasa* Moore,1858 (Argynnidae) Synonym(s): *kasa* Moore,1858
- 3993) *Athyma* *kasa leyteana* Murayama,1982 (Argynnidae) Synonym(s): *leyteana* Murayama,1982
- 3994) *Athyma* *kasa paragordia* Semper,1889 (Argynnidae) Synonym(s): *paragordia* Semper,1889
- 3995) *Athyma* *kasa parakasa* Semper,1889 (Argynnidae) Synonym(s): *parakasa* Semper,1889
- 3996) *Athyma* *maenas* C.Felder & R.Felder,1863 (Argynnidae) Synonym(s): *maenas* C.Felder & R.Felder,1863
- 3997) *Athyma* *maenas maenas* C.Felder & R.Felder,1863 (Argynnidae) Synonym(s): *maenas* C.Felder & R.Felder,1863
- 3998) *Athyma* *maenas semperi* Moore,1896 (Argynnidae) Synonym(s): *semperi* Moore,1896
- 3999) *Athyma* *mindanica* Murayama,1978 (Argynnidae) Synonym(s): *mindanica* Murayama,1978
- 4000) *Athyma* *obsoleta* Schröder & Treadaway,1979 (Argynnidae) Synonym(s): *obsoleta* Schröder & Treadaway,1979
- 4001) *Athyma* *recurva* Leech,1893 (Argynnidae) Synonym(s): *recurva* Leech,1893
- 4002) *Athyma* *recurva recurva* Leech,1893 (Argynnidae) Synonym(s): *recurva* Leech,1893
- 4003) *Athyma* *salvini* Fruhstorfer,1912 (Argynnidae) Synonym(s): *salvini* Fruhstorfer,1912
- 4004) *Athyma* *saskia* Schröder & Treadaway,1991 (Argynnidae) Synonym(s): *saskia* Schröder & Treadaway,1991
- 4005) *Athyma* *separata* Staudinger,1889 (Argynnidae) Synonym(s): *separata* Staudinger,1889
- 4006) *Athyma* *separata gracilis* Schröder, Treadaway & Nuyda,1990 (Argynnidae) Synonym(s): *gracilis* Schröder, Treadaway & Nuyda,1990
- 4007) *Athyma* *separata separata* Staudinger,1889 (Argynnidae) Synonym(s): *separata* Staudinger,1889
- 4008) *Athyma* *speciosa* Staudinger,1889 (Argynnidae) Synonym(s): *speciosa* Staudinger,1889
- 4009) *Athyma* *speciosa preciosa* Fruhstorfer,1912 (Argynnidae) Synonym(s): *preciosa* Fruhstorfer,1912
- 4010) *Athyma* *speciosa speciosa* Staudinger,1889 (Argynnidae) Synonym(s): *speciosa* Staudinger,1889
- 4011) *Athyma* *venata* Staudinger,1889 (Argynnidae) Synonym(s): *venata* Staudinger,1889
- 4012) *Athymodes* *nycteis* (Ménétriés,1858) (Argynnidae) Synonym(s): *nycteis* Ménétriés,1858; *cassiope* Ménétriés,1858
- 4013) *Athymodes* *nycteis nycteis* (Ménétriés,1858) (Argynnidae) Synonym(s): *nycteis* Ménétriés,1858; *cassiope* Ménétriés,1858
- 4014) *Auzakia* *danava* (Moore,1857) (Argynnidae) Synonym(s): *danava* Moore,1857
- 4015) *Auzakia* *danava danava* (Moore,1857) (Argynnidae) Synonym(s): *danava* Moore,1857
- 4016) *Bebearia* *abesa* (Hewitson,1869) (Argynnidae) Synonym(s): *abesa* Hewitson,1869; *cercestis* Ward,1871
- 4017) *Bebearia* *abesa abesa* (Hewitson,1869) (Argynnidae) Synonym(s): *abesa* Hewitson,1869; *cercestis* Ward,1871

- 4018) *Bebearia abesa pandera* Hecq,1988 (Argynnidae) Synonym(s): *pandera* Hecq,1988
 4019) *Bebearia absolon* (Fabricius,1793) (Argynnidae) Synonym(s): *absolon* Fabricius,1793; *candida* Capronnier,1889
 4020) *Bebearia absolon absolon* (Fabricius,1793) (Argynnidae) Synonym(s): *absolon* Fabricius,1793; *candida* Capronnier,1889
 4021) *Bebearia absolon entebbiae* (Lathy,1906) (Argynnidae) Synonym(s): *entebbiae* Lathy,1906
 4022) *Bebearia allardi* Hecq,1989 (Argynnidae) Synonym(s): *allardi* Hecq,1989
 4023) *Bebearia arcadius* (Fabricius,1793) (Argynnidae) Synonym(s): *arcadius* Fabricius,1793; *siva* Godart,[1824]
 4024) *Bebearia ashintina* (Dudgeon,1913) (Argynnidae) Synonym(s): *ashantina* Dudgeon,1913
 4025) *Bebearia ashintina ashintina* (Dudgeon,1913) (Argynnidae) Synonym(s): *ashantina* Dudgeon,1913
 4026) *Bebearia ashintina equatorialis* Hecq,1989 (Argynnidae) Synonym(s): *equatorialis* Hecq,1989
 4027) *Bebearia aurora* (Aurivillius,1896) (Argynnidae) Synonym(s): *aurora* Aurivillius,1896
 4028) *Bebearia aurora aurora* (Aurivillius,1896) (Argynnidae) Synonym(s): *aurora* Aurivillius,1896
 4029) *Bebearia aurora kayonza* (Jackson,1956) (Argynnidae) Synonym(s): *kayonza* Jackson,1956
 4030) *Bebearia aurora theia* Hecq,1989 (Argynnidae) Synonym(s): *theia* Hecq,1989
 4031) *Bebearia aurora wilverthi* (Aurivillius,1898) (Argynnidae) Synonym(s): *wilverthi* Aurivillius,1898
 4032) *Bebearia badiana* (Rebel,1914) (Argynnidae) Synonym(s): *badiana* Rebel,1914; *#inornata* Rebel,1914
 4033) *Bebearia badiana badiana* (Rebel,1914) (Argynnidae) Synonym(s): *badiana* Rebel,1914; *#inornata* Rebel,1914
 4034) *Bebearia badiana dealbata* (Carcasson,1958) (Argynnidae) Synonym(s): *dealbata* Carcasson,1958
 4035) *Bebearia badiana taveta* Clifton,1980 (Argynnidae) Synonym(s): *taveta* Clifton,1980
 4036) *Bebearia barce* (Doubleday,1847) (Argynnidae) Synonym(s): *barce* Doubleday,1847; *lesbonax* Hewitson,1864; *#achillaena* Bartel,1905
 4037) *Bebearia barce barce* (Doubleday,1847) (Argynnidae) Synonym(s): *barce* Doubleday,1847; *lesbonax* Hewitson,1864; *#achillaena* Bartel,1905
 4038) *Bebearia barce maculata* (Aurivillius,1912) (Argynnidae) Synonym(s): *maculata* Aurivillius,1912
 4039) *Bebearia barombina* (Staudinger,1896) (Argynnidae) Synonym(s): *barombina* Staudinger,1896; *descarpentriesi* Fox,1968
 4040) *Bebearia braytoni* (Sharpe,1907) (Argynnidae) Synonym(s): *braytoni* Sharpe,1907
 4041) *Bebearia brunhilda* (Kirby,1889) (Argynnidae) Synonym(s): *brunhilda* Kirby,1889
 4042) *Bebearia brunhilda brunhilda* (Kirby,1889) (Argynnidae) Synonym(s): *brunhilda* Kirby,1889
 4043) *Bebearia brunhilda iturina* (Karsch,1894) (Argynnidae) Synonym(s): *iturina* Karsch,1894
 4044) *Bebearia brunhilda sankuruensis* Hecq,1989 (Argynnidae) Synonym(s): *sankuruensis* Hecq,1989
 4045) *Bebearia carshena* (Hewitson,1871) (Argynnidae) Synonym(s): *carshena* Hewitson,1871
 4046) *Bebearia castanea* (Holland,1893) (Argynnidae) Synonym(s): *castanea* Holland,1893
 4047) *Bebearia chilonis* (Hewitson,1874) (Argynnidae) Synonym(s): *chilonis* Hewitson,1874; *#albicosta* Schultze,1920
 4048) *Bebearia chloeropsis* (Bethune-Baker,1908) (Argynnidae) Synonym(s): *chloeropsis* Bethune-Baker,1908
 4049) *Bebearia chriemhilda* (Staudinger,1896) (Argynnidae) Synonym(s): *chriemhilda* Staudinger,1896
 4050) *Bebearia cinaethon* (Hewitson,1874) (Argynnidae) Synonym(s): *cinaethon* Hewitson,1874
 4051) *Bebearia cinaethon cinaethon* (Hewitson,1874) (Argynnidae) Synonym(s): *cinaethon* Hewitson,1874
 4052) *Bebearia cinaethon ikelemboides* Hecq,1989 (Argynnidae) Synonym(s): *ikelemboides* Hecq,1989
 4053) *Bebearia comus* (Ward,1871) (Argynnidae) Synonym(s): *comus* Ward,1871
 4054) *Bebearia comus comus* (Ward,1871) (Argynnidae) Synonym(s): *comus* Ward,1871
 4055) *Bebearia comus retracta* Hecq,1989 (Argynnidae) Synonym(s): *retracta* Hecq,1989
 4056) *Bebearia congolensis* (Capronnier,1889) (Argynnidae) Synonym(s): *congolensis* Capronnier,1889; *laetitioides* Joicey & Talbot,1921
 4057) *Bebearia congolensis congolensis* (Capronnier,1889) (Argynnidae) Synonym(s): *congolensis* Capronnier,1889; *laetitioides* Joicey & Talbot,1921
 4058) *Bebearia congolensis occitana* Hecq,1989 (Argynnidae) Synonym(s): *occitana* Hecq,1989
 4059) *Bebearia congolensis periginea* Hecq,1989 (Argynnidae) Synonym(s): *periginea* Hecq,1989
 4060) *Bebearia cottoni* (Bethune-Baker,1908) (Argynnidae) Synonym(s): *cottoni* Bethune-Baker,1908; *lucasi* Holland,1920
 4061) *Bebearia cutteri* (Hewitson,1865) (Argynnidae) Synonym(s): *cutteri* Hewitson,1865
 4062) *Bebearia cutteri cognata* (Grünberg,1910) (Argynnidae) Synonym(s): *cognata* Grünberg,1910; *fasciata* Aurivillius,1912
 4063) *Bebearia cutteri cutteri* (Hewitson,1865) (Argynnidae) Synonym(s): *cutteri* Hewitson,1865
 4064) *Bebearia cutteri harleyi* (Fox,1968) (Argynnidae) Synonym(s): *harleyi* Fox,1968
 4065) *Bebearia demetra* (Godart,[1824]) (Argynnidae) Synonym(s): *demetra* Godart,[1824]; *soemis* Hewitson,1864; *leonina* Staudinger,1891
 4066) *Bebearia demetra demetra* (Godart,[1824]) (Argynnidae) Synonym(s): *demetra* Godart,[1824]; *soemis* Hewitson,1864; *leonina* Staudinger,1891
 4067) *Bebearia demetra obsolescens* (Talbot,1928) (Argynnidae) Synonym(s): *obsolescens* Talbot,1928
 4068) *Bebearia ducalis* (Grünberg,1911) (Argynnidae) Synonym(s): *ducalis* Grünberg,1911
 4069) *Bebearia ducarme* Hecq,1987 (Argynnidae) Synonym(s): *ducarme* Hecq,1987
 4070) *Bebearia eliensis* (Hewitson,1866) (Argynnidae) Synonym(s): *eliensis* Hewitson,1866; *#scintillans* Schultze,1920
 4071) *Bebearia elpinice* (Hewitson,1869) (Argynnidae) Synonym(s): *elpinice* Hewitson,1869; *goodi* Holland,1920
 4072) *Bebearia flaminia* (Staudinger,1891) (Argynnidae) Synonym(s): *flaminia* Staudinger,1891
 4073) *Bebearia fontainei* Berger,1981 (Argynnidae) Synonym(s): *fontainei* Berger,1981
 4074) *Bebearia fulgurata* (Aurivillius,1904) (Argynnidae) Synonym(s): *fulgurata* Aurivillius,1904; *brunescens* Joicey & Talbot,1921
 4075) *Bebearia guineensis* (C.Felder & R.Felder,[1867]) (Argynnidae) Synonym(s): *guineensis* C.Felder & R.Felder,[1867]; *#paludicola* Schultze,1920
 4076) *Bebearia hargreavesi* D'Abbrera,1980 (Argynnidae) Synonym(s): *hargreavesi* D'Abbrera,1980
 4077) *Bebearia ikelemba* (Aurivillius,1901) (Argynnidae) Synonym(s): *ikelemba* Aurivillius,1901
 4078) *Bebearia ikelemba ikelemba* (Aurivillius,1901) (Argynnidae) Synonym(s): *ikelemba* Aurivillius,1901
 4079) *Bebearia ikelemba kamituga* Berger,1981 (Argynnidae) Synonym(s): *kamituga* Berger,1981
 4080) *Bebearia innocua* (Grose-Smith & Kirby,1889) (Argynnidae) Synonym(s): *innocua* Grose-Smith & Kirby,1889
 4081) *Bebearia intermedia* (Bartel,1905) (Argynnidae) Synonym(s): *intermedia* Bartel,1905
 4082) *Bebearia jolyana* Hecq,1989 (Argynnidae) Synonym(s): *jolyana* Hecq,1989
 4083) *Bebearia laetitia* (Plötz,1880) (Argynnidae) Synonym(s): *eliensis* Hewitson,1866 nec Hew.,1866; *laetitia* Plötz,1880; *tia* Suffert,1904
 4084) *Bebearia laetitia laetitia* (Plötz,1880) (Argynnidae) Synonym(s): *eliensis* Hewitson,1866 nec Hew.,1866; *laetitia* Plötz,1880; *tia* Suffert,1904
 4085) *Bebearia laetitia vesta* Hecq,1989 (Argynnidae) Synonym(s): *vesta* Hecq,1989
 4086) *Bebearia luteola* (Bethune-Baker,1908) (Argynnidae) Synonym(s): *luteola* Bethune-Baker,1908
 4087) *Bebearia makala* (Bethune-Baker,1908) (Argynnidae) Synonym(s): *makala* Bethune-Baker,1908
 4088) *Bebearia makala bosmans* Hecq,1989 (Argynnidae) Synonym(s): *bosmans* Hecq,1989
 4089) *Bebearia makala makala* (Bethune-Baker,1908) (Argynnidae) Synonym(s): *makala* Bethune-Baker,1908
 4090) *Bebearia maledicta* (Strand,1912) (Argynnidae) Synonym(s): *maledicta* Strand,1912; *condamini* Fox,1968
 4091) *Bebearia mandinga* (C.Felder & R.Felder,1860) (Argynnidae) Synonym(s): *mandinga* C.Felder & R.Felder,1860
 4092) *Bebearia mardania* (Fabricius,1793) (Argynnidae) Synonym(s): *mardania* Fabricius,1793; *cocalia* Fabricius,1793
 4093) *Bebearia mardania cocalioides* Hecq,1988 (Argynnidae) Synonym(s): *cocalioides* Hecq,1988
 4094) *Bebearia mardania mardania* (Fabricius,1793) (Argynnidae) Synonym(s): *mardania* Fabricius,1793; *cocalia* Fabricius,1793
 4095) *Bebearia maximiana* (Staudinger,1891) (Argynnidae) Synonym(s): *maximiana* Staudinger,1891; *#eos* Röber,1936
 4096) *Bebearia maximiana fontaineana* Hecq,1987 (Argynnidae) Synonym(s): *fontaineana* Hecq,1987
 4097) *Bebearia maximiana maximiana* (Staudinger,1891) (Argynnidae) Synonym(s): *maximiana* Staudinger,1891; *#eos* Röber,1936
 4098) *Bebearia maximiana vinula* Hecq,1987 (Argynnidae) Synonym(s): *vinula* Hecq,1987
 4099) *Bebearia micans* (Aurivillius,1898) (Argynnidae) Synonym(s): *micans* Aurivillius,1898
 4100) *Bebearia nivaria* (Ward,1871) (Argynnidae) Synonym(s): *nivaria* Ward,1871; *suffumigata* Holland,1893
 4101) *Bebearia nivaria nivaria* (Ward,1871) (Argynnidae) Synonym(s): *nivaria* Ward,1871; *suffumigata* Holland,1893
 4102) *Bebearia nivaria tenuimacula* Berger,1981 (Argynnidae) Synonym(s): *tenuimacula* Berger,1981
 4103) *Bebearia octogramma* (Grose-Smith & Kirby,1889) (Argynnidae) Synonym(s): *octogramma* Grose-Smith & Kirby,1889
 4104) *Bebearia octogramma aputida* Hecq,1989 (Argynnidae) Synonym(s): *aputida* Hecq,1989
 4105) *Bebearia octogramma octogramma* (Grose-Smith & Kirby,1889) (Argynnidae) Synonym(s): *octogramma* Grose-Smith & Kirby,1889
 4106) *Bebearia orientis* (Karsch,1895) (Argynnidae) Synonym(s): *orientis* Karsch,1895; *pseudocalia* Staudinger,1896
 4107) *Bebearia orientis insularis* Kielland,1985 (Argynnidae) Synonym(s): *insularis* Kielland,1985
 4108) *Bebearia orientis orientis* (Karsch,1895) (Argynnidae) Synonym(s): *orientis* Karsch,1895; *pseudocalia* Staudinger,1896

- 4109) *Bebearia oxione* (Hewitson,1866) (Argynnidæ) Synonym(s): *oxione* Hewitson,1866
- 4110) *Bebearia oxione oxione* (Hewitson,1866) (Argynnidæ) Synonym(s): *oxione* Hewitson,1866
- 4111) *Bebearia oxione squalida* (Talbot,1928) (Argynnidæ) Synonym(s): *squalida* Talbot,1928
- 4112) *Bebearia partita* (Aurivillius,1895) (Argynnidæ) Synonym(s): *partita* Aurivillius,1895; *aurivillii* Staudinger,1896
- 4113) *Bebearia phantasia* (Hewitson,1865) (Argynnidæ) Synonym(s): *phantasia* Hewitson,1865
- 4114) *Bebearia phantasia concolor* Hecq,1988 (Argynnidæ) Synonym(s): *concolor* Hecq,1988
- 4115) *Bebearia phantasia leptotopa* (Bethune-Baker,1908) (Argynnidæ) Synonym(s): *leptotopa* Bethune-Baker,1908; *paraceres* D'Abrera,1980
- 4116) *Bebearia phantasia phantasia* (Hewitson,1865) (Argynnidæ) Synonym(s): *phantasia* Hewitson,1865
- 4117) *Bebearia phantasiella* (Staudinger,1891) (Argynnidæ) Synonym(s): *phantasiella* Staudinger,1891
- 4118) *Bebearia phantasiella phantasiella* (Staudinger,1891) (Argynnidæ) Synonym(s): *phantasiella* Staudinger,1891
- 4119) *Bebearia phantasiella phantasina* (Staudinger,1891) (Argynnidæ) Synonym(s): *phantasina* Staudinger,1891
- 4120) *Bebearia phantasiella simulata* (Van Someren,1939) (Argynnidæ) Synonym(s): *simulata* Van Someren,1939
- 4121) *Bebearia phranza* (Hewitson,1865) (Argynnidæ) Synonym(s): *phranza* Hewitson,1865
- 4122) *Bebearia phranza fuscara* Hecq,1989 (Argynnidæ) Synonym(s): *fuscara* Hecq,1989
- 4123) *Bebearia phranza moreelsi* D'Abrera,1980 (Argynnidæ) Synonym(s): *#moreelsi* Aurivillius,1901; *moreelsi* D'Abrera,1980
- 4124) *Bebearia phranza phranza* (Hewitson,1865) (Argynnidæ) Synonym(s): *phranza* Hewitson,1865
- 4125) *Bebearia phranza robiginosus* (Talbot,1927) (Argynnidæ) Synonym(s): *robiginosus* Talbot,1927
- 4126) *Bebearia picturata* Hecq,1989 (Argynnidæ) Synonym(s): *picturata* Hecq,1989
- 4127) *Bebearia plistonax* (Hewitson,1847) (Argynnidæ) Synonym(s): *plistonax* Hewitson,1847; *flavitaenia* Gaede,1916
- 4128) *Bebearia raveli* Hecq,1989 (Argynnidæ) Synonym(s): *raveli* Hecq,1989
- 4129) *Bebearia schoutedeni* (Overlaet,1954) (Argynnidæ) Synonym(s): *schoutedeni* Overlaet,1954
- 4130) *Bebearia scrutata* Hecq,1989 (Argynnidæ) Synonym(s): *scrutata* Hecq,1989
- 4131) *Bebearia senegalensis* (Herrich-Schäffer,[1858]) (Argynnidæ) Synonym(s): *senegalensis* Herrich-Schäffer,[1858]
- 4132) *Bebearia senegalensis katera* (Van Someren,1939) (Argynnidæ) Synonym(s): *#insularis* Schultz,1920; *katera* Van Someren,1939; *continentalis* Hecq,1988
- 4133) *Bebearia senegalensis senegalensis* (Herrich-Schäffer,[1858]) (Argynnidæ) Synonym(s): *senegalensis* Herrich-Schäffer,[1858]
- 4134) *Bebearia severini* (Aurivillius,1897) (Argynnidæ) Synonym(s): *severini* Aurivillius,1897
- 4135) *Bebearia sophus* (Fabricius,1793) (Argynnidæ) Synonym(s): *sophus* Fabricius,1793
- 4136) *Bebearia sophus aruunda* (Overlaet,1955) (Argynnidæ) Synonym(s): *aruunda* Overlaet,1955
- 4137) *Bebearia sophus audeoudi* (Riley,1936) (Argynnidæ) Synonym(s): *audeoudi* Riley,1936
- 4138) *Bebearia sophus ochreata* (Carcasson,1961) (Argynnidæ) Synonym(s): *ochreata* Carcasson,1961
- 4139) *Bebearia sophus phreone* (Feisthmel,1850) (Argynnidæ) Synonym(s): *phreone* Feisthmel,1850
- 4140) *Bebearia sophus sophus* (Fabricius,1793) (Argynnidæ) Synonym(s): *sophus* Fabricius,1793
- 4141) *Bebearia staudingeri* (Aurivillius,1893) (Argynnidæ) Synonym(s): *staudingeri* Aurivillius,1893
- 4142) *Bebearia tentyris* (Hewitson,1866) (Argynnidæ) Synonym(s): *tentyris* Hewitson,1866; *calabarensis* C.Felder & R.Felder,[1867]
- 4143) *Bebearia tentyris languida* (Schultze,1920) (Argynnidæ) Synonym(s): *languida* Schultze,1920; *#lucayensis* Schultze,1920
- 4144) *Bebearia tentyris seeldrayersi* (Aurivillius,1898) (Argynnidæ) Synonym(s): *seeldrayersi* Aurivillius,1898
- 4145) *Bebearia tentyris subtentyris* (Strand,1912) (Argynnidæ) Synonym(s): *subtentyris* trand,1912
- 4146) *Bebearia tentyris tentyris* (Hewitson,1866) (Argynnidæ) Synonym(s): *tentyris* Hewitson,1866; *calabarensis* C.Felder & R.Felder,[1867]
- 4147) *Bebearia tentyris winifredae* (Fox,1965) (Argynnidæ) Synonym(s): *#osyris* Schultze,1920; *winifredae* Fox,1965
- 4148) *Bebearia tessmanni* (Grünberg,1910) (Argynnidæ) Synonym(s): *tessmanni* Grünberg,1910
- 4149) *Bebearia tessmanni kwiluensis* Hecq,1989 (Argynnidæ) Synonym(s): *kwiluensis* Hecq,1989
- 4150) *Bebearia tessmanni tessmanni* (Grünberg,1910) (Argynnidæ) Synonym(s): *tessmanni* Grünberg,1910
- 4151) *Bebearia thegonis* (Hewitson,1864) (Argynnidæ) Synonym(s): *thegonis* Hewitson,1864
- 4152) *Bebearia unita* (Capronnier,1889) (Argynnidæ) Synonym(s): *unita* Capronnier,1889
- 4153) *Bebearia zonara* (Butler,1871) (Argynnidæ) Synonym(s): *zonara* Butler,1871
- 4154) *Bhagadatta austenia* (Moore,1872) (Argynnidæ) Synonym(s): *austenia* Moore,1872
- 4155) *Biblis hyperia* (Cramer,[1779]) (Argynnidæ) Synonym(s): *biblis* Fabricius,1775 nec Dru.,1773; *hyperia* Cramer,[1779]; *thadana* Godart,[1819]
- 4156) *Bimbisara sankara* (Kollar,[1844]) (Argynnidæ) Synonym(s): *sankara* Kollar,[1844]
- 4157) *Bimbisara sankara sankara* (Kollar,[1844]) (Argynnidæ) Synonym(s): *sankara* Kollar,[1844]
- 4158) *Boloria* (Clossiana) *acrocroma* Gall & Sperling,1980 (Argynnidæ) Synonym(s): *acrocroma* Gall & Sperling,1980
- 4159) *Boloria* (Clossiana) *albata* (Edwards,1890) (Argynnidæ) Synonym(s): *albata* Edwards,1890
- 4160) *Boloria* (Clossiana) *angarensis* (Erschoff,1870) (Argynnidæ) Synonym(s): *angarensis* Erschoff,1870; *sankoi* Sheljuzhko,1931.
- 4161) *Boloria* (Clossiana) *angarensis angarensis* (Erschoff,1870) (Argynnidæ) Synonym(s): *angarensis* Erschoff,1870; *sankoi* Sheljuzhko,1931.
- 4162) *Boloria* (Clossiana) *angarensis herzi* (Wnukowsky,1927) (Argynnidæ) Synonym(s): *herzi* Wnukowsky,1927
- 4163) *Boloria* (Clossiana) *angarensis shelkovnikovi* Korb & Yakovlev, 1997 (Argynnidæ) Synonym(s): *shelkovnikovi* Korb & Yakovlev,1997
- 4164) *Boloria* (Clossiana) *astarte* (Doubleday & Hewitson,[1847]) (Argynnidæ) Synonym(s): *astarte* Doubleday & Hewitson,[1847]; *victoria* Edwards,1891.
- 4165) *Boloria* (Clossiana) *astarte astarte* (Doubleday & Hewitson,[1847]) (Argynnidæ) Synonym(s): *astarte* Doubleday & Hewitson,[1847]; *victoria* Edwards,1891.
- 4166) *Boloria* (Clossiana) *astarte distincta* (Gibson,1920) (Argynnidæ) Synonym(s): *distincta* Gibson,1920
- 4167) *Boloria* (Clossiana) *astarte erschovi* (Korshunov & Gorbunov,1995) (Argynnidæ) Synonym(s): *erschovi* Korshunov & Gorbunov,1995
- 4168) *Boloria* (Clossiana) *bellona* (Fabricius,1775) (Argynnidæ) Synonym(s): *bellona* Fabricius,1775; *ammiralis* Hemming,1933
- 4169) *Boloria* (Clossiana) *bellona bellona* (Fabricius,1775) (Argynnidæ) Synonym(s): *bellona* Fabricius,1775; *ammiralis* Hemming,1933
- 4170) *Boloria* (Clossiana) *bellona jenistae* D.Stallings & Turner,1947 (Argynnidæ) Synonym(s): *jenistae* D.Stallings & Turner,1947
- 4171) *Boloria* (Clossiana) *bellona toddi* (Holland,1928) (Argynnidæ) Synonym(s): *toddii* Holland,1928
- 4172) *Boloria* (Clossiana) *chariclea* (Schneider,1794) (Argynnidæ) Synonym(s): *chariclea* Schneider,1794
- 4173) *Boloria* (Clossiana) *chariclea arctica* (Zetterstedt,[1839]) (Argynnidæ) Synonym(s): *arctica* Zetterstedt,[1839]; *oenone* Scudder,1875; *obscurata* McLachan,1878
- 4174) *Boloria* (Clossiana) *chariclea butleri* (Edwards,1883) (Argynnidæ) Synonym(s): *butleri* Edwards,1883
- 4175) *Boloria* (Clossiana) *chariclea chariclea* (Schneider,1794) (Argynnidæ) Synonym(s): *chariclea* Schneider,1794
- 4176) *Boloria* (Clossiana) *dia* (Linnaeus,1767) (Argynnidæ) Synonym(s): *dia* Linnaeus,1767; *diniensis* Fruhstorfer,1909; *leonina* Fruhstorfer,1909; *disconota* Krulikowsky,1909; *laetior* Verity,1919.
- 4177) *Boloria* (Clossiana) *dia alpina* (Elwes,1899) (Argynnidæ) Synonym(s): *alpina* Elwes,1899
- 4178) *Boloria* (Clossiana) *dia dia* (Linnaeus,1767) (Argynnidæ) Synonym(s): *dia* Linnaeus,1767; *diniensis* Fruhstorfer,1909; *leonina* Fruhstorfer,1909; *disconota* Krulikowsky,1909; *laetior* Verity,1919.
- 4179) *Boloria* (Clossiana) *distincta* (Gibson,1920) (Argynnidæ) Synonym(s): *distincta* Gibson,1920
- 4180) *Boloria* (Clossiana) *distincta distincta* (Gibson,1920) (Argynnidæ) Synonym(s): *distincta* Gibson,1920
- 4181) *Boloria* (Clossiana) *distincta machati* Korshunov,1987 (Argynnidæ) Synonym(s): *machati* Korshunov,1987
- 4182) *Boloria* (Clossiana) *epithore* (Edwards,[1864]) (Argynnidæ) Synonym(s): *epithore* Edwards,[1864]; *epithore* Boisduval,1869
- 4183) *Boloria* (Clossiana) *epithore chermocki* E.Perkins & S.Perkins,1966 (Argynnidæ) Synonym(s): *chermocki* E.Perkins & S.Perkins,1966
- 4184) *Boloria* (Clossiana) *epithore epithore* (Edwards,[1864]) (Argynnidæ) Synonym(s): *epithore* Edwards,[1864]; *epithore* Boisduval,1869
- 4185) *Boloria* (Clossiana) *epithore sierra* E.Perkins,1973 (Argynnidæ) Synonym(s): *sierra* E.Perkins,1973
- 4186) *Boloria* (Clossiana) *epithore uslui* (Koçak,1984) (Argynnidæ) Synonym(s): *borealis* E.Perkins,1973 nec Stgr.,1861; *uslui* Koçak,1984
- 4187) *Boloria* (Clossiana) *erda* (Christoph,1893) (Argynnidæ) Synonym(s): *erda* Christoph,1893
- 4188) *Boloria* (Clossiana) *erda erda* (Christoph,1893) (Argynnidæ) Synonym(s): *erda* Christoph,1893
- 4189) *Boloria* (Clossiana) *euphrosyne* (Linnaeus,1758) (Argynnidæ) Synonym(s): *euphrosyne* Linnaeus,1758; *argenticollis* Retzius,1783; *figal* Herbst,1800; *densoi* Fruhstorfer,1909; *apennina* Fruhstorfer,1916; *cynosoma* Fruhstorfer,1916; *nestonclara* Verity,1932; *eminens* Verity,1932; *varianana* Verity,1932; *austreminens* Verity,1950, etc.
- 4190) *Boloria* (Clossiana) *euphrosyne esperi* Heydemann (Argynnidæ) Synonym(s): *esperii* Heydemann
- 4191) *Boloria* (Clossiana) *euphrosyne euphrosyne* (Linnaeus,1758) (Argynnidæ) Synonym(s): *euphrosyne* Linnaeus,1758; *argenticollis* Retzius,1783; *figal* Herbst,1800; *densoi* Fruhstorfer,1909; *apennina* Fruhstorfer,1916; *cynosoma* Fruhstorfer,1916; *nestonclara* Verity,1932; *eminens* Verity,1932; *varianana* Verity,1932; *austreminens* Verity,1950, etc.
- 4192) *Boloria* (Clossiana) *euphrosyne umbra* (Seitz,1908) (Argynnidæ) Synonym(s): *umbra* Seitz,1908
- 4193) *Boloria* (Clossiana) *franciscana* (Verhulst,1999) (Argynnidæ) Synonym(s): *franciscana* Verhulst,1999

- 4194) *Boloria* (Clossiana) *freija* (Thunberg,1791) (Argynnidæ) Synonym(s): *freija* Thunberg,1791
 4195) *Boloria* (Clossiana) *freija browni* (Higgins,1953) (Argynnidæ) Synonym(s): *browni* Higgins,1953
 4196) *Boloria* (Clossiana) *freija freija* (Thunberg,1791) (Argynnidæ) Synonym(s): *freija* Thunberg,1791
 4197) *Boloria* (Clossiana) *freija jakutensis* (Wnukowsky,1927) (Argynnidæ) Synonym(s): *jakutensis* Wnukowsky,1927
 4198) *Boloria* (Clossiana) *freija nabakovi* (D.Stallings & Turner,1947) (Argynnidæ) Synonym(s): *nabakovi* D.Stallings & Turner,1947
 4199) *Boloria* (Clossiana) *frigga pallida* (Elwes,1899) (Argynnidæ) Synonym(s): *pallida* Elwes,1899
 4200) *Boloria* (Clossiana) *frigga tarquinius* (Curtis,1835) (Argynnidæ) Synonym(s): *tarquinius* Curtis,1835
 4201) *Boloria* (Clossiana) *frigga* (Thunberg,1791) (Argynnidæ) Synonym(s): *frigga* Thunberg,1791; *helvenacius* Sedych,1977.
 4202) *Boloria* (Clossiana) *frigga alpestris* (Elwes,1899) (Argynnidæ) Synonym(s): *alpestris* Elwes,1899
 4203) *Boloria* (Clossiana) *frigga annae* (Suschkin,1906) (Argynnidæ) Synonym(s): *annae* Suschkin,1906
 4204) *Boloria* (Clossiana) *frigga frigga* (Thunberg,1791) (Argynnidæ) Synonym(s): *frigga* Thunberg,1791; *helvenacius* Sedych,1977.
 4205) *Boloria* (Clossiana) *frigga gibsoni* (Barnes & McDunnough,1926) (Argynnidæ) Synonym(s): *alaskensis* Lehmann,1913 nec Holl.,1900; *gibsoni* Barnes & McDunnough,1926; *lehmanni* Holland,1928
 4206) *Boloria* (Clossiana) *frigga saga* (Staudinger,1861) (Argynnidæ) Synonym(s): *saga* Staudinger,1861
 4207) *Boloria* (Clossiana) *frigga sagata* (Barnes & Benjamin,1923) (Argynnidæ) Synonym(s): *sagata* Barnes & Benjamin,1923
 4208) *Boloria* (Clossiana) *improba* (Butler,1877) (Argynnidæ) Synonym(s): *improba* Butler,1877
 4209) *Boloria* (Clossiana) *improba harryi* (Argynnidæ) Synonym(s):
 4210) *Boloria* (Clossiana) *improba improba* (Butler,1877) (Argynnidæ) Synonym(s): *improba* Butler,1877
 4211) *Boloria* (Clossiana) *improba youngi* (Holland,1900) (Argynnidæ) Synonym(s): *youngi* Holland,1900
 4212) *Boloria* (Clossiana) *iphigenia* (Graeser,1888) (Argynnidæ) Synonym(s): *iphigenia* Graeser,1888; *#iphigeneia* Elwes,1889.
 4213) *Boloria* (Clossiana) *iphigenia iphigenia* (Graeser,1888) (Argynnidæ) Synonym(s): *iphigenia* Graeser,1888; *#iphigeneia* Elwes,1889.
 4214) *Boloria* (Clossiana) *jerdoni* (Lang,1868) (Argynnidæ) Synonym(s): *jerdoni* Lang,1868
 4215) *Boloria* (Clossiana) *jerdoni chitralensis* Moore,1900 (Argynnidæ) Synonym(s): *chitralensis* Moore,1900
 4216) *Boloria* (Clossiana) *jerdoni jerdoni* (Lang,1868) (Argynnidæ) Synonym(s): *jerdoni* Lang,1868
 4217) *Boloria* (Clossiana) *kriemhild* (Strecker,1878) (Argynnidæ) Synonym(s): *kriemhild* Strecker,1878; *laurenti* Skinner,1913; *lucki* Reuss,1923
 4218) *Boloria* (Clossiana) *matveevi* (Gorbunov & Korshunov,1995) (Argynnidæ) Synonym(s): *matveevi* Gorbunov & Korshunov,1995
 4219) *Boloria* (Clossiana) *matveevi matveevi* (Gorbunov & Korshunov,1995) (Argynnidæ) Synonym(s): *matveevi* Gorbunov & Korshunov,1995
 4220) *Boloria* (Clossiana) *montinus* (Scudder,1863) (Argynnidæ) Synonym(s): *montinus* Scudder,1863
 4221) *Boloria* (Clossiana) *natazhati* (Gibson,1920) (Argynnidæ) Synonym(s): *natazhati* Gibson,1920
 4222) *Boloria* (Clossiana) *oscarus* (Eversmann,1844) (Argynnidæ) Synonym(s): *oscarus* Eversmann,1844
 4223) *Boloria* (Clossiana) *oscarus oscarus* (Eversmann,1844) (Argynnidæ) Synonym(s): *oscarus* Eversmann,1844
 4224) *Boloria* (Clossiana) *polaris* (Boisduval,1829) (Argynnidæ) Synonym(s): *polaris* Boisduval,1829; *groenlandica* [Anonymous],1892; *americana* Strand,1905
 4225) *Boloria* (Clossiana) *polaris polaris* (Boisduval,1829) (Argynnidæ) Synonym(s): *polaris* Boisduval,1829; *groenlandica* [Anonymous],1892; *americana* Strand,1905
 4226) *Boloria* (Clossiana) *polaris stellata* (Masters,1972) (Argynnidæ) Synonym(s): *stellata* Masters,1972
 4227) *Boloria* (Clossiana) *selene* ([Denis & Schiffermüller],1775) (Argynnidæ) Synonym(s): *selene* [Denis & Schiffermüller],1775; *thalia* Hübner,1790 nec Linnaeus,1758; *cybele* Hübner,1790 nec Cramer,1777; *euphrasia* Lewin,1795; *marphisa* Herbst,1800; *rinaldus* Herbst,1800; *lado* Hummel,1826; *veta* Motschulsky,1852.
 4228) *Boloria* (Clossiana) *selene albequina* (Holland,1928) (Argynnidæ) Synonym(s): *albequina* Holland,1928
 4229) *Boloria* (Clossiana) *selene atrocostalis* (Huard,1927) (Argynnidæ) Synonym(s): *atrocostalis* Huard,1927; *jenningsae* Holland,1928
 4230) *Boloria* (Clossiana) *selene castiliana* (Lowe,1910) (Argynnidæ) Synonym(s): *castiliana* Lowe,1910
 4231) *Boloria* (Clossiana) *selene lucetia* (Fruhstorfer,1916) (Argynnidæ) Synonym(s): *lucetia* Fruhstorfer,1916
 4232) *Boloria* (Clossiana) *selene myrina* (Cramer,1777) (Argynnidæ) Synonym(s): *myrina* Cramer,1777; *myrissa* Godart,[1824]; *marilandica* A.H.Clark,1941
 4233) *Boloria* (Clossiana) *selene nebraskensis* (Holland,1928) (Argynnidæ) Synonym(s): *nebraskensis* Holland,1928
 4234) *Boloria* (Clossiana) *selene sabulocollis* (Kohler,1977) (Argynnidæ) Synonym(s): *sabulocollis* Kohler,1977
 4235) *Boloria* (Clossiana) *selene selene* ([Denis & Schiffermüller],1775) (Argynnidæ) Synonym(s): *selene* [Denis & Schiffermüller],1775; *thalia* Hübner,1790 nec Linnaeus,1758; *cybele* Hübner,1790 nec Cramer,1777; *euphrasia* Lewin,1795; *marphisa* Herbst,1800; *rinaldus* Herbst,1800; *lado* Hummel,1826; *veta* Motschulsky,1852.
 4236) *Boloria* (Clossiana) *selene terraenovae* (Holland,1928) (Argynnidæ) Synonym(s): *terraenovae* Holland,1928
 4237) *Boloria* (Clossiana) *selene tollandensis* (Barnes & Benjamin,1925) (Argynnidæ) Synonym(s): *tollandensis* Barnes & Benjamin,1925
 4238) *Boloria* (Clossiana) *selenis* (Eversmann,1837) (Argynnidæ) Synonym(s): *selenis* Eversmann,1837
 4239) *Boloria* (Clossiana) *selenis selenis* (Eversmann,1837) (Argynnidæ) Synonym(s): *selenis* Eversmann,1837
 4240) *Boloria* (Clossiana) *selenis sibirica* (Erschoff,1870) (Argynnidæ) Synonym(s): *sibirica* Erschoff,1870
 4241) *Boloria* (Clossiana) *thore* (Hübner,[1803]) (Argynnidæ) Synonym(s): *thore* Hübner,[1803]
 4242) *Boloria* (Clossiana) *thore borealis* (Staudinger,1861) (Argynnidæ) Synonym(s): *borealis* Staudinger,1861; *excellens* Krulikowsky,1893; *meridionalis* Kardakoff,1928 nec Schawerda,1916; *transuralensis* Sheljuzhko,1931; *brenda* Hemming,1933.
 4243) *Boloria* (Clossiana) *thore hypercalca* (Fruhstorfer,1907) (Argynnidæ) Synonym(s): *hypercalca* Fruhstorfer,1907
 4244) *Boloria* (Clossiana) *thore thore* (Hübner,[1803]) (Argynnidæ) Synonym(s): *thore* Hübner,[1803]
 4245) *Boloria* (Clossiana) *titania* (Esper,[1793]) (Argynnidæ) Synonym(s): *titania* Esper,[1793]; *amathusia* Esper,1783 nec Cr.,1777; *serena* Fruhstorfer,1908; *pralognana* Fruhstorfer,1908; *halesa* Fruhstorfer,1908.
 4246) *Boloria* (Clossiana) *titania bivina* (Fruhstorfer,1908) (Argynnidæ) Synonym(s): *bivina* Fruhstorfer,1908
 4247) *Boloria* (Clossiana) *titania boisduvalii* (Duponchel,[1832]) (Argynnidæ) Synonym(s): *boisduvalii* Duponchel,[1832]; *labradorensis* Gunder,1928
 4248) *Boloria* (Clossiana) *titania cypris* (Meigen,1828) (Argynnidæ) Synonym(s): *cypris* Meigen,1828
 4249) *Boloria* (Clossiana) *titania grandis* (Barnes & McDunnough,1916) (Argynnidæ) Synonym(s): *grandis* Barnes & McDunnough,1916
 4250) *Boloria* (Clossiana) *titania helena* (Edwards,1871) (Argynnidæ) Synonym(s): *helena* Edwards,1871
 4251) *Boloria* (Clossiana) *titania ingens* (Barnes & McDunnough,1918) (Argynnidæ) Synonym(s): *ingens* Barnes & McDunnough,1918; *martini* Gunder,1934
 4252) *Boloria* (Clossiana) *titania lemagneni* (Plantrou,1960) (Argynnidæ) Synonym(s): *lemagneni* Plantrou,1960
 4253) *Boloria* (Clossiana) *titania montinus* (Scudder,1863) (Argynnidæ) Synonym(s): *montinus* Scudder,1863
 4254) *Boloria* (Clossiana) *titania rainieri* (Barnes & McDunnough,1913) (Argynnidæ) Synonym(s): *rainieri* Barnes & McDunnough,1913
 4255) *Boloria* (Clossiana) *titania staudingeri* (Wnukowsky,1929) (Argynnidæ) Synonym(s): *sibirica* Staudinger,1892 nec Ersch.,1870; *staudingeri* Wnukowsky,1929
 4256) *Boloria* (Clossiana) *titania titania* (Esper,[1793]) (Argynnidæ) Synonym(s): *titania* Esper,[1793]; *amathusia* Esper,1783 nec Cr.,1777; *serena* Fruhstorfer,1908; *pralognana* Fruhstorfer,1908; *halesa* Fruhstorfer,1908.
 4257) *Boloria* (Clossiana) *triton* (Boeber,1812) (Argynnidæ) Synonym(s): *triton* Boeber,1812; *amphilochus* Ménétériès,1859.
 4258) *Boloria* (Clossiana) *triton triton* (Boeber,1812) (Argynnidæ) Synonym(s): *triton* Boeber,1812; *amphilochus* Ménétériès,1859.
 4259) *Boloria* (Proclossiana) *erubescens* (Staudinger,1901) (Argynnidæ) Synonym(s): *erubescens* Staudinger,1901
 4260) *Boloria* (Proclossiana) *erubescens chotana* (O.Bang-Haas,1915) (Argynnidæ) Synonym(s): *chotana* Bang-Haas,1915
 4261) *Boloria* (Proclossiana) *erubescens erubescens* (Staudinger,1901) (Argynnidæ) Synonym(s): *erubescens* Staudinger,1901
 4262) *Boloria* (Proclossiana) *erubescens haberhaueri* (Hemming,1933) (Argynnidæ) Synonym(s): *hegemone* Staudinger,1881 nec Godart,[1819]; *haberhaueri* Hemming,1933
 4263) *Boloria* (Proclossiana) *erubescens houri* Wyatt,1961 (Argynnidæ) Synonym(s): *hour* Wyatt,1961
 4264) *Boloria* (Proclossiana) *erubescens tienschanica* (Wagner,1913) (Argynnidæ) Synonym(s): *tienschanica* Wagner,1913
 4265) *Boloria* (Proclossiana) *eunomia* (Esper,[1799]) (Argynnidæ) Synonym(s): *eunomia* Esper,[1799]; *aphirape* Hübner,[1800]; *tomyris* Herbst,1800.
 4266) *Boloria* (Proclossiana) *eunomia alticola* (Barnes & McDunnough,1913) (Argynnidæ) Synonym(s): *alticola* Barnes & McDunnough,1913; *caelestis* Hemming,1933
 4267) *Boloria* (Proclossiana) *eunomia asiatica* (Staudinger,1901) (Argynnidæ) Synonym(s): *asiatica* Staudinger,1901
 4268) *Boloria* (Proclossiana) *eunomia ceretanensis* (Deslandes,1930) (Argynnidæ) Synonym(s): *ceretanensis* Deslandes,1930
 4269) *Boloria* (Proclossiana) *eunomia dawsoni* (Barnes & McDunnough,1916) (Argynnidæ) Synonym(s): *dawsoni* Barnes & McDunnough,1916; *harperi* Gunder,1934
 4270) *Boloria* (Proclossiana) *eunomia denali* (Klots,1940) (Argynnidæ) Synonym(s): *denali* Klots,1940
 4271) *Boloria* (Proclossiana) *eunomia eunomia* (Esper,[1799]) (Argynnidæ) Synonym(s): *eunomia* Esper,[1799]; *aphirape* Hübner,[1800]; *tomyris* Herbst,1800.
 4272) *Boloria* (Proclossiana) *eunomia laddi* (Klots,1940) (Argynnidæ) Synonym(s): *laddi* Klots,1940
 4273) *Boloria* (Proclossiana) *eunomia nichollae* (Barnes & Benjamin,1926) (Argynnidæ) Synonym(s): *nichollae* Barnes & Benjamin,1926
 4274) *Boloria* (Proclossiana) *eunomia ossianus* (Herbst,1800) (Argynnidæ) Synonym(s): *ossianus* Herbst,1800

- 4275) *Boloria (Proclissiana) eunomia tricoloris* (Hübner, [1821]) (Argynnidæ) Synonym(s): *tricoloris* Hübner, [1821]; *ossianus* Boisduval, 1832 nec Hbst., 1800
- 4276) *Boloria (Proclissiana) eunomia ursadentis* (Ferris & Groothuis, 1971) (Argynnidæ) Synonym(s): *ursadentis* Ferris & Groothuis, 1971
- 4277) *Boloria (s.str.) alaskensis* (Holland, 1900) (Argynnidæ) Synonym(s): *alaskensis* Holland, 1900
- 4278) *Boloria (s.str.) alaskensis alaskensis* (Holland, 1900) (Argynnidæ) Synonym(s): *alaskensis* Holland, 1900
- 4279) *Boloria (s.str.) alaskensis sedykhi* Cormier, 1977 (Argynnidæ) Synonym(s): *sedykhi* Cormier, 1977
- 4280) *Boloria (s.str.) aquilonaris* (Stichel, 1908) (Argynnidæ) Synonym(s): *aquilonaris* Stichel, 1908; *hypoarsilache* Verity, 1932; *parvula* Collier, 1933.
- 4281) *Boloria (s.str.) aquilonaris alethea* (Hemming, 1934) (Argynnidæ) Synonym(s): *arsilache* Hübner, 1799 nec Esper, [1780]; *alethea* Hemming, 1934.
- 4282) *Boloria (s.str.) aquilonaris aquilonaris* (Stichel, 1908) (Argynnidæ) Synonym(s): *aquilonaris* Stichel, 1908; *hypoarsilache* Verity, 1932; *parvula* Collier, 1933.
- 4283) *Boloria (s.str.) aquilonaris ericeti* Crosson du Cormier, 1959 (Argynnidæ) Synonym(s): *ericeti* Crosson du Cormier, 1959
- 4284) *Boloria (s.str.) caucasica* (Lederer, 1852) (Argynnidæ) Synonym(s): *caucasica* Lederer, 1852; *pontica* Crosson du Cormier, Guérin & De Lesse, 1957.
- 4285) *Boloria (s.str.) caucasica caucasica* (Lederer, 1852) (Argynnidæ) Synonym(s): *caucasica* Lederer, 1852; *pontica* Crosson du Cormier, Guérin & De Lesse, 1957.
- 4286) *Boloria (s.str.) frigidalis* Forster, 1968 (Argynnidæ) Synonym(s): *#frigidalis* Warren, 1944; *frigidalis* Forster, 1968
- 4287) *Boloria (s.str.) frigidalis frigidalis* Forster, 1968 (Argynnidæ) Synonym(s): *#frigidalis* Warren, 1944; *frigidalis* Forster, 1968
- 4288) *Boloria (s.str.) generator* (Staudinger, 1886) (Argynnidæ) Synonym(s): *generator* Staudinger, 1886
- 4289) *Boloria (s.str.) generator generator* (Staudinger, 1886) (Argynnidæ) Synonym(s): *generator* Staudinger, 1886
- 4290) *Boloria (s.str.) generator juldussica* (Wagner, 1913) (Argynnidæ) Synonym(s): *juldussica* Wagner, 1913
- 4291) *Boloria (s.str.) generator korla* (Fruhstorfer, 1903) (Argynnidæ) Synonym(s): *korla* Fruhstorfer, 1903
- 4292) *Boloria (s.str.) graeca* (Staudinger, 1870) (Argynnidæ) Synonym(s): *graeca* Staudinger, 1870
- 4293) *Boloria (s.str.) graeca balcanica* (Rebel, 1903) (Argynnidæ) Synonym(s): *balcanica* Rebel, 1903; *rhodopensis* Slivov, 1995.
- 4294) *Boloria (s.str.) graeca brogotarus* (Fruhstorfer, 1909) (Argynnidæ) Synonym(s): *brogotarus* Fruhstorfer, 1909; *medioitalica* Verity, 1911; *tendensis* Higgins, 1930; *majellensis* Dannehl, 1933.
- 4295) *Boloria (s.str.) graeca graeca* (Staudinger, 1870) (Argynnidæ) Synonym(s): *graeca* Staudinger, 1870
- 4296) *Boloria (s.str.) graeca karina* Van Oorschoot & Wagnen, 1990 (Argynnidæ) Synonym(s): *karina* Van Oorschoot & Wagnen, 1990
- 4297) *Boloria (s.str.) napaea* (Hoffmannsegg, 1804) (Argynnidæ) Synonym(s): *napaea* Hoffmannsegg, 1804; *isis* Hübner, [1800] nec Dru., [1773]; *dirphya* Hoffmannsegg, 1806; *punctata* Crosson du Cormier, 1964; *sabaudiensis* Crosson du Cormier, 1964.
- 4298) *Boloria (s.str.) napaea alaskensis* (Holland, 1900) (Argynnidæ) Synonym(s): *alaskensis* Holland, 1900; *reiffi* Reuss, 1925
- 4299) *Boloria (s.str.) napaea altaica* (Groum-Grshimailo, 1893) (Argynnidæ) Synonym(s): *altaica* Groum-Grshimailo, 1893; *#isisoides* Heydemann, 1920.
- 4300) *Boloria (s.str.) napaea halli* Klotz, 1940 (Argynnidæ) Synonym(s): *halli* Klotz, 1940
- 4301) *Boloria (s.str.) napaea laurentidis* Crosson du Cormier, 1966 (Argynnidæ) Synonym(s): *laurentidis* Crosson du Cormier, 1966
- 4302) *Boloria (s.str.) napaea napaea* (Hoffmannsegg, 1804) (Argynnidæ) Synonym(s): *napaea* Hoffmannsegg, 1804; *isis* Hübner, [1800] nec Dr., [1773]; *dirphya* Hoffmannsegg, 1806; *punctata* Crosson du Cormier, 1964; *sabaudiensis* Crosson du Cormier, 1964.
- 4303) *Boloria (s.str.) napaea nearctica* Verity, 1932 (Argynnidæ) Synonym(s): *nearctica* Verity, 1932
- 4304) *Boloria (s.str.) napaea pustagi* Korshunov & Ivonin, 1995 (Argynnidæ) Synonym(s): *pustagi* Korshunov & Ivonin, 1995
- 4305) *Boloria (s.str.) napaea pyreneorientalis* De Lesse, 1961 (Argynnidæ) Synonym(s): *pyreneorientalis* De Lesse, 1961
- 4306) *Boloria (s.str.) pales* ([Denis & Schiffermüller], 1775) (Argynnidæ) Synonym(s): *pales* [Denis & Schiffermüller], 1775; *arsilache* Esper, 1780.
- 4307) *Boloria (s.str.) pales banghaasi* Seitz, 1909 (Argynnidæ) Synonym(s): *banghaasi* Seitz, 1909
- 4308) *Boloria (s.str.) pales baralacha* (Moore, 1882) (Argynnidæ) Synonym(s): *baralacha* Moore, 1882; *hunzaica* Tytler, 1940.
- 4309) *Boloria (s.str.) pales carpathomeridionalis* Crosson du Cormier & Popescu-Gorj, 1963 (Argynnidæ) Synonym(s): *carpathomeridionalis* Crosson du Cormier & Popescu-Gorj, 1963
- 4310) *Boloria (s.str.) pales contempta* (Zerny, [1931]) (Argynnidæ) Synonym(s): *contempta* Zerny, [1931]
- 4311) *Boloria (s.str.) pales eupales* (Fruhstorfer, 1903) (Argynnidæ) Synonym(s): *eupales* Fruhstorfer, 1903
- 4312) *Boloria (s.str.) pales lucida* (O.Bang-Haas, 1927) (Argynnidæ) Synonym(s): *lucida* O.Bang-Haas, 1927
- 4313) *Boloria (s.str.) pales nitida* Warren, 1944 (Argynnidæ) Synonym(s): *nitida* Warren, 1944
- 4314) *Boloria (s.str.) pales pales* ([Denis & Schiffermüller], 1775) (Argynnidæ) Synonym(s): *pales* [Denis & Schiffermüller], 1775; *arsilache* Esper, 1780.
- 4315) *Boloria (s.str.) pales palina* (Fruhstorfer, 1903) (Argynnidæ) Synonym(s): *palina* Fruhstorfer, 1903
- 4316) *Boloria (s.str.) pales palustris* (Fruhstorfer, 1909) (Argynnidæ) Synonym(s): *palustris* Fruhstorfer, 1909
- 4317) *Boloria (s.str.) pales pyrenesmiscens* Warren, 1944 (Argynnidæ) Synonym(s): *#pyrenesmiscens* Verity, 1932; *pyrenesmiscens* Warren, 1944.
- 4318) *Boloria (s.str.) pales rilaisensis* Varga, 1972 (Argynnidæ) Synonym(s): *rilaisensis* Varga, 1972
- 4319) *Boloria (s.str.) pales sifanica* (Groum-Grshimailo, 1890) (Argynnidæ) Synonym(s): *sifanica* Groum-Grshimailo, 1890
- 4320) *Boloria (s.str.) pales tatsienensis* Crosson, 1961 (Argynnidæ) Synonym(s): *tatsienensis* Crosson, 1961
- 4321) *Boloria (s.str.) pales tatsienlouna* Reuss, 1925 (Argynnidæ) Synonym(s): *#palinoides* Reuss, 1925; *tatsienlouna* Reuss, 1925; *palinoides* Warren, 1944.
- 4322) *Boloria (s.str.) sipora* (Moore, 1874) (Argynnidæ) Synonym(s): *sipora* Moore, 1874; *hunzaica* Tytler, 1940.
- 4323) *Boloria (s.str.) sipora sipora* (Moore, 1874) (Argynnidæ) Synonym(s): *sipora* Moore, 1874; *hunzaica* Tytler, 1940.
- 4324) *Brenthis daphne* (Bergsträsser, 1780) (Argynnidæ) Synonym(s): *daphne* Bergsträsser, 1780; *chlois* Esper, 1778 nec Fabricius, 1775; *epidaphne* Fruhstorfer, 1907; *nikator* Fruhstorfer, 1909; *tenuitermaculosa* Verity, 1922; *syriaca* Belter, 1935; *anatolica* Belter, 1935.
- 4325) *Brenthis daphne daphne* (Bergsträsser, 1780) (Argynnidæ) Synonym(s): *daphne* Bergsträsser, 1780; *chlois* Esper, 1778 nec Fabricius, 1775; *epidaphne* Fruhstorfer, 1907; *nikator* Fruhstorfer, 1909; *tenuitermaculosa* Verity, 1922; *syriaca* Belter, 1935; *anatolica* Belter, 1935.
- 4326) *Brenthis daphne iwatensis* Okano, 1951 (Argynnidæ) Synonym(s): *iwatensis* Okano, 1951
- 4327) *Brenthis daphne mediofusca* (Bryk, 1946) (Argynnidæ) Synonym(s): *#mediofusca* Matsumura, 1929; *mediofusca* Bryk, 1946.
- 4328) *Brenthis hecate* ([Denis & Schiffermüller], 1775) (Argynnidæ) Synonym(s): *hecate* [Denis & Schiffermüller], 1775; *harmothoe* Fruhstorfer, 1917; *florida* Verity, 1919; *stricta* Verity, 1933.
- 4329) *Brenthis hecate alaica* (Staudinger, 1886) (Argynnidæ) Synonym(s): *alaica* Staudinger, 1886
- 4330) *Brenthis hecate hecate* ([Denis & Schiffermüller], 1775) (Argynnidæ) Synonym(s): *hecate* [Denis & Schiffermüller], 1775; *harmothoe* Fruhstorfer, 1917; *florida* Verity, 1919; *stricta* Verity, 1933.
- 4331) *Brenthis hecate poecilla* De Sagarra, 1924 (Argynnidæ) Synonym(s): *poecilla* De Sagarra, 1924
- 4332) *Brenthis hecate transcaucasica* Wnukowsky, 1929 (Argynnidæ) Synonym(s): *#caucasica* Staudinger, 1861; *caucasica* Staudinger, 1871 nec Lederer, 1852; *transcaucasica* Wnukowsky, 1929.
- 4333) *Brenthis hecate warreni* Kudrna, 1974 (Argynnidæ) Synonym(s): *warreni* Kudrna, 1974
- 4334) *Brenthis ino* (Rottemburg, 1775) (Argynnidæ) Synonym(s): *ino* Rottemburg, 1775; *dictynna* [Denis & Schiff.], 1775; *parthenie* Bergsträsser, 1780; *flavomaculatus* Retzius, 1783; *adula*, *tergesta*, *eporedia* Fruhst., 1910; *pyrenaica* Sagarra, 1925; *asiaepallens* Verity, 1933; *sesquierilda* Verity, 1957.
- 4335) *Brenthis ino adalberti* (Fruhstorfer, 1916) (Argynnidæ) Synonym(s): *sibirica* Seitz, 1908 nec Erschoff, 1870; *adalberti* Fruhstorfer, 1916.
- 4336) *Brenthis ino amurensis* Staudinger, 1887 (Argynnidæ) Synonym(s): *amurensis* Staudinger, 1887
- 4337) *Brenthis ino erilda* De Sagarra, 1926 (Argynnidæ) Synonym(s): *erilda* De Sagarra, 1926
- 4338) *Brenthis ino ino* (Rottemburg, 1775) (Argynnidæ) Synonym(s): *ino* Rottemburg, 1775; *dictynna* [Denis & Schiff.], 1775; *parthenie* Bergsträsser, 1780; *flavomaculatus* Retzius, 1783; *adula*, *tergesta*, *eporedia* Fruhst., 1910; *pyrenaica* Sagarra, 1925; *asiaepallens* Verity, 1933; *sesquierilda* Verity, 1957.
- 4339) *Brenthis ino limpida* (Krulikowsky, 1909) (Argynnidæ) Synonym(s): *clara* Staudinger, 1892 nec Blanchier, 1844; *limpida* Krulikowsky, 1909
- 4340) *Brenthis ino paidicus* (Fruhstorfer, 1907) (Argynnidæ) Synonym(s): *paidicus* Fruhstorfer, 1907
- 4341) *Brenthis ino parvimarginalis* Nakahara, 1926 (Argynnidæ) Synonym(s): *karafutonis* Matsumura, 1925 (hom.); *parvimarginalis* Nakahara, 1926
- 4342) *Brenthis ino pyrenaica* De Sagarra, 1926 (Argynnidæ) Synonym(s): *pyrenaica* De Sagarra, 1926
- 4343) *Brenthis ino schmitzi* Wagnen, 1983 (Argynnidæ) Synonym(s): *schmitzi* Wagnen, 1983
- 4344) *Brenthis ino siopelus* Fruhstorfer, 1907 (Argynnidæ) Synonym(s): *siopelus* Fruhstorfer, 1907; *herzi* Seitz, 1909; *magadanica* Kurentsov, 1970.
- 4345) *Brenthis ino tarnis* (Fruhstorfer, 1916) (Argynnidæ) Synonym(s): *tarnis* Fruhstorfer, 1916
- 4346) *Brenthis ino tigroides* Fruhstorfer, 1907 (Argynnidæ) Synonym(s): *tigroides* Fruhstorfer, 1907
- 4347) *Brenthis ino trachalus* (Fruhstorfer, 1916) (Argynnidæ) Synonym(s): *trachalus* Fruhstorfer, 1916
- 4348) *Brenthis ino vitimensis* Wnukowsky, 1929 (Argynnidæ) Synonym(s): *borealis* Seitz, 1908 nec Staudinger, 1861; *vitimensis* Wnukowsky, 1929
- 4349) *Brenthis mofidii* Wyatt, 1968 (Argynnidæ) Synonym(s): *mofidii* Wyatt, 1968
- 4350) *Brenthis mofidii mofidii* Wyatt, 1968 (Argynnidæ) Synonym(s): *mofidii* Wyatt, 1968
- 4351) *Brenthis mofidii zabensis* Leestmans & Carbonell, 1993 (Argynnidæ) Synonym(s): *zabensis* Leestmans & Carbonell, 1993
- 4352) *Byblia anvata* (Boisduval, 1833) (Argynnidæ) Synonym(s): *anvata* Boisduval, 1833; *#seriata* Rothschild & Jordan, 1903
- 4353) *Byblia anvata acheloia* (Wallengren, 1857) (Argynnidæ) Synonym(s): *acheloia* Wallengren, 1857
- 4354) *Byblia anvata anvata* (Boisduval, 1833) (Argynnidæ) Synonym(s): *anvata* Boisduval, 1833; *#seriata* Rothschild & Jordan, 1903

- 4355) *Byblia anvatar* boydi Dixey, 1898 (Argynnidae) Synonym(s): *boydi* Dixey, 1898
- 4356) *Byblia anvatar* crameri Aurivillius, 1894 (Argynnidae) Synonym(s): *crameri* Aurivillius, 1894
- 4357) *Byblia ilithyia* (Drury, [1773]) (Argynnidae) Synonym(s): *ilithyia* Drury, [1773]; *polinice* Stoll, [1782]; *gotz*us Herbst, 1798; *cora* Feisthamel, 1850; *badiata* Grünberg, 1910; *#aestivalis* Ungemach, 1932; *#alithyia* D'Abrera, 1981
- 4358) *Byblia ilithyia* ilithyia (Drury, [1773]) (Argynnidae) Synonym(s): *ilithyia* Drury, [1773]; *polinice* Stoll, [1782]; *gotz*us Herbst, 1798; *cora* Feisthamel, 1850; *badiata* Grünberg, 1910; *#aestivalis* Ungemach, 1932; *#alithyia* D'Abrera, 1981
- 4359) *Calinaga aborica* Tytler, 1915 (Argynnidae) Synonym(s): *aborica* Tytler, 1915
- 4360) *Calinaga buddha* Moore, 1857 (Argynnidae) Synonym(s): *buddha* Moore, 1857
- 4361) *Calinaga buddha* buddha Moore, 1857 (Argynnidae) Synonym(s): *buddha* Moore, 1857
- 4362) *Calinaga formosana* Fruhstorfer, 1908 (Argynnidae) Synonym(s): *formosana* Fruhstorfer, 1908
- 4363) *Calinaga gautana* Moore, 1896 (Argynnidae) Synonym(s): *gautana* Moore, 1896
- 4364) *Calinaga* sp. Vane Wright (Argynnidae) Synonym(s): *MM*
- 4365) *Calinaga sudassana* Melville, 1893 (Argynnidae) Synonym(s): *sudassana* Melville, 1893
- 4366) *Catacroptera cloanthe* (Stoll, [1781]) (Argynnidae) Synonym(s): *cloanthe* Stoll, [1781]; *obscurior* Staudinger, 1885; *intermedia* Rothschild, 1918
- 4367) *Catacroptera cloanthe* cloanthe (Stoll, [1781]) (Argynnidae) Synonym(s): *cloanthe* Stoll, [1781]; *obscurior* Staudinger, 1885; *intermedia* Rothschild, 1918
- 4368) *Catacroptera cloanthe* liguta Rothschild & Jordan, 1903 (Argynnidae) Synonym(s): *liguta* Rothschild & Jordan, 1903
- 4369) *Catuna angustatum* (C.Felder & R.Felder, [1867]) (Argynnidae) Synonym(s): *angustatum* C.Felder & R.Felder, [1867]
- 4370) *Catuna angustatum* albidior Rothschild, 1918 (Argynnidae) Synonym(s): *albidior* Rothschild, 1918
- 4371) *Catuna angustatum* angustatum (C.Felder & R.Felder, [1867]) (Argynnidae) Synonym(s): *angustatum* C.Felder & R.Felder, [1867]
- 4372) *Catuna crithea* (Drury, [1773]) (Argynnidae) Synonym(s): *crithea* Drury, [1773]
- 4373) *Catuna crithea* canui Hecq, 1988 (Argynnidae) Synonym(s): *canui* Hecq, 1988
- 4374) *Catuna crithea* conjuncta Aurivillius, 1922 (Argynnidae) Synonym(s): *conjuncta* Aurivillius, 1922; *conjux* Aurivillius, 1922
- 4375) *Catuna crithea* crithea (Drury, [1773]) (Argynnidae) Synonym(s): *crithea* Drury, [1773]
- 4376) *Catuna crithea* ogrogae Hall, 1935 (Argynnidae) Synonym(s): *ogrogae* Hall, 1935
- 4377) *Catuna crithea* pallidior Rothschild, 1918 (Argynnidae) Synonym(s): *pallidior* Rothschild, 1918; *reticulata* Schultze, 1920
- 4378) *Catuna niji* Fox, 1965 (Argynnidae) Synonym(s): *niji* Fox, 1965
- 4379) *Catuna oberthueri* Karsch, 1894 (Argynnidae) Synonym(s): *oberthueri* Karsch, 1894
- 4380) *Catuna sikorana* Rogenhofer, 1889 (Argynnidae) Synonym(s): *sikorana* Rogenhofer, 1889
- 4381) *Cethosia biblis* (Drury, [1773]) (Argynnidae) Synonym(s): *biblis* Drury, [1773]
- 4382) *Cethosia biblis* adantonia Fruhstorfer, 1912 (Argynnidae) Synonym(s): *adantonia* Fruhstorfer, 1912
- 4383) *Cethosia biblis* alceste Fruhstorfer, 1905 (Argynnidae) Synonym(s): *alceste* Fruhstorfer, 1905
- 4384) *Cethosia biblis* andamanica Stichel, 1902 (Argynnidae) Synonym(s): *andamanica* Stichel, 1902
- 4385) *Cethosia biblis* atia Fruhstorfer, 1905 (Argynnidae) Synonym(s): *atia* Fruhstorfer, 1905
- 4386) *Cethosia biblis* barangingi Tsukada, 1985 (Argynnidae) Synonym(s): *barangingi* Tsukada, 1985
- 4387) *Cethosia biblis* biblis (Drury, [1773]) (Argynnidae) Synonym(s): *biblis* Drury, [1773]
- 4388) *Cethosia biblis* floresiana Fruhstorfer, 1902 (Argynnidae) Synonym(s): *floresiana* Fruhstorfer, 1902
- 4389) *Cethosia biblis* hainana Fruhstorfer, 1908 (Argynnidae) Synonym(s): *hainana* Fruhstorfer, 1908
- 4390) *Cethosia biblis* insularis C.Felder & R.Felder, 1861 (Argynnidae) Synonym(s): *insularis* C.Felder & R.Felder, 1861
- 4391) *Cethosia biblis* javana C.Felder & R.Felder, [1867] (Argynnidae) Synonym(s): *javana* C.Felder & R.Felder, [1867]
- 4392) *Cethosia biblis* liacura Fruhstorfer, 1912 (Argynnidae) Synonym(s): *liacura* Fruhstorfer, 1912
- 4393) *Cethosia biblis* logani Distant, 1881 (Argynnidae) Synonym(s): *logani* Distant, 1881
- 4394) *Cethosia biblis* narmada Fruhstorfer, 1896 (Argynnidae) Synonym(s): *narmada* Fruhstorfer, 1896
- 4395) *Cethosia biblis* narmadoides Nicéville, 1898 (Argynnidae) Synonym(s): *narmadoides* Nicéville, 1898
- 4396) *Cethosia biblis* nicobarica C.Felder & R.Felder, [1867] (Argynnidae) Synonym(s): *nicobarica* C.Felder & R.Felder, [1867]
- 4397) *Cethosia biblis* perakana Fruhstorfer, 1902 (Argynnidae) Synonym(s): *perakana* Fruhstorfer, 1902
- 4398) *Cethosia biblis* permanggilensis Eliot, 1978 (Argynnidae) Synonym(s): *permanggilensis* Eliot, 1978
- 4399) *Cethosia biblis* phanaroia Fruhstorfer, 1912 (Argynnidae) Synonym(s): *phanaroia* Fruhstorfer, 1912
- 4400) *Cethosia biblis* picta C.Felder & R.Felder, [1867] (Argynnidae) Synonym(s): *picta* C.Felder & R.Felder, [1867]; ? *sarsina* Fruhstorfer, 1912
- 4401) *Cethosia biblis* placito Tsukada, 1985 (Argynnidae) Synonym(s): *placito* Tsukada, 1985
- 4402) *Cethosia biblis* sandakana Fruhstorfer, 1899 (Argynnidae) Synonym(s): *sandakana* Fruhstorfer, 1899
- 4403) *Cethosia biblis* sandakana Fruhstorfer, 1899 (Argynnidae) Synonym(s): *sandakana* Fruhstorfer, 1899
- 4404) *Cethosia biblis* sumbana Pagenstecher, 1894 (Argynnidae) Synonym(s): *sumbana* Pagenstecher, 1894
- 4405) *Cethosia biblis* tambora Doherty, 1891 (Argynnidae) Synonym(s): *tambora* Doherty, 1891
- 4406) *Cethosia biblis* togiana Fruhstorfer, 1902 (Argynnidae) Synonym(s): *togiana* Fruhstorfer, 1902
- 4407) *Cethosia cyane* (Drury, [1773]) (Argynnidae) Synonym(s): *cyane* Drury, [1773]
- 4408) *Cethosia cyane* cyane (Drury, [1773]) (Argynnidae) Synonym(s): *cyane* Drury, [1773]
- 4409) *Cethosia cyane* euanthes Fruhstorfer, 1912 (Argynnidae) Synonym(s): *euanthes* Fruhstorfer, 1912
- 4410) *Cethosia gabinia* Weymer, 1883 (Argynnidae) Synonym(s): *gabinia* Weymer, 1883
- 4411) *Cethosia gabinia* gabinia Weymer, 1883 (Argynnidae) Synonym(s): *gabinia* Weymer, 1883
- 4412) *Cethosia hypsea* Doubleday, [1847] (Argynnidae) Synonym(s): *hypsea* Doubleday, [1847]
- 4413) *Cethosia hypsea* aeole Moore & Horsfield, 1857 (Argynnidae) Synonym(s): *aeole* Moore & Horsfield, 1857
- 4414) *Cethosia hypsea* bankana Fruhstorfer, 1912 (Argynnidae) Synonym(s): *bankana* Fruhstorfer, 1912
- 4415) *Cethosia hypsea* batuensis Fruhstorfer, 1900 (Argynnidae) Synonym(s): *batuensis* Fruhstorfer, 1900
- 4416) *Cethosia hypsea* fruhstorferi Stichel, 1907 (Argynnidae) Synonym(s): *fruhstorferi* Stichel, 1907
- 4417) *Cethosia hypsea* hypsea Doubleday, [1847] (Argynnidae) Synonym(s): *hypsea* Doubleday, [1847]
- 4418) *Cethosia hypsea* hypsina C.Felder & R.Felder, 1866 (Argynnidae) Synonym(s): *hypsina* C.Felder & R.Felder, 1866
- 4419) *Cethosia hypsea* munjava Fruhstorfer, 1912 (Argynnidae) Synonym(s): *munjava* Fruhstorfer, 1912
- 4420) *Cethosia hypsea* palawana Fruhstorfer, 1900 (Argynnidae) Synonym(s): *palawana* Fruhstorfer, 1900
- 4421) *Cethosia hypsea* pallaurea Hagen, 1898 (Argynnidae) Synonym(s): *pallaurea* Hagen, 1898
- 4422) *Cethosia hypsea* triocala Fruhstorfer, 1912 (Argynnidae) Synonym(s): *triocala* Fruhstorfer, 1912
- 4423) *Cethosia luzonica* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *luzonica* C.Felder & R.Felder, 1863
- 4424) *Cethosia luzonica* boholicia Semper, 1888 (Argynnidae) Synonym(s): *boholicia* Semper, 1888
- 4425) *Cethosia luzonica* luzonica C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *luzonica* C.Felder & R.Felder, 1863
- 4426) *Cethosia luzonica* magindanica Semper, 1888 (Argynnidae) Synonym(s): *magindanica* Semper, 1888
- 4427) *Cethosia luzonica* pariana Semper, 1888 (Argynnidae) Synonym(s): *pariana* Semper, 1888
- 4428) *Cethosia mindanensis* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *mindanensis* C.Felder & R.Felder, 1863
- 4429) *Cethosia mindanensis* festiva Fruhstorfer, 1899 (Argynnidae) Synonym(s): *festiva* Fruhstorfer, 1899
- 4430) *Cethosia mindanensis* mindanensis C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *mindanensis* C.Felder & R.Felder, 1863
- 4431) *Cethosia myrina* C.Felder & R.Felder, 1867 (Argynnidae) Synonym(s): *myrina* C.Felder & R.Felder, 1867
- 4432) *Cethosia myrina* bemmeleni Juriaanse & Lindemanns, 1918 (Argynnidae) Synonym(s): *bemmeleni* Juriaanse & Lindemanns, 1918; *vanbemmeleni* Sharp, 1922
- 4433) *Cethosia myrina* melancholica Fruhstorfer, 1909 (Argynnidae) Synonym(s): *melancholica* Fruhstorfer, 1909
- 4434) *Cethosia myrina* myrina C.Felder & R.Felder, 1867 (Argynnidae) Synonym(s): *myrina* C.Felder & R.Felder, 1867
- 4435) *Cethosia myrina* sarnada Fruhstorfer, 1912 (Argynnidae) Synonym(s): *sarnada* Fruhstorfer, 1912
- 4436) *Cethosia nietneri* C.Felder & R.Felder, 1867 (Argynnidae) Synonym(s): *nietneri* C.Felder & R.Felder, 1867
- 4437) *Cethosia nietneri* mahratta Moore, 1872 (Argynnidae) Synonym(s): *mahratta* Moore, 1872
- 4438) *Cethosia nietneri* nietneri C.Felder & R.Felder, 1867 (Argynnidae) Synonym(s): *nietneri* C.Felder & R.Felder, 1867
- 4439) *Cethosia penthesilea* (Cramer, 1777) (Argynnidae) Synonym(s): *penthesilea* Cramer, 1777
- 4440) *Cethosia penthesilea* baweanica Fruhstorfer, 1912 (Argynnidae) Synonym(s): *baweanica* Fruhstorfer, 1912
- 4441) *Cethosia penthesilea* carolinae Forbes, 1885 (Argynnidae) Synonym(s): *carolinae* Forbes, 1885
- 4442) *Cethosia penthesilea* diffusa Fruhstorfer, 1905 (Argynnidae) Synonym(s): *diffusa* Fruhstorfer, 1905
- 4443) *Cethosia penthesilea* exsanguis Fruhstorfer, 1897 (Argynnidae) Synonym(s): *exsanguis* Fruhstorfer, 1897

- 4444) *Cethosia penthesilea filiola* Fruhstorfer, 1902 (Argynnididae) Synonym(s): *filiola* Fruhstorfer, 1902
- 4445) *Cethosia penthesilea methypsea* Butler, 1879 (Argynnididae) Synonym(s): *methypsea* Butler, 1879
- 4446) *Cethosia penthesilea penthesilea* (Cramer, 1777) (Argynnididae) Synonym(s): *penthesilea* Cramer, 1777
- 4447) *Charaxes achaemenes* C.Felder & R.Felder, [1867] (Argynnididae) Synonym(s): *achaemenes* C.Felder & R.Felder, [1867]; *fasciatus* Suffert, 1904.
- 4448) *Charaxes achaemenes achaemenes* C.Felder & R.Felder, [1867] (Argynnididae) Synonym(s): *achaemenes* C.Felder & R.Felder, [1867]; *fasciatus* Suffert, 1904.
- 4449) *Charaxes achaemenes atlantica* Van Someren, 1970 (Argynnididae) Synonym(s): *atlantica* Van Someren, 1970
- 4450) *Charaxes achaemenes monticola* Van Someren, 1970 (Argynnididae) Synonym(s): *#monticola* Joicey & Talbot, 1925; *jocaste* Butler, 1869 [rejected; *Opin.* 922, 1970)]; *#minor* Storace, 1948; *#erythraea* Storace, 1948; *monticola* Van Someren, 1970
- 4451) *Charaxes acraeoides* Druce, 1908 (Argynnididae) Synonym(s): *acraeoides* Druce, 1908
- 4452) *Charaxes acuminatus* Thurai, 1903 (Argynnididae) Synonym(s): *acuminatus* Thurai, 1903
- 4453) *Charaxes acuminatus acuminatus* Thurai, 1903 (Argynnididae) Synonym(s): *acuminatus* Thurai, 1903
- 4454) *Charaxes acuminatus cottrelli* Van Someren, 1963 (Argynnididae) Synonym(s): *cottrelli* Van Someren, 1963
- 4455) *Charaxes acuminatus kigezia* Van Someren, 1963 (Argynnididae) Synonym(s): *kigezia* Van Someren, 1963
- 4456) *Charaxes acuminatus kulalensis* Van Someren, 1963 (Argynnididae) Synonym(s): *kulalensis* Van Someren, 1963
- 4457) *Charaxes acuminatus mlanji* Van Someren, 1963 (Argynnididae) Synonym(s): *mlanji* Van Someren, 1963
- 4458) *Charaxes acuminatus nyika* Van Someren, 1963 (Argynnididae) Synonym(s): *nyika* Van Someren, 1963
- 4459) *Charaxes acuminatus obudoensis* Van Someren, 1969 (Argynnididae) Synonym(s): *obudoensis* Van Someren, 1969
- 4460) *Charaxes acuminatus oreas* Talbot, 1932 (Argynnididae) Synonym(s): *oreas* Talbot, 1932
- 4461) *Charaxes acuminatus rondonis* Kielland, 1987 (Argynnididae) Synonym(s): *rondonis* Kielland, 1987
- 4462) *Charaxes acuminatus shimbanus* Van Someren, 1963 (Argynnididae) Synonym(s): *shimbanus* Van Someren, 1963
- 4463) *Charaxes acuminatus stonehamia* Collins & T.Larsen, 1991 (Argynnididae) Synonym(s): *stonehamia* Collins & T.Larsen, 1991
- 4464) *Charaxes acuminatus teitensis* Van Someren, 1963 (Argynnididae) Synonym(s): *teitensis* Van Someren, 1963
- 4465) *Charaxes acuminatus usambarensis* Van Someren, 1963 (Argynnididae) Synonym(s): *usambarensis* Van Someren, 1963
- 4466) *Charaxes acuminatus vumba* Van Someren, 1963 (Argynnididae) Synonym(s): *vumba* Van Someren, 1963
- 4467) *Charaxes alpinus* Van Someren & Jackson, 1957 (Argynnididae) Synonym(s): *alpinus* Van Someren & Jackson, 1957
- 4468) *Charaxes alticola* Grünberg, 1911 (Argynnididae) Synonym(s): *alticola* Grünberg, 1911
- 4469) *Charaxes amandae* Rydon, 1989 (Argynnididae) Synonym(s): *amandae* Rydon, 1989
- 4470) *Charaxes ameliae* Doumet, 1861 (Argynnididae) Synonym(s): *ameliae* Doumet, 1861; *regius* Aurivillius, 1889.
- 4471) *Charaxes ameliae ameliae* Doumet, 1861 (Argynnididae) Synonym(s): *ameliae* Doumet, 1861; *regius* Aurivillius, 1889.
- 4472) *Charaxes ameliae amelia* Joicey & Talbot, 1925 (Argynnididae) Synonym(s): *amelina* Joicey & Talbot, 1925
- 4473) *Charaxes ameliae doumeti* Henning, 1989 (Argynnididae) Synonym(s): *doumeti* Henning, 1989
- 4474) *Charaxes ameliae victoriae* Van Someren, 1972 (Argynnididae) Synonym(s): *victoriae* Van Someren, 1972
- 4475) *Charaxes amycus* C.Felder & R.Felder, 1861 (Argynnididae) Synonym(s): *amycus* C.Felder & R.Felder, 1861
- 4476) *Charaxes amycus amycus* C.Felder & R.Felder, 1861 (Argynnididae) Synonym(s): *amycus* C.Felder & R.Felder, 1861
- 4477) *Charaxes amycus basilium* Tsukada, 1991 (Argynnididae) Synonym(s): *basilium* Tsukada, 1991
- 4478) *Charaxes amycus bayanii* Schröder & Treadaway, 1982 (Argynnididae) Synonym(s): *bayanii* Schröder & Treadaway, 1982
- 4479) *Charaxes amycus boholensis* Tsukada, 1991 (Argynnididae) Synonym(s): *boholensis* Tsukada, 1991
- 4480) *Charaxes amycus carolus* Rothschild, 1900 (Argynnididae) Synonym(s): *carolus* Rothschild, 1900
- 4481) *Charaxes amycus georgius* Staudinger, 1892 (Argynnididae) Synonym(s): *georgius* Staudinger, 1892
- 4482) *Charaxes amycus leonido* Tsukada, 1991 (Argynnididae) Synonym(s): *leonido* Tsukada, 1991
- 4483) *Charaxes amycus leytensis* M.Okano & T.Okano, 1986 (Argynnididae) Synonym(s): *leytensis* M.Okano & T.Okano, 1986
- 4484) *Charaxes amycus marion* Schröder & Treadaway, 1981 (Argynnididae) Synonym(s): *marion* Schröder & Treadaway, 1981
- 4485) *Charaxes amycus negrosensis* Schröder & Treadaway, 1982 (Argynnididae) Synonym(s): *negrosensis* Schröder & Treadaway, 1982
- 4486) *Charaxes amycus shunichii* Hanafusa, 1982 (Argynnididae) Synonym(s): *shunichii* Hanafusa, 1982
- 4487) *Charaxes amycus theobaldo* Schröder & Treadaway, 1982 (Argynnididae) Synonym(s): *theobaldo* Schröder & Treadaway, 1982
- 4488) *Charaxes analava* Ward, 1872 (Argynnididae) Synonym(s): *analava* Ward, 1872
- 4489) *Charaxes andara* Ward, 1873 (Argynnididae) Synonym(s): *andara* Ward, 1873
- 4490) *Charaxes andranodorus* Mabille, 1884 (Argynnididae) Synonym(s): *andranodorus* Mabille, 1884
- 4491) *Charaxes andranodorus andranodorus* Mabille, 1884 (Argynnididae) Synonym(s): *andranodorus* Mabille, 1884
- 4492) *Charaxes andranodorus andrefana* Viette, 1975 (Argynnididae) Synonym(s): *andrefana* Viette, 1975
- 4493) *Charaxes angelae* Minig, 1975 (Argynnididae) Synonym(s): *angelae* Minig, 1975
- 4494) *Charaxes ansorgei* Rothschild, 1897 (Argynnididae) Synonym(s): *ansorgei* Rothschild, 1897
- 4495) *Charaxes ansorgei ansorgei* Rothschild, 1897 (Argynnididae) Synonym(s): *ansorgei* Rothschild, 1897
- 4496) *Charaxes ansorgei jacksoni* Poulton, 1933 (Argynnididae) Synonym(s): *jacksoni* Poulton, 1933
- 4497) *Charaxes ansorgei kilimanjarica* Van Someren, 1967 (Argynnididae) Synonym(s): *kilimanjarica* Van Someren, 1967
- 4498) *Charaxes ansorgei kinyeti* Plantrou, 1989 (Argynnididae) Synonym(s): *kinyeti* Plantrou, 1989
- 4499) *Charaxes ansorgei kungwensis* Van Someren, 1967 (Argynnididae) Synonym(s): *kungwensis* Van Someren, 1967
- 4500) *Charaxes ansorgei levicki* Poulton, 1933 (Argynnididae) Synonym(s): *levicki* Poulton, 1933
- 4501) *Charaxes ansorgei loita* Plantrou, 1982 (Argynnididae) Synonym(s): *loita* Plantrou, 1982
- 4502) *Charaxes ansorgei ruandana* Talbot, 1932 (Argynnididae) Synonym(s): *ruandana* Talbot, 1932
- 4503) *Charaxes ansorgei rydoni* Van Someren, 1967 (Argynnididae) Synonym(s): *rydoni* Van Someren, 1967
- 4504) *Charaxes ansorgei simoni* Turlin, 1987 (Argynnididae) Synonym(s): *simoni* Turlin, 1987
- 4505) *Charaxes ansorgei ufipa* Kielland, 1978 (Argynnididae) Synonym(s): *ufipa* Kielland, 1978
- 4506) *Charaxes antamboulou* Lucas, 1872 (Argynnididae) Synonym(s): *antamboulou* Lucas, 1872
- 4507) *Charaxes anticlea* (Drury, 1782) (Argynnididae) Synonym(s): *anticlea* Drury, 1782; *horatius* Fabricius, 1793.
- 4508) *Charaxes anticlea adusta* Rothschild, 1900 (Argynnididae) Synonym(s): *adusta* Rothschild, 1900; *#horatianus* Stoneham, 1936.
- 4509) *Charaxes anticlea anticlea* (Drury, 1782) (Argynnididae) Synonym(s): *anticlea* Drury, 1782; *horatius* Fabricius, 1793.
- 4510) *Charaxes anticlea proadusta* Van Someren, 1971 (Argynnididae) Synonym(s): *proadusta* Van Someren, 1971
- 4511) *Charaxes anticlea suna* Van Someren, 1975 (Argynnididae) Synonym(s): *reducta* Van Someren, 1971 nec Rothschild, 1929; *suna* van Someren, 1975.
- 4512) *Charaxes antiquus* Joicey & Talbot, 1926 (Argynnididae) Synonym(s): *antiquus* Joicey & Talbot, 1926
- 4513) *Charaxes antonius* Semper, 1878 (Argynnididae) Synonym(s): *antonius* Semper, 1878
- 4514) *Charaxes antonius antonius* Semper, 1878 (Argynnididae) Synonym(s): *antonius* Semper, 1878
- 4515) *Charaxes antonius dinagatensis* Tsukada, 1991 (Argynnididae) Synonym(s): *dinagatensis* Tsukada, 1991
- 4516) *Charaxes antonius osadai* Hanafusa, 1985 (Argynnididae) Synonym(s): *osadai* Hanafusa, 1985
- 4517) *Charaxes aristogiton* C.Felder & R.Felder, [1867] (Argynnididae) Synonym(s): *aristogiton* C.Felder & R.Felder, [1867]
- 4518) *Charaxes aristogiton aristogiton* C.Felder & R.Felder, [1867] (Argynnididae) Synonym(s): *aristogiton* C.Felder & R.Felder, [1867]
- 4519) *Charaxes aubyni* Van Someren & Jackson, 1952 (Argynnididae) Synonym(s): *#aubyni* Poulton, 1926; *aubyni* Van Someren & Jackson, 1952
- 4520) *Charaxes aubyni aubyni* Van Someren & Jackson, 1952 (Argynnididae) Synonym(s): *#aubyni* Poulton, 1926; *aubyni* Van Someren & Jackson, 1952
- 4521) *Charaxes aubyni australis* Van Someren & Jackson, 1957 (Argynnididae) Synonym(s): *australis* Van Someren & Jackson, 1957.
- 4522) *Charaxes aubyni ecketti* Van Someren & Jackson, 1957 (Argynnididae) Synonym(s): *ecketti* Van Someren & Jackson, 1957.
- 4523) *Charaxes baileyi* Van Someren, 1958 (Argynnididae) Synonym(s): *baileyi* Van Someren, 1958; *#pseudocarpenteri* Van Someren, 1958.
- 4524) *Charaxes bajula* Staudinger, 1889 (Argynnididae) Synonym(s): *bajula* Staudinger, 1889
- 4525) *Charaxes bajula adoracion* Schröder & Treadaway, 1989 (Argynnididae) Synonym(s): *adoracion* Schröder & Treadaway, 1989
- 4526) *Charaxes bajula bajula* Staudinger, 1889 (Argynnididae) Synonym(s): *bajula* Staudinger, 1889
- 4527) *Charaxes bajula basilisae* Schröder & Treadaway, 1982 (Argynnididae) Synonym(s): *basilisae* Schröder & Treadaway, 1982
- 4528) *Charaxes bajula planitus* Tsukada, 1991 (Argynnididae) Synonym(s): *planitus* Tsukada, 1991
- 4529) *Charaxes bajula remulus* Tsukada, 1991 (Argynnididae) Synonym(s): *remulus* Tsukada, 1991
- 4530) *Charaxes balfouri* Butler, 1881 (Argynnididae) Synonym(s): *balfouri* Butler, 1881.
- 4531) *Charaxes barnsi* Joicey & Talbot, 1927 (Argynnididae) Synonym(s): *barnsi* Joicey & Talbot, 1927
- 4532) *Charaxes baumanni* Rogenhofer, 1891 (Argynnididae) Synonym(s): *baumanni* Rogenhofer, 1891
- 4533) *Charaxes baumanni bamptoni* Van Someren, 1974 (Argynnididae) Synonym(s): *bamptoni* Van Someren, 1974

- 4534) *Charaxes baumanni baumanni* Rogenhofer, 1891 (Argynnididae) Synonym(s): *baumanni* Rogenhofer, 1891
- 4535) *Charaxes baumanni bwamba* Van Someren, 1971 (Argynnididae) Synonym(s): *bwamba* Van Someren, 1971
- 4536) *Charaxes baumanni didigensis* Van Someren, 1971 (Argynnididae) Synonym(s): *didigensis* Van Someren, 1971
- 4537) *Charaxes baumanni granti* Turlin, 1989 (Argynnididae) Synonym(s): *granti* Turlin, 1989
- 4538) *Charaxes baumanni interposita* Van Someren, 1971 (Argynnididae) Synonym(s): *interposita* Van Someren, 1971
- 4539) *Charaxes baumanni nyiro* Collins & T. Larsen, 1991 (Argynnididae) Synonym(s): *nyiro* Collins & T. Larsen, 1991
- 4540) *Charaxes baumanni selousi* Trimen, 1894 (Argynnididae) Synonym(s): *selousi* Trimen, 1894
- 4541) *Charaxes baumanni tenuis* Van Someren, 1971 (Argynnididae) Synonym(s): *tenuis* Van Someren, 1971
- 4542) *Charaxes baumanni whytei* Butler, 1894 (Argynnididae) Synonym(s): *whytei* Butler, 1894
- 4543) *Charaxes berkeleyi* Van Someren & Jackson, 1957 (Argynnididae) Synonym(s): *berkeleyi* Van Someren & Jackson, 1957
- 4544) *Charaxes berkeleyi berkeleyi* Van Someren & Jackson, 1957 (Argynnididae) Synonym(s): *berkeleyi* Van Someren & Jackson, 1957
- 4545) *Charaxes berkeleyi masaba* Van Someren, 1969 (Argynnididae) Synonym(s): *masaba* Van Someren, 1969
- 4546) *Charaxes bernardii* Minig, 1978 (Argynnididae) Synonym(s): *bernardii* Minig, 1978
- 4547) *Charaxes bernardus* (Fabricius, 1793) (Argynnididae) Synonym(s): *bernardus* Fabricius, 1793
- 4548) *Charaxes bernardus bernardus* (Fabricius, 1793) (Argynnididae) Synonym(s): *bernardus* Fabricius, 1793
- 4549) *Charaxes bernardus crepax* Fruhstorfer, 1914 (Argynnididae) Synonym(s): *crepax* Fruhstorfer, 1914
- 4550) *Charaxes bernardus hierax* C. Felder & R. Felder, [1867] (Argynnididae) Synonym(s): *hierax* C. Felder & R. Felder, [1867]
- 4551) *Charaxes bernstorffii* Rydon, 1982 (Argynnididae) Synonym(s): *bernstorffii* Rydon, 1982
- 4552) *Charaxes bernstorffii bernstorffii* Rydon, 1982 (Argynnididae) Synonym(s): *bernstorffii* Rydon, 1982
- 4553) *Charaxes bipunctatus* Rothschild, 1894 (Argynnididae) Synonym(s): *bipunctatus* Rothschild, 1894; *johnstoni* Rousseau-Decelle, 1956
- 4554) *Charaxes bipunctatus bipunctatus* Rothschild, 1894 (Argynnididae) Synonym(s): *bipunctatus* Rothschild, 1894; *johnstoni* Rousseau-Decelle, 1956
- 4555) *Charaxes bipunctatus ugandensis* Van Someren, 1972 (Argynnididae) Synonym(s): *ugandensis* Van Someren, 1972
- 4556) *Charaxes blanda* Rothschild, 1897 (Argynnididae) Synonym(s): *blanda* Rothschild, 1897
- 4557) *Charaxes blanda blanda* Rothschild, 1897 (Argynnididae) Synonym(s): *blanda* Rothschild, 1897
- 4558) *Charaxes blanda kenyae* Poulton, 1926 (Argynnididae) Synonym(s): *kenyae* Poulton, 1926
- 4559) *Charaxes bocqueti* Minig, 1975 (Argynnididae) Synonym(s): *bocqueti* Minig, 1975
- 4560) *Charaxes bocqueti bocqueti* Minig, 1975 (Argynnididae) Synonym(s): *bocqueti* Minig, 1975
- 4561) *Charaxes bocqueti oubanguiensis* Minig, 1975 (Argynnididae) Synonym(s): *oubanguiensis* Minig, 1975
- 4562) *Charaxes bohemani* C. Felder & R. Felder, 1859 (Argynnididae) Synonym(s): *bohemani* C. Felder & R. Felder, 1859
- 4563) *Charaxes boueti* Feisthabel, 1850 (Argynnididae) Synonym(s): *boueti* Feisthabel, 1850; *ghanaensis* Rousseau-Decelle & Johnston, 1957
- 4564) *Charaxes boueti boueti* Feisthabel, 1850 (Argynnididae) Synonym(s): *boueti* Feisthabel, 1850; *ghanaensis* Rousseau-Decelle & Johnston, 1957
- 4565) *Charaxes boueti rectans* Rothschild & Jordan, 1903 (Argynnididae) Synonym(s): *rectans* Rothschild & Jordan, 1903
- 4566) *Charaxes braineri* Van Son, 1966 (Argynnididae) Synonym(s): *braineri* Van Son, 1966
- 4567) *Charaxes brutus* (Cramer, [1779]) (Argynnididae) Synonym(s): *brutus* Cramer, [1779]; *cajus* Herbst, 1790
- 4568) *Charaxes brutus alcyone* Stoneham, 1943 (Argynnididae) Synonym(s): *alcyone* Stoneham, 1943
- 4569) *Charaxes brutus angustus* Rothschild, 1900 (Argynnididae) Synonym(s): *angustus* Rothschild, 1900
- 4570) *Charaxes brutus brutus* (Cramer, [1779]) (Argynnididae) Synonym(s): *brutus* Cramer, [1779]; *cajus* Herbst, 1790
- 4571) *Charaxes brutus natalensis* Staudinger, 1885 (Argynnididae) Synonym(s): *natalensis* Staudinger, 1885
- 4572) *Charaxes brutus roberti* Turlin, 1987 (Argynnididae) Synonym(s): *roberti* Turlin, 1987
- 4573) *Charaxes bupalus* Staudinger, 1889 (Argynnididae) Synonym(s): *bupalus* Staudinger, 1889
- 4574) *Charaxes bupalus bupalus* Staudinger, 1889 (Argynnididae) Synonym(s): *bupalus* Staudinger, 1889
- 4575) *Charaxes bupalus rowellii* Schröder & Treadaway, 1993 (Argynnididae) Synonym(s): *rowellii* Schröder & Treadaway, 1993
- 4576) *Charaxes cacuthis* Hewitson, 1863 (Argynnididae) Synonym(s): *cacuthis* Hewitson, 1863; *antanala* Lucas, 1872
- 4577) *Charaxes candiope* (Godart, [1824]) (Argynnididae) Synonym(s): *candiope* Godart, [1824]; *viridicostatus* Aurivillius, 1879; *#uniformis* Storace, 1948; *#rosae* Storace, 1948.
- 4578) *Charaxes candiope candiope* (Godart, [1824]) (Argynnididae) Synonym(s): *candiope* Godart, [1824]; *viridicostatus* Aurivillius, 1879; *#uniformis* Storace, 1948; *#rosae* Storace, 1948.
- 4579) *Charaxes candiope thomasi* Staudinger, 1886 (Argynnididae) Synonym(s): *thomasi* Staudinger, 1886
- 4580) *Charaxes carteri* Butler, 1881 (Argynnididae) Synonym(s): *carteri* Butler, 1881
- 4581) *Charaxes castor* (Cramer, [1775]) (Argynnididae) Synonym(s): *castor* Cramer, [1775]; *godarti* Aurivillius, 1898
- 4582) *Charaxes castor arthuri* Van Someren, 1971 (Argynnididae) Synonym(s): *arthuri* Van Someren, 1971
- 4583) *Charaxes castor castor* (Cramer, [1775]) (Argynnididae) Synonym(s): *castor* Cramer, [1775]; *godarti* Aurivillius, 1898
- 4584) *Charaxes castor comoranus* Rothschild, 1903 (Argynnididae) Synonym(s): *comoranus* Rothschild, 1903
- 4585) *Charaxes castor flavifasciatus* Butler, 1895 (Argynnididae) Synonym(s): *flavifasciatus* Butler, 1895; *orientalis* Lanz, 1896
- 4586) *Charaxes catachrous* Van Someren & Jackson, 1952 (Argynnididae) Synonym(s): *catachrous* Van Someren & Jackson, 1952; *biinclinata* Van Someren, 1969
- 4587) *Charaxes cedreatis* Hewitson, 1874 (Argynnididae) Synonym(s): *cedreatis* Hewitson, 1874
- 4588) *Charaxes chanleri* Holland, 1896 (Argynnididae) Synonym(s): *chanleri* Holland, 1896
- 4589) *Charaxes chepalungu* Van Someren, 1969 (Argynnididae) Synonym(s): *chepalungu* Van Someren, 1969
- 4590) *Charaxes chintechi* Van Someren, 1975 (Argynnididae) Synonym(s): *chintechi* Van Someren, 1975; *pseudophaeus* Van Someren, 1975; *protomanica* Van Someren, 1975; *pseudomanica* Minig, 1976; *chinhechi* Minig, 1976
- 4591) *Charaxes chittyi* Rydon, 1980 (Argynnididae) Synonym(s): *chittyi* Rydon, 1980
- 4592) *Charaxes chungensis* White & Grant, 1986 (Argynnididae) Synonym(s): *chungensis* White & Grant, 1986
- 4593) *Charaxes cithaeron* C. Felder & R. Felder, 1859 (Argynnididae) Synonym(s): *cithaeron* C. Felder & R. Felder, 1859
- 4594) *Charaxes cithaeron cithaeron* C. Felder & R. Felder, 1859 (Argynnididae) Synonym(s): *cithaeron* C. Felder & R. Felder, 1859
- 4595) *Charaxes cithaeron joanae* Van Someren, 1964 (Argynnididae) Synonym(s): *joanae* Van Someren, 1964
- 4596) *Charaxes cithaeron kennethi* Poulton, 1926 (Argynnididae) Synonym(s): *kennethi* Poulton, 1926
- 4597) *Charaxes cithaeron nairobus* Van Son, 1953 (Argynnididae) Synonym(s): *nairobus* Van Son, 1953
- 4598) *Charaxes cithaeron nyasae* Van Someren, 1964 (Argynnididae) Synonym(s): *nyasae* Van Someren, 1964
- 4599) *Charaxes congdoni* Collins, 1989 (Argynnididae) Synonym(s): *congdoni* Collins, 1989
- 4600) *Charaxes contrarius* Van Someren, 1969 (Argynnididae) Synonym(s): *contrarius* Van Someren, 1969
- 4601) *Charaxes cowani* Butler, 1878 (Argynnididae) Synonym(s): *cowani* Butler, 1878
- 4602) *Charaxes cynthia* Butler, 1866 (Argynnididae) Synonym(s): *cynthia* Butler, 1866
- 4603) *Charaxes cynthia cynthia* Butler, 1866 (Argynnididae) Synonym(s): *cynthia* Butler, 1866; *lysianassa* Westwood, 1874; *guineensis* Le Moul, 1933
- 4604) *Charaxes cynthia kinduana* Le Cerf, 1923 (Argynnididae) Synonym(s): *kinduana* Le Cerf, 1923
- 4605) *Charaxes cynthia mukuyu* Van Someren, 1969 (Argynnididae) Synonym(s): *mukuyu* Van Someren, 1969
- 4606) *Charaxes cynthia parvicaudatus* Lathy, 1925 (Argynnididae) Synonym(s): *parvicaudatus* Lathy, 1925
- 4607) *Charaxes cynthia sabulosus* Talbot, 1928 (Argynnididae) Synonym(s): *sabulosus* Talbot, 1928
- 4608) *Charaxes daria* Van Someren & Jackson, 1952 (Argynnididae) Synonym(s): *#daria* Rothschild, 1903; *daria* Van Someren & Jackson, 1952
- 4609) *Charaxes defulvata* Joicey & Talbot, 1926 (Argynnididae) Synonym(s): *defulvata* Joicey & Talbot, 1926
- 4610) *Charaxes dilutus* Rothschild, 1898 (Argynnididae) Synonym(s): *dilutus* Rothschild, 1898
- 4611) *Charaxes dilutus amanica* Collins, 1990 (Argynnididae) Synonym(s): *amanica* Collins, 1990
- 4612) *Charaxes dilutus dilutus* Rothschild, 1898 (Argynnididae) Synonym(s): *dilutus* Rothschild, 1898
- 4613) *Charaxes dilutus kasitu* White & Grant, 1989 (Argynnididae) Synonym(s): *kasitu* White & Grant, 1989
- 4614) *Charaxes dilutus ngonga* Van Someren, 1974 (Argynnididae) Synonym(s): *ngonga* Van Someren, 1974; *mionoti* Van Someren, 1975
- 4615) *Charaxes dilutus veneris* White & Grant, 1989 (Argynnididae) Synonym(s): *veneris* White & Grant, 1989
- 4616) *Charaxes distanti* Honrath, 1885 (Argynnididae) Synonym(s): *distanti* Honrath, 1885
- 4617) *Charaxes distanti distanti* Honrath, 1885 (Argynnididae) Synonym(s): *distanti* Honrath, 1885
- 4618) *Charaxes diversiforma* Van Someren & Jackson, 1957 (Argynnididae) Synonym(s): *diversiforma* Van Someren & Jackson, 1957
- 4619) *Charaxes doubledayi* Aurivillius, 1898 (Argynnididae) Synonym(s): *doubledayi* Aurivillius, 1898
- 4620) *Charaxes dowsetti* Henning, 1989 (Argynnididae) Synonym(s): *dowsetti* Henning, 1989
- 4621) *Charaxes dreuxi* Bouche & Minig, 1977 (Argynnididae) Synonym(s): *dreuxi* Bouche & Minig, 1977

- 4622) *Charaxes druceanus* Butler, 1869 (Argynnididae) Synonym(s): *druceanus* Butler, 1869
 4623) *Charaxes druceanus brazza* Turlin, 1987 (Argynnididae) Synonym(s): *brazza* Turlin, 1987
 4624) *Charaxes druceanus entabeni* Van Someren, 1963 (Argynnididae) Synonym(s): *entabeni* Van Someren, 1963
 4625) *Charaxes druceanus katamayu* Plantrou, 1982 (Argynnididae) Synonym(s): *katamayu* Plantrou, 1982
 4626) *Charaxes druceanus moerens* Jordan, 1936 (Argynnididae) Synonym(s): *moerens* Jordan, 1936
 4627) *Charaxes druceanus nebularium* Darge, 1977 (Argynnididae) Synonym(s): *nebularium* Darge, 1977
 4628) *Charaxes druceanus obscura* Rebel, 1914 (Argynnididae) Synonym(s): *obscura* Rebel, 1914; *kivuanus* Jordan, 1925; *cryanae* Le Cerf, 1932
 4629) *Charaxes druceanus praestans* Turlin, 1989 (Argynnididae) Synonym(s): *praestans* Turlin, 1989
 4630) *Charaxes druceanus proximans* Joicey & Talbot, 1922 (Argynnididae) Synonym(s): *proximans* Joicey & Talbot, 1922
 4631) *Charaxes druceanus septentrionalis* Lathy, 1925 (Argynnididae) Synonym(s): *septentrionalis* Lathy, 1925; *alicea* Stoneham, 1931; *#lugari* Van Someren, 1939
 4632) *Charaxes druceanus solitarius* Henning & Henning, 1992 (Argynnididae) Synonym(s): *solitarius* Henning & Henning, 1992
 4633) *Charaxes druceanus stvensoni* Van Someren, 1963 (Argynnididae) Synonym(s): *stvensoni* Van Someren, 1963
 4634) *Charaxes druceanus tectonis* Jordan, 1937 (Argynnididae) Synonym(s): *tectonis* Jordan, 1937
 4635) *Charaxes druceanus teita* Van Someren, 1939 (Argynnididae) Synonym(s): *teita* Van Someren, 1939
 4636) *Charaxes druceanus nebularum* Plantrou, 1982 (Argynnididae) Synonym(s): *vivianae* Plantrou, 1982
 4637) *Charaxes druceanus williamsi* Plantrou, 1982 (Argynnididae) Synonym(s): *williamsi* Plantrou, 1982
 4638) *Charaxes dubiosus* Röber, 1936 (Argynnididae) Synonym(s): *dubiosus* Röber, 1936
 4639) *Charaxes durnfordi* Distant, 1884 (Argynnididae) Synonym(s): *durnfordi* Distant, 1884
 4640) *Charaxes durnfordi durnfordi* Distant, 1884 (Argynnididae) Synonym(s): *durnfordi* Distant, 1884
 4641) *Charaxes ephyra* Godart, [1824] (Argynnididae) Synonym(s): *ephyra* Godart, [1824]; *alladinus* Butler, 1869
 4642) *Charaxes etesipe* (Godart, [1824]) (Argynnididae) Synonym(s): *etesipe* Godart, [1824]
 4643) *Charaxes etesipe abyssinicus* Rothschild, 1900 (Argynnididae) Synonym(s): *abyssinicus* Rothschild, 1900
 4644) *Charaxes etesipe etesipe* (Godart, [1824]) (Argynnididae) Synonym(s): *etesipe* Godart, [1824]; *etheta* Godart, [1824].
 4645) *Charaxes etesipe gordonii* Van Someren, 1936 (Argynnididae) Synonym(s): *gordonii* Van Someren, 1936
 4646) *Charaxes etesipe patrizii* Storace, 1949 (Argynnididae) Synonym(s): *patrizii* Storace, 1949
 4647) *Charaxes etesipe pemba* Van Someren, 1966 (Argynnididae) Synonym(s): *pemba* Van Someren, 1966
 4648) *Charaxes etesipe shaba* Berger, 1981 (Argynnididae) Synonym(s): *shaba* Berger, 1981
 4649) *Charaxes etesipe tavetensis* Rothschild, 1894 (Argynnididae) Synonym(s): *tavetensis* Rothschild, 1894
 4650) *Charaxes ethalion* (Boisduval, 1847) (Argynnididae) Synonym(s): *ethalion* Boisduval, 1847; *erithalion* Doubleday, 1849; *rosae* Butler, 1895.
 4651) *Charaxes ethalion binghami* Henning, 1982 (Argynnididae) Synonym(s): *binghami* Henning, 1982
 4652) *Charaxes ethalion ethalion* (Boisduval, 1847) (Argynnididae) Synonym(s): *ethalion* Boisduval, 1847; *erithalion* Doubleday, 1849; *rosae* Butler, 1895.
 4653) *Charaxes ethalion fisheri* Henning, 1982 (Argynnididae) Synonym(s): *fisheri* Henning, 1982
 4654) *Charaxes ethalion handmani* Henning, 1982 (Argynnididae) Synonym(s): *handmani* Henning, 1982
 4655) *Charaxes ethalion kikuyuensis* Van Someren, 1967 (Argynnididae) Synonym(s): *kikuyuensis* Van Someren, 1967
 4656) *Charaxes ethalion kitungulensis* Strand, 1911 (Argynnididae) Synonym(s): *kitungulensis* Strand, 1911; *nyasana* Van Someren, 1967 *nec* Butl., 1895; *nyasicus* Van Someren, 1975.
 4657) *Charaxes ethalion littoralis* Van Someren, 1967 (Argynnididae) Synonym(s): *littoralis* Van Someren, 1967
 4658) *Charaxes ethalion marsabitensis* Van Someren, 1967 (Argynnididae) Synonym(s): *marsabitensis* Van Someren, 1967
 4659) *Charaxes ethalion nyanzae* Van Someren, 1967 (Argynnididae) Synonym(s): *nyanzae* Van Someren, 1967
 4660) *Charaxes etheocles* (Cramer, [1777]) (Argynnididae) Synonym(s): *etheocles* Cramer, [1777]; *hollandi* Butler, 1893
 4661) *Charaxes etheocles carpenteri* Van Someren & Jackson, 1957 (Argynnididae) Synonym(s): *carpenteri* Van Someren & Jackson, 1957
 4662) *Charaxes etheocles etheocles* (Cramer, [1777]) (Argynnididae) Synonym(s): *etheocles* Cramer, [1777]; *hollandi* Butler, 1893
 4663) *Charaxes etheocles evansi* Van Someren & Jackson, 1957 (Argynnididae) Synonym(s): *evansi* Van Someren & Jackson, 1957
 4664) *Charaxes etheocles ochracea* Van Someren & Jackson, 1957 (Argynnididae) Synonym(s): *ochracea* Van Someren & Jackson, 1957
 4665) *Charaxes eudoxus* (Drury, 1782) (Argynnididae) Synonym(s): *eudoxus* Drury, 1782
 4666) *Charaxes eudoxus amaurus* Poulton, 1929 (Argynnididae) Synonym(s): *amaurus* Poulton, 1929
 4667) *Charaxes eudoxus biokoensis* Canu, 1989 (Argynnididae) Synonym(s): *biokoensis* Canu, 1989
 4668) *Charaxes eudoxus boersmana* Plantrou, 1980 (Argynnididae) Synonym(s): *boersmana* Plantrou, 1980
 4669) *Charaxes eudoxus cabacus* Jordan, 1925 (Argynnididae) Synonym(s): *cabacus* Jordan, 1925
 4670) *Charaxes eudoxus eudoxus* (Drury, 1782) (Argynnididae) Synonym(s): *eudoxus* Drury, 1782
 4671) *Charaxes eudoxus imatongensis* Plantrou, 1982 (Argynnididae) Synonym(s): *imatongensis* Plantrou, 1982
 4672) *Charaxes eudoxus katerae* Carpenter, 1937 (Argynnididae) Synonym(s): *katerae* Carpenter, 1937
 4673) *Charaxes eudoxus lequeuxi* Plantrou, 1982 (Argynnididae) Synonym(s): *lequeuxi* Plantrou, 1982
 4674) *Charaxes eudoxus mechowi* Rothschild, 1900 (Argynnididae) Synonym(s): *mechowi* Rothschild, 1900; *blachieri* Oberthür, 1912; *theresae* Le Cerf, 1932
 4675) *Charaxes eudoxus mitchelli* Plantrou & Howarth, 1977 (Argynnididae) Synonym(s): *mitchelli* Plantrou & Howarth, 1977
 4676) *Charaxes eudoxus raffaellae* Plantrou, 1982 (Argynnididae) Synonym(s): *raffaellae* Plantrou, 1982
 4677) *Charaxes eudoxus zambiae* Van Someren, 1970 (Argynnididae) Synonym(s): *zambiae* Van Someren, 1970
 4678) *Charaxes eupale* (Drury, 1782) (Argynnididae) Synonym(s): *eupale* Drury, 1782; *amasia* Fabricius, 1793
 4679) *Charaxes eupale eupale* (Drury, 1782) (Argynnididae) Synonym(s): *eupale* Drury, 1782; *amasia* Fabricius, 1793
 4680) *Charaxes eupale latimargo* Joicey & Talbot, 1921 (Argynnididae) Synonym(s): *latimargo* Joicey & Talbot, 1921; *schultzei* Röber, 1936; *#citrinella* Rousseau-Decelle, 1938; *#inornata* Storace, 1948.
 4681) *Charaxes figini* Van Someren, 1969 (Argynnididae) Synonym(s): *figini* Van Someren, 1969
 4682) *Charaxes fionae* Henning, 1977 (Argynnididae) Synonym(s): *fionae* Henning, 1977
 4683) *Charaxes fournierae* Le Moul, 1930 (Argynnididae) Synonym(s): *fournierae* Le Moul, 1930
 4684) *Charaxes fournierae fournierae* Le Moul, 1930 (Argynnididae) Synonym(s): *fournierae* Le Moul, 1930
 4685) *Charaxes fournierae kigeziensis* Howarth, 1969 (Argynnididae) Synonym(s): *kigeziensis* Howarth, 1969
 4686) *Charaxes fournierae vandenberghae* Collins, 1982 (Argynnididae) Synonym(s): *vandenberghae* Collins, 1982
 4687) *Charaxes fulgurata* Aurivillius, 1898 (Argynnididae) Synonym(s): *fulgurata* Aurivillius, 1898
 4688) *Charaxes fulvescens* (Aurivillius, 1891) (Argynnididae) Synonym(s): *fulvescens* Aurivillius, 1891
 4689) *Charaxes fulvescens fulvescens* (Aurivillius, 1891) (Argynnididae) Synonym(s): *fulvescens* Aurivillius, 1891
 4690) *Charaxes fulvescens imenti* Plantrou, 1989 (Argynnididae) Synonym(s): *imenti* Plantrou, 1989
 4691) *Charaxes fulvescens maesseni* Plantrou, 1989 (Argynnididae) Synonym(s): *maesseni* Plantrou, 1989
 4692) *Charaxes fulvescens marialuisae* Canu, 1989 (Argynnididae) Synonym(s): *marialuisae* Canu, 1989
 4693) *Charaxes fulvescens monitor* Rothschild, 1900 (Argynnididae) Synonym(s): *monitor* Rothschild, 1900; *stonehami* Jeffery, 1931
 4694) *Charaxes fulvescens senegala* Van Someren, 1975 (Argynnididae) Synonym(s): *senegala* Van Someren, 1975
 4695) *Charaxes fuscus* Plantrou, 1967 (Argynnididae) Synonym(s): *fuscus* Plantrou, 1967
 4696) *Charaxes galawadiwosi* Plantrou & Rougeot, 1979 (Argynnididae) Synonym(s): *galawadiwosi* Plantrou & Rougeot, 1979
 4697) *Charaxes gallagheri* Van Son, 1962 (Argynnididae) Synonym(s): *gallagheri* Van Son, 1962
 4698) *Charaxes galleyanus* Darge & Minig, 1984 (Argynnididae) Synonym(s): *galleyanus* Darge & Minig, 1984
 4699) *Charaxes gerdæ* Rydon, 1989 (Argynnididae) Synonym(s): *gerdæ* Rydon, 1989
 4700) *Charaxes grahamei* Van Someren, 1969 (Argynnididae) Synonym(s): *grahamei* Van Someren, 1969
 4701) *Charaxes guderiana* (Dewitz, 1879) (Argynnididae) Synonym(s): *guderiana* Dewitz, 1879; *tanganyika* Robbe, 1892
 4702) *Charaxes guderiana guderiana* (Dewitz, 1879) (Argynnididae) Synonym(s): *guderiana* Dewitz, 1879; *tanganyika* Robbe, 1892
 4703) *Charaxes guderiana rabaiensis* Poulton, 1929 (Argynnididae) Synonym(s): *rabaiensis* Poulton, 1929
 4704) *Charaxes hadrianus* Ward, 1871 (Argynnididae) Synonym(s): *hadrianus* Ward, 1871; *dux* Staudinger, 1886; *gabonica* Crowley, 1890
 4705) *Charaxes hadrianus hadrianus* Ward, 1871 (Argynnididae) Synonym(s): *hadrianus* Ward, 1871; *dux* Staudinger, 1886; *gabonica* Crowley, 1890
 4706) *Charaxes hadrianus molleti* Koçak, 1996 (Argynnididae) Synonym(s): *orientalis* Mollet, 1975 *nec* Lanz, 1896 *non* Joicey & Talbot, 1918; *molleti* Koçak, 1996.
 4707) *Charaxes hansali arabicus* Riley, 1931 (Argynnididae) Synonym(s): *arabicus* Riley, 1931
 4708) *Charaxes hansali baringanus* Rothschild, 1905 (Argynnididae) Synonym(s): *baringanus* Rothschild, 1905; *kulalensis* Van Someren, 1971 *nec* Van Som., *kulalae* Van Someren, 1975
 4709) *Charaxes hansalii* C.Felder & R.Felder, [1867] (Argynnididae) Synonym(s): *hansalii* C.Felder & R.Felder, [1867]; *#minor* Storace, 1948

- 4710) *Charaxes hansalii* *hansalii* C.Felder & R.Felder,[1867] (Argynnidae) Synonym(s): *hansalii* C.Felder & R.Felder,[1867]; #minor Storace,1948
- 4711) *Charaxes harmodius* C.Felder & R.Felder,[1867] (Argynnidae) Synonym(s): *harmodius* C.Felder & R.Felder,[1867]; *analeuca* Rousseau-Decelle,1938
- 4712) *Charaxes harmodius* *harmodius* C.Felder & R.Felder,[1867] (Argynnidae) Synonym(s): *harmodius* C.Felder & R.Felder,[1867]; *analeuca* Rousseau-Decelle,1938
- 4713) *Charaxes harmodius* *harpagon* Staudinger,1889 (Argynnidae) Synonym(s): *harpagon* Staudinger,1889
- 4714) *Charaxes harmodius* *infernus* Rothschild,1903 (Argynnidae) Synonym(s): *infernus* Rothschild,1903
- 4715) *Charaxes harmodius* *martinus* Rothschild,1900 (Argynnidae) Synonym(s): *martinus* Rothschild,1900
- 4716) *Charaxes hildebrandti* (Dewitz,1879) (Argynnidae) Synonym(s): *hildebrandti* Dewitz,1879; *talagugae* Holland,1886; #*micelae* Plantou,1980
- 4717) *Charaxes hildebrandti* *gillesi* Plantrou,1973 (Argynnidae) Synonym(s): *gillesi* Plantrou,1973
- 4718) *Charaxes hildebrandti* *hildebrandti* (Dewitz,1879) (Argynnidae) Synonym(s): *hildebrandti* Dewitz,1879; *talagugae* Holland,1886; #*micelae* Plantou,1980
- 4719) *Charaxes hildebrandti* *katangensis* Talbot,1928 (Argynnidae) Synonym(s): *katangensis* Talbot,1928
- 4720) *Charaxes howarthi* Minig,1976 (Argynnidae) Synonym(s): *howarthi* Minig,1976
- 4721) *Charaxes imperialis* Butler,1874 (Argynnidae) Synonym(s): *imperialis* Butler,1874
- 4722) *Charaxes imperialis* *albipuncta* Joicey & Talbot,1920 (Argynnidae) Synonym(s): *albipuncta* Joicey & Talbot,1920
- 4723) *Charaxes imperialis* *dargei* Collins,1989 (Argynnidae) Synonym(s): *dargei* Collins,1989
- 4724) *Charaxes imperialis* *graziellae* Turlin,1989 (Argynnidae) Synonym(s): *graziellae* Turlin,1989
- 4725) *Charaxes imperialis* *imperialis* Butler,1874 (Argynnidae) Synonym(s): *imperialis* Butler,1874
- 4726) *Charaxes imperialis* *lisomboensis* Van Someren,1975 (Argynnidae) Synonym(s): *lisomboensis* Van Someren,1975
- 4727) *Charaxes imperialis* *nathaliae* Canu,1989 (Argynnidae) Synonym(s): *nathaliae* Canu,1989
- 4728) *Charaxes imperialis* *pauliani* Rousseau-Decelle,1933 (Argynnidae) Synonym(s): *pauliani* Rousseau-Decelle,1933
- 4729) *Charaxes imperialis* *ugandicus* Van Someren,1972 (Argynnidae) Synonym(s): *ugandicus* Van Someren,1972
- 4730) *Charaxes imperialis* *wernerii* Turlin,1989 (Argynnidae) Synonym(s): *wernerii* Turlin,1989
- 4731) *Charaxes jahlusa* (Trimen,1862) (Argynnidae) Synonym(s): *jahlusa* Trimen,1862
- 4732) *Charaxes jahlusa* *argynnides* Westwood,1864 (Argynnidae) Synonym(s): *argynnides* Westwood,1864
- 4733) *Charaxes jahlusa* *ganalensis* Carpenter,1937 (Argynnidae) Synonym(s): *ganalensis* Carpenter,1937
- 4734) *Charaxes jahlusa* *jahlusa* (Trimen,1862) (Argynnidae) Synonym(s): *jahlusa* Trimen,1862
- 4735) *Charaxes jahlusa* *kenyensis* Joicey & Talbot,1925 (Argynnidae) Synonym(s): *kenyensis* Joicey & Talbot,1925
- 4736) *Charaxes jahlusa* *kigomaensis* Van Someren,1975 (Argynnidae) Synonym(s): *kigoma* Van Someren,1974 nec Van Som.,1964; *kigomaensis* Van Someren,1975
- 4737) *Charaxes jahlusa* *rex* Henning,1978 (Argynnidae) Synonym(s): *rex* Henning,1978
- 4738) *Charaxes jahlusa* *rwandensis* Plantrou,1976 (Argynnidae) Synonym(s): *rwandensis* Plantrou,1976
- 4739) *Charaxes jasius* (Linnaeus,1767) (Argynnidae) Synonym(s): *jasius* Linnaeus,1767; *jason* Linnaeus,1767 *praeocc.*; *rhea* Hübner,1800; *unedonis* Hübner,1806; *faroensis* Ribbe,1909; *septentrionalis* Verity,1913; *europaeus* Verity,1917.
- 4740) *Charaxes jasius* *brunnescens* Poulton,1926 (Argynnidae) Synonym(s): *brunnescens* Poulton,1926
- 4741) *Charaxes jasius* *epijasius* Reiche,[1850] (Argynnidae) Synonym(s): *epijasius* Reiche,[1850]; *maculatus* Suffert,1904; *liberiae* Le Cerf,1923; *melas* Van Someren,1963; *aesonius* Stoneham,1964.
- 4742) *Charaxes jasius* *harrisoni* Sharpe,1904 (Argynnidae) Synonym(s): *harrisoni* Sharpe,1904; #*saturnalis* Van Someren,1963.
- 4743) *Charaxes jasius* *jasius* (Linnaeus,1767) (Argynnidae) Synonym(s): *jasius* Linnaeus,1767; *jason* Linnaeus,1767 *praeocc.*; *rhea* Hübner,[1800]; *unedonis* Hübner,[1806]; *faroensis* Ribbe,1909; *europaeus* Verity,1917.
- 4744) *Charaxes jasius* *pagenstecheri* Poulton,1926 (Argynnidae) Synonym(s): *pagenstecheri* Poulton,1926
- 4745) *Charaxes jasius* *saturnus* Butler,1866 (Argynnidae) Synonym(s): *saturnus* Butler,1866; *flavicinctus* Butler,1895.
- 4746) *Charaxes jasius* *septentrionalis* Verity,1913 (Argynnidae) Synonym(s): *septentrionalis* Verity,1913.
- 4747) *Charaxes junius* *Oberthür*,1880 (Argynnidae) Synonym(s): *junius* Oberthür,1880
- 4748) *Charaxes junius* *junius* Oberthür,1880 (Argynnidae) Synonym(s): *junius* Oberthür,1880
- 4749) *Charaxes junius* *somalicus* Rothschild,1900 (Argynnidae) Synonym(s): *somalicus* Rothschild,1900
- 4750) *Charaxes kahldenii* Homeyer & Dewitz,1882 (Argynnidae) Synonym(s): *kahldenii* Homeyer & Dewitz,1882; *homeyeri* Homeyer & Dewitz,1882; *w-brunnea* Bethune-Baker,1908; *apicalis* Röber,1925.
- 4751) *Charaxes kahruba* (Moore,1896) (Argynnidae) Synonym(s): *kahruba* Moore,1896
- 4752) *Charaxes kahruba* *kahruba* (Moore,1896) (Argynnidae) Synonym(s): *kahruba* Moore,1896
- 4753) *Charaxes karkloof* Van Someren & Jackson,1957 (Argynnidae) Synonym(s): *karkloof* Van Someren & Jackson,1957
- 4754) *Charaxes karkloof* *capensis* Van Someren,1966 (Argynnidae) Synonym(s): *capensis* Van Someren,1966
- 4755) *Charaxes karkloof* *karkloof* Van Someren & Jackson,1957 (Argynnidae) Synonym(s): *karkloof* Van Someren & Jackson,1957
- 4756) *Charaxes kheili* Staudinger,1896 (Argynnidae) Synonym(s): *kheili* Staudinger,1896
- 4757) *Charaxes kirki* Butler,1881 (Argynnidae) Synonym(s): *kirki* Butler,1881
- 4758) *Charaxes kirki* *kirki* Butler,1881 (Argynnidae) Synonym(s): *kirki* Butler,1881
- 4759) *Charaxes kirki* *suk* Carpenter & Jackson,1950 (Argynnidae) Synonym(s): *suk* Carpenter & Jackson,1950
- 4760) *Charaxes lactetinctus* Karsch,1892 (Argynnidae) Synonym(s): *lactetinctus* Karsch,1892; *busogus* Van Someren,1972
- 4761) *Charaxes lactetinctus* *lactetinctus* Karsch,1892 (Argynnidae) Synonym(s): *lactetinctus* Karsch,1892; *busogus* Van Someren,1972
- 4762) *Charaxes lactetinctus* *ungemachi* Le Cerf,1927 (Argynnidae) Synonym(s): *ungemachi* Le Cerf,1927
- 4763) *Charaxes larseni* Rydon,1982 (Argynnidae) Synonym(s): *larseni* Rydon,1982
- 4764) *Charaxes lasti* *Grose-Smith*,1889 (Argynnidae) Synonym(s): *lasti* Grose-Smith,1889; *centralis* Neustetter,1929
- 4765) *Charaxes lasti* *kimbozae* Kielland,1984 (Argynnidae) Synonym(s): *kimbozae* Kielland,1984
- 4766) *Charaxes lasti* *lasti* Grose-Smith,1889 (Argynnidae) Synonym(s): *lasti* Grose-Smith,1889; *centralis* Neustetter,1929
- 4767) *Charaxes lasti* *magomberae* Kielland,1984 (Argynnidae) Synonym(s): *magomberae* Kielland,1984
- 4768) *Charaxes lathona* Butler,1865 (Argynnidae) Synonym(s): *lathona* Butler,1865; *meridionalis* Rothschild,1900
- 4769) *Charaxes lecerfi* Lathy,1925 (Argynnidae) Synonym(s): *lecerfi* Lathy,1925
- 4770) *Charaxes legeri* Plantrou,1978 (Argynnidae) Synonym(s): *legeri* Plantrou,1978
- 4771) *Charaxes lemosi* Joicey & Talbot,1927 (Argynnidae) Synonym(s): *lemosi* Joicey & Talbot,1927
- 4772) *Charaxes loandae* Van Someren,1969 (Argynnidae) Synonym(s): *loandae* Van Someren,1969
- 4773) *Charaxes lucretius* (Cramer,[1775]) (Argynnidae) Synonym(s): *lucretius* Cramer,[1775]; *lucida* Le Cerf,1923
- 4774) *Charaxes lucretius* *intermedius* Van Someren,1971 (Argynnidae) Synonym(s): *intermedius* Van Someren,1971
- 4775) *Charaxes lucretius* *lucretius* (Cramer,[1775]) (Argynnidae) Synonym(s): *lucretius* Cramer,[1775]; *lucida* Le Cerf,1923
- 4776) *Charaxes lucretius* *maximus* Van Someren,1971 (Argynnidae) Synonym(s): *maximus* Van Someren,1971
- 4777) *Charaxes lucretius* *schofieldi* Plantrou,1989 (Argynnidae) Synonym(s): *schofieldi* Plantrou,1989
- 4778) *Charaxes lucyae* Van Someren,1975 (Argynnidae) Synonym(s): *lucyae* Van Someren,1975
- 4779) *Charaxes lucyae* *gabrielae* Turlin & Chovet,1987 (Argynnidae) Synonym(s): *gabrielae* Turlin & Chovet,1987
- 4780) *Charaxes lucyae* *lucyae* Van Someren,1975 (Argynnidae) Synonym(s): *lucyae* Van Someren,1975
- 4781) *Charaxes lucyae* *mwanihanæ* Kielland,1982 (Argynnidae) Synonym(s): *mwanihanæ* Kielland,1982
- 4782) *Charaxes lycurgus* (Fabricius,1793) (Argynnidae) Synonym(s): *laodice* Drury,1782 nec Pall.,1771; *lycurgus* Fabricius,1793; *nesiope* Hewitson,1854
- 4783) *Charaxes lycurgus* *bernandiana* Plantrou,1978 (Argynnidae) Synonym(s): *bernandiana* Plantrou,1978
- 4784) *Charaxes lycurgus* *lycurgus* (Fabricius,1793) (Argynnidae) Synonym(s): *laodice* Drury,1782 nec Pall.,1771; *lycurgus* Fabricius,1793; *nesiope* Hewitson,1854
- 4785) *Charaxes lydiae* Holland,1917 (Argynnidae) Synonym(s): *lydiae* Holland,1917
- 4786) *Charaxes macclouni* Butler,1895 (Argynnidae) Synonym(s): *macclouni* Butler,1895; *flavescens* Lanz,1896
- 4787) *Charaxes mafuga* Van Someren,1969 (Argynnidae) Synonym(s): *mafuga* Van Someren,1969
- 4788) *Charaxes manica* Trimen,1894 (Argynnidae) Synonym(s): *manica* Trimen,1894
- 4789) *Charaxes margaretae* Rydon,1980 (Argynnidae) Synonym(s): *margaretae* Rydon,1980
- 4790) *Charaxes marieps* Van Someren & Jackson,1957 (Argynnidae) Synonym(s): *marieps* Van Someren & Jackson,1957
- 4791) *Charaxes marmax* Westwood,1847 (Argynnidae) Synonym(s): *marmax* Westwood,1847
- 4792) *Charaxes marmax* *marmax* Westwood,1847 (Argynnidae) Synonym(s): *marmax* Westwood,1847
- 4793) *Charaxes martini* Van Someren,1966 (Argynnidae) Synonym(s): *martini* Van Someren,1966
- 4794) *Charaxes martini* *helenae* Henning,1982 (Argynnidae) Synonym(s): *helenae* Henning,1982
- 4795) *Charaxes martini* *martini* Van Someren,1966 (Argynnidae) Synonym(s): *martini* Van Someren,1966

- 4796) *Charaxes matakall* Darge, 1985 (Argynnididae) Synonym(s): *matakall* Darge, 1985
 4797) *Charaxes mcclleeryi* Van Someren, 1972 (Argynnididae) Synonym(s): *mcclleeryi* Van Someren, 1972
 4798) *Charaxes mcclleeryi iringae* Kielland, 1990 (Argynnididae) Synonym(s): *iringae* Kielland, 1990
 4799) *Charaxes mcclleeryi mcclleeryi* Van Someren, 1972 (Argynnididae) Synonym(s): *mcclleeryi* Van Someren, 1972
 4800) *Charaxes mixtus* Rothschild, 1894 (Argynnididae) Synonym(s): *mixtus* Rothschild, 1894; *bubastis* Schultze, 1916
 4801) *Charaxes mixtus mixtus* Rothschild, 1894 (Argynnididae) Synonym(s): *mixtus* Rothschild, 1894; *bubastis* Schultze, 1916
 4802) *Charaxes mixtus tanzanicus* Kielland, 1988 (Argynnididae) Synonym(s): *tanzanicus* Kielland, 1988
 4803) *Charaxes monteiri* Staudinger, 1886 (Argynnididae) Synonym(s): *monteiri* Staudinger, 1886
 4804) *Charaxes montis* Jackson, 1956 (Argynnididae) Synonym(s): *montis* Jackson, 1956
 4805) *Charaxes murphyi* Collins, 1989 (Argynnididae) Synonym(s): *murphyi* Collins, 1989
 4806) *Charaxes musakensis* Darge, 1973 (Argynnididae) Synonym(s): *musakensis* Darge, 1973
 4807) *Charaxes mycerina* (Godart, [1824]) (Argynnididae) Synonym(s): *mycerina* Godart, [1824]
 4808) *Charaxes mycerina mycerina* (Godart, [1824]) (Argynnididae) Synonym(s): *mycerina* Godart, [1824]
 4809) *Charaxes mycerina nausicaa* Staudinger, 1891 (Argynnididae) Synonym(s): *nausicaa* Staudinger, 1891; *viettei* Plantrou, 1978
 4810) *Charaxes nandina* Rothschild & Jordan, 1901 (Argynnididae) Synonym(s): *nandina* Rothschild & Jordan, 1901
 4811) *Charaxes nichetes* Grose-Smith, 1883 (Argynnididae) Synonym(s): *nichetes* Grose-Smith, 1883; *hamatus* Dewitz, 1884; *ogavensis* Holland, 1886
 4812) *Charaxes nichetes bouchei* Plantrou, 1974 (Argynnididae) Synonym(s): *bouchei* Plantrou, 1974
 4813) *Charaxes nichetes leoninus* Butler, 1895 (Argynnididae) Synonym(s): *leoninus* Butler, 1895
 4814) *Charaxes nichetes leopardinus* Plantrou, 1974 (Argynnididae) Synonym(s): *leopardinus* Plantrou, 1974
 4815) *Charaxes nichetes nichetes* Grose-Smith, 1883 (Argynnididae) Synonym(s): *nichetes* Grose-Smith, 1883; *hamatus* Dewitz, 1884; *ogavensis* Holland, 1886
 4816) *Charaxes nichetes pantherinus* Rousseau-Decelle, 1934 (Argynnididae) Synonym(s): *pantherinus* Rousseau-Decelle, 1934
 4817) *Charaxes nobilis* Druce, 1873 (Argynnididae) Synonym(s): *nobilis* Druce, 1873; *agabo* Distant, 1880; *homerus* Staudinger, 1891
 4818) *Charaxes nobilis claudel* Le Moul, 1933 (Argynnididae) Synonym(s): *claudel* Le Moul, 1933
 4819) *Charaxes nobilis nobilis* Druce, 1873 (Argynnididae) Synonym(s): *nobilis* Druce, 1873; *agabo* Distant, 1880; *homerus* Staudinger, 1891
 4820) *Charaxes nobilis rosaemariae* Rousseau-Decelle, 1934 (Argynnididae) Synonym(s): *rosaemariae* Rousseau-Decelle, 1934
 4821) *Charaxes northcotti* Rothschild, 1899 (Argynnididae) Synonym(s): *northcotti* Rothschild, 1899
 4822) *Charaxes numenes* (Hewitson, 1859) (Argynnididae) Synonym(s): *numenes* Hewitson, 1859
 4823) *Charaxes numenes aequatorialis* Van Someren, 1972 (Argynnididae) Synonym(s): *laticaneta* Le Cerf, 1932; *aequatorialis* Van Someren, 1972; *albiculatus* Van Someren, 1972
 4824) *Charaxes numenes neumanni* Rothschild, 1902 (Argynnididae) Synonym(s): *neumanni* Rothschild, 1902
 4825) *Charaxes numenes numenes* (Hewitson, 1859) (Argynnididae) Synonym(s): *numenes* Hewitson, 1859
 4826) *Charaxes nyikensis* Van Someren, 1975 (Argynnididae) Synonym(s): *nyikensis* Van Someren, 1975
 4827) *Charaxes obudoensis* Van Someren, 1969 (Argynnididae) Synonym(s): *obudoensis* Van Someren, 1969
 4828) *Charaxes octavus* Minig, 1972 (Argynnididae) Synonym(s): *octavus* Minig, 1972; *patergodarti* Neidhoefer, 1972
 4829) *Charaxes odysseus* Staudinger, 1892 (Argynnididae) Synonym(s): *odysseus* Staudinger, 1892
 4830) *Charaxes opinatus* Heron, 1909 (Argynnididae) Synonym(s): *opinus* Heron, 1909
 4831) *Charaxes overlaeti* Schouteden, 1934 (Argynnididae) Synonym(s): *overlaeti* Schouteden, 1934
 4832) *Charaxes paphianus* Ward, 1871 (Argynnididae) Synonym(s): *paphianus* Ward, 1871; *renati* Rousseau-Decelle, 1938
 4833) *Charaxes paphianus falcata* (Butler, 1872) (Argynnididae) Synonym(s): *falcata* Butler, 1872; *hamulosa* Weymer, 1892
 4834) *Charaxes paphianus paphianus* Ward, 1871 (Argynnididae) Synonym(s): *paphianus* Ward, 1871; *renati* Rousseau-Decelle, 1938
 4835) *Charaxes paphianus subpallida* Joicey & Talbot, 1925 (Argynnididae) Synonym(s): *subpallida* Joicey & Talbot, 1925
 4836) *Charaxes paradoxa* Lathy, 1925 (Argynnididae) Synonym(s): *paradoxa* Lathy, 1925
 4837) *Charaxes pelias* (Cramer, [1775]) (Argynnididae) Synonym(s): *pelias* Cramer, [1775]
 4838) *Charaxes pемbanus* Jordan, 1925 (Argynnididae) Synonym(s): *pемbanus* Jordan, 1925
 4839) *Charaxes penricei* Rothschild, 1900 (Argynnididae) Synonym(s): *penricei* Rothschild, 1900; *peculiaris* Lathy, 1906
 4840) *Charaxes penricei dealbata* Van Someren, 1966 (Argynnididae) Synonym(s): *dealbata* Van Someren, 1966
 4841) *Charaxes penricei penricei* Rothschild, 1900 (Argynnididae) Synonym(s): *penricei* Rothschild, 1900; *peculiaris* Lathy, 1906
 4842) *Charaxes penricei tanganyikae* Van Someren, 1966 (Argynnididae) Synonym(s): *tanganyikae* Van Someren, 1966
 4843) *Charaxes petersi* Van Someren, 1969 (Argynnididae) Synonym(s): *petersi* Van Someren, 1969
 4844) *Charaxes phaeus* Hewitson, 1877 (Argynnididae) Synonym(s): *phaeus* Hewitson, 1877
 4845) *Charaxes phoebus* Butler, 1866 (Argynnididae) Synonym(s): *phoebus* Butler, 1866
 4846) *Charaxes phraortes* Doubleday, 1847 (Argynnididae) Synonym(s): *phraortes* Doubleday, 1847
 4847) *Charaxes plantroui* Minig, 1975 (Argynnididae) Synonym(s): *plantroui* Minig, 1975
 4848) *Charaxes plateni* Staudinger, 1889 (Argynnididae) Synonym(s): *plateni* Staudinger, 1889
 4849) *Charaxes plateni latifascia* Schröder, Treadaway & Nuyda, 1991 (Argynnididae) Synonym(s): *latifascia* Schröder, Treadaway & Nuyda, 1991
 4850) *Charaxes plateni plateni* Staudinger, 1889 (Argynnididae) Synonym(s): *plateni* Staudinger, 1889
 4851) *Charaxes pleione* (Godart, [1824]) (Argynnididae) Synonym(s): *pleione* Godart, [1824]; *lichas* Doubleday, [1849]
 4852) *Charaxes pleione bebra* Rothschild, 1900 (Argynnididae) Synonym(s): *bebra* Rothschild, 1900
 4853) *Charaxes pleione congoensis* Plantrou, 1989 (Argynnididae) Synonym(s): *congoensis* Plantrou, 1989
 4854) *Charaxes pleione delvauxi* Turlin, 1987 (Argynnididae) Synonym(s): *delvauxi* Turlin, 1987
 4855) *Charaxes pleione oriens* Plantrou, 1989 (Argynnididae) Synonym(s): *oriens* Plantrou, 1989
 4856) *Charaxes pleione pleione* (Godart, [1824]) (Argynnididae) Synonym(s): *pleione* Godart, [1824]; *lichas* Doubleday, [1849]
 4857) *Charaxes pollux* (Cramer, [1775]) (Argynnididae) Synonym(s): *pollux* Cramer, [1775]; *camulus* Drury, 1782; *bungense* Stoneham, 1932
 4858) *Charaxes pollux gazanus* Van Someren, 1967 (Argynnididae) Synonym(s): *gazanus* Van Someren, 1967
 4859) *Charaxes pollux geminus* Rothschild, 1900 (Argynnididae) Synonym(s): *geminus* Rothschild, 1900
 4860) *Charaxes pollux maua* Van Someren, 1967 (Argynnididae) Synonym(s): *maua* Van Someren, 1967
 4861) *Charaxes pollux mira* Ackery, 1995 (Argynnididae) Synonym(s): *mirabilis* Turlin, 1989 nec Hanaf, 1989; *mira* Ackery, 1995
 4862) *Charaxes pollux piersoni* Collins, 1990 (Argynnididae) Synonym(s): *piersoni* Collins, 1990
 4863) *Charaxes pollux pollux* (Cramer, [1775]) (Argynnididae) Synonym(s): *pollux* Cramer, [1775]; *camulus* Drury, 1782; *bungense* Stoneham, 1932
 4864) *Charaxes pondoensis* Van Someren, 1967 (Argynnididae) Synonym(s): *pondoensis* Van Someren, 1967
 4865) *Charaxes porthos* Grose-Smith, 1883 (Argynnididae) Synonym(s): *porthos* Grose-Smith, 1883; *midas* Staudinger, 1891; *dunkeli* Röber, 1939
 4866) *Charaxes porthos dummeri* Joicey & Talbot, 1922 (Argynnididae) Synonym(s): *dummeri* Joicey & Talbot, 1922
 4867) *Charaxes porthos gallayi* Van Someren, 1968 (Argynnididae) Synonym(s): *gallayi* Van Someren, 1968
 4868) *Charaxes porthos katangae* Rousseau-Decelle, 1931 (Argynnididae) Synonym(s): *katangae* Rousseau-Decelle, 1931
 4869) *Charaxes porthos porthos* Grose-Smith, 1883 (Argynnididae) Synonym(s): *porthos* Grose-Smith, 1883; *midas* Staudinger, 1891; *dunkeli* Röber, 1939
 4870) *Charaxes prettejohni* Collins, 1990 (Argynnididae) Synonym(s): *prettejohni* Collins, 1990
 4871) *Charaxes protoclea* Feisthamel, 1850 (Argynnididae) Synonym(s): *protoclea* Feisthamel, 1850; *aeson* Herrich-Schäffer, [1858]
 4872) *Charaxes protoclea azota* (Hewitson, 1877) (Argynnididae) Synonym(s): *azota* Hewitson, 1877
 4873) *Charaxes protoclea catenaria* Rousseau-Decelle, 1934 (Argynnididae) Synonym(s): *catenaria* Rousseau-Decelle, 1934
 4874) *Charaxes protoclea cedrici* Canu, 1989 (Argynnididae) Synonym(s): *cedrici* Canu, 1989
 4875) *Charaxes protoclea nothodes* Jordan, 1911 (Argynnididae) Synonym(s): *nothodes* Jordan, 1911
 4876) *Charaxes protoclea protoclea* Feisthamel, 1850 (Argynnididae) Synonym(s): *protoclea* Feisthamel, 1850; *aeson* Herrich-Schäffer, [1858]
 4877) *Charaxes protoclea protonothodes* Van Someren, 1971 (Argynnididae) Synonym(s): *marginipunctata* Holland, 1920; *protonothodes* Van Someren, 1971
 4878) *Charaxes pythodori* Hewitson, 1873 (Argynnididae) Synonym(s): *pythodori* Hewitson, 1873
 4879) *Charaxes pythodori davidi* Plantrou, 1973 (Argynnididae) Synonym(s): *davidi* Plantrou, 1973
 4880) *Charaxes pythodori knoopae* Plantrou, 1982 (Argynnididae) Synonym(s): *knoopae* Plantrou, 1982
 4881) *Charaxes pythodori nesaea* Grose-Smith, 1889 (Argynnididae) Synonym(s): *nesaea* Grose-Smith, 1889
 4882) *Charaxes pythodori occidentis* Van Someren, 1963 (Argynnididae) Synonym(s): *occidentis* Van Someren, 1963
 4883) *Charaxes pythodori pallida* Van Someren, 1963 (Argynnididae) Synonym(s): *#pallida* Carpenter, 1934; *pallida* Van Someren, 1963; *geraldi* Stoneham, 1964
 4884) *Charaxes pythodori pythodori* Hewitson, 1873 (Argynnididae) Synonym(s): *pythodori* Hewitson, 1873
 4885) *Charaxes pythodori sumbuensis* Henning, 1982 (Argynnididae) Synonym(s): *sumbuensis* Henning, 1982

- 4886) *Charaxes pythodoris ventersi* Henning, 1982 (Argynnididae) Synonym(s): *ventersi* Henning, 1982
- 4887) *Charaxes richelmanni Röber*, 1936 (Argynnididae) Synonym(s): *fallax Richelman*, 1913 nec Rüb., 1894; *richelmanni Röber*, 1936
- 4888) *Charaxes richelmanni ducarme* Plantrou, 1982 (Argynnididae) Synonym(s): *ducarme* Plantrou, 1982
- 4889) *Charaxes richelmanni richelmanni Röber*, 1936 (Argynnididae) Synonym(s): *fallax Richelman*, 1913 nec Rüb., 1894; *richelmanni Röber*, 1936
- 4890) *Charaxes richelmanni scheveni* Ackery, 1995 (Argynnididae) Synonym(s): *orientalis* Scheven, 1975 nec Joic. & Tal., 1918; *scheveni* Ackery, 1995.
- 4891) *Charaxes sangana Schröder & Treadaway*, 1988 (Argynnididae) Synonym(s): *sangana Schröder & Treadaway*, 1988
- 4892) *Charaxes sangana juwaki Schröder & Treadaway*, 1988 (Argynnididae) Synonym(s): *juwaki Schröder & Treadaway*, 1988
- 4893) *Charaxes sangana sangana Schröder & Treadaway*, 1988 (Argynnididae) Synonym(s): *sangana Schröder & Treadaway*, 1988
- 4894) *Charaxes saperanus Poulton*, 1926 (Argynnididae) Synonym(s): *comoranus Aurivillius*, 1909 nec Roth., 1903; *saperanus Poulton*, 1926
- 4895) *Charaxes schiltzei Bouyer*, 1991 (Argynnididae) Synonym(s): *schiltzei Bouyer*, 1991
- 4896) *Charaxes sidamo Plantrou & Rougeot*, 1979 (Argynnididae) Synonym(s): *sidamo Plantrou & Rougeot*, 1979
- 4897) *Charaxes smaragdalis Butler*, 1866 (Argynnididae) Synonym(s): *smaragdalis* Butler, 1866; *princeps* Butler, 1896.
- 4898) *Charaxes smaragdalis butleri* Rothschild, 1900 (Argynnididae) Synonym(s): *butleri* Rothschild, 1900
- 4899) *Charaxes smaragdalis caerulea* Jackson, 1951 (Argynnididae) Synonym(s): *#caerulea* Carpenter & Jackson, 1950; *caerulea* Jackson, 1951
- 4900) *Charaxes smaragdalis elgonae* Van Someren, 1964 (Argynnididae) Synonym(s): *elgonae* Van Someren, 1964
- 4901) *Charaxes smaragdalis gobyae* Plantrou, 1989 (Argynnididae) Synonym(s): *gobyae* Plantrou, 1989
- 4902) *Charaxes smaragdalis homonymus* Bryk, 1939 (Argynnididae) Synonym(s): *orientalis* Joicey & Talbot, 1918 nec Lanz, 1896; *homonymus* Bryk, 1939.
- 4903) *Charaxes smaragdalis kagera* Van Someren, 1964 (Argynnididae) Synonym(s): *kagera* Van Someren, 1964
- 4904) *Charaxes smaragdalis kigoma* Van Someren, 1964 (Argynnididae) Synonym(s): *kigoma* Van Someren, 1964
- 4905) *Charaxes smaragdalis leopoldi* Ghesquière, 1933 (Argynnididae) Synonym(s): *leopoldi* Ghesquière, 1933
- 4906) *Charaxes smaragdalis metu* Van Someren, 1964 (Argynnididae) Synonym(s): *metu* Van Someren, 1964
- 4907) *Charaxes smaragdalis smaragdalis* Butler, 1866 (Argynnididae) Synonym(s): *smaragdalis* Butler, 1866; *princeps* Butler, 1896.
- 4908) *Charaxes smaragdalis toro* Van Someren, 1964 (Argynnididae) Synonym(s): *toro* Van Someren, 1964
- 4909) *Charaxes smilesi* Rydon, 1982 (Argynnididae) Synonym(s): *smilesi* Rydon, 1982
- 4910) *Charaxes solon* (Fabricius, 1793) (Argynnididae) Synonym(s): *solon* Fabricius, 1793
- 4911) *Charaxes solon echo* Butler, 1867 (Argynnididae) Synonym(s): *echo* Butler, 1867
- 4912) *Charaxes solon lampedo* (Hübner, [1824]) (Argynnididae) Synonym(s): *lampedo* Hübner, [1824]
- 4913) *Charaxes solon orchomenus* Fruhstorfer, 1914 (Argynnididae) Synonym(s): *orchomenus* Fruhstorfer, 1914
- 4914) *Charaxes solon shohgun* Tsukada, 1991 (Argynnididae) Synonym(s): *shohgun* Tsukada, 1991
- 4915) *Charaxes solon solon* (Fabricius, 1793) (Argynnididae) Synonym(s): *solon* Fabricius, 1793
- 4916) *Charaxes solon sulphureus* Rothschild & Jordan, 1900 (Argynnididae) Synonym(s): *sulphureus* Rothschild & Jordan, 1900
- 4917) *Charaxes solon tindongani* Schröder & Treadaway, 1989 (Argynnididae) Synonym(s): *tindongani* Schröder & Treadaway, 1989
- 4918) *Charaxes subornatus* Schultze, 1916 (Argynnididae) Synonym(s): *subornatus* Schultze, 1916
- 4919) *Charaxes subornatus couilloudi* Plantrou, 1976 (Argynnididae) Synonym(s): *couilloudi* Plantrou, 1976
- 4920) *Charaxes subornatus minor* Joicey & Talbot, 1921 (Argynnididae) Synonym(s): *minor* Joicey & Talbot, 1921
- 4921) *Charaxes subornatus subornatus* Schultze, 1916 (Argynnididae) Synonym(s): *subornatus* Schultze, 1916
- 4922) *Charaxes subrubidus* Van Someren, 1972 (Argynnididae) Synonym(s): *subrubidus* Van Someren, 1972
- 4923) *Charaxes superbus* Schultze, 1909 (Argynnididae) Synonym(s): *superbus* Schultze, 1909
- 4924) *Charaxes taverniersi* Berger, 1975 (Argynnididae) Synonym(s): *taverniersi* Berger, 1975
- 4925) *Charaxes taverniersi evoei* Darge, 1977 (Argynnididae) Synonym(s): *evoei* Darge, 1977
- 4926) *Charaxes taverniersi taverniersi* Berger, 1975 (Argynnididae) Synonym(s): *taverniersi* Berger, 1975
- 4927) *Charaxes teissieri* Darge & Minig, 1984 (Argynnididae) Synonym(s): *teissieri* Darge & Minig, 1984
- 4928) *Charaxes thomasi* Staudinger, 1886 (Argynnididae) Synonym(s): *thomasi* Staudinger, 1886
- 4929) *Charaxes thysi* Capronnier, 1889 (Argynnididae) Synonym(s): *thysi* Capronnier, 1889
- 4930) *Charaxes tiridates* (Cramer, [1777]) (Argynnididae) Synonym(s): *tiridates* Cramer, [1777]; *marica* Fabricius, 1793
- 4931) *Charaxes tiridates marginatus* Rothschild & Jordan, 1903 (Argynnididae) Synonym(s): *marginatus* Rothschild & Jordan, 1903
- 4932) *Charaxes tiridates tiridates* (Cramer, [1777]) (Argynnididae) Synonym(s): *tiridates* Cramer, [1777]; *marica* Fabricius, 1793
- 4933) *Charaxes tiridates tiridatus* Röber, 1936 (Argynnididae) Synonym(s): *tiridatus* Röber, 1936; *angusticaudatus* Röber, 1936; *hysginus* Darge, 1978
- 4934) *Charaxes turlini* Minig & Plantrou, 1978 (Argynnididae) Synonym(s): *turlini* Minig & Plantrou, 1978
- 4935) *Charaxes usambarae* Van Someren & Jackson, 1952 (Argynnididae) Synonym(s): *usambarae* Van Someren & Jackson, 1952
- 4936) *Charaxes usambarae maridadi* Collins, 1987 (Argynnididae) Synonym(s): *maridadi* Collins, 1987
- 4937) *Charaxes usambarae usambarae* Van Someren & Jackson, 1952 (Argynnididae) Synonym(s): *usambarae* Van Someren & Jackson, 1952
- 4938) *Charaxes vansoni* Van Someren, 1975 (Argynnididae) Synonym(s): *vansoni* Van Someren, 1975
- 4939) *Charaxes varanes* (Cramer, [1777]) (Argynnididae) Synonym(s): *varanes* Cramer, [1777]
- 4940) *Charaxes varanes bertrami* Riley, 1931 (Argynnididae) Synonym(s): *bertrami* Riley, 1931
- 4941) *Charaxes varanes defulvata* Joicey & Talbot, 1926 (Argynnididae) Synonym(s): *defulvata* Joicey & Talbot, 1926
- 4942) *Charaxes varanes varanes* (Cramer, [1777]) (Argynnididae) Synonym(s): *varanes* Cramer, [1777]
- 4943) *Charaxes varanes vologeses* (Mabille, 1876) (Argynnididae) Synonym(s): *vologeses* Mabille, 1876; *nigrescens* Butler, 1896; *brachycauda* Le Cerf, 1923; *#minor* Storace, 1948; *#antimorii* Storace, 1948.
- 4944) *Charaxes variata* Van Someren, 1969 (Argynnididae) Synonym(s): *variata* Van Someren, 1969
- 4945) *Charaxes velox* Ogilvie-Grant, 1899 (Argynnididae) Synonym(s): *velox* Ogilvie-Grant, 1899
- 4946) *Charaxes viola* Butler, 1866 (Argynnididae) Synonym(s): *viola* Butler, 1866
- 4947) *Charaxes viola picta* Van Someren & Jackson, 1952 (Argynnididae) Synonym(s): *picta* Van Someren & Jackson, 1952
- 4948) *Charaxes viola viola* Butler, 1866 (Argynnididae) Synonym(s): *viola* Butler, 1866
- 4949) *Charaxes violetta* Grose-Smith, 1885 (Argynnididae) Synonym(s): *violetta* Grose-Smith, 1885
- 4950) *Charaxes violetta maritima* Van Someren, 1966 (Argynnididae) Synonym(s): *maritima* Van Someren, 1966
- 4951) *Charaxes violetta melloni* Fox, 1963 (Argynnididae) Synonym(s): *melloni* Fox, 1963
- 4952) *Charaxes violetta meru* Van Someren, 1966 (Argynnididae) Synonym(s): *meru* Van Someren, 1966
- 4953) *Charaxes violetta violetta* Grose-Smith, 1885 (Argynnididae) Synonym(s): *violetta* Grose-Smith, 1885
- 4954) *Charaxes virescens* Bouyer, 1991 (Argynnididae) Synonym(s): *virescens* Bouyer, 1991
- 4955) *Charaxes virilis* Van Someren & Jackson, 1952 (Argynnididae) Synonym(s): *virilis* Van Someren & Jackson, 1952
- 4956) *Charaxes virilis lenis* Henning, 1989 (Argynnididae) Synonym(s): *lenis* Henning, 1989
- 4957) *Charaxes virilis virilis* Van Someren & Jackson, 1952 (Argynnididae) Synonym(s): *virilis* Van Someren & Jackson, 1952
- 4958) *Charaxes xiphare* (Stoll, [1781]) (Argynnididae) Synonym(s): *xiphare* Stoll, [1781]
- 4959) *Charaxes xiphare bavenda* Van Son, 1935 (Argynnididae) Synonym(s): *bavenda* Van Son, 1935
- 4960) *Charaxes xiphare bergeri* Plantrou, 1975 (Argynnididae) Synonym(s): *bergeri* Plantrou, 1975
- 4961) *Charaxes xiphare brevicaudatus* Schultze, 1914 (Argynnididae) Synonym(s): *brevicaudatus* Schultze, 1914
- 4962) *Charaxes xiphare burgesi* Van Son, 1953 (Argynnididae) Synonym(s): *burgessi* Van Son, 1953
- 4963) *Charaxes xiphare desmondi* Van Someren, 1939 (Argynnididae) Synonym(s): *desmondi* Van Someren, 1939
- 4964) *Charaxes xiphare draconis* Jordan, 1936 (Argynnididae) Synonym(s): *draconis* Jordan, 1936
- 4965) *Charaxes xiphare kenwayi* Poulton, 1929 (Argynnididae) Synonym(s): *kenwayi* Poulton, 1929
- 4966) *Charaxes xiphare kiellandi* Plantrou, 1976 (Argynnididae) Synonym(s): *kiellandi* Plantrou, 1976
- 4967) *Charaxes xiphare kilimensis* Van Someren, 1972 (Argynnididae) Synonym(s): *kilimensis* Van Someren, 1972
- 4968) *Charaxes xiphare kulal* Van Someren, 1962 (Argynnididae) Synonym(s): *kulal* Van Someren, 1962
- 4969) *Charaxes xiphare ludovici* Rousseau-Decelle, 1933 (Argynnididae) Synonym(s): *ludovici* Rousseau-Decelle, 1933
- 4970) *Charaxes xiphare maudei* Joicey & Talbot, 1918 (Argynnididae) Synonym(s): *maudei* Joicey & Talbot, 1918
- 4971) *Charaxes xiphare nguru* Collins, 1989 (Argynnididae) Synonym(s): *nguru* Collins, 1989
- 4972) *Charaxes xiphare penningtoni* Van Son, 1953 (Argynnididae) Synonym(s): *penningtoni* Van Son, 1953
- 4973) *Charaxes xiphare sitebi* Plantrou, 1981 (Argynnididae) Synonym(s): *sitebi* Plantrou, 1981
- 4974) *Charaxes xiphare thyestes* (Stoll, [1790]) (Argynnididae) Synonym(s): *thyestes* Stoll, [1790]; *reducta* Rothschild, 1929; *elatias* Jordan, 1936
- 4975) *Charaxes xiphare upembana* Plantrou, 1976 (Argynnididae) Synonym(s): *upembana* Plantrou, 1976

- 4976) *Charaxes xiphare vumbui* Van Son,1936 (Argynnidae) Synonym(s): *vumbui* Van Son,1936
 4977) *Charaxes xiphare walwandi* Collins,1989 (Argynnidae) Synonym(s): *walwandi* Collins,1989
 4978) *Charaxes xiphare wernickei* Joicey & Talbot,1927 (Argynnidae) Synonym(s): *wernickei* Joicey & Talbot,1927
 4979) *Charaxes xiphare woodi* Van Someren,1964 (Argynnidae) Synonym(s): *woodi* Van Someren,1964
 4980) *Charaxes xiphare xiphare* (Stoll,[1781]) (Argynnidae) Synonym(s): *xiphare* Stoll,[1781]
 4981) *Charaxes zelica* Butler,1869 (Argynnidae) Synonym(s): *zelica* Butler,1869
 4982) *Charaxes zelica depuncta* Joicey & Talbot,1921 (Argynnidae) Synonym(s): *depuncta* Joicey & Talbot,1921
 4983) *Charaxes zelica rougeoti* Plantrou,1978 (Argynnidae) Synonym(s): *rougeoti* Plantrou,1978
 4984) *Charaxes zelica toyoshimai* Carcasson,1964 (Argynnidae) Synonym(s): *toyoshimai* Carcasson,1964
 4985) *Charaxes zelica zelica* Butler,1869 (Argynnidae) Synonym(s): *zelica* Butler,1869
 4986) *Charaxes zingha* (Stoll,[1780]) (Argynnidae) Synonym(s): *zingha* Stoll,[1780]; *berenice* Drury,1782
 4987) *Charaxes zoolina* (Westwood,[1850]) (Argynnidae) Synonym(s): *zoolina* Westwood,[1850]; *neanthes* Hewitson,1854
 4988) *Charaxes zoolina betsimisaraka* Lucas,1872 (Argynnidae) Synonym(s): *betimisaraka* Lucas,1872
 4989) *Charaxes zoolina ehmkiei* Homeyer & Dewitz,1882 (Argynnidae) Synonym(s): *ehmkiei* Homeyer & Dewitz,1882
 4990) *Charaxes zoolina mafugensis* Jackson,1956 (Argynnidae) Synonym(s): *mafugensis* Jackson,1956
 4991) *Charaxes zoolina zoolina* (Westwood,[1850]) (Argynnidae) Synonym(s): *zoolina* Westwood,[1850]; *neanthes* Hewitson,1854
 4992) *Chersonesia intermedia* Martin,1895 (Argynnidae) Synonym(s): *intermedia* Martin,1895
 4993) *Chersonesia intermedia intermedia* Martin,1895 (Argynnidae) Synonym(s): *intermedia* Martin,1895
 4994) *Chersonesia intermedia rahrioides* Moore,1896 (Argynnidae) Synonym(s): *rahrioides* Moore,1896
 4995) *Chersonesia nicevillei* Martin,1895 (Argynnidae) Synonym(s): *nicevillei* Martin,1895
 4996) *Chersonesia nicevillei nicevillei* Martin,1895 (Argynnidae) Synonym(s): *nicevillei* Martin,1895
 4997) *Chersonesia peraka* Distant,1884 (Argynnidae) Synonym(s): *peraka* Distant,1884
 4998) *Chersonesia peraka peraka* Distant,1884 (Argynnidae) Synonym(s): *peraka* Distant,1884
 4999) *Chersonesia rahria* (Horsfield & Moore,1857) (Argynnidae) Synonym(s): *rahria* Horsfield & Moore,1857
 5000) *Chersonesia rahria rahria* (Horsfield & Moore,1857) (Argynnidae) Synonym(s): *rahria* Horsfield & Moore,1857
 5001) *Chersonesia risa* (Doubleday,[1848]) (Argynnidae) Synonym(s): *risa* Doubleday,[1848]
 5002) *Chersonesia risa risa* (Doubleday,[1848]) (Argynnidae) Synonym(s): *risa* Doubleday,[1848]
 5003) *Chlosyne acastus* (Edwards,1874) (Argynnidae) Synonym(s): *acastus* Edwards,1874
 5004) *Chlosyne californica* (Wright,1905) (Argynnidae) Synonym(s): *californica* Wright,1905
 5005) *Chlosyne definita* (Aaron,1884) (Argynnidae) Synonym(s): *definita* Aaron,1884; *schausi* Godman & Salvin,1901; *beckeri* Godman & Salvin,1901 nec H.-S.,1851; *anastasia* Hemming,1934
 5006) *Chlosyne endeis* (Godman & Salvin,1894) (Argynnidae) Synonym(s): *endeis* Godman & Salvin,1894
 5007) *Chlosyne erodyle* (Bates,1864) (Argynnidae) Synonym(s): *erodyle* Bates,1864
 5008) *Chlosyne gabii* (Behr,1863) (Argynnidae) Synonym(s): *gabii* Behr,1863; *sonorae* Boisduval,1869; *pasadenae* Gunder,1924
 5009) *Chlosyne gorgone* (Hübner,1810) (Argynnidae) Synonym(s): *gorgone* Hübner,1810
 5010) *Chlosyne gorgone carlota* (Reakirt,1866) (Argynnidae) Synonym(s): *carlota* Reakirt,1866
 5011) *Chlosyne gorgone gorgone* (Hübner,1810) (Argynnidae) Synonym(s): *gorgone* Hübner,1810
 5012) *Chlosyne harrisii* (Scudder,1864) (Argynnidae) Synonym(s): *harrisii* Scudder,1864; *albimontana* Avinoff,1930
 5013) *Chlosyne harrisii hanhami* (Fletcher,1904) (Argynnidae) Synonym(s): *hanhami* Fletcher,1904
 5014) *Chlosyne harrisii harrisii* (Scudder,1864) (Argynnidae) Synonym(s): *harrisii* Scudder,1864; *albimontana* Avinoff,1930
 5015) *Chlosyne harrisii liggettii* (Avinoff,1930) (Argynnidae) Synonym(s): *liggettii* Avinoff,1930
 5016) *Chlosyne hoffmanni* (Behr,1863) (Argynnidae) Synonym(s): *hoffmanni* Behr,1863; *helicta* Boisduval,1869
 5017) *Chlosyne hoffmanni hoffmanni* (Behr,1863) (Argynnidae) Synonym(s): *hoffmanni* Behr,1863; *helicta* Boisduval,1869
 5018) *Chlosyne hoffmanni manchada* Bauer,1959 (Argynnidae) Synonym(s): *manchada* Bauer,1959
 5019) *Chlosyne hoffmanni segregata* (Barnes & McDunnough,1918) (Argynnidae) Synonym(s): *segregata* Barnes & McDunnough,1918; *bridgei* Comstock,1924
 5020) *Chlosyne janais* (Drury,[1782]) (Argynnidae) Synonym(s): *janais* Drury,[1782]
 5021) *Chlosyne lacinia* (Geyer,[1837]) (Argynnidae) Synonym(s): *lacinia* Geyer,[1837]; *tellias* Bates,1864; *mediatrix* C.Felder & R.Felder,1865; *ardema* Reakirt,1866
 5022) *Chlosyne lacinia adjutrix* Scudder,1875 (Argynnidae) Synonym(s): *adjutrix* Scudder,1875
 5023) *Chlosyne lacinia crocale* (Edwards,1874) (Argynnidae) Synonym(s): *crocale* Edwards,1874
 5024) *Chlosyne lacinia lacinia* (Geyer,[1837]) (Argynnidae) Synonym(s): *lacinia* Geyer,[1837]; *tellias* Bates,1864; *mediatrix* C.Felder & R.Felder,1865; *ardema* Reakirt,1866
 5025) *Chlosyne marina* (Geyer,[1837]) (Argynnidae) Synonym(s): *marina* Geyer,[1837]
 5026) *Chlosyne nycteis* (Doubleday & Hewitson,[1847]) (Argynnidae) Synonym(s): *nycteis* Doubleday & Hewitson,[1847]; *oenone* Scudder,1864
 5027) *Chlosyne nycteis drusius* (Edwards,1884) (Argynnidae) Synonym(s): *drusius* Edwards,1884
 5028) *Chlosyne nycteis nycteis* (Doubleday & Hewitson,[1847]) (Argynnidae) Synonym(s): *nycteis* Doubleday & Hewitson,[1847]; *oenone* Scudder,1864
 5029) *Chlosyne nycteis reversa* (F.Chermock & R.Chermock,1940) (Argynnidae) Synonym(s): *reversa* F.Chermock & R.Chermock,1940
 5030) *Chlosyne palla* (Boisduval,1852) (Argynnidae) Synonym(s): *palla* Boisduval,1852
 5031) *Chlosyne palla calydon* (Holland,1931) (Argynnidae) Synonym(s): *calydon* Holland,1931
 5032) *Chlosyne palla flavula* (Barnes & McDunnough,1918) (Argynnidae) Synonym(s): *flavula* Barnes & McDunnough,1918
 5033) *Chlosyne palla palla* (Boisduval,1852) (Argynnidae) Synonym(s): *palla* Boisduval,1852
 5034) *Chlosyne palla sterope* (Edwards,1918) (Argynnidae) Synonym(s): *sterope* Edwards,1918; *hewesi* Leussler,1931
 5035) *Chlosyne palla vallismortis* (Johnson,1938) (Argynnidae) Synonym(s): *vallismortis* Johnson,1938
 5036) *Chlosyne rosita* Hall,1924 (Argynnidae) Synonym(s): *rosita* Hall,1924
 5037) *Chlosyne rosita browni* Bauer,1960 (Argynnidae) Synonym(s): *browni* Bauer,1960
 5038) *Chlosyne rosita rosita* Hall,1924 (Argynnidae) Synonym(s): *rosita* Hall,1924
 5039) *Chlosyne whitneyi* (Behr,1863) (Argynnidae) Synonym(s): *whitneyi* Behr,1863
 5040) *Cirrochroa aoris* Doubleday,[1847] (Argynnidae) Synonym(s): *aoris* Doubleday,[1847]
 5041) *Cirrochroa aoris aoris* Doubleday,[1847] (Argynnidae) Synonym(s): *aoris* Doubleday,[1847]
 5042) *Cirrochroa aoris olivacea* De Nicéville,1886 (Argynnidae) Synonym(s): *olivacea* De Nicéville,1886
 5043) *Cirrochroa clagia* Godart,1819 (Argynnidae) Synonym(s): *clagia* Godart,1819
 5044) *Cirrochroa clagia clagia* Godart,1819 (Argynnidae) Synonym(s): *clagia* Godart,1819
 5045) *Cirrochroa clagia clagina* Fruhstorfer,1906 (Argynnidae) Synonym(s): *clagina* Fruhstorfer,1906
 5046) *Cirrochroa emalea* (Guérin-Ménéville,1843) (Argynnidae) Synonym(s): *emalea* Guérin-Ménéville,1843
 5047) *Cirrochroa emalea bajadeta* Moore,1857 (Argynnidae) Synonym(s): *bajadeta* Moore,1857
 5048) *Cirrochroa emalea emalea* (Guérin-Ménéville,1843) (Argynnidae) Synonym(s): *emalea* Guérin-Ménéville,1843
 5049) *Cirrochroa emalea lapaona* Kheil,1884 (Argynnidae) Synonym(s): *lapaona* Kheil,1884
 5050) *Cirrochroa emalea martini* Fruhstorfer,1906 (Argynnidae) Synonym(s): *martini* Fruhstorfer,1906; ? *bajadeta* Fruhstorfer,1906
 5051) *Cirrochroa emalea miranda* Corbet,1942 (Argynnidae) Synonym(s): *miranda* Corbet,1942
 5052) *Cirrochroa emalea ravana* Moore,1857 (Argynnidae) Synonym(s): *ravana* Moore,1857
 5053) *Cirrochroa malaya* C.Felder & R.Felder,1860 (Argynnidae) Synonym(s): *malaya* C.Felder & R.Felder,1860; *johannes* Butler,1868
 5054) *Cirrochroa malaya calypso* Wall.,1869 (Argynnidae) Synonym(s): *calypso* Wall.,1869; *baluna* Fruhstorfer,1904
 5055) *Cirrochroa malaya malaya* C.Felder & R.Felder,1860 (Argynnidae) Synonym(s): *malaya* C.Felder & R.Felder,1860; *johannes* Butler,1868
 5056) *Cirrochroa menones* Semper,1888 (Argynnidae) Synonym(s): *menones* Semper,1888
 5057) *Cirrochroa niassica* Honrath,1891 (Argynnidae) Synonym(s): *niassica* Honrath,1891
 5058) *Cirrochroa nicobarica* Wood-Mason,1881 (Argynnidae) Synonym(s): *nicobarica* Wood-Mason,1881
 5059) *Cirrochroa orissa* C.Felder & R.Felder,1860 (Argynnidae) Synonym(s): *orissa* C.Felder & R.Felder,1860
 5060) *Cirrochroa orissa chione* Riley & Godfrey (Argynnidae) Synonym(s):
 5061) *Cirrochroa orissa orissa* C.Felder & R.Felder,1860 (Argynnidae) Synonym(s): *orissa* C.Felder & R.Felder,1860
 5062) *Cirrochroa orissa orissides* Fruhstorfer,1906 (Argynnidae) Synonym(s): *orissides* Fruhstorfer,1906
 5063) *Cirrochroa satellita* Butler,1869 (Argynnidae) Synonym(s): *satellita* Butler,1869
 5064) *Cirrochroa satellita illergeta* Fruhstorfer,1912 (Argynnidae) Synonym(s): *illergeta* Fruhstorfer,1912

- 5065) *Cirrochroa satellita satellita* Butler, 1869 (Argynnididae) Synonym(s): *satellita* Butler, 1869
- 5066) *Cirrochroa semiramis* C.Felder & R.Felder, 1867 (Argynnididae) Synonym(s): *semiramis* C.Felder & R.Felder, 1867; *ninos* Fruhstorfer, 1912
- 5067) *Cirrochroa surya* Moore, [1879] (Argynnididae) Synonym(s): *surya* Moore, [1879]
- 5068) *Cirrochroa surya siamensis* Fruhstorfer, 1906 (Argynnididae) Synonym(s): *siamensis* Fruhstorfer, 1906
- 5069) *Cirrochroa surya surya* Moore, [1879] (Argynnididae) Synonym(s): *surya* Moore, [1879]
- 5070) *Cirrochroa thais* (Fabricius, 1787) (Argynnididae) Synonym(s): *thais* Fabricius, 1787
- 5071) *Cirrochroa thais lanka* Moore, 1872 (Argynnididae) Synonym(s): *lanka* Moore, 1872; *cognata* Moore, 1881
- 5072) *Cirrochroa thais thais* (Fabricius, 1787) (Argynnididae) Synonym(s): *thais* Fabricius, 1787
- 5073) *Cirrochroa thule* Felder, 1960 (Argynnididae) Synonym(s): *thule* Felder, 1960
- 5074) *Cirrochroa thule massalia* Fruhstorfer, 1906 (Argynnididae) Synonym(s): *massalia* Fruhstorfer, 1906
- 5075) *Cirrochroa thule thule* Felder, 1960 (Argynnididae) Synonym(s): *thule* Felder, 1960
- 5076) *Cirrochroa tyche* C.Felder & R.Felder, 1861 (Argynnididae) Synonym(s): *tyche* C.Felder & R.Felder, 1861
- 5077) *Cirrochroa tyche anjira* Moore, 1872 (Argynnididae) Synonym(s): *anjira* Moore, 1872
- 5078) *Cirrochroa tyche aurica* Eliot, 1978 (Argynnididae) Synonym(s): *aurica* Eliot, 1978
- 5079) *Cirrochroa tyche languyana* Treadaway & Nuyda, 1994 (Argynnididae) Synonym(s): *languyana* Treadaway & Nuyda, 1994
- 5080) *Cirrochroa tyche laudabilis* Fruhstorfer, 1900 (Argynnididae) Synonym(s): *laudabilis* Fruhstorfer, 1900
- 5081) *Cirrochroa tyche lesseta* Fruhstorfer, 1912 (Argynnididae) Synonym(s): *lesseta* Fruhstorfer, 1912
- 5082) *Cirrochroa tyche mithila* Moore, 1872 (Argynnididae) Synonym(s): *mithila* Moore, 1872
- 5083) *Cirrochroa tyche rotundata* Butler, 1879 (Argynnididae) Synonym(s): *rotundata* Butler, 1879
- 5084) *Cirrochroa tyche thilina* Fruhstorfer, 1905 (Argynnididae) Synonym(s): *thilina* Fruhstorfer, 1905
- 5085) *Cirrochroa tyche tyche* C.Felder & R.Felder, 1861 (Argynnididae) Synonym(s): *tyche* C.Felder & R.Felder, 1861
- 5086) *Crenidomimas concordia* (Hopffer, 1855) (Argynnididae) Synonym(s): *concordia* Hopffer, 1855; *crawshayi* Butler, 1894
- 5087) *Cupha arias* C.Felder & R.Felder, [1867] (Argynnididae) Synonym(s): *arias* C.Felder & R.Felder, [1867]; *cacina* Fruhstorfer, 1912
- 5088) *Cupha arias arias* C.Felder & R.Felder, [1867] (Argynnididae) Synonym(s): *arias* C.Felder & R.Felder, [1867]; *cacina* Fruhstorfer, 1912
- 5089) *Cupha arias celebensis* Fruhstorfer, 1899 (Argynnididae) Synonym(s): *celebensis* Fruhstorfer, 1899
- 5090) *Cupha arias daptana* Grose-Smith, 1887 (Argynnididae) Synonym(s): *daptana* Grose-Smith, 1887
- 5091) *Cupha arias muna* Fruhstorfer, [1898] (Argynnididae) Synonym(s): *muna* Fruhstorfer, [1898]
- 5092) *Cupha erymanthis* (Drury, [1773]) (Argynnididae) Synonym(s): *erymanthis* Drury, [1773]; *palawana* Fruhstorfer, 1899
- 5093) *Cupha erymanthis andamanica* Moore, 1900 (Argynnididae) Synonym(s): *andamanica* Moore, 1900
- 5094) *Cupha erymanthis celebensis* Fruhstorfer, 1899 (Argynnididae) Synonym(s): *celebensis* Fruhstorfer, 1899
- 5095) *Cupha erymanthis disjuncta* (Weymer, 1885) (Argynnididae) Synonym(s): *disjuncta* Weymer, 1885
- 5096) *Cupha erymanthis dohertyi* Fruhstorfer, 1904 (Argynnididae) Synonym(s): *dohertyi* Fruhstorfer, 1904
- 5097) *Cupha erymanthis erymanthis* (Drury, [1773]) (Argynnididae) Synonym(s): *erymanthis* Drury, [1773]
- 5098) *Cupha erymanthis kangeana* Fruhstorfer, 1903 (Argynnididae) Synonym(s): *kangeana* Fruhstorfer, 1903
- 5099) *Cupha erymanthis lotis* (Sulzer, 1776) (Argynnididae) Synonym(s): *lotis* Sulzer, 1776
- 5100) *Cupha erymanthis maja* Fruhstorfer, 1898 (Argynnididae) Synonym(s): *maja* Fruhstorfer, 1898
- 5101) *Cupha erymanthis nagara* Fruhstorfer, 1912 (Argynnididae) Synonym(s): *nagara* Fruhstorfer, 1912
- 5102) *Cupha erymanthis nicobarica* C.Felder & R.Felder, [1867] (Argynnididae) Synonym(s): *nicobarica* C.Felder & R.Felder, [1867]
- 5103) *Cupha erymanthis peliopteryx* Hagen, 1898 (Argynnididae) Synonym(s): *peliopteryx* Hagen, 1898
- 5104) *Cupha erymanthis placida* Moore, 1881 (Argynnididae) Synonym(s): *placida* Moore, 1881
- 5105) *Cupha erymanthis saturator* Fruhstorfer, [1898] (Argynnididae) Synonym(s): *saturator* Fruhstorfer, [1898]
- 5106) *Cupha erymanthis synnara* Fruhstorfer, 1912 (Argynnididae) Synonym(s): *synnara* Fruhstorfer, 1912
- 5107) *Cupha erymanthis tiomana* Corbet, 1940 (Argynnididae) Synonym(s): *tiomana* Corbet, 1940
- 5108) *Cupha maenoides* Hewitson, 1859 (Argynnididae) Synonym(s): *maenoides* Hewitson, 1859
- 5109) *Cupha maenoides maenada* Grose-Smith, 1898 (Argynnididae) Synonym(s): *maenada* Grose-Smith, 1898
- 5110) *Cupha maenoides maenoides* Hewitson, 1859 (Argynnididae) Synonym(s): *maenoides* Hewitson, 1859
- 5111) *Cupha maenoides rovena* Fruhstorfer, 1912 (Argynnididae) Synonym(s): *rovena* Fruhstorfer, 1912
- 5112) *Cyllopsis gemma* (Hübner, 1816) (Argynnididae) Synonym(s): *gemma* Hübner, 1816
- 5113) *Cymothoe adela* Staudinger, 1890 (Argynnididae) Synonym(s): *adela* Staudinger, 1890; *marginata* Crowley, 1980
- 5114) *Cymothoe alcimeda* (Godart, [1824]) (Argynnididae) Synonym(s): *alcimeda* Godart, [1824]; *eupithes* Doubleday, [1848].
- 5115) *Cymothoe alcimeda alcimeda* (Godart, [1824]) (Argynnididae) Synonym(s): *alcimeda* Godart, [1824]; *eupithes* Doubleday, [1848].
- 5116) *Cymothoe alcimeda clarki* Stevenson, 1940 (Argynnididae) Synonym(s): *clarki* Stevenson, 1940
- 5117) *Cymothoe alcimeda marieps* Rydon, 1994 (Argynnididae) Synonym(s): *marieps* Rydon, 1994
- 5118) *Cymothoe alcimeda rhodesiae* Stevenson, 1934 (Argynnididae) Synonym(s): *rhodesiae* Stevenson, 1934
- 5119) *Cymothoe alcimeda transvaalica* Rydon, 1994 (Argynnididae) Synonym(s): *transvaalica* Rydon, 1994; *#aurantifascia* Rydon, 1994.
- 5120) *Cymothoe alcimeda trimeni* Aurivillius, 1912 (Argynnididae) Synonym(s): *trimeni* Aurivillius, 1912
- 5121) *Cymothoe althea* (Cramer, [1776]) (Argynnididae) Synonym(s): *althea* Cramer, [1776]; *amphicede* Cramer, [1777]
- 5122) *Cymothoe altisidora* (Hewitson, 1869) (Argynnididae) Synonym(s): *altisidora* Hewitson, 1869; *lucretia* Neustetter, 1916
- 5123) *Cymothoe amaniensis* Rydon, 1980 (Argynnididae) Synonym(s): *amaniensis* Rydon, 1980
- 5124) *Cymothoe amenides* (Hewitson, 1874) (Argynnididae) Synonym(s): *amenides* Hewitson, 1874
- 5125) *Cymothoe angulifascia* Aurivillius, 1897 (Argynnididae) Synonym(s): *angulifascia* Aurivillius, 1897; *kassaiensis* C.W.Schmidt, 1921
- 5126) *Cymothoe anitorgis* (Hewitson, 1874) (Argynnididae) Synonym(s): *anitorgis* Hewitson, 1874; *aramis* Hewitson, 1874 nec Hew., 1865; *aralus* Mabille, 1890
- 5127) *Cymothoe aramis* (Hewitson, 1865) (Argynnididae) Synonym(s): *aramis* Hewitson, 1865; *#excelsior* Hall, 1917
- 5128) *Cymothoe aramis aramis* (Hewitson, 1865) (Argynnididae) Synonym(s): *aramis* Hewitson, 1865; *#excelsior* Hall, 1917
- 5129) *Cymothoe aramis schoutedeni* Overlaet, 1952 (Argynnididae) Synonym(s): *schoutedeni* Overlaet, 1952
- 5130) *Cymothoe arcuata* Overlaet, 1945 (Argynnididae) Synonym(s): *arcuata* Overlaet, 1945; *#rubronotata* Overlaet, 1952
- 5131) *Cymothoe aubergeri* Plantrou, 1977 (Argynnididae) Synonym(s): *aubergeri* Plantrou, 1977
- 5132) *Cymothoe aurivillii* Staudinger, 1899 (Argynnididae) Synonym(s): *aurivillii* Staudinger, 1899; *#rubebo* Kielland, 1990; *#congoni* Kielland, 1990; *#handeni* Kielland, 1990
- 5133) *Cymothoe beckeri* (Herrich-Schäffer, [1858]) (Argynnididae) Synonym(s): *beckeri* Herrich-Schäffer, [1858]; *theodota* Hewitson, 1864; *theocranta* Karsch, 1894
- 5134) *Cymothoe beckeri beckeri* (Herrich-Schäffer, [1858]) (Argynnididae) Synonym(s): *beckeri* Herrich-Schäffer, [1858]; *theodota* Hewitson, 1864; *theocranta* Karsch, 1894
- 5135) *Cymothoe beckeri theodosia* Staudinger, 1890 (Argynnididae) Synonym(s): *theodosia* Staudinger, 1890; *marmorata* Sharpe, 1904
- 5136) *Cymothoe caenis* (Drury, [1773]) (Argynnididae) Synonym(s): *caenis* Drury, [1773]; *adelina* Hewitson, 1869; *corsandra* Druce, 1874
- 5137) *Cymothoe capella* (Ward, 1871) (Argynnididae) Synonym(s): *capella* Ward, 1871
- 5138) *Cymothoe caprina* Aurivillius, 1897 (Argynnididae) Synonym(s): *caprina* Aurivillius, 1897
- 5139) *Cymothoe coccinata* (Hewitson, 1874) (Argynnididae) Synonym(s): *coccinata* Hewitson, 1874; *#zickzack* Strand, 1912
- 5140) *Cymothoe coccinata coccinata* (Hewitson, 1874) (Argynnididae) Synonym(s): *coccinata* Hewitson, 1874; *#zickzack* Strand, 1912
- 5141) *Cymothoe coccinata vrydaghi* Overlaet, 1944 (Argynnididae) Synonym(s): *vrydaghi* Overlaet, 1944
- 5142) *Cymothoe collarti* Overlaet, 1942 (Argynnididae) Synonym(s): *collarti* Overlaet, 1942
- 5143) *Cymothoe collarti collarti* Overlaet, 1942 (Argynnididae) Synonym(s): *collarti* Overlaet, 1942
- 5144) *Cymothoe collarti werneri* Beaurain, 1984 (Argynnididae) Synonym(s): *werneri* Beaurain, 1984
- 5145) *Cymothoe collinsi* Rydon, 1980 (Argynnididae) Synonym(s): *collinsi* Rydon, 1980
- 5146) *Cymothoe colmanti* Aurivillius, 1898 (Argynnididae) Synonym(s): *colmanti* Aurivillius, 1898
- 5147) *Cymothoe consanguis* Aurivillius, 1896 (Argynnididae) Synonym(s): *consanguis* Aurivillius, 1896
- 5148) *Cymothoe coranus* Grose-Smith, 1889 (Argynnididae) Synonym(s): *coranus* Grose-Smith, 1889
- 5149) *Cymothoe coranus coranus* Grose-Smith, 1889 (Argynnididae) Synonym(s): *coranus* Grose-Smith, 1889
- 5150) *Cymothoe coranus dowsetti* Beaurain, 1988 (Argynnididae) Synonym(s): *dowsetti* Beaurain, 1988
- 5151) *Cymothoe coranus kiellandi* Beaurain, 1988 (Argynnididae) Synonym(s): *kiellandi* Beaurain, 1988
- 5152) *Cymothoe coranus murphyi* Beaurain, 1988 (Argynnididae) Synonym(s): *murphyi* Beaurain, 1988
- 5153) *Cymothoe cottrelli* Rydon, 1980 (Argynnididae) Synonym(s): *cottrelli* Rydon, 1980

- 5154) *Cymothoe crocea* Schultze, 1917 (Argynnididae) Synonym(s): *crocea* Schultze, 1917
- 5155) *Cymothoe crowleyi* (Kirby, 1889) (Argynnididae) Synonym(s): *crowleyi* Kirby, 1889; *sirene* Staudinger, 1891
- 5156) *Cymothoe cyclades* (Ward, 1871) (Argynnididae) Synonym(s): *cyclades* Ward, 1871; *bonnyi* Grose-Smith, 1890
- 5157) *Cymothoe distincta* Overlaet, 1944 (Argynnididae) Synonym(s): *distincta* Overlaet, 1944; *trolliae* Oberlaet, 1944; *aramoides* Overlaet, 1944
- 5158) *Cymothoe distincta distincta* Overlaet, 1944 (Argynnididae) Synonym(s): *distincta* Overlaet, 1944; *trolliae* Oberlaet, 1944; *aramoides* Overlaet, 1944
- 5159) *Cymothoe distincta kivuensis* Overlaet, 1952 (Argynnididae) Synonym(s): *#kivuensis* Overlaet, 1944; *kivuensis* Overlaet, 1952
- 5160) *Cymothoe egesta* (Cramer, [1775]) (Argynnididae) Synonym(s): *egesta* Cramer, [1775]
- 5161) *Cymothoe egesta confusa* Aurivillius, 1887 (Argynnididae) Synonym(s): *confusa* Aurivillius, 1887; *degesta* Staudinger, 1890; *megaesta* Staudinger, 1890
- 5162) *Cymothoe egesta egesta* (Cramer, [1775]) (Argynnididae) Synonym(s): *egesta* Cramer, [1775]
- 5163) *Cymothoe elebontas* (Hewitson, [1871]) (Argynnididae) Synonym(s): *elebontas* Hewitson, [1871]; *dorothea* Bethune-Baker, 1904; *mweruensis* Neave, 1904
- 5164) *Cymothoe eris* Aurivillius, 1896 (Argynnididae) Synonym(s): *eris* Aurivillius, 1896
- 5165) *Cymothoe eris capellides* Holland, 1920 (Argynnididae) Synonym(s): *capellides* Holland, 1920
- 5166) *Cymothoe eris eris* Aurivillius, 1896 (Argynnididae) Synonym(s): *eris* Aurivillius, 1896
- 5167) *Cymothoe eris sankuruana* Overlaet, 1952 (Argynnididae) Synonym(s): *sankuruana* Overlaet, 1952
- 5168) *Cymothoe euthalioides* Kirby, 1889 (Argynnididae) Synonym(s): *euthalioides* Kirby, 1889; *#gerrescheimi* Neustetter, 1912
- 5169) *Cymothoe euthalioides albomarginata* Neustetter, 1921 (Argynnididae) Synonym(s): *albomarginata* Neustetter, 1921
- 5170) *Cymothoe euthalioides euthalioides* Kirby, 1889 (Argynnididae) Synonym(s): *euthalioides* Kirby, 1889; *#gerrescheimi* Neustetter, 1912
- 5171) *Cymothoe excelsa* Neustetter, 1912 (Argynnididae) Synonym(s): *excelsa* Neustetter, 1912; *#schultzei* Overlaet, 1944; *talboti* Overlaet, 1952
- 5172) *Cymothoe excelsa deltoides* Overlaet, 1944 (Argynnididae) Synonym(s): *deltoides* Overlaet, 1944
- 5173) *Cymothoe excelsa excelsa* Neustetter, 1912 (Argynnididae) Synonym(s): *excelsa* Neustetter, 1912; *#schultzei* Overlaet, 1944; *talboti* Overlaet, 1952
- 5174) *Cymothoe excelsa regislepoldi* Overlaet, 1944 (Argynnididae) Synonym(s): *regislepoldi* Overlaet, 1944
- 5175) *Cymothoe fontainei* Overlaet, 1952 (Argynnididae) Synonym(s): *fontainei* Overlaet, 1952
- 5176) *Cymothoe fontainei debaucheri* Overlaet, 1952 (Argynnididae) Synonym(s): *debaucheri* Overlaet, 1952
- 5177) *Cymothoe fontainei fontainei* Overlaet, 1952 (Argynnididae) Synonym(s): *fontainei* Overlaet, 1952
- 5178) *Cymothoe freyja* (Hancock, 1984) (Argynnididae) Synonym(s): *#bakeri* Berger, 1981; *freyja* Hancock, 1984
- 5179) *Cymothoe fumana* (Westwood, [1850]) (Argynnididae) Synonym(s): *fumana* Westwood, [1850]; *eburnea* Neustetter, 1916
- 5180) *Cymothoe fumana balluca* Fox & Howarth, 1968 (Argynnididae) Synonym(s): *balluca* Fox & Howarth, 1968
- 5181) *Cymothoe fumana fumana* (Westwood, [1850]) (Argynnididae) Synonym(s): *fumana* Westwood, [1850]; *eburnea* Neustetter, 1916
- 5182) *Cymothoe fumana villiersi* Fox, 1968 (Argynnididae) Synonym(s): *villiersi* Fox, 1968
- 5183) *Cymothoe haimodia* (Grose-Smith, 1887) (Argynnididae) Synonym(s): *haimodia* Grose-Smith, 1887
- 5184) *Cymothoe harmilla* (Hewitson, 1874) (Argynnididae) Synonym(s): *harmilla* Hewitson, 1874; *serpentina* Kirby, 1889
- 5185) *Cymothoe hartigi* Belcastro, 1990 (Argynnididae) Synonym(s): *hartigi* Belcastro, 1990; *#itiwaiensis* Belcastro, 1990
- 5186) *Cymothoe haynae* Dewitz, 1887 (Argynnididae) Synonym(s): *haynae* Dewitz, 1887; *umbrosa* Overlaet, 1942
- 5187) *Cymothoe haynae diphya* Karsch, 1894 (Argynnididae) Synonym(s): *diphya* Karsch, 1894
- 5188) *Cymothoe haynae fumosa* Staudinger, 1896 (Argynnididae) Synonym(s): *fumosa* Staudinger, 1896
- 5189) *Cymothoe haynae haynae* Dewitz, 1887 (Argynnididae) Synonym(s): *haynae* Dewitz, 1887; *umbrosa* Overlaet, 1942
- 5190) *Cymothoe haynae superba* Aurivillius, 1898 (Argynnididae) Synonym(s): *superba* Aurivillius, 1898
- 5191) *Cymothoe haynae vosiana* Overlaet, 1942 (Argynnididae) Synonym(s): *vosiana* Overlaet, 1942
- 5192) *Cymothoe heliada* (Hewitson, 1874) (Argynnididae) Synonym(s): *heliada* Hewitson, 1874; *heliadina* Schultze, 1916
- 5193) *Cymothoe heliada heliada* (Hewitson, 1874) (Argynnididae) Synonym(s): *heliada* Hewitson, 1874; *heliadina* Schultze, 1916
- 5194) *Cymothoe heliada liberatorum* Overlaet, 1952 (Argynnididae) Synonym(s): *liberatorum* Overlaet, 1952
- 5195) *Cymothoe heliada mutshindji* Overlaet, 1940 (Argynnididae) Synonym(s): *mutshindji* Overlaet, 1940; *seydeli* Overlaet, 1945
- 5196) *Cymothoe herminia* (Grose-Smith, 1887) (Argynnididae) Synonym(s): *herminia* Grose-Smith, 1887; *sultani* Bryk, 1915; *siegfriedi* Bryk, 1915; *poensis* Holland, 1920; *vulcanica* Schultze, 1920
- 5197) *Cymothoe herminia gongoa* Fox, 1965 (Argynnididae) Synonym(s): *gongoa* Fox, 1965
- 5198) *Cymothoe herminia herminia* (Grose-Smith, 1887) (Argynnididae) Synonym(s): *herminia* Grose-Smith, 1887; *sultani* Bryk, 1915; *siegfriedi* Bryk, 1915; *poensis* Holland, 1920; *vulcanica* Schultze, 1920
- 5199) *Cymothoe herminia johnstoni* (Butler, 1902) (Argynnididae) Synonym(s): *johnstoni* Butler, 1902; *overlaeti* Overlaet, 1942
- 5200) *Cymothoe herminia katshokwe* Overlaet, 1940 (Argynnididae) Synonym(s): *katshokwe* Overlaet, 1940
- 5201) *Cymothoe hesiodina* Schultze, 1908 (Argynnididae) Synonym(s): *hesiodina* Schultze, 1908
- 5202) *Cymothoe hesiodotus* Staudinger, 1890 (Argynnididae) Synonym(s): *hesiodotus* Staudinger, 1890
- 5203) *Cymothoe hesiodotus clarior* Overlaet, 1952 (Argynnididae) Synonym(s): *clarior* Overlaet, 1952
- 5204) *Cymothoe hesiodotus hesiodotus* Staudinger, 1890 (Argynnididae) Synonym(s): *hesiodotus* Staudinger, 1890
- 5205) *Cymothoe hirundo* (Staudinger, 1891) (Argynnididae) Synonym(s): *hirundo* Staudinger, 1891; *#bakeri* St Leger, 1969
- 5206) *Cymothoe hirundo hirundo* (Staudinger, 1891) (Argynnididae) Synonym(s): *hirundo* Staudinger, 1891; *#bakeri* St Leger, 1969
- 5207) *Cymothoe hirundo lufirensis* (Joicey & Talbot, 1921) (Argynnididae) Synonym(s): *lufirensis* Joicey & Talbot, 1921; *#rufa* Joicey & Talbot, 1921; *rufa* Van Someren, 1939
- 5208) *Cymothoe hobarti* Butler, 1900 (Argynnididae) Synonym(s): *hobarti* Butler, 1900
- 5209) *Cymothoe hobarti candidata* Overlaet, 1954 (Argynnididae) Synonym(s): *candidata* Overlaet, 1954
- 5210) *Cymothoe hobarti hobarti* Butler, 1900 (Argynnididae) Synonym(s): *hobarti* Butler, 1900
- 5211) *Cymothoe hobarti lactanganyikae* Collins, 1990 (Argynnididae) Synonym(s): *lactanganyikae* Collins, 1990
- 5212) *Cymothoe hobarti mwamikazi* Overlaet, 1952 (Argynnididae) Synonym(s): *mwamikazi* Overlaet, 1952
- 5213) *Cymothoe howarthi* Rydon, 1981 (Argynnididae) Synonym(s): *howarthi* Rydon, 1981
- 5214) *Cymothoe hyarbita* (Hewitson, 1866) (Argynnididae) Synonym(s): *hyarbita* Hewitson, 1866; *hora* Distant, 1880; *buchholzi* Plötz, 1880; *electrinos* Birket-Smith, 1960
- 5215) *Cymothoe hyarbita hyarbita* (Hewitson, 1866) (Argynnididae) Synonym(s): *hyarbita* Hewitson, 1866; *hora* Distant, 1880; *buchholzi* Plötz, 1880; *electrinos* Birket-Smith, 1960
- 5216) *Cymothoe hyarbita hyarbitina* Aurivillius, 1897 (Argynnididae) Synonym(s): *hyarbitina* Aurivillius, 1897
- 5217) *Cymothoe hypatha* (Hewitson, 1866) (Argynnididae) Synonym(s): *hypatha* Hewitson, 1866; *hesiodus* Hewitson, 1869; *alexander* Suffert, 1904; *#lucida* Overlaet, 1952
- 5218) *Cymothoe indamora* (Hewitson, 1866) (Argynnididae) Synonym(s): *indamora* Hewitson, 1866; *hewitsoni* Staudinger, 1890; *staudingeri* Aurivillius, 1898
- 5219) *Cymothoe indamora amorinda* Van Someren, 1939 (Argynnididae) Synonym(s): *amorinda* Van Someren, 1939
- 5220) *Cymothoe indamora canui* Beaurain, 1985 (Argynnididae) Synonym(s): *canui* Beaurain, 1985
- 5221) *Cymothoe indamora indamora* (Hewitson, 1866) (Argynnididae) Synonym(s): *indamora* Hewitson, 1866; *hewitsoni* Staudinger, 1890; *staudingeri* Aurivillius, 1898
- 5222) *Cymothoe isiro* Rydon, 1981 (Argynnididae) Synonym(s): *isiro* Rydon, 1981; *#albidior* Rydon, 1981
- 5223) *Cymothoe jodutta* (Westwood, [1850]) (Argynnididae) Synonym(s): *jodutta* Westwood, [1850]; *aralus* Mabille, 1890
- 5224) *Cymothoe jodutta ciceronis* (Ward, 1871) (Argynnididae) Synonym(s): *ciceronis* Ward, 1871
- 5225) *Cymothoe jodutta ehmccke* Dewitz, 1887 (Argynnididae) Synonym(s): *ehmccke* Dewitz, 1887
- 5226) *Cymothoe jodutta jodutta* (Westwood, [1850]) (Argynnididae) Synonym(s): *jodutta* Westwood, [1850]; *aralus* Mabille, 1890
- 5227) *Cymothoe jodutta mostinckxi* Overlaet, 1952 (Argynnididae) Synonym(s): *mostinckxi* Overlaet, 1952
- 5228) *Cymothoe kraepelini* Schultze, 1912 (Argynnididae) Synonym(s): *kraepelini* Schultze, 1912
- 5229) *Cymothoe lambertoni* Oberthür, 1923 (Argynnididae) Synonym(s): *lambertoni* Oberthür, 1923
- 5230) *Cymothoe lambertoni dujardini* Viette, 1971 (Argynnididae) Synonym(s): *dujardini* Viette, 1971
- 5231) *Cymothoe lambertoni lambertoni* Oberthür, 1923 (Argynnididae) Synonym(s): *lambertoni* Oberthür, 1923
- 5232) *Cymothoe liberti* (Collins, 1987) (Argynnididae) Synonym(s): *liberti* Collins, 1987
- 5233) *Cymothoe lucasii* (Doumet, 1859) (Argynnididae) Synonym(s): *lucasii* Doumet, 1859
- 5234) *Cymothoe lucasii binotorum* Darge, 1985 (Argynnididae) Synonym(s): *binotorum* Darge, 1985
- 5235) *Cymothoe lucasii cloetensi* Seeldrayers, 1896 (Argynnididae) Synonym(s): *cloetensi* Seeldrayers, 1896
- 5236) *Cymothoe lucasii lucasii* (Doumet, 1859) (Argynnididae) Synonym(s): *lucasii* Doumet, 1859
- 5237) *Cymothoe lucasii minigorum* Darge, 1985 (Argynnididae) Synonym(s): *minigorum* Darge, 1985
- 5238) *Cymothoe lurida* (Butler, 1871) (Argynnididae) Synonym(s): *lurida* Butler, 1871; *congoensis* Suffert, 1904; *hesione* Weymer, 1907; *dubia* Schoeden, 1912; *nigeriensis* Overlaet, 1952
- 5239) *Cymothoe lurida azumai* Carcasson, 1964 (Argynnididae) Synonym(s): *azumai* Carcasson, 1964

- 5240) *Cymothoe lurida butleri* Grünberg, 1908 (Argynnidae) Synonym(s): *butleri* Grünberg, 1908
 5241) *Cymothoe lurida centralis* Overlaet, 1952 (Argynnidae) Synonym(s): *centralis* Overlaet, 1952
 5242) *Cymothoe lurida lurida* (Butler, 1871) (Argynnidae) Synonym(s): *lurida* Butler, 1871; *congoensis* Suffert, 1904; *hesione* Weyer, 1907; *dubia* Schoeteden, 1912; *nigeriensis* Overlaet, 1952
 5243) *Cymothoe lurida sublurida* Fruhstorfer, 1903 (Argynnidae) Synonym(s): *sublurida* Fruhstorfer, 1903
 5244) *Cymothoe lurida tristis* Overlaet, 1952 (Argynnidae) Synonym(s): *tristis* Overlaet, 1952
 5245) *Cymothoe mabiliei* Overlaet, 1944 (Argynnidae) Synonym(s): *aralus* Mabilie, 1890 nec Mab., 1890; *mabiliei* Overlaet, 1944
 5246) *Cymothoe magambae* Rydon, 1980 (Argynnidae) Synonym(s): *magambae* Rydon, 1980
 5247) *Cymothoe magnus* Joicey & Talbot, 1928 (Argynnidae) Synonym(s): *magnus* Joicey & Talbot, 1928
 5248) *Cymothoe melanjae* Bethune-Baker, 1926 (Argynnidae) Synonym(s): *melanjae* Bethune-Baker, 1926
 5249) *Cymothoe meridionalis* Overlaet, 1944 (Argynnidae) Synonym(s): *meridionalis* Overlaet, 1944; *#diffusa* Overlaet, 1944
 5250) *Cymothoe meridionalis ghesquierei* Overlaet, 1944 (Argynnidae) Synonym(s): *ghesquierei* Overlaet, 1944
 5251) *Cymothoe meridionalis meridionalis* Overlaet, 1944 (Argynnidae) Synonym(s): *meridionalis* Overlaet, 1944; *#diffusa* Overlaet, 1944
 5252) *Cymothoe ochreata* Grose-Smith, 1890 (Argynnidae) Synonym(s): *ochreata* Grose-Smith, 1890; *cycladina* Grünberg, 1908; *vicina* Hulstaert, 1926
 5253) *Cymothoe oemilius* (Doumet, 1859) (Argynnidae) Synonym(s): *oemilius* Doumet, 1859; *hemeresia* Hewitson, 1864; *frederica* Distant, 1880; *#achillides* Schultze, 1916
 5254) *Cymothoe oemilius fernandina* Hall, 1929 (Argynnidae) Synonym(s): *fernandina* Hall, 1929
 5255) *Cymothoe oemilius oemilius* (Doumet, 1859) (Argynnidae) Synonym(s): *oemilius* Doumet, 1859; *hemeresia* Hewitson, 1864; *frederica* Distant, 1880; *#achillides* Schultze, 1916
 5256) *Cymothoe ogova* Plötz, 1880 (Argynnidae) Synonym(s): *ogova* Plötz, 1880
 5257) *Cymothoe orphnina* Karsch, 1894 (Argynnidae) Synonym(s): *orphnina* Karsch, 1894; *infuscata* Joicey & Talbot, 1921
 5258) *Cymothoe orphnina orphnina* Karsch, 1894 (Argynnidae) Synonym(s): *orphnina* Karsch, 1894; *infuscata* Joicey & Talbot, 1921
 5259) *Cymothoe orphnina suavis* Schultze, 1913 (Argynnidae) Synonym(s): *suavis* Schultze, 1913
 5260) *Cymothoe owassae* Schultze, 1916 (Argynnidae) Synonym(s): *owassae* Schultze, 1916
 5261) *Cymothoe pluto* (Ward, 1873) (Argynnidae) Synonym(s): *pluto* Ward, 1873; *trigona* Holland, 1892; *mocquersyi* Staudinger, 1893; *sterna* Staudinger, 1894; *intricata* Aurivillius, 1894; *falsathyma* Schultze, 1916
 5262) *Cymothoe pluto kinugnana* (Grose-Smith, 1889) (Argynnidae) Synonym(s): *kinugnana* Grose-Smith, 1889; *uhelda* Mabilie, 1890; *#rufa* Joicey & Talbot, 1921; *#mckayi* Gifford, 1965
 5263) *Cymothoe pluto neptunus* (Joicey & Talbot, 1924) (Argynnidae) Synonym(s): *neptunus* Joicey & Talbot, 1924
 5264) *Cymothoe pluto pluto* (Ward, 1873) (Argynnidae) Synonym(s): *pluto* Ward, 1873; *trigona* Holland, 1892; *mocquersyi* Staudinger, 1893; *sterna* Staudinger, 1894; *intricata* Aurivillius, 1894; *falsathyma* Schultze, 1916
 5265) *Cymothoe pluto primitiva* (Hancock, 1884) (Argynnidae) Synonym(s): *primitiva* Hancock, 1884
 5266) *Cymothoe pluto zowa* (Fox, 1965) (Argynnidae) Synonym(s): *zowa* Fox, 1965
 5267) *Cymothoe preussi* Staudinger, 1890 (Argynnidae) Synonym(s): *preussi* Staudinger, 1890
 5268) *Cymothoe radialis* Gaede, 1916 (Argynnidae) Synonym(s): *radialis* Gaede, 1916
 5269) *Cymothoe rebeli* Neustetter, 1912 (Argynnidae) Synonym(s): *rebeli* Neustetter, 1912
 5270) *Cymothoe reginaelisabethae* Holland, 1920 (Argynnidae) Synonym(s): *reginaelisabethae* Holland, 1920; *dropsyi* Overlaet, 1944
 5271) *Cymothoe reginaelisabethae belgarum* Overlaet, 1952 (Argynnidae) Synonym(s): *belgarum* Overlaet, 1952
 5272) *Cymothoe reginaelisabethae reginaelisabethae* Holland, 1920 (Argynnidae) Synonym(s): *reginaelisabethae* Holland, 1920; *dropsyi* Overlaet, 1944
 5273) *Cymothoe reinholdi* (Plötz, 1880) (Argynnidae) Synonym(s): *reinholdi* Plötz, 1880; *theodora* Staudinger, 1890
 5274) *Cymothoe reinholdi reinholdi* (Plötz, 1880) (Argynnidae) Synonym(s): *reinholdi* Plötz, 1880; *theodora* Staudinger, 1890
 5275) *Cymothoe reinholdi vitalis* Rebel, 1914 (Argynnidae) Synonym(s): *vitalis* Rebel, 1914
 5276) *Cymothoe richelmanni* (Weyer, 1907) (Argynnidae) Synonym(s): *richelmanni* Weyer, 1907
 5277) *Cymothoe sangaris* (Godart, [1824]) (Argynnidae) Synonym(s): *sangaris* Godart, [1824]; *uselda* Hewitson, [1869]
 5278) *Cymothoe sangaris luluana* Overlaet, 1945 (Argynnidae) Synonym(s): *luluana* Overlaet, 1945
 5279) *Cymothoe sangaris sangaris* (Godart, [1824]) (Argynnidae) Synonym(s): *sangaris* Godart, [1824]; *uselda* Hewitson, [1869]
 5280) *Cymothoe sassiana* Schouteden, 1912 (Argynnidae) Synonym(s): *sassiana* Schouteden, 1912
 5281) *Cymothoe sassiana intermedia* Neustetter, 1912 (Argynnidae) Synonym(s): *intermedia* Neustetter, 1912
 5282) *Cymothoe sassiana sassiana* Schouteden, 1912 (Argynnidae) Synonym(s): *sassiana* Schouteden, 1912
 5283) *Cymothoe semirufa* (Joicey & Talbot, 1921) (Argynnidae) Synonym(s): *semirufa* Joicey & Talbot, 1921; *mirifica* Carpenter & Jackson, 1950
 5284) *Cymothoe teita* Van Someren, 1939 (Argynnidae) Synonym(s): *teita* Van Someren, 1939
 5285) *Cymothoe vumbui* Bethune-Baker, 1926 (Argynnidae) Synonym(s): *vumbui* Bethune-Baker, 1926
 5286) *Cymothoe weymeri* Suffert, 1904 (Argynnidae) Synonym(s): *weymeri* Suffert, 1904; *#defasciatus* Rydon, 1981
 5287) *Cymothoe weymeri mulatta* Belcastro, 1990 (Argynnidae) Synonym(s): *mulatta* Belcastro, 1990
 5288) *Cymothoe weymeri weymeri* Suffert, 1904 (Argynnidae) Synonym(s): *weymeri* Suffert, 1904; *#defasciatus* Rydon, 1981
 5289) *Cymothoe zenkeri* Richelmann, 1913 (Argynnidae) Synonym(s): *zenkeri* Richelmann, 1913; *stetteni* Bryk, 1915; *langi* Holland, 1920
 5290) *Cymothoe zombana* Bethune-Baker, 1926 (Argynnidae) Synonym(s): *zombana* Bethune-Baker, 1926
 5291) *Cynandra opis* (Drury, [1773]) (Argynnidae) Synonym(s): *opis* Drury, [1773]; *after* Drury, 1782; *aethiopica* Fabricius, 1793
 5292) *Cynandra opis bernardii* Lagnel, 1967 (Argynnidae) Synonym(s): *bernardii* Lagnel, 1967
 5293) *Cynandra opis opis* (Drury, [1773]) (Argynnidae) Synonym(s): *opis* Drury, [1773]; *after* Drury, 1782; *aethiopica* Fabricius, 1793
 5294) *Cynitia cocytina* (Horsfield, 1829) (Argynnidae) Synonym(s): *cocytina* Horsfield, 1829
 5295) *Cynitia cocytina darani* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *darani* Fruhstorfer, 1913
 5296) *Cynitia cocytina uposantha* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *uposantha* Fruhstorfer, 1913
 5297) *Cynitia godartii* (Gray, 1846) (Argynnidae) Synonym(s): *godartii* Gray, 1846
 5298) *Cynitia godartii dhayma* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *dhayma* Fruhstorfer, 1913
 5299) *Cynitia phlegethon* Semper, 1888 (Argynnidae) Synonym(s): *phlegethon* Semper, 1888
 5300) *Cynitia phlegethon nirodha* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *nirodha* Fruhstorfer, 1913
 5301) *Cynitia phlegethon phlegethon* Semper, 1888 (Argynnidae) Synonym(s): *phlegethon* Semper, 1888
 5302) *Cynitia phlegethon visayana* Schröder & Treadaway, 1981 (Argynnidae) Synonym(s): *visayana* Schröder & Treadaway, 1981
 5303) *Cynitia semperi* (Staudinger, 1889) (Argynnidae) Synonym(s): *semperi* Staudinger, 1889
 5304) *Cynitia semperi candida* Schröder, Treadaway & Nuyda, 1990 (Argynnidae) Synonym(s): *candida* Schröder, Treadaway & Nuyda, 1990
 5305) *Cynitia semperi semperi* (Staudinger, 1889) (Argynnidae) Synonym(s): *semperi* Staudinger, 1889
 5306) *Cynthia annabella* Field, 1971 (Argynnidae) Synonym(s): *annabella* Field, 1971
 5307) *Cynthia cardui* (Linnaeus, 1758) (Argynnidae) Synonym(s): *cardui* Linnaeus, 1758; *carduelis* Cramer, 1775; *elymi* Rambur, 1829; *kershawii* McCoy, 1868; *pallida* Schöyen, 1881; *universa* Verity, 1919; *takesakiana* Kato, 1925
 5308) *Cynthia cardui cardui* (Linnaeus, 1758) (Argynnidae) Synonym(s): *cardui* Linnaeus, 1758; *carduelis* Cramer, 1775; *elymi* Rambur, 1829; *kershawii* McCoy, 1868; *pallida* Schöyen, 1881; *universa* Verity, 1919; *takesakiana* Kato, 1925
 5309) *Cynthia virginensis* (Drury, [1773]) (Argynnidae) Synonym(s): *virginensis* Drury, [1773]; *huntera* Fabricius, 1775; *iole* Cramer, 1775
 5310) *Cynthia virginensis virginensis* (Drury, [1773]) (Argynnidae) Synonym(s): *virginensis* Drury, [1773]; *huntera* Fabricius, 1775; *iole* Cramer, 1775
 5311) *Cyrestis (Azania) camillus* (Fabricius, 1781) (Argynnidae) Synonym(s): *camillus* Fabricius, 1781; *pantheus* Drury, 1782
 5312) *Cyrestis (Azania) camillus camillus* (Fabricius, 1781) (Argynnidae) Synonym(s): *camillus* Fabricius, 1781; *pantheus* Drury, 1782
 5313) *Cyrestis (Azania) camillus elegans* Boisduval, 1833 (Argynnidae) Synonym(s): *elegans* Boisduval, 1833
 5314) *Cyrestis (Azania) camillus sublineatus* Lathy, 1901 (Argynnidae) Synonym(s): *sublineatus* Lathy, 1901
 5315) *Cyrestis (s.str.) thyodamas* Boisduval, 1836 (Argynnidae) Synonym(s): *thyodamas* Boisduval, 1836; *nobilior* Martin, 1903
 5316) *Cyrestis (s.str.) thyodamas afghana* Martin, 1903 (Argynnidae) Synonym(s): *afghana* Martin, 1903
 5317) *Cyrestis (s.str.) thyodamas andamanica* Wood-Mason (Argynnidae) Synonym(s): *andamanica* Wood-Mason
 5318) *Cyrestis (s.str.) thyodamas thyodamas* Boisduval, 1836 (Argynnidae) Synonym(s): *thyodamas* Boisduval, 1836; *nobilior* Martin, 1903
 5319) *Cyrestis cassander* C. Felder & R. Felder, 1863 (Argynnidae) Synonym(s): *cassander* C. Felder & R. Felder, 1863
 5320) *Cyrestis cassander cassander* C. Felder & R. Felder, 1863 (Argynnidae) Synonym(s): *cassander* C. Felder & R. Felder, 1863
 5321) *Cyrestis cassander dacebalus* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *dacebalus* Fruhstorfer, 1912
 5322) *Cyrestis cassander orchomenus* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *orchomenus* Fruhstorfer, 1912
 5323) *Cyrestis cassander thessa* Fruhstorfer, 1889 (Argynnidae) Synonym(s): *thessa* Fruhstorfer, 1889

- 5324) *Cyrestis cocles* (Fabricius,1787) (Argynnidæ) Synonym(s): *cocles* Fabricius,1787
 5325) *Cyrestis cocles cocles* (Fabricius,1787) (Argynnidæ) Synonym(s): *cocles* Fabricius,1787
 5326) *Cyrestis cocles earli* Distant,1883 (Argynnidæ) Synonym(s): *earli* Distant,1883; *formosa* C.Felder & R.Felder,[1867]
 5327) *Cyrestis kudrati* Jumalon,1975 (Argynnidæ) Synonym(s): *kudrati* Jumalon,1975
 5328) *Cyrestis maenalis* Erichson,1834 (Argynnidæ) Synonym(s): *maenalis* Erichson,1834
 5329) *Cyrestis maenalis aiedius* Fruhstorfer,1912 (Argynnidæ) Synonym(s): *aiedius* Fruhstorfer,1912
 5330) *Cyrestis maenalis cebuensis* M.Okano & T.Okano,1988 (Argynnidæ) Synonym(s): *cebuensis* M.Okano & T.Okano,1988
 5331) *Cyrestis maenalis eumelus* Fruhstorfer,1915 (Argynnidæ) Synonym(s): *eumelus* Fruhstorfer,1915
 5332) *Cyrestis maenalis kynosura* Tsukada & Nishiyama,1985 (Argynnidæ) Synonym(s): *kynosura* Tsukada & Nishiyama,1985
 5333) *Cyrestis maenalis maenalis* Erichson,1834 (Argynnidæ) Synonym(s): *maenalis* Erichson,1834
 5334) *Cyrestis maenalis martini* Hartert,1902 (Argynnidæ) Synonym(s): *martini* Hartert,1902
 5335) *Cyrestis maenalis negros* Martin,1903 (Argynnidæ) Synonym(s): *negros* Martin,1903
 5336) *Cyrestis maenalis obscurior* Staudinger,1889 (Argynnidæ) Synonym(s): *obscurior* Staudinger,1889
 5337) *Cyrestis maenalis oebasius* Fruhstorfer,1912 (Argynnidæ) Synonym(s): *oebasius* Fruhstorfer,1912
 5338) *Cyrestis maenalis rizali* Tsukada & Nishiyama,1985 (Argynnidæ) Synonym(s): *rizali* Tsukada & Nishiyama,1985
 5339) *Cyrestis maenalis rothschildi* Martin,1903 (Argynnidæ) Synonym(s): *rothschildi* Martin,1903
 5340) *Cyrestis maenalis zamboangensis* Jumalon,1975 (Argynnidæ) Synonym(s): *zamboangensis* Jumalon,1975
 5341) *Cyrestis nivea* (Zincken,1831) (Argynnidæ) Synonym(s): *nivea* Zincken,1831
 5342) *Cyrestis nivea nivalis* C.Felder & R.Felder,[1867] (Argynnidæ) Synonym(s): *nivalis* C.Felder & R.Felder,[1867]
 5343) *Cyrestis nivea nivea* (Zincken,1831) (Argynnidæ) Synonym(s): *nivea* Zincken,1831
 5344) *Cyrestis nivea pigmentosa* Okubo,1983 (Argynnidæ) Synonym(s): *pigmentosa* Okubo,1983
 5345) *Cyrestis nivea superbus* Staudinger,1889 (Argynnidæ) Synonym(s): *superbus* Staudinger,1889
 5346) *Cyrestis themire* Honrath,[1884] (Argynnidæ) Synonym(s): *themire* Honrath,[1884]
 5347) *Cyrestis themire pemanggilensis* Eliot,1978 (Argynnidæ) Synonym(s): *pemanggilensis* Eliot,1978
 5348) *Cyrestis themire robinsoni* Pendlebury,1933 (Argynnidæ) Synonym(s): *robinsoni* Pendlebury,1933
 5349) *Cyrestis themire siamensis* Fruhstorfer,1898 (Argynnidæ) Synonym(s): *siamensis* Fruhstorfer,1898; *klossi* Pendlebury,1933
 5350) *Cyrestis themire themire* Honrath,[1884] (Argynnidæ) Synonym(s): *themire* Honrath,[1884]
 5351) *Diagora assimilis* (Linnaeus,1758) (Argynnidæ) Synonym(s): *assimilis* Linnaeus,1758
 5352) *Diagora assimilis assimilis* (Linnaeus,1758) (Argynnidæ) Synonym(s): *assimilis* Linnaeus,1758
 5353) *Diagora nicevillei* Moore,1896 (Argynnidæ) Synonym(s): *nicevillei* Moore,1896
 5354) *Diagora nicevillei nicevillei* Moore,1896 (Argynnidæ) Synonym(s): *nicevillei* Moore,1896
 5355) *Dichorragia nesimachus* (Doyère,1840) (Argynnidæ) Synonym(s): *nesimachus* Doyère,1840
 5356) *Dichorragia nesimachus deiokes* Fruhstorfer,1913 (Argynnidæ) Synonym(s): *deiokes* Fruhstorfer,1913
 5357) *Dichorragia nesimachus kawamurai* Nihira,1982 (Argynnidæ) Synonym(s): *kawamurai* Nihira,1982
 5358) *Dichorragia nesimachus leytenis* Shimagami,1990 (Argynnidæ) Synonym(s): *leytenis* Shimagami,1990
 5359) *Dichorragia nesimachus luzonensis* Shimagami,1990 (Argynnidæ) Synonym(s): *luzonensis* Shimagami,1990
 5360) *Dichorragia nesimachus machates* Fruhstorfer,1903 (Argynnidæ) Synonym(s): *machates* Fruhstorfer,1903
 5361) *Dichorragia nesimachus nesimachus* (Doyère,1840) (Argynnidæ) Synonym(s): *nesimachus* Doyère,1840
 5362) *Dichorragia nesimachus peisistratus* Fruhstorfer,1913 (Argynnidæ) Synonym(s): *peisistratus* Fruhstorfer,1913
 5363) *Dichorragia nesimachus samarensis* Tsukada,1991 (Argynnidæ) Synonym(s): *samarensis* Tsukada,1991
 5364) *Dilipa fenestra* Leech,1891 (Argynnidæ) Synonym(s): *fenestra* Leech,1891
 5365) *Dilipa fenestra fenestra* Leech,1891 (Argynnidæ) Synonym(s): *fenestra* Leech,1891
 5366) *Dilipa morgiana* (Westwood,[1850]) (Argynnidæ) Synonym(s): *morgiana* Westwood,[1850]
 5367) *Dilipa morgiana morgiana* (Westwood,[1850]) (Argynnidæ) Synonym(s): *morgiana* Westwood,[1850]
 5368) *Doleschallia bisaltide* (Cramer,[1777]) (Argynnidæ) Synonym(s): *bisaltide* Cramer,[1777]
 5369) *Doleschallia bisaltide andamanensis* Fruhstorfer,1899 (Argynnidæ) Synonym(s): *andamanensis* Fruhstorfer,1899
 5370) *Doleschallia bisaltide apameia* Fruhstorfer,1912 (Argynnidæ) Synonym(s): *apameia* Fruhstorfer,1912
 5371) *Doleschallia bisaltide australis* C.Felder & R.Felder,[1867] (Argynnidæ) Synonym(s): *australis* C.Felder & R.Felder,[1867]
 5372) *Doleschallia bisaltide bisaltide* (Cramer,[1777]) (Argynnidæ) Synonym(s): *bisaltide* Cramer,[1777]
 5373) *Doleschallia bisaltide borneensis* Fruhstorfer,1899 (Argynnidæ) Synonym(s): *borneensis* Fruhstorfer,1899
 5374) *Doleschallia bisaltide ceylonica* Fruhstorfer,1903 (Argynnidæ) Synonym(s): *ceylonica* Fruhstorfer,1903
 5375) *Doleschallia bisaltide indica* Moore,1900 (Argynnidæ) Synonym(s): *indica* Moore,1900
 5376) *Doleschallia bisaltide kara* Tytler,1940 (Argynnidæ) Synonym(s): *kara* Tytler,1940
 5377) *Doleschallia bisaltide merguiana* Evans,1924 (Argynnidæ) Synonym(s): *merguiana* Evans,1924
 5378) *Doleschallia bisaltide niasica* Butler,1884 (Argynnidæ) Synonym(s): *niasica* Butler,1884
 5379) *Doleschallia bisaltide philippensis* Fruhstorfer,1899 (Argynnidæ) Synonym(s): *philippensis* Fruhstorfer,1899
 5380) *Doleschallia bisaltide pratipa* C.Felder & R.Felder,1860 (Argynnidæ) Synonym(s): *pratipa* C.Felder & R.Felder,1860
 5381) *Doleschallia bisaltide siamensis* Fruhstorfer,1912 (Argynnidæ) Synonym(s): *siamensis* Fruhstorfer,1912
 5382) *Doleschallia bisaltide surculus* Fruhstorfer,1912 (Argynnidæ) Synonym(s): *surculus* Fruhstorfer,1912
 5383) *Doleschallia dascon* Godman & Salvin,1880 (Argynnidæ) Synonym(s): *dascon* Godman & Salvin,1880; *dasconides* Fruhstorfer,1903
 5384) *Doleschallia dascylus* Godman & Salvin,1880 (Argynnidæ) Synonym(s): *dascylus* Godman & Salvin,1880
 5385) *Doleschallia hexophthalmos* (Gmelin,1791) (Argynnidæ) Synonym(s): *hexophthalmos* Gmelin,1791; *ardys* Fruhstorfer,1912
 5386) *Doxocopa laure* (Drury,[1773]) (Argynnidæ) Synonym(s): *laure* Drury,[1773]
 5387) *Doxocopa pavon* (Latreille,[1809]) (Argynnidæ) Synonym(s): *pavon* Latreille,[1809]
 5388) *Dymasia dymas* (Edwards,1877) (Argynnidæ) Synonym(s): *dymas* Edwards,1877; *larunda* Strecker,1877; *senrabii* Barnes,1900
 5389) *Dymasia dymas chara* (Edwards,1883) (Argynnidæ) Synonym(s): *chara* Edwards,1883
 5390) *Dymasia dymas dymas* (Edwards,1877) (Argynnidæ) Synonym(s): *dymas* Edwards,1877; *larunda* Strecker,1877; *senrabii* Barnes,1900
 5391) *Dymasia dymas imperialis* (Bauer,[1959]) (Argynnidæ) Synonym(s): *imperialis* Bauer,[1959]
 5392) *Dynamine dyonis* Geyer,[1837] (Argynnidæ) Synonym(s): *dyonis* Geyer,[1837]
 5393) *Epiphile adrasta* (Argynnidæ) Synonym(s):
 5394) *Euapatura mirza* Ebert,1971 (Argynnidæ) Synonym(s): *mirza* Ebert,1971; *iwasei* Igarashi,1971.
 5395) *Euapatura mirza mirza* Ebert,1971 (Argynnidæ) Synonym(s): *mirza* Ebert,1971; *iwasei* Igarashi,1971.
 5396) *Eulaceura osteria* (Westwood,[1850]) (Argynnidæ) Synonym(s): *osteria* Westwood,[1850]
 5397) *Eulaceura osteria kumana* Fruhstorfer,1913 (Argynnidæ) Synonym(s): *kumana* Fruhstorfer,1913
 5398) *Eulaceura osteria osteria* (Westwood,[1850]) (Argynnidæ) Synonym(s): *osteria* Westwood,[1850]
 5399) *Eunica monima* (Stoll,[1782]) (Argynnidæ) Synonym(s): *monima* Stoll,[1782]; *hyperipte* Hübner,[1823]; *myrto* Godart,[1824]; *modesta* H.W.Bates,1864
 5400) *Eunica tatila* (Herrich-Schäffer,1853) (Argynnidæ) Synonym(s): *tatila* Herrich-Schäffer,1853; *coerulea* Godman & Salvin,1877
 5401) *Euphaedra aberrans* Staudinger,1891 (Argynnidæ) Synonym(s): *aberrans* Staudinger,1891; *normalis* Staudinger,1891
 5402) *Euphaedra acuta* Hecq,1977 (Argynnidæ) Synonym(s): *acuta* Hecq,1977
 5403) *Euphaedra adolfriderici* Schultz,1920 (Argynnidæ) Synonym(s): *adolfriderici* Schultz,1920
 5404) *Euphaedra adonina* (Hewitson,1865) (Argynnidæ) Synonym(s): *adonina* Hewitson,1865; *#rotundata* Talbot,1932
 5405) *Euphaedra adonina adonina* (Hewitson,1865) (Argynnidæ) Synonym(s): *adonina* Hewitson,1865; *#rotundata* Talbot,1932
 5406) *Euphaedra adonina prasina* Hecq,1991 (Argynnidæ) Synonym(s): *prasina* Hecq,1991
 5407) *Euphaedra adonina reflecta* Hecq,1982 (Argynnidæ) Synonym(s): *reflecta* Hecq,1982
 5408) *Euphaedra afzelii* (C.Felder & R.Felder,[1867]) (Argynnidæ) Synonym(s): *afzelii* C.Felder & R.Felder,[1867]
 5409) *Euphaedra alacris* Hecq,1978 (Argynnidæ) Synonym(s): *alacris* Hecq,1978
 5410) *Euphaedra albofasciata* Berger,1981 (Argynnidæ) Synonym(s): *#albofasciata* Rebel,1914; *albofasciata* Berger,1981
 5411) *Euphaedra alboides* Hecq,1984 (Argynnidæ) Synonym(s): *alboides* Hecq,1984
 5412) *Euphaedra ansorgei* Rothschild,1918 (Argynnidæ) Synonym(s): *ansorgei* Rothschild,1918; *themidoides* Gaede,1916
 5413) *Euphaedra apparata* Hecq,1982 (Argynnidæ) Synonym(s): *apparata* Hecq,1982
 5414) *Euphaedra aubergeri* Hecq,1977 (Argynnidæ) Synonym(s): *aubergeri* Hecq,1977

- 5415) *Euphaedra aureola* Kirby, 1889 (Argynnididae) Synonym(s): *aureola* Kirby, 1889; *auriger* Staudinger, 1891
- 5416) *Euphaedra aurivillii* Niepelt, 1914 (Argynnididae) Synonym(s): *aurivillii* Niepelt, 1914
- 5417) *Euphaedra barnsi* Joicey & Talbot, 1922 (Argynnididae) Synonym(s): *barnsi* Joicey & Talbot, 1922
- 5418) *Euphaedra bergeri* Hecq, 1974 (Argynnididae) Synonym(s): *bergeri* Hecq, 1974
- 5419) *Euphaedra bombeana* D'Abrera, 1980 (Argynnididae) Synonym(s): *#bombeana* Strand, 1912; *bombeana* D'Abrera, 1980
- 5420) *Euphaedra brevis* Hecq, 1977 (Argynnididae) Synonym(s): *brevis* Hecq, 1977
- 5421) *Euphaedra caerulea* Grose-Smith, 1890 (Argynnididae) Synonym(s): *caerulea* Grose-Smith, 1890; *cyanea* Holland, 1920
- 5422) *Euphaedra calliope* Hecq, 1981 (Argynnididae) Synonym(s): *calliope* Hecq, 1981
- 5423) *Euphaedra calliope* Hecq, 1981 (Argynnididae) Synonym(s): *calliope* Hecq, 1981
- 5424) *Euphaedra calliope ombrophila* Hecq, 1981 (Argynnididae) Synonym(s): *ombrophila* Hecq, 1981
- 5425) *Euphaedra campaspe* (C.Felder & R.Felder, [1867]) (Argynnididae) Synonym(s): *campaspe* C.Felder & R.Felder, [1867]
- 5426) *Euphaedra campaspe campaspe* (C.Felder & R.Felder, [1867]) (Argynnididae) Synonym(s): *campaspe* C.Felder & R.Felder, [1867]
- 5427) *Euphaedra campaspe permixtoides* Hecq, 1986 (Argynnididae) Synonym(s): *permixtoides* Hecq, 1986
- 5428) *Euphaedra canui* Hecq, 1987 (Argynnididae) Synonym(s): *canui* Hecq, 1987
- 5429) *Euphaedra castanea* Berger, 1981 (Argynnididae) Synonym(s): *castanea* Berger, 1981; *cinnamomea* Hecq, 1984
- 5430) *Euphaedra castanoides* Hecq, 1985 (Argynnididae) Synonym(s): *castanoides* Hecq, 1985
- 5431) *Euphaedra centralis* Hecq, 1985 (Argynnididae) Synonym(s): *centralis* Hecq, 1985
- 5432) *Euphaedra ceres* (Fabricius, 1775) (Argynnididae) Synonym(s): *ceres* Fabricius, 1775; *lucille* Cramer, [1777]; *lucullus* Herbst, 1792; *zeuxis* Westwood, [1850]; *schultzei* Neustetter, 1927
- 5433) *Euphaedra ceres artaynta* Möschler, 1887 (Argynnididae) Synonym(s): *artaynta* Möschler, 1887; *lutescens* Hecq, 1979
- 5434) *Euphaedra ceres ceres* (Fabricius, 1775) (Argynnididae) Synonym(s): *ceres* Fabricius, 1775; *lucille* Cramer, [1777]; *lucullus* Herbst, 1792; *zeuxis* Westwood, [1850]; *schultzei* Neustetter, 1927
- 5435) *Euphaedra ceres electra* Hecq, 1983 (Argynnididae) Synonym(s): *#abluta* Schultze, 1920; *electra* Hecq, 1983
- 5436) *Euphaedra christyi* Sharpe, 1904 (Argynnididae) Synonym(s): *christyi* Sharpe, 1904
- 5437) *Euphaedra clio* Hecq, 1981 (Argynnididae) Synonym(s): *clio* Hecq, 1981
- 5438) *Euphaedra confina* Hecq, 1992 (Argynnididae) Synonym(s): *confina* Hecq, 1992
- 5439) *Euphaedra congo* Hecq, 1985 (Argynnididae) Synonym(s): *congo* Hecq, 1985
- 5440) *Euphaedra cooksoni* Druce, 1905 (Argynnididae) Synonym(s): *cooksoni* Druce, 1905; *katangensis* Talbot, 1927
- 5441) *Euphaedra coprates* (Druce, 1875) (Argynnididae) Synonym(s): *coprates* Druce, 1875; *#congoensis* C.W.Schmidt, 1921; *angustimarginata* C.W.Schmidt, 1921
- 5442) *Euphaedra cottoni* Sharpe, 1907 (Argynnididae) Synonym(s): *cottoni* Sharpe, 1907; *rezioides* Holland, 1920
- 5443) *Euphaedra crawshayi* Butler, 1895 (Argynnididae) Synonym(s): *crawshayi* Butler, 1895
- 5444) *Euphaedra crockeri* (Butler, 1869) (Argynnididae) Synonym(s): *crockeri* Butler, 1869
- 5445) *Euphaedra crockeri crockeri* (Butler, 1869) (Argynnididae) Synonym(s): *crockeri* Butler, 1869
- 5446) *Euphaedra crockeri umbratilis* Hecq, 1987 (Argynnididae) Synonym(s): *umbratilis* Hecq, 1987
- 5447) *Euphaedra crosseii* Sharpe, 1902 (Argynnididae) Synonym(s): *crosseii* Sharpe, 1902; *aureofasciata* Lathy, 1903
- 5448) *Euphaedra cuprea* Hecq, 1980 (Argynnididae) Synonym(s): *cuprea* Hecq, 1980
- 5449) *Euphaedra cyparissa* (Cramer, [1775]) (Argynnididae) Synonym(s): *cyparissa* Cramer, [1775]; *cato* Fabricius, 1787; *aureola* Rothschild, 1918 *nec* Kirb., 1889
- 5450) *Euphaedra cyparissa aurata* Carpenter, 1895 (Argynnididae) Synonym(s): *aurata* Carpenter, 1895
- 5451) *Euphaedra cyparissa cyparissa* (Cramer, [1775]) (Argynnididae) Synonym(s): *cyparissa* Cramer, [1775]; *cato* Fabricius, 1787; *aureola* Rothschild, 1918 *nec* Kirb., 1889
- 5452) *Euphaedra cyparissa tai* Hecq, 1986 (Argynnididae) Synonym(s): *tai* Hecq, 1986
- 5453) *Euphaedra dargeana* Hecq, 1980 (Argynnididae) Synonym(s): *dargeana* Hecq, 1980
- 5454) *Euphaedra dargei* Hecq, 1975 (Argynnididae) Synonym(s): *dargei* Hecq, 1975
- 5455) *Euphaedra delera* Hecq, 1989 (Argynnididae) Synonym(s): *#delera* Hecq, 1983; *delera* Hecq, 1989
- 5456) *Euphaedra demeter* Hecq, 1983 (Argynnididae) Synonym(s): *demeter* Hecq, 1983
- 5457) *Euphaedra disjuncta* Hecq, 1984 (Argynnididae) Synonym(s): *disjuncta* Hecq, 1984
- 5458) *Euphaedra disjuncta disjuncta* Hecq, 1984 (Argynnididae) Synonym(s): *disjuncta* Hecq, 1984
- 5459) *Euphaedra disjuncta virens* Hecq, 1984 (Argynnididae) Synonym(s): *virens* Hecq, 1984
- 5460) *Euphaedra ducarmeii* Hecq, 1977 (Argynnididae) Synonym(s): *ducarmeii* Hecq, 1977
- 5461) *Euphaedra eberti* Aurivillius, 1896 (Argynnididae) Synonym(s): *eberti* Aurivillius, 1896
- 5462) *Euphaedra eberti eberti* Aurivillius, 1896 (Argynnididae) Synonym(s): *eberti* Aurivillius, 1896
- 5463) *Euphaedra eberti hamus* Berger, 1940 (Argynnididae) Synonym(s): *hamus* Berger, 1940
- 5464) *Euphaedra eburnensis* Hecq, 1979 (Argynnididae) Synonym(s): *eburnensis* Hecq, 1979
- 5465) *Euphaedra edwardsii* (Van der Hoeven, 1845) (Argynnididae) Synonym(s): *edwardsii* Van der Hoeven, 1845; *pratins* Doubleday, [1848]; *viridis* Suffert, 1904; *#clarus* Aurivillius, 1912; *clarus* D'Abrera, 1980
- 5466) *Euphaedra eleus* (Drury, 1782) (Argynnididae) Synonym(s): *eleus* Drury, 1782; *erasmus* Birker-Smith, 1960
- 5467) *Euphaedra eupalus* (Fabricius, 1781) (Argynnididae) Synonym(s): *eupalus* Fabricius, 1781; *erithonius* Fabricius, 1787; *swanziana* Butler, 1868
- 5468) *Euphaedra eusemoides* (Grose-Smith & Kirby, 1889) (Argynnididae) Synonym(s): *eusemoides* Grose-Smith & Kirby, 1889; *coeruleopunctata* Gaede, 1916
- 5469) *Euphaedra exerrata* Hecq, 1982 (Argynnididae) Synonym(s): *exerrata* Hecq, 1982
- 5470) *Euphaedra fascinata* Hecq, 1984 (Argynnididae) Synonym(s): *fascinata* Hecq, 1984
- 5471) *Euphaedra ferruginea* Staudinger, 1886 (Argynnididae) Synonym(s): *ferruginea* Staudinger, 1886
- 5472) *Euphaedra fontainei* Hecq, 1977 (Argynnididae) Synonym(s): *#agraphica* Hecq, 1977; *fontainei* Hecq, 1977
- 5473) *Euphaedra francina* (Godart, [1824]) (Argynnididae) Synonym(s): *francina* Godart, [1824]; *sophon* Doubleday, [1848]
- 5474) *Euphaedra fulvofasciata* Holland, 1920 (Argynnididae) Synonym(s): *fulvofasciata* Holland, 1920; *angustior* Holland, 1920; *fulvofasciata* Hecq, 1984
- 5475) *Euphaedra gausape* (Butler, 1866) (Argynnididae) Synonym(s): *gausape* Butler, 1866
- 5476) *Euphaedra grandis* Hecq, 1980 (Argynnididae) Synonym(s): *grandis* Hecq, 1980
- 5477) *Euphaedra graueri* Rothschild, 1918 (Argynnididae) Synonym(s): *graueri* Rothschild, 1918
- 5478) *Euphaedra grilloti* Hecq, 1983 (Argynnididae) Synonym(s): *grilloti* Hecq, 1983
- 5479) *Euphaedra harpalyce* (Cramer, [1777]) (Argynnididae) Synonym(s): *harpalyce* Cramer, [1777]; *lakuma* Butler, 1870; *fasciata* Staudinger, 1886
- 5480) *Euphaedra harpalyce dowsetti* Hecq, 1990 (Argynnididae) Synonym(s): *dowsetti* Hecq, 1990
- 5481) *Euphaedra harpalyce harpalyce* (Cramer, [1777]) (Argynnididae) Synonym(s): *harpalyce* Cramer, [1777]; *lakuma* Butler, 1870; *fasciata* Staudinger, 1886
- 5482) *Euphaedra harpalyce serena* Talbot, 1928 (Argynnididae) Synonym(s): *serena* Talbot, 1928
- 5483) *Euphaedra harpalyce spatiosa* (Mabille, 1876) (Argynnididae) Synonym(s): *spatiosa* Mabille, 1876
- 5484) *Euphaedra harpalyce sudanensis* Talbot, 1929 (Argynnididae) Synonym(s): *sudanensis* Talbot, 1929
- 5485) *Euphaedra harpalyce vana* Hecq, 1991 (Argynnididae) Synonym(s): *vana* Hecq, 1991
- 5486) *Euphaedra hastiri* Hecq, 1981 (Argynnididae) Synonym(s): *hastiri* Hecq, 1981
- 5487) *Euphaedra hastiri hastiri* Hecq, 1981 (Argynnididae) Synonym(s): *hastiri* Hecq, 1981
- 5488) *Euphaedra hastiri polymnie* Hecq, 1981 (Argynnididae) Synonym(s): *polymnie* Hecq, 1981
- 5489) *Euphaedra hebes* Hecq, 1980 (Argynnididae) Synonym(s): *hebes* Hecq, 1980
- 5490) *Euphaedra herberti* (Sharpe, 1891) (Argynnididae) Synonym(s): *herberti* Sharpe, 1891
- 5491) *Euphaedra herberti herberti* (Sharpe, 1891) (Argynnididae) Synonym(s): *herberti* Sharpe, 1891
- 5492) *Euphaedra herberti katanga* Hecq, 1980 (Argynnididae) Synonym(s): *katanga* Hecq, 1980
- 5493) *Euphaedra hewitsoni* Hecq, 1974 (Argynnididae) Synonym(s): *hewitsoni* Hecq, 1974
- 5494) *Euphaedra hewitsoni angusta* Hecq, 1974 (Argynnididae) Synonym(s): *angusta* Hecq, 1974
- 5495) *Euphaedra hewitsoni bipuncta* Hecq, 1974 (Argynnididae) Synonym(s): *bipuncta* Hecq, 1974
- 5496) *Euphaedra hewitsoni disclara* Hecq, 1991 (Argynnididae) Synonym(s): *disclara* Hecq, 1991
- 5497) *Euphaedra hewitsoni hewitsoni* Hecq, 1974 (Argynnididae) Synonym(s): *hewitsoni* Hecq, 1974
- 5498) *Euphaedra hewitsoni somptuosa* Hecq, 1974 (Argynnididae) Synonym(s): *somptuosa* Hecq, 1974
- 5499) *Euphaedra hollandi* Hecq, 1974 (Argynnididae) Synonym(s): *hollandi* Hecq, 1974
- 5500) *Euphaedra hollandi albocoerulea* Hecq, 1976 (Argynnididae) Synonym(s): *#albocoerulea* Rothschild, 1918; *albocoerulea* Hecq, 1976
- 5501) *Euphaedra hollandi hollandi* Hecq, 1974 (Argynnididae) Synonym(s): *diffusa* Gaede, 1916; *cyanea* Holland, 1920 *nec* Holl., 1920; *hollandi* Hecq, 1974

- 5502) *Euphaedra hybrida* Hecq,1978 (Argynnidae) Synonym(s): *#hybridus Aurivillius,1898; hybrida Hecq,1978*
- 5503) *Euphaedra illustris* Talbot,1927 (Argynnidae) Synonym(s): *illustris Talbot,1927*
- 5504) *Euphaedra imitans* Holland,1893 (Argynnidae) Synonym(s): *imitans Holland,1893; interjecta Gaede,1916*
- 5505) *Euphaedra imperialis* Lindemans,1910 (Argynnidae) Synonym(s): *imperialis Lindemans,1910*
- 5506) *Euphaedra imperialis arta* Hecq,1979 (Argynnidae) Synonym(s): *arta Hecq,1979*
- 5507) *Euphaedra imperialis gabonica* Rothschild,1918 (Argynnidae) Synonym(s): *gabonica Rothschild,1918*
- 5508) *Euphaedra imperialis hecqui* Darge,1974 (Argynnidae) Synonym(s): *hecqui Darge,1974*
- 5509) *Euphaedra imperialis imperialis* Lindemans,1910 (Argynnidae) Synonym(s): *imperialis Lindemans,1910; strasseni Schultze,1912*
- 5510) *Euphaedra inanum* (Butler,1873) (Argynnidae) Synonym(s): *inanum Butler,1873*
- 5511) *Euphaedra intermedia* Rebel,1914 (Argynnidae) Synonym(s): *intermedia Rebel,1914; #obsoleta Joicey & Talbot,1921*
- 5512) *Euphaedra jacksoni* Hecq,1980 (Argynnidae) Synonym(s): *jacksoni Hecq,1980*
- 5513) *Euphaedra janetta* (Butler,1871) (Argynnidae) Synonym(s): *janetta Butler,1871; #reducta Bartel,1905; janettina Gaede,1916; viridis Schultze,1920 nec Suff.,1903; #or Hecq,1987*
- 5514) *Euphaedra janetta appositiva* Hecq,1982 (Argynnidae) Synonym(s): *appositiva Hecq,1982*
- 5515) *Euphaedra janetta campaspoides* Hecq,1985 (Argynnidae) Synonym(s): *campaspoides Hecq,1985*
- 5516) *Euphaedra janetta insularis* Schultze,1920 (Argynnidae) Synonym(s): *insularis Schultze,1920*
- 5517) *Euphaedra janetta janetta* (Butler,1871) (Argynnidae) Synonym(s): *janetta Butler,1871; #reducta Bartel,1905; janettina Gaede,1916; viridis Schultze,1920 nec Suff.,1903; #or Hecq,1987*
- 5518) *Euphaedra janetta remota* Hecq,1991 (Argynnidae) Synonym(s): *remota Hecq,1991*
- 5519) *Euphaedra jolyana* Hecq,1986 (Argynnidae) Synonym(s): *jolyana Hecq,1986*
- 5520) *Euphaedra judith Weymer,1892* (Argynnidae) Synonym(s): *judith Weymer,1892*
- 5521) *Euphaedra judith aubergeriana* Hecq,1981 (Argynnidae) Synonym(s): *aubergeriana Hecq,1981*
- 5522) *Euphaedra judith judith Weymer,1892* (Argynnidae) Synonym(s): *judith Weymer,1892*
- 5523) *Euphaedra justicia* Staudinger,1886 (Argynnidae) Synonym(s): *justicia Staudinger,1886; aurette Gaede,1916*
- 5524) *Euphaedra karschi* Bartel,1905 (Argynnidae) Synonym(s): *karschi Bartel,1905*
- 5525) *Euphaedra karschi karschi* Bartel,1905 (Argynnidae) Synonym(s): *karschi Bartel,1905*
- 5526) *Euphaedra karschi sankuruensis* Hecq,1980 (Argynnidae) Synonym(s): *sankuruensis Hecq,1980*
- 5527) *Euphaedra labourea* Toulgoet,1957 (Argynnidae) Synonym(s): *labourea Toulgoet,1957*
- 5528) *Euphaedra laguerrei* Hecq,1979 (Argynnidae) Synonym(s): *laguerrei Hecq,1979*
- 5529) *Euphaedra landbecki* Rothschild,1918 (Argynnidae) Synonym(s): *landbecki Rothschild,1918*
- 5530) *Euphaedra lata* Hecq,1980 (Argynnidae) Synonym(s): *lata Hecq,1980*
- 5531) *Euphaedra leloupi* Overlaet,1955 (Argynnidae) Synonym(s): *leloupi Overlaet,1955*
- 5532) *Euphaedra losinga* (Hewitson,1864) (Argynnidae) Synonym(s): *losinga Hewitson,1864*
- 5533) *Euphaedra losinga knoopi* Hecq,1988 (Argynnidae) Synonym(s): *knoopi Hecq,1988*
- 5534) *Euphaedra losinga limita* Hecq,1978 (Argynnidae) Synonym(s): *limita Hecq,1978; arcana Hecq,1978*
- 5535) *Euphaedra losinga losinga* (Hewitson,1864) (Argynnidae) Synonym(s): *losinga Hewitson,1864*
- 5536) *Euphaedra losinga wardi* (Druce,1874) (Argynnidae) Synonym(s): *wardi Druce,1874; johnstoni Butler,1888; #janthina Schultze,1920*
- 5537) *Euphaedra luperca* (Hewitson,1864) (Argynnidae) Synonym(s): *luperca Hewitson,1864*
- 5538) *Euphaedra luperca luperca* (Hewitson,1864) (Argynnidae) Synonym(s): *luperca Hewitson,1864*
- 5539) *Euphaedra luperca marginalis* Hecq,1979 (Argynnidae) Synonym(s): *marginalis Hecq,1979*
- 5540) *Euphaedra lupercoides* Rothschild,1918 (Argynnidae) Synonym(s): *lupercoides Rothschild,1918*
- 5541) *Euphaedra luteofasciata* Hecq,1979 (Argynnidae) Synonym(s): *#luteofasciata Bartel,1905; #variegata Aurivillius,1912; #suffusa Rothschild,1918; luteofasciata Hecq,1979; variegata D'Abreu,1980*
- 5542) *Euphaedra luteofasciata fucora* Hecq,1979 (Argynnidae) Synonym(s): *fucora Hecq,1979*
- 5543) *Euphaedra luteofasciata luteofasciata* Hecq,1979 (Argynnidae) Synonym(s): *luteofasciata Hecq,1979*
- 5544) *Euphaedra margaritifera* Schultze,1920 (Argynnidae) Synonym(s): *margaritifera Schultze,1920; zenkeri Neustetter,1927*
- 5545) *Euphaedra margueriteae* Hecq,1978 (Argynnidae) Synonym(s): *margueriteae Hecq,1978*
- 5546) *Euphaedra maxima* Holland,1920 (Argynnidae) Synonym(s): *maxima Holland,1920; #flava Dufrane,1933*
- 5547) *Euphaedra mayumbensis* Hecq,1984 (Argynnidae) Synonym(s): *mayumbensis Hecq,1984*
- 5548) *Euphaedra medon* (Linnaeus,1763) (Argynnidae) Synonym(s): *medon Linnaeus,1763; janasa Linnaeus,1764; agnes Butler,1866*
- 5549) *Euphaedra medon abouna* Ungemach,1932 (Argynnidae) Synonym(s): *abouna Ungemach,1932*
- 5550) *Euphaedra medon celestis* Hecq,1986 (Argynnidae) Synonym(s): *celestis Hecq,1986*
- 5551) *Euphaedra medon fernanda* Hecq,1981 (Argynnidae) Synonym(s): *#fernanda Fruhstorfer,1903; fernanda Hecq,1981*
- 5552) *Euphaedra medon inaequabilis* Thurai,1904 (Argynnidae) Synonym(s): *inaequabilis Thurai,1904*
- 5553) *Euphaedra medon medon* (Linnaeus,1763) (Argynnidae) Synonym(s): *medon Linnaeus,1763; janasa Linnaeus,1764; agnes Butler,1866*
- 5554) *Euphaedra medon neustetteri* Niepelt,1915 (Argynnidae) Synonym(s): *neustetteri Niepelt,1915*
- 5555) *Euphaedra medon pholus* (Van der Hoeven,1840) (Argynnidae) Synonym(s): *pholus Van der Hoeven,1840*
- 5556) *Euphaedra medon sanctanna* Hecq,1985 (Argynnidae) Synonym(s): *sanctanna Hecq,1985*
- 5557) *Euphaedra medon viridinota* (Butler,1871) (Argynnidae) Synonym(s): *viridinota Butler,1871*
- 5558) *Euphaedra melpomene* Hecq,1981 (Argynnidae) Synonym(s): *melpomene Hecq,1981*
- 5559) *Euphaedra mendax* Hecq,1983 (Argynnidae) Synonym(s): *mendax Hecq,1983*
- 5560) *Euphaedra mendax mendax* Hecq,1983 (Argynnidae) Synonym(s): *mendax Hecq,1983*
- 5561) *Euphaedra mendax robusta* Hecq,1983 (Argynnidae) Synonym(s): *robusta Hecq,1983*
- 5562) *Euphaedra minuta* Hecq,1982 (Argynnidae) Synonym(s): *minuta Hecq,1982*
- 5563) *Euphaedra mirabilis* Hecq,1980 (Argynnidae) Synonym(s): *mirabilis Hecq,1980*
- 5564) *Euphaedra mirabilis mirabilis* Hecq,1980 (Argynnidae) Synonym(s): *mirabilis Hecq,1980*
- 5565) *Euphaedra mirabilis nubila* Hecq,1986 (Argynnidae) Synonym(s): *nubila Hecq,1986*
- 5566) *Euphaedra miranda* Hecq,1984 (Argynnidae) Synonym(s): *miranda Hecq,1984*
- 5567) *Euphaedra modesta* Hecq,1982 (Argynnidae) Synonym(s): *modesta Hecq,1982*
- 5568) *Euphaedra morini* Hecq,1983 (Argynnidae) Synonym(s): *morini Hecq,1983*
- 5569) *Euphaedra morini erici* Hecq & Joly,1987 (Argynnidae) Synonym(s): *erici Hecq & Joly,1987*
- 5570) *Euphaedra morini mbamou* Hecq,1987 (Argynnidae) Synonym(s): *mbamou Hecq,1987*
- 5571) *Euphaedra morini morini* Hecq,1983 (Argynnidae) Synonym(s): *morini Hecq,1983*
- 5572) *Euphaedra murphyi* Hecq,1991 (Argynnidae) Synonym(s): *murphyi Hecq,1991*
- 5573) *Euphaedra neophron* (Hopffer,1855) (Argynnidae) Synonym(s): *neophron Hopffer,1855; zambesia C.Felder & R.Felder,[1867]*
- 5574) *Euphaedra neophron ellenbecki* Pagenstecher,1902 (Argynnidae) Synonym(s): *ellenbecki Pagenstecher,1902*
- 5575) *Euphaedra neophron kiellandi* Hecq,1985 (Argynnidae) Synonym(s): *kiellandi Hecq,1985*
- 5576) *Euphaedra neophron littoralis* Talbot,1929 (Argynnidae) Synonym(s): *littoralis Talbot,1929*
- 5577) *Euphaedra neophron meruensis* Van Someren,1935 (Argynnidae) Synonym(s): *meruensis Van Someren,1935*
- 5578) *Euphaedra neophron neophron* (Hopffer,1855) (Argynnidae) Synonym(s): *neophron Hopffer,1855; zambesia C.Felder & R.Felder,[1867]*
- 5579) *Euphaedra neophron rydoni* Howarth,1969 (Argynnidae) Synonym(s): *rydoni Howarth,1969*
- 5580) *Euphaedra neophron violaceae* (Butler,1888) (Argynnidae) Synonym(s): *violaceae Butler,1888*
- 5581) *Euphaedra neumanni* Rothschild,1902 (Argynnidae) Synonym(s): *neumanni Rothschild,1902; perochrata Ungemach,1932; attenuata Gabriel,1949*
- 5582) *Euphaedra nigrobasalis* Joicey & Talbot,1921 (Argynnidae) Synonym(s): *nigrobasalis Joicey & Talbot,1921; upemba Overlaet,1955*
- 5583) *Euphaedra nigrobasalis ceramica* Hecq,1991 (Argynnidae) Synonym(s): *ceramica Hecq,1991*
- 5584) *Euphaedra nigrobasalis nigrobasalis* Joicey & Talbot,1921 (Argynnidae) Synonym(s): *nigrobasalis Joicey & Talbot,1921; upemba Overlaet,1955*
- 5585) *Euphaedra nigrocilia* Lathy,1903 (Argynnidae) Synonym(s): *nigrocilia Lathy,1903*
- 5586) *Euphaedra nigrocilia nigrocilia* Lathy,1903 (Argynnidae) Synonym(s): *nigrocilia Lathy,1903*
- 5587) *Euphaedra nigrocilia tenebrosa* Hecq,1983 (Argynnidae) Synonym(s): *tenebrosa Hecq,1983*
- 5588) *Euphaedra niveovittata* Overlaet,1955 (Argynnidae) Synonym(s): *#niveovittata Aurivillius,1903; niveovittata Overlaet,1955*
- 5589) *Euphaedra occulta* Hecq,1982 (Argynnidae) Synonym(s): *occulta Hecq,1982*

- 5590) *Euphaedra ochracea* Hecq,1978 (Argynnididae) Synonym(s): *ochracea* Hecq,1978
 5591) *Euphaedra ochrovirens* Hecq,1984 (Argynnididae) Synonym(s): *ochrovirens* Hecq,1984
 5592) *Euphaedra olivacea* Grünberg,1908 (Argynnididae) Synonym(s): *olivacea* Grünberg,1908; *sordida* Talbot,1929
 5593) *Euphaedra orientalis* Rothschild,1898 (Argynnididae) Synonym(s): *orientalis* Rothschild,1898; *nguruensis* Stoneham,1956
 5594) *Euphaedra overlaeti* Hulstaert,1926 (Argynnididae) Synonym(s): *overlaeti* Hulstaert,1926
 5595) *Euphaedra paradoxa* Neave,1904 (Argynnididae) Synonym(s): *paradoxa* Neave,1904; *difficilis* Rothschild,1918; *zukumaensis* Stoneham,1956
 5596) *Euphaedra perdita* Hecq,1986 (Argynnididae) Synonym(s): *perdita* Hecq,1986
 5597) *Euphaedra permixtum* (Butler,1873) (Argynnididae) Synonym(s): *permixtum* Butler,1873; *innocentia* Staudinger,1886; *rubronotata* Sharpe,1891
 5598) *Euphaedra permixtum diva* Hecq,1982 (Argynnididae) Synonym(s): *diva* Hecq,1982
 5599) *Euphaedra permixtum permixtum* (Butler,1873) (Argynnididae) Synonym(s): *permixtum* Butler,1873; *innocentia* Staudinger,1886; *rubronotata* Sharpe,1891
 5600) *Euphaedra perseis* (Drury,[1773]) (Argynnididae) Synonym(s): *perseis* Drury,[1773]; *#pseudeleus* Hall,1935
 5601) *Euphaedra phaethusa* (Butler,1866) (Argynnididae) Synonym(s): *phaethusa* Butler,1866; *vespasia* Möschler,1887; *adelica* Bartel,1905; *#aurea* Neustetter,1927; *ceroides* Hecq,1983; *aurea* Hecq,1983
 5602) *Euphaedra phosphor* Joicey & Talbot,1921 (Argynnididae) Synonym(s): *phosphor* Joicey & Talbot,1921
 5603) *Euphaedra piriformis* Hecq,1982 (Argynnididae) Synonym(s): *piriformis* Hecq,1982
 5604) *Euphaedra plagiaria* Hecq,1980 (Argynnididae) Synonym(s): *plagiaria* Hecq,1980
 5605) *Euphaedra plagiaria plagiaria* Hecq,1980 (Argynnididae) Synonym(s): *plagiaria* Hecq,1980
 5606) *Euphaedra plagiaria smitsi* Hecq,1991 (Argynnididae) Synonym(s): *smitsi* Hecq,1991
 5607) *Euphaedra plantroui* Hecq,1981 (Argynnididae) Synonym(s): *plantroui* Hecq,1981
 5608) *Euphaedra preussi* Staudinger,1891 (Argynnididae) Synonym(s): *preussi* Staudinger,1891; *njamjami* Staudinger,1891; *#albovittata* Aurivillius,1902; *#ochrofasciata* Rebel,1914; *albipunctata* Gaede,1916; *marginemaculata* Gaede,1916; *flavofasciata* Gaede,1916; *notata* Holland,1920; *latefasciata* Holland,1920; *#obsoleta* Joicey & Talbot,1921; *lacteata* Talbot,1929
 5609) *Euphaedra preussi pallida* Hecq,1984 (Argynnididae) Synonym(s): *pallida* Hecq,1984
 5610) *Euphaedra preussi preussi* Staudinger,1891 (Argynnididae) Synonym(s): *preussi* Staudinger,1891; *njamjami* Staudinger,1891; *#albovittata* Aurivillius,1902; *#ochrofasciata* Rebel,1914; *albipunctata* Gaede,1916; *marginemaculata* Gaede,1916; *flavofasciata* Gaede,1916; *notata* Holland,1920; *latefasciata* Holland,1920; *#obsoleta* Joicey & Talbot,1921; *lacteata* Talbot,1929
 5611) *Euphaedra procerca* Hecq,1984 (Argynnididae) Synonym(s): *procerca* Hecq,1984
 5612) *Euphaedra proserpina* Hecq,1983 (Argynnididae) Synonym(s): *proserpina* Hecq,1983
 5613) *Euphaedra proserpina persephona* Hecq,1983 (Argynnididae) Synonym(s): *persephona* Hecq,1983
 5614) *Euphaedra proserpina proserpina* Hecq,1983 (Argynnididae) Synonym(s): *proserpina* Hecq,1983
 5615) *Euphaedra proserpina tisiphona* Hecq,1983 (Argynnididae) Synonym(s): *tisiphona* Hecq,1983
 5616) *Euphaedra protea* Hecq,1983 (Argynnididae) Synonym(s): *protea* Hecq,1983
 5617) *Euphaedra rattrayi* Sharpe,1904 (Argynnididae) Synonym(s): *rattrayi* Sharpe,1904; *latifasciata* Talbot,1929 *nec* Holl.,1920; *alternus* Van Someren,1935; *#bwambaensis* Stoneham,1956
 5618) *Euphaedra rattrayi coeruleomaculata* Hecq,1991 (Argynnididae) Synonym(s): *#coeruleomaculata* Stoneham,1932; *coeruleomaculata* Hecq,1991
 5619) *Euphaedra rattrayi rattrayi* Sharpe,1904 (Argynnididae) Synonym(s): *rattrayi* Sharpe,1904; *latifasciata* Talbot,1929 *nec* Holl.,1920; *alternus* Van Someren,1935; *#bwambaensis* Stoneham,1956
 5620) *Euphaedra ravola* (Hewitson,1866) (Argynnididae) Synonym(s): *ravola* Hewitson,1866; *#insignis* Hecq,1983
 5621) *Euphaedra regularis* Hecq,1983 (Argynnididae) Synonym(s): *regularis* Hecq,1983
 5622) *Euphaedra rex* Stoneham,1935 (Argynnididae) Synonym(s): *rex* Stoneham,1935; *kakamegae* Van Someren,1935; *bunyalae* Stoneham,1965
 5623) *Euphaedra rezia* (Hewitson,1866) (Argynnididae) Synonym(s): *rezia* Hewitson,1866
 5624) *Euphaedra rubrocostata* (Aurivillius,1897) (Argynnididae) Synonym(s): *rubrocostata* Aurivillius,1897
 5625) *Euphaedra rubrocostata generosa* Hecq,1987 (Argynnididae) Synonym(s): *generosa* Hecq,1987
 5626) *Euphaedra rubrocostata rubrocostata* (Aurivillius,1897) (Argynnididae) Synonym(s): *rubrocostata* Aurivillius,1897
 5627) *Euphaedra ruspina* (Hewitson,1865) (Argynnididae) Synonym(s): *ruspina* Hewitson,1865
 5628) *Euphaedra sarcoptera* (Butler,1871) (Argynnididae) Synonym(s): *sarcoptera* Butler,1871
 5629) *Euphaedra sarcoptera cyparissoides* Hecq,1979 (Argynnididae) Synonym(s): *cyparissoides* Hecq,1979
 5630) *Euphaedra sarcoptera nipponicorum* (Carcasson,1965) (Argynnididae) Synonym(s): *nipponicorum* Carcasson,1965
 5631) *Euphaedra sarcoptera sarcoptera* (Butler,1871) (Argynnididae) Synonym(s): *sarcoptera* Butler,1871
 5632) *Euphaedra sardetta* Gaede,1916 (Argynnididae) Synonym(s): *sardetta* Gaede,1916; *#implete* Gaede,1916; *sardetta* Berger,1981
 5633) *Euphaedra sarita* (Sharpe,1891) (Argynnididae) Synonym(s): *sarita* Sharpe,1891; *#stigmatica* Hecq,1977
 5634) *Euphaedra sarita abyssinica* Rothschild,1902 (Argynnididae) Synonym(s): *abyssinica* Rothschild,1902
 5635) *Euphaedra sarita lulua* Hecq,1977 (Argynnididae) Synonym(s): *lulua* Hecq,1977
 5636) *Euphaedra sarita sarita* (Sharpe,1891) (Argynnididae) Synonym(s): *sarita* Sharpe,1891; *#stigmatica* Hecq,1977
 5637) *Euphaedra simplex* Hecq,1978 (Argynnididae) Synonym(s): *simplex* Hecq,1978
 5638) *Euphaedra sinuosa* Hecq,1974 (Argynnididae) Synonym(s): *sinuosa* Hecq,1974
 5639) *Euphaedra splendens* Hecq,1982 (Argynnididae) Synonym(s): *splendens* Hecq,1982
 5640) *Euphaedra stellata* Hecq,1991 (Argynnididae) Synonym(s): *stellata* Hecq,1991
 5641) *Euphaedra subferruginea* Guillaumin,1976 (Argynnididae) Synonym(s): *subferruginea* Guillaumin,1976
 5642) *Euphaedra subprocera* Hecq,1984 (Argynnididae) Synonym(s): *subprocera* Hecq,1984
 5643) *Euphaedra subprotea* Hecq,1986 (Argynnididae) Synonym(s): *subprotea* Hecq,1986
 5644) *Euphaedra subrezia* Hecq,1983 (Argynnididae) Synonym(s): *subrezia* Hecq,1983
 5645) *Euphaedra subviridis* Holland,1920 (Argynnididae) Synonym(s): *subviridis* Holland,1920
 5646) *Euphaedra symphona* Bethune-Baker,1908 (Argynnididae) Synonym(s): *symphona* Bethune-Baker,1908; *medonoides* Wichgraf,1913
 5647) *Euphaedra thalie* Hecq,1981 (Argynnididae) Synonym(s): *thalie* Hecq,1981
 5648) *Euphaedra themis* (Hübner,[1807]) (Argynnididae) Synonym(s): *themis* Hübner,[1807]; *viridifasciata* Schultze,1920; *paupera* Schultze,1920; *#albida* Schultze,1920; *#illuminata* Hecq,1991
 5649) *Euphaedra themis composita* Wichgraf,1921 (Argynnididae) Synonym(s): *composita* Wichgraf,1921
 5650) *Euphaedra themis themis* (Hübner,[1807]) (Argynnididae) Synonym(s): *themis* Hübner,[1807]; *viridifasciata* Schultze,1920; *paupera* Schultze,1920; *#albida* Schultze,1920; *#illuminata* Hecq,1991
 5651) *Euphaedra ubangi* Hecq,1974 (Argynnididae) Synonym(s): *ubangi* Hecq,1974
 5652) *Euphaedra ueleana* Hecq,1982 (Argynnididae) Synonym(s): *ueleana* Hecq,1982
 5653) *Euphaedra uganda* Aurivillius,1895 (Argynnididae) Synonym(s): *uganda* Aurivillius,1895
 5654) *Euphaedra uganda minzuru* Hecq,1992 (Argynnididae) Synonym(s): *minzuru* Hecq,1992
 5655) *Euphaedra uganda uganda* Aurivillius,1895 (Argynnididae) Synonym(s): *uganda* Aurivillius,1895
 5656) *Euphaedra uniformis* Berger,1981 (Argynnididae) Synonym(s): *#uniformis* Neustetter,1916; *uniformis* Berger,1981
 5657) *Euphaedra variabilis* Guillaumin,1976 (Argynnididae) Synonym(s): *variabilis* Guillaumin,1976
 5658) *Euphaedra vetusta* (Butler,1871) (Argynnididae) Synonym(s): *vetusta* Butler,1871
 5659) *Euphaedra vicina* Hecq,1984 (Argynnididae) Synonym(s): *preussi* Staudinger,1891 *nec* Strg.,1891; *vicina* Hecq,1984
 5660) *Euphaedra vicina longiqua* Hecq,1984 (Argynnididae) Synonym(s): *longiqua* Hecq,1984
 5661) *Euphaedra vicina pallidoides* Hecq,1984 (Argynnididae) Synonym(s): *pallidoides* Hecq,1984
 5662) *Euphaedra vicina vicina* Hecq,1984 (Argynnididae) Synonym(s): *preussi* Staudinger,1891 *nec* Strg.,1891; *vicina* Hecq,1984
 5663) *Euphaedra villiersi* Condamin,1964 (Argynnididae) Synonym(s): *villiersi* Condamin,1964
 5664) *Euphaedra viridicaerulea* Bartel,1905 (Argynnididae) Synonym(s): *viridicaerulea* Bartel,1905
 5665) *Euphaedra viridicaerulea grisea* Argentina Hecq,1977 (Argynnididae) Synonym(s): *grisea* Argentina Hecq,1977
 5666) *Euphaedra viridicaerulea inanoides* Holland,1920 (Argynnididae) Synonym(s): *inanoides* Holland,1920
 5667) *Euphaedra viridicaerulea nitidula* Van Someren,1935 (Argynnididae) Synonym(s): *#viridis* Rothschild,1918; *nitidula* Van Someren,1935; *subargentina* Hecq,1977
 5668) *Euphaedra viridicaerulea viridicaerulea* Bartel,1905 (Argynnididae) Synonym(s): *viridicaerulea* Bartel,1905
 5669) *Euphaedra vulnerata* Schultze,1916 (Argynnididae) Synonym(s): *#extensa* Bartel,1905; *vulnerata* Schultze,1916; *extensa* Hecq,1981
 5670) *Euphaedra wissmanni* Niepelt,1906 (Argynnididae) Synonym(s): *wissmanni* Niepelt,1906
 5671) *Euphaedra xerophila* Hecq,1974 (Argynnididae) Synonym(s): *xerophila* Hecq,1974

- 5672) *Euphaedra xypete* (Hewitson,1865) (Argynnidiae) Synonym(s): *xypete* Hewitson,1865
5673) *Euphaedra zaddachii* Dewitz,1879 (Argynnidiae) Synonym(s): *zaddachii* Dewitz,1879
5674) *Euphaedra zaddachii elephantina* Staudinger,1891 (Argynnidiae) Synonym(s): *elephantina* Staudinger,1891
5675) *Euphaedra zaddachii zaddachii* Dewitz,1879 (Argynnidiae) Synonym(s): *zaddachii* Dewitz,1879
5676) *Euphaedra zampa* (Westwood,[1850]) (Argynnidiae) Synonym(s): *zampa* Westwood,[1850]; *occidentalis* Gaede,1916
5677) *Euphydryas* (Eurodryas) *asiatica* (Staudinger,1881) (Argynnidiae) Synonym(s): *asiatica* Staudinger,1881
5678) *Euphydryas* (Eurodryas) *asiatica alexandrina* (Staudinger,1887) (Argynnidiae) Synonym(s): *alexandrina* Staudinger,1887; *narina* Oberthür,1909.
5679) *Euphydryas* (Eurodryas) *asiatica asiatica* (Staudinger,1881) (Argynnidiae) Synonym(s): *asiatica* Staudinger,1881
5680) *Euphydryas* (Eurodryas) *asiatica narina* (Oberthür,1909) (Argynnidiae) Synonym(s): *narina* Oberthür,1909
5681) *Euphydryas* (Eurodryas) *aurinia* (Rottemburg,1775) (Argynnidiae) Synonym(s): *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye Bergsträßer*,[1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917.
5682) *Euphydryas* (Eurodryas) *aurinia aurinia* (Rottemburg,1775) (Argynnidiae) Synonym(s): *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye Bergsträßer*,[1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917.
5683) *Euphydryas* (Eurodryas) *aurinia beckeri* (Lederer,1853) (Argynnidiae) Synonym(s): *beckeri* Lederer,1853; *iberica* Oberthür,1881; *kricheldorffi* Collier,1933.
5684) *Euphydryas* (Eurodryas) *asiatica bulgarica* (Fruhstorfer,1917) (Argynnidiae) Synonym(s): *bulgarica* Fruhstorfer,1917
5685) *Euphydryas* (Eurodryas) *aurinia ellisoni* Rungs,1953 (Argynnidiae) Synonym(s): *ellisoni* Rungs,1953
5686) *Euphydryas* (Eurodryas) *aurinia jungei* Gross & Ebert,1975 (Argynnidiae) Synonym(s): *jungei* Gross & Ebert,1975
5687) *Euphydryas* (Eurodryas) *aurinia laeta* (Christoph,1893) (Argynnidiae) Synonym(s): *laeta* Christoph,1893
5688) *Euphydryas* (Eurodryas) *aurinia meropedebilis* (Oberthür,1925) (Argynnidiae) Synonym(s): *merope* De Prunner,1798 *nec* Fabricius,1775; *#debilis* Oberthür,1909; *merope-debilis* Oberthür,1925; *pyrenesdebilis* Verity,1928; *frigescens* Verity,1928; *glaciegenua* Verity,1928; *debilisprovincialis* Verity,1928; *xeraurinia* Mazel,1982; *salvayrei* Mazel,1982.
5689) *Euphydryas* (Eurodryas) *aurinia provincialis* (Boisduval,1828) (Argynnidiae) Synonym(s): *provincialis* Boisduval,1828; *comacina* Turati,1910; *moritura* Verity,1928; *rotunda* Röber,1926.
5690) *Euphydryas* (Eurodryas) *aurinia sareptana* (Staudinger,1861) (Argynnidiae) Synonym(s): *sareptana* Staudinger,1861; *sareptensis* Staudinger,1878; *emba Fruhstorfer*,1917.
5691) *Euphydryas* (Eurodryas) *aurinia siberica* (Staudinger,1861) (Argynnidiae) Synonym(s): *siberica* Staudinger,1861
5692) *Euphydryas* (Eurodryas) *aurinia tenebricosa* (O.Bang-Haas,1927) (Argynnidiae) Synonym(s): *tenebricosa* O.Bang-Haas,1927; *koreana* Collier,1933 *nec* Elwes,1899; *phyllis* Hemming,1941.
5693) *Euphydryas* (Eurodryas) *banghaasi* (Seitz,1908) (Argynnidiae) Synonym(s): *banghaasi* Seitz,1908
5694) *Euphydryas* (Eurodryas) *banghaasi banghaasi* (Seitz,1908) (Argynnidiae) Synonym(s): *banghaasi* Seitz,1908
5695) *Euphydryas* (Eurodryas) *dauidi* (Oberthür,1881) (Argynnidiae) Synonym(s): *dauidi* Oberthür,1881
5696) *Euphydryas* (Eurodryas) *dauidi dauidi* (Oberthür,1881) (Argynnidiae) Synonym(s): *dauidi* Oberthür,1881
5697) *Euphydryas* (Eurodryas) *desfontainii* (Godart,[1819]) (Argynnidiae) Synonym(s): *desfontainii* Godart,[1819]; *desfontainesi* Boisduval,1840.
5698) *Euphydryas* (Eurodryas) *desfontainii baetica* (Rambur,1858) (Argynnidiae) Synonym(s): *baetica* Rambur,1858; *pierroni* Lajonquière,1965; *#zapateri* Higgins,1950.
5699) *Euphydryas* (Eurodryas) *desfontainii desfontainii* (Godart,[1819]) (Argynnidiae) Synonym(s): *desfontainii* Godart,[1819]; *desfontainesi* Boisduval,1840.
5700) *Euphydryas* (Eurodryas) *desfontainii gibrati* (Oberthür,1922) (Argynnidiae) Synonym(s): *gibrati* Oberthür,1922
5701) *Euphydryas* (Eurodryas) *orientalis* (Herrich-Schäffer,[1845]) (Argynnidiae) Synonym(s): *orientalis* Herrich-Schäffer,[1845]; *amasina* Seitz,1908.
5702) *Euphydryas* (Eurodryas) *orientalis orientalis* (Herrich-Schäffer,[1845]) (Argynnidiae) Synonym(s): *orientalis* Herrich-Schäffer,[1845]; *amasina* Seitz,1908.
5703) *Euphydryas* (Hypodryas) *cynthia* ([Denis & Schiffermüller],1775) (Argynnidiae) Synonym(s): *cynthia* [Denis & Schiffermüller],1775; *mysia* Hübner,[1800]; *ichnea* Boisduval,1833; *pallida* Spuler,1901 *nec* Staudinger,1881; *leonhardi* Fruhstorfer,1917; *drenowskii* Röber,1926; *spuleri* Röber,1926; *extensa* Dujardin,1948; *demissa* Verity,1950.
5704) *Euphydryas* (Hypodryas) *cynthia alpicola* (Galvagni,1918) (Argynnidiae) Synonym(s): *alpicola* Galvagni,1918
5705) *Euphydryas* (Hypodryas) *cynthia cynthia* ([Denis & Schiffermüller],1775) (Argynnidiae) Synonym(s): *cynthia* [Denis & Schiffermüller],1775; *mysia* Hübner,[1800]; *ichnea* Boisduval,1833; *pallida* Spuler,1901 *nec* Staudinger,1881; *leonhardi* Fruhstorfer,1917; *drenowskii* Röber,1926; *spuleri* Röber,1926; *extensa* Dujardin,1948; *demissa* Verity,1950.
5706) *Euphydryas* (Hypodryas) *gillettii* (Barnes,1897) (Argynnidiae) Synonym(s): *gillettii* Barnes,1897; *glacialis* Skinner,1921
5707) *Euphydryas* (Hypodryas) *iduna* (Dalman,1816) (Argynnidiae) Synonym(s): *iduna* Dalman,1816
5708) *Euphydryas* (Hypodryas) *iduna alferakyi* Korshunov,1996 (Argynnidiae) Synonym(s): *alferakyi* Korshunov,1996
5709) *Euphydryas* (Hypodryas) *iduna iduna* (Dalman,1816) (Argynnidiae) Synonym(s): *iduna* Dalman,1816
5710) *Euphydryas* (Hypodryas) *iduna inexpectata* (Sheljuzhko,1934) (Argynnidiae) Synonym(s): *inexpectata* Sheljuzhko,1934
5711) *Euphydryas* (Hypodryas) *iduna sajana* Higgins,1950 (Argynnidiae) Synonym(s): *#sajana* O.Bang-Haas,1930; *#sajana* Higgins,1950
5712) *Euphydryas* (Hypodryas) *iduna semenovi* Korshunov & Ivonine,1996 (Argynnidiae) Synonym(s): *semenovi* Korshunov & Ivonine,1996
5713) *Euphydryas* (Hypodryas) *intermedia* (Ménétrières,1859) (Argynnidiae) Synonym(s): *intermedia* Ménétrières,1859; *mongolica* Staudinger,1892; *altaica* Seitz,1909 *nec* Groum-Grshimailo,1893; *altaiana* Wnukowsky,1929.
5714) *Euphydryas* (Hypodryas) *intermedia intermedia* (Ménétrières,1859) (Argynnidiae) Synonym(s): *intermedia* Ménétrières,1859; *mongolica* Staudinger,1892; *altaica* Seitz,1909 *nec* Groum-Grshimailo,1893; *altaiana* Wnukowsky,1929.
5715) *Euphydryas* (Hypodryas) *intermedia wolfsbergeri* (Frey,1880) (Argynnidiae) Synonym(s): *wolfsbergeri* Frey,1880; *ichnea* auct.
5716) *Euphydryas* (Hypodryas) *maturna* (Linnaeus,1758) (Argynnidiae) Synonym(s): *maturna* Linnaeus,1758; *agrotera* Bergsträßer,[1780]; *cynthia* Hübner,[1800] *nec* [Denis & Schiffermüller],1775;
5717) *Euphydryas* (Hypodryas) *maturna adamczewskyi* Kryzwicki,1967 (Argynnidiae) Synonym(s): *adamczewskyi* Kryzwicki,1967
5718) *Euphydryas* (Hypodryas) *maturna idunides* (Fruhstorfer,1917) (Argynnidiae) Synonym(s): *idunides* Fruhstorfer,1917
5719) *Euphydryas* (Hypodryas) *maturna maturna* (Linnaeus,1758) (Argynnidiae) Synonym(s): *maturna* Linnaeus,1758; *agrotera* Bergsträßer,[1780]; *cynthia* Hübner,[1800] *nec* [Denis & Schiffermüller],1775;
5720) *Euphydryas* (Hypodryas) *maturna ornivora* Varga,1968 (Argynnidiae) Synonym(s): *ornivora* Varga,1968
5721) *Euphydryas* (Hypodryas) *maturna partiensis* Varga & Santha,1973 (Argynnidiae) Synonym(s): *partiensis* Varga & Santha,1973
5722) *Euphydryas* (Hypodryas) *maturna staudingeri* (Wnukowsky,1929) (Argynnidiae) Synonym(s): *uralensis* Staudinger *nec* Krulikowsky,1897, *non* Eversmann,1844; *staudingeri* Wnukowsky,1929
5723) *Euphydryas* (Hypodryas) *maturna tenuireticulosa* Varga & Santha,1973 (Argynnidiae) Synonym(s): *tenuireticulosa* Varga & Santha,1973
5724) *Euphydryas* (Hypodryas) *maturna urbani* (Hirschke,1901) (Argynnidiae) Synonym(s): *urbani* Hirschke,1901
5725) *Euphydryas* (Occidryas) *ancia* (Doubleday & Hewitson,[1848]) (Argynnidiae) Synonym(s): *ancia* Doubleday & Hewitson,[1848]
5726) *Euphydryas* (Occidryas) *ancia alena* Barnes & Benjamin,1926 (Argynnidiae) Synonym(s): *alena* Barnes & Benjamin,1926
5727) *Euphydryas* (Occidryas) *ancia anicia* (Doubleday & Hewitson,[1848]) (Argynnidiae) Synonym(s): *ancia* (Doubleday & Hewitson,[1848])
5728) *Euphydryas* (Occidryas) *ancia bakeri* D.Stallings & Turner,1945 (Argynnidiae) Synonym(s): *bakeri* D.Stallings & Turner,1945
5729) *Euphydryas* (Occidryas) *ancia bernadetta* Leussler,1920 (Argynnidiae) Synonym(s): *bernadetta* Leussler,1920
5730) *Euphydryas* (Occidryas) *ancia capella* (Barnes,1897) (Argynnidiae) Synonym(s): *capella* Barnes,1897
5731) *Euphydryas* (Occidryas) *ancia carmentis* Barnes & Benjamin,1926 (Argynnidiae) Synonym(s): *carmentis* Barnes & Benjamin,1926
5732) *Euphydryas* (Occidryas) *ancia chuskae* Ferris & R.Holland,1980 (Argynnidiae) Synonym(s): *chuskae* Ferris & R.Holland,1980
5733) *Euphydryas* (Occidryas) *ancia cloudercrofti* Ferris & R.Holland,1980 (Argynnidiae) Synonym(s): *cloudercrofti* Ferris & R.Holland,1980
5734) *Euphydryas* (Occidryas) *ancia effi* D.Stallings & Turner,1945 (Argynnidiae) Synonym(s): *effi* D.Stallings & Turner,1945
5735) *Euphydryas* (Occidryas) *ancia eurytion* (Mead,1875) (Argynnidiae) Synonym(s): *eurytion* Mead,1875
5736) *Euphydryas* (Occidryas) *ancia helvia* (Scudder,1869) (Argynnidiae) Synonym(s): *helvia* Scudder,1869
5737) *Euphydryas* (Occidryas) *ancia hermosa* (Wright,1905) (Argynnidiae) Synonym(s): *hermosa* Wright,1905
5738) *Euphydryas* (Occidryas) *ancia hopfingeri* Gunder,1934 (Argynnidiae) Synonym(s): *hopfingeri* Gunder,1934
5739) *Euphydryas* (Occidryas) *ancia howlandi* D.Stallings & Turner,[1947] (Argynnidiae) Synonym(s): *howlandi* D.Stallings & Turner,[1947]
5740) *Euphydryas* (Occidryas) *ancia irelandi* Gunder,1929 (Argynnidiae) Synonym(s): *irelandi* Gunder,1929
5741) *Euphydryas* (Occidryas) *ancia macyi* Fender & Jewett,1953 (Argynnidiae) Synonym(s): *macyi* Fender & Jewett,1953
5742) *Euphydryas* (Occidryas) *ancia magdalena* Barnes & McDunnough,1918 (Argynnidiae) Synonym(s): *magdalena* Barnes & McDunnough,1918
5743) *Euphydryas* (Occidryas) *ancia maria* (Skinner,1899) (Argynnidiae) Synonym(s): *maria* Skinner,1899
5744) *Euphydryas* (Occidryas) *ancia morandi* Gunder,1928 (Argynnidiae) Synonym(s): *morandi* Gunder,1928
5745) *Euphydryas* (Occidryas) *ancia veazieae* Fender & Jewett,1953 (Argynnidiae) Synonym(s): *veazieae* Fender & Jewett,1953

- 5746) Euphydryas (Occidryas) *anicia wheeleri* (Hy. Edwards, 1881) (Argynnidae) Synonym(s): *wheeleri* Hy. Edwards, 1881
- 5747) Euphydryas (Occidryas) *anicia windi* Gunder, 1932 (Argynnidae) Synonym(s): *windi* Gunder, 1932
- 5748) Euphydryas (Occidryas) *chalcadona* (Doubleday, 1847) (Argynnidae) Synonym(s): *chalcadona* Doubleday, 1847; *cooperi* Behr, 1863
- 5749) Euphydryas (Occidryas) *chalcadona chalcadona* (Doubleday, 1847) (Argynnidae) Synonym(s): *chalcadona* Doubleday, 1847; *cooperi* Behr, 1863
- 5750) Euphydryas (Occidryas) *chalcadona corralensis* T. Emmel & J. Emmel, [1973] (Argynnidae) Synonym(s): *corralensis* T. Emmel & J. Emmel, [1973]
- 5751) Euphydryas (Occidryas) *chalcadona dwinellei* (Hy. Edwards, 1881) (Argynnidae) Synonym(s): *dwinellei* Hy. Edwards, 1881
- 5752) Euphydryas (Occidryas) *chalcadona huellemanni* Dos Passos, 1964 (Argynnidae) Synonym(s): *huellemanni* Dos Passos, 1964
- 5753) Euphydryas (Occidryas) *chalcadona kingstonensis* T. Emmel & J. Emmel, [1973] (Argynnidae) Synonym(s): *kingstonensis* T. Emmel & J. Emmel, [1973]
- 5754) Euphydryas (Occidryas) *chalcadona klotsi* Dos Passos, 1938 (Argynnidae) Synonym(s): *klotsi* Dos Passos, 1938
- 5755) Euphydryas (Occidryas) *chalcadona macglashanii* (Rivers, 1888) (Argynnidae) Synonym(s): *macglashanii* Rivers, 1888; *truckeensis* Gunder, 1928; *#hilli* Gunder, 1928
- 5756) Euphydryas (Occidryas) *chalcadona olancha* (Wright, 1905) (Argynnidae) Synonym(s): *olancha* Wright, 1905; *#georgei* Gunder, 1928; *#malcolmi* Gunder, 1928
- 5757) Euphydryas (Occidryas) *chalcadona quino* (Behr, 1863) (Argynnidae) Synonym(s): *quino* Behr, 1863; *#hennei* Gunder, 1932
- 5758) Euphydryas (Occidryas) *chalcadona sierra* (Wright, 1905) (Argynnidae) Synonym(s): *sierra* Wright, 1905; *#magdalenae* Gunder, 1925; *#umbrosasana* Comstock, 1925
- 5759) Euphydryas (Occidryas) *chalcadona sperryi* F. Chermock & R. Chermock, 1945 (Argynnidae) Synonym(s): *sperryi* F. Chermock & R. Chermock, 1945
- 5760) Euphydryas (Occidryas) *colon* (Edwards, 1881) (Argynnidae) Synonym(s): *colon* Edwards, 1881
- 5761) Euphydryas (Occidryas) *colon nevadensis* Bauer, 1975 (Argynnidae) Synonym(s): *nevadensis* Bauer, 1975
- 5762) Euphydryas (Occidryas) *colon paradoxa* McDunnough, 1927 (Argynnidae) Synonym(s): *paradoxa* McDunnough, 1927
- 5763) Euphydryas (Occidryas) *colon perdiccas* (W. H. Edwards, 1881) (Argynnidae) Synonym(s): *perdiccas* W. H. Edwards, 1881
- 5764) Euphydryas (Occidryas) *colon wallacensis* Gunder, 1928 (Argynnidae) Synonym(s): *wallacensis* Gunder, 1928
- 5765) Euphydryas (Occidryas) *editha alebarki* Ferris, [1971] (Argynnidae) Synonym(s): *alebarki* Ferris, [1971]
- 5766) Euphydryas (Occidryas) *editha augusta* (W. H. Edwards, 1890) (Argynnidae) Synonym(s): *augusta* W. H. Edwards, 1890
- 5767) Euphydryas (Occidryas) *editha aurilacus* Gunder, 1928 (Argynnidae) Synonym(s): *aurilacus* Gunder, 1928
- 5768) Euphydryas (Occidryas) *editha baroni* (W. H. Edwards, 1879) (Argynnidae) Synonym(s): *baroni* W. H. Edwards, 1879
- 5769) Euphydryas (Occidryas) *editha bayensis* Stenitzky, 1937 (Argynnidae) Synonym(s): *bayensis* Stenitzky, 1937
- 5770) Euphydryas (Occidryas) *editha beani* (Skinner, 1897) (Argynnidae) Synonym(s): *beani* Skinner, 1897
- 5771) Euphydryas (Occidryas) *editha colonia* (Wright, 1905) (Argynnidae) Synonym(s): *colonia* Wright, 1905
- 5772) Euphydryas (Occidryas) *editha edithana* (Strand, 1914) (Argynnidae) Synonym(s): *edithana* Strand, 1914
- 5773) Euphydryas (Occidryas) *editha fridayi* Gunder, 1931 (Argynnidae) Synonym(s): *fridayi* Gunder, 1931
- 5774) Euphydryas (Occidryas) *editha gunnisonensis* F. M. Brown, [1971] (Argynnidae) Synonym(s): *gunnisonensis* F. M. Brown, [1971]
- 5775) Euphydryas (Occidryas) *editha hutchinsi* McDunnough, 1928 (Argynnidae) Synonym(s): *hutchinsi* McDunnough, 1928; *montanus* McDunnough, 1928
- 5776) Euphydryas (Occidryas) *editha insularis* T. Emmel & J. Emmel, [1975] (Argynnidae) Synonym(s): *insularis* T. Emmel & J. Emmel, [1975]
- 5777) Euphydryas (Occidryas) *editha lawrencei* Gunder, 1931 (Argynnidae) Synonym(s): *lawrencei* Gunder, 1931; *remingtoni* Burdick, 1958
- 5778) Euphydryas (Occidryas) *editha lehmani* Gunder, 1929 (Argynnidae) Synonym(s): *lehmani* Gunder, 1929
- 5779) Euphydryas (Occidryas) *editha monoensis* Gunder, 1928 (Argynnidae) Synonym(s): *monoensis* Gunder, 1928
- 5780) Euphydryas (Occidryas) *editha nubigena* (Behr, 1863) (Argynnidae) Synonym(s): *nubigena* Behr, 1863
- 5781) Euphydryas (Occidryas) *editha rubicunda* (Hy. Edwards, 1881) (Argynnidae) Synonym(s): *rubicunda* Hy. Edwards, 1881
- 5782) Euphydryas (Occidryas) *editha taylori* (W. H. Edwards, 1888) (Argynnidae) Synonym(s): *taylori* W. H. Edwards, 1888
- 5783) Euphydryas (Occidryas) *editha wrighti* Gunder, 1929 (Argynnidae) Synonym(s): *wrighti* Gunder, 1929
- 5784) Euphydryas (s.str.) *phaeton* (Drury, [1773]) (Argynnidae) Synonym(s): *phaeton* Drury, [1773]; *schausi* Clarke, 1927; *borealis* F. Chermock & R. Chermock, 1940
- 5785) Euphydryas (s.str.) *phaeton ozarkae* Masters, 1968 (Argynnidae) Synonym(s): *ozarkae* Masters, 1968
- 5786) Euphydryas *editha* (Boisduval, 1852) (Argynnidae) Synonym(s): *editha* Boisduval, 1852
- 5787) Euriphe (Euriphe) *abasa* (Hewitson, [1866]) (Argynnidae) Synonym(s): *abasa* Hewitson, [1866]; *sjoestedti* Aurivillius, 1893; *fuliginosa* Holland, 1893
- 5788) Euriphe (Euriphe) *adumbrata* (Joicey & Talbot, 1928) (Argynnidae) Synonym(s): *adumbrata* Joicey & Talbot, 1928
- 5789) Euriphe (Euriphe) *alberici* (Dufrane, 1945) (Argynnidae) Synonym(s): *alberici* Dufrane, 1945
- 5790) Euriphe (Euriphe) *amarantha* (Karsch, 1894) (Argynnidae) Synonym(s): *amarantha* Karsch, 1894
- 5791) Euriphe (Euriphe) *amicia* (Hewitson, [1871]) (Argynnidae) Synonym(s): *amicia* Hewitson, [1871]
- 5792) Euriphe (Euriphe) *amicia amicia* Hewitson, [1871] (Argynnidae) Synonym(s): *amicia* Hewitson, [1871]
- 5793) Euriphe (Euriphe) *amicia gola* Fox, 1965 (Argynnidae) Synonym(s): *gola* Fox, 1965
- 5794) Euriphe (Euriphe) *ampedusa* (Hewitson, [1866]) (Argynnidae) Synonym(s): *ampedusa* Hewitson, [1866]
- 5795) Euriphe (Euriphe) *aridatha* (Hewitson, [1866]) (Argynnidae) Synonym(s): *aridatha* Hewitson, [1866]
- 5796) Euriphe (Euriphe) *aridatha aridatha* (Hewitson, [1866]) (Argynnidae) Synonym(s): *aridatha* Hewitson, [1866]
- 5797) Euriphe (Euriphe) *aridatha feronia* (Staudinger, 1891) (Argynnidae) Synonym(s): *feronia* Staudinger, 1891
- 5798) Euriphe (Euriphe) *atossa* (Hewitson, [1865]) (Argynnidae) Synonym(s): *atossa* Hewitson, [1865]; *amaxia* Hewitson, [1866]
- 5799) Euriphe (Euriphe) *atossa atossa* (Hewitson, [1865]) (Argynnidae) Synonym(s): *atossa* Hewitson, [1865]; *amaxia* Hewitson, [1866]
- 5800) Euriphe (Euriphe) *atossa australis* D'Abreu, 1980 (Argynnidae) Synonym(s): *#australis* Aurivillius, 1912; *australis* D'Abreu, 1980
- 5801) Euriphe (Euriphe) *atropurpurea* (Aurivillius, 1894) (Argynnidae) Synonym(s): *atropurpurea* Aurivillius, 1894
- 5802) Euriphe (Euriphe) *atrovirens* (Mabille, 1878) (Argynnidae) Synonym(s): *atrovirens* Mabille, 1878
- 5803) Euriphe (Euriphe) *aurivillii* (Bartel, 1905) (Argynnidae) Synonym(s): *aurivillii* Bartel, 1905
- 5804) Euriphe (Euriphe) *barombina* (Aurivillius, 1894) (Argynnidae) Synonym(s): *barombina* Aurivillius, 1894; *allopunctata* Aurivillius, 1898
- 5805) Euriphe (Euriphe) *butleri* (Aurivillius, 1904) (Argynnidae) Synonym(s): *butleri* Aurivillius, 1904
- 5806) Euriphe (Euriphe) *butleri butleri* (Aurivillius, 1904) (Argynnidae) Synonym(s): *butleri* Aurivillius, 1904
- 5807) Euriphe (Euriphe) *butleri kivuensis* (Jackson & Howarth, 1957) (Argynnidae) Synonym(s): *kivuensis* Jackson & Howarth, 1957
- 5808) Euriphe (Euriphe) *camarensis* Ward, 1871 (Argynnidae) Synonym(s): *camarensis* Ward, 1871
- 5809) Euriphe (Euriphe) *canui* Hecq, 1987 (Argynnidae) Synonym(s): *canui* Hecq, 1987
- 5810) Euriphe (Euriphe) *canui canui* Hecq, 1987 (Argynnidae) Synonym(s): *canui* Hecq, 1987
- 5811) Euriphe (Euriphe) *canui legeriana* Hecq, 1987 (Argynnidae) Synonym(s): *legeriana* Hecq, 1987
- 5812) Euriphe (Euriphe) *coerulea* (Boisduval, 1847) (Argynnidae) Synonym(s): *coerulea* Boisduval, 1847; *felicia* Butler, 1871
- 5813) Euriphe (Euriphe) *conjungens* (Aurivillius, 1909) (Argynnidae) Synonym(s): *conjungens* Aurivillius, 1909
- 5814) Euriphe (Euriphe) *conjungens chalybeata* (Talbot, 1937) (Argynnidae) Synonym(s): *chalybeata* Talbot, 1937
- 5815) Euriphe (Euriphe) *conjungens conjungens* (Aurivillius, 1909) (Argynnidae) Synonym(s): *conjungens* Aurivillius, 1909
- 5816) Euriphe (Euriphe) *doriclea* (Drury, [1782]) (Argynnidae) Synonym(s): *doriclea* Drury, [1782]
- 5817) Euriphe (Euriphe) *doriclea doriclea* (Drury, [1782]) (Argynnidae) Synonym(s): *doriclea* Drury, [1782]
- 5818) Euriphe (Euriphe) *doriclea infusca* Capronnier, 1889 (Argynnidae) Synonym(s): *infusca* Capronnier, 1889; *mollicella* Karsch, 1894
- 5819) Euriphe (Euriphe) *duseni* (Aurivillius, 1892) (Argynnidae) Synonym(s): *duseni* Aurivillius, 1892
- 5820) Euriphe (Euriphe) *ernestibaumanni* (Karsch, 1895) (Argynnidae) Synonym(s): *ernestibaumanni* Karsch, 1895
- 5821) Euriphe (Euriphe) *ernestibaumanni ernestibaumanni* (Karsch, 1895) (Argynnidae) Synonym(s): *ernestibaumanni* Karsch, 1895
- 5822) Euriphe (Euriphe) *ernestibaumanni integribasis* (Hulstaert, 1924) (Argynnidae) Synonym(s): *integribasis* Hulstaert, 1924
- 5823) Euriphe (Euriphe) *ernestibaumanni obsoleta* (Grünberg, 1908) (Argynnidae) Synonym(s): *obsoleta* Grünberg, 1908
- 5824) Euriphe (Euriphe) *excelsior* (Rebel, 1911) (Argynnidae) Synonym(s): *excelsior* Rebel, 1911
- 5825) Euriphe (Euriphe) *gambiae* Feisthamel, 1850 (Argynnidae) Synonym(s): *gambiae* Feisthamel, 1850
- 5826) Euriphe (Euriphe) *gambiae gabonica* Bernardi, 1966 (Argynnidae) Synonym(s): *gabonica* Bernardi, 1966
- 5827) Euriphe (Euriphe) *gambiae gabonica* Feisthamel, 1850 (Argynnidae) Synonym(s): *gambiae* Feisthamel, 1850
- 5828) Euriphe (Euriphe) *glaucopis* (Gaede, 1916) (Argynnidae) Synonym(s): *glaucopis* Gaede, 1916; *niepelti* Neustetter, 1916
- 5829) Euriphe (Euriphe) *goniogramma* (Karsch, 1894) (Argynnidae) Synonym(s): *goniogramma* Karsch, 1894
- 5830) Euriphe (Euriphe) *groesmithi* (Staudinger, 1891) (Argynnidae) Synonym(s): *groesmithi* Staudinger, 1891
- 5831) Euriphe (Euriphe) *incerta* (Aurivillius, 1912) (Argynnidae) Synonym(s): *incerta* Aurivillius, 1912; *cyriaca* Hulstaert, 1924
- 5832) Euriphe (Euriphe) *incerta incerta* (Aurivillius, 1912) (Argynnidae) Synonym(s): *incerta* Aurivillius, 1912; *cyriaca* Hulstaert, 1924
- 5833) Euriphe (Euriphe) *incerta theodota* (Hulstaert, 1924) (Argynnidae) Synonym(s): *theodota* Hulstaert, 1924

- 5834) *Euriphene* (*Euriphene*) *intermixta* (Aurivillius,1904) (Argynnidæ) Synonym(s): *intermixta* Aurivillius,1904; *unopunctata* Bethune-Baker,1908; *unocellata* Carpenter & Jackson,1950
- 5835) *Euriphene* (*Euriphene*) *iris* (Aurivillius,1903) (Argynnidæ) Synonym(s): *iris* Aurivillius,1903
- 5836) *Euriphene* (*Euriphene*) *ituriensis* (Jackson & Howarth,1957) (Argynnidæ) Synonym(s): *ituriensis* Jackson & Howarth,1957
- 5837) *Euriphene* (*Euriphene*) *jacksoni* (Talbot,1937) (Argynnidæ) Synonym(s): *jacksoni* Talbot,1937
- 5838) *Euriphene* (*Euriphene*) *jolyana* Hecq,1987 (Argynnidæ) Synonym(s): *jolyana* Hecq,1987
- 5839) *Euriphene* (*Euriphene*) *kahli* (Holland,1920) (Argynnidæ) Synonym(s): *kahli* Holland,1920
- 5840) *Euriphene* (*Euriphene*) *karschi* (Aurivillius,1894) (Argynnidæ) Synonym(s): *karschi* Aurivillius,1894
- 5841) *Euriphene* (*Euriphene*) *kiki* Bernardi & T.Larsen,1980 (Argynnidæ) Synonym(s): *kiki* Bernardi & T.Larsen,1980
- 5842) *Euriphene* (*Euriphene*) *leonis* (Aurivillius,1898) (Argynnidæ) Synonym(s): *leonis* Aurivillius,1898
- 5843) *Euriphene* (*Euriphene*) *lomaensis* Belcastro,1986 (Argynnidæ) Synonym(s): *lomaensis* Belcastro,1986
- 5844) *Euriphene* (*Euriphene*) *luteostriata* (Bethune-Baker,1908) (Argynnidæ) Synonym(s): *luteostriata* Bethune-Baker,1908; *tessmanniana* Bryk,1915
- 5845) *Euriphene* (*Euriphene*) *lysandra* (Stoll,[1790]) (Argynnidæ) Synonym(s): *lysandra* Stoll,[1790]; *zeugma* Hewitson,1869
- 5846) *Euriphene* (*Euriphene*) *melanops* (Aurivillius,1897) (Argynnidæ) Synonym(s): *melanops* Aurivillius,1897
- 5847) *Euriphene* (*Euriphene*) *milnei* Hewitson,1865 (Argynnidæ) Synonym(s): *milnei* Hewitson,1865; *fuscomarginata* Bartel,1905
- 5848) *Euriphene* (*Euriphene*) *mundula* (Grünberg,1910) (Argynnidæ) Synonym(s): *mundula* Grünberg,1910
- 5849) *Euriphene* (*Euriphene*) *obtusangula* (Aurivillius,1912) (Argynnidæ) Synonym(s): *obtusangula* Aurivillius,1912; *batesana* Bethune-Baker,1926
- 5850) *Euriphene* (*Euriphene*) *pavo* (Howarth,1959) (Argynnidæ) Synonym(s): *pavo* Howarth,1959
- 5851) *Euriphene* (*Euriphene*) *pinkieana* Bernardi,1975 (Argynnidæ) Synonym(s): *pinkieana* Bernardi,1975
- 5852) *Euriphene* (*Euriphene*) *plagiata* (Aurivillius,1897) (Argynnidæ) Synonym(s): *plagiata* Aurivillius,1897
- 5853) *Euriphene* (*Euriphene*) *rectangula* (Schultze,1920) (Argynnidæ) Synonym(s): *rectangula* Schultze,1920
- 5854) *Euriphene* (*Euriphene*) *ribensis* Ward,1871 (Argynnidæ) Synonym(s): *ribensis* Ward,1871; *acutangula* Aurivillius,1909
- 5855) *Euriphene* (*Euriphene*) *romi* (Aurivillius,1898) (Argynnidæ) Synonym(s): *romi* Aurivillius,1898
- 5856) *Euriphene* (*Euriphene*) *rotundata* (Holland,1920) (Argynnidæ) Synonym(s): *rotundata* Holland,1920
- 5857) *Euriphene* (*Euriphene*) *saphirina* (Karsch,1894) (Argynnidæ) Synonym(s): *saphirina* Karsch,1894; *umbrina* Aurivillius,1901; *hobleyi* Neave,1904
- 5858) *Euriphene* (*Euriphene*) *saphirina* *itanii* (Carcasson,1964) (Argynnidæ) Synonym(s): *itanii* Carcasson,1964
- 5859) *Euriphene* (*Euriphene*) *saphirina* *saphirina* (Karsch,1894b) (Argynnidæ) Synonym(s): *saphirina* Karsch,1894; *umbrina* Aurivillius,1901; *hobleyi* Neave,1904
- 5860) *Euriphene* (*Euriphene*) *saphirina* *tricolata* (Talbot,1927) (Argynnidæ) Synonym(s): *tricolata* Talbot,1927
- 5861) *Euriphene* (*Euriphene*) *schultzei* (Aurivillius,1909) (Argynnidæ) Synonym(s): *schultzei* Aurivillius,1909
- 5862) *Euriphene* (*Euriphene*) *simplex* (Staudinger,1891) (Argynnidæ) Synonym(s): *simplex* Staudinger,1891
- 5863) *Euriphene* (*Euriphene*) *tadema* (Hewitson,1866) (Argynnidæ) Synonym(s): *tadema* Hewitson,1866
- 5864) *Euriphene* (*Euriphene*) *tadema* *nigropunctata* (Aurivillius,1901) (Argynnidæ) Synonym(s): *nigropunctata* Aurivillius,1901; *pallidior* Hulstaert,1924
- 5865) *Euriphene* (*Euriphene*) *tadema* *tadema* (Hewitson,1866) (Argynnidæ) Synonym(s): *tadema* Hewitson,1866; *caerulescens* Neustetter,1916
- 5866) *Euriphene* (*Euriphene*) *veronica* (Stoll,[1780]) (Argynnidæ) Synonym(s): *veronica* Stoll,[1780]; *gnidia* Fabricius,1793
- 5867) *Euriphene* (*Euryphura*) *achlys* (Hopffer,1855) (Argynnidæ) Synonym(s): *achlys* Hopffer,1855
- 5868) *Euriphene* (*Euryphura*) *chalcis* (C.Felder & R.Felder,1860) (Argynnidæ) Synonym(s): *chalcis* C.Felder & R.Felder,1860; *doralice* Hewitson,1865; *claudianus* Druce,1874; *lisidora* Aurivillius,1891; *albofasciata* Staudinger,1896; *oliva* Suffert,1904; *albula* Suffert,1904; *aurimarginata* Suffert,1904; *ochracea* Bartel,1905; *fulminea* Bartel,1905; *euthalioides* Schultze,1916; *isuka* Stoneham,1935; *ithako* Stoneham,1935; *vansomereni* Jackson,1956
- 5869) *Euriphene* (*Euryphura*) *ducarme* (Hecq,1990) (Argynnidæ) Synonym(s): *ducarme* Hecq,1990
- 5870) *Euriphene* (*Euryphura*) *fontainei* (Hecq,1990) (Argynnidæ) Synonym(s): *fontainei* Hecq,1990
- 5871) *Euriphene* (*Euryphura*) *hecqui* Ackery,1995 (Argynnidæ) Synonym(s): *jolyana* Hecq,1990 *nec* Hec.,1987; *hecqui* Ackery,1995
- 5872) *Euriphene* (*Euryphura*) *kiellandi* (Hecq,1990) (Argynnidæ) Synonym(s): *kiellandi* Hecq,1990
- 5873) *Euriphene* (*Euryphura*) *nobilis* (Staudinger,1891) (Argynnidæ) Synonym(s): *nobilis* Staudinger,1891
- 5874) *Euriphene* (*Euryphura*) *nobilis* *nobilis* (Staudinger,1891) (Argynnidæ) Synonym(s): *nobilis* Staudinger,1891
- 5875) *Euriphene* (*Euryphura*) *nobilis* *viridis* (Hancock,1990) (Argynnidæ) Synonym(s): *viridis* Hancock,1990
- 5876) *Euriphene* (*Euryphura*) *plautilla* Hewitson,1865 (Argynnidæ) Synonym(s): *plautilla* Hewitson,1865; *doralice* Hewitson,1865 *nec* Hew.,1865; *aurantiaca* Aurivillius,1898
- 5877) *Euriphene* (*Euryphura*) *porphyron* Ward,1871 (Argynnidæ) Synonym(s): *porphyron* Ward,1871
- 5878) *Euriphene* (*Euryphura*) *porphyron* *congoensis* Joicey & Talbot,1921 (Argynnidæ) Synonym(s): *congoensis* Joicey & Talbot,1921
- 5879) *Euriphene* (*Euryphura*) *porphyron* *grassei* (Bernardi,1965) (Argynnidæ) Synonym(s): *grassei* Bernardi,1965
- 5880) *Euriphene* (*Euryphura*) *porphyron* *porphyron* Ward,1871 (Argynnidæ) Synonym(s): *porphyron* Ward,1871
- 5881) *Euriphene* (*Euryphura*) *porphyron* *togoensis* (Suffert,1904) (Argynnidæ) Synonym(s): *togoensis* Suffert,1904
- 5882) *Euripus* *consimilis* (Westwood,[1850]) (Argynnidæ) Synonym(s): *consimilis* Westwood,[1850]
- 5883) *Euripus* *consimilis* *consimilis* (Westwood,[1850]) (Argynnidæ) Synonym(s): *consimilis* Westwood,[1850]
- 5884) *Euripus* *consimilis* *eurinus* Fruhstorfer,1903 (Argynnidæ) Synonym(s): *eurinus* Fruhstorfer,1903
- 5885) *Euripus* *nyctelius* (Doubleday,1845) (Argynnidæ) Synonym(s): *nyctelius* Doubleday,1845
- 5886) *Euripus* *nyctelius* *clytia* (C.Felder & R.Felder,[1867]) (Argynnidæ) Synonym(s): *clytia* C.Felder & R.Felder,[1867]
- 5887) *Euripus* *nyctelius* *euploeoides* (C.Felder & R.Felder,[1867]) (Argynnidæ) Synonym(s): *euploeoides* C.Felder & R.Felder,[1867]
- 5888) *Euripus* *nyctelius* *marinduquanus* Treadaway,1995 (Argynnidæ) Synonym(s): *marinduquanus* Treadaway,1995
- 5889) *Euripus* *nyctelius* *nyctelius* (Doubleday,1845) (Argynnidæ) Synonym(s): *nyctelius* Doubleday,1845
- 5890) *Euripus* *nyctelius* *nysia* Semper,1887 (Argynnidæ) Synonym(s): *nysia* Semper,1887
- 5891) *Euripus* *nyctelius* *ophelion* Fruhstorfer,1914 (Argynnidæ) Synonym(s): *ophelion* Fruhstorfer,1914
- 5892) *Euripus* *nyctelius* *orestheion* Fruhstorfer,1914 (Argynnidæ) Synonym(s): *orestheion* Fruhstorfer,1914
- 5893) *Euripus* *nyctelius* *palawanicus* Fruhstorfer,1899 (Argynnidæ) Synonym(s): *palawanicus* Fruhstorfer,1899
- 5894) *Euripus* *nyctelius* *sparsus* Tsukada,1991 (Argynnidæ) Synonym(s): *sparsus* Tsukada,1991
- 5895) *Euryphaedra* *thaua* Staudinger,1891 (Argynnidæ) Synonym(s): *thaua* Staudinger,1891
- 5896) *Eurytela* *alinda* Mabilie,1893 (Argynnidæ) Synonym(s): *alinda* Mabilie,1893
- 5897) *Eurytela* *dryope* (Cramer,[1775]) (Argynnidæ) Synonym(s): *dryope* Cramer,[1775]
- 5898) *Eurytela* *dryope* *angulata* Aurivillius,1898 (Argynnidæ) Synonym(s): *angulata* Aurivillius,1898
- 5899) *Eurytela* *dryope* *brittoni* Gabriel,1954 (Argynnidæ) Synonym(s): *brittoni* Gabriel,1954
- 5900) *Eurytela* *dryope* *dryope* (Cramer,[1775]) (Argynnidæ) Synonym(s): *dryope* Cramer,[1775]
- 5901) *Eurytela* *dryope* *lineata* Aurivillius,1898 (Argynnidæ) Synonym(s): *lineata* Aurivillius,1898
- 5902) *Eurytela* *hiarbas* (Drury,1782) (Argynnidæ) Synonym(s): *hiarbas* Drury,1782
- 5903) *Eurytela* *hiarbas* *abyssinica* Rothschild & Jordan,1903 (Argynnidæ) Synonym(s): *abyssinica* Rothschild & Jordan,1903
- 5904) *Eurytela* *hiarbas* *angustata* Aurivillius,1894 (Argynnidæ) Synonym(s): *angustata* Aurivillius,1894
- 5905) *Eurytela* *hiarbas* *hiarbas* (Drury,1782) (Argynnidæ) Synonym(s): *hiarbas* Drury,1782
- 5906) *Eurytela* *hiarbas* *lita* Rothschild & Jordan,1903 (Argynnidæ) Synonym(s): *lita* Rothschild & Jordan,1903
- 5907) *Euthalia* (*Aconthea*) *aconthea* (Cramer,[1777]) (Argynnidæ) Synonym(s): *aconthea* Cramer,[1777]
- 5908) *Euthalia* (*Aconthea*) *aconthea* *aconthea* (Cramer,[1777]) (Argynnidæ) Synonym(s): *aconthea* Cramer,[1777]
- 5909) *Euthalia* (*Aconthea*) *aconthea* *bongaensis* Schröder, Treadaway & Nuyda,1990 (Argynnidæ) Synonym(s): *bongaensis* Schröder, Treadaway & Nuyda,1990
- 5910) *Euthalia* (*Aconthea*) *aconthea* *gorda* Fruhstorfer,1906 (Argynnidæ) Synonym(s): *gorda* Fruhstorfer,1906
- 5911) *Euthalia* (*Aconthea*) *aconthea* *joloana* Staudinger,1889 (Argynnidæ) Synonym(s): *joloana* Staudinger,1889
- 5912) *Euthalia* (*Aconthea*) *aconthea* *obatrata* Yokochi,1994 (Argynnidæ) Synonym(s): *obatrata* Yokochi,1994
- 5913) *Euthalia* (*Aconthea*) *aconthea* *palawana* Staudinger,1889 (Argynnidæ) Synonym(s): *palawana* Staudinger,1889
- 5914) *Euthalia* (*Aconthea*) *aconthea* *sibutana* Schröder, Treadaway & Nuyda,1990 (Argynnidæ) Synonym(s): *sibutana* Schröder, Treadaway & Nuyda,1990
- 5915) *Euthalia* (*Aconthea*) *alpheda* (Godart,[1824]) (Argynnidæ) Synonym(s): *alpheda* Godart,[1824]
- 5916) *Euthalia* (*Aconthea*) *alpheda* *alpheda* (Godart,[1824]) (Argynnidæ) Synonym(s): *alpheda* Godart,[1824]
- 5917) *Euthalia* (*Aconthea*) *alpheda* *cusama* Fruhstorfer,1913 (Argynnidæ) Synonym(s): *cusama* Fruhstorfer,1913
- 5918) *Euthalia* (*Aconthea*) *alpheda* *leytana* Schröder & Treadaway,1982 (Argynnidæ) Synonym(s): *leytana* Schröder & Treadaway,1982
- 5919) *Euthalia* (*Aconthea*) *alpheda* *liaoi* Schröder & Treadaway,1982 (Argynnidæ) Synonym(s): *liaoi* Schröder & Treadaway,1982
- 5920) *Euthalia* (*Aconthea*) *alpheda* *mindorensis* Schröder & Treadaway,1982 (Argynnidæ) Synonym(s): *mindorensis* Schröder & Treadaway,1982

- 5921) Euthalia (Aconthea) *alpheda phelada* Semper, 1888 (Argynnididae) Synonym(s): *phelada* Semper, 1888
- 5922) Euthalia (Aconthea) *alpheda rodriguezi* Schröder & Treadaway, 1982 (Argynnididae) Synonym(s): *rodriguezi* Schröder & Treadaway, 1982
- 5923) Euthalia (Aconthea) *alpheda sibuyana* Schröder & Treadaway, 1982 (Argynnididae) Synonym(s): *sibuyana* Schröder & Treadaway, 1982
- 5924) Euthalia (Aconthea) *alpheda soregina* Fruhstorfer, 1913 (Argynnididae) Synonym(s): *soregina* Fruhstorfer, 1913
- 5925) Euthalia (Aconthea) *alpheda verena* Fruhstorfer, 1913 (Argynnididae) Synonym(s): *verena* Fruhstorfer, 1913
- 5926) Euthalia (Aconthea) *alpheda yamuna* Fruhstorfer, 1906 (Argynnididae) Synonym(s): *yamuna* Fruhstorfer, 1906
- 5927) Euthalia (Aconthea) *anosia* (Moore, 1858) (Argynnididae) Synonym(s): *anosia* Moore, 1858
- 5928) Euthalia (Aconthea) *anosia anosia* (Moore, 1858) (Argynnididae) Synonym(s): *anosia* Moore, 1858
- 5929) Euthalia (Aconthea) *anosia bunaya* Fruhstorfer, 1913 (Argynnididae) Synonym(s): *bunaya* Fruhstorfer, 1913
- 5930) Euthalia (Aconthea) *anosia tawitawia* Treadaway & Nuyda, 1994 (Argynnididae) Synonym(s): *tawitawia* Treadaway & Nuyda, 1994
- 5931) Euthalia (Aconthea) *eriphylae* De Nicéville, 1891 (Argynnididae) Synonym(s): *eriphylae* De Nicéville, 1891
- 5932) Euthalia (Aconthea) *eriphylae chula* Fruhstorfer, 1905 (Argynnididae) Synonym(s): *chula* Fruhstorfer, 1905
- 5933) Euthalia (Aconthea) *eriphylae eriphylae* De Nicéville, 1891 (Argynnididae) Synonym(s): *eriphylae* De Nicéville, 1891
- 5934) Euthalia (Aconthea) *eriphylae raya* Eliot, 1960 (Argynnididae) Synonym(s): *raya* Eliot, 1960
- 5935) Euthalia (Aconthea) *garuda* (Moore, 1857) (Argynnididae) Synonym(s): *garuda* Moore, 1857
- 5936) Euthalia (Aconthea) *garuda garuda* (Moore, 1857) (Argynnididae) Synonym(s): *garuda* Moore, 1857
- 5937) Euthalia (Aconthea) *ipona* Fruhstorfer, 1913 (Argynnididae) Synonym(s): *ipona* Fruhstorfer, 1913
- 5938) Euthalia (Aconthea) *ipona ipona* Fruhstorfer, 1913 (Argynnididae) Synonym(s): *ipona* Fruhstorfer, 1913
- 5939) Euthalia (Aconthea) *kanda* (Moore, 1859) (Argynnididae) Synonym(s): *kanda* Moore, 1859
- 5940) Euthalia (Aconthea) *kanda elicius* De Nicéville, 1890 (Argynnididae) Synonym(s): *elicius* De Nicéville, 1890
- 5941) Euthalia (Aconthea) *kanda kanda* (Moore, 1859) (Argynnididae) Synonym(s): *kanda* Moore, 1859
- 5942) Euthalia (Aconthea) *kanda marana* Corbet, 1937 (Argynnididae) Synonym(s): *marana* Corbet, 1937
- 5943) Euthalia (Aconthea) *mahadeva* (Moore, 1859) (Argynnididae) Synonym(s): *mahadeva* Moore, 1859
- 5944) Euthalia (Aconthea) *mahadeva dacasini* Hanafusa, 1990 (Argynnididae) Synonym(s): *dacasini* Hanafusa, 1990
- 5945) Euthalia (Aconthea) *mahadeva ingae* Schröder & Treadaway, 1990 (Argynnididae) Synonym(s): *ingae* Schröder & Treadaway, 1990
- 5946) Euthalia (Aconthea) *mahadeva mahadeva* (Moore, 1859) (Argynnididae) Synonym(s): *mahadeva* Moore, 1859
- 5947) Euthalia (Aconthea) *mahadeva rhamases* Staudinger, 1889 (Argynnididae) Synonym(s): *rhamases* Staudinger, 1889
- 5948) Euthalia (Aconthea) *mahadeva yui* Yokochi, 1994 (Argynnididae) Synonym(s): *yui* Yokochi, 1994
- 5949) Euthalia (Aconthea) *mahadeva zichrina* Fruhstorfer, 1904 (Argynnididae) Synonym(s): *zichrina* Fruhstorfer, 1904
- 5950) Euthalia (Aconthea) *merta* (Moore, 1859) (Argynnididae) Synonym(s): *merta* Moore, 1859
- 5951) Euthalia (Aconthea) *merta merta* (Moore, 1859) (Argynnididae) Synonym(s): *merta* Moore, 1859
- 5952) Euthalia (Aconthea) *merta milleri* Pendlebury, 1939 (Argynnididae) Synonym(s): *milleri* Pendlebury, 1939
- 5953) Euthalia (Aconthea) *monina* (Fabricius, 1787) (Argynnididae) Synonym(s): *monina* Fabricius, 1787
- 5954) Euthalia (Aconthea) *monina discipilota* Moore, 1879 (Argynnididae) Synonym(s): *discipilota* Moore, 1879
- 5955) Euthalia (Aconthea) *monina kayumanggia* Treadaway & Nuyda, 1994 (Argynnididae) Synonym(s): *kayumanggia* Treadaway & Nuyda, 1994
- 5956) Euthalia (Aconthea) *monina monina* (Fabricius, 1787) (Argynnididae) Synonym(s): *monina* Fabricius, 1787
- 5957) Euthalia (Aconthea) *monina remias* Corbet, 1945 (Argynnididae) Synonym(s): *remias* Corbet, 1945
- 5958) Euthalia (Aconthea) *monina suluana* Fruhstorfer, 1902 (Argynnididae) Synonym(s): *suluana* Fruhstorfer, 1902
- 5959) Euthalia (Aconthea) *phemius* (Doubleday, 1848) (Argynnididae) Synonym(s): *phemius* Doubleday, 1848
- 5960) Euthalia (Aconthea) *phemius phemius* (Doubleday, 1848) (Argynnididae) Synonym(s): *phemius* Doubleday, 1848
- 5961) Euthalia (Bassarona) *alpherakyi* Oberthür, 1907 (Argynnididae) Synonym(s): *alpherakyi* Oberthür, 1907
- 5962) Euthalia (Bassarona) *alpherakyi alpherakyi* Oberthür, 1907 (Argynnididae) Synonym(s): *alpherakyi* Oberthür, 1907
- 5963) Euthalia (Bassarona) *confucius* (Westwood, [1850]) (Argynnididae) Synonym(s): *confucius* Westwood, [1850]
- 5964) Euthalia (Bassarona) *confucius confucius* (Westwood, [1850]) (Argynnididae) Synonym(s): *confucius* Westwood, [1850]
- 5965) Euthalia (Bassarona) *dunya* (Doubleday, 1848) (Argynnididae) Synonym(s): *dunya* Doubleday, 1848
- 5966) Euthalia (Bassarona) *dunya dunya* (Doubleday, 1848) (Argynnididae) Synonym(s): *dunya* Doubleday, 1848
- 5967) Euthalia (Bassarona) *dunya monara* Fruhstorfer, 1913 (Argynnididae) Synonym(s): *monara* Fruhstorfer, 1913
- 5968) Euthalia (Bassarona) *hebe* Leech, 1891 (Argynnididae) Synonym(s): *hebe* Leech, 1891
- 5969) Euthalia (Bassarona) *hebe hebe* Leech, 1891 (Argynnididae) Synonym(s): *hebe* Leech, 1891
- 5970) Euthalia (Bassarona) *khama* Alpheraky, 1898 (Argynnididae) Synonym(s): *khama* Alpheraky, 1898
- 5971) Euthalia (Bassarona) *khama khama* Alpheraky, 1898 (Argynnididae) Synonym(s): *khama* Alpheraky, 1898
- 5972) Euthalia (Bassarona) *piratica* Semper, 1888 (Argynnididae) Synonym(s): *piratica* Semper, 1888
- 5973) Euthalia (Bassarona) *piratica dinagatensis* Tsukada, 1991 (Argynnididae) Synonym(s): *dinagatensis* Tsukada, 1991
- 5974) Euthalia (Bassarona) *piratica negrosiana* Schröder & Treadaway, 1987 (Argynnididae) Synonym(s): *negrosiana* Schröder & Treadaway, 1987
- 5975) Euthalia (Bassarona) *piratica piratica* Semper, 1888 (Argynnididae) Synonym(s): *piratica* Semper, 1888
- 5976) Euthalia (Bassarona) *piratica romeo* Schröder & Treadaway, 1987 (Argynnididae) Synonym(s): *romeo* Schröder & Treadaway, 1987
- 5977) Euthalia (Bassarona) *piratica sarmana* Fruhstorfer, 1913 (Argynnididae) Synonym(s): *sarmana* Fruhstorfer, 1913
- 5978) Euthalia (Bassarona) *piratica subpiratica* Schröder & Treadaway, 1987 (Argynnididae) Synonym(s): *subpiratica* Schröder & Treadaway, 1987
- 5979) Euthalia (Bassarona) *pratti* Leech, 1891 (Argynnididae) Synonym(s): *pratti* Leech, 1891
- 5980) Euthalia (Bassarona) *pratti pratti* Leech, 1891 (Argynnididae) Synonym(s): *pratti* Leech, 1891
- 5981) Euthalia (Bassarona) *recta* (De Nicéville, 1886) (Argynnididae) Synonym(s): *recta* De Nicéville, 1886
- 5982) Euthalia (Bassarona) *recta monilis* (Moore, 1897) (Argynnididae) Synonym(s): *monilis* Moore, 1897
- 5983) Euthalia (Bassarona) *recta recta* (De Nicéville, 1886) (Argynnididae) Synonym(s): *recta* De Nicéville, 1886
- 5984) Euthalia (Bassarona) *teuta* (Doubleday, 1848) (Argynnididae) Synonym(s): *teuta* Doubleday, 1848
- 5985) Euthalia (Bassarona) *teuta balabacana* Tsukada, 1991 (Argynnididae) Synonym(s): *balabacana* Tsukada, 1991
- 5986) Euthalia (Bassarona) *teuta eson* De Nicéville, 1894 (Argynnididae) Synonym(s): *eson* De Nicéville, 1894
- 5987) Euthalia (Bassarona) *teuta goodrichi* Distant, 1886 (Argynnididae) Synonym(s): *goodrichi* Distant, 1886
- 5988) Euthalia (Bassarona) *teuta gupta* (De Nicéville, 1886) (Argynnididae) Synonym(s): *gupta* De Nicéville, 1886
- 5989) Euthalia (Bassarona) *teuta rayana* Morishita, 1968 (Argynnididae) Synonym(s): *rayana* Morishita, 1968
- 5990) Euthalia (Bassarona) *teuta teuta* (Doubleday, 1848) (Argynnididae) Synonym(s): *teuta* Doubleday, 1848
- 5991) Euthalia (Bassarona) *thibetana* Poujade, 1885 (Argynnididae) Synonym(s): *thibetana* Poujade, 1885
- 5992) Euthalia (Bassarona) *thibetana thibetana* Poujade, 1885 (Argynnididae) Synonym(s): *thibetana* Poujade, 1885
- 5993) Euthalia (Chucapa) *Moore*, [1897] (Argynnididae) Synonym(s): *Chucapa* Moore, [1897]
- 5994) Euthalia (Chucapa) *franciae* (Gray, 1846) (Argynnididae) Synonym(s): *franciae* Gray, 1846
- 5995) Euthalia (Chucapa) *franciae attenuata* Tytler, 1911 (Argynnididae) Synonym(s): *attenuata* Tytler, 1911
- 5996) Euthalia (Chucapa) *franciae franciae* (Gray, 1846) (Argynnididae) Synonym(s): *franciae* Gray, 1846
- 5997) Euthalia (Dophla) *evelina* (Stoll, [1790]) (Argynnididae) Synonym(s): *evelina* Stoll, [1790]
- 5998) Euthalia (Dophla) *evelina albusequus* Nihira & Kawamura, 1986 (Argynnididae) Synonym(s): *albusequus* Nihira & Kawamura, 1986
- 5999) Euthalia (Dophla) *evelina annamita* (Moore, 1880) (Argynnididae) Synonym(s): *annamita* Moore, 1880
- 6000) Euthalia (Dophla) *evelina balabacana* Tsukada, 1991 (Argynnididae) Synonym(s): *balabacana* Tsukada, 1991
- 6001) Euthalia (Dophla) *evelina chloe* Schröder & Treadaway, 1990 (Argynnididae) Synonym(s): *chloe* Schröder & Treadaway, 1990
- 6002) Euthalia (Dophla) *evelina circe* Schröder & Treadaway, 1990 (Argynnididae) Synonym(s): *circe* Schröder & Treadaway, 1990
- 6003) Euthalia (Dophla) *evelina compta* Fruhstorfer, 1899 (Argynnididae) Synonym(s): *compta* Fruhstorfer, 1899
- 6004) Euthalia (Dophla) *evelina eva* C. Felder & R. Felder, [1867] (Argynnididae) Synonym(s): *eva* C. Felder & R. Felder, [1867]
- 6005) Euthalia (Dophla) *evelina evelina* (Stoll, [1790]) (Argynnididae) Synonym(s): *evelina* Stoll, [1790]
- 6006) Euthalia (Dophla) *evelina proditrix* Fruhstorfer, 1913 (Argynnididae) Synonym(s): *proditrix* Fruhstorfer, 1913
- 6007) Euthalia (Dophla) *evelina samarensis* Tsukada, 1991 (Argynnididae) Synonym(s): *samarensis* Tsukada, 1991
- 6008) Euthalia (Dophla) *evelina tyawena* Fruhstorfer, 1913 (Argynnididae) Synonym(s): *tyawena* Fruhstorfer, 1913
- 6009) Euthalia (Dophla) *evelina vallon* Fruhstorfer, 1899 (Argynnididae) Synonym(s): *vallon* Fruhstorfer, 1899
- 6010) Euthalia (Limbusa) *nara* (Moore, 1859) (Argynnididae) Synonym(s): *nara* Moore, 1859
- 6011) Euthalia (Limbusa) *nara nara* (Moore, 1859) (Argynnididae) Synonym(s): *nara* Moore, 1859

- 6012) *Euthalia (Limbusa) nara shania Evans, 1924* (Argynnididae) Synonym(s): *shania Evans, 1924*
6013) *Euthalia (Limbusa) narayana Grose-Smith, 1891* (Argynnididae) Synonym(s): *narayana Grose-Smith, 1891*
6014) *Euthalia (Limbusa) narayana narayana Grose-Smith, 1891* (Argynnididae) Synonym(s): *narayana Grose-Smith, 1891*
6015) *Euthalia (Limbusa) patala (Kollar, 1844)* (Argynnididae) Synonym(s): *patala Kollar, 1844*
6016) *Euthalia (Limbusa) patala patala (Kollar, 1844)* (Argynnididae) Synonym(s): *patala Kollar, 1844*
6017) *Euthalia (Limbusa) patala taoana (Moore, 1878)* (Argynnididae) Synonym(s): *taoana Moore, 1878*
6018) *Euthalia (s.str.) adonia (Cramer, 1779)* (Argynnididae) Synonym(s): *adonia Cramer, 1779*
6019) *Euthalia (s.str.) adonia adonia (Cramer, 1779)* (Argynnididae) Synonym(s): *adonia Cramer, 1779*
6020) *Euthalia (s.str.) adonia beata Fruhstorfer, 1905* (Argynnididae) Synonym(s): *beata Fruhstorfer, 1905*
6021) *Euthalia (s.str.) adonia princesa Fruhstorfer, 1899* (Argynnididae) Synonym(s): *princesa Fruhstorfer, 1899*
6022) *Euthalia (s.str.) djata Distant & Pryer, 1887* (Argynnididae) Synonym(s): *djata Distant & Pryer, 1887*
6023) *Euthalia (s.str.) djata djata Distant & Pryer, 1887* (Argynnididae) Synonym(s): *djata Distant & Pryer, 1887*
6024) *Euthalia (s.str.) djata ludonia Staudinger, 1889* (Argynnididae) Synonym(s): *ludonia Staudinger, 1889*
6025) *Euthalia (s.str.) djata siamica (Riley & Godfrey, 1925)* (Argynnididae) Synonym(s): *siamica Riley & Godfrey, 1925*
6026) *Euthalia (s.str.) lubentina (Cramer, 1777)* (Argynnididae) Synonym(s): *lubentina Cramer, 1777*
6027) *Euthalia (s.str.) lubentina boholensis M.Okano & T.Okano, 1990* (Argynnididae) Synonym(s): *boholensis M.Okano & T.Okano, 1990*
6028) *Euthalia (s.str.) lubentina goertzi Jumalon, 1975* (Argynnididae) Synonym(s): *goertzi Jumalon, 1975*
6029) *Euthalia (s.str.) lubentina leytensis Jumalon, 1975* (Argynnididae) Synonym(s): *leytensis Jumalon, 1975*
6030) *Euthalia (s.str.) lubentina lubentina (Cramer, 1777)* (Argynnididae) Synonym(s): *lubentina Cramer, 1777*
6031) *Euthalia (s.str.) lubentina nadenya Fruhstorfer, 1913* (Argynnididae) Synonym(s): *nadenya Fruhstorfer, 1913*
6032) *Euthalia (s.str.) lubentina philippensis Fruhstorfer, 1899* (Argynnididae) Synonym(s): *philippensis Fruhstorfer, 1899*
6033) *Euthalia (s.str.) lubentina tsukada Koçak, 1996* (Argynnididae) Synonym(s): *mindorana Tsukada, 1991 nec Fruhst., 1899; tsukada Koçak, 1996*
6034) *Euthalia (s.str.) malaccana Fruhstorfer, 1899* (Argynnididae) Synonym(s): *malaccana Fruhstorfer, 1899; chersonesia Fruhstorfer, 1904*
6035) *Euthalia (s.str.) malaccana malaccana Fruhstorfer, 1899* (Argynnididae) Synonym(s): *malaccana Fruhstorfer, 1899; chersonesia Fruhstorfer, 1904*
6036) *Euthalia (s.str.) whiteheadi Grose-Smith, 1899* (Argynnididae) Synonym(s): *whiteheadi Grose-Smith, 1899*
6037) *Euthalia (s.str.) whiteheadi mariae Fruhstorfer, 1904* (Argynnididae) Synonym(s): *mariae Fruhstorfer, 1904*
6038) *Euthalia (s.str.) whiteheadi whiteheadi Grose-Smith, 1899* (Argynnididae) Synonym(s): *whiteheadi Grose-Smith, 1899*
6039) *Euthalia (s.str.) whiteheadi zinara Pendlebury & Corbet, 1938* (Argynnididae) Synonym(s): *zinara Pendlebury & Corbet, 1938*
6040) *Euthalia lusiada (C.Felder & R.Felder, 1863)* (Argynnididae) Synonym(s): *lusiada C.Felder & R.Felder, 1863*
6041) *Euthalia lusiada lusiada (C.Felder & R.Felder, 1863)* (Argynnididae) Synonym(s): *lusiada C.Felder & R.Felder, 1863*
6042) *Euthalia lusiada malissia Fruhstorfer, 1913* (Argynnididae) Synonym(s): *malissia Fruhstorfer, 1913*
6043) *Euthalia lusiada mindorana Fruhstorfer, 1899* (Argynnididae) Synonym(s): *mindorana Fruhstorfer, 1899*
6044) *Euthalia lusiada schoenigi Schröder & Treadaway, 1978* (Argynnididae) Synonym(s): *schoenigi Schröder & Treadaway, 1978*
6045) *Euthalia lusiada soloni M.Okano & T.Okano, 1990* (Argynnididae) Synonym(s): *soloni M.Okano & T.Okano, 1990*
6046) *Euthalia mindanaensis Schröder & Treadaway, 1978* (Argynnididae) Synonym(s): *mindanaensis Schröder & Treadaway, 1978*
6047) *Euthalia tanagra Staudinger, 1889* (Argynnididae) Synonym(s): *tanagra Staudinger, 1889*
6048) *Euxanthe (Euxanthe) crossleyi (Ward, 1871)* (Argynnididae) Synonym(s): *crossleyi Ward, 1871; radiata Niepelt, 1934; niepelti Stichel, 1939*
6049) *Euxanthe (Euxanthe) crossleyi ansorgei Rothschild, 1903* (Argynnididae) Synonym(s): *ansorgei Rothschild, 1903; #babingtoni Stoneham, 1943*
6050) *Euxanthe (Euxanthe) crossleyi claudiae Rousseau-Decelle, 1934* (Argynnididae) Synonym(s): *claudiae Rousseau-Decelle, 1934*
6051) *Euxanthe (Euxanthe) crossleyi crossleyi (Ward, 1871)* (Argynnididae) Synonym(s): *crossleyi Ward, 1871; radiata Niepelt, 1934; niepelti Stichel, 1939*
6052) *Euxanthe (Euxanthe) crossleyi magnifica Rebel, 1914* (Argynnididae) Synonym(s): *magnifica Rebel, 1914; intermedia Joicey & Talbot, 1921*
6053) *Euxanthe (Euxanthe) eurinome (Cramer, 1775)* (Argynnididae) Synonym(s): *eurinome Cramer, 1775; #johnsoni Howarth, 1969*
6054) *Euxanthe (Euxanthe) eurinome ansellica (Butler, 1870)* (Argynnididae) Synonym(s): *ansellica Butler, 1870; burgeoni Le Cerf, 1923; #radiata Van Someren & Rogers, 1928*
6055) *Euxanthe (Euxanthe) eurinome birbirica Ungemach, 1932* (Argynnididae) Synonym(s): *birbirica Ungemach, 1932; elgonae Van Someren, 1975*
6056) *Euxanthe (Euxanthe) eurinome celadon Le Cerf, 1923* (Argynnididae) Synonym(s): *celadon Le Cerf, 1923*
6057) *Euxanthe (Euxanthe) eurinome eurinome (Cramer, 1775)* (Argynnididae) Synonym(s): *eurinome Cramer, 1775; #johnsoni Howarth, 1969*
6058) *Euxanthe (Euxanthe) madagascariensis (Lucas, 1843)* (Argynnididae) Synonym(s): *madagascariensis Lucas, 1843; amakosa Doubleday, 1850; #catalai Le Moul, 1933*
6059) *Euxanthe (Euxanthe) wakefieldi (Ward, 1873)* (Argynnididae) Synonym(s): *wakefieldi Ward, 1873; #rubiginea Le Cerf, 1923*
6060) *Euxanthe (Hypomelaena) tiberius Grose-Smith, 1889* (Argynnididae) Synonym(s): *tiberius Grose-Smith, 1889; #tiberiella Strand, 1911*
6061) *Euxanthe (Hypomelaena) tiberius meruensis Van Someren, 1936* (Argynnididae) Synonym(s): *meruensis Van Someren, 1936*
6062) *Euxanthe (Hypomelaena) tiberius tiberius Grose-Smith, 1889* (Argynnididae) Synonym(s): *tiberius Grose-Smith, 1889; #tiberiella Strand, 1911*
6063) *Euxanthe (Hypomelaena) trajanus (Ward, 1871)* (Argynnididae) Synonym(s): *trajanus Ward, 1871; schatzi Staudinger, 1885; gabonicus Le Cerf, 1923; #depuncta Le Cerf, 1923; nigeriae Van Someren, 1975*
6064) *Euxanthe (Hypomelaena) trajanus antonius Rousseau-Decelle, 1938* (Argynnididae) Synonym(s): *antonius Rousseau-Decelle, 1938*
6065) *Euxanthe (Hypomelaena) trajanus trajanus (Ward, 1871)* (Argynnididae) Synonym(s): *trajanus Ward, 1871; schatzi Staudinger, 1885; gabonicus Le Cerf, 1923; #depuncta Le Cerf, 1923; nigeriae Van Someren, 1975*
6066) *Euxanthe (Hypomelaena) trajanus vansomeri Poulton, 1929* (Argynnididae) Synonym(s): *vansomeri Poulton, 1929*
6067) *Hamadryas amphichloe (Argynnididae)* Synonym(s):
6068) *Hamadryas amphinome (Linnaeus, 1767)* (Argynnididae) Synonym(s): *amphinome Linnaeus, 1767*
6069) *Hamadryas amphinome mexicana (Lucas, 1853)* (Argynnididae) Synonym(s): *mexicana Lucas, 1853*
6070) *Hamadryas atlantis (Argynnididae)* Synonym(s):
6071) *Hamadryas februa (Hübner, 1823)* (Argynnididae) Synonym(s): *februa Hübner, 1823*
6072) *Hamadryas februa februa (Hübner, 1823)* (Argynnididae) Synonym(s): *februa Hübner, 1823*
6073) *Hamadryas februa gudula (Fruhstorfer, 1916)* (Argynnididae) Synonym(s): *gudula Fruhstorfer, 1916*
6074) *Hamadryas feronia (Linnaeus, 1758)* (Argynnididae) Synonym(s): *feronia Linnaeus, 1758*
6075) *Hamadryas feronia farinulenta (Fruhstorfer, 1916)* (Argynnididae) Synonym(s): *farinulenta Fruhstorfer, 1916*
6076) *Hamadryas ferox (Staudinger, 1888)* (Argynnididae) Synonym(s): *ferox Staudinger, 1888*
6077) *Hamadryas fornax (Hübner, 1823)* (Argynnididae) Synonym(s): *fornax Hübner, 1823*
6078) *Hamadryas fornax fornacalia (Fruhstorfer, 1907)* (Argynnididae) Synonym(s): *fornacalia Fruhstorfer, 1907*
6079) *Hamadryas glauconome (Argynnididae)* Synonym(s):
6080) *Hamadryas guatemalena (Argynnididae)* Synonym(s):
6081) *Hamanumida daedalus (Fabricius, 1775)* (Argynnididae) Synonym(s): *daedalus Fabricius, 1775; melantha Fabricius, 1775; meleagris Cramer, 1775; hesperus Fabricius, 1793; meleagrina Staudinger, 1886; bicolor Ungemach, 1932; icarus Stoneham, 1965.*
6082) *Hamanumida daedalus daedalus (Fabricius, 1775)* (Argynnididae) Synonym(s): *daedalus Fabricius, 1775; melantha Fabricius, 1775; meleagris Cramer, 1775; hesperus Fabricius, 1793; meleagrina Staudinger, 1886; bicolor Ungemach, 1932; icarus Stoneham, 1965.*
6083) *Harma theobene Doubleday, 1848* (Argynnididae) Synonym(s): *theobene Doubleday, 1848; #umbrina Joicey & Talbot, 1921*
6084) *Harma theobene blassi (Weymer, 1892)* (Argynnididae) Synonym(s): *blassi Weymer, 1892; nebetho Suffert, 1904.*
6085) *Harma theobene superna (Fox, 1968)* (Argynnididae) Synonym(s): *#sordida Schultze, 1916; superna Fox, 1968.*
6086) *Harma theobene theobene Doubleday, 1848* (Argynnididae) Synonym(s): *theobene Doubleday, 1848; #umbrina Joicey & Talbot, 1921*
6087) *Harmilla elegans Aurivillius, 1892* (Argynnididae) Synonym(s): *elegans Aurivillius, 1892*
6088) *Harmilla elegans elegans Aurivillius, 1892* (Argynnididae) Synonym(s): *elegans Aurivillius, 1892*
6089) *Harmilla elegans hawkeri Joicey & Talbot, 1926* (Argynnididae) Synonym(s): *hawkeri Joicey & Talbot, 1926*
6090) *Helcyra hemina Hewitson, 1864* (Argynnididae) Synonym(s): *hemina Hewitson, 1864*
6091) *Helcyra hemina hemina Hewitson, 1864* (Argynnididae) Synonym(s): *hemina Hewitson, 1864*
6092) *Helcyra miyazakii Tsukada, 1991* (Argynnididae) Synonym(s): *miyazakii Tsukada, 1991*
6093) *Helcyra superba Leech, 1890* (Argynnididae) Synonym(s): *superba Leech, 1890*
6094) *Helcyra superba superba Leech, 1890* (Argynnididae) Synonym(s): *superba Leech, 1890*
6095) *Heronia marathus Doubleday, 1848* (Argynnididae) Synonym(s): *marathus Doubleday, 1848*
6096) *Heronia marathus angustata Moore, 1879* (Argynnididae) Synonym(s): *angustata Moore, 1879*

- 6097) *Herona marathus marathus* Doubleday, 1848 (Argynnidae) Synonym(s): *marathus* Doubleday, 1848
- 6098) *Herona marathus stellaris* Tsukada, 1991 (Argynnidae) Synonym(s): *stellaris* Tsukada, 1991
- 6099) *Herona sumatrana* Moore, 1881 (Argynnidae) Synonym(s): *sumatrana* Moore, 1881
- 6100) *Herona sumatrana dusuntua* Corbet, 1937 (Argynnidae) Synonym(s): *dusuntua* Corbet, 1937
- 6101) *Herona sumatrana sumatrana* Moore, 1881 (Argynnidae) Synonym(s): *sumatrana* Moore, 1881
- 6102) *Hestina nama* (Doubleday, 1845) (Argynnidae) Synonym(s): *nama* Doubleday, 1845
- 6103) *Hestina nama nama* (Doubleday, 1845) (Argynnidae) Synonym(s): *nama* Doubleday, 1845
- 6104) *Hestina oberthueri* Leech, 1890 (Argynnidae) Synonym(s): *oberthueri* Leech, 1890
- 6105) *Hestina persimilis* Westwood, [1850] (Argynnidae) Synonym(s): *persimilis* Westwood, [1850]
- 6106) *Hestina persimilis persimilis* Westwood, [1850] (Argynnidae) Synonym(s): *persimilis* Westwood, [1850]
- 6107) *Hestinalis dissimilis* Hall, 1935 (Argynnidae) Synonym(s): *dissimilis* Hall, 1935
- 6108) *Hestinalis waterstradti* Watkins, 1928 (Argynnidae) Synonym(s): *waterstradti* Watkins, 1928
- 6109) *Hestinalis waterstradti borealis* Tsukada, 1991 (Argynnidae) Synonym(s): *borealis* Tsukada, 1991
- 6110) *Hestinalis waterstradti waterstradti* Watkins, 1928 (Argynnidae) Synonym(s): *waterstradti* Watkins, 1928
- 6111) *Historis acheronta* (Argynnidae) Synonym(s):
- 6112) *Historis odius* (Argynnidae) Synonym(s):
- 6113) *Hypanartia bella* (Fabricius, 1793) (Argynnidae) Synonym(s): *bella* Fabricius, 1793; *zabulina* Godart, 1819; *montana* Köhler, 1923
- 6114) *Hypanartia celestia* Lamas, Willmott & Hall, 2001 (Argynnidae) Synonym(s): *celestia* Lamas, Willmott & Hall, 2001
- 6115) *Hypanartia charon* (Hewitson, 1878) (Argynnidae) Synonym(s): *charon* Hewitson, 1878
- 6116) *Hypanartia christophori* Jasinski, 1998 (Argynnidae) Synonym(s): *christophori* Jasinski, 1998
- 6117) *Hypanartia cinderella* Lamas, Willmott & Hall, 2001 (Argynnidae) Synonym(s): *cinderella* Lamas, Willmott & Hall, 2001
- 6118) *Hypanartia dione* (Latreille, [1813]) (Argynnidae) Synonym(s): *dione* Latreille, [1813]
- 6119) *Hypanartia dione arcae* (Salvin, 1871) (Argynnidae) Synonym(s): *arcae* Salvin, 1871
- 6120) *Hypanartia dione dione* (Latreille, [1813]) (Argynnidae) Synonym(s): *dione* Latreille, [1813]
- 6121) *Hypanartia dione disjuncta* Willmott, Hall & Lamas, 2001 (Argynnidae) Synonym(s): *disjuncta* Willmott, Hall & Lamas, 2001
- 6122) *Hypanartia fassli* Willmott, Hall & Lamas, 2001 (Argynnidae) Synonym(s): *fassli* Willmott, Hall & Lamas, 2001
- 6123) *Hypanartia godmanii* (H. Bates, 1864) (Argynnidae) Synonym(s): *godmanii* H. Bates, 1864; *atropos* C. Felder & R. Felder, 1867
- 6124) *Hypanartia kefersteini* (Doubleday, 1847) (Argynnidae) Synonym(s): *kefersteini* Doubleday, [1847]
- 6125) *Hypanartia lethe* (Fabricius, 1793) (Argynnidae) Synonym(s): *lethe* Fabricius, 1793; *demonica* Hübner, [1821]
- 6126) *Hypanartia lindigii* (C. Felder & R. Felder, 1862) (Argynnidae) Synonym(s): *lindigii* C. Felder & R. Felder, 1862
- 6127) *Hypanartia paullus* (Fabricius, 1793) (Argynnidae) Synonym(s): *paullus* Fabricius, 1793; *tecmesia* Hübner, [1823]
- 6128) *Hypanartia splendida* Rothschild, 1903 (Argynnidae) Synonym(s): *splendida* Rothschild, 1903
- 6129) *Hypanartia trimaculata* Willmott, Hall & Lamas, 2001 (Argynnidae) Synonym(s): *trimaculata* Willmott, Hall & Lamas, 2001
- 6130) *Hypanartia trimaculata autumnata* Willmott, Hall & Lamas, 2001 (Argynnidae) Synonym(s): *autumnata* Willmott, Hall & Lamas, 2001
- 6131) *Hypanartia trimaculata trimaculata* Willmott, Hall & Lamas, 2001 (Argynnidae) Synonym(s): *trimaculata* Willmott, Hall & Lamas, 2001
- 6132) *Hypolimnias anomala* (Wallace, 1869) (Argynnidae) Synonym(s): *anomala* Wallace, 1869; *nivas* Fruhstorfer, 1913
- 6133) *Hypolimnias anomala anomala* (Wallace, 1869) (Argynnidae) Synonym(s): *anomala* Wallace, 1869; *nivas* Fruhstorfer, 1913
- 6134) *Hypolimnias anomala arnoldi* Fruhstorfer, 1903 (Argynnidae) Synonym(s): *arnoldi* Fruhstorfer, 1903
- 6135) *Hypolimnias anomala discandra* Weymer (Argynnidae) Synonym(s): *discandra* Weymer
- 6136) *Hypolimnias anomala eucaristos* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *eucaristos* Fruhstorfer, 1912
- 6137) *Hypolimnias anomala interstincta* Butler, 1873 (Argynnidae) Synonym(s): *interstincta* Butler, 1873
- 6138) *Hypolimnias anomala phalkes* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *phalkes* Fruhstorfer, 1912
- 6139) *Hypolimnias anomala sumbawana* Pagenstecher (Argynnidae) Synonym(s): *sumbawana* Pagenstecher
- 6140) *Hypolimnias anomala truentus* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *truentus* Fruhstorfer, 1912
- 6141) *Hypolimnias anomala wallaceana* Butler, 1873 (Argynnidae) Synonym(s): *wallaceana* Butler, 1873
- 6142) *Hypolimnias antevorta* (Distant, 1880) (Argynnidae) Synonym(s): *antevorta* Distant, 1880
- 6143) *Hypolimnias anthedon* Doubleday, 1845 (Argynnidae) Synonym(s): *anthedon* Doubleday, 1845
- 6144) *Hypolimnias anthedon anthedon* Doubleday, 1845 (Argynnidae) Synonym(s): *dubius* Palisot de Beauvois, 1805 nec Stl., 1781; *anthedon* Doubleday, 1845; *damoclina* Trimen, 1869; *daemona* Staudinger, 1896; *daemonides* Staudinger, 1896; *poensis* Rothschild, 1918;
- 6145) *Hypolimnias anthedon drucei* (Butler, 1874) (Argynnidae) Synonym(s): *drucei* Butler, 1874; *bewsheri* Butler, 1879; *diffusa* Butler, 1880; *madagascariensis* Mabille, 1881; *lytescens* Mabille, [1887]; *limbata* Crowley, 1890; *mayottensis* Rothschild, 1918; *anthelmi* Le Cerf, 1928
- 6146) *Hypolimnias anthedon wahlbergi* (Wallengren, 1857) (Argynnidae) Synonym(s): *wahlbergi* Wallengren, 1857; *mima* Trimen, 1869; *marginalis* Butler, 1875; *angustilimbata* Weymer, 1892; *#millari* Aurivillius, 1913
- 6147) *Hypolimnias aubergeri* Hecq, 1987 (Argynnidae) Synonym(s): *aubergeri* Hecq, 1987
- 6148) *Hypolimnias bartelotti* Grose-Smith, 1890 (Argynnidae) Synonym(s): *bartelotti* Grose-Smith, 1890; *obliterata* Holland, 1920
- 6149) *Hypolimnias bolina* (Linnaeus, 1758) (Argynnidae) Synonym(s): *bolina* Linnaeus, 1758; *nerina* Fabricius, 1775; *iphigenia* Cramer, 1775; *alcmena* Cramer, 1775; *perimele* Cramer, 1775; *proserpina* Cramer, 1779; *aphrodite* Fruhstorfer, 1903; *semiramis* Wildey, [1941]; *iris* Wildey, [1941]
- 6150) *Hypolimnias bolina bolina* (Linnaeus, 1758) (Argynnidae) Synonym(s): *bolina* Linnaeus, 1758; *nerina* Fabricius, 1775; *iphigenia* Cramer, 1775; *alcmena* Cramer, 1775; *perimele* Cramer, 1775; *proserpina* Cramer, 1779; *aphrodite* Fruhstorfer, 1903; *semiramis* Wildey, [1941]; *iris* Wildey, [1941]
- 6151) *Hypolimnias bolina jacintha* (Drury, [1773]) (Argynnidae) Synonym(s): *jacintha* Drury, [1773]; *incommoda* Butler, [1879]
- 6152) *Hypolimnias bolina joloana* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *joloana* Fruhstorfer, 1912
- 6153) *Hypolimnias bolina kezia* (Butler, 1877) (Argynnidae) Synonym(s): *kezia* Butler, 1877; *priscilla* Butler, 1877; *formosana* Sonan, 1926
- 6154) *Hypolimnias bolina philippensis* Butler, 1874 (Argynnidae) Synonym(s): *philippensis* Butler, 1874
- 6155) *Hypolimnias chapmani* (Hewitson, 1873) (Argynnidae) Synonym(s): *chapmani* Hewitson, 1873; *#fasciata* Aurivillius, 1894
- 6156) *Hypolimnias deceptor* (Trimen, 1873) (Argynnidae) Synonym(s): *deceptor* Trimen, 1873; *kirbyi* Butler, 1898
- 6157) *Hypolimnias deceptor deceptor* (Trimen, 1873) (Argynnidae) Synonym(s): *deceptor* Trimen, 1873; *kirbyi* Butler, 1898
- 6158) *Hypolimnias deceptor deludens* Grose-Smith, 1891 (Argynnidae) Synonym(s): *deludens* Grose-Smith, 1891; *grandidieri* Mabille, 1899
- 6159) *Hypolimnias dexthea* (Hewitson, 1863) (Argynnidae) Synonym(s): *dexthea* Hewitson, 1863
- 6160) *Hypolimnias dinarcha* (Hewitson, 1865) (Argynnidae) Synonym(s): *dinarcha* Hewitson, 1865
- 6161) *Hypolimnias dinarcha dinarcha* (Hewitson, 1865) (Argynnidae) Synonym(s): *dinarcha* Hewitson, 1865
- 6162) *Hypolimnias dinarcha grandis* Rothschild, 1918 (Argynnidae) Synonym(s): *grandis* Rothschild, 1918
- 6163) *Hypolimnias dinarcha narchadi* Suffert, 1904 (Argynnidae) Synonym(s): *narchadi* Suffert, 1904; *liberiensis* Bernardi, 1959
- 6164) *Hypolimnias diomea* (Hewitson, 1861) (Argynnidae) Synonym(s): *diomea* Hewitson, 1861
- 6165) *Hypolimnias diomea dimona* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *dimona* Fruhstorfer, 1912
- 6166) *Hypolimnias diomea diomea* (Hewitson, 1861) (Argynnidae) Synonym(s): *diomea* Hewitson, 1861
- 6167) *Hypolimnias macarthurii* Neidhoefer, 1972 (Argynnidae) Synonym(s): *macarthurii* Neidhoefer, 1972
- 6168) *Hypolimnias mechowii* (Dewitz, 1884) (Argynnidae) Synonym(s): *mechowii* Dewitz, 1884; *ragiens* Capronnier, 1889; *stanleyi* Grose-Smith, 1890; *#paranarchadi* Bernardi, 1959
- 6169) *Hypolimnias misippus* (Linnaeus, 1764) (Argynnidae) Synonym(s): *misippus* Linnaeus, 1764 *inaria* Cramer, [1779]; *alcippoides* Butler, 1883.
- 6170) *Hypolimnias misippus misippus* (Linnaeus, 1764) (Argynnidae) Synonym(s): *misippus* Linnaeus, 1764 *inaria* Cramer, [1779]; *alcippoides* Butler, 1883.
- 6171) *Hypolimnias monteironis* (Druce, 1874) (Argynnidae) Synonym(s): *monteironis* Druce, 1874
- 6172) *Hypolimnias monteironis major* Rothschild, 1918 (Argynnidae) Synonym(s): *major* Rothschild, 1918
- 6173) *Hypolimnias monteironis monteironis* (Druce, 1874) (Argynnidae) Synonym(s): *monteironis* Druce, 1874
- 6174) *Hypolimnias salmacis* (Drury, [1773]) (Argynnidae) Synonym(s): *salmacis* (Drury, [1773])
- 6175) *Hypolimnias salmacis magnifica* Rothschild, 1918 (Argynnidae) Synonym(s): *magnifica* Rothschild, 1918
- 6176) *Hypolimnias salmacis platydema* Rothschild & Jordan, 1903 (Argynnidae) Synonym(s): *platydema* Rothschild & Jordan, 1903
- 6177) *Hypolimnias salmacis salmacis* (Drury, [1773]) (Argynnidae) Synonym(s): *salmacis* Drury, [1773]; *omphale* Stoll, [1790]; *cissalma* Suffert, 1904; *insularis* Schultze, 1920
- 6178) *Hypolimnias salmacis thomensis* Aurivillius, 1910 (Argynnidae) Synonym(s): *thomensis* Aurivillius, 1910
- 6179) *Hypolimnias salmacis ulysses* Collins, 1987 (Argynnidae) Synonym(s): *ulysses* Collins, 1987
- 6180) *Hypolimnias usambara* (Ward, 1872) (Argynnidae) Synonym(s): *usambara* Ward, 1872

- 6181) *Inachis io* (Linnaeus,1758) (Argynnididae) Synonym(s): *io* Linnaeus,1758; *ioides Ochsenheimer*,1808; *caucasica Jachontov*,1911.
6182) *Inachis io io* (Linnaeus,1758) (Argynnididae) Synonym(s): *io* Linnaeus,1758; *ioides Ochsenheimer*,1808; *caucasica Jachontov*,1911.
6183) *Issoria altissima* (Elwes,1882) (Argynnididae) Synonym(s): *altissima* Elwes,1882
6184) *Issoria altissima altissima* (Elwes,1882) (Argynnididae) Synonym(s): *altissima* Elwes,1882
6185) *Issoria baumanni* (Rebel & Rogenhofer,1894) (Argynnididae) Synonym(s): *baumanni* Rebel & Rogenhofer,1894
6186) *Issoria baumanni baumanni* (Rebel & Rogenhofer,1894) (Argynnididae) Synonym(s): *baumanni* Rebel & Rogenhofer,1894
6187) *Issoria baumanni katangae* (Neave,1910) (Argynnididae) Synonym(s): *katangae* Neave,1910
6188) *Issoria baumanni orientalis* Kielland,1990 (Argynnididae) Synonym(s): *orientalis* Kielland,1990
6189) *Issoria eugenia* (Eversmann,1847) (Argynnididae) Synonym(s): *eugenia* Eversmann,1847
6190) *Issoria eugenia eugenia* (Eversmann,1847) (Argynnididae) Synonym(s): *eugenia* Eversmann,1847
6191) *Issoria eugenia montana* (A.Bang-Haas,1906) (Argynnididae) Synonym(s): *montana* A.Bang-Haas,1906
6192) *Issoria eugenia rhea* (Groum-Grshimailo,1890) (Argynnididae) Synonym(s): *rhea* Groum-Grshimailo,1890
6193) *Issoria gemmata* (Butler,1881) (Argynnididae) Synonym(s): *gemmata* Butler,1881
6194) *Issoria gemmata gemmata* (Butler,1881) (Argynnididae) Synonym(s): *gemmata* Butler,1881
6195) *Issoria hanningtoni* (Elwes,1889) (Argynnididae) Synonym(s): *hanningtoni* Elwes,1889
6196) *Issoria hanningtoni hanningtoni* (Elwes,1889) (Argynnididae) Synonym(s): *hanningtoni* Elwes,1889
6197) *Issoria hanningtoni imatonga* (Riley,1932) (Argynnididae) Synonym(s): *imatonga* Riley,1932
6198) *Issoria hanningtoni jeanneli* Bernardi,1968 (Argynnididae) Synonym(s): *jeanneli* Bernardi,1968
6199) *Issoria issaea* (Moore,1857) (Argynnididae) Synonym(s): *issaea* Moore,1857; *isaea* Elwes,1885
6200) *Issoria issaea cesa* Kemal & Koçak,2007 (Argynnididae) Synonym(s): *cesa* Kemal & Koçak,2007
6201) *Issoria issaea issaea* (Moore,1857) (Argynnididae) Synonym(s): *issaea* Moore,1857; *isaea* Elwes,1885
6202) *Issoria lathonia* (Linnaeus,1758) (Argynnididae) Synonym(s): *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933.
6203) *Issoria lathonia isaeoides* Reuss,1925 (Argynnididae) Synonym(s): *isaeoides* Reuss,1925
6204) *Issoria lathonia lathonia* (Linnaeus,1758) (Argynnididae) Synonym(s): *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933.
6205) *Issoria lathonia messoria* (Fruhstorfer,1909) (Argynnididae) Synonym(s): *messoria* Fruhstorfer,1909
6206) *Issoria smaragdifer* (Butler,1895) (Argynnididae) Synonym(s): *smaragdifer* Butler,1895
6207) *Issoria smaragdifer reducta* Carcasson,1961 (Argynnididae) Synonym(s): *reducta* Carcasson,1961
6208) *Issoria smaragdifer smaragdifer* (Butler,1895) (Argynnididae) Synonym(s): *smaragdifer* Butler,1895
6209) *Kallima albofasciata* Moore,1877 (Argynnididae) Synonym(s): *albofasciata* Moore,1877
6210) *Kallima alompra* Moore,[1879] (Argynnididae) Synonym(s): *alompra* Moore,[1879]
6211) *Kallima buxtoni* Moore,[1879] (Argynnididae) Synonym(s): *buxtoni* Moore,[1879]
6212) *Kallima horsfieldi* (Kollar,[1844]) (Argynnididae) Synonym(s): *horsfieldi* Kollar,[1844]
6213) *Kallima inachis* (Doyère,1840) (Argynnididae) Synonym(s): *inachis* Doyère,1840
6214) *Kallima inachis chinensis* Swinhoe (Argynnididae) Synonym(s): *chinensis* Swinhoe
6215) *Kallima inachis formosana* Fruhstorfer,1912 (Argynnididae) Synonym(s): *formosana* Fruhstorfer,1912
6216) *Kallima inachis huegelii* (Kollar,[1844]) (Argynnididae) Synonym(s): *huegelii* Kollar,[1844]
6217) *Kallima inachis inachis* (Doyère,1840) (Argynnididae) Synonym(s): *inachis* Doyère,1840
6218) *Kallima inachis siamensis* Fruhstorfer,1913 (Argynnididae) Synonym(s): *siamensis* Fruhstorfer,1913
6219) *Kallima knyveti* De Nicéville,1886 (Argynnididae) Synonym(s): *knyveti* De Nicéville,1886
6220) *Kallima limborgi* Moore,[1879] (Argynnididae) Synonym(s): *limborgi* Moore,[1879]
6221) *Kallima limborgi ampliurfa* Fruhstorfer,1898 (Argynnididae) Synonym(s): *ampliurfa* Fruhstorfer,1898
6222) *Kallima limborgi limborgi* Moore,[1879] (Argynnididae) Synonym(s): *limborgi* Moore,[1879]
6223) *Kallima paralekta* (Horsfield,1858) (Argynnididae) Synonym(s): *paralekta* Horsfield,1858
6224) *Kallima paralekta paralekta* (Horsfield,1858) (Argynnididae) Synonym(s): *paralekta* Horsfield,1858
6225) *Kallima paralekta trebonia* Fruhstorfer,1909 (Argynnididae) Synonym(s): *trebonia* Fruhstorfer,1909
6226) *Kallima philarchus* Westwood,1848 (Argynnididae) Synonym(s): *philarchus* Westwood,1848
6227) *Kallima spiridiva* Grose-Smith,1887 (Argynnididae) Synonym(s): *spiridiva* Grose-Smith,1887
6228) *Kallimoides rumia* (Doubleday,[1849]) (Argynnididae) Synonym(s): *rumia* Doubleday,[1849]; *amiru* Suffert,1904; *#kassaiensis* Niepelt,1911
6229) *Kallimoides rumia ratttrayi* (Sharpe,1904) (Argynnididae) Synonym(s): *ratttrayi* Sharpe,1904
6230) *Kallimoides rumia rumia* (Doubleday,[1849]) (Argynnididae) Synonym(s): *rumia* Doubleday,[1849]; *amiru* Suffert,1904; *#kassaiensis* Niepelt,1911
6231) *Kamilla ansorgei* (Rothschild,1899) (Argynnididae) Synonym(s): *ansorgei* Rothschild,1899; *incerta* Grünberg,1908
6232) *Kamilla cymodoce* (Cramer,[1775]) (Argynnididae) Synonym(s): *cymodoce* Cramer,[1775]; *lugens* Schultze,1912
6233) *Kaniska canace* (Linnaeus,1763) (Argynnididae) Synonym(s): *canace* Linnaeus,1763
6234) *Kaniska canace battakana* (De Nicéville,1896) (Argynnididae) Synonym(s): *battakana* De Nicéville,1896
6235) *Kaniska canace benguetana* Semper,1888 (Argynnididae) Synonym(s): *benguetana* Semper,1888
6236) *Kaniska canace canace* (Linnaeus,1763) (Argynnididae) Synonym(s): *canace* Linnaeus,1763
6237) *Kaniska canace drilon* Fruhstorfer,1908 (Argynnididae) Synonym(s): *drilon* Fruhstorfer,1908
6238) *Kaniska canace haronica* Moore,1879 (Argynnididae) Synonym(s): *haronica* Moore,1879
6239) *Kaniska canace himalaya* (Evans,1924) (Argynnididae) Synonym(s): *himalaya* Evans,1924
6240) *Kaniska canace javanica* Fruhstorfer,1912 (Argynnididae) Synonym(s): *javanica* Fruhstorfer,1912
6241) *Kaniska canace maniliana* Fruhstorfer,1912 (Argynnididae) Synonym(s): *maniliana* Fruhstorfer,1912
6242) *Kaniska canace muscosa* Tsukada & Nishiyama (Argynnididae) Synonym(s):
6243) *Kaniska canace oplitia* Tsukada,1985 (Argynnididae) Synonym(s): *oplitia* Tsukada,1985
6244) *Kaniska canace oreas* Tsukada,1985 (Argynnididae) Synonym(s): *oreas* Tsukada,1985
6245) *Kaniska canace perakana* Distant,1886 (Argynnididae) Synonym(s): *perakana* Distant,1886
6246) *Kumothales inexpectata* Overlaet,1940 (Argynnididae) Synonym(s): *inexpectata* Overlaet,1940
6247) *Lachnoptera anticia* (Hübner,[1819]) (Argynnididae) Synonym(s): *laodice* Cramer,[1777] *nec* Pall.,1771; *iole* Fabricius,1781 *nec* [Den. & Schiff.],1775; *anticia* Hübner,[1819]; *hecate* Hewitson,1877; *afzelii* Aurivillius,1887
6248) *Lachnoptera ayresii* Trimen,1879 (Argynnididae) Synonym(s): *ayresii* Trimen,1879; *abbotti* Holland,1896
6249) *Laringa castelnaui* (C.Felder & R.Felder,1860) (Argynnididae) Synonym(s): *castelnaui* C.Felder & R.Felder,1860; *castelnavi* Wallace,1869
6250) *Laringa castelnaui castelnaui* (C.Felder & R.Felder,1860) (Argynnididae) Synonym(s): *castelnaui* C.Felder & R.Felder,1860; *castelnavi* Wallace,1869
6251) *Laringa castelnaui fruhstorferi* De Nicéville (Argynnididae) Synonym(s): *ID* Ja
6252) *Laringa castelnaui niha* Fruhstorfer,1896 (Argynnididae) Synonym(s): *niha* Fruhstorfer,1896
6253) *Laringa castelnaui ochus* Fruhstorfer,1905 (Argynnididae) Synonym(s): *ochus* Fruhstorfer,1905
6254) *Laringa castelnaui ottonis* Fruhstorfer,1906 (Argynnididae) Synonym(s): *ottonis* Fruhstorfer,1906
6255) *Laringa horsfieldi* (Boisduval,1833) (Argynnididae) Synonym(s): *horsfieldi* Boisduval,1833
6256) *Laringa horsfieldi andamanensis* De Nicéville (Argynnididae) Synonym(s):
6257) *Laringa horsfieldi glaucescens* (De Nicéville,1895) (Argynnididae) Synonym(s): *glaucescens* De Nicéville,1895
6258) *Laringa horsfieldi horsfieldi* (Boisduval,1833) (Argynnididae) Synonym(s): *horsfieldi* Boisduval,1833
6259) *Laringa horsfieldi senta* Fruhstorfer,1899 (Argynnididae) Synonym(s): *senta* Fruhstorfer,1899
6260) *Laringa horsfieldi velitra* Fruhstorfer,1912 (Argynnididae) Synonym(s): *velitra* Fruhstorfer,1912
6261) *Lebadea martha* (Fabricius,1787) (Argynnididae) Synonym(s): *martha* Fabricius,1787
6262) *Lebadea martha jecieli* Schröder, Treadaway & Nuyda,1990 (Argynnididae) Synonym(s): *jecieli* Schröder, Treadaway & Nuyda,1990
6263) *Lebadea martha malayana* Fruhstorfer,[1902] (Argynnididae) Synonym(s): *malayana* Fruhstorfer,[1902]; *koenigi* Corbet,1941
6264) *Lebadea martha martha* (Fabricius,1787) (Argynnididae) Synonym(s): *martha* Fabricius,1787
6265) *Lebadea martha parkeri* Eliot,1978 (Argynnididae) Synonym(s): *parkeri* Eliot,1978
6266) *Lebadea martha paulina* Staudinger,1889 (Argynnididae) Synonym(s): *paulina* Staudinger,1889
6267) *Lebadea martha tessellata* Schröder, Treadaway & Nuyda,1990 (Argynnididae) Synonym(s): *tessellata* Schröder, Treadaway & Nuyda,1990
6268) *Lebadea martha undulata* Schröder, Treadaway & Nuyda,1990 (Argynnididae) Synonym(s): *undulata* Schröder, Treadaway & Nuyda,1990

- 6269) *Lelecella limenitoides* (Oberthür,1890) (Argynnidae) Synonym(s): *limenitoides* Oberthür,1890
6270) *Lelecella limenitoides limenitoides* Oberthür,1890 (Argynnidae) Synonym(s): *limenitoides* Oberthür,1890
6271) *Lexias canescens* (Butler,1869) (Argynnidae) Synonym(s): *canescens* Butler,1869
6272) *Lexias canescens canescens* (Butler,1869) (Argynnidae) Synonym(s): *canescens* Butler,1869
6273) *Lexias canescens leopardina* Fruhstorfer,1913 (Argynnidae) Synonym(s): *leopardina* Fruhstorfer,1913
6274) *Lexias canescens pardalina* (Staudinger,1886) (Argynnidae) Synonym(s): *pardalina* Staudinger,1886
6275) *Lexias cyanipardus* (Butler,1869) (Argynnidae) Synonym(s): *cyanipardus* Butler,1869
6276) *Lexias cyanipardus albopunctata* (Crowley,1895) (Argynnidae) Synonym(s): *albopunctata* Crowley,1895
6277) *Lexias cyanipardus borealis* Hanafusa,1990 (Argynnidae) Synonym(s): *borealis* Hanafusa,1990
6278) *Lexias cyanipardus cyanipardus* (Butler,1869) (Argynnidae) Synonym(s): *cyanipardus* Butler,1869
6279) *Lexias cyanipardus grandis* Yokochi,1991 (Argynnidae) Synonym(s): *grandis* Yokochi,1991
6280) *Lexias damalis* Erichson,1834 (Argynnidae) Synonym(s): *damalis* Erichson,1834
6281) *Lexias damalis antiqua* Schröder & Treadaway,1980 (Argynnidae) Synonym(s): *antiqua* Schröder & Treadaway,1980
6282) *Lexias damalis damalis* Erichson,1834 (Argynnidae) Synonym(s): *damalis* Erichson,1834
6283) *Lexias damalis galoa* Fruhstorfer,1913 (Argynnidae) Synonym(s): *galoa* Fruhstorfer,1913
6284) *Lexias dirtea* (Fabricius,1793) (Argynnidae) Synonym(s): *dirtea* Fabricius,1793
6285) *Lexias dirtea dirtea* (Fabricius,1793) (Argynnidae) Synonym(s): *dirtea* Fabricius,1793
6286) *Lexias dirtea merguia* (Tytler,1926) (Argynnidae) Synonym(s): *merguia* Tytler,1926
6287) *Lexias dirtea palawana* Moore,1897 (Argynnidae) Synonym(s): *palawana* Moore,1897
6288) *Lexias dirtea toonchai* Murayama & Kimura,1990 (Argynnidae) Synonym(s): *toonchai* Murayama & Kimura,1990
6289) *Lexias hikarugenzi* Tsukada & Nishiyama,1980 (Argynnidae) Synonym(s): *hikarugenzi* Tsukada & Nishiyama,1980
6290) *Lexias panopus* Felder,1861 (Argynnidae) Synonym(s): *panopus* Felder,1861
6291) *Lexias panopus ingae* Schröder & Treadaway,1987 (Argynnidae) Synonym(s): *ingae* Schröder & Treadaway,1987
6292) *Lexias panopus miscus* Fruhstorfer,1913 (Argynnidae) Synonym(s): *miscus* Fruhstorfer,1913
6293) *Lexias panopus panopus* Felder,1861 (Argynnidae) Synonym(s): *panopus* Felder,1861
6294) *Lexias panopus visayana* Schröder & Treadaway,1987 (Argynnidae) Synonym(s): *visayana* Schröder & Treadaway,1987
6295) *Lexias panopus vistricea* Fruhstorfer,1913 (Argynnidae) Synonym(s): *vistricea* Fruhstorfer,1913
6296) *Lexias pardalis* (Moore,1878) (Argynnidae) Synonym(s): *pardalis* Moore,1878
6297) *Lexias pardalis cavana* Fruhstorfer,1913 (Argynnidae) Synonym(s): *cavana* Fruhstorfer,1913
6298) *Lexias pardalis dirteana* (Corbet,1941) (Argynnidae) Synonym(s): *dirteana* Corbet,1941
6299) *Lexias pardalis ellora* Fruhstorfer,1890 (Argynnidae) Synonym(s): *ellora* Fruhstorfer,1890
6300) *Lexias pardalis jadeitina* Fruhstorfer,1913 (Argynnidae) Synonym(s): *jadeitina* Fruhstorfer,1913
6301) *Lexias pardalis pardalis* (Moore,1878) (Argynnidae) Synonym(s): *pardalis* Moore,1878
6302) *Lexias pardalis tethys* Tsukada,1991 (Argynnidae) Synonym(s): *tethys* Tsukada,1991
6303) *Lexias satrapes* Felder,1861 (Argynnidae) Synonym(s): *satrapes* Felder,1861
6304) *Lexias satrapes amlana* Jumalon,1970 (Argynnidae) Synonym(s): *amlana* Jumalon,1970
6305) *Lexias satrapes hiwaga* Nuyda & Kawamura,1989 (Argynnidae) Synonym(s): *hiwaga* Nuyda & Kawamura,1989
6306) *Lexias satrapes ormocana* Jumalon,1970 (Argynnidae) Synonym(s): *ormocana* Jumalon,1970
6307) *Lexias satrapes ornata* Schröder & Treadaway,1979 (Argynnidae) Synonym(s): *ornata* Schröder & Treadaway,1979
6308) *Lexias satrapes satrapes* Felder,1861 (Argynnidae) Synonym(s): *satrapes* Felder,1861
6309) *Lexias satrapes trapesa* Semper,1888 (Argynnidae) Synonym(s): *trapesa* Semper,1888
6310) *Limenitis* (Azurititis) *reducta* Staudinger,1901 (Argynnidae) Synonym(s): *reducta* Staudinger,1901.
6311) *Limenitis* (Azurititis) *reducta herculeana* Stichel,[1908] (Argynnidae) Synonym(s): *camilla* [Denis & Schiffermüller],1775 (praeocc.); *drusilla* Bergsträßer,1779 (praeocc.); *lucilla* Esper,[1779]; *anonyma* Lewis,1872; *herculeana* Stichel,[1908]; *prodiga* Fruhstorfer,1909; *schiffermuelleri* Higgins,1932; *mirzayani* Gross & Ebert,1975.
6312) *Limenitis* (Azurititis) *reducta reducta* Staudinger,1901 (Argynnidae) Synonym(s): *reducta* Staudinger,1901.
6313) *Limenitis* (Ladoga) *camilla* (Linnaeus,1764) (Argynnidae) Synonym(s): *camilla* Linnaeus,1764; *prorsa* Linnaeus,1764 nec Linnaeus,1758; *sibilla* Linnaeus,1769; *luctuosus* Fourcroy,1785 nec Walch,1775.
6314) *Limenitis* (Ladoga) *camilla camilla* (Linnaeus,1764) (Argynnidae) Synonym(s): *camilla* Linnaeus,1764; *prorsa* Linnaeus,1764 nec Linnaeus,1758; *sibilla* Linnaeus,1769; *luctuosus* Fourcroy,1785 nec Walch,1775.
6315) *Limenitis* (Ladoga) *camilla japonica* Ménétriés,1857 (Argynnidae) Synonym(s): *japonica* Ménétriés,1857; *angustata* Staudinger,1887.
6316) *Limenitis* (Parasarpa) *dudu* Westwood,1850 (Argynnidae) Synonym(s): *dudu* Westwood,1850
6317) *Limenitis* (Parasarpa) *dudu dudu* Westwood,1850 (Argynnidae) Synonym(s): *dudu* Westwood,1850
6318) *Limenitis* (Parasarpa) *houlberti* Oberthür,1913 (Argynnidae) Synonym(s): *houlberti* Oberthür,1913
6319) *Limenitis* (Parasarpa) *houlberti houlberti* Oberthür,1913 (Argynnidae) Synonym(s): *houlberti* Oberthür,1913
6320) *Limenitis* (Sumalia) *daraxa Doubleday*,[1848] (Argynnidae) Synonym(s): *daraxa Doubleday*,[1848]
6321) *Limenitis* (Sumalia) *daraxa daraxa Doubleday*,[1848] (Argynnidae) Synonym(s): *daraxa Doubleday*,[1848]
6322) *Limenitis* (s.str.) *albomaculata* Leech,1891 (Argynnidae) Synonym(s): *albomaculata* Leech,1891
6323) *Limenitis* (s.str.) *albomaculata albomaculata* Leech,1891 (Argynnidae) Synonym(s): *albomaculata* Leech,1891
6324) *Limenitis* (s.str.) *amphyssa Ménétriés*,1858 (Argynnidae) Synonym(s): *amphyssa Ménétriés*,1858
6325) *Limenitis* (s.str.) *amphyssa amphyssa Ménétriés*,1858 (Argynnidae) Synonym(s): *amphyssa Ménétriés*,1858
6326) *Limenitis* (s.str.) *cattoni berchmans* Kotsch,1929 (Argynnidae) Synonym(s): *berchmans* Kotsch,1929
6327) *Limenitis* (s.str.) *ciocolatina Poujade*,1886 (Argynnidae) Synonym(s): *ciocolatina Poujade*,1886
6328) *Limenitis* (s.str.) *ciocolatina ciocolatina Poujade*,1886 (Argynnidae) Synonym(s): *ciocolatina Poujade*,1886
6329) *Limenitis* (s.str.) *cleopas Oberthür*,1893 (Argynnidae) Synonym(s): *cleopas Oberthür*,1893
6330) *Limenitis* (s.str.) *cleopas cleopas Oberthür*,1893 (Argynnidae) Synonym(s): *cleopas Oberthür*,1893
6331) *Limenitis* (s.str.) *cottini Oberthür*,1883 (Argynnidae) Synonym(s): *cottini Oberthür*,1883
6332) *Limenitis* (s.str.) *cottini cottini Oberthür*,1883 (Argynnidae) Synonym(s): *cottini Oberthür*,1883
6333) *Limenitis* (s.str.) *cottini sinensis O.Bang-Haas*,1937 (Argynnidae) Synonym(s): *sinensis O.Bang-Haas*,1937
6334) *Limenitis* (s.str.) *doerriesi* Staudinger,1892 (Argynnidae) Synonym(s): *doerriesi* Staudinger,1892
6335) *Limenitis* (s.str.) *doerriesi doerriesi* Staudinger,1892 (Argynnidae) Synonym(s): *doerriesi* Staudinger,1892
6336) *Limenitis* (s.str.) *elwesi Oberthür*,1883 (Argynnidae) Synonym(s): *elwesi Oberthür*,1883
6337) *Limenitis* (s.str.) *elwesi elwesi Oberthür*,1883 (Argynnidae) Synonym(s): *elwesi Oberthür*,1883
6338) *Limenitis* (s.str.) *helmanni Lederer*,1853 (Argynnidae) Synonym(s): *helmanni Lederer*,1853.
6339) *Limenitis* (s.str.) *helmanni helmanni Lederer*,1853 (Argynnidae) Synonym(s): *helmanni Lederer*,1853.
6340) *Limenitis* (s.str.) *homeyeri Tancre*,1881 (Argynnidae) Synonym(s): *homeyeri Tancre*,1881
6341) *Limenitis* (s.str.) *homeyeri homeyeri Tancre*,1881 (Argynnidae) Synonym(s): *homeyeri Tancre*,1881
6342) *Limenitis* (s.str.) *lepechini Erschoff*,1874 (Argynnidae) Synonym(s): *lepechini Erschoff*,1874
6343) *Limenitis* (s.str.) *lepechini gilgitica* Tytler,1926 (Argynnidae) Synonym(s): *gilgitica* Tytler,1926
6344) *Limenitis* (s.str.) *lepechini lepechini Erschoff*,1874 (Argynnidae) Synonym(s): *lepechini Erschoff*,1874
6345) *Limenitis* (s.str.) *moltrechti Kardakov*,1928 (Argynnidae) Synonym(s): *moltrechti Kardakov*,1928
6346) *Limenitis* (s.str.) *moltrechti moltrechti Kardakov*,1928 (Argynnidae) Synonym(s): *moltrechti Kardakov*,1928
6347) *Limenitis* (s.str.) *populi* (Linnaeus,1758) (Argynnidae) Synonym(s): *populi* Linnaeus,1758; *semiramis* Schrank,1801; *tremulae* Esper,1804 nec Piller & Mitterpacher,1783; *goliath Fruhstorfer*,1908; *fruhstorferi* Krulikowsky,1909.
6348) *Limenitis* (s.str.) *populi bukovinensis Hormuzaki*,1897 (Argynnidae) Synonym(s): *bukovinensis Hormuzaki*,1897
6349) *Limenitis* (s.str.) *populi enapius* Fruhstorfer,1908 (Argynnidae) Synonym(s): *enapius Fruhstorfer*,1908; *eumenius Fruhstorfer*,1908; *fruhstorferi* Krulikowsky,1909
6350) *Limenitis* (s.str.) *populi populi* (Linnaeus,1758) (Argynnidae) Synonym(s): *populi* Linnaeus,1758; *semiramis* Schrank,1801; *tremulae* Esper,1804 nec Piller & Mitterpacher,1783; *goliath Fruhstorfer*,1908; *fruhstorferi* Krulikowsky,1909.
6351) *Limenitis* (s.str.) *populi ussuriensis Staudinger*,1887 (Argynnidae) Synonym(s): *ussuriensis Staudinger*,1887; *liliputana Staudinger*,1887
6352) *Limenitis* (s.str.) *sinensium Oberthür*,1879 (Argynnidae) Synonym(s): *sinensium Oberthür*,1879

- 6353) *Limnitis* (s.str.) *sinensium cinereus* O.Bang-Haas,1937 (Argynnidiae) Synonym(s): *cinereus* O.Bang-Haas,1937
- 6354) *Limnitis* (s.str.) *sinensium fulvus* O.Bang-Haas,1937 (Argynnidiae) Synonym(s): *fulvus* O.Bang-Haas,1937
- 6355) *Limnitis* (s.str.) *sinensium sengei* Kotsch,1929 (Argynnidiae) Synonym(s): *sengei* Kotsch,1929
- 6356) *Limnitis* (s.str.) *sinensium sinensium* Oberthür,1879 (Argynnidiae) Synonym(s): *sinensium* Oberthür,1879
- 6357) *Limnitis* (s.str.) *sydyi* Lederer,1853 (Argynnidiae) Synonym(s): *sydyi* Lederer,1853
- 6358) *Limnitis* (s.str.) *sydyi lataefasciata* Ménétriès,1859 (Argynnidiae) Synonym(s): *lataefasciata* Ménétriès,1859
- 6359) *Limnitis* (s.str.) *sydyi sydyi* Lederer,1853 (Argynnidiae) Synonym(s): *sydyi* Lederer,1853
- 6360) *Limnitis* (s.str.) *trivena* Moore,1864 (Argynnidiae) Synonym(s): *trivena* Moore,1864
- 6361) *Limnitis* (s.str.) *trivena hydaspes* Moore,1874 (Argynnidiae) Synonym(s): *hydaspes* Moore,1874
- 6362) *Limnitis* (s.str.) *trivena ligyes* Hewitson,1864 (Argynnidiae) Synonym(s): *ligyes* Hewitson,1864
- 6363) *Limnitis* (s.str.) *trivena pallida* Tytler,1926 (Argynnidiae) Synonym(s): *pallida* Tytler,1926
- 6364) *Limnitis* (s.str.) *trivena pallida* Moore,1864 (Argynnidiae) Synonym(s): *trivena* Moore,1864
- 6365) *Limnitis* *archippus* (Cramer,[1776]) (Argynnidiae) Synonym(s): *archippus* Cramer,[1776]
- 6366) *Limnitis* *arthemis* (Drury,[1773]) (Argynnidiae) Synonym(s): *arthemis* Drury,[1773]; *lamina* Fabricius,1793
- 6367) *Limnitis* *arthemis arthemis* (Drury,[1773]) (Argynnidiae) Synonym(s): *arthemis* Drury,[1773]; *lamina* Fabricius,1793
- 6368) *Limnitis* *arthemis astyanax* (Fabricius,1775) (Argynnidiae) Synonym(s): *astyanax* Fabricius,1775; *ursula* Fabricius,1793; *ephestiaena* Hübner,[1819]
- 6369) *Limnitis* *lorquini* Boisduval,1852 (Argynnidiae) Synonym(s): *lorquini* Boisduval,1852
- 6370) *Limnitis* *weidemeyerii* Edwards,1861 (Argynnidiae) Synonym(s): *weidemeyerii* Edwards,1861
- 6371) *Mallika jacksoni* (Sharpe,1896) (Argynnidiae) Synonym(s): *jacksoni* Sharpe,1896
- 6372) *Mallika jacksoni jacksoni* (Sharpe,1896) (Argynnidiae) Synonym(s): *jacksoni* Sharpe,1896
- 6373) *Marpesia chiron* (Argynnidiae) Synonym(s):
- 6374) *Marpesia coresia* (Argynnidiae) Synonym(s):
- 6375) *Marpesia eleucea* (Argynnidiae) Synonym(s):
- 6376) *Marpesia petreus* (Argynnidiae) Synonym(s):
- 6377) *Melitaea* (Cinclidia) (phoebe) *phoebe* (Goeze,1779) (Argynnidiae) Synonym(s): *#phoebe* [Denis & Schiffermüller],1775; *phoebe* Goeze,1779; *paedotropos* Bergsträßer,[1780]; *tremulae* Piller & Mitterpacher,1783.
- 6378) *Melitaea* (Cinclidia) (phoebe) *phoebe changaica* Seitz,1909 (Argynnidiae) Synonym(s): *changaica* Seitz,1909
- 6379) *Melitaea* (Cinclidia) (phoebe) *phoebe corythallia* (Esper,[1781]) (Argynnidiae) Synonym(s): *corythallia* Esper,1781; *virgilia* Fruhstorfer,1916; *syllieion* Fruhstorfer,1916; *nigroalternans* Verity,1919; *suboccitanica* Verity,1928; *crassenigra* Verity,1928; *galliaemontium* Verity,1928; *alloyphylus* Rüttimeyer,1942; *subusca* Verity,1952.
- 6380) *Melitaea* (Cinclidia) (phoebe) *phoebe gaisericus* Hemming,1941 (Argynnidiae) Synonym(s): *gaisericus* Hemming,1941
- 6381) *Melitaea* (Cinclidia) (phoebe) *phoebe occitanica* Staudinger,1871 (Argynnidiae) Synonym(s): *occitanica* Staudinger,1871
- 6382) *Melitaea* (Cinclidia) (phoebe) *phoebe ornata* Christoph,1893 (Argynnidiae) Synonym(s): *ornata* Christoph,1893; *uralensis* Krulikowsky,1897 *nec* Eversmann,1844; *ufensis* Krulikowsky,1902; *lokris* Fruhstorfer,1908.
- 6383) *Melitaea* (Cinclidia) (phoebe) *phoebe phoebe* (Goeze,1779) (Argynnidiae) Synonym(s): *#phoebe* [Denis & Schiffermüller],1775; *phoebe* Goeze,1779; *paedotropos* Bergsträßer,[1780]; *tremulae* Piller & Mitterpacher,1783.
- 6384) *Melitaea* (Cinclidia) (phoebe) *phoebe saturata* Staudinger,1892 (Argynnidiae) Synonym(s): *saturata* Staudinger,1892; *alatauca* Wagner,1913 *nec* Staudinger,1881; *wagneri* Wnukowsky,1929.
- 6385) *Melitaea* (Cinclidia) (phoebe) *phoebe sextilis* Jachontov,1909 (Argynnidiae) Synonym(s): *#caucasica* Staudinger,1861; *caucasica* Staudinger,1870 *nec* Sigr.,1861; *sextilis* Jachontov,1909; *ottonis* Fruhstorfer,1917; *causasicola* Verity,1919; *pseudosibina* Alberti,1969.
- 6386) *Melitaea* (Cinclidia) (phoebe) *punica* Oberthür,1876 (Argynnidiae) Synonym(s): *punica* Oberthür,1876
- 6387) *Melitaea* (Cinclidia) (phoebe) *punica punica* Oberthür,1876 (Argynnidiae) Synonym(s): *punica* Oberthür,1876
- 6388) *Melitaea* (Cinclidia) (phoebe) *punica telona* Fruhstorfer,1908 (Argynnidiae) Synonym(s): *telona* Fruhstorfer,1908; *#fasciata* Wiltshire,1946; *abbas* Gross & Ebert,1975.
- 6389) *Melitaea* (Cinclidia) *aetherie* (Hübner,[1826]) (Argynnidiae) Synonym(s): *aetherie* Hübner,[1826]
- 6390) *Melitaea* (Cinclidia) *aetherie aetherie* (Hübner,[1826]) (Argynnidiae) Synonym(s): *aetherie* Hübner,[1826]
- 6391) *Melitaea* (Cinclidia) *aetherie algerica* Staudinger,[1892] (Argynnidiae) Synonym(s): *algerica* Staudinger,[1892]
- 6392) *Melitaea* (Cinclidia) *collina* Lederer,1861 (Argynnidiae) Synonym(s): *collina* Lederer,1861
- 6393) *Melitaea* (Cinclidia) *collina collina* Lederer,1861 (Argynnidiae) Synonym(s): *collina* Lederer,1861
- 6394) *Melitaea* (Cinclidia) *collina lokmani* Oorschot & Brink,1994 (Argynnidiae) Synonym(s): *lokmani* Oorschot & Brink,1994
- 6395) *Melitaea* (Cinclidia) *consulis* Wiltshire,1941 (Argynnidiae) Synonym(s): *consulis* Wiltshire,1941; *#proconsulis* Wiltshire,1946
- 6396) *Melitaea* (Cinclidia) *consulis consulis* Wiltshire,1941 (Argynnidiae) Synonym(s): *consulis* Wiltshire,1941; *#proconsulis* Wiltshire,1946
- 6397) *Melitaea* (Cinclidia) *scotosia* Butler,1878 (Argynnidiae) Synonym(s): *scotosia* Butler,1878; *#yagei* Nire,1917.
- 6398) *Melitaea* (Cinclidia) *scotosia butleri* Higgins,1940 (Argynnidiae) Synonym(s): *butleri* Higgins,1940
- 6399) *Melitaea* (Cinclidia) *scotosia scotosia* Butler,1878 (Argynnidiae) Synonym(s): *scotosia* Butler,1878; *#yagei* Nire,1917.
- 6400) *Melitaea* (Cinclidia) *sibina* Alpheraky,1881 (Argynnidiae) Synonym(s): *sibina* Alpheraky,1881; *dschungarica* Groum-Grshimailo,1895.
- 6401) *Melitaea* (Cinclidia) *sibina aulicana* Seitz,[1909] (Argynnidiae) Synonym(s): *aulicana* Seitz,[1909]; *rama* Higgins,1941
- 6402) *Melitaea* (Cinclidia) *sibina dschungarica* Groum-Grshimailo,1895 (Argynnidiae) Synonym(s): *dschungarica* Groum-Grshimailo,1895
- 6403) *Melitaea* (Cinclidia) *sibina sibina* Alpheraky,1881 (Argynnidiae) Synonym(s): *sibina* Alpheraky,1881; *dschungarica* Groum-Grshimailo,1895.
- 6404) *Melitaea* (Cinclidia) *tangigharuensis* De Freina,1980 (Argynnidiae) Synonym(s): *tangigharuensis* De Freina,1980
- 6405) *Melitaea* (Cinclidia) *tangigharuensis tangigharuensis* De Freina,1980 (Argynnidiae) Synonym(s): *tangigharuensis* De Freina,1980
- 6406) *Melitaea* (Cinclidia) *turkmanica* Higgins,1940 (Argynnidiae) Synonym(s): *turkmanica* Higgins,1940
- 6407) *Melitaea* (Cinclidia) *turkmanica turkmanica* Higgins,1940 (Argynnidiae) Synonym(s): *turkmanica* Higgins,1940
- 6408) *Melitaea* (Cinclidia) *turkmanica vedica* Nekrutenko,1975 (Argynnidiae) Synonym(s): *vedica* Nekrutenko,1975
- 6409) *Melitaea* (Didymaeformis) *abyssinica* (Oberthür,1909) (Argynnidiae) Synonym(s): *abyssinica* Oberthür,1909
- 6410) *Melitaea* (Didymaeformis) *acraeina* Staudinger,1886 (Argynnidiae) Synonym(s): *acraeina* Staudinger,1886
- 6411) *Melitaea* (Didymaeformis) *acraeina acraeina* Staudinger,1886 (Argynnidiae) Synonym(s): *acraeina* Staudinger,1886
- 6412) *Melitaea* (Didymaeformis) *ala* Staudinger,1881 (Argynnidiae) Synonym(s): *ala* Staudinger,1881
- 6413) *Melitaea* (Didymaeformis) *ala ala* Staudinger,1881 (Argynnidiae) Synonym(s): *ala* Staudinger,1881.
- 6414) *Melitaea* (Didymaeformis) *ala allah* Bryk,1940 (Argynnidiae) Synonym(s): *allah* Bryk,1940; *?irtyschica* Lukhtanov,1999; *?aisana* Lukhtanov,1999.
- 6415) *Melitaea* (Didymaeformis) *ala bicolor* Sushkin,1913 (Argynnidiae) Synonym(s): *#bicolor* Seitz,1907; *bicolor* Sushkin,1913; *#immodulata* Sheljuzhko,1929; *#latemarginata* Sheljuzhko,1929.
- 6416) *Melitaea* (Didymaeformis) *ala determinata* Bryk,1940 (Argynnidiae) Synonym(s): *determinata* Bryk,1940
- 6417) *Melitaea* (Didymaeformis) *ala sheljuzhko* Bryk,1940 (Argynnidiae) Synonym(s): *sheljuzhko* Bryk,1940
- 6418) *Melitaea* (Didymaeformis) *ala strandi* Bryk,1940 (Argynnidiae) Synonym(s): *strand* Bryk,1940
- 6419) *Melitaea* (Didymaeformis) *alraschid* Higgins,1941 (Argynnidiae) Synonym(s): *alraschid* Higgins,1941
- 6420) *Melitaea* (Didymaeformis) *alraschid alraschid* Higgins,1941 (Argynnidiae) Synonym(s): *alraschid* Higgins,1941
- 6421) *Melitaea* (Didymaeformis) *alraschid garun* Churkin,2000 (Argynnidiae) Synonym(s): *garun* Churkin,2000
- 6422) *Melitaea* (Didymaeformis) *ambrisia* Higgins,1935 (Argynnidiae) Synonym(s): *ambrisia* Higgins,1935
- 6423) *Melitaea* (Didymaeformis) *ambrisia ambrisia* Higgins,1935 (Argynnidiae) Synonym(s): *ambrisia* Higgins,1935
- 6424) *Melitaea* (Didymaeformis) *athene* Staudinger,1881 (Argynnidiae) Synonym(s): *athene* Staudinger,1881
- 6425) *Melitaea* (Didymaeformis) *athene athene* Staudinger,1881 (Argynnidiae) Synonym(s): *athene* Staudinger,1881
- 6426) *Melitaea* (Didymaeformis) *casta* Kollar,[1849] (Argynnidiae) Synonym(s): *casta* Kollar,[1849]
- 6427) *Melitaea* (Didymaeformis) *casta casta* Kollar,[1849] (Argynnidiae) Synonym(s): *casta* Kollar,[1849]
- 6428) *Melitaea* (Didymaeformis) *casta salki* Weiss & Leestmans,2000 (Argynnidiae) Synonym(s): *salki* Weiss & Leestmans,2000
- 6429) *Melitaea* (Didymaeformis) *casta wiltshirei* Higgins,1941 (Argynnidiae) Synonym(s): *wiltshirei* Higgins,1941
- 6430) *Melitaea* (Didymaeformis) *chitralensis* Moore,1901 (Argynnidiae) Synonym(s): *chitralensis* Moore,1901; *#chitralpluvia* Verity,1929.
- 6431) *Melitaea* (Didymaeformis) *chitralensis chitralensis* Moore,1901 (Argynnidiae) Synonym(s): *chitralensis* Moore,1901; *chitralpluvia* Verity,1929.
- 6432) *Melitaea* (Didymaeformis) *deserticola* Kirby,1877 (Argynnidiae) Synonym(s): *#deserticola* Oberthür,1876; *deserticola* Kirby,1877
- 6433) *Melitaea* (Didymaeformis) *deserticola deserticola* Kirby,1877 (Argynnidiae) Synonym(s): *#deserticola* Oberthür,1876; *deserticola* Kirby,1877

- 6434) *Melitaea (Didymaeformis) deserticola macromaculata* Belter,1934 (Argynnidæ) Synonym(s): *macromaculata* Belter,1934; *warnekei* Bryk,1940; *belteri* Bryk,1940.
- 6435) *Melitaea (Didymaeformis) deserticola scotti* Higgins,1941 (Argynnidæ) Synonym(s): *scotti* Higgins,1941
- 6436) *Melitaea (Didymaeformis) didyma* (Esper,[1779]) (Argynnidæ) Synonym(s): *didyma* Esper,[1779]; *armoricana* Oberthür,1909.
- 6437) *Melitaea (Didymaeformis) didyma alpina* Staudinger,1861 (Argynnidæ) Synonym(s): *alpina* Staudinger,1861; *parvalpina* Verity,1928.
- 6438) *Melitaea (Didymaeformis) didyma didyma* (Esper,[1779]) (Argynnidæ) Synonym(s): *didyma* Esper,[1779]; *armoricana* Oberthür,1909.
- 6439) *Melitaea (Didymaeformis) didyma geminella* Bryk,1940 (Argynnidæ) Synonym(s): *geminella* Bryk,1940
- 6440) *Melitaea (Didymaeformis) didyma libanotica* Belter,1934 (Argynnidæ) Synonym(s): *libanotica* Belter,1934; *schwingschussi* Bryk,1940; *ibra* Higgins,1964.
- 6441) *Melitaea (Didymaeformis) didyma manoni* Hanus,1996 (Argynnidæ) Synonym(s): *manoni* Hanus,1996
- 6442) *Melitaea (Didymaeformis) didyma meridionalis* Staudinger,1870 (Argynnidæ) Synonym(s): *meridionalis* Staudinger,1870; *patycosana* Turati,1911; *protea* Verity,1929; *seilemis* Fruhstorfer,1916; *marsilia* Fruhstorfer,1916; *subalpina* Verity,1929; *microleopardata* Verity,1929; *magnaestiva* Verity,1929; *subseilemis* Verity,1929; *garumna* Verity,1929, etc
- 6443) *Melitaea (Didymaeformis) didyma mixta* Evans,1912 (Argynnidæ) Synonym(s): *mixta* Evans,1912; *nadezhdae* Sheljuzhko,1912; *problematica* Sheljuzhko,1929
- 6444) *Melitaea (Didymaeformis) didyma neera* Fischer de Waldheim,1840 (Argynnidæ) Synonym(s): *neera* Fischer de Waldheim,1840; *uralicola* Bryk,1940; *kirgisica* Bryk,1940.
- 6445) *Melitaea (Didymaeformis) didyma occidentalis* Staudinger,1861 (Argynnidæ) Synonym(s): *occidentalis* Staudinger,1861
- 6446) *Melitaea (Didymaeformis) didyma turkestanica* Sheljuzhko,1929 (Argynnidæ) Synonym(s): *turanica* Staudinger,1886 *nec* Erschoff,1874; *dschungarica* Oberthür,1909 *nec* Groum-Grshimailo,1895; *turkestanica* Sheljuzhko,1929; *#ambra* Higgins,1941.
- 6447) *Melitaea (Didymaeformis) didymina* Staudinger,1895 (Argynnidæ) Synonym(s): *didymina* Staudinger,1895; *#perplexa* Higgins,1941.
- 6448) *Melitaea (Didymaeformis) didymina didymina* Staudinger,1895 (Argynnidæ) Synonym(s): *didymina* Staudinger,1895; *#perplexa* Higgins,1941.
- 6449) *Melitaea (Didymaeformis) didymina higginsii* Sakai,1978 (Argynnidæ) Synonym(s): *higginsii* Sakai,1978
- 6450) *Melitaea (Didymaeformis) didymoides* Eversmann,1847 (Argynnidæ) Synonym(s): *didymoides* Eversmann,1847
- 6451) *Melitaea (Didymaeformis) didymoides didymoides* Eversmann,1847 (Argynnidæ) Synonym(s): *didymoides* Eversmann,1847
- 6452) *Melitaea (Didymaeformis) didymoides latonia* Groum-Grshimailo,1890 (Argynnidæ) Synonym(s): *latonia* Groum-Grshimailo,1890; *mandchurica* Seitz,1908 *nec* Fixx.,1887; *eupatides* Fruhstorfer,1916; *seitzii* Matsumura,1929.
- 6453) *Melitaea (Didymaeformis) didymoides pekinensis* Seitz,1906 (Argynnidæ) Synonym(s): *pekinensis* Seitz,1906
- 6454) *Melitaea (Didymaeformis) enarea Fruhstorfer,1916* (Argynnidæ) Synonym(s): *enarea* Fruhstorfer,1916; *shugnana* Sheljuzhko,1929.
- 6455) *Melitaea (Didymaeformis) enarea enarea* Fruhstorfer,1916 (Argynnidæ) Synonym(s): *enarea* Fruhstorfer,1916; *shugnana* Sheljuzhko,1929.
- 6456) *Melitaea (Didymaeformis) enarea gromenkoi* Kolesnichenko,1999 (Argynnidæ) Synonym(s): *gromenkoi* Kolesnichenko,1999
- 6457) *Melitaea (Didymaeformis) enarea ishkashima* Sheljuzhko,1929 (Argynnidæ) Synonym(s): *ishkashima* Sheljuzhko,1929
- 6458) *Melitaea (Didymaeformis) enarea permuta* Tusov,1993 (Argynnidæ) Synonym(s): *#permuta* Higgins,1941 [*quadrinomial*]; *permuta* Tusov,1993 [*trinomial*].
- 6459) *Melitaea (Didymaeformis) fascelis* (Fabricius,1787) (Argynnidæ) Synonym(s): *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (*præoc.*); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo Latreille,1803*
- 6460) *Melitaea (Didymaeformis) fascelis catapelia* Staudinger,1886 (Argynnidæ) Synonym(s): *catapelia* Staudinger,1886; *bactriana* J.J.Stchetkin,1984.
- 6461) *Melitaea (Didymaeformis) fascelis fascelis* (Fabricius,1787) (Argynnidæ) Synonym(s): *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (*præoc.*); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo Latreille,1803*
- 6462) *Melitaea (Didymaeformis) fascelis ignasiti* De Sagarra,1926 (Argynnidæ) Synonym(s): *ignasiti* De Sagarra,1926
- 6463) *Melitaea (Didymaeformis) fascelis nana* Staudinger,1871 (Argynnidæ) Synonym(s): *nana* Staudinger,1871; *pseudodidyma* Rebel,1905; *syriaca* Rebel,1905; *aabaca* Fruhstorfer,1917; *wyatti* Gross & Ebert,1975.
- 6464) *Melitaea (Didymaeformis) fascelis pseudodidyma* Rebel,1905 (Argynnidæ) Synonym(s): *pseudodidyma* Rebel,1905
- 6465) *Melitaea (Didymaeformis) fascelis robertsi* Butler,1880 (Argynnidæ) Synonym(s): *robertsi* Butler,1880; *pusilla* Heydemann,1954 *nec* Rocci,1932.
- 6466) *Melitaea (Didymaeformis) fascelis singularia* Korshunov,1995 (Argynnidæ) Synonym(s): *singularia* Korshunov,1995
- 6467) *Melitaea (Didymaeformis) fascelis syriaca* Rebel,1905 (Argynnidæ) Synonym(s): *syriaca* Rebel,1905
- 6468) *Melitaea (Didymaeformis) fascelis uvarovi* Gorbunov,1995 (Argynnidæ) Synonym(s): *uvarovi* Gorbunov,1995
- 6469) *Melitaea (Didymaeformis) fascelis wyatti* Gross & Ebert,1975 (Argynnidæ) Synonym(s): *wyatti* Gross & Ebert,1975
- 6470) *Melitaea (Didymaeformis) fergana* Staudinger,1882 (Argynnidæ) Synonym(s): *fergana* Staudinger,1882
- 6471) *Melitaea (Didymaeformis) fergana darvasica* Higgins,1941 (Argynnidæ) Synonym(s): *darvasica* Higgins,1941
- 6472) *Melitaea (Didymaeformis) fergana fergana* Staudinger,1882 (Argynnidæ) Synonym(s): *fergana* Staudinger,1882
- 6473) *Melitaea (Didymaeformis) fergana hyrcana* Staudinger,1882 (Argynnidæ) Synonym(s): *hyrcana* Staudinger,1882
- 6474) *Melitaea (Didymaeformis) fergana jacobsoni* Higgins,1941 (Argynnidæ) Synonym(s): *jacobsoni* Higgins,1941
- 6475) *Melitaea (Didymaeformis) fergana ketmeana* Lukhtanov,1999 (Argynnidæ) Synonym(s): *ketmeana* Lukhtanov,1999
- 6476) *Melitaea (Didymaeformis) fergana khantengri* Churkin & Tusov,2000 (Argynnidæ) Synonym(s): *khantengri* Churkin & Tusov,2000
- 6477) *Melitaea (Didymaeformis) fergana maracandica* Staudinger,1882 (Argynnidæ) Synonym(s): *maracandica* Staudinger,1882.
- 6478) *Melitaea (Didymaeformis) fergana oxuana* Lukhtanov,1999 (Argynnidæ) Synonym(s): *oxuana* Lukhtanov,1999; *grumi* Churkin & Tusov,2000.
- 6479) *Melitaea (Didymaeformis) fergana paradoxa* Churkin & Tusov,2000 (Argynnidæ) Synonym(s): *paradoxa* Churkin & Tusov,2000
- 6480) *Melitaea (Didymaeformis) fergana splendida* Churkin & Tusov,2000 (Argynnidæ) Synonym(s): *splendida* Churkin & Tusov,2000
- 6481) *Melitaea (Didymaeformis) fergana terskeana* Lukhtanov,1999 (Argynnidæ) Synonym(s): *terskeana* Lukhtanov,1999; ? *vladislavi* Churkin & Tusov,2000
- 6482) *Melitaea (Didymaeformis) infernalis* Groum-Grshimailo,1890 (Argynnidæ) Synonym(s): *infernalis* Groum-Grshimailo,1890
- 6483) *Melitaea (Didymaeformis) infernalis infernalis* Groum-Grshimailo,1890 (Argynnidæ) Synonym(s): *infernalis* Groum-Grshimailo,1890
- 6484) *Melitaea (Didymaeformis) interposita* Rothschild,1913 (Argynnidæ) Synonym(s): *interposita* Rothschild,1913
- 6485) *Melitaea (Didymaeformis) interposita interposita* Rothschild,1913 (Argynnidæ) Synonym(s): *interposita* Rothschild,1913
- 6486) *Melitaea (Didymaeformis) interrupta* Kolenati,1846 (Argynnidæ) Synonym(s): *interrupta* Kolenati,1846; *#transcaucasica* Turati,1919; *caucasi* Verity,1922; *venosata* Niesiolowsky,1937; *distinctissima* Bryk,1940; *musatscherii* Alberti,1969; *itolensis* Alberti,1969.
- 6487) *Melitaea (Didymaeformis) interrupta interrupta* Kolenati,1846 (Argynnidæ) Synonym(s): *interrupta* Kolenati,1846; *#transcaucasica* Turati,1919; *caucasi* Verity,1922; *venosata* Niesiolowsky,1937; *distinctissima* Bryk,1940; *musatscherii* Alberti,1969; *itolensis* Alberti,1969.
- 6488) *Melitaea (Didymaeformis) interrupta kendeavana* Gross & Ebert,1975 (Argynnidæ) Synonym(s): *kendeavana* Gross & Ebert,1975; *maculata* Gross & Ebert,1975 (*hom.*); *elbursicola* Gross & Ebert,1975; *safawides* Gross & Ebert,1975; *wernickei* Gross & Ebert,1975; *grossi* Koçak,1980.
- 6489) *Melitaea (Didymaeformis) jitka* D.Weiss & Major,2000 (Argynnidæ) Synonym(s): *jitka* D.Weiss & Major,2000
- 6490) *Melitaea (Didymaeformis) kotshubeji* Sheljuzhko,1929 (Argynnidæ) Synonym(s): *kotshubeji* Sheljuzhko,1929
- 6491) *Melitaea (Didymaeformis) kotshubeji bundeli* Kolesnichenko,1999 (Argynnidæ) Synonym(s): *bundeli* Kolesnichenko,1999
- 6492) *Melitaea (Didymaeformis) kotshubeji kotshubeji* Sheljuzhko,1929 (Argynnidæ) Synonym(s): *kotshubeji* Sheljuzhko,1929
- 6493) *Melitaea (Didymaeformis) kotshubeji kotshubeji* Kolesnichenko,1999 (Argynnidæ) Synonym(s): *kugarti* Kolesnichenko,1999
- 6494) *Melitaea (Didymaeformis) latonigena* Eversmann,1847 (Argynnidæ) Synonym(s): *latonigena* Eversmann,1847; *altaica* Groum-Grshimailo,1893.
- 6495) *Melitaea (Didymaeformis) latonigena latonigena* Eversmann,1847 (Argynnidæ) Synonym(s): *latonigena* Eversmann,1847; *altaica* Groum-Grshimailo,1893.
- 6496) *Melitaea (Didymaeformis) lunulata* Staudinger,1901 (Argynnidæ) Synonym(s): *lunulata* Staudinger,1901
- 6497) *Melitaea (Didymaeformis) lunulata lunulata* Staudinger,1901 (Argynnidæ) Synonym(s): *lunulata* Staudinger,1901
- 6498) *Melitaea (Didymaeformis) lunulata merke* Lukhtanov,1999 (Argynnidæ) Synonym(s): *merke* Lukhtanov,1999
- 6499) *Melitaea (Didymaeformis) lutko* Evans,1932 (Argynnidæ) Synonym(s): *lutko* Evans,1932
- 6500) *Melitaea (Didymaeformis) lutko lutko* Evans,1932 (Argynnidæ) Synonym(s): *lutko* Evans,1932
- 6501) *Melitaea (Didymaeformis) lutko mimetica* Higgins,1940 (Argynnidæ) Synonym(s): *mimetica* Higgins,1940; *delerei* Heydemann,1954.
- 6502) *Melitaea (Didymaeformis) mauretanica* Oberthür,1909 (Argynnidæ) Synonym(s): *mauretanica* Oberthür,1909
- 6503) *Melitaea (Didymaeformis) mauretanica mauretanica* Oberthür,1909 (Argynnidæ) Synonym(s): *mauretanica* Oberthür,1909
- 6504) *Melitaea (Didymaeformis) ninae* Sheljuzhko,1935 (Argynnidæ) Synonym(s): *ninae* Sheljuzhko,1935; *#pseudoala* Sheljuzhko,1928; *#alboocellata* Sheljuzhko,1928; *rosea* Higgins,1938; *ella-claudia* Bryk,1940.
- 6505) *Melitaea (Didymaeformis) ninae ninae* Sheljuzhko,1935 (Argynnidæ) Synonym(s): *ninae* Sheljuzhko,1935; *#pseudoala* Sheljuzhko,1928; *#alboocellata* Sheljuzhko,1928; *rosea* Higgins,1938; *ella-claudia* Bryk,1940.
- 6506) *Melitaea (Didymaeformis) perseae* Kollar,[1849] (Argynnidæ) Synonym(s): *perseae* Kollar,[1849]; *caucasica* Stgr.,1861; *magnacasta*, *araratica* Verity,1929; *sargon* Hemming,1932; *tauricus* Belter,1934; *caucasica* Bryk,1940; *hafiz*, *gina* Higgins,1941; *darius*, *pfeifferi*, *wernickei*, *elbursicola*, *safawides* Gross & Ebert,1975.
- 6507) *Melitaea (Didymaeformis) perseae dodgsoni* Grose-Smith,1887 (Argynnidæ) Synonym(s): *dodgsoni* Grose-Smith,1887; *afghana* Heydemann,1954.
- 6508) *Melitaea (Didymaeformis) perseae montium* Belter,1934 (Argynnidæ) Synonym(s): *montium* Belter,1934
- 6509) *Melitaea (Didymaeformis) perseae paphlagonia* Fruhstorfer,1916 (Argynnidæ) Synonym(s): *paphlagonia* Fruhstorfer,1916

- 6510) *Melitaea (Didymaeformis) persea persea* Kollar,[1849] (Argynnidiae) Synonym(s): *persea* Kollar,[1849]; *caucasica* Stgr.,1861; *magnacasta*, *araratica* Verity,1929; *sargon* Hemming,1932; *tauricus* Belter,1934; *causasicola* Bryk,1940; *hafiz*, *gina* Higgins,1941; *darius*, *pfeifferi*, *wernickei*, *elbursicola*, *safawides* Gross & Ebert,1975.
- 6511) *Melitaea (Didymaeformis) romanovi* Groum-Grshimailo,1890 (Argynnidiae) Synonym(s): *romanovi* Groum-Grshimailo,1890; *#puella* Higgins,1941.
- 6512) *Melitaea (Didymaeformis) romanovi romanovi* Groum-Grshimailo,1890 (Argynnidiae) Synonym(s): *romanovi* Groum-Grshimailo,1890; *#puella* Higgins,1941.
- 6513) *Melitaea (Didymaeformis) saxatilis* Christoph,1873 (Argynnidiae) Synonym(s): *saxatilis* Christoph,1873
- 6514) *Melitaea (Didymaeformis) saxatilis sassanides* Higgins,1935 (Argynnidiae) Synonym(s): *sassanides* Higgins,1935
- 6515) *Melitaea (Didymaeformis) saxatilis saxatilis* Christoph,1873 (Argynnidiae) Synonym(s): *saxatilis* Christoph,1873
- 6516) *Melitaea (Didymaeformis) shandura* Evans,1924 (Argynnidiae) Synonym(s): *#shandura* Evans,1912; *shandura* Evans,1924
- 6517) *Melitaea (Didymaeformis) shandura pavlitzkajana* Sheljuzhko,1943 (Argynnidiae) Synonym(s): *pavlitzkajana* Sheljuzhko,1943; *apsara* Wyatt,1961.
- 6518) *Melitaea (Didymaeformis) shandura shandura* Evans,1924 (Argynnidiae) Synonym(s): *#shandura* Evans,1912; *shandura* Evans,1924
- 6519) *Melitaea (Didymaeformis) sutschana* Staudinger,1892 (Argynnidiae) Synonym(s): *sutschana* Staudinger,1892
- 6520) *Melitaea (Didymaeformis) sutschana graeseri* Gorbunov,1995 (Argynnidiae) Synonym(s): *graeseri* Gorbunov,1995
- 6521) *Melitaea (Didymaeformis) sutschana graeseri* Gorbunov,1995 (Argynnidiae) Synonym(s): *graeseri* Gorbunov,1995
- 6522) *Melitaea (Didymaeformis) sutschana sutschana* Staudinger,1892 (Argynnidiae) Synonym(s): *sutschana* Staudinger,1892
- 6523) *Melitaea (s.str.) amoenua* C.Felder & R.Felder,[1867] (Argynnidiae) Synonym(s): *amoenua* C.Felder & R.Felder,[1867]
- 6524) *Melitaea (s.str.) amoenua amoenua* C.Felder & R.Felder,[1867] (Argynnidiae) Synonym(s): *amoenua* C.Felder & R.Felder,[1867]
- 6525) *Melitaea (s.str.) arcesia* Bremer,1864 (Argynnidiae) Synonym(s): *baicalensis* Bremer,1864, p.13; *arcesia* Bremer,1864, p.15; *chuana* Groum-Grshimailo,1893.
- 6526) *Melitaea (s.str.) arcesia arcesia* Bremer,1864 (Argynnidiae) Synonym(s): *baicalensis* Bremer,1864, p.13; *arcesia* Bremer,1864, p.15; *chuana* Groum-Grshimailo,1893; *carmana* Fruhstorfer,1915; *rucephala* Fruhstorfer,1915.
- 6527) *Melitaea (s.str.) arcesia balbita* Moore,1874 (Argynnidiae) Synonym(s): *balbita* Moore,1874
- 6528) *Melitaea (s.str.) arcesia bellona* Leech,1892 (Argynnidiae) Synonym(s): *bellona* Leech,1892
- 6529) *Melitaea (s.str.) arcesia irma* Higgins,1941 (Argynnidiae) Synonym(s): *irma* Higgins,1941
- 6530) *Melitaea (s.str.) arcesia jezabel* Oberthür,1896 (Argynnidiae) Synonym(s): *jezabel* Oberthür,1896; *leechi* Alpheraky,1895; *jezabella* Staudinger,1901
- 6531) *Melitaea (s.str.) arcesia minor* Elwes,1899 (Argynnidiae) Synonym(s): *minor* Elwes,1899.
- 6532) *Melitaea (s.str.) arcesia sikkimensis* Moore,1901 (Argynnidiae) Synonym(s): *sikkimensis* Moore,1901; *tibetana* Fawcett,1904
- 6533) *Melitaea (s.str.) arcesia sindura* Moore,1865 (Argynnidiae) Synonym(s): *sindura* Moore,1865
- 6534) *Melitaea (s.str.) arduinna* (Fabricius,1787) (Argynnidiae) Synonym(s): *arduinna* Fabricius,1787; *rhodopensis* Freyer,[1836]; *uralensis* Eversmann,1844.
- 6535) *Melitaea (s.str.) arduinna arduinna* (Fabricius,1787) (Argynnidiae) Synonym(s): *arduinna* Fabricius,1787; *rhodopensis* Freyer,[1836]; *uralensis* Eversmann,1844.
- 6536) *Melitaea (s.str.) arduinna evanescens* Staudinger,1886 (Argynnidiae) Synonym(s): *evanescens* Staudinger,1886; *#fulminans* Staudinger,1886.
- 6537) *Melitaea (s.str.) arduinna kocaki* Wagnen & Gross,1976 (Argynnidiae) Synonym(s): *kocaki* Wagnen & Gross,1976.
- 6538) *Melitaea (s.str.) asteroida* Staudinger,1881 (Argynnidiae) Synonym(s): *asteroida* Staudinger,1881; *#asteroides* Staudinger,1881; *#asteroidea* Heyne,[1893]; *uitasica* Wagner,1913.
- 6539) *Melitaea (s.str.) asteroida asteroida* Staudinger,1881 (Argynnidiae) Synonym(s): *asteroida* Staudinger,1881; *#asteroides* Staudinger,1881; *#asteroidea* Heyne,[1893]; *uitasica* Wagner,1913.
- 6540) *Melitaea (s.str.) asteroida uighurica* Kemal,1998 (Argynnidiae) Synonym(s): *maculata* Staudinger,1901 nec Brem. & Gry,1853; *uighurica* Kemal,1998
- 6541) *Melitaea (s.str.) asteroida variegata* Staudinger,1901 (Argynnidiae) Synonym(s): *variegata* Staudinger,1901.
- 6542) *Melitaea (s.str.) avinovi* Sheljuzhko,1914 (Argynnidiae) Synonym(s): *avinovi* Sheljuzhko,1914
- 6543) *Melitaea (s.str.) avinovi avinovi* Sheljuzhko,1914 (Argynnidiae) Synonym(s): *avinovi* Sheljuzhko,1914
- 6544) *Melitaea (s.str.) balba* Evans,1912 (Argynnidiae) Synonym(s): *balba* Evans,1912
- 6545) *Melitaea (s.str.) balba balba* Evans,1912 (Argynnidiae) Synonym(s): *balba* Evans,1912
- 6546) *Melitaea (s.str.) cinxia* (Linnaeus,1758) (Argynnidiae) Synonym(s): *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791.
- 6547) *Melitaea (s.str.) cinxia amardea* Groum-Grshimailo,1895 (Argynnidiae) Synonym(s): *amardea* Groum-Grshimailo,1895; *kasyi* Gross & Ebert,1975.
- 6548) *Melitaea (s.str.) cinxia arelatia* Fruhstorfer,1910 (Argynnidiae) Synonym(s): *pilosellae* Rottemburg,1775 nec Fabr.,1775; *arelatia* Fruhstorfer,1916; *narbonensis* Fruhstorfer,1917.
- 6549) *Melitaea (s.str.) cinxia atlantis* Le Cerf,1923 (Argynnidiae) Synonym(s): *atlantis* Le Cerf,1923
- 6550) *Melitaea (s.str.) cinxia castiliana* Turati,1919 (Argynnidiae) Synonym(s): *castiliana* Turati,1919
- 6551) *Melitaea (s.str.) cinxia cinxia* (Linnaeus,1758) (Argynnidiae) Synonym(s): *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791.
- 6552) *Melitaea (s.str.) cinxia clarissa* Staudinger,1901 (Argynnidiae) Synonym(s): *clarissa* Staudinger,1901; *#tschujaca* Seitz,1909; *sacaria* Fruhstorfer,1917; *riloensis* Züllrich.
- 6553) *Melitaea (s.str.) cinxia eupompe* Hemming,1933 (Argynnidiae) Synonym(s): *algerica* Oberthür,1914 nec Heyne,1893; *eupompe* Hemming,1933.
- 6554) *Melitaea (s.str.) cinxia pallidior* Oberthür,1909 (Argynnidiae) Synonym(s): *pallidior* Oberthür,1909; *pyrenemontana* Rüttemeyer,1942.
- 6555) *Melitaea (s.str.) cinxia pseudoclarissa* De Sagarra,1930 (Argynnidiae) Synonym(s): *pseudoclarissa* De Sagarra,1930
- 6556) *Melitaea (s.str.) diamina* (Lang,1789) (Argynnidiae) Synonym(s): *dictynna* Esper,1778 nec [Denis & Schiffermüller],1775; *diamina* Lang,1789; *magnaobscura* Verity,1931.
- 6557) *Melitaea (s.str.) diamina alpestris* Fruhstorfer,1917 (Argynnidiae) Synonym(s): *alpestris* Fruhstorfer,1917; *magnaclara* Verity,1931; *pyrenaealpestris* Verity,1931.
- 6558) *Melitaea (s.str.) diamina badukensis* Alberti,1969 (Argynnidiae) Synonym(s): *badukensis* Alberti,1969
- 6559) *Melitaea (s.str.) diamina codinai* De Sagarra,1932 (Argynnidiae) Synonym(s): *codinai* Sagarra,1932
- 6560) *Melitaea (s.str.) diamina diamina* (Lang,1789) (Argynnidiae) Synonym(s): *dictynna* Esper,1778 nec [Denis & Schiffermüller],1775; *diamina* Lang,1789; *magnaobscura* Verity,1931.
- 6561) *Melitaea (s.str.) diamina erycina* Lederer,1853 (Argynnidiae) Synonym(s): *erycina* Lederer,1853
- 6562) *Melitaea (s.str.) diamina erycinides* Staudinger,1892 (Argynnidiae) Synonym(s): *erycinides* Staudinger,1892
- 6563) *Melitaea (s.str.) diamina hebe* (Borkhausen,1793) (Argynnidiae) Synonym(s): *hebe* Borkhausen,1793; *corythallia* Hübner,1800; *orthia* Hübner,1818; *erycina* Lederer,1853.
- 6564) *Melitaea (s.str.) diamina vernetensis* Rondou,1902 (Argynnidiae) Synonym(s): *vernetensis* Rondou,1902
- 6565) *Melitaea (s.str.) minerva* Staudinger,1881 (Argynnidiae) Synonym(s): *minerva* Staudinger,1881.
- 6566) *Melitaea (s.str.) minerva acerba* Kolesnichenko & Churkin,2000 (Argynnidiae) Synonym(s):
- 6567) *Melitaea (s.str.) minerva minerva* Staudinger,1881 (Argynnidiae) Synonym(s): *minerva* Staudinger,1881.
- 6568) *Melitaea (s.str.) minerva pseudotera* Kolesnichenko & Churkin,2000 (Argynnidiae) Synonym(s): *pseudotera* Kolesnichenko & Churkin,2000
- 6569) *Melitaea (s.str.) minerva repens* Kolesnichenko & Churkin,2000 (Argynnidiae) Synonym(s): *repens* Kolesnichenko & Churkin,2000
- 6570) *Melitaea (s.str.) minerva ssp.* (Argynnidiae) Synonym(s):
- 6571) *Melitaea (s.str.) minerva tersa* Kolesnichenko & Churkin,2000 (Argynnidiae) Synonym(s): *tersa* Kolesnichenko & Churkin,2000
- 6572) *Melitaea (s.str.) pallas* Staudinger,1886 (Argynnidiae) Synonym(s): *pallas* Staudinger,1886
- 6573) *Melitaea (s.str.) pallas interpres* Kolesnichenko & Churkin,2000 (Argynnidiae) Synonym(s): *interpres* Kolesnichenko & Churkin,2000
- 6574) *Melitaea (s.str.) pallas iracunda* Kolesnichenko & Churkin,2000 (Argynnidiae) Synonym(s): *iracunda* Kolesnichenko & Churkin,2000
- 6575) *Melitaea (s.str.) pallas koitezek* Kolesnichenko & Churkin,2000 (Argynnidiae) Synonym(s): *koitezek* Kolesnichenko & Churkin,2000
- 6576) *Melitaea (s.str.) pallas mendax* Kolesnichenko & Churkin,2000 (Argynnidiae) Synonym(s): *mendax* Kolesnichenko & Churkin,2000
- 6577) *Melitaea (s.str.) pallas pallas* Staudinger,1886 (Argynnidiae) Synonym(s): *pallas* Staudinger,1886
- 6578) *Melitaea (s.str.) pallas pseudobalbina* Kolesnichenko & Churkin,2000 (Argynnidiae) Synonym(s): *pseudobalbina* Kolesnichenko & Churkin,2000
- 6579) *Melitaea (s.str.) pallas vaschenkoi* Kolesnichenko & Churkin,2000 (Argynnidiae) Synonym(s): *vaschenkoi* Kolesnichenko & Churkin,2000
- 6580) *Melitaea (s.str.) solona* Alpheraky,1881 (Argynnidiae) Synonym(s): *solona* Alpheraky,1881
- 6581) *Melitaea (s.str.) solona evadne* Hemming,1934 (Argynnidiae) Synonym(s): *pallida* Staudinger,1901 nec Edwards,1864; *evadne* Hemming,1934
- 6582) *Melitaea (s.str.) solona filipjevi* Churkin, Kolesnichenko & Tusov,2000 (Argynnidiae) Synonym(s): *filipjevi* Churkin, Kolesnichenko & Tusov,2000
- 6583) *Melitaea (s.str.) solona pletnevi* Churkin, Kolesnichenko & Tusov,2000 (Argynnidiae) Synonym(s): *pletnevi* Churkin, Kolesnichenko & Tusov,2000
- 6584) *Melitaea (s.str.) solona plyushchi* Churkin, Kolesnichenko & Tusov,2000 (Argynnidiae) Synonym(s): *plyushchi* Churkin, Kolesnichenko & Tusov,2000
- 6585) *Melitaea (s.str.) solona solona* Alpheraky,1881 (Argynnidiae) Synonym(s): *solona* Alpheraky,1881
- 6586) *Melitaea (s.str.) sultanensis* Staudinger,1886 (Argynnidiae) Synonym(s): *sultanensis* Staudinger,1886; *fumarata* Achtelik,1999
- 6587) *Melitaea (s.str.) sultanensis balbina* Tytler,1926 (Argynnidiae) Synonym(s): *balbina* Tytler,1926
- 6588) *Melitaea (s.str.) sultanensis elisabethae* Avinoff,1910 (Argynnidiae) Synonym(s): *elisabethae* Avinoff,1910
- 6589) *Melitaea (s.str.) sultanensis gabrielae* Achtelik,1999 (Argynnidiae) Synonym(s): *gabrielae* Achtelik,1999

- 6590) *Melitaea* (s.str.) *sultanensis palamedes* Groum-Grshimailo,1890 (Argynnidiae) Synonym(s): *palamedes* Groum-Grshimailo,1890; *danieli* Achtelik,1999.
- 6591) *Melitaea* (s.str.) *sultanensis sebastiani* Achtelik,1999 (Argynnidiae) Synonym(s): *sebastiani* Achtelik,1999
- 6592) *Melitaea* (s.str.) *sultanensis sultanensis* Staudinger,1886 (Argynnidiae) Synonym(s): *sultanensis* Staudinger,1886; *fumarata* Achtelik,1999
- 6593) *Melitaea* (s.str.) *turanica* Erschoff,1874 (Argynnidiae) Synonym(s): *turanica* Erschoff,1874
- 6594) *Melitaea* (s.str.) *turanica turanica* Erschoff,1874 (Argynnidiae) Synonym(s): *turanica* Erschoff,1874
- 6595) *Melitaea* *kuchi* Wyatt,1961 (Argynnidiae) Synonym(s): *kuchi* Wyatt,1961
- 6596) *Melitaea* *kuchi kuchi* Wyatt,1961 (Argynnidiae) Synonym(s): *kuchi* Wyatt,1961
- 6597) *Melitaea* *ludmilla* Churkin, Kolesnichenko & Tusov,2000 (Argynnidiae) Synonym(s): *ludmilla* Churkin, Kolesnichenko & Tusov,2000
- 6598) *Melitaea* *ludmilla ludmilla* Churkin, Kolesnichenko & Tusov,2000 (Argynnidiae) Synonym(s): *ludmilla* Churkin, Kolesnichenko & Tusov,2000
- 6599) *Melitaea* *ludmilla serene* Churkin, Kolesnichenko & Tusov,2000 (Argynnidiae) Synonym(s): *serene* Churkin, Kolesnichenko & Tusov,2000
- 6600) *Melitaea* *paludani* Clench & Shoumatoff,1956 (Argynnidiae) Synonym(s): *paludani* Clench & Shoumatoff,1956
- 6601) *Melitaea* *paludani paludani* Clench & Shoumatoff,1956 (Argynnidiae) Synonym(s): *paludani* Clench & Shoumatoff,1956
- 6602) *Melitaea* *sarvistana* Wiltshire,1941 (Argynnidiae) Synonym(s): *sarvistana* Wiltshire,1941
- 6603) *Melitaea* *sarvistana sarvistana* Wiltshire,1941 (Argynnidiae) Synonym(s): *sarvistana* Wiltshire,1941
- 6604) *Melicta* *alatauca* (Staudinger,1881) (Argynnidiae) Synonym(s): *alatauca* Staudinger,1881; *alatauca* Seitz,1909 (hom.); *alatauca* Fruhstorfer,1917 (hom.); *fruhstorferi* Wnukowsky,1929.
- 6605) *Melicta* *alatauca alatauca* (Staudinger,1881) (Argynnidiae) Synonym(s): *alatauca* Staudinger,1881; *alatauca* Seitz,1909 (hom.); *alatauca* Fruhstorfer,1917 (hom.); *fruhstorferi* Wnukowsky,1929.
- 6606) *Melicta* *ambigua* (Ménétriés,1859) (Argynnidiae) Synonym(s): *ambigua* Ménétriés,1859
- 6607) *Melicta* *ambigua ambigua* (Ménétriés,1859) (Argynnidiae) Synonym(s): *ambigua* Ménétriés,1859
- 6608) *Melicta* *ambigua kenteana* (Seitz,1909) (Argynnidiae) Synonym(s): *kenteana* Seitz,1909; *sayanskalpina* Verity,1940.
- 6609) *Melicta* *asteria* (Freyer,1828) (Argynnidiae) Synonym(s): *asteria* Freyer,1828; *asterie* Herrich-Schäffer,1843.
- 6610) *Melicta* *asteria asteria* (Freyer,1828) (Argynnidiae) Synonym(s): *asteria* Freyer,1828; *asterie* Herrich-Schäffer,1843.
- 6611) *Melicta* *athalia* (Rottemburg,1775) (Argynnidiae) Synonym(s): *athalia* Rottemburg,1775; *eos* Rossi,1803 *nec* Rossi,1794; *pyronia* Hübner,1804; *aphaea* Hübner,1816; *tessellata* Stephens,1827; *britannia* Verity,1914; *luciflua* Fruhstorfer,1916; *vividior* Gouin,1922; *subluciflua* Verity,1935; *mixtaceladussa* Verity,1940; *neglecta* Pfau,1962
- 6612) *Melicta* *athalia athalia* (Rottemburg,1775) (Argynnidiae) Synonym(s): *athalia* Rottemburg,1775; *eos* Rossi,1803 *nec* Rossi,1794; *pyronia* Hübner,1804; *aphaea* Hübner,1816; *tessellata* Stephens,1827; *britannia* Verity,1914; *luciflua* Fruhstorfer,1916; *vividior* Gouin,1922; *subluciflua* Verity,1935; *mixtaceladussa* Verity,1940; *neglecta* Pfau,1962
- 6613) *Melicta* *athalia biedermanni* (Querci,1932) (Argynnidiae) Synonym(s): *biedermanni* Querci,1932
- 6614) *Melicta* *athalia boris* (Fruhstorfer,1917) (Argynnidiae) Synonym(s): *boris* Fruhstorfer,1917
- 6615) *Melicta* *athalia celadussa* (Fruhstorfer,1910) (Argynnidiae) Synonym(s): *celadussa* Fruhstorfer,1910; *pseudathalia* Reverdin,1921; *helvetica* auct.
- 6616) *Melicta* *athalia nevadensis* Oberthür,1904 (Argynnidiae) Synonym(s): *nevadensis* Oberthür,1904
- 6617) *Melicta* *athalia norvegica* (Aurivillius,1888) (Argynnidiae) Synonym(s): *norvegica* Aurivillius,1888; *scandinavica* Staudinger,1892; *lachares* Fruhstorfer,1919; *borealis* Lindström,1929.
- 6618) *Melicta* *athalia reticulata* Higgins,1955 (Argynnidiae) Synonym(s): *reticulata* Higgins,1955
- 6619) *Melicta* *aurelia* (Nickerl,1850) (Argynnidiae) Synonym(s): *parthenie* Borkhausen,1788 *nec* Bergsträßer,[1780]; *aurelia* Nickerl,1850; *#serotina* Oberthür,1909; *lucasi* Verity,1920.
- 6620) *Melicta* *aurelia aurelia* (Nickerl,1850) (Argynnidiae) Synonym(s): *parthenie* Borkhausen,1788 *nec* Bergsträßer,[1780]; *aurelia* Nickerl,1850; *#serotina* Oberthür,1909; *lucasi* Verity,1920.
- 6621) *Melicta* *aurelia ciscaucasica* (Rjabov,1926) (Argynnidiae) Synonym(s): *ciscaucasica* Rjabov,1926; *albimacula* Wojtusiak & Niesiolowski,1946.
- 6622) *Melicta* *aurelia distans* Higgins,1955 (Argynnidiae) Synonym(s): *distans* Higgins,1955
- 6623) *Melicta* *aurelia imitatrix* (Verity,1932) (Argynnidiae) Synonym(s): *imitatrix* Verity,1932
- 6624) *Melicta* *britomartis* (Assmann,1847) (Argynnidiae) Synonym(s): *britomartis* Assmann,1847; *veronicae* Dorfmeister,1853.
- 6625) *Melicta* *britomartis amurensis* (Staudinger,1892) (Argynnidiae) Synonym(s): *amurensis* Staudinger,1892; *seminigra* Seitz,1909; *seminigra* Nitsche,1918; *frigidaltica* Verity,1940.
- 6626) *Melicta* *britomartis aureliaeformis* (Verity,1917) (Argynnidiae) Synonym(s): *aureliaeformis* Verity,1917; *melathalia* Rocci,1930; *taurinatorum* Rocci,1932.
- 6627) *Melicta* *britomartis britomartis* (Assmann,1847) (Argynnidiae) Synonym(s): *britomartis* Assmann,1847; *veronicae* Dorfmeister,1853.
- 6628) *Melicta* *caucasogenita* Verity,1930 (Argynnidiae) Synonym(s): *caucasogenita* Verity,1930
- 6629) *Melicta* *caucasogenita caucasogenita* Verity,1930 (Argynnidiae) Synonym(s): *caucasogenita* Verity,1930
- 6630) *Melicta* *centralasiae* (Wnukowsky,1929) (Argynnidiae) Synonym(s): *mongolica* Staudinger,1892:327 *nec* Stgr.,1892:321; *centralasiae* Wnukowsky,1929.
- 6631) *Melicta* *centralasiae centralasiae* (Wnukowsky,1929) (Argynnidiae) Synonym(s): *mongolica* Staudinger,1892:327 *nec* Stgr.,1892:321; *centralasiae* Wnukowsky,1929.
- 6632) *Melicta* *deione* (Geyer,[1832]) (Argynnidiae) Synonym(s): *deione* Geyer,[1832]; *rondoui* Oberthür,1909; *magna* Seitz,1909; *praestantior* Verity,1932; *vesubiana* Verity,1932; *mirabilis* Rüttemeyer,1942.
- 6633) *Melicta* *deione berisalii* (Rühl,[1891]) (Argynnidiae) Synonym(s): *berisalii* Rühl,[1891]; *berisalisensis* Favre & Wulschlegel,1899.
- 6634) *Melicta* *deione deione* (Geyer,[1832]) (Argynnidiae) Synonym(s): *deione* Geyer,[1832]; *rondoui* Oberthür,1909; *magna* Seitz,1909; *praestantior* Verity,1932; *vesubiana* Verity,1932; *mirabilis* Rüttemeyer,1942.
- 6635) *Melicta* *deione espunaensis* Korb,1915 (Argynnidiae) Synonym(s): *espunaensis* Korb,1915
- 6636) *Melicta* *deione nitida* (Oberthür,1909) (Argynnidiae) Synonym(s): *nitida* Oberthür,1909
- 6637) *Melicta* *menetriesi* (Caradja,1895) (Argynnidiae) Synonym(s): *orientalis* Ménétriés,1859 *nec* H.-S.,1843; *menetriesi* Caradja,1895; *septentrionientis* Verity,1930.
- 6638) *Melicta* *menetriesi menetriesi* (Caradja,1895) (Argynnidiae) Synonym(s): *orientalis* Ménétriés,1859 *nec* H.-S.,1843; *menetriesi* Caradja,1895; *septentrionientis* Verity,1930.
- 6639) *Melicta* *parthenoides* (Keferstein,1851) (Argynnidiae) Synonym(s): *parthenie* sensu Godart,1822; *parthenoides* Keferstein,1851; *beata* Caradja,1894; *sphines* Fruhstorfer,1916; *inanis* Verity,1921; *plena* Verity,1921; *completa* Verity,1931; *semplena* Verity,1931; *#communis* Verity,1941; *varioides* Rüttemeyer,1942.
- 6640) *Melicta* *parthenoides bolivari* (De Sagarra,1930) (Argynnidiae) Synonym(s): *bolivari* De Sagarra,1930
- 6641) *Melicta* *parthenoides parthenoides* (Keferstein,1851) (Argynnidiae) Synonym(s): *parthenia* sensu Godart,1822; *parthenoides* Keferstein,1851; *beata* Caradja,1894; *sphines* Fruhstorfer,1916; *inanis* Verity,1921; *plena* Verity,1921; *completa* Verity,1931; *semplena* Verity,1931; *#communis* Verity,1941; *varioides* Rüttemeyer,1942.
- 6642) *Melicta* *plotina* (Bremer,1861) (Argynnidiae) Synonym(s): *plotina* Bremer,1861
- 6643) *Melicta* *plotina plotina* (Bremer,1861) (Argynnidiae) Synonym(s): *plotina* Bremer,1861
- 6644) *Melicta* *protomedia* (Ménétriés,1858) (Argynnidiae) Synonym(s): *protomedia* Ménétriés,1858
- 6645) *Melicta* *protomedia protomedia* (Ménétriés,1858) (Argynnidiae) Synonym(s): *protomedia* Ménétriés,1858
- 6646) *Melicta* *rebeli* (Wnukowsky,1929) (Argynnidiae) Synonym(s): *altaica* Staudinger,1901 *nec* Groum-Grsh.,1893; *rebeli* Wnukowsky,1929
- 6647) *Melicta* *rebeli rebeli* (Wnukowsky,1929) (Argynnidiae) Synonym(s): *altaica* Staudinger,1901 *nec* Groum-Grsh.,1893; *rebeli* Wnukowsky,1929
- 6648) *Melicta* *varia* (Meyer-Dür,1851) (Argynnidiae) Synonym(s): *varia* Meyer-Dür,1851; *gibbon* Fruhstorfer,1916; *piana* Higgins,1930; *variabella* Dujardin,1948; *barnumi* Dujardin,1948; *rechei* Dujardin,1964.
- 6649) *Melicta* *varia varia* (Meyer-Dür,1851) (Argynnidiae) Synonym(s): *varia* Meyer-Dür,1851; *gibbon* Fruhstorfer,1916; *piana* Higgins,1930; *variabella* Dujardin,1948; *barnumi* Dujardin,1948; *rechei* Dujardin,1964.
- 6650) *Mesoxantha* *ethosea* (Drury,1782) (Argynnidiae) Synonym(s): *ethosea* Drury,1782
- 6651) *Mesoxantha* *ethosea ethosea* (Drury,1782) (Argynnidiae) Synonym(s): *ethosea* Drury,1782
- 6652) *Mesoxantha* *ethosea ethoseoides* Rebel,1914 (Argynnidiae) Synonym(s): *ethoseoides* Rebel,1914; *albeola* Rothschild,1918
- 6653) *Mesoxantha* *ethosea reducta* Rothschild,1918 (Argynnidiae) Synonym(s): *reducta* Rothschild,1918; *katera* Stoneham,1935
- 6654) *Mestra* *amymone* (Ménétriés,1857) (Argynnidiae) Synonym(s): *amymone* Ménétriés,1857
- 6655) *Microtia* *elva* Bates,1864 (Argynnidiae) Synonym(s): *elva* Bates,1864
- 6656) *Moduza* *jumaloni* (Schröder,1976) (Argynnidiae) Synonym(s): *jumaloni* Schröder,1976
- 6657) *Moduza* *jumaloni jumaloni* (Schröder,1976) (Argynnidiae) Synonym(s): *jumaloni* Schröder,1976
- 6658) *Moduza* *jumaloni punctata* Schröder & Treadaway,1980 (Argynnidiae) Synonym(s): *punctata* Schröder & Treadaway,1980
- 6659) *Moduza* *mata* Moore,1858 (Argynnidiae) Synonym(s): *mata* Moore,1858
- 6660) *Moduza* *mata amida* Fruhstorfer,1912 (Argynnidiae) Synonym(s): *amida* Fruhstorfer,1912
- 6661) *Moduza* *mata mata* Moore,1858 (Argynnidiae) Synonym(s): *mata* Moore,1858

- 6662) *Moduza mata mindorana* Tsukada,1991 (Argynnididae) Synonym(s): *mindorana* Tsukada,1991
- 6663) *Moduza nuydai* Shirozu & Saigusa,1970 (Argynnididae) Synonym(s): *nuydai* Shirozu & Saigusa,1970
- 6664) *Moduza nuydai hyugai* Treadaway & Nuyda,1993 (Argynnididae) Synonym(s): *hyugai* Treadaway & Nuyda,1993
- 6665) *Moduza nuydai nuydai* Shirozu & Saigusa,1970 (Argynnididae) Synonym(s): *nuydai* Shirozu & Saigusa,1970
- 6666) *Moduza pintuyana* Semper,1878 (Argynnididae) Synonym(s): *pintuyana* Semper,1878
- 6667) *Moduza pintuyana gahiti* M.Okano & T.Okano,1989 (Argynnididae) Synonym(s): *gahiti* M.Okano & T.Okano,1989
- 6668) *Moduza pintuyana mahastha* Fruhstorfer,1913 (Argynnididae) Synonym(s): *mahastha* Fruhstorfer,1913
- 6669) *Moduza pintuyana pintuyana* Semper,1878 (Argynnididae) Synonym(s): *pintuyana* Semper,1878
- 6670) *Moduza pintuyana tawitawiensis* Treadaway & Nuyda,1994 (Argynnididae) Synonym(s): *tawitawiensis* Treadaway & Nuyda,1994
- 6671) *Moduza procris* (Cramer,[1777]) (Argynnididae) Synonym(s): *procris* Cramer,[1777]
- 6672) *Moduza procris aemonia* Weymer (Argynnididae) Synonym(s): *aemonia* Weymer
- 6673) *Moduza procris agnata* (Fruhstorfer,1897) (Argynnididae) Synonym(s): *agnata* Fruhstorfer,1897
- 6674) *Moduza procris anarta* Moore,1877 (Argynnididae) Synonym(s): *anarta* Moore,1877
- 6675) *Moduza procris arnoldi* (Fruhstorfer,1898) (Argynnididae) Synonym(s): *arnoldi* Fruhstorfer,1898
- 6676) *Moduza procris batuna* (Fruhstorfer,1906) (Argynnididae) Synonym(s): *batuna* Fruhstorfer,1906
- 6677) *Moduza procris beckyae* Schröder & Treadaway,1987 (Argynnididae) Synonym(s): *beckyae* Schröder & Treadaway,1987
- 6678) *Moduza procris calidosa* Moore,1858 (Argynnididae) Synonym(s): *calidosa* Moore,1858
- 6679) *Moduza procris florensis* (Fruhstorfer,1913) (Argynnididae) Synonym(s): *florensis* Fruhstorfer,1913
- 6680) *Moduza procris laubenheimeri* Hagen,1898 (Argynnididae) Synonym(s): *laubenheimeri* Hagen,1898
- 6681) *Moduza procris liberalis* Tsukada,1991 (Argynnididae) Synonym(s): *liberalis* Tsukada,1991
- 6682) *Moduza procris milonia* (Fruhstorfer,1906) (Argynnididae) Synonym(s): *milonia* Fruhstorfer,1906
- 6683) *Moduza procris minoe* (Fruhstorfer,1906) (Argynnididae) Synonym(s): *minoe* Fruhstorfer,1906
- 6684) *Moduza procris neutra* (Fruhstorfer,1897) (Argynnididae) Synonym(s): *neutra* Fruhstorfer,1897
- 6685) *Moduza procris pausanias* (Staudinger,1889) (Argynnididae) Synonym(s): *pausanias* Staudinger,1889
- 6686) *Moduza procris procris* (Cramer,[1777]) (Argynnididae) Synonym(s): *procris* Cramer,[1777]
- 6687) *Moduza procris sumbana* (Fruhstorfer,1913) (Argynnididae) Synonym(s): *sumbana* Fruhstorfer,1913
- 6688) *Moduza procris sambawana* (Fruhstorfer,1913) (Argynnididae) Synonym(s): *sambawana* Fruhstorfer,1913
- 6689) *Moduza procris tioma* Eliot,1978 (Argynnididae) Synonym(s): *tioma* Eliot,1978
- 6690) *Moduza procris undifragus* (Fruhstorfer,1906) (Argynnididae) Synonym(s): *undifragus* Fruhstorfer,1906
- 6691) *Moduza thespias* Semper,1889 (Argynnididae) Synonym(s): *thespias* Semper,1889
- 6692) *Moduza urdaneta* C.Felder,1863 (Argynnididae) Synonym(s): *urdaneta* C.Felder,1863
- 6693) *Moduza urdaneta aynii* Nuyda,1993 (Argynnididae) Synonym(s): *aynii* Nuyda,1993
- 6694) *Moduza urdaneta kawamurairi* Hanafusa,1987 (Argynnididae) Synonym(s): *kawamurairi* Hanafusa,1987
- 6695) *Moduza urdaneta miyabi* Tsukada,1991 (Argynnididae) Synonym(s): *miyabi* Tsukada,1991
- 6696) *Moduza urdaneta urdaneta* C.Felder,1863 (Argynnididae) Synonym(s): *urdaneta* C.Felder,1863
- 6697) *Myscelia cyananthe* (Argynnididae) Synonym(s):
- 6698) *Myscelia ethusa* (Argynnididae) Synonym(s):
- 6699) *Neptidopsis fulgurata* (Boisduval,1833) (Argynnididae) Synonym(s): *fulgurata* Boisduval,1833; #pseudoplatyptera Strand,1912
- 6700) *Neptidopsis fulgurata fulgurata* (Boisduval,1833) (Argynnididae) Synonym(s): *fulgurata* Boisduval,1833; #pseudoplatyptera Strand,1912
- 6701) *Neptidopsis fulgurata platyptera* Rothschild & Jordan,1903 (Argynnididae) Synonym(s): *platyptera* Rothschild & Jordan,1903
- 6702) *Neptidopsis ophione* (Cramer,[1777]) (Argynnididae) Synonym(s): *ophione* Cramer,[1777]; *valentina* Cramer,[1780]; *morgani* Doubleday,[1848]; *velleda* Mabille,1890
- 6703) *Neptidopsis ophione nucleata* Grünberg,1911 (Argynnididae) Synonym(s): *nucleata* Grünberg,1911
- 6704) *Neptidopsis ophione ophione* (Cramer,[1777]) (Argynnididae) Synonym(s): *ophione* Cramer,[1777]; *valentina* Cramer,[1780]; *morgani* Doubleday,[1848]; *velleda* Mabille,1890
- 6705) *Neptis (Lasippa) bella* Staudinger,1889 (Argynnididae) Synonym(s): *bella* Staudinger,1889
- 6706) *Neptis (Lasippa) ebusa* (C.Felder & R.Felder,1863) (Argynnididae) Synonym(s): *ebusa* C.Felder & R.Felder,1863
- 6707) *Neptis (Lasippa) ebusa ebusa* (C.Felder & R.Felder,1863) (Argynnididae) Synonym(s): *ebusa* C.Felder & R.Felder,1863
- 6708) *Neptis (Lasippa) ebusa euphemia* (Fruhstorfer,1908) (Argynnididae) Synonym(s): *euphemia* Fruhstorfer,1908
- 6709) *Neptis (Lasippa) ebusa laetitia* (Fruhstorfer,1908) (Argynnididae) Synonym(s): *laetitia* Fruhstorfer,1908; *hegesandira* Fruhstorfer,1913
- 6710) *Neptis (Lasippa) heliodore* (Fabricius,1787) (Argynnididae) Synonym(s): *heliodore* Fabricius,1787
- 6711) *Neptis (Lasippa) heliodore dorelia* (Butler,[1879]) (Argynnididae) Synonym(s): *dorelia* Butler,[1879]
- 6712) *Neptis (Lasippa) heliodore heliodore* (Fabricius,1787) (Argynnididae) Synonym(s): *heliodore* Fabricius,1787
- 6713) *Neptis (Lasippa) illigera* (Eschscholtz,1821) (Argynnididae) Synonym(s): *illigera* Eschscholtz,1821; *livilla* Wallengren,1860; *eschscholtzia* Semper,1889
- 6714) *Neptis (Lasippa) illigera alabatana* (Fruhstorfer,1908) (Argynnididae) Synonym(s): *alabatana* Fruhstorfer,1908
- 6715) *Neptis (Lasippa) illigera calayana* (Fruhstorfer,1908) (Argynnididae) Synonym(s): *calayana* Fruhstorfer,1908
- 6716) *Neptis (Lasippa) illigera hegesias* (Fruhstorfer,1912) (Argynnididae) Synonym(s): *hegesias* Fruhstorfer,1912
- 6717) *Neptis (Lasippa) illigera illigera* (Eschscholtz,1821) (Argynnididae) Synonym(s): *illigera* Eschscholtz,1821; *livilla* Wallengren,1860; *eschscholtzia* Semper,1889
- 6718) *Neptis (Lasippa) illigera pia* (Fruhstorfer,1908) (Argynnididae) Synonym(s): *pia* Fruhstorfer,1908
- 6719) *Neptis (Lasippa) illigera sibuyana* Tsukada & Kaneko,1985 (Argynnididae) Synonym(s): *sibuyana* Tsukada & Kaneko,1985
- 6720) *Neptis (Lasippa) illigerella* Staudinger,1889 (Argynnididae) Synonym(s): *illigerella* Staudinger,1889; *calliplocama* Fruhstorfer,1908
- 6721) *Neptis (Lasippa) monata* (Weyenbergh,1874) (Argynnididae) Synonym(s): *monata* Weyenbergh,1874; *fuliginosa* Moore,1881; *thamala* Moore,1886; *serapica* Fruhstorfer,1908; *arnoldi* Fruhstorfer,1908
- 6722) *Neptis (Lasippa) monata cura* (Weymer,1885) (Argynnididae) Synonym(s): *cura* Weymer,1885
- 6723) *Neptis (Lasippa) monata monata* (Weyenbergh,1874) (Argynnididae) Synonym(s): *monata* Weyenbergh,1874; *fuliginosa* Moore,1881; *thamala* Moore,1886; *serapica* Fruhstorfer,1908; *arnoldi* Fruhstorfer,1908
- 6724) *Neptis (Lasippa) monata sibuana* Tsukada & Kaneko,1985 (Argynnididae) Synonym(s): *sibuana* Tsukada & Kaneko,1985
- 6725) *Neptis (Lasippa) pata* (Moore,1858) (Argynnididae) Synonym(s): *pata* Moore,1858; *isabellina* C.Felder & R.Felder,1863
- 6726) *Neptis (Lasippa) pata pata* (Moore,1858) (Argynnididae) Synonym(s): *pata* Moore,1858
- 6727) *Neptis (Lasippa) pata patalina* (Semper,1892) (Argynnididae) Synonym(s): *patalina* Semper,1892
- 6728) *Neptis (Lasippa) pata semperi* (Moore,1899) (Argynnididae) Synonym(s): *isabellina* Semper,1889 nec Feld,1863; *semperi* Moore,1899
- 6729) *Neptis (Lasippa) pizarrasi* M.Okano & T.Okano,1986 (Argynnididae) Synonym(s): *pizarrasi* M.Okano & T.Okano,1986
- 6730) *Neptis (Lasippa) tiga* (Moore,1858) (Argynnididae) Synonym(s): *tiga* Moore,1858
- 6731) *Neptis (Lasippa) tiga camboja* (Moore,1879) (Argynnididae) Synonym(s): *camboja* Moore,1879
- 6732) *Neptis (Lasippa) tiga siaka* (Moore,1881) (Argynnididae) Synonym(s): *siaka* Moore,1881
- 6733) *Neptis (Lasippa) tiga tiga* (Moore,1858) (Argynnididae) Synonym(s): *tiga* Moore,1858
- 6734) *Neptis (Lasippa) viraja* Moore,1872 (Argynnididae) Synonym(s): *viraja* Moore,1872
- 6735) *Neptis (Lasippa) viraja viraja* Moore,1872 (Argynnididae) Synonym(s): *viraja* Moore,1872
- 6736) *Neptis (Pantoporia) aurelia* Staudinger,1886 (Argynnididae) Synonym(s): *aurelia* Staudinger,1886
- 6737) *Neptis (Pantoporia) aurelia aurelia* Staudinger,1886 (Argynnididae) Synonym(s): *aurelia* Staudinger,1886
- 6738) *Neptis (Pantoporia) aurelia boma* (Eliot,1969) (Argynnididae) Synonym(s): *boma* Eliot,1969
- 6739) *Neptis (Pantoporia) bieti* Oberthür,1890 (Argynnididae) Synonym(s): *bieti* Oberthür,1890
- 6740) *Neptis (Pantoporia) bieti bieti* Oberthür,1890 (Argynnididae) Synonym(s): *bieti* Oberthür,1890
- 6741) *Neptis (Pantoporia) bieti paona* (Tytler,1915) (Argynnididae) Synonym(s): *paona* Tytler,1915
- 6742) *Neptis (Pantoporia) cyrilla* (C.Felder & R.Felder,1863) (Argynnididae) Synonym(s): *cyrilla* C.Felder & R.Felder,1863
- 6743) *Neptis (Pantoporia) cyrilla athenais* (C.Felder & R.Felder,1863) (Argynnididae) Synonym(s): *athenais* C.Felder & R.Felder,1863
- 6744) *Neptis (Pantoporia) cyrilla attica* Semper,1889 (Argynnididae) Synonym(s): *attica* Semper,1889
- 6745) *Neptis (Pantoporia) cyrilla cyrilla* (C.Felder & R.Felder,1863) (Argynnididae) Synonym(s): *cyrilla* C.Felder & R.Felder,1863
- 6746) *Neptis (Pantoporia) cyrilla phrygia* (C.Felder & R.Felder,1863) (Argynnididae) Synonym(s): *phrygia* C.Felder & R.Felder,1863
- 6747) *Neptis (Pantoporia) cyrilla shunichii* Tsukada & Kaneko,1985 (Argynnididae) Synonym(s): *shunichii* Tsukada & Kaneko,1985
- 6748) *Neptis (Pantoporia) dama* (Moore,1858) (Argynnididae) Synonym(s): *dama* Moore,1858

- 6749) Neptis (Pantoporia) *dama athene* Staudinger, 1889 (Argynnidæ) Synonym(s): *athene* Staudinger, 1889
- 6750) Neptis (Pantoporia) *dama babuyanensis* Tsukada & Kaneko, 1985 (Argynnidæ) Synonym(s): *babuyanensis* Tsukada & Kaneko, 1985
- 6751) Neptis (Pantoporia) *dama camotesiana* Fruhstorfer, 1912 (Argynnidæ) Synonym(s): *camotesiana* Fruhstorfer, 1912
- 6752) Neptis (Pantoporia) *dama commixta* Fruhstorfer, 1908 (Argynnidæ) Synonym(s): *commixta* Fruhstorfer, 1908
- 6753) Neptis (Pantoporia) *dama dama* (Moore, 1858) (Argynnidæ) Synonym(s): *dama* Moore, 1858
- 6754) Neptis (Pantoporia) *dinginga* Butler, 1879 (Argynnidæ) Synonym(s): *dinginga* Butler, 1879
- 6755) Neptis (Pantoporia) *dinginga dinginga* Butler, 1879 (Argynnidæ) Synonym(s): *dinginga* Butler, 1879
- 6756) Neptis (Pantoporia) *epira* (C.Felder & R.Felder, 1863) (Argynnidæ) Synonym(s): *epira* C.Felder & R.Felder, 1863
- 6757) Neptis (Pantoporia) *epira epira* (C.Felder & R.Felder, 1863) (Argynnidæ) Synonym(s): *epira* C.Felder & R.Felder, 1863
- 6758) Neptis (Pantoporia) *epira heliobole* Semper, 1878 (Argynnidæ) Synonym(s): *heliobole* Semper, 1878
- 6759) Neptis (Pantoporia) *epira luzonensis* Eliot, 1969 (Argynnidæ) Synonym(s): *luzonensis* Eliot, 1969
- 6760) Neptis (Pantoporia) *hordonia* (Stoll, 1790) (Argynnidæ) Synonym(s): *hordonia* Stoll, 1790
- 6761) Neptis (Pantoporia) *hordonia dorida* Staudinger, 1889 (Argynnidæ) Synonym(s): *dorida* Staudinger, 1889
- 6762) Neptis (Pantoporia) *hordonia hordonia* (Stoll, 1790) (Argynnidæ) Synonym(s): *hordonia* Stoll, 1790
- 6763) Neptis (Pantoporia) *paraka* Butler, 1879 (Argynnidæ) Synonym(s): *paraka* Butler, 1879
- 6764) Neptis (Pantoporia) *paraka olanguana* Tsukada & Kaneko, 1985 (Argynnidæ) Synonym(s): *olanguana* Tsukada & Kaneko, 1985
- 6765) Neptis (Pantoporia) *paraka paraka* Butler, 1879 (Argynnidæ) Synonym(s): *paraka* Butler, 1879
- 6766) Neptis (Pantoporia) *sandaka* (Butler, 1892) (Argynnidæ) Synonym(s): *sandaka* Butler, 1892
- 6767) Neptis (Pantoporia) *sandaka davidsoni* (Eliot, 1969) (Argynnidæ) Synonym(s): *davidsoni* Eliot, 1969
- 6768) Neptis (Pantoporia) *sandaka sandaka* (Butler, 1892) (Argynnidæ) Synonym(s): *sandaka* Butler, 1892
- 6769) Neptis (Phaedyma) *columella* (Cramer, [1782]) (Argynnidæ) Synonym(s): *columella* Cramer, [1782]
- 6770) Neptis (Phaedyma) *columella angara* Semper, 1889 (Argynnidæ) Synonym(s): *angara* Semper, 1889
- 6771) Neptis (Phaedyma) *columella columella* (Cramer, [1782]) (Argynnidæ) Synonym(s): *columella* Cramer, [1782]
- 6772) Neptis (Phaedyma) *columella eremita* C.Felder & R.Felder, [1867] (Argynnidæ) Synonym(s): *eremita* C.Felder & R.Felder, [1867]
- 6773) Neptis (Phaedyma) *columella eumenaia* Fruhstorfer, 1912 (Argynnidæ) Synonym(s): *eumenaia* Fruhstorfer, 1912
- 6774) Neptis (Phaedyma) *columella martabana* Moore, 1881 (Argynnidæ) Synonym(s): *martabana* Moore, 1881
- 6775) Neptis (Phaedyma) *columella mesogaia* Fruhstorfer, 1912 (Argynnidæ) Synonym(s): *mesogaia* Fruhstorfer, 1912
- 6776) Neptis (Phaedyma) *columella ophianella* Staudinger, 1889 (Argynnidæ) Synonym(s): *ophianella* Staudinger, 1889
- 6777) Neptis (Phaedyma) *columella parvimacula* (Pendlebury, 1933) (Argynnidæ) Synonym(s): *parvimacula* Pendlebury, 1933
- 6778) Neptis (Phaedyma) *columella singa* (Fruhstorfer, [1899]) (Argynnidæ) Synonym(s): *singa* Fruhstorfer, [1899]
- 6779) Neptis (Phaedyma) *columella soror* Semper, 1889 (Argynnidæ) Synonym(s): *soror* Semper, 1889
- 6780) Neptis (s.str.) *agouale* Pierre-Baltus, 1978 (Argynnidæ) Synonym(s): *agouale* Pierre-Baltus, 1978
- 6781) Neptis (s.str.) *alta* Overlaet, 1955 (Argynnidæ) Synonym(s): *alta* Overlaet, 1955
- 6782) Neptis (s.str.) *alwina* (Bremer & Grey, 1853) (Argynnidæ) Synonym(s): *alwina* Bremer & Grey, 1853
- 6783) Neptis (s.str.) *alwina alwina* (Bremer & Grey, 1853) (Argynnidæ) Synonym(s): *alwina* Bremer & Grey, 1853
- 6784) Neptis (s.str.) *alwina dejeani* Oberthür, 1893 (Argynnidæ) Synonym(s): *dejeani* Oberthür, 1893
- 6785) Neptis (s.str.) *alwina kaemfri* d'Orza, 1867 (Argynnidæ) Synonym(s): *kaemfri* d'Orza, 1867
- 6786) Neptis (s.str.) *alwina subspecifica* Bryk, 1946 (Argynnidæ) Synonym(s): *subspecifica* Bryk, 1946
- 6787) Neptis (s.str.) *ananta* Moore, [1858] (Argynnidæ) Synonym(s): *ananta* Moore, [1858]
- 6788) Neptis (s.str.) *ananta ananta* Moore, [1858] (Argynnidæ) Synonym(s): *ananta* Moore, [1858]
- 6789) Neptis (s.str.) *ananta learmondi* Tytler, 1940 (Argynnidæ) Synonym(s): *learmondi* Tytler, 1940
- 6790) Neptis (s.str.) *anjana* Moore, 1881 (Argynnidæ) Synonym(s): *anjana* Moore, 1881
- 6791) Neptis (s.str.) *anjana anjana* Moore, 1881 (Argynnidæ) Synonym(s): *anjana* Moore, 1881
- 6792) Neptis (s.str.) *anjana hyria* Fruhstorfer, 1913 (Argynnidæ) Synonym(s): *hyria* Fruhstorfer, 1913
- 6793) Neptis (s.str.) *anjana vidua* Staudinger, 1889 (Argynnidæ) Synonym(s): *vidua* Staudinger, 1889
- 6794) Neptis (s.str.) *armandia* (Oberthür, 1876) (Argynnidæ) Synonym(s): *armandia* Oberthür, 1876
- 6795) Neptis (s.str.) *armandia armandia* (Oberthür, 1876) (Argynnidæ) Synonym(s): *armandia* Oberthür, 1876
- 6796) Neptis (s.str.) *armandia pila* Tytler, 1940 (Argynnidæ) Synonym(s): *pila* Tytler, 1940
- 6797) Neptis (s.str.) *aurivillii* Schultz, 1913 (Argynnidæ) Synonym(s): *aurivillii* Schultz, 1913
- 6798) Neptis (s.str.) *aurivillii aurivillii* Schultz, 1913 (Argynnidæ) Synonym(s): *aurivillii* Schultz, 1913
- 6799) Neptis (s.str.) *aurivillii ufipa* Kielland, 1990 (Argynnidæ) Synonym(s): *ufipa* Kielland, 1990
- 6800) Neptis (s.str.) *biafra* Ward, 1871 (Argynnidæ) Synonym(s): *biafra* Ward, 1871
- 6801) Neptis (s.str.) *camarensis* Schultz, 1920 (Argynnidæ) Synonym(s): *camarensis* Schultz, 1920
- 6802) Neptis (s.str.) *carpenteri* D'Abbrera, 1980 (Argynnidæ) Synonym(s): *carpenteri* D'Abbrera, 1980
- 6803) Neptis (s.str.) *cartica* Moore, 1872 (Argynnidæ) Synonym(s): *cartica* Moore, 1872
- 6804) Neptis (s.str.) *cartica burmana* De Nicéville, 1886 (Argynnidæ) Synonym(s): *burmana* De Nicéville, 1886
- 6805) Neptis (s.str.) *clarei* Neave, 1904 (Argynnidæ) Synonym(s): *clarei* Neave, 1904
- 6806) Neptis (s.str.) *clinia* Moore, 1872 (Argynnidæ) Synonym(s): *clinia* Moore, 1872
- 6807) Neptis (s.str.) *clinia leuconata* Butler, [1879] (Argynnidæ) Synonym(s): *leuconata* Butler, [1879]
- 6808) Neptis (s.str.) *clinia parthica* Fruhstorfer, 1908 (Argynnidæ) Synonym(s): *parthica* Fruhstorfer, 1908
- 6809) Neptis (s.str.) *clinia solygeia* Fruhstorfer, 1908 (Argynnidæ) Synonym(s): *solygeia* Fruhstorfer, 1908
- 6810) Neptis (s.str.) *clinia susruta* Moore, 1872 (Argynnidæ) Synonym(s): *susruta* Moore, 1872
- 6811) Neptis (s.str.) *clinoides* De Nicéville, 1894 (Argynnidæ) Synonym(s): *clinoides* De Nicéville, 1894
- 6812) Neptis (s.str.) *clinoides clinoides* De Nicéville, 1894 (Argynnidæ) Synonym(s): *clinoides* De Nicéville, 1894
- 6813) Neptis (s.str.) *clinoides gunongensis* Eliot, 1969 (Argynnidæ) Synonym(s): *gunongensis* Eliot, 1969
- 6814) Neptis (s.str.) *comorarum* Oberthür, 1890 (Argynnidæ) Synonym(s): *comorarum* Oberthür, 1890
- 6815) Neptis (s.str.) *comorarum comorarum* Oberthür, 1890 (Argynnidæ) Synonym(s): *comorarum* Oberthür, 1890
- 6816) Neptis (s.str.) *comorarum leighi* Rothschild, 1918 (Argynnidæ) Synonym(s): *leighi* Rothschild, 1918
- 6817) Neptis (s.str.) *conspicua* Neave, 1904 (Argynnidæ) Synonym(s): *conspicua* Neave, 1904
- 6818) Neptis (s.str.) *constantiae* Carcasson, 1961 (Argynnidæ) Synonym(s): *constantiae* Carcasson, 1961
- 6819) Neptis (s.str.) *constantiae angusta* Condamin, 1966 (Argynnidæ) Synonym(s): *angusta* Condamin, 1966
- 6820) Neptis (s.str.) *constantiae constantiae* Carcasson, 1961 (Argynnidæ) Synonym(s): *constantiae* Carcasson, 1961
- 6821) Neptis (s.str.) *constantiae kaumba* Condamin, 1966 (Argynnidæ) Synonym(s): *kaumba* Condamin, 1966
- 6822) Neptis (s.str.) *constantiae loma* Condamin, 1971 (Argynnidæ) Synonym(s): *loma* Condamin, 1971
- 6823) Neptis (s.str.) *continuata* Holland, 1892 (Argynnidæ) Synonym(s): *continuata* Holland, 1892; *najo* Karsch, 1893; *hurungensis* Strand, 1911
- 6824) Neptis (s.str.) *cymela* C.Felder & R.Felder, 1863 (Argynnidæ) Synonym(s): *cymela* C.Felder & R.Felder, 1863
- 6825) Neptis (s.str.) *cymela carvinus* Fruhstorfer, 1908 (Argynnidæ) Synonym(s): *carvinus* Fruhstorfer, 1908
- 6826) Neptis (s.str.) *cymela cymela* C.Felder & R.Felder, 1863 (Argynnidæ) Synonym(s): *cymela* C.Felder & R.Felder, 1863
- 6827) Neptis (s.str.) *cymela gatanga* Fruhstorfer, 1908 (Argynnidæ) Synonym(s): *gatanga* Fruhstorfer, 1908
- 6828) Neptis (s.str.) *cymela nitetus* Hewitson, 1868 (Argynnidæ) Synonym(s): *nitetus* Hewitson, 1868
- 6829) Neptis (s.str.) *cymela ormiscus* Fruhstorfer, 1908 (Argynnidæ) Synonym(s): *ormiscus* Fruhstorfer, 1908
- 6830) Neptis (s.str.) *cymela prodymus* Fruhstorfer, 1908 (Argynnidæ) Synonym(s): *prodymus* Fruhstorfer, 1908
- 6831) Neptis (s.str.) *cymela samiola* Fruhstorfer, 1908 (Argynnidæ) Synonym(s): *samiola* Fruhstorfer, 1908
- 6832) Neptis (s.str.) *cyra* C.Felder & R.Felder, 1863 (Argynnidæ) Synonym(s): *cyra* C.Felder & R.Felder, 1863
- 6833) Neptis (s.str.) *cyra canloana* Murayama, 1983 (Argynnidæ) Synonym(s): *canloana* Murayama, 1983
- 6834) Neptis (s.str.) *cyra cyra* C.Felder & R.Felder, 1863 (Argynnidæ) Synonym(s): *cyra* C.Felder & R.Felder, 1863
- 6835) Neptis (s.str.) *cyra eliotti* Jumalon, 1975 (Argynnidæ) Synonym(s): *eliotti* Jumalon, 1975
- 6836) Neptis (s.str.) *cyra vibusa* Semper, 1889 (Argynnidæ) Synonym(s): *vibusa* Semper, 1889
- 6837) Neptis (s.str.) *decaryi* Le Cerf, 1928 (Argynnidæ) Synonym(s): *decaryi* Le Cerf, 1928
- 6838) Neptis (s.str.) *dentifera* Schultz, 1920 (Argynnidæ) Synonym(s): *dentifera* Schultz, 1920
- 6839) Neptis (s.str.) *dumetorum* Boisduval, 1833 (Argynnidæ) Synonym(s): *dumetorum* Boisduval, 1833

- 6840) *Neptis* (s.str.) *duryodana* Moore,1858 (Argynnidae) Synonym(s): *duryodana* Moore,1858
6841) *Neptis* (s.str.) *duryodana duryodana* Moore,1858 (Argynnidae) Synonym(s): *duryodana* Moore,1858
6842) *Neptis* (s.str.) *duryodana emesa* Fruhstorfer,1908 (Argynnidae) Synonym(s): *emesa* Fruhstorfer,1908
6843) *Neptis* (s.str.) *duryodana mindorica* Murayama,1983 (Argynnidae) Synonym(s): *mindorica* Murayama,1983
6844) *Neptis* (s.str.) *duryodana nesia* Fruhstorfer,1908 (Argynnidae) Synonym(s): *nesia* Fruhstorfer,1908
6845) *Neptis* (s.str.) *eltringhami* Joicey & Talbot,1926 (Argynnidae) Synonym(s): *eltringhami* Joicey & Talbot,1926
6846) *Neptis* (s.str.) *exaleuca* Karsch,1894 (Argynnidae) Synonym(s): *exaleuca* Karsch,1894
6847) *Neptis* (s.str.) *exaleuca exaleuca* Karsch,1894 (Argynnidae) Synonym(s): *exaleuca* Karsch,1894
6848) *Neptis* (s.str.) *exaleuca suffusa* Rothschild,1918 (Argynnidae) Synonym(s): *suffusa* Rothschild,1918; *#integra* Eltringham,1922
6849) *Neptis* (s.str.) *felisimilis* Schröder & Treadaway,1983 (Argynnidae) Synonym(s): *felisimilis* Schröder & Treadaway,1983
6850) *Neptis* (s.str.) *frobenia* (Fabricius,1798) (Argynnidae) Synonym(s): *frobenia* Fabricius,1798
6851) *Neptis* (s.str.) *goochii* Trimen,1879 (Argynnidae) Synonym(s): *goochii* Trimen,1879
6852) *Neptis* (s.str.) *gratiosa* Overlaet,1955 (Argynnidae) Synonym(s): *gratiosa* Overlaet,1955
6853) *Neptis* (s.str.) *harita* Moore,[1875] (Argynnidae) Synonym(s): *harita* Moore,[1875]
6854) *Neptis* (s.str.) *harita calamiana* Schröder & Treadaway,1995 (Argynnidae) Synonym(s): *calamiana* Schröder & Treadaway,1995
6855) *Neptis* (s.str.) *harita harita* Moore,[1875] (Argynnidae) Synonym(s): *harita* Moore,[1875]
6856) *Neptis* (s.str.) *harita palawanica* Staudinger,1889 (Argynnidae) Synonym(s): *palawanica* Staudinger,1889
6857) *Neptis* (s.str.) *harita preeyae* Kimura,1993 (Argynnidae) Synonym(s): *preeyae* Kimura,1993
6858) *Neptis* (s.str.) *hulas* (Linnaeus,1758) (Argynnidae) Synonym(s): *hulas* Linnaeus,1758
6859) *Neptis* (s.str.) *hulas hulas* (Linnaeus,1758) (Argynnidae) Synonym(s): *hulas* Linnaeus,1758
6860) *Neptis* (s.str.) *hulas kamarupa* Moore,[1875] (Argynnidae) Synonym(s): *kamarupa* Moore,[1875]
6861) *Neptis* (s.str.) *hulas papaja* Moore,[1875] (Argynnidae) Synonym(s): *papaja* Moore,[1875]; *mamaja* Butler,[1897]
6862) *Neptis* (s.str.) *hulas sopatra* Fruhstorfer,1907 (Argynnidae) Synonym(s): *sopatra* Fruhstorfer,1907
6863) *Neptis* (s.str.) *ilira* Kheil,1884 (Argynnidae) Synonym(s): *ilira* Kheil,1884
6864) *Neptis* (s.str.) *ilira cindia* Eliot,1969 (Argynnidae) Synonym(s): *cindia* Eliot,1969; *tirole* Okubo,1983
6865) *Neptis* (s.str.) *ilira ilira* Kheil,1884 (Argynnidae) Synonym(s): *ilira* Kheil,1884
6866) *Neptis* (s.str.) *incongrua* Butler,1896 (Argynnidae) Synonym(s): *incongrua* Butler,1896
6867) *Neptis* (s.str.) *incongrua incongrua* Butler,1896 (Argynnidae) Synonym(s): *incongrua* Butler,1896
6868) *Neptis* (s.str.) *incongrua isidoro* Kielland,1985 (Argynnidae) Synonym(s): *isidoro* Kielland,1985
6869) *Neptis* (s.str.) *incongrua nguru* Kielland,1987 (Argynnidae) Synonym(s): *nguru* Kielland,1987
6870) *Neptis* (s.str.) *infusa* Birket-Smith,1960 (Argynnidae) Synonym(s): *infusa* Birket-Smith,1960
6871) *Neptis* (s.str.) *jamesoni* Godman & Salvin,1890 (Argynnidae) Synonym(s): *jamesoni* Godman & Salvin,1890
6872) *Neptis* (s.str.) *jordanii* Neave,1910 (Argynnidae) Synonym(s): *jordanii* Neave,1910
6873) *Neptis* (s.str.) *jumbah* Moore,1858 (Argynnidae) Synonym(s): *jumbah* Moore,1858
6874) *Neptis* (s.str.) *jumbah jumbah* Moore,1858 (Argynnidae) Synonym(s): *jumbah* Moore,1858
6875) *Neptis* (s.str.) *katama* Collins & T.Larsen,1991 (Argynnidae) Synonym(s): *katama* Collins & T.Larsen,1991
6876) *Neptis* (s.str.) *kikideli* Boisduval,1833 (Argynnidae) Synonym(s): *kikideli* Boisduval,1833
6877) *Neptis* (s.str.) *kikuyuensis* Jackson,1951 (Argynnidae) Synonym(s): *kikuyuensis* Jackson,1951
6878) *Neptis* (s.str.) *kiriakoffi* Overlaet,1955 (Argynnidae) Synonym(s): *kiriakoffi* Overlaet,1955
6879) *Neptis* (s.str.) *laeta* Overlaet,1955 (Argynnidae) Synonym(s): *laeta* Overlaet,1955; *overlaeti* Pennington,1962
6880) *Neptis* (s.str.) *lermanni* Aurivillius,1896 (Argynnidae) Synonym(s): *lermanni* Aurivillius,1896
6881) *Neptis* (s.str.) *leucoporus* Fruhstorfer,1908 (Argynnidae) Synonym(s): *leucoporus* Fruhstorfer,1908
6882) *Neptis* (s.str.) *leucoporus cresina* Fruhstorfer,1908 (Argynnidae) Synonym(s): *cresina* Fruhstorfer,1908
6883) *Neptis* (s.str.) *leucoporus leucoporus* Fruhstorfer,1908 (Argynnidae) Synonym(s): *leucoporus* Fruhstorfer,1908
6884) *Neptis* (s.str.) *livingstonei* Suffert,1904 (Argynnidae) Synonym(s): *livingstonei* Suffert,1904
6885) *Neptis* (s.str.) *lugubris* Rebel,1914 (Argynnidae) Synonym(s): *lugubris* Rebel,1914
6886) *Neptis* (s.str.) *magadha* C.Felder & R.Felder,[1867] (Argynnidae) Synonym(s): *magadha* C.Felder & R.Felder,[1867]
6887) *Neptis* (s.str.) *magadha charon* Butler,1867 (Argynnidae) Synonym(s): *charon* Butler,1867
6888) *Neptis* (s.str.) *magadha magadha* C.Felder & R.Felder,[1867] (Argynnidae) Synonym(s): *magadha* C.Felder & R.Felder,[1867]
6889) *Neptis* (s.str.) *mahendra* Moore,1872 (Argynnidae) Synonym(s): *mahendra* Moore,1872
6890) *Neptis* (s.str.) *mahendra mahendra* Moore,1872 (Argynnidae) Synonym(s): *mahendra* Moore,1872
6891) *Neptis* (s.str.) *manasa* Moore,[1858] (Argynnidae) Synonym(s): *manasa* Moore,[1858]
6892) *Neptis* (s.str.) *manasa manasa* Moore,[1858] (Argynnidae) Synonym(s): *manasa* Moore,[1858]
6893) *Neptis* (s.str.) *manasa narcissina* Oberthür,1906 (Argynnidae) Synonym(s): *narcissina* Oberthür,1906
6894) *Neptis* (s.str.) *mayottensis* Oberthür,1890 (Argynnidae) Synonym(s): *mayottensis* Oberthür,1890
6895) *Neptis* (s.str.) *melicerta* (Drury,[1773]) (Argynnidae) Synonym(s): *melicerta* Drury,[1773]; *blandina* Stoll,[1780]; *melinoe* Godart,[1824]; *carcassoni* Van Son,1959
6896) *Neptis* (s.str.) *metanira* Holland,1892 (Argynnidae) Synonym(s): *metanira* Holland,1892
6897) *Neptis* (s.str.) *metella* (Doubleday,[1848]) (Argynnidae) Synonym(s): *metella* Doubleday,[1848]
6898) *Neptis* (s.str.) *metella flavimacula* Jackson,1951 (Argynnidae) Synonym(s): *flavimacula* Jackson,1951
6899) *Neptis* (s.str.) *metella metella* (Doubleday,[1848]) (Argynnidae) Synonym(s): *metella* Doubleday,[1848]
6900) *Neptis* (s.str.) *miah* Moore,1858 (Argynnidae) Synonym(s): *miah* Moore,1858
6901) *Neptis* (s.str.) *miah batara* Moore,1881 (Argynnidae) Synonym(s): *batara* Moore,1881; *sarochia* Fruhstorfer,1908
6902) *Neptis* (s.str.) *miah miah* Moore,1858 (Argynnidae) Synonym(s): *miah* Moore,1858
6903) *Neptis* (s.str.) *miah nolana* Druce,1874 (Argynnidae) Synonym(s): *nolana* Druce,1874
6904) *Neptis* (s.str.) *mindorana* C.Felder & R.Felder,1863 (Argynnidae) Synonym(s): *mindorana* C.Felder & R.Felder,1863
6905) *Neptis* (s.str.) *mindorana harpasa* Fruhstorfer,1912 (Argynnidae) Synonym(s): *harpasa* Fruhstorfer,1912
6906) *Neptis* (s.str.) *mindorana ilocana* C.Felder & R.Felder,1863 (Argynnidae) Synonym(s): *ilocana* C.Felder & R.Felder,1863
6907) *Neptis* (s.str.) *mindorana mindorana* C.Felder & R.Felder,1863 (Argynnidae) Synonym(s): *mindorana* C.Felder & R.Felder,1863
6908) *Neptis* (s.str.) *mindorana nosba* Fruhstorfer,1912 (Argynnidae) Synonym(s): *nosba* Fruhstorfer,1912
6909) *Neptis* (s.str.) *mindorana pseudosoma* Moore,1899 (Argynnidae) Synonym(s): *pseudosoma* Moore,1899
6910) *Neptis* (s.str.) *mixophyes* Holland,1892 (Argynnidae) Synonym(s): *mixophyes* Holland,1892; *nicodice* Grünberg,1910
6911) *Neptis* (s.str.) *morosa* Overlaet,1955 (Argynnidae) Synonym(s): *morosa* Overlaet,1955
6912) *Neptis* (s.str.) *namba* Tytler,1915 (Argynnidae) Synonym(s): *namba* Tytler,1915
6913) *Neptis* (s.str.) *namba namba* Tytler,1915 (Argynnidae) Synonym(s): *namba* Tytler,1915
6914) *Neptis* (s.str.) *narayana* Moore,[1858] (Argynnidae) Synonym(s): *narayana* Moore,[1858]
6915) *Neptis* (s.str.) *narayana dubernardi* Eliot,1969 (Argynnidae) Synonym(s): *dubernardi* Eliot,1969
6916) *Neptis* (s.str.) *narayana narayana* Moore,[1858] (Argynnidae) Synonym(s): *narayana* Moore,[1858]
6917) *Neptis* (s.str.) *nashona* Swinhoe,1896 (Argynnidae) Synonym(s): *nashona* Swinhoe,1896
6918) *Neptis* (s.str.) *nashona aagaardi* Riley,1932 (Argynnidae) Synonym(s): *aagaardi* Riley,1932
6919) *Neptis* (s.str.) *nashona nashona* Swinhoe,1896 (Argynnidae) Synonym(s): *nashona* Swinhoe,1896
6920) *Neptis* (s.str.) *nata* Moore,1858 (Argynnidae) Synonym(s): *nata* Moore,1858
6921) *Neptis* (s.str.) *nata adipala* Moore,1872 (Argynnidae) Synonym(s): *adipala* Moore,1872
6922) *Neptis* (s.str.) *nata gononata* Butler,[1879] (Argynnidae) Synonym(s): *gononata* Butler,[1879]
6923) *Neptis* (s.str.) *nata nata* Moore,1858 (Argynnidae) Synonym(s): *nata* Moore,1858
6924) *Neptis* (s.str.) *nebrodes* Hewitson,1847 (Argynnidae) Synonym(s): *nebrodes* Hewitson,1847
6925) *Neptis* (s.str.) *nemetes* Hewitson,1868 (Argynnidae) Synonym(s): *nemetes* Hewitson,1868
6926) *Neptis* (s.str.) *nemetes margueriteae* Fox,1968 (Argynnidae) Synonym(s): *margueriteae* Fox,1968
6927) *Neptis* (s.str.) *nemetes nemetes* Hewitson,1868 (Argynnidae) Synonym(s): *nemetes* Hewitson,1868
6928) *Neptis* (s.str.) *nemetes obtusa* Rothschild & Jordan,1903 (Argynnidae) Synonym(s): *obtusa* Rothschild & Jordan,1903
6929) *Neptis* (s.str.) *nicobule* Holland,1892 (Argynnidae) Synonym(s): *nicobule* Holland,1892

- 6930) *Neptis (s.str.) nicomedes* Hewitson, 1874 (Argynnididae) Synonym(s): *nicomedes* Hewitson, 1874; *quintilla* Mabil, 1890
- 6931) *Neptis (s.str.) nicoteles* Hewitson, 1874 (Argynnididae) Synonym(s): *nicoteles* Hewitson, 1874
- 6932) *Neptis (s.str.) nina* Staudinger, 1896 (Argynnididae) Synonym(s): *nina* Staudinger, 1896
- 6933) *Neptis (s.str.) nysiades* Hewitson, 1868 (Argynnididae) Synonym(s): *nysiades* Hewitson, 1868
- 6934) *Neptis (s.str.) occidentalis* Rothschild, 1918 (Argynnididae) Synonym(s): *occidentalis* Rothschild, 1918
- 6935) *Neptis (s.str.) occidentalis batesii* Hall, 1930 (Argynnididae) Synonym(s): *batesii* Hall, 1930
- 6936) *Neptis (s.str.) occidentalis occidentalis* Rothschild, 1918 (Argynnididae) Synonym(s): *occidentalis* Rothschild, 1918
- 6937) *Neptis (s.str.) ochracea* Neave, 1904 (Argynnididae) Synonym(s): *ochracea* Neave, 1904
- 6938) *Neptis (s.str.) ochracea lualabae* Berger, 1981 (Argynnididae) Synonym(s): *lualabae* Berger, 1981
- 6939) *Neptis (s.str.) ochracea mildbraedi* Gaede, 1915 (Argynnididae) Synonym(s): *mildbraedi* Gaede, 1915
- 6940) *Neptis (s.str.) ochracea ochracea* Neave, 1904 (Argynnididae) Synonym(s): *ochracea* Neave, 1904
- 6941) *Neptis (s.str.) ochracea ochreata* Gaede, 1915 (Argynnididae) Synonym(s): *ochreata* Gaede, 1915; *parvimacula* Rothschild, 1918
- 6942) *Neptis (s.str.) ochracea reductata* T. Larsen, 1995 (Argynnididae) Synonym(s): *reducta* Kielland, 1978 *nec* Fruhst., 1908; *reductata* T. Larsen, 1995
- 6943) *Neptis (s.str.) ochracea uluguru* Kielland, 1985 (Argynnididae) Synonym(s): *uluguru* Kielland, 1985
- 6944) *Neptis (s.str.) omeroda* Moore, [1875] (Argynnididae) Synonym(s): *omeroda* Moore, [1875]
- 6945) *Neptis (s.str.) omeroda occultus* Tsukada & Kaneko, 1985 (Argynnididae) Synonym(s): *occultus* Tsukada & Kaneko, 1985
- 6946) *Neptis (s.str.) omeroda omeroda* Moore, [1875] (Argynnididae) Synonym(s): *omeroda* Moore, [1875]
- 6947) *Neptis (s.str.) pampanga* C. Felder & R. Felder, 1863 (Argynnididae) Synonym(s): *pampanga* C. Felder & R. Felder, 1863
- 6948) *Neptis (s.str.) pampanga boholic* Moore, 1899 (Argynnididae) Synonym(s): *boholic* Moore, 1899
- 6949) *Neptis (s.str.) pampanga dormida* Eliot, 1969 (Argynnididae) Synonym(s): *dormida* Eliot, 1969
- 6950) *Neptis (s.str.) pampanga lizana* Fruhstorfer, 1900 (Argynnididae) Synonym(s): *lizana* Fruhstorfer, 1900
- 6951) *Neptis (s.str.) pampanga mylenae* Tsukada & Kaneko, 1985 (Argynnididae) Synonym(s): *mylenae* Tsukada & Kaneko, 1985
- 6952) *Neptis (s.str.) pampanga pampanga* C. Felder & R. Felder, 1863 (Argynnididae) Synonym(s): *pampanga* C. Felder & R. Felder, 1863
- 6953) *Neptis (s.str.) paula* Staudinger, 1896 (Argynnididae) Synonym(s): *paula* Staudinger, 1896
- 6954) *Neptis (s.str.) penningtoni* Van Son, 1977 (Argynnididae) Synonym(s): *penningtoni* Van Son, 1977
- 6955) *Neptis (s.str.) philura Ménétériés*, 1858 (Argynnididae) Synonym(s): *philura Ménétériés*, 1858
- 6956) *Neptis (s.str.) philura philura Ménétériés*, 1858 (Argynnididae) Synonym(s): *philura Ménétériés*, 1858
- 6957) *Neptis (s.str.) philuroides* Staudinger, 1887 (Argynnididae) Synonym(s): *philuroides* Staudinger, 1887
- 6958) *Neptis (s.str.) philuroides philuroides* Staudinger, 1887 (Argynnididae) Synonym(s): *philuroides* Staudinger, 1887
- 6959) *Neptis (s.str.) poultoni* Eltringham, 1921 (Argynnididae) Synonym(s): *poultoni* Eltringham, 1921
- 6960) *Neptis (s.str.) pratti* (Leech, 1890) (Argynnididae) Synonym(s): *pratti* Leech, 1890
- 6961) *Neptis (s.str.) pratti coreana* (Matsumura, 1927) (Argynnididae) Synonym(s): *coreana* Matsumura, 1927
- 6962) *Neptis (s.str.) pratti eximia* (Moltrecht, 1909) (Argynnididae) Synonym(s): *eximia* Moltrecht, 1909
- 6963) *Neptis (s.str.) pratti pratti* (Leech, 1890) (Argynnididae) Synonym(s): *pratti* Leech, 1890
- 6964) *Neptis (s.str.) pryri* Butler, 1871 (Argynnididae) Synonym(s): *pryeri* Butler, 1871; *andetria* Fruhstorfer, 1912; *kusnetzovi* Kurentzov, 1949.
- 6965) *Neptis (s.str.) pryri arboretorum* Oberthür, 1876 (Argynnididae) Synonym(s): *arboretorum* Oberthür, 1876
- 6966) *Neptis (s.str.) pryri koreana* Nakahara (Argynnididae) Synonym(s): *koreana* Nakahara
- 6967) *Neptis (s.str.) pryri pryri* Butler, 1871 (Argynnididae) Synonym(s): *pryeri* Butler, 1871; *andetria* Fruhstorfer, 1912; *kusnetzovi* Kurentzov, 1949.
- 6968) *Neptis (s.str.) puella* Aurivillius, 1894 (Argynnididae) Synonym(s): *puella* Aurivillius, 1894
- 6969) *Neptis (s.str.) radha* Moore, [1858] (Argynnididae) Synonym(s): *radha* Moore, [1858]
- 6970) *Neptis (s.str.) radha radha* Moore, [1858] (Argynnididae) Synonym(s): *radha* Moore, [1858]
- 6971) *Neptis (s.str.) rivularis* (Scopoli, 1763) (Argynnididae) Synonym(s): *rivularis* Scopoli, 1763; *lucilla* Denis & Schiffermüller, 1775; *coenobita* Cramer, 1780; *#tolunay* Koçak & Kemal, 2000.
- 6972) *Neptis (s.str.) rivularis ludmilla* (Boisduval, 1848) (Argynnididae) Synonym(s): *ludmilla* Boisduval, 1848; *ludmilla* Herrich-Schäffer, 1856.
- 6973) *Neptis (s.str.) rivularis magnata* (Heyne, [1895]) (Argynnididae) Synonym(s): *magnata* Heyne, [1895]; *synetairus* Fruhstorfer, 1907; *bergmani* Bryk, 1942.
- 6974) *Neptis (s.str.) rivularis rivularis* (Scopoli, 1763) (Argynnididae) Synonym(s): *rivularis* Scopoli, 1763; *lucilla* Denis & Schiffermüller, 1775; *coenobita* Cramer, 1780; *#tolunay* Koçak & Kemal, 2000.
- 6975) *Neptis (s.str.) roberti* Eltringham, 1929 (Argynnididae) Synonym(s): *roberti* Eltringham, 1929
- 6976) *Neptis (s.str.) rogersi* Eltringham, 1921 (Argynnididae) Synonym(s): *rogersi* Eltringham, 1921
- 6977) *Neptis (s.str.) rothschildi* Eltringham, 1921 (Argynnididae) Synonym(s): *rothschildi* Eltringham, 1921
- 6978) *Neptis (s.str.) saclava* Boisduval, 1833 (Argynnididae) Synonym(s): *saclava* Boisduval, 1833
- 6979) *Neptis (s.str.) saclava marpessa* Hopffer, 1855 (Argynnididae) Synonym(s): *marpessa* Hopffer, 1855; *pasteuri* Snellen, 1882
- 6980) *Neptis (s.str.) saclava saclava* Boisduval, 1833 (Argynnididae) Synonym(s): *saclava* Boisduval, 1833
- 6981) *Neptis (s.str.) sankara* (Kollar, [1844]) (Argynnididae) Synonym(s): *sankara* Kollar, [1844]
- 6982) *Neptis (s.str.) sankara guiltoides* Tytler, 1940 (Argynnididae) Synonym(s): *guiltoides* Tytler, 1940
- 6983) *Neptis (s.str.) sankara peninsularis* Eliot, 1969 (Argynnididae) Synonym(s): *peninsularis* Eliot, 1969
- 6984) *Neptis (s.str.) sankara sankara* (Kollar, [1844]) (Argynnididae) Synonym(s): *sankara* Kollar, [1844]
- 6985) *Neptis (s.str.) sappho* (Pallas, 1771) (Argynnididae) Synonym(s): *sappho* Pallas, 1771; *aceris* Lepechin, 1771; *aceris* Esper, [1783].
- 6986) *Neptis (s.str.) sappho astola* Moore, 1872 (Argynnididae) Synonym(s): *astola* Moore, 1872
- 6987) *Neptis (s.str.) sappho sappho* (Pallas, 1771) (Argynnididae) Synonym(s): *sappho* Pallas, 1771; *aceris* Lepechin, 1771; *aceris* Esper, [1783].
- 6988) *Neptis (s.str.) sedata* Sasaki, 1982 (Argynnididae) Synonym(s): *sedata* Sasaki, 1982
- 6989) *Neptis (s.str.) sedata sedata* Sasaki, 1982 (Argynnididae) Synonym(s): *sedata* Sasaki, 1982
- 6990) *Neptis (s.str.) seeldrayersi* Aurivillius, 1895 (Argynnididae) Synonym(s): *seeldrayersi* Aurivillius, 1895
- 6991) *Neptis (s.str.) serena* Overlaet, 1955 (Argynnididae) Synonym(s): *serena* Overlaet, 1955
- 6992) *Neptis (s.str.) serena annah* T. Larsen, 1982 (Argynnididae) Synonym(s): *annah* T. Larsen, 1982
- 6993) *Neptis (s.str.) serena serena* Overlaet, 1955 (Argynnididae) Synonym(s): *serena* Overlaet, 1955
- 6994) *Neptis (s.str.) sextilla* Mabil, 1882 (Argynnididae) Synonym(s): *sextilla* Mabil, 1882
- 6995) *Neptis (s.str.) soma* Moore, 1858 (Argynnididae) Synonym(s): *soma* Moore, 1858
- 6996) *Neptis (s.str.) soma pendleburyi* Corbet, 1937 (Argynnididae) Synonym(s): *pendleburyi* Corbet, 1937
- 6997) *Neptis (s.str.) soma shania* Evans, 1924 (Argynnididae) Synonym(s): *shania* Evans, 1924
- 6998) *Neptis (s.str.) soma soma* Moore, 1858 (Argynnididae) Synonym(s): *soma* Moore, 1858
- 6999) *Neptis (s.str.) speyeri* Staudinger, 1887 (Argynnididae) Synonym(s): *speyeri* Staudinger, 1887
- 7000) *Neptis (s.str.) speyeri speyeri* Staudinger, 1887 (Argynnididae) Synonym(s): *speyeri* Staudinger, 1887
- 7001) *Neptis (s.str.) strigata* Aurivillius, 1894 (Argynnididae) Synonym(s): *strigata* Aurivillius, 1894
- 7002) *Neptis (s.str.) sunica* Eliot, 1969 (Argynnididae) Synonym(s): *sunica* Eliot, 1969
- 7003) *Neptis (s.str.) swynnertoni* Trimen, 1912 (Argynnididae) Synonym(s): *swynnertoni* Trimen, 1912
- 7004) *Neptis (s.str.) themis* Leech, 1892 (Argynnididae) Synonym(s): *themis* Leech, 1892
- 7005) *Neptis (s.str.) themis themis* Leech, 1892 (Argynnididae) Synonym(s): *themis* Leech, 1892
- 7006) *Neptis (s.str.) thisbe Ménétériés*, 1858 (Argynnididae) Synonym(s): *thisbe Ménétériés*, 1858
- 7007) *Neptis (s.str.) thisbe thisbe Ménétériés*, 1858 (Argynnididae) Synonym(s): *thisbe Ménétériés*, 1858
- 7008) *Neptis (s.str.) trigonophora* Butler, 1878 (Argynnididae) Synonym(s): *trigonophora* Butler, 1878
- 7009) *Neptis (s.str.) trigonophora melicertula* Strand, 1912 (Argynnididae) Synonym(s): *melicertula* Strand, 1912; *intermedia* Schultze, 1920; *vansomeri* D'Abrera, 1980
- 7010) *Neptis (s.str.) trigonophora trigonophora* Butler, 1878 (Argynnididae) Synonym(s): *trigonophora* Butler, 1878
- 7011) *Neptis (s.str.) troundi* Pierre-Baltus, 1978 (Argynnididae) Synonym(s): *troundi* Pierre-Baltus, 1978
- 7012) *Neptis (s.str.) tshetverikovi* Kurentzov, 1936 (Argynnididae) Synonym(s): *tshetverikovi* Kurentzov, 1936
- 7013) *Neptis (s.str.) tshetverikovi tshetverikovi* Kurentzov, 1936 (Argynnididae) Synonym(s): *tshetverikovi* Kurentzov, 1936
- 7014) *Neptis (s.str.) vindo* Pierre-Baltus, 1978 (Argynnididae) Synonym(s): *vindo* Pierre-Baltus, 1978
- 7015) *Neptis (s.str.) woodwardi* Sharpe, 1899 (Argynnididae) Synonym(s): *woodwardi* Sharpe, 1899
- 7016) *Neptis (s.str.) woodwardi translima* D'Abrera, 1980 (Argynnididae) Synonym(s): *translima* D'Abrera, 1980; *translima* Collins & Larsen, 1991
- 7017) *Neptis (s.str.) woodwardi woodwardi* Sharpe, 1899 (Argynnididae) Synonym(s): *woodwardi* Sharpe, 1899
- 7018) *Neptis (s.str.) yerburii* Butler, 1886 (Argynnididae) Synonym(s): *yerburii* Butler, 1886

- 7019) *Neptis* (s.str.) *yerburii pandoces* Eliot, 1969 (Argynnididae) Synonym(s): *pandoces* Eliot, 1969
7020) *Neptis* (s.str.) *yerburii yerburii* Butler, 1886 (Argynnididae) Synonym(s): *yerburii* Butler, 1886
7021) *Neptis* (s.str.) *zaida* Westwood, 1850 (Argynnididae) Synonym(s): *zaida* Westwood, 1850
7022) *Neptis* (s.str.) *zaida putoia* Evans, 1932 (Argynnididae) Synonym(s): *putoia* Evans, 1932
7023) *Neurosigma siva* (Westwood, [1850]) (Argynnididae) Synonym(s): *siva* Westwood, [1850]
7024) *Neurosigma siva nonius* De Nicéville, 1896 (Argynnididae) Synonym(s): *nonius* De Nicéville, 1896
7025) *Neurosigma siva siva* (Westwood, [1850]) (Argynnididae) Synonym(s): *siva* Westwood, [1850]
7026) *Nymphalis antiopa* (Linnaeus, 1758) (Argynnididae) Synonym(s): *antiopa* Linnaeus, 1758; *pompador* Pollich, 1783; *morio* Retzius, 1783; *borealis* Wnukowsky, 1927.
7027) *Nymphalis antiopa antiopa* (Linnaeus, 1758) (Argynnididae) Synonym(s): *antiopa* Linnaeus, 1758; *pompador* Pollich, 1783; *morio* Retzius, 1783; *borealis* Wnukowsky, 1927.
7028) *Nymphalis californica* (Boisduval, 1852) (Argynnididae) Synonym(s): *californica* Boisduval, 1852
7029) *Nymphalis polychloros* (Linnaeus, 1758) (Argynnididae) Synonym(s): *polychloros* Linnaeus, 1758; *testudo* Esper, 1781; *pyrrhomelaena* Hübner, 1824; *pyromelas* Freyer, 1834; *fervida* Standfuss, 1896.
7030) *Nymphalis polychloros erythromelas* (Austaut, 1885) (Argynnididae) Synonym(s): *erythromelas* Austaut, 1885
7031) *Nymphalis polychloros polychloros* (Linnaeus, 1758) (Argynnididae) Synonym(s): *polychloros* Linnaeus, 1758; *testudo* Esper, 1781; *pyrrhomelaena* Hübner, 1824; *pyromelas* Freyer, 1834; *fervida* Standfuss, 1896.
7032) *Nymphalis vaualbum* ([Denis & Schiffermüller], 1775) (Argynnididae) Synonym(s): *#vaualbum* [Denis & Schiffermüller], 1775; *l-album* Esper, [1781]
7033) *Nymphalis vaualbum vaualbum* ([Denis & Schiffermüller], 1775) (Argynnididae) Synonym(s): *#vaualbum* [Denis & Schiffermüller], 1775; *l-album* Esper, [1781]
7034) *Nymphalis xanthomelas* (Esper, [1781]) (Argynnididae) Synonym(s): *#xanthomelas* [Denis & Schiffermüller], 1775; *xanthomelas* Esper, [1781]
7035) *Nymphalis xanthomelas ferveus* (Stichel, [1908]) (Argynnididae) Synonym(s): *ferveus* Stichel, [1908]; *hazara* Wyatt & Omoto, 1966.
7036) *Nymphalis xanthomelas xanthomelas* (Esper, [1781]) (Argynnididae) Synonym(s): *xanthomelas* Esper, [1781]
7037) *Paduca fasciata* (C.Felder & R.Felder, 1860) (Argynnididae) Synonym(s): *fasciata* C.Felder & R.Felder, 1860
7038) *Paduca fasciata bilibilis* Fruhstorfer, 1900 (Argynnididae) Synonym(s): *bilibilis* Fruhstorfer, 1900
7039) *Paduca fasciata fasciata* (C.Felder & R.Felder, 1860) (Argynnididae) Synonym(s): *fasciata* C.Felder & R.Felder, 1860; *ortopia* Fruhstorfer, 1900
7040) *Paduca fasciata palloris* Fruhstorfer, 1900 (Argynnididae) Synonym(s): *palloris* Fruhstorfer, 1900
7041) *Paduca satyrina* C.Felder & R.Felder, 1867 (Argynnididae) Synonym(s): *satyrina* C.Felder & R.Felder, 1867
7042) *Paduca satyrina angustata* (Fruhstorfer, 1912) (Argynnididae) Synonym(s): *angustata* Fruhstorfer, 1912
7043) *Paduca satyrina satyrina* C.Felder & R.Felder, 1867 (Argynnididae) Synonym(s): *satyrina* C.Felder & R.Felder, 1867
7044) *Paduca satyrina sibylla* Röber, 1887 (Argynnididae) Synonym(s): *sibylla* Röber, 1887
7045) *Paduca satyrina simliana* Röber, 1887 (Argynnididae) Synonym(s): *simliana* Röber, 1887
7046) *Palla decius* (Cramer, [1777]) (Argynnididae) Synonym(s): *decius* Cramer, [1777]
7047) *Palla publius* Staudinger, 1892 (Argynnididae) Synonym(s): *publius* Staudinger, 1892
7048) *Palla publius centralis* Van Someren, 1975 (Argynnididae) Synonym(s): *centralis* Van Someren, 1975
7049) *Palla publius kigoma* Van Someren, 1975 (Argynnididae) Synonym(s): *kigoma* Van Someren, 1975
7050) *Palla publius publius* Staudinger, 1892 (Argynnididae) Synonym(s): *publius* Staudinger, 1892; *rectifascia* Weymer, 1892
7051) *Palla ussheri* (Butler, 1870) (Argynnididae) Synonym(s): *ussheri* Butler, 1870; *moderata* Gaede, 1915; *dobelli* Hall, 1919
7052) *Palla ussheri interposita* Joicey & Talbot, 1925 (Argynnididae) Synonym(s): *interposita* Joicey & Talbot, 1925
7053) *Palla ussheri ussheri* (Butler, 1870) (Argynnididae) Synonym(s): *ussheri* Butler, 1870; *moderata* Gaede, 1915; *dobelli* Hall, 1919
7054) *Palla violinitens* (Crowley, 1890) (Argynnididae) Synonym(s): *violinitens* Crowley, 1890; *coniger* Butler, 1896
7055) *Palla violinitens bwamba* Van Someren, 1975 (Argynnididae) Synonym(s): *bwamba* Van Someren, 1975
7056) *Palla violinitens violinitens* (Crowley, 1890) (Argynnididae) Synonym(s): *violinitens* Crowley, 1890; *coniger* Butler, 1896
7057) *Pandita sinope* Moore, [1858] (Argynnididae) Synonym(s): *sinope* Moore, [1858]
7058) *Pandita sinope sinope* Moore, [1858] (Argynnididae) Synonym(s): *sinope* Moore, [1858]
7059) *Pandita sinope sinoria* C.Felder & R.Felder, [1867] (Argynnididae) Synonym(s): *sinoria* C.Felder & R.Felder, [1867]
7060) *Parthenos sylvia* (Cramer, [1775]) (Argynnididae) Synonym(s): *sylvia* Cramer, [1775]
7061) *Parthenos sylvia butlerinus* Fruhstorfer, 1898 (Argynnididae) Synonym(s): *butlerinus* Fruhstorfer, 1898
7062) *Parthenos sylvia gambrius* (Fabricius, 1787) (Argynnididae) Synonym(s): *gambrius* Fabricius, 1787
7063) *Parthenos sylvia jaloensis* Fruhstorfer, 1898 (Argynnididae) Synonym(s): *jaloensis* Fruhstorfer, 1898
7064) *Parthenos sylvia lilacinus* Butler, [1879] (Argynnididae) Synonym(s): *lilacinus* Butler, [1879]
7065) *Parthenos sylvia philippensis* Fruhstorfer, 1898 (Argynnididae) Synonym(s): *philippensis* Fruhstorfer, 1898
7066) *Parthenos sylvia selene* Schröder & Treadaway, 1991 (Argynnididae) Synonym(s): *selene* Schröder & Treadaway, 1991
7067) *Parthenos sylvia silvicola* Fruhstorfer, [1898] (Argynnididae) Synonym(s): *silvicola* Fruhstorfer, [1898]
7068) *Parthenos sylvia sylvia* (Cramer, [1775]) (Argynnididae) Synonym(s): *sylvia* Cramer, [1775]
7069) *Phalanta alcippe* (Stoll, 1782) (Argynnididae) Synonym(s): *alcippe* Stoll, 1782
7070) *Phalanta alcippe alcesta* Corbet, 1941 (Argynnididae) Synonym(s): *alcesta* Corbet, 1941
7071) *Phalanta alcippe alcippe* (Stoll, 1782) (Argynnididae) Synonym(s): *alcippe* Stoll, 1782
7072) *Phalanta alcippe alcippoides* (Moore, 1900) (Argynnididae) Synonym(s): *alcippoides* Moore, 1900
7073) *Phalanta alcippe andamana* Fruhstorfer, 1904 (Argynnididae) Synonym(s): *andamana* Fruhstorfer, 1904
7074) *Phalanta alcippe aurica* Eliot, 1978 (Argynnididae) Synonym(s): *aurica* Eliot, 1978
7075) *Phalanta alcippe celebensis* Fruhstorfer, 1899 (Argynnididae) Synonym(s): *celebensis* Fruhstorfer, 1899
7076) *Phalanta alcippe ceylonica* Manders (Argynnididae) Synonym(s):
7077) *Phalanta alcippe drepana* Fruhstorfer, 1904 (Argynnididae) Synonym(s): *drepana* Fruhstorfer, 1904
7078) *Phalanta alcippe enganica* Fruhstorfer, 1904 (Argynnididae) Synonym(s): *enganica* Fruhstorfer, 1904
7079) *Phalanta alcippe floresiana* Fruhstorfer, 1912 (Argynnididae) Synonym(s): *floresiana* Fruhstorfer, 1912
7080) *Phalanta alcippe fraterna* Moore, 1900 (Argynnididae) Synonym(s): *fraterna* Moore, 1900
7081) *Phalanta alcippe omarion* Fruhstorfer, 1912 (Argynnididae) Synonym(s): *omarion* Fruhstorfer, 1912
7082) *Phalanta alcippe pallidior* Staudinger, 1889 (Argynnididae) Synonym(s): *pallidior* Staudinger, 1889
7083) *Phalanta alcippe semperi* Moore, 1900 (Argynnididae) Synonym(s): *semperi* Moore, 1900
7084) *Phalanta alcippe tiomana* Corbet, 1937 (Argynnididae) Synonym(s): *tiomana* Corbet, 1937
7085) *Phalanta alcippe violetta* Fruhstorfer, 1900 (Argynnididae) Synonym(s): *violetta* Fruhstorfer, 1900
7086) *Phalanta eurytis* (Doubleday, [1847]) (Argynnididae) Synonym(s): *eurytis* Doubleday, [1847]
7087) *Phalanta eurytis eurytis* (Doubleday, [1847]) (Argynnididae) Synonym(s): *eurytis* Doubleday, [1847]
7088) *Phalanta eurytis microps* (Rothschild & Jordan, 1903) (Argynnididae) Synonym(s): *microps* Rothschild & Jordan, 1903
7089) *Phalanta madagascariensis* (Mabille, 1887) (Argynnididae) Synonym(s): *madagascariensis* Mabille, 1887
7090) *Phalanta phalantha* (Drury, [1773]) (Argynnididae) Synonym(s): *phalantha* Drury, [1773]
7091) *Phalanta phalantha aethiopica* (Rothschild & Jordan, 1903) (Argynnididae) Synonym(s): *aethiopica* Rothschild & Jordan, 1903
7092) *Phalanta phalantha columbina* (Cramer,) (Argynnididae) Synonym(s):
7093) *Phalanta phalantha granti* (Rothschild & Jordan, 1903) (Argynnididae) Synonym(s): *granti* Rothschild & Jordan, 1903
7094) *Phalanta phalantha luzonica* Fruhstorfer, 1906 (Argynnididae) Synonym(s): *luzonica* Fruhstorfer, 1906
7095) *Phalanta phalantha phalantha* (Drury, [1773]) (Argynnididae) Synonym(s): *phalantha* Drury, [1773]
7096) *Phalanta philiberti* (De Joannis, 1893) (Argynnididae) Synonym(s): *philiberti* De Joannis, 1893; *seychellarum* Holland, 1896
7097) *Phyciodes argentea* (Argynnididae) Synonym(s):
7098) *Phyciodes batesii* (Reakirt, 1865) (Argynnididae) Synonym(s): *batesii* Reakirt, 1865
7099) *Phyciodes campestris* (Argynnididae) Synonym(s):
7100) *Phyciodes cocyta* (Argynnididae) Synonym(s):
7101) *Phyciodes frisia* (Poey, 1832) (Argynnididae) Synonym(s): *frisia* Poey, 1832
7102) *Phyciodes mylitta* (W.H.Edwards, 1861) (Argynnididae) Synonym(s): *mylitta* W.H.Edwards, 1861; *collina* Behr, 1863 *nec* Led., 1861; *epula* Boisduval, 1869
7103) *Phyciodes orseis* (W.H.Edwards, 1871) (Argynnididae) Synonym(s): *orseis* W.H.Edwards, 1871
7104) *Phyciodes pallida* (W.H.Edwards, 1864) (Argynnididae) Synonym(s): *pallida* W.H.Edwards, 1864
7105) *Phyciodes phaon* (W.H.Edwards, 1864) (Argynnididae) Synonym(s): *gorgone* Hübner, [1810]; *phaon* W.H.Edwards, 1864
7106) *Phyciodes picta* (W.H.Edwards, 1865) (Argynnididae) Synonym(s): *picta* W.H.Edwards, 1865

- 7107) *Phyciodes ptolyca* (Bates,1864) (Argynnididae) Synonym(s): *ptolyca* Bates,1864
- 7108) *Phyciodes selenis* (Argynnididae) Synonym(s):
- 7109) *Phyciodes texana* (W.H.Edwards,1863) (Argynnididae) Synonym(s): *texana* W.H.Edwards,1863; *smerdis* Hewitson,1864
- 7110) *Phyciodes texana seminole* (Skinner,1911) (Argynnididae) Synonym(s): *seminole* Skinner,1911
- 7111) *Phyciodes texana texana* (W.H.Edwards,1863) (Argynnididae) Synonym(s): *texana* W.H.Edwards,1863; *smerdis* Hewitson,1864
- 7112) *Phyciodes tharos* (Drury,[1773]) (Argynnididae) Synonym(s): *tharos* Drury,[1773]; *cocyta* Cramer,[1777]; *euclea* Bergsträßer,1780; *selenis* Kirby,1837
- 7113) *Phyciodes tulcis* (Bates,1864) (Argynnididae) Synonym(s): *tulcis* Bates,1864; *genigueh* Reakirt,1865; *archesilea* R.Felder,1869; *punctata* W.H.Edwards,1870
- 7114) *Phyciodes vesta* (W.H.Edwards,1869) (Argynnididae) Synonym(s): *vesta* W.H.Edwards,1869
- 7115) *Poladryas arachne* (W.H.Edwards,1869) (Argynnididae) Synonym(s): *arachne* W.H.Edwards,1869
- 7116) *Poladryas minuta* (W.H.Edwards,[1861]) (Argynnididae) Synonym(s): *minuta* W.H.Edwards,[1861]; *approximata* Strecker,1900
- 7117) *Polygonia* (Comma) *c-album* (Linnaeus,1758) (Argynnididae) Synonym(s): *c-album* Linnaeus,1758; *g-album* Fourcroy,1785.
- 7118) *Polygonia* (Comma) *c-album c-album* (Linnaeus,1758) (Argynnididae) Synonym(s): *c-album* Linnaeus,1758; *g-album* Fourcroy,1785.
- 7119) *Polygonia* (Comma) *c-album imperfecta* Blachier,1908 (Argynnididae) Synonym(s): *imperfecta* Blachier,1908
- 7120) *Polygonia* (Comma) *egea* (Cramer,[1775]) (Argynnididae) Synonym(s): *egea* Cramer,[1775] (junior homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932.
- 7121) *Polygonia* (Comma) *egea cognata* Moore,1899 (Argynnididae) Synonym(s): *cognata* Moore,1899; *#kashmira* Evans,1932; *#indica* Evans,1932
- 7122) *Polygonia* (Comma) *egea egea* (Cramer,[1775]) (Argynnididae) Synonym(s): *egea* Cramer,[1775] (junior homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932.
- 7123) *Polygonia* (Comma) *interposita* Staudinger,1881 (Argynnididae) Synonym(s): *interposita* Staudinger,1881
- 7124) *Polygonia* (Comma) *interposita interposita* Staudinger,1881 (Argynnididae) Synonym(s): *interposita* Staudinger,1881
- 7125) *Polygonia* (Comma) *tibetana* Elwes,1888 (Argynnididae) Synonym(s): *tibetana* Elwes,1888; *agnicula* Moore,1899.
- 7126) *Polygonia* (Comma) *tibetana tibetana* Elwes,1888 (Argynnididae) Synonym(s): *tibetana* Elwes,1888; *agnicula* Moore,1899.
- 7127) *Polygonia* (Comma) *undina* (Groum-Grshimailo,1890) (Argynnididae) Synonym(s): *undina* Groum-Grshimailo,1890; *#chitralica* Evans,1932; *interposita auctorum*
- 7128) *Polygonia* (Comma) *undina undina* (Groum-Grshimailo,1890) (Argynnididae) Synonym(s): *undina* Groum-Grshimailo,1890; *#chitralica* Evans,1932; *interposita auctorum*
- 7129) *Polygonia* (s.str.) *c-aureum* (Linnaeus,1758) (Argynnididae) Synonym(s): *c-aureum* Linnaeus,1758; *angelica* Stoll,[1782].
- 7130) *Polygonia* (s.str.) *c-aureum c-aureum* (Linnaeus,1758) (Argynnididae) Synonym(s): *c-aureum* Linnaeus,1758
- 7131) *Polygonia comma* (Harris,1842) (Argynnididae) Synonym(s): *comma* Harris,1842; *harrisii* Edwards,1873
- 7132) *Polygonia faunus* (Edwards,1862) (Argynnididae) Synonym(s): *faunus* Edwards,1862
- 7133) *Polygonia faunus faunus* (Edwards,1862) (Argynnididae) Synonym(s): *faunus* Edwards,1862
- 7134) *Polygonia faunus hylas* (Edwards,1872) (Argynnididae) Synonym(s): *hylas* Edwards,1872
- 7135) *Polygonia faunus rusticus* (Edwards,1874) (Argynnididae) Synonym(s): *rusticus* Edwards,1874
- 7136) *Polygonia faunus silvius* (Edwards,1874) (Argynnididae) Synonym(s): *silvius* Edwards,1874
- 7137) *Polygonia faunus smythi* A.H.Clark,1937 (Argynnididae) Synonym(s): *smythi* A.H.Clark,1937
- 7138) *Polygonia gracilis* (Grote & Robinson,1867) (Argynnididae) Synonym(s): *gracilis* Grote & Robinson,1867
- 7139) *Polygonia gracilis zephyrus* (Edwards,1870) (Argynnididae) Synonym(s): *zephyrus* Edwards,1870
- 7140) *Polygonia interrogationis* (Fabricius,1798) (Argynnididae) Synonym(s): *interrogationis* Fabricius,1798; *fabricii* Edwards,1870
- 7141) *Polygonia oreas* (Edwards,1869) (Argynnididae) Synonym(s): *oreas* Edwards,1869
- 7142) *Polygonia progne* (Cramer,[1776]) (Argynnididae) Synonym(s): *progne* Cramer,[1776]; *g-argenteum* W.Kirby,1837
- 7143) *Polygonia satyrus* (Edwards,1869) (Argynnididae) Synonym(s): *satyrus* Edwards,1869
- 7144) *Polygonia satyrus neomarsayas* Dos Passos,1969 (Argynnididae) Synonym(s): *neomarsayas* Dos Passos,1969
- 7145) *Polyura arja* (C.Felder & R.Felder,[1867]) (Argynnididae) Synonym(s): *arja* C.Felder & R.Felder,[1867]
- 7146) *Polyura arja arja* (C.Felder & R.Felder,[1867]) (Argynnididae) Synonym(s): *arja* C.Felder & R.Felder,[1867]
- 7147) *Polyura athamas* (Drury,[1773]) (Argynnididae) Synonym(s): *athamas* Drury,[1773]
- 7148) *Polyura athamas acuta* Rothschild,1899 (Argynnididae) Synonym(s): *acuta* Rothschild,1899
- 7149) *Polyura athamas angustior* Schröder & Treadaway,1990 (Argynnididae) Synonym(s): *angustior* Schröder & Treadaway,1990
- 7150) *Polyura athamas athamas* (Drury,[1773]) (Argynnididae) Synonym(s): *athamas* Drury,[1773]
- 7151) *Polyura athamas kotakaii* Hanafusa,1989 (Argynnididae) Synonym(s): *kotakaii* Hanafusa,1989
- 7152) *Polyura athamas palawanica* Rothschild,1899 (Argynnididae) Synonym(s): *palawanica* Rothschild,1899
- 7153) *Polyura athamas uraeus* Rothschild,1899 (Argynnididae) Synonym(s): *uraeus* Rothschild,1899
- 7154) *Polyura delphis* (Doubleday,1843) (Argynnididae) Synonym(s): *delphis* Doubleday,1843
- 7155) *Polyura delphis concha* (Vollenhoven,1861) (Argynnididae) Synonym(s): *concha* Vollenhoven,1861
- 7156) *Polyura delphis delphis* (Doubleday,1843) (Argynnididae) Synonym(s): *delphis* Doubleday,1843
- 7157) *Polyura delphis nivea* Rothschild,1899 (Argynnididae) Synonym(s): *nivea* Rothschild,1899
- 7158) *Polyura dolon* (Westwood,1848) (Argynnididae) Synonym(s): *dolon* Westwood,1848.
- 7159) *Polyura dolon dolon* (Westwood,1848) (Argynnididae) Synonym(s): *dolon* Westwood,1848.
- 7160) *Polyura dolon grandis* (Rothschild,1899) (Argynnididae) Synonym(s): *grandis* Rothschild,1899
- 7161) *Polyura eudamippus* (Doubleday,1843) (Argynnididae) Synonym(s): *eudamippus* Doubleday,1843
- 7162) *Polyura eudamippus eudamippus* (Doubleday,1843) (Argynnididae) Synonym(s): *eudamippus* Doubleday,1843
- 7163) *Polyura eudamippus nigrobasalis* (Lathy,1898) (Argynnididae) Synonym(s): *nigrobasalis* Lathy,1898
- 7164) *Polyura hebe* (Butler,1866) (Argynnididae) Synonym(s): *hebe* Butler,1866
- 7165) *Polyura hebe chersonesus* (Fruhstorfer,1898) (Argynnididae) Synonym(s): *chersonesus* Fruhstorfer,1898
- 7166) *Polyura hebe hebe* (Butler,1866) (Argynnididae) Synonym(s): *hebe* Butler,1866
- 7167) *Polyura jalysus* (C.Felder & R.Felder,[1867]) (Argynnididae) Synonym(s): *jalysus* C.Felder & R.Felder,[1867]
- 7168) *Polyura jalysus ephesus* (Fruhstorfer,1914) (Argynnididae) Synonym(s): *ephebus* Fruhstorfer,1914
- 7169) *Polyura jalysus jalysus* (C.Felder & R.Felder,[1867]) (Argynnididae) Synonym(s): *jalysus* C.Felder & R.Felder,[1867]
- 7170) *Polyura moori* (Distant,1883) (Argynnididae) Synonym(s): *moori* Distant,1883
- 7171) *Polyura moori galeoni* Schröder & Treadaway,1990 (Argynnididae) Synonym(s): *galeoni* Schröder & Treadaway,1990
- 7172) *Polyura moori moori* (Distant,1883) (Argynnididae) Synonym(s): *moori* Distant,1883
- 7173) *Polyura narcaeus* Hewitson,1894 (Argynnididae) Synonym(s): *narcaeus* Hewitson,1894
- 7174) *Polyura narcaeus narcaeus* Hewitson,1894 (Argynnididae) Synonym(s): *narcaeus* Hewitson,1894
- 7175) *Polyura nepenthes* (Grose-Smith,1883) (Argynnididae) Synonym(s): *nepenthes* Grose-Smith,1883
- 7176) *Polyura nepenthes nepenthes* (Grose-Smith,1883) (Argynnididae) Synonym(s): *nepenthes* Grose-Smith,1883
- 7177) *Polyura posidonius* Leech,1891 (Argynnididae) Synonym(s): *posidonius* Leech,1891
- 7178) *Polyura posidonius posidonius* Leech,1891 (Argynnididae) Synonym(s): *posidonius* Leech,1891
- 7179) *Polyura schreiber* (Godart,[1824]) (Argynnididae) Synonym(s): *schreiber* Godart,[1824]
- 7180) *Polyura schreiber assamensis* (Rothschild,1899) (Argynnididae) Synonym(s): *assamensis* Rothschild,1899
- 7181) *Polyura schreiber bilarensis* Jumalon,1975 (Argynnididae) Synonym(s): *bilarensis* Jumalon,1975
- 7182) *Polyura schreiber delicatus* Tsukada,1991 (Argynnididae) Synonym(s): *delicatus* Tsukada,1991
- 7183) *Polyura schreiber luzonica* Rothschild,1899 (Argynnididae) Synonym(s): *luzonica* Rothschild,1899
- 7184) *Polyura schreiber mizunumai* Sato & Hanafusa,1987 (Argynnididae) Synonym(s): *mizunumai* Sato & Hanafusa,1987
- 7185) *Polyura schreiber praedicta* Schröder & Treadaway,1980 (Argynnididae) Synonym(s): *praedicta* Schröder & Treadaway,1980
- 7186) *Polyura schreiber schreiber* (Godart,[1824]) (Argynnididae) Synonym(s): *schreiber* Godart,[1824]
- 7187) *Polyura schreiber tisamensis* (Fruhstorfer,1914) (Argynnididae) Synonym(s): *tisamensis* Fruhstorfer,1914
- 7188) *Polyura schreiber toshikoe* Sato & Nishiyama,1987 (Argynnididae) Synonym(s): *toshikoe* Sato & Nishiyama,1987
- 7189) *Precis* (Junonia) *actia* (Distant,1880) (Argynnididae) Synonym(s): *actia* Distant,1880
- 7190) *Precis* (Junonia) *adulatrix* Fruhstorfer,1909 (Argynnididae) Synonym(s): *adulatrix* Fruhstorfer,1909
- 7191) *Precis* (Junonia) *africana* (Richelmann,1913) (Argynnididae) Synonym(s): *africana* Richelmann,1913
- 7192) *Precis* (Junonia) *almana* (Linnaeus,1758) (Argynnididae) Synonym(s): *almana* Linnaeus,1758
- 7193) *Precis* (Junonia) *almana almana* (Linnaeus,1758) (Argynnididae) Synonym(s): *almana* Linnaeus,1758
- 7194) *Precis* (Junonia) *almana battana* Fruhstorfer,1906 (Argynnididae) Synonym(s): *battana* Fruhstorfer,1906

- 7195) **Precis (Junonia) almana** javana C.Felder,1862 (Argynnidæ) Synonym(s): *javana* C.Felder,1862
7196) **Precis (Junonia) almana** sumbae Doherty,1886 (Argynnidæ) Synonym(s): *sumbae* Doherty,1886
7197) **Precis (Junonia) andremiaja** (Boisduval,1833) (Argynnidæ) Synonym(s): *andremiaja* Boisduval,1833; *musa* Guérin-Ménéville,[1844]; *boisduvali* Staudinger,1885
7198) **Precis (Junonia) antilope** (Feisthabel,1850) (Argynnidæ) Synonym(s): *antilope* Feisthabel,1850; *simia* Wallengren,1857; *ibris* C.Felder & R.Felder,[1867]; *micromera* Butler,1876; *petersi* Dewitz,1879
7199) **Precis (Junonia) artaxia** Hewitson,1864 (Argynnidæ) Synonym(s): *artaxia* Hewitson,1864
7200) **Precis (Junonia) atlites** (Linnaeus,1763) (Argynnidæ) Synonym(s): *atlites* Linnaeus,1763
7201) **Precis (Junonia) ceryne** (Boisduval,1847) (Argynnidæ) Synonym(s): *ceryne* Boisduval,1847; *tukuoa* Wallengren,1857.
7202) **Precis (Junonia) ceryne ceruana** (Rothschild & Jordan,1903) (Argynnidæ) Synonym(s): *ceruana* Rothschild & Jordan,1903
7203) **Precis (Junonia) ceryne ceryne** (Boisduval,1847) (Argynnidæ) Synonym(s): *ceryne* Boisduval,1847; *tukuoa* Wallengren,1857.
7204) **Precis (Junonia) chorimene** (Guérin-Ménéville,[1844]) (Argynnidæ) Synonym(s): *chorimene* Guérin-Ménéville,[1844].
7205) **Precis (Junonia) chorimene chorimene** (Guérin-Ménéville,[1844]) (Argynnidæ) Synonym(s): *chorimene* Guérin-Ménéville,[1844].
7206) **Precis (Junonia) coelestina** Dewitz,1879 (Argynnidæ) Synonym(s): *coelestina* Dewitz,1879; *#jordani* Aurivillius,1913; *#obscurans* Stoneham,1965
7207) **Precis (Junonia) coenia** (Hübner,[1822]) (Argynnidæ) Synonym(s): *coenia* Hübner,[1822]
7208) **Precis (Junonia) cuama** (Hewitson,1864) (Argynnidæ) Synonym(s): *cuama* Hewitson,1864; *trimeni* Butler,1894
7209) **Precis (Junonia) erigone** (Cramer,1779) (Argynnidæ) Synonym(s): *erigone* Cramer,1779
7210) **Precis (Junonia) erigone erigone** (Cramer,1779) (Argynnidæ) Synonym(s): *erigone* Cramer,1779
7211) **Precis (Junonia) eurodoce** (Westwood,[1850]) (Argynnidæ) Synonym(s): *eurodoce* Westwood,[1850]; *#falcifera* Fiedler,1928
7212) **Precis (Junonia) evarete** (Cramer,[1782]) (Argynnidæ) Synonym(s): *lavinia* Cramer,1775 nec Fabr.,1775; *evarete* Cramer,[1782]
7213) **Precis (Junonia) frobeniusi** Strand,1909 (Argynnidæ) Synonym(s): *frobeniusi* Strand,1909; *frobeniusi* McLeod,1988
7214) **Precis (Junonia) genoveva** (Stoll,[1782]) (Argynnidæ) Synonym(s): *genoveva* Stoll,[1782]
7215) **Precis (Junonia) goudoti** (Boisduval,1833) (Argynnidæ) Synonym(s): *goudoti* Boisduval,1833
7216) **Precis (Junonia) hadrope** Doubleday,[1847] (Argynnidæ) Synonym(s): *hadrope* Doubleday,[1847]; *ixia* Butler,1866
7217) **Precis (Junonia) hedonia** (Linnaeus,1764) (Argynnidæ) Synonym(s): *hedonia* Linnaeus,1764; *hellanis* C.Felder & R.Felder,1867
7218) **Precis (Junonia) hedonia apollonia** Fruhstorfer,1906 (Argynnidæ) Synonym(s): *apollonia* Fruhstorfer,1906
7219) **Precis (Junonia) hedonia hedonia** (Linnaeus,1764) (Argynnidæ) Synonym(s): *hedonia* Linnaeus,1764; *hellanis* C.Felder & R.Felder,1867
7220) **Precis (Junonia) hedonia hondai** Hayashi (Argynnidæ) Synonym(s): *hondai* Hayashi
7221) **Precis (Junonia) hedonia ida** (Cramer,[1775]) (Argynnidæ) Synonym(s): *ida* Cramer,[1775]
7222) **Precis (Junonia) hedonia seitzii** Corbet,1937 (Argynnidæ) Synonym(s): *seitzii* Corbet,1937
7223) **Precis (Junonia) hierta** (Fabricius,1798) (Argynnidæ) Synonym(s): *lirtingensis* Osbeck,1765 [rejected name, Op.842, 1968]; *hierta* Fabricius,1798
7224) **Precis (Junonia) hierta cebrene** Trimen,1870 (Argynnidæ) Synonym(s): *cebrene* Trimen,1870; *sudanica* Schultz,1920
7225) **Precis (Junonia) hierta hierta** (Fabricius,1798) (Argynnidæ) Synonym(s): *lirtingensis* Osbeck,1765 [rejected name, Op.842, 1968]; *hierta* Fabricius,1798
7226) **Precis (Junonia) hierta paris** Trimen,1887 (Argynnidæ) Synonym(s): *paris* Trimen,1887
7227) **Precis (Junonia) intermedia** C.Felder & R.Felder,1867 (Argynnidæ) Synonym(s): *intermedia* C.Felder & R.Felder,1867
7228) **Precis (Junonia) intermedia intermedia** C.Felder & R.Felder,1867 (Argynnidæ) Synonym(s): *intermedia* C.Felder & R.Felder,1867
7229) **Precis (Junonia) intermedia teurnia** Fruhstorfer,1912 (Argynnidæ) Synonym(s): *teurnia* Fruhstorfer,1912
7230) **Precis (Junonia) iphita** (Cramer,[1779]) (Argynnidæ) Synonym(s): *iphita* Cramer,[1779]
7231) **Precis (Junonia) iphita adelaida** (Staudinger,1889) (Argynnidæ) Synonym(s): *adelaida* Staudinger,1889
7232) **Precis (Junonia) iphita cebara** Fruhstorfer,1912 (Argynnidæ) Synonym(s): *cebara* Fruhstorfer,1912
7233) **Precis (Junonia) iphita horsfieldi** Moore,[1899] (Argynnidæ) Synonym(s): *horsfieldi* Moore,[1899]
7234) **Precis (Junonia) iphita iphita** (Cramer,[1779]) (Argynnidæ) Synonym(s): *iphita* Cramer,[1779]
7235) **Precis (Junonia) iphita pluvialis** Fruhstorfer,1900 (Argynnidæ) Synonym(s): *pluvialis* Fruhstorfer,1900
7236) **Precis (Junonia) iphita tosa** Fruhstorfer,1900 (Argynnidæ) Synonym(s): *tosa* Fruhstorfer,1900
7237) **Precis (Junonia) iphita viridis** Staudinger,1889 (Argynnidæ) Synonym(s): *viridis* Staudinger,1889
7238) **Precis (Junonia) lemonias** (Linnaeus,1758) (Argynnidæ) Synonym(s): *lemonias* Linnaeus,1758
7239) **Precis (Junonia) lemonias janome** Tsukada & Kaneko,1985 (Argynnidæ) Synonym(s): *janome* Tsukada & Kaneko,1985
7240) **Precis (Junonia) lemonias lemonias** (Linnaeus,1758) (Argynnidæ) Synonym(s): *lemonias* Linnaeus,1758
7241) **Precis (Junonia) lemonias vaisya** Fruhstorfer,1912 (Argynnidæ) Synonym(s): *vaisya* Fruhstorfer,1912
7242) **Precis (Junonia) limnoria** (Klug,1845) (Argynnidæ) Synonym(s): *limnoria* Klug,1845
7243) **Precis (Junonia) limnoria limnoria** (Klug,1845) (Argynnidæ) Synonym(s): *limnoria* Klug,1845
7244) **Precis (Junonia) limnoria niveistictus** Gabriel,1954 (Argynnidæ) Synonym(s): *niveistictus* Gabriel,1954
7245) **Precis (Junonia) limnoria taveta** (Rogenhofer,1891) (Argynnidæ) Synonym(s): *taveta* Rogenhofer,1891
7246) **Precis (Junonia) milonia** (C.Felder & R.Felder,1867) (Argynnidæ) Synonym(s): *milonia* C.Felder & R.Felder,1867
7247) **Precis (Junonia) milonia milonia** (C.Felder & R.Felder,1867) (Argynnidæ) Synonym(s): *milonia* C.Felder & R.Felder,1867; *kowara* Ward,1871
7248) **Precis (Junonia) milonia wintgensii** (Strand,1909) (Argynnidæ) Synonym(s): *wintgensii* Strand,1909
7249) **Precis (Junonia) natalica** (C.Felder & R.Felder,1860) (Argynnidæ) Synonym(s): *natalica* C.Felder & R.Felder,1860; *hecate* Trimen,1862; *#natalensis* Rothschild,1918 nec Stgr.,1885
7250) **Precis (Junonia) natalica angolensis** (Rothschild,1918) (Argynnidæ) Synonym(s): *angolensis* Rothschild,1918; *schmidtii* Neustetter,1927
7251) **Precis (Junonia) natalica natalica** (C.Felder & R.Felder,1860) (Argynnidæ) Synonym(s): *natalica* C.Felder & R.Felder,1860; *hecate* Trimen,1862; *#natalensis* Rothschild,1918
7252) **Precis (Junonia) oenone** (Linnaeus,1758) (Argynnidæ) Synonym(s): *oenone* Linnaeus,1758; *clelia* Cramer,[1775].
7253) **Precis (Junonia) oenone epiclelia** (Boisduval,1833) (Argynnidæ) Synonym(s): *epiclelia* Boisduval,1833
7254) **Precis (Junonia) oenone oenone** (Linnaeus,1758) (Argynnidæ) Synonym(s): *oenone* Linnaeus,1758; *clelia* Cramer,[1775].
7255) **Precis (Junonia) orithya** (Linnaeus,1758) (Argynnidæ) Synonym(s): *orithya* Linnaeus,1758
7256) **Precis (Junonia) orithya bawana** Fruhstorfer,1906 (Argynnidæ) Synonym(s): *bawana* Fruhstorfer,1906
7257) **Precis (Junonia) orithya celebensis** Staudinger,1888 (Argynnidæ) Synonym(s): *celebensis* Staudinger,1888
7258) **Precis (Junonia) orithya cheesmani** Riley,1925 (Argynnidæ) Synonym(s): *cheesmani* Riley,1925
7259) **Precis (Junonia) orithya hainanensis** Fruhstorfer,1912 (Argynnidæ) Synonym(s): *hainanensis* Fruhstorfer,1912
7260) **Precis (Junonia) orithya here** (Lang,1884) (Argynnidæ) Synonym(s): *here* Lang,1884.
7261) **Precis (Junonia) orithya leucasia** Fruhstorfer,1912 (Argynnidæ) Synonym(s): *leucasia* Fruhstorfer,1912
7262) **Precis (Junonia) orithya madagascariensis** Guenée,1865 (Argynnidæ) Synonym(s): *madagascariensis* Guenée,1865
7263) **Precis (Junonia) orithya metion** Fruhstorfer,1905 (Argynnidæ) Synonym(s): *metion* Fruhstorfer,1905
7264) **Precis (Junonia) orithya mevaria** Fruhstorfer,1904 (Argynnidæ) Synonym(s): *mevaria* Fruhstorfer,1904
7265) **Precis (Junonia) orithya minagara** Fruhstorfer,1904 (Argynnidæ) Synonym(s): *minagara* Fruhstorfer,1904
7266) **Precis (Junonia) orithya ocyale** (Hübner,[1819]) (Argynnidæ) Synonym(s): *ocyale* Hübner,[1819]
7267) **Precis (Junonia) orithya orithya** (Linnaeus,1758) (Argynnidæ) Synonym(s): *orithya* Linnaeus,1758
7268) **Precis (Junonia) orithya patenas** Fruhstorfer,1912 (Argynnidæ) Synonym(s): *patenas* Fruhstorfer,1912
7269) **Precis (Junonia) orithya sumatrana** Fruhstorfer,1906 (Argynnidæ) Synonym(s): *sumatrana* Fruhstorfer,1906
7270) **Precis (Junonia) orithya swinhoei** (Butler,1885) (Argynnidæ) Synonym(s): *swinhoei* Butler,1885
7271) **Precis (Junonia) orithya wallacei** Distant,1883 (Argynnidæ) Synonym(s): *wallacei* Distant,1883
7272) **Precis (Junonia) pelarga** (Fabricius,1775) (Argynnidæ) Synonym(s): *pelarga* Fabricius,1775; *leodice* Cramer,[1777]; *harpyia* Fabricius,1781; *trullus* Herbst,1794; *galami* Boisduval,1833; *monrovia* Staudinger,1885; *#moyambensis* Wichgraf,1921; *#proetigiana* Stoneham,1965
7273) **Precis (Junonia) rauana** (Grose-Smith,1898) (Argynnidæ) Synonym(s): *rauana* Grose-Smith,1898; *kakamena* Carcasson,1961
7274) **Precis (Junonia) rauana omissa** Rothschild,1918 (Argynnidæ) Synonym(s): *omissa* Rothschild,1918
7275) **Precis (Junonia) rauana osborni** (Holland,1920) (Argynnidæ) Synonym(s): *osborni* Holland,1920
7276) **Precis (Junonia) rauana rauana** (Grose-Smith,1898) (Argynnidæ) Synonym(s): *rauana* Grose-Smith,1898; *kakamena* Carcasson,1961
7277) **Precis (Junonia) rhadama** (Boisduval,1833) (Argynnidæ) Synonym(s): *rhadama* Boisduval,1833; *#arida* Aurivillius,1833
7278) **Precis (Junonia) schmideli** Fiedler,1920 (Argynnidæ) Synonym(s): *schmideli* Fiedler,1920
7279) **Precis (Junonia) silvicola** Schultz,1916 (Argynnidæ) Synonym(s): *silvicola* Schultz,1916
7280) **Precis (Junonia) sinuata** Plötz,1880 (Argynnidæ) Synonym(s): *sinuata* Plötz,1880; *serena* Weymer,1892; *pelargoides* Aurivillius,1891; *#parvipunctis* Strand,1910

- 7281) **Precis (Junonia) sinuata** **hecqui** **Berger,1981** (Argynnididae) Synonym(s): *hecqui* **Berger,1981**
- 7282) **Precis (Junonia) sinuata sinuata** **Plötz,1880** (Argynnididae) Synonym(s): *sinuata* **Plötz,1880**; *serena* **Weymer,1892**; *pelargoides* **Aurivillius,1891**; *#parvipunctis* **Strand,1910**
- 7283) **Precis (Junonia) sophia** **(Fabricius,1793)** (Argynnididae) Synonym(s): *sophia* **Fabricius,1793**; *#ferenigra* **Schultze,1920**
- 7284) **Precis (Junonia) sophia infracta** **Butler,1888** (Argynnididae) Synonym(s): *infracta* **Butler,1888**; *albida* **Suffert,1904**; *#leucotincta* **Strand,1911**; *#nigeria* **Stoneham,1934**
- 7285) **Precis (Junonia) sophia sophia** **(Fabricius,1793)** (Argynnididae) Synonym(s): *sophia* **Fabricius,1793**; *#ferenigra* **Schultze,1920**
- 7286) **Precis (Junonia) stygia** **Aurivillius,1894** (Argynnididae) Synonym(s): *stygia* **Aurivillius,1894**; *fuscata* **Holland,1920**; *#alberici* **Dufrane,1945**
- 7287) **Precis (Junonia) stygia gregorii** **Butler,1896** (Argynnididae) Synonym(s): *gregorii* **Butler,1896**
- 7288) **Precis (Junonia) stygia stygia** **Aurivillius,1894** (Argynnididae) Synonym(s): *stygia* **Aurivillius,1894**; *fuscata* **Holland,1920**; *#alberici* **Dufrane,1945**
- 7289) **Precis (Junonia) terea** **(Drury,[1773])** (Argynnididae) Synonym(s): *terea* **Drury,[1773]**; *zipha* **Butler,1869**
- 7290) **Precis (Junonia) terea elgiva** **(Hewitson,1864)** (Argynnididae) Synonym(s): *elgiva* **Hewitson,1864**
- 7291) **Precis (Junonia) terea fumata** **Rothschild & Jordan,1903** (Argynnididae) Synonym(s): *fumata* **Rothschild & Jordan,1903**; *#januarii* **Ungemach,1932**
- 7292) **Precis (Junonia) terea terea** **(Drury,[1773])** (Argynnididae) Synonym(s): *terea* **Drury,[1773]**; *zipha* **Butler,1869**
- 7293) **Precis (Junonia) terea tereoides** **Butler,1901** (Argynnididae) Synonym(s): *tereoides* **Butler,1901**
- 7294) **Precis (Junonia) touhilimasa** **(Vuillot,1892)** (Argynnididae) Synonym(s): *touhilimasa* **Vuillot,1892**; *pavonina* **Butler,1895**; *#obacurata* **Ball,1932**
- 7295) **Precis (Junonia) villida** **(Fabricius,1787)** (Argynnididae) Synonym(s): *villida* **Fabricius,1787**
- 7296) **Precis (Junonia) westermanni** **(Westwood,1870)** (Argynnididae) Synonym(s): *westermanni* **Westwood,1870**; *#lugens* **Ungemach,1932**
- 7297) **Precis (Junonia) westermanni splendens** **Schmidt,1921** (Argynnididae) Synonym(s): *splendens* **Schmidt,1921**
- 7298) **Precis (Junonia) westermanni suffusa** **Rothschild & Jordan,1903** (Argynnididae) Synonym(s): *suffusa* **Rothschild & Jordan,1903**; *#jordani* **Aurivillius,1913**; *#nigricans* **Stoneham,1934**; *#pallida* **Stoneham,1965**; *#nucleata* **Stoneham,1965**
- 7299) **Precis (Junonia) westermanni westermanni** **(Westwood,1870)** (Argynnididae) Synonym(s): *westermanni* **Westwood,1870**; *#lugens* **Ungemach,1932**
- 7300) **Precis (s.str.) archesia** **(Cramer,[1779])** (Argynnididae) Synonym(s): *archesia* **Cramer,[1779]**; *pelasgis* **Godart,[1819]**; *chapunga* **Hewitson,1864**; *staudingeri* **Rogenhofer,1891**; *semitypica* **Aurivillius,1898**; *striata* **Aurivillius,1901**
- 7301) **Precis (s.str.) archesia archesia** **(Cramer,[1779])** (Argynnididae) Synonym(s): *archesia* **Cramer,[1779]**; *pelasgis* **Godart,[1819]**; *chapunga* **Hewitson,1864**; *staudingeri* **Rogenhofer,1891**; *semitypica* **Aurivillius,1898**; *striata* **Aurivillius,1901**
- 7302) **Precis (s.str.) archesia ugandensis** **(McLeod,1980)** (Argynnididae) Synonym(s): *ugandensis* **McLeod,1980**
- 7303) **Precis (s.str.) octavia** **(Cramer,[1777])** (Argynnididae) Synonym(s): *octavia* **Cramer,[1777]**; *amestris* **Drury,1782**; *zingha* **Fabricius,1787**; *emma* **Godart,[1819]**
- 7304) **Precis (s.str.) octavia octavia** **(Cramer,[1777])** (Argynnididae) Synonym(s): *octavia* **Cramer,[1777]**; *amestris* **Drury,1782**; *zingha* **Fabricius,1787**; *emma* **Godart,[1819]**
- 7305) **Precis (s.str.) octavia sesamus** **(Trimen,1883)** (Argynnididae) Synonym(s): *sesamus* **Trimen,1883**; *natalensis* **Staudinger,1885**; *calescens* **Butler,1894**
- 7306) **Precis (s.str.) tugela** **Trimen,1879** (Argynnididae) Synonym(s): *tugela* **Trimen,1879**
- 7307) **Precis (s.str.) tugela aurorina** **Butler,1894** (Argynnididae) Synonym(s): *aurorina* **Butler,1894**
- 7308) **Precis (s.str.) tugela pyriformis** **Butler,1896** (Argynnididae) Synonym(s): *pyriformis* **Butler,1896**
- 7309) **Precis (s.str.) tugela tugela** **Trimen,1879** (Argynnididae) Synonym(s): *tugela* **Trimen,1879**
- 7310) **Prothoe franckii** **Hübner,[1824]** (Argynnididae) Synonym(s): *franckii* **Hübner,[1824]**; *franck* **Godart,[1824]**
- 7311) **Prothoe franckii aphrodite** **Fruhstorfer,1900** (Argynnididae) Synonym(s): *aphrodite* **Fruhstorfer,1900**
- 7312) **Prothoe franckii franckii** **Hübner,[1824]** (Argynnididae) Synonym(s): *franckii* **Hübner,[1824]**; *franck* **Godart,[1824]**
- 7313) **Prothoe franckii uniformis** **Butler,1885** (Argynnididae) Synonym(s): *uniformis* **Butler,1885**
- 7314) **Prothoe franckii vilma** **Fruhstorfer,1901** (Argynnididae) Synonym(s): *vilma* **Fruhstorfer,1901**
- 7315) **Prothoe plateni** **Semper,1892** (Argynnididae) Synonym(s): *plateni* **Semper,1892**
- 7316) **Prothoe semperi** **Honrath,1884** (Argynnididae) Synonym(s): *semperi* **Honrath,1884**
- 7317) **Prothoe semperi bohollensis** **M.Okano & T.Okano,1989** (Argynnididae) Synonym(s): *bohollensis* **M.Okano & T.Okano,1989**
- 7318) **Prothoe semperi gregalis** **Tsukada,1991** (Argynnididae) Synonym(s): *gregalis* **Tsukada,1991**
- 7319) **Prothoe semperi semperi** **Honrath,1884** (Argynnididae) Synonym(s): *semperi* **Honrath,1884**
- 7320) **Pseudacraea acholica** **Riley,1932** (Argynnididae) Synonym(s): *acholica* **Riley,1932**
- 7321) **Pseudacraea acholica acholica** **Riley,1932** (Argynnididae) Synonym(s): *acholica* **Riley,1932**
- 7322) **Pseudacraea acholica mayenceae** **Hecq,1987** (Argynnididae) Synonym(s): *mayenceae* **Hecq,1987**
- 7323) **Pseudacraea annakae** **Knoop,1988** (Argynnididae) Synonym(s): *annakae* **Knoop,1988**
- 7324) **Pseudacraea boisduvalii** **(Doubleday,1845)** (Argynnididae) Synonym(s): *boisduvalii* **Doubleday,1845**
- 7325) **Pseudacraea boisduvalii boisduvalii** **(Doubleday,1845)** (Argynnididae) Synonym(s): *boisduvalii* **Doubleday,1845**
- 7326) **Pseudacraea boisduvalii marsabitensis** **Jackson & Howarth,1957** (Argynnididae) Synonym(s): *marsabitensis* **Jackson & Howarth,1957**
- 7327) **Pseudacraea boisduvalii pamba** **Kielland,1990** (Argynnididae) Synonym(s): *pamba* **Kielland,1990**
- 7328) **Pseudacraea boisduvalii sayonis** **Ungemach,1932** (Argynnididae) Synonym(s): *sayonis* **Ungemach,1932**
- 7329) **Pseudacraea boisduvalii trimeni** **Butler,1874** (Argynnididae) Synonym(s): *trimeni* **Butler,1874**; *colvillei* **Butler,1884**; *deficiens* **Karsch,1897**
- 7330) **Pseudacraea clarkii** **Butler & Rothschild,1892** (Argynnididae) Synonym(s): *clarkii* **Butler & Rothschild,1892**
- 7331) **Pseudacraea deludens** **Neave,1912** (Argynnididae) Synonym(s): *deludens* **Neave,1912**
- 7332) **Pseudacraea deludens amaurina** **Neustetter,1928** (Argynnididae) Synonym(s): *amaurina* **Neustetter,1928**
- 7333) **Pseudacraea deludens deludens** **Neave,1912** (Argynnididae) Synonym(s): *deludens* **Neave,1912**
- 7334) **Pseudacraea deludens ducarme** **Hecq,1990** (Argynnididae) Synonym(s): *ducarme* **Hecq,1990**
- 7335) **Pseudacraea deludens echerioides** **Talbot,1941** (Argynnididae) Synonym(s): *echerioides* **Talbot,1941**
- 7336) **Pseudacraea deludens morogoro** **Kielland,1990** (Argynnididae) Synonym(s): *morogoro* **Kielland,1990**
- 7337) **Pseudacraea deludens reducta** **Kielland,1990** (Argynnididae) Synonym(s): *reducta* **Kielland,1990**
- 7338) **Pseudacraea deludens tanganyikae** **Kielland,1990** (Argynnididae) Synonym(s): *tanganyikae* **Kielland,1990**
- 7339) **Pseudacraea deludens terrena** **Jackson,1956** (Argynnididae) Synonym(s): *terrena* **Jackson,1956**
- 7340) **Pseudacraea dolomena** **(Hewitson,1865)** (Argynnididae) Synonym(s): *dolomena* **Hewitson,1865**; *macularia* **Capronnier,1889**; *rubrobasalis* **Aurivillius,1903**; *albolineata* **Richelmann,1913**
- 7341) **Pseudacraea dolomena albostrata** **Lathy,1906** (Argynnididae) Synonym(s): *albostrata* **Lathy,1906**; *dolabella* **Hall,1919**
- 7342) **Pseudacraea dolomena congoensis** **Jackson,1951** (Argynnididae) Synonym(s): *congoensis* **Jackson,1951**
- 7343) **Pseudacraea dolomena dolomena** **(Hewitson,1865)** (Argynnididae) Synonym(s): *dolomena* **Hewitson,1865**; *macularia* **Capronnier,1889**; *rubrobasalis* **Aurivillius,1903**; *albolineata* **Richelmann,1913**
- 7344) **Pseudacraea dolomena elgonensis** **Jackson,1951** (Argynnididae) Synonym(s): *elgonensis* **Jackson,1951**
- 7345) **Pseudacraea dolomena kayonza** **Jackson,1956** (Argynnididae) Synonym(s): *kayonza* **Jackson,1956**
- 7346) **Pseudacraea dolomena usagarae** **Staudinger,1891** (Argynnididae) Synonym(s): *usagarae* **Staudinger,1891**; *pharsa* **Fruhstorfer,1903**; *dolichiste* **Hall,1919**
- 7347) **Pseudacraea eurytus** **(Linnaeus,1758)** (Argynnididae) Synonym(s): *eurytus* **Linnaeus,1758**; *hirce* **Drury,1782**; *ruhama* **Hewitson,1872**; *simulator* **Butler,1873**; *fulvaria* **Butler,1874**; *striata* **Butler,1874**; *metaplanema* **Butler,1874**; *epigea* **Butler,1874**; *theorini* **Aurivillius,1891**; *consanguinea* **Aurivillius,1894**; *karschi* **Fruhstorfer,1903**; *hobleyi* **Neave,1904**; *tirikensis* **Neave,1904**; *terra* **Neave,1904**; *obscura* **Neave,1904**; *togoensis* **Bartel,1905**; *impleta* **Grünberg,1910**; *ruwenzorica* **Grünberg,1910**
- 7348) **Pseudacraea eurytus conradti** **Oberthür,1893** (Argynnididae) Synonym(s): *conradti* **Oberthür,1893**; *simulator* **Grose-Smith,1889**; *fickei* **Weymer,1907**; *rogersi* **Trimen,1909**
- 7349) **Pseudacraea eurytus eurytus** **(Linnaeus,1758)** (Argynnididae) Synonym(s): *eurytus* **Linnaeus,1758**; *hirce* **Drury,1782**; *ruhama* **Hewitson,1872**; *simulator* **Butler,1873**; *fulvaria* **Butler,1874**; *striata* **Butler,1874**; *metaplanema* **Butler,1874**; *epigea* **Butler,1874**; *theorini* **Aurivillius,1891**; *consanguinea* **Aurivillius,1894**; *karschi* **Fruhstorfer,1903**; *hobleyi* **Neave,1904**; *tirikensis* **Neave,1904**; *terra* **Neave,1904**; *obscura* **Neave,1904**; *togoensis* **Bartel,1905**; *impleta* **Grünberg,1910**; *ruwenzorica* **Grünberg,1910**
- 7350) **Pseudacraea eurytus imitator** **(Trimen,1873)** (Argynnididae) Synonym(s): *imitator* **Trimen,1873**
- 7351) **Pseudacraea eurytus mimoras** **Ungemach,1932** (Argynnididae) Synonym(s): *mimoras* **Ungemach,1932**; *epaeodes* **Ungemach,1932**; *youbdonis* **Ungemach,1932** *ET*
- 7352) **Pseudacraea hostilia** **(Drury,1782)** (Argynnididae) Synonym(s): *hostilia* **Drury,1782**; *metea* **Stoll,1790**; *orthosia* **Hübner,[1819]**
- 7353) **Pseudacraea imerina** **(Hewitson,1865)** (Argynnididae) Synonym(s): *imerina* **Hewitson,1865**; *glauca* **Guenée,1865**
- 7354) **Pseudacraea kuenowii** **Dewitz,1879** (Argynnididae) Synonym(s): *kuenowii* **Dewitz,1879**; *gottbergi* **Dewitz,1879**; *gazengeli* **Oberthür,1893**
- 7355) **Pseudacraea kuenowii burgessi** **Jackson,1951** (Argynnididae) Synonym(s): *burgessi* **Jackson,1951**
- 7356) **Pseudacraea kuenowii hypoxantha** **Jordan,1911** (Argynnididae) Synonym(s): *hypoxantha* **Jordan,1911**

- 7357) *Pseudacraea kuenowii kigezi* Jackson, 1956 (Argynnidae) Synonym(s): *kigezi* Jackson, 1956
 7358) *Pseudacraea kuenowii kuenowii* Dewitz, 1879 (Argynnidae) Synonym(s): *kuenowii* Dewitz, 1879; *gottbergi* Dewitz, 1879; *gazengeli* Oberthür, 1893
 7359) *Pseudacraea lucretia* (Cramer, [1775]) (Argynnidae) Synonym(s): *lucretia* Cramer, [1775]; *sulpitia* Fabricius, 1793
 7360) *Pseudacraea lucretia apaturoides* (C.Felder & R.Felder, [1867]) (Argynnidae) Synonym(s): *apaturoides* C.Felder & R.Felder, [1867]
 7361) *Pseudacraea lucretia comorana* Oberthür, 1890 (Argynnidae) Synonym(s): *comorana* Oberthür, 1890
 7362) *Pseudacraea lucretia expansa* (Butler, 1878) (Argynnidae) Synonym(s): *expansa* Butler, 1878; *delagoae* Trimen, 1887; *heliogenes* Butler, 1896; *kentae* Pulton, 1926
 7363) *Pseudacraea lucretia gamae* Joicey & Talbot, 1927 (Argynnidae) Synonym(s): *gamae* Joicey & Talbot, 1927
 7364) *Pseudacraea lucretia lucretia* (Cramer, [1775]) (Argynnidae) Synonym(s): *lucretia* Cramer, [1775]; *sulpitia* Fabricius, 1793
 7365) *Pseudacraea lucretia protracta* (Butler, 1874) (Argynnidae) Synonym(s): *protracta* Butler, 1874
 7366) *Pseudacraea lucretia tarquinia* (Trimen, 1868) (Argynnidae) Synonym(s): *tarquinia* Trimen, 1868
 7367) *Pseudacraea lucretia walensensis* (Sharpe, 1896) (Argynnidae) Synonym(s): *walensensis* Sharpe, 1896
 7368) *Pseudacraea poggei* (Dewitz, 1879) (Argynnidae) Synonym(s): *poggei* Dewitz, 1879
 7369) *Pseudacraea semire* (Cramer, [1779]) (Argynnidae) Synonym(s): *semire* Cramer, [1779]; *hyppolite* Drury, 1782
 7370) *Pseudacraea warburgi Aurivillius*, 1892 (Argynnidae) Synonym(s): *warburgi* Aurivillius, 1892
 7371) *Pseudargynnis hegemon* (Godart, [1819]) (Argynnidae) Synonym(s): *hegemon* Godart, [1819]; *duodecimpunctata* Snellen, 1872; *clorana* Druce, 1874; *nyassae* Bartel, 1905; *#obscurata* Grünberg, 1910; *#duplicata* Riley, 1932.
 7372) *Pseudathyma callina* (Grose-Smith, 1898) (Argynnidae) Synonym(s): *callina* Grose-Smith, 1898
 7373) *Pseudathyma debrynei* Hecq, 1990 (Argynnidae) Synonym(s): *debrynei* Hecq, 1990
 7374) *Pseudathyma falcata* Jackson, 1969 (Argynnidae) Synonym(s): *falcata* Jackson, 1969
 7375) *Pseudathyma jocqueana* Hecq, 1990 (Argynnidae) Synonym(s): *jocqueana* Hecq, 1990
 7376) *Pseudathyma lucretioides* Carpenter & Jackson, 1950 (Argynnidae) Synonym(s): *lucretioides* Carpenter & Jackson, 1950
 7377) *Pseudathyma lucretioides lucretioides* Carpenter & Jackson, 1950 (Argynnidae) Synonym(s): *lucretioides* Carpenter & Jackson, 1950
 7378) *Pseudathyma lucretioides rondo* Kielland, 1987 (Argynnidae) Synonym(s): *rondo* Kielland, 1987
 7379) *Pseudathyma neptidina* Karsch, 1894 (Argynnidae) Synonym(s): *neptidina* Karsch, 1894
 7380) *Pseudathyma neptidina jacksoni* Carcasson, 1965 (Argynnidae) Synonym(s): *jacksoni* Carcasson, 1965
 7381) *Pseudathyma neptidina neptidina* Karsch, 1894 (Argynnidae) Synonym(s): *neptidina* Karsch, 1894
 7382) *Pseudathyma nzoia* Van Someren, 1939 (Argynnidae) Synonym(s): *nzoia* Van Someren, 1939
 7383) *Pseudathyma plutonica* Butler, 1902 (Argynnidae) Synonym(s): *plutonica* Butler, 1902
 7384) *Pseudathyma plutonica expansa* Kielland, 1978 (Argynnidae) Synonym(s): *expansa* Kielland, 1978
 7385) *Pseudathyma plutonica plutonica* Butler, 1902 (Argynnidae) Synonym(s): *plutonica* Butler, 1902
 7386) *Pseudathyma sibyllina* (Staudinger, 1890) (Argynnidae) Synonym(s): *sibyllina* Staudinger, 1890
 7387) *Pseudathyma uluguru* Kielland, 1985 (Argynnidae) Synonym(s): *uluguru* Kielland, 1985
 7388) *Pseudergolis avesta* C.Felder & R.Felder, [1867] (Argynnidae) Synonym(s): *avesta* C.Felder & R.Felder, [1867]
 7389) *Pseudergolis avesta avesta* C.Felder & R.Felder, [1867] (Argynnidae) Synonym(s): *avesta* C.Felder & R.Felder, [1867]
 7390) *Pseudergolis avesta toalarum* Holland, 1898 (Argynnidae) Synonym(s): *toalarum* Holland, 1898; *toalarum* Fruhstorfer, 1908
 7391) *Pseudergolis wedah* (Kollar, [1844]) (Argynnidae) Synonym(s): *wedah* Kollar, [1844]; *veda* Kirby, 1871.
 7392) *Pseudergolis wedah wedah* (Kollar, [1844]) (Argynnidae) Synonym(s): *wedah* Kollar, [1844]; *veda* Kirby, 1871.
 7393) *Pseudohypolimnas punctata* (Leech, 1890) (Argynnidae) Synonym(s): *punctata* Leech, 1890
 7394) *Pseudohypolimnas punctata punctata* (Leech, 1890) (Argynnidae) Synonym(s): *punctata* Leech, 1890
 7395) *Pseudoneptis bugandensis* Stoneham, 1935 (Argynnidae) Synonym(s): *bugandensis* Stoneham, 1935
 7396) *Pseudoneptis bugandensis bugandensis* Stoneham, 1935 (Argynnidae) Synonym(s): *bugandensis* Stoneham, 1935
 7397) *Pseudoneptis bugandensis ianthe* Hemming, 1964 (Argynnidae) Synonym(s): *coenobita* Fabricius, 1793 nec Cr., [1780]; *ianthe* Hemming, 1964
 7398) *Rhinopalpa polynice* (Cramer, [1779]) (Argynnidae) Synonym(s): *polynice* Cramer, [1779]
 7399) *Rhinopalpa polynice acharis* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *acharis* Fruhstorfer, 1913
 7400) *Rhinopalpa polynice amoeneice* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *amoeneice* Fruhstorfer, 1912
 7401) *Rhinopalpa polynice birmana* Fruhstorfer, [1898] (Argynnidae) Synonym(s): *birmana* Fruhstorfer, [1898]
 7402) *Rhinopalpa polynice callonice* Fruhstorfer, [1898] (Argynnidae) Synonym(s): *callonice* Fruhstorfer, [1898]
 7403) *Rhinopalpa polynice elpenice* C.Felder & R.Felder, 1867 (Argynnidae) Synonym(s): *elpenice* C.Felder & R.Felder, 1867
 7404) *Rhinopalpa polynice eudoxia* Guérin-Méneville, 1840 (Argynnidae) Synonym(s): *eudoxia* Guérin-Méneville, 1840; *fulva* C.Felder & R.Felder, 1860
 7405) *Rhinopalpa polynice eunice* Fruhstorfer, [1898] (Argynnidae) Synonym(s): *eunice* Fruhstorfer, [1898]
 7406) *Rhinopalpa polynice helionice* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *helionice* Fruhstorfer, 1913
 7407) *Rhinopalpa polynice megalonice* C.Felder & R.Felder, 1867 (Argynnidae) Synonym(s): *megalonice* C.Felder & R.Felder, 1867
 7408) *Rhinopalpa polynice mentawica* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *mentawica* Fruhstorfer, 1913
 7409) *Rhinopalpa polynice panayana* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *panayana* Fruhstorfer, 1912
 7410) *Rhinopalpa polynice polynice* (Cramer, [1779]) (Argynnidae) Synonym(s): *polynice* Cramer, [1779]
 7411) *Rhinopalpa polynice stratonice* C.Felder & R.Felder, [1867] (Argynnidae) Synonym(s): *stratonice* C.Felder & R.Felder, [1867]
 7412) *Rhinopalpa polynice tamora* Fruhstorfer, 1900 (Argynnidae) Synonym(s): *tamora* Fruhstorfer, 1900
 7413) *Rhinopalpa polynice tawanice* Schröder & Treadaway, 1989 (Argynnidae) Synonym(s): *tawanice* Schröder & Treadaway, 1989
 7414) *Rhinopalpa polynice validice* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *validice* Fruhstorfer, 1912
 7415) *Rohana nakula* (Moore, 1858) (Argynnidae) Synonym(s): *nakula* Moore, 1858
 7416) *Rohana nakula nakula* (Moore, 1858) (Argynnidae) Synonym(s): *nakula* Moore, 1858
 7417) *Rohana nakula thantoana* Kimura, 1994 (Argynnidae) Synonym(s): *thantoana* Kimura, 1994
 7418) *Rohana parisatis* (Westwood, 1850) (Argynnidae) Synonym(s): *parisatis* Westwood, 1850
 7419) *Rohana parisatis nana* Staudinger, 1889 (Argynnidae) Synonym(s): *nana* Staudinger, 1889
 7420) *Rohana parisatis parisatis* (Westwood, 1850) (Argynnidae) Synonym(s): *parisatis* Westwood, 1850
 7421) *Rohana parisatis siamensis* (Fruhstorfer, 1913) (Argynnidae) Synonym(s): *siamensis* Fruhstorfer, 1913
 7422) *Rohana parvata* (Moore, 1858) (Argynnidae) Synonym(s): *parvata* Moore, 1858
 7423) *Rohana parvata burmana* Tytler, 1940 (Argynnidae) Synonym(s): *burmana* Tytler, 1940
 7424) *Rohana parvata parvata* (Moore, 1858) (Argynnidae) Synonym(s): *parvata* Moore, 1858
 7425) *Rohana rhea* (C.Felder & R.Felder, 1863) (Argynnidae) Synonym(s): *rhea* C.Felder & R.Felder, 1863
 7426) *Rohana rhea babuyana* Tsukada, 1991 (Argynnidae) Synonym(s): *babuyana* Tsukada, 1991
 7427) *Rohana rhea danae* Fruhstorfer, 1906 (Argynnidae) Synonym(s): *danae* Fruhstorfer, 1906
 7428) *Rohana rhea dinagatana* Tsukada, 1991 (Argynnidae) Synonym(s): *dinagatana* Tsukada, 1991
 7429) *Rohana rhea mindora* Fruhstorfer, 1906 (Argynnidae) Synonym(s): *mindora* Fruhstorfer, 1906
 7430) *Rohana rhea negrosa* Tsukada, 1991 (Argynnidae) Synonym(s): *negrosa* Tsukada, 1991
 7431) *Rohana rhea rana* Staudinger, 1889 (Argynnidae) Synonym(s): *rana* Staudinger, 1889
 7432) *Rohana rhea rhea* (C.Felder & R.Felder, 1863) (Argynnidae) Synonym(s): *rhea* C.Felder & R.Felder, 1863
 7433) *Rohana rhea suluana* Tsukada, 1991 (Argynnidae) Synonym(s): *suluana* Tsukada, 1991
 7434) *Rohana tonkiniana* (Fruhstorfer, 1906) (Argynnidae) Synonym(s): *tonkiniana* Fruhstorfer, 1906
 7435) *Rohana tonkiniana tonkiniana* (Fruhstorfer, 1906) (Argynnidae) Synonym(s): *tonkiniana* Fruhstorfer, 1906
 7436) *Salamis anacardii* (Linnaeus, 1758) (Argynnidae) Synonym(s): *anacardii* Linnaeus, 1758
 7437) *Salamis anacardii anacardii* (Linnaeus, 1758) (Argynnidae) Synonym(s): *anacardii* Linnaeus, 1758
 7438) *Salamis anacardii ansorgei* Rothschild, 1904 (Argynnidae) Synonym(s): *ansorgei* Rothschild, 1904
 7439) *Salamis anacardii duprei* Vinson, 1863 (Argynnidae) Synonym(s): *duprei* Vinson, 1863; *definata* Butler, 1879; *billerei* Oberthür, 1925.
 7440) *Salamis anacardii nebulosa* Trimen, 1881 (Argynnidae) Synonym(s): *nebulosa* Trimen, 1881; *lurida* Niepelt, 1920; *#formosa* Stoneham, 1965; *#trimeni* Van Son, 1979.
 7441) *Salamis anteva* (Ward, 1870) (Argynnidae) Synonym(s): *anteva* Ward, 1870
 7442) *Salamis augustina* Boisduval, 1833 (Argynnidae) Synonym(s): *augustina* Boisduval, 1833
 7443) *Salamis augustina augustina* Boisduval, 1833 (Argynnidae) Synonym(s): *augustina* Boisduval, 1833
 7444) *Salamis augustina vinsoni* Le Cerf, 1922 (Argynnidae) Synonym(s): *vinsoni* Le Cerf, 1922
 7445) *Salamis cacta* (Fabricius, 1793) (Argynnidae) Synonym(s): *cacta* Fabricius, 1793; *languida* Bartel, 1905.

- 7446) *Salamis cacta amaniensis* Vosseler, 1907 (Argynnidiae) Synonym(s): *amaniensis* Vosseler, 1907
- 7447) *Salamis cacta cacta* (Fabricius, 1793) (Argynnidiae) Synonym(s): *cacta* Fabricius, 1793; *languida* Bartel, 1905.
- 7448) *Salamis cacta eileenae* Henning & Joannou, 1994 (Argynnidiae) Synonym(s): *eileenae* Henning & Joannou, 1994
- 7449) *Salamis parhassus* (Drury, 1782) (Argynnidiae) Synonym(s): *parhassus* Drury, 1782; *aethiops* Patissot, [1805] *nec* Esp., 1777; *aglatonice* Godart, [1819].
- 7450) *Salamis strandi* Röber, 1937 (Argynnidiae) Synonym(s): *strand* Röber, 1937
- 7451) *Salamis temora* C.Felder & R.Felder, [1867] (Argynnidiae) Synonym(s): *temora* C.Felder & R.Felder, [1867]; *amarantha* Butler, 1869.
- 7452) *Salamis temora temora* C.Felder & R.Felder, [1867] (Argynnidiae) Synonym(s): *temora* C.Felder & R.Felder, [1867]; *amarantha* Butler, 1869.
- 7453) *Salamis temora virescens* Suffert, 1904 (Argynnidiae) Synonym(s): *virescens* Suffert, 1904
- 7454) *Seokia pratti* (Leech, 1890) (Argynnidiae) Synonym(s): *pratti* Leech, 1890
- 7455) *Seokia pratti eximia* (Moltrecht, 1909) (Argynnidiae) Synonym(s): *eximia* Moltrecht, 1909; *jeftremovi* Nekrutenko, 1960.
- 7456) *Seokia pratti pratti* (Leech, 1890) (Argynnidiae) Synonym(s): *pratti* Leech, 1890
- 7457) *Sephisa chandra* (Moore, 1858) (Argynnidiae) Synonym(s): *chandra* Moore, 1858
- 7458) *Sephisa chandra chandra* (Moore, 1858) (Argynnidiae) Synonym(s): *chandra* Moore, 1858
- 7459) *Sephisa daimio* (Argynnidiae) Synonym(s):
- 7460) *Sephisa dichroa* (Kollar, [1844]) (Argynnidiae) Synonym(s): *dichroa* Kollar, [1844]
- 7461) *Sephisa dichroa dichroa* (Kollar, [1844]) (Argynnidiae) Synonym(s): *dichroa* Kollar, [1844]
- 7462) *Sephisa princeps* (Fixsen, 1887) (Argynnidiae) Synonym(s): *princeps* Fixsen, 1887; *albimacula* Leech, 1890; *cauta* Leech, 1890.
- 7463) *Sephisa princeps princeps* (Fixsen, 1887) (Argynnidiae) Synonym(s): *princeps* Fixsen, 1887; *albimacula* Leech, 1890; *cauta* Leech, 1890.
- 7464) *Sevenia amazoula* (Mabille, 1880) (Argynnidiae) Synonym(s): *amazoula* Mabille, 1880
- 7465) *Sevenia amulia* (Cramer, [1777]) (Argynnidiae) Synonym(s): *amulia* Cramer, [1777]
- 7466) *Sevenia amulia amulia* (Cramer, [1777]) (Argynnidiae) Synonym(s): *amulia* Cramer, [1777]
- 7467) *Sevenia amulia intermedia* (Carcasson, 1961) (Argynnidiae) Synonym(s): *intermedia* Carcasson, 1961
- 7468) *Sevenia benguelae* (Chapman, 1872) (Argynnidiae) Synonym(s): *benguelae* Chapman, 1872
- 7469) *Sevenia boisduvali* (Wallengren, 1857) (Argynnidiae) Synonym(s): *boisduvali* Wallengren, 1857
- 7470) *Sevenia boisduvali boisduvali* (Wallengren, 1857) (Argynnidiae) Synonym(s): *boisduvali* Wallengren, 1857
- 7471) *Sevenia boisduvali insularis* (Joicey & Talbot, 1926) (Argynnidiae) Synonym(s): *insularis* Joicey & Talbot, 1926
- 7472) *Sevenia boisduvali kaffana* (Rothschild & Jordan, 1903) (Argynnidiae) Synonym(s): *kaffana* Rothschild & Jordan, 1903; *#uniformis* Ungemach, 1932.
- 7473) *Sevenia boisduvali omissa* (Rothschild, 1918) (Argynnidiae) Synonym(s): *omissa* Rothschild, 1918
- 7474) *Sevenia consors* (Rothschild & Jordan, 1903) (Argynnidiae) Synonym(s): *consors* Rothschild & Jordan, 1903
- 7475) *Sevenia garega* (Karsch, 1892) (Argynnidiae) Synonym(s): *garega* Karsch, 1892; *ansorgei* Rothschild & Jordan, 1903
- 7476) *Sevenia howensis* (Staudinger, 1886) (Argynnidiae) Synonym(s): *howensis* Staudinger, 1886
- 7477) *Sevenia madagascariensis* (Boisduval, 1833) (Argynnidiae) Synonym(s): *madagascariensis* Boisduval, 1833
- 7478) *Sevenia moranti dubiosa* (Strand, 1911) (Argynnidiae) Synonym(s): *dubiosa* Strand, 1911
- 7479) *Sevenia morantii* (Trimen, 1881) (Argynnidiae) Synonym(s): *morantii* Trimen, 1881
- 7480) *Sevenia morantii morantii* (Trimen, 1881) (Argynnidiae) Synonym(s): *morantii* Trimen, 1881
- 7481) *Sevenia natalensis* (Boisduval, 1847) (Argynnidiae) Synonym(s): *natalensis* Boisduval, 1847; *wallengreni* Staudinger, 1886; *#melania* Van Son, 1979.
- 7482) *Sevenia occidentalis* (Mabille, 1876) (Argynnidiae) Synonym(s): *occidentalis* Mabille, 1876
- 7483) *Sevenia occidentalis occidentalis* (Mabille, 1876) (Argynnidiae) Synonym(s): *occidentalis* Mabille, 1876
- 7484) *Sevenia occidentalis penricei* (Rothschild & Jordan, 1903) (Argynnidiae) Synonym(s): *penricei* Rothschild & Jordan, 1903; *ribbei* Dewitz, 1879.
- 7485) *Sevenia pechueli* (Dewitz, 1879) (Argynnidiae) Synonym(s): *pechueli* Dewitz, 1879; *albicans* Gaede, 1916.
- 7486) *Sevenia pechueli pechueli* (Dewitz, 1879) (Argynnidiae) Synonym(s): *pechueli* Dewitz, 1879; *albicans* Gaede, 1916.
- 7487) *Sevenia pechueli rhodesiana* (Rothschild, 1918) (Argynnidiae) Synonym(s): *rhodesiana* Rothschild, 1918
- 7488) *Sevenia pseudotrimeri* (Kielland, 1985) (Argynnidiae) Synonym(s): *pseudotrimeri* Kielland, 1985
- 7489) *Sevenia rosa* (Hewitson, 1877) (Argynnidiae) Synonym(s): *rosa* Hewitson, 1877; *mafae* Staudinger, 1897.
- 7490) *Sevenia silvicola* (Schultze, 1917) (Argynnidiae) Synonym(s): *silvicola* Schultze, 1917
- 7491) *Sevenia trimeni* (Aurivillius, 1898) (Argynnidiae) Synonym(s): *trimeni* Aurivillius, 1898; *angolensis* Rothschild, 1918.
- 7492) *Sevenia trimeni major* (Rothschild, 1918) (Argynnidiae) Synonym(s): *major* Rothschild, 1918
- 7493) *Sevenia trimeni trimeni* (Aurivillius, 1898) (Argynnidiae) Synonym(s): *trimeni* Aurivillius, 1898; *angolensis* Rothschild, 1918.
- 7494) *Sevenia umbrina* (Karsch, 1892) (Argynnidiae) Synonym(s): *umbrina* Karsch, 1892
- 7495) *Siproeta epaphus* (Argynnidiae) Synonym(s):
- 7496) *Siproeta stelenes* (Linnaeus, 1758) (Argynnidiae) Synonym(s): *stelenes* Linnaeus, 1758; *lavinia* Fabricius, 1775
- 7497) *Siproeta stelenes biplagiata* (Fruhstorfer, 1907) (Argynnidiae) Synonym(s): *biplagiata* Fruhstorfer, 1907; *#pallida* Fruhstorfer, 1907; *insularis* Holland, 1916
- 7498) *Siproeta trayja* (Hübner, [1823]) (Argynnidiae) Synonym(s): *trayja* Hübner, [1823]
- 7499) *Smerina manoro* (Ward, 1871) (Argynnidiae) Synonym(s): *manoro* Ward, 1871
- 7500) *Smyrna blomfieldia* (Fabricius, 1781) (Argynnidiae) Synonym(s): *blomfieldia* Fabricius, 1781
- 7501) *Stibochiona nicea* (Gray, 1846) (Argynnidiae) Synonym(s): *nicea* Gray, 1846
- 7502) *Stibochiona nicea nicea* (Gray, 1846) (Argynnidiae) Synonym(s): *nicea* Gray, 1846
- 7503) *Stibochiona nicea subucula* (Fruhstorfer, [1898]) (Argynnidiae) Synonym(s): *subucula* Fruhstorfer, [1898]
- 7504) *Sumalia agneya* (Doherty, 1891) (Argynnidiae) Synonym(s): *agneya* Doherty, 1891
- 7505) *Sumalia daraxa* (Doubleday, [1848]) (Argynnidiae) Synonym(s): *daraxa* Doubleday, [1848]
- 7506) *Sumalia daraxa daraxa* (Doubleday, [1848]) (Argynnidiae) Synonym(s): *daraxa* Doubleday, [1848]
- 7507) *Sumalia daraxa theoda* (Fruhstorfer, 1903) (Argynnidiae) Synonym(s): *theoda* Fruhstorfer, 1903
- 7508) *Symbrenthia brabira* (Moore, 1872) (Argynnidiae) Synonym(s): *brabira* Moore, 1872
- 7509) *Symbrenthia hippoclus* (Cramer, [1779]) (Argynnidiae) Synonym(s): *hippoclus* Cramer, [1779]
- 7510) *Symbrenthia hippoclus anna* (Semper, 1888) (Argynnidiae) Synonym(s): *anna* Semper, 1888
- 7511) *Symbrenthia hippoclus aritus* (Fruhstorfer, 1912) (Argynnidiae) Synonym(s): *aritus* Fruhstorfer, 1912
- 7512) *Symbrenthia hippoclus dissoluta* (Staudinger, 1889) (Argynnidiae) Synonym(s): *dissoluta* Staudinger, 1889
- 7513) *Symbrenthia hippoclus emas* (Corbet, 1942) (Argynnidiae) Synonym(s): *emas* Corbet, 1942
- 7514) *Symbrenthia hippoclus galepus* (Fruhstorfer, 1908) (Argynnidiae) Synonym(s): *galepus* Fruhstorfer, 1908
- 7515) *Symbrenthia hippoclus hippoclus* (Cramer, [1779]) (Argynnidiae) Synonym(s): *hippoclus* Cramer, [1779]
- 7516) *Symbrenthia hippoclus jolonus* (Fruhstorfer, 1912) (Argynnidiae) Synonym(s): *jolonus* Fruhstorfer, 1912
- 7517) *Symbrenthia hippoclus selangorana* (Corbet, 1948) (Argynnidiae) Synonym(s): *selangorana* Corbet, 1948
- 7518) *Symbrenthia hippoclus sperchius* (Fruhstorfer, 1908) (Argynnidiae) Synonym(s): *sperchius* Fruhstorfer, 1908
- 7519) *Symbrenthia hypatia* (Wallace, 1869) (Argynnidiae) Synonym(s): *hypatia* Wallace, 1869
- 7520) *Symbrenthia hypatia chersonesia* (Fruhstorfer, [1894]) (Argynnidiae) Synonym(s): *chersonesia* Fruhstorfer, [1894]
- 7521) *Symbrenthia hypatia hypatia* (Wallace, 1869) (Argynnidiae) Synonym(s): *hypatia* Wallace, 1869
- 7522) *Symbrenthia hypatia mindanaensis* (Schröder & Treadaway, 1979) (Argynnidiae) Synonym(s): *mindanaensis* Schröder & Treadaway, 1979
- 7523) *Symbrenthia hypselis* (Godart, [1824]) (Argynnidiae) Synonym(s): *hypselis* Godart, [1824]
- 7524) *Symbrenthia hypselis hypselis* (Godart, [1824]) (Argynnidiae) Synonym(s): *hypselis* Godart, [1824]
- 7525) *Symbrenthia hypselis niphandina* (Fruhstorfer, 1912) (Argynnidiae) Synonym(s): *niphandina* Fruhstorfer, 1912
- 7526) *Symbrenthia hypselis scatinia* (Fruhstorfer, 1908) (Argynnidiae) Synonym(s): *scatinia* Fruhstorfer, 1908; *#mediocracea* Sugitani, 1932
- 7527) *Symbrenthia hypselis sinis* (De Nicéville, 1891) (Argynnidiae) Synonym(s): *sinis* De Nicéville, 1891
- 7528) *Symbrenthia intricata* (Fruhstorfer, 1897) (Argynnidiae) Synonym(s): *intricata* Fruhstorfer, 1897
- 7529) *Symbrenthia lilaea* (Hewitson, 1864) (Argynnidiae) Synonym(s): *lilaea* Hewitson, 1864
- 7530) *Symbrenthia lilaea formosanus* (Fruhstorfer, 1908) (Argynnidiae) Synonym(s): *formosanus* Fruhstorfer, 1908; *#horishana* Esaki & Nomura, 1930; *#unifascia* Matsumura, 1939; *#necopinatus* Matsumura, 1961
- 7531) *Symbrenthia lilaea luciana* (Fruhstorfer, 1907) (Argynnidiae) Synonym(s): *luciana* Fruhstorfer, 1907
- 7532) *Symbrenthia lilaea semperi* (Moore, 1899) (Argynnidiae) Synonym(s): *semperi* Moore, 1899
- 7533) *Symbrenthia lilaea thimo* (Fruhstorfer, 1907) (Argynnidiae) Synonym(s): *thimo* Fruhstorfer, 1907
- 7534) *Symbrenthia niphanda* (Moore, 1872) (Argynnidiae) Synonym(s): *niphanda* Moore, 1872
- 7535) *Symbrenthia niphanda niphanda* (Moore, 1872) (Argynnidiae) Synonym(s): *niphanda* Moore, 1872

- 7536) *Tacola larymna* (Doubleday,[1848]) (Argynnidae) Synonym(s): *larymna* Doubleday,[1848]
 7537) *Tacola larymna agina* (Fruhstorfer,1898) (Argynnidae) Synonym(s): *agina* Fruhstorfer,1898
 7538) *Tacola larymna negrosiana* (Schröder & Treadaway,1988) (Argynnidae) Synonym(s): *negrosiana* Schröder & Treadaway,1988
 7539) *Tacola larymna panayana* Schröder & Treadaway,1979 (Argynnidae) Synonym(s): *panayana* Schröder & Treadaway,1979
 7540) *Tacola magindana* Semper,1878 (Argynnidae) Synonym(s): *magindana* Semper,1878
 7541) *Tacola magindana magindana* Semper,1878 (Argynnidae) Synonym(s): *magindana* Semper,1878
 7542) *Tacola magindana pizarrasi* M.Okano & T.Okano,1988 (Argynnidae) Synonym(s): *pizarrasi* M.Okano & T.Okano,1988
 7543) *Tacola magindana zilana* Fruhstorfer,1906 (Argynnidae) Synonym(s): *zilana* Fruhstorfer,1906
 7544) *Tanaecia* (Cynitia) *cocytus* (Fabricius,1787) (Argynnidae) Synonym(s): *cocytus* Fabricius,1787
 7545) *Tanaecia* (Cynitia) *cocytus cocytus* (Fabricius,1787) (Argynnidae) Synonym(s): *cocytus* Fabricius,1787
 7546) *Tanaecia* (Cynitia) *flora* Butler,1873 (Argynnidae) Synonym(s): *flora* Butler,1873
 7547) *Tanaecia* (Cynitia) *flora andersonii* (Moore,1884) (Argynnidae) Synonym(s): *andersonii* Moore,1884
 7548) *Tanaecia* (Cynitia) *flora flora* Butler,1873 (Argynnidae) Synonym(s): *flora* Butler,1873
 7549) *Tanaecia* (Cynitia) *godartii* (Gray,1846) (Argynnidae) Synonym(s): *godartii* Gray,1846
 7550) *Tanaecia* (Cynitia) *godartii asoka* (C.Felder & R.Felder,[1867]) (Argynnidae) Synonym(s): *asoka* C.Felder & R.Felder,[1867]
 7551) *Tanaecia* (Cynitia) *godartii godartii* (Gray,1846) (Argynnidae) Synonym(s): *godartii* Gray,1846
 7552) *Tanaecia* (Cynitia) *iapis* (Godart,[1824]) (Argynnidae) Synonym(s): *iapis* Godart,[1824]
 7553) *Tanaecia* (Cynitia) *iapis iapis* (Godart,[1824]) (Argynnidae) Synonym(s): *iapis* Godart,[1824]
 7554) *Tanaecia* (Cynitia) *iapis puseda* (Moore,1858) (Argynnidae) Synonym(s): *puseda* Moore,1858
 7555) *Tanaecia* (Cynitia) *lepidea* Butler,1869 (Argynnidae) Synonym(s): *lepidea* Butler,1869
 7556) *Tanaecia* (Cynitia) *lepidea cognata* (Moore,1890) (Argynnidae) Synonym(s): *cognata* Moore,1890
 7557) *Tanaecia* (Cynitia) *lepidea lepidea* Butler,1869 (Argynnidae) Synonym(s): *lepidea* Butler,1869
 7558) *Tanaecia* (Cynitia) *lepidea sthavara* (Fruhstorfer,1913) (Argynnidae) Synonym(s): *sthavara* Fruhstorfer,1913
 7559) *Tanaecia* (Kirontisa) *telchinia* (Ménétrières,1857) (Argynnidae) Synonym(s): *telchinia* Ménétrières,1857
 7560) *Tanaecia* (Kirontisa) *telchinia telchinia* (Ménétrières,1857) (Argynnidae) Synonym(s): *telchinia* Ménétrières,1857
 7561) *Tanaecia* (s.str.) *aruna* (C.Felder & R.Felder,1860) (Argynnidae) Synonym(s): *aruna* C.Felder & R.Felder,1860
 7562) *Tanaecia* (s.str.) *aruna aruna* (C.Felder & R.Felder,1860) (Argynnidae) Synonym(s): *aruna* C.Felder & R.Felder,1860
 7563) *Tanaecia* (s.str.) *aruna palawana* Staudinger,1889 (Argynnidae) Synonym(s): *palawana* Staudinger,1889
 7564) *Tanaecia* (s.str.) *aruna pallida* Schröder, Treadaway & Nuyda,1990 (Argynnidae) Synonym(s): *pallida* Schröder, Treadaway & Nuyda,1990
 7565) *Tanaecia* (s.str.) *aruna rudraca* Fruhstorfer,1913 (Argynnidae) Synonym(s): *rudraca* Fruhstorfer,1913
 7566) *Tanaecia* (s.str.) *clathrata* (Vollenhoven,1862) (Argynnidae) Synonym(s): *clathrata* Vollenhoven,1862
 7567) *Tanaecia* (s.str.) *clathrata clathrata* (Vollenhoven,1862) (Argynnidae) Synonym(s): *clathrata* Vollenhoven,1862
 7568) *Tanaecia* (s.str.) *clathrata violaria* Butler,1869 (Argynnidae) Synonym(s): *violaria* Butler,1869
 7569) *Tanaecia* (s.str.) *jahnu* (Moore,1858) (Argynnidae) Synonym(s): *jahnu* Moore,1858
 7570) *Tanaecia* (s.str.) *jahnu jahnides* Fruhstorfer,1905 (Argynnidae) Synonym(s): *jahnides* Fruhstorfer,1905
 7571) *Tanaecia* (s.str.) *jahnu jahnu* (Moore,1858) (Argynnidae) Synonym(s): *jahnu* Moore,1858
 7572) *Tanaecia* (s.str.) *julii* (Lesson,1837) (Argynnidae) Synonym(s): *julii* Lesson,1837
 7573) *Tanaecia* (s.str.) *julii julii* (Lesson,1837) (Argynnidae) Synonym(s): *julii* Lesson,1837
 7574) *Tanaecia* (s.str.) *julii odilina* Fruhstorfer,1913 (Argynnidae) Synonym(s): *odilina* Fruhstorfer,1913
 7575) *Tanaecia* (s.str.) *julii xiphones* Butler,1869 (Argynnidae) Synonym(s): *xiphones* Butler,1869
 7576) *Tanaecia* (s.str.) *munda* Fruhstorfer,1899 (Argynnidae) Synonym(s): *munda* Fruhstorfer,1899
 7577) *Tanaecia* (s.str.) *munda munda* Fruhstorfer,1899 (Argynnidae) Synonym(s): *munda* Fruhstorfer,1899
 7578) *Tanaecia* (s.str.) *munda waterstradii* Corbet,1941 (Argynnidae) Synonym(s): *waterstradii* Corbet,1941
 7579) *Tanaecia* (s.str.) *palguna* (Moore,1858) (Argynnidae) Synonym(s): *palguna* Moore,1858
 7580) *Tanaecia* (s.str.) *palguna consanguinea* Distant,1886 (Argynnidae) Synonym(s): *consanguinea* Distant,1886
 7581) *Tanaecia* (s.str.) *palguna palguna* (Moore,1858) (Argynnidae) Synonym(s): *palguna* Moore,1858
 7582) *Tanaecia* (s.str.) *pelea* (Fabricius,1787) (Argynnidae) Synonym(s): *pelea* Fabricius,1787
 7583) *Tanaecia* (s.str.) *pelea dohertyi* Butler,1901 (Argynnidae) Synonym(s): *dohertyi* Butler,1901
 7584) *Tanaecia* (s.str.) *pelea pele* (Fabricius,1787) (Argynnidae) Synonym(s): *pelea* Fabricius,1787
 7585) *Tanaecia* *calliphorus* C.Felder,1863 (Argynnidae) Synonym(s): *calliphorus* C.Felder,1863
 7586) *Tanaecia* *calliphorus calliphorus* C.Felder,1863 (Argynnidae) Synonym(s): *calliphorus* C.Felder,1863
 7587) *Tanaecia* *calliphorus smaragdifera* Fruhstorfer,1912 (Argynnidae) Synonym(s): *smaragdifera* Fruhstorfer,1912
 7588) *Tanaecia* *calliphorus treadawayi* Tsukada,1991 (Argynnidae) Synonym(s): *treadawayi* Tsukada,1991
 7589) *Tanaecia* *calliphorus volupia* Tsukada & Nishiyama,1981 (Argynnidae) Synonym(s): *volupia* Tsukada & Nishiyama,1981
 7590) *Tanaecia* *leucotaenia* Semper,1878 (Argynnidae) Synonym(s): *leucotaenia* Semper,1878
 7591) *Tanaecia* *leucotaenia aquamarina* Fruhstorfer,1912 (Argynnidae) Synonym(s): *aquamarina* Fruhstorfer,1912
 7592) *Tanaecia* *leucotaenia dinorah* Fruhstorfer,1899 (Argynnidae) Synonym(s): *dinorah* Fruhstorfer,1899
 7593) *Tanaecia* *leucotaenia exul* Tsukada & Nishiyama,1980 (Argynnidae) Synonym(s): *exul* Tsukada & Nishiyama,1980
 7594) *Tanaecia* *leucotaenia kulaya* Treadaway & Nuyda,1994 (Argynnidae) Synonym(s): *kulaya* Treadaway & Nuyda,1994
 7595) *Tanaecia* *leucotaenia leucotaenia* Semper,1878 (Argynnidae) Synonym(s): *leucotaenia* Semper,1878
 7596) *Tanaecia* *lupina* Druce,1874 (Argynnidae) Synonym(s): *lupina* Druce,1874
 7597) *Tanaecia* *lupina borromeoi* Schröder,1977 (Argynnidae) Synonym(s): *borromeoi* Schröder,1977
 7598) *Tanaecia* *lupina howarthi* Jumalon,1975 (Argynnidae) Synonym(s): *howarthi* Jumalon,1975
 7599) *Tanaecia* *lupina lupina* Druce,1874 (Argynnidae) Synonym(s): *lupina* Druce,1874
 7600) *Tanaecia* *lupina panayana* Schröder & Treadaway,1980 (Argynnidae) Synonym(s): *panayana* Schröder & Treadaway,1980
 7601) *Tanaecia* *susoni* Jumalon,1975 (Argynnidae) Synonym(s): *susoni* Jumalon,1975
 7602) *Tarratia* *cosmia* Semper,1878 (Argynnidae) Synonym(s): *cosmia* Semper,1878
 7603) *Tarratia* *cosmia cosmia* Semper,1878 (Argynnidae) Synonym(s): *cosmia* Semper,1878
 7604) *Tarratia* *cosmia pindola* Fruhstorfer,1906 (Argynnidae) Synonym(s): *pindola* Fruhstorfer,1906
 7605) *Tarratia* *gutama* (Moore,1858) (Argynnidae) Synonym(s): *gutama* Moore,1858
 7606) *Tarratia* *gutama canlaonensis* M.Okano & T.Okano,1986 (Argynnidae) Synonym(s): *canlaonensis* M.Okano & T.Okano,1986
 7607) *Tarratia* *gutama cebuensis* M.Okano & T.Okano,1986 (Argynnidae) Synonym(s): *cebuensis* M.Okano & T.Okano,1986
 7608) *Tarratia* *gutama gutama* (Moore,1858) (Argynnidae) Synonym(s): *gutama* Moore,1858
 7609) *Tarratia* *gutama sibuyana* Tsukada,1991 (Argynnidae) Synonym(s): *sibuyana* Tsukada,1991
 7610) *Tarratia* *gutama teldeniya* Fruhstorfer,1912 (Argynnidae) Synonym(s): *teldeniya* Fruhstorfer,1912
 7611) *Terinos* *abisares* C.Felder & R.Felder,1867 (Argynnidae) Synonym(s): *abisares* C.Felder & R.Felder,1867
 7612) *Terinos* *abisares abisares* C.Felder & R.Felder,1867 (Argynnidae) Synonym(s): *abisares* C.Felder & R.Felder,1867
 7613) *Terinos* *abisares poros* Fruhstorfer,1906 (Argynnidae) Synonym(s): *poros* Fruhstorfer,1906
 7614) *Terinos* *atlita* (Fabricius,1787) (Argynnidae) Synonym(s): *atlita* Fabricius,1787
 7615) *Terinos* *atlita atlita* (Fabricius,1787) (Argynnidae) Synonym(s): *atlita* Fabricius,1787
 7616) *Terinos* *atlita fulminans* Butler,1869 (Argynnidae) Synonym(s): *fulminans* Butler,1869
 7617) *Terinos* *atlita miletum* Oberthür,1877 (Argynnidae) Synonym(s): *miletum* Oberthür,1877; ? *falcata* Fruhstorfer,1898; ? *lioneli* Fruhstorfer,1906
 7618) *Terinos* *atlita teuthras* Hewitson,1862 (Argynnidae) Synonym(s): *teuthras* Hewitson,1862
 7619) *Terinos* *clarissa Boisduval*,1836 (Argynnidae) Synonym(s): *clarissa* Boisduval,1836
 7620) *Terinos* *clarissa aurensis* Eliot (Argynnidae) Synonym(s):
 7621) *Terinos* *clarissa banguyana* Fruhstorfer,1912 (Argynnidae) Synonym(s): *banguyana* Fruhstorfer,1912
 7622) *Terinos* *clarissa Boisduval*,1836 (Argynnidae) Synonym(s): *clarissa* Boisduval,1836
 7623) *Terinos* *clarissa dinnaga* Fruhstorfer,1906 (Argynnidae) Synonym(s): *dinnaga* Fruhstorfer,1906
 7624) *Terinos* *clarissa homonhonensis* Treadaway & Nuyda,1994 (Argynnidae) Synonym(s): *homonhonensis* Treadaway & Nuyda,1994
 7625) *Terinos* *clarissa lucia* Staudinger,1889 (Argynnidae) Synonym(s): *lucia* Staudinger,1889
 7626) *Terinos* *clarissa luciella* Fruhstorfer,1912 (Argynnidae) Synonym(s): *luciella* Fruhstorfer,1912

- 7627) *Terinos clarissa lucilla* Butler, 1870 (Argynnidae) Synonym(s): *lucilla* Butler, 1870
7628) *Terinos clarissa ludmilla* Staudinger (Argynnidae) Synonym(s):
7629) *Terinos clarissa malayana* Fruhstorfer, 1906 (Argynnidae) Synonym(s): *malayana* Fruhstorfer, 1906
7630) *Terinos clarissa nympha* Wallace (Argynnidae) Synonym(s):
7631) *Terinos clarissa suluensis* Treadaway & Nuyda, 1994 (Argynnidae) Synonym(s): *suluensis* Treadaway & Nuyda, 1994
7632) *Terinos romeo* Schröder & Treadaway, 1984 (Argynnidae) Synonym(s): *romeo* Schröder & Treadaway, 1984
7633) *Terinos terpander* Hewitson, 1862 (Argynnidae) Synonym(s): *terpander* Hewitson, 1862
7634) *Terinos terpander bangkanensis* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *bangkanensis* Fruhstorfer, 1913
7635) *Terinos terpander blachieri* Fruhstorfer, 1914 (Argynnidae) Synonym(s): *blachieri* Fruhstorfer, 1914
7636) *Terinos terpander intermedia* Godfrey, 1916 (Argynnidae) Synonym(s): *intermedia* Godfrey, 1916
7637) *Terinos terpander natunensis* Fruhstorfer, 1901 (Argynnidae) Synonym(s): *natunensis* Fruhstorfer, 1901
7638) *Terinos terpander niasica* Fruhstorfer, 1901 (Argynnidae) Synonym(s): *niasica* Fruhstorfer, 1901
7639) *Terinos terpander piepersi* Martin (Argynnidae) Synonym(s):
7640) *Terinos terpander robertsia* Butler, 1867 (Argynnidae) Synonym(s): *robertsia* Butler, 1867
7641) *Terinos terpander teos* Nicéville (Argynnidae) Synonym(s):
7642) *Terinos terpander terpander* Hewitson, 1862 (Argynnidae) Synonym(s): *terpander* Hewitson, 1862
7643) *Terinos terpander tiomanensis* Eliot (Argynnidae) Synonym(s):
7644) *Texola elada* (Hewitson, 1868) (Argynnidae) Synonym(s): *elada* Hewitson, 1868
7645) *Thaleropsis ionia* (Eversmann, 1851) (Argynnidae) Synonym(s): *ionia* Eversmann, 1851; *ammonia* Herrich-Schäffer, 1851.
7646) *Thaleropsis ionia ionia* (Eversmann, 1851) (Argynnidae) Synonym(s): *ionia* Eversmann, 1851; *ammonia* Herrich-Schäffer, 1851.
7647) *Thessalia chinatiensis* (Tinkham, 1944) (Argynnidae) Synonym(s): *chinatiensis* Tinkham, 1944
7648) *Thessalia cyneas* (Godman & Salvin, [1878]) (Argynnidae) Synonym(s): *cyneas* Godman & Salvin, [1878]
7649) *Thessalia fulvia* (W.H. Edwards, 1879) (Argynnidae) Synonym(s): *fulvia* W.H. Edwards, 1879
7650) *Thessalia leanira* (C. Felder & R. Felder, 1860) (Argynnidae) Synonym(s): *leanira* C. Felder & R. Felder, 1860
7651) *Thessalia theona* (Ménétriés, 1855) (Argynnidae) Synonym(s): *theona* Ménétriés, 1855
7652) *Timelea maculata* (Bremer & Grey, 1852) (Argynnidae) Synonym(s): *maculata* Bremer & Grey, 1852
7653) *Vagrans egista* (Cramer, [1780]) (Argynnidae) Synonym(s): *egista* Cramer, [1780]
7654) *Vagrans egista brixia* (Fruhstorfer, 1912) (Argynnidae) Synonym(s): *brixia* Fruhstorfer, 1912
7655) *Vagrans egista creaghana* Pryor & Cator (Argynnidae) Synonym(s):
7656) *Vagrans egista macromalayana* (Fruhstorfer, 1912) (Argynnidae) Synonym(s): *macromalayana* Fruhstorfer, 1912
7657) *Vagrans egista nupta* Staudinger (Argynnidae) Synonym(s):
7658) *Vagrans sinha* (Kollar, [1844]) (Argynnidae) Synonym(s): *sinha* Kollar, [1844]
7659) *Vagrans sinha sinha* (Kollar, [1844]) (Argynnidae) Synonym(s): *sinha* Kollar, [1844]
7660) *Vanessa atalanta* (Linnaeus, 1758) (Argynnidae) Synonym(s): *atalanta* Linnaeus, 1758; *amiralis* Retzius, 1783; *#klemensiewiczii* Schille, 1896; *#klime*
Fischer, 1896; italica Stichel, 1900.
7661) *Vanessa atalanta atalanta* (Linnaeus, 1758) (Argynnidae) Synonym(s): *atalanta* Linnaeus, 1758; *amiralis* Retzius, 1783; *#klemensiewiczii* Schille, 1896; *#klime*
Fischer, 1896; italica Stichel, 1900.
7662) *Vanessa atalanta rubria* (Fruhstorfer, 1909) (Argynnidae) Synonym(s): *rubria* Fruhstorfer, 1909
7663) *Vanessa dejeani* Godart, [1824] (Argynnidae) Synonym(s): *dejeani* Godart, [1824]
7664) *Vanessa dejeani dejeani* Godart, [1824] (Argynnidae) Synonym(s): *dejeani* Godart, [1824]
7665) *Vanessa dejeani mounseyi* Talbot, 1936 (Argynnidae) Synonym(s): *mounseyi* Talbot, 1936
7666) *Vanessa dejeani sambaluna* Fruhstorfer, 1898 (Argynnidae) Synonym(s): *sambaluna* Fruhstorfer, 1898
7667) *Vanessa indica* (Herbst, 1794) (Argynnidae) Synonym(s): *indica* Herbst, 1794; *calliroe* Hübner, 1806
7668) *Vanessa indica buana* Fruhstorfer, 1898 (Argynnidae) Synonym(s): *buana* Fruhstorfer, 1898
7669) *Vanessa indica indica* (Herbst, 1794) (Argynnidae) Synonym(s): *indica* Herbst, 1794; *calliroe* Hübner, 1806
7670) *Vanessa indica nubicola* Fruhstorfer, 1898 (Argynnidae) Synonym(s): *nubicola* Fruhstorfer, 1898
7671) *Vanessa indica pholoe* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *pholoe* Fruhstorfer, 1912
7672) *Vanessa samani* Hagen, 1896 (Argynnidae) Synonym(s): *samani* Hagen, 1896
7673) *Vanessa tameneamea* (Argynnidae) Synonym(s):
7674) *Vanessa vulcania* Godart, [1819] (Argynnidae) Synonym(s): *vulcania* Godart, [1819]
7675) *Vanessa vulcania vulcania* Godart, [1819] (Argynnidae) Synonym(s): *vulcania* Godart, [1819]
7676) *Vanessula milca* (Hewitson, 1873) (Argynnidae) Synonym(s): *milca* Hewitson, 1873; *buchneri* Dewitz, 1887
7677) *Vanessula milca angustifascia* Joicey & Talbot, 1928 (Argynnidae) Synonym(s): *angustifascia* Joicey & Talbot, 1928
7678) *Vanessula milca latifasciata* Joicey & Talbot, 1928 (Argynnidae) Synonym(s): *latifasciata* Joicey & Talbot, 1928
7679) *Vanessula milca milca* (Hewitson, 1873) (Argynnidae) Synonym(s): *milca* Hewitson, 1873; *buchneri* Dewitz, 1887
7680) *Vindula dejone* (Erichson, 1834) (Argynnidae) Synonym(s): *dejonge* Erichson, 1834
7681) *Vindula dejone basanica* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *basanica* Fruhstorfer, 1912
7682) *Vindula dejone bongana* Schröder & Treadaway, 1989 (Argynnidae) Synonym(s): *bongana* Schröder & Treadaway, 1989
7683) *Vindula dejone celebensis* Butler, 1874 (Argynnidae) Synonym(s): *celebensis* Butler, 1874
7684) *Vindula dejone dajakorum* Fruhstorfer, 1906 (Argynnidae) Synonym(s): *dajakorum* Fruhstorfer, 1906
7685) *Vindula dejone dejone* (Erichson, 1834) (Argynnidae) Synonym(s): *dejonge* Erichson, 1834
7686) *Vindula dejone dioneia* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *dioneia* Fruhstorfer, 1912
7687) *Vindula dejone erotella* (Butler, [1879]) (Argynnidae) Synonym(s): *erotella* Butler, [1879]; *cantori* Distant, 1882
7688) *Vindula dejone erotoides* Nicéville (Argynnidae) Synonym(s):
7689) *Vindula dejone javana* Fruhstorfer, 1899 (Argynnidae) Synonym(s): *javana* Fruhstorfer, 1899
7690) *Vindula dejone natunensis* Fruhstorfer, 1906 (Argynnidae) Synonym(s): *natunensis* Fruhstorfer, 1906
7691) *Vindula dejone palawanica* Fruhstorfer, 1899 (Argynnidae) Synonym(s): *palawanica* Fruhstorfer, 1899
7692) *Vindula dejone rafflesi* Pendlebury, 1939 (Argynnidae) Synonym(s): *rafflesi* Pendlebury, 1939
7693) *Vindula dejone sibuensis* Schröder & Treadaway, 1989 (Argynnidae) Synonym(s): *sibuensis* Schröder & Treadaway, 1989
7694) *Vindula dejone tiomana* (Pendlebury, 1933) (Argynnidae) Synonym(s): *tiomana* Pendlebury, 1933
7695) *Vindula erota* (Fabricius, 1793) (Argynnidae) Synonym(s): *erota* Fabricius, 1793
7696) *Vindula erota asela* Moore, 1872 (Argynnidae) Synonym(s): *asela* Moore, 1872
7697) *Vindula erota banta* Eliot, 1956 (Argynnidae) Synonym(s): *banta* Eliot, 1956
7698) *Vindula erota battaka* (Martin, 1894) (Argynnidae) Synonym(s): *battaka* Martin, 1894
7699) *Vindula erota boetonensis* (Juriaanse & Lindemann, 1920) (Argynnidae) Synonym(s): *boetonensis* Juriaanse & Lindemann, 1920
7700) *Vindula erota chersonesia* Pendlebury, 1939 (Argynnidae) Synonym(s): *chersonesia* Pendlebury, 1939
7701) *Vindula erota erota* (Fabricius, 1793) (Argynnidae) Synonym(s): *erota* Fabricius, 1793
7702) *Vindula erota gedecana* Fruhstorfer, 1906 (Argynnidae) Synonym(s): *gedecana* Fruhstorfer, 1906
7703) *Vindula erota montana* Fruhstorfer, 1899 (Argynnidae) Synonym(s): *montana* Fruhstorfer, 1899
7704) *Vindula erota orahilia* Kheil, 1884 (Argynnidae) Synonym(s): *orahilia* Kheil, 1884
7705) *Vindula erota pallida* (Staudinger, 1885) (Argynnidae) Synonym(s): *pallida* Staudinger, 1885
7706) *Vindula erota saloma* (De Nicéville, 1886) (Argynnidae) Synonym(s): *saloma* De Nicéville, 1886
7707) *Vindula erota sulaensis* (Joicey & Talbot, 1924) (Argynnidae) Synonym(s): *sulaensis* Joicey & Talbot, 1924
7708) *Yoma sabina* (Cramer, [1780]) (Argynnidae) Synonym(s): *sabina* Cramer, [1780]
7709) *Yoma sabina atomaria* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *atomaria* Fruhstorfer, 1912
7710) *Yoma sabina javana* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *javana* Fruhstorfer, 1912
7711) *Yoma sabina podium* Tsukada, 1985 (Argynnidae) Synonym(s): *podium* Tsukada, 1985
7712) *Yoma sabina sabina* (Cramer, [1780]) (Argynnidae) Synonym(s): *sabina* Cramer, [1780]
7713) *Yoma sabina vasuki* Doherty, 1886 (Argynnidae) Synonym(s): *vasuki* Doherty, 1886
7714) *Zalapia patala* (Kollar, [1844]) (Argynnidae) Synonym(s): *patala* Kollar, [1844]
7715) *Zalapia patala patala* (Kollar, [1844]) (Argynnidae) Synonym(s): *patala* Kollar, [1844]

- 7716) *Ambloima klimeschi* Gozmany, 1975 (Autostichidae) Synonym(s): *klimeschi* Gozmany, 1975
 7717) *Amselina cedestiella* (Zeller, 1868) (Autostichidae) Synonym(s): *cedestiella* Zeller, 1868; *dissoluta* Staudinger, 1870.
 7718) *Amselina emir* (Gozmany, 1961) (Autostichidae) Synonym(s): *emir* Gozmany, 1961
 7719) *Amselina kasyi* (Gozmany, 1961) (Autostichidae) Synonym(s): *kasyi* Gozmany, 1961
 7720) *Amselina minorita* (Gozmany, 1968) (Autostichidae) Synonym(s): *minorita* Gozmany, 1968
 7721) *Amselina olympi* (Gozmany, 1957) (Autostichidae) Synonym(s): *olympi* Gozmany, 1957
 7722) *Amselina parapsesta* Gozmany, 1986 (Autostichidae) Synonym(s): *parapsesta* Gozmany, 1986
 7723) *Amselina virgo* (Gozmany, 1959) (Autostichidae) Synonym(s): *virgo* Gozmany, 1959
 7724) *Apatema hispanicum* Gozmany, 1985 (Autostichidae) Synonym(s): *hispanicum* Gozmany, 1985
 7725) *Apatema impunctella* Amsel, 1940 (Autostichidae) Synonym(s): *impunctella* Amsel, 1940
 7726) *Apatema mediopallidum* Walsingham, 1900 (Autostichidae) Synonym(s): *mediopallidum* Walsingham, 1900
 7727) *Apatema whalleyi* Popescu-Gorj & Capuse, 1965 (Autostichidae) Synonym(s): *whalleyi* Popescu-Gorj & Capuse, 1965
 7728) *Apiletria* (Aretascetis) *apaurta* Gozmany, 1965 (Autostichidae) Synonym(s): *apaurta* Gozmany, 1965
 7729) *Apiletria* (Aretascetis) *endoperena* (Meyrick, 1936) (Autostichidae) Synonym(s): *endoperena* Meyrick, 1936
 7730) *Apiletria* (Aretascetis) *murcidella* (Christoph, 1876) (Autostichidae) Synonym(s): *murcidella* Christoph, 1876
 7731) *Apiletria* (Aretascetis) *purulentella* Stainton, 1867 (Autostichidae) Synonym(s): *purulentella* Stainton, 1867
 7732) *Apiletria* (Xystoceros) *artaxerxes* Gozmany, 1965 (Autostichidae) Synonym(s): *artaxerxes* Gozmany, 1965
 7733) *Apiletria* (Xystoceros) *nervosa* Stainton, 1867 (Autostichidae) Synonym(s): *nervosa* Stainton, 1867
 7734) *Apiletria* (Xystoceros) *tripleura* (Meyrick, 1914) (Autostichidae) Synonym(s): *tripleura* Meyrick, 1914
 7735) *Apiletria* (s.str.) *asirica* Gozmany, 1982 (Autostichidae) Synonym(s): *asirica* Gozmany, 1982
 7736) *Apiletria* (s.str.) *luella* Lederer, 1855 (Autostichidae) Synonym(s): *luella* Lederer, 1855
 7737) *Aprominta* *aga* Gozmany, 1962 (Autostichidae) Synonym(s): *aga* Gozmany, 1962
 7738) *Aprominta* *aladdin* Gozmany, 1963 (Autostichidae) Synonym(s): *aladdin* Gozmany, 1963
 7739) *Aprominta* *arenbergeri* Gozmany, 1968 (Autostichidae) Synonym(s): *arenbergeri* Gozmany, 1968
 7740) *Aprominta* *argonauta* Gozmany, 1964 (Autostichidae) Synonym(s): *argonauta* Gozmany, 1964
 7741) *Aprominta* *atricanella* (Rebel, 1906) (Autostichidae) Synonym(s): *atricanella* Rebel, 1906
 7742) *Aprominta* *bifasciata* (Staudinger, 1870) (Autostichidae) Synonym(s): *bifasciata* Staudinger, 1870; *virginella* Rebel, 1902.
 7743) *Aprominta* *cryptogamarum* (Millière, 1872) (Autostichidae) Synonym(s): *cryptogamarum* Millière, 1872
 7744) *Aprominta* *designatella* (Herrich-Schäffer, [1855]) (Autostichidae) Synonym(s): *designatella* Herrich-Schäffer, [1855]
 7745) *Aprominta* *gloriosa* Gozmany, 1959 (Autostichidae) Synonym(s): *gloriosa* Gozmany, 1959
 7746) *Aprominta* *orphanella* (Rebel, 1883) (Autostichidae) Synonym(s): *orphanella* Rebel, 1883
 7747) *Aprominta* *pannosella* (Rebel, 1906) (Autostichidae) Synonym(s): *pannosella* Rebel, 1906
 7748) *Aprominta* *reisseri* Gozmany, 1959 (Autostichidae) Synonym(s): *reisseri* Gozmany, 1959
 7749) *Aprominta* *separata* Gozmany, 1961 (Autostichidae) Synonym(s): *separata* Gozmany, 1961
 7750) *Aprominta* *syriacella* Ragonot, 1895 (Autostichidae) Synonym(s): *syriacella* Ragonot, 1895
 7751) *Aprominta* *tectaphella* (Rebel, 1916) (Autostichidae) Synonym(s): *tectaphella* Rebel, 1916
 7752) *Aprominta* *xena* Gozmany, 1959 (Autostichidae) Synonym(s): *xena* Gozmany, 1959
 7753) *Arragonia* *anatolica* Gozmany, 1986 (Autostichidae) Synonym(s): *anatolica* Gozmany, 1986
 7754) *Arragonia* *kautzi* (Rebel, 1928) (Autostichidae) Synonym(s): *kautzi* Rebel, 1928
 7755) *Arragonia* *punctivittella* (Zerny, 1927) (Autostichidae) Synonym(s): *punctivittella* Zerny, 1927
 7756) *Arragonia* *tunesella* Amsel, 1942 (Autostichidae) Synonym(s): *tunesella* Amsel, 1942
 7757) *Arragonia* *tunesella* *tunesella* Amsel, 1942 (Autostichidae) Synonym(s): *tunesella* Amsel, 1942
 7758) *Autosticha* *emmetra* Meyrick, 1921 (Autostichidae) Synonym(s): *emmetra* Meyrick, 1921
 7759) *Autosticha* *nothropis* Meyrick, 1921 (Autostichidae) Synonym(s): *nothropis* Meyrick, 1921
 7760) *Catasphalma* *kautziella* (Rebel, 1935) (Autostichidae) Synonym(s): *kautziella* Rebel, 1935
 7761) *Charadraula* *cassandra* Gozmany, 1967 (Autostichidae) Synonym(s): *cassandra* Gozmany, 1967
 7762) *Charadraula* *parcella* (Lederer, 1855) (Autostichidae) Synonym(s): *parcella* Lederer, 1855; *chersopsamma* Meyrick, 1931.
 7763) *Charadraula* *parcella* *parcella* (Lederer, 1855) (Autostichidae) Synonym(s): *parcella* Lederer, 1855; *chersopsamma* Meyrick, 1931.
 7764) *Cyllaraxis* *cambyes* Gozmany, 2000 (Autostichidae) Synonym(s): *cambyes* Gozmany, 2000
 7765) *Cyllaraxis* *cambyes* *cambyes* Gozmany, 2000 (Autostichidae) Synonym(s): *cambyes* Gozmany, 2000
 7766) *Cyllaraxis* *cyrus* Gozmany, 2000 (Autostichidae) Synonym(s): *cyrus* Gozmany, 2000
 7767) *Cyllaraxis* *cyrus* *cyrus* Gozmany, 2000 (Autostichidae) Synonym(s): *cyrus* Gozmany, 2000
 7768) *Deroxena* *venosulella* (Möschler, 1862) (Autostichidae) Synonym(s): *venosulella* Möschler, 1862; *neglectella* Lederer, 1863.
 7769) *Donaspastus* *bosellii* (Hartig, 1941) (Autostichidae) Synonym(s): *bosellii* Hartig, 1941
 7770) *Donaspastus* *delicatella* (Walsingham, 1901) (Autostichidae) Synonym(s): *delicatella* Walsingham, 1901
 7771) *Donaspastus* *digitatus* Gozmany, 1985 (Autostichidae) Synonym(s): *digitatus* Gozmany, 1985
 7772) *Donaspastus* *djinn* Gozmany, 1963 (Autostichidae) Synonym(s): *djinn* Gozmany, 1963
 7773) *Donaspastus* *liguricus* Gozmany, 1977 (Autostichidae) Synonym(s): *liguricus* Gozmany, 1977
 7774) *Donaspastus* *pannonicus* Gozmany, 1952 (Autostichidae) Synonym(s): *pannonicus* Gozmany, 1952
 7775) *Dysspastus* *baldizzonei* Gozmany, 1977 (Autostichidae) Synonym(s): *baldizzonei* Gozmany, 1977
 7776) *Dysspastus* *cinerascens* Gozmany, 1968 (Autostichidae) Synonym(s): *cinerascens* Gozmany, 1968
 7777) *Dysspastus* *fallax* (Gozmany, 1961) (Autostichidae) Synonym(s): *fallax* Gozmany, 1961; *demon* Gozmany, 1963; *uncinatus* Gozmany, 1976
 7778) *Dysspastus* *hartigi* Gozmany, 1977 (Autostichidae) Synonym(s): *hartigi* Gozmany, 1977
 7779) *Dysspastus* *mediterraneus* (Gozmany, 1957) (Autostichidae) Synonym(s): *mediterraneus* Gozmany, 1957
 7780) *Dysspastus* *musculina* (Staudinger, 1870) (Autostichidae) Synonym(s): *musculina* Staudinger, 1870
 7781) *Dysspastus* *perpygmaella* (Walsingham, 1901) (Autostichidae) Synonym(s): *perpygmaella* Walsingham, 1901
 7782) *Dysspastus* *undecimpunctella* (Mann, 1864) (Autostichidae) Synonym(s): *undecimpunctellus* Mann, 1864
 7783) *Epanastasis* *excellens* Gozmany, 1977 (Autostichidae) Synonym(s): *excellens* Gozmany, 1977
 7784) *Eremica* *effendi* Gozmany, 1963 (Autostichidae) Synonym(s): *effendi* Gozmany, 1963
 7785) *Eremica* *eremita* Gozmany, 1963 (Autostichidae) Synonym(s): *eremita* Gozmany, 1963
 7786) *Eremica* *wiltshirei* Gozmany, 1963 (Autostichidae) Synonym(s): *wiltshirei* Gozmany, 1963
 7787) *Gobiletria* *kaszabi* Gozmany, 1964 (Autostichidae) Synonym(s): *kaszabi* Gozmany, 1964
 7788) *Gobiletria* *kaszabi* *kaszabi* Gozmany, 1964 (Autostichidae) Synonym(s): *kaszabi* Gozmany, 1964
 7789) *Hecestoptera* *kyra* Gozmany, 1961 (Autostichidae) Synonym(s): *kyra* Gozmany, 1961
 7790) *Heringita* *amselina* (Gozmany, 1967) (Autostichidae) Synonym(s): *amseli* Gozmany, 1963 nec Gozm., 1954; *amselina* Gozmany, 1967.
 7791) *Heringita* *amselina* *amselina* (Gozmany, 1967) (Autostichidae) Synonym(s): *amseli* Gozmany, 1963 nec Gozm., 1954; *amselina* Gozmany, 1967.
 7792) *Heringita* *dentulata* (Gozmany, 1867) (Autostichidae) Synonym(s): *dentulata* Gozmany, 1867
 7793) *Heringita* *dentulata* *dentulata* (Gozmany, 1867) (Autostichidae) Synonym(s): *dentulata* Gozmany, 1867
 7794) *Heringita* *heringi* Agenjo, 1953 (Autostichidae) Synonym(s): *heringi* Agenjo, 1953; *amseli* Gozmany, 1954.
 7795) *Heringita* *perarmata* Gozmany, 2000 (Autostichidae) Synonym(s): *perarmata* Gozmany, 2000
 7796) *Heringita* *perarmata* *perarmata* Gozmany, 2000 (Autostichidae) Synonym(s): *perarmata* Gozmany, 2000
 7797) *Hesperesta* *achromatella* (Turati, 1930) (Autostichidae) Synonym(s): *achromatella* Turati, 1930
 7798) *Hesperesta* *achromatella* *achromatella* (Turati, 1930) (Autostichidae) Synonym(s): *achromatella* Turati, 1930
 7799) *Hesperesta* *arabica* Gozmany, 2000 (Autostichidae) Synonym(s): *arabica* Gozmany, 2000
 7800) *Hesperesta* *arabica* *arabica* Gozmany, 2000 (Autostichidae) Synonym(s): *arabica* Gozmany, 2000
 7801) *Hesperesta* *geminella* (Chrétien, 1915) (Autostichidae) Synonym(s): *geminella* Chrétien, 1915; *perstriellus* Amsel, 1942.
 7802) *Hesperesta* *hartigi* (Turati, 1934) (Autostichidae) Synonym(s): *hartigi* Turati, 1934
 7803) *Hesperesta* *hartigi* *hartigi* (Turati, 1934) (Autostichidae) Synonym(s): *hartigi* Turati, 1934
 7804) *Hieronala* *huri* Gozmany, 1963 (Autostichidae) Synonym(s): *huri* Gozmany, 1963
 7805) *Holcopogon* *bubulcellus* (Staudinger, 1859) (Autostichidae) Synonym(s): *bubulcellus* Staudinger, 1859; *pulverulellus* Constant, 1865; *barbata* Walsingham, 1900.
 7806) *Holcopogon* *bubulcellus* *helveolellus* Staudinger, 1879 (Autostichidae) Synonym(s): *helveolellus* Staudinger, 1879

- 7807) *Holcopogon croesus* Gozmany, 2000 (Autostichidae) Synonym(s): *croesus* Gozmany, 2000
 7808) *Holcopogon croesus croesus* Gozmany, 2000 (Autostichidae) Synonym(s): *croesus* Gozmany, 2000
 7809) *Holcopogon glaserorum* Gozmany, 1987 (Autostichidae) Synonym(s): *glaserorum* Gozmany, 1987
 7810) *Holcopogon rhyodes* (Meyrick, 1909) (Autostichidae) Synonym(s): *rhyodes* Meyrick, 1909; *amphicentra* Meyrick, 1913
 7811) *Holcopogon scaeocentra* Meyrick, 1921 (Autostichidae) Synonym(s): *scaeocentra* Meyrick, 1921
 7812) *Holcopogon tucki* Vives Moreno, 1999 (Autostichidae) Synonym(s): *tucki* Vives Moreno, 1999
 7813) *Indiospastus epenteticus* (Meyrick, 1931) (Autostichidae) Synonym(s): *epenteticus* Meyrick, 1931
 7814) *Irenidora serenisca* Meyrick, 1938 (Autostichidae) Synonym(s): *serenisca* Meyrick, 1938
 7815) *Kullashara kalifella* (Amsel, 1949) (Autostichidae) Synonym(s): *kalifella* Amsel, 1949; *#khalifa* Hacker, 1999
 7816) *Leilaptera lithochroma* (Walsingham, 1904) (Autostichidae) Synonym(s): *lithochroma* Walsingham, 1904; *longicornella* Chrétien, 1915
 7817) *Megasymmoca forsteri* Gozmany, 1963 (Autostichidae) Synonym(s): *forsteri* Gozmany, 1963
 7818) *Megasymmoca maga* Gozmany, 1963 (Autostichidae) Synonym(s): *maga* Gozmany, 1963
 7819) *Megasymmoca mithra* Gozmany, 1963 (Autostichidae) Synonym(s): *mithra* Gozmany, 1963
 7820) *Megasymmoca mithridates* Gozmany, 1963 (Autostichidae) Synonym(s): *mithridates* Gozmany, 1963
 7821) *Megasymmoca persica* Gozmany, 1963 (Autostichidae) Synonym(s): *persica* Gozmany, 1963
 7822) *Megasymmoca sahname* Gozmany, 1963 (Autostichidae) Synonym(s): *sahname* Gozmany, 1963
 7823) *Megasymmoca satrapa* Gozmany, 1963 (Autostichidae) Synonym(s): *satrapa* Gozmany, 1963
 7824) *Megasymmoca sheherezade* Gozmany, 1963 (Autostichidae) Synonym(s): *sheherezade* Gozmany, 1963
 7825) *Megasymmoca sindbad* Gozmany, 1963 (?) (Autostichidae) Synonym(s): *#sindbad* Gozmany, 1963
 7826) *Metaxitagma connivens* Gozmany, 1985 (Autostichidae) Synonym(s): *connivens* Gozmany, 1985
 7827) *Mylothra christophi* Gozmany, 1967 (Autostichidae) Synonym(s): *christophi* Gozmany, 1967
 7828) *Mylothra megalomera* Gozmany (Autostichidae) Synonym(s):
 7829) *Mylothra pyrrhella* Ragonot, 1895 (Autostichidae) Synonym(s): *pyrrhella* Ragonot, 1895; *zeitunella* Rebel, 1902.
 7830) *Nukusa cinerella* (Rebel, 1941) (Autostichidae) Synonym(s): *cinerella* Rebel, 1941
 7831) *Nukusa praeditella* (Rebel, 1891) (Autostichidae) Synonym(s): *praeditella* Rebel, 1891
 7832) *Oecia oecophila* (Staudinger, 1876) (Autostichidae) Synonym(s): *oecophila* Staudinger, 1876; *maculata* Walsingham, 1897; *busadeli* Rebel, 1910.
 7833) *Oegoconia ariadne* Gozmany, 1988 (Autostichidae) Synonym(s): *ariadne* Gozmany, 1988
 7834) *Oegoconia caradjai* Popescu-Gorj & Capuse, 1965 (Autostichidae) Synonym(s): *caradjai* Popescu-Gorj & Capuse, 1965
 7835) *Oegoconia deauratella* (Herrich-Schäffer, [1854]) (Autostichidae) Synonym(s): *deauratella* Herrich-Schäffer, [1854]; *bacescui* Popescu-Gorj & Capuse, 1965
 7836) *Oegoconia meladantis* (Meyrick, 1921) (Autostichidae) Synonym(s): *meladantis* Meyrick, 1921; *cyrota* Meyrick, 1921
 7837) *Oegoconia novimundi* (Busck, 1915) (Autostichidae) Synonym(s): *novimundi* Busck, 1915
 7838) *Oegoconia parodia* Gozmany, 1988 (Autostichidae) Synonym(s): *parodia* Gozmany, 1988
 7839) *Oegoconia quadripuncta* (Haworth, [1828]) (Autostichidae) Synonym(s): *quadripuncta* Haworth, [1828]; *deauratella* Stainton, 1849; *#quadripunctata* Noack, 1960.
 7840) *Oegoconia syndesma* Meyrick, 1926 (Autostichidae) Synonym(s): *syndesma* Meyrick, 1926
 7841) *Oegoconia uralskella* Popescu-Gorj & Capuse, 1965 (Autostichidae) Synonym(s): *uralskella* Popescu-Gorj & Capuse, 1965
 7842) *Oegoconia uralskella corsa* Sutter & Liska, 2002 (Autostichidae) Synonym(s): *corsa* Sutter & Liska, 2002
 7843) *Orpecovalva acantha* (Gozmany, 1963) (Autostichidae) Synonym(s): *acantha* Gozmany, 1963
 7844) *Orpecovalva aphrodite* Gozmany, 1986 (Autostichidae) Synonym(s): *aphrodite* Gozmany, 1986
 7845) *Orpecovalva burmanni* (Gozmany, 1962) (Autostichidae) Synonym(s): *burmanni* Gozmany, 1962
 7846) *Orpecovalva diadema* Gozmany, 1977 (Autostichidae) Synonym(s): *diadema* Gozmany, 1977
 7847) *Orpecovalva glaseri* Gozmany, 1977 (Autostichidae) Synonym(s): *glaseri* Gozmany, 1977
 7848) *Orpecovalva mallorcae* Gozmany, 1975 (Autostichidae) Synonym(s): *mallorcae* Gozmany, 1975
 7849) *Pachnistis craniota* (Meyrick, 1913) (Autostichidae) Synonym(s): *craniota* Meyrick, 1913; *propitia* Meyrick, 1913; *consors* Meyrick, 1921
 7850) *Pantacordis pales* Gozmany, 1954 (Autostichidae) Synonym(s): *pales* Gozmany, 1954
 7851) *Pantacordis pallida* (Staudinger, 1876) (Autostichidae) Synonym(s): *pallida* Staudinger, 1876
 7852) *Pantacordis pantsa* (Gozmany, 1963) (Autostichidae) Synonym(s): *pantsa* Gozmany, 1963
 7853) *Pantacordis scotinella* (Rebel, 1916) (Autostichidae) Synonym(s): *scotinella* Rebel, 1916
 7854) *Pecteneremus albella* (Amsel, 1959) (Autostichidae) Synonym(s): *albella* Amsel, 1959; *griseella* Amsel, 1959.
 7855) *Pecteneremus brandti* Gozmany (Autostichidae) Synonym(s): *brandti* Gozmany
 7856) *Pecteneremus decipiens* Gozmany, 1967 (Autostichidae) Synonym(s): *decipiens* Gozmany, 1967
 7857) *Pecteneremus padishah* Gozmany, 1963 (Autostichidae) Synonym(s): *padishah* Gozmany, 1963
 7858) *Pecteneremus pharaoh* Gozmany, 1963 (Autostichidae) Synonym(s): *pharaoh* Gozmany, 1963
 7859) *Pecteneremus pilatus* Gozmany, 1963 (Autostichidae) Synonym(s): *pilatus* Gozmany, 1963
 7860) *Pecteneremus walsinghami* Gozmany, 1967 (Autostichidae) Synonym(s): *walsinghami* Gozmany, 1967
 7861) *Procometis (Hyostola) acharma* Meyrick, 1908 (Autostichidae) Synonym(s): *acharma* Meyrick, 1908
 7862) *Procometis (Hyostola) oxypora* Meyrick, 1908 (Autostichidae) Synonym(s): *oxypora* Meyrick, 1908
 7863) *Procometis (Hyostola) terrena* Meyrick, 1908 (Autostichidae) Synonym(s): *terrena* Meyrick, 1908
 7864) *Procometis (s.str.) limitata* Meyrick, 1911 (Autostichidae) Synonym(s): *limitata* Meyrick, 1911
 7865) *Procometis (s.str.) milvina* Meyrick, 1914 (Autostichidae) Synonym(s): *milvina* Meyrick, 1914
 7866) *Procometis (s.str.) ochricilia* Meyrick, 1921 (Autostichidae) Synonym(s): *ochricilia* Meyrick, 1921
 7867) *Stibaromacha ratella* (Herrich-Schäffer, 1854) (Autostichidae) Synonym(s): *ratella* Herrich-Schäffer, 1854; *sericeella* Rebel, 1917
 7868) *Symmocantha sparsella* (De Joannis, 1891) (Autostichidae) Synonym(s): *sparsella* De Joannis, 1891.
 7869) *Symmoca achrestella* Rebel, 1889 (Autostichidae) Synonym(s): *achrestella* Rebel, 1889
 7870) *Symmoca albicanella* Zeller, 1868 (Autostichidae) Synonym(s): *albicanella* Zeller, 1868
 7871) *Symmoca alhambrella* Walsingham, 1911 (Autostichidae) Synonym(s): *alhambrella* Walsingham, 1911
 7872) *Symmoca attalica* Gozmany, 1957 (Autostichidae) Synonym(s): *attalica* Gozmany, 1957
 7873) *Symmoca caliginella* Mann, 1867 (Autostichidae) Synonym(s): *caliginella* Mann, 1867
 7874) *Symmoca christenseni* Gozmany, 1982 (Autostichidae) Synonym(s): *christenseni* Gozmany, 1982
 7875) *Symmoca cinerariella* (Mann, 1859) (Autostichidae) Synonym(s): *cinerariella* Mann, 1859
 7876) *Symmoca contristella* Caradja, 1920 (Autostichidae) Synonym(s): *contristella* Caradja, 1920
 7877) *Symmoca costobscurella* Amsel, 1950 (Autostichidae) Synonym(s): *costobscurella* Amsel, 1950
 7878) *Symmoca crocodesma* Meyrick, 1911 (Autostichidae) Synonym(s): *crocodesma* Meyrick, 1911
 7879) *Symmoca deprinsi* Gozmany, 2001 (Autostichidae) Synonym(s): *deprinsi* Gozmany, 2001
 7880) *Symmoca designella* Herrich-Schäffer, 1855 (Autostichidae) Synonym(s): *designella* Herrich-Schäffer, 1855
 7881) *Symmoca dodecatella* Staudinger, 1859 (Autostichidae) Synonym(s): *dodecatella* Staudinger, 1859
 7882) *Symmoca dolomitana* Huemer & Gozmany, 1992 (Autostichidae) Synonym(s): *dolomitana* Huemer & Gozmany, 1992
 7883) *Symmoca fuscella* Amsel, 1959 (Autostichidae) Synonym(s): *fuscella* Amsel, 1959
 7884) *Symmoca italica* Gozmany, 1962 (Autostichidae) Synonym(s): *italica* Gozmany, 1962
 7885) *Symmoca libanicolella* Zerny, 1934 (Autostichidae) Synonym(s): *libanicolella* Zerny, 1934
 7886) *Symmoca longipalpella* Rebel, 1914 (Autostichidae) Synonym(s): *longipalpella* Rebel, 1914
 7887) *Symmoca nigromaculella* Ragonot, 1875 (Autostichidae) Synonym(s): *nigromaculella* Ragonot, 1875
 7888) *Symmoca oenophila* Staudinger, 1871 (Autostichidae) Synonym(s): *oenophila* Staudinger, 1871; *muricella* Chrétien, 1896; *altitudinis* Gozmany, 1962
 7889) *Symmoca parvella* Chrétien, 1915 (Autostichidae) Synonym(s): *parvella* Chrétien, 1915
 7890) *Symmoca perobscurata* Gozmany, 1957 (Autostichidae) Synonym(s): *perobscurata* Gozmany, 1957
 7891) *Symmoca petrogenes* Walsingham, 1907 (Autostichidae) Synonym(s): *petrogenes* Walsingham, 1907
 7892) *Symmoca pleostigmella* Rebel, 1917 (Autostichidae) Synonym(s): *pleostigmella* Rebel, 1917
 7893) *Symmoca pyrenaica* Gozmany, 1985 (Autostichidae) Synonym(s): *pyrenaica* Gozmany, 1985
 7894) *Symmoca revoluta* Gozmany, 1985 (Autostichidae) Synonym(s): *revoluta* Gozmany, 1985
 7895) *Symmoca rifella* (Zerny, 1932) (Autostichidae) Synonym(s): *rifella* Zerny, 1932; *bomalodoxa* Meyrick, 1935
 7896) *Symmoca salem* Gozmany, 1963 (Autostichidae) Synonym(s): *salem* Gozmany, 1963
 7897) *Symmoca salinata* Gozmany, 1986 (Autostichidae) Synonym(s): *salinata* Gozmany, 1986

- 7898) *Symmoca sattleri* Gozmany, 1962 (Autostichidae) Synonym(s): *sattleri* Gozmany, 1962
 7899) *Symmoca senora* Gozmany, 1977 (Autostichidae) Synonym(s): *senora* Gozmany, 1977
 7900) *Symmoca serrata* Gozmany, 1985 (Autostichidae) Synonym(s): *serrata* Gozmany, 1985
 7901) *Symmoca signatella* Herrich-Schäffer, 1854 (Autostichidae) Synonym(s): *signatella* Herrich-Schäffer, 1854; *rosmarinella* Walsingham, 1901
 7902) *Symmoca signella* (Hübner, 1796) (Autostichidae) Synonym(s): *signella* Hübner, 1796
 7903) *Symmoca simulans* Gozmany, 1985 (Autostichidae) Synonym(s): *simulans* Gozmany, 1985
 7904) *Symmoca sorrissa* Gozmany, 1975 (Autostichidae) Synonym(s): *sorrissa* Gozmany, 1975
 7905) *Symmoca straminella* Gozmany, 1986 (Autostichidae) Synonym(s): *straminella* Gozmany, 1986
 7906) *Symmoca striolatella* Gozmany, 1963 (Autostichidae) Synonym(s): *striolatella* Gozmany, 1963
 7907) *Symmoca sultan* Gozmany, 1962 (Autostichidae) Synonym(s): *sultan* Gozmany, 1962
 7908) *Symmoca tofosella* Rebel, 1893 (Autostichidae) Synonym(s): *tofosella* Rebel, 1893
 7909) *Symmoca torrida* Gozmany, 1961 (Autostichidae) Synonym(s): *torrida* Gozmany, 1961
 7910) *Symmoca tristella* Caradja, 1920 (Autostichidae) Synonym(s): *tristella* Caradja, 1920
 7911) *Symmoca uniformella* Rebel, 1900 (Autostichidae) Synonym(s): *uniformella* Rebel, 1900
 7912) *Symmoca vitiosella* Zeller, 1868 (Autostichidae) Synonym(s): *vitiosella* Zeller, 1868
 7913) *Symmocoides don* (Gozmany, 1963) (Autostichidae) Synonym(s): *don* Gozmany, 1963
 7914) *Symmocoides gozmanyi* (Amsel, 1959) (Autostichidae) Synonym(s): *gozmanyi* Amsel, 1959
 7915) *Symmocoides marthae* (Gozmany, 1957) (Autostichidae) Synonym(s): *marthae* Gozmany, 1957
 7916) *Symmocoides oxybiellus* (Millière, 1872) (Autostichidae) Synonym(s): *oxybiellus* Millière, 1872; *astuta* Gozmany, 1961
 7917) *Syssymmoca sahib* Gozmany, 1963 (Autostichidae) Synonym(s): *sahib* Gozmany, 1963
 7918) *Telephirca quadrifariella* (Mann, 1855) (Autostichidae) Synonym(s): *quadrifariella* Mann, 1855
 7919) *Tenietia evae* Gozmany, 1967 (Autostichidae) Synonym(s): *evae* Gozmany, 1967
 7920) *Turatia arenacea* Gozmany, 2000 (Autostichidae) Synonym(s): *arenacea* Gozmany, 2000
 7921) *Turatia arenacea arenacea* Gozmany, 2000 (Autostichidae) Synonym(s): *arenacea* Gozmany, 2000
 7922) *Turatia argillacea* Gozmany, 2000 (Autostichidae) Synonym(s): *argillacea* Gozmany, 2000
 7923) *Turatia chretieni* Gozmany, 2000 (Autostichidae) Synonym(s): *chretieni* Gozmany, 2000
 7924) *Turatia chretieni chretieni* Gozmany, 2000 (Autostichidae) Synonym(s): *chretieni* Gozmany, 2000
 7925) *Turatia cinerascens* (Turati, 1926) (Autostichidae) Synonym(s): *cinerascens* Turati, 1926
 7926) *Turatia cinerascens cinerascens* (Turati, 1926) (Autostichidae) Synonym(s): *cinerascens* Turati, 1926
 7927) *Turatia foeldvarii* (Gozmany, 1959) (Autostichidae) Synonym(s): *foeldvarii* Gozmany, 1959
 7928) *Turatia foeldvarii foeldvarii* (Gozmany, 1959) (Autostichidae) Synonym(s): *foeldvarii* Gozmany, 1959
 7929) *Turatia iranica* Gozmany, 2000 (Autostichidae) Synonym(s): *iranica* Gozmany, 2000
 7930) *Turatia iranica iranica* Gozmany, 2000 (Autostichidae) Synonym(s): *iranica* Gozmany, 2000
 7931) *Turatia morettii* (Turati, 1926) (Autostichidae) Synonym(s): *morettii* Turati, 1926
 7932) *Turatia morettii morettii* (Turati, 1926) (Autostichidae) Synonym(s): *morettii* Turati, 1926
 7933) *Turatia psameticella* (Rebel, 1914) (Autostichidae) Synonym(s): *psameticella* Rebel, 1914
 7934) *Turatia psameticella psameticella* (Rebel, 1914) (Autostichidae) Synonym(s): *psameticella* Rebel, 1914
 7935) *Turatia psammella* (Amsel, 1935) (Autostichidae) Synonym(s): *psammella* Amsel, 1935
 7936) *Turatia psammella psammella* (Amsel, 1935) (Autostichidae) Synonym(s): *psammella* Amsel, 1935
 7937) *Turatia rhyodes* (Meyrick, 1909) (Autostichidae) Synonym(s): *rhyodes* Meyrick, 1909
 7938) *Turatia rhyodes rhyodes* (Meyrick, 1909) (Autostichidae) Synonym(s): *rhyodes* Meyrick, 1909
 7939) *Turatia scaeocentra* (Meyrick, 1921) (Autostichidae) Synonym(s): *scaeocentra* Meyrick, 1921
 7940) *Turatia scaeocentra scaeocentra* (Meyrick, 1921) (Autostichidae) Synonym(s): *scaeocentra* Meyrick, 1921
 7941) *Turatia scioneura* (Meyrick, 1929) (Autostichidae) Synonym(s): *scioneura* Meyrick, 1929
 7942) *Turatia scioneura scioneura* (Meyrick, 1929) (Autostichidae) Synonym(s): *scioneura* Meyrick, 1929
 7943) *Turatia scutigera* Gozmany, 2000 (Autostichidae) Synonym(s): *scutigera* Gozmany, 2000
 7944) *Turatia scutigera scutigera* Gozmany, 2000 (Autostichidae) Synonym(s): *scutigera* Gozmany, 2000
 7945) *Turatia serratina* (Gozmany, 1967) (Autostichidae) Synonym(s): *serratina* Gozmany, 1967
 7946) *Turatia serratina serratina* (Gozmany, 1967) (Autostichidae) Synonym(s): *serratina* Gozmany, 1967
 7947) *Turatia striatula* Gozmany, 2000 (Autostichidae) Synonym(s): *striatula* Gozmany, 2000
 7948) *Turatia striatula striatula* Gozmany, 2000 (Autostichidae) Synonym(s): *striatula* Gozmany, 2000
 7949) *Turatia tenebrata* Gozmany, 2000 (Autostichidae) Synonym(s): *tenebrata* Gozmany, 2000
 7950) *Turatia tenebrata tenebrata* Gozmany, 2000 (Autostichidae) Synonym(s): *tenebrata* Gozmany, 2000
 7951) *Turatia turpicula* Gozmany, 2000 (Autostichidae) Synonym(s): *turpicula* Gozmany, 2000
 7952) *Xenoplaxa seraf* Gozmany, 1963 (Autostichidae) Synonym(s): *seraf* Gozmany, 1963
 7953) *Batrachedra acrodeta* Meyrick, 1927 (Batrachedridae) Synonym(s): *acrodeta* Meyrick, 1927
 7954) *Batrachedra agaura* Meyrick, 1901 (Batrachedridae) Synonym(s): *agaura* Meyrick, 1901
 7955) *Batrachedra amydraula* Meyrick, 1916 (Batrachedridae) Synonym(s): *amydraula* Meyrick, 1916
 7956) *Batrachedra atomosella* Walsingham, 1900 (Batrachedridae) Synonym(s): *atomosella* Walsingham, 1900
 7957) *Batrachedra epombra* Meyrick, 1914 (Batrachedridae) Synonym(s): *epombra* Meyrick, 1914
 7958) *Batrachedra granosa* Meyrick, 1911 (Batrachedridae) Synonym(s): *granosa* Meyrick, 1911
 7959) *Batrachedra halans* Meyrick, 1924 (Batrachedridae) Synonym(s): *halans* Meyrick, 1924
 7960) *Batrachedra heliota* Meyrick, 1913 (Batrachedridae) Synonym(s): *heliota* Meyrick, 1913
 7961) *Batrachedra isochtha* Meyrick, 1914 (Batrachedridae) Synonym(s): *isochtha* Meyrick, 1914
 7962) *Batrachedra kabulella* (Kasy, 1969) (Batrachedridae) Synonym(s): *kabulella* Kasy, 1969
 7963) *Batrachedra microbias* Meyrick, 1914 (Batrachedridae) Synonym(s): *microbias* Meyrick, 1914
 7964) *Batrachedra oemias* Meyrick, 1909 (Batrachedridae) Synonym(s): *oemias* Meyrick, 1909
 7965) *Batrachedra parvulipunctella* Chrétien, 1915 (Batrachedridae) Synonym(s): *parvulipunctella* Chrétien, 1915; *phragmitidella* Mariani, 1936
 7966) *Batrachedra phaneropa* Meyrick, 1914 (Batrachedridae) Synonym(s): *phaneropa* Meyrick, 1914
 7967) *Batrachedra philocarpa* Meyrick, 1921 (Batrachedridae) Synonym(s): *philocarpa* Meyrick, 1921
 7968) *Batrachedra pinicolella* (Zeller, 1839) (Batrachedridae) Synonym(s): *pinicolella* Zeller, 1839
 7969) *Batrachedra praeangusta* (Haworth, 1828) (Batrachedridae) Synonym(s): *praeangusta* Haworth, 1828; *turdipennella* Kollar, 1832; *praeangustella* Doubleday, 1859; *clemensella* Chambers, 1877
 7970) *Batrachedra saurota* Meyrick, 1911 (Batrachedridae) Synonym(s): *saurota* Meyrick, 1911
 7971) *Batrachedra stegodyphobia* Walsingham, 1903 (Batrachedridae) Synonym(s): *stegodyphobia* Walsingham, 1903
 7972) *Asaphocrita obsoletella* (Krogerus, 1947) (Blastobasidae) Synonym(s): *obsoletella* Krogerus, 1947
 7973) *Blastobasis acarta* Meyrick, 1911 (Blastobasidae) Synonym(s): *acarta* Meyrick, 1911
 7974) *Blastobasis acuta* Bradley, 1958 (Blastobasidae) Synonym(s): *acuta* Bradley, 1958
 7975) *Blastobasis albidella* Rebel, 1928 (Blastobasidae) Synonym(s): *albidella* Rebel, 1928
 7976) *Blastobasis arguta* Meyrick, 1918 (Blastobasidae) Synonym(s): *arguta* Meyrick, 1918
 7977) *Blastobasis basipectenella* Adamski, 2003 (Blastobasidae) Synonym(s): *basipectenella* Adamski, 2003
 7978) *Blastobasis bispinaella* Adamski, 2003 (Blastobasidae) Synonym(s): *bispinaella* Adamski, 2003
 7979) *Blastobasis byrsodepta* Meyrick, 1913 (Blastobasidae) Synonym(s): *byrsodepta* Meyrick, 1913
 7980) *Blastobasis decolorella* Wollaston, 1858 (Blastobasidae) Synonym(s): *decolorella* Wollaston, 1858
 7981) *Blastobasis determinata* Meyrick, 1921 (Blastobasidae) Synonym(s): *determinata* Meyrick, 1921
 7982) *Blastobasis egens* Meyrick, 1918 (Blastobasidae) Synonym(s): *egens* Meyrick, 1918
 7983) *Blastobasis eridryas* Meyrick, 1932 (Blastobasidae) Synonym(s): *eridryas* Meyrick, 1932
 7984) *Blastobasis evanescens* Walsingham, 1901 (Blastobasidae) Synonym(s): *evanescens* Walsingham, 1901
 7985) *Blastobasis extensa* Meyrick, 1918 (Blastobasidae) Synonym(s): *extensa* Meyrick, 1918
 7986) *Blastobasis fatigata* Meyrick, 1914 (Blastobasidae) Synonym(s): *fatigata* Meyrick, 1914
 7987) *Blastobasis fuscomaculella* Ragonot, 1879 (Blastobasidae) Synonym(s): *fuscomaculella* Ragonot, 1879

- 7988) *Blastobasis huemeri* Sinev,1994 (Blastobasidae) Synonym(s): *huemeri* Sinev,1994
7989) *Blastobasis ianella* Adamski,2003 (Blastobasidae) Synonym(s): *ianella* Adamski,2003
7990) *Blastobasis indigesta* Meyrick,1931 (Blastobasidae) Synonym(s): *indigesta* Meyrick,1931
7991) *Blastobasis indirecta* Meyrick,1931 (Blastobasidae) Synonym(s): *indirecta* Meyrick,1931
7992) *Blastobasis industria* Meyrick,1913 (Blastobasidae) Synonym(s): *industria* Meyrick,1913
7993) *Blastobasis irroratella* Walsingham,1891 (Blastobasidae) Synonym(s): *irroratella* Walsingham,1891
7994) *Blastobasis lignea* Walsingham,1894 (Blastobasidae) Synonym(s): *lignea* Walsingham,1894
7995) *Blastobasis maroccanella* Amsel,1952 (Blastobasidae) Synonym(s): *maroccanella* Amsel,1952
7996) *Blastobasis mnemosynella* Millièrè,1876 (Blastobasidae) Synonym(s): *mnemosynella* Millièrè,1876
7997) *Blastobasis monopetali* (Walsingham,1908) (Blastobasidae) Synonym(s): *monopetali* Walsingham,1908
7998) *Blastobasis nephelophaea* Meyrick,1921 (Blastobasidae) Synonym(s): *nephelophaea* Meyrick,1921
7999) *Blastobasis ochromorpha* Meyrick,1925 (Blastobasidae) Synonym(s): *ochromorpha* Meyrick,1925
8000) *Blastobasis parki* Sinev,1993 (Blastobasidae) Synonym(s): *parki* Sinev,1993
8001) *Blastobasis phycidella* (Zeller,1839) (Blastobasidae) Synonym(s): *phycidella* Zeller,1839
8002) *Blastobasis roscidella* (Zeller,1847) (Blastobasidae) Synonym(s): *roscidella* Zeller,1847
8003) *Blastobasis rosmarinella* Walsingham,1901 (Blastobasidae) Synonym(s): *rosmarinella* Walsingham,1901
8004) *Blastobasis* sp.: (Blastobasidae) Synonym(s):
8005) *Blastobasis spermologa* Meyrick,1916 (Blastobasidae) Synonym(s): *spermologa* Meyrick,1916
8006) *Blastobasis spiniella* Park,2000 (Blastobasidae) Synonym(s): *spiniella* Park,2000
8007) *Blastobasis taricheuta* Meyrick,1909 (Blastobasidae) Synonym(s): *taricheuta* Meyrick,1909
8008) *Blastobasis trachelista* Meyrick,1921 (Blastobasidae) Synonym(s): *trachelista* Meyrick,1921
8009) *Blastobasis tridigitella* Adamski,2003 (Blastobasidae) Synonym(s): *tridigitella* Adamski,2003
8010) *Blastobasis xylophagum* (Walsingham,1908) (Blastobasidae) Synonym(s): *xylophagum* Walsingham,1908
8011) *Calosima albafasciata* Adamski,2002 (Blastobasidae) Synonym(s): *albafasciata* Adamski,2002
8012) *Calosima albafasciella* Adamski,2002 (Blastobasidae) Synonym(s): *albafasciella* Adamski,2002
8013) *Calosima malikuli* Adamski,2002 (Blastobasidae) Synonym(s): *malikuli* Adamski,2002
8014) *Calosima moriutii* Adamski,2002 (Blastobasidae) Synonym(s): *moriutii* Adamski,2002
8015) *Cladobrostis melitricha* Meyrick,1921 (Blastobasidae) Synonym(s): *melitricha* Meyrick,1921
8016) *Coniogenes contempta* Meyrick,1916 (Blastobasidae) Synonym(s): *contempta* Meyrick,1916
8017) *Holcocera binotella* (Thunberg,1794) (Blastobasidae) Synonym(s): *binotella* Thunberg,1794
8018) *Holcocera pulvereae* (Meyrick,1907) (Blastobasidae) Synonym(s): *pulvereae* Meyrick,1907
8019) *Homothamnitis litholeuca* Meyrick,1921 (Blastobasidae) Synonym(s): *litholeuca* Meyrick,1921
8020) *Hypatopa inunctella* (Zeller,1839) (Blastobasidae) Synonym(s): *inunctella* Zeller,1839
8021) *Hypatopa segnella* (Zeller,1873) (Blastobasidae) Synonym(s): *segnella* Zeller,1873; *perflugella* Jonasson,1985
8022) *Hypatopa silvestrella* Kuznetsov,1984 (Blastobasidae) Synonym(s): *silvestrella* Kuznetsov,1984
8023) *Hypatopa tianshanica* Sinev,1993 (Blastobasidae) Synonym(s): *tianshanica* Sinev,1993
8024) *Neoblastobasis bicercatata* Park,1984 (Blastobasidae) Synonym(s): *bicercatata* Park,1984
8025) *Neoblastobasis decolor* (Meyrick,1907) (Blastobasidae) Synonym(s): *decolor* Meyrick,1907
8026) *Neoblastobasis spiniharpella* Kuznetsov & Sinev,1985 (Blastobasidae) Synonym(s): *spiniharpella* Kuznetsov & Sinev,1985
8027) *Pseudohypatopa longicornutella* Park (Blastobasidae) Synonym(s):
8028) *Sinevina scythrella* (Sinev,1986) (Blastobasidae) Synonym(s): *scythrella* Sinev,1986
8029) *Tecnerium anthophaga* (Staudinger,1871) (Blastobasidae) Synonym(s): *anthophaga* Staudinger,1871
8030) *Tecnerium perplexum* (Gozmany,1957) (Blastobasidae) Synonym(s): *perplexum* Gozmany,1957
8031) *Tecnerium spermophagis* (Walsingham,1907) (Blastobasidae) Synonym(s): *spermophagis* Walsingham,1907
8032) *Andraca adoxima* (Turner,1902) (Bombycidae) Synonym(s): *adoxima* Turner,1902
8033) *Andraca apodecta* Swinhoe,1907 (Bombycidae) Synonym(s): *apodecta* Swinhoe,1907; *corporaali* Van Eecke,1921
8034) *Andraca bipunctata* Walker,1865 (Bombycidae) Synonym(s): *bipunctata* Walker,1865; *tricholoides* Moore,1865
8035) *Andraca olivacea* Matsumura,1927 (Bombycidae) Synonym(s): *olivacea* Matsumura,1927
8036) *Andraca roepkei* Bryk,1944 (Bombycidae) Synonym(s): *roepkei* Bryk,1944
8037) *Andraca theae* (Matsumura,1909) (Bombycidae) Synonym(s): *theae* Matsumura,1909
8038) *Bombyx barnardi* Lucas,1895 (Bombycidae) Synonym(s): *barnardi* Lucas,1895
8039) *Bombyx horsfieldi* (Moore,1860) (Bombycidae) Synonym(s): *horsfieldi* Moore,1860
8040) *Bombyx mandarina* (Moore,1872) (Bombycidae) Synonym(s): *mandarina* Moore,1872; *formosana* Matsumura,1927
8041) *Bombyx mori* (Linnaeus,1758) (Bombycidae) Synonym(s): *mori* Linnaeus,1758; *sinensis* Moore & Hutton,1862; *croesi* Moore & Hutton,1862; *fortunatus* Moore & Hutton,1862; *arracanensis* Moore & Hutton,1862; *textor* Moore & Hutton,1862.
8042) *Bombyx rotundapex* Myata & Kishida,1990 (Bombycidae) Synonym(s): *rotundapex* Myata & Kishida,1990
8043) *Dalailama bifurca* Staudinger,1896 (Bombycidae) Synonym(s): *bifurca* Staudinger,1896
8044) *Dalailama vadm* Witt,2007 (Bombycidae) Synonym(s): *vadm* Witt,2007
8045) *Elachyophthalma bicolor* (Bethune-Baker,1904) (Bombycidae) Synonym(s): *bicolor* Bethune-Baker,1904
8046) *Elachyophthalma cotanoides* Rothschild,1920 (Bombycidae) Synonym(s): *cotanoides* Rothschild,1920
8047) *Ernolatia lida* (Moore,1859) (Bombycidae) Synonym(s): *lida* Moore,1859; *signata* Walker,1862
8048) *Ernolatia moorei* (Hutton,1865) (Bombycidae) Synonym(s): *moorei* Hutton,1865; *plana* Walker,1865
8049) *Gnathocinara situla* (Van Eecke,1929) (Bombycidae) Synonym(s): *situla* Van Eecke,1929
8050) *Gunda apicalis* Hampson,1892 (Bombycidae) Synonym(s): *apicalis* Hampson,1892
8051) *Gunda aroa* Bethune-Baker,1904 (Bombycidae) Synonym(s): *aroa* Bethune-Baker,1904
8052) *Gunda ochracea* Walker,1862 (Bombycidae) Synonym(s): *ochracea* Walker,1862; *hainana* Moore,1878; *leefmansii* Roepke,1924
8053) *Gunda ochracea* Walker,1862 (Bombycidae) Synonym(s): *ochracea* Walker,1862
8054) *Gunda proxima* Roepke,1924 (Bombycidae) Synonym(s): *proxima* Roepke,1924
8055) *Gunda richteri* Weymer,1890 (Bombycidae) Synonym(s): *richteri* Weymer,1890
8056) *Gunda sikkima* Moore,1879 (Bombycidae) Synonym(s): *sikkima* Moore,1879; *variegata* Hampson
8057) *Mustilia gerontica* West,1932 (Bombycidae) Synonym(s): *gerontica* West,1932
8058) *Mustilia hepatica* Moore,1879 (Bombycidae) Synonym(s): *hepatica* Moore,1879
8059) *Norasuma javanica* Moore,1872 (Bombycidae) Synonym(s): *javanica* Moore,1872
8060) *Norasuma javanica javanica* Moore,1872 (Bombycidae) Synonym(s): *javanica* Moore,1872
8061) *Norasuma javanica palawana* (Schultze,1925) (Bombycidae) Synonym(s): *palawana* Schultze,1925
8062) *Norasuma kolga* Druce,1887 (Bombycidae) Synonym(s): *kolga* Druce,1887; *pruinosa* Grünberg,1907
8063) *Oberthuria formosibia* Matsumura,1927 (Bombycidae) Synonym(s): *formosibia* Matsumura,1927
8064) *Ocinara albiceps* Walker,1862 (Bombycidae) Synonym(s): *albiceps* Walker,1862
8065) *Ocinara albiceps albiceps* Walker,1862 (Bombycidae) Synonym(s): *albiceps* Walker,1862
8066) *Ocinara albiceps obscurata* Dierl,1978 (Bombycidae) Synonym(s): *obscurata* Dierl,1978
8067) *Ocinara albicollis* Walker (Bombycidae) Synonym(s):
8068) *Ocinara arabica* Wiltshire,1982 (Bombycidae) Synonym(s): *arabica* Wiltshire,1982
8069) *Ocinara bifurcula* Dierl,1978 (Bombycidae) Synonym(s): *bifurcula* Dierl,1978
8070) *Ocinara ficala* (Westwood & Ormerod,1889) (Bombycidae) Synonym(s): *ficala* Westwood & Ormerod,1889; *obliquisignata* Hampson,1910; *#ficala* Janse,1917.
8071) *Ocinara ianthe* (Druce,1888) (Bombycidae) Synonym(s): *ianthe* Druce,1888; *#ianthe* Gaede,1927
8072) *Ocinara lactea* Hutton,1865 (Bombycidae) Synonym(s): *lactea* Hutton,1865
8073) *Ocinara pallicornis* Strand,1910 (Bombycidae) Synonym(s): *pallicornis* Strand,1910
8074) *Ocinara signicosta* Strand,1910 (Bombycidae) Synonym(s): *signicosta* Strand,1910; *fuscocervina* Strand,1910
8075) *Ocinara tamsi* Lemée,1950 (Bombycidae) Synonym(s): *tamsi* Lemée,1950
8076) *Penicillifera apicalis* (Walker,1862) (Bombycidae) Synonym(s): *apicalis* Walker,1862; *signifera* Walker,1862

- 8077) *Penicillifera infuscat* Dierl, 1978 (Bombycidae) Synonym(s): *infuscat* Dierl, 1978
 8078) *Penicillifera lactea* (Hutton, 1865) (Bombycidae) Synonym(s): *lactea* Hutton, 1865
 8079) *Penicillifera purpurascens* (Holloway, 1976) (Bombycidae) Synonym(s): *purpurascens* Holloway, 1976
 8080) *Prismosticta fenestrata* Butler, 1880 (Bombycidae) Synonym(s): *fenestrata* Butler, 1880
 8081) *Prismosticta hyalinata* Butler, 1885 (Bombycidae) Synonym(s): *hyalinata* Butler, 1885
 8082) *Prismosticta tirecta* Swinhoe, 1903 (Bombycidae) Synonym(s): *tirecta* Swinhoe, 1903
 8083) *Trilocha friedeli* Dierl, 1978 (Bombycidae) Synonym(s): *friedeli* Dierl, 1978
 8084) *Trilocha varians* (Walker, 1855) (Bombycidae) Synonym(s): *variens* Walker, 1855
 8085) *Triuncina brunnea* (Wileman, 1911) (Bombycidae) Synonym(s): *brunnea* Wileman, 1911; *formosana* Mell, 1958
 8086) *Triuncina religiosae* (Helfer, 1837) (Bombycidae) Synonym(s): *religiosae* Helfer, 1837; *huttoni* Westwood, 1847; *affinis* Hutton, 1865; *bengalensis* Hutton, 1865; *sherwilli* Hutton, 1865
 8087) *Atractoceros albiciliatus* (Walsingham, 1891) (Brachodidae) Synonym(s): *albiciliatus* Walsingham, 1891
 8088) *Atractoceros xanthoprocta* (Meyrick, 1914) (Brachodidae) Synonym(s): *xanthoprocta* Meyrick, 1914
 8089) *Brachodes appendiculata* (Esper, [1783]) (Brachodidae) Synonym(s): *appendiculata* Esper, [1783]; *vahlana* Fabricius, 1787; *saldonana* Fabricius, 1787; *chimaera* Hübner, 1796; *lucida* Lederer, 1853; *powelli* Oberthür, 1922
 8090) *Brachodes beryti* (Stainton, 1867) (Brachodidae) Synonym(s): *nana* Lederer, 1855 nec Treit., 1834; *beryti* Stainton, 1867
 8091) *Brachodes candefacta* (Lederer, 1858) (Brachodidae) Synonym(s): *candefacta* Lederer, 1858
 8092) *Brachodes cassandrella* (Staudinger, 1859) (Brachodidae) Synonym(s): *cassandrella* Staudinger, 1859
 8093) *Brachodes cesa* sp. n. (Brachodidae) Synonym(s):
 8094) *Brachodes compar* (Staudinger, 1879) (Brachodidae) Synonym(s): *compar* Staudinger, 1879
 8095) *Brachodes diacona* (Lederer, 1858) (Brachodidae) Synonym(s): *diacona* Lederer, 1858
 8096) *Brachodes dispar* (Herrich-Schäffer, [1854]) (Brachodidae) Synonym(s): *dispar* Herrich-Schäffer, [1854]
 8097) *Brachodes fallax* (Staudinger, 1900) (Brachodidae) Synonym(s): *fallax* Staudinger, 1900
 8098) *Brachodes fasciatus* (Staudinger, [1900]) (Brachodidae) Synonym(s): *fasciatus* Staudinger, [1900]
 8099) *Brachodes flagellatus* Kallies, 2002 (Brachodidae) Synonym(s): *flagellatus* Kallies, 2002
 8100) *Brachodes flavescens* (Turati, 1919) (Brachodidae) Synonym(s): *flavescens* Turati, 1919
 8101) *Brachodes formosus* (Amsel, 1953) (Brachodidae) Synonym(s): *formosus* Amsel, 1953
 8102) *Brachodes fulguritus* (Fischer v. Waldheim, 1832) (Brachodidae) Synonym(s): *fulgurita* Fischer v. Waldheim, 1832; *orbonota* Freyer, 1842; *exilis* Herrich-Schäffer, [1856]; *confinis* Boisduval, [1875]
 8103) *Brachodes funebris* (Feisthamel, 1833) (Brachodidae) Synonym(s): *funebris* Feisthamel, 1833; *vernetella* Gn., 1845; *gadiatana* Rambur, [1866]; *#mediterranea* Walsingham, 1904
 8104) *Brachodes infandus* (Meyrick, 1920) (Brachodidae) Synonym(s): *infandus* Meyrick, 1920
 8105) *Brachodes keredjella* (Amsel, 1953) (Brachodidae) Synonym(s): *keredjella* Amsel, 1953
 8106) *Brachodes laeta* (Staudinger, 1863) (Brachodidae) Synonym(s): *laeta* Staudinger, 1863
 8107) *Brachodes mesopotamicus* (Amsel, 1949) (Brachodidae) Synonym(s): *mesopotamicus* Amsel, 1949
 8108) *Brachodes metaspilus* (Meyrick, 1926) (Brachodidae) Synonym(s): *metaspilus* Meyrick, 1926
 8109) *Brachodes minutulus* (Erschoff, 1874) (Brachodidae) Synonym(s): *minutulus* Erschoff, 1874
 8110) *Brachodes monotonus* (Amsel, 1953) (Brachodidae) Synonym(s): *monotonus* Amsel, 1953
 8111) *Brachodes nana* (Treitschke, 1834) (Brachodidae) Synonym(s): *nana* Treitschke, 1834
 8112) *Brachodes nanettus* (Oberthür, 1922) (Brachodidae) Synonym(s): *nanetta* Oberthür, 1922
 8113) *Brachodes nycteropsis* (Meyrick, 1920) (Brachodidae) Synonym(s): *nycteropsis* Meyrick, 1920
 8114) *Brachodes orientalis* (Rebel, 1905) (Brachodidae) Synonym(s): *orientalis* Rebel, 1905
 8115) *Brachodes pumilus* (Ochsenheimer, 1808) (Brachodidae) Synonym(s): *pumila* Ochsenheimer, 1808
 8116) *Brachodes pusillus* (Eversmann, 1844) (Brachodidae) Synonym(s): *pusilla* Eversmann, 1844
 8117) *Brachodes quiris* (R. Felder & Rogenhofer, 1875) (Brachodidae) Synonym(s): *quiris* R. Felder & Rogenhofer, 1875
 8118) *Brachodes radiatus* (Christoph, 1873) (Brachodidae) Synonym(s): *radiatus* Christoph, 1873; *rasa* Christoph, 1877; *rasata* Staudinger, [1900]
 8119) *Brachodes radiolatus* (Staudinger, [1900]) (Brachodidae) Synonym(s): *radiolatus* Staudinger, [1900]
 8120) *Brachodes rhagensis* (Lederer, 1869) (Brachodidae) Synonym(s): *rhagensis* Lederer, 1869
 8121) *Brachodes staudingeri* Kallies, 1998 (Brachodidae) Synonym(s): *staudingeri* Kallies, 1998
 8122) *Brachodes straminellus* (Rebel, 1916) (Brachodidae) Synonym(s): *straminella* Rebel, 1916
 8123) *Brachodes tristis* (Staudinger, 1879) (Brachodidae) Synonym(s): *tristis* Staudinger, 1879
 8124) *Miscera basichrysa* (Lower, 1916) (Brachodidae) Synonym(s): *basichrysa* Lower, 1916
 8125) *Miscera basichrysa extensa* Kallies, 1998 (Brachodidae) Synonym(s): *extensa* Kallies, 1998
 8126) *Miscera dohertyi* Kallies, 1998 (Brachodidae) Synonym(s): *dohertyi* Kallies, 1998
 8127) *Miscera eubrachycera* (Diakonoff, [1968]) (Brachodidae) Synonym(s): *eubrachycera* Diakonoff, [1968]
 8128) *Miscera orpheus* Kallies, 2004 (Brachodidae) Synonym(s): *orpheus* Kallies, 2004
 8129) *Miscera sauteri* Kallies, 2004 (Brachodidae) Synonym(s): *sauteri* Kallies, 2004
 8130) *Nigilgia adjectella* Walker, 1863 (Brachodidae) Synonym(s): *adjectella* Walker, 1863
 8131) *Nigilgia albitogata* (Walsingham, 1891) (Brachodidae) Synonym(s): *albitogata* Walsingham, 1891
 8132) *Nigilgia anactis* (Diakonoff, 1982) (Brachodidae) Synonym(s): *anactis* Diakonoff, 1982
 8133) *Nigilgia aureoviridis* Kallies, 1998 (Brachodidae) Synonym(s): *aureoviridis* Kallies, 1998
 8134) *Nigilgia cuprea* Kallies, 1998 (Brachodidae) Synonym(s): *cuprea* Kallies, 1998
 8135) *Nigilgia diehli* Kallies, 2000 (Brachodidae) Synonym(s): *diehli* Kallies, 2000
 8136) *Nigilgia eucallynta* (Meyrick, 1937) (Brachodidae) Synonym(s): *eucallynta* Meyrick, 1937
 8137) *Nigilgia limata* (Diakonoff & Arita, 1979) (Brachodidae) Synonym(s): *limata* Diakonoff & Arita, 1979
 8138) *Nigilgia mochlophanes* (Meyrick, 1921) (Brachodidae) Synonym(s): *mochlophanes* Meyrick, 1921
 8139) *Nigilgia pseliota* (Meyrick, 1920) (Brachodidae) Synonym(s): *pseliota* Meyrick, 1920
 8140) *Nigilgia superbella* (Rebel, 1907) (Brachodidae) Synonym(s): *superbella* Rebel, 1907
 8141) *Nigilgia talhouki* (Diakonoff, [1984]) (Brachodidae) Synonym(s): *talhouki* Diakonoff, [1984]
 8142) *Nigilgia venerea* (Meyrick, 1921) (Brachodidae) Synonym(s): *venerea* Meyrick, 1921; *nagaii* Arita, 1987
 8143) *Paranigilgia aritai* Kallies, 1998 (Brachodidae) Synonym(s): *aritai* Kallies, 1998
 8144) *Paranigilgia bushii* (Arita, 1980) (Brachodidae) Synonym(s): *bushii* Arita, 1980
 8145) *Paranigilgia morosa* (Diakonoff, 1948) (Brachodidae) Synonym(s): *morosa* Diakonoff, 1948
 8146) *Patissa xanthoperas* (Hampson, 1895) (Brachodidae) Synonym(s): *xanthoperas* Hampson, 1895
 8147) *Phycodes celebica* Kallies, 1998 (Brachodidae) Synonym(s): *celebica* Kallies, 1998
 8148) *Phycodes chalcocrossa* Meyrick, 1909 (Brachodidae) Synonym(s): *chalcocrossa* Meyrick, 1909; *mesopotamica* Rebel, 1910
 8149) *Phycodes chionardis* Meyrick, 1909 (Brachodidae) Synonym(s): *chionardis* Meyrick, 1909
 8150) *Phycodes maculata* Moore, 1881 (Brachodidae) Synonym(s): *maculata* Moore, 1881
 8151) *Phycodes minor* Moore, 1881 (Brachodidae) Synonym(s): *minor* Moore, 1881; *lucasseni* Snellen, 1901; *cymineuta* Meyrick, 1909; *omnimicans* Diakonoff, 1978
 8152) *Phycodes penitis* Diakonoff, 1978 (Brachodidae) Synonym(s): *penitis* Diakonoff, 1978
 8153) *Phycodes punctata* Walsingham, 1891 (Brachodidae) Synonym(s): *punctata* Walsingham, 1891
 8154) *Phycodes radiata* (Ochsenheimer, 1808) (Brachodidae) Synonym(s): *radiata* Ochsenheimer, 1808; *hirudinicornis* Guenée, 1852; *hyblaeella* Walker, 1866; *#superbella* Rebel, 1910; *tertiana* Diakonoff, 1978
 8155) *Phycodes taonopa* Meyrick, 1909 (Brachodidae) Synonym(s): *taonopa* Meyrick, 1909
 8156) *Phycodes tortricina* Moore, 1881 (Brachodidae) Synonym(s): *tortricina* Moore, 1881
 8157) *Phycodopteryx tigris* Kallies, 2004 (Brachodidae) Synonym(s): *tigris* Kallies, 2004
 8158) *Synechodes agrippina* (Meyrick, 1930) (Brachodidae) Synonym(s): *agrippina* Meyrick, 1930
 8159) *Synechodes andamanensis* Kallies, 2004 (Brachodidae) Synonym(s): *andamanensis* Kallies, 2004; *#andamanus* Kallies, 2004
 8160) *Synechodes diabolus* (R. Felder & Rogenhofer, 1875) (Brachodidae) Synonym(s): *diabolus* R. Felder & Rogenhofer, 1875
 8161) *Synechodes exigua* Kallies, 2004 (Brachodidae) Synonym(s): *exigua* Kallies, 2004

- 8162) *Synechodes fulvoris* Kallies,1998 (Brachodidae) Synonym(s): *fulvoris* Kallies,1998
8163) *Synechodes lunaris* Kallies,2004 (Brachodidae) Synonym(s): *lunaris* Kallies,2004
8164) *Synechodes megaloptera* Kallies,1998 (Brachodidae) Synonym(s): *megaloptera* Kallies,1998
8165) *Synechodes olivora* Kallies,1998 (Brachodidae) Synonym(s): *olivora* Kallies,1998
8166) *Synechodes papuana* Heppner,1990 (Brachodidae) Synonym(s): *papuana* Heppner,1990
8167) *Synechodes platysema* (Meyrick,1921) (Brachodidae) Synonym(s): *platysema* Meyrick,1921
8168) *Synechodes rotanicola* Kallies,2004 (Brachodidae) Synonym(s): *rotanicola* Kallies,2004
8169) *Synechodes royalis* Kallies,1998 (Brachodidae) Synonym(s): *royalis* Kallies,1998
8170) *Synechodes rubroris* Kallies,1998 (Brachodidae) Synonym(s): *rubroris* Kallies,1998
8171) *Synechodes sidereus* Kallies,2004 (Brachodidae) Synonym(s): *sidereus* Kallies,2004
8172) *Synechodes sumatrana* Kallies,2000 (Brachodidae) Synonym(s): *sumatrana* Kallies,2000
8173) *Acanthobrahmaea europaea* (Hartig,1963) (Brahmaeidae) Synonym(s): *europaea* Hartig,1963
8174) *Brahmaea* (Brahmophthalma) *ardjoeno* Kalis,1934 (Brahmaeidae) Synonym(s): *ardjoeno* Kalis,1934
8175) *Brahmaea* (Brahmophthalma) *celebica* Toxopeus,1939 (Brahmaeidae) Synonym(s): *celebica* Toxopeus,1939
8176) *Brahmaea* (Brahmophthalma) *hearseyi* (White,1862) (Brahmaeidae) Synonym(s): *hearseyi* White,1862
8177) *Brahmaea* (Brahmophthalma) *loeffleri* S.Naumann & Brosch,2005 (Brahmaeidae) Synonym(s): *loeffleri* S.Naumann & Brosch,2005
8178) *Brahmaea* (Brahmophthalma) *naessigi* S.Naumann & Brosch,2005 (Brahmaeidae) Synonym(s): *naessigi* S.Naumann & Brosch,2005
8179) *Brahmaea* (Brahmophthalma) *paukstatorum* S.Naumann & Brosch,2005 (Brahmaeidae) Synonym(s): *paukstatorum* S.Naumann & Brosch,2005;
#paukstatorum S.Naumann & Brosch,2005
8180) *Brahmaea* (Brahmophthalma) *wallichii* (Gray,1831) (Brahmaeidae) Synonym(s): *wallichii* Gray,1831
8181) *Brahmaea* (s.str.) *certhia* (Fabricius,1779) (Brahmaeidae) Synonym(s): *certhia* Fabricius,1779
8182) *Brahmaea* (s.str.) *christophi* Staudinger,1879 (Brahmaeidae) Synonym(s): *christophi* Staudinger,1879
8183) *Brahmaea* (s.str.) *christophi christophi* Staudinger,1879 (Brahmaeidae) Synonym(s): *christophi* Staudinger,1879
8184) *Brahmaea* (s.str.) *ledereri* Rogenhofer,1873 (Brahmaeidae) Synonym(s): *ledereri* Rogenhofer,1873
8185) *Brahmaea* (s.str.) *ledereri ledereri* Rogenhofer,1873 (Brahmaeidae) Synonym(s): *ledereri* Rogenhofer,1873; *zaba* De Freina,1982
8186) *Dactyloceras widenmanni* (Karsch,1895) (Brahmaeidae) Synonym(s): *widenmanni* Karsch,1895
8187) *Spiramiopsis comma* Hampson,1901 (Brahmaeidae) Synonym(s): *comma* Hampson,1901
8188) *Bucculatrix absinthii* Gartner,1865 (Bucculatricidae) Synonym(s): *absinthii* Gartner,1865; *valesiaca* Frey,1870
8189) *Bucculatrix agilis* Meyrick,1920 (Bucculatricidae) Synonym(s): *agilis* Meyrick,1920
8190) *Bucculatrix alaternella* Constant,1890 (Bucculatricidae) Synonym(s): *alaternella* Constant,1890
8191) *Bucculatrix albedinella* (Zeller,1839) (Bucculatricidae) Synonym(s): *albedinella* Zeller,1839; *boyerella* Duponchel,[1840].
8192) *Bucculatrix albella* Stainton,1867 (Bucculatricidae) Synonym(s): *albella* Stainton,1867
8193) *Bucculatrix albiguttella* Millièr,1886 (Bucculatricidae) Synonym(s): *albiguttella* Millièr,1886
8194) *Bucculatrix alpina* Frey,1870 (Bucculatricidae) Synonym(s): *alpina* Frey,1870
8195) *Bucculatrix amara* Meyrick,1913 (Bucculatricidae) Synonym(s): *amara* Meyrick,1913
8196) *Bucculatrix andalusica* Deschka,1980 (Bucculatricidae) Synonym(s): *andalusica* Deschka,1980
8197) *Bucculatrix anthemidella* Deschka,1972 (Bucculatricidae) Synonym(s): *anthemidella* Deschka,1972
8198) *Bucculatrix anticolona* Meyrick,1913 (Bucculatricidae) Synonym(s): *anticolona* Meyrick,1913
8199) *Bucculatrix argentsignella* Herrich-Schäffer,1855 (Bucculatricidae) Synonym(s): *argentsignella* Herrich-Schäffer,1855
8200) *Bucculatrix armeniaca* Deschka,1992 (Bucculatricidae) Synonym(s): *armeniaca* Deschka,1992
8201) *Bucculatrix artemisiella* Herrich-Schäffer,1855 (Bucculatricidae) Synonym(s): *artemisiella* Herrich-Schäffer,1855
8202) *Bucculatrix atagina* Wocke,1876 (Bucculatricidae) Synonym(s): *atagina* Wocke,1876
8203) *Bucculatrix basifuscella* Staudinger,1880 (Bucculatricidae) Synonym(s): *basifuscella* Staudinger,1880
8204) *Bucculatrix bechsteinella* (Bechstein & Scharfenberg,1805) (Bucculatricidae) Synonym(s): *bechsteinella* Bechstein & Scharfenberg,1805; *crataegi* Zeller,1839;
crataegifoliella Duponchel,1842; *crataegella* Herrich-Schäffer,1862.
8205) *Bucculatrix benacicolella* Hartig,1937 (Bucculatricidae) Synonym(s): *benacicolella* Hartig,1937
8206) *Bucculatrix bicolorella* Chrétien,1915 (Bucculatricidae) Synonym(s): *bicolorella* Chrétien,1915
8207) *Bucculatrix cantabricella* Chrétien,1898 (Bucculatricidae) Synonym(s): *cantabricella* Chrétien,1898
8208) *Bucculatrix centaureae* Deschka,1973 (Bucculatricidae) Synonym(s): *centaureae* Deschka,1973
8209) *Bucculatrix cidarella* (Zeller,1839) (Bucculatricidae) Synonym(s): *cidarella* Zeller,1839
8210) *Bucculatrix cristatella* (Zeller,1839) (Bucculatricidae) Synonym(s): *cristatella* Zeller,1839; *concolorella* Tengström,1848; *argentsignella* Herrich-Schäffer,1855;
gracilella Frey,1856
8211) *Bucculatrix demaryella* (Duponchel,1840) (Bucculatricidae) Synonym(s): *demaryella* Duponchel,1840; *scoticella* Herrich-Schäffer,1855
8212) *Bucculatrix diffusella* Menhofer,1943 (Bucculatricidae) Synonym(s): *diffusella* Menhofer,1943
8213) *Bucculatrix dulcis* Meyrick,1913 (Bucculatricidae) Synonym(s): *dulcis* Meyrick,1913
8214) *Bucculatrix edocta* Meyrick,1921 (Bucculatricidae) Synonym(s): *edocta* Meyrick,1921
8215) *Bucculatrix endospiralis* Deschka,1981 (Bucculatricidae) Synonym(s): *endospiralis* Deschka,1981
8216) *Bucculatrix extensa* Mey,1999 (Bucculatricidae) Synonym(s): *extensa* Mey,1999
8217) *Bucculatrix facilis* Meyrick,1911 (Bucculatricidae) Synonym(s): *facilis* Meyrick,1911
8218) *Bucculatrix fatigatella* Heyden,1863 (Bucculatricidae) Synonym(s): *fatigatella* Heyden,1863; *clavenae* Klimesch,1950
8219) *Bucculatrix frangutella* (Goeze,1783) (Bucculatricidae) Synonym(s): *frangutella* Goeze,1783; *maculatafrangulae* Retzius,1783; *alnella* Villers,1789; *rhamnifoliella*
Treitschke,1833; *frangulella* Herrich-Schäffer,1855
8220) *Bucculatrix galeodes* Meyrick,1913 (Bucculatricidae) Synonym(s): *galeodes* Meyrick,1913
8221) *Bucculatrix gnaphaliella* (Treitschke,1833) (Bucculatricidae) Synonym(s): *gnaphaliella* Treitschke,1833
8222) *Bucculatrix helichrysella* Constant,1889 (Bucculatricidae) Synonym(s): *helichrysella* Constant,1889
8223) *Bucculatrix herbalbella* Chrétien,1915 (Bucculatricidae) Synonym(s): *herbalbella* Chrétien,1915
8224) *Bucculatrix humiliella* Herrich-Schäffer,1855 (Bucculatricidae) Synonym(s): *humiliella* Herrich-Schäffer,1855
8225) *Bucculatrix imitatella* Herrich-Schäffer,1855 (Bucculatricidae) Synonym(s): *imitatella* Herrich-Schäffer,1855
8226) *Bucculatrix inchoata* Meyrick,1913 (Bucculatricidae) Synonym(s): *inchoata* Meyrick,1913
8227) *Bucculatrix infans* Staudinger,1880 (Bucculatricidae) Synonym(s): *infans* Staudinger,1880
8228) *Bucculatrix iranica* Deschka,1981 (Bucculatricidae) Synonym(s): *iranica* Deschka,1981
8229) *Bucculatrix jiblahensis* Mey,1999 (Bucculatricidae) Synonym(s): *jiblahensis* Mey,1999
8230) *Bucculatrix jugicola* Wocke,1876 (Bucculatricidae) Synonym(s): *jugicola* Wocke,1876
8231) *Bucculatrix laciniatella* Benander,1931 (Bucculatricidae) Synonym(s): *laciniatella* Benander,1931
8232) *Bucculatrix latviaella* Sulcs,1990 (Bucculatricidae) Synonym(s): *latviaella* Sulcs,1990
8233) *Bucculatrix lavaterella* Millièr,1865 (Bucculatricidae) Synonym(s): *lavaterella* Millièr,1865
8234) *Bucculatrix lenis* Meyrick,1913 (Bucculatricidae) Synonym(s): *lenis* Meyrick,1913
8235) *Bucculatrix leucanthemella* Constant,1895 (Bucculatricidae) Synonym(s): *leucanthemella* Constant,1895
8236) *Bucculatrix makabana* Mey,1999 (Bucculatricidae) Synonym(s): *makabana* Mey,1999
8237) *Bucculatrix maritima* Stainton,1851 (Bucculatricidae) Synonym(s): *maritima* Stainton,1851; *maritimella* Herrich-Schäffer,1855
8238) *Bucculatrix melipecta* Meyrick,1914 (Bucculatricidae) Synonym(s): *melipecta* Meyrick,1914
8239) *Bucculatrix monelpis* Meyrick,1928 (Bucculatricidae) Synonym(s): *monelpis* Meyrick,1928
8240) *Bucculatrix myricae* Ragonot,1879 (Bucculatricidae) Synonym(s): *myricae* Ragonot,1879
8241) *Bucculatrix nigricomella* (Zeller,1839) (Bucculatricidae) Synonym(s): *nigricomella* Zeller,1839; *aurimaculella* Stainton,1849
8242) *Bucculatrix nigrovalvata* Mey,1999 (Bucculatricidae) Synonym(s): *nigrovalvata* Mey,1999
8243) *Bucculatrix noltei* Petry,1912 (Bucculatricidae) Synonym(s): *noltei* Petry,1912
8244) *Bucculatrix obscura* Klemensiewicz,1899 (Bucculatricidae) Synonym(s): *obscura* Klemensiewicz,1899
8245) *Bucculatrix ochromeris* Meyrick,1928 (Bucculatricidae) Synonym(s): *ochromeris* Meyrick,1928
8246) *Bucculatrix oppositella* Staudinger,1880 (Bucculatricidae) Synonym(s): *oppositella* Staudinger,1880
8247) *Bucculatrix pannonica* Deschka,1982 (Bucculatricidae) Synonym(s): *pannonica* Deschka,1982
8248) *Bucculatrix phagnalella* Walsingham,1908 (Bucculatricidae) Synonym(s): *phagnalella* Walsingham,1908

- 8249) *Bucculatrix porthmis* Meyrick, 1908 (Bucculatricidae) Synonym(s): *porthmis* Meyrick, 1908
8250) *Bucculatrix praecipua* Meyrick, 1918 (Bucculatricidae) Synonym(s): *praecipua* Meyrick, 1918
8251) *Bucculatrix pseudosylvella* Rebel, 1941 (Bucculatricidae) Synonym(s): *pseudosylvella* Rebel, 1941
8252) *Bucculatrix quieta* Meyrick, 1913 (Bucculatricidae) Synonym(s): *quieta* Meyrick, 1913
8253) *Bucculatrix ramallahensis* Amsel, 1935 (Bucculatricidae) Synonym(s): *ramallahensis* Amsel, 1935
8254) *Bucculatrix ratisbonensis* Stainton, 1861 (Bucculatricidae) Synonym(s): *ratisbonensis* Stainton, 1861
8255) *Bucculatrix rhamniella* Herrich-Schäffer, 1855 (Bucculatricidae) Synonym(s): *rhamniella* Herrich-Schäffer, 1855
8256) *Bucculatrix santolinella* Walsingham, 1898 (Bucculatricidae) Synonym(s): *santolinella* Walsingham, 1898
8257) *Bucculatrix telavivella* Amsel, 1935 (Bucculatricidae) Synonym(s): *telavivella* Amsel, 1935
8258) *Bucculatrix thoracella* (Thunberg, 1794) (Bucculatricidae) Synonym(s): *thoracella* Thunberg, 1794
8259) *Bucculatrix ulmella* Zeller, 1848 (Bucculatricidae) Synonym(s): *ulmella* Zeller, 1848; *sircomella* Stainton, 1848; *venustella* Stainton, 1849.
8260) *Bucculatrix ulmicola* Kuznetsov, 1962 (Bucculatricidae) Synonym(s): *ulmicola* Kuznetsov, 1962
8261) *Bucculatrix ulmifoliae* Hering, 1931 (Bucculatricidae) Synonym(s): *ulmifoliae* Hering, 1931; *caspica* Puplesis & Sruga, 1991
8262) *Bucculatrix yemenitica* Mey, 1999 (Bucculatricidae) Synonym(s): *yemenitica* Mey, 1999
8263) *Bucculatrix zizyphella* Chrétien, 1907 (Bucculatricidae) Synonym(s): *zizyphella* Chrétien, 1907
8264) *Leucoedemia ingens* Scoble & Scholtz, 1984 (Bucculatricidae) Synonym(s): *ingens* Scoble & Scholtz, 1984
8265) *Callidula arctata* (Butler, 1877) (Callidulidae) Synonym(s): *arctata* Butler, 1877; *angustifasciata* Röber, 1892
8266) *Callidula atata* Swinhoe, 1909 (Callidulidae) Synonym(s): *atata* Swinhoe, 1909
8267) *Callidula aureola* Swinhoe, 1905 (Callidulidae) Synonym(s): *aureola* Swinhoe, 1905
8268) *Callidula biplagiata* Butler, 1887 (Callidulidae) Synonym(s): *biplagiata* Butler, 1887
8269) *Callidula dichroa* (Boisduval, 1832) (Callidulidae) Synonym(s): *dichroa* Boisduval, 1832
8270) *Callidula evander* (Cramer, 1782) (Callidulidae) Synonym(s): *evander* Cramer, 1782; *clavata* Pagenstecher, 1887; *evandra* Hübner, 1816; *evandrus* Walker, 1864
8271) *Callidula fasciata* Butler, 1877 (Callidulidae) Synonym(s): *fasciata* Butler, 1877
8272) *Callidula formosana* Wileman (Callidulidae) Synonym(s):
8273) *Callidula hypoleuca* Butler, 1887 (Callidulidae) Synonym(s): *hypoleuca* Butler, 1887
8274) *Callidula kobesi* Holloway, 1998 (Callidulidae) Synonym(s): *kobesi* Holloway, 1998
8275) *Callidula lunigera* Butler, 1879 (Callidulidae) Synonym(s): *lunigera* Butler, 1879
8276) *Callidula miokensis* Pagenstecher, 1894 (Callidulidae) Synonym(s): *miokensis* Pagenstecher, 1894
8277) *Callidula nenia* Druce, 1888 (Callidulidae) Synonym(s): *nenia* Druce, 1888
8278) *Callidula nigrescens* Butler, 1887 (Callidulidae) Synonym(s): *nigrescens* Butler, 1887
8279) *Callidula plagalis* R. Felder & Rogenhofer, 1868 (Callidulidae) Synonym(s): *plagalis* R. Felder & Rogenhofer, 1868
8280) *Callidula plioxantha* Kirsch, 1877 (Callidulidae) Synonym(s): *plioxantha* Kirsch, 1877
8281) *Callidula posticalis* Guérin-Ménéville, 1831 (Callidulidae) Synonym(s): *posticalis* Guérin-Ménéville, 1831
8282) *Callidula propinqua* Butler, 1877 (Callidulidae) Synonym(s): *propinqua* Butler, 1877
8283) *Callidula scotti* Mac Leay, 1866 (Callidulidae) Synonym(s): *scotti* Mac Leay, 1866
8284) *Callidula sobah* Pagenstecher, 1886 (Callidulidae) Synonym(s): *sobah* Pagenstecher, 1886
8285) *Callidula versicolor* R. Felder & Rogenhofer, 1868 (Callidulidae) Synonym(s): *versicolor* R. Felder & Rogenhofer, 1868
8286) *Caloschemia monolifera* Mabille, 1878 (Callidulidae) Synonym(s): *monolifera* Mabille, 1878; *pulchra* Butler, 1878
8287) *Caloschemia monolifera monolifera* Mabille, 1878 (Callidulidae) Synonym(s): *monolifera* Mabille, 1878; *pulchra* Butler, 1878
8288) *Comella laetifica* (C. Felder & R. Felder, 1864) (Callidulidae) Synonym(s): *laetifica* C. Felder & R. Felder, 1864; *erycinata* Walker, 1864
8289) *Petavia attenuata* (Hewitson & Moore, 1879) (Callidulidae) Synonym(s): *attenuata* Hewitson & Moore, 1879
8290) *Petavia erycinoides* (Walker, 1869) (Callidulidae) Synonym(s): *erycinoides* Walker, 1869; *flavovittata* Moore, 1887
8291) *Petavia jucunda* (C. Felder & Rogenhofer, 1874) (Callidulidae) Synonym(s): *jucunda* C. Felder & R. Felder, 1874
8292) *Petavia lutensis* (Swinhoe, 1892) (Callidulidae) Synonym(s): *lutensis* Swinhoe, 1892
8293) *Petavia mindanensis* (Pagenstecher, 1887) (Callidulidae) Synonym(s): *mindanensis* Pagenstecher, 1887
8294) *Petavia nemoga* (Swinhoe, 1909) (Callidulidae) Synonym(s): *nemoga* Swinhoe, 1909
8295) *Petavia niasica* (Pagenstecher, 1887) (Callidulidae) Synonym(s): *niasica* Pagenstecher, 1887
8296) *Petavia petavia* (Cramer, 1782) (Callidulidae) Synonym(s): *petavia* Cramer, 1782; *abisara* Butler, 1879; *batjanensis* Pagenstecher, 1887; *celebensis* Pagenstecher, 1887; *luconica* Pagenstecher, 1887
8297) *Petavia sakuni* (Horsfield, 1828) (Callidulidae) Synonym(s): *sakuni* Horsfield, 1828; *abisara* Butler, 1879; *minor* Moore, 1879
8298) *Petavia similis* (Pagenstecher, 1887) (Callidulidae) Synonym(s): *similis* Pagenstecher, 1887
8299) *Petavia sumatrensis* Pagenstecher, 1887 (Callidulidae) Synonym(s): *sumatrensis* Pagenstecher, 1887
8300) *Petavia waterstradti* Holloway, 1998 (Callidulidae) Synonym(s): *waterstradti* Holloway, 1998
8301) *Pterodecta anchora* Pagenstecher, 1887 (Callidulidae) Synonym(s): *anchora* Butler, 1877; *anchora* Pagenstecher, 1887
8302) *Pterodecta felderi* (Bremer, 1864) (Callidulidae) Synonym(s): *felderi* Bremer, 1864; *gloriosa* Butler, 1877
8303) *Pterothysanus laticilia* Walker, 1854 (Callidulidae) Synonym(s): *laticilia* Walker, 1854; *lanaris* Butler, 1884; *atratus* Butler, 1885; *pictus* Butler, 1885; *orleans* Oberthür; *noblei* Swinhoe, 1889; *#noblei* Hutacharern & Tubtim, 1995
8304) *Pterothysanus laticilia laticilia* Walker, 1854 (Callidulidae) Synonym(s): *laticilia* Walker, 1854; *lanaris* Butler, 1884; *atratus* Butler, 1885; *pictus* Butler, 1885; *orleans* Oberthür; *noblei* Swinhoe, 1889; *#noblei* Hutacharern & Tubtim, 1995
8305) *Tetragonus lycanoides* (C. Felder & R. Felder, 1874) (Callidulidae) Synonym(s): *lycanoides* C. Felder & R. Felder, 1874
8306) *Alexotypa caradjai* Diakonoff, 1989 (Carposinidae) Synonym(s): *caradjai* Diakonoff, 1989
8307) *Alexotypa japonica* (Walsingham, 1900) (Carposinidae) Synonym(s): *japonica* Walsingham, 1900
8308) *Alexotypa vitata* (Meyrick, 1913) (Carposinidae) Synonym(s): *vitata* Meyrick, 1913
8309) *Archostola amblystoma* Diakonoff, 1989 (Carposinidae) Synonym(s): *amblystoma* Diakonoff, 1989
8310) *Archostola martyr* Diakonoff, 1989 (Carposinidae) Synonym(s): *martyr* Diakonoff, 1989
8311) *Archostola niphauge* Diakonoff, 1989 (Carposinidae) Synonym(s): *niphauge* Diakonoff, 1989
8312) *Archostola ocytoma* (Meyrick, 1938) (Carposinidae) Synonym(s): *ocytoma* Meyrick, 1938
8313) *Bondia nigella* Newman, 1856 (Carposinidae) Synonym(s): *nigella* Newman, 1856
8314) *Carposina anopta* Diakonoff, 1988 (Carposinidae) Synonym(s): *anopta* Diakonoff, 1988
8315) *Carposina askoldana* Diakonoff, 1989 (Carposinidae) Synonym(s): *askoldana* Diakonoff, 1989
8316) *Carposina atlanticella* Rebel, 1894 (Carposinidae) Synonym(s): *atlanticella* Rebel, 1894
8317) *Carposina autologa* Meyrick, 1910 (Carposinidae) Synonym(s): *autologa* Meyrick, 1910; *sysciodes* Turner, 1947
8318) *Carposina berberidella* Herrich-Schäffer, [1854] (Carposinidae) Synonym(s): *berberidella* Herrich-Schäffer, [1854]
8319) *Carposina brachycentra* Meyrick, 1914 (Carposinidae) Synonym(s): *brachycentra* Meyrick, 1914
8320) *Carposina candace* Meyrick, 1932 (Carposinidae) Synonym(s): *candace* Meyrick, 1932
8321) *Carposina cinderella* Diakonoff, 1988 (Carposinidae) Synonym(s): *cinderella* Diakonoff, 1988
8322) *Carposina conobathra* Meyrick, 1928 (Carposinidae) Synonym(s): *conobathra* Meyrick, 1928
8323) *Carposina diampyx* Diakonoff, 1989 (Carposinidae) Synonym(s): *diampyx* Diakonoff, 1989
8324) *Carposina ekbatana* Amsel, 1978 (Carposinidae) Synonym(s): *ekbatana* Amsel, 1978
8325) *Carposina exsanguis* Meyrick, 1918 (Carposinidae) Synonym(s): *exsanguis* Meyrick, 1918
8326) *Carposina gigantella* Rebel, 1917 (Carposinidae) Synonym(s): *gigantella* Rebel, 1917
8327) *Carposina impavida* Meyrick, 1913 (Carposinidae) Synonym(s): *impavida* Meyrick, 1913
8328) *Carposina irata* Meyrick, 1914 (Carposinidae) Synonym(s): *irata* Meyrick, 1914
8329) *Carposina niponensis* Walsingham, 1900 (Carposinidae) Synonym(s): *niponensis* Walsingham, 1900
8330) *Carposina proconsularis* Meyrick, 1921 (Carposinidae) Synonym(s): *proconsularis* Meyrick, 1921
8331) *Carposina roesleri* Amsel, 1977 (Carposinidae) Synonym(s): *roesleri* Amsel, 1977
8332) *Carposina rosella* Kuznetsov, 1975 (Carposinidae) Synonym(s): *rosella* Kuznetsov, 1975
8333) *Carposina sasakii* Matsumura, 1898 (Carposinidae) Synonym(s): *sasakii* Matsumura, 1898
8334) *Carposina scirrhosella* Herrich-Schäffer, [1854] (Carposinidae) Synonym(s): *scirrhosella* Herrich-Schäffer, [1854]; *orientella* Stanoiu & Nemeş, 1968.
8335) *Carposina siturga* Meyrick, 1912 (Carposinidae) Synonym(s): *siturga* Meyrick, 1912
8336) *Carposina socors* Meyrick, 1928 (Carposinidae) Synonym(s): *socors* Meyrick, 1928

- 8337) *Carposina sub lucida* Diakonoff,1988 (Carposinidae) Synonym(s): *sub lucida* Diakonoff,1988
- 8338) *Carposina sub selliata* Meyrick,1921 (Carposinidae) Synonym(s): *sub selliata* Meyrick,1921
- 8339) *Carposina tetratoma* Diakonoff,1989 (Carposinidae) Synonym(s): *tetratoma* Diakonoff,1989
- 8340) *Carposina thermurga* Meyrick,1929 (Carposinidae) Synonym(s): *thermurga* Meyrick,1929; *ferruginea* Meyrick,1925.
- 8341) *Carposina zymota* (Meyrick,1910) (Carposinidae) Synonym(s): *zymota* Meyrick,1910
- 8342) *Commataarcha acidodes* Diakonoff,1989 (Carposinidae) Synonym(s): *acidodes* Diakonoff,1989
- 8343) *Commataarcha characterias* (Meyrick,1932) (Carposinidae) Synonym(s): *characterias* Meyrick,1932; *autocharacta* Meyrick,1932.
- 8344) *Commataarcha chrysanches* (Meyrick,1938) (Carposinidae) Synonym(s): *chrysanches* Meyrick,1938
- 8345) *Commataarcha citrogramma* (Meyrick,1938) (Carposinidae) Synonym(s): *citrogramma* Meyrick,1938
- 8346) *Commataarcha oresbia* Diakonoff,1989 (Carposinidae) Synonym(s): *oresbia* Diakonoff,1989
- 8347) *Commataarcha palaeosema* Meyrick,1935 (Carposinidae) Synonym(s): *palaeosema* Meyrick,1935
- 8348) *Commataarcha quaeatrix* (Meyrick,1935) (Carposinidae) Synonym(s): *quaeatrix* Meyrick,1935
- 8349) *Commataarcha vaga* Diakonoff,1989 (Carposinidae) Synonym(s): *vaga* Diakonoff,1989
- 8350) *Heterogymna metarsia* Diakonoff,1989 (Carposinidae) Synonym(s): *metarsia* Diakonoff,1989
- 8351) *Heterogymna ochrogramma* (Meyrick,1913) (Carposinidae) Synonym(s): *ochrogramma* Meyrick,1913; *seriatopunctata* Matsumura,1931
- 8352) *Heterogymna ochrogramma coloba* Diakonoff,1989 (Carposinidae) Synonym(s): *coloba* Diakonoff,1989
- 8353) *Heterogymna ochrogramma ochrogramma* (Meyrick,1913) (Carposinidae) Synonym(s): *ochrogramma* Meyrick,1913; *seriatopunctata* Matsumura,1931
- 8354) *Heterogymna ochrogramma seriapunctata* (Matsumura,1931) (Carposinidae) Synonym(s): *seriapunctata* Matsumura,1931
- 8355) *Heterogymna ochrogramma toxotes* Diakonoff,1989 (Carposinidae) Synonym(s): *toxotes* Diakonoff,1989
- 8356) *Meridarchis bryonephela* Meyrick,1938 (Carposinidae) Synonym(s): *bryonephela* Meyrick,1938
- 8357) *Meridarchis crotalus* Diakonoff,1989 (Carposinidae) Synonym(s): *crotalus* Diakonoff,1989
- 8358) *Meridarchis ensifera* Diakonoff,1950 (Carposinidae) Synonym(s): *ensifera* Diakonoff,1950
- 8359) *Meridarchis excisa* (Walsingham,1900) (Carposinidae) Synonym(s): *excisa* Walsingham,1900
- 8360) *Meridarchis isodina* Diakonoff,1989 (Carposinidae) Synonym(s): *isodina* Diakonoff,1989
- 8361) *Meridarchis jamboa* Kawabe,1980 (Carposinidae) Synonym(s): *jamboa* Kawabe,1980
- 8362) *Meridarchis longirostris* (Hampson,1900) (Carposinidae) Synonym(s): *longirostris* Hampson,1900
- 8363) *Meridarchis merga* Diakonoff,1989 (Carposinidae) Synonym(s): *merga* Diakonoff,1989
- 8364) *Meridarchis scyroides* Meyrick,1916 (Carposinidae) Synonym(s): *scyroides* Meyrick,1916
- 8365) *Meridarchis trapeziella* Zeller,1867 (Carposinidae) Synonym(s): *trapeziella* Zeller,1867; *stoetznieri* Caradja,1927.
- 8366) *Meridarchis xerostola* (Diakonoff,1984) (Carposinidae) Synonym(s): *xerostola* Diakonoff,1984
- 8367) *Metacosmesis laxeuta* (Meyrick,1906) (Carposinidae) Synonym(s): *laxeuta* Meyrick,1906
- 8368) *Peragrarchis emmilita* Diakonoff,1989 (Carposinidae) Synonym(s): *emmilita* Diakonoff,1989
- 8369) *Peragrarchis rodea* (Diakonoff,1950) (Carposinidae) Synonym(s): *rodea* Diakonoff,1950
- 8370) *Peragrarchis syncolleta* (Meyrick,1928) (Carposinidae) Synonym(s): *syncolleta* Meyrick,1928
- 8371) *Tascina metallica* Pagenstecher,1890 (Castniidae) Synonym(s): *metallica* Pagenstecher,1890
- 8372) *Tascina orientalis* (Westwood,1877) (Castniidae) Synonym(s): *orientalis* Westwood,1877
- 8373) *Anthophila abhasica* Danilevsky,1969 (Choreutidae) Synonym(s): *abhasica* Danilevsky,1969
- 8374) *Anthophila armata* (Danilevsky,1969) (Choreutidae) Synonym(s): *armata* Danilevsky,1969
- 8375) *Anthophila colchica* Danilevsky,1969 (Choreutidae) Synonym(s): *colchica* Danilevsky,1969
- 8376) *Anthophila decolorana* Danilevsky,1969 (Choreutidae) Synonym(s): *decolorana* Danilevsky,1969
- 8377) *Anthophila dischides* Diakonoff,1978 (Choreutidae) Synonym(s): *dischides* Diakonoff,1978
- 8378) *Anthophila fabriciana* (Linnaeus,1767) (Choreutidae) Synonym(s): *fabriciana* Linnaeus,1767; *oxyacanthella* Linnaeus,1767; *urticana* Denis & Schiffermüller,[1775]; *excisum* Retzius,1783; *gilibertiana* Villers,1789; *oxyacanthae* Fabricius,1798; *dentana* Hübner,1799; *fabricii* Haworth,1811; *dentanal* Treitschke,1829; *parietariae* Stainton,1855; *fabriciella* Herrich-Schäffer,1862; *parietariella* Herrich-Schäffer,1862
- 8379) *Anthophila filipjevi* Danilevsky,1969 (Choreutidae) Synonym(s): *filipjevi* Danilevsky,1969
- 8380) *Anthophila oreina* Diakonoff,1979 (Choreutidae) Synonym(s): *oreina* Diakonoff,1979
- 8381) *Anthophila threnodes* (Walsingham,1910) (Choreutidae) Synonym(s): *threnodes* Walsingham,1910
- 8382) *Brenthia albipunctata* Arita,1987 (Choreutidae) Synonym(s): *albipunctata* Arita,1987
- 8383) *Brenthia angoonae* Arita,1987 (Choreutidae) Synonym(s): *angoonae* Arita,1987
- 8384) *Brenthia ardens* Meyrick,1912 (Choreutidae) Synonym(s): *ardens* Meyrick,1912
- 8385) *Brenthia chiangmaiensis* Arita,1987 (Choreutidae) Synonym(s): *chiangmaiensis* Arita,1987
- 8386) *Brenthia dendronympha* Meyrick,1937 (Choreutidae) Synonym(s): *dendronympha* Meyrick,1937
- 8387) *Brenthia flava* Arita,1987 (Choreutidae) Synonym(s): *flava* Arita,1987
- 8388) *Brenthia formosensis* Issiki,1930 (Choreutidae) Synonym(s): *formosensis* Issiki,1930
- 8389) *Brenthia karsholti* Arita,1987 (Choreutidae) Synonym(s): *karsholti* Arita,1987
- 8390) *Brenthia khaoyaiensis* Arita,1987 (Choreutidae) Synonym(s): *khaoyaiensis* Arita,1987
- 8391) *Brenthia kurokoi* Arita,1987 (Choreutidae) Synonym(s): *kurokoi* Arita,1987
- 8392) *Brenthia leucotoma* Meyrick,1918 (Choreutidae) Synonym(s): *leucotoma* Meyrick,1918
- 8393) *Brenthia multipunctata* Arita,1987 (Choreutidae) Synonym(s): *multipunctata* Arita,1987
- 8394) *Brenthia nephelosema* Diakonoff,1978 (Choreutidae) Synonym(s): *nephelosema* Diakonoff,1978
- 8395) *Brenthia octopunctata* Arita,1987 (Choreutidae) Synonym(s): *octopunctata* Arita,1987
- 8396) *Brenthia pileae* Arita,1971 (Choreutidae) Synonym(s): *pileae* Arita,1971
- 8397) *Brenthia punctata* Arita,1987 (Choreutidae) Synonym(s): *punctata* Arita,1987
- 8398) *Brenthia saitoi* Arita,1987 (Choreutidae) Synonym(s): *saitoi* Arita,1987
- 8399) *Brenthia siamensis* Arita,1987 (Choreutidae) Synonym(s): *siamensis* Arita,1987
- 8400) *Brenthia similis* Arita,1987 (Choreutidae) Synonym(s): *similis* Arita,1987
- 8401) *Brenthia subflava* Arita,1987 (Choreutidae) Synonym(s): *subflava* Arita,1987
- 8402) *Brenthia subsimilis* Arita,1987 (Choreutidae) Synonym(s): *subsimilis* Arita,1987
- 8403) *Brenthia thaiensis* Arita,1987 (Choreutidae) Synonym(s): *thaiensis* Arita,1987
- 8404) *Brenthia yaeyamae* Arita,1971 (Choreutidae) Synonym(s): *yaeyamae* Arita,1971
- 8405) *Choreutis achyrodes* (Meyrick,1912) (Choreutidae) Synonym(s): *achyrodes* Meyrick,1912; *albifascialis* Marumo,1923; *kochiensis* Matsumura,1931
- 8406) *Choreutis aegyptiaca* (Zeller,1867) (Choreutidae) Synonym(s): *aegyptiaca* Zeller,1867; *hypocroca* Diakonoff,1978
- 8407) *Choreutis amethystodes* (Meyrick,1914) (Choreutidae) Synonym(s): *amethystodes* Meyrick,1914
- 8408) *Choreutis antiptila* Meyrick,1912 (Choreutidae) Synonym(s): *antiptila* Meyrick,1912
- 8409) *Choreutis argyrastra* Meyrick,1932 (Choreutidae) Synonym(s): *argyrastra* Meyrick,1932
- 8410) *Choreutis atosignata* (Christoph,1888) (Choreutidae) Synonym(s): *atosignata* Christoph,1888; *moiwana* Matsumura,1931; *ussuriensis* Danilevsky,1973
- 8411) *Choreutis atosignata atosignata* (Christoph,1888) (Choreutidae) Synonym(s): *atosignata* Christoph,1888; *moiwana* Matsumura,1931; *ussuriensis* Danilevsky,1973
- 8412) *Choreutis atosignata sinica* Diakonoff,1984 (Choreutidae) Synonym(s): *sinica* Diakonoff,1984
- 8413) *Choreutis basalis* (C.Felder & Rogenhofer,1875) (Choreutidae) Synonym(s): *basalis* C.Felder & Rogenhofer,1875; *chionodesma* Lower,1900
- 8414) *Choreutis bathysema* (Diakonoff,1978) (Choreutidae) Synonym(s): *bathysema* Diakonoff,1978
- 8415) *Choreutis calliclisa* Diakonoff,1978 (Choreutidae) Synonym(s): *calliclisa* Diakonoff,1978
- 8416) *Choreutis caradjai* (Diakonoff,1984) (Choreutidae) Synonym(s): *caradjai* Diakonoff,1984
- 8417) *Choreutis cumuligera* (Diakonoff,1978) (Choreutidae) Synonym(s): *cumuligera* Diakonoff,1978
- 8418) *Choreutis cyanogramma* (Diakonoff & Arita,1979) (Choreutidae) Synonym(s): *cyanogramma* Diakonoff & Arita,1979
- 8419) *Choreutis diana* (Hübner,1822) (Choreutidae) Synonym(s): *diana* Hübner,1822; *dianalis* Treitschke,1835; *decorana* Zetterstedt,1839; *dianella* Herrich-Schäffer,1862; *luridana* Walker,1863; *vicarialis* Zeller,1875
- 8420) *Choreutis dichlora* (Meyrick,1912) (Choreutidae) Synonym(s): *dichlora* Meyrick,1912
- 8421) *Choreutis euclista* (Meyrick,1918) (Choreutidae) Synonym(s): *euclista* Meyrick,1918
- 8422) *Choreutis hyligenes* (Butler,1879) (Choreutidae) Synonym(s): *hyligenes* Butler,1879
- 8423) *Choreutis ialeura* (Meyrick,1912) (Choreutidae) Synonym(s): *ialeura* Meyrick,1912

- 8424) *Choreutis irradiata* Meyrick, 1913 (Choreutidae) Synonym(s): *irradiata* Meyrick, 1913
8425) *Choreutis japonica* (Zeller, 1877) (Choreutidae) Synonym(s): *japonica* Zeller, 1877
8426) *Choreutis mesolyma* (Diakonoff, 1978) (Choreutidae) Synonym(s): *mesolyma* Diakonoff, 1978
8427) *Choreutis minuta* (Diakonoff & Arita, 1979) (Choreutidae) Synonym(s): *minuta* Diakonoff & Arita, 1979
8428) *Choreutis montana* (Danilevsky, 1973) (Choreutidae) Synonym(s): *montana* Danilevsky, 1973
8429) *Choreutis nemorana* (Hübner, [1799]) (Choreutidae) Synonym(s): *nemorana* Hübner, [1799]; *incisalis* Treitschke, 1828; *nemoranal* Treitschke, 1829; *nemorella* Herrich-Schäffer, 1862
8430) *Choreutis ophiocoma* (Lower, 1896) (Choreutidae) Synonym(s): *ophiocoma* Lower, 1896; ? *regularis* Pagenstecher, 1884
8431) *Choreutis pariana* (Clerck, 1759) (Choreutidae) Synonym(s): *#pariana* Clerck, 1759; *lutosa* Haworth, 1811; *parialis* Treitschke, 1828; *pariella* Herrich-Schäffer, 1862
8432) *Choreutis sandaracina* (Meyrick, 1907) (Choreutidae) Synonym(s): *sandaracina* Meyrick, 1907
8433) *Choreutis sexfasciella* (Sauber, 1902) (Choreutidae) Synonym(s): *sexfasciella* Sauber, 1902; *fulminea* Meyrick, 1912
8434) *Choreutis vinosa* (Diakonoff, 1978) (Choreutidae) Synonym(s): *vinosa* Diakonoff, 1978
8435) *Choreutis vinosa discolor* (Diakonoff & Arita, 1979) (Choreutidae) Synonym(s): *discolor* Diakonoff & Arita, 1979
8436) *Choreutis vinosa vinosa* (Diakonoff, 1978) (Choreutidae) Synonym(s): *vinosa* Diakonoff, 1978
8437) *Choreutis xanthogramma* (Meyrick, 1912) (Choreutidae) Synonym(s): *xanthogramma* Meyrick, 1912
8438) *Choreutis yakushimensis* (Marumo, 1923) (Choreutidae) Synonym(s): *yakushimensis* Marumo, 1923
8439) *Litobrenthia trimaculata* Arita, 1987 (Choreutidae) Synonym(s): *trimaculata* Arita, 1987
8440) *Litobrenthia affinis* Arita, 1987 (Choreutidae) Synonym(s): *affinis* Arita, 1987
8441) *Litobrenthia albifasciata* Arita, 1987 (Choreutidae) Synonym(s): *albifasciata* Arita, 1987
8442) *Litobrenthia carola* (Meyrick, 1912) (Choreutidae) Synonym(s): *carola* Meyrick, 1912
8443) *Litobrenthia doiinthanensis* Arita, 1987 (Choreutidae) Synonym(s): *doiinthanensis* Arita, 1987
8444) *Litobrenthia grammodes* Diakonoff, 1979 (Choreutidae) Synonym(s): *grammodes* Diakonoff, 1979
8445) *Litobrenthia japonica* (Issiki, 1930) (Choreutidae) Synonym(s): *japonica* Issiki, 1930
8446) *Litobrenthia minima* Arita, 1987 (Choreutidae) Synonym(s): *minima* Arita, 1987
8447) *Litobrenthia nakhonnayokensis* Arita, 1987 (Choreutidae) Synonym(s): *nakhonnayokensis* Arita, 1987
8448) *Litobrenthia quadrimaculata* Arita, 1987 (Choreutidae) Synonym(s): *quadrimaculata* Arita, 1987
8449) *Litobrenthia stephanophora* Diakonoff, 1979 (Choreutidae) Synonym(s): *stephanophora* Diakonoff, 1979
8450) *Litobrenthia tetartodipla* (Diakonoff, 1978) (Choreutidae) Synonym(s): *tetartodipla* Diakonoff, 1978
8451) *Litobrenthia yoshiyasui* Arita, 1987 (Choreutidae) Synonym(s): *yoshiyasui* Arita, 1987
8452) *Millieria dolosana* (Herrich-Schäffer, [1854]) (Choreutidae) Synonym(s): *#dolosalis* Heydenreich, 1851; *dolosana* Herrich-Schäffer, [1854]; *#dolasana* Desmarest, [1857]
8453) *Nyx puyaphaga* Heppner, 1982 (Choreutidae) Synonym(s): *puyaphaga* Heppner, 1982
8454) *Peotyle atmodesima* (Meyrick, 1933) (Choreutidae) Synonym(s): *atmodesima* Meyrick, 1933
8455) *Peotyle batangensis* (Caradja, 1940) (Choreutidae) Synonym(s): *batangensis* Caradja, 1940
8456) *Phormoestes palmettovora* Heppner, 1982 (Choreutidae) Synonym(s): *palmettovora* Heppner, 1982
8457) *Prochoreutis alpina* (Arita, 1976) (Choreutidae) Synonym(s): *alpina* Arita, 1976
8458) *Prochoreutis arisema* (Diakonoff, 1978) (Choreutidae) Synonym(s): *arisema* Diakonoff, 1978
8459) *Prochoreutis atrox* (Diakonoff, 1978) (Choreutidae) Synonym(s): *atrox* Diakonoff, 1978
8460) *Prochoreutis brunescens* (Diakonoff, 1978) (Choreutidae) Synonym(s): *brunescens* Diakonoff, 1978
8461) *Prochoreutis chionocosma* (Diakonoff, 1978) (Choreutidae) Synonym(s): *chionocosma* Diakonoff, 1978
8462) *Prochoreutis delicata* (Arita, 1976) (Choreutidae) Synonym(s): *delicata* Arita, 1976
8463) *Prochoreutis diakonoffi* Arita, 1976 (Choreutidae) Synonym(s): *diakonoffi* Arita, 1976
8464) *Prochoreutis drosodoxa* (Meyrick, 1933) (Choreutidae) Synonym(s): *drosodoxa* Meyrick, 1933
8465) *Prochoreutis hadrogastra* (Diakonoff, 1978) (Choreutidae) Synonym(s): *hadrogastra* Diakonoff, 1978
8466) *Prochoreutis halimora* (Meyrick, 1912) (Choreutidae) Synonym(s): *halimora* Meyrick, 1912
8467) *Prochoreutis hestiaracha* (Meyrick, 1912) (Choreutidae) Synonym(s): *hestiaracha* Meyrick, 1912
8468) *Prochoreutis holotoxa* (Meyrick, 1903) (Choreutidae) Synonym(s): *holotoxa* Meyrick, 1903; *sibirica* Hackman, 1947; *incerta* Capuse, 1970
8469) *Prochoreutis intermediana* (Rebel, 1910) (Choreutidae) Synonym(s): *intermediana* Rebel, 1910
8470) *Prochoreutis monogoma* (Diakonoff, 1978) (Choreutidae) Synonym(s): *monogoma* Diakonoff, 1978
8471) *Prochoreutis myllerana* (Fabricius, 1794) (Choreutidae) Synonym(s): *myllerana* Fabricius, 1794; *mylleri* Haworth, 1811; *augustana* Hübner, [1813]; *scintilulana* Hübner, [1825]; *scintilulalis* Treitschke, 1835; *albipunctalis* Zetterstedt, 1839; *müllerana* Heyden, 1865
8472) *Prochoreutis radians* (Diakonoff, 1978) (Choreutidae) Synonym(s): *radians* Diakonoff, 1978
8473) *Prochoreutis sachalinensis* (Danilevsky, 1969) (Choreutidae) Synonym(s): *sachalinensis* Danilevsky, 1969
8474) *Prochoreutis sehestediana* (Fabricius, 1777) (Choreutidae) Synonym(s): *sehestediana* Fabricius, 1777; *punctosa* Haworth, 1811; *philonyma* Meyrick, 1912; *phalaraspis* Meyrick, 1923
8475) *Prochoreutis solaris* (Erschoff, 1877) (Choreutidae) Synonym(s): *solaris* Erschoff, 1877
8476) *Prochoreutis stellaris* (Zeller, 1847) (Choreutidae) Synonym(s): *stellaris* Zeller, 1847
8477) *Prochoreutis talyshensis* (Danilevsky, 1969) (Choreutidae) Synonym(s): *talyshensis* Danilevsky, 1969
8478) *Prochoreutis ultimana* (Krulikovskiy, 1909) (Choreutidae) Synonym(s): *ultimana* Krulikovskiy, 1909
8479) *Prochoreutis ussurica* (Danilevsky, 1969) (Choreutidae) Synonym(s): *ussurica* Danilevsky, 1969
8480) *Saptha cypridia* Meyrick, 1910 (Choreutidae) Synonym(s): *cypridia* Meyrick, 1910
8481) *Saptha smaragdalis* Meyrick, 1905 (Choreutidae) Synonym(s): *smaragdalis* Meyrick, 1905
8482) *Tebenna bjerkanrella* (Borgström, 1784) (Choreutidae) Synonym(s): *cardui* Ström, 1783; *bjerkanrella* Borgström, 1784; *prunnerella* Rossi, 1794; *vibrana* Hübner, [1813]; *vibralis* Treitschke, 1835; *kawabei* Arita, 1975
8483) *Tebenna caucasica* Danilevsky, 1969 (Choreutidae) Synonym(s): *caucasica* Danilevsky, 1969
8484) *Tebenna chingana* Danilevsky, 1969 (Choreutidae) Synonym(s): *chingana* Danilevsky, 1969
8485) *Tebenna chodzhajevi* (Gerasimov, 1930) (Choreutidae) Synonym(s): *chodzhajevi* Gerasimov, 1930
8486) *Tebenna micalis* (Mann, 1857) (Choreutidae) Synonym(s): *micalis* Mann, 1857; *isschikii* Matsumura, 1931; *bradleyi* Clarke, 1971; *hypocroca* Diakonoff, 1978
8487) *Tebenna submicalis* Danilevsky, 1969 (Choreutidae) Synonym(s): *submicalis* Danilevsky, 1969
8488) *Axia* (Epicimelia) *theresia* (Korb, 1900) (Cimeliidae) Synonym(s): *theresia* Korb, 1900
8489) *Axia* (Epicimelia) *theresia* *malatyensis* Amsel, 1979 (Cimeliidae) Synonym(s): *malatyensis* Amsel, 1979
8490) *Axia* (Epicimelia) *theresia* *schellhornae* Amsel, 1979 (Cimeliidae) Synonym(s): *schellhornae* Amsel, 1979; *defreina* Witt, 1982.
8491) *Axia* (Epicimelia) *theresia* *theresia* (Korb, 1900) (Cimeliidae) Synonym(s): *theresia* Korb, 1900
8492) *Axia* (Epicimelia) *theresia* *tischendorffi* (O. Bang-Haas, 1927) (Cimeliidae) Synonym(s): *tischendorffi* O. Bang-Haas, 1927
8493) *Axia* (s.str.) *margarita* (Hübner, [1813]) (Cimeliidae) Synonym(s): *margarita* Hübner, [1813]
8494) *Axia* (s.str.) *margarita* *andalusica* Marten, 1934 (Cimeliidae) Synonym(s): *andalusica* Marten, 1934
8495) *Axia* (s.str.) *margarita* *margarita* (Hübner, [1813]) (Cimeliidae) Synonym(s): *margarita* Hübner, [1813]
8496) *Axia* (s.str.) *margarita* *soledad* Schawerda, 1927 (Cimeliidae) Synonym(s): *soledad* Schawerda, 1927
8497) *Axia* (s.str.) *napoleona* Schawerda, 1926 (Cimeliidae) Synonym(s): *napoleona* Schawerda, 1926
8498) *Axia* (s.str.) *nesiota* Reisser, 1962 (Cimeliidae) Synonym(s): *nesiota* Reisser, 1962
8499) *Axia* (s.str.) *olga* Staudinger, 1900 (Cimeliidae) Synonym(s): *olga* Staudinger, 1900
8500) *Axia* (s.str.) *vaulogeri* (Staudinger, 1892) (Cimeliidae) Synonym(s): *vaulogeri* Staudinger, 1892
8501) *Ussara semicoronis* Meyrick, 1932 (Cimeliidae) Synonym(s): *semicoronis* Meyrick, 1932
8502) *Amblyxena pilifera* Meyrick, 1921 (Coleophoridae) Synonym(s): *pilifera* Meyrick, 1921
8503) *Augasma aeratellum* (Zeller, 1839) (Coleophoridae) Synonym(s): *aeratellum* Zeller, 1839
8504) *Augasma nidifica* Meyrick, 1912 (Coleophoridae) Synonym(s): *nidifica* Meyrick, 1912
8505) *Augasma nitens* Amsel, 1935 (Coleophoridae) Synonym(s): *nitens* Amsel, 1935
8506) *Coleophora abbasella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *abbasella* Baldizzone, 1994
8507) *Coleophora absinthii* Wocke, 1876 (Coleophoridae) Synonym(s): *absinthii* Wocke, 1876
8508) *Coleophora absinthivora* Baldizzone, 1990 (Coleophoridae) Synonym(s): *absinthivora* Baldizzone, 1990

- 8509) *Coleophora acanthophyllii* (Falkovitsh,1989) (Coleophoridae) Synonym(s): *acanthophyllii* Falkovitsh,1989
- 8510) *Coleophora accadica* Baldizzzone,1994 (Coleophoridae) Synonym(s): *accadica* Baldizzzone,1994
- 8511) *Coleophora acerosa* (Falkovitsh,1989) (Coleophoridae) Synonym(s): *acerosa* Falkovitsh,1989
- 8512) *Coleophora achenivora* Hofmann,1877 (Coleophoridae) Synonym(s): *achenivora* Hofmann,1877; *paratanaceti* Toll,1961
- 8513) *Coleophora achilleae* Baldizzzone,2001 (Coleophoridae) Synonym(s): *achilleae* Baldizzzone,2001
- 8514) *Coleophora acmura* Meyrick,1914 (Coleophoridae) Synonym(s): *acmura* Meyrick,1914
- 8515) *Coleophora acrisella* Millièrre,1872 (Coleophoridae) Synonym(s): *acrisella* Millièrre,1872
- 8516) *Coleophora aculeata* Baldizzzone,1994 (Coleophoridae) Synonym(s): *aculeata* Baldizzzone,1994
- 8517) *Coleophora acutiphaga* Baldizzzone,1982 (Coleophoridae) Synonym(s): *acutiphaga* Baldizzzone,1982
- 8518) *Coleophora adelogrammella* Zeller,1849 (Coleophoridae) Synonym(s): *adelogrammella* Zeller,1849; *collina* Frey,1880; *separatella* Benander,1939.
- 8519) *Coleophora adjectella* Herrich-Schäffer,1861 (Coleophoridae) Synonym(s): *adjectella* Herrich-Schäffer,1861
- 8520) *Coleophora adjunctella* Hodgkinson,1882 (Coleophoridae) Synonym(s): *adjunctella* Hodgkinson,1882; *paludicola* Stainton,1885; *aratorensis* Barasch,1934
- 8521) *Coleophora adlecta* Baldizzzone,1994 (Coleophoridae) Synonym(s): *adlecta* Baldizzzone,1994
- 8522) *Coleophora adpersella* Benander,1939 (Coleophoridae) Synonym(s): *adpersella* Benander,1939
- 8523) *Coleophora aegyptiacae* Walsingham,1907 (Coleophoridae) Synonym(s): *aegyptiacae* Walsingham,1907
- 8524) *Coleophora aequalella* Christoph,1872 (Coleophoridae) Synonym(s): *aequalella* Christoph,1872
- 8525) *Coleophora aervae* Baldizzzone,1994 (Coleophoridae) Synonym(s): *aervae* Baldizzzone,1994
- 8526) *Coleophora aestuariella* Bradley,1984 (Coleophoridae) Synonym(s): *aestuariella* Bradley,1984; *tanassella* Nemes,2003
- 8527) *Coleophora aethiops* Heinemann & Wocke,1877 (Coleophoridae) Synonym(s): *aethiops* Heinemann & Wocke,1877
- 8528) *Coleophora afghana* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *afghana* Toll & Amsel,1967
- 8529) *Coleophora afrohispana* Baldizzzone,1982 (Coleophoridae) Synonym(s): *afrohispana* Baldizzzone,1982
- 8530) *Coleophora afrosarda* Baldizzzone & Kaltenbach,1983 (Coleophoridae) Synonym(s): *afrosarda* Baldizzzone & Kaltenbach,1983
- 8531) *Coleophora agadirensis* Baldizzzone,2001 (Coleophoridae) Synonym(s): *agadirensis* Baldizzzone,2001
- 8532) *Coleophora agenjoi* Toll,1960 (Coleophoridae) Synonym(s): *agenjoi* Toll,1960
- 8533) *Coleophora agilis* Baldizzzone,1998 (Coleophoridae) Synonym(s): *agilis* Baldizzzone,1998
- 8534) *Coleophora agnatella* Toll,1960 (Coleophoridae) Synonym(s): *agnatella* Toll,1960
- 8535) *Coleophora agrianaella* Rebel,1934 (Coleophoridae) Synonym(s): *agrianaella* Rebel,1934
- 8536) *Coleophora agridensis* Baldizzzone,2001 (Coleophoridae) Synonym(s): *agridensis* Baldizzzone,2001
- 8537) *Coleophora ahenella* Heinemann,1876 (Coleophoridae) Synonym(s): *ahenella* Heinemann,1876; *subahenella* Capuse,1975
- 8538) *Coleophora alabardata* Baldizzzone,1994 (Coleophoridae) Synonym(s): *alabardata* Baldizzzone,1994
- 8539) *Coleophora alashiae* Baldizzzone,1996 (Coleophoridae) Synonym(s): *alashiae* Baldizzzone,1996
- 8540) *Coleophora albarracinica* Toll,1961 (Coleophoridae) Synonym(s): *albarracinica* Toll,1961
- 8541) *Coleophora albella* (Thunberg,1788) (Coleophoridae) Synonym(s): *albella* Thunberg,1788; *leucapennella* Hübner,1796.
- 8542) *Coleophora albicans* Zeller,1849 (Coleophoridae) Synonym(s): *albicans* Zeller,1849; *artemisiella* Scott,1861; *simillimella* Fuchs,1881; *digitella* Palm,1947
- 8543) *Coleophora albicella* Constant,1885 (Coleophoridae) Synonym(s): *albicella* Constant,1885; *ventifuga* Walsingham,1898; *santolinae* Hartig,1938
- 8544) *Coleophora albicinctella* Toll,1960 (Coleophoridae) Synonym(s): *albicinctella* Toll,1960
- 8545) *Coleophora albicosta* (Haworth,[1828]) (Coleophoridae) Synonym(s): *albicosta* Haworth,[1828]; *albicostella* Doubleday,1859; *coarctella* Staudinger,1859; *fraudentella* Toll,1944
- 8546) *Coleophora albicostella* (Duponchel,1842) (Coleophoridae) Synonym(s): *albicostella* Duponchel,1842; *albinmarginella* Herrich-Schäffer,1855
- 8547) *Coleophora albidella* (Denis & Schiffermüller,1775) (Coleophoridae) Synonym(s): *albidella* [Denis & Schiffermüller],1775; *pallipennella* Treitschke,1833
- 8548) *Coleophora albidorsella* Toll,1942 (Coleophoridae) Synonym(s): *albidorsella* Toll,1942
- 8549) *Coleophora albilineella* Toll,1960 (Coleophoridae) Synonym(s): *albilineella* Toll,1960; *bucovinella* Nemes,1968
- 8550) *Coleophora albiochrella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *albiochrella* Toll & Amsel,1967
- 8551) *Coleophora albipennella* Staudinger,1879 (Coleophoridae) Synonym(s): *albipennella* Staudinger,1879
- 8552) *Coleophora albipennella* Zeller,1849 (Coleophoridae) Synonym(s): *albitarsella* Zeller,1849; *lividella* Bruand,1850
- 8553) *Coleophora albostraminata* Toll,1960 (Coleophoridae) Synonym(s): *albostraminata* Toll,1960
- 8554) *Coleophora albotitae* Rebel,1935 (Coleophoridae) Synonym(s): *albotitae* Rebel,1935
- 8555) *Coleophora albulae* Frey,1880 (Coleophoridae) Synonym(s): *albulae* Frey,1880
- 8556) *Coleophora alcyonipennella* (Kollar,1832) (Coleophoridae) Synonym(s): *alcyonipennella* Kollar,1832; *cuprariella* Zeller,1847; *praticolella* Zeller,1849; *cuprifulgella* Toll,1962
- 8557) *Coleophora alfacarensis* Baldizzzone,1998 (Coleophoridae) Synonym(s): *alfacarensis* Baldizzzone,1998
- 8558) *Coleophora algeriensis* Toll,1952 (Coleophoridae) Synonym(s): *algeriensis* Toll,1952
- 8559) *Coleophora algidella* Zeller,1857 (Coleophoridae) Synonym(s): *algidella* Zeller,1857
- 8560) *Coleophora alhamaella* Baldizzzone,1979 (Coleophoridae) Synonym(s): *alhamaella* Baldizzzone,1979
- 8561) *Coleophora aliena* Baldizzzone,1987 (Coleophoridae) Synonym(s): *aliena* Baldizzzone,1987
- 8562) *Coleophora almeriensis* Baldizzzone & Wolf,1999 (Coleophoridae) Synonym(s): *almeriensis* Baldizzzone & Wolf,1999
- 8563) *Coleophora alnifoliae* Barasch,1934 (Coleophoridae) Synonym(s): *alnifoliae* Barasch,1934; *alnivorella* McDunnough,1946
- 8564) *Coleophora alticolella* Zeller,1849 (Coleophoridae) Synonym(s): *alticolella* Zeller,1849
- 8565) *Coleophora altivagella* Toll,1952 (Coleophoridae) Synonym(s): *altivagella* Toll,1952
- 8566) *Coleophora amarchana* Falkovitsh,1972 (Coleophoridae) Synonym(s): *amarchana* Falkovitsh,1972
- 8567) *Coleophora amasicola* Toll,1942 (Coleophoridae) Synonym(s): *amasicola* Toll,1942
- 8568) *Coleophora amasiella* Stainton,1867 (Coleophoridae) Synonym(s): *amasiella* Stainton,1867
- 8569) *Coleophora amellivora* Baldizzzone,1979 (Coleophoridae) Synonym(s): *amellivora* Baldizzzone,1979
- 8570) *Coleophora amentastra* Falkovitsh,1972 (Coleophoridae) Synonym(s): *amentastra* Falkovitsh,1972
- 8571) *Coleophora amethystinella* Ragonot,1885 (Coleophoridae) Synonym(s): *amethystinella* Ragonot,1885
- 8572) *Coleophora ammodyta* Falkovitsh,1970 (Coleophoridae) Synonym(s): *ammodyta* Falkovitsh,1970
- 8573) *Coleophora ammophora* (Falkovitsh,1989) (Coleophoridae) Synonym(s): *ammophora* Falkovitsh,1989
- 8574) *Coleophora amphorella* Baldizzzone,1994 (Coleophoridae) Synonym(s): *amphorella* Baldizzzone,1994
- 8575) *Coleophora amseliella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *amseliella* Toll & Amsel,1967
- 8576) *Coleophora anabaseos* Falkovitsh,1978 (Coleophoridae) Synonym(s): *anabaseos* Falkovitsh,1978
- 8577) *Coleophora anitella* Baldizzzone,1985 (Coleophoridae) Synonym(s): *anitella* Baldizzzone,1985
- 8578) *Coleophora antennariella* Herrich-Schäffer,1861 (Coleophoridae) Synonym(s): *antennariella* Herrich-Schäffer,1861
- 8579) *Coleophora aphanombra* Meyrick,1913 (Coleophoridae) Synonym(s): *aphanombra* Meyrick,1913
- 8580) *Coleophora aporiella* Baldizzzone,1989 (Coleophoridae) Synonym(s): *aporiella* Baldizzzone,1989
- 8581) *Coleophora arachnias* Meyrick,1922 (Coleophoridae) Synonym(s): *arachnias* Meyrick,1922; *hederella* Toll,1942; *shadeganensis* Toll,1959.
- 8582) *Coleophora arachosiae* Baldizzzone,1994 (Coleophoridae) Synonym(s): *arachosiae* Baldizzzone,1994
- 8583) *Coleophora arctostaphyli* Meder,1934 (Coleophoridae) Synonym(s): *arctostaphyli* Meder,1934
- 8584) *Coleophora arefactella* Staudinger,1859 (Coleophoridae) Synonym(s): *arefactella* Staudinger,1859
- 8585) *Coleophora arenbergerella* Baldizzzone,1985 (Coleophoridae) Synonym(s): *arenbergerella* Baldizzzone,1985
- 8586) *Coleophora arenbergeri* Glaser,1981 (Coleophoridae) Synonym(s): *arenbergeri* Glaser,1981
- 8587) *Coleophora argenteonivea* Walsingham,1907 (Coleophoridae) Synonym(s): *argenteonivea* Walsingham,1907
- 8588) *Coleophora argentifimbriata* Walsingham,1907 (Coleophoridae) Synonym(s): *argentifimbriata* Walsingham,1907
- 8589) *Coleophora argentipennella* Duponchel,1838 (Coleophoridae) Synonym(s): *argentipennella* Duponchel,1838
- 8590) *Coleophora argentula* (Stephens,1834) (Coleophoridae) Synonym(s): *argentula* Stephens,1834; *cothurnella* Duponchel,1843; *argentulella* Doubleday,1859; *argentulella* Bruand,1859
- 8591) *Coleophora argyrella* Herrich-Schäffer,1861 (Coleophoridae) Synonym(s): *argyrella* Herrich-Schäffer,1861
- 8592) *Coleophora armeniae* Baldizzzone & Patzak,1991 (Coleophoridae) Synonym(s): *armeniae* Baldizzzone & Patzak,1991
- 8593) *Coleophora artemisicoella* Bruand,1855 (Coleophoridae) Synonym(s): *artemisicoella* Bruand,1855
- 8594) *Coleophora asiaeminoris* Toll,1952 (Coleophoridae) Synonym(s): *asiaeminoris* Toll,1952
- 8595) *Coleophora asirensis* Baldizzzone,1990 (Coleophoridae) Synonym(s): *asirensis* Baldizzzone,1990
- 8596) *Coleophora asperginella* Christoph,1862 (Coleophoridae) Synonym(s): *asperginella* Christoph,1862

- 8597) *Coleophora assyriacae* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *assyriacae* Baldizzzone, 1994
- 8598) *Coleophora asteris* Mühlig, 1864 (Coleophoridae) Synonym(s): *asteris* Mühlig, 1864; *tripoliella* Hodgkinson, 1875
- 8599) *Coleophora asthenella* Constant, 1893 (Coleophoridae) Synonym(s): *asthenella* Constant, 1893
- 8600) *Coleophora astragalella* Zeller, 1849 (Coleophoridae) Synonym(s): *astragalella* Zeller, 1849; *fimbriosella* Herrich-Schäffer, 1861; *plusiella* Constant, 1865; *persimilis* Rebel, 1904
- 8601) *Coleophora atriplicis* Meyrick, 1928 (Coleophoridae) Synonym(s): *atriplicis* Meyrick, 1928
- 8602) *Coleophora attalicella* Zeller, 1871 (Coleophoridae) Synonym(s): *attalicella* Zeller, 1871
- 8603) *Coleophora audeoudi* Rebel, 1935 (Coleophoridae) Synonym(s): *audeoudi* Rebel, 1935
- 8604) *Coleophora aularia* Meyrick, 1924 (Coleophoridae) Synonym(s): *aularia* Meyrick, 1924; *haplopennella* Toll, 1956
- 8605) *Coleophora auricella* (Fabricius, 1794) (Coleophoridae) Synonym(s): *auricella* Fabricius, 1794; *suceavella* Nemes, 2003; *danilae* Nemes, 2004
- 8606) *Coleophora autumnella* (Duponchel, 1843) (Coleophoridae) Synonym(s): *autumnella* Duponchel, 1843; *asterifoliella* Klimesch, 1939
- 8607) *Coleophora bactrianae* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *bactrianae* Baldizzzone, 1994
- 8608) *Coleophora badiipennella* (Duponchel, 1843) (Coleophoridae) Synonym(s): *badiipennella* Duponchel, 1843
- 8609) *Coleophora bagorella* (Falkovitsh, 1977) (Coleophoridae) Synonym(s): *bagorella* Falkovitsh, 1977; *capusiella* Nemes, 2003
- 8610) *Coleophora ballotella* (Fischer v. Röslerstamm, 1839) (Coleophoridae) Synonym(s): *ballotella* Fischer v. Röslerstamm, 1839; *alexinschiella* Nemes, 2004
- 8611) *Coleophora bandiamirella* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *bandiamirella* Baldizzzone, 1994
- 8612) *Coleophora barbaricina* Baldizzzone, 1980 (Coleophoridae) Synonym(s): *barbaricina* Baldizzzone, 1980
- 8613) *Coleophora basimaculella* Mann, 1864 (Coleophoridae) Synonym(s): *basimaculella* Mann, 1864
- 8614) *Coleophora bassii* Baldizzzone, 1989 (Coleophoridae) Synonym(s): *bassii* Baldizzzone, 1989
- 8615) *Coleophora bazae* Glaser, 1978 (Coleophoridae) Synonym(s): *bazae* Glaser, 1978; *totanae* Baldizzzone, 1985
- 8616) *Coleophora bedella* Falkovitsh, 1976 (Coleophoridae) Synonym(s): *bedella* Falkovitsh, 1976
- 8617) *Coleophora beduina* Baldizzzone, 1987 (Coleophoridae) Synonym(s): *beduina* Baldizzzone, 1987
- 8618) *Coleophora beduina* Baldizzzone, 1987 (Coleophoridae) Synonym(s): *beduina* Baldizzzone, 1987
- 8619) *Coleophora berbera* Baldizzzone, 1998 (Coleophoridae) Synonym(s): *berbera* Baldizzzone, 1998
- 8620) *Coleophora berdjanski* Baldizzzone & Patzak, 1991 (Coleophoridae) Synonym(s): *berdjanski* Baldizzzone & Patzak, 1991
- 8621) *Coleophora berlandella* Toll, 1956 (Coleophoridae) Synonym(s): *berlandella* Toll, 1956
- 8622) *Coleophora bernoulliella* (Goeze, 1783) (Coleophoridae) Synonym(s): *bernoulliella* Goeze, 1783; *anatipennella* Hübner, 1796
- 8623) *Coleophora beticella* Baldizzzone, 1987 (Coleophoridae) Synonym(s): *beticella* Baldizzzone, 1987
- 8624) *Coleophora betulaenanae* Klimesch, 1958 (Coleophoridae) Synonym(s): *betulaenanae* Klimesch, 1958
- 8625) *Coleophora ballotella* Heinemann, 1876 (Coleophoridae) Synonym(s): *betulella* Heinemann, 1876
- 8626) *Coleophora bifrondella* Walsingham, 1891 (Coleophoridae) Synonym(s): *bifrondella* Walsingham, 1891
- 8627) *Coleophora bilineatella* Zeller, 1849 (Coleophoridae) Synonym(s): *bilineatella* Zeller, 1849
- 8628) *Coleophora bilineella* Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *bilineella* Herrich-Schäffer, 1855; *perserenella* Rebel, 1919; *joannisella* Suire, 1930; *sergii* Gozmany, 1956
- 8629) *Coleophora binderella* (Kollar, 1832) (Coleophoridae) Synonym(s): *binderella* Kollar, 1832; *binderiella* Duponchel, 1843; *politella* Scott, 1861; *bicolorella* Stainton, 1861
- 8630) *Coleophora binotapennella* (Duponchel, 1843) (Coleophoridae) Synonym(s): *binotapennella* Duponchel, 1843; *lygia* Nemes, 2003
- 8631) *Coleophora biseriata* Staudinger, 1859 (Coleophoridae) Synonym(s): *biseriata* Staudinger, 1859
- 8632) *Coleophora bitlisella* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *bitlisella* Baldizzzone, 1994
- 8633) *Coleophora bivittella* Staudinger, 1879 (Coleophoridae) Synonym(s): *bivittella* Staudinger, 1879
- 8634) *Coleophora boreella* Benander, 1939 (Coleophoridae) Synonym(s): *boreella* Benander, 1939
- 8635) *Coleophora bornicensis* Fuchs, 1886 (Coleophoridae) Synonym(s): *bornicensis* Fuchs, 1886
- 8636) *Coleophora botaurella* Herrich-Schäffer, 1861 (Coleophoridae) Synonym(s): *botaurella* Herrich-Schäffer, 1861
- 8637) *Coleophora brevialpella* Wocke, 1874 (Coleophoridae) Synonym(s): *brevialpella* Wocke, 1874
- 8638) *Coleophora breviscula* Staudinger, 1880 (Coleophoridae) Synonym(s): *breviscula* Staudinger, 1880
- 8639) *Coleophora brunneosignata* Toll, 1944 (Coleophoridae) Synonym(s): *brunneosignata* Toll, 1944; *degenerella* Toll, 1960
- 8640) *Coleophora buettikeri* Baldizzzone, 1984 (Coleophoridae) Synonym(s): *buettikeri* Baldizzzone, 1984
- 8641) *Coleophora burmanni* Toll, 1952 (Coleophoridae) Synonym(s): *burmanni* Toll, 1952
- 8642) *Coleophora caelebipennella* Zeller, 1839 (Coleophoridae) Synonym(s): *caelebipennella* Zeller, 1839; *bifurcella* Turati, 1930
- 8643) *Coleophora caespitiella* Zeller, 1839 (Coleophoridae) Synonym(s): *caespitiella* Zeller, 1839; *scirpicoella* Zeller, 1849; *lacunicoella* Zeller, 1849; *agrammella* Wood, 1892
- 8644) *Coleophora calligoni* Falkovitsh, 1972 (Coleophoridae) Synonym(s): *calligoni* Falkovitsh, 1972
- 8645) *Coleophora calycotomella* Stainton, 1869 (Coleophoridae) Synonym(s): *calycotomella* Stainton, 1869; *sarothamni* Rössler, 1877; *oranella* Toll, 1952; *afra* Toll, 1952; *paraobviella* Toll, 1961
- 8646) *Coleophora campestriphaga* Baldizzzone & Patzak, 1980 (Coleophoridae) Synonym(s): *campestriphaga* Baldizzzone & Patzak, 1980
- 8647) *Coleophora canariipennella* Toll, 1959 (Coleophoridae) Synonym(s): *canariipennella* Toll, 1959
- 8648) *Coleophora capella* Baldizzzone, 1990 (Coleophoridae) Synonym(s): *capella* Baldizzzone, 1990
- 8649) *Coleophora capella* Baldizzzone, 1990 (Coleophoridae) Synonym(s): *capella* Baldizzzone, 1990
- 8650) *Coleophora capillata* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *capillata* Baldizzzone, 1994
- 8651) *Coleophora cappadociae* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *cappadociae* Baldizzzone, 1994
- 8652) *Coleophora captiosa* Falkovitsh, 1972 (Coleophoridae) Synonym(s): *captiosa* Falkovitsh, 1972
- 8653) *Coleophora captiosa maior* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *maior* Baldizzzone, 1994
- 8654) *Coleophora carelica* Hackman, 1945 (Coleophoridae) Synonym(s): *carelica* Hackman, 1945
- 8655) *Coleophora carmaniae* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *carmaniae* Baldizzzone, 1994
- 8656) *Coleophora cartilaginella* Christoph, 1872 (Coleophoridae) Synonym(s): *cartilaginella* Christoph, 1872; *dubiosa* Toll, 1952; *paraspumosella* Toll, 1957; *medicagivora* Toll, 1961
- 8657) *Coleophora caucasica* Stainton, 1867 (Coleophoridae) Synonym(s): *caucasica* Stainton, 1867
- 8658) *Coleophora cecidophorella* Oudejans, 1972 (Coleophoridae) Synonym(s): *cecidophorella* Oudejans, 1972
- 8659) *Coleophora celsa* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *celsa* Baldizzzone, 1994
- 8660) *Coleophora centaureivora* Baldizzzone, 1998 (Coleophoridae) Synonym(s): *centaureivora* Baldizzzone, 1998
- 8661) *Coleophora ceratoidis* (Falkovitsh, 1979) (Coleophoridae) Synonym(s): *ceratoidis* Falkovitsh, 1979
- 8662) *Coleophora certhiella* Baldizzzone, 1985 (Coleophoridae) Synonym(s): *certhiella* Baldizzzone, 1985
- 8663) *Coleophora chalcogrammella* Zeller, 1839 (Coleophoridae) Synonym(s): *chalcogrammella* Zeller, 1839
- 8664) *Coleophora chamaedriella* Bruand, 1852 (Coleophoridae) Synonym(s): *chamaedriella* Bruand, 1852; *setipalpella* Staudinger, 1879
- 8665) *Coleophora changaica* Reznik, 1975 (Coleophoridae) Synonym(s): *changaica* Reznik, 1975
- 8666) *Coleophora charadriella* Baldizzzone, 1988 (Coleophoridae) Synonym(s): *charadriella* Baldizzzone, 1988
- 8667) *Coleophora cherasforella* Baldizzzone, 2001 (Coleophoridae) Synonym(s): *cherasforella* Baldizzzone, 2001
- 8668) *Coleophora chicanensis* Hering, 1936 (Coleophoridae) Synonym(s): *chicanensis* Hering, 1936
- 8669) *Coleophora chretieni* Baldizzzone, 1979 (Coleophoridae) Synonym(s): *chretieni* Baldizzzone, 1979
- 8670) *Coleophora christenseni* Baldizzzone, 1983 (Coleophoridae) Synonym(s): *christenseni* Baldizzzone, 1983
- 8671) *Coleophora chrysanthemi* Hofmann, 1869 (Coleophoridae) Synonym(s): *chrysanthemi* Hofmann, 1869
- 8672) *Coleophora ciconiella* Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *ciconiella* Herrich-Schäffer, 1855
- 8673) *Coleophora ciliataephaga* Glaser, 1978 (Coleophoridae) Synonym(s): *ciliataephaga* Glaser, 1978
- 8674) *Coleophora clarissa* Falkovitsh, 1977 (Coleophoridae) Synonym(s): *clarissa* Falkovitsh, 1977
- 8675) *Coleophora clypeiferella* Hofmann, 1871 (Coleophoridae) Synonym(s): *clypeiferella* Hofmann, 1871
- 8676) *Coleophora cnossica* Baldizzzone, 1983 (Coleophoridae) Synonym(s): *cnossica* Baldizzzone, 1983
- 8677) *Coleophora coarctataephaga* Toll, 1961 (Coleophoridae) Synonym(s): *coarctataephaga* Toll, 1961; *balcanica* Baldizzzone, 1994
- 8678) *Coleophora cogitata* Baldizzzone, 1998 (Coleophoridae) Synonym(s): *cogitata* Baldizzzone, 1998
- 8679) *Coleophora colutella* (Fabricius, 1794) (Coleophoridae) Synonym(s): *colutella* Fabricius, 1794; *serenella* Duponchel, 1843; *crociniella* Tengström, 1848; *stanoiui* Nemes, 2004
- 8680) *Coleophora confusa* Staudinger, 1880 (Coleophoridae) Synonym(s): *confusa* Staudinger, 1880

- 8681) *Coleophora congeriella* Staudinger, 1859 (Coleophoridae) Synonym(s): *congeriella* Staudinger, 1859; *suboriolella* Toll, 1944
- 8682) *Coleophora conspersa* Baldizzone & Tabell, 1999 (Coleophoridae) Synonym(s): *conspersa* Baldizzone & Tabell, 1999
- 8683) *Coleophora conspicuella* Zeller, 1849 (Coleophoridae) Synonym(s): *conspicuella* Zeller, 1849; *centaureicolella* Bruand, [1856]; *similis* Staudinger, 1880; *aceris* Caradja, 1920
- 8684) *Coleophora conyzae* Zeller, 1868 (Coleophoridae) Synonym(s): *conyzae* Zeller, 1868, *angustilinea* Toll, 1962; *mellechella* Toll, 1962; *vicolii* Nemes, 2003
- 8685) *Coleophora coracipennella* (Hübner, 1796) (Coleophoridae) Synonym(s): *coracipennella* Hübner, 1796; *coracipennis* Haworth, [1828]; *nigricella* Stephens, 1834; *occidentis* Zeller, 1873; *varii* Patzak, 1969
- 8686) *Coleophora cornutella* Herrich-Schäffer, 1861 (Coleophoridae) Synonym(s): *cornutella* Herrich-Schäffer, 1861
- 8687) *Coleophora coronata* Baldizzone, 1994 (Coleophoridae) Synonym(s): *coronata* Baldizzone, 1994
- 8688) *Coleophora coronillae* Zeller, 1849 (Coleophoridae) Synonym(s): *coronillae* Zeller, 1849
- 8689) *Coleophora corsicella* Walsingham, 1898 (Coleophoridae) Synonym(s): *corsicella* Walsingham, 1898
- 8690) *Coleophora corticosa* Baldizzone & Wolf, 1999 (Coleophoridae) Synonym(s): *corticosa* Baldizzone & Wolf, 1999
- 8691) *Coleophora coxi* Baldizzone & Van der Wolf, 2007 (Coleophoridae) Synonym(s): *coxi* Baldizzone & Van der Wolf, 2007
- 8692) *Coleophora cracella* Vallot, 1835 (Coleophoridae) Synonym(s): *cracella* Vallot, 1835
- 8693) *Coleophora crepidinella* Zeller, 1847 (Coleophoridae) Synonym(s): *crepidinella* Zeller, 1847
- 8694) *Coleophora crexella* Baldizzone, 1987 (Coleophoridae) Synonym(s): *crexella* Baldizzone, 1987
- 8695) *Coleophora crispella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *crispella* Baldizzone, 1994
- 8696) *Coleophora cupariella* Zeller, 1847 (Coleophoridae) Synonym(s): *cupariella* Zeller, 1847
- 8697) *Coleophora currucipennella* Zeller, 1839 (Coleophoridae) Synonym(s): *currucipennella* Zeller, 1839
- 8698) *Coleophora cyrniella* Rebel, 1926 (Coleophoridae) Synonym(s): *cyrniella* Rebel, 1926; *dylineella* Amsel, 1935; *simulatella* Baldizzone, 1979
- 8699) *Coleophora cyrta* Falkovitsh, 1976 (Coleophoridae) Synonym(s): *cyrta* Falkovitsh, 1976
- 8700) *Coleophora cythisanthi* Baldizzone, 1978 (Coleophoridae) Synonym(s): *cythisanthi* Baldizzone, 1978
- 8701) *Coleophora daeva* Baldizzone, 1994 (Coleophoridae) Synonym(s): *daeva* Baldizzone, 1994
- 8702) *Coleophora daglarica* Baldizzone & Tabell, 1999 (Coleophoridae) Synonym(s): *daglarica* Baldizzone & Tabell, 1999
- 8703) *Coleophora darica* Baldizzone, 1994 (Coleophoridae) Synonym(s): *darica* Baldizzone, 1994
- 8704) *Coleophora deauratella* Lienig & Zeller, 1846 (Coleophoridae) Synonym(s): *deauratella* Lienig & Zeller, 1846
- 8705) *Coleophora delibutella* Christoph, 1872 (Coleophoridae) Synonym(s): *delibutella* Christoph, 1872
- 8706) *Coleophora delicatella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *delicatella* Toll & Amsel, 1967
- 8707) *Coleophora denigrella* Gerasimov, 1930 (Coleophoridae) Synonym(s): *denigrella* Gerasimov, 1930
- 8708) *Coleophora dentatella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *dentatella* Toll & Amsel, 1967
- 8709) *Coleophora dentiferella* Toll, 1952 (Coleophoridae) Synonym(s): *dentiferella* Toll, 1952; *latilineella* Toll, 1961
- 8710) *Coleophora depunctella* Toll, 1961 (Coleophoridae) Synonym(s): *depunctella* Toll, 1961
- 8711) *Coleophora derasofasciella* Klimesch, 1952 (Coleophoridae) Synonym(s): *derasofasciella* Klimesch, 1952
- 8712) *Coleophora derbendella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *derbendella* Baldizzone, 1994
- 8713) *Coleophora derrai* Baldizzone, 1985 (Coleophoridae) Synonym(s): *derrai* Baldizzone, 1985
- 8714) *Coleophora devielle* Zeller, 1847 (Coleophoridae) Synonym(s): *devielle* Zeller, 1847; *leucophaeella* Caradja, 1920; *suaedivora* Meyrick, 1928
- 8715) *Coleophora dianthi* Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *dianthi* Herrich-Schäffer, 1855; *dianthella* Herrich-Schäffer, 1861; *amseli* Toll, 1942
- 8716) *Coleophora dianthivora* Walsingham, 1901 (Coleophoridae) Synonym(s): *dianthivora* Walsingham, 1901; *eudoriella* Toll, 1952
- 8717) *Coleophora didymella* Chrétien, 1899 (Coleophoridae) Synonym(s): *didymella* Chrétien, 1899
- 8718) *Coleophora diffusa* Meyrick, 1913 (Coleophoridae) Synonym(s): *diffusa* Meyrick, 1913
- 8719) *Coleophora dignella* Toll, 1961 (Coleophoridae) Synonym(s): *dignella* Toll, 1961
- 8720) *Coleophora dilabens* (Falkovitsh, 1982) (Coleophoridae) Synonym(s): *dilabens* Falkovitsh, 1982
- 8721) *Coleophora diluta* Baldizzone & Wolf, 1999 (Coleophoridae) Synonym(s): *diluta* Baldizzone & Wolf, 1999
- 8722) *Coleophora diogenes* Falkovitsh, 1970 (Coleophoridae) Synonym(s): *diogenes* Falkovitsh, 1970
- 8723) *Coleophora directella* Zeller, 1849 (Coleophoridae) Synonym(s): *directella* Zeller, 1849
- 8724) *Coleophora discomaculella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *discomaculella* Toll & Amsel, 1967
- 8725) *Coleophora discordella* Zeller, 1849 (Coleophoridae) Synonym(s): *discordella* Zeller, 1849; *dorycniella* Hartig, 1939
- 8726) *Coleophora dissecta* (Falkovitsh, 1989) (Coleophoridae) Synonym(s): *dissecta* Falkovitsh, 1989
- 8727) *Coleophora dissona* Baldizzone, 1998 (Coleophoridae) Synonym(s): *dissona* Baldizzone, 1998
- 8728) *Coleophora ditella* Zeller, 1849 (Coleophoridae) Synonym(s): *ditella* Zeller, 1849; *tanaceti* Roesler, 1866 *nec* Mühl., 1865; *roesleri* Wocke, [1876]; *anatolica* Toll, 1952
- 8729) *Coleophora dracontea* Baldizzone, 1994 (Coleophoridae) Synonym(s): *dracontea* Baldizzone, 1994
- 8730) *Coleophora drangianae* Baldizzone, 1994 (Coleophoridae) Synonym(s): *drangianae* Baldizzone, 1994
- 8731) *Coleophora drymidis* Mann, 1857 (Coleophoridae) Synonym(s): *drymidis* Mann, 1857
- 8732) *Coleophora dubiella* Baker, 1888 (Coleophoridae) Synonym(s): *dubiella* Baker, 1888; *reisseri* Rebel, 1926; *eucera* Toll, 1952; *microeucera* Toll, 1960; *leucostrigella* Toll, 1960
- 8733) *Coleophora dylineella* Amsel, 1935 (Coleophoridae) Synonym(s): *dylineella* Amsel, 1935
- 8734) *Coleophora echinacea* Falkovitsh, 1972 (Coleophoridae) Synonym(s): *echinacea* Falkovitsh, 1972
- 8735) *Coleophora echinella* Staudinger, 1879 (Coleophoridae) Synonym(s): *echinella* Staudinger, 1879
- 8736) *Coleophora echinopsilonella* Chrétien, 1915 (Coleophoridae) Synonym(s): *echinopsilonella* Chrétien, 1915
- 8737) *Coleophora efflua* Meyrick, 1911 (Coleophoridae) Synonym(s): *efflua* Meyrick, 1911
- 8738) *Coleophora egenella* Toll, 1952 (Coleophoridae) Synonym(s): *egenella* Toll, 1952
- 8739) *Coleophora eichleri* Patzak, 1977 (Coleophoridae) Synonym(s): *eichleri* Patzak, 1977
- 8740) *Coleophora eilatica* Baldizzone, 1994 (Coleophoridae) Synonym(s): *eilatica* Baldizzone, 1994
- 8741) *Coleophora eilatica* Baldizzone, 1994 (Coleophoridae) Synonym(s): *eilatica* Baldizzone, 1994
- 8742) *Coleophora elamita* Baldizzone, 1994 (Coleophoridae) Synonym(s): *elamita* Baldizzone, 1994
- 8743) *Coleophora elbursella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *elbursella* Baldizzone, 1994
- 8744) *Coleophora emberizella* Baldizzone, 1984 (Coleophoridae) Synonym(s): *emberizella* Baldizzone, 1984
- 8745) *Coleophora epijudaica* Amsel, 1935 (Coleophoridae) Synonym(s): *epijudaica* Amsel, 1935; *pseudojudaica* Amsel, 1935; *cretensis* Baldizzone, 1983
- 8746) *Coleophora eremodes* Meyrick, 1912 (Coleophoridae) Synonym(s): *eremodes* Meyrick, 1912
- 8747) *Coleophora eremosparti* (Falkovitsh, 1974) (Coleophoridae) Synonym(s): *eremosparti* Falkovitsh, 1974
- 8748) *Coleophora erratella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *erratella* Toll & Amsel, 1967
- 8749) *Coleophora etrusca* Baldizzone, 1990 (Coleophoridae) Synonym(s): *etrusca* Baldizzone, 1990
- 8750) *Coleophora eucoleos* Falkovitsh, 1973 (Coleophoridae) Synonym(s): *eucoleos* Falkovitsh, 1973
- 8751) *Coleophora eumorphella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *eumorphella* Baldizzone, 1994
- 8752) *Coleophora eupreta* Walsingham, 1907 (Coleophoridae) Synonym(s): *eupreta* Walsingham, 1907; *nageli* Rebel, 1910; *circumdatella* Turati, 1934; *argentariella* Klimesch, 1952; *africana* Toll, 1957; *gozmanyi* Toll, 1960; *betica* Glaser, 1981
- 8753) *Coleophora eurasatica* Baldizzone, 1989 (Coleophoridae) Synonym(s): *eurasatica* Baldizzone, 1989
- 8754) *Coleophora exalbida* Baldizzone, 1994 (Coleophoridae) Synonym(s): *exalbida* Baldizzone, 1994
- 8755) *Coleophora expressella* Klemensiewicz, 1883 (Coleophoridae) Synonym(s): *expressella* Klemensiewicz, 1883
- 8756) *Coleophora exul* (Falkovitsh, 1992) (Coleophoridae) Synonym(s): *exul* Falkovitsh, 1992
- 8757) *Coleophora falcigerella* Christoph, 1872 (Coleophoridae) Synonym(s): *falcigerella* Christoph, 1872
- 8758) *Coleophora felixiella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *felixiella* Baldizzone, 1994
- 8759) *Coleophora femorella* Walsingham, 1898 (Coleophoridae) Synonym(s): *femorella* Walsingham, 1898
- 8760) *Coleophora feoleuca* Baldizzone, 1989 (Coleophoridae) Synonym(s): *feoleuca* Baldizzone, 1989
- 8761) *Coleophora ferruginea* Baldizzone, 1994 (Coleophoridae) Synonym(s): *ferruginea* Baldizzone, 1994
- 8762) *Coleophora festivella* Toll, 1952 (Coleophoridae) Synonym(s): *festivella* Toll, 1952
- 8763) *Coleophora filaginella* Fuchs, 1881 (Coleophoridae) Synonym(s): *filaginella* Fuchs, 1881; *graurii* Nemes, 2004
- 8764) *Coleophora fiorii* Toll, 1953 (Coleophoridae) Synonym(s): *fiorii* Toll, 1953
- 8765) *Coleophora flammea* Baldizzone, 1994 (Coleophoridae) Synonym(s): *flammea* Baldizzone, 1994
- 8766) *Coleophora flaviella* Mann, 1857 (Coleophoridae) Synonym(s): *flaviella* Mann, 1857

- 8767) *Coleophora flavilineella* Toll, 1952 (Coleophoridae) Synonym(s): *flavilineella* Toll, 1952
 8768) *Coleophora flavipennella* (Duponchel, 1843) (Coleophoridae) Synonym(s): *flavipennella* Duponchel, 1843
 8769) *Coleophora follicularis* (Vallot, 1802) (Coleophoridae) Synonym(s): *follicularis* Vallot, 1802; *troglydytella* Duponchel, 1843.
 8770) *Coleophora frankii* Schmidt, 1887 (Coleophoridae) Synonym(s): *frankii* Schmidt, 1887
 8771) *Coleophora franzi* Klimesch, 1947 (Coleophoridae) Synonym(s): *franzi* Klimesch, 1947
 8772) *Coleophora fretella* Zeller, 1847 (Coleophoridae) Synonym(s): *fretella* Zeller, 1847; *gilveolella* Toll, 1953.
 8773) *Coleophora fringillella* Zeller, 1839 (Coleophoridae) Synonym(s): *fringillella* Zeller, 1839
 8774) *Coleophora frischella* (Linnaeus, 1758) (Coleophoridae) Synonym(s): *frischella* Linnaeus, 1758; *dannehli* Toll, 1952; *auronitella* Toll, 1962
 8775) *Coleophora fulgidella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *fulgidella* Toll & Amsel, 1967
 8776) *Coleophora fuliginosa* Baldizzone, 1998 (Coleophoridae) Synonym(s): *fuliginosa* Baldizzone, 1998
 8777) *Coleophora fuscicornis* Zeller, 1847 (Coleophoridae) Synonym(s): *fuscicornis* Zeller, 1847
 8778) *Coleophora fusciniervella* Toll, 1956 (Coleophoridae) Synonym(s): *fusciniervella* Toll, 1956
 8779) *Coleophora fuscociliella* Zeller, 1849 (Coleophoridae) Synonym(s): *fuscociliella* Zeller, 1849; *bucovinae* Nemes, 2004
 8780) *Coleophora fuscocuprella* Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *fuscocuprella* Herrich-Schäffer, 1855
 8781) *Coleophora fuscolineata* Walsingham, 1898 (Coleophoridae) Synonym(s): *fuscolineata* Walsingham, 1898
 8782) *Coleophora gabralensis* Baldizzone, 1994 (Coleophoridae) Synonym(s): *gabralensis* Baldizzone, 1994
 8783) *Coleophora galatellae* Hering, 1942 (Coleophoridae) Synonym(s): *galatellae* Hering, 1942; *opacella* Toll, 1952
 8784) *Coleophora galbulipennella* Zeller, 1838 (Coleophoridae) Synonym(s): *galbulipennella* Zeller, 1838; *ottiae* Zeller, 1839.
 8785) *Coleophora galligena* Falkovitsh, 1970 (Coleophoridae) Synonym(s): *galligena* Falkovitsh, 1970
 8786) *Coleophora gallipennella* (Hübner, 1796) (Coleophoridae) Synonym(s): *gallipennella* Hübner, 1796
 8787) *Coleophora gallurella* Amsel, 1952 (Coleophoridae) Synonym(s): *gallurella* Amsel, 1952
 8788) *Coleophora ganglionella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *ganglionella* Baldizzone, 1994
 8789) *Coleophora gardesanella* Toll, 1953 (Coleophoridae) Synonym(s): *maritimella* Machin, 1884 nec Newm., 1873; *gardesanella* Toll, 1953; *machinella* Bradley, 1971
 8790) *Coleophora gaviaepennella* Toll, 1952 (Coleophoridae) Synonym(s): *gaviaepennella* Toll, 1952
 8791) *Coleophora gazella* Toll, 1952 (Coleophoridae) Synonym(s): *gazella* Toll, 1952
 8792) *Coleophora gedrosiae* Baldizzone, 1994 (Coleophoridae) Synonym(s): *gedrosiae* Baldizzone, 1994
 8793) *Coleophora geghardella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *geghardella* Baldizzone, 1994
 8794) *Coleophora genistae* Stainton, 1857 (Coleophoridae) Synonym(s): *genistae* Stainton, 1857
 8795) *Coleophora ghorella* Amsel, 1955 (Coleophoridae) Synonym(s): *ghorella* Amsel, 1955
 8796) *Coleophora gielisi* Baldizzone, 1985 (Coleophoridae) Synonym(s): *gielisi* Baldizzone, 1985
 8797) *Coleophora glareosella* Baldizzone, 1989 (Coleophoridae) Synonym(s): *glareosella* Baldizzone, 1989
 8798) *Coleophora glaseri* Toll, 1961 (Coleophoridae) Synonym(s): *glaseri* Toll, 1961
 8799) *Coleophora glaucicolella* Wood, 1892 (Coleophoridae) Synonym(s): *glaucicolella* Wood, 1892
 8800) *Coleophora glitzella* Hofmann, 1869 (Coleophoridae) Synonym(s): *glitzella* Hofmann, 1869
 8801) *Coleophora gnaphalii* Zeller, 1839 (Coleophoridae) Synonym(s): *gnaphalii* Zeller, 1839
 8802) *Coleophora goluensis* Baldizzone, 1994 (Coleophoridae) Synonym(s): *goluensis* Baldizzone, 1994
 8803) *Coleophora graeca* Baldizzone, 1990 (Coleophoridae) Synonym(s): *graeca* Baldizzone, 1990
 8804) *Coleophora graminicolella* Heinemann, 1876 (Coleophoridae) Synonym(s): *graminicolella* Heinemann, 1876
 8805) *Coleophora granulata* Zeller, 1849 (Coleophoridae) Synonym(s): *granulata* Zeller, 1849
 8806) *Coleophora granulosa* Staudinger, 1880 (Coleophoridae) Synonym(s): *granulosa* Staudinger, 1880
 8807) *Coleophora gredosella* Baldizzone, 1985 (Coleophoridae) Synonym(s): *gredosella* Baldizzone, 1985
 8808) *Coleophora griseomixta* Toll, 1960 (Coleophoridae) Synonym(s): *griseomixta* Toll, 1960
 8809) *Coleophora gryphipennella* (Hübner, 1796) (Coleophoridae) Synonym(s): *gryphipennella* Hübner, 1796; *obscura* Haworth, 1828; *mariniella* Hodgkinson, 1881; *scolopiphora* Hering, 1926.
 8810) *Coleophora guadicensis* Baldizzone, 1989 (Coleophoridae) Synonym(s): *guadicensis* Baldizzone, 1989
 8811) *Coleophora gulinovi* Baldizzone & Patzak, 1991 (Coleophoridae) Synonym(s): *gulinovi* Baldizzone & Patzak, 1991
 8812) *Coleophora gurunensis* Baldizzone, 1994 (Coleophoridae) Synonym(s): *gurunensis* Baldizzone, 1994
 8813) *Coleophora gymnocarpella* Walsingham, 1907 (Coleophoridae) Synonym(s): *gymnocarpella* Walsingham, 1907
 8814) *Coleophora hackmani* (Toll, 1953) (Coleophoridae) Synonym(s): *hackmani* Toll, 1953
 8815) *Coleophora hadrocerella* Toll, 1952 (Coleophoridae) Synonym(s): *hadrocerella* Toll, 1952
 8816) *Coleophora halmodes* Meyrick, 1911 (Coleophoridae) Synonym(s): *halmodes* Meyrick, 1911
 8817) *Coleophora halocnemin* (Falkovitsh, 1994) (Coleophoridae) Synonym(s): *halocnemin* Falkovitsh, 1994
 8818) *Coleophora halophilella* Zimmermann, 1926 (Coleophoridae) Synonym(s): *halophilella* Zimmermann, 1926
 8819) *Coleophora haloxyllonella* Chrétien, 1915 (Coleophoridae) Synonym(s): *haloxyllonella* Chrétien, 1915
 8820) *Coleophora haoma* Baldizzone, 1994 (Coleophoridae) Synonym(s): *haoma* Baldizzone, 1994
 8821) *Coleophora hartigi* Toll, 1944 (Coleophoridae) Synonym(s): *hartigi* Toll, 1944
 8822) *Coleophora helianthemella* Millièr, 1870 (Coleophoridae) Synonym(s): *helianthemella* Millièr, 1870
 8823) *Coleophora helichrysiella* Krone, 1909 (Coleophoridae) Synonym(s): *helichrysiella* Krone, 1909
 8824) *Coleophora helvolella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *helvolella* Baldizzone, 1994
 8825) *Coleophora hemerobiella* (Scopoli, 1763) (Coleophoridae) Synonym(s): *hemerobiella* Scopoli, 1763
 8826) *Coleophora heringi* Toll, 1952 (Coleophoridae) Synonym(s): *heringi* Toll, 1952
 8827) *Coleophora hermanniella* Walsingham, 1898 (Coleophoridae) Synonym(s): *hermanniella* Walsingham, 1898; *rugulosa* Toll, 1944
 8828) *Coleophora herniariae* Baldizzone, 2001 (Coleophoridae) Synonym(s): *herniariae* Baldizzone, 2001
 8829) *Coleophora hiberica* Baldizzone, 1985 (Coleophoridae) Synonym(s): *hiberica* Baldizzone, 1985
 8830) *Coleophora hieratica* Baldizzone, 1994 (Coleophoridae) Synonym(s): *hieratica* Baldizzone, 1994
 8831) *Coleophora hieronella* Zeller, 1849 (Coleophoridae) Synonym(s): *hieronella* Zeller, 1849
 8832) *Coleophora hippodromica* Walsingham, 1907 (Coleophoridae) Synonym(s): *hippodromica* Walsingham, 1907
 8833) *Coleophora horatioella* (Agenjo, 1952) (Coleophoridae) Synonym(s): *horatioella* Agenjo, 1952
 8834) *Coleophora horridula* Baldizzone, 2001 (Coleophoridae) Synonym(s): *horridula* Baldizzone, 2001
 8835) *Coleophora hospitiella* Chrétien, 1915 (Coleophoridae) Synonym(s): *hospitiella* Chrétien, 1915; *eupepla* Gozmany, 1954; *fuscotraminella* Toll, 1956; *richteri* Toll, 1959
 8836) *Coleophora hungariae* Gozmany, 1955 (Coleophoridae) Synonym(s): *hungariae* Gozmany, 1955
 8837) *Coleophora hydrella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *hydrella* Baldizzone, 1994
 8838) *Coleophora hydrolapathella* Hering, 1924 (Coleophoridae) Synonym(s): *hydrolapathella* Hering, 1924
 8839) *Coleophora hypoxantha* (Falkovitsh, 1982) (Coleophoridae) Synonym(s): *hypoxantha* Falkovitsh, 1982
 8840) *Coleophora hyssopi* Toll, 1961 (Coleophoridae) Synonym(s): *hyssopi* Toll, 1961; *melissella* Toll, 1961
 8841) *Coleophora hystricella* Toll, 1957 (Coleophoridae) Synonym(s): *hystricella* Toll, 1957
 8842) *Coleophora ibipennella* Zeller, 1849 (Coleophoridae) Synonym(s): *ibipennella* Zeller, 1849; *nemorum* Heinemann, 1854; *ardeapennella* Scott, 1860; *alba* Toll, 1952; *peralba* Toll, 1953; *quercivorella* Capușe, 1971
 8843) *Coleophora idaella* Hofmann, 1869 (Coleophoridae) Synonym(s): *idaella* Hofmann, 1869
 8844) *Coleophora ignotella* Toll, 1944 (Coleophoridae) Synonym(s): *ignotella* Toll, 1944
 8845) *Coleophora iljiniae* (Falkovitsh, 1989) (Coleophoridae) Synonym(s): *iljiniae* Falkovitsh, 1989
 8846) *Coleophora illustrata* Meyrick, 1913 (Coleophoridae) Synonym(s): *illustrata* Meyrick, 1913
 8847) *Coleophora impalella* Toll, 1961 (Coleophoridae) Synonym(s): *impalella* Toll, 1961
 8848) *Coleophora inclita* Baldizzone, 1994 (Coleophoridae) Synonym(s): *inclita* Baldizzone, 1994
 8849) *Coleophora inconstans* (Reznik, 1975) (Coleophoridae) Synonym(s): *inconstans* Reznik, 1975
 8850) *Coleophora inequidentella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *inequidentella* Toll & Amsel, 1967
 8851) *Coleophora inflatae* Stainton, 1857 (Coleophoridae) Synonym(s): *inflatae* Stainton, 1857
 8852) *Coleophora infolliculella* Chrétien, 1915 (Coleophoridae) Synonym(s): *infolliculella* Chrétien, 1915
 8853) *Coleophora inopinata* Baldizzone, 1994 (Coleophoridae) Synonym(s): *inopinata* Baldizzone, 1994
 8854) *Coleophora insulicola* Toll, 1942 (Coleophoridae) Synonym(s): *insulicola* Toll, 1942

- 8855) *Coleophora intensa* Meyrick, 1913 (Coleophoridae) Synonym(s): *intensa* Meyrick, 1913
 8856) *Coleophora internitens* Baldizzone & Wolf, 1999 (Coleophoridae) Synonym(s): *internitens* Baldizzone & Wolf, 1999
 8857) *Coleophora inulae* Wocke, 1876 (Coleophoridae) Synonym(s): *inulae* Wocke, 1876
 8858) *Coleophora inusitatella* Caradja, 1920 (Coleophoridae) Synonym(s): *inusitatella* Caradja, 1920
 8859) *Coleophora involucrella* Chrétien, 1905 (Coleophoridae) Synonym(s): *involucrella* Chrétien, 1905
 8860) *Coleophora iperspinata* Baldizzone & Nel, 2003 (Coleophoridae) Synonym(s): *iperspinata* Baldizzone & Nel, 2003
 8861) *Coleophora iranella* Toll, 1959 (Coleophoridae) Synonym(s): *iranella* Toll, 1959
 8862) *Coleophora isomoera* Falkovitsh, 1972 (Coleophoridae) Synonym(s): *isomoera* Falkovitsh, 1972
 8863) *Coleophora ispartae* Baldizzone, 1994 (Coleophoridae) Synonym(s): *ispartae* Baldizzone, 1994
 8864) *Coleophora ivrizensis* Baldizzone, 1994 (Coleophoridae) Synonym(s): *ivrizensis* Baldizzone, 1994
 8865) *Coleophora jebeli* Baldizzone, 1984 (Coleophoridae) Synonym(s): *jebeli* Baldizzone, 1984
 8866) *Coleophora jerusalemella* Toll, 1942 (Coleophoridae) Synonym(s): *jerusalemella* Toll, 1942
 8867) *Coleophora judaica* Amsel, 1935 (Coleophoridae) Synonym(s): *judaica* Amsel, 1935
 8868) *Coleophora juncicolella* Stainton, 1851 (Coleophoridae) Synonym(s): *juncicolella* Stainton, 1851
 8869) *Coleophora jynxella* Baldizzone, 1987 (Coleophoridae) Synonym(s): *jynxella* Baldizzone, 1987
 8870) *Coleophora kabulensis* Baldizzone, 1994 (Coleophoridae) Synonym(s): *kabulensis* Baldizzone, 1994
 8871) *Coleophora kahaourella* Toll, 1956 (Coleophoridae) Synonym(s): *kahaourella* Toll, 1956
 8872) *Coleophora kandybella* Falkovitsh, 1988 (Coleophoridae) Synonym(s): *kandybella* Falkovitsh, 1988
 8873) *Coleophora karakurti* Baldizzone, 1994 (Coleophoridae) Synonym(s): *karakurti* Baldizzone, 1994
 8874) *Coleophora kargani* (Falkovitsh, 1989) (Coleophoridae) Synonym(s): *kargani* Falkovitsh, 1989
 8875) *Coleophora karsholti* Baldizzone, 1987 (Coleophoridae) Synonym(s): *karsholti* Baldizzone, 1987
 8876) *Coleophora kashaella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *kashaella* Toll & Amsel, 1967
 8877) *Coleophora kasyi* Toll, 1961 (Coleophoridae) Synonym(s): *kasyi* Toll, 1961
 8878) *Coleophora katunella* (Falkovitsh, 1991) (Coleophoridae) Synonym(s): *katunella* Falkovitsh, 1991
 8879) *Coleophora kautzi* Rebel, 1933 (Coleophoridae) Synonym(s): *kautzi* Rebel, 1933
 8880) *Coleophora kitella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *kitella* Baldizzone, 1994
 8881) *Coleophora klimeschiella* Toll, 1952 (Coleophoridae) Synonym(s): *klimeschiella* Toll, 1952
 8882) *Coleophora kolymella* (Falkovitsh, 1992) (Coleophoridae) Synonym(s): *kolymella* Falkovitsh, 1992
 8883) *Coleophora korbi* Baldizzone, 1998 (Coleophoridae) Synonym(s): *korbi* Baldizzone, 1998
 8884) *Coleophora kotalensis* Baldizzone, 1994 (Coleophoridae) Synonym(s): *kotalensis* Baldizzone, 1994
 8885) *Coleophora kronella* Fuchs, 1899 (Coleophoridae) Synonym(s): *kronella* Fuchs, 1899
 8886) *Coleophora kuehnella* (Goeze, 1783) (Coleophoridae) Synonym(s): *kuehnella* Goeze, 1783; *palliatella* Zincken, 1813.
 8887) *Coleophora kyffhusana* Petry, 1898 (Coleophoridae) Synonym(s): *kyffhusana* Petry, 1898
 8888) *Coleophora lacera* (Falkovitsh, 1993) (Coleophoridae) Synonym(s): *lacera* Falkovitsh, 1993
 8889) *Coleophora laconiae* Baldizzone, 1983 (Coleophoridae) Synonym(s): *laconiae* Baldizzone, 1983
 8890) *Coleophora laevipennis* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *laevipennis* Toll & Amsel, 1967
 8891) *Coleophora lagopella* Baldizzone, 2001 (Coleophoridae) Synonym(s): *lagopella* Baldizzone, 2001
 8892) *Coleophora laticella* (Hübner, [1817]) (Coleophoridae) Synonym(s): *laricella* Hübner, [1817]
 8893) *Coleophora lasiocharis* Meyrick, 1931 (Coleophoridae) Synonym(s): *lasiocharis* Meyrick, 1931; *shirazella* Toll, 1959.
 8894) *Coleophora lasloella* Baldizzone, 1982 (Coleophoridae) Synonym(s): *lasloella* Baldizzone, 1982
 8895) *Coleophora lassella* Staudinger, 1859 (Coleophoridae) Synonym(s): *lassella* Staudinger, 1859; *teidensis* Walsingham, 1908; *gotlandica* Benander, 1939; *telavivella* Toll, 1942
 8896) *Coleophora laticostella* Mann, 1859 (Coleophoridae) Synonym(s): *laticostella* Mann, 1859
 8897) *Coleophora lebedella* (Falkovitsh, 1982) (Coleophoridae) Synonym(s): *lebedella* Falkovitsh, 1982
 8898) *Coleophora ledi* Stainton, 1860 (Coleophoridae) Synonym(s): *ledi* Stainton, 1860
 8899) *Coleophora lenae* Glaser, 1969 (Coleophoridae) Synonym(s): *lenae* Glaser, 1969
 8900) *Coleophora leonensis* Baldizzone & Wolf, 2000 (Coleophoridae) Synonym(s): *leonensis* Baldizzone & Wolf, 2000
 8901) *Coleophora lessinica* Baldizzone, 1980 (Coleophoridae) Synonym(s): *lessinica* Baldizzone, 1980
 8902) *Coleophora leucaula* Meyrick, 1911 (Coleophoridae) Synonym(s): *leucaula* Meyrick, 1911
 8903) *Coleophora leucostoma* Gerasimov, 1930 (Coleophoridae) Synonym(s): *leucostoma* Gerasimov, 1930
 8904) *Coleophora lewandowskii* (Toll, 1953) (Coleophoridae) Synonym(s): *lewandowskii* Toll, 1953
 8905) *Coleophora libanella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *libanella* Baldizzone, 1994
 8906) *Coleophora limacella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *limacella* Baldizzone, 1994
 8907) *Coleophora limosipennella* (Duponchel, 1843) (Coleophoridae) Synonym(s): *limosipennella* Duponchel, 1843
 8908) *Coleophora lineariella* Zeller, 1849 (Coleophoridae) Synonym(s): *lineariella* Zeller, 1849
 8909) *Coleophora lineata* Toll, 1960 (Coleophoridae) Synonym(s): *lineata* Toll, 1960
 8910) *Coleophora lineolea* (Haworth, 1828) (Coleophoridae) Synonym(s): *lineolea* Haworth, 1828; *crocogrammos* Zeller, 1849; *stachydella* Zeller, 1849; *balloticolella* Bruand, 1850; *lineolella* Doubleday, 1859; *crocogrammella* Bruand, 1859
 8911) *Coleophora linoxyridella* Fuchs, 1880 (Coleophoridae) Synonym(s): *linoxyridella* Fuchs, 1880
 8912) *Coleophora linoxyris* Hering, 1937 (Coleophoridae) Synonym(s): *linoxyris* Hering, 1937
 8913) *Coleophora lithargyrinella* Zeller, 1849 (Coleophoridae) Synonym(s): *lithargyrinella* Zeller, 1849; *olivaceella* Stainton, 1854; *fuscantella* Toll, 1952
 8914) *Coleophora lixella* Zeller, 1849 (Coleophoridae) Synonym(s): *lixella* Zeller, 1849
 8915) *Coleophora lonchodes* (Falkovitsh, 1994) (Coleophoridae) Synonym(s): *lonchodes* Falkovitsh, 1994
 8916) *Coleophora longicornella* Constant, 1893 (Coleophoridae) Synonym(s): *longicornella* Constant, 1893
 8917) *Coleophora longiductella* Baldizzone, 1989 (Coleophoridae) Synonym(s): *longiductella* Baldizzone, 1989
 8918) *Coleophora lucienella* Nel, 1992 (Coleophoridae) Synonym(s): *lucienella* Nel, 1992
 8919) *Coleophora lunensis* Falkovitsh, 1975 (Coleophoridae) Synonym(s): *lunensis* Falkovitsh, 1975
 8920) *Coleophora luscinaepennella* (Treitschke, 1833) (Coleophoridae) Synonym(s): *luscinaepennella* Treitschke, 1833; *viminetella* Zeller, 1849.
 8921) *Coleophora lusitanica* Baldizzone & Corley, 2004 (Coleophoridae) Synonym(s): *lusitanica* Baldizzone & Corley, 2004
 8922) *Coleophora lutatiella* Staudinger, 1859 (Coleophoridae) Synonym(s): *lutatiella* Staudinger, 1859
 8923) *Coleophora luteolella* Staudinger, 1880 (Coleophoridae) Synonym(s): *luteolella* Staudinger, 1880; *mendosella* Toll, 1960
 8924) *Coleophora lutipennella* (Zeller, 1838) (Coleophoridae) Synonym(s): *lutipennella* Zeller, 1838.
 8925) *Coleophora lycaoniae* Baldizzone, 1994 (Coleophoridae) Synonym(s): *lycaoniae* Baldizzone, 1994
 8926) *Coleophora macedonica* Toll, 1959 (Coleophoridae) Synonym(s): *macedonica* Toll, 1959
 8927) *Coleophora machimopsis* Meyrick, 1936 (Coleophoridae) Synonym(s): *machimopsis* Meyrick, 1936
 8928) *Coleophora macilenta* Falkovitsh, 1972 (Coleophoridae) Synonym(s): *macilenta* Falkovitsh, 1972
 8929) *Coleophora macrobiella* Constant, 1885 (Coleophoridae) Synonym(s): *macrobiella* Constant, 1885
 8930) *Coleophora magnatella* Toll, 1959 (Coleophoridae) Synonym(s): *magnatella* Toll, 1959
 8931) *Coleophora magyarica* Baldizzone, 1983 (Coleophoridae) Synonym(s): *magyarica* Baldizzone, 1983
 8932) *Coleophora makuensis* Baldizzone, 1994 (Coleophoridae) Synonym(s): *makuensis* Baldizzone, 1994
 8933) *Coleophora malatiella* Toll, 1952 (Coleophoridae) Synonym(s): *malatiella* Toll, 1952
 8934) *Coleophora maneella* Toll, 1962 (Coleophoridae) Synonym(s): *maneella* Toll, 1962
 8935) *Coleophora marcella* (Capuse, 1972) (Coleophoridae) Synonym(s): *marcella* Capuse, 1972
 8936) *Coleophora maritimella* Newman, 1863 (Coleophoridae) Synonym(s): *maritimella* Newman, 1863
 8937) *Coleophora mausolella* Chrétien, 1908 (Coleophoridae) Synonym(s): *mausolella* Chrétien, 1908; *thermoleuca* Meyrick, 1922; *palaestinella* Toll, 1942
 8938) *Coleophora mayrella* (Hübner, [1813]) (Coleophoridae) Synonym(s): *fabriciella* Villers, 1789 nec Swed., 1787; *mayrella* Hübner, [1813]; *spissicornis* Haworth, [1828]; *moldaviella* Nemes, 2004
 8939) *Coleophora medelichensis* Krone, 1908 (Coleophoridae) Synonym(s): *medelichensis* Krone, 1908
 8940) *Coleophora mediae* Baldizzone, 1990 (Coleophoridae) Synonym(s): *mediae* Baldizzone, 1990
 8941) *Coleophora mediterranea* Baldizzone, 1990 (Coleophoridae) Synonym(s): *mediterranea* Baldizzone, 1990
 8942) *Coleophora megaloptila* Meyrick, 1909 (Coleophoridae) Synonym(s): *megaloptila* Meyrick, 1909

- 8943) *Coleophora mendica* Baldizzone & Wolf, 2000 (Coleophoridae) Synonym(s): *mendica* Baldizzone & Wolf, 2000
8944) *Coleophora meridionella* Rebel, 1912 (Coleophoridae) Synonym(s): *meridionella* Rebel, 1912
8945) *Coleophora microalbella* Amsel, 1935 (Coleophoridae) Synonym(s): *microalbella* Amsel, 1935
8946) *Coleophora micronotella* Toll, 1956 (Coleophoridae) Synonym(s): *micronotella* Toll, 1956
8947) *Coleophora microtitae* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *microtitae* Toll & Amsel, 1967
8948) *Coleophora millefolii* Zeller, 1849 (Coleophoridae) Synonym(s): *millefolii* Zeller, 1849
8949) *Coleophora milvipennis* Zeller, 1839 (Coleophoridae) Synonym(s): *milvipennis* Zeller, 1839
8950) *Coleophora miniaxella* Toll, 1952 (Coleophoridae) Synonym(s): *miniaxella* Toll, 1952
8951) *Coleophora minipalpella* Baldizzone, 1998 (Coleophoridae) Synonym(s): *minipalpella* Baldizzone, 1998
8952) *Coleophora minoica* Baldizzone, 1983 (Coleophoridae) Synonym(s): *minoica* Baldizzone, 1983
8953) *Coleophora miserella* Staudinger, 1880 (Coleophoridae) Synonym(s): *miserella* Staudinger, 1880
8954) *Coleophora moehringiae* Burmann, 1967 (Coleophoridae) Synonym(s): *moehringiae* Burmann, 1967
8955) *Coleophora molesta* Meyrick, 1921 (Coleophoridae) Synonym(s): *molesta* Meyrick, 1921
8956) *Coleophora monstrosa* Baldizzone, 1994 (Coleophoridae) Synonym(s): *monstrosa* Baldizzone, 1994
8957) *Coleophora monteiroi* Toll, 1961 (Coleophoridae) Synonym(s): *monteiroi* Toll, 1961
8958) *Coleophora motacillella* Zeller, 1849 (Coleophoridae) Synonym(s): *motacillella* Zeller, 1849
8959) *Coleophora mucronata* Baldizzone, 1994 (Coleophoridae) Synonym(s): *mucronata* Baldizzone, 1994
8960) *Coleophora murciana* Toll, 1960 (Coleophoridae) Synonym(s): *murciana* Toll, 1960
8961) *Coleophora murinella* Tengström, 1848 (Coleophoridae) Synonym(s): *murinella* Tengström, 1848
8962) *Coleophora musculella* Mühlig, 1864 (Coleophoridae) Synonym(s): *musculella* Mühlig, 1864
8963) *Coleophora namakella* Amsel, 1977 (Coleophoridae) Synonym(s): *namakella* Amsel, 1977
8964) *Coleophora nanophyti* Falkovitsh, 1972 (Coleophoridae) Synonym(s): *nanophyti* Falkovitsh, 1972
8965) *Coleophora narbonensis* Baldizzone, 1990 (Coleophoridae) Synonym(s): *narbonensis* Baldizzone, 1990
8966) *Coleophora necessaria* Staudinger, 1880 (Coleophoridae) Synonym(s): *necessaria* Staudinger, 1880; *indiges* Falkovitsh, 1992.
8967) *Coleophora nepetae* Baldizzone, 1994 (Coleophoridae) Synonym(s): *nepetae* Baldizzone, 1994
8968) *Coleophora nesiotidella* Baldizzone & Wolf, 2000 (Coleophoridae) Synonym(s): *nesiotidella* Baldizzone & Wolf, 2000
8969) *Coleophora nevadella* Baldizzone, 1985 (Coleophoridae) Synonym(s): *nevadella* Baldizzone, 1985
8970) *Coleophora nigradorsella* Amsel, 1935 (Coleophoridae) Synonym(s): *nigradorsella* Amsel, 1935
8971) *Coleophora nigrosparsella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *nigrosparsella* Toll & Amsel, 1967
8972) *Coleophora nikiella* Baldizzone, 1983 (Coleophoridae) Synonym(s): *nikiella* Baldizzone, 1983
8973) *Coleophora niphocrossa* Meyrick, 1920 (Coleophoridae) Synonym(s): *niphocrossa* Meyrick, 1920
8974) *Coleophora nitidipennella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *nitidipennella* Toll & Amsel, 1967
8975) *Coleophora niveiciliella* Hofmann, 1877 (Coleophoridae) Synonym(s): *niveiciliella* Hofmann, 1877
8976) *Coleophora niveicostella* Zeller, 1839 (Coleophoridae) Synonym(s): *niveicostella* Zeller, 1839
8977) *Coleophora niveistrigella* Heinemann & Wocke, [1877] (Coleophoridae) Synonym(s): *niveistrigella* Heinemann & Wocke, [1877]
8978) *Coleophora niveipictella* Toll, 1952 (Coleophoridae) Synonym(s): *niveipictella* Toll, 1952
8979) *Coleophora noae* (Falkovitsh, 1989) (Coleophoridae) Synonym(s): *noae* Falkovitsh, 1989
8980) *Coleophora nomgona* Falkovitsh, 1975 (Coleophoridae) Synonym(s): *nomgona* Falkovitsh, 1975
8981) *Coleophora nubivagella* Zeller, 1849 (Coleophoridae) Synonym(s): *nubivagella* Zeller, 1849
8982) *Coleophora numeniella* Baldizzone, 1988 (Coleophoridae) Synonym(s): *numeniella* Baldizzone, 1988
8983) *Coleophora nurmahal* Toll, 1957 (Coleophoridae) Synonym(s): *nurmahal* Toll, 1957
8984) *Coleophora nutantella* Mühlig & Frey, 1857 (Coleophoridae) Synonym(s): *nutantella* Mühlig & Frey, 1857
8985) *Coleophora obliterata* Toll, 1952 (Coleophoridae) Synonym(s): *obliterata* Toll, 1952
8986) *Coleophora obscenella* Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *obsenella* Herrich-Schäffer, 1855; *virgaureae* Stainton, 1857; *virgaurella* Doubleday, 1859; *cinerea* Toll, 1953
8987) *Coleophora obscuripalpella* Kanerva, 1941 (Coleophoridae) Synonym(s): *obscuripalpella* Kanerva, 1941
8988) *Coleophora obtectella* Zeller, 1849 (Coleophoridae) Synonym(s): *obtectella* Zeller, 1849
8989) *Coleophora obviella* Rebel, 1914 (Coleophoridae) Synonym(s): *obviella* Rebel, 1914
8990) *Coleophora occasi* Baldizzone & Wolf, 1999 (Coleophoridae) Synonym(s): *occasi* Baldizzone & Wolf, 1999
8991) *Coleophora occatella* Staudinger, 1880 (Coleophoridae) Synonym(s): *occatella* Staudinger, 1880
8992) *Coleophora occitana* Baldizzone, 1989 (Coleophoridae) Synonym(s): *occitana* Baldizzone, 1989
8993) *Coleophora ochrea* (Haworth, [1828]) (Coleophoridae) Synonym(s): *ochrea* Haworth, [1828]
8994) *Coleophora ochripennella* Zeller, 1849 (Coleophoridae) Synonym(s): *ochripennella* Zeller, 1849
8995) *Coleophora ochroflava* Toll, 1961 (Coleophoridae) Synonym(s): *ochroflava* Toll, 1961; *halimionella* Baldizzone, 1980
8996) *Coleophora odorariella* Mühlig, 1857 (Coleophoridae) Synonym(s): *odorariella* Mühlig, 1857; *chrysocoma* Hering, 1942
8997) *Coleophora olympica* Baldizzone, 1983 (Coleophoridae) Synonym(s): *olympica* Baldizzone, 1983
8998) *Coleophora onobrychiella* Zeller, 1849 (Coleophoridae) Synonym(s): *onobrychiella* Zeller, 1849; *arenariella* Zeller, 1865
8999) *Coleophora ononidella* Millière, 1879 (Coleophoridae) Synonym(s): *ononidella* Millière, 1879
9000) *Coleophora onopordiella* Zeller, 1849 (Coleophoridae) Synonym(s): *onopordiella* Zeller, 1849; *eremica* Amsel, 1935; *cerinaula* Meyrick, 1936; *fusca* Toll, 1952; *pseudophlomidella* Toll, 1952; *sivandella* Toll, 1959; *litorella* Nemes, 2003
9001) *Coleophora orbitella* Zeller, 1849 (Coleophoridae) Synonym(s): *orbitella* Zeller, 1849
9002) *Coleophora ordinaria* Meyrick, 1913 (Coleophoridae) Synonym(s): *ordinaria* Meyrick, 1913
9003) *Coleophora oriolella* Zeller, 1849 (Coleophoridae) Synonym(s): *oriolella* Zeller, 1849
9004) *Coleophora ornatipennella* (Hübner, 1796) (Coleophoridae) Synonym(s): *ornatipennella* Hübner, 1796; *agrammella* Rebel, 1935.
9005) *Coleophora orphnoceros* Meyrick, 1937 (Coleophoridae) Synonym(s): *orphnoceros* Meyrick, 1937
9006) *Coleophora ortneri* Glaser, 1981 (Coleophoridae) Synonym(s): *ortneri* Glaser, 1981
9007) *Coleophora otidipennella* (Hübner, [1817]) (Coleophoridae) Synonym(s): *otidipennella* Hübner, [1817]
9008) *Coleophora ovata* Baldizzone, 1994 (Coleophoridae) Synonym(s): *ovata* Baldizzone, 1994
9009) *Coleophora oxyphaea* Meyrick, 1913 (Coleophoridae) Synonym(s): *oxyphaea* Meyrick, 1913
9010) *Coleophora pachyderma* Baldizzone, 1994 (Coleophoridae) Synonym(s): *pachyderma* Baldizzone, 1994
9011) *Coleophora paeltsaella* Palmqvist & Hellberg, 1999 (Coleophoridae) Synonym(s): *paeltsaella* Palmqvist & Hellberg, 1999
9012) *Coleophora pakistana* Baldizzone, 1994 (Coleophoridae) Synonym(s): *pakistana* Baldizzone, 1994
9013) *Coleophora pallidata* Toll, 1959 (Coleophoridae) Synonym(s): *pallidata* Toll, 1959
9014) *Coleophora pandionella* Baldizzone, 1988 (Coleophoridae) Synonym(s): *pandionella* Baldizzone, 1988
9015) *Coleophora paphlagoniae* Baldizzone, 1994 (Coleophoridae) Synonym(s): *paphlagoniae* Baldizzone, 1994
9016) *Coleophora pappiferella* Hofmann, 1869 (Coleophoridae) Synonym(s): *pappiferella* Hofmann, 1869
9017) *Coleophora paracousini* Baldizzone, 1994 (Coleophoridae) Synonym(s): *paracousini* Baldizzone, 1994
9018) *Coleophora paradoxella* Toll, 1961 (Coleophoridae) Synonym(s): *paradoxella* Toll, 1961
9019) *Coleophora paradrymidis* Toll, 1949 (Coleophoridae) Synonym(s): *paradrymidis* Toll, 1949
9020) *Coleophora paramayrella* Nel, 1993 (Coleophoridae) Synonym(s): *paramayrella* Nel, 1993
9021) *Coleophora paraptarmica* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *paraptarmica* Toll & Amsel, 1967
9022) *Coleophora paravestalella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *paravestalella* Baldizzone, 1994
9023) *Coleophora parcella* Toll, 1952 (Coleophoridae) Synonym(s): *parcella* Toll, 1952
9024) *Coleophora parentella* Toll, 1952 (Coleophoridae) Synonym(s): *parentella* Toll, 1952
9025) *Coleophora paripennella* Zeller, 1839 (Coleophoridae) Synonym(s): *paripennella* Zeller, 1839
9026) *Coleophora parthenica* Meyrick, 1891 (Coleophoridae) Synonym(s): *parthenica* Meyrick, 1891; *cygnipennella* Toll, 1959; *candidella* Toll, 1959; *transcaspica* Toll, 1959; *lashkarella* Toll & Amsel, 1967; *hilmendella* Amsel, 1968.
9027) *Coleophora parthica* Baldizzone, 1994 (Coleophoridae) Synonym(s): *parthica* Baldizzone, 1994
9028) *Coleophora partitella* Zeller, 1849 (Coleophoridae) Synonym(s): *partitella* Zeller, 1849; *davidii* Nemes, 2003
9029) *Coleophora parvicuprella* Baldizzone & Tabell, 2006 (Coleophoridae) Synonym(s): *parvicuprella* Baldizzone & Tabell, 2006
9030) *Coleophora passeripennella* Baldizzone, 2001 (Coleophoridae) Synonym(s): *passeripennella* Baldizzone, 2001

- 9031) *Coleophora pathana* Baldizzzone,1994 (Coleophoridae) Synonym(s): *pathana* Baldizzzone,1994
 9032) *Coleophora patzaki* Baldizzzone,1983 (Coleophoridae) Synonym(s): *patzaki* Baldizzzone,1983
 9033) *Coleophora pauperculella* Toll,1956 (Coleophoridae) Synonym(s): *pauperculella* Toll,1956
 9034) *Coleophora peisoniella* Kasy,1965 (Coleophoridae) Synonym(s): *peisoniella* Kasy,1965
 9035) *Coleophora pellicornella* Zerny,1930 (Coleophoridae) Synonym(s): *pellicornella* Zerny,1930
 9036) *Coleophora pennella* [Denis & Schiffermüller,1775] (Coleophoridae) Synonym(s): *pennella* [Denis & Schiffermüller,1775; borowskiella Goeze,1783; mucosa Fourcroy,1785; mucosella Villers,1789; onosmella Brahm,1791; struthionipennella Hübner,1796; cornuum Vallot,1818; hispaniella Möschler,1866; diffinis Staudinger,1880; nervosella Müller-Rutz,1927; flavilineella Toll,1952; gogovi Capuse,1971
 9037) *Coleophora peri* Svensson,1976 (Coleophoridae) Synonym(s): *peri* Svensson,1976
 9038) *Coleophora peribenanderi* Toll,1943 (Coleophoridae) Synonym(s): *benanderi* Toll,1942 nec Kanerv.,1941; *peribenanderi* Toll,1943
 9039) *Coleophora perplexella* Toll,1960 (Coleophoridae) Synonym(s): *perplexella* Toll,1960
 9040) *Coleophora persana* Baldizzzone,1990 (Coleophoridae) Synonym(s): *persana* Baldizzzone,1990
 9041) *Coleophora peterseni* Baldizzzone,1983 (Coleophoridae) Synonym(s): *peterseni* Baldizzzone,1983
 9042) *Coleophora petraea* Falkovitsh,1972 (Coleophoridae) Synonym(s): *petraea* Falkovitsh,1972
 9043) *Coleophora phlomidella* Christoph,1862 (Coleophoridae) Synonym(s): *phlomidella* Christoph,1862
 9044) *Coleophora phlomidis* Stainton,1867 (Coleophoridae) Synonym(s): *phlomidis* Stainton,1867
 9045) *Coleophora phoenicia* Baldizzzone,1994 (Coleophoridae) Synonym(s): *phoenicia* Baldizzzone,1994
 9046) *Coleophora phrygiae* Baldizzzone,1994 (Coleophoridae) Synonym(s): *phrygiae* Baldizzzone,1994
 9047) *Coleophora physophorae* (Falkovitsh,1994) (Coleophoridae) Synonym(s): *physophorae* Falkovitsh,1994
 9048) *Coleophora picardella* Suire,1934 (Coleophoridae) Synonym(s): *picardella* Suire,1934
 9049) *Coleophora pilion* (Falkovitsh,1992) (Coleophoridae) Synonym(s): *pilion* Falkovitsh,1992
 9050) *Coleophora plicipunctella* Chrétien,1915 (Coleophoridae) Synonym(s): *plicipunctella* Chrétien,1915
 9051) *Coleophora plumbella* Kanerva,1941 (Coleophoridae) Synonym(s): *plumbella* Kanerva,1941
 9052) *Coleophora poecilella* Walsingham,1907 (Coleophoridae) Synonym(s): *poecilella* Walsingham,1907
 9053) *Coleophora poliacantha* Baldizzzone,2001 (Coleophoridae) Synonym(s): *poliacantha* Baldizzzone,2001
 9054) *Coleophora polichomriensis* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *polichomriensis* Toll & Amsel,1967
 9055) *Coleophora polonicella* Zeller,1865 (Coleophoridae) Synonym(s): *polonicella* Zeller,1865
 9056) *Coleophora pontica* (Reznik,1984) (Coleophoridae) Synonym(s): *pontica* Reznik,1984
 9057) *Coleophora potentillae* Elisha,1885 (Coleophoridae) Synonym(s): *potentillae* Elisha,1885
 9058) *Coleophora praecipua* Walsingham,1907 (Coleophoridae) Synonym(s): *praecipua* Walsingham,1907
 9059) *Coleophora praeclara* Baldizzzone,1994 (Coleophoridae) Synonym(s): *praeclara* Baldizzzone,1994
 9060) *Coleophora praecursella* Zeller,1847 (Coleophoridae) Synonym(s): *praecursella* Zeller,1847
 9061) *Coleophora pratella* Zeller,1871 (Coleophoridae) Synonym(s): *pratella* Zeller,1871
 9062) *Coleophora preisseckeri* Toll,1942 (Coleophoridae) Synonym(s): *preisseckeri* Toll,1942
 9063) *Coleophora presbytica* Meyrick,1921 (Coleophoridae) Synonym(s): *presbytica* Meyrick,1921
 9064) *Coleophora propinqua* Staudinger,1880 (Coleophoridae) Synonym(s): *propinqua* Staudinger,1880
 9065) *Coleophora propinquoides* Baldizzzone,1994 (Coleophoridae) Synonym(s): *propinquoides* Baldizzzone,1994
 9066) *Coleophora protecta* Walsingham,1907 (Coleophoridae) Synonym(s): *protecta* Walsingham,1907
 9067) *Coleophora prunifoliae* Doets,1944 (Coleophoridae) Synonym(s): *prunifoliae* Doets,1944
 9068) *Coleophora pseudociconiella* Toll,1952 (Coleophoridae) Synonym(s): *pseudociconiella* Toll,1952; *patrascui* Nemes,2003
 9069) *Coleophora pseudodanthi* Baldizzzone & Tabell,2006 (Coleophoridae) Synonym(s): *pseudodanthi* Baldizzzone & Tabell,2006
 9070) *Coleophora pseudodirectella* Toll,1959 (Coleophoridae) Synonym(s): *pseudodirectella* Toll,1959
 9071) *Coleophora pseudoditella* Baldizzzone & Patzak,1983 (Coleophoridae) Synonym(s): *pseudoditella* Baldizzzone & Patzak,1983
 9072) *Coleophora pseudolinosyris* Kasy,1979 (Coleophoridae) Synonym(s): *pseudolinosyris* Kasy,1979
 9073) *Coleophora pseudorepentis* Toll,1960 (Coleophoridae) Synonym(s): *pseudorepentis* Toll,1960
 9074) *Coleophora pseudosquamosella* Baldizzzone & Nel,2003 (Coleophoridae) Synonym(s): *pseudosquamosella* Baldizzzone & Nel,2003
 9075) *Coleophora ptarmica* Walsingham,1910 (Coleophoridae) Synonym(s): *ptarmica* Walsingham,1910
 9076) *Coleophora pteroparti* Mendes,1910 (Coleophoridae) Synonym(s): *pteroparti* Mendes,1910
 9077) *Coleophora pulmonariella* Ragonot,1874 (Coleophoridae) Synonym(s): *pulmonariella* Ragonot,1874
 9078) *Coleophora punctulatella* Zeller,1849 (Coleophoridae) Synonym(s): *punctulatella* Zeller,1849
 9079) *Coleophora purifica* Meyrick,1921 (Coleophoridae) Synonym(s): *purifica* Meyrick,1921
 9080) *Coleophora pyrenaica* Baldizzzone,1980 (Coleophoridae) Synonym(s): *pyrenaica* Baldizzzone,1980
 9081) *Coleophora pyrrhulipennella* Zeller,1839 (Coleophoridae) Synonym(s): *pyrrhulipennella* Zeller,1839
 9082) *Coleophora quadrifariella* Staudinger,1880 (Coleophoridae) Synonym(s): *quadrifariella* Staudinger,1880
 9083) *Coleophora quadristraminella* Toll,1961 (Coleophoridae) Synonym(s): *quadristraminella* Toll,1961
 9084) *Coleophora qulikushella* Toll,1959 (Coleophoridae) Synonym(s): *qulikushella* Toll,1959
 9085) *Coleophora ramosella* Zeller,1849 (Coleophoridae) Synonym(s): *ramosella* Zeller,1849
 9086) *Coleophora raptans* Baldizzzone,1989 (Coleophoridae) Synonym(s): *raptans* Baldizzzone,1989
 9087) *Coleophora ravillella* Toll,1961 (Coleophoridae) Synonym(s): *ravillella* Toll,1961
 9088) *Coleophora rectilineella* Fischer v. Röslerstamm,1843 (Coleophoridae) Synonym(s): *rectilineella* Fischer v. Röslerstamm,1843
 9089) *Coleophora reisseri* Rebel,1926 (Coleophoridae) Synonym(s): *reisseri* Rebel,1926
 9090) *Coleophora remizella* Baldizzzone,1983 (Coleophoridae) Synonym(s): *remizella* Baldizzzone,1983
 9091) *Coleophora repentis* Klimesch,1947 (Coleophoridae) Synonym(s): *repentis* Klimesch,1947
 9092) *Coleophora retifera* Meyrick,1922 (Coleophoridae) Synonym(s): *retifera* Meyrick,1922
 9093) *Coleophora retrodentella* Baldizzzone & Nel,2004 (Coleophoridae) Synonym(s): *retrodentella* Baldizzzone & Nel,2004
 9094) *Coleophora rhanteriella* Chrétien,1915 (Coleophoridae) Synonym(s): *rhanteriella* Chrétien,1915; *excellens* Toll,1952; *semistriatella* Toll,1962; *subexcellens* Toll,1962
 9095) *Coleophora rhinoceros* Baldizzzone,2001 (Coleophoridae) Synonym(s): *rhinoceros* Baldizzzone,2001
 9096) *Coleophora ribasella* Baldizzzone,1982 (Coleophoridae) Synonym(s): *ribasella* Baldizzzone,1982
 9097) *Coleophora riffelensis* Rebel,1913 (Coleophoridae) Synonym(s): *riffelensis* Rebel,1913; *fischeri* Toll,1950; *klemensiewiczii* Toll,1950
 9098) *Coleophora roridella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *roridella* Toll & Amsel,1967
 9099) *Coleophora rostrata* Baldizzzone,1994 (Coleophoridae) Synonym(s): *rostrata* Baldizzzone,1994
 9100) *Coleophora rudella* Toll,1944 (Coleophoridae) Synonym(s): *rudella* Toll,1944
 9101) *Coleophora sabulella* Toll,1952 (Coleophoridae) Synonym(s): *sabulella* Toll,1952
 9102) *Coleophora salicorniae* Heinemann & Wocke,1877 (Coleophoridae) Synonym(s): *salicorniae* Heinemann & Wocke,1877; *cypricella* Rebel,1928.
 9103) *Coleophora salinella* Stainton,1858 (Coleophoridae) Synonym(s): *salinella* Stainton,1858
 9104) *Coleophora salsolella* Chrétien,1915 (Coleophoridae) Synonym(s): *salsolella* Chrétien,1915; *nigridorsella* Amsel,1935.
 9105) *Coleophora salviella* Chrétien,1917 (Coleophoridae) Synonym(s): *salviella* Chrétien,1917
 9106) *Coleophora santolinella* Constant,1890 (Coleophoridae) Synonym(s): *santolinella* Constant,1890
 9107) *Coleophora saponariella* Heeger,1848 (Coleophoridae) Synonym(s): *saponariella* Heeger,1848
 9108) *Coleophora sardiniae* Baldizzzone,1983 (Coleophoridae) Synonym(s): *sardiniae* Baldizzzone,1983
 9109) *Coleophora sardocorsa* Baldizzzone,1983 (Coleophoridae) Synonym(s): *sardocorsa* Baldizzzone,1983
 9110) *Coleophora sarehma* Toll,1956 (Coleophoridae) Synonym(s): *sarehma* Toll,1956; *exasperatella* Toll,1957
 9111) *Coleophora sarobiensis* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *sarobiensis* Toll & Amsel,1967
 9112) *Coleophora sattleri* Baldizzzone,1995 (Coleophoridae) Synonym(s): *sattleri* Baldizzzone,1995
 9113) *Coleophora saturatella* Stainton,1850 (Coleophoridae) Synonym(s): *saturatella* Stainton,1850
 9114) *Coleophora saudita* Baldizzzone,1984 (Coleophoridae) Synonym(s): *saudita* Baldizzzone,1984
 9115) *Coleophora saxicolella* (Duponchel,1843) (Coleophoridae) Synonym(s): *saxicolella* Duponchel,1843; *bucovinensis* Nemes,2004
 9116) *Coleophora scabrida* Toll,1959 (Coleophoridae) Synonym(s): *scabrida* Toll,1959
 9117) *Coleophora scaleuta* Meyrick,1911 (Coleophoridae) Synonym(s): *scaleuta* Meyrick,1911
 9118) *Coleophora scariphota* Meyrick,1911 (Coleophoridae) Synonym(s): *scariphota* Meyrick,1911

- 9119) *Coleophora schahkuhensis* Toll,1952 (Coleophoridae) Synonym(s): *schahkuhensis* Toll,1952
 9120) *Coleophora schaufferella* Toll,1959 (Coleophoridae) Synonym(s): *schaufferella* Toll,1959
 9121) *Coleophora schmidtii* Toll,1960 (Coleophoridae) Synonym(s): *schmidtii* Toll,1960
 9122) *Coleophora semicinerea* Staudinger,1859 (Coleophoridae) Synonym(s): *semicinerea* Staudinger,1859
 9123) *Coleophora sergiella* Falkovitsh,1979 (Coleophoridae) Synonym(s): *sergiella* Falkovitsh,1979
 9124) *Coleophora serinipennella* Christoph,1872 (Coleophoridae) Synonym(s): *serinipennella* Christoph,1872; *stefanii* Joannis,1899; *novella* Chrétien,1926; *caliacraella* Caradja,1931; *lucidella* Caradja,1932; *jerichoella* Amsel,1935; *jordanella* Amsel,1935; *deserticola* Toll,1944; *soffneri* Toll,1944.
 9125) *Coleophora serpylletorum* Hering,1889 (Coleophoridae) Synonym(s): *serpylletorum* Hering,1889; *assisti* Nemes,2003
 9126) *Coleophora serrata* (Linnaeus,1761) (Coleophoridae) Synonym(s): *serratella* Linnaeus,1761; *fuscedinella* Zeller,1849; *metallicella* Hodgkinson,1892; *aethiopiformis* Strand,1902; *salmani* Heinrich,1929; *parasalmani* Oudejans,1971
 9127) *Coleophora serratulella* Herrich-Schäffer,1855 (Coleophoridae) Synonym(s): *serratulella* Herrich-Schäffer,1855
 9128) *Coleophora settarii* Wocke,1876 (Coleophoridae) Synonym(s): *settarii* Wocke,1876
 9129) *Coleophora sibiricella* Falkovitsh,1965 (Coleophoridae) Synonym(s): *sibiricella* Falkovitsh,1965
 9130) *Coleophora siccifolia* Stainton,1856 (Coleophoridae) Synonym(s): *siccifolia* Stainton,1856
 9131) *Coleophora silenella* Herrich-Schäffer,1855 (Coleophoridae) Synonym(s): *silenella* Herrich-Schäffer,1855; *dragusanii* Nemes,2004
 9132) *Coleophora simplex* Baldizzone,1994 (Coleophoridae) Synonym(s): *simplex* Baldizzone,1994
 9133) *Coleophora singreni* Falkovitsh,1973 (Coleophoridae) Synonym(s): *singreni* Falkovitsh,1973
 9134) *Coleophora sisteronica* Toll,1961 (Coleophoridae) Synonym(s): *sisteronica* Toll,1961
 9135) *Coleophora sobria* Baldizzone,1994 (Coleophoridae) Synonym(s): *sobria* Baldizzone,1994
 9136) *Coleophora sobrinella* Toll,1944 (Coleophoridae) Synonym(s): *sobrinella* Toll,1944
 9137) *Coleophora sodae* Baldizzone & Nel,1993 (Coleophoridae) Synonym(s): *sodae* Baldizzone & Nel,1993
 9138) *Coleophora soffneriella* Toll,1961 (Coleophoridae) Synonym(s): *soffneriella* Toll,1961
 9139) *Coleophora sogdianae* Baldizzone,1994 (Coleophoridae) Synonym(s): *sogdianae* Baldizzone,1994
 9140) *Coleophora solenella* Staudinger,1859 (Coleophoridae) Synonym(s): *solenella* Staudinger,1859
 9141) *Coleophora solidaginella* Staudinger,1859 (Coleophoridae) Synonym(s): *solidaginella* Staudinger,1859
 9142) *Coleophora solitariella* Zeller,1849 (Coleophoridae) Synonym(s): *solitariella* Zeller,1849
 9143) *Coleophora soriaella* Baldizzone,1980 (Coleophoridae) Synonym(s): *soriaella* Baldizzone,1980
 9144) *Coleophora spinella* (Schränk,1802) (Coleophoridae) Synonym(s): *spinella* Schränk,1802; *lutifrontella* Bruand,1850; *cerasivorella* Packard,1870; *nigrella* Chambers,1878; *occidentalis* Chambers,1878; *fletcherella* Fernald,1892
 9145) *Coleophora spiniferella* Toll,1952 (Coleophoridae) Synonym(s): *spiniferella* Toll,1952
 9146) *Coleophora spiraeella* Rebel,1916 (Coleophoridae) Synonym(s): *spiraeella* Rebel,1916
 9147) *Coleophora spumosella* Staudinger,1859 (Coleophoridae) Synonym(s): *spumosella* Staudinger,1859
 9148) *Coleophora squalorella* Zeller,1849 (Coleophoridae) Synonym(s): *squalorella* Zeller,1849
 9149) *Coleophora squamella* Constant,1885 (Coleophoridae) Synonym(s): *squamella* Constant,1885; *paragenistae* Kasy,1964
 9150) *Coleophora squamosella* Stainton,1856 (Coleophoridae) Synonym(s): *squamosella* Stainton,1856; *erigerella* Ford,1935; *podolensis* Toll,1938; *sabulicola* Benander,1939
 9151) *Coleophora stachydis* Baldizzone,1994 (Coleophoridae) Synonym(s): *stachydis* Baldizzone,1994
 9152) *Coleophora stachelinella* Walsingham,1891 (Coleophoridae) Synonym(s): *stachelinella* Walsingham,1891
 9153) *Coleophora stepposa* Falkovitsh,1975 (Coleophoridae) Synonym(s): *stepposa* Falkovitsh,1975
 9154) *Coleophora sternipennella* (Zetterstedt,1839) (Coleophoridae) Synonym(s): *sternipennella* Zetterstedt,1839
 9155) *Coleophora stramentella* Zeller,1849 (Coleophoridae) Synonym(s): *stramentella* Zeller,1849
 9156) *Coleophora striatipennella* Nylander,1848 (Coleophoridae) Synonym(s): *striatipennella* Nylander,1848
 9157) *Coleophora strigosella* Toll,1960 (Coleophoridae) Synonym(s): *strigosella* Toll,1960
 9158) *Coleophora striolatella* Zeller,1849 (Coleophoridae) Synonym(s): *striolatella* Zeller,1849; *benedictella* Chrétien,1908; *moestrella* Toll,1942
 9159) *Coleophora strophingella* Baldizzone,1994 (Coleophoridae) Synonym(s): *strophingella* Baldizzone,1994
 9160) *Coleophora struella* Staudinger,1859 (Coleophoridae) Synonym(s): *struella* Staudinger,1859
 9161) *Coleophora strutiella* Glaser,1975 (Coleophoridae) Synonym(s): *strutiella* Glaser,1975
 9162) *Coleophora subochracea* Toll,1952 (Coleophoridae) Synonym(s): *subochracea* Toll,1952
 9163) *Coleophora subparcella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *subparcella* Toll & Amsel,1967
 9164) *Coleophora subula* (Falkovitsh,1993) (Coleophoridae) Synonym(s): *subula* Falkovitsh,1993
 9165) *Coleophora succursella* Herrich-Schäffer,1855 (Coleophoridae) Synonym(s): *succursella* Herrich-Schäffer,1855
 9166) *Coleophora sudanella* Rebel,1917 (Coleophoridae) Synonym(s): *sudanella* Rebel,1917
 9167) *Coleophora sumptuosa* Toll,1952 (Coleophoridae) Synonym(s): *sumptuosa* Toll,1952
 9168) *Coleophora superlonga* (Falkovitsh,1989) (Coleophoridae) Synonym(s): *superlonga* Falkovitsh,1989
 9169) *Coleophora supinella* Ortner,1949 (Coleophoridae) Synonym(s): *supinella* Ortner,1949
 9170) *Coleophora surniella* Baldizzone,1990 (Coleophoridae) Synonym(s): *surniella* Baldizzone,1990
 9171) *Coleophora svenssoni* Baldizzone,1985 (Coleophoridae) Synonym(s): *svenssoni* Baldizzone,1985; *seghedinii* Nemes,2004
 9172) *Coleophora swatensis* Baldizzone,1994 (Coleophoridae) Synonym(s): *swatensis* Baldizzone,1994
 9173) *Coleophora sylvaticella* Wood,1892 (Coleophoridae) Synonym(s): *sylvaticella* Wood,1892
 9174) *Coleophora symphistropha* Reznik,1976 (Coleophoridae) Synonym(s): *symphistropha* Reznik,1976
 9175) *Coleophora synchrona* Falkovitsh,1988 (Coleophoridae) Synonym(s): *synchrona* Falkovitsh,1988
 9176) *Coleophora syriaca* Toll,1942 (Coleophoridae) Synonym(s): *syriaca* Toll,1942
 9177) *Coleophora tabelli* Baldizzone,2001 (Coleophoridae) Synonym(s): *tabelli* Baldizzone,2001
 9178) *Coleophora taeniipennella* Herrich-Schäffer,1855 (Coleophoridae) Synonym(s): *taeniipennella* Herrich-Schäffer,1855; *galactaula* Meyrick,1928
 9179) *Coleophora tamara* Baldizzone,1994 (Coleophoridae) Synonym(s): *tamara* Baldizzone,1994
 9180) *Coleophora tamesis* Waters,1929 (Coleophoridae) Synonym(s): *tamesis* Waters,1929
 9181) *Coleophora tanacetii* Mühlhig,1865 (Coleophoridae) Synonym(s): *tanacetii* Mühlhig,1865
 9182) *Coleophora tanitella* Baldizzone,1982 (Coleophoridae) Synonym(s): *tanitella* Baldizzone,1982
 9183) *Coleophora taurica* Baldizzone,1994 (Coleophoridae) Synonym(s): *taurica* Baldizzone,1994
 9184) *Coleophora tauricella* Staudinger,1880 (Coleophoridae) Synonym(s): *tauricella* Staudinger,1880; *skopusella* Amsel,1935; *kurdistanella* Amsel,1955.
 9185) *Coleophora taygeti* Baldizzone,1983 (Coleophoridae) Synonym(s): *taygeti* Baldizzone,1983
 9186) *Coleophora teheranella* Baldizzone,1994 (Coleophoridae) Synonym(s): *teheranella* Baldizzone,1994
 9187) *Coleophora telonica* Nel,1991 (Coleophoridae) Synonym(s): *telonica* Nel,1991
 9188) *Coleophora teredo* (Falkovitsh,1994) (Coleophoridae) Synonym(s): *teredo* Falkovitsh,1994
 9189) *Coleophora terenaula* Meyrick,1927 (Coleophoridae) Synonym(s): *terenaula* Meyrick,1927
 9190) *Coleophora testudo* Falkovitsh,1973 (Coleophoridae) Synonym(s): *testudo* Falkovitsh,1973
 9191) *Coleophora textoria* Meyrick,1921 (Coleophoridae) Synonym(s): *textoria* Meyrick,1921
 9192) *Coleophora therinella* Tengström,1848 (Coleophoridae) Synonym(s): *therinella* Tengström,1848
 9193) *Coleophora thulea* Johansson,1967 (Coleophoridae) Synonym(s): *thulea* Johansson,1967
 9194) *Coleophora thurneri* Glaser,1968 (Coleophoridae) Synonym(s): *thurneri* Glaser,1968
 9195) *Coleophora thymi* Hering,1942 (Coleophoridae) Synonym(s): *thymi* Hering,1942
 9196) *Coleophora tollamseliella* Oudejans,1971 (Coleophoridae) Synonym(s): *tollamseliella* Oudejans,1971
 9197) *Coleophora tolli* Klimesch,1951 (Coleophoridae) Synonym(s): *tollii* Klimesch,1951
 9198) *Coleophora tornata* (Falkovitsh,1989) (Coleophoridae) Synonym(s): *tornata* Falkovitsh,1989
 9199) *Coleophora totanae* Baldizzone,1985 (Coleophoridae) Synonym(s): *totanae* Baldizzone,1985
 9200) *Coleophora tractella* Zeller,1849 (Coleophoridae) Synonym(s): *tractella* Zeller,1849
 9201) *Coleophora traugotti* Baldizzone,1985 (Coleophoridae) Synonym(s): *traugotti* Baldizzone,1985
 9202) *Coleophora tremulae* (Falkovitsh,1989) (Coleophoridae) Synonym(s): *tremulae* Falkovitsh,1989
 9203) *Coleophora treskaensis* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *treskaensis* Toll & Amsel,1967; *sciurella* Baldizzone,1987
 9204) *Coleophora trichopterella* Baldizzone,1985 (Coleophoridae) Synonym(s): *trichopterella* Baldizzone,1985
 9205) *Coleophora tricolor* Walsingham,1899 (Coleophoridae) Synonym(s): *tricolor* Walsingham,1899

- 9206) *Coleophora tridentifera* Baldizzone,1980 (Coleophoridae) Synonym(s): *tridentifera* Baldizzone,1980
 9207) *Coleophora trientella* Christoph,1872 (Coleophoridae) Synonym(s): *trientella* Christoph,1872; *pilicornis* Rebel,1914.
 9208) *Coleophora trifariella* Zeller,1849 (Coleophoridae) Synonym(s): *trifariella* Zeller,1849
 9209) *Coleophora trifissella* Rebel,1910 (Coleophoridae) Synonym(s): *trifissella* Rebel,1910
 9210) *Coleophora triflua* Meyrick,1911 (Coleophoridae) Synonym(s): *triflua* Meyrick,1911
 9211) *Coleophora trifolii* (Curtis,1832) (Coleophoridae) Synonym(s): *trifolii* Curtis,1832; *chalybaella* Costa,[1836]; *melilotella* Scott,1861.
 9212) *Coleophora trigeminella* Fuchs,1881 (Coleophoridae) Synonym(s): *trigeminella* Fuchs,1881
 9213) *Coleophora trimaculella* Baldizzone,2001 (Coleophoridae) Synonym(s): *trimaculella* Baldizzone,2001
 9214) *Coleophora tringella* Baldizzone,1988 (Coleophoridae) Synonym(s): *tringella* Baldizzone,1988
 9215) *Coleophora tripeniella* Baldizzone,1994 (Coleophoridae) Synonym(s): *tripeniella* Baldizzone,1994
 9216) *Coleophora tripolitana* Toll,1960 (Coleophoridae) Synonym(s): *tripolitana* Toll,1960
 9217) *Coleophora tristella* Staudinger,1879 (Coleophoridae) Synonym(s): *tristella* Staudinger,1879
 9218) *Coleophora trochilella* (Duponchel,1843) (Coleophoridae) Synonym(s): *trochilella* Duponchel,1843, *lineatella* Tengström,1848; *albigriseella* Bruand,1850; *alpicola* Heimenann & Wocke,1876; *corymbosiella* Brauer,1917; *axana* Hering,1942
 9219) *Coleophora tsherkesi* Falkovitsh,1970 (Coleophoridae) Synonym(s): *tsherkesi* Falkovitsh,1970
 9220) *Coleophora tshiligella* (Reznik,1976) (Coleophoridae) Synonym(s): *tshiligella* Reznik,1976
 9221) *Coleophora tundrosa* (Falkovitsh,1991) (Coleophoridae) Synonym(s): *tundrosa* Falkovitsh,1991
 9222) *Coleophora turbatella* Toll,1944 (Coleophoridae) Synonym(s): *turbatella* Toll,1944
 9223) *Coleophora turca* Baldizzone,1994 (Coleophoridae) Synonym(s): *turca* Baldizzone,1994
 9224) *Coleophora turolella* Zerny,1927 (Coleophoridae) Synonym(s): *turolella* Zerny,1927
 9225) *Coleophora tyrphaenica* Amsel,1952 (Coleophoridae) Synonym(s): *tyrphaenica* Amsel,1952.
 9226) *Coleophora ucrainae* Baldizzone & Patzak,1991 (Coleophoridae) Synonym(s): *ucrainae* Baldizzone & Patzak,1991
 9227) *Coleophora uliginosella* Glitz,1872 (Coleophoridae) Synonym(s): *uliginosella* Glitz,1872
 9228) *Coleophora unigenella* Svensson,1966 (Coleophoridae) Synonym(s): *unigenella* Svensson,1966
 9229) *Coleophora unipunctella* Zeller,1849 (Coleophoridae) Synonym(s): *unipunctella* Zeller,1849
 9230) *Coleophora univittella* Staudinger,1880 (Coleophoridae) Synonym(s): *univittella* Staudinger,1880
 9231) *Coleophora uralensis* Toll,1961 (Coleophoridae) Synonym(s): *uralensis* Toll,1961
 9232) *Coleophora vacciniella* Herrich-Schäffer,1861 (Coleophoridae) Synonym(s): *vacciniella* Herrich-Schäffer,1861
 9233) *Coleophora valesianella* Zeller,1849 (Coleophoridae) Synonym(s): *valesianella* Zeller,1849; *giraudi* Ragonot,1874; *simillima* Staudinger,1880; *predotaella* Rebel,1914
 9234) *Coleophora vanderwolffi* Baldizzone,1985 (Coleophoridae) Synonym(s): *vanderwolffi* Baldizzone,1985
 9235) *Coleophora varensis* Baldizzone & Nel,1993 (Coleophoridae) Synonym(s): *varensis* Baldizzone & Nel,1993
 9236) *Coleophora varnella* Baldizzone & Tabell,2006 (Coleophoridae) Synonym(s): *varnella* Baldizzone & Tabell,2006
 9237) *Coleophora ventadelsolella* Glaser,1981 (Coleophoridae) Synonym(s): *ventadelsolella* Glaser,1981
 9238) *Coleophora vermiculatella* Glaser,1975 (Coleophoridae) Synonym(s): *vermiculatella* Glaser,1975
 9239) *Coleophora versurella* Zeller,1849 (Coleophoridae) Synonym(s): *versurella* Zeller,1849; *tardipennella* Zeller,1849; *miserella* Staudinger,1880; *agricolella* Fuchs,1886; *atlanticella* Rebel,1896; *pallorella* Benander,1939; *thalassella* McDunnough,1940; *constanti* Hering,1942; *pisella* Amsel,1953; *saccharella* Amsel,1953; *amaranthivora* Oku,1965
 9240) *Coleophora vestalella* Staudinger,1859 (Coleophoridae) Synonym(s): *vestalella* Staudinger,1859; *balearica* Falkovitsh,1978
 9241) *Coleophora vestianella* (Linnaeus,1758) (Coleophoridae) Synonym(s): *vestianella* Linnaeus,1758; *laripennella* Zetterstedt,1839; *galbulipennella* Duponchel,1843; *annulatella* Tengström,1848; *tengstroemella* Doubleday,1859; *subtractella* Caradja,1920
 9242) *Coleophora vibicella* (Hübner,[1813]) (Coleophoridae) Synonym(s): *vibicella* Hübner,[1813]; *vibicipennella* Treitschke,1833; *brunneella* Müller-Rutz,1922
 9243) *Coleophora vibicigerella* Zeller,1839 (Coleophoridae) Synonym(s): *vibicigerella* Zeller,1839; *mandschuriae* Toll,1942; *didyma* Toll,1957.
 9244) *Coleophora vicinella* Zeller,1849 (Coleophoridae) Synonym(s): *vicinella* Zeller,1849; *gypsophilae* Christoph,1862.
 9245) *Coleophora viettella* Toll,1942 (Coleophoridae) Synonym(s): *viettella* Toll,1942; *arabica* Amsel,1958
 9246) *Coleophora violacea* (Ström,1783) (Coleophoridae) Synonym(s): *violacea* Ström,1783
 9247) *Coleophora virgatella* Zeller,1849 (Coleophoridae) Synonym(s): *virgatella* Zeller,1849
 9248) *Coleophora vitisella* Gregson,1856 (Coleophoridae) Synonym(s): *vitisella* Gregson,1856
 9249) *Coleophora vivesella* Baldizzone,1987 (Coleophoridae) Synonym(s): *vivesella* Baldizzone,1987
 9250) *Coleophora vulnerariae* Zeller,1839 (Coleophoridae) Synonym(s): *vulnerariae* Zeller,1839; *icterella* Duponchel,1840; *vulnerariella* Doubleday,1859; *vulnerariella* Bruand,1859
 9251) *Coleophora vulpecula* Zeller,1849 (Coleophoridae) Synonym(s): *vulpecula* Zeller,1849; *vulpeculoides* Toll,1952
 9252) *Coleophora walsinghami* Baldizzone,1990 (Coleophoridae) Synonym(s): *walsinghami* Baldizzone,1990
 9253) *Coleophora wiltshirei* Toll,1959 (Coleophoridae) Synonym(s): *wiltshirei* Toll,1959
 9254) *Coleophora wockeella* Zeller,1849 (Coleophoridae) Synonym(s): *wockeella* Zeller,1849; *fumigatella* Caradja,1920; *italiae* Toll,1960
 9255) *Coleophora wolschrijni* Baldizzone & Wolf,2000 (Coleophoridae) Synonym(s): *wolschrijni* Baldizzone & Wolf,2000
 9256) *Coleophora xanthoargentea* Toll,1959 (Coleophoridae) Synonym(s): *xanthoargentea* Toll,1959
 9257) *Coleophora zagrosella* Baldizzone,1994 (Coleophoridae) Synonym(s): *zagrosella* Baldizzone,1994
 9258) *Coleophora zelleriella* Heinemann,1854 (Coleophoridae) Synonym(s): *zelleriella* Heinemann,1854
 9259) *Coleophora zernyi* Toll,1944 (Coleophoridae) Synonym(s): *zernyi* Toll,1944
 9260) *Coleophora zhusani* Falkovitsh,1972 (Coleophoridae) Synonym(s): *zhusani* Falkovitsh,1972
 9261) *Coleophora zhusuni* Falkovitsh,1972 (Coleophoridae) Synonym(s): *zhusuni* Falkovitsh,1972
 9262) *Coleophora zofodella* Baldizzone,2001 (Coleophoridae) Synonym(s): *zofodella* Baldizzone,2001
 9263) *Coleophora zukowskii* Toll,1959 (Coleophoridae) Synonym(s): *zukowskii* Toll,1959
 9264) *Enscepastra longirostris* Meyrick,1926 (Coleophoridae) Synonym(s): *longirostris* Meyrick,1926
 9265) *Enscepastra machinopis* Meyrick,1936 (Coleophoridae) Synonym(s): *machinopis* Meyrick,1936
 9266) *Enscepastra plagiopa* Meyrick,1920 (Coleophoridae) Synonym(s): *plagiopa* Meyrick,1920
 9267) *Goniiodoma auroguttella* (Fischer v. Röslerstamm,1841) (Coleophoridae) Synonym(s): *auroguttella* Fischer v. Röslerstamm,1841
 9268) *Goniiodoma limoniella* (Stainton,1884) (Coleophoridae) Synonym(s): *limoniella* Stainton,1884
 9269) *Goniiodoma millierella* Ragonot,1882 (Coleophoridae) Synonym(s): *millierella* Ragonot,1882
 9270) *Goniiodoma nemesi* Capuse,1970 (Coleophoridae) Synonym(s): *nemesi* Capuse,1970
 9271) *Iriothyrta melanogma* Meyrick,1908 (Coleophoridae) Synonym(s): *melanogma* Meyrick,1908
 9272) *Ischnophanes baldizonella* Vives Moreno,1983 (Coleophoridae) Synonym(s): *baldizonella* Vives Moreno,1983
 9273) *Ischnophanes bifurcata* Baldizzone,1994 (Coleophoridae) Synonym(s): *bifurcata* Baldizzone,1994
 9274) *Ischnophanes monocentra* Meyrick,1891 (Coleophoridae) Synonym(s): *monocentra* Meyrick,1891
 9275) *Ischnopsis angustella* Walsingham,1881 (Coleophoridae) Synonym(s): *angustella* Walsingham,1881
 9276) *Metriotes jaeckhi* Baldizzone,1985 (Coleophoridae) Synonym(s): *jaeckhi* Baldizzone,1985
 9277) *Metriotes lutarea* (Haworth,[1828]) (Coleophoridae) Synonym(s): *lutarea* Haworth,[1828]; *modestella* Duponchel,1838; *splendidella* Lienig & Zeller,1846; *bucovinella* Nemes,2004
 9278) *Porotica astragalis* Meyrick,1913 (Coleophoridae) Synonym(s): *astragalis* Meyrick,1913
 9279) *Sandaloea lathraea* Meyrick,1920 (Coleophoridae) Synonym(s): *lathraea* Meyrick,1920
 9280) *Copromorpha aeruginea* Meyrick,1917 (Copromorphidae) Synonym(s): *aeruginea* Meyrick,1917
 9281) *Copromorpha macrolepis* Diakonoff,1959 (Copromorphidae) Synonym(s): *macrolepis* Diakonoff,1959
 9282) *Sisyroxena syntentra* Meyrick,1916 (Copromorphidae) Synonym(s): *syntentra* Meyrick,1916
 9283) *Alloclita albocinctella* (Chrétien,1915) (Cosmopterigidae) Synonym(s): *albocinctella* Chrétien,1915; *orthoclina* Meyrick,1922; *gelechiformis* Turati,1930; *litorella* Amsel,1935.
 9284) *Alloclita brachygrapta* Meyrick,1925 (Cosmopterigidae) Synonym(s): *brachygrapta* Meyrick,1925
 9285) *Alloclita delozona* Meyrick,1919 (Cosmopterigidae) Synonym(s): *delozona* Meyrick,1919
 9286) *Alloclita deprinsi* Koster & Sinev,2003 (Cosmopterigidae) Synonym(s): *deprinsi* Koster & Sinev,2003
 9287) *Alloclita francoeuriae* Walsingham,1905 (Cosmopterigidae) Synonym(s): *francoeuriae* Walsingham,1905
 9288) *Alloclita gambiella* (Walsingham,1891) (Cosmopterigidae) Synonym(s): *gambiella* Walsingham,1891

- 9289) *Alloclita haifensis* Rebel, 1911 (Cosmopterigidae) Synonym(s): *haifensis* Rebel, 1911; *litorella* Amsel, 1935
- 9290) *Alloclita paraphracta* (Meyrick, 1914) (Cosmopterigidae) Synonym(s): *paraphracta* Meyrick, 1914
- 9291) *Alloclita plumbaria* (Meyrick, 1921) (Cosmopterigidae) Synonym(s): *plumbaria* Meyrick, 1921
- 9292) *Alloclita recisella* Staudinger, 1859 (Cosmopterigidae) Synonym(s): *recisella* Staudinger, 1859; *albocinctella* Chrétien, 1915; *orthoclina* Meyrick, 1922; *inconspicuellata* Turati, 1929; *gelechiformis* Turati, 1930
- 9293) *Alloclita xyloidesma* Meyrick, 1911 (Cosmopterigidae) Synonym(s): *xyloidesma* Meyrick, 1911
- 9294) *Alloclita zelotypa* (Meyrick, 1918) (Cosmopterigidae) Synonym(s): *zelotypa* Meyrick, 1918
- 9295) *Allotalanta autophaea* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *autophaea* Meyrick, 1913
- 9296) *Allotalanta clonomicta* Meyrick, 1927 (Cosmopterigidae) Synonym(s): *clonomicta* Meyrick, 1927
- 9297) *Amneris flexiloquella* Riedl, 1983 (Cosmopterigidae) Synonym(s): *flexiloquella* Riedl, 1983
- 9298) *Anatrachyntis badia* (Hodges, 1962) (Cosmopterigidae) Synonym(s): *badia* Hodges, 1962
- 9299) *Anatrachyntis coriacea* (Snellen, 1901) (Cosmopterigidae) Synonym(s): *coriacea* Snellen, 1901
- 9300) *Anatrachyntis coridophaga* (Meyrick, 1925) (Cosmopterigidae) Synonym(s): *coridophaga* Meyrick, 1925; *pygmaella* Turati, 1927
- 9301) *Anatrachyntis rileyi* (Walsingham, 1882) (Cosmopterigidae) Synonym(s): *rileyi* Walsingham, 1882; *stigmatophora* Walsingham, 1897
- 9302) *Anatrachyntis simplex* (Walsingham, 1891) (Cosmopterigidae) Synonym(s): *simplex* Walsingham, 1891; *gossypiella* Walsingham, 1906; *hemizopha* Meyrick, 1916; *repandatella* Legrand, 1966; *flexiloquella* Riedl, 1993
- 9303) *Ascalenia acaciella* Chrétien, 1915 (Cosmopterigidae) Synonym(s): *acaciella* Chrétien, 1915; *tergipunctella* Turati, 1924; *maculatella* Lucas, 1937 nec *Chrétien*, 1915; *noviciata* Gozmany, 1960.
- 9304) *Ascalenia albitergis* Meyrick, 1926 (Cosmopterigidae) Synonym(s): *albitergis* Meyrick, 1926
- 9305) *Ascalenia antiqua* Meyrick, 1925 (Cosmopterigidae) Synonym(s): *antiqua* Meyrick, 1925
- 9306) *Ascalenia beieri* Kasy, 1968 (Cosmopterigidae) Synonym(s): *beieri* Kasy, 1968
- 9307) *Ascalenia bifasciella* Chrétien, 1915 (Cosmopterigidae) Synonym(s): *bifasciella* Chrétien, 1915; *bizonatella* Turati, 1930
- 9308) *Ascalenia callynella* Kasy, 1968 (Cosmopterigidae) Synonym(s): *callynella* Kasy, 1968
- 9309) *Ascalenia cardinata* (Meyrick, 1918) (Cosmopterigidae) Synonym(s): *cardinata* Meyrick, 1918
- 9310) *Ascalenia conformata* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *conformata* Meyrick, 1921
- 9311) *Ascalenia danilevskyi* Sinev, 1984 (Cosmopterigidae) Synonym(s): *danilevskyi* Sinev, 1984
- 9312) *Ascalenia decolorella* Sinev, 1980 (Cosmopterigidae) Synonym(s): *decolorella* Sinev, 1980
- 9313) *Ascalenia echidnias* (Meyrick, 1891) (Cosmopterigidae) Synonym(s): *echidnias* Meyrick, 1891; *signatella* Chrétien, 1915; *oranella* Lucas, 1939; *satellita* Gozmany, 1960.
- 9314) *Ascalenia falkovitshi* Sinev, 1984 (Cosmopterigidae) Synonym(s): *falkovitshi* Sinev, 1984
- 9315) *Ascalenia gastrocosma* Meyrick, 1931 (Cosmopterigidae) Synonym(s): *gastrocosma* Meyrick, 1931
- 9316) *Ascalenia grisella* Kuznetsov, 1957 (Cosmopterigidae) Synonym(s): *grisella* Kuznetsov, 1957
- 9317) *Ascalenia hodgesi* Sinev, 1984 (Cosmopterigidae) Synonym(s): *hodgesi* Sinev, 1984
- 9318) *Ascalenia imbella* Kasy, 1974 (Cosmopterigidae) Synonym(s): *imbella* Kasy, 1974
- 9319) *Ascalenia jerichoella* (Amsel, 1935) (Cosmopterigidae) Synonym(s): *jerichoella* Amsel, 1935; *jerichoella* Amsel, 1935
- 9320) *Ascalenia kairaella* Kasy, 1969 (Cosmopterigidae) Synonym(s): *kairaella* Kasy, 1969
- 9321) *Ascalenia kasyi* Sinev, 1984 (Cosmopterigidae) Synonym(s): *kasyi* Sinev, 1984
- 9322) *Ascalenia melanogastra* (Meyrick, 1918) (Cosmopterigidae) Synonym(s): *melanogastra* Meyrick, 1918
- 9323) *Ascalenia nudicornis* (Meyrick, 1913) (Cosmopterigidae) Synonym(s): *nudicornis* Meyrick, 1913
- 9324) *Ascalenia pachnodes* (Meyrick, 1917) (Cosmopterigidae) Synonym(s): *pachnodes* Meyrick, 1917
- 9325) *Ascalenia phaneracma* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *phaneracma* Meyrick, 1921
- 9326) *Ascalenia pulverata* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *pulverata* Meyrick, 1913
- 9327) *Ascalenia sclerodes* (Meyrick, 1909) (Cosmopterigidae) Synonym(s): *sclerodes* Meyrick, 1909
- 9328) *Ascalenia secretifera* Meyrick, 1932 (Cosmopterigidae) Synonym(s): *secretifera* Meyrick, 1932
- 9329) *Ascalenia signatella* Chrétien, 1915 (Cosmopterigidae) Synonym(s): *signatella* Chrétien, 1915; *oranella* Lucas, 1939; *satellita* Gozmany, 1960.
- 9330) *Ascalenia sirjanella* Kasy, 1975 (Cosmopterigidae) Synonym(s): *sirjanella* Kasy, 1975
- 9331) *Ascalenia stagnans* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *stagnans* Meyrick, 1921
- 9332) *Ascalenia staurocentra* (Meyrick, 1915) (Cosmopterigidae) Synonym(s): *staurocentra* Meyrick, 1915
- 9333) *Ascalenia thoracista* (Meyrick, 1915) (Cosmopterigidae) Synonym(s): *thoracista* Meyrick, 1915
- 9334) *Ascalenia unifasciella* Kasy, 1969 (Cosmopterigidae) Synonym(s): *unifasciella* Kasy, 1969
- 9335) *Ascalenia vanella* (Frey, 1860) (Cosmopterigidae) Synonym(s): *vanella* Frey, 1860; *seeboldiella* Ragonot, 1882.
- 9336) *Ascalenia vanelloides* Gerasimov, 1930 (Cosmopterigidae) Synonym(s): *vanelloides* Gerasimov, 1930; *heremella* Amsel, 1933; *eremella* Amsel, 1935.
- 9337) *Ascalenia viviparella* Kasy, 1969 (Cosmopterigidae) Synonym(s): *viviparella* Kasy, 1969
- 9338) *Axiarcha disconema* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *disconema* Meyrick, 1921
- 9339) *Calanesia karsholti* Sinev, 1990 (Cosmopterigidae) Synonym(s): *karsholti* Sinev, 1990
- 9340) *Calycobathra acarpa* Meyrick, 1891 (Cosmopterigidae) Synonym(s): *acarpa* Meyrick, 1891; *pinguescentella* Chrétien, 1915; *sublineatella* Lucas, 1933
- 9341) *Calycobathra arabicella* Kasy, 1968 (Cosmopterigidae) Synonym(s): *arabicella* Kasy, 1968
- 9342) *Calycobathra calligoni* Sinev, 1979 (Cosmopterigidae) Synonym(s): *calligoni* Sinev, 1979
- 9343) *Calycobathra pakistanella* Kasy, 1968 (Cosmopterigidae) Synonym(s): *pakistanella* Kasy, 1968
- 9344) *Calycobathra sahidanella* Kasy, 1968 (Cosmopterigidae) Synonym(s): *sahidanella* Kasy, 1968
- 9345) *Calycobathra striatella* Kasy, 1968 (Cosmopterigidae) Synonym(s): *striatella* Kasy, 1968
- 9346) *Calycobathra variapenella* Sinev, 1984 (Cosmopterigidae) Synonym(s): *variapenella* Sinev, 1984
- 9347) *Clarkeophlebia argentea* (Clarke, 1986) (Cosmopterigidae) Synonym(s): *argentea* Clarke, 1986
- 9348) *Colonophora ictifera* Meyrick, 1937 (Cosmopterigidae) Synonym(s): *ictifera* Meyrick, 1937
- 9349) *Cosmopterix abdita* Hodges, 1962 (Cosmopterigidae) Synonym(s): *abdita* Hodges, 1962
- 9350) *Cosmopterix abnormalis* Walsingham, 1897 (Cosmopterigidae) Synonym(s): *abnormalis* Walsingham, 1897
- 9351) *Cosmopterix aculeata* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *aculeata* Meyrick, 1909
- 9352) *Cosmopterix acutivalva* Kuroko, 1987 (Cosmopterigidae) Synonym(s): *acutivalva* Kuroko, 1987
- 9353) *Cosmopterix albicaudis* Meyrick, 1932 (Cosmopterigidae) Synonym(s): *albicaudis* Meyrick, 1932
- 9354) *Cosmopterix anadoxa* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *anadoxa* Meyrick, 1909
- 9355) *Cosmopterix ancalodes* Meyrick, 1919 (Cosmopterigidae) Synonym(s): *ancalodes* Meyrick, 1919
- 9356) *Cosmopterix ancistreae* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *ancistreae* Meyrick, 1913
- 9357) *Cosmopterix ancistreae* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *ancistreae* Meyrick, 1913
- 9358) *Cosmopterix angoonae* Kuroko, 1987 (Cosmopterigidae) Synonym(s): *angoonae* Kuroko, 1987
- 9359) *Cosmopterix antemidora* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *antemidora* Meyrick, 1909
- 9360) *Cosmopterix antichorda* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *antichorda* Meyrick, 1909
- 9361) *Cosmopterix aphanassa* Meyrick, 1926 (Cosmopterigidae) Synonym(s): *aphanassa* Meyrick, 1926
- 9362) *Cosmopterix apiculata* Meyrick, 1922 (Cosmopterigidae) Synonym(s): *apiculata* Meyrick, 1922
- 9363) *Cosmopterix artifica* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *artifica* Meyrick, 1909
- 9364) *Cosmopterix asiatica* Stainton, 1859 (Cosmopterigidae) Synonym(s): *asiatica* Stainton, 1859
- 9365) *Cosmopterix astrapias* Walsingham, 1909 (Cosmopterigidae) Synonym(s): *astrapias* Walsingham, 1909
- 9366) *Cosmopterix attenuatella* (Walker, 1864) (Cosmopterigidae) Synonym(s): *attenuatella* Walker, 1864; *lepidezae* Walsingham, 1882; *mimetis* Meyrick, 1897; *antila* Forbes, 1930; *luteoapicalis* Ghesquière, 1942; *superba* Gozmany, 1962
- 9367) *Cosmopterix aurella* Bradley, 1957 (Cosmopterigidae) Synonym(s): *aurella* Bradley, 1957
- 9368) *Cosmopterix bacata* Hodges, 1962 (Cosmopterigidae) Synonym(s): *bacata* Hodges, 1962
- 9369) *Cosmopterix bactrophora* Meyrick, 1908 (Cosmopterigidae) Synonym(s): *bactrophora* Meyrick, 1908
- 9370) *Cosmopterix bambusae* Meyrick, 1912 (Cosmopterigidae) Synonym(s): *bambusae* Meyrick, 1912
- 9371) *Cosmopterix basilisca* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *basilisca* Meyrick, 1909
- 9372) *Cosmopterix belonacma* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *belonacma* Meyrick, 1909
- 9373) *Cosmopterix bendidia* Hodges, 1962 (Cosmopterigidae) Synonym(s): *bendidia* Hodges, 1962
- 9374) *Cosmopterix brachyclina* Meyrick, 1933 (Cosmopterigidae) Synonym(s): *brachyclina* Meyrick, 1933

- 9375) *Cosmopterix callinympha* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *callinympha* Meyrick, 1913
 9376) *Cosmopterix callochra* Turner, 1926 (Cosmopterigidae) Synonym(s): *callochra* Turner, 1926
 9377) *Cosmopterix calypso* Meyrick, 1919 (Cosmopterigidae) Synonym(s): *calypso* Meyrick, 1919
 9378) *Cosmopterix chalcelata* Turner, 1923 (Cosmopterigidae) Synonym(s): *chalcelata* Turner, 1923
 9379) *Cosmopterix chalybaeella* Walsingham, 1889 (Cosmopterigidae) Synonym(s): *chalybaeella* Walsingham, 1889
 9380) *Cosmopterix chisosensis* Hodges, 1978 (Cosmopterigidae) Synonym(s): *chisosensis* Hodges, 1978
 9381) *Cosmopterix chlorochalca* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *chlorochalca* Meyrick, 1915
 9382) *Cosmopterix chrysobela* Meyrick, 1928 (Cosmopterigidae) Synonym(s): *chrysobela* Meyrick, 1928
 9383) *Cosmopterix chrysocrates* Meyrick, 1919 (Cosmopterigidae) Synonym(s): *chrysocrates* Meyrick, 1919
 9384) *Cosmopterix circe* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *circe* Meyrick, 1921
 9385) *Cosmopterix circe* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *circe* Meyrick, 1921
 9386) *Cosmopterix clandestinella* Busck, 1906 (Cosmopterigidae) Synonym(s): *clandestinella* Busck, 1906
 9387) *Cosmopterix clemensella* Stainton, 1860 (Cosmopterigidae) Synonym(s): *clemensella* Stainton, 1860; *hermodora* Meyrick, 1919
 9388) *Cosmopterix cleophanes* Meyrick, 1937 (Cosmopterigidae) Synonym(s): *cleophanes* Meyrick, 1937
 9389) *Cosmopterix cognita* Walsingham, 1891 (Cosmopterigidae) Synonym(s): *cognita* Walsingham, 1891
 9390) *Cosmopterix complicata* Kuroko, 1987 (Cosmopterigidae) Synonym(s): *complicata* Kuroko, 1987
 9391) *Cosmopterix coryphaea* Walsingham, 1908 (Cosmopterigidae) Synonym(s): *coryphaea* Walsingham, 1908; *donatellae* Mariani, 1932; *formosa* Amsel, 1935; *coryphaea* Agenjo, 1952
 9392) *Cosmopterix crassiccervicella* Chrétien, 1896 (Cosmopterigidae) Synonym(s): *crassiccervicella* Chrétien, 1896; *flavipes* Turati, 1930; *superba* Gozmany, 1960; *dalii* Agenjo, 1981
 9393) *Cosmopterix cuprea* Lower, 1916 (Cosmopterigidae) Synonym(s): *cuprea* Lower, 1916
 9394) *Cosmopterix cyclopaea* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *cyclopaea* Meyrick, 1909
 9395) *Cosmopterix dacryodes* Meyrick, 1910 (Cosmopterigidae) Synonym(s): *dacryodes* Meyrick, 1910
 9396) *Cosmopterix dalii* Agenjo, 1981 (Cosmopterigidae) Synonym(s): *dalii* Agenjo, 1981
 9397) *Cosmopterix damnosa* Hodges, 1962 (Cosmopterigidae) Synonym(s): *damnosa* Hodges, 1962
 9398) *Cosmopterix dapifera* Hodges, 1962 (Cosmopterigidae) Synonym(s): *dapifera* Hodges, 1962
 9399) *Cosmopterix delicatella* Walsingham, 1889 (Cosmopterigidae) Synonym(s): *delicatella* Walsingham, 1889
 9400) *Cosmopterix diaphora* Walsingham, 1909 (Cosmopterigidae) Synonym(s): *diaphora* Walsingham, 1909
 9401) *Cosmopterix dicacula* Hodges, 1962 (Cosmopterigidae) Synonym(s): *dicacula* Hodges, 1962
 9402) *Cosmopterix diplozona* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *diplozona* Meyrick, 1921
 9403) *Cosmopterix dulcivora* Meyrick, 1919 (Cosmopterigidae) Synonym(s): *dulcivora* Meyrick, 1919
 9404) *Cosmopterix ebriola* Hodges, 1962 (Cosmopterigidae) Synonym(s): *ebriola* Hodges, 1962
 9405) *Cosmopterix emmelybda* Meyrick, 1914 (Cosmopterigidae) Synonym(s): *emmelybda* Meyrick, 1914
 9406) *Cosmopterix epismaragda* Meyrick, 1932 (Cosmopterigidae) Synonym(s): *epismaragda* Meyrick, 1932
 9407) *Cosmopterix epizona* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *epizona* Meyrick, 1897
 9408) *Cosmopterix erasmia* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *erasmia* Meyrick, 1915
 9409) *Cosmopterix erethista* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *erethista* Meyrick, 1909
 9410) *Cosmopterix facunda* Hodges, 1962 (Cosmopterigidae) Synonym(s): *facunda* Hodges, 1962
 9411) *Cosmopterix fernaldella* Walsingham, 1882 (Cosmopterigidae) Synonym(s): *fernaldella* Walsingham, 1882; *floridanella* Beutenmüller, 1889; *nigrapunctella* Busck, 1900
 9412) *Cosmopterix flavipes* Turati, 1930 (Cosmopterigidae) Synonym(s): *flavipes* Turati, 1930
 9413) *Cosmopterix flavofasciata* (Wollaston, 1879) (Cosmopterigidae) Synonym(s): *flavofasciata* Wollaston, 1879; *crassiccervicella* Chrétien, 1896; *mimetis* Meyrick, 1897
 9414) *Cosmopterix fulminella* Stringer, 1930 (Cosmopterigidae) Synonym(s): *fulminella* Stringer, 1930
 9415) *Cosmopterix gemmiferella* Clemens, 1860 (Cosmopterigidae) Synonym(s): *gemmiferella* Clemens, 1860
 9416) *Cosmopterix glaucogramma* Meyrick, 1934 (Cosmopterigidae) Synonym(s): *glaucogramma* Meyrick, 1934
 9417) *Cosmopterix gloriosa* Meyrick, 1922 (Cosmopterigidae) Synonym(s): *gloriosa* Meyrick, 1922
 9418) *Cosmopterix gracilens* Hodges, 1962 (Cosmopterigidae) Synonym(s): *gracilens* Hodges, 1962
 9419) *Cosmopterix gramineella* Kuroko, 1987 (Cosmopterigidae) Synonym(s): *gramineella* Kuroko, 1987
 9420) *Cosmopterix hamifera* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *hamifera* Meyrick, 1909
 9421) *Cosmopterix heliactis* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *heliactis* Meyrick, 1897
 9422) *Cosmopterix hieraspis* Meyrick, 1924 (Cosmopterigidae) Synonym(s): *hieraspis* Meyrick, 1924
 9423) *Cosmopterix holophracta* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *holophracta* Meyrick, 1909
 9424) *Cosmopterix inaugurata* Meyrick, 1922 (Cosmopterigidae) Synonym(s): *inaugurata* Meyrick, 1922
 9425) *Cosmopterix ingeniosa* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *ingeniosa* Meyrick, 1909
 9426) *Cosmopterix inopis* Hodges, 1962 (Cosmopterigidae) Synonym(s): *inopis* Hodges, 1962
 9427) *Cosmopterix interfracta* Meyrick, 1922 (Cosmopterigidae) Synonym(s): *interfracta* Meyrick, 1922
 9428) *Cosmopterix iphigona* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *iphigona* Meyrick, 1915
 9429) *Cosmopterix irrubricata* Walsingham, 1909 (Cosmopterigidae) Synonym(s): *irrubricata* Walsingham, 1909
 9430) *Cosmopterix isoteles* Meyrick, 1919 (Cosmopterigidae) Synonym(s): *isoteles* Meyrick, 1919
 9431) *Cosmopterix isotoma* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *isotoma* Meyrick, 1915
 9432) *Cosmopterix issikiella* Kuroko, 1957 (Cosmopterigidae) Synonym(s): *issikiella* Kuroko, 1957
 9433) *Cosmopterix labathiella* Viette, 1956 (Cosmopterigidae) Synonym(s): *labathiella* Viette, 1956
 9434) *Cosmopterix laetifica* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *laetifica* Meyrick, 1909
 9435) *Cosmopterix latilineata* Kuroko, 1987 (Cosmopterigidae) Synonym(s): *latilineata* Kuroko, 1987
 9436) *Cosmopterix lautissimella* Amsel, 1968 (Cosmopterigidae) Synonym(s): *lautissimella* Amsel, 1968
 9437) *Cosmopterix licnura* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *licnura* Meyrick, 1909
 9438) *Cosmopterix lienigiella* Lienig & Zeller, 1846 (Cosmopterigidae) Synonym(s): *lienigiella* Lienig & Zeller, 1846
 9439) *Cosmopterix ligyrodes* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *ligyrodes* Meyrick, 1915
 9440) *Cosmopterix longilineata* Kuroko, 1987 (Cosmopterigidae) Synonym(s): *longilineata* Kuroko, 1987
 9441) *Cosmopterix macroglossa* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *macroglossa* Meyrick, 1913
 9442) *Cosmopterix macrula* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *macrula* Meyrick, 1897
 9443) *Cosmopterix magophila* Meyrick, 1919 (Cosmopterigidae) Synonym(s): *magophila* Meyrick, 1919
 9444) *Cosmopterix manipularis* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *manipularis* Meyrick, 1909
 9445) *Cosmopterix melanarches* Meyrick, 1929 (Cosmopterigidae) Synonym(s): *melanarches* Meyrick, 1929
 9446) *Cosmopterix minutella* Beutenmüller, 1889 (Cosmopterigidae) Synonym(s): *minutella* Beutenmüller, 1889
 9447) *Cosmopterix molybdina* Hodges, 1962 (Cosmopterigidae) Synonym(s): *molybdina* Hodges, 1962
 9448) *Cosmopterix montisella* Chambers, 1875 (Cosmopterigidae) Synonym(s): *montisella* Chambers, 1875; *unicolorella* Walsingham, 1889
 9449) *Cosmopterix mystica* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *mystica* Meyrick, 1897
 9450) *Cosmopterix neodesma* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *neodesma* Meyrick, 1915
 9451) *Cosmopterix nitens* Walsingham, 1889 (Cosmopterigidae) Synonym(s): *nitens* Walsingham, 1889
 9452) *Cosmopterix nyctiphanes* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *nyctiphanes* Meyrick, 1915
 9453) *Cosmopterix ochleria* Walsingham, 1909 (Cosmopterigidae) Synonym(s): *ochleria* Walsingham, 1909
 9454) *Cosmopterix opulenta* Braun, 1919 (Cosmopterigidae) Synonym(s): *opulenta* Braun, 1919
 9455) *Cosmopterix orichalcea* Stainton, 1861 (Cosmopterigidae) Synonym(s): *orichalcea* Stainton, 1861; *singularis* Sinev, 1980
 9456) *Cosmopterix ornithognatosella* Mey, 1998 (Cosmopterigidae) Synonym(s): *ornithognatosella* Mey, 1998
 9457) *Cosmopterix oxyglossa* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *oxyglossa* Meyrick, 1909
 9458) *Cosmopterix pallifasciella* Snellen, 1897 (Cosmopterigidae) Synonym(s): *pallifasciella* Snellen, 1897
 9459) *Cosmopterix paltophanes* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *paltophanes* Meyrick, 1909
 9460) *Cosmopterix panayella* Mey, 1998 (Cosmopterigidae) Synonym(s): *panayella* Mey, 1998
 9461) *Cosmopterix panopla* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *panopla* Meyrick, 1909
 9462) *Cosmopterix pararufella* Riedl, 1976 (Cosmopterigidae) Synonym(s): *pararufella* Riedl, 1976

- 9463) *Cosmopterix pentachorda* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *pentachorda* Meyrick, 1915
 9464) *Cosmopterix phaeogastra* Meyrick, 1917 (Cosmopterigidae) Synonym(s): *phaeogastra* Meyrick, 1917
 9465) *Cosmopterix phaeospora* Turner, 1923 (Cosmopterigidae) Synonym(s): *phaeospora* Turner, 1923
 9466) *Cosmopterix phragmitidis* Amsel, 1935 (Cosmopterigidae) Synonym(s): *phragmitidis* Amsel, 1935
 9467) *Cosmopterix phyllostachysea* Kuroko, 1957 (Cosmopterigidae) Synonym(s): *phyllostachysea* Kuroko, 1957
 9468) *Cosmopterix plesiasta* Meyrick, 1919 (Cosmopterigidae) Synonym(s): *plesiasta* Meyrick, 1919
 9469) *Cosmopterix plesiasta* Meyrick, 1919 (Cosmopterigidae) Synonym(s): *plesiasta* Meyrick, 1919
 9470) *Cosmopterix plumbigutella* Kuroko, 1987 (Cosmopterigidae) Synonym(s): *plumbigutella* Kuroko, 1987
 9471) *Cosmopterix pulcherimella* Chambers, 1875 (Cosmopterigidae) Synonym(s): *pulcherimella* Chambers, 1875; *parietariae* M. Hering, 1931
 9472) *Cosmopterix pustulatella* Snellen, 1897 (Cosmopterigidae) Synonym(s): *pustulatella* Snellen, 1897
 9473) *Cosmopterix pyrozela* Meyrick, 1922 (Cosmopterigidae) Synonym(s): *pyrozela* Meyrick, 1922
 9474) *Cosmopterix quadrilineella* Chambers, 1878 (Cosmopterigidae) Synonym(s): *quadrilineella* Chambers, 1878
 9475) *Cosmopterix rhabdophanes* Meyrick, 1928 (Cosmopterigidae) Synonym(s): *rhabdophanes* Meyrick, 1928
 9476) *Cosmopterix rhynchognathosella* Sinev (Cosmopterigidae) Synonym(s):
 9477) *Cosmopterix rumakomi* Kuroko, 1987 (Cosmopterigidae) Synonym(s): *rumakomi* Kuroko, 1987
 9478) *Cosmopterix salahinella* Chrétien, 1907 (Cosmopterigidae) Synonym(s): *salahinella* Chrétien, 1907; *rufella* Turati, 1927; *phragmitidis* Amsel, 1935
 9479) *Cosmopterix scaligera* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *scaligera* Meyrick, 1909
 9480) *Cosmopterix schmidtella* (Frey, 1856) (Cosmopterigidae) Synonym(s): *schmidtella* Frey, 1856
 9481) *Cosmopterix schmidtella mongoliella* Sinev, 1979 (Cosmopterigidae) Synonym(s): *mongoliella* Sinev, 1979
 9482) *Cosmopterix scirpicola* Hodges, 1962 (Cosmopterigidae) Synonym(s): *scirpicola* Hodges, 1962
 9483) *Cosmopterix scribaliella* Zeller, 1850 (Cosmopterigidae) Synonym(s): *scribaliella* Zeller, 1850; *hermsiella* Hering, 1889
 9484) *Cosmopterix semnota* Meyrick, 1914 (Cosmopterigidae) Synonym(s): *semnota* Meyrick, 1914
 9485) *Cosmopterix sibirica* Sinev, 1985 (Cosmopterigidae) Synonym(s): *sibirica* Sinev, 1985
 9486) *Cosmopterix similis* Walsingham, 1897 (Cosmopterigidae) Synonym(s): *similis* Walsingham, 1897
 9487) *Cosmopterix sinelinea* Hodges, 1978 (Cosmopterigidae) Synonym(s): *sinelinea* Hodges, 1978
 9488) *Cosmopterix singularis* Sinev, 1979 (Cosmopterigidae) Synonym(s): *singularis* Sinev, 1979
 9489) *Cosmopterix spiculata* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *spiculata* Meyrick, 1909
 9490) *Cosmopterix sublaetifica* Inoue, Suga, Kuroko, Moriuti & Kawabe, 1982 (Cosmopterigidae) Synonym(s): *sublaetifica* Inoue, Suga, Kuroko, Moriuti & Kawabe, 1982
 9491) *Cosmopterix tabellaria* Meyrick, 1908 (Cosmopterigidae) Synonym(s): *tabellaria* Meyrick, 1908
 9492) *Cosmopterix teligera* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *teligera* Meyrick, 1915
 9493) *Cosmopterix tenax* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *tenax* Meyrick, 1915
 9494) *Cosmopterix tetragramma* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *tetragramma* Meyrick, 1915
 9495) *Cosmopterix tetrophthalma* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *tetrophthalma* Meyrick, 1921
 9496) *Cosmopterix thrasyzela* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *thrasyzela* Meyrick, 1915
 9497) *Cosmopterix toraula* Meyrick, 1910 (Cosmopterigidae) Synonym(s): *toraula* Meyrick, 1910
 9498) *Cosmopterix transcissa* Meyrick, 1914 (Cosmopterigidae) Synonym(s): *transcissa* Meyrick, 1914
 9499) *Cosmopterix trilopha* Meyrick, 1922 (Cosmopterigidae) Synonym(s): *trilopha* Meyrick, 1922
 9500) *Cosmopterix turbidella* Rebel, 1896 (Cosmopterigidae) Synonym(s): *turbidella* Rebel, 1896
 9501) *Cosmopterix venefica* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *venefica* Meyrick, 1915
 9502) *Cosmopterix vexillaris* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *vexillaris* Meyrick, 1909
 9503) *Cosmopterix victor* Stringer, 1930 (Cosmopterigidae) Synonym(s): *victor* Stringer, 1930
 9504) *Cosmopterix violenta* (Meyrick, 1916) (Cosmopterigidae) Synonym(s): *violenta* Meyrick, 1916
 9505) *Cosmopterix wongsirii* Kuroko, 1987 (Cosmopterigidae) Synonym(s): *wongsirii* Kuroko, 1987
 9506) *Cosmopterix xanthura* Walsingham, 1909 (Cosmopterigidae) Synonym(s): *xanthura* Walsingham, 1909
 9507) *Cosmopterix xuthogastra* Meyrick, 1910 (Cosmopterigidae) Synonym(s): *xuthogastra* Meyrick, 1910
 9508) *Cosmopterix zathaea* Meyrick, 1917 (Cosmopterigidae) Synonym(s): *zathaea* Meyrick, 1917
 9509) *Cosmopterix zenobia* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *zenobia* Meyrick, 1921
 9510) *Cosmopterix zieglerella* (Hübner, [1810]) (Cosmopterigidae) Synonym(s): *zieglerella* Hübner, [1810]; *eximia* Haworth, 1828
 9511) *Diophila bathrota* (Meyrick, 1911) (Cosmopterigidae) Synonym(s): *bathrota* Meyrick, 1911; *claricoma* Meyrick, 1937
 9512) *Dorodoca eometalla* Meyrick, 1926 (Cosmopterigidae) Synonym(s): *eometalla* Meyrick, 1926
 9513) *Erechthiodes audax* Meyrick, 1914 (Cosmopterigidae) Synonym(s): *audax* Meyrick, 1914
 9514) *Eteobalea albiapicella* (Duponchel, 1843) (Cosmopterigidae) Synonym(s): *albiapicella* Duponchel, 1843
 9515) *Eteobalea alypella* (Klimesch, 1946) (Cosmopterigidae) Synonym(s): *alypella* Klimesch, 1946
 9516) *Eteobalea anonymella* (Riedl, 1965) (Cosmopterigidae) Synonym(s): *anonymella* Riedl, 1965
 9517) *Eteobalea beata* (Walsingham, 1907) (Cosmopterigidae) Synonym(s): *beata* Walsingham, 1907
 9518) *Eteobalea dohrnii* (Zeller, 1847) (Cosmopterigidae) Synonym(s): *dohnrii* Zeller, 1847
 9519) *Eteobalea intermediella* (Riedl, 1966) (Cosmopterigidae) Synonym(s): *intermediella* Riedl, 1966
 9520) *Eteobalea isabellella* (Costa, 1836) (Cosmopterigidae) Synonym(s): *isabellella* Costa, 1836; *opulentella* Herrich-Schäffer, 1853; *rutilella* Chrétien, 1896.
 9521) *Eteobalea klisieckii* (Riedl, 1966) (Cosmopterigidae) Synonym(s): *klisieckii* Riedl, 1966
 9522) *Eteobalea serratella* (Treitschke, 1833) (Cosmopterigidae) Synonym(s): *serratella* Treitschke, 1833; *sareptensis* Walsingham, 1907; *cinereocapitella* Caradja, 1920
 9523) *Eteobalea siciliae* (Riedl, 1966) (Cosmopterigidae) Synonym(s): *siciliae* Riedl, 1966
 9524) *Eteobalea sumptuosella* (Lederer, 1855) (Cosmopterigidae) Synonym(s): *sumptuosella* Lederer, 1855; *cinereocapitella* Caradja, 1920; *amseli* Osthelder, 1940
 9525) *Eteobalea teucii* (Walsingham, 1907) (Cosmopterigidae) Synonym(s): *teucii* Walsingham, 1907
 9526) *Eteobalea thaumattella* (Walsingham, 1907) (Cosmopterigidae) Synonym(s): *thaumattella* Walsingham, 1907; *lactipunctella* Turati, 1924.
 9527) *Eteobalea tririvella* (Staudinger, 1871) (Cosmopterigidae) Synonym(s): *tririvella* Staudinger, 1871; *kasyi* Riedl, 1965.
 9528) *Eteobalea wyattella* (Barnes & Busck, 1920) (Cosmopterigidae) Synonym(s): *wyattella* Barnes & Busck, 1920
 9529) *Euclimensia woodiella* (Curtis, 1830) (Cosmopterigidae) Synonym(s): *woodiella* Curtis, 1830
 9530) *Eumenodora tetrachorda* Meyrick, 1924 (Cosmopterigidae) Synonym(s): *tetrachorda* Meyrick, 1924
 9531) *Gibeauxiella bellaqueifontis* (Gibeaux, 1986) (Cosmopterigidae) Synonym(s): *bellaqueifontis* Gibeaux, 1986
 9532) *Gibeauxiella reliqua* (Gibeaux, 1986) (Cosmopterigidae) Synonym(s): *reliqua* Gibeaux, 1986
 9533) *Gisilia lerautella* Gibeaux, 1986 (Cosmopterigidae) Synonym(s): *lerauteilla* Gibeaux, 1986
 9534) *Gisilia stereodoxa* (Meyrick, 1925) (Cosmopterigidae) Synonym(s): *stereodoxa* Meyrick, 1925; *evitans* Meyrick, 1925; *alfieriella* Rebel, 1926.
 9535) *Hodgesiella bellaqueifontis* Gibeaux, 1986 (Cosmopterigidae) Synonym(s): *bellaqueifontis* Gibeaux, 1986
 9536) *Hodgesiella christophi* Koster & Sinev, 2003 (Cosmopterigidae) Synonym(s): *christophi* Koster & Sinev, 2003
 9537) *Hodgesiella rebeli* (Krone, 1905) (Cosmopterigidae) Synonym(s): *rebeli* Krone, 1905
 9538) *Ischnobathra balanobola* Meyrick, 1937 (Cosmopterigidae) Synonym(s): *balanobola* Meyrick, 1937
 9539) *Ischnobathra dormiens* Meyrick, 1937 (Cosmopterigidae) Synonym(s): *dormiens* Meyrick, 1937
 9540) *Isidiella divitella* (Constant, 1885) (Cosmopterigidae) Synonym(s): *divitella* Constant, 1885
 9541) *Isidiella nickerlii* (Nickerl, 1864) (Cosmopterigidae) Synonym(s): *nickerlii* Nickerl, 1864
 9542) *Labdia caulota* Meyrick, 1918 (Cosmopterigidae) Synonym(s): *caulota* Meyrick, 1918
 9543) *Labdia diophanes* Meyrick, 1927 (Cosmopterigidae) Synonym(s): *diophanes* Meyrick, 1927
 9544) *Labdia macrobela* Meyrick, 1918 (Cosmopterigidae) Synonym(s): *macrobela* Meyrick, 1918; *#macobela* Vari, 1958
 9545) *Labdia narcota* (Meyrick, 1909) (Cosmopterigidae) Synonym(s): *narcota* Meyrick, 1909
 9546) *Labdia oxychlora* Meyrick, 1932 (Cosmopterigidae) Synonym(s): *oxychlora* Meyrick, 1932
 9547) *Labdia semicoccinea* (Stainton, 1859) (Cosmopterigidae) Synonym(s): *semicoccinea* Stainton, 1859
 9548) *Labdia stibogramma* Meyrick, 1924 (Cosmopterigidae) Synonym(s): *stibogramma* Meyrick, 1924
 9549) *Labdia trichaeola* Meyrick, 1933 (Cosmopterigidae) Synonym(s): *trichaeola* Meyrick, 1933
 9550) *Limnaecia acontophora* Meyrick, 1922 (Cosmopterigidae) Synonym(s): *acontophora* Meyrick, 1922
 9551) *Limnaecia antidesma* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *antidesma* Meyrick, 1913
 9552) *Limnaecia chlorodeta* Meyrick, 1928 (Cosmopterigidae) Synonym(s): *chlorodeta* Meyrick, 1928

- 9553) *Limnaecia chloronephes* Meyrick, 1924 (Cosmopterigidae) Synonym(s): *chloronephes* Meyrick, 1924
 9554) *Limnaecia chromaturga* (Meyrick, 1915) (Cosmopterigidae) Synonym(s): *chromaturga* Meyrick, 1915
 9555) *Limnaecia conjuncta* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *conjuncta* Meyrick, 1921
 9556) *Limnaecia effulgens* Meyrick, 1918 (Cosmopterigidae) Synonym(s): *effulgens* Meyrick, 1918; *#effluens* Vari, 1958
 9557) *Limnaecia eretmota* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *eretmota* Meyrick, 1909
 9558) *Limnaecia explanata* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *explanata* Meyrick, 1921
 9559) *Limnaecia ichnographa* Meyrick, 1908 (Cosmopterigidae) Synonym(s): *ichnographa* Meyrick, 1908
 9560) *Limnaecia neurogramma* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *neurogramma* Meyrick, 1909
 9561) *Limnaecia phragmitella* Stainton, 1851 (Cosmopterigidae) Synonym(s): *phragmitella* Stainton, 1851
 9562) *Limnaecia recidiva* Meyrick, 1911 (Cosmopterigidae) Synonym(s): *recidiva* Meyrick, 1911
 9563) *Limnaecia sarcanthes* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *sarcanthes* Meyrick, 1921
 9564) *Limnaecia semisecta* Meyrick, 1928 (Cosmopterigidae) Synonym(s): *semisecta* Meyrick, 1928
 9565) *Limnaecia combota* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *combota* Meyrick, 1921
 9566) *Macrobathra anisodora* Meyrick, 1924 (Cosmopterigidae) Synonym(s): *anisodora* Meyrick, 1924
 9567) *Macrobathra genitrix* Meyrick, 1927 (Cosmopterigidae) Synonym(s): *genitrix* Meyrick, 1927
 9568) *Macrobathra peraeota* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *peraeota* Meyrick, 1921
 9569) *Macrobathra recrepans* Meyrick, 1926 (Cosmopterigidae) Synonym(s): *recrepans* Meyrick, 1926
 9570) *Melanozestis heterodesma* Meyrick, 1930 (Cosmopterigidae) Synonym(s): *heterodesma* Meyrick, 1930
 9571) *Neomariania partinicensis* (Rebel, 1937) (Cosmopterigidae) Synonym(s): *partinicensis* Rebel, 1937
 9572) *Neomariania rebeli* (Walsingham, 1894) (Cosmopterigidae) Synonym(s): *rebeli* Walsingham, 1894
 9573) *Pancalia baldizzonella* Riedl, 1994 (Cosmopterigidae) Synonym(s): *baldizzonella* Riedl, 1994
 9574) *Pancalia baldizzonella* Riedl, 1994 (Cosmopterigidae) Synonym(s): *baldizzonella* Riedl, 1994
 9575) *Pancalia leuwenhoekella* (Linnaeus, 1761) (Cosmopterigidae) Synonym(s): *leuwenhoekella* Linnaeus, 1761; *schmidtella* Treitschke, 1833
 9576) *Pancalia leuwenhoekella mandshuricella* Sinev, 1985 (Cosmopterigidae) Synonym(s): *mandshuricella* Sinev, 1985
 9577) *Pancalia nodosella* Mann, 1854 (Cosmopterigidae) Synonym(s): *nodosella* Mann, 1854
 9578) *Pancalia schwarzellae* (Fabricius, 1798) (Cosmopterigidae) Synonym(s): *schwarzellae* Fabricius, 1798; *latreillella* Curtis, 1830.
 9579) *Parathystas porphyrantha* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *porphyrantha* Meyrick, 1913
 9580) *Pauroptila galenitis* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *galenitis* Meyrick, 1913
 9581) *Phosphaticola gemmatella* Viette, 1951 (Cosmopterigidae) Synonym(s): *gemmatella* Viette, 1951
 9582) *Pseudascalenia abbasella* Kasy, 1974 (Cosmopterigidae) Synonym(s): *abbasella* Kasy, 1974
 9583) *Pycnagorastis tanyopa* Meyrick, 1937 (Cosmopterigidae) Synonym(s): *tanyopa* Meyrick, 1937
 9584) *Pyroderces aellotricha* (Meyrick, 1889) (Cosmopterigidae) Synonym(s): *aellotricha* Meyrick, 1889
 9585) *Pyroderces amphisaris* Meyrick, 1922 (Cosmopterigidae) Synonym(s): *amphisaris* Meyrick, 1922
 9586) *Pyroderces anaclastis* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *anaclastis* Meyrick, 1897
 9587) *Pyroderces anarithma* (Meyrick, 1889) (Cosmopterigidae) Synonym(s): *anarithma* Meyrick, 1889
 9588) *Pyroderces anoista* Bradley, 1956 (Cosmopterigidae) Synonym(s): *anoista* Bradley, 1956
 9589) *Pyroderces anthinopa* Meyrick, 1917 (Cosmopterigidae) Synonym(s): *anthinopa* Meyrick, 1917
 9590) *Pyroderces apicinetella* (Chrétien, 1915) (Cosmopterigidae) Synonym(s): *apicinetella* Chrétien, 1915; *cinnamomina* Turati, 1930; *simplicella* Amsel, 1959
 9591) *Pyroderces apparitella* (Walker, 1864) (Cosmopterigidae) Synonym(s): *apparitella* Walker, 1864
 9592) *Pyroderces argobalana* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *argobalana* Meyrick, 1915
 9593) *Pyroderces argyrogrammus* (Zeller, 1847) (Cosmopterigidae) Synonym(s): *argyrogrammus* Zeller, 1847; *goldeggiella* Herrich-Schäffer, [1853]
 9594) *Pyroderces argyrostrepta* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *argyrostrepta* Meyrick, 1897
 9595) *Pyroderces argyrozona* Lower, 1904 (Cosmopterigidae) Synonym(s): *argyrozona* Lower, 1904
 9596) *Pyroderces bicincta* Ghesquière, 1940 (Cosmopterigidae) Synonym(s): *bicincta* Ghesquière, 1940
 9597) *Pyroderces brosi* Riedl, 1969 (Cosmopterigidae) Synonym(s): *brosi* Riedl, 1969
 9598) *Pyroderces caesaris* Gozmany, 1957 (Cosmopterigidae) Synonym(s): *caesaris* Gozmany, 1957
 9599) *Pyroderces calefacta* Meyrick, 1922 (Cosmopterigidae) Synonym(s): *calefacta* Meyrick, 1922
 9600) *Pyroderces carpophila* Ghesquière, 1940 (Cosmopterigidae) Synonym(s): *carpophila* Ghesquière, 1940
 9601) *Pyroderces cecidicida* Ghesquière, 1940 (Cosmopterigidae) Synonym(s): *cecidicida* Ghesquière, 1940
 9602) *Pyroderces centropecta* Meyrick, 1931 (Cosmopterigidae) Synonym(s): *centropecta* Meyrick, 1931
 9603) *Pyroderces centrophanes* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *centrophanes* Meyrick, 1915
 9604) *Pyroderces cervinella* (Walsingham, 1897) (Cosmopterigidae) Synonym(s): *cervinella* Walsingham, 1897
 9605) *Pyroderces chalcoptila* (Meyrick, 1922) (Cosmopterigidae) Synonym(s): *chalcoptila* Meyrick, 1922
 9606) *Pyroderces charisia* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *charisia* Meyrick, 1897
 9607) *Pyroderces choridophaga* Meyrick, 1925 (Cosmopterigidae) Synonym(s): *choridophaga* Meyrick, 1925
 9608) *Pyroderces dactyliota* Meyrick, 1931 (Cosmopterigidae) Synonym(s): *dactyliota* Meyrick, 1931
 9609) *Pyroderces deamatella* (Walker, 1864) (Cosmopterigidae) Synonym(s): *deamatella* Walker, 1864
 9610) *Pyroderces diplecta* Meyrick, 1935 (Cosmopterigidae) Synonym(s): *diplecta* Meyrick, 1935
 9611) *Pyroderces embrochota* Meyrick, 1914 (Cosmopterigidae) Synonym(s): *embrochota* Meyrick, 1914
 9612) *Pyroderces eumelaena* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *eumelaena* Meyrick, 1897
 9613) *Pyroderces eupogon* Turner, 1926 (Cosmopterigidae) Synonym(s): *eupogon* Turner, 1926
 9614) *Pyroderces euryspora* Meyrick, 1922 (Cosmopterigidae) Synonym(s): *euryspora* Meyrick, 1922
 9615) *Pyroderces exagria* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *exagria* Meyrick, 1915
 9616) *Pyroderces falcata* (Stainton, 1859) (Cosmopterigidae) Synonym(s): *falcata* Stainton, 1859
 9617) *Pyroderces firma* (Meyrick, 1911) (Cosmopterigidae) Synonym(s): *firma* Meyrick, 1911
 9618) *Pyroderces gymnocentra* Meyrick, 1937 (Cosmopterigidae) Synonym(s): *gymnocentra* Meyrick, 1937
 9619) *Pyroderces haemodryas* Meyrick, 1930 (Cosmopterigidae) Synonym(s): *haemodryas* Meyrick, 1930
 9620) *Pyroderces hapalodes* Turner, 1923 (Cosmopterigidae) Synonym(s): *hapalodes* Turner, 1923
 9621) *Pyroderces hemipelta* (Meyrick, 1917) (Cosmopterigidae) Synonym(s): *hemipelta* Meyrick, 1917
 9622) *Pyroderces hemizopha* (Meyrick, 1916) (Cosmopterigidae) Synonym(s): *hemizopha* Meyrick, 1916
 9623) *Pyroderces holoterma* Meyrick, 1936 (Cosmopterigidae) Synonym(s): *holoterma* Meyrick, 1936
 9624) *Pyroderces irrigua* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *irrigua* Meyrick, 1915
 9625) *Pyroderces jonesella* Legrand, 1965 (Cosmopterigidae) Synonym(s): *jonesella* Legrand, 1965
 9626) *Pyroderces klimeschi* Rebel, 1938 (Cosmopterigidae) Synonym(s): *klimeschi* Rebel, 1938
 9627) *Pyroderces leptarga* (Meyrick, 1914) (Cosmopterigidae) Synonym(s): *leptarga* Meyrick, 1914
 9628) *Pyroderces longalitellegrandi* Legrand, 1965 (Cosmopterigidae) Synonym(s): *longalitellegrandi* Legrand, 1965
 9629) *Pyroderces lunulifera* Meyrick, 1934 (Cosmopterigidae) Synonym(s): *lunulifera* Meyrick, 1934
 9630) *Pyroderces melanosarca* Meyrick, 1937 (Cosmopterigidae) Synonym(s): *melanosarca* Meyrick, 1937
 9631) *Pyroderces mesoptila* (Meyrick, 1915) (Cosmopterigidae) Synonym(s): *mesoptila* Meyrick, 1915
 9632) *Pyroderces mythologica* (Meyrick, 1917) (Cosmopterigidae) Synonym(s): *mythologica* Meyrick, 1917
 9633) *Pyroderces nephelopyrrha* (Meyrick, 1917) (Cosmopterigidae) Synonym(s): *nephelopyrrha* Meyrick, 1917
 9634) *Pyroderces nesophora* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *nesophora* Meyrick, 1897
 9635) *Pyroderces ocreella* Viette, 1955 (Cosmopterigidae) Synonym(s): *ocreella* Viette, 1955
 9636) *Pyroderces orphnographa* Meyrick, 1936 (Cosmopterigidae) Synonym(s): *orphnographa* Meyrick, 1936
 9637) *Pyroderces oxyptila* Meyrick, 1928 (Cosmopterigidae) Synonym(s): *oxyptila* Meyrick, 1928
 9638) *Pyroderces oxysema* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *oxysema* Meyrick, 1897
 9639) *Pyroderces palmicola* Ghesquière, 1940 (Cosmopterigidae) Synonym(s): *palmicola* Ghesquière, 1940
 9640) *Pyroderces paroditis* Meyrick, 1928 (Cosmopterigidae) Synonym(s): *paroditis* Meyrick, 1928
 9641) *Pyroderces phaeostigma* Bradley, 1961 (Cosmopterigidae) Synonym(s): *phaeostigma* Bradley, 1961
 9642) *Pyroderces philogeorga* Meyrick, 1933 (Cosmopterigidae) Synonym(s): *philogeorga* Meyrick, 1933
 9643) *Pyroderces pogonias* Turner, 1923 (Cosmopterigidae) Synonym(s): *pogonias* Turner, 1923

- 9644) *Pyroderces ptilodelta* Meyrick, 1922 (Cosmopterigidae) Synonym(s): *ptilodelta* Meyrick, 1922
- 9645) *Pyroderces pyrrhodes* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *pyrrhodes* Meyrick, 1897
- 9646) *Pyroderces repandatella* Legrand, 1965 (Cosmopterigidae) Synonym(s): *repandatella* Legrand, 1965
- 9647) *Pyroderces resoluta* Diakonoff, 1948 (Cosmopterigidae) Synonym(s): *resoluta* Diakonoff, 1948
- 9648) *Pyroderces rhizonympha* Meyrick, 1924 (Cosmopterigidae) Synonym(s): *rhizonympha* Meyrick, 1924
- 9649) *Pyroderces rileyi* (Walsingham, 1882) (Cosmopterigidae) Synonym(s): *rileyi* Walsingham, 1882; *stigmatophora* Walsingham, 1882
- 9650) *Pyroderces risbeci* Ghesquière, 1940 (Cosmopterigidae) Synonym(s): *risbeci* Ghesquière, 1940
- 9651) *Pyroderces sesamivora* Meyrick, 1933 (Cosmopterigidae) Synonym(s): *sesamivora* Meyrick, 1933
- 9652) *Pyroderces simplex* Walsingham, 1891 (Cosmopterigidae) Synonym(s): *simplex* Walsingham, 1891; *gossypiella* Walsingham, 1906.
- 9653) *Pyroderces sphenosema* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *sphenosema* Meyrick, 1897
- 9654) *Pyroderces strangalota* Meyrick, 1922 (Cosmopterigidae) Synonym(s): *strangalota* Meyrick, 1922
- 9655) *Pyroderces symbolias* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *symbolias* Meyrick, 1915
- 9656) *Pyroderces syngalactis* Meyrick, 1928 (Cosmopterigidae) Synonym(s): *syngalactis* Meyrick, 1928
- 9657) *Pyroderces tenuilinea* Turner, 1923 (Cosmopterigidae) Synonym(s): *tenuilinea* Turner, 1923
- 9658) *Pyroderces terminella* (Walker, 1864) (Cosmopterigidae) Synonym(s): *terminella* Walker, 1864
- 9659) *Pyroderces tersectella* (Zeller, 1877) (Cosmopterigidae) Synonym(s): *tersectella* Zeller, 1877
- 9660) *Pyroderces tethysella* Koster & Sinev, 2003 (Cosmopterigidae) Synonym(s): *tethysella* Koster & Sinev, 2003
- 9661) *Pyroderces tetradema* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *tetradema* Meyrick, 1897
- 9662) *Pyroderces thalamaula* Meyrick, 1915 (Cosmopterigidae) Synonym(s): *thalamaula* Meyrick, 1915
- 9663) *Pyroderces thermophila* Lower, 1900 (Cosmopterigidae) Synonym(s): *thermophila* Lower, 1900
- 9664) *Pyroderces tripola* (Meyrick, 1909) (Cosmopterigidae) Synonym(s): *tripola* Meyrick, 1909
- 9665) *Pyroderces urantha* (Meyrick, 1914) (Cosmopterigidae) Synonym(s): *urantha* Meyrick, 1914
- 9666) *Pyroderces wolschrijni* Koster & Sinev, 2003 (Cosmopterigidae) Synonym(s): *wolschrijni* Koster & Sinev, 2003
- 9667) *Ramphis ibericus* Riedl, 1969 (Cosmopterigidae) Synonym(s): *ibericus* Riedl, 1969
- 9668) *Ramphis libanoticus* Riedl, 1969 (Cosmopterigidae) Synonym(s): *libanoticus* Riedl, 1969
- 9669) *Sorhagenia fibigeri* Koster & Sinev, 2003 (Cosmopterigidae) Synonym(s): *fibigeri* Koster & Sinev, 2003
- 9670) *Sorhagenia janiszewskae* Riedl, 1962 (Cosmopterigidae) Synonym(s): *janiszewskae* Riedl, 1962
- 9671) *Sorhagenia lophyrella* (Douglas, 1846) (Cosmopterigidae) Synonym(s): *lophyrella* Douglas, 1846; *tolli* Riedl, 1962
- 9672) *Sorhagenia reconditella* Riedl, 1983 (Cosmopterigidae) Synonym(s): *reconditella* Riedl, 1983
- 9673) *Sorhagenia rhamniella* (Zeller, 1839) (Cosmopterigidae) Synonym(s): *rhamniella* Zeller, 1839; *asperipunctella* Bruand, 1850
- 9674) *Sorhagenia taurensis* Koster & Sinev, 2003 (Cosmopterigidae) Synonym(s): *taurensis* Koster & Sinev, 2003
- 9675) *Stagmatophora auriferella* (Walker, 1864) (Cosmopterigidae) Synonym(s): *auriferella* Walker, 1864
- 9676) *Stagmatophora basanistis* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *basanistis* Meyrick, 1909
- 9677) *Stagmatophora callistrepta* (Meyrick, 1917) (Cosmopterigidae) Synonym(s): *callistrepta* Meyrick, 1917
- 9678) *Stagmatophora divitella* Constant, 1885 (Cosmopterigidae) Synonym(s): *divitella* Constant, 1885
- 9679) *Stagmatophora heydeniella* (Fischer v. Röslerstamm, 1841) (Cosmopterigidae) Synonym(s): *heydeniella* Fischer v. Röslerstamm, 1841
- 9680) *Stagmatophora pentagama* Meyrick, 1928 (Cosmopterigidae) Synonym(s): *pentagama* Meyrick, 1928
- 9681) *Stagmatophora phalacra* Meyrick, 1909 (Cosmopterigidae) Synonym(s): *phalacra* Meyrick, 1909
- 9682) *Stagmatophora phanoptila* Meyrick, 1911 (Cosmopterigidae) Synonym(s): *phanoptila* Meyrick, 1911
- 9683) *Stagmatophora pilana* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *pilana* Meyrick, 1913
- 9684) *Stagmatophora quinquecristata* (Walsingham, 1891) (Cosmopterigidae) Synonym(s): *quinquecristata* Walsingham, 1891
- 9685) *Stagmatophora schultzeendorffi* Amsel, 1958 (Cosmopterigidae) Synonym(s): *schultzeendorffi* Amsel, 1958
- 9686) *Stagmatophora trimitra* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *trimitra* Meyrick, 1913; *#trimetra* Vari, 1958
- 9687) *Strenophila hyptiotea* Meyrick, 1913 (Cosmopterigidae) Synonym(s): *hyptiotea* Meyrick, 1913
- 9688) *Streptothyrus tanyacta* Meyrick, 1918 (Cosmopterigidae) Synonym(s): *tanyacta* Meyrick, 1918
- 9689) *Syntomaula simulatella* (Walker, 1864) (Cosmopterigidae) Synonym(s): *simulatella* Walker, 1864
- 9690) *Tenuipenna simlicella* Amsel, 1959 (Cosmopterigidae) Synonym(s): *simlicella* Amsel, 1959
- 9691) *Tolliella fulguritella* (Ragonot, 1895) (Cosmopterigidae) Synonym(s): *fulguritella* Ragonot, 1895; *copidobathra* Meyrick, 1936.
- 9692) *Trachydora iocharis* Meyrick, 1918 (Cosmopterigidae) Synonym(s): *iocharis* Meyrick, 1918
- 9693) *Trachydora rhachitis* Meyrick, 1897 (Cosmopterigidae) Synonym(s): *rhachitis* Meyrick, 1897
- 9694) *Trachydora scandalotis* Meyrick, 1921 (Cosmopterigidae) Synonym(s): *scandalotis* Meyrick, 1921
- 9695) *Vulcaniella anatolica* Koster & Sinev, 2003 (Cosmopterigidae) Synonym(s): *anatolica* Koster & Sinev, 2003
- 9696) *Vulcaniella caucasica* Sinev, 1986 (Cosmopterigidae) Synonym(s): *caucasica* Sinev, 1986
- 9697) *Vulcaniella cognatella* Riedl, 1991 (Cosmopterigidae) Synonym(s): *cognatella* Riedl, 1991
- 9698) *Vulcaniella extremella* (Wocke, 1871) (Cosmopterigidae) Synonym(s): *extremella* Wocke, 1871; *naviella* Chrétien, 1907; *buhri* Hering, 1935.
- 9699) *Vulcaniella fiordalisa* (Petty, 1904) (Cosmopterigidae) Synonym(s): *fiordalisa* Petty, 1904; *gnaphaliella* Chrétien, 1922.
- 9700) *Vulcaniella gielisi* Koster & Sinev, 2003 (Cosmopterigidae) Synonym(s): *gielisi* Koster & Sinev, 2003
- 9701) *Vulcaniella glaseri* (Riedl, 1966) (Cosmopterigidae) Synonym(s): *glaseri* Riedl, 1966
- 9702) *Vulcaniella grabowiella* (Staudinger, 1859) (Cosmopterigidae) Synonym(s): *grabowiella* Staudinger, 1859
- 9703) *Vulcaniella grandiferella* Sinev, 1986 (Cosmopterigidae) Synonym(s): *grandiferella* Sinev, 1986
- 9704) *Vulcaniella karadaghella* Sinev, 1986 (Cosmopterigidae) Synonym(s): *karadaghella* Sinev, 1986
- 9705) *Vulcaniella klimeschi* (Riedl, 1966) (Cosmopterigidae) Synonym(s): *klimeschi* Riedl, 1966
- 9706) *Vulcaniella pomposella* (Zeller, 1839) (Cosmopterigidae) Synonym(s): *pomposella* Zeller, 1839
- 9707) *Vulcaniella pontica* Koster & Sinev, 2003 (Cosmopterigidae) Synonym(s): *pontica* Koster & Sinev, 2003
- 9708) *Vulcaniella rosmarinella* (Walsingham, 1891) (Cosmopterigidae) Synonym(s): *rosmarinella* Walsingham, 1891
- 9709) *Acossus aries* (Püngeler, 1902) (Cossidae) Synonym(s): *aries* Püngeler, 1902; *tahlai* Dumont, 1932; *bongiovannii* Krüger.
- 9710) *Acossus aries aegyptiacus* (Hampson, 1910) (Cossidae) Synonym(s): *aegyptiacus* Hampson, 1910
- 9711) *Acossus aries aries* (Püngeler, 1902) (Cossidae) Synonym(s): *aries* Püngeler, 1902; *tahlai* Dumont, 1932; *bongiovannii* Krüger.
- 9712) *Acossus aries cheesmani* (Tams, 1925) (Cossidae) Synonym(s): *cheesmani* Tams, 1925
- 9713) *Acossus aries pulcher* (Rungs, 1956) (Cossidae) Synonym(s): *pulcher* Rungs, 1956
- 9714) *Acossus striolatus* (Rothschild, 1912) (Cossidae) Synonym(s): *striolatus* Rothschild, 1912
- 9715) *Acossus terebra* (Denis, 1785) (Cossidae) Synonym(s): *#terebra* [Denis & Schiffermüller], 1775; *terebra* Denis, 1785.
- 9716) *Alcterogystia cadambae* (Moore, [1866]) (Cossidae) Synonym(s): *cadambae* Moore, [1866]
- 9717) *Alcterogystia l-nigrum* (Bethune-Baker, 1894) (Cossidae) Synonym(s): *l-nigrum* Bethune-Baker, 1894; *niloticus* De Joannis, 1910; *pharaonis* A. Bang-Haas, 1910.
- 9718) *Alcterogystia l-nigrum henleyi* (W. Warren & Rothschild, 1905) (Cossidae) Synonym(s): *henleyi* W. Warren & Rothschild, 1905
- 9719) *Alcterogystia l-nigrum l-nigrum* (Bethune-Baker, 1894) (Cossidae) Synonym(s): *l-nigrum* Bethune-Baker, 1894; *niloticus* De Joannis, 1910; *pharaonis* A. Bang-Haas, 1910.
- 9720) *Alloccryptobia mucoreus* (Herrich-Schäffer, [1853]) (Cossidae) Synonym(s): *mucoreus* Herrich-Schäffer, [1853]; *phobifera* Dyar, 1940
- 9721) *Alloccryptobia musae* (Herrich-Schäffer, [1854]) (Cossidae) Synonym(s): *musae* Herrich-Schäffer, [1854]
- 9722) *Allophonotus rauana* (Strand, 1909) (Cossidae) Synonym(s): *rauana* Strand, 1909; *langi* Holland, 1920
- 9723) *Arctiocossus striolatus* (Rothschild, 1912) (Cossidae) Synonym(s): *striolatus* Rothschild, 1912.
- 9724) *Azygophleps asylas* (Cramer, [1777]) (Cossidae) Synonym(s): *asylas* Cramer, [1777]
- 9725) *Azygophleps inclusa* (Walker, 1856) (Cossidae) Synonym(s): *inclusa* Walker, 1856
- 9726) *Azygophleps nurella* Swinhoe, 1894 (Cossidae) Synonym(s): *nurella* Swinhoe, 1894
- 9727) *Azygophleps regia* (Staudinger, 1892) (Cossidae) Synonym(s): *regia* Staudinger, 1892
- 9728) *Azygophleps scalaris* (Fabricius, 1775) (Cossidae) Synonym(s): *scalaris* Fabricius, 1775
- 9729) *Bergaris jacobsoni* (Roepke, 1957) (Cossidae) Synonym(s): *jacobsoni* Roepke, 1957
- 9730) *Bergaris lutescens* (Roepke, 1957) (Cossidae) Synonym(s): *lutescens* Roepke, 1957; *griseola* Roepke, 1957
- 9731) *Bergaris malayica* (Roepke, 1957) (Cossidae) Synonym(s): *malayica* Roepke, 1957
- 9732) *Bergaris ruficeps* (De Joannis, 1929) (Cossidae) Synonym(s): *ruficeps* De Joannis, 1929
- 9733) *Bergaris* sp. (Cossidae) Synonym(s):

- 9734) *Brachygystia mauretanica* (Lucas,1907) (Cossidae) Synonym(s): *mauretanica* Lucas,1907
 9735) *Butaya gracilis* Yakovlev,2005 (Cossidae) Synonym(s): *gracilis* Yakovlev,2005
 9736) *Catopta acronyctoides* (Moore,1879) (Cossidae) Synonym(s): *acronyctoides* Moore,1879
 9737) *Catopta agilis* (Christoph,1884) (Cossidae) Synonym(s): *agilis* Christoph,1884
 9738) *Catopta agilis agilis* (Christoph,1884) (Cossidae) Synonym(s): *agilis* Christoph,1884
 9739) *Catopta agilis bucharanus* (A.Bang-Haas,1910) (Cossidae) Synonym(s): *bucharanus* A.Bang-Haas,1910
 9740) *Catopta albonubilis* (Graeser,1888) (Cossidae) Synonym(s): *albonubilis* Graeser,1888
 9741) *Catopta albonubilis albimaculus* Staudinger,1899 (Cossidae) Synonym(s): *albimaculus* Staudinger,1899
 9742) *Catopta albonubilis albonubilis* (Graeser,1888) (Cossidae) Synonym(s): *albonubilis* Graeser,1888
 9743) *Catopta albonubilis birmanoptus* Bryk,1950 (Cossidae) Synonym(s): *birmanoptus* Bryk,1950
 9744) *Catopta albonubilis centralsinicus* Daniel,1940 (Cossidae) Synonym(s): *centralsinicus* Daniel,1940
 9745) *Catopta albonubilis kansuensis* Bryk,1942 (Cossidae) Synonym(s): *kansuensis* Bryk,1942
 9746) *Catopta alpherakyi* (Christoph,1885) (Cossidae) Synonym(s): *alpherakyi* Christoph,1885
 9747) *Catopta brandti* Bryk,1947 (Cossidae) Synonym(s): *brandti* Bryk,1947
 9748) *Catopta cashmirensis* (Moore,1879) (Cossidae) Synonym(s): *cashmirensis* Moore,1879
 9749) *Catopta clathratus* (Christoph,1884) (Cossidae) Synonym(s): *clathratus* Christoph,1884
 9750) *Catopta cossoides* (Graeser,1892) (Cossidae) Synonym(s): *cossoides* Graeser,1892
 9751) *Catopta cossoides cossoides* (Graeser,1892) (Cossidae) Synonym(s): *cossoides* Graeser,1892
 9752) *Catopta cossoides tsinganus* (Zukowsky,1936) (Cossidae) Synonym(s): *tsinganus* Zukowsky,1936
 9753) *Catopta danieli* (Clench,1958) (Cossidae) Synonym(s): *danieli* Clench,1958
 9754) *Catopta eberti* Daniel,1964 (Cossidae) Synonym(s): *eberti* Daniel,1964
 9755) *Catopta griseotinctus* Daniel,1940 (Cossidae) Synonym(s): *griseotinctus* Daniel,1940
 9756) *Catopta kendevenensis* Daniel,1937 (Cossidae) Synonym(s): *kendevenensis* Daniel,1937
 9757) *Catopta kendevenensis anjumanica* Daniel,1964 (Cossidae) Synonym(s): *anjumanica* Daniel,1964
 9758) *Catopta kendevenensis kendevenensis* Daniel,1937 (Cossidae) Synonym(s): *kendevenensis* Daniel,1937
 9759) *Catopta lacertulus* (Staudinger,1887) (Cossidae) Synonym(s): *lacertulus* Staudinger,1887
 9760) *Catopta mauretanicus* (Lucas,1907) (Cossidae) Synonym(s): *mauretanicus* Lucas,1907; *powelli* Oberthür,1911.
 9761) *Catopta monticola* (Groum-Grshimailo,1890) (Cossidae) Synonym(s): *monticola* Groum-Grshimailo,1890
 9762) *Catopta nycteris* (John,1923) (Cossidae) Synonym(s): *nycteris* John,1923
 9763) *Catopta pallidulae* ? (Hampson,1892) (Cossidae) Synonym(s): *pallidulae* Hampson,1892
 9764) *Catopta rocharvus* Sheljuzhko,1943 (Cossidae) Synonym(s): *rocharvus* Sheljuzhko,1943
 9765) *Catopta tahamae* (Wiltshire,1949) (Cossidae) Synonym(s): *tahamae* Wiltshire,1949
 9766) *Catopta thrips* (Hübner,[1818]) (Cossidae) Synonym(s): *thrips* Hübner,[1818]; *fuchsiana* Eversmann,1832; *kindermanni* Freyer,1836.
 9767) *Catopta thrips polonicus* Daniel,1953 (Cossidae) Synonym(s): *polonicus* Daniel,1953
 9768) *Catopta thrips thrips* (Hübner,[1818]) (Cossidae) Synonym(s): *thrips* Hübner,[1818]; *fuchsiana* Eversmann,1832; *kindermanni* Freyer,1836.
 9769) *Catopta zoroastres* (Groum-Grshimailo,1902) (Cossidae) Synonym(s): *zoroastres* Groum-Grshimailo,1902
 9770) *Cecryphalus helenae* (Le Cerf,1927) (Cossidae) Synonym(s): *helenae* Le Cerf,1927
 9771) *Cecryphalus nubila* (Staudinger,1895) (Cossidae) Synonym(s): *nubila* Staudinger,1895; *strix* Grum-Grshimailo,1897; *speyeri* Austaut,1897
 9772) *Chalcidica minea* (Cramer,[1777]) (Cossidae) Synonym(s): *minea* Cramer,[1777]; *viridicans* Eschscholtz,1821;; *alboatra* Walker,1865
 9773) *Chalcidica minea hyphinoe* (Cramer,[1777]) (Cossidae) Synonym(s): *hyphinoe* Cramer,[1777]
 9774) *Chalcidica minea minea* (Cramer,[1777]) (Cossidae) Synonym(s): *minea* Cramer,[1777]; *viridicans* Eschscholtz,1821;; *alboatra* Walker,1865
 9775) *Chalcidica minea pallescens* Roepke,1955 (Cossidae) Synonym(s): *pallescens* Roepke,1955
 9776) *Chiangmaiana buddhi* (Yakovlev,2005) (Cossidae) Synonym(s): *buddhi* Yakovlev,2005
 9777) *Comadia albistriga* Barnes & McDunnough,1918 (Cossidae) Synonym(s): *albistriga* Barnes & McDunnough,1918
 9778) *Comadia alleni* Brown,1976 (Cossidae) Synonym(s): *alleni* Brown,1976
 9779) *Comadia arenae* Brown,1976 (Cossidae) Synonym(s): *arenae* Brown,1976
 9780) *Comadia bertholdi* (Grote,1880) (Cossidae) Synonym(s): *bertholdi* Grote,1880
 9781) *Comadia bertholdi indistincta* Brown,1976 (Cossidae) Synonym(s): *indistincta* Brown,1976
 9782) *Comadia bertholdi polingi* Barnes & Benjamin,1927 (Cossidae) Synonym(s): *polingi* Barnes & Benjamin,1927
 9783) *Comadia dolli* Barnes & Benjamin,1923 (Cossidae) Synonym(s): *dolli* Barnes & Benjamin,1923
 9784) *Comadia edwardi* (Neumoegen & Dyar,1893) (Cossidae) Synonym(s): *edwardi* Neumoegen & Dyar,1893
 9785) *Comadia henrici* (Grote,1882) (Cossidae) Synonym(s): *henrici* Grote,1882
 9786) *Comadia intrusa* Barnes & Benjamin,1923 (Cossidae) Synonym(s): *intrusa* Barnes & Benjamin,1923
 9787) *Comadia manfredi* (Neumoegen,1884) (Cossidae) Synonym(s): *manfredi* Neumoegen,1884
 9788) *Comadia redtenbacheri* (Hammerschmidt,1848) (Cossidae) Synonym(s): *redtenbacheri* Hammerschmidt,1848; *agavis* Blasquez,1870; *#redtenbachi* Druce,1887; *chilodora* Dyar,1910
 9789) *Comadia sperata* Brown,1976 (Cossidae) Synonym(s): *sperata* Brown,1976
 9790) *Comadia stabilis* Barnes & Benjamin,1923 (Cossidae) Synonym(s): *stabilis* Barnes & Benjamin,1923
 9791) *Comadia suaedivora* Brown & Allen,1973 (Cossidae) Synonym(s): *suaedivora* Brown & Allen,1973
 9792) *Comadia subterminata* Barnes & Benjamin,1923 (Cossidae) Synonym(s): *fusca* Barnes & Benjamin,1923
 9793) *Cossulinus argentatus* (Staudinger,1887) (Cossidae) Synonym(s): *argentatus* Staudinger,1887
 9794) *Cossulinus argentatus argentatus* (Staudinger,1887) (Cossidae) Synonym(s): *argentatus* Staudinger,1887
 9795) *Cossulinus argentatus darvazi* Sheljuzhko,1943 (Cossidae) Synonym(s): *darvazi* Sheljuzhko,1943
 9796) *Cossulinus herzi* (Alpheraky,1893) (Cossidae) Synonym(s): *herzi* Alpheraky,1893
 9797) *Cossulinus herzi bolshoji* (Zukowsky,1936) (Cossidae) Synonym(s): *bolshoji* Zukowsky,1936
 9798) *Cossulinus herzi herzi* (Alpheraky,1893) (Cossidae) Synonym(s): *herzi* Alpheraky,1893
 9799) *Cossulinus intractatus* Staudinger,1887 (Cossidae) Synonym(s): *intractatus* Staudinger,1887
 9800) *Cossulinus kabulense* Daniel,1965 (Cossidae) Synonym(s): *kabulense* Daniel,1965
 9801) *Cossulinus lignosus* (Brandt,1938) (Cossidae) Synonym(s): *lignosus* Brandt,1938
 9802) *Cossulinus lignosus araxes* De Freina,1982 (Cossidae) Synonym(s): *araxes* De Freina,1982
 9803) *Cossulinus lignosus lignosus* (Brandt,1938) (Cossidae) Synonym(s): *lignosus* Brandt,1938
 9804) *Cossulinus lignosus solgunus* De Freina,1982 (Cossidae) Synonym(s): *solgunus* De Freina,1982
 9805) *Cossulinus stertzi* (Püngeler,1899) (Cossidae) Synonym(s): *stertzi* Püngeler,1899
 9806) *Cossulinus turcomanicus* (Christoph,1893) (Cossidae) Synonym(s): *turcomanicus* Christoph,1893
 9807) *Cossus araraticus* Teich,1896 (Cossidae) Synonym(s): *araraticus* Teich,1896
 9808) *Cossus balcanicus* Lederer,1863 (Cossidae) Synonym(s): *balcanicus* Lederer,1863
 9809) *Cossus bohatschi* Püngeler,1898 (Cossidae) Synonym(s): *bohatschi* Püngeler,1898
 9810) *Cossus cinereus* Roepke,1957 (Cossidae) Synonym(s): *cinereus* Roepke,1957
 9811) *Cossus cossus* (Linnaeus,1758) (Cossidae) Synonym(s): *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1794; *ligniperda* Fabricius,1794
 9812) *Cossus cossus afghanistanus* Daniel,1953 (Cossidae) Synonym(s): *afghanistanus* Daniel,1953
 9813) *Cossus cossus albescent* Kitt,1925 (Cossidae) Synonym(s): *albescent* Kitt,1925
 9814) *Cossus cossus armeniacus* Rothschild,1912 (Cossidae) Synonym(s): *armeniaceus* Rothschild,1912; *giganteus* Schwingenschuss,1938.
 9815) *Cossus cossus chinensis* Rothschild,1912 (Cossidae) Synonym(s): *chinensis* Rothschild,1912
 9816) *Cossus cossus cossus* (Linnaeus,1758) (Cossidae) Synonym(s): *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1793; *ligniperda* Fabricius,1794; *subnigra* Schultz,1911; *uralicus* Seitz,1912; *orientalis* Gaede,1929.
 9817) *Cossus cossus deserta* Daniel,1969 (Cossidae) Synonym(s): *deserta* Daniel,1969; *altensis* Hua, Chou, Fang & Chen,1990
 9818) *Cossus cossus gueruenensis* Friedel,1977 (Cossidae) Synonym(s): *gueruenensis* Friedel,1977
 9819) *Cossus cossus kossai* Wiltshire,1957 (Cossidae) Synonym(s): *kossai* Wiltshire,1957
 9820) *Cossus cossus omrana* Wiltshire,1957 (Cossidae) Synonym(s): *omrana* Wiltshire,1957
 9821) *Cossus cossus orientalis* Gaede,1929 (Cossidae) Synonym(s): *orientalis* Gaede,1929
 9822) *Cossus cossus stygianus* Stichel,1908 (Cossidae) Synonym(s): *stygianus* Stichel,1908

- 9823) *Cossus cossus uralicus* Seitz, 1912 (Cossidae) Synonym(s): *uralicus* Seitz, 1912; *#uralensis* Daniel, 1956.
 9824) *Cossus divisa* Rothschild, 1912 (Cossidae) Synonym(s): *divisa* Rothschild, 1912
 9825) *Cossus funkei* (Röber, 1896) (Cossidae) Synonym(s): *funkei* Röber, 1896
 9826) *Cossus hyrcanus* Christoph, 1888 (Cossidae) Synonym(s): *hyrcanus* Christoph, 1888
 9827) *Cossus irani* Daniel, 1937 (Cossidae) Synonym(s): *irani* Daniel, 1937
 9828) *Cossus kinabaluensis* Gaede, 1933 (Cossidae) Synonym(s): *kinabaluensis* Gaede, 1933
 9829) *Cossus nigrescens* (Rothschild, 1912) (Cossidae) Synonym(s): *nigrescens* Rothschild, 1912
 9830) *Cossus siniaevi* Yakovlev, 2005 (Cossidae) Synonym(s): *siniaevi* Yakovlev, 2005
 9831) *Deserticossus arenicola* (Staudinger, 1879) (Cossidae) Synonym(s): *arenicola* Staudinger, 1879
 9832) *Deserticossus arenicola albidus* Seitz, 1912 (Cossidae) Synonym(s): *albida* Seitz, 1912; *dilutior* Rothschild, 1912.
 9833) *Deserticossus arenicola arenicola* (Staudinger, 1879) (Cossidae) Synonym(s): *arenicola* Staudinger, 1879
 9834) *Deserticossus arenicola sheljuzhkoii* Schawerda, 1930 (Cossidae) Synonym(s): *sheljuzhkoii* Schawerda, 1930
 9835) *Deserticossus arenicola transcaucasicus* Zukowsky, 1936 (Cossidae) Synonym(s): *transcaucasicus* Zukowsky, 1936
 9836) *Dieida ledereri* Staudinger, 1871 (Cossidae) Synonym(s): *ledereri* Staudinger, 1871 0
 9837) *Duomitus ceramicus* (Walker, 1865) (Cossidae) Synonym(s): *ceramicus* Walker, 1865; *ligneus* Butler, 1880; *bosschae* Heylaerts, 1892
 9838) *Duomitus ceramicus eichhorni* Roepke, 1957 (Cossidae) Synonym(s): *eichhorni* Roepke, 1957
 9839) *Duomitus euphyes* (West, 1932) (Cossidae) Synonym(s): *euphyes* West, 1932; *sibolgae* Roepke, 1957
 9840) *Duomitus perdrix* (Roepke, 1955) (Cossidae) Synonym(s): *perdrix* Roepke, 1955
 9841) *Dyspessa aculeata* Turati, 1909 (Cossidae) Synonym(s): *aculeata* Turati, 1909
 9842) *Dyspessa albina* Rothschild, 1912 (Cossidae) Synonym(s): *albina* Rothschild, 1912
 9843) *Dyspessa albosignata* Rothschild, 1912 (Cossidae) Synonym(s): *albosignata* Rothschild, 1912
 9844) *Dyspessa alpherakyi* (Christoph, 1885) (Cossidae) Synonym(s): *alpherakyi* Christoph, 1885
 9845) *Dyspessa argaensis* Rebel, 1902 (Cossidae) Synonym(s): *argaensis* Rebel, 1902; *taurica* Rebel, 1902.
 9846) *Dyspessa bianchii* (C.G.Krüger, 1934) (Cossidae) Synonym(s): *bianchii* C.G.Krüger, 1934
 9847) *Dyspessa bucharana* A.Bang-Haas (Cossidae) Synonym(s): *bucharana* A.Bang-Haas
 9848) *Dyspessa curta* Rothschild, 1912 (Cossidae) Synonym(s): *curta* Rothschild, 1912
 9849) *Dyspessa cyrenaica* Turati, 1919 (Cossidae) Synonym(s): *cyrenaica* Turati, 1919
 9850) *Dyspessa delrei* Turati, 1936 (Cossidae) Synonym(s): *delrei* Turati, 1936
 9851) *Dyspessa elbursensis* Daniel, 1964 (Cossidae) Synonym(s): *elbursensis* Daniel, 1964
 9852) *Dyspessa elbursensis derbendi* Daniel, 1964 (Cossidae) Synonym(s): *derbendi* Daniel, 1964
 9853) *Dyspessa elbursensis elbursensis* Daniel, 1964 (Cossidae) Synonym(s): *elbursensis* Daniel, 1964
 9854) *Dyspessa emilia* (Staudinger, 1879) (Cossidae) Synonym(s): *emilia* Staudinger, 1879
 9855) *Dyspessa fantolii* (C.G.Krüger, 1934) (Cossidae) Synonym(s): *fantolii* C.G.Krüger, 1934
 9856) *Dyspessa foeda* (Swinhoe, 1899) (Cossidae) Synonym(s): *foeda* Swinhoe, 1899
 9857) *Dyspessa hethitica* Daniel, 1932 (Cossidae) Synonym(s): *hethitica* Daniel, 1932
 9858) *Dyspessa hethitica hethitica* Daniel, 1932 (Cossidae) Synonym(s): *hethitica* Daniel, 1932
 9859) *Dyspessa hethitica* ssp.n. (Cossidae) Synonym(s):
 9860) *Dyspessa kabyalaria* ? *minima* Seitz, 1912 (Cossidae) Synonym(s): *minima* Seitz, 1912
 9861) *Dyspessa kabyalaria A.Bang-Haas*, 1906 (Cossidae) Synonym(s): *kabyalaria* A.Bang-Haas, 1906; *turbinans* Turati, 1926.
 9862) *Dyspessa kabyalaria kabyalaria* A.Bang-Haas, 1906 (Cossidae) Synonym(s): *kabyalaria* A.Bang-Haas, 1906; *turbinans* Turati, 1926.
 9863) *Dyspessa lacertula* Staudinger, 1887 (Cossidae) Synonym(s): *lacertula* Staudinger, 1887
 9864) *Dyspessa monticola* Groum-Grshimailo, 1893 (Cossidae) Synonym(s): *monticola* Groum-Grshimailo, 1893
 9865) *Dyspessa nigrifula* (Staudinger, 1887) (Cossidae) Synonym(s): *nigrifula* Staudinger, 1887
 9866) *Dyspessa pallidata* Staudinger, 1901 (Cossidae) Synonym(s): *#pallidata* Staudinger, 1892; *pallidata* Staudinger, 1901; *nigrita* Wagner, 1931; *cerberus* Daniel, 1939; *dueldueli* Daniel, 1939.
 9867) *Dyspessa salicicola* (Eversmann, 1848) (Cossidae) Synonym(s): *salicicola* Eversmann, 1848
 9868) *Dyspessa salicicola aschabadensis* Daniel, 1953 (Cossidae) Synonym(s): *aschabadensis* Daniel, 1953
 9869) *Dyspessa salicicola salicicola* (Eversmann, 1848) (Cossidae) Synonym(s): *salicicola* Eversmann, 1848
 9870) *Dyspessa saxicola* (Christoph, 1885) (Cossidae) Synonym(s): *saxicola* Christoph, 1885
 9871) *Dyspessa serica* Brandt, 1938 (Cossidae) Synonym(s): *serica* Brandt, 1938
 9872) *Dyspessa* sp.n. (Cossidae) Synonym(s):
 9873) *Dyspessa thianshanica* Daniel, 1964 (Cossidae) Synonym(s): *thianshanica* Daniel, 1964.
 9874) *Dyspessa tristis* A.Bang-Haas, 1912 (Cossidae) Synonym(s): *tristis* A.Bang-Haas, 1912; *affinis* Rothschild, 1912; *pallida* Rothschild, 1912.
 9875) *Dyspessa turbinans* C.G.Krüger, 1932 (Cossidae) Synonym(s): *turbinans* C.G.Krüger, 1932
 9876) *Dyspessa ulula* (Borkhausen, 1790) (Cossidae) Synonym(s): *ulula* Borkhausen, 1790; *hepialica* Borkhausen, 1790; *hepialina* Hübner, 1792; *marmorata* Rambur, 1858; *fuscula* Staudinger, 1892; *affinis* Rothschild, 1917; *maroccana* Rothschild, 1917; *pallida* Rothschild, 1917 nec Roth., 1912.
 9877) *Dyspessa ulula algeriensis* (Rambur, 1858) (Cossidae) Synonym(s): *algeriensis* Rambur, 1858
 9878) *Dyspessa ulula infusca* (Staudinger, 1892) (Cossidae) Synonym(s): *infusca* Staudinger, 1892; *cyprica* Rebel, 1927; *kurdistanica* Turati, 1909.
 9879) *Dyspessa ulula kasrii* Daniel, 1964 (Cossidae) Synonym(s): *kasrii* Daniel, 1964
 9880) *Dyspessa ulula psychidion* (Staudinger, 1870) (Cossidae) Synonym(s): *psychidion* Staudinger, 1870
 9881) *Dyspessa ulula ulula* (Borkhausen, 1790) (Cossidae) Synonym(s): *ulula* Borkhausen, 1790; *hepialica* Borkhausen, 1790; *hepialina* Hübner, 1792; *marmorata* Rambur, 1858; *fuscula* Staudinger, 1892; *affinis* Rothschild, 1917; *maroccana* Rothschild, 1917; *pallida* Rothschild, 1917 nec Rothschild, 1912.
 9882) *Dyspessa wagneri* Schwingenschuss, 1939 (Cossidae) Synonym(s): *wagneri* Schwingenschuss, 1939
 9883) *Dyspessa wiltshirei* Daniel, 1938 (Cossidae) Synonym(s): *wiltshirei* Daniel, 1938
 9884) *Dyspessacossus fereidun* Groum-Grshimailo, 1895 (Cossidae) Synonym(s): *fereidun* Groum-Grshimailo, 1895; *firdusi* Wagner, 1937.
 9885) *Dyspessacossus fereidun ahmadi* Wiltshire, 1957 (Cossidae) Synonym(s): *ahmadi* Wiltshire, 1957
 9886) *Dyspessacossus fereidun fereidun* Groum-Grshimailo, 1895 (Cossidae) Synonym(s): *fereidun* Groum-Grshimailo, 1895; *firdusi* Wagner, 1937.
 9887) *Dyspessacossus fereidun osthelderi* (Daniel, 1932) (Cossidae) Synonym(s): *osthelderi* Daniel, 1932
 9888) *Dyspessacossus hadjinensis* Daniel, 1953 (Cossidae) Synonym(s): *hadjinensis* Daniel, 1953
 9889) *Dyspessacossus hadjinensis hadjinensis* Daniel, 1953 (Cossidae) Synonym(s): *hadjinensis* Daniel, 1953
 9890) *Endoxyla anceps* Snellen, 1900 (Cossidae) Synonym(s): *anceps* Snellen, 1900; *plesseni* Schultze, 1925
 9891) *Eogystia sibirica* (Alpheraky, 1895) (Cossidae) Synonym(s): *sibirica* Alpheraky, 1895
 9892) *Eremocossus foedus* (Swinhoe, 1884) (Cossidae) Synonym(s): *foedus* Swinhoe, 1884
 9893) *Eremocossus reibellii* (Oberthür, 1876) (Cossidae) Synonym(s): *reibellii* Oberthür, 1876; *proleuca* Hampson, 1896
 9894) *Eremocossus vaulogeri* (Staudinger, 1897) (Cossidae) Synonym(s): *vaulogeri* Staudinger, 1897; *suavis* Staudinger, 1899; *saharae* Lucas, 1907; *hartigi* Rebel, 1935.
 9895) *Eremocossus vaulogeri asema* (Püngeler, 1899) (Cossidae) Synonym(s): *asema* Püngeler, 1899
 9896) *Eremocossus vaulogeri baloutchistanensis* (Daniel, 1949) (Cossidae) Synonym(s): *baloutchistanensis* Daniel, 1949; *blanca* Daniel, 1949.
 9897) *Eremocossus vaulogeri jordana* (Staudinger, 1897) (Cossidae) Synonym(s): *jordana* Staudinger, 1897; *maxima* Turati, 1930; *intermedia* C.G.Krüger, 1939.
 9898) *Eremocossus vaulogeri meirleirei* (Rungs, 1951) (Cossidae) Synonym(s): *meirleirei* Rungs, 1951
 9899) *Eremocossus vaulogeri vaulogeri* (Staudinger, 1897) (Cossidae) Synonym(s): *vaulogeri* Staudinger, 1897; *suavis* Staudinger, 1899; *saharae* Lucas, 1907; *hartigi* Rebel, 1935.
 9900) *Eulophonotus armstrongi* (Hampson, 1914) (Cossidae) Synonym(s): *armstrongi* Hampson, 1914
 9901) *Eulophonotus elegans* (Aurivillius, 1910) (Cossidae) Synonym(s): *elegans* Aurivillius, 1910
 9902) *Eulophonotus myrmeleon* (R.Felder, 1874) (Cossidae) Synonym(s): *myrmeleon* R.Felder, 1874; *obesus* Karsch, 1900
 9903) *Eulophonotus stephania* (Druce, 1887) (Cossidae) Synonym(s): *stephania* Druce, 1887; *hyalinipennis* Strand, 1910
 9904) *Gobibatyr colossus* (Staudinger, 1887) (Cossidae) Synonym(s): *colossus* Staudinger, 1887
 9905) *Groenendaelia kinabaluensis* (Gaede, 1933) (Cossidae) Synonym(s): *kinabaluensis* Gaede, 1933
 9906) *Hamilcara atra* Barnes & McDunnough, 1910 (Cossidae) Synonym(s): *atra* Barnes & McDunnough, 1910
 9907) *Holcocerus brunneogriseus* Daniel, 1949 (Cossidae) Synonym(s): *brunneogriseus* Daniel, 1949
 9908) *Holcocerus campicola* (Eversmann, 1854) (Cossidae) Synonym(s): *campicola* Eversmann, 1854
 9909) *Holcocerus consobricus* Püngeler, 1898 (Cossidae) Synonym(s): *consobricus* Püngeler, 1898; *aksuensis* Daniel, 1953

- 9910) *Holcocus desioi* Turati, 1936 (Cossidae) Synonym(s): *desioi* Turati, 1936
- 9911) *Holcocus didmanidiae* Yakovlev, 2007 (Cossidae) Synonym(s): *didmanidiae* Yakovlev, 2007
- 9912) *Holcocus drangianicus* Groum-Grshimailo, 1902 (Cossidae) Synonym(s): *drangianicus* Groum-Grshimailo, 1902
- 9913) *Holcocus gloriosus* (Erschoff, 1874) (Cossidae) Synonym(s): *gloriosus* Erschoff, 1874
- 9914) *Holcocus gloriosus laudabilis* Staudinger, 1899 (Cossidae) Synonym(s): *laudabilis* Staudinger, 1899
- 9915) *Holcocus gloriosus mesopotamicus* Watkins & Buxton, 1921 (Cossidae) Synonym(s): *mesopotamicus* Watkins & Buxton, 1921
- 9916) *Holcocus gracilis* Christoph, 1887 (Cossidae) Synonym(s): *gracilis* Christoph, 1887
- 9917) *Holcocus holosericeus* (Staudinger, 1884) (Cossidae) Synonym(s): *holosericeus* Staudinger, 1884; *persicus* Austaut, 1897.
- 9918) *Holcocus holosericeus darwesthanus* Daniel, 1959 (Cossidae) Synonym(s): *darwesthanus* Daniel, 1959
- 9919) *Holcocus holosericeus faroulti* Oberthür, 1911 (Cossidae) Synonym(s): *faroulti* Oberthür, 1911
- 9920) *Holcocus holosericeus holosericeus* (Staudinger, 1884) (Cossidae) Synonym(s): *holosericeus* Staudinger, 1884; *persicus* Austaut, 1897.
- 9921) *Holcocus holosericeus Christoph, 1887* (Cossidae) Synonym(s): *inspersus* Christoph, 1887; *sacorum* Groum-Grshimailo, 1902; *sumbannus* Rothschild, 1912.
- 9922) *Holcocus iranicus* Austaut, 1897 (Cossidae) Synonym(s): *iranicus* Austaut, 1897
- 9923) *Holcocus lucifer* (Groum-Grshimailo, 1891) (Cossidae) Synonym(s): *lucifer* Groum-Grshimailo, 1891
- 9924) *Holcocus marmoratus* Austaut, 1897 (Cossidae) Synonym(s): *marmoratus* Austaut, 1897; *puengeleri* Rothschild, 1912.
- 9925) *Holcocus mollis* Christoph, 1887 (Cossidae) Synonym(s): *mollis* Christoph, 1887
- 9926) *Holcocus mongolicus* (Erschoff, 1882) (Cossidae) Synonym(s): *mongolicus* Erschoff, 1882
- 9927) *Holcocus mucosus* (Christoph, 1884) (Cossidae) Synonym(s): *mucosus* Christoph, 1884
- 9928) *Holcocus murinus* Rothschild, 1912 (Cossidae) Synonym(s): *murinus* Rothschild, 1912
- 9929) *Holcocus mus* Groum-Grshimailo, 1902 (Cossidae) Synonym(s): *mus* Groum-Grshimailo, 1902
- 9930) *Holcocus musculus* Rothschild, 1912 (Cossidae) Synonym(s): *musculus* Rothschild, 1912
- 9931) *Holcocus nobilis* (Staudinger, 1884) (Cossidae) Synonym(s): *nobilis* Staudinger, 1884; *strigatus* Austaut, 1897.
- 9932) *Holcocus nobilis difficilis* A. Bang-Haas, 1906 (Cossidae) Synonym(s): *difficilis* A. Bang-Haas, 1906
- 9933) *Holcocus nobilis nobilis* (Staudinger, 1884) (Cossidae) Synonym(s): *nobilis* Staudinger, 1884; *strigatus* Austaut, 1897.
- 9934) *Holcocus praeclarus* Püngeler, 1898 (Cossidae) Synonym(s): *praeclarus* Püngeler, 1898
- 9935) *Holcocus pulverulentus* Püngeler, 1898 (Cossidae) Synonym(s): *pulverulentus* Püngeler, 1898
- 9936) *Holcocus reticuliferus* Daniel, 1949 (Cossidae) Synonym(s): *reticuliferus* Daniel, 1949
- 9937) *Holcocus sareptensis* (Rothschild, 1912) (Cossidae) Synonym(s): *sareptensis* Rothschild, 1912
- 9938) *Holcocus senganensis* Daniel, 1949 (Cossidae) Synonym(s): *senganensis* Daniel, 1949
- 9939) *Holcocus sericeus* Groum-Grshimailo, 1890 (Cossidae) Synonym(s): *sericeus* Groum-Grshimailo, 1890
- 9940) *Holcocus strigillatus* Rothschild, 1912 (Cossidae) Synonym(s): *strigillata* Rothschild, 1912
- 9941) *Holcocus strioliger* Alpheraky, 1893 (Cossidae) Synonym(s): *strioliger* Alpheraky, 1893; *confusa* Rothschild, 1912.
- 9942) *Holcocus tancrei* Püngeler, 1898 (Cossidae) Synonym(s): *tancrei* Püngeler, 1898
- 9943) *Holcocus tekkensis* (Rothschild, 1912) (Cossidae) Synonym(s): *tekkensis* Rothschild, 1912
- 9944) *Holcocus vicarius* (Walker, 1865) (Cossidae) Synonym(s): *vicarius* Walker, 1865
- 9945) *Holcocus volgensis* Christoph, 1893 (Cossidae) Synonym(s): *volgensis* Christoph, 1893
- 9946) *Holcocus zarudnyi* Groum-Grshimailo, 1902 (Cossidae) Synonym(s): *zarudnyi* Groum-Grshimailo, 1902
- 9947) *Hypopta murati* Brandt [MS] (Cossidae) Synonym(s): *murati* Brandt [MS] (unpublished!)
- 9948) *Isoceras bipunctatum* (Staudinger, 1887) (Cossidae) Synonym(s): *bipunctatum* Staudinger, 1887
- 9949) *Isoceras bipunctatum bipunctatum* (Staudinger, 1887) (Cossidae) Synonym(s): *bipunctatum* Staudinger, 1887
- 9950) *Isoceras bipunctatum brandti* (Wiltshire, 1946) (Cossidae) Synonym(s): *brandti* Wiltshire, 1946
- 9951) *Isoceras bipunctatum marginepunctatum* (Wiltshire, 1939) (Cossidae) Synonym(s): *marginepunctatum* Wiltshire, 1939
- 9952) *Isoceras huberi* Eitschberger & Ströhle, 1987 (Cossidae) Synonym(s): *huberi* Eitschberger & Ströhle, 1987
- 9953) *Isoceras kaszabi* Daniel, 1965 (Cossidae) Synonym(s): *kaszabi* Daniel, 1965
- 9954) *Isoceras kruegeri* (Turati, 1924) (Cossidae) Synonym(s): *kruegeri* Turati, 1924; *silvicola* C.G. Krüger, 1934.
- 9955) *Isoceras sibiricum* (Alpheraky, 1895) (Cossidae) Synonym(s): *sibiricum* Alpheraky, 1895
- 9956) *Isocossus vandeleni* Roepke, 1957 (Cossidae) Synonym(s): *vandeleni* Roepke, 1957
- 9957) *Kotchevnik durrelli* Yakovlev, 2005 (Cossidae) Synonym(s): *durrelli* Yakovlev, 2005
- 9958) *Kotchevnik modestus* (Staudinger, 1887) (Cossidae) Synonym(s): *modestus* Staudinger, 1887
- 9959) *Kotchevnik schablyai* Yakovlev, 2005 (Cossidae) Synonym(s): *schablyai* Yakovlev, 2005
- 9960) *Kotchevnik tapinus* (Püngeler, 1898) (Cossidae) Synonym(s): *tapinus* Püngeler, 1898
- 9961) *Lakshmia hauensteini* Yakovlev, 2005 (Cossidae) Synonym(s): *hauensteini* Yakovlev, 2005
- 9962) *Lakshmia zolotuhini* Yakovlev, 2005 (Cossidae) Synonym(s): *zolotuhini* Yakovlev, 2005
- 9963) *Meharia acuta* Wiltshire, 1982 (Cossidae) Synonym(s): *acuta* Wiltshire, 1982
- 9964) *Meharia philbyi* Bradley, 1952 (Cossidae) Synonym(s): *philbyi* Bradley, 1952
- 9965) *Meharia semilactea* (W. Warren & Rothschild, 1905) (Cossidae) Synonym(s): *semilactea* W. Warren & Rothschild, 1905; *incurvariella* Chrétien, 1915; *vittata* Rungs, 1942; *persica* Wiltshire, 1946
- 9966) *Melisomimas metallica* Hampson, 1914 (Cossidae) Synonym(s): *grandis* Jordan, 1907 nec Holl.; *metallica* Hampson, 1914
- 9967) *Morpheis clenchi* Donahue, 1980 (Cossidae) Synonym(s): *clenchi* Donahue, 1980
- 9968) *Morpheis cognata* (Walker, 1856) (Cossidae) Synonym(s): *cognata* Walker, 1856; *comisteon* Schaus, 1911; *discreta* Dyar, 1940; *mexicana* Houlbert, 1916
- 9969) *Morpheis fracta* (Walker, 1856) (Cossidae) Synonym(s): *fracta* Walker, 1856
- 9970) *Morpheis lelex* (Dognin, 1891) (Cossidae) Synonym(s): *lelex* Dognin, 1891
- 9971) *Morpheis mathani* (Schaus, 1901) (Cossidae) Synonym(s): *mathani* Schaus, 1901; *oberthuri* Houlbert, 1916; *distinctus* Bryk, 1953
- 9972) *Morpheis melanoleuca* (Burmeister, 1878) (Cossidae) Synonym(s): *melanoleuca* Burmeister, 1878
- 9973) *Morpheis putrida* (Percheron, 1838) (Cossidae) Synonym(s): *putrida* Percheron, 1838
- 9974) *Morpheis pyracmon* (Cramer, 1782) (Cossidae) Synonym(s): *pyracmon* Cramer, 1782; *palmarum* Herrich-Schäffer, [1853]; *pyracmonides* Schaus, 1901
- 9975) *Morpheis strigillata* R. Felder, 1874 (Cossidae) Synonym(s): *strigillata* R. Felder, 1874; *impedita* Wallengren, 1860
- 9976) *Morpheis vatani* (Schaus, 1934) (Cossidae) Synonym(s): *vatani* Schaus, 1934
- 9977) *Morpheis xylotribus* (Herrich-Schäffer, [1853]) (Cossidae) Synonym(s): *xylotribus* Herrich-Schäffer, [1853]
- 9978) *Neostygia postaurantia* Wiltshire, 1980 (Cossidae) Synonym(s): *postaurantia* Wiltshire, 1980
- 9979) *Oreocossus kilimanjarensis* (Holland, 1892) (Cossidae) Synonym(s): *kilimanjarensis* Holland, 1892
- 9980) *Oreocossus occidentalis* Strand, 1912 (Cossidae) Synonym(s): *occidentalis* Strand, 1912
- 9981) *Oreocossus ungemachi* Rougeot, 1977 (Cossidae) Synonym(s): *ungemachi* Rougeot, 1977
- 9982) *Panau adusta* (Roepke, 1957) (Cossidae) Synonym(s): *adusta* Roepke, 1957
- 9983) *Panau borealis* Yakovlev, 2005 (Cossidae) Synonym(s): *borealis* Yakovlev, 2005
- 9984) *Panau brunnescens* (Roepke, 1957) (Cossidae) Synonym(s): *brunnescens* Roepke, 1957
- 9985) *Panau euphanes* (West, 1932) (Cossidae) Synonym(s): *euphanes* West, 1932
- 9986) *Panau princeps* (Roepke, 1957) (Cossidae) Synonym(s): *princeps* Roepke, 1957
- 9987) *Panau quarlesi* (Roepke, 1957) (Cossidae) Synonym(s): *quarlesi* Roepke, 1957
- 9988) *Panau sp.* (Cossidae) Synonym(s):
- 9989) *Panau stenoptera* (Roepke, 1957) (Cossidae) Synonym(s): *stenoptera* Roepke, 1957
- 9990) *Panau variegata* (Roepke, 1957) (Cossidae) Synonym(s): *variegata* Roepke, 1957
- 9991) *Paracossulus thrips* (Hübner, [1818]) (Cossidae) Synonym(s): *thrips* Hübner, [1818]
- 9992) *Paracossus khmer* Yakovlev, 2005 (Cossidae) Synonym(s): *khmer* Yakovlev, 2005
- 9993) *Paracossus microgenitalis* Yakovlev, 2005 (Cossidae) Synonym(s): *microgenitalis* Yakovlev, 2005
- 9994) *Paracossus pinratanae* Yakovlev, 2005 (Cossidae) Synonym(s): *pinratanae* Yakovlev, 2005
- 9995) *Paracossus schoorli* Yakovlev, 2005 (Cossidae) Synonym(s): *schoorli* Yakovlev, 2005
- 9996) *Paracossus sp.* (Cossidae) Synonym(s):
- 9997) *Paracossus speideli* (Holloway, 1986) (Cossidae) Synonym(s): *speideli* Holloway, 1986
- 9998) *Parahypopta castrum* (Hübner, [1808]) (Cossidae) Synonym(s): *castrum* Hübner, [1808]; *teredo* Boisduval, 1829; *radoti* Homberg, 1911; *nigrosignatus* Rothschild, 1912.

- 9999) *Parahypopta caestrum caestrum* (Hübner,[1808]) (Cossidae) Synonym(s): *caestrum* Hübner,[1808]; *teredo* Boisduval,1829; *radoti* Homberg,1911; *nigrosignatus* Rothschild,1912.
- 10000) *Parahypopta caestrum caucasicum* (Groum-Grshimailo,1902) (Cossidae) Synonym(s): *caucasicum* Groum-Grshimailo,1902
- 10001) *Parahypopta caestrum desertum* (Fischer Waldheim,1832) (Cossidae) Synonym(s): *desertum* Fischer Waldheim,1832
- 10002) *Parahypopta issycum* (Gaede,1933) (Cossidae) Synonym(s): *issycum* Gaede,1933
- 10003) *Parahypopta putridum* (Christoph,1887) (Cossidae) Synonym(s): *putridum* Christoph,1887
- 10004) *Parahypopta sheljuzhkoii* (Zukowsky,1936) (Cossidae) Synonym(s): *sheljuzhkoii* Zukowsky,1936
- 10005) *Paralophonotus auroguttatus* (Herrich-Schäffer,[1854]) (Cossidae) Synonym(s): *auroguttatus* Herrich-Schäffer,[1854]
- 10006) *Paropta frater* (Warnecke,1929) (Cossidae) Synonym(s): *frater* Warnecke,1929
- 10007) *Paropta johannes* Staudinger,1899 (Cossidae) Synonym(s): *johannes* Staudinger,1899
- 10008) *Paropta l-nigrum* (Bethune-Baker,1894) (Cossidae) Synonym(s): *l-nigrum* Bethune-Baker,1894
- 10009) *Paropta paradoxus* (Herrich-Schäffer,1851) (Cossidae) Synonym(s): *paradoxus* Herrich-Schäffer,1851
- 10010) *Patopta ganesha* Yakovlev,2005 (Cossidae) Synonym(s): *ganesha* Yakovlev,2005
- 10011) *Phragmacossia albida* (Erschoff,1874) (Cossidae) Synonym(s): *albida* Erschoff,1874
- 10012) *Phragmacossia clara* (Bryk,1950) (Cossidae) Synonym(s): *clara* Bryk,1950
- 10013) *Phragmacossia libani* Daniel,1933 (Cossidae) Synonym(s): *libani* Daniel,1933
- 10014) *Phragmacossia minos* Reisser,1962 (Cossidae) Synonym(s): *minos* Reisser,1962
- 10015) *Phragmacossia obliquifascia* (Bryk,1950) (Cossidae) Synonym(s): *obliquifascia* Bryk,1950
- 10016) *Phragmacossia paghmana* Daniel,1963 (Cossidae) Synonym(s): *paghmana* Daniel,1963
- 10017) *Phragmacossia pallidulae* (Hampson,1892) (Cossidae) Synonym(s): *pallidulae* Hampson,1892
- 10018) *Phragmacossia parvipuncta* (Hampson,1892) (Cossidae) Synonym(s): *parvipuncta* Hampson,1892
- 10019) *Phragmacossia reticulata* (Püngeler,1900) (Cossidae) Synonym(s): *reticulata* Püngeler,1900
- 10020) *Phragmacossia stigmatica* (Moore,1879) (Cossidae) Synonym(s): *stigmatica* Moore,1879
- 10021) *Phragmacossia tigrisia* Schawerda,1924 (Cossidae) Synonym(s): *tigrisia* Schawerda,1924
- 10022) *Phragmacossia vartianae* Daniel,1963 (Cossidae) Synonym(s): *vartianae* Daniel,1963
- 10023) *Phragmataecia castaneae* (Hübner,1790) (Cossidae) Synonym(s): *castaneae* Hübner,1790; *arundinis* Hübner,[1808]; *minor* Moore,1879; *pygmaea* Graeser,1888; *minima* Hampson,1891
- 10024) *Phragmataecia cinnamomea* Wileman,1911 (Cossidae) Synonym(s): *cinnamomea* Wileman,1911; *hansi* Strand,1915
- 10025) *Phragmataecia erschoffi* Reisser,1962 (Cossidae) Synonym(s): *erschoffi* Reisser,1962
- 10026) *Phragmataecia furiosa* Sheljuzhko,1943 (Cossidae) Synonym(s): *furiosa* Sheljuzhko,1943
- 10027) *Phragmataecia fusca* Wileman,1911 (Cossidae) Synonym(s): *fusca* Wileman,1911; *obscura* Wileman,1911
- 10028) *Phragmataecia gummata* Swinhoe,1892 (Cossidae) Synonym(s): *gummata* Swinhoe,1892; *lata* Snellen,1895; *sordida* Snellen,1900
- 10029) *Phragmataecia hansi* Strand,1915 (Cossidae) Synonym(s): *hansi* Strand,1915
- 10030) *Phragmataecia impura* Hampson,1891 (Cossidae) Synonym(s): *impura* Hampson,1891
- 10031) *Phragmataecia longivittata* Candeze,1927 (Cossidae) Synonym(s): *longivittata* Candeze,1927
- 10032) *Phragmataecia obscura* Wileman,1911 (Cossidae) Synonym(s): *obscura* Wileman,1911
- 10033) *Phragmataecia purpurea* Fletcher,1927 (Cossidae) Synonym(s): *purpurea* Fletcher,1927
- 10034) *Phragmataecia roborowskii* Alpheraky,1897 (Cossidae) Synonym(s): *roborowskii* Alpheraky,1897
- 10035) *Phragmataecia sumatrensis* Snellen,1892 (Cossidae) Synonym(s): *sumatrensis* Snellen,1892
- 10036) *Phragmataecia territa* Staudinger,1878 (Cossidae) Synonym(s): *territa* Staudinger,1878
- 10037) *Pseudozeuzera biatra* (Hampson,1910) (Cossidae) Synonym(s): *biatra* Hampson,1910
- 10038) *Rapdalis pardicolor* (Moore,1879) (Cossidae) Synonym(s): *pardicolor* Moore,1879; *pardalis* Dudgeon,1899
- 10039) *Relluna nurella* (Swinhoe,1894) (Cossidae) Synonym(s): *nurella* Swinhoe,1894
- 10040) *Rugigerat nigra* (Moore,1877) (Cossidae) Synonym(s): *nigra* Moore,1877
- 10041) *Sansara hreblayi* Yakovlev,2005 (Cossidae) Synonym(s): *hreblayi* Yakovlev,2005
- 10042) *Sansara naumanni* Yakovlev,2005 (Cossidae) Synonym(s): *naumanni* Yakovlev,2005
- 10043) *Semagystia kuhensis* De Freina,1994 (Cossidae) Synonym(s): *kuhensis* De Freina,1994
- 10044) *Skeletohyllon euphyes* (West,1932) (Cossidae) Synonym(s): *euphyes* West,1932
- 10045) *Stygia australis* Latreille,1803 (Cossidae) Synonym(s): *australis* Latreille,1803; *terebellum* Hübner,[1808]; *leucomelas* Ochsenheimer,1808
- 10046) *Stygia mosulensis* Daniel,1965 (Cossidae) Synonym(s): *mosulensis* Daniel,1965
- 10047) *Stygioides colchica* (Herrich-Schäffer,[1851]) (Cossidae) Synonym(s): *colchica* Herrich-Schäffer,[1851]
- 10048) *Stygioides persephone* (Reisser,1962) (Cossidae) Synonym(s): *persephone* Reisser,1962
- 10049) *Stygioides tricolor* (Lederer,1858) (Cossidae) Synonym(s): *tricolor* Lederer,1858
- 10050) *Tarsozeuzera fuscipars* (Hampson,1892) (Cossidae) Synonym(s): *fuscipars* Hampson,1892; *#fuscipars* Yakovlev,2005
- 10051) *Tarsozeuzera kochi* (Semper,1896) (Cossidae) Synonym(s): *kochi* Semper,1896
- 10052) *Trismelasmos robinson* Yakovlev,2005 (Cossidae) Synonym(s): *robinson* Yakovlev,2005
- 10053) *Vartiania zarathustra* Yakovlev,2005 (Cossidae) Synonym(s): *zarathustra* Yakovlev,2005
- 10054) *Voousia punctifer* (Hampson,1898) (Cossidae) Synonym(s): *punctifer* Hampson,1898
- 10055) *Voousia* sp.n. (Cossidae) Synonym(s):
- 10056) *Wittocossus mokanshanensis* (Daniel,1945) (Cossidae) Synonym(s): *mokanshanensis* Daniel,1945
- 10057) *Xyleutes adusta* Roepke,1957 (Cossidae) Synonym(s): *adusta* Roepke,1957
- 10058) *Xyleutes anceps* (Snellen,1900) (Cossidae) Synonym(s): *anceps* Snellen,1900
- 10059) *Xyleutes ceramicus* (Walker,1865) (Cossidae) Synonym(s): *ceramica* Walker,1865; *ligneus* Butler,1880; *bosschae* Heylaerts,1886
- 10060) *Xyleutes dictyograpta* Roepke,1957 (Cossidae) Synonym(s): *dictyograpta* Roepke,1957
- 10061) *Xyleutes euphyes* West,1932 (Cossidae) Synonym(s): *euphyes* West,1932; *sibolgae* Roepke,1957; *kalisi* Roepke,1957
- 10062) *Xyleutes fuscipars* (Hampson,1892) (Cossidae) Synonym(s): *fuscipars* Hampson,1892
- 10063) *Xyleutes keyensis* Strand,1919 (Cossidae) Synonym(s): *keyensis* Strand,1919
- 10064) *Xyleutes lutescens* Roepke,1957 (Cossidae) Synonym(s): *lutescens* Roepke,1957
- 10065) *Xyleutes maculatus* (Snellen,1879) (Cossidae) Synonym(s): *maculatus* Snellen,1879; *overbecki* Draeseke,1937
- 10066) *Xyleutes malayica* Roepke,1957 (Cossidae) Synonym(s): *malayica* Roepke,1957
- 10067) *Xyleutes pardicolor* (Moore,1879) (Cossidae) Synonym(s): *pardicolor* Moore,1879; *pardalis* Dudgeon,1899
- 10068) *Xyleutes personus* Le Guillou,1841 (Cossidae) Synonym(s): *personus* Le Guillou,1841; *leuconotus* Walker,1856
- 10069) *Xyleutes pindarus* (Fawcett,1916) (Cossidae) Synonym(s): *pindarus* Fawcett,1916
- 10070) *Xyleutes quarlesi* Roepke,1957 (Cossidae) Synonym(s): *quarlesi* Roepke,1957
- 10071) *Xyleutes stenoptera* Roepke,1957 (Cossidae) Synonym(s): *stenoptera* Roepke,1957
- 10072) *Xyleutes strix* (Linnaeus,1758) (Cossidae) Synonym(s): *strix* Linnaeus,1758; *signata* Walker,1856; *bubo* Butler,1882; *tigrata* Houlbert,1916
- 10073) *Xyleutes unimaculosa* (Matsumura,1931) (Cossidae) Synonym(s): *unimaculosa* Matsumura,1931; *pardicolor* Sonan,1938 nec Mre.,1882
- 10074) *Yakovlevina galina* (Yakovlev,2005) (Cossidae) Synonym(s): *galina* Yakovlev,2005
- 10075) *Zeuzera biebingeri* Speidel & Speidel,1986 (Cossidae) Synonym(s): *biebingeri* Speidel & Speidel,1986
- 10076) *Zeuzera borneana* Roepke,1957 (Cossidae) Synonym(s): *borneana* Roepke,1957
- 10077) *Zeuzera caudata* Joicey & Talbot,1916 (Cossidae) Synonym(s): *caudata* Joicey & Talbot,1916; *rhabdota* Jordan,1932; *celebensis* Roepke,1957
- 10078) *Zeuzera coffeae* Nietner,1861 (Cossidae) Synonym(s): *coffeae* Nietner,1861; *oblita* Swinhoe,1890; *reticulata* Joicey & Talbot,1916; *buergersi* Gaede,1933
- 10079) *Zeuzera conferta* Walker,1856 (Cossidae) Synonym(s): *conferta* Walker,1856; *roricyanea* Walker,1862; *neuropunctata* Gaede,1933
- 10080) *Zeuzera indica* Herrich-Schäffer,1854 (Cossidae) Synonym(s): *indica* Herrich-Schäffer,1854; *viridimacula* Matsumura,1883
- 10081) *Zeuzera lineata* Gaede,1933 (Cossidae) Synonym(s): *lineata* Gaede,1933
- 10082) *Zeuzera multistrigata* Moore,1881 (Cossidae) Synonym(s): *multistrigata* Moore,1881; *leuconotum* Butler,1881
- 10083) *Zeuzera nepalense* Daniel,1962 (Cossidae) Synonym(s): *nepalense* Daniel,1962
- 10084) *Zeuzera nuristanensis* Daniel,1964 (Cossidae) Synonym(s): *nuristanensis* Daniel,1964
- 10085) *Zeuzera postexcisa* Hampson,1893 (Cossidae) Synonym(s): *postexcisa* Hampson,1893
- 10086) *Zeuzera pyrina* (Linnaeus,1761) (Cossidae) Synonym(s): *pyrina* Linnaeus,1761; *hypocastani* Poda,1761; *aesuli* Linnaeus,1767; *hilaris* Fourcroy,1785; *octopunctata* Boisduval,1832; *decipiens* Kirby,1892

- 10087) *Zeuzera roriczyana* Walker, 1862 (Cossidae) Synonym(s): *roricyana* Walker, 1862
 10088) *Zeuzera yuennani* Daniel, 1940 (Cossidae) Synonym(s): *yuennani* Daniel, 1940
 10089) *Zeuzeropecten altitudinis* Viette, 1957 (Cossidae) Synonym(s): *altitudinis* Viette, 1957
 10090) *Zeuzeropecten argillosa* (Le Cerf, 1919) (Cossidae) Synonym(s): *argillosa* Le Cerf, 1919
 10091) *Zeuzeropecten castaneus* (Kenrick, 1913) (Cossidae) Synonym(s): *castaneus* Kenrick, 1913
 10092) *Zeuzeropecten combustus* (Kenrick, 1913) (Cossidae) Synonym(s): *combustus* Kenrick, 1913
 10093) *Zeuzeropecten lactescens* Gaede, 1930 (Cossidae) Synonym(s): *lactescens* Gaede, 1930
 10094) *Zeuzeropecten lecerfi* (Viette, 1957) (Cossidae) Synonym(s): *lecerfi* Viette, 1957
 10095) *Zeuzeropecten occultoides* (Kenrick, 1913) (Cossidae) Synonym(s): *occultoides* Kenrick, 1913
 10096) *Crinopteryx familiella* Peyerimhoff, 1871 (Crinopterygidae) Synonym(s): *familiella* Peyerimhoff, 1871
 10097) *Amata acropila* (R. Felder & Rogenhofer, 1874) (Ctenuchidae) Synonym(s): *acropila* R. Felder & Rogenhofer, 1874; *confluens* Leech, 1898
 10098) *Amata actea* (Swinhoe, 1891) (Ctenuchidae) Synonym(s): *actea* Swinhoe, 1891; *swinhoei* Leech, 1898
 10099) *Amata adjuncta* (Walker, 1864) (Ctenuchidae) Synonym(s): *adjuncta* Walker, 1864
 10100) *Amata aequipuncta* (Turati, 1917) (Ctenuchidae) Synonym(s): *aequipuncta* Turati, 1917
 10101) *Amata aequipuncta aequipuncta* (Turati, 1917) (Ctenuchidae) Synonym(s): *aequipuncta* Turati, 1917
 10102) *Amata aequipuncta maraschi* (Daniel, 1939) (Ctenuchidae) Synonym(s): *maraschi* Daniel, 1939; *marasiana* Obraztsov, 1941.
 10103) *Amata albapex* (Hampson, 1893) (Ctenuchidae) Synonym(s): *albapex* Hampson, 1893
 10104) *Amata alberti* Rothschild, 1911 (Ctenuchidae) Synonym(s): *alberti* Rothschild, 1911
 10105) *Amata albicornis* Rothschild, 1910 (Ctenuchidae) Synonym(s): *albicornis* Rothschild, 1910
 10106) *Amata albifrons* (Moore, 1878) (Ctenuchidae) Synonym(s): *albifrons* Moore, 1878
 10107) *Amata alicia* (Butler, 1876) (Ctenuchidae) Synonym(s): *alicia* Butler, 1876
 10108) *Amata alicia damarensis* Grünberg, 1910 (Ctenuchidae) Synonym(s): *damarensis* Grünberg, 1910
 10109) *Amata alicia mogadorensis* Blachier, 1908 (Ctenuchidae) Synonym(s): *mogadorensis* Blachier, 1908
 10110) *Amata annulata* (Fabricius, 1775) (Ctenuchidae) Synonym(s): *annulata* Fabricius, 1775; *nigriceps* Butler, 1876; *intensa* Butler, 1876
 10111) *Amata antiochena* Lederer, 1861 (Ctenuchidae) Synonym(s): *antiochena* Lederer, 1861
 10112) *Amata antitheta* (Meyrick, 1886) (Ctenuchidae) Synonym(s): *antitheta* Meyrick, 1886
 10113) *Amata aperta* (Walker, 1864) (Ctenuchidae) Synonym(s): *aperta* Walker, 1864; *nesothesis* Meyrick, 1886; *mochlotis* Meyrick, 1886
 10114) *Amata apicelisa* Holloway, 1988 (Ctenuchidae) Synonym(s): *apicelisa* Holloway, 1988
 10115) *Amata arfakensis* Rothschild, 1911 (Ctenuchidae) Synonym(s): *arfakensis* Rothschild, 1911
 10116) *Amata aserbeidjana* (De Freina, 1982) (Ctenuchidae) Synonym(s): *aserbeidjana* De Freina, 1982
 10117) *Amata assamensis* (Zerny, 1912) (Ctenuchidae) Synonym(s): *khassiana* Rothschild, 1910 nec Butl., 1876; *assamensis* Zerny, 1912
 10118) *Amata atricornis* (Wallengren, 1863) (Ctenuchidae) Synonym(s): *atricornis* Wallengren, 1863; *sirius* Distant, 1897
 10119) *Amata atricornuta* Gaede, 1926 (Ctenuchidae) Synonym(s): *atricornuta* Gaede, 1926
 10120) *Amata aurea* (Swinhoe, 1908) (Ctenuchidae) Synonym(s): *aurea* Swinhoe, 1908
 10121) *Amata aureola* (Swinhoe, 1902) (Ctenuchidae) Synonym(s): *aureola* Swinhoe, 1902
 10122) *Amata aurofasciata* (Swinhoe, 1892) (Ctenuchidae) Synonym(s): *aurofasciata* Swinhoe, 1892
 10123) *Amata bactriana* (Erschoff, 1874) (Ctenuchidae) Synonym(s): *bactriana* Erschoff, 1874
 10124) *Amata bajaea* (Swinhoe, 1891) (Ctenuchidae) Synonym(s): *bajaea* Swinhoe, 1891
 10125) *Amata banghaasi* Obraztsov, 1966 (Ctenuchidae) Synonym(s): *caspia* Alpheraky, 1892 nec Stgr., 1877; *minuta* A. Bang-Haas, 1910 nec Bsd., 1833; *banghaasi* Obraztsov, 1966; *schachtli* De Freina, 1994.
 10126) *Amata basigera* (Walker, 1864) (Ctenuchidae) Synonym(s): *basigera* Walker, 1864
 10127) *Amata berinda* (Moore, 1878) (Ctenuchidae) Synonym(s): *berinda* Moore, 1878
 10128) *Amata bicincta* (Kollar, 1844) (Ctenuchidae) Synonym(s): *bicincta* Kollar, 1844
 10129) *Amata bicolor* (Walker, 1854) (Ctenuchidae) Synonym(s): *bicolor* Walker, 1854
 10130) *Amata bifasciata* (Hopffer, 1857) (Ctenuchidae) Synonym(s): *bifasciata* Hopffer, 1857
 10131) *Amata borguensis* (Hampson, 1901) (Ctenuchidae) Synonym(s): *borguensis* Hampson, 1901
 10132) *Amata borneogena* Obraztsov, 1955 (Ctenuchidae) Synonym(s): *borneogena* Obraztsov, 1955
 10133) *Amata brooksi* Holloway, 1988 (Ctenuchidae) Synonym(s): *brooksi* Holloway, 1988
 10134) *Amata burtii* Distant, 1900 (Ctenuchidae) Synonym(s): *burtii* Distant, 1900
 10135) *Amata caerulea* (Druce, 1898) (Ctenuchidae) Synonym(s): *caerulea* Druce, 1898
 10136) *Amata cantori* (Moore, 1859) (Ctenuchidae) Synonym(s): *cantori* Moore, 1859
 10137) *Amata caspia* (Staudinger, 1877) (Ctenuchidae) Synonym(s): *caspia* Staudinger, 1877; *#caspica* Spuler, 1906
 10138) *Amata caspia caspia* (Staudinger, 1877) (Ctenuchidae) Synonym(s): *caspia* Staudinger, 1877; *#caspica* Spuler, 1906
 10139) *Amata caspia martinierici* (Bryk, 1941) (Ctenuchidae) Synonym(s): *martinierici* Bryk, 1941
 10140) *Amata celebese* (Walker, 1864) (Ctenuchidae) Synonym(s): *celebese* Walker, 1864; *gracilis* Röber, 1885; *elvira* Pagenstecher, 1896
 10141) *Amata cerbera* (Linnaeus, 1764) (Ctenuchidae) Synonym(s): *cerbera* Linnaeus, 1764; *fantasia* Butler, 1876; *francisca* Butler, 1876; *curtiplaga* Mabille, 1890
 10142) *Amata ceres* (Oberthür, 1878) (Ctenuchidae) Synonym(s): *ceres* Oberthür, 1878
 10143) *Amata chlorocera* (Hampson, 1892) (Ctenuchidae) Synonym(s): *chlorocera* Hampson, 1892
 10144) *Amata chlorometis* (Meyrick, 1886) (Ctenuchidae) Synonym(s): *chlorometis* Meyrick, 1886
 10145) *Amata chloroscia* (Hampson, 1901) (Ctenuchidae) Synonym(s): *chloroscia* Hampson, 1901
 10146) *Amata chormlei* (Hampson, 1907) (Ctenuchidae) Synonym(s): *chormlei* Hampson, 1907
 10147) *Amata choneutospila* (Turner, 1905) (Ctenuchidae) Synonym(s): *choneutospila* Turner, 1905
 10148) *Amata chroma* (Swinhoe, 1892) (Ctenuchidae) Synonym(s): *chroma* Swinhoe, 1892; *clementsii* Hampson, 1901; *attenuata* Hampson, 1901; *amoenaria* Swinhoe, 1892
 10149) *Amata chromatica* (Turner, 1905) (Ctenuchidae) Synonym(s): *chromatica* Turner, 1905
 10150) *Amata chrysozona* (Hampson, 1898) (Ctenuchidae) Synonym(s): *chrysozona* Hampson, 1898
 10151) *Amata cinctelisa* Holloway, 1988 (Ctenuchidae) Synonym(s): *cinctelisa* Holloway, 1988
 10152) *Amata cingulata* (Weber, 1801) (Ctenuchidae) Synonym(s): *cingulata* Weber, 1801; *aterus* Walker, 1854 nec Cr.; *annetta* Butler, 1876
 10153) *Amata cocandica* (Erschoff, 1874) (Ctenuchidae) Synonym(s): *cocandica* Erschoff, 1874
 10154) *Amata cocandica transtallensis* Obraztsov, 1966 (Ctenuchidae) Synonym(s): *transtallensis* Obraztsov, 1966
 10155) *Amata collaris* (Fabricius, 1793) (Ctenuchidae) Synonym(s): *cyssea* Cramer, 1782; *collaris* Fabricius, 1793; *schoenerrhi* Boisduval, 1829; *cuprea* Prittwitz, 1867 nec Wlk., 1856; *georgina* Butler, 1876; *cysseoides* Butler, 1876
 10156) *Amata compta* (Walker, 1869) (Ctenuchidae) Synonym(s): *compta* Walker, 1869
 10157) *Amata congener* (Hampson, 1901) (Ctenuchidae) Synonym(s): *congener* Hampson, 1901; *congenera* Zerny, 1912
 10158) *Amata connectens* Rothschild, 1910 (Ctenuchidae) Synonym(s): *connectens* Rothschild, 1910
 10159) *Amata consequa* (Leech, 1898) (Ctenuchidae) Synonym(s): *consequa* Leech, 1898
 10160) *Amata consimilis* (Hampson, 1901) (Ctenuchidae) Synonym(s): *consimilis* Hampson, 1901
 10161) *Amata creobota* (Holland, 1893) (Ctenuchidae) Synonym(s): *creobota* Holland, 1893
 10162) *Amata croceizona* (Hampson, 1910) (Ctenuchidae) Synonym(s): *croceizona* Hampson, 1910
 10163) *Amata cuprizonata* (Hampson, 1901) (Ctenuchidae) Synonym(s): *cuprizonata* Hampson, 1901
 10164) *Amata cyanura* (Meyrick, 1886) (Ctenuchidae) Synonym(s): *cyanura* Meyrick, 1886
 10165) *Amata cymatilis* (Swinhoe, 1892) (Ctenuchidae) Synonym(s): *cymatilis* Swinhoe, 1892
 10166) *Amata decorata* (Walker, 1862) (Ctenuchidae) Synonym(s): *decorata* Walker, 1862; *florina* Butler, 1876; *fata* Swinhoe, 1892
 10167) *Amata derivata* (Walker, 1862) (Ctenuchidae) Synonym(s): *derivata* Walker, 1862
 10168) *Amata dichotoma* (Leech, 1898) (Ctenuchidae) Synonym(s): *dichotoma* Leech, 1898; *concurrans* Leech, 1898
 10169) *Amata dilatata* (Snellen, 1880) (Ctenuchidae) Synonym(s): *dilatata* Snellen, 1880
 10170) *Amata dilatalis* (Hampson, 1898) (Ctenuchidae) Synonym(s): *dilatalis* Hampson, 1898
 10171) *Amata discata* (Druce, 1898) (Ctenuchidae) Synonym(s): *discata* Druce, 1898
 10172) *Amata dissimilis* (Bethune-Baker, 1911) (Ctenuchidae) Synonym(s): *dissimilis* Bethune-Baker, 1911
 10173) *Amata divalis* (Schaus & Clements, 1893) (Ctenuchidae) Synonym(s): *divalis* Schaus & Clements, 1893
 10174) *Amata divisa* (Walker, 1854) (Ctenuchidae) Synonym(s): *divisa* Walker, 1854; *sylhetica* Strand, 1917
 10175) *Amata divisa disrupta* (Moore, 1878) (Ctenuchidae) Synonym(s): *disrupta* Moore, 1878

- 10176) *Amata divisa divisa* (Walker,1854) (Ctenuchidae) Synonym(s): *divisa* Walker,1854; *sythetica* Strand,1917
 10177) *Amata divisa sikkima* (Strand,1917) (Ctenuchidae) Synonym(s): *sikkima* Strand,1917
 10178) *Amata dyschlaena* (Turner,1905) (Ctenuchidae) Synonym(s): *dyschlaena* Turner,1905
 10179) *Amata edwardsii* (Butler,1876) (Ctenuchidae) Synonym(s): *edwardsii* Butler,1876; *emma* Butler,1876; *formosae* Butler,1876; *tetrazonata* Hampson,1898; *taiwana* Miyake,1907; *frontis* Strand,1915; *tainanensis* Strand,1915; *#kosempionicola* Strand,1915; *#taihokuensis* Sonan,1941
 10180) *Amata egenaria* (Walker,1862) (Ctenuchidae) Synonym(s): *egenaria* Walker,1862
 10181) *Amata elisa* (Butler,1876) (Ctenuchidae) Synonym(s): *elisa* Butler,1876
 10182) *Amata elisoides* Holloway,1988 (Ctenuchidae) Synonym(s): *elisoides* Holloway,1988
 10183) *Amata elongata* (Hampson,1900) (Ctenuchidae) Synonym(s): *elongata* Hampson,1900
 10184) *Amata elongimacula* (Hampson,1898) (Ctenuchidae) Synonym(s): *elongimacula* Hampson,1898
 10185) *Amata elwesi* Rothschild,1910 (Ctenuchidae) Synonym(s): *elwesi* Rothschild,1910
 10186) *Amata emma* (Butler,1876) (Ctenuchidae) Synonym(s): *emma* Butler,1876; *torquata* Leech,1889; *jankowskyi* Rothschild,1910; *tergomelas* M.Hering,1936
 10187) *Amata endocrocis* (Hampson,1903) (Ctenuchidae) Synonym(s): *endocrocis* Hampson,1903
 10188) *Amata era* (Swinhoe,1891) (Ctenuchidae) Synonym(s): *era* Swinhoe,1891
 10189) *Amata euryptera* (Hampson,1898) (Ctenuchidae) Synonym(s): *euryptera* Hampson,1898
 10190) *Amata euryzona* (Leech,1898) (Ctenuchidae) Synonym(s): *euryzona* Leech,1898
 10191) *Amata exapta* (Swinhoe,1892) (Ctenuchidae) Synonym(s): *exapta* Swinhoe,1892; *everetti* Rothschild,1919
 10192) *Amata expansens* (Walker,1862) (Ctenuchidae) Synonym(s): *expansens* Walker,1862; *inaequalis* Snellen,1895; *ericssoni* Rothschild,1910
 10193) *Amata extensa* (Walker,1866) (Ctenuchidae) Synonym(s): *extensa* Walker,1866
 10194) *Amata fervida* (Walker,1854) (Ctenuchidae) Synonym(s): *fervida* Walker,1854
 10195) *Amata flava* (Wileman,1910) (Ctenuchidae) Synonym(s): *flava* Wileman,1910; *aurantifrons* Rothschild,1911; *#aurantifrons* Sonan,1941
 10196) *Amata flavibrooksi* Holloway,1988 (Ctenuchidae) Synonym(s): *flavibrooksi* Holloway,1988
 10197) *Amata flavifrons* (Hampson,1892) (Ctenuchidae) Synonym(s): *flavifrons* Hampson,1892
 10198) *Amata flaviguttata* (Hampson,1900) (Ctenuchidae) Synonym(s): *flaviguttata* Hampson,1900
 10199) *Amata flavolavata* Rothschild,1910 (Ctenuchidae) Synonym(s): *flavolavata* Rothschild,1910
 10200) *Amata formosensis* (Wileman,1928) (Ctenuchidae) Synonym(s): *dichotoma* Matsumura,1911 nec Leec.,1898; *formosensis* Wileman,1928
 10201) *Amata fortunei* (Orza,1869) (Ctenuchidae) Synonym(s): *fortunei* Orza,1869; *erebina* Butler,1876; *formosensis* Wileman,1928 nec Wlm.,1928; *matsumurai* Sonan,1941
 10202) *Amata fruhstorferi* Rothschild,1910 (Ctenuchidae) Synonym(s): *fruhstorferi* Rothschild,1910
 10203) *Amata gelatina* (Hampson,1890) (Ctenuchidae) Synonym(s): *gelatina* Hampson,1890
 10204) *Amata geon* (Druce,1885) (Ctenuchidae) Synonym(s): *geon* Druce,1885
 10205) *Amata germana* (C.Felder & R.Felder,1862) (Ctenuchidae) Synonym(s): *germana* C.Felder & R.Felder,1862; *mandarina* Butler,1876; *#nigricauda* Miyake,1907
 10206) *Amata goodi* (Holland,1893) (Ctenuchidae) Synonym(s): *goodi* Holland,1893; *reutlingeri* Holland,1893
 10207) *Amata graduata* (Hampson,1898) (Ctenuchidae) Synonym(s): *graduata* Hampson,1898
 10208) *Amata grotei* (Moore,1871) (Ctenuchidae) Synonym(s): *grotei* Moore,1871
 10209) *Amata hakkariana* (De Freina,1982) (Ctenuchidae) Synonym(s): *hakkariana* De Freina,1982
 10210) *Amata hemiphoenica* (Hampson,1910) (Ctenuchidae) Synonym(s): *hemiphoenica* Hampson,1910
 10211) *Amata henrici* Rothschild,1910 (Ctenuchidae) Synonym(s): *henrici* Rothschild,1910
 10212) *Amata heptaspila* (Turner,1905) (Ctenuchidae) Synonym(s): *heptaspila* Turner,1905
 10213) *Amata higginsii* (Wiltshire,1958) (Ctenuchidae) Synonym(s): *higginsii* Wiltshire,1958
 10214) *Amata hirayamae* Matsumura,1927 (Ctenuchidae) Synonym(s): *hirayamae* Matsumura,1927
 10215) *Amata huebneri* (Boisduval,1828) (Ctenuchidae) Synonym(s): *huebneri* Boisduval,[1828]; *marsdeni* Moore,1859; *xanthomela* Walker,1860; *cingulata* Wallengren,1860 nec Wb.,1801; *sangaris* Wallengren,1863; *contermina* Walker,1864; *pyrrhoderia* Meyrick,1886; *frustulenta* Swinhoe,1892; *sala* Swinhoe,1902
 10216) *Amata humeralis* (Butler,1876) (Ctenuchidae) Synonym(s): *humeralis* Butler,1876; *olinda* Swinhoe,1892
 10217) *Amata hyalota* (Meyrick,1886) (Ctenuchidae) Synonym(s): *hyalota* Meyrick,1886
 10218) *Amata hydatina* (Butler,1876) (Ctenuchidae) Synonym(s): *hydatina* Butler,1876
 10219) *Amata insueta* (Swinhoe,1892) (Ctenuchidae) Synonym(s): *insueta* Swinhoe,1892
 10220) *Amata insularis* (Butler,1876) (Ctenuchidae) Synonym(s): *insularis* Butler,1876; *stelotis* Meyrick,1886; *microspila* Turner,1922
 10221) *Amata interniplaga* (Mabille,1890) (Ctenuchidae) Synonym(s): *interniplaga* Mabille,1890
 10222) *Amata interrupta* (Wileman,1910) (Ctenuchidae) Synonym(s): *interrupta* Wileman,1910
 10223) *Amata issikii* (Sonan,1941) (Ctenuchidae) Synonym(s): *issikii* Sonan,1941
 10224) *Amata jacksoni* Rothschild,1910 (Ctenuchidae) Synonym(s): *jacksoni* Rothschild,1910
 10225) *Amata jankowskyi* Rothschild,1910 (Ctenuchidae) Synonym(s): *jankowskyi* Rothschild,1910
 10226) *Amata johanna* (Butler,1876) (Ctenuchidae) Synonym(s): *johanna* Butler,1876; *anna* Butler,1876
 10227) *Amata kalidupensis* Rothschild,1910 (Ctenuchidae) Synonym(s): *kalidupensis* Rothschild,1910
 10228) *Amata kenredi* Rothschild,1910 (Ctenuchidae) Synonym(s): *kenredi* Rothschild,1910
 10229) *Amata khasiana* (Butler,1876) (Ctenuchidae) Synonym(s): *khasiana* Butler,1876
 10230) *Amata kinensis* (Hampson,1898) (Ctenuchidae) Synonym(s): *kinensis* Hampson,1898
 10231) *Amata kruegeri* (Ragusa,1904) (Ctenuchidae) Synonym(s): *kruegeri* Ragusa,1904
 10232) *Amata kuhlweini* (Lefébvre,1831) (Ctenuchidae) Synonym(s): *kuhlweini* Lefébvre,1831; *natalii* Boisduval,1847
 10233) *Amata lagosensis* (Hampson,1907) (Ctenuchidae) Synonym(s): *lagosensis* Hampson,1907
 10234) *Amata lampetis* (Turner,1898) (Ctenuchidae) Synonym(s): *lampetis* Turner,1898
 10235) *Amata lateralis* (Boisduval,1858) (Ctenuchidae) Synonym(s): *marginalis* Walker,1854; *lateralis* Boisduval,1858
 10236) *Amata leechi* Rothschild,1910 (Ctenuchidae) Synonym(s): *acropila* Leech,1898 nec Feld.,1874; *leechi* Rothschild,1910
 10237) *Amata leimacis* (Holland,1893) (Ctenuchidae) Synonym(s): *leimacis* Holland,1893; *limacis* Zerny,1912
 10238) *Amata leucacma* (Meyrick,1886) (Ctenuchidae) Synonym(s): *leucacma* Meyrick,1886
 10239) *Amata leucerythra* (Holland,1893) (Ctenuchidae) Synonym(s): *leucerythra* Holland,1893; *rubicunda* Mabille,1892
 10240) *Amata libanotica* (A.Bang-Haas,1906) (Ctenuchidae) Synonym(s): *libanotica* A.Bang-Haas,1906
 10241) *Amata lucerna* (Wileman,1910) (Ctenuchidae) Synonym(s): *lucerna* Wileman,1910; *sinana* Bytinski-Salz,1939
 10242) *Amata lucina* (Butler,1876) (Ctenuchidae) Synonym(s): *lucina* Butler,1876
 10243) *Amata lucta* (Lucas,1901) (Ctenuchidae) Synonym(s): *lucta* Lucas,1901
 10244) *Amata luteifascia* (Hampson,1892) (Ctenuchidae) Synonym(s): *luteifascia* Hampson,1892
 10245) *Amata macroflavifer* Holloway,1988 (Ctenuchidae) Synonym(s): *macroflavifer* Holloway,1988
 10246) *Amata macroplaca* (Meyrick,1886) (Ctenuchidae) Synonym(s): *macroplaca* Meyrick,1886; *#macrophaca* Seitz,1913;
 10247) *Amata madurensis* (Hampson,1901) (Ctenuchidae) Synonym(s): *madurensis* Hampson,1901
 10248) *Amata magistri* (Turner,1905) (Ctenuchidae) Synonym(s): *magistri* Turner,1905; *aperta* Meyrick,1886
 10249) *Amata maracandina* (Erschoff,1874) (Ctenuchidae) Synonym(s): *maracandina* Erschoff,1874
 10250) *Amata maracandina* pamera Obratzov,1966 (Ctenuchidae) Synonym(s): *pamira* Obratzov,1966
 10251) *Amata marella* (Butler,1876) (Ctenuchidae) Synonym(s): *marella* Butler,1876; *ecliptis* Meyrick,1886
 10252) *Amata marina* (Butler,1876) (Ctenuchidae) Synonym(s): *marina* Butler,1876; *negretina* Plötz,1880; *ogovensis* Holland,1893
 10253) *Amata masoni* (Moore,1878) (Ctenuchidae) Synonym(s): *masoni* Moore,1878; *davidi* Poujade,1885
 10254) *Amata megista* (Hampson,1898) (Ctenuchidae) Synonym(s): *megista* Hampson,1898
 10255) *Amata melaena* (Walker,1854) (Ctenuchidae) Synonym(s): *melaena* Walker,1854; *andersoni* Moore,1871
 10256) *Amata melanocera* (Hampson,1903) (Ctenuchidae) Synonym(s): *melanocera* Hampson,1903
 10257) *Amata melanoproctis* (Hampson,1901) (Ctenuchidae) Synonym(s): *melanoproctis* Hampson,1901
 10258) *Amata melitopsila* (Turner,1905) (Ctenuchidae) Synonym(s): *melitopsila* Turner,1905
 10259) *Amata menia* Bytinski-Salz,1939 (Ctenuchidae) Synonym(s): *menia* Bytinski-Salz,1939
 10260) *Amata mestralii* (Bugnion,1837) (Ctenuchidae) Synonym(s): *mestralii* Bugnion,1837
 10261) *Amata mestralii antilibanotica* Obratzov,1966 (Ctenuchidae) Synonym(s): *antilibanotica* Obratzov,1966
 10262) *Amata mestralii mestralii* (Bugnion,1837) (Ctenuchidae) Synonym(s): *mestralii* Bugnion,1837
 10263) *Amata mestralii palaestinae* (Hampson,1898) (Ctenuchidae) Synonym(s): *#palaestinae* Hampson,1898

- 10264) *Amata metaphaea* (Hampson,1898) (Ctenuchidae) Synonym(s): *metaphaea* Hampson,1898
 10265) *Amata midas* (Butler,1876) (Ctenuchidae) Synonym(s): *fenestrata* Walker,1864 nec Dru.,1773; *midas* Butler,1876
 10266) *Amata minor* (W.Warren,1888) (Ctenuchidae) Synonym(s): *minor* W.Warren,1888
 10267) *Amata minutissima* Obratzov,1966 (Ctenuchidae) Synonym(s): *minutissima* Obratzov,1966
 10268) *Amata miozona* (Hampson,1910) (Ctenuchidae) Synonym(s): *miozona* Hampson,1910
 10269) *Amata mjobergi* (Talbot,1926) (Ctenuchidae) Synonym(s): *mjobergi* Talbot,1926
 10270) *Amata monticola* (Aurivillius,1909) (Ctenuchidae) Synonym(s): *monticola* Aurivillius,1909
 10271) *Amata muirheadi* (C.Felder & R.Felder,1862) (Ctenuchidae) Synonym(s): *muirheadi* C.Felder & R.Felder,1862; *aucta* Leech,1898
 10272) *Amata newara* (Moore,1879) (Ctenuchidae) Synonym(s): *newara* Moore,1879
 10273) *Amata nigricilia* (Strand,1912) (Ctenuchidae) Synonym(s): *nigricilia* Strand,1912
 10274) *Amata nigrifrons* Wileman,1914 (Ctenuchidae) Synonym(s): *nigrifrons* Wileman,1914; *deflavata* Gaede,1926
 10275) *Amata nigrobasalis* Rothschild,1910 (Ctenuchidae) Synonym(s): *nigrobasalis* Rothschild,1910
 10276) *Amata ntebi* (Bethune-Baker,1911) (Ctenuchidae) Synonym(s): *ntebi* Bethune-Baker,1911
 10277) *Amata ochreipuncta* (Hampson,1892) (Ctenuchidae) Synonym(s): *ochreipuncta* Hampson,1892
 10278) *Amata ochreopunctata* (Pagenstecher,1900) (Ctenuchidae) Synonym(s): *ochreopunctata* Pagenstecher,1900
 10279) *Amata ochropsila* (Turner,1922) (Ctenuchidae) Synonym(s): *ochropsila* Turner,1922
 10280) *Amata orphana* (Snellen,1904) (Ctenuchidae) Synonym(s): *orphana* Snellen,1904
 10281) *Amata orphnaea* (Turner,1898) (Ctenuchidae) Synonym(s): *orphnaea* Turner,1898
 10282) *Amata owstoni* Rothschild,1910 (Ctenuchidae) Synonym(s): *owstoni* Rothschild,1910
 10283) *Amata pactolina* (Walker,1864) (Ctenuchidae) Synonym(s): *pactolina* Walker,1864; *sphenophora* Turner,1898
 10284) *Amata palanana* (Semper,1898) (Ctenuchidae) Synonym(s): *palanana* Semper,1898
 10285) *Amata paradelpha* (Turner,1905) (Ctenuchidae) Synonym(s): *paradelpha* Turner,1905
 10286) *Amata paraula* (Meyrick,1886) (Ctenuchidae) Synonym(s): *paraula* Meyrick,1886; *macroplaca* Meyrick,1886
 10287) *Amata pasca* (Leech,1889) (Ctenuchidae) Synonym(s): *pasca* Leech,1889
 10288) *Amata passalis* (Fabricius,1781) (Ctenuchidae) Synonym(s): *cerbera* Sulzer,1776 nec Linn.; *passalis* Fabricius,1781; *creusa* Cramer,1782; *latreillei* Boisduval,1829; *montana* Butler,1876
 10289) *Amata pectoralis* (Walker,1854) (Ctenuchidae) Synonym(s): *pectoralis* Walker,1854; *basirufa* Swinhoe,1892
 10290) *Amata pembertonii* Rothschild,1910 (Ctenuchidae) Synonym(s): *pembertonii* Rothschild,1910
 10291) *Amata pentazonata* (Hampson,1898) (Ctenuchidae) Synonym(s): *pentazonata* Hampson,1898
 10292) *Amata perixanthia* (Hampson,1898) (Ctenuchidae) Synonym(s): *perixanthia* Hampson,1898; *sinensis* Rothschild,1910; *interrupta* Wileman,1910; *perixanthoides* Strand,1915
 10293) *Amata persica* (Kollar,[1849]) (Ctenuchidae) Synonym(s): *persica* Kollar,[1849]; *hyrcana* A.Bang-Haas,1912.
 10294) *Amata persimilis* (Leech,1898) (Ctenuchidae) Synonym(s): *persimilis* Leech,1898
 10295) *Amata pfeifferae* (Moore,1859) (Ctenuchidae) Synonym(s): *pfeifferae* Moore,1859; *acuminata* Snellen,1880
 10296) *Amata phaeobasis* (Hampson,1907) (Ctenuchidae) Synonym(s): *phaeobasis* Hampson,1907
 10297) *Amata phaeochyta* (Turner,1907) (Ctenuchidae) Synonym(s): *phaeochyta* Turner,1907
 10298) *Amata phaeozona* (Zerny,1912) (Ctenuchidae) Synonym(s): *phaeozona* Zerny,1912
 10299) *Amata phegea* (Linnaeus,1758) (Ctenuchidae) Synonym(s): *phegea* Linnaeus,1758; *quercus* Fabricius,1793
 10300) *Amata phepsalotis* (Meyrick,1886) (Ctenuchidae) Synonym(s): *phepsalotis* Meyrick,1886; *eschattias* Meyrick,1886
 10301) *Amata philippinensis* (Hampson,1907) (Ctenuchidae) Synonym(s): *philippinensis* Hampson,1907
 10302) *Amata phoenicia* (Hampson,1898) (Ctenuchidae) Synonym(s): *phoenicia* Hampson,1898
 10303) *Amata phoenicozona* (Hampson,1897) (Ctenuchidae) Synonym(s): *phoenicozona* Hampson,1897
 10304) *Amata pleurosticta* (Hampson,1898) (Ctenuchidae) Synonym(s): *pleurosticta* Hampson,1898
 10305) *Amata polidamon* (Cramer,1779) (Ctenuchidae) Synonym(s): *polidamon* Cramer,1779
 10306) *Amata polymita* (Sparrmann,1769) (Ctenuchidae) Synonym(s): *polymita* Sparrmann,1769; *fenestrata* Drury,1773; *thelebus* Fabricius,1787
 10307) *Amata pratti* (Leech,1889) (Ctenuchidae) Synonym(s): *pratti* Leech,1889
 10308) *Amata prepuncta* Holloway,1988 (Ctenuchidae) Synonym(s): *prepuncta* Holloway,1988
 10309) *Amata prosomoa* (Turner,1905) (Ctenuchidae) Synonym(s): *prosomoa* Turner,1905; *#chrysocephala* Seitz,1913; *#aureicauda* Seitz,1913; *#dorsatrum* Seitz,1913
 10310) *Amata pryri* (Hampson,1898) (Ctenuchidae) Synonym(s): *pryeri* Hampson,1898
 10311) *Amata pseudextensa* Rothschild,1910 (Ctenuchidae) Synonym(s): *pseudextensa* Rothschild,1910
 10312) *Amata punctata* (Semper,1898) (Ctenuchidae) Synonym(s): *punctata* Semper,1898
 10313) *Amata pyrocoma* (Meyrick,1886) (Ctenuchidae) Synonym(s): *cingulata* Butler,1876 nec Wb.,1801; *pyrocoma* Meyrick,1886; *synedra* Meyrick,1886; *hesperitis* Meyrick,1886; *mochlotis* Meyrick,1886; *aperta* Turner,1898 nec Wlk.
 10314) *Amata quadrifascia* (Hampson,1892) (Ctenuchidae) Synonym(s): *quadrifascia* Hampson,1892
 10315) *Amata quadripunctata* Rothschild,1910 (Ctenuchidae) Synonym(s): *quadripunctata* Rothschild,1910
 10316) *Amata ragazzii* (Turati,1917) (Ctenuchidae) Synonym(s): *ragazzii* Turati,1917
 10317) *Amata rantaiana* (Sonan,1941) (Ctenuchidae) Synonym(s): *rantaiana* Sonan,1941
 10318) *Amata recedens* (Lucas,1891) (Ctenuchidae) Synonym(s): *recedens* Lucas,1891
 10319) *Amata rendalli* (Distant,1897) (Ctenuchidae) Synonym(s): *rendalli* Distant,1897
 10320) *Amata ribbei* (Röber,1885) (Ctenuchidae) Synonym(s): *ribbei* Röber,1885; *polusca* Druce,1895
 10321) *Amata ribbei ribbei* (Röber,1885) (Ctenuchidae) Synonym(s): *ribbei* Röber,1885; *polusca* Druce,1895
 10322) *Amata rossica* (Turati,1917) (Ctenuchidae) Synonym(s): *#nigricornis* Alpheraky,1883; *nigricornis* Kirby,1892 (*praeocc.*); *rossica* Turati,1917; *tanaica* Obratzov,1941
 10323) *Amata rossica anatolica* (Zerny,[1931]) (Ctenuchidae) Synonym(s): *anatolica* Zerny,[1931]; *bithynica* Schwingenschuss,1940
 10324) *Amata rossica borzhomica* Obratzov,1966 (Ctenuchidae) Synonym(s): *#borzhomica* Obratzov,1966
 10325) *Amata rossica jaica* Obratzov,1941 (Ctenuchidae) Synonym(s): *jaica* Obratzov,1941
 10326) *Amata rossica krymaea* Obratzov,1937 (Ctenuchidae) Synonym(s): *krymaea* Obratzov,1937
 10327) *Amata rossica montana* Obratzov,1937 (Ctenuchidae) Synonym(s): *montana* Obratzov,1937
 10328) *Amata rossica osthelderi* Obratzov,1966 (Ctenuchidae) Synonym(s): *osthelderi* Obratzov,1966
 10329) *Amata rossica rossica* (Turati,1917) (Ctenuchidae) Synonym(s): *#nigricornis* Alpheraky,1883; *nigricornis* Kirby,1892 (*praeocc.*); *rossica* Turati,1917; *tanaica* Obratzov,1941
 10330) *Amata rubritincta* (Hampson,1903) (Ctenuchidae) Synonym(s): *rubritincta* Hampson,1903
 10331) *Amata rubrozonata* (Poujade,1886) (Ctenuchidae) Synonym(s): *rubrozonata* Poujade,1886; *leucoma* Leech,1898
 10332) *Amata rufina* (Oberthür,1878) (Ctenuchidae) Synonym(s): *rufina* Oberthür,1878
 10333) *Amata serrata* (Hampson,1892) (Ctenuchidae) Synonym(s): *serrata* Hampson,1892
 10334) *Amata shirakii* (Sonan,1941) (Ctenuchidae) Synonym(s): *diptera* Wileman,1928 nec Fabr.,1775; *shirakii* Sonan,1941
 10335) *Amata shoa* (Hampson,1898) (Ctenuchidae) Synonym(s): *shoa* Hampson,1898
 10336) *Amata sibilana* (Semper,1898) (Ctenuchidae) Synonym(s): *sibilana* Semper,1898
 10337) *Amata signata* (Walker,1856) (Ctenuchidae) Synonym(s): *signata* Walker,1856
 10338) *Amata simillima* Rothschild,1910 (Ctenuchidae) Synonym(s): *simillima* Rothschild,1910
 10339) *Amata simplex* (Walker,1854) (Ctenuchidae) Synonym(s): *simplex* Walker,1854; *nostalis* Walker,1854; *corvus* Wallengren,1860; *monedula* Wallengren,1860
 10340) *Amata sinana* Bytinski-Salz,1939 (Ctenuchidae) Synonym(s): *sinana* Bytinski-Salz,1939
 10341) *Amata sintenisi* Standfuss,1892 (Ctenuchidae) Synonym(s): *sintenisi* Standfuss,1892
 10342) *Amata sintenisi aurivala* Schawerda,1923 (Ctenuchidae) Synonym(s): *aurivala* Schawerda,1923
 10343) *Amata sintenisi sintenisi* Standfuss,1892 (Ctenuchidae) Synonym(s): *sintenisi* Standfuss,1892
 10344) *Amata sladeni* (Moore,1871) (Ctenuchidae) Synonym(s): *sladeni* Moore,1871
 10345) *Amata snelleni* Rothschild,1910 (Ctenuchidae) Synonym(s): *snelleni* Rothschild,1910
 10346) *Amata sovinskiji* Obratzov,1966 (Ctenuchidae) Synonym(s): *sovinskiji* Obratzov,1966
 10347) *Amata sperbius* (Fabricius,1787) (Ctenuchidae) Synonym(s): *sperbius* Fabricius,1787; *atkinsoni* Moore,1871
 10348) *Amata sperbius gressitti* Bytinski-Salz,1939 (Ctenuchidae) Synonym(s): *gressitti* Bytinski-Salz,1939
 10349) *Amata sperbius septentrionalis* Bytinski-Salz,1939 (Ctenuchidae) Synonym(s): *septentrionalis* Bytinski-Salz,1939

- 10350) *Amata stellaris* (Snellen,1895) (Ctenuchidae) Synonym(s): *stellaris* Snellen,1895
 10351) *Amata stenoptera* (Zerny,1912) (Ctenuchidae) Synonym(s): *attenuata* Rothschild,1910 nec Hmps.,1901; *stenoptera* Zerny,1912
 10352) *Amata stenozona* (Hampson,1898) (Ctenuchidae) Synonym(s): *stenozona* Hampson,1898
 10353) *Amata stictoptera* Rothschild,1910 (Ctenuchidae) Synonym(s): *stictoptera* Rothschild,1910
 10354) *Amata submarginalis* (Walker,1869) (Ctenuchidae) Synonym(s): *submarginalis* Walker,1869
 10355) *Amata sulana* (Lathy,1899) (Ctenuchidae) Synonym(s): *sulana* Lathy,1899
 10356) *Amata susa* Bytinski-Salz,1939 (Ctenuchidae) Synonym(s): *susa* Bytinski-Salz,1939
 10357) *Amata symphona* (Swinhoe,1907) (Ctenuchidae) Synonym(s): *symphona* Swinhoe,1907
 10358) *Amata t-nigra* (Matsumura,1931) (Ctenuchidae) Synonym(s): *t-nigra* Matsumura,1931
 10359) *Amata tanina* (De Freina,1982) (Ctenuchidae) Synonym(s): *tanina* De Freina,1982
 10360) *Amata taurica* (Turati,1917) (Ctenuchidae) Synonym(s): *#taurica* Hampson,1898; *taurica* Turati,1917.
 10361) *Amata teinopera* (Hampson,1898) (Ctenuchidae) Synonym(s): *teinopera* Hampson,1898
 10362) *Amata tenuis* (Walker,1856) (Ctenuchidae) Synonym(s): *tenuis* Walker,1856; *linearis* Walker,1864; *deflocca* Swinhoe,1892
 10363) *Amata tetragonaria* (Walker,1862) (Ctenuchidae) Synonym(s): *tetragonaria* Walker,1862
 10364) *Amata thoracica* (Moore,1877) (Ctenuchidae) Synonym(s): *thoracica* Moore,1877
 10365) *Amata ticaonis* (Hampson,1907) (Ctenuchidae) Synonym(s): *ticaonis* Hampson,1907
 10366) *Amata tinopera* (Hampson,1898) (Ctenuchidae) Synonym(s): *tinopera* Hampson,1898
 10367) *Amata tomasina* (Butler,1876) (Ctenuchidae) Synonym(s): *tomasina* Butler,1876; *thomasina* Zerny,1912
 10368) *Amata transcaspica* Obratzov,1941 (Ctenuchidae) Synonym(s): *transcaspica* Obratzov,1941
 10369) *Amata tricingulata* (Culot,1909) (Ctenuchidae) Synonym(s): *tricingulata* Culot,1909
 10370) *Amata trifascia* (Holloway,1976) (Ctenuchidae) Synonym(s): *trifascia* Holloway,1976
 10371) *Amata trifenestra* (Röber,1891) (Ctenuchidae) Synonym(s): *trifenestra* Röber,1891
 10372) *Amata trigonophora* (Turner,1898) (Ctenuchidae) Synonym(s): *trigonophora* Turner,1898
 10373) *Amata tripunctata* (Bethune-Baker,1911) (Ctenuchidae) Synonym(s): *tripunctata* Bethune-Baker,1911
 10374) *Amata tritonia* (Hampson,1911) (Ctenuchidae) Synonym(s): *tritonia* Hampson,1911
 10375) *Amata turbida* (Turati,1917) (Ctenuchidae) Synonym(s): *turbida* Turati,1917
 10376) *Amata unifascia* (Hampson,1892) (Ctenuchidae) Synonym(s): *unifascia* Hampson,1892
 10377) *Amata vandepolli* Rothschild,1910 (Ctenuchidae) Synonym(s): *vandepolli* Rothschild,1910
 10378) *Amata velatipennis* (Walker,1864) (Ctenuchidae) Synonym(s): *velatipennis* Walker,1864
 10379) *Amata verecunda* (Swinhoe,1902) (Ctenuchidae) Synonym(s): *verecunda* Swinhoe,1902
 10380) *Amata veronica* (Oberthür,1893) (Ctenuchidae) Synonym(s): *veronica* Oberthür,1893
 10381) *Amata vicarians* Holloway,1988 (Ctenuchidae) Synonym(s): *vicarians* Holloway,1988
 10382) *Amata vicarians api* Holloway,1988 (Ctenuchidae) Synonym(s): *api* Holloway,1988
 10383) *Amata vicarians pagon* Holloway,1988 (Ctenuchidae) Synonym(s): *pagon* Holloway,1988
 10384) *Amata vitrea* (Walker,1856) (Ctenuchidae) Synonym(s): *vitrea* Walker,1856; *austeni* Moore,1879; *polyzonata* Hampson,1895
 10385) *Amata waldowi* (Grünberg,1907) (Ctenuchidae) Synonym(s): *waldowi* Grünberg,1907
 10386) *Amata wallacei* (Moore,1879) (Ctenuchidae) Synonym(s): *wallacei* Moore,1879
 10387) *Amata wallacei paucicincta* Holloway,1988 (Ctenuchidae) Synonym(s): *paucicincta* Holloway,1988
 10388) *Amata wilemani* Rothschild,1911 (Ctenuchidae) Synonym(s): *wilemani* Rothschild,1911; *ponkikonis* Strand,1915; *karapinensis* Strand,1915
 10389) *Amata williami* Rothschild,1910 (Ctenuchidae) Synonym(s): *williami* Rothschild,1910
 10390) *Amata wiltshirei* Bytinski-Salz,1939 (Ctenuchidae) Synonym(s): *wiltshirei* Bytinski-Salz,1939
 10391) *Amata wiltshirei kordestana* De Freina & Ten Hagen,2003 (Ctenuchidae) Synonym(s): *kordestana* De Freina & Ten Hagen,2003
 10392) *Amata wiltshirei wiltshirei* Bytinski-Salz,1939 (Ctenuchidae) Synonym(s): *wiltshirei* Bytinski-Salz,1939
 10393) *Amata wimberleyi* (Swinhoe,1889) (Ctenuchidae) Synonym(s): *wimberleyi* Swinhoe,1889
 10394) *Amata wuka* (Pagenstecher,1886) (Ctenuchidae) Synonym(s): *wuka* Pagenstecher,1886; *tiandae* Hampson,1898
 10395) *Amata xanthoma* (Leech,1898) (Ctenuchidae) Synonym(s): *xanthoma* Leech,1898
 10396) *Amata xanthosoma* (Turner,1898) (Ctenuchidae) Synonym(s): *xanthosoma* Turner,1898; *cremnotherma* Lower,1900; *tunneyi* Rothschild,1910
 10397) *Amata xanthura* (Turner,1905) (Ctenuchidae) Synonym(s): *xanthura* Turner,1905
 10398) *Amata yunnanensis* Rothschild,1911 (Ctenuchidae) Synonym(s): *yunnanensis* Rothschild,1911
 10399) *Apisa arabica* Warnecke,1934 (Ctenuchidae) Synonym(s): *arabica* Warnecke,1934; *lippensi* Kiriakoff,1960
 10400) *Apisa canescens* Walker,1855 (Ctenuchidae) Synonym(s): *canescens* Walker,1855; *pallota* Plötz,1880; *cana* Holland,1893; *cinereocostata* Holland,1893; *subcanescens* Rothschild,1910; *#homoerotica* Strand,1917; *#perversa* Strand,1917
 10401) *Apisa canescens microcanescens* Berio,1935 (Ctenuchidae) Synonym(s): *microcanescens* Berio,1935
 10402) *Apisa chrysopyga* (Plötz,1880) (Ctenuchidae) Synonym(s): *chrysopyga* Plötz,1880
 10403) *Apisa cleta* (Plötz,1880) (Ctenuchidae) Synonym(s): *cleta* Plötz,1880
 10404) *Apisa connexa* (Walker,1854) (Ctenuchidae) Synonym(s): *connexa* Walker,1854
 10405) *Apisa crenophylax* (Holland,1893) (Ctenuchidae) Synonym(s): *crenophylax* Holland,1893
 10406) *Apisa grisescens* Dufrane,1945 (Ctenuchidae) Synonym(s): *grisescens* Dufrane,1945
 10407) *Apisa grisescens grisescens* Dufrane,1945 (Ctenuchidae) Synonym(s): *grisescens* Dufrane,1945
 10408) *Apisa grisescens nyasae* Kiriakoff,1957 (Ctenuchidae) Synonym(s): *nyasae* Kiriakoff,1957
 10409) *Apisa kerri* (Holland,1898) (Ctenuchidae) Synonym(s): *kerri* Holland,1898
 10410) *Apisa leucogastra* (Holland,1893) (Ctenuchidae) Synonym(s): *leucogastra* Holland,1893
 10411) *Apisa melaleuca* (Holland,1898) (Ctenuchidae) Synonym(s): *melaleuca* Holland,1898
 10412) *Apisa metarctioides* Hampson,1907 (Ctenuchidae) Synonym(s): *metarctioides* Hampson,1907
 10413) *Apisa monotica* (Holland,1893) (Ctenuchidae) Synonym(s): *monotica* Holland,1893
 10414) *Apisa parachoria* (Holland,1893) (Ctenuchidae) Synonym(s): *parachoria* Holland,1893
 10415) *Apisa perpusilla* (Walker,1856) (Ctenuchidae) Synonym(s): *perpusilla* Walker,1856
 10416) *Apisa quadrimaculata* Zerny,1912 (Ctenuchidae) Synonym(s): *quadrimaculata* Zerny,1912
 10417) *Apisa rendalli* Rothschild,1910 (Ctenuchidae) Synonym(s): *rendalli* Rothschild,1910
 10418) *Apisa sjoestedti* Aurivillius,1904 (Ctenuchidae) Synonym(s): *sjoestedti* Aurivillius,1904
 10419) *Apisa tristigma* (Mabille,1893) (Ctenuchidae) Synonym(s): *tristigma* Mabille,1893
 10420) *Auriculoceryx basalis* (Walker,1864) (Ctenuchidae) Synonym(s): *basalis* Walker,1864; *vandepolli* Rothschild,1910; *klossi* Rothschild,1910
 10421) *Auriculoceryx kannegieteri* (Rothschild,1910) (Ctenuchidae) Synonym(s): *kannegieteri* Rothschild,1910
 10422) *Auriculoceryx pterodactyliformis* (Holloway,1976) (Ctenuchidae) Synonym(s): *pterodactyliformis* Holloway,1976
 10423) *Auriculoceryx transitiva* (Walker,1862) (Ctenuchidae) Synonym(s): *transitiva* Walker,1862; *intermissa* Walker,1862
 10424) *Cacosoma gnatulum* (Boisduval,1847) (Ctenuchidae) Synonym(s): *gnatulum* Boisduval,1847
 10425) *Caeneressa alikangensis* (Strand,1915) (Ctenuchidae) Synonym(s): *alikangensis* Strand,1915; *takamukuana* Matsumura,1927
 10426) *Caeneressa annosa* (Walker,1859) (Ctenuchidae) Synonym(s): *annosa* Walker,1859; *marcescens* R.Felder & Rogenhofer,1874; *lasara* Pagenstecher,1885
 10427) *Caeneressa brithyris* (Druce,1898) (Ctenuchidae) Synonym(s): *brithyris* Druce,1898
 10428) *Caeneressa diaphana* (Kollar,1844) (Ctenuchidae) Synonym(s): *diaphana* Kollar,1844; *vitreata* Herrich-Schäffer,1855; *oenone* Butler,1876; *baiaea* Swinhoe,1891; *horishana* Matsumura,1911; *hoppo* Matsumura,1911
 10429) *Caeneressa everetti* (Rothschild,1910) (Ctenuchidae) Synonym(s): *everetti* Rothschild,1910
 10430) *Caeneressa leucozona* (Hampson,1911) (Ctenuchidae) Synonym(s): *leucozona* Hampson,1911
 10431) *Caeneressa longipennis* (Walker,1862) (Ctenuchidae) Synonym(s): *longipennis* Walker,1862; *leucozonoides* Rothschild,1912
 10432) *Caeneressa lutosa* (Holloway,1976) (Ctenuchidae) Synonym(s): *lutosa* Holloway,1976
 10433) *Caeneressa sexpuncta* (Rothschild,1912) (Ctenuchidae) Synonym(s): *sexpuncta* Rothschild,1912
 10434) *Caeneressa syntomoides* (Rothschild,1912) (Ctenuchidae) Synonym(s): *syntomoides* Rothschild,1912; *hosei* Rothschild,1912
 10435) *Callitomis albertiana* (Obratzov,1966) (Ctenuchidae) Synonym(s): *albertiana* Obratzov,1966
 10436) *Callitomis dimorpha* Bytinski-Salz,1939 (Ctenuchidae) Synonym(s): *dimorpha* Bytinski-Salz,1939; *#nigerrima* Bytinski-Salz,1939
 10437) *Callitomis distorta* Rothschild,1910 (Ctenuchidae) Synonym(s): *distorta* Rothschild,1910
 10438) *Callitomis dohertyi* Hampson,1898 (Ctenuchidae) Synonym(s): *dohertyi* Hampson,1898

- 10439) *Callitomis fruhstorferi* Hampson, 1898 (Ctenuchidae) Synonym(s): *fruhstorferi* Hampson, 1898
 10440) *Callitomis gigas* Rothschild, 1910 (Ctenuchidae) Synonym(s): *gigas* Rothschild, 1910
 10441) *Callitomis leucosoma* Butler, 1876 (Ctenuchidae) Synonym(s): *leucosoma* Butler, 1876
 10442) *Callitomis multifasciata* Hampson, 1892 (Ctenuchidae) Synonym(s): *multifasciata* Hampson, 1892
 10443) *Callitomis syntomoides* Butler, 1876 (Ctenuchidae) Synonym(s): *syntomoides* Butler, 1876
 10444) *Callitomis xanthographa* (Hampson, 1915) (Ctenuchidae) Synonym(s): *xanthographa* Hampson, 1915
 10445) *Ceryx albimacula* (Walker, 1854) (Ctenuchidae) Synonym(s): *albimacula* Walker, 1854; *terminalis* Walker, 1854; *macrospila* Walker, 1864; *constricta* Butler, 1877; *cybelistes* Holland, 1893
 10446) *Ceryx albipuncta* Hampson, 1907 (Ctenuchidae) Synonym(s): *albipuncta* Hampson, 1907
 10447) *Ceryx anthraciformis* (Wallengren, 1860) (Ctenuchidae) Synonym(s): *anthraciformis* Wallengren, 1860
 10448) *Ceryx catena* (Wileman, 1910) (Ctenuchidae) Synonym(s): *catena* Wileman, 1910
 10449) *Ceryx chea* (Druce, 1895) (Ctenuchidae) Synonym(s): *chea* Druce, 1895
 10450) *Ceryx cherra* (Moore, 1879) (Ctenuchidae) Synonym(s): *cherra* Moore, 1879; *quisqualis* Swinhoe, 1894
 10451) *Ceryx claremonti* (Heylaerts, 1890) (Ctenuchidae) Synonym(s): *claremonti* Heylaerts, 1890
 10452) *Ceryx crawshayi* Hampson, 1901 (Ctenuchidae) Synonym(s): *crawshayi* Hampson, 1901
 10453) *Ceryx diptera* (Fabricius, 1775) (Ctenuchidae) Synonym(s): *diptera* Fabricius, 1775; *atereus* Cramer, 1782; *incipiens* Walker, 1864; *brachypecten* Hampson, 1893
 10454) *Ceryx dohertyi* Rothschild, 1910 (Ctenuchidae) Synonym(s): *dohertyi* Rothschild, 1910
 10455) *Ceryx elasson* (Holland, 1893) (Ctenuchidae) Synonym(s): *elasson* Holland, 1893
 10456) *Ceryx ericsoni* Rothschild, 1910 (Ctenuchidae) Synonym(s): *ericsoni* Rothschild, 1910
 10457) *Ceryx finitima* (Wileman, 1910) (Ctenuchidae) Synonym(s): *finitima* Wileman, 1910
 10458) *Ceryx flava* Bethune-Baker, 1911 (Ctenuchidae) Synonym(s): *flava* Bethune-Baker, 1911
 10459) *Ceryx flaviplaga* Hampson, 1898 (Ctenuchidae) Synonym(s): *flaviplaga* Hampson, 1898
 10460) *Ceryx fulvescens* (Walker, 1854) (Ctenuchidae) Synonym(s): *fulvescens* Walker, 1854
 10461) *Ceryx ginorea* (Swinhoe, 1894) (Ctenuchidae) Synonym(s): *ginorea* Swinhoe, 1894
 10462) *Ceryx hageni* (Snellen, 1895) (Ctenuchidae) Synonym(s): *hageni* Snellen, 1895; *flavibasis* Hampson, 1898
 10463) *Ceryx hilda* (Ehrmann, 1894) (Ctenuchidae) Synonym(s): *hilda* Ehrmann, 1894; *seminigra* Holland, 1898
 10464) *Ceryx hyalina* (Moore, 1879) (Ctenuchidae) Synonym(s): *hyalina* Moore, 1879; *volans* Swinhoe, 1890
 10465) *Ceryx laterimacula* Zerny, 1912 (Ctenuchidae) Synonym(s): *pleurosticta* Hampson, 1901 nec Hampson, 1898; *laterimacula* Zerny, 1912
 10466) *Ceryx longipes* (Herrich-Schäffer, 1855) (Ctenuchidae) Synonym(s): *longipes* Herrich-Schäffer, 1855
 10467) *Ceryx macgregori* Schultze, 1908 (Ctenuchidae) Synonym(s): *macgregori* Schultze, 1908
 10468) *Ceryx nacliodes* Hampson, 1914 (Ctenuchidae) Synonym(s): *nacliodes* Hampson, 1914
 10469) *Ceryx resecta* (Herrich-Schäffer, 1855) (Ctenuchidae) Synonym(s): *resecta* Herrich-Schäffer, 1855
 10470) *Ceryx semicincta* (Hampson, 1895) (Ctenuchidae) Synonym(s): *semicincta* Hampson, 1895
 10471) *Ceryx semihyalina* (Kirby, 1896) (Ctenuchidae) Synonym(s): *semihyalina* Kirby, 1896
 10472) *Ceryx toxotes* Hampson, 1898 (Ctenuchidae) Synonym(s): *toxotes* Hampson, 1898
 10473) *Dysauxes afghanica* Daniel, 1965 (Ctenuchidae) Synonym(s): *afghanica* Daniel, 1965
 10474) *Dysauxes ancilla* (Linnaeus, 1767) (Ctenuchidae) Synonym(s): *ancilla* Linnaeus, 1767; *obscura* Fabricius, 1781; *quadriculata* Goeze, 1783; *lomopicta* Fourcroy, 1785; *fuscoptera* Fourcroy, 1785; *tripunctata* Scopoli, 1786; *arcuatella* Schrank, 1802; *horta* Schrank, 1802; *abundans* Dannehl, 1933; *pluripuncta* Naufjock, 1933
 10475) *Dysauxes cambouei* (Oberthür, 1893) (Ctenuchidae) Synonym(s): *cambouei* Oberthür, 1893
 10476) *Dysauxes famula* (Freyer, 1836) (Ctenuchidae) Synonym(s): *famula* Freyer, 1836; *hyalina* Freyer, 1845; *ragusaria* Zickert, 1904; *kaschmirensis* Rothschild, 1910; *semidiaphana* Stauder, 1921; *herthina* Stauder, 1921; *burgeffi* Draudt, 1931; *pseudoservula* Naufjock, 1933; *pontica* Friese, 1959; *sofiata* De Laever, 1983; *lucana* De Laever, 1983
 10477) *Dysauxes florida* De Joannis, 1906 (Ctenuchidae) Synonym(s): *florida* De Joannis, 1906
 10478) *Dysauxes lucia* (Oberthür, 1893) (Ctenuchidae) Synonym(s): *lucia* Oberthür, 1893
 10479) *Dysauxes punctata* (Fabricius, 1781) (Ctenuchidae) Synonym(s): *punctata* Fabricius, 1781; *serva* Hübner, [1803]; *confamula* Hübner, [1803]; *ochrea* Millière, 1876
 10480) *Dysauxes punctata punctata* (Fabricius, 1781) (Ctenuchidae) Synonym(s): *punctata* Fabricius, 1781; *serva* Hübner, [1803]; *confamula* Hübner, [1803]; *ochrea* Millière, 1876
 10481) *Dysauxes punctata servula* (Berce, 1862) (Ctenuchidae) Synonym(s): *servula* Berce, 1862; *separata* A. Bang-Haas, 1906
 10482) *Dysauxes punctata taurica* Draudt, 1933 (Ctenuchidae) Synonym(s): *taurica* Draudt, 1933
 10483) *Dysauxes quinque macula* (Mabille, 1882) (Ctenuchidae) Synonym(s): *quinque macula* Mabille, 1882; *perroti* Oberthür, 1893
 10484) *Dysauxes subfenestrata* Aurivillius, 1899 (Ctenuchidae) Synonym(s): *subfenestrata* Aurivillius, 1899
 10485) *Dysauxes syntomida* (Staudinger, 1892) (Ctenuchidae) Synonym(s): *syntomida* Staudinger, 1892
 10486) *Epitoxis albicincta* Hampson, 1903 (Ctenuchidae) Synonym(s): *albicincta* Hampson, 1903
 10487) *Epitoxis amazoula* (Boisduval, 1847) (Ctenuchidae) Synonym(s): *amazoula* Boisduval, 1847; *amazonula* Zerny, 1912
 10488) *Epitoxis ansorgei* Rothschild, 1910 (Ctenuchidae) Synonym(s): *ansorgei* Rothschild, 1910
 10489) *Epitoxis nigra* Hampson, 1903 (Ctenuchidae) Synonym(s): *nigra* Hampson, 1903
 10490) *Epitoxis procridia* Hampson, 1898 (Ctenuchidae) Synonym(s): *procridia* Hampson, 1898
 10491) *Eressa affinis* Moore, 1877 (Ctenuchidae) Synonym(s): *affinis* Moore, 1877; *politula* Swinhoe, 1892
 10492) *Eressa angustipenna* (T.P. Lucas, 1890) (Ctenuchidae) Synonym(s): *angustipenna* T.P. Lucas, 1890
 10493) *Eressa aperiens* (Walker, 1864) (Ctenuchidae) Synonym(s): *aperiens* Walker, 1864; *moorei* Butler, 1876; *lydia* Swinhoe, 1891; *khasiana* Rothschild, 1910
 10494) *Eressa confinis* (Walker, 1854) (Ctenuchidae) Synonym(s): *confinis* Walker, 1854; *musa* Swinhoe, 1885; *catoria* Swinhoe, 1900; *malaccensis* Rothschild, 1910
 10495) *Eressa confinis confinis* (Walker, 1854) (Ctenuchidae) Synonym(s): *confinis* Walker, 1854; *musa* Swinhoe, 1885; *catoria* Swinhoe, 1900; *malaccensis* Rothschild, 1910
 10496) *Eressa confinis finitima* (Wileman, 1910) (Ctenuchidae) Synonym(s): *finitima* Wileman, 1910; *catena* Wileman, 1910; *guttulata* Strand, 1915; *trifenestrata* Strand, 1915
 10497) *Eressa discinota* (Moore, 1879) (Ctenuchidae) Synonym(s): *discinota* Moore, 1879
 10498) *Eressa dohertyi* Rothschild, 1910 (Ctenuchidae) Synonym(s): *dohertyi* Rothschild, 1910
 10499) *Eressa eressoides* (Hampson, 1892) (Ctenuchidae) Synonym(s): *eressoides* Hampson, 1892
 10500) *Eressa erythrosoma* (Hampson, 1892) (Ctenuchidae) Synonym(s): *erythrosoma* Hampson, 1892
 10501) *Eressa furva* Hampson, 1898 (Ctenuchidae) Synonym(s): *furva* Hampson, 1898
 10502) *Eressa geographica* (Meyrick, 1886) (Ctenuchidae) Synonym(s): *geographica* Meyrick, 1886; *detola* Swinhoe, 1892
 10503) *Eressa ichneumoniformis* Rothschild, 1910 (Ctenuchidae) Synonym(s): *ichneumoniformis* Rothschild, 1910
 10504) *Eressa lepcha* (Moore, 1879) (Ctenuchidae) Synonym(s): *lepcha* Moore, 1879
 10505) *Eressa lutulenta* (Snellen, 1879) (Ctenuchidae) Synonym(s): *lutulenta* Snellen, 1879
 10506) *Eressa megalospilia* Turner, 1922 (Ctenuchidae) Synonym(s): *megalospilia* Turner, 1922
 10507) *Eressa megatorna* Hampson, 1898 (Ctenuchidae) Synonym(s): *megatorna* Hampson, 1898
 10508) *Eressa microchila* (Hampson, 1892) (Ctenuchidae) Synonym(s): *microchila* Hampson, 1892; *plumalis* Hampson, 1896
 10509) *Eressa multigutta* (Walker, 1854) (Ctenuchidae) Synonym(s): *multigutta* Walker, 1854; *blanchardi* Poujade, 1884
 10510) *Eressa naclioides* (C. Felder, 1861) (Ctenuchidae) Synonym(s): *naclioides* C. Felder, 1861
 10511) *Eressa nigra* (Hampson, 1892) (Ctenuchidae) Synonym(s): *nigra* Hampson, 1892
 10512) *Eressa paurospila* Turner, 1922 (Ctenuchidae) Synonym(s): *paurospila* Turner, 1922
 10513) *Eressa quinquecincta* Hampson, 1898 (Ctenuchidae) Synonym(s): *quinquecincta* Hampson, 1898
 10514) *Eressa semifusca* Hampson, 1898 (Ctenuchidae) Synonym(s): *semifusca* Hampson, 1898
 10515) *Eressa siamica* (Walker, 1864) (Ctenuchidae) Synonym(s): *siamica* Walker, 1864
 10516) *Eressa simplex* Rothschild, 1910 (Ctenuchidae) Synonym(s): *simplex* Rothschild, 1910
 10517) *Eressa strepsimeris* (Meyrick, 1886) (Ctenuchidae) Synonym(s): *strepsimeris* Meyrick, 1886; *xanthostacta* Hampson, 1903; *stenothyris* Turner, 1933
 10518) *Eressa subaurata* (Walker, 1854) (Ctenuchidae) Synonym(s): *subaurata* Walker, 1854
 10519) *Eressa vespa* Hampson, 1898 (Ctenuchidae) Synonym(s): *vespa* Hampson, 1898
 10520) *Eressa vespina* Rothschild, 1912 (Ctenuchidae) Synonym(s): *vespina* Rothschild, 1912
 10521) *Eressa vespoides* Rothschild, 1910 (Ctenuchidae) Synonym(s): *vespoides* Rothschild, 1910

- 10522) *Eressa ypleta* (Swinhoe,1892) (Ctenuchidae) Synonym(s): *ypleta* Swinhoe,1892
 10523) *Eressades flavipunctata* Bethune-Baker,1911 (Ctenuchidae) Synonym(s): *flavipunctata* Bethune-Baker,1911
 10524) *Euchromia aemulina* Butler,1877 (Ctenuchidae) Synonym(s): *aemulina* Butler,1877; *minuta* Rothschild,1916
 10525) *Euchromia amboinica* Hampson,1898 (Ctenuchidae) Synonym(s): *amboinica* Hampson,1898
 10526) *Euchromia amoena* (Möschler,1872) (Ctenuchidae) Synonym(s): *amoena* Möschler,1872; *africana* Butler,1876
 10527) *Euchromia auranticincta* Hampson,1898 (Ctenuchidae) Synonym(s): *auranticincta* Hampson,1898
 10528) *Euchromia bourica* (Boisduval,1832) (Ctenuchidae) Synonym(s): *bourica* Boisduval,1832; *coelipennis* Walker,1864; *pagenstecheri* Röber,1887
 10529) *Euchromia brillantina* Rothschild,1911 (Ctenuchidae) Synonym(s): *brillantina* Rothschild,1911
 10530) *Euchromia caelipunctata* Lathy,1899 (Ctenuchidae) Synonym(s): *caelipunctata* Lathy,1899
 10531) *Euchromia cincta* (Montr.,1864) (Ctenuchidae) Synonym(s): *cincta* Montr.,1864
 10532) *Euchromia cincta* (Montrouzier,1864) (Ctenuchidae) Synonym(s): *cincta* Montrouzier,1864
 10533) *Euchromia collaris* Swinhoe,1905 (Ctenuchidae) Synonym(s): *collaris* Swinhoe,1905
 10534) *Euchromia creusa* (Linnaeus,1758) (Ctenuchidae) Synonym(s): *creusa* Linnaeus,1758; *thelebas* Cramer,1777; *irus* Cramer,1782; *ganymede* Doubleday,1846; *superposita* Rothschild,1916
 10535) *Euchromia cyanitis* Meyrick,1889 (Ctenuchidae) Synonym(s): *cyanitis* Meyrick,1889
 10536) *Euchromia dohertyi* Druce,1899 (Ctenuchidae) Synonym(s): *dohertyi* Druce,1899
 10537) *Euchromia dubia* (Röber,1887) (Ctenuchidae) Synonym(s): *dubia* Röber,1887
 10538) *Euchromia ekeikei* Bethune-Baker,1908 (Ctenuchidae) Synonym(s): *ekeikei* Bethune-Baker,1908
 10539) *Euchromia elegantissima* (Wallengren,1861) (Ctenuchidae) Synonym(s): *elegantissima* Wallengren,1861; *fraterna* Butler,1876; *laura* Butler,1876; *orientalis* Butler,1876
 10540) *Euchromia elegantissima elegantissima* (Wallengren,1861) (Ctenuchidae) Synonym(s): *elegantissima* Wallengren,1861; *fraterna* Butler,1876; *laura* Butler,1876; *orientalis* Butler,1876
 10541) *Euchromia elegantissima formosana* Butler,1888 (Ctenuchidae) Synonym(s): *formosana* Butler,1888
 10542) *Euchromia epa* Bethune-Baker,1908 (Ctenuchidae) Synonym(s): *epa* Bethune-Baker,1908
 10543) *Euchromia formosa* (Guérin-Méneville,1829) (Ctenuchidae) Synonym(s): *formosa* Guérin-Méneville,1829; *folletsi* Gray,1833
 10544) *Euchromia fulgens* Lathy,1899 (Ctenuchidae) Synonym(s): *fulgens* Lathy,1899
 10545) *Euchromia gemmata* Butler,1887 (Ctenuchidae) Synonym(s): *gemmata* Butler,1887
 10546) *Euchromia guineensis* (Fabricius,1775) (Ctenuchidae) Synonym(s): *guineensis* Fabricius,1775; *sperchius* Cramer,1777; *interstans* Walker,1854; *leonis* Butler,1876; *bellula* Mabil,1890; *splendens* Butler,1888; *interrupta* Grünberg,1910
 10547) *Euchromia horsfieldi* (Moore,1859) (Ctenuchidae) Synonym(s): *horsfieldi* Moore,1859
 10548) *Euchromia irius* (Boisduval,1832) (Ctenuchidae) Synonym(s): *irius* Boisduval,1832; *boisduvali* Montr.,1864; *aruica* Walker,1864
 10549) *Euchromia isis* (Boisduval,1832) (Ctenuchidae) Synonym(s): *isis* Boisduval,1832
 10550) *Euchromia jacksoni* Bethune-Baker,1911 (Ctenuchidae) Synonym(s): *jacksoni* Bethune-Baker,1911
 10551) *Euchromia lethe* (Fabricius,1775) (Ctenuchidae) Synonym(s): *lethe* Fabricius,1775; *eumolpus* Cramer,1779; *fulvida* Butler,1888
 10552) *Euchromia lurlina* Butler,1888 (Ctenuchidae) Synonym(s): *lurlina* Butler,1888
 10553) *Euchromia madagascariensis* (Boisduval,1833) (Ctenuchidae) Synonym(s): *madagascariensis* Boisduval,1833
 10554) *Euchromia magna* (Swinhoe,1891) (Ctenuchidae) Synonym(s): *magna* Swinhoe,1891
 10555) *Euchromia mathewi* Butler,1888 (Ctenuchidae) Synonym(s): *mathewi* Butler,1888
 10556) *Euchromia neglecta* Rothschild,1911 (Ctenuchidae) Synonym(s): *neglecta* Rothschild,1911; *occidentalis* Rothschild,1911
 10557) *Euchromia oenone* Butler,1876 (Ctenuchidae) Synonym(s): *oenone* Butler,1876
 10558) *Euchromia paula* (Röber,1887) (Ctenuchidae) Synonym(s): *paula* Röber,1887
 10559) *Euchromia pelewana* Swinhoe,1906 (Ctenuchidae) Synonym(s): *pelewana* Swinhoe,1906
 10560) *Euchromia plagosa* Swinhoe,1905 (Ctenuchidae) Synonym(s): *plagosa* Swinhoe,1905
 10561) *Euchromia polymena* (Linnaeus,1758) (Ctenuchidae) Synonym(s): *polymena* Linnaeus,1758; *celebensis* Butler,1876; *siamensis* Butler,1876; *butleri* Röber,1887; *diffusihelvola* Schultze,1908; *#hainana* Seitz,1913; *#egestosa* Seitz,1913.
 10562) *Euchromia pratti* Bethune-Baker,1908 (Ctenuchidae) Synonym(s): *pratti* Bethune-Baker,1908
 10563) *Euchromia rubricollis* (Walker,1864) (Ctenuchidae) Synonym(s): *rubricollis* Walker,1864
 10564) *Euchromia salomonis* Swinhoe,1905 (Ctenuchidae) Synonym(s): *salomonis* Swinhoe,1905
 10565) *Euchromia shortlandica* Swinhoe,1905 (Ctenuchidae) Synonym(s): *shortlandica* Swinhoe,1905
 10566) *Euchromia vitiensis* Hampson,1903 (Ctenuchidae) Synonym(s): *vitiensis* Hampson,1903
 10567) *Euchromia wahnesi* Rothschild,1911 (Ctenuchidae) Synonym(s): *wahnesi* Rothschild,1911
 10568) *Euchromia walkeri* Hampson,1898 (Ctenuchidae) Synonym(s): *walkeri* Hampson,1898
 10569) *Eutomis minceus* (Stoll,1781) (Ctenuchidae) Synonym(s): *minceus* Stoll,1781
 10570) *Hyalaeatha alberti* Rothschild,1910 (Ctenuchidae) Synonym(s): *alberti* Rothschild,1910
 10571) *Hyalaeatha bivitreata* Hampson,1909 (Ctenuchidae) Synonym(s): *bivitreata* Hampson,1909
 10572) *Hyalaeatha decipiens* Rothschild,1910 (Ctenuchidae) Synonym(s): *decipiens* Rothschild,1910
 10573) *Hyalaeatha dohertyi* Rothschild,1910 (Ctenuchidae) Synonym(s): *dohertyi* Rothschild,1910
 10574) *Hyalaeatha kuehni* Rothschild,1910 (Ctenuchidae) Synonym(s): *kuehni* Rothschild,1910
 10575) *Hyalaeatha meeki* Rothschild,1910 (Ctenuchidae) Synonym(s): *meeki* Rothschild,1910
 10576) *Hyalaeatha metaphaea* Druce,1898 (Ctenuchidae) Synonym(s): *metaphaea* Druce,1898; *georgiensis* Rothschild,1910
 10577) *Hyalaeatha sublutea* Bethune-Baker,1908 (Ctenuchidae) Synonym(s): *sublutea* Bethune-Baker,1908
 10578) *Hyalaeatha woodfordi* Butler,1887 (Ctenuchidae) Synonym(s): *woodfordi* Butler,1887
 10579) *Meganaclia carnea* Hampson,1898 (Ctenuchidae) Synonym(s): *carnea* Hampson,1898
 10580) *Meganaclia sippia* (Plötz,1880) (Ctenuchidae) Synonym(s): *sippia* Plötz,1880
 10581) *Micronaclia bicolor* Rothschild,1911 (Ctenuchidae) Synonym(s): *bicolor* Rothschild,1911
 10582) *Micronaclia leopardina* Rothschild,1911 (Ctenuchidae) Synonym(s): *leopardina* Rothschild,1911
 10583) *Micronaclia muscella* (Mabil,1884) (Ctenuchidae) Synonym(s): *muscella* Mabil,1884; *flavia* Oberthür,1893
 10584) *Micronaclia oberthueri* Rothschild,1911 (Ctenuchidae) Synonym(s): *oberthueri* Rothschild,1911
 10585) *Micronaclia simplex* (Butler,1879) (Ctenuchidae) Synonym(s): *simplex* Butler,1879
 10586) *Micronaclia tenera* (Mabil,1878) (Ctenuchidae) Synonym(s): *tenera* Mabil,1878
 10587) *Neeressa sagada* (Semper,1898) (Ctenuchidae) Synonym(s): *sagada* Semper,1898
 10588) *Neeressa whiteheadi* Rothschild,1910 (Ctenuchidae) Synonym(s): *whiteheadi* Rothschild,1910
 10589) *Paralaethia subformicina* (Bethune-Baker,1904) (Ctenuchidae) Synonym(s): *subformicina* Bethune-Baker,1904
 10590) *Pseudoceryx dohertyi* Rothschild,1910 (Ctenuchidae) Synonym(s): *dohertyi* Rothschild,1910
 10591) *Pseudonaclia bifasciata* Aurivillius,1909 (Ctenuchidae) Synonym(s): *bifasciata* Aurivillius,1909
 10592) *Pseudonaclia puella* (Boisduval,1847) (Ctenuchidae) Synonym(s): *puella* Boisduval,1847; *minor* Rothschild,1910
 10593) *Psichotee duvauceli* Boisduval,1829 (Ctenuchidae) Synonym(s): *duvauceli* Boisduval,1829
 10594) *Psichotee gnatula* (Boisduval,1847) (Ctenuchidae) Synonym(s): *gnatula* Boisduval,1847; *naclioides* R.Felder & Rogenhofer,1869
 10595) *Stictonaclia amplificata* (Saalmüller,1880) (Ctenuchidae) Synonym(s): *amplificata* Saalmüller,1880
 10596) *Stictonaclia anastasia* (Oberthür,1893) (Ctenuchidae) Synonym(s): *anastasia* Oberthür,1893
 10597) *Stictonaclia maria* (Oberthür,1909) (Ctenuchidae) Synonym(s): *maria* Oberthür,1909
 10598) *Stictonaclia maretta* (Oberthür,1909) (Ctenuchidae) Synonym(s): *maretta* Oberthür,1909
 10599) *Stictonaclia myodes* (Guérin-Méneville,1829) (Ctenuchidae) Synonym(s): *myodes* Guérin-Méneville,1829; *zygaenoides* Mabil,1884; *agnes* Oberthür,1893
 10600) *Stictonaclia reducta* (Mabil,1878) (Ctenuchidae) Synonym(s): *reducta* Mabil,1878; *anapera* Mabil,1878
 10601) *Streptophlebia obliquistria* Hampson,1898 (Ctenuchidae) Synonym(s): *obliquistria* Hampson,1898
 10602) *Symphleobomis antipolo* (Semper,1898) (Ctenuchidae) Synonym(s): *antipolo* Semper,1898
 10603) *Syntomoides imaoon* (Cramer,1780) (Ctenuchidae) Synonym(s): *imaon* Cramer,1780; *godarti* Boisduval,1829; *fusiformis* Walker,1856; *approximata* Walker,1864; *libera* Walker,1864; *fytchei* Moore,1871; *cupreipennis* Butler,1876; *artina* Butler,1876; *sargania* Butler,1879; *mota* Swinhoe,1891
 10604) *Thylacoptera albipuncta* Hampson,1898 (Ctenuchidae) Synonym(s): *albipuncta* Hampson,1898
 10605) *Thyrogonia efulensis* (Holland,1893) (Ctenuchidae) Synonym(s): *efulensis* Holland,1893
 10606) *Thyrostickia agatha* (Oberthür,1893) (Ctenuchidae) Synonym(s): *agatha* Oberthür,1893

- 10607) *Thyrosticta butleri* (Mabille,1884) (Ctenuchidae) Synonym(s): *butleri* Mabille,1884; *distincta* Saalmüller,1884; *extensa* Saalmüller,1884; *expallescens* Saalmüller,1884
- 10608) *Thyrosticta contigua* (Saalmüller,1884) (Ctenuchidae) Synonym(s): *contigua* Saalmüller,1884
- 10609) *Thyrosticta luctuosa* (Oberthür,1911) (Ctenuchidae) Synonym(s): *luctuosa* Oberthür,1911
- 10610) *Thyrosticta minuta* (Boisduval,1833) (Ctenuchidae) Synonym(s): *minuta* Boisduval,1833
- 10611) *Thyrosticta moerens* (Oberthür,1911) (Ctenuchidae) Synonym(s): *moerens* Oberthür,1911; *sylvicolens* Butler,1878; *perpetua* Oberthür,1893; *confluens* Oberthür,1893; *quadrimacula* Oberthür,1893 (*hom.*); *#holoxantha* Zerny,1912
- 10612) *Thyrosticta tollini* (Keferstein,1870) (Ctenuchidae) Synonym(s): *tollini* Keferstein,1870; *lugens* Oberthür,1893
- 10613) *Thyrosticta trimacula* (Mabille,1878) (Ctenuchidae) Synonym(s): *trimacula* Mabille,1878
- 10614) *Trichaeta albifrontalis* (Pagenstecher,1885) (Ctenuchidae) Synonym(s): *albifrontalis* Pagenstecher,1885
- 10615) *Trichaeta bivittata* (Walker,1864) (Ctenuchidae) Synonym(s): *bivittata* Walker,1864
- 10616) *Trichaeta fulvescens* (Walker,1854) (Ctenuchidae) Synonym(s): *fulvescens* Walker,1854; *thyretiformis* Wallengren,1860; *molanna* Wallengren,1876
- 10617) *Trichaeta parva* Aurivillius,1910 (Ctenuchidae) Synonym(s): *parva* Aurivillius,1910
- 10618) *Trichaeta pterophorina* (Mabille,1892) (Ctenuchidae) Synonym(s): *pterophorina* Mabille,1892
- 10619) *Trichaeta schultzei* Aurivillius,1905 (Ctenuchidae) Synonym(s): *schultzei* Aurivillius,1905
- 10620) *Trichaeta teneiformis* (Walker,1856) (Ctenuchidae) Synonym(s): *teneiformis* Walker,1856
- 10621) *Trichaeta tigrina* (Walker,1864) (Ctenuchidae) Synonym(s): *tigrina* Walker,1864
- 10622) *Trichaetoides albiplaga* (Walker,1862) (Ctenuchidae) Synonym(s): *albiplaga* Walker,1862; *albosignata* Walker,1864
- 10623) *Trichaetoides apicalis* (Walker,1856) (Ctenuchidae) Synonym(s): *apicalis* Walker,1856; *flaviplaga* Walker,1862; *biplagata* Snellen,1880;
- 10624) *Trichaetoides borealis* (Rothschild,1912) (Ctenuchidae) Synonym(s): *borealis* Rothschild,1912
- 10625) *Trichaetoides chloroleuca* (Walker,1859) (Ctenuchidae) Synonym(s): *chloroleuca* Walker,1859; *detracta* Walker,1862; *basifera* Walker,1862; *trizonata* Hampson,1898; *monoleuca* Hampson,1903; *dohertyi* Rothschild,1910; *biplagiata* Rothschild,1912
- 10626) *Trichaetoides divisura* (Walker,1862) (Ctenuchidae) Synonym(s): *divisura* Walker,1862
- 10627) *Trichaetoides hosei* (Rothschild,1910) (Ctenuchidae) Synonym(s): *hosei* Rothschild,1910
- 10628) *Trichaetoides proleuca* (Hampson,1903) (Ctenuchidae) Synonym(s): *proleuca* Hampson,1903
- 10629) *Trichaetoides separabilis* (Walker,1862) (Ctenuchidae) Synonym(s): *separabilis* Walker,1862; *quadriplagata* Snellen,1885
- 10630) *Trichaetoides vigorsi* (Moore,1859) (Ctenuchidae) Synonym(s): *vigorsi* Moore,1859
- 10631) *Tritonaclia erubescens* Hampson,1901 (Ctenuchidae) Synonym(s): *erubescens* Hampson,1901
- 10632) *Tritonaclia kefersteini* (Butler,1882) (Ctenuchidae) Synonym(s): *kefersteini* Butler,1882
- 10633) *Cyclidia dictyaria* (Swinhoe,1899) (Cyclidiidae) Synonym(s): *dictyaria* Swinhoe,1899
- 10634) *Cyclidia javana* Aurivillius,1894 (Cyclidiidae) Synonym(s): *javana* Aurivillius,1894
- 10635) *Cyclidia orciferaria* Walker,1860 (Cyclidiidae) Synonym(s): *orciferaria* Walker,1860
- 10636) *Cyclidia pitmani* (Moore,1886) (Cyclidiidae) Synonym(s): *pitmani* Moore,1886
- 10637) *Cyclidia rectifasciata* Walker,1862 (Cyclidiidae) Synonym(s): *rectifasciata* Walker,1862
- 10638) *Cyclidia rectifasciata malaisei* Bryk,1943 (Cyclidiidae) Synonym(s): *malaisei* Bryk,1943
- 10639) *Cyclidia substigmatica* (Hübner,1825) (Cyclidiidae) Synonym(s): *substigmatica* Hübner,1825; *capitata* Walker,1862
- 10640) *Cyclidia substigmatica intermedia* Prout,1918 (Cyclidiidae) Synonym(s): *intermedia* Prout,1918
- 10641) *Cyclidia substigmatica modesta* Bryk,1943 (Cyclidiidae) Synonym(s): *modesta* Bryk,1943
- 10642) *Cyclidia substigmatica nigrilabata* W.Warren,1914 (Cyclidiidae) Synonym(s): *nigrilabata* W.Warren,1914
- 10643) *Cyclidia substigmatica substigmatica* (Hübner,1825) (Cyclidiidae) Synonym(s): *substigmatica* Hübner,1825; *capitata* Walker,1862
- 10644) *Cyclidia substigmatica superstigmatica* Prout,1918 (Cyclidiidae) Synonym(s): *superstigmatica* Prout,1918
- 10645) *Cyclotorna diplocentra* Turner,1913 (Cyclotornidae) Synonym(s): *diplocentra* Turner,1913
- 10646) *Cyclotorna egena* Meyrick,1912 (Cyclotornidae) Synonym(s): *egenae* Meyrick,1912
- 10647) *Cyclotorna ementita* Meyrick,1921 (Cyclotornidae) Synonym(s): *ementita* Meyrick,1921
- 10648) *Cyclotorna experta* Meyrick,1912 (Cyclotornidae) Synonym(s): *experta* Meyrick,1912
- 10649) *Cyclotorna monocentra* Meyrick,1907 (Cyclotornidae) Synonym(s): *monocentra* Meyrick,1907
- 10650) *Amauris (Amaura) albimaculata* Butler,1875 (Danaidae) Synonym(s): *albimaculata* Butler,1875
- 10651) *Amauris (Amaura) albimaculata albimaculata* Butler,1875 (Danaidae) Synonym(s): *albimaculata* Butler,1875
- 10652) *Amauris (Amaura) albimaculata chirindana* Talbot,1941 (Danaidae) Synonym(s): *chirindana* Talbot,1941
- 10653) *Amauris (Amaura) albimaculata hanningtoni* Butler,1888 (Danaidae) Synonym(s): *hanningtoni* Butler,1888; *virginalis* Köhler,1923
- 10654) *Amauris (Amaura) albimaculata intermedians* Hulstaert,1926 (Danaidae) Synonym(s): *intermedians* Hulstaert,1926
- 10655) *Amauris (Amaura) albimaculata interposita* Talbot,1940 (Danaidae) Synonym(s): *interposita* Talbot,1940
- 10656) *Amauris (Amaura) albimaculata latifascia* Talbot,1940 (Danaidae) Synonym(s): *latifascia* Talbot,1940
- 10657) *Amauris (Amaura) albimaculata magnimacula* Rebel,1914 (Danaidae) Synonym(s): *magnimacula* Rebel,1914; *similis* Joicey & Talbot,1921; *impar* Aurivillius,1922; *#semifascia* Talbot,1941
- 10658) *Amauris (Amaura) albimaculata sudanica* Talbot,1940 (Danaidae) Synonym(s): *sudanica* Talbot,1940
- 10659) *Amauris (Amaura) comorana* Oberthür,1897 (Danaidae) Synonym(s): *comorana* Oberthür,1897
- 10660) *Amauris (Amaura) comorana comorana* Oberthür,1897 (Danaidae) Synonym(s): *comorana* Oberthür,1897
- 10661) *Amauris (Amaura) crawshayi* Butler,1897 (Danaidae) Synonym(s): *crawshayi* Butler,1897; *alba* Neustetter,1916
- 10662) *Amauris (Amaura) crawshayi angola* Bethune-Baker,1914 (Danaidae) Synonym(s): *angola* Bethune-Baker,1914
- 10663) *Amauris (Amaura) crawshayi camerunica* Joicey & Talbot,1925 (Danaidae) Synonym(s): *camerunica* Joicey & Talbot,1925
- 10664) *Amauris (Amaura) crawshayi crawshayi* Butler,1897 (Danaidae) Synonym(s): *crawshayi* Butler,1897; *alba* Neustetter,1916
- 10665) *Amauris (Amaura) crawshayi oscarus* Thurnau,1904 (Danaidae) Synonym(s): *oscarus* Thurnau,1904; *prominens* Grünberg,1908; *reducta* Aurivillius,1922
- 10666) *Amauris (Amaura) crawshayi simulator* Talbot,1926 (Danaidae) Synonym(s): *simulator* Talbot,1926
- 10667) *Amauris (Amaura) damocles* (Fabricius,1793) (Danaidae) Synonym(s): *egialea* Cramer,1777; *nec Cr.*,1777; *damocles* Fabricius,1793; *punctata* Dufrane,1948
- 10668) *Amauris (Amaura) damocles damocles* (Fabricius,1793) (Danaidae) Synonym(s): *egialea* Cramer,1777; *nec Cr.*,1777; *damocles* Fabricius,1793; *punctata* Dufrane,1948
- 10669) *Amauris (Amaura) damocles hyalites* Butler,1847 (Danaidae) Synonym(s): *hyalites* Butler,1847; *difficilis* Aurivillius,1907; *schubotzi* Schultze,1914; *hygia* Hulstaert,1924
- 10670) *Amauris (Amaura) damocles makuyensis* Carcasson,1964 (Danaidae) Synonym(s): *makuyensis* Carcasson,1964
- 10671) *Amauris (Amaura) dannfelti* Aurivillius,1891 (Danaidae) Synonym(s): *dannfelti* Aurivillius,1891
- 10672) *Amauris (Amaura) dannfelti dannfelti* Aurivillius,1891 (Danaidae) Synonym(s): *dannfelti* Aurivillius,1891
- 10673) *Amauris (Amaura) dannfelti restricta* Talbot,1940 (Danaidae) Synonym(s): *restricta* Talbot,1940
- 10674) *Amauris (Amaura) echeria* (Stoll,1790) (Danaidae) Synonym(s): *echeria* Stoll,1790; *vaillantiana* Godart,1819; *vaal* Talbot,1940
- 10675) *Amauris (Amaura) echeria abessinica* Schmidt,1921 (Danaidae) Synonym(s): *abessinica* Schmidt,1921
- 10676) *Amauris (Amaura) echeria chyuluensis* Van Someren,1939 (Danaidae) Synonym(s): *chyuluensis* Van Someren,1939
- 10677) *Amauris (Amaura) echeria contracta* Talbot,1940 (Danaidae) Synonym(s): *contracta* Talbot,1940
- 10678) *Amauris (Amaura) echeria echeria* (Stoll,1790) (Danaidae) Synonym(s): *echeria* Stoll,1790; *vaillantiana* Godart,1819; *vaal* Talbot,1940
- 10679) *Amauris (Amaura) echeria fernandina* Schultze,1914 (Danaidae) Synonym(s): *fernandina* Schultze,1914
- 10680) *Amauris (Amaura) echeria jacksoni* Sharpe,1892 (Danaidae) Synonym(s): *jacksoni* Sharpe,1892; *#huxuriosa* Talbot,1940
- 10681) *Amauris (Amaura) echeria katangae* Neave,1910 (Danaidae) Synonym(s): *katangae* Neave,1910
- 10682) *Amauris (Amaura) echeria kikuyu* Talbot,1940 (Danaidae) Synonym(s): *kikuyu* Talbot,1940
- 10683) *Amauris (Amaura) echeria lobengula* (Sharpe,1890) (Danaidae) Synonym(s): *lobengula* Sharpe,1890
- 10684) *Amauris (Amaura) echeria meruensis* Talbot,1940 (Danaidae) Synonym(s): *meruensis* Talbot,1940
- 10685) *Amauris (Amaura) echeria mongallensis* Carpenter,1928 (Danaidae) Synonym(s): *mongallensis* Carpenter,1928; *imatongensis* Talbot,1941
- 10686) *Amauris (Amaura) echeria mpala* Talbot,1940 (Danaidae) Synonym(s): *echeria mpala* Talbot,1940
- 10687) *Amauris (Amaura) echeria occidentalis* Schmidt,1921 (Danaidae) Synonym(s): *occidentalis* Schmidt,1921
- 10688) *Amauris (Amaura) echeria septentrionis* Poulton,1924 (Danaidae) Synonym(s): *septentrionis* Poulton,1924
- 10689) *Amauris (Amaura) echeria serica* Talbot,1940 (Danaidae) Synonym(s): *serica* Talbot,1940
- 10690) *Amauris (Amaura) echeria steckeri* Kheil,1890 (Danaidae) Synonym(s): *steckeri* Kheil,1890
- 10691) *Amauris (Amaura) echeria terrena* Talbot,1940 (Danaidae) Synonym(s): *terrena* Talbot,1940

- 10692) *Amauris (Amaura) echeria whytei* Butler, 1894 (Danaiidae) Synonym(s): *echeria whytei* Butler, 1894
- 10693) *Amauris (Amaura) ellioti* Butler, 1895 (Danaiidae) Synonym(s): *ellioti* Butler, 1895
- 10694) *Amauris (Amaura) ellioti altumi* Van Someren, 1926 (Danaiidae) Synonym(s): *altumi* Van Someren, 1926
- 10695) *Amauris (Amaura) ellioti ansorgei* Sharpe, 1896 (Danaiidae) Synonym(s): *ansorgei* Sharpe, 1896
- 10696) *Amauris (Amaura) ellioti ellioti* Butler, 1895 (Danaiidae) Synonym(s): *ellioti* Butler, 1895
- 10697) *Amauris (Amaura) ellioti junia* (Le Cerf, 1920) (Danaiidae) Synonym(s): *junia* Le Cerf, 1920; *neavei* Poulton, 1929
- 10698) *Amauris (Amaura) hecate* (Butler, 1866) (Danaiidae) Synonym(s): *hecate* Butler, 1866; *dira* Neave, 1904; *#reducta* Bartel, 1905
- 10699) *Amauris (Amaura) hecate hecate* (Butler, 1866) (Danaiidae) Synonym(s): *hecate* Butler, 1866; *dira* Neave, 1904; *#reducta* Bartel, 1905
- 10700) *Amauris (Amaura) hecate stictica* Rothschild & Jordan, 1903 (Danaiidae) Synonym(s): *stictica* Rothschild & Jordan, 1903
- 10701) *Amauris (Amaura) inferna* Butler, 1871 (Danaiidae) Synonym(s): *inferna* Butler, 1871; *semivitreata* Mabille, 1876; *hecatoides* Aurivillius, 1901
- 10702) *Amauris (Amaura) inferna discus* Talbot, 1940 (Danaiidae) Synonym(s): *discus* Talbot, 1940
- 10703) *Amauris (Amaura) inferna grogani* Sharpe, 1901 (Danaiidae) Synonym(s): *grogani* Sharpe, 1901
- 10704) *Amauris (Amaura) inferna inferna* Butler, 1871 (Danaiidae) Synonym(s): *inferna* Butler, 1871; *semivitreata* Mabille, 1876; *hecatoides* Aurivillius, 1901
- 10705) *Amauris (Amaura) inferna moka* Talbot, 1940 (Danaiidae) Synonym(s): *moka* Talbot, 1940
- 10706) *Amauris (Amaura) inferna uganda* Talbot, 1940 (Danaiidae) Synonym(s): *uganda* Talbot, 1940; *#aurivilliana* Bryk, 1937
- 10707) *Amauris (Amaura) nossima* (Ward, 1870) (Danaiidae) Synonym(s): *nossima* Ward, 1870; *interrupta* Boulet, 1912; *conjuncta* Boulet, 1913; *defasciata* Röber, 1937; *#disjuncta* Talbot, 1940; *#antsingyi* Paulian, 1956
- 10708) *Amauris (Amaura) nossima nossima* (Ward, 1870) (Danaiidae) Synonym(s): *nossima* Ward, 1870; *interrupta* Boulet, 1912; *conjuncta* Boulet, 1913; *defasciata* Röber, 1937; *#disjuncta* Talbot, 1940; *#antsingyi* Paulian, 1956
- 10709) *Amauris (Amaura) ochlea* (Boisduval, 1847) (Danaiidae) Synonym(s): *ochlea* Boisduval, 1847
- 10710) *Amauris (Amaura) ochlea affinis* Aurivillius, 1911 (Danaiidae) Synonym(s): *comorana* Aurivillius, 1909 *nec* Obth., 1897; *affinis* Aurivillius, 1911; *#valens* Talbot, 1940; *#spatiosa* Talbot, 1940.
- 10711) *Amauris (Amaura) ochlea bumilleri* Lanz, 1896 (Danaiidae) Synonym(s): *bumilleri* Lanz, 1896
- 10712) *Amauris (Amaura) ochlea darius* Rothschild & Jordan, 1903 (Danaiidae) Synonym(s): *darius* Rothschild & Jordan, 1903
- 10713) *Amauris (Amaura) ochlea ochlea* (Boisduval, 1847) (Danaiidae) Synonym(s): *ochlea* Boisduval, 1847
- 10714) *Amauris (Amaura) ochlea ochleides* Staudinger, 1896 (Danaiidae) Synonym(s): *ochleides* Staudinger, 1896
- 10715) *Amauris (Amaura) phoedon* (Fabricius, 1798) (Danaiidae) Synonym(s): *phoedon* Fabricius, 1798; *phaedone* Godart, [1819]; *phaedon* Doubleday, [1847]
- 10716) *Amauris (Amaura) phoedon phoedon* (Fabricius, 1798) (Danaiidae) Synonym(s): *phoedon* Fabricius, 1798; *phaedone* Godart, [1819]; *phaedon* Doubleday, [1847]
- 10717) *Amauris (Amaura) vashiti* (Butler, 1869) (Danaiidae) Synonym(s): *vashiti* Butler, 1869; *#unipuncta* Dufrane, 1948
- 10718) *Amauris (Amaura) vashiti vashiti* (Butler, 1869) (Danaiidae) Synonym(s): *vashiti* Butler, 1869; *#unipuncta* Dufrane, 1948
- 10719) *Amauris (Amauris) niavius* (Linnaeus, 1758) (Danaiidae) Synonym(s): *niavius* Linnaeus, 1758
- 10720) *Amauris (Amauris) niavius aethiops* Rothschild & Jordan, 1903 (Danaiidae) Synonym(s): *aethiops* Rothschild & Jordan, 1903; *#partita* Talbot, 1941
- 10721) *Amauris (Amauris) niavius dominicanus* Trimen, 1879 (Danaiidae) Synonym(s): *dominicanus* Trimen, 1879
- 10722) *Amauris (Amauris) niavius niavius* (Linnaeus, 1758) (Danaiidae) Synonym(s): *niavius* Linnaeus, 1758; *#obliterata* Dufrane, 1948
- 10723) *Amauris (Amauris) tartarea* Mabille, 1876 (Danaiidae) Synonym(s): *tartarea* Mabille, 1876; *psytalea* Plötz, 1880; *gabunica* Aurivillius, 1881; *bulbifera* Grose-Smith, 1887; *albidior* Staudinger, 1896; *mozarti* Suffert, 1904; *reata* Suffert, 1904; *#intermedia* Grünberg, 1911; *vansomeri* Bryk, 1937; *lagai* Dufrane, 1948; *#palisotea* Stoneham, 1958; *#steropes* Stoneham, 1958
- 10724) *Amauris (Amauris) tartarea damocles* Staudinger, 1896 (Danaiidae) Synonym(s): *damocles* Staudinger, 1896; *lecerfi* Boulet, 1913; *#amplificata* Joicey & Talbot, 1925
- 10725) *Amauris (Amauris) tartarea tartarea* Mabille, 1876 (Danaiidae) Synonym(s): *tartarea* Mabille, 1876; *psytalea* Plötz, 1880; *gabunica* Aurivillius, 1881; *bulbifera* Grose-Smith, 1887; *albidior* Staudinger, 1896; *mozarti* Suffert, 1904; *reata* Suffert, 1904; *#intermedia* Grünberg, 1911; *vansomeri* Bryk, 1937; *lagai* Dufrane, 1948; *#palisotea* Stoneham, 1958; *#steropes* Stoneham, 1958
- 10726) *Amauris (Amauris) tartarea tukuyuensis* Kielland, 1990 (Danaiidae) Synonym(s): *tukuyuensis* Kielland, 1990
- 10727) *Danaus (Anosia) chrysippus* (Linnaeus, 1758) (Danaiidae) Synonym(s): *chrysippus* Linnaeus, 1758; *aegyptius* Schreber, 1759
- 10728) *Danaus (Anosia) chrysippus alcippus* (Cramer, 1777) (Danaiidae) Synonym(s): *alcippus* Cramer, 1777
- 10729) *Danaus (Anosia) chrysippus chrysippus* (Linnaeus, 1758) (Danaiidae) Synonym(s): *chrysippus* Linnaeus, 1758; *aegyptius* Schreber, 1759
- 10730) *Danaus (Anosia) chrysippus gelderi* Snellen, 1891 (Danaiidae) Synonym(s): *gelderi* Snellen, 1891
- 10731) *Danaus (Anosia) chrysippus orientis* (Aurivillius, 1909) (Danaiidae) Synonym(s): *orientis* Aurivillius, 1909; *liboria* Hulstaert, 1931
- 10732) *Danaus (Anosia) dorippus* (Klug, 1845) (Danaiidae) Synonym(s): *dorippus* Klug, 1845
- 10733) *Danaus (Anosia) dorippus ? cratippus* C.Felder, 1860 (Danaiidae) Synonym(s): *cratippus* C.Felder, 1860
- 10734) *Danaus (Anosia) dorippus batavianus* Moore, 1883 (Danaiidae) Synonym(s): *batavianus* Moore, 1883; *alcippoides* Moore, 1883; *bowringi* Moore, 1883
- 10735) *Danaus (Anosia) dorippus dorippus* (Klug, 1845) (Danaiidae) Synonym(s): *dorippus* Klug, 1845
- 10736) *Danaus (Anosia) petilius* (Stoll, [1790]) (Danaiidae) Synonym(s): *petilius* Stoll, [1790]
- 10737) *Danaus (Salatura) affinis* (Fabricius, 1775) (Danaiidae) Synonym(s): *affinis* Fabricius, 1775
- 10738) *Danaus (Salatura) affinis abigar* Eschscholtz, 1821 (Danaiidae) Synonym(s): *abigar* Eschscholtz, 1821
- 10739) *Danaus (Salatura) affinis affinis* (Fabricius, 1775) (Danaiidae) Synonym(s): *affinis* (Fabricius, 1775)
- 10740) *Danaus (Salatura) affinis affinoides* Fruhstorfer, 1899 (Danaiidae) Synonym(s): *affinoides* Fruhstorfer, 1899
- 10741) *Danaus (Salatura) affinis artenice* (Cramer) (Danaiidae) Synonym(s): *artenice* Cramer *kawiensis* Fruhstorfer, 1899; *astakos* Fruhstorfer, 1906; *fulginosa* Hagen *djampeana* Va Eecke *hegesippus* Röber *wenholti* Martin
- 10742) *Danaus (Salatura) affinis decentralis* Fruhstorfer, 1899 (Danaiidae) Synonym(s): *decentralis* Fruhstorfer, 1899
- 10743) *Danaus (Salatura) affinis fulgurata* Butler, 1866 (Danaiidae) Synonym(s): *fulgurata* Butler, 1866
- 10744) *Danaus (Salatura) affinis malayanus* (Fruhstorfer, 1899) (Danaiidae) Synonym(s): *malayanus* Fruhstorfer, 1899
- 10745) *Danaus (Salatura) affinis taruna* Fruhstorfer, 1899 (Danaiidae) Synonym(s): *taruna* Fruhstorfer, 1899
- 10746) *Danaus (Salatura) genutius* (Cramer, [1779]) (Danaiidae) Synonym(s): *genutius* Cramer, [1779]
- 10747) *Danaus (Salatura) genutius adnana* Swinhoe, 1917 (Danaiidae) Synonym(s): *adnana* Swinhoe, 1917
- 10748) *Danaus (Salatura) genutius alexis* Waterhouse & Lyell, 1914 (Danaiidae) Synonym(s): *alexis* Waterhouse & Lyell, 1914
- 10749) *Danaus (Salatura) genutius conspicuus* Butler, 1866 (Danaiidae) Synonym(s): *conspicuus* Butler, 1866
- 10750) *Danaus (Salatura) genutius genutius* (Cramer, [1779]) (Danaiidae) Synonym(s): *genutius* Cramer, [1779]
- 10751) *Danaus (Salatura) genutius intensus* Fruhstorfer (Danaiidae) Synonym(s): *intensus* Fruhstorfer
- 10752) *Danaus (Salatura) genutius kyllene* (Fruhstorfer, 1910) (Danaiidae) Synonym(s): *kyllene* Fruhstorfer, 1910
- 10753) *Danaus (Salatura) genutius laratensis* Butler, 1883 (Danaiidae) Synonym(s): *laratensis* Butler, 1883
- 10754) *Danaus (Salatura) genutius leucoglène* C.Felder & R.Felder, [1865] (Danaiidae) Synonym(s): *leucoglène* C.Felder & R.Felder, [1865]
- 10755) *Danaus (Salatura) genutius niasicus* Fruhstorfer, 1899 (Danaiidae) Synonym(s): *niasicus* Fruhstorfer, 1899
- 10756) *Danaus (Salatura) genutius partitus* Fruhstorfer, 1897 (Danaiidae) Synonym(s): *partitus* Fruhstorfer, 1897
- 10757) *Danaus (Salatura) genutius sumatranus* Moore, 1883 (Danaiidae) Synonym(s): *sumatranus* Moore, 1883
- 10758) *Danaus (Salatura) genutius telmissus* Fruhstorfer, 1910 (Danaiidae) Synonym(s): *telmissus* Fruhstorfer, 1910
- 10759) *Danaus (Salatura) genutius tychius* Fruhstorfer, 1910 (Danaiidae) Synonym(s): *tychius* Fruhstorfer, 1910
- 10760) *Danaus (Salatura) genutius wetterensis* (Fruhstorfer, 1899) (Danaiidae) Synonym(s): *wetterensis* Fruhstorfer, 1899
- 10761) *Danaus (Salatura) ismare* (Cramer, [1780]) (Danaiidae) Synonym(s): *ismare* Cramer, [1780]
- 10762) *Danaus (Salatura) ismare albus* Morishita, 1981 (Danaiidae) Synonym(s): *albus* Morishita, 1981
- 10763) *Danaus (Salatura) ismare fulvus* Ribbe, 1890 (Danaiidae) Synonym(s): *fulvus* Ribbe, 1890
- 10764) *Danaus (Salatura) ismare ismare* (Cramer, [1780]) (Danaiidae) Synonym(s): *ismare* Cramer, [1780]
- 10765) *Danaus (Salatura) melanippus* (Cramer, [1777]) (Danaiidae) Synonym(s): *melanippus* Cramer, [1777]
- 10766) *Danaus (Salatura) melanippus camortus* (Evans, 1932) (Danaiidae) Synonym(s): *camortus* Evans, 1932
- 10767) *Danaus (Salatura) melanippus celebensis* Staudinger, 1889 (Danaiidae) Synonym(s): *celebensis* Staudinger, 1889
- 10768) *Danaus (Salatura) melanippus edmondii* (Lesson, 1837) (Danaiidae) Synonym(s): *edmondii* Lesson, 1837
- 10769) *Danaus (Salatura) melanippus edwardsi* Van Eecke (Danaiidae) Synonym(s):
- 10770) *Danaus (Salatura) melanippus eurydice* Butler, 1884 (Danaiidae) Synonym(s): *eurydice* Butler, 1884
- 10771) *Danaus (Salatura) melanippus haruhisa* Doherty (Danaiidae) Synonym(s):
- 10772) *Danaus (Salatura) melanippus hegesippus* (Cramer, [1777]) (Danaiidae) Synonym(s): *hegesippus* Cramer, [1777]
- 10773) *Danaus (Salatura) melanippus indicus* (Fruhstorfer, 1899) (Danaiidae) Synonym(s): *indicus* Fruhstorfer, 1899

- 10774) *Danaus (Salatura) melanippus keteus* Hagen, 1898 (Danaiidae) Synonym(s): *keteus* Hagen, 1898
- 10775) *Danaus (Salatura) melanippus kotoshonis* Matsumura (Danaiidae) Synonym(s):
- 10776) *Danaus (Salatura) melanippus lotinus* (Fruhstorfer, 1904) (Danaiidae) Synonym(s): *lotinus* Fruhstorfer, 1904
- 10777) *Danaus (Salatura) melanippus melanippus* (Cramer, [1777]) (Danaiidae) Synonym(s): *melanippus* Cramer, [1777]
- 10778) *Danaus (Salatura) melanippus meridianigrus* Martin, 1913 (Danaiidae) Synonym(s): *meridianigrus* Martin, 1913
- 10779) *Danaus (Salatura) melanippus mezentius* Fruhstorfer, 1910 (Danaiidae) Synonym(s): *mezentius* Fruhstorfer, 1910
- 10780) *Danaus (Salatura) melanippus nesippus* (C. Felder, 1862) (Danaiidae) Synonym(s): *nesippus* C. Felder, 1862
- 10781) *Danaus (Salatura) melanippus pietersi* Doherty (Danaiidae) Synonym(s):
- 10782) *Danaus (Salatura) melanippus umbrosus* (Fruhstorfer, 1906) (Danaiidae) Synonym(s): *umbrosus* Fruhstorfer, 1906
- 10783) *Danaus (s.str.) philene* (Stoll, 1782) (Danaiidae) Synonym(s): *philene* Stoll, 1782
- 10784) *Danaus (s.str.) philene albonotatus* Howarth (Danaiidae) Synonym(s): *albonotatus* Howarth
- 10785) *Danaus (s.str.) philene biseriatus* Butler, 1882 (Danaiidae) Synonym(s): *biseriatus* Butler, 1882; *adustus* Godman & Salvin
- 10786) *Danaus (s.str.) philene bonguensis* (Fruhstorfer, 1899) (Danaiidae) Synonym(s): *bonguensis* Fruhstorfer, 1899
- 10787) *Danaus (s.str.) philene decipiens* Butler, 1882 (Danaiidae) Synonym(s): *decipiens* Butler, 1882
- 10788) *Danaus (s.str.) philene decipientis* Strand (Danaiidae) Synonym(s): *decipientis* Strand
- 10789) *Danaus (s.str.) philene fergussonius* (Fruhstorfer, 1907) (Danaiidae) Synonym(s): *fergussonius* Fruhstorfer, 1907
- 10790) *Danaus (s.str.) philene ferrugineus* Butler, 1876 (Danaiidae) Synonym(s): *ferrugineus* Butler, 1876; *molyssa* Fruhstorfer, 1907
- 10791) *Danaus (s.str.) philene gelanor* Waterhouse & Lyell, 1914 (Danaiidae) Synonym(s): *gelanor* Waterhouse & Lyell, 1914
- 10792) *Danaus (s.str.) philene jobiensis* Grose-Smith, 1894 (Danaiidae) Synonym(s): *jobiensis* Grose-Smith, 1894; *pittakus* Fruhstorfer, 1907
- 10793) *Danaus (s.str.) philene kiriwinus* (Fruhstorfer, 1907) (Danaiidae) Synonym(s): *kiriwinus* Fruhstorfer, 1907
- 10794) *Danaus (s.str.) philene mytilene* Felder (Danaiidae) Synonym(s): *mytilene* Felder
- 10795) *Danaus (s.str.) philene obscurus* Capronnier (Danaiidae) Synonym(s): *obscurus* Capronnier
- 10796) *Danaus (s.str.) philene philene* (Stoll, 1782) (Danaiidae) Synonym(s): *philene* Stoll, 1782
- 10797) *Danaus (s.str.) philene pleistarchus* (Fruhstorfer, 1912) (Danaiidae) Synonym(s): *pleistarchus* Fruhstorfer, 1912
- 10798) *Danaus (s.str.) philene sabrona* Talbot (Danaiidae) Synonym(s): *sabrona* Talbot
- 10799) *Danaus (s.str.) philene subnigrus* Joicey & Talbot (Danaiidae) Synonym(s): *subnigrus* Joicey & Talbot
- 10800) *Danaus (s.str.) plexippus* (Linnaeus, 1758) (Danaiidae) Synonym(s): *plexippus* Linnaeus, 1758; *erippus* Cramer, [1775]; *archippus* Fabricius, 1793 nec Cr., 1776; *crassavicae* Fabricius, 1807; *nipalensis* Moore, 1877
- 10801) *Danaus (s.str.) plexippus plexippus* (Linnaeus, 1758) (Danaiidae) Synonym(s): *plexippus* Linnaeus, 1758; *erippus* Cramer, [1775]; *archippus* Fabricius, 1793 nec Cr., 1776; *crassavicae* Fabricius, 1807; *nipalensis* Moore, 1877
- 10802) *Danaus eresimus* (Cramer, [1777]) (Danaiidae) Synonym(s): *eresimus* Cramer, [1777]
- 10803) *Danaus eresimus eresimus* (Cramer, [1777]) (Danaiidae) Synonym(s): *eresimus* Cramer, [1777]
- 10804) *Danaus eresimus montezuma* Talbot, 1943 (Danaiidae) Synonym(s): *montezuma* Talbot, 1943
- 10805) *Danaus eresimus tethys* Forbes, 1943 (Danaiidae) Synonym(s): *tethys* Forbes, 1943
- 10806) *Danaus gilippus* (Cramer, [1775]) (Danaiidae) Synonym(s): *gilippus* Cramer, [1775]
- 10807) *Danaus gilippus berenice* (Cramer, [1780]) (Danaiidae) Synonym(s): *berenice* Cramer, [1780]
- 10808) *Danaus gilippus gilippus* (Cramer, [1775]) (Danaiidae) Synonym(s): *gilippus* Cramer, [1775]
- 10809) *Danaus gilippus strigosus* (Bates, 1864) (Danaiidae) Synonym(s): *strigosus* Bates, 1864
- 10810) *Dircenna klugii* (Geyer, 1837) (Danaiidae) Synonym(s): *klugii* Geyer, 1837
- 10811) *Euploea (Crastia) core* (Cramer, [1780]) (Danaiidae) Synonym(s): *core* Cramer, [1780]; *corinna* Macleay, 1826; *angassii* C. Felder & R. Felder, 1865; *euclus* Miskin, 1890
- 10812) *Euploea (Crastia) core andamanensis* Atkinson, 1873 (Danaiidae) Synonym(s): *andamanensis* Atkinson, 1873
- 10813) *Euploea (Crastia) core asela* Moore, 1877 (Danaiidae) Synonym(s): *asela* Moore, 1877
- 10814) *Euploea (Crastia) core bauermannii* Röber, 1885 (Danaiidae) Synonym(s): *bauermannii* Röber, 1885
- 10815) *Euploea (Crastia) core bumila* Evans, 1932 (Danaiidae) Synonym(s): *bumila* Evans, 1932
- 10816) *Euploea (Crastia) core camorta* Moore, 1877 (Danaiidae) Synonym(s): *camorta* Moore, 1877
- 10817) *Euploea (Crastia) core core* (Cramer, [1780]) (Danaiidae) Synonym(s): *core* Cramer, [1780]; *corinna* Macleay, 1826; *angassii* C. Felder & R. Felder, 1865; *euclus* Miskin, 1890
- 10818) *Euploea (Crastia) core distans* Talbot, 1940 (Danaiidae) Synonym(s): *distans* Talbot, 1940
- 10819) *Euploea (Crastia) core distantii* Moore, 1882 (Danaiidae) Synonym(s): *distantii* Moore, 1882
- 10820) *Euploea (Crastia) core ferrarii* Tytler, 1939 (Danaiidae) Synonym(s): *ferrarii* Tytler, 1939
- 10821) *Euploea (Crastia) core godartii* Lucas, 1853 (Danaiidae) Synonym(s): *godartii* Lucas, 1853; *siamensis* C. Felder & R. Felder, [1865]; *garampiana* Murayama, 1961
- 10822) *Euploea (Crastia) core graminifera* Moore, 1883 (Danaiidae) Synonym(s): *graminifera* Moore, 1883; *wheeleri* Talbot, 1940
- 10823) *Euploea (Crastia) core haworthii* Lucas, 1853 (Danaiidae) Synonym(s): *haworthii* Lucas, 1853
- 10824) *Euploea (Crastia) core kalaona* Fruhstorfer, 1898 (Danaiidae) Synonym(s): *kalaona* Fruhstorfer, 1898
- 10825) *Euploea (Crastia) core layardi* Druce, 1874 (Danaiidae) Synonym(s): *layardi* Druce, 1874
- 10826) *Euploea (Crastia) core prunosa* Moore, 1883 (Danaiidae) Synonym(s): *prunosa* Moore, 1883
- 10827) *Euploea (Crastia) core scherzeri* C. Felder, 1862 (Danaiidae) Synonym(s): *scherzeri* C. Felder, 1862
- 10828) *Euploea (Crastia) core tonkinensis* Swinhoe, 1903 (Danaiidae) Synonym(s): *tonkinensis* Swinhoe, 1903
- 10829) *Euploea (Crastia) core vermiculata* Butler, 1866 (Danaiidae) Synonym(s): *vermiculata* Butler, 1866
- 10830) *Euploea (Salpinx) klugii* Moore, [1858] (Danaiidae) Synonym(s): *klugii* Moore, [1858]
- 10831) *Euploea (Salpinx) klugii burmeisteri* Moore, 1883 (Danaiidae) Synonym(s): *burmeisteri* Moore, 1883
- 10832) *Euploea (Salpinx) klugii erichsonii* C. Felder & R. Felder, [1865] (Danaiidae) Synonym(s): *erichsonii* C. Felder & R. Felder, [1865]
- 10833) *Euploea (Salpinx) klugii klugii* Moore, [1858] (Danaiidae) Synonym(s): *klugii* Moore, [1858]
- 10834) *Euploea (Salpinx) klugii kollari* C. Felder & R. Felder, [1867] (Danaiidae) Synonym(s): *kollari* C. Felder & R. Felder, [1867]
- 10835) *Euploea (Salpinx) klugii sinhal* (Moore, 1877) (Danaiidae) Synonym(s): *sinhal* Moore, 1877
- 10836) *Euploea (Stictoploea) mulciber* (Cramer, [1777]) (Danaiidae) Synonym(s): *mulciber* Cramer, [1777]; *vandeventeri* Forbes, 1885
- 10837) *Euploea (Stictoploea) mulciber barsine* Fruhstorfer, 1904 (Danaiidae) Synonym(s): *barsine* Fruhstorfer, 1904; *hawayuki* Sugitani, 1932
- 10838) *Euploea (Stictoploea) mulciber basilissa* (Cramer, [1782]) (Danaiidae) Synonym(s): *basilissa* Cramer, [1782]
- 10839) *Euploea (Stictoploea) mulciber batunensis* Fruhstorfer, 1904 (Danaiidae) Synonym(s): *batunensis* Fruhstorfer, 1904
- 10840) *Euploea (Stictoploea) mulciber cebuensis* M. Okano & T. Okano, 1986 (Danaiidae) Synonym(s): *cebuensis* M. Okano & T. Okano, 1986
- 10841) *Euploea (Stictoploea) mulciber dinagatensis* Tsukada & Nishiyama, 1979 (Danaiidae) Synonym(s): *dinagatensis* Tsukada & Nishiyama, 1979
- 10842) *Euploea (Stictoploea) mulciber dongo* Doherty, 1891 (Danaiidae) Synonym(s): *dongo* Doherty, 1891
- 10843) *Euploea (Stictoploea) mulciber dufresne* Godart, 1823 (Danaiidae) Synonym(s): *dufresne* Godart, 1823
- 10844) *Euploea (Stictoploea) mulciber gelderi* Snellen, 1890 (Danaiidae) Synonym(s): *gelderi* Snellen, 1890
- 10845) *Euploea (Stictoploea) mulciber guimarasensis* M. Okano & T. Okano, 1990 (Danaiidae) Synonym(s): *guimarasensis* M. Okano & T. Okano, 1990
- 10846) *Euploea (Stictoploea) mulciber kalinga* Doherty, 1886 (Danaiidae) Synonym(s): *kalinga* Doherty, 1886
- 10847) *Euploea (Stictoploea) mulciber kochi* Moore, 1883 (Danaiidae) Synonym(s): *kochi* Moore, 1883
- 10848) *Euploea (Stictoploea) mulciber maassi* Hagen, 1898 (Danaiidae) Synonym(s): *maassi* Hagen, 1898
- 10849) *Euploea (Stictoploea) mulciber malakoni* Doherty, 1891 (Danaiidae) Synonym(s): *malakoni* Doherty, 1891
- 10850) *Euploea (Stictoploea) mulciber masbatensis* Schröder & Treadaway, 1978 (Danaiidae) Synonym(s): *masbatensis* Schröder & Treadaway, 1978
- 10851) *Euploea (Stictoploea) mulciber mindanensis* Staudinger, 1885 (Danaiidae) Synonym(s): *mindanensis* Staudinger, 1885
- 10852) *Euploea (Stictoploea) mulciber mulciber* (Cramer, [1777]) (Danaiidae) Synonym(s): *mulciber* Cramer, [1777]; *vandeventeri* Forbes, 1885
- 10853) *Euploea (Stictoploea) mulciber paupera* Staudinger, 1889 (Danaiidae) Synonym(s): *paupera* Staudinger, 1889
- 10854) *Euploea (Stictoploea) mulciber phoebadis* Fruhstorfer, 1910 (Danaiidae) Synonym(s): *phoebadis* Fruhstorfer, 1910
- 10855) *Euploea (Stictoploea) mulciber portia* Fruhstorfer, 1904 (Danaiidae) Synonym(s): *portia* Fruhstorfer, 1904
- 10856) *Euploea (Stictoploea) mulciber semperi* C. Felder & R. Felder, [1865] (Danaiidae) Synonym(s): *semperi* C. Felder & R. Felder, [1865]
- 10857) *Euploea (Stictoploea) mulciber seraphita* Fruhstorfer, 1900 (Danaiidae) Synonym(s): *seraphita* Fruhstorfer, 1900
- 10858) *Euploea (Stictoploea) mulciber subvisaya* Schröder, 1977 (Danaiidae) Synonym(s): *subvisaya* Schröder, 1977
- 10859) *Euploea (Stictoploea) mulciber tawitawiensis* Hashimoto, 1986 (Danaiidae) Synonym(s): *tawitawiensis* Hashimoto, 1986
- 10860) *Euploea (Stictoploea) mulciber ticaoana* Schröder & Treadaway, 1981 (Danaiidae) Synonym(s): *ticaoana* Schröder & Treadaway, 1981

- 10861) *Euploea* (*Stictoploea*) *mulciber triggia* Schröder, 1977 (Danaidae) Synonym(s): *triggia* Schröder, 1977
- 10862) *Euploea* (*Stictoploea*) *mulciber verhuelli* Moore, 1883 (Danaidae) Synonym(s): *verhuelli* Moore, 1883
- 10863) *Euploea* (*Stictoploea*) *mulciber visaya* Semper, 1886 (Danaidae) Synonym(s): *visaya* Semper, 1886
- 10864) *Euploea* *algea* (Godart, [1819]) (Danaidae) Synonym(s): *algea* Godart, [1819]; *violetta* Butler, 1876; *dolosa* Butler, 1877; *ordinata* Moore, 1883; *denticulata* Moore, 1883; *bipunctata* Moore, 1883; *pleiades* Moore, 1883; *louisa* Moore, 1883; *siderea* Moore, 1883; *astraea* Moore, 1883; *stella* Moore, 1883; *amycus* Miskin, 1890
- 10865) *Euploea* *algea* *abjecta* Butler, 1866 (Danaidae) Synonym(s): *abjecta* Butler, 1866
- 10866) *Euploea* *algea* *bevagna* Fruhstorfer, 1911 (Danaidae) Synonym(s): *bevagna* Fruhstorfer, 1911
- 10867) *Euploea* *algea* *corvina* Fruhstorfer, 1898 (Danaidae) Synonym(s): *corvina* Fruhstorfer, 1898
- 10868) *Euploea* *algea* *cyllene* Staudinger, 1889 (Danaidae) Synonym(s): *cyllene* Staudinger, 1889
- 10869) *Euploea* *algea* *deione* Westwood, 1848 (Danaidae) Synonym(s): *deione* Westwood, 1848; *magnifica* Butler, 1874; *#suffusa* Tytler, 1936
- 10870) *Euploea* *algea* *diana* Butler, 1866 (Danaidae) Synonym(s): *diana* Butler, 1866
- 10871) *Euploea* *algea* *epiphaneia* Fruhstorfer, 1910 (Danaidae) Synonym(s): *epiphaneia* Fruhstorfer, 1910
- 10872) *Euploea* *algea* *fruhstorferi* Röber, 1897 (Danaidae) Synonym(s): *fruhstorferi* Röber, 1897
- 10873) *Euploea* *algea* *horsfieldii* C.Felder & R.Felder, [1865] (Danaidae) Synonym(s): *horsfieldii* C.Felder & R.Felder, [1865]
- 10874) *Euploea* *algea* *kheili* Weymer (Danaidae) Synonym(s):
- 10875) *Euploea* *algea* *kirbyi* C.Felder & R.Felder, [1865] (Danaidae) Synonym(s): *kirbyi* C.Felder & R.Felder, [1865]
- 10876) *Euploea* *algea* *laodikeia* Fruhstorfer, 1910 (Danaidae) Synonym(s): *laodikeia* Fruhstorfer, 1910
- 10877) *Euploea* *algea* *limborgii* Moore, 1879 (Danaidae) Synonym(s): *limborgii* Moore, 1879
- 10878) *Euploea* *algea* *maura* Hopffer, 1874 (Danaidae) Synonym(s): *maura* Hopffer, 1874
- 10879) *Euploea* *algea* *menetriesii* C.Felder & R.Felder, 1860 (Danaidae) Synonym(s): *menetriesii* C.Felder & R.Felder, 1860; *pinwilli* Butler, [1879]
- 10880) *Euploea* *algea* *menodice* Fruhstorfer, 1910 (Danaidae) Synonym(s): *menodice* Fruhstorfer, 1910
- 10881) *Euploea* *algea* *pasina* Fruhstorfer, 1906 (Danaidae) Synonym(s): *pasina* Fruhstorfer, 1906
- 10882) *Euploea* *algea* *sapitana* Fruhstorfer, 1898 (Danaidae) Synonym(s): *sapitana* Fruhstorfer, 1898
- 10883) *Euploea* *algea* *seitzi* Hagen, 1898 (Danaidae) Synonym(s): *seitzi* Hagen, 1898
- 10884) *Euploea* *algea* *talautensis* Piepers & Snellen, 1896 (Danaidae) Synonym(s): *talautensis* Piepers & Snellen, 1896
- 10885) *Euploea* *algea* *tombugensis* Fruhstorfer, 1899 (Danaidae) Synonym(s): *tombugensis* Fruhstorfer, 1899
- 10886) *Euploea* *algea* *transpectus* Moore, 1883 (Danaidae) Synonym(s): *transpectus* Moore, 1883
- 10887) *Euploea* *algea* *wallengreni* C.Felder (Danaidae) Synonym(s):
- 10888) *Euploea* *algea* *wiskotti* Röber, 1887 (Danaidae) Synonym(s): *wiskotti* Röber, 1887
- 10889) *Euploea* *algea* *zonata* Druce, 1873 (Danaidae) Synonym(s): *zonata* Druce, 1873; *masina* Fruhstorfer, 1897
- 10890) *Euploea* *blossomae* Schaus, 1929 (Danaidae) Synonym(s): *blossomae* Schaus, 1929
- 10891) *Euploea* *blossomae* *blossomae* Schaus, 1929 (Danaidae) Synonym(s): *blossomae* Schaus, 1929
- 10892) *Euploea* *blossomae* *corazonae* Schröder, 1977 (Danaidae) Synonym(s): *corazonae* Schröder, 1977
- 10893) *Euploea* *blossomae* *escapardae* Morishita, 1974 (Danaidae) Synonym(s): *escapardae* Morishita, 1974
- 10894) *Euploea* *blossomae* *hilogensis* Yamamoto & Takei, 1992 (Danaidae) Synonym(s): *hilogensis* Yamamoto & Takei, 1992
- 10895) *Euploea* *blossomae* *sibulanensis* Jumalon, 1971 (Danaidae) Synonym(s): *sibulanensis* Jumalon, 1971
- 10896) *Euploea* *blossomae* *tamaraw* Nuyda & Morimoto, 1991 (Danaidae) Synonym(s): *tamaraw* Nuyda & Morimoto, 1991
- 10897) *Euploea* *boisduvali* Lucas, 1853 (Danaidae) Synonym(s): *boisduvali* Lucas, 1853; *herrichi* C.Felder *mangoensis* Butler, 1884
- 10898) *Euploea* *boisduvali* *boisduvali* Lucas, 1853 (Danaidae) Synonym(s): *boisduvali* Lucas, 1853; *herrichi* C.Felder *mangoensis* Butler, 1884
- 10899) *Euploea* *camaralzeman* Butler, 1866 (Danaidae) Synonym(s): *ochsenheimeri* Moore, 1858 nec Luc., 1853; *camaralzeman* Butler, 1866
- 10900) *Euploea* *camaralzeman* *camaralzeman* Butler, 1866 (Danaidae) Synonym(s): *ochsenheimeri* Moore, 1858 nec Luc., 1853; *camaralzeman* Butler, 1866
- 10901) *Euploea* *camaralzeman* *claudina* Staudinger, 1889 (Danaidae) Synonym(s): *claudina* Staudinger, 1889
- 10902) *Euploea* *camaralzeman* *cratis* (Butler, 1866) (Danaidae) Synonym(s): *cratis* Butler, 1866; *formosana* Matsumura, 1919
- 10903) *Euploea* *camaralzeman* *hypanis* Fruhstorfer, 1910 (Danaidae) Synonym(s): *hypanis* Fruhstorfer, 1910
- 10904) *Euploea* *camaralzeman* *malayica* (Butler, 1878) (Danaidae) Synonym(s): *malayica* Butler, 1878
- 10905) *Euploea* *camaralzeman* *paraclaudina* Pendlebury, 1939 (Danaidae) Synonym(s): *paraclaudina* Pendlebury, 1939
- 10906) *Euploea* *camaralzeman* *scudderii* Butler, 1878 (Danaidae) Synonym(s): *scudderii* Butler, 1878
- 10907) *Euploea* *climena* (Stoll, [1782]) (Danaidae) Synonym(s): *climena* Stoll, [1782]
- 10908) *Euploea* *climena* *climena* (Stoll, [1782]) (Danaidae) Synonym(s): *climena* Stoll, [1782]
- 10909) *Euploea* *climena* *elwesiana* De Nicéville (Danaidae) Synonym(s):
- 10910) *Euploea* *climena* *macleari* Butler, 1887 (Danaidae) Synonym(s): *macleari* Butler, 1887
- 10911) *Euploea* *climena* *neptis* Röber, 1891 (Danaidae) Synonym(s): *neptis* Röber, 1891
- 10912) *Euploea* *climena* *palmedo* Doherty (Danaidae) Synonym(s):
- 10913) *Euploea* *climena* *sepulchralis* Butler, 1866 (Danaidae) Synonym(s): *sepulchralis* Butler, 1866
- 10914) *Euploea* *climena* *simulatrix* Wood-Mason & De Nicéville, 1881 (Danaidae) Synonym(s): *simulatrix* Wood-Mason & De Nicéville, 1881
- 10915) *Euploea* *climena* *terissa* Fruhstorfer, 1910 (Danaidae) Synonym(s): *terissa* Fruhstorfer, 1910
- 10916) *Euploea* *configurata* C.Felder & R.Felder, [1865] (Danaidae) Synonym(s): *configurata* C.Felder & R.Felder, [1865]
- 10917) *Euploea* *cordelia* Martin, 1912 (Danaidae) Synonym(s): *cordelia* Martin, 1912
- 10918) *Euploea* *crameri* Lucas, 1853 (Danaidae) Synonym(s): *crameri* Lucas, 1853
- 10919) *Euploea* *crameri* *bremeri* C.Felder & R.Felder, 1860 (Danaidae) Synonym(s): *bremeri* C.Felder & R.Felder, 1860
- 10920) *Euploea* *crameri* *crameri* Lucas, 1853 (Danaidae) Synonym(s): *crameri* Lucas, 1853
- 10921) *Euploea* *crameri* *daatensis* Moore, 1883 (Danaidae) Synonym(s): *daatensis* Moore, 1883
- 10922) *Euploea* *crameri* *esper* C.Felder, 1862 (Danaidae) Synonym(s): *esper* C.Felder, 1862
- 10923) *Euploea* *crameri* *frauenfeldii* C.Felder, 1862 (Danaidae) Synonym(s): *frauenfeldii* C.Felder, 1862; *biseriata* Moore, 1883
- 10924) *Euploea* *crameri* *heylaertsii* Moore, 1890 (Danaidae) Synonym(s): *heylaertsii* Moore, 1890
- 10925) *Euploea* *crameri* *jedja* Fruhstorfer, 1911 (Danaidae) Synonym(s): *jedja* Fruhstorfer, 1911
- 10926) *Euploea* *crameri* *labuana* Moore, 1883 (Danaidae) Synonym(s): *labuana* Moore, 1883
- 10927) *Euploea* *crameri* *lanista* Fruhstorfer, 1904 (Danaidae) Synonym(s): *lanista* Fruhstorfer, 1904
- 10928) *Euploea* *crameri* *mentavica* Hagen, 1902 (Danaidae) Synonym(s): *mentavica* Hagen, 1902
- 10929) *Euploea* *crameri* *nagasena* Fruhstorfer, 1906 (Danaidae) Synonym(s): *nagasena* Fruhstorfer, 1906
- 10930) *Euploea* *crameri* *niasica* Moore, 1883 (Danaidae) Synonym(s): *niasica* Moore, 1883
- 10931) *Euploea* *crameri* *nicevillei* (Moore, 1890) (Danaidae) Synonym(s): *nicevillei* Moore, 1890
- 10932) *Euploea* *crameri* *oceanis* Doherty (Danaidae) Synonym(s):
- 10933) *Euploea* *crameri* *olivacea* (Moore, 1883) (Danaidae) Synonym(s): *olivacea* Moore, 1883
- 10934) *Euploea* *crameri* *pagenstecheri* Hagen, 1897 (Danaidae) Synonym(s): *pagenstecheri* Hagen, 1897
- 10935) *Euploea* *crameri* *praedicabilis* Fruhstorfer, 1914 (Danaidae) Synonym(s): *praedicabilis* Fruhstorfer, 1914; *inouei* Morishita, 1970
- 10936) *Euploea* *crameri* *singaradha* Fruhstorfer, 1908 (Danaidae) Synonym(s): *singaradha* Fruhstorfer, 1908
- 10937) *Euploea* *crameri* *tenggerensis* Fruhstorfer, 1898 (Danaidae) Synonym(s): *tenggerensis* Fruhstorfer, 1898
- 10938) *Euploea* *doubledayi* C.Felder & R.Felder, [1865] (Danaidae) Synonym(s): *doubledayi* C.Felder & R.Felder, [1865]
- 10939) *Euploea* *doubledayi* *doubledayi* C.Felder & R.Felder, [1865] (Danaidae) Synonym(s): *doubledayi* C.Felder & R.Felder, [1865]
- 10940) *Euploea* *doubledayi* *evalida* (Swinhoe, 1899) (Danaidae) Synonym(s): *evalida* Swinhoe, 1899; *monticola* Moulton, 1921
- 10941) *Euploea* *eleusina* (Cramer, [1780]) (Danaidae) Synonym(s): *eleusina* Cramer, [1780]
- 10942) *Euploea* *eleusina* *aganor* Fruhstorfer, 1910 (Danaidae) Synonym(s): *aganor* Fruhstorfer, 1910
- 10943) *Euploea* *eleusina* *anitra* Fruhstorfer, 1910 (Danaidae) Synonym(s): *anitra* Fruhstorfer, 1910
- 10944) *Euploea* *eleusina* *eleusina* (Cramer, [1780]) (Danaidae) Synonym(s): *eleusina* Cramer, [1780]
- 10945) *Euploea* *eleusina* *hygina* Fruhstorfer, 1910 (Danaidae) Synonym(s): *hygina* Fruhstorfer, 1910
- 10946) *Euploea* *eleusina* *mniszecchii* C.Felder, 1859 (Danaidae) Synonym(s): *mniszecchii* C.Felder, 1859
- 10947) *Euploea* *eleusina* *palata* Fruhstorfer, 1910 (Danaidae) Synonym(s): *palata* Fruhstorfer, 1910
- 10948) *Euploea* *eleusina* *vollenhovii* C.Felder & R.Felder, [1865] (Danaidae) Synonym(s): *vollenhovii* C.Felder & R.Felder, [1865]
- 10949) *Euploea* *euctemon* Hewitson, 1860 (Danaidae) Synonym(s): *euctemon* Hewitson, 1860
- 10950) *Euploea* *eunice* (Godart, [1819]) (Danaidae) Synonym(s): *eunice* Godart, [1819]

- 10951) *Euploea eunice botelianus* Murayama & Shimonoya, 1963 (Danaidae) Synonym(s): *botelianus* Murayama & Shimonoya, 1963
- 10952) *Euploea eunice eunice* (Godart, [1819]) (Danaidae) Synonym(s): *eunice* Godart, [1819]
- 10953) *Euploea eunice hobsoni* Butler, 1877 (Danaidae) Synonym(s): *hobsoni* Butler, 1877; *gaza* Fruhstorfer, 1910
- 10954) *Euploea eunice juno* Stichel, 1899 (Danaidae) Synonym(s): *juno* Stichel, 1899
- 10955) *Euploea eunice kadu* Eschscholtz, 1821 (Danaidae) Synonym(s): *kadu* Eschscholtz, 1821; *okinawensis* Sonan, 1926
- 10956) *Euploea eunice kandaon* Fruhstorfer, 1910 (Danaidae) Synonym(s): *kandaon* Fruhstorfer, 1910
- 10957) *Euploea eunice leucogonis* (Butler, [1879]) (Danaidae) Synonym(s): *leucogonis* Butler, [1879]
- 10958) *Euploea eunice meizon* Doherty, 1891 (Danaidae) Synonym(s): *meizon* Doherty, 1891
- 10959) *Euploea eunice novarae* C. Felder, 1862 (Danaidae) Synonym(s): *novarae* C. Felder, 1862
- 10960) *Euploea eunice phane* Doherty, 1891 (Danaidae) Synonym(s): *thane* Doherty, 1891
- 10961) *Euploea eunice regularis* Corbet, 1942 (Danaidae) Synonym(s): *regularis* Corbet, 1942
- 10962) *Euploea eunice relucida* Fruhstorfer, 1910 (Danaidae) Synonym(s): *relucida* Fruhstorfer, 1910
- 10963) *Euploea eunice syra* Fruhstorfer, 1901 (Danaidae) Synonym(s): *syra* Fruhstorfer, 1901
- 10964) *Euploea eunice timaius* Fruhstorfer, 1910 (Danaidae) Synonym(s): *timaius* Fruhstorfer, 1910
- 10965) *Euploea eunice tisaia* Fruhstorfer, 1901 (Danaidae) Synonym(s): *tisaia* Fruhstorfer, 1901
- 10966) *Euploea eunice vestigiata* Butler, 1866 (Danaidae) Synonym(s): *vestigiata* Butler, 1866
- 10967) *Euploea eupator* Hewitson, 1858 (Danaidae) Synonym(s): *eupator* Hewitson, 1858
- 10968) *Euploea eupator eupator* Hewitson, 1858 (Danaidae) Synonym(s): *eupator* Hewitson, 1858
- 10969) *Euploea eupator orneus* Fruhstorfer, 1904 (Danaidae) Synonym(s): *orneus* Fruhstorfer, 1904
- 10970) *Euploea eupator sulaensis* Joicey & Talbot, 1922 (Danaidae) Synonym(s): *sulaensis* Joicey & Talbot, 1922
- 10971) *Euploea eupator thrasetes* Fruhstorfer, 1911 (Danaidae) Synonym(s): *thrasetes* Fruhstorfer, 1911
- 10972) *Euploea eupator vanoorti* Jurriaanse & Lindemans, 1920 (Danaidae) Synonym(s): *vanoorti* Jurriaanse & Lindemans, 1920
- 10973) *Euploea euphon* (Fabricius, 1798) (Danaidae) Synonym(s): *euphon* Fabricius, 1798; *baudiniana* Godart, [1819]
- 10974) *Euploea euphon desjardinsii* (Guérin-Ménéville, 1844) (Danaidae) Synonym(s): *desjardinsii* Guérin-Ménéville, 1844
- 10975) *Euploea euphon euphon* (Fabricius, 1798) (Danaidae) Synonym(s): *euphon* Fabricius, 1798; *baudiniana* Godart, [1819]
- 10976) *Euploea euphon goudotii* Boisduval, 1833 (Danaidae) Synonym(s): *goudotii* Boisduval, 1833
- 10977) *Euploea eyndhovii* C. Felder & R. Felder, [1865] (Danaidae) Synonym(s): *eyndhovii* C. Felder & R. Felder, [1865]
- 10978) *Euploea eyndhovii aesiata* Fruhstorfer, 1910 (Danaidae) Synonym(s): *aesiata* Fruhstorfer, 1910
- 10979) *Euploea eyndhovii distinctissima* Fruhstorfer, 1911 (Danaidae) Synonym(s): *distinctissima* Fruhstorfer, 1911
- 10980) *Euploea eyndhovii eyndhovii* C. Felder & R. Felder, [1865] (Danaidae) Synonym(s): *eyndhovii* C. Felder & R. Felder, [1865]
- 10981) *Euploea eyndhovii gardineri* Fruhstorfer, 1898 (Danaidae) Synonym(s): *gardineri* Fruhstorfer, 1898
- 10982) *Euploea gamelia* Hübner, [1825] (Danaidae) Synonym(s): *gamelia* Hübner, [1825]
- 10983) *Euploea hewitsoni* C. Felder & R. Felder, [1865] (Danaidae) Synonym(s): *hewitsoni* C. Felder & R. Felder, [1865]; *hyacinthus* Butler, 1866; *subcongrua* Röber
- 10984) *Euploea hewitsoni besinensis* Fruhstorfer, 1899 (Danaidae) Synonym(s): *besinensis* Fruhstorfer, 1899
- 10985) *Euploea hewitsoni hewitsoni* C. Felder & R. Felder, [1865] (Danaidae) Synonym(s): *hewitsoni* C. Felder & R. Felder, [1865]; *hyacinthus* Butler, 1866; *subcongrua* Röber
- 10986) *Euploea hewitsoni mangolina* Fruhstorfer, 1899 (Danaidae) Synonym(s): *mangolina* Fruhstorfer, 1899
- 10987) *Euploea hewitsoni reducta* Jurriaanse, 1919 (Danaidae) Synonym(s): *reducta* Jurriaanse, 1919
- 10988) *Euploea latifasciata* Weymer, 1885 (Danaidae) Synonym(s): *latifasciata* Weymer, 1885
- 10989) *Euploea latifasciata hashimotoi* Detani, 1983 (Danaidae) Synonym(s): *hashimotoi* Detani, 1983
- 10990) *Euploea latifasciata latifasciata* Weymer, 1885 (Danaidae) Synonym(s): *latifasciata* Weymer, 1885
- 10991) *Euploea leucostictos* (Gmelin, 1790) (Danaidae) Synonym(s): *leucostictos* Gmelin, 1790
- 10992) *Euploea leucostictos bangkaiensis* Fruhstorfer (Danaidae) Synonym(s):
- 10993) *Euploea leucostictos depuseti* Oberthür, 1879 (Danaidae) Synonym(s): *depuseti* Oberthür, 1879
- 10994) *Euploea leucostictos labreyi* Moore, 1883 (Danaidae) Synonym(s): *labreyi* Moore, 1883
- 10995) *Euploea leucostictos leucostictos* (Gmelin, 1790) (Danaidae) Synonym(s): *leucostictos* Gmelin, 1790
- 10996) *Euploea leucostictos lykeia* Fruhstorfer, 1910 (Danaidae) Synonym(s): *lykeia* Fruhstorfer, 1910
- 10997) *Euploea leucostictos viola* Butler, 1866 (Danaidae) Synonym(s): *viola* Butler, 1866
- 10998) *Euploea lewinii* (Danaidae) Synonym(s):
- 10999) *Euploea lewinii eschscholtzi* C. Felder (Danaidae) Synonym(s):
- 11000) *Euploea lewinii walkeri* Druce, 1890 (Danaidae) Synonym(s): *walkeri* Druce, 1890
- 11001) *Euploea magou* Martin, 1912 (Danaidae) Synonym(s): *magou* Martin, 1912
- 11002) *Euploea martinii* De Nicéville, 1893 (Danaidae) Synonym(s): *martinii* De Nicéville, 1893
- 11003) *Euploea midamus* (Linnaeus, 1758) (Danaidae) Synonym(s): *midamus* Linnaeus, 1758
- 11004) *Euploea midamus absitus* Hashimoto, 1986 (Danaidae) Synonym(s): *absitus* Hashimoto, 1986
- 11005) *Euploea midamus aetia* Fruhstorfer (Danaidae) Synonym(s): *aetia* Fruhstorfer
- 11006) *Euploea midamus atossa* Pagenstecher (Danaidae) Synonym(s):
- 11007) *Euploea midamus chloe* (Guérin-Ménéville, 1843) (Danaidae) Synonym(s): *chloe* Guérin-Ménéville, 1843; *dejeani* Distant, 1882; *clerkii* Moore, 1883
- 11008) *Euploea midamus clorinde* Staudinger, 1889 (Danaidae) Synonym(s): *clorinde* Staudinger, 1889
- 11009) *Euploea midamus cornificia* Fruhstorfer, 1910 (Danaidae) Synonym(s): *cornificia* Fruhstorfer, 1910
- 11010) *Euploea midamus fabricii* Moore, 1883 (Danaidae) Synonym(s): *fabricii* Moore, 1883
- 11011) *Euploea midamus hypaspistes* Fruhstorfer, 1910 (Danaidae) Synonym(s): *hypaspistes* Fruhstorfer, 1910
- 11012) *Euploea midamus iduna* Fruhstorfer, 1903 (Danaidae) Synonym(s): *iduna* Fruhstorfer, 1903
- 11013) *Euploea midamus limyrus* Fruhstorfer, 1910 (Danaidae) Synonym(s): *limyrus* Fruhstorfer, 1910
- 11014) *Euploea midamus lippus* Van Eecke (Danaidae) Synonym(s):
- 11015) *Euploea midamus meldolae* Moore, 1883 (Danaidae) Synonym(s): *meldolae* Moore, 1883
- 11016) *Euploea midamus midamus* (Linnaeus, 1758) (Danaidae) Synonym(s): *midamus* Linnaeus, 1758
- 11017) *Euploea midamus rafflesi* Moore, 1883 (Danaidae) Synonym(s): *rafflesi* Moore, 1883
- 11018) *Euploea midamus roepstorffi* (Moore, 1883) (Danaidae) Synonym(s): *roepstorffi* Moore, 1883
- 11019) *Euploea midamus rogenhoferi* C. Felder & R. Felder, [1865] (Danaidae) Synonym(s): *rogenhoferi* C. Felder & R. Felder, [1865]; *irawada* Moore, 1877
- 11020) *Euploea midamus simillima* Moore, 1883 (Danaidae) Synonym(s): *simillima* Moore, 1883
- 11021) *Euploea midamus singapura* Moore, 1883 (Danaidae) Synonym(s): *singapura* Moore, 1883
- 11022) *Euploea midamus sophia* Moore, 1883 (Danaidae) Synonym(s): *sophia* Moore, 1883
- 11023) *Euploea midamus splendens* Butler, 1866 (Danaidae) Synonym(s): *splendens* Butler, 1866; *noblei* Swinhoe, 1916
- 11024) *Euploea midamus staudingeri* Kheil (Danaidae) Synonym(s):
- 11025) *Euploea midamus sticheli* Hagen, 1898 (Danaidae) Synonym(s): *sticheli* Hagen, 1898
- 11026) *Euploea mitra* Moore, [1858] (Danaidae) Synonym(s): *mitra* Moore, [1858]
- 11027) *Euploea mitra mitra* Moore, [1858] (Danaidae) Synonym(s): *mitra* Moore, [1858]
- 11028) *Euploea modesta* Butler, 1866 (Danaidae) Synonym(s): *modesta* Butler, 1866; *mouhotii* Moore
- 11029) *Euploea modesta ainoae* Bryk (Danaidae) Synonym(s):
- 11030) *Euploea modesta buxtoni* Moore, 1883 (Danaidae) Synonym(s): *buxtoni* Moore, 1883
- 11031) *Euploea modesta decheeri* Doherty (Danaidae) Synonym(s):
- 11032) *Euploea modesta deriopes* Fruhstorfer, 1911 (Danaidae) Synonym(s): *deriopes* Fruhstorfer, 1911
- 11033) *Euploea modesta kuehni* Röber, 1891 (Danaidae) Synonym(s): *kuehni* Röber, 1891
- 11034) *Euploea modesta lamos* Fruhstorfer, 1904 (Danaidae) Synonym(s): *lamos* Fruhstorfer, 1904
- 11035) *Euploea modesta lorzae* Moore, 1883 (Danaidae) Synonym(s): *lorzae* Moore, 1883
- 11036) *Euploea modesta modesta* Butler, 1866 (Danaidae) Synonym(s): *modesta* Butler, 1866; *mouhotii* Moore
- 11037) *Euploea modesta morrisi* Hagen, 1898 (Danaidae) Synonym(s): *morrisi* Hagen, 1898
- 11038) *Euploea modesta salinator* Fruhstorfer, 1904 (Danaidae) Synonym(s): *salinator* Fruhstorfer, 1904
- 11039) *Euploea modesta suavissima* Fruhstorfer, 1897 (Danaidae) Synonym(s): *suavissima* Fruhstorfer, 1897
- 11040) *Euploea modesta tiomana* Corbet, 1937 (Danaidae) Synonym(s): *tiomana* Corbet, 1937

- 11041) *Euploea nemertes* (Danaiidae) Synonym(s):
 11042) *Euploea nemertes macleayi* C.Felder (Danaiidae) Synonym(s):
 11043) *Euploea phaenareta* (Schaller,1785) (Danaiidae) Synonym(s): *phaenareta* Schaller,1785; *affinis* Gmelin,1790; *#phaenarete* D'Abrera,1982
 11044) *Euploea phaenareta althaea* Semper,1878 (Danaiidae) Synonym(s): *althaea* Semper,1878
 11045) *Euploea phaenareta aruana* Strand,1914 (Danaiidae) Synonym(s): *aruana* Strand,1914
 11046) *Euploea phaenareta butleri* Moore,1883 (Danaiidae) Synonym(s): *butleri* Moore,1883
 11047) *Euploea phaenareta castelnaui* C.Felder & R.Felder,[1865] (Danaiidae) Synonym(s): *castelnaui* C.Felder & R.Felder,[1865]; *phoebus* Butler,1866
 11048) *Euploea phaenareta celebica* Fruhstorfer,1898 (Danaiidae) Synonym(s): *celebica* Fruhstorfer,1898
 11049) *Euploea phaenareta corus* (Fabricius,1793) (Danaiidae) Synonym(s): *corus* Fabricius,1793
 11050) *Euploea phaenareta defiguratus* Fruhstorfer,1908 (Danaiidae) Synonym(s): *defiguratus* Fruhstorfer,1908
 11051) *Euploea phaenareta eucala* Staudinger,1896 (Danaiidae) Synonym(s): *eucala* Staudinger,1896
 11052) *Euploea phaenareta goodsoni* Corbet,1942 (Danaiidae) Synonym(s): *goodsoni* Corbet,1942
 11053) *Euploea phaenareta grandis* Moore,1883 (Danaiidae) Synonym(s): *grandis* Moore,1883
 11054) *Euploea phaenareta hesiodus* Fruhstorfer,1910 (Danaiidae) Synonym(s): *hesiodus* Fruhstorfer,1910
 11055) *Euploea phaenareta juvia* Fruhstorfer,1908 (Danaiidae) Synonym(s): *juvia* Fruhstorfer,1908
 11056) *Euploea phaenareta locupletior* Fruhstorfer,1899 (Danaiidae) Synonym(s): *locupletior* Fruhstorfer,1899
 11057) *Euploea phaenareta lornae* Schröder & Treadaway,1979 (Danaiidae) Synonym(s): *lornae* Schröder & Treadaway,1979
 11058) *Euploea phaenareta margaretae* Schröder & Treadaway,1988 (Danaiidae) Synonym(s): *margaretae* Schröder & Treadaway,1988
 11059) *Euploea phaenareta micronesia* Doherty,1891 (Danaiidae) Synonym(s): *micronesia* Doherty,1891
 11060) *Euploea phaenareta nikrion* Fruhstorfer,1910 (Danaiidae) Synonym(s): *nikrion* Fruhstorfer,1910
 11061) *Euploea phaenareta pavettae* Zincken,1831 (Danaiidae) Synonym(s): *pavettae* Zincken,1831
 11062) *Euploea phaenareta phaenareta* (Schaller,1785) (Danaiidae) Synonym(s): *phaenareta* Schaller,1785; *affinis* Gmelin,1790; *#phaenarete* D'Abrera,1982
 11063) *Euploea phaenareta phaeratina* Kheil,1884 (Danaiidae) Synonym(s): *phaeratina* Kheil,1884
 11064) *Euploea phaenareta rolanda* Fruhstorfer,1904 (Danaiidae) Synonym(s): *rolanda* Fruhstorfer,1904
 11065) *Euploea phaenareta rolanda* Fruhstorfer,1904 (Danaiidae) Synonym(s): *rolanda* Fruhstorfer,1904
 11066) *Euploea phaenareta salvini* Staudinger,1889 (Danaiidae) Synonym(s): *salvini* Staudinger,1889
 11067) *Euploea phaenareta stadius* Fruhstorfer,1910 (Danaiidae) Synonym(s): *stadius* Fruhstorfer,1910
 11068) *Euploea phaenareta vitrina* (Fruhstorfer,1898) (Danaiidae) Synonym(s): *vitrina* Fruhstorfer,1898
 11069) *Euploea radamanthus* (Fabricius,1793) (Danaiidae) Synonym(s): *radamanthus* Fabricius,1793; *diocletianus* Fabricius,1793
 11070) *Euploea radamanthus aerithus* Fruhstorfer (Danaiidae) Synonym(s): *aerithus* Fruhstorfer
 11071) *Euploea radamanthus alcidice* (Godart,1819) (Danaiidae) Synonym(s): *alcidice* Godart,1819
 11072) *Euploea radamanthus despoliata* Fruhstorfer,1910 (Danaiidae) Synonym(s): *despoliata* Fruhstorfer,1910; *talboti* Tytler,1939
 11073) *Euploea radamanthus lowei* Butler (Danaiidae) Synonym(s): *lowei* Butler
 11074) *Euploea radamanthus radamanthus* (Fabricius,1793) (Danaiidae) Synonym(s): *radamanthus* Fabricius,1793; *diocletianus* Fabricius,1793
 11075) *Euploea radamanthus ramsayi* (Moore,1890) (Danaiidae) Synonym(s): *ramsayi* Moore,1890
 11076) *Euploea radamanthus rolanda* Fruhstorfer,1910 (Danaiidae) Synonym(s): *schildi* Fruhstorfer,1910
 11077) *Euploea radamanthus schreiberi* Butler,1884 (Danaiidae) Synonym(s): *schreiberi* Butler,1884
 11078) *Euploea redtenbacheri* C.Felder & R.Felder,[1865] (Danaiidae) Synonym(s): *redtenbacheri* C.Felder & R.Felder,[1865]
 11079) *Euploea redtenbacheri coracina* Hoppfer,1874 (Danaiidae) Synonym(s): *coracina* Hoppfer,1874
 11080) *Euploea redtenbacheri redtenbacheri* C.Felder & R.Felder,[1865] (Danaiidae) Synonym(s): *redtenbacheri* C.Felder & R.Felder,[1865]
 11081) *Euploea redtenbacheri selayarensis* Tsukada & Nishiyama,1979 (Danaiidae) Synonym(s): *selayarensis* Tsukada & Nishiyama,1979
 11082) *Euploea swainson* (Godart,[1824]) (Danaiidae) Synonym(s): *swainson* Godart,[1824]
 11083) *Euploea swainson butra* Staudinger,1889 (Danaiidae) Synonym(s): *butra* Staudinger,1889
 11084) *Euploea swainson donovani* C.Felder & R.Felder,[1865] (Danaiidae) Synonym(s): *donovani* C.Felder & R.Felder,[1865]
 11085) *Euploea swainson duplex* Hulstaert,1931 (Danaiidae) Synonym(s): *duplex* Hulstaert,1931
 11086) *Euploea swainson jadiva* Fruhstorfer,1911 (Danaiidae) Synonym(s): *jadiva* Fruhstorfer,1911
 11087) *Euploea swainson panayensis* Schröder & Treadaway,1983 (Danaiidae) Synonym(s): *panayensis* Schröder & Treadaway,1983
 11088) *Euploea swainson suluana* Moore,1883 (Danaiidae) Synonym(s): *suluana* Moore,1883
 11089) *Euploea swainson swainson* (Godart,[1824]) (Danaiidae) Synonym(s): *swainson* Godart,[1824]
 11090) *Euploea sylvester* (Fabricius,1793) (Danaiidae) Synonym(s): *sylvester* Fabricius,1793
 11091) *Euploea sylvester agapa* Fruhstorfer,1911 (Danaiidae) Synonym(s): *agapa* Fruhstorfer,1911
 11092) *Euploea sylvester baweanica* Fruhstorfer,1910 (Danaiidae) Synonym(s): *baweanica* Fruhstorfer,1910
 11093) *Euploea sylvester bazilana* Fruhstorfer,1900 (Danaiidae) Synonym(s): *bazilana* Fruhstorfer,1900
 11094) *Euploea sylvester coreta* (Godart,1819) (Danaiidae) Synonym(s): *coreta* Godart,1819; *montana* C.Felder & R.Felder,[1865]
 11095) *Euploea sylvester dotata* Fruhstorfer,1900 (Danaiidae) Synonym(s): *dotata* Fruhstorfer,1900
 11096) *Euploea sylvester glarang* Martin,1912 (Danaiidae) Synonym(s): *glarang* Martin,1912
 11097) *Euploea sylvester harrisii* C.Felder & R.Felder,[1865] (Danaiidae) Synonym(s): *harrisii* C.Felder & R.Felder,[1865]
 11098) *Euploea sylvester hopei* C.Felder & R.Felder,[1865] (Danaiidae) Synonym(s): *hopei* C.Felder & R.Felder,[1865]
 11099) *Euploea sylvester laetifica* Butler,1866 (Danaiidae) Synonym(s): *laetifica* Butler,1866
 11100) *Euploea sylvester schlegelii* C.Felder & R.Felder,[1865] (Danaiidae) Synonym(s): *schlegelii* C.Felder & R.Felder,[1865]
 11101) *Euploea sylvester schoenigi* Schröder & Treadaway,1983 (Danaiidae) Synonym(s): *schoenigi* Schröder & Treadaway,1983
 11102) *Euploea sylvester swinhoei* Wallace & Moore,1866 (Danaiidae) Synonym(s): *swinhoei* Wallace & Moore,1866; *okinawensis* Matsumura,1929 nec Son.,1926;
#atropurpurea Murayama & Shimono,1963
 11103) *Euploea sylvester sylvester* (Fabricius,1793) (Danaiidae) Synonym(s): *sylvester* Fabricius,1793
 11104) *Euploea sylvester tyrianthia* (Moore,1883) (Danaiidae) Synonym(s): *tyrianthia* Moore,1883
 11105) *Euploea tobleri* Semper,1878 (Danaiidae) Synonym(s): *tobleri* Semper,1878
 11106) *Euploea tobleri inoue* Osada & Hashimoto,1982 (Danaiidae) Synonym(s): *inouei* Osada & Hashimoto,1982
 11107) *Euploea tobleri lasamasamai* Treadaway & Nuyda,1994 (Danaiidae) Synonym(s): *lasamasamai* Treadaway & Nuyda,1994
 11108) *Euploea tobleri mangyan* Yamamoto & Takei,1988 (Danaiidae) Synonym(s): *mangyan* Yamamoto & Takei,1988
 11109) *Euploea tobleri peducea* Fruhstorfer,1911 (Danaiidae) Synonym(s): *peducea* Fruhstorfer,1911
 11110) *Euploea tobleri romeo* Schröder & Treadaway,1978 (Danaiidae) Synonym(s): *romeo* Schröder & Treadaway,1978
 11111) *Euploea tobleri silmae* Schröder & Treadaway,1978 (Danaiidae) Synonym(s): *silmae* Schröder & Treadaway,1978
 11112) *Euploea tobleri snelleni* Moore,1883 (Danaiidae) Synonym(s): *snelleni* Moore,1883
 11113) *Euploea tobleri tobleri* Semper,1878 (Danaiidae) Synonym(s): *tobleri* Semper,1878
 11114) *Euploea tobleri yoshioi* Nuyda & Kawamura,1989 (Danaiidae) Synonym(s): *yoshioi* Nuyda & Kawamura,1989
 11115) *Euploea tulliolus* (Fabricius,1793) (Danaiidae) Synonym(s): *tulliolus* Fabricius,1793
 11116) *Euploea tulliolus aristotelis* Moore,1883 (Danaiidae) Synonym(s): *aristotelis* Moore,1883
 11117) *Euploea tulliolus bawana* Fruhstorfer,1905 (Danaiidae) Synonym(s): *bawana* Fruhstorfer,1905
 11118) *Euploea tulliolus dahaani* Lucas,1853 (Danaiidae) Synonym(s): *dahaani* Lucas,1853
 11119) *Euploea tulliolus eunus* De Nicéville,1895 (Danaiidae) Synonym(s): *eunus* De Nicéville,1895
 11120) *Euploea tulliolus forsteri* C.Felder & R.Felder,[1865] (Danaiidae) Synonym(s): *forsteri* C.Felder & R.Felder,[1865]
 11121) *Euploea tulliolus hainana* Holland,1887 (Danaiidae) Synonym(s): *hainana* Holland,1887
 11122) *Euploea tulliolus incompta* Herrich-Schäffer,1869 (Danaiidae) Synonym(s): *incompta* Herrich-Schäffer,1869; *protforsteri* Poulton,1924
 11123) *Euploea tulliolus koxinga* Fruhstorfer,1908 (Danaiidae) Synonym(s): *koxinga* Fruhstorfer,1908
 11124) *Euploea tulliolus ledereri* C.Felder & R.Felder,1860 (Danaiidae) Synonym(s): *ledereri* C.Felder & R.Felder,1860
 11125) *Euploea tulliolus lombokiana* Fruhstorfer,1905 (Danaiidae) Synonym(s): *lombokiana* Fruhstorfer,1905
 11126) *Euploea tulliolus mazares* Moore,1857 (Danaiidae) Synonym(s): *mazares* Moore,1857
 11127) *Euploea tulliolus mazarina* Fruhstorfer,1904 (Danaiidae) Synonym(s): *mazarina* Fruhstorfer,1904
 11128) *Euploea tulliolus monilina* Fruhstorfer,1910 (Danaiidae) Synonym(s): *monilina* Fruhstorfer,1910
 11129) *Euploea tulliolus natunensis* Fruhstorfer,1901 (Danaiidae) Synonym(s): *natunensis* Fruhstorfer,1901
 11130) *Euploea tulliolus palawana* Fruhstorfer,1900 (Danaiidae) Synonym(s): *palawana* Fruhstorfer,1900

- 11131) *Euploea tulliolus philinna* Fruhstorfer, 1904 (Danaidae) Synonym(s): *philinna* Fruhstorfer, 1904
- 11132) *Euploea tulliolus pollita* Erichson, 1834 (Danaidae) Synonym(s): *pollita* Erichson, 1834; *monilis* Moore, 1883
- 11133) *Euploea tulliolus sambavana* Doherty, 1891 (Danaidae) Synonym(s): *sambavana* Doherty, 1891
- 11134) *Euploea tulliolus sumbana* Doherty, 1891 (Danaidae) Synonym(s): *sumbana* Doherty, 1891
- 11135) *Euploea tulliolus wetterensis* Fruhstorfer, 1900 (Danaidae) Synonym(s): *wetterensis* Fruhstorfer, 1900
- 11136) *Idea agamarschana* (C.Felder & R.Felder, 1865) (Danaidae) Synonym(s): *agamarschana* C.Felder & R.Felder, 1865; *margherita* Fruhstorfer, 1903
- 11137) *Idea agamarschana agamarschana* (C.Felder & R.Felder, 1865) (Danaidae) Synonym(s): *agamarschana* C.Felder & R.Felder, 1865; *margherita* Fruhstorfer, 1903
- 11138) *Idea agamarschana arrakana* Fruhstorfer, 1910 (Danaidae) Synonym(s): *arrakana* Fruhstorfer, 1910
- 11139) *Idea agamarschana cadelli* (Wood-Mason & De Nicéville, 1880) (Danaidae) Synonym(s): *cadelli* Wood-Mason & De Nicéville, 1880
- 11140) *Idea agamarschana hadeni* (Wood-Mason & De Nicéville, 1880) (Danaidae) Synonym(s): *hadeni* Wood-Mason & De Nicéville, 1880
- 11141) *Idea blanchardii Marchal*, 1845 (Danaidae) Synonym(s): *blanchardii* Marchal, 1845; *#blanchardi* auct.
- 11142) *Idea blanchardii blanchardii* Marchal, 1845 (Danaidae) Synonym(s): *blanchardii* Marchal, 1845; *#blanchardi* auct.
- 11143) *Idea blanchardii djampeana* Fruhstorfer, 1899 (Danaidae) Synonym(s): *djampeana* Fruhstorfer, 1899
- 11144) *Idea blanchardii garunda* Fruhstorfer, 1910 (Danaidae) Synonym(s): *garunda* Fruhstorfer, 1910
- 11145) *Idea blanchardii kuehni* Röber, 1887 (Danaidae) Synonym(s): *kuehni* Röber, 1887
- 11146) *Idea blanchardii marosiana* Fruhstorfer, 1903 (Danaidae) Synonym(s): *marosiana* Fruhstorfer, 1903
- 11147) *Idea blanchardii munaensis* Fruhstorfer, 1899 (Danaidae) Synonym(s): *munaensis* Fruhstorfer, 1899
- 11148) *Idea blanchardii paluana* Martin, 1914 (Danaidae) Synonym(s): *paluana* Martin, 1914
- 11149) *Idea blanchardii phlegeton* Fruhstorfer, 1904 (Danaidae) Synonym(s): *phlegeton* Fruhstorfer, 1904
- 11150) *Idea blanchardii silayara* Martin, 1914 (Danaidae) Synonym(s): *silayara* Martin, 1914
- 11151) *Idea blanchardii* ssp. (Danaidae) Synonym(s):
- 11152) *Idea durvillei* (Boisduval, 1832) (Danaidae) Synonym(s): *durvillei* Boisduval, 1832
- 11153) *Idea durvillei durvillei* (Boisduval, 1832) (Danaidae) Synonym(s): *durvillei* Boisduval, 1832
- 11154) *Idea durvillei nika* Fruhstorfer, 1903 (Danaidae) Synonym(s): *hemera* Fruhstorfer, 1903
- 11155) *Idea durvillei keyensis* Fruhstorfer, 1899 (Danaidae) Synonym(s): *keyensis* Fruhstorfer, 1899
- 11156) *Idea durvillei metris* Fruhstorfer, 1903 (Danaidae) Synonym(s): *metris* Fruhstorfer, 1903
- 11157) *Idea durvillei nika* Fruhstorfer, 1903 (Danaidae) Synonym(s): *nika* Fruhstorfer, 1903
- 11158) *Idea electra* Semper, 1878 (Danaidae) Synonym(s): *electra* Semper, 1878
- 11159) *Idea electra electra* Semper, 1878 (Danaidae) Synonym(s): *electra* Semper, 1878
- 11160) *Idea electra harmonia* Fruhstorfer, 1910 (Danaidae) Synonym(s): *harmonia* Fruhstorfer, 1910
- 11161) *Idea hypermnestra* (Westwood, 1848) (Danaidae) Synonym(s): *hypermnestra* Westwood, 1848
- 11162) *Idea hypermnestra belia* (Westwood, 1848) (Danaidae) Synonym(s): *belia* estwood, 1848
- 11163) *Idea hypermnestra hera* Fruhstorfer, 1903 (Danaidae) Synonym(s): *hera* Fruhstorfer, 1903
- 11164) *Idea hypermnestra hypermnestra* (Westwood, 1848) (Danaidae) Synonym(s): *hypermnestra* Westwood, 1848
- 11165) *Idea hypermnestra linteata* (Butler, [1879]) (Danaidae) Synonym(s): *linteata* Butler, [1879]
- 11166) *Idea idea* (Linnaeus, 1763) (Danaidae) Synonym(s): *idea* Linnaeus, 1763; *novella* Fruhstorfer, 1910
- 11167) *Idea idea aza* Boisduval (Danaidae) Synonym(s): *aza* Boisduval
- 11168) *Idea idea idea* (Linnaeus, 1763) (Danaidae) Synonym(s): *idea* Linnaeus, 1763; *novella* Fruhstorfer, 1910
- 11169) *Idea idea sula* De Nicéville, 1900 (Danaidae) Synonym(s): *sula* De Nicéville, 1900
- 11170) *Idea jasonia* (Westwood, 1848) (Danaidae) Synonym(s): *jasonia* Westwood, 1848; *diabolica* Fruhstorfer, 1910
- 11171) *Idea jasonia jasonia* (Westwood, 1848) (Danaidae) Synonym(s): *jasonia* Westwood, 1848; *diabolica* Fruhstorfer, 1910
- 11172) *Idea leuconoe* Erichson, 1834 (Danaidae) Synonym(s): *leuconoe* Erichson, 1834
- 11173) *Idea leuconoe athesis* Fruhstorfer, 1911 (Danaidae) Synonym(s): *athesis* Fruhstorfer, 1911
- 11174) *Idea leuconoe chersonesia* (Fruhstorfer, [1898]) (Danaidae) Synonym(s): *chersonesia* Fruhstorfer, [1898]
- 11175) *Idea leuconoe engania* Doherty (Danaidae) Synonym(s):
- 11176) *Idea leuconoe esanga* Fruhstorfer, 1898 (Danaidae) Synonym(s): *esanga* Fruhstorfer, 1898
- 11177) *Idea leuconoe gamaoi* Jumalon, 1975 (Danaidae) Synonym(s): *gamaoi* Jumalon, 1975
- 11178) *Idea leuconoe godmani* Oberthür (Danaidae) Synonym(s):
- 11179) *Idea leuconoe gordita* Fruhstorfer, 1911 (Danaidae) Synonym(s): *gordita* Fruhstorfer, 1911
- 11180) *Idea leuconoe javana* Fruhstorfer, 1897 (Danaidae) Synonym(s): *javana* Fruhstorfer, 1897
- 11181) *Idea leuconoe lasiaka* Van Eecke (Danaidae) Synonym(s):
- 11182) *Idea leuconoe leuconoe* Erichson, 1834 (Danaidae) Synonym(s): *leuconoe* Erichson, 1834
- 11183) *Idea leuconoe natunensis* Snellen (Danaidae) Synonym(s):
- 11184) *Idea leuconoe nigriana* Grose-Smith, 1895 (Danaidae) Synonym(s): *nigriana* Grose-Smith, 1895
- 11185) *Idea leuconoe nigriana* Grose-Smith, 1895 (Danaidae) Synonym(s): *nigriana* Grose-Smith, 1895
- 11186) *Idea leuconoe obscura* Staudinger, 1889 (Danaidae) Synonym(s): *obscura* Staudinger, 1889
- 11187) *Idea leuconoe princesa* Staudinger, 1889 (Danaidae) Synonym(s): *princesa* Staudinger, 1889
- 11188) *Idea leuconoe samara* Fruhstorfer, 1910 (Danaidae) Synonym(s): *samara* Fruhstorfer, 1910
- 11189) *Idea leuconoe siamensis* (Godfrey, 1916) (Danaidae) Synonym(s): *siamensis* Godfrey, 1916
- 11190) *Idea leuconoe solyma* Fruhstorfer, 1910 (Danaidae) Synonym(s): *solyma* Fruhstorfer, 1910
- 11191) *Idea leuconoe vedana* Fruhstorfer, 1906 (Danaidae) Synonym(s): *vedana* Fruhstorfer, 1906
- 11192) *Idea lynceus* (Drury, 1773) (Danaidae) Synonym(s): *lynceus* Drury, 1773; *reinwardti* Moore, 1883
- 11193) *Idea lynceus fumata* Fruhstorfer, 1897 (Danaidae) Synonym(s): *fumata* Fruhstorfer, 1897
- 11194) *Idea lynceus lynceus* (Drury, 1773) (Danaidae) Synonym(s): *lynceus* Drury, 1773; *reinwardti* Moore, 1883
- 11195) *Idea lynceus niasica* Fruhstorfer, 1903 (Danaidae) Synonym(s): *niasica* Fruhstorfer, 1903
- 11196) *Idea malabarica* Moore, 1877 (Danaidae) Synonym(s): *malabarica* Moore, 1877
- 11197) *Idea malabarica kanarensis* (Moore, 1890) (Danaidae) Synonym(s): *kanarensis* Moore, 1890
- 11198) *Idea malabarica malabarica* Moore, 1877 (Danaidae) Synonym(s): *malabarica* Moore, 1877
- 11199) *Idea stolli* (Moore, 1883) (Danaidae) Synonym(s): *stolli* Moore, 1883
- 11200) *Idea stolli alcine* Fruhstorfer, 1910 (Danaidae) Synonym(s): *alcine* Fruhstorfer, 1910
- 11201) *Idea stolli bintanga* Van Eecke (Danaidae) Synonym(s):
- 11202) *Idea stolli daldorffi* Corbet, 1942 (Danaidae) Synonym(s): *daldorffi* Corbet, 1942
- 11203) *Idea stolli hypata* Fruhstorfer, 1910 (Danaidae) Synonym(s): *hypata* Fruhstorfer, 1910
- 11204) *Idea stolli logani* (Moore, 1883) (Danaidae) Synonym(s): *logani* Moore, 1883
- 11205) *Idea stolli stolli* (Moore, 1883) (Danaidae) Synonym(s): *stolli* Moore, 1883
- 11206) *Idea stolli thalassica* Fruhstorfer, 1910 (Danaidae) Synonym(s): *thalassica* Fruhstorfer, 1910
- 11207) *Idea stolli virgo* Fruhstorfer, 1903 (Danaidae) Synonym(s): *virgo* Fruhstorfer, 1903
- 11208) *Idea tambusiana* Bedford-Russell, 1981 (Danaidae) Synonym(s): *tambusiana* Bedford-Russell, 1981
- 11209) *Idea tambusiana hideoi* Okano, 1985 (Danaidae) Synonym(s): *hideoi* Okano, 1985
- 11210) *Idea tambusiana tambusiana* Bedford-Russell, 1981 (Danaidae) Synonym(s): *tambusiana* Bedford-Russell, 1981
- 11211) *Ideopsis gaura* (Horsfield, 1829) (Danaidae) Synonym(s): *gaura* Horsfield, 1829
- 11212) *Ideopsis gaura anapina* Semper, 1892 (Danaidae) Synonym(s): *anapina* Semper, 1892
- 11213) *Ideopsis gaura anapis* C.Felder, 1861 (Danaidae) Synonym(s): *anapis* C.Felder, 1861
- 11214) *Ideopsis gaura bracara* Fruhstorfer, 1910 (Danaidae) Synonym(s): *bracara* Fruhstorfer, 1910
- 11215) *Ideopsis gaura canlaonii* Jumalon, 1971 (Danaidae) Synonym(s): *canlaonii* Jumalon, 1971
- 11216) *Ideopsis gaura cesa* Kemal & Koçak, 2005 (Danaidae) Synonym(s): *palawana* Fruhstorfer, 1910 nec Stgr., 1889; *cesa* Kemal & Koçak, 2005
- 11217) *Ideopsis gaura costalis* Moore, 1883 (Danaidae) Synonym(s): *costalis* Moore, 1883; *batuna* Fruhstorfer, 1906
- 11218) *Ideopsis gaura daos* Boisduval (Danaidae) Synonym(s): *daos* Boisduval *ardana* Fruhstorfer, 1910
- 11219) *Ideopsis gaura eudora* Gray (Danaidae) Synonym(s): *eudora* Gray *sonia* Fruhstorfer, 1898
- 11220) *Ideopsis gaura gaura* (Horsfield, 1829) (Danaidae) Synonym(s): *gaura* Horsfield, 1829
- 11221) *Ideopsis gaura glaphyra* Moore, 1883 (Danaidae) Synonym(s): *glaphyra* Moore, 1883

- 11222) *Ideopsis gaura kajangensis* Okubo, 1983 (Danaidae) Synonym(s): *kajangensis* Okubo, 1983
- 11223) *Ideopsis gaura lingana* Fruhstorfer, 1910 (Danaidae) Synonym(s): *lingana* Fruhstorfer, 1910
- 11224) *Ideopsis gaura messala* Fruhstorfer, 1910 (Danaidae) Synonym(s): *messala* Fruhstorfer, 1910
- 11225) *Ideopsis gaura natunensis* Fruhstorfer, 1910 (Danaidae) Synonym(s): *natunensis* Fruhstorfer, 1910
- 11226) *Ideopsis gaura nigrocostalis* Hagen, 1902 (Danaidae) Synonym(s): *nigrocostalis* Hagen, 1902
- 11227) *Ideopsis gaura panayana* Schröder & Treadaway, 1984 (Danaidae) Synonym(s): *panayana* Schröder & Treadaway, 1984
- 11228) *Ideopsis gaura pellucida* Talbot, 1940 (Danaidae) Synonym(s): *pellucida* Talbot, 1940
- 11229) *Ideopsis gaura perakana* Fruhstorfer, [1899] (Danaidae) Synonym(s): *perakana* Fruhstorfer, [1899]
- 11230) *Ideopsis gaura pseudocostalis* Van Eecke (Danaidae) Synonym(s):
- 11231) *Ideopsis juvena* (Cramer, [1777]) (Danaidae) Synonym(s): *juvena* Cramer, [1777]
- 11232) *Ideopsis juvena bosnika* Talbot (Danaidae) Synonym(s): *bosnika* Talbot
- 11233) *Ideopsis juvena curtisi* Moore, 1883 (Danaidae) Synonym(s): *curtisi* Moore, 1883
- 11234) *Ideopsis juvena ellida* Fruhstorfer, 1904 (Danaidae) Synonym(s): *ellida* Fruhstorfer, 1904
- 11235) *Ideopsis juvena eugenia* Fruhstorfer, 1907 (Danaidae) Synonym(s): *eugenia* Fruhstorfer, 1907
- 11236) *Ideopsis juvena georgina* Fruhstorfer, 1904 (Danaidae) Synonym(s): *georgina* Fruhstorfer, 1904
- 11237) *Ideopsis juvena hollandia* Talbot (Danaidae) Synonym(s): *hollandia* Talbot
- 11238) *Ideopsis juvena homonyma* Bryk, 1937 (Danaidae) Synonym(s): *homonyma* Bryk, 1937
- 11239) *Ideopsis juvena ishma* Butler, 1869 (Danaidae) Synonym(s): *ishma* Butler, 1869
- 11240) *Ideopsis juvena juvena* (Cramer, [1777]) (Danaidae) Synonym(s): *juvena* Cramer, [1777]
- 11241) *Ideopsis juvena kallatia* Fruhstorfer, 1904 (Danaidae) Synonym(s): *kallatia* Fruhstorfer, 1904
- 11242) *Ideopsis juvena kinitis* Fruhstorfer, 1904 (Danaidae) Synonym(s): *juvena kinitis* Fruhstorfer, 1904
- 11243) *Ideopsis juvena kolleri* Hulstaert (Danaidae) Synonym(s): *kolleri* Hulstaert
- 11244) *Ideopsis juvena lirungensis* Fruhstorfer, 1899 (Danaidae) Synonym(s): *lirungensis* Fruhstorfer, 1899
- 11245) *Ideopsis juvena longa* Doherty (Danaidae) Synonym(s):
- 11246) *Ideopsis juvena luzonica* Moore, 1883 (Danaidae) Synonym(s): *luzonica* Moore, 1883
- 11247) *Ideopsis juvena lycosura* Fruhstorfer, 1910 (Danaidae) Synonym(s): *lycosura* Fruhstorfer, 1910
- 11248) *Ideopsis juvena manillana* Moore, 1883 (Danaidae) Synonym(s): *manillana* Moore, 1883
- 11249) *Ideopsis juvena metaxa* Fruhstorfer, 1910 (Danaidae) Synonym(s): *metaxa* Fruhstorfer, 1910
- 11250) *Ideopsis juvena nicobarica* (Wood-Mason & De Nicéville, 1881) (Danaidae) Synonym(s): *nicobarica* Wood-Mason & De Nicéville, 1881
- 11251) *Ideopsis juvena phana* Fruhstorfer (Danaidae) Synonym(s):
- 11252) *Ideopsis juvena pseudosimilis* Van Eecke (Danaidae) Synonym(s):
- 11253) *Ideopsis juvena purpurata* Butler, 1866 (Danaidae) Synonym(s): *purpurata* Butler, 1866
- 11254) *Ideopsis juvena sapana* Talbot (Danaidae) Synonym(s):
- 11255) *Ideopsis juvena satellitica* Fruhstorfer, 1899 (Danaidae) Synonym(s): *satellitica* Fruhstorfer, 1899
- 11256) *Ideopsis juvena scrobia* Van Eecke (Danaidae) Synonym(s):
- 11257) *Ideopsis juvena sequana* Fruhstorfer, 1910 (Danaidae) Synonym(s): *sequana* Fruhstorfer, 1910
- 11258) *Ideopsis juvena sitah* (Fruhstorfer, 1904) (Danaidae) Synonym(s): *sitah* Fruhstorfer, 1904
- 11259) *Ideopsis juvena sobrina* Boisduval (Danaidae) Synonym(s): *sobrina* Boisduval; *turneri* Butler, 1878
- 11260) *Ideopsis juvena sobrinoides* Butler, 1882 (Danaidae) Synonym(s): *sobrinoides* Butler, 1882; *mangalia* Fruhstorfer, 1904; *ribbei* Fruhstorfer, 1907
- 11261) *Ideopsis juvena sophonisbe* (Fruhstorfer, 1904) (Danaidae) Synonym(s): *sophonisbe* Fruhstorfer, 1904
- 11262) *Ideopsis juvena stictica* Fruhstorfer, 1899 (Danaidae) Synonym(s): *stictica* Fruhstorfer, 1899
- 11263) *Ideopsis juvena suluana* Talbot, 1943 (Danaidae) Synonym(s): *suluana* Talbot, 1943
- 11264) *Ideopsis juvena tanais* Fruhstorfer, 1904 (Danaidae) Synonym(s): *tanaï* Fruhstorfer, 1904
- 11265) *Ideopsis juvena tawaya* Fruhstorfer, 1904 (Danaidae) Synonym(s): *tawaya* Fruhstorfer, 1904
- 11266) *Ideopsis juvena tontoliensis* Fruhstorfer, 1897 (Danaidae) Synonym(s): *tontoliensis* Fruhstorfer, 1897
- 11267) *Ideopsis juvena ultramontana* Martin, 1914 (Danaidae) Synonym(s): *ultramontana* Martin, 1914
- 11268) *Ideopsis juvena zanira* Fruhstorfer, 1904 (Danaidae) Synonym(s): *zanira* Fruhstorfer, 1904
- 11269) *Ideopsis oberthueri* Doherty, 1891 (Danaidae) Synonym(s): *oberthueri* Doherty, 1891
- 11270) *Ideopsis similis* (Linnaeus, 1758) (Danaidae) Synonym(s): *similis* Linnaeus, 1758
- 11271) *Ideopsis similis exprompta* (Butler, 1874) (Danaidae) Synonym(s): *exprompta* Butler, 1874
- 11272) *Ideopsis similis persimilis* (Moore, 1879) (Danaidae) Synonym(s): *persimilis* Moore, 1879; *purpurascens* Tytler, 1939
- 11273) *Ideopsis similis similis* (Linnaeus, 1758) (Danaidae) Synonym(s): *similis* Linnaeus, 1758
- 11274) *Ideopsis vitrea* (Blanchard, 1853) (Danaidae) Synonym(s): *vitrea* Blanchard, 1853
- 11275) *Ideopsis vitrea arachnosia* Fruhstorfer, 1910 (Danaidae) Synonym(s): *arachnosia* Fruhstorfer, 1910
- 11276) *Ideopsis vitrea iza* Fruhstorfer, 1898 (Danaidae) Synonym(s): *iza* Fruhstorfer, 1898
- 11277) *Ideopsis vitrea oenopia* C. Felder (Danaidae) Synonym(s):
- 11278) *Ideopsis vitrea ribbei* Röber, 1887 (Danaidae) Synonym(s): *ribbei* Röber, 1887
- 11279) *Ideopsis vitrea vitrea* (Blanchard, 1853) (Danaidae) Synonym(s): *vitrea* Blanchard, 1853
- 11280) *Ideopsis vulgaris* (Butler, 1874) (Danaidae) Synonym(s): *vulgaris* Butler, 1874
- 11281) *Ideopsis vulgaris macrina* (Fruhstorfer, 1904) (Danaidae) Synonym(s): *macrina* Fruhstorfer, 1904
- 11282) *Ideopsis vulgaris ocarinis* (Corbet, 1942) (Danaidae) Synonym(s): *ocarinis* Corbet, 1942
- 11283) *Ideopsis vulgaris palawana* (Staudinger, 1889) (Danaidae) Synonym(s): *palawana* Staudinger, 1889
- 11284) *Ideopsis vulgaris vulgaris* (Butler, 1874) (Danaidae) Synonym(s): *vulgaris* Butler, 1874
- 11285) *Lycorea cleobaea* (Godart, [1819]) (Danaidae) Synonym(s): *ceres* Cramer, [1776] *nec* Fabr., 1775; *cleobaea* Godart, [1819]
- 11286) *Lycorea cleobaea atergatis* Doubleday & Hewitson, [1847] (Danaidae) Synonym(s): *atergatis* Doubleday & Hewitson, [1847]
- 11287) *Lycorea cleobaea cleobaea* (Godart, [1819]) (Danaidae) Synonym(s): *ceres* Cramer, [1776] *nec* Fabr., 1775; *cleobaea* Godart, [1819]
- 11288) *Lycorea cleobaea demeter* C. Felder & R. Felder, [1865] (Danaidae) Synonym(s): *demeter* C. Felder & R. Felder, [1865]
- 11289) *Parantica aglea* (Stoll, [1782]) (Danaidae) Synonym(s): *aglea* Stoll, [1782]; *grammica* Boisduval, 1858; *ceylanica* C. Felder, 1862
- 11290) *Parantica aglea aglea* (Stoll, [1782]) (Danaidae) Synonym(s): *aglea* Stoll, [1782]; *grammica* Boisduval, 1858; *ceylanica* C. Felder, 1862
- 11291) *Parantica aglea maghaba* (Fruhstorfer, 1909) (Danaidae) Synonym(s): *maghaba* Fruhstorfer, 1909
- 11292) *Parantica aglea melanoides* Moore, 1883 (Danaidae) Synonym(s): *melanoides* Moore, 1883
- 11293) *Parantica aglea melanoleuca* (Moore, [1877]) (Danaidae) Synonym(s): *melanoleuca* Moore, [1877]
- 11294) *Parantica aglea phormion* Fruhstorfer, 1910 (Danaidae) Synonym(s): *phormion* Fruhstorfer, 1910
- 11295) *Parantica agleoides* (C. Felder & R. Felder, 1860) (Danaidae) Synonym(s): *eryx* Fabricius, 1798 *nec* Linn., 1771; *agleoides* C. Felder & R. Felder, 1860
- 11296) *Parantica agleoides agleoides* (C. Felder & R. Felder, 1860) (Danaidae) Synonym(s): *eryx* Fabricius, 1798 *nec* Linn., 1771; *agleoides* C. Felder & R. Felder, 1860
- 11297) *Parantica agleoides erycina* Fruhstorfer, 1899 (Danaidae) Synonym(s): *erycina* Fruhstorfer, 1899
- 11298) *Parantica agleoides furius* Fruhstorfer, 1909 (Danaidae) Synonym(s): *furius* Fruhstorfer, 1909
- 11299) *Parantica agleoides kangeana* Talbot (Danaidae) Synonym(s):
- 11300) *Parantica agleoides maenius* Fruhstorfer, 1909 (Danaidae) Synonym(s): *maenius* Fruhstorfer, 1909
- 11301) *Parantica agleoides odesia* (Corbet, 1942) (Danaidae) Synonym(s): *odesia* Corbet, 1942
- 11302) *Parantica agleoides terilus* Fruhstorfer, 1910 (Danaidae) Synonym(s): *terilus* Fruhstorfer, 1910
- 11303) *Parantica albata* (Zincken, 1856) (Danaidae) Synonym(s): *albata* Zincken, 1856
- 11304) *Parantica albata adustata* Fruhstorfer, 1907 (Danaidae) Synonym(s): *adustata* Fruhstorfer, 1907
- 11305) *Parantica albata albata* (Zincken, 1856) (Danaidae) Synonym(s): *albata* Zincken, 1856
- 11306) *Parantica aspasia* (Fabricius, 1787) (Danaidae) Synonym(s): *aspasia* Fabricius, 1787; *crocea* Butler, 1866
- 11307) *Parantica aspasia aspasia* (Fabricius, 1787) (Danaidae) Synonym(s): *aspasia* Fabricius, 1787; *crocea* Butler, 1866
- 11308) *Parantica aspasia caulonia* Fruhstorfer (Danaidae) Synonym(s):
- 11309) *Parantica aspasia cerilla* Fruhstorfer, 1911 (Danaidae) Synonym(s): *cerilla* Fruhstorfer, 1911; *annetta* Swinhoe
- 11310) *Parantica aspasia chrysea* Doherty (Danaidae) Synonym(s):
- 11311) *Parantica aspasia flymbra* Fruhstorfer, 1911 (Danaidae) Synonym(s): *flymbra* Fruhstorfer, 1911
- 11312) *Parantica aspasia kheili* Staudinger (Danaidae) Synonym(s):

- 11313) *Parantica aspasia philomela* Zincken (Danaidae) Synonym(s):
 11314) *Parantica aspasia rita* Fruhstorfer,1905 (Danaidae) Synonym(s): *rita* Fruhstorfer,1905
 11315) *Parantica aspasia shelfordi* Fruhstorfer,1905 (Danaidae) Synonym(s): *shelfordi* Fruhstorfer,1905
 11316) *Parantica aspasia thargalia* Fruhstorfer,1910 (Danaidae) Synonym(s): *thargalia* Fruhstorfer,1910
 11317) *Parantica aspasia viridana* (Corbet,1942) (Danaidae) Synonym(s): *viridana* Corbet,1942
 11318) *Parantica cleona* (Stoll,1782) (Danaidae) Synonym(s): *cleona* Stoll,1782
 11319) *Parantica cleona cleona* (Stoll,1782) (Danaidae) Synonym(s): *cleona* Stoll,1782
 11320) *Parantica cleona lucida* Fruhstorfer,1899 (Danaidae) Synonym(s): *lucida* Fruhstorfer,1899
 11321) *Parantica cleona luci-plena* Fruhstorfer,1892 (Danaidae) Synonym(s): *luci-plena* Fruhstorfer,1892
 11322) *Parantica cleona talautica* Snellen,1896 (Danaidae) Synonym(s): *talautica* Snellen,1896
 11323) *Parantica crowleyi* Jenner-Weir,1894 (Danaidae) Synonym(s): *crowleyi* Jenner-Weir,1894 Bor MY
 11324) *Parantica dabrerai* Miller & Miller,1978 (Danaidae) Synonym(s): *dabrerai* Miller & Miller,1978; *sohmae* Tsukada & Nishiyama,1979
 11325) *Parantica dannatti* Talbot,1936 (Danaidae) Synonym(s): *dannatti* Talbot,1936
 11326) *Parantica dannatti dannatti* Talbot,1936 (Danaidae) Synonym(s): *dannatti* Talbot,1936
 11327) *Parantica dannatti diutaensis* Takei & Yamamoto,1979 (Danaidae) Synonym(s): *diutaensis* Takei & Yamamoto,1979
 11328) *Parantica dannatti malindangensis* Yamamoto & Takei,1980 (Danaidae) Synonym(s): *malindangensis* Yamamoto & Takei,1980
 11329) *Parantica dannatti reyesi* Schröder & Treadaway,1984 (Danaidae) Synonym(s): *reyesi* Schröder & Treadaway,1984
 11330) *Parantica davidi* (Schröder,1976) (Danaidae) Synonym(s): *davidi* Schröder,1976
 11331) *Parantica hypowattan* Morishita,1981 (Danaidae) Synonym(s): *hypowattan* Morishita,1981
 11332) *Parantica kuekenthali* Pagenstecher,1896 (Danaidae) Synonym(s): *kuekenthali* Pagenstecher,1896
 11333) *Parantica luzonensis* (C.Felder & R.Felder,1863) (Danaidae) Synonym(s): *luzonensis* C.Felder & R.Felder,1863; *larissa* C.Felder & R.Felder,1865; *banksii* Moore,1883; *funeralis* Butler,1884; *erebus* Butler,1886; *orientis* Doherty,1891; *praemacarisus* Fruhstorfer,1899; *panaitius* Fruhstorfer,1910; *mnasippus* Fruhstorfer,1911; *formosanus* Matsumura,1929
 11334) *Parantica luzonensis aurensis* Eliot,1978 (Danaidae) Synonym(s): *aurensis* Eliot,1978
 11335) *Parantica luzonensis luzonensis* (C.Felder & R.Felder,1863) (Danaidae) Synonym(s): *luzonensis* C.Felder & R.Felder,1863; *larissa* C.Felder & R.Felder,1865; *banksii* Moore,1883; *funeralis* Butler,1884; *erebus* Butler,1886; *orientis* Doherty,1891; *praemacarisus* Fruhstorfer,1899; *panaitius* Fruhstorfer,1910; *mnasippus* Fruhstorfer,1911; *formosanus* Matsumura,1929
 11336) *Parantica luzonensis simonides* Fruhstorfer,1911 (Danaidae) Synonym(s): *simonides* Fruhstorfer,1911
 11337) *Parantica melaneus* (Cramer,[1775]) (Danaidae) Synonym(s): *melaneus* Cramer,[1775]; *ephyre* Hübner,[1816]; *szechuana* Fruhstorfer,1899
 11338) *Parantica melaneus melaneus* (Cramer,[1775]) (Danaidae) Synonym(s): *melaneus* Cramer,[1775]; *ephyre* Hübner,[1816]; *szechuana* Fruhstorfer,1899
 11339) *Parantica melaneus plataniston* (Fruhstorfer,1910) (Danaidae) Synonym(s): *plataniston* Fruhstorfer,1910; *neopatra* Fruhstorfer,1910.
 11340) *Parantica melaneus sinopion* (Fruhstorfer,1910) (Danaidae) Synonym(s): *sinopion* Fruhstorfer,1910
 11341) *Parantica melaneus swinhoei* (Moore,1883) (Danaidae) Synonym(s): *swinhoei* Moore,1883; *paculus* Fruhstorfer,1908
 11342) *Parantica menadensis* Moore,1883 (Danaidae) Synonym(s): *menadensis* Moore,1883
 11343) *Parantica menadensis menadensis* Moore,1883 (Danaidae) Synonym(s): *menadensis* Moore,1883
 11344) *Parantica menadensis niuwenhuisi* Detani,1983 (Danaidae) Synonym(s): *niuwenhuisi* Detani,1983
 11345) *Parantica milagros* Schröder & Treadaway,1980 (Danaidae) Synonym(s): *milagros* Schröder & Treadaway,1980
 11346) *Parantica milagros fideli* Treadaway & Nuyda,1993 (Danaidae) Synonym(s): *fideli* Treadaway & Nuyda,1993
 11347) *Parantica milagros milagros* Schröder & Treadaway,1980 (Danaidae) Synonym(s): *milagros* Schröder & Treadaway,1980
 11348) *Parantica nilgiriensis* (Moore,1877) (Danaidae) Synonym(s): *nilgiriensis* Moore,1877 IN
 11349) *Parantica nilgiriensis nilgiriensis* (Moore,1877) (Danaidae) Synonym(s): *nilgiriensis* Moore,1877
 11350) *Parantica noeli* Treadaway & Nuyda,1993 (Danaidae) Synonym(s): *noeli* Treadaway & Nuyda,1993
 11351) *Parantica pedonga* Fujioka,1970 (Danaidae) Synonym(s): *pedonga* Fujioka,1970
 11352) *Parantica philo* Grose-Smith,1895 (Danaidae) Synonym(s): *philo* Grose-Smith,1895
 11353) *Parantica phyle* C.Felder & R.Felder,1863 (Danaidae) Synonym(s): *phyle* C.Felder & R.Felder,1863
 11354) *Parantica pseudomelaneus* Moore,1883 (Danaidae) Synonym(s): *pseudomelaneus* Moore,1883
 11355) *Parantica schoenigi* Jumalon,1971 (Danaidae) Synonym(s): *schoenigi* Jumalon,1971
 11356) *Parantica sita* (Kollar,[1844]) (Danaidae) Synonym(s): *sita* Kollar,[1844]; *#tira* Fruhstorfer,1899; *#pedonga* Talbot,1943.
 11357) *Parantica sita ethologa* (Swinhoe,1899) (Danaidae) Synonym(s): *ethologa* Swinhoe,1899
 11358) *Parantica sita niponica* (Moore,1883) (Danaidae) Synonym(s): *niponica* Moore,1883
 11359) *Parantica sita oblita* Tsukada & Nishiyama,1980 (Danaidae) Synonym(s): *oblita* Tsukada & Nishiyama,1980
 11360) *Parantica sita santomasi* Schröder & Treadaway,1982 (Danaidae) Synonym(s): *santomasi* Schröder & Treadaway,1982
 11361) *Parantica sita sita* (Kollar,[1844]) (Danaidae) Synonym(s): *sita* Kollar,[1844]; *#tira* Fruhstorfer,1899; *#pedonga* Talbot,1943.
 11362) *Parantica sulewattan* Fruhstorfer,1896 (Danaidae) Synonym(s): *sulewattan* Fruhstorfer,1896
 11363) *Parantica taprobana* (C.Felder & R.Felder,1865) (Danaidae) Synonym(s): *taprobana* C.Felder & R.Felder,1865; *fumata* Butler,1866
 11364) *Parantica taprobana taprobana* (C.Felder & R.Felder,1865) (Danaidae) Synonym(s): *taprobana* C.Felder & R.Felder,1865; *fumata* Butler,1866
 11365) *Parantica tityodes* Hagen,1890 (Danaidae) Synonym(s): *tityodes* Hagen,1890
 11366) *Parantica toxopei* Nieuwenhuis,1969 (Danaidae) Synonym(s): *toxopei* Nieuwenhuis,1969
 11367) *Parantica vitrina* (C.Felder & R.Felder,1861) (Danaidae) Synonym(s): *vitrina* C.Felder & R.Felder,1861
 11368) *Parantica vitrina oenone* Butler,1865 (Danaidae) Synonym(s): *oenone* Butler,1865
 11369) *Parantica vitrina vitrina* (C.Felder & R.Felder,1861) (Danaidae) Synonym(s): *vitrina* C.Felder & R.Felder,1861
 11370) *Parantica wegneri* Nieuwenhuis,1960 (Danaidae) Synonym(s): *wegneri* Nieuwenhuis,1960
 11371) *Parantica weiskei* (Danaidae) Synonym(s):
 11372) *Parantica weiskei barbarus* Tsukada & Nishiyama,1979 (Danaidae) Synonym(s): *barbarus* Tsukada & Nishiyama,1979
 11373) *Tellervo assarica* (Stoll) (Danaidae) Synonym(s):
 11374) *Tellervo assarica assarica* (Stoll) (Danaidae) Synonym(s):
 11375) *Tellervo assarica boeroensis* Jurriaanse & Volbeda (Danaidae) Synonym(s): *boeroensis* Jurriaanse & Volbeda
 11376) *Tellervo assarica gebiensis* Ackery,1987 (Danaidae) Synonym(s): *gebiensis* Ackery,1987
 11377) *Tellervo assarica hiempsal* Fruhstorfer,1911 (Danaidae) Synonym(s): *hiempsal* Fruhstorfer,1911
 11378) *Tellervo assarica jobinus* Fruhstorfer,1911 (Danaidae) Synonym(s): *jobinus* Fruhstorfer,1911
 11379) *Tellervo assarica limetanus* Fruhstorfer,1911 (Danaidae) Synonym(s): *limetanus* Fruhstorfer,1911
 11380) *Tellervo assarica macrofallax* Strand (Danaidae) Synonym(s):
 11381) *Tellervo assarica mioswara* Ackery,1987 (Danaidae) Synonym(s): *mioswara* Ackery,1987
 11382) *Tellervo assarica mysolensis* Joicey & Talbot (Danaidae) Synonym(s): *mysolensis* Joicey & Talbot
 11383) *Tellervo assarica salawatica* Ackery,1987 (Danaidae) Synonym(s): *salawatica* Ackery,1987
 11384) *Tellervo assarica seramica* Ackery,1987 (Danaidae) Synonym(s): *seramica* Ackery,1987
 11385) *Tellervo assarica strandi* Ackery,1987 (Danaidae) Synonym(s): *strandi* Ackery,1987
 11386) *Tellervo assarica talboti* Ackery,1987 (Danaidae) Synonym(s): *talboti* Ackery,1987
 11387) *Tellervo hiero* Godman & Salvin (Danaidae) Synonym(s): *hiero* Godman & Salvin
 11388) *Tellervo hiero evages* Godman & Salvin (Danaidae) Synonym(s): *evages* Godman & Salvin
 11389) *Tellervo hiero hiero* Godman & Salvin (Danaidae) Synonym(s): *hiero* Godman & Salvin
 11390) *Tellervo jurriaansei* Joicey & Talbot,1922 (Danaidae) Synonym(s): *jurriaansei* Joicey & Talbot,1922
 11391) *Tellervo jurriaansei jurriaansei* Joicey & Talbot,1922 (Danaidae) Synonym(s): *jurriaansei* Joicey & Talbot,1922
 11392) *Tellervo nedusia* (Geyer,1832) (Danaidae) Synonym(s): *nedusia* Geyer,1832
 11393) *Tellervo nedusia aruensis* Joicey & Talbot,1922 (Danaidae) Synonym(s): *aruensis* Joicey & Talbot,1922
 11394) *Tellervo nedusia biakensis* Joicey & Noakes,1916 (Danaidae) Synonym(s): *biakensis* Joicey & Noakes,1916
 11395) *Tellervo nedusia coalescens* Rothschild,1915 (Danaidae) Synonym(s): *exilis* Strand,1911; *coalescens* Rothschild,1915
 11396) *Tellervo nedusia fallax* (Staudinger,1885) (Danaidae) Synonym(s): *fallax* Staudinger,1885
 11397) *Tellervo nedusia huona* Ackery,1987 (Danaidae) Synonym(s): *huona* Ackery,1987
 11398) *Tellervo nedusia jobia* Ackery,1987 (Danaidae) Synonym(s): *jobia* Ackery,1987
 11399) *Tellervo nedusia meforicus* Fruhstorfer,1910 (Danaidae) Synonym(s): *meforicus* Fruhstorfer,1910

- 11400) Tellervo nedusia mysoriensis (Staudinger,1885) (Danaidae) Synonym(s): *mysoriensis* Staudinger,1885
- 11401) Tellervo nedusia nedusia (Geyer,1832) (Danaidae) Synonym(s): *nedusia* Geyer,1832
- 11402) Tellervo nedusia paupensis Ackery,1987 (Danaidae) Synonym(s): *paupensis* Ackery,1987
- 11403) Tellervo nedusia talasea Ackery,1987 (Danaidae) Synonym(s): *talasea* Ackery,1987
- 11404) Tellervo nedusia wangaarica Ackery,1987 (Danaidae) Synonym(s): *wangaarica* Ackery,1987
- 11405) Tellervo nedusia wollastoni Rothschild,1915 (Danaidae) Synonym(s): *wollastoni* Rothschild,1915; *adriaansei* Hulstaert,1923
- 11406) Tellervo parvipuncta Joicey & Talbot,1922 (Danaidae) Synonym(s): *parvipuncta* Joicey & Talbot,1922
- 11407) Tellervo parvipuncta parvipuncta Joicey & Talbot,1922 (Danaidae) Synonym(s): *parvipuncta* Joicey & Talbot,1922
- 11408) Tellervo parvipuncta separata Ackery,1987 (Danaidae) Synonym(s): *separata* Ackery,1987
- 11409) Tellervo zoilus (Fabricius,1775) (Danaidae) Synonym(s): *zoilus* Fabricius,1775
- 11410) Tellervo zoilus aequicinctus Godman & Salvin,1877 (Danaidae) Synonym(s): *aequicinctus* Godman & Salvin,1877
- 11411) Tellervo zoilus antipatrus Fruhstorfer,1910 (Danaidae) Synonym(s): *antipatrus* Fruhstorfer,1910
- 11412) Tellervo zoilus digulica Hulstaert,1924 (Danaidae) Synonym(s): *digulica* Hulstaert,1924
- 11413) Tellervo zoilus distincta Rothschild,1915 (Danaidae) Synonym(s): *distincta* Rothschild,1915
- 11414) Tellervo zoilus duba Ackery,1987 (Danaidae) Synonym(s): *duba* Ackery,1987
- 11415) Tellervo zoilus gelo Waterhouse & Lyell,1914 (Danaidae) Synonym(s): *gelo* Waterhouse & Lyell,1914
- 11416) Tellervo zoilus lavonga Ackery,1987 (Danaidae) Synonym(s): *lavonga* Ackery,1987
- 11417) Tellervo zoilus misima Ackery,1987 (Danaidae) Synonym(s): *misima* Ackery,1987
- 11418) Tellervo zoilus mujua Ackery,1987 (Danaidae) Synonym(s): *mujua* Ackery,1987
- 11419) Tellervo zoilus nais Guérin-Ménéville,1829 (Danaidae) Synonym(s): *nais* Guérin-Ménéville,1829
- 11420) Tellervo zoilus niveipicta Butler,1884 (Danaidae) Synonym(s): *niveipicta* Butler,1884
- 11421) Tellervo zoilus sarcapus Fruhstorfer,1911 (Danaidae) Synonym(s): *sarcapus* Fruhstorfer,1911
- 11422) Tellervo zoilus tagula Ackery,1987 (Danaidae) Synonym(s): *tagula* Ackery,1987
- 11423) Tellervo zoilus zephoris Fruhstorfer,1911 (Danaidae) Synonym(s): *zephoris* Fruhstorfer,1911
- 11424) Tellervo zoilus zoilus (Fabricius,1775) (Danaidae) Synonym(s): *zoilus* Fabricius,1775
- 11425) Tirumala choaspes Butler,1886 (Danaidae) Synonym(s): *choaspes* Butler,1886
- 11426) Tirumala choaspes choaspes Butler,1886 (Danaidae) Synonym(s): *choaspes* Butler,1886
- 11427) Tirumala choaspes kalawara Martin,1913 (Danaidae) Synonym(s): *kalawara* Martin,1913
- 11428) Tirumala choaspes kroeseni Martin,1910 (Danaidae) Synonym(s): *kroeseni* Martin,1910
- 11429) Tirumala choaspes oxyntas Fruhstorfer,1911 (Danaidae) Synonym(s): *oxyntas* Fruhstorfer,1911
- 11430) Tirumala formosa (Godman,1880) (Danaidae) Synonym(s): *formosa* Godman,1880
- 11431) Tirumala formosa formosa (Godman,1880) (Danaidae) Synonym(s): *formosa* Godman,1880
- 11432) Tirumala formosa mercedonia (Karsch,1894) (Danaidae) Synonym(s): *mercedonia* Karsch,1894
- 11433) Tirumala formosa morgeni (Honrath,1892) (Danaidae) Synonym(s): *morgeni* Honrath,1892
- 11434) Tirumala formosa neumanni (Rothschild,1902) (Danaidae) Synonym(s): *neumanni* Rothschild,1902
- 11435) Tirumala gautama (Moore,1877) (Danaidae) Synonym(s): *gautama* Moore,1877
- 11436) Tirumala gautama gautama (Moore,1877) (Danaidae) Synonym(s): *gautama* Moore,1877
- 11437) Tirumala gautama gautamoides (Doherty,1886) (Danaidae) Synonym(s): *gautamoides* Doherty,1886
- 11438) Tirumala hamata (Macleay,1827) (Danaidae) Synonym(s): *hamata* Macleay,1827
- 11439) Tirumala hamata hamata (Macleay,1827) (Danaidae) Synonym(s): *hamata* Macleay,1827
- 11440) Tirumala hamata nephthys Fruhstorfer,1911 (Danaidae) Synonym(s): *nephthys* Fruhstorfer,1911
- 11441) Tirumala hamata neptunica C.Felder (Danaidae) Synonym(s):
- 11442) Tirumala hamata orientalis Semper,1879 (Danaidae) Synonym(s): *orientalis* Semper,1879
- 11443) Tirumala hamata pandora Corbet,1942 (Danaidae) Synonym(s): *pandora* Corbet,1942
- 11444) Tirumala hamata pelagia Fruhstorfer,1911 (Danaidae) Synonym(s): *pelagia* Fruhstorfer,1911
- 11445) Tirumala hamata rufiventris Fruhstorfer,1899 (Danaidae) Synonym(s): *rufiventris* Fruhstorfer,1899
- 11446) Tirumala hamata tibula Fruhstorfer,1911 (Danaidae) Synonym(s): *tibula* Fruhstorfer,1911
- 11447) Tirumala ishmoides Moore,1883 (Danaidae) Synonym(s): *ishmoides* Moore,1883
- 11448) Tirumala ishmoides ishmoides Moore,1883 (Danaidae) Synonym(s): *ishmoides* Moore,1883
- 11449) Tirumala ishmoides sontinus Fruhstorfer,1911 (Danaidae) Synonym(s): *sontinus* Fruhstorfer,1911
- 11450) Tirumala ishmoides strymon Fruhstorfer,1911 (Danaidae) Synonym(s): *strymon* Fruhstorfer,1911; *trasiannus* Fruhstorfer,1911
- 11451) Tirumala ishmoides vetus Talbot,1943 (Danaidae) Synonym(s): *vetus* Talbot,1943
- 11452) Tirumala limniace (Cramer,1775) (Danaidae) Synonym(s): *limniace* Cramer,1775
- 11453) Tirumala limniace bentenga Martin,1910 (Danaidae) Synonym(s): *bentenga* Martin,1910
- 11454) Tirumala limniace conjuncta Moore,1883 (Danaidae) Synonym(s): *conjuncta* Moore,1883; *donia* Fruhstorfer,1897
- 11455) Tirumala limniace exotica (Gmelin,1790) (Danaidae) Synonym(s): *exotica* Gmelin,1790
- 11456) Tirumala limniace ino Butler,1871 (Danaidae) Synonym(s): *ino* Butler,1871
- 11457) Tirumala limniace leopardus (Butler,1866) (Danaidae) Synonym(s): *leopardus* Butler,1866; *mutina* Ormiston,1924.
- 11458) Tirumala limniace limniace (Cramer,1775) (Danaidae) Synonym(s): *limniace* Cramer,1775
- 11459) Tirumala limniace makassara Martin,1910 (Danaidae) Synonym(s): *makassara* Martin,1910
- 11460) Tirumala limniace orestilla Fruhstorfer,1910 (Danaidae) Synonym(s): *orestilla* Fruhstorfer,1910
- 11461) Tirumala limniace tumanana Semper,1886 (Danaidae) Synonym(s): *tumanana* Semper,1886
- 11462) Tirumala petiverana (Doubleday,1847) (Danaidae) Synonym(s): *petiverana* Doubleday,1847; *leonora* Butler,1866; *phrynichus* Fruhstorfer,1910; *#septentrionides* Stoneham,1958.
- 11463) Tirumala petiverana petiverana (Doubleday,1847) (Danaidae) Synonym(s): *petiverana* Doubleday,1847; *leonora* Butler,1866; *phrynichus* Fruhstorfer,1910; *#septentrionides* Stoneham,1958.
- 11464) Tirumala septentrionis (Butler,1874) (Danaidae) Synonym(s): *septentrionis* Butler,1874
- 11465) Tirumala septentrionis arikata Fruhstorfer,1910 (Danaidae) Synonym(s): *arikata* Fruhstorfer,1910
- 11466) Tirumala septentrionis dravidarum (Fruhstorfer,1899) (Danaidae) Synonym(s): *dravidarum* Fruhstorfer,1899
- 11467) Tirumala septentrionis goana Martin (Danaidae) Synonym(s):
- 11468) Tirumala septentrionis microsticta (Butler,1874) (Danaidae) Synonym(s): *microsticta* Butler,1874
- 11469) Tirumala septentrionis musikanos (Fruhstorfer,1910) (Danaidae) Synonym(s): *musikanos* Fruhstorfer,1910
- 11470) Tirumala septentrionis myrsilos Fruhstorfer,1910 (Danaidae) Synonym(s): *myrsilos* Fruhstorfer,1910
- 11471) Tirumala septentrionis orientalis (Semper,1879) (Danaidae) Synonym(s): *orientalis* Semper,1879
- 11472) Tirumala septentrionis palawana Fruhstorfer,1899 (Danaidae) Synonym(s): *palawana* Fruhstorfer,1899
- 11473) Tirumala septentrionis septentrionis (Butler,1874) (Danaidae) Synonym(s): *septentrionis* Butler,1874
- 11474) Tirumala septentrionis suanetes Fruhstorfer,1911 (Danaidae) Synonym(s): *suanetes* Fruhstorfer,1911
- 11475) Tirumala septentrionis talautensis Talbot (Danaidae) Synonym(s):
- 11476) Tirumala septentrionis valentia Fruhstorfer,1911 (Danaidae) Synonym(s): *valentia* Fruhstorfer,1911
- 11477) Syringopais temperatella (Lederer,1855) (Deoclonidae) Synonym(s): *temperatella* Lederer,1855; *fuscofasciata* Stainton,1867; *ochrolitella* Staudinger,1871; *xenicopa* Meyrick,1920
- 11478) Klimeschia afghanica Gaedike,1974 (Douglassiidae) Synonym(s): *afghanica* Gaedike,1974
- 11479) Klimeschia cinereipunctella (Turati & Fiori,1930) (Douglassiidae) Synonym(s): *cinereipunctella* Turati & Fiori,1930; *lutumella* Amsel,1938.
- 11480) Klimeschia paghmanella Gaedike,1974 (Douglassiidae) Synonym(s): *paghmanella* Gaedike,1974.
- 11481) Klimeschia thymetella (Staudinger,1859) (Douglassiidae) Synonym(s): *thymetella* Staudinger,1859
- 11482) Klimeschia transversella (Zeller,1839) (Douglassiidae) Synonym(s): *transversella* Zeller,1839
- 11483) Klimeschia vibratoriella (Mann,1862) (Douglassiidae) Synonym(s): *vibratoriella* Mann,1862
- 11484) Tinagma anchusellum (Benander,1936) (Douglassiidae) Synonym(s): *anchusellum* Benander,1936
- 11485) Tinagma balteolellum (Fischer v. Röslerstamm,1841) (Douglassiidae) Synonym(s): *balteolellum* Fischer v. Röslerstamm,1841; *borkhauseniella* Herrich-Schäffer,1855
- 11486) Tinagma bledellum (Chrétien,1916) (Douglassiidae) Synonym(s): *bledellum* Chrétien,1916.

- 11487) *Tinagma columbellum* (Staudinger,1880) (Douglasiidae) Synonym(s): *columbellum* Staudinger,1880.
 11488) *Tinagma dryadis* Staudinger,1872 (Douglasiidae) Synonym(s): *dryadis* Staudinger,1872
 11489) *Tinagma griseus* Stainton,1867 (Douglasiidae) Synonym(s): *griseus* Stainton,1867; *tabghana* Amsel,1935
 11490) *Tinagma hedemanni* (Caradja,1920) (Douglasiidae) Synonym(s): *hedemanni* Caradja,1920
 11491) *Tinagma klimeschi* Gaedike,1987 (Douglasiidae) Synonym(s): *klimeschi* Gaedike,1987
 11492) *Tinagma minutissimum* (Staudinger,1880) (Douglasiidae) Synonym(s): *minutissimum* Staudinger,1880.
 11493) *Tinagma ocnerostomellum* (Stainton,1850) (Douglasiidae) Synonym(s): *ocnerostomellum* Stainton,1850; *echii* Herrich-Schäffer,1854.
 11494) *Tinagma perdicellum* Zeller,1839 (Douglasiidae) Synonym(s): *perdicellum* Zeller,1839; *deliciosella* Caradja,1920
 11495) *Tinagma signatum* Gaedike,1991 (Douglasiidae) Synonym(s): *signatum* Gaedike,1991
 11496) *Agnidra fuscilinea* (Watson,1961) (Drepanidae) Synonym(s): *fuscilinea* Watson,1961
 11497) *Agnidra specularia* (Walker,1860) (Drepanidae) Synonym(s): *specularia* Walker,1860
 11498) *Agnidra vinacea* Moore,1879 (Drepanidae) Synonym(s): *vinacea* Moore,1879; *birmanica* Bryk,1942
 11499) *Albara hollowayi* Watson,1970 (Drepanidae) Synonym(s): *hollowayi* Watson,1970
 11500) *Albara reversaria* Walker,1866 (Drepanidae) Synonym(s): *reversaria* Walker,1866
 11501) *Amphitorna excisa* (W.Warren,1897) (Drepanidae) Synonym(s): *excisa* W.Warren,1897
 11502) *Amphitorna perexcisa* (W.Warren,1923) (Drepanidae) Synonym(s): *perexcisa* W.Warren,1923
 11503) *Amphitorna purpureofasciata* (Wileman,1911) (Drepanidae) Synonym(s): *purpureofasciata* Wileman,1911; *unicolor* Wileman,1911; *bipunctinata* Strand,[1917]; *formosana* Matsumura,1921
 11504) *Amphitorna submontana* (Holloway,1976) (Drepanidae) Synonym(s): *submontana* Holloway,1976
 11505) *Auzatellodes theafundum* Holloway,1998 (Drepanidae) Synonym(s): *theafundum* Holloway,1998
 11506) *Callidrepana albiceris* (Swinhoe,1907) (Drepanidae) Synonym(s): *albiceris* Swinhoe,1907
 11507) *Callidrepana argenteola* (Moore,1858) (Drepanidae) Synonym(s): *argenteola* Moore,1858; *bracteata* Hampson,1893; *dialitha* West,1932; *celebensis* W.Warren,1922
 11508) *Callidrepana gelidata* (Walker,1862) (Drepanidae) Synonym(s): *gelidata* Walker,1862; *argentina* Walker,1865
 11509) *Callidrepana micacea* (Walker,1862) (Drepanidae) Synonym(s): *micacea* Walker,1862; *biocularis* Moore,1879; *fulvilauta* W.Warren,1897; *pilana* Swinhoe,1905
 11510) *Callidrepana nana* W.Warren,1922 (Drepanidae) Synonym(s): *nana* W.Warren,1922
 11511) *Callidrepana pulcherrima* (Hampson,1893) (Drepanidae) Synonym(s): *pulcherrima* Hampson,1893; *praeusta* W.Warren,1922
 11512) *Callidrepana saucia* C.Felder,1861 (Drepanidae) Synonym(s): *saucia* C.Felder,1861; *scintillata* Walker,1862
 11513) *Callidrepana saucia* *sundobscura* Holloway,1998 (Drepanidae) Synonym(s): *sundobscura* Holloway,1998
 11514) *Callidrepana splendens* (W.Warren,1897) (Drepanidae) Synonym(s): *splendens* W.Warren,1897
 11515) *Callidrepana vanbraeckeli* Gaede,1934 (Drepanidae) Synonym(s): *vanbraeckeli* Gaede,1934
 11516) *Canucha duplexa* Moore,1865 (Drepanidae) Synonym(s): *duplexa* Moore,1865
 11517) *Canucha miranda* W.Warren,1923 (Drepanidae) Synonym(s): *miranda* W.Warren,1923; *formosicola* Matsumura,1931
 11518) *Canucha miranda* *birmana* Bryk,1943 (Drepanidae) Synonym(s): *birmana* Bryk,1943
 11519) *Canucha specularis* (Moore,1879) (Drepanidae) Synonym(s): *specularis* Moore,1879; *obtruncata* W.Warren,1900
 11520) *Cilix asiatica* A.Bang-Haas,1907 (Drepanidae) Synonym(s): *asiatica* A.Bang-Haas,1907; *depalpata* Strand,1913
 11521) *Cilix filipjevi* Kardakoff,1928 (Drepanidae) Synonym(s): *filipjevi* Kardakoff,1928
 11522) *Cilix glaucata* (Scopoli,1763) (Drepanidae) Synonym(s): *glaucata* Scopoli,1763; *modesta* Müller,1764; *ruffa* Linnaeus,1766; *spinula* [Denis & Schiffermüller],1775; *candidula* [Denis & Schiffermüller],1775; *compressa* Fabricius,1777
 11523) *Cilix glaucata* *aeta* Zolotuhin,1997 (Drepanidae) Synonym(s): *aeta* Zolotuhin,1997
 11524) *Cilix glaucata* *glaucata* (Scopoli,1763) (Drepanidae) Synonym(s): *glaucata* Scopoli,1763; *modesta* Müller,1764; *ruffa* Linnaeus,1766; *spinula* [Denis & Schiffermüller],1775; *candidula* [Denis & Schiffermüller],1775; *compressa* Fabricius,1777
 11525) *Cilix malivora* Inoue,1958 (Drepanidae) Synonym(s): *malivora* Inoue,1958
 11526) *Crucidava annulifera* Holloway,1998 (Drepanidae) Synonym(s): *annulifera* Holloway,1998
 11527) *Ditrigona confluxaria* (Walker,1861) (Drepanidae) Synonym(s): *confluxaria* Walker,1861
 11528) *Ditrigona confluxaria* *cerodeta* Wilkinson,1968 (Drepanidae) Synonym(s): *cerodeta* Wilkinson,1968
 11529) *Ditrigona diana* Wilkinson,1968 (Drepanidae) Synonym(s): *diana* Wilkinson,1968
 11530) *Ditrigona inconspicua* (Leech,1898) (Drepanidae) Synonym(s): *inconspicua* Leech,1898
 11531) *Ditrigona komarovi* Kurenzov,1935 (Drepanidae) Synonym(s): *komarovi* Kurenzov,1935
 11532) *Ditrigona legnichrysa* Wilkinson,1968 (Drepanidae) Synonym(s): *legnichrysa* Wilkinson,1968
 11533) *Ditrigona margarita* Wilkinson,1968 (Drepanidae) Synonym(s): *margarita* Wilkinson,1968
 11534) *Ditrigona paludicola* Holloway,1998 (Drepanidae) Synonym(s): *paludicola* Holloway,1998
 11535) *Ditrigona sacra* Butler,1878 (Drepanidae) Synonym(s): *sacra* Butler,1878; *virgo* Butler,1878
 11536) *Ditrigona sericea* (Leech,1898) (Drepanidae) Synonym(s): *sericea* Leech,1898; *birmanica* Bryk,1943
 11537) *Ditrigona titana* Wilkinson,1968 (Drepanidae) Synonym(s): *titana* Wilkinson,1968
 11538) *Ditrigona triangularia* (Moore,1867) (Drepanidae) Synonym(s): *triangularia* Moore,1867
 11539) *Ditrigona wilkinsoni* Holloway,1998 (Drepanidae) Synonym(s): *wilkinsoni* Holloway,1998
 11540) *Drapetodes barlowi* Holloway,1998 (Drepanidae) Synonym(s): *barlowi* Holloway,1998
 11541) *Drapetodes croceago* Hampson,1895 (Drepanidae) Synonym(s): *croceago* Hampson,1895
 11542) *Drapetodes fratercula* Moore,1887 (Drepanidae) Synonym(s): *fratercula* Moore,1887; *albidior* W.Warren,1922
 11543) *Drapetodes lunulata* W.Warren,1896 (Drepanidae) Synonym(s): *lunulata* W.Warren,1896
 11544) *Drapetodes magnifica* Swinhoe,1902 (Drepanidae) Synonym(s): *magnifica* Swinhoe,1902
 11545) *Drapetodes magnifica* *denotata* Watson,1961 (Drepanidae) Synonym(s): *denotata* Watson,1961
 11546) *Drapetodes matulata* R.Felder & Rogenhofer,1875 (Drepanidae) Synonym(s): *matulata* R.Felder & Rogenhofer,1875; *obliquifasciata* Swinhoe,1902
 11547) *Drapetodes nummularia* Snellen,1889 (Drepanidae) Synonym(s): *nummularia* Snellen,1889
 11548) *Drepana curvatula* (Borkhausen,1790) (Drepanidae) Synonym(s): *curvatula* Borkhausen,1790
 11549) *Drepana falcatoria* (Linnaeus,1758) (Drepanidae) Synonym(s): *falcatoria* Linnaeus,1758; *sicula* [Denis & Schiffermüller],1775; *falcata* [Denis & Schiffermüller],1775; *falcata* Retzius,1783 *nec* Fabr.,1775; *falcatorialis* Haworth,1802; *infernalis* Bytinski-Salz,1939
 11550) *Euphalacra discipuncta* (Holloway,1976) (Drepanidae) Synonym(s): *discipuncta* Holloway,1976
 11551) *Euphalacra lacunata* Holloway,1998 (Drepanidae) Synonym(s): *lacunata* Holloway,1998
 11552) *Euphalacra nigradorsoides* Holloway,1998 (Drepanidae) Synonym(s): *nigradorsoides* Holloway,1998
 11553) *Euphalacra postmediangulata* Holloway,1998 (Drepanidae) Synonym(s): *postmediangulata* Holloway,1998
 11554) *Euphalacra semisecta* W.Warren (Drepanidae) Synonym(s):
 11555) *Euphalacra trifenestrata* (Swinhoe,1902) (Drepanidae) Synonym(s): *trifenestrata* Swinhoe,1902
 11556) *Falcaria lacertinaria* (Linnaeus,1758) (Drepanidae) Synonym(s): *lacertinaria* Linnaeus,1758; *lacertula* [Denis & Schiffermüller],1775; *lacertina* Retzius,1783; *dentaria* Thunberg,1784; *lacertinalis* Haworth,1802; *curvula* Haworth,1802
 11557) *Gogana abnormalis* (W.Warren,1897) (Drepanidae) Synonym(s): *abnormalis* W.Warren,1897
 11558) *Gogana bornormalis* Holloway,1998 (Drepanidae) Synonym(s): *bornormalis* Holloway,1998
 11559) *Gogana conwayi* (Holloway,1976) (Drepanidae) Synonym(s): *conwayi* Holloway,1976
 11560) *Gogana cottrillii* (Holloway,1976) (Drepanidae) Synonym(s): *cottrillii* Holloway,1976
 11561) *Gogana fragilis* (Swinhoe,1902) (Drepanidae) Synonym(s): *fragilis* Swinhoe,1902
 11562) *Gogana integra* W.Warren,1900 (Drepanidae) Synonym(s): *integra* W.Warren,1900
 11563) *Gogana kerara* (Swinhoe,1902) (Drepanidae) Synonym(s): *kerara* Swinhoe,1902
 11564) *Gogana ossicolor* (W.Warren,1922) (Drepanidae) Synonym(s): *ossicolor* W.Warren,1922
 11565) *Gogana semibrevis* (W.Warren,1901) (Drepanidae) Synonym(s): *semibrevis* W.Warren,1901
 11566) *Gogana specularis* Walker,[1866] (Drepanidae) Synonym(s): *specularis* Walker,[1866]
 11567) *Gogana streptoperoideis* Holloway,1998 (Drepanidae) Synonym(s): *streptoperoideis* Holloway,1998
 11568) *Gogana tenera* (Swinhoe,1902) (Drepanidae) Synonym(s): *tenera* Swinhoe,1902
 11569) *Gogana turbinifera* (W.Warren,1922) (Drepanidae) Synonym(s): *turbinifera* W.Warren,1922
 11570) *Hyalospectra altipustularia* Holloway,1998 (Drepanidae) Synonym(s): *altipustularia* Holloway,1998
 11571) *Hyalospectra dierli* Holloway,1998 (Drepanidae) Synonym(s): *dierli* Holloway,1998

- 11572) *Hyalospectra labi* Holloway, 1998 (Drepanidae) Synonym(s): *labi* Holloway, 1998
- 11573) *Hyalospectra pustularia* (Walker, 1861) (Drepanidae) Synonym(s): *pustularia* Walker, 1861
- 11574) *Hyalostola phoenicochyta* Hampson, 1914 (Drepanidae) Synonym(s): *phoenicochyta* Hampson, 1914; *#phoenicochyta auct.*
- 11575) *Hypsomadius insignis* Butler, 1877 (Drepanidae) Synonym(s): *insignis* Butler, 1877; *formosana* Strand, [1916]
- 11576) *Leucoblepsis excisa* (Hampson, 1892) (Drepanidae) Synonym(s): *excisa* Hampson, 1892; *carneotincta* W. Warren, 1901
- 11577) *Leucoblepsis fenestraria* (Moore, 1867) (Drepanidae) Synonym(s): *fenestraria* Moore, 1867; *ostia* Swinhoe, 1903
- 11578) *Leucoblepsis neoma* (Swinhoe, 1905) (Drepanidae) Synonym(s): *neoma* Swinhoe, 1905
- 11579) *Leucoblepsis renifera* (W. Warren, 1900) (Drepanidae) Synonym(s): *renifera* W. Warren, 1900; *tristis* Swinhoe, 1905
- 11580) *Macrauzata maxima* Inoue, 1960 (Drepanidae) Synonym(s): *maxima* Inoue, 1960
- 11581) *Macrauzata melanapex* Inoue, 1993 (Drepanidae) Synonym(s): *melanapex* Inoue, 1993
- 11582) *Macrauzata submontana* Holloway, 1976 (Drepanidae) Synonym(s): *submontana* Holloway, 1976
- 11583) *Macrocilix maia* (Leech, 1888) (Drepanidae) Synonym(s): *maia* Leech, 1888
- 11584) *Microblepsis cupreogrisea* (Hampson, 1895) (Drepanidae) Synonym(s): *cupreogrisea* Hampson, 1895
- 11585) *Microblepsis leucosticta* Hampson, 1895 (Drepanidae) Synonym(s): *leucosticta* Hampson, 1895
- 11586) *Nordstromia fenestripes* (W. Warren, 1922) (Drepanidae) Synonym(s): *argenteiceps* W. Warren, 1922
- 11587) *Nordstromia coffeata* Inoue, 1992 (Drepanidae) Synonym(s): *coffeata* Inoue, 1992
- 11588) *Nordstromia duplicata* (W. Warren, 1922) (Drepanidae) Synonym(s): *duplicata* W. Warren, 1922
- 11589) *Nordstromia lilacina* (Moore, 1888) (Drepanidae) Synonym(s): *lilacina* Moore, 1888
- 11590) *Nordstromia similima* (Moore, 1888) (Drepanidae) Synonym(s): *similima* Moore, 1888
- 11591) *Oreta ashleyi* Holloway, 1998 (Drepanidae) Synonym(s): *ashleyi* Holloway, 1998
- 11592) *Oreta bicolor* W. Warren, 1897 (Drepanidae) Synonym(s): *bicolor* W. Warren, 1897
- 11593) *Oreta brunnea* Wileman, 1911 (Drepanidae) Synonym(s): *brunnea* Wileman, 1911
- 11594) *Oreta carnea* (Butler, 1892) (Drepanidae) Synonym(s): *carnea* Butler, 1892; *berenica* Swinhoe, 1893; *hepaticata* W. Warren, 1897; *cardinalis* W. Warren, 1897
- 11595) *Oreta extensa* Walker, 1855 (Drepanidae) Synonym(s): *extensa* Walker, 1855; *figlina* Swinhoe, 1905
- 11596) *Oreta fulgens* (W. Warren, 1899) (Drepanidae) Synonym(s): *fulgens* W. Warren, 1899; *triumbrata* W. Warren, 1899; *thaumalea* West, 1932
- 11597) *Oreta griseotincta* Hampson, [1893] (Drepanidae) Synonym(s): *griseotincta* Hampson, [1893]; *olivacea* Dudgeon, 1899; *horishana* Matsumura, 1927; *changii* Inoue, 1988
- 11598) *Oreta loochooana* Swinhoe, 1902 (Drepanidae) Synonym(s): *loochooana* Swinhoe, 1902; *squamulata* Strand, [1916]; *formosicola* Matsumura, 1917
- 11599) *Oreta perobliquilinea* W. Warren, 1923 (Drepanidae) Synonym(s): *perobliquilinea* W. Warren, 1923
- 11600) *Oreta pingorum* Holloway, 1998 (Drepanidae) Synonym(s): *pingorum* Holloway, 1998
- 11601) *Oreta rubromarginata* Swinhoe, 1902 (Drepanidae) Synonym(s): *rubromarginata* Swinhoe, 1902; *subrosea* W. Warren, 1923
- 11602) *Oreta singapura* Swinhoe, 1892 (Drepanidae) Synonym(s): *singapura* Swinhoe, 1892; *continua* W. Warren, 1899; *leucospila* Joicey & Talbot, 1917; *dissimilis* W. Warren, 1923; *aurata* W. Warren, 1923; *ustimacula* W. Warren, 1923; *kalisi* Watson, 1961
- 11603) *Paralbara inaequidiscata* (W. Warren, 1922) (Drepanidae) Synonym(s): *inaequidiscata* W. Warren, 1922
- 11604) *Paralbara muscularia* (Walker, 1866) (Drepanidae) Synonym(s): *muscularia* Walker, 1866
- 11605) *Paralbara perhamata* (Hampson, 1894) (Drepanidae) Synonym(s): *perhamata* Hampson, 1894
- 11606) *Paralbara watsoni* Holloway, 1976 (Drepanidae) Synonym(s): *watsoni* Holloway, 1976
- 11607) *Phalacra bushbaumi* Holloway, 1998 (Drepanidae) Synonym(s): *bushbaumi* Holloway, 1998
- 11608) *Phalacra columba* Holloway, 1998 (Drepanidae) Synonym(s): *columba* Holloway, 1998
- 11609) *Pseuderosia cristata* Snellen, 1889 (Drepanidae) Synonym(s): *cristata* Snellen, 1889
- 11610) *Pseuderosia desmierdechenoni* Holloway, 1998 (Drepanidae) Synonym(s): *desmierdechenoni* Holloway, 1998
- 11611) *Sabra harpagula* (Esper, [1786]) (Drepanidae) Synonym(s): *harpagula* Esper, [1786]; *harparia* Fabricius, 1798
- 11612) *Scytolepteryx elongata* (Snellen, 1889) (Drepanidae) Synonym(s): *elongata* Snellen, 1889
- 11613) *Sewa orbiferata* (Walker, 1862) (Drepanidae) Synonym(s): *orbiferata* Walker, 1862; *insignata* Moore, 1868; *cilicoides* Snellen, 1889
- 11614) *Spectroreta hyalodisca* Hampson, 1896 (Drepanidae) Synonym(s): *hyalodisca* Hampson, 1896
- 11615) *Strepsigonia affinis* W. Warren, 1897 (Drepanidae) Synonym(s): *affinis* W. Warren, 1897
- 11616) *Strepsigonia diluta* (W. Warren, 1897) (Drepanidae) Synonym(s): *diluta* W. Warren, 1897; *subobliqua* W. Warren, 1897; *takamukui* Matsumura, 1927; *fujiena* Chu & Wang, 1987
- 11617) *Strepsigonia kerbau* Holloway, 1998 (Drepanidae) Synonym(s): *kerbau* Holloway, 1998
- 11618) *Strepsigonia paludicola* Holloway, 1998 (Drepanidae) Synonym(s): *paludicola* Holloway, 1998
- 11619) *Strepsigonia placida* (Swinhoe, 1902) (Drepanidae) Synonym(s): *placida* Swinhoe, 1902; *trigonoptera* W. Warren, 1923
- 11620) *Strepsigonia quadripunctata* (Walker, 1862) (Drepanidae) Synonym(s): *quadripunctata* Walker, 1862
- 11621) *Strepsigonia robusta* Holloway, 1998 (Drepanidae) Synonym(s): *robusta* Holloway, 1998
- 11622) *Streptoperas crenelata* Swinhoe, 1902 (Drepanidae) Synonym(s): *crenelata* Swinhoe, 1902
- 11623) *Streptoperas luteata* Hampson, 1895 (Drepanidae) Synonym(s): *luteata* Hampson, 1895
- 11624) *Teldenia angustifascia* Watson, 1961 (Drepanidae) Synonym(s): *angustifascia* Watson, 1961
- 11625) *Teldenia latilinea* Watson, 1961 (Drepanidae) Synonym(s): *latilinea* Watson, 1961
- 11626) *Teldenia specca* Wilkinson, 1976 (Drepanidae) Synonym(s): *specca* Wilkinson, 1976
- 11627) *Teldenia unistrigata* W. Warren, 1896 (Drepanidae) Synonym(s): *unistrigata* W. Warren, 1896
- 11628) *Teldenia vestigiata* Butler, 1880 (Drepanidae) Synonym(s): *vestigiata* Butler, 1880
- 11629) *Tridrepana albonotata* (Moore, 1879) (Drepanidae) Synonym(s): *albonotata* Moore, 1879; *ochrea* Butler, 1886; *perversata* W. Warren, 1922; *glaciata* W. Warren, 1922
- 11630) *Tridrepana albonotata* (Moore, 1879) (Drepanidae) Synonym(s): *albonotata* Moore, 1879
- 11631) *Tridrepana albonotata albonotata* (Moore, 1879) (Drepanidae) Synonym(s): *albonotata* Moore, 1879; *ochrea* Butler, 1886; *perversata* W. Warren, 1922; *glaciata* W. Warren, 1922
- 11632) *Tridrepana albonotata angusta* Watson, 1957 (Drepanidae) Synonym(s): *angusta* Watson, 1957
- 11633) *Tridrepana albonotata celebesensis* Watson, 1957 (Drepanidae) Synonym(s): *celebesensis* Watson, 1957
- 11634) *Tridrepana albonotata ferrea* (Hampson, 1892) (Drepanidae) Synonym(s): *ferrea* Hampson, 1892
- 11635) *Tridrepana albonotata rotunda* Watson, 1957 (Drepanidae) Synonym(s): *rotunda* Watson, 1957
- 11636) *Tridrepana argentistriga* W. Warren, 1896 (Drepanidae) Synonym(s): *argentistriga* W. Warren, 1896
- 11637) *Tridrepana argentistriga argentistriga* W. Warren, 1896 (Drepanidae) Synonym(s): *argentistriga* W. Warren, 1896
- 11638) *Tridrepana argentistriga brevilinea* Watson, 1957 (Drepanidae) Synonym(s): *brevilinea* Watson, 1957
- 11639) *Tridrepana brunneilinea* Holloway, 1998 (Drepanidae) Synonym(s): *brunneilinea* Holloway, 1998
- 11640) *Tridrepana flava* (Moore, 1879) (Drepanidae) Synonym(s): *flava* Moore, 1879
- 11641) *Tridrepana fulvata* Snellen, 1876 (Drepanidae) Synonym(s): *fulvata* Snellen, 1876
- 11642) *Tridrepana microcrocea* Gaede, 1914 (Drepanidae) Synonym(s): *microcrocea* Gaede, 1914
- 11643) *Tridrepana subtusmaculata* Gaede, 1933 (Drepanidae) Synonym(s): *subtusmaculata* Gaede, 1933
- 11644) *Watsonalla binaria* (Hufnagel, 1767) (Drepanidae) Synonym(s): *binaria* Hufnagel, 1767; *falcata* Fabricius, 1775; *falculataria* Villers, 1789; *falcatalis* Haworth, 1802; *uncula* Hübner, [1802]
- 11645) *Watsonalla cultraria* (Fabricius, 1775) (Drepanidae) Synonym(s): *cultraria* Fabricius, 1775; *hamula* [Denis & Schiffermüller], 1775; *cultrialis* Haworth, 1802; *unguicula* Hübner, [1803]; *fasciata* Stephens, 1829
- 11646) *Watsonalla uncinula* (Borkhausen, 1790) (Drepanidae) Synonym(s): *uncinula* Borkhausen, 1790
- 11647) *Zusidava tortricaria* Walker, 1862 (Drepanidae) Synonym(s): *tortricaria* Walker, 1862
- 11648) *Dudgeonea actinias* Turner, 1902 (Dudgeonidae) Synonym(s): *actinias* Turner, 1902; *#actenias* Dalla Torre, 1923
- 11649) *Dudgeonea leucosticta* Hampson, 1900 (Dudgeonidae) Synonym(s): *leucosticta* Hampson, 1900
- 11650) *Dudgeonea locuples* (Mabille, 1879) (Dudgeonidae) Synonym(s): *locuples* Mabille, 1879
- 11651) *Dudgeonea lychnocycla* Turner, 1945 (Dudgeonidae) Synonym(s): *lychnocycla* Turner, 1945; *#lychnocycla* Roepke, 1955
- 11652) *Dudgeonea malagassa* Viette, 1958 (Dudgeonidae) Synonym(s): *malagassa* Viette, 1958
- 11653) *Dudgeonea polystra* Turner, 1933 (Dudgeonidae) Synonym(s): *polystra* Turner, 1933; *nummata* Roepke, 1955
- 11654) *Dudgeonea sierraleonensis* Strand (Dudgeonidae) Synonym(s): *SL*
- 11655) *Cosmiotes consortella* (Stainton, 1851) (Elachistidae) Synonym(s): *consortella* Stainton, 1851; *roesslerella* Wocke, 1876; *exiguella* Frey, 1885

- 11656) **Cosmiotes exactella** (Herrich-Schäffer,1855) (Elachistidae) Synonym(s): *exactella* Herrich-Schäffer,1855; *parvulella* Herrich-Schäffer,1855; *infusca* Frey,1882; *spectrella* Frey,1885
- 11657) **Cosmiotes freyerella** (Hübner,[1825]) (Elachistidae) Synonym(s): *nigrella* Hübner,[1805] *nec* Fabr.,1775; *freyerella* Hübner,[1825]; *tristictella* Tengström,1848; *bistictella* Tengström,1848; *aridella* Heinemann,1854; *gregsoni* Stainton,1855; *gregsonella* Doubleday,1859; *incertella* Frey,1866; *griseus* Wocke,1862; *sublimis* Frey,1866; *baltica* Hering,1891
- 11658) **Cosmiotes stabilella** (Stainton,1858) (Elachistidae) Synonym(s): *stabilella* Stainton,1858
- 11659) **Dibrachia kalki** Parenti,1978 (Elachistidae) Synonym(s): *kalki* Parenti,1978
- 11660) **Elachista abiskoella** Bengtsson,1977 (Elachistidae) Synonym(s): *abiskoella* Bengtsson,1977
- 11661) **Elachista adelpha** Kaila & Jalava,1994 (Elachistidae) Synonym(s): *adelpha* Kaila & Jalava,1994
- 11662) **Elachista adscitella** Stainton,1851 (Elachistidae) Synonym(s): *cinctella* auct.; *adscitella* Stainton,1851
- 11663) **Elachista agelensis** Traugott-Olsen,1996 (Elachistidae) Synonym(s): *agelensis* Traugott-Olsen,1996
- 11664) **Elachista albicapilla** Höfner,1918 (Elachistidae) Synonym(s): *albicapilla* Höfner,1918
- 11665) **Elachista albidella** Tengström,1848 (Elachistidae) Synonym(s): *albidella* Tengström,1848; *rhynchosporella* Stainton,1848; *uliginosella* Herrich-Schäffer,1855
- 11666) **Elachista albigfrontella** (Hübner,[1817]) (Elachistidae) Synonym(s): *albifrontella* Hübner,[1817]
- 11667) **Elachista alpinella** Stainton,1854 (Elachistidae) Synonym(s): *alpinella* Stainton,1854; *latipennella* Herrich-Schäffer,1855; *monticola* Wocke,1876; *subquadrella* Ragonot,1889
- 11668) **Elachista amparoae** Traugott-Olsen,1992 (Elachistidae) Synonym(s): *amparoae* Traugott-Olsen,1992
- 11669) **Elachista anatoliensis** Traugott-Olsen,1990 (Elachistidae) Synonym(s): *anatoliensis* Traugott-Olsen,1990
- 11670) **Elachista andorraensis** Traugott-Olsen,1988 (Elachistidae) Synonym(s): *andorraensis* Traugott-Olsen,1988
- 11671) **Elachista anitella** Traugott-Olsen,1985 (Elachistidae) Synonym(s): *anitella* Traugott-Olsen,1985
- 11672) **Elachista anserinella** Zeller,1839 (Elachistidae) Synonym(s): *anserinella* Zeller,1839; *disertella* Herrich-Schäffer,[1855].
- 11673) **Elachista apicipunctella** Stainton,1849 (Elachistidae) Synonym(s): *apicipunctella* Stainton,1849
- 11674) **Elachista argentella** (Clerck,1759) (Elachistidae) Synonym(s): *argentella* Clerck,1759
- 11675) **Elachista argentifasciella** Höfner,1898 (Elachistidae) Synonym(s): *argentifasciella* Höfner,1898
- 11676) **Elachista atricomella** Stainton,1849 (Elachistidae) Synonym(s): *atricomella* Stainton,1849; *alienella* Stainton,1851; *extensella* Stainton,1851; *zetterstedtii* Wallengren,1852; *holdenella* Stainton,1854; *helvetica* Frey,1856; *longipennis* Frey,1885
- 11677) **Elachista atrisquamosa** Staudinger,1880 (Elachistidae) Synonym(s): *atrisquamosa* Staudinger,1880
- 11678) **Elachista baldizzoni** Traugott-Olsen,1996 (Elachistidae) Synonym(s): *baldizzoni* Traugott-Olsen,1996
- 11679) **Elachista baldizzonella** Traugott-Olsen,1985 (Elachistidae) Synonym(s): *baldizzonella* Traugott-Olsen,1985
- 11680) **Elachista bazaella** Traugott-Olsen,1992 (Elachistidae) Synonym(s): *bazaella* Traugott-Olsen,1992
- 11681) **Elachista bazaensis** Traugott-Olsen,1990 (Elachistidae) Synonym(s): *bazaensis* Traugott-Olsen,1990
- 11682) **Elachista bedellella** (Sircom,1848) (Elachistidae) Synonym(s): *bedellella* Sircom,1848; *truncatella* Herrich-Schäffer,1855; *nigrella* Herrich-Schäffer,1855; *lugdunensis* Frey,1859; *coeneti* Traugott-Olsen,1985; *titanella* Kaila & Jalva,1994
- 11683) **Elachista bengtssoni** Traugott-Olsen,1992 (Elachistidae) Synonym(s): *bengtssoni* Traugott-Olsen,1992
- 11684) **Elachista berndtiella** Traugott-Olsen,1985 (Elachistidae) Synonym(s): *berndtiella* Traugott-Olsen,1985
- 11685) **Elachista biatomella** (Stainton,1848) (Elachistidae) Synonym(s): *biatomella* Stainton,1848
- 11686) **Elachista bifasciella** Treitschke,1833 (Elachistidae) Synonym(s): *bifasciella* Treitschke,1833; *binella* Zeller,1839
- 11687) **Elachista bigorrensis** Traugott-Olsen,1990 (Elachistidae) Synonym(s): *bigorrensis* Traugott-Olsen,1990
- 11688) **Elachista bisulcella** (Duponchel,1843) (Elachistidae) Synonym(s): *bisulcella* Duponchel,1843; *zonariella* Tengström,1847
- 11689) **Elachista blanchella** Traugott-Olsen,1992 (Elachistidae) Synonym(s): *blanchella* Traugott-Olsen,1992
- 11690) **Elachista brachyplectra** Meyrick,1921 (Elachistidae) Synonym(s): *brachyplectra* Meyrick,1921
- 11691) **Elachista brachypterella** (Klimesch,1990) (Elachistidae) Synonym(s): *brachypterella* Klimesch,1990
- 11692) **Elachista bruuni** Traugott-Olsen,1990 (Elachistidae) Synonym(s): *bruuni* Traugott-Olsen,1990
- 11693) **Elachista buvati** (Traugott-Olsen,1994) (Elachistidae) Synonym(s): *buvati* Traugott-Olsen,1994
- 11694) **Elachista cahorsensis** Traugott-Olsen,1992 (Elachistidae) Synonym(s): *cahorsensis* Traugott-Olsen,1992
- 11695) **Elachista canapennella** (Hübner,[1813]) (Elachistidae) Synonym(s): *canapennella* Hübner,[1813]; *pulchella* Haworth,[1828] *nec* Fabricius,1794; *obscurilla* Stainton,1849; *incanella* Herrich-Schäffer,[1855], etc.
- 11696) **Elachista casascoensis** Traugott-Olsen,1992 (Elachistidae) Synonym(s): *casascoensis* Traugott-Olsen,1992
- 11697) **Elachista catalana** Parenti,1978 (Elachistidae) Synonym(s): *catalana* Parenti,1978
- 11698) **Elachista catalunella** Traugott-Olsen,1992 (Elachistidae) Synonym(s): *catalunella* Traugott-Olsen,1992
- 11699) **Elachista chionella** Mann,1861 (Elachistidae) Synonym(s): *chionella* Mann,1861
- 11700) **Elachista christenseni** Traugott-Olsen,2000 (Elachistidae) Synonym(s): *christenseni* Traugott-Olsen,2000
- 11701) **Elachista chrysodesmella** Zeller,1850 (Elachistidae) Synonym(s): *chrysodesmella* Zeller,1850
- 11702) **Elachista cinereopunctella** (Haworth,[1828]) (Elachistidae) Synonym(s): *cinereopunctella* Haworth,[1828]
- 11703) **Elachista cingillella** (Herrich-Schäffer,[1855]) (Elachistidae) Synonym(s): *cingillella* Herrich-Schäffer,[1855]; *densicornuella* Hodgkinson,1879
- 11704) **Elachista clintoni** Traugott-Olsen,1992 (Elachistidae) Synonym(s): *clintoni* Traugott-Olsen,1992
- 11705) **Elachista collitella** (Duponchel,1843) (Elachistidae) Synonym(s): *collitella* Duponchel,1843; *grosseopunctella* Herrich-Schäffer,1855
- 11706) **Elachista compsa** Traugott-Olsen,1974 (Elachistidae) Synonym(s): *compsa* Traugott-Olsen,1974
- 11707) **Elachista contaminatella** Zeller,1847 (Elachistidae) Synonym(s): *contaminatella* Zeller,1847; *fadella* Millière,1876; *suspectella* Chrétien,1896; *hypoleuca* Walsingham,1907
- 11708) **Elachista contisella** Chrétien,1922 (Elachistidae) Synonym(s): *contisella* Chrétien,1922
- 11709) **Elachista crocogastra** Meyrick,1908 (Elachistidae) Synonym(s): *crocogastra* Meyrick,1908
- 11710) **Elachista cuencaensis** Traugott-Olsen,1992 (Elachistidae) Synonym(s): *cuencaensis* Traugott-Olsen,1992
- 11711) **Elachista curonensis** Traugott-Olsen,1990 (Elachistidae) Synonym(s): *curonensis* Traugott-Olsen,1990
- 11712) **Elachista dalmatiensis** Traugott-Olsen,1992 (Elachistidae) Synonym(s): *dalmatiensis* Traugott-Olsen,1992
- 11713) **Elachista deceptricula** Staudinger,1880 (Elachistidae) Synonym(s): *deceptricula* Staudinger,1880
- 11714) **Elachista delocharis** Meyrick,1932 (Elachistidae) Synonym(s): *delocharis* Meyrick,1932
- 11715) **Elachista diderichiella** Hering,1889 (Elachistidae) Synonym(s): *diderichiella* Hering,1889
- 11716) **Elachista differens** Parenti,1978 (Elachistidae) Synonym(s): *differens* Parenti,1978
- 11717) **Elachista dimicatella** Rebel,1903 (Elachistidae) Synonym(s): *dimicatella* Rebel,1903; *niphadophanes* Meyrick,1938
- 11718) **Elachista disemiella** Zeller,1847 (Elachistidae) Synonym(s): *disemiella* Zeller,1847
- 11719) **Elachista dispilella** Zeller,1839 (Elachistidae) Synonym(s): *dispilella* Zeller,1839
- 11720) **Elachista dispunctella** (Duponchel,1843) (Elachistidae) Synonym(s): *dispunctella* Duponchel,1843
- 11721) **Elachista drenovoi** Parenti,1981 (Elachistidae) Synonym(s): *drenovoi* Parenti,1981
- 11722) **Elachista dumosa** Parenti,1981 (Elachistidae) Synonym(s): *dumosa* Parenti,1981; *kimmeriella* Sinev & Budashkin,1991
- 11723) **Elachista elegans** Frey,1859 (Elachistidae) Synonym(s): *elegans* Frey,1859
- 11724) **Elachista eleochariella** Stainton,1851 (Elachistidae) Synonym(s): *eleochariella* Stainton,1851
- 11725) **Elachista elsella** Traugott-Olsen,1988 (Elachistidae) Synonym(s): *elsella* Traugott-Olsen,1988
- 11726) **Elachista eskoi** Kyrki & Karvonen,1985 (Elachistidae) Synonym(s): *eskoi* Kyrki & Karvonen,1985
- 11727) **Elachista exigua** Parenti,1978 (Elachistidae) Synonym(s): *exigua* Parenti,1978
- 11728) **Elachista falirakiensis** Traugott-Olsen,2000 (Elachistidae) Synonym(s): *falirakiensis* Traugott-Olsen,2000
- 11729) **Elachista fasciola** Parenti,1983 (Elachistidae) Synonym(s): *fasciola* Parenti,1983
- 11730) **Elachista festuciolella** Zeller,1853 (Elachistidae) Synonym(s): *festuciolella* Zeller,1853; *#festuciolella* Staudinger,1880.
- 11731) **Elachista flavescens** Parenti,1981 (Elachistidae) Synonym(s): *flavescens* Parenti,1981
- 11732) **Elachista freyi** Staudinger,1871 (Elachistidae) Synonym(s): *freyi* Staudinger,1871
- 11733) **Elachista fulgens** Parenti,1983 (Elachistidae) Synonym(s): *fulgens* Parenti,1983
- 11734) **Elachista fuscibasella** Chrétien,1915 (Elachistidae) Synonym(s): *fuscibasella* Chrétien,1915
- 11735) **Elachista fuscofrontella** Sruoga,1990 (Elachistidae) Synonym(s): *fuscofrontella* Sruoga,1990
- 11736) **Elachista gangabella** Zeller,1850 (Elachistidae) Synonym(s): *gangabella* Zeller,1850; *taeniella* Stainton,1857; *ursinella* Chrétien,1896
- 11737) **Elachista gebzeensis** Traugott-Olsen,1990 (Elachistidae) Synonym(s): *gebzeensis* Traugott-Olsen,1990
- 11738) **Elachista gerdmaritella** Traugott-Olsen,1992 (Elachistidae) Synonym(s): *gerdmaritella* Traugott-Olsen,1992

- 11739) *Elachista gielisi* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *gielisi* Traugott-Olsen,1992
 11740) *Elachista glaseri* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *glaseri* Traugott-Olsen,1992
 11741) *Elachista gleichenella* (Fabricius,1781) (Elachistidae) Synonym(s): *gleichenella* Fabricius,1781; *gleichella* Fabricius,1794; *magnificella* Duponchel,1843; *trifasciella* Tengström,1848; *fractella* Herrich-Schäffer,1855
 11742) *Elachista gormella* Nielsen & Traugott-Olsen,1987 (Elachistidae) Synonym(s): *gormella* Nielsen & Traugott-Olsen,1987
 11743) *Elachista graeca* Parenti,2002 (Elachistidae) Synonym(s): *graeca* Parenti,2002
 11744) *Elachista grandella* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *grandella* Traugott-Olsen,1992
 11745) *Elachista gregori* Traugott-Olsen,1988 (Elachistidae) Synonym(s): *gregori* Traugott-Olsen,1988
 11746) *Elachista griseella* (Duponchel,1843) (Elachistidae) Synonym(s): *griseella* Duponchel,1843; *dispositella* Frey,1859
 11747) *Elachista gruenewaldi* Parenti,2002 (Elachistidae) Synonym(s): *gruenewaldi* Parenti,2002
 11748) *Elachista gypsophila* Meyrick,1911 (Elachistidae) Synonym(s): *gypsophila* Meyrick,1911
 11749) *Elachista habeleri* Traugott-Olsen,1990 (Elachistidae) Synonym(s): *habeleri* Traugott-Olsen,1990
 11750) *Elachista hallini* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *hallini* Traugott-Olsen,1992
 11751) *Elachista hedemanni* Rebel,1899 (Elachistidae) Synonym(s): *hedemanni* Rebel,1899; *tauricella* Sinev & Budashkin,1991
 11752) *Elachista heinemanni* Frey,1866 (Elachistidae) Synonym(s): *heinemanni* Frey,1866
 11753) *Elachista heringi* Rebel,1899 (Elachistidae) Synonym(s): *heringi* Rebel,1899
 11754) *Elachista herrichii* Frey,1859 (Elachistidae) Synonym(s): *obscura* Herrich-Schäffer,1855 nec Stt.,1849; *herrichii* Frey,1859; *reuttiana* Frey,1859; *psilellivincinella* Bruand,1859; *confusella* Rössler,1866
 11755) *Elachista hispanica* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *hispanica* Traugott-Olsen,1992
 11756) *Elachista humilis* Zeller,1850 (Elachistidae) Synonym(s): *humilis* Zeller,1850; *occultella* Douglas,1850; *humiliella* Herrich-Schäffer,1855; *perplexella* Stainton,1858; *airae* Stainton,1858
 11757) *Elachista ibericella* Traugott-Olsen,1995 (Elachistidae) Synonym(s): *ibericella* Traugott-Olsen,1995
 11758) *Elachista igaloensis* (Amsel,1951) (Elachistidae) Synonym(s): *igaloensis* Amsel,1951
 11759) *Elachista imatrella* Schantz,1971 (Elachistidae) Synonym(s): *imatrella* Schantz,1971
 11760) *Elachista imbi* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *imbi* Traugott-Olsen,1992
 11761) *Elachista incanella* Herrich-Schäffer,[1855] (Elachistidae) Synonym(s): *incanella* Herrich-Schäffer,[1855]
 11762) *Elachista ingeborgae* (Traugott-Olsen,1994) (Elachistidae) Synonym(s): *ingeborgae* Traugott-Olsen,1994
 11763) *Elachista intrigella* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *intrigella* Traugott-Olsen,1992
 11764) *Elachista irenae* Buszko,1989 (Elachistidae) Synonym(s): *irenae* Buszko,1989
 11765) *Elachista istanella* Nielsen & Traugott-Olsen,1987 (Elachistidae) Synonym(s): *istanella* Nielsen & Traugott-Olsen,1987
 11766) *Elachista jaeckhi* Traugott-Olsen,1990 (Elachistidae) Synonym(s): *jaeckhi* Traugott-Olsen,1990
 11767) *Elachista jaskai* Kaila,1988 (Elachistidae) Synonym(s): *jaskai* Kaila,1988
 11768) *Elachista juliensis* Frey,1870 (Elachistidae) Synonym(s): *juliensis* Frey,1870
 11769) *Elachista justificata* Meyrick,1926 (Elachistidae) Synonym(s): *justificata* Meyrick,1926
 11770) *Elachista karsholti* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *karsholti* Traugott-Olsen,1992
 11771) *Elachista kebbeella* (Traugott-Olsen & Nielsen,1977) (Elachistidae) Synonym(s): *kebbeella* Traugott-Olsen & Nielsen,1977
 11772) *Elachista kilmunella* Stainton,1849 (Elachistidae) Synonym(s): *kilmunella* Stainton,1849
 11773) *Elachista kleini* Amsel,1935 (Elachistidae) Synonym(s): *kleini* Amsel,1935
 11774) *Elachista klimeschiella* Parenti,2002 (Elachistidae) Synonym(s): *klimeschi* Parenti,1981 nec Duf.,1957; *klimeschiella* Parenti,2002
 11775) *Elachista kosteri* Traugott-Olsen,1995 (Elachistidae) Synonym(s): *kosteri* Traugott-Olsen,1995
 11776) *Elachista krogeri* Svensson,1976 (Elachistidae) Synonym(s): *krogeri* Svensson,1976
 11777) *Elachista laetella* Rebel,1930 (Elachistidae) Synonym(s): *laetella* Rebel,1930
 11778) *Elachista lastrella* Chrétien,1896 (Elachistidae) Synonym(s): *lastrella* Chrétien,1896
 11779) *Elachista latipenella* Sinev & Budashkin,1991 (Elachistidae) Synonym(s): *latipenella* Sinev & Budashkin,1991
 11780) *Elachista leifi* Kaila & Kerppola,1992 (Elachistidae) Synonym(s): *leifi* Kaila & Kerppola,1992
 11781) *Elachista lerauti* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *leraui* Traugott-Olsen,1992
 11782) *Elachista littorcola* Le Marchand,1938 (Elachistidae) Synonym(s): *littorcola* Le Marchand,1938
 11783) *Elachista lorigera* Meyrick,1921 (Elachistidae) Synonym(s): *lorigera* Meyrick,1921; *?endobela* Meyrick,1926
 11784) *Elachista louisae* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *louisae* Traugott-Olsen,1992
 11785) *Elachista luqueti* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *luqueti* Traugott-Olsen,1992
 11786) *Elachista luticomella* Zeller,1839 (Elachistidae) Synonym(s): *luticomella* Zeller,1839; *guttella* Hübner,1796 nec Fabr.,1787; *sexguttella* Reutti,1853; *flavicomella* Stainton,1856
 11787) *Elachista maculata* Parenti,1978 (Elachistidae) Synonym(s): *maculata* Parenti,1978
 11788) *Elachista maculicerusella* Bruand,1849 (Elachistidae) Synonym(s): *cerusella* Hübner,1796 nec [Denis & Schiff.],1775; *maculicerusella* Bruand,1849; *monosemiella* auct.
 11789) *Elachista maculosella* Chrétien,1896 (Elachistidae) Synonym(s): *maculosella* Chrétien,1896
 11790) *Elachista madridensis* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *madridensis* Traugott-Olsen,1992
 11791) *Elachista mannella* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *mannella* Traugott-Olsen,1992
 11792) *Elachista manni* Traugott-Olsen,1990 (Elachistidae) Synonym(s): *manni* Traugott-Olsen,1990
 11793) *Elachista margaretae* (Traugott-Olsen,1994) (Elachistidae) Synonym(s): *margaretae* Traugott-Olsen,1994
 11794) *Elachista martinii* O.Hofmann,1898 (Elachistidae) Synonym(s): *martinii* O.Hofmann,1898
 11795) *Elachista megerella* (Hübner,[1810]) (Elachistidae) Synonym(s): *megerella* Hübner,[1810]; *obliquella* Stainton,1854
 11796) *Elachista melancholica* Frey,1859 (Elachistidae) Synonym(s): *melancholica* Frey,1859
 11797) *Elachista merimnaea* Meyrick,1920 (Elachistidae) Synonym(s): *merimnaea* Meyrick,1920
 11798) *Elachista minusculella* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *minusculella* Traugott-Olsen,1992
 11799) *Elachista monosemiella* Rössler,1881 (Elachistidae) Synonym(s): *monosemiella* Rössler,1881; *klimeschi* Duf.,1957
 11800) *Elachista multipunctella* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *multipunctella* Traugott-Olsen,1992
 11801) *Elachista neapolisella* Traugott-Olsen,1985 (Elachistidae) Synonym(s): *neapolisella* Traugott-Olsen,1985
 11802) *Elachista nedaella* Traugott-Olsen,1985 (Elachistidae) Synonym(s): *nedaella* Traugott-Olsen,1985
 11803) *Elachista nevadella* Traugott-Olsen,2000 (Elachistidae) Synonym(s): *nevadella* Traugott-Olsen,2000
 11804) *Elachista nevadensis* Parenti,1978 (Elachistidae) Synonym(s): *nevadensis* Parenti,1978
 11805) *Elachista nielspederi* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *nielspederi* Traugott-Olsen,1992
 11806) *Elachista nielswolffi* Svensson,1976 (Elachistidae) Synonym(s): *nielswolffi* Svensson,1976
 11807) *Elachista nieukerkeri* Traugott-Olsen,1995 (Elachistidae) Synonym(s): *nieukerkeri* Traugott-Olsen,1995
 11808) *Elachista nitidulella* (Herrich-Schäffer,1855) (Elachistidae) Synonym(s): *nitidulella* Herrich-Schäffer,1855
 11809) *Elachista nobilella* Zeller,1839 (Elachistidae) Synonym(s): *nobilella* Zeller,1839
 11810) *Elachista nolkeni* Süls,1984 (Elachistidae) Synonym(s): *nolkeni* Süls,1984
 11811) *Elachista nuraghella* Amsel,1951 (Elachistidae) Synonym(s): *nuraghella* Amsel,1951
 11812) *Elachista nymphaea* Meyrick,1911 (Elachistidae) Synonym(s): *nymphaea* Meyrick,1911
 11813) *Elachista occidentalis* Frey,1882 (Elachistidae) Synonym(s): *occidentalis* Frey,1882
 11814) *Elachista occidentella* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *occidentella* Traugott-Olsen,1992
 11815) *Elachista occulta* Parenti,1978 (Elachistidae) Synonym(s): *occulta* Parenti,1978
 11816) *Elachista ohridella* Parenti,2001 (Elachistidae) Synonym(s): *ohridella* Parenti,2001
 11817) *Elachista ornithopodella* Frey,1859 (Elachistidae) Synonym(s): *ornithopodella* Frey,1859
 11818) *Elachista orstadii* N.Palm,1943 (Elachistidae) Synonym(s): *orstadii* N.Palm,1943
 11819) *Elachista parasella* Traugott-Olsen,1974 (Elachistidae) Synonym(s): *parasella* Traugott-Olsen,1974
 11820) *Elachista parvula* Parenti,1978 (Elachistidae) Synonym(s): *parvula* Parenti,1978
 11821) *Elachista passerini* Traugott-Olsen,1996 (Elachistidae) Synonym(s): *passerini* Traugott-Olsen,1996
 11822) *Elachista pigerella* (Herrich-Schäffer,1854) (Elachistidae) Synonym(s): *pigerella* Herrich-Schäffer,1854; *fuscochreella* Frey,1856; *muehligiella* Frey,1856; *thorencella* Millière,1875; *incolorella* Constant,1890; *bilbaensis* Rebel,1893; *uniformella* Rebel,1916; *fuscogrisella* Rebel,1936
 11823) *Elachista poae* Stainton,1855 (Elachistidae) Synonym(s): *poae* Stainton,1855

- 11824) *Elachista pocopunctella* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *pocopunctella* Traugott-Olsen,1992
- 11825) *Elachista pollinariella* Zeller,1839 (Elachistidae) Synonym(s): *pollinariella* Zeller,1839
- 11826) *Elachista pollutella* Duponchel,1844 (Elachistidae) Synonym(s): *pollutella* Duponchel,1844
- 11827) *Elachista pollutissima* Staudinger,1880 (Elachistidae) Synonym(s): *pollutissima* Staudinger,1880
- 11828) *Elachista pomerana* Frey,1870 (Elachistidae) Synonym(s): *pomerana* Frey,1870
- 11829) *Elachista povolnyi* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *povolnyi* Traugott-Olsen,1992
- 11830) *Elachista pullicomella* Zeller,1839 (Elachistidae) Synonym(s): *pullicomella* Zeller,1839; *rectifasciella* Stainton,1851; *bohemani* Wallengren,1852; *pullella* Herrich-Schäffer,1855
- 11831) *Elachista punctella* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *punctella* Traugott-Olsen,1992
- 11832) *Elachista quadripunctella* (Hübner,[1825]) (Elachistidae) Synonym(s): *quadrella* Hübner,[1805] nec Den. & Schiff.,1775; *quadripunctella* Hübner,[1825]
- 11833) *Elachista regifcella* Sircom,1849 (Elachistidae) Synonym(s): *magnificella* Zeller,1847 nec Dup.,1843; *regifcella* Sircom,1849; *geminatella* Herrich-Schäffer,1855
- 11834) *Elachista revinctella* Zeller,1850 (Elachistidae) Synonym(s): *revinctella* Zeller,1850
- 11835) *Elachista rikkeae* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *rikkeae* Traugott-Olsen,1992
- 11836) *Elachista ripula* Kaila,1998 (Elachistidae) Synonym(s): *ripula* Kaila,1998
- 11837) *Elachista rudectella* Stainton,1851 (Elachistidae) Synonym(s): *rudectella* Stainton,1851
- 11838) *Elachista rufocinerea* (Haworth,[1828]) (Elachistidae) Synonym(s): *rufocinerea* Haworth,[1828]; *oleae* Haworth,[1828]; *floslactis* Haworth,[1828]; *rufocinerella* Herrich-Schäffer,1855; *rufocinereella* Bruand,1859
- 11839) *Elachista ruthae* (Traugott-Olsen,1994) (Elachistidae) Synonym(s): *ruthae* Traugott-Olsen,1994
- 11840) *Elachista scirpi* Stainton,1887 (Elachistidae) Synonym(s): *scirpi* Stainton,1887
- 11841) *Elachista serricornis* Stainton,1854 (Elachistidae) Synonym(s): *serricornis* Stainton,1854
- 11842) *Elachista sicula* Parenti,1978 (Elachistidae) Synonym(s): *sicula* Parenti,1978
- 11843) *Elachista skulei* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *skulei* Traugott-Olsen,1992
- 11844) *Elachista sparsula* Meyrick,1921 (Elachistidae) Synonym(s): *sparsula* Meyrick,1921
- 11845) *Elachista spumella* Caradja,1920 (Elachistidae) Synonym(s): *spumella* Caradja,1920
- 11846) *Elachista squamosella* (Duponchel,1843) (Elachistidae) Synonym(s): *squamosella* Duponchel,1843
- 11847) *Elachista stelviella* Amsel,1932 (Elachistidae) Synonym(s): *stelviella* Amsel,1932
- 11848) *Elachista stenopterella* Rebel,1932 (Elachistidae) Synonym(s): *stenopterella* Rebel,1932
- 11849) *Elachista steueri* Traugott-Olsen,1990 (Elachistidae) Synonym(s): *steueri* Traugott-Olsen,1990
- 11850) *Elachista subalbidella* Schläger,1847 (Elachistidae) Synonym(s): *subalbidella* Schläger,1847
- 11851) *Elachista subnigrella* Douglas,1853 (Elachistidae) Synonym(s): *subnigrella* Douglas,1853
- 11852) *Elachista subocellea* (Stephens,1834) (Elachistidae) Synonym(s): *subocellea* Stephens,1834; *flammeapennella* Costa,[1836]; *disertella* Heydenreich,1851
- 11853) *Elachista svenssoni* Traugott-Olsen,1988 (Elachistidae) Synonym(s): *svenssoni* Traugott-Olsen,1988
- 11854) *Elachista szocsi* Parenti,1978 (Elachistidae) Synonym(s): *szocsi* Parenti,1978; *manca* Falkovitsh,1986
- 11855) *Elachista teruelensis* Traugott-Olsen,1990 (Elachistidae) Synonym(s): *teruelensis* Traugott-Olsen,1990
- 11856) *Elachista tetragonella* (Herrich-Schäffer,1855) (Elachistidae) Synonym(s): *tetragonella* Herrich-Schäffer,1855
- 11857) *Elachista totanaensis* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *totanaensis* Traugott-Olsen,1992
- 11858) *Elachista toveella* Traugott-Olsen,1985 (Elachistidae) Synonym(s): *toveella* Traugott-Olsen,1985
- 11859) *Elachista trapeziella* Stainton,1849 (Elachistidae) Synonym(s): *trapeziella* Stainton,1849
- 11860) *Elachista triatomea* (Haworth,1828) (Elachistidae) Synonym(s): *triatomea* Haworth,1828
- 11861) *Elachista tribertiella* Traugott-Olsen,1985 (Elachistidae) Synonym(s): *tribertiella* Traugott-Olsen,1985
- 11862) *Elachista triseriata* Stainton,1854 (Elachistidae) Synonym(s): *triseriata* Stainton,1854
- 11863) *Elachista turkensis* Traugott-Olsen,1990 (Elachistidae) Synonym(s): *turkensis* Traugott-Olsen,1990
- 11864) *Elachista unifasciella* (Haworth,[1828]) (Elachistidae) Synonym(s): *unifasciella* Haworth,[1828]
- 11865) *Elachista utonella* Frey,1856 (Elachistidae) Synonym(s): *utonella* Frey,1856
- 11866) *Elachista vanderwolfi* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *vanderwolfi* Traugott-Olsen,1992
- 11867) *Elachista varensis* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *varensis* Traugott-Olsen,1992
- 11868) *Elachista vegliae* Parenti,1978 (Elachistidae) Synonym(s): *vegliae* Parenti,1978
- 11869) *Elachista veletaella* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *veletaella* Traugott-Olsen,1992
- 11870) *Elachista vivesi* Traugott-Olsen,1992 (Elachistidae) Synonym(s): *vivesi* Traugott-Olsen,1992
- 11871) *Elachista vonschantzi* Svensson,1976 (Elachistidae) Synonym(s): *vonschantzi* Svensson,1976
- 11872) *Elachista zernyi* Hartig,1941 (Elachistidae) Synonym(s): *zernyi* Hartig,1941; *ingvarella* Traugott-Olsen,1974
- 11873) *Elachista zuernbaueri* Traugott-Olsen,1990 (Elachistidae) Synonym(s): *zuernbaueri* Traugott-Olsen,1990
- 11874) *Gautengia aganopa* (Meyrick,1911) (Elachistidae) Synonym(s): *aganopa* Meyrick,1911
- 11875) *Kearfottina cunilae* (Braun,1930) (Elachistidae) Synonym(s): *cunilae* Braun,1930
- 11876) *Kearfottina major* (Kearfott,1907) (Elachistidae) Synonym(s): *major* Kearfott,1907
- 11877) *Mendesia echiella* Joannis,1902 (Elachistidae) Synonym(s): *echiella* Joannis,1902
- 11878) *Mendesia farinella* (Thunberg,1794) (Elachistidae) Synonym(s): *farinella* Thunberg,1794; *subargentella* Dattin,1932
- 11879) *Mendesia huemeri* Traugott-Olsen,1990 (Elachistidae) Synonym(s): *huemeri* Traugott-Olsen,1990
- 11880) *Mendesia inscia* Meyrick,1913 (Elachistidae) Synonym(s): *inscia* Meyrick,1913
- 11881) *Mendesia mucronata* Parenti,2001 (Elachistidae) Synonym(s): *mucronata* Parenti,2001
- 11882) *Mendesia secutrix* Meyrick,1914 (Elachistidae) Synonym(s): *secutrix* Meyrick,1914
- 11883) *Myrrhinitis sporeuta* Meyrick,1913 (Elachistidae) Synonym(s): *sporeuta* Meyrick,1913
- 11884) *Perittia granadensis* (Traugott-Olsen,1995) (Elachistidae) Synonym(s): *granadensis* Traugott-Olsen,1995
- 11885) *Perittia herrichiella* (Herrich-Schäffer,1855) (Elachistidae) Synonym(s): *herrichiella* Herrich-Schäffer,1855
- 11886) *Perittia karadaghella* Sinev & Budashkin,1991 (Elachistidae) Synonym(s): *karadaghella* Sinev & Budashkin,1991
- 11887) *Perittia obscurepunctella* (Stainton,1848) (Elachistidae) Synonym(s): *obscurepunctella* Stainton,1848
- 11888) *Perittia weberella* Whitebread,1984 (Elachistidae) Synonym(s): *weberella* Whitebread,1984
- 11889) *Phthinostoma infumata* Meyrick,1914 (Elachistidae) Synonym(s): *infumata* Meyrick,1914
- 11890) *Phthinostoma pachyzona* Meyrick,1921 (Elachistidae) Synonym(s): *pachyzona* Meyrick,1921
- 11891) *Polymetis piperatella* (Staudinger,1859) (Elachistidae) Synonym(s): *piperatella* Staudinger,1859
- 11892) *Proterochyta epicoena* (Meyrick,1914) (Elachistidae) Synonym(s): *epicoena* Meyrick,1914
- 11893) *Stephensia abbreviata* (Stainton,1851) (Elachistidae) Synonym(s): *abbreviata* Stainton,1851; *maxima* Höfner,1897; *myosotivora* Müller-Rutz,1937.
- 11894) *Stephensia brunnichella* (Linnaeus,1767) (Elachistidae) Synonym(s): *brunnichella* Linnaeus,1767.
- 11895) *Stephensia calpella* (Walsingham,1908) (Elachistidae) Synonym(s): *calpella* Walsingham,1908; *bullatella* Chrétien,1915.
- 11896) *Stephensia cedronellae* (Walsingham,1908) (Elachistidae) Synonym(s): *cedronellae* Walsingham,1908; *lavandulae* Walsingham,1908; *bystropogonis* Walsingham,1908.
- 11897) *Stephensia cunilae* Braun,1930 (Elachistidae) Synonym(s): *cunilae* Braun,1930
- 11898) *Stephensia staudingeri* Nielsen & Traugott-Olsen,1981 (Elachistidae) Synonym(s): *staudingeri* Nielsen & Traugott-Olsen,1981
- 11899) *Stephensia unipunctella* Nielsen & Traugott-Olsen,1978 (Elachistidae) Synonym(s): *unipunctella* Nielsen & Traugott-Olsen,1978
- 11900) *Symphoristis nimifera* (Meyrick,1913) (Elachistidae) Synonym(s): *nimifera* Meyrick,1913
- 11901) *Symphoristis ptychospila* Meyrick,1918 (Elachistidae) Synonym(s): *ptychospila* Meyrick,1918
- 11902) *Endromis versicolora* (Linnaeus,1758) (Endromidae) Synonym(s): *versicolora* Linnaeus,1758; *versicolor* Schrank,1801; *lapponica* Bau,1877; *sachalinensis* Matsumura,1929; *asiaeorientis* Warnecke,1943; *meridionalis* Rougeot,1971; *subpyrinaea* Gomez-Bustillo et al.,1974
- 11903) *Endromis versicolora eichleri* Alberti,1975 (Endromidae) Synonym(s): *eichleri* Alberti,1975
- 11904) *Endromis versicolora versicolora* (Linnaeus,1758) (Endromidae) Synonym(s): *versicolora* Linnaeus,1758; *versicolor* Schrank,1801; *lapponica* Bau,1877; *sachalinensis* Matsumura,1929; *asiaeorientis* Warnecke,1943; *meridionalis* Rougeot,1971; *subpyrinaea* Gomez-Bustillo et al.,1974
- 11905) *Africepermenia tanzanica* Gaedike,2004 (Epermeniidae) Synonym(s): *tanzanica* Gaedike,2004
- 11906) *Epermenia* (Calotripis) *aequidentella* (Hofmann,1867) (Epermeniidae) Synonym(s): *aequidentella* Hofmann,1867; *daucellus* Peyerimhoff,1870.
- 11907) *Epermenia* (Calotripis) *brevilineolata* Gaedike,2004 (Epermeniidae) Synonym(s): *brevilineolata* Gaedike,2004
- 11908) *Epermenia* (Calotripis) *chaerophylllella* (Goeze,1783) (Epermeniidae) Synonym(s): *chaerophylllella* Goeze,1783; *testaceella* Hübner,[1813]; *fasciculellus* Stephens,1834; *nigrostriatellus* Heylaerts,1883; *turatiella* Constantini,1923.

- 11909) *Epermenia* (Calotripis) *coniopitila* Meyrick, 1921 (Epermeniidae) Synonym(s): *coniopitila* Meyrick, 1921
 11910) *Epermenia* (Calotripis) *criticodes* Meyrick, 1913 (Epermeniidae) Synonym(s): *criticodes* Meyrick, 1913
 11911) *Epermenia* (Calotripis) *epirrhena* Meyrick, 1938 (Epermeniidae) Synonym(s): *epirrhena* Meyrick, 1938
 11912) *Epermenia* (Calotripis) *falciformis* (Haworth, [1828]) (Epermeniidae) Synonym(s): *falciformis* Haworth, [1828]
 11913) *Epermenia* (Calotripis) *griveaudi* Gaedike, 2004 (Epermeniidae) Synonym(s): *griveaudi* Gaedike, 2004
 11914) *Epermenia* (Calotripis) *illigerella* (Hübner, [1813]) (Epermeniidae) Synonym(s): *illigerella* Hübner, [1813]
 11915) *Epermenia* (Calotripis) *insecurella* (Stainton, 1849) (Epermeniidae) Synonym(s): *insecurella* Stainton, 1849; *dentosella* Stainton, 1851; *iniquellus* Wocke, 1867; *plumbeella* Rebel, 1915; *kruegerella* Schawerda, 1921.
 11916) *Epermenia* (Calotripis) *maculata* Gaedike, 2004 (Epermeniidae) Synonym(s): *maculata* Gaedike, 2004
 11917) *Epermenia* (Calotripis) *malawica* Gaedike, 2004 (Epermeniidae) Synonym(s): *malawica* Gaedike, 2004
 11918) *Epermenia* (Calotripis) *mevi* Gaedike, 2004 (Epermeniidae) Synonym(s): *mevi* Gaedike, 2004
 11919) *Epermenia* (Calotripis) *minuta* Gaedike, 2004 (Epermeniidae) Synonym(s): *minuta* Gaedike, 2004
 11920) *Epermenia* (Calotripis) *oriplanta* Bradley, 1965 (Epermeniidae) Synonym(s): *oriplanta* Bradley, 1965
 11921) *Epermenia* (Calotripis) *petrusella* (Heylaerts, 1883) (Epermeniidae) Synonym(s): *petrusella* Heylaerts, 1883; *kroneella* Rebel, 1903; *notodoxa* Gozmany, 1952
 11922) *Epermenia* (Calotripis) *philorites* (Bradley, 1965) (Epermeniidae) Synonym(s): *philorites* Bradley, 1965
 11923) *Epermenia* (Calotripis) *strictella* (Wocke, 1867) (Epermeniidae) Synonym(s): *strictella* Wocke, 1867; *anthracopitila* Meyrick, 1931.
 11924) *Epermenia* (Cataplectica) *iniquella* (Wocke, 1867) (Epermeniidae) Synonym(s): *dentosella* auct. nec Stt., 1851; *iniquella* Wocke, 1867; *kruegerella* Schawerda, 1921; *ochrodesma* Meyrick, 1913
 11925) *Epermenia* (Cataplectica) *mineti* Gaedike, 2004 (Epermeniidae) Synonym(s): *mineti* Gaedike, 2004
 11926) *Epermenia* (Epermeniola) *thailandica* Gaedike, 1987 (Epermeniidae) Synonym(s): *thailandica* Gaedike, 1987
 11927) *Epermenia* (s.str.) *afghanistanella* (Gaedike, 1971) (Epermeniidae) Synonym(s): *afghanistanella* Gaedike, 1971
 11928) *Epermenia* (s.str.) *devotella* (Heyden, 1863) (Epermeniidae) Synonym(s): *devotella* Heyden, 1863
 11929) *Epermenia* (s.str.) *farreni* (Walsingham, 1894) (Epermeniidae) Synonym(s): *farreni* Walsingham, 1894
 11930) *Epermenia* (s.str.) *ochreomaculella* (Millière, 1854) (Epermeniidae) Synonym(s): *ochreomaculella* Millière, 1854; *prohaskaella* Schawerda, 1921; *afghanistanella* Gaedike, 1971.
 11931) *Epermenia* (s.str.) *orientalis* Gaedike, 1966 (Epermeniidae) Synonym(s): *orientalis* Gaedike, 1966.
 11932) *Epermenia* (s.str.) *pontificella* (Hübner, 1796) (Epermeniidae) Synonym(s): *pontificella* Hübner, 1796
 11933) *Epermenia* (s.str.) *profugella* (Stainton, 1856) (Epermeniidae) Synonym(s): *profugella* Stainton, 1856
 11934) *Epermenia* (s.str.) *scurella* (Stainton, 1851) (Epermeniidae) Synonym(s): *scurella* Stainton, 1851
 11935) *Epermenia* (s.str.) *vartianae* (Gaedike, 1971) (Epermeniidae) Synonym(s): *vartianae* Gaedike, 1971
 11936) *Epermenia* (s.str.) *wockeella* (Staudinger, 1880) (Epermeniidae) Synonym(s): *wockeella* Staudinger, 1880.
 11937) *Gnathifera* *proserga* (Meyrick, 1913) (Epermeniidae) Synonym(s): *proserga* Meyrick, 1913
 11938) *Mesepermenia* *malgachica* Gaedike, 2004 (Epermeniidae) Synonym(s): *malgachica* Gaedike, 2004
 11939) *Ochromolopis* *ictella* (Hübner, [1813]) (Epermeniidae) Synonym(s): *ictella* Hübner, [1813]; *ictipennella* Treitschke, 1833.
 11940) *Ochromolopis* *ithycentra* (Meyrick, 1926) (Epermeniidae) Synonym(s): *ithycentra* Meyrick, 1926
 11941) *Ochromolopis* *pallida* Gaedike, 2004 (Epermeniidae) Synonym(s): *pallida* Gaedike, 2004
 11942) *Ochromolopis* *staintonellus* (Millière, 1869) (Epermeniidae) Synonym(s): *staintonellus* Millière, 1869.
 11943) *Ochromolopis* *xeropa* (Meyrick, 1909) (Epermeniidae) Synonym(s): *xeropa* Meyrick, 1909; *praefumata* Meyrick, 1911
 11944) *Ochromolopis* *zagulajevi* Budashkin & Satschkov, 1991 (Epermeniidae) Synonym(s): *zagulajevi* Budashkin & Satschkov, 1991
 11945) *Phaulernis* *dentella* (Zeller, 1839) (Epermeniidae) Synonym(s): *dentella* Zeller, 1839
 11946) *Phaulernis* *fulviguttella* (Zeller, 1839) (Epermeniidae) Synonym(s): *fulviguttella* Zeller, 1839; *flavimaculella* Stainton, 1849; *aurumaculata* Frey, 1865.
 11947) *Phaulernis* *rebeliella* Gaedike, 1966 (Epermeniidae) Synonym(s): *silerinella* Rebel, 1915 nec Zell., 1868; *rebeliella* Gaedike, 1966
 11948) *Phaulernis* *silerinella* (Zeller, 1868) (Epermeniidae) Synonym(s): *silerinella* Zeller, 1868
 11949) *Phaulernis* *statarrella* (Heyden, 1863) (Epermeniidae) Synonym(s): *statarrella* Heyden, 1863; *laserpitella* Pfaffen-zeller, 1870
 11950) *Burmeia* *leesi* Minet, 2002 (Epicopeiidae) Synonym(s): *Burmeia* *leesi* Minet, 2002
 11951) *Epicopeia* *albofasciata* Djakonov, 1926 (Epicopeiidae) Synonym(s): *albofasciata* Djakonov, 1926
 11952) *Epicopeia* *battaka* Dohrn, 1895 (Epicopeiidae) Synonym(s): *battaka* Dohrn, 1895
 11953) *Epicopeia* *caroli* Janet, 1909 (Epicopeiidae) Synonym(s): *caroli* Janet, 1909
 11954) *Epicopeia* *hainesii* Holland, 1889 (Epicopeiidae) Synonym(s): *hainesii* Holland, 1889; *chinensis* Leech, [1887]; *simulans* Leech, [1887]; *sinicaria* Leech, 1897; *pallescent* Oberthür, 1920; *matsumurai* Okano, 1973
 11955) *Epicopeia* *philnora* Westwood, 1845 (Epicopeiidae) Synonym(s): *philnora* Westwood, 1845; *varunaea* Moore, 1865
 11956) *Epicopeia* *polydora* Westwood, 1841 (Epicopeiidae) Synonym(s): *polydora* Westwood, 1841; *philoxenaea* Moore, 1865; *diphilaea* Moore, 1865; *excisa* Butler, 1881; *caudata* Butler, 1881; *lidderdali* Butler, 1881; *maculata* Butler, 1881
 11957) *Anopyrops* *corticina* Jordan, 1928 (Epiptropidae) Synonym(s): *corticina* Jordan, 1928
 11958) *Epieurybrachys* *eurybrachidis* (Fletcher, 1920) (Epiptropidae) Synonym(s): *eurybrachidis* Fletcher, 1920
 11959) *Epipomponia* ? *multipunctata* (Druce, 1887) (Epiptropidae) Synonym(s): *multipunctata* Druce, 1887
 11960) *Epipomponia* *nawai* (Dyar, 1904) (Epiptropidae) Synonym(s): *nawai* Dyar, 1904
 11961) *Epiricania* *hagoromo* Kato, 1939 (Epiptropidae) Synonym(s): *hagoromo* Kato, 1939
 11962) *Fulgoraacia* *anomala* (Westwood, 1876) (Epiptropidae) Synonym(s): *anomala* Westwood, 1876; *anamola* Hampson, 1909
 11963) *Fulgoraacia* *atra* (Pagenstecher, 1900) (Epiptropidae) Synonym(s): *atra* Pagenstecher, 1900
 11964) *Fulgoraacia* *barberiana* Dyar, 1902 (Epiptropidae) Synonym(s): *barberiana* Dyar, 1902
 11965) *Fulgoraacia* *bowringii* Newman, 1851 (Epiptropidae) Synonym(s): *bowringii* Newman, 1851
 11966) *Fulgoraacia* *cerolestes* (Tams, 1947) (Epiptropidae) Synonym(s): *cerolestes* Tams, 1947
 11967) *Fulgoraacia* *cucullata* (Heinrich, 1931) (Epiptropidae) Synonym(s): *cucullata* Heinrich, 1931
 11968) *Fulgoraacia* *epityraea* (Epiptropidae) Synonym(s):
 11969) *Fulgoraacia* *fuliginosa* (Tams) (Epiptropidae) Synonym(s):
 11970) *Fulgoraacia* *fulvipuncta* (Distant, 1913) (Epiptropidae) Synonym(s): *fulvipuncta* Distant, 1913
 11971) *Fulgoraacia* *gradidieri* (Viette, 1960) (Epiptropidae) Synonym(s): *gradidieri* Viette, 1960
 11972) *Fulgoraacia* *malagassica* (Jordan, 1928) (Epiptropidae) Synonym(s): *malagassica* Jordan, 1928
 11973) *Fulgoraacia* *poliographa* Hampson, 1910 (Epiptropidae) Synonym(s): *poliographa* Hampson, 1910
 11974) *Fulgoraacia* *radama* (Viette, 1960) (Epiptropidae) Synonym(s): *radama* Viette, 1960
 11975) *Fulgoraacia* *schawerdae* (Zerny, 1929) (Epiptropidae) Synonym(s): *schawerdae* Zerny, 1929
 11976) *Heteropsyche* *micromorpha* Perkins, 1905 (Epiptropidae) Synonym(s): *micromorpha* Perkins, 1905
 11977) *Heteropsyche* *poecilochroma* Perkins, 1905 (Epiptropidae) Synonym(s): *poecilochroma* Perkins, 1905; *dyscrita* Perkins, 1905; *melanochroma* Perkins, 1905; *threnodes* Perkins, 1905; *doddi* Rothschild, 1906
 11978) *Heteropsyche* *stenomorpha* Perkins, 1905 (Epiptropidae) Synonym(s): *stenomorpha* Perkins, 1905
 11979) *Microlimnax* *pallidipuncta* Hampson, 1896 (Epiptropidae) Synonym(s): *pallidipuncta* Hampson, 1896
 11980) *Palaeopsyche* *melanias* Perkins, 1905 (Epiptropidae) Synonym(s): *melanias* Perkins, 1905
 11981) *Compsoctena* *aedifica* (Meyrick, 1908) (Eriocottidae) Synonym(s): *aedifica* Meyrick, 1908
 11982) *Compsoctena* *africanella* (Strand, 1909) (Eriocottidae) Synonym(s): *africanella* Strand, 1909
 11983) *Compsoctena* *agria* (Meyrick, 1909) (Eriocottidae) Synonym(s): *agria* Meyrick, 1909
 11984) *Compsoctena* *araeopsis* (Meyrick, 1926) (Eriocottidae) Synonym(s): *araeopsis* Meyrick, 1926
 11985) *Compsoctena* *autoderma* (Meyrick, 1914) (Eriocottidae) Synonym(s): *autoderma* Meyrick, 1914
 11986) *Compsoctena* *brachyctenis* (Meyrick, 1909) (Eriocottidae) Synonym(s): *brachyctenis* Meyrick, 1909
 11987) *Compsoctena* *connexalis* (Walker, 1863) (Eriocottidae) Synonym(s): *connexalis* Walker, 1863
 11988) *Compsoctena* *cosulella* (Walker, 1863) (Eriocottidae) Synonym(s): *cosulella* Walker, 1863
 11989) *Compsoctena* *cyclatma* (Meyrick, 1908) (Eriocottidae) Synonym(s): *cyclatma* Meyrick, 1908
 11990) *Compsoctena* *delocrossa* (Meyrick, 1921) (Eriocottidae) Synonym(s): *delocrossa* Meyrick, 1921
 11991) *Compsoctena* *dermatodes* (Meyrick, 1914) (Eriocottidae) Synonym(s): *dermatodes* Meyrick, 1914
 11992) *Compsoctena* *expers* (Meyrick, 1911) (Eriocottidae) Synonym(s): *expers* Meyrick, 1911
 11993) *Compsoctena* *fossoria* (Meyrick, 1920) (Eriocottidae) Synonym(s): *fossoria* Meyrick, 1920

- 11994) *Compsoctena furciformis* (Meyrick,1921) (Eriocottidae) Synonym(s): *furciformis* Meyrick,1921; *#fruciformis* Dierl,1970
- 11995) *Compsoctena isopetra* (Meyrick,1921) (Eriocottidae) Synonym(s): *isopetra* Meyrick,1921
- 11996) *Compsoctena lycophanes* (Meyrick,1924) (Eriocottidae) Synonym(s): *lycophanes* Meyrick,1924
- 11997) *Compsoctena melitoploca* (Meyrick,1927) (Eriocottidae) Synonym(s): *melitoploca* Meyrick,1927
- 11998) *Compsoctena microctenis* (Meyrick,1914) (Eriocottidae) Synonym(s): *microctenis* Meyrick,1914; *tridentifera* Meyrick,1914.
- 11999) *Compsoctena montana* Dierl,1970 (Eriocottidae) Synonym(s): *montana* Dierl,1970
- 12000) *Compsoctena ochrastis* (Meyrick,1937) (Eriocottidae) Synonym(s): *ochrastis* Meyrick,1937
- 12001) *Compsoctena ostracitis* (Meyrick,1913) (Eriocottidae) Synonym(s): *ostracitis* Meyrick,1913
- 12002) *Compsoctena pinguis* (Meyrick,1914) (Eriocottidae) Synonym(s): *pinguis* Meyrick,1914
- 12003) *Compsoctena pinguis scoriopis* (Meyrick,1934) (Eriocottidae) Synonym(s): *scoriopis* Meyrick,1934
- 12004) *Compsoctena primella* Zeller,[1854] (Eriocottidae) Synonym(s): *primella* Zeller,[1854]; *inquinalis* Walker,1863; *natalana* Walker,1864; *subauratana* Walker,1866
- 12005) *Compsoctena psammoticha* (Meyrick,1921) (Eriocottidae) Synonym(s): *psammoticha* Meyrick,1921
- 12006) *Compsoctena quassa* (Meyrick,1921) (Eriocottidae) Synonym(s): *quassa* Meyrick,1921
- 12007) *Compsoctena reductella* (Walker,1863) (Eriocottidae) Synonym(s): *reductella* Walker,1863
- 12008) *Compsoctena rudis* (Meyrick,1921) (Eriocottidae) Synonym(s): *rudis* Meyrick,1921
- 12009) *Compsoctena scriba* (Meyrick,1921) (Eriocottidae) Synonym(s): *scriba* Meyrick,1921
- 12010) *Compsoctena secundella* (Walsingham,1897) (Eriocottidae) Synonym(s): *secundella* Walsingham,1897
- 12011) *Compsoctena similis* Dierl,1970 (Eriocottidae) Synonym(s): *similis* Dierl,1970
- 12012) *Compsoctena* sp.[1]: (Eriocottidae) Synonym(s):
- 12013) *Compsoctena* sp.[2]: (Eriocottidae) Synonym(s):
- 12014) *Compsoctena* sp.[3]: (Eriocottidae) Synonym(s):
- 12015) *Compsoctena* sp.[4]: (Eriocottidae) Synonym(s):
- 12016) *Compsoctena spilophanes* (Meyrick,1921) (Eriocottidae) Synonym(s): *spilophanes* Meyrick,1921
- 12017) *Compsoctena talarodes* (Meyrick,1914) (Eriocottidae) Synonym(s): *talarodes* Meyrick,1914
- 12018) *Compsoctena terrestris* (Meyrick,1914) (Eriocottidae) Synonym(s): *terrestris* Meyrick,1914
- 12019) *Deuterotinea auronitens* Lucas,1956 (Eriocottidae) Synonym(s): *auronitens* Lucas,1956
- 12020) *Deuterotinea axiurga* (Meyrick,1922) (Eriocottidae) Synonym(s): *axiurga* Meyrick,1922
- 12021) *Deuterotinea balcanica* Zagulajev,1972 (Eriocottidae) Synonym(s): *balcanica* Zagulajev,1972
- 12022) *Deuterotinea casanella* (Eversmann,1844) (Eriocottidae) Synonym(s): *casanella* Eversmann,1844
- 12023) *Deuterotinea palaestiniensis* Rebel,1900 (Eriocottidae) Synonym(s): *palaestiniensis* Rebel,1900
- 12024) *Deuterotinea syriaca* Lederer,1857 (Eriocottidae) Synonym(s): *syriaca* Lederer,1857
- 12025) *Eriocottis andalusella* Rebel,1901 (Eriocottidae) Synonym(s): *andalusiella* Rebel,1901
- 12026) *Eriocottis fuscaneella* Zeller,1847 (Eriocottidae) Synonym(s): *fuscaneella* Zeller,1847
- 12027) *Eriocottis hispanica* Zagulajev,1988 (Eriocottidae) Synonym(s): *hispanica* Zagulajev,1988
- 12028) *Eriocottis nicolaella* Gibeaux,1983 (Eriocottidae) Synonym(s): *nicolaella* Gibeaux,1983
- 12029) *Eriocottis paradoxella* (Staudinger,1859) (Eriocottidae) Synonym(s): *paradoxella* Staudinger,1859
- 12030) *Eriocottis* sp.[1]: (Eriocottidae) Synonym(s):
- 12031) *Eriocottis* sp.[2]: (Eriocottidae) Synonym(s):
- 12032) *Eriocottis* sp.[3]: (Eriocottidae) Synonym(s):
- 12033) *Eucryptogona secularis* Meyrick,1918 (Eriocottidae) Synonym(s): *secularis* Meyrick,1918
- 12034) *Dyseriocrania subpurpurella* (Haworth,[1828]) (Eriocraniidae) Synonym(s): *subpurpurella* Haworth,[1828]; *fastuosella* Zeller,1839; *donzelella* Duponchel,[1839].
- 12035) *Eriocrania alpinella* Burmann,1958 (Eriocraniidae) Synonym(s): *alpinella* Burmann,1958
- 12036) *Eriocrania cicatricella* (Zetterstedt,1839) (Eriocraniidae) Synonym(s): *purpurella* Haworth,1828 nec Thunb.,1788; *cicatricella* Zetterstedt,1839; *aupulverella* Eversmann,1842; *aupulverella* Eversmann,1844; *violacella* Herrich-Schäffer,1851; *haworthi* Bradley,1966
- 12037) *Eriocrania salopiella* (Stainton,1854) (Eriocraniidae) Synonym(s): *salopiella* Stainton,1854
- 12038) *Eriocrania sangii* (Wood,1891) (Eriocraniidae) Synonym(s): *sangii* Wood,1891
- 12039) *Eriocrania semipurpurella* (Stephens,1835) (Eriocraniidae) Synonym(s): *semipurpurella* Stephens,1835; *solierella* Duponchel,[1839]; *amentella* Tengström,1848; *inconspicua* Wood,1890
- 12040) *Eriocrania sparrmannella* (Bosc,1791) (Eriocraniidae) Synonym(s): *sparrmannella* Bosc,1791; *caledoniella* Griffith,1891; *fimbriata* Walsingham,1900
- 12041) *Heringocrania chrysolepidella* (Zeller,1851) (Eriocraniidae) Synonym(s): *chrysolepidella* Zeller,1851; *kaltenbachii* Wood,1890
- 12042) *Heringocrania unimaculella* (Zetterstedt,1839) (Eriocraniidae) Synonym(s): *unimaculella* Zetterstedt,1839
- 12043) *Dasyethmia hiemalis* Danilevsky,1969 (Ethmiidae) Synonym(s): *hiemalis* Danilevsky,1969
- 12044) *Ethmia acutella* (Turati,1934) (Ethmiidae) Synonym(s): *acutella* Turati,1934
- 12045) *Ethmia afghana* Sattler,1967 (Ethmiidae) Synonym(s): *afghana* Sattler,1967
- 12046) *Ethmia alba* (Amsel,1949) (Ethmiidae) Synonym(s): *alba* Amsel,1949
- 12047) *Ethmia albifrontella* Sattler,1967 (Ethmiidae) Synonym(s): *albifrontella* Sattler,1967
- 12048) *Ethmia amasina* (Staudinger,1879) (Ethmiidae) Synonym(s): *amasina* Staudinger,1879
- 12049) *Ethmia andalusica* (Staudinger,1879) (Ethmiidae) Synonym(s): *andalusica* Staudinger,1879
- 12050) *Ethmia angarensis* Caradja,1939 (Ethmiidae) Synonym(s): *angarensis* Caradja,1939
- 12051) *Ethmia argopa* Meyrick,1910 (Ethmiidae) Synonym(s): *argopa* Meyrick,1910
- 12052) *Ethmia asbolarcha* Meyrick,1938 (Ethmiidae) Synonym(s): *asbolarcha* Meyrick,1938
- 12053) *Ethmia assamensis* (Butler,1879) (Ethmiidae) Synonym(s): *assamensis* Butler,1879; *hockingella* Walsingham,1880; *okinawana* Matsumura,1931
- 12054) *Ethmia aurifluella* (Hübner,[1810]) (Ethmiidae) Synonym(s): *aurifluella* Hübner,[1810]; *albarracinella* Ragonot,1882.
- 12055) *Ethmia autschista* Meyrick,1932 (Ethmiidae) Synonym(s): *autschista* Meyrick,1932
- 12056) *Ethmia bipunctella* (Fabricius,1775) (Ethmiidae) Synonym(s): *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947.
- 12057) *Ethmia bombina* Sattler,1967 (Ethmiidae) Synonym(s): *bombina* Sattler,1967
- 12058) *Ethmia candidella* (Alpheraky,1908) (Ethmiidae) Synonym(s): *candidella* Alpheraky,1908; *orientella* Caradja,1931.
- 12059) *Ethmia candidella candidella* (Alpheraky,1908) (Ethmiidae) Synonym(s): *candidella* Alpheraky,1908; *orientella* Caradja,1931.
- 12060) *Ethmia candidella delicatella* De Lattin,1963 (Ethmiidae) Synonym(s): *delicatella* De Lattin,1963
- 12061) *Ethmia candidella farinatella* De Lattin,1963 (Ethmiidae) Synonym(s): *farinatella* De Lattin,1963
- 12062) *Ethmia candidella wiltshirei* De Lattin,1963 (Ethmiidae) Synonym(s): *wiltshirei* De Lattin,1963
- 12063) *Ethmia caradjae* (Rebel,1907) (Ethmiidae) Synonym(s): *caradjae* Rebel,1907; *chosroes* Wiltshire,1947
- 12064) *Ethmia chrysopyga* (Zeller,1844) (Ethmiidae) Synonym(s): *chrysopyga* Zeller,1844; *callidella* Walsingham,1910.
- 12065) *Ethmia chrysopyga andalusica* (Staudinger,1879) (Ethmiidae) Synonym(s): *andalusica* Staudinger,1879
- 12066) *Ethmia chrysopyga chrysopyga* (Zeller,1844) (Ethmiidae) Synonym(s): *chrysopyga* Zeller,1844; *callidella* Walsingham,1910.
- 12067) *Ethmia chrysopyga staudingeri* (Rebel,1901) (Ethmiidae) Synonym(s): *staudingeri* Rebel,1901
- 12068) *Ethmia chrysopygella* (Kolenati,1846) (Ethmiidae) Synonym(s): *chrysopygella* Kolenati,1846; *flavitiella* Herrich-Schäffer,[1854].
- 12069) *Ethmia circumdatella* (Walker,1863) (Ethmiidae) Synonym(s): *circumdatella* Walker,1863
- 12070) *Ethmia cirrhocnemis* (Lederer,1870) (Ethmiidae) Synonym(s): *cirrhocnemis* Lederer,1870
- 12071) *Ethmia comitella* Caradja,1927 (Ethmiidae) Synonym(s): *comitella* Caradja,1927
- 12072) *Ethmia comitella comitella* Caradja,1927 (Ethmiidae) Synonym(s): *comitella* Caradja,1927
- 12073) *Ethmia comitella steppella* Dubatolov & Ustjuzhanin,1997 (Ethmiidae) Synonym(s): *steppella* Dubatolov & Ustjuzhanin,1997
- 12074) *Ethmia coscineutis* Meyrick,1911 (Ethmiidae) Synonym(s): *coscineutis* Meyrick,1911
- 12075) *Ethmia crocosoma* Meyrick,1914 (Ethmiidae) Synonym(s): *crocosoma* Meyrick,1914
- 12076) *Ethmia cyrenaicella* Amsel,1955 (Ethmiidae) Synonym(s): *niveella* Turati,1934 (*praeocc.*); *cyrenaicella* Amsel,1955
- 12077) *Ethmia dactylia* Meyrick,1911 (Ethmiidae) Synonym(s): *dactylia* Meyrick,1911
- 12078) *Ethmia defreinai* Ganey,1984 (Ethmiidae) Synonym(s): *defreinai* Ganey,1984
- 12079) *Ethmia dehiscens* Meyrick,1924 (Ethmiidae) Synonym(s): *dehiscens* Meyrick,1924

- 12080) *Ethmia dentata* Diakonoff & Sattler, 1966 (Ethmiidae) Synonym(s): *dentata* Diakonoff & Sattler, 1966
- 12081) *Ethmia derbendella* Sattler, 1967 (Ethmiidae) Synonym(s): *derbendella* Sattler, 1967
- 12082) *Ethmia discrepitiella* (Rebel, 1901) (Ethmiidae) Synonym(s): *discrepitiella* Rebel, 1901
- 12083) *Ethmia distigmatella* (Erschoff, 1874) (Ethmiidae) Synonym(s): *distigmatella* Erschoff, 1874; *bipunctella* Rebel, 1936; *distichella* Rebel, 1940.
- 12084) *Ethmia ditreta* Meyrick, 1920 (Ethmiidae) Synonym(s): *ditreta* Meyrick, 1920; *arabica* Amsel, 1961
- 12085) *Ethmia dodecea* (Haworth, [1828]) (Ethmiidae) Synonym(s): *decemguttella* Hübner, [1810] nec Fabr., 1794; *dodecea* Haworth, [1828].
- 12086) *Ethmia elimatella* Danilevsky, 1975 (Ethmiidae) Synonym(s): *elimatella* Danilevsky, 1975
- 12087) *Ethmia epiloxa* Meyrick, 1914 (Ethmiidae) Synonym(s): *epiloxa* Meyrick, 1914
- 12088) *Ethmia epitrocha* (Meyrick, 1914) (Ethmiidae) Synonym(s): *epitrocha* Meyrick, 1914
- 12089) *Ethmia ermineella* (Walsingham, 1880) (Ethmiidae) Synonym(s): *ermineella* Walsingham, 1880; *euarithma* Meyrick, 1924
- 12090) *Ethmia flavianella* (Treitschke, 1832) (Ethmiidae) Synonym(s): *flavianella* Treitschke, 1832
- 12091) *Ethmia fumidella* (Wocke, 1850) (Ethmiidae) Synonym(s): *fumidella* Wocke, 1850; *ardosiella* Caradja, 1931.
- 12092) *Ethmia fumidella* (Wocke, 1850) (Ethmiidae) Synonym(s): *fumidella* Wocke, 1850; *ardosiella* Caradja, 1931.
- 12093) *Ethmia fumidella* turcica De Lattin, 1963 (Ethmiidae) Synonym(s): *turcica* De Lattin, 1963
- 12094) *Ethmia galactarcha* Meyrick, 1928 (Ethmiidae) Synonym(s): *galactarcha* Meyrick, 1928
- 12095) *Ethmia glandifera* Meyrick, 1918 (Ethmiidae) Synonym(s): *glandifera* Meyrick, 1918
- 12096) *Ethmia haemorrhoidella* (Eversmann, 1844) (Ethmiidae) Synonym(s): *haemorrhoidella* Eversmann, 1844; *anatolica* Amsel, 1953.
- 12097) *Ethmia hakkarica* Koçak, 1986 (Ethmiidae) Synonym(s): *hakkarica* Koçak, 1986
- 12098) *Ethmia hamaxastra* Meyrick, 1930 (Ethmiidae) Synonym(s): *hamaxastra* Meyrick, 1930
- 12099) *Ethmia humiliella* Chrétien, 1915 (Ethmiidae) Synonym(s): *humiliella* Chrétien, 1915
- 12100) *Ethmia infelix* Meyrick, 1914 (Ethmiidae) Synonym(s): *confusella* Rebel, 1901 (praeocc.); *infelix* Meyrick, 1914; *kurdistanella* Amsel, 1959
- 12101) *Ethmia interposita* Sattler, 1967 (Ethmiidae) Synonym(s): *interposita* Sattler, 1967
- 12102) *Ethmia iranella* Zerny, 1940 (Ethmiidae) Synonym(s): *iranella* Zerny, 1940
- 12103) *Ethmia japonica* Sattler, 1967 (Ethmiidae) Synonym(s): *japonica* Sattler, 1967
- 12104) *Ethmia judicialis* Meyrick, 1921 (Ethmiidae) Synonym(s): *judicialis* Meyrick, 1921
- 12105) *Ethmia kabulica* Amsel, 1969 (Ethmiidae) Synonym(s): *kabulica* Amsel, 1969
- 12106) *Ethmia lapidella* (Walsingham, 1880) (Ethmiidae) Synonym(s): *lapidella* Walsingham, 1880; *decempunctata* Matsumura, 1931.
- 12107) *Ethmia lecmima* Sattler, 1967 (Ethmiidae) Synonym(s): *lecmima* Sattler, 1967
- 12108) *Ethmia lecmima* amsel Kemal & Koçak, 2005 (Ethmiidae) Synonym(s): *heratella* Amsel, 1969 nec Ams., 1969; *amsel* Kemal & Koçak, 2005
- 12109) *Ethmia lepidella* (Chrétien, 1907) (Ethmiidae) Synonym(s): *lepidella* Chrétien, 1907; *niveella* Caradja, 1920; *euphraticella* Amsel, 1954.
- 12110) *Ethmia leucocirrhia* Meyrick, 1926 (Ethmiidae) Synonym(s): *leucocirrhia* Meyrick, 1926
- 12111) *Ethmia lineatonotella* (Moore, 1867) (Ethmiidae) Synonym(s): *lineatonotella* Moore, 1867; *vittatopunctata* Matsumura, 1931.
- 12112) *Ethmia livida* (Zeller, 1852) (Ethmiidae) Synonym(s): *livida* Zeller, 1852
- 12113) *Ethmia lugubris* (Staudinger, 1879) (Ethmiidae) Synonym(s): *lugubris* Staudinger, 1879
- 12114) *Ethmia lybiella* (Ragonot, 1892) (Ethmiidae) Synonym(s): *lybiella* Ragonot, 1892; *biskraella* Chrétien, 1915; *trimaculella* Lucas, 1943.
- 12115) *Ethmia maculata* Sattler, 1967 (Ethmiidae) Synonym(s): *maculata* Sattler, 1967
- 12116) *Ethmia maculifera* (Matsumura, 1931) (Ethmiidae) Synonym(s): *maculifera* Matsumura, 1931; *mesozyga* Meyrick, 1935.
- 12117) *Ethmia maracandica* (Rebel, 1901) (Ethmiidae) Synonym(s): *maracandica* Rebel, 1901
- 12118) *Ethmia minusculella* (Turati, 1929) (Ethmiidae) Synonym(s): *minusculella* Turati, 1929
- 12119) *Ethmia mixtella* (Chrétien, 1915) (Ethmiidae) Synonym(s): *mixtella* Chrétien, 1915
- 12120) *Ethmia mongolica* (Rebel, 1901) (Ethmiidae) Synonym(s): *mongolica* Rebel, 1901
- 12121) *Ethmia namangana* (Rebel, 1901) (Ethmiidae) Synonym(s): *namangana* Rebel, 1901
- 12122) *Ethmia nigrimaculata* Sattler, 1967 (Ethmiidae) Synonym(s): *nigrimaculata* Sattler, 1967
- 12123) *Ethmia nigripedella* (Erschoff, 1877) (Ethmiidae) Synonym(s): *nigripedella* Erschoff, 1877; *nigripedella* Rebel, 1901.
- 12124) *Ethmia nigroapicella* (Saalmüller, 1880) (Ethmiidae) Synonym(s): *nigroapicella* Saalmüller, 1880; *colonella* Walsingham, 1907; *meteoris* Meyrick, 1911; *systematica* Meyrick, 1922; *apicalis* Matsumura, 1931.
- 12125) *Ethmia octanoma* Meyrick, 1914 (Ethmiidae) Synonym(s): *octanoma* Meyrick, 1914
- 12126) *Ethmia oculigera* (Möschler, 1883) (Ethmiidae) Synonym(s): *oculigera* Möschler, 1883
- 12127) *Ethmia pagiopa* Meyrick, 1918 (Ethmiidae) Synonym(s): *pagiopa* Meyrick, 1918
- 12128) *Ethmia palawana* Schultze, 1925 (Ethmiidae) Synonym(s): *palawana* Schultze, 1925
- 12129) *Ethmia pericentrotella* Meyrick, 1926 (Ethmiidae) Synonym(s): *pericentrotella* Meyrick, 1926
- 12130) *Ethmia pseudoscythrella* (Rebel, 1902) (Ethmiidae) Synonym(s): *pseudoscythrella* Rebel, 1902
- 12131) *Ethmia pusiella* (Linnaeus, 1758) (Ethmiidae) Synonym(s): *pusiella* Linnaeus, 1758; *scaletella* Scopoli, 1763; *sequella* [Denis & Schiffermüller], 1775; *lithosperma* Hübner, 1796.
- 12132) *Ethmia pusiella* deletella De Lattin, 1963 (Ethmiidae) Synonym(s): *deletella* De Lattin, 1963
- 12133) *Ethmia pyrausta* (Pallas, 1771) (Ethmiidae) Synonym(s): *pyrausta* Pallas, 1771; *nigrella* Fabricius, 1775; *atropunctella* Thunberg, 1788.
- 12134) *Ethmia quadrillella* (Goeze, 1783) (Ethmiidae) Synonym(s): *quadrillella* Goeze, 1783; *inversella* Fourcroy, 1785; *funerella* Fabricius, 1787; *funerea* Haworth, 1828; *afflatella* Fuchs, 1903.
- 12135) *Ethmia quadrillella* luctuosella (Herrich-Schäffer, [1854]) (Ethmiidae) Synonym(s): *luctuosella* Herrich-Schäffer, [1854]
- 12136) *Ethmia quadrinotella* (Mann, 1861) (Ethmiidae) Synonym(s): *quadrinotella* Mann, 1861; *atticella* Caradja, 1920; *galaxaea* Meyrick, 1922.
- 12137) *Ethmia quadrinotella* heratella Amsel, 1969 (Ethmiidae) Synonym(s): *heratella* Amsel, 1969
- 12138) *Ethmia quadrinotella* quadrinotella (Mann, 1861) (Ethmiidae) Synonym(s): *quadrinotella* Mann, 1861; *atticella* Caradja, 1920; *galaxaea* Meyrick, 1922.
- 12139) *Ethmia quadrinotella* quinquetotella (Chrétien, 1915) (Ethmiidae) Synonym(s): *quinquetotella* Chrétien, 1915; *acutella* Turati, 1934; *paneliusella* Viette, 1958.
- 12140) *Ethmia quadripunctella* Eversmann, 1844 (Ethmiidae) Synonym(s): *quadripunctella* Eversmann, 1844
- 12141) *Ethmia rhomboidella* Walsingham, 1897 (Ethmiidae) Synonym(s): *rhomboidella* Walsingham, 1897
- 12142) *Ethmia rothschildi* (Rebel, 1912) (Ethmiidae) Synonym(s): *rothschildi* Rebel, 1912
- 12143) *Ethmia sabiella* (R. Felder & Rogenhofer, 1875) (Ethmiidae) Synonym(s): *sabiella* R. Felder & Rogenhofer, 1875
- 12144) *Ethmia septempunctella* (Christoph, 1882) (Ethmiidae) Synonym(s): *septempunctella* Christoph, 1882
- 12145) *Ethmia sibirica* Danilevsky, 1975 (Ethmiidae) Synonym(s): *sibirica* Danilevsky, 1975
- 12146) *Ethmia similis* Sattler, 1967 (Ethmiidae) Synonym(s): *similis* Sattler, 1967
- 12147) *Ethmia soljanikovi* Danilevsky & Zagulyaev, 1975 (Ethmiidae) Synonym(s): *soljanikovi* Danilevsky & Zagulyaev, 1975
- 12148) *Ethmia subsidiaris* Meyrick, 1935 (Ethmiidae) Synonym(s): *subsidiaris* Meyrick, 1935
- 12149) *Ethmia suspecta* Sattler, 1867 (Ethmiidae) Synonym(s): *suspecta* Sattler, 1967
- 12150) *Ethmia tamaridella* (Rebel, 1907) (Ethmiidae) Synonym(s): *tamaridella* Rebel, 1907
- 12151) *Ethmia terminella* T.B. Fletcher, 1938 (Ethmiidae) Synonym(s): *sempunctella* Hübner, [1810] nec Fabr., 1794; *terminella* T.B. Fletcher, 1938.
- 12152) *Ethmia terminella* micropunctella Amsel, 1955 (Ethmiidae) Synonym(s): *micropunctella* Amsel, 1955
- 12153) *Ethmia terminella* terminella T.B. Fletcher, 1938 (Ethmiidae) Synonym(s): *sempunctella* Hübner, [1810] nec Fabr., 1794; *terminella* T.B. Fletcher, 1938.
- 12154) *Ethmia thomaswitti* Kun, 2004 (Ethmiidae) Synonym(s): *thomaswitti* Kun, 2004
- 12155) *Ethmia treitschkeella* (Staudinger, 1879) (Ethmiidae) Synonym(s): *treitschkeella* Staudinger, 1879
- 12156) *Ethmia trifida* Kun, 2004 (Ethmiidae) Synonym(s): *trifida* Kun, 2004
- 12157) *Ethmia tripunctella* (Staudinger, 1879) (Ethmiidae) Synonym(s): *tripunctella* Staudinger, 1879
- 12158) *Ethmia tripunctella* rayatella (Amsel, 1959) (Ethmiidae) Synonym(s): *rayatella* Amsel, 1959
- 12159) *Ethmia tripunctella* tripunctella (Staudinger, 1879) (Ethmiidae) Synonym(s): *tripunctella* Staudinger, 1879
- 12160) *Ethmia turkmeniella* Dubatolov & Ustjuzhanin, 1998 (Ethmiidae) Synonym(s): *turkmeniella* Dubatolov & Ustjuzhanin, 1998
- 12161) *Ethmia ultima* Sattler, 1967 (Ethmiidae) Synonym(s): *ultima* Sattler, 1967
- 12162) *Ethmia umbricostella* Caradja, 1927 (Ethmiidae) Synonym(s): *umbricostella* Caradja, 1927
- 12163) *Ethmia usbensis* Zagulyaev, 1975 (Ethmiidae) Synonym(s): *usbensis* Zagulyaev, 1975
- 12164) *Ethmia vidua* (Staudinger, 1879) (Ethmiidae) Synonym(s): *vidua* Staudinger, 1879
- 12165) *Ethmia vidua* flavilaterella Danilevsky, 1975 (Ethmiidae) Synonym(s): *flavilaterella* Danilevsky, 1975
- 12166) *Ethmia vittalbella* (Christoph, 1877) (Ethmiidae) Synonym(s): *vittalbella* Christoph, 1877; *radiatella* Chrétien, 1907; *tripolitanella* Turati, 1929.
- 12167) *Ethmia wursteri* Amsel, 1956 (Ethmiidae) Synonym(s): *wursteri* Amsel, 1956

- 12168) *Ethmia xanthopleura* Meyrick, 1931 (Ethmiidae) Synonym(s): *xanthopleura* Meyrick, 1931
 12169) *Ethmia zagulyaevi* Kostjuk, 1980 (Ethmiidae) Synonym(s): *zagulyaevi* Kostjuk, 1980
 12170) *Ethmia zygosipila* Meyrick, 1934 (Ethmiidae) Synonym(s): *zygosipila* Meyrick, 1934
 12171) *Acrojana sciron* (Druce, 1888) (Eupterotidae) Synonym(s): *sciron* Druce, 1888
 12172) *Acrojana scutaea* Strand, 1909 (Eupterotidae) Synonym(s): *scutaea* Strand, 1909; *sanguineipes* Strand, 1910
 12173) *Apha subdives* Walker, 1855 (Eupterotidae) Synonym(s): *subdives* Walker, 1855
 12174) *Bantuana cregoei* Distant, 1906 (Eupterotidae) Synonym(s): *cregoei* Distant, 1906
 12175) *Camerunia flava* Aurivillius, 1904 (Eupterotidae) Synonym(s): *flava* Aurivillius, 1904; *lactiflora* Wichgraf, 1914
 12176) *Catajana bimaculata* (Dewitz, 1879) (Eupterotidae) Synonym(s): *bimaculata* Dewitz, 1879
 12177) *Cyrtojana trilineata* Aurivillius, 1911 (Eupterotidae) Synonym(s): *trilineata* Aurivillius, 1911; *apithana* Hering, 1929
 12178) *Eupterote amaena* Walker, 1855 (Eupterotidae) Synonym(s): *amaena* Walker, 1855
 12179) *Eupterote axesta* Swinhoe, 1894 (Eupterotidae) Synonym(s): *axesta* Swinhoe, 1894; *#axesta* Hutacharern & Tubtim, 1995
 12180) *Eupterote balwanti* Bhasin, 1946 (Eupterotidae) Synonym(s): *balwanti* Bhasin, 1946
 12181) *Eupterote calandra* Swinhoe, 1894 (Eupterotidae) Synonym(s): *calandra* Swinhoe, 1894
 12182) *Eupterote chinensis* Leech, 1898 (Eupterotidae) Synonym(s): *chinensis* Leech, 1898
 12183) *Eupterote dulcinea* Swinhoe, 1901 (Eupterotidae) Synonym(s): *dulcinea* Swinhoe, 1901; *#dulcina* Hutacharern & Tubtim, 1995
 12184) *Eupterote geminata* (Eupterotidae) Synonym(s):
 12185) *Eupterote orientalis* (Fabricius, 1793) (Eupterotidae) Synonym(s): *orientalis* Fabricius, 1793
 12186) *Eupterote* sp. (Eupterotidae) Synonym(s):
 12187) *Eupterote testacea* Walker, 1855 (Eupterotidae) Synonym(s): *testacea* Walker, 1855
 12188) *Eupterote undata* Blanchard (Eupterotidae) Synonym(s): *undata* Blanchard; *variegata* Moore, 1884
 12189) *Ganisa gyrales* Orhant, 2000 (Eupterotidae) Synonym(s): *gyrales* Orhant, 2000
 12190) *Ganisa javana* Holloway, 1982 (Eupterotidae) Synonym(s): *javana* Holloway, 1982
 12191) *Ganisa niassana* Rothschild, 1917 (Eupterotidae) Synonym(s): *niassana* Rothschild, 1917
 12192) *Ganisa plana* Walker, 1855 (Eupterotidae) Synonym(s): *plana* Walker, 1855
 12193) *Ganisa similis* Moore, 1884 (Eupterotidae) Synonym(s): *similis* Moore, 1884
 12194) *Hemijana griseola* Rothschild, 1917 (Eupterotidae) Synonym(s): *griseola* Rothschild, 1917
 12195) *Hemijana subrosea* (Aurivillius, 1893) (Eupterotidae) Synonym(s): *subrosea* Aurivillius, 1893; *ruberrima* Rothschild, 1917
 12196) *Hemijana variegata* Rothschild, 1917 (Eupterotidae) Synonym(s): *variegata* Rothschild, 1917
 12197) *Hibridiles crawshayi* Butler, 1896 (Eupterotidae) Synonym(s): *crawshayi* Butler, 1896
 12198) *Hibridiles norax* Druce, 1888 (Eupterotidae) Synonym(s): *norax* Druce, 1888
 12199) *Hoplojana rhodoptera* (Gerstaecker, 1871) (Eupterotidae) Synonym(s): *rhodoptera* Gerstaecker, 1871
 12200) *Hoplojana tripunctata* (Aurivillius, 1897) (Eupterotidae) Synonym(s): *tripunctata* Aurivillius, 1897
 12201) *Jana eurymas* Herrich-Schäffer, [1854] (Eupterotidae) Synonym(s): *eurymas* Herrich-Schäffer, [1854]; *caesarea* Weymer, 1909; *transvaalica* Strand, 1911.
 12202) *Jana nigristriata* Janse, 1915 (Eupterotidae) Synonym(s): *nigristriata* Janse, 1915
 12203) *Jana tantalus* Herrich-Schäffer, [1854] (Eupterotidae) Synonym(s): *tantalus* Herrich-Schäffer, [1854]; *signifera* Walker, 1855; *crepax* Wallengren, 1860.
 12204) *Janomima dannfelti* (Aurivillius, 1893) (Eupterotidae) Synonym(s): *dannfelti* Aurivillius, 1893; *claria* Strand, 1911; *mesundulata* Gaede, 1927
 12205) *Janomima mariana* (White, 1843) (Eupterotidae) Synonym(s): *mariana* White, 1843; *westwoodi* Aurivillius, 1901
 12206) *Lichenopteryx despecta* Felder, 1874 (Eupterotidae) Synonym(s): *despecta* Felder, 1874
 12207) *Marmaroplegma conspersa* Aurivillius, 1921 (Eupterotidae) Synonym(s): *conspersa* Aurivillius, 1921
 12208) *Marmaroplegma paragarda* Wallengren, 1860 (Eupterotidae) Synonym(s): *paragarda* Wallengren, 1860; *clio* Fawcett, 1902
 12209) *Marmaroplegma unicolor* Janse, 1915 (Eupterotidae) Synonym(s): *unicolor* Janse, 1915
 12210) *Melanothrix alternans* Pagenstecher, 1890 (Eupterotidae) Synonym(s): *alternans* Pagenstecher, 1890; *fumosa* Swinhoe, 1905
 12211) *Melanothrix homochroa* Grünberg, 1914 (Eupterotidae) Synonym(s): *homochroa* Grünberg, 1914
 12212) *Melanothrix intermedia* Rothschild, 1917 (Eupterotidae) Synonym(s): *intermedia* Rothschild, 1917
 12213) *Melanothrix lativitta* Grünberg, 1914 (Eupterotidae) Synonym(s): *lativitta* Grünberg, 1914
 12214) *Melanothrix leucotrigona* Hampson, 1892 (Eupterotidae) Synonym(s): *leucotrigona* Hampson, 1892
 12215) *Melanothrix nicevillei* Hampson, 1896 (Eupterotidae) Synonym(s): *nicevillei* Hampson, 1896
 12216) *Melanothrix nymphaliaria* (Walker, 1866) (Eupterotidae) Synonym(s): *nymphaliaria* Walker, 1866; *pulchricolor* R. Felder, 1875; *atropurpurea* Aurivillius, 1894
 12217) *Melanothrix nymphaliaria albidior* Rothschild, 1917 (Eupterotidae) Synonym(s): *albidior* Rothschild, 1917
 12218) *Melanothrix nymphaliaria nymphaliaria* (Walker, 1866) (Eupterotidae) Synonym(s): *nymphaliaria* Walker, 1866; *pulchricolor* R. Felder, 1875; *atropurpurea* Aurivillius, 1894
 12219) *Melanothrix nymphaliaria philippina* Rothschild, 1917 (Eupterotidae) Synonym(s): *philippina* Rothschild, 1917
 12220) *Melanothrix radiata* Grünberg, 1914 (Eupterotidae) Synonym(s): *radiata* Grünberg, 1914
 12221) *Melanothrix semperi* Rothschild, 1917 (Eupterotidae) Synonym(s): *semperi* Rothschild, 1917
 12222) *Melanothrix xanthomelas* Grünberg, 1914 (Eupterotidae) Synonym(s): *xanthomelas* Grünberg, 1914
 12223) *Neopreptos clazomena* (Druce, 1886) (Eupterotidae) Synonym(s): *clazomenia* Druce, 1886
 12224) *Neopreptos marathusa* (Druce, 1886) (Eupterotidae) Synonym(s): *marathusa* Druce, 1886
 12225) *Palirisa archivicina* Bryk, 1944 (Eupterotidae) Synonym(s): *archivicina* Bryk, 1944
 12226) *Palirisa cervina* (Moore, 1865) (Eupterotidae) Synonym(s): *cervina* Moore, 1865; *burmanica* Strand, 1924
 12227) *Palirisa cervina annamensis* Mell, 1929 (Eupterotidae) Synonym(s): *annamensis* Mell, 1929
 12228) *Palirisa cervina birmana* Bryk, 1944 (Eupterotidae) Synonym(s): *birmana* Bryk, 1944
 12229) *Palirisa cervina mosoensis* Mell, 1937 (Eupterotidae) Synonym(s): *mosoensis* Mell, 1937; *angustifasciata* Mell, 1937; *chocolateina* Mell, 1937; *curvilineata* Mell, 1937; *roseitincta* Mell, 1937; *significata* Mell, 1937
 12230) *Palirisa lineosa* Walker, 1855 (Eupterotidae) Synonym(s): *lineosa* Walker, 1855
 12231) *Palirisa lineosa noncurvata* Bryk, 1944 (Eupterotidae) Synonym(s): *noncurvata* Bryk, 1944
 12232) *Palirisa rotundala* Mell, 1929 (Eupterotidae) Synonym(s): *rotundala* Mell, 1929
 12233) *Palirisa sinensis* Rothschild, 1917 (Eupterotidae) Synonym(s): *sinensis* Rothschild, 1917
 12234) *Palirisa sinensis renei* Bryk, 1944 (Eupterotidae) Synonym(s): *renei* Bryk, 1944
 12235) *Palirisa taipeishanis* Mell, 1937 (Eupterotidae) Synonym(s): *taipeishanis* Mell, 1937
 12236) *Paraphyllalia degenera* (Walker, 1855) (Eupterotidae) Synonym(s): *degenera* Walker, 1855
 12237) *Phiala albidorsata* Gaede, 1927 (Eupterotidae) Synonym(s): *albidorsata* Gaede, 1927
 12238) *Phiala bistrigata* Aurivillius, 1901 (Eupterotidae) Synonym(s): *bistrigata* Aurivillius, 1901; *curvistriga* Strand, 1911
 12239) *Phiala costipuncta* (Herrich-Schäffer, [1855]) (Eupterotidae) Synonym(s): *costipuncta* Herrich-Schäffer, [1855]; *angola* Strand, 1911; *atomaria* Walker, 1855; *xanthosoma* Wallengren, 1860; *punctilinea* Walker, 1862.
 12240) *Phiala crassistriga* Strand, 1911 (Eupterotidae) Synonym(s): *crassistriga* Strand, 1911
 12241) *Phiala dasypoda* Wallengren, 1860 (Eupterotidae) Synonym(s): *dasypoda* Wallengren, 1860
 12242) *Phiala flavipennis* Wallengren, 1875 (Eupterotidae) Synonym(s): *flavipennis* Wallengren, 1875
 12243) *Phiala hologramma* (Aurivillius, 1904) (Eupterotidae) Synonym(s): *hologramma* Aurivillius, 1904
 12244) *Phiala incana* (Distant, 1897) (Eupterotidae) Synonym(s): *incana* Distant, 1897; *arrecta* Distant, 1899
 12245) *Phiala marshalli* Aurivillius, 1904 (Eupterotidae) Synonym(s): *marshalli* Aurivillius, 1904; *reussi* Strand, 1911
 12246) *Phiala nigrolineata* Aurivillius, 1903 (Eupterotidae) Synonym(s): *nigrolineata* Aurivillius, 1903; *chrysagya* Wichgraf, 1914; *rubrivena* Hampson, 1910
 12247) *Phiala niveociliata* Strand, 1911 (Eupterotidae) Synonym(s): *niveociliata* Strand, 1911
 12248) *Phiala polita* Distant, 1897 (Eupterotidae) Synonym(s): *polita* Distant, 1897
 12249) *Phiala pretoriana* Wichgraf, 1908 (Eupterotidae) Synonym(s): *pretoriana* Wichgraf, 1908
 12250) *Phiala pseudatomaria* Strand, 1911 (Eupterotidae) Synonym(s): *sigyna* Aurivillius, 1893; *pseudatomaria* Strand, 1911; *sublimballis* Strand, 1911
 12251) *Phiala pulvereata* Distant, 1903 (Eupterotidae) Synonym(s): *pulvereata* Distant, 1903
 12252) *Phiala similis* Aurivillius, 1911 (Eupterotidae) Synonym(s): *similis* Aurivillius, 1911
 12253) *Phiala simplex* Aurivillius, 1904 (Eupterotidae) Synonym(s): *simplex* Aurivillius, 1904
 12254) *Phiala venusta* (Walker, 1865) (Eupterotidae) Synonym(s): *venusta* Walker, 1865; *angulata* Gaede, 1927
 12255) *Phiala wichgrafi* Strand, 1911 (Eupterotidae) Synonym(s): *wichgrafi* Strand, 1911

- 12256) *Phyllalia alboradiata* Aurivillius, 1911 (Eupterotidae) Synonym(s): *alboradiata* Aurivillius, 1911; *acuta* Strand, 1911
- 12257) *Phyllalia flavicostata* Fawcett, 1903 (Eupterotidae) Synonym(s): *flavicostata* Fawcett, 1903
- 12258) *Phyllalia patens* (Boisduval, 1847) (Eupterotidae) Synonym(s): *patens* Boisduval, 1847; *concolor* Walker, 1855
- 12259) *Phyllalia thunbergii* (Boisduval, 1847) (Eupterotidae) Synonym(s): *thunbergii* Boisduval, 1847; *incerta* Walker, 1855.
- 12260) *Phyllalia umbripennis* Strand, 1911 (Eupterotidae) Synonym(s): *umbripennis* Strand, 1911
- 12261) *Phyllalia valida* (Felder, 1874) (Eupterotidae) Synonym(s): *valida* Felder, 1874
- 12262) *Phyllalia ziczac* Strand, 1911 (Eupterotidae) Synonym(s): *ziczac* Strand, 1911
- 12263) *Poloma angulata* Walker, 1855 (Eupterotidae) Synonym(s): *angulata* Walker, 1855; *incompta* Walker, 1865; *janula* Felder, 1874
- 12264) *Poloma castanea* Aurivillius, 1901 (Eupterotidae) Synonym(s): *castanea* Aurivillius, 1901
- 12265) *Poloma nigromaculata* Aurivillius, 1893 (Eupterotidae) Synonym(s): *nigromaculata* Aurivillius, 1893; *nahor* Druce, 1896
- 12266) *Preptos hidalgoensis* Beutelspacher, 1983 (Eupterotidae) Synonym(s): *hidalgoensis* Beutelspacher, 1983
- 12267) *Preptos oropus* Schaus, 1892 (Eupterotidae) Synonym(s): *oropus* Schaus, 1892; *corax* Druce, 1893
- 12268) *Rhabdosia patagiata* Hübner, [1820] (Eupterotidae) Synonym(s): *patagiata* Hübner, [1820]
- 12269) *Rhabdosia vaninia* (Stoll, [1781]) (Eupterotidae) Synonym(s): *vaninia* Stoll, [1781]
- 12270) *Schistissa uniformis* Aurivillius, 1901 (Eupterotidae) Synonym(s): *uniformis* Aurivillius, 1901
- 12271) *Stenoglene decellei* Dall'Asta & Poncin, 1980 (Eupterotidae) Synonym(s): *decellei* Dall'Asta & Poncin, 1980
- 12272) *Stenoglene decellei flava* Dall'Asta & Poncin, 1980 (Eupterotidae) Synonym(s): *flava* Dall'Asta & Poncin, 1980
- 12273) *Stenoglene hilaris* R. Felder, 1874 (Eupterotidae) Synonym(s): *hilaris* R. Felder, 1874; *bithynia* Druce, 1887.
- 12274) *Stenoglene livingstonensis* (Strand, 1909) (Eupterotidae) Synonym(s): *livingstonensis* Strand, 1909
- 12275) *Stenoglene obtusa* (Walker, 1855) (Eupterotidae) Synonym(s): *obtusa* Walker, 1855; *tristis* Felder, 1874; *labda* Druce, 1887; *subcrocea* Distant, 1903; *evanescens* Distant, 1903; *aequidistans* Strand, 1912.
- 12276) *Stenoglene pira* Druce, 1896 (Eupterotidae) Synonym(s): *pira* Druce, 1896
- 12277) *Stenoglene roseus* (Druce, 1886) (Eupterotidae) Synonym(s): *roseus* Druce, 1886; *gregorii* Butler, 1894; *monteironis* Rothschild, 1917; *similis* Rothschild, 1917; *pulverulentus* Joicey & Talbot, 1924; *elgonae* Bethune-Baker, 1927.
- 12278) *Striphnopteryx edulis* (Boisduval, 1847) (Eupterotidae) Synonym(s): *edulis* Boisduval, 1847
- 12279) *Tagora patula* Walker, 1855 (Eupterotidae) Synonym(s): *patula* Walker, 1855; *khiasina* Moore, 1879; *abnorminervis* Strand, 1924; *dehyalinata* Strand, 1924
- 12280) *Tissanga pretoriae* (Distant, 1892) (Eupterotidae) Synonym(s): *pretoriae* Distant, 1892
- 12281) *Trichophiala devylderi* Aurivillius, 1879 (Eupterotidae) Synonym(s): *devylderi* Aurivillius, 1879
- 12282) "Gelechia" *retractella* Walker, 1864 (Gelechiidae) Synonym(s): *retractella* Walker, 1864
- 12283) *Acompisia antirrhinella* Millièrre, 1866 (Gelechiidae) Synonym(s): *antirrhinella* Millièrre, 1866
- 12284) *Acompisia cinerella* (Clerck, 1759) (Gelechiidae) Synonym(s): *cinerella* Clerck, 1759
- 12285) *Acompisia dimorpha* Petry, 1904 (Gelechiidae) Synonym(s): *dimorpha* Petry, 1904
- 12286) *Acompisia maculosella* (Stainton, 1851) (Gelechiidae) Synonym(s): *maculosella* Stainton, 1851
- 12287) *Acompisia minorella* Rebel, 1899 (Gelechiidae) Synonym(s): *minorella* Rebel, 1899
- 12288) *Acompisia muellerrutzi* Wehrli, 1925 (Gelechiidae) Synonym(s): *muellerrutzi* Wehrli, 1925
- 12289) *Acompisia subpunctella* Svensson, 1966 (Gelechiidae) Synonym(s): *subpunctella* Svensson, 1966
- 12290) *Acompisia tripunctella* (Denis & Schiffermüller, [1775]) (Gelechiidae) Synonym(s): *tripunctella* [Denis & Schiffermüller], 1775
- 12291) *Acraeologa delotypa* Janse, 1963 (Gelechiidae) Synonym(s): *delotypa* Janse, 1963
- 12292) *Acraeologa xanthobasis* Janse, 1963 (Gelechiidae) Synonym(s): *xanthobasis* Janse, 1963
- 12293) *Acraeologa xerochroa* Meyrick, 1921 (Gelechiidae) Synonym(s): *xerochroa* Meyrick, 1921
- 12294) *Acribologa cymotrocha* (Meyrick, 1913) (Gelechiidae) Synonym(s): *cymotrocha* Meyrick, 1913
- 12295) *Acutitornus kalahariensis* Janse, 1957 (Gelechiidae) Synonym(s): *kalahariensis* Janse, 1957
- 12296) *Acutitornus leucostola* Janse, 1957 (Gelechiidae) Synonym(s): *leucostola* Janse, 1957
- 12297) *Acutitornus liebenbergi* Janse, 1963 (Gelechiidae) Synonym(s): *liebenbergi* Janse, 1963
- 12298) *Acutitornus munda* Janse, 1951 (Gelechiidae) Synonym(s): *munda* Janse, 1951
- 12299) *Acutitornus munroi* Janse, 1957 (Gelechiidae) Synonym(s): *munroi* Janse, 1957
- 12300) *Aeolotrocha delograptia* Janse, 1960 (Gelechiidae) Synonym(s): *delograptia* Janse, 1960
- 12301) *Aeolotrocha generosa* Meyrick, 1921 (Gelechiidae) Synonym(s): *generosa* Meyrick, 1921
- 12302) *Aeolotrocha paroptila* Janse, 1960 (Gelechiidae) Synonym(s): *paroptila* Janse, 1960
- 12303) *Aeolotrocha phaeoptera* Janse, 1960 (Gelechiidae) Synonym(s): *phaeoptera* Janse, 1960
- 12304) *Agonochaetia intermedia* Sattler, 1968 (Gelechiidae) Synonym(s): *intermedia* Sattler, 1968
- 12305) *Agonochaetia quartana* (Povolny, 1990) (Gelechiidae) Synonym(s): *quartana* Povolny, 1990
- 12306) *Agonochaetia terrestrella* (Zeller, 1872) (Gelechiidae) Synonym(s): *terrestrella* Zeller, 1872
- 12307) *Albiflora minor* Janse, 1960 (Gelechiidae) Synonym(s): *minor* Janse, 1960
- 12308) *Allophlebia hemizancle* Janse, 1960 (Gelechiidae) Synonym(s): *hemizancle* Janse, 1960
- 12309) *Allotelpusa lathridia* (Meyrick, 1909) (Gelechiidae) Synonym(s): *lathridia* Meyrick, 1909
- 12310) *Altenia elsnieriella* Huemer & Karsholt, 1999 (Gelechiidae) Synonym(s): *elsnieriella* Huemer & Karsholt, 1999
- 12311) *Altenia modesta* (Danilevsky, 1955) (Gelechiidae) Synonym(s): *modesta* Danilevsky, 1955
- 12312) *Altenia perspersella* (Wocke, 1862) (Gelechiidae) Synonym(s): *perspersella* Wocke, 1862
- 12313) *Altenia scriptella* (Hübner, 1796) (Gelechiidae) Synonym(s): *scriptella* Hübner, 1796
- 12314) *Altenia wagneriella* (Rebel, 1926) (Gelechiidae) Synonym(s): *wagneriella* Rebel, 1926; *danilevskiy* Piskunov, 1973.
- 12315) *Amblyphylla lophozancle* Janse, 1960 (Gelechiidae) Synonym(s): *lophozancle* Janse, 1960
- 12316) *Anacampsis blattariella* (Hübner, 1796) (Gelechiidae) Synonym(s): *blattariella* Hübner, 1796
- 12317) *Anacampsis cosmia* Meyrick, 1921 (Gelechiidae) Synonym(s): *cosmia* Meyrick, 1921
- 12318) *Anacampsis embrocha* Meyrick, 1914 (Gelechiidae) Synonym(s): *embrocha* Meyrick, 1914
- 12319) *Anacampsis fuscella* (Eversmann, 1844) (Gelechiidae) Synonym(s): *fuscella* Eversmann, 1844
- 12320) *Anacampsis hirsutella* (Constant, 1885) (Gelechiidae) Synonym(s): *hirsutella* Constant, 1885
- 12321) *Anacampsis malella* (Amsel, 1959) (Gelechiidae) Synonym(s): *malella* Amsel, 1959
- 12322) *Anacampsis obscurella* ([Denis & Schiffermüller], 1775) (Gelechiidae) Synonym(s): *obscurella* [Denis & Schiffermüller], 1775; *subsequella* Hübner, 1796.
- 12323) *Anacampsis panormitella* (Caradja, 1920) (Gelechiidae) Synonym(s): *panormitella* Caradja, 1920
- 12324) *Anacampsis populella* (Clerck, 1759) (Gelechiidae) Synonym(s): *populella* Clerck, 1759; *tremella* Denis & Schiffermüller, 1775; *populi* Haworth, 1828; *Stephens*, 1834; *tremulella* Duponchel, [1839]
- 12325) *Anacampsis scintillella* (Fischer v. Röslerstamm, 1841) (Gelechiidae) Synonym(s): *scintillella* Fischer v. Röslerstamm, 1841; *brunneella* Herrich-Schäffer, 1854; *contuberniella* Staudinger, 1859
- 12326) *Anacampsis temerella* (Lienig & Zeller, 1846) (Gelechiidae) Synonym(s): *temerella* Lienig & Zeller, 1846; *pernigrella* Douglas, 1850
- 12327) *Anacampsis timidella* (Wocke, 1887) (Gelechiidae) Synonym(s): *timidella* Wocke, 1887; *quercella* Chrétien, 1907; *disquei* Mees, 1907; *suberiella* Caradja, 1920.
- 12328) *Anacampsis trifoliella* (Constant, 1890) (Gelechiidae) Synonym(s): *trifoliella* Constant, 1890
- 12329) *Anapatetris crystallista* (Meyrick, 1911) (Gelechiidae) Synonym(s): *crystallista* Meyrick, 1911
- 12330) *Anarsia* (*Ananarsia*) *belutschistanella* Amsel, 1959 (Gelechiidae) Synonym(s): *belutschistanella* Amsel, 1959
- 12331) *Anarsia* (*Ananarsia*) *elegnella* Kuznetsov, 1957 (Gelechiidae) Synonym(s): *elegnella* Kuznetsov, 1957
- 12332) *Anarsia* (*Ananarsia*) *lineatella* Zeller, 1839 (Gelechiidae) Synonym(s): *lineatella* Zeller, 1839; *heratella* Amsel, 1967; *tauricella* Amsel, 1967.
- 12333) *Anarsia* (s.str.) *acaciae* Walsingham, 1896 (Gelechiidae) Synonym(s): *acaciae* Walsingham, 1896
- 12334) *Anarsia* (s.str.) *agricola* Walsingham, 1891 (Gelechiidae) Synonym(s): *agricola* Walsingham, 1891
- 12335) *Anarsia* (s.str.) *albibasella* Janse, 1963 (Gelechiidae) Synonym(s): *albibasella* Janse, 1963
- 12336) *Anarsia* (s.str.) *aleurodes* Meyrick, 1922 (Gelechiidae) Synonym(s): *aleurodes* Meyrick, 1922
- 12337) *Anarsia* (s.str.) *amalleuta* Meyrick, 1913 (Gelechiidae) Synonym(s): *amalleuta* Meyrick, 1913
- 12338) *Anarsia* (s.str.) *antisaris* (Meyrick, 1913) (Gelechiidae) Synonym(s): *antisaris* Meyrick, 1913
- 12339) *Anarsia* (s.str.) *arachniota* Meyrick, 1925 (Gelechiidae) Synonym(s): *arachniota* Meyrick, 1925
- 12340) *Anarsia* (s.str.) *austerodes* (Meyrick, 1918) (Gelechiidae) Synonym(s): *austerodes* Meyrick, 1918
- 12341) *Anarsia* (s.str.) *balioneura* Meyrick, 1921 (Gelechiidae) Synonym(s): *balioneura* Meyrick, 1921
- 12342) *Anarsia* (s.str.) *bilbainella* (Rössler, 1877) (Gelechiidae) Synonym(s): *bilbainella* Rössler, 1877

- 12343) *Anarsia* (s.str.) *burmanni* Amsel, 1958 (Gelechiidae) Synonym(s): *burmanni* Amsel, 1958; *ovilella* Réal, 1994; *bizensis* Réal, 1994; *infundibulella* Réal, 1994
- 12344) *Anarsia* (s.str.) *callicosma* Janse, 1960 (Gelechiidae) Synonym(s): *callicosma* Janse, 1960
- 12345) *Anarsia* (s.str.) *carbonaria* Meyrick, 1913 (Gelechiidae) Synonym(s): *carbonaria* Meyrick, 1913
- 12346) *Anarsia* (s.str.) *citromitra* Meyrick, 1921 (Gelechiidae) Synonym(s): *citromitra* Meyrick, 1921
- 12347) *Anarsia* (s.str.) *eburnella* (Christoph, 1887) (Gelechiidae) Synonym(s): *eburnella* Christoph, 1887
- 12348) *Anarsia* (s.str.) *eriozona* (Meyrick, 1921) (Gelechiidae) Synonym(s): *eriozona* Meyrick, 1921
- 12349) *Anarsia* (s.str.) *gravata* Meyrick, 1911 (Gelechiidae) Synonym(s): *gravata* Meyrick, 1911; *ambitiosa* Meyrick, 1913; *#gravate* Janse, 1954
- 12350) *Anarsia* (s.str.) *halimodendri* (Christoph, 1877) (Gelechiidae) Synonym(s): *halimodendri* Christoph, 1877
- 12351) *Anarsia* (s.str.) *inculta* Walsingham, 1891 (Gelechiidae) Synonym(s): *inculta* Walsingham, 1891
- 12352) *Anarsia* (s.str.) *libanoticella* Amsel, 1967 (Gelechiidae) Synonym(s): *libanoticella* Amsel, 1967
- 12353) *Anarsia* (s.str.) *longipalpella* Rebel, 1907 (Gelechiidae) Synonym(s): *longipalpella* Rebel, 1907
- 12354) *Anarsia* (s.str.) *mitescens* Meyrick, 1913 (Gelechiidae) Synonym(s): *mitescens* Meyrick, 1913
- 12355) *Anarsia* (s.str.) *nigrimacula* Janse, 1949 (Gelechiidae) Synonym(s): *nigrimacula* Janse, 1949
- 12356) *Anarsia* (s.str.) *nimbosa* Meyrick, 1913 (Gelechiidae) Synonym(s): *nimbosa* Meyrick, 1913
- 12357) *Anarsia* (s.str.) *permissa* Meyrick, 1926 (Gelechiidae) Synonym(s): *permissa* Meyrick, 1926
- 12358) *Anarsia* (s.str.) *pustulata* Janse, 1949 (Gelechiidae) Synonym(s): *pustulata* Janse, 1949
- 12359) *Anarsia* (s.str.) *robertsonella* (Curtis, 1837) (Gelechiidae) Synonym(s): *robertsonella* Curtis, 1837
- 12360) *Anarsia* (s.str.) *robertsonella* *dejoannisi* Réal, 1994 (Gelechiidae) Synonym(s): *dejoannisi* Réal, 1994
- 12361) *Anarsia* (s.str.) *sciograptia* (Meyrick, 1921) (Gelechiidae) Synonym(s): *sciograptia* Meyrick, 1921
- 12362) *Anarsia* (s.str.) *sciotona* Meyrick, 1927 (Gelechiidae) Synonym(s): *sciotona* Meyrick, 1927
- 12363) *Anarsia* (s.str.) *semmopa* Meyrick, 1921 (Gelechiidae) Synonym(s): *semmopa* Meyrick, 1921
- 12364) *Anarsia* (s.str.) *spartiella* (Schrank, 1802) (Gelechiidae) Synonym(s): *spartiella* Schrank, 1802; *genistae* Stainton, 1854; *ragonotella* Réal, 1994; *krausei* Réal, 1994; *lhommeella* Réal, 1994; *acutiloba* Réal, 1994; *pseudospartiella* Réal, 1994 *ungemachi* Réal, 1994
- 12365) *Anarsia* (s.str.) *spicata* Meyrick, 1918 (Gelechiidae) Synonym(s): *spicata* Meyrick, 1918
- 12366) *Anarsia* (s.str.) *subfulvescens* Meyrick, 1918 (Gelechiidae) Synonym(s): *subfulvescens* Meyrick, 1918
- 12367) *Anarsia* (s.str.) *vectaria* Meyrick, 1918 (Gelechiidae) Synonym(s): *vectaria* Meyrick, 1918
- 12368) *Anarsia* *phortica* Meyrick, 1913 (Gelechiidae) Synonym(s): *phortica* Meyrick, 1913
- 12369) *Anarsia* sp.: (Gelechiidae) Synonym(s):
- 12370) *Anaspaltis* *renigerellus* (Zeller, 1839) (Gelechiidae) Synonym(s): *renigerellus* Zeller, 1839
- 12371) *Anastomopteryx* *angulata* Janse, 1951 (Gelechiidae) Synonym(s): *angulata* Janse, 1951
- 12372) *Andusia* *alternella* Walker, 1866 (Gelechiidae) Synonym(s): *alternella* Walker, 1866
- 12373) *Angustiphylla* *hylotropha* Janse, 1960 (Gelechiidae) Synonym(s): *hylotropha* Janse, 1960
- 12374) *Anomologa* *demens* Meyrick, 1926 (Gelechiidae) Synonym(s): *demens* Meyrick, 1926
- 12375) *Anomologa* *dispulsa* Meyrick, 1926 (Gelechiidae) Synonym(s): *dispulsa* Meyrick, 1926
- 12376) *Antoniejanse* *griseoptera* (Janse, 1958) (Gelechiidae) Synonym(s): *griseoptera* Janse, 1958
- 12377) *Antoniejanse* *reducta* (Janse, 1958) (Gelechiidae) Synonym(s): *reducta* Janse, 1958
- 12378) *Apatetris* *agenjoi* Gozmany, 1954 (Gelechiidae) Synonym(s): *agenjoi* Gozmany, 1954
- 12379) *Apatetris* *altithermella* (Walsingham, 1903) (Gelechiidae) Synonym(s): *altithermella* Walsingham, 1903
- 12380) *Apatetris* *kinkerella* (Snellen, 1876) (Gelechiidae) Synonym(s): *kinkerella* Snellen, 1876
- 12381) *Apatetris* *mirabella* Staudinger, 1879 (Gelechiidae) Synonym(s): *mirabella* Staudinger, 1879
- 12382) *Apatetris* *trivittellum* (Rebel, 1903) (Gelechiidae) Synonym(s): *trivittellum* Rebel, 1903
- 12383) *Aphnogenes* *zonaea* Meyrick, 1921 (Gelechiidae) Synonym(s): *zonaea* Meyrick, 1921
- 12384) *Apodia* *bifractella* (Duponchel, 1843) (Gelechiidae) Synonym(s): *bifractella* Duponchel, [1843]
- 12385) *Apodia* *martinii* Petry, 1911 (Gelechiidae) Synonym(s): *martinii* Petry, 1911
- 12386) *Aponoea* *obtusipalpis* Walsingham, 1905 (Gelechiidae) Synonym(s): *obtusipalpis* Walsingham, 1905
- 12387) *Apotactis* *drimylotha* Meyrick, 1918 (Gelechiidae) Synonym(s): *drimylotha* Meyrick, 1918
- 12388) *Approaerema* *africanella* (Janse, 1951) (Gelechiidae) Synonym(s): *africanella* Janse, 1951
- 12389) *Approaerema* *anthyllidella* (Hübner, [1813]) (Gelechiidae) Synonym(s): *anthyllidella* Hübner, [1813]; *caliginosella* Duponchel, 1843; *psoralella* Millière, 1865; *sparsiciliella* Barrett, 1891; *alfalfella* Amsel, 1958; *aureliana* Capuse, 1964
- 12390) *Approaerema* *modicella* (Deventer, 1904) (Gelechiidae) Synonym(s): *modicella* Deventer, 1904
- 12391) *Approaerema* *polychromella* Rebel (Gelechiidae) Synonym(s): *polychromella* Rebel
- 12392) *Araeophalla* *barbertonensis* Janse, 1960 (Gelechiidae) Synonym(s): *barbertonensis* Janse, 1960
- 12393) *Araeophylla* *spiladias* (Meyrick, 1921) (Gelechiidae) Synonym(s): *spiladias* Meyrick, 1921
- 12394) *Araeovalva* *albiflora* (Meyrick, 1920) (Gelechiidae) Synonym(s): *albiflora* Meyrick, 1920
- 12395) *Argolamprotes* *micella* ([Denis & Schiffermüller], 1775) (Gelechiidae) Synonym(s): *micella* [Denis & Schiffermüller], 1775; *asterella* Treitschke, 1833
- 12396) *Argophara* *epaxia* Janse, 1963 (Gelechiidae) Synonym(s): *epaxia* Janse, 1963
- 12397) *Aristotelia* *adecanatha* Kiefer, 1935 (Gelechiidae) Synonym(s): *adecanatha* Kiefer, 1935
- 12398) *Aristotelia* *adenostomae* Kiefer, 1933 (Gelechiidae) Synonym(s): *adenostomae* Kiefer, 1933
- 12399) *Aristotelia* *amelanchierella* Braun, 1925 (Gelechiidae) Synonym(s): *amelanchierella* Braun, 1925
- 12400) *Aristotelia* *aphiltra* Meyrick, 1917 (Gelechiidae) Synonym(s): *aphiltra* Meyrick, 1917
- 12401) *Aristotelia* *aquosa* Meyrick, 1925 (Gelechiidae) Synonym(s): *suffusella* Chambers, 1872 *nec* Dougl.; *aquosa* Meyrick, 1925
- 12402) *Aristotelia* *argentifera* Busck, 1903 (Gelechiidae) Synonym(s): *argentifera* Busck, 1903
- 12403) *Aristotelia* *argyractis* Meyrick, 1923 (Gelechiidae) Synonym(s): *argyractis* Meyrick, 1923
- 12404) *Aristotelia* *articulata* Meyrick, 1918 (Gelechiidae) Synonym(s): *articulata* Meyrick, 1918
- 12405) *Aristotelia* *avanica* Piskunov & Emelyanov, 1982 (Gelechiidae) Synonym(s): *avanica* Piskunov & Emelyanov, 1982
- 12406) *Aristotelia* *balanocentra* Meyrick, 1914 (Gelechiidae) Synonym(s): *balanocentra* Meyrick, 1914
- 12407) *Aristotelia* *bifasciella* Busck, 1903 (Gelechiidae) Synonym(s): *bifasciella* Busck, 1903
- 12408) *Aristotelia* *bolschewickiella* Caradja, 1920 (Gelechiidae) Synonym(s): *bolschewickiella* Caradja, 1920
- 12409) *Aristotelia* *brizella* (Treitschke, 1833) (Gelechiidae) Synonym(s): *brizella* Treitschke, 1833
- 12410) *Aristotelia* *calastomella* (Christoph, 1872) (Gelechiidae) Synonym(s): *calastomella* Christoph, 1872
- 12411) *Aristotelia* *calculatrix* Meyrick, 1923 (Gelechiidae) Synonym(s): *calculatrix* Meyrick, 1923
- 12412) *Aristotelia* *calens* Meyrick, 1923 (Gelechiidae) Synonym(s): *calens* Meyrick, 1923
- 12413) *Aristotelia* *callirhoda* Meyrick, 1923 (Gelechiidae) Synonym(s): *callirhoda* Meyrick, 1923
- 12414) *Aristotelia* *callyntrophora* Rebel, 1899 (Gelechiidae) Synonym(s): *callyntrophora* Rebel, 1899
- 12415) *Aristotelia* *chlorographa* Meyrick, 1914 (Gelechiidae) Synonym(s): *chlorographa* Meyrick, 1914
- 12416) *Aristotelia* *coeruleopictella* (Caradja, 1920) (Gelechiidae) Synonym(s): *coeruleopictella* Caradja, 1920
- 12417) *Aristotelia* *comis* Meyrick, 1913 (Gelechiidae) Synonym(s): *comis* Meyrick, 1913
- 12418) *Aristotelia* *cupreella* Zerny, 1934 (Gelechiidae) Synonym(s): *cupreella* Zerny, 1934
- 12419) *Aristotelia* *decoratella* (Staudinger, 1880) (Gelechiidae) Synonym(s): *decoratella* Staudinger, 1880
- 12420) *Aristotelia* *decurtella* (Hübner, [1813]) (Gelechiidae) Synonym(s): *decurtella* Hübner, [1813]; *turbatella* Treitschke, 1835; *amoenella* Joannis, 1891
- 12421) *Aristotelia* *diversa* Janse, 1950 (Gelechiidae) Synonym(s): *diversa* Janse, 1950
- 12422) *Aristotelia* *dryonota* Meyrick, 1926 (Gelechiidae) Synonym(s): *dryonota* Meyrick, 1926
- 12423) *Aristotelia* *ericinella* (Zeller, 1839) (Gelechiidae) Synonym(s): *ericinella* Zeller, 1839
- 12424) *Aristotelia* *euprepella* Zerny, 1934 (Gelechiidae) Synonym(s): *euprepella* Zerny, 1934
- 12425) *Aristotelia* *fervidella* Mann, 1864 (Gelechiidae) Synonym(s): *fervidella* Mann, 1864; *#feroidella* Staudinger, 1880.
- 12426) *Aristotelia* *frankeniae* Walsingham, 1898 (Gelechiidae) Synonym(s): *frankeniae* Walsingham, 1898
- 12427) *Aristotelia* *galeotis* Meyrick, 1908 (Gelechiidae) Synonym(s): *galeotis* Meyrick, 1908
- 12428) *Aristotelia* *heliacella* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *heliacella* Herrich-Schäffer, 1854
- 12429) *Aristotelia* *jactatrix* Meyrick, 1926 (Gelechiidae) Synonym(s): *jactatrix* Meyrick, 1926
- 12430) *Aristotelia* *leonhardi* Krone, 1907 (Gelechiidae) Synonym(s): *leonhardi* Krone, 1907
- 12431) *Aristotelia* *montarcella* Schmidt, 1941 (Gelechiidae) Synonym(s): *montarcella* Schmidt, 1941

- 12432) *Aristotelia osthelderi* Rebel, 1935 (Gelechiidae) Synonym(s): *osthelderi* Rebel, 1935
- 12433) *Aristotelia pancaliella* (Staudinger, 1871) (Gelechiidae) Synonym(s): *pancaliella* Staudinger, 1871
- 12434) *Aristotelia parvula* (Staudinger, 1879) (Gelechiidae) Synonym(s): *parvula* Staudinger, 1879
- 12435) *Aristotelia ptilastis* Meyrick, 1909 (Gelechiidae) Synonym(s): *ptilastis* Meyrick, 1909
- 12436) *Aristotelia punctatella* (Staudinger, 1879) (Gelechiidae) Synonym(s): *punctatella* Staudinger, 1879
- 12437) *Aristotelia retusella* Rebel, 1891 (Gelechiidae) Synonym(s): *retusella* Rebel, 1891
- 12438) *Aristotelia servella* Zeller, 1839 (Gelechiidae) Synonym(s): *servella* Zeller, 1839
- 12439) *Aristotelia staticella* Millière, 1876 (Gelechiidae) Synonym(s): *staticella* Millière, 1876
- 12440) *Aristotelia striatopunctella* Rebel, 1891 (Gelechiidae) Synonym(s): *striatopunctella* Rebel, 1891
- 12441) *Aristotelia subdecurtella* (Stainton, 1859) (Gelechiidae) Synonym(s): *subdecurtella* Stainton, 1859
- 12442) *Aristotelia subericinella* (Duponchel, 1843) (Gelechiidae) Synonym(s): *subericinella* Duponchel, 1843; *prohaskaella* Rebel, 1907
- 12443) *Aristotelia retusella* (Staudinger, 1879) (Gelechiidae) Synonym(s): *swierstrai* Janse, 1950; *#swierstrae* Janse, 1950
- 12444) *Aristotelia trematias* Meyrick, 1913 (Gelechiidae) Synonym(s): *trematias* Meyrick, 1913
- 12445) *Aristotelia unifasciella* Rebel, 1929 (Gelechiidae) Synonym(s): *unifasciella* Rebel, 1929
- 12446) *Aroga aristotelis* (Millière, 1875) (Gelechiidae) Synonym(s): *aristotelis* Millière, 1875; *astragali* Staudinger, 1879; *fulminella* Millière, 1882; *lacertella* Walsingham; *hyrcanella* Toll, 1948.
- 12447) *Aroga flavicomella* (Zeller, 1839) (Gelechiidae) Synonym(s): *flavicomella* Zeller, 1839
- 12448) *Aroga pascuicola* (Staudinger, 1871) (Gelechiidae) Synonym(s): *pascuicola* Staudinger, 1871
- 12449) *Aroga peperistis* (Meyrick, 1926) (Gelechiidae) Synonym(s): *peperistis* Meyrick, 1926
- 12450) *Aroga temporariella* Sattler, 1960 (Gelechiidae) Synonym(s): *temporariella* Sattler, 1960
- 12451) *Aroga velocella* (Zeller, 1839) (Gelechiidae) Synonym(s): *velocella* Zeller, 1839; *affiniella* Zetterstedt, [1839]; *tesserella* Zetterstedt, [1839]; *brunnea* Schöyen, 1882; *aterimella* Rebel, 1889; *rupicolella* Müller-Rutz, 1934
- 12452) *Asapharcha crateropa* Meyrick, 1930 (Gelechiidae) Synonym(s): *crateropa* Meyrick, 1930
- 12453) *Asapharcha strigifera* Meyrick, 1920 (Gelechiidae) Synonym(s): *strigifera* Meyrick, 1920
- 12454) *Asbolistis chthoniopa* Meyrick, 1936 (Gelechiidae) Synonym(s): *chthoniopa* Meyrick, 1936
- 12455) *Aspades armativalva* (Janse, 1963) (Gelechiidae) Synonym(s): *armativalva* Janse, 1963
- 12456) *Aspades hutchinsonella* (Walsingham, 1891) (Gelechiidae) Synonym(s): *hutchinsonella* Walsingham, 1891
- 12457) *Athrips adumbratella* (Snellen, 1884) (Gelechiidae) Synonym(s): *adumbratella* Snellen, 1884
- 12458) *Athrips amoenella* (Frey, 1882) (Gelechiidae) Synonym(s): *amoenella* Frey, 1882; *#allgunnensis* Svensson, 1993
- 12459) *Athrips asarinella* (Chrétien, 1930) (Gelechiidae) Synonym(s): *asarinella* Chrétien, 1930
- 12460) *Athrips autumnella* Falkovitsh & Bidzilya, 2003 (Gelechiidae) Synonym(s): *autumnella* Falkovitsh & Bidzilya, 2003
- 12461) *Athrips bidilatata* Li & Zheng, 1998 (Gelechiidae) Synonym(s): *bidilatata* Li & Zheng, 1998
- 12462) *Athrips carinata* (Meyrick, 1911) (Gelechiidae) Synonym(s): *carinata* Meyrick, 1911; *emerita* Meyrick, 1921
- 12463) *Athrips carthaginella* (D. Lucas, 1940) (Gelechiidae) Synonym(s): *carthaginella* D. Lucas, 1940
- 12464) *Athrips eugenii* Bidzilya, 2005 (Gelechiidae) Synonym(s): *eugenii* Bidzilya, 2005
- 12465) *Athrips exstincta* (Meyrick, 1911) (Gelechiidae) Synonym(s): *exstincta* Meyrick, 1911; *#extincta* Janse, 1950
- 12466) *Athrips fagoniae* (Walsingham, 1904) (Gelechiidae) Synonym(s): *fagoniae* Walsingham, 1904
- 12467) *Athrips falkovitchi* Piskunov, 1990 (Gelechiidae) Synonym(s): *falkovitchi* Piskunov, 1990
- 12468) *Athrips gerasimovi* Piskunov, 1982 (Gelechiidae) Synonym(s): *gerasimovi* Piskunov, 1982
- 12469) *Athrips gussakovskii* (Gerasimov, 1930) (Gelechiidae) Synonym(s): *gussakovskii* Gerasimov, 1930; *gobica* Emelyanov & Piskunov, 1982
- 12470) *Athrips kerzhneri* Piskunov, 1990 (Gelechiidae) Synonym(s): *kerzhneri* Piskunov, 1990
- 12471) *Athrips kostjuki* Bidzilya, 2005 (Gelechiidae) Synonym(s): *kostjuki* Bidzilya, 2005
- 12472) *Athrips lacunosa* (Meyrick, 1918) (Gelechiidae) Synonym(s): *lacunosa* Meyrick, 1918
- 12473) *Athrips medjella* (Chrétien, 1900) (Gelechiidae) Synonym(s): *medjella* Chrétien, 1900
- 12474) *Athrips mongolorum* Piskunov, 1980 (Gelechiidae) Synonym(s): *mongolorum* Piskunov, 1980; *crassivalva* Li & Zheng, 1998
- 12475) *Athrips mouffetella* (Linnaeus, 1758) (Gelechiidae) Synonym(s): *mouffetella* Linnaeus, 1758; *pedisequella* [Denis & Schiffermüller], 1775; *punctifera* Haworth, 1828
- 12476) *Athrips nigricostella* (Duponchel, 1842) (Gelechiidae) Synonym(s): *nigricostella* Duponchel, 1842
- 12477) *Athrips nigrogrisea* (Kolmakova, 1958) (Gelechiidae) Synonym(s): *nigrogrisea* Kolmakova, 1958
- 12478) *Athrips nitrariella* (Chrétien, 1908) (Gelechiidae) Synonym(s): *nitrariella* Chrétien, 1908
- 12479) *Athrips ochrocosma* (Meyrick, 1911) (Gelechiidae) Synonym(s): *ochrocosma* Meyrick, 1911; *#ochrocoma* Meyrick, 1921
- 12480) *Athrips patockai* (Povolny, 1979) (Gelechiidae) Synonym(s): *patockai* Povolny, 1979
- 12481) *Athrips peteri* Bidzilya, 2005 (Gelechiidae) Synonym(s): *peteri* Bidzilya, 2005
- 12482) *Athrips polymaculella* Park, 1991 (Gelechiidae) Synonym(s): *polymaculella* Park, 1991
- 12483) *Athrips profusa* (Meyrick, 1921) (Gelechiidae) Synonym(s): *profusa* Meyrick, 1921
- 12484) *Athrips pruinosella* (Lienig & Zeller, 1846) (Gelechiidae) Synonym(s): *pruinosa* Lienig & Zeller, 1846
- 12485) *Athrips ptychophora* (Meyrick, 1914) (Gelechiidae) Synonym(s): *ptychophora* Meyrick, 1914
- 12486) *Athrips rancidella* (Herrich-Schäffer, [1854]) (Gelechiidae) Synonym(s): *rancidella* Herrich-Schäffer, [1854]; *triatomaea* Mühlh. 1864; *vepretella* Zeller, 1870; *superfetella* Peyerimhoff, 1877; *cotoneastri* Busck, 1934; *cerasivorella* Kuznetsov, 1960.
- 12487) *Athrips rancidella* tadzhika Bidzilya, 2005 (Gelechiidae) Synonym(s): *tadzhika* Bidzilya, 2005
- 12488) *Athrips rutjani* Bidzilya, 2005 (Gelechiidae) Synonym(s): *rutjani* Bidzilya, 2005
- 12489) *Athrips septempunctata* Li & Zheng, 1998 (Gelechiidae) Synonym(s): *septempunctata* Li & Zheng, 1998
- 12490) *Athrips sibirica* Bidzilya, 2005 (Gelechiidae) Synonym(s): *sibirica* Bidzilya, 2005
- 12491) *Athrips spiraeae* (Staudinger, 1871) (Gelechiidae) Synonym(s): *spiraeae* Staudinger, 1871
- 12492) *Athrips stepposa* Bidzilya, 2005 (Gelechiidae) Synonym(s): *stepposa* Bidzilya, 2005
- 12493) *Athrips syncopaula* (Meyrick, 1937) (Gelechiidae) Synonym(s): *syncopaula* Meyrick, 1937
- 12494) *Athrips tcharyna* Bidzilya, 2005 (Gelechiidae) Synonym(s): *tcharyna* Bidzilya, 2005
- 12495) *Athrips tetrapunctella* (Thunberg, 1794) (Gelechiidae) Synonym(s): *tetrapunctella* Thunberg, 1794; *lathyri* Stainton, 1865; *lathyrella* Doubleday, 1866
- 12496) *Athrips thymifoliella* (Constant, 1893) (Gelechiidae) Synonym(s): *thymifoliella* Constant, 1893
- 12497) *Athrips tigrina* (Christoph, 1877) (Gelechiidae) Synonym(s): *tigrina* Christoph, 1877; *agnathos* Li & Zheng, 1998
- 12498) *Athrips tsaidamica* Emelyanov & Piskunov, 1982 (Gelechiidae) Synonym(s): *tsaidamica* Emelyanov & Piskunov, 1982
- 12499) *Atremaea lonchoptera* Staudinger, 1871 (Gelechiidae) Synonym(s): *lonchoptera* Staudinger, 1871
- 12500) *Aulidiotis phoxopterella* (Snellen, 1903) (Gelechiidae) Synonym(s): *phoxopterella* Snellen, 1903
- 12501) *Aulidiotis phoxopterella* Snellen, 1903 (Gelechiidae) Synonym(s): *phoxopterella* Snellen, 1903
- 12502) *Autodectis atelarga* Meyrick, 1937 (Gelechiidae) Synonym(s): *atelarga* Meyrick, 1937
- 12503) *Bagdadia irakella* Amsel, 1949 (Gelechiidae) Synonym(s): *irakella* Amsel, 1949
- 12504) *Belovalva nigripuncta* Janse, 1963 (Gelechiidae) Synonym(s): *nigripuncta* Janse, 1963
- 12505) *Bilobata argosticha* (Janse, 1954) (Gelechiidae) Synonym(s): *argosticha* Janse, 1954
- 12506) *Bilobata subsecivella* (Zeller, 1852) (Gelechiidae) Synonym(s): *subsecivella* Zeller, 1852; *modicella* Van Deventer, 1904
- 12507) *Bilobata torninotella* (Janse, 1954) (Gelechiidae) Synonym(s): *torninotella* Janse, 1954
- 12508) *Blastovalva anisochroa* Janse, 1960 (Gelechiidae) Synonym(s): *anisochroa* Janse, 1960
- 12509) *Blastovalva haplotypa* Janse, 1960 (Gelechiidae) Synonym(s): *haplotypa* Janse, 1960
- 12510) *Blastovalva paltobola* (Meyrick, 1921) (Gelechiidae) Synonym(s): *paltobola* Meyrick, 1921
- 12511) *Brachmia apricata* Meyrick, 1913 (Gelechiidae) Synonym(s): *apricata* Meyrick, 1913
- 12512) *Brachmia blandella* (Fabricius, 1798) (Gelechiidae) Synonym(s): *blandella* Fabricius, 1798; *geronella* Zeller, 1850
- 12513) *Brachmia convolvuli* Walsingham, 1907 (Gelechiidae) Synonym(s): *convolvuli* Walsingham, 1907; *crapsilychna* Meyrick, 1914; *effera* Meyrick, 1918; *dryadopa* Meyrick, 1918; *#crapsilychna* Janse, 1954
- 12514) *Brachmia craticula* Meyrick, 1921 (Gelechiidae) Synonym(s): *craticula* Meyrick, 1921
- 12515) *Brachmia dimidiella* ([Denis & Schiffermüller], 1775) (Gelechiidae) Synonym(s): *dimidiella* [Denis & Schiffermüller], 1775; *costiguttella* Lienig & Zeller, 1846; *kneri* Nowicki, 1865
- 12516) *Brachmia fiscinata* Meyrick, 1918 (Gelechiidae) Synonym(s): *fiscinata* Meyrick, 1918; *#fiscinate* Janse, 1954
- 12517) *Brachmia fuscogramma* Janse, 1960 (Gelechiidae) Synonym(s): *fuscogramma* Janse, 1960

- 12518) *Brachmia graphicodes* Meyrick, 1914 (Gelechiidae) Synonym(s): *graphicodes* Meyrick, 1914
 12519) *Brachmia hemiopa* Meyrick, 1921 (Gelechiidae) Synonym(s): *nesidias* Meyrick, 1911; *hemiopa* Meyrick, 1921
 12520) *Brachmia inornatella* (Douglas, 1850) (Gelechiidae) Synonym(s): *inornatella* Douglas, 1850
 12521) *Brachmia malacogramma* Meyrick, 1909 (Gelechiidae) Synonym(s): *malacogramma* Meyrick, 1909
 12522) *Brachmia musicopa* Meyrick, 1908 (Gelechiidae) Synonym(s): *musicopa* Meyrick, 1908
 12523) *Brachmia neurograpta* Meyrick, 1921 (Gelechiidae) Synonym(s): *neurograpta* Meyrick, 1921
 12524) *Brachmia pantheropa* Meyrick, 1913 (Gelechiidae) Synonym(s): *pantheropa* Meyrick, 1913
 12525) *Brachmia procursella* Rebel, 1903 (Gelechiidae) Synonym(s): *procursella* Rebel, 1903
 12526) *Brachmia septella* (Zeller, 1852) (Gelechiidae) Synonym(s): *septella* Zeller, 1852; *digitata* Meyrick, 1914
 12527) *Brachmia spilopis* Meyrick, 1927 (Gelechiidae) Synonym(s): *spilopis* Meyrick, 1927
 12528) *Brachmia velitalis* Meyrick, 1913 (Gelechiidae) Synonym(s): *velitalis* Meyrick, 1913
 12529) *Brachmia verberata* Meyrick, 1911 (Gelechiidae) Synonym(s): *verberata* Meyrick, 1911
 12530) *Brachyacma palpigera* (Walsingham, 1891) (Gelechiidae) Synonym(s): *palpigera* Walsingham, 1891; *adustipennis* Walsingham, 1897; *ioloncha* Meyrick, 1905; *crotalariaella* Busck, 1910; *epichorda* Turner, 1919
 12531) *Bryotropha affinis* (Haworth, 1828) (Gelechiidae) Synonym(s): *affinis* Haworth, 1828; *tegulella* Herrich-Schäffer, 1854; *affinella* Doubleday, 1859; *affinitella* Bruand, 1859
 12532) *Bryotropha aliterrella* (Rebel, 1935) (Gelechiidae) Synonym(s): *aliterrella* Rebel, 1935
 12533) *Bryotropha arabica* Amsel, 1952 (Gelechiidae) Synonym(s): *arabica* Amsel, 1952
 12534) *Bryotropha azovica* Bidzilya, 1996 (Gelechiidae) Synonym(s): *azovica* Bidzilya, 1996
 12535) *Bryotropha basaltinella* (Zeller, 1839) (Gelechiidae) Synonym(s): *basaltinella* Zeller, 1839
 12536) *Bryotropha boreella* (Douglas, 1851) (Gelechiidae) Synonym(s): *boreella* Douglas, 1851
 12537) *Bryotropha desertella* (Douglas, 1850) (Gelechiidae) Synonym(s): *desertella* Douglas, 1850; *decrepidella* Herrich-Schäffer, 1854
 12538) *Bryotropha domestica* (Haworth, 1828) (Gelechiidae) Synonym(s): *domestica* Haworth, 1828; *domesticella* Doubleday, 1859; *domesticella* Bruand, 1859; *salmonis* Walsingham, 1908; *algricella* Chrétien, 1917
 12539) *Bryotropha dryadella* (Zeller, 1850) (Gelechiidae) Synonym(s): *dryadella* Zeller, 1850; *saralella* Amsel, 1952
 12540) *Bryotropha dufraneella* (Joannis, 1928) (Gelechiidae) Synonym(s): *dufraneella* Joannis, 1928
 12541) *Bryotropha figulella* (Staudinger, 1859) (Gelechiidae) Synonym(s): *figulella* Staudinger, 1859; *capnella* Constant, 1865
 12542) *Bryotropha galbanella* (Zeller, 1839) (Gelechiidae) Synonym(s): *galbanella* Zeller, 1839; *angustella* Heinemann, 1870; ; *ilmatariella* Hoffmann, 1893; *haareki* Strand, 1893; *fusconigratella* Palm, 1947
 12543) *Bryotropha gallurella* Amsel, 1952 (Gelechiidae) Synonym(s): *gallurella* Amsel, 1952
 12544) *Bryotropha hendrikseni* Karsholt & Rutten, 2005 (Gelechiidae) Synonym(s): *hendrikseni* Karsholt & Rutten, 2005
 12545) *Bryotropha horribilis* Karsholt & Rutten, 2005 (Gelechiidae) Synonym(s): *horribilis* Karsholt & Rutten, 2005
 12546) *Bryotropha hulli* Karsholt & Rutten, 2005 (Gelechiidae) Synonym(s): *hulli* Karsholt & Rutten, 2005
 12547) *Bryotropha mulinoides* Amsel, 1952 (Gelechiidae) Synonym(s): *mulinoides* Amsel, 1952
 12548) *Bryotropha mundella* (Douglas, 1850) (Gelechiidae) Synonym(s): *mundella* Douglas, 1850; *portlandicella* Richardson, 1890
 12549) *Bryotropha pallorella* Amsel, 1952 (Gelechiidae) Synonym(s): *pallorella* Amsel, 1952; *mulinoides* Amsel, 1952; *zannonicola* Hartig, 1953
 12550) *Bryotropha plantariella* (Tengström, 1848) (Gelechiidae) Synonym(s): *plantariella* Tengström, 1848
 12551) *Bryotropha plebejella* (Zeller, 1847) (Gelechiidae) Synonym(s): *plebejella* Zeller, 1847; *ancillula* Walsingham, 1908; *inexpectella* Nel, 1999
 12552) *Bryotropha politella* (Stainton, 1851) (Gelechiidae) Synonym(s): *politella* Stainton, 1851; *expolitella* Doubleday, 1859
 12553) *Bryotropha purpurella* (Zetterstedt, 1839) (Gelechiidae) Synonym(s): *purpurella* Zetterstedt, 1839
 12554) *Bryotropha rossica* Anikin & Piskunov, 1996 (Gelechiidae) Synonym(s): *rossica* Anikin & Piskunov, 1996
 12555) *Bryotropha sabulosaella* (Rebel, 1905) (Gelechiidae) Synonym(s): *sabulosaella* Rebel, 1905
 12556) *Bryotropha senectella* (Zeller, 1839) (Gelechiidae) Synonym(s): *senectella* Zeller, 1839; *obscurella* Heinemann, 1870; *phoebusella* Millièr, 1876; *larseni* Strand, 1927
 12557) *Bryotropha similis* (Stainton, 1854) (Gelechiidae) Synonym(s): *similis* Stainton, 1854; *thalella* Zeller, 1857; *similella* Doubleday, 1859; *stolidella* Morris, 1870; *confinis* Stainton, 1871; *obscuricineria* Nolcken, 1871; *dufraneella* De Joannis, 1928; *novisimilis* Li & Zheng, 1997
 12558) *Bryotropha sutteri* Karsholt & Rutten, 2005 (Gelechiidae) Synonym(s): *sutteri* Karsholt & Rutten, 2005
 12559) *Bryotropha tachypitella* (Rebel, 1916) (Gelechiidae) Synonym(s): *tachypitella* Rebel, 1916
 12560) *Bryotropha terrella* [Denis & Schiffermüller, 1775] (Gelechiidae) Synonym(s): *terrella* [Denis & Schiffermüller], 1775; *inulella* Hübner, [1825]; *pauperella* Hübner, [1825]; *latella* Herrich-Schäffer, 1854; *lutescens* Constant, 1865; *suspectella* Heinemann, 1870; *alpicolella* Heinemann, 1870; *tenebrosella* Teich, 1886; *sardoterrella* Schawerda, 1936
 12561) *Bryotropha umbrosella* (Zeller, 1839) (Gelechiidae) Synonym(s): *umbrosella* Zeller, 1839; *fuliginosella* Snellen, 1882; *fulvipalpella* Joannis, 1908; *anacampsoidella* Hering, 1924
 12562) *Bucolarcha geodes* Meyrick, 1929 (Gelechiidae) Synonym(s): *geodes* Meyrick, 1929
 12563) *Calliphylia retusa* Janse, 1963 (Gelechiidae) Synonym(s): *retusa* Janse, 1963
 12564) *Capnosema celidota* Janse, 1958 (Gelechiidae) Synonym(s): *celidota* Janse, 1958
 12565) *Carpatolechia aenigma* Sattler, 1983 (Gelechiidae) Synonym(s): *aenigma* Sattler, 1983
 12566) *Carpatolechia alburnella* (Zeller, 1839) (Gelechiidae) Synonym(s): *alburnella* Zeller, 1839; *seniculella* Eversmann, 1844
 12567) *Carpatolechia epomidella* (Tengström, 1869) (Gelechiidae) Synonym(s): *epomidella* Tengström, 1869
 12568) *Carpatolechia fugacella* (Zeller, 1839) (Gelechiidae) Synonym(s): *fugacella* Zeller, 1839
 12569) *Carpatolechia fugitivella* (Zeller, 1839) (Gelechiidae) Synonym(s): *fugitivella* Zeller, 1839; *#fugivitella* Noack, 1960
 12570) *Carpatolechia humeralis* (Zeller, 1839) (Gelechiidae) Synonym(s): *decorella* Haworth, 1812 nec Hübner, [1810]; *humeralis* Zeller, 1839; *lyellella* Humpreys & Westwood, 1845; *incretella* Duponchel, [1854]; *pisticella* Nowicki, 1860; *scabra* Staudinger, 1870; *erschoffii* Frey, 1880; *buckwelli* Lucas, 1956; *dumitrescui* Capuse, 1964
 12571) *Carpatolechia intermediella* Huemer & Karsholt, 1999 (Gelechiidae) Synonym(s): *intermediella* Huemer & Karsholt, 1999
 12572) *Carpatolechia minor* (Kasy, 1979) (Gelechiidae) Synonym(s): *minor* Kasy, 1979
 12573) *Carpatolechia notatella* (Hübner, [1813]) (Gelechiidae) Synonym(s): *notatella* Hübner, [1813]; *euratella* Herrich-Schäffer, 1854
 12574) *Carpatolechia proximella* (Hübner, 1796) (Gelechiidae) Synonym(s): *proximella* Hübner, 1796
 12575) *Cartericella phthoneropa* (Meyrick, 1922) (Gelechiidae) Synonym(s): *phthoneropa* Meyrick, 1922
 12576) *Caryocolum albifaciellum* (Heinemann, 1870) (Gelechiidae) Synonym(s): *albifaciellum* Heinemann, 1870; *behenella* Constant, 1890
 12577) *Caryocolum albithoracellum* Huemer, 1989 (Gelechiidae) Synonym(s): *albithoracellum* Huemer, 1989
 12578) *Caryocolum alsinellum* (Zeller, 1868) (Gelechiidae) Synonym(s): *alsinellum* Zeller, 1868; *albifrontella* Heinemann, 1870; *tristella* Heinemann, 1870; *semidecandriella* Tutt, 1887; *semidecandrella* Threlfall & Stainton, 1887
 12579) *Caryocolum amaurellum* (M. Hering, 1924) (Gelechiidae) Synonym(s): *amaurellum* M. Hering, 1924
 12580) *Caryocolum anatolicum* Huemer, 1989 (Gelechiidae) Synonym(s): *anatolicum* Huemer, 1989
 12581) *Caryocolum arenbergeri* Huemer, 1989 (Gelechiidae) Synonym(s): *arenbergeri* Huemer, 1989
 12582) *Caryocolum blandelloides* Karsholt, 1981 (Gelechiidae) Synonym(s): *blandelloides* Karsholt, 1981
 12583) *Caryocolum blandellum* (Douglas, 1852) (Gelechiidae) Synonym(s): *blandellum* Douglas, 1852
 12584) *Caryocolum blandulellum* (Tutt, 1887) (Gelechiidae) Synonym(s): *blandulellum* Tutt, 1887
 12585) *Caryocolum bosalellum* (Rebel, 1936) (Gelechiidae) Synonym(s): *bosalellum* Rebel, 1936
 12586) *Caryocolum cassellum* (Walker, 1864) (Gelechiidae) Synonym(s): *cassellum* Walker, 1864; *melanotephrella* Erschoff, 1877; *albifasciella* Toll, 1936; *subvicinella* Hackman, 1946; *falellum* Piskunov, [1975]
 12587) *Caryocolum cauligenellum* (Schmid, 1863) (Gelechiidae) Synonym(s): *cauligenellum* Schmid, 1863
 12588) *Caryocolum confluens* Huemer, 1988 (Gelechiidae) Synonym(s): *confluens* Huemer, 1988
 12589) *Caryocolum delphinatellum* (Constant, 1890) (Gelechiidae) Synonym(s): *delphinatellum* Constant, 1890; *fiorii* Klimesch, 1953
 12590) *Caryocolum emarginatum* Huemer, 1988 (Gelechiidae) Synonym(s): *emarginatum* Huemer, 1988
 12591) *Caryocolum fibigerium* Huemer, 1988 (Gelechiidae) Synonym(s): *fibigerium* Huemer, 1988
 12592) *Caryocolum fischerellum* (Treitschke, 1833) (Gelechiidae) Synonym(s): *fischerellum* Treitschke, 1833
 12593) *Caryocolum fraternellum* (Douglas, 1851) (Gelechiidae) Synonym(s): *fraternellum* Douglas, 1851; *intermediella* Hodgkinson, 1897
 12594) *Caryocolum gallagenellum* Huemer, 1989 (Gelechiidae) Synonym(s): *gallagenellum* Huemer, 1989
 12595) *Caryocolum hispanicum* Huemer, 1988 (Gelechiidae) Synonym(s): *hispanicum* Huemer, 1988

- 12596) *Caryocolum horoscopa* Meyrick, 1926 (Gelechiidae) Synonym(s): *horoscopa* Meyrick, 1926
 12597) *Caryocolum huebneri* (Haworth, 1828) (Gelechiidae) Synonym(s): *huebneri* Haworth, 1828; *huebnerella* Doubleday, 1859; *knaggsiella* Stainton, 1866
 12598) *Caryocolum inflativorellum* (Klimesch, 1938) (Gelechiidae) Synonym(s): *inflativorellum* Klimesch, 1938
 12599) *Caryocolum interalbicellum* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *quadrella* Fabricius, 1794 nec [Denis & Schiff], 1775; *interalbicella* Herrich-Schäffer, 1854
 12600) *Caryocolum iranicum* Huemer, 1989 (Gelechiidae) Synonym(s): *iranicum* Huemer, 1989
 12601) *Caryocolum jaspidellum* (Chrétien, 1908) (Gelechiidae) Synonym(s): *jaspidellum* Chrétien, 1908
 12602) *Caryocolum junctellum* (Douglas, 1851) (Gelechiidae) Synonym(s): *junctellum* Douglas, 1851; *aganocarpa* Meyrick, 1935
 12603) *Caryocolum klosi* (Rebel, 1917) (Gelechiidae) Synonym(s): *klosi* Rebel, 1917
 12604) *Caryocolum kroesmanniellum* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *kroesmanniellum* Herrich-Schäffer, 1854
 12605) *Caryocolum laceratellum* (Zeller, 1868) (Gelechiidae) Synonym(s): *laceratellum* Zeller, 1868
 12606) *Caryocolum leucofasciatum* Huemer, 1989 (Gelechiidae) Synonym(s): *leucofasciatum* Huemer, 1989
 12607) *Caryocolum leucomelanellum* (Zeller, 1839) (Gelechiidae) Synonym(s): *leucomelanellum* Zeller, 1839; *gypsophilae* Stainton, 1869
 12608) *Caryocolum leucothoracellum* (Klimesch, 1953) (Gelechiidae) Synonym(s): *leucothoracellum* Klimesch, 1953
 12609) *Caryocolum marmoreum* (Haworth, 1828) (Gelechiidae) Synonym(s): *marmoreum* Haworth, 1828; *manniella* Zeller, 1839; *marmorella* Herrich-Schäffer, 1855
 12610) *Caryocolum moehringiae* (Klimesch, 1954) (Gelechiidae) Synonym(s): *moehringiae* Klimesch, 1954
 12611) *Caryocolum mucronatellum* (Chrétien, 1900) (Gelechiidae) Synonym(s): *mucronatellum* Chrétien, 1900; *poschiavensis* Rebel, 1936
 12612) *Caryocolum oculatellum* (Thomann, 1930) (Gelechiidae) Synonym(s): *oculatellum* Thomann, 1930
 12613) *Caryocolum peregrinellum* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *peregrinellum* Herrich-Schäffer, 1854; *melantypella* Mann, 1877
 12614) *Caryocolum petrophilum* (Priessecker, 1914) (Gelechiidae) Synonym(s): *petrophilum* Priessecker, 1914
 12615) *Caryocolum petryi* (Hofmann, 1899) (Gelechiidae) Synonym(s): *petryi* Hofmann, 1899; *rougemoti* Rebel, 1907; *repentella* Chrétien, 1908; *benanderi* M. Hering, 1933
 12616) *Caryocolum provincicellum* (Stainton, 1869) (Gelechiidae) Synonym(s): *provincicellum* Stainton, 1869
 12617) *Caryocolum proximum* (Haworth, [1828]) (Gelechiidae) Synonym(s): *proximum* Haworth, [1828]; *maculiferella* Douglas, 1851; *maculivicinella* Bruand, 1859; *horticolla* Peyerimhoff, 1871.
 12618) *Caryocolum pullatellum* (Tengström, 1848) (Gelechiidae) Synonym(s): *pullatellum* Tengström, 1848
 12619) *Caryocolum repentis* Huemer & Luquet, 1992 (Gelechiidae) Synonym(s): *repentis* Huemer & Luquet, 1992
 12620) *Caryocolum saginellum* (Zeller, 1868) (Gelechiidae) Synonym(s): *saginellum* Zeller, 1868; *coussonella* Chrétien, 1908
 12621) *Caryocolum schleichi* (Christoph, 1872) (Gelechiidae) Synonym(s): *schleichi* Christoph, 1872; *dianthella* Chrétien, 1925; *hackeri* Derra, 1985
 12622) *Caryocolum tischeriellum* (Zeller, 1839) (Gelechiidae) Synonym(s): *tischeriellum* Zeller, 1839
 12623) *Caryocolum traumiellum* (Zeller, 1868) (Gelechiidae) Synonym(s): *traumiellum* Zeller, 1868
 12624) *Caryocolum tricolorellum* (Haworth, 1812) (Gelechiidae) Synonym(s): *tricolorellum* Haworth, 1812; *contigua* Haworth, 1828; *acernella* Herrich-Schäffer, 1854
 12625) *Caryocolum vicinellum* (Douglas, 1851) (Gelechiidae) Synonym(s): *vicinellum* Douglas, 1851
 12626) *Caryocolum visciariellum* (Stainton, 1855) (Gelechiidae) Synonym(s): *visciariellum* Stainton, 1855
 12627) *Catelaphris torrefacta* (Meyrick, 1914) (Gelechiidae) Synonym(s): *torrefacto* Meyrick, 1914; *torrefacta* Janse, 1954
 12628) *Caulastrocecis furfurella* (Staudinger, 1871) (Gelechiidae) Synonym(s): *furfurella* Staudinger, 1871
 12629) *Caulastrocecis gypsella* (Constant, 1893) (Gelechiidae) Synonym(s): *gypsella* Constant, 1893
 12630) *Cerofrontia griseotincta* Janse, 1951 (Gelechiidae) Synonym(s): *griseotincta* Janse, 1951
 12631) *Chilopselaphus balneariellus* Chrétien, 1907 (Gelechiidae) Synonym(s): *balneariellus* Chrétien, 1907
 12632) *Chilopselaphus fallax* Mann, 1867 (Gelechiidae) Synonym(s): *fallax* Mann, 1867
 12633) *Chionodes apolectella* (Walsingham, 1900) (Gelechiidae) Synonym(s): *apolectella* Walsingham, 1900
 12634) *Chionodes bastuliella* (Rebel, 1931) (Gelechiidae) Synonym(s): *bastuliella* Rebel, 1931
 12635) *Chionodes continuella* (Zeller, 1839) (Gelechiidae) Synonym(s): *continuella* Zeller, 1839
 12636) *Chionodes distinctella* (Zeller, 1839) (Gelechiidae) Synonym(s): *distinctella* Zeller, 1839; *striolatella* Heinemann, 1870; *tristella* Teich, 1889; *indistinctella* Rebel, 1901; *latiorella* Amsel, 1939; *unicolor* Toll, 1948; *deserticola* Piskunov, 1979.
 12637) *Chionodes electella* (Zeller, 1839) (Gelechiidae) Synonym(s): *electella* Zeller, 1839
 12638) *Chionodes fumatella* (Douglas, 1850) (Gelechiidae) Synonym(s): *fumatella* Douglas, 1850; *celerella* Stainton, 1851; *oppletella* Herrich-Schäffer, 1854; *reuttiella* Heinemann, 1870; *nigricans* Heinemann, 1870; *syrticola* Staudinger, 1871
 12639) *Chionodes hayreddini* Koçak, 1986 (Gelechiidae) Synonym(s): *ochripalpella* Frey, 1880 nec Zeller, 1873; *hayreddini* Koçak, 1986.
 12640) *Chionodes hinnella* (Rebel, 1935) (Gelechiidae) Synonym(s): *hinnella* Rebel, 1935
 12641) *Chionodes holosericeella* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *holosericeella* Herrich-Schäffer, 1854
 12642) *Chionodes ignorantella* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *ignorantella* Herrich-Schäffer, 1854; *ochrisignella* Nolcken, 1871
 12643) *Chionodes luctuella* (Hübner, 1793) (Gelechiidae) Synonym(s): *luctuella* Hübner, 1793
 12644) *Chionodes lugubrella* (Fabricius, 1794) (Gelechiidae) Synonym(s): *lugubrella* Fabricius, 1794; *luctificella* Hübner, [1813]; *lunatella* Zetterstedt, 1839
 12645) *Chionodes monogolica* Piskunov, 1979 (Gelechiidae) Synonym(s): *mongolica* Piskunov, 1979
 12646) *Chionodes nebulosella* (Heinemann, 1870) (Gelechiidae) Synonym(s): *nebulosella* Heinemann, 1870
 12647) *Chionodes nubilella* (Zetterstedt, 1839) (Gelechiidae) Synonym(s): *nubilella* Zetterstedt, 1839
 12648) *Chionodes perpetuella* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *perpetuella* Herrich-Schäffer, 1854
 12649) *Chionodes praeclarella* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *praeclarella* Herrich-Schäffer, 1854
 12650) *Chionodes tragicella* (Heyden, 1865) (Gelechiidae) Synonym(s): *tragicella* Heyden, 1865; *libidinosa* Staudinger, 1871
 12651) *Chionodes viduella* (Fabricius, 1794) (Gelechiidae) Synonym(s): *viduella* Fabricius, 1794; *leucomella* Quensel, 1802; *luctiferella* Herrich-Schäffer, 1854; *labradoriella* Clemens, 1863
 12652) *Chionodes violacea* (Tengström, 1848) (Gelechiidae) Synonym(s): *violacea* Tengström, 1848
 12653) *Chrysoesthia alettris* (Walsingham, 1919) (Gelechiidae) Synonym(s): *alettris* Walsingham, 1919
 12654) *Chrysoesthia atriplicella* (Amsel, 1939) (Gelechiidae) Synonym(s): *atriplicella* Amsel, 1939
 12655) *Chrysoesthia drurella* (Fabricius, 1775) (Gelechiidae) Synonym(s): *drurella* Fabricius, 1775; *myllerella* Fabricius, 1794; *zinckeella* Hübner, [1813]; *zinckenella* Hübner, [1825]; *druryella* Zeller, 1850; *hermannella* auct.
 12656) *Chrysoesthia eppelsheimi* (Staudinger, 1885) (Gelechiidae) Synonym(s): *eppelsheimi* Staudinger, 1885
 12657) *Chrysoesthia gaditella* (Staudinger, 1859) (Gelechiidae) Synonym(s): *gaditella* Staudinger, 1859
 12658) *Chrysoesthia isocharis* (Vari, 1963) (Gelechiidae) Synonym(s): *isocharis* Vari, 1963
 12659) *Chrysoesthia mimetis* (Vari, 1963) (Gelechiidae) Synonym(s): *mimetis* Vari, 1963
 12660) *Chrysoesthia sexguttella* (Thunberg, 1794) (Gelechiidae) Synonym(s): *sexguttella* Thunberg, 1794; *auropunctella* Thunberg, 1794; *stipella* sensu Hübner, 1796; *aurofasciella* Stephens, 1834; *naeviferella* Duponchel, [1843].
 12661) *Chrysoesthia stipelloides* (Janse, 1950) (Gelechiidae) Synonym(s): *stipelloides* Janse, 1950
 12662) *Chrysoesthia verrucosa* Tokar, 1999 (Gelechiidae) Synonym(s): *verrucosa* Tokar, 1999
 12663) *Clepsimorpha inconspicua* Janse, 1960 (Gelechiidae) Synonym(s): *inconspicua* Janse, 1960
 12664) *Coleotechnites piceaella* (Kearfott, 1903) (Gelechiidae) Synonym(s): *piceaella* Kearfott, 1903; *nigra* Kearfott, 1903 nec Hw., 1828; *obscura* Kearfott, 1907.
 12665) *Coloptilia conchylidella* (Hofmann, [1898]) (Gelechiidae) Synonym(s): *conchylidella* Hofmann, [1898]
 12666) *Coniogrya diluiscens* Meyrick, 1921 (Gelechiidae) Synonym(s): *diluiscens* Meyrick, 1921
 12667) *Cosmardia moritzella* (Treitschke, 1835) (Gelechiidae) Synonym(s): *moritzella* Treitschke, 1835; *moritzella* Geyer, [1836]
 12668) *Crossobela baryspheana* Meyrick, 1923 (Gelechiidae) Synonym(s): *baryspheana* Meyrick, 1923
 12669) *Crossobela trinotella* (Herrich-Schäffer, [1856]) (Gelechiidae) Synonym(s): *trinotella* Herrich-Schäffer, [1856].
 12670) *Curvisignella leucogaea* (Meyrick, 1921) (Gelechiidae) Synonym(s): *leucogaea* Meyrick, 1921
 12671) *Cymatoplicella aestuosa* (Meyrick, 1913) (Gelechiidae) Synonym(s): *aestuosa* Meyrick, 1913
 12672) *Cymatoplicella aplectodes* (Janse, 1960) (Gelechiidae) Synonym(s): *aplectodes* Janse, 1960
 12673) *Dactylethrella chionitis* (Meyrick, 1910) (Gelechiidae) Synonym(s): *chionitis* Meyrick, 1910
 12674) *Dactylethrella siccifolii* (Walsingham, 1881) (Gelechiidae) Synonym(s): *siccifolii* Walsingham, 1881
 12675) *Dactylethrella tetramera* (Meyrick, 1913) (Gelechiidae) Synonym(s): *tetramera* Meyrick, 1913
 12676) *Daemonarcha amblopiis* Janse, 1954 (Gelechiidae) Synonym(s): *amblopiis* Janse, 1954
 12677) *Daemonarcha atactodes* Janse, 1954 (Gelechiidae) Synonym(s): *atactodes* Janse, 1954
 12678) *Daemonarcha cyprophanes* Meyrick, 1918 (Gelechiidae) Synonym(s): *cyprophanes* Meyrick, 1918
 12679) *Daemonarcha hamata* Janse, 1954 (Gelechiidae) Synonym(s): *hamata* Janse, 1954

- 12680) *Daemonarcha heterobela* Janse, 1954 (Gelechiidae) Synonym(s): *heterobela* Janse, 1954
 12681) *Daemonarcha oncera* Janse, 1954 (Gelechiidae) Synonym(s): *oncera* Janse, 1954
 12682) *Deimnestra thyrsicola* (Meyrick, 1913) (Gelechiidae) Synonym(s): *thyrsicola* Meyrick, 1913
 12683) *Deimophila psaphara* Meyrick, 1906 (Gelechiidae) Synonym(s): *psaphara* Meyrick, 1906
 12684) *Deltolophos haplopa* Janse, 1960 (Gelechiidae) Synonym(s): *haplopa* Janse, 1960
 12685) *Deltophora diversella* Sattler, 1979 (Gelechiidae) Synonym(s): *diversella* Sattler, 1979
 12686) *Deltophora gielsia* Hull, 1995 (Gelechiidae) Synonym(s): *gielsia* Hull, 1995
 12687) *Deltophora maculata* (Staudinger, 1879) (Gelechiidae) Synonym(s): *maculata* Staudinger, 1879
 12688) *Deltophora stictella* (Rebel, 1927) (Gelechiidae) Synonym(s): *stictella* Rebel, 1927
 12689) *Deltophora typica* Sattler, 1979 (Gelechiidae) Synonym(s): *typica* Sattler, 1979
 12690) *Demiphila psaphara* Meyrick, 1906 (Gelechiidae) Synonym(s): *psaphara* Meyrick, 1906
 12691) *Deroxena conioleuca* Meyrick, 1926 (Gelechiidae) Synonym(s): *conioleuca* Meyrick, 1926
 12692) *Dichomeris acritopa* Meyrick, 1915 (Gelechiidae) Synonym(s): *acritopa* Meyrick, 1915
 12693) *Dichomeris acrolychna* Meyrick, 1922 (Gelechiidae) Synonym(s): *acrolychna* Meyrick, 1922
 12694) *Dichomeris acuminata* (Staudinger, 1876) (Gelechiidae) Synonym(s): *acuminata* Staudinger, 1876; *ianthes* Meyrick, 1887; *rusticus* Walsingham, 1892; *lotellus* Constant, 1893; *ammosanthus* Meyrick, 1904; *ochrophanes* Meyrick, 1907; *agathopa* Meyrick, 1921; *#agathope* Janse, 1950
 12695) *Dichomeris adelocentra* Meyrick, 1920 (Gelechiidae) Synonym(s): *adelocentra* Meyrick, 1920
 12696) *Dichomeris aequata* Meyrick, 1914 (Gelechiidae) Synonym(s): *aequata* Meyrick, 1914
 12697) *Dichomeris alacella* (Zeller, 1839) (Gelechiidae) Synonym(s): *alacella* Zeller, 1839
 12698) *Dichomeris allantopa* Meyrick, 1934 (Gelechiidae) Synonym(s): *allantopa* Meyrick, 1934
 12699) *Dichomeris amblychroa* Janse, 1954 (Gelechiidae) Synonym(s): *amblychroa* Janse, 1954
 12700) *Dichomeris ampliata* Meyrick, 1913 (Gelechiidae) Synonym(s): *ampliata* Meyrick, 1913
 12701) *Dichomeris antisticha* Meyrick, 1926 (Gelechiidae) Synonym(s): *antisticha* Meyrick, 1926
 12702) *Dichomeris antizyga* Meyrick, 1913 (Gelechiidae) Synonym(s): *antizyga* Meyrick, 1913
 12703) *Dichomeris aphanopa* Meyrick, 1921 (Gelechiidae) Synonym(s): *aphanopa* Meyrick, 1921; *#aphanope* Janse, 1950
 12704) *Dichomeris argentaria* Meyrick, 1913 (Gelechiidae) Synonym(s): *argentaria* Meyrick, 1913
 12705) *Dichomeris asodes* Meyrick, 1939 (Gelechiidae) Synonym(s): *asodes* Meyrick, 1939
 12706) *Dichomeris asteropis* (Meyrick, 1921) (Gelechiidae) Synonym(s): *asteropis* Meyrick, 1921
 12707) *Dichomeris attenta* Meyrick, 1921 (Gelechiidae) Synonym(s): *attenta* Meyrick, 1921
 12708) *Dichomeris baccata* Meyrick, 1923 (Gelechiidae) Synonym(s): *baccata* Meyrick, 1923
 12709) *Dichomeris barbella* ([Denis & Schiffermüller], 1775) (Gelechiidae) Synonym(s): *barbella* [Denis & Schiffermüller], 1775
 12710) *Dichomeris basistriata* (Walsingham, 1897) (Gelechiidae) Synonym(s): *basistriata* Walsingham, 1897
 12711) *Dichomeris bodenheimeri* (Rebel, 1926) (Gelechiidae) Synonym(s): *bodenheimeri* Rebel, 1926
 12712) *Dichomeris bolize* Hodges, 1986 (Gelechiidae) Synonym(s): *bolize* Hodges, 1986
 12713) *Dichomeris brachygrapha* Meyrick, 1920 (Gelechiidae) Synonym(s): *brachygrapha* Meyrick, 1920
 12714) *Dichomeris brachymetra* Meyrick, 1923 (Gelechiidae) Synonym(s): *brachymetra* Meyrick, 1923
 12715) *Dichomeris brachyptila* Meyrick, 1916 (Gelechiidae) Synonym(s): *brachyptila* Meyrick, 1916
 12716) *Dichomeris byrsoxantha* (Meyrick, 1918) (Gelechiidae) Synonym(s): *byrsoxantha* Meyrick, 1918
 12717) *Dichomeris cachrydias* Meyrick, 1914 (Gelechiidae) Synonym(s): *cachrydias* Meyrick, 1914
 12718) *Dichomeris caeruleascens* (Meyrick, 1913) (Gelechiidae) Synonym(s): *caeruleascens* Meyrick, 1913
 12719) *Dichomeris caia* Hodges, 1986 (Gelechiidae) Synonym(s): *caia* Hodges, 1986
 12720) *Dichomeris capillata* (Walsingham, 1911) (Gelechiidae) Synonym(s): *capillata* Walsingham, 1911
 12721) *Dichomeris capnites* (Meyrick, 1904) (Gelechiidae) Synonym(s): *capnites* Meyrick, 1904
 12722) *Dichomeris carinella* Walsingham, 1911 (Gelechiidae) Synonym(s): *carinella* Walsingham, 1911
 12723) *Dichomeris carycina* (Meyrick, 1914) (Gelechiidae) Synonym(s): *carycina* Meyrick, 1914
 12724) *Dichomeris castellana* (Schmidt, 1941) (Gelechiidae) Synonym(s): *castellana* Schmidt, 1941
 12725) *Dichomeris centracma* Meyrick, 1923 (Gelechiidae) Synonym(s): *centracma* Meyrick, 1923; *richteri* Amsel, 1959
 12726) *Dichomeris ceponoma* Meyrick, 1918 (Gelechiidae) Synonym(s): *ceponoma* Meyrick, 1918; *tetraschema* Meyrick, 1931
 12727) *Dichomeris chalcophaea* Meyrick, 1921 (Gelechiidae) Synonym(s): *chalcophaea* Meyrick, 1921
 12728) *Dichomeris cisti* (Staudinger, 1859) (Gelechiidae) Synonym(s): *cisti* Staudinger, 1859
 12729) *Dichomeris clarescens* Meyrick, 1913 (Gelechiidae) Synonym(s): *clarescens* Meyrick, 1913
 12730) *Dichomeris claviculata* Meyrick, 1909 (Gelechiidae) Synonym(s): *claviculata* Meyrick, 1909
 12731) *Dichomeris coenulenta* (Meyrick, 1927) (Gelechiidae) Synonym(s): *coenulenta* Meyrick, 1927
 12732) *Dichomeris condylodes* Meyrick, 1921 (Gelechiidae) Synonym(s): *condylodes* Meyrick, 1921
 12733) *Dichomeris cotifera* Meyrick, 1913 (Gelechiidae) Synonym(s): *cotifera* Meyrick, 1913
 12734) *Dichomeris crepitatrix* Meyrick, 1913 (Gelechiidae) Synonym(s): *crepitatrix* Meyrick, 1913
 12735) *Dichomeris derasella* ([Denis & Schiffermüller], 1775) (Gelechiidae) Synonym(s): *derasella* [Denis & Schiffermüller], 1775; *fasciella* Hübner, 1796; *unguiculatus* Fabricius, 1798; *coreana* Matsumura, 1931.
 12736) *Dichomeris diacrita* (Diakonoff, [1968]) (Gelechiidae) Synonym(s): *diacrita* Diakonoff, [1968]
 12737) *Dichomeris dolichaula* Meyrick, 1931 (Gelechiidae) Synonym(s): *dolichaula* Meyrick, 1931
 12738) *Dichomeris dysnotata* Janse, 1954 (Gelechiidae) Synonym(s): *dysnotata* Janse, 1954
 12739) *Dichomeris eridantis* (Meyrick, 1907) (Gelechiidae) Synonym(s): *eridantis* Meyrick, 1907
 12740) *Dichomeris erixantha* (Meyrick, 1914) (Gelechiidae) Synonym(s): *erixantha* Meyrick, 1914
 12741) *Dichomeris eucomopa* Meyrick, 1939 (Gelechiidae) Synonym(s): *eucomopa* Meyrick, 1939
 12742) *Dichomeris eustacta* Meyrick, 1921 (Gelechiidae) Synonym(s): *eustacta* Meyrick, 1921
 12743) *Dichomeris excepta* (Meyrick, 1914) (Gelechiidae) Synonym(s): *excepta* Meyrick, 1914
 12744) *Dichomeris excoriata* Meyrick, 1913 (Gelechiidae) Synonym(s): *excoriata* Meyrick, 1913
 12745) *Dichomeris exsecta* Meyrick, 1927 (Gelechiidae) Synonym(s): *exsecta* Meyrick, 1927
 12746) *Dichomeris externella* (Zeller, 1852) (Gelechiidae) Synonym(s): *externella* Zeller, 1852
 12747) *Dichomeris famosa* Meyrick, 1914 (Gelechiidae) Synonym(s): *famosa* Meyrick, 1914
 12748) *Dichomeris ferrata* Meyrick, 1913 (Gelechiidae) Synonym(s): *ferrata* Meyrick, 1913
 12749) *Dichomeris ferruginosa* Meyrick, 1913 (Gelechiidae) Synonym(s): *ferruginosa* Meyrick, 1913
 12750) *Dichomeris fida* Meyrick, 1923 (Gelechiidae) Synonym(s): *fida* Meyrick, 1923
 12751) *Dichomeris fluitans* Meyrick, 1920 (Gelechiidae) Synonym(s): *fluitans* Meyrick, 1920
 12752) *Dichomeris furvella* (Zeller, 1852) (Gelechiidae) Synonym(s): *furvella* Zeller, 1852
 12753) *Dichomeris granti* Walsingham, 1900 (Gelechiidae) Synonym(s): *granti* Walsingham, 1900; *thoracella* Walsingham, 1900
 12754) *Dichomeris helianthemii* (Walsingham, 1903) (Gelechiidae) Synonym(s): *helianthemii* Walsingham, 1903
 12755) *Dichomeris hercogramma* Meyrick, 1921 (Gelechiidae) Synonym(s): *hercogramma* Meyrick, 1921
 12756) *Dichomeris heteracma* Meyrick, 1923 (Gelechiidae) Synonym(s): *heteracma* Meyrick, 1923
 12757) *Dichomeris homaloxesta* Meyrick, 1921 (Gelechiidae) Synonym(s): *homaloxesta* Meyrick, 1921
 12758) *Dichomeris horiodes* Meyrick, 1923 (Gelechiidae) Synonym(s): *horiodes* Meyrick, 1923
 12759) *Dichomeris horoglypta* Meyrick, 1932 (Gelechiidae) Synonym(s): *horoglypta* Meyrick, 1932
 12760) *Dichomeris hortulana* Meyrick, 1918 (Gelechiidae) Synonym(s): *hortulana* Meyrick, 1918
 12761) *Dichomeris hylurga* Meyrick, 1921 (Gelechiidae) Synonym(s): *hylurga* Meyrick, 1921
 12762) *Dichomeris ianthes* (Meyrick, 1887) (Gelechiidae) Synonym(s): *ianthes* Meyrick, 1887; *ochrophanes* Meyrick, 1907
 12763) *Dichomeris imbricata* Meyrick, 1913 (Gelechiidae) Synonym(s): *imbricata* Meyrick, 1913
 12764) *Dichomeris impigra* Meyrick, 1913 (Gelechiidae) Synonym(s): *impigra* Meyrick, 1913
 12765) *Dichomeris inclusa* (Meyrick, 1927) (Gelechiidae) Synonym(s): *inclusa* Meyrick, 1927
 12766) *Dichomeris indiserta* Meyrick, 1926 (Gelechiidae) Synonym(s): *indiserta* Meyrick, 1926
 12767) *Dichomeris ingloria* Meyrick, 1923 (Gelechiidae) Synonym(s): *ingloria* Meyrick, 1923
 12768) *Dichomeris instans* Meyrick, 1923 (Gelechiidae) Synonym(s): *instans* Meyrick, 1923

- 12769) *Dichomeris intensa* Meyrick, 1913 (Gelechiidae) Synonym(s): *intensa* Meyrick, 1913
 12770) *Dichomeris introspectans* Meyrick, 1926 (Gelechiidae) Synonym(s): *introspectans* Meyrick, 1926
 12771) *Dichomeris ironica* Meyrick, 1909 (Gelechiidae) Synonym(s): *ironica* Meyrick, 1909
 12772) *Dichomeris juniperella* (Linnaeus, 1761) (Gelechiidae) Synonym(s): *juniperella* Linnaeus, 1761; *juniperi* Haworth, 1828.
 12773) *Dichomeris lamprostoma* (Zeller, 1847) (Gelechiidae) Synonym(s): *lamprostoma* Zeller, 1847; *zulu* Walsingham, 1881; *scutata* Meyrick, 1894.
 12774) *Dichomeris latipennella* (Rebel, 1937) (Gelechiidae) Synonym(s): *latipennella* Rebel, 1937
 12775) *Dichomeris leptosaris* Meyrick, 1932 (Gelechiidae) Synonym(s): *leptosaris* Meyrick, 1932
 12776) *Dichomeris ligyra* Meyrick, 1913 (Gelechiidae) Synonym(s): *ligyra* Meyrick, 1913
 12777) *Dichomeris limbipunctella* (Staudinger, 1859) (Gelechiidae) Synonym(s): *limbipunctella* Staudinger, 1859; *millierella* Stainton, 1873.
 12778) *Dichomeris limosellus* (Schläger, 1849) (Gelechiidae) Synonym(s): *limosella* Schläger, 1849; *deflectivella* Reutti, 1853.
 12779) *Dichomeris litoxya* Meyrick, 1937 (Gelechiidae) Synonym(s): *litoxya* Meyrick, 1937
 12780) *Dichomeris loxophila* (Meyrick, 1923) (Gelechiidae) Synonym(s): *loxophila* Meyrick, 1923
 12781) *Dichomeris lucrifuga* Meyrick, 1923 (Gelechiidae) Synonym(s): *lucrifuga* Meyrick, 1923
 12782) *Dichomeris lutivittata* Meyrick, 1921 (Gelechiidae) Synonym(s): *lutivittata* Meyrick, 1921
 12783) *Dichomeris marginella* (Fabricius, 1781) (Gelechiidae) Synonym(s): *marginella* Fabricius, 1781; *fimbriella* Thunberg, 1788; *striatella* Hübner, 1796 nec [Denis & Schiffermüller], 1775; *marginata* Fabricius, 1798; *clarella* Treitschke, 1833.
 12784) *Dichomeris marmorata* (Walsingham, 1890) (Gelechiidae) Synonym(s): *marmorata* Walsingham, 1890
 12785) *Dichomeris melanortha* Meyrick, 1929 (Gelechiidae) Synonym(s): *melanortha* Meyrick, 1929
 12786) *Dichomeris meridonella* (Walsingham, 1881) (Gelechiidae) Synonym(s): *meridonella* Walsingham, 1881
 12787) *Dichomeris mesoctenis* Meyrick, 1921 (Gelechiidae) Synonym(s): *mesoctenis* Meyrick, 1921
 12788) *Dichomeris mesoglena* Meyrick, 1923 (Gelechiidae) Synonym(s): *mesoglena* Meyrick, 1923
 12789) *Dichomeris metrodes* Meyrick, 1913 (Gelechiidae) Synonym(s): *metrodes* Meyrick, 1913
 12790) *Dichomeris metrodes* Meyrick, 1913 (Gelechiidae) Synonym(s): *metrodes* Meyrick, 1913
 12791) *Dichomeris metuens* Meyrick, 1932 (Gelechiidae) Synonym(s): *metuens* Meyrick, 1932
 12792) *Dichomeris molybdea* Janse, 1954 (Gelechiidae) Synonym(s): *molybdea* Janse, 1954
 12793) *Dichomeris monococca* Meyrick, 1921 (Gelechiidae) Synonym(s): *monococca* Meyrick, 1921
 12794) *Dichomeris neatodes* Meyrick, 1923 (Gelechiidae) Synonym(s): *neatodes* Meyrick, 1923
 12795) *Dichomeris nephanthes* (Meyrick, 1929) (Gelechiidae) Synonym(s): *nephanthes* Meyrick, 1929
 12796) *Dichomeris nitellus* (Constantini, 1923) (Gelechiidae) Synonym(s): *nitellus* Constantini, 1923
 12797) *Dichomeris oceanis* Meyrick, 1920 (Gelechiidae) Synonym(s): *oceanis* Meyrick, 1920
 12798) *Dichomeris ochroxesta* Meyrick, 1921 (Gelechiidae) Synonym(s): *ochroxesta* Meyrick, 1921
 12799) *Dichomeris ochthophora* Meyrick, 1936 (Gelechiidae) Synonym(s): *ochthophora* Meyrick, 1936
 12800) *Dichomeris ochthophora* Meyrick, 1936 (Gelechiidae) Synonym(s): *ochthophora* Meyrick, 1936
 12801) *Dichomeris oenombra* Meyrick, 1921 (Gelechiidae) Synonym(s): *oenombra* Meyrick, 1921
 12802) *Dichomeris oleata* Meyrick, 1913 (Gelechiidae) Synonym(s): *oleata* Meyrick, 1913
 12803) *Dichomeris opsorhoa* Meyrick, 1929 (Gelechiidae) Synonym(s): *opsorhoa* Meyrick, 1929
 12804) *Dichomeris ostracodes* Meyrick, 1916 (Gelechiidae) Synonym(s): *ostracodes* Meyrick, 1916
 12805) *Dichomeris oxycarpa* (Meyrick, 1935) (Gelechiidae) Synonym(s): *oxycarpa* Meyrick, 1935
 12806) *Dichomeris oxygrapha* Meyrick, 1913 (Gelechiidae) Synonym(s): *oxygrapha* Meyrick, 1913
 12807) *Dichomeris paranthus* Meyrick, 1936 (Gelechiidae) Synonym(s): *paranthus* Meyrick, 1936
 12808) *Dichomeris petalodes* Meyrick, 1934 (Gelechiidae) Synonym(s): *petalodes* Meyrick, 1934
 12809) *Dichomeris physeta* Meyrick, 1913 (Gelechiidae) Synonym(s): *physeta* Meyrick, 1913
 12810) *Dichomeris physocoma* Meyrick, 1926 (Gelechiidae) Synonym(s): *physocoma* Meyrick, 1926
 12811) *Dichomeris pladarota* Meyrick, 1921 (Gelechiidae) Synonym(s): *pladarota* Meyrick, 1921
 12812) *Dichomeris pleuropa* Meyrick, 1921 (Gelechiidae) Synonym(s): *pleuropa* Meyrick, 1921
 12813) *Dichomeris plumbosa* Meyrick, 1913 (Gelechiidae) Synonym(s): *plumbosa* Meyrick, 1913
 12814) *Dichomeris prensans* Meyrick, 1922 (Gelechiidae) Synonym(s): *prensans* Meyrick, 1922
 12815) *Dichomeris ptychosema* Meyrick, 1913 (Gelechiidae) Synonym(s): *ptychosema* Meyrick, 1913
 12816) *Dichomeris pudicella* (Mann, 1861) (Gelechiidae) Synonym(s): *pudicella* Mann, 1861
 12817) *Dichomeris pyrrhitis* Meyrick, 1911 (Gelechiidae) Synonym(s): *pyrrhitis* Meyrick, 1911; *pyrritus* Janse, 1954
 12818) *Dichomeris quadrifurcata* Janse, 1954 (Gelechiidae) Synonym(s): *quadrifurcata* Janse, 1954
 12819) *Dichomeris quercicola* Meyrick, 1921 (Gelechiidae) Synonym(s): *quercicola* Meyrick, 1921
 12820) *Dichomeris rasilella* (Herrich-Schäffer, [1854]) (Gelechiidae) Synonym(s): *rasilella* Herrich-Schäffer, [1854]; *insulella* Dumont, 1921; *occidentella* Zerny, 1927.
 12821) *Dichomeris resignata* Meyrick, 1929 (Gelechiidae) Synonym(s): *resignata* Meyrick, 1929
 12822) *Dichomeris rubidula* Meyrick, 1913 (Gelechiidae) Synonym(s): *rubidula* Meyrick, 1913
 12823) *Dichomeris saturata* Meyrick, 1923 (Gelechiidae) Synonym(s): *saturata* Meyrick, 1923
 12824) *Dichomeris sciodora* Meyrick, 1922 (Gelechiidae) Synonym(s): *sciodora* Meyrick, 1922
 12825) *Dichomeris simplex* Walsingham, 1900 (Gelechiidae) Synonym(s): *simplex* Walsingham, 1900
 12826) *Dichomeris skukuzae* Janse, 1954 (Gelechiidae) Synonym(s): *skukuzae* Janse, 1954
 12827) *Dichomeris stasimopa* Meyrick, 1937 (Gelechiidae) Synonym(s): *stasimopa* Meyrick, 1937
 12828) *Dichomeris stratigera* Meyrick, 1922 (Gelechiidae) Synonym(s): *stratigera* Meyrick, 1922
 12829) *Dichomeris stromatias* Meyrick, 1918 (Gelechiidae) Synonym(s): *stromatias* Meyrick, 1918
 12830) *Dichomeris subiridescens* Janse, 1954 (Gelechiidae) Synonym(s): *subiridescens* Janse, 1954
 12831) *Dichomeris summata* Meyrick, 1913 (Gelechiidae) Synonym(s): *summata* Meyrick, 1913
 12832) *Dichomeris syndyas* Meyrick, 1926 (Gelechiidae) Synonym(s): *syndyas* Meyrick, 1926
 12833) *Dichomeris tactica* Meyrick, 1918 (Gelechiidae) Synonym(s): *tactica* Meyrick, 1918
 12834) *Dichomeris tapinostola* Janse, 1954 (Gelechiidae) Synonym(s): *tapinostola* Janse, 1954
 12835) *Dichomeris thermodyras* Meyrick, 1923 (Gelechiidae) Synonym(s): *thermodyras* Meyrick, 1923
 12836) *Dichomeris tridentata* Janse, 1954 (Gelechiidae) Synonym(s): *tridentata* Janse, 1954
 12837) *Dichomeris ustalella* (Fabricius, 1794) (Gelechiidae) Synonym(s): *ustalella* Fabricius, 1794; *capucinella* Hübner, 1796; *ustulatus* Fabricius, 1798; *cornatus* Fabricius, 1798; *burgundellus* Bruand, 1859.
 12838) *Dichomeris ventosa* Meyrick, 1913 (Gelechiidae) Synonym(s): *ventosa* Meyrick, 1913
 12839) *Dichomeris xanthodeta* Meyrick, 1913 (Gelechiidae) Synonym(s): *xanthodeta* Meyrick, 1913
 12840) *Dichomeris xestobyras* Meyrick, 1921 (Gelechiidae) Synonym(s): *xestobyras* Meyrick, 1921
 12841) *Dichomeris zomias* Meyrick, 1914 (Gelechiidae) Synonym(s): *zomias* Meyrick, 1914
 12842) *Dicranucha albicincta* (Meyrick, 1921) (Gelechiidae) Synonym(s): *albicincta* Meyrick, 1921
 12843) *Dicranucha crateropis* (Meyrick, 1921) (Gelechiidae) Synonym(s): *crateropis* Meyrick, 1921
 12844) *Dicranucha dicksoni* Janse, 1963 (Gelechiidae) Synonym(s): *dicksoni* Janse, 1963
 12845) *Dicranucha homochroma* Janse, 1954 (Gelechiidae) Synonym(s): *homochroma* Janse, 1954
 12846) *Dicranucha legalis* (Meyrick, 1921) (Gelechiidae) Synonym(s): *legalis* Meyrick, 1921
 12847) *Dicranucha ochrostoma* (Meyrick, 1913) (Gelechiidae) Synonym(s): *ochrostoma* Meyrick, 1913
 12848) *Dicranucha serialis* (Meyrick, 1908) (Gelechiidae) Synonym(s): *serialis* Meyrick, 1908; *ochyrota* Meyrick, 1920
 12849) *Dicranucha stericis* (Meyrick, 1908) (Gelechiidae) Synonym(s): *stericis* Meyrick, 1908
 12850) *Dicranucha strepsgramma* (Meyrick, 1937) (Gelechiidae) Synonym(s): *strepsgramma* Meyrick, 1937
 12851) *Dirhinosisia arnoldiella* (Rebel, 1905) (Gelechiidae) Synonym(s): *arnoldiella* Rebel, 1905
 12852) *Dirhinosisia cervinella* (Eversmann, 1844) (Gelechiidae) Synonym(s): *cervinella* Eversmann, 1844; *trifasciella* Rebel, 1905
 12853) *Dirhinosisia nitidula* (Stainton, 1867) (Gelechiidae) Synonym(s): *nitidula* Stainton, 1867
 12854) *Dirhinosisia unifasciella* (Rebel, 1929) (Gelechiidae) Synonym(s): *unifasciella* Rebel, 1929
 12855) *Empedaula insipiens* Meyrick, 1918 (Gelechiidae) Synonym(s): *insipiens* Meyrick, 1918
 12856) *Empedaula phanerozona* Meyrick, 1922 (Gelechiidae) Synonym(s): *phanerozona* Meyrick, 1922
 12857) *Empedaula rhodocosma* (Meyrick, 1914) (Gelechiidae) Synonym(s): *rhodocosma* Meyrick, 1914

- 12858) *Encentrotis catagrapha* Meyrick, 1921 (Gelechiidae) Synonym(s): *catagrapha* Meyrick, 1921
 12859) *Encolapta metorcha* Meyrick, 1913 (Gelechiidae) Synonym(s): *metorcha* Meyrick, 1913
 12860) *Encolpotis* Meyrick, 1909 (Gelechiidae) Synonym(s): *Encolpotis* Meyrick, 1909
 12861) *Encolpotis argyrophanes* Meyrick, 1937 (Gelechiidae) Synonym(s): *argyrophanes* Meyrick, 1937
 12862) *Encolpotis xanthoria* Meyrick, 1909 (Gelechiidae) Synonym(s): *xanthoria* Meyrick, 1909
 12863) *Encrasima elaeopsis* Meyrick, 1916 (Gelechiidae) Synonym(s): *elaeopsis* Meyrick, 1916
 12864) *Encrasima reversa* Meyrick, 1916 (Gelechiidae) Synonym(s): *reversa* Meyrick, 1916
 12865) *Encrasima reversa* Meyrick, 1916 (Gelechiidae) Synonym(s): *reversa* Meyrick, 1916
 12866) *Encrasima xanthoclista* Meyrick, 1923 (Gelechiidae) Synonym(s): *xanthoclista* Meyrick, 1923
 12867) *Ephysteris* (*Microcraspedus*) *brachypogon* (Meyrick, 1937) (Gelechiidae) Synonym(s): *brachypogon* Meyrick, 1937; *#braucypogon* Janse, 1960; *#brachypogon* Povolny, 1964
 12868) *Ephysteris* (*Microcraspedus*) *buvati* (Povolny, 1992) (Gelechiidae) Synonym(s): *buvati* Povolny, 1992
 12869) *Ephysteris* (*Microcraspedus*) *deserticolella* (Staudinger, 1871) (Gelechiidae) Synonym(s): *deserticolella* Staudinger, 1871.
 12870) *Ephysteris* (*Microcraspedus*) *diminutella* (Zeller, 1847) (Gelechiidae) Synonym(s): *diminutella* Zeller, 1847
 12871) *Ephysteris* (*Microcraspedus*) *eremaula* (Janse, 1960) (Gelechiidae) Synonym(s): *eremaula* Janse, 1960
 12872) *Ephysteris* (*Microcraspedus*) *foulonsensis* Povolny, 1981 (Gelechiidae) Synonym(s): *foulonsensis* Povolny, 1981
 12873) *Ephysteris* (*Microcraspedus*) *gallica* (Povolny, 1992) (Gelechiidae) Synonym(s): *gallica* Povolny, 1992
 12874) *Ephysteris* (*Microcraspedus*) *hispanica* Povolny, 1981 (Gelechiidae) Synonym(s): *hispanica* Povolny, 1981
 12875) *Ephysteris* (*Microcraspedus*) *iberica* Povolny, 1977 (Gelechiidae) Synonym(s): *iberica* Povolny, 1977
 12876) *Ephysteris* (*Microcraspedus*) *insulella* (Heinemann, 1870) (Gelechiidae) Synonym(s): *insulella* Heinemann, 1870
 12877) *Ephysteris* (*Microcraspedus*) *inustella* (Zeller, 1847) (Gelechiidae) Synonym(s): *inustella* Zeller, 1847; *delminiella* Rebel, 1904; *gredosensis* Rebel, 1935
 12878) *Ephysteris* (*Microcraspedus*) *olympica* Povolny, 1968 (Gelechiidae) Synonym(s): *olympica* Povolny, 1968
 12879) *Ephysteris* (*Microcraspedus*) *photinopa* (Meyrick, 1925) (Gelechiidae) Synonym(s): *photinopa* Meyrick, 1925
 12880) *Ephysteris* (*Microcraspedus*) *treskensis* Povolny, 1966 (Gelechiidae) Synonym(s): *treskensis* Povolny, 1966
 12881) *Ephysteris* (*Ochrodia*) *subdiminutella* (Stainton, 1967) (Gelechiidae) Synonym(s): *subdiminutella* Stainton, 1967
 12882) *Ephysteris* (*Opacopsis*) *atalopis* (Meyrick, 1918) (Gelechiidae) Synonym(s): *atalopis* Meyrick, 1918
 12883) *Ephysteris* (*Opacopsis*) *confusa* Povolny, 1968 (Gelechiidae) Synonym(s): *confusa* Povolny, 1968
 12884) *Ephysteris* (*Opacopsis*) *flavida* Povolny, 1969 (Gelechiidae) Synonym(s): *flavida* Povolny, 1969
 12885) *Ephysteris* (*Opacopsis*) *ruth* Povolny, 1977 (Gelechiidae) Synonym(s): *ruth* Povolny, 1977
 12886) *Ephysteris* (*Opacopsis*) *speciosa* Povolny, 1977 (Gelechiidae) Synonym(s): *speciosa* Povolny, 1977
 12887) *Ephysteris* (s.str.) *aellographa* Janse, 1960 (Gelechiidae) Synonym(s): *aellographa* Janse, 1960
 12888) *Ephysteris* (s.str.) *arabiae* Povolny, 1968 (Gelechiidae) Synonym(s): *arabiae* Povolny, 1968
 12889) *Ephysteris* (s.str.) *chersaea* Meyrick, 1908 (Gelechiidae) Synonym(s): *chersaea* Meyrick, 1908; *oschophora* Meyrick, 1910
 12890) *Ephysteris* (s.str.) *fuscocrossa* Janse, 1960 (Gelechiidae) Synonym(s): *fuscocrossa* Janse, 1960
 12891) *Ephysteris* (s.str.) *infirmata* (Meyrick, 1912) (Gelechiidae) Synonym(s): *infirmata* Meyrick, 1912
 12892) *Ephysteris* (s.str.) *neosirotia* (Janse, 1950) (Gelechiidae) Synonym(s): *neosirotia* Janse, 1950
 12893) *Ephysteris* (s.str.) *ornata* (Janse, 1950) (Gelechiidae) Synonym(s): *ornata* Janse, 1950
 12894) *Ephysteris* (s.str.) *parasynecta* Janse, 1963 (Gelechiidae) Synonym(s): *parasynecta* Janse, 1963
 12895) *Ephysteris* (s.str.) *pentamacula* Janse, 1958 (Gelechiidae) Synonym(s): *pentamacula* Janse, 1958; *#pentamaculata* Povolny, 1966
 12896) *Ephysteris* (s.str.) *promptella* (Staudinger, 1859) (Gelechiidae) Synonym(s): *promptella* Staudinger, 1859; *despectella* Walker, 1863; *petiginella* Mann, 1867; *parvula* Staudinger, 1879; *cacomiera* Walsingham, 1907; *chersaea* Meyrick, 1908; *oschophora* Meyrick, 1910; *fanatica* Meyrick, 1921; *dispensata* Meyrick, 1921; *xanthorhabda* Gozmany, 1951 *australiae* Povolny, 1977; *#promptella* Sattler, 1978.
 12897) *Ephysteris* (s.str.) *riadensis* Povolny, 1968 (Gelechiidae) Synonym(s): *riadensis* Povolny, 1968
 12898) *Ephysteris* (s.str.) *sirota* (Meyrick, 1908) (Gelechiidae) Synonym(s): *sirota* Meyrick, 1908; *fluidescens* Meyrick, 1914
 12899) *Ephysteris* (s.str.) *subdiminutella* (Stainton, 1867) (Gelechiidae) Synonym(s): *subdiminutella* Stainton, 1867; *bucolica* Meyrick, 1904; *ericista* Meyrick, 1914; *ferritincta* Turner, 1919; *extorris* Meyrick, 1923; *crocoileuca* Meyrick, 1923; *pulverea* Janse, 1950; *turgida* Janse, 1951; *#erecista* Janse, 1951.
 12900) *Ephysteris* (s.str.) *synecta* (Meyrick, 1909) (Gelechiidae) Synonym(s): *synecta* Meyrick, 1909
 12901) *Epicharta chlorophracta* (Meyrick, 1921) (Gelechiidae) Synonym(s): *chlorophracta* Meyrick, 1921
 12902) *Epicoenia chernetis* Meyrick, 1906 (Gelechiidae) Synonym(s): *chernetus* Meyrick, 1906
 12903) *Epidola barcinonella* Millière, 1867 (Gelechiidae) Synonym(s): *barcinonella* Millière, 1867
 12904) *Epidola melitensis* Amsel, 1955 (Gelechiidae) Synonym(s): *melitensis* Amsel, 1955
 12905) *Epidola nuraghella* Hartig, 1939 (Gelechiidae) Synonym(s): *nuraghella* Hartig, 1939
 12906) *Epidola stigma* Staudinger, 1859 (Gelechiidae) Synonym(s): *stigma* Staudinger, 1859
 12907) *Epimesophleps symmocella* Rebel, 1907 (Gelechiidae) Synonym(s): *symmocella* Rebel, 1907
 12908) *Epimimastis emblematica* Meyrick, 1916 (Gelechiidae) Synonym(s): *emblematica* Meyrick, 1916
 12909) *Epimimastis escharitis* Meyrick, 1916 (Gelechiidae) Synonym(s): *escharitis* Meyrick, 1916
 12910) *Epimimastis glaucodes* Meyrick, 1910 (Gelechiidae) Synonym(s): *glaucodes* Meyrick, 1910
 12911) *Epiparasia incertella* (Herrich-Schäffer, 1861) (Gelechiidae) Synonym(s): *incertella* Herrich-Schäffer, 1861; *longivitella* Rebel
 12912) *Epithectis altivola* Meyrick, 1929 (Gelechiidae) Synonym(s): *altivola* Meyrick, 1929
 12913) *Epithectis balsamopa* Meyrick, 1923 (Gelechiidae) Synonym(s): *balsamopa* Meyrick, 1923
 12914) *Epithectis barydelta* Meyrick, 1923 (Gelechiidae) Synonym(s): *barydelta* Meyrick, 1923
 12915) *Epithectis citranthes* Meyrick, 1923 (Gelechiidae) Synonym(s): *citranthes* Meyrick, 1923
 12916) *Epithectis consociata* Meyrick, 1914 (Gelechiidae) Synonym(s): *consociata* Meyrick, 1914
 12917) *Epithectis notospila* Meyrick, 1923 (Gelechiidae) Synonym(s): *notospila* Meyrick, 1923
 12918) *Epithectis osteosema* Meyrick, 1929 (Gelechiidae) Synonym(s): *osteosema* Meyrick, 1929
 12919) *Epithectis sphecephila* Meyrick, 1936 (Gelechiidae) Synonym(s): *sphecephila* Meyrick, 1936
 12920) *Epithectis studiosa* Meyrick, 1905 (Gelechiidae) Synonym(s): *studiosa* Meyrick, 1905
 12921) *Epithectis xylochroa* Meyrick, 1926 (Gelechiidae) Synonym(s): *xylochroa* Meyrick, 1926
 12922) *Eporgastis conclusa* (Meyrick, 1918) (Gelechiidae) Synonym(s): *conclusa* Meyrick, 1918
 12923) *Eporgastis maturata* Meyrick, 1921 (Gelechiidae) Synonym(s): *maturata* Meyrick, 1921
 12924) *Eporgastis syngrapta* (Meyrick, 1921) (Gelechiidae) Synonym(s): *syngrapta* Meyrick, 1921
 12925) *Eporgastis torrescens* Meyrick, 1921 (Gelechiidae) Synonym(s): *torrescens* Meyrick, 1921
 12926) *Ereboscaea amorphia* Meyrick, 1937 (Gelechiidae) Synonym(s): *amorphia* Meyrick, 1937
 12927) *Erikssonella permagna* (Meyrick, 1920) (Gelechiidae) Synonym(s): *permagna* Meyrick, 1920
 12928) *Eulamprotes atrella* (Denis & Schiffermüller, 1775) (Gelechiidae) Synonym(s): *atrella* [Denis & Schiffermüller], 1775; *quadripunctella* Fabricius, 1781; *umbriferella* Herrich-Schäffer, 1854; *aurimaculella* Höfner, 1896
 12929) *Eulamprotes buvati* Leraut, 1991 (Gelechiidae) Synonym(s): *buvati* Leraut, 1991
 12930) *Eulamprotes helotella* (Staudinger, 1859) (Gelechiidae) Synonym(s): *helotella* Staudinger, 1859; *damonella* Millière, 1876; *algeriella* Baker, 1888; *doliodes* Meyrick, 1891; *striatopunctella* Rebel, 1891; *levisella* Chrétien, 1922
 12931) *Eulamprotes libertinella* (Zeller, 1872) (Gelechiidae) Synonym(s): *libertinella* Zeller, 1872
 12932) *Eulamprotes nigritella* (Zeller, 1847) (Gelechiidae) Synonym(s): *nigritella* Zeller, 1847
 12933) *Eulamprotes ochricapilla* (Rebel, 1903) (Gelechiidae) Synonym(s): *ochricapilla* Rebel, 1903
 12934) *Eulamprotes parahelotella* Nel, 1995 (Gelechiidae) Synonym(s): *parahelotella* Nel, 1995
 12935) *Eulamprotes phaeella* Heckford & Langmaid, 1988 (Gelechiidae) Synonym(s): *phaeella* Heckford & Langmaid, 1988
 12936) *Eulamprotes plumbella* (Heinemann, 1870) (Gelechiidae) Synonym(s): *plumbella* Heinemann, 1870
 12937) *Eulamprotes superbella* (Zeller, 1839) (Gelechiidae) Synonym(s): *superbella* Zeller, 1839
 12938) *Eulamprotes unicolorella* (Duponchel, 1843) (Gelechiidae) Synonym(s): *unicolorella* Duponchel, 1843; *immaculatella* Douglas, 1850; *lucentella* Peyerimhoff, 1870
 12939) *Eulamprotes wilkella* (Linnaeus, 1758) (Gelechiidae) Synonym(s): *wilkella* Linnaeus, 1758; *merianella* Linnaeus, 1758; *pictella* Zeller, 1839; *tarquiniella* Stainton, 1862.
 12940) *Euryctista hobohmi* Janse, 1963 (Gelechiidae) Synonym(s): *hobohmi* Janse, 1963
 12941) *Evippe haberlandi* Amsel, 1961 (Gelechiidae) Synonym(s): *haberlandi* Amsel, 1961

- 12942) *Evippe lunaki* (Rebel,1941) (Gelechiidae) Synonym(s): *lunaki* Rebel,1941
- 12943) *Evippe penicillata* Amsel,1961 (Gelechiidae) Synonym(s): *penicillata* Amsel,1961
- 12944) *Evippe pseudolella* (Christoph,1888) (Gelechiidae) Synonym(s): *pseudolella* Christoph,1888; *cephalella* Caradja,1920.
- 12945) *Excommatica compsoptoma* (Meyrick,1921) (Gelechiidae) Synonym(s): *compsoptoma* Meyrick,1921
- 12946) *Exoteleia dodecella* (Linnaeus,1758) (Gelechiidae) Synonym(s): *dodecella* Linnaeus,1758; *punctulata* Fourcroy,1785; *dodecea* Haworth,1828; *annulicornis* Stephens,1834; *favillaticea* Zeller,1839; *reussiella* Ratzeburg,1840.
- 12947) *Exoteleia succinctella* (Zeller,1872) (Gelechiidae) Synonym(s): *succinctella* Zeller,1872; *orbitella* Rebel,1918.
- 12948) *Ficulea blandulella* Walker,1864 (Gelechiidae) Synonym(s): *blandulella* Walker,1864
- 12949) *Filatima albicostella* (Clarke,1942) (Gelechiidae) Synonym(s): *albicostella* Clarke,1942; *angustipennis* Sattler,1961
- 12950) *Filatima djakovica* Anikin & Piskunov,1996 (Gelechiidae) Synonym(s): *djakovica* Anikin & Piskunov,1996
- 12951) *Filatima incomptella* (Herrich-Schäffer,[1854]) (Gelechiidae) Synonym(s): *incomptella* Herrich-Schäffer,[1854]
- 12952) *Filatima spurcella* (Duponchel,1843) (Gelechiidae) Synonym(s): *spurcella* Duponchel,1843; *fuscantella* Heinemann,1870.
- 12953) *Filatima tephritidella* (Duponchel,1844) (Gelechiidae) Synonym(s): *tephritidella* Duponchel,1844
- 12954) *Filatima textorella* (Chrétien,1908) (Gelechiidae) Synonym(s): *textorella* Chrétien,1908
- 12955) *Filatima ukrainica* Piskunov,1971 (Gelechiidae) Synonym(s): *ukrainica* Piskunov,1971
- 12956) *Filatima zagulajevi* Anikin & Piskunov,1996 (Gelechiidae) Synonym(s): *zagulajevi* Anikin & Piskunov,1996
- 12957) *Filisinella cirrhaea* (Meyrick,1914) (Gelechiidae) Synonym(s): *cirrhaea* Meyrick,1914
- 12958) *Flexiptera revoluta* (Meyrick,1918) (Gelechiidae) Synonym(s): *revoluta* Meyrick,1918
- 12959) *Frumenta nephelomicta* (Meyrick,1930) (Gelechiidae) Synonym(s): *nephelomicta* Meyrick,1930
- 12960) *Furcaphora caelata* (Meyrick,1913) (Gelechiidae) Synonym(s): *caelata* Meyrick,1913; *triscelis* Meyrick,1917
- 12961) *Gambrostola imposita* Meyrick,1926 (Gelechiidae) Synonym(s): *imposita* Meyrick,1926
- 12962) *Gelechia ? machinata* (Meyrick,1929) (Gelechiidae) Synonym(s): *machinata* Meyrick,1929
- 12963) *Gelechia abjunctella* Walker,1864 (Gelechiidae) Synonym(s): *abjunctella* Walker,1864
- 12964) *Gelechia aglossella* Walker,1866 (Gelechiidae) Synonym(s): *aglossella* Walker,1866
- 12965) *Gelechia anagramma* Meyrick,1921 (Gelechiidae) Synonym(s): *anagramma* Meyrick,1921
- 12966) *Gelechia arotrias* Meyrick,1908 (Gelechiidae) Synonym(s): *arotrias* Meyrick,1908
- 12967) *Gelechia asinella* (Hübner,1796) (Gelechiidae) Synonym(s): *asinella* Hübner,1796
- 12968) *Gelechia aspoecki* Huemer,1992 (Gelechiidae) Synonym(s): *aspoecki* Huemer,1992
- 12969) *Gelechia basipunctella* Herrich-Schäffer,[1854] (Gelechiidae) Synonym(s): *basipunctella* Herrich-Schäffer,[1854]
- 12970) *Gelechia chionomima* Meyrick,1909 (Gelechiidae) Synonym(s): *chionomima* Meyrick,1909
- 12971) *Gelechia cretulata* Meyrick,1927 (Gelechiidae) Synonym(s): *cretulata* Meyrick,1927
- 12972) *Gelechia cuneatella* Douglas,1852 (Gelechiidae) Synonym(s): *cuneatella* Douglas,1852
- 12973) *Gelechia dujardini* Huemer,1991 (Gelechiidae) Synonym(s): *dujardini* Huemer,1991.
- 12974) *Gelechia epiphloea* Meyrick,1913 (Gelechiidae) Synonym(s): *epiphloea* Meyrick,1913
- 12975) *Gelechia euprosopa* Meyrick,1926 (Gelechiidae) Synonym(s): *euprosopa* Meyrick,1926
- 12976) *Gelechia exoenota* Meyrick,1918 (Gelechiidae) Synonym(s): *exoenota* Meyrick,1918
- 12977) *Gelechia fecunda* Meyrick,1918 (Gelechiidae) Synonym(s): *fecunda* Meyrick,1918
- 12978) *Gelechia flavipalpella* Walsingham,1881 (Gelechiidae) Synonym(s): *flavipalpella* Walsingham,1881
- 12979) *Gelechia galatea* Meyrick,1926 (Gelechiidae) Synonym(s): *galatea* Meyrick,1926
- 12980) *Gelechia goniospila* Meyrick,1931 (Gelechiidae) Synonym(s): *goniospila* Meyrick,1931
- 12981) *Gelechia gracula* (Meyrick,1929) (Gelechiidae) Synonym(s): *gracula* Meyrick,1929
- 12982) *Gelechia hippophaella* (Schrank,1802) (Gelechiidae) Synonym(s): *hippophaella* Schrank,1802
- 12983) *Gelechia horiaula* Meyrick,1918 (Gelechiidae) Synonym(s): *horiaula* Meyrick,1918
- 12984) *Gelechia invenustella* Berg.,1875 (Gelechiidae) Synonym(s): *invenustella* Berg.,1875
- 12985) *Gelechia jakovlevi* Krulikovskiy,1905 (Gelechiidae) Synonym(s): *jakovlevi* Krulikovskiy,1905
- 12986) *Gelechia lactiflora* Meyrick,1921 (Gelechiidae) Synonym(s): *lactiflora* Meyrick,1921
- 12987) *Gelechia liberata* Meyrick,1910 (Gelechiidae) Synonym(s): *liberata* Meyrick,1910
- 12988) *Gelechia luticoma* Meyrick,1929 (Gelechiidae) Synonym(s): *luticoma* Meyrick,1929
- 12989) *Gelechia mediterranea* Huemer,1991 (Gelechiidae) Synonym(s): *mediterranea* Huemer,1991.
- 12990) *Gelechia melitolica* Meyrick,1935 (Gelechiidae) Synonym(s): *melitolica* Meyrick,1935
- 12991) *Gelechia molitor* Walsingham,1896 (Gelechiidae) Synonym(s): *molitor* Walsingham,1896
- 12992) *Gelechia mundata* (Meyrick,1929) (Gelechiidae) Synonym(s): *mundata* Meyrick,1929
- 12993) *Gelechia muscosella* Zeller,1839 (Gelechiidae) Synonym(s): *muscosella* Zeller,1839
- 12994) *Gelechia nervosella* (Zerny,1927) (Gelechiidae) Synonym(s): *nervosella* Zerny,1927
- 12995) *Gelechia nigra* (Haworth,1828) (Gelechiidae) Synonym(s): *nigra* Haworth,1828
- 12996) *Gelechia omphalopsis* Meyrick,1926 (Gelechiidae) Synonym(s): *omphalopsis* Meyrick,1926
- 12997) *Gelechia ophiaula* Meyrick,1931 (Gelechiidae) Synonym(s): *ophiaula* Meyrick,1931
- 12998) *Gelechia ophiomorpha* Meyrick,1935 (Gelechiidae) Synonym(s): *ophiomorpha* Meyrick,1935
- 12999) *Gelechia paroxanta* Meyrick,1931 (Gelechiidae) Synonym(s): *paroxanta* Meyrick,1931
- 13000) *Gelechia pistaciae* Filipjev,1934 (Gelechiidae) Synonym(s): *pistaciae* Filipjev,1934
- 13001) *Gelechia repetitrix* Meyrick,1931 (Gelechiidae) Synonym(s): *repetitrix* Meyrick,1931
- 13002) *Gelechia rescissella* Zeller,1852 (Gelechiidae) Synonym(s): *rescissella* Zeller,1852
- 13003) *Gelechia resecta* Meyrick,1913 (Gelechiidae) Synonym(s): *resecta* Meyrick,1913
- 13004) *Gelechia rhombella* ([Denis & Schiffermüller],1775) (Gelechiidae) Synonym(s): *rhombella* [Denis & Schiffermüller],1775
- 13005) *Gelechia rhombelliformis* Staudinger,1871 (Gelechiidae) Synonym(s): *rhombelliformis* Staudinger,1871
- 13006) *Gelechia sabinella* (Zeller,1839) (Gelechiidae) Synonym(s): *sabinella* Zeller,1839; *hoffmanniella* Strand,1901; *kalevalella* Kanerva,1936.
- 13007) *Gelechia sarcochroma* Walsingham,1900 (Gelechiidae) Synonym(s): *sarcochroma* Walsingham,1900
- 13008) *Gelechia scotinella* Herrich-Schäffer,[1854] (Gelechiidae) Synonym(s): *scotinella* Herrich-Schäffer,[1854]
- 13009) *Gelechia sematica* (Meyrick,1913) (Gelechiidae) Synonym(s): *sematica* Meyrick,1913
- 13010) *Gelechia senticetella* (Staudinger,1859) (Gelechiidae) Synonym(s): *senticetella* Staudinger,1859; *obscuripennis* Frey,1880; *limitanella* Rebel,1904; *#senticella* Rebel,1932; *nigrostriatella* Zerny,1936.
- 13011) *Gelechia sestertiella* Herrich-Schäffer,1854 (Gelechiidae) Synonym(s): *#sestertiella* Herrich-Schäffer,1853; *sestertiella* Herrich-Schäffer,1854.
- 13012) *Gelechia sirotina* Omelko,1986 (Gelechiidae) Synonym(s): *sirotina* Omelko,1986
- 13013) *Gelechia sororculella* (Hübner,[1817]) (Gelechiidae) Synonym(s): *sororculella* Hübner,[1817]
- 13014) *Gelechia stramentella* (Rebel,1935) (Gelechiidae) Synonym(s): *stramentella* Rebel,1935
- 13015) *Gelechia tetraleuca* Meyrick,1918 (Gelechiidae) Synonym(s): *tetraleuca* Meyrick,1918
- 13016) *Gelechia turpella* ([Denis & Schiffermüller],1775) (Gelechiidae) Synonym(s): *turpella* [Denis & Schiffermüller],1775
- 13017) *Gelechia xylophaea* Meyrick,1921 (Gelechiidae) Synonym(s): *xylophaea* Meyrick,1921
- 13018) *Gladiovalva aizpuruai* Vives Moreno,1990 (Gelechiidae) Synonym(s): *aizpuruai* Vives Moreno,1990
- 13019) *Gladiovalva badidorsella* (Rebel,1935) (Gelechiidae) Synonym(s): *badidorsella* Rebel,1935
- 13020) *Gladiovalva rumicivorella* (Millière,1881) (Gelechiidae) Synonym(s): *rumicivorella* Millière,1881
- 13021) *Gnorimoschema antiquum* Povolny,1966 (Gelechiidae) Synonym(s): *antiquum* Povolny,1966
- 13022) *Gnorimoschema antiquum montanum* Povolny,1966 (Gelechiidae) Synonym(s): *montanum* Povolny,1966
- 13023) *Gnorimoschema bodillum* Karsholt & Nielsen,1974 (Gelechiidae) Synonym(s): *bodillum* Karsholt & Nielsen,1974
- 13024) *Gnorimoschema elbursicum* Povolny,1984 (Gelechiidae) Synonym(s): *elbursicum* Povolny,1984
- 13025) *Gnorimoschema epithymella* (Staudinger,1859) (Gelechiidae) Synonym(s): *epithymella* Staudinger,1859
- 13026) *Gnorimoschema herbichii* (Nowicki,1864) (Gelechiidae) Synonym(s): *herbichii* Nowicki,1864; *pusillella* Rebel,1893; *tengstroemiella* Joannis,1910; *paziczkyi* Rebel,1913; *parenthesella* Toll,1936; *tengstroemi* Hackman,1946; *soffneri* Riedl,1965
- 13027) *Gnorimoschema nilsi* Huemer,1996 (Gelechiidae) Synonym(s): *nilsi* Huemer,1996
- 13028) *Gnorimoschema nordlandicoella* (Strand,1902) (Gelechiidae) Synonym(s): *nordlandicoella* Strand,1902
- 13029) *Gnorimoschema robustella* (Staudinger,1871) (Gelechiidae) Synonym(s): *robustella* Staudinger,1871

- 13030) *Gnорimoschema steueri* Povolny, 1975 (Gelechiidae) Synonym(s): *steueri* Povolny, 1975
- 13031) *Gnорimoschema strelciella* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *strelciella* Herrich-Schäffer, 1854
- 13032) *Gnорimoschema tetrameris* (Meyrick, 1926) (Gelechiidae) Synonym(s): *tetrameris* Meyrick, 1926
- 13033) *Gnорimoschema valesiella* (Staudinger, 1877) (Gelechiidae) Synonym(s): *valesiella* Staudinger, 1877; *diabolicella* Hering, 1924; *charcoti* Meyrick, 1934; *hackmani* Schantz, 1952
- 13034) *Gnosimacha caterica* Meyrick, 1927 (Gelechiidae) Synonym(s): *caterica* Meyrick, 1927
- 13035) *Grandipalpa robusta* Janse, 1951 (Gelechiidae) Synonym(s): *robusta* Janse, 1951
- 13036) *Harpagidia magnetella* (Staudinger, [1871]) (Gelechiidae) Synonym(s): *magnetella* Staudinger, [1871]; *pallidibasella* Ragonot, 1895
- 13037) *Hedma iranica* (Povolny, 1976) (Gelechiidae) Synonym(s): *iranica* Povolny, 1976
- 13038) *Hedma klimeschi* Povolny, 1972 (Gelechiidae) Synonym(s): *klimeschi* Povolny, 1972
- 13039) *Hedma maculata* Povolny, 1978 (Gelechiidae) Synonym(s): *maculata* Povolny, 1978
- 13040) *Hedma micradelpha* (Walsingham, 1900) (Gelechiidae) Synonym(s): *micradelpha* Walsingham, 1900
- 13041) *Hedma microcasis* (Meyrick, 1929) (Gelechiidae) Synonym(s): *micradelpha* Walsingham, 1900 nec Low., 1897; *microcasis* Meyrick, 1929; *abzacella* Dumont, 1932; *hyocyami* Amsel, 1935; *polioptera* Janse, 1960.
- 13042) *Hedma rhamnifoliae* (Amsel & M. Hering, 1931) (Gelechiidae) Synonym(s): *rhamnifoliae* Amsel & M. Hering, 1931
- 13043) *Helcystogramma albinervis* (Gerasimov, 1929) (Gelechiidae) Synonym(s): *albinervis* Gerasimov, 1929
- 13044) *Helcystogramma arulensis* (Rebel, 1929) (Gelechiidae) Synonym(s): *arulensis* Rebel, 1929
- 13045) *Helcystogramma evliyacelebii* (Koçak, 1986) (Gelechiidae) Synonym(s): *trimaculella* Chambers, 1874 nec Pack., 1867; *evliyacelebii* Koçak, 1986
- 13046) *Helcystogramma lineolella* (Zeller, 1839) (Gelechiidae) Synonym(s): *lineolella* Zeller, 1839
- 13047) *Helcystogramma lutatella* (Herrich-Schäffer, [1854]) (Gelechiidae) Synonym(s): *lutatella* Herrich-Schäffer, [1854]
- 13048) *Helcystogramma rufescens* (Haworth, 1828) (Gelechiidae) Synonym(s): *rufescens* Haworth, 1828; *simplella* Eversmann, 1844; *diaphanella* Lienig & Zeller, 1846; *isabella* Stainton, 1849; *rufescentella* Doubleday, 1859.
- 13049) *Helcystogramma triannulella* (Herrich-Schäffer, [1854]) (Gelechiidae) Synonym(s): *triannulella* Herrich-Schäffer, [1854]; *sepiella* Steudel, 1866.
- 13050) *Heteroderces oxyliitha* Meyrick, 1929 (Gelechiidae) Synonym(s): *oxyliitha* Meyrick, 1929
- 13051) *Heteroderces oxyliitha* Meyrick, 1929 (Gelechiidae) Synonym(s): *oxyliitha* Meyrick, 1929
- 13052) *Holaxyra acuta* (Meyrick, 1927) (Gelechiidae) Synonym(s): *acuta* Meyrick, 1927
- 13053) *Holaxyra ithyaula* (Meyrick, 1926) (Gelechiidae) Synonym(s): *ithyaula* Meyrick, 1926
- 13054) *Holaxyra picrophanes* (Meyrick, 1913) (Gelechiidae) Synonym(s): *picrophanes* Meyrick, 1913
- 13055) *Holcophora statice* Staudinger, 1871 (Gelechiidae) Synonym(s): *statice* Staudinger, 1871
- 13056) *Hoplovalva ametrus* (Meyrick, 1921) (Gelechiidae) Synonym(s): *ametrus* Meyrick, 1921
- 13057) *Horridivalva tenuiella* Sattler, 1967 (Gelechiidae) Synonym(s): *tenuiella* Sattler, 1967
- 13058) *Hyalochna allevata* Meyrick, 1918 (Gelechiidae) Synonym(s): *allevata* Meyrick, 1918
- 13059) *Hypatima albogrisea* (Walsingham, 1881) (Gelechiidae) Synonym(s): *albogrisea* Walsingham, 1881; *#albeogrisea* Janse, 1954
- 13060) *Hypatima balanaspis* (Meyrick, 1929) (Gelechiidae) Synonym(s): *balanaspis* Meyrick, 1929
- 13061) *Hypatima binummulata* (Meyrick, 1929) (Gelechiidae) Synonym(s): *binummulata* Meyrick, 1929
- 13062) *Hypatima dissidens* (Meyrick, 1913) (Gelechiidae) Synonym(s): *dissidens* Meyrick, 1913
- 13063) *Hypatima formidolosa* (Meyrick, 1916) (Gelechiidae) Synonym(s): *formidolosa* Meyrick, 1916
- 13064) *Hypatima improba* (Meyrick, 1913) (Gelechiidae) Synonym(s): *improba* Meyrick, 1913
- 13065) *Hypatima isosema* (Meyrick, 1921) (Gelechiidae) Synonym(s): *isosema* Meyrick, 1921
- 13066) *Hypatima lecticata* (Meyrick, 1926) (Gelechiidae) Synonym(s): *lecticata* Meyrick, 1926
- 13067) *Hypatima loxosaris* (Meyrick, 1918) (Gelechiidae) Synonym(s): *loxosaris* Meyrick, 1918
- 13068) *Hypatima manipata* (Meyrick, 1913) (Gelechiidae) Synonym(s): *manipata* Meyrick, 1913
- 13069) *Hypatima melanecta* (Meyrick, 1914) (Gelechiidae) Synonym(s): *melanecta* Meyrick, 1914
- 13070) *Hypatima nigrogrisea* Janse, 1949 (Gelechiidae) Synonym(s): *nigrogrisea* Janse, 1949
- 13071) *Hypatima probolaea* (Meyrick, 1913) (Gelechiidae) Synonym(s): *probolaea* Meyrick, 1913
- 13072) *Hypatima rhomboidella* (Linnaeus, 1758) (Gelechiidae) Synonym(s): *rhomboidella* Linnaeus, 1758; *conscriptella* Hübner, [1805]; *huebnerella* Donovan, 1806; *conscripta* Haworth, 1828
- 13073) *Hypatima solutrix* (Meyrick, 1911) (Gelechiidae) Synonym(s): *solutrix* Meyrick, 1911
- 13074) *Hypatima spathota* Meyrick, 1913 (Gelechiidae) Synonym(s): *spathota* Meyrick, 1913
- 13075) *Hypatima stasimodes* (Meyrick, 1931) (Gelechiidae) Synonym(s): *stasimodes* Meyrick, 1931
- 13076) *Hypatima tetraptila* (Meyrick, 1909) (Gelechiidae) Synonym(s): *tetraptila* Meyrick, 1909
- 13077) *Hypatima triannulata* (Meyrick, 1911) (Gelechiidae) Synonym(s): *triannulata* Meyrick, 1911
- 13078) *Inotica gaesata* Meyrick, 1913 (Gelechiidae) Synonym(s): *gaesata* Meyrick, 1913
- 13079) *Iocharis festa* Meyrick, 1921 (Gelechiidae) Synonym(s): *festa* Meyrick, 1921
- 13080) *Iocharis straminis* (Walsingham, 1881) (Gelechiidae) Synonym(s): *straminis* Walsingham, 1881
- 13081) *Ischnocraspedus peracuta* (Meyrick, 1920) (Gelechiidae) Synonym(s): *peracuta* Meyrick, 1920
- 13082) *Ischnophylla similicolor* Janse, 1963 (Gelechiidae) Synonym(s): *similicolor* Janse, 1963
- 13083) *Isophrictis anthemidella* (Wocke, 1871) (Gelechiidae) Synonym(s): *anthemidella* Wocke, 1871
- 13084) *Isophrictis cerdanica* Nel, 1995 (Gelechiidae) Synonym(s): *cerdanica* Nel, 1995
- 13085) *Isophrictis constantina* (Baker, 1888) (Gelechiidae) Synonym(s): *constantina* Baker, 1888
- 13086) *Isophrictis corsicella* Amsel, 1936 (Gelechiidae) Synonym(s): *corsicella* Amsel, 1936
- 13087) *Isophrictis impugnata* Gozmany, 1957 (Gelechiidae) Synonym(s): *impugnata* Gozmany, 1957
- 13088) *Isophrictis invisella* (Constant, 1885) (Gelechiidae) Synonym(s): *invisella* Constant, 1885
- 13089) *Isophrictis kefersteiniella* (Zeller, 1850) (Gelechiidae) Synonym(s): *kefersteiniella* Zeller, 1850; *senicula* Meyrick, 1913; *leptidella* Turati, 1924
- 13090) *Isophrictis lineatellus* (Zeller, 1850) (Gelechiidae) Synonym(s): *lineatellus* Zeller, 1850; *albilineella* Bruand, 1859
- 13091) *Isophrictis meridionella* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *meridionella* Herrich-Schäffer, 1854
- 13092) *Isophrictis microlina* Meyrick, 1935 (Gelechiidae) Synonym(s): *microlina* Meyrick, 1935
- 13093) *Isophrictis robinella* (Chrétien, 1907) (Gelechiidae) Synonym(s): *robinella* Chrétien, 1907
- 13094) *Isophrictis striatella* ([Denis & Schiffermüller], 1775) (Gelechiidae) Synonym(s): *striatella* [Denis & Schiffermüller], 1775; *tanacetella* Schrank, 1802
- 13095) *Istrianis brucinella* (Mann, 1872) (Gelechiidae) Synonym(s): *brucinella* Mann, 1872
- 13096) *Istrianis femoralis* (Staudinger, 1876) (Gelechiidae) Synonym(s): *femoralis* Staudinger, 1876; *comodonella* Staudinger, 1879; *gravosensis* Rebel, 1937; *angustipennis* Rebel, 1941; *funebrella* Rebel, 1941.
- 13097) *Istrianis myricariella* (Frey, 1870) (Gelechiidae) Synonym(s): *myricariella* Frey, 1870
- 13098) *Iwaruna biguttella* (Duponchel, 1843) (Gelechiidae) Synonym(s): *biguttella* Duponchel, 1843
- 13099) *Iwaruna klimeschi* Wolff, 1958 (Gelechiidae) Synonym(s): *klimeschi* Wolff, 1958
- 13100) *Iwaruna psoralella* (Millière, 1865) (Gelechiidae) Synonym(s): *psoralella* Millière, 1865
- 13101) *Klimeschiopsis discontinuella* (Rebel, 1899) (Gelechiidae) Synonym(s): *discontinuella* Rebel, 1899
- 13102) *Klimeschiopsis kinigerella* (Duponchel, 1844) (Gelechiidae) Synonym(s): *kinigerella* Duponchel, 1844; *atralbella* Palm, 1947
- 13103) *Klimeschiopsis terroris* (Hartig, 1938) (Gelechiidae) Synonym(s): *terroris* Hartig, 1938
- 13104) *Lacharissa tanyzancla* Meyrick, 1937 (Gelechiidae) Synonym(s): *tanyzancla* Meyrick, 1937; *#tanyzancla* Janse, 1958
- 13105) *Lachnostola amphizeucta* Meyrick, 1918 (Gelechiidae) Synonym(s): *amphizeucta* Meyrick, 1918
- 13106) *Lacistodes brunneostola* Janse, 1960 (Gelechiidae) Synonym(s): *brunneostola* Janse, 1960
- 13107) *Lacistodes tauropis* Meyrick, 1921 (Gelechiidae) Synonym(s): *tauropis* Meyrick, 1921
- 13108) *Lanceopenna pentastigma* Janse, 1960 (Gelechiidae) Synonym(s): *pentastigma* Janse, 1960
- 13109) *Lanceopenna prominula* (Meyrick, 1913) (Gelechiidae) Synonym(s): *prominula* Meyrick, 1913
- 13110) *Lanceopenna pseudogaleotis* Janse, 1950 (Gelechiidae) Synonym(s): *pseudogaleotis* Janse, 1950
- 13111) *Lanceoptera panochra* Janse, 1960 (Gelechiidae) Synonym(s): *panochra* Janse, 1960
- 13112) *Lasiarchis hirsuta* Janse, 1958 (Gelechiidae) Synonym(s): *hirsuta* Janse, 1958
- 13113) *Lasiarchis pycnodes* (Meyrick, 1909) (Gelechiidae) Synonym(s): *pycnodes* Meyrick, 1909; *elaeoxyla* Meyrick, 1937
- 13114) *Leucophylla nigribasis* Janse, 1960 (Gelechiidae) Synonym(s): *nigribasis* Janse, 1960
- 13115) *Leuronoma chlorotoma* Meyrick, 1918 (Gelechiidae) Synonym(s): *chlorotoma* Meyrick, 1918

- 13116) *Leuronoma eodryas* (Meyrick, 1918) (Gelechiidae) Synonym(s): *eodryas* Meyrick, 1918
 13117) *Leuronoma magna* Janse, 1958 (Gelechiidae) Synonym(s): *magna* Janse, 1958
 13118) *Leuronoma nigradorsis* Meyrick, 1921 (Gelechiidae) Synonym(s): *nigradorsis* Meyrick, 1921
 13119) *Leuronoma oenochyta* (Meyrick, 1921) (Gelechiidae) Synonym(s): *oenochyta* Meyrick, 1921
 13120) *Leuronoma textifera* (Meyrick, 1913) (Gelechiidae) Synonym(s): *textifera* Meyrick, 1913
 13121) *Leuronoma veterascens* Meyrick, 1918 (Gelechiidae) Synonym(s): *veterascens* Meyrick, 1918
 13122) *Leuronoma zymotis* (Meyrick, 1909) (Gelechiidae) Synonym(s): *zymotis* Meyrick, 1909
 13123) *Leuropalpa reducta* (Janse, 1951) (Gelechiidae) Synonym(s): *reducta* Janse, 1951
 13124) *Lutilabria lutilabrella* (Mann, 1857) (Gelechiidae) Synonym(s): *lutilabrella* Mann, 1857
 13125) *Lutilabria olympica* Huemer, 1993 (Gelechiidae) Synonym(s): *olympica* Huemer, 1993
 13126) *Lutilabria volgensis* Anikin & Piskunov, 1996 (Gelechiidae) Synonym(s): *volgensis* Anikin & Piskunov, 1996
 13127) *Machlotricha griseostola* Janse, 1960 (Gelechiidae) Synonym(s): *griseostola* Janse, 1960
 13128) *Machlotricha latipalpis* (Walsingham, 1881) (Gelechiidae) Synonym(s): *latipalpis* Walsingham, 1881; *caeca* Meyrick, 1912
 13129) *Macrocara sporima* Janse, 1960 (Gelechiidae) Synonym(s): *sporima* Janse, 1960
 13130) *Macrocara undina* (Meyrick, 1921) (Gelechiidae) Synonym(s): *undina* Meyrick, 1921
 13131) *Megacraspedus alfacaurellus* Wehrli, 1926 (Gelechiidae) Synonym(s): *alfacaurellus* Wehrli, 1926
 13132) *Megacraspedus argyreneurellus* Staudinger, 1876 (Gelechiidae) Synonym(s): *argyreneurellus* Staudinger, 1876
 13133) *Megacraspedus attritellus* Staudinger, 1871 (Gelechiidae) Synonym(s): *attritellus* Staudinger, 1871
 13134) *Megacraspedus bilineatellus* Huemer & Karsholt, 1996 (Gelechiidae) Synonym(s): *bilineatella* Huemer & Karsholt, 1996
 13135) *Megacraspedus binotellus* (Duponchel, 1843) (Gelechiidae) Synonym(s): *binotella* Duponchel, 1843
 13136) *Megacraspedus cerussatellus* Rebel, 1930 (Gelechiidae) Synonym(s): *cerussatellus* Rebel, 1930
 13137) *Megacraspedus cuencellus* Caradja, 1920 (Gelechiidae) Synonym(s): *cuencellus* Caradja, 1920
 13138) *Megacraspedus dolosellus* (Zeller, 1839) (Gelechiidae) Synonym(s): *dolosellus* Zeller, 1839
 13139) *Megacraspedus escalerellus* Schmidt, 1941 (Gelechiidae) Synonym(s): *escalerellus* Schmidt, 1941
 13140) *Megacraspedus grossisquammellus* Chrétien, 1925 (Gelechiidae) Synonym(s): *grossisquammellus* Chrétien, 1925
 13141) *Megacraspedus imparellus* (Fischer v. Röslerstamm, 1843) (Gelechiidae) Synonym(s): *imparellus* Fischer v. Röslerstamm, 1843
 13142) *Megacraspedus incertellus* Rebel, 1930 (Gelechiidae) Synonym(s): *incertellus* Rebel, 1930
 13143) *Megacraspedus lagopellus* Herrich-Schäffer, 1860 (Gelechiidae) Synonym(s): *lagopellus* Herrich-Schäffer, 1860
 13144) *Megacraspedus lanceolellus* (Zeller, 1850) (Gelechiidae) Synonym(s): *lanceolellus* Zeller, 1850
 13145) *Megacraspedus lativalvellus* Amsel, 1954 (Gelechiidae) Synonym(s): *lativalvellus* Amsel, 1954
 13146) *Megacraspedus monolorellus* Rebel, 1905 (Gelechiidae) Synonym(s): *monolorellus* Rebel, 1905
 13147) *Megacraspedus pentheres* Walsingham, 1920 (Gelechiidae) Synonym(s): *pentheres* Walsingham, 1920
 13148) *Megacraspedus pusillus* Walsingham, 1903 (Gelechiidae) Synonym(s): *pusillus* Walsingham, 1903
 13149) *Megacraspedus separatellus* (Fischer v. Röslerstamm, 1843) (Gelechiidae) Synonym(s): *separatellus* Fischer v. Röslerstamm, 1843
 13150) *Megacraspedus sericus* Meyrick, 1909 (Gelechiidae) Synonym(s): *serica* Meyrick, 1909
 13151) *Megacraspedus squalidus* (Meyrick, 1926) (Gelechiidae) Synonym(s): *squalida* Meyrick, 1926
 13152) *Megacraspedus subdolellus* Staudinger, 1859 (Gelechiidae) Synonym(s): *subdolellus* Staudinger, 1859
 13153) *Megacraspedus tristicus* Walsingham, 1910 (Gelechiidae) Synonym(s): *tristicus* Walsingham, 1910
 13154) *Megacraspedus tutti* Walsingham, 1887 (Gelechiidae) Synonym(s): *tutti* Walsingham, 1887
 13155) *Melitoxestis centrotypa* Meyrick, 1921 (Gelechiidae) Synonym(s): *centrotypa* Meyrick, 1921
 13156) *Melitoxoides cophias* (Meyrick, 1913) (Gelechiidae) Synonym(s): *cophias* Meyrick, 1913
 13157) *Melitoxoides glauca* Janse, 1960 (Gelechiidae) Synonym(s): *glauca* Janse, 1960
 13158) *Melitoxoides leucodoxa* (Meyrick, 1920) (Gelechiidae) Synonym(s): *leucodoxa* Meyrick, 1920
 13159) *Melitoxoides panaula* (Meyrick, 1909) (Gelechiidae) Synonym(s): *panaula* Meyrick, 1909; *eusebasta* Meyrick, 1926
 13160) *Mesophleps corsicella* (Herrich-Schäffer, 1856) (Gelechiidae) Synonym(s): *corsicella* Herrich-Schäffer, 1856
 13161) *Mesophleps lala* Agenjo, 1960 (Gelechiidae) Synonym(s): *lala* Agenjo, 1960
 13162) *Mesophleps oxycedrella* (Millière, 1871) (Gelechiidae) Synonym(s): *oxycedrella* Millière, 1871
 13163) *Mesophleps silacella* (Hübner, 1796) (Gelechiidae) Synonym(s): *pyropella* Hübner, 1793; *silacella* Hübner, 1796; *silacea* Haworth, 1828
 13164) *Metanarsia* (Parametanarsia) *partilella* (Christoph, 1887) (Gelechiidae) Synonym(s): *partilella* Christoph, 1887
 13165) *Metanarsia* (s.str.) *modesta* Staudinger, 1871 (Gelechiidae) Synonym(s): *modesta* Staudinger, 1871
 13166) *Metanarsia* (s.str.) *modesta kurdistanella* Amsel, 1959 (Gelechiidae) Synonym(s): *kurdistanella* Amsel, 1959
 13167) *Metanarsia* (s.str.) *onzella* (Christoph, 1887) (Gelechiidae) Synonym(s): *onzella* Christoph, 1887
 13168) *Metatactus griseobrunnea* Janse, 1949 (Gelechiidae) Synonym(s): *griseobrunnea* Janse, 1949
 13169) *Metzneria acrena* (Meyrick, 1908) (Gelechiidae) Synonym(s): *acrena* Meyrick, 1908
 13170) *Metzneria aestivella* (Zeller, 1839) (Gelechiidae) Synonym(s): *aestivella* Zeller, 1839; *carlinella* Stainton, 1851; *selaginella* Mann, 1855; *torridella* Mann.
 13171) *Metzneria agraphella* (Ragonot, 1895) (Gelechiidae) Synonym(s): *agraphella* Ragonot, 1895; *incognita* Walsingham, 1904.
 13172) *Metzneria albiramosella* (Christoph, 1885) (Gelechiidae) Synonym(s): *albiramosella* Christoph, 1885
 13173) *Metzneria aprilella* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *aprilella* Herrich-Schäffer, 1854
 13174) *Metzneria artificella* (Herrich-Schäffer, 1861) (Gelechiidae) Synonym(s): *artificella* Herrich-Schäffer, 1861; *litigiosella* Millière, 1879.
 13175) *Metzneria aspretella* (Lederer, 1869) (Gelechiidae) Synonym(s): *aspretella* Lederer, 1869
 13176) *Metzneria brandbergi* Janse, 1963 (Gelechiidae) Synonym(s): *brandbergi* Janse, 1963
 13177) *Metzneria castiliella* (Möschler, 1866) (Gelechiidae) Synonym(s): *castiliella* Möschler, 1866; *eatoni* Walsingham, 1899.
 13178) *Metzneria diamondi* Amsel, 1949 (Gelechiidae) Synonym(s): *diamondi* Amsel, 1949
 13179) *Metzneria diffusella* Englert, 1974 (Gelechiidae) Synonym(s): *diffusella* Englert, 1974
 13180) *Metzneria ehikeella* Gozmany, 1954 (Gelechiidae) Synonym(s): *ehikeella* Gozmany, 1954
 13181) *Metzneria heptacentra* Meyrick, 1911 (Gelechiidae) Synonym(s): *heptacentra* Meyrick, 1911
 13182) *Metzneria hilarella* Caradja, 1920 (Gelechiidae) Synonym(s): *hilarella* Caradja, 1920
 13183) *Metzneria igneella* Tengström, 1859 (Gelechiidae) Synonym(s): *igneella* Tengström, 1859.
 13184) *Metzneria intestinella* (Mann, 1864) (Gelechiidae) Synonym(s): *intestinella* Mann, 1864
 13185) *Metzneria lappella* (Linnaeus, 1758) (Gelechiidae) Synonym(s): *lappella* Linnaeus, 1758; *silacea* Haworth, 1828; *silacella* Wood, 1839.
 13186) *Metzneria littorella* (Douglas, 1850) (Gelechiidae) Synonym(s): *littorella* Douglas, 1850; *quinquepunctella* Herrich-Schäffer, 1855.
 13187) *Metzneria luqueti* Nel, 1995 (Gelechiidae) Synonym(s): *luqueti* Nel, 1995
 13188) *Metzneria metzneriella* Stainton, 1851 (Gelechiidae) Synonym(s): *paucipunctella* Douglas, 1850 nec Zeller, 1851; *metzneriella* Stainton, 1851.
 13189) *Metzneria neuropterella* Zeller, 1839 (Gelechiidae) Synonym(s): *neuropterella* Zeller, 1839; *#gigantella* Krulikowsky, 1909.
 13190) *Metzneria paucipunctella* (Zeller, 1839) (Gelechiidae) Synonym(s): *paucipunctella* Zeller, 1839; *zimmermanni* Hering, 1940; *confusalis* Lucas, 1955.
 13191) *Metzneria riadella* Englert, 1974 (Gelechiidae) Synonym(s): *riadella* Englert, 1974
 13192) *Metzneria santolinella* (Amsel, 1936) (Gelechiidae) Synonym(s): *santolinella* Amsel, 1936; *consimilella* Hackman, 1947.
 13193) *Metzneria staehelinella* Englert, 1974 (Gelechiidae) Synonym(s): *staehelinella* Englert, 1974
 13194) *Metzneria subflavella* Englert, 1974 (Gelechiidae) Synonym(s): *subflavella* Englert, 1974
 13195) *Metzneria tenuiella* (Mann, 1864) (Gelechiidae) Synonym(s): *tenuiella* Mann, 1864; *infelix* Walsingham, 1908; *insignificans* Walsingham, 1908.
 13196) *Metzneria torosulella* Rebel, 1893 (Gelechiidae) Synonym(s): *torosulella* Rebel, 1893
 13197) *Metzneria tristella* Rebel, 1901 (Gelechiidae) Synonym(s): *tristella* Rebel, 1901
 13198) *Metzneria varennei* Nel, 1997 (Gelechiidae) Synonym(s): *pannonicella* Rebel, 1915; *varennei* Nel, 1997.
 13199) *Mirificarma* (Montivaga) *montivaga* (Walsingham, 1904) (Gelechiidae) Synonym(s): *montivaga* Walsingham, 1904; *pulverosella* Zerny, 1936.
 13200) *Mirificarma* (s.str. (Interrupta)) *burdonella* (Rebel, 1930) (Gelechiidae) Synonym(s): *burdonella* Rebel, 1930
 13201) *Mirificarma* (s.str. (Interrupta)) *cabezella* (Chrétien, 1925) (Gelechiidae) Synonym(s): *cabezella* Chrétien, 1925
 13202) *Mirificarma* (s.str. (Interrupta)) *constricta* Pitkin, 1984 (Gelechiidae) Synonym(s): *constricta* Pitkin, 1984
 13203) *Mirificarma* (s.str. (Interrupta)) *cytisella* (Treitschke, 1833) (Gelechiidae) Synonym(s): *cytisella* Treitschke, 1833
 13204) *Mirificarma* (s.str. (Interrupta)) *fasciata* Pitkin, 1984 (Gelechiidae) Synonym(s): *fasciata* Pitkin, 1984
 13205) *Mirificarma* (s.str. (Interrupta)) *interrupta* (Curtis, 1827) (Gelechiidae) Synonym(s): *interruptella* Hübner, 1793 nec De Villiers, 1789; *interrupta* Curtis, 1827 (cf. Koçak).

- 13206) *Mirificarma* (s.str. (Interrupta)) *lentiginosella* (Zeller,1839) (Gelechiidae) Synonym(s): *lentiginosella* Zeller,1839
- 13207) *Mirificarma* (s.str. (Interrupta)) *monticolella* (Rebel,1931) (Gelechiidae) Synonym(s): *monticolella* Rebel,1931
- 13208) *Mirificarma* (s.str. (Interrupta)) *mulinella* (Zeller,1839) (Gelechiidae) Synonym(s): *mulinella* Zeller,1839; *caminariella* Fuchs,1902; *nigraesilvae* Amsel,1950.
- 13209) *Mirificarma* (s.str. (Interrupta)) *ocellinella* (Chrétien,1915) (Gelechiidae) Synonym(s): *ocellinella* Chrétien,1915
- 13210) *Mirificarma* (s.str. (Interrupta)) *pederskouii* Huemer & Karsholt,1999 (Gelechiidae) Synonym(s): *pederskouii* Huemer & Karsholt,1999
- 13211) *Mirificarma* (s.str. (Interrupta)) *ulicinella* (Staudinger,1859) (Gelechiidae) Synonym(s): *ulicinella* Staudinger,1859
- 13212) *Mirificarma* (s.str. (s.str.)) *aflavella* (Amsel,1935) (Gelechiidae) Synonym(s): *aflavella* Amsel,1935
- 13213) *Mirificarma* (s.str. (s.str.)) *denotata* Pitkin,1984 (Gelechiidae) Synonym(s): *denotata* Pitkin,1984
- 13214) *Mirificarma* (s.str. (s.str.)) *eburnella* ([Denis & Schiffermüller],1775) (Gelechiidae) Synonym(s): *eburnella* [Denis & Schiffermüller],1775; *formosella* Hübner,1796 nec [Denis & Schiffermüller],1775; *flammella* Hübner,[1825]; *rufeoformosella* Bruand,1859.
- 13215) *Mirificarma* (s.str. (s.str.)) *flavella* (Duponchel,[1844]) (Gelechiidae) Synonym(s): *flavella* Duponchel,[1844]; *segetella* Zeller,1847.
- 13216) *Mirificarma* (s.str. (s.str.)) *maculatella* (Hübner,1796) (Gelechiidae) Synonym(s): *maculatella* Hübner,1796
- 13217) *Mirificarma* (s.str. (s.str.)) *pallidipulchra* (Walsingham,1904) (Gelechiidae) Synonym(s): *pallidipulchra* Walsingham,1904; *striolella* Turati,1924.
- 13218) *Mirificarma* (s.str. (s.str.)) *rhodoptera* (Mann,1866) (Gelechiidae) Synonym(s): *rhodoptera* Mann,1866.
- 13219) *Mometa* *zemiodes* Durrant,1914 (Gelechiidae) Synonym(s): *zemiodes* Durrant,1914
- 13220) *Monochroa* *arundinetella* (Stainton,1858) (Gelechiidae) Synonym(s): *arundinetella* Stainton,1858
- 13221) *Monochroa* *conspersella* (Herrich-Schäffer,1854) (Gelechiidae) Synonym(s): *conspersella* Herrich-Schäffer,1854; *quaestionella* Herrich-Schäffer,1854; *morosa* Mühlig,1864
- 13222) *Monochroa* *cytisella* (Curtis,1837) (Gelechiidae) Synonym(s): *cytisella* Curtis,1837; *fuscipennis* Humpreys & Westwood,1845; *walkeriella* Douglas,1850; *coenulentella* Herrich-Schäffer,1854; *clinosema* Meyrick,1935; *griseocapitella* Benthinck,1949
- 13223) *Monochroa* *dellabeffai* (Rebel,1932) (Gelechiidae) Synonym(s): *dellabeffai* Rebel,1932
- 13224) *Monochroa* *divisella* (Douglas,1850) (Gelechiidae) Synonym(s): *divisella* Douglas,1850
- 13225) *Monochroa* *elongella* (Heinemann,1870) (Gelechiidae) Synonym(s): *elongella* Heinemann,1870; *micrometra* Meyrick,1935
- 13226) *Monochroa* *ferrea* (Frey,1870) (Gelechiidae) Synonym(s): *ferrea* Frey,1870; *latiuscula* Heinemann,1870; *alfkeni* Amsel,1938
- 13227) *Monochroa* *hornigi* (Staudinger,1883) (Gelechiidae) Synonym(s): *hornigi* Staudinger,1883; *nordmannella* Bruun,1958
- 13228) *Monochroa* *inflexella* Svensson,1992 (Gelechiidae) Synonym(s): *inflexella* Svensson,1992
- 13229) *Monochroa* *lucidella* (Stephens,1834) (Gelechiidae) Synonym(s): *lucidella* Stephens,1834; *scordiscella* Rebel,1904; *unipunctella* Rebel,1935
- 13230) *Monochroa* *lutulentella* (Zeller,1839) (Gelechiidae) Synonym(s): *lutulentella* Zeller,1839; *brunickii* Rebel,1913
- 13231) *Monochroa* *melagonella* (Constant,1895) (Gelechiidae) Synonym(s): *melagonella* Constant,1895
- 13232) *Monochroa* *moyes* Uffen,1991 (Gelechiidae) Synonym(s): *moyes* Uffen,1991
- 13233) *Monochroa* *nigromaculella* (Millière,1872) (Gelechiidae) Synonym(s): *nigromaculella* Millière,1872; *punctatella* Staudinger,1879; *morphochroma* Walsingham,1900; *jacatrix* Meyrick,1926; *angustipennis* Rebel,1931; *craterotipa* Meyrick,1938
- 13234) *Monochroa* *niphognatha* (Gozmany,1953) (Gelechiidae) Synonym(s): *niphognatha* Gozmany,1953
- 13235) *Monochroa* *nomadella* (Zeller,1868) (Gelechiidae) Synonym(s): *nomadella* Zeller,1868
- 13236) *Monochroa* *palustrella* (Douglas,1850) (Gelechiidae) Synonym(s): *palustrella* Douglas,1850
- 13237) *Monochroa* *parvulata* Gozmany,1957 (Gelechiidae) Synonym(s): *parvulata* Gozmany,1957; *mediterranea* Nel & Luquet,1997
- 13238) *Monochroa* *rumicetella* (Hofmann,1868) (Gelechiidae) Synonym(s): *rumicetella* Hofmann,1868; *acutangulella* Heinemann,1870; *leptotechna* Meyrick,1937
- 13239) *Monochroa* *saltenella* (Benander,1928) (Gelechiidae) Synonym(s): *saltenella* Benander,1928
- 13240) *Monochroa* *scutatella* (Müller-Rutz,1920) (Gelechiidae) Synonym(s): *scutatella* Müller-Rutz,1920)
- 13241) *Monochroa* *sepicolella* (Herrich-Schäffer,1854) (Gelechiidae) Synonym(s): *sepicolella* Herrich-Schäffer,1854
- 13242) *Monochroa* *servella* (Zeller,1839) (Gelechiidae) Synonym(s): *servella* Zeller,1839
- 13243) *Monochroa* *simplicella* (Lienig & Zeller,1846) (Gelechiidae) Synonym(s): *simplicella* Lienig & Zeller,1846
- 13244) *Monochroa* *suffusella* (Douglas,1850) (Gelechiidae) Synonym(s): *suffusella* Douglas,1850
- 13245) *Monochroa* *tenebrella* (Hübner,[1817]) (Gelechiidae) Synonym(s): *tenebrella* Hübner,[1817]; *fuscocuprea* Haworth,1828; *subcuprella* Stephens,1834; *tenebrosella* Zeller,1839; *parvella* Heydenreich,1851; *fuscocuprella* Doubleday,1859; *buffonella* Millière,1876
- 13246) *Monochroa* *tetragonella* (Stainton,1885) (Gelechiidae) Synonym(s): *tetragonella* Stainton,1885
- 13247) *Musurga* *turgida* (Meyrick,1918) (Gelechiidae) Synonym(s): *turgida* Meyrick,1918
- 13248) *Myconita* *plutelliformis* Snellen,1901 (Gelechiidae) Synonym(s): *plutelliformis* Snellen,1901
- 13249) *Nealyda* *panchromatica* (Meyrick,1926) (Gelechiidae) Synonym(s): *panchromatica* Meyrick,1926
- 13250) *Neofaculta* *confidella* Rebel,1935 (Gelechiidae) Synonym(s): *confidella* Rebel,1935
- 13251) *Neofaculta* *ericetella* (Geyer,[1832]) (Gelechiidae) Synonym(s): *ericetella* Geyer,[1832]; *gallinella* Treitschke,1833; *lanceolella* Stephens,1834; *fuscella* Duponchel,1844; *atlanticella* Amsel,1938; *hamseli* Dufrene,1955
- 13252) *Neofaculta* *infernella* (Herrich-Schäffer,1854) (Gelechiidae) Synonym(s): *infernella* Herrich-Schäffer,1854
- 13253) *Neofriseria* *amelsi* Povolny,1981 (Gelechiidae) Synonym(s): *amelsi* Povolny,1981
- 13254) *Neofriseria* *baungaardiella* Huemer & Karsholt,1999 (Gelechiidae) Synonym(s): *baungaardiella* Huemer & Karsholt,1999
- 13255) *Neofriseria* *caucasiella* Sattler,1960 (Gelechiidae) Synonym(s): *caucasiella* Sattler,1960
- 13256) *Neofriseria* *pelicella* (Treitschke,1835) (Gelechiidae) Synonym(s): *pelicella* Treitschke,1835
- 13257) *Neofriseria* *pseudoterrella* (Rebel,1928) (Gelechiidae) Synonym(s): *pseudoterrella* Rebel,1928
- 13258) *Neofriseria* *sceptrophora* (Meyrick,1926) (Gelechiidae) Synonym(s): *sceptrophora* Meyrick,1926
- 13259) *Neofriseria* *similis* Povolny,1981 (Gelechiidae) Synonym(s): *similis* Povolny,1981
- 13260) *Neofriseria* *singula* (Staudinger,1876) (Gelechiidae) Synonym(s): *singula* Staudinger,1876
- 13261) *Neopachnistis* *amblystola* Janse,1954 (Gelechiidae) Synonym(s): *amblystola* Janse,1954
- 13262) *Neopachnistis* *autophanta* (Meyrick,1921) (Gelechiidae) Synonym(s): *autophanta* Meyrick,1921
- 13263) *Neopachnistis* *finitima* (Meyrick,1921) (Gelechiidae) Synonym(s): *finitima* Meyrick,1921
- 13264) *Neopachnistis* *microphanta* (Meyrick,1921) (Gelechiidae) Synonym(s): *microphanta* Meyrick,1921
- 13265) *Neopachnistis* *parochroma* Janse,1954 (Gelechiidae) Synonym(s): *parochroma* Janse,1954
- 13266) *Neopachnistis* *pseudomorpha* Janse,1954 (Gelechiidae) Synonym(s): *pseudomorpha* Janse,1954
- 13267) *Neopachnistis* *tephrodes* (Meyrick,1909) (Gelechiidae) Synonym(s): *tephrodes* Meyrick,1909
- 13268) *Neopatetris* *tenuis* Janse,1960 (Gelechiidae) Synonym(s): *tenuis* Janse,1960
- 13269) *Neotelphusa* *anisogrisea* Janse,1958 (Gelechiidae) Synonym(s): *anisogrisea* Janse,1958
- 13270) *Neotelphusa* *bimaculata* Janse,1958 (Gelechiidae) Synonym(s): *bimaculata* Janse,1958
- 13271) *Neotelphusa* *castrigera* (Meyrick,1913) (Gelechiidae) Synonym(s): *castrigera* Meyrick,1913
- 13272) *Neotelphusa* *cirrhomacula* Janse,1958 (Gelechiidae) Synonym(s): *cirrhomacula* Janse,1958
- 13273) *Neotelphusa* *craterota* (Meyrick,1913) (Gelechiidae) Synonym(s): *craterota* Meyrick,1913
- 13274) *Neotelphusa* *ferrugilinea* Janse,1958 (Gelechiidae) Synonym(s): *ferrugilinea* Janse,1958
- 13275) *Neotelphusa* *flavinotata* Janse,1958 (Gelechiidae) Synonym(s): *flavinotata* Janse,1958
- 13276) *Neotelphusa* *fuscisparsa* Janse,1958 (Gelechiidae) Synonym(s): *fuscisparsa* Janse,1958
- 13277) *Neotelphusa* *limenaea* (Meyrick,1920) (Gelechiidae) Synonym(s): *limenaea* Meyrick,1920
- 13278) *Neotelphusa* *melicentra* (Meyrick,1921) (Gelechiidae) Synonym(s): *melicentra* Meyrick,1921
- 13279) *Neotelphusa* *obliquifascia* Janse,1960 (Gelechiidae) Synonym(s): *obliquifascia* Janse,1960
- 13280) *Neotelphusa* *pallidistola* Janse,1958 (Gelechiidae) Synonym(s): *pallidistola* Janse,1958
- 13281) *Neotelphusa* *phaeomacula* Janse,1958 (Gelechiidae) Synonym(s): *phaeomacula* Janse,1958
- 13282) *Neotelphusa* *similella* Janse,1958 (Gelechiidae) Synonym(s): *similella* Janse,1958
- 13283) *Neotelphusa* *tapinota* Janse,1958 (Gelechiidae) Synonym(s): *tapinota* Janse,1958
- 13284) *Nothris* *chinganella* Christoph,1882 (Gelechiidae) Synonym(s): *chinganella* Christoph,1882; *fuscanella* Caradja,1920.
- 13285) *Nothris* *congressariella* (Bruand,1858) (Gelechiidae) Synonym(s): *congressariella* Bruand,1858; *deklaratella* Staudinger,1859
- 13286) *Nothris* *hastata* (Meyrick,1918) (Gelechiidae) Synonym(s): *hastata* Meyrick,1918
- 13287) *Nothris* *lemniscella* (Zeller,1839) (Gelechiidae) Synonym(s): *lemniscella* Zeller,1839
- 13288) *Nothris* *sabulosella* Rebel,1935 (Gelechiidae) Synonym(s): *sabulosella* Rebel,1935
- 13289) *Nothris* *sulcella* Staudinger,1879 (Gelechiidae) Synonym(s): *sulcella* Staudinger,1879
- 13290) *Nothris* *verbascella* (Brahm,1791) (Gelechiidae) Synonym(s): *verbascella* [Denis & Schiffermüller],1775; *verbascella* Brahm,1791; *lutarea* Haworth,1828

- 13291) *Octonodula binotella* Janse, 1951 (Gelechiidae) Synonym(s): *binotella* Janse, 1951
 13292) *Octonodula inumbrata* (Meyrick, 1914) (Gelechiidae) Synonym(s): *inumbrata* Meyrick, 1914
 13293) *Oecocercis guyonella* Guenée, 1870 (Gelechiidae) Synonym(s): *guyonella* Guenée, 1870
 13294) *Onebala adaequata* (Meyrick, 1914) (Gelechiidae) Synonym(s): *adaequata* Meyrick, 1914
 13295) *Onebala anisopa* (Meyrick, 1918) (Gelechiidae) Synonym(s): *anisopa* Meyrick, 1918
 13296) *Onebala archigrapta* (Meyrick, 1928) (Gelechiidae) Synonym(s): *archigrapta* Meyrick, 1928
 13297) *Onebala armata* (Meyrick, 1911) (Gelechiidae) Synonym(s): *armata* Meyrick, 1911
 13298) *Onebala balteata* (Meyrick, 1911) (Gelechiidae) Synonym(s): *balteata* Meyrick, 1911
 13299) *Onebala brabylitis* (Meyrick, 1911) (Gelechiidae) Synonym(s): *brabylitis* Meyrick, 1911
 13300) *Onebala brunneotincta* Janse, 1954 (Gelechiidae) Synonym(s): *brunneotincta* Janse, 1954
 13301) *Onebala carycastis* (Meyrick, 1922) (Gelechiidae) Synonym(s): *carycastis* Meyrick, 1922
 13302) *Onebala cerinura* (Meyrick, 1923) (Gelechiidae) Synonym(s): *cerinura* Meyrick, 1923
 13303) *Onebala chalyburga* (Meyrick, 1922) (Gelechiidae) Synonym(s): *chalyburga* Meyrick, 1922
 13304) *Onebala delocosma* Meyrick, 1936 (Gelechiidae) Synonym(s): *delocosma* Meyrick, 1936
 13305) *Onebala hibisci* (Stainton, 1859) (Gelechiidae) Synonym(s): *hibisci* Stainton, 1859
 13306) *Onebala hoplophora* (Meyrick, 1916) (Gelechiidae) Synonym(s): *hoplophora* Meyrick, 1916
 13307) *Onebala infibulata* (Meyrick, 1916) (Gelechiidae) Synonym(s): *infibulata* Meyrick, 1916
 13308) *Onebala lamprostoma* (Zeller, 1847) (Gelechiidae) Synonym(s): *lamprostoma* Zeller, 1847
 13309) *Onebala leucoplecta* (Meyrick, 1911) (Gelechiidae) Synonym(s): *leucoplecta* Meyrick, 1911
 13310) *Onebala lithostrota* (Meyrick, 1916) (Gelechiidae) Synonym(s): *lithostrota* Meyrick, 1916
 13311) *Onebala meconitis* (Meyrick, 1913) (Gelechiidae) Synonym(s): *meconitis* Meyrick, 1913
 13312) *Onebala obscurata* (Meyrick, 1911) (Gelechiidae) Synonym(s): *obscurata* Meyrick, 1911
 13313) *Onebala obsoleta* Janse, 1954 (Gelechiidae) Synonym(s): *obsoleta* Janse, 1954
 13314) *Onebala probolaspis* Meyrick, 1929 (Gelechiidae) Synonym(s): *probolaspis* Meyrick, 1929
 13315) *Onebala semiluna* Janse, 1954 (Gelechiidae) Synonym(s): *semiluna* Janse, 1954
 13316) *Onebala septella* (Zeller, 1852) (Gelechiidae) Synonym(s): *septella* Zeller, 1852; *digitata* Meyrick, 1914
 13317) *Onebala sertigera* (Meyrick, 1923) (Gelechiidae) Synonym(s): *sertigera* Meyrick, 1923
 13318) *Onebala symbolica* (Meyrick, 1914) (Gelechiidae) Synonym(s): *symbolica* Meyrick, 1914
 13319) *Onebala thiestoma* Meyrick, 1929 (Gelechiidae) Synonym(s): *thiestoma* Meyrick, 1929
 13320) *Onebala trichocyma* (Meyrick, 1923) (Gelechiidae) Synonym(s): *trichocyma* Meyrick, 1923
 13321) *Onebala victrix* (Meyrick, 1911) (Gelechiidae) Synonym(s): *victrix* Meyrick, 1911
 13322) *Ornativalva afghana* Sattler, 1967 (Gelechiidae) Synonym(s): *afghana* Sattler, 1967
 13323) *Ornativalva angulatella* (Chrétien, 1915) (Gelechiidae) Synonym(s): *angulatella* Chrétien, 1915; *nigrosuvittatella* Lucas, 1933.
 13324) *Ornativalva antipyraxis* (Meyrick, 1925) (Gelechiidae) Synonym(s): *antipyraxis* Meyrick, 1925
 13325) *Ornativalva arabica* Sattler, 1967 (Gelechiidae) Synonym(s): *arabica* Sattler, 1967
 13326) *Ornativalva caecigena* (Meyrick, 1918) (Gelechiidae) Synonym(s): *caecigena* Meyrick, 1918
 13327) *Ornativalva cerostomatella* (Walsingham, 1904) (Gelechiidae) Synonym(s): *cerostomatella* Walsingham, 1904; *tripartitella* Mabille, 1907; *minutella* Turati, 1929; *biclavata* Meyrick, 1934.
 13328) *Ornativalva erubescens* (Walsingham, 1904) (Gelechiidae) Synonym(s): *erubescens* Walsingham, 1904
 13329) *Ornativalva grisea* Sattler, 1967 (Gelechiidae) Synonym(s): *grisea* Sattler, 1967
 13330) *Ornativalva heligmatodes* (Walsingham, 1904) (Gelechiidae) Synonym(s): *heligmatodes* Walsingham, 1904
 13331) *Ornativalva heluanensis* (Debski, 1913) (Gelechiidae) Synonym(s): *heluanensis* Debski, 1913; *frankenivorella* Chrétien, 1917; *oasicolella* Turati, 1924; *siculella* Mariani, 1937.
 13332) *Ornativalva ignota* Sattler, 1967 (Gelechiidae) Synonym(s): *ignota* Sattler, 1967
 13333) *Ornativalva indica* Sattler, 1967 (Gelechiidae) Synonym(s): *indica* Sattler, 1967
 13334) *Ornativalva kalahariensis* (Janse, 1960) (Gelechiidae) Synonym(s): *kalahariensis* Janse, 1960
 13335) *Ornativalva lilyella* (Lucas, 1944) (Gelechiidae) Synonym(s): *lilyella* Lucas, 1944
 13336) *Ornativalva longiductella* Sattler, 1967 (Gelechiidae) Synonym(s): *longiductella* Sattler, 1967
 13337) *Ornativalva macrosignella* Sattler, 1967 (Gelechiidae) Synonym(s): *macrosignella* Sattler, 1967
 13338) *Ornativalva mixolitha* (Meyrick, 1918) (Gelechiidae) Synonym(s): *mixolitha* Meyrick, 1918
 13339) *Ornativalva mixolitha bipunctella* Sattler, 1967 (Gelechiidae) Synonym(s): *bipunctella* Sattler, 1967
 13340) *Ornativalva mongolica* Sattler, 1967 (Gelechiidae) Synonym(s): *mongolica* Sattler, 1967
 13341) *Ornativalva ochraceofusca* Sattler, 1967 (Gelechiidae) Synonym(s): *ochraceofusca* Sattler, 1967
 13342) *Ornativalva ornatella* Sattler, 1967 (Gelechiidae) Synonym(s): *ornatella* Sattler, 1967
 13343) *Ornativalva pharaonis* Sattler, 1967 (Gelechiidae) Synonym(s): *pharaonis* Sattler, 1967
 13344) *Ornativalva plutelliformis* (Staudinger, 1859) (Gelechiidae) Synonym(s): *plutelliformis* Staudinger, 1859; *sinuatella* Walsingham, 1904
 13345) *Ornativalva pseudotamaricella* Sattler, 1967 (Gelechiidae) Synonym(s): *tamaricella* auct.; *pseudotamaricella* Sattler, 1967.
 13346) *Ornativalva roseosuffusella* Sattler, 1967 (Gelechiidae) Synonym(s): *roseosuffusella* Sattler, 1967
 13347) *Ornativalva serratsignella* Sattler, 1967 (Gelechiidae) Synonym(s): *serratsignella* Sattler, 1967
 13348) *Ornativalva sesostrella* (Rebel, 1912) (Gelechiidae) Synonym(s): *sesostrella* Rebel, 1912
 13349) *Ornativalva sieversi* (Staudinger, 1871) (Gelechiidae) Synonym(s): *sieversi* Staudinger, 1871
 13350) *Ornativalva singula* Sattler, 1967 (Gelechiidae) Synonym(s): *singula* Sattler, 1967
 13351) *Ornativalva tamaricella* (Zeller, 1850) (Gelechiidae) Synonym(s): *tamaricella* Zeller, 1850
 13352) *Ornativalva triangulella* Sattler, 1967 (Gelechiidae) Synonym(s): *triangulella* Sattler, 1967
 13353) *Ornativalva zonella* (Chrétien, 1917) (Gelechiidae) Synonym(s): *zonella* Chrétien, 1917; *cinelion* Amsel, 1935; *iranella* Sattler, 1967
 13354) *Oxypteryx jordanella* Rebel, 1911 (Gelechiidae) Synonym(s): *jordanella* Rebel, 1911
 13355) *Palumbina guerinii* (Stainton, 1857) (Gelechiidae) Synonym(s): *guerinii* Stainton, 1857; *terebintella* Rondani, 1876; *pistaciae* Anagnostopoulos, 1935.
 13356) *Panicotricha prographa* Meyrick, 1913 (Gelechiidae) Synonym(s): *prographa* Meyrick, 1913
 13357) *Parabola butyraula* (Meyrick, 1913) (Gelechiidae) Synonym(s): *butyraula* Meyrick, 1913
 13358) *Parabrachmia anomala* Janse, 1960 (Gelechiidae) Synonym(s): *anomala* Janse, 1960
 13359) *Parabrachmia trisignella* Janse, 1960 (Gelechiidae) Synonym(s): *trisignella* Janse, 1960
 13360) *Parachronistis albiceps* (Zeller, 1839) (Gelechiidae) Synonym(s): *albiceps* Zeller, 1839
 13361) *Parachronistis destillans* (Meyrick, 1918) (Gelechiidae) Synonym(s): *destillans* Meyrick, 1918
 13362) *Paralida triannulata* Clarke, 1958 (Gelechiidae) Synonym(s): *triannulata* Clarke, 1958
 13363) *Parallactis ochrobyrsa* (Meyrick, 1921) (Gelechiidae) Synonym(s): *ochrobyrsa* Meyrick, 1921
 13364) *Parallactis panchlora* (Meyrick, 1911) (Gelechiidae) Synonym(s): *panchlora* Meyrick, 1911
 13365) *Parallactis plaesiodes* (Meyrick, 1920) (Gelechiidae) Synonym(s): *plaesiodes* Meyrick, 1920; *derogata* Meyrick, 1921
 13366) *Parallactis zorophanes* Janse, 1954 (Gelechiidae) Synonym(s): *zorophanes* Janse, 1954
 13367) *Paranarsia joannisiella* Ragonot, 1895 (Gelechiidae) Synonym(s): *joannisiella* Ragonot, 1895
 13368) *Parapodia sinaica* (Frauenfeld, 1859) (Gelechiidae) Synonym(s): *sinaica* Frauenfeld, 1859; *tamaricicola* Joannis, 1912; *tamaricella* Amsel, 1958
 13369) *Parapsectris bruneosparsa* Janse, 1958 (Gelechiidae) Synonym(s): *bruneosparsa* Janse, 1958
 13370) *Parapsectris fastidiosa* Meyrick, 1911 (Gelechiidae) Synonym(s): *fastidiosa* Meyrick, 1911
 13371) *Parapsectris ferax* (Meyrick, 1913) (Gelechiidae) Synonym(s): *ferax* Meyrick, 1913
 13372) *Parapsectris ferulata* Meyrick, 1918 (Gelechiidae) Synonym(s): *ferulata* Meyrick, 1918
 13373) *Parapsectris mappigera* Meyrick, 1914 (Gelechiidae) Synonym(s): *mappigera* Meyrick, 1914
 13374) *Parapsectris neograptella* Meyrick, 1914 (Gelechiidae) Synonym(s): *neograptella* Meyrick, 1914
 13375) *Parapsectris opaula* (Meyrick, 1911) (Gelechiidae) Synonym(s): *opaula* Meyrick, 1911
 13376) *Parapsectris phoenaula* (Meyrick, 1913) (Gelechiidae) Synonym(s): *phoenaula* Meyrick, 1913
 13377) *Parapsectris tholaea* Meyrick, 1911 (Gelechiidae) Synonym(s): *tholaea* Meyrick, 1911; *#tholea* Janse, 1958
 13378) *Parapsectris zetterstedtiella* (Zeller, 1852) (Gelechiidae) Synonym(s): *zetterstedtiella* Zeller, 1852
 13379) *Paraselotis pelochroa* Janse, 1960 (Gelechiidae) Synonym(s): *pelochroa* Janse, 1960

- 13380) *Parastenolechia acclivis* (Omelko,1988) (Gelechiidae) Synonym(s): *acclivis* Omelko,1988
 13381) *Parastenolechia albicapitella* Park,2000 (Gelechiidae) Synonym(s): *albicapitella* Park,2000
 13382) *Parastenolechia argobathra* (Meyrick,1935) (Gelechiidae) Synonym(s): *argobathra* Meyrick,1935; *umbrosa* Omelko,1988
 13383) *Parastenolechia asymmetrica* Kanazawa,1985 (Gelechiidae) Synonym(s): *asymmetrica* Kanazawa,1985
 13384) *Parastenolechia claustrifera* (Meyrick,1935) (Gelechiidae) Synonym(s): *claustrifera* Meyrick,1935
 13385) *Parastenolechia formosana* Kanazawa,1991 (Gelechiidae) Synonym(s): *formosana* Kanazawa,1991
 13386) *Parastenolechia gracilis* Kanazawa,1991 (Gelechiidae) Synonym(s): *gracilis* Kanazawa,1991
 13387) *Parastenolechia issikiella* (Okada,1961) (Gelechiidae) Synonym(s): *issikiella* Okada,1961; *cornisignella* Moriuti,1977; *#cornisignella* Kanazawa,1985
 13388) *Parastenolechia nigrinotella* (Zeller,1847) (Gelechiidae) Synonym(s): *nigrinotella* Zeller,1847; *nigralbella* Herrich-Schäffer,[1854].
 13389) *Parastenolechia superba* (Omelko,1988) (Gelechiidae) Synonym(s): *superba* Omelko,1988
 13390) *Parastenolechia suriensis* Park & Ponomarenko,2006 (Gelechiidae) Synonym(s): *suriensis* Park & Ponomarenko,2006
 13391) *Parathectis farinata* (Meyrick,1913) (Gelechiidae) Synonym(s): *farinata* Meyrick,1913
 13392) *Parathectis sordidula* (Meyrick,1913) (Gelechiidae) Synonym(s): *sordidula* Meyrick,1913
 13393) *Paristhmia barathrodes* Meyrick,1909 (Gelechiidae) Synonym(s): *barathrodes* Meyrick,1909
 13394) *Pectinophora gossypiella* (Saunders,1844) (Gelechiidae) Synonym(s): *gossypiella* Saunders,1844; *umbripennis* Walsingham,1885
 13395) *Pexicopia malvella* (Hübner,[1805]) (Gelechiidae) Synonym(s): *umbrella* auct.; *malvella* Hübner,[1805]; *lutarea* Haworth,1828
 13396) *Phanerophalla knysnaensis* Janse,1960 (Gelechiidae) Synonym(s): *knysnaensis* Janse,1960
 13397) *Photodotis abachausi* Janse,1958 (Gelechiidae) Synonym(s): *abachausi* Janse,1958
 13398) *Photodotis pellochroa* Janse,1960 (Gelechiidae) Synonym(s): *pellochroa* Janse,1960
 13399) *Photodotis prochalina* Meyrick,1911 (Gelechiidae) Synonym(s): *prochalina* Meyrick,1911
 13400) *Photodotis spilodoma* Meyrick,1918 (Gelechiidae) Synonym(s): *spilodoma* Meyrick,1918
 13401) *Phrixocrita aegidopis* Meyrick,1935 (Gelechiidae) Synonym(s): *aegidopis* Meyrick,1935
 13402) *Phthoracma blanda* Meyrick,1921 (Gelechiidae) Synonym(s): *blanda* Meyrick,1921
 13403) *Phthorimaea operculella* (Zeller,1873) (Gelechiidae) Synonym(s): *terrella* Walker,1864; *operculella* Zeller,1873; *piscipellis* Zeller,1873; *solanella* Boisduval,1874; *tabacella* Ragonot,1879; *sedata* Butler,1880; *#terella* Pinhey,1975
 13404) *Picroptera aulotoma* (Meyrick,1917) (Gelechiidae) Synonym(s): *aulotoma* Meyrick,1917; *interamna* Meyrick,1926
 13405) *Picroptera orthacma* (Meyrick,1926) (Gelechiidae) Synonym(s): *orthacma* Meyrick,1926; *taphrites* Meyrick,1937; *#taphritis* Janse,1958
 13406) *Pithanurga chariphila* Meyrick,1921 (Gelechiidae) Synonym(s): *chariphila* Meyrick,1921
 13407) *Platyedra bathrosticta* (Meyrick,1936) (Gelechiidae) Synonym(s): *bathrosticta* Meyrick,1936
 13408) *Platyedra subcinerea* (Haworth,[1828]) (Gelechiidae) Synonym(s): *subcinerea* Haworth,[1828]; *vilella* Zeller,1847.
 13409) *Platyphalla ochrinotata* Janse,1951 (Gelechiidae) Synonym(s): *ochrinotata* Janse,1951
 13410) *Pogochaetia ocymoidella* Walsingham (Gelechiidae) Synonym(s):
 13411) *Pogochaetia solitaria* Staudinger,1879 (Gelechiidae) Synonym(s): *solitaria* Staudinger,1879
 13412) *Polyhymno abaiella* Amsel,1974 (Gelechiidae) Synonym(s): *abaiella* Amsel,1974
 13413) *Polyhymno blastophora* Janse,1950 (Gelechiidae) Synonym(s): *blastophora* Janse,1950
 13414) *Polyhymno centrophora* (Meyrick,1921) (Gelechiidae) Synonym(s): *centrophora* Meyrick,1921
 13415) *Polyhymno chionarcha* Meyrick,1913 (Gelechiidae) Synonym(s): *chionarcha* Meyrick,1913
 13416) *Polyhymno deuterula* Meyrick,1914 (Gelechiidae) Synonym(s): *deuterula* Meyrick,1914
 13417) *Polyhymno erratica* Janse,1950 (Gelechiidae) Synonym(s): *erratica* Janse,1950
 13418) *Polyhymno eurydoxa* Meyrick,1909 (Gelechiidae) Synonym(s): *eurydoxa* Meyrick,1909
 13419) *Polyhymno furcatella* Janse,1950 (Gelechiidae) Synonym(s): *furcatella* Janse,1950
 13420) *Polyhymno hieracitis* Meyrick,1913 (Gelechiidae) Synonym(s): *hieracitis* Meyrick,1913
 13421) *Polyhymno hostilis* Meyrick,1918 (Gelechiidae) Synonym(s): *hostilis* Meyrick,1918
 13422) *Polyhymno inermis* Meyrick,1913 (Gelechiidae) Synonym(s): *inermis* Meyrick,1913
 13423) *Polyhymno intorta* Meyrick,1918 (Gelechiidae) Synonym(s): *intorta* Meyrick,1918
 13424) *Polyhymno intortoides* Janse,1950 (Gelechiidae) Synonym(s): *intortoides* Janse,1950
 13425) *Polyhymno lignicolor* Janse,1950 (Gelechiidae) Synonym(s): *lignicolor* Janse,1950
 13426) *Polyhymno multifida* Meyrick,1917 (Gelechiidae) Synonym(s): *multifida* Meyrick,1917
 13427) *Polyhymno oxystola* Meyrick,1913 (Gelechiidae) Synonym(s): *oxystola* Meyrick,1913
 13428) *Polyhymno palinorsa* Meyrick,1909 (Gelechiidae) Synonym(s): *palinorsa* Meyrick,1909
 13429) *Polyhymno paracma* Meyrick,1909 (Gelechiidae) Synonym(s): *paracma* Meyrick,1909
 13430) *Polyhymno pausimacha* Meyrick,1909 (Gelechiidae) Synonym(s): *pausimacha* Meyrick,1909
 13431) *Polyhymno pernitida* Janse,1950 (Gelechiidae) Synonym(s): *pernitida* Janse,1950
 13432) *Polyhymno pleuracma* Meyrick,1926 (Gelechiidae) Synonym(s): *pleuracma* Meyrick,1926
 13433) *Polyhymno tetragrapha* Meyrick,1913 (Gelechiidae) Synonym(s): *tetragrapha* Meyrick,1913
 13434) *Polyhymno thinocesta* Meyrick,1926 (Gelechiidae) Synonym(s): *thinocesta* Meyrick,1926
 13435) *Polyhymno tropaea* Meyrick,1908 (Gelechiidae) Synonym(s): *tropaea* Meyrick,1908
 13436) *Polyhymno walsinghami* Janse,1950 (Gelechiidae) Synonym(s): *walsinghami* Janse,1950
 13437) *Prolita sexpunctella* (Fabricius,1794) (Gelechiidae) Synonym(s): *sexpunctella* Fabricius,1794; *virgella* Thunberg,1784; *longicornis* Curtis,1827; *histrionella* Geyer,[1832]; *zebrilla* Treitschke,1833; *alpicola* Frey,1867; *alternella* Keafott,1908; *petulans* Braun,1925.
 13438) *Prolita solutella* (Zeller,1839) (Gelechiidae) Synonym(s): *solutella* Zeller,1839; *fumosella* Douglas,1852; *pribitzeri* Rebel,1889; *nigrobipunctella* Lucas,1932.
 13439) *Proselotis strictula* (Meyrick,1937) (Gelechiidae) Synonym(s): *strictula* Meyrick,1937
 13440) *Psamathocrita argentella* Pierce & Metcalfe,1942 (Gelechiidae) Synonym(s): *argentella* Pierce & Metcalfe,1942
 13441) *Psamathocrita dejectella* (Staudinger,1859) (Gelechiidae) Synonym(s): *dejectella* Staudinger,1859
 13442) *Psamathocrita osseella* (Stainton,1860) (Gelechiidae) Synonym(s): *osseella* Stainton,1860
 13443) *Pseudathrips buettikeri* Povolny,1986 (Gelechiidae) Synonym(s): *buettikeri* Povolny,1986
 13444) *Pseudosophronia catharurga* (Meyrick,1923) (Gelechiidae) Synonym(s): *catharurga* Meyrick,1923
 13445) *Pseudosophronia cosmella* (Constant,1885) (Gelechiidae) Synonym(s): *cosmella* Constant,1885
 13446) *Pseudosophronia exustella* (Zeller,1847) (Gelechiidae) Synonym(s): *exustella* Zeller,1847; *buvati* Nel,1998; *?constanti* Nel,1998
 13447) *Pseudoteleia nigrosquamella* Amsel,1959 (Gelechiidae) Synonym(s): *nigrosquamella* Amsel,1959
 13448) *Pseudotelphusa albispinata* Janse,1960 (Gelechiidae) Synonym(s): *albispinata* Janse,1960
 13449) *Pseudotelphusa albopasta* Janse,1960 (Gelechiidae) Synonym(s): *albopasta* Janse,1960
 13450) *Pseudotelphusa confixa* (Meyrick,1918) (Gelechiidae) Synonym(s): *confixa* Meyrick,1918
 13451) *Pseudotelphusa devia* (Meyrick,1913) (Gelechiidae) Synonym(s): *devia* Meyrick,1913
 13452) *Pseudotelphusa griseotincta* Janse,1958 (Gelechiidae) Synonym(s): *griseotincta* Janse,1958
 13453) *Pseudotelphusa istrella* (Mann,1866) (Gelechiidae) Synonym(s): *istrella* Mann,1866; *decuriella* Mann,1872; *trifasciella* Rebel,1916.
 13454) *Pseudotelphusa occidentella* Huemer & Karsholt,1999 (Gelechiidae) Synonym(s): *occidentella* Huemer & Karsholt,1999
 13455) *Pseudotelphusa oxychasta* (Meyrick,1929) (Gelechiidae) Synonym(s): *oxychasta* Meyrick,1929
 13456) *Pseudotelphusa paracycota* Janse,1958 (Gelechiidae) Synonym(s): *paracycota* Janse,1958
 13457) *Pseudotelphusa paripunctella* (Thunberg,1794) (Gelechiidae) Synonym(s): *paripunctella* Thunberg,1794; *triparella* Zeller,1839; *trijugella* Erschoff,1877; *sultanella* Caradja,1920; *arenicolella* Caradja,1920.
 13458) *Pseudotelphusa probata* (Meyrick,1909) (Gelechiidae) Synonym(s): *probata* Meyrick,1909
 13459) *Pseudotelphusa scallella* (Scopoli,1763) (Gelechiidae) Synonym(s): *scallella* Scopoli,1763; *alella* Fabricius,1794; *alternella* Hübner,1796 nec Den. & Schiff.,1775; *alternella* Haworth,1828; *bicolorella* Treitschke,1832
 13460) *Pseudotelphusa tessella* (Linnaeus,1758) (Gelechiidae) Synonym(s): *tessella* Linnaeus,1758; *albinigrella* [Denis & Schiffermüller],1775; *sturmella* Hübner,[1825]; *berberidella* Hübner,[1825]; *funestella* Geyer,[1832]; *alboquadrella* Bruand,1859
 13461) *Pseudotelphusa tornimacula* Janse,1958 (Gelechiidae) Synonym(s): *tornimacula* Janse,1958
 13462) *Pseudotelphusa trinephela* (Meyrick,1929) (Gelechiidae) Synonym(s): *trinephela* Meyrick,1929
 13463) *Psoricoptera gibbosella* (Zeller,1839) (Gelechiidae) Synonym(s): *gibbosella* Zeller,1839; *triorthias* Meyrick,1935; *lepigreella* Lucas,1946.
 13464) *Psoricoptera kawabei* Park & Karsholt,1999 (Gelechiidae) Synonym(s): *kawabei* Park & Karsholt,1999
 13465) *Psoricoptera latignathosa* Park & Karsholt,1999 (Gelechiidae) Synonym(s): *latignathosa* Park & Karsholt,1999

- 13466) *Psoricoptera speciosella* Teich, 1893 (Gelechiidae) Synonym(s): *speciosella* Teich, 1893
 13467) *Ptocheuusa abnormella* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *abnormella* Herrich-Schäffer, 1854
 13468) *Ptocheuusa asterisci* (Walsingham, 1903) (Gelechiidae) Synonym(s): *asterisci* Walsingham, 1903
 13469) *Ptocheuusa campicolella* (Mann, 1857) (Gelechiidae) Synonym(s): *campicolella* Mann, 1857
 13470) *Ptocheuusa inopella* (Zeller, 1839) (Gelechiidae) Synonym(s): *inopella* Zeller, 1839
 13471) *Ptocheuusa minimella* (Rebel, 1936) (Gelechiidae) Synonym(s): *minimella* Rebel, 1936
 13472) *Ptocheuusa paupella* (Zeller, 1847) (Gelechiidae) Synonym(s): *paupella* Zeller, 1847
 13473) *Ptocheuusa scholastica* (Walsingham, 1903) (Gelechiidae) Synonym(s): *scholastica* Walsingham, 1903
 13474) *Ptocheuusa seminivora* (Walsingham, 1903) (Gelechiidae) Synonym(s): *seminivora* Walsingham, 1903
 13475) *Ptychovalva obruta* (Meyrick, 1921) (Gelechiidae) Synonym(s): *obruta* Meyrick, 1921; *galatea* Meyrick, 1926
 13476) *Ptychovalva trigella* (Zeller, 1852) (Gelechiidae) Synonym(s): *trigella* Zeller, 1852
 13477) *Ptychovalva trimaculata* Janse, 1960 (Gelechiidae) Synonym(s): *trimaculata* Janse, 1960
 13478) *Pyncodytis erebula* Meyrick, 1918 (Gelechiidae) Synonym(s): *erebula* Meyrick, 1918
 13479) *Pyncostola abnormalis* Janse, 1950 (Gelechiidae) Synonym(s): *abnormalis* Janse, 1950
 13480) *Pyncostola albicolorella* Janse, 1950 (Gelechiidae) Synonym(s): *albicolorella* Janse, 1950
 13481) *Pyncostola alloea* Janse, 1950 (Gelechiidae) Synonym(s): *alloea* Janse, 1950
 13482) *Pyncostola auturga* Meyrick, 1921 (Gelechiidae) Synonym(s): *auturga* Meyrick, 1921
 13483) *Pyncostola bohemiella* (Nickerl, 1864) (Gelechiidae) Synonym(s): *bohemiella* Nickerl, 1864
 13484) *Pyncostola celeris* Meyrick, 1920 (Gelechiidae) Synonym(s): *celeris* Meyrick, 1920
 13485) *Pyncostola crateraula* Meyrick, 1918 (Gelechiidae) Synonym(s): *crateraula* Meyrick, 1918
 13486) *Pyncostola dicksoni* Janse, 1950 (Gelechiidae) Synonym(s): *dicksoni* Janse, 1950
 13487) *Pyncostola flavostriga* Janse, 1950 (Gelechiidae) Synonym(s): *flavostriga* Janse, 1950
 13488) *Pyncostola fusca* Janse, 1950 (Gelechiidae) Synonym(s): *fusca* Janse, 1950
 13489) *Pyncostola fuscifascia* Janse, 1950 (Gelechiidae) Synonym(s): *fuscifascia* Janse, 1950
 13490) *Pyncostola helicaula* (Meyrick, 1912) (Gelechiidae) Synonym(s): *helicaula* Meyrick, 1912
 13491) *Pyncostola hiberna* (Meyrick, 1912) (Gelechiidae) Synonym(s): *hiberna* Meyrick, 1912
 13492) *Pyncostola illuminata* (Meyrick, 1913) (Gelechiidae) Synonym(s): *illuminata* Meyrick, 1913
 13493) *Pyncostola invida* (Meyrick, 1911) (Gelechiidae) Synonym(s): *invida* Meyrick, 1911
 13494) *Pyncostola iospila* (Meyrick, 1909) (Gelechiidae) Synonym(s): *iospila* Meyrick, 1909
 13495) *Pyncostola lacteata* Janse, 1950 (Gelechiidae) Synonym(s): *lacteata* Janse, 1950
 13496) *Pyncostola magnanima* (Meyrick, 1912) (Gelechiidae) Synonym(s): *magnanima* Meyrick, 1912
 13497) *Pyncostola melanatracta* (Meyrick, 1910) (Gelechiidae) Synonym(s): *melanatracta* Meyrick, 1910
 13498) *Pyncostola merista* Meyrick, 1918 (Gelechiidae) Synonym(s): *merista* Meyrick, 1918
 13499) *Pyncostola monophanes* Janse, 1960 (Gelechiidae) Synonym(s): *monophanes* Janse, 1960
 13500) *Pyncostola nigrinotata* Janse, 1950 (Gelechiidae) Synonym(s): *nigrinotata* Janse, 1950
 13501) *Pyncostola dicksoni* Meyrick, 1918 (Gelechiidae) Synonym(s): *ochraula* Meyrick, 1918
 13502) *Pyncostola oeconomica* Meyrick, 1920 (Gelechiidae) Synonym(s): *oeconomica* Meyrick, 1920
 13503) *Pyncostola operosa* (Meyrick, 1909) (Gelechiidae) Synonym(s): *operosa* Meyrick, 1909
 13504) *Pyncostola pachyacma* Meyrick, 1926 (Gelechiidae) Synonym(s): *pachyacma* Meyrick, 1926
 13505) *Pyncostola pammacha* Meyrick, 1913 (Gelechiidae) Synonym(s): *pammacha* Meyrick, 1913
 13506) *Pyncostola pentacentra* (Meyrick, 1912) (Gelechiidae) Synonym(s): *pentacentra* Meyrick, 1912
 13507) *Pyncostola perlustrata* Meyrick, 1920 (Gelechiidae) Synonym(s): *perlustrata* Meyrick, 1920
 13508) *Pyncostola powelli* Janse, 1950 (Gelechiidae) Synonym(s): *powelli* Janse, 1950
 13509) *Pyncostola semnochroa* (Meyrick, 1913) (Gelechiidae) Synonym(s): *semnochroa* Meyrick, 1913
 13510) *Pyncostola suffusella* (Walsingham, 1891) (Gelechiidae) Synonym(s): *suffusella* Walsingham, 1891
 13511) *Pyncostola tanylopha* Janse, 1960 (Gelechiidae) Synonym(s): *tanylopha* Janse, 1960
 13512) *Pyncostola variegata* Janse, 1950 (Gelechiidae) Synonym(s): *variegata* Janse, 1950
 13513) *Pyncostola veronica* Janse, 1950 (Gelechiidae) Synonym(s): *veronica* Janse, 1950
 13514) *Pyncostola xanthomacula* Janse, 1963 (Gelechiidae) Synonym(s): *xanthomacula* Janse, 1963
 13515) *Radionerva collecta* (Meyrick, 1921) (Gelechiidae) Synonym(s): *collecta* Meyrick, 1921
 13516) *Recurvaria leucatella* (Linnaeus, 1761) (Gelechiidae) Synonym(s): *leucatella* Clerck, 1759; *leucatella* Linnaeus, 1761; *leucatea* Haworth, 1828.
 13517) *Recurvaria nanella* ([Denis & Schiffermüller], 1775) (Gelechiidae) Synonym(s): *nanella* [Denis & Schiffermüller], 1775; *pumilella* [Denis & Schiffermüller], 1775; *nana* Haworth, 1828; *crataegella* Busck, 1903; *unicolor* Rebel, 1927
 13518) *Recurvaria thomeriella* (Chrétien, 1901) (Gelechiidae) Synonym(s): *thomeriella* Chrétien, 1901
 13519) *Rotundivalva blanda* Janse, 1951 (Gelechiidae) Synonym(s): *blanda* Janse, 1951
 13520) *Sattleria angustispina* Pitkin & Sattler, 1991 (Gelechiidae) Synonym(s): *angustispina* Pitkin & Sattler, 1991
 13521) *Sattleria arcuata* Pitkin & Sattler, 1991 (Gelechiidae) Synonym(s): *arcuata* Pitkin & Sattler, 1991
 13522) *Sattleria basistrigella* (Müller-Rutz, 1934) (Gelechiidae) Synonym(s): *basistrigella* Müller-Rutz, 1934
 13523) *Sattleria brevramus* Pitkin & Sattler, 1991 (Gelechiidae) Synonym(s): *brevramus* Pitkin & Sattler, 1991
 13524) *Sattleria dzieduszyckii* (Nowicki, 1864) (Gelechiidae) Synonym(s): *dzieduszyckii* Nowicki, 1864
 13525) *Sattleria izoardi* Huemer & Sattler, 1992 (Gelechiidae) Synonym(s): *izoardi* Huemer & Sattler, 1992
 13526) *Sattleria margareisi* Huemer & Sattler, 1992 (Gelechiidae) Synonym(s): *margareisi* Huemer & Sattler, 1992
 13527) *Sattleria melaleucella* (Constant, 1865) (Gelechiidae) Synonym(s): *melaleucella* Constant, 1865
 13528) *Sattleria pyrenaica* (Petty, 1904) (Gelechiidae) Synonym(s): *pyrenaica* Petty, 1904
 13529) *Sattleria styriaca* Pitkin & Sattler, 1991 (Gelechiidae) Synonym(s): *styriaca* Pitkin & Sattler, 1991
 13530) *Schematistis analoxa* Meyrick, 1911 (Gelechiidae) Synonym(s): *analoxa* Meyrick, 1911
 13531) *Schistophila laurocistella* Chrétien, 1899 (Gelechiidae) Synonym(s): *laurocistella* Chrétien, 1899
 13532) *Schistovalva trachyptera* Janse, 1960 (Gelechiidae) Synonym(s): *trachyptera* Janse, 1960
 13533) *Schizovalva ablepta* Janse, 1951 (Gelechiidae) Synonym(s): *ablepta* Janse, 1951
 13534) *Schizovalva adelosema* Janse, 1960 (Gelechiidae) Synonym(s): *adelosema* Janse, 1960
 13535) *Schizovalva alaopis* (Meyrick, 1921) (Gelechiidae) Synonym(s): *alaopis* Meyrick, 1921
 13536) *Schizovalva anisofascia* Janse, 1960 (Gelechiidae) Synonym(s): *anisofascia* Janse, 1960
 13537) *Schizovalva bistrigata* Janse, 1951 (Gelechiidae) Synonym(s): *bistrigata* Janse, 1951
 13538) *Schizovalva brunneotincta* Janse, 1951 (Gelechiidae) Synonym(s): *brunneotincta* Janse, 1951
 13539) *Schizovalva brunneovesta* Janse, 1960 (Gelechiidae) Synonym(s): *brunneovesta* Janse, 1960
 13540) *Schizovalva catharodes* (Meyrick, 1920) (Gelechiidae) Synonym(s): *catharodes* Meyrick, 1920
 13541) *Schizovalva celidota* Janse, 1960 (Gelechiidae) Synonym(s): *celidota* Janse, 1960
 13542) *Schizovalva cyrtogramma* Janse, 1960 (Gelechiidae) Synonym(s): *cyrtogramma* Janse, 1960
 13543) *Schizovalva ebenostriga* Janse, 1960 (Gelechiidae) Synonym(s): *ebenostriga* Janse, 1960
 13544) *Schizovalva epicentra* (Meyrick, 1909) (Gelechiidae) Synonym(s): *epicentra* Meyrick, 1909; *dryadopsis* Meyrick, 1926
 13545) *Schizovalva episema* Janse, 1960 (Gelechiidae) Synonym(s): *episema* Janse, 1960
 13546) *Schizovalva exsulata* (Meyrick, 1918) (Gelechiidae) Synonym(s): *exsulata* Meyrick, 1918
 13547) *Schizovalva guillarmodi* Janse, 1960 (Gelechiidae) Synonym(s): *guillarmodi* Janse, 1960
 13548) *Schizovalva hyperythra* (Meyrick, 1921) (Gelechiidae) Synonym(s): *hyperythra* Meyrick, 1921
 13549) *Schizovalva isochorda* (Meyrick, 1921) (Gelechiidae) Synonym(s): *isochorda* Meyrick, 1921
 13550) *Schizovalva isophanes* Janse, 1960 (Gelechiidae) Synonym(s): *isophanes* Janse, 1960
 13551) *Schizovalva leptochroa* Janse, 1960 (Gelechiidae) Synonym(s): *leptochroa* Janse, 1960
 13552) *Schizovalva leucogrisea* Janse, 1951 (Gelechiidae) Synonym(s): *leucogrisea* Janse, 1951
 13553) *Schizovalva matutina* (Meyrick, 1913) (Gelechiidae) Synonym(s): *matutina* Meyrick, 1913
 13554) *Schizovalva mesacta* (Meyrick, 1909) (Gelechiidae) Synonym(s): *mesacta* Meyrick, 1909
 13555) *Schizovalva naufraga* (Meyrick, 1911) (Gelechiidae) Synonym(s): *naufraga* Meyrick, 1911

- 13556) *Schizovalva nigrifasciata* Janse, 1951 (Gelechiidae) Synonym(s): *nigrifasciata* Janse, 1951
 13557) *Schizovalva nigroseta* Janse, 1960 (Gelechiidae) Synonym(s): *nigroseta* Janse, 1960
 13558) *Schizovalva nubila* Janse, 1960 (Gelechiidae) Synonym(s): *nubila* Janse, 1960
 13559) *Schizovalva ochrias* (Meyrick, 1913) (Gelechiidae) Synonym(s): *ochrias* Meyrick, 1913
 13560) *Schizovalva ochrotincta* Janse, 1951 (Gelechiidae) Synonym(s): *ochrotincta* Janse, 1951
 13561) *Schizovalva ophitis* (Meyrick, 1913) (Gelechiidae) Synonym(s): *ophitis* Meyrick, 1913
 13562) *Schizovalva perirrorata* Janse, 1951 (Gelechiidae) Synonym(s): *perirrorata* Janse, 1951
 13563) *Schizovalva peronectis* (Meyrick, 1909) (Gelechiidae) Synonym(s): *peronectis* Meyrick, 1909
 13564) *Schizovalva polygramma* (Meyrick, 1914) (Gelechiidae) Synonym(s): *polygramma* Meyrick, 1914
 13565) *Schizovalva prioleuca* (Meyrick, 1911) (Gelechiidae) Synonym(s): *prioleuca* Meyrick, 1911
 13566) *Schizovalva rhodochra* (Meyrick, 1913) (Gelechiidae) Synonym(s): *rhodochra* Meyrick, 1913
 13567) *Schizovalva rubigitincta* Janse, 1951 (Gelechiidae) Synonym(s): *rubigitincta* Janse, 1951
 13568) *Schizovalva sarcographa* (Meyrick, 1917) (Gelechiidae) Synonym(s): *sarcographa* Meyrick, 1917
 13569) *Schizovalva spheonopsis* (Meyrick, 1921) (Gelechiidae) Synonym(s): *sphenopsis* Meyrick, 1921
 13570) *Schizovalva stasiarcha* (Meyrick, 1913) (Gelechiidae) Synonym(s): *stasiarcha* Meyrick, 1913
 13571) *Schizovalva trachypalpella* Janse, 1960 (Gelechiidae) Synonym(s): *trachypalpella* Janse, 1960
 13572) *Schizovalva triplacopsis* (Meyrick, 1912) (Gelechiidae) Synonym(s): *triplacopsis* Meyrick, 1912
 13573) *Schizovalva trisignis* (Meyrick, 1908) (Gelechiidae) Synonym(s): *trisignis* Meyrick, 1908
 13574) *Schizovalva unitincta* Janse, 1960 (Gelechiidae) Synonym(s): *unitincta* Janse, 1960
 13575) *Schizovalva xerochroa* Janse, 1951 (Gelechiidae) Synonym(s): *xerochroa* Janse, 1951
 13576) *Schizovalva xylofintacta* Janse, 1951 (Gelechiidae) Synonym(s): *xylofintacta* Janse, 1951
 13577) *Schneidereria pistaciicola* (Danilevsky, 1955) (Gelechiidae) Synonym(s): *pistaciicola* Danilevsky, 1955
 13578) *Schneidereria pistaciella* Weber, 1957 (Gelechiidae) Synonym(s): *pistaciella* Weber, 1957
 13579) *Scrobipalpa* (Elseopsis) *ergasima* (Meyrick, 1916) (Gelechiidae) Synonym(s): *ergasima* Meyrick, 1916; *intestina* Meyrick, 1921; *mignatella* Caradja, 1920; *mirabilis* Gregor & Povolny, 1955; *perdava* Clarke, 1962
 13580) *Scrobipalpa* (Elseopsis) *acuminatella* (Sircom, 1850) (Gelechiidae) Synonym(s): *acuminatella* Sircom, 1850
 13581) *Scrobipalpa* (Elseopsis) *algeriensis* Povolny & Bradley, 1964 (Gelechiidae) Synonym(s): *algeriensis* Povolny & Bradley, 1964
 13582) *Scrobipalpa* (Elseopsis) *amseli* Povolny, 1966 (Gelechiidae) Synonym(s): *amseli* Povolny, 1966
 13583) *Scrobipalpa* (Elseopsis) *arenbergeri* Povolny, 1973 (Gelechiidae) Synonym(s): *arenbergeri* Povolny, 1973
 13584) *Scrobipalpa* (Elseopsis) *argenteonigra* Povolny, 1972 (Gelechiidae) Synonym(s): *argenteonigra* Povolny, 1972
 13585) *Scrobipalpa* (Elseopsis) *arogantella* Povolny, 1967 (Gelechiidae) Synonym(s): *arogantella* Povolny, 1967
 13586) *Scrobipalpa* (Elseopsis) *artemisiella* (Treitschke, 1833) (Gelechiidae) Synonym(s): *artemisiella* Treitschke, 1833; *paniculatella* Novickij, 1924
 13587) *Scrobipalpa* (Elseopsis) *artemisiella* *syriaca* Povolny, 1967 (Gelechiidae) Synonym(s): *syriaca* Povolny, 1967
 13588) *Scrobipalpa* (Elseopsis) *atriplicella* (Fischer v. Röslerstamm, 1841) (Gelechiidae) Synonym(s): *atriplicella* Fischer v. Röslerstamm, 1841
 13589) *Scrobipalpa* (Elseopsis) *bazae* Povolny, 1977 (Gelechiidae) Synonym(s): *bazae* Povolny, 1977
 13590) *Scrobipalpa* (Elseopsis) *bigoti* Povolny, 1973 (Gelechiidae) Synonym(s): *bigoti* Povolny, 1973
 13591) *Scrobipalpa* (Elseopsis) *brahmiella* (Heyden, 1862) (Gelechiidae) Synonym(s): *brahmiella* Heyden, 1862
 13592) *Scrobipalpa* (Elseopsis) *brandti* Povolny, 1972 (Gelechiidae) Synonym(s): *brandti* Povolny, 1972
 13593) *Scrobipalpa* (Elseopsis) *bryophiloides* Povolny, 1966 (Gelechiidae) Synonym(s): *bryophiloides* Povolny, 1966
 13594) *Scrobipalpa* (Elseopsis) *chettitica* Povolny, 1974 (Gelechiidae) Synonym(s): *chettitica* Povolny, 1974
 13595) *Scrobipalpa* (Elseopsis) *chrysanthemella* (Hofmann, 1867) (Gelechiidae) Synonym(s): *chrysanthemella* Hofmann, 1867
 13596) *Scrobipalpa* (Elseopsis) *clintoni* Povolny, 1968 (Gelechiidae) Synonym(s): *clintoni* Povolny, 1968
 13597) *Scrobipalpa* (Elseopsis) *costella* (Humphreys & Westwood, 1845) (Gelechiidae) Synonym(s): *costella* Humphreys & Westwood, 1845
 13598) *Scrobipalpa* (Elseopsis) *dagmaris* Povolny, 1987 (Gelechiidae) Synonym(s): *dagmaris* Povolny, 1987
 13599) *Scrobipalpa* (Elseopsis) *deleta* Povolny, 1981 (Gelechiidae) Synonym(s): *deleta* Povolny, 1981
 13600) *Scrobipalpa* (Elseopsis) *dellucae* Povolny, 1966 (Gelechiidae) Synonym(s): *dellucae* Povolny, 1966
 13601) *Scrobipalpa* (Elseopsis) *disjectella* (Staudinger, 1859) (Gelechiidae) Synonym(s): *disjectella* Staudinger, 1859
 13602) *Scrobipalpa* (Elseopsis) *divisella* (Rebel, 1936) (Gelechiidae) Synonym(s): *divisella* Rebel, 1936
 13603) *Scrobipalpa* (Elseopsis) *ebertiana* Povolny, 1967 (Gelechiidae) Synonym(s): *ebertiana* Povolny, 1967
 13604) *Scrobipalpa* (Elseopsis) *ephysteroides* Povolny, 1967 (Gelechiidae) Synonym(s): *ephysteroides* Povolny, 1967
 13605) *Scrobipalpa* (Elseopsis) *eremica* Povolny, 1967 (Gelechiidae) Synonym(s): *eremica* Povolny, 1967
 13606) *Scrobipalpa* (Elseopsis) *erichi* Povolny, 1964 (Gelechiidae) Synonym(s): *erichi* Povolny, 1964
 13607) *Scrobipalpa* (Elseopsis) *feralella* (Zeller, 1872) (Gelechiidae) Synonym(s): *feralella* Zeller, 1872
 13608) *Scrobipalpa* (Elseopsis) *fraterna* Povolny, 1969 (Gelechiidae) Synonym(s): *fraterna* Povolny, 1969
 13609) *Scrobipalpa* (Elseopsis) *gallicella* (Constant, 1885) (Gelechiidae) Synonym(s): *gallicella* Constant, 1885
 13610) *Scrobipalpa* (Elseopsis) *gallincolella* (Mann, 1872) (Gelechiidae) Synonym(s): *gallincolella* Mann, 1872
 13611) *Scrobipalpa* (Elseopsis) *gregori* Povolny, 1967 (Gelechiidae) Synonym(s): *gregori* Povolny, 1967
 13612) *Scrobipalpa* (Elseopsis) *grisea* Povolny, 1969 (Gelechiidae) Synonym(s): *grisea* Povolny, 1969
 13613) *Scrobipalpa* (Elseopsis) *grossa* Povolny, 1966 (Gelechiidae) Synonym(s): *grossa* Povolny, 1966
 13614) *Scrobipalpa* (Elseopsis) *halonella* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *halonella* Herrich-Schäffer, 1854
 13615) *Scrobipalpa* (Elseopsis) *hannemanni* Povolny, 1966 (Gelechiidae) Synonym(s): *hannemanni* Povolny, 1966
 13616) *Scrobipalpa* (Elseopsis) *heratella* Povolny, 1967 (Gelechiidae) Synonym(s): *heratella* Povolny, 1967
 13617) *Scrobipalpa* (Elseopsis) *hungariae* (Staudinger, 1871) (Gelechiidae) Synonym(s): *hungariae* Staudinger, 1871
 13618) *Scrobipalpa* (Elseopsis) *hyoscyamella* (Stainton, 1869) (Gelechiidae) Synonym(s): *hyoscyamella* Stainton, 1869
 13619) *Scrobipalpa* (Elseopsis) *indignella* (Staudinger, 1879) (Gelechiidae) Synonym(s): *indignella* Staudinger, 1879
 13620) *Scrobipalpa* (Elseopsis) *instabilella* (Douglas, 1846) (Gelechiidae) Synonym(s): *instabilella* Douglas, 1846
 13621) *Scrobipalpa* (Elseopsis) *karischi* Povolny, 1992 (Gelechiidae) Synonym(s): *karischi* Povolny, 1992
 13622) *Scrobipalpa* (Elseopsis) *kasyi* Povolny, 1968 (Gelechiidae) Synonym(s): *kasyi* Povolny, 1968
 13623) *Scrobipalpa* (Elseopsis) *kasyvartianella* Povolny, 1967 (Gelechiidae) Synonym(s): *kasyvartianella* Povolny, 1967
 13624) *Scrobipalpa* (Elseopsis) *klimeschi* Povolny, 1967 (Gelechiidae) Synonym(s): *klimeschi* Povolny, 1967
 13625) *Scrobipalpa* (Elseopsis) *magnificella* Povolny, 1967 (Gelechiidae) Synonym(s): *magnificella* Povolny, 1967
 13626) *Scrobipalpa* (Elseopsis) *meyricki* Povolny, 1971 (Gelechiidae) Synonym(s): *meyricki* Povolny, 1971
 13627) *Scrobipalpa* (Elseopsis) *milleri* Povolny, 1977 (Gelechiidae) Synonym(s): *milleri* Povolny, 1977
 13628) *Scrobipalpa* (Elseopsis) *monochromella* (Constant, 1895) (Gelechiidae) Synonym(s): *monochromella* Constant, 1895
 13629) *Scrobipalpa* (Elseopsis) *murinella* (Duponchel, 1843) (Gelechiidae) Synonym(s): *murinella* Duponchel, 1843; *excelsa* Frey, 1880.
 13630) *Scrobipalpa* (Elseopsis) *nitentella* (Fuchs, 1902) (Gelechiidae) Synonym(s): *nitentella* Fuchs, 1902
 13631) *Scrobipalpa* (Elseopsis) *niveifacies* Povolny, 1977 (Gelechiidae) Synonym(s): *niveifacies* Povolny, 1977
 13632) *Scrobipalpa* (Elseopsis) *obsoletella* (Fischer v. Röslerstamm, 1841) (Gelechiidae) Synonym(s): *obsoletella* Fischer v. Röslerstamm, 1841; *miscitella* Clarke, 1932; *calaritanella* Amsel, 1951.
 13633) *Scrobipalpa* (Elseopsis) *obsoletella* *hospes* Povolny, 1964 (Gelechiidae) Synonym(s): *hospes* Povolny, 1964
 13634) *Scrobipalpa* (Elseopsis) *ocellatella* (Boyd, 1858) (Gelechiidae) Synonym(s): *ocellatella* Boyd, 1858; *submissella* Stainton, 1859; *horticolella* Rössler, 1866.
 13635) *Scrobipalpa* (Elseopsis) *optima* Povolny, 1969 (Gelechiidae) Synonym(s): *optima* Povolny, 1969
 13636) *Scrobipalpa* (Elseopsis) *otregata* Povolny, 1972 (Gelechiidae) Synonym(s): *otregata* Povolny, 1972
 13637) *Scrobipalpa* (Elseopsis) *parvipulex* (Walsingham, 1911) (Gelechiidae) Synonym(s): *parvipulex* Walsingham, 1911
 13638) *Scrobipalpa* (Elseopsis) *pauperella* (Heinemann, 1870) (Gelechiidae) Synonym(s): *pauperella* Heinemann, 1870
 13639) *Scrobipalpa* (Elseopsis) *perinoides* Povolny, 1967 (Gelechiidae) Synonym(s): *perinoides* Povolny, 1967
 13640) *Scrobipalpa* (Elseopsis) *perinyi* (Klimesch, 1951) (Gelechiidae) Synonym(s): *perinyi* Klimesch, 1951
 13641) *Scrobipalpa* (Elseopsis) *phagnalella* (Constant, 1895) (Gelechiidae) Synonym(s): *phagnalella* Constant, 1895
 13642) *Scrobipalpa* (Elseopsis) *proclivella* (Fuchs, 1886) (Gelechiidae) Synonym(s): *proclivella* Fuchs, 1886
 13643) *Scrobipalpa* (Elseopsis) *pseudobsoletella* (Gregor & Povolny, 1955) (Gelechiidae) Synonym(s): *pseudobsoletella* Gregor & Povolny, 1955; *#pseudobsoletella* Hacker, 1999

- 13644) *Scrobipalpa (Ilseopsis) pulchra* Povolny, 1967 (Gelechiidae) Synonym(s): *pulchra* Povolny, 1967
- 13645) *Scrobipalpa (Ilseopsis) rebeli* (Priessecker, 1914) (Gelechiidae) Synonym(s): *rebeli* Priessecker, 1914
- 13646) *Scrobipalpa (Ilseopsis) rebeliella* (Hauder, 1917) (Gelechiidae) Synonym(s): *rebeliella* Hauder, 1917
- 13647) *Scrobipalpa (Ilseopsis) reiprichi* Povolny, 1984 (Gelechiidae) Synonym(s): *reiprichi* Povolny, 1984
- 13648) *Scrobipalpa (Ilseopsis) remota* Povolny, 1972 (Gelechiidae) Synonym(s): *remota* Povolny, 1972
- 13649) *Scrobipalpa (Ilseopsis) salinella* (Zeller, 1847) (Gelechiidae) Synonym(s): *salinella* Zeller, 1847
- 13650) *Scrobipalpa (Ilseopsis) samadensis* (Pfaffen-zeller, 1870) (Gelechiidae) Synonym(s): *samadensis* Pfaffen-zeller, 1870
- 13651) *Scrobipalpa (Ilseopsis) scrobipalpulina* Povolny, 1967 (Gelechiidae) Synonym(s): *scrobipalpulina* Povolny, 1967
- 13652) *Scrobipalpa (Ilseopsis) semnani* Povolny, 1967 (Gelechiidae) Synonym(s): *semnani* Povolny, 1967
- 13653) *Scrobipalpa (Ilseopsis) smithi* Povolny & Bradley, 1964 (Gelechiidae) Synonym(s): *smithi* Povolny & Bradley, 1964
- 13654) *Scrobipalpa (Ilseopsis) sofferi* Povolny, 1964 (Gelechiidae) Synonym(s): *sofferi* Povolny, 1964
- 13655) *Scrobipalpa (Ilseopsis) stangei* (Hering, 1889) (Gelechiidae) Synonym(s): *stangei* Hering, 1889
- 13656) *Scrobipalpa (Ilseopsis) suaedella* (Richardson, 1893) (Gelechiidae) Synonym(s): *suaedella* Richardson, 1893
- 13657) *Scrobipalpa (Ilseopsis) suaedicola* (Mabille, 1906) (Gelechiidae) Synonym(s): *suaedicola* Mabille, 1906
- 13658) *Scrobipalpa (Ilseopsis) suaedivorella* (Chrétien, 1915) (Gelechiidae) Synonym(s): *suaedivorella* Chrétien, 1915; *detersipunctella* Toll, 1947.
- 13659) *Scrobipalpa (Ilseopsis) suasella* (Constant, 1895) (Gelechiidae) Synonym(s): *suasella* Constant, 1895
- 13660) *Scrobipalpa (Ilseopsis) substricta* Povolny, 1967 (Gelechiidae) Synonym(s): *substricta* Povolny, 1967
- 13661) *Scrobipalpa (Ilseopsis) superstes* Povolny, 1977 (Gelechiidae) Synonym(s): *superstes* Povolny, 1977
- 13662) *Scrobipalpa (Ilseopsis) tineiformis* Povolny, 1967 (Gelechiidae) Synonym(s): *tineiformis* Povolny, 1967
- 13663) *Scrobipalpa (Ilseopsis) traganella* (Chrétien, 1915) (Gelechiidae) Synonym(s): *traganella* Chrétien, 1915
- 13664) *Scrobipalpa (Ilseopsis) trebujenae* Povolny, 1977 (Gelechiidae) Synonym(s): *trebujenae* Povolny, 1977
- 13665) *Scrobipalpa (Ilseopsis) ustulatella* (Staudinger, 1871) (Gelechiidae) Synonym(s): *ustulatella* Staudinger, 1871
- 13666) *Scrobipalpa (Ilseopsis) vartianorum* Povolny, 1968 (Gelechiidae) Synonym(s): *vartianorum* Povolny, 1968
- 13667) *Scrobipalpa (Ilseopsis) vasconella* (Rössler, 1877) (Gelechiidae) Synonym(s): *vasconella* Rössler, 1877
- 13668) *Scrobipalpa (Ilseopsis) vladimiri* Povolny, 1966 (Gelechiidae) Synonym(s): *vladimiri* Povolny, 1966
- 13669) *Scrobipalpa (Ilseopsis) voltinella* (Chrétien, 1898) (Gelechiidae) Synonym(s): *voltinella* Chrétien, 1898
- 13670) *Scrobipalpa (Ilseopsis) voltinelloides* Povolny, 1967 (Gelechiidae) Synonym(s): *voltinelloides* Povolny, 1967
- 13671) *Scrobipalpa (Ilseopsis) wiltshirei* Povolny, 1966 (Gelechiidae) Synonym(s): *wiltshirei* Povolny, 1966
- 13672) *Scrobipalpa (Ilseopsis) wiltshirei obteliana* Povolny, 1971 (Gelechiidae) Synonym(s): *obteliana* Povolny, 1971
- 13673) *Scrobipalpa (Ilseopsis) wiltshirei wiltshirei* Povolny, 1966 (Gelechiidae) Synonym(s): *wiltshirei* Povolny, 1966
- 13674) *Scrobipalpa (Ilseopsis) zouhari* Povolny, 1984 (Gelechiidae) Synonym(s): *zouhari* Povolny, 1984
- 13675) *Scrobipalpa (s.str.) abai* Povolny, 1977 (Gelechiidae) Synonym(s): *abai* Povolny, 1977
- 13676) *Scrobipalpa (s.str.) albostrata* Povolny, 1977 (Gelechiidae) Synonym(s): *albostrata* Povolny, 1977
- 13677) *Scrobipalpa (s.str.) anatolica* Povolny, 1973 (Gelechiidae) Synonym(s): *anatolica* Povolny, 1973
- 13678) *Scrobipalpa (s.str.) aptatella* (Walker, 1864) (Gelechiidae) Synonym(s): *aptatella* Walker, 1864; *heliopa* Lower, 1900
- 13679) *Scrobipalpa (s.str.) asiri* Povolny, 1980 (Gelechiidae) Synonym(s): *asiri* Povolny, 1980
- 13680) *Scrobipalpa (s.str.) bahai* Povolny, 1977 (Gelechiidae) Synonym(s): *bahai* Povolny, 1977
- 13681) *Scrobipalpa (s.str.) bahrainica* Povolny, 1966 (Gelechiidae) Synonym(s): *bahrainica* Povolny, 1966
- 13682) *Scrobipalpa (s.str.) biljurschi* Povolny, 1980 (Gelechiidae) Synonym(s): *biljurschi* Povolny, 1980
- 13683) *Scrobipalpa (s.str.) chersophila* (Meyrick, 1909) (Gelechiidae) Synonym(s): *chersophila* Meyrick, 1909
- 13684) *Scrobipalpa (s.str.) colasta* (Meyrick, 1921) (Gelechiidae) Synonym(s): *colasta* Meyrick, 1921
- 13685) *Scrobipalpa (s.str.) concreta* (Meyrick, 1914) (Gelechiidae) Synonym(s): *concreta* Meyrick, 1914
- 13686) *Scrobipalpa (s.str.) costimacula* Janse, 1960 (Gelechiidae) Synonym(s): *costimacula* Janse, 1960
- 13687) *Scrobipalpa (s.str.) cretigena* (Meyrick, 1914) (Gelechiidae) Synonym(s): *cretigena* Meyrick, 1914
- 13688) *Scrobipalpa (s.str.) cryptica* Povolny, 1969 (Gelechiidae) Synonym(s): *cryptica* Povolny, 1969
- 13689) *Scrobipalpa (s.str.) cultrata* Povolny, 1971 (Gelechiidae) Synonym(s): *cultrata* Povolny, 1971
- 13690) *Scrobipalpa (s.str.) dispensata* (Meyrick, 1921) (Gelechiidae) Synonym(s): *dispensata* Meyrick, 1921
- 13691) *Scrobipalpa (s.str.) filia* Povolny, 1969 (Gelechiidae) Synonym(s): *filia* Povolny, 1969
- 13692) *Scrobipalpa (s.str.) gecko* (Walsingham, 1911) (Gelechiidae) Synonym(s): *gecko* Walsingham, 1911
- 13693) *Scrobipalpa (s.str.) geomicta* (Meyrick, 1918) (Gelechiidae) Synonym(s): *geomicta* Meyrick, 1918
- 13694) *Scrobipalpa (s.str.) griseofusella* (Toll, 1947) (Gelechiidae) Synonym(s): *griseofusella* Toll, 1947
- 13695) *Scrobipalpa (s.str.) halophila* Povolny, 1973 (Gelechiidae) Synonym(s): *halophila* Povolny, 1973
- 13696) *Scrobipalpa (s.str.) helmuti* Povolny, 1977 (Gelechiidae) Synonym(s): *helmuti* Povolny, 1977
- 13697) *Scrobipalpa (s.str.) heretica* Povolny, 1973 (Gelechiidae) Synonym(s): *heretica* Povolny, 1973
- 13698) *Scrobipalpa (s.str.) incola* (Meyrick, 1912) (Gelechiidae) Synonym(s): *incola* Meyrick, 1912; *bletrias* Meyrick, 1913
- 13699) *Scrobipalpa (s.str.) laisnica* Povolny, 1976 (Gelechiidae) Synonym(s): *laisnica* Povolny, 1976
- 13700) *Scrobipalpa (s.str.) meteorica* Povolny, 1984 (Gelechiidae) Synonym(s): *meteorica* Povolny, 1984
- 13701) *Scrobipalpa (s.str.) nana* Povolny, 1973 (Gelechiidae) Synonym(s): *nana* Povolny, 1973
- 13702) *Scrobipalpa (s.str.) nomias* (Meyrick, 1921) (Gelechiidae) Synonym(s): *nomias* Meyrick, 1921
- 13703) *Scrobipalpa (s.str.) ocyphanes* (Meyrick, 1937) (Gelechiidae) Synonym(s): *ocyphanes* Meyrick, 1937
- 13704) *Scrobipalpa (s.str.) pendens* (Meyrick, 1918) (Gelechiidae) Synonym(s): *pendens* Meyrick, 1918
- 13705) *Scrobipalpa (s.str.) peterseni* Povolny, 1965 (Gelechiidae) Synonym(s): *peterseni* Povolny, 1965
- 13706) *Scrobipalpa (s.str.) phalacrodes* (Meyrick, 1913) (Gelechiidae) Synonym(s): *phalacrodes* Meyrick, 1913
- 13707) *Scrobipalpa (s.str.) phelotris* (Meyrick, 1909) (Gelechiidae) Synonym(s): *phelotris* Meyrick, 1909
- 13708) *Scrobipalpa (s.str.) richteri* Povolny, 1968 (Gelechiidae) Synonym(s): *richteri* Povolny, 1968
- 13709) *Scrobipalpa (s.str.) richteri richteri* Povolny, 1968 (Gelechiidae) Synonym(s): *richteri* Povolny, 1968
- 13710) *Scrobipalpa (s.str.) richteri viettei* Povolny, 1971 (Gelechiidae) Synonym(s): *viettei* Povolny, 1971
- 13711) *Scrobipalpa (s.str.) sibila* (Meyrick, 1921) (Gelechiidae) Synonym(s): *sibila* Meyrick, 1921
- 13712) *Scrobipalpa (s.str.) submagnificella* Povolny, 1977 (Gelechiidae) Synonym(s): *submagnificella* Povolny, 1977
- 13713) *Scrobipalpa (s.str.) triloba* Janse, 1960 (Gelechiidae) Synonym(s): *triloba* Janse, 1960
- 13714) *Scrobipalpa (s.str.) trychnophylla* Janse, 1960 (Gelechiidae) Synonym(s): *trychnophylla* Janse, 1960
- 13715) *Scrobipalpa (s.str.) usingeri* Povolny, 1969 (Gelechiidae) Synonym(s): *usingeri* Povolny, 1969
- 13716) *Scrobipalpa (s.str.) vicaria* (Meyrick, 1921) (Gelechiidae) Synonym(s): *vicaria* Meyrick, 1921; *tineiformis* Povolny, 1967
- 13717) *Scrobipalpa (s.str.) xylochroa* Janse, 1963 (Gelechiidae) Synonym(s): *xylochroa* Janse, 1963
- 13718) *Scrobipalposis petasitis* (Pfaffen-zeller, 1867) (Gelechiidae) Synonym(s): *petasitis* Pfaffen-zeller, 1867
- 13719) *Scrobipalpa psilella* (Herrich-Schäffer, [1854]) (Gelechiidae) Synonym(s): *psilella* Herrich-Schäffer, [1854]; *cacuminum* Frey, 1870.
- 13720) *Scrobipalpa tussilaginis* (Frey, 1867) (Gelechiidae) Synonym(s): *tussilaginis* Frey, 1867; *tussilaginnella* Heinemann, 1870.
- 13721) *Sitotroga cerealella* (Olivier, 1789) (Gelechiidae) Synonym(s): *cerealella* Olivier, 1789; *hordei* Kirby, 1815; *arctella* Walker, 1864; *melanartha* Lower, 1900; *palearis* Meyrick, 1913; *ochrescens* Meyrick, 1938
- 13722) *Sitotroga psacasta* (Meyrick, 1908) (Gelechiidae) Synonym(s): *psacasta* Meyrick, 1908; *celyphodes* Meyrick, 1909; *nea* Walsingham, 1920
- 13723) *Sophronia acaudella* Rebel, 1903 (Gelechiidae) Synonym(s): *acaudella* Rebel, 1903
- 13724) *Sophronia alaicella* Caradja, 1920 (Gelechiidae) Synonym(s): *alaicella* Caradja, 1920
- 13725) *Sophronia albomarginata* Li & Zhang, 1998 (Gelechiidae) Synonym(s): *albomarginata* Li & Zhang, 1998
- 13726) *Sophronia aquilex* Meyrick, 1926 (Gelechiidae) Synonym(s): *aquilex* Meyrick, 1926
- 13727) *Sophronia ascalis* Gozmany, 1951 (Gelechiidae) Synonym(s): *ascalis* Gozmany, 1951
- 13728) *Sophronia chilonella* (Treitschke, 1833) (Gelechiidae) Synonym(s): *chilonella* Treitschke, 1833
- 13729) *Sophronia consanguinella* Herrich-Schäffer, [1855] (Gelechiidae) Synonym(s): *consanguinella* Herrich-Schäffer, [1855]; *marginella* Toll, 1936 *nec marginella* Thunberg, 1794 *non* Den. & Schiff., 1775.
- 13730) *Sophronia curonella* Standfuss, 1884 (Gelechiidae) Synonym(s): *curonella* Standfuss, 1884
- 13731) *Sophronia finitimella* Rebel, 1905 (Gelechiidae) Synonym(s): *finitimella* Rebel, 1905
- 13732) *Sophronia gelidella* Nordman, 1941 (Gelechiidae) Synonym(s): *gelidella* Nordman, 1941

- 13733) *Sophronia grandii* Hering, 1933 (Gelechiidae) Synonym(s): *grandii* Hering, 1933
 13734) *Sophronia humerella* (Denis & Schiffmüller, 1775) (Gelechiidae) Synonym(s): *humerella* [Denis & Schiffmüller], 1775
 13735) *Sophronia illustrella* (Hübner, 1796) (Gelechiidae) Synonym(s): *illustrella* Hübner, 1796
 13736) *Sophronia mediatrix* Zeller, 1877 (Gelechiidae) Synonym(s): *mediatrix* Zeller, 1877
 13737) *Sophronia orientalis* Li & Zhang, 1998 (Gelechiidae) Synonym(s): *orientalis* Li & Zhang, 1998
 13738) *Sophronia sagittans* Meyrick, 1923 (Gelechiidae) Synonym(s): *sagittans* Meyrick, 1923
 13739) *Sophronia santolinae* Staudinger, 1863 (Gelechiidae) Synonym(s): *santolinae* Staudinger, 1863
 13740) *Sophronia semicostella* (Hübner, [1813]) (Gelechiidae) Synonym(s): *marginella* Thunberg, 1794 nec Den. & Schiff., 1775; *semicostella* Hübner, [1813]
 13741) *Sophronia sicariella* (Zeller, 1839) (Gelechiidae) Synonym(s): *sicariella* Zeller, 1839
 13742) *Sophronia teretracma* Meyrick, 1927 (Gelechiidae) Synonym(s): *teretracma* Meyrick, 1927
 13743) *Stegasta variana* Meyrick, 1904 (Gelechiidae) Synonym(s): *variana* Meyrick, 1904
 13744) *Stenolechia gemmella* (Linnaeus, 1758) (Gelechiidae) Synonym(s): *gemmella* Linnaeus, 1758; *nivella* Fabricius, 1794; *nivea* Haworth, 1828; *lepidella* Zeller, 1839; *nigrovittella* Duponchel, [1839].
 13745) *Stenolechia sagittella* Caradja, 1920 (Gelechiidae) Synonym(s): *sagittella* Caradja, 1920
 13746) *Stenolechoides macrolepiellus* Huemer & Karsholt, 1999 (Gelechiidae) Synonym(s): *macrolepiellus* Huemer & Karsholt, 1999
 13747) *Stenolechoides pseudogemmellus* Elsner, [1996] (Gelechiidae) Synonym(s): *pseudogemmellus* Elsner, [1996]
 13748) *Stenovalva discula* (Meyrick, 1923) (Gelechiidae) Synonym(s): *discula* Meyrick, 1923; *ghorella* Amsel, 1955.
 13749) *Stomopteryx anxia* (Meyrick, 1917) (Gelechiidae) Synonym(s): *anxia* Meyrick, 1917
 13750) *Stomopteryx basalis* Staudinger, 1876 (Gelechiidae) Synonym(s): *basalis* Staudinger, 1876
 13751) *Stomopteryx bathracha* Meyrick, 1921 (Gelechiidae) Synonym(s): *bathracha* Meyrick, 1921
 13752) *Stomopteryx biangulata* Meyrick, 1921 (Gelechiidae) Synonym(s): *biangulata* Meyrick, 1921
 13753) *Stomopteryx bolschewickiella* (Caradja, 1920) (Gelechiidae) Synonym(s): *bolschewickiella* Caradja, 1920
 13754) *Stomopteryx circaeae* (Meyrick, 1911) (Gelechiidae) Synonym(s): *circaeae* Meyrick, 1911
 13755) *Stomopteryx cirrhocoma* (Meyrick, 1914) (Gelechiidae) Synonym(s): *cirrhocoma* Meyrick, 1914
 13756) *Stomopteryx credula* (Meyrick, 1927) (Gelechiidae) Synonym(s): *credula* Meyrick, 1927
 13757) *Stomopteryx detersella* (Zeller, 1847) (Gelechiidae) Synonym(s): *detersella* Zeller, 1847
 13758) *Stomopteryx deverrae* (Walsingham, 1905) (Gelechiidae) Synonym(s): *deverrae* Walsingham, 1905
 13759) *Stomopteryx difficilis* Janse, 1951 (Gelechiidae) Synonym(s): *difficilis* Janse, 1951
 13760) *Stomopteryx elaeocoma* (Meyrick, 1918) (Gelechiidae) Synonym(s): *elaecoma* Meyrick, 1918
 13761) *Stomopteryx eremopis* (Meyrick, 1921) (Gelechiidae) Synonym(s): *eremopis* Meyrick, 1921
 13762) *Stomopteryx flavipalpella* Jäckh, 1959 (Gelechiidae) Synonym(s): *flavipalpella* Jäckh, 1959
 13763) *Stomopteryx flavoclavella* Zerny, 1935 (Gelechiidae) Synonym(s): *flavoclavella* Zerny, 1935
 13764) *Stomopteryx frivola* Meyrick, 1926 (Gelechiidae) Synonym(s): *frivola* Meyrick, 1926
 13765) *Stomopteryx hungaricella* Gozmany, 1957 (Gelechiidae) Synonym(s): *hungaricella* Gozmany, 1957
 13766) *Stomopteryx lineolella* (Eversmann, 1844) (Gelechiidae) Synonym(s): *lineolella* Eversmann, 1844
 13767) *Stomopteryx lineolella lineolella* (Eversmann, 1844) (Gelechiidae) Synonym(s): *lineolella* Eversmann, 1844
 13768) *Stomopteryx lineolella mongolica* Povolny, 1975 (Gelechiidae) Synonym(s): *mongolica* Povolny, 1975
 13769) *Stomopteryx maculatella* (Lucas, 1956) (Gelechiidae) Synonym(s): *maculatella* Lucas, 1956
 13770) *Stomopteryx nugatricella* Rebel, 1893 (Gelechiidae) Synonym(s): *nugatricella* Rebel, 1893
 13771) *Stomopteryx ochrosema* Meyrick, 1932 (Gelechiidae) Synonym(s): *ochrosema* Meyrick, 1932
 13772) *Stomopteryx officiosa* Janse, 1951 (Gelechiidae) Synonym(s): *officiosa* Janse, 1951
 13773) *Stomopteryx oncodes* (Meyrick, 1913) (Gelechiidae) Synonym(s): *oncodes* Meyrick, 1913
 13774) *Stomopteryx orthogonella* (Staudinger, 1871) (Gelechiidae) Synonym(s): *orthogonella* Staudinger, 1871
 13775) *Stomopteryx pallidella* Amsel, 1959 (Gelechiidae) Synonym(s): *pallidella* Amsel, 1959
 13776) *Stomopteryx pallifrons* Janse, 1951 (Gelechiidae) Synonym(s): *pallidipes* Janse, 1951
 13777) *Stomopteryx remissella* (Zeller, 1847) (Gelechiidae) Synonym(s): *remissella* Zeller, 1847
 13778) *Stomopteryx thoracica* (Meyrick, 1911) (Gelechiidae) Synonym(s): *thoracica* Meyrick, 1911
 13779) *Stomopteryx trachyphylla* Janse, 1960 (Gelechiidae) Synonym(s): *trachyphylla* Janse, 1960
 13780) *Stomopteryx yunusemrei* Koçak, 1986 (Gelechiidae) Synonym(s): *submissella* Frey, 1880 nec Stt., 1859; *yunusemrei* Koçak, 1986
 13781) *Streyella anguinella* (Herrich-Schäffer, 1861) (Gelechiidae) Synonym(s): *anguinella* Herrich-Schäffer, 1861; *ostentella* Zerny, 1934.
 13782) *Streyella pallidigrisea* Janse, 1958 (Gelechiidae) Synonym(s): *pallidigrisea* Janse, 1958
 13783) *Struempelia renatella* Amsel, 1977 (Gelechiidae) Synonym(s): *renatella* Amsel, 1977
 13784) *Symbatica cryphias* Meyrick, 1910 (Gelechiidae) Synonym(s): *cryphias* Meyrick, 1910
 13785) *Syncpacma albifrontella* (Heinemann, 1870) (Gelechiidae) Synonym(s): *albifrontella* Heinemann, 1870
 13786) *Syncpacma albipalpella* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *albipalpella* Herrich-Schäffer, 1854; *ruptella* Constant, 1865
 13787) *Syncpacma alfalfella* Amsel, 1958 (Gelechiidae) Synonym(s): *alfalfella* Amsel, 1958
 13788) *Syncpacma azosterella* (Herrich-Schäffer, 1854) (Gelechiidae) Synonym(s): *azosterella* Herrich-Schäffer, 1854
 13789) *Syncpacma buvati* Nel, 1995 (Gelechiidae) Synonym(s): *buvati* Nel, 1995
 13790) *Syncpacma captivella* (Herrich-Schäffer, [1854]) (Gelechiidae) Synonym(s): *captivella* Herrich-Schäffer, [1854]
 13791) *Syncpacma cinctella* (Clerck, 1759) (Gelechiidae) Synonym(s): *cinctella* Clerck, 1759; *vorticella* Scopoli, 1763; *ligulella* [Denis & Schiffmüller], 1775; *vittata* Fourcroy, 1785; *vittatella* Villers, 1789; *albigistrigella* Stephens, 1834; *cincticullella* Heydenreich, 1851 nec Br., 1850; *sircomella* Stainton, 1854; *finlandica* Gozmany, 1957
 13792) *Syncpacma cincticullella* (Bruand, 1850) (Gelechiidae) Synonym(s): *cincticullella* Bruand, 1850
 13793) *Syncpacma consimilis* Janse, 1951 (Gelechiidae) Synonym(s): *consimilis* Janse, 1951
 13794) *Syncpacma coronilella* (Treitschke, 1833) (Gelechiidae) Synonym(s): *coronilella* Treitschke, 1833
 13795) *Syncpacma faceta* (Meyrick, 1914) (Gelechiidae) Synonym(s): *faceta* Meyrick, 1914
 13796) *Syncpacma incognitana* Gozmany, 1957 (Gelechiidae) Synonym(s): *incognitana* Gozmany, 1957
 13797) *Syncpacma karvoneni* (Hackman, 1950) (Gelechiidae) Synonym(s): *karvoneni* Hackman, 1950
 13798) *Syncpacma larseniella* Gozmany, 1957 (Gelechiidae) Synonym(s): *larseniella* Gozmany, 1957
 13799) *Syncpacma linella* (Chrétien, 1904) (Gelechiidae) Synonym(s): *linella* Chrétien, 1904
 13800) *Syncpacma lutea* Janse, 1960 (Gelechiidae) Synonym(s): *lutea* Janse, 1960
 13801) *Syncpacma maraschella* (Caradja, 1920) (Gelechiidae) Synonym(s): *maraschella* Caradja, 1920
 13802) *Syncpacma monochromella* Janse, 1951 (Gelechiidae) Synonym(s): *monochromella* Janse, 1951
 13803) *Syncpacma montanata* Gozmany, 1957 (Gelechiidae) Synonym(s): *montanata* Gozmany, 1957
 13804) *Syncpacma ochrofasciella* (Toll, 1936) (Gelechiidae) Synonym(s): *ochrofasciella* Toll, 1936
 13805) *Syncpacma oxyipila* (Meyrick, 1909) (Gelechiidae) Synonym(s): *oxyipila* Meyrick, 1909; *acrophylla* Meyrick, 1911
 13806) *Syncpacma patruella* (Mann, 1857) (Gelechiidae) Synonym(s): *patruella* Mann, 1857
 13807) *Syncpacma perfuscatella* Janse, 1951 (Gelechiidae) Synonym(s): *perfuscatella* Janse, 1951
 13808) *Syncpacma polychromella* (Rebel, 1902) (Gelechiidae) Synonym(s): *polychromella* Rebel, 1902
 13809) *Syncpacma rebeliella* (Caradja, 1920) (Gelechiidae) Synonym(s): *rebeliella* Caradja, 1920
 13810) *Syncpacma sangiella* (Stainton, 1863) (Gelechiidae) Synonym(s): *sangiella* Stainton, 1863
 13811) *Syncpacma schoenmanni* (Gozmany, 1957) (Gelechiidae) Synonym(s): *schoenmanni* Gozmany, 1957
 13812) *Syncpacma semicostella* (Staudinger, 1871) (Gelechiidae) Synonym(s): *semicostella* Staudinger, 1871; *albicapitella* Bidzilya, 1996
 13813) *Syncpacma splendens* (Staudinger, 1881) (Gelechiidae) Synonym(s): *splendens* Staudinger, 1881
 13814) *Syncpacma suecicella* (Wolff, 1958) (Gelechiidae) Synonym(s): *suecicella* Wolff, 1958
 13815) *Syncpacma syncrita* (Meyrick, 1926) (Gelechiidae) Synonym(s): *syncrita* Meyrick, 1926.
 13816) *Syncpacma taeniolella* (Zeller, 1839) (Gelechiidae) Synonym(s): *taeniolella* Zeller, 1839
 13817) *Syncpacma vinella* (Banks, 1898) (Gelechiidae) Synonym(s): *vinella* Banks, 1898
 13818) *Syncpacma wormiella* (Wolff, 1958) (Gelechiidae) Synonym(s): *wormiella* Wolff, 1958
 13819) *Syngelechia psimythota* (Meyrick, 1913) (Gelechiidae) Synonym(s): *psimythota* Meyrick, 1913; *emphanista* Meyrick, 1921
 13820) *Syrmadula automorpha* Meyrick, 1918 (Gelechiidae) Synonym(s): *automorpha* Meyrick, 1918
 13821) *Teleiodes brevivulva* Huemer, 1992 (Gelechiidae) Synonym(s): *brevivulva* Huemer, 1992

- 13822) *Teleiodes cisti* (Stainton,1869) (Gelechiidae) Synonym(s): *cisti* Stainton,1869
 13823) *Teleiodes flavimaculella* (Herrich-Schäffer,[1854]) (Gelechiidae) Synonym(s): *flavimaculella* Herrich-Schäffer,[1854]
 13824) *Teleiodes gallica* Huemer,1992 (Gelechiidae) Synonym(s): *gallica* Huemer,1992
 13825) *Teleiodes italica* Huemer,1992 (Gelechiidae) Synonym(s): *italica* Huemer,1992
 13826) *Teleiodes lacertella* (Walsingham,1904) (Gelechiidae) Synonym(s): *lacertella* Walsingham,1904
 13827) *Teleiodes luculella* (Hübner,[1813]) (Gelechiidae) Synonym(s): *luculella* Hübner,[1813]
 13828) *Teleiodes saltuum* (Zeller,1878) (Gelechiidae) Synonym(s): *saltuum* Zeller,1878
 13829) *Teleiodes sequax* (Haworth,1828) (Gelechiidae) Synonym(s): *sequax* Haworth,1828
 13830) *Teleiodes squamodorella* (Amsel,1935) (Gelechiidae) Synonym(s): *squamodorella* Amsel,1935
 13831) *Teleiodes squamulella* (Peyerimhoff,1871) (Gelechiidae) Synonym(s): *squamulella* Peyerimhoff,1871
 13832) *Teleiodes thomeriella* (Chrétien,1901) (Gelechiidae) Synonym(s): *thomeriella* Chrétien,1901
 13833) *Teleiodes vovkella* (Piskunov,1973) (Gelechiidae) Synonym(s): *vovkella* Piskunov,1973
 13834) *Teleiodes vulgella* ([Denis & Schiffermüller],[1775]) (Gelechiidae) Synonym(s): *vulgella* [Denis & Schiffermüller],1775; *aspera* Haworth,1828.
 13835) *Teleiodes wagae* (Nowicki,1860) (Gelechiidae) Synonym(s): *wagae* Nowicki,1860
 13836) *Teleiopsis albifemorella* (Hofmann,1867) (Gelechiidae) Synonym(s): *albifemorella* Hofmann,1867
 13837) *Teleiopsis bagriotella* (Duponchel,1840) (Gelechiidae) Synonym(s): *bagriotella* Duponchel,1840
 13838) *Teleiopsis diffinis* (Haworth,[1828]) (Gelechiidae) Synonym(s): *diffinis* Haworth,[1828]; *tristis* Staudinger,1879.
 13839) *Teleiopsis latisacculus* Pitkin,1988 (Gelechiidae) Synonym(s): *latisacculus* Pitkin,1988
 13840) *Teleiopsis nigrorosea* (Walsingham,1904) (Gelechiidae) Synonym(s): *nigrorosea* Walsingham,1904
 13841) *Teleiopsis rosabella* (Fologne,1862) (Gelechiidae) Synonym(s): *rosabella* Fologne,1862
 13842) *Teleiopsis sarcochroma* (Walsingham,1900) (Gelechiidae) Synonym(s): *sarcochroma* Walsingham,1900; *nigrorosea* Walsingham,1904; *hessi* Amsel,1935.
 13843) *Teleiopsis terebinthinella* (Herrich-Schäffer,[1856]) (Gelechiidae) Synonym(s): *terebinthinella* Herrich-Schäffer,[1856]
 13844) *Telephila schmidtellus* (Heyden,1848) (Gelechiidae) Synonym(s): *schmidtellus* Heyden,1848
 13845) *Telephusa accensa* Meyrick,1921 (Gelechiidae) Synonym(s): *accensa* Meyrick,1921
 13846) *Telephusa amphichroma* Meyrick,1913 (Gelechiidae) Synonym(s): *amphichroma* Meyrick,1913
 13847) *Telephusa calathaea* Meyrick,1913 (Gelechiidae) Synonym(s): *calathaea* Meyrick,1913
 13848) *Telephusa cistiflorella* (Constant,1890) (Gelechiidae) Synonym(s): *cistiflorella* Constant,1890
 13849) *Telephusa comedonella* (Staudinger,1880) (Gelechiidae) Synonym(s): *comedonella* Staudinger,1880
 13850) *Telephusa iosticta* Meyrick,1937 (Gelechiidae) Synonym(s): *iosticta* Meyrick,1937
 13851) *Telephusa iriditis* Meyrick,1920 (Gelechiidae) Synonym(s): *iriditis* Meyrick,1920
 13852) *Telephusa mersinella* (Staudinger,1879) (Gelechiidae) Synonym(s): *mersinella* Staudinger,1879
 13853) *Telephusa objecta* Meyrick,1921 (Gelechiidae) Synonym(s): *objecta* Meyrick,1921
 13854) *Telephusa ochlerodes* Meyrick,1926 (Gelechiidae) Synonym(s): *ochlerodes* Meyrick,1926
 13855) *Telephusa pistaciae* Sattler,1982 (Gelechiidae) Synonym(s): *pistaciae* Sattler,1982
 13856) *Telephusa praedicata* Meyrick,1923 (Gelechiidae) Synonym(s): *praedicata* Meyrick,1923
 13857) *Telephusa resecta* Meyrick,1921 (Gelechiidae) Synonym(s): *resecta* Meyrick,1921
 13858) *Telephusa syndelta* Meyrick,1921 (Gelechiidae) Synonym(s): *syndelta* Meyrick,1921; *deltocrates* Meyrick,1927
 13859) *Thaumaturgis craterocrossa* Meyrick,1934 (Gelechiidae) Synonym(s): *craterocrossa* Meyrick,1934
 13860) *Thiotricha acrantha* Meyrick,1908 (Gelechiidae) Synonym(s): *acrantha* Meyrick,1908
 13861) *Thiotricha colella* (Constant,1885) (Gelechiidae) Synonym(s): *colella* Constant,1885
 13862) *Thiotricha majorella* (Rebel,1910) (Gelechiidae) Synonym(s): *majorella* Rebel,1910
 13863) *Thiotricha rhodopa* Meyrick,1908 (Gelechiidae) Synonym(s): *rhodopa* Meyrick,1908
 13864) *Thiotricha subocellea* (Stephens,1834) (Gelechiidae) Synonym(s): *subocellea* Stephens,1834; *internella* Lienig & Zeller,1846; *dissonella* Herrich-Schäffer,1854; *subocellella* Doubleday,1859
 13865) *Thiotricha tenuis* (Walsingham,1891) (Gelechiidae) Synonym(s): *tenuis* Walsingham,1891
 13866) *Thriophora ovulata* Meyrick,1911 (Gelechiidae) Synonym(s): *ovulata* Meyrick,1911
 13867) *Thymosopha antileuca* Meyrick,1914 (Gelechiidae) Synonym(s): *antileuca* Meyrick,1914
 13868) *Tila capsophilella* (Chrétien,1900) (Gelechiidae) Synonym(s): *capsophilella* Chrétien,1900
 13869) *Tila sequanda* Povolny,1974 (Gelechiidae) Synonym(s): *sequanda* Povolny,1974
 13870) *Tituacia deviellei* Walker,1864 (Gelechiidae) Synonym(s): *deviellei* Walker,1864; *erosella* Snellen,1878
 13871) *Tricerophora commaculata* (Meyrick,1921) (Gelechiidae) Synonym(s): *commaculata* Meyrick,1921
 13872) *Tricyanula metallica* (Walsingham,1891) (Gelechiidae) Synonym(s): *metallica* Walsingham,1891
 13873) *Trychnopalpa fornacaria* (Meyrick,1913) (Gelechiidae) Synonym(s): *fornacaria* Meyrick,1913
 13874) *Turcopalpa africana* (Povolny,1968) (Gelechiidae) Synonym(s): *africana* Povolny,1968
 13875) *Turcopalpa glaseri* Povolny,1973 (Gelechiidae) Synonym(s): *glaseri* Povolny,1973
 13876) *Uliaria rasilella* (Herrich-Schäffer,1854) (Gelechiidae) Synonym(s): *rasilella* Herrich-Schäffer,1854; *lacrimella* Caradja,1920
 13877) *Vadenia ribbeella* (Caradja,1920) (Gelechiidae) Synonym(s): *ribbeella* Caradja,1920
 13878) *Vladimirea (Distinxia) amseli* Povolny,1967 (Gelechiidae) Synonym(s): *amseli* Povolny,1967
 13879) *Vladimirea (s.str.) glebicolorella* (Erschoff,1874) (Gelechiidae) Synonym(s): *glebicolorella* Erschoff,1874; *submaculata* Povolny,1967.
 13880) *Vladimirea (s.str.) kahirica* Povolny,1969 (Gelechiidae) Synonym(s): *kahirica* Povolny,1969
 13881) *Vladimirea (s.str.) magna* Povolny,1969 (Gelechiidae) Synonym(s): *magna* Povolny,1969
 13882) *Vladimirea (s.str.) stepicola* Povolny,1976 (Gelechiidae) Synonym(s): *stepicola* Povolny,1976
 13883) *Vladimirea (s.str.) wiltshirei* Povolny,1967 (Gelechiidae) Synonym(s): *wiltshirei* Povolny,1967
 13884) *Vladimirea (s.str.) zygophylli* Kuznetsov,1960 (Gelechiidae) Synonym(s): *zygophylli* Kuznetsov,1960
 13885) *Vladimirea (s.str.) zygophyllivorella* Kuznetsov,1960 (Gelechiidae) Synonym(s): *zygophyllivorella* Kuznetsov,1960
 13886) *Xenolechia aethiops* (Humphreys & Westwood,1845) (Gelechiidae) Synonym(s): *aethiops* Humphreys & Westwood,1845
 13887) *Xenolechia lindae* Huemer & Karsholt,1999 (Gelechiidae) Synonym(s): *lindae* Huemer & Karsholt,1999
 13888) *Xenolechia pseudovolgella* Huemer & Karsholt,1999 (Gelechiidae) Synonym(s): *pseudovolgella* Huemer & Karsholt,1999
 13889) *Xystophora carchariella* (Zeller,1839) (Gelechiidae) Synonym(s): *carchariella* Zeller,1839
 13890) *Xystophora pulveratella* (Herrich-Schäffer,1854) (Gelechiidae) Synonym(s): *pulveratella* Herrich-Schäffer,1854
 13891) *Zalithia deltophora* Janse,1954 (Gelechiidae) Synonym(s): *deltophora* Janse,1954
 13892) *Zalithia octophora* (Meyrick,1918) (Gelechiidae) Synonym(s): *octophora* Meyrick,1918
 13893) *Zalithia xanthophylla* Janse,1963 (Gelechiidae) Synonym(s): *xanthophylla* Janse,1963
 13894) *"Asthenia" argentipuncta* W.Warren,1906 (Geometridae) Synonym(s): *argentipuncta* W.Warren,1906
 13895) *"Asthenia" argyrorrhyses* L.B.Prout,1916 (Geometridae) Synonym(s): *argyrorrhyses* L.B.Prout,1916
 13896) *"Asthenia" aurantiaca* L.B.Prout,1926 (Geometridae) Synonym(s): *aurantiaca* L.B.Prout,1926
 13897) *"Asthenia" distinctaria* (Leech,1897) (Geometridae) Synonym(s): *distinctaria* Leech,1897
 13898) *"Asthenia" eurychora* L.B.Prout,1928 (Geometridae) Synonym(s): *eurychora* L.B.Prout,1928
 13899) *"Asthenia" straminearia* (Leech,1897) (Geometridae) Synonym(s): *straminearia* Leech,1897
 13900) *"Asthenia" subditaria* W.Warren,1906 (Geometridae) Synonym(s): *subditaria* W.Warren,1906
 13901) *"Asthenia" yargongaria* Oberthür,1916 (Geometridae) Synonym(s): *yargongaria* Oberthür,1916
 13902) *"Chloroclystis"* (Geometridae) Synonym(s):
 13903) *"Chloroclystis" consocer* L.B.Prout,1937 (Geometridae) Synonym(s): *consocer* L.B.Prout,1937
 13904) *"Chloroclystis" dentatissima* (W.Warren,1898) (Geometridae) Synonym(s): *dentatissima* W.Warren,1898
 13905) *"Chloroclystis" derasata* (Bastelberger,1905) (Geometridae) Synonym(s): *derasata* Bastelberger,1905; *chlamydata* Joannis,1906
 13906) *"Chloroclystis" derasata jansae* L.B.Prout,1937 (Geometridae) Synonym(s): *jansae* L.B.Prout,1937
 13907) *"Chloroclystis" grisea* (W.Warren,1897) (Geometridae) Synonym(s): *grisea* W.Warren,1897
 13908) *"Chloroclystis" gymnoscelides* (L.B.Prout,1916) (Geometridae) Synonym(s): *gymnoscelides* L.B.Prout,1916
 13909) *"Chloroclystis" muscosa* (W.Warren,1902) (Geometridae) Synonym(s): *muscosa* W.Warren,1902
 13910) *"Chloroclystis" muscosa tumefacta* (L.B.Prout,1917) (Geometridae) Synonym(s): *tumefacta* L.B.Prout,1917
 13911) *"Chloroclystis" palaeartica* Brandt,1938 (Geometridae) Synonym(s): *palaeartica* Brandt,1938

- 13912) "*Chloroclystis*" *rubicunda* L.B.Prout,1934 (Geometridae) Synonym(s): *rubicunda* L.B.Prout,1934
- 13913) "*Chloroclystis*" *rubrinotata* (W.Warren,1893) (Geometridae) Synonym(s): *rubrinotata* W.Warren,1893
- 13914) "*Chloroclystis*" *ruptiscripta* (W.Warren,1904) (Geometridae) Synonym(s): *ruptiscripta* W.Warren,1904; *colorata* W.Warren,1906
- 13915) "*Chloroclystis*" *socotrensis* Herbulot,1994 (Geometridae) Synonym(s): *socotrensis* Herbulot,1994
- 13916) "*Chloroclystis*" *tortuosa* West,1929 (Geometridae) Synonym(s): *tortuosa* West,1929
- 13917) "*Cyclophora*" *inaequalis* (W.Warren,1902) (Geometridae) Synonym(s): *inaequalis* W.Warren,1902
- 13918) "*Cyclophora*" *lyciscaria* (Guenée,[1858]) (Geometridae) Synonym(s): *lyciscaria* Guenée,[1858]; *bitactata* Walker,1862; *deremptaria* Walker,1863
- 13919) "*Cyclophora*" *sanguinata* (W.Warren,1904) (Geometridae) Synonym(s): *sanguinata* W.Warren,1904
- 13920) "*Hydrelia*" *flavidula* (W.Warren,1907) (Geometridae) Synonym(s): *flavidula* W.Warren,1907
- 13921) "*Pachyodes*" *albapex* Inoue,1988 (Geometridae) Synonym(s): *albapex* Inoue,1988
- 13922) "*Pachyodes*" *costiflavens* (Wehrli,1933) (Geometridae) Synonym(s): *costiflavens* Wehrli,1933
- 13923) "*Pachyodes*" *ectoxantha* (Wehrli,1933) (Geometridae) Synonym(s): *ectoxantha* Wehrli,1933
- 13924) "*Pachyodes*" *euclidiaria* (Oberthür,1913) (Geometridae) Synonym(s): *euclidiaria* Oberthür,1913
- 13925) "*Pachyodes*" *iterans* (L.B.Prout,1926) (Geometridae) Synonym(s): *iterans* L.B.Prout,1926
- 13926) "*Pachyodes*" *leopardinata* (Moore,1868) (Geometridae) Synonym(s): *leopardinata* Moore,1868
- 13927) "*Pachyodes*" *moelleri* (W.Warren,1893) (Geometridae) Synonym(s): *moelleri* W.Warren,1893
- 13928) "*Pachyodes*" *ornataria* Moore,1888 (Geometridae) Synonym(s): *ornataria* Moore,1888
- 13929) "*Pachyodes*" *ornataria* Moore,1888 (Geometridae) Synonym(s): *ornataria* Moore,1888
- 13930) "*Pachyodes*" *pictaria* Moore,1888 (Geometridae) Synonym(s): *pictaria* Moore,1888
- 13931) "*Pachyodes*" *taiwana* Wileman,1912 (Geometridae) Synonym(s): *taiwana* Wileman,1912
- 13932) "*Pachyodes*" *varicoloraria* (Moore,1868) (Geometridae) Synonym(s): *varicoloraria* Moore,1868
- 13933) "*Pachyodes*" *varicoloraria* (Moore,1868) (Geometridae) Synonym(s): *varicoloraria* Moore,1868
- 13934) "*Prasinocyma*" *bipuncta* L.B.Prout,1913 (Geometridae) Synonym(s): *bipuncta* L.B.Prout,1913
- 13935) "*Prasinocyma*" *debilis* L.B.Prout,1913 (Geometridae) Synonym(s): *debilis* L.B.Prout,1913
- 13936) "*Prasinocyma*" *dentatilineata* L.B.Prout,1913 (Geometridae) Synonym(s): *dentatilineata* L.B.Prout,1913
- 13937) "*Prasinocyma*" *deviata* L.B.Prout,1913 (Geometridae) Synonym(s): *deviata* L.B.Prout,1913
- 13938) "*Prasinocyma*" *dioscorodes* L.B.Prout,1913 (Geometridae) Synonym(s): *dioscorodes* L.B.Prout,1913
- 13939) "*Prasinocyma*" *discoprivata* L.B.Prout,1913 (Geometridae) Synonym(s): *discoprivata* L.B.Prout,1913
- 13940) "*Prasinocyma*" *geometrica* L.B.Prout,1913 (Geometridae) Synonym(s): *geometrica* L.B.Prout,1913
- 13941) "*Prasinocyma*" *infirma* L.B.Prout,1913 (Geometridae) Synonym(s): *infirma* L.B.Prout,1913
- 13942) "*Prasinocyma*" *intermedia* (W.Warren,1907) (Geometridae) Synonym(s): *intermedia* W.Warren,1907
- 13943) "*Prasinocyma*" *intermedia approximata* L.B.Prout,1913 (Geometridae) Synonym(s): *approximata* L.B.Prout,1913
- 13944) "*Prasinocyma*" *nictata* L.B.Prout,1913 (Geometridae) Synonym(s): *nictata* L.B.Prout,1913
- 13945) "*Prasinocyma*" *obsoleta* (W.Warren,1906) (Geometridae) Synonym(s): *obsoleta* W.Warren,1906
- 13946) "*Prasinocyma*" *obsoleta subobsoleta* L.B.Prout,1913 (Geometridae) Synonym(s): *subobsoleta* L.B.Prout,1913
- 13947) "*Prasinocyma*" *oxybeles* L.B.Prout,1913 (Geometridae) Synonym(s): *oxybeles* L.B.Prout,1913
- 13948) "*Prasinocyma*" *phoenicogramma* L.B.Prout,1913 (Geometridae) Synonym(s): *phoenicogramma* L.B.Prout,1913
- 13949) "*Prasinocyma*" *ruficollis* L.B.Prout,1913 (Geometridae) Synonym(s): *ruficollis* L.B.Prout,1913
- 13950) "*Prasinocyma*" *scintillans* (W.Warren,1906) (Geometridae) Synonym(s): *scintillans* W.Warren,1906
- 13951) "*Prasinocyma*" *scintillans isorrhopia* L.B.Prout,1913 (Geometridae) Synonym(s): *isorrhopia* L.B.Prout,1913
- 13952) "*Prasinocyma*" *seminivea* (W.Warren,1906) (Geometridae) Synonym(s): *seminivea* W.Warren,1906
- 13953) "*Prasinocyma*" *seminivea respersa* L.B.Prout,1913 (Geometridae) Synonym(s): *respersa* L.B.Prout,1913
- 13954) "*Prasinocyma*" *signifera* (W.Warren,1903) (Geometridae) Synonym(s): *signifera* W.Warren,1903
- 13955) "*Prasinocyma*" *signifera superba* L.B.Prout,1913 (Geometridae) Synonym(s): *superba* L.B.Prout,1913
- 13956) "*Prasinocyma*" *tripuncta* L.B.Prout,1913 (Geometridae) Synonym(s): *tripuncta* L.B.Prout,1913
- 13957) "*Prasinocyma*" *vagrans* L.B.Prout,1913 (Geometridae) Synonym(s): *vagrans* L.B.Prout,1913
- 13958) "*Prasinocyma*" *venata* L.B.Prout,1913 (Geometridae) Synonym(s): *venata* L.B.Prout,1913
- 13959) "*Prasinocyma*" *votiva* L.B.Prout,1913 (Geometridae) Synonym(s): *votiva* L.B.Prout,1913
- 13960) "*Venusia*" *distrigaria* (Boisduval,1833) (Geometridae) Synonym(s): *distrigaria* Boisduval,1833
- 13961) *Abaciscus adjuncta* (L.B.Prout,1928) (Geometridae) Synonym(s): *adjuncta* L.B.Prout,1928; *ochrispila* Wehrli,1939
- 13962) *Abaciscus albipunctatus* Inoue,1955 (Geometridae) Synonym(s): *albipunctata* Inoue,1955
- 13963) *Abaciscus alishanensis* Inoue,1978 (Geometridae) Synonym(s): *alishanensis* Inoue,1978
- 13964) *Abaciscus atmala* (Swinhoe,1894) (Geometridae) Synonym(s): *atmala* Swinhoe,1894; *subcinerea* W.Warren,1896
- 13965) *Abaciscus atmala atmala* (Swinhoe,1894) (Geometridae) Synonym(s): *atmala* Swinhoe,1894; *subcinerea* W.Warren,1896
- 13966) *Abaciscus atmala flavidus* Holloway,[1994] (Geometridae) Synonym(s): *flavida* Holloway,[1994]
- 13967) *Abaciscus atmala smedleyi* (L.B.Prout,1931) (Geometridae) Synonym(s): *smedleyi* L.B.Prout,1931
- 13968) *Abaciscus bifidus* Sato,1997 (Geometridae) Synonym(s): *bifida* Sato,1997
- 13969) *Abaciscus changi* Sato,1997 (Geometridae) Synonym(s): *changi* Sato,1997
- 13970) *Abaciscus consanguineus* (L.B.Prout,1926) (Geometridae) Synonym(s): *consanguinea* L.B.Prout,1926
- 13971) *Abaciscus costimaculatus* (Wileman,1912) (Geometridae) Synonym(s): *costimacula* Wileman,1912
- 13972) *Abaciscus intractabilis* (Walker,1863) (Geometridae) Synonym(s): *intractabilis* Walker,1863; *figlina* Swinhoe,1890
- 13973) *Abaciscus intractabilis cantonensis* (Wehrli,1943) (Geometridae) Synonym(s): *cantonensis* Wehrli,1943
- 13974) *Abaciscus intractabilis intractabilis* (Walker,1863) (Geometridae) Synonym(s): *intractabilis* Walker,1863; *figlina* Swinhoe,1890
- 13975) *Abaciscus karsholti* Sato,1996 (Geometridae) Synonym(s): *karsholti* Sato,1996
- 13976) *Abaciscus kathmandensis* Sato,1993 (Geometridae) Synonym(s): *kathmandensis* Sato,1993
- 13977) *Abaciscus lutosus* Holloway,[1994] (Geometridae) Synonym(s): *lutosus* Holloway,[1994]
- 13978) *Abaciscus paucisignatus* (W.Warren,1899) (Geometridae) Synonym(s): *paucisignatus* W.Warren,1899; *paraphiata* W.Warren,1900
- 13979) *Abaciscus sakuraii* Sato,1994 (Geometridae) Synonym(s): *sakuraii* Sato,1994
- 13980) *Abaciscus scinus* Sato,1994 (Geometridae) Synonym(s): *scinus* Sato,1994
- 13981) *Abaciscus shaneae* Holloway,[1994] (Geometridae) Synonym(s): *shaneae* Holloway,[1994]
- 13982) *Abaciscus stellifera* W.Warren,1896 (Geometridae) Synonym(s): *stellifera* W.Warren,1896
- 13983) *Abaciscus tristis* Butler,1889 (Geometridae) Synonym(s): *tristis* Butler,1889
- 13984) *Abaciscus tristis* Butler,1889 (Geometridae) Synonym(s): *tristis* Butler,1889
- 13985) *Abaciscus tristis tschekianguis* (Wehrli,1943) (Geometridae) Synonym(s): *tschekianga* Wehrli,1943
- 13986) *Abaciscus tsinlingensis* (Wehrli,1943) (Geometridae) Synonym(s): *tsinlingensis* Wehrli,1943
- 13987) *Abaciscus tsinlingensis cesa Koçak & Kemal*,2001 (Geometridae) Synonym(s): *yangtseina* Wehrli,1943 *nec* Wehrli,1943; *cesa Koçak & Kemal*,2001
- 13988) *Abaciscus tsinlingensis tsinlingensis* (Wehrli,1943) (Geometridae) Synonym(s): *tsinlingensis* Wehrli,1943
- 13989) *Abaciscus tsinlingensis yangtseina* (Wehrli,1943) (Geometridae) Synonym(s): *yangtseina* Wehrli,1943
- 13990) *Abraxaphantes perampla* (Swinhoe,1890) (Geometridae) Synonym(s): *perampla* Swinhoe,1890
- 13991) *Abraxas* (Calospilos) *amicula* Wehrli,1935 (Geometridae) Synonym(s): *amicula* Wehrli,1935
- 13992) *Abraxas* (Calospilos) *breueri* Stüning & Hausmann,2002 (Geometridae) Synonym(s): *breueri* Stüning & Hausmann,2002
- 13993) *Abraxas* (Calospilos) *formosilluminata* Inoue,1984 (Geometridae) Synonym(s): *formosilluminata* Inoue,1984
- 13994) *Abraxas* (Calospilos) *hoenei* Wehrli,1935 (Geometridae) Synonym(s): *hoenei* Wehrli,1935
- 13995) *Abraxas* (Calospilos) *illuminata* W.Warren,1897 (Geometridae) Synonym(s): *illuminata* W.Warren,1897
- 13996) *Abraxas* (Calospilos) *metallica* Inoue,1994 (Geometridae) Synonym(s): *metallica* Inoue,1994
- 13997) *Abraxas* (Calospilos) *oblongostigma* Inoue,1994 (Geometridae) Synonym(s): *oblongostigma* Inoue,1994
- 13998) *Abraxas* (Calospilos) *pantaria* (Linnaeus,1767) (Geometridae) Synonym(s): *pantaria* Linnaeus,1767
- 13999) *Abraxas* (Calospilos) *sp.* (Geometridae) Synonym(s):
- 14000) *Abraxas* (Calospilos) *sp.* (Geometridae) Synonym(s):
- 14001) *Abraxas* (Calospilos) *sylvata* (Scopoli,1763) (Geometridae) Synonym(s): *sylvata* Scopoli,1763
- 14002) *Abraxas* (s.str.) *aritai* Inoue,1994 (Geometridae) Synonym(s): *aritai* Inoue,1994

- 14003) *Abraxas* (s.str.) *atrolivens* Inoue, 1994 (Geometridae) Synonym(s): *atrolivens* Inoue, 1994
 14004) *Abraxas* (s.str.) *grossulariatus* (Linnaeus, 1758) (Geometridae) Synonym(s): *grossulariata* Linnaeus, 1758; *cuneifera* W. Warren, 1895; *memorabilis* Inoue, 1946
 14005) *Abraxas* *abrasata* W. Warren, 1888 (Geometridae) Synonym(s): *abrasata* W. Warren, 1888
 14006) *Abraxas* *aequimargo* Semper, 1901 (Geometridae) Synonym(s): *aequimargo* Semper, 1901
 14007) *Abraxas* *aphorista* L.B. Prout, 1917 (Geometridae) Synonym(s): *aphorista* L.B. Prout, 1917
 14008) *Abraxas* *capitata* W. Warren, 1894 (Geometridae) Synonym(s): *intermedia* W. Warren, 1894 nec 1888; *capitata* W. Warren, 1894
 14009) *Abraxas* *contrahens* (Geometridae) Synonym(s):
 14010) *Abraxas* *cyclobalia* West, 1929 (Geometridae) Synonym(s): *cyclobalia* West, 1929
 14011) *Abraxas* *diastema* L.B. Prout, 1926 (Geometridae) Synonym(s): *diastema* L.B. Prout, 1926
 14012) *Abraxas* *dichostata* L.B. Prout, 1927 (Geometridae) Synonym(s): *dichostata* L.B. Prout, 1927
 14013) *Abraxas* *discoparallela* Wehrli, 1931 (Geometridae) Synonym(s): *discoparallela* Wehrli, 1931
 14014) *Abraxas* *disrupta* W. Warren, 1894 (Geometridae) Synonym(s): *disrupta* W. Warren, 1894
 14015) *Abraxas* *elaiodes* Wehrli, 1931 (Geometridae) Synonym(s): *elaiodes* Wehrli, 1931
 14016) *Abraxas* *fulvobasalis* (Geometridae) Synonym(s):
 14017) *Abraxas* *fuscescens* Butler, 1886 (Geometridae) Synonym(s): *fuscescens* Butler, 1886
 14018) *Abraxas* *gephyra* West, 1929 (Geometridae) Synonym(s): *gephyra* West, 1929
 14019) *Abraxas* *intermedia* W. Warren, 1888 (Geometridae) Synonym(s): *intermedia* W. Warren, 1888; *determinata* W. Warren, 1894
 14020) *Abraxas* *interpunctata* W. Warren, 1905 (Geometridae) Synonym(s): *interpunctata* W. Warren, 1905
 14021) *Abraxas* *intervacuata* (W. Warren, 1896) (Geometridae) Synonym(s): *intervacuata* W. Warren, 1896
 14022) *Abraxas* *invasata* W. Warren, 1897 (Geometridae) Synonym(s): *invasata* W. Warren, 1897
 14023) *Abraxas* *irrorata* Moore, 1868 (Geometridae) Synonym(s): *irrorata* Moore, 1868; *diaphana* W. Warren, 1893
 14024) *Abraxas* *latifasciata* (Geometridae) Synonym(s):
 14025) *Abraxas* *leucoloepa* L.B. Prout, 1928 (Geometridae) Synonym(s): *leucoloepa* L.B. Prout, 1928
 14026) *Abraxas* *lugubris* L.B. Prout, 1925 (Geometridae) Synonym(s): *lugubris* L.B. Prout, 1925
 14027) *Abraxas* *macroplaca* De Joannis, 1929 (Geometridae) Synonym(s): *macroplaca* De Joannis, 1929
 14028) *Abraxas* *maculicincta* Walker, 1866 (Geometridae) Synonym(s): *maculicincta* Walker, 1866
 14029) *Abraxas* *metabasis* L.B. Prout, 1927 (Geometridae) Synonym(s): *metabasis* L.B. Prout, 1927
 14030) *Abraxas* *miranda* (Geometridae) Synonym(s):
 14031) *Abraxas* *nephodes* (Geometridae) Synonym(s):
 14032) *Abraxas* *niphonibia* (Geometridae) Synonym(s):
 14033) *Abraxas* *pleniguttata* W. Warren, 1897 (Geometridae) Synonym(s): *pleniguttata* W. Warren, 1897
 14034) *Abraxas* *polysticta* Wehrli, 1931 (Geometridae) Synonym(s): *polysticta* Wehrli, 1931
 14035) *Abraxas* *praepiperata* (Wehrli, 1935) (Geometridae) Synonym(s): *praepiperata* Wehrli, 1935
 14036) *Abraxas* *propior* Wehrli, 1935 (Geometridae) Synonym(s): *propior* Wehrli, 1935
 14037) *Abraxas* *rhusiocirra* Wehrli, 1931 (Geometridae) Synonym(s): *rhusiocirra* Wehrli, 1931
 14038) *Abraxas* *satoi* (Geometridae) Synonym(s):
 14039) *Abraxas* *semilivens* Wehrli, 1935 (Geometridae) Synonym(s): *semilivens* Wehrli, 1935
 14040) *Abraxas* *semiusta* West, 1929 (Geometridae) Synonym(s): *semiusta* West, 1929
 14041) *Abraxas* *sinimartaria* Wehrli, 1935 (Geometridae) Synonym(s): *sinimartaria* Wehrli, 1935
 14042) *Abraxas* *subflava* Wehrli, 1935 (Geometridae) Synonym(s): *subflava* Wehrli, 1935
 14043) *Abraxas* *subhyalinata* Röber, 1891 (Geometridae) Synonym(s): *subhyalinata* Röber, 1891
 14044) *Abraxas* *suspecta* (Geometridae) Synonym(s):
 14045) *Abraxas* *symmetrica* W. Warren, 1894 (Geometridae) Synonym(s): *symmetrica* W. Warren, 1894
 14046) *Abraxas* *taiwanensis* Inoue, 1984 (Geometridae) Synonym(s): *taiwanensis* Inoue, 1984
 14047) *Abraxas* *tenellula* Inoue, 1984 (Geometridae) Synonym(s): *tenellula* Inoue, 1984
 14048) *Abraxas* *tenuisuffusa* Inoue, 1984 (Geometridae) Synonym(s): *tenuisuffusa* Inoue, 1984
 14049) *Abraxas* *todara* Swinhoe, 1890 (Geometridae) Synonym(s): *todara* Swinhoe, 1890
 14050) *Abraxas* *triseriaria* Herrich-Schäffer, [1855] (Geometridae) Synonym(s): *triseriaria* Herrich-Schäffer, [1855]; *marginata* Moore, 1879; *triseriata* Hampson, 1895 nec Wrr., 1893
 14051) *Abraxas* *triseriata* W. Warren, 1893 (Geometridae) Synonym(s): *triseriata* W. Warren, 1893; *flaveata* Hampson, 1895
 14052) *Abraxas* *unisuata* W. Warren, 1896 (Geometridae) Synonym(s): *unisuata* W. Warren, 1896
 14053) *Abraxas* *virginalis* Butler, 1886 (Geometridae) Synonym(s): *virginalis* Butler, 1886
 14054) *Abraxas* *wegneri* L.B. Prout, 1935 (Geometridae) Synonym(s): *wegneri* L.B. Prout, 1935
 14055) *Abraxas* *wehrlii* Bytinski-Salz & Brandt, 1937 (Geometridae) Synonym(s): *wehrlii* Bytinski-Salz & Brandt, 1937; *#assignata* Bytinski-Salz & Brandt, 1937
 14056) *Abraxasis* *melaleucaria* Hampson, 1902 (Geometridae) Synonym(s): *melaleucaria* Hampson, 1902; *#metaleucaria* Hampson, 1902
 14057) *Absala* *dorcala* Swinhoe, 1893 (Geometridae) Synonym(s): *dorcala* Swinhoe, 1893
 14058) *Acanthoalva* *bilineata* (W. Warren, 1895) (Geometridae) Synonym(s): *bilineata* W. Warren, 1895; *antennata* W. Warren, 1897.
 14059) *Acanthoalva* *capensis* M. Krüger, 2001 (Geometridae) Synonym(s): *capensis* M. Krüger, 2001
 14060) *Acanthoalva* *focularia* (Geyer, 1837) (Geometridae) Synonym(s): *focularia* Geyer, 1837; *designata* Walker, 1862; *perdecorata* Walker, [1863]
 14061) *Acanthoalva* *focularia* *focularia* (Geyer, 1837) (Geometridae) Synonym(s): *focularia* Geyer, 1837; *designata* Walker, 1862; *perdecorata* Walker, [1863]
 14062) *Acanthoalva* *inconspicua* (Hübner, [1819]) (Geometridae) Synonym(s): *inconspicua* Hübner, [1819]; *pumicaria* Lederer, 1855; *osyraria* Guenée, [1858]; *cinerascens* Butler, 1875; *perturbata* Bastelberger, 1908; *cinnamomaria* Rothschild, 1914.
 14063) *Acanthoalva* *itremo* M. Krüger, 2001 (Geometridae) Synonym(s): *itremo* M. Krüger, 2001
 14064) *Acanthoalva* *magna* M. Krüger, 2001 (Geometridae) Synonym(s): *magna* M. Krüger, 2001
 14065) *Acasis* *appensata* (Eversmann, 1842) (Geometridae) Synonym(s): *appensata* Eversmann, 1842; *appensaria* Herrich-Schäffer, 1848
 14066) *Acasis* *viretata* (Hübner, [1799]) (Geometridae) Synonym(s): *viretata* Donovan, 1810; *viretaria* Boisduval, 1840
 14067) *Achrosis* *alienata* (Walker, 1862) (Geometridae) Synonym(s): *alienata* Walker, 1862
 14068) *Achrosis* *berytana* (Rebel, 1911) (Geometridae) Synonym(s): *berytana* Rebel, 1911
 14069) *Achrosis* *calicola* Holloway, [1994] (Geometridae) Synonym(s): *calicola* Holloway, [1994]
 14070) *Achrosis* *classeyi* Holloway, [1994] (Geometridae) Synonym(s): *classeyi* Holloway, [1994]
 14071) *Achrosis* *costimaculata* (Moore, 1868) (Geometridae) Synonym(s): *costimaculata* Moore, 1868
 14072) *Achrosis* *elegans* (West, 1929) (Geometridae) Synonym(s): *elegans* West, 1929
 14073) *Achrosis* *euchroes* (L.B. Prout, 1917) (Geometridae) Synonym(s): *euchroes* L.B. Prout, 1917
 14074) *Achrosis* *excitata* (L.B. Prout, 1928) (Geometridae) Synonym(s): *excitata* L.B. Prout, 1928
 14075) *Achrosis* *fulvifusa* (W. Warren, 1901) (Geometridae) Synonym(s): *fulvifusa* W. Warren, 1901
 14076) *Achrosis* *incitata* (Walker, 1862) (Geometridae) Synonym(s): *incitata* Walker, 1862; *miscella* Swinhoe, 1891
 14077) *Achrosis* *innodata* (W. Warren, 1897) (Geometridae) Synonym(s): *innodata* W. Warren, 1897
 14078) *Achrosis* *intexta* (Swinhoe, 1891) (Geometridae) Synonym(s): *intexta* Swinhoe, 1891
 14079) *Achrosis* *kerangatis* Holloway, [1994] (Geometridae) Synonym(s): *kerangatis* Holloway, [1994]
 14080) *Achrosis* *likianga* (Wehrli, 1940) (Geometridae) Synonym(s): *likianga* Wehrli, 1940
 14081) *Achrosis* *lithosiaria* (Walker, 1862) (Geometridae) Synonym(s): *lithosiaria* Walker, 1862
 14082) *Achrosis* *longifurca* Holloway, [1994] (Geometridae) Synonym(s): *longifurca* Holloway, [1994]
 14083) *Achrosis* *multidentata* (W. Warren, 1894) (Geometridae) Synonym(s): *multidentata* W. Warren, 1894; *excavata* W. Warren, 1896
 14084) *Achrosis* *obliquilineata* (W. Warren, 1893) (Geometridae) Synonym(s): *obliquilineata* W. Warren, 1893
 14085) *Achrosis* *pallida* (Moore, 1877) (Geometridae) Synonym(s): *pallida* Moore, 1877
 14086) *Achrosis* *paupera* (Butler, 1881) (Geometridae) Synonym(s): *paupera* Butler, 1881
 14087) *Achrosis* *perfulvata* (L.B. Prout, 1924) (Geometridae) Synonym(s): *perfulvata* L.B. Prout, 1924
 14088) *Achrosis* *pulchra* (Wileman, 1914) (Geometridae) Synonym(s): *pulchra* Wileman, 1914
 14089) *Achrosis* *pulchricolor* (W. Warren, 1906) (Geometridae) Synonym(s): *pulchricolor* W. Warren, 1906
 14090) *Achrosis* *purpurascens* (W. Warren, 1894) (Geometridae) Synonym(s): *purpurascens* W. Warren, 1894
 14091) *Achrosis* *pyrrhularia* Guenée, [1858] (Geometridae) Synonym(s): *pyrrhularia* Guenée, [1858]; *instabilata* Walker, 1862

- 14092) *Achrosis quadraria* W.Warren,1893 (Geometridae) Synonym(s): *quadraria* W.Warren,1893
 14093) *Achrosis recitata* Holloway,[1994] (Geometridae) Synonym(s): *recitata* Holloway,[1994]
 14094) *Achrosis rigorata* (L.B.Prout,1932) (Geometridae) Synonym(s): *rigorata* L.B.Prout,1932
 14095) *Achrosis rondelaria* (Fabricius,1775) (Geometridae) Synonym(s): *rondelaria* Fabricius,1775; *squalida* Geyer,[1832]; *squalidaria* Guenée,[1858]; *violacearia* Guenée,[1858]; *contractaria* Walker,1860; *cyclogonata* Walker,[1863]; *schistifusata* Walker,[1863]
 14096) *Achrosis rosearia* (Leech,1891) (Geometridae) Synonym(s): *rosearia* Leech,1891
 14097) *Achrosis rufipennis* (W.Warren,1898) (Geometridae) Synonym(s): *rufipennis* W.Warren,1898
 14098) *Achrosis semifulva* (Pagenstecher,1886) (Geometridae) Synonym(s): *semifulva* Pagenstecher,1886; *mediusta* Swinhoe,1902
 14099) *Achrosis semirubra* (W.Warren,1907) (Geometridae) Synonym(s): *semirubra* W.Warren,1907
 14100) *Achrosis serpentinaria* (Walker,1866) (Geometridae) Synonym(s): *serpentinaria* Walker,1866
 14101) *Achrosis spurca* (Swinhoe,1902) (Geometridae) Synonym(s): *spurca* Swinhoe,1902
 14102) *Achrosis transviridis* Holloway,[1994] (Geometridae) Synonym(s): *transviridis* Holloway,[1994]
 14103) *Achrosis viridapex* (Holloway,1976) (Geometridae) Synonym(s): *viridapex* Holloway,1976
 14104) *Acidaliastis bicurvifera* L.B.Prout,1916 (Geometridae) Synonym(s): *bicurvifera* L.B.Prout,1916
 14105) *Acidaliastis curvilinea* (L.B.Prout,1912) (Geometridae) Synonym(s): *curvilinea* L.B.Prout,1912
 14106) *Acidaliastis curvilinea curvilinea* (L.B.Prout,1912) (Geometridae) Synonym(s): *curvilinea* L.B.Prout,1912
 14107) *Acidaliastis curvilinea mixta* L.B.Prout,1930 (Geometridae) Synonym(s): *mixta* L.B.Prout,1930
 14108) *Acidaliastis micra* Hampson,1896 (Geometridae) Synonym(s): *micra* Hampson,1896; *dissimilis* W.Warren & Rothschild,1905; *vinnularia* Rebel,1907; *desertoria* Rebel,1909
 14109) *Acidaliastis micra galactea* Rungs,1942 (Geometridae) Synonym(s): *galactea* Rungs,1942
 14110) *Acidaliastis micra micra* Hampson,1896 (Geometridae) Synonym(s): *micra* Hampson,1896; *dissimilis* W.Warren & Rothschild,1905; *vinnularia* Rebel,1907; *desertoria* Rebel,1909
 14111) *Acidaliastis porphyretica* L.B.Prout,1925 (Geometridae) Synonym(s): *porphyretica* L.B.Prout,1925
 14112) *Acidaliastis prophanes* L.B.Prout,1922 (Geometridae) Synonym(s): *prophanes* L.B.Prout,1922
 14113) *Acidaliastis subbrunnescens* L.B.Prout,1916 (Geometridae) Synonym(s): *subbrunnescens* L.B.Prout,1916
 14114) *Acidaliastis systema* D.S.Fletcher,1978 (Geometridae) Synonym(s): *systema* D.S.Fletcher,1978
 14115) *Acidromodes nilotica* (Wiltshire,1985) (Geometridae) Synonym(s): *nilotica* Wiltshire,1985
 14116) *Acidromodes saharae* (Wiltshire,1985) (Geometridae) Synonym(s): *saharae* Wiltshire,1985
 14117) *Acollesis fraudulenta* W.Warren,1898 (Geometridae) Synonym(s): *fraudulenta* W.Warren,1898
 14118) *Acollesis terminata* L.B.Prout,1912 (Geometridae) Synonym(s): *terminata* L.B.Prout,1912
 14119) *Acollesis umbrata* W.Warren,1899 (Geometridae) Synonym(s): *umbrata* W.Warren,1899
 14120) *Acolutha flavivitta* Holloway,1976 (Geometridae) Synonym(s): *flavivitta* Holloway,1976
 14121) *Acolutha pictaria* (Moore,1888) (Geometridae) Synonym(s): *pictaria* Moore,1888; *imbecilla* W.Warren,1905; *canicosta* W.Warren,1906; *flavifascia* L.B.Prout,1935
 14122) *Acolutha pulchella* (Hampson,1895) (Geometridae) Synonym(s): *pulchella* Hampson,1895; *interposita* L.B.Prout,1935
 14123) *Acrasia crinita* R.Felder & Rogenhofer,1875 (Geometridae) Synonym(s): *crinita* R.Felder & Rogenhofer,1875
 14124) *Acrasia* sp. (Geometridae) Synonym(s):
 14125) *Acrobiston aestivalis* Wiltshire,1967 (Geometridae) Synonym(s): *aestivalis* Wiltshire,1967
 14126) *Acrodontis aenigma* (L.B.Prout,1914) (Geometridae) Synonym(s): *aenigma* L.B.Prout,1914
 14127) *Acrodontis fumosa* (L.B.Prout,1930) (Geometridae) Synonym(s): *fumosa* L.B.Prout,1930; *nikkonis* Wehrli,1931
 14128) *Acrodontis hunana* Wehrli,1936 (Geometridae) Synonym(s): *hunana* Wehrli,1936
 14129) *Acrodontis insularis* Holloway,[1994] (Geometridae) Synonym(s): *insularis* Holloway,[1994]
 14130) *Acrodontis kotshubeji* (Sheljuzhko,1944) (Geometridae) Synonym(s): *kotshubeji* Sheljuzhko,1944; *ussurica* Djakonov,1955
 14131) *Actenochroma musicoloraria* (Walker,1863) (Geometridae) Synonym(s): *musicoloraria* Walker,[1863]; *sphagnata* R.Felder & Rogenhofer,1875
 14132) *Adactylotis contaminaria* (Hübner,1813) (Geometridae) Synonym(s): *numerata* Fabricius,1798; *contaminaria* Hübner,[1813]
 14133) *Adactylotis gesticularia* (Hübner,1817) (Geometridae) Synonym(s): *gesticularia* Hübner,[1817]; *graellsia* Feisthamel,1835.
 14134) *Adactylotis gesticularia gesticularia* (Hübner,1817) (Geometridae) Synonym(s): *gesticularia* Hübner,[1817]; *graellsia* Feisthamel,1835.
 14135) *Adactylotis gesticularia inquinataria* (Boisduval,1840) (Geometridae) Synonym(s): *inquinataria* Boisduval,1840.
 14136) *Adactylotis gesticularia ungemachi* (Lucas,1933) (Geometridae) Synonym(s): *ungemachi* Lucas,1933.
 14137) *Adalbertia castiliaria* (Staudinger,1900) (Geometridae) Synonym(s): *castiliaria* Staudinger,1900; *dumonti* Mabille,1906.
 14138) *Adalbertia castiliaria castiliaria* (Staudinger,1900) (Geometridae) Synonym(s): *castiliaria* Staudinger,1900; *dumonti* Mabille,1906.
 14139) *Adalbertia castiliaria cazorlensis* Exposito,1984 (Geometridae) Synonym(s): *cazorlensis* Exposito,1984
 14140) *Adeixis baeckae* Holloway,1979 (Geometridae) Synonym(s): *baeckae* Holloway,1979
 14141) *Adeixis griseata* (Hudson,1903) (Geometridae) Synonym(s): *griseata* Hudson,1903
 14142) *Adeixis inostentata* (Walker,1861) (Geometridae) Synonym(s): *inostentata* Walker,1861; *insignata* W.Warren,1897
 14143) *Adeixis major* Holloway,1979 (Geometridae) Synonym(s): *major* Holloway,1979
 14144) *Adeixis montana* Holloway,1979 (Geometridae) Synonym(s): *montana* Holloway,1979
 14145) *Adicocrita araria* (Guenée,[1858]) (Geometridae) Synonym(s): *araria* Guenée,[1858]
 14146) *Adicocrita discerpta* (Walker,1861) (Geometridae) Synonym(s): *discerpta* Walker,1861
 14147) *Adicocrita koranata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *koranata* R.Felder & Rogenhofer,1875
 14148) *Aelochroma hypochromaria caledonica* Holloway,1979 (Geometridae) Synonym(s): *caledonica* Holloway,1979
 14149) *Aelochroma albifusaria* (Walker,1866) (Geometridae) Synonym(s): *albifusaria* Walker,1866; *discolor* W.Warren,1896
 14150) *Aelochroma hypochromaria* (Guenée,[1858]) (Geometridae) Synonym(s): *hypochromaria* Guenée,[1858]; *bryophanes* Turner,1904
 14151) *Aelochroma intima* L.B.Prout,1913 (Geometridae) Synonym(s): *intima* L.B.Prout,1913
 14152) *Aelochroma prasina* (W.Warren,1896) (Geometridae) Synonym(s): *prasina* W.Warren,1896
 14153) *Aelochroma quadriilinea* (Lucas,1892) (Geometridae) Synonym(s): *quadriilinea* Lucas,1892; *ochrea* W.Warren,1896
 14154) *Aelochroma saturataria* (Walker,1866) (Geometridae) Synonym(s): *saturataria* Walker,1866; *caesia* W.Warren,1896; *perfulvata* W.Warren,1899
 14155) *Aethalura duplicata* (Wileman,1911) (Geometridae) Synonym(s): *duplicata* Wileman,1911
 14156) *Aethalura ignobilis* (Butler,1878) (Geometridae) Synonym(s): *ignobilis* Butler,1878; *fujiyamai* Inoue,1954
 14157) *Aethalura intertexta* (Walker,1860) (Geometridae) Synonym(s): *intertexta* Walker,1860; *anticaria* Walker,1860; *submuraria* Walker,1860
 14158) *Aethalura leucozona* (Hampson,1895) (Geometridae) Synonym(s): *leucozona* Hampson,1895
 14159) *Aethalura lushanalis* Sato,1987 (Geometridae) Synonym(s): *lushanalis* Sato,1987
 14160) *Aethalura nanaria* (Staudinger,1897) (Geometridae) Synonym(s): *nanaria* Staudinger,1897; *shuotsuensis* Bryk,1949
 14161) *Aethalura punctulata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *punctulata* [Denis & Schiffermüller],1775; *tigris* Walchs,1779; *scopularia* Thunberg,1784; *punctularia* Hübner,[1823];
 14162) *Aetheometra iconoclasia* L.B.Prout,1931 (Geometridae) Synonym(s): *iconoclasia* L.B.Prout,1931
 14163) *Afriberina haroldi* (Oberthür,1913) (Geometridae) Synonym(s): *haroldi* Oberthür,1913
 14164) *Afriberina nobilitaria* (Staudinger,1892) (Geometridae) Synonym(s): *nobilitaria* Staudinger,1892
 14165) *Afriberina rungsi* (Albers & Warnecke,1941) (Geometridae) Synonym(s): *rungs* Albers & Warnecke,1941
 14166) *Afriberina tenietaria* (Staudinger,1900) (Geometridae) Synonym(s): *tenietaria* Staudinger,1900; *punctata* Fernandez,1933
 14167) *Afriberina terraria* (A.Bang-Haas,1907) (Geometridae) Synonym(s): *terraria* A.Bang-Haas,1907
 14168) *Afriberina zernyi* Wehrli,1943 (Geometridae) Synonym(s): *humaria* Zerny,1936 nec Gn.,[1858]; *zernyi* Wehrli,1943
 14169) *Afrophylla vethi* (Snellen,1886) (Geometridae) Synonym(s): *vethi* Snellen,1886; *dichordata* W.Warren,1895
 14170) *Agaraeus discolor* (W.Warren,1893) (Geometridae) Synonym(s): *discolor* W.Warren,1893; *nigrilineata* L.B.Prout,1915; *kiushiuana* Hori,1926; *notia* Wehrli,1940
 14171) *Agaraeus luteus* (Wileman,1910) (Geometridae) Synonym(s): *luteus* Wileman,1910
 14172) *Agaraeus parva* (Hedemann,1881) (Geometridae) Synonym(s): *parva* Hedemann,1881
 14173) *Agathia abacta* L.B.Prout,1935 (Geometridae) Synonym(s): *abacta* L.B.Prout,1935
 14174) *Agathia affluens* L.B.Prout,1937 (Geometridae) Synonym(s): *affluens* L.B.Prout,1937
 14175) *Agathia albicurvatura* L.B.Prout,1916 (Geometridae) Synonym(s): *albicurvatura* L.B.Prout,1916
 14176) *Agathia angustilimes* L.B.Prout,1926 (Geometridae) Synonym(s): *angustilimes* L.B.Prout,1926
 14177) *Agathia arcuata* Moore,1868 (Geometridae) Synonym(s): *arcuata* Moore,1868

- 14178) *Agathia beata* Butler, 1880 (Geometridae) Synonym(s): *beata* Butler, 1880; *subdeleta* W. Warren, 1896
- 14179) *Agathia brevicula* Yazaki, 1996 (Geometridae) Synonym(s): *brevicula* Yazaki, 1996
- 14180) *Agathia cara* L.B. Prout, 1916 (Geometridae) Synonym(s): *cara* L.B. Prout, 1916
- 14181) *Agathia carissima* Butler, 1878 (Geometridae) Synonym(s): *carissima* Butler, 1878
- 14182) *Agathia carissima carissima* Butler, 1878 (Geometridae) Synonym(s): *carissima* Butler, 1878; *lacunaria* Hedemann, 1879
- 14183) *Agathia carissima prasina* Swinhoe, 1893 (Geometridae) Synonym(s): *prasina* Swinhoe, 1893
- 14184) *Agathia codina* Swinhoe, 1892 (Geometridae) Synonym(s): *codina* Swinhoe, 1892
- 14185) *Agathia codina australis* L.B. Prout, 1916 (Geometridae) Synonym(s): *australis* L.B. Prout, 1916
- 14186) *Agathia codina codina* Swinhoe, 1892 (Geometridae) Synonym(s): *codina* Swinhoe, 1892
- 14187) *Agathia cognata* Yazaki, 1996 (Geometridae) Synonym(s): *cognata* Yazaki, 1996
- 14188) *Agathia confusca* W. Warren, 1897 (Geometridae) Synonym(s): *confusca* W. Warren, 1897
- 14189) *Agathia conjunctiva* W. Warren, 1903 (Geometridae) Synonym(s): *conjunctiva* W. Warren, 1903
- 14190) *Agathia consobrina* Yazaki, 1996 (Geometridae) Synonym(s): *consobrina* Yazaki, 1996
- 14191) *Agathia conspecta* Yazaki, 1996 (Geometridae) Synonym(s): *conspecta* Yazaki, 1996
- 14192) *Agathia conviridaria* (Hübner, [1823]) (Geometridae) Synonym(s): *viridana* Stoll, 1781 nec Linn., 1758; *conviridaria* Hübner, [1823]; *intercissa* Walker, 1861
- 14193) *Agathia cristifera* (Walker, 1861) (Geometridae) Synonym(s): *cristifera* Walker, 1861
- 14194) *Agathia deliciosa* Holloway & Sommerer, 1984 (Geometridae) Synonym(s): *deliciosa* Holloway & Sommerer, 1984
- 14195) *Agathia dinagatensis* Yazaki, 1996 (Geometridae) Synonym(s): *dinagatensis* Yazaki, 1996
- 14196) *Agathia diplochorda* L.B. Prout, 1916 (Geometridae) Synonym(s): *diplochorda* L.B. Prout, 1916
- 14197) *Agathia disjuncta* Yazaki, 1996 (Geometridae) Synonym(s): *disjuncta* Yazaki, 1996
- 14198) *Agathia distributa* Lucas, 1891 (Geometridae) Synonym(s): *distributa* Lucas, 1891; *disconnecta* W. Warren, 1896
- 14199) *Agathia diversiformis* W. Warren, 1894 (Geometridae) Synonym(s): *diversiformis* W. Warren, 1894
- 14200) *Agathia elenaria* Swinhoe, 1904 (Geometridae) Synonym(s): *elenaria* Swinhoe, 1904
- 14201) *Agathia eromena* L.B. Prout, 1916 (Geometridae) Synonym(s): *eromena* L.B. Prout, 1916
- 14202) *Agathia eromenoides* Holloway, 1996 (Geometridae) Synonym(s): *eromenoides* Holloway, 1996
- 14203) *Agathia exquisita* W. Warren, 1899 (Geometridae) Synonym(s): *exquisita* W. Warren, 1899
- 14204) *Agathia furtiva* L.B. Prout, 1916 (Geometridae) Synonym(s): *furtiva* L.B. Prout, 1916
- 14205) *Agathia gaudens* L.B. Prout, 1932 (Geometridae) Synonym(s): *gaudens* L.B. Prout, 1932
- 14206) *Agathia gemma* Swinhoe, 1892 (Geometridae) Synonym(s): *gemma* Swinhoe, 1892
- 14207) *Agathia gigantea* Butler, 1880 (Geometridae) Synonym(s): *gigantea* Butler, 1880; *discisticta* L.B. Prout, 1912
- 14208) *Agathia hemithearia* Guenée, [1858] (Geometridae) Synonym(s): *hemithearia* Guenée, [1858]
- 14209) *Agathia hilarata* Guenée, [1858] (Geometridae) Synonym(s): *hilarata* Guenée, [1858]
- 14210) *Agathia hilarata hainanensis* L.B. Prout, 1916 (Geometridae) Synonym(s): *hainanensis* L.B. Prout, 1916
- 14211) *Agathia imbecilla* Yazaki, 1996 (Geometridae) Synonym(s): *imbecilla* Yazaki, 1996
- 14212) *Agathia incudaria* De Joannis, 1929 (Geometridae) Synonym(s): *incudaria* De Joannis, 1929
- 14213) *Agathia inouei* Yazaki, 1996 (Geometridae) Synonym(s): *inouei* Yazaki, 1996
- 14214) *Agathia jowettorum* Holloway, 1977 (Geometridae) Synonym(s): *jowettorum* Holloway, 1977
- 14215) *Agathia kuehni* W. Warren, 1898 (Geometridae) Synonym(s): *kuehni* W. Warren, 1898; *defecta* L.B. Prout, 1913
- 14216) *Agathia lactata* Herbulot, 1977 (Geometridae) Synonym(s): *lactata* Herbulot, 1977
- 14217) *Agathia laetata* (Fabricius, 1794) (Geometridae) Synonym(s): *laetata* Fabricius, 1794; *zonaria* Donovan, 1799; *catenaria* Walker, 1861; *isogyna* L.B. Prout, 1916; *furcula* Matsumura, 1931; *andamanensis* L.B. Prout, 1932
- 14218) *Agathia laqueifera* L.B. Prout, 1912 (Geometridae) Synonym(s): *laqueifera* L.B. Prout, 1912
- 14219) *Agathia largita* Holloway, 1996 (Geometridae) Synonym(s): *largita* Holloway, 1996
- 14220) *Agathia luzonensis* L.B. Prout, 1916 (Geometridae) Synonym(s): *luzonensis* L.B. Prout, 1916
- 14221) *Agathia lycaenaria* (Kollar, [1844]) (Geometridae) Synonym(s): *lycaenaria* Kollar, [1844]; *albiangularia* Herrich-Schäffer, [1855]; *discriminata* Walker, 1861
- 14222) *Agathia lycaenaria impar* L.B. Prout, 1916 (Geometridae) Synonym(s): *impar* L.B. Prout, 1916
- 14223) *Agathia lycaenaria reducta* Inoue, 1961 (Geometridae) Synonym(s): *reducta* Inoue, 1961
- 14224) *Agathia lycaenaria samuelsoni* Inoue, 1964 (Geometridae) Synonym(s): *samuelsoni* Inoue, 1964
- 14225) *Agathia lycaenidia* Bastelberger, 1911 (Geometridae) Synonym(s): *lycaenidia* Bastelberger, 1911
- 14226) *Agathia lycaenidia batjanensis* L.B. Prout, 1932 (Geometridae) Synonym(s): *batjanensis* L.B. Prout, 1932
- 14227) *Agathia lycaenidia lycaenidia* Bastelberger, 1911 (Geometridae) Synonym(s): *lycaenidia* Bastelberger, 1911
- 14228) *Agathia maculimargo* L.B. Prout, 1912 (Geometridae) Synonym(s): *maculimargo* L.B. Prout, 1912
- 14229) *Agathia magnifica* Moore, 1879 (Geometridae) Synonym(s): *magnifica* Moore, 1879
- 14230) *Agathia magnificentia* Inoue, 1978 (Geometridae) Synonym(s): *magnificentia* Inoue, 1978
- 14231) *Agathia malgassa* Herbulot, 1978 (Geometridae) Synonym(s): *malgassa* Herbulot, 1978
- 14232) *Agathia mediocris* Yazaki, 1996 (Geometridae) Synonym(s): *mediocris* Yazaki, 1996
- 14233) *Agathia multiscripta* W. Warren, 1898 (Geometridae) Synonym(s): *multiscripta* W. Warren, 1898; *minuta* Druce, 1911
- 14234) *Agathia muluensis* Holloway, 1996 (Geometridae) Synonym(s): *muluensis* Holloway, 1996
- 14235) *Agathia obsoleta* W. Warren, 1897 (Geometridae) Synonym(s): *obsoleta* W. Warren, 1897
- 14236) *Agathia ochrotypa* Turner, 1922 (Geometridae) Synonym(s): *ochrotypa* Turner, 1922; *ochrofusa* L.B. Prout, 1932
- 14237) *Agathia par* L.B. Prout, 1916 (Geometridae) Synonym(s): *par* L.B. Prout, 1916
- 14238) *Agathia pisina* Butler, 1887 (Geometridae) Synonym(s): *pisina* Butler, 1887; *asterias* Meyrick, 1888; *diversilinea* W. Warren, 1896; *dimota* L.B. Prout, 1911
- 14239) *Agathia pisina ampla* L.B. Prout, 1911 (Geometridae) Synonym(s): *ampla* L.B. Prout, 1911
- 14240) *Agathia pisina irregularis* L.B. Prout, 1916 (Geometridae) Synonym(s): *irregularis* L.B. Prout, 1916
- 14241) *Agathia pisina pisina* Butler, 1887 (Geometridae) Synonym(s): *pisina* Butler, 1887; *asterias* Meyrick, 1888; *diversilinea* W. Warren, 1896; *dimota* L.B. Prout, 1911
- 14242) *Agathia prasinaspis* Meyrick, 1889 (Geometridae) Synonym(s): *prasinaspis* Meyrick, 1889; *veneranda* Swinhoe, 1902
- 14243) *Agathia prasinaspis albipunctata* Bastelberger, 1911 (Geometridae) Synonym(s): *albipunctata* Bastelberger, 1911
- 14244) *Agathia prasinaspis prasinaspis* Meyrick, 1889 (Geometridae) Synonym(s): *prasinaspis* Meyrick, 1889; *veneranda* Swinhoe, 1902
- 14245) *Agathia protруса* Yazaki, 1996 (Geometridae) Synonym(s): *protруса* Yazaki, 1996
- 14246) *Agathia punctata* W. Warren, 1899 (Geometridae) Synonym(s): *punctata* W. Warren, 1899
- 14247) *Agathia quinaria* Moore, 1868 (Geometridae) Synonym(s): *quinaria* Moore, 1868; *latilimes* L.B. Prout, 1916
- 14248) *Agathia rectimargo* Yazaki, 1996 (Geometridae) Synonym(s): *rectimargo* Yazaki, 1996
- 14249) *Agathia rubrilineata* W. Warren, 1896 (Geometridae) Synonym(s): *rubrilineata* W. Warren, 1896; *ithearia* Swinhoe, 1905; *klossi* L.B. Prout, 1931
- 14250) *Agathia rubrilineata aquissecta* Swinhoe, 1906 (Geometridae) Synonym(s): *aquissecta* Swinhoe, 1906
- 14251) *Agathia rubrilineata rubrilineata* W. Warren, 1896 (Geometridae) Synonym(s): *rubrilineata* W. Warren, 1896; *ithearia* Swinhoe, 1905; *klossi* L.B. Prout, 1931
- 14252) *Agathia rudis* Yazaki, 1996 (Geometridae) Synonym(s): *rudis* Yazaki, 1996
- 14253) *Agathia sinuifascia* L.B. Prout, 1927 (Geometridae) Synonym(s): *sinuifascia* L.B. Prout, 1927
- 14254) *Agathia siren* L.B. Prout, 1932 (Geometridae) Synonym(s): *siren* L.B. Prout, 1932
- 14255) *Agathia solaria* Swinhoe, 1905 (Geometridae) Synonym(s): *solaria* Swinhoe, 1905
- 14256) *Agathia spadicea* Yazaki, 1996 (Geometridae) Synonym(s): *spadicea* Yazaki, 1996
- 14257) *Agathia spectabilis* Yazaki, 1996 (Geometridae) Synonym(s): *spectabilis* Yazaki, 1996
- 14258) *Agathia subcarnea* W. Warren, 1896 (Geometridae) Synonym(s): *subcarnea* W. Warren, 1896
- 14259) *Agathia succedanea* W. Warren, 1897 (Geometridae) Synonym(s): *succedanea* W. Warren, 1897
- 14260) *Agathia tetraplochorda* L.B. Prout, 1932 (Geometridae) Synonym(s): *tetraplochorda* L.B. Prout, 1932
- 14261) *Agathia torridula* Yazaki, 1996 (Geometridae) Synonym(s): *torridula* Yazaki, 1996
- 14262) *Agathia vicina* (Bastelberger, 1911) (Geometridae) Synonym(s): *vicina* Bastelberger, 1911
- 14263) *Agathia visenda* Butler, 1880 (Geometridae) Synonym(s): *visenda* Butler, 1880
- 14264) *Agathia visenda curvifiniens* L.B. Prout, 1917 (Geometridae) Synonym(s): *curvifiniens* L.B. Prout, 1917
- 14265) *Agathia visenda suzukii* Inoue, 1963 (Geometridae) Synonym(s): *suzukii* Inoue, 1963
- 14266) *Agathia visenda visenda* Butler, 1880 (Geometridae) Synonym(s): *visenda* Butler, 1880
- 14267) *Agriopsis ankeraria* (Staudinger, 1861) (Geometridae) Synonym(s): *ankeraria* Staudinger, 1861

- 14268) *Agriopis ankeraria ankeraria* (Staudinger,1861) (Geometridae) Synonym(s): *ankeraria* Staudinger,1861
 14269) *Agriopis ankeraria syriaca* (Wehrli,1934) (Geometridae) Synonym(s): *syriaca* Wehrli,1934
 14270) *Agriopis beschkovi* Ganey,1987 (Geometridae) Synonym(s): *beschkovi* Ganey,1987
 14271) *Agriopis brumaria* (Borkhausen,1794) (Geometridae) Synonym(s): *#leucophaearia* [Denis & Schiffmüller],1775; *brumaria* Borkhausen,1794; *nigricaria* Hübner,[1799].
 14272) *Albinospila floresaria* (Walker,1866) (Geometridae) Synonym(s): *floresaria* Walker,1866
 14273) *Alcis aagostigma* (L.B.Prout,1927) (Geometridae) Synonym(s): *aagostigma* L.B.Prout,1927
 14274) *Alcis albifera* (Moore,1888) (Geometridae) Synonym(s): *albifera* Moore,1888
 14275) *Alcis andaraba* (Wehrli,1938) (Geometridae) Synonym(s): *andaraba* Wehrli,1938
 14276) *Alcis andaraba andaraba* (Wehrli,1938) (Geometridae) Synonym(s): *andaraba* Wehrli,1938
 14277) *Alcis andaraba fortior* Wiltshire (Geometridae) Synonym(s): *fortior* Wiltshire
 14278) *Alcis antincta* Sato,1996 (Geometridae) Synonym(s): *antincta* Sato,1996
 14279) *Alcis bastelbergeri* (Hirschke,1908) (Geometridae) Synonym(s): *bastelbergeri* Hirschke,1908
 14280) *Alcis catachrysa* (Wehrli,1943) (Geometridae) Synonym(s): *catachrysa* Wehrli,1943; *lidjangica* Wehrli,1943
 14281) *Alcis catocirra* (Wehrli,1943) (Geometridae) Synonym(s): *catocirra* Wehrli,1943
 14282) *Alcis caucasica* (Wehrli,1928) (Geometridae) Synonym(s): *caucasica* Wehrli,1928
 14283) *Alcis changmaiensis* Sato,1991 (Geometridae) Synonym(s): *changmaiensis* Sato,1991; *#changmaiensis* Sato,1993
 14284) *Alcis changmaiensis changmaiensis* Sato,1991 (Geometridae) Synonym(s): *changmaiensis* Sato,1991; *#changmaiensis* Sato,1993
 14285) *Alcis changmaiensis nepalina* Sato,1993 (Geometridae) Synonym(s): *nepalina* Sato,1993
 14286) *Alcis colorifera* (L.B.Prout,1916) (Geometridae) Synonym(s): *colorifera* L.B.Prout,1916
 14287) *Alcis coniozona* (L.B.Prout,1927) (Geometridae) Synonym(s): *coniozona* L.B.Prout,1927
 14288) *Alcis decussata* (Moore,1868) (Geometridae) Synonym(s): *decussata* Moore,1868
 14289) *Alcis diadela* (West,1929) (Geometridae) Synonym(s): *diadela* West,1929
 14290) *Alcis eupithecioides* West,1929 (Geometridae) Synonym(s): *eupithecioides* West,1929
 14291) *Alcis eutethis* (Wehrli,1943) (Geometridae) Synonym(s): *eutethis* Wehrli,1943
 14292) *Alcis evae* Wiltshire,1966 (Geometridae) Synonym(s): *evae* Wiltshire,1966
 14293) *Alcis fredii* (Wehrli,1941) (Geometridae) Synonym(s): *fredi* Wehrli,1941; *astragali* Wiltshire,1949
 14294) *Alcis granitaria* (Moore,1888) (Geometridae) Synonym(s): *granitaria* Moore,1888
 14295) *Alcis granitaria granitaria* (Moore,1888) (Geometridae) Synonym(s): *granitaria* Moore,1888
 14296) *Alcis granitaria klapperichi* Wiltshire,1967 (Geometridae) Synonym(s): *klapperichi* Wiltshire,1967
 14297) *Alcis hodeberti* Herbulot,1987 (Geometridae) Synonym(s): *hodeberti* Herbulot,1987
 14298) *Alcis holophaearia* (Hampson,1907) (Geometridae) Synonym(s): *holophaearia* Hampson,1907
 14299) *Alcis hypopocila* L.B.Prout,1928 (Geometridae) Synonym(s): *hypopocila* L.B.Prout,1928
 14300) *Alcis imbecilis* (Moore,1888) (Geometridae) Synonym(s): *imbecilis* Moore,1888
 14301) *Alcis irrita* (L.B.Prout,1928) (Geometridae) Synonym(s): *irrita* L.B.Prout,1928
 14302) *Alcis iterata* (Butler,1886) (Geometridae) Synonym(s): *iterata* Butler,1886
 14303) *Alcis jubata* (Thunberg,1788) (Geometridae) Synonym(s): *dilatata* Hufnagel,1767; *jubata* Thunberg,1788; *glabraria* Hübner,[1799]; *teneraria* Hübner,[1813]; *plancaria* Hübner,[1825]; *semiothisata* Lenz,1917
 14304) *Alcis kitangladensis* Sato,1996 (Geometridae) Synonym(s): *kitangladensis* Sato,1996
 14305) *Alcis latifasciata* (W.Warren,1893) (Geometridae) Synonym(s): *latifasciata* W.Warren,1893; *euryzona* Hampson,1895; *eurydiscaria* Hampson,1902
 14306) *Alcis leechi* (Püngeler,1898) (Geometridae) Synonym(s): *nigrofasciaria* Leech,1897 nec Lch.,1897; *leechi* Püngeler,1898
 14307) *Alcis macroclara* Sato,1993 (Geometridae) Synonym(s): *macroclara* Sato,1993
 14308) *Alcis maculata* (Moore,1868) (Geometridae) Synonym(s): *maculata* Moore,1868; *plagiogramma* Hampson,1902; *#plagiogramma* Holloway,[1994]
 14309) *Alcis maculata maculata* (Moore,1868) (Geometridae) Synonym(s): *maculata* Moore,1868; *plagiogramma* Hampson,1902; *#plagiogramma* Holloway,[1994]
 14310) *Alcis maculata negans* (L.B.Prout,1932) (Geometridae) Synonym(s): *negans* L.B.Prout,1932
 14311) *Alcis maculata prodictyota* (Wehrli,1934) (Geometridae) Synonym(s): *prodictyota* Wehrli,1934
 14312) *Alcis maculata taiwanica* (Bastelberger,1909) (Geometridae) Synonym(s): *taiwanica* Bastelberger,1909
 14313) *Alcis mindanalensis* Sato,1996 (Geometridae) Synonym(s): *mindanalensis* Sato,1996
 14314) *Alcis nigrolineata* (Wileman & South,1917) (Geometridae) Synonym(s): *nigrolineata* Wileman & South,1917
 14315) *Alcis nudipennis* W.Warren,1888 (Geometridae) Synonym(s): *nudipennis* W.Warren,1888
 14316) *Alcis nudipennis nepalensis* Inoue,1987 (Geometridae) Synonym(s): *nepalensis* Inoue,1987
 14317) *Alcis nudipennis nudipennis* W.Warren,1888 (Geometridae) Synonym(s): *nudipennis* W.Warren,1888
 14318) *Alcis nuristana* Wiltshire,1967 (Geometridae) Synonym(s): *nuristana* Wiltshire,1967
 14319) *Alcis opisagna* (Wehrli,1943) (Geometridae) Synonym(s): *opisagna* Wehrli,1943
 14320) *Alcis opisagna opisagna* (Wehrli,1943) (Geometridae) Synonym(s): *opisagna* Wehrli,1943
 14321) *Alcis opisagna zelotina* (Wehrli,1943) (Geometridae) Synonym(s): *zelotina* Wehrli,1943
 14322) *Alcis orbifer* W.Warren,1896 (Geometridae) Synonym(s): *orbifer* W.Warren,1896
 14323) *Alcis oxyrrina* (Wehrli,1943) (Geometridae) Synonym(s): *oxyrrina* Wehrli,1943
 14324) *Alcis paghmana* Wiltshire,1967 (Geometridae) Synonym(s): *paghmana* Wiltshire,1967
 14325) *Alcis pammicra* (L.B.Prout,1925) (Geometridae) Synonym(s): *pammicra* L.B.Prout,1925
 14326) *Alcis paraclarata* Sato,1993 (Geometridae) Synonym(s): *paraclarata* Sato,1993
 14327) *Alcis periphraeta* (L.B.Prout,1926) (Geometridae) Synonym(s): *periphraeta* L.B.Prout,1926
 14328) *Alcis perplexa* Sato,1996 (Geometridae) Synonym(s): *perplexa* Sato,1996
 14329) *Alcis perspicuata* Moore,1868 (Geometridae) Synonym(s): *perspicuata* Moore,1868
 14330) *Alcis perspicuata perspicuata* Moore,1868 (Geometridae) Synonym(s): *perspicuata* Moore,1868
 14331) *Alcis perspicuata vicina* Moore,1888 (Geometridae) Synonym(s): *vicina* Moore,1888
 14332) *Alcis pissoconeta* (West,1929) (Geometridae) Synonym(s): *pissoconeta* West,1929
 14333) *Alcis prosoica* (Wehrli,1943) (Geometridae) Synonym(s): *prosoica* Wehrli,1943
 14334) *Alcis quadrifera* (Walker,1866) (Geometridae) Synonym(s): *quadrifera* Walker,1866
 14335) *Alcis repandata* (Linnaeus,1758) (Geometridae) Synonym(s): *repandata* Linnaeus,1758; *consobrinaria* Scriba,1790; *repandaria* Borkhausen,1794; *bistortae* Vallot,1802; *destrigaria* Haworth,1809; *conversaria* Hübner,[1809]; *muraria* Curtis,1826; *dealbata* Turati & Verity,1911; *fasciata* Albers,1949 nec Wrnk.,1941
 14336) *Alcis semialba* (Moore,1888) (Geometridae) Synonym(s): *semialba* Moore,1888
 14337) *Alcis semiclarata* (Walker,1862) (Geometridae) Synonym(s): *semiclarata* Walker,1862; *quadrifera* Walker,1866
 14338) *Alcis semiochrea* (L.B.Prout,1917) (Geometridae) Synonym(s): *semiochrea* L.B.Prout,1917
 14339) *Alcis semipullata* (L.B.Prout,1925) (Geometridae) Synonym(s): *semipullata* L.B.Prout,1925
 14340) *Alcis shivae* Wiltshire,1967 (Geometridae) Synonym(s): *shivae* Wiltshire,1967
 14341) *Alcis sinadmissa* (Wehrli,1943) (Geometridae) Synonym(s): *sinadmissa* Wehrli,1943; *juvenca* Wehrli,1943; *siniterata* Wehrli,1943; *wassekoensis* Wehrli,1943
 14342) *Alcis songarica* (Alpheraky,1883) (Geometridae) Synonym(s): *songaricus* Alpheraky,1883; *subfuscarius* Staudinger,1892.
 14343) *Alcis songarica songarica* (Alpheraky,1883) (Geometridae) Synonym(s): *songarica* Alpheraky,1883; *subfuscarius* Staudinger,1892.
 14344) *Alcis songarica variolaria* (Staudinger,1892) (Geometridae) Synonym(s): *variolaria* Staudinger,1892
 14345) *Alcis sorinaria* Wehrli,1943 (Geometridae) Synonym(s): *sorinaria* Wehrli,1943
 14346) *Alcis stictineura* (Hampson,1907) (Geometridae) Synonym(s): *stictineura* Hampson,1907
 14347) *Alcis sublimis* Butler,1889 (Geometridae) Synonym(s): *sublimis* Butler,1889
 14348) *Alcis subnitida* W.Warren,1893 (Geometridae) Synonym(s): *subnitida* W.Warren,1893; *hemiglaucaria* Hampson,1902
 14349) *Alcis subolivacea* (Hampson,1907) (Geometridae) Synonym(s): *subolivacea* Hampson,1907
 14350) *Alcis subrepandata* (Staudinger,1892) (Geometridae) Synonym(s): *subrepandata* Staudinger,1892; *atschana* Wehrli,1943
 14351) *Alcis subrepandata diffuens* (Albers,1949) (Geometridae) Synonym(s): *diffuens* Albers,1949
 14352) *Alcis subrepandata shachdarensis* Viidalepp,1988 (Geometridae) Synonym(s): *shachdarensis* Viidalepp,1988
 14353) *Alcis subrepandata subrepandata* (Staudinger,1892) (Geometridae) Synonym(s): *subrepandata* Staudinger,1892; *atschana* Wehrli,1943
 14354) *Alcis subtineta* (W.Warren,1897) (Geometridae) Synonym(s): *subtineta* W.Warren,1897
 14355) *Alcis tenera* W.Warren,1893 (Geometridae) Synonym(s): *tenera* W.Warren,1893; *dasimaria* Swinhoe,1893

- 14356) *Alcis tindzinaria* (Oberthür,1893) (Geometridae) Synonym(s): *tindzinaria* Oberthür,1893
 14357) *Alcis trikotaria* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *trikotaria* (R.Felder & Rogenhofer,1875)
 14358) *Alcis trikotaria limitropha* Wiltshire,1967 (Geometridae) Synonym(s): *limitropha* Wiltshire,1967
 14359) *Alcis trikotaria trikotaria* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *trikotaria* R.Felder & Rogenhofer,1875; *sublanosa* Wehrli,1943
 14360) *Alcis variegata* (Moore,1888) (Geometridae) Synonym(s): *variegata* Moore,1888
 14361) *Alcis variegata cesa* Koçak & Kemal,2001 (Geometridae) Synonym(s): *subochrearia* Wileman & South,1917 nec *Leec.*,1897; *cesa* Koçak & Kemal,2001
 14362) *Alcis variegata convariata* (L.B.Prout,1935) (Geometridae) Synonym(s): *convariata* L.B.Prout,1935
 14363) *Alcis variegata nebulosa* (Swinhoe,1891) (Geometridae) Synonym(s): *nebulosa* Swinhoe,1891
 14364) *Alcis variegata variegata* (Moore,1888) (Geometridae) Synonym(s): *variegata* Moore,1888
 14365) *Alcis venustularia* (Walker,1866) (Geometridae) Synonym(s): *venustularia* Walker,1866
 14366) *Aleucis distinctata* (Herrich-Schäffer,[1839]) (Geometridae) Synonym(s): *distinctata* Herrich-Schäffer,[1839]; *pictaria* auct.
 14367) *Aleucis mimetes* (Wehrli,1932) (Geometridae) Synonym(s): *mimetes* Wehrli,1932
 14368) *Aleucis orientalis* (Staudinger,1892) (Geometridae) Synonym(s): *orientalis* Staudinger,1892
 14369) *Alex palparia* (Walker,1861) (Geometridae) Synonym(s): *palparia* Walker,1861; *nigrozonata* Walker,[1863]; *rufolinearia* Pagenstecher,1890; *indica* W.Warren,1894
 14370) *Alex palparia nephodes* West,1930 (Geometridae) Synonym(s): *nephodes* West,1930
 14371) *Alex palparia niasica* Swinhoe,1917 (Geometridae) Synonym(s): *niasica* Swinhoe,1917
 14372) *Alex palparia palparia* (Walker,1861) (Geometridae) Synonym(s): *palparia* Walker,1861; *nigrozonata* Walker,[1863]; *rufolinearia* Pagenstecher,1890; *indica* W.Warren,1894
 14373) *Allochlores elpis* L.B.Prout,1917 (Geometridae) Synonym(s): *elpis* L.B.Prout,1917
 14374) *Allochrotes biornata* L.B.Prout,1913 (Geometridae) Synonym(s): *biornata* L.B.Prout,1913
 14375) *Allochrotes imperfecta* L.B.Prout,1916 (Geometridae) Synonym(s): *imperfecta* L.B.Prout,1916
 14376) *Allochrotes impunctata* (W.Warren,1897) (Geometridae) Synonym(s): *impunctata* W.Warren,1897; *rubridentata* W.Warren,1897
 14377) *Allochrotes salata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *salata* R.Felder & Rogenhofer,1875
 14378) *Allochrotes* sp. (Geometridae) Synonym(s):
 14379) *Allochrotes uniornata* L.B.Prout,1935 (Geometridae) Synonym(s): *uniornata* L.B.Prout,1935
 14380) *Almabiston brunnea* Djakonov,1952 (Geometridae) Synonym(s): *brunnea* Djakonov,1952
 14381) *Almeria kalischata* (Staudinger,1870) (Geometridae) Synonym(s): *kalischata* Staudinger,1870; *dentata* Lucas,1907; *rubrotincta* Zerny,1934
 14382) *Alsophila aceraria* (JDenis & Schiffermüller,[1775]) (Geometridae) Synonym(s): *aceraria* [Denis & Schiffermüller],1775; *quadripunctaria* Esper,1801 nec *Pda.*,1761
 14383) *Alsophila hirsutaria* (Fabricius,1781) (Geometridae) Synonym(s): *haescularia* [Denis & Schiffermüller],1775; *hirtaria* Fabricius,[1776] nec Linnaeus,1761; *hirsutaria* Fabricius,1781; *murinaria* Borkhausen,1794.
 14384) *Alsophila japonensis* W.Warren,1894 (Geometridae) Synonym(s): *japonensis* W.Warren,1894
 14385) *Alsophila vladimiri* Viidalepp,1986 (Geometridae) Synonym(s): *vladimiri* Viidalepp,1986
 14386) *Alsophila zabolne* Inoue,1941 (Geometridae) Synonym(s): *zabolne* Inoue,1941
 14387) *Alsophiloides kurentzovi* Viidalepp,1986 (Geometridae) Synonym(s): *kurentzovi* Viidalepp,1986
 14388) *Amblychia angeronia* Guenée,[1858] (Geometridae) Synonym(s): *angeronia* Guenée,[1858]; *torrida* Moore,1877; *sinibia* Wehrli,1938
 14389) *Amblychia cavimargo* (L.B.Prout,1925) (Geometridae) Synonym(s): *cavimargo* L.B.Prout,1925
 14390) *Amblychia hymenaria* Guenée,[1858] (Geometridae) Synonym(s): *hymenaria* Guenée,[1858]; *brabant* Thierry-Mieg,1893; *albifascia* W.Warren,1894; *procellosa* W.Warren,1894
 14391) *Amblychia lutulenta* (West,1929) (Geometridae) Synonym(s): *lutulenta* West,1929
 14392) *Amblychia praeumbrata* (W.Warren,1893) (Geometridae) Synonym(s): *praeumbrata* W.Warren,1893; *moesta* W.Warren,1894
 14393) *Amblychia rotundata* Semper,1901 (Geometridae) Synonym(s): *rotundata* Semper,1901
 14394) *Amblychia sauteri* (L.B.Prout,1914) (Geometridae) Synonym(s): *sauteri* L.B.Prout,1914
 14395) *Amblychia subrubrida* (W.Warren,1896) (Geometridae) Synonym(s): *subrubrida* W.Warren,1896; *hypocallistis* Lower,1898
 14396) *Amblychia subrubrida aoupiniensis* (Holloway,1979) (Geometridae) Synonym(s): *aoupiniensis* Holloway,1979
 14397) *Amorphogynia necessaria* (Zeller,1849) (Geometridae) Synonym(s): *necessaria* Zeller,1849
 14398) *Amraica inouei* Sato,1993 (Geometridae) Synonym(s): *inouei* Sato,1993
 14399) *Amraica jaculatrix* Sato,1993 (Geometridae) Synonym(s): *jaculatrix* Sato,1993
 14400) *Amraica recursaria* (Walker,1860) (Geometridae) Synonym(s): *recursaria* Walker,1860; *ferrolavata* Walker,[1863]; *solivagaria* Walker,1866; *fortissima* Moore,1888; *asahinai* Inoue,1964
 14401) *Amygdaloptera testaria* (Fabricius,1794) (Geometridae) Synonym(s): *testaria* Fabricius,1794
 14402) *Anacleora extremaria* (Walker,1860) (Geometridae) Synonym(s): *extremaria* Walker,1860; *perfectaria* Walker,1866; *haploocnema* L.B.Prout,1922
 14403) *Anacleora pulverosa* (W.Warren,1904) (Geometridae) Synonym(s): *pulverosa* W.Warren,1904
 14404) *Anacleora* sp. (Geometridae) Synonym(s):
 14405) *Androzeugma mollior* L.B.Prout,1922 (Geometridae) Synonym(s): *mollior* L.B.Prout,1922
 14406) *Androzeugma subacuta* L.B.Prout,1935 (Geometridae) Synonym(s): *subacuta* L.B.Prout,1935
 14407) *Androzeugma tenuis* (W.Warren,1898) (Geometridae) Synonym(s): *tenuis* W.Warren,1898; *hapala* L.B.Prout,1913
 14408) *Angerona prunaria* (Linnaeus,1758) (Geometridae) Synonym(s): *prunaria* Linnaeus,1758
 14409) *Anizozga caledonica* (Thierry-Mieg,1915) (Geometridae) Synonym(s): *caledonica* Thierry-Mieg,1915
 14410) *Anonychia rostrifera* (W.Warren,1888) (Geometridae) Synonym(s): *rostrifera* W.Warren,1888
 14411) *Antharmostes alcaea* L.B.Prout,1930 (Geometridae) Synonym(s): *alcaea* L.B.Prout,1930
 14412) *Antharmostes dargei* Herbulot,1982 (Geometridae) Synonym(s): *dargei* Herbulot,1982
 14413) *Antharmostes interalbicans* W.Warren,1902 (Geometridae) Synonym(s): *interalbicans* W.Warren,1902
 14414) *Antharmostes marginata* (W.Warren,1897) (Geometridae) Synonym(s): *marginata* W.Warren,1897; *fuscimargo* W.Warren,1909; *violetta* Bastelberger,1909
 14415) *Antharmostes mesoleuca* W.Warren,1899 (Geometridae) Synonym(s): *mesoleuca* W.Warren,1899
 14416) *Antharmostes orinophragma* L.B.Prout,1930 (Geometridae) Synonym(s): *orinophragma* L.B.Prout,1930
 14417) *Antharmostes papilio* L.B.Prout,1912 (Geometridae) Synonym(s): *papilio* L.B.Prout,1912
 14418) *Antharmostes papilio papilio* L.B.Prout,1912 (Geometridae) Synonym(s): *papilio* L.B.Prout,1912
 14419) *Antharmostes papilio patrizii* (Berio,1937) (Geometridae) Synonym(s): *patrizii* Berio,1937
 14420) *Antharmostes reducta* Herbulot,1996 (Geometridae) Synonym(s): *reducta* Herbulot,1996
 14421) *Antharmostes simplicimargo* L.B.Prout,1917 (Geometridae) Synonym(s): *simplicimargo* L.B.Prout,1917
 14422) *Antharmostes sufflata* Herbulot,1982 (Geometridae) Synonym(s): *sufflata* Herbulot,1982
 14423) *Antharmostes tutsiana* Herbulot,1996 (Geometridae) Synonym(s): *tutsiana* Herbulot,1996
 14424) *Anthemoctena textilis* (Wallengren,1872) (Geometridae) Synonym(s): *textilis* Wallengren,1872; *lineata* W.Warren,1897
 14425) *Anthometra plumularia* Boisduval,1840 (Geometridae) Synonym(s): *plumularia* Boisduval,1840; *concoloraria* Lederer,1853; *psychinaria* Rosenhauer,1856
 14426) *Anthyperythra caladsaota* Hampson,1902 (Geometridae) Synonym(s): *caladsaota* Hampson,1902
 14427) *Anthyperythra caladsaota caladsaota* Hampson,1902 (Geometridae) Synonym(s): *caladsaota* Hampson,1902
 14428) *Anthyperythra caladsaota fulvipennis* (W.Warren,1909) (Geometridae) Synonym(s): *fulvipennis* W.Warren,1909
 14429) *Anthyperythra hermearia* Swinhoe,1891 (Geometridae) Synonym(s): *hermearia* Swinhoe,1891
 14430) *Anthyperythra rhomalea* L.B.Prout,1928 (Geometridae) Synonym(s): *rhomalea* L.B.Prout,1928
 14431) *Anticlea badiata* (Lang,1789) (Geometridae) Synonym(s): *hadiata* [Denis & Schiffermüller],1775; *badiata* Lang,1789; *radiata* Spener & Spener,1843.
 14432) *Anticlea beduina* (Turati,1930) (Geometridae) Synonym(s): *beduina* Turati,1930
 14433) *Anticlea cabrerai* (Pinker,1962) (Geometridae) Synonym(s): *cabrera* Pinker,1962
 14434) *Anticlea callidaria* (De Joannis,1891) (Geometridae) Synonym(s): *callidaria* De Joannis,1891
 14435) *Anticlea derivata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *derivata* [Denis & Schiffermüller],1775; *nigrofasciaria* Goeze,1781; *separata* Thunberg,1788.
 14436) *Anticlea querulata* (Püngeler,1904) (Geometridae) Synonym(s): *querulata* Püngeler,1904
 14437) *Anticollix sparsata* (Treitschke,1828) (Geometridae) Synonym(s): *sparsaria* Hübner,[1813] nec Hbn.,[1809]; *sparsata* Treitschke,1828; *lysimachiata* Treitschke,1828; *melanoparia* Graslin,1848
 14438) *Antilurga alhambrata* (Staudinger,1859) (Geometridae) Synonym(s): *alhambrata* Staudinger,1859

- 14439) *Antilurga alhambrata altatlas* Herbulot, 1981 (Geometridae) Synonym(s): *altatlas* Herbulot, 1981
- 14440) *Antilycauges pinguis* (Swinhoe, 1902) (Geometridae) Synonym(s): *pinguis* Swinhoe, 1902
- 14441) *Antimimistis attenuata* (Moore, [1887]) (Geometridae) Synonym(s): *attenuata* Moore, [1887]
- 14442) *Antimimistis attenuata attenuata* (Moore, [1887]) (Geometridae) Synonym(s): *attenuata* Moore, [1887]
- 14443) *Antimimistis attenuata melamphaes* L.B. Prout, 1958 (Geometridae) Synonym(s): *melamphaes* L.B. Prout, 1958
- 14444) *Antimimistis curpina* L.B. Prout, 1958 (Geometridae) Synonym(s): *curpina* L.B. Prout, 1958
- 14445) *Antimimistis illaudata* Turner, 1922 (Geometridae) Synonym(s): *illaudata* Turner, 1922
- 14446) *Antimimistis subteracta* L.B. Prout, 1925 (Geometridae) Synonym(s): *subteracta* L.B. Prout, 1925
- 14447) *Antipercnia belluaria* (Guenée, [1858]) (Geometridae) Synonym(s): *belluaria* Guenée, [1858]
- 14448) *Antitrygodes callibotrys* L.B. Prout, 1918 (Geometridae) Synonym(s): *callibotrys* L.B. Prout, 1918
- 14449) *Antitrygodes cuneilinea* (Walker, [1863]) (Geometridae) Synonym(s): *cuneilinea* Walker, [1863]
- 14450) *Antitrygodes dentilinea* W. Warren, 1897 (Geometridae) Synonym(s): *dentilinea* W. Warren, 1897
- 14451) *Antitrygodes divisaria* (Walker, 1861) (Geometridae) Synonym(s): *divisaria* Walker, 1861
- 14452) *Apeira syringaria* (Linnaeus, 1758) (Geometridae) Synonym(s): *syringaria* Linnaeus, 1758; *jaspoides* Fourcroy, 1785; *circularia* Thunberg, 1792
- 14453) *Aphilopota alloecomorpha* L.B. Prout, 1938 (Geometridae) Synonym(s): *alloecomorpha* L.B. Prout, 1938
- 14454) *Aphilopota aspera* L.B. Prout, 1938 (Geometridae) Synonym(s): *aspera* L.B. Prout, 1938
- 14455) *Aphilopota aspera aspera* L.B. Prout, 1938 (Geometridae) Synonym(s): *aspera* L.B. Prout, 1938
- 14456) *Aphilopota aspera occidentalis* Viette, 1973 (Geometridae) Synonym(s): *occidentalis* Viette, 1973
- 14457) *Aphilopota calaria* (Swinhoe, 1904) (Geometridae) Synonym(s): *calaria* Swinhoe, 1904; *zonata* L.B. Prout, 1954
- 14458) *Aphilopota cardinali* L.B. Prout, 1954 (Geometridae) Synonym(s): *cardinali* L.B. Prout, 1954
- 14459) *Aphilopota cardinali cardinali* L.B. Prout, 1954 (Geometridae) Synonym(s): *cardinali* L.B. Prout, 1954
- 14460) *Aphilopota cardinali kitalensis* L.B. Prout, 1954 (Geometridae) Synonym(s): *kitalensis* L.B. Prout, 1954
- 14461) *Aphilopota confusata* (W. Warren, 1902) (Geometridae) Synonym(s): *confusata* W. Warren, 1902
- 14462) *Aphilopota conturbata* (Walker, [1863]) (Geometridae) Synonym(s): *conturbata* Walker, [1863]
- 14463) *Aphilopota cydno* L.B. Prout, 1954 (Geometridae) Synonym(s): *cydno* L.B. Prout, 1954
- 14464) *Aphilopota decepta* Janse, 1932 (Geometridae) Synonym(s): *decepta* Janse, 1932
- 14465) *Aphilopota dicampsis* L.B. Prout, 1934 (Geometridae) Synonym(s): *dicampsis* L.B. Prout, 1934
- 14466) *Aphilopota euodia* L.B. Prout, 1954 (Geometridae) Synonym(s): *euodia* L.B. Prout, 1954
- 14467) *Aphilopota exterritorialis* (Strand, 1909) (Geometridae) Synonym(s): *exterritorialis* Strand, 1909
- 14468) *Aphilopota fletcheri* Carcasson, 1965 (Geometridae) Synonym(s): *fletcheri* Carcasson, 1965
- 14469) *Aphilopota fletcheriana* Viette, 1975 (Geometridae) Synonym(s): *fletcheri* Viette, 1973 nec Carc., 1965; *fletcheriana* Viette, 1975
- 14470) *Aphilopota foedata* (Bastelberger, 1907) (Geometridae) Synonym(s): *foedata* Bastelberger, 1907
- 14471) *Aphilopota immatūra* L.B. Prout, 1938 (Geometridae) Synonym(s): *immatūra* L.B. Prout, 1938
- 14472) *Aphilopota inspersaria* (Guenée, [1858]) (Geometridae) Synonym(s): *inspersaria* Guenée, [1858]
- 14473) *Aphilopota interpellans* (Butler, 1875) (Geometridae) Synonym(s): *interpellans* Butler, 1875; *angolaria* Bethune-Baker, 1913
- 14474) *Aphilopota iphia* L.B. Prout, 1954 (Geometridae) Synonym(s): *iphia* L.B. Prout, 1954
- 14475) *Aphilopota mailaria* (Swinhoe, 1904) (Geometridae) Synonym(s): *mailaria* Swinhoe, 1904
- 14476) *Aphilopota melanommata* L.B. Prout, 1954 (Geometridae) Synonym(s): *melanommata* L.B. Prout, 1954
- 14477) *Aphilopota melanostigma* L.B. Prout, 1934 (Geometridae) Synonym(s): *melanostigma* W. Warren, 1904
- 14478) *Aphilopota nubilata* L.B. Prout, 1954 (Geometridae) Synonym(s): *nubilata* L.B. Prout, 1954
- 14479) *Aphilopota nubilata castaneata* Fletcher, 1956 (Geometridae) Synonym(s): *castaneata* Fletcher, 1956
- 14480) *Aphilopota nubilata lapillata* Fletcher, 1956 (Geometridae) Synonym(s): *lapillata* Fletcher, 1956
- 14481) *Aphilopota nubilata nubilata* L.B. Prout, 1954 (Geometridae) Synonym(s): *nubilata* L.B. Prout, 1954
- 14482) *Aphilopota ochrimacula* (W. Warren, 1902) (Geometridae) Synonym(s): *ochrimacula* W. Warren, 1902
- 14483) *Aphilopota otoessa* L.B. Prout, 1954 (Geometridae) Synonym(s): *otoessa* L.B. Prout, 1954
- 14484) *Aphilopota patulata* (Walker, [1863]) (Geometridae) Synonym(s): *patulata* Walker, [1863]
- 14485) *Aphilopota patulata mesotoecha* L.B. Prout, 1938 (Geometridae) Synonym(s): *mesotoecha* L.B. Prout, 1938
- 14486) *Aphilopota patulata patulata* (Walker, [1863]) (Geometridae) Synonym(s): *patulata* Walker, [1863]
- 14487) *Aphilopota perscotia* L.B. Prout, 1931 (Geometridae) Synonym(s): *perscotia* L.B. Prout, 1931
- 14488) *Aphilopota phanerostigma* L.B. Prout, 1917 (Geometridae) Synonym(s): *phanerostigma* L.B. Prout, 1917
- 14489) *Aphilopota plethora* L.B. Prout, 1938 (Geometridae) Synonym(s): *plethora* L.B. Prout, 1938
- 14490) *Aphilopota reducta* Viette, 1973 (Geometridae) Synonym(s): *reducta* Viette, 1973
- 14491) *Aphilopota rubidivenis* (L.B. Prout, 1922) (Geometridae) Synonym(s): *rubidivenis* L.B. Prout, 1922
- 14492) *Aphilopota rufiplaga* (W. Warren, 1902) (Geometridae) Synonym(s): *rufiplaga* W. Warren, 1902
- 14493) *Aphilopota scapularia* (Snellen, 1872) (Geometridae) Synonym(s): *scapularia* Snellen, 1872
- 14494) *Aphilopota semidentata* L.B. Prout, 1931 (Geometridae) Synonym(s): *semidentata* L.B. Prout, 1931
- 14495) *Aphilopota semiusta* (Distant, 1898) (Geometridae) Synonym(s): *semiusta* Distant, 1898; *spissata* W. Warren, 1905
- 14496) *Aphilopota seyrigi* Viette, 1973 (Geometridae) Synonym(s): *seyrigi* Viette, 1973
- 14497) *Aphilopota sinistra* L.B. Prout, 1954 (Geometridae) Synonym(s): *sinistra* L.B. Prout, 1954
- 14498) *Aphilopota* sp.1 (Geometridae) Synonym(s):
- 14499) *Aphilopota* sp.2 (Geometridae) Synonym(s):
- 14500) *Aphilopota statuta* L.B. Prout, 1954 (Geometridae) Synonym(s): *statuta* L.B. Prout, 1954
- 14501) *Aphilopota strigossissima* (Bastelberger, 1909) (Geometridae) Synonym(s): *strigossissima* Bastelberger, 1909
- 14502) *Aphilopota strigossissima castellana* L.B. Prout, 1954 (Geometridae) Synonym(s): *castellana* L.B. Prout, 1954
- 14503) *Aphilopota strigossissima strigossissima* (Bastelberger, 1909) (Geometridae) Synonym(s): *strigossissima* Bastelberger, 1909
- 14504) *Aphilopota subalbata* (W. Warren, 1905) (Geometridae) Synonym(s): *subalbata* W. Warren, 1905; *approximans* W. Warren, 1914
- 14505) *Aphilopota symphronima* L.B. Prout, 1954 (Geometridae) Synonym(s): *symphronima* L.B. Prout, 1954
- 14506) *Aphilopota triphasia* L.B. Prout, 1954 (Geometridae) Synonym(s): *triphasia* L.B. Prout, 1954
- 14507) *Aphilopota vicaria* (Walker, 1860) (Geometridae) Synonym(s): *vicaria* Walker, 1860
- 14508) *Aphilopota viriditincta* (W. Warren, 1905) (Geometridae) Synonym(s): *viriditincta* W. Warren, 1905
- 14509) *Apithecina viridata* (Moore, 1868) (Geometridae) Synonym(s): *viridata* Moore, 1868
- 14510) *Apithecina viridata reliquifascia* L.B. Prout, 1926 (Geometridae) Synonym(s): *reliquifascia* L.B. Prout, 1926
- 14511) *Apithecina viridata viridata* (Moore, 1868) (Geometridae) Synonym(s): *viridata* Moore, 1868
- 14512) *Apithecina viridata wilemani* L.B. Prout, 1931 (Geometridae) Synonym(s): *wilemani* L.B. Prout, 1931
- 14513) *Aplasta ononaria* (Fuessly, 1783) (Geometridae) Synonym(s): *ononaria* Fuessly, 1783; *rubellata* Villers, 1789; *rubicaparia* Hübner, 1793; *sudataria* Hübner, [1817]
- 14514) *Aplasta ononaria faecaturia* (Hübner, [1819]) (Geometridae) Synonym(s): *faecaturia* Hübner, [1819]
- 14515) *Aplocera annexata* (Freyer, [1830]) (Geometridae) Synonym(s): *annexata* Freyer, [1830]; *boisduvaliata* Duponchel, 1831
- 14516) *Aplocera annexata annexata* (Freyer, [1830]) (Geometridae) Synonym(s): *annexata* Freyer, [1830]; *boisduvaliata* Duponchel, 1831
- 14517) *Aplocera annexata iranica* (Schwingenschuss, 1955) (Geometridae) Synonym(s): *iranica* Schwingenschuss, 1955
- 14518) *Aplocera bohatschi* (Püngeler, 1914) (Geometridae) Synonym(s): *bohatschi* Püngeler, 1914
- 14519) *Aplocera columbata* (Metzner, 1845) (Geometridae) Synonym(s): *columbata* Metzner, 1845; *nomadaria* Herrich-Schäffer, 1848
- 14520) *Aplocera corsalta* (Schawerda, 1928) (Geometridae) Synonym(s): *corsalta* Schawerda, 1928
- 14521) *Aplocera cretica* (Reisser, 1974) (Geometridae) Synonym(s): *cretica* Reisser, 1974
- 14522) *Aplocera dervenaria* Mentzer, 1981 (Geometridae) Synonym(s): *dervenaria* Mentzer, 1981
- 14523) *Aplocera efformata* (Guenée, [1858]) (Geometridae) Synonym(s): *efformata* Guenée, [1858]; *pallidata* Staudinger, 1870
- 14524) *Aplocera fraternata* (Herrich-Schäffer, 1861) (Geometridae) Synonym(s): *fraternata* Herrich-Schäffer, 1861
- 14525) *Aplocera fraudulentata* (Herrich-Schäffer, 1861) (Geometridae) Synonym(s): *fraudentata* Herrich-Schäffer, 1861
- 14526) *Aplocera guneyi* Riemis, 1992 (Geometridae) Synonym(s): *guneyi* Riemis, 1992
- 14527) *Aplocera mundata* (Staudinger, 1892) (Geometridae) Synonym(s): *mundata* Staudinger, 1892
- 14528) *Aplocera mundulata* (Guenée, [1858]) (Geometridae) Synonym(s): *mundulata* Guenée, [1858]; *erubescens* Staudinger, 1892; *submundulata* Staudinger, 1892
- 14529) *Aplocera musculata* (Staudinger, 1892) (Geometridae) Synonym(s): *musculata* Staudinger, 1892

- 14530) *Aplocera numidaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *numidaria* Herrich-Schäffer,[1852]
 14531) *Aplocera obsitaria* (Lederer,1853) (Geometridae) Synonym(s): *obsitaria* Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937
 14532) *Aplocera obsitaria anatolica* (Wehrli,1931) (Geometridae) Synonym(s): *anatolica* Wehrli,1931.
 14533) *Aplocera obsitaria evanescens* (Wehrli,1931) (Geometridae) Synonym(s): *evanescens* Wehrli,1931
 14534) *Aplocera obsitaria obsitaria* (Lederer,1853) (Geometridae) Synonym(s): *obsitaria* Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937
 14535) *Aplocera opificata* (Lederer,1870) (Geometridae) Synonym(s): *opificata* Lederer,1870; *kawrigini* Christoph,1885.
 14536) *Aplocera palumbata* Mentzer,1981 (Geometridae) Synonym(s): *palumbata* Mentzer,1981
 14537) *Aplocera plagiata* (Linnaeus,1758) (Geometridae) Synonym(s): *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879.
 14538) *Aplocera plagiata cypria* (L.B.Prout,1937) (Geometridae) Synonym(s): *cypria* L.B.Prout,1937
 14539) *Aplocera praeformata* (Hübner,1826) (Geometridae) Synonym(s): *praeformata* Hübner,1826; *cassata* Treitschke,1828
 14540) *Aplocera simplicata* (Treitschke,1835) (Geometridae) Synonym(s): *simplicata* Treitschke,1835
 14541) *Aplocera trajectata* (Walker,[1863]) (Geometridae) Synonym(s): *trajectata* Walker,[1863]
 14542) *Aplocera uniformata* (Urbahn,1971) (Geometridae) Synonym(s): *uniformata* Urbahn,1971
 14543) *Aplochloa costipicta* (Wileman,1915) (Geometridae) Synonym(s): *costipicta* Wileman,1915
 14544) *Aplochloa dentisignata* (Moore,1868) (Geometridae) Synonym(s): *dentisignata* Moore,1868; *subbasalis* Wehrli,1940
 14545) *Aplochloa eucosmeta* L.B.Prout,1916 (Geometridae) Synonym(s): *eucosmeta* L.B.Prout,1916
 14546) *Aplochloa grata* (Butler,1880) (Geometridae) Synonym(s): *grata* Butler,1880
 14547) *Aplochloa invisibilis* W.Warren,1897 (Geometridae) Synonym(s): *invisibilis* W.Warren,1897
 14548) *Aplochloa pisochroa* (Turner,1906) (Geometridae) Synonym(s): *pisochroa* Turner,1906
 14549) *Aplochloa pseudossa* L.B.Prout,1932 (Geometridae) Synonym(s): *pseudossa* L.B.Prout,1932
 14550) *Aplochloa similis* West,1929 (Geometridae) Synonym(s): *similis* West,1929
 14551) *Aplochloa subflava* W.Warren,1896 (Geometridae) Synonym(s): *subflava* W.Warren,1896
 14552) *Aplochloa viridis* W.Warren,1893 (Geometridae) Synonym(s): *viridis* W.Warren,1893
 14553) *Aplochloa vivillana* (Walker,1861) (Geometridae) Synonym(s): *vivilaca* Walker,1861
 14554) *Apocheima cinerarium* Erschoff,1874 (Geometridae) Synonym(s): *cinerarium* Erschoff,1874; *isfacana* Wehrli,1941.
 14555) *Apocheima cinerarium cinerarium* Erschoff,1874 (Geometridae) Synonym(s): *cinerarium* Erschoff,1874; *isfacana* Wehrli,1941.
 14556) *Apocheima cinerarium pyri* Yang,1978 (Geometridae) Synonym(s): *pyri* Yang,1978
 14557) *Apocheima hispidarium* (Denis & Schiffermüller,[1775]) (Geometridae) Synonym(s): *hispidaria* [Denis & Schiffermüller],1775; *ursularia* Donovan,1808; *tauaria* Newman,1833.
 14558) *Apocheima hispidarium cottei* (Oberthür,1913) (Geometridae) Synonym(s): *cottei* Oberthür,1913
 14559) *Apocheima hispidarium hispidarium* (Denis & Schiffermüller,[1775]) (Geometridae) Synonym(s): *hispidaria* [Denis & Schiffermüller],1775; *ursularia* Donovan,1808; *tauaria* Newman,1833.
 14560) *Apocheima hispidarium orientis* Wehrli,1941 (Geometridae) Synonym(s): *orientis* Wehrli,1941
 14561) *Apocheima hispidarium popovi* Vojnits,1972 (Geometridae) Synonym(s): *popovi* Vojnits,1972
 14562) *Apochima diaphanaria* (Püngeler,1904) (Geometridae) Synonym(s): *diaphanaria* Püngeler,1904
 14563) *Apochima diaphanaria rjabovi* (Wehrli,1936) (Geometridae) Synonym(s): *rjabovi* Wehrli,1936
 14564) *Apochima flabellaria* (Heeger,1838) (Geometridae) Synonym(s): *flabellaria* Heeger,1838; *marmararia* Buresch,1915.
 14565) *Apocolotois almatensis* (Djakonov,1952) (Geometridae) Synonym(s): *almatensis* Djakonov,1952
 14566) *Apocolotois smirnovi* (Romanoff,1885) (Geometridae) Synonym(s): *smirnovi* Romanoff,1885
 14567) *Aporandria specularia* (Guenée,[1858]) (Geometridae) Synonym(s): *specularia* Guenée,[1858]; *haplograpta* L.B.Prout,1922
 14568) *Apostates solitaria* (Christoph,1887) (Geometridae) Synonym(s): *solitaria* Christoph,1887; *albichlatrata* W.Warren,1897
 14569) *Apostegania crina* (Swinhoe,1892) (Geometridae) Synonym(s): *crina* Swinhoe,1892
 14570) *Apostegania rectilineata* (Swinhoe,1906) (Geometridae) Synonym(s): *rectilineata* Swinhoe,1906
 14571) *Apostegania rectilineata prothesis* L.B.Prout,1938 (Geometridae) Synonym(s): *prothesis* L.B.Prout,1938
 14572) *Apostegania rectilineata rectilineata* (Swinhoe,1906) (Geometridae) Synonym(s): *rectilineata* Swinhoe,1906
 14573) *Archichlora ansorgei* (W.Warren,1901) (Geometridae) Synonym(s): *ansorgei* W.Warren,1901
 14574) *Archichlora rectilineata* Carcasson,1971 (Geometridae) Synonym(s): *rectilineata* Carcasson,1971
 14575) *Archichlora viridimacula* W.Warren,1898 (Geometridae) Synonym(s): *viridimacula* W.Warren,1898
 14576) *Archiearis notha* (Hübner,[1803]) (Geometridae) Synonym(s): *notha* Hübner,[1803]
 14577) *Archiearis notha notha* (Hübner,[1803]) (Geometridae) Synonym(s): *notha* Hübner,[1803]
 14578) *Archiearis notha suifunensis* Kardakoff,1928 (Geometridae) Synonym(s): *suifunensis* Kardakoff,1928
 14579) *Archiearis parthenias* (Linnaeus,1761) (Geometridae) Synonym(s): *parthenias* Linnaeus,1761
 14580) *Archiearis parthenias hilara* Sawamoto,1937 (Geometridae) Synonym(s): *hilara* Sawamoto,1937
 14581) *Archiearis parthenias parthenias* (Linnaeus,1761) (Geometridae) Synonym(s): *parthenias* Linnaeus,1761
 14582) *Archiearis parthenias sajana* L.B.Prout,1912 (Geometridae) Synonym(s): *sajana* L.B.Prout,1912
 14583) *Archiearis puella* (Esper,1787) (Geometridae) Synonym(s): *puella* Esper,1787
 14584) *Archiearis puella puella* (Esper,1787) (Geometridae) Synonym(s): *puella* Esper,1787
 14585) *Arctoscelia celator* L.B.Prout,1931 (Geometridae) Synonym(s): *celator* L.B.Prout,1931
 14586) *Arctoscelia onusta* W.Warren,1897 (Geometridae) Synonym(s): *onusta* W.Warren,1897
 14587) *Argyrocosma inductaria* Guenée,[1858] (Geometridae) Synonym(s): *inductaria* Guenée,[1858]
 14588) *Argyrographa moderata* (Walker,1862) (Geometridae) Synonym(s): *moderata* Walker,1862; *eximiata* R.Felder & Rogenhofer,1875
 14589) *Argyrographa arcualis* (Duncan & Westwood,1841) (Geometridae) Synonym(s): *arcualis* Duncan & Westwood,1841; *arcuaria* Guenée,[1858]
 14590) *Argyrographa chrysophylax* M.Krüger,1999 (Geometridae) Synonym(s): *chrysophylax* M.Krüger,1999
 14591) *Argyrographa confluens* M.Krüger,1999 (Geometridae) Synonym(s): *confluens* M.Krüger,1999
 14592) *Argyrographa intervenata* (L.B.Prout,1917) (Geometridae) Synonym(s): *intervenata* L.B.Prout,1917
 14593) *Argyrographa leucochrysa* M.Krüger,1999 (Geometridae) Synonym(s): *leucochrysa* M.Krüger,1999
 14594) *Argyrographa retifera* M.Krüger,1999 (Geometridae) Synonym(s): *retifera* M.Krüger,1999
 14595) *Argyrographa rhampsinitos* M.Krüger,1999 (Geometridae) Synonym(s): *rhampsinitos* M.Krüger,1999
 14596) *Argyrographa stramineata* M.Krüger,1999 (Geometridae) Synonym(s): *stramineata* M.Krüger,1999
 14597) *Argyrographa trofonia* (Cramer,[1779]) (Geometridae) Synonym(s): *trofonia* Cramer,[1779]; *histrionalis* Duncan & Westwood,1841; *monetata* Guenée,[1858]; *trofoniata* Guenée,[1858]
 14598) *Argyrographa variabilis* M.Krüger,1999 (Geometridae) Synonym(s): *variabilis* M.Krüger,1999
 14599) *Arichanna diversicolor* (W.Warren,1888) (Geometridae) Synonym(s): *diversicolor* W.Warren,1888
 14600) *Arichanna marginata* W.Warren,1893 (Geometridae) Synonym(s): *marginata* W.Warren,1893
 14601) *Arichanna melanaria* (Linnaeus,1758) (Geometridae) Synonym(s): *melanaria* Linnaeus,1758
 14602) *Arichanna peniculifera* Stüning,2000 (Geometridae) Synonym(s): *peniculifera* Stüning,2000
 14603) *Arichanna tramesata* Moore,1868 (Geometridae) Synonym(s): *tramesata* Moore,1868
 14604) *Arichanna transfasciata* W.Warren,1893 (Geometridae) Synonym(s): *transfasciata* W.Warren,1893
 14605) *Artemidora alpherakyi* Wagner,1918 (Geometridae) Synonym(s): *alpherakyi* Wagner,1918; *symmetrica* Djakonov,1923; *aksua* Wehrli,1940.
 14606) *Artemidora maracandaria* (Erschoff,1874) (Geometridae) Synonym(s): *maracandaria* Erschoff,1874
 14607) *Artemidora metsaviiri* Viidalepp,1988 (Geometridae) Synonym(s): *metsaviiri* Viidalepp,1988
 14608) *Artiora evonymaria* (Hübner,[1799]) (Geometridae) Synonym(s): *evonymaria* [Denis & Schiffermüller],1775; *evonymaria* Hübner,[1799].
 14609) *Ascotis imparata* (Walker,1860) (Geometridae) Synonym(s): *imparata* Walker,1860; *promptaria* Walker,1860
 14610) *Ascotis reciprocaria* (Walker,1860) (Geometridae) Synonym(s): *reciprocaria* Walker,1860; *semifusca* W.Warren,1904; *nigristigma* W.Warren,1905
 14611) *Ascotis selenaria* (Denis & Schiffermüller,[1775]) (Geometridae) Synonym(s): *selenaria* [Denis & Schiffermüller],1775; *dianaria* Hübner,[1817]; *seleneris* Okyar & Aytac,1999
 14612) *Asovia maeoticaria* (Alpheraky,1876) (Geometridae) Synonym(s): *maeoticaria* Alpheraky,1876; *decoloraria* Alpheraky,1889
 14613) *Aspilatopsis admiranda* (W.Warren,1905) (Geometridae) Synonym(s): *admiranda* W.Warren,1905
 14614) *Aspilatopsis alicata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *alicata* R.Felder & Rogenhofer,1875
 14615) *Aspilatopsis antennaria* (Guenée,[1858]) (Geometridae) Synonym(s): *antennaria* Guenée,[1858]; *imbellata* Walker,[1863]; *vilisaria* Walker,[1863]
 14616) *Aspilatopsis carneata* (W.Warren,1904) (Geometridae) Synonym(s): *carneata* W.Warren,1904

- 14617) *Aspilatopsis curvifascia* (L.B.Prout,1916) (Geometridae) Synonym(s): *curvifascia* L.B.Prout,1916
 14618) *Aspilatopsis gloriola* L.B.Prout,1913 (Geometridae) Synonym(s): *gloriola* L.B.Prout,1913
 14619) *Aspilatopsis johnstonei* L.B.Prout,1938 (Geometridae) Synonym(s): *johnstonei* L.B.Prout,1938
 14620) *Aspilatopsis lacuum* L.B.Prout,1938 (Geometridae) Synonym(s): *lacuum* L.B.Prout,1938
 14621) *Aspilatopsis nipholibes* L.B.Prout,1938 (Geometridae) Synonym(s): *nipholibes* L.B.Prout,1938
 14622) *Aspilatopsis orthobates* L.B.Prout,1917 (Geometridae) Synonym(s): *orthobates* L.B.Prout,1917
 14623) *Aspilatopsis punctata* W.Warren,1897 (Geometridae) Synonym(s): *punctata* W.Warren,1897
 14624) *Aspilatopsis simonsi* L.B.Prout,1938 (Geometridae) Synonym(s): *simonsi* L.B.Prout,1938
 14625) *Aspilatopsis somereni* L.B.Prout,1926 (Geometridae) Synonym(s): *somereni* L.B.Prout,1926
 14626) *Aspilatopsis soni* L.B.Prout,1938 (Geometridae) Synonym(s): *soni* L.B.Prout,1938
 14627) *Aspilatopsis tenoris* L.B.Prout,1934 (Geometridae) Synonym(s): *tenoris* L.B.Prout,1934
 14628) *Aspilatopsis unilineata* (W.Warren,1897) (Geometridae) Synonym(s): *unilineata* W.Warren,1897; *hemigrammata* Mabilite,1898
 14629) *Aspitates acuminaria* (Eversmann,1851) (Geometridae) Synonym(s): *acuminaria* Eversmann,1851; *glessaria* Christoph,1877; *opulentaria* Staudinger,1877.
 14630) *Aspitates albaria* (Bartel,1903) (Geometridae) Synonym(s): *albaria* Bartel,1903
 14631) *Aspitates collinaria* Holt-White,1894 (Geometridae) Synonym(s): *collinaria* Holt-White,1894; *canariaria* Rogenhofer,1894; *hesperis* W.Warren,1894
 14632) *Aspitates conspersaria* (Staudinger,1901) (Geometridae) Synonym(s): *conspersaria* Staudinger,1901
 14633) *Aspitates curvaria* (Eversmann,1852) (Geometridae) Synonym(s): *curvaria* Eversmann,1852; *sterrharia* Staudinger,1896
 14634) *Aspitates illepidata* Walker,1862 (Geometridae) Synonym(s): *illepidata* Walker,1862
 14635) *Aspitates inceptaria* Walker,[1863] (Geometridae) Synonym(s): *inceptaria* Walker,[1863]
 14636) *Aspitates insignis* Alpheraky,1883 (Geometridae) Synonym(s): *insignis* Alpheraky,1883
 14637) *Aspitates kozhantchikovi* (Munroe,1963) (Geometridae) Synonym(s): *kozantchikovi* Munroe,1963
 14638) *Aspitates mongolicus* (Vojnits,1975) (Geometridae) Synonym(s): *mongolicus* Vojnits,1975
 14639) *Aspitates obscurata* (Wehrli,1953) (Geometridae) Synonym(s): *obscurata* Wehrli,1953; *elwesi* Munroe,1963
 14640) *Aspitates ochrearia* (Rossi,1794) (Geometridae) Synonym(s): *ochrearia* Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citraria* Hübner,[1826]; *laetula* Hult,1896; *parvularia* Lempke,1953
 14641) *Aspitates quadripunctata* (Goeze,1781) (Geometridae) Synonym(s): *#gilvaria* [Denis & Schiffermüller],1775; *quadripunctata* Goeze,1781.
 14642) *Aspitates quadripunctata kukunorensis* Wehrli,1953 (Geometridae) Synonym(s): *kukunorensis* Wehrli,1953
 14643) *Aspitates quadripunctata minimus* Vojnits,1975 (Geometridae) Synonym(s): *minimus* Vojnits,1975
 14644) *Aspitates quadripunctata orientaria* Alpheraky,1883 (Geometridae) Synonym(s): *orientaria* Alpheraky,1883
 14645) *Aspitates kozhantchikovi quadripunctata* (Goeze,1781) (Geometridae) Synonym(s): *#gilvaria* [Denis & Schiffermüller],1775; *quadripunctata* Goeze,1781.
 14646) *Aspitates sabuliferata* Walker,[1863] (Geometridae) Synonym(s): *sabuliferata* Walker,[1863]
 14647) *Aspitates staudingeri* (Vojnits,1975) (Geometridae) Synonym(s): *staudingeri* Vojnits,1975
 14648) *Aspitates stchurovskyi* (Erschoff,1874) (Geometridae) Synonym(s): *stchurovskyi* Erschoff,1874; *gonarcha* L.B.Prout,1928
 14649) *Aspitates taylori* (Butler,1893) (Geometridae) Synonym(s): *taylori* Butler,1893
 14650) *Aspitates taylori sibirica* (Djakonov,1955) (Geometridae) Synonym(s): *sibirica* Djakonov,1955
 14651) *Aspitates taylori taylori* (Butler,1893) (Geometridae) Synonym(s): *taylori* Butler,1893
 14652) *Asthena albidaria* (Leech,1897) (Geometridae) Synonym(s): *albidaria* Leech,1897
 14653) *Asthena albifera* (Walker,1866) (Geometridae) Synonym(s): *albifera* Walker,1866; *albugilvaria* Morrison,1874; *triseriata* Packard,1874
 14654) *Asthena albosignata* (Moore,1888) (Geometridae) Synonym(s): *albosignata* Moore,1888
 14655) *Asthena albulata* (Hufnagel,1767) (Geometridae) Synonym(s): *albulata* Hufnagel,1767; *candidata* [Denis & Schiffermüller],1775; *candidaria* Hübner,[1799]; *candidulata* Haworth,1809; *albularia* Boisduval,1840
 14656) *Asthena amurensis* (Staudinger,1897) (Geometridae) Synonym(s): *amurensis* Staudinger,1897; *hamadryas* Inoue,1976
 14657) *Asthena anseraria* (Herrich-Schäffer,1855) (Geometridae) Synonym(s): *? asparagi* Fourcroy,1785; *anseraria* Herrich-Schäffer,1855; *soldaria* Turati,1879
 14658) *Asthena anseraria anseraria* (Herrich-Schäffer,1855) (Geometridae) Synonym(s): *? asparagi* Fourcroy,1785; *anseraria* Herrich-Schäffer,1855; *soldaria* Turati,1879
 14659) *Asthena anseraria corculina* Butler,1878 (Geometridae) Synonym(s): *corculina* Butler,1878
 14660) *Asthena brunneifasciata* (Packard,1876) (Geometridae) Synonym(s): *brunneifasciata* Packard,1876
 14661) *Asthena chionata* (Lederer,1870) (Geometridae) Synonym(s): *chionata* Lederer,1870; *quadripunctata* Bienert,[1871]
 14662) *Asthena lacturaria* (Herrich-Schäffer,1855) (Geometridae) Synonym(s): *lacturaria* Herrich-Schäffer,1855; *nymphulata* Guenée,[1858]; *?albeolata* Rambur,1866
 14663) *Asthena lassa* L.B.Prout,1926 (Geometridae) Synonym(s): *lassa* L.B.Prout,1926
 14664) *Asthena livida* (W.Warren,1896) (Geometridae) Synonym(s): *livida* W.Warren,1896
 14665) *Asthena melanosticta* Wehrli,1924 (Geometridae) Synonym(s): *melanosticta* Wehrli,1924
 14666) *Asthena nymphaea* (Staudinger,1897) (Geometridae) Synonym(s): *nymphaea* Staudinger,1897
 14667) *Asthena ochrifasciaria* Leech,1897 (Geometridae) Synonym(s): *ochrifasciaria* Leech,1897
 14668) *Asthena octomaculata* (Leech,1897) (Geometridae) Synonym(s): *octomaculata* Leech,1897
 14669) *Asthena opedogramma* (L.B.Prout,1926) (Geometridae) Synonym(s): *opedogramma* L.B.Prout,1926
 14670) *Asthena peracandidata* (Christoph,1893) (Geometridae) Synonym(s): *peracandidata* Christoph,1893; *candidissima* Staudinger,1897
 14671) *Asthena plenaria* (Leech,1897) (Geometridae) Synonym(s): *plenaria* Leech,1897
 14672) *Asthena sachaliensis* (Matsumura,1925) (Geometridae) Synonym(s): *sachaliensis* Matsumura,1925
 14673) *Asthena tchratraria* (Oberthür,1893) (Geometridae) Synonym(s): *tchratraria* Oberthür,1893
 14674) *Asthena undulata* (Wileman,1915) (Geometridae) Synonym(s): *undulata* Wileman,1915
 14675) *Asthenotricha amblycoma* L.B.Prout,1935 (Geometridae) Synonym(s): *amblycoma* L.B.Prout,1935
 14676) *Asthenotricha anisobapta* L.B.Prout,1932 (Geometridae) Synonym(s): *anisobapta* L.B.Prout,1932
 14677) *Asthenotricha ansorgei* W.Warren,1899 (Geometridae) Synonym(s): *ansorgei* W.Warren,1899
 14678) *Asthenotricha argyridia* (Butler,1894) (Geometridae) Synonym(s): *argyridia* Butler,1894; *?disparata* W.Warren,1897
 14679) *Asthenotricha barnsae* L.B.Prout,1935 (Geometridae) Synonym(s): *barnsae* L.B.Prout,1935
 14680) *Asthenotricha candace* (L.B.Prout,1929) (Geometridae) Synonym(s): *candace* L.B.Prout,1929
 14681) *Asthenotricha comosissima* Herbulot,1970 (Geometridae) Synonym(s): *comosissima* Herbulot,1970
 14682) *Asthenotricha costalis* (Aurivillius,1910) (Geometridae) Synonym(s): *costalis* Aurivillius,1910
 14683) *Asthenotricha deficiens* Herbulot,1954 (Geometridae) Synonym(s): *deficiens* Herbulot,1954
 14684) *Asthenotricha dentatissima* W.Warren,1899 (Geometridae) Synonym(s): *dentatissima* W.Warren,1899
 14685) *Asthenotricha fernandi* L.B.Prout,1935 (Geometridae) Synonym(s): *fernandi* L.B.Prout,1935
 14686) *Asthenotricha flavicoma* W.Warren,1899 (Geometridae) Synonym(s): *flavicoma* W.Warren,1899
 14687) *Asthenotricha furtiva* Herbulot,1960 (Geometridae) Synonym(s): *furtiva* Herbulot,1960
 14688) *Asthenotricha grandis* Herbulot,1997 (Geometridae) Synonym(s): *grandis* Herbulot,1997
 14689) *Asthenotricha inutilis* W.Warren,1901 (Geometridae) Synonym(s): *inutilis* W.Warren,1901
 14690) *Asthenotricha lophoptera* (Guenée,[1858]) (Geometridae) Synonym(s): *lophoptera* Guenée,[1858]
 14691) *Asthenotricha malostigma* L.B.Prout,1921 (Geometridae) Synonym(s): *malostigma* L.B.Prout,1921
 14692) *Asthenotricha meruana* (Aurivillius,1910) (Geometridae) Synonym(s): *meruana* Aurivillius,1910
 14693) *Asthenotricha nesiotis* Herbulot,1954 (Geometridae) Synonym(s): *nesiotis* Herbulot,1954
 14694) *Asthenotricha parabolica* Herbulot,1954 (Geometridae) Synonym(s): *parabolica* Herbulot,1954
 14695) *Asthenotricha polydora* Debauche,1938 (Geometridae) Synonym(s): *polydora* Debauche,1938
 14696) *Asthenotricha proschora* D.S.Fletcher,1958 (Geometridae) Synonym(s): *proschora* D.S.Fletcher,1958
 14697) *Asthenotricha psephotania* L.B.Prout,1935 (Geometridae) Synonym(s): *psephotania* L.B.Prout,1935
 14698) *Asthenotricha pycnoconia* Janse,1933 (Geometridae) Synonym(s): *pycnoconia* Janse,1933
 14699) *Asthenotricha pythia* Debauche,1938 (Geometridae) Synonym(s): *pythia* Debauche,1938
 14700) *Asthenotricha quadrata* Herbulot,1960 (Geometridae) Synonym(s): *quadrata* Herbulot,1960
 14701) *Asthenotricha semidivisa* W.Warren,1901 (Geometridae) Synonym(s): *semidivisa* W.Warren,1901
 14702) *Asthenotricha semidivisa euchroma* L.B.Prout,1921 (Geometridae) Synonym(s): *euchroma* L.B.Prout,1921
 14703) *Asthenotricha semidivisa semidivisa* W.Warren,1901 (Geometridae) Synonym(s): *semidivisa* W.Warren,1901
 14704) *Asthenotricha serraticornis* W.Warren,1902 (Geometridae) Synonym(s): *serraticornis* W.Warren,1902

- 14705) *Asthenotricha sjostedti* (Aurivillius,1910) (Geometridae) Synonym(s): *sjostedti* Aurivillius,1910
 14706) *Asthenotricha sjostedti mionoseista* (L.B.Prout,1921) (Geometridae) Synonym(s): *mionoseista* L.B.Prout,1921
 14707) *Asthenotricha sjostedti sjostedti* (Aurivillius,1910) (Geometridae) Synonym(s): *sjostedti* Aurivillius,1910
 14708) *Asthenotricha* sp. (Geometridae) Synonym(s):
 14709) *Asthenotricha straba* L.B.Prout,1921 (Geometridae) Synonym(s): *straba* L.B.Prout,1921
 14710) *Asthenotricha strangulata* Herbulot,1953 (Geometridae) Synonym(s): *strangulata* Herbulot,1953
 14711) *Asthenotricha torata* L.B.Prout,1932 (Geometridae) Synonym(s): *torata* L.B.Prout,1932
 14712) *Asthenotricha tripogonias* L.B.Prout,1936 (Geometridae) Synonym(s): *tripogonias* L.B.Prout,1936
 14713) *Asthenotricha unipecten* (L.B.Prout,1915) (Geometridae) Synonym(s): *unipecten* L.B.Prout,1915
 14714) *Astygis chlororhynodes* (Wehrli,1936) (Geometridae) Synonym(s): *chlororhynodes* Wehrli,1936
 14715) *Astygis furva* (W.Warren,1897) (Geometridae) Synonym(s): *furva* W.Warren,1897; *circularia* Swinhoe,1902
 14716) *Astygis theclaria* (Walker,1864) (Geometridae) Synonym(s): *metaspila* Walker,1864; *subaurata* L.B.Prout,1928
 14717) *Astygis morosa* (Butler,1881) (Geometridae) Synonym(s): *morosa* Butler,1881
 14718) *Astygis stueningi* Holloway,[1994] (Geometridae) Synonym(s): *stueningi* Holloway,[1994]
 14719) *Astygis theclaria* (Walker,1866) (Geometridae) Synonym(s): *theclaria* Walker,1866
 14720) *Astygis vexillaria* (Guenée,[1858]) (Geometridae) Synonym(s): *vexillaria* Guenée,[1858]; *capitata* Walker,1861; *larentiata* Walker,1864; *rubiginata* Walker,1866
 14721) *Astygis waterstradti* Holloway,[1994] (Geometridae) Synonym(s): *waterstradti* Holloway,[1994]
 14722) *Athropolopha chrysitaria* (Geyer,1831) (Geometridae) Synonym(s): *chrysitaria* Geyer,1831
 14723) *Athropolopha pennigeraria* (Hübner,[1813]) (Geometridae) Synonym(s): *pennigeraria* Hübner,[1813]
 14724) *Atomorpha falsaria* (Alpheraky,1892) (Geometridae) Synonym(s): *falsaria* Alpheraky,1892
 14725) *Atomorpha hedemanni* (Christoph,1885) (Geometridae) Synonym(s): *hedemanni* Christoph,1885; *baloutschistana* Wehrli,1953
 14726) *Atomorpha hedemanni hedemanni* (Christoph,1885) (Geometridae) Synonym(s): *hedemanni* Christoph,1885; *baloutschistana* Wehrli,1953
 14727) *Atomorpha hedemanni khalia* Wiltshire,1986 (Geometridae) Synonym(s): *khalia* Wiltshire,1986
 14728) *Atomorpha mabillearia* (Lucas,1907) (Geometridae) Synonym(s): *mabillearia* Lucas,1907; *marmorata* A.Bang-Haas,1907
 14729) *Atomorpha punctistrigaria* (Christoph,1897) (Geometridae) Synonym(s): *punctistrigaria* Christoph,1897
 14730) *Autotrichia heterogynoides* (Wehrli,1927) (Geometridae) Synonym(s): *heterogynoides* Wehrli,1927
 14731) *Autotrichia karanguica* (Vasilenko,2001) (Geometridae) Synonym(s): *karanguica* Vasilenko,2001
 14732) *Autotrichia lysimeles* (L.B.Prout,1924) (Geometridae) Synonym(s): *lysimeles* L.B.Prout,1924
 14733) *Autotrichia pellucida* (Staudinger,1900) (Geometridae) Synonym(s): *pellucida* Staudinger,1900
 14734) *Autotrichia pellucida impellucida* (Djakonov,1926) (Geometridae) Synonym(s): *impellucida* Djakonov,1926
 14735) *Autotrichia pellucida pellucida* (Staudinger,1900) (Geometridae) Synonym(s): *pellucida* Staudinger,1900
 14736) *Auzeodes angulata* Holloway,1997 (Geometridae) Synonym(s): *angulata* Holloway,1997
 14737) *Auzeodes chalybaeata* (Walker,1866) (Geometridae) Synonym(s): *chalybaeata* Walker,1866; *nigroseriata* W.Warren,1893; *uniformis* W.Warren,1901
 14738) *Auzeodes sulawesica* Herbulot,1995 (Geometridae) Synonym(s): *sulawesica* Herbulot,1995
 14739) *Axiodes agrypna* L.B.Prout,1938 (Geometridae) Synonym(s): *agrypna* L.B.Prout,1938; *acrypna* L.B.Prout,1938
 14740) *Axiodes bifasciata* (Dewitz,1881) (Geometridae) Synonym(s): *bifasciata* Dewitz,1881
 14741) *Axiodes bipartita* W.Warren,1914 (Geometridae) Synonym(s): *bipartita* W.Warren,1914
 14742) *Axiodes carbolinea* L.B.Prout,1938 (Geometridae) Synonym(s): *carbolinea* L.B.Prout,1938
 14743) *Axiodes cosmeta* L.B.Prout,1938 (Geometridae) Synonym(s): *cosmeta* L.B.Prout,1938
 14744) *Axiodes curvaria* (Dewitz,1881) (Geometridae) Synonym(s): *curvaria* Dewitz,1881
 14745) *Axiodes dami* L.B.Prout,1938 (Geometridae) Synonym(s): *dami* L.B.Prout,1938
 14746) *Axiodes dochmoleuca* L.B.Prout,1917 (Geometridae) Synonym(s): *dochmoleuca* L.B.Prout,1917
 14747) *Axiodes ennomaria* W.Warren,1917 (Geometridae) Synonym(s): *ennomaria* W.Warren,1917
 14748) *Axiodes figurata* W.Warren,1905 (Geometridae) Synonym(s): *figurata* W.Warren,1905
 14749) *Axiodes figurata commutata* L.B.Prout,1938 (Geometridae) Synonym(s): *commutata* L.B.Prout,1938
 14750) *Axiodes fortimbata* L.B.Prout,1938 (Geometridae) Synonym(s): *fortimbata* L.B.Prout,1938
 14751) *Axiodes inaequalis* L.B.Prout,1915 (Geometridae) Synonym(s): *inaequalis* L.B.Prout,1915
 14752) *Axiodes inangulata* W.Warren,1905 (Geometridae) Synonym(s): *inangulata* W.Warren,1905
 14753) *Axiodes insciata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *insciata* R.Felder & Rogenhofer,1875
 14754) *Axiodes interscripta* L.B.Prout,1922 (Geometridae) Synonym(s): *interscripta* L.B.Prout,1922
 14755) *Axiodes intricata* W.Warren,1905 (Geometridae) Synonym(s): *intricata* W.Warren,1905
 14756) *Axiodes irvingi* (Janse,1932) (Geometridae) Synonym(s): *irvingi* Janse,1932
 14757) *Axiodes praefidens* L.B.Prout,1938 (Geometridae) Synonym(s): *praefidens* L.B.Prout,1938
 14758) *Axiodes rhodampyx* L.B.Prout,1938 (Geometridae) Synonym(s): *rhodampyx* L.B.Prout,1938
 14759) *Axiodes rufigrisea* W.Warren,1911 (Geometridae) Synonym(s): *rufigrisea* W.Warren,1911
 14760) *Axiodes sectilis* L.B.Prout,1938 (Geometridae) Synonym(s): *sectilis* L.B.Prout,1938
 14761) *Axiodes sinuata* W.Warren,1905 (Geometridae) Synonym(s): *sinuata* W.Warren,1905
 14762) *Axiodes synclinia* L.B.Prout,1938 (Geometridae) Synonym(s): *synclinia* L.B.Prout,1938
 14763) *Axiodes trachyacta* L.B.Prout,1922 (Geometridae) Synonym(s): *trachyacta* L.B.Prout,1922
 14764) *Axiodes tripartita* L.B.Prout,1915 (Geometridae) Synonym(s): *tripartita* L.B.Prout,1915
 14765) *Baptia tibiale* (Esper,1804) (Geometridae) Synonym(s): *dimidiata* Hübner,1790; *tibialata* Hübner,[1799]; *tibiale* Esper,1804; *tibialaria* Hübner,[1825]; *moeroraria* Freyer,[1846]; *eversmannaria* Herrich-Schäffer,1852; *aethiopata* Heinemann,1859; *decisata* Walker,1862
 14766) *Barrama impunctata* W.Warren,1897 (Geometridae) Synonym(s): *impunctata* W.Warren,1897
 14767) *Bathycolpodes acelopa* L.B.Prout,1912 (Geometridae) Synonym(s): *acoelopa* L.B.Prout,1912
 14768) *Bathycolpodes acutissima* Herbulot,1986 (Geometridae) Synonym(s): *acutissima* Herbulot,1986
 14769) *Bathycolpodes anisotes* L.B.Prout,1912 (Geometridae) Synonym(s): *anisotes* L.B.Prout,1912
 14770) *Bathycolpodes bassa* Herbulot,1986 (Geometridae) Synonym(s): *bassa* Herbulot,1986
 14771) *Bathycolpodes chloronesis* L.B.Prout,1930 (Geometridae) Synonym(s): *chloronesis* L.B.Prout,1930
 14772) *Bathycolpodes excavata* (W.Warren,1898) (Geometridae) Synonym(s): *excavata* W.Warren,1898
 14773) *Bathycolpodes excavata overlaeti* Debauche,1941 (Geometridae) Synonym(s): *overlaeti* Debauche,1941
 14774) *Bathycolpodes explanata* Herbulot,1986 (Geometridae) Synonym(s): *explanata* Herbulot,1986
 14775) *Bathycolpodes holochroa* L.B.Prout,1915 (Geometridae) Synonym(s): *holochroa* L.B.Prout,1915
 14776) *Bathycolpodes implumis* L.B.Prout,1930 (Geometridae) Synonym(s): *implumis* L.B.Prout,1930
 14777) *Bathycolpodes kabaria* (Swinhoe,1904) (Geometridae) Synonym(s): *kabaria* Swinhoe,1904
 14778) *Bathycolpodes marginata* (W.Warren,1897) (Geometridae) Synonym(s): *marginata* W.Warren,1897
 14779) *Bathycolpodes melancheuthes* L.B.Prout,1922 (Geometridae) Synonym(s): *melancheuthes* L.B.Prout,1922
 14780) *Bathycolpodes pectinata* Herbulot,1992 (Geometridae) Synonym(s): *pectinata* Herbulot,1992
 14781) *Bathycolpodes semigrisea* (W.Warren,1897) (Geometridae) Synonym(s): *semigrisea* W.Warren,1897
 14782) *Bathycolpodes subfuscata* (W.Warren,1902) (Geometridae) Synonym(s): *subfuscata* W.Warren,1902
 14783) *Bathycolpodes subfuscata subferrata* L.B.Prout,1930 (Geometridae) Synonym(s): *subferrata* L.B.Prout,1930
 14784) *Bathycolpodes torniflorata* L.B.Prout,1917 (Geometridae) Synonym(s): *torniflorata* L.B.Prout,1917
 14785) *Bathycolpodes vegeta* L.B.Prout,1912 (Geometridae) Synonym(s): *vegeta* L.B.Prout,1912
 14786) *Bathycolpodes vuattouxi* Herbulot,1972 (Geometridae) Synonym(s): *vuattouxi* Herbulot,1972
 14787) *Berta acte* (Swinhoe,1892) (Geometridae) Synonym(s): *acte* Swinhoe,1892
 14788) *Berta albiplaga* W.Warren,1893 (Geometridae) Synonym(s): *albiplaga* W.Warren,1893; *discolor* W.Warren,1894; *olivescens* W.Warren,1896
 14789) *Berta angustimedia* L.B.Prout,1918 (Geometridae) Synonym(s): *angustimedia* L.B.Prout,1918
 14790) *Berta annulifera* (W.Warren,1896) (Geometridae) Synonym(s): *annulifera* W.Warren,1896
 14791) *Berta anteplaga* L.B.Prout,1916 (Geometridae) Synonym(s): *anteplaga* L.B.Prout,1916
 14792) *Berta apempta* L.B.Prout,1935 (Geometridae) Synonym(s): *apempta* L.B.Prout,1935
 14793) *Berta cercifera* Holloway,1996 (Geometridae) Synonym(s): *cercifera* Holloway,1996
 14794) *Berta chrysolineata* Walker,[1863] (Geometridae) Synonym(s): *chrysolineata* Walker,[1863]; *fenestrata* L.B.Prout,1913

- 14795) *Berta copiosa* L.B.Prout,1917 (Geometridae) Synonym(s): *copiosa* L.B.Prout,1917
 14796) *Berta digitijuxta* Holloway,1996 (Geometridae) Synonym(s): *digitijuxta* Holloway,1996
 14797) *Berta persimilis* (W.Warren,1897) (Geometridae) Synonym(s): *persimilis* W.Warren,1897
 14798) *Berta philippina* L.B.Prout,1917 (Geometridae) Synonym(s): *philippina* L.B.Prout,1917
 14799) *Berta poppaea* L.B.Prout,1917 (Geometridae) Synonym(s): *poppaea* L.B.Prout,1917
 14800) *Berta subrectistriga* L.B.Prout,1917 (Geometridae) Synonym(s): *subrectistriga* L.B.Prout,1917
 14801) *Berta tridentijuxta* Holloway,1996 (Geometridae) Synonym(s): *tridentijuxta* Holloway,1996
 14802) *Berta vaga* (Walker,1861) (Geometridae) Synonym(s): *vaga* Walker,1861
 14803) *Berta zygophyxia* L.B.Prout,1912 (Geometridae) Synonym(s): *zygophyxia* L.B.Prout,1912
 14804) *Berta zygophyxia hemisponsa* L.B.Prout,1934 (Geometridae) Synonym(s): *hemisponsa* L.B.Prout,1934
 14805) *Berta zygophyxia zygophyxia* L.B.Prout,1912 (Geometridae) Synonym(s): *zygophyxia* L.B.Prout,1912
 14806) *Bichroma famula* (Esper,[1787]) (Geometridae) Synonym(s): *famula* Esper,[1787]; *intricatoria* Villers,1789.
 14807) *Biclavigera deterior* L.B.Prout,1916 (Geometridae) Synonym(s): *deterior* L.B.Prout,1916
 14808) *Biclavigera fontis* L.B.Prout,1938 (Geometridae) Synonym(s): *fontis* L.B.Prout,1938
 14809) *Biclavigera praecanaria* (Herrich-Schäffer,1855) (Geometridae) Synonym(s): *praecanaria* Herrich-Schäffer,1855; *#praecanaria* Staude,1997
 14810) *Biclavigera rufivena* (W.Warren,1911) (Geometridae) Synonym(s): *rufivena* W.Warren,1911
 14811) *Biclavigera uloprora* L.B.Prout,1938 (Geometridae) Synonym(s): *uloprora* L.B.Prout,1938
 14812) *Biston abruptarius* (Walker,1869) (Geometridae) Synonym(s): *abruptarius* Walker,1869
 14813) *Biston abruptarius abruptarius* (Walker,1869) (Geometridae) Synonym(s): *abruptarius* Walker,1869
 14814) *Biston abruptarius maculatissimus* Grünberg,1910 (Geometridae) Synonym(s): *maculatissimus* Grünberg,1910; *aequinoctialis* L.B.Prout,1938
 14815) *Biston abruptarius mpalarius* (Oberthür,1913) (Geometridae) Synonym(s): *mpalarius* Oberthür,1913
 14816) *Biston abruptarius stringeri* (L.B.Prout,1938) (Geometridae) Synonym(s): *stringeri* L.B.Prout,1938
 14817) *Biston achyrus* Wehrli,1936 (Geometridae) Synonym(s): *achyra* Wehrli,1936; *engonia* Wehrli,1941
 14818) *Biston annulatus* (W.Warren,1897) (Geometridae) Synonym(s): *annulata* W.Warren,1897
 14819) *Biston bengaliarius* (Guenée,[1858]) (Geometridae) Synonym(s): *bengaliaria* Guenée,[1858]
 14820) *Biston betularius* (Linnaeus,1758) (Geometridae) Synonym(s): *betularia* Linnaeus,1758; *p-graecum* Poda,1761; *marmoraria* Sepp,1792; *ulmaria* Borkhausen,1794; *alexandrina* Wehrli,1941.
 14821) *Biston bistonarius* (Walker,1866) (Geometridae) Synonym(s): *bistonaria* Walker,1866
 14822) *Biston brevipennatus* Inoue,1982 (Geometridae) Synonym(s): *brevipennata* Inoue,1982
 14823) *Biston conlectarius* (Walker,[1863]) (Geometridae) Synonym(s): *conlectarius* Walker,[1863]
 14824) *Biston dargei* (Herbulot,1973) (Geometridae) Synonym(s): *dargei* Herbulot,1973
 14825) *Biston edwardsi* (L.B.Prout,1938) (Geometridae) Synonym(s): *edwardsi* L.B.Prout,1938
 14826) *Biston emarginarius* Leech,1897 (Geometridae) Synonym(s): *emarginaria* Leech,1897
 14827) *Biston erida* (Oberthür,1910) (Geometridae) Synonym(s): *erida* Oberthür,1910
 14828) *Biston falcatus* (W.Warren,1893) (Geometridae) Synonym(s): *falcata* W.Warren,1893
 14829) *Biston fasciarius* Motschulsky,1866 (Geometridae) Synonym(s): *fasciaria* Motschulsky,1866
 14830) *Biston fessus* (W.Warren,1896) (Geometridae) Synonym(s): *fessa* W.Warren,1896
 14831) *Biston giganteus* Inoue,1985 (Geometridae) Synonym(s): *giganteus* Inoue,1985
 14832) *Biston homoclerus* (L.B.Prout,1938) (Geometridae) Synonym(s): *homoclera* L.B.Prout,1938
 14833) *Biston huberarius* (Ballion,1866) (Geometridae) Synonym(s): *huberarius* Ballion,1866; *concinna* W.Warren,1899; *tienschana* Wehrli,1941.
 14834) *Biston hypoleucus* Kuznetsov,1901 (Geometridae) Synonym(s): *hypoleucus* Kuznetsov,1901; *prophaeos* Wehrli,1941
 14835) *Biston inouei* Holloway,[1994] (Geometridae) Synonym(s): *inouei* Holloway,[1994]
 14836) *Biston insularis* (W.Warren,1894) (Geometridae) Synonym(s): *insularis* W.Warren,1894; *arenosa* W.Warren,1904; *eximia* Swinhoe,1902
 14837) *Biston johannarius* (Oberthür,1913) (Geometridae) Synonym(s): *johannaria* Oberthür,1913; *antecreta* L.B.Prout,1938
 14838) *Biston leucocrossus* (L.B.Prout,1928) (Geometridae) Synonym(s): *leucocrossa* L.B.Prout,1928
 14839) *Biston luculentus* Inoue,1992 (Geometridae) Synonym(s): *luculentus* Inoue,1992
 14840) *Biston marginatus* Shiraki,1913 (Geometridae) Synonym(s): *marginata* Shiraki,1913; *fragilis* Inoue,1958
 14841) *Biston melacron* Wehrli,1941 (Geometridae) Synonym(s): *melacron* Wehrli,1941; *exotica* Inoue,1977
 14842) *Biston nephelistis* (Meyrick,1897) (Geometridae) Synonym(s): *nephelistis* Meyrick,1897; *atomaria* W.Warren,1897
 14843) *Biston panterinarius* (Bremer & Grey,1853) (Geometridae) Synonym(s): *panterinarius* Bremer & Grey,1853
 14844) *Biston panterinarius abraxatus* (Leech,1889) (Geometridae) Synonym(s): *abraxata* Leech,1889
 14845) *Biston panterinarius exanthematus* (Moore,1888) (Geometridae) Synonym(s): *exanthemata* Moore,1888
 14846) *Biston panterinarius lienpingensis* (Wehrli,1939) (Geometridae) Synonym(s): *lienpingensis* Wehrli,1939
 14847) *Biston panterinarius panterinarius* (Bremer & Grey,1853) (Geometridae) Synonym(s): *panterinarius* Bremer & Grey,1853
 14848) *Biston panterinarius synchnospilas* (L.B.Prout,1930) (Geometridae) Synonym(s): *synchnospilas* L.B.Prout,1930
 14849) *Biston panterinarius szechuanensis* (Wehrli,1939) (Geometridae) Synonym(s): *szechuanensis* Wehrli,1939
 14850) *Biston perclarus* (W.Warren,1899) (Geometridae) Synonym(s): *perclara* W.Warren,1899; *cerea* Bastelberger,1909; *bilineata* Matsumura,1910
 14851) *Biston porphyrius* (Butler,1889) (Geometridae) Synonym(s): *porphyria* Butler,1889
 14852) *Biston praeparvus* (L.B.Prout,1937) (Geometridae) Synonym(s): *praeparva* L.B.Prout,1937
 14853) *Biston prinodes* (West,1929) (Geometridae) Synonym(s): *prinodes* West,1929
 14854) *Biston pteronyma* (L.B.Prout,1938) (Geometridae) Synonym(s): *pteronyma* L.B.Prout,1938
 14855) *Biston pura* (W.Warren,1894) (Geometridae) Synonym(s): *pura* W.Warren,1894
 14856) *Biston pustulatus* (W.Warren,1896) (Geometridae) Synonym(s): *pustulata* W.Warren,1896
 14857) *Biston quercii* (Oberthür,1910) (Geometridae) Synonym(s): *quercii* Oberthür,1910
 14858) *Biston regalis* Moore,1888 (Geometridae) Synonym(s): *regalis* Moore,1888
 14859) *Biston robustum* Butler,1879 (Geometridae) Synonym(s): *robustum* Butler,1879; *kiangsua* Wehrli,1941
 14860) *Biston sinuatus* Hampson,1895 (Geometridae) Synonym(s): *sinuatus* Hampson,1895
 14861) *Biston stratarius* (Hufnagel,1767) (Geometridae) Synonym(s): *strataria* Hufnagel,1767; *prodromaria* [Denis & Schiffermüller],1775; *marmorata* Sulzer,1776; *vernalis* Fourcroy,1785; *nigricans* Oberthür,1913
 14862) *Biston strigarius* (Moore,1879) (Geometridae) Synonym(s): *strigarius* Moore,1879
 14863) *Biston subflavus* Inoue,1985 (Geometridae) Synonym(s): *subflavus* Inoue,1985
 14864) *Biston subocularius* (Mabille,1893) (Geometridae) Synonym(s): *subocularius* Mabille,1893; *analiplaga* W.Warren,1897
 14865) *Biston subregalis* Inoue,1992 (Geometridae) Synonym(s): *subregalis* Inoue,1992
 14866) *Biston suppressarius* (Guenée,[1858]) (Geometridae) Synonym(s): *suppressarius* Guenée,[1858]; *multipunctaria* Walker,[1863]; *#benesparsa* Wehrli,1941
 14867) *Biston suppressarius burmaensis* Hampson,1902 (Geometridae) Synonym(s): *burmaensis* Hampson,1902
 14868) *Biston suppressarius suppressarius* (Guenée,[1858]) (Geometridae) Synonym(s): *suppressarius* Guenée,[1858]; *multipunctaria* Walker,[1863]; *#benesparsa* Wehrli,1941
 14869) *Biston takeuchii* Matsumura,1931 (Geometridae) Synonym(s): *takeuchii* Matsumura,1931
 14870) *Biston thibetarius* (Oberthür,1886) (Geometridae) Synonym(s): *thibetaria* Oberthür,1886
 14871) *Biston thoraciacarius* (Oberthür,1884) (Geometridae) Synonym(s): *thoraciacarius* Oberthür,1884; *tortuosa* Wileman,1911
 14872) *Bizia aexaria* Walker,1860 (Geometridae) Synonym(s): *aexaria* Walker,1860; *mibuaria* R.Felder & Rogenhofer,[1875]
 14873) *Bizia altera* (Wehrli,1954) (Geometridae) Synonym(s): *altera* Wehrli,1954
 14874) *Blaboplutodes missilorum* L.B.Prout,1934 (Geometridae) Synonym(s): *missilorum* L.B.Prout,1934
 14875) *Blaboplutodes parvistictus* Carcasson,1965 (Geometridae) Synonym(s): *parvistictus* Carcasson,1965
 14876) *Blechneronomia ambinanitelo* Viette,1978 (Geometridae) Synonym(s): *ambinanitelo* Viette,1978
 14877) *Blechneronomia anthosyne* L.B.Prout,1925 (Geometridae) Synonym(s): *anthosyne* L.B.Prout,1925
 14878) *Blechneronomia eluta* L.B.Prout,1925 (Geometridae) Synonym(s): *eluta* L.B.Prout,1925
 14879) *Blechneronomia griveaudi* Viette,1976 (Geometridae) Synonym(s): *griveaudi* Viette,1976
 14880) *Blechneronomia gutierrezii* Viette,1971 (Geometridae) Synonym(s): *gutierrezii* Viette,1971
 14881) *Blechneronomia herbuloi* Viette,1976 (Geometridae) Synonym(s): *herbuloti* Viette,1976
 14882) *Blechneronomia malagasy* Viette,1976 (Geometridae) Synonym(s): *malagasy* Viette,1976

- 14883) *Blechneronomia meridionalis* Viette, 1976 (Geometridae) Synonym(s): *meridionalis* Viette, 1976
 14884) *Blechneronomia mianta* L.B.Prout, 1925 (Geometridae) Synonym(s): *mianta* L.B.Prout, 1925
 14885) *Blechneronomia pauliani* Viette, 1976 (Geometridae) Synonym(s): *pauliani* Viette, 1976
 14886) *Blechneronomia perileuca* L.B.Prout, 1925 (Geometridae) Synonym(s): *perileuca* L.B.Prout, 1925
 14887) *Blechneronomia peyrierasi* Viette, 1976 (Geometridae) Synonym(s): *peyrierasi* Viette, 1976
 14888) *Blechneronomia pudica* Herbulot, 1972 (Geometridae) Synonym(s): *pudica* Herbulot, 1972
 14889) *Blechneronomia sogai* Viette, 1976 (Geometridae) Synonym(s): *sogai* Viette, 1976
 14890) *Blechneronomia toulgoeti* Viette, 1976 (Geometridae) Synonym(s): *toulgoeti* Viette, 1976
 14891) *Blepharoctenucha virescens* (Butler, 1880) (Geometridae) Synonym(s): *virescens* Butler, 1880
 14892) *Blepharoctenucha virescens kawabei* Inoue, 1986 (Geometridae) Synonym(s): *kawabei* Inoue, 1986
 14893) *Blepharoctenucha virescens virescens* (Butler, 1880) (Geometridae) Synonym(s): *virescens* Butler, 1880
 14894) *Boarmacaria pudica* Herbulot, 1994 (Geometridae) Synonym(s): *herbuloti* Holloway, 1994
 14895) *Boarmacaria tenuilinea* (W.Warren, 1900) (Geometridae) Synonym(s): *tenuilinea* W.Warren, 1900
 14896) *Boarmioides colpias* (L.B.Prout, 1928) (Geometridae) Synonym(s): *colpias* L.B.Prout, 1928; *desertaria* Lucas, 1932
 14897) *Bombia protuberans* W.Warren, 1906 (Geometridae) Synonym(s): *protuberans* W.Warren, 1906
 14898) *Bombycodes aspilaria* Guenée, [1858] (Geometridae) Synonym(s): *aspilaria* Guenée, [1858]; *obfusca* W.Warren, 1894
 14899) *Bombycodes fumosa* (W.Warren, 1894) (Geometridae) Synonym(s): *fumosa* W.Warren, 1894
 14900) *Bonatea duciata* (Maassen, 1890) (Geometridae) Synonym(s): *duciata* Maassen, 1890
 14901) *Bonatea flexilineata* Dognin, 1918 (Geometridae) Synonym(s): *flexilineata* Dognin, 1918
 14902) *Bonatea funerea* (W.Warren, 1904) (Geometridae) Synonym(s): *funerea* W.Warren, 1904
 14903) *Bonatea funereoides* Dognin, 1918 (Geometridae) Synonym(s): *funereoides* Dognin, 1918
 14904) *Bonatea griseolata* Dyar, 1918 (Geometridae) Synonym(s): *griseolata* Dyar, 1918
 14905) *Bonatea indecisa* Dognin, 1913 (Geometridae) Synonym(s): *indecisa* Dognin, 1913
 14906) *Bonatea maculata* Dognin, 1904 (Geometridae) Synonym(s): *maculata* Dognin, 1904
 14907) *Bonatea praeclara* Schaus, 1911 (Geometridae) Synonym(s): *praeclara* Schaus, 1911
 14908) *Bonatea undilinea* Dognin, 1902 (Geometridae) Synonym(s): *undilinea* Dognin, 1902
 14909) *Bonatea viridilinea* W.Warren, 1904 (Geometridae) Synonym(s): *viridilinea* W.Warren, 1904
 14910) *Bonatea viridirufa* (W.Warren, 1904) (Geometridae) Synonym(s): *viridirufa* W.Warren, 1904
 14911) *Boninnadagara crinomorphia* Inoue, 1988 (Geometridae) Synonym(s): *crinomorphia* Inoue, 1988
 14912) *Borbachia altipardaria* Holloway, 1982 (Geometridae) Synonym(s): *altipardaria* Holloway, 1982
 14913) *Borbachia bipardaria* Holloway, 1982 (Geometridae) Synonym(s): *bipardaria* Holloway, 1982
 14914) *Borbachia carneata* W.Warren, 1906 (Geometridae) Synonym(s): *carneata* W.Warren, 1906
 14915) *Borbachia carneata carneata* W.Warren, 1906 (Geometridae) Synonym(s): *carneata* W.Warren, 1906
 14916) *Borbachia carneata fuscencentior* Rothschild, 1915 (Geometridae) Synonym(s): *fuscencentior* Rothschild, 1915
 14917) *Borbachia euechrysa* (Lower, 1894) (Geometridae) Synonym(s): *euechrysa* Lower, 1894
 14918) *Borbachia euechrysa euechrysa* (Lower, 1894) (Geometridae) Synonym(s): *euechrysa* Lower, 1894
 14919) *Borbachia euechrysa parviscripta* W.Warren, 1896 (Geometridae) Synonym(s): *parviscripta* W.Warren, 1896
 14920) *Borbachia monopardaria* Holloway, 1982 (Geometridae) Synonym(s): *monopardaria* Holloway, 1982
 14921) *Borbachia pardalis* (R.Felder & Rogenhofer, [1875]) (Geometridae) Synonym(s): *pardalis* R.Felder & Rogenhofer, [1875]
 14922) *Borbachia pardaria* (Guenée, [1858]) (Geometridae) Synonym(s): *pardaria* Guenée, [1858]; *sarawakaria* Guenée, [1858]
 14923) *Borbachia punctipardaria* Holloway, 1982 (Geometridae) Synonym(s): *punctipardaria* Holloway, 1982
 14924) *Borbachia rubidaria* Rothschild, 1915 (Geometridae) Synonym(s): *rubidaria* Rothschild, 1915
 14925) *Bordeta quadriplagiata* Walker, [1865] (Geometridae) Synonym(s): *quadriplagiata* Walker, [1865]; *sexplagiata* Walker, [1865]
 14926) *Bornealcis derivata* (L.B.Prout, 1926) (Geometridae) Synonym(s): *derivata* L.B.Prout, 1926
 14927) *Bornealcis expleta* (L.B.Prout, 1932) (Geometridae) Synonym(s): *expleta* L.B.Prout, 1932
 14928) *Bornealcis versicolor* (L.B.Prout, 1915) (Geometridae) Synonym(s): *versicolor* L.B.Prout, 1915
 14929) *Bosara atypha* (L.B.Prout, 1958) (Geometridae) Synonym(s): *atypha* L.B.Prout, 1958
 14930) *Bosara callinda* (Holloway, 1979) (Geometridae) Synonym(s): *callinda* Holloway, 1979
 14931) *Bosara catabares* (L.B.Prout, 1958) (Geometridae) Synonym(s): *catabares* L.B.Prout, 1958
 14932) *Bosara cuneatavenis* (L.B.Prout, 1958) (Geometridae) Synonym(s): *cuneatavenis* L.B.Prout, 1958
 14933) *Bosara dilatata* Walker, 1866 (Geometridae) Synonym(s): *dilatata* Walker, 1866
 14934) *Bosara dilatata dilatata* Walker, 1866 (Geometridae) Synonym(s): *dilatata* Walker, 1866
 14935) *Bosara dilatata hydrographica* (L.B.Prout, 1958) (Geometridae) Synonym(s): *hydrographica* L.B.Prout, 1958
 14936) *Bosara dilatata pelopsaria* Walker, 1866 (Geometridae) Synonym(s): *pelopsaria* Walker, 1866
 14937) *Bosara emarginaria* (Hampson, 1893) (Geometridae) Synonym(s): *emarginaria* Hampson, 1893; *exilis* Bastelberger, 1905
 14938) *Bosara epilopha* (Turner, 1907) (Geometridae) Synonym(s): *epilopha* Turner, 1907
 14939) *Bosara festivata* (W.Warren, 1903) (Geometridae) Synonym(s): *festivata* W.Warren, 1903
 14940) *Bosara minima* (W.Warren, 1897) (Geometridae) Synonym(s): *minima* W.Warren, 1897
 14941) *Bosara modesta* (W.Warren, 1893) (Geometridae) Synonym(s): *modesta* W.Warren, 1893
 14942) *Bosara refusaria* (Walker, 1861) (Geometridae) Synonym(s): *refusaria* Walker, 1861
 14943) *Brabira apatopleura* (L.B.Prout, 1934) (Geometridae) Synonym(s): *apatopleura* L.B.Prout, 1934
 14944) *Brabira artemidora* (Oberthür, 1884) (Geometridae) Synonym(s): *artemidora* Oberthür, 1884
 14945) *Brabira artemidora artemidora* (Oberthür, 1884) (Geometridae) Synonym(s): *artemidora* Oberthür, 1884
 14946) *Brabira artemidora pallida* Moore, 1888 (Geometridae) Synonym(s): *pallida* Moore, 1888
 14947) *Brabira atkinsonii* Moore, 1888 (Geometridae) Synonym(s): *atkinsonii* Moore, 1888
 14948) *Brabira costimacula* Wileman, 1915 (Geometridae) Synonym(s): *costimacula* Wileman, 1915
 14949) *Brabira emerita* L.B.Prout, 1926 (Geometridae) Synonym(s): *emerita* L.B.Prout, 1926
 14950) *Brabira kasaii* Sato, 1986 (Geometridae) Synonym(s): *kasaii* Sato, 1986
 14951) *Brabira mesoschides* L.B.Prout, 1929 (Geometridae) Synonym(s): *mesoschides* L.B.Prout, 1929
 14952) *Brabira operosa* L.B.Prout, 1958 (Geometridae) Synonym(s): *operosa* L.B.Prout, 1958
 14953) *Brabira ruficorporis* W.Warren, 1907 (Geometridae) Synonym(s): *ruficorporis* W.Warren, 1907
 14954) *Brabiroides cerevia* (Druce, 1893) (Geometridae) Synonym(s): *cerevia* Druce, 1893
 14955) *Brabiroides cerevia cerevia* (Druce, 1893) (Geometridae) Synonym(s): *cerevia* Druce, 1893
 14956) *Brabiroides cerevia peruviana* W.Warren, 1904 (Geometridae) Synonym(s): *peruviana* W.Warren, 1904
 14957) *Brabiroides orthesia* (Druce, 1893) (Geometridae) Synonym(s): *orthesia* Druce, 1893
 14958) *Bracca georgiata* (Guenée, [1858]) (Geometridae) Synonym(s): *georgiata* Guenée, [1858]; *pervasata* Walker, 1862; *subradiata* W.Warren, 1899
 14959) *Bracca georgiata georgiata* (Guenée, [1858]) (Geometridae) Synonym(s): *georgiata* Guenée, [1858]; *pervasata* Walker, 1862; *subradiata* W.Warren, 1899
 14960) *Bracca georgiata ptochopis* (Meyrick, 1897) (Geometridae) Synonym(s): *ptochopis* Meyrick, 1897
 14961) *Brachyglossina acidalaria* Wagner, 1914 (Geometridae) Synonym(s): *acidalaria* Wagner, 1914
 14962) *Brachyglossina chaspia* Brandt, 1938 (Geometridae) Synonym(s): *chaspia* Brandt, 1938
 14963) *Brachyglossina culoti* Wehrli, 1930 (Geometridae) Synonym(s): *culoti* Wehrli, 1930; *pseudoranaria* Zerny, 1936
 14964) *Brachyglossina fulta* L.B.Prout, 1938 (Geometridae) Synonym(s): *fulta* L.B.Prout, 1938
 14965) *Brachyglossina hassan* Herbulot, 1974 (Geometridae) Synonym(s): *hassan* Herbulot, 1974
 14966) *Brachyglossina hispanaria* (Püngeler, 1913) (Geometridae) Synonym(s): *hispanaria* Püngeler, 1913
 14967) *Brachyglossina macracantha* L.B.Prout, 1938 (Geometridae) Synonym(s): *macracantha* L.B.Prout, 1938
 14968) *Brachyglossina maroccana* Wehrli, 1930 (Geometridae) Synonym(s): *maroccana* Wehrli, 1930
 14969) *Brachyglossina mauritanica* Bethune-Baker, 1885 (Geometridae) Synonym(s): *mauritanica* Bethune-Baker, 1885
 14970) *Brachyglossina mزابensis* L.B.Prout, 1938 (Geometridae) Synonym(s): *mزابensis* L.B.Prout, 1938
 14971) *Brachyglossina ochrolutearia* (Turati, 1934) (Geometridae) Synonym(s): *ochrolutearia* Turati, 1934
 14972) *Brachyglossina paroranaria* Wehrli, 1938 (Geometridae) Synonym(s): *paroranaria* Wehrli, 1938
 14973) *Brachyglossina paroranaria suboranaria* Wehrli, 1938 (Geometridae) Synonym(s): *suboranaria* Wehrli, 1938

- 14974) *Brachyglossina rowlandi* Wiltshire, 1977 (Geometridae) Synonym(s): *rowlandi* Wiltshire, 1977
 14975) *Brachyglossina sciasmatica* Brandt, 1941 (Geometridae) Synonym(s): *sciasmatica* Brandt, 1941
 14976) *Brachyglossina seitzii* L.B.Prout, 1938 (Geometridae) Synonym(s): *seitzii* L.B.Prout, 1938
 14977) *Brachyglossina sonyae* Wiltshire, 1990 (Geometridae) Synonym(s): *sonyae* Wiltshire, 1990
 14978) *Brachyglossina staudingeri* L.B.Prout, 1932 (Geometridae) Synonym(s): *uniformis* Staudinger, 1897 nec W.Warr., 1897; *staudingeri* L.B.Prout, 1932
 14979) *Brachyglossina tantalis* Turati, 1924 (Geometridae) Synonym(s): *tantalis* Turati, 1924
 14980) *Brachyglossina tibbuana* Herbulot, 1965 (Geometridae) Synonym(s): *tibbuana* Herbulot, 1965
 14981) *Brachyglossina tibbuana erythra* Wiltshire, 1990 (Geometridae) Synonym(s): *erythra* Wiltshire, 1990
 14982) *Brachyglossina vindicata* L.B.Prout, 1938 (Geometridae) Synonym(s): *vindicata* L.B.Prout, 1938
 14983) *Brachyglossina williamsi* Wiltshire, 1949 (Geometridae) Synonym(s): *williamsi* Wiltshire, 1949
 14984) *Bupalus pinarius* (Linnaeus, 1758) (Geometridae) Synonym(s): *pinaria* Linnaeus, 1758
 14985) *Bustilloxia saturata* (A.Bang-Haas, 1906) (Geometridae) Synonym(s): *saturata* A.Bang-Haas, 1906
 14986) *Buttia noctuodes* W.Warren, 1904 (Geometridae) Synonym(s): *noctuodes* W.Warren, 1904
 14987) *Bytharia uniformis* Swinhoe, 1902 (Geometridae) Synonym(s): *uniformis* Swinhoe, 1902; *balatensis* Schultz, 1925.
 14988) *Cabera aquaeomontana* (L.B.Prout, 1913) (Geometridae) Synonym(s): *aquaeomontana* L.B.Prout, 1913
 14989) *Cabera elatina* (L.B.Prout, 1913) (Geometridae) Synonym(s): *elatina* L.B.Prout, 1913
 14990) *Cabera exanthemata* (Scopoli, 1763) (Geometridae) Synonym(s): *exanthemata* Scopoli, 1763; *exanthemaria* Borkhausen, 1794; *striaria* Hübner, [1799]; *approximaria* Haworth, 1809; *arenosaria* Haworth, 1809; *suprapunctata* Wehrli, 1935.
 14991) *Cabera exanthemata bryantaria* (Taylor, 1906) (Geometridae) Synonym(s): *bryantaria* Taylor, 1906
 14992) *Cabera exanthemata exanthemata* (Scopoli, 1763) (Geometridae) Synonym(s): *exanthemata* Scopoli, 1763; *exanthemaria* Borkhausen, 1794; *striaria* Hübner, [1799]; *approximaria* Haworth, 1809; *arenosaria* Haworth, 1809; *suprapunctata* Wehrli, 1935.
 14993) *Cabera exanthemata hamica* Wehrli, 1939 (Geometridae) Synonym(s): *hamica* Wehrli, 1939
 14994) *Cabera exanthemata insulata* Inoue, 1958 (Geometridae) Synonym(s): *insulata* Inoue, 1958
 14995) *Cabera leptographa* Wehrli, 1936 (Geometridae) Synonym(s): *leptographa* Wehrli, 1936
 14996) *Cabera neodora* L.B.Prout, 1922 (Geometridae) Synonym(s): *neodora* L.B.Prout, 1922
 14997) *Cabera nevillei* M.Krüger, 2000 (Geometridae) Synonym(s): *nevillei* M.Krüger, 2000
 14998) *Cabera pseudognophos* (L.B.Prout, 1917) (Geometridae) Synonym(s): *pseudognophos* L.B.Prout, 1917
 14999) *Cabera pusaria* (Linnaeus, 1758) (Geometridae) Synonym(s): *pusaria* Linnaeus, 1758; *strigata* Scopoli, 1763; *rotundaria* Haworth, 1809; *confinaria* Freyer, 1832; *heyeraria* Herrich-Schäffer, 1848
 15000) *Cabera* sp. (Geometridae) Synonym(s):
 15001) *Cabera strigata* W.Warren, 1897 (Geometridae) Synonym(s): *strigata* W.Warren, 1897; *crassata* W.Warren, 1904
 15002) *Cacochloris ochrea* (W.Warren, 1897) (Geometridae) Synonym(s): *ochrea* W.Warren, 1897
 15003) *Cacochloris uvidula* (Swinhoe, 1886) (Geometridae) Synonym(s): *uvidula* Swinhoe, 1886
 15004) *Cacostegania australis* W.Warren, 1901 (Geometridae) Synonym(s): *australis* W.Warren, 1901; *glaucichroa* Hampson, 1910
 15005) *Cacostegania confusa* W.Warren, 1901 (Geometridae) Synonym(s): *confusa* W.Warren, 1901; *eurycraspis* Hampson, 1910
 15006) *Cacostegania obscurata* (W.Warren, 1905) (Geometridae) Synonym(s): *obscurata* W.Warren, 1905
 15007) *Calamodes boursini* (Albers & Warnecke, 1941) (Geometridae) Synonym(s): *boursini* Albers & Warnecke, 1941
 15008) *Calamodes melanaria* Oberthür, 1913 (Geometridae) Synonym(s): *melanaria* Oberthür, 1913; *bistriata* Rothschild, 1914; *sordidaria* Rothschild, 1914
 15009) *Calamodes occitanaria* (Duponchel, 1829) (Geometridae) Synonym(s): *occitanaria* Duponchel, 1829; *occidantaria* Freyer, 1837; *bejaranaria* Fernandez, 1931
 15010) *Calamodes subscudularia* (Turati, 1919) (Geometridae) Synonym(s): *subscudularia* Turati, 1919
 15011) *Calcyopa difoveata* (Wehrli, 1943) (Geometridae) Synonym(s): *difoveata* Wehrli, 1943; *lushanalis* Sato, 1987
 15012) *Calcyopa prasina* Stüning, 2000 (Geometridae) Synonym(s): *prasina* Stüning, 2000
 15013) *Calcyopa rosearia* (De Joannis, 1929) (Geometridae) Synonym(s): *rosearia* De Joannis, 1929
 15014) *Caledasthena montana* Holloway, 1979 (Geometridae) Synonym(s): *montana* Holloway, 1979
 15015) *Caledophia pauli* Holloway, 1979 (Geometridae) Synonym(s): *pauli* Holloway, 1979
 15016) *Calicha griseoviridata* (Wileman, 1911) (Geometridae) Synonym(s): *griseoviridata* Wileman, 1911
 15017) *Calicha nooraria* (Bremer, 1864) (Geometridae) Synonym(s): *nooraria* Bremer, 1864; *nigrisignata* Wehrli, 1927; *chosenicola* Bryk, 1949
 15018) *Calicha ornataria* (Leech, 1891) (Geometridae) Synonym(s): *ornataria* Leech, 1891
 15019) *Calicha retrahens* Moore, 1888 (Geometridae) Synonym(s): *retrahens* Moore, 1888
 15020) *Calicha yangtseina* (Wehrli, 1943) (Geometridae) Synonym(s): *yangtseina* Wehrli, 1943
 15021) *Calichodes defervescens* (L.B.Prout, 1927) (Geometridae) Synonym(s): *defervescens* L.B.Prout, 1927
 15022) *Calichodes difoveata* (Wehrli, 1943) (Geometridae) Synonym(s): *difoveata* Wehrli, 1943
 15023) *Calichodes ochrifasciata* (Moore, 1888) (Geometridae) Synonym(s): *ochrifasciata* Moore, 1888
 15024) *Calichodes subrugata* (Walker, [1863]) (Geometridae) Synonym(s): *subrugata* Walker, [1863]; *foveata* W.Warren, 1897; *microdoxa* Meyrick, 1897
 15025) *Calleremites subornata* W.Warren, 1894 (Geometridae) Synonym(s): *subornata* W.Warren, 1894
 15026) *Calletaera basipuncta* Wileman, 1916 (Geometridae) Synonym(s): *basipuncta* Wileman, 1916
 15027) *Calletaera digrammata* Wehrli, 1925 (Geometridae) Synonym(s): *digrammata* Wehrli, 1925
 15028) *Calletaera foveata* Holloway, [1994] (Geometridae) Synonym(s): *foveata* Holloway, [1994]
 15029) *Calletaera jotaria* (R.Felder & Rogenhofer, 1875) (Geometridae) Synonym(s): *jotaria* R.Felder & Rogenhofer, 1875; *gammaria* Swinhoe, 1901
 15030) *Calletaera postvittata* (Walker, 1861) (Geometridae) Synonym(s): *postvittata* Walker, 1861; *honoraria* Walker, 1861; *permotaria* Walker, 1861
 15031) *Calletaera sabulosa* W.Warren, 1895 (Geometridae) Synonym(s): *sabulosa* W.Warren, 1895
 15032) *Calletaera schistacea* Swinhoe, 1900 (Geometridae) Synonym(s): *schistacea* Swinhoe, 1900
 15033) *Calletaera subexpressa* (Walker, 1861) (Geometridae) Synonym(s): *subexpressa* Walker, 1861; *ruptaria* Walker, 1861; *angulata* W.Warren, 1896
 15034) *Calletaera subgravata* (L.B.Prout, 1932) (Geometridae) Synonym(s): *subgravata* L.B.Prout, 1932
 15035) *Callioratis abraxas* R.Felder & Rogenhofer, 1874 (Geometridae) Synonym(s): *abraxas* R.Felder & Rogenhofer, 1874.
 15036) *Callioratis abraxas abraxas* R.Felder & Rogenhofer, 1874 (Geometridae) Synonym(s): *abraxas* R.Felder & Rogenhofer, 1874.
 15037) *Callioratis abraxas grandis* L.B.Prout, 1922 (Geometridae) Synonym(s): *grandis* L.B.Prout, 1922
 15038) *Callioratis apicisecta* L.B.Prout, 1915 (Geometridae) Synonym(s): *apicisecta* L.B.Prout, 1915
 15039) *Callioratis curlei* Staude, 2001 (Geometridae) Synonym(s): *curlei* Staude, 2001
 15040) *Callioratis mayeri* Staude, 2001 (Geometridae) Synonym(s): *mayeri* Staude, 2001
 15041) *Callioratis millari* Hampson, 1905 (Geometridae) Synonym(s): *millari* Hampson, 1905.
 15042) *Callocastra similis* (Moore, 1888) (Geometridae) Synonym(s): *similis* Moore, 1888; *persimilis* Moore, 1888
 15043) *Calluga costalis* Moore, [1887] (Geometridae) Synonym(s): *costalis* Moore, [1887]; *rufifascia* Hampson, 1893; *cissocosma* Turner, 1904; *albiviridis* W.Warren, 1907
 15044) *Calluga grammophora* L.B.Prout, 1958 (Geometridae) Synonym(s): *grammophora* L.B.Prout, 1958
 15045) *Calluga psaphara* L.B.Prout, 1929 (Geometridae) Synonym(s): *psaphara* L.B.Prout, 1929
 15046) *Calluga punctinervis* Holloway, 1976 (Geometridae) Synonym(s): *punctinervis* Holloway, 1976
 15047) *Campaea honoraria* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *honoraria* [Denis & Schiffermüller], 1775; *excisaria* Esper, [1801]; *honorifica* Esper, [1801]
 15048) *Campaea margaritata* (Linnaeus, 1767) (Geometridae) Synonym(s): *margaritata* Linnaeus, 1767; *margaritaria* [Denis & Schiffermüller], 1775; *sesquistriaria* Knoch, 1781; *straminea* Retzius, 1783; *nayas* Fourcroy, 1785; *vitriolata* Cyrrilli, 1787; *straminearia* Villers, 1789; *rubrociliata* Schawerda, 1932
 15049) *Campptogramma bilineatum* (Linnaeus, 1758) (Geometridae) Synonym(s): *bilineata* Linnaeus, 1758; *brocatella* Fourcroy, 1785; *dumetata* Schrank, 1802; *bilinearia* Boisduval, 1840; *musauria* Freyer, 1846; *testaceolata* Staudinger, 1871
 15050) *Campptogramma bilineatum araceneatum* (Bryk, 1940) (Geometridae) Synonym(s): *araceneatum* Bryk, 1940
 15051) *Campptogramma bilineatum atlanticum* (Staudinger, 1892) (Geometridae) Synonym(s): *atlanticum* Staudinger, 1892
 15052) *Campptogramma bilineatum bilineatum* (Linnaeus, 1758) (Geometridae) Synonym(s): *bilineata* Linnaeus, 1758; *brocatella* Fourcroy, 1785; *dumetata* Schrank, 1802; *bilinearia* Boisduval, 1840; *musauria* Freyer, 1846; *testaceolata* Staudinger, 1871
 15053) *Campptogramma bilineatum hibernicum* Tutt, 1902 (Geometridae) Synonym(s): *hibernicum* Tutt, 1902
 15054) *Campptogramma bilineatum isolatum* Kane, 1896 (Geometridae) Synonym(s): *isolatum* Kane, 1896
 15055) *Campptogramma bilineatum numidicum* (Rothschild, 1925) (Geometridae) Synonym(s): *numidicum* Rothschild, 1925
 15056) *Campptogramma bilineatum pallidum* (L.B.Prout, 1914) (Geometridae) Synonym(s): *pallidum* L.B.Prout, 1914
 15057) *Campptogramma bilineatum rhodoseatum* (Bryk, 1940) (Geometridae) Synonym(s): *rhodoseatum* Bryk, 1940

- 15058) *Camptogramma bistrigatum* (Treitschke, 1828) (Geometridae) Synonym(s): *bistrigatum* Treitschke, 1828
 15059) *Camptogramma griseocens* (Staudinger, 1892) (Geometridae) Synonym(s): *griseocens* Staudinger, 1892
 15060) *Camptogramma griseocens griseocens* (Staudinger, 1892) (Geometridae) Synonym(s): *griseocens* Staudinger, 1892
 15061) *Carige bicuspis* L.B.Prout, 1931 (Geometridae) Synonym(s): *bicuspis* L.B.Prout, 1931
 15062) *Carige combinata* W.Warren, 1899 (Geometridae) Synonym(s): *combinata* W.Warren, 1899
 15063) *Carige cruciplaga* (Walker, 1861) (Geometridae) Synonym(s): *cruciplaga* Walker, 1861
 15064) *Carige cruciplaga cruciplaga* (Walker, 1861) (Geometridae) Synonym(s): *cruciplaga* Walker, 1861
 15065) *Carige cruciplaga deprunneata* L.B.Prout, 1929 (Geometridae) Synonym(s): *deprunneata* L.B.Prout, 1929
 15066) *Carige cruciplaga duplicaria* Walker, [1863] (Geometridae) Synonym(s): *duplicaria* Walker, [1863]; *nigronotaria* Bremer, 1864
 15067) *Carige extremaria* Leech, 1897 (Geometridae) Synonym(s): *extremaria* Leech, 1897
 15068) *Carige extremaria coniochyta* L.B.Prout, 1958 (Geometridae) Synonym(s): *coniochyta* L.B.Prout, 1958
 15069) *Carige extremaria extremaria* Leech, 1897 (Geometridae) Synonym(s): *extremaria* Leech, 1897
 15070) *Carige flavidaria* Leech, 1897 (Geometridae) Synonym(s): *flavidaria* Leech, 1897
 15071) *Carige irrorata* (Butler, 1879) (Geometridae) Synonym(s): *irrorata* Butler, 1879; *absorpta* W.Warren, 1899
 15072) *Carige lunulinea* Moore, 1888 (Geometridae) Synonym(s): *lunulinea* Moore, 1888
 15073) *Carige obsoleta* (Inoue, 1971) (Geometridae) Synonym(s): *obsoleta* Inoue, 1971
 15074) *Carige rachiaria* Swinhoe, 1891 (Geometridae) Synonym(s): *rachiaria* Swinhoe, 1891
 15075) *Carige scutimbata* L.B.Prout, 1937 (Geometridae) Synonym(s): *scutimbata* L.B.Prout, 1937
 15076) *Carsia emphracta* L.B.Prout, 1941 (Geometridae) Synonym(s): *emphracta* L.B.Prout, 1941
 15077) *Carsia lythoxylata* (Hübner, [1799]) (Geometridae) Synonym(s): *lythoxylata* Hübner, [1799]; *lythoxylaria* Boisduval, 1840.
 15078) *Carsia lythoxylata christophi* (L.B.Prout, 1937) (Geometridae) Synonym(s): *christophi* L.B.Prout, 1937
 15079) *Carsia perpetuata* (Lederer, 1870) (Geometridae) Synonym(s): *perpetuata* Lederer, 1870
 15080) *Carsia sororiata* (Hübner, [1813]) (Geometridae) Synonym(s): *paludata* Thunberg, 1788 nec Linn., 1767; *sororiata* Hübner, [1813]; *imbutata* Hübner, [1813]; *imbutaria* Boisduval, 1840; *pruinaria* Eversmann, 1851
 15081) *Carsia sororiata alpinata* Packard, 1873 (Geometridae) Synonym(s): *alpinata* Packard, 1873; *boreata* Packard, 1873
 15082) *Carsia sororiata anglica* L.B.Prout, 1937 (Geometridae) Synonym(s): *anglica* L.B.Prout, 1937
 15083) *Carsia sororiata columbiata* McDunnough, 1939 (Geometridae) Synonym(s): *columbiata* McDunnough, 1939
 15084) *Carsia sororiata labradoriensis* (Sommer, 1898) (Geometridae) Synonym(s): *labradoriensis* Sommer, 1898
 15085) *Carsia sororiata sororiata* (Hübner, [1813]) (Geometridae) Synonym(s): *paludata* Thunberg, 1788 nec Linn., 1767; *sororiata* Hübner, [1813]; *imbutata* Hübner, [1813]; *imbutaria* Boisduval, 1840; *pruinaria* Eversmann, 1851
 15086) *Carsia sororiata thaxteri* Swett, 1917 (Geometridae) Synonym(s): *thaxteri* Swett, 1917
 15087) *Cartaletis concolor* W.Warren, 1905 (Geometridae) Synonym(s): *concolor* W.Warren, 1905
 15088) *Cartaletis forbesi* (Druce, 1884) (Geometridae) Synonym(s): *forbesi* Druce, 1884; *flexilimes* W.Warren, 1897
 15089) *Cartaletis gracilis* (Möschler, 1887) (Geometridae) Synonym(s): *gracilis* Möschler, 1887; *pallida* W.Warren, 1894; *alba* Druce, 1896
 15090) *Cartaletis gracilis gracilis* (Möschler, 1887) (Geometridae) Synonym(s): *gracilis* Möschler, 1887; *pallida* W.Warren, 1894; *alba* Druce, 1896
 15091) *Cartaletis gracilis landbecki* L.B.Prout, 1919 (Geometridae) Synonym(s): *landbecki* L.B.Prout, 1919
 15092) *Cartaletis gracilis variegata* L.B.Prout, 1916 (Geometridae) Synonym(s): *variegata* L.B.Prout, 1916
 15093) *Cartaletis libysa* (Hopffer, 1858) (Geometridae) Synonym(s): *libysa* Hopffer, 1858
 15094) *Cartaletis libysa ethelinda* (Kirby, 1896) (Geometridae) Synonym(s): *ethelinda* Kirby, 1896; *latifasciata* Gaede, 1917; *nigriventris* Gaede, 1917
 15095) *Cartaletis libysa libysa* (Hopffer, 1858) (Geometridae) Synonym(s): *libysa* Hopffer, 1858
 15096) *Cartaletis libysa monteironis* (Druce, 1883) (Geometridae) Synonym(s): *monteironis* Druce, 1883; *entebbena* Strand, 1921
 15097) *Cartaletis libysa natalensis* L.B.Prout, 1917 (Geometridae) Synonym(s): *natalensis* L.B.Prout, 1917; *fusciventris* Gaede, 1917
 15098) *Cartaletis melanopsis* L.B.Prout, 1929 (Geometridae) Synonym(s): *melanopsis* L.B.Prout, 1929
 15099) *Cartaletis nigricosta* L.B.Prout, 1916 (Geometridae) Synonym(s): *nigricosta* L.B.Prout, 1916
 15100) *Cartaletis sapor* (Druce, 1910) (Geometridae) Synonym(s): *sapor* Druce, 1910
 15101) *Cartaletis tenuimargo* L.B.Prout, 1916 (Geometridae) Synonym(s): *tenuimargo* L.B.Prout, 1916
 15102) *Cartaletis variabilis* (Butler, 1878) (Geometridae) Synonym(s): *variabilis* Butler, 1878; *agis* Druce, 1910; *thetis* Druce, 1910
 15103) *Casbia albinotata* W.Warren, 1903 (Geometridae) Synonym(s): *albinotata* W.Warren, 1903
 15104) *Casbia rectaria* Walker, 1866 (Geometridae) Synonym(s): *rectaria* Walker, 1866
 15105) *Casbia rectaria lilacina* Holloway, 1979 (Geometridae) Synonym(s): *lilacina* Holloway, 1979
 15106) *Casbia rectaria rosacea* Holloway, 1979 (Geometridae) Synonym(s): *rosacea* Holloway, 1979
 15107) *Casbia serpentina* Holloway, 1979 (Geometridae) Synonym(s): *serpentina* Holloway, 1979
 15108) *Casilda antophilaria* (Hübner, [1813]) (Geometridae) Synonym(s): *antophilaria* Hübner, [1813]; *gegenaria* Alpheraky, 1883; *#albipunctaria* Alpheraky, 1883; *elvira* Thierry-Mieg, 1911.
 15109) *Casilda antophilaria antophilaria* (Hübner, [1813]) (Geometridae) Synonym(s): *antophilaria* Hübner, [1813]; *gegenaria* Alpheraky, 1883; *#albipunctaria* Alpheraky, 1883; *elvira* Thierry-Mieg, 1911.
 15110) *Casilda antophilaria rosearia* (Treitschke, 1828) (Geometridae) Synonym(s): *rosearia* Treitschke, 1828
 15111) *Casilda consecraria* (Staudinger, 1871) (Geometridae) Synonym(s): *consecraria* Staudinger, 1871; *intermediaria* Turati, 1930
 15112) *Casilda kikiæ* (Wiltshire, 1982) (Geometridae) Synonym(s): *kikiæ* Wiltshire, 1982
 15113) *Casilda lucidaria* (Swinhoe, 1904) (Geometridae) Synonym(s): *lucidaria* Swinhoe, 1904; *roseofimbriata* Thierry-Mieg, 1911.
 15114) *Casilda rosearia* (Treitschke, 1828) (Geometridae) Synonym(s): *rosearia* Treitschke, 1828
 15115) *Cassephyra lamprosticta* (Hampson, 1895) (Geometridae) Synonym(s): *lamprosticta* Hampson, 1895; *accreta* L.B.Prout, 1928
 15116) *Cassyma chrotadelpha* Sommerer & Stüning, 1992 (Geometridae) Synonym(s): *chrotadelpha* Sommerer & Stüning, 1992
 15117) *Cassyma chrotodon* (L.B.Prout, 1925) (Geometridae) Synonym(s): *chrotodon* L.B.Prout, 1925
 15118) *Cassyma electrodes* Sommerer & Stüning, 1992 (Geometridae) Synonym(s): *electrodes* Sommerer & Stüning, 1992
 15119) *Cassyma erythrodon* Sommerer & Stüning, 1992 (Geometridae) Synonym(s): *erythrodon* Sommerer & Stüning, 1992
 15120) *Cassyma quadrinata* Guenée, [1858] (Geometridae) Synonym(s): *quadrinata* Guenée, [1858]; *gammata* W.Warren, 1901
 15121) *Cassyma scitincincta* (Walker, [1863]) (Geometridae) Synonym(s): *scitincincta* Walker, [1863]
 15122) *Cassyma undifasciata* (Butler, 1892) (Geometridae) Synonym(s): *undifasciata* Butler, 1892
 15123) *Casuariclystis latifascia* (Walker, 1866) (Geometridae) Synonym(s): *latifascia* Walker, 1866; *inexplicata* Walker, 1866; *perceptata* Walker, 1866; *nigella* De Joannis, 1906; *metallicata* Fletcher, 1910; *scintillata* L.B.Prout, 1922
 15124) *Cataclysmes conturbata* (Walker, [1863]) (Geometridae) Synonym(s): *conturbata* Walker, [1863]
 15125) *Cataclysmes dissimilata* (Rambur, 1833) (Geometridae) Synonym(s): *dissimilata* Rambur, 1833; *uniformata* Bellier, 1862; *spissistrigaria* Turati, 1913
 15126) *Cataclysmes obliquilineata* Hampson, 1895 (Geometridae) Synonym(s): *obliquilineata* Hampson, 1895
 15127) *Cataclysmes plurilinearia* (Leech, 1897) (Geometridae) Synonym(s): *plurilinearia* Leech, 1897; *murina* L.B.Prout, 1916
 15128) *Cataclysmes polygramma* (Hampson, 1907) (Geometridae) Synonym(s): *polygramma* Hampson, 1907
 15129) *Cataclysmes riguata* (Hübner, [1813]) (Geometridae) Synonym(s): *riguata* Hübner, [1813]; *subtilisparsata* Wehrli, 1932.
 15130) *Cataclysmes riguata elbursica* (Wagner, 1937) (Geometridae) Synonym(s): *elbursica* Wagner, 1937
 15131) *Cataclysmes riguata festinata* (Staudinger, 1893) (Geometridae) Synonym(s): *festinata* Staudinger, 1893
 15132) *Cataclysmes riguata riguata* (Hübner, [1813]) (Geometridae) Synonym(s): *riguata* Hübner, [1813]; *subtilisparsata* Wehrli, 1932.
 15133) *Cataclysmes shirrensis* Ebert, 1965 (Geometridae) Synonym(s): *shirrensis* Ebert, 1965
 15134) *Catarhoe arachne* Wiltshire, 1967 (Geometridae) Synonym(s): *arachne* Wiltshire, 1967
 15135) *Catarhoe arachne arachne* Wiltshire, 1967 (Geometridae) Synonym(s): *arachne* Wiltshire, 1967
 15136) *Catarhoe arachne hissarica* Viidalepp, 1988 (Geometridae) Synonym(s): *hissarica* Viidalepp, 1988
 15137) *Catarhoe basochesiata* (Duponchel, 1831) (Geometridae) Synonym(s): *basochesiata* Duponchel, 1831; *indecora* W.Warren, 1899
 15138) *Catarhoe basochesiata basochesiata* (Duponchel, 1831) (Geometridae) Synonym(s): *basochesiata* Duponchel, 1831; *indecora* W.Warren, 1899
 15139) *Catarhoe crebrolineata* Kusnetsov, 1960 (Geometridae) Synonym(s): *crebrolineata* Kusnetsov, 1960
 15140) *Catarhoe cuculata* (Hufnagel, 1767) (Geometridae) Synonym(s): *cuculata* Hufnagel, 1767; *sinuata* [Denis & Schiffermüller], 1775; *sabinata* Dannehl, 1933
 15141) *Catarhoe cuculata cuculata* (Hufnagel, 1767) (Geometridae) Synonym(s): *cuculata* Hufnagel, 1767; *sinuata* [Denis & Schiffermüller], 1775; *sabinata* Dannehl, 1933
 15142) *Catarhoe cuculata decolor* (Schwingenschuss, 1939) (Geometridae) Synonym(s): *decolor* Schwingenschuss, 1939
 15143) *Catarhoe cuculata lucasi* Herbulot, 1984 (Geometridae) Synonym(s): *brunneata* Lucas, 1932 nec Pack., 1867; *lucasi* Herbulot, 1984

- 15144) *Catarhoe cuculata undulosa* (Warnecke,1934) (Geometridae) Synonym(s): *undulosa* Warnecke,1934
 15145) *Catarhoe cupreata* (Herrich-Schäffer,1839) (Geometridae) Synonym(s): *cupreata* Herrich-Schäffer,1839
 15146) *Catarhoe hortulanaria* (Staudinger,1879) (Geometridae) Synonym(s): *hortulanaria* Staudinger,1879; *palaestinensis* Staudinger,1895
 15147) *Catarhoe mosulensis* (Schawerda,1924) (Geometridae) Synonym(s): *mosulensis* Schawerda,1924; *cinneretharia* Amsel,1935.
 15148) *Catarhoe nyctichroa* (Hampson,1912) (Geometridae) Synonym(s): *nyctichroa* Hampson,1912
 15149) *Catarhoe permixtaria* (Guenée,1858) (Geometridae) Synonym(s): *#permixtaria* Herrich-Schäffer,1851; *permixtaria* Guenée,1858
 15150) *Catarhoe putridaria* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *putridaria* Herrich-Schäffer,1852; *bulgariata* Millière,1868
 15151) *Catarhoe rubidata* (Denis & Schiffermüller,1775) (Geometridae) Synonym(s): *rubidata* [Denis & Schiffermüller],1775
 15152) *Catarhoe rubidata bahrama* (Wiltshire,1952) (Geometridae) Synonym(s): *bahrama* Wiltshire,1952
 15153) *Catarhoe rubidata fumata* (Eversmann,1844) (Geometridae) Synonym(s): *fumata* Eversmann,1844; *fumaria* Herrich-Schäffer,1848; *elbursica* Wiltshire,1952
 15154) *Catarhoe rubidata rubidata* (Denis & Schiffermüller,1775) (Geometridae) Synonym(s): *rubidata* [Denis & Schiffermüller],1775
 15155) *Catarhoe semnana* Wiltshire,1970 (Geometridae) Synonym(s): *semnana* Wiltshire,1970
 15156) *Catarhoe tangaba* (Wiltshire,1952) (Geometridae) Synonym(s): *tangaba* Wiltshire,1952
 15157) *Catarhoe yokohamae* (Butler,1881) (Geometridae) Synonym(s): *yokohamae* Butler,1881; *rogenhoferi* Graeser,1889; *colorata* Bryk,1949
 15158) *Catoria camelaria* (Guenée,1858) (Geometridae) Synonym(s): *camelaria* Guenée,1858; *velutina* Walker,1866
 15159) *Catoria camelaria carbonata* W.Warren,1896 (Geometridae) Synonym(s): *carbonata* W.Warren,1896
 15160) *Catoria hemiprosopa* (Turner,1904) (Geometridae) Synonym(s): *hemiprosopa* Turner,1904
 15161) *Catoria hemiprosopa affinis* (L.B.Prout,1925) (Geometridae) Synonym(s): *affinis* L.B.Prout,1925
 15162) *Catoria kalisi* L.B.Prout,1937 (Geometridae) Synonym(s): *kalisi* L.B.Prout,1937
 15163) *Catoria lucidata* W.Warren,1905 (Geometridae) Synonym(s): *lucidata* W.Warren,1905
 15164) *Catoria misticia* L.B.Prout,1929 (Geometridae) Synonym(s): *misticia* L.B.Prout,1929
 15165) *Catoria olivescens* Moore,1888 (Geometridae) Synonym(s): *olivescens* Moore,1888
 15166) *Catoria parva* (Butler,1887) (Geometridae) Synonym(s): *parva* Butler,1887
 15167) *Catoria proicyrta* (L.B.Prout,1932) (Geometridae) Synonym(s): *proicyrta* L.B.Prout,1932
 15168) *Catoria subalbata* W.Warren,1905 (Geometridae) Synonym(s): *subalbata* W.Warren,1905
 15169) *Catoria sublavaria* (Guenée,1858) (Geometridae) Synonym(s): *sublavaria* Guenée,1858
 15170) *Catoria sulawesensis* Sato,1995 (Geometridae) Synonym(s): *sulawesensis* Sato,1995
 15171) *Catoria tamsi* L.B.Prout,1929 (Geometridae) Synonym(s): *tamsi* L.B.Prout,1929
 15172) *Celenna agalma* (L.B.Prout,1922) (Geometridae) Synonym(s): *agalma* L.B.Prout,1922
 15173) *Celenna brachygenyx* (L.B.Prout,1922) (Geometridae) Synonym(s): *brachygenyx* L.B.Prout,1922
 15174) *Celenna callopiastes* (L.B.Prout,1932) (Geometridae) Synonym(s): *callopiastes* L.B.Prout,1932; *#callopista* Hutacharern & Tubtim,1995
 15175) *Celenna centraria* (Snellen,1886) (Geometridae) Synonym(s): *centraria* Snellen,1886; *mimaria* Swinhoe,1909
 15176) *Celenna chlorophora* W.Warren,1897 (Geometridae) Synonym(s): *chlorophora* W.Warren,1897
 15177) *Celenna festivaria* (Fabricius,1794) (Geometridae) Synonym(s): *festivaria* Fabricius,1794; *saturataria* Walker,1861
 15178) *Celenna festivaria festivaria* (Fabricius,1794) (Geometridae) Synonym(s): *festivaria* Fabricius,1794; *saturataria* Walker,1861
 15179) *Celenna festivaria formosensis* (Inoue,1964) (Geometridae) Synonym(s): *formosensis* Inoue,1964
 15180) *Celenna festivaria manifesta* (Inoue,1964) (Geometridae) Synonym(s): *manifesta* Inoue,1964
 15181) *Celenna festivaria temperata* (L.B.Prout,1925) (Geometridae) Synonym(s): *temperata* L.B.Prout,1925
 15182) *Celenna imbutaria* (Walker,1866) (Geometridae) Synonym(s): *imbutaria* Walker,1866
 15183) *Celenna muscicolor* (W.Warren,1893) (Geometridae) Synonym(s): *muscicolor* W.Warren,1893; *informis* W.Warren,1897; *xerophylla* L.B.Prout,1926
 15184) *Celenna pulchra* (Rothschild,1894) (Geometridae) Synonym(s): *pulchra* Rothschild,1894
 15185) *Celerena andamana* R.Felder & Rogenhofer,1875 (Geometridae) Synonym(s): *andamana* R.Felder & Rogenhofer,1875
 15186) *Celerena angustisignata* L.B.Prout,1917 (Geometridae) Synonym(s): *angustisignata* L.B.Prout,1917
 15187) *Celerena aurata* W.Warren,1899 (Geometridae) Synonym(s): *aurata* W.Warren,1899
 15188) *Celerena cana* W.Warren,1896 (Geometridae) Synonym(s): *cana* W.Warren,1896
 15189) *Celerena cana cana* W.Warren,1896 (Geometridae) Synonym(s): *cana* W.Warren,1896
 15190) *Celerena cana fulvastra* L.B.Prout,1916 (Geometridae) Synonym(s): *fulvastra* L.B.Prout,1916
 15191) *Celerena cana nigrilinea* L.B.Prout,1916 (Geometridae) Synonym(s): *nigrilinea* L.B.Prout,1916
 15192) *Celerena commutata* Walker,1865 (Geometridae) Synonym(s): *commutata* Walker,1865
 15193) *Celerena divisa* Walker,1862 (Geometridae) Synonym(s): *divisa* Walker,1862
 15194) *Celerena divisa divisa* Walker,1862 (Geometridae) Synonym(s): *divisa* Walker,1862
 15195) *Celerena divisa siamica* Swinhoe,1903 (Geometridae) Synonym(s): *siamica* Swinhoe,1903
 15196) *Celerena exacta* W.Warren,1899 (Geometridae) Synonym(s): *exacta* W.Warren,1899
 15197) *Celerena griseofusa* W.Warren,1896 (Geometridae) Synonym(s): *griseofusa* W.Warren,1896
 15198) *Celerena latiflava* (W.Warren,1896) (Geometridae) Synonym(s): *latiflava* W.Warren,1896
 15199) *Celerena latiflava latiflava* (W.Warren,1896) (Geometridae) Synonym(s): *latiflava* W.Warren,1896
 15200) *Celerena latiflava nigriceps* W.Warren,1903 (Geometridae) Synonym(s): *nigriceps* W.Warren,1903
 15201) *Celerena lerne* (Boisduval,1832) (Geometridae) Synonym(s): *lerne* Boisduval,1832
 15202) *Celerena lerne amplimargo* L.B.Prout,1916 (Geometridae) Synonym(s): *amplimargo* L.B.Prout,1916
 15203) *Celerena lerne lerne* (Boisduval,1832) (Geometridae) Synonym(s): *lerne* Boisduval,1832
 15204) *Celerena mitis* W.Warren,1899 (Geometridae) Synonym(s): *mitis* W.Warren,1899
 15205) *Celerena mitis evitans* L.B.Prout,1916 (Geometridae) Synonym(s): *evitans* L.B.Prout,1916
 15206) *Celerena mitis melanopora* L.B.Prout,1926 (Geometridae) Synonym(s): *melanopora* L.B.Prout,1926
 15207) *Celerena mitis mitis* W.Warren,1899 (Geometridae) Synonym(s): *mitis* W.Warren,1899
 15208) *Celerena mutata* Walker,1865 (Geometridae) Synonym(s): *mutata* Walker,1865; *eucnemis* R.Felder & Rogenhofer,1875
 15209) *Celerena mutatipes* L.B.Prout,1916 (Geometridae) Synonym(s): *mutatipes* L.B.Prout,1916
 15210) *Celerena obiana* L.B.Prout,1910 (Geometridae) Synonym(s): *obiana* L.B.Prout,1910
 15211) *Celerena palawanica* Pagenstecher,1890 (Geometridae) Synonym(s): *palawanica* Pagenstecher,1890
 15212) *Celerena pallidicolor* W.Warren,1894 (Geometridae) Synonym(s): *pallidicolor* W.Warren,1894
 15213) *Celerena pallidicolor hirtipes* W.Warren,1903 (Geometridae) Synonym(s): *hirtipes* W.Warren,1903
 15214) *Celerena pallidicolor pallidicolor* W.Warren,1894 (Geometridae) Synonym(s): *pallidicolor* W.Warren,1894
 15215) *Celerena perithea* (Cramer,1777) (Geometridae) Synonym(s): *perithea* Cramer,1777; *connexa* Walker,1865; *stenospila* W.Warren,1894
 15216) *Celerena perithea keiensis* L.B.Prout,1916 (Geometridae) Synonym(s): *keiensis* L.B.Prout,1916
 15217) *Celerena perithea perithea* (Cramer,1777) (Geometridae) Synonym(s): *perithea* Cramer,1777; *connexa* Walker,1865; *stenospila* W.Warren,1894
 15218) *Celerena probola* L.B.Prout,1916 (Geometridae) Synonym(s): *probola* L.B.Prout,1916
 15219) *Celerena prodroma* Meyrick,1886 (Geometridae) Synonym(s): *prodroma* Meyrick,1886
 15220) *Celerena prodroma prodroma* Meyrick,1886 (Geometridae) Synonym(s): *prodroma* Meyrick,1886
 15221) *Celerena prodroma remutata* L.B.Prout,1913 (Geometridae) Synonym(s): *remutata* L.B.Prout,1913
 15222) *Celerena proxima* Walker,1865 (Geometridae) Synonym(s): *proxima* Walker,1865
 15223) *Celerena recurvata* (Walker,1865) (Geometridae) Synonym(s): *recurvata* Walker,1865; *flavotogata* Pagenstecher,1896
 15224) *Celerena reversa* (W.Warren,1897) (Geometridae) Synonym(s): *reversa* W.Warren,1897
 15225) *Celerena semperi* L.B.Prout,1916 (Geometridae) Synonym(s): *semperi* L.B.Prout,1916
 15226) *Celerena signata* W.Warren,1898 (Geometridae) Synonym(s): *signata* W.Warren,1898; *nigripalpis* Swinhoe,1902
 15227) *Celerena spreta* Walker,1865 (Geometridae) Synonym(s): *spretata* Walker,1865; *chrysauge* R.Felder & Rogenhofer,1875
 15228) *Celerena substigmata* W.Warren,1904 (Geometridae) Synonym(s): *substigmata* W.Warren,1904
 15229) *Celerena triflora* W.Warren,1896 (Geometridae) Synonym(s): *triflora* W.Warren,1896
 15230) *Celerena vulgaris* Butler,1877 (Geometridae) Synonym(s): *vulgaris* Butler,1877
 15231) *Celerena waigeuensis* Joicey & Talbot,1917 (Geometridae) Synonym(s): *waigeuensis* Joicey & Talbot,1917
 15232) *Celidomphax analiplaga* (W.Warren,1905) (Geometridae) Synonym(s): *analiplaga* W.Warren,1905
 15233) *Celidomphax prolongata* L.B.Prout,1915 (Geometridae) Synonym(s): *prolongata* L.B.Prout,1915
 15234) *Celidomphax quadrimacula* Janse,1935 (Geometridae) Synonym(s): *quadrimacula* Janse,1935

- 15235) *Celidomphax rubrimaculata* (W.Warren,1905) (Geometridae) Synonym(s): *rubrimaculata* W.Warren,1905
 15236) *Celonoptera mirificaria* Lederer,1862 (Geometridae) Synonym(s): *mirificaria* Lederer,1862; *paradoxaria* Staudinger,1862
 15237) *Centrochria aphthona* (L.B.Prout,1934) (Geometridae) Synonym(s): *aphthona* L.B.Prout,1934
 15238) *Centrochria deprensata* (L.B.Prout,1913) (Geometridae) Synonym(s): *deprensata* L.B.Prout,1913
 15239) *Centrochria unipunctata* Gaede,1917 (Geometridae) Synonym(s): *unipunctata* Gaede,1917; *metis* Fawcett,1918
 15240) *Cepphis advenaria* (Hübner,[1799]) (Geometridae) Synonym(s): *advenaria* Hübner,[1799]
 15241) *Cerurographa bistonica* (L.B.Prout,1922) (Geometridae) Synonym(s): *bistonica* L.B.Prout,1922
 15242) *Chalybocydon flexilinea* W.Warren,1898 (Geometridae) Synonym(s): *flexilinea* W.Warren,1898
 15243) *Chalybocydon marginata* W.Warren,1893 (Geometridae) Synonym(s): *marginata* W.Warren,1893; *apicata* Wileman,1916
 15244) *Chariaspilates formosaria* (Eversmann,1837) (Geometridae) Synonym(s): *formosaria* Eversmann,1837
 15245) *Cheimoptena pennigera* Danilevsky,1969 (Geometridae) Synonym(s): *pennigera* Danilevsky,1969
 15246) *Chelotephrina acorema* M.Krüger,1999 (Geometridae) Synonym(s): *acorema* M.Krüger,1999; *acorema* M.Krüger,2001
 15247) *Chelotephrina crypsispila* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *crypsispila* D.S.Fletcher,1958.
 15248) *Chemerina caliginearia* (Rambur,1833) (Geometridae) Synonym(s): *caliginearia* Rambur,1833
 15249) *Chesias angeri* Schawerda,1919 (Geometridae) Synonym(s): *angeri* Schawerda,1919
 15250) *Chesias isabella* Schawerda,1915 (Geometridae) Synonym(s): *isabella* Schawerda,1915
 15251) *Chesias lecerfi* Lucas,1937 (Geometridae) Synonym(s): *lecerfi* Lucas,1937
 15252) *Chesias legatella* [(Denis & Schiffermüller),1775] (Geometridae) Synonym(s): *legatella* [Denis & Schiffermüller],1775; *spartiana* Herbst,1782; *soubryana* Villers,1789; *capriata* L.B.Prout,1914; *scanica* Burrau,1950
 15253) *Chesias leuconura* L.B.Prout,1931 (Geometridae) Synonym(s): *leuconura* L.B.Prout,1931; *sureyata* Rebel,1933.
 15254) *Chesias pinkeri* Schawerda,1939 (Geometridae) Synonym(s): *pinkeri* Schawerda,1939
 15255) *Chesias rhenanica* L.B.Prout,1937 (Geometridae) Synonym(s): *rhenanica* L.B.Prout,1937
 15256) *Chesias rufata* (Fabricius,1775) (Geometridae) Synonym(s): *rufata* Fabricius,1775; *obliquaria* [Denis & Schiffermüller],1775; *bombycata* Donovan,1806; *occidentalis* Delahaye,1900; *cinerata* Staudinger,1901; *plumbeata* Staudinger,1901; *ornata* Heydemann,1933; *scotica* Richardson,1952
 15257) *Chesias zuellichi* Schawerda,1939 (Geometridae) Synonym(s): *zuellichi* Schawerda,1939
 15258) *Chesistege korbi* (Bohatsch,1909) (Geometridae) Synonym(s): *korbi* Bohatsch,1909
 15259) *Chesistege korbi kopetdagica* Viidalepp,1990 (Geometridae) Synonym(s): *kopetdagica* Viidalepp,1990
 15260) *Chesistege korbi korbi* (Bohatsch,1909) (Geometridae) Synonym(s): *korbi* Bohatsch,1909
 15261) *Chesistege korbi taurica* Wehrli,1938 (Geometridae) Synonym(s): *taurica* Wehrli,1938
 15262) *Chiasmia (Godonela) aestimaria* (Hübner,[1809]) (Geometridae) Synonym(s): *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949.
 15263) *Chiasmia (Godonela) aestimaria aestimaria* (Hübner,[1809]) (Geometridae) Synonym(s): *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949.
 15264) *Chiasmia (Godonela) aestimaria kuldshana* Scoble,1999 (Geometridae) Synonym(s): *kuldshana* Wehrli,1940
 15265) *Chiasmia (Godonela) albipuncta* (W.Warren,1894) (Geometridae) Synonym(s): *albipuncta* W.Warren,1894
 15266) *Chiasmia (Godonela) albia* (L.B.Prout,1915) (Geometridae) Synonym(s): *albia* L.B.Prout,1915
 15267) *Chiasmia (Godonela) angolaria* (Snellen,1872) (Geometridae) Synonym(s): *angolaria* Snellen,1872
 15268) *Chiasmia (Godonela) avitusaria* (Walker,1860) (Geometridae) Synonym(s): *avitusaria* Walker,1860; *violavittata* Pagenstecher,1888; *odataria* Swinhoe,1893; *deformis* W.Warren,1896; *abbreviata* W.Warren,1897
 15269) *Chiasmia (Godonela) bornusaria* (Holloway,[1994]) (Geometridae) Synonym(s): *bornusaria* Holloway,[1994]
 15270) *Chiasmia (Godonela) buettikeri* (Wiltshire,1980) (Geometridae) Synonym(s): *buettikeri* Wiltshire,1980
 15271) *Chiasmia (Godonela) acularia* (Oberthür,1891) (Geometridae) Synonym(s): *acularia* Oberthür,1891
 15272) *Chiasmia (Godonela) cesa* Kemal & Koçak,2007 (Geometridae) Synonym(s): *cesa* Kemal & Koçak,2007
 15273) *Chiasmia (Godonela) collaxata* (Herbulot,1987) (Geometridae) Synonym(s): *collaxata* Herbulot,1987
 15274) *Chiasmia (Godonela) eleonora* (Cramer,[1780]) (Geometridae) Synonym(s): *fasciata* Fabricius,1775 nec Sc.,1763; *eleonora* Cramer,[1780]; *fasciosaria* Hübner,[1823]; *victorinata* Guenée,[1858]; *subalbataria* Swinhoe,1890
 15275) *Chiasmia (Godonela) eleonora paranora* (Holloway,1982) (Geometridae) Synonym(s): *paranora* Holloway,1982
 15276) *Chiasmia (Godonela) fitzgeraldi* (Carcasson,1964) (Geometridae) Synonym(s): *fitzgeraldi* Carcasson,1964
 15277) *Chiasmia (Godonela) grandis* M.Krüger,2001 (Geometridae) Synonym(s): *grandis* M.Krüger,2001
 15278) *Chiasmia (Godonela) herbuloti* (Viette,1973) (Geometridae) Synonym(s): *herbuloti* Viette,1973
 15279) *Chiasmia (Godonela) hypactinia* (L.B.Prout,1916) (Geometridae) Synonym(s): *hypactinia* L.B.Prout,1916
 15280) *Chiasmia (Godonela) impar* (W.Warren,1897) (Geometridae) Synonym(s): *impar* W.Warren,1897
 15281) *Chiasmia (Godonela) mutabilis* (W.Warren,1897) (Geometridae) Synonym(s): *mutabilis* W.Warren,1897
 15282) *Chiasmia (Godonela) nora* (Walker,1861) (Geometridae) Synonym(s): *nora* Walker,1861
 15283) *Chiasmia (Godonela) ostentosaria* (Möschler,1887) (Geometridae) Synonym(s): *ostentosaria* Möschler,1887
 15284) *Chiasmia (Godonela) parastreniata* M.Krüger,2001 (Geometridae) Synonym(s): *parastreniata* M.Krüger,2001
 15285) *Chiasmia (Godonela) percnoptera* (L.B.Prout,1915) (Geometridae) Synonym(s): *percnoptera* L.B.Prout,1915
 15286) *Chiasmia (Godonela) perfusaria* (Walker,1866) (Geometridae) Synonym(s): *perfusaria* Walker,1866; *subfasciata* Hampson,1891
 15287) *Chiasmia (Godonela) sareptanaria* (Staudinger,1871) (Geometridae) Synonym(s): *sareptanaria* Staudinger,1871
 15288) *Chiasmia (Godonela) streniata* (Guenée,[1858]) (Geometridae) Synonym(s): *streniata* Guenée,[1858]; *amandata* Walker,1861; *lunivallata* W.Warren,1905.
 15289) *Chiasmia (Godonela) streniata arata* (Saalmüller,1891) (Geometridae) Synonym(s): *arata* Saalmüller,1891
 15290) *Chiasmia (Godonela) streniata streniata* (Guenée,[1858]) (Geometridae) Synonym(s): *streniata* Guenée,[1858]; *amandata* Walker,1861; *lunivallata* W.Warren,1905.
 15291) *Chiasmia (Godonela) syriacaria* (Staudinger,1871) (Geometridae) Synonym(s): *syriacaria* Staudinger,1871; *venerata* Christoph,1887; *syriacata* Wehrli,1934.
 15292) *Chiasmia (Godonela) tenuiata* (Staudinger,1901) (Geometridae) Synonym(s): *tenuiata* Staudinger,1901
 15293) *Chiasmia (Godonela) tetragraphicata* (Saalmüller,1880) (Geometridae) Synonym(s): *tetragraphicata* Saalmüller,1880
 15294) *Chiasmia (Godonela) translineata* (Walker,1866) (Geometridae) Synonym(s): *translineata* Walker,1866; *albidulata* W.Warren,1898; *albibrunnea* W.Warren,1902; *hollowayi* Bänziger & D.S.Fletcher,1988
 15295) *Chiasmia (Godonela) tricolorata* (W.Warren,1895) (Geometridae) Synonym(s): *tricolorata* W.Warren,1895
 15296) *Chiasmia (Godonela) tsaratanana* (Viette,1980) (Geometridae) Synonym(s): *tsaratanana* Viette,1980
 15297) *Chiasmia (Godonela) xanthonora* (Walker,1861) (Geometridae) Synonym(s): *xanthonora* Walker,1861; *semilutea* W.Warren,1905
 15298) *Chiasmia abnormata* (L.B.Prout,1917) (Geometridae) Synonym(s): *abnormata* L.B.Prout,1917
 15299) *Chiasmia abydata* (Guenée,[1858]) (Geometridae) Synonym(s): *abydata* Guenée,[1858]; *vagabunda* Inoue,1986
 15300) *Chiasmia abyssinica* M.Krüger,2001 (Geometridae) Synonym(s): *abyssinica* M.Krüger,2001
 15301) *Chiasmia acutaria* (Walker,1869) (Geometridae) Synonym(s): *acutaria* Walker,1869
 15302) *Chiasmia acutiapex* M.Krüger,2001 (Geometridae) Synonym(s): *acutiapex* M.Krüger,2001
 15303) *Chiasmia adelpha* M.Krüger,2001 (Geometridae) Synonym(s): *adelpha* M.Krüger,2001
 15304) *Chiasmia affinis* (W.Warren,1902) (Geometridae) Synonym(s): *affinis* W.Warren,1902
 15305) *Chiasmia alternata* (W.Warren,1899) (Geometridae) Synonym(s): *alternata* W.Warren,1899
 15306) *Chiasmia amarata* (Guenée,[1858]) (Geometridae) Synonym(s): *amarata* Guenée,[1858]; *lataria* Walker,1861; *leighi* W.Warren,1904; *cataleucaria* Mabilite,1897.
 15307) *Chiasmia amarata amarata* (Guenée,[1858]) (Geometridae) Synonym(s): *amarata* Guenée,[1858]; *lataria* Walker,1861; *leighi* W.Warren,1904; *cataleucaria* Mabilite,1897.
 15308) *Chiasmia amarata choica* (L.B.Prout,1932) (Geometridae) Synonym(s): *choica* L.B.Prout,1932
 15309) *Chiasmia ammodes* (L.B.Prout,1922) (Geometridae) Synonym(s): *ammodes* L.B.Prout,1922
 15310) *Chiasmia androphoba* M.Krüger,2001 (Geometridae) Synonym(s): *androphoba* M.Krüger,2001
 15311) *Chiasmia angolae* (Bethune-Baker,1913) (Geometridae) Synonym(s): *angolae* Bethune-Baker,1913
 15312) *Chiasmia anguifera* (L.B.Prout,1934) (Geometridae) Synonym(s): *anguifera* L.B.Prout,1934
 15313) *Chiasmia arenosa* (Butler,1875) (Geometridae) Synonym(s): *arenosa* Butler,1875; *sordidata* W.Warren,1897; *bitaeniata* W.Warren,1914.
 15314) *Chiasmia assimilis* (W.Warren,1899) (Geometridae) Synonym(s): *assimilis* W.Warren,1899; *instructaria* Swinhoe,1904.
 15315) *Chiasmia ate* (L.B.Prout,1926) (Geometridae) Synonym(s): *ate* L.B.Prout,1926
 15316) *Chiasmia aureobrunnea* M.Krüger,2001 (Geometridae) Synonym(s): *aureobrunnea* M.Krüger,2001

- 15317) *Chiasmia austera* (L.B.Prout,1932) (Geometridae) Synonym(s): *austera* L.B.Prout,1932
- 15318) *Chiasmia avitusaria avitusaria* (Walker,1860) (Geometridae) Synonym(s): *avitusaria* Walker,1860; *violavittata* Pagenstecher,1888; *odataria* Swinhoe,1893; *deformis* W.Warren,1896; *abbreviata* W.Warren,1897
- 15319) *Chiasmia avitusaria stigmica* (L.B.Prout,1932) (Geometridae) Synonym(s): *stigmica* L.B.Prout,1932
- 15320) *Chiasmia avitusarioides* (Herbulot,1956) (Geometridae) Synonym(s): *avitusarioides* Herbulot,1956
- 15321) *Chiasmia azataria* (Swinhoe,1893) (Geometridae) Synonym(s): *azataria* Swinhoe,1893
- 15322) *Chiasmia banian* (Viette,1981) (Geometridae) Synonym(s): *banian* Viette,1981
- 15323) *Chiasmia basharica* (Wehrli,1932) (Geometridae) Synonym(s): *basharica* Wehrli,1932
- 15324) *Chiasmia boarmioides* M.Krüger,2001 (Geometridae) Synonym(s): *boarmioides* M.Krüger,2001
- 15325) *Chiasmia bomfordi* M.Krüger,2001 (Geometridae) Synonym(s): *bomfordi* M.Krüger,2001
- 15326) *Chiasmia brongusaria* (Walker,1860) (Geometridae) Synonym(s): *brongusaria* Walker,1860; ? *exsecutaria* Walker,1861; *incessaria* Walker,1861; *miliaria* R.Felder & Rogenhofer,1874; *sabulifera* W.Warren,1899; *avidaria* Swinhoe,1904; *oleochroa* Hampson,1909.
- 15327) *Chiasmia brongusaria brongusaria* (Walker,1860) (Geometridae) Synonym(s): *brongusaria* Walker,1860; ? *exsecutaria* Walker,1861; *incessaria* Walker,1861; *miliaria* R.Felder & Rogenhofer,1874; *sabulifera* W.Warren,1899; *avidaria* Swinhoe,1904; *oleochroa* Hampson,1909.
- 15328) *Chiasmia brongusaria exosciodes* (L.B.Prout,1925) (Geometridae) Synonym(s): *exosciodes* L.B.Prout,1925
- 15329) *Chiasmia brunnescens* M.Krüger,2001 (Geometridae) Synonym(s): *brunnescens* M.Krüger,2001
- 15330) *Chiasmia butaria* (Swinhoe,1904) (Geometridae) Synonym(s): *butaria* Swinhoe,1904
- 15331) *Chiasmia calvifrons* (L.B.Prout,1916) (Geometridae) Synonym(s): *calvifrons* L.B.Prout,1916
- 15332) *Chiasmia cararia* (Swinhoe,1904) (Geometridae) Synonym(s): *cararia* Swinhoe,1904
- 15333) *Chiasmia castanea* M.Krüger,2001 (Geometridae) Synonym(s): *castanea* M.Krüger,2001
- 15334) *Chiasmia cessaria* (Walker,1861) (Geometridae) Synonym(s): *cessaria* Walker,1861
- 15335) *Chiasmia cinerearia* (Bremer & Grey,1853) (Geometridae) Synonym(s): *cinerearia* Bremer & Grey,1853; *elongaria* Leech,1897
- 15336) *Chiasmia cinerearia eurytaenia* (Wehrli,1932) (Geometridae) Synonym(s): *eurytaenia* Wehrli,1932
- 15337) *Chiasmia clathrata* (Linnaeus,1758) (Geometridae) Synonym(s): *clathrata* Linnaeus,1758; *almacola* Wehrli,1934.
- 15338) *Chiasmia clathrata azrouensis* (Wehrli,1937) (Geometridae) Synonym(s): *azrouensis* Wehrli,1937
- 15339) *Chiasmia clathrata punctata* (A.Bang-Haas,1910) (Geometridae) Synonym(s): *punctata* A.Bang-Haas,1910
- 15340) *Chiasmia confusata* (W.Warren,1899) (Geometridae) Synonym(s): *confusata* W.Warren,1899; *hypoleuca* L.B.Prout,1916.
- 15341) *Chiasmia contaminata* (W.Warren,1902) (Geometridae) Synonym(s): *contaminata* W.Warren,1902
- 15342) *Chiasmia conturbata* (W.Warren,1898) (Geometridae) Synonym(s): *conturbata* W.Warren,1898; *punctiversa* W.Warren,1905
- 15343) *Chiasmia coronoleucas* (L.B.Prout,1915) (Geometridae) Synonym(s): *coronoleucas* L.B.Prout,1915
- 15344) *Chiasmia costicommata* (L.B.Prout,1922) (Geometridae) Synonym(s): *costicommata* L.B.Prout,1922
- 15345) *Chiasmia costiguttata* (W.Warren,1899) (Geometridae) Synonym(s): *costiguttata* W.Warren,1899; *tripлага* W.Warren,1899; *deuteria* L.B.Prout,1932
- 15346) *Chiasmia crassata* (W.Warren,1897) (Geometridae) Synonym(s): *crassata* W.Warren,1897; *benguellae* L.B.Prout,1928
- 15347) *Chiasmia crassilembaria* (Mabille,1880) (Geometridae) Synonym(s): *crassilembaria* Mabille,1880
- 15348) *Chiasmia crumenata* (D.S.Fletcher,1963) (Geometridae) Synonym(s): *crumenata* D.S.Fletcher,1963
- 15349) *Chiasmia curvifascia* (W.Warren,1897) (Geometridae) Synonym(s): *curvifascia* W.Warren,1897; *pallidizona* Hampson,1910
- 15350) *Chiasmia curvilineata* (W.Warren,1899) (Geometridae) Synonym(s): *curvilineata* W.Warren,1899
- 15351) *Chiasmia danmariae* M.Krüger,2001 (Geometridae) Synonym(s): *danmariae* M.Krüger,2001
- 15352) *Chiasmia deceptrix* M.Krüger,2001 (Geometridae) Synonym(s): *deceptrix* M.Krüger,2001
- 15353) *Chiasmia deleta* M.Krüger,2001 (Geometridae) Synonym(s): *deleta* M.Krüger,2001
- 15354) *Chiasmia dentilineata* (W.Warren,1899) (Geometridae) Synonym(s): *dentilineata* W.Warren,1899
- 15355) *Chiasmia diarmodia* (L.B.Prout,1925) (Geometridae) Synonym(s): *diarmodia* L.B.Prout,1925
- 15356) *Chiasmia diplotata* (R.Felder & Rogenhofer,1874) (Geometridae) Synonym(s): *diplotata* R.Felder & Rogenhofer,1874
- 15357) *Chiasmia dodoma* M.Krüger,2001 (Geometridae) Synonym(s): *dodoma* M.Krüger,2001
- 15358) *Chiasmia duplicilinea* (W.Warren,1897) (Geometridae) Synonym(s): *duplicilinea* W.Warren,1897
- 15359) *Chiasmia effusata* (Guenée,1858) (Geometridae) Synonym(s): *effusata* Guenée,1858
- 15360) *Chiasmia elephantestructa* Bänziger & D.S.Fletcher,1988 (Geometridae) Synonym(s): *elephantestructa* Bänziger & D.S.Fletcher,1988
- 15361) *Chiasmia elvirata* (Guenée,1858) (Geometridae) Synonym(s): *elvirata* Guenée,1858; *metagonaria* Walker,1863
- 15362) *Chiasmia emersaria* (Walker,1861) (Geometridae) Synonym(s): *emersaria* Walker,1861
- 15363) *Chiasmia evansi* M.Krüger,2001 (Geometridae) Synonym(s): *evansi* M.Krüger,2001
- 15364) *Chiasmia extrusilinea* (L.B.Prout,1925) (Geometridae) Synonym(s): *extrusilinea* L.B.Prout,1925.
- 15365) *Chiasmia featheri* (L.B.Prout,1922) (Geometridae) Synonym(s): *featheri* L.B.Prout,1922
- 15366) *Chiasmia feraliata* (Guenée,1858) (Geometridae) Synonym(s): *feraliata* Guenée,1858; *elata* L.B.Prout,1916.
- 15367) *Chiasmia ferruginata* (Moore,1887) (Geometridae) Synonym(s): *ferruginata* Moore,1887
- 15368) *Chiasmia flavicuneata* (Herbulot,1987) (Geometridae) Synonym(s): *flavicuneata* Herbulot,1987
- 15369) *Chiasmia fontainei* (D.S.Fletcher,1963) (Geometridae) Synonym(s): *fontainei* D.S.Fletcher,1963
- 15370) *Chiasmia fragilis* (W.Warren,1904) (Geometridae) Synonym(s): *fragilis* W.Warren,1904
- 15371) *Chiasmia frontosa* (Wiltshire,1980) (Geometridae) Synonym(s): *frontosa* Wiltshire,1980
- 15372) *Chiasmia frugaliata* (Guenée,1858) (Geometridae) Synonym(s): *frugaliata* Guenée,1858; *peremptaria* Walker,1861
- 15373) *Chiasmia fulvimargo* (W.Warren,1899) (Geometridae) Synonym(s): *fulvimargo* W.Warren,1899
- 15374) *Chiasmia fulvisparsa* (W.Warren,1897) (Geometridae) Synonym(s): *fulvisparsa* W.Warren,1897; *arularia* Oberthür,1923
- 15375) *Chiasmia fumipennis* (Hampson,1895) (Geometridae) Synonym(s): *fumipennis* Hampson,1895
- 15376) *Chiasmia furcata* (W.Warren,1897) (Geometridae) Synonym(s): *furcata* W.Warren,1897
- 15377) *Chiasmia fuscataria* (Möschler,1887) (Geometridae) Synonym(s): *fuscataria* Möschler,1887; *commixta* W.Warren,1897
- 15378) *Chiasmia geminilinea* (L.B.Prout,1932) (Geometridae) Synonym(s): *geminilinea* L.B.Prout,1932
- 15379) *Chiasmia getula* (Wallengren,1872) (Geometridae) Synonym(s): *getula* Wallengren,1872; *fusciorufa* L.B.Prout,1915
- 15380) *Chiasmia grimmia* (Wallengren,1872) (Geometridae) Synonym(s): *grimmia* Wallengren,1872; *illineata* W.Warren,1901.
- 15381) *Chiasmia griseocens* (L.B.Prout,1916) (Geometridae) Synonym(s): *griseocens* L.B.Prout,1916; *dolichostigma* L.B.Prout,1922.
- 15382) *Chiasmia gylura* (L.B.Prout,1932) (Geometridae) Synonym(s): *gylura* L.B.Prout,1932
- 15383) *Chiasmia hebesata* (Walker,1861) (Geometridae) Synonym(s): *hebesata* Walker,1861; *sinicaria* Walker,1863; *proditaria* Bremer,1864; *maligna* Butler,1878; *flexilinea* W.Warren,1897
- 15384) *Chiasmia humillima* (Bastelberger,1908) (Geometridae) Synonym(s): *humillima* Bastelberger,1908
- 15385) *Chiasmia hunyani* M.Krüger,2001 (Geometridae) Synonym(s): *hunyani* M.Krüger,2001
- 15386) *Chiasmia hygies* (L.B.Prout,1932) (Geometridae) Synonym(s): *hygies* L.B.Prout,1932; #*hygies* Hutacharern & Tubtim,1995
- 15387) *Chiasmia imitatrix* M.Krüger,2001 (Geometridae) Synonym(s): *imitatrix* M.Krüger,2001
- 15388) *Chiasmia improcera* (Herbulot,1987) (Geometridae) Synonym(s): *improcera* Herbulot,1987
- 15389) *Chiasmia inaequilinea* (W.Warren,1911) (Geometridae) Synonym(s): *inaequilinea* W.Warren,1911; *birecta* L.B.Prout,1917.
- 15390) *Chiasmia inaequilinea eremias* (L.B.Prout,1935) (Geometridae) Synonym(s): *eremias* L.B.Prout,1935
- 15391) *Chiasmia inaequilinea inaequilinea* (W.Warren,1911) (Geometridae) Synonym(s): *inaequilinea* W.Warren,1911; *birecta* L.B.Prout,1917.
- 15392) *Chiasmia inconspicua* (W.Warren,1897) (Geometridae) Synonym(s): *inconspicua* W.Warren,1897
- 15393) *Chiasmia inconspicua inconspicua* (W.Warren,1897) (Geometridae) Synonym(s): *inconspicua* W.Warren,1897
- 15394) *Chiasmia inconspicua pertaesa* (L.B.Prout,1932) (Geometridae) Synonym(s): *pertaesa* L.B.Prout,1932
- 15395) *Chiasmia indeterminata* (W.Warren,1906) (Geometridae) Synonym(s): *indeterminata* W.Warren,1906
- 15396) *Chiasmia infabricata* (L.B.Prout,1934) (Geometridae) Synonym(s): *infabricata* L.B.Prout,1934
- 15397) *Chiasmia infixaria* (Walker,1863) (Geometridae) Synonym(s): *infixaria* Walker,1863; *johnstoni* Butler,1894
- 15398) *Chiasmia inouei* (Herbulot,1987) (Geometridae) Synonym(s): *inouei* Herbulot,1987
- 15399) *Chiasmia inouei inouei* (Herbulot,1987) (Geometridae) Synonym(s): *inouei* Herbulot,1987
- 15400) *Chiasmia inouei ponentis* (Herbulot,1987) (Geometridae) Synonym(s): *ponentis* Herbulot,1987
- 15401) *Chiasmia inquinata* M.Krüger,1999 (Geometridae) Synonym(s): *inquinata* M.Krüger,1999
- 15402) *Chiasmia insulicola* M.Krüger,2001 (Geometridae) Synonym(s): *insulicola* M.Krüger,2001
- 15403) *Chiasmia interrupta* (W.Warren,1897) (Geometridae) Synonym(s): *interrupta* W.Warren,1897.

- 15404) *Chiasmia iringa* M.Krüger,2001 (Geometridae) Synonym(s): *iringa* M.Krüger,2001
- 15405) *Chiasmia kenyae* M.Krüger,2001 (Geometridae) Synonym(s): *kenyae* M.Krüger,2001
- 15406) *Chiasmia khasiana* (Moore,1888) (Geometridae) Synonym(s): *khasiana* Moore,1888; *vehemens* L.B.Prout,1926
- 15407) *Chiasmia kilifi* M.Krüger,2001 (Geometridae) Synonym(s): *kilifi* M.Krüger,2001
- 15408) *Chiasmia kilimanjarensis* (Holland,1892) (Geometridae) Synonym(s): *kilimanjarensis* Holland,1892; *zombina* Butler,1893; *mundipennis* W.Warren,1901; *transvisata* W.Warren,1904; *transvisita* D.S.Fletcher,1958
- 15409) *Chiasmia kirbyi* (Wallengren,1875) (Geometridae) Synonym(s): *kirbyi* Wallengren,1875; *distinguenda* W.Warren,1897
- 15410) *Chiasmia lachriphaga* (Bänziger & D.S.Fletcher,1988) (Geometridae) Synonym(s): *lachriphaga* Bänziger & D.S.Fletcher,1988
- 15411) *Chiasmia lannaensis* (Bänziger & D.S.Fletcher,1988) (Geometridae) Synonym(s): *lannaensis* Bänziger & D.S.Fletcher,1988
- 15412) *Chiasmia latimarginaria* (Rebel,1907) (Geometridae) Synonym(s): *latimarginaria* Rebel,1907
- 15413) *Chiasmia lautusaria* (Swinhoe,1902) (Geometridae) Synonym(s): *lautusaria* Swinhoe,1902
- 15414) *Chiasmia lindemanna* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *lindemanna* D.S.Fletcher,1958
- 15415) *Chiasmia livorosa* (Herbulot,1964) (Geometridae) Synonym(s): *livorosa* Herbulot,1964
- 15416) *Chiasmia maculosa* (W.Warren,1899) (Geometridae) Synonym(s): *maculosa* W.Warren,1899; *tattaria* Swinhoe,1904
- 15417) *Chiasmia majestica* (W.Warren,1901) (Geometridae) Synonym(s): *majestica* W.Warren,1901
- 15418) *Chiasmia majestica majestica* (W.Warren,1901) (Geometridae) Synonym(s): *majestica* W.Warren,1901
- 15419) *Chiasmia majestica tropica* (L.B.Prout,1915) (Geometridae) Synonym(s): *tropica* L.B.Prout,1915
- 15420) *Chiasmia malgassofusca* M.Krüger,2001 (Geometridae) Synonym(s): *malgassofusca* M.Krüger,2001
- 15421) *Chiasmia marmorata* (W.Warren,1897) (Geometridae) Synonym(s): *marmorata* W.Warren,1897
- 15422) *Chiasmia maronga* M.Krüger,2001 (Geometridae) Synonym(s): *maronga* M.Krüger,2001
- 15423) *Chiasmia megalesia* (Viette,1975) (Geometridae) Synonym(s): *megalesia* Viette,1975
- 15424) *Chiasmia melsetter* M.Krüger,2001 (Geometridae) Synonym(s): *melsetter* M.Krüger,2001
- 15425) *Chiasmia monoepela* (L.B.Prout,1934) (Geometridae) Synonym(s): *monoepela* (L.B.Prout,1934)
- 15426) *Chiasmia morogoro* M.Krüger,2001 (Geometridae) Synonym(s): *morogoro* M.Krüger,2001
- 15427) *Chiasmia multistrigata* (W.Warren,1897) (Geometridae) Synonym(s): *multistrigata* W.Warren,1897.
- 15428) *Chiasmia multistrigata liliput* M.Krüger,2001 (Geometridae) Synonym(s): *liliput* M.Krüger,2001
- 15429) *Chiasmia multistrigata multistrigata* (W.Warren,1897) (Geometridae) Synonym(s): *multistrigata* W.Warren,1897
- 15430) *Chiasmia murina* M.Krüger,2001 (Geometridae) Synonym(s): *murina* M.Krüger,2001
- 15431) *Chiasmia nana* (W.Warren,1898) (Geometridae) Synonym(s): *nana* W.Warren,1898; *atriclathrata* Hampson,1909
- 15432) *Chiasmia nana nana* (W.Warren,1898) (Geometridae) Synonym(s): *nana* W.Warren,1898; *atriclathrata* Hampson,1909
- 15433) *Chiasmia natalensis* (W.Warren,1904) (Geometridae) Synonym(s): *natalensis* W.Warren,1904
- 15434) *Chiasmia nebulosa* (West,1929) (Geometridae) Synonym(s): *nebulosa* West,1929
- 15435) *Chiasmia neolivorosa* M.Krüger,2001 (Geometridae) Synonym(s): *neolivorosa* M.Krüger,2001
- 15436) *Chiasmia neonora* (Walker,1861) (Geometridae) Synonym(s): *neonora* Walker,1861
- 15437) *Chiasmia nevilledukei* M.Krüger,2001 (Geometridae) Synonym(s): *nevilledukei* M.Krüger,2001
- 15438) *Chiasmia ngami* M.Krüger,2001 (Geometridae) Synonym(s): *ngami* M.Krüger,2001
- 15439) *Chiasmia nobilitata* (L.B.Prout,1913) (Geometridae) Synonym(s): *nobilitata* L.B.Prout,1913
- 15440) *Chiasmia normata* (Walker,1861) (Geometridae) Synonym(s): *normata* Walker,1861; *exfusaria* Walker,[1863]; *parallelaria* Walker,[1863]; *desiccata* Walker,1866; *malefidaria* Mabille,1880; *congener* W.Warren,1897; *minoa* Strand,1915.
- 15441) *Chiasmia nubilata* (W.Warren,1897) (Geometridae) Synonym(s): *nubilata* W.Warren,1897.
- 15442) *Chiasmia obliquilineata* (W.Warren,1899) (Geometridae) Synonym(s): *obliquilineata* W.Warren,1899
- 15443) *Chiasmia observata* (Walker,1861) (Geometridae) Synonym(s): *observata* Walker,1861
- 15444) *Chiasmia octolinearia* (Swinhoe,1894) (Geometridae) Synonym(s): *octolinearia* Swinhoe,1894
- 15445) *Chiasmia olindaria* (Swinhoe,1904) (Geometridae) Synonym(s): *olindaria* Swinhoe,1904
- 15446) *Chiasmia orientalis* M.Krüger,2001 (Geometridae) Synonym(s): *orientalis* M.Krüger,2001
- 15447) *Chiasmia orthostates* (L.B.Prout,1915) (Geometridae) Synonym(s): *orthostates* L.B.Prout,1915
- 15448) *Chiasmia oxa* (West,1929) (Geometridae) Synonym(s): *oxa* West,1929
- 15449) *Chiasmia ozaria* (Walker,1860) (Geometridae) Synonym(s): *ozaria* Walker,1860; *indica* Butler,1880
- 15450) *Chiasmia ozaria ozaria* (Walker,1860) (Geometridae) Synonym(s): *ozaria* Walker,1860; *indica* Butler,1880
- 15451) *Chiasmia ozaria perspicuaria* (Moore,1868) (Geometridae) Synonym(s): *perspicuaria* Moore,1868
- 15452) *Chiasmia ozaria pleres* (L.B.Prout,1935) (Geometridae) Synonym(s): *pleres* L.B.Prout,1935
- 15453) *Chiasmia parallacta* (W.Warren,1897) (Geometridae) Synonym(s): *parallacta* W.Warren,1897; *apicepallens* W.Warren,1905; *stramineata* Bastelberger,1909
- 15454) *Chiasmia paucimacula* M.Krüger,2001 (Geometridae) Synonym(s): *paucimacula* M.Krüger,2001
- 15455) *Chiasmia peremarginata* M.Krüger,2001 (Geometridae) Synonym(s): *peremarginata* M.Krüger,2001
- 15456) *Chiasmia perfumata* (Bastelberger,1907) (Geometridae) Synonym(s): *perfumata* Bastelberger,1907
- 15457) *Chiasmia pervittata* (Hampson,1909) (Geometridae) Synonym(s): *pervittata* Hampson,1909
- 15458) *Chiasmia phaeostigma* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *phaeostigma* D.S.Fletcher,1958
- 15459) *Chiasmia pinheyi* M.Krüger,2001 (Geometridae) Synonym(s): *pinheyi* M.Krüger,2001
- 15460) *Chiasmia plutocrypsis* (Herbulot,1987) (Geometridae) Synonym(s): *plutocrypsis* Herbulot,1987
- 15461) *Chiasmia pluviata* (Fabricius,1798) (Geometridae) Synonym(s): *pluviata* Fabricius,1798; *sufflata* Guenée,[1858]; *breviusculata* Walker,[1863]; *diplotata* R.Felder & Rogenhofer,1875; *horridaria* Moore,1888
- 15462) *Chiasmia pluviata fuscomarginata* (W.Warren,1888) (Geometridae) Synonym(s): *fuscomarginata* W.Warren,1888
- 15463) *Chiasmia procidata* (Guenée,[1858]) (Geometridae) Synonym(s): *procidata* Guenée,[1858]
- 15464) *Chiasmia procidata fumida* (Wiltshire,1980) (Geometridae) Synonym(s): *fumida* Wiltshire,1980
- 15465) *Chiasmia procidata procidata* (Guenée,[1858]) (Geometridae) Synonym(s): *procidata* Guenée,[1858]
- 15466) *Chiasmia procidata semispurcata* (Walker,[1863]) (Geometridae) Synonym(s): *semispurcata* Walker,[1863]
- 15467) *Chiasmia puerilis* (L.B.Prout,1916) (Geometridae) Synonym(s): *puerilis* L.B.Prout,1916
- 15468) *Chiasmia pumila* (Kuznetsov,1929) (Geometridae) Synonym(s): *pumila* Kuznetsov,1929
- 15469) *Chiasmia punctilinea* (L.B.Prout,1917) (Geometridae) Synonym(s): *punctilinea* L.B.Prout,1917
- 15470) *Chiasmia quadraria* (Moore,[1887]) (Geometridae) Synonym(s): *quadraria* Moore,[1887]
- 15471) *Chiasmia rectilinea conjugata* (Herbulot,1966) (Geometridae) Synonym(s): *conjugata* Herbulot,1966
- 15472) *Chiasmia rectilinea* (W.Warren,1905) (Geometridae) Synonym(s): *separata* W.Warren,1899 (praeocc.); *rectilinea* W.Warren,1905.
- 15473) *Chiasmia rectilinea rectilinea* (W.Warren,1905) (Geometridae) Synonym(s): *separata* W.Warren,1899 (praeocc.); *rectilinea* W.Warren,1905.
- 15474) *Chiasmia rectistriaria* (Herrich-Schäffer,1854) (Geometridae) Synonym(s): *rectistriaria* Herrich-Schäffer,1854; *monstraria* Walker,1861; *postvittata* Walker,[1863].
- 15475) *Chiasmia rhabdophora* (Holland,1892) (Geometridae) Synonym(s): *rhabdophora* Holland,1892; *interlineata* W.Warren,1904
- 15476) *Chiasmia rufifascia* (W.Warren,1896) (Geometridae) Synonym(s): *rufifascia* W.Warren,1896
- 15477) *Chiasmia saburraria* (Eversmann,1851) (Geometridae) Synonym(s): *saburraria* Eversmann,1851; *biparata* Lederer,1853; *intermaculata* Staudinger,1897
- 15478) *Chiasmia sanguersara* M.Krüger,2001 (Geometridae) Synonym(s): *sanguersara* M.Krüger,2001
- 15479) *Chiasmia semialbida* (L.B.Prout,1915) (Geometridae) Synonym(s): *semialbida* L.B.Prout,1915
- 15480) *Chiasmia semicolor* (W.Warren,1899) (Geometridae) Synonym(s): *semicolor* W.Warren,1899
- 15481) *Chiasmia semiolivacea* M.Krüger,2001 (Geometridae) Synonym(s): *semiolivacea* M.Krüger,2001
- 15482) *Chiasmia semitecta* (Walker,1861) (Geometridae) Synonym(s): *semitecta* Walker,1861; *gnophosata* Walker,[1863])
- 15483) *Chiasmia senegambiensis* M.Krüger,2001 (Geometridae) Synonym(s): *senegambiensis* M.Krüger,2001
- 15484) *Chiasmia simplex* M.Krüger,2001 (Geometridae) Synonym(s): *simplex* M.Krüger,2001
- 15485) *Chiasmia simplicilinea* (W.Warren,1905) (Geometridae) Synonym(s): *simplicilinea* W.Warren,1905.
- 15486) *Chiasmia simplicilinea pagenstecheri* (Herbulot,1978) (Geometridae) Synonym(s): *pagenstecheri* Herbulot,1978
- 15487) *Chiasmia somalica* M.Krüger,2001 (Geometridae) Synonym(s): *somalica* M.Krüger,2001
- 15488) *Chiasmia sordidula* (Bastelberger,1909) (Geometridae) Synonym(s): *sordidula* Bastelberger,1909
- 15489) *Chiasmia soror* M.Krüger,2001 (Geometridae) Synonym(s): *soror* M.Krüger,2001
- 15490) *Chiasmia sororcula* (W.Warren,1897) (Geometridae) Synonym(s): *sororcula* W.Warren,1897; *unicolor* W.Warren,1905.

- 15491) *Chiasmia streniata* (Guenée,[1858]) (Geometridae) Synonym(s): *streniata* Guenée,[1858]; *amandata* Walker,1861; *lunivallata* W.Warren,1905
- 15492) *Chiasmia streniata arata* (Saalmüller,1891) (Geometridae) Synonym(s): *arata* Saalmüller,1891
- 15493) *Chiasmia streniata streniata* (Guenée,[1858]) (Geometridae) Synonym(s): *streniata* Guenée,[1858]; *amandata* Walker,1861; *lunivallata* W.Warren,1905
- 15494) *Chiasmia subcretata* (W.Warren,1905) (Geometridae) Synonym(s): *subcretata* W.Warren,1905; *nigricans* Aurivillius,1925
- 15495) *Chiasmia subcurvaria* (Mabille,1898) (Geometridae) Synonym(s): *subcurvaria* Mabille,1898
- 15496) *Chiasmia subcurvaria araps* (L.B.Prout,1926) (Geometridae) Synonym(s): *araps* L.B.Prout,1926
- 15497) *Chiasmia subcurvaria subcurvaria* (Mabille,1898) (Geometridae) Synonym(s): *subcurvaria* Mabille,1898
- 15498) *Chiasmia subvaria* (Bastelberger,1907) (Geometridae) Synonym(s): *subvaria* Bastelberger,1907; *cretiguttata* Bastelberger,1909
- 15499) *Chiasmia sudanata* (W.Warren & Rothschild,1905) (Geometridae) Synonym(s): *sudanata* W.Warren & Rothschild,1905
- 15500) *Chiasmia sufflata* (Guenée,[1858]) (Geometridae) Synonym(s): *sufflata* Guenée,[1858]
- 15501) *Chiasmia suriens* (Strand,1912) (Geometridae) Synonym(s): *suriens* Strand,1912
- 15502) *Chiasmia suthepensis* (Bänziger & D.S.Fletcher,1988) (Geometridae) Synonym(s): *suthepensis* Bänziger & D.S.Fletcher,1988
- 15503) *Chiasmia tecnum* (L.B.Prout,1916) (Geometridae) Synonym(s): *tecnum* L.B.Prout,1916; *ignava* L.B.Prout,1928
- 15504) *Chiasmia threnopsis* (D.S.Fletcher,1963) (Geometridae) Synonym(s): *threnopsis* D.S.Fletcher,1963
- 15505) *Chiasmia triangulata* (Hampson,1891) (Geometridae) Synonym(s): *triangulata* Hampson,1891; *psammodes* Bastelberger,1907; *apatetica* Tams,1924
- 15506) *Chiasmia trigonoleuca* (Herbulot,1987) (Geometridae) Synonym(s): *trigonoleuca* Herbulot,1987
- 15507) *Chiasmia trilinearia* (Moore,1888) (Geometridae) Synonym(s): *trilinearia* Moore,1888
- 15508) *Chiasmia trinitota* (W.Warren,1902) (Geometridae) Synonym(s): *trinitota* W.Warren,1902
- 15509) *Chiasmia trinitatula* M.Krüger,2001 (Geometridae) Synonym(s): *trinitatula* M.Krüger,2001
- 15510) *Chiasmia trirecurva* (Saalmüller,1891) (Geometridae) Synonym(s): *trirecurva* Saalmüller,1891
- 15511) *Chiasmia tristis* M.Krüger,2001 (Geometridae) Synonym(s): *tristis* M.Krüger,2001
- 15512) *Chiasmia triumbrata* (W.Warren,1897) (Geometridae) Synonym(s): *triumbrata* W.Warren,1897
- 15513) *Chiasmia trizonaria* (Hampson,1909) (Geometridae) Synonym(s): *trizonaria* Hampson,1909; *converta* L.B.Prout,1913
- 15514) *Chiasmia turbulentata* (Guenée,[1858]) (Geometridae) Synonym(s): *turbulentata* Guenée,[1858]; *exumbrata* Walker,[1863]; *eritreensis* L.B.Prout,1915.
- 15515) *Chiasmia umbrata* (W.Warren,1897) (Geometridae) Synonym(s): *umbrata* W.Warren,1897; *sherrata* Swinhoe,1904
- 15516) *Chiasmia umbrata juvenilis* (Herbulot,1964) (Geometridae) Synonym(s): *juvenilis* Herbulot,1964
- 15517) *Chiasmia umbrata umbrata* (W.Warren,1897) (Geometridae) Synonym(s): *umbrata* W.Warren,1897; *sherrata* Swinhoe,1904
- 15518) *Chiasmia umbratilis* (Butler,1875) (Geometridae) Synonym(s): *umbratilis* Butler,1875; *arhoparia* Swinhoe,1904; *berengaria* Fawcett,1916; *novaria* Fawcett,1916
- 15519) *Chiasmia unifilata* (W.Warren,1899) (Geometridae) Synonym(s): *unifilata* W.Warren,1899
- 15520) *Chiasmia uniformis* M.Krüger,2001 (Geometridae) Synonym(s): *uniformis* M.Krüger,2001
- 15521) *Chiasmia unigeminata* (L.B.Prout,1923) (Geometridae) Synonym(s): *unigeminata* L.B.Prout,1923
- 15522) *Chiasmia vau* (L.B.Prout,1913) (Geometridae) Synonym(s): *vau* L.B.Prout,1913
- 15523) *Chiasmia warreni* (L.B.Prout,1915) (Geometridae) Synonym(s): *warreni* L.B.Prout,1915
- 15524) *Chiasmia yunnana* (Wehrli,1932) (Geometridae) Synonym(s): *yunnana* Wehrli,1932
- 15525) *Chiasmia zelota* (L.B.Prout,1922) (Geometridae) Synonym(s): *zelota* L.B.Prout,1922
- 15526) *Chiasmia zobrysi* M.Krüger,2001 (Geometridae) Synonym(s): *zobrysi* M.Krüger,2001
- 15527) *Chiasmiodes variolinea* W.Warren,1896 (Geometridae) Synonym(s): *variolinea* W.Warren,1896
- 15528) *Chionopora tarachodes* L.B.Prout,1922 (Geometridae) Synonym(s): *tarachodes* L.B.Prout,1922
- 15529) *Chloeres boisensis* Holloway,1979 (Geometridae) Synonym(s): *boisensis* Holloway,1979
- 15530) *Chlorerythra rubriplaga* W.Warren,1895 (Geometridae) Synonym(s): *rubriplaga* W.Warren,1895
- 15531) *Chlorerythra rubriplaga rubriplaga* W.Warren,1895 (Geometridae) Synonym(s): *rubriplaga* W.Warren,1895
- 15532) *Chlorissa afflictaria* (Swinhoe,1904) (Geometridae) Synonym(s): *afflictaria* Swinhoe,1904
- 15533) *Chlorissa albifasciata* Pajni & Walia,1984 (Geometridae) Synonym(s): *albifasciata* Pajni & Walia,1984
- 15534) *Chlorissa albigstrigulata* (W.Warren,1897) (Geometridae) Synonym(s): *albistrigulata* W.Warren,1897
- 15535) *Chlorissa allochroma* L.B.Prout,1920 (Geometridae) Synonym(s): *allochroma* L.B.Prout,1920
- 15536) *Chlorissa amphitritaria* (Oberthür,1879) (Geometridae) Synonym(s): *amphitritaria* Oberthür,1879; *mali* Matsumura,1917
- 15537) *Chlorissa anadema* L.B.Prout,1930 (Geometridae) Synonym(s): *anadema* L.B.Prout,1930; *tyro* L.B.Prout,1935
- 15538) *Chlorissa annobonica* Herbulot,1958 (Geometridae) Synonym(s): *annobonica* Herbulot,1958
- 15539) *Chlorissa apheles* L.B.Prout,1933 (Geometridae) Synonym(s): *apheles* L.B.Prout,1933
- 15540) *Chlorissa apographa* L.B.Prout,1930 (Geometridae) Synonym(s): *apographa* L.B.Prout,1930
- 15541) *Chlorissa arcana* Yazaki,1993 (Geometridae) Synonym(s): *arcana* Yazaki,1993
- 15542) *Chlorissa arkitensis* Viidalepp,1986 (Geometridae) Synonym(s): *arkitensis* Viidalepp,1986
- 15543) *Chlorissa artulicornis* (L.B.Prout,1916) (Geometridae) Synonym(s): *artulicornis* L.B.Prout,1916
- 15544) *Chlorissa asphaleia* Wiltshire,1966 (Geometridae) Synonym(s): *asphaleia* Wiltshire,1966; *esphaleia* Scoble,1999 [this incorrect spelling name was used by Scoble (1999: 139) as a valid name, as if it were a true species in the world].
- 15545) *Chlorissa attenuata* (Walker,[1863]) (Geometridae) Synonym(s): *attenuata* Walker,[1863]; *reductata* Walker,1866
- 15546) *Chlorissa cloraria* (Hübner,[1813]) (Geometridae) Synonym(s): *cloraria* Hübner,[1813]; *porrinata* Zeller,1848; *porrinaria* Heydenreich,1851.
- 15547) *Chlorissa confusaria* (Staudinger,1892) (Geometridae) Synonym(s): *confusaria* Staudinger,1892
- 15548) *Chlorissa decipiens* (W.Warren,1909) (Geometridae) Synonym(s): *decipiens* W.Warren,1909
- 15549) *Chlorissa dialeuca* L.B.Prout,1930 (Geometridae) Synonym(s): *dialeuca* L.B.Prout,1930
- 15550) *Chlorissa distinctaria* (Walker,1866) (Geometridae) Synonym(s): *distinctaria* Walker,1866; *rubrifrons* W.Warren,1894
- 15551) *Chlorissa distinctaria distinctaria* (Walker,1866) (Geometridae) Synonym(s): *distinctaria* Walker,1866; *rubrifrons* W.Warren,1894
- 15552) *Chlorissa distinctaria laeta* (L.B.Prout,1917) (Geometridae) Synonym(s): *laeta* L.B.Prout,1917
- 15553) *Chlorissa dorsicristata* (W.Warren,1905) (Geometridae) Synonym(s): *dorsicristata* W.Warren,1905
- 15554) *Chlorissa dorsicristata cremnobates* L.B.Prout,1930 (Geometridae) Synonym(s): *cremnobates* L.B.Prout,1930
- 15555) *Chlorissa dorsicristata dorsicristata* (W.Warren,1905) (Geometridae) Synonym(s): *dorsicristata* W.Warren,1905
- 15556) *Chlorissa gelida* (Butler,1889) (Geometridae) Synonym(s): *gelida* Butler,1889; *anomala* W.Warren,1896
- 15557) *Chlorissa gelida exsolata* (L.B.Prout,1935) (Geometridae) Synonym(s): *exsolata* L.B.Prout,1935
- 15558) *Chlorissa gelida gelida* (Butler,1889) (Geometridae) Synonym(s): *gelida* Butler,1889; *anomala* W.Warren,1896
- 15559) *Chlorissa hyperymna* L.B.Prout,1933 (Geometridae) Synonym(s): *hyperymna* L.B.Prout,1933
- 15560) *Chlorissa inornata* L.B.Prout,1930 (Geometridae) Synonym(s): *inornata* L.B.Prout,1930
- 15561) *Chlorissa macrotyro* Inoue,1954 (Geometridae) Synonym(s): *macrotyro* Inoue,1954
- 15562) *Chlorissa malescripta* (W.Warren,1897) (Geometridae) Synonym(s): *malescripta* W.Warren,1897
- 15563) *Chlorissa nigropunctata* (W.Warren,1893) (Geometridae) Synonym(s): *nigropunctata* W.Warren,1893
- 15564) *Chlorissa oblitterata* (Walker,1863) (Geometridae) Synonym(s): *oblitterata* Walker,1863
- 15565) *Chlorissa prasina* Yazaki,1995 (Geometridae) Synonym(s): *prasina* Yazaki,1995
- 15566) *Chlorissa pretiosaria* Staudinger,1877 (Geometridae) Synonym(s): *pretiosaria* Staudinger,1877
- 15567) *Chlorissa pretiosaria gigantaria* Staudinger,1892 (Geometridae) Synonym(s): *gigantaria* Staudinger,1892
- 15568) *Chlorissa pretiosaria pretiosaria* Staudinger,1877 (Geometridae) Synonym(s): *pretiosaria* Staudinger,1877
- 15569) *Chlorissa prouti* (Rothschild,1920) (Geometridae) Synonym(s): *prouti* Rothschild,1920
- 15570) *Chlorissa punctifimbria* (W.Warren,1896) (Geometridae) Synonym(s): *punctifimbria* W.Warren,1896
- 15571) *Chlorissa rubripicta* (W.Warren,1893) (Geometridae) Synonym(s): *rubripicta* W.Warren,1893
- 15572) *Chlorissa ruficristata* (L.B.Prout,1916) (Geometridae) Synonym(s): *ruficristata* L.B.Prout,1916
- 15573) *Chlorissa sachaliensis* (Matsumura,1925) (Geometridae) Synonym(s): *sachaliensis* Matsumura,1925
- 15574) *Chlorissa talvei* Viidalepp,1988 (Geometridae) Synonym(s): *talvei* Viidalepp,1988
- 15575) *Chlorissa tanyptera* L.B.Prout,1930 (Geometridae) Synonym(s): *tanyptera* L.B.Prout,1930
- 15576) *Chlorissa unilinea* (W.Warren,1897) (Geometridae) Synonym(s): *unilinea* W.Warren,1897
- 15577) *Chlorissa unilinearia* (Leech,1897) (Geometridae) Synonym(s): *unilinearia* Leech,1897
- 15578) *Chlorissa viridata* (Linnaeus,1758) (Geometridae) Synonym(s): *viridata* Linnaeus,1758; *volutata* Fabricius,1775; *sirene* Villers,1789
- 15579) *Chlorissa viridata insignata* (Staudinger,1901) (Geometridae) Synonym(s): *insignata* Staudinger,1901
- 15580) *Chlorissa viridata melinaria* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *melinaria* Herrich-Schäffer,1852

- 15581) *Chlorissa viridescens* Motschulsky, 1861 (Geometridae) Synonym(s): *viridescens* Motschulsky, 1861
 15582) *Chloristola setosa* Holloway, 1996 (Geometridae) Synonym(s): *setosa* Holloway, 1996
 15583) *Chloroclysta cinereata* (Moore, 1868) (Geometridae) Synonym(s): *cinereata* Moore, 1868
 15584) *Chloroclysta cinereata cesa* (Koçak & Kemal, 2001) (Geometridae) Synonym(s): *japonica* Heydemann, 1929 nec Hori, 1926; *cesa* Koçak & Kemal, 2001.
 15585) *Chloroclysta citrata* (Linnaeus, 1761) (Geometridae) Synonym(s): *citrata* Linnaeus, 1761; *variata* Thunberg, 1784 nec [Denis & Schiff.], 1775; *marmorata* Fabricius, 1794; *strigulata* Fabricius, 1794; *immanata* Haworth, 1809; *amoenata* Stephens, 1831; *immanaria* Doubleday, 1849; *acutata* Guenée, 1858; *pythonissata* Millière, 1872
 15586) *Chloroclysta concinnata* (Stephens, 1831) (Geometridae) Synonym(s): *concinnata* Stephens, 1831
 15587) *Chloroclysta infusca* (Tengström, 1869) (Geometridae) Synonym(s): *infusca* Tengström, 1869
 15588) *Chloroclysta latefasciata* (L.B. Prout, 1914) (Geometridae) Synonym(s): *latefasciata* L.B. Prout, 1914
 15589) *Chloroclysta miata* (Linnaeus, 1758) (Geometridae) Synonym(s): *miata* Linnaeus, 1758; *miaria* [Denis & Schiffermüller], 1775; *viridifasciaria* Goeze, 1781; *virgata* Fourcroy, 1785 nec Hufn., 1767; *coraciata* Hübner, [1799]; *viridulata* Zetterstedt, 1839; *coraciaria* La Harpe, 1853
 15590) *Chloroclysta pseudimmanata* Heydemann, 1929 (Geometridae) Synonym(s): *pseudimmanata* Heydemann, 1929
 15591) *Chloroclysta siterata* (Hufnagel, 1767) (Geometridae) Synonym(s): *siterata* Hufnagel, 1767; *psittacata* [Denis & Schiffermüller], 1775; *rubroviridata* Donovan, 1810; *psittacaria* Boisduval, 1840
 15592) *Chloroclysta truncata* (Hufnagel, 1767) (Geometridae) Synonym(s): *truncata* Hufnagel, 1767; *centumnotata* Schulze, 1775; *russata* [Denis & Schiffermüller], 1775; *perfusca* Haworth, 1809; *commantata* Haworth, 1809; *saturata* Stephens, 1831; *russaria* Boisduval, 1840; *perfuscaria* La Harpe, 1853
 15593) *Chloroclystis callinda* Holloway, 1979 (Geometridae) Synonym(s): *callinda* Holloway, 1979
 15594) *Chloroclystis lunifera* Holloway, 1979 (Geometridae) Synonym(s): *lunifera* Holloway, 1979
 15595) *Chloroclystis macroaedeagus* Holloway, 1979 (Geometridae) Synonym(s): *macroaedeagus* Holloway, 1979
 15596) *Chloroclystis pyrsodonta* Turner, 1922 (Geometridae) Synonym(s): *pyrsodonta* Turner, 1922
 15597) *Chloroclystis scintillata* L.B. Prout (Geometridae) Synonym(s):
 15598) *Chloroclystis v-ata* (Haworth, 1809) (Geometridae) Synonym(s): *v-ata* Haworth, 1809; *coronata* Hübner, [1813]; *coronaria* Doubleday, 1849
 15599) *Chlorocoma clopia* L.B. Prout, 1922 (Geometridae) Synonym(s): *clopia* L.B. Prout, 1922
 15600) *Chlorocoma didita* (Walker, 1861) (Geometridae) Synonym(s): *didita* Walker, 1861; *chloe* Thierry-Mieg, 1915
 15601) *Chlorocoma dilatata* (Walker, 1861) (Geometridae) Synonym(s): *dilatata* Walker, 1861
 15602) *Chlorocoma eucela* L.B. Prout, 1922 (Geometridae) Synonym(s): *eucela* L.B. Prout, 1922
 15603) *Chlorocoma octoplagiata* Holloway, 1979 (Geometridae) Synonym(s): *octoplagiata* Holloway, 1979
 15604) *Chloroctenis conspersa* W. Warren, 1909 (Geometridae) Synonym(s): *conspersa* W. Warren, 1909
 15605) *Chloroglyphica devocisi* (Herbulot, 1992) (Geometridae) Synonym(s): *devocisi* Herbulot, 1992
 15606) *Chloroglyphica variegata* (Butler, 1889) (Geometridae) Synonym(s): *variegata* Butler, 1889
 15607) *Chloroglyphica xeromeris* (L.B. Prout, 1932) (Geometridae) Synonym(s): *xeromeris* L.B. Prout, 1932
 15608) *Chloromianta ferruginata* W. Warren, 1896 (Geometridae) Synonym(s): *ferruginata* W. Warren, 1896
 15609) *Chloromianta mianta* (West, 1930) (Geometridae) Synonym(s): *mianta* West, 1930
 15610) *Chloromma mimica* W. Warren, 1896 (Geometridae) Synonym(s): *mimica* W. Warren, 1896
 15611) *Chlorosterrha dichroma* (R. Felder & Rogenhofer, 1875) (Geometridae) Synonym(s): *dichroma* R. Felder & Rogenhofer, 1875; *albaniensis* L.B. Prout, 1912
 15612) *Chlorosterrha monochroma* L.B. Prout, 1912 (Geometridae) Synonym(s): *monochroma* L.B. Prout, 1912
 15613) *Chlorozancla falcatus* (Hampson, 1895) (Geometridae) Synonym(s): *falcatus* Hampson, 1895
 15614) *Chondrosoma fiduciaria* Anker, 1854 (Geometridae) Synonym(s): *fiduciaria* Anker, 1854
 15615) *Chorodna adumbrata* Moore, 1888 (Geometridae) Synonym(s): *adumbrata* Moore, 1888
 15616) *Chorodna anespia* (Wehrli, 1941) (Geometridae) Synonym(s): *anespia* Wehrli, 1941
 15617) *Chorodna characta* (Wehrli, 1941) (Geometridae) Synonym(s): *characta* Wehrli, 1941
 15618) *Chorodna complicataria* (Walker, 1860) (Geometridae) Synonym(s): *complicataria* Walker, 1860
 15619) *Chorodna creataria* (Guenée, [1858]) (Geometridae) Synonym(s): *creataria* Guenée, [1858]
 15620) *Chorodna erebusaria* Walker, 1860 (Geometridae) Synonym(s): *erebusaria* Walker, 1860
 15621) *Chorodna gleba* (Swinhoe, 1886) (Geometridae) Synonym(s): *gleba* Swinhoe, 1886
 15622) *Chorodna lasiochora* (L.B. Prout, 1927) (Geometridae) Synonym(s): *lasiochora* L.B. Prout, 1927
 15623) *Chorodna lignyodes* (Wehrli, 1941) (Geometridae) Synonym(s): *lignyodes* Wehrli, 1941
 15624) *Chorodna livida* (W. Warren, 1893) (Geometridae) Synonym(s): *livida* W. Warren, 1893
 15625) *Chorodna mauraria* (Guenée, [1858]) (Geometridae) Synonym(s): *mauraria* Guenée, [1858]
 15626) *Chorodna metaphaearia* (Walker, [1863]) (Geometridae) Synonym(s): *metaphaearia* Walker, [1863]; *semiclusaria* Walker, [1863]; *praetextaria* R. Felder & Rogenhofer, 1875
 15627) *Chorodna mindanensis* Sato, 1996 (Geometridae) Synonym(s): *mindanensis* Sato, 1996
 15628) *Chorodna oblitterata* (Moore, 1868) (Geometridae) Synonym(s): *oblitterata* Moore, 1868
 15629) *Chorodna pallidularia* Moore, 1868 (Geometridae) Synonym(s): *pallidularia* Moore, 1868
 15630) *Chorodna pallidularia celaenosticta* L.B. Prout, 1928 (Geometridae) Synonym(s): *celaenosticta* L.B. Prout, 1928
 15631) *Chorodna pallidularia pallidularia* Moore, 1868 (Geometridae) Synonym(s): *pallidularia* Moore, 1868
 15632) *Chorodna pulverulenta* (Hampson, 1895) (Geometridae) Synonym(s): *pulverulenta* Hampson, 1895
 15633) *Chorodna quadrinotata* (W. Warren, 1893) (Geometridae) Synonym(s): *quadrinotata* W. Warren, 1893
 15634) *Chorodna reticulata* (Hampson, 1895) (Geometridae) Synonym(s): *reticulata* Hampson, 1895; *intricata* W. Warren, 1896
 15635) *Chorodna scurobolima* Holloway, [1994] (Geometridae) Synonym(s): *scurobolima* Holloway, [1994]
 15636) *Chorodna sikkima* (Moore, 1888) (Geometridae) Synonym(s): *sikkima* Moore, 1888
 15637) *Chorodna strixaria* (Guenée, [1858]) (Geometridae) Synonym(s): *strixaria* Guenée, [1858]; *celebensis* L.B. Prout, 1928
 15638) *Chorodna tephrosiaria* (W. Warren, 1896) (Geometridae) Synonym(s): *tephrosiaria* W. Warren, 1896
 15639) *Chorodna testaceata* (Moore, 1868) (Geometridae) Synonym(s): *testaceata* Moore, 1868
 15640) *Chorodna vagans* (Moore, 1888) (Geometridae) Synonym(s): *vagans* Moore, 1888; *interlata* W. Warren, 1894
 15641) *Chorodna vulpinaria* Moore, 1868 (Geometridae) Synonym(s): *vulpinaria* Moore, 1868
 15642) *Chrioloba andrewesi* L.B. Prout, 1958 (Geometridae) Synonym(s): *andrewesi* L.B. Prout, 1958
 15643) *Chrioloba apicata* (L.B. Prout, 1914) (Geometridae) Synonym(s): *apicata* L.B. Prout, 1914
 15644) *Chrioloba bifasciata* (Hampson, 1891) (Geometridae) Synonym(s): *bifasciata* Hampson, 1891
 15645) *Chrioloba cinerea* (Butler, 1880) (Geometridae) Synonym(s): *cinerea* Butler, 1880
 15646) *Chrioloba costimacula* (Wileman & South, 1917) (Geometridae) Synonym(s): *costimacula* Wileman & South, 1917
 15647) *Chrioloba erubescens* (Wehrli, 1924) (Geometridae) Synonym(s): *erubescens* Wehrli, 1924
 15648) *Chrioloba etaina* (Swinhoe, 1900) (Geometridae) Synonym(s): *etaina* Swinhoe, 1900
 15649) *Chrioloba inobtrusa* (Wileman & South, 1917) (Geometridae) Synonym(s): *inobtrusa* Wileman & South, 1917
 15650) *Chrioloba olivaria* (Swinhoe, 1897) (Geometridae) Synonym(s): *olivaria* Swinhoe, 1897
 15651) *Chrioloba olivescens* (Hampson, 1902) (Geometridae) Synonym(s): *olivescens* Hampson, 1902
 15652) *Chrioloba togulata* (L.B. Prout, 1926) (Geometridae) Synonym(s): *togulata* L.B. Prout, 1926
 15653) *Chrioloba trinotata* (W. Warren, 1893) (Geometridae) Synonym(s): *trinotata* W. Warren, 1893
 15654) *Chrysoblephara chrysoteucta* (L.B. Prout, 1926) (Geometridae) Synonym(s): *chrysoteucta* L.B. Prout, 1926
 15655) *Chrysoclystis morbosa* L.B. Prout, 1916 (Geometridae) Synonym(s): *morbosa* L.B. Prout, 1916
 15656) *Chrysoclystis perornata* W. Warren, 1896 (Geometridae) Synonym(s): *perornata* W. Warren, 1896
 15657) *Chrysocraspeda abdominalis* Herbulot, 1984 (Geometridae) Synonym(s): *abdominalis* Herbulot, 1984
 15658) *Chrysocraspeda abhadraca* (Walker, 1861) (Geometridae) Synonym(s): *abhadraca* Walker, 1861
 15659) *Chrysocraspeda albidisca* (W. Warren, 1907) (Geometridae) Synonym(s): *albidisca* W. Warren, 1907
 15660) *Chrysocraspeda altegradia* L.B. Prout, 1931 (Geometridae) Synonym(s): *altegradia* L.B. Prout, 1931
 15661) *Chrysocraspeda ambolusy* (Viette, 1978) (Geometridae) Synonym(s): *ambolusy* Viette, 1978
 15662) *Chrysocraspeda ambrensis* (Viette, 1970) (Geometridae) Synonym(s): *ambrensis* Viette, 1970
 15663) *Chrysocraspeda anala* (Viette, 1970) (Geometridae) Synonym(s): *anala* Viette, 1970
 15664) *Chrysocraspeda analiplaga* W. Warren, 1907 (Geometridae) Synonym(s): *analiplaga* W. Warren, 1907
 15665) *Chrysocraspeda anamale* (Viette, 1970) (Geometridae) Synonym(s): *anamale* Viette, 1970

- 15666) *Chrysocraspeda angulosa* (Herbulot,1970) (Geometridae) Synonym(s): *angulosa* Herbulot,1970
 15667) *Chrysocraspeda anisocosma* (L.B.Prout,1918) (Geometridae) Synonym(s): *anisocosma* L.B.Prout,1918
 15668) *Chrysocraspeda apseogramma* (L.B.Prout,1932) (Geometridae) Synonym(s): *apseogramma* L.B.Prout,1932
 15669) *Chrysocraspeda argentimacula* Holloway,1997 (Geometridae) Synonym(s): *argentimacula* Holloway,1997
 15670) *Chrysocraspeda aurantibasis* (Herbulot,1970) (Geometridae) Synonym(s): *aurantibasis* Herbulot,1970
 15671) *Chrysocraspeda aurimargo* W.Warren,1897 (Geometridae) Synonym(s): *aurimargo* W.Warren,1897; *inundata* W.Warren,1898
 15672) *Chrysocraspeda autarces* L.B.Prout,1938 (Geometridae) Synonym(s): *autarces* L.B.Prout,1938
 15673) *Chrysocraspeda baderi* Herbulot,1987 (Geometridae) Synonym(s): *baderi* Herbulot,1987
 15674) *Chrysocraspeda cambogiodes* L.B.Prout,1916 (Geometridae) Synonym(s): *cambogiodes* L.B.Prout,1916
 15675) *Chrysocraspeda charites* Oberthür,1916 (Geometridae) Synonym(s): *charites* Oberthür,1916
 15676) *Chrysocraspeda comptaria* Swinhoe,1902 (Geometridae) Synonym(s): *comptaria* Swinhoe,1902.
 15677) *Chrysocraspeda comptaria* Swinhoe,1902 (Geometridae) Synonym(s): *comptaria* Swinhoe,1902.
 15678) *Chrysocraspeda comptaria pulverimargo* L.B.Prout,1917 (Geometridae) Synonym(s): *pulverimargo* L.B.Prout,1917
 15679) *Chrysocraspeda conspicuaria* Swinhoe,1905 (Geometridae) Synonym(s): *conspicuaria* Swinhoe,1905
 15680) *Chrysocraspeda convergens* Holloway,1997 (Geometridae) Synonym(s): *convergens* Holloway,1997
 15681) *Chrysocraspeda conversata* (Walker,1861) (Geometridae) Synonym(s): *conversata* Walker,1861
 15682) *Chrysocraspeda croceomarginata* W.Warren,1896 (Geometridae) Synonym(s): *croceomarginata* W.Warren,1896
 15683) *Chrysocraspeda crypsaurea* Bastelberger,1908 (Geometridae) Synonym(s): *crypsaurea* Bastelberger,1908
 15684) *Chrysocraspeda dargei* (Herbulot,1978) (Geometridae) Synonym(s): *dargei* Herbulot,1978
 15685) *Chrysocraspeda deltalutea* Holloway,1997 (Geometridae) Synonym(s): *deltalutea* Holloway,1997
 15686) *Chrysocraspeda dilucida* W.Warren,1897 (Geometridae) Synonym(s): *dilucida* W.Warren,1897
 15687) *Chrysocraspeda dipyrāmida* (L.B.Prout,1918) (Geometridae) Synonym(s): *dipyrāmida* L.B.Prout,1918
 15688) *Chrysocraspeda dischista* (L.B.Prout,1938) (Geometridae) Synonym(s): *dischista* L.B.Prout,1938
 15689) *Chrysocraspeda dollmani* (L.B.Prout,1932) (Geometridae) Synonym(s): *dollmani* L.B.Prout,1932
 15690) *Chrysocraspeda draconτίας* (Meyrick,1897) (Geometridae) Synonym(s): *draconτίας* Meyrick,1897
 15691) *Chrysocraspeda dramaturgis* Holloway,1997 (Geometridae) Synonym(s): *dramaturgis* Holloway,1997
 15692) *Chrysocraspeda dysmothauma* L.B.Prout,1932 (Geometridae) Synonym(s): *dysmothauma* L.B.Prout,1932
 15693) *Chrysocraspeda flavimacula* L.B.Prout,1916 (Geometridae) Synonym(s): *flavimacula* L.B.Prout,1916
 15694) *Chrysocraspeda flavimedia* (L.B.Prout,1916) (Geometridae) Synonym(s): *flavimedia* L.B.Prout,1916
 15695) *Chrysocraspeda flavipuncta* (W.Warren,1899) (Geometridae) Synonym(s): *flavipuncta* W.Warren,1899; *westi* L.B.Prout,1938
 15696) *Chrysocraspeda flavisparsa* L.B.Prout,1916 (Geometridae) Synonym(s): *flavisparsa* L.B.Prout,1916
 15697) *Chrysocraspeda fruhstorferi* L.B.Prout,1938 (Geometridae) Synonym(s): *fruhstorferi* L.B.Prout,1938
 15698) *Chrysocraspeda fulvipilaga* Swinhoe,1905 (Geometridae) Synonym(s): *fulvipilaga* Swinhoe,1905
 15699) *Chrysocraspeda gibbosa* W.Warren,1896 (Geometridae) Synonym(s): *gibbosa* W.Warren,1896
 15700) *Chrysocraspeda gnamptoloma* (L.B.Prout,1925) (Geometridae) Synonym(s): *gnamptoloma* L.B.Prout,1925
 15701) *Chrysocraspeda herbuloti* (Viette,1970) (Geometridae) Synonym(s): *herbuloti* Viette,1970
 15702) *Chrysocraspeda heringi* L.B.Prout,1932 (Geometridae) Synonym(s): *heringi* L.B.Prout,1932
 15703) *Chrysocraspeda hiaraka* (Viette,1978) (Geometridae) Synonym(s): *hiaraka* Viette,1978
 15704) *Chrysocraspeda hilaris* (W.Warren,1898) (Geometridae) Synonym(s): *hilaris* W.Warren,1898
 15705) *Chrysocraspeda hyalotypa* (L.B.Prout,1932) (Geometridae) Synonym(s): *hyalotypa* L.B.Prout,1932
 15706) *Chrysocraspeda iole* (Swinhoe,1892) (Geometridae) Synonym(s): *iole* Swinhoe,1892
 15707) *Chrysocraspeda juriae* Holloway,1997 (Geometridae) Synonym(s): *juriae* Holloway,1997
 15708) *Chrysocraspeda leighata* W.Warren,1904 (Geometridae) Synonym(s): *leighata* W.Warren,1904; *dehonorata* L.B.Prout,1913
 15709) *Chrysocraspeda lunulata* Swinhoe,1902 (Geometridae) Synonym(s): *lunulata* Swinhoe,1902
 15710) *Chrysocraspeda marginata* W.Warren,1897 (Geometridae) Synonym(s): *marginata* W.Warren,1897
 15711) *Chrysocraspeda medioplaga* Swinhoe,1902 (Geometridae) Synonym(s): *medioplaga* Swinhoe,1902
 15712) *Chrysocraspeda miniosa* (W.Warren,1899) (Geometridae) Synonym(s): *miniosa* W.Warren,1899
 15713) *Chrysocraspeda mitigata* (Walker,1861) (Geometridae) Synonym(s): *mitigata* Walker,1861
 15714) *Chrysocraspeda nigribasalis* W.Warren,1909 (Geometridae) Synonym(s): *nigribasalis* W.Warren,1909
 15715) *Chrysocraspeda oophora* (L.B.Prout,1916) (Geometridae) Synonym(s): *oophora* L.B.Prout,1916
 15716) *Chrysocraspeda orgalea* Meyrick,1897 (Geometridae) Synonym(s): *orgalea* Meyrick,1897
 15717) *Chrysocraspeda ozophanes* (L.B.Prout,1918) (Geometridae) Synonym(s): *ozophanes* L.B.Prout,1918
 15718) *Chrysocraspeda pagon* Holloway,1997 (Geometridae) Synonym(s): *pagon* Holloway,1997
 15719) *Chrysocraspeda permutans* (Hampson,1891) (Geometridae) Synonym(s): *permutans* Hampson,1891
 15720) *Chrysocraspeda perpicta* W.Warren,1896 (Geometridae) Synonym(s): *perpicta* W.Warren,1896
 15721) *Chrysocraspeda philoterpes* L.B.Prout,1938 (Geometridae) Synonym(s): *philoterpes* L.B.Prout,1938
 15722) *Chrysocraspeda phlogaea* (L.B.Prout,1938) (Geometridae) Synonym(s): *phlogaea* L.B.Prout,1938
 15723) *Chrysocraspeda planctogramma* (L.B.Prout,1938) (Geometridae) Synonym(s): *planctogramma* L.B.Prout,1938
 15724) *Chrysocraspeda plumbeofusa* Swinhoe,1894 (Geometridae) Synonym(s): *plumbeofusa* Swinhoe,1894
 15725) *Chrysocraspeda porphyrochlamys* (L.B.Prout,1931) (Geometridae) Synonym(s): *porphyrochlamys* L.B.Prout,1931
 15726) *Chrysocraspeda pryveri* Holloway,1997 (Geometridae) Synonym(s): *pryveri* Holloway,1997
 15727) *Chrysocraspeda pulverulenta* (W.Warren,1897) (Geometridae) Synonym(s): *pulverulenta* W.Warren,1897
 15728) *Chrysocraspeda remutans* L.B.Prout,1938 (Geometridae) Synonym(s): *remutans* L.B.Prout,1938
 15729) *Chrysocraspeda rosina* W.Warren,1898 (Geometridae) Synonym(s): *rosina* W.Warren,1898
 15730) *Chrysocraspeda rubraspersa* Holloway,1997 (Geometridae) Synonym(s): *rubraspersa* Holloway,1997
 15731) *Chrysocraspeda rubricata* Swinhoe,1903 (Geometridae) Synonym(s): *rubricata* Swinhoe,1903
 15732) *Chrysocraspeda rubripennis* (W.Warren,1898) (Geometridae) Synonym(s): *rubripennis* W.Warren,1898; *sanguinolenta* W.Warren,1898
 15733) *Chrysocraspeda sanguinea* W.Warren,1896 (Geometridae) Synonym(s): *sanguinea* W.Warren,1896
 15734) *Chrysocraspeda sanguinipuncta* Swinhoe,1902 (Geometridae) Synonym(s): *sanguinipuncta* Swinhoe,1902
 15735) *Chrysocraspeda subangulata* W.Warren,1896 (Geometridae) Synonym(s): *subangulata* W.Warren,1896
 15736) *Chrysocraspeda subminiosa* (L.B.Prout,1932) (Geometridae) Synonym(s): *subminiosa* L.B.Prout,1932
 15737) *Chrysocraspeda tigrina* (Meyrick,1897) (Geometridae) Synonym(s): *tigrina* Meyrick,1897
 15738) *Chrysocraspeda tristicula* Swinhoe,1885 (Geometridae) Synonym(s): *tristicula* Swinhoe,1885; *laeta* W.Warren,1899.
 15739) *Chrysocraspeda truncipennis* L.B.Prout,1938 (Geometridae) Synonym(s): *truncipennis* L.B.Prout,1938
 15740) *Chrysocraspeda vinosa* (L.B.Prout,1918) (Geometridae) Synonym(s): *vinosa* L.B.Prout,1918
 15741) *Chrysocraspeda virgata* (West,1930) (Geometridae) Synonym(s): *virgata* West,1930
 15742) *Chrysocraspeda volutaria* (Swinhoe,1886) (Geometridae) Synonym(s): *volutaria* Swinhoe,1886
 15743) *Chrysocraspeda zombensis* (L.B.Prout,1932) (Geometridae) Synonym(s): *zombensis* L.B.Prout,1932
 15744) *Cidaria antauges* L.B.Prout,1938 (Geometridae) Synonym(s): *antauges* L.B.Prout,1938
 15745) *Cidaria basharica* O.Bang-Haas,1927 (Geometridae) Synonym(s): *basharica* O.Bang-Haas,1927
 15746) *Cidaria distinctata* Staudinger,1892 (Geometridae) Synonym(s): *distinctata* Staudinger,1892
 15747) *Cidaria fulvata* (Forster,1771) (Geometridae) Synonym(s): *fulvata* Forster,1771; *cuspidata* Thunberg,1784
 15748) *Cidaria nugata* R.Felder & Rogenhofer,1875 (Geometridae) Synonym(s): *nugata* R.Felder & Rogenhofer,1875; *kashmirica* Moore,1888
 15749) *Cidaria ochripennis* L.B.Prout,1914 (Geometridae) Synonym(s): *ochreata* Staudinger,1896 nec Mr.,1888; *ochripennis* L.B.Prout,1914
 15750) *Cinglis andalusiarum* Wagner,1935 (Geometridae) Synonym(s): *andalusiarum* Wagner,1935
 15751) *Cinglis humifusaria* (Eversmann,1837) (Geometridae) Synonym(s): *humifusaria* Eversmann,1837
 15752) *Cleora acaciaria* (Boisduval,1833) (Geometridae) Synonym(s): *acaciaria* Boisduval,1833
 15753) *Cleora acaciaria* (Boisduval,1833) (Geometridae) Synonym(s): *acaciaria* Boisduval,1833
 15754) *Cleora acacicola* Holloway,1979 (Geometridae) Synonym(s): *acacicola* Holloway,1979
 15755) *Cleora acerata* D.S.Fletcher,1967 (Geometridae) Synonym(s): *acerata* D.S.Fletcher,1967
 15756) *Cleora acerata* (D.S.Fletcher,1967) (Geometridae) Synonym(s): *acerata* D.S.Fletcher,1967

- 15757) *Cleora aculeata* D.S.Fletcher,1967 (Geometridae) Synonym(s): *aculeata* D.S.Fletcher,1967
 15758) *Cleora aculeata aculeata* D.S.Fletcher,1967 (Geometridae) Synonym(s): *aculeata* D.S.Fletcher,1967
 15759) *Cleora alienaria* (Walker,1860) (Geometridae) Synonym(s): *alienaria* Walker,1860
 15760) *Cleora anacantha* D.S.Fletcher,1967 (Geometridae) Synonym(s): *anacantha* D.S.Fletcher,1967
 15761) *Cleora anacantha anacantha* D.S.Fletcher,1967 (Geometridae) Synonym(s): *anacantha* D.S.Fletcher,1967
 15762) *Cleora angustivalvis* (Herbulot,1965) (Geometridae) Synonym(s): *angustivalvis* Herbulot,1965
 15763) *Cleora angustivalvis angustivalvis* (Herbulot,1965) (Geometridae) Synonym(s): *angustivalvis* Herbulot,1965
 15764) *Cleora batillata* (D.S.Fletcher,1953) (Geometridae) Synonym(s): *batillata* D.S.Fletcher,1953
 15765) *Cleora betularia* (Warren,1897) (Geometridae) Synonym(s): *betularia* Warren,1897; *funesta* Warren,1905.
 15766) *Cleora betularia betularia* (Warren,1897) (Geometridae) Synonym(s): *betularia* Warren,1897; *funesta* Warren,1905.
 15767) *Cleora biclavata* (D.S.Fletcher,1953) (Geometridae) Synonym(s): *biclavata* D.S.Fletcher,1953
 15768) *Cleora bicornis* D.S.Fletcher,1967 (Geometridae) Synonym(s): *bicornis* D.S.Fletcher,1967
 15769) *Cleora bicornis bicornis* D.S.Fletcher,1967 (Geometridae) Synonym(s): *bicornis* D.S.Fletcher,1967
 15770) *Cleora boetschi* (Herbulot,1961) (Geometridae) Synonym(s): *boetschi* Herbulot,1961
 15771) *Cleora boetschi boetschi* (Herbulot,1961) (Geometridae) Synonym(s): *boetschi* Herbulot,1961
 15772) *Cleora cancer* D.S.Fletcher,1967 (Geometridae) Synonym(s): *cancer* D.S.Fletcher,1967
 15773) *Cleora cancer cancer* D.S.Fletcher,1967 (Geometridae) Synonym(s): *cancer* D.S.Fletcher,1967
 15774) *Cleora carcassoni* D.S.Fletcher,1967 (Geometridae) Synonym(s): *carcassoni* D.S.Fletcher,1967
 15775) *Cleora carcassoni carcassoni* D.S.Fletcher,1967 (Geometridae) Synonym(s): *carcassoni* D.S.Fletcher,1967
 15776) *Cleora cinctaria* [Denis & Schiffermüller,1775] (Geometridae) Synonym(s): *cinctaria* [Denis & Schiffermüller],1775; *pascuaria* Brahm,1791; *consimilaria* Duponchel,1829.
 15777) *Cleora concentraria* (Snellen,1877) (Geometridae) Synonym(s): *concentraria* Snellen,1877
 15778) *Cleora contiguata* (Moore,1868) (Geometridae) Synonym(s): *contiguata* Moore,1868
 15779) *Cleora contiguata bigladiata* (D.S.Fletcher,1953) (Geometridae) Synonym(s): *bigladiata* D.S.Fletcher,1953
 15780) *Cleora contiguata brooksi* (D.S.Fletcher,1953) (Geometridae) Synonym(s): *brooksi* D.S.Fletcher,1953
 15781) *Cleora contiguata contiguata* (Moore,1868) (Geometridae) Synonym(s): *contiguata* Moore,1868
 15782) *Cleora contiguata imparata* (D.S.Fletcher,1953) (Geometridae) Synonym(s): *imparata* D.S.Fletcher,1953
 15783) *Cleora copia* Sato,1997 (Geometridae) Synonym(s): *copia* Sato,1997
 15784) *Cleora cucullata* D.S.Fletcher,1953 (Geometridae) Synonym(s): *cucullata* D.S.Fletcher,1953
 15785) *Cleora cucullata cucullata* D.S.Fletcher,1953 (Geometridae) Synonym(s): *cucullata* D.S.Fletcher,1953
 15786) *Cleora cucullata fusconebulata* D.S.Fletcher,1953 (Geometridae) Synonym(s): *fusconebulata* D.S.Fletcher,1953
 15787) *Cleora dacasini* Herbulot,1981 (Geometridae) Synonym(s): *dacasini* Herbulot,1981; *inopinata* Sato,1989
 15788) *Cleora dactylata* D.S.Fletcher,1967 (Geometridae) Synonym(s): *dactylata* D.S.Fletcher,1967
 15789) *Cleora dactylata dactylata* D.S.Fletcher,1967 (Geometridae) Synonym(s): *dactylata* D.S.Fletcher,1967
 15790) *Cleora dargei* (Herbulot,1961) (Geometridae) Synonym(s): *dargei* Herbulot,1961
 15791) *Cleora dargei dargei* (Herbulot,1961) (Geometridae) Synonym(s): *dargei* Herbulot,1961
 15792) *Cleora decisaria* (Walker,1866) (Geometridae) Synonym(s): *decisaria* Walker,1866; *callicrossa* Meyrick,1889; *gilva* Scott,1893; *psychastis* Scott,1893; *amphidoxa* L.B.Prout,1937; *nigristigma* L.B.Prout,1937
 15793) *Cleora derogaria* (Snellen,1872) (Geometridae) Synonym(s): *derogaria* Snellen,1872; *obsitaria* Mabilite,1890; *subspurcata* W.Warren,1898
 15794) *Cleora derogaria derogaria* (Snellen,1872) (Geometridae) Synonym(s): *derogaria* Snellen,1872; *obsitaria* Mabilite,1890; *subspurcata* W.Warren,1898
 15795) *Cleora determinata* (Walker,1860) (Geometridae) Synonym(s): *determinata* Walker,1860
 15796) *Cleora dothionis* Holloway,1979 (Geometridae) Synonym(s): *dothionis* Holloway,1979
 15797) *Cleora echinodes* D.S.Fletcher,1967 (Geometridae) Synonym(s): *echinodes* D.S.Fletcher,1967
 15798) *Cleora echinodes echinodes* D.S.Fletcher,1967 (Geometridae) Synonym(s): *echinodes* D.S.Fletcher,1967
 15799) *Cleora epiclithra* D.S.Fletcher,1967 (Geometridae) Synonym(s): *epiclithra* D.S.Fletcher,1967
 15800) *Cleora epiclithra epiclithra* D.S.Fletcher,1967 (Geometridae) Synonym(s): *epiclithra* D.S.Fletcher,1967
 15801) *Cleora flavivenata* D.S.Fletcher,1967 (Geometridae) Synonym(s): *flavivenata* D.S.Fletcher,1967
 15802) *Cleora flavivenata flavivenata* D.S.Fletcher,1967 (Geometridae) Synonym(s): *flavivenata* D.S.Fletcher,1967
 15803) *Cleora fraterna* (Moore,1888) (Geometridae) Synonym(s): *fraterna* Moore,1888
 15804) *Cleora herbuloti* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *herbuloti* D.S.Fletcher,1958
 15805) *Cleora herbuloti herbuloti* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *herbuloti* D.S.Fletcher,1958
 15806) *Cleora herbuloti phaea* D.S.Fletcher,1967 (Geometridae) Synonym(s): *phaea* D.S.Fletcher,1967
 15807) *Cleora illustraria caledonica* Holloway,1979 (Geometridae) Synonym(s): *caledonica* Holloway,1979
 15808) *Cleora immemorata* (Walker,1863) (Geometridae) Synonym(s): *immemorata* Walker,1863
 15809) *Cleora injectaria* (Walker,1860) (Geometridae) Synonym(s): *injectaria* Walker,1860; *compactaria* Walker,[1863]; *sublectaria* Walker,[1863]
 15810) *Cleora inoffensa* (Swinhoe,1902) (Geometridae) Synonym(s): *inoffensa* Swinhoe,1902
 15811) *Cleora isabella* Herbulot,1985 (Geometridae) Synonym(s): *isabella* Herbulot,1985
 15812) *Cleora lacrymata* D.S.Fletcher,1967 (Geometridae) Synonym(s): *lacrymata* D.S.Fletcher,1967
 15813) *Cleora lacrymata lacrymata* D.S.Fletcher,1967 (Geometridae) Synonym(s): *lacrymata* D.S.Fletcher,1967
 15814) *Cleora lacteata* (Warren,1897) (Geometridae) Synonym(s): *lacteata* Warren,1897
 15815) *Cleora lacteata ecdees* L.B.Prout,1929 (Geometridae) Synonym(s): *ecdees* L.B.Prout,1929
 15816) *Cleora lacteata hemiopa* L.B.Prout,1928 (Geometridae) Synonym(s): *hemiopa* L.B.Prout,1928
 15817) *Cleora lacteata perbona* L.B.Prout,1937 (Geometridae) Synonym(s): *perbona* L.B.Prout,1937
 15818) *Cleora lacteata quirosi* L.B.Prout,1929 (Geometridae) Synonym(s): *quirosi* L.B.Prout,1929
 15819) *Cleora lamottei* (Herbulot,1954) (Geometridae) Synonym(s): *lamottei* Herbulot,1954
 15820) *Cleora lamottei lamottei* (Herbulot,1954) (Geometridae) Synonym(s): *lamottei* Herbulot,1954
 15821) *Cleora legrasi* (Herbulot,1955) (Geometridae) Synonym(s): *legrasi* Herbulot,1955
 15822) *Cleora legrasi legrasi* (Herbulot,1955) (Geometridae) Synonym(s): *legrasi* Herbulot,1955
 15823) *Cleora lima* D.S.Fletcher,1967 (Geometridae) Synonym(s): *lima* D.S.Fletcher,1967
 15824) *Cleora lima lima* D.S.Fletcher,1967 (Geometridae) Synonym(s): *lima* D.S.Fletcher,1967
 15825) *Cleora lipotera* West,1929 (Geometridae) Synonym(s): *lipotera* West,1929
 15826) *Cleora macracantha* (Herbulot,1959) (Geometridae) Synonym(s): *macracantha* Herbulot,1959
 15827) *Cleora macracantha macracantha* (Herbulot,1959) (Geometridae) Synonym(s): *macracantha* Herbulot,1959
 15828) *Cleora melanochorda* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *melanochorda* D.S.Fletcher,1958
 15829) *Cleora melanochorda melanochorda* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *melanochorda* D.S.Fletcher,1958
 15830) *Cleora munda* (Warren,1899) (Geometridae) Synonym(s): *munda* Warren,1899
 15831) *Cleora munda munda* (Warren,1899) (Geometridae) Synonym(s): *munda* Warren,1899
 15832) *Cleora nigrisparsalis* (Janse,1932) (Geometridae) Synonym(s): *nigrisparsalis* Janse,1932
 15833) *Cleora nigrisparsalis nigrisparsalis* (Janse,1932) (Geometridae) Synonym(s): *nigrisparsalis* Janse,1932
 15834) *Cleora oculata* D.S.Fletcher,1967 (Geometridae) Synonym(s): *oculata* D.S.Fletcher,1967
 15835) *Cleora oculata oculata* D.S.Fletcher,1967 (Geometridae) Synonym(s): *oculata* D.S.Fletcher,1967
 15836) *Cleora oligodranes* (L.B.Prout,1922) (Geometridae) Synonym(s): *oligodranes* L.B.Prout,1922
 15837) *Cleora oligodranes oligodranes* (L.B.Prout,1922) (Geometridae) Synonym(s): *oligodranes* L.B.Prout,1922
 15838) *Cleora olivata* D.S.Fletcher,1953 (Geometridae) Synonym(s): *olivata* D.S.Fletcher,1953
 15839) *Cleora olivomaculata* D.S.Fletcher,1953 (Geometridae) Synonym(s): *olivomaculata* D.S.Fletcher,1953
 15840) *Cleora onycha* D.S.Fletcher,1953 (Geometridae) Synonym(s): *onycha* D.S.Fletcher,1953
 15841) *Cleora onycha acuta* D.S.Fletcher,1953 (Geometridae) Synonym(s): *acuta* D.S.Fletcher,1953
 15842) *Cleora onycha amplissima* D.S.Fletcher,1953 (Geometridae) Synonym(s): *amplissima* D.S.Fletcher,1953
 15843) *Cleora onycha cultrata* D.S.Fletcher,1953 (Geometridae) Synonym(s): *cultrata* D.S.Fletcher,1953
 15844) *Cleora onycha hastata* D.S.Fletcher,1953 (Geometridae) Synonym(s): *hastata* D.S.Fletcher,1953
 15845) *Cleora onycha keravatensis* Herbulot,1981 (Geometridae) Synonym(s): *keravatensis* Herbulot,1981

- 15846) *Cleora onycha limitata* D.S.Fletcher,1953 (Geometridae) Synonym(s): *limitata* D.S.Fletcher,1953
 15847) *Cleora onycha onycha* D.S.Fletcher,1953 (Geometridae) Synonym(s): *onycha* D.S.Fletcher,1953
 15848) *Cleora onycha serrata* D.S.Fletcher,1953 (Geometridae) Synonym(s): *serrata* D.S.Fletcher,1953
 15849) *Cleora paepalima* West,1932 (Geometridae) Synonym(s): *paepalima* West,1932
 15850) *Cleora panarista* D.S.Fletcher,1967 (Geometridae) Synonym(s): *panarista* D.S.Fletcher,1967
 15851) *Cleora panarista panarista* D.S.Fletcher,1967 (Geometridae) Synonym(s): *panarista* D.S.Fletcher,1967
 15852) *Cleora papillifer* L.B.Prout,1934 (Geometridae) Synonym(s): *papillifer* L.B.Prout,1934
 15853) *Cleora papillifer papillifer* L.B.Prout,1934 (Geometridae) Synonym(s): *papillifer* L.B.Prout,1934
 15854) *Cleora pavlitzkia* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *pavlitzkia* D.S.Fletcher,1958
 15855) *Cleora pavlitzkia etesia* D.S.Fletcher,1967 (Geometridae) Synonym(s): *etesia* D.S.Fletcher,1967
 15856) *Cleora pavlitzkia lamella* D.S.Fletcher,1967 (Geometridae) Synonym(s): *lamella* D.S.Fletcher,1967
 15857) *Cleora pavlitzkia oriadelpha* D.S.Fletcher,1967 (Geometridae) Synonym(s): *oriadelpha* D.S.Fletcher,1967
 15858) *Cleora pavlitzkia pavlitzkia* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *pavlitzkia* D.S.Fletcher,1958
 15859) *Cleora pavlitzkia saltuensis* D.S.Fletcher,1967 (Geometridae) Synonym(s): *saltuensis* D.S.Fletcher,1967
 15860) *Cleora pendleburyi* L.B.Prout,1929 (Geometridae) Synonym(s): *pendleburyi* L.B.Prout,1929
 15861) *Cleora plax* D.S.Fletcher,1967 (Geometridae) Synonym(s): *plax* D.S.Fletcher,1967
 15862) *Cleora plax plax* D.S.Fletcher,1967 (Geometridae) Synonym(s): *plax* D.S.Fletcher,1967
 15863) *Cleora prosema* L.B.Prout,1927 (Geometridae) Synonym(s): *prosema* L.B.Prout,1927
 15864) *Cleora prosema prosema* L.B.Prout,1927 (Geometridae) Synonym(s): *prosema* L.B.Prout,1927
 15865) *Cleora pupillata* (Walker,1860) (Geometridae) Synonym(s): *pupillata* Walker,1860
 15866) *Cleora pupillata pupillata* (Walker,1860) (Geometridae) Synonym(s): *pupillata* Walker,1860
 15867) *Cleora quadrimaculata* (Janse,1932) (Geometridae) Synonym(s): *quadrimaculata* Janse,1932
 15868) *Cleora quadrimaculata quadrimaculata* (Janse,1932) (Geometridae) Synonym(s): *quadrimaculata* Janse,1932
 15869) *Cleora radula* D.S.Fletcher,1967 (Geometridae) Synonym(s): *radula* D.S.Fletcher,1967
 15870) *Cleora radula arenosa* D.S.Fletcher,1967 (Geometridae) Synonym(s): *arenosa* D.S.Fletcher,1967
 15871) *Cleora radula eumelana* D.S.Fletcher,1967 (Geometridae) Synonym(s): *eumelana* D.S.Fletcher,1967
 15872) *Cleora radula leptopasta* D.S.Fletcher,1967 (Geometridae) Synonym(s): *leptopasta* D.S.Fletcher,1967
 15873) *Cleora radula radula* D.S.Fletcher,1967 (Geometridae) Synonym(s): *radula* D.S.Fletcher,1967
 15874) *Cleora raphis* D.S.Fletcher,1967 (Geometridae) Synonym(s): *raphis* D.S.Fletcher,1967
 15875) *Cleora raphis raphis* D.S.Fletcher,1967 (Geometridae) Synonym(s): *raphis* D.S.Fletcher,1967
 15876) *Cleora repulsaria* (Walker,1860) (Geometridae) Synonym(s): *repulsaria* Walker,1860
 15877) *Cleora rostella* D.S.Fletcher,1967 (Geometridae) Synonym(s): *rostella* D.S.Fletcher,1967
 15878) *Cleora rostella rostella* D.S.Fletcher,1967 (Geometridae) Synonym(s): *rostella* D.S.Fletcher,1967
 15879) *Cleora rothkirchi* (Strand,1914) (Geometridae) Synonym(s): *rothkirchi* Strand,1914
 15880) *Cleora rothkirchi amydropa* D.S.Fletcher,1967 (Geometridae) Synonym(s): *amydropa* D.S.Fletcher,1967
 15881) *Cleora rothkirchi insularum* D.S.Fletcher,1967 (Geometridae) Synonym(s): *insularum* D.S.Fletcher,1967
 15882) *Cleora rothkirchi rothkirchi* (Strand,1914) (Geometridae) Synonym(s): *rothkirchi* Strand,1914
 15883) *Cleora scobina* D.S.Fletcher,1967 (Geometridae) Synonym(s): *scobina* D.S.Fletcher,1967
 15884) *Cleora scobina scobina* D.S.Fletcher,1967 (Geometridae) Synonym(s): *scobina* D.S.Fletcher,1967
 15885) *Cleora serena* D.S.Fletcher,1967 (Geometridae) Synonym(s): *serena* D.S.Fletcher,1967
 15886) *Cleora serena serena* D.S.Fletcher,1967 (Geometridae) Synonym(s): *serena* D.S.Fletcher,1967
 15887) *Cleora subcincta* (Warren,1901) (Geometridae) Synonym(s): *subcincta* Warren,1901
 15888) *Cleora subcincta longifibulata* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *longifibulata* D.S.Fletcher,1958
 15889) *Cleora subcincta subcincta* (Warren,1901) (Geometridae) Synonym(s): *subcincta* Warren,1901
 15890) *Cleora tamsi* D.S.Fletcher,1967 (Geometridae) Synonym(s): *tamsi* D.S.Fletcher,1967
 15891) *Cleora tamsi tamsi* D.S.Fletcher,1967 (Geometridae) Synonym(s): *tamsi* D.S.Fletcher,1967
 15892) *Cleora tella* (West,1929) (Geometridae) Synonym(s): *tella* West,1929
 15893) *Cleora tella mindana* Sato,1997 (Geometridae) Synonym(s): *mindana* Sato,1997
 15894) *Cleora tella tella* (West,1929) (Geometridae) Synonym(s): *tella* West,1929
 15895) *Cleora telloides* Sato,1989 (Geometridae) Synonym(s): *telloides* Sato,1989
 15896) *Cleora thyris* D.S.Fletcher,1967 (Geometridae) Synonym(s): *thyris* D.S.Fletcher,1967
 15897) *Cleora thyris thyris* D.S.Fletcher,1967 (Geometridae) Synonym(s): *thyris* D.S.Fletcher,1967
 15898) *Cleora toulgoetae* (Herbulot,1961) (Geometridae) Synonym(s): *toulgoetae* Herbulot,1961
 15899) *Cleora toulgoetae toulgoetae* (Herbulot,1961) (Geometridae) Synonym(s): *toulgoetae* Herbulot,1961
 15900) *Cleora transversaria* (Pagenstecher,1907) (Geometridae) Synonym(s): *transversaria* Pagenstecher,1907
 15901) *Cleora transversaria transversaria* (Pagenstecher,1907) (Geometridae) Synonym(s): *transversaria* Pagenstecher,1907
 15902) *Cleora trigrapta* L.B.Prout,1927 (Geometridae) Synonym(s): *trigrapta* L.B.Prout,1927
 15903) *Cleora tulbaghata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *tulbaghata* R.Felder & Rogenhofer,1875; #flavipeta Warren,1904; #fumata Warren,1904.
 15904) *Cleora tulbaghata tulbaghata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *tulbaghata* R.Felder & Rogenhofer,1875; #flavipeta Warren,1904; #fumata Warren,1904.
 15905) *Cleora vatia* L.B.Prout,1927 (Geometridae) Synonym(s): *vatia* L.B.Prout,1927
 15906) *Cleora venustaria* (Leech,1891) (Geometridae) Synonym(s): *venustaria* Leech,1891
 15907) *Cleora venustaria thaiensis* Sato,1991 (Geometridae) Synonym(s): *thaiensis* Sato,1991
 15908) *Cleora venustaria venustaria* (Leech,1891) (Geometridae) Synonym(s): *venustaria* Leech,1891
 15909) *Cleora viettei* (Herbulot,1958) (Geometridae) Synonym(s): *viettei* Herbulot,1958
 15910) *Cleora viettei viettei* (Herbulot,1958) (Geometridae) Synonym(s): *viettei* Herbulot,1958
 15911) *Cleorodes lichenarius* (Hufnagel,1767) (Geometridae) Synonym(s): *lichenaria* Hufnagel,1767
 15912) *Clepsimelia phryganeoides* W.Warren (Geometridae) Synonym(s):
 15913) *Cleta filacearia* (Herrich-Schäffer,[1847]) (Geometridae) Synonym(s): *filacearia* Herrich-Schäffer,[1847]
 15914) *Cleta jacutica* Viidalepp,1976 (Geometridae) Synonym(s): *jacutica* Viidalepp,1976
 15915) *Cleta perpusillaria* (Eversmann,1847) (Geometridae) Synonym(s): *perpusillaria* Eversmann,1847
 15916) *Cleta ramosaria* (Villers,1789) (Geometridae) Synonym(s): *ramosaria* Villers,1789; *vittaria* Hübner,[1813]
 15917) *Cleta transiens* L.B.Prout,1913 (Geometridae) Synonym(s): *transiens* L.B.Prout,1913
 15918) *Cnestroglyphos libanoticus* (Wehrli,1931) (Geometridae) Synonym(s): *libanoticus* Wehrli,1931
 15919) *Coenina aurivena* Butler,1898 (Geometridae) Synonym(s): *aurivena* Butler,1898; *cervina* Warren,1899
 15920) *Coenina collenettei* L.B.Prout,1931 (Geometridae) Synonym(s): *collenettei* L.B.Prout,1931
 15921) *Coenina dentataria* Swinhoe,1904 (Geometridae) Synonym(s): *dentataria* Swinhoe,1904; *aegyptiaca* Rebel,1906
 15922) *Coenina islamitica* Amsel,1935 (Geometridae) Synonym(s): *islamitica* Amsel,1935
 15923) *Coenina paulusi* (Rebel,1906) (Geometridae) Synonym(s): *paulusi* Rebel,1906
 15924) *Coenina poeciliaria* (Herrich-Schäffer,[1854]) (Geometridae) Synonym(s): *poeciliaria* Herrich-Schäffer,[1854]
 15925) *Coenina tergimacula* L.B.Prout,1916 (Geometridae) Synonym(s): *tergimacula* L.B.Prout,1916
 15926) *Coenocalpe lapidata* (Hübner,[1809]) (Geometridae) Synonym(s): *lapidata* Hübner,[1809]; *subrufata* Haworth,1809; *lapidaria* Boisduval,1840
 15927) *Coenocalpe millierata* (Staudinger,1901) (Geometridae) Synonym(s): *millierata* Staudinger,1901
 15928) *Collesis mimica* W.Warren,1897 (Geometridae) Synonym(s): *mimica* W.Warren,1897
 15929) *Collix foraminata* Guenée,[1858] (Geometridae) Synonym(s): *foraminata* Guenée,[1858]
 15930) *Collix ghoshia* subligata W.Warren,1896 (Geometridae) Synonym(s): *subligata* W.Warren,1896
 15931) *Colocleora divisaria* (Walker,1860) (Geometridae) Synonym(s): *divisaria* Walker,1860; *acutangula* Warren,1905; *acygonia* Hampson,1910
 15932) *Colocleora faceta* (L.B.Prout,1934) (Geometridae) Synonym(s): *faceta* L.B.Prout,1934
 15933) *Colocleora grisea* Janse,1932 (Geometridae) Synonym(s): *grisea* Janse,1932
 15934) *Colocleora proximaria* (Walker,1860) (Geometridae) Synonym(s): *proximaria* Walker,1860; *sexorbata* L.B.Prout,1913

- 15935) *Colocleora simulatrix* (W.Warren,1899) (Geometridae) Synonym(s): *simulatrix* W.Warren,1899; *remotata* W.Warren,1901; *ochriplaga* L.B.Prout,1916
- 15936) *Colostygia aptata* (Hübner,[1813]) (Geometridae) Synonym(s): *aptata* Hübner,[1813]; *aptaria* Bosiduval,1840; *suplata* Freyer,1840
- 15937) *Colostygia aqueata* (Hübner,[1813]) (Geometridae) Synonym(s): *aqueata* Hübner,[1813]; *lotaria* Bosiduval,1840; *aquearia* Bruand,1846
- 15938) *Colostygia austriacaria* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *austriacaria* Herrich-Schäffer,1852
- 15939) *Colostygia corydalaria* (Graeser,1889) (Geometridae) Synonym(s): *corydalaria* Graeser,1889
- 15940) *Colostygia cyrnea* (Wehrli,1925) (Geometridae) Synonym(s): *cyrnea* Wehrli,1925
- 15941) *Colostygia fitzi* (Schawerda,1914) (Geometridae) Synonym(s): *fitzi* Schawerda,1914
- 15942) *Colostygia kitschelti* (Rebel,1934) (Geometridae) Synonym(s): *kitschelti* Rebel,1934
- 15943) *Colostygia kollariaria* (Herrich-Schäffer,1848) (Geometridae) Synonym(s): *kollariaria* Herrich-Schäffer,1848; *larentiaria* Bruand,1850; *kollararia* Guenée,1857; *larentiata* Millière,1859
- 15944) *Colostygia laetaria* (La Harpe,1853) (Geometridae) Synonym(s): *laetaria* La Harpe,1853; *viridicinctaria* Peyerimhoff,1863
- 15945) *Colostygia multistrigaria* (Haworth,1809) (Geometridae) Synonym(s): *multistrigaria* Haworth,1809
- 15946) *Colostygia olivata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *olivata* [Denis & Schiffermüller],1775
- 15947) *Colostygia pectinataria* (Knoch,1781) (Geometridae) Synonym(s): *viridaria* Fabricius,1775 nec Cl.,1759; *pectinataria* Knoch,1781
- 15948) *Colostygia puengeleri* (Stertz,1902) (Geometridae) Synonym(s): *puengeleri* Stertz,1902
- 15949) *Colostygia sericeata* (Schwingenschuss,1926) (Geometridae) Synonym(s): *sericeata* Schwingenschuss,1926
- 15950) *Colostygia stilpna* (L.B.Prout,1924) (Geometridae) Synonym(s): *stilpna* L.B.Prout,1924
- 15951) *Colostygia tempestaria* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *tempestaria* Herrich-Schäffer,1852
- 15952) *Colostygia turbata* (Hübner,[1799]) (Geometridae) Synonym(s): *lineolata* Fabricius,1794 nec Hbn.,1787; *turbata* Hübner,[1799]; *turbaria* Treitschke,1828; *lineolaria* Boisduval,1840
- 15953) *Colostygia wolfschlaegerae* (Pinker,1953) (Geometridae) Synonym(s): *wolfschlaegerae* Pinker,1953
- 15954) *Colotois furcata* Hausmann,1995 (Geometridae) Synonym(s): *furcata* Hausmann,1995
- 15955) *Colotois pennaria* (Linnaeus,1761) (Geometridae) Synonym(s): *pennaria* Linnaeus,1761; *cerasi* Fabricius,1775; *bifidaria* Haworth,1809
- 15956) *Colotois pennaria carbonii* Hartig,1976 (Geometridae) Synonym(s): *carbonii* Hartig,1976
- 15957) *Colotois pennaria mauretanaria* Stättermayer,1930 (Geometridae) Synonym(s): *mauretanaria* Stättermayer,1930
- 15958) *Colotois pennaria paupera* Hausmann,1995 (Geometridae) Synonym(s): *paupera* Hausmann,1995
- 15959) *Colotois pennaria pennaria* (Linnaeus,1761) (Geometridae) Synonym(s): *pennaria* Linnaeus,1761; *cerasi* Fabricius,1775; *bifidaria* Haworth,1809
- 15960) *Colotois pennaria ussuriensis* O.Bang-Haas,1927 (Geometridae) Synonym(s): *ussuriensis* O.Bang-Haas,1927
- 15961) *Colotois pennaria zorella* Capuse,1960 (Geometridae) Synonym(s): *zorella* Capuse,1960
- 15962) *Colotois robusta* Bastelberger,1908 (Geometridae) Synonym(s): *robusta* Bastelberger,1908
- 15963) *Comibaena attenuata* (W.Warren,1896) (Geometridae) Synonym(s): *attenuata* W.Warren,1896
- 15964) *Comibaena bajularia* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *pustulata* Hufnagel,1767 nec Müller,1764; *bajularia* [Denis & Schiffermüller],1775
- 15965) *Comibaena barnsi* L.B.Prout,1930 (Geometridae) Synonym(s): *barnsi* L.B.Prout,1930
- 15966) *Comibaena biplaga* Walker,1861 (Geometridae) Synonym(s): *biplaga* Walker,1861
- 15967) *Comibaena cassidara* (Guenée,[1858]) (Geometridae) Synonym(s): *cassidara* Guenée,[1858]; *detenta* Walker,1861; *discessa* Walker,1861
- 15968) *Comibaena coryphata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *coryphata* R.Felder & Rogenhofer,1875
- 15969) *Comibaena leucospilata* (Walker,[1863]) (Geometridae) Synonym(s): *leucospilata* Walker,[1863]; *coryphata* R.Felder & Rogenhofer,1875
- 15970) *Comibaena mariae* (Lucas,1888) (Geometridae) Synonym(s): *mariae* Lucas,1888
- 15971) *Comibaena pseudoneriaria* (Wehrli,1926) (Geometridae) Synonym(s): *pseudoneriaria* Wehrli,1926
- 15972) *Comibaena quadrinotata* Butler,1889 (Geometridae) Synonym(s): *quadrinotata* Butler,1889
- 15973) *Comibaena quadrinotata fuscidorsata* L.B.Prout,1912 (Geometridae) Synonym(s): *fuscidorsata* L.B.Prout,1912
- 15974) *Comibaena quadrinotata pallidicincta* (W.Warren,1897) (Geometridae) Synonym(s): *pallidicincta* W.Warren,1897
- 15975) *Comibaena quadrinotata quadrinotata* Butler,1889 (Geometridae) Synonym(s): *quadrinotata* Butler,1889
- 15976) *Comibaena rhodolopha* L.B.Prout,1915 (Geometridae) Synonym(s): *rhodolopha* L.B.Prout,1915
- 15977) *Comibaena serrulata* D.S.Fletcher,1963 (Geometridae) Synonym(s): *serrulata* D.S.Fletcher,1963
- 15978) *Comostola caerulea* W.Warren,1893 (Geometridae) Synonym(s): *caerulea* W.Warren,1893
- 15979) *Comostola callista* West,1930 (Geometridae) Synonym(s): *callista* West,1930
- 15980) *Comostola cedilla* L.B.Prout,1917 (Geometridae) Synonym(s): *cedilla* L.B.Prout,1917
- 15981) *Comostola inops* L.B.Prout,1912 (Geometridae) Synonym(s): *inops* L.B.Prout,1912
- 15982) *Comostola laesaria* (Walker,1861) (Geometridae) Synonym(s): *laesaria* Walker,1861; *perlepidaria* Walker,1866
- 15983) *Comostola leucomerata* (Walker,1866) (Geometridae) Synonym(s): *leucomerata* Walker,1866
- 15984) *Comostola leucomerata caledonica* Holloway,1979 (Geometridae) Synonym(s): *caledonica* Holloway,1979
- 15985) *Comostola leucosticta* Yazaki,1993 (Geometridae) Synonym(s): *leucosticta* Yazaki,1993
- 15986) *Comostola pyrrhogona* (Walker,1866) (Geometridae) Synonym(s): *pyrrhogona* Walker,1866; *cornuta* W.Warren,1896; *callicrossa* L.B.Prout,1934; *pisochlora* L.B.Prout,1934; *woodfordi* L.B.Prout,1934; *succornuta* L.B.Prout,1937; *exquisitata* D.S.Fletcher,1957; *#cornula* Hutacharern & Tubtim,1995
- 15987) *Comostola pyrrhogona augustata* (L.B.Prout,1917) (Geometridae) Synonym(s): *augustata* L.B.Prout,1917
- 15988) *Comostola pyrrhogona marginata* (Lucas,1888) (Geometridae) Synonym(s): *marginata* Lucas,1888
- 15989) *Comostola pyrrhogona pyrrhogona* (Walker,1866) (Geometridae) Synonym(s): *pyrrhogona* Walker,1866; *cornuta* W.Warren,1896; *callicrossa* L.B.Prout,1934; *pisochlora* L.B.Prout,1934; *woodfordi* L.B.Prout,1934; *succornuta* L.B.Prout,1937; *exquisitata* D.S.Fletcher,1957; *#cornula* Hutacharern & Tubtim,1995
- 15990) *Comostola pyrrhogona subcrenulata* Holloway,1976 (Geometridae) Synonym(s): *subcrenulata* Holloway,1976
- 15991) *Comostola quantula* (Swinhoe,1886) (Geometridae) Synonym(s): *quantula* Swinhoe,1886; *glareosa* Swinhoe,1886; *dulcinata* Fuchs,1902
- 15992) *Comostola simplex* (W.Warren,1899) (Geometridae) Synonym(s): *simplex* W.Warren,1899
- 15993) *Comostola subtiliaria* (Bremer,1864) (Geometridae) Synonym(s): *subtiliaria* Bremer,1864; *vapida* L.B.Prout,1934
- 15994) *Comostola thalassias* Holloway,1979 (Geometridae) Synonym(s): *thalassias* Holloway,1979
- 15995) *Comostola turgescens* (L.B.Prout,1917) (Geometridae) Synonym(s): *turgescens* L.B.Prout,1917
- 15996) *Comostola variifrons* (L.B.Prout,1917) (Geometridae) Synonym(s): *variifrons* L.B.Prout,1917; *acteana* West,1930
- 15997) *Comostola virago* L.B.Prout,1926 (Geometridae) Synonym(s): *virago* L.B.Prout,1926
- 15998) *Comostola viridula* (W.Warren,1903) (Geometridae) Synonym(s): *viridula* W.Warren,1903
- 15999) *Comostolopsis apicata* (Warren,1898) (Geometridae) Synonym(s): *apicata* Warren,1898; *fuscipuncta* Warren,1899
- 16000) *Comostolopsis capensis* (Warren,1899) (Geometridae) Synonym(s): *capensis* Warren,1899
- 16001) *Comostolopsis germana* L.B.Prout,1916 (Geometridae) Synonym(s): *germana* L.B.Prout,1916
- 16002) *Comostolopsis rubristicta* (Warren,1899) (Geometridae) Synonym(s): *rubristicta* Warren,1899
- 16003) *Comostolopsis stillata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *stillata* R.Felder & Rogenhofer,1875
- 16004) *Compsoptera aemiliorum* Raineri,1994 (Geometridae) Synonym(s): *aemiliorum* Raineri,1994
- 16005) *Compsoptera argentaria* (Herrich-Schäffer,1839) (Geometridae) Synonym(s): *argentaria* Herrich-Schäffer,1839
- 16006) *Compsoptera caesaraugustanus* Redondo,1995 (Geometridae) Synonym(s): *caesaraugustanus* Redondo,1995
- 16007) *Compsoptera jourdanaria* (Serres,1826) (Geometridae) Synonym(s): *jourdanaria* Serres,1826
- 16008) *Compsoptera opacaria* (Hübner,[1819]) (Geometridae) Synonym(s): *opacaria* Hübner,[1819]
- 16009) *Conchylia actena* L.B.Prout,1917 (Geometridae) Synonym(s): *actena* L.B.Prout,1917
- 16010) *Conchylia albata* Janse,1934 (Geometridae) Synonym(s): *albata* Janse,1934
- 16011) *Conchylia canescens* (L.B.Prout,1925) (Geometridae) Synonym(s): *canescens* L.B.Prout,1925
- 16012) *Conchylia decorata* (Warren,1911) (Geometridae) Synonym(s): *decorata* Warren,1911
- 16013) *Conchylia ditissimaria* Guenée,[1858] (Geometridae) Synonym(s): *ditissimaria* Guenée,[1858]
- 16014) *Conchylia frosinaria* (Stoll,[1790]) (Geometridae) Synonym(s): *frosinaria* Stoll,[1790]
- 16015) *Conchylia gamma* L.B.Prout,1915 (Geometridae) Synonym(s): *gamma* L.B.Prout,1915
- 16016) *Conchylia irene* L.B.Prout,1915 (Geometridae) Synonym(s): *irene* L.B.Prout,1915
- 16017) *Conchylia lapsicolumna* L.B.Prout,1916 (Geometridae) Synonym(s): *lapsicolumna* L.B.Prout,1916
- 16018) *Conchylia nitidula* (Stoll,[1782]) (Geometridae) Synonym(s): *nitidula* Stoll,[1782]; *nitidularia* Guenée,[1858]; *lamellata* L.B.Prout,1917
- 16019) *Conchylia nymphula* Janse,1934 (Geometridae) Synonym(s): *nymphula* Janse,1934
- 16020) *Conchylia pactolaria* Wallengren,1872 (Geometridae) Synonym(s): *pactolaria* Wallengren,1872

- 16021) *Conchylia rhabdocampa* L.B.Prout,1935 (Geometridae) Synonym(s): *rhabdocampa* L.B.Prout,1935
 16022) *Conchylia sesquifascia* (L.B.Prout,1913) (Geometridae) Synonym(s): *sesquifascia* L.B.Prout,1913; *seuifascia* Vari,1958
 16023) *Conchylidotes distelitis* L.B.Prout,1930 (Geometridae) Synonym(s): *distelitis* L.B.Prout,1930
 16024) *Conolophia aemula* (W.Warren,1894) (Geometridae) Synonym(s): *aemula* W.Warren,1894
 16025) *Conolophia conscitaria* (Walker,1861) (Geometridae) Synonym(s): *conscitaria* Walker,1861; *smilodontaria* Snellen,1872; *maculata* Bastelberger,1908; *rubrifusa* Bastelberger,1909
 16026) *Conolophia nigripuncta* (Hampson,1891) (Geometridae) Synonym(s): *nigripuncta* Hampson,1891
 16027) *Coremecis incuraria* (Walker,1860) (Geometridae) Synonym(s): *incuraria* Walker,1860
 16028) *Coremecis maculata* (W.Warren,1899) (Geometridae) Synonym(s): *maculata* W.Warren,1899
 16029) *Coremecis nigrovittata* (Moore,1868) (Geometridae) Synonym(s): *nigrovittata* Moore,1868; *fasciata* W.Warren,1894
 16030) *Coremecis stueningi* Sato,1995 (Geometridae) Synonym(s): *stueningi* Sato,1995
 16031) *Corymica arnearia* Walker,1860 (Geometridae) Synonym(s): *arnearia* Walker,1860
 16032) *Corymica deducta* (Walker,1866) (Geometridae) Synonym(s): *deducta* Walker,1866; *caustolomaria* Moore,1888; *gensanaria* Leech,1891
 16033) *Corymica esquinota* Hampson,1891 (Geometridae) Synonym(s): *exiguota* Hampson,1891
 16034) *Corymica fulvimaculata* (W.Warren,1899) (Geometridae) Synonym(s): *fulvimaculata* W.Warren,1899
 16035) *Corymica immaculata* W.Warren,1897 (Geometridae) Synonym(s): *immaculata* W.Warren,1897
 16036) *Corymica latimarginata* Swinhoe,1902 (Geometridae) Synonym(s): *latimarginata* Swinhoe,1902
 16037) *Corymica pardalota* L.B.Prout,1931 (Geometridae) Synonym(s): *pardalota* L.B.Prout,1931
 16038) *Corymica polysticta* L.B.Prout,1929 (Geometridae) Synonym(s): *polysticta* L.B.Prout,1929
 16039) *Corymica pryri* (Butler,1878) (Geometridae) Synonym(s): *pryeri* Butler,1878
 16040) *Corymica spatiosa* L.B.Prout,1925 (Geometridae) Synonym(s): *spatiosa* L.B.Prout,1925
 16041) *Corymica specularia* (Moore,1868) (Geometridae) Synonym(s): *specularia* Moore,1868
 16042) *Corymica vesicularia* (Walker,1866) (Geometridae) Synonym(s): *vesicularia* Walker,1866
 16043) *Cosmorhoe ocellata* (Linnaeus,1758) (Geometridae) Synonym(s): *ocellata* Linnaeus,1758; *lynca* Fabricius,1775; *lynceata* Fabricius,1781; *ocellaria* Boisduval,1840
 16044) *Costaconvexa caespitaria* (Christoph,1881) (Geometridae) Synonym(s): *caespitaria* Christoph,1881
 16045) *Costaconvexa polygrammata* (Borkhausen,1794) (Geometridae) Synonym(s): *polygrammata* Borkhausen,1794; *polygrammaria* Haworth,1809; *conjunctaria* Lederer,1853; *#rosea* Wiltshire,1946
 16046) *Crocallis (Dzhugesia) rjabovi* Wehrli,1936 (Geometridae) Synonym(s): *rjabovi* Wehrli,1936
 16047) *Crocallis (s.str.) albarracina* Wehrli,1940 (Geometridae) Synonym(s): *albarracina* Wehrli,1940
 16048) *Crocallis (s.str.) auberti* Oberthür,1883 (Geometridae) Synonym(s): *auberti* Oberthür,1883
 16049) *Crocallis (s.str.) boisduvaliaria* (Lucas,1849) (Geometridae) Synonym(s): *boisduvaliaria* Lucas,1849
 16050) *Crocallis (s.str.) cypriaca* Fischer,2003 (Geometridae) Synonym(s): *cypriaca* Fischer,2003
 16051) *Crocallis (s.str.) dardoinaria* Donzel,1840 (Geometridae) Synonym(s): *dardoinaria* Donzel,1840; *aglossaria* Boisduval,1840
 16052) *Crocallis (s.str.) dardoinaria atlantica* Herbulot,1958 (Geometridae) Synonym(s): *atlantica* Herbulot,1958
 16053) *Crocallis (s.str.) elinguarina* (Linnaeus,1758) (Geometridae) Synonym(s): *elinguarina* Linnaeus,1758; *trapezaria* Boisduval,1840
 16054) *Crocallis (s.str.) inexpectata* Warnecke,1940 (Geometridae) Synonym(s): *inexpectata* Warnecke,1940
 16055) *Crocallis (s.str.) klapperichi* Wiltshire,1961 (Geometridae) Synonym(s): *klapperichi* Wiltshire,1961
 16056) *Crocallis (s.str.) tusciaria* (Borkhausen,1793) (Geometridae) Synonym(s): *tusciaria* Borkhausen,1793; *extimaria* Hübner,[1799]
 16057) *Crocallis (s.str.) tusciaria taurica* Wehrli,1934 (Geometridae) Synonym(s): *taurica* Wehrli,1934
 16058) *Crocallis (s.str.) tusciaria transcaucasica* Wehrli,1940 (Geometridae) Synonym(s): *transcaucasica* Wehrli,1940
 16059) *Crocallis (s.str.) tusciaria tusciaria* (Borkhausen,1793) (Geometridae) Synonym(s): *tusciaria* Borkhausen,1793; *extimaria* Hübner,[1799]
 16060) *Crocota niveata* (Scopoli,1763) (Geometridae) Synonym(s): *niveata* Scopoli,1763
 16061) *Crocota ostrogovichii* Caradja,1930 (Geometridae) Synonym(s): *ostrogovichii* Caradja,1930
 16062) *Crocota peletieraria* (Duponchel,1830) (Geometridae) Synonym(s): *peletieraria* Duponchel,1830
 16063) *Crocota tinctaria* (Hübner,[1799]) (Geometridae) Synonym(s): *tinctaria* Hübner,[1799]
 16064) *Cryopega bajaria* ([Denis & Schiffmüller],1775) (Geometridae) Synonym(s): *#aerugaria* [Denis & Schiffmüller],1775; *bajaria* [Denis & Schiffmüller],1775; *vittaria* Sulzer,1776; *rubrostriata* Goeze,1781; *ligustriaria* Lang,1789; *sericearia* Borkhausen,1794; *cineraria* Esper,[1801]; *sorditaria* Hübner,[1809]; *legراسي* Dumont,1925
 16065) *Ctimene alboguttata* (Pagenstecher,1896) (Geometridae) Synonym(s): *alboguttata* Pagenstecher,1896
 16066) *Ctimene aurinata* (Walker,[1865]) (Geometridae) Synonym(s): *aurinata* Walker,[1865]; *splendida* Walker,[1865]; *abasalis* Rothschild,1915
 16067) *Ctimene basistriga* (Walker,[1865]) (Geometridae) Synonym(s): *basistriga* Walker,[1865]; *contracta* Walker,[1865]; *placens* Pagenstecher,1886; *tripilata* W.Warren,1897; *albicolor* W.Warren,1898; *radicata* W.Warren,1899
 16068) *Ctimene colenda* (Swinhoe,1902) (Geometridae) Synonym(s): *colenda* Swinhoe,1902
 16069) *Ctimene conjunctiva* (W.Warren,1905) (Geometridae) Synonym(s): *conjunctiva* W.Warren,1905; *albilunata* W.Warren,1905
 16070) *Ctimene deceptrix* L.B.Prout,1931 (Geometridae) Synonym(s): *deceptrix* L.B.Prout,1931
 16071) *Ctimene fidonioides* (Walker,[1865]) (Geometridae) Synonym(s): *fidonioides* Walker,[1865]; *piepersiata* Snellen,1881
 16072) *Ctimene flavannulata* (W.Warren,1899) (Geometridae) Synonym(s): *flavannulata* W.Warren,1899
 16073) *Ctimene fulvimacula* (W.Warren,1895) (Geometridae) Synonym(s): *fulvimacula* W.Warren,1895
 16074) *Ctimene hieroglyphica* (Walker,[1865]) (Geometridae) Synonym(s): *hieroglyphica* Walker,[1865]; *vestigata* Snellen,1881
 16075) *Ctimene hysginospila* L.B.Prout,1916 (Geometridae) Synonym(s): *hysginospila* L.B.Prout,1916
 16076) *Ctimene intercisa* (Walker,[1865]) (Geometridae) Synonym(s): *intercisa* Walker,[1865]; *wallacei* R.Felder,1874
 16077) *Ctimene interspilata* (W.Warren,1899) (Geometridae) Synonym(s): *interspilata* W.Warren,1899
 16078) *Ctimene nocturnigris* Holloway,1979 (Geometridae) Synonym(s): *nocturnigris* Holloway,1979
 16079) *Ctimene oblongata* (Swinhoe,1900) (Geometridae) Synonym(s): *oblongata* Swinhoe,1900; *suspensa* Swinhoe,1902
 16080) *Ctimene obnubilata* (W.Warren,1898) (Geometridae) Synonym(s): *obnubilata* W.Warren,1898
 16081) *Ctimene ocreata* L.B.Prout,1922 (Geometridae) Synonym(s): *ocreata* L.B.Prout,1922
 16082) *Ctimene oppositata* (W.Warren,1896) (Geometridae) Synonym(s): *oppositata* W.Warren,1896
 16083) *Ctimene plagiata* (Walker,[1865]) (Geometridae) Synonym(s): *plagiata* Walker,[1865]
 16084) *Ctimene quadripartita* (Walker,[1865]) (Geometridae) Synonym(s): *quadripartita* Walker,[1865]; *percurrans* W.Warren,1901
 16085) *Ctimene rubropicta* (Thierry-Mieg,1915) (Geometridae) Synonym(s): *rubropicta* Thierry-Mieg,1915
 16086) *Ctimene salamandra* (Kirsch,1877) (Geometridae) Synonym(s): *salamandra* Kirsch,1877
 16087) *Ctimene spilognota* L.B.Prout,1931 (Geometridae) Synonym(s): *spilognota* L.B.Prout,1931
 16088) *Ctimene tricinctaria* (Linnaeus,1758) (Geometridae) Synonym(s): *tricinctaria* Linnaeus,1758; *perdica* Cramer,1777; *arybasa* Walker,1862; *truncata* Walker,[1865]
 16089) *Ctimene unifascia* (W.Warren,1899) (Geometridae) Synonym(s): *unifascia* W.Warren,1899
 16090) *Ctimene vacuata* (W.Warren,1898) (Geometridae) Synonym(s): *vacuata* W.Warren,1898
 16091) *Ctimene velata* (W.Warren,1906) (Geometridae) Synonym(s): *velata* W.Warren,1906
 16092) *Ctimene xanthomelas* Boisduval,1832 (Geometridae) Synonym(s): *xanthomelas* Boisduval,1832
 16093) *Culpinia prouti* (Thierry-Mieg,1913) (Geometridae) Synonym(s): *prouti* Thierry-Mieg,1913; *feroniaria* Oberthür,1916
 16094) *Cusiala boarmoides* Moore,[1887] (Geometridae) Synonym(s): *boarmoides* Moore,[1887]; *boarmioides* Moore,1888; *angulata* Hampson,1891; *griseifusa* Sonan,1938; *#bcarmoides* Watanasit et al.,2004
 16095) *Cusiala boarmoides acutijuxta* Holloway,[1994] (Geometridae) Synonym(s): *acutijuxta* Holloway,[1994]
 16096) *Cusiala raptaria* (Walker,1860) (Geometridae) Synonym(s): *raptaria* Walker,1860; *determinata* Walker,1860; *suiasasa* Walker,1860; *rufifasciata* Hampson,1893
 16097) *Cusiala stipitaria* (Oberthür,1880) (Geometridae) Synonym(s): *stipitaria* Oberthür,1880; *piperitaria* Oberthür,1880; *doerriesiaria* Christoph,1881
 16098) *Cusiala turpis* (W.Warren,1899) (Geometridae) Synonym(s): *turpis* W.Warren,1899
 16099) *Cyclophora ? sublunata* (Swinhoe,1904) (Geometridae) Synonym(s): *sublunata* Swinhoe,1904
 16100) *Cyclophora albiocellaria* (Hübner,1789) (Geometridae) Synonym(s): *albiocellaria* Hübner,1789; *ocellaria* Hübner,1799; *argusaria* Boisduval,1840

- 16101) *Cyclophora albipunctata* (Hufnagel,1767) (Geometridae) Synonym(s): *albipunctata* Hufnagel,1767; *suspensa* Retzius,1783; *pupillaria* Brahm,1791; *circularia* Fabricius,1798; *vusarmana* Walker,1861; *ianthinarium* Stichel,1901; *subroseata* Woodforde,1902
- 16102) *Cyclophora annularia* (Fabricius,1775) (Geometridae) Synonym(s): *annularia* Fabricius,1775; *annulata* Schulze,1775
- 16103) *Cyclophora ariadne* Reisser,1939 (Geometridae) Synonym(s): *ariadne* Reisser,1939
- 16104) *Cyclophora carsoni* Holloway,1997 (Geometridae) Synonym(s): *carsoni* Holloway,1997
- 16105) *Cyclophora frenaria* (Guenée,[1858]) (Geometridae) Synonym(s): *frenaria* Guenée,[1858]; *pulverulenta* Swinhoe,1892; *maculifera* Swinhoe,1900; *plumbeodisca* W.Warren,1903; *cyclophora* Turner,1908
- 16106) *Cyclophora hyponoea* (L.B.Prout,1935) (Geometridae) Synonym(s): *hyponoea* L.B.Prout,1935
- 16107) *Cyclophora imbuta* (W.Warren,1897) (Geometridae) Synonym(s): *imbuta* W.Warren,1897
- 16108) *Cyclophora inaequalis* W.Warren,1902 (Geometridae) Synonym(s): *inaequalis* W.Warren,1902
- 16109) *Cyclophora lateritica* (Holloway,1979) (Geometridae) Synonym(s): *lateritica* Holloway,1979
- 16110) *Cyclophora lautokensis* (L.B.Prout,1929) (Geometridae) Synonym(s): *lautokensis* L.B.Prout,1929
- 16111) *Cyclophora lennigiaria* (Fuchs,1883) (Geometridae) Synonym(s): *lennigiaria* Fuchs,1883
- 16112) *Cyclophora linearia* (Hübner,[1799]) (Geometridae) Synonym(s): *zonata* Fourcroy,1785; *luteolaria* Villers,1789; *linearia* Hübner,[1799]; *strabonaria* Zeller,1851
- 16113) *Cyclophora lowi* Holloway,1997 (Geometridae) Synonym(s): *lowi* Holloway,1997
- 16114) *Cyclophora pendularia* (Clerck,1759) (Geometridae) Synonym(s): *pendularia* Clerck,1759; *orbicularia* Hübner,1799
- 16115) *Cyclophora pepira* (L.B.Prout,1938) (Geometridae) Synonym(s): *pepira* L.B.Prout,1938
- 16116) *Cyclophora porata* (Linnaeus,1767) (Geometridae) Synonym(s): *porata* Linnaeus,1767; *huebneraria* Haworth,1809; *poraria* Latreille,1825
- 16117) *Cyclophora punctaria* (Linnaeus,1758) (Geometridae) Synonym(s): *punctaria* Linnaeus,1758; *amata* Linnaeus,1758; *teutonaria* Linnaeus,1758; *amataria* Linnaeus,1761; *fultaria* Villers,1789; *communifasciata* Donovan,1808; *unifasciata* Donovan,1808; *subangularia* Haworth,1809; *acutaria* Roquette,1857; *naevata* Bastelberger,1900
- 16118) *Cyclophora punctaria fritzae* Hausmann,2003 (Geometridae) Synonym(s): *fritze* Hausmann,2003
- 16119) *Cyclophora punctaria punctaria* (Linnaeus,1758) (Geometridae) Synonym(s): *punctaria* Linnaeus,1758; *amata* Linnaeus,1758; *teutonaria* Linnaeus,1758; *amataria* Linnaeus,1761; *fultaria* Villers,1789; *communifasciata* Donovan,1808; *unifasciata* Donovan,1808; *subangularia* Haworth,1809; *acutaria* Roquette,1857; *naevata* Bastelberger,1900
- 16120) *Cyclophora puppillaria* (Hübner,[1799]) (Geometridae) Synonym(s): *puppillaria* Hübner,[1799].
- 16121) *Cyclophora quercimontaria* (Bastelberger,1897) (Geometridae) Synonym(s): *quercimontaria* Bastelberger,1897; *nigrosparsaria* Scoble,1999; *privataria* Scoble,1999
- 16122) *Cyclophora quercimontaria elbursica* (L.B.Prout,1935) (Geometridae) Synonym(s): *elbursica* L.B.Prout,1935
- 16123) *Cyclophora quercimontaria quercimontaria* (Bastelberger,1897) (Geometridae) Synonym(s): *quercimontaria* Bastelberger,1897; *nigrosparsaria* Scoble,1999; *privataria* Scoble,1999
- 16124) *Cyclophora ruficiliaria* (Herrich-Schäffer,[1855]) (Geometridae) Synonym(s): *ruficiliaria* Herrich-Schäffer,[1855]
- 16125) *Cyclophora serveti* Redondo & Gaston,1999 (Geometridae) Synonym(s): *serveti* Redondo & Gaston,1999
- 16126) *Cyclophora suppunctaria* (Zeller,1847) (Geometridae) Synonym(s): *suppunctaria* Zeller,1847
- 16127) *Cyclophora sympathica* (Alpheraky,1883) (Geometridae) Synonym(s): *sympathica* Alpheraky,1883
- 16128) *Cyclophora unocula* (W.Warren,1897) (Geometridae) Synonym(s): *unocula* W.Warren,1897
- 16129) *Dalima acutaria* Leech,1897 (Geometridae) Synonym(s): *acutaria* Leech,1897; *obliquaria* Leech,1897
- 16130) *Dalima apicata* Moore,1868 (Geometridae) Synonym(s): *apicata* Moore,1868
- 16131) *Dalima calamina* (Butler,1880) (Geometridae) Synonym(s): *calamina* Butler,1880
- 16132) *Dalima columbinaria* Leech,1897 (Geometridae) Synonym(s): *columbinaria* Leech,1897
- 16133) *Dalima delineata* (W.Warren,1894) (Geometridae) Synonym(s): *delineata* W.Warren,1894
- 16134) *Dalima gigantea* Swinhoe,1897 (Geometridae) Synonym(s): *gigantea* Swinhoe,1897
- 16135) *Dalima herbuleti* Orhant,1995 (Geometridae) Synonym(s): *herbuleti* Orhant,1995
- 16136) *Dalima hoenei* Wehrli,1923 (Geometridae) Synonym(s): *hoenei* Wehrli,1923
- 16137) *Dalima intricata* W.Warren,1893 (Geometridae) Synonym(s): *intricata* W.Warren,1893
- 16138) *Dalima latitans* (W.Warren,1893) (Geometridae) Synonym(s): *latitans* W.Warren,1893
- 16139) *Dalima lucens* (W.Warren,1893) (Geometridae) Synonym(s): *lucens* W.Warren,1893
- 16140) *Dalima metachromata* (Walker,1862) (Geometridae) Synonym(s): *metachromata* Walker,1862
- 16141) *Dalima mjobergi* L.B.Prout,1926 (Geometridae) Synonym(s): *mjobergi* L.B.Prout,1926
- 16142) *Dalima nubilata* Hampson,1895 (Geometridae) Synonym(s): *nubilata* Hampson,1895
- 16143) *Dalima ochrearia* Leech,1897 (Geometridae) Synonym(s): *ochrearia* Leech,1897
- 16144) *Dalima patularia* (Walker,1860) (Geometridae) Synonym(s): *patularia* Walker,1860
- 16145) *Dalima schistacearia* Moore,1868 (Geometridae) Synonym(s): *schistacearia* Moore,1868; *patnaria* R.Felder & Rogenhofer,[1875]
- 16146) *Dalima subferrugineata* (Poujade,1895) (Geometridae) Synonym(s): *subferrugineata* Poujade,1895
- 16147) *Dalima subflavata* (R.Felder & Rogenhofer,[1875]) (Geometridae) Synonym(s): *subflavata* R.Felder & Rogenhofer,[1875]
- 16148) *Dalima truncataria* (Moore,1868) (Geometridae) Synonym(s): *truncataria* Moore,1868; *olivescens* W.Warren,1893
- 16149) *Dalima variaria* Leech,1897 (Geometridae) Synonym(s): *variaria* Leech,1897
- 16150) *Dalima vulpinaria* (Moore,1888) (Geometridae) Synonym(s): *vulpinaria* Moore,1888
- 16151) *Dasyboarmia canidorsata* (Walker,1866) (Geometridae) Synonym(s): *canidorsata* Walker,1866
- 16152) *Dasyboarmia delineata* (Walker,1860) (Geometridae) Synonym(s): *delineata* Walker,1860
- 16153) *Dasyboarmia hyperdasys* L.B.Prout,1928 (Geometridae) Synonym(s): *hyperdasys* L.B.Prout,1928
- 16154) *Dasyboarmia inouei* (Sato,1987) (Geometridae) Synonym(s): *inouei* Sato,1987
- 16155) *Dasyboarmia isorrhopa* L.B.Prout,1932 (Geometridae) Synonym(s): *isorrhopa* L.B.Prout,1932
- 16156) *Dasyboarmia nychia* (L.B.Prout,1935) (Geometridae) Synonym(s): *nychia* L.B.Prout,1935
- 16157) *Dasyboarmia owadai* (Sato,1987) (Geometridae) Synonym(s): *owadai* Sato,1987
- 16158) *Dasyboarmia pilosissima* Holloway,[1994] (Geometridae) Synonym(s): *pilosissima* Holloway,[1994]
- 16159) *Dasyboarmia subpilosa* (W.Warren,1894) (Geometridae) Synonym(s): *subpilosa* W.Warren,1894; *instigata* L.B.Prout,1929
- 16160) *Dasyboarmia sundana* (Sato,1987) (Geometridae) Synonym(s): *sundana* Sato,1987
- 16161) *Dasycorsa modesta* (Staudinger,1879) (Geometridae) Synonym(s): *modesta* Staudinger,1879
- 16162) *Dasypteroma thaumasias* Staudinger,1892 (Geometridae) Synonym(s): *thaumasias* Staudinger,1892
- 16163) *Deileptenia ribeata* (Clerck,1759) (Geometridae) Synonym(s): *ribeata* Clerck,1759
- 16164) *Derambila pellucida* Holloway,1979 (Geometridae) Synonym(s): *pellucida* Holloway,1979
- 16165) *Derrioides ? villaria* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *villaria* R.Felder & Rogenhofer,1875
- 16166) *Dichorda pirireisi* Koçak,1986 (Geometridae) Synonym(s): *illustraria* Hulst,1886 nec Hübner,[1799]; *pirireisi* Koçak,1986
- 16167) *Dichroma equestralis* Duncan & Westwood,[1841] (Geometridae) Synonym(s): *equestralis* Duncan & Westwood,[1841]; *equestrinaria* Guenée,[1858]
- 16168) *Dicrognophos amanensis* (Wehrli,1934) (Geometridae) Synonym(s): *amanensis* Wehrli,1934
- 16169) *Dicrognophos snelleni* (Christoph,1887) (Geometridae) Synonym(s): *snelleni* Christoph,1887
- 16170) *Digrammia jordanaria* (Staudinger,1901) (Geometridae) Synonym(s): *jordanaria* Staudinger,1901
- 16171) *Digrammia ladakhensis* (Herbulot,1985) (Geometridae) Synonym(s): *ladakhensis* Herbulot,1985
- 16172) *Digrammia rippertaria* (Duponchel,1830) (Geometridae) Synonym(s): *rippertaria* Duponchel,1830; *hebetata* Hulst,1881; *ponderosa* Barnes & McDunnough,1917; *demaculata* Barnes & McDunnough,1917; *tlareata* Cassino & Swett,1923.
- 16173) *Digrammia rippertaria flavularia* (Püngeler,1902) (Geometridae) Synonym(s): *flavularia* Püngeler,1902
- 16174) *Digrammia rippertaria rippertaria* (Duponchel,1830) (Geometridae) Synonym(s): *rippertaria* Duponchel,1830; *hebetata* Hulst,1881; *ponderosa* Barnes & McDunnough,1917; *demaculata* Barnes & McDunnough,1917; *tlareata* Cassino & Swett,1923.
- 16175) *Digrammia tancrearia* (Staudinger,1892) (Geometridae) Synonym(s): *tancrearia* Staudinger,1892
- 16176) *Dindica aloapis* L.B.Prout,1932 (Geometridae) Synonym(s): *alaoapis* L.B.Prout,1932; *#alaoapis* Hutacharern & Tuftim,1995
- 16177) *Dindica olivacea* Inoue,1990 (Geometridae) Synonym(s): *olivacea* Inoue,1990
- 16178) *Dindica para swinhoe*,1891 (Geometridae) Synonym(s): *para* Swinhoe,1891; *erythropunctura* Chu,1981
- 16179) *Dindica para malayana* Inoue,1990 (Geometridae) Synonym(s): *malayana* Inoue,1990

- 16180) *Dindica para para Swinhoe, 1891* (Geometridae) Synonym(s): *para Swinhoe, 1891; erythropunctura Chu, 1981*
 16181) *Dindica polyphaenaria* (Guenée, [1858]) (Geometridae) Synonym(s): *polyphaenaria Guenée, [1858]; basiflavata Moore, 1868*
 16182) *Dindica wytsmani* (L.B.Prout, 1932) (Geometridae) Synonym(s): *wytsmani L.B.Prout, 1932*
 16183) *Diplurodes celebensis Debauche, 1941* (Geometridae) Synonym(s): *celebensis Debauche, 1941*
 16184) *Diplurodes coremiaria* (Hampson, 1896) (Geometridae) Synonym(s): *coremiaria Hampson, 1896*
 16185) *Diplurodes decursaria* (Walker, [1863]) (Geometridae) Synonym(s): *decursaria Walker, [1863]; petras Meyrick, 1897*
 16186) *Diplurodes indentata W. Warren, 1897* (Geometridae) Synonym(s): *indentata W. Warren, 1897*
 16187) *Diplurodes inundata L.B.Prout, 1929* (Geometridae) Synonym(s): *inundata L.B.Prout, 1929*
 16188) *Diplurodes kerangatis Holloway, [1994]* (Geometridae) Synonym(s): *kerangatis Holloway, [1994]*
 16189) *Diplurodes picta* (W. Warren, 1896) (Geometridae) Synonym(s): *picta W. Warren, 1896*
 16190) *Diplurodes semicircularis Holloway, [1994]* (Geometridae) Synonym(s): *semicircularis Holloway, [1994]*
 16191) *Diplurodes sinecoremata Holloway, [1994]* (Geometridae) Synonym(s): *sinecoremata Holloway, [1994]*
 16192) *Diplurodes submontana Holloway, 1976* (Geometridae) Synonym(s): *submontana Holloway, 1976*
 16193) *Diplurodes sugillata L.B.Prout, 1932* (Geometridae) Synonym(s): *sugillata L.B.Prout, 1932*
 16194) *Diplurodes triangulata Holloway, [1994]* (Geometridae) Synonym(s): *triangulata Holloway, [1994]*
 16195) *Diplurodes vestita W. Warren, 1896* (Geometridae) Synonym(s): *vestita W. Warren, 1896*
 16196) *Diptychis geometrina Felder, 1874* (Geometridae) Synonym(s): *geometrina Felder, 1874*
 16197) *Diptychis meraca L.B.Prout, 1928* (Geometridae) Synonym(s): *meraca L.B.Prout, 1928*
 16198) *Disclisioprocta natalata* (Walker, 1862) (Geometridae) Synonym(s): *natalata Walker, 1862; constellata Warren, 1897; polyacmaria Mabille, 1897; rubritincta Hampson, 1899; vorax Strand, 1910*
 16199) *Discomiosis arcioentra L.B.Prout, 1922* (Geometridae) Synonym(s): *arcioentra L.B.Prout, 1922*
 16200) *Discomiosis crescentifera* (Warren, 1902) (Geometridae) Synonym(s): *crescentifera Warren, 1902*
 16201) *Dolosis illacerata L.B.Prout, 1912* (Geometridae) Synonym(s): *illacerata L.B.Prout, 1912*
 16202) *Dooabia alia Yazaki, 1997* (Geometridae) Synonym(s): *alia Yazaki, 1997*
 16203) *Dooabia ambigua Yazaki, 1986* (Geometridae) Synonym(s): *ambigua Yazaki, 1986*
 16204) *Dooabia borealis Yazaki, 1997* (Geometridae) Synonym(s): *borealis Yazaki, 1997*
 16205) *Dooabia myopa L.B.Prout, 1932* (Geometridae) Synonym(s): *myopa L.B.Prout, 1932*
 16206) *Dooabia owadai Yazaki, 1986* (Geometridae) Synonym(s): *owadai Yazaki, 1986*
 16207) *Dooabia puncticostata L.B.Prout, 1923* (Geometridae) Synonym(s): *puncticostata L.B.Prout, 1923*
 16208) *Dooabia tanakai Yazaki, 1997* (Geometridae) Synonym(s): *tanakai Yazaki, 1997*
 16209) *Dorsifulcrum xeron Herbulot, 1979* (Geometridae) Synonym(s): *xeron Herbulot, 1979*
 16210) *Dorsifulcrum xeron seydeli Herbulot, 1979* (Geometridae) Synonym(s): *seydeli Herbulot, 1979*
 16211) *Drepanogynis admiranda* (Warren, 1905) (Geometridae) Synonym(s): *admiranda Warren, 1905*
 16212) *Drepanogynis agrypna* (L.B.Prout, 1938) (Geometridae) Synonym(s): *agrypna L.B.Prout, 1938*
 16213) *Drepanogynis albiflua M.Krüger, 2002* (Geometridae) Synonym(s): *albiflua M.Krüger, 2002*
 16214) *Drepanogynis albilinea M.Krüger, 2002* (Geometridae) Synonym(s): *albilinea M.Krüger, 2002*
 16215) *Drepanogynis albiordine L.B.Prout, 1938* (Geometridae) Synonym(s): *albiordine L.B.Prout, 1938*
 16216) *Drepanogynis algoaria* (R.Felder & Rogenhofer, 1875) (Geometridae) Synonym(s): *algoaria R.Felder & Rogenhofer, 1875; alicata R.Felder & Rogenhofer, 1875*
 16217) *Drepanogynis amydrogramma M.Krüger, 2002* (Geometridae) Synonym(s): *amydrogramma M.Krüger, 2002*
 16218) *Drepanogynis angulilinea M.Krüger, 2002* (Geometridae) Synonym(s): *angulilinea M.Krüger, 2002*
 16219) *Drepanogynis angustifascia M.Krüger, 2002* (Geometridae) Synonym(s): *angustifascia M.Krüger, 2002*
 16220) *Drepanogynis angustimargo M.Krüger, 2002* (Geometridae) Synonym(s): *angustimargo M.Krüger, 2002*
 16221) *Drepanogynis antennaria* (Guenée, [1858]) (Geometridae) Synonym(s): *antennaria Guenée, [1858]; imbellata Walker, 1863; vilisaria Walker, 1863*
 16222) *Drepanogynis anthracinata M.Krüger, 2002* (Geometridae) Synonym(s): *anthracinata M.Krüger, 2002*
 16223) *Drepanogynis arcuatilinea M.Krüger, 2002* (Geometridae) Synonym(s): *arcuatilinea M.Krüger, 2002*
 16224) *Drepanogynis arcuifera L.B.Prout, 1934* (Geometridae) Synonym(s): *arcuifera L.B.Prout, 1934*
 16225) *Drepanogynis argentinitens M.Krüger, 2002* (Geometridae) Synonym(s): *argentinitens M.Krüger, 2002*
 16226) *Drepanogynis aspitatifax M.Krüger, 2002* (Geometridae) Synonym(s): *aspitatifax M.Krüger, 2002*
 16227) *Drepanogynis aspitatoides M.Krüger, 2002* (Geometridae) Synonym(s): *aspitatoides M.Krüger, 2002*
 16228) *Drepanogynis athroopsegma M.Krüger, 2002* (Geometridae) Synonym(s): *athroopsegma M.Krüger, 2002*
 16229) *Drepanogynis aurifera M.Krüger, 2002* (Geometridae) Synonym(s): *aurifera M.Krüger, 2002*
 16230) *Drepanogynis auriferoides M.Krüger, 2002* (Geometridae) Synonym(s): *auriferoides M.Krüger, 2002*
 16231) *Drepanogynis aurifex M.Krüger, 2002* (Geometridae) Synonym(s): *aurifex M.Krüger, 2002*
 16232) *Drepanogynis auriflava M.Krüger, 2002* (Geometridae) Synonym(s): *auriflava M.Krüger, 2002*
 16233) *Drepanogynis bifasciata* (Dewitz, 1881) (Geometridae) Synonym(s): *bifasciata Dewitz, 1881*
 16234) *Drepanogynis bipartita* (Warren, 1914) (Geometridae) Synonym(s): *bipartita Warren, 1914*
 16235) *Drepanogynis biviaris* (Guenée, [1858]) (Geometridae) Synonym(s): *biviaris Guenée, [1858]; convexaria Walker, 1863; coryi Janse, 1932*
 16236) *Drepanogynis brunneisparsa M.Krüger, 2002* (Geometridae) Synonym(s): *brunneisparsa M.Krüger, 2002*
 16237) *Drepanogynis calligrapha M.Krüger, 2002* (Geometridae) Synonym(s): *calligrapha M.Krüger, 2002*
 16238) *Drepanogynis cambogiaria* (Guenée, [1858]) (Geometridae) Synonym(s): *cambogiaria Guenée, [1858]; paucaria Guenée, [1858]; justaria Walker, 1862; biferaria Walker, 1863; infectaria Walker, 1863; tardaria Walker, 1863; walkeri Wallengren, 1875; limettaria R.Felder & Rogenhofer, 1875;*
 16239) *Drepanogynis canilinea* (L.B.Prout, 1925) (Geometridae) Synonym(s): *canilinea L.B.Prout, 1925*
 16240) *Drepanogynis carneata* (Warren, 1904) (Geometridae) Synonym(s): *carneata Warren, 1904*
 16241) *Drepanogynis chelicerata M.Krüger, 2002* (Geometridae) Synonym(s): *chelicerata M.Krüger, 2002*
 16242) *Drepanogynis chromatina* (L.B.Prout, 1913) (Geometridae) Synonym(s): *chromatina L.B.Prout, 1913*
 16243) *Drepanogynis chrysobates M.Krüger, 2002* (Geometridae) Synonym(s): *chrysobates M.Krüger, 2002*
 16244) *Drepanogynis climax M.Krüger, 2002* (Geometridae) Synonym(s): *climax M.Krüger, 2002*
 16245) *Drepanogynis cnephaeogramma* (L.B.Prout, 1913) (Geometridae) Synonym(s): *cnephaeogramma L.B.Prout, 1913*
 16246) *Drepanogynis commutata* (L.B.Prout, 1938) (Geometridae) Synonym(s): *commutata L.B.Prout, 1938*
 16247) *Drepanogynis confusa M.Krüger, 2002* (Geometridae) Synonym(s): *confusa M.Krüger, 2002*
 16248) *Drepanogynis costipicta* (L.B.Prout, 1932) (Geometridae) Synonym(s): *costipicta L.B.Prout, 1932*
 16249) *Drepanogynis costipicta olearis L.B.Prout, 1938* (Geometridae) Synonym(s): *olearis L.B.Prout, 1938*
 16250) *Drepanogynis crassifurca M.Krüger, 2002* (Geometridae) Synonym(s): *crassifurca M.Krüger, 2002*
 16251) *Drepanogynis crenilinea M.Krüger, 2002* (Geometridae) Synonym(s): *crenilinea M.Krüger, 2002*
 16252) *Drepanogynis curvaria* (Dewitz, 1881) (Geometridae) Synonym(s): *curvaria Dewitz, 1881*
 16253) *Drepanogynis curvifascia* (L.B.Prout, 1916) (Geometridae) Synonym(s): *curvifascia L.B.Prout, 1916*
 16254) *Drepanogynis dami* (L.B.Prout, 1938) (Geometridae) Synonym(s): *dami L.B.Prout, 1938*
 16255) *Drepanogynis dentalinea M.Krüger, 2002* (Geometridae) Synonym(s): *dentalinea M.Krüger, 2002*
 16256) *Drepanogynis dentatimargo M.Krüger, 2002* (Geometridae) Synonym(s): *dentatimargo M.Krüger, 2002*
 16257) *Drepanogynis determinata* (Walker, 1860) (Geometridae) Synonym(s): *determinata Walker, 1860; aropisaria Walker, 1860; commixtata Walker, 1863; mosegata Felder & Rogenhofer, 1875*
 16258) *Drepanogynis devia* (L.B.Prout, 1913) (Geometridae) Synonym(s): *devia L.B.Prout, 1913*
 16259) *Drepanogynis dochmoleuca* (L.B.Prout, 1913) (Geometridae) Synonym(s): *dochmoleuca L.B.Prout, 1913*
 16260) *Drepanogynis dukei M.Krüger, 2002* (Geometridae) Synonym(s): *dukei M.Krüger, 2002*
 16261) *Drepanogynis ecprepes M.Krüger, 2002* (Geometridae) Synonym(s): *ecprepes M.Krüger, 2002*
 16262) *Drepanogynis ectoglauca M.Krüger, 2002* (Geometridae) Synonym(s): *ectoglauca M.Krüger, 2002*
 16263) *Drepanogynis ennomaria* (Warren, 1904) (Geometridae) Synonym(s): *ennomaria Warren, 1904*
 16264) *Drepanogynis epione* (L.B.Prout, 1917) (Geometridae) Synonym(s): *epione L.B.Prout, 1917*
 16265) *Drepanogynis excurvata M.Krüger, 2002* (Geometridae) Synonym(s): *excurvata M.Krüger, 2002*

- 16266) *Drepanogynis figurata* (Warren,1905) (Geometridae) Synonym(s): *figurata* Warren,1905
 16267) *Drepanogynis fortillimbata* (L.B.Prout,1938) (Geometridae) Synonym(s): *fortillimbata* L.B.Prout,1938
 16268) *Drepanogynis fuscimargo* (Warren,1898) (Geometridae) Synonym(s): *fuscimargo* Warren,1898
 16269) *Drepanogynis glaucichorda* L.B.Prout,1916 (Geometridae) Synonym(s): *glaucichorda* L.B.Prout,1916
 16270) *Drepanogynis gloriola* (L.B.Prout,1913) (Geometridae) Synonym(s): *gloriola* L.B.Prout,1913
 16271) *Drepanogynis griseisparsa* M.Krüger,2002 (Geometridae) Synonym(s): *griseisparsa* M.Krüger,2002
 16272) *Drepanogynis gynoloxa* (L.B.Prout,1938) (Geometridae) Synonym(s): *gynoloxa* L.B.Prout,1938
 16273) *Drepanogynis hilaris* M.Krüger,2002 (Geometridae) Synonym(s): *hilaris* M.Krüger,2002
 16274) *Drepanogynis hypenissa* (Butler,1875) (Geometridae) Synonym(s): *hypenissa* Butler,1875
 16275) *Drepanogynis hypoplea* L.B.Prout,1938 (Geometridae) Synonym(s): *hypoplea* L.B.Prout,1938
 16276) *Drepanogynis inaequalis* (L.B.Prout,1915) (Geometridae) Synonym(s): *inaequalis* L.B.Prout,1915
 16277) *Drepanogynis inangulata* (Warren,1905) (Geometridae) Synonym(s): *inangulata* Warren,1905
 16278) *Drepanogynis incondita* (W.Warren,1904) (Geometridae) Synonym(s): *incondita* W.Warren,1904; *renitens* W.Warren,1914; *unilineata* W.Warren,1914
nec Wrr.,1897
 16279) *Drepanogynis incurvata* M.Krüger,2002 (Geometridae) Synonym(s): *incurvata* M.Krüger,2002
 16280) *Drepanogynis insciata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *insciata* R.Felder & Rogenhofer,1875
 16281) *Drepanogynis interscripta* (L.B.Prout,1912) (Geometridae) Synonym(s): *interscripta* L.B.Prout,1912
 16282) *Drepanogynis intricata* (Warren,1905) (Geometridae) Synonym(s): *intricata* Warren,1905
 16283) *Drepanogynis intrusilinea* M.Krüger,2002 (Geometridae) Synonym(s): *intrusilinea* M.Krüger,2002
 16284) *Drepanogynis irvingi* M.Krüger,2002 (Geometridae) Synonym(s): *irvingi* M.Krüger,2002
 16285) *Drepanogynis kalahariensis* M.Krüger,2002 (Geometridae) Synonym(s): *kalahariensis* M.Krüger,2002
 16286) *Drepanogynis lactimacula* M.Krüger,2002 (Geometridae) Synonym(s): *lactimacula* M.Krüger,2002
 16287) *Drepanogynis latipennis* M.Krüger,2002 (Geometridae) Synonym(s): *latipennis* M.Krüger,2002
 16288) *Drepanogynis lavata* M.Krüger,2002 (Geometridae) Synonym(s): *lavata* M.Krüger,2002
 16289) *Drepanogynis leptodoma* L.B.Prout,1917 (Geometridae) Synonym(s): *leptodoma* L.B.Prout,1917
 16290) *Drepanogynis miltothyris* M.Krüger,2002 (Geometridae) Synonym(s): *miltothyris* M.Krüger,2002
 16291) *Drepanogynis mixtaria* Guenée,[1858] (Geometridae) Synonym(s): *mixtaria* Guenée,[1858]; *regularia* Guenée,[1858]; *inapplicata* Walker,[1863]; *exemptaria* Walker,[1863]; *dulcinaria* R.Felder & Rogenhofer,1875; *strigifera* Warren,1914
 16292) *Drepanogynis monas* L.B.Prout,1916 (Geometridae) Synonym(s): *monas* L.B.Prout,1916
 16293) *Drepanogynis nebulosa* M.Krüger,2002 (Geometridae) Synonym(s): *nebulosa* M.Krüger,2002
 16294) *Drepanogynis neopraefidens* M.Krüger,2002 (Geometridae) Synonym(s): *neopraefidens* M.Krüger,2002
 16295) *Drepanogynis nigrapex* (L.B.Prout,1913) (Geometridae) Synonym(s): *nigrapex* L.B.Prout,1913
 16296) *Drepanogynis nipholibes* (L.B.Prout,1913) (Geometridae) Synonym(s): *nipholibes* L.B.Prout,1913
 16297) *Drepanogynis niveata* M.Krüger,2002 (Geometridae) Synonym(s): *niveata* M.Krüger,2002
 16298) *Drepanogynis obscurefascia* M.Krüger,2002 (Geometridae) Synonym(s): *obscurefascia* M.Krüger,2002
 16299) *Drepanogynis ocellata* W.Warren,1897 (Geometridae) Synonym(s): *ocellata* W.Warren,1897
 16300) *Drepanogynis oinophora* M.Krüger,2002 (Geometridae) Synonym(s): *oinophora* M.Krüger,2002
 16301) *Drepanogynis olivescens* (W.Warren,1898) (Geometridae) Synonym(s): *olivescens* W.Warren,1898; *demissa* L.B.Prout,1938
 16302) *Drepanogynis orthobates* (L.B.Prout,1917) (Geometridae) Synonym(s): *orthobates* L.B.Prout,1917
 16303) *Drepanogynis ostracina* M.Krüger,2002 (Geometridae) Synonym(s): *ostracina* M.Krüger,2002
 16304) *Drepanogynis pallidimargo* M.Krüger,2002 (Geometridae) Synonym(s): *pallidimargo* M.Krüger,2002
 16305) *Drepanogynis parapraefidens* M.Krüger,2002 (Geometridae) Synonym(s): *parapraefidens* M.Krüger,2002
 16306) *Drepanogynis parva* M.Krüger,2002 (Geometridae) Synonym(s): *parva* M.Krüger,2002
 16307) *Drepanogynis perirorata* M.Krüger,2002 (Geometridae) Synonym(s): *perirorata* M.Krüger,2002
 16308) *Drepanogynis pero* L.B.Prout,1917 (Geometridae) Synonym(s): *pero* L.B.Prout,1917
 16309) *Drepanogynis phaeoscia* M.Krüger,2002 (Geometridae) Synonym(s): *phaeoscia* M.Krüger,2002
 16310) *Drepanogynis prouti* M.Krüger,2002 (Geometridae) Synonym(s): *tripartita* L.B.Prout,1915 *nec Warr.,1898*; *prouti* M.Krüger,2002
 16311) *Drepanogynis pulla* M.Krüger,2002 (Geometridae) Synonym(s): *pulla* M.Krüger,2002
 16312) *Drepanogynis pumila* M.Krüger,2002 (Geometridae) Synonym(s): *pumila* M.Krüger,2002
 16313) *Drepanogynis punctata* W.Warren,1897 (Geometridae) Synonym(s): *punctata* W.Warren,1897
 16314) *Drepanogynis ravida* M.Krüger,2002 (Geometridae) Synonym(s): *ravida* M.Krüger,2002
 16315) *Drepanogynis rhodampyx* (L.B.Prout,1938) (Geometridae) Synonym(s): *rhodampyx* L.B.Prout,1938
 16316) *Drepanogynis robertsoni* (L.B.Prout,1925) (Geometridae) Synonym(s): *robertsoni* L.B.Prout,1925
 16317) *Drepanogynis rosea* M.Krüger,2002 (Geometridae) Synonym(s): *rosea* M.Krüger,2002
 16318) *Drepanogynis rufaria* (Warren,1909) (Geometridae) Synonym(s): *rufaria* Warren,1909
 16319) *Drepanogynis rufigrisea* (Warren,1911) (Geometridae) Synonym(s): *rufigrisea* Warren,1911
 16320) *Drepanogynis sectilis* (L.B.Prout,1938) (Geometridae) Synonym(s): *sectilis* L.B.Prout,1938
 16321) *Drepanogynis serrifasciaria* (Herrich-Schäffer,[1854]) (Geometridae) Synonym(s): *serrifasciaria* Herrich-Schäffer,[1854]
 16322) *Drepanogynis simonsi* (L.B.Prout,1938) (Geometridae) Synonym(s): *simonsi* L.B.Prout,1938; *fitsimonsi* L.B.Prout,1938
 16323) *Drepanogynis sinuata* W.Warren,1905 (Geometridae) Synonym(s): *sinuata* W.Warren,1905
 16324) *Drepanogynis smaragdaria* M.Krüger,2002 (Geometridae) Synonym(s): *smaragdaria* M.Krüger,2002
 16325) *Drepanogynis smaragdioides* M.Krüger,2002 (Geometridae) Synonym(s): *smaragdioides* M.Krüger,2002
 16326) *Drepanogynis soni* (L.B.Prout,1938) (Geometridae) Synonym(s): *soni* L.B.Prout,1938; *vansoni* L.B.Prout,1938
 16327) *Drepanogynis* sp. (Geometridae) Synonym(s):
 16328) *Drepanogynis* sp. (Geometridae) Synonym(s):
 16329) *Drepanogynis spatulifurca* M.Krüger,2002 (Geometridae) Synonym(s): *spatulifurca* M.Krüger,2002
 16330) *Drepanogynis stepheni* M.Krüger,2002 (Geometridae) Synonym(s): *stepheni* M.Krüger,2002
 16331) *Drepanogynis striata* M.Krüger,2002 (Geometridae) Synonym(s): *striata* M.Krüger,2002
 16332) *Drepanogynis striata* M.Krüger,2002 (Geometridae) Synonym(s): *striata* M.Krüger,2002
 16333) *Drepanogynis strigulosa* L.B.Prout,1916 (Geometridae) Synonym(s): *strigulosa* L.B.Prout,1916
 16334) *Drepanogynis subochrea* (L.B.Prout,1917) (Geometridae) Synonym(s): *subochrea* L.B.Prout,1917
 16335) *Drepanogynis subrosea* M.Krüger,2002 (Geometridae) Synonym(s): *subrosea* M.Krüger,2002
 16336) *Drepanogynis synclinia* (L.B.Prout,1938) (Geometridae) Synonym(s): *synclinia* L.B.Prout,1938
 16337) *Drepanogynis tabacicolor* M.Krüger,2002 (Geometridae) Synonym(s): *tabacicolor* M.Krüger,2002
 16338) *Drepanogynis trachyacta* (L.B.Prout,1922) (Geometridae) Synonym(s): *trachyacta* L.B.Prout,1922; *corbolinea* L.B.Prout,1938
 16339) *Drepanogynis tripartita* (Walker,1898) (Geometridae) Synonym(s): *tripartita* Walker,1898
 16340) *Drepanogynis unilineata* (Warren,1897) (Geometridae) Synonym(s): *unilineata* Warren,1897
 16341) *Drepanogynis valida* (Warren,1914) (Geometridae) Synonym(s): *valida* Warren,1914
 16342) *Drepanogynis vara* L.B.Prout,1922 (Geometridae) Synonym(s): *vara* L.B.Prout,1922
 16343) *Drepanogynis variciliata* M.Krüger,2002 (Geometridae) Synonym(s): *variciliata* M.Krüger,2002
 16344) *Drepanogynis villaria* (Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *villaria* Felder & Rogenhofer,1875
 16345) *Drepanogynis viridipennis* M.Krüger,2002 (Geometridae) Synonym(s): *viridipennis* M.Krüger,2002
 16346) *Drepanogynis xanthographa* M.Krüger,2002 (Geometridae) Synonym(s): *xanthographa* M.Krüger,2002
 16347) *Drepanogynis xylophanes* M.Krüger,2002 (Geometridae) Synonym(s): *xylophanes* M.Krüger,2002
 16348) *Drepanopterula limaria* (Christoph,1885) (Geometridae) Synonym(s): *limaria* Christoph,1885
 16349) *Durbana setinata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *setinata* R.Felder & Rogenhofer,1875
 16350) *Dyscholoropsis impararia* (Guenée,[1858]) (Geometridae) Synonym(s): *impararia* Guenée,[1858]
 16351) *Dyscia* (Calodyscia) *innocentaria* (Christoph,1885) (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923
 16352) *Dyscia* (Calodyscia) *innocentaria* *innocentaria* (Christoph,1885) (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923
 16353) *Dyscia* (Calodyscia) *innocentaria* *osmanica* (Wagner,1931) (Geometridae) Synonym(s): *osmanica* Wagner,1931

- 16354) *Dyscia (Eudyscia) fagaria* (Thunberg,1784) (Geometridae) Synonym(s): *fagaria* Thunberg,1784; *ilivolans* Wehrli,1953; *duanjiao* Yang,1978.
- 16355) *Dyscia (Iberafria) penulataria* (Hübner,[1819]) (Geometridae) Synonym(s): *favillacearia* Hübner,[1799]; *penulataria* Hübner,[1819]; *rubentaria* Rambur,1866; *hispanaria* Milliere,1866; *combustaria* Oberthür,1923; *trabucaria* Oberthür,1923; *naevata* Wehrli,1953.
- 16356) *Dyscia (Iberafria) rungsi* Herbulot,1981 (Geometridae) Synonym(s): *rungsii* Herbulot,1981
- 16357) *Dyscia (Rjabovana) negrama* Wehrli,1953 (Geometridae) Synonym(s): *negrama* Wehrli,1953; *rjabovi* Vardikjan,1957.
- 16358) *Dyscia (Warneckeella) malatyana* (Wehrli,1934) (Geometridae) Synonym(s): *malatyana* Werli,1934; *dagestana* Wehrli,1934; *senecai* Wiltshire,1990.
- 16359) *Dyscia (Warneckeella) malatyana albersana* Warnecke,1940 (Geometridae) Synonym(s): *albersana* Warnecke,1940; *nachadira* Brandt,1941.
- 16360) *Dyscia (Warneckeella) malatyana malatyana* (Wehrli,1934) (Geometridae) Synonym(s): *malatyana* Werli,1934; *dagestana* Wehrli,1934; *senecai* Wiltshire,1990.
- 16361) *Dyscia (s.str.) conspersaria* (Denis & Schiffermüller,1775) (Geometridae) Synonym(s): *conspersaria* [Denis & Schiffermüller],1775; *cuniculina* Hübner,1790; *cunicularia* Esper,1803; *turturaria* Boisduval,1840
- 16362) *Dyscia (s.str.) conspersaria sultanica* Wehrli,1936 (Geometridae) Synonym(s): *sultanica* Wehrli,1936
- 16363) *Dyscia (s.str.) crassipunctaria* (Rebel,1916) (Geometridae) Synonym(s): *crassipunctaria* Rebel,1916
- 16364) *Dyscia (s.str.) galactaria Turati*,1934 (Geometridae) Synonym(s): *galactaria* Turati,1934; *karsholti* Wiltshire,1991.
- 16365) *Dyscia (s.str.) lentiscaria* (Donzel,1837) (Geometridae) Synonym(s): *lentiscaria* Donzel,1837
- 16366) *Dyscia (s.str.) simplicaria* Rebel,1939 (Geometridae) Synonym(s): *simplicaria* Rebel,1939
- 16367) *Dyscia distinctaria* (A.Bang-Haas,1910) (Geometridae) Synonym(s): *distinctaria* A.Bang-Haas,1910; *perdistincta* Herbulot,1957.
- 16368) *Dyscia raunaria* (Freyer,1851) (Geometridae) Synonym(s): *raunaria* Freyer,1851
- 16369) *Dysgnophos mcguffini* (Smiles,1980) (Geometridae) Synonym(s): *mcguffini* Smiles,1980
- 16370) *Dysphania alloides* L.B.Prout,1916 (Geometridae) Synonym(s): *alloides* L.B.Prout,1916
- 16371) *Dysphania andamana* (Moore,1877) (Geometridae) Synonym(s): *andamana* Moore,1877
- 16372) *Dysphania andersoni* (Moore,1886) (Geometridae) Synonym(s): *andersoni* Moore,1886
- 16373) *Dysphania azurea* Bastelberger,1904 (Geometridae) Synonym(s): *azurea* Bastelberger,1904
- 16374) *Dysphania bivexillata* L.B.Prout,1912 (Geometridae) Synonym(s): *bivexillata* L.B.Prout,1912
- 16375) *Dysphania cancellata* Bastelberger,1904 (Geometridae) Synonym(s): *cancellata* Bastelberger,1904
- 16376) *Dysphania centralis* Rothschild,1901 (Geometridae) Synonym(s): *centralis* Rothschild,1901
- 16377) *Dysphania contraria* (Walker,[1865]) (Geometridae) Synonym(s): *contraria* Walker,[1865]; *bellicosa* R.Felder & Rogenhofer,1874
- 16378) *Dysphania cuprina* (R.Felder & Rogenhofer,1874) (Geometridae) Synonym(s): *cuprina* R.Felder & Rogenhofer,1874; *fruhstorferi* Röber,1895
- 16379) *Dysphania cyane* (Cramer,[1780]) (Geometridae) Synonym(s): *cyane* Cramer,[1780]; *spectabilis* Walker,[1865]
- 16380) *Dysphania deflavata* W.Warren,1904 (Geometridae) Synonym(s): *deflavata* W.Warren,1904; *sericata* Bastelberger,1905
- 16381) *Dysphania discalis* (Walker,1854) (Geometridae) Synonym(s): *discalis* Walker,1854
- 16382) *Dysphania endoleuca* L.B.Prout,1917 (Geometridae) Synonym(s): *endoleuca* L.B.Prout,1917
- 16383) *Dysphania flavidiscalis* W.Warren,1895 (Geometridae) Synonym(s): *flavidiscalis* W.Warren,1895
- 16384) *Dysphania glaucescens* (Walker,1862) (Geometridae) Synonym(s): *glaucescens* Walker,1862; *regalis* Butler,1880; *lyra* Druce,1891; *semiflava* W.Warren,1895
- 16385) *Dysphania goramensis* Bastelberger,1905 (Geometridae) Synonym(s): *goramensis* Bastelberger,1905
- 16386) *Dysphania hyperedys* L.B.Prout,1916 (Geometridae) Synonym(s): *hyperedys* L.B.Prout,1916
- 16387) *Dysphania imperialis* W.Warren,1902 (Geometridae) Synonym(s): *imperialis* W.Warren,1902
- 16388) *Dysphania interrupta* Bastelberger,1905 (Geometridae) Synonym(s): *interrupta* Bastelberger,1905; *sumatrensis* Fawcett,1910
- 16389) *Dysphania jessica* Swinhoe,1908 (Geometridae) Synonym(s): *jessica* Swinhoe,1908
- 16390) *Dysphania latiplaga* W.Warren,1902 (Geometridae) Synonym(s): *latiplaga* W.Warren,1902
- 16391) *Dysphania malayanus* (Guérin-Méneville,1843) (Geometridae) Synonym(s): *malayanus* Guérin-Méneville,1843
- 16392) *Dysphania malayanus recessa* (Walker,1862) (Geometridae) Synonym(s): *recessa* Walker,1862; *proba* Butler,1880; *supergressa* W.Warren,1895
- 16393) *Dysphania melleata* W.Warren,1902 (Geometridae) Synonym(s): *melleata* W.Warren,1902
- 16394) *Dysphania militaris* (Linnaeus,1758) (Geometridae) Synonym(s): *militaris* Linnaeus,1758; *abrupta* Walker,1862; *roepstorffii* Moore,1877; *lunulata* Butler,1882; *ludifica* Swinhoe,1890; *scylla* Swinhoe,1893; *caeruleoplaga* Bastelberger,1911
- 16395) *Dysphania militaris abnegata* L.B.Prout,1917 (Geometridae) Synonym(s): *abnegata* L.B.Prout,1917
- 16396) *Dysphania militaris bellona* (Walker,1854) (Geometridae) Synonym(s): *bellona* Walker,1854
- 16397) *Dysphania militaris militaris* (Linnaeus,1758) (Geometridae) Synonym(s): *militaris* Linnaeus,1758; *abrupta* Walker,1862; *roepstorffii* Moore,1877; *lunulata* Butler,1882; *ludifica* Swinhoe,1890; *scylla* Swinhoe,1893; *caeruleoplaga* Bastelberger,1911
- 16398) *Dysphania minervaria* (Guenée,[1858]) (Geometridae) Synonym(s): *minervaria* Guenée,[1858]
- 16399) *Dysphania nclera* (Swinhoe,1891) (Geometridae) Synonym(s): *nclera* Swinhoe,1891
- 16400) *Dysphania numana* (Cramer,[1779]) (Geometridae) Synonym(s): *numana* Cramer,[1779]; *numenia* Hübner,[1819]; *fenestrata* Swainson,1833; *tasmaniae* Le Guillou,1841; *numanaria* Guenée,[1858]; *tasmanicaria* Guenée,[1858]; *velitaria* Guenée,[1858]; *helenetta* Walker,1856; *flavata* Walker,1865; *magnific* Swinhoe,1900; *arcuata* Bastelberger,1907
- 16401) *Dysphania palestraria* (Guenée,[1858]) (Geometridae) Synonym(s): *palestraria* Guenée,[1858] ID Tim
- 16402) *Dysphania palmyra* (Stoll,[1790]) (Geometridae) Synonym(s): *palmyra* Stoll,[1790]; *transversa* Walker,1854; *palmyraria* Guenée,[1858] IN LK
- 16403) *Dysphania patula* (Walker,[1865]) (Geometridae) Synonym(s): *patula* Walker,[1865]; *latigrisea* L.B.Prout,1916
- 16404) *Dysphania percota* (Swinhoe,1891) (Geometridae) Synonym(s): *percota* Swinhoe,1891 IN
- 16405) *Dysphania pilosa* (Butler,1887) (Geometridae) Synonym(s): *pilosa* Butler,1887 SB
- 16406) *Dysphania plena* (Walker,1856) (Geometridae) Synonym(s): *plena* Walker,1856; *balistaria* Guenée,[1858]; *manillaria* Guenée,[1858] PH Luz
- 16407) *Dysphania poeyi* (Guérin-Méneville,1838) (Geometridae) Synonym(s): *poeyi* Guérin-Méneville,1838; *mars* Boisduval,1832; *agorius* Boisduval,1832; *martiaria* Guenée,[1858]; *bernsteini* R.Felder & Rogenhofer,1874; *auriplena* Thierry-Mieg,1905; *decoloratula* Strand,1912; *flavifrons* Strand,1912 ID Ij Wg Kai Crm Mi Aru
- 16408) *Dysphania porphyroides* L.B.Prout,1917 (Geometridae) Synonym(s): *porphyroides* L.B.Prout,1917 IN Adm
- 16409) *Dysphania prunicolor* (Moore,1879) (Geometridae) Synonym(s): *prunicolor* Moore,1879; *bellissima* Moore,1879 LK
- 16410) *Dysphania sagana* (Druce,1882) (Geometridae) Synonym(s): *sagana* Druce,1882
- 16411) *Dysphania sagana selangora* (Swinhoe,1893) (Geometridae) Synonym(s): *selangora* Swinhoe,1893
- 16412) *Dysphania snelleni* (Pagenstecher,1886) (Geometridae) Synonym(s): *snelleni* Pagenstecher,1886; *latiflava* W.Warren,1895
- 16413) *Dysphania subrepleta* (Walker,1854) (Geometridae) Synonym(s): *subrepleta* Walker,1854; *bellonaria* Guenée,[1858]
- 16414) *Dysphania subrepleta excubitor* (Moore,1879) (Geometridae) Synonym(s): *excubitor* Moore,1879; *sodalis* Moore,1886; *conspicua* Bastelberger,1907
- 16415) *Dysphania subrepleta subrepleta* (Walker,1854) (Geometridae) Synonym(s): *subrepleta* Walker,1854; *bellonaria* Guenée,[1858]
- 16416) *Dysphania tentans* (Walker,[1865]) (Geometridae) Synonym(s): *tentans* Walker,[1865]; *vulcanus* Thierry-Mieg,1907
- 16417) *Dysphania transducta* (Walker,1862) (Geometridae) Synonym(s): *transducta* Walker,1862; *malayaria* Guenée,[1858]; *doubledayi* Snellen,1884; *chrysocraspedata* W.Warren,1904; *nigrostriata* Bastelberger,1905; *albescens* L.B.Prout,1912
- 16418) *Dysphania transducta aurilimbata* (Moore,1879) (Geometridae) Synonym(s): *aurilimbata* Moore,1879
- 16419) *Dysphania transducta auriplaga* W.Warren,1895 (Geometridae) Synonym(s): *auriplaga* W.Warren,1895
- 16420) *Dysphania transducta transducta* (Walker,1862) (Geometridae) Synonym(s): *transducta* Walker,1862; *malayaria* Guenée,[1858]; *doubledayi* Snellen,1884; *chrysocraspedata* W.Warren,1904; *nigrostriata* Bastelberger,1905; *albescens* L.B.Prout,1912
- 16421) *Dysphania translucida* (Montrouzier,1856) (Geometridae) Synonym(s): *translucida* Montrouzier,1856; *xanthora* L.B.Prout,1916
- 16422) *Dysphania tyrianthina* (Butler,1882) (Geometridae) Synonym(s): *tyrianthina* Butler,1882
- 16423) *Dysrhoe olbia* (L.B.Prout,1911) (Geometridae) Synonym(s): *olbia* L.B.Prout,1911; *parvula* L.B.Prout,1932
- 16424) *Eccymatoge melanoterma* L.B.Prout,1913 (Geometridae) Synonym(s): *melanoterma* L.B.Prout,1913
- 16425) *Ecleora solieraria* (Rambur,1834) (Geometridae) Synonym(s): *solieraria* Rambur,1834
- 16426) *Ecliptopera acalles* (L.B.Prout,1938) (Geometridae) Synonym(s): *acalles* L.B.Prout,1938
- 16427) *Ecliptopera albogilva* L.B.Prout,1931 (Geometridae) Synonym(s): *albogilva* L.B.Prout,1931
- 16428) *Ecliptopera benigna* (L.B.Prout,1914) (Geometridae) Synonym(s): *benigna* L.B.Prout,1914
- 16429) *Ecliptopera capitata* (Herrich-Schäffer,1839) (Geometridae) Synonym(s): *posticata* Fabricius,1794; *capitata* Herrich-Schäffer,1839; *capitaria* Boisduval,1840; *balsaminata* Freyer,1842
- 16430) *Ecliptopera ctenoplia* L.B.Prout,1931 (Geometridae) Synonym(s): *ctenoplia* L.B.Prout,1931

- 16431) *Ecliptopera delecta* (Butler,1880) (Geometridae) Synonym(s): *delecta* Butler,1880
 16432) *Ecliptopera dentifera* (Moore,1888) (Geometridae) Synonym(s): *dentifera* Moore,1888; *nicivincta* Butler,1889
 16433) *Ecliptopera dimita* (L.B.Prout,1938) (Geometridae) Synonym(s): *dimita* L.B.Prout,1938
 16434) *Ecliptopera dissecta* (Moore,[1887]) (Geometridae) Synonym(s): *dissecta* Moore,[1887]
 16435) *Ecliptopera falsiloqua* (L.B.Prout,1938) (Geometridae) Synonym(s): *falsiloqua* L.B.Prout,1938
 16436) *Ecliptopera fastigata* (Püngeler,1909) (Geometridae) Synonym(s): *fastigata* Püngeler,1909
 16437) *Ecliptopera fervidaria* (Leech,1897) (Geometridae) Synonym(s): *fervidaria* Leech,1897
 16438) *Ecliptopera fulvidorsata* (Swinhoe,1894) (Geometridae) Synonym(s): *fulvidorsata* Swinhoe,1894; *subcanescens* W.Warren,1896
 16439) *Ecliptopera fulvotincta* (Hampson,1895) (Geometridae) Synonym(s): *fulvotincta* Hampson,1895
 16440) *Ecliptopera furva* (Swinhoe,1891) (Geometridae) Synonym(s): *furva* Swinhoe,1891
 16441) *Ecliptopera furvoides* (Thierry-Mieg,1915) (Geometridae) Synonym(s): *furvoides* Thierry-Mieg,1915
 16442) *Ecliptopera haplocrossa* (L.B.Prout,1938) (Geometridae) Synonym(s): *haplocrossa* L.B.Prout,1938
 16443) *Ecliptopera leucoglyphica* (W.Warren,1898) (Geometridae) Synonym(s): *leucoglyphica* W.Warren,1898
 16444) *Ecliptopera litterata* (West,1929) (Geometridae) Synonym(s): *litterata* West,1929
 16445) *Ecliptopera lucrosa* L.B.Prout,1940 (Geometridae) Synonym(s): *lucrosa* L.B.Prout,1940
 16446) *Ecliptopera macarthuri* (L.B.Prout,1938) (Geometridae) Synonym(s): *macarthuri* L.B.Prout,1938
 16447) *Ecliptopera mixtilineata* (Hampson,1895) (Geometridae) Synonym(s): *mixtilineata* Hampson,1895
 16448) *Ecliptopera muscicolor* (Moore,1888) (Geometridae) Synonym(s): *muscicolor* Moore,1888; *subapicalis* Swinhoe,1894 *nec* Hamps.,1891
 16449) *Ecliptopera oblongata* (Guenée,[1858]) (Geometridae) Synonym(s): *oblongata* Guenée,[1858]
 16450) *Ecliptopera obscurata* (Moore,1868) (Geometridae) Synonym(s): *obscurata* Moore,1868; *monana* Swinhoe,1893
 16451) *Ecliptopera odontoplia* L.B.Prout,1935 (Geometridae) Synonym(s): *odontoplia* L.B.Prout,1935
 16452) *Ecliptopera phaula* L.B.Prout,1933 (Geometridae) Synonym(s): *phaula* L.B.Prout,1933
 16453) *Ecliptopera postpallida* (L.B.Prout,1938) (Geometridae) Synonym(s): *postpallida* L.B.Prout,1938
 16454) *Ecliptopera postpallida nuristana* Wiltshire,1967 (Geometridae) Synonym(s): *nuristana* Wiltshire,1967
 16455) *Ecliptopera postpallida postpallida* (L.B.Prout,1938) (Geometridae) Synonym(s): *postpallida* L.B.Prout,1938
 16456) *Ecliptopera pryri* (Butler,1881) (Geometridae) Synonym(s): *pryeri* Butler,1881
 16457) *Ecliptopera recordans* L.B.Prout,1940 (Geometridae) Synonym(s): *recordans* L.B.Prout,1940
 16458) *Ecliptopera rectilinea* W.Warren,1894 (Geometridae) Synonym(s): *rectilinea* W.Warren,1894
 16459) *Ecliptopera relata* (Butler,1880) (Geometridae) Synonym(s): *relata* Butler,1880
 16460) *Ecliptopera sagittatoides* (Pagenstecher,1900) (Geometridae) Synonym(s): *sagittatoides* Pagenstecher,1900; *intromissa* W.Warren,1906
 16461) *Ecliptopera silaceata* ([Denis & Schiffermüller],[1775]) (Geometridae) Synonym(s): *silaceata* [Denis & Schiffermüller],1775; *insulata* Haworth,1809; *cuneata* Donovan,1810; *silacearia* Boisduval,1840
 16462) *Ecliptopera subapicalis* (Hampson,1891) (Geometridae) Synonym(s): *subapicalis* Hampson,1891
 16463) *Ecliptopera subfalcata* (W.Warren,1893) (Geometridae) Synonym(s): *subfalcata* W.Warren,1893
 16464) *Ecliptopera subnubila* L.B.Prout,1940 (Geometridae) Synonym(s): *subnubila* L.B.Prout,1940
 16465) *Ecliptopera substituta* (Walker,1866) (Geometridae) Synonym(s): *substituta* Walker,1866
 16466) *Ecliptopera thalyera* L.B.Prout,1928 (Geometridae) Synonym(s): *thalyera* L.B.Prout,1928
 16467) *Ecliptopera triangulifera* (Moore,1888) (Geometridae) Synonym(s): *triangulifera* Moore,1888; *phrice* West,1929
 16468) *Ecliptopera umbrosaria* (Motschulsky,1861) (Geometridae) Synonym(s): *umbrosaria* Motschulsky,1861; *hachijoensis* Inoue,1954
 16469) *Ecliptopera zaes* L.B.Prout,1932 (Geometridae) Synonym(s): *zaes* L.B.Prout,1932
 16470) *Ecliptopera zophera* L.B.Prout,1931 (Geometridae) Synonym(s): *zophera* L.B.Prout,1931
 16471) *Ecpetala caesioplaga* (L.B.Prout,1935) (Geometridae) Synonym(s): *caesioplaga* L.B.Prout,1935
 16472) *Ectropidia altiprimata* Holloway,[1994] (Geometridae) Synonym(s): *altiprimata* Holloway,[1994]
 16473) *Ectropidia exprimata* (Walker,1861) (Geometridae) Synonym(s): *exprimata* Walker,1861
 16474) *Ectropidia fimbripedata* W.Warren,1900 (Geometridae) Synonym(s): *fimbripedata* W.Warren,1900
 16475) *Ectropidia harmani* Holloway,[1994] (Geometridae) Synonym(s): *harmani* Holloway,[1994]
 16476) *Ectropidia hollowayi* Sato,1995 (Geometridae) Synonym(s): *hollowayi* Sato,1995
 16477) *Ectropidia illepidaria* (Walker,1861) (Geometridae) Synonym(s): *illepidaria* Walker,1861; *pustulata* W.Warren,1900
 16478) *Ectropidia paraprimata* Sato,1995 (Geometridae) Synonym(s): *paraprimata* Sato,1995
 16479) *Ectropidia quasilepidaria* Holloway,[1994] (Geometridae) Synonym(s): *quasilepidaria* Holloway,[1994]
 16480) *Ectropidia saitoi* Sato,1995 (Geometridae) Synonym(s): *saitoi* Sato,1995
 16481) *Ectropidia semijubata* (L.B.Prout,1929) (Geometridae) Synonym(s): *semijubata* L.B.Prout,1929
 16482) *Ectropidia shoreae* (L.B.Prout,1934) (Geometridae) Synonym(s): *shoreae* L.B.Prout,1934
 16483) *Ectropidia subprimata* Sato,1995 (Geometridae) Synonym(s): *subprimata* Sato,1995
 16484) *Ectropis atelomeres* L.B.Prout,1922 (Geometridae) Synonym(s): *atelomeres* L.B.Prout,1922
 16485) *Ectropis bhumitra* (Walker,1860) (Geometridae) Synonym(s): *bhumitra* Walker,1860; *diffusaria* Walker,1860; *sabulosa* W.Warren,1897; *semifascia* W.Warren,1897; *semifasciata* W.Warren,1900; *obrussata* Holland,1900; *brevifasciata* Wileman,1912
 16486) *Ectropis bistortata* (Goeze,1781) (Geometridae) Synonym(s): *#crepuscularia* [Denis & Schiffermüller],1775; *virginaria* Cramer,[1780]; *bistortata* Goeze,1781; *biundulata* Villers,1789; *biundularia* Borkhausen,1794; *baeticaria* Scharfenberg,1805; *strigularia* Stephens,1831; *defessaria* Freyer,1847; *occidua* Guenée,[1858]; *divisaria* Walker,1860 *nec* Wlk.,1860; *intrataria* Walker,1860; *signaria* Walker,1860; *spatiosaria* Walker,1860; *abraxaria* Walker,1860; *cineraria* Walker,1860; *crepusculata* Herrich-Schäffer,1863; *fumataria* Minot,1869; *tristis* Riesen,1897
 16487) *Ectropis delosaria* (Walker,[1863]) (Geometridae) Synonym(s): *delosaria* Walker,[1863]; *crassa* W.Warren,1899
 16488) *Ectropis fraudulentula* Janse,1932 (Geometridae) Synonym(s): *fraudulentula* Janse,1932
 16489) *Ectropis longiscapula* L.B.Prout,1926 (Geometridae) Synonym(s): *longiscapula* L.B.Prout,1926
 16490) *Ectropis obliquilinea* L.B.Prout,1916 (Geometridae) Synonym(s): *obliquilinea* L.B.Prout,1916
 16491) *Ectropis oleitincta* L.B.Prout,1931 (Geometridae) Synonym(s): *oleitincta* L.B.Prout,1931
 16492) *Ectropis pais* L.B.Prout,1931 (Geometridae) Synonym(s): *pais* L.B.Prout,1931; *ischnadelata* L.B.Prout,1932
 16493) *Ectropis paracopa* L.B.Prout,1925 (Geometridae) Synonym(s): *paracopa* L.B.Prout,1925
 16494) *Ectropis simplex* (Warren,1916) (Geometridae) Synonym(s): *simplex* Warren,1916
 16495) *Ectropis spoliataria* (Walker,1860) (Geometridae) Synonym(s): *spoliataria* Walker,1860; *fulvitincta* W.Warren,1904
 16496) *Ectropis sublimbata* (W.Warren,1911) (Geometridae) Synonym(s): *sublimbata* W.Warren,1911
 16497) *Eilicrinia cordiaria* (Hübner,1790) (Geometridae) Synonym(s): *cordiaria* Hübner,1790
 16498) *Eilicrinia cordiaria signigera* Butler,1889 (Geometridae) Synonym(s): *signigera* Butler,1889
 16499) *Eilicrinia flava* (Moore,1888) (Geometridae) Synonym(s): *flava* Moore,1888; *rufofasciata* Poujade,1891
 16500) *Eilicrinia nuptaria* Bremer,1864 (Geometridae) Synonym(s): *nuptaria* Bremer,1864; *ophthalmicata* Wehrli,1927
 16501) *Eilicrinia orias* Wehrli,1933 (Geometridae) Synonym(s): *orias* Wehrli,1933
 16502) *Eilicrinia parvula* Wehrli,1940 (Geometridae) Synonym(s): *parvula* Wehrli,1940
 16503) *Eilicrinia rosearia* A.Bang-Haas,1907 (Geometridae) Synonym(s): *rosearia* A.Bang-Haas,1907
 16504) *Eilicrinia subcordaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *tritomatata* Fischer de Waldheim,1840; *subcordaria* Herrich-Schäffer,[1852]; *anicularia* Eversmann,1852; *freitagaria* Möschler,1854; *subcordata* Herrich-Schäffer,1861.
 16505) *Eilicrinia subcordaria acardia* Stichel,1911 (Geometridae) Synonym(s): *acardia* Stichel,1911
 16506) *Eilicrinia trinotata* (Metzner,1845) (Geometridae) Synonym(s): *trinotata* Metzner,1845
 16507) *Eilicrinia unimaculata* Püngeler,1914 (Geometridae) Synonym(s): *unimaculata* Püngeler,1914
 16508) *Eilicrinia ursula* Thierry-Mieg,1910 (Geometridae) Synonym(s): *ursula* Thierry-Mieg,1910
 16509) *Eilicrinia wehrlii* Djakonov,1933 (Geometridae) Synonym(s): *wehrlii* Djakonov,1933
 16510) *Eilicrinia wehrlii mandschuria* Wehrli,1940 (Geometridae) Synonym(s): *mandschuria* Wehrli,1940
 16511) *Eilicrinia wehrlii wehrlii* Djakonov,1933 (Geometridae) Synonym(s): *wehrlii* Djakonov,1933
 16512) *Ekboarmia atlanticaria* (Staudinger,1859) (Geometridae) Synonym(s): *atlanticaria* Staudinger,1859
 16513) *Ekboarmia fascinataria* (Staudinger,1859) (Geometridae) Synonym(s): *fascinataria* Staudinger,1859
 16514) *Ekboarmia sagnesi* Dufay,1979 (Geometridae) Synonym(s): *sagnesi* Dufay,1979

- 16515) *Electrophaes corylata* (Thunberg,1792) (Geometridae) Synonym(s): *corylata* Thunberg,1792; *ruptata* Hübner,[1799]; *albocrenata* Curtis,1836; *ruptaria* Boisduval,1840
- 16516) *Elophos* (Elophos) *andereggaria* (La Harpe,1853) (Geometridae) Synonym(s): *andereggaria* La Harpe,1853
- 16517) *Elophos* (Elophos) *barbarica* L.B.Prout,1915 (Geometridae) Synonym(s): *barbarica* L.B.Prout,1915
- 16518) *Elophos* (Elophos) *caelibaria* (Heydenreich,1851) (Geometridae) Synonym(s): *caelibaria* Heydenreich,1851
- 16519) *Elophos* (Elophos) *operaria* (Hübner,[1813]) (Geometridae) Synonym(s): *operaria* Hübner,[1813]
- 16520) *Elophos* (Elophos) *unicoloraria* (Staudinger,1871) (Geometridae) Synonym(s): *unicoloraria* Staudinger,1871
- 16521) *Elophos* (Elophos) *zelleraria* (Freyer,1836) (Geometridae) Synonym(s): *zelleraria* Freyer,1836
- 16522) *Elophos* (Elophos) *zirbitzensis* (Pieszecek,1902) (Geometridae) Synonym(s): *zirbitzensis* Pieszecek,1902
- 16523) *Elophos* (Parietaria) *dilucidaria* (Denis & Schiffermüller,[1775]) (Geometridae) Synonym(s): *dilucidaria* [Denis & Schiffermüller],1775
- 16524) *Elophos* (Parietaria) *dognini* (Thierry-Mieg,1910) (Geometridae) Synonym(s): *dognini* Thierry-Mieg,1910
- 16525) *Elophos* (Parietaria) *serotinaria* (Denis & Schiffermüller,[1775]) (Geometridae) Synonym(s): *serotinaria* [Denis & Schiffermüller],1775
- 16526) *Elophos* (Parietaria) *sproengertsi* (Püngeler,1914) (Geometridae) Synonym(s): *sproengertsi* Püngeler,1914
- 16527) *Elophos* (Parietaria) *vittaria* (Thunberg,1788) (Geometridae) Synonym(s): *vittaria* Thunberg,1788
- 16528) *Ematurga atomaria* (Linnaeus,1758) (Geometridae) Synonym(s): *atomaria* Linnaeus,1758; *isoscelata* Scopoli,1763; *pennata* Scopoli,1763; *aceraria* Hufnagel,1767; *artemisaria* Herbst,1782; *picta*, *microcosa* Fourcroy,1785; *glarearia* Hübner,[1799]; *obsoletaria* Zett.,1839; *minuta* Heydemann,1925; *arenaria* Candeze,1926.
- 16529) *Ematurga atomaria alpicolaria* (Vorbrod & Müller-Rutz,1917) (Geometridae) Synonym(s): *alpicolaria* Vorbrod & Müller-Rutz,1917
- 16530) *Ematurga atomaria atomaria* (Linnaeus,1758) (Geometridae) Synonym(s): *atomaria* Linnaeus,1758; *isoscelata* Scopoli,1763; *pennata* Scopoli,1763; *aceraria* Hufnagel,1767; *artemisaria* Herbst,1782; *picta*, *microcosa* Fourcroy,1785; *glarearia* Hübner,[1799]; *obsoletaria* Zett.,1839; *minuta* Heydemann,1925; *arenaria* Candeze,1926.
- 16531) *Ematurga atomaria iliaria* (Alpheraky,1883) (Geometridae) Synonym(s): *iliaria* Alpheraky,1883
- 16532) *Ematurga atomaria krassnojarscensis* Fuchs,1899 (Geometridae) Synonym(s): *krassnojarscensis* Fuchs,1899
- 16533) *Ematurga atomaria meinhardi* (Krulikovskiy,1909) (Geometridae) Synonym(s): *meinhardi* Krulikovskiy,1909
- 16534) *Ematurga atomaria ngana* (Wehrli,1953) (Geometridae) Synonym(s): *ngana* Wehrli,1953
- 16535) *Ematurga atomaria orientaria* (Staudinger,1861) (Geometridae) Synonym(s): *orientaria* Staudinger,1861; *transalpinaria* Frings,1909.
- 16536) *Emmiltis pygmaearia* (Hübner,[1809]) (Geometridae) Synonym(s): *minutaria* Fabricius,1781; *pygmaearia* Hübner,[1809]; *parvularia* Hübner,[1825]; *sirentina* Dannehl,1925; *teriolensis* Dannehl,1925
- 16537) *Enanthyperythra legataria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *legataria* Herrich-Schäffer,[1852]
- 16538) *Enanthyperythra legataria legataria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *legataria* Herrich-Schäffer,[1852]
- 16539) *Enanthyperythra legataria transcaucasica* (Wehrli,1937) (Geometridae) Synonym(s): *transcaucasica* Wehrli,1937
- 16540) *Encoma inaccurata* (L.B.Prout,1913) (Geometridae) Synonym(s): *inaccurata* L.B.Prout,1913
- 16541) *Encoma irisaria* (Swinhoe,1904) (Geometridae) Synonym(s): *irisaria* Swinhoe,1904; *pulviscula* L.B.Prout,1932
- 16542) *Encoma rectangulata* D.S.Fletcher,1958 (Geometridae) Synonym(s): *rectangulata* D.S.Fletcher,1958
- 16543) *Enconista miniosaria* (Duponchel,1829) (Geometridae) Synonym(s): *#perspersaria* Hübner,[1826]; *miniosaria* Duponchel,1829; *perspersaria* Duponchel,[1830]
- 16544) *Encryphia frontisignata* (Walker,[1863]) (Geometridae) Synonym(s): *frontisignata* Walker,[1863]; *punctilineata* Walker,1866; *paraptila* Meyrick,1890; *argillina* Turner,1904; *ceramopsis* Turner,1919
- 16545) *Encryphia frontisignata acornuta* (Holloway,1979) (Geometridae) Synonym(s): *acornuta* Holloway,1979
- 16546) *Encryphia pulverosa* (Warren,1906) (Geometridae) Synonym(s): *pulverosa* Warren,1906
- 16547) *Ennomos* (Deuteronomos) *alniarius* (Linnaeus,1758) (Geometridae) Synonym(s): *alniaria* Linnaeus,1758
- 16548) *Ennomos* (Deuteronomos) *erosarius* (Hübner,1790) (Geometridae) Synonym(s): *#erosaria* [Denis & Schiffermüller],1775; Hübner,1790.
- 16549) *Ennomos* (Deuteronomos) *fraxineti* (Wiltshire,1947) (Geometridae) Synonym(s): *fraxineti* Wiltshire,1947; *#effuscaria* Wiltshire,1947
- 16550) *Ennomos* (Deuteronomos) *freidbergi* (Hausmann,1997) (Geometridae) Synonym(s): *freidbergi* Hausmann,1997
- 16551) *Ennomos* (Deuteronomos) *fuscantarius* (Haworth,1809) (Geometridae) Synonym(s): *fuscantaria* Haworth,1809
- 16552) *Ennomos* (Deuteronomos) *lissochilus* L.B.Prout,1929 (Geometridae) Synonym(s): *lissochila* L.B.Prout,1929
- 16553) *Ennomos* (Deuteronomos) *quercarius* (Hübner,[1813]) (Geometridae) Synonym(s): *quercaria* Hübner,[1813]
- 16554) *Ennomos* (Deuteronomos) *quercarius dryadarius* (Rambur,1866) (Geometridae) Synonym(s): *dryadaria* Rambur,1866
- 16555) *Ennomos* (Deuteronomos) *quercarius olivarius* (Brandt,1938) (Geometridae) Synonym(s): *olivaria* Brandt,1938
- 16556) *Ennomos* (s.str.) *autumnarius* (Werneburg,1859) (Geometridae) Synonym(s): *autumnaria* Werneburg,1859
- 16557) *Ennomos* (s.str.) *duercki* (Reisser,1958) (Geometridae) Synonym(s): *duercki* Reisser,1958
- 16558) *Ennomos* (s.str.) *effractarius* (Freyer,[1842]) (Geometridae) Synonym(s): *effractaria* Freyer,[1842]
- 16559) *Ennomos* (s.str.) *quercinarius* (Hufnagel,1767) (Geometridae) Synonym(s): *quercinaria* Hufnagel,1767; *angularia* [Denis & Schiffermüller],1775; *zona* Fourcroy,1785; *carpinaria* Hübner,[1799]
- 16560) *Ennomos* (s.str.) *zandi* (Wiltshire,1947) (Geometridae) Synonym(s): *zandi* Wiltshire,1947
- 16561) *Entephria bastelbergeri* (Püngeler,1902) (Geometridae) Synonym(s): *bastelbergeri* Püngeler,1902
- 16562) *Entephria byssata* (Aurivillius,1891) (Geometridae) Synonym(s): *byssata* Aurivillius,1891
- 16563) *Entephria caeruleata* (Guenée,1858) (Geometridae) Synonym(s): *caeruleata* Guenée,1858
- 16564) *Entephria caesiata* (Denis & Schiffermüller,[1775]) (Geometridae) Synonym(s): *caesiata* [Denis & Schiffermüller],1775
- 16565) *Entephria calcephila* (Tikhonov,1994) (Geometridae) Synonym(s): *calcephila* Tikhonov,1994
- 16566) *Entephria catochra* (L.B.Prout,1939) (Geometridae) Synonym(s): *catochra* L.B.Prout,1939
- 16567) *Entephria chorogensis* (Viidalepp,1988) (Geometridae) Synonym(s): *chorogensis* Viidalepp,1988
- 16568) *Entephria contestata* (Vorbrod & Müller-Rutz,1913) (Geometridae) Synonym(s): *contestata* Vorbrod & Müller-Rutz,1913
- 16569) *Entephria cyanata* (Hübner,[1809]) (Geometridae) Synonym(s): *cyanata* Hübner,[1809]
- 16570) *Entephria desperata* (Staudinger,1892) (Geometridae) Synonym(s): *desperata* Staudinger,1892; *flexulata* L.B.Prout,1914.
- 16571) *Entephria expiata* (Püngeler,1904) (Geometridae) Synonym(s): *expiata* Püngeler,1904
- 16572) *Entephria flavata* (Osthelder,1929) (Geometridae) Synonym(s): *flavata* Osthelder,1929
- 16573) *Entephria flavicinctata* (Hübner,[1813]) (Geometridae) Synonym(s): *flavicinctata* Hübner,[1813]; *griseicinctata* Bruand,1850; *rubigicinctata* Bruand,1850; *ruficinctata* Guenée,[1858]; *obscurata* Staudinger,1901; *samnitaria* (Sohn-Rethel,1929; *septentrionalis* Warnecke,1934
- 16574) *Entephria flavicinctata elbrusensis* (Tikhonov,1994) (Geometridae) Synonym(s): *elbrusensis* Tikhonov,1994
- 16575) *Entephria ignorata* (Staudinger,1892) (Geometridae) Synonym(s): *ignorata* Staudinger,1892
- 16576) *Entephria ignorata ignorata* (Staudinger,1892) (Geometridae) Synonym(s): *ignorata* Staudinger,1892
- 16577) *Entephria ignorata persicata* (Aubert,1960) (Geometridae) Synonym(s): *persicata* Aubert,1960
- 16578) *Entephria ignorata vladimiri* (Vasilenko,1993) (Geometridae) Synonym(s): *vladimiri* Vasilenko,1993
- 16579) *Entephria infidaria* (La Harpe,1853) (Geometridae) Synonym(s): *infidaria* La Harpe,1853
- 16580) *Entephria intermediaria* (Alpheraky,1883) (Geometridae) Synonym(s): *intermediaria* Alpheraky,1883; *subravarina* L.B.Prout,1914.
- 16581) *Entephria muscosaria* (Christoph,1893) (Geometridae) Synonym(s): *muscosaria* Christoph,1893
- 16582) *Entephria nobiliaria* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *nobiliaria* Herrich-Schäffer,1852
- 16583) *Entephria polata* (Duponchel,1830) (Geometridae) Synonym(s): *polata* Duponchel,1830
- 16584) *Entephria polata occata* (Püngeler,1904) (Geometridae) Synonym(s): *occata* Püngeler,1904
- 16585) *Entephria poliotaria* (Hampson,1902) (Geometridae) Synonym(s): *poliotaria* Hampson,1902
- 16586) *Entephria relegata* (Püngeler,1900) (Geometridae) Synonym(s): *relegata* Püngeler,1900
- 16587) *Entephria rjabovi* (Tikhonov,1994) (Geometridae) Synonym(s): *rjabovi* Tikhonov,1994
- 16588) *Entephria tejmurovi* (Tikhonov,1994) (Geometridae) Synonym(s): *tejmurovi* Tikhonov,1994
- 16589) *Eoasthena catharia* L.B.Prout,1934 (Geometridae) Synonym(s): *catharia* L.B.Prout,1934
- 16590) *Eoasthena extranea* L.B.Prout,1934 (Geometridae) Synonym(s): *extranea* L.B.Prout,1934
- 16591) *Eoasthena gnophobathra* L.B.Prout,1934 (Geometridae) Synonym(s): *gnophobathra* L.B.Prout,1934
- 16592) *Eoasthena quilla* G.S.Robinson,1975 (Geometridae) Synonym(s): *quilla* G.S.Robinson,1975
- 16593) *Eoasthena rowena* G.S.Robinson,1975 (Geometridae) Synonym(s): *rowena* G.S.Robinson,1975
- 16594) *Eoasthena sarramea* (Holloway,1979) (Geometridae) Synonym(s): *sarramea* Holloway,1979

- 16595) *Eoasthena stygna* L.B.Prout,1934 (Geometridae) Synonym(s): *stygna* L.B.Prout,1934
 16596) *Eois amydroscia* L.B.Prout,1922 (Geometridae) Synonym(s): *amydroscia* L.B.Prout,1922
 16597) *Eois ephyrata* (Walker,[1863]) (Geometridae) Synonym(s): *ephyrata* Walker,[1863]
 16598) *Eois flavata* (W.Warren,1896) (Geometridae) Synonym(s): *flavata* W.Warren,1896
 16599) *Eois grataria* (Walker,1861) (Geometridae) Synonym(s): *grataria* Walker,1861; *pallicinctaria* Walker,1863
 16600) *Eois impletaria* (Walker,1866) (Geometridae) Synonym(s): *impletaria* Walker,1866; *subrosea* W.Warren,1897
 16601) *Eois ingrataria* (W.Warren,1898) (Geometridae) Synonym(s): *ingrataria* W.Warren,1898
 16602) *Eois leucampyx* L.B.Prout,1926 (Geometridae) Synonym(s): *leucampyx* L.B.Prout,1926
 16603) *Eois lunulosa* (Moore,[1887]) (Geometridae) Synonym(s): *lunulosa* Moore,[1887]; *ochracea* W.Warren,1894
 16604) *Eois memorata* (Walker,1861) (Geometridae) Synonym(s): *memorata* Walker,1861; *rapistriaria* Swinhoe,1890
 16605) *Eois mixosemia* L.B.Prout,1926 (Geometridae) Synonym(s): *mixosemia* L.B.Prout,1926
 16606) *Eois pallidula* (W.Warren,1896) (Geometridae) Synonym(s): *pallidula* W.Warren,1896
 16607) *Eois phaneroscia* L.B.Prout,1922 (Geometridae) Synonym(s): *phaneroscia* L.B.Prout,1922
 16608) *Eois planifimbria* L.B.Prout,1922 (Geometridae) Synonym(s): *planifimbria* L.B.Prout,1922
 16609) *Eois plicata* (Moore,1888) (Geometridae) Synonym(s): *plicata* Moore,1888
 16610) *Eois plumbacea* (W.Warren,1894) (Geometridae) Synonym(s): *plumbacea* W.Warren,1894; *metriopis* Meyrick,1897
 16611) *Eois polycyama* (West,1930) (Geometridae) Synonym(s): *polycyama* West,1930
 16612) *Eois pyrauges* L.B.Prout,1927 (Geometridae) Synonym(s): *pyrauges* L.B.Prout,1927
 16613) *Eois rectifasciata* D.S.Fletcher,1958 (Geometridae) Synonym(s): *rectifasciata* D.S.Fletcher,1958
 16614) *Eois sanguilineata* (W.Warren,1901) (Geometridae) Synonym(s): *sanguilineata* W.Warren,1901
 16615) *Eois* sp.1 (Geometridae) Synonym(s):
 16616) *Eois* sp.2 (Geometridae) Synonym(s):
 16617) *Eois sundasimilis* Holloway,1997 (Geometridae) Synonym(s): *sundasimilis* Holloway,1997
 16618) *Eois tiebaghi* Holloway,1979 (Geometridae) Synonym(s): *tiebaghi* Holloway,1979
 16619) *Eois undulosaria* (W.Warren,1897) (Geometridae) Synonym(s): *undulosaria* W.Warren,1897
 16620) *Eois versata* (Walker,1861) (Geometridae) Synonym(s): *versata* Walker,1861
 16621) *Eois willotti* Holloway,1997 (Geometridae) Synonym(s): *willotti* Holloway,1997
 16622) *Ephemerophila lignata* (W.Warren,1894) (Geometridae) Synonym(s): *lignata* W.Warren,1894
 16623) *Ephemerophila subterminalis* (L.B.Prout,1925) (Geometridae) Synonym(s): *subterminalis* L.B.Prout,1925
 16624) *Ephemerophila torridaria* (Moore,1888) (Geometridae) Synonym(s): *torridaria* Moore,1888
 16625) *Epiclecta calidaria* L.B.Prout,1915 (Geometridae) Synonym(s): *calidaria* L.B.Prout,1915
 16626) *Epicosymbia* cf. *nitidata* (Geometridae) Synonym(s):
 16627) *Epicosymbia denticornata* (Walker,[1863]) (Geometridae) Synonym(s): *designata* Walker,[1863]; *perrufa* Warren,1897
 16628) *Epicosymbia nitidata* (Warren,1905) (Geometridae) Synonym(s): *nitidata* Warren,1905; *albivertex* Warren,1900
 16629) *Epicosymbia perstrigulata* (L.B.Prout,1913) (Geometridae) Synonym(s): *perstrigulata* L.B.Prout,1913
 16630) *Epignopteryx eugonia* L.B.Prout,1935 (Geometridae) Synonym(s): *eugonia* L.B.Prout,1935
 16631) *Epignopteryx fulva* Janse,1932 (Geometridae) Synonym(s): *fulva* Janse,1932
 16632) *Epignopteryx maeviararia* (Guenée,[1858]) (Geometridae) Synonym(s): *maeviararia* Guenée,[1858]
 16633) *Epignopteryx ommatoclesis* (L.B.Prout,1922) (Geometridae) Synonym(s): *ommatoclesis* L.B.Prout,1922
 16634) *Epignopteryx subpersa* (Warren,1897) (Geometridae) Synonym(s): *subpersa* Warren,1897; *craspigonia* Hampson,1909
 16635) *Epignopteryx townsendi* D.S.Fletcher,1958 (Geometridae) Synonym(s): *townsendi* D.S.Fletcher,1958
 16636) *Epilobophora sabinata* (Geyer,[1831]) (Geometridae) Synonym(s): *sabinata* Geyer,[1831]
 16637) *Epilobophora sabinata sabinata* (Geyer,[1831]) (Geometridae) Synonym(s): *sabinata* Geyer,[1831]
 16638) *Epilobophora sabinata teriolensis* (Kitt,1932) (Geometridae) Synonym(s): *teriolensis* Kitt,1932
 16639) *Epione chalcospilata* Walker,[1863] (Geometridae) Synonym(s): *chalcospilata* Walker,[1863]
 16640) *Epione repandaria* (Hufnagel,1767) (Geometridae) Synonym(s): *repandaria* Hufnagel,1767
 16641) *Epione vespertaria* (Linnaeus,1767) (Geometridae) Synonym(s): *vespertaria* Linnaeus,1767; *paralellaria* [Denis & Schiffermüller],1775.
 16642) *Epipristis minimaria* Guenée,[1858] (Geometridae) Synonym(s): *minimaria* Guenée,[1858]
 16643) *Epipristis nelearia* (Guenée,[1858]) (Geometridae) Synonym(s): *nelearia* Guenée,[1858]
 16644) *Epipristis storthophora* L.B.Prout,1927 (Geometridae) Synonym(s): *storthophora* L.B.Prout,1927
 16645) *Epipristis transiens* (Sterneck,1927) (Geometridae) Synonym(s): *transiens* Sterneck,1927
 16646) *Epipristis truncataria* (Walker,1861) (Geometridae) Synonym(s): *truncataria* Walker,1861
 16647) *Epirrhoe diversata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *diversata* [Denis & Schiffermüller],1775
 16648) *Epirrhoe achatina* L.B.Prout,1915 (Geometridae) Synonym(s): *achatina* L.B.Prout,1915
 16649) *Epirrhoe alternata* (Müller,1764) (Geometridae) Synonym(s): *alternata* Müller,1764; *sociata* Borkhausen,1794; *degenerata* Haworth,1809; *subtristata* Haworth,1809; *contristata* Donovan,1811; *aparinata* Hübner,[1825].
 16650) *Epirrhoe alternata alternata* (Müller,1764) (Geometridae) Synonym(s): *alternata* Müller,1764; *sociata* Borkhausen,1794; *degenerata* Haworth,1809; *subtristata* Haworth,1809; *contristata* Donovan,1811; *aparinata* Hübner,[1825].
 16651) *Epirrhoe alternata dubiosata* (Alpheraky,1883) (Geometridae) Synonym(s): *dubiosata* Alpheraky,1883
 16652) *Epirrhoe annulifera* (Warren,1902) (Geometridae) Synonym(s): *annulifera* Warren,1902
 16653) *Epirrhoe edelsteni* L.B.Prout,1916 (Geometridae) Synonym(s): *edelsteni* L.B.Prout,1916
 16654) *Epirrhoe excentricata* (Alpheraky,1892) (Geometridae) Synonym(s): *excentricata* Alpheraky,1892
 16655) *Epirrhoe fulminata* (Alpheraky,1883) (Geometridae) Synonym(s): *fulminata* Alpheraky,1883
 16656) *Epirrhoe galiata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *galiata* [Denis & Schiffermüller],1775; *quadriannulata* Haworth,1809; *unilobata* Haworth,1809; *chalybeata* Hübner,[1813]; *eophanata* Krulikowsky,1906; *emina* Schawerda,1912
 16657) *Epirrhoe galiata orientata* (Staudinger,1901) (Geometridae) Synonym(s): *orientata* Staudinger,1901
 16658) *Epirrhoe hastulata* (Hübner,1790) (Geometridae) Synonym(s): *hastulata* Hübner,1790; *luctuata* Hübner,[1799]
 16659) *Epirrhoe hastulata echigoensis* (Inoue,1982) (Geometridae) Synonym(s): *echigoensis* Inoue,1982
 16660) *Epirrhoe hastulata hastulata* (Hübner,1790) (Geometridae) Synonym(s): *hastulata* Hübner,1790; *luctuata* Hübner,[1799]
 16661) *Epirrhoe hastulata reducta* (Djakonov,1929) (Geometridae) Synonym(s): *reducta* Djakonov,1929
 16662) *Epirrhoe latevittata* (Turati,1913) (Geometridae) Synonym(s): *latevittata* Turati,1913
 16663) *Epirrhoe molluginata* (Hübner,[1813]) (Geometridae) Synonym(s): *molluginata* Hübner,[1813]
 16664) *Epirrhoe pupillata* (Thunberg,1788) (Geometridae) Synonym(s): *pupillata* Thunberg,1788; *funerata* Hübner,[1799]; *reducta* Osthelder,1929 nec Djakonov,1929 [priority!].
 16665) *Epirrhoe pupillata orientalis* (Osthelder,1913) (Geometridae) Synonym(s): *orientalis* Osthelder,1913
 16666) *Epirrhoe rivata* (Hübner,[1813]) (Geometridae) Synonym(s): *rivata* Hübner,[1813]
 16667) *Epirrhoe sandosaria* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *sandosaria* Herrich-Schäffer,1852
 16668) *Epirrhoe tartuensis* Moels,1965 (Geometridae) Synonym(s): *tartuensis* Moels,1965
 16669) *Epirrhoe timozzaria* (Constant,1884) (Geometridae) Synonym(s): *timozzaria* Constant,1884
 16670) *Epirrhoe tristata* (Linnaeus,1758) (Geometridae) Synonym(s): *tristata* Linnaeus,1758
 16671) *Epirrita autumnata* (Borkhausen,1794) (Geometridae) Synonym(s): *autumnata* Borkhausen,1794
 16672) *Epirrita christyi* (Allen,1906) (Geometridae) Synonym(s): *christyi* Allen,1906
 16673) *Epirrita dilutata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *dilutata* [Denis & Schiffermüller],1775
 16674) *Epirrita filigrammaria* (Herrich-Schäffer,1846) (Geometridae) Synonym(s): *filigrammaria* Herrich-Schäffer,1846
 16675) *Epirrita nebulata* (Thunberg,1784) (Geometridae) Synonym(s): *nebulata* Thunberg,1784
 16676) *Episothalma cognataria* Swinhoe,1903 (Geometridae) Synonym(s): *cognataria* Swinhoe,1903
 16677) *Episothalma ocellata* Swinhoe,1903 (Geometridae) Synonym(s): *ocellata* Swinhoe,1903
 16678) *Episothalma robustaria* (Guenée,[1858]) (Geometridae) Synonym(s): *robustaria* Guenée,[1858]; *sisunaga* Walker,1861; *macruraria* Walker,[1863]; *indeterminata* Walker,1869; *fimbriaria* Walker,1869
 16679) *Episteira confusidentata* (Warren,1897) (Geometridae) Synonym(s): *confusidentata* Warren,1897

- 16680) *Epitherina bahmana* (Wiltshire,1943) (Geometridae) Synonym(s): *bahmana* Wiltshire,1943
 16681) *Epitherina ghirshimani* (Wiltshire,1944) (Geometridae) Synonym(s): *ghirshimani* Wiltshire,1944
 16682) *Epitherina kuznetsovi* Viidalepp,[1992] (Geometridae) Synonym(s): *kuznetsovi* Viidalepp,[1992]
 16683) *Epitherina rhodopoleos* Wehrli,1938 (Geometridae) Synonym(s): *rhodopoleos* Wehrli,1938
 16684) *Erannis caspica* Laszlo,2003 (Geometridae) Synonym(s): *caspica* Laszlo,2003
 16685) *Erannis declinans* (Staudinger,1879) (Geometridae) Synonym(s): *declinans* Staudinger,1879.
 16686) *Erannis defoliaria* (Linnaeus,1761) (Geometridae) Synonym(s): *#defoliaria* Clerk,1759; *defoliaria* Linnaeus,1761
 16687) *Erannis erectaria* (Püngeler,1902) (Geometridae) Synonym(s): *erectaria* Püngeler,1902
 16688) *Erannis kashmirensis* Laszlo,2003 (Geometridae) Synonym(s): *kashmirensis* Laszlo,2003
 16689) *Erannis potopolskii* Viidalepp,1988 (Geometridae) Synonym(s): *potopolskii* Viidalepp,1988
 16690) *Eretmopus marinarum* (Guenée,[1858]) (Geometridae) Synonym(s): *marinaria* Guenée,[1858]; *penicillata* Walker,1861; *retensa* L.B.Prout,1931
 16691) *Erastris madecassaria natalensis* (Warren,1897) (Geometridae) Synonym(s): *natalensis* Warren,1897
 16692) *Erebomorpha fulguraria* Walker,1860 (Geometridae) Synonym(s): *fulguraria* Walker,1860
 16693) *Eretmopus marinarum* (Guenée,[1858]) (Geometridae) Synonym(s): *marinaria* Guenée,[1858]; *penicillata* Walker,1861; *retensa* L.B.Prout,1931
 16694) *Euchoeca nebulata* (Scopoli,1763) (Geometridae) Synonym(s): *nebulata* Scopoli,1763; *obliterata* Hufnagel,1767; *heparata* [Denis & Schiffermüller],1775; *strigata* Thunberg,1788 nec Sc.,1763; *hepararia* Hübner,[1799]
 16695) *Eucrostes albicornaria* (Mabille,1880) (Geometridae) Synonym(s): *albicornaria* Mabille,1880
 16696) *Eucrostes disparata* (Walker,1861) (Geometridae) Synonym(s): *disparata* Walker,1861
 16697) *Eucrostes indigenata* (Villers,1789) (Geometridae) Synonym(s): *indigenata* Villers,1789
 16698) *Eucrostes rhodophthama* L.B.Prout,1912 (Geometridae) Synonym(s): *rhodophthama* L.B.Prout,1912
 16699) *Eucrostes rufociliaria* Herrich-Schäffer,[1855] (Geometridae) Synonym(s): *rufociliaria* Herrich-Schäffer,[1855]
 16700) *Eucrostes* sp. (Geometridae) Synonym(s):
 16701) *Eucyclodes albifinita* (L.B.Prout,1913) (Geometridae) Synonym(s): *albifinita* L.B.Prout,1913
 16702) *Eucyclodes albisparsa* (Walker,1861) (Geometridae) Synonym(s): *albisparsa* Walker,1861
 16703) *Eucyclodes albotermina* (Inoue,1978) (Geometridae) Synonym(s): *albotermina* Inoue,1978
 16704) *Eucyclodes alboviridis* (Moore,1872) (Geometridae) Synonym(s): *alboviridis* Moore,1872; *praeampla* W.Warren,1897
 16705) *Eucyclodes aureofulva* (W.Warren,1897) (Geometridae) Synonym(s): *aureofulva* W.Warren,1897
 16706) *Eucyclodes beatrix* (L.B.Prout,1913) (Geometridae) Synonym(s): *beatrix* L.B.Prout,1913
 16707) *Eucyclodes bifuscata* (L.B.Prout,1913) (Geometridae) Synonym(s): *bifuscata* L.B.Prout,1913
 16708) *Eucyclodes charma* (L.B.Prout,1917) (Geometridae) Synonym(s): *charma* L.B.Prout,1917
 16709) *Eucyclodes decorata* (W.Warren,1906) (Geometridae) Synonym(s): *decorata* W.Warren,1906
 16710) *Eucyclodes delectabilis* (L.B.Prout,1913) (Geometridae) Synonym(s): *delectabilis* L.B.Prout,1913
 16711) *Eucyclodes discata* (W.Warren,1897) (Geometridae) Synonym(s): *discata* W.Warren,1897
 16712) *Eucyclodes discipennata* (Walker,1861) (Geometridae) Synonym(s): *discipennata* Walker,1861
 16713) *Eucyclodes gavissima* (Walker,1861) (Geometridae) Synonym(s): *gavissima* Walker,1861
 16714) *Eucyclodes iridescens* (W.Warren,1906) (Geometridae) Synonym(s): *iridescens* W.Warren,1906; *innuba* W.Warren,1907
 16715) *Eucyclodes isogamia* (L.B.Prout,1913) (Geometridae) Synonym(s): *isogamia* L.B.Prout,1913
 16716) *Eucyclodes lepta* (West,1930) (Geometridae) Synonym(s): *lepta* West,1930
 16717) *Eucyclodes muscosa* (W.Warren,1897) (Geometridae) Synonym(s): *muscosa* W.Warren,1897
 16718) *Eucyclodes orbimaculata* (W.Warren,1907) (Geometridae) Synonym(s): *orbimaculata* W.Warren,1907
 16719) *Eucyclodes pagenstecheri* (Semper,1902) (Geometridae) Synonym(s): *pagenstecheri* Semper,1902
 16720) *Eucyclodes pastor* (Butler,1880) (Geometridae) Synonym(s): *pastor* Butler,1880
 16721) *Eucyclodes rufimargo* (W.Warren,1897) (Geometridae) Synonym(s): *rufimargo* W.Warren,1897
 16722) *Eucyclodes semialba* (Walker,1861) (Geometridae) Synonym(s): *semialba* Walker,1861
 16723) *Eucyclodes stellifera* (L.B.Prout,1913) (Geometridae) Synonym(s): *stellifera* L.B.Prout,1913
 16724) *Eucyclodes textilis* (Butler,1880) (Geometridae) Synonym(s): *textilis* Butler,1880
 16725) *Eucyclodes textiloides* Holloway,1996 (Geometridae) Synonym(s): *textiloides* Holloway,1996
 16726) *Euexia percnopus* L.B.Prout,1915 (Geometridae) Synonym(s): *percnopus* L.B.Prout,1915
 16727) *Eugnesia correspondens* W.Warren,1897 (Geometridae) Synonym(s): *correspondens* W.Warren,1897
 16728) *Eulithis mellinata* (Fabricius,1787) (Geometridae) Synonym(s): *mellinata* Fabricius,1787; *associata* Borkhausen,1794; *marmorata* Hübner,[1799]; *spinaciata* Haworth,1809; *marmoraria* Boisduval,1840.
 16729) *Eulithis peloponnesiaca* (Rebel,1902) (Geometridae) Synonym(s): *peloponnesiaca* Rebel,1902
 16730) *Eulithis populata* (Linnaeus,1758) (Geometridae) Synonym(s): *populata* Linnaeus,1758; *dotata* Linnaeus,1758; *popularia* Boisduval,1840.
 16731) *Eulithis prunata* (Linnaeus,1758) (Geometridae) Synonym(s): *prunata* Linnaeus,1758
 16732) *Eulithis pyraliata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *#pyraliata* [Denis & Schiffermüller],1775
 16733) *Eulithis pyropata* (Hübner,[1809]) (Geometridae) Synonym(s): *pyropata* Hübner,[1809]
 16734) *Eulithis roessleraria* (Staudinger,1871) (Geometridae) Synonym(s): *roessleraria* Staudinger,1871; *pseudoledereri* Schwingenschuss,1939.
 16735) *Eulithis testata* (Linnaeus,1761) (Geometridae) Synonym(s): *testata* Linnaeus,1761
 16736) *Eulycia extorris* (Warren,1904) (Geometridae) Synonym(s): *extorris* Warren,1904
 16737) *Eulycia grisea* (Warren,1897) (Geometridae) Synonym(s): *grisea* Warren,1897
 16738) *Eulycia grisea* (Warren,1897) (Geometridae) Synonym(s): *grisea* Warren,1897
 16739) *Eulycia subpunctata* (Warren,1897) (Geometridae) Synonym(s): *subpunctata* Warren,1897
 16740) *Eumelea djingga* Sommerer,1995 (Geometridae) Synonym(s): *djingga* Sommerer,1995
 16741) *Eumelea florinata* Guenée,[1858] (Geometridae) Synonym(s): *florinata* Guenée,[1858]
 16742) *Eumelea isozuges* L.B.Prout,1921 (Geometridae) Synonym(s): *isozuges* L.B.Prout,1921
 16743) *Eumelea lipara* West,1930 (Geometridae) Synonym(s): *lipara* West,1930
 16744) *Eumelea ludovicata* Guenée,[1858] (Geometridae) Synonym(s): *ludovicata* Guenée,[1858]; *aureliata* Guenée,[1858]; *vulgivaga* Sawamoto,1938
 16745) *Eumelea obesata* R.Felder & Rogenhofer,[1875] (Geometridae) Synonym(s): *obesata* R.Felder & Rogenhofer,[1875]
 16746) *Eumelea obesata* griseabasalis Holloway,1976 (Geometridae) Synonym(s): *griseabasalis* Holloway,1976
 16747) *Eumelea obesata* obesata R.Felder & Rogenhofer,[1875] (Geometridae) Synonym(s): *obesata* R.Felder & Rogenhofer,[1875]
 16748) *Eumelea parda* Sommerer,1995 (Geometridae) Synonym(s): *parda* Sommerer,1995
 16749) *Eumelea polymita* L.B.Prout,1929 (Geometridae) Synonym(s): *polymita* L.B.Prout,1929
 16750) *Eumelea rosalia* (Stoll,1781) (Geometridae) Synonym(s): *rosalia* Stoll,1781
 16751) *Eumelea rosalia* degener W.Warren,1894 (Geometridae) Synonym(s): *degener* W.Warren,1894
 16752) *Eumelea rubrifusa* W.Warren,1896 (Geometridae) Synonym(s): *rubrifusa* W.Warren,1896
 16753) *Eumelea rubrifusa* multiplagiata L.B.Prout,1921 (Geometridae) Synonym(s): *multiplagiata* L.B.Prout,1921
 16754) *Eumelea rubrifusa* rubrifusa W.Warren,1896 (Geometridae) Synonym(s): *rubrifusa* W.Warren,1896
 16755) *Eumelea unilineata* W.Warren,1897 (Geometridae) Synonym(s): *unilineata* W.Warren,1897
 16756) *Eumera hoeferi* Wehrli,1934 (Geometridae) Synonym(s): *#hoeferi* Wehrli,1934; *hoeferi* Wehrli,1934; *#hoeferi* Wiltshire,1937.
 16757) *Eumera hoeferi* hoeferi Wehrli,1934 (Geometridae) Synonym(s): *#hoeferi* Wehrli,1934; *hoeferi* Wehrli,1934; *#hoeferi* Wiltshire,1937.
 16758) *Eumera hoeferi* transcaucasica Wehrli,1940 (Geometridae) Synonym(s): *transcaucasica* Wehrli,1940
 16759) *Eumera mulier* L.B.Prout,1929 (Geometridae) Synonym(s): *mulier* L.B.Prout,1929
 16760) *Eumera regina* Staudinger,1892 (Geometridae) Synonym(s): *regina* Staudinger,1892
 16761) *Eumera turcosyrica* Wehrli,1932 (Geometridae) Synonym(s): *turcosyrica* Wehrli,1932; *#turcosyrica* Wehrli,1934.
 16762) *Eunoumeana fletcheri* (Viette,1949) (Geometridae) Synonym(s): *fletcheri* Viette,1949
 16763) *Eupagia determinata* Walker,1860 (Geometridae) Synonym(s): *determinata* Walker,1860
 16764) *Eupagia valida* (Warren,1914) (Geometridae) Synonym(s): *valida* Warren,1914
 16765) *Euphyia adumbraria* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *adumbraria* Herrich-Schäffer,1852; *cretacea* Wagner,1922
 16766) *Euphyia biangulata* (Haworth,[1809]) (Geometridae) Synonym(s): *biangulata* Haworth,[1809]; *picata* Hübner,[1813]
 16767) *Euphyia chalusata* Wiltshire,1970 (Geometridae) Synonym(s): *chalusata* Wiltshire,1970

- 16768) *Euphyia distinctata* (Walker, 1862) (Geometridae) Synonym(s): *distinctata* Walker, 1862; *scotosiata* Walker, 1863; *discolorata* Warren, 1901
- 16769) *Euphyia farsica* Brandt, 1941 (Geometridae) Synonym(s): *farsica* Brandt, 1941
- 16770) *Euphyia filaria* (Eversmann, 1848) (Geometridae) Synonym(s): *filaria* Eversmann, 1848
- 16771) *Euphyia frustata* (Treitschke, 1828) (Geometridae) Synonym(s): *frustata* Treitschke, 1828; *mucosata* Donzel, 1837; *fulvocinctata* Rambur, 1866
- 16772) *Euphyia intersecta* (Staudinger, 1882) (Geometridae) Synonym(s): *intersecta* Staudinger, 1882; *desiderata* Staudinger, 1897; *aksuensis* Wehrli, 1928.
- 16773) *Euphyia intersecta expansata* (L.B.Prout, 1914) (Geometridae) Synonym(s): *expansata* L.B.Prout, 1914
- 16774) *Euphyia intersecta intersecta* (Staudinger, 1882) (Geometridae) Synonym(s): *intersecta* Staudinger, 1882; *desiderata* Staudinger, 1897; *aksuensis* Wehrli, 1928.
- 16775) *Euphyia mesembrina* (Rebel, 1927) (Geometridae) Synonym(s): *griseata* Schwingenschuss, 1918; *mesembrina* Rebel, 1927
- 16776) *Euphyia obvallata* (Lederer, 1870) (Geometridae) Synonym(s): *obvallata* Lederer, 1870
- 16777) *Euphyia perseverata* Holloway, 1979 (Geometridae) Synonym(s): *perseverata* Holloway, 1979
- 16778) *Euphyia scopulata* (Brandt, 1938) (Geometridae) Synonym(s): *scopulata* Brandt, 1938
- 16779) *Euphyia scripturata* (Hübner, [1799]) (Geometridae) Synonym(s): *scripturata* Hübner, [1799]; *placidaria* Freyer, 1852
- 16780) *Euphyia scripturata* (Staudinger, 1892) (Geometridae) Synonym(s): *sintenis* Staudinger, 1892; *sultania* Wehrli, 1938.
- 16781) *Euphyia submarginata* (W.Warren, 1909) (Geometridae) Synonym(s): *submarginata* W.Warren, 1909
- 16782) *Euphyia unangulata* (Haworth, 1809) (Geometridae) Synonym(s): *bicolorata* Borkhausen, 1794; *unangulata* Haworth, 1809; *amniculata* Hübner, [1813]; *amnicularia* Boisduval, 1840; *gracilaria* A.Bang-Haas, 1906; *chinensis* Sterneck, 1928
- 16783) *Eupithecia abbreviata* Stephens, 1831 (Geometridae) Synonym(s): *nebulata* Haworth, 1809; *abbreviata* Stephens, 1831
- 16784) *Eupithecia abdera* Herbulot, 1987 (Geometridae) Synonym(s): *abdera* Herbulot, 1987
- 16785) *Eupithecia abietaria* (Goeze, 1781) (Geometridae) Synonym(s): *pini* Retzius, 1783 nec Linn., 1758; *abietaria* Goeze, 1781; *strobilata* Borkhausen, 1794; *togata* Hübner, [1817]; *bilumulata* Zetterstedt, 1839; *togaria* Boisduval, 1840.
- 16786) *Eupithecia abietaria debrunneata* Staudinger, 1897 (Geometridae) Synonym(s): *debrunneata* Staudinger, 1897
- 16787) *Eupithecia abrepta* Vojnits, 1979 (Geometridae) Synonym(s): *abrepta* Vojnits, 1979
- 16788) *Eupithecia absinthiata* (Clerck, 1759) (Geometridae) Synonym(s): *#absinthiata* Clerck, 1759; *minutata* [Denis & Schiffermüller], 1775; *elongata* Haworth, 1809; *notata* Stephens, 1831; *minutaria* Boisduval, 1840; *absinthiaria* Herrich-Schäffer, 1848; *elongaria* Doubleday, 1849; *callunae* Speyer, 1867; *geminata* Packard, 1873; *knautiana* Gregson, 1874
- 16789) *Eupithecia abundeli* Vojnits, 1988 (Geometridae) Synonym(s): *abundeli* Vojnits, 1988
- 16790) *Eupithecia accurata* Staudinger, 1892 (Geometridae) Synonym(s): *accurata* Staudinger, 1892; *subscalptata* Schütze, 1961
- 16791) *Eupithecia acerba* Vojnits, 1984 (Geometridae) Synonym(s): *acerba* Vojnits, 1984
- 16792) *Eupithecia achyrdaghica* Wehrli, 1929 (Geometridae) Synonym(s): *achyrdaghica* Wehrli, 1929
- 16793) *Eupithecia acidalioides* Kaye, 1901 (Geometridae) Synonym(s): *acidalioides* Kaye, 1901
- 16794) *Eupithecia acolpodes* L.B.Prout, 1938 (Geometridae) Synonym(s): *acolpodes* L.B.Prout, 1938
- 16795) *Eupithecia acosmos* Mironov, 1989 (Geometridae) Synonym(s): *acosmos* Mironov, 1989
- 16796) *Eupithecia acragas* Herbulot, 1987 (Geometridae) Synonym(s): *acragas* Herbulot, 1987
- 16797) *Eupithecia acseszteri* Vojnits, 1987 (Geometridae) Synonym(s): *aceszteri* Vojnits, 1987
- 16798) *Eupithecia actaeata* Walderdorff, 1869 (Geometridae) Synonym(s): *actaeata* Walderdorff, 1869; *bergunensis* Dietze, 1875
- 16799) *Eupithecia actaeata prenebulata* Inoue, 1958 (Geometridae) Synonym(s): *prenebulata* Inoue, 1958
- 16800) *Eupithecia acuta* Vojnits, 1983 (Geometridae) Synonym(s): *acuta* Vojnits, 1983
- 16801) *Eupithecia acutangula* Hampson, 1895 (Geometridae) Synonym(s): *acutangula* Hampson, 1895
- 16802) *Eupithecia acutipapillata* Inoue, 1958 (Geometridae) Synonym(s): *acutipapillata* Inoue, 1958
- 16803) *Eupithecia acutipennis* Hulst, 1898 (Geometridae) Synonym(s): *acutipennis* Hulst, 1898
- 16804) *Eupithecia acutula* Turati & C.G.Krüger, 1936 (Geometridae) Synonym(s): *acutula* Turati & C.G.Krüger, 1936
- 16805) *Eupithecia acyrtoterna* L.B.Prout, 1926 (Geometridae) Synonym(s): *acyrtoterna* L.B.Prout, 1926
- 16806) *Eupithecia addictata* Dietze, 1908 (Geometridae) Synonym(s): *addictata* Dietze, 1908; *danielata* Schütze, 1959; *pseudoplumbeolata* Vojnits, 1973; *rudniki* Vojnits, 1973; *falkovishi* Viidalepp, 1976; *koreaica* Vojnits & De Laever, 1978
- 16807) *Eupithecia adelpha* Vojnits, 1975 (Geometridae) Synonym(s): *adelpha* Vojnits, 1975
- 16808) *Eupithecia adequata* Pearsall, 1910 (Geometridae) Synonym(s): *adequata* Pearsall, 1910
- 16809) *Eupithecia adjemica* Brandt, 1941 (Geometridae) Synonym(s): *adjemica* Brandt, 1941
- 16810) *Eupithecia adoranda* Vojnits, 1984 (Geometridae) Synonym(s): *adoranda* Vojnits, 1984
- 16811) *Eupithecia adscriptaria* Staudinger, 1871 (Geometridae) Synonym(s): *adscriptaria* Staudinger, 1871
- 16812) *Eupithecia adscriptaria macedoniata* Pinker, 1976 (Geometridae) Synonym(s): *macedoniata* Pinker, 1976
- 16813) *Eupithecia adpersata* Maassen, 1890 (Geometridae) Synonym(s): *adpersata* Maassen, 1890
- 16814) *Eupithecia aduncata* Brandt, 1938 (Geometridae) Synonym(s): *aduncata* Brandt, 1938
- 16815) *Eupithecia aegyptiaca* Dietze, 1910 (Geometridae) Synonym(s): *aegyptiaca* Dietze, 1910
- 16816) *Eupithecia aella* Herbulot, 1987 (Geometridae) Synonym(s): *aella* Herbulot, 1987
- 16817) *Eupithecia aequabila* Brandt, 1938 (Geometridae) Synonym(s): *aequabila* Brandt, 1938
- 16818) *Eupithecia affinata* Pearsall, 1908 (Geometridae) Synonym(s): *affinata* Pearsall, 1908
- 16819) *Eupithecia affinitata* Maassen, 1890 (Geometridae) Synonym(s): *affinitata* Maassen, 1890
- 16820) *Eupithecia aggregata* Guenée, [1858] (Geometridae) Synonym(s): *aggregata* Guenée, [1858]
- 16821) *Eupithecia agnesata* Taylor, 1908 (Geometridae) Synonym(s): *agnesata* Taylor, 1908; *barnesi* [Cassino & Swett], 1922
- 16822) *Eupithecia albertiata* Schütze, 1961 (Geometridae) Synonym(s): *albertiata* Schütze, 1961
- 16823) *Eupithecia albibalteia* L.B.Prout, 1958 (Geometridae) Synonym(s): *albibalteia* L.B.Prout, 1958
- 16824) *Eupithecia albibasalis* Schaus, 1913 (Geometridae) Synonym(s): *albibasalis* Schaus, 1913
- 16825) *Eupithecia albibisecta* W.Warren, 1906 (Geometridae) Synonym(s): *albibisecta* W.Warren, 1906
- 16826) *Eupithecia albicans* Vojnits, 1981 (Geometridae) Synonym(s): *albicans* Vojnits, 1981
- 16827) *Eupithecia albicapitata* Packard, 1876 (Geometridae) Synonym(s): *albicapitata* Packard, 1876
- 16828) *Eupithecia albicarnea* W.Warren, 1907 (Geometridae) Synonym(s): *albicarnea* W.Warren, 1907
- 16829) *Eupithecia albicentralis* Inoue, 1987 (Geometridae) Synonym(s): *albicentralis* Inoue, 1987
- 16830) *Eupithecia albiceps* W.Warren, 1905 (Geometridae) Synonym(s): *albiceps* W.Warren, 1905
- 16831) *Eupithecia albicristulata* L.B.Prout, 1922 (Geometridae) Synonym(s): *albicristulata* L.B.Prout, 1922
- 16832) *Eupithecia albidulata* Staudinger, 1892 (Geometridae) Synonym(s): *albidulata* Staudinger, 1892; *centricaucasica* Alberti, 1969; *postulata* Vojnits, 1975
- 16833) *Eupithecia albifurva* Hampson, 1907 (Geometridae) Synonym(s): *albifurva* Hampson, 1907
- 16834) *Eupithecia albifusca* (Warren, 1907) (Geometridae) Synonym(s): *albifusca* Warren, 1907
- 16835) *Eupithecia albigrisata* Pearsall, 1909 (Geometridae) Synonym(s): *albigrisata* Pearsall, 1909
- 16836) *Eupithecia albigutta* L.B.Prout, 1958 (Geometridae) Synonym(s): *albigutta* L.B.Prout, 1958
- 16837) *Eupithecia albimaculata* D.S.Fletcher, 1956 (Geometridae) Synonym(s): *albimaculata* D.S.Fletcher, 1956
- 16838) *Eupithecia albimixta* Schaus, 1913 (Geometridae) Synonym(s): *albimixta* Schaus, 1913
- 16839) *Eupithecia albimontanata* McDunnough, 1940 (Geometridae) Synonym(s): *albimontanata* McDunnough, 1940
- 16840) *Eupithecia albirasa* W.Warren, 1905 (Geometridae) Synonym(s): *albirasa* W.Warren, 1905
- 16841) *Eupithecia albirivata* W.Warren, 1904 (Geometridae) Synonym(s): *albirivata* W.Warren, 1904
- 16842) *Eupithecia albisecta* L.B.Prout, 1921 (Geometridae) Synonym(s): *albisecta* L.B.Prout, 1921
- 16843) *Eupithecia albispumata* W.Warren, 1893 (Geometridae) Synonym(s): *albispumata* W.Warren, 1893
- 16844) *Eupithecia albitillata* L.B.Prout, 1932 (Geometridae) Synonym(s): *albitillata* L.B.Prout, 1932
- 16845) *Eupithecia albitrigata* D.S.Fletcher, 1958 (Geometridae) Synonym(s): *albitrigata* D.S.Fletcher, 1958
- 16846) *Eupithecia albosparsata* Joannis, 1891 (Geometridae) Synonym(s): *albosparsata* Joannis, 1891
- 16847) *Eupithecia aliena* Vojnits, 1982 (Geometridae) Synonym(s): *aliena* Vojnits, 1982
- 16848) *Eupithecia alishana* Inoue, 1970 (Geometridae) Synonym(s): *alishana* Inoue, 1970
- 16849) *Eupithecia alliararia* Staudinger, 1870 (Geometridae) Synonym(s): *alliararia* Staudinger, 1870; *#notata* Dietze, 1910 nec Stph., 1831
- 16850) *Eupithecia alliararia jehannedarc* Koçak & Kemal, 2001 (Geometridae) Synonym(s): *notata* Dietze, 1910 nec Stph., 1831; *jehannedarc* Koçak & Kemal, 2001.

- 16851) *Eupithecia alogista* Dyar,1918 (Geometridae) Synonym(s): *alogista* Dyar,1918
 16852) *Eupithecia alpinata* Cassino,1927 (Geometridae) Synonym(s): *alpinata* Cassino,1927
 16853) *Eupithecia alticomora* Herbulot,1981 (Geometridae) Synonym(s): *alticomora* Herbulot,1981
 16854) *Eupithecia altitudinis* M.Krüger,2000 (Geometridae) Synonym(s): *altitudinis* M.Krüger,2000
 16855) *Eupithecia amasina* Bohatsch,1893 (Geometridae) Synonym(s): *#amasina* Bohatsch,1893; *dinaria* Vardikjan,1985.
 16856) *Eupithecia amathes* L.B.Prout,1926 (Geometridae) Synonym(s): *amathes* L.B.Prout,1926
 16857) *Eupithecia ammonata* McDunnough,1929 (Geometridae) Synonym(s): *ammonata* McDunnough,1929
 16858) *Eupithecia amorrhhoa* L.B.Prout,1910 (Geometridae) Synonym(s): *amorrhhoa* L.B.Prout,1910
 16859) *Eupithecia amphiplex* L.B.Prout,1932 (Geometridae) Synonym(s): *amphiplex* L.B.Prout,1932
 16860) *Eupithecia amplexata* Christoph,1881 (Geometridae) Synonym(s): *amplexata* Christoph,1881
 16861) *Eupithecia amplexata* pryriaria Leech,1897 (Geometridae) Synonym(s): *pryeriaria* Leech,1897
 16862) *Eupithecia amurensis* Schwingenschuss,1954 (Geometridae) Synonym(s): *amurensis* Schwingenschuss,1954
 16863) *Eupithecia anactoria* Herbulot,1987 (Geometridae) Synonym(s): *anactoria* Herbulot,1987
 16864) *Eupithecia analiscripta* (Warren,1907) (Geometridae) Synonym(s): *analiscripta* Warren,1907
 16865) *Eupithecia analoga* Djakonov,1926 (Geometridae) Synonym(s): *analoga* Djakonov,1926; *europaea* Lempke,1969.
 16866) *Eupithecia anamnesea* Herbulot,1994 (Geometridae) Synonym(s): *anamnesea* Herbulot,1994
 16867) *Eupithecia anasticta* L.B.Prout,1926 (Geometridae) Synonym(s): *anasticta* L.B.Prout,1926
 16868) *Eupithecia anemica* Viidalepp,1988 (Geometridae) Synonym(s): *anemica* Viidalepp,1988
 16869) *Eupithecia anemica anemica* Viidalepp,1988 (Geometridae) Synonym(s): *anemica* Viidalepp,1988
 16870) *Eupithecia anemica illustrata* Kaila & Viidalepp,1996 (Geometridae) Synonym(s): *illustrata* Kaila & Viidalepp,1996
 16871) *Eupithecia anguinata* (Warren,1902) (Geometridae) Synonym(s): *anguinata* Warren,1902
 16872) *Eupithecia angulata* Fletcher,1951 (Geometridae) Synonym(s): *angulata* Fletcher,1951
 16873) *Eupithecia angustiarum* M.Krüger,2000 (Geometridae) Synonym(s): *angustiarum* M.Krüger,2000
 16874) *Eupithecia anita* (W.Warren,1906) (Geometridae) Synonym(s): *anita* W.Warren,1906
 16875) *Eupithecia annulata* Hulst,1896 (Geometridae) Synonym(s): *annulata* Hulst,1896; *filmata* Pearsall,1908; *limnata* Pearsall,1909; *usurpata* Pearsall,1909; *orfordata* Cassino,1927; *vinsullata* Mackay,1951
 16876) *Eupithecia antaggregata* Inoue,1977 (Geometridae) Synonym(s): *antaggregata* Inoue,1977
 16877) *Eupithecia antalica* Mironov,2001 (Geometridae) Synonym(s): *antalica* Mironov,2001
 16878) *Eupithecia antaria* (Warren,1906) (Geometridae) Synonym(s): *antaria* Warren,1906
 16879) *Eupithecia anteacta* Vojnits,1984 (Geometridae) Synonym(s): *anteacta* Vojnits,1984
 16880) *Eupithecia anticaria* Walker,1862 (Geometridae) Synonym(s): *anticaria* Walker,1862; *explanata* Walker,1862
 16881) *Eupithecia anticura* Rindge,1987 (Geometridae) Synonym(s): *anticura* Rindge,1987
 16882) *Eupithecia antivulgaria* Inoue,1965 (Geometridae) Synonym(s): *antivulgaria* Inoue,1965
 16883) *Eupithecia aphanes* Turner,1941 (Geometridae) Synonym(s): *ophanes* Turner,1941
 16884) *Eupithecia apicistrigata* (Bastelberger,1907) (Geometridae) Synonym(s): *apicistrigata* Bastelberger,1907
 16885) *Eupithecia aporia* Vojnits,1975 (Geometridae) Synonym(s): *aporia* Vojnits,1975
 16886) *Eupithecia apparatissima* Vojnits,1988 (Geometridae) Synonym(s): *apparatissima* Vojnits,1988
 16887) *Eupithecia appendiculata* McDunnough,1945 (Geometridae) Synonym(s): *appendiculata* McDunnough,1945
 16888) *Eupithecia aradjouna* Brandt,1938 (Geometridae) Synonym(s): *aradjouna* Brandt,1938
 16889) *Eupithecia aradjouna taftanica* Brandt,1941 (Geometridae) Synonym(s): *taftanica* Brandt,1941
 16890) *Eupithecia arauca* Rindge,1991 (Geometridae) Synonym(s): *arauca* Rindge,1991
 16891) *Eupithecia arenaria* (Warren,1897) (Geometridae) Synonym(s): *arenaria* Warren,1897
 16892) *Eupithecia arenbergeri* Pinker,1976 (Geometridae) Synonym(s): *arenbergeri* Pinker,1976
 16893) *Eupithecia arenitincta* L.B.Prout,1938 (Geometridae) Synonym(s): *arenitincta* L.B.Prout,1938
 16894) *Eupithecia arenosa* Vojnits,1984 (Geometridae) Synonym(s): *arenosa* Vojnits,1984
 16895) *Eupithecia arenosissima* Vojnits,1992 (Geometridae) Synonym(s): *arenosissima* Vojnits,1992
 16896) *Eupithecia aritai* Inoue,1977 (Geometridae) Synonym(s): *aritai* Inoue,1977
 16897) *Eupithecia artshae* Viidalepp,1988 (Geometridae) Synonym(s): *artshae* Viidalepp,1988
 16898) *Eupithecia asema* Hampson,1891 (Geometridae) Synonym(s): *asema* Hampson,1891
 16899) *Eupithecia aspectabilis* Inoue,1996 (Geometridae) Synonym(s): *aspectabilis* Inoue,1996
 16900) *Eupithecia asperata* Brandt,1938 (Geometridae) Synonym(s): *asperata* Brandt,1938
 16901) *Eupithecia assa* Mironov,1989 (Geometridae) Synonym(s): *assa* Mironov,1989
 16902) *Eupithecia assectata* Dietze,1904 (Geometridae) Synonym(s): *assectata* Dietze,1904
 16903) *Eupithecia assimilata* Doubleday,1856 (Geometridae) Synonym(s): *assimilata* Doubleday,1856; *fumosa* Hulst,1896; *grisescens* Dietze,1910
 16904) *Eupithecia assimilis* (Warren,1906) (Geometridae) Synonym(s): *assimilis* Warren,1906
 16905) *Eupithecia assulata* Bastelberger,1911 (Geometridae) Synonym(s): *assulata* Bastelberger,1911
 16906) *Eupithecia astales* D.S.Fletcher,1978 (Geometridae) Synonym(s): *astales* D.S.Fletcher,1978
 16907) *Eupithecia asteria* Herbulot,1987 (Geometridae) Synonym(s): *asteria* Herbulot,1987
 16908) *Eupithecia stricta* Inoue,1988 (Geometridae) Synonym(s): *astrecta* Inoue,1988
 16909) *Eupithecia atacama* Vojnits,1985 (Geometridae) Synonym(s): *atacama* Vojnits,1985
 16910) *Eupithecia atacamaensis* Rindge,1987 (Geometridae) Synonym(s): *atacamaensis* Rindge,1987
 16911) *Eupithecia atlantica* Pinker,1971 (Geometridae) Synonym(s): *atlantica* Pinker,1971
 16912) *Eupithecia atlantica atlantica* Pinker,1971 (Geometridae) Synonym(s): *atlantica* Pinker,1971
 16913) *Eupithecia atlantica pinkeriata* Moberg,1983 (Geometridae) Synonym(s): *pinkeriata* Moberg,1983
 16914) *Eupithecia atomaria* (Warren,1902) (Geometridae) Synonym(s): *atomaria* Warren,1902
 16915) *Eupithecia atricollaris* (Warren,1907) (Geometridae) Synonym(s): *atricollaris* Warren,1907
 16916) *Eupithecia atrisignis* Butler,1889 (Geometridae) Synonym(s): *atrisignis* Butler,1889
 16917) *Eupithecia atromaculata* (Warren,1907) (Geometridae) Synonym(s): *atromaculata* Warren,1907
 16918) *Eupithecia attali* Herbulot,1993 (Geometridae) Synonym(s): *attali* Herbulot,1993
 16919) *Eupithecia avara* Vojnits,1984 (Geometridae) Synonym(s): *avara* Vojnits,1984
 16920) *Eupithecia aysenae* Rindge,1987 (Geometridae) Synonym(s): *aysenae* Rindge,1987
 16921) *Eupithecia babur* Koçak & Kemal,2001 (Geometridae) Synonym(s): *nova* Vojnits,1974 nec *Vojn.* & Delaev.,1973; *babur* Koçak & Kemal,2001.
 16922) *Eupithecia balintzsolti* Vojnits,1987 (Geometridae) Synonym(s): *balintzsolti* Vojnits,1987
 16923) *Eupithecia balteata* (Warren,1906) (Geometridae) Synonym(s): *balteata* Warren,1906
 16924) *Eupithecia bandurriasae* Rindge,1991 (Geometridae) Synonym(s): *bandurriasae* Rindge,1991
 16925) *Eupithecia bardiaris* Turati,1934 (Geometridae) Synonym(s): *bardiaris* Turati,1934
 16926) *Eupithecia barteli* Dietze,1908 (Geometridae) Synonym(s): *barteli* Dietze,1908
 16927) *Eupithecia bastelbergeri* Dietze,1913 (Geometridae) Synonym(s): *bastelbergeri* Dietze,1913
 16928) *Eupithecia bastelbergeri* korvaci L.B.Prout,1938 (Geometridae) Synonym(s): *korvaci* L.B.Prout,1938
 16929) *Eupithecia batida* Dognin,1899 (Geometridae) Synonym(s): *batida* Dognin,1899
 16930) *Eupithecia behrensata* Packard,1876 (Geometridae) Synonym(s): *behrensata* Packard,1876; *perillata* Pearsall,1912; *monerata* [Cassino & Swett],1922
 16931) *Eupithecia bella* Staudinger,1897 (Geometridae) Synonym(s): *bella* Staudinger,1897
 16932) *Eupithecia bellimargo* (Bastelberger,1907) (Geometridae) Synonym(s): *bellimargo* Bastelberger,1907
 16933) *Eupithecia beneficiaria* Vojnits,1987 (Geometridae) Synonym(s): *beneficiaria* Vojnits,1987
 16934) *Eupithecia benigna* Vojnits,1984 (Geometridae) Synonym(s): *benigna* Vojnits,1984
 16935) *Eupithecia bialbata* (Warren,1901) (Geometridae) Synonym(s): *bialbata* Warren,1901
 16936) *Eupithecia bicubitata* L.B.Prout,1916 (Geometridae) Synonym(s): *bicubitata* L.B.Prout,1916
 16937) *Eupithecia bicurvicera* Herbulot,1972 (Geometridae) Synonym(s): *bicurvicera* Herbulot,1972
 16938) *Eupithecia biederamanata* [Cassino & Swett],1922 (Geometridae) Synonym(s): *biederamanata* [Cassino & Swett],1922
 16939) *Eupithecia bifasciata* (Warren,1900) (Geometridae) Synonym(s): *bifasciata* Warren,1900; *segnis* Schaus,1929

- 16940) *Eupithecia bini* Vojnits,1981 (Geometridae) Synonym(s): *bini* Vojnits,1981
 16941) *Eupithecia biornata* Christoph,1867 (Geometridae) Synonym(s): *biornata* Christoph,1867
 16942) *Eupithecia biumbata* (Warren,1907) (Geometridae) Synonym(s): *biumbata* Warren,1907
 16943) *Eupithecia biviridata* (Warren,1896) (Geometridae) Synonym(s): *biviridata* Warren,1896
 16944) *Eupithecia bivittata* (Hulst,1896) (Geometridae) Synonym(s): *bivittata* Hulst,1896
 16945) *Eupithecia bohatschi* Staudinger,1897 (Geometridae) Synonym(s): *bohatschi* Staudinger,1897; *kawakamiana* Matsumura,1925; *tuvinica* Viidalepp,1976
 16946) *Eupithecia bolephora* L.B.Prout,1937 (Geometridae) Synonym(s): *bolephora* L.B.Prout,1937
 16947) *Eupithecia bolterii* (Hulst,1900) (Geometridae) Synonym(s): *bolterii* Hulst,1900
 16948) *Eupithecia borealis* (Hulst,1898) (Geometridae) Synonym(s): *borealis* Hulst,1898
 16949) *Eupithecia boryata* (Rebel,1906) (Geometridae) Synonym(s): *boryata* Rebel,1906
 16950) *Eupithecia bowmani* Cassino & Swett,1923 (Geometridae) Synonym(s): *bowmani* Cassino & Swett,1923
 16951) *Eupithecia brachyptera* L.B.Prout,1913 (Geometridae) Synonym(s): *brachyptera* L.B.Prout,1913
 16952) *Eupithecia breviclava* Inoue,1988 (Geometridae) Synonym(s): *breviclava* Inoue,1988
 16953) *Eupithecia breviclava* Schaus,1913 (Geometridae) Synonym(s): *breviclava* Schaus,1913
 16954) *Eupithecia breviculata* (Donzel,1837) (Geometridae) Synonym(s): *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977.
 16955) *Eupithecia briseis* Schaus,1913 (Geometridae) Synonym(s): *briseis* Schaus,1913
 16956) *Eupithecia broteas* Schaus,1913 (Geometridae) Synonym(s): *broteas* Schaus,1913
 16957) *Eupithecia broui* Rindge,1985 (Geometridae) Synonym(s): *broui* Rindge,1985
 16958) *Eupithecia brunneata* Staudinger,1900 (Geometridae) Synonym(s): *brunneata* Staudinger,1900
 16959) *Eupithecia brunneodorsata* (Warren,1907) (Geometridae) Synonym(s): *brunneodorsata* Warren,1907
 16960) *Eupithecia bryanti* Taylor,1906 (Geometridae) Synonym(s): *bryanti* Taylor,1906; *modesta* Taylor,1906
 16961) *Eupithecia bullata* (Warren,1895) (Geometridae) Synonym(s): *bullata* Warren,1895; *nudata* Warren,1906
 16962) *Eupithecia bytinskii* L.B.Prout,1938 (Geometridae) Synonym(s): *prouti* Bytinski-Salz & Brandt,1937 nec Zny.,1933; *bytinskii* L.B.Prout,1938
 16963) *Eupithecia cabrasae* Rindge,1987 (Geometridae) Synonym(s): *cabrasae* Rindge,1987
 16964) *Eupithecia cabreria* Vojnits,1992 (Geometridae) Synonym(s): *cabreria* Vojnits,1992
 16965) *Eupithecia caburgia* Rindge,1987 (Geometridae) Synonym(s): *caburgia* Rindge,1987
 16966) *Eupithecia cachina* Schaus,1913 (Geometridae) Synonym(s): *cachina* Schaus,1913
 16967) *Eupithecia caduca* Vojnits,1984 (Geometridae) Synonym(s): *caduca* Vojnits,1984
 16968) *Eupithecia caeruleata* Favre,1899 (Geometridae) Synonym(s): *caeruleata* Favre,1899
 16969) *Eupithecia caeruleata caeruleata* Favre,1899 (Geometridae) Synonym(s): *caeruleata* Favre,1899
 16970) *Eupithecia caeruleata schiefereri* Dietze,1904 (Geometridae) Synonym(s): *#schiefereri* Bohatsch,1893; *schiefereri* Dietze,1904; *#confluens* Dietze,1910; *#schiefereri* Pinker,1958; *#schiefereri* Arnscheid,2000
 16971) *Eupithecia calientes* Vojnits,1992 (Geometridae) Synonym(s): *calientes* Vojnits,1992
 16972) *Eupithecia californiata* Gumpenberg,1888 (Geometridae) Synonym(s): *californiata* Gumpenberg,1888
 16973) *Eupithecia caliginea* Butler,1878 (Geometridae) Synonym(s): *caliginea* Butler,1878
 16974) *Eupithecia caliginea caliginea* Butler,1878 (Geometridae) Synonym(s): *caliginea* Butler,1878
 16975) *Eupithecia caliginea zibellinata* Christoph,1881 (Geometridae) Synonym(s): *zibellinata* Christoph,1881
 16976) *Eupithecia caliginosa* Schaus,1913 (Geometridae) Synonym(s): *caliginosa* Schaus,1913
 16977) *Eupithecia calligraphata* Wagner,1929 (Geometridae) Synonym(s): *calligraphata* Wagner,1929
 16978) *Eupithecia cana* Vojnits,1994 (Geometridae) Synonym(s): *cana* Vojnits,1994
 16979) *Eupithecia canchaseae* Rindge,1987 (Geometridae) Synonym(s): *canchaseae* Rindge,1987
 16980) *Eupithecia candicans* Herbulot,1988 (Geometridae) Synonym(s): *candicans* Herbulot,1988
 16981) *Eupithecia candidata* (Warren,1907) (Geometridae) Synonym(s): *candidata* Warren,1907
 16982) *Eupithecia canisparsa* W.Warren,1904 (Geometridae) Synonym(s): *canisparsa* W.Warren,1904
 16983) *Eupithecia canonica* L.B.Prout,1916 (Geometridae) Synonym(s): *canonica* L.B.Prout,1916
 16984) *Eupithecia capitata* Dyar,1918 (Geometridae) Synonym(s): *capitata* Dyar,1918
 16985) *Eupithecia captiosa* Vojnits,1984 (Geometridae) Synonym(s): *captiosa* Vojnits,1984
 16986) *Eupithecia carneata* McDunnough,1945 (Geometridae) Synonym(s): *carneata* McDunnough,1945
 16987) *Eupithecia carpopagata* Staudinger,1871 (Geometridae) Synonym(s): *carpopagata* Staudinger,1871
 16988) *Eupithecia carpopagata benacaria* (Dannehl,1933) (Geometridae) Synonym(s): *benacaria* Dannehl,1933
 16989) *Eupithecia carpopagata carpopagata* Staudinger,1871 (Geometridae) Synonym(s): *carpopagata* Staudinger,1871
 16990) *Eupithecia carpopagata cassandrata* Millière,1874 (Geometridae) Synonym(s): *cassandrata* Millière,1874
 16991) *Eupithecia carpophilata* Staudinger,1897 (Geometridae) Synonym(s): *carpophilata* Staudinger,1897; *collega* Dietze,1908; *kaszabi* Vojnits,1974.
 16992) *Eupithecia caribeana* Herbulot,1986 (Geometridae) Synonym(s): *caribeana* Herbulot,1986
 16993) *Eupithecia casloata* (Dyar,1904) (Geometridae) Synonym(s): *casloata* Dyar,1904; *casloata* McDunnough,1929; *bradorata* McDunnough,1930
 16994) *Eupithecia casmena* Herbulot,1987 (Geometridae) Synonym(s): *casmena* Herbulot,1987
 16995) *Eupithecia casta* (Warren,1904) (Geometridae) Synonym(s): *casta* Warren,1904
 16996) *Eupithecia castellata* McDunnough,1944 (Geometridae) Synonym(s): *castellata* McDunnough,1944
 16997) *Eupithecia catalinata* McDunnough,1944 (Geometridae) Synonym(s): *catalinata* McDunnough,1944
 16998) *Eupithecia catharinae* Vojnits,1969 (Geometridae) Synonym(s): *catharinae* Vojnits,1969
 16999) *Eupithecia catosophia* Inoue,1988 (Geometridae) Synonym(s): *catosophia* Inoue,1988
 17000) *Eupithecia cauchiata* (Duponchel,1831) (Geometridae) Synonym(s): *cauchiata* Duponchel,1831; *griseimarginata* Harpe,1853; *majoraria* Harpe,1855
 17001) *Eupithecia cautin* Vojnits,1992 (Geometridae) Synonym(s): *cautin* Vojnits,1992
 17002) *Eupithecia cazieri* Kirkwood,1961 (Geometridae) Synonym(s): *cazieri* Kirkwood,1961
 17003) *Eupithecia celatisigna* (Warren,1902) (Geometridae) Synonym(s): *celatisigna* Warren,1902; *lugubriaria* Swinhoe,1904
 17004) *Eupithecia celatisigna celatisigna* (Warren,1902) (Geometridae) Synonym(s): *celatisigna* Warren,1902; *lugubriaria* Swinhoe,1904
 17005) *Eupithecia celatisigna tatoptera* L.B.Prout,1932 (Geometridae) Synonym(s): *tatoptera* L.B.Prout,1932
 17006) *Eupithecia cercina* Druce,1893 (Geometridae) Synonym(s): *cercina* Druce,1893
 17007) *Eupithecia cerussaria* (Lederer,1855) (Geometridae) Synonym(s): *cerussaria* Lederer,1855
 17008) *Eupithecia cerynea* Druce,1893 (Geometridae) Synonym(s): *cerynea* Druce,1893
 17009) *Eupithecia cesa* Koçak & Kemal,2001 (Geometridae) Synonym(s): *tenebriosa* Schaus,1913 nec Dietz.,1910; *cesa* Koçak & Kemal,2001
 17010) *Eupithecia cestata* (Hulst,1896) (Geometridae) Synonym(s): *cestata* Hulst,1896
 17011) *Eupithecia cestatoides* McDunnough,1949 (Geometridae) Synonym(s): *cestatoides* McDunnough,1949
 17012) *Eupithecia chalikhophila* Wehrli,1926 (Geometridae) Synonym(s): *chalikhophila* Wehrli,1926
 17013) *Eupithecia chapo* Vojnits,1992 (Geometridae) Synonym(s): *chapo* Vojnits,1992
 17014) *Eupithecia cheituna* Brandt,1938 (Geometridae) Synonym(s): *cheituna* Brandt,1938
 17015) *Eupithecia chesiata* Dietze,1904 (Geometridae) Synonym(s): *chesiata* Dietze,1904
 17016) *Eupithecia chilensis* Kemal & Koçak,2004 (Geometridae) Synonym(s): *rindgei* Vojnits,1992 nec McDunn.,1949; *chilensis* Kemal & Koçak,2004
 17017) *Eupithecia chimera* Dyar,1918 (Geometridae) Synonym(s): *chimera* Dyar,1918
 17018) *Eupithecia chinae* Vojnits,1977 (Geometridae) Synonym(s): *chinae* Vojnits,1977
 17019) *Eupithecia chinchu* Dognin,1899 (Geometridae) Synonym(s): *chinchu* Dognin,1899
 17020) *Eupithecia chiricahuata* McDunnough,1944 (Geometridae) Synonym(s): *chiricahuata* McDunnough,1944
 17021) *Eupithecia chlorofasciata* Dietze,1872 (Geometridae) Synonym(s): *chlorofasciata* Dietze,1872
 17022) *Eupithecia chlorophora* Swinhoe,1895 (Geometridae) Synonym(s): *chlorophora* Swinhoe,1895; *basichlora* Warren,1899
 17023) *Eupithecia christophi* Mironov,1988 (Geometridae) Synonym(s): *christophi* Mironov,1988
 17024) *Eupithecia chrodna* (Druce,1893) (Geometridae) Synonym(s): *chrodna* Druce,1893
 17025) *Eupithecia chui* Inoue,1970 (Geometridae) Synonym(s): *chui* Inoue,1970
 17026) *Eupithecia cimicifugata* Pearsall,1908 (Geometridae) Synonym(s): *cimicifugata* Pearsall,1908; *grata* Taylor,1910
 17027) *Eupithecia cingulata* Christoph,1885 (Geometridae) Synonym(s): *cingulata* Christoph,1885
 17028) *Eupithecia cinnamomata* D.S.Fletcher,1951 (Geometridae) Synonym(s): *cinnamomata* D.S.Fletcher,1951

- 17029) *Eupithecia circumacta* L.B.Prout,1958 (Geometridae) Synonym(s): *circumacta* L.B.Prout,1958
 17030) *Eupithecia circumscriptix* Vojnits,1983 (Geometridae) Synonym(s): *circumscriptix* Vojnits,1983
 17031) *Eupithecia classicata* Pearsall,1909 (Geometridae) Synonym(s): *classicata* Pearsall,1909
 17032) *Eupithecia clavifera* Inoue,1955 (Geometridae) Synonym(s): *clavifera* Inoue,1955
 17033) *Eupithecia coequalis* Janse,1933 (Geometridae) Synonym(s): *coequalis* Janse,1933
 17034) *Eupithecia cocciferata* Millière,1864 (Geometridae) Synonym(s): *cocciferata* Millière,1864; *semitinctaria* Mabille,1867.
 17035) *Eupithecia coccinea* Vojnits,1981 (Geometridae) Synonym(s): *coccinea* Vojnits,1981
 17036) *Eupithecia cocoata* Pearsall,1908 (Geometridae) Synonym(s): *cocoata* Pearsall,1908
 17037) *Eupithecia coetulata* L.B.Prout,1916 (Geometridae) Synonym(s): *coetulata* L.B.Prout,1916
 17038) *Eupithecia cognizata* Pearsall,1910 (Geometridae) Synonym(s): *cognizata* Pearsall,1910
 17039) *Eupithecia cohabitans* Herbulot,1972 (Geometridae) Synonym(s): *cohabitans* Herbulot,1972
 17040) *Eupithecia cohorticula* Dietze,1910 (Geometridae) Synonym(s): *cohorticula* Dietze,1910
 17041) *Eupithecia collineata* (W.Warren,1906) (Geometridae) Synonym(s): *collineata* W.Warren,1906; *argica* L.B.Prout,1910
 17042) *Eupithecia coloradensis* (Hulst,1896) (Geometridae) Synonym(s): *coloradensis* Hulst,1896; *carolinensis* Grossbeck,1907; *spenceata* Cassino,1927
 17043) *Eupithecia columbiata* (Dyar,1904) (Geometridae) Synonym(s): *columbiata* Dyar,1904; *erpata* Pearsall,1908; *holbergata* Mackay,1951
 17044) *Eupithecia columbrata* McDunnough,1940 (Geometridae) Synonym(s): *columbrata* McDunnough,1940
 17045) *Eupithecia comes* Herbulot,1986 (Geometridae) Synonym(s): *comes* Herbulot,1986
 17046) *Eupithecia commiserenda* Vojnits,1983 (Geometridae) Synonym(s): *commiserenda* Vojnits,1983
 17047) *Eupithecia comparanda* Vojnits,1981 (Geometridae) Synonym(s): *comparanda* Vojnits,1981
 17048) *Eupithecia concepcion* Rindge,1991 (Geometridae) Synonym(s): *concepcion* Rindge,1991
 17049) *Eupithecia concinna* Vojnits,1983 (Geometridae) Synonym(s): *concinna* Vojnits,1983
 17050) *Eupithecia concremata* Dietze,1904 (Geometridae) Synonym(s): *concremata* Dietze,1904
 17051) *Eupithecia conduplicata* (Warren,1906) (Geometridae) Synonym(s): *conduplicata* Warren,1906
 17052) *Eupithecia coniurata* Vojnits,1979 (Geometridae) Synonym(s): *coniurata* Vojnits,1979
 17053) *Eupithecia conjunctiva* Hampson,1895 (Geometridae) Synonym(s): *conjunctiva* Hampson,1895
 17054) *Eupithecia connexa* (Warren,1909) (Geometridae) Synonym(s): *connexa* Warren,1909
 17055) *Eupithecia consors* (Warren,1900) (Geometridae) Synonym(s): *consors* Warren,1900
 17056) *Eupithecia consortaria* Leech,1897 (Geometridae) Synonym(s): *consortaria* Leech,1897
 17057) *Eupithecia conterminata* (Lienig & Zeller,1846) (Geometridae) Synonym(s): *conterminata* Lienig & Zeller,1846; *manniaria* Herrich-Schäffer,1848; *idiopusillata* Inoue,1979
 17058) *Eupithecia contexta* Schaus,1913 (Geometridae) Synonym(s): *contexta* Schaus,1913
 17059) *Eupithecia contraria* Vojnits,1983 (Geometridae) Synonym(s): *contraria* Vojnits,1983
 17060) *Eupithecia convallata* Brandt,1938 (Geometridae) Synonym(s): *convallata* Brandt,1938
 17061) *Eupithecia convallata convallata* Brandt,1938 (Geometridae) Synonym(s): *convallata* Brandt,1938
 17062) *Eupithecia convallata terricolor* Vojnits,1988 (Geometridae) Synonym(s): *terricolor* Vojnits,1988
 17063) *Eupithecia convexa* Inoue,1988 (Geometridae) Synonym(s): *convexa* Inoue,1988
 17064) *Eupithecia conviva* Dietze,1910 (Geometridae) Synonym(s): *conviva* Dietze,1910
 17065) *Eupithecia cooptata* Dietze,1904 (Geometridae) Synonym(s): *cooptata* Dietze,1904
 17066) *Eupithecia coquimbo* Rindge,1991 (Geometridae) Synonym(s): *coquimbo* Rindge,1991
 17067) *Eupithecia corralensis* Butler,1882 (Geometridae) Synonym(s): *corralensis* Butler,1882
 17068) *Eupithecia correana* Rindge,1987 (Geometridae) Synonym(s): *correana* Rindge,1987
 17069) *Eupithecia corroborata* Dietze,1908 (Geometridae) Synonym(s): *corroborata* Dietze,1908
 17070) *Eupithecia corticata* D.S.Fletcher,1950 (Geometridae) Synonym(s): *corticata* D.S.Fletcher,1950
 17071) *Eupithecia costalis* (Walker,1863) (Geometridae) Synonym(s): *costalis* Walker,1863
 17072) *Eupithecia costalis costalis* (Walker,1863) (Geometridae) Synonym(s): *costalis* Walker,1863
 17073) *Eupithecia costalis ferrisparsata* (Hampson,1893) (Geometridae) Synonym(s): *ferrisparsata* Hampson,1893
 17074) *Eupithecia costarica* Koçak & Kemal,2001 (Geometridae) Synonym(s): *subtilis* Schaus,1913 nec Dietz.,1910; *costarica* Koçak & Kemal,2001
 17075) *Eupithecia costiconvexa* Inoue,1979 (Geometridae) Synonym(s): *costiconvexa* Inoue,1979
 17076) *Eupithecia costimacularia* Leech,1897 (Geometridae) Synonym(s): *costimacularia* Leech,1897
 17077) *Eupithecia costipicta* W.Warren,1893 (Geometridae) Synonym(s): *costipicta* W.Warren,1893
 17078) *Eupithecia costirufaria* (Warren,1907) (Geometridae) Synonym(s): *costirufaria* Warren,1907
 17079) *Eupithecia costisignata* Dietze,1904 (Geometridae) Synonym(s): *costisignata* Dietze,1904
 17080) *Eupithecia costivallata* (Warren,1904) (Geometridae) Synonym(s): *costivallata* Warren,1904
 17081) *Eupithecia cotidiana* Vojnits,1979 (Geometridae) Synonym(s): *cotidiana* Vojnits,1979
 17082) *Eupithecia craterias* (Meyrick,1899) (Geometridae) Synonym(s): *craterias* Meyrick,1899
 17083) *Eupithecia craterias craterias* (Meyrick,1899) (Geometridae) Synonym(s): *craterias* Meyrick,1899
 17084) *Eupithecia craterias ditrecta* (Meyrick,1899) (Geometridae) Synonym(s): *ditrecta* Meyrick,1899
 17085) *Eupithecia crenata* Vojnits,1975 (Geometridae) Synonym(s): *crenata* Vojnits,1975
 17086) *Eupithecia cretaceata* (Packard,1874) (Geometridae) Synonym(s): *cretaceata* Packard,1874; *fenestrata* Millière,1874.
 17087) *Eupithecia cretata* (Hulst,1896) (Geometridae) Synonym(s): *cretata* Hulst,1896
 17088) *Eupithecia cretosa* Vojnits,1994 (Geometridae) Synonym(s): *cretosa* Vojnits,1994
 17089) *Eupithecia cucullaria* (Rebel,1901) (Geometridae) Synonym(s): *undata* Bohatsch,1893 nec Frr.,1840; *cucullaria* Rebel,1901
 17090) *Eupithecia cugiai* Turati,1927 (Geometridae) Synonym(s): *cugiai* Turati,1927
 17091) *Eupithecia cuneata* Vojnits,1984 (Geometridae) Synonym(s): *cuneata* Vojnits,1984
 17092) *Eupithecia cuneilineata* (Warren,1905) (Geometridae) Synonym(s): *cuneilineata* Warren,1905
 17093) *Eupithecia cunina* (Druce,1893) (Geometridae) Synonym(s): *cunina* Druce,1893
 17094) *Eupithecia cuprearia* Jones,1921 (Geometridae) Synonym(s): *cuprearia* Jones,1921
 17095) *Eupithecia cupreata* (Warren,1904) (Geometridae) Synonym(s): *cupreata* Warren,1904
 17096) *Eupithecia cupressata* Pearsall,1910 (Geometridae) Synonym(s): *cupressata* Pearsall,1910
 17097) *Eupithecia curacautinae* Rindge,1987 (Geometridae) Synonym(s): *curacautinae* Rindge,1987
 17098) *Eupithecia curvifascia* (Warren,1904) (Geometridae) Synonym(s): *curvifascia* Warren,1904
 17099) *Eupithecia daemionata* Dietze,1904 (Geometridae) Synonym(s): *daemionata* Dietze,1904; *accessata* Dietze,1910
 17100) *Eupithecia damnosa* Vojnits,1983 (Geometridae) Synonym(s): *damnosa* Vojnits,1983
 17101) *Eupithecia dargei* Herbulot,1988 (Geometridae) Synonym(s): *dargei* Herbulot,1988
 17102) *Eupithecia dayensis* Herbulot,1983 (Geometridae) Synonym(s): *dayensis* Herbulot,1983
 17103) *Eupithecia dealbata* Inoue,1988 (Geometridae) Synonym(s): *dealbata* Inoue,1988
 17104) *Eupithecia dechkanata* Mironov,1989 (Geometridae) Synonym(s): *dechkanata* Mironov,1989
 17105) *Eupithecia decipiens* W.Petersen,1910 (Geometridae) Synonym(s): *decipiens* W.Petersen,1910
 17106) *Eupithecia decorata* (Warren,1904) (Geometridae) Synonym(s): *decorata* Warren,1904
 17107) *Eupithecia decrepita* Vojnits,1982 (Geometridae) Synonym(s): *decrepita* Vojnits,1982
 17108) *Eupithecia decussata* Herbulot,1997 (Geometridae) Synonym(s): *decussata* Herbulot,1997
 17109) *Eupithecia defimbriata* (W.Warren,1906) (Geometridae) Synonym(s): *defimbriata* W.Warren,1906
 17110) *Eupithecia deformis* Vojnits,1979 (Geometridae) Synonym(s): *deformis* Vojnits,1979
 17111) *Eupithecia delaeveri* Vojnits,1976 (Geometridae) Synonym(s): *delaeveri* Vojnits,1976
 17112) *Eupithecia delozona* L.B.Prout,1926 (Geometridae) Synonym(s): *delozona* L.B.Prout,1926
 17113) *Eupithecia demetata* Christoph,1885 (Geometridae) Synonym(s): *demetata* Christoph,1885; *draudti* Dietze,1910
 17114) *Eupithecia demissa* Vojnits,1994 (Geometridae) Synonym(s): *demissa* Vojnits,1994
 17115) *Eupithecia denotata* (Hübner,[1813]) (Geometridae) Synonym(s): *denotata* (Hübner,[1813]); *atraria* Herrich-Schäffer,[1848]; *campanulata* Herrich-Schäffer,1861; *primulata* Millière,1874; *jasioneata* Crewe,1881; *livida* Dietze,1910.
 17116) *Eupithecia denotata hellenata* Schütze,1959 (Geometridae) Synonym(s): *hellenata* Schütze,1959

- 17117) *Eupithecia densicauda* (Warren,1904) (Geometridae) Synonym(s): *densicauda* Warren,1904
 17118) *Eupithecia denticulata* (Treitschke,1828) (Geometridae) Synonym(s): *denticulata* Treitschke,1828
 17119) *Eupithecia denticulata anatolicata* Pinker,1976 (Geometridae) Synonym(s): *anatolicata* Pinker,1976
 17120) *Eupithecia dentosa* (Warren,1900) (Geometridae) Synonym(s): *dentosa* Warren,1900
 17121) *Eupithecia depasta* Vojnits,1994 (Geometridae) Synonym(s): *depasta* Vojnits,1994
 17122) *Eupithecia depressa* Vojnits,1984 (Geometridae) Synonym(s): *depressa* Vojnits,1984
 17123) *Eupithecia depressa depressa* Vojnits,1984 (Geometridae) Synonym(s): *depressa* Vojnits,1984
 17124) *Eupithecia depressa disiuncta* Vojnits,1984 (Geometridae) Synonym(s): *disiuncta* Vojnits,1984
 17125) *Eupithecia deprima* Vojnits,1974 (Geometridae) Synonym(s): *deprima* Vojnits,1974
 17126) *Eupithecia derogata* Schaus,1913 (Geometridae) Synonym(s): *derogata* Schaus,1913
 17127) *Eupithecia descimoni* Herbulot,1987 (Geometridae) Synonym(s): *descimoni* Herbulot,1987
 17128) *Eupithecia descimoni descimoni* Herbulot,1987 (Geometridae) Synonym(s): *descimoni* Herbulot,1987
 17129) *Eupithecia descimoni ecuador* Kemal & Koçak,2004 (Geometridae) Synonym(s): *occidens* Herbulot,1987 nec Wehrh.,1927
 17130) *Eupithecia despectaria* Lederer,1853 (Geometridae) Synonym(s): *despectaria* Lederer,1853
 17131) *Eupithecia despectaria* Lederer,1853 (Geometridae) Synonym(s): *despectaria* Lederer,1853
 17132) *Eupithecia detritata* Staudinger,1897 (Geometridae) Synonym(s): *detritata* Staudinger,1897; *kamedai* Inoue,1987; *amplicornuta* Viidalepp & Mironov,1988
 17133) *Eupithecia deverrata* Dietze,1910 (Geometridae) Synonym(s): *deverrata* Dietze,1910
 17134) *Eupithecia deverrata deverrata* Dietze,1910 (Geometridae) Synonym(s): *deverrata* Dietze,1910
 17135) *Eupithecia deverrata prouti* Zerny,1933 (Geometridae) Synonym(s): *prouti* Zerny,1933
 17136) *Eupithecia devastata* (Warren,1899) (Geometridae) Synonym(s): *devastata* Warren,1899
 17137) *Eupithecia devia* Bastelberger,1911 (Geometridae) Synonym(s): *devia* Bastelberger,1911
 17138) *Eupithecia deviridata* (Warren,1907) (Geometridae) Synonym(s): *deviridata* Warren,1907
 17139) *Eupithecia dichroma* McDunnough,1946 (Geometridae) Synonym(s): *dichroma* McDunnough,1946
 17140) *Eupithecia dierli* Vojnits,1983 (Geometridae) Synonym(s): *dierli* Vojnits,1983
 17141) *Eupithecia dilucida* (Warren,1899) (Geometridae) Synonym(s): *dilucida* Warren,1899
 17142) *Eupithecia dimidia* Vojnits,1982 (Geometridae) Synonym(s): *dimidia* Vojnits,1982
 17143) *Eupithecia dinshoensis* Herbulot,1983 (Geometridae) Synonym(s): *dinshoensis* Herbulot,1983
 17144) *Eupithecia discipuncta* (Warren,1906) (Geometridae) Synonym(s): *discipuncta* Warren,1906
 17145) *Eupithecia discolor* Vojnits,1983 (Geometridae) Synonym(s): *discolor* Vojnits,1983
 17146) *Eupithecia discordans* Schaus,1913 (Geometridae) Synonym(s): *discordans* Schaus,1913
 17147) *Eupithecia discrepans* (Herbulot,1983) (Geometridae) Synonym(s): *discrepans* Herbulot,1983
 17148) *Eupithecia discretata* (Warren,1907) (Geometridae) Synonym(s): *discretata* Warren,1907
 17149) *Eupithecia disformata* Dognin,1893 (Geometridae) Synonym(s): *disformata* Dognin,1893
 17150) *Eupithecia dissertata* (Püngeler,1905) (Geometridae) Synonym(s): *dissertata* Püngeler,1905; *kaszabi* Vojnits,1974; *certa* Vojnits,1981
 17151) *Eupithecia dissobapta* L.B.Prout,1932 (Geometridae) Synonym(s): *dissobapta* L.B.Prout,1932
 17152) *Eupithecia dissonans* Herbulot,1954 (Geometridae) Synonym(s): *dissonans* Herbulot,1954
 17153) *Eupithecia dissors* Schaus,1913 (Geometridae) Synonym(s): *dissors* Schaus,1913
 17154) *Eupithecia distinctaria* Herrich-Schäffer,[1848] (Geometridae) Synonym(s): *distinctaria* Herrich-Schäffer,[1848]; *constrictata* Guenée,[1858]; *sextiata* Dardoin & Millière,1867; *piemonticola* Schwingenschuss,1954
 17155) *Eupithecia divina* Vojnits,1979 (Geometridae) Synonym(s): *divina* Vojnits,1979
 17156) *Eupithecia djakonovi* Shchetkin,1956 (Geometridae) Synonym(s): *djakonovi* Shchetkin,1956
 17157) *Eupithecia dodoneata* Guenée,[1858] (Geometridae) Synonym(s): *dodoneata* Guenée,[1858]; *quercifoliata* A.Bang-Haas,1874; *austrina* Herbulot,1962
 17158) *Eupithecia dohertyi* L.B.Prout,1935 (Geometridae) Synonym(s): *dohertyi* L.B.Prout,1935
 17159) *Eupithecia dohertyi dohertyi* L.B.Prout,1935 (Geometridae) Synonym(s): *dohertyi* L.B.Prout,1935
 17160) *Eupithecia dohertyi fletcher* Koçak & Kemal,2001 (Geometridae) Synonym(s): *fumata* D.S.Fletcher,1951 nec Tayl.,1910; *fletcher* Koçak & Kemal,2001.
 17161) *Eupithecia dohertyi fulvata* D.S.Fletcher,1951 (Geometridae) Synonym(s): *fulvata* D.S.Fletcher,1951
 17162) *Eupithecia dolia* West,1929 (Geometridae) Synonym(s): *dolia* West,1929
 17163) *Eupithecia dolosa* Vojnits,1977 (Geometridae) Synonym(s): *dolosa* Vojnits,1977
 17164) *Eupithecia dominaria* Shchetkin,1956 (Geometridae) Synonym(s): *dominaria* Shchetkin,1956
 17165) *Eupithecia domogledana* Vojnits & Szabó,1988 (Geometridae) Synonym(s): *domogledana* Vojnits & Szabó,1988
 17166) *Eupithecia dormita* (Warren,1906) (Geometridae) Synonym(s): *dormita* Warren,1906
 17167) *Eupithecia drastica* Herbulot,1994 (Geometridae) Synonym(s): *drastica* Herbulot,1994
 17168) *Eupithecia druentiata* Dietze,1902 (Geometridae) Synonym(s): *druentiata* Dietze,1902
 17169) *Eupithecia dryinombra* Meyrick,1899 (Geometridae) Synonym(s): *dryinombra* Meyrick,1899
 17170) *Eupithecia dubiosa* Dietze,1910 (Geometridae) Synonym(s): *dubiosa* Dietze,1910
 17171) *Eupithecia duena* Dognin,1899 (Geometridae) Synonym(s): *duena* Dognin,1899; *cabria* Dognin,1899; *trapezoida* Dognin,1899; *suffecta* Warren,1904; *biundulifera* Bastelberger,1908; *macrocyclata* Bastelberger,1908; *melaulecata* Bastelberger,1908
 17172) *Eupithecia duplex* Sterneck,1931 (Geometridae) Synonym(s): *duplex* Sterneck,1931
 17173) *Eupithecia dura* Vojnits,1981 (Geometridae) Synonym(s): *dura* Vojnits,1981
 17174) *Eupithecia dustica* (Dyar,1922) (Geometridae) Synonym(s): *dustica* Dyar,1922
 17175) *Eupithecia dzhirgatalensis* Viidalepp,1988 (Geometridae) Synonym(s): *dzhirgatalensis* Viidalepp,1988
 17176) *Eupithecia eberti* Vojnits,1978 (Geometridae) Synonym(s): *eberti* Vojnits,1978
 17177) *Eupithecia ebriosa* Vojnits,1979 (Geometridae) Synonym(s): *ebriosa* Vojnits,1979
 17178) *Eupithecia ecplyta* L.B.Prout,1932 (Geometridae) Synonym(s): *ecplyta* L.B.Prout,1932
 17179) *Eupithecia edaphopteryx* Vojnits,1988 (Geometridae) Synonym(s): *edaphopteryx* Vojnits,1988
 17180) *Eupithecia edna* (Hulst,1896) (Geometridae) Synonym(s): *edna* Hulst,1896
 17181) *Eupithecia edwardsi* D.S.Fletcher,1951 (Geometridae) Synonym(s): *edwardsi* D.S.Fletcher,1951
 17182) *Eupithecia egena* Vojnits,1984 (Geometridae) Synonym(s): *egenia* Vojnits,1984
 17183) *Eupithecia egenaria* Herrich-Schäffer,[1848] (Geometridae) Synonym(s): *egenaria* Herrich-Schäffer,[1848]; *undosata* Dietze,1875
 17184) *Eupithecia elbursi* Vojnits,1988 (Geometridae) Synonym(s): *elbursi* Vojnits,1988
 17185) *Eupithecia elbursiata* Schütze,1960 (Geometridae) Synonym(s): *elbursiata* Schütze,1960
 17186) *Eupithecia elbuta* Vojnits,1992 (Geometridae) Synonym(s): *elbuta* Vojnits,1992
 17187) *Eupithecia electrofasciata* D.S.Fletcher,1958 (Geometridae) Synonym(s): *electrofasciata* D.S.Fletcher,1958
 17188) *Eupithecia elimata* Dietze,1906 (Geometridae) Synonym(s): *elimata* Dietze,1906; *sebdouensis* Dietze,1910
 17189) *Eupithecia elissa* Dietze,1910 (Geometridae) Synonym(s): *elissa* Dietze,1910
 17190) *Eupithecia elquiensis* Rindge,1991 (Geometridae) Synonym(s): *elquiensis* Rindge,1991
 17191) *Eupithecia emanata* Dietze,1908 (Geometridae) Synonym(s): *emanata* Dietze,1908; *korbi* Dietze,1908; *sordidata* Wileman,1911; *subicratera* L.B.Prout,1930
 17192) *Eupithecia emendata* Vojnits,1983 (Geometridae) Synonym(s): *emendata* Vojnits,1983
 17193) *Eupithecia emikoe* Inoue,1996 (Geometridae) Synonym(s): *emikoe* Inoue,1996
 17194) *Eupithecia emittens* Inoue,1996 (Geometridae) Synonym(s): *emittens* Inoue,1996
 17195) *Eupithecia emporia* Herbulot,1987 (Geometridae) Synonym(s): *emporia* Herbulot,1987
 17196) *Eupithecia encoensis* Rindge,1987 (Geometridae) Synonym(s): *encoensis* Rindge,1987
 17197) *Eupithecia endonephelia* (Dyar,1918) (Geometridae) Synonym(s): *endonephelia* Dyar,1918
 17198) *Eupithecia endotherma* (Dyar,1920) (Geometridae) Synonym(s): *endotherma* Dyar,1920
 17199) *Eupithecia epileptica* Vojnits,1984 (Geometridae) Synonym(s): *epileptica* Vojnits,1984
 17200) *Eupithecia erecticoma* (Warren,1907) (Geometridae) Synonym(s): *erecticoma* Warren,1907
 17201) *Eupithecia erectinota* (Warren,1904) (Geometridae) Synonym(s): *erectinota* Warren,1904

- 17202) *Eupithecia ericeata* (Rambur,1833) (Geometridae) Synonym(s): *ericeata* Rambur,1833; *millierata* Staudinger,1871
- 17203) *Eupithecia ericeti* Herbulot,1970 (Geometridae) Synonym(s): *ericeti* Herbulot,1970
- 17204) *Eupithecia ericeti abacta* Herbulot,1978 (Geometridae) Synonym(s): *abacta* Herbulot,1978
- 17205) *Eupithecia ericeti ericeti* Herbulot,1970 (Geometridae) Synonym(s): *ericeti* Herbulot,1970
- 17206) *Eupithecia eszterkae* Vojnits,1976 (Geometridae) Synonym(s): *eszterkae* Vojnits,1976
- 17207) *Eupithecia eupitheciata* (Walker) (Geometridae) Synonym(s):
- 17208) *Eupithecia eupompa* Herbulot,1987 (Geometridae) Synonym(s): *eupompa* Herbulot,1987
- 17209) *Eupithecia euxinata* Bohatsch,1893 (Geometridae) Synonym(s): *hexinata* Bohatsch,1893
- 17210) *Eupithecia evacuata* (Warren,1907) (Geometridae) Synonym(s): *evacuata* Warren,1907
- 17211) *Eupithecia evansi* D.S.Fletcher,1958 (Geometridae) Synonym(s): *evansi* D.S.Fletcher,1958
- 17212) *Eupithecia exacerbata* Vojnits,1984 (Geometridae) Synonym(s): *exacerbata* Vojnits,1984
- 17213) *Eupithecia exactata* Staudinger,1882 (Geometridae) Synonym(s): *exactata* Staudinger,1882; *modesta* Dietze,1910 nec Tayl.,1906; *opulenta* Vojnits,1982.
- 17214) *Eupithecia excita* L.B.Prout,1958 (Geometridae) Synonym(s): *excita* L.B.Prout,1958
- 17215) *Eupithecia exheres* Herbulot,1954 (Geometridae) Synonym(s): *exheres* Herbulot,1954
- 17216) *Eupithecia exigua* (Hübner,[1813]) (Geometridae) Synonym(s): *trimaculata* Haworth,1809 nec Vill.,1789 ; *exigua* Hübner,[1813]; *ochreata* Stephens,1831; *exiguaria* Boisduval,1840; *lanceolaria* Wood,1854; *muricolor* L.B.Prout,1938.
- 17217) *Eupithecia eximia* Vojnits & Laever,1978 (Geometridae) Synonym(s): *eximia* Vojnits & Laever,1978
- 17218) *Eupithecia exophychra* (Dyar,1920) (Geometridae) Synonym(s): *exophychra* Dyar,1920
- 17219) *Eupithecia expallidata* Doubleday,1856 (Geometridae) Synonym(s): *expallidata* Doubleday,1856
- 17220) *Eupithecia exquisita* Vojnits,1979 (Geometridae) Synonym(s): *exquisita* Vojnits,1979
- 17221) *Eupithecia exrubicunda* Inoue,1988 (Geometridae) Synonym(s): *exrubicunda* Inoue,1988
- 17222) *Eupithecia extensaria* (Freyer,1844) (Geometridae) Synonym(s): *extensaria* Freyer,1844; *prolongata* Lienig,1846; *sydyi* Staudinger,1885; *leuca* Dietze,1910; *prolongata* Dietze,1910 nec Lien.,1846; *occidia* L.B.Prout,1914
- 17223) *Eupithecia extinctata* Dietze,1904 (Geometridae) Synonym(s): *extinctata* Dietze,1904
- 17224) *Eupithecia extraversaria* Herrich-Schäffer,[1852] (Geometridae) Synonym(s): *extraversaria* Herrich-Schäffer,[1852]; *libanotidata* Guenée,[1858]
- 17225) *Eupithecia extremata* (Fabricius,1787) (Geometridae) Synonym(s): *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977.
- 17226) *Eupithecia extrinseca* Vojnits & Laever,1978 (Geometridae) Synonym(s): *extrinseca* Vojnits & Laever,1978
- 17227) *Eupithecia exudata* Pearsall,1909 (Geometridae) Synonym(s): *exudata* Pearsall,1909
- 17228) *Eupithecia falkneri* Vojnits,1978 (Geometridae) Synonym(s): *falkneri* Vojnits,1978
- 17229) *Eupithecia famularia* Maassen,1890 (Geometridae) Synonym(s): *famularia* Maassen,1890
- 17230) *Eupithecia fastuosa* Herbulot,1994 (Geometridae) Synonym(s): *fastuosa* Herbulot,1994
- 17231) *Eupithecia fatigata* Vojnits & Laever,1978 (Geometridae) Synonym(s): *fatigata* Vojnits & Laever,1978
- 17232) *Eupithecia fausta* Schaus,1913 (Geometridae) Synonym(s): *fausta* Schaus,1913
- 17233) *Eupithecia feliscaudata* D.S.Fletcher,1956 (Geometridae) Synonym(s): *feliscaudata* D.S.Fletcher,1956
- 17234) *Eupithecia fennoscandica* Knaben,1949 (Geometridae) Synonym(s): *fennoscandica* Knaben,1949
- 17235) *Eupithecia fervida* Vojnits,1984 (Geometridae) Synonym(s): *fervida* Vojnits,1984
- 17236) *Eupithecia festiva* L.B.Prout,1916 (Geometridae) Synonym(s): *festiva* L.B.Prout,1916
- 17237) *Eupithecia ficta* Vojnits,1984 (Geometridae) Synonym(s): *ficta* Vojnits,1984
- 17238) *Eupithecia finitima* Vojnits,1979 (Geometridae) Synonym(s): *finitima* Vojnits,1979
- 17239) *Eupithecia fiorata* Schütze,1959 (Geometridae) Synonym(s): *fiorata* Schütze,1959
- 17240) *Eupithecia flavigutta* (Hulst,1896) (Geometridae) Synonym(s): *flavigutta* Hulst,1896
- 17241) *Eupithecia flavitornata* Herbulot,1984 (Geometridae) Synonym(s): *flavitornata* Herbulot,1984
- 17242) *Eupithecia flavaopicularia* Inoue,1979 (Geometridae) Synonym(s): *flavaopicularia* Inoue,1979
- 17243) *Eupithecia fletcheri* Taylor,1907 (Geometridae) Synonym(s): *fletcheri* Taylor,1907; *promulgata* Pearsall,1909; *dolorosata* Pearsall,1910
- 17244) *Eupithecia fletcheri* L.B.Prout,1926 (Geometridae) Synonym(s): *fletcheri* L.B.Prout,1926
- 17245) *Eupithecia flexicornuta* Inoue,1988 (Geometridae) Synonym(s): *flexicornuta* Inoue,1988
- 17246) *Eupithecia foedatipennis* (Warren,1901) (Geometridae) Synonym(s): *foedatipennis* Warren,1901
- 17247) *Eupithecia formosa* (Vojnits & Laever,1973) (Geometridae) Synonym(s): *formosa* Vojnits & Laever,1973
- 17248) *Eupithecia formosa formosa* (Vojnits & Laever,1973) (Geometridae) Synonym(s): *formosa* Vojnits & Laever,1973
- 17249) *Eupithecia formosa nova* (Vojnits & Laever,1973) (Geometridae) Synonym(s): *nova* Vojnits & Laever,1973
- 17250) *Eupithecia forsterata* Schütze,1960 (Geometridae) Synonym(s): *forsterata* Schütze,1960
- 17251) *Eupithecia forsteri* Vojnits,1983 (Geometridae) Synonym(s): *forsteri* Vojnits,1983
- 17252) *Eupithecia fragmentaria* Vojnits,1984 (Geometridae) Synonym(s): *fragmentaria* Vojnits,1984
- 17253) *Eupithecia fraxinata* Crewe,1863 (Geometridae) Synonym(s): *fraxinata* Crewe,1863
- 17254) *Eupithecia fredericki* Blanchard & Knudson,1985 (Geometridae) Synonym(s): *fredericki* Blanchard & Knudson,1985
- 17255) *Eupithecia frequens* Butler,1882 (Geometridae) Synonym(s): *frequens* Butler,1882
- 17256) *Eupithecia frequens anguligera* Butler,1893 (Geometridae) Synonym(s): *anguligera* Butler,1893
- 17257) *Eupithecia frequens frequens* Butler,1882 (Geometridae) Synonym(s): *frequens* Butler,1882; *antarctica* Staudinger,1899
- 17258) *Eupithecia frontosa* Brandt,1941 (Geometridae) Synonym(s): *frontosa* Brandt,1941
- 17259) *Eupithecia fujisana* Inoue,1980 (Geometridae) Synonym(s): *fujisana* Inoue,1980
- 17260) *Eupithecia fulcrata* L.B.Prout,1958 (Geometridae) Synonym(s): *fulcrata* L.B.Prout,1958
- 17261) *Eupithecia fulgurata* Vojnits,1982 (Geometridae) Synonym(s): *fulgurata* Vojnits,1982
- 17262) *Eupithecia fulvipennis* Butler,1889 (Geometridae) Synonym(s): *fulvipennis* Butler,1889
- 17263) *Eupithecia fulviplagiata* (Bastelberger,1907) (Geometridae) Synonym(s): *fulviplagiata* Bastelberger,1907
- 17264) *Eupithecia fulvistriga* (Warren,1904) (Geometridae) Synonym(s): *fulvistriga* Warren,1904
- 17265) *Eupithecia fumifascia* (Warren,1905) (Geometridae) Synonym(s): *fumifascia* Warren,1905
- 17266) *Eupithecia fumimixta* (Warren,1900) (Geometridae) Synonym(s): *fumimixta* Warren,1900; *cariosa* Schaus,1913
- 17267) *Eupithecia funerea* Inoue,1988 (Geometridae) Synonym(s): *funerea* Inoue,1988
- 17268) *Eupithecia furcata* Staudinger,1879 (Geometridae) Synonym(s): *furcata* Staudinger,1879
- 17269) *Eupithecia furvipennis* (Dognin,1906) (Geometridae) Synonym(s): *furvipennis* Dognin,1906
- 17270) *Eupithecia fusca* Vojnits,1981 (Geometridae) Synonym(s): *fusca* Vojnits,1981
- 17271) *Eupithecia fuscata* D.S.Fletcher,1951 (Geometridae) Synonym(s): *fuscata* D.S.Fletcher,1951
- 17272) *Eupithecia fuscicostata* Christoph,1887 (Geometridae) Synonym(s): *fuscicostata* Christoph,1887; *fuscostigma* Alpheraky,1892; *salami* Brandt,1938; *domogledana* Vojnits & Szabo,1988
- 17273) *Eupithecia fuscoferruginea* Inoue,1987 (Geometridae) Synonym(s): *fuscoferruginea* Inoue,1987
- 17274) *Eupithecia fuscopunctata* Brandt,1938 (Geometridae) Synonym(s): *fuscopunctata* Brandt,1938
- 17275) *Eupithecia fuscopunctata fuscopunctata* Brandt,1938 (Geometridae) Synonym(s): *fuscopunctata* Brandt,1938
- 17276) *Eupithecia fuscopunctata nigrobrunneopunctata* Schwingenschuss,1939 (Geometridae) Synonym(s): *nigrobrunneopunctata* Schwingenschuss,1939
- 17277) *Eupithecia galapagosata* Landry & Rindge,1995 (Geometridae) Synonym(s): *galapagosata* Landry & Rindge,1995
- 17278) *Eupithecia galepsa* Herbulot,1987 (Geometridae) Synonym(s): *galepsa* Herbulot,1987
- 17279) *Eupithecia garrula* Vojnits,1984 (Geometridae) Synonym(s): *garrula* Vojnits,1984
- 17280) *Eupithecia gaumaria* (Warren,1906) (Geometridae) Synonym(s): *gaumaria* Warren,1906
- 17281) *Eupithecia gelidata* Möschler,1860 (Geometridae) Synonym(s): *gelidata* Möschler,1860; *hyperboreata* Staudinger,1861; *flebilis* Hulst,1900; *compactata* Taylor,1910; *lagganata* Taylor,1910; *nordeggenensis* Cassino & Swett,1922.
- 17282) *Eupithecia gemellata* Herrich-Schäffer,1861 (Geometridae) Synonym(s): *gemellata* Herrich-Schäffer,1861
- 17283) *Eupithecia gigantea* Staudinger,1897 (Geometridae) Synonym(s): *gigantea* Staudinger,1897; *karafutonis* Matsumura,1925
- 17284) *Eupithecia gilata* Cassino,1925 (Geometridae) Synonym(s): *gilata* Cassino,1925
- 17285) *Eupithecia gilvipennata* Cassino & Swett,1922 (Geometridae) Synonym(s): *gilvipennata* Cassino & Swett,1922
- 17286) *Eupithecia glaisi* Lucas,1937 (Geometridae) Synonym(s): *glaisi* Lucas,1937
- 17287) *Eupithecia glaucotincta* (Dyar,1913) (Geometridae) Synonym(s): *glaucotincta* Dyar,1913

- 17288) *Eupithecia golearia* Lucas,1939 (Geometridae) Synonym(s): *golearia* Lucas,1939
 17289) *Eupithecia gomerensis* (Rebel,1917) (Geometridae) Synonym(s): *gomerensis* Rebel,1917
 17290) *Eupithecia gomerensis gomerensis* (Rebel,1917) (Geometridae) Synonym(s): *gomerensis* Rebel,1917
 17291) *Eupithecia gomerensis leucophaeata* Pinker,1969 (Geometridae) Synonym(s): *leucophaeata* Pinker,1969
 17292) *Eupithecia goossensata* Mabille,1869 (Geometridae) Synonym(s): *goossensata* Mabille,1869
 17293) *Eupithecia goslina* (Warren,1906) (Geometridae) Synonym(s): *goslina* Warren,1906
 17294) *Eupithecia graciliata* Dietze,1906 (Geometridae) Synonym(s): *graciliata* Dietze,1906
 17295) *Eupithecia gradatilinea* L.B.Prout,1916 (Geometridae) Synonym(s): *gradatilinea* L.B.Prout,1916; *rubidimixta* L.B.Prout,1916
 17296) *Eupithecia graefii* (Hulst,1896) (Geometridae) Synonym(s): *graefii* Hulst,1896
 17297) *Eupithecia graefii graefii* (Hulst,1896) (Geometridae) Synonym(s): *graefii* Hulst,1896; *vancouverata* Taylor,1906; *vancouverensis* Pearsall,1910; *stikineata* Cassino & Swett,1922
 17298) *Eupithecia graefii tulareata* [Cassino & Swett],1922 (Geometridae) Synonym(s): *tulareata* [Cassino & Swett],1922
 17299) *Eupithecia granata* Vojnits,1979 (Geometridae) Synonym(s): *granata* Vojnits,1979
 17300) *Eupithecia graphata* (Treitschke,1828) (Geometridae) Synonym(s): *graphata* Treitschke,1828; *corticulata* Freyer,1840; *italicata* Guenée,[1858]
 17301) *Eupithecia graphata albofasciata* Staudinger,1879 (Geometridae) Synonym(s): *albofasciata* Staudinger,1879
 17302) *Eupithecia graphata graeciata* Schütze,1958 (Geometridae) Synonym(s): *graeciata* Schütze,1958
 17303) *Eupithecia graphata graphata* (Treitschke,1828) (Geometridae) Synonym(s): *graphata* Treitschke,1828; *corticulata* Freyer,1840; *italicata* Guenée,[1858]
 17304) *Eupithecia graphata hesperia* Wehrli,1927 (Geometridae) Synonym(s): *hesperia* Wehrli,1927
 17305) *Eupithecia graphata mayeri* Mann,1853 (Geometridae) Synonym(s): *mayeri* Mann,1853; *mayerata* Guenée,[1858]
 17306) *Eupithecia graphata setacea* Dietze,1904 (Geometridae) Synonym(s): *setacea* Dietze,1904
 17307) *Eupithecia graphata sproengertsi* Dietze,1910 (Geometridae) Synonym(s): *sproengertsi* Dietze,1910
 17308) *Eupithecia graphiticata* Joannis,1932 (Geometridae) Synonym(s): *graphiticata* Joannis,1932; *adunata* L.B.Prout,1935
 17309) *Eupithecia grappleri* Rindge,1987 (Geometridae) Synonym(s): *grappleri* Rindge,1987
 17310) *Eupithecia gratiosata* Herrich-Schäffer,1861 (Geometridae) Synonym(s): *gratiosata* Herrich-Schäffer,1861; *subseparata* Christoph,1885
 17311) *Eupithecia griveaudi* Herbulot,1972 (Geometridae) Synonym(s): *griveaudi* Herbulot,1972
 17312) *Eupithecia groenblomi* Urbahn,1969 (Geometridae) Synonym(s): *groenblomi* Urbahn,1969
 17313) *Eupithecia guamanica* Herbulot,1993 (Geometridae) Synonym(s): *guamanica* Herbulot,1993
 17314) *Eupithecia guayacanae* Rindge,1991 (Geometridae) Synonym(s): *guayacanae* Rindge,1991
 17315) *Eupithecia gueneata* Millière,1862 (Geometridae) Synonym(s): *gueneata* Millière,1862; *busambraria* Ragusa,1889
 17316) *Eupithecia gueneata gueneata* Millière,1862 (Geometridae) Synonym(s): *gueneata* Millière,1862; *busambraria* Ragusa,1889
 17317) *Eupithecia gueneata plantei* Herbulot,1981 (Geometridae) Synonym(s): *plantei* Herbulot,1981
 17318) *Eupithecia gummaensis* Inoue,1980 (Geometridae) Synonym(s): *gummaensis* Inoue,1980
 17319) *Eupithecia habermani* Viidalepp & Mironov,1988 (Geometridae) Synonym(s): *habermani* Viidalepp & Mironov,1988
 17320) *Eupithecia halosydne* L.B.Prout,1922 (Geometridae) Synonym(s): *halosydne* L.B.Prout,1922
 17321) *Eupithecia hamleti* Vardikjan,1985 (Geometridae) Synonym(s): *hamleti* Vardikjan,1985
 17322) *Eupithecia hangayorum* Vojnits,1988 (Geometridae) Synonym(s): *hangayorum* Vojnits,1988
 17323) *Eupithecia hannemanni* Vojnits & Laever,1973 (Geometridae) Synonym(s): *hannemanni* Vojnits & Laever,1973
 17324) *Eupithecia harenosa* Brandt,1938 (Geometridae) Synonym(s): *harenosa* Brandt,1938
 17325) *Eupithecia harrisonata* Mackay,1951 (Geometridae) Synonym(s): *harrisonata* Mackay,1951
 17326) *Eupithecia hasimotoi* Inoue,1988 (Geometridae) Synonym(s): *hasimotoi* Inoue,1988
 17327) *Eupithecia hastaria* (W.Warren,1906) (Geometridae) Synonym(s): *hastaria* W.Warren,1906
 17328) *Eupithecia hastaria hastaria* (W.Warren,1906) (Geometridae) Synonym(s): *hastaria* W.Warren,1906
 17329) *Eupithecia hastaria tango* Kemal & Koçak,2004 (Geometridae) Synonym(s): *nebulata* D.S.Fletcher,1953 nec Hw.,1809; *tango* Kemal & Koçak,2004.
 17330) *Eupithecia haworthiata* Doubleday,1856 (Geometridae) Synonym(s): *haworthiata* Doubleday,1856; *gozmanyi* Vojnits,1972
 17331) *Eupithecia haywardi* D.S.Fletcher,1953 (Geometridae) Synonym(s): *haywardi* D.S.Fletcher,1953
 17332) *Eupithecia helena* Taylor,1906 (Geometridae) Synonym(s): *helena* Taylor,1906
 17333) *Eupithecia helenaria* (Warren,1906) (Geometridae) Synonym(s): *helenaria* Warren,1906
 17334) *Eupithecia hemileuca* Hampson,1895 (Geometridae) Synonym(s): *hemileuca* Hampson,1895
 17335) *Eupithecia hemileucaria* Mabille,1880 (Geometridae) Synonym(s): *hemileucaria* Mabille,1880
 17336) *Eupithecia hemiochra* L.B.Prout,1932 (Geometridae) Synonym(s): *hemiochra* L.B.Prout,1932
 17337) *Eupithecia herbulot* Koçak & Kemal,2001 (Geometridae) Synonym(s): *decussata* Herbulot,1997 nec Don.,1799; *herbulot* Koçak & Kemal,2001
 17338) *Eupithecia herefordaria* Cassino & Swett,1923 (Geometridae) Synonym(s): *herefordaria* Cassino & Swett,1923
 17339) *Eupithecia herrenschmidt* Mentzer & Moberg,1992 (Geometridae) Synonym(s): *herrenschmidt* Mentzer & Moberg,1992
 17340) *Eupithecia higa* Dognin,1899 (Geometridae) Synonym(s): *higa* Dognin,1899
 17341) *Eupithecia higa Dognin*,1899 (Geometridae) Synonym(s): *higa* Dognin,1899
 17342) *Eupithecia hilacha* Dognin,1899 (Geometridae) Synonym(s): *hilacha* Dognin,1899
 17343) *Eupithecia hilaria* Dietze,1908 (Geometridae) Synonym(s): *hilaria* Dietze,1908
 17344) *Eupithecia hilaris* (L.B.Prout,1910) (Geometridae) Synonym(s): *hilaris* L.B.Prout,1910
 17345) *Eupithecia himalaya* Koçak & Kemal,2001 (Geometridae) Synonym(s): *sempiterna* Vojnits,1987 nec 1984; *himalaya* Koçak & Kemal,2001
 17346) *Eupithecia hippolyte* Herbulot,1987 (Geometridae) Synonym(s): *hippolyte* Herbulot,1987
 17347) *Eupithecia hodeberti* Herbulot,1993 (Geometridae) Synonym(s): *hodeberti* Herbulot,1993
 17348) *Eupithecia hoenei* Vojnits,1976 (Geometridae) Synonym(s): *hoenei* Vojnits,1976
 17349) *Eupithecia hohokamae* Rindge,1963 (Geometridae) Synonym(s): *hohokamae* Rindge,1963
 17350) *Eupithecia holti* Viidalepp,1973 (Geometridae) Synonym(s): *holti* Viidalepp,1973
 17351) *Eupithecia hombrilla* Dognin,1899 (Geometridae) Synonym(s): *hombrilla* Dognin,1899
 17352) *Eupithecia homographata* Dietze,1908 (Geometridae) Synonym(s): *homographata* Dietze,1908; *meszarosi* Vojnits,1973; *bicornuta* Oh,1992
 17353) *Eupithecia homographata homographata* Dietze,1908 (Geometridae) Synonym(s): *homographata* Dietze,1908; *meszarosi* Vojnits,1973; *bicornuta* Oh,1992
 17354) *Eupithecia homographata kamschatica* Viidalepp & Mironov,1988 (Geometridae) Synonym(s): *kamschatica* Viidalepp & Mironov,1988
 17355) *Eupithecia horismoides* Rindge,1987 (Geometridae) Synonym(s): *horismoides* Rindge,1987
 17356) *Eupithecia hormiga* Dognin,1899 (Geometridae) Synonym(s): *hormiga* Dognin,1899; *conigera* Bastelberger,1908
 17357) *Eupithecia horrida* Vojnits,1980 (Geometridae) Synonym(s): *horrida* Vojnits,1980
 17358) *Eupithecia huachuca* Grossbeck,1908 (Geometridae) Synonym(s): *huachuca* Grossbeck,1908
 17359) *Eupithecia hundamoi* Vojnits & Laever,1978 (Geometridae) Synonym(s): *hundamoi* Vojnits & Laever,1978
 17360) *Eupithecia husseini* Brandt,1938 (Geometridae) Synonym(s): *husseini* Brandt,1938
 17361) *Eupithecia hydrargyrea* Herbulot,1954 (Geometridae) Synonym(s): *hydrargyrea* Herbulot,1954
 17362) *Eupithecia hypognampta* L.B.Prout,1938 (Geometridae) Synonym(s): *hypognampta* L.B.Prout,1938
 17363) *Eupithecia hypophasma* L.B.Prout,1913 (Geometridae) Synonym(s): *hypophasma* L.B.Prout,1913
 17364) *Eupithecia hysterica* Vojnits,1988 (Geometridae) Synonym(s): *hysterica* Vojnits,1988
 17365) *Eupithecia icterata* (Villers,1789) (Geometridae) Synonym(s): *icterata* Villers,1789; *oxydata* Treitschke,1828; *cognata* Stephens,1831; *ligustigata* Donzel,1838; *ferrugata* Duponchel,1842; *#ligusticata* Dietze,1910
 17366) *Eupithecia icterata icterata* (Villers,1789) (Geometridae) Synonym(s): *icterata* Villers,1789; *oxydata* Treitschke,1828; *cognata* Stephens,1831; *ligustigata* Donzel,1838; *ferrugata* Duponchel,1842; *#ligusticata* Dietze,1910
 17367) *Eupithecia icterata iranata* Schütze,1960 (Geometridae) Synonym(s): *iranata* Schütze,1960
 17368) *Eupithecia icterata subfulvata* (Haworth,1809) (Geometridae) Synonym(s): *subfulvata* Haworth,1809
 17369) *Eupithecia idalia* Dognin,1890 (Geometridae) Synonym(s): *idalia* Dognin,1890
 17370) *Eupithecia illaborata* Dietze,1904 (Geometridae) Synonym(s): *illaborata* Dietze,1904
 17371) *Eupithecia illepidus* Vojnits,1992 (Geometridae) Synonym(s): *illepidus* Vojnits,1992
 17372) *Eupithecia immensa* (Warren,1902) (Geometridae) Synonym(s): *immensa* Warren,1902

- 17373) *Eupithecia immodica* L.B.Prout,1926 (Geometridae) Synonym(s): *immodica* L.B.Prout,1926
 17374) *Eupithecia immundata* (Lienig & Zeller,1846) (Geometridae) Synonym(s): *immundata* Lienig & Zeller,1846; *argillacearia* Herrich-Schäffer,1848; *reikjavikaria* Staudinger,1871
 17375) *Eupithecia impavida* Vojnits,1979 (Geometridae) Synonym(s): *impavida* Vojnits,1979
 17376) *Eupithecia implorata* (Hulst,1896) (Geometridae) Synonym(s): *implorata* Hulst,1896
 17377) *Eupithecia impolita* Vojnits,1980 (Geometridae) Synonym(s): *impolita* Vojnits,1980
 17378) *Eupithecia importuna* Vojnits,1981 (Geometridae) Synonym(s): *importuna* Vojnits,1981
 17379) *Eupithecia improba* Vojnits,1983 (Geometridae) Synonym(s): *improba* Vojnits,1983
 17380) *Eupithecia impurata* (Hübner,[1813]) (Geometridae) Synonym(s): *impurata* Hübner,[1813]; *modicata* Hübner,[1813]; *proluaria* Freyer,1852; *badenata* Schütze,1952; *germanicata* Schütze,1952; *gremmingerata* Schütze,1952; *langeata* Schütze,1952; *franconiata* Schütze,1956; *thuringiata* Schütze,1956; *westfalicata* Weigt,1982
 17381) *Eupithecia ina* Vojnits,1994 (Geometridae) Synonym(s): *ina* Vojnits,1994
 17382) *Eupithecia inassignata* Herbulot,1988 (Geometridae) Synonym(s): *inassignata* Herbulot,1988
 17383) *Eupithecia incohata* Vojnits,1979 (Geometridae) Synonym(s): *incohata* Vojnits,1979
 17384) *Eupithecia incommoda* Herbulot,1983 (Geometridae) Synonym(s): *incommoda* Herbulot,1983
 17385) *Eupithecia inconclusaria* Walker,1862 (Geometridae) Synonym(s): *inconclusaria* Walker,1862; *macropterata* Walker,1866
 17386) *Eupithecia inconspicua* Bohatsch,1893 (Geometridae) Synonym(s): *inconspicua* Bohatsch,1893
 17387) *Eupithecia incorrupta* Vojnits,1984 (Geometridae) Synonym(s): *incorrupta* Vojnits,1984
 17388) *Eupithecia inculta* Vojnits,1975 (Geometridae) Synonym(s): *inculta* Vojnits,1975
 17389) *Eupithecia incurvaria* Hampson,1903 (Geometridae) Synonym(s): *incurvaria* Hampson,1903
 17390) *Eupithecia indecisa* (W.Warren,1906) (Geometridae) Synonym(s): *indecisa* W.Warren,1906
 17391) *Eupithecia indecora* Vojnits,1981 (Geometridae) Synonym(s): *indecora* Vojnits,1981
 17392) *Eupithecia indefinata* Snellen,1874 (Geometridae) Synonym(s): *indefinata* Snellen,1874
 17393) *Eupithecia indigata* (Hübner,[1813]) (Geometridae) Synonym(s): *indigata* Hübner,[1813]; *turfosata* Draudt,1903; *pliniata* Stauder,1929
 17394) *Eupithecia indigata hamamata* Pinker,1976 (Geometridae) Synonym(s): *hamamata* Pinker,1976
 17395) *Eupithecia indigata indigata* (Hübner,[1813]) (Geometridae) Synonym(s): *indigata* Hübner,[1813]; *turfosata* Draudt,1903
 17396) *Eupithecia indissolubilis* Vojnits,1979 (Geometridae) Synonym(s): *indissolubilis* Vojnits,1979
 17397) *Eupithecia indistincta* Taylor,1910 (Geometridae) Synonym(s): *indistincta* Taylor,1910
 17398) *Eupithecia inepta* L.B.Prout,1922 (Geometridae) Synonym(s): *inepta* L.B.Prout,1922
 17399) *Eupithecia inexcita* Vojnits,1982 (Geometridae) Synonym(s): *inexcita* Vojnits,1982
 17400) *Eupithecia inexhausta* Vojnits,1984 (Geometridae) Synonym(s): *inexhausta* Vojnits,1984
 17401) *Eupithecia inexplata* Walker,[1863] (Geometridae) Synonym(s): *inexplata* Walker,[1863]
 17402) *Eupithecia inexplicabilis* Vojnits,1982 (Geometridae) Synonym(s): *inexplicabilis* Vojnits,1982
 17403) *Eupithecia infausta* L.B.Prout,1922 (Geometridae) Synonym(s): *infausta* L.B.Prout,1922
 17404) *Eupithecia infecta* Vojnits,1981 (Geometridae) Synonym(s): *infecta* Vojnits,1981
 17405) *Eupithecia infectaria* (Guenée,[1858]) (Geometridae) Synonym(s): *infectaria* Guenée,[1858]
 17406) *Eupithecia infecunda* Vojnits,1981 (Geometridae) Synonym(s): *infecunda* Vojnits,1981
 17407) *Eupithecia infelix* L.B.Prout,1917 (Geometridae) Synonym(s): *infelix* L.B.Prout,1917
 17408) *Eupithecia infensa* Vojnits,1979 (Geometridae) Synonym(s): *infensa* Vojnits,1979
 17409) *Eupithecia infestata* Swinhoe,1890 (Geometridae) Synonym(s): *infestata* Swinhoe,1890
 17410) *Eupithecia infimbriata* (Dognin,1907) (Geometridae) Synonym(s): *infimbriata* Dognin,1907
 17411) *Eupithecia infortunata* Vojnits,1984 (Geometridae) Synonym(s): *infortunata* Vojnits,1984
 17412) *Eupithecia ingrata* Vojnits,1981 (Geometridae) Synonym(s): *ingrata* Vojnits,1981
 17413) *Eupithecia ingrata ingrata* Vojnits,1981 (Geometridae) Synonym(s): *ingrata* Vojnits,1981
 17414) *Eupithecia ingrata talvei Viidalepp*,1988 (Geometridae) Synonym(s): *talvei Viidalepp*,1988
 17415) *Eupithecia innotata* (Hufnagel,1767) (Geometridae) Synonym(s): *innotata* Hufnagel,1767; *tamarisciata* Freyer,1836; *suspectata* Dietze,1871; *ulitata* Staudinger,1897; *ulicata* Dietze,1910; *alexandriana* Vardikjan,1972; *sergiana* Vardikjan,1972
 17416) *Eupithecia inopinata* Vojnits,1984 (Geometridae) Synonym(s): *inopinata* Vojnits,1984
 17417) *Eupithecia inquinata* D.S.Fletcher,1950 (Geometridae) Synonym(s): *inquinata* D.S.Fletcher,1950
 17418) *Eupithecia insana* Vojnits,1984 (Geometridae) Synonym(s): *insana* Vojnits,1984
 17419) *Eupithecia inscitata* Walker,1863 (Geometridae) Synonym(s): *inscitata* Walker,1863
 17420) *Eupithecia insigniata* (Hübner,1790) (Geometridae) Synonym(s): *insigniata* Hübner,1790; *consignata* Borkhausen,1794
 17421) *Eupithecia insigniata insigniata* (Hübner,1790) (Geometridae) Synonym(s): *insigniata* Hübner,1790; *consignata* Borkhausen,1794
 17422) *Eupithecia insigniata insignioides* Wehrli,1923 (Geometridae) Synonym(s): *insignioides* Wehrli,1923
 17423) *Eupithecia insignifica* Rothschild,1914 (Geometridae) Synonym(s): *insignifica* Rothschild,1914
 17424) *Eupithecia insolabilis* (Hulst,1900) (Geometridae) Synonym(s): *insolabilis* Hulst,1900
 17425) *Eupithecia insolita* Vojnits & Laever,1973 (Geometridae) Synonym(s): *insolita* Vojnits & Laever,1973
 17426) *Eupithecia interpunctaria* Inoue,1979 (Geometridae) Synonym(s): *interpunctaria* Inoue,1979
 17427) *Eupithecia interrubescens* (Hampson,1902) (Geometridae) Synonym(s): *interrubescens* Hampson,1902
 17428) *Eupithecia interruptofasciata* Packard,1873 (Geometridae) Synonym(s): *interruptofasciata* Packard,1873
 17429) *Eupithecia intolerabilis* Vojnits,1981 (Geometridae) Synonym(s): *intolerabilis* Vojnits,1981
 17430) *Eupithecia intricata* Zetterstedt,[1839] (Geometridae) Synonym(s): *intricata* Zetterstedt,[1839]; *helveticaria* Boisduval,1840
 17431) *Eupithecia intricata archeutata* (Freyer,1841) (Geometridae) Synonym(s): *archeutata* Freyer,1841
 17432) *Eupithecia intricata hibernica* Mere,1964 (Geometridae) Synonym(s): *hibernica* Mere,1964
 17433) *Eupithecia intricata intricata* Zetterstedt,[1839] (Geometridae) Synonym(s): *intricata* Zetterstedt,[1839]; *helveticaria* Boisduval,1840
 17434) *Eupithecia intricata millieraria* Wnukowsky,1929 (Geometridae) Synonym(s): *anglicata* Millièr,1870 nec ; *millieraria* Wnukowsky,1929
 17435) *Eupithecia intricata taylorata* Swett,1907 (Geometridae) Synonym(s): *taylorata* Swett,1907; *gibsonata* Taylor,1910; *chagnoni* Swett,1911
 17436) *Eupithecia inturbata* (Hübner,[1817]) (Geometridae) Synonym(s): *inturbata* Hübner,[1817]; *neglectata* Herrich-Schäffer,1848; *subciliata* Doubleday,1856
 17437) *Eupithecia inveterata* Vojnits,1987 (Geometridae) Synonym(s): *trita* Vojnits,1977 nec Tur.,1926; *inveterata* Vojnits,1987
 17438) *Eupithecia invicta* Vojnits,1981 (Geometridae) Synonym(s): *invicta* Vojnits,1981
 17439) *Eupithecia iphiona* Herbulot,1987 (Geometridae) Synonym(s): *iphiona* Herbulot,1987
 17440) *Eupithecia iracunda* Vojnits,1988 (Geometridae) Synonym(s): *iracunda* Vojnits,1988
 17441) *Eupithecia irambata* (Warren,1893) (Geometridae) Synonym(s): *irambata* Warren,1893
 17442) *Eupithecia iranica* Koçak & Kemal,2001 (Geometridae) Synonym(s): *inquinata* Schütze,1961 nec Flet.,1950; *iranica* Koçak & Kemal,2001
 17443) *Eupithecia irenica* L.B.Prout,1937 (Geometridae) Synonym(s): *irenica* L.B.Prout,1937
 17444) *Eupithecia irreperta* Vojnits & Laever,1978 (Geometridae) Synonym(s): *irreperta* Vojnits & Laever,1978
 17445) *Eupithecia irriguata* (Hübner,[1813]) (Geometridae) Synonym(s): *variegata* Haworth,1809 nec Scop.,1763; *irriguata* Hübner,[1813]
 17446) *Eupithecia irriguata eriguata* Staudinger,1871 (Geometridae) Synonym(s): *eriguata* Staudinger,1871
 17447) *Eupithecia irriguata irriguata* (Hübner,[1813]) (Geometridae) Synonym(s): *variegata* Haworth,1809 nec Scop.,1763; *irriguata* Hübner,[1813]
 17448) *Eupithecia irriguata kurdica* L.B.Prout,1939 (Geometridae) Synonym(s): *kurdica* L.B.Prout,1939
 17449) *Eupithecia irriguata staudingeri* (Staudinger & Rebel,1901) (Geometridae) Synonym(s): *#staudingeri* Bohatsch,1893; *staudingeri* Staudinger & Rebel,1901
 17450) *Eupithecia isabellina* Herbulot,1993 (Geometridae) Synonym(s): *isabellina* Herbulot,1993
 17451) *Eupithecia isopsaliodes* D.S.Fletcher,1978 (Geometridae) Synonym(s): *isopsaliodes* D.S.Fletcher,1978
 17452) *Eupithecia isotenes* L.B.Prout,1932 (Geometridae) Synonym(s): *isotenes* L.B.Prout,1932
 17453) *Eupithecia iterata* Vojnits,1980 (Geometridae) Synonym(s): *iterata* Vojnits,1980
 17454) *Eupithecia jaani* Mironov,1989 (Geometridae) Synonym(s): *jaani* Mironov,1989
 17455) *Eupithecia jacksoni* D.S.Fletcher,1956 (Geometridae) Synonym(s): *jacksoni* D.S.Fletcher,1956
 17456) *Eupithecia jeanneli* Herbulot,1953 (Geometridae) Synonym(s): *jeanneli* Herbulot,1953

- 17457) *Eupithecia jeanneli fuliginata* D.S.Fletcher,1958 (Geometridae) Synonym(s): *fuliginata* D.S.Fletcher,1958
 17458) *Eupithecia jeanneli jeanneli* Herbulot,1953 (Geometridae) Synonym(s): *jeanneli* Herbulot,1953
 17459) *Eupithecia jefrenata* Schütze,1959 (Geometridae) Synonym(s): *jefrenata* Schütze,1959
 17460) *Eupithecia jejuna* McDunnough,1949 (Geometridae) Synonym(s): *jejuna* McDunnough,1949
 17461) *Eupithecia jermi* Vojnits,1976 (Geometridae) Synonym(s): *jermi* Vojnits,1976
 17462) *Eupithecia jezonica* Matsumura,1927 (Geometridae) Synonym(s): *jezonica* Matsumura,1927
 17463) *Eupithecia jinboi* Inoue,1976 (Geometridae) Synonym(s): *jinboi* Inoue,1976
 17464) *Eupithecia jizlensis* Wiltshire,1986 (Geometridae) Synonym(s): *jizlensis* Wiltshire,1986
 17465) *Eupithecia jizlensis jizlensis* Wiltshire,1986 (Geometridae) Synonym(s): *jizlensis* Wiltshire,1986
 17466) *Eupithecia joanata* Cassino & Swett,1922 (Geometridae) Synonym(s): *joanata* Cassino & Swett,1922; *balboata* Cassino & Swett,1925
 17467) *Eupithecia johnstoni* McDunnough,1945 (Geometridae) Synonym(s): *johnstoni* McDunnough,1945
 17468) *Eupithecia jorge* Vojnits,1992 (Geometridae) Synonym(s): *jorge* Vojnits,1992
 17469) *Eupithecia josefina* Schaus,1913 (Geometridae) Synonym(s): *josefina* Schaus,1913
 17470) *Eupithecia josefina* Schaus,1913 (Geometridae) Synonym(s): *josefina* Schaus,1913
 17471) *Eupithecia juncalensis* Rindge,1987 (Geometridae) Synonym(s): *juncalensis* Rindge,1987
 17472) *Eupithecia junctifascia* (Bastelberger,1907) (Geometridae) Synonym(s): *junctifascia* Bastelberger,1907; *venusta* Schaus,1913
 17473) *Eupithecia juntasae* Rindge,1991 (Geometridae) Synonym(s): *juntasae* Rindge,1991
 17474) *Eupithecia kamburonga* Holloway,1976 (Geometridae) Synonym(s): *kamburonga* Holloway,1976
 17475) *Eupithecia karadaghensis* Mironov,1988 (Geometridae) Synonym(s): *karadaghensis* Mironov,1988
 17476) *Eupithecia karakasykensis* Viidalepp,1988 (Geometridae) Synonym(s): *karakasykensis* Viidalepp,1988
 17477) *Eupithecia karapinensis* Wileman & South,1917 (Geometridae) Synonym(s): *karapinensis* Wileman & South,1917
 17478) *Eupithecia karenae* Leuschner,1966 (Geometridae) Synonym(s): *karenae* Leuschner,1966
 17479) *Eupithecia keredjana* Brandt,1938 (Geometridae) Synonym(s): *keredjana* Brandt,1938
 17480) *Eupithecia kibatiata* Debauche,1938 (Geometridae) Synonym(s): *kibatiata* Debauche,1938
 17481) *Eupithecia kinga* Vojnits,1992 (Geometridae) Synonym(s): *kinga* Vojnits,1992
 17482) *Eupithecia kobayashii* Inoue,1958 (Geometridae) Synonym(s): *kobayashii* Inoue,1958
 17483) *Eupithecia kondarana* Viidalepp,1988 (Geometridae) Synonym(s): *kondarana* Viidalepp,1988
 17484) *Eupithecia konradi* Vojnits,1976 (Geometridae) Synonym(s): *konradi* Vojnits,1976
 17485) *Eupithecia kopetdagica* Mironov,1989 (Geometridae) Synonym(s): *kopetdagica* Mironov,1989
 17486) *Eupithecia kostjuki* Mironov,1989 (Geometridae) Synonym(s): *kostjuki* Mironov,1989
 17487) *Eupithecia kozhantschikovi* Wehrli,1929 (Geometridae) Synonym(s): *kozantschikovi* Wehrli,1929
 17488) *Eupithecia kozlovi* Viidalepp,1973 (Geometridae) Synonym(s): *kozlovi* Viidalepp,1973
 17489) *Eupithecia krampli* Vojnits,1979 (Geometridae) Synonym(s): *krampli* Vojnits,1979
 17490) *Eupithecia kruusi* Viidalepp,1988 (Geometridae) Synonym(s): *kruusi* Viidalepp,1988
 17491) *Eupithecia kudoi* Inoue,1983 (Geometridae) Synonym(s): *kudoi* Inoue,1983
 17492) *Eupithecia kuldschaensis* Staudinger,1892 (Geometridae) Synonym(s): *kuldschaensis* Staudinger,1892
 17493) *Eupithecia kunzi* Pinker,1976 (Geometridae) Synonym(s): *kunzi* Pinker,1976
 17494) *Eupithecia kurilensis* Bryk,1942 (Geometridae) Synonym(s): *kurilensis* Bryk,1942; *angustipunctaria* Inoue,1979
 17495) *Eupithecia kuroshio* Inoue,1980 (Geometridae) Synonym(s): *kuroshio* Inoue,1980
 17496) *Eupithecia kurtia* (W.Warren,1906) (Geometridae) Synonym(s): *kurtia* W.Warren,1906
 17497) *Eupithecia laboriosa* Vojnits,1977 (Geometridae) Synonym(s): *laboriosa* Vojnits,1977
 17498) *Eupithecia lachaumei* Herbulot,1987 (Geometridae) Synonym(s): *lachaumei* Herbulot,1987
 17499) *Eupithecia lachrymosa* (Hulst,1900) (Geometridae) Synonym(s): *lachrymosa* Hulst,1900; *georgii* McDunnough,1929; *kananaskata* Mackay,1951
 17500) *Eupithecia lacteolata* Dietze,1906 (Geometridae) Synonym(s): *lacteolata* Dietze,1906
 17501) *Eupithecia lacteolata lacteolata* Dietze,1906 (Geometridae) Synonym(s): *lacteolata* Dietze,1906
 17502) *Eupithecia lacteolata sublacteolata* Werhli,1929 (Geometridae) Synonym(s): *sublacteolata* Werhli,1929
 17503) *Eupithecia lactevirens* (Dognin,1908) (Geometridae) Synonym(s): *lactevirens* Dognin,1908
 17504) *Eupithecia lafontaineata* Bolte,1990 (Geometridae) Synonym(s): *lafontaineata* Bolte,1990
 17505) *Eupithecia lanceata* (Hübner,[1825]) (Geometridae) Synonym(s): *lanceata* Hübner,[1825]; *hospitata* Treitschke,1828
 17506) *Eupithecia laquaearia* Herrich-Schäffer,[1848] (Geometridae) Synonym(s): *laquaearia* Herrich-Schäffer,[1848]; *merinata* Guenée,[1858]
 17507) *Eupithecia larentimima* Vojnits,1974 (Geometridae) Synonym(s): *larentimima* Vojnits,1974
 17508) *Eupithecia lariciata* (Freyer,1841) (Geometridae) Synonym(s): *residuata* Hübner,[1817]; *lariciata* Freyer,1841; *luteata* Packard,1867; *bifasciata* Dyar,1904 nec Warr.,1900; *catkillata* Pearsall,1908; *fasciata* Taylor,1910 nec Hamps.,1891
 17509) *Eupithecia lariciata lariciata* (Freyer,1841) (Geometridae) Synonym(s): *residuata* Hübner,[1817]; *lariciata* Freyer,1841; *luteata* Packard,1867; *bifasciata* Dyar,1904 nec Warr.,1900; *catkillata* Pearsall,1908; *fasciata* Taylor,1910 nec Hamps.,1891
 17510) *Eupithecia lariciata mesodeicta* L.B.Prout,1938 (Geometridae) Synonym(s): *mesodeicta* L.B.Prout,1938
 17511) *Eupithecia lasciva* Vojnits,1980 (Geometridae) Synonym(s): *lasciva* Vojnits,1980
 17512) *Eupithecia lata* Vojnits,1981 (Geometridae) Synonym(s): *lata* Vojnits,1981
 17513) *Eupithecia laterata* Dietze,1904 (Geometridae) Synonym(s): *laterata* Dietze,1904
 17514) *Eupithecia laticallis* L.B.Prout,1922 (Geometridae) Synonym(s): *laticallis* L.B.Prout,1922
 17515) *Eupithecia latifurcata* Walker,[1863] (Geometridae) Synonym(s): *latifurcata* Walker,[1863]
 17516) *Eupithecia latimedia* Hampson,1895 (Geometridae) Synonym(s): *latimedia* Hampson,1895
 17517) *Eupithecia latipennata* L.B.Prout,1914 (Geometridae) Synonym(s): *latipennis* W.Warren,1905 nec Huls.,1898; *latipennata* L.B.Prout,1914
 17518) *Eupithecia latitans* (Warren,1905) (Geometridae) Synonym(s): *latitans* Warren,1905
 17519) *Eupithecia laudabilis* Vojnits,1984 (Geometridae) Synonym(s): *laudabilis* Vojnits,1984
 17520) *Eupithecia laudenda* Vojnits,1984 (Geometridae) Synonym(s): *laudenda* Vojnits,1984
 17521) *Eupithecia lavicaria* Fuchs,1902 (Geometridae) Synonym(s): *lavicaria* Fuchs,1902
 17522) *Eupithecia lecerfi* L.B.Prout,1928 (Geometridae) Synonym(s): *lecerfi* L.B.Prout,1928
 17523) *Eupithecia lecerfiata* Herbulot,1984 (Geometridae) Synonym(s): *lecerfiata* Herbulot,1984
 17524) *Eupithecia lechriortorna* (Dyar,1922) (Geometridae) Synonym(s): *lechriortorna* Dyar,1922
 17525) *Eupithecia leleupi* Herbulot,1970 (Geometridae) Synonym(s): *leleupi* Herbulot,1970
 17526) *Eupithecia lentiscata* Mabille,1869 (Geometridae) Synonym(s): *lentiscata* Mabille,1869
 17527) *Eupithecia leptogrammata* Staudinger,1882 (Geometridae) Synonym(s): *leptogrammata* Staudinger,1882; *melanochroa* Wehrli,1927
 17528) *Eupithecia leucenthes* L.B.Prout,1926 (Geometridae) Synonym(s): *leucenthes* L.B.Prout,1926
 17529) *Eupithecia leucographata* (Warren,1906) (Geometridae) Synonym(s): *leucographata* Warren,1906
 17530) *Eupithecia leucoprora* L.B.Prout,1958 (Geometridae) Synonym(s): *leucoprora* L.B.Prout,1958
 17531) *Eupithecia leucospila* Swinhoe,1906 (Geometridae) Synonym(s): *leucospila* Swinhoe,1906
 17532) *Eupithecia leucostaxis* L.B.Prout,1926 (Geometridae) Synonym(s): *leucostaxis* L.B.Prout,1926
 17533) *Eupithecia licita* L.B.Prout,1917 (Geometridae) Synonym(s): *licita* L.B.Prout,1917; *vepallida* L.B.Prout,1925
 17534) *Eupithecia liguriata* Millière,1884 (Geometridae) Synonym(s): *liguriata* Millière,1884; *roderaria* Standfuss,1888; *bordigherata* Dietze,1913
 17535) *Eupithecia liguriata ketama* Herbulot,1981 (Geometridae) Synonym(s): *ketama* Herbulot,1981
 17536) *Eupithecia liguriata liguriata* Millière,1884 (Geometridae) Synonym(s): *liguriata* Millière,1884; *roderaria* Standfuss,1888; *bordigherata* Dietze,1913
 17537) *Eupithecia likiangi* Vojnits,1976 (Geometridae) Synonym(s): *likiangi* Vojnits,1976
 17538) *Eupithecia limbata* Staudinger,1879 (Geometridae) Synonym(s): *limbata* Staudinger,1879; *irritaria* Staudinger,1892; *kueppersi* Vojnits,1973
 17539) *Eupithecia limbata tomillata* Chrétien,1904 (Geometridae) Synonym(s): *tomillata* Chrétien,1904; *occidens* Wehrli,1927
 17540) *Eupithecia linariata* (Fabricius,1787) (Geometridae) Synonym(s): *linariata* [Denis & Schiffermüller],1775; *linariata* Fabricius,1787
 17541) *Eupithecia linariatoides* Mironov,1989 (Geometridae) Synonym(s): *linariatoides* Mironov,1989
 17542) *Eupithecia linda* Dognin,1899 (Geometridae) Synonym(s): *linda* Dognin,1899
 17543) *Eupithecia lindti* Viidalepp,1988 (Geometridae) Synonym(s): *lindti* Viidalepp,1988
 17544) *Eupithecia lineidistincta* Vojnits,1981 (Geometridae) Synonym(s): *lineidistincta* Vojnits,1981

- 17545) *Eupithecia lineosa* Moore, 1888 (Geometridae) Synonym(s): *lineosa* Moore, 1888
 17546) *Eupithecia lineosa gulmargensis* L.B.Prout, 1938 (Geometridae) Synonym(s): *gulmargensis* L.B.Prout, 1938
 17547) *Eupithecia lineosa lineosa* Moore, 1888 (Geometridae) Synonym(s): *lineosa* Moore, 1888
 17548) *Eupithecia liqalaneng* M.Krüger, 2000 (Geometridae) Synonym(s): *liqalaneng* M.Krüger, 2000
 17549) *Eupithecia lissopis* L.B.Prout, 1958 (Geometridae) Synonym(s): *lissopis* L.B.Prout, 1958
 17550) *Eupithecia lithographata* Christoph, 1887 (Geometridae) Synonym(s): *lithographata* Christoph, 1887
 17551) *Eupithecia litoris* McDunnough, 1945 (Geometridae) Synonym(s): *litoris* McDunnough, 1945
 17552) *Eupithecia lobbichlerata* Schütze, 1961 (Geometridae) Synonym(s): *lobbichlerata* Schütze, 1961
 17553) *Eupithecia longibasalis* L.B.Prout, 1910 (Geometridae) Synonym(s): *longibasalis* L.B.Prout, 1910
 17554) *Eupithecia longidens* (Hulst, 1896) (Geometridae) Synonym(s): *longidens* Hulst, 1896
 17555) *Eupithecia longidens kerrvillaria* Cassino & Swett, 1924 (Geometridae) Synonym(s): *kerrvillaria* Cassino & Swett, 1924
 17556) *Eupithecia longidens longidens* (Hulst, 1896) (Geometridae) Synonym(s): *longidens* Hulst, 1896
 17557) *Eupithecia longifimbria* (W.Warren, 1897) (Geometridae) Synonym(s): *longifimbria* W.Warren, 1897
 17558) *Eupithecia longipalpata* Packard, 1876 (Geometridae) Synonym(s): *longipalpata* Packard, 1876
 17559) *Eupithecia longipennata* Inoue, 1988 (Geometridae) Synonym(s): *longipennata* Inoue, 1988
 17560) *Eupithecia lucigera* Butler, 1889 (Geometridae) Synonym(s): *lucigera* Butler, 1889
 17561) *Eupithecia lugubris* (Warren, 1907) (Geometridae) Synonym(s): *lugubris* Warren, 1907
 17562) *Eupithecia lunata* Dietze, 1910 (Geometridae) Synonym(s): *lunata* Dietze, 1910
 17563) *Eupithecia lunatica* Vojnits, 1984 (Geometridae) Synonym(s): *lunatica* Vojnits, 1984
 17564) *Eupithecia luteonigra* (Warren, 1907) (Geometridae) Synonym(s): *luteonigra* Warren, 1907
 17565) *Eupithecia lutosaria* Bohatsch, 1893 (Geometridae) Synonym(s): *lutosaria* Bohatsch, 1893
 17566) *Eupithecia Iovskiyi* Mironov, 1988 (Geometridae) Synonym(s): *Iovskiyi* Mironov, 1988
 17567) *Eupithecia macdunnoughi* Rindge, 1952 (Geometridae) Synonym(s): *macdunnoughi* Rindge, 1952
 17568) *Eupithecia macreus* Schaus, 1913 (Geometridae) Synonym(s): *macreus* Schaus, 1913
 17569) *Eupithecia macrocarpata* McDunnough, 1944 (Geometridae) Synonym(s): *macrocarpata* McDunnough, 1944
 17570) *Eupithecia maculosa* Vojnits, 1981 (Geometridae) Synonym(s): *maculosa* Vojnits, 1981
 17571) *Eupithecia madura* Dognin, 1899 (Geometridae) Synonym(s): *madura* Dognin, 1899
 17572) *Eupithecia maenamiella* Inoue, 1980 (Geometridae) Synonym(s): *maenamiella* Inoue, 1980
 17573) *Eupithecia maerkerata* Schütze, 1961 (Geometridae) Synonym(s): *maerkerata* Schütze, 1961
 17574) *Eupithecia maestosa* (Hulst, 1896) (Geometridae) Synonym(s): *maestosa* Hulst, 1896; *harlequinaria* Dyar, 1905; *dyarata* Taylor, 1906
 17575) *Eupithecia magnifacta* (Dyar, 1914) (Geometridae) Synonym(s): *magnifacta* Dyar, 1914
 17576) *Eupithecia magnipuncta* (Warren, 1904) (Geometridae) Synonym(s): *magnipuncta* Warren, 1904
 17577) *Eupithecia mahomedana* Brandt, 1938 (Geometridae) Synonym(s): *mahomedana* Brandt, 1938
 17578) *Eupithecia malchoensis* Rindge, 1987 (Geometridae) Synonym(s): *malchoensis* Rindge, 1987
 17579) *Eupithecia maleformata* (Warren, 1895) (Geometridae) Synonym(s): *maleformata* Warren, 1895; *humrata* Warren, 1906
 17580) *Eupithecia mallecoensis* Rindge, 1987 (Geometridae) Synonym(s): *mallecoensis* Rindge, 1987
 17581) *Eupithecia maloti* M.Krüger, 2000 (Geometridae) Synonym(s): *maloti* M.Krüger, 2000
 17582) *Eupithecia manca* Vojnits, 1979 (Geometridae) Synonym(s): *manca* Vojnits, 1979
 17583) *Eupithecia mandschurica* Staudinger, 1897 (Geometridae) Synonym(s): *mandschurica* Staudinger, 1897; *korbi* Dietze, 1910 *nec* Dietz., 1908
 17584) *Eupithecia mandschurica japonica* Inoue, 1979 (Geometridae) Synonym(s): *japonica* Inoue, 1979
 17585) *Eupithecia mandschurica mandschurica* Staudinger, 1897 (Geometridae) Synonym(s): *mandschurica* Staudinger, 1897; *korbi* Dietze, 1910 *nec* Dietz., 1908
 17586) *Eupithecia mantissa* Inoue, 1988 (Geometridae) Synonym(s): *mantissa* Inoue, 1988
 17587) *Eupithecia marasa* Wehrli, 1932 (Geometridae) Synonym(s): *marasa* Wehrli, 1932
 17588) *Eupithecia marginata* Staudinger, 1892 (Geometridae) Synonym(s): *marginata* Staudinger, 1892
 17589) *Eupithecia marmaricata* Turati, 1922 (Geometridae) Synonym(s): *marmaricata* Turati, 1922
 17590) *Eupithecia marmorea* Vojnits, 1983 (Geometridae) Synonym(s): *marmorea* Vojnits, 1983
 17591) *Eupithecia marnoti* Viidalepp, 1988 (Geometridae) Synonym(s): *marnoti* Viidalepp, 1988
 17592) *Eupithecia marpessa* Herbulot, 1987 (Geometridae) Synonym(s): *marpessa* Herbulot, 1987
 17593) *Eupithecia masculina* Inoue, 1988 (Geometridae) Synonym(s): *masculina* Inoue, 1988
 17594) *Eupithecia maspalomae* Pinker, 1961 (Geometridae) Synonym(s): *maspalomae* Pinker, 1961
 17595) *Eupithecia massiliata* Millière, 1865 (Geometridae) Synonym(s): *massiliata* Millière, 1865; *peyerimhoffata* Millière, 1870; *atlantica* Pinker, 1969; *pinkeriata* Moberg, 1983
 17596) *Eupithecia masuii* Inoue, 1980 (Geometridae) Synonym(s): *masuii* Inoue, 1980
 17597) *Eupithecia matheri* Rindge, 1985 (Geometridae) Synonym(s): *matheri* Rindge, 1985
 17598) *Eupithecia matura* Vojnits, 1981 (Geometridae) Synonym(s): *matura* Vojnits, 1981
 17599) *Eupithecia maule* Rindge, 1987 (Geometridae) Synonym(s): *maule* Rindge, 1987
 17600) *Eupithecia mauvaria* Jones, 1921 (Geometridae) Synonym(s): *mauvaria* Jones, 1921
 17601) *Eupithecia meandrata* Turati, 1924 (Geometridae) Synonym(s): *meandrata* Turati, 1924
 17602) *Eupithecia mecodaedala* L.B.Prout, 1932 (Geometridae) Synonym(s): *mecodaedala* L.B.Prout, 1932
 17603) *Eupithecia mecodaedala holmi* D.S.Fletcher, 1958 (Geometridae) Synonym(s): *holmi* D.S.Fletcher, 1958
 17604) *Eupithecia mecodaedala mecodaedala* L.B.Prout, 1932 (Geometridae) Synonym(s): *mecodaedala* L.B.Prout, 1932
 17605) *Eupithecia mediargentina* Inoue, 1987 (Geometridae) Synonym(s): *mediargentina* Inoue, 1987
 17606) *Eupithecia medilunata* L.B.Prout, 1932 (Geometridae) Synonym(s): *medilunata* L.B.Prout, 1932
 17607) *Eupithecia medilunata crassior* D.S.Fletcher, 1958 (Geometridae) Synonym(s): *crassior* D.S.Fletcher, 1958
 17608) *Eupithecia medilunata medilunata* L.B.Prout, 1932 (Geometridae) Synonym(s): *medilunata* L.B.Prout, 1932
 17609) *Eupithecia mediobrunnea* W.Warren, 1906 (Geometridae) Synonym(s): *mediobrunnea* W.Warren, 1906
 17610) *Eupithecia megaproteura* Inoue, 1988 (Geometridae) Synonym(s): *megaproteura* Inoue, 1988
 17611) *Eupithecia mejala* Dognin, 1899 (Geometridae) Synonym(s): *mejala* Dognin, 1899; *infrequens* Warren, 1906; *cymaenata* Bastelberger, 1908; *producta* Bastelberger, 1911
 17612) *Eupithecia mekrana* Brandt, 1941 (Geometridae) Synonym(s): *mekrana* Brandt, 1941; *commenticia* Vojnits, 1982; *idonea* Vojnits, 1982; *stulta* Vojnits, 1982.
 17613) *Eupithecia mekrana amiralis* Wiltshire, 1986 (Geometridae) Synonym(s): *amiralis* Wiltshire, 1986
 17614) *Eupithecia mekrana khorassana* Brandt, 1941 (Geometridae) Synonym(s): *chorassana* Brandt, 1941
 17615) *Eupithecia mekrana mekrana* Brandt, 1941 (Geometridae) Synonym(s): *mekrana* Brandt, 1941; *commenticia* Vojnits, 1982; *idonea* Vojnits, 1982; *stulta* Vojnits, 1982.
 17616) *Eupithecia mekrana peridonea* Mironov, 1989 (Geometridae) Synonym(s): *peridonea* Mironov, 1989
 17617) *Eupithecia melanograpta* (Warren, 1907) (Geometridae) Synonym(s): *melanograpta* Warren, 1907
 17618) *Eupithecia melanolopha* Swinhoe, 1895 (Geometridae) Synonym(s): *melanolopha* Swinhoe, 1895
 17619) *Eupithecia memorata* Mironov, 1988 (Geometridae) Synonym(s): *memorata* Mironov, 1988
 17620) *Eupithecia mendosaria* Swinhoe, 1904 (Geometridae) Synonym(s): *mendosaria* Swinhoe, 1904
 17621) *Eupithecia mentavoni* Herbulot, 1990 (Geometridae) Synonym(s): *mentavoni* Herbulot, 1990
 17622) *Eupithecia mentita* Vojnits, 1984 (Geometridae) Synonym(s): *mentita* Vojnits, 1984
 17623) *Eupithecia meridiana* Vojnits, 1994 (Geometridae) Synonym(s): *meridiana* Vojnits, 1994
 17624) *Eupithecia mesogrammata* Dietze, 1908 (Geometridae) Synonym(s): *mesogrammata* Dietze, 1908; *mesogrammata* L.B.Prout, 1914.
 17625) *Eupithecia miamata* Cassino, 1925 (Geometridae) Synonym(s): *miamata* Cassino, 1925
 17626) *Eupithecia microleuca* Dyar, 1918 (Geometridae) Synonym(s): *microleuca* Dyar, 1918
 17627) *Eupithecia microleuca* Dyar, 1918 (Geometridae) Synonym(s): *microleuca* Dyar, 1918
 17628) *Eupithecia microptilota* W.Warren, 1904 (Geometridae) Synonym(s): *microptilota* W.Warren, 1904
 17629) *Eupithecia millefoliata* Roesler, 1866 (Geometridae) Synonym(s): *millefoliata* Roesler, 1866; *achilleata* Mabilie, 1869; *maeoticaria* Bohatsch, 1893

- 17630) *Eupithecia millesima* Vojnits,1994 (Geometridae) Synonym(s): *millesima* Vojnits,1994
 17631) *Eupithecia mima* Mironov,1989 (Geometridae) Synonym(s): *mima* Mironov,1989
 17632) *Eupithecia minibursae* Vojnits,1980 (Geometridae) Synonym(s): *minibursae* Vojnits,1980
 17633) *Eupithecia minimaria* Turati,1927 (Geometridae) Synonym(s): *minimaria* Turati,1927
 17634) *Eupithecia minucia* Dognin,1899 (Geometridae) Synonym(s): *minucia* Dognin,1899; *filiola* Bastelberger,1908; *multicia* Bastelberger,1911
 17635) *Eupithecia minusculata* (Alpheraky,1883) (Geometridae) Synonym(s): *minusculata* Alpheraky,1883; *inversaria* Turati,1930; *penultimaria* Wiltshire,1985.
 17636) *Eupithecia mira* Vojnits,1987 (Geometridae) Synonym(s): *mira* Vojnits,1987
 17637) *Eupithecia mirei* Herbulot,1965 (Geometridae) Synonym(s): *mirei* Herbulot,1965
 17638) *Eupithecia mirificata* Brandt,1938 (Geometridae) Synonym(s): *mirificata* Brandt,1938
 17639) *Eupithecia miserulata* Grote,1863 (Geometridae) Synonym(s): *miserulata* Grote,1863; *nebulosa* Hulst,1896; *plumbaria* Hulst,1900; *grossbeckiata* Swett,1907
 17640) *Eupithecia miserulata miserulata* Grote,1863 (Geometridae) Synonym(s): *miserulata* Grote,1863; *nebulosa* Hulst,1896; *plumbaria* Hulst,1900; *grossbeckiata* Swett,1907
 17641) *Eupithecia miserulata vitans* Schaus,1913 (Geometridae) Synonym(s): *vitans* Schaus,1913
 17642) *Eupithecia miserulata zela* Swett & Cassino,1919 (Geometridae) Synonym(s): *zela* Swett & Cassino,1919
 17643) *Eupithecia misturata* (Hulst,1896) (Geometridae) Synonym(s): *misturata* Hulst,1896; *subfoveata* Dyar,1904; *sublineata* Taylor,1906; *insignificata* Taylor,1906; *frostiata* Swett,1907; *minorata* Taylor,1907; *conformata* Pearsall,1908; *scelestata* Taylor,1908
 17644) *Eupithecia misturata delzurata* [Cassino & Swett],1922 (Geometridae) Synonym(s): *delzurata* [Cassino & Swett],1922
 17645) *Eupithecia misturata misturata* (Hulst,1896) (Geometridae) Synonym(s): *misturata* Hulst,1896; *subfoveata* Dyar,1904; *sublineata* Taylor,1906; *insignificata* Taylor,1906; *frostiata* Swett,1907; *minorata* Taylor,1907; *conformata* Pearsall,1908; *scelestata* Taylor,1908
 17646) *Eupithecia mitigata* Dietze,1906 (Geometridae) Synonym(s): *mitigata* Dietze,1906
 17647) *Eupithecia moecha* Dietze,1904 (Geometridae) Synonym(s): *moecha* Dietze,1904; *magnifica* Vojnits & Laever,1973
 17648) *Eupithecia molestissima* Vojnits,1981 (Geometridae) Synonym(s): *molestissima* Vojnits,1981
 17649) *Eupithecia molliaria* (Dyar,1913) (Geometridae) Synonym(s): *molliaria* Dyar,1913
 17650) *Eupithecia mollita* (Warren,1906) (Geometridae) Synonym(s): *mollita* Warren,1906
 17651) *Eupithecia monacheata* [Cassino & Swett],1922 (Geometridae) Synonym(s): *monacheata* [Cassino & Swett],1922; *carolata* McDunnough,1944
 17652) *Eupithecia mongolica* Vojnits,1974 (Geometridae) Synonym(s): *mongolica* Vojnits,1974
 17653) *Eupithecia montana* Schaus,1913 (Geometridae) Synonym(s): *montana* Schaus,1913
 17654) *Eupithecia montanata* Brandt,1938 (Geometridae) Synonym(s): *montanata* Brandt,1938
 17655) *Eupithecia monticola* M.Krüger,2000 (Geometridae) Synonym(s): *monticola* M.Krüger,2000
 17656) *Eupithecia monticolens* Butler,1881 (Geometridae) Synonym(s): *monticolens* Butler,1881
 17657) *Eupithecia moricandata* Lucas,1938 (Geometridae) Synonym(s): *moricandata* Lucas,1938
 17658) *Eupithecia morosa* Vojnits,1976 (Geometridae) Synonym(s): *morosa* Vojnits,1976
 17659) *Eupithecia mortua* Vojnits,1984 (Geometridae) Synonym(s): *mortua* Vojnits,1984
 17660) *Eupithecia multa* Vojnits,1981 (Geometridae) Synonym(s): *multa* Vojnits,1981
 17661) *Eupithecia multiplex* Herbulot,1954 (Geometridae) Synonym(s): *multiplex* Herbulot,1954
 17662) *Eupithecia multiscripta* (Hulst,1896) (Geometridae) Synonym(s): *multiscripta* Hulst,1896
 17663) *Eupithecia multispinata* D.S.Fletcher,1951 (Geometridae) Synonym(s): *multispinata* D.S.Fletcher,1951
 17664) *Eupithecia multistrigata* (Hulst,1896) (Geometridae) Synonym(s): *multistrigata* Hulst,1896; *spaldingi* Taylor,1910
 17665) *Eupithecia mundiscripta* (Warren,1907) (Geometridae) Synonym(s): *mundiscripta* Warren,1907
 17666) *Eupithecia mundiscripta commundata* L.B.Prout,1958 (Geometridae) Synonym(s): *commundata* L.B.Prout,1958
 17667) *Eupithecia mundiscripta larutensis* L.B.Prout,1958 (Geometridae) Synonym(s): *larutensis* L.B.Prout,1958
 17668) *Eupithecia mundiscripta mundiscripta* (Warren,1907) (Geometridae) Synonym(s): *mundiscripta* Warren,1907
 17669) *Eupithecia muralla* Dognin,1899 (Geometridae) Synonym(s): *muralla* Dognin,1899
 17670) *Eupithecia muscistrigata* (Warren,1906) (Geometridae) Synonym(s): *muscistrigata* Warren,1906
 17671) *Eupithecia muscula* (Bastelberger,1907) (Geometridae) Synonym(s): *muscula* Bastelberger,1907
 17672) *Eupithecia mustangata* Schütze,1961 (Geometridae) Synonym(s): *mustangata* Schütze,1961
 17673) *Eupithecia mutata* Pearsall,1908 (Geometridae) Synonym(s): *mutata* Pearsall,1908
 17674) *Eupithecia mutata columbrata* McDunnough,1940 (Geometridae) Synonym(s): *columbrata* McDunnough,1940
 17675) *Eupithecia mutata mutata* Pearsall,1908 (Geometridae) Synonym(s): *mutata* Pearsall,1908
 17676) *Eupithecia myoma* Vojnits,1988 (Geometridae) Synonym(s): *myoma* Vojnits,1988
 17677) *Eupithecia mystiata* Cassino,1925 (Geometridae) Synonym(s): *mystiata* Cassino,1925
 17678) *Eupithecia mystica* Dietze,1910 (Geometridae) Synonym(s): *mystica* Dietze,1910; *wehrlii* F.Wagner,1931
 17679) *Eupithecia nabagulensis* L.B.Prout,1935 (Geometridae) Synonym(s): *nabagulensis* L.B.Prout,1935
 17680) *Eupithecia nabokovi* McDunnough,1946 (Geometridae) Synonym(s): *nabokovi* McDunnough,1946
 17681) *Eupithecia nachadira* Brandt,1941 (Geometridae) Synonym(s): *nachadira* Brandt,1941; *mandarinca* Mironov,2001
 17682) *Eupithecia nadiæ* Herbulot,1993 (Geometridae) Synonym(s): *nadiæ* Herbulot,1993
 17683) *Eupithecia nagaii* Inoue,1963 (Geometridae) Synonym(s): *nagaii* Inoue,1963
 17684) *Eupithecia nahuelbuta* Rindge,1987 (Geometridae) Synonym(s): *nahuelbuta* Rindge,1987
 17685) *Eupithecia nanata* (Hübner,[1813]) (Geometridae) Synonym(s): *angustata* Haworth,1809; *nanata* Hübner,[1813]; *angusta* L.B.Prout,1938; *gelidatoides* Warnecke,1951
 17686) *Eupithecia natalica* Vojnits,1994 (Geometridae) Synonym(s): *natalica* Vojnits,1994
 17687) *Eupithecia necessaria* Vojnits,1977 (Geometridae) Synonym(s): *necessaria* Vojnits,1977
 17688) *Eupithecia nemoralis* Schaus,1913 (Geometridae) Synonym(s): *nemoralis* Schaus,1913
 17689) *Eupithecia neomexicana* McDunnough,1945 (Geometridae) Synonym(s): *neomexicana* McDunnough,1945
 17690) *Eupithecia neosatyrate* Inoue,1979 (Geometridae) Synonym(s): *neosatyrate* Inoue,1979
 17691) *Eupithecia nepalica* Koçak & Kemal,2001 (Geometridae) Synonym(s): *tenebricosa* Vojnits,1983 *nec* Schs.,1913 *non* Dietz.,1910; *nepalica* Koçak & Kemal,2001
 17692) *Eupithecia nephelata* Staudinger,1897 (Geometridae) Synonym(s): *nephelata* Staudinger,1897
 17693) *Eupithecia nevadata* Packard,1871 (Geometridae) Synonym(s): *nevadata* Packard,1871; *moirata* Swett & Cassino,1919; *probata* Swett & Cassino,1919
 17694) *Eupithecia nevadata geneura* Swett & Cassino,1919 (Geometridae) Synonym(s): *geneura* Swett & Cassino,1919
 17695) *Eupithecia nevadata nevadata* Packard,1871 (Geometridae) Synonym(s): *nevadata* Packard,1871; *moirata* Swett & Cassino,1919; *probata* Swett & Cassino,1919
 17696) *Eupithecia nigrataenia* D.S.Fletcher,1978 (Geometridae) Synonym(s): *nigrataenia* D.S.Fletcher,1978
 17697) *Eupithecia nigribasis* (Warren,1902) (Geometridae) Synonym(s): *nigribasis* Warren,1902
 17698) *Eupithecia nigrilinea* (Warren,1896) (Geometridae) Synonym(s): *nigrilinea* Warren,1896
 17699) *Eupithecia nigrinotata* Swinhoe,1895 (Geometridae) Synonym(s): *nigrinotata* Swinhoe,1895
 17700) *Eupithecia nigripennis* (Warren,1907) (Geometridae) Synonym(s): *nigripennis* Warren,1907
 17701) *Eupithecia nigritaria* Staudinger,1879 (Geometridae) Synonym(s): *nigritaria* Staudinger,1879
 17702) *Eupithecia nigrithorax* (Warren,1904) (Geometridae) Synonym(s): *nigrithorax* Warren,1904
 17703) *Eupithecia nigrodiscata* Herbulot,1987 (Geometridae) Synonym(s): *nigrodiscata* Herbulot,1987
 17704) *Eupithecia nigropolata* D.S.Fletcher,1951 (Geometridae) Synonym(s): *nigropolata* D.S.Fletcher,1951
 17705) *Eupithecia nimbicolor* (Hulst,1896) (Geometridae) Synonym(s): *nimbicolor* Hulst,1896; *obscurior* Hulst,1896; *adornata* Taylor,1906; *incresata* Pearsall,1910; *inclarata* Cassino & Swett,1924
 17706) *Eupithecia nimbosea* (Hulst,1896) (Geometridae) Synonym(s): *nimbosea* Hulst,1896; *plenoscripta* Hulst,1900
 17707) *Eupithecia nimbosea bindata* Pearsall,1910 (Geometridae) Synonym(s): *bindata* Pearsall,1910
 17708) *Eupithecia nimbosea nimbosea* (Hulst,1896) (Geometridae) Synonym(s): *nimbosea* Hulst,1896; *plenoscripta* Hulst,1900
 17709) *Eupithecia niphadophilata* Dyar,1904 (Geometridae) Synonym(s): *niphadophilata* Dyar,1904

- 17710) *Eupithecia niphonaria* Leech,1897 (Geometridae) Synonym(s): *niphonaria* Leech,1897; *draudti* Dietze,1913; *corticosa* L.B.Prout,1914; *maenamii* Inoue,1965
- 17711) *Eupithecia niphoreas* Meyrick,1899 (Geometridae) Synonym(s): *niphoreas* Meyrick,1899
- 17712) *Eupithecia niveifascia* (Hulst,1898) (Geometridae) Synonym(s): *niveifascia* Hulst,1898; *perbrunneata* Taylor,1906; *analis* Dyar,1918
- 17713) *Eupithecia niveivena* L.B.Prout,1926 (Geometridae) Synonym(s): *niveivena* L.B.Prout,1926
- 17714) *Eupithecia nobilitata* Staudinger,1882 (Geometridae) Synonym(s): *nobilitata* Staudinger,1882; *medionotata* Warren,1899
- 17715) *Eupithecia nodosa* Vojnits,1984 (Geometridae) Synonym(s): *nodosa* Vojnits,1984
- 17716) *Eupithecia noncoacta* Vojnits,1988 (Geometridae) Synonym(s): *noncoacta* Vojnits,1988
- 17717) *Eupithecia nonferenda* Vojnits,1981 (Geometridae) Synonym(s): *nonferenda* Vojnits,1981
- 17718) *Eupithecia nonpurgata* Vojnits,1979 (Geometridae) Synonym(s): *nonpurgata* Vojnits,1979
- 17719) *Eupithecia norquinco* Vojnits,1992 (Geometridae) Synonym(s): *norquinco* Vojnits,1992
- 17720) *Eupithecia novata* Dietze,1903 (Geometridae) Synonym(s): *novata* Dietze,1903
- 17721) *Eupithecia noxia* Vojnits,1979 (Geometridae) Synonym(s): *noxia* Vojnits,1979
- 17722) *Eupithecia nubilaria* Maassen,1890 (Geometridae) Synonym(s): *nubilaria* Maassen,1890
- 17723) *Eupithecia nublae* Rindge,1987 (Geometridae) Synonym(s): *nublae* Rindge,1987
- 17724) *Eupithecia nuceistrigata* Bastelberger,1911 (Geometridae) Synonym(s): *nuceistrigata* Bastelberger,1911
- 17725) *Eupithecia nusret* Kemal & Koçak,2004 (Geometridae) Synonym(s): *placens* Schaus,1913 nec Warr.,1906; *nusret* Kemal & Koçak,2004
- 17726) *Eupithecia obliquiplaga* (Dyar,1927) (Geometridae) Synonym(s): *obliquiplaga* Dyar,1927
- 17727) *Eupithecia oblongata* (Thunberg,1784) (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892.
- 17728) *Eupithecia oblongata dagestani* Vojnits,1977 (Geometridae) Synonym(s): *dagestani* Vojnits,1977
- 17729) *Eupithecia oblongata dsharkendi* Vojnits,1977 (Geometridae) Synonym(s): *dsharkendi* Vojnits,1977
- 17730) *Eupithecia oblongata oblongata* (Thunberg,1784) (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892.
- 17731) *Eupithecia oblongipennis* (Warren,1902) (Geometridae) Synonym(s): *oblongipennis* Warren,1902
- 17732) *Eupithecia obscurata* (Warren,1906) (Geometridae) Synonym(s): *obscurata* Warren,1906
- 17733) *Eupithecia obtinens* Brandt,1941 (Geometridae) Synonym(s): *obtinens* Brandt,1941
- 17734) *Eupithecia obtinens obtinens* Brandt,1941 (Geometridae) Synonym(s): *obtinens* Brandt,1941
- 17735) *Eupithecia ochracea* (Warren,1888) (Geometridae) Synonym(s): *ochracea* Warren,1888
- 17736) *Eupithecia ochralba* Herbulot,1983 (Geometridae) Synonym(s): *ochralba* Herbulot,1983
- 17737) *Eupithecia ochrata* D.S.Fletcher,1951 (Geometridae) Synonym(s): *ochrata* D.S.Fletcher,1951
- 17738) *Eupithecia ochridata* Schütze & Pinker,1968 (Geometridae) Synonym(s): *ochridata* Schütze & Pinker,1968; *szelenyii* Vojnits,1969.
- 17739) *Eupithecia ochroriguata* C.G.Krüger,1939 (Geometridae) Synonym(s): *ochroriguata* C.G.Krüger,1939
- 17740) *Eupithecia ochrosoma* W.Warren,1904 (Geometridae) Synonym(s): *ochrosoma* W.Warren,1904
- 17741) *Eupithecia ochrovittata* Christoph,1887 (Geometridae) Synonym(s): *ochrovittata* Christoph,1887
- 17742) *Eupithecia oculata* D.S.Fletcher,1956 (Geometridae) Synonym(s): *oculata* D.S.Fletcher,1956
- 17743) *Eupithecia oenone* Butler,1882 (Geometridae) Synonym(s): *oenone* Butler,1882
- 17744) *Eupithecia ogilviata* (Warren,1905) (Geometridae) Synonym(s): *ogilviata* Warren,1905
- 17745) *Eupithecia okadai* Inoue,1958 (Geometridae) Synonym(s): *okadai* Inoue,1958
- 17746) *Eupithecia olgae* Mironov,1986 (Geometridae) Synonym(s): *olgae* Mironov,1986
- 17747) *Eupithecia olivacea* Taylor,1906 (Geometridae) Synonym(s): *olivacea* Taylor,1906
- 17748) *Eupithecia olivaria* (Warren,1906) (Geometridae) Synonym(s): *olivaria* Warren,1906
- 17749) *Eupithecia olivocostata* Schaus,1913 (Geometridae) Synonym(s): *olivocostata* Schaus,1913
- 17750) *Eupithecia olympica* Tuleschikov,1951 (Geometridae) Synonym(s): *olympica* Tuleschikov,1951
- 17751) *Eupithecia omnigera* Vojnits,1982 (Geometridae) Synonym(s): *omnigera* Vojnits,1982; *recentissima* Vojnits,1982.
- 17752) *Eupithecia omniparens* Dietze,1908 (Geometridae) Synonym(s): *omniparens* Dietze,1908
- 17753) *Eupithecia opistographata* Dietze,1906 (Geometridae) Synonym(s): *opistographata* Dietze,1906; *arenicola* Rothschild,1913; *#opisthographata* Schütze,1961
- 17754) *Eupithecia oppidana* Vojnits,1994 (Geometridae) Synonym(s): *oppidana* Vojnits,1994
- 17755) *Eupithecia orana* (Dietze,1910) (Geometridae) Synonym(s): *orana* Dietze,1910; *soficella* Lucas,1938; *maspalomae* Pinker,1961
- 17756) *Eupithecia orana* Dietze,1910 (Geometridae) Synonym(s): *orana* Dietze,1910
- 17757) *Eupithecia orbaria* Swinhoe,1904 (Geometridae) Synonym(s): *orbaria* Swinhoe,1904
- 17758) *Eupithecia orichloris* Meyrick,1899 (Geometridae) Synonym(s): *orichloris* Meyrick,1899
- 17759) *Eupithecia ornata* (Hulst,1896) (Geometridae) Synonym(s): *ornata* Hulst,1896; *exornata* Barnes & McDunnough,1912
- 17760) *Eupithecia ornea* Druce,1893 (Geometridae) Synonym(s): *ornea* Druce,1893
- 17761) *Eupithecia oroba* Druce,1893 (Geometridae) Synonym(s): *oroba* Druce,1893
- 17762) *Eupithecia orphnata* W.Petersen,1909 (Geometridae) Synonym(s): *#orphnata* Bohatsch,1883; *orphnata* W.Petersen,1909
- 17763) *Eupithecia orphnata ferghanata* Schütze,1956 (Geometridae) Synonym(s): *ferghanata* Schütze,1956
- 17764) *Eupithecia orphnata orphnata* W.Petersen,1909 (Geometridae) Synonym(s): *orphnata* W.Petersen,1909
- 17765) *Eupithecia orsetilla* Druce,1893 (Geometridae) Synonym(s): *orsetilla* Druce,1893
- 17766) *Eupithecia osornoensis* Rindge,1987 (Geometridae) Synonym(s): *osornoensis* Rindge,1987
- 17767) *Eupithecia otiosa* Vojnits,1981 (Geometridae) Synonym(s): *otiosa* Vojnits,1981
- 17768) *Eupithecia ovalle* Vojnits,1992 (Geometridae) Synonym(s): *ovalle* Vojnits,1992
- 17769) *Eupithecia owadai* Vojnits,1988 (Geometridae) Synonym(s): *owadai* Vojnits,1988
- 17770) *Eupithecia owenata* McDunnough,1944 (Geometridae) Synonym(s): *owenata* McDunnough,1944
- 17771) *Eupithecia oxycedrata* (Rambur,1833) (Geometridae) Synonym(s): *oxycedrata* Rambur,1833; *oxycedrararia* Boisduval,1840; *provinciata* Millière,1872
- 17772) *Eupithecia pacifica* Inoue,1980 (Geometridae) Synonym(s): *pacifica* Inoue,1980
- 17773) *Eupithecia pactia* Druce,1893 (Geometridae) Synonym(s): *pactia* Druce,1893
- 17774) *Eupithecia pallidicosta* W.Warren,1904 (Geometridae) Synonym(s): *pallidicosta* W.Warren,1904
- 17775) *Eupithecia pallidistriga* (Warren,1906) (Geometridae) Synonym(s): *pallidistriga* Warren,1906
- 17776) *Eupithecia palmata* [Cassino & Swett],1922 (Geometridae) Synonym(s): *palmata* [Cassino & Swett],1922
- 17777) *Eupithecia palpata* Packard,1873 (Geometridae) Synonym(s): *palpata* Packard,1873
- 17778) *Eupithecia pamiri* Vojnits,1988 (Geometridae) Synonym(s): *pamiri* Vojnits,1988
- 17779) *Eupithecia pamirica* Viidalepp,1988 (Geometridae) Synonym(s): *pamirica* Viidalepp,1988
- 17780) *Eupithecia panda* Druce,1893 (Geometridae) Synonym(s): *panda* Druce,1893; *brunneicosta* Warren,1904
- 17781) *Eupithecia pantellata* Millière,1875 (Geometridae) Synonym(s): *pantellata* Millière,1875; *luteostrigata* Staudinger,1876; *illuminata* Joannis,1891; *tedaldia* Fuchs,1901
- 17782) *Eupithecia pantellata andalusica* Wehrli,1926 (Geometridae) Synonym(s): *andalusica* Wehrli,1926
- 17783) *Eupithecia pantellata canariata* Pinker,1965 (Geometridae) Synonym(s): *canariensis* Pinker,1962 nec Dietz.,1910; *canariata* Pinker,1965
- 17784) *Eupithecia parallaxis* L.B.Prout,1916 (Geometridae) Synonym(s): *parallaxis* L.B.Prout,1916
- 17785) *Eupithecia parallelaria* Bohatsch,1893 (Geometridae) Synonym(s): *parallelaria* Bohatsch,1893
- 17786) *Eupithecia parcirufa* (Warren,1906) (Geometridae) Synonym(s): *parcirufa* Warren,1906
- 17787) *Eupithecia particeps* Vojnits,1988 (Geometridae) Synonym(s): *particeps* Vojnits,1988
- 17788) *Eupithecia paryphata* Bastelberger,1908 (Geometridae) Synonym(s): *paryphata* Bastelberger,1908
- 17789) *Eupithecia pauliani* Herbulot,1957 (Geometridae) Synonym(s): *pauliani* Herbulot,1957
- 17790) *Eupithecia paupera* Vojnits,1982 (Geometridae) Synonym(s): *paupera* Vojnits,1982
- 17791) *Eupithecia pauxillaria* Boisduval,1840 (Geometridae) Synonym(s): *pauxillaria* Boisduval,1840; *euphrasiata* Herrich-Schäffer,1861; *vellicata* Dietze,1906
- 17792) *Eupithecia peckorum* Heitzman & Enns,1977 (Geometridae) Synonym(s): *peckorum* Heitzman & Enns,1977
- 17793) *Eupithecia pediba* Vojnits,1981 (Geometridae) Synonym(s): *pediba* Vojnits,1981

- 17794) *Eupithecia peguensis* L.B.Prout,1958 (Geometridae) Synonym(s): *peguensis* L.B.Prout,1958
 17795) *Eupithecia pekingiana* Vojnits,1973 (Geometridae) Synonym(s): *pekingiana* Vojnits,1973
 17796) *Eupithecia pengata* Schütze,1961 (Geometridae) Synonym(s): *pengata* Schütze,1961
 17797) *Eupithecia penicilla* Dognin,1901 (Geometridae) Synonym(s): *penicilla* Dognin,1901
 17798) *Eupithecia penumbata* Pearsall,1912 (Geometridae) Synonym(s): *penumbata* Pearsall,1912
 17799) *Eupithecia perciliata* (Warren,1901) (Geometridae) Synonym(s): *perciliata* Warren,1901
 17800) *Eupithecia perculsaria* (Swinhoe,1904) (Geometridae) Synonym(s): *perculsaria* Swinhoe,1904
 17801) *Eupithecia perculsaria influa* L.B.Prout,1932 (Geometridae) Synonym(s): *influa* L.B.Prout,1932
 17802) *Eupithecia perculsaria perculsaria* (Swinhoe,1904) (Geometridae) Synonym(s): *perculsaria* Swinhoe,1904
 17803) *Eupithecia percuriosa* Vojnits,1994 (Geometridae) Synonym(s): *percuriosa* Vojnits,1994
 17804) *Eupithecia peregrina* (Warren,1904) (Geometridae) Synonym(s): *peregrina* Warren,1904
 17805) *Eupithecia perendina* Vojnits,1980 (Geometridae) Synonym(s): *perendina* Vojnits,1980
 17806) *Eupithecia perfica* Schaus,1929 (Geometridae) Synonym(s): *perfica* Schaus,1929
 17807) *Eupithecia perfusca* (Hulst,1898) (Geometridae) Synonym(s): *perfusca* Hulst,1898; *cootenaiata* Dyar,1904; *alberta* Taylor,1906; *hanhami* Taylor,1906; *youngata* Taylor,1906;
 17808) *Eupithecia perfuscata* Vojnits,1975 (Geometridae) Synonym(s): *perfuscata* Vojnits,1975
 17809) *Eupithecia perigrapta* Janse,1933 (Geometridae) Synonym(s): *perigrapta* Janse,1933
 17810) *Eupithecia pernotata* Guenée,[1858] (Geometridae) Synonym(s): *pernotata* Guenée,[1858]; *enictata* Pellmyr & Mikkola,1984
 17811) *Eupithecia perolivata* (Warren,1906) (Geometridae) Synonym(s): *perolivata* Warren,1906; *lutulenta* Warren,1907
 17812) *Eupithecia perpetua* Vojnits,1984 (Geometridae) Synonym(s): *perpetua* Vojnits,1984
 17813) *Eupithecia perryvriesi* Herbulot,1971 (Geometridae) Synonym(s): *perryvriesi* Herbulot,1971
 17814) *Eupithecia persimulata* McDunnough,1938 (Geometridae) Synonym(s): *persimulata* McDunnough,1938
 17815) *Eupithecia personata* D.S.Fletcher,1951 (Geometridae) Synonym(s): *personata* D.S.Fletcher,1951
 17816) *Eupithecia persuastrix* Mironov,1990 (Geometridae) Synonym(s): *persuastrix* Mironov,1990
 17817) *Eupithecia pertacta* (Dyar,1918) (Geometridae) Synonym(s): *pertacta* Dyar,1918
 17818) *Eupithecia pertusata* McDunnough,1938 (Geometridae) Synonym(s): *pertusata* McDunnough,1938
 17819) *Eupithecia petersi* D.S.Fletcher,1956 (Geometridae) Synonym(s): *petersi* D.S.Fletcher,1956
 17820) *Eupithecia petrohue* Rindge,1987 (Geometridae) Synonym(s): *petrohue* Rindge,1987
 17821) *Eupithecia pettyi* L.B.Prout,1935 (Geometridae) Synonym(s): *parallelaria* Janse,1933 *nec* Bohat.,1893; *pettyi* L.B.Prout,1935
 17822) *Eupithecia pettyioides* M.Krüger,2000 (Geometridae) Synonym(s): *pettyioides* M.Krüger,2000
 17823) *Eupithecia pfeifferata* Schütze,1960 (Geometridae) Synonym(s): *pfeifferata* Schütze,1960
 17824) *Eupithecia pfeifferi* Wehrli,1929 (Geometridae) Synonym(s): *pfeifferi* Wehrli,1929
 17825) *Eupithecia phaeocausta* Meyrick,1899 (Geometridae) Synonym(s): *phaeocausta* Meyrick,1899
 17826) *Eupithecia phaiosata* D.S.Fletcher,1978 (Geometridae) Synonym(s): *phaiosata* D.S.Fletcher,1978
 17827) *Eupithecia philippis* Herbulot,1987 (Geometridae) Synonym(s): *philippis* Herbulot,1987
 17828) *Eupithecia phoebe* Herbulot,1987 (Geometridae) Synonym(s): *phoebe* Herbulot,1987
 17829) *Eupithecia phoeniceata* (Rambur,1834) (Geometridae) Synonym(s): *phoeniceata* Rambur,1834; *mnemosynata* Millière,[1876]
 17830) *Eupithecia phulchokiana* Herbulot,1984 (Geometridae) Synonym(s): *phulchokiana* Herbulot,1984
 17831) *Eupithecia phyllisae* Rindge,1963 (Geometridae) Synonym(s): *phyllisae* Rindge,1963
 17832) *Eupithecia physocleora* L.B.Prout,1922 (Geometridae) Synonym(s): *physocleora* L.B.Prout,1922
 17833) *Eupithecia picada* Rindge,1987 (Geometridae) Synonym(s): *picada* Rindge,1987
 17834) *Eupithecia piccata* Pearsall,1910 (Geometridae) Synonym(s): *piccata* Pearsall,1910
 17835) *Eupithecia pictimargo* (Warren,1906) (Geometridae) Synonym(s): *pictimargo* Warren,1906
 17836) *Eupithecia picturata* (Warren,1902) (Geometridae) Synonym(s): *picturata* Warren,1902
 17837) *Eupithecia pieria* Druce,1893 (Geometridae) Synonym(s): *pieria* Druce,1893
 17838) *Eupithecia pilosa* W.Warren,1897 (Geometridae) Synonym(s): *pilosa* W.Warren,1897
 17839) *Eupithecia pimpinellata* (Hübner,[1813]) (Geometridae) Synonym(s): *pimpinellata* Hübner,[1813]; *altaicata* Guenée,[1858]; *lantoscata* Millière,1873; *cinerascens* Tengström,1875; *limbosignata* Dietze,1910; *elongata* Dietze,1913 *nec* Hw,1809; *retheli* L.B.Prout,1938; *variata* Schwingenschuss,1936.
 17840) *Eupithecia pinata* Cassino,1925 (Geometridae) Synonym(s): *pinata* Cassino,1925
 17841) *Eupithecia pinkeri* Mironov,1991 (Geometridae) Synonym(s): *pinkeri* Mironov,1991
 17842) *Eupithecia pippa* L.B.Prout,1916 (Geometridae) Synonym(s): *pippa* L.B.Prout,1916
 17843) *Eupithecia pippoides* Herbulot,1994 (Geometridae) Synonym(s): *pippoides* Herbulot,1994
 17844) *Eupithecia placida* Vojnits,1984 (Geometridae) Synonym(s): *placida* Vojnits,1984
 17845) *Eupithecia placida batangi* Vojnits,1984 (Geometridae) Synonym(s): *batangi* Vojnits,1984
 17846) *Eupithecia placidata* Taylor,1908 (Geometridae) Synonym(s): *placidata* Taylor,1908
 17847) *Eupithecia planipennis* (Warren,1906) (Geometridae) Synonym(s): *planipennis* Warren,1906
 17848) *Eupithecia planiscripta* (Warren,1902) (Geometridae) Synonym(s): *planiscripta* Warren,1902
 17849) *Eupithecia platymesa* (Dyar,1918) (Geometridae) Synonym(s): *platymesa* Dyar,1918
 17850) *Eupithecia pliniata* Stauder,1929 (Geometridae) Synonym(s): *pliniata* Stauder,1929
 17851) *Eupithecia plumasata* McDunnough,1946 (Geometridae) Synonym(s): *plumasata* McDunnough,1946
 17852) *Eupithecia plumbeolata* (Haworth,[1809]) (Geometridae) Synonym(s): *plumbeolata* Haworth,[1809]; *isogrammata* Treitschke,1828; *begrandaria* Boisduval,1840; *singularia* Herrich-Schäffer,1848; *plumbeolaria* Doubleday,1849; *begrandata* Bruand,1850; *dshungarica* Viidalepp,1988.
 17853) *Eupithecia pluripunctaria* Turati,1934 (Geometridae) Synonym(s): *pluripunctaria* Turati,1934
 17854) *Eupithecia poecilata* Püngeler,1888 (Geometridae) Synonym(s): *poecilata* Püngeler,1888
 17855) *Eupithecia pollens* Vojnits,1981 (Geometridae) Synonym(s): *pollens* Vojnits,1981
 17856) *Eupithecia polylibades* L.B.Prout,1916 (Geometridae) Synonym(s): *polylibades* L.B.Prout,1916
 17857) *Eupithecia ponderata* Dietze,1906 (Geometridae) Synonym(s): *ponderata* Dietze,1906
 17858) *Eupithecia praealta* Wehrli,1926 (Geometridae) Synonym(s): *praealta* Wehrli,1926
 17859) *Eupithecia praecipitata* Vojnits,1979 (Geometridae) Synonym(s): *praecipitata* Vojnits,1979
 17860) *Eupithecia praepupillata* Wehrli,1927 (Geometridae) Synonym(s): *praepupillata* Wehrli,1927
 17861) *Eupithecia praesignata* Bohatsch,1893 (Geometridae) Synonym(s): *insignata* Bohatsch,1893 *nec* Hbn.,1789; *praesignata* Bohatsch,1893
 17862) *Eupithecia prasinombra* Meyrick,1899 (Geometridae) Synonym(s): *prasinombra* Meyrick,1899
 17863) *Eupithecia pretansata* Grossbeck,1908 (Geometridae) Synonym(s): *pretansata* Grossbeck,1908
 17864) *Eupithecia pretoriana* (L.B.Prout,1922) (Geometridae) Synonym(s): *pretoriana* L.B.Prout,1922
 17865) *Eupithecia problematicata* Schütze,1960 (Geometridae) Synonym(s): *problematicata* Schütze,1960
 17866) *Eupithecia procera* Vojnits,1982 (Geometridae) Synonym(s): *procera* Vojnits,1982
 17867) *Eupithecia procerissima* Vojnits,1994 (Geometridae) Synonym(s): *procerissima* Vojnits,1994
 17868) *Eupithecia profana* Vojnits,1984 (Geometridae) Synonym(s): *profana* Vojnits,1984
 17869) *Eupithecia proflua* L.B.Prout,1932 (Geometridae) Synonym(s): *proflua* L.B.Prout,1932
 17870) *Eupithecia proflua proflua* L.B.Prout,1932 (Geometridae) Synonym(s): *proflua* L.B.Prout,1932
 17871) *Eupithecia proflua subvineta* L.B.Prout,1932 (Geometridae) Synonym(s): *subvineta* L.B.Prout,1932
 17872) *Eupithecia profuga* L.B.Prout,1931 (Geometridae) Synonym(s): *profuga* L.B.Prout,1931
 17873) *Eupithecia proinsignata* Inoue,1987 (Geometridae) Synonym(s): *proinsignata* Inoue,1987
 17874) *Eupithecia propagata* L.B.Prout,1926 (Geometridae) Synonym(s): *propagata* L.B.Prout,1926
 17875) *Eupithecia propoxydata* Schütze,1961 (Geometridae) Synonym(s): *propoxydata* Schütze,1961
 17876) *Eupithecia propria* Vojnits,1977 (Geometridae) Synonym(s): *propria* Vojnits,1977
 17877) *Eupithecia proprivata* Vojnits,1982 (Geometridae) Synonym(s): *?privata* Dietze,1910; *proprivata* Vojnits,1982
 17878) *Eupithecia prostrata* McDunnough,1938 (Geometridae) Synonym(s): *prostrata* McDunnough,1938
 17879) *Eupithecia proterva* Butler,1878 (Geometridae) Synonym(s): *proterva* Butler,1878; *?inconstans* Dietze,1910
 17880) *Eupithecia pseudassimilata* Viidalepp & Mironov,1988 (Geometridae) Synonym(s): *pseudassimilata* Viidalepp & Mironov,1988

- 17881) *Eupithecia pseudexheres* Herbulot, 1972 (Geometridae) Synonym(s): *pseudexheres* Herbulot, 1972
 17882) *Eupithecia pseudoabbreviata* D.S.Fletcher, 1951 (Geometridae) Synonym(s): *pseudoabbreviata* D.S.Fletcher, 1951
 17883) *Eupithecia pseudocastigata* Pinker, 1976 (Geometridae) Synonym(s): *pseudocastigata* Pinker, 1976
 17884) *Eupithecia pseudoicterata* Schütze, 1960 (Geometridae) Synonym(s): *pseudoicterata* Schütze, 1960
 17885) *Eupithecia pseudosatyra* Djakonov, 1929 (Geometridae) Synonym(s): *pseudosatyra* Djakonov, 1929
 17886) *Eupithecia pseudotsugata* Mackay, 1951 (Geometridae) Synonym(s): *pseudotsugata* Mackay, 1951
 17887) *Eupithecia psiadiata* Townsend, 1952 (Geometridae) Synonym(s): *psiadiata* Townsend, 1952
 17888) *Eupithecia ptychospila* L.B.Prout, 1937 (Geometridae) Synonym(s): *ptychospila* L.B.Prout, 1937
 17889) *Eupithecia pucatrachue* Rindge, 1987 (Geometridae) Synonym(s): *pucatrachue* Rindge, 1987
 17890) *Eupithecia pucon* Vojnits, 1992 (Geometridae) Synonym(s): *pucon* Vojnits, 1992
 17891) *Eupithecia pulchellata* Stephens, 1831 (Geometridae) Synonym(s): *pulchellata* Stephens, 1831
 17892) *Eupithecia pulchellata grisearia* Schwingenschuss, 1939 (Geometridae) Synonym(s): *grisearia* Schwingenschuss, 1939
 17893) *Eupithecia pulchellata pulchellata* Stephens, 1831 (Geometridae) Synonym(s): *pulchellata* Stephens, 1831; *hebodium* Sheldon, 1899
 17894) *Eupithecia pulgata* Dognin, 1899 (Geometridae) Synonym(s): *pulgata* Dognin, 1899
 17895) *Eupithecia pulla* Vojnits, 1987 (Geometridae) Synonym(s): *pulla* Vojnits, 1987
 17896) *Eupithecia pupila* Dognin, 1899 (Geometridae) Synonym(s): *pupila* Dognin, 1899
 17897) *Eupithecia purpureoviridis* (Warren, 1900) (Geometridae) Synonym(s): *purpureoviridis* Warren, 1900
 17898) *Eupithecia purpurissata* Grossbeck, 1908 (Geometridae) Synonym(s): *purpurissata* Grossbeck, 1908
 17899) *Eupithecia purpurissata purpurissata* Grossbeck, 1908 (Geometridae) Synonym(s): *purpurissata* Grossbeck, 1908
 17900) *Eupithecia purpurissata valariata* Pearsall, 1910 (Geometridae) Synonym(s): *valariata* Pearsall, 1910
 17901) *Eupithecia pusillata* (Fabricius, 1787) (Geometridae) Synonym(s): *#pusillata* [Denis & Schiffermüller], 1775; *pusillata* Fabricius, 1787; *sobrinata* Hübner, [1817]; *pusillaria* Hübner, [1825]; *sobrinaria* Boisduval, 1840; *expressaria* Herrich-Schäffer, 1848; *anglicata* Herrich-Schäffer, 1863; *latoniata* Millière, 1882; *stevensata* Webb, 1896; *scotica* Dietze, 1910
 17902) *Eupithecia pusillata pusillata* (Fabricius, 1787) (Geometridae) Synonym(s): *#pusillata* [Denis & Schiffermüller], 1775; *pusillata* Fabricius, 1787; *sobrinata* Hübner, [1817]; *pusillaria* Hübner, [1825]; *sobrinaria* Boisduval, 1840; *expressaria* Herrich-Schäffer, 1848; *anglicata* Herrich-Schäffer, 1863; *latoniata* Millière, 1882; *stevensata* Webb, 1896; *scotica* Dietze, 1910
 17903) *Eupithecia pusillata scoriata* Staudinger, 1857 (Geometridae) Synonym(s): *scoriata* Staudinger, 1857
 17904) *Eupithecia pygmaea* (Hübner, [1799]) (Geometridae) Synonym(s): *pygmaea* Hübner, [1799]; *pygmearia* Boisduval, 1840; *palustraria* Doubleday, 1850; *sidemii* Vojnits, 1973
 17905) *Eupithecia pygmaea obumbrata* Taylor, 1906 (Geometridae) Synonym(s): *obumbrata* Taylor, 1906; *fortunata* Pearsall, 1909
 17906) *Eupithecia pygmaea pygmaea* (Hübner, [1799]) (Geometridae) Synonym(s): *pygmaea* Hübner, [1799]; *pygmearia* Boisduval, 1840; *palustraria* Doubleday, 1850; *sidemii* Vojnits, 1973
 17907) *Eupithecia pyreneata* Mabilie, 1871 (Geometridae) Synonym(s): *pyreneata* Mabilie, 1871; *digitaliaria* Dietze, 1872; *granadensis* Bubacek, 1926
 17908) *Eupithecia pyrcoetes* L.B.Prout, 1958 (Geometridae) Synonym(s): *pyrcoetes* L.B.Prout, 1958
 17909) *Eupithecia quadripunctata* W.Warren, 1888 (Geometridae) Synonym(s): *quadripunctata* W.Warren, 1888
 17910) *Eupithecia quakerata* Pearsall, 1909 (Geometridae) Synonym(s): *quakerata* Pearsall, 1909; *apacheata* Cassino, 1927; *conglomerata* McDunnough, 1945
 17911) *Eupithecia quercetica* L.B.Prout, 1938 (Geometridae) Synonym(s): *quercetica* L.B.Prout, 1938
 17912) *Eupithecia quercetica buxata* Pinker, 1958 (Geometridae) Synonym(s): *buxata* Pinker, 1958
 17913) *Eupithecia quercetica quercetica* L.B.Prout, 1938 (Geometridae) Synonym(s): *quercetica* L.B.Prout, 1938
 17914) *Eupithecia ravocostaliata* Packard, 1876 (Geometridae) Synonym(s): *ravocostaliata* Packard, 1876
 17915) *Eupithecia rebeli* Bohatsch, 1893 (Geometridae) Synonym(s): *rebeli* Bohatsch, 1893
 17916) *Eupithecia recens* Dietze, 1904 (Geometridae) Synonym(s): *recens* Dietze, 1904; *creta* Dietze, 1908.
 17917) *Eupithecia recintoensis* Rindge, 1987 (Geometridae) Synonym(s): *recintoensis* Rindge, 1987
 17918) *Eupithecia rectilinea* Schaus, 1913 (Geometridae) Synonym(s): *rectilinea* Schaus, 1913
 17919) *Eupithecia redingtonia* McDunnough, 1949 (Geometridae) Synonym(s): *redingtonia* McDunnough, 1949
 17920) *Eupithecia rediviva* L.B.Prout, 1917 (Geometridae) Synonym(s): *rediviva* L.B.Prout, 1917
 17921) *Eupithecia referitissima* Vojnits, 1984 (Geometridae) Synonym(s): *referitissima* Vojnits, 1984
 17922) *Eupithecia regina* Taylor, 1906 (Geometridae) Synonym(s): *regina* Taylor, 1906
 17923) *Eupithecia reginamontium* M.Krüger, 2000 (Geometridae) Synonym(s): *reginamontium* M.Krüger, 2000; *#reginamontium* M.Krüger, 2000
 17924) *Eupithecia regulella* (Warren, 1907) (Geometridae) Synonym(s): *regulella* (Warren, 1907)
 17925) *Eupithecia regulosa* (Warren, 1902) (Geometridae) Synonym(s): *regulosa* Warren, 1902
 17926) *Eupithecia reisserata* Pinker, 1976 (Geometridae) Synonym(s): *reisserata* Pinker, 1976
 17927) *Eupithecia reisserata levari* Hausmann, 1991 (Geometridae) Synonym(s): *levari* Hausmann, 1991
 17928) *Eupithecia reisserata reisserata* Pinker, 1976 (Geometridae) Synonym(s): *reisserata* Pinker, 1976
 17929) *Eupithecia relativa* Vojnits, 1982 (Geometridae) Synonym(s): *relativa* Vojnits, 1982
 17930) *Eupithecia relaxata* Dietze, 1904 (Geometridae) Synonym(s): *relaxata* Dietze, 1904; *vicariata* Dietze, 1904; *adjunctata* Dietze, 1904.
 17931) *Eupithecia relictata* Dietze, 1904 (Geometridae) Synonym(s): *relictata* Dietze, 1904; *relinquata* Dietze, 1910.
 17932) *Eupithecia remmi* Viidalepp, 1988 (Geometridae) Synonym(s): *remmi* Viidalepp, 1988
 17933) *Eupithecia repentina* Vojnits & Laever, 1978 (Geometridae) Synonym(s): *repentina* Vojnits & Laever, 1978
 17934) *Eupithecia repetita* Vojnits, 1981 (Geometridae) Synonym(s): *repetita* Vojnits, 1981
 17935) *Eupithecia resarta* L.B.Prout, 1932 (Geometridae) Synonym(s): *resarta* L.B.Prout, 1932
 17936) *Eupithecia retusa* C.G.Krüger, 1939 (Geometridae) Synonym(s): *retusa* C.G.Krüger, 1939
 17937) *Eupithecia rhodopyra* (Meyrick, 1899) (Geometridae) Synonym(s): *rhodopyra* Meyrick, 1899
 17938) *Eupithecia rhoisata* (Chrétien, 1917) (Geometridae) Synonym(s): *rhoisata* Chrétien, 1917
 17939) *Eupithecia rhombipennis* (L.B.Prout, 1911) (Geometridae) Synonym(s): *rhombipennis* L.B.Prout, 1911
 17940) *Eupithecia ridiculata* Brandt, 1938 (Geometridae) Synonym(s): *ridiculata* Brandt, 1938
 17941) *Eupithecia rigida* Swinhoe, 1892 (Geometridae) Synonym(s): *rigida* Swinhoe, 1892
 17942) *Eupithecia rigida rigida* Swinhoe, 1892 (Geometridae) Synonym(s): *rigida* Swinhoe, 1892
 17943) *Eupithecia rigida sporadica* L.B.Prout, 1932 (Geometridae) Synonym(s): *sporadica* L.B.Prout, 1932
 17944) *Eupithecia rigouti* Herbulot, 1994 (Geometridae) Synonym(s): *rigouti* Herbulot, 1994
 17945) *Eupithecia riparia* Herrich-Schäffer, 1852 (Geometridae) Synonym(s): *riparia* Herrich-Schäffer, 1852; *drupisaria* W.Petersen, 1909
 17946) *Eupithecia robertata* Rougemont, 1903 (Geometridae) Synonym(s): *robertata* Rougemont, 1903
 17947) *Eupithecia robiginascens* L.B.Prout, 1926 (Geometridae) Synonym(s): *robiginascens* L.B.Prout, 1926
 17948) *Eupithecia robusta* Dietze, 1910 (Geometridae) Synonym(s): *robusta* Dietze, 1910
 17949) *Eupithecia rosai* Pinker, 1962 (Geometridae) Synonym(s): *rosai* Pinker, 1962
 17950) *Eupithecia rosalia* Butler, 1882 (Geometridae) Synonym(s): *rosalia* Butler, 1882; *kristenseni* Vojnits, 1985
 17951) *Eupithecia rosmarinata* Dardoin & Millière, 1865 (Geometridae) Synonym(s): *rosmarinata* Dardoin & Millière, 1865
 17952) *Eupithecia rotundopuncta* Packard, 1871 (Geometridae) Synonym(s): *rotundopuncta* Packard, 1871; *rotundopunctata* Packard, 1876
 17953) *Eupithecia rougeoti* Herbulot, 1983 (Geometridae) Synonym(s): *rougeoti* Herbulot, 1983
 17954) *Eupithecia rubellata* Dietze, 1904 (Geometridae) Synonym(s): *rubellata* Dietze, 1904; *deserticola* Dietze, 1910; *scotaeata* Dietze, 1910; *invenusta* Vojnits, 1977.
 17955) *Eupithecia rubellicincta* (Warren, 1904) (Geometridae) Synonym(s): *rubellicincta* Warren, 1904
 17956) *Eupithecia rubidimixta* L.B.Prout, 1916 (Geometridae) Synonym(s): *rubidimixta* L.B.Prout, 1916
 17957) *Eupithecia rubigata* Snellen, 1874 (Geometridae) Synonym(s): *rubigata* Snellen, 1874
 17958) *Eupithecia rubiginifera* L.B.Prout, 1913 (Geometridae) Synonym(s): *rubiginifera* L.B.Prout, 1913
 17959) *Eupithecia rubridorsata* Hampson, 1895 (Geometridae) Synonym(s): *rubridorsata* Hampson, 1895
 17960) *Eupithecia rubristigma* L.B.Prout, 1932 (Geometridae) Synonym(s): *rubristigma* L.B.Prout, 1932
 17961) *Eupithecia rufa* Schaus, 1913 (Geometridae) Synonym(s): *rufa* Schaus, 1913
 17962) *Eupithecia rufescens* Butler, 1878 (Geometridae) Synonym(s): *rufescens* Butler, 1878
 17963) *Eupithecia ruficornis* (Warren, 1897) (Geometridae) Synonym(s): *ruficornis* Warren, 1897

- 17964) *Eupithecia rufipalpata* (Dognin,1902) (Geometridae) Synonym(s): *rufipalpata* Dognin,1902
 17965) *Eupithecia rufivenata* (Warren,1907) (Geometridae) Synonym(s): *rufivenata* Warren,1907
 17966) *Eupithecia rusicadaria* Dietze,1910 (Geometridae) Synonym(s): *rusicadaria* Dietze,1910
 17967) *Eupithecia russeliata* Swett,1908 (Geometridae) Synonym(s): *russeliata* Swett,1908
 17968) *Eupithecia russeliata brauneata* Swett,1908 (Geometridae) Synonym(s): *brauneata* Swett,1908
 17969) *Eupithecia russeliata russeliata* Swett,1908 (Geometridae) Synonym(s): *russeliata* Swett,1908
 17970) *Eupithecia russeola* L.B.Prout,1926 (Geometridae) Synonym(s): *russeola* L.B.Prout,1926
 17971) *Eupithecia ryukyuensis* Inoue,1971 (Geometridae) Synonym(s): *ryukyuensis* Inoue,1971
 17972) *Eupithecia sabulosata* McDunnough,1944 (Geometridae) Synonym(s): *sabulosata* McDunnough,1944
 17973) *Eupithecia sachalini* Vojnits,1981 (Geometridae) Synonym(s): *sachalini* Vojnits,1981
 17974) *Eupithecia sacrimontis* L.B.Prout,1938 (Geometridae) Synonym(s): *sacrimontis* L.B.Prout,1938
 17975) *Eupithecia sacrosancta* Vojnits,1979 (Geometridae) Synonym(s): *sacrosancta* Vojnits,1979
 17976) *Eupithecia sagittata* (Warren,1897) (Geometridae) Synonym(s): *sagittata* Warren,1897
 17977) *Eupithecia saisanaria* Staudinger,1882 (Geometridae) Synonym(s): *saisanaria* Staudinger,1882
 17978) *Eupithecia salti* D.S.Fletcher,1951 (Geometridae) Synonym(s): *salti* D.S.Fletcher,1951
 17979) *Eupithecia santolinata* Mabille,1871 (Geometridae) Synonym(s): *santolinata* Mabille,1871
 17980) *Eupithecia saphenes* L.B.Prout,1916 (Geometridae) Synonym(s): *saphenes* L.B.Prout,1916
 17981) *Eupithecia sardoa* Dietze,1910 (Geometridae) Synonym(s): *sardoa* Dietze,1910
 17982) *Eupithecia sardoa peterseni* Wagner,1914 (Geometridae) Synonym(s): *peterseni* Wagner,1914
 17983) *Eupithecia satyrata* (Hübner,[1813]) (Geometridae) Synonym(s): *satyrata* Hübner,[1813]; *satyraria* Boisduval,1840; *italicata* Guenée,1858; *submelanochroa* Vojnits,1973
 17984) *Eupithecia satyrata callunaria* Doubleday,1850 (Geometridae) Synonym(s): *callunaria* Doubleday,1850
 17985) *Eupithecia satyrata dodata* Taylor,1906 (Geometridae) Synonym(s): *dodata* Taylor,1906; *slocanata* Taylor,1908; *terminata* Taylor,1908; *fumata* Taylor,1910; *divinula* Cassino & Swett,1924; *mackieata* Cassino & Swett,1925
 17986) *Eupithecia satyrata intinata* Pearsall,1908 (Geometridae) Synonym(s): *intinata* Pearsall,1908
 17987) *Eupithecia satyrata juldusi* Dietze,1910 (Geometridae) Synonym(s): *juldusi* Dietze,1910; *concolor* Dietze,1913.
 17988) *Eupithecia satyrata rivosulata* Dietze,1875 (Geometridae) Synonym(s): *rivosulata* Dietze,1875
 17989) *Eupithecia satyrata satyrata* (Hübner,[1813]) (Geometridae) Synonym(s): *satyrata* Hübner,[1813]; *satyraria* Boisduval,1840
 17990) *Eupithecia satyrata subatrata* Staudinger,1871 (Geometridae) Synonym(s): *subatrata* Staudinger,1871; *submelanochroa* Vojnits,1973.
 17991) *Eupithecia satyrata zermattensis* Wehrli,1928 (Geometridae) Synonym(s): *zermattensis* Wehrli,1928
 17992) *Eupithecia scabrogata* Pearsall,1912 (Geometridae) Synonym(s): *scabrogata* Pearsall,1912
 17993) *Eupithecia scalptata* Christoph,1885 (Geometridae) Synonym(s): *scalptata* Christoph,1885
 17994) *Eupithecia scaphiata* Herbulot,1993 (Geometridae) Synonym(s): *scaphiata* Herbulot,1993
 17995) *Eupithecia schuetzeana* Pinker,1961 (Geometridae) Synonym(s): *schuetzeana* Pinker,1961
 17996) *Eupithecia chungqar* Koçak & Kemal,2001 (Geometridae) Synonym(s): *mystica* Vojnits,1988 nec Dietz.,1910; *chungqar* Koçak & Kemal,2001.
 17997) *Eupithecia schwingenschussi* Zerny,1934 (Geometridae) Synonym(s): *schwingenschussi* Zerny,1934
 17998) *Eupithecia scione* Herbulot,1987 (Geometridae) Synonym(s): *scione* Herbulot,1987
 17999) *Eupithecia sclerata* Vojnits,1982 (Geometridae) Synonym(s): *sclerata* Vojnits,1982
 18000) *Eupithecia scopariata* (Rambur,1833) (Geometridae) Synonym(s): *scopariata* Rambur,1833; *scoparia* Boisduval,1840; *tenebrosaria* Herrich-Schäffer,1848; *multiflora* Millière,1866
 18001) *Eupithecia scopariata guinardiaria* Boisduval,1840 (Geometridae) Synonym(s): *guinardiaria* Boisduval,1840; *graslinaria* Staudinger,1871
 18002) *Eupithecia scopariata scopariata* (Rambur,1833) (Geometridae) Synonym(s): *scopariata* Rambur,1833; *scoparia* Boisduval,1840; *tenebrosaria* Herrich-Schäffer,1848; *multiflora* Millière,1866
 18003) *Eupithecia scoriodes* (Meyrick,1899) (Geometridae) Synonym(s): *scoriodes* Meyrick,1899
 18004) *Eupithecia scortillata* Dietze,1904 (Geometridae) Synonym(s): *scortillata* Dietze,1904; *subscortillata* Viidalepp,1988
 18005) *Eupithecia scribai* L.B.Prout,1938 (Geometridae) Synonym(s): *scribai* L.B.Prout,1938
 18006) *Eupithecia seatacama* Rindge,1987 (Geometridae) Synonym(s): *seatacama* Rindge,1987
 18007) *Eupithecia sectila* Brandt,1938 (Geometridae) Synonym(s): *sectila* Brandt,1938
 18008) *Eupithecia sectilinea* Herbulot,1988 (Geometridae) Synonym(s): *sectilinea* Herbulot,1988
 18009) *Eupithecia secura* Vojnits,1979 (Geometridae) Synonym(s): *secura* Vojnits,1979
 18010) *Eupithecia seditiosa* Vojnits,1981 (Geometridae) Synonym(s): *seditiosa* Vojnits,1981
 18011) *Eupithecia segregata* Pearsall,1910 (Geometridae) Synonym(s): *segregata* Pearsall,1910; *bonita* Cassino & Swett,1925
 18012) *Eupithecia selinata* Herrich-Schäffer,1861 (Geometridae) Synonym(s): *selinata* Herrich-Schäffer,1861; *divina* Vojnits,1981
 18013) *Eupithecia selinata fusei* Inoue,1980 (Geometridae) Synonym(s): *fusei* Inoue,1980
 18014) *Eupithecia selinata selinata* Herrich-Schäffer,1861 (Geometridae) Synonym(s): *selinata* Herrich-Schäffer,1861
 18015) *Eupithecia selinata tenebricosa* Dietze,1910 (Geometridae) Synonym(s): *tenebricosa* Dietze,1910
 18016) *Eupithecia sellia* (Warren,1906) (Geometridae) Synonym(s): *sellia* Warren,1906
 18017) *Eupithecia sellimima* (Dyar,1927) (Geometridae) Synonym(s): *sellimima* Dyar,1927
 18018) *Eupithecia selva* Vojnits,1992 (Geometridae) Synonym(s): *selva* Vojnits,1992
 18019) *Eupithecia semicalva* Vojnits,1979 (Geometridae) Synonym(s): *semicalva* Vojnits,1979
 18020) *Eupithecia semiflavata* (Warren,1902) (Geometridae) Synonym(s): *semiflavata* Warren,1902
 18021) *Eupithecia semigraphata* Bruand,[1847] (Geometridae) Synonym(s): *semigraphata* Bruand,[1847]
 18022) *Eupithecia semigraphata arida* Dietze,1910 (Geometridae) Synonym(s): *arida* Dietze,1910
 18023) *Eupithecia semigraphata canariensis* Dietze,1910 (Geometridae) Synonym(s): *canariensis* Dietze,1910
 18024) *Eupithecia semigraphata gravosata* Schütze,1956 (Geometridae) Synonym(s): *gravosata* Schütze,1956
 18025) *Eupithecia semigraphata lutulentaria* Schwingenschuss,1939 (Geometridae) Synonym(s): *lutulentaria* Schwingenschuss,1939
 18026) *Eupithecia semigraphata nepetata* Mabille,1869 (Geometridae) Synonym(s): *nepetata* Mabille,1869
 18027) *Eupithecia semigraphata porphyrate* Zerny,1934 (Geometridae) Synonym(s): *porphyrate* Zerny,1934
 18028) *Eupithecia semigraphata semigraphata* Bruand,[1847] (Geometridae) Synonym(s): *semigraphata* Bruand,[1847]
 18029) *Eupithecia semilignata* (Warren,1906) (Geometridae) Synonym(s): *semilignata* Warren,1906
 18030) *Eupithecia semilotaria* (Mabille,1885) (Geometridae) Synonym(s): *semilotaria* Mabille,1885
 18031) *Eupithecia semilugens* (Dognin,1906) (Geometridae) Synonym(s): *semilugens* Dognin,1906
 18032) *Eupithecia seminigra* (Warren,1904) (Geometridae) Synonym(s): *seminigra* Warren,1904
 18033) *Eupithecia seminuda* Vojnits,1984 (Geometridae) Synonym(s): *seminuda* Vojnits,1984
 18034) *Eupithecia semipallida* Janse,1933 (Geometridae) Synonym(s): *semipallida* Janse,1933
 18035) *Eupithecia semirufescens* (Warren,1906) (Geometridae) Synonym(s): *semirufescens* Warren,1906
 18036) *Eupithecia semivacua* (Dognin,1908) (Geometridae) Synonym(s): *semivacua* Dognin,1908
 18037) *Eupithecia sempiterna* Vojnits,1984 (Geometridae) Synonym(s): *sempiterna* Vojnits,1984
 18038) *Eupithecia senorita* Mironov,2003 (Geometridae) Synonym(s): *senorita* Mironov,2003
 18039) *Eupithecia separata* Staudinger,1879 (Geometridae) Synonym(s): *separata* Staudinger,1879; *saueri* Vojnits,1978.
 18040) *Eupithecia serenata* Staudinger,1896 (Geometridae) Synonym(s): *serenata* Staudinger,1896
 18041) *Eupithecia seawardata* Bolte,1977 (Geometridae) Synonym(s): *sewardata* Bolte,1977
 18042) *Eupithecia sexpunctata* (Dognin,1902) (Geometridae) Synonym(s): *sexpunctata* Dognin,1902
 18043) *Eupithecia shachdarensis* Viidalepp,1988 (Geometridae) Synonym(s): *shachdarensis* Viidalepp,1988
 18044) *Eupithecia sharronata* Bolte,1990 (Geometridae) Synonym(s): *sharronata* Bolte,1990
 18045) *Eupithecia sheppardata* McDunnough,1938 (Geometridae) Synonym(s): *sheppardata* McDunnough,1938
 18046) *Eupithecia shikokuensis* Inoue,1980 (Geometridae) Synonym(s): *shikokuensis* Inoue,1980
 18047) *Eupithecia shirleyata* Cassino & Swett,1922 (Geometridae) Synonym(s): *shirleyata* Cassino & Swett,1922
 18048) *Eupithecia siata* Brandt,1938 (Geometridae) Synonym(s): *siata* Brandt,1938
 18049) *Eupithecia sibylla* Butler,1882 (Geometridae) Synonym(s): *sibylla* Butler,1882; *praelongata* Warren,1900; *davisi* Vojnits,1985

- 18050) *Eupithecia sierrae* (Hulst,1896) (Geometridae) Synonym(s): *sierrae* Hulst,1896; *conceptata* Pearsall,1909; *joymaketa* Cassino,1925
- 18051) *Eupithecia signigera* Butler,1879 (Geometridae) Synonym(s): *signigera* Butler,1879; *carearia* Leech,1897
- 18052) *Eupithecia silenata* Assmann,1848 (Geometridae) Synonym(s): *silenata* Assmann,1848; *silenaria* Herich-Schäffer,1852.
- 18053) *Eupithecia silenicolata* Mabille,1867 (Geometridae) Synonym(s): *silenicolata* Mabille,1867
- 18054) *Eupithecia silenicolata perdistincta* Wehrli,1933 (Geometridae) Synonym(s): *perdistincta* Wehrli,1933
- 18055) *Eupithecia silenicolata silenicolata* Mabille,1867 (Geometridae) Synonym(s): *silenicolata* Mabille,1867
- 18056) *Eupithecia silenicolata sultanabadi* Brandt,1941 (Geometridae) Synonym(s): *sultanabadi* Brandt,1941
- 18057) *Eupithecia silenicolata zengoensis* Fazekas,1979 (Geometridae) Synonym(s): *zengoensis* Fazekas,1979
- 18058) *Eupithecia simplicata* Haworth,[1809] (Geometridae) Synonym(s): *simplicata* Haworth,[1809]; *subnotata* Hübner,[1813]; *subnotaria* Boisduval,1840; *subnotataria* Herrich-Schäffer,1848.
- 18059) *Eupithecia sinuosaria* (Eversmann,1848) (Geometridae) Synonym(s): *sinuosaria* Eversmann,1848
- 18060) *Eupithecia sinuosaria obliquaria* Leech,1897 (Geometridae) Synonym(s): *obliquaria* Leech,1897
- 18061) *Eupithecia sinuosaria sinuosaria* (Eversmann,1848) (Geometridae) Synonym(s): *sinuosaria* Eversmann,1848
- 18062) *Eupithecia solianikovi tenella* Vojnits,1976 (Geometridae) Synonym(s): *tenella* Vojnits,1976
- 18063) *Eupithecia slossonata* McDunnough,1949 (Geometridae) Synonym(s): *slossonata* McDunnough,1949
- 18064) *Eupithecia sobria* (L.B.Prout,1910) (Geometridae) Synonym(s): *sobria* L.B.Prout,1910
- 18065) *Eupithecia sodalis* L.B.Prout,1937 (Geometridae) Synonym(s): *sodalis* L.B.Prout,1937
- 18066) *Eupithecia sogai* Herbulot,1970 (Geometridae) Synonym(s): *sogai* Herbulot,1970
- 18067) *Eupithecia sola* Vojnits,1983 (Geometridae) Synonym(s): *sola* Vojnits,1983
- 18068) *Eupithecia solianikovi Viidalepp*,1988 (Geometridae) Synonym(s): *solianikovi Viidalepp*,1988
- 18069) *Eupithecia somereni* L.B.Prout,1935 (Geometridae) Synonym(s): *somereni* L.B.Prout,1935
- 18070) *Eupithecia sophia* Butler,1878 (Geometridae) Synonym(s): *sophia* Butler,1878
- 18071) *Eupithecia sorda* Dognin,1899 (Geometridae) Synonym(s): *sorda* Dognin,1899
- 18072) *Eupithecia soricella* Lucas,1938 (Geometridae) Synonym(s): *soricella* Lucas,1938
- 18073) *Eupithecia* sp.1 (Geometridae) Synonym(s):
- 18074) *Eupithecia* sp.2 (Geometridae) Synonym(s):
- 18075) *Eupithecia* sp.3 (Geometridae) Synonym(s):
- 18076) *Eupithecia* sp.4 (Geometridae) Synonym(s):
- 18077) *Eupithecia spadiceata* Zerny,1933 (Geometridae) Synonym(s): *spadiceata* Zerny,1933
- 18078) *Eupithecia spadix* Inoue,1955 (Geometridae) Synonym(s): *spadix* Inoue,1955
- 18079) *Eupithecia specialis* Schultze,1920 (Geometridae) Synonym(s): *specialis* Schultze,1920
- 18080) *Eupithecia spermaphaga* (Dyar,1917) (Geometridae) Synonym(s): *spermaphaga* Dyar,1917
- 18081) *Eupithecia sperryi* McDunnough,1939 (Geometridae) Synonym(s): *sperryi* McDunnough,1939
- 18082) *Eupithecia spilocyma* L.B.Prout,1931 (Geometridae) Synonym(s): *spilocyma* L.B.Prout,1931
- 18083) *Eupithecia spilosata* Walker,[1863] (Geometridae) Synonym(s): *spilosata* Walker,[1863]; *hispida* Bastelberger,1908
- 18084) *Eupithecia spissilineata* (Metzner,1846) (Geometridae) Synonym(s): *spissilineata* Metzner,1846; *multilineata* Mann,1866.
- 18085) *Eupithecia sporobola* Herbulot,1988 (Geometridae) Synonym(s): *sporobola* Herbulot,1988
- 18086) *Eupithecia spurcata* (Warren,1904) (Geometridae) Synonym(s): *spurcata* Warren,1904; *akerbergi* Vojnits,1985
- 18087) *Eupithecia stagira* Herbulot,1987 (Geometridae) Synonym(s): *stagira* Herbulot,1987
- 18088) *Eupithecia stataria* Inoue,1988 (Geometridae) Synonym(s): *stataria* Inoue,1988
- 18089) *Eupithecia staurophragma* (Meyrick,1899) (Geometridae) Synonym(s): *staurophragma* Meyrick,1899
- 18090) *Eupithecia steeleae* D.S.Fletcher,1951 (Geometridae) Synonym(s): *steeleae* D.S.Fletcher,1951
- 18091) *Eupithecia stellata* (Hulst,1896) (Geometridae) Synonym(s): *stellata* Hulst,1896
- 18092) *Eupithecia stertzi* (Rebel,1911) (Geometridae) Synonym(s): *stertzi* Rebel,1911
- 18093) *Eupithecia sticticata* (Warren,1907) (Geometridae) Synonym(s): *sticticata* Warren,1907
- 18094) *Eupithecia stigmaticata* Christoph,1885 (Geometridae) Synonym(s): *stigmaticata* Christoph,1885
- 18095) *Eupithecia stigmatophora* (Dognin,1914) (Geometridae) Synonym(s): *stigmatophora* Dognin,1914
- 18096) *Eupithecia stomachosa* Vojnits,1980 (Geometridae) Synonym(s): *stomachosa* Vojnits,1980
- 18097) *Eupithecia stratonata* Packard,1873 (Geometridae) Synonym(s): *stratonata* Packard,1873
- 18098) *Eupithecia streptozona* L.B.Prout,1932 (Geometridae) Synonym(s): *streptozona* L.B.Prout,1932
- 18099) *Eupithecia strigatissima* Turati,1927 (Geometridae) Synonym(s): *strigatissima* Turati,1927
- 18100) *Eupithecia studiosa* Vojnits,1979 (Geometridae) Synonym(s): *studiosa* Vojnits,1979
- 18101) *Eupithecia stypheliae* (Swezey,1938) (Geometridae) Synonym(s): *stypheliae* Swezey,1938
- 18102) *Eupithecia subalba* (Warren,1906) (Geometridae) Synonym(s): *subalba* Warren,1906
- 18103) *Eupithecia subanis* (Dyar,1918) (Geometridae) Synonym(s): *subanis* Dyar,1918
- 18104) *Eupithecia subapicata* Guenée,[1858] (Geometridae) Synonym(s): *subapicata* Guenée,[1858]; *occidentaliata* Packard,1871
- 18105) *Eupithecia subbreviata* Staudinger,1897 (Geometridae) Synonym(s): *subbreviata* Staudinger,1897
- 18106) *Eupithecia subbrunneata* Dietze,1904 (Geometridae) Synonym(s): *subbrunneata* Dietze,1904; *amita* Dietze,1910; *carissima* Vojnits & Laever,1973
- 18107) *Eupithecia subcanipars* L.B.Prout,1917 (Geometridae) Synonym(s): *subcanipars* L.B.Prout,1917
- 18108) *Eupithecia subcolorata* (Hulst,1898) (Geometridae) Synonym(s): *subcolorata* Hulst,1898
- 18109) *Eupithecia subconclusaria* L.B.Prout,1917 (Geometridae) Synonym(s): *subconclusaria* L.B.Prout,1917
- 18110) *Eupithecia subdeverrata* Vojnits,1975 (Geometridae) Synonym(s): *subdeverrata* Vojnits,1975
- 18111) *Eupithecia subexiguata* Vojnits,1974 (Geometridae) Synonym(s): *subexiguata* Vojnits,1974
- 18112) *Eupithecia subextremata* Schütze,1959 (Geometridae) Synonym(s): *subextremata* Schütze,1959
- 18113) *Eupithecia subfenestrata* Staudinger,1892 (Geometridae) Synonym(s): *subfenestrata* Staudinger,1892
- 18114) *Eupithecia subflavolineata* Lucas,1938 (Geometridae) Synonym(s): *subflavolineata* Lucas,1938
- 18115) *Eupithecia subfumosa* Inoue,1965 (Geometridae) Synonym(s): *subfumosa* Inoue,1965
- 18116) *Eupithecia subfuscata* (Haworth,[1809]) (Geometridae) Synonym(s): *subfuscata* Haworth,[1809]; *castigata* Hübner,[1813]; *castigaria* Boisduval,1840; *compressata* Guenée,[1858]; *implicata* Walker,1862; *blancheata* Cooke,1881; *latipennis* Hulst,1898
- 18117) *Eupithecia subfuscata subfuscata* (Haworth,[1809]) (Geometridae) Synonym(s): *subfuscata* Haworth,[1809]; *castigata* Hübner,[1813]; *castigaria* Boisduval,1840; *compressata* Guenée,[1858]; *implicata* Walker,1862; *blancheata* Cooke,1881; *latipennis* Hulst,1898
- 18118) *Eupithecia subfuscata ussuriensis* Dietze,1910 (Geometridae) Synonym(s): *ussuriensis* Dietze,1910; *ichinosawana* Matsumura,1925; *latimarginata* Matsumura,1925
- 18119) *Eupithecia subinduta* L.B.Prout,1923 (Geometridae) Synonym(s): *subinduta* L.B.Prout,1923
- 18120) *Eupithecia subita* Vojnits,1979 (Geometridae) Synonym(s): *subita* Vojnits,1979
- 18121) *Eupithecia sublasciva* Vojnits,1984 (Geometridae) Synonym(s): *sublasciva* Vojnits,1984
- 18122) *Eupithecia sublata* Vojnits,1994 (Geometridae) Synonym(s): *sublata* Vojnits,1994
- 18123) *Eupithecia submiranda* (Warren,1906) (Geometridae) Synonym(s): *submiranda* Warren,1906
- 18124) *Eupithecia subnixa* Vojnits,1994 (Geometridae) Synonym(s): *subnixa* Vojnits,1994
- 18125) *Eupithecia subolivacea* Inoue,1996 (Geometridae) Synonym(s): *subolivacea* Inoue,1996
- 18126) *Eupithecia subomnigera* Vojnits,1988 (Geometridae) Synonym(s): *subomnigera* Vojnits,1988
- 18127) *Eupithecia suboxydata* Staudinger,1897 (Geometridae) Synonym(s): *suboxydata* Staudinger,1897
- 18128) *Eupithecia subplacida* Vojnits,1984 (Geometridae) Synonym(s): *subplacida* Vojnits,1984
- 18129) *Eupithecia subpulchrata* Alpheraky,1883 (Geometridae) Synonym(s): *subpulchrata* Alpheraky,1883
- 18130) *Eupithecia subregulosa* Wiltshire,1990 (Geometridae) Synonym(s): *subregulosa* Wiltshire,1990
- 18131) *Eupithecia subrubescens* (Warren,1888) (Geometridae) Synonym(s): *subrubescens* Warren,1888; *despicienda* Butler,1889
- 18132) *Eupithecia subscriptaria* L.B.Prout,1917 (Geometridae) Synonym(s): *scriptaria* L.B.Prout,1917
- 18133) *Eupithecia subsequaria* Herrich-Schäffer,[1852] (Geometridae) Synonym(s): *subsequaria* Herrich-Schäffer,[1852]; *dubiosa* Wagner,1929; *dubiosata* Wagner,1929; *richteri* Vardikjan,1954
- 18134) *Eupithecia subtacincta* Hampson,1895 (Geometridae) Synonym(s): *subtacincta* Hampson,1895

- 18135) *Eupithecia subtilis* Dietze, 1910 (Geometridae) Synonym(s): *subtilis* Dietze, 1910
- 18136) *Eupithecia subumbrata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *subumbrata* [Denis & Schiffermüller], 1775; *scabiosata* Borkhausen, 1794; *piperata* Stephens, 1831, *subumbraria* Boisduval, 1840; *obrutaria* Doubleday, 1849; *majoraria* De La Harpe, 1855.
- 18137) *Eupithecia subumbrata iliata* Schütze, 1956 (Geometridae) Synonym(s): *iliata* Schütze, 1956; *limbofasciata* Schütze, 1956
- 18138) *Eupithecia subumbrata subumbrata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *subumbrata* [Denis & Schiffermüller], 1775; *scabiosata* Borkhausen, 1794; *piperata* Stephens, 1831, *subumbraria* Boisduval, 1840; *obrutaria* Doubleday, 1849; *majoraria* De La Harpe, 1855.
- 18139) *Eupithecia subvaticina* Vojnits, 1982 (Geometridae) Synonym(s): *subvaticina* Vojnits, 1982
- 18140) *Eupithecia subvirens* Dietze, 1875 (Geometridae) Synonym(s): *subvirens* Dietze, 1875; *laisata* McDunnough, 1940
- 18141) *Eupithecia subviridis* Vojnits, 1983 (Geometridae) Synonym(s): *subviridis* Vojnits, 1983
- 18142) *Eupithecia subvulgata* Vojnits, 1982 (Geometridae) Synonym(s): *subvulgata* Vojnits, 1982
- 18143) *Eupithecia succenturiata* (Linnaeus, 1758) (Geometridae) Synonym(s): *succenturiata* Linnaeus, 1758; *disparata* Hübner, [1799]
- 18144) *Eupithecia succenturiata artvinata* (Geometridae) Synonym(s):
- 18145) *Eupithecia succenturiata daghestanica* (Geometridae) Synonym(s):
- 18146) *Eupithecia succenturiata exalbidata* Staudinger, 1901 (Geometridae) Synonym(s): *exalbidata* Staudinger, 1901
- 18147) *Eupithecia succenturiata extrema* Dietze, 1913 (Geometridae) Synonym(s): *extrema* Dietze, 1913
- 18148) *Eupithecia succenturiata succenturiata* (Linnaeus, 1758) (Geometridae) Synonym(s): *succenturiata* Linnaeus, 1758; *disparata* Hübner, [1799]
- 18149) *Eupithecia succernata* Möschler, 1886 (Geometridae) Synonym(s): *succernata* Möschler, 1886
- 18150) *Eupithecia summissa* Schaus, 1913 (Geometridae) Synonym(s): *summissa* Schaus, 1913
- 18151) *Eupithecia supercastigata* Inoue, 1958 (Geometridae) Synonym(s): *supercastigata* Inoue, 1958
- 18152) *Eupithecia supersophia* Inoue, 1987 (Geometridae) Synonym(s): *supersophia* Inoue, 1987
- 18153) *Eupithecia supporta* (Dyar, 1918) (Geometridae) Synonym(s): *supporta* Dyar, 1918
- 18154) *Eupithecia suspiciosa* Vojnits, 1983 (Geometridae) Synonym(s): *suspiciosa* Vojnits, 1983
- 18155) *Eupithecia sutiliata* Christoph, 1877 (Geometridae) Synonym(s): *sutiliata* Christoph, 1877; *aequata* Staudinger, 1892; *orientata* Staudinger, 1901; *diffusata* Dietze, 1903; *rjabovi* Vojnits, 1975; *kasachstanica* Viidalepp, 1988.
- 18156) *Eupithecia swettii* Grossbeck, 1907 (Geometridae) Synonym(s): *swettii* Grossbeck, 1907; *ritaria* Cassino, 1927
- 18157) *Eupithecia sylpharia* (Warren, 1906) (Geometridae) Synonym(s): *sylpharia* Warren, 1906
- 18158) *Eupithecia syriacata* Staudinger, 1879 (Geometridae) Synonym(s): *syriacata* Staudinger, 1879; *semicaesia* Warren, 1900.
- 18159) *Eupithecia szelenyica* Vojnits & Laever, 1974 (Geometridae) Synonym(s): *szelenyica* Vojnits & Laever, 1974
- 18160) *Eupithecia tabacata* D.S.Fletcher, 1951 (Geometridae) Synonym(s): *tabacata* D.S.Fletcher, 1951
- 18161) *Eupithecia tabidaria* Inoue, 1955 (Geometridae) Synonym(s): *tabidaria* Inoue, 1955; *ussurii* Vojnits, 1972
- 18162) *Eupithecia taiwana* Wileman & South, 1917 (Geometridae) Synonym(s): *taiwana* Wileman & South, 1917
- 18163) *Eupithecia takao* Inoue, 1955 (Geometridae) Synonym(s): *takao* Inoue, 1955
- 18164) *Eupithecia tantillaria* Boisduval, 1840 (Geometridae) Synonym(s): *tantillaria* Boisduval, 1840; *laricis* Speyer, 1873; *calabrica* Dietze, 1910; *piceata* L.B.Prout, 1915
- 18165) *Eupithecia tantilloides* Inoue, 1958 (Geometridae) Synonym(s): *tantilloides* Inoue, 1958
- 18166) *Eupithecia tarapaca* Rindge, 1987 (Geometridae) Synonym(s): *tarapaca* Rindge, 1987
- 18167) *Eupithecia tarensis* Schwingenschuss, 1939 (Geometridae) Synonym(s): *tarensis* Schwingenschuss, 1939
- 18168) *Eupithecia tarfata* (Lucas, 1907) (Geometridae) Synonym(s): *tarfata* Lucas, 1907
- 18169) *Eupithecia tempestuosa* Vojnits, 1984 (Geometridae) Synonym(s): *tempestuosa* Vojnits, 1984
- 18170) *Eupithecia tenellata* Dietze, 1906 (Geometridae) Synonym(s): *tenellata* Dietze, 1906; *gelinearia* Lucas, 1907; *deserticola* Turati, 1934
- 18171) *Eupithecia tenellata perspicuata* Schütze, 1961 (Geometridae) Synonym(s): *perspicuata* Schütze, 1961
- 18172) *Eupithecia tenellata tenellata* Dietze, 1906 (Geometridae) Synonym(s): *tenellata* Dietze, 1906; *gelinearia* Lucas, 1907; *deserticola* Turati, 1934
- 18173) *Eupithecia tenera* Schaus, 1913 (Geometridae) Synonym(s): *tenera* Schaus, 1913
- 18174) *Eupithecia tenerifensis* (Rebel, 1906) (Geometridae) Synonym(s): *tenerifensis* Rebel, 1906
- 18175) *Eupithecia tenoensis* Rindge, 1987 (Geometridae) Synonym(s): *tenoensis* Rindge, 1987
- 18176) *Eupithecia tenuata* Hulst, 1880 (Geometridae) Synonym(s): *tenuata* Hulst, 1880
- 18177) *Eupithecia tenuata* (Hübner, [1813]) (Geometridae) Synonym(s): *tenuata* Hübner, [1813]; *macellata* Fischer v. Roeslerstamm, 1827
- 18178) *Eupithecia tenuiscripta* (Warren, 1907) (Geometridae) Synonym(s): *tenuiscripta* Warren, 1907
- 18179) *Eupithecia tenuisquama* (Warren, 1896) (Geometridae) Synonym(s): *tenuisquama* Warren, 1896
- 18180) *Eupithecia terrenata* Dietze, 1904 (Geometridae) Synonym(s): *terrenata* Dietze, 1904
- 18181) *Eupithecia terrenata* Dietze, 1913 (Geometridae) Synonym(s): *terrenata* Dietze, 1913
- 18182) *Eupithecia terrestrata* McDunnough, 1944 (Geometridae) Synonym(s): *terrestrata* McDunnough, 1944
- 18183) *Eupithecia tesserata* Brandt, 1938 (Geometridae) Synonym(s): *tesserata* Brandt, 1938
- 18184) *Eupithecia tetraglena* L.B.Prout, 1932 (Geometridae) Synonym(s): *tetraglena* L.B.Prout, 1932
- 18185) *Eupithecia tetraglena amplior* D.S.Fletcher, 1958 (Geometridae) Synonym(s): *amplior* D.S.Fletcher, 1958
- 18186) *Eupithecia tetraglena tetraglena* L.B.Prout, 1932 (Geometridae) Synonym(s): *tetraglena* L.B.Prout, 1932
- 18187) *Eupithecia thalictrata* (Püngeler, 1902) (Geometridae) Synonym(s): *thalictrata* Püngeler, 1902
- 18188) *Eupithecia thalictrata iijimai* Inoue, 1963 (Geometridae) Synonym(s): *iijimai* Inoue, 1963
- 18189) *Eupithecia thalictrata thalictrata* (Püngeler, 1902) (Geometridae) Synonym(s): *thalictrata* Püngeler, 1902
- 18190) *Eupithecia theobromina* Herbulot, 1954 (Geometridae) Synonym(s): *theobromina* Herbulot, 1954
- 18191) *Eupithecia thermosaria* Hampson, 1903 (Geometridae) Synonym(s): *thermosaria* Hampson, 1903
- 18192) *Eupithecia thessa* L.B.Prout, 1935 (Geometridae) Synonym(s): *thessa* L.B.Prout, 1935
- 18193) *Eupithecia thiaucorti* Herbulot, 1987 (Geometridae) Synonym(s): *thiaucorti* Herbulot, 1987
- 18194) *Eupithecia thomasina* L.B.Prout, 1927 (Geometridae) Synonym(s): *thomasina* L.B.Prout, 1927
- 18195) *Eupithecia thurnerata* Schütze, 1958 (Geometridae) Synonym(s): *thurnerata* Schütze, 1958
- 18196) *Eupithecia tonu* Viidalepp, 1988 (Geometridae) Synonym(s): *tonu* Viidalepp, 1988
- 18197) *Eupithecia tornolopha* (Turner, 1942) (Geometridae) Synonym(s): *tornolopha* Turner, 1942
- 18198) *Eupithecia torva* Vojnits, 1983 (Geometridae) Synonym(s): *torva* Vojnits, 1983
- 18199) *Eupithecia toshimai* Inoue, 1980 (Geometridae) Synonym(s): *toshimai* Inoue, 1980
- 18200) *Eupithecia toulgoeti* Herbulot, 1993 (Geometridae) Synonym(s): *toulgoeti* Herbulot, 1993
- 18201) *Eupithecia trampa* Dognin, 1899 (Geometridae) Synonym(s): *trampa* Dognin, 1899
- 18202) *Eupithecia tranquilla* Herbulot, 1988 (Geometridae) Synonym(s): *tranquilla* Herbulot, 1988
- 18203) *Eupithecia transacta* Vojnits, 1982 (Geometridae) Synonym(s): *transacta* Vojnits, 1982
- 18204) *Eupithecia transalaiensis* Viidalepp, 1988 (Geometridae) Synonym(s): *transalaiensis* Viidalepp, 1988
- 18205) *Eupithecia transcanadata* Mackay, 1951 (Geometridae) Synonym(s): *palpata* Dognin, 1901 nec Pack.; *transcanadata* Mackay, 1951
- 18206) *Eupithecia transcassae* Rindge, 1987 (Geometridae) Synonym(s): *transcassae* Rindge, 1987
- 18207) *Eupithecia transepiata* Rindge, 1987 (Geometridae) Synonym(s): *transepiata* Rindge, 1987
- 18208) *Eupithecia tremula* Schaus, 1913 (Geometridae) Synonym(s): *tremula* Schaus, 1913
- 18209) *Eupithecia triangulifera* (Warren, 1904) (Geometridae) Synonym(s): *triangulifera* Warren, 1904
- 18210) *Eupithecia tribunaria* Herrich-Schäffer, 1852 (Geometridae) Synonym(s): *tribunaria* Herrich-Schäffer, 1852
- 18211) *Eupithecia tricerata* Wiltshire, 1990 (Geometridae) Synonym(s): *tricerata* Wiltshire, 1990
- 18212) *Eupithecia tricerata sperlichii* Hausmann, 1991 (Geometridae) Synonym(s): *tricerata sperlichii* Hausmann, 1991
- 18213) *Eupithecia tricerata tricerata* Wiltshire, 1990 (Geometridae) Synonym(s): *tricerata* Wiltshire, 1990
- 18214) *Eupithecia tricolorata* Cassino, 1927 (Geometridae) Synonym(s): *tricolorata* Cassino, 1927
- 18215) *Eupithecia tricornuta* Inoue, 1980 (Geometridae) Synonym(s): *tricornuta* Inoue, 1980; *abjecta* Vojnits, 1980
- 18216) *Eupithecia tricrossa* L.B.Prout, 1926 (Geometridae) Synonym(s): *tricrossa* L.B.Prout, 1926
- 18217) *Eupithecia tricuspidis* L.B.Prout, 1932 (Geometridae) Synonym(s): *tricuspidis* L.B.Prout, 1932; *gonypetes* L.B.Prout, 1934
- 18218) *Eupithecia trigenuata* (Warren, 1904) (Geometridae) Synonym(s): *trigenuata* Warren, 1904
- 18219) *Eupithecia tripolitaniata* Schütze, 1959 (Geometridae) Synonym(s): *tripolitaniata* Schütze, 1959

- 18220) *Eupithecia tripunctaria* Herrich-Schäffer, [1852] (Geometridae) Synonym(s): *albipunctata* Haworth, 1809 nec Hfn., 1767; *tripunctaria* Herrich-Schäffer, [1852]; *angelicata* Barrett, 1877; *promulgata* Pearsall, 1909; *#privata* Dietze, 1913
- 18221) *Eupithecia trisignaria* Herrich-Schäffer, 1848 (Geometridae) Synonym(s): *trisignaria* Herrich-Schäffer, 1848; *#trisignata* Herrich-Schäffer, 1861
- 18222) *Eupithecia trita* (Turati, 1926) (Geometridae) Synonym(s): *trita* Turati, 1926
- 18223) *Eupithecia tritaria* Walker, [1863] (Geometridae) Synonym(s): *tritaria* Walker, [1863]
- 18224) *Eupithecia truncatipennis* (Warren, 1897) (Geometridae) Synonym(s): *truncatipennis* Warren, 1897
- 18225) *Eupithecia tshimganica* Viidalepp, 1988 (Geometridae) Synonym(s): *tshimganica* Viidalepp, 1988
- 18226) *Eupithecia tshimkentensis* Viidalepp, 1988 (Geometridae) Synonym(s): *tshimkentensis* Viidalepp, 1988; *kunashiriensis* Viidalepp & Mironov, 1988
- 18227) *Eupithecia tsushimensis* Inoue, 1980 (Geometridae) Synonym(s): *tsushimensis* Inoue, 1980
- 18228) *Eupithecia turbanta* Dognin, 1899 (Geometridae) Synonym(s): *turbanta* Dognin, 1899
- 18229) *Eupithecia turkmena* Mironov, 1989 (Geometridae) Synonym(s): *turkmena* Mironov, 1989
- 18230) *Eupithecia turpicula* Schaus, 1913 (Geometridae) Synonym(s): *turpicula* Schaus, 1913
- 18231) *Eupithecia turpis* Vojnits, 1981 (Geometridae) Synonym(s): *turpis* Vojnits, 1981
- 18232) *Eupithecia uighurica* Kemal & Koçak, 2004 (Geometridae) Synonym(s): *lutulenta* Dietze, 1913 nec *lutulenta* Warr., 1907; *uighurica* Kemal & Koçak, 2004
- 18233) *Eupithecia uinta* Rindge, 1956 (Geometridae) Synonym(s): *uinta* Rindge, 1956
- 18234) *Eupithecia ultimaria* Boisduval, 1840 (Geometridae) Synonym(s): *ultimaria* Boisduval, 1840; *tornifascia* Rothschild, 1913
- 18235) *Eupithecia undata* (Freyer, [1840]) (Geometridae) Synonym(s): *undata* Freyer, [1840]; *scriptaria* Herrich-Schäffer, 1848; *puengeleri* Dietze.
- 18236) *Eupithecia undiculata* L.B.Prout, 1932 (Geometridae) Synonym(s): *vermiculata* W. Warren, 1901 nec Snell., 1874; *undiculata* L.B.Prout, 1932
- 18237) *Eupithecia undiculata glaucata* D.S.Fletcher, 1956 (Geometridae) Synonym(s): *glaucata* D.S.Fletcher, 1956
- 18238) *Eupithecia undiculata undiculata* L.B.Prout, 1932 (Geometridae) Synonym(s): *vermiculata* W. Warren, 1901 nec Snell., 1874; *undiculata* L.B.Prout, 1932
- 18239) *Eupithecia undulifera* Schwingenschuss, 1939 (Geometridae) Synonym(s): *undulifera* Schwingenschuss, 1939
- 18240) *Eupithecia unedonata* (Mabille, 1868) (Geometridae) Synonym(s): *unedonata* Mabille, 1868
- 18241) *Eupithecia unicolor* (Hulst, 1896) (Geometridae) Synonym(s): *unicolor* Hulst, 1896; *cenataria* Cassino & Swett, 1922
- 18242) *Eupithecia unitaeniata* (Warren, 1906) (Geometridae) Synonym(s): *unitaeniata* Warren, 1906
- 18243) *Eupithecia unitaria* Herrich-Schäffer, 1852 (Geometridae) Synonym(s): *unitaria* Herrich-Schäffer, 1852; *roseocinnamomaria* Rothschild, 1913
- 18244) *Eupithecia unitaria desertorum* Dietze, 1910 (Geometridae) Synonym(s): *desertorum* Dietze, 1910
- 18245) *Eupithecia unitaria unitaria* Herrich-Schäffer, 1852 (Geometridae) Synonym(s): *unitaria* Herrich-Schäffer, 1852; *roseocinnamomaria* Rothschild, 1913
- 18246) *Eupithecia urbanata* D.S.Fletcher, 1956 (Geometridae) Synonym(s): *urbanata* D.S.Fletcher, 1956
- 18247) *Eupithecia usbeca* Viidalepp, 1988 (Geometridae) Synonym(s): *usbeca* Viidalepp, 1988
- 18248) *Eupithecia usta* Butler, 1882 (Geometridae) Synonym(s): *usta* Butler, 1882
- 18249) *Eupithecia ustata* Moore, 1888 (Geometridae) Synonym(s): *ustata* Moore, 1888
- 18250) *Eupithecia uvaria* (Warren, 1906) (Geometridae) Synonym(s): *uvaria* Warren, 1906
- 18251) *Eupithecia vacuata* Dietze, 1904 (Geometridae) Synonym(s): *vacuata* Dietze, 1904
- 18252) *Eupithecia valdivia* Rindge, 1987 (Geometridae) Synonym(s): *valdivia* Rindge, 1987
- 18253) *Eupithecia valeria* Schaus, 1913 (Geometridae) Synonym(s): *valeria* Schaus, 1913
- 18254) *Eupithecia valerianata* (Hübner, [1813]) (Geometridae) Synonym(s): *valerianata* Hübner, [1813]; *laevilignata* Bruand, 1850
- 18255) *Eupithecia vallenarensis* Rindge, 1987 (Geometridae) Synonym(s): *vallenarensis* Rindge, 1987
- 18256) *Eupithecia vana* Vojnits, 1979 (Geometridae) Synonym(s): *vana* Vojnits, 1979
- 18257) *Eupithecia variostrigata* Alpheraky, 1876 (Geometridae) Synonym(s): *variostrigata* Alpheraky, 1876; *littorata* Constant, 1884; *artemesiata* Constant, 1884
- 18258) *Eupithecia variostrigata constantina* Bethune-Baker, 1885 (Geometridae) Synonym(s): *constantina* Bethune-Baker, 1885
- 18259) *Eupithecia variostrigata designata* Dietze, 1913 (Geometridae) Synonym(s): *designata* Dietze, 1913
- 18260) *Eupithecia variostrigata variostrigata* Alpheraky, 1878 (Geometridae) Synonym(s): *variostrigata* Alpheraky, 1878; *littorata* Constant, 1884; *artemesiata* Constant, 1884
- 18261) *Eupithecia vasta* Vojnits, 1979 (Geometridae) Synonym(s): *vasta* Vojnits, 1979
- 18262) *Eupithecia vaticina* Vojnits, 1982 (Geometridae) Synonym(s): *vaticina* Vojnits, 1982
- 18263) *Eupithecia veleta* Dognin, 1899 (Geometridae) Synonym(s): *veleta* Dognin, 1899
- 18264) *Eupithecia velutipennis* Herbulot, 1986 (Geometridae) Synonym(s): *velutipennis* Herbulot, 1986
- 18265) *Eupithecia venedictoffae* Herbulot, 1987 (Geometridae) Synonym(s): *venedictoffae* Herbulot, 1987
- 18266) *Eupithecia venezuela* Koçak & Kemal, 2001 (Geometridae) Synonym(s): *fumosa* Warren, 1906 nec Hlst., 1896; *venezuela* Koçak & Kemal, 2001.
- 18267) *Eupithecia venosata* (Fabricius, 1787) (Geometridae) Synonym(s): *venosata* Fabricius, 1787; *insignata* Hübner, 1789; *decussata* Donovan, 1799
- 18268) *Eupithecia venosata fumosae* Gregson, 1887 (Geometridae) Synonym(s): *fumosae* Gregson, 1887; *nubilata* Bohatsch, 1893; *grisea* Dietze, 1913
- 18269) *Eupithecia venosata hebridensis* Curtis, 1944 (Geometridae) Synonym(s): *hebridensis* Curtis, 1944
- 18270) *Eupithecia venosata ochracea* Gregson, 1886 (Geometridae) Synonym(s): *ochracea* Gregson, 1886
- 18271) *Eupithecia venosata plumbea* Huggins, 1962 (Geometridae) Synonym(s): *plumbea* Huggins, 1962
- 18272) *Eupithecia venosata venosata* (Fabricius, 1787) (Geometridae) Synonym(s): *venosata* Fabricius, 1787; *insignata* Hübner, 1789; *decussata* Donovan, 1799
- 18273) *Eupithecia venulata* (Warren, 1907) (Geometridae) Synonym(s): *venulata* Warren, 1907
- 18274) *Eupithecia veratraria* Herrich-Schäffer, 1848 (Geometridae) Synonym(s): *veratraria* Herrich-Schäffer, 1848; *eynsensata* Graslin, 1863; *magnata* Millière, 1873; *homophaea* Djakonov, 1926; *perpaupera* Inoue, 1965; *arctica* Viidalepp, 1974; *geiserata* Mironov, 1988
- 18275) *Eupithecia verecunda* Vojnits, 1980 (Geometridae) Synonym(s): *verecunda* Vojnits, 1980
- 18276) *Eupithecia vermiculata* Snellen, 1874 (Geometridae) Synonym(s): *vermiculata* Snellen, 1874
- 18277) *Eupithecia versiplaga* (Warren, 1905) (Geometridae) Synonym(s): *versiplaga* Warren, 1905
- 18278) *Eupithecia vesiculata* Herbulot, 1954 (Geometridae) Synonym(s): *vesiculata* Herbulot, 1954
- 18279) *Eupithecia vicina* Mironov, 1989 (Geometridae) Synonym(s): *vicina* Mironov, 1989
- 18280) *Eupithecia vicksburgi* Rindge, 1985 (Geometridae) Synonym(s): *vicksburgi* Rindge, 1985
- 18281) *Eupithecia viduata* (Warren, 1907) (Geometridae) Synonym(s): *viduata* Warren, 1907
- 18282) *Eupithecia viidaleppi* Vojnits, 1981 (Geometridae) Synonym(s): *viidaleppi* Vojnits, 1981
- 18283) *Eupithecia vilis* Schaus, 1913 (Geometridae) Synonym(s): *vilis* Schaus, 1913
- 18284) *Eupithecia vinacea* D.S.Fletcher, 1956 (Geometridae) Synonym(s): *vinacea* D.S.Fletcher, 1956
- 18285) *Eupithecia violacea* Vojnits, 1981 (Geometridae) Synonym(s): *violacea* Vojnits, 1981
- 18286) *Eupithecia violetta* (Warren, 1906) (Geometridae) Synonym(s): *violetta* Warren, 1906
- 18287) *Eupithecia viperea* Schaus, 1913 (Geometridae) Synonym(s): *viperea* Schaus, 1913
- 18288) *Eupithecia virescens* (Warren, 1900) (Geometridae) Synonym(s): *virescens* Warren, 1900
- 18289) *Eupithecia virgaureata* Doubleday, 1861 (Geometridae) Synonym(s): *virgaureata* Doubleday, 1861; *altenaria* Staudinger, 1861; *offirmata* Speyer, 1869; *invisa* Butler, 1878; *wettsteini* Vojnits, 1974
- 18290) *Eupithecia vitreolata* Cassino, 1927 (Geometridae) Synonym(s): *vitreolata* Cassino, 1927
- 18291) *Eupithecia vivida* Vojnits & Laever, 1978 (Geometridae) Synonym(s): *vivida* Vojnits & Laever, 1978
- 18292) *Eupithecia vojnits* Koçak & Kemal, 2001 (Geometridae) Synonym(s): *depressa* Vojnits, 1984 nec 1979; *vojnits* Koçak & Kemal, 2001
- 18293) *Eupithecia vulgata* (Haworth, [1809]) (Geometridae) Synonym(s): *vulgata* Haworth, [1809]; *pygmaeata* Borkhausen, 1794; *clusterata* Hübner, [1813]; *austeraria* Herrich-Schäffer, 1848; *atropicta* Dietze, 1910; *cyrneata* Schawerda, 1933
- 18294) *Eupithecia vulgata lepsaria* Staudinger, 1882 (Geometridae) Synonym(s): *lepsaria* Staudinger, 1882
- 18295) *Eupithecia vulgata vulgata* (Haworth, [1809]) (Geometridae) Synonym(s): *vulgata* Haworth, [1809]; *pygmaeata* Borkhausen, 1794; *clusterata* Hübner, [1813]; *austeraria* Herrich-Schäffer, 1848; *atropicta* Dietze, 1910; *cyrneata* Schawerda, 1933
- 18296) *Eupithecia wardi* L.B.Prout, 1958 (Geometridae) Synonym(s): *wardi* L.B.Prout, 1958
- 18297) *Eupithecia weiss* L.B.Prout, 1938 (Geometridae) Synonym(s): *weiss* L.B.Prout, 1938; *barbaria* Schwingenschuss, 1955
- 18298) *Eupithecia werneri* Vojnits, 1985 (Geometridae) Synonym(s): *inepta* Vojnits, 1979 nec Prt., 1922; *werneri* Vojnits, 1985; *ronkayi* Vojnits, 1994
- 18299) *Eupithecia westonaria* (Warren, 1906) (Geometridae) Synonym(s): *westonaria* Warren, 1906
- 18300) *Eupithecia wettsteini* Vojnits, 1974 (Geometridae) Synonym(s): *wettsteini* Vojnits, 1974
- 18301) *Eupithecia wilemani* L.B.Prout, 1931 (Geometridae) Synonym(s): *wilemani* L.B.Prout, 1931
- 18302) *Eupithecia wittmeri* Wiltshire, 1980 (Geometridae) Synonym(s): *wittmeri* Wiltshire, 1980
- 18303) *Eupithecia wolffi* Vojnits, 1985 (Geometridae) Synonym(s): *producta* Vojnits, 1981 nec Bastelb., 1911; *wolffi* Vojnits, 1985

- 18304) *Eupithecia woodgatata* Cassino & Swett, 1923 (Geometridae) Synonym(s): *woodgatata* Cassino & Swett, 1923
 18305) *Eupithecia xanthomixta* Vojnits, 1988 (Geometridae) Synonym(s): *xanthomixta* Vojnits, 1988
 18306) *Eupithecia xanthomixta derbendi* Vojnits, 1988 (Geometridae) Synonym(s): *derbendi* Vojnits, 1988
 18307) *Eupithecia xanthomixta xanthomixta* Vojnits, 1988 (Geometridae) Synonym(s): *xanthomixta* Vojnits, 1988
 18308) *Eupithecia xylopsis* Herbulot, 1954 (Geometridae) Synonym(s): *xylopsis* Herbulot, 1954
 18309) *Eupithecia yakushimensis* Inoue, 1980 (Geometridae) Synonym(s): *yakushimensis* Inoue, 1980
 18310) *Eupithecia yangana* Dognin, 1899 (Geometridae) Synonym(s): *yangana* Dognin, 1899; *galenaria* Warren, 1907
 18311) *Eupithecia yasudai* Inoue, 1987 (Geometridae) Synonym(s): *yasudai* Inoue, 1987
 18312) *Eupithecia yathomi* Hausmann, 1991 (Geometridae) Synonym(s): *yathomi* Hausmann, 1991
 18313) *Eupithecia yazakii* Inoue, 1988 (Geometridae) Synonym(s): *yazakii* Inoue, 1988
 18314) *Eupithecia yelchoensis* Rindge, 1987 (Geometridae) Synonym(s): *yelchoensis* Rindge, 1987
 18315) *Eupithecia yoshimotoi* Inoue, 1988 (Geometridae) Synonym(s): *yoshimotoi* Inoue, 1988
 18316) *Eupithecia yunnani* Vojnits, 1976 (Geometridae) Synonym(s): *yunnani* Vojnits, 1976
 18317) *Eupithecia zabrata* Wolff, 1937 (Geometridae) Synonym(s): *zabrata* Wolff, 1937
 18318) *Eupithecia zekiyae* Koçak, 1986 (Geometridae) Synonym(s): *deserticola* McDunnough, 1946 nec Diet., 1910 non Tur., 1934; *zekiyae* Koçak, 1986.
 18319) *Eupithecia zelmira* Swett & Cassino, 1920 (Geometridae) Synonym(s): *zelmira* Swett & Cassino, 1920
 18320) *Eupithecia zingiberiana* D.S.Fletcher, 1956 (Geometridae) Synonym(s): *zingiberiana* D.S.Fletcher, 1956
 18321) *Eupithecia zombensis* Herbulot, 1990 (Geometridae) Synonym(s): *zombensis* Herbulot, 1990
 18322) *Eupithecia zygaeniata* Packard, 1876 (Geometridae) Synonym(s): *zygaeniata* Packard, 1876; *tenebescens* Hulst, 1900
 18323) *Eupithecia hampsoni* Kemal & Koçak, 2005 (Geometridae) Synonym(s): *variegata* Hampson, 1891 nec Mre., 1887; *hampsoni* Kemal & Koçak, 2005
 18324) *Euproutia aggravaria* (Guenée, [1858]) (Geometridae) Synonym(s): *aggravaria* Guenée, [1858]; *rubella* W.Warren, 1904; *rhodosticta* Hampson, 1910; *semialbifrons* L.B.Prout, 1915
 18325) *Euproutia rufomarginata* (Pagenstecher, 1893) (Geometridae) Synonym(s): *rufomarginata* Pagenstecher, 1893
 18326) *Eurranthus plummistaria* (Villers, 1789) (Geometridae) Synonym(s): *plummistaria* Villers, 1789; *auritaria* Hübner, [1813].
 18327) *Eustroma mardinata* (Staudinger, [1895]) (Geometridae) Synonym(s): *mardinata* Staudinger, [1895]
 18328) *Eustroma reticulata* [Denis & Schiffermüller, 1775] (Geometridae) Synonym(s): *reticulata* [Denis & Schiffermüller], 1775
 18329) *Exeliopsis amygdala* L.B.Prout, 1938 (Geometridae) Synonym(s): *amygdala* L.B.Prout, 1938
 18330) *Exeliopsis ansorgei* (W.Warren, 1905) (Geometridae) Synonym(s): *ansorgei* W.Warren, 1905
 18331) *Exeliopsis brunnea* Viette, 1977 (Geometridae) Synonym(s): *brunnea* Viette, 1977
 18332) *Exeliopsis discipuncta* Holloway, [1994] (Geometridae) Synonym(s): *discipuncta* Holloway, [1994]
 18333) *Exeliopsis exelisia* (Semper, 1901) (Geometridae) Synonym(s): *exelisia* Semper, 1901
 18334) *Exeliopsis hibernaria* (Swinhoe, 1886) (Geometridae) Synonym(s): *hibernaria* Swinhoe, 1886
 18335) *Exeliopsis insulanus* L.B.Prout, 1938 (Geometridae) Synonym(s): *insulanus* L.B.Prout, 1938
 18336) *Exeliopsis macrouncus* Holloway, [1994] (Geometridae) Synonym(s): *macrouncus* Holloway, [1994]
 18337) *Exeliopsis perse* (Fawcett, 1916) (Geometridae) Synonym(s): *perse* Fawcett, 1916
 18338) *Exeliopsis postfasciata* Holloway, [1994] (Geometridae) Synonym(s): *postfasciata* Holloway, [1994]
 18339) *Exeliopsis tholera* (L.B.Prout, 1932) (Geometridae) Synonym(s): *tholera* L.B.Prout, 1932
 18340) *Exodezia albifusa* (Swinhoe, 1904) (Geometridae) Synonym(s): *albifusa* Swinhoe, 1904
 18341) *Fagivorina arenaria* (Hufnagel, 1767) (Geometridae) Synonym(s): *arenaria* Hufnagel, 1767
 18342) *Fascellina albicordis* L.B.Prout, 1932 (Geometridae) Synonym(s): *albicordis* L.B.Prout, 1932
 18343) *Fascellina altiplagiata* Holloway, 1976 (Geometridae) Synonym(s): *altiplagiata* Holloway, 1976
 18344) *Fascellina arcipotens* L.B.Prout, 1931 (Geometridae) Synonym(s): *arcipotens* L.B.Prout, 1931
 18345) *Fascellina aua* L.B.Prout, 1928 (Geometridae) Synonym(s): *aua* L.B.Prout, 1928
 18346) *Fascellina aurifera* W.Warren, 1897 (Geometridae) Synonym(s): *aurifera* W.Warren, 1897
 18347) *Fascellina castanea* Moore, 1877 (Geometridae) Synonym(s): *castanea* Moore, 1877; *albidiscata* W.Warren, 1894; *hypochryseis* Swinhoe, 1894; *hypocausta* L.B.Prout, 1931
 18348) *Fascellina cervinaria* Snellen, 1881 (Geometridae) Synonym(s): *cervinaria* Snellen, 1881
 18349) *Fascellina chromataria* Walker, 1860 (Geometridae) Synonym(s): *chromataria* Walker, 1860; *usta* Walker, 1866; *ceylonica* Moore, [1887]; *subchromaria* Wehrli, 1936; *nigrochromaria* Inoue, 1955
 18350) *Fascellina clausaria* Walker, 1866 (Geometridae) Synonym(s): *clausaria* Walker, 1866; *deflavata* W.Warren, 1897
 18351) *Fascellina cydra* L.B.Prout, 1925 (Geometridae) Synonym(s): *cydra* L.B.Prout, 1925
 18352) *Fascellina dacoda* Swinhoe, 1893 (Geometridae) Synonym(s): *dacoda* Swinhoe, 1893
 18353) *Fascellina glaucifulgurea* L.B.Prout, 1916 (Geometridae) Synonym(s): *glaucifulgurea* L.B.Prout, 1916
 18354) *Fascellina inconspicua* W.Warren, 1894 (Geometridae) Synonym(s): *inconspicua* W.Warren, 1894
 18355) *Fascellina inornata* W.Warren, 1893 (Geometridae) Synonym(s): *inornata* W.Warren, 1893; *fuscoviridis* W.Warren, 1896
 18356) *Fascellina meligerys* L.B.Prout, 1925 (Geometridae) Synonym(s): *meligerys* L.B.Prout, 1925
 18357) *Fascellina olivataria* Walker, 1866 (Geometridae) Synonym(s): *olivataria* Walker, 1866
 18358) *Fascellina papuensis* W.Warren, 1898 (Geometridae) Synonym(s): *papuensis* W.Warren, 1898; *tropaeosema* L.B.Prout, 1916
 18359) *Fascellina pinratana* Inoue, 1992 (Geometridae) Synonym(s): *pinratana* Inoue, 1992
 18360) *Fascellina plagiata* (Walker, 1866) (Geometridae) Synonym(s): *plagiata* Walker, 1866; *viridis* Moore, 1867; *kankozana* Matsumura, 1931; *icteria* Wehrli, 1936; *subvirens* Wehrli, 1936
 18361) *Fascellina porphyreofusa* Hampson, 1895 (Geometridae) Synonym(s): *porphyreofusa* Hampson, 1895
 18362) *Fascellina pulchrachoda* Holloway, [1994] (Geometridae) Synonym(s): *pulchrachoda* Holloway, [1994]
 18363) *Fascellina punctata* W.Warren, 1898 (Geometridae) Synonym(s): *punctata* W.Warren, 1898
 18364) *Fascellina quadrata* Holloway, [1994] (Geometridae) Synonym(s): *quadrata* Holloway, [1994]
 18365) *Fascellina rectimarginata* W.Warren, 1894 (Geometridae) Synonym(s): *rectimarginata* W.Warren, 1894; *cyanifera* Swinhoe, 1894; *hypochlora* Swinhoe, 1894
 18366) *Fascellina subsignata* W.Warren, 1893 (Geometridae) Synonym(s): *subsignata* W.Warren, 1893; *curtaca* Swinhoe, 1893
 18367) *Fascellina vinosa* (W.Warren, 1893) (Geometridae) Synonym(s): *vinosa* W.Warren, 1893
 18368) *Fascellina viridicosta* Holloway, [1994] (Geometridae) Synonym(s): *viridicosta* Holloway, [1994]
 18369) *Foveabathra venusta* (W.Warren, 1899) (Geometridae) Synonym(s): *venusta* W.Warren, 1899
 18370) *Gasterocome pannosaria* (Moore, 1868) (Geometridae) Synonym(s): *pannosaria* Moore, 1868
 18371) *Geometra papilionaria* (Linnaeus, 1758) (Geometridae) Synonym(s): *papilionaria* Linnaeus, 1758; *prasinaria* Hufnagel, 1767; *albopunctata* Mattuschka, 1805.
 18372) *Geometra purissima* Wiltshire, 1966 (Geometridae) Synonym(s): *purissima* Wiltshire, 1966
 18373) *Glossotrophia (Bicalcarella) terminata* Wiltshire, 1966 (Geometridae) Synonym(s): *terminata* Wiltshire, 1966
 18374) *Glossotrophia (Bicalcarella) terminata machadoi* Hausmann, 1993 (Geometridae) Synonym(s): *machadoi* Hausmann, 1993
 18375) *Glossotrophia (Libanonia) rufotinctata* (L.B.Prout, 1913) (Geometridae) Synonym(s): *rufotinctata* L.B.Prout, 1913
 18376) *Glossotrophia (Libanonia) sacraria* (A.Bang-Haas, 1910) (Geometridae) Synonym(s): *sacraria* A.Bang-Haas, 1910
 18377) *Glossotrophia (Libanonia) sacraria ariana* Ebert, 1965 (Geometridae) Synonym(s): *ariana* Ebert, 1965; *tangii* Ebert, 1965; *ghirshmani* Wiltshire, 1966
 18378) *Glossotrophia (Libanonia) sacraria fumata* Hausmann, 1993 (Geometridae) Synonym(s): *fumata* Hausmann, 1993
 18379) *Glossotrophia (Libanonia) sacraria sacraria* (A.Bang-Haas, 1910) (Geometridae) Synonym(s): *sacraria* A.Bang-Haas, 1910
 18380) *Glossotrophia (Libanonia) sacraria semitata* (L.B.Prout, 1913) (Geometridae) Synonym(s): *semitata* L.B.Prout, 1913
 18381) *Glossotrophia (Libanonia) sacraria taurica* Wehrli, 1930 (Geometridae) Synonym(s): *taurica* Wehrli, 1930
 18382) *Glossotrophia (Parenzanella) asellaria* (Herrich-Schäffer, 1847) (Geometridae) Synonym(s): *asellaria* Herrich-Schäffer, 1847
 18383) *Glossotrophia (Parenzanella) romanarioides* (Rothschild, 1913) (Geometridae) Synonym(s): *romanarioides* Rothschild, 1913
 18384) *Glossotrophia* (s.str.) *adenensis* Wiltshire, 1986 (Geometridae) Synonym(s): *adenensis* Wiltshire, 1986
 18385) *Glossotrophia* (s.str.) *alba* Hausmann, 1993 (Geometridae) Synonym(s): *alba* Hausmann, 1993
 18386) *Glossotrophia* (s.str.) *alba africana* Hausmann, 1993 (Geometridae) Synonym(s): *africana* Hausmann, 1993
 18387) *Glossotrophia* (s.str.) *alba alba* Hausmann, 1993 (Geometridae) Synonym(s): *alba* Hausmann, 1993

- 18388) *Glossotrophia* (s.str.) *alba bronellii* Hausmann,1993 (Geometridae) Synonym(s): *bronellii* Hausmann,1993
 18389) *Glossotrophia* (s.str.) *alba capriata* Hausmann,1993 (Geometridae) Synonym(s): *capriata* Hausmann,1993
 18390) *Glossotrophia* (s.str.) *alba zahmi* Hausmann,1993 (Geometridae) Synonym(s): *zahmi* Hausmann,1993
 18391) *Glossotrophia* (s.str.) *alfierii* Wiltshire,1949 (Geometridae) Synonym(s): *alfierii* Wiltshire,1949
 18392) *Glossotrophia* (s.str.) *annae Mentzer*,1990 (Geometridae) Synonym(s): *annae* Mentzer,1990
 18393) *Glossotrophia* (s.str.) *asiatica* Brandt,1938 (Geometridae) Synonym(s): *asiatica* Brandt,1938
 18394) *Glossotrophia* (s.str.) *bullata* Vojnits,1986 (Geometridae) Synonym(s): *bullata* Vojnits,1986
 18395) *Glossotrophia* (s.str.) *buraimana* Wiltshire,1949 (Geometridae) Synonym(s): *buraimana* Wiltshire,1949; *montana* Wiltshire,1980
 18396) *Glossotrophia* (s.str.) *chalcographata* Brandt,1938 (Geometridae) Synonym(s): *chalcographata* Brandt,1938
 18397) *Glossotrophia* (s.str.) *chalcographata sinaica* Rebel,1948 (Geometridae) Synonym(s): *sinaica* Rebel,1948
 18398) *Glossotrophia* (s.str.) *confinaria* (Herrich-Schäffer,[1847]) (Geometridae) Synonym(s): *confinaria* Herrich-Schäffer,[1847]
 18399) *Glossotrophia* (s.str.) *confinaria aetnaea* L.B.Prout,1935 (Geometridae) Synonym(s): *aetnaea* L.B.Prout,1935
 18400) *Glossotrophia* (s.str.) *confinaria confinaria* (Herrich-Schäffer,[1847]) (Geometridae) Synonym(s): *confinaria* Herrich-Schäffer,[1847]
 18401) *Glossotrophia* (s.str.) *confinaria prouti* Hausmann,1993 (Geometridae) Synonym(s): *prouti* Hausmann,1993
 18402) *Glossotrophia* (s.str.) *confinaria scoblei* Hausmann,1993 (Geometridae) Synonym(s): *scoblei* Hausmann,1993
 18403) *Glossotrophia* (s.str.) *confinaria uberaria* Zerny,1933 (Geometridae) Synonym(s): *uberaria* Zerny,1933
 18404) *Glossotrophia* (s.str.) *diffinaria* L.B.Prout,1913 (Geometridae) Synonym(s): *luridata* Staudinger,1871 nec Zell.; *diffinaria* L.B.Prout,1913
 18405) *Glossotrophia* (s.str.) *diffinaria diffinaria* L.B.Prout,1913 (Geometridae) Synonym(s): *luridata* Staudinger,1871 nec Zell.; *diffinaria* L.B.Prout,1913
 18406) *Glossotrophia* (s.str.) *disparata* (Hampson,1903) (Geometridae) Synonym(s): *disparata* Hampson,1903
 18407) *Glossotrophia* (s.str.) *disparata somaliata* L.B.Prout,1916 (Geometridae) Synonym(s): *somaliata* L.B.Prout,1916
 18408) *Glossotrophia* (s.str.) *eurata* L.B.Prout,1913 (Geometridae) Synonym(s): *eurata* L.B.Prout,1913
 18409) *Glossotrophia* (s.str.) *eurata eurata* L.B.Prout,1913 (Geometridae) Synonym(s): *eurata* L.B.Prout,1913
 18410) *Glossotrophia* (s.str.) *falsaria* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *falsaria* Herrich-Schäffer,1852
 18411) *Glossotrophia* (s.str.) *gracilis* Brandt,1941 (Geometridae) Synonym(s): *gracilis* Brandt,1941
 18412) *Glossotrophia* (s.str.) *jacta* (Swinhoe,1885) (Geometridae) Synonym(s): *jacta* Swinhoe,1885
 18413) *Glossotrophia* (s.str.) *natalensis* L.B.Prout,1915 (Geometridae) Synonym(s): *natalensis* L.B.Prout,1915
 18414) *Glossotrophia* (s.str.) *orbeorum* Hausmann,1996 (Geometridae) Synonym(s): *orbeorum* Hausmann,1996
 18415) *Glossotrophia* (s.str.) *origalis* Brandt,1941 (Geometridae) Synonym(s): *origalis* Brandt,1941
 18416) *Glossotrophia* (s.str.) *rufomixtaria* (Graslin,1863) (Geometridae) Synonym(s): *rufomixtaria* Graslin,1863; *rufomixtata* Staudinger,1871
 18417) *Glossotrophia* (s.str.) *rufomixtaria saharensis* Hausmann,1993 (Geometridae) Synonym(s): *saharensis* Hausmann,1993
 18418) *Glossotrophia* (s.str.) *similata* Le Cerf,1924 (Geometridae) Synonym(s): *similata* Le Cerf,1924
 18419) *Glossotrophia* (s.str.) *uvarovi* Wiltshire,1952 (Geometridae) Synonym(s): *uvarovi* Wiltshire,1952
 18420) *Gnamptoloma* *rubra* Holloway,1979 (Geometridae) Synonym(s): *rubra* Holloway,1979
 18421) *Gnopharmia* *cataleucaria* (Staudinger,1901) (Geometridae) Synonym(s): *cataleucaria* Staudinger,1901
 18422) *Gnopharmia* *colchidaria* (Lederer,1870) (Geometridae) Synonym(s): *colchidaria* Lederer,1870
 18423) *Gnopharmia* *colchidaria cocandaria* (Erschoff,1874) (Geometridae) Synonym(s): *cocandaria* Erschoff,1874
 18424) *Gnopharmia* *colchidaria colchidaria* (Lederer,1870) (Geometridae) Synonym(s): *colchidaria* Lederer,1870
 18425) *Gnopharmia* *colchidaria degeneraria* Staudinger,1892 (Geometridae) Synonym(s): *degeneraria* Staudinger,1892
 18426) *Gnopharmia* *colchidaria melanotaenia* Wehrli,1938 (Geometridae) Synonym(s): *melanotaenia* Wehrli,1938
 18427) *Gnopharmia* *eberti* Wiltshire,1967 (Geometridae) Synonym(s): *eberti* Wiltshire,1967
 18428) *Gnopharmia* *erema* Wehrli,1939 (Geometridae) Synonym(s): *erema* Wehrli,1939
 18429) *Gnopharmia* *inermis* Wiltshire,1967 (Geometridae) Synonym(s): *inermis* Wiltshire,1967
 18430) *Gnopharmia* *inermis inermis* Wiltshire,1967 (Geometridae) Synonym(s): *inermis* Wiltshire,1967
 18431) *Gnopharmia* *inermis vartianae* Wiltshire,1970 (Geometridae) Synonym(s): *vartianae* Wiltshire,1970
 18432) *Gnopharmia* *irakensis* Wehrli,1938 (Geometridae) Synonym(s): *irakensis* Wehrli,1938
 18433) *Gnopharmia* *kasrunensis* Wehrli,1939 (Geometridae) Synonym(s): *kasrunensis* Wehrli,1939
 18434) *Gnopharmia* *maculifera* Staudinger,1892 (Geometridae) Synonym(s): *maculifera* Staudinger,1892
 18435) *Gnopharmia* *maculifera afghanistana* Wiltshire,1967 (Geometridae) Synonym(s): *afghanistana* Wiltshire,1967
 18436) *Gnopharmia* *maculifera kasyi* Wiltshire,1970 (Geometridae) Synonym(s): *kasyi* Wiltshire,1970
 18437) *Gnopharmia* *maculifera maculifera* Staudinger,1892 (Geometridae) Synonym(s): *maculifera* Staudinger,1892
 18438) *Gnopharmia* *objectaria* Staudinger,1892 (Geometridae) Synonym(s): *objectaria* Staudinger,1892
 18439) *Gnopharmia* *objectaria luxuriosa* Wiltshire,1967 (Geometridae) Synonym(s): *luxuriosa* Wiltshire,1967
 18440) *Gnopharmia* *rubraria* Staudinger,1892 (Geometridae) Synonym(s): *rubraria* Staudinger,1892
 18441) *Gnopharmia* *rubraria subrubraria* Staudinger,1892 (Geometridae) Synonym(s): *subrubraria* Staudinger,1892
 18442) *Gnopharmia* *sarobiana* Ebert,1965 (Geometridae) Synonym(s): *sarobiana* Ebert,1965
 18443) *Gnopharmia* *sinesefida* Wehrli,1941 (Geometridae) Synonym(s): *sinesefida* Wehrli,1941
 18444) *Gnophos* (?) *siculus* Wehrli,1931 (Geometridae) Synonym(s): *sicula* Wehrli,1931
 18445) *Gnophos* (Acrognophos) *boarmioides* Wiltshire,1967 (Geometridae) Synonym(s): *boarmioides* Wiltshire,1967
 18446) *Gnophos* (Acrognophos) *iveni* Erschoff,1874 (Geometridae) Synonym(s): *iveni* Erschoff,1874
 18447) *Gnophos* (Chelegnophos) *badakhshanus* Wiltshire,1967 (Geometridae) Synonym(s): *badakhshanus* Wiltshire,1967
 18448) *Gnophos* (Cnestrognophos) *adjectarius* Staudinger,1898 (Geometridae) Synonym(s): *adjectaria* Staudinger,1898
 18449) *Gnophos* (Cnestrognophos) *ali* Brandt,1938 (Geometridae) Synonym(s): *ali* Brandt,1938
 18450) *Gnophos* (Cnestrognophos) *anthina* Wehrli,1953 (Geometridae) Synonym(s): *anthina* Wehrli,1953
 18451) *Gnophos* (Cnestrognophos) *bundeli* Shchetkin & Viidalepp,1980 (Geometridae) Synonym(s): *bundeli* Shchetkin & Viidalepp,1980
 18452) *Gnophos* (Cnestrognophos) *evanidarius* Püngeler,1901 (Geometridae) Synonym(s): *evanidaria* Püngeler,1901
 18453) *Gnophos* (Cnestrognophos) *hissariensis* Shchetkin & Viidalepp,1980 (Geometridae) Synonym(s): *hissariensis* Shchetkin & Viidalepp,1980
 18454) *Gnophos* (Cnestrognophos) *libanoticus* Wehrli,1931 (Geometridae) Synonym(s): *libanotica* Wehrli,1931
 18455) *Gnophos* (Cnestrognophos) *luciliatus* Christoph,1887 (Geometridae) Synonym(s): *luciliatus* Christoph,1887
 18456) *Gnophos* (Cnestrognophos) *maracandicus* Viidalepp,[1992] (Geometridae) Synonym(s): *maracandicus* Viidalepp,[1992]
 18457) *Gnophos* (Cnestrognophos) *praeacutarius* Wehrli,1922 (Geometridae) Synonym(s): *praeacutarius* Wehrli,1922
 18458) *Gnophos* (Cnestrognophos) *rjabovi* Wehrli,1929 (Geometridae) Synonym(s): *rjabovi* Wehrli,1929
 18459) *Gnophos* (Cnestrognophos) *rjabovi alvandicus* Wehrli,1939 (Geometridae) Synonym(s): *alvandica* Wehrli,1939.
 18460) *Gnophos* (Cnestrognophos) *rjabovi rjabovi* Wehrli,1939 (Geometridae) Synonym(s): *rjabovi* Wehrli,1939
 18461) *Gnophos* (Cnestrognophos) *stachyphorus* Wehrli,1936 (Geometridae) Synonym(s): *stachyphorus* Wehrli,1936
 18462) *Gnophos* (Cnestrognophos) *stachyphorus hamadanus* Wehrli,1939 (Geometridae) Synonym(s): *hamadana* Wehrli,1939.
 18463) *Gnophos* (Cnestrognophos) *subtilis* Brandt,1938 (Geometridae) Synonym(s): *subtila* Brandt,1938
 18464) *Gnophos* (Cnestrognophos) *taftanus* Brandt,1941 (Geometridae) Synonym(s): *taftana* Brandt,1941
 18465) *Gnophos* (Cnestrognophos) *talvei* Viidalepp,1980 (Geometridae) Synonym(s): *talvei* Viidalepp,1980
 18466) *Gnophos* (Cnestrognophos) *zapjagaevi* Viidalepp,1988 (Geometridae) Synonym(s): *zapjagaevi* Viidalepp,1988
 18467) *Gnophos* (Dicrognophos) *amanensis* Wehrli,1934 (Geometridae) Synonym(s): *amanensis* Wehrli,1934
 18468) *Gnophos* (Dicrognophos) *anophaeus* Wehrli,1939 (Geometridae) Synonym(s): *anophaea* Wehrli,1939
 18469) *Gnophos* (Dicrognophos) *brandtorum* Wehrli,1941 (Geometridae) Synonym(s): *brandtorum* Wehrli,1941
 18470) *Gnophos* (Dicrognophos) *chorista* Wehrli,1939 (Geometridae) Synonym(s): *chorista* Wehrli,1939
 18471) *Gnophos* (Dicrognophos) *culminatus* Brandt,1938 (Geometridae) Synonym(s): *culminata* Brandt,1938
 18472) *Gnophos* (Dicrognophos) *elahi* Brandt,1938 (Geometridae) Synonym(s): *elahi* Brandt,1938
 18473) *Gnophos* (Dicrognophos) *eurytiches* Brandt,1941 (Geometridae) Synonym(s): *eurytiches* Brandt,1941
 18474) *Gnophos* (Dicrognophos) *gorgatus* Brandt,1938 (Geometridae) Synonym(s): *gorgata* Brandt,1938
 18475) *Gnophos* (Dicrognophos) *orthogonius* Wehrli,1939 (Geometridae) Synonym(s): *orthogonia* Wehrli,1939
 18476) *Gnophos* (Dicrognophos) *pseudosnelleni* (Rjabov,1964) (Geometridae) Synonym(s): *pseudosnelleni* Rjabov,1964
 18477) *Gnophos* (Dicrognophos) *sartatus* (Treitschke,1827) (Geometridae) Synonym(s): *sartata* Treitschke,1827; *syriaca* Thierry-Mieg,1916.

- 18478) **Gnophos (Dicrognophos) snelleni Christoph, 1887** (Geometridae) Synonym(s): *snelleni Christoph, 1887*
- 18479) **Gnophos (Dicrognophos) wiltshirei Wehrli, 1938** (Geometridae) Synonym(s): *wiltshirei Wehrli, 1938*
- 18480) **Gnophos (Dysgnophos) bidentatus Shchetkin & Viidalepp, 1980** (Geometridae) Synonym(s): *bidentatus Shchetkin & Viidalepp, 1980*
- 18481) **Gnophos (Dysgnophos) difficilis Alpheraky, 1883** (Geometridae) Synonym(s): *difficilis Alpheraky, 1883; finitimaria Fuchs, 1899; desparataria Fuchs, 1900; luteopicta Thierry-Mieg, 1916.*
- 18482) **Gnophos (Dysgnophos) difficilis difficilis Alpheraky, 1883** (Geometridae) Synonym(s): *difficilis Alpheraky, 1883; finitimaria Fuchs, 1899; desparataria Fuchs, 1900; luteopicta Thierry-Mieg, 1916.*
- 18483) **Gnophos (Dysgnophos) difficilis korlati Fuchs, 1903** (Geometridae) Synonym(s): *korlata Fuchs, 1903*
- 18484) **Gnophos (Dysgnophos) difficilis teberdensis Müller, 1978** (Geometridae) Synonym(s): *teberdensis Müller, 1978*
- 18485) **Gnophos (Dysgnophos) difficilis uniformis Staudinger, 1892** (Geometridae) Synonym(s): *uniformis Staudinger, 1892*
- 18486) **Gnophos (Dysgnophos) difficilis urmensis Wehrli, 1953** (Geometridae) Synonym(s): *urmensis Wehrli, 1953.*
- 18487) **Gnophos (Dysgnophos) difficillimus Wiltshire, 1967** (Geometridae) Synonym(s): *difficillimus Wiltshire, 1967; #difficillimus Scoble, 1999*
- 18488) **Gnophos (Dysgnophos) gozmanyi Vojnits, 1975** (Geometridae) Synonym(s): *gozmanyi Vojnits, 1975*
- 18489) **Gnophos (Dysgnophos) longipenis Shchetkin & Viidalepp, 1980** (Geometridae) Synonym(s): *longipenis Shchetkin & Viidalepp, 1980*
- 18490) **Gnophos (Dysgnophos) lutipennarius Fuchs, 1900** (Geometridae) Synonym(s): *lutipennarius Fuchs, 1900*
- 18491) **Gnophos (Dysgnophos) subsplendidarius Wehrli, 1922** (Geometridae) Synonym(s): *subsplendidarius Wehrli, 1922; exilis Wehrli, 1922*
- 18492) **Gnophos (Dysgnophos) turfosarius Wehrli, 1922** (Geometridae) Synonym(s): *turfosarius Wehrli, 1922; glaciata Wehrli, 1922; benepunctaria Wehrli, 1922*
- 18493) **Gnophos (Euchrognophos) amseli Ebert, 1965** (Geometridae) Synonym(s): *amseli Ebert, 1965*
- 18494) **Gnophos (Euchrognophos) symmictus Wehrli, 1953** (Geometridae) Synonym(s): *symmicta Wehrli, 1953*
- 18495) **Gnophos (Neognophos) pfeifferi Wehrli, 1926** (Geometridae) Synonym(s): *pfeifferi Wehrli, 1926*
- 18496) **Gnophos (Organognophos) asymmetrus Wehrli, 1936** (Geometridae) Synonym(s): *asymmetrus Wehrli, 1936*
- 18497) **Gnophos (Organognophos) sibiriatu Guenée, [1858]** (Geometridae) Synonym(s): *sibiriatu Guenée, [1858]*
- 18498) **Gnophos (Organognophos) sibiriatu plumbeatus Wehrli, 1922** (Geometridae) Synonym(s): *plumbeatus Wehrli, 1922*
- 18499) **Gnophos (Organognophos) sibiriatu sibiriatu Guenée, [1858]** (Geometridae) Synonym(s): *sibiriatu Guenée, [1858]*
- 18500) **Gnophos (Organognophos) sibiriatu subclarilimbatus Wehrli, 1922** (Geometridae) Synonym(s): *subclarilimbata Wehrli, 1922*
- 18501) **Gnophos (Organognophos) wanensis Wehrli, 1936** (Geometridae) Synonym(s): *wanensis Wehrli, 1936*
- 18502) **Gnophos (Pterygnophos) dorkadiarius Wehrli, 1922** (Geometridae) Synonym(s): *dorkadiaria Wehrli, 1922*
- 18503) **Gnophos (Pterygnophos) ochrofasciatus Staudinger, 1896** (Geometridae) Synonym(s): *ochrofasciatus Staudinger, 1896*
- 18504) **Gnophos (Rhinognophos) similarius Rothschild, 1914** (Geometridae) Synonym(s): *similaria Rothschild, 1914; culminans Turati, 1930*
- 18505) **Gnophos (Rhipignophos) lineolarius Püngeler, 1901** (Geometridae) Synonym(s): *lineolaria Püngeler, 1901*
- 18506) **Gnophos (Rhipignophos) lineolarius arkitensis Viidalepp, 1988** (Geometridae) Synonym(s): *arkitensis Viidalepp, 1988*
- 18507) **Gnophos (Rhipignophos) lineolarius lineolarius Püngeler, 1901** (Geometridae) Synonym(s): *lineolaria Püngeler, 1901*
- 18508) **Gnophos (Rhipignophos) lineolarius narynus Wehrli, 1953** (Geometridae) Synonym(s): *naryna Wehrli, 1953*
- 18509) **Gnophos (Rhipignophos) lineolarius plumbeolatus Djakonov, 1936** (Geometridae) Synonym(s): *plumbeolata Djakonov, 1936*
- 18510) **Gnophos (Rhipignophos) lineolarius sufikurganensis Viidalepp, 1988** (Geometridae) Synonym(s): *sufikurganensis Viidalepp, 1988*
- 18511) **Gnophos (Rhipignophos) maledictus Wiltshire, 1967** (Geometridae) Synonym(s): *maledictus Wiltshire, 1967*
- 18512) **Gnophos (Rhipignophos) praestigiarius Püngeler, 1902** (Geometridae) Synonym(s): *praestigiaria Püngeler, 1902*
- 18513) **Gnophos (Rhipignophos) rubefactarius Püngeler, 1902** (Geometridae) Synonym(s): *rubefactaria Püngeler, 1902; pervicinaria Wehrli, 1922; stshetkini Viidalepp, 1988.*
- 18514) **Gnophos (Rhipignophos) tadzhikistanicus Viidalepp, 1988** (Geometridae) Synonym(s): *tadzhikistanica Viidalepp, 1988*
- 18515) **Gnophos (Rhipignophos) vastarius Staudinger, 1892** (Geometridae) Synonym(s): *vastaria Staudinger, 1892*
- 18516) **Gnophos (Sacrognophos) sacrarius Staudinger, [1895]** (Geometridae) Synonym(s): *sacraria Staudinger, [1895].*
- 18517) **Gnophos (Trilobignophos) pollinarius Christoph, 1887** (Geometridae) Synonym(s): *pollinaria Christoph, 1887*
- 18518) **Gnophos (Trilobignophos) pollinarius ardekanus Brandt, 1938** (Geometridae) Synonym(s): *ardekana Brandt, 1938*
- 18519) **Gnophos (Trilobignophos) pollinarius binaloudi Brandt, 1941** (Geometridae) Synonym(s): *binaloudi Brandt, 1941*
- 18520) **Gnophos (Trilobignophos) pollinarius hypotaenius Wehrli, 1939** (Geometridae) Synonym(s): *hypotaenia Wehrli, 1939*
- 18521) **Gnophos (Trilobignophos) pollinarius pollinarius Christoph, 1887** (Geometridae) Synonym(s): *pollinaria Christoph, 1887*
- 18522) **Gnophos (Trilobignophos) pollinarius talyshensis Wehrli, 1936** (Geometridae) Synonym(s): *talyshensis Wehrli, 1936*
- 18523) **Gnophos (Zystrognophos) bipartitus Vojnits, 1975** (Geometridae) Synonym(s): *bipartitus Vojnits, 1975*
- 18524) **Gnophos (Zystrognophos) kansuensis Djakonov, 1936** (Geometridae) Synonym(s): *kansuensis Djakonov, 1936*
- 18525) **Gnophos (Zystrognophos) kuldjanus Wehrli, 1953** (Geometridae) Synonym(s): *kuldjana Wehrli, 1953*
- 18526) **Gnophos (Zystrognophos) nimbatu Alpheraky, 1888** (Geometridae) Synonym(s): *nimbata Alpheraky, 1888; alexandra Wehrli, 1953.*
- 18527) **Gnophos (Zystrognophos) nimbatu hindukushi Ebert, 1965** (Geometridae) Synonym(s): *hindukushi Ebert, 1965*
- 18528) **Gnophos (Zystrognophos) sericarius Alpheraky, 1883** (Geometridae) Synonym(s): *sericaria Alpheraky, 1883*
- 18529) **Gnophos (s.str.) argillatus Brandt, 1938** (Geometridae) Synonym(s): *argillata Brandt, 1938*
- 18530) **Gnophos (s.str.) brachyphorus Wiltshire, 1966** (Geometridae) Synonym(s): *brachyphora Wiltshire, 1966*
- 18531) **Gnophos (s.str.) canitiarius Guenée, [1858]** (Geometridae) Synonym(s): *canitiarius Guenée, [1858]*
- 18532) **Gnophos (s.str.) ciscaucasicus Rjabov, 1964** (Geometridae) Synonym(s): *ciscaucasicus Rjabov, 1964*
- 18533) **Gnophos (s.str.) croci Thierry-Mieg, 1910** (Geometridae) Synonym(s): *croci Thierry-Mieg, 1910; omararia Oberthür, 1913*
- 18534) **Gnophos (s.str.) farinosatus Christoph, 1887** (Geometridae) Synonym(s): *farinosatus Christoph, 1887*
- 18535) **Gnophos (s.str.) furvatus ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#furvata [Denis & Schiffermüller], 1775; meridionalis Wehrli, 1924*
- 18536) **Gnophos (s.str.) idrisarius Zerny, 1934** (Geometridae) Synonym(s): *idrisarius Zerny, 1934*
- 18537) **Gnophos (s.str.) klapperichi Wiltshire, 1967** (Geometridae) Synonym(s): *klapperichi Wiltshire, 1967*
- 18538) **Gnophos (s.str.) liliputarius Turati, 1934** (Geometridae) Synonym(s): *liliputarius Turati, 1934*
- 18539) **Gnophos (s.str.) obfuscatus ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#obfuscata [Denis & Schiffermüller], 1775*
- 18540) **Gnophos canariensis Rebel, 1911** (Geometridae) Synonym(s): *canariensis Rebel, 1911*
- 18541) **Gnophos delagardei L.B.Prout, 1915** (Geometridae) Synonym(s): *delagardei L.B.Prout, 1915*
- 18542) **Gnophos himalayanus Wehrli, 1928** (Geometridae) Synonym(s): *himalayanus Wehrli, 1928*
- 18543) **Gnophos mendolensis Dannehl, 1928** (Geometridae) Synonym(s): *mendolensis Dannehl, 1928*
- 18544) **Gnophos pagranitus Wiltshire, 1966** (Geometridae) Synonym(s): *pagranitus Wiltshire, 1966*
- 18545) **Gnophos pallescens Rjabov, 1964** (Geometridae) Synonym(s): *pallescens Rjabov, 1964*
- 18546) **Gnophos pelengi Brandt, 1938** (Geometridae) Synonym(s): *pelengi Brandt, 1938*
- 18547) **Gnophos porphyra Zerny, 1936** (Geometridae) Synonym(s): *porphyra Zerny, 1936*
- 18548) **Gnophos quadrimaculatus Chrétien, 1913** (Geometridae) Synonym(s): *quadrimaculata Chrétien, 1913*
- 18549) **Gnophos recticostarius Turati, 1926** (Geometridae) Synonym(s): *recticostaria Turati, 1926*
- 18550) **Gnophos rubricimixtus L.B.Prout, 1915** (Geometridae) Synonym(s): *rubricimixta L.B.Prout, 1915*
- 18551) **Gnophos stemmatarius (Eversmann, 1848)** (Geometridae) Synonym(s): *stemataria Eversmann, 1848*
- 18552) **Gnophos stoliczkarius Moore, 1878** (Geometridae) Synonym(s): *stoliczkaria Moore, 1878*
- 18553) **Gnophos subsignarius Staudinger, 1892** (Geometridae) Synonym(s): *subsignaria Staudinger, 1892*
- 18554) **Gnophos tephrosiarius Moore, 1888** (Geometridae) Synonym(s): *tephrosiaria Moore, 1888; senicaria Hampson, 1907*
- 18555) **Gnophos tholerarius Püngeler, 1901** (Geometridae) Synonym(s): *tholeraria Püngeler, 1901*
- 18556) **Gnophosema isometra (Warren, 1888)** (Geometridae) Synonym(s): *isometra Warren, 1888*
- 18557) **Gnophosema isometra hansonii Ebert, 1965** (Geometridae) Synonym(s): *hansonii Ebert, 1965; minima Ebert, 1965*
- 18558) **Gnophosema isometra isometra (Warren, 1888)** (Geometridae) Synonym(s): *isometra Warren, 1888*
- 18559) **Gnophosema isometra leucites Wiltshire, 1981** (Geometridae) Synonym(s): *leucites Wiltshire, 1981*
- 18560) **Gnophosema isometra maleki Brandt, 1941** (Geometridae) Synonym(s): *maleki Brandt, 1941*
- 18561) **Gnophosema isometra mekrana Brandt, 1941** (Geometridae) Synonym(s): *mekrana Brandt, 1941*
- 18562) **Gnophosema palumba Brandt, 1938** (Geometridae) Synonym(s): *palumba Brandt, 1938*
- 18563) **Gnophosema palumba kurdistan Ebert, 1968** (Geometridae) Synonym(s): *kurdistan Ebert, 1968*

- 18564) *Gnophosema palumba palumba* Brandt, 1938 (Geometridae) Synonym(s): *palumba* Brandt, 1938
 18565) *Gnophosema palumba taftana* Ebert, 1968 (Geometridae) Synonym(s): *taftana* Ebert, 1968
 18566) *Gonanticlea meridionata* (Walker, 1862) (Geometridae) Synonym(s): *meridionata* Walker, 1862; *aspersata* Walker, 1862
 18567) *Gonanticlea pulcherrima* Holloway, 1979 (Geometridae) Synonym(s): *pulcherrima* Holloway, 1979
 18568) *Gonodontis clelia* (Cramer, [1780]) (Geometridae) Synonym(s): *clelia* Cramer, [1780]; *rajaca* Walker, 1860; *hyperbolica* Swinhoe, 1885.
 18569) *Gonodontis clelia clelia* (Cramer, [1780]) (Geometridae) Synonym(s): *clelia* Cramer, [1780]; *rajaca* Walker, 1860; *hyperbolica* Swinhoe, 1885.
 18570) *Gymnoscelis chlorobapta* Turner, 1907 (Geometridae) Synonym(s): *chlorobapta* Turner, 1907
 18571) *Gymnoscelis dearmata* (Dietze, 1904) (Geometridae) Synonym(s): *dearmata* Dietze, 1904
 18572) *Gymnoscelis imparatalis* (Walker, [1866]) (Geometridae) Synonym(s): *imparatalis* Walker, [1866]; *indicata* Walker, 1866; *semivinosa* W. Warren, 1896; *perangusta* W. Warren, 1897; *imperviata* Swinhoe, 1900
 18573) *Gymnoscelis olsoufieffae* L.B. Prout, 1937 (Geometridae) Synonym(s): *olsoufieffae* L.B. Prout, 1937
 18574) *Gymnoscelis oribiensis* Herbulot, 1981 (Geometridae) Synonym(s): *oribiensis* Herbulot, 1981
 18575) *Gymnoscelis rufifasciata* (Haworth, [1809]) (Geometridae) Synonym(s): *rufifasciata* Haworth, [1809]; *pumilata* Hübner, [1813].
 18576) *Gymnoscelis sara* Robinson, 1975 (Geometridae) Synonym(s): *sara* Robinson, 1975
 18577) *Gymnoscelis sara hamata* Holloway, 1979 (Geometridae) Synonym(s): *hamata* Holloway, 1979
 18578) *Gymnoscelis tenera* W. Warren, 1901 (Geometridae) Synonym(s): *tenera* W. Warren, 1901
 18579) *Gymnoscelis tristrigosa* (Butler, 1880) (Geometridae) Synonym(s): *tristrigosa* Butler, 1880
 18580) *Gypsochroa renitidata* (Hübner, [1817]) (Geometridae) Synonym(s): *renitidata* Hübner, [1817].
 18581) *Habermania oxygenaria* (Püngeler, 1900) (Geometridae) Synonym(s): *oxygonaria* Püngeler, 1900
 18582) *Haplolabida coaequata* L.B. Prout, 1935 (Geometridae) Synonym(s): *coaequata* L.B. Prout, 1935
 18583) *Haplolabida inaequata* (Walker, 1861) (Geometridae) Synonym(s): *inaequata* Walker, 1861
 18584) *Haplolabida lacrimans* Herbulot, 1970 (Geometridae) Synonym(s): *lacrimans* Herbulot, 1970
 18585) *Haplolabida marojejensis* Herbulot, 1963 (Geometridae) Synonym(s): *marojejensis* Herbulot, 1963
 18586) *Haplolabida monticolata* (Aurivillius, 1910) (Geometridae) Synonym(s): *monticolata* Aurivillius, 1910
 18587) *Haplolabida monticolata diplodonta* D.S. Fletcher, 1958 (Geometridae) Synonym(s): *diplodonta* D.S. Fletcher, 1958
 18588) *Haplolabida monticolata monticolata* (Aurivillius, 1910) (Geometridae) Synonym(s): *monticolata* Aurivillius, 1910
 18589) *Haplolabida pauliani* Viette, 1975 (Geometridae) Synonym(s): *pauliani* Viette, 1975
 18590) *Haplolabida sjostedti* (Aurivillius, 1910) (Geometridae) Synonym(s): *sjostedti* Aurivillius, 1910
 18591) *Haplolabida viettei* Herbulot, 1970 (Geometridae) Synonym(s): *viettei* Herbulot, 1970
 18592) *Harutalcis atrostipata* (Walker, 1862) (Geometridae) Synonym(s): *atrostipata* Walker, 1862
 18593) *Harutalcis glaucodisca* (Swinhoe, 1894) (Geometridae) Synonym(s): *glaucodisca* Swinhoe, 1894
 18594) *Harutalcis godavariensis* Sato, 1993 (Geometridae) Synonym(s): *godavariensis* Sato, 1993
 18595) *Harutalcis megaspilaria* (Moore, 1868) (Geometridae) Synonym(s): *megaspilaria* Moore, 1868
 18596) *Harutalcis vialis* (Moore, 1888) (Geometridae) Synonym(s): *vialis* Moore, 1888; *deceptrix* W. Warren, 1896
 18597) *Heliomata glarearia* (Brahm, 1791) (Geometridae) Synonym(s): *#glarearia* [Denis & Schiffermüller], 1775; *glarearia* Brahm, 1791.
 18598) *Heliothea (Apetovia) iliensis* Alpheraky, 1883 (Geometridae) Synonym(s): *iliensis* Alpheraky, 1883; *christophi* Alpheraky, 1883.
 18599) *Heliothea (Apetovia) iliensis herzi* Staudinger, 1901 (Geometridae) Synonym(s): *herzi* Staudinger, 1901.
 18600) *Heliothea (Apetovia) iliensis iliensis* Alpheraky, 1883 (Geometridae) Synonym(s): *iliensis* Alpheraky, 1883; *christophi* Alpheraky, 1883.
 18601) *Heliothea (s.str.) discoidaria* Boisduval, 1840 (Geometridae) Synonym(s): *discoidaria* Boisduval, 1840
 18602) *Heliothea (s.str.) discoidaria discoidaria* Boisduval, 1840 (Geometridae) Synonym(s): *discoidaria* Boisduval, 1840
 18603) *Hemioplisis amoenaria* Pagenstecher, 1890 (Geometridae) Synonym(s): *amoenaria* Pagenstecher, 1890
 18604) *Hemistola chrysoprasaria* (Esper, [1794]) (Geometridae) Synonym(s): *nayas* Fourcroy, 1785; *pomona* Fourcroy, 1785; *lucidata* Donovan, 1794; *chrysoprasaria* Esper, [1794];
 18605) *Hemistola directa* Wiltshire, 1966 (Geometridae) Synonym(s): *directa* Wiltshire, 1966
 18606) *Hemistola ereuthopeza* L.B. Prout, 1925 (Geometridae) Synonym(s): *ereuthopeza* L.B. Prout, 1925
 18607) *Hemistola fletcheri* L.B. Prout, 1934 (Geometridae) Synonym(s): *fletcheri* L.B. Prout, 1934; *subcaerulea* L.B. Prout, 1934
 18608) *Hemistola incommoda* L.B. Prout, 1912 (Geometridae) Synonym(s): *incommoda* L.B. Prout, 1912
 18609) *Hemistola rubrimargo* W. Warren, 1893 (Geometridae) Synonym(s): *rubrimargo* W. Warren, 1893
 18610) *Hemistola semialbida* L.B. Prout, 1912 (Geometridae) Synonym(s): *semialbida* L.B. Prout, 1912
 18611) *Hemithea acaudata* Holloway, 1979 (Geometridae) Synonym(s): *acaudata* Holloway, 1979
 18612) *Hemithea aestivaria* (Hübner, 1789) (Geometridae) Synonym(s): *strigata* Müller, 1764 nec Sc., 1763; *herbacea* Fourcroy, 1785; *aestivaria* Hübner, [1799]; *alboundulata* Hedemann, 1879
 18613) *Hemithea antigrapha* L.B. Prout, 1917 (Geometridae) Synonym(s): *antigrapha* L.B. Prout, 1917
 18614) *Hemithea evanescens* Inoue, 1992 (Geometridae) Synonym(s): *evanescens* Inoue, 1992
 18615) *Hemithea krakenaria* Holloway, 1996 (Geometridae) Synonym(s): *krakenaria* Holloway, 1996
 18616) *Hemithea marina* (Butler, 1878) (Geometridae) Synonym(s): *costipunctata* Moore, [1867]; *marina* Butler, 1878; *simplex* Warren, 1897; *pariciliata* Fuchs, 1902
 18617) *Hemithea melalopha* L.B. Prout, 1931 (Geometridae) Synonym(s): *melalopha* L.B. Prout, 1931; *profecta* L.B. Prout, 1935
 18618) *Hemithea neptunaria* Holloway, 1996 (Geometridae) Synonym(s): *neptunaria* Holloway, 1996
 18619) *Hemithea nigriparmata* L.B. Prout, 1935 (Geometridae) Synonym(s): *nigriparmata* L.B. Prout, 1935
 18620) *Hemithea notospila* L.B. Prout, 1917 (Geometridae) Synonym(s): *notospila* L.B. Prout, 1917
 18621) *Hemithea ochralauta* (W. Warren, 1894) (Geometridae) Synonym(s): *ochralauta* W. Warren, 1894
 18622) *Hemithea perfida* L.B. Prout, 1935 (Geometridae) Synonym(s): *perfida* L.B. Prout, 1935
 18623) *Hemithea poseidonaria* Holloway, 1996 (Geometridae) Synonym(s): *poseidonaria* Holloway, 1996
 18624) *Hemithea tritonaria* (Walker, [1863]) (Geometridae) Synonym(s): *tritonaria* Walker, [1863]; *vivida* Inoue, 1961
 18625) *Hemithea undifera* (Walker, 1861) (Geometridae) Synonym(s): *undifera* Walker, 1861
 18626) *Hemithea vesta* L.B. Prout, 1935 (Geometridae) Synonym(s): *vesta* L.B. Prout, 1935
 18627) *Hemithea wuka* (Pagenstecher, 1886) (Geometridae) Synonym(s): *wuka* Pagenstecher, 1886; *iosoma* Meyrick, 1889; *graminea* Hampson, 1891; *pictifimbria* W. Warren, 1896; *isabella* L.B. Prout, 1917; *mapsaurica* L.B. Prout, 1933; *australis* L.B. Prout, 1933; *doddi* L.B. Prout, 1933; *vulcanensis* L.B. Prout, 1933; *tranquilla* L.B. Prout, 1935
 18628) *Herbulotina grandis* (L.B. Prout, 1914) (Geometridae) Synonym(s): *grandis* L.B. Prout, 1914
 18629) *Herbulotina grandis grandcanariae* (Pinker, 1963) (Geometridae) Synonym(s): *grandcanariae* Pinker, 1963
 18630) *Herbulotina grandis grandis* (L.B. Prout, 1914) (Geometridae) Synonym(s): *grandis* L.B. Prout, 1914
 18631) *Herbulotina grandis lapalmae* (Pinker, 1963) (Geometridae) Synonym(s): *lapalmae* Pinker, 1963
 18632) *Herbulotina maderae* Pinker, 1971 (Geometridae) Synonym(s): *maderae* Pinker, 1971
 18633) *Herochroma aethalia* (L.B. Prout, 1917) (Geometridae) Synonym(s): *aethalia* L.B. Prout, 1917
 18634) *Herochroma baba* Swinhoe, 1893 (Geometridae) Synonym(s): *baba* Swinhoe, 1893
 18635) *Herochroma baibarana* (Matsumura, 1931) (Geometridae) Synonym(s): *baibarana* Matsumura, 1931
 18636) *Herochroma chloriscripta* Holloway, 1996 (Geometridae) Synonym(s): *chloriscripta* Holloway, 1996
 18637) *Herochroma crassipunctata* Alpheraky, 1888 (Geometridae) Synonym(s): *crassipunctata* Alpheraky, 1888
 18638) *Herochroma cristata* (W. Warren, 1894) (Geometridae) Synonym(s): *cristata* W. Warren, 1894; *subopalina* W. Warren, 1894
 18639) *Herochroma cristata cristata* (W. Warren, 1894) (Geometridae) Synonym(s): *cristata* W. Warren, 1894; *subopalina* W. Warren, 1894
 18640) *Herochroma cristata subpoliata* (L.B. Prout, 1916) (Geometridae) Synonym(s): *subpoliata* L.B. Prout, 1916
 18641) *Herochroma elaearia* (Hampson, 1903) (Geometridae) Synonym(s): *elaearia* Hampson, 1903
 18642) *Herochroma farinosa* (W. Warren, 1893) (Geometridae) Synonym(s): *farinosa* W. Warren, 1893
 18643) *Herochroma flavibasalis* (W. Warren, 1894) (Geometridae) Synonym(s): *flavibasalis* W. Warren, 1894; *bipunctata* Thierry-Mieg, 1915
 18644) *Herochroma flavibasalis flavibasalis* (W. Warren, 1894) (Geometridae) Synonym(s): *flavibasalis* W. Warren, 1894; *bipunctata* Thierry-Mieg, 1915
 18645) *Herochroma flavitincta* (W. Warren, 1897) (Geometridae) Synonym(s): *flavitincta* W. Warren, 1897
 18646) *Herochroma hemiticheres* (L.B. Prout, 1935) (Geometridae) Synonym(s): *hemiticheres* L.B. Prout, 1935
 18647) *Herochroma holelaica* (L.B. Prout, 1935) (Geometridae) Synonym(s): *holelaica* L.B. Prout, 1935

- 18648) *Herochroma liliana* (Swinhoe,1892) (Geometridae) Synonym(s): *liliana* Swinhoe,1892
 18649) *Herochroma mansfieldi* (L.B.Prout,1939) (Geometridae) Synonym(s): *mansfieldi* L.B.Prout,1939
 18650) *Herochroma nigrescentipalpis* (L.B.Prout,1916) (Geometridae) Synonym(s): *nigrescentipalpis* L.B.Prout,1916
 18651) *Herochroma ochreipicta* (Swinhoe,1905) (Geometridae) Synonym(s): *ochreipicta* Swinhoe,1905
 18652) *Herochroma ochreipicta montana* (Bastelberger,1911) (Geometridae) Synonym(s): *montana* Bastelberger,1911
 18653) *Herochroma ochreipicta ochreipicta* (Swinhoe,1905) (Geometridae) Synonym(s): *ochreipicta* Swinhoe,1905
 18654) *Herochroma orientalis* (Holloway,1982) (Geometridae) Synonym(s): *orientalis* Holloway,1982
 18655) *Herochroma peperata* (Herbulot,1989) (Geometridae) Synonym(s): *peperata* Herbulot,1989
 18656) *Herochroma scoblei* (Inoue,1992) (Geometridae) Synonym(s): *scoblei* Inoue,1992
 18657) *Herochroma serratalva* (Holloway,1982) (Geometridae) Synonym(s): *serratalva* Holloway,1982
 18658) *Herochroma sinapiaria* (Poujade,1895) (Geometridae) Synonym(s): *sinapiaria* Poujade,1895
 18659) *Herochroma sordida* (Wehrli,1928) (Geometridae) Synonym(s): *sordida* Wehrli,1928
 18660) *Herochroma subtepes* (Walker,1860) (Geometridae) Synonym(s): *subtepes* Walker,1860; *formosicola* Matsumura,1931
 18661) *Herochroma subviridaria* (Yazaki,1994) (Geometridae) Synonym(s): *subviridaria* Yazaki,1994
 18662) *Herochroma thaiensis* (Inoue,1992) (Geometridae) Synonym(s): *thaiensis* Inoue,1992
 18663) *Herochroma urapteraria* (Walker,1860) (Geometridae) Synonym(s): *urapteraria* Walker,1860
 18664) *Herochroma urapteraria eudicheres* (L.B.Prout,1916) (Geometridae) Synonym(s): *eudicheres* L.B.Prout,1916
 18665) *Herochroma urapteraria urapteraria* (Walker,1860) (Geometridae) Synonym(s): *urapteraria* Walker,1860
 18666) *Herochroma usneata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *usneata* R.Felder & Rogenhofer,1875; *hypoglaucha* Hampson,1895.
 18667) *Herochroma viridaria* (Moore,1868) (Geometridae) Synonym(s): *viridaria* Moore,1868; *subochracea* Warren,1894
 18668) *Herochroma xuthopletes* (L.B.Prout,1934) (Geometridae) Synonym(s): *xuthopletes* L.B.Prout,1934
 18669) *Heteralex aspersa* W.Warren,1894 (Geometridae) Synonym(s): *aspersa* W.Warren,1894
 18670) *Heteralex aspersa aspersa* W.Warren,1894 (Geometridae) Synonym(s): *aspersa* W.Warren,1894
 18671) *Heteralex aspersa formosana* (Matsumura,1911) (Geometridae) Synonym(s): *formosana* Matsumura,1911; *albescens* L.B.Prout,1916
 18672) *Heteralex rectilineata* (Guenée,[1858]) (Geometridae) Synonym(s): *rectilineata* Guenée,[1858]; *microneata* Walker,1862; *rarata* Walker,[1863]; *asplatataria* Pagenstecher,1890
 18673) *Heteralex unilinea* (Swinhoe,1902) (Geometridae) Synonym(s): *unilinea* Swinhoe,1902
 18674) *Heterobapta ejana* Wiltshire,1961 (Geometridae) Synonym(s): *ejana* Wiltshire,1961
 18675) *Heterobapta plumellata* Wiltshire,1943 (Geometridae) Synonym(s): *plumellata* Wiltshire,1943
 18676) *Heterobapta tadzhikistanica* Viidalepp,1988 (Geometridae) Synonym(s): *tadzhikistanica* Viidalepp,1988
 18677) *Heteroculpinia pasargades* (Brandt,1938) (Geometridae) Synonym(s): *pasargades* Brandt,1938
 18678) *Heteroculpinia prouti* (Brandt,1938) (Geometridae) Synonym(s): *prouti* Brandt,1938
 18679) *Heterolocha arizana* Wileman,1910 (Geometridae) Synonym(s): *arizana* Wileman,1910
 18680) *Heterolocha atrivalva* Wehrli,1937 (Geometridae) Synonym(s): *atrivalva* Wehrli,1937
 18681) *Heterolocha biplagiata* Bastelberger,1909 (Geometridae) Synonym(s): *biplagiata* Bastelberger,1909
 18682) *Heterolocha cinerea* (W.Warren,1896) (Geometridae) Synonym(s): *cinerea* W.Warren,1896
 18683) *Heterolocha declinata* L.B.Prout,1928 (Geometridae) Synonym(s): *declinata* L.B.Prout,1928
 18684) *Heterolocha decoloraria* Hampson,1902 (Geometridae) Synonym(s): *decoloraria* Hampson,1902
 18685) *Heterolocha disistaria* (Walker,1862) (Geometridae) Synonym(s): *disistaria* Walker,1862
 18686) *Heterolocha falconaria* (Walker,1866) (Geometridae) Synonym(s): *falconaria* Walker,1866
 18687) *Heterolocha hypoleuca* (Hampson,1907) (Geometridae) Synonym(s): *hypoleuca* Hampson,1907
 18688) *Heterolocha laminaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *laminaria* Herrich-Schäffer,[1852]
 18689) *Heterolocha lilacina* (Bastelberger,1909) (Geometridae) Synonym(s): *lilacina* Bastelberger,1909
 18690) *Heterolocha loniceræ* L.B.Prout,1926 (Geometridae) Synonym(s): *loniceræ* L.B.Prout,1926
 18691) *Heterolocha marginata* Wileman,1910 (Geometridae) Synonym(s): *marginata* Wileman,1910
 18692) *Heterolocha notata* Leech,1897 (Geometridae) Synonym(s): *notata* Leech,1897
 18693) *Heterolocha obliquaria* Hampson,1902 (Geometridae) Synonym(s): *obliquaria* Hampson,1902
 18694) *Heterolocha patalata* R.Felder & Rogenhofer,1875 (Geometridae) Synonym(s): *patalata* R.Felder & Rogenhofer,1875; *varians* Swinhoe,1891
 18695) *Heterolocha phaeocelis* Wehrli,1937 (Geometridae) Synonym(s): *phaeocelis* Wehrli,1937
 18696) *Heterolocha polymorpha* West,1929 (Geometridae) Synonym(s): *polymorpha* West,1929
 18697) *Heterolocha polymorphoides* Holloway,[1994] (Geometridae) Synonym(s): *polymorphoides* Holloway,[1994]
 18698) *Heterolocha pyreniata* (Walker,1866) (Geometridae) Synonym(s): *pyreniata* Walker,1866
 18699) *Heterolocha rosearia* Leech,1897 (Geometridae) Synonym(s): *rosearia* Leech,1897
 18700) *Heterolocha rubrifusa* Hampson,1902 (Geometridae) Synonym(s): *rubrifusa* Hampson,1902
 18701) *Heterolocha sabulosa* (Bastelberger,1909) (Geometridae) Synonym(s): *sabulosa* Bastelberger,1909
 18702) *Heterolocha subroseata* W.Warren,1894 (Geometridae) Synonym(s): *subroseata* W.Warren,1894
 18703) *Heterolocha symmetrica* Djakonov,1936 (Geometridae) Synonym(s): *symmetrica* Djakonov,1936
 18704) *Heterolocha taiwana* Wileman,1910 (Geometridae) Synonym(s): *taiwana* Wileman,1910
 18705) *Heterorachis despoliata* L.B.Prout,1916 (Geometridae) Synonym(s): *despoliata* L.B.Prout,1916
 18706) *Heterorachis devocata* (Walker,1861) (Geometridae) Synonym(s): *devocata* Walker,1861
 18707) *Heterorachis devocata mozambica* L.B.Prout,1928 (Geometridae) Synonym(s): *mozambica* L.B.Prout,1928
 18708) *Heterorachis devocata roseifimbria* L.B.Prout,1930 (Geometridae) Synonym(s): *roseifimbria* L.B.Prout,1930
 18709) *Heterorachis disconotata* L.B.Prout,1916 (Geometridae) Synonym(s): *disconotata* L.B.Prout,1916
 18710) *Heterorachis fuscoterminata* L.B.Prout,1915 (Geometridae) Synonym(s): *fuscoterminata* L.B.Prout,1915
 18711) *Heterorachis fuscoterminata* L.B.Prout,1915 (Geometridae) Synonym(s): *fuscoterminata* L.B.Prout,1915
 18712) *Heterorachis gloriola* Thierry-Mieg,1915 (Geometridae) Synonym(s): *gloriola* Thierry-Mieg,1915
 18713) *Heterorachis haploa* (L.B.Prout,1912) (Geometridae) Synonym(s): *simplex* W.Warren,1902 (*praeocc.*); *haploa* L.B.Prout,1912
 18714) *Heterorachis insolens* (L.B.Prout,1917) (Geometridae) Synonym(s): *insolens* L.B.Prout,1917
 18715) *Heterorachis perviridis* L.B.Prout,1912 (Geometridae) Synonym(s): *perviridis* L.B.Prout,1912
 18716) *Heterorachis platti* Janse,1935 (Geometridae) Synonym(s): *platti* Janse,1935
 18717) *Heterorachis prouti* Bethune-Baker,1913 (Geometridae) Synonym(s): *prouti* Bethune-Baker,1913
 18718) *Heterorachis simplicissima* (L.B.Prout,1912) (Geometridae) Synonym(s): *simplicissima* L.B.Prout,1912
 18719) *Heterostegane amputata* Herbulot,1993 (Geometridae) Synonym(s): *amputata* Herbulot,1993
 18720) *Heterostegane arcuata* (West,1929) (Geometridae) Synonym(s): *arcuata* West,1929
 18721) *Heterostegane aurantiaca* W.Warren,1894 (Geometridae) Synonym(s): *aurantiaca* W.Warren,1894
 18722) *Heterostegane auranticollis* L.B.Prout,1922 (Geometridae) Synonym(s): *auranticollis* L.B.Prout,1922
 18723) *Heterostegane bifasciata* (W.Warren,1914) (Geometridae) Synonym(s): *bifasciata* W.Warren,1914
 18724) *Heterostegane bilineata* (Butler,1883) (Geometridae) Synonym(s): *bilineata* Butler,1883
 18725) *Heterostegane boghensis* Wiltshire,1985 (Geometridae) Synonym(s): *boghensis* Wiltshire,1985
 18726) *Heterostegane circumrubrata* (L.B.Prout,1926) (Geometridae) Synonym(s): *circumrubrata* L.B.Prout,1926
 18727) *Heterostegane contessellata* (L.B.Prout,1926) (Geometridae) Synonym(s): *contessellata* L.B.Prout,1926
 18728) *Heterostegane elephantina* Herbulot,1992 (Geometridae) Synonym(s): *elephantina* Herbulot,1992
 18729) *Heterostegane felix* (Herbulot,1974) (Geometridae) Synonym(s): *felix* Herbulot,1974
 18730) *Heterostegane flavata* (W.Warren,1905) (Geometridae) Synonym(s): *flavata* W.Warren,1905
 18731) *Heterostegane hoenei* (Wehrli,1925) (Geometridae) Synonym(s): *hoenei* Wehrli,1925
 18732) *Heterostegane hyriaria* W.Warren,1894 (Geometridae) Synonym(s): *hyriaria* W.Warren,1894; *irroraria* Leech,1897
 18733) *Heterostegane incognita* L.B.Prout,1915 (Geometridae) Synonym(s): *incognita* L.B.Prout,1915
 18734) *Heterostegane infusca* (Herbulot,1973) (Geometridae) Synonym(s): *infusca* Herbulot,1973
 18735) *Heterostegane insulata* W.Warren,1898 (Geometridae) Synonym(s): *insulata* W.Warren,1898; *kuehni* W.Warren,1902; *galinaria* Swinhoe,1902; *deludens* W.Warren,1907; *retessellata* West,1929

- 18736) *Heterostegane lala* (Swinhoe,1892) (Geometridae) Synonym(s): *lala* Swinhoe,1892
 18737) *Heterostegane luteorubens* (Mabille,1900) (Geometridae) Synonym(s): *luteorubens* Mabille,1900; *vetula* L.B.Prout,1916
 18738) *Heterostegane maculifascia* (Hampson,1891) (Geometridae) Synonym(s): *maculifascia* Hampson,1891
 18739) *Heterostegane maxima* (Herbulot,1957) (Geometridae) Synonym(s): *maxima* Herbulot,1957
 18740) *Heterostegane mediosecta* Herbulot,1993 (Geometridae) Synonym(s): *mediosecta* Herbulot,1993
 18741) *Heterostegane minax* (L.B.Prout,1931) (Geometridae) Synonym(s): *minax* L.B.Prout,1931
 18742) *Heterostegane minuscula* Herbulot,1995 (Geometridae) Synonym(s): *minuscula* Herbulot,1995
 18743) *Heterostegane minutissima* (Swinhoe,1904) (Geometridae) Synonym(s): *minutissima* Swinhoe,1904; *sennarensis* Rebel,1917
 18744) *Heterostegane monilifera* L.B.Prout,1915 (Geometridae) Synonym(s): *monilifera* L.B.Prout,1915
 18745) *Heterostegane nyassa* Herbulot,1993 (Geometridae) Synonym(s): *nyassa* Herbulot,1993
 18746) *Heterostegane pachyspila* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *pachyspila* D.S.Fletcher,1958
 18747) *Heterostegane pleninotata* W.Warren,1901 (Geometridae) Synonym(s): *pleninotata* W.Warren,1901
 18748) *Heterostegane rectifascia* Hampson,1893 (Geometridae) Synonym(s): *rectifascia* Hampson,1893
 18749) *Heterostegane rectistriga* L.B.Prout,1917 (Geometridae) Synonym(s): *rectistriga* L.B.Prout,1917
 18750) *Heterostegane robinsoni* (Herbulot,1957) (Geometridae) Synonym(s): *robinsoni* Herbulot,1957
 18751) *Heterostegane ruberata* (Mabille,1900) (Geometridae) Synonym(s): *ruberata* Mabille,1900; *synclides* L.B.Prout,1932
 18752) *Heterostegane serrata* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *serrata* D.S.Fletcher,1958
 18753) *Heterostegane subfasciata* W.Warren,1899 (Geometridae) Synonym(s): *subfasciata* W.Warren,1899
 18754) *Heterostegane subtessellata* (Walker,[1863]) (Geometridae) Synonym(s): *subtessellata* Walker,[1863]; *quadrilineata* Snellen,1886
 18755) *Heterostegane tenebrimedia* (L.B.Prout,1926) (Geometridae) Synonym(s): *tenebrimedia* L.B.Prout,1926
 18756) *Heterostegane thibetaria* Wehrli,1931 (Geometridae) Synonym(s): *thibetaria* Wehrli,1931
 18757) *Heterostegane thieli* Herbulot,1995 (Geometridae) Synonym(s): *thieli* Herbulot,1995
 18758) *Heterostegane tritocampis classeyi* Holloway,[1994] (Geometridae) Synonym(s): *classeyi* Holloway,[1994]
 18759) *Heterostegane tritocampis macrographa* (Debauche,1941) (Geometridae) Synonym(s): *macrographa* Debauche,1941
 18760) *Heterostegane tritocampis* (L.B.Prout,1934) (Geometridae) Synonym(s): *tritocampis* L.B.Prout,1934
 18761) *Heterostegane urbica* (Swinhoe,1886) (Geometridae) Synonym(s): *urbica* Swinhoe,1886
 18762) *Heterostegane urbica guichardi* Holloway,[1994] (Geometridae) Synonym(s): *guichardi* Holloway,[1994]
 18763) *Heterostegane warreni* (L.B.Prout,1932) (Geometridae) Synonym(s): *quadrilineata* W.Warren,1894 nec Snn.,1886; *warreni* L.B.Prout,1932
 18764) *Heterostegania lunulosa* (Moore,1888) (Geometridae) Synonym(s): *lunulosa* Moore,1888; *nigrofusa* W.Warren,1893
 18765) *Heterostegania thamia* L.B.Prout,1926 (Geometridae) Synonym(s): *thamia* L.B.Prout,1926
 18766) *Heterothera comitabilis* (L.B.Prout,1923) (Geometridae) Synonym(s): *comitabilis* L.B.Prout,1923
 18767) *Heterothera consimilis* (W.Warren,1888) (Geometridae) Synonym(s): *consimilis* W.Warren,1888
 18768) *Heterothera dentifasciata* (Hampson,1895) (Geometridae) Synonym(s): *dentifasciata* Hampson,1895
 18769) *Heterothera etes* (L.B.Prout,1926) (Geometridae) Synonym(s): *etes* L.B.Prout,1926
 18770) *Heterothera incerta* (Inoue,1986) (Geometridae) Synonym(s): *incerta* Inoue,1986
 18771) *Heterothera postalbida* (Wileman,1911) (Geometridae) Synonym(s): *postalbida* Wileman,1911
 18772) *Heterothera quadrifulta* (L.B.Prout,1938) (Geometridae) Synonym(s): *quadrifulta* L.B.Prout,1938
 18773) *Heterothera serraria* (Lienig,1846) (Geometridae) Synonym(s): *serraria* Lienig,1846; *lienigiaria* Lederer,1853
 18774) *Heterothera serrataria* (L.B.Prout,1914) (Geometridae) Synonym(s): *serrataria* L.B.Prout,1914
 18775) *Heterothera sororcula* (Bastelberger,1909) (Geometridae) Synonym(s): *sororcula* Bastelberger,1909
 18776) *Heterothera taigana* (Djakonov,1926) (Geometridae) Synonym(s): *taigana* Djakonov,1926
 18777) *Heterothera tephroptilus* (D.S.Fletcher,1961) (Geometridae) Synonym(s): *tephroptilus* D.S.Fletcher,1961
 18778) *Heterothera undulata* (W.Warren,1888) (Geometridae) Synonym(s): *undulata* W.Warren,1888
 18779) *Hierochthonia alexandria* L.B.Prout,1912 (Geometridae) Synonym(s): *alexandria* L.B.Prout,1912
 18780) *Hierochthonia debonii* C.G.Krüger,1939 (Geometridae) Synonym(s): *debonii* C.G.Krüger,1939
 18781) *Hierochthonia featheri* L.B.Prout,1916 (Geometridae) Synonym(s): *featheri* L.B.Prout,1916
 18782) *Hierochthonia migrata* L.B.Prout,1930 (Geometridae) Synonym(s): *migrata* L.B.Prout,1930
 18783) *Hierochthonia pulverata* (W.Warren,1901) (Geometridae) Synonym(s): *pulverata* W.Warren,1901.
 18784) *Hierochthonia semitaria* (Püngeler,1902) (Geometridae) Synonym(s): *semitaria* Püngeler,1902
 18785) *Hirasa austeraria* (Leech,1897) (Geometridae) Synonym(s): *austeraria* Leech,1897; *grisea* Sterneck,1928
 18786) *Hirasa contubernalis* Moore,1888 (Geometridae) Synonym(s): *contubernalis* Moore,1888; *deminuta* Sterneck,1928
 18787) *Hirasa pauperodes* Wehrli,1953 (Geometridae) Synonym(s): *pauperodes* Wehrli,1953
 18788) *Hirasa plagiochorda* L.B.Prout,1927 (Geometridae) Synonym(s): *plagiochorda* L.B.Prout,1927
 18789) *Holarctias rufinaria* (Staudinger,1861) (Geometridae) Synonym(s): *rufinaria* Staudinger,1861
 18790) *Holoterpna diagrapharia* Püngeler,1900 (Geometridae) Synonym(s): *diagrapharia* Püngeler,1900
 18791) *Holoterpna errata* L.B.Prout,1917 (Geometridae) Synonym(s): *errata* L.B.Prout,1917
 18792) *Holoterpna errata errata* L.B.Prout,1917 (Geometridae) Synonym(s): *errata* L.B.Prout,1917
 18793) *Holoterpna errata segnis* L.B.Prout,1930 (Geometridae) Synonym(s): *segnis* L.B.Prout,1930
 18794) *Holoterpna pruinosa* (Staudinger,1898) (Geometridae) Synonym(s): *pruinosa* Staudinger,1898
 18795) *Horisme aemulata* (Hübner,[1813]) (Geometridae) Synonym(s): *aemulata* Hübner,[1813]
 18796) *Horisme aquata* (Hübner,[1813]) (Geometridae) Synonym(s): *aquata* Hübner,[1813]
 18797) *Horisme calligraphata* (Herrich-Schäffer,1839) (Geometridae) Synonym(s): *calligraphata* Herrich-Schäffer,1839
 18798) *Horisme corticata* (Treitschke,1835) (Geometridae) Synonym(s): *corticata* Treitschke,1835
 18799) *Horisme corticata pfeifferi* Wehrli,1931 (Geometridae) Synonym(s): *pfeifferi* Wehrli,1931
 18800) *Horisme exoletata* (Herrich-Schäffer,1838) (Geometridae) Synonym(s): *exoletata* Herrich-Schäffer,1838
 18801) *Horisme filia* L.B.Prout,1913 (Geometridae) Synonym(s): *filia* L.B.Prout,1913
 18802) *Horisme grisearia* Holloway,1979 (Geometridae) Synonym(s): *grisearia* Holloway,1979
 18803) *Horisme intricata* (Staudinger,1882) (Geometridae) Synonym(s): *intricata* Staudinger,1882
 18804) *Horisme jansei* D.S.Fletcher,1956 (Geometridae) Synonym(s): *jansei* D.S.Fletcher,1956
 18805) *Horisme laurinata* Schawerda,1919 (Geometridae) Synonym(s): *laurinata* Schawerda,1919
 18806) *Horisme milvaria* (Christoph,1893) (Geometridae) Synonym(s): *milvaria* Christoph,1893
 18807) *Horisme minuata* (Walker,1860) (Geometridae) Synonym(s): *minuata* Walker,1860; *emarginata* Walker,1863; *brunniceps* R.Felder & Rogenhofer,1875
 18808) *Horisme obscurata* L.B.Prout,1913 (Geometridae) Synonym(s): *obscurata* L.B.Prout,1913
 18809) *Horisme pallidimacula* L.B.Prout,1925 (Geometridae) Synonym(s): *pallidimacula* L.B.Prout,1925
 18810) *Horisme predotai* Bytinski-Salz,1937 (Geometridae) Synonym(s): *predotai* Bytinski-Salz,1937
 18811) *Horisme punctiscripta* (Prout,1917) (Geometridae) Synonym(s): *punctiscripta* Prout,1917
 18812) *Horisme radicularia* (La Harpe,1855) (Geometridae) Synonym(s): *radicularia* La Harpe,1855
 18813) *Horisme scortcata* (Staudinger,1901) (Geometridae) Synonym(s): *scortcata* Staudinger,1901
 18814) *Horisme scotosiata* (Guenée,[1858]) (Geometridae) Synonym(s): *scotosiata* Guenée,[1858]
 18815) *Horisme suppressaria* (Walker,1863) (Geometridae) Synonym(s): *suppressaria* Walker,1863
 18816) *Horisme tersata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *tersata* [Denis & Schiffermüller],1775; *singulariata* Villers,1789; *testaceata* Hübner,[1809]; *tersaria* Boisduval,1840; *testacearia* Boisduval,1840; *tersulata* Staudinger,1871
 18817) *Horisme tersata tetricata* (Guenée,[1858]) (Geometridae) Synonym(s): *tetricata* Guenée,[1858]; *koreisme* Bryk,1949.
 18818) *Horisme vitalbata* (Hübner,[1799]) (Geometridae) Synonym(s): *vitalbata* [Denis & Schiffermüller],1775; *nebulata* Villers,1789 nec Thunb.,1784; *vitalbata* Hübner,[1799]; *vitalbaria* Boisduval,1840; *detersata* Püngeler,1900; *repedata* Prout,1938
 18819) *Horisme xylinalis* (Holloway,1979) (Geometridae) Synonym(s): *orientalis* Holloway,1979
 18820) *Hospitalia flavolineata* (Staudinger,1883) (Geometridae) Synonym(s): *flavolineata* Staudinger,1883; *hispanata* Fernandez,1931
 18821) *Hydatocapnia demensa* L.B.Prout,1935 (Geometridae) Synonym(s): *demensa* L.B.Prout,1935
 18822) *Hydatocapnia fimbriata* Yazaki,1987 (Geometridae) Synonym(s): *fimbriata* Yazaki,1987
 18823) *Hydatocapnia gemina* Yazaki,1990 (Geometridae) Synonym(s): *gemina* Yazaki,1990

- 18824) *Hydatocapnia marginata* (W.Warren,1893) (Geometridae) Synonym(s): *marginata* W.Warren,1893
 18825) *Hydatocapnia nebulosa* Yazaki,1992 (Geometridae) Synonym(s): *nebulosa* Yazaki,1992
 18826) *Hydatocapnia sororia* Yazaki,1987 (Geometridae) Synonym(s): *sororia* Yazaki,1987
 18827) *Hydrelia aggerata* L.B.Prout,1938 (Geometridae) Synonym(s): *aggerata* L.B.Prout,1938
 18828) *Hydrelia arizana* (Wileman,1911) (Geometridae) Synonym(s): *arizana* Wileman,1911
 18829) *Hydrelia aurantiaca* Hampson,1903 (Geometridae) Synonym(s): *aurantiaca* Hampson,1903
 18830) *Hydrelia bella* (Wileman,1916) (Geometridae) Synonym(s): *bella* Wileman,1916
 18831) *Hydrelia bicauliata* L.B.Prout,1914 (Geometridae) Synonym(s): *bicauliata* L.B.Prout,1914
 18832) *Hydrelia bicolorata* (Moore,1868) (Geometridae) Synonym(s): *bicolorata* Moore,1868
 18833) *Hydrelia binotata* Inoue,1987 (Geometridae) Synonym(s): *binotata* Inoue,1987
 18834) *Hydrelia castaria* (Leech,1897) (Geometridae) Synonym(s): *castaria* Leech,1897
 18835) *Hydrelia cingulata* Hampson,1896 (Geometridae) Synonym(s): *cingulata* Hampson,1896
 18836) *Hydrelia condensata* (Walker,1862) (Geometridae) Synonym(s): *condensata* Walker,1862
 18837) *Hydrelia conspicuaria* (Leech,1897) (Geometridae) Synonym(s): *conspicuaria* Leech,1897
 18838) *Hydrelia controversa* Inoue,1982 (Geometridae) Synonym(s): *controversa* Inoue,1982
 18839) *Hydrelia crocearia* Hampson,1896 (Geometridae) Synonym(s): *crocearia* Hampson,1896
 18840) *Hydrelia elegans* (Inoue,1982) (Geometridae) Synonym(s): *elegans* Inoue,1982
 18841) *Hydrelia enisaria* L.B.Prout,1926 (Geometridae) Synonym(s): *enisaria* L.B.Prout,1926
 18842) *Hydrelia flammeolaria* (Hufnagel,1767) (Geometridae) Synonym(s): *flammeolaria* Hufnagel,1767; *luteata* [Denis & Schiffermüller],1775; *centrata* Fabricius,[1776]; *flavicata* Thunberg,1784; *sinuolata* Girona,1791; *flavostrigata* Donovan,1806; *chibiana* Matsumura,1925
 18843) *Hydrelia flammulata* (Bastelberger,1911) (Geometridae) Synonym(s): *flammulata* Bastelberger,1911
 18844) *Hydrelia flavilinea* (Warren,1893) (Geometridae) Synonym(s): *flavilinea* Warren,1893
 18845) *Hydrelia fuscocastanea* Inoue,1982 (Geometridae) Synonym(s): *fuscocastanea* Inoue,1982
 18846) *Hydrelia gracilipennis* Inoue,1982 (Geometridae) Synonym(s): *gracilipennis* Inoue,1982
 18847) *Hydrelia impleta* L.B.Prout,1938 (Geometridae) Synonym(s): *impleta* L.B.Prout,1938
 18848) *Hydrelia inornata* (Hulst,1896) (Geometridae) Synonym(s): *inornata* Hulst,1896; *exhumata* Pearsall,1906
 18849) *Hydrelia laetivirga* L.B.Prout,1934 (Geometridae) Synonym(s): *laetivirga* L.B.Prout,1934
 18850) *Hydrelia latsaria* (Oberthür,1893) (Geometridae) Synonym(s): *latsaria* Oberthür,1893
 18851) *Hydrelia leucogramma* Wehrli,1931 (Geometridae) Synonym(s): *leucogramma* Wehrli,1931
 18852) *Hydrelia lineata* (W.Warren,1893) (Geometridae) Synonym(s): *lineata* W.Warren,1893
 18853) *Hydrelia lucata* (Guenée,1858) (Geometridae) Synonym(s): *lucata* Guenée,[1858]
 18854) *Hydrelia luteosparsata* Sterneck,1928 (Geometridae) Synonym(s): *luteosparsata* Sterneck,1928
 18855) *Hydrelia marginepunctata* W.Warren,1893 (Geometridae) Synonym(s): *marginepunctata* W.Warren,1893
 18856) *Hydrelia microptera* Inoue,1987 (Geometridae) Synonym(s): *microptera* Inoue,1987
 18857) *Hydrelia musculata* (Staudinger,1897) (Geometridae) Synonym(s): *musculata* Staudinger,1897
 18858) *Hydrelia nepalensis* Inoue,1987 (Geometridae) Synonym(s): *nepalensis* Inoue,1987
 18859) *Hydrelia nisaria* (Christoph,1881) (Geometridae) Synonym(s): *nisaria* Christoph,1881
 18860) *Hydrelia ochrearia* Leech,1897 (Geometridae) Synonym(s): *ochrearia* Leech,1897
 18861) *Hydrelia ornata* (Moore,1868) (Geometridae) Synonym(s): *ornata* Moore,1868
 18862) *Hydrelia parvularia* (Leech,1897) (Geometridae) Synonym(s): *parvularia* Leech,1897
 18863) *Hydrelia parvulata* (Staudinger,1897) (Geometridae) Synonym(s): *parvulata* Staudinger,1897
 18864) *Hydrelia pavonica* Xue,1999 (Geometridae) Synonym(s): *pavonica* Xue,1999
 18865) *Hydrelia rhodoptera* Hampson,1895 (Geometridae) Synonym(s): *rhodoptera* Hampson,1895
 18866) *Hydrelia rubraria* Hampson,1903 (Geometridae) Synonym(s): *rubraria* Hampson,1903
 18867) *Hydrelia rubricosta* Inoue,1892 (Geometridae) Synonym(s): *rubricosta* Inoue,1892
 18868) *Hydrelia rubrilinea* Inoue,1987 (Geometridae) Synonym(s): *rubrilinea* Inoue,1987
 18869) *Hydrelia rubrivena* Wileman,1911 (Geometridae) Synonym(s): *rubrivena* Wileman,1911
 18870) *Hydrelia rufigrisea* (Warren,1893) (Geometridae) Synonym(s): *rufigrisea* Warren,1893
 18871) *Hydrelia rufinota* Hampson,1896 (Geometridae) Synonym(s): *rufinota* Hampson,1896
 18872) *Hydrelia sanguiflua* Hampson,1896 (Geometridae) Synonym(s): *sanguiflua* Hampson,1896
 18873) *Hydrelia sanguinipalpa* Swinhoe,1902 (Geometridae) Synonym(s): *sanguinipalpa* Swinhoe,1902
 18874) *Hydrelia scotozona* Yazaki,1995 (Geometridae) Synonym(s): *scotozona* Yazaki,1995
 18875) *Hydrelia sericea* (Butler,1880) (Geometridae) Synonym(s): *sericea* Butler,1880
 18876) *Hydrelia sericea pampesia* L.B.Prout,1938 (Geometridae) Synonym(s): *pampesia* L.B.Prout,1938
 18877) *Hydrelia shioyana* (Matsumura,1927) (Geometridae) Synonym(s): *shioyana* Matsumura,1927; *adesma* Prout,1930
 18878) *Hydrelia speciosa* Inoue,1992 (Geometridae) Synonym(s): *speciosa* Inoue,1992
 18879) *Hydrelia subcingulata* Inoue,1987 (Geometridae) Synonym(s): *subcingulata* Inoue,1987
 18880) *Hydrelia sublatsaria* Wehrli,1938 (Geometridae) Synonym(s): *sublatsaria* Wehrli,1938
 18881) *Hydrelia subobliquaria* (Moore,1868) (Geometridae) Synonym(s): *subobliquaria* Moore,1868
 18882) *Hydrelia subtestacea* Inoue,1982 (Geometridae) Synonym(s): *subtestacea* Inoue,1982
 18883) *Hydrelia sylvata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *#sylvata* [Denis & Schiffermüller],1775; *testacea* Donovan,1810; *sachalinensis* Matsumura,1925
 18884) *Hydrelia tenera* (Staudinger,1897) (Geometridae) Synonym(s): *tenera* Staudinger,1897
 18885) *Hydrelia terranova* (Krogerus,1954) (Geometridae) Synonym(s): *terranovae* Krogerus,1954
 18886) *Hydrelia ulula* (Bastelberger,1911) (Geometridae) Synonym(s): *ulula* Bastelberger,1911
 18887) *Hydrelia undularia* (Leech,1897) (Geometridae) Synonym(s): *undularia* Leech,1897
 18888) *Hydrelia undulosata* (Moore,1888) (Geometridae) Synonym(s): *undulosata* Moore,1888
 18889) *Hydria cervicalis* (Scopoli,1763) (Geometridae) Synonym(s): *cervinalis* Scopoli,1763; *cervinata* [Denis & Schiffermüller],1775; *fasciaria* Goeze,1781; *fasciata* Retzius,1783; *cervinaria* Treitschke,1825; *certata* Hübner,[1825]; *certaria* Boisduval,1840.
 18890) *Hydria undulata* (Linnaeus,1758) (Geometridae) Synonym(s): *undulata* Linnaeus,1758; *serrata* Hufnagel,1767; *limbata* Goeze,1781; *fusca* Fourcroy,1785 nec Hufn.,1767; *undularia* Boisduval,1840
 18891) *Hydriomena coerulata* (Fabricius,1777) (Geometridae) Synonym(s): *#impluviata* [Denis & Schiffermüller],1775; *coerulata* Fabricius,1777; *autumnalis* Ström,1783; *trifasciata* Borkhausen,1794; *bicommatata* Schrank,1802; *literata* Donovan,1810; *relictata* Zetterstedt,1839; *impluviaria* Boisduval,1840; *insulicolata* Schawerda,1933
 18892) *Hydriomena furcata* (Thunberg,1784) (Geometridae) Synonym(s): *furcata* Thunberg,1784; *sordidata* Fabricius,1794; *elutata* Hübner,[1799]; *fuscoundata* Donovan,1806; *elutaria* Boisduval,1840; *shibiyae* Matsumura,1925.
 18893) *Hydriomena ruberata* (Freyer,[1831]) (Geometridae) Synonym(s): *ruberata* Freyer,[1831]; *ruberaria* Herrich-Schäffer,1848
 18894) *Hyelasia aglaura* (Cramer,[1780]) (Geometridae) Synonym(s): *aglaura* Cramer,[1780]
 18895) *Hyalea bada* (Druce,1892) (Geometridae) Synonym(s): *bada* Druce,1892
 18896) *Hyalea cedricola* (Wehrli,1929) (Geometridae) Synonym(s): *cedricola* Wehrli,1929
 18897) *Hyalea compararia* (Staudinger,1894) (Geometridae) Synonym(s): *compararia* Staudinger,1894
 18898) *Hyalea fasciaria* (Linnaeus,1758) (Geometridae) Synonym(s): *fasciaria* Linnaeus,1758; *prosapiaria* Linnaeus,1758; *neustriaria* Hufnagel,1767; *prasinaria* [Denis & Schiffermüller],1775; *bilosata* Villers,1789; *viridifasciosa* Esper,1794; *cleui* Leraut,1993
 18899) *Hyalea messene* (Druce,1892) (Geometridae) Synonym(s): *messene* Druce,1892
 18900) *Hyalea munda* (Druce,1892) (Geometridae) Synonym(s): *munda* Druce,1892
 18901) *Hyalea myandaria* (Walker,1860) (Geometridae) Synonym(s): *myandaria* Walker,1860
 18902) *Hyalea pardiria* (Schaus,1901) (Geometridae) Synonym(s): *pardiria* Schaus,1901
 18903) *Hyalea pinicolaria* (Bellier,1861) (Geometridae) Synonym(s): *pinicolaria* Bellier,1861
 18904) *Hyalea punctillaria* (Schaus,1901) (Geometridae) Synonym(s): *punctillaria* Schaus,1901
 18905) *Hyalea silanaria* (Schaus,1912) (Geometridae) Synonym(s): *silanaria* Schaus,1912

- 18906) *Hylaea squalidaria* (Costa,[1848]) (Geometridae) Synonym(s): *squalidaria* Costa,[1848]
 18907) *Hylaea templadaria* (Schaus,1901) (Geometridae) Synonym(s): *templadaria* Schaus,1901
 18908) *Hylasia clio* Hübner,[1819] (Geometridae) Synonym(s): *tiresias* Stoll,1782 (homohym); *clio* Hübner,[1819]
 18909) *Hyperythra bocki* Oberthür,1912 (Geometridae) Synonym(s): *bocki* Oberthür,1912
 18910) *Hyperythra flavaria* (Fabricius,1787) (Geometridae) Synonym(s): *lutea* Stoll,1781 nec Hufn.,1766; *flavaria* Fabricius,1787; *flavata* Fabricius,1794; *limbolaria* Guenée,[1858]; *ennomaria* Guenée,[1858]; *luteata* Guenée,[1858]; *penicillaria* Guenée,[1858]; *lutearia* Herrich-Schäffer,1856; *rufifimbria* Warren,1896
 18911) *Hyperythra obliqua* (Warren,1894) (Geometridae) Synonym(s): *obliqua* Warren,1894
 18912) *Hyperythra obliqua lungtanensis* (Wehrli,1939) (Geometridae) Synonym(s): *lungtanensis* Wehrli,1939
 18913) *Hyperythra obliqua obliqua* (Warren,1894) (Geometridae) Synonym(s): *obliqua* Warren,1894
 18914) *Hyperythra obliqua pallens* (Wehrli,1939) (Geometridae) Synonym(s): *pallens* Wehrli,1939
 18915) *Hyperythra phoenix* Swinhoe,1891 (Geometridae) Synonym(s): *phoenix* Swinhoe,1891; *khassiana* Swinhoe,1893
 18916) *Hyperythra rubricata* W.Warren,1898 (Geometridae) Synonym(s): *rubricata* W.Warren,1898; *simplex* W.Warren,1899; *metabolis* Turner,1904; *campylogramma* L.B.Prout,1926; *sumbensis* L.B.Prout,1926; *lysima* L.B.Prout,1926; *vindex* L.B.Prout,1933
 18917) *Hyperythra susceptaria* (Walker,1866) (Geometridae) Synonym(s): *susceptaria* Walker,1866; *lala* Swinhoe,1890
 18918) *Hyperythra swinhoei* Butler,1880 (Geometridae) Synonym(s): *swinhoei* Butler,1880; *phantasma* Butler,1881; *muselmana* Brandt,1938
 18919) *Hypochrosis abstractaria* (Walker,1862) (Geometridae) Synonym(s): *abstractaria* Walker,1862; *tinctaria* Walker,[1863]; *irrorata* Moore,1888
 18920) *Hypochrosis ancylotoxa* L.B.Prout,1926 (Geometridae) Synonym(s): *ancylotoxa* L.B.Prout,1926
 18921) *Hypochrosis baenzigeri* Inoue,1982 (Geometridae) Synonym(s): *baenzigeri* Inoue,1982
 18922) *Hypochrosis binexata* (Walker,[1863]) (Geometridae) Synonym(s): *binexata* Walker,[1863]; *glaucaria* Snellen,1880; *ocellata* Swinhoe,1902
 18923) *Hypochrosis cadmica* Herbulot,1995 (Geometridae) Synonym(s): *cadmica* Herbulot,1995
 18924) *Hypochrosis chiarinii* (Oberthür,1883) (Geometridae) Synonym(s): *chiarinii* Oberthür,1883
 18925) *Hypochrosis eurynota* L.B.Prout,1926 (Geometridae) Synonym(s): *eurynota* L.B.Prout,1926
 18926) *Hypochrosis flagrans* West,1929 (Geometridae) Synonym(s): *flagrans* West,1929
 18927) *Hypochrosis flavifusata* (Moore,1888) (Geometridae) Synonym(s): *flavifusata* Moore,1888
 18928) *Hypochrosis haxairei* Herbulot,1992 (Geometridae) Synonym(s): *haxairei* Herbulot,1992
 18929) *Hypochrosis hyadaria* Guenée,[1858] (Geometridae) Synonym(s): *hyadaria* Guenée,[1858]; *ignivorata* Walker,[1863]; *obliquaria* Moore,1888
 18930) *Hypochrosis hyadaria annulata* Pagenstecher,1896 (Geometridae) Synonym(s): *annulata* Pagenstecher,1896
 18931) *Hypochrosis hyadaria bebaea* L.B.Prout,1932 (Geometridae) Synonym(s): *bebaea* L.B.Prout,1932
 18932) *Hypochrosis hyadaria hyadaria* Guenée,[1858] (Geometridae) Synonym(s): *hyadaria* Guenée,[1858]; *ignivorata* Walker,[1863]; *obliquaria* Moore,1888
 18933) *Hypochrosis hyadaria korndorfferi* (Snellen,1877) (Geometridae) Synonym(s): *korndorfferi* Snellen,1877; *columbaris* W.Warren,1896
 18934) *Hypochrosis hyadaria lubricata* (W.Warren,1899) (Geometridae) Synonym(s): *lubricata* W.Warren,1899; *hiresia* Swinhoe,1901
 18935) *Hypochrosis hyadaria subaurantiaca* (W.Warren,1896) (Geometridae) Synonym(s): *subaurantiaca* W.Warren,1896
 18936) *Hypochrosis insularis* (Bastelberger,1909) (Geometridae) Synonym(s): *insularis* Bastelberger,1909
 18937) *Hypochrosis iris* (Butler,1880) (Geometridae) Synonym(s): *iris* Butler,1880
 18938) *Hypochrosis prouti* West,1929 (Geometridae) Synonym(s): *prouti* West,1929
 18939) *Hypochrosis pyrrhophaeata* (Walker,[1863]) (Geometridae) Synonym(s): *pyrrhophaeata* Walker,[1863]
 18940) *Hypochrosis pyrrhularia* (Guenée,[1858]) (Geometridae) Synonym(s): *pyrrhularia* Guenée,[1858]; *instabilata* Walker,1862
 18941) *Hypochrosis rufescens* (Butler,1880) (Geometridae) Synonym(s): *rufescens* Butler,1880
 18942) *Hypochrosis sternaria* Guenée,[1858] (Geometridae) Synonym(s): *sternaria* Guenée,[1858]; *schistacea* Moore,1879
 18943) *Hypochrosis subrufa* (Bastelberger,1909) (Geometridae) Synonym(s): *subrufa* Bastelberger,1909; *sanguiniscrita* Herbulot,1985
 18944) *Hypochrosis viridimaculata* (Pagenstecher,1895) (Geometridae) Synonym(s): *viridimaculata* Pagenstecher,1895
 18945) *Hypochrosis zoota* West,1929 (Geometridae) Synonym(s): *zoota* West,1929
 18946) *Hypocomete auxostira* (L.B.Prout,1925) (Geometridae) Synonym(s): *auxostira* L.B.Prout,1925
 18947) *Hypocomete bathylima* (L.B.Prout,1923) (Geometridae) Synonym(s): *bathylima* L.B.Prout,1923
 18948) *Hypocomete bengueta* Schultz,1910 (Geometridae) Synonym(s): *bengueta* Schultz,1910
 18949) *Hypocomete clauda* W.Warren,1896 (Geometridae) Synonym(s): *clauda* W.Warren,1896
 18950) *Hypomecis arcearia* (Hampson,1902) (Geometridae) Synonym(s): *arcearia* Hampson,1902
 18951) *Hypomecis barretti* (L.B.Prout,1915) (Geometridae) Synonym(s): *barretti* L.B.Prout,1915
 18952) *Hypomecis cineracea* (Moore,1888) (Geometridae) Synonym(s): *cineracea* Moore,1888
 18953) *Hypomecis cineracea cineracea* (Moore,1888) (Geometridae) Synonym(s): *cineracea* Moore,1888
 18954) *Hypomecis cineracea decrepitata* (Wileman,1911) (Geometridae) Synonym(s): *decrepitata* Wileman,1911
 18955) *Hypomecis costaria* (Guenée,[1858]) (Geometridae) Synonym(s): *costaria* Guenée,[1858]; *xylopterata* Snellen,1895; *spissata* W.Warren,1899
 18956) *Hypomecis danieli* (Wehrli,1932) (Geometridae) Synonym(s): *danieli* Wehrli,1932
 18957) *Hypomecis delatina* (Swinhoe,1900) (Geometridae) Synonym(s): *delatina* Swinhoe,1900
 18958) *Hypomecis ectropodes* (L.B.Prout,1913) (Geometridae) Synonym(s): *ectropodes* L.B.Prout,1913
 18959) *Hypomecis exilis* (W.Warren,1900) (Geometridae) Synonym(s): *exilis* W.Warren,1900
 18960) *Hypomecis fasciata* (Swinhoe,1894) (Geometridae) Synonym(s): *fasciata* Swinhoe,1894
 18961) *Hypomecis formosana* (Wileman,1912) (Geometridae) Synonym(s): *formosana* Wileman,1912
 18962) *Hypomecis fulvipicta* (Wileman,1915) (Geometridae) Synonym(s): *fulvipicta* Wileman,1915
 18963) *Hypomecis fulvosparsa* (Hampson,1895) (Geometridae) Synonym(s): *fulvosparsa* Hampson,1895
 18964) *Hypomecis gladstonei* (L.B.Prout,1922) (Geometridae) Synonym(s): *gladstonei* L.B.Prout,1922
 18965) *Hypomecis glaucocincta* (Hampson,1907) (Geometridae) Synonym(s): *glaucocincta* Hampson,1907
 18966) *Hypomecis gonophora* (L.B.Prout,1916) (Geometridae) Synonym(s): *gonophora* L.B.Prout,1916
 18967) *Hypomecis gorbatschevi* (Kardakoff,1928) (Geometridae) Synonym(s): *gorbatschevi* Kardakoff,1928
 18968) *Hypomecis hemiprasina* (L.B.Prout,1928) (Geometridae) Synonym(s): *hemiprasina* L.B.Prout,1928
 18969) *Hypomecis humanitas* Sato,1988 (Geometridae) Synonym(s): *humanitas* Sato,1988
 18970) *Hypomecis ichnochroma* (L.B.Prout,1928) (Geometridae) Synonym(s): *ichnochroma* L.B.Prout,1928
 18971) *Hypomecis infaustaria* (Walker,1866) (Geometridae) Synonym(s): *infaustaria* Walker,1866; *dentata* Walker,1866; *lutea* Pagenstecher,1884
 18972) *Hypomecis infixaria* (Walker,1860) (Geometridae) Synonym(s): *infixaria* Walker,1860
 18973) *Hypomecis intrusilinea* (L.B.Prout,1915) (Geometridae) Synonym(s): *intrusilinea* L.B.Prout,1915
 18974) *Hypomecis irrelata* (Herbulot,1989) (Geometridae) Synonym(s): *irrelata* Herbulot,1989
 18975) *Hypomecis junctilinea* (Hampson,1907) (Geometridae) Synonym(s): *junctilinea* Hampson,1907; *plumulata* Inoue,1987
 18976) *Hypomecis kemal Koçak*,2006 (Geometridae) Synonym(s): *exilis* Sato,1990 nec Wrr.,1900; *kemal Koçak*,2006
 18977) *Hypomecis latifascia* (Hampson,1891) (Geometridae) Synonym(s): *latifascia* Hampson,1891
 18978) *Hypomecis leucocyma* (Hampson,1907) (Geometridae) Synonym(s): *leucocyma* Hampson,1907
 18979) *Hypomecis lioptilaria* (Swinhoe,1903) (Geometridae) Synonym(s): *lioptilaria* Swinhoe,1903
 18980) *Hypomecis momaria* (Guenée,[1858]) (Geometridae) Synonym(s): *momaria* Guenée,[1858]
 18981) *Hypomecis momaria mekrana* Wehrli,1943 (Geometridae) Synonym(s): *mekrana* Wehrli,1943
 18982) *Hypomecis moriutii* Sato,1991 (Geometridae) Synonym(s): *moriutii* Sato,1991
 18983) *Hypomecis muhabbet Koçak*,2006 (Geometridae) Synonym(s): *diffusaria* Albers,1949 nec Wlk.,1860; *muhabbet Koçak*,2006
 18984) *Hypomecis nepalensis* (Hampson,1902) (Geometridae) Synonym(s): *#subalbida* W.Warren,1896; *nepalensis* Hampson,1902
 18985) *Hypomecis oblivia* (L.B.Prout,1925) (Geometridae) Synonym(s): *oblivia* L.B.Prout,1925
 18986) *Hypomecis paratractaria* Sato,1990 (Geometridae) Synonym(s): *paratractaria* Sato,1990
 18987) *Hypomecis philippinensis* Sato,1996 (Geometridae) Synonym(s): *philippinensis* Sato,1996
 18988) *Hypomecis polystrota* (Hampson,1907) (Geometridae) Synonym(s): *polystrota* Hampson,1907
 18989) *Hypomecis praeclarata* (Püngeler,1900) (Geometridae) Synonym(s): *praeclarata* Püngeler,1900
 18990) *Hypomecis primitiaria* (Walker,1860) (Geometridae) Synonym(s): *primitiaria* Walker,1860
 18991) *Hypomecis procursaria* (Walker,1860) (Geometridae) Synonym(s): *procursaria* Walker,1860

- 18992) *Hypomecis punctinalis* (Scopoli,1763) (Geometridae) Synonym(s): *punctinalis* Scopoli,1763; *urticaria* Hufnagel,1767; *turcaria* Fabricius,1775; *griseonigra* Goeze,1781; *bandevillaea* Fourcroy,1785; *consortaria* Fabricius,1787; *convexata* Villers,1789; *leucopheataria* Villers,1789
- 18993) *Hypomecis punctinalis* conferenda Butler,1878 (Geometridae) Synonym(s): *conferenda* Butler,1878; *submarginata* Bryk,1949
- 18994) *Hypomecis punctinalis* glos L.B.Prout,1914 (Geometridae) Synonym(s): *glos* L.B.Prout,1914
- 18995) *Hypomecis punctinalis* kerstinae Fischer & Lewandowski,2004 (Geometridae) Synonym(s): *kerstinae* Fischer & Lewandowski,2004
- 18996) *Hypomecis punctinalis* punctinalis (Scopoli,1763) (Geometridae) Synonym(s): *punctinalis* Scopoli,1763; *urticaria* Hufnagel,1767; *turcaria* Fabricius,1775; *griseonigra* Goeze,1781; *bandevillaea* Fourcroy,1785; *consortaria* Fabricius,1787; *convexata* Villers,1789; *leucopheataria* Villers,1789
- 18997) *Hypomecis ratotaria* (Swinhoe,1894) (Geometridae) Synonym(s): *ratotaria* Swinhoe,1894
- 18998) *Hypomecis reparata* (Walker,1860) (Geometridae) Synonym(s): *reparata* Walker,1860; *glochiphora* L.B.Prout,1925
- 18999) *Hypomecis roboraria* (Fabricius,1787) (Geometridae) Synonym(s): *#roboraria* [Denis & Schiffmüller],1775; *roboraria* Fabricius,1787; *consobrinaria* Hübner,[1799] *nec* Borkh.,1790; *grandaria* Haworth,1809; *piperitaria* Stephens,1831; *isabellae* Fernandez,1931
- 19000) *Hypomecis separata* (Walker,1860) (Geometridae) Synonym(s): *separata* Walker,1860; *retractaria* Walker,1860
- 19001) *Hypomecis sommereri* Sato,1990 (Geometridae) Synonym(s): *sommereri* Sato,1990
- 19002) *Hypomecis* sp.1 (Geometridae) Synonym(s):
- 19003) *Hypomecis* sp.2 (Geometridae) Synonym(s):
- 19004) *Hypomecis stueningi* Sato,1991 (Geometridae) Synonym(s): *stueningi* Sato,1991
- 19005) *Hypomecis subdetractaria* (L.B.Prout,1923) (Geometridae) Synonym(s): *detractaria* Walker,1860 *nec* Wlk.,1860; *subdetractaria* L.B.Prout,1923; *#subdetractaria* Hutacharern & Tubtim,1995
- 19006) *Hypomecis subdetractaria* sulawesensis Sato,1990 (Geometridae) Synonym(s): *sulawesensis* Sato,1990
- 19007) *Hypomecis tetragonata* (Walker,[1863]) (Geometridae) Synonym(s): *tetragonata* Walker,[1863]; *deficiens* Moore,1888; *pallidiplaga* W.Warren,1899
- 19008) *Hypomecis transcissa* (Walker,1860) (Geometridae) Synonym(s): *transcissa* Walker,1860; *lineataria* Walker,1866; *latipennis* Butler,1881; *#transissa* Hutacharern & Tubtim,1995
- 19009) *Hypomecis transponenda* (Herbulot,1989) (Geometridae) Synonym(s): *transponenda* Herbulot,1989
- 19010) *Hypomecis valens* Inoue,1988 (Geometridae) Synonym(s): *valens* Inoue,1988
- 19011) *Hypomecis virguncula* (L.B.Prout,1927) (Geometridae) Synonym(s): *virguncula* L.B.Prout,1927
- 19012) *Hypomecis xenobia* (Wiltshire,1966) (Geometridae) Synonym(s): *xenobia* Wiltshire,1966
- 19013) *Hypomecis yuwanina* Sato,1981 (Geometridae) Synonym(s): *yuwanina* Sato,1981
- 19014) *Hypomecis zaragoza* (Beutelspacher,1984) (Geometridae) Synonym(s): *zaragoza* Beutelspacher,1984
- 19015) *Hypomecis zernyaria* (Rungs,1946) (Geometridae) Synonym(s): *zernyaria* Rungs,1946
- 19016) *Hyposcotis* (?) *armenia* (Wehrli,1953) (Geometridae) Synonym(s): *armenia* Wehrli,1953
- 19017) *Hyposcotis* (?) *assoi* Redondo & Gaston,1997 (Geometridae) Synonym(s): *assoi* Redondo & Gaston,1997
- 19018) *Hyposcotis* (?) *mutilata* (Staudinger,1879) (Geometridae) Synonym(s): *mutilata* Staudinger,1879
- 19019) *Hyposcotis* (?) *pentheri* (Rebel,1904) (Geometridae) Synonym(s): *pentheri* Rebel,1904; *petrina* Thurner,1936.
- 19020) *Hyposcotis* (Charissa) *bellieri* (Oberthür,1913) (Geometridae) Synonym(s): *bellieri* Oberthür,1913
- 19021) *Hyposcotis* (Charissa) *certhiata* (Rebel & Zerny,1931) (Geometridae) Synonym(s): *certhiatus* Rebel & Zerny,1931; *bezengius* Niesiolowski,1953.
- 19022) *Hyposcotis* (Charissa) *certhiata* minorasiatica Wehrli,1936 (Geometridae) Synonym(s): *minorasiaticus* Wehrli,1936
- 19023) *Hyposcotis* (Charissa) *obscurata* ([Denis & Schiffmüller],1775) (Geometridae) Synonym(s): *#obscurata* [Denis & Schiffmüller],1775; *lividata* Fabricius,1787 *nec* Cl.,1759; *obscuraria* Hübner,1799; *anthracinaria* Esper,1801; *quadripustulata* Donovan,1808
- 19024) *Hyposcotis* (Charissa) *zejae* (Wehrli,1953) (Geometridae) Synonym(s): *zejae* Wehrli,1953.
- 19025) *Hyposcotis* (Costignophos) *avilaria* (Reisser,1936) (Geometridae) Synonym(s): *avilarius* Reisser,1936
- 19026) *Hyposcotis* (Costignophos) *crenulata* (Staudinger,1871) (Geometridae) Synonym(s): *crenulata* Staudinger,1871
- 19027) *Hyposcotis* (Costignophos) *italohelveticus* (Rezbanayi-Reser,1986) (Geometridae) Synonym(s): *italohelveticus* Rezbanayi-Reser,1986
- 19028) *Hyposcotis* (Costignophos) *pullata* ([Denis & Schiffmüller],1775) (Geometridae) Synonym(s): *pullata* [Denis & Schiffmüller],1775
- 19029) *Hyposcotis* (Euchrognophos) *annubilata* Christoph,1885 (Geometridae) Synonym(s): *annubilata* Christoph,1885.
- 19030) *Hyposcotis* (Euchrognophos) *corsica* (Oberthür,1913) (Geometridae) Synonym(s): *corsica* Oberthür,1913
- 19031) *Hyposcotis* (Euchrognophos) *dubitaria* (Staudinger,1892) (Geometridae) Synonym(s): *dubitaria* Staudinger,1892
- 19032) *Hyposcotis* (Euchrognophos) *effendii* Viidalepp & Piriev,1993 (Geometridae) Synonym(s): *effendii* Viidalepp & Piriev,1993
- 19033) *Hyposcotis* (Euchrognophos) *mucidaria* (Hübner,[1799]) (Geometridae) Synonym(s): *mucidaria* Hübner,[1799]
- 19034) *Hyposcotis* (Euchrognophos) *nannodes* (Wehrli,1936) (Geometridae) Synonym(s): *nannodes* Wehrli,1936
- 19035) *Hyposcotis* (Euchrognophos) *subtaurica* (Wehrli,1932) (Geometridae) Synonym(s): *subtaurica* Wehrli,1932
- 19036) *Hyposcotis* (Euchrognophos) *variegata* (Duponchel,1830) (Geometridae) Synonym(s): *variegatus* Duponchel,1830; *#subtaurica* Wehrli,1932.
- 19037) *Hyposcotis* (Kemtrognophos) *ambiguata* (Duponchel,1830) (Geometridae) Synonym(s): *ambiguata* Duponchel,1830
- 19038) *Hyposcotis* (Kemtrognophos) *ambiguata* ambiguata (Duponchel,1830) (Geometridae) Synonym(s): *ambiguata* Duponchel,1830
- 19039) *Hyposcotis* (Kemtrognophos) *ambiguata* graecaria (Staudinger,1871) (Geometridae) Synonym(s): *graecaria* Staudinger,1871
- 19040) *Hyposcotis* (Kemtrognophos) *ambiguata* pullularia (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *pullularia* Herrich-Schäffer,1852
- 19041) *Hyposcotis* (Kemtrognophos) *ambiguata* tatrensis (Vojnits,1969) (Geometridae) Synonym(s): *tatrensis* Vojnits,1969
- 19042) *Hyposcotis* (Kemtrognophos) *ambiguata* viidaleppi (Vojnits,1975) (Geometridae) Synonym(s): *viidaleppi* Vojnits,1975
- 19043) *Hyposcotis* (Kemtrognophos) *ciscaucasicus* (Rjabov,1964) (Geometridae) Synonym(s): *ciscaucasicus* Rjabov,1964
- 19044) *Hyposcotis* (Kemtrognophos) *fractifasciaria* (Püngeler,1901) (Geometridae) Synonym(s): *fractifasciaria* Püngeler,1901
- 19045) *Hyposcotis* (Kemtrognophos) *mardinaria* (Staudinger,1901) (Geometridae) Synonym(s): *mardinaria* Staudinger,1901
- 19046) *Hyposcotis* (Kemtrognophos) *onustaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *onustaria* Herrich-Schäffer,[1852]
- 19047) *Hyposcotis* (Kemtrognophos) *orbicularia* (Püngeler,1904) (Geometridae) Synonym(s): *orbicularia* Püngeler,1904; *pungeleri* Bohatsch,1910.
- 19048) *Hyposcotis* (Kemtrognophos) *predotae* (Schawerda,1929) (Geometridae) Synonym(s): *predotae* Schawerda,1929
- 19049) *Hyposcotis* (Kemtrognophos) *remmi* Viidalepp,1988 (Geometridae) Synonym(s): *remmi* Viidalepp,1988
- 19050) *Hyposcotis* (Kemtrognophos) *sheljuzhkoii* (Schawerda,1924) (Geometridae) Synonym(s): *sheljuzhkoii* Schawerda,1924
- 19051) *Hyposcotis* (Kemtrognophos) *zeitunaria* (Staudinger,1901) (Geometridae) Synonym(s): *zeitunaria* Staudinger,1901
- 19052) *Hyposcotis* (Neognophina) *intermedia* (Wehrli,1917) (Geometridae) Synonym(s): *intermedia* Wehrli,1917
- 19053) *Hyposcotis* (Neognophina) *supinaria* (Mann,1854) (Geometridae) Synonym(s): *supinaria* Mann,1854
- 19054) *Hyposcotis* (Rhopalognophos) *glaucinarina* (Hübner,[1799]) (Geometridae) Synonym(s): *glaucinarina* Hübner,[1799]; *glaucinata* Treitschke,1827; *falconaria* Freyer,1842; *supinata* Bruand,[1852]; *supinaria* Mann,1854; *perstrigata* Wehrli,1924
- 19055) *Hyposidra afflicta* (Walker,1866) (Geometridae) Synonym(s): *afflicta* Walker,1866; *albomaculata* Snellen,1881
- 19056) *Hyposidra albifera* (Moore,1879) (Geometridae) Synonym(s): *albifera* Moore,1879
- 19057) *Hyposidra altiviolescens* Holloway,[1994] (Geometridae) Synonym(s): *altiviolescens* Holloway,[1994]
- 19058) *Hyposidra apioleuca* L.B.Prout,1916 (Geometridae) Synonym(s): *apioleuca* L.B.Prout,1916
- 19059) *Hyposidra aquilaria* (Walker,1862) (Geometridae) Synonym(s): *aquilaria* Walker,1862; *albipunctata* W.Warren,1893; *kala* Swinhoe,1893; *davidaria* Poujade,1895
- 19060) *Hyposidra gracilis* (Herbulot,1954) (Geometridae) Synonym(s): *gracilis* Herbulot,1954
- 19061) *Hyposidra incomptaria* (Walker,1866) (Geometridae) Synonym(s): *incomptaria* Walker,1866; *corticata* Walker,1866; *lutosaria* Pagenstecher,1884; *alfuraria* Pagenstecher,1886; *maculipennis* W.Warren,1896; *prunicolor* W.Warren,1897
- 19062) *Hyposidra infixaria* (Walker,1860) (Geometridae) Synonym(s): *infixaria* Walker,1860; *aquilaria* Walker,[1863] *nec* Wlk.,1862; *umbrosa* Swinhoe,1890; *virgata* Wileman,1910
- 19063) *Hyposidra janiaria* Guenée,[1858] (Geometridae) Synonym(s): *janiaria* Guenée,[1858]; *agrealesaria* Walker,1860; *diffusata* Walker,1866; *infusata* Walker,1866; *subfasciata* Walker,1866
- 19064) *Hyposidra leucomela* (Walker,1866) (Geometridae) Synonym(s): *leucomela* Walker,1866; *leptosoma* R.Felder & Rogenhofer,1875; *lactemaculata* W.Warren,1898; *nigrivincula* Schultze,1907
- 19065) *Hyposidra murina* (Swinhoe,1891) (Geometridae) Synonym(s): *murina* Swinhoe,1891
- 19066) *Hyposidra neglecta* Carcasson,1964 (Geometridae) Synonym(s): *neglecta* Carcasson,1964
- 19067) *Hyposidra nigricosta* W.Warren,1896 (Geometridae) Synonym(s): *nigricosta* W.Warren,1896
- 19068) *Hyposidra nivitacta* W.Warren,1897 (Geometridae) Synonym(s): *nivitacta* W.Warren,1897

- 19069) *Hyposidra picaria* (Walker,1866) (Geometridae) Synonym(s): *picaria* Walker,1866; *caesia* W.Warren,1897; *ruptifascia* W.Warren,1901; *lactiflua* L.B.Prout,1931
- 19070) *Hyposidra rauca* W.Warren,1905 (Geometridae) Synonym(s): *rauca* W.Warren,1905
- 19071) *Hyposidra rufosarcuata* Holloway,[1994] (Geometridae) Synonym(s): *rufosarcuata* Holloway,[1994]
- 19072) *Hyposidra salebrata* L.B.Prout,1937 (Geometridae) Synonym(s): *salebrata* L.B.Prout,1937
- 19073) *Hyposidra talaca* (Walker,1860) (Geometridae) Synonym(s): *talaca* Walker,1860; *deceptura* Walker,1860; *decipiens* Walker,1860; *rigusaria* Walker,[1863]; *bombycaria* Walker,1866; *vampyraria* Snellen,1881; *myceterna* Druce,1889; *flaccida* Lucas,1894
- 19074) *Hyposidra unimacula* W.Warren,1907 (Geometridae) Synonym(s): *unimacula* W.Warren,1907
- 19075) *Hyposidra violescens* Hampson,1895 (Geometridae) Synonym(s): *violescens* Hampson,1895
- 19076) *Hypotephrina exmotaria* (Walker,1861) (Geometridae) Synonym(s): *exmotaria* Walker,1861
- 19077) *Hypoxytis pluviana* (Fabricius,1787) (Geometridae) Synonym(s): *pluviana* Fabricius,1787; *adpersaria* Hübner,1790 nec Fabricius,1787; *jacobaearia* Borkhausen,1794; *inspersaria* Hübner,[1823].
- 19078) *Hypulia continua* (Walker,1861) (Geometridae) Synonym(s): *continua* Walker,1861; *impervisata* Walker,[1863]
- 19079) *Hypulia convoluta* Holloway,[1994] (Geometridae) Synonym(s): *convoluta* Holloway,[1994]
- 19080) *Hypulia dirempta* (Walker,1861) (Geometridae) Synonym(s): *dirempta* Walker,1861
- 19081) *Hypulia eleuthera* Holloway,[1994] (Geometridae) Synonym(s): *eleuthera* Holloway,[1994]
- 19082) *Hypulia strictiva* L.B.Prout,1932 (Geometridae) Synonym(s): *strictiva* L.B.Prout,1932
- 19083) *Hysterura cervinaria* (Moore,1868) (Geometridae) Synonym(s): *cervinaria* Moore,1868
- 19084) *Hysterura declinans* (Staudinger,1897) (Geometridae) Synonym(s): *declinans* Staudinger,1897
- 19085) *Hysterura hypischyra* L.B.Prout,1937 (Geometridae) Synonym(s): *hypischyra* L.B.Prout,1937
- 19086) *Hysterura literataria* (Leech,1897) (Geometridae) Synonym(s): *literataria* Leech,1897
- 19087) *Hysterura multifaria* (Swinhoe,1890) (Geometridae) Synonym(s): *multifaria* Swinhoe,1890
- 19088) *Hysterura protagma* (L.B.Prout,1940) (Geometridae) Synonym(s): *protagma* L.B.Prout,1940
- 19089) *Hysterura vacillans* L.B.Prout,1940 (Geometridae) Synonym(s): *vacillans* L.B.Prout,1940
- 19090) *Idaea abnorma* (Pinker,1960) (Geometridae) Synonym(s): *abnorma* Pinker,1960
- 19091) *Idaea actiosaria* (Walker,1861) (Geometridae) Synonym(s): *actiosaria* Walker,1861
- 19092) *Idaea acuminata* (Moore,1888) (Geometridae) Synonym(s): *acuminata* Moore,1888
- 19093) *Idaea adherbariata* (Staudinger,1898) (Geometridae) Synonym(s): *adherbariata* Staudinger,1898
- 19094) *Idaea adipata* (Schaus,1913) (Geometridae) Synonym(s): *adipata* Schaus,1913
- 19095) *Idaea admiranda* Hausmann,2004 (Geometridae) Synonym(s): *#litigiosaria* Okyar & Aktaş,1999 nec Bsd.,1840; *admiranda* Hausmann,2004
- 19096) *Idaea aequisinuata* (W.Warren,1898) (Geometridae) Synonym(s): *aequisinuata* W.Warren,1898
- 19097) *Idaea affinitata* (A.Bang-Haas,1907) (Geometridae) Synonym(s): *affinitata* A.Bang-Haas,1907
- 19098) *Idaea afflata* (Fuchs,1902) (Geometridae) Synonym(s): *afflata* Fuchs,1902
- 19099) *Idaea africarabica* (Wiltshire,1949) (Geometridae) Synonym(s): *africarabica* Wiltshire,1949
- 19100) *Idaea ajmerensis* Wiltshire,1983 (Geometridae) Synonym(s): *ajmerensis* Wiltshire,1983
- 19101) *Idaea albarracina* (Reisser,1933) (Geometridae) Synonym(s): *albarracina* Reisser,1933
- 19102) *Idaea albitorquata* (Püngeler,1909) (Geometridae) Synonym(s): *albitorquata* Püngeler,1909
- 19103) *Idaea albitorquata albitorquata* (Püngeler,1909) (Geometridae) Synonym(s): *albitorquata* Püngeler,1909
- 19104) *Idaea albitorquata maculifera* Hausmann,1994 (Geometridae) Synonym(s): *maculifera* Hausmann,1994
- 19105) *Idaea albitorquata madoniensis* Hausmann,1993 (Geometridae) Synonym(s): *madoniensis* Hausmann,1993
- 19106) *Idaea algeriensis* (Bethune-Baker,1888) (Geometridae) Synonym(s): *algeriensis* Bethune-Baker,1888
- 19107) *Idaea alicantaria* (Reisser,1963) (Geometridae) Synonym(s): *allicantaria* Reisser,1963
- 19108) *Idaea allardiata* (Mabille,1869) (Geometridae) Synonym(s): *allardiata* Mabille,1869
- 19109) *Idaea allongata* (Staudinger,1898) (Geometridae) Synonym(s): *allongata* Staudinger,1898; *allongaria* Staudinger,1900; *paulusi* Prout,1935.
- 19110) *Idaea alutacea* (Rungs,1945) (Geometridae) Synonym(s): *alutacea* Rungs,1945
- 19111) *Idaea alyssumata* (Hemminghoffen & Millièr,1871) (Geometridae) Synonym(s): *alyssumata* Hemminghoffen & Millièr,1871; *alyssata* Zerny,1927.
- 19112) *Idaea amnesta* (L.B.Prout,1922) (Geometridae) Synonym(s): *amnesta* L.B.Prout,1922
- 19113) *Idaea amplipennis* (Butler,1889) (Geometridae) Synonym(s): *amplipennis* Butler,1889
- 19114) *Idaea amputata* (W.Warren,1899) (Geometridae) Synonym(s): *amputata* W.Warren,1899
- 19115) *Idaea andamanica* (L.B.Prout,1938) (Geometridae) Synonym(s): *andamanica* L.B.Prout,1938
- 19116) *Idaea angusta* (Butler,1897) (Geometridae) Synonym(s): *angusta* Butler,1897
- 19117) *Idaea angustifrons* (Wiltshire,1966) (Geometridae) Synonym(s): *angustifrons* Wiltshire,1966
- 19118) *Idaea antiquaria* (Herrich-Schäffer,1847) (Geometridae) Synonym(s): *#macilentaria* Herrich-Schäffer,1846; *antiquaria* Herrich-Schäffer,1847; *macilentaria* Herrich-Schäffer,1847
- 19119) *Idaea aperta* (L.B.Prout,1916) (Geometridae) Synonym(s): *aperta* L.B.Prout,1916
- 19120) *Idaea apoa* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *apoa* D.S.Fletcher,1958
- 19121) *Idaea arcuata* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *arcuata* D.S.Fletcher,1958
- 19122) *Idaea arenophana* (Wiltshire,1966) (Geometridae) Synonym(s): *arenophana* Wiltshire,1966
- 19123) *Idaea arhostiodes* (W.Warren,1905) (Geometridae) Synonym(s): *arhostiodes* W.Warren,1905
- 19124) *Idaea ascepta* (L.B.Prout,1915) (Geometridae) Synonym(s): *ascepta* L.B.Prout,1915
- 19125) *Idaea asceta* (L.B.Prout,1910) (Geometridae) Synonym(s): *asceta* L.B.Prout,1910
- 19126) *Idaea associata* (W.Warren,1897) (Geometridae) Synonym(s): *associata* W.Warren,1897; *exilnota* W.Warren,1897
- 19127) *Idaea assyria* Holloway,1997 (Geometridae) Synonym(s): *assyria* Holloway,1997
- 19128) *Idaea atlantica* (Stainton,1859) (Geometridae) Synonym(s): *atlantica* Stainton,1859
- 19129) *Idaea attenuaria* (Rambur,1833) (Geometridae) Synonym(s): *attenuaria* Rambur,1833
- 19130) *Idaea aureolaria* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *trilineata* Scopoli,1772 nec Hufn.,1767; *aureolaria* [Denis & Schiffermüller],1775; *bicincta* Fourcroy,1875; *trilinearia* Hübner,[1787].
- 19131) *Idaea auricruda* (Butler,1879) (Geometridae) Synonym(s): *auricruda* Butler,1879; *plumboscriptaria* Christoph,1881
- 19132) *Idaea auriflua* (W.Warren,1902) (Geometridae) Synonym(s): *auriflua* W.Warren,1902
- 19133) *Idaea auriflua auriflua* (W.Warren,1902) (Geometridae) Synonym(s): *auriflua* W.Warren,1902
- 19134) *Idaea auriflua oenozonata* (W.Warren,1902) (Geometridae) Synonym(s): *oenozonata* W.Warren,1902
- 19135) *Idaea aversata* (Linnaeus,1758) (Geometridae) Synonym(s): *aversata* Linnaeus,1758; *remutata* Linnaeus,1758; *lividata* Clerck,1759; *trilineata* Hufnagel,1767; *grisata* Fabricius,[1776]; *murinata* Fabricius,1794; *aversaria* Hübner,[1799]; *fulginata* Haworth,1809; *latifasciaria* Heydenreich,1851.
- 19136) *Idaea aversata indeviata* (L.B.Prout,1929) (Geometridae) Synonym(s): *indeviata* L.B.Prout,1929
- 19137) *Idaea aversata japonica* (Inoue,1955) (Geometridae) Synonym(s): *japonica* Inoue,1955
- 19138) *Idaea bacalladoi* (Pinker,1974) (Geometridae) Synonym(s): *bacalladoi* Pinker,1974
- 19139) *Idaea banghaasi* (L.B.Prout,1934) (Geometridae) Synonym(s): *fimbriata* A.Bang-Haas,1910 nec [Den. & Schiff],1775; *banghaasi* L.B.Prout,1934
- 19140) *Idaea barcearia* (Turati & C.G.Krüger,1936) (Geometridae) Synonym(s): *barcearia* Turati & C.G.Krüger,1936
- 19141) *Idaea barikotensis* (Wiltshire,1966) (Geometridae) Synonym(s): *barikotensis* Wiltshire,1966
- 19142) *Idaea basicostalis* (W.Warren,1900) (Geometridae) Synonym(s): *basicostalis* W.Warren,1900
- 19143) *Idaea basinta* (Schaus,1901) (Geometridae) Synonym(s): *basinta* Schaus,1901; *pallimedia* Grossbeck,1908
- 19144) *Idaea bathromyses* (L.B.Prout,1934) (Geometridae) Synonym(s): *bathromyses* L.B.Prout,1934
- 19145) *Idaea belemia* (Millière,1868) (Geometridae) Synonym(s): *belemia* Millière,1868
- 19146) *Idaea benestrigata* (L.B.Prout,1913) (Geometridae) Synonym(s): *benestrigata* L.B.Prout,1913
- 19147) *Idaea bengasiaria* (Turati,1926) (Geometridae) Synonym(s): *bengasiaria* Turati,1926
- 19148) *Idaea bicertaria* (Staudinger,1892) (Geometridae) Synonym(s): *bicertaria* Staudinger,1892
- 19149) *Idaea bigladiata* (Herbulot,1975) (Geometridae) Synonym(s): *bigladiata* Herbulot,1975
- 19150) *Idaea bigladiata alberti* Hausmann,2004 (Geometridae) Synonym(s): *alberti* Hausmann,2004
- 19151) *Idaea bilinea* (Swinhoe,1886) (Geometridae) Synonym(s): *bilinea* Swinhoe,1886
- 19152) *Idaea bilinearia* (Fuchs,1889) (Geometridae) Synonym(s): *bilinearia* Fuchs,1889; *rubraria* Staudinger,1901

- 19153) *Idaea bimaculata* (Turati & C.G.Krüger,1936) (Geometridae) Synonym(s): *bimaculata* Turati & C.G.Krüger,1936
 19154) *Idaea biselata* (Hufnagel,1767) (Geometridae) Synonym(s): *biselata* Hufnagel,1767; *fimbriata* [Denis & Schiffermüller],1775; *fimbriolata* Stephens,1831; *plumipedata* Walker,1861; *shimizuensis* Matsumura,1925.
 19155) *Idaea blaesii* Lenz & Hausmann,1992 (Geometridae) Synonym(s): *blaesii* Lenz & Hausmann,1992
 19156) *Idaea bonifata* (Hulst,1887) (Geometridae) Synonym(s): *bonifata* Hulst,1887; *ptelearia* Riley,1891; *delicata* Hulst,1896
 19157) *Idaea brauneata* (Swett,1913) (Geometridae) Synonym(s): *brauneata* Swett,1913
 19158) *Idaea brazilia* Koçak & Kemal,2006 (Geometridae) Synonym(s): *ochraria* Schaus,1901 nec Fisch.-Rösl.,1836; *brazilia* Koçak & Kemal,2006
 19159) *Idaea brevissimipes* (Herbulot,1956) (Geometridae) Synonym(s): *brevissimipes* (Herbulot,1956)
 19160) *Idaea brevitarsata* Hausmann,1991 (Geometridae) Synonym(s): *brevitarsata* Hausmann,1991
 19161) *Idaea bucephalaria* (Chrétien,1909) (Geometridae) Synonym(s): *bucephalaria* Chrétien,1909
 19162) *Idaea buechani* (L.B.Prout,1932) (Geometridae) Synonym(s): *buechani* L.B.Prout,1932
 19163) *Idaea bundeli* Viidalepp,1988 (Geometridae) Synonym(s): *bundeli* Viidalepp,1988
 19164) *Idaea bura* (L.B.Prout,1932) (Geometridae) Synonym(s): *bura* L.B.Prout,1932
 19165) *Idaea burtti* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *burtti* D.S.Fletcher,1958
 19166) *Idaea bustilloi* (Agenjo,1967) (Geometridae) Synonym(s): *bustilloi* Agenjo,1967
 19167) *Idaea callipepla* (L.B.Prout,1917) (Geometridae) Synonym(s): *callipepla* L.B.Prout,1917
 19168) *Idaea calunetaria* (Staudinger,1859) (Geometridae) Synonym(s): *calunetaria* Staudinger,1859; *dorycniata* Bellier,1862; *callunata* Rambur,1866.
 19169) *Idaea calunetaria episticta* (Wehrli,1930) (Geometridae) Synonym(s): *episticta* Wehrli,1930
 19170) *Idaea calunetaria fuscularia* (Turati,1930) (Geometridae) Synonym(s): *fuscularia* Turati,1930
 19171) *Idaea camparia* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer,1851; *camparia* Herrich-Schäffer,1852; *europaea* Wehrli,1934.
 19172) *Idaea camparia camparia* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer,1851; *camparia* Herrich-Schäffer,1852; *europaea* Wehrli,1934.
 19173) *Idaea camparia coscurata* (Millière,1875) (Geometridae) Synonym(s): *coscurata* Millière,1875; *boecklini* Mentzer,1990].
 19174) *Idaea capnaria* (Püngeler,1909) (Geometridae) Synonym(s): *cineraria* A.Bang-Haas,1907 nec Leec.,1897; *capnaria* Püngeler,1909.
 19175) *Idaea capnaria capnaria* (Püngeler,1909) (Geometridae) Synonym(s): *cineraria* A.Bang-Haas,1907 nec Leec.,1897; *capnaria* Püngeler,1909.
 19176) *Idaea carnearia* (W.Warren,1897) (Geometridae) Synonym(s): *carnearia* W.Warren,1897; *carneola* W.Warren,1897
 19177) *Idaea carneilinea* (L.B.Prout,1922) (Geometridae) Synonym(s): *carneilinea* L.B.Prout,1922
 19178) *Idaea carpheraria* (Hampson,1903) (Geometridae) Synonym(s): *carpheraria* Hampson,1903; *unipuncta* Swinhoe,1905
 19179) *Idaea carvalhoi* Herbulot,1979 (Geometridae) Synonym(s): *carvalhoi* Herbulot,1979
 19180) *Idaea castelli* (L.B.Prout,1926) (Geometridae) Synonym(s): *castelli* L.B.Prout,1926
 19181) *Idaea caudata* (W.Warren,1904) (Geometridae) Synonym(s): *caudata* W.Warren,1904; *brunneofasciata* W.Warren,1904
 19182) *Idaea celativestis* (L.B.Prout,1931) (Geometridae) Synonym(s): *celativestis* L.B.Prout,1931
 19183) *Idaea celtima* (Schaus,1901) (Geometridae) Synonym(s): *celtima* Schaus,1901
 19184) *Idaea cervantaria* (Millière,1869) (Geometridae) Synonym(s): *cervantaria* Millière,1869
 19185) *Idaea cervantaria carneotincta* (Zerny,1936) (Geometridae) Synonym(s): *cervantaria* Zerny,1936
 19186) *Idaea cervantaria depressaria* (Staudinger,1892) (Geometridae) Synonym(s): *depressaria* Staudinger,1892
 19187) *Idaea charitata* (Rebel,1914) (Geometridae) Synonym(s): *charitata* Rebel,1914
 19188) *Idaea charitotes* (L.B.Prout,1922) (Geometridae) Synonym(s): *charitotes* L.B.Prout,1922
 19189) *Idaea chlorosata* (Snellen,1874) (Geometridae) Synonym(s): *chlorosata* Snellen,1874
 19190) *Idaea chotaria* Swinhoe,1886 (Geometridae) Synonym(s): *chotaria* Swinhoe,1886; *pallidivestis* W.Warren,1896; *remissata* Fuchs,1902
 19191) *Idaea chrysocilia* (Hampson,1891) (Geometridae) Synonym(s): *chrysocilia* Hampson,1891
 19192) *Idaea circuitaria* (Hübner,1819) (Geometridae) Synonym(s): *circuitaria* Hübner,1819; *chimaeraria* Millière,1869
 19193) *Idaea completa* (Staudinger,1892) (Geometridae) Synonym(s): *completa* Staudinger,1892
 19194) *Idaea completa apostolica* Hausmann,1994 (Geometridae) Synonym(s): *apostolica* Hausmann,1994
 19195) *Idaea complexaria* (Schaus,1901) (Geometridae) Synonym(s): *complexaria* Schaus,1901
 19196) *Idaea conioptera* (Hampson,1903) (Geometridae) Synonym(s): *conioptera* Hampson,1903
 19197) *Idaea consanguiberica* Rezbanyai-Reser & Expósito,1992 (Geometridae) Synonym(s): *consanguiberica* Rezbanyai-Reser & Expósito,1992
 19198) *Idaea consanguinaria* (Lederer,1853) (Geometridae) Synonym(s): *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929
 19199) *Idaea consanguinaria consanguinaria* (Lederer,1853) (Geometridae) Synonym(s): *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929
 19200) *Idaea consanguinaria consecrata* (Staudinger,1897) (Geometridae) Synonym(s): *consecrata* Staudinger,1897
 19201) *Idaea consericeata* (L.B.Prout,1913) (Geometridae) Synonym(s): *consericeata* L.B.Prout,1913
 19202) *Idaea consociata* (Staudinger,1900) (Geometridae) Synonym(s): *consociata* Staudinger,1900.
 19203) *Idaea consolidata* (Lederer,1853) (Geometridae) Synonym(s): *consolidata* Lederer,1853
 19204) *Idaea contiguaria* (Hübner,1799) (Geometridae) Synonym(s): *contiguaria* Hübner,1799
 19205) *Idaea contravalsata* (Inoue,1982) (Geometridae) Synonym(s): *contravalsata* Inoue,1982
 19206) *Idaea controversata* (L.B.Prout,1922) (Geometridae) Synonym(s): *controversata* L.B.Prout,1922
 19207) *Idaea cornutosa* Wiltshire,1986 (Geometridae) Synonym(s): *cornutosa* Wiltshire,1986
 19208) *Idaea costiguttata* (W.Warren,1896) (Geometridae) Synonym(s): *costiguttata* W.Warren,1896
 19209) *Idaea coulioniata* (Balestre,1907) (Geometridae) Synonym(s): *coulioniata* Balestre,1907
 19210) *Idaea craspedota* (L.B.Prout,1934) (Geometridae) Synonym(s): *marginata* Swinhoe,1894 nec Wlk.; *craspedota* L.B.Prout,1934
 19211) *Idaea crassipuncta* (Inoue,1971) (Geometridae) Synonym(s): *crassipuncta* Inoue,1971
 19212) *Idaea crassisquama* (W.Warren & Rothschild,1905) (Geometridae) Synonym(s): *crassisquama* W.Warren & Rothschild,1905
 19213) *Idaea cubitata* (W.Warren,1897) (Geometridae) Synonym(s): *cubitata* W.Warren,1897
 19214) *Idaea curtapedata* (Ebert,1965) (Geometridae) Synonym(s): *curtapedata* Ebert,1965
 19215) *Idaea damadensis* Wiltshire,1986 (Geometridae) Synonym(s): *damadensis* Wiltshire,1986
 19216) *Idaea damnata* (Walker,1861) (Geometridae) Synonym(s): *damnata* Walker,1861; *indotaria* Walker,1861; *mimica* W.Warren,1900
 19217) *Idaea darvasica* Viidalepp,1988 (Geometridae) Synonym(s): *darvasica* Viidalepp,1988
 19218) *Idaea dasyptus* (Turner,1908) (Geometridae) Synonym(s): *dasyptus* Turner,1908
 19219) *Idaea daucina* Herbulot,1978 (Geometridae) Synonym(s): *daucina* Herbulot,1978
 19220) *Idaea debiliata* (Sterneck,1934) (Geometridae) Synonym(s): *debiliata* Sterneck,1934
 19221) *Idaea decidua* (W.Warren,1900) (Geometridae) Synonym(s): *decidua* W.Warren,1900
 19222) *Idaea degeneraria* (Hübner,1799) (Geometridae) Synonym(s): *degeneraria* Hübner,1799; *degenerata* Treitschke,1828; *floridaria* Turati,1913
 19223) *Idaea degeneraria erschoffi* (Christoph,1872) (Geometridae) Synonym(s): *erschoffi* Christoph,1872
 19224) *Idaea deitanaria* Reisser & Weisert,1977 (Geometridae) Synonym(s): *deitanaria* Reisser & Weisert,1977
 19225) *Idaea deleta* (Wileman & South,1917) (Geometridae) Synonym(s): *deleta* Wileman & South,1917
 19226) *Idaea delibata* (L.B.Prout,1926) (Geometridae) Synonym(s): *delibata* L.B.Prout,1926
 19227) *Idaea delicatula* (W.Warren,1901) (Geometridae) Synonym(s): *delicatula* W.Warren,1901
 19228) *Idaea deliloides* (L.B.Prout,1918) (Geometridae) Synonym(s): *deliloides* L.B.Prout,1918
 19229) *Idaea delosticta* (Turner,1922) (Geometridae) Synonym(s): *delosticta* Turner,1922
 19230) *Idaea denudaria* (L.B.Prout,1913) (Geometridae) Synonym(s): *denudaria* L.B.Prout,1913
 19231) *Idaea descitaria* (Christoph,1893) (Geometridae) Synonym(s): *descitaria* Christoph,1893; *velitchkovskiyi* Rebel,1907; *favillata* L.B.Prout,1935.
 19232) *Idaea determinata* (Staudinger,1876) (Geometridae) Synonym(s): *determinata* Staudinger,1876; *fasciata* Staudinger,1892; *geministrigata* Fuchs,1901.
 19233) *Idaea detritaria* (Staudinger,1897) (Geometridae) Synonym(s): *detritaria* Staudinger,1897
 19234) *Idaea dicenea* (L.B.Prout,1934) (Geometridae) Synonym(s): *dicenea* L.B.Prout,1934
 19235) *Idaea dilutaria* (Hübner,1799) (Geometridae) Synonym(s): *dilutaria* Hübner,1799; *holosericata* Duponchel,1842; *holoserica* Bruand,1846; *holosericearia* De La Harpe,1853; *praeustaria* De La Harpe,1853.

- 19236) *Idaea dimidiata* (Hufnagel,1767) (Geometridae) Synonym(s): *dimidiata* Hufnagel,1767; *scutulata* [Denis & Schifferrmüller],1775; *antitaurica* Wehrli,1931 nec Wehrli,1931; *tauricola* Wehrli,1934.
- 19237) *Idaea diphyes* (L.B.Prout,1931) (Geometridae) Synonym(s): *diphyes* L.B.Prout,1931
- 19238) *Idaea distinctaria* (Boisduval,1840) (Geometridae) Synonym(s): *distinctaria* Boisduval,1840; *ruficostata* Zeller,1849; *incarnaria* Herrich-Schäffer,1852
- 19239) *Idaea draconigena* Herbulot,1981 (Geometridae) Synonym(s): *draconigena* Herbulot,1981
- 19240) *Idaea dromikos* Hausmann,2004 (Geometridae) Synonym(s): *dromikos* Hausmann,2004
- 19241) *Idaea echo* (L.B.Prout,1916) (Geometridae) Synonym(s): *echo* L.B.Prout,1916; *#eche* L.B.Prout,1933
- 19242) *Idaea effeminata* (Staudinger,1892) (Geometridae) Synonym(s): *effeminata* Staudinger,1892
- 19243) *Idaea efflorata* Zeller,1849 (Geometridae) Synonym(s): *efflorata* Zeller,1849; *extersaria* Herrich-Schäffer,1852; *inesata* Millière,1868; *atromarginata* Mabilille,1869
- 19244) *Idaea effusaria* (Christoph,1881) (Geometridae) Synonym(s): *effusaria* Christoph,1881; *obtectaria* Leech,1897
- 19245) *Idaea egenaria* (Walker,1861) (Geometridae) Synonym(s): *egenaria* Walker,1861
- 19246) *Idaea elaphrodes* (Turner,1908) (Geometridae) Synonym(s): *elaphrodes* Turner,1908
- 19247) *Idaea elata* (W.Warren,1900) (Geometridae) Synonym(s): *elata* W.Warren,1900
- 19248) *Idaea elongaria* (Rambur,1833) (Geometridae) Synonym(s): *elongaria* Rambur,1833; *aridata* Zeller,1847; *aridaria* Heydenreich,1851; *monadaria* Guenée,[1858]; *confusaria* Lederer,1863; *infermata* Staudinger,1871; *zephyrata* Millière,1872; *ludovicata* Lucas,1942.
- 19249) *Idaea elongaria antitaurica* (Wehrli,1932) (Geometridae) Synonym(s): *antitaurica* Wehrli,1932
- 19250) *Idaea elongaria pecharia* (Staudinger,1863) (Geometridae) Synonym(s): *pecharia* Staudinger,1863
- 19251) *Idaea emarginata* (Linnaeus,1758) (Geometridae) Synonym(s): *emarginata* Linnaeus,1758
- 19252) *Idaea epaphrodita* (Wehrli,1934) (Geometridae) Synonym(s): *epaphrodita* Wehrli,1934; *serrataria* Sterneck,1934.
- 19253) *Idaea epaphrodita eremita* (Wiltshire,1949) (Geometridae) Synonym(s): *eremita* Wiltshire,1949
- 19254) *Idaea eremica* (Brandt,1941) (Geometridae) Synonym(s): *eremica* Brandt,1941
- 19255) *Idaea erlacheri* Hausmann,2003 (Geometridae) Synonym(s): *erlacheri* Hausmann,2003
- 19256) *Idaea eugeniata* (Millière,1870) (Geometridae) Synonym(s): *eugeniata* Millière,1870
- 19257) *Idaea eugeniata algeriaca* (Culot,1917) (Geometridae) Synonym(s): *algeriaca* Culot,1917
- 19258) *Idaea euphorbiata* (Balestre,1906) (Geometridae) Synonym(s): *euphorbiata* Balestre,1906
- 19259) *Idaea exilaria* (Guenée,[1858]) (Geometridae) Synonym(s): *exilaria* Guenée,[1858]; *transmutata* Staudinger,1871; *esterelata* Millière,1879
- 19260) *Idaea falcipennis* W.Warren,1893 (Geometridae) Synonym(s): *falcipennis* W.Warren,1893
- 19261) *Idaea falckii* (Hedemann,1879) (Geometridae) Synonym(s): *falckii* Hedemann,1879
- 19262) *Idaea fathmaria* (Oberthür,1876) (Geometridae) Synonym(s): *fathmaria* Oberthür,1876; *millieri* Rothschild,1914.
- 19263) *Idaea fatimata* (Staudinger,1895) (Geometridae) Synonym(s): *fatimata* Staudinger,1895
- 19264) *Idaea figuraria* (A.Bang-Haas,1907) (Geometridae) Synonym(s): *figuraria* A.Bang-Haas,1907
- 19265) *Idaea filicata* (Hübner,[1799]) (Geometridae) Synonym(s): *filicata* Hübner,[1799]; *filicaria* Duponchel,1830
- 19266) *Idaea fittkaui* Hausmann,1992 (Geometridae) Synonym(s): *fittkaui* Hausmann,1992
- 19267) *Idaea flamingo* (W.Warren,1901) (Geometridae) Synonym(s): *flamingo* W.Warren,1901
- 19268) *Idaea flaveolaria* (Hübner,[1809]) (Geometridae) Synonym(s): *brunnearia* Fabricius,1794; *flaveolaria* Hübner,[1809]
- 19269) *Idaea flavisinuata* (W.Warren,1896) (Geometridae) Synonym(s): *flavisinuata* W.Warren,1896
- 19270) *Idaea foedata* (Butler,1879) (Geometridae) Synonym(s): *foedata* Butler,1879
- 19271) *Idaea forsteri* (Wiltshire,1966) (Geometridae) Synonym(s): *forsteri* Wiltshire,1966
- 19272) *Idaea fortificata* (L.B.Prout,1916) (Geometridae) Synonym(s): *fortificata* L.B.Prout,1916
- 19273) *Idaea fractilineata* (Zeller,1847) (Geometridae) Synonym(s): *fractilineata* Zeller,1847; *fractilinearia* Herrich-Schäffer,1852
- 19274) *Idaea fractilineata subrufaria* (Staudinger,1900) (Geometridae) Synonym(s): *subrufaria* Staudinger,1900; *fusaria* Chrétien,1917; *parallellineatella* D.Lucas,1948
- 19275) *Idaea fruticeti* Holloway,1979 (Geometridae) Synonym(s): *fruticeti* Holloway,1979
- 19276) *Idaea fumilinea* (W.Warren,1903) (Geometridae) Synonym(s): *fumilinea* W.Warren,1903
- 19277) *Idaea fumilinea confracta* (L.B.Prout,1925) (Geometridae) Synonym(s): *confracta* L.B.Prout,1925
- 19278) *Idaea furciferata* (Packard,1873) (Geometridae) Synonym(s): *furciferata* Packard,1873; *parvularia* Hulst,1888
- 19279) *Idaea fuscifasciata* (Walia,1995) (Geometridae) Synonym(s): *fuscifasciata* Walia,1995
- 19280) *Idaea fuscolineata* (Walia,1995) (Geometridae) Synonym(s): *fuscolineata* Walia,1995
- 19281) *Idaea fuscovenosa* (Goeze,1781) (Geometridae) Synonym(s): *fuscovenosa* Goeze,1781; *plebeia* Fourcroy,1785
- 19282) *Idaea fylloidaria* (Swinhoe,1904) (Geometridae) Synonym(s): *fylloidaria* Swinhoe,1904
- 19283) *Idaea gallagheri* (Wiltshire,1983) (Geometridae) Synonym(s): *gallagheri* Wiltshire,1983
- 19284) *Idaea galsworthyi* Holloway,1997 (Geometridae) Synonym(s): *galsworthyi* Holloway,1997
- 19285) *Idaea gemma* (Schaus,1901) (Geometridae) Synonym(s): *gemma* Schaus,1901
- 19286) *Idaea gemmaria* (Hampson,1896) (Geometridae) Synonym(s): *gemmaria* Hampson,1896
- 19287) *Idaea gemmata* (Packard,1876) (Geometridae) Synonym(s): *gemma* Packard,1876
- 19288) *Idaea glomerata* (L.B.Prout,1917) (Geometridae) Synonym(s): *glomerata* L.B.Prout,1917
- 19289) *Idaea gracilipennis* (W.Warren,1901) (Geometridae) Synonym(s): *gracilipennis* W.Warren,1901; *#rubrolineata* Schwingenschuss,1933
- 19290) *Idaea granulosa* (W.Warren & Rothschild,1905) (Geometridae) Synonym(s): *granulosa* W.Warren & Rothschild,1905
- 19291) *Idaea griseascens* (W.Warren,1896) (Geometridae) Synonym(s): *griseascens* W.Warren,1896
- 19292) *Idaea griveaudi* Herbulot,1978 (Geometridae) Synonym(s): *griveaudi* Herbulot,1978
- 19293) *Idaea halmaea* (Meyrick,1888) (Geometridae) Synonym(s): *halmaea* Meyrick,1888
- 19294) *Idaea hardenbergi* Janse,1935 (Geometridae) Synonym(s): *hardenbergi* Janse,1935
- 19295) *Idaea hathor* (Wiltshire,1949) (Geometridae) Synonym(s): *hathor* Wiltshire,1949
- 19296) *Idaea helianthemata* (Millière,1870) (Geometridae) Synonym(s): *helianthemata* Millière,1870
- 19297) *Idaea heres* (L.B.Prout,1932) (Geometridae) Synonym(s): *heres* L.B.Prout,1932
- 19298) *Idaea hesuata* (Wiltshire,1983) (Geometridae) Synonym(s): *hesuata* Wiltshire,1983
- 19299) *Idaea hispanaria* (Püngeler,1913) (Geometridae) Synonym(s): *hispanaria* Püngeler,1913
- 19300) *Idaea hispidata* (W.Warren,1904) (Geometridae) Synonym(s): *hispidata* W.Warren,1904
- 19301) *Idaea holliata* (Homborg,1909) (Geometridae) Synonym(s): *holliata* Homborg,1909
- 19302) *Idaea homalorrhoe* (L.B.Prout,1931) (Geometridae) Synonym(s): *homalorrhoe* L.B.Prout,1931
- 19303) *Idaea humeraria* (Walker,[1863]) (Geometridae) Synonym(s): *humeraria* Walker,[1863]; *cerussina* Butler,1889
- 19304) *Idaea humiliata* (Hufnagel,1767) (Geometridae) Synonym(s): *humiliata* Hufnagel,1767; *osseata* [Denis & Schifferrmüller],1775; *ossearia* Hübner,[1799]
- 19305) *Idaea hypophautis* (L.B.Prout,1922) (Geometridae) Synonym(s): *hypophautis* L.B.Prout,1922
- 19306) *Idaea ibericata* (Wehrli,1927) (Geometridae) Synonym(s): *ibericata* Wehrli,1927
- 19307) *Idaea ibizaria* (Mentzer,1980) (Geometridae) Synonym(s): *ibizaria* Mentzer,1980
- 19308) *Idaea illuminata* (L.B.Prout,1939) (Geometridae) Synonym(s): *illuminata* L.B.Prout,1939
- 19309) *Idaea illustrior* (Wiltshire,1952) (Geometridae) Synonym(s): *illustrior* Wiltshire,1952
- 19310) *Idaea illustris* (Brandt,1941) (Geometridae) Synonym(s): *illustris* Brandt,1941
- 19311) *Idaea imbecilla* (Inoue,1955) (Geometridae) Synonym(s): *imbecilla* Inoue,1955
- 19312) *Idaea impexa* (Butler,1879) (Geometridae) Synonym(s): *impexa* Butler,1879; *usumona* Imaizumi,1942
- 19313) *Idaea improbata* (Staudinger,1898) (Geometridae) Synonym(s): *improbata* Staudinger,1898
- 19314) *Idaea improvisa* (L.B.Prout,1938) (Geometridae) Synonym(s): *improvisa* L.B.Prout,1938
- 19315) *Idaea inaudax* (L.B.Prout,1926) (Geometridae) Synonym(s): *inaudax* L.B.Prout,1926
- 19316) *Idaea incalcarata* (Chrétien,1919) (Geometridae) Synonym(s): *disjunctaria* Staudinger,1870 nec Wlk.,1861; *incalcarata* Chrétien,1919
- 19317) *Idaea incanata* (Schaus,1901) (Geometridae) Synonym(s): *incanata* Schaus,1901; *macoaria* Schaus,1913
- 19318) *Idaea incisaria* (Staudinger,1892) (Geometridae) Synonym(s): *incisaria* Staudinger,1892; *incisarioides* Wehrli,1934
- 19319) *Idaea inclinata* (Lederer,1855) (Geometridae) Synonym(s): *inclinata* Lederer,1855
- 19320) *Idaea indecorata* (W.Warren,1900) (Geometridae) Synonym(s): *indecorata* W.Warren,1900
- 19321) *Idaea indepressa* (L.B.Prout,1925) (Geometridae) Synonym(s): *indepressa* L.B.Prout,1925

- 19322) *Idaea indeterminata* (W.Warren,1901) (Geometridae) Synonym(s): *indeterminata* W.Warren,1901
 19323) *Idaea indigata* (Wileman,1915) (Geometridae) Synonym(s): *indigata* Wileman,1915
 19324) *Idaea infantilaria* (Fuchs,1902) (Geometridae) Synonym(s): *infantilaria* Fuchs,1902
 19325) *Idaea infirmaria* (Rambur,1833) (Geometridae) Synonym(s): *infirmaria* Rambur,1833; *carnearia* Mann,1855; *ledererata* Guenée,[1858]; *nigrobarbata* Staudinger,1859; *aquitanaria* Constant,1865
 19326) *Idaea infirmaria mitescens* (L.B.Prout,1935) (Geometridae) Synonym(s): *mitescens* L.B.Prout,1935
 19327) *Idaea infortunata* (L.B.Prout,1938) (Geometridae) Synonym(s): *infortunata* L.B.Prout,1938
 19328) *Idaea ingloria* (L.B.Prout,1926) (Geometridae) Synonym(s): *ingloria* L.B.Prout,1926
 19329) *Idaea inquinata* (Scopoli,1763) (Geometridae) Synonym(s): *inquinata* Scopoli,1763; *herbariata* Fabricius,1798; *pusillaria* Hübner,[1799]; *microsaria* Boisduval,1840; *incomptaria* Boisduval,1840
 19330) *Idaea inquinata adherbariata* (Staudinger,1898) (Geometridae) Synonym(s): *subherbariata* Staudinger,1897 nec Rössl.,1877; *adherbariata* Staudinger,1898
 19331) *Idaea insuavis* Butler,1889 (Geometridae) Synonym(s): *insuavis* Butler,1889
 19332) *Idaea insularum* (L.B.Prout,1927) (Geometridae) Synonym(s): *rufulata* W.Warren,1901 nec Wrn.,1900; *insularum* L.B.Prout,1927
 19333) *Idaea insulensis* (Rindge,1958) (Geometridae) Synonym(s): *insulensis* Rindge,1958
 19334) *Idaea intermedia* (Staudinger,1879) (Geometridae) Synonym(s): *intermedia* Staudinger,1879
 19335) *Idaea invalida* (Butler,1879) (Geometridae) Synonym(s): *invalida* Butler,1879; *punctivalida* Inoue,1943
 19336) *Idaea iodesma* (Meyrick,1897) (Geometridae) Synonym(s): *iodesma* Meyrick,1897; *perdulcis* Turner,1926
 19337) *Idaea iridaria* (Schaus,1901) (Geometridae) Synonym(s): *iridaria* Schaus,1901
 19338) *Idaea jacobi* Hausmann,1991 (Geometridae) Synonym(s): *jacobi* Hausmann,1991
 19339) *Idaea jakima* (Butler,1878) (Geometridae) Synonym(s): *jakima* Butler,1878
 19340) *Idaea jalapata* (Schaus,1901) (Geometridae) Synonym(s): *jalapata* Schaus,1901
 19341) *Idaea jarata* (Schaus,1901) (Geometridae) Synonym(s): *jarata* Schaus,1901
 19342) *Idaea joannisiata* (Homberg,1911) (Geometridae) Synonym(s): *joannisiata* Homberg,1911
 19343) *Idaea jonesi* (L.B.Prout,1922) (Geometridae) Synonym(s): *jonesi* L.B.Prout,1922
 19344) *Idaea jugaria* (Schaus,1901) (Geometridae) Synonym(s): *jugaria* Schaus,1901
 19345) *Idaea karafutonis* (Matsumura,1925) (Geometridae) Synonym(s): *karafutonis* Matsumura,1925
 19346) *Idaea korbi* (Püngeler,1917) (Geometridae) Synonym(s): *korbi* Püngeler,1917; *korbiae* Arnold,1921
 19347) *Idaea krasilnikovae* Viidalepp,[1992] (Geometridae) Synonym(s): *krasilnikovae* Viidalepp,[1992]
 19348) *Idaea kyushuensis* Sato,1994 (Geometridae) Synonym(s): *kyushuensis* Sato,1994
 19349) *Idaea laciniata* (W.Warren,1902) (Geometridae) Synonym(s): *laciniata* W.Warren,1902; *nitescens* W.Warren,1902
 19350) *Idaea lacteipennis* (Butler,1889) (Geometridae) Synonym(s): *lacteipennis* Butler,1889
 19351) *Idaea laevigata* (Scopoli,1763) (Geometridae) Synonym(s): *laevigata* Scopoli,1763; *laevigaria* Hübner,[1799]; *renularia* Hübner,[1809]; *lividellaria* Peyerimhoff,1863; *renulata* Rambur,1866; *couloniata* Balestre,1907; *storaе* Andreas,1928
 19352) *Idaea lalasaria* (Swinhoe,1904) (Geometridae) Synonym(s): *lalasaria* Swinhoe,1904
 19353) *Idaea lambessata* (Oberthür,1887) (Geometridae) Synonym(s): *lambessata* Oberthür,1887; *granadaria* Staudinger,1901
 19354) *Idaea lamprotis* (L.B.Prout,1926) (Geometridae) Synonym(s): *lamprotis* L.B.Prout,1926
 19355) *Idaea laszloi* Hausmann,1999 (Geometridae) Synonym(s): *laszloi* Hausmann,1999
 19356) *Idaea lateritica* Holloway,1979 (Geometridae) Synonym(s): *lateritica* Holloway,1979
 19357) *Idaea laticlavata* (L.B.Prout,1922) (Geometridae) Synonym(s): *laticlavata* L.B.Prout,1922
 19358) *Idaea latiferaria* (Walker,1861) (Geometridae) Synonym(s): *latiferaria* Walker,1861
 19359) *Idaea leipnitzii* Hausmann,2004 (Geometridae) Synonym(s): *leipnitzii* Hausmann,2004
 19360) *Idaea leptatibia* D.S.Fletcher,1978 (Geometridae) Synonym(s): *leptatibia* D.S.Fletcher,1978
 19361) *Idaea leucorrheuma* (L.B.Prout,1932) (Geometridae) Synonym(s): *leucorrheuma* L.B.Prout,1932
 19362) *Idaea leucozona* (Hampson,1895) (Geometridae) Synonym(s): *leucozona* Hampson,1895
 19363) *Idaea libycata* (Bartel,1906) (Geometridae) Synonym(s): *libycata* Bartel,1906
 19364) *Idaea liliputaria* (W.Warren,1902) (Geometridae) Synonym(s): *liliputaria* W.Warren,1902; *#liliputaria* L.B.Prout,1933
 19365) *Idaea lilliana* (Schaus,1901) (Geometridae) Synonym(s): *lilliana* Schaus,1901
 19366) *Idaea limbata* (Bastelberger,1908) (Geometridae) Synonym(s): *limbata* Bastelberger,1908
 19367) *Idaea lineata* (Hampson,1893) (Geometridae) Synonym(s): *lineata* Hampson,1893
 19368) *Idaea lipara* (L.B.Prout,1917) (Geometridae) Synonym(s): *lipara* L.B.Prout,1917
 19369) *Idaea litigiosaria* (Boisduval,1840) (Geometridae) Synonym(s): *litigiosaria* Boisduval,1840; *morosaria* Herrich-Schäffer,1852; *dissidiata* Guenée,1858; *agraria* De Joannis,1891
 19370) *Idaea lobaria* (Chrétien,1909) (Geometridae) Synonym(s): *lobaria* Chrétien,1909; *balestraria* Lucas,1909
 19371) *Idaea longaria* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *longaria* Herrich-Schäffer,1852; *prolongata* Rambur,1866
 19372) *Idaea lucellata* (Püngeler,1902) (Geometridae) Synonym(s): *lucellata* Püngeler,1902
 19373) *Idaea lucida* (Turner,1942) (Geometridae) Synonym(s): *lucida* Turner,1942
 19374) *Idaea ludovicaria* (Culot,1918) (Geometridae) Synonym(s): *ludovicaria* Culot,1918
 19375) *Idaea lushispanica* Herbulot,1991 (Geometridae) Synonym(s): *#granadaria* Staudinger,1901; *lushispanica* Herbulot,1991
 19376) *Idaea luteolaria* (Constant,1863) (Geometridae) Synonym(s): *luteolaria* Constant,1863
 19377) *Idaea lutulentaria* (Staudinger,1892) (Geometridae) Synonym(s): *lutulentaria* Staudinger,1892; *aurata* Mendez,1912
 19378) *Idaea macropaga* (Wiltshire,1966) (Geometridae) Synonym(s): *macropaga* Wiltshire,1966
 19379) *Idaea macrospila* (L.B.Prout,1926) (Geometridae) Synonym(s): *macrospila* L.B.Prout,1926
 19380) *Idaea macrostyla* (W.Warren,1900) (Geometridae) Synonym(s): *macrostyla* W.Warren,1900; *minimaria* W.Warren,1904
 19381) *Idaea maculata* (W.Warren,1896) (Geometridae) Synonym(s): *maculata* W.Warren,1896
 19382) *Idaea maderae* (Bethune-Baker,1891) (Geometridae) Synonym(s): *maderae* Bethune-Baker,1891; *unostrigata* Bethune-Baker,1891
 19383) *Idaea maisongrossei* Herbulot,1978 (Geometridae) Synonym(s): *maisongrossei* Herbulot,1978
 19384) *Idaea malescripta* (W.Warren,1897) (Geometridae) Synonym(s): *malescripta* W.Warren,1897
 19385) *Idaea mancipiata* (Staudinger,1871) (Geometridae) Synonym(s): *mancipiata* Staudinger,1871; *bustilloi* Agenjo,1967
 19386) *Idaea mancipiata repagulata* L.B.Prout,1934 (Geometridae) Synonym(s): *#repagulata* L.B.Prout,1913; *repagulata* L.B.Prout,1934
 19387) *Idaea manicaria* (Herrich-Schäffer,1851) (Geometridae) Synonym(s): *manicaria* Herrich-Schäffer,1851; *volitaria* De Joannis,1891
 19388) *Idaea marcidaria* (Walker,1861) (Geometridae) Synonym(s): *marcidaria* Walker,1861; *swinhoei* L.B.Prout,1932
 19389) *Idaea mareotica* (Draudt,1912) (Geometridae) Synonym(s): *mareotica* Draudt,1912
 19390) *Idaea margarita* (W.Warren,1897) (Geometridae) Synonym(s): *margarita* W.Warren,1897
 19391) *Idaea margaritacea* (Turati & C.G.Krüger,1936) (Geometridae) Synonym(s): *margaritacea* Turati & C.G.Krüger,1936
 19392) *Idaea maritimaria* (Bruand,1846) (Geometridae) Synonym(s): *maritimaria* Bruand,1846; *deversaria* Herrich-Schäffer,[1847]; *hyalinata* Christoph,1885
 19393) *Idaea marjahensis* Wiltshire,1990 (Geometridae) Synonym(s): *marjahensis* Wiltshire,1990
 19394) *Idaea marmorata* (Hampson,1903) (Geometridae) Synonym(s): *marmorata* Hampson,1903
 19395) *Idaea maronitaria* (Zerny,1933) (Geometridae) Synonym(s): *maronitaria* Zerny,1933
 19396) *Idaea maskina* (Wiltshire,1966) (Geometridae) Synonym(s): *maskina* Wiltshire,1966
 19397) *Idaea mathetica* (L.B.Prout,1934) (Geometridae) Synonym(s): *mathetica* L.B.Prout,1934
 19398) *Idaea maurusia* (Turati,1924) (Geometridae) Synonym(s): *maurusia* Turati,1924
 19399) *Idaea maxima* (Wehrli,1934) (Geometridae) Synonym(s): *maxima* Wehrli,1934
 19400) *Idaea mediaria* (Hübner,[1819]) (Geometridae) Synonym(s): *mediaria* Hübner,[1819]
 19401) *Idaea mediaria flavidior* (Rothschild,1914) (Geometridae) Synonym(s): *flavidior* Rothschild,1914
 19402) *Idaea medioumbraria* (Turati,1930) (Geometridae) Synonym(s): *medioumbraria* Turati,1930
 19403) *Idaea merklaria* (Oberthür,1885) (Geometridae) Synonym(s): *merklaria* Oberthür,1885; *terentius* Bethune-Baker,1885
 19404) *Idaea mesodela* (L.B.Prout,1926) (Geometridae) Synonym(s): *mesodela* L.B.Prout,1926
 19405) *Idaea methaemaria* (Hampson,1903) (Geometridae) Synonym(s): *methaemaria* Hampson,1903
 19406) *Idaea metohiensis* (Rebel,1900) (Geometridae) Synonym(s): *metohiensis* Rebel,1900; *anatolica* Schwingenschuss,1938.

- 19407) *Idaea micra* (Hampson,1893) (Geometridae) Synonym(s): *micra* Hampson,1893
 19408) *Idaea microphaga* (Wiltshire,1966) (Geometridae) Synonym(s): *microphaga* Wiltshire,1966
 19409) *Idaea microptera* (W.Warren & Rothschild,1905) (Geometridae) Synonym(s): *microptera* W.Warren & Rothschild,1905
 19410) *Idaea mimetes* (Brandt,1941) (Geometridae) Synonym(s): *mimetes* Brandt,1941
 19411) *Idaea mimosaria* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *mimosaria* Herrich-Schäffer,1852
 19412) *Idaea mimosaria wimmeri* Hausmann,1994 (Geometridae) Synonym(s): *wimmeri* Hausmann,1994
 19413) *Idaea minuscularia* (Ribbe,1912) (Geometridae) Synonym(s): *minuscularia* Ribbe,1912; *herbuloti* Agenjo,1952
 19414) *Idaea minuta* (Schaus,1901) (Geometridae) Synonym(s): *minuta* Schaus,1901
 19415) *Idaea miranda* (Hulst,1896) (Geometridae) Synonym(s): *miranda* Hulst,1896
 19416) *Idaea miserrima* (Turati,1930) (Geometridae) Synonym(s): *miserrima* Turati,1930
 19417) *Idaea mixta* (W.Warren,1907) (Geometridae) Synonym(s): *mixta* W.Warren,1907
 19418) *Idaea moniliata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *moniliata* [Denis & Schiffermüller],1775; ?*pentalineata* De Villers,1789; *omicata* Fabricius,1794; #*moniliaria* Hübner,[1799]; *pluripunctata* Scharfenberg,1805
 19419) *Idaea muricolaria* (Walker,1861) (Geometridae) Synonym(s): *mundaria* Walker,1861; *sextinotata* W.Warren,1900
 19420) *Idaea muricata* (Hufnagel,1767) (Geometridae) Synonym(s): *muricata* Hufnagel,1767; *auroralis* [Denis & Schiffermüller],1775; *variegata* Fabricius,1777 nec Sc.,1763; *aureopolita* Goeze,1783; *sanguinaria* Hübner,1787; *auroraria* Borkhausen,1794
 19421) *Idaea muricolor* (W.Warren,1904) (Geometridae) Synonym(s): *muricolor* W.Warren,1904
 19422) *Idaea mustelata* (Gumpfenberg,1892) (Geometridae) Synonym(s): *mustelata* Gumpfenberg,1892; #*algirica* L.B.Prout,1935
 19423) *Idaea mutanda* W.Warren,1888 (Geometridae) Synonym(s): *inductata* Walker,1861 nec Gn.,[1858]; *mutanda* W.Warren,1888
 19424) *Idaea mutilata* (Staudinger,1876) (Geometridae) Synonym(s): *mutilata* Staudinger,1876
 19425) *Idaea nanata* (W.Warren,1897) (Geometridae) Synonym(s): *nanata* W.Warren,1897; *incolorata* W.Warren,1898
 19426) *Idaea nasifera* (L.B.Prout,1916) (Geometridae) Synonym(s): *nasifera* L.B.Prout,1916
 19427) *Idaea neovalida* (Inoue,1958) (Geometridae) Synonym(s): *neovalida* Inoue,1958
 19428) *Idaea nevadata* (Wehrli,1926) (Geometridae) Synonym(s): *nevadata* Wehrli,1926; *salmaticensis* Mendes,1918; *subcompleta* Fernandez,1931
 19429) *Idaea nexata* (Hübner,[1813]) (Geometridae) Synonym(s): *nexata* Hübner,[1813]; #*nexaria* Hübner,[1825]; *cirtanaria* H.Lucas,1849; *marambaudista* D.Lucas,1924
 19430) *Idaea nielsenii* (Hedemann,1879) (Geometridae) Synonym(s): *nielsenii* Hedemann,1879; *latimarginata* W.Warren,1895
 19431) *Idaea nigrella* (Wiltshire,1966) (Geometridae) Synonym(s): *nigrella* Wiltshire,1966
 19432) *Idaea nigrolineata* (Chrétien,1911) (Geometridae) Synonym(s): *nigrolineata* Chrétien,1911
 19433) *Idaea nigrosticta* (W.Warren,1897) (Geometridae) Synonym(s): *nigrosticta* W.Warren,1897
 19434) *Idaea nitidata* (Herrich-Schäffer,1861) (Geometridae) Synonym(s): *nitidata* Herrich-Schäffer,1861; *tectaria* Leech,1897.
 19435) *Idaea nocturna* (Staudinger,1892) (Geometridae) Synonym(s): *nocturna* Staudinger,1892
 19436) *Idaea nudaria* (Christoph,1881) (Geometridae) Synonym(s): *nudaria* Christoph,1881
 19437) *Idaea numidaria* (Lucas,1849) (Geometridae) Synonym(s): *numidaria* Lucas,1849
 19438) *Idaea oberthuri* (Lucas,1917) (Geometridae) Synonym(s): *oberthuri* Lucas,1917
 19439) *Idaea oberthuriata* (Balestre,1907) (Geometridae) Synonym(s): *obfusaria* Walker,1861; *punctofimbriata* Packard,1873; *oberthuriata* Balestre,1907; *pimacoata* Cassino,1931
 19440) *Idaea obfuscaria* (Leech,1897) (Geometridae) Synonym(s): *obfuscaria* Leech,1897
 19441) *Idaea obliquaria* (Turati,1913) (Geometridae) Synonym(s): *obliquaria* Turati,1913; *napoleon* L.B.Prout,1913
 19442) *Idaea obliquilinea* (W.Warren,1896) (Geometridae) Synonym(s): *obliquilinea* W.Warren,1896
 19443) *Idaea obsoletaria* (Rambur,1833) (Geometridae) Synonym(s): *obsoletaria* Rambur,1833; *violacearia* Staudinger,1901; *distans* Hausmann,1991; *violacearia* Hausmann,1991 nec Wlk.,1861
 19444) *Idaea ochrata* (Scopoli,1763) (Geometridae) Synonym(s): *ochrata* Scopoli,1763; #*ochreata* [Denis & Schiffermüller],1775; *corrugata* Fabricius,1781; *ochrearia* Schrank,1802 nec Ross.,1794; *sicula* Zeller,1847; *accretata* Fuchs,1901
 19445) *Idaea ocnera* (L.B.Prout,1926) (Geometridae) Synonym(s): *ocnera* L.B.Prout,1926
 19446) *Idaea okbaria* (Chrétien,1911) (Geometridae) Synonym(s): *okbaria* Chrétien,1911
 19447) *Idaea okinawaensis* Inoue,1982 (Geometridae) Synonym(s): *okinawaensis* Inoue,1982
 19448) *Idaea onchnophora* (L.B.Prout,1939) (Geometridae) Synonym(s): *onchnophora* L.B.Prout,1939
 19449) *Idaea opsitela* (L.B.Prout,1931) (Geometridae) Synonym(s): *opsitela* L.B.Prout,1931
 19450) *Idaea opsitela monodia* (L.B.Prout,1938) (Geometridae) Synonym(s): *monodia* L.B.Prout,1938
 19451) *Idaea oranaria* (A.Bang-Haas,1907) (Geometridae) Synonym(s): *oranaria* A.Bang-Haas,1907
 19452) *Idaea ortalii* Hausmann,1991 (Geometridae) Synonym(s): *ortalii* Hausmann,1991
 19453) *Idaea ossicolor* (Janse,1935) (Geometridae) Synonym(s): *ossicolor* Janse,1935
 19454) *Idaea ossiculata* (Lederer,1871) (Geometridae) Synonym(s): *ossiculata* Lederer,1871
 19455) *Idaea ostrinaria* (Hübner,[1813]) (Geometridae) Synonym(s): *ostrinaria* Hübner,[1813]; *demarginata* Schwingenschuss,1938.
 19456) *Idaea palaestinensis* (Sterneck,1933) (Geometridae) Synonym(s): *antitaurica* Wehrli,1932 nec Whrl.,1931; *palaestinensis* Sterneck,1933; *seitunensis* L.B.Prout,1934.
 19457) *Idaea pallidata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *pallidata* [Denis & Schiffermüller],1775; *pallidaria* Treitschke,1825; *byssinata* Treitschke,1828; *byssinaria* Boisduval,1840
 19458) *Idaea palmata* (Staudinger,1901) (Geometridae) Synonym(s): *palmata* Staudinger,1901
 19459) *Idaea palniensis* (L.B.Prout,1920) (Geometridae) Synonym(s): *palniensis* L.B.Prout,1920
 19460) *Idaea paniensis* Holloway,1979 (Geometridae) Synonym(s): *paniensis* Holloway,1979
 19461) *Idaea parallelaria* (W.Warren,1902) (Geometridae) Synonym(s): *parallelaria* W.Warren,1902; *paraplesia* L.B.Prout,1916
 19462) *Idaea paranaria* (Schaus,1901) (Geometridae) Synonym(s): *paranaria* Schaus,1901
 19463) *Idaea paraula* (L.B.Prout,1914) (Geometridae) Synonym(s): *paraula* L.B.Prout,1914
 19464) *Idaea paravalida* Sato,1988 (Geometridae) Synonym(s): *paravalida* Sato,1988
 19465) *Idaea pareupithex* (L.B.Prout,1922) (Geometridae) Synonym(s): *pareupithex* L.B.Prout,1922
 19466) *Idaea pectinata* (Sterneck,1933) (Geometridae) Synonym(s): *pectinata* Sterneck,1933
 19467) *Idaea pediculata* (D.S.Fletcher,1958) (Geometridae) Synonym(s): *pediculata* D.S.Fletcher,1958
 19468) *Idaea peluraria* (Reisser,1939) (Geometridae) Synonym(s): *peluraria* Reisser,1939
 19469) *Idaea pericalles* (L.B.Prout,1913) (Geometridae) Synonym(s): *pericalles* L.B.Prout,1913
 19470) *Idaea perpulverea* (Hampson,1903) (Geometridae) Synonym(s): *perpulverea* Hampson,1903
 19471) *Idaea persica* (Brandt,1941) (Geometridae) Synonym(s): *persica* Brandt,1941
 19472) *Idaea persidis* (Wiltshire,1966) (Geometridae) Synonym(s): *persidis* Wiltshire,1966
 19473) *Idaea persimilis* (W.Warren,1896) (Geometridae) Synonym(s): *persimilis* W.Warren,1896
 19474) *Idaea perspersata* (W.Warren,1897) (Geometridae) Synonym(s): *perspersata* W.Warren,1897
 19475) *Idaea perversata* (Bastelberger,1908) (Geometridae) Synonym(s): *perversata* Bastelberger,1908
 19476) *Idaea phaeocrossa* (L.B.Prout,1931) (Geometridae) Synonym(s): *phaeocrossa* L.B.Prout,1931
 19477) *Idaea phoenicoglaucia* (Hampson,1907) (Geometridae) Synonym(s): *phoenicoglaucia* Hampson,1907
 19478) *Idaea plesioscotia* (L.B.Prout,1925) (Geometridae) Synonym(s): *plesioscotia* L.B.Prout,1925
 19479) *Idaea politaria* (Hübner,[1799]) (Geometridae) Synonym(s): *politata* Hübner,1793 nec Fabr.,1781; *politaria* Hübner,[1799]; #*abmarginata* Bohatsch,1885; *mundipennis* W.Warren,1898; *abmarginata* Staudinger,1901
 19480) *Idaea praetincta* Hausmann,1994 (Geometridae) Synonym(s): *praetincta* Hausmann,1994
 19481) *Idaea predotaria* (Hartig,1951) (Geometridae) Synonym(s): *predotaria* Hartig,1951; *griseonova* Rezbanayi-Reser,1987
 19482) *Idaea prionodonta* (L.B.Prout,1932) (Geometridae) Synonym(s): *prionodonta* L.B.Prout,1932
 19483) *Idaea proclivata* (Fuchs,1902) (Geometridae) Synonym(s): *proclivata* Fuchs,1902; *osthelderi* Wehrli,1932.
 19484) *Idaea procrossa* (Meyrick,1887) (Geometridae) Synonym(s): *procrossa* Meyrick,1887
 19485) *Idaea productata* (Packard,1876) (Geometridae) Synonym(s): *productata* Packard,1876; *subochreata* Hulst,1887; *australis* Hulst,1896 nec Zell.,1847
 19486) *Idaea profanaria* (Walker,1861) (Geometridae) Synonym(s): *profanaria* Walker,1861
 19487) *Idaea promiscuaria* (Leech,1897) (Geometridae) Synonym(s): *promiscuaria* Leech,1897

- 19488) *Idaea prosartema* (Herbulot,[1956]) (Geometridae) Synonym(s): *prosartema* Herbulot,[1956]
 19489) *Idaea protensa* (Butler,1889) (Geometridae) Synonym(s): *protensa* Butler,1889
 19490) *Idaea protrusa* (Turati,1926) (Geometridae) Synonym(s): *protrusa* Turati,1926
 19491) *Idaea proximaria* (Leech,1897) (Geometridae) Synonym(s): *proximaria* Leech,1897
 19492) *Idaea prucholoma* (L.B.Prout,1932) (Geometridae) Synonym(s): *prucholoma* L.B.Prout,1932
 19493) *Idaea ptyonopoda* (Hampson,1895) (Geometridae) Synonym(s): *ptyonopoda* Hampson,1895
 19494) *Idaea pulchrfascia* (Hampson,1903) (Geometridae) Synonym(s): *pulchrfascia* Hampson,1903
 19495) *Idaea pulveraria* (Snellen,1872) (Geometridae) Synonym(s): *pulveraria* Snellen,1872; *inobtrusa* W.Warren,1898
 19496) *Idaea pulveraria subculata* (L.B.Prout,1916) (Geometridae) Synonym(s): *subculata* L.B.Prout,1916
 19497) *Idaea punctigera* (Janse,1935) (Geometridae) Synonym(s): *punctigera* Janse,1935
 19498) *Idaea purpurariata* (Pinker,1974) (Geometridae) Synonym(s): *purpurariata* Pinker,1974
 19499) *Idaea purpurascens* (L.B.Prout,1916) (Geometridae) Synonym(s): *purpurascens* L.B.Prout,1916
 19500) *Idaea purpureomarginata* (Bohatsch,1880) (Geometridae) Synonym(s): *purpureomarginata* Bohatsch,1880
 19501) *Idaea purpureomarginata stefani* Hausmann,1991 (Geometridae) Synonym(s): *stefani* Hausmann,1991
 19502) *Idaea rainerii* Hausmann,1994 (Geometridae) Synonym(s): *rainerii* Hausmann,1994
 19503) *Idaea remanei* Wiltshire,1985 (Geometridae) Synonym(s): *remanei* Wiltshire,1985
 19504) *Idaea remissa* (Wileman,1911) (Geometridae) Synonym(s): *remissa* Wileman,1911
 19505) *Idaea renataria* (Oberthür,1876) (Geometridae) Synonym(s): *renataria* Oberthür,1876
 19506) *Idaea renuciata* (Walker,1861) (Geometridae) Synonym(s): *renuciata* Walker,1861
 19507) *Idaea retractaria* (Walker,1861) (Geometridae) Synonym(s): *retractaria* Walker,1861; *pallida* Hulst,1896
 19508) *Idaea rhipidura* (Meyrick,1889) (Geometridae) Synonym(s): *rhipidura* Meyrick,1889
 19509) *Idaea rhipistis* (Meyrick,1886) (Geometridae) Synonym(s): *rhipistis* Meyrick,1886
 19510) *Idaea rhodogrammaria* (Püngeler,1913) (Geometridae) Synonym(s): *rhodogrammaria* Püngeler,1913
 19511) *Idaea robiginata* (Staudinger,1863) (Geometridae) Synonym(s): *robiginata* Staudinger,1863; *rubiginaria* Fuchs,1904
 19512) *Idaea robusta* (W.Warren,1900) (Geometridae) Synonym(s): *robusta* W.Warren,1900
 19513) *Idaea romeii* (Turati,1930) (Geometridae) Synonym(s): *romeii* Turati,1930
 19514) *Idaea ronkayi* (Vojnits,1986) (Geometridae) Synonym(s): *ronkayi* Vojnits,1986
 19515) *Idaea roseofasciata* (Christoph,1882) (Geometridae) Synonym(s): *roseofasciata* Christoph,1882
 19516) *Idaea roseolimбата* (Poujade,1895) (Geometridae) Synonym(s): *roseolimбата* Poujade,1895
 19517) *Idaea roseomarginaria* (Inoue,1958) (Geometridae) Synonym(s): *roseomarginaria* Inoue,1958
 19518) *Idaea rubellata* (W.Warren,1896) (Geometridae) Synonym(s): *rubellata* W.Warren,1896
 19519) *Idaea rubridentata* (W.Warren,1896) (Geometridae) Synonym(s): *rubridentata* W.Warren,1896
 19520) *Idaea rufaria* (Hübner,[1799]) (Geometridae) Synonym(s): *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944
 19521) *Idaea rufaria imami* (Wiltshire,1966) (Geometridae) Synonym(s): *imami* Wiltshire,1966
 19522) *Idaea ruficostata* Zeller,1847 (Geometridae) Synonym(s): *ruficostata* Zeller,1847; *incarnaria* Herrich-Schäffer,1852.
 19523) *Idaea rufifascia* (L.B.Prout,1916) (Geometridae) Synonym(s): *rufifascia* L.B.Prout,1916
 19524) *Idaea rupicolaria* (Reisser,1927) (Geometridae) Synonym(s): *rupicolaria* Reisser,1927; *reisseri* L.B.Prout,1935
 19525) *Idaea ruptifascia* (W.Warren,1896) (Geometridae) Synonym(s): *ruptifascia* W.Warren,1896
 19526) *Idaea rusticata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866.
 19527) *Idaea sabulosa* (L.B.Prout,1913) (Geometridae) Synonym(s): *sabulosa* L.B.Prout,1913
 19528) *Idaea saida* (Wiltshire,1968) (Geometridae) Synonym(s): *saida* Wiltshire,1968
 19529) *Idaea sakuraii* (Inoue,1963) (Geometridae) Synonym(s): *sakuraii* Inoue,1963
 19530) *Idaea salebrosaria* (Fuchs,1902) (Geometridae) Synonym(s): *salebrosaria* Fuchs,1902
 19531) *Idaea saleri* Domínguez & Baixeras,1992 (Geometridae) Synonym(s): *saleri* Domínguez & Baixeras,1992
 19532) *Idaea salubrararia* (Staudinger,1897) (Geometridae) Synonym(s): *salubrararia* Staudinger,1897
 19533) *Idaea salutararia* (Christoph,1881) (Geometridae) Synonym(s): *salutararia* Christoph,1881
 19534) *Idaea sanctaria* (Staudinger,1900) (Geometridae) Synonym(s): *sanctaria* Staudinger,1900
 19535) *Idaea sarcozona* (L.B.Prout,1938) (Geometridae) Synonym(s): *sarcozona* L.B.Prout,1938
 19536) *Idaea sardonata* (Homberg,1912) (Geometridae) Synonym(s): *sardonata* Homberg,1912; *concordaria* Püngeler,1913
 19537) *Idaea sartharia* (Staudinger,1892) (Geometridae) Synonym(s): *sartharia* Staudinger,1892
 19538) *Idaea scabraria* (Chrétien,1909) (Geometridae) Synonym(s): *scabraria* Chrétien,1909
 19539) *Idaea scelisca* (L.B.Prout,1926) (Geometridae) Synonym(s): *scelisca* L.B.Prout,1926
 19540) *Idaea scintillans flavior* Holloway,1979 (Geometridae) Synonym(s): *flavior* Holloway,1979
 19541) *Idaea semilinea* (W.Warren,1896) (Geometridae) Synonym(s): *semilinea* W.Warren,1896
 19542) *Idaea semisericea* (W.Warren,1897) (Geometridae) Synonym(s): *semisericea* W.Warren,1897; *comparanda* W.Warren,1900; *neanica* L.B.Prout,1938; *tretesensis* L.B.Prout,1938
 19543) *Idaea seriata* (Schränk,1802) (Geometridae) Synonym(s): *albulata* Hufnagel,1767; *seriata* Schränk,1802; *cubicularia* Peyerimhoff,1862
 19544) *Idaea sericeata* (Hübner,[1813]) (Geometridae) Synonym(s): *sericeata* Hübner,[1813]; *altivolaria* Bubacek,1923;
 19545) *Idaea sericeata calvaria* (Wehrli,1927) (Geometridae) Synonym(s): *calvaria* Wehrli,1927; *wehrlii* L.B.Prout,1934; *subrecta* L.B.Prout,1935
 19546) *Idaea serpentata* (Hufnagel,1767) (Geometridae) Synonym(s): *serpentata* Hufnagel,1767; *trifasciata* Scopoli,1772; *similata* Thunberg,1784; *perochraria* Fischer von Rösslerstamm,1836.
 19547) *Idaea shaathensis* Wiltshire,1986 (Geometridae) Synonym(s): *shaathensis* Wiltshire,1986
 19548) *Idaea sillemi* (Wehrli,1933) (Geometridae) Synonym(s): *sillemi* Wehrli,1933
 19549) *Idaea simonsi* (L.B.Prout,1932) (Geometridae) Synonym(s): *marginata* W.Warren,1904 nec Wlk.,1870; *simonsi* L.B.Prout,1932
 19550) *Idaea simplicior* (L.B.Prout,1934) (Geometridae) Synonym(s): *simplicior* L.B.Prout,1934
 19551) *Idaea sinica* (Yang,1978) (Geometridae) Synonym(s): *sinica* Yang,1978
 19552) *Idaea sinicata* (Walker,1861) (Geometridae) Synonym(s): *sinicata* Walker,1861
 19553) *Idaea sinuilinea* (L.B.Prout,1913) (Geometridae) Synonym(s): *sinuilinea* L.B.Prout,1913
 19554) *Idaea sodaliaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *sodaliaria* Herrich-Schäffer,[1852]
 19555) *Idaea soldaitisi* Herbulot,1994 (Geometridae) Synonym(s): *soldaitisi* Herbulot,1994
 19556) *Idaea sordida* (Rothschild,1913) (Geometridae) Synonym(s): *sordida* Rothschild,1913
 19557) *Idaea sordidior* (Wiltshire,1949) (Geometridae) Synonym(s): *sordidior* Wiltshire,1949
 19558) *Idaea spissilimbaria* (Mabille,1888) (Geometridae) Synonym(s): *spissilimbaria* Mabille,1888
 19559) *Idaea squalidaria* (Staudinger,1882) (Geometridae) Synonym(s): *squalidaria* Staudinger,1882
 19560) *Idaea squampunctata* (W.Warren,1900) (Geometridae) Synonym(s): *squampunctata* W.Warren,1900
 19561) *Idaea squamulata* (W.Warren,1900) (Geometridae) Synonym(s): *squamulata* W.Warren,1900
 19562) *Idaea straminata* (Borkhausen,1794) (Geometridae) Synonym(s): *straminata* Borkhausen,1794; *inornata* Haworth,1809; *suffusaria* Boisduval,1840; *inornaria* Doubleday,1849; *agrostemmatata* Guenée,[1858]
 19563) *Idaea striolata* (Staudinger,1892) (Geometridae) Synonym(s): *striolata* Staudinger,1892
 19564) *Idaea sublimbaria* (W.Warren,1900) (Geometridae) Synonym(s): *sublimbaria* W.Warren,1900
 19565) *Idaea submaculata* (W.Warren,1898) (Geometridae) Synonym(s): *submaculata* W.Warren,1898
 19566) *Idaea subochraria* (Staudinger,1892) (Geometridae) Synonym(s): *subochraria* Staudinger,1892
 19567) *Idaea subpolitata* Mironov,1986 (Geometridae) Synonym(s): *subpolitata* Mironov,1986
 19568) *Idaea subpurpurata* (Staudinger,1900) (Geometridae) Synonym(s): *subpurpurata* Staudinger,1900
 19569) *Idaea subrufaria* (Staudinger,1900) (Geometridae) Synonym(s): *subrufaria* Staudinger,1900
 19570) *Idaea subsaturata* (Guenée,[1858]) (Geometridae) Synonym(s): *subsaturata* Guenée,[1858]; *miserata* Staudinger,1859; *subherbariata* Rössler,1877
 19571) *Idaea subscutulata* (W.Warren,1899) (Geometridae) Synonym(s): *subscutulata* W.Warren,1899
 19572) *Idaea subsericeata* (Haworth,[1809]) (Geometridae) Synonym(s): *subsericeata* Haworth,[1809]; *perfluaria* Boisduval,1840; *pinguedinata* Zeller,1847; *asbestaria* Zeller,1849; *puraria* Heydenreich,1851; *pinguedinaria* Herrich-Schäffer,1852; *oloraria* Rössler,1857; *mancuniata* Knaggs,1865; *veterata* Gregson,1866; *diaphanaria* A.Bang-Haas,1910; *zernyi* D.Lucas,1934

- 19573) *Idaea substriata* (Turati,1930) (Geometridae) Synonym(s): *substriata* Turati,1930
 19574) *Idaea subterfundata* (L.B.Prout,1922) (Geometridae) Synonym(s): *subterfundata* L.B.Prout,1922
 19575) *Idaea subtorrida* (L.B.Prout,1916) (Geometridae) Synonym(s): *subtorrida* L.B.Prout,1916
 19576) *Idaea sugillata* (Bastelberger,1911) (Geometridae) Synonym(s): *sugillata* Bastelberger,1911; *parallela* Wileman & South,1917
 19577) *Idaea sundapilosata* Holloway,1997 (Geometridae) Synonym(s): *rufula* Swinhoe,1903 nec W.Warr.,1899; *sundapilosata* Holloway,1997
 19578) *Idaea sylvestriaria* (Hübner,[1799]) (Geometridae) Synonym(s): *sylvestriaria* Hübner,[1799]; *marginipunctata* Stephens,1831 nec Gz.,1781; *straminata* Treitschke,1835 nec Bkh.,1794; *grammicaria* Boisduval,1840; *circellata* Guenée,1858; *folognearia* Staudinger,1863; *graciliata* Mann,1867; *shiskensis* Matsumura,1925; *minuta* Heydemann,1933
 19579) *Idaea sympractor* (L.B.Prout,1922) (Geometridae) Synonym(s): *sympractor* L.B.Prout,1922
 19580) *Idaea tahamae* Wiltshire,1983 (Geometridae) Synonym(s): *tahamae* Wiltshire,1983
 19581) *Idaea taiwana* (Wileman & South,1917) (Geometridae) Synonym(s): *taiwana* Wileman & South,1917
 19582) *Idaea talvei* Viidalepp,1988 (Geometridae) Synonym(s): *talvei* Viidalepp,1988
 19583) *Idaea talvei turkmenica* Viidalepp,1988 (Geometridae) Synonym(s): *turkmenica* Viidalepp,1988
 19584) *Idaea tanakai* Sato,1994 (Geometridae) Synonym(s): *tanakai* Sato,1994
 19585) *Idaea taurica* (A.Bang-Haas,1907) (Geometridae) Synonym(s): *taurica* A.Bang-Haas,1907
 19586) *Idaea terminolineata* (Rothschild,1933) (Geometridae) Synonym(s): *terminolineata* Rothschild,1933
 19587) *Idaea terpnaria* (L.B.Prout,1913) (Geometridae) Synonym(s): *amoenaria* Staudinger,1897 nec Snell.,1890; *terpnaria* L.B.Prout,1913
 19588) *Idaea testacea* (Swinhoe,1886) (Geometridae) Synonym(s): *testacea* Swinhoe,1886
 19589) *Idaea textaria* (Lederer,1861) (Geometridae) Synonym(s): *textaria* Lederer,1861
 19590) *Idaea themeropsis* (West,1930) (Geometridae) Synonym(s): *themeropsis* West,1930
 19591) *Idaea thricophora* (Hampson,1895) (Geometridae) Synonym(s): *thricophora* Hampson,1895
 19592) *Idaea tineata* (Thierry-Mieg,1911) (Geometridae) Synonym(s): *tineata* Thierry-Mieg,1911; *antennata* Wehrli,1931.
 19593) *Idaea tineata tineata* (Thierry-Mieg,1911) (Geometridae) Synonym(s): *tineata* Thierry-Mieg,1911; *antennata* Wehrli,1931.
 19594) *Idaea tornipunctaria* (Wiltshire,1967) (Geometridae) Synonym(s): *tornipunctaria* Wiltshire,1967
 19595) *Idaea tornivestis* (L.B.Prout,1932) (Geometridae) Synonym(s): *tornivestis* L.B.Prout,1932
 19596) *Idaea torrida* (L.B.Prout,1932) (Geometridae) Synonym(s): *torrida* W.Warren,1904
 19597) *Idaea transcatenulata* (Rothschild,1915) (Geometridae) Synonym(s): *transcatenulata* Rothschild,1915
 19598) *Idaea trigeminata* (Haworth,[1809]) (Geometridae) Synonym(s): *trigeminata* Haworth,[1809]; *reversata* Treitschke,1828; *reversaria* Duponchel,1830.
 19599) *Idaea trigeminata tenuirussata* (Zerny,1933) (Geometridae) Synonym(s): *tenuirussata* Zerny,1933
 19600) *Idaea trisetata* (L.B.Prout,1922) (Geometridae) Synonym(s): *trisetata* L.B.Prout,1922; *galeata* Sterneck,1940
 19601) *Idaea trissosemia* (L.B.Prout,1922) (Geometridae) Synonym(s): *trissosemia* L.B.Prout,1922
 19602) *Idaea tristega* (L.B.Prout,1932) (Geometridae) Synonym(s): *tristega* L.B.Prout,1932
 19603) *Idaea tristriata* (Staudinger,1892) (Geometridae) Synonym(s): *tristriata* Staudinger,1892
 19604) *Idaea troglodytaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *troglodytaria* Herrich-Schäffer,[1852]; *albonitens* Sterneck,1939
 19605) *Idaea trypherophia* (Meyrick,1889) (Geometridae) Synonym(s): *trypherophia* Meyrick,1889; *angustipennis* W.Warren,1897; *floccosa* Pagenstecher,1900
 19606) *Idaea typicata* (Guenée,1858) (Geometridae) Synonym(s): *typicata* Guenée,1858
 19607) *Idaea umbricosta* (L.B.Prout,1913) (Geometridae) Synonym(s): *umbricosta* L.B.Prout,1913; *omoscotia* L.B.Prout,1922
 19608) *Idaea umbricosta depleticosta* (L.B.Prout,1916) (Geometridae) Synonym(s): *depleticosta* L.B.Prout,1916
 19609) *Idaea umbricosta umbricosta* (L.B.Prout,1913) (Geometridae) Synonym(s): *umbricosta* L.B.Prout,1913; *omoscotia* L.B.Prout,1922
 19610) *Idaea unicalcarata* (L.B.Prout,1922) (Geometridae) Synonym(s): *unicalcarata* L.B.Prout,1922
 19611) *Idaea urcitana* (Agenjo,1952) (Geometridae) Synonym(s): *urcitana* Agenjo,1952
 19612) *Idaea vacillata* (Walker,[1863]) (Geometridae) Synonym(s): *vacillata* Walker,[1863]; *phaenicozona* Hampson,1895
 19613) *Idaea vartianae* (Wiltshire,1966) (Geometridae) Synonym(s): *vartianae* Wiltshire,1966
 19614) *Idaea velutina* (W.Warren,1897) (Geometridae) Synonym(s): *velutina* W.Warren,1897
 19615) *Idaea vesubiata* (Millière,1873) (Geometridae) Synonym(s): *vesubiata* Millière,1873
 19616) *Idaea vilaflorensis* (Rebel,1911) (Geometridae) Synonym(s): *vilaflorensis* Rebel,1911
 19617) *Idaea villitibia* (L.B.Prout,1932) (Geometridae) Synonym(s): *villitibia* L.B.Prout,1932
 19618) *Idaea violacea* (Hampson,1891) (Geometridae) Synonym(s): *violacea* Hampson,1891; *carneofasciata* W.Warren,1900
 19619) *Idaea violacearia* (Walker,1861) (Geometridae) Synonym(s): *violacearia* Walker,1861; *lacteola* Lintner,1878; *floridaria* Hulst,1888; *nimbicolor* Hulst,1896; *benubia* Cassino,1931
 19620) *Idaea vivacolombia* Kemal & Koçak,2004 (Geometridae) Synonym(s): *purpureomarginata* Dognin,1912 nec Boh.,1880; *vivacolombia* Kemal & Koçak,2004
 19621) *Idaea vivaecuador* Koçak & Kemal,2006 (Geometridae) Synonym(s): *fimbriata* W.Warren,1900 nec [Den. & Schiff],1775; *vivaecuador* Kemal & Koçak,2006
 19622) *Idaea volloni* (Lucas & De Joannis,1907) (Geometridae) Synonym(s): *volloni* Lucas & De Joannis,1907; *plumbearia* A.Bang-Haas,1907; *numidica* Turati,1924
 19623) *Idaea wiltshirei* (Brandt,1938) (Geometridae) Synonym(s): *wiltshirei* Brandt,1938
 19624) *Idaea wittmeri* Wiltshire,1982 (Geometridae) Synonym(s): *wittmeri* Wiltshire,1982
 19625) *Idaea wittmeri mienisi* Hausmann,1991 (Geometridae) Synonym(s): *mienisi* Hausmann,1991
 19626) *Idaea zargi* (Bethune-Baker,1891) (Geometridae) Synonym(s): *zargi* Bethune-Baker,1891
 19627) *Idaea zernyi* (Lucas,1934) (Geometridae) Synonym(s): *zernyi* Lucas,1934
 19628) *Idaea ziczacata* (W.Warren,1903) (Geometridae) Synonym(s): *ziczacata* W.Warren,1903
 19629) *Idaea zoferata* Kaila & Viidalepp,1996 (Geometridae) Synonym(s): *zoferata* Kaila & Viidalepp,1996
 19630) *Idaea zonata* (L.B.Prout,1922) (Geometridae) Synonym(s): *faasciata* W.Warren,1898 nec Sigr.,1892; *zonata* L.B.Prout,1922
 19631) *Idiochlora androcnes* (L.B.Prout,1937) (Geometridae) Synonym(s): *androcnes* L.B.Prout,1937
 19632) *Idiochlora approximans* (W.Warren,1897) (Geometridae) Synonym(s): *approximans* W.Warren,1897; *inornata* L.B.Prout,1916
 19633) *Idiochlora berwicki* (Holloway,1976) (Geometridae) Synonym(s): *berwicki* Holloway,1976
 19634) *Idiochlora contracta* W.Warren,1896 (Geometridae) Synonym(s): *contracta* W.Warren,1896
 19635) *Idiochlora eborelitoris* (L.B.Prout,1930) (Geometridae) Synonym(s): *eborelitoris* L.B.Prout,1930
 19636) *Idiochlora innotata* (Walker,1861) (Geometridae) Synonym(s): *innotata* Walker,1861
 19637) *Idiochlora minuscula* (Inoue,1986) (Geometridae) Synonym(s): *minuscula* Inoue,1986
 19638) *Idiochlora olivata* (W.Warren,1897) (Geometridae) Synonym(s): *olivata* W.Warren,1897
 19639) *Idiochlora planata* (L.B.Prout,1917) (Geometridae) Synonym(s): *planata* L.B.Prout,1917
 19640) *Idiochlora pudentifimbria* (L.B.Prout,1912) (Geometridae) Synonym(s): *pudentifimbria* L.B.Prout,1912
 19641) *Idiochlora stictogramma* (L.B.Prout,1932) (Geometridae) Synonym(s): *stictogramma* L.B.Prout,1932
 19642) *Idiochlora stictogrammoides* (Holloway,1976) (Geometridae) Synonym(s): *stictogrammoides* Holloway,1976
 19643) *Idiochlora subexpressa* (Walker,1861) (Geometridae) Synonym(s): *subexpressa* Walker,1861
 19644) *Idiochlora subrufibasis* (L.B.Prout,1930) (Geometridae) Synonym(s): *subrufibasis* L.B.Prout,1930
 19645) *Idiochlora subtusumbrata* (Fuchs,1902) (Geometridae) Synonym(s): *subtusumbrata* Fuchs,1902
 19646) *Idiochlora takahashii* (Inoue,1982) (Geometridae) Synonym(s): *takahashii* Inoue,1982
 19647) *Idiochlora ussuriaria* (Bremer,1864) (Geometridae) Synonym(s): *ussuriaria* Bremer,1864; *eluta* Wileman,1911
 19648) *Idiochlora xanthochlora* (Swinhoe,1894) (Geometridae) Synonym(s): *xanthochlora* Swinhoe,1894
 19649) *Idiodes noctuoides* (West,1929) (Geometridae) Synonym(s): *noctuoides* West,1929
 19650) *Idiodes serpentina* (Holloway,1979) (Geometridae) Synonym(s): *serpentina* Holloway,1979
 19651) *Idiodes simplaria* Pagenstecher,1890 (Geometridae) Synonym(s): *simplaria* Pagenstecher,1890
 19652) *Idiodes unilinea* (W.Warren,1897) (Geometridae) Synonym(s): *unilinea* W.Warren,1897
 19653) *Idiotephra hondensis* M.Krüger,2000 (Geometridae) Synonym(s): *hondensis* M.Krüger,2000
 19654) *Idiotephra ngomensis* M.Krüger,2000 (Geometridae) Synonym(s): *ngomensis* M.Krüger,2000
 19655) *Ignobilis urnaria* (Guenée,[1858]) (Geometridae) Synonym(s): *urnaria* Guenée,[1858]
 19656) *Illa nefanda* W.Warren,1914 (Geometridae) Synonym(s): *nefanda* W.Warren,1914

- 19657) *Inurois brunneus* Viidalepp, 1986 (Geometridae) Synonym(s): *brunneus* Viidalepp, 1986
 19658) *Inurois fletcheri* Inoue, 1954 (Geometridae) Synonym(s): *fletcheri* Inoue, 1954
 19659) *Inurois fumosa* Inoue, 1944 (Geometridae) Synonym(s): *fumosa* Inoue, 1944
 19660) *Inurois membranaria* (Christoph, 1881) (Geometridae) Synonym(s): *membranaria* Christoph, 1881; *punctigera* Prout, 1912
 19661) *Inurois tenuis* Butler, 1879 (Geometridae) Synonym(s): *tenuis* Butler, 1879
 19662) *Inurois ussuriensis* Viidalepp, 1986 (Geometridae) Synonym(s): *ussuriensis* Viidalepp, 1986
 19663) *Iotaphora admirabilis* (Oberthür, 1883) (Geometridae) Synonym(s): *admirabilis* Oberthür, 1883
 19664) *Iotaphora iridicolor* (Butler, 1880) (Geometridae) Synonym(s): *iridicolor* Butler, 1880
 19665) *Iridoplecta differens* Bastelberger, 1909 (Geometridae) Synonym(s): *differens* Bastelberger, 1909
 19666) *Iridoplecta ferrifera* (Moore, 1888) (Geometridae) Synonym(s): *ferrifera* Moore, 1888
 19667) *Iridoplecta ochrias* West, 1929 (Geometridae) Synonym(s): *ochrias* West, 1929
 19668) *Isoloba bifasciata* W. Warren, 1893 (Geometridae) Synonym(s): *bifasciata* W. Warren, 1893
 19669) *Isoloba bifasciata sphagnata* (Bastelberger, 1911) (Geometridae) Synonym(s): *sphagnata* Bastelberger, 1911
 19670) *Isoplenia trisinuata* W. Warren, 1897 (Geometridae) Synonym(s): *trisinuata* W. Warren, 1897
 19671) *Isturgia arizela* (D.S. Fletcher, 1978) (Geometridae) Synonym(s): *arizela* D.S. Fletcher, 1978
 19672) *Isturgia arizeloides* M. Krüger, 1999 (Geometridae) Synonym(s): *arizeloides* M. Krüger, 1999
 19673) *Isturgia averyi* (Viette, 1980) (Geometridae) Synonym(s): *averyi* Viette, 1980
 19674) *Isturgia berytaria* (Staudinger, 1892) (Geometridae) Synonym(s): *berytaria* Staudinger, 1892
 19675) *Isturgia catalaunaria* (Guenée, [1858]) (Geometridae) Synonym(s): *catalaunaria* Guenée, [1858]; *dataria* Walker, 1861; *defectaria* Walker, 1861; *occupata* Walker, 1862; *proxantharia* Walker, [1863]; *cogitata* Walker, [1863]; *largificaria* Möschler, 1887.
 19676) *Isturgia contexta* (Saalmüller, 1891) (Geometridae) Synonym(s): *contexta* Saalmüller, 1891; *caeca* Saalmüller, 1891
 19677) *Isturgia cretacea* (Staudinger, 1892) (Geometridae) Synonym(s): *cretacea* Staudinger, 1892
 19678) *Isturgia deerraria* (Walker, 1861) (Geometridae) Synonym(s): *deerraria* Walker, 1861; *nemorivaga* Wallengren, 1872; *dissocia* Warren, 1897.
 19679) *Isturgia depecta* (Herbulot, 1966) (Geometridae) Synonym(s): *depecta* Herbulot, 1966
 19680) *Isturgia dislocaria* (Packard, 1876) (Geometridae) Synonym(s): *dislocaria* Packard, 1876
 19681) *Isturgia dislocaria dislocaria* (Packard, 1876) (Geometridae) Synonym(s): *dislocaria* Packard, 1876
 19682) *Isturgia dislocaria malefactaria* (Barnes & McDunnough, 1917) (Geometridae) Synonym(s): *malefactaria* Barnes & McDunnough, 1917
 19683) *Isturgia disputaria* (Guenée, [1858]) (Geometridae) Synonym(s): *disputaria* Guenée, [1858]; *indodata* Walker, 1863; *strenuata* Walker, 1863; *curvifera* Walker, 1870; *gazella* Blackmore, 1872; *martiniaria* Oberthür, 1876; *granitalis* Butler, 1883; *lithina* Butler, 1883; *zebrina* Butler, 1883; *infrictaria* Swinhoe, 1886; *subocellata* Warren, 1896; *trilineata* Krüger, 1939
 19684) *Isturgia exerraria* (Prout, 1925) (Geometridae) Synonym(s): *exerraria* Prout, 1925
 19685) *Isturgia exospilata* (Walker, 1861) (Geometridae) Synonym(s): *exospilata* Walker, 1861; *ansorgei* Warren, 1898
 19686) *Isturgia exustaria* (Staudinger, 1898) (Geometridae) Synonym(s): *exustaria* Staudinger, 1898
 19687) *Isturgia focularia* (Geyer, 1837) (Geometridae) Synonym(s): *focularia* Geyer, 1837; *designata* Walker, 1862; *perdecorata* Walker, [1863]
 19688) *Isturgia geminata* (Walker, 1861) (Geometridae) Synonym(s): *geminata* Walker, 1861; *bilineata* Warren, 1898.
 19689) *Isturgia halituaria* (Guenée, [1858]) (Geometridae) Synonym(s): *halituaria* Guenée, [1858]
 19690) *Isturgia halituaria halituaria* (Guenée, [1858]) (Geometridae) Synonym(s): *halituaria* Guenée, [1858]
 19691) *Isturgia halituaria pamirica* (Viidalepp, 1988) (Geometridae) Synonym(s): *pamirica* Viidalepp, 1988
 19692) *Isturgia inaequivirgaria* (Mabille, 1890) (Geometridae) Synonym(s): *inaequivirgaria* Mabille, 1890
 19693) *Isturgia limbaria* (Fabricius, 1775) (Geometridae) Synonym(s): *limbaria* Fabricius, 1775; *conspiciuata* [Deni, s & Schiffermüller], 1775; *auroraria* Hübner, [1787]; *circumdataria* Villers, 1789; *conspiciuaria* Borkhausen, 1794.
 19694) *Isturgia modestaria* (Pagenstecher, 1907) (Geometridae) Synonym(s): *modestaria* Pagenstecher, 1907
 19695) *Isturgia netta* Holland, 1897 (Geometridae) Synonym(s): *netta* Holland, 1897
 19696) *Isturgia perviaria* (Lederer, 1855) (Geometridae) Synonym(s): *perviaria* Lederer, 1855; *albofascia* Swinhoe, 1885
 19697) *Isturgia perviaria delostina* (Prout, 1926) (Geometridae) Synonym(s): *delostina* Prout, 1926
 19698) *Isturgia perviaria perviaria* (Lederer, 1855) (Geometridae) Synonym(s): *perviaria* Lederer, 1855; *albofascia* Swinhoe, 1885
 19699) *Isturgia philbyi* (Wiltshire, 1980) (Geometridae) Synonym(s): *philbyi* Wiltshire, 1980
 19700) *Isturgia presbitaria* (Swinhoe, 1904) (Geometridae) Synonym(s): *presbitaria* Swinhoe, 1904
 19701) *Isturgia prionogyna* (Prout, 1916) (Geometridae) Synonym(s): *prionogyna* Prout, 1916
 19702) *Isturgia quadriplaga* (Rothschild, 1921) (Geometridae) Synonym(s): *quadriplaga* Rothschild, 1921; *pallidaria* Le Cerf, 1924
 19703) *Isturgia roraria* (Fabricius, [1776]) (Geometridae) Synonym(s): *roraria* Fabricius, [1776]; *adpersaria* Fabricius, 1787; *spartiaria* Hübner, [1799]; *conspiciuaria* Esper, [1801]; *spartiaria* Treitschke, 1827.
 19704) *Isturgia rubrior* (Hausmann, 1990) (Geometridae) Synonym(s): *rubrior* Hausmann, 1990
 19705) *Isturgia sakalava* (Herbulot, 1954) (Geometridae) Synonym(s): *sakalava* Herbulot, 1954
 19706) *Isturgia spissata* (Walker, 1862) (Geometridae) Synonym(s): *spissata* Walker, 1862.
 19707) *Isturgia spodiaria* (Lefebvre, 1832) (Geometridae) Synonym(s): *spodiaria* Lefebvre, 1832; *semicanaria* Freyer, [1832]; *cerataria* Guenée, [1858].
 19708) *Isturgia sublimbata* (Butler, 1885) (Geometridae) Synonym(s): *sublimbata* Butler, 1885
 19709) *Isturgia supergressa* (Prout, 1913) (Geometridae) Synonym(s): *supergressa* Prout, 1913.
 19710) *Isturgia tengistanica* (Brandt, 1938) (Geometridae) Synonym(s): *tengistanica* Brandt, 1938
 19711) *Isturgia tennoa* (Pinker, 1978) (Geometridae) Synonym(s): *tennoa* Pinker, 1978
 19712) *Isturgia triseriata* (Prout, 1926) (Geometridae) Synonym(s): *triseriata* Prout, 1926
 19713) *Isturgia univirgaria* (Mabille, 1890) (Geometridae) Synonym(s): *univirgaria* Mabille, 1890
 19714) *Isturgia vapulata* (Butler, 1879) (Geometridae) Synonym(s): *vapulata* Butler, 1879
 19715) *Itame brunneata* (Thunberg, 1784) (Geometridae) Synonym(s): *brunneata* Thunberg, 1784; *fulvaria* Villers, 1789; *myosaria* Esper, [1806]; *cineraria* Duponchel, 1829; *buffonaria* Millière, 1855
 19716) *Itame loricaria* (Eversmann, 1837) (Geometridae) Synonym(s): *loricaria* Eversmann, 1837
 19717) *Itame messapiaria* (Sohn-Rethel, 1929) (Geometridae) Synonym(s): *messapiaria* Sohn-Rethel, 1929
 19718) *Itame sparsaria* (Hübner, [1809]) (Geometridae) Synonym(s): *sparsaria* Hübner, [1809]
 19719) *Itame vincularia* (Hübner, [1813]) (Geometridae) Synonym(s): *vincularia* Hübner, [1813]
 19720) *Ithysia pravata* (Hübner, [1813]) (Geometridae) Synonym(s): *pravata* Hübner, [1813]; *pravaria* Hübner, [1825]
 19721) *Iulotrichia buzurata* W. Warren, 1894 (Geometridae) Synonym(s): *buzurata* W. Warren, 1894; *malescripta* W. Warren, 1897
 19722) *Iulotrichia muhabbet* Koçak, 2006 (Geometridae) Synonym(s): *decursaria* Walker, 1860 nec Wik., 1860; *muhabbet* Koçak, 2006
 19723) *Iulotrichia semialbida* (W. Warren, 1896) (Geometridae) Synonym(s): *semialbida* W. Warren, 1896
 19724) *Iulotrichia semiumbrata* (W. Warren, 1896) (Geometridae) Synonym(s): *semiumbrata* W. Warren, 1896
 19725) *Jankowskia fuscaria* (Leech, 1891) (Geometridae) Synonym(s): *fuscaria* Leech, 1891
 19726) *Jankowskia fuscaria fuscaria* (Leech, 1891) (Geometridae) Synonym(s): *fuscaria* Leech, 1891
 19727) *Jodis albipuncta* W. Warren, 1898 (Geometridae) Synonym(s): *albipuncta* W. Warren, 1898
 19728) *Jodis amamiensis* Inoue, 1982 (Geometridae) Synonym(s): *amamiensis* Inoue, 1982
 19729) *Jodis angulata* Inoue, 1961 (Geometridae) Synonym(s): *angulata* Inoue, 1961
 19730) *Jodis api* Holloway, 1996 (Geometridae) Synonym(s): *api* Holloway, 1996
 19731) *Jodis argentilineata* (Wileman, 1916) (Geometridae) Synonym(s): *argentilineata* Wileman, 1916
 19732) *Jodis argutaria* (Walker, 1866) (Geometridae) Synonym(s): *argutaria* Walker, 1866; *concolor* W. Warren, 1893; *sinuosaria* Leech, 1897
 19733) *Jodis coeruleata* W. Warren, 1896 (Geometridae) Synonym(s): *coeruleata* W. Warren, 1896
 19734) *Jodis colpostrophia* L.B. Prout, 1917 (Geometridae) Synonym(s): *colpostrophia* L.B. Prout, 1917
 19735) *Jodis ctula* L.B. Prout, 1926 (Geometridae) Synonym(s): *ctula* L.B. Prout, 1926
 19736) *Jodis delicatula* W. Warren, 1896 (Geometridae) Synonym(s): *delicatula* W. Warren, 1896
 19737) *Jodis dentifascia* W. Warren, 1897 (Geometridae) Synonym(s): *dentifascia* W. Warren, 1897
 19738) *Jodis fulgurata* (Debauche, 1941) (Geometridae) Synonym(s): *fulgurata* Debauche, 1941
 19739) *Jodis inumbrata* W. Warren, 1896 (Geometridae) Synonym(s): *inumbrata* W. Warren, 1896
 19740) *Jodis irregularis* (W. Warren, 1894) (Geometridae) Synonym(s): *irregularis* W. Warren, 1894

- 19741) *Jodis kojii* Yazaki,1995 (Geometridae) Synonym(s): *kojii* Yazaki,1995
- 19742) *Jodis lactearia* (Linnaeus,1758) (Geometridae) Synonym(s): *lactearia* Linnaeus,1758; *vernaria* Linnaeus,1761; *aeruginaria* [Denis & Schiffermüller],1775; *semipectinata* Retzius,1783; *syrene* Fourcroy,1785; *syrene* Villers,1789; *syrena* Geoffroy,1799
- 19743) *Jodis lara* L.B.Prout,1926 (Geometridae) Synonym(s): *lara* L.B.Prout,1926
- 19744) *Jodis nanda* (Walker,1861) (Geometridae) Synonym(s): *nanda* Walker,1861; *micra* W.Warren,1897
- 19745) *Jodis nepalica* Inoue,1987 (Geometridae) Synonym(s): *nepalica* Inoue,1987
- 19746) *Jodis niveovenata* Oberthür,1916 (Geometridae) Synonym(s): *niveovenata* Oberthür,1916
- 19747) *Jodis pallescens* (Hampson,1891) (Geometridae) Synonym(s): *pallescens* Hampson,1891
- 19748) *Jodis placida* Inoue,1986 (Geometridae) Synonym(s): *placida* Inoue,1986
- 19749) *Jodis praerupta* (Butler,1878) (Geometridae) Synonym(s): *praerupta* Butler,1878; *steroparia* Püngeler,1908
- 19750) *Jodis putata* (Linnaeus,1758) (Geometridae) Synonym(s): *putata* Linnaeus,1758; *putataria* Linnaeus,1761; *undulosa* Fourcroy,1785; *micantaria* Esper,1795
- 19751) *Jodis rectisecta* Herbulot,1985 (Geometridae) Synonym(s): *rectisecta* Herbulot,1985
- 19752) *Jodis rhabdota* L.B.Prout,1917 (Geometridae) Synonym(s): *rhabdota* L.B.Prout,1917
- 19753) *Jodis spumifera* W.Warren,1898 (Geometridae) Synonym(s): *spumifera* W.Warren,1898
- 19754) *Jodis subtractata* (Walker,[1863]) (Geometridae) Synonym(s): *subtractata* Walker,[1863]
- 19755) *Jodis undularia* Hampson,1891 (Geometridae) Synonym(s): *undularia* Hampson,1891
- 19756) *Jodis vicaria* Herbulot,1985 (Geometridae) Synonym(s): *vicaria* Herbulot,1985
- 19757) *Jodis xynia* L.B.Prout,1917 (Geometridae) Synonym(s): *xynia* L.B.Prout,1917
- 19758) *Jordanisca tenuisaria* (Staudinger,1900) (Geometridae) Synonym(s): *tenuisaria* Staudinger,1900
- 19759) *Juxtephria consentaria* (Freyer,1846) (Geometridae) Synonym(s): *consentaria* Freyer,1846; *fluidata* Lederer,1853; *russariaria* Herrich-Schäffer,1855
- 19760) *Krananda diversa* W.Warren,1894 (Geometridae) Synonym(s): *diversa* W.Warren,1894
- 19761) *Krananda extranotata* L.B.Prout,1926 (Geometridae) Synonym(s): *extranotata* L.B.Prout,1926
- 19762) *Krananda latimarginaria* Leech,1891 (Geometridae) Synonym(s): *latimarginaria* Leech,1891; *orthogrammaria* Longstaff,1905
- 19763) *Krananda lucidaria* Leech,1897 (Geometridae) Synonym(s): *lucidaria* Leech,1897
- 19764) *Krananda nepalensis* Yazaki,1992 (Geometridae) Synonym(s): *nepalensis* Yazaki,1992
- 19765) *Krananda oliveomarginata* Swinhoe,1894 (Geometridae) Synonym(s): *oliveomarginata* Swinhoe,1894; *nicolasi* Herbulot,1987
- 19766) *Krananda orthometata* L.B.Prout,1926 (Geometridae) Synonym(s): *orthometata* L.B.Prout,1926
- 19767) *Krananda peristena* Wehrli,1938 (Geometridae) Synonym(s): *peristena* Wehrli,1938
- 19768) *Krananda postexcisa* (Wehrli,1924) (Geometridae) Synonym(s): *postexcisa* Wehrli,1924
- 19769) *Krananda semihyalina* Moore,1868 (Geometridae) Synonym(s): *semihyalina* Moore,1868; *vittraria* R.Felder & Rogenhofer,1875
- 19770) *Kuchleria gisisi* Hausmann,1995 (Geometridae) Synonym(s): *gisisi* Hausmann,1995
- 19771) *Kuchleria insignata* Hausmann,1995 (Geometridae) Synonym(s): *insignata* Hausmann,1995
- 19772) *Kuchleria menadiara* (Thierry-Mieg,1893) (Geometridae) Synonym(s): *menadiara* Thierry-Mieg,1893
- 19773) *Kuchleria therapaena* (L.B.Prout,1924) (Geometridae) Synonym(s): *therapaena* L.B.Prout,1924
- 19774) *Kuldja albescens* Warnecke,1934 (Geometridae) Synonym(s): *albescens* Warnecke,1934
- 19775) *Kuldja arcanna* Xue,1991 (Geometridae) Synonym(s): *arcanna* Xue,1991
- 19776) *Kuldja bioerraria* Püngeler,1925 (Geometridae) Synonym(s): *bioerraria* Püngeler,1925
- 19777) *Kuldja brevisvalvata* Xue,1991 (Geometridae) Synonym(s): *brevisvalvata* Xue,1991
- 19778) *Kuldja curvata* Xue,1991 (Geometridae) Synonym(s): *curvata* Xue,1991
- 19779) *Kuldja fluctuata* Xue,1993 (Geometridae) Synonym(s): *fluctuata* Xue,1993
- 19780) *Kuldja lakearia* (Oberthür,1883) (Geometridae) Synonym(s): *lakearia* Oberthür,1883
- 19781) *Kuldja lobbichleri* D.S.Fletcher,1961 (Geometridae) Synonym(s): *lobbichleri* D.S.Fletcher,1961
- 19782) *Kuldja loxobathra* L.B.Prout,1937 (Geometridae) Synonym(s): *loxobathra* L.B.Prout,1937
- 19783) *Kuldja oberthuri* Alpheraky,1892 (Geometridae) Synonym(s): *oberthuri* Alpheraky,1892
- 19784) *Kuldja productaria* (Leech,1897) (Geometridae) Synonym(s): *productaria* Leech,1897
- 19785) *Kuldja simplicata* Xue,1991 (Geometridae) Synonym(s): *simplicata* Xue,1991
- 19786) *Kuldja staudingeri* Alpheraky,1883 (Geometridae) Synonym(s): *staudingeri* Alpheraky,1883; *brunneofasciata* Warnecke,1934.
- 19787) *Kuldja staudingeri* alaicola L.B.Prout,1937 (Geometridae) Synonym(s): *alaicola* L.B.Prout,1937
- 19788) *Kuldja striphnosa* Xue,1991 (Geometridae) Synonym(s): *striphnosa* Xue,1991
- 19789) *Kuldja vicinalis* Xue & Meng,1995 (Geometridae) Synonym(s): *vicinalis* Xue & Meng,1995
- 19790) *Kyrtolitha obstinata* Staudinger,1892 (Geometridae) Synonym(s): *obstinata* Staudinger,1892; *cinerata* Staudinger,1892.
- 19791) *Laciniodes angustaria* Xue,1992 (Geometridae) Synonym(s): *angustaria* Xue,1992
- 19792) *Laciniodes conditaria* (Leech,1897) (Geometridae) Synonym(s): *conditaria* Leech,1897
- 19793) *Laciniodes denigrata* W.Warren,1896 (Geometridae) Synonym(s): *denigrata* W.Warren,1896
- 19794) *Laciniodes denigrata* abiens L.B.Prout,1938 (Geometridae) Synonym(s): *abiens* L.B.Prout,1938
- 19795) *Laciniodes denigrata* denigrata W.Warren,1896 (Geometridae) Synonym(s): *denigrata* W.Warren,1896
- 19796) *Laciniodes denigrata* ussuriensis L.B.Prout,1938 (Geometridae) Synonym(s): *ussuriensis* L.B.Prout,1938
- 19797) *Laciniodes electaria* (Leech,1897) (Geometridae) Synonym(s): *electaria* Leech,1897
- 19798) *Laciniodes plurilinearia* (Moore,1868) (Geometridae) Synonym(s): *plurilinearia* Moore,1868
- 19799) *Laciniodes pseudoconditaria* (Sterneck,1928) (Geometridae) Synonym(s): *pseudoconditaria* Sterneck,1928
- 19800) *Laciniodes stenorhabda* Wehrli,1931 (Geometridae) Synonym(s): *stenorhabda* Wehrli,1931
- 19801) *Laciniodes umbrosus* Inoue,1993 (Geometridae) Synonym(s): *umbrosus* Inoue,1993
- 19802) *Laciniodes unistipris* (Butler,1878) (Geometridae) Synonym(s): *unistipris* Butler,1878
- 19803) *Lampropteryx argentilineata* (Moore,1868) (Geometridae) Synonym(s): *argentilineata* Moore,1868
- 19804) *Lampropteryx argentilineata* argentilineata (Moore,1868) (Geometridae) Synonym(s): *argentilineata* Moore,1868
- 19805) *Lampropteryx argentilineata* nitidaria (Leech,1897) (Geometridae) Synonym(s): *nitidaria* Leech,1897
- 19806) *Lampropteryx chalybearia* (Moore,1868) (Geometridae) Synonym(s): *chalybearia* Moore,1868; *incola* Bastelberger,1911
- 19807) *Lampropteryx jameza* (Butler,1898) (Geometridae) Synonym(s): *jameza* Butler,1898; *askoldaria* Oberthür,1880
- 19808) *Lampropteryx minna* (Butler,1881) (Geometridae) Synonym(s): *minna* Butler,1881; *otregimima* Bryk,1949; *minor* Staudinger,1892
- 19809) *Lampropteryx moroessa* (L.B.Prout,1932) (Geometridae) Synonym(s): *moroessa* L.B.Prout,1932
- 19810) *Lampropteryx nishizawai* Sato,1990 (Geometridae) Synonym(s): *nishizawai* Sato,1990
- 19811) *Lampropteryx otregiata* (Metcalfe,1917) (Geometridae) Synonym(s): *otregiata* Metcalfe,1917; *dubitatrix* Bryk,1942
- 19812) *Lampropteryx siderifera* (Moore,1888) (Geometridae) Synonym(s): *siderifera* Moore,1888; *postulata* W.Warren,1893
- 19813) *Lampropteryx suffumata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *suffumata* [Denis & Schiffermüller],1775; *piceata* Stephens,1831
- 19814) *Lampropteryx synthetica* L.B.Prout,1922 (Geometridae) Synonym(s): *synthetica* L.B.Prout,1922
- 19815) *Larentia attenuata* Walker,1862 (Geometridae) Synonym(s): *attenuata* Walker,1862
- 19816) *Larentia berberina* Herbulot,1981 (Geometridae) Synonym(s): *berberina* Herbulot,1981
- 19817) *Larentia bitrita* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *bitrita* R.Felder & Rogenhofer,1875
- 19818) *Larentia clavaria* Haworth,[1809] (Geometridae) Synonym(s): *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901
- 19819) *Larentia diplocampa* L.B.Prout,1917 (Geometridae) Synonym(s): *diplocampa* L.B.Prout,1917
- 19820) *Larentia indiscriminata* Walker,1863 (Geometridae) Synonym(s): *indiscriminata* Walker,1863
- 19821) *Larentia malvata* (Rambur,1833) (Geometridae) Synonym(s): *malvata* Rambur,1833
- 19822) *Larentioides* ? *cacothemon* L.B.Prout,1917 (Geometridae) Synonym(s): *cacothemon* L.B.Prout,1917
- 19823) *Larerannis aurantiaria* (Hübner,[1799]) (Geometridae) Synonym(s): *aurantiaria* Hübner,[1799]; *incompletaria* Haworth,1809
- 19824) *Larerannis marginaria* (Fabricius,1777) (Geometridae) Synonym(s): *marginaria* Fabricius,1777; *testacea* Retzius,1783; *testacea* Villers,1789; *progemma* Hübner,[1799]; *capreolaria* Esper,1801 nec [Den. & Schiff,],1775; *luctaria* Haworth,1809; *connectaria* Haworth,1809; *stictaria* Haworth,1809
- 19825) *Lasiochlora bicolor* (Thierry-Mieg,1907) (Geometridae) Synonym(s): *bicolor* Thierry-Mieg,1907
- 19826) *Lasiochlora diducta* (Walker,1861) (Geometridae) Synonym(s): *diducta* Walker,1861; *lunigera* R.Felder & Rogenhofer,1875

- 19827) *Lassaba acribomena* (L.B.Prout,1928) (Geometridae) Synonym(s): *acribomena* L.B.Prout,1928
 19828) *Lassaba albidaria* (Walker,1866) (Geometridae) Synonym(s): *albidaria* Walker,1866
 19829) *Lassaba albidaria albidaria* (Walker,1866) (Geometridae) Synonym(s): *albidaria* Walker,1866
 19830) *Lassaba albidaria tapaica* (Wehrli,1941) (Geometridae) Synonym(s): *tapaica* Wehrli,1941
 19831) *Lassaba contaminata* Moore,1888 (Geometridae) Synonym(s): *contaminata* Moore,1888
 19832) *Lassaba contaminata amelina* (Wehrli,1941) (Geometridae) Synonym(s): *amelina* Wehrli,1941
 19833) *Lassaba contaminata contaminata* Moore,1888 (Geometridae) Synonym(s): *contaminata* Moore,1888
 19834) *Lassaba fuliginosa* (Inoue & Sato,1986) (Geometridae) Synonym(s): *fuliginosa* Inoue & Sato,1986
 19835) *Lassaba indentata* W.Warren,1896 (Geometridae) Synonym(s): *indentata* W.Warren,1896
 19836) *Lassaba nikkonis* (Butler,1881) (Geometridae) Synonym(s): *nikkonis* Butler,1881
 19837) *Lassaba parvialbidaria* (Inoue,1978) (Geometridae) Synonym(s): *parvialbidaria* Inoue,1978
 19838) *Lassaba parvialbidaria nepalensis* (Sato,1993) (Geometridae) Synonym(s): *nepalensis* Sato,1993
 19839) *Lassaba parvialbidaria parvialbidaria* (Inoue,1978) (Geometridae) Synonym(s): *parvialbidaria* Inoue,1978
 19840) *Lassaba vinacea* (L.B.Prout,1926) (Geometridae) Synonym(s): *vinacea* L.B.Prout,1926
 19841) *Lathochlora inornata* W.Warren,1900 (Geometridae) Synonym(s): *inornata* W.Warren,1900
 19842) *Lathochlora magna* Herbulot,1996 (Geometridae) Synonym(s): *magna* Herbulot,1996
 19843) *Lathochlora perversa* L.B.Prout,1915 (Geometridae) Synonym(s): *perversa* L.B.Prout,1915
 19844) *Leptepistomion concinna* (W.Warren,1894) (Geometridae) Synonym(s): *concinna* W.Warren,1894
 19845) *Leptomiza bilinearia* (Leech,1897) (Geometridae) Synonym(s): *bilinearia* Leech,1897
 19846) *Leptomiza bilinearia bilinearia* (Leech,1897) (Geometridae) Synonym(s): *bilinearia* Leech,1897
 19847) *Leptomiza bilinearia hedemanni* (Staudinger,1897) (Geometridae) Synonym(s): *hedemanni* Staudinger,1897
 19848) *Leptomiza calcearia* (Walker,1860) (Geometridae) Synonym(s): *calcearia* Walker,1860; *dentilineata* Moore,1888; *mediolimbata* Poujade,1895
 19849) *Leptomiza calcearia apoleuca* Wehrli,1940 (Geometridae) Synonym(s): *apoleuca* Wehrli,1940
 19850) *Leptomiza calcearia calcearia* (Walker,1860) (Geometridae) Synonym(s): *calcearia* Walker,1860; *dentilineata* Moore,1888; *mediolimbata* Poujade,1895
 19851) *Leptomiza hepaticata* (Swinhoe,1900) (Geometridae) Synonym(s): *hepaticata* Swinhoe,1900
 19852) *Leptomiza hepaticata hepaticata* (Swinhoe,1900) (Geometridae) Synonym(s): *hepaticata* Swinhoe,1900
 19853) *Leptomiza hepaticata vicina* Wehrli,1936 (Geometridae) Synonym(s): *vicina* Wehrli,1936
 19854) *Leptomiza parableta* L.B.Prout,1926 (Geometridae) Synonym(s): *parableta* L.B.Prout,1926
 19855) *Leptomiza prochlora* Wehrli,1936 (Geometridae) Synonym(s): *prochlora* Wehrli,1936
 19856) *Leptomiza rufitinctaria* Hampson,1902 (Geometridae) Synonym(s): *rufitinctaria* Hampson,1902
 19857) *Leucaniodes periconia* L.B.Prout,1922 (Geometridae) Synonym(s): *periconia* L.B.Prout,1922
 19858) *Leucobrephephos middendorffii* (Ménétriés,1858) (Geometridae) Synonym(s): *middendorffii* Ménétriés,1858
 19859) *Leucobrephephos middendorffii middendorffii* (Ménétriés,1858) (Geometridae) Synonym(s): *middendorffii* Ménétriés,1858
 19860) *Leucobrephephos middendorffii nivea* Kozhantshikov,1924 (Geometridae) Synonym(s): *nivea* Kozhantshikov,1924
 19861) *Leucobrephephos middendorffii ussuriensis* Moltrecht,1914 (Geometridae) Synonym(s): *ussuriensis* Moltrecht,1914
 19862) *Leucobrephephos mongolicum* Vojnits,1977 (Geometridae) Synonym(s): *mongolicum* Vojnits,1977
 19863) *Leucobrephephos mongolicum mongolicum* Vojnits,1977 (Geometridae) Synonym(s): *mongolicum* Vojnits,1977
 19864) *Lhommeia aediphebia* (Hampson,1899) (Geometridae) Synonym(s): *aediphebia* Hampson,1899
 19865) *Lhommeia biskraria* (Oberthür,1885) (Geometridae) Synonym(s): *biskraria* Oberthür,1885
 19866) *Lhommeia subapicata* (W.Warren,1899) (Geometridae) Synonym(s): *subapicata* W.Warren,1899
 19867) *Ligdia adustata* (Fabricius,1787) (Geometridae) Synonym(s): *adustata* [Denis & Schiffermüller],1775; *adustata* Fabricius,1787; *adustaria* Boisduval,1840
 19868) *Ligdia batesii* (Wallengren,1875) (Geometridae) Synonym(s): *batesii* Wallengren,1875; *casta* W.Warren,1905
 19869) *Ligdia cocata* Guenée,[1858] (Geometridae) Synonym(s): *cocata* Guenée,[1858]; *efferata* Walker,1862; *restitutata* Walker,1862; *inspersata* Staudinger,1879;
 19870) *Ligdia interrupta* W.Warren,1897 (Geometridae) Synonym(s): *interrupta* W.Warren,1897
 19871) *Ligdia lassulata* (Rogenhofer,1873) (Geometridae) Synonym(s): *lassulata* Rogenhofer,1873
 19872) *Ligdia pectinicornis* L.B.Prout,1913 (Geometridae) Synonym(s): *pectinicornis* L.B.Prout,1913
 19873) *Lignoptera fumidaria* (Hübner,[1825]) (Geometridae) Synonym(s): *fumidaria* Hübner,[1825]
 19874) *Lignoptera thaumastaria* (Rebel,1901) (Geometridae) Synonym(s): *thaumastaria* Rebel,1901
 19875) *Limbatochlamis pararosthorni* Han & Xue,2005 (Geometridae) Synonym(s): *pararosthorni* Han & Xue,2005
 19876) *Limbatochlamis parvisis* Han & Xue,2005 (Geometridae) Synonym(s): *parvisis* Han & Xue,2005
 19877) *Limbatochlamis rosthorni* Rothschild,1894 (Geometridae) Synonym(s): *rosthorni* Rothschild,1894
 19878) *Limeria macraria* Staudinger,1892 (Geometridae) Synonym(s): *macraria* Staudinger,1892
 19879) *Liodesina homochromata* (Mabille,1869) (Geometridae) Synonym(s): *homochromata* Mabille,1869
 19880) *Liodesina mesatlantis* Wehrli,1938 (Geometridae) Synonym(s): *mesatlantis* Wehrli,1938
 19881) *Lipomelia subusta* W.Warren,1893 (Geometridae) Synonym(s): *subusta* W.Warren,1893; *ustata* Swinhoe,1893
 19882) *Lithostege amoenata* Christoph,1885 (Geometridae) Synonym(s): *amoenata* Christoph,1885
 19883) *Lithostege amseli* Wiltshire,1967 (Geometridae) Synonym(s): *amseli* Wiltshire,1967
 19884) *Lithostege ancyrana* L.B.Prout,1938 (Geometridae) Synonym(s): *ancyrana* L.B.Prout,1938
 19885) *Lithostege angelicata* Dyar,1923 (Geometridae) Synonym(s): *angelicata* Dyar,1923
 19886) *Lithostege apicata* L.B.Prout,1938 (Geometridae) Synonym(s): *apicata* L.B.Prout,1938
 19887) *Lithostege biermis* L.B.Prout,1922 (Geometridae) Synonym(s): *biermis* L.B.Prout,1922
 19888) *Lithostege bifissana* Rebel,1911 (Geometridae) Synonym(s): *bifissana* Rebel,1911
 19889) *Lithostege bosporaria* (Herrich-Schäffer,[1848]) (Geometridae) Synonym(s): *bosporaria* Herrich-Schäffer,[1848]; *porcataria* Boisduval,1848; *latestrigata* Rebel,1931.
 19890) *Lithostege buxtoni* L.B.Prout,1920 (Geometridae) Synonym(s): *buxtoni* L.B.Prout,1920
 19891) *Lithostege castiliaria* Staudinger,1877 (Geometridae) Synonym(s): *castiliaria* Staudinger,1877; *duroata* Thierry-Mieg,1894
 19892) *Lithostege chaotica* (Alpheraky,1897) (Geometridae) Synonym(s): *chaotica* Alpheraky,1897
 19893) *Lithostege cinerata* Turati,1924 (Geometridae) Synonym(s): *cinerata* Turati,1924; *cyrenaica* Amsel,1935
 19894) *Lithostege coassata* (Hübner,[1825]) (Geometridae) Synonym(s): *duplicata* Hübner,[1817] (junior homonym); *coassata* Hübner,[1825]; *assinata* Freyer,1830; *coassaria* Boisduval,1840.
 19895) *Lithostege coassata coassata* (Hübner,[1825]) (Geometridae) Synonym(s): *duplicata* Hübner,[1817] (junior homonym); *coassata* Hübner,[1825]; *assinata* Freyer,1830; *coassaria* Boisduval,1840.
 19896) *Lithostege coassata mongolica* Vojnits,1978 (Geometridae) Synonym(s): *mongolica* Vojnits,1978
 19897) *Lithostege coassata multiplicata* Staudinger,1869 (Geometridae) Synonym(s): *multiplicata* Staudinger,1869
 19898) *Lithostege coassata ochraceata* Staudinger,1897 (Geometridae) Synonym(s): *ochraceata* Staudinger,1897
 19899) *Lithostege coassata stepparia* (Boisduval,1848) (Geometridae) Synonym(s): *stepparia* Boisduval,1848
 19900) *Lithostege deserticola* Barnes & McDunnough,1916 (Geometridae) Synonym(s): *deserticola* Barnes & McDunnough,1916
 19901) *Lithostege dissocyma* L.B.Prout,1938 (Geometridae) Synonym(s): *dissocyma* L.B.Prout,1938
 19902) *Lithostege distinctata* Christoph,1887 (Geometridae) Synonym(s): *distinctata* Christoph,1887
 19903) *Lithostege duponcheli* L.B.Prout,1938 (Geometridae) Synonym(s): *duponcheli* L.B.Prout,1938
 19904) *Lithostege elegans* (Grossbeck,1909) (Geometridae) Synonym(s): *elegans* Grossbeck,1909
 19905) *Lithostege excelsata* Erschoff,1874 (Geometridae) Synonym(s): *excelsata* Erschoff,1874
 19906) *Lithostege farinata* (Hufnagel,1767) (Geometridae) Synonym(s): *farinata* Hufnagel,1767; *illibata* [Denis & Schiffermüller],1775; *nivearia* Hübner,[1799]; *albaria* Turtun,1802; *bachmutensis* Prout,1938
 19907) *Lithostege fissurata* Mabille,1888 (Geometridae) Synonym(s): *fissurata* Mabille,1888
 19908) *Lithostege flavicornata* (Zeller,1847) (Geometridae) Synonym(s): *flavicornata* Zeller,1847
 19909) *Lithostege fuscata* (Grossbeck,1906) (Geometridae) Synonym(s): *fuscata* Grossbeck,1906
 19910) *Lithostege giacomellii* L.B.Prout,1910 (Geometridae) Synonym(s): *giacomellii* L.B.Prout,1910

- 19911) *Lithostege griseata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *incanata* Hufnagel,1767; *griseata* [Denis & Schiffermüller],1775; *asinata* Fabricius,1794; *duplicaria* Hübner,[1799]; *grisearia* Hübner,[1799]; *clarkata* Stephens,1850
- 19912) *Lithostege griseata gigantea* Bytinski-Salz & Brandt,1937 (Geometridae) Synonym(s): *gigantea* Bytinski-Salz & Brandt,1937; *#transversaria* Bytinski-Salz & Brandt,1937
- 19913) *Lithostege herbuloti* Sperry,1954 (Geometridae) Synonym(s): *herbuloti* Sperry,1954
- 19914) *Lithostege inanis* L.B.Prout,1941 (Geometridae) Synonym(s): *inanis* L.B.Prout,1941; *fitzgeraldi* Wiltshire,1947
- 19915) *Lithostege infusata* Eversmann,1837 (Geometridae) Synonym(s): *infusata* Eversmann,1837
- 19916) *Lithostege luigi Viidalepp*,[1992] (Geometridae) Synonym(s): *luigi Viidalepp*,[1992]
- 19917) *Lithostege luminosata* Christoph,1885 (Geometridae) Synonym(s): *luminosata* Christoph,1885
- 19918) *Lithostege marcata* Barnes & McDunnough,1916 (Geometridae) Synonym(s): *marcata* Barnes & McDunnough,1916
- 19919) *Lithostege mesoleucata* Püngeler,1899 (Geometridae) Synonym(s): *mesoleucata* Püngeler,1899
- 19920) *Lithostege narynensis* L.B.Prout,1938 (Geometridae) Synonym(s): *narynensis* L.B.Prout,1938
- 19921) *Lithostege notata* A.Bang-Haas,1906 (Geometridae) Synonym(s): *notata* A.Bang-Haas,1906
- 19922) *Lithostege obliquata* Urbahn,1971 (Geometridae) Synonym(s): *obliquata* Urbahn,1971
- 19923) *Lithostege odessaria* (Boisduval,1848) (Geometridae) Synonym(s): *odessaria* Boisduval,1848
- 19924) *Lithostege palaestinisensis* Amsel,1935 (Geometridae) Synonym(s): *palaestinisensis* Amsel,1935; *ali* Wiltshire,1941.
- 19925) *Lithostege pallascens* Staudinger,1897 (Geometridae) Synonym(s): *pallascens* Staudinger,1897
- 19926) *Lithostege parva* Shchetkin,1965 (Geometridae) Synonym(s): *parva* Shchetkin,1965
- 19927) *Lithostege pax* L.B.Prout,1910 (Geometridae) Synonym(s): *pax* L.B.Prout,1910
- 19928) *Lithostege repeteki* Tsvetajev,1971 (Geometridae) Synonym(s): *repeteki* Tsvetajev,1971
- 19929) *Lithostege scoliogramma* L.B.Prout,1922 (Geometridae) Synonym(s): *scoliogramma* L.B.Prout,1922
- 19930) *Lithostege senata* Christoph,1887 (Geometridae) Synonym(s): *senata* Christoph,1887; *lenata* Christoph,1889
- 19931) *Lithostege staudingeri* Erschoff,1872 (Geometridae) Synonym(s): *staudingeri* Erschoff,1872
- 19932) *Lithostege turkmenica* Tsvetajev,1971 (Geometridae) Synonym(s): *turkmenica* Tsvetajev,1971
- 19933) *Lithostege tzaddi* L.B.Prout,1910 (Geometridae) Synonym(s): *tzaddi* L.B.Prout,1910
- 19934) *Lithostege usgentaria* Christoph,1885 (Geometridae) Synonym(s): *usgentaria* Christoph,1885
- 19935) *Lithostege usgentaria ignorata* Staudinger,1901 (Geometridae) Synonym(s): *ignorata* Staudinger,1901
- 19936) *Lithostege verbosaria* Xue,1994 (Geometridae) Synonym(s): *verbosaria* Xue,1994
- 19937) *Lithostege witzmanni* Standfuss,1892 (Geometridae) Synonym(s): *witzmanni* Standfuss,1892
- 19938) *Lobidiopteryx eumares* L.B.Prout,1935 (Geometridae) Synonym(s): *eumares* L.B.Prout,1935
- 19939) *Lobidiopteryx* sp. (Geometridae) Synonym(s):
- 19940) *Lobophora halterata* (Hufnagel,1767) (Geometridae) Synonym(s): *halterata* Hufnagel,1767
- 19941) *Lomaspilis marginata* (Linnaeus,1758) (Geometridae) Synonym(s): *marginata* Linnaeus,1758; *bithynica* Wehrli,1939
- 19942) *Lomaspilis opis* (Butler,1878) (Geometridae) Synonym(s): *opis* Butler,1878
- 19943) *Lomaspilis opis igisizilim* Kemal & Koçak,2002 (Geometridae) Synonym(s): *bithynica* Riemis,1992 nec Wehr.,1939; *igisizilim* Kemal & Koçak,2002
- 19944) *Lomographa alba* (Moore,1888) (Geometridae) Synonym(s): *alba* Moore,1888
- 19945) *Lomographa albipuncta* (Swinhoe,1902) (Geometridae) Synonym(s): *albipuncta* Swinhoe,1902
- 19946) *Lomographa aluta* (L.B.Prout,1921) (Geometridae) Synonym(s): *aluta* L.B.Prout,1921
- 19947) *Lomographa anoxys* (Wehrli,1936) (Geometridae) Synonym(s): *anoxys* Wehrli,1936
- 19948) *Lomographa araeophragma* (L.B.Prout,1934) (Geometridae) Synonym(s): *araeophragma* L.B.Prout,1934
- 19949) *Lomographa aridata* (W.Warren,1897) (Geometridae) Synonym(s): *aridata* W.Warren,1897
- 19950) *Lomographa bimaculata* (Fabricius,1775) (Geometridae) Synonym(s): *bimaculata* Fabricius,1775; *taminata* [Denis & Schiffermüller],1775; *taminaria* Hübner,1799
- 19951) *Lomographa distans* (W.Warren,1894) (Geometridae) Synonym(s): *distans* W.Warren,1894; *ochrilinea* W.Warren,1894
- 19952) *Lomographa ectiptica* (L.B.Prout,1926) (Geometridae) Synonym(s): *ectiptica* L.B.Prout,1926
- 19953) *Lomographa griseola* (W.Warren,1893) (Geometridae) Synonym(s): *griseola* W.Warren,1893; *perichrysa* Wehrli,1924
- 19954) *Lomographa guttulata* Yazaki,1994 (Geometridae) Synonym(s): *guttulata* Yazaki,1994
- 19955) *Lomographa indularia* (Guenée,[1858]) (Geometridae) Synonym(s): *indularia* Guenée,[1858]
- 19956) *Lomographa longipennis* (W.Warren,1907) (Geometridae) Synonym(s): *longipennis* W.Warren,1907
- 19957) *Lomographa lucens* (W.Warren,1896) (Geometridae) Synonym(s): *lucens* W.Warren,1896
- 19958) *Lomographa luciferata* (Walker,1862) (Geometridae) Synonym(s): *luciferata* Walker,1862
- 19959) *Lomographa sectinota* (Hampson,1895) (Geometridae) Synonym(s): *sectinota* Hampson,1895
- 19960) *Lomographa temerata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *punctata* Fabricius,1775 nec Cl.,1759; *temerata* [Denis & Schiffermüller],1775; *nitidula* Fourcroy,1785; *sylvestrata* Hübner,1786; *nitidularia* Villers,1789; *temeraria* Hübner,1799; *nubeculata* Haworth,1809
- 19961) *Lophophelma calaurops* (L.B.Prout,1912) (Geometridae) Synonym(s): *calaurops* L.B.Prout,1912
- 19962) *Lophophelma erionoma* (Swinhoe,1893) (Geometridae) Synonym(s): *erionoma* Swinhoe,1893; *furvirubens* L.B.Prout,1934
- 19963) *Lophophelma eucryphes* (West,1930) (Geometridae) Synonym(s): *eucryphes* West,1930
- 19964) *Lophophelma eupines* (West,1930) (Geometridae) Synonym(s): *eupines* West,1930
- 19965) *Lophophelma funebrosa* (W.Warren,1896) (Geometridae) Synonym(s): *funebrosa* W.Warren,1896
- 19966) *Lophophelma loncheres* (L.B.Prout,1931) (Geometridae) Synonym(s): *loncheres* L.B.Prout,1931
- 19967) *Lophophelma luteipes* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *luteipes* R.Felder & Rogenhofer,1875; *similis* Moore,1888; *enthusiastes* L.B.Prout,1927
- 19968) *Lophophelma neonoma* (Hampson,1907) (Geometridae) Synonym(s): *neonoma* Hampson,1907
- 19969) *Lophophelma niveata* (Debauche,1941) (Geometridae) Synonym(s): *niveata* Debauche,1941
- 19970) *Lophophelma oblecta* (Debauche,1941) (Geometridae) Synonym(s): *oblecta* Debauche,1941
- 19971) *Lophophelma rubroviridata* (W.Warren,1898) (Geometridae) Synonym(s): *rubroviridata* W.Warren,1898
- 19972) *Lophophelma ruficosta* (Hampson,1891) (Geometridae) Synonym(s): *ruficosta* Hampson,1891
- 19973) *Lophophelma vigenes* (Butler,1880) (Geometridae) Synonym(s): *vigenes* Butler,1880
- 19974) *Lophophleps informis* (W.Warren,1897) (Geometridae) Synonym(s): *informis* W.Warren,1897; *sinuata* Wileman & South,1917
- 19975) *Lophophleps phoenicoptera* (Hampson,1896) (Geometridae) Synonym(s): *phoenicoptera* Hampson,1896
- 19976) *Lophophleps phoenicoptera phoenicoptera* (Hampson,1896) (Geometridae) Synonym(s): *phoenicoptera* Hampson,1896
- 19977) *Lophophleps phoenicoptera tuita* (L.B.Prout,1938) (Geometridae) Synonym(s): *tuita* L.B.Prout,1938
- 19978) *Lophophleps purpurea* Hampson,1891 (Geometridae) Synonym(s): *purpurea* Hampson,1891
- 19979) *Lophophleps triangularis* (Hampson,1895) (Geometridae) Synonym(s): *triangularis* Hampson,1895
- 19980) *Lophorrhachia rubricorpus* (Warren,1898) (Geometridae) Synonym(s): *rubricorpus* Warren,1898; *plagiata* Aurivillius,1910; *niveicristata* Prout,1916; *#rubricornis* Janse,1935
- 19981) *Lophostola atridisca* (Warren,1897) (Geometridae) Synonym(s): *atridisca* Warren,1897
- 19982) *Lophostola* sp. (Geometridae) Synonym(s):
- 19983) *Louisprotia pallescens* Wehrli,1932 (Geometridae) Synonym(s): *pallescens* Wehrli,1932
- 19984) *Loxofidonia acidaliata* (Packard,1874) (Geometridae) Synonym(s): *acidaliata* Packard,1874
- 19985) *Loxofidonia bareconia* (Swinhoe,1894) (Geometridae) Synonym(s): *bareconia* Swinhoe,1894
- 19986) *Loxofidonia bareconia bareconia* (Swinhoe,1894) (Geometridae) Synonym(s): *bareconia* Swinhoe,1894
- 19987) *Loxofidonia bareconia pallidistriga* L.B.Prout,1937 (Geometridae) Synonym(s): *pallidistriga* L.B.Prout,1937
- 19988) *Loxofidonia buda* (Swinhoe,1895) (Geometridae) Synonym(s): *buda* Swinhoe,1895; *subbrunnescens* W.Warren,1896
- 19989) *Loxofidonia cingala* (Moore,[1887]) (Geometridae) Synonym(s): *cingala* Moore,[1887]
- 19990) *Loxofidonia hexasticha* L.B.Prout,1941 (Geometridae) Synonym(s): *hexasticha* L.B.Prout,1941
- 19991) *Loxofidonia obfuscata* (W.Warren,1893) (Geometridae) Synonym(s): *obfuscata* W.Warren,1893; *plumbeotincta* Swinhoe,1895; *rubridisca* W.Warren,1896
- 19992) *Loxofidonia plumbilinea* (W.Warren,1896) (Geometridae) Synonym(s): *plumbilinea* W.Warren,1896
- 19993) *Loxofidonia sigmata* L.B.Prout,1941 (Geometridae) Synonym(s): *sigmata* L.B.Prout,1941

- 19994) *Loxomiza herberti* Holloway,[1994] (Geometridae) Synonym(s): *herberti* Holloway,[1994]
 19995) *Loxorhombia* W.Warren,1894 (Geometridae) Synonym(s): *Loxorhombia* W.Warren,1894
 19996) *Loxorhombia idea* (Swinhoe,1890) (Geometridae) Synonym(s): *idea* Swinhoe,1890
 19997) *Loxotephria bornea* Holloway,[1994] (Geometridae) Synonym(s): *bornea* Holloway,[1994]
 19998) *Loxotephria convercens* (W.Warren,1899) (Geometridae) Synonym(s): *convercens* W.Warren,1899
 19999) *Loxotephria elaiodes* Wehrli,1937 (Geometridae) Synonym(s): *elaiodes* Wehrli,1937
 20000) *Loxotephria olivacea* W.Warren,1905 (Geometridae) Synonym(s): *olivacea* W.Warren,1905; *taiwana* Wileman,1915
 20001) *Loxotephria padanga* Swinhoe,1909 (Geometridae) Synonym(s): *padanga* Swinhoe,1909
 20002) *Loxotephria perileuca* L.B.Prout,1926 (Geometridae) Synonym(s): *perileuca* L.B.Prout,1926
 20003) *Luashia zonata* (Walker,[1863]) (Geometridae) Synonym(s): *zonata* Walker,[1863]
 20004) *Lulavia multipunctata* (Staudinger,1898) (Geometridae) Synonym(s): *multipunctata* Staudinger,1898
 20005) *Luxiaria acutaria* (Snellen,1877) (Geometridae) Synonym(s): *acutaria* Snellen,1877; *intensata* Moore,1888
 20006) *Luxiaria amasa* (Butler,1878) (Geometridae) Synonym(s): *amasa* Butler,1878; *fasciosa* Moore,1888; *fulvifascia* W.Warren,1894
 20007) *Luxiaria amasa perochrea* Herbulot,1993 (Geometridae) Synonym(s): *perochrea* Herbulot,1993
 20008) *Luxiaria biafaria* Plötz,1880 (Geometridae) Synonym(s): *biafaria* Plötz,1880; *taeniata* W.Warren,1897
 20009) *Luxiaria calida* W.Warren,1896 (Geometridae) Synonym(s): *calida* W.Warren,1896; *punctata* W.Warren,1896
 20010) *Luxiaria celebensis* L.B.Prout,1929 (Geometridae) Synonym(s): *celebensis* L.B.Prout,1929
 20011) *Luxiaria celebesa* Debauche,1941 (Geometridae) Synonym(s): *celebesa* Debauche,1941
 20012) *Luxiaria consimiliaria* Leech,1897 (Geometridae) Synonym(s): *consimiliaria* Leech,1897
 20013) *Luxiaria costinota* Inoue,1978 (Geometridae) Synonym(s): *costinota* Inoue,1978
 20014) *Luxiaria curvivena* (W.Warren,1899) (Geometridae) Synonym(s): *curvivena* W.Warren,1899; *distorta* Swinhoe,1909
 20015) *Luxiaria dargei* Herbulot,1986 (Geometridae) Synonym(s): *dargei* Herbulot,1986
 20016) *Luxiaria despicata* L.B.Prout,1929 (Geometridae) Synonym(s): *despicata* L.B.Prout,1929
 20017) *Luxiaria emphatica* L.B.Prout,1925 (Geometridae) Synonym(s): *emphatica* L.B.Prout,1925; *versiformis* L.B.Prout,1925
 20018) *Luxiaria epinephela* L.B.Prout,1927 (Geometridae) Synonym(s): *epinephela* L.B.Prout,1927
 20019) *Luxiaria fictaria* (L.B.Prout,1926) (Geometridae) Synonym(s): *fictaria* L.B.Prout,1926
 20020) *Luxiaria grisea* (W.Warren,1895) (Geometridae) Synonym(s): *grisea* W.Warren,1895
 20021) *Luxiaria hapala* West,1929 (Geometridae) Synonym(s): *hapala* West,1929
 20022) *Luxiaria hyalodela* L.B.Prout,1928 (Geometridae) Synonym(s): *hyalodela* L.B.Prout,1928; *molesta* L.B.Prout,1928
 20023) *Luxiaria hypaphanes* Hampson,1891 (Geometridae) Synonym(s): *hypaphanes* Hampson,1891
 20024) *Luxiaria lioptera* L.B.Prout,1928 (Geometridae) Synonym(s): *lioptera* L.B.Prout,1928
 20025) *Luxiaria mitorrhaphes* L.B.Prout,1925 (Geometridae) Synonym(s): *mitorrhaphes* L.B.Prout,1925
 20026) *Luxiaria muluensis* Holloway,[1994] (Geometridae) Synonym(s): *muluensis* Holloway,[1994]
 20027) *Luxiaria obliquata* Moore,1888 (Geometridae) Synonym(s): *obliquata* Moore,1888
 20028) *Luxiaria paganata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *paganata* R.Felder & Rogenhofer,1875; *leithra* Debauche,1941
 20029) *Luxiaria phalarota* (Meyrick,1886) (Geometridae) Synonym(s): *phalarota* Meyrick,1886
 20030) *Luxiaria phyllosaria* (Walker,1860) (Geometridae) Synonym(s): *phyllosaria* Walker,1860; *alfenusaria* Walker,1860
 20031) *Luxiaria postlunata* L.B.Prout,1928 (Geometridae) Synonym(s): *postlunata* L.B.Prout,1928
 20032) *Luxiaria pratti* L.B.Prout,1925 (Geometridae) Synonym(s): *pratti* L.B.Prout,1925
 20033) *Luxiaria prouti* Debauche,1941 (Geometridae) Synonym(s): *prouti* Debauche,1941
 20034) *Luxiaria rectimargo* Debauche,1941 (Geometridae) Synonym(s): *rectimargo* Debauche,1941
 20035) *Luxiaria submonstrata* (Walker,1861) (Geometridae) Synonym(s): *submonstrata* Walker,1861; *nigripalparia* Walker,[1863]
 20036) *Luxiaria subnubila* (Swinhoe,1902) (Geometridae) Synonym(s): *subnubila* Swinhoe,1902
 20037) *Luxiaria subrasata* (Walker,1861) (Geometridae) Synonym(s): *subrasata* Walker,1861; *turpisaria* Walker,1861
 20038) *Luxiaria tarpobana* Herbulot,1986 (Geometridae) Synonym(s): *tarpobana* Herbulot,1986
 20039) *Luxiaria tenella* Herbulot,1986 (Geometridae) Synonym(s): *tenella* Herbulot,1986
 20040) *Luxiaria tephrosaria* (Moore,1868) (Geometridae) Synonym(s): *tephrosaria* Moore,1868
 20041) *Luxiaria turlini* Herbulot,1993 (Geometridae) Synonym(s): *turlini* Herbulot,1993
 20042) *Luxiaria undulataria* (Pagenstecher,1886) (Geometridae) Synonym(s): *undulataria* Pagenstecher,1886; *euchlorata* Holland,1900
 20043) *Lycaugidia albata* (Swinhoe,1895) (Geometridae) Synonym(s): *albata* Swinhoe,1895; *albida* Hampson,1895
 20044) *Lycia alpina* (Sulzer,1776) (Geometridae) Synonym(s): *alpina* Sulzer,1776; *alpinaria* Roemer,1789; *bombycaria* Boisduval,1840
 20045) *Lycia florentina* (Stefanelli,1882) (Geometridae) Synonym(s): *florentina* Stefanelli,1882
 20046) *Lycia graecarius* (Staudinger,1861) (Geometridae) Synonym(s): *graecarius* Staudinger,1861
 20047) *Lycia hirtaria* (Linnaeus,1761) (Geometridae) Synonym(s): *#hirtaria* Clerck,1759; *hirtaria* Linnaeus,1761; *eremita* Scopoli,1763; *atomaria* Hufnagel,1767 nec Linn.,1758; *hirtipennis* Retzius,1783; *congeneraria* Hübner,1799; *fumaria* Haworth,1809; *hanoviensis* Heymons,1891
 20048) *Lycia isabellae* (Harrison,1914) (Geometridae) Synonym(s): *isabellae* Harrison,1914; *stroniboi* Dujardin,1965
 20049) *Lycia lapponaria* (Boisduval,1840) (Geometridae) Synonym(s): *lapponaria* Boisduval,1840
 20050) *Lycia pomonaria* (Hübner,1790) (Geometridae) Synonym(s): *pomonaria* Hübner,1790; *stigmatella* Zetterstedt,1839
 20051) *Lycia suleimania* (Wehrli,1938) (Geometridae) Synonym(s): *suleimania* Wehrli,1938
 20052) *Lycia zonaria* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *zonaria* [Denis & Schiffermüller],1775; *zona* Fabricius,1787
 20053) *Lythria cruentaria* (Hufnagel,1767) (Geometridae) Synonym(s): *purpurata* Linnaeus,1761 nec Linn.,1758; *cruentaria* Hufnagel,1767; *rotaria* Fabricius,1798; *sordidaria* Zetterstedt,1839
 20054) *Lythria plumularia* (Freyer,1831) (Geometridae) Synonym(s): *plumularia* Freyer,1831; *rheticaria* De La Harpe,1853
 20055) *Lythria purpuraria* (Linnaeus,1758) (Geometridae) Synonym(s): *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 nec Sc.,1763; *sanguinolenta* Fourcroy,1785 nec Linn.,1767
 20056) *Lythria venustata* Staudinger,1882 (Geometridae) Synonym(s): *venustata* Staudinger,1882
 20057) *Macaria alternata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *alternata* [Denis & Schiffermüller],1775; *alternaria* Hübner,[1805]; *praenotata* Haworth,1809
 20058) *Macaria carbonaria* (Clerck,1759) (Geometridae) Synonym(s): *carbonaria* Clerck,1759; *picearia* Geyer,[1831]
 20059) *Macaria notata* (Linnaeus,1758) (Geometridae) Synonym(s): *notata* Linnaeus,1758; *notataria* [Denis & Schiffermüller],1775; *hieroglyphica* Fourcroy,1785; *notaria* Morris,1861
 20060) *Macaria wauaria* (Linnaeus,1758) (Geometridae) Synonym(s): *wauaria* Linnaeus,1758; *fuscaria* Thunberg,1792 nec Vill.,1789; *vauaria* Haworth,1809; *v-nigraria* Haworth,1809
 20061) *Macaria wauaria chinensis* (Sterneck,1928) (Geometridae) Synonym(s): *chinensis* Sterneck,1928
 20062) *Macaria wauaria koraebia* (Bryk,1949) (Geometridae) Synonym(s): *koraebia* Bryk,1949
 20063) *Macaria wauaria wauaria* (Linnaeus,1758) (Geometridae) Synonym(s): *wauaria* Linnaeus,1758; *fuscaria* Thunberg,1792 nec Villers,1789; *vauaria* Haworth,1809; *v-nigraria* Haworth,1809
 20064) *Macrohastina azela* (Butler,1878) (Geometridae) Synonym(s): *azela* Butler,1878
 20065) *Macrohastina azela azela* (Butler,1878) (Geometridae) Synonym(s): *azela* Butler,1878
 20066) *Macrohastina azela stenozone* (L.B.Prout,1926) (Geometridae) Synonym(s): *stenozone* L.B.Prout,1926
 20067) *Macrohastina gemmifera* (Moore,1868) (Geometridae) Synonym(s): *gemmifera* Moore,1868
 20068) *Malacodea regelaria* Tengström,1869 (Geometridae) Synonym(s): *regelaria* Tengström,1869
 20069) *Marobia dairiensis* Sato,1998 (Geometridae) Synonym(s): *dairiensis* Sato,1998
 20070) *Marobia dentigerata* (W.Warren,1899) (Geometridae) Synonym(s): *dentigerata* W.Warren,1899
 20071) *Marobia philippinica* Sato,1998 (Geometridae) Synonym(s): *philippinica* Sato,1998
 20072) *Martania taeniata* (Stephens,1831) (Geometridae) Synonym(s): *taeniata* Stephens,1831; *intrusata* Herrich-Schäffer,1841; *arctata* Lienig,1846; *arctaria* Herrich-Schäffer,1848; *albimaculata* Freyer,1849; *obsoleta* Djakonov,1929
 20073) *Mauna ardescens* L.B.Prout,1916 (Geometridae) Synonym(s): *ardescens* L.B.Prout,1916
 20074) *Mauna ava* L.B.Prout,1938 (Geometridae) Synonym(s): *ava* L.B.Prout,1938
 20075) *Mauna disporas* L.B.Prout,1932 (Geometridae) Synonym(s): *disporas* L.B.Prout,1932

- 20076) *Mauna drakenbergensis* Herbulot,1992 (Geometridae) Synonym(s): *drakenbergensis* Herbulot,1992
- 20077) *Mauna electa* L.B.Prout,1917 (Geometridae) Synonym(s): *electa* L.B.Prout,1917
- 20078) *Mauna filia* (Cramer,[1780]) (Geometridae) Synonym(s): *filia* Cramer,[1780]; *acuminata* Walker,1865; *hemixantharia* R.Felder,1874; *scelestaria* R.Felder & Rogenhofer,1875
- 20079) *Mauna homales* (L.B.Prout,1922) (Geometridae) Synonym(s): *homales* L.B.Prout,1922
- 20080) *Mauna pictifimbria* L.B.Prout,1938 (Geometridae) Synonym(s): *pictifimbria* L.B.Prout,1938
- 20081) *Mauna sematurga* L.B.Prout,1938 (Geometridae) Synonym(s): *sematurga* L.B.Prout,1938
- 20082) *Mauna zomba* Herbulot,1997 (Geometridae) Synonym(s): *zomba* Herbulot,1997
- 20083) *Maxates acutigoniatia* (Inoue,1989) (Geometridae) Synonym(s): *acutigoniatia* Inoue,1989
- 20084) *Maxates acutissima* (Walker,1861) (Geometridae) Synonym(s): *acutissima* Walker,1861
- 20085) *Maxates adaptaria* (L.B.Prout,1933) (Geometridae) Synonym(s): *adaptaria* L.B.Prout,1933
- 20086) *Maxates albifulgens* (L.B.Prout,1913) (Geometridae) Synonym(s): *albifulgens* L.B.Prout,1913
- 20087) *Maxates auspicata* (L.B.Prout,1917) (Geometridae) Synonym(s): *auspicata* L.B.Prout,1917
- 20088) *Maxates brachysoma* (L.B.Prout,1935) (Geometridae) Synonym(s): *brachysoma* L.B.Prout,1935
- 20089) *Maxates chromatocrossa* (L.B.Prout,1926) (Geometridae) Synonym(s): *chromatocrossa* L.B.Prout,1926
- 20090) *Maxates coelataria* (Walker,1861) (Geometridae) Synonym(s): *coelataria* Walker,1861
- 20091) *Maxates coelataria coelataria* (Walker,1861) (Geometridae) Synonym(s): *coelataria* Walker,1861
- 20092) *Maxates coelataria trychera* L.B.Prout,1933 (Geometridae) Synonym(s): *trychera* L.B.Prout,1933
- 20093) *Maxates convallata* (W.Warren,1906) (Geometridae) Synonym(s): *convallata* W.Warren,1906
- 20094) *Maxates disides* L.B.Prout,1922 (Geometridae) Synonym(s): *disides* L.B.Prout,1922
- 20095) *Maxates fuscifimbria* (L.B.Prout,1911) (Geometridae) Synonym(s): *fuscifimbria* L.B.Prout,1911
- 20096) *Maxates goniaria* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *goniaria* R.Felder & Rogenhofer,1875; *aculeata* Hampson,1891
- 20097) *Maxates grandificaria* (Graeser,1890) (Geometridae) Synonym(s): *grandificaria* Graeser,1890; *colataria* Leech,1897
- 20098) *Maxates griseoviridis* (W.Warren,1893) (Geometridae) Synonym(s): *griseoviridis* W.Warren,1893
- 20099) *Maxates habra* (L.B.Prout,1933) (Geometridae) Synonym(s): *habra* L.B.Prout,1933
- 20100) *Maxates hemitheoides* (L.B.Prout,1916) (Geometridae) Synonym(s): *hemitheoides* L.B.Prout,1916
- 20101) *Maxates insignipecten* (L.B.Prout,1928) (Geometridae) Synonym(s): *insignipecten* L.B.Prout,1928
- 20102) *Maxates insulsata* (W.Warren,1897) (Geometridae) Synonym(s): *insulsata* W.Warren,1897
- 20103) *Maxates iridescens* (W.Warren,1896) (Geometridae) Synonym(s): *iridescens* W.Warren,1896
- 20104) *Maxates korintjiensis* (L.B.Prout,1933) (Geometridae) Synonym(s): *korintjiensis* L.B.Prout,1933
- 20105) *Maxates lugubriosa* Holloway,1996 (Geometridae) Synonym(s): *lugubriosa* Holloway,1996
- 20106) *Maxates macariata* (Walker,[1863]) (Geometridae) Synonym(s): *macariata* Walker,[1863]
- 20107) *Maxates magnipuncta* (L.B.Prout,1916) (Geometridae) Synonym(s): *magnipuncta* L.B.Prout,1916
- 20108) *Maxates melancholica* (L.B.Prout,1912) (Geometridae) Synonym(s): *melancholica* L.B.Prout,1912
- 20109) *Maxates melinau* Holloway,1996 (Geometridae) Synonym(s): *melinau* Holloway,1996
- 20110) *Maxates mutatilea* (L.B.Prout,1916) (Geometridae) Synonym(s): *mutatilea* L.B.Prout,1916
- 20111) *Maxates obliterata* Holloway,1996 (Geometridae) Synonym(s): *obliterata* Holloway,1996
- 20112) *Maxates panterpna* (West,1930) (Geometridae) Synonym(s): *panterpna* West,1930
- 20113) *Maxates quadrizona* (L.B.Prout,1934) (Geometridae) Synonym(s): *quadrizona* L.B.Prout,1934
- 20114) *Maxates saturator* (L.B.Prout,1935) (Geometridae) Synonym(s): *saturator* L.B.Prout,1935
- 20115) *Maxates submontana* Holloway,1996 (Geometridae) Synonym(s): *submontana* Holloway,1996
- 20116) *Maxates thetydaria* (Guenée,[1858]) (Geometridae) Synonym(s): *thetydaria* Guenée,[1858]; *bifasciata* Walker,[1863]
- 20117) *Maxates tristis* Holloway,1996 (Geometridae) Synonym(s): *tristis* Holloway,1996
- 20118) *Maxates unicolor* (W.Warren,1899) (Geometridae) Synonym(s): *unicolor* W.Warren,1899
- 20119) *Maxates variegata* Holloway,1996 (Geometridae) Synonym(s): *variegata* Holloway,1996
- 20120) *Maxates vasistriga* (L.B.Prout,1938) (Geometridae) Synonym(s): *vasistriga* L.B.Prout,1938
- 20121) *Maxates veninotata* (W.Warren,1894) (Geometridae) Synonym(s): *veninotata* W.Warren,1894
- 20122) *Maxates waterstradti* (L.B.Prout,1933) (Geometridae) Synonym(s): *waterstradti* L.B.Prout,1933
- 20123) *Mebebia rhapsis* (Rindge,1986) (Geometridae) Synonym(s): *rhapsis* Rindge,1986
- 20124) *Medasina acribomena* (L.B.Prout,1928) (Geometridae) Synonym(s): *acribomena* L.B.Prout,1928
- 20125) *Medasina albidaria* (Walker,1866) (Geometridae) Synonym(s): *albidaria* Walker,1866
- 20126) *Medasina basistrigaria* (Moore,1868) (Geometridae) Synonym(s): *basistrigaria* Moore,1868
- 20127) *Medasina lampasaria* (Hampson,1895) (Geometridae) Synonym(s): *lampasaria* Hampson,1895
- 20128) *Medasina maxima* Moore,1888 (Geometridae) Synonym(s): *maxima* Moore,1888
- 20129) *Medasina missionaria* (Wehrli,1941) (Geometridae) Synonym(s): *missionaria* Wehrli,1941
- 20130) *Medasina mucidaria* (Walker,1866) (Geometridae) Synonym(s): *mucidaria* Walker,1866
- 20131) *Medasina parallela* (L.B.Prout,1927) (Geometridae) Synonym(s): *parallela* L.B.Prout,1927
- 20132) *Medasina peracuta* (Sato,1995) (Geometridae) Synonym(s): *peracuta* Sato,1995
- 20133) *Megalycinia engys* Wehrli,1939 (Geometridae) Synonym(s): *engys* Wehrli,1939
- 20134) *Megalycinia scalaria* (Christoph,1893) (Geometridae) Synonym(s): *scalaria* Christoph,1893
- 20135) *Megalycinia serraria* (Costa,1882) (Geometridae) Synonym(s): *serraria* Costa,1882
- 20136) *Megalycinia strictaria* (Lederer,1853) (Geometridae) Synonym(s): *strictaria* Lederer,1853
- 20137) *Megalycinia strictaria strictaria* (Lederer,1853) (Geometridae) Synonym(s): *strictaria* Lederer,1853
- 20138) *Megalycinia strictaria variegata* (Djakonov,1936) (Geometridae) Synonym(s): *variegata* Djakonov,1936
- 20139) *Megametopon grisolaria* (Eversmann,1848) (Geometridae) Synonym(s): *grisolaria* Eversmann,1848
- 20140) *Megaspilates mundataria* (Stoll,1782) (Geometridae) Synonym(s): *mundataria* Stoll,1782
- 20141) *Melanthia alaudaria* (Freyer,1846) (Geometridae) Synonym(s): *alaudaria* Freyer,1846; *culmaria* Herrich-Schäffer,1848; *bicuspidaria* Ghiliani,1852
- 20142) *Melanthia procellata* [(Denis & Schiffermüller),1775] (Geometridae) Synonym(s): *procellata* [Denis & Schiffermüller],1775; ? *areolata* Fourcroy,1785; *procellaria* Boisduval,1840
- 20143) *Melanthia ustiplaga* (Warren,1899) (Geometridae) Synonym(s): *ustiplaga* Warren,1899
- 20144) *Menophra aborta* (W.Warren,1898) (Geometridae) Synonym(s): *aborta* W.Warren,1898
- 20145) *Menophra aborta aborta* (W.Warren,1898) (Geometridae) Synonym(s): *aborta* W.Warren,1898
- 20146) *Menophra aborta rotifera* (L.B.Prout,1915) (Geometridae) Synonym(s): *rotifera* L.B.Prout,1915
- 20147) *Menophra abruptaria* (Thunberg,1792) (Geometridae) Synonym(s): *abruptaria* Thunberg,1792; *strigata* Fabricius,1794; *petrificata* Hübner,[1799]; *suberaria* Donovan,1808; *petrificaria* Duponchel,1829; *barcinonaria* Bellier,1862; *theobromaria* Turati,1909
- 20148) *Menophra abruptaria canariensis* (Rebel,1917) (Geometridae) Synonym(s): *canariensis* Rebel,1917
- 20149) *Menophra abruptaria maura* (Oberthür,1913) (Geometridae) Synonym(s): *maura* Oberthür,1913
- 20150) *Menophra absurda* (L.B.Prout,1917) (Geometridae) Synonym(s): *absurda* L.B.Prout,1917
- 20151) *Menophra alticamerunis* Herbulot,1992 (Geometridae) Synonym(s): *alticamerunis* Herbulot,1992
- 20152) *Menophra anaplagiata* Sato,1984 (Geometridae) Synonym(s): *anaplagiata* Sato,1984
- 20153) *Menophra angustipennis* (Dognin,1907) (Geometridae) Synonym(s): *angustipennis* Dognin,1907
- 20154) *Menophra arabica* Wiltshire,1980 (Geometridae) Synonym(s): *arabica* Wiltshire,1980
- 20155) *Menophra berenicidaria* (Turati,1924) (Geometridae) Synonym(s): *berenicidaria* Turati,1924; *trypanaria* Wiltshire,1948; *cretacaria* Reisser,1948
- 20156) *Menophra bicornuta* Inoue,1990 (Geometridae) Synonym(s): *bicornuta* Inoue,1990
- 20157) *Menophra bilobata* Herbulot,1995 (Geometridae) Synonym(s): *bilobata* Herbulot,1995
- 20158) *Menophra bitoi* Sato,1992 (Geometridae) Synonym(s): *bitoi* Sato,1992
- 20159) *Menophra caeca* (L.B.Prout,1913) (Geometridae) Synonym(s): *caeca* L.B.Prout,1913
- 20160) *Menophra chionodes* (Wehrli,1941) (Geometridae) Synonym(s): *chionodes* Wehrli,1941
- 20161) *Menophra codra* (Swinhoe,1891) (Geometridae) Synonym(s): *codra* Swinhoe,1891
- 20162) *Menophra conjunctaria* (Leech,1897) (Geometridae) Synonym(s): *conjunctaria* Leech,1897

- 20163) *Menophra contemptaria* (Walker,1860) (Geometridae) Synonym(s): *contemptaria* Walker,1860
 20164) *Menophra costistrigata* (W.Warren,1896) (Geometridae) Synonym(s): *costistrigata* W.Warren,1896
 20165) *Menophra decorata* (Moore,1868) (Geometridae) Synonym(s): *decorata* Moore,1868
 20166) *Menophra dioxyppages* (L.B.Prout,1916) (Geometridae) Synonym(s): *dioxyppages* L.B.Prout,1916
 20167) *Menophra dnophera* (L.B.Prout,1915) (Geometridae) Synonym(s): *dnophera* L.B.Prout,1915
 20168) *Menophra dnophera dnophera* (L.B.Prout,1915) (Geometridae) Synonym(s): *dnophera* L.B.Prout,1915
 20169) *Menophra dnophera leptophema* (L.B.Prout,1954) (Geometridae) Synonym(s): *leptophema* L.B.Prout,1954
 20170) *Menophra erebaria* (Oberthür,1883) (Geometridae) Synonym(s): *erebaria* Oberthür,1883
 20171) *Menophra fulvistrigata* (Herbulot,1996) (Geometridae) Synonym(s): *fulvistrigata* Herbulot,1996
 20172) *Menophra grummi* (Alpheraky,1888) (Geometridae) Synonym(s): *grummi* Alpheraky,1888
 20173) *Menophra grummi altaicola* (Wehrli,1941) (Geometridae) Synonym(s): *altaicola* Wehrli,1941
 20174) *Menophra grummi grummi* (Alpheraky,1888) (Geometridae) Synonym(s): *grummi* Alpheraky,1888
 20175) *Menophra harterti* (Rothschild,1912) (Geometridae) Synonym(s): *harterti* Rothschild,1912; *powelli* Oberthür,1913; *thuriferaria* Zerny,1927; *dresnayi* Lucas,1932; *dubiosa* Albers & Warnecke,1941; *undulosa* Albers & Warnecke,1941
 20176) *Menophra harutai* (Inoue,1954) (Geometridae) Synonym(s): *harutai* Inoue,1954
 20177) *Menophra humeraria* (Moore,1868) (Geometridae) Synonym(s): *humeraria* Moore,1868
 20178) *Menophra jansei* (Herbulot,1997) (Geometridae) Synonym(s): *jansei* Herbulot,1997
 20179) *Menophra japygiaria* (Costa,1849) (Geometridae) Synonym(s): *japygiaria* Costa,1849; *fractaria* Staudinger,1859; *rhizolitharia* Rambur,1866; *sagarraria* Turati,1924
 20180) *Menophra jobaphes* (Wehrli,1941) (Geometridae) Synonym(s): *jobaphes* Wehrli,1941
 20181) *Menophra jugorum* (R.Felder & Rogenhofer,[1875]) (Geometridae) Synonym(s): *jugorum* R.Felder & Rogenhofer,[1875]
 20182) *Menophra lederi* (Christoph,1887) (Geometridae) Synonym(s): *lederi* Christoph,1887
 20183) *Menophra lederi syrdarjana* (Wehrli,1941) (Geometridae) Synonym(s): *syrdarjana* Wehrli,1941
 20184) *Menophra lignata* (W.Warren,1894) (Geometridae) Synonym(s): *lignata* W.Warren,1894
 20185) *Menophra luteifasciata* (Herbulot,1996) (Geometridae) Synonym(s): *luteifasciata* Herbulot,1996
 20186) *Menophra lyta* (Wehrli,1941) (Geometridae) Synonym(s): *lyta* Wehrli,1941
 20187) *Menophra maderae* (Bethune-Baker,1891) (Geometridae) Synonym(s): *maderae* Bethune-Baker,1891
 20188) *Menophra mitsundoi* (Sato,1984) (Geometridae) Synonym(s): *mitsundoi* Sato,1984
 20189) *Menophra nakajimai* (Sato,1984) (Geometridae) Synonym(s): *nakajimai* Sato,1984
 20190) *Menophra nathaliae* (Herbulot,1998) (Geometridae) Synonym(s): *nathaliae* Herbulot,1998
 20191) *Menophra nigrifasciata* (Hampson,1891) (Geometridae) Synonym(s): *nigrifasciata* Hampson,1891
 20192) *Menophra nitidaria* (Sternneck,1928) (Geometridae) Synonym(s): *nitidaria* Sternneck,1928
 20193) *Menophra nycthemeraria* (Geyer,1831) (Geometridae) Synonym(s): *nycthemeraria* Geyer,1831
 20194) *Menophra obtusata* (W.Warren,1902) (Geometridae) Synonym(s): *obtusata* W.Warren,1902
 20195) *Menophra olginaria* (Swinhoe,1904) (Geometridae) Synonym(s): *olginaria* Swinhoe,1904
 20196) *Menophra oviceps* (L.B.Prout,1954) (Geometridae) Synonym(s): *oviceps* L.B.Prout,1954
 20197) *Menophra pallescens* (Inoue,1990) (Geometridae) Synonym(s): *pallescens* Inoue,1990
 20198) *Menophra perserrata* (Walker,1862) (Geometridae) Synonym(s): *perserrata* Walker,1862
 20199) *Menophra plantei* (Inoue,1993) (Geometridae) Synonym(s): *plantei* Inoue,1993
 20200) *Menophra praestantaria* (Püngeler,1902) (Geometridae) Synonym(s): *praestantaria* Püngeler,1902
 20201) *Menophra retractaria* (Moore,1868) (Geometridae) Synonym(s): *retractaria* Moore,1868
 20202) *Menophra senilis* (Butler,1878) (Geometridae) Synonym(s): *senilis* Butler,1878
 20203) *Menophra serpentinarum* (W.Warren,1896) (Geometridae) Synonym(s): *serpentinarum* W.Warren,1896
 20204) *Menophra serrata* (D.S.Fletcher,1953) (Geometridae) Synonym(s): *serrata* D.S.Fletcher,1953
 20205) *Menophra serrataria* (Walker,1860) (Geometridae) Synonym(s): *serrataria* Walker,1860
 20206) *Menophra subpilosa* (W.Warren,1894) (Geometridae) Synonym(s): *subpilosa* W.Warren,1894; *instigata* L.B.Prout,1929
 20207) *Menophra subplagiata* (Walker,1860) (Geometridae) Synonym(s): *subplagiata* Walker,1860; *petrificaria* Kollar,[1844]; *ningwuana* Wehrli,1941
 20208) *Menophra subsenilis* (Sato,1993) (Geometridae) Synonym(s): *subsenilis* Sato,1993
 20209) *Menophra subterminalis* (L.B.Prout,1925) (Geometridae) Synonym(s): *subterminalis* L.B.Prout,1925
 20210) *Menophra taiwana* (Wileman,1910) (Geometridae) Synonym(s): *taiwana* Wileman,1910
 20211) *Menophra tienmuensis* (Wehrli,1941) (Geometridae) Synonym(s): *tienmuensis* Wehrli,1941; *fortis* Wehrli,1941
 20212) *Menophra torridaria* (Moore,1888) (Geometridae) Synonym(s): *torridaria* Moore,1888
 20213) *Menophra translineata* (Walker,1869) (Geometridae) Synonym(s): *translineata* Walker,1869; *nemea* Swinhoe,1891
 20214) *Menophra trilineata* (W.Warren,1896) (Geometridae) Synonym(s): *trilineata* W.Warren,1896
 20215) *Menophra trypanaria* (Wiltshire,1948) (Geometridae) Synonym(s): *trypanaria* Wiltshire,1948
 20216) *Menophra trypanaria cretacearia* (Reisser,1958) (Geometridae) Synonym(s): *cretacearia* Reisser,1958
 20217) *Menophra trypanaria trypanaria* (Wiltshire,1948) (Geometridae) Synonym(s): *trypanaria* Wiltshire,1948
 20218) *Menophra tsinlinga* (Wehrli,1941) (Geometridae) Synonym(s): *tsinlinga* Wehrli,1941
 20219) *Mesaster albidiscata* (W.Warren,1895) (Geometridae) Synonym(s): *albidiscata* W.Warren,1895
 20220) *Mesaster albidiscata* (W.Warren,1895) (Geometridae) Synonym(s): *albidiscata* W.Warren,1895
 20221) *Mesococlea obscura* (W.Warren,1902) (Geometridae) Synonym(s): *obscura* W.Warren,1902; *swinhoei* Bastelberger,1907
 20222) *Mesocolpia consobrina* (W.Warren,1901) (Geometridae) Synonym(s): *consobrina* W.Warren,1901
 20223) *Mesocolpia lita* (L.B.Prout,1916) (Geometridae) Synonym(s): *lita* L.B.Prout,1916
 20224) *Mesocolpia nanula* (Mabille,1900) (Geometridae) Synonym(s): *nanula* Mabille,1900
 20225) *Mesoleuca albicillata* (Linnaeus,1758) (Geometridae) Synonym(s): *albicillata* Linnaeus,1758
 20226) *Mesomima jacksoni* (Carcasson,1962) (Geometridae) Synonym(s): *jacksoni* Carcasson,1962
 20227) *Mesomima tenuifascia* (Holland,1893) (Geometridae) Synonym(s): *tenuifascia* Holland,1893; *albifrons* W.Warren,1897; *pulchra* Strand,1911
 20228) *Mesomima tmetoleuca* (L.B.Prout,1934) (Geometridae) Synonym(s): *tmetoleuca* L.B.Prout,1934
 20229) *Mesotrophe curtisi* (L.B.Prout,1920) (Geometridae) Synonym(s): *curtisi* L.B.Prout,1920
 20230) *Mesotrophe harrietae* (G.S.Robinson,1975) (Geometridae) Synonym(s): *harrietae* G.S.Robinson,1975
 20231) *Mesotrophe impavida* (L.B.Prout,1938) (Geometridae) Synonym(s): *impavida* L.B.Prout,1938
 20232) *Mesotrophe intortaria* (Guenée,[1858]) (Geometridae) Synonym(s): *intortaria* Guenée,[1858]; *expunctaria* Walker,1859; *responsaria* Walker,1861; *ovisignata* Moore,[1887]
 20233) *Mesotrophe maximaria* (Guenée,[1858]) (Geometridae) Synonym(s): *maximaria* Guenée,[1858]; *immonstrata* Walker,[1863]; *erubescens* W.Warren,1896
 20234) *Mesotrophe nephelospila* (Meyrick,1889) (Geometridae) Synonym(s): *nephelospila* Meyrick,1889
 20235) *Mesotrophe rudis* (L.B.Prout,1920) (Geometridae) Synonym(s): *rudis* L.B.Prout,1920
 20236) *Mesurodes erichlora* (Meyrick,1886) (Geometridae) Synonym(s): *erichlora* Meyrick,1886
 20237) *Metabraxas atrogrisea* (Inoue,1992) (Geometridae) Synonym(s): *atrogrisea* Inoue,1992
 20238) *Metabraxas clerica* (Butler,1881) (Geometridae) Synonym(s): *clerica* Butler,1881
 20239) *Metabraxas coryneta* (Swinhoe,1894) (Geometridae) Synonym(s): *coryneta* Swinhoe,1894
 20240) *Metabraxas incompositaria* (Leech,1897) (Geometridae) Synonym(s): *incompositaria* Leech,1897
 20241) *Metabraxas inconfusa* (W.Warren,1894) (Geometridae) Synonym(s): *inconfusa* W.Warren,1894
 20242) *Metabraxas nigromarginaria* (Leech,1897) (Geometridae) Synonym(s): *nigromarginaria* Leech,1897
 20243) *Metabraxas parvula* (Wehrli,1934) (Geometridae) Synonym(s): *parvula* Wehrli,1934
 20244) *Metabraxas paucimaculata* (Inoue,1955) (Geometridae) Synonym(s): *paucimaculata* Inoue,1955
 20245) *Metabraxas phidola* (L.B.Prout,1928) (Geometridae) Synonym(s): *phidola* L.B.Prout,1928
 20246) *Metabraxas regularis* (W.Warren,1893) (Geometridae) Synonym(s): *regularis* W.Warren,1893
 20247) *Metabraxas rubrotincta* (Inoue,1986) (Geometridae) Synonym(s): *rubrotincta* Inoue,1986
 20248) *Metabraxas rufonotaria* (Leech,1897) (Geometridae) Synonym(s): *rufonotaria* Leech,1897

- 20249) *Metabraxas tincta* (Hampson,1895) (Geometridae) Synonym(s): *tincta* Hampson,1895
 20250) *Metacrocallis vernalis* Beljaev,1997 (Geometridae) Synonym(s): *vernalis* Beljaev,1997
 20251) *Metallaxis* ? sp.1 (Geometridae) Synonym(s):
 20252) *Metallaxis* ? sp.2 (Geometridae) Synonym(s):
 20253) *Metallaxis semiustus* (Swinhoe,1894) (Geometridae) Synonym(s): *semiustus* Swinhoe,1894
 20254) *Metallochloa dyscheres* L.B.Prout,1922 (Geometridae) Synonym(s): *dyscheres* L.B.Prout,1922
 20255) *Metallochloa grisea* L.B.Prout,1915 (Geometridae) Synonym(s): *grisea* L.B.Prout,1915
 20256) *Metallophia albescens* Inoue,1992 (Geometridae) Synonym(s): *albescens* Inoue,1992
 20257) *Metallophia cineracea* Holloway,1996 (Geometridae) Synonym(s): *cineracea* Holloway,1996
 20258) *Metallophia deveicisi* Herbulot,1989 (Geometridae) Synonym(s): *deveicisi* Herbulot,1989
 20259) *Metallophia medullosa* Inoue,1988 (Geometridae) Synonym(s): *medullosa* Inoue,1988
 20260) *Metallophia ocellata* (W.Warren,1897) (Geometridae) Synonym(s): *ocellata* W.Warren,1897
 20261) *Metallophia opalina* (W.Warren,1893) (Geometridae) Synonym(s): *opalina* W.Warren,1893
 20262) *Metallophia ostrumaria* Xue,1992 (Geometridae) Synonym(s): *ostrumaria* Xue,1992
 20263) *Metallophia subradiata* (W.Warren,1897) (Geometridae) Synonym(s): *subradiata* W.Warren,1897
 20264) *Metallophia variegata* Holloway,1996 (Geometridae) Synonym(s): *variegata* Holloway,1996
 20265) *Metallophia vitticosta* (Walker,1860) (Geometridae) Synonym(s): *vitticosta* Walker,1860
 20266) *Metaperenia ductaria* (Walker,1862) (Geometridae) Synonym(s): *ductaria* Walker,1862
 20267) *Metaterpna differens* (W.Warren,1909) (Geometridae) Synonym(s): *differens* W.Warren,1909
 20268) *Metaterpna thyatiraria* (Oberthür,1913) (Geometridae) Synonym(s): *thyatiraria* Oberthür,1913; *thyatirides* Sterneck,1928
 20269) *Meteima mediorufa* (Bastelberger,1911) (Geometridae) Synonym(s): *mediorufa* Bastelberger,1911
 20270) *Meteima mediorufa gilva* Djakonov,1952 (Geometridae) Synonym(s): *gilva* Djakonov,1952
 20271) *Meteima mediorufa mediorufa* (Bastelberger,1911) (Geometridae) Synonym(s): *mediorufa* Bastelberger,1911
 20272) *Methydata auster* (L.B.Prout,1912) (Geometridae) Synonym(s): *auster* L.B.Prout,1912
 20273) *Miantochora discalis* Herbulot,1954 (Geometridae) Synonym(s): *discalis* Herbulot,1954
 20274) *Miantochora fletcheri* Herbulot,1954 (Geometridae) Synonym(s): *fletcheri* Herbulot,1954
 20275) *Miantochora fontainei* Herbulot,1966 (Geometridae) Synonym(s): *fontainei* Herbulot,1966
 20276) *Miantochora griseata* Carcasson,1964 (Geometridae) Synonym(s): *griseata* Carcasson,1964
 20277) *Miantochora gumpfenbergi* (Möschler,1887) (Geometridae) Synonym(s): *gumpfenbergi* Möschler,1887
 20278) *Miantochora incolorata* W.Warren,1899 (Geometridae) Synonym(s): *incolorata* W.Warren,1899
 20279) *Miantochora interrupta* (Bastelberger,1907) (Geometridae) Synonym(s): *interrupta* Bastelberger,1907
 20280) *Miantochora lisa* Herbulot,1954 (Geometridae) Synonym(s): *lisa* Herbulot,1954
 20281) *Miantochora picturata* Herbulot,1985 (Geometridae) Synonym(s): *picturata* Herbulot,1985
 20282) *Miantochora polychroaria* (Mabille,1890) (Geometridae) Synonym(s): *polychroaria* Mabille,1890; *cassualala* Bethune-Baker,1913
 20283) *Miantochora punctiliger* (Mabille,1879) (Geometridae) Synonym(s): *punctiliger* Mabille,1879
 20284) *Miantochora restricta* Herbulot,1997 (Geometridae) Synonym(s): *restricta* Herbulot,1997
 20285) *Miantochora rufaria* (Swinhoe,1904) (Geometridae) Synonym(s): *rufaria* Swinhoe,1904
 20286) *Miantochora subcaudata* Herbulot,1981 (Geometridae) Synonym(s): *subcaudata* Herbulot,1981
 20287) *Miantochora venerata* (Mabille,1879) (Geometridae) Synonym(s): *venerata* Mabille,1879; *inaequilinea* W.Warren,1895; *ochreomaculata* W.Warren,1899
 20288) *Micrabraxas abraxidia* Inoue,1982 (Geometridae) Synonym(s): *abraxidia* Inoue,1982
 20289) *Micrabraxas anisonoma* L.B.Prout,1927 (Geometridae) Synonym(s): *anisonoma* L.B.Prout,1927
 20290) *Micrabraxas cupriscotia* (Hampson,1902) (Geometridae) Synonym(s): *cupriscotia* Hampson,1902
 20291) *Micrabraxas grandis* Yazaki,1995 (Geometridae) Synonym(s): *grandis* Yazaki,1995
 20292) *Micrabraxas incolorata* W.Warren,1893 (Geometridae) Synonym(s): *incolorata* W.Warren,1893
 20293) *Micrabraxas lenis* Yazaki,1995 (Geometridae) Synonym(s): *lenis* Yazaki,1995
 20294) *Micrabraxas melanodonta* (Hampson,1907) (Geometridae) Synonym(s): *melanodonta* Hampson,1907
 20295) *Micrabraxas nigromaculata* (Leech,1897) (Geometridae) Synonym(s): *nigromaculata* Leech,1897
 20296) *Micrabraxas pongaria* (Oberthür,1893) (Geometridae) Synonym(s): *pongaria* Oberthür,1893
 20297) *Micrabraxas punctigera* Butler,1889 (Geometridae) Synonym(s): *punctigera* Butler,1889
 20298) *Micrabraxas punctigera nigropunctaria* (Leech,1897) (Geometridae) Synonym(s): *nigropunctaria* Leech,1897
 20299) *Micrabraxas punctigera punctigera* Butler,1889 (Geometridae) Synonym(s): *punctigera* Butler,1889
 20300) *Micrabraxas rotundata* Inoue,1982 (Geometridae) Synonym(s): *rotundata* Inoue,1982
 20301) *Micrabraxas seriopuncta* (Hampson,1902) (Geometridae) Synonym(s): *seriopuncta* Hampson,1902
 20302) *Micrabraxas tenuis* (W.Warren,1897) (Geometridae) Synonym(s): *tenuis* W.Warren,1897
 20303) *Microbaena pulchra* (Staudinger,1898) (Geometridae) Synonym(s): *pulchra* Staudinger,1898
 20304) *Microbaena pulchra minor* Hausmann,1996 (Geometridae) Synonym(s): *minor* Hausmann,1996
 20305) *Microbaena pulchra pulchra* (Staudinger,1898) (Geometridae) Synonym(s): *pulchra* Staudinger,1898
 20306) *Microbiston lanaria* (Eversmann,1852) (Geometridae) Synonym(s): *lanaria* Eversmann,1852; *tataricus* Staudinger,1882
 20307) *Microbiston phaeothorax* Wehrli,1941 (Geometridae) Synonym(s): *phaeothorax* Wehrli,1941
 20308) *Microbiston turanicus* Staudinger,1900 (Geometridae) Synonym(s): *turanicus* Staudinger,1900
 20309) *Microcalicha delika* (Swinhoe,1902) (Geometridae) Synonym(s): *delika* Swinhoe,1902
 20310) *Micrologia confinis* M.Krüger,1999 (Geometridae) Synonym(s): *confinis* M.Krüger,1999
 20311) *Micrologia dolosa* W.Warren,1897 (Geometridae) Synonym(s): *dolosa* W.Warren,1897
 20312) *Micrologia luteicincta* L.B.Prout,1916 (Geometridae) Synonym(s): *luteicincta* L.B.Prout,1916
 20313) *Micrologia paradolosa* M.Krüger,1999 (Geometridae) Synonym(s): *paradolosa* M.Krüger,1999
 20314) *Micrologia pseudodolosa* M.Krüger,1999 (Geometridae) Synonym(s): *pseudodolosa* M.Krüger,1999
 20315) *Micrologia septentrionalis* M.Krüger,1999 (Geometridae) Synonym(s): *septentrionalis* M.Krüger,1999
 20316) *Microloxia herbaria* (Hübner,1813) (Geometridae) Synonym(s): *herbaria* Hübner,1813; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Millière,1860.
 20317) *Microloxia indecretata* (Walker,1863) (Geometridae) Synonym(s): *indecretata* Walker,1863; *pruinosa* Butler,1880; *aperta* Swinhoe,1886.
 20318) *Microloxia ruficornis* W.Warren,1897 (Geometridae) Synonym(s): *ruficornis* W.Warren,1897; *innotata* W.Warren,1901; *halimaria* Chrétien,1909; *stenopteraria* Turati,1930
 20319) *Micronidia intermedia* Yazaki,1992 (Geometridae) Synonym(s): *intermedia* Yazaki,1992
 20320) *Micronidia simplicata* (Moore,1868) (Geometridae) Synonym(s): *simplicata* Moore,1868
 20321) *Micronidia subpunctata* W.Warren,1893 (Geometridae) Synonym(s): *subpunctata* W.Warren,1893
 20322) *Micronidia unipuncta* W.Warren,1893 (Geometridae) Synonym(s): *unipuncta* W.Warren,1893
 20323) *Micronissa delphinaria* Swinhoe,1891 (Geometridae) Synonym(s): *delphinaria* Swinhoe,1891
 20324) *Micronissa delphinaria* Swinhoe,1893 (Geometridae) Synonym(s): *margaritata sensu* Swinhoe,1891 nec Mr.,1868; *delphinaria* Swinhoe,1893
 20325) *Microplutodes hilaropa* (Meyrick,1897) (Geometridae) Synonym(s): *hilaropa* Meyrick,1897
 20326) *Microplutodes iridaria* (Debauche,1941) (Geometridae) Synonym(s): *iridaria* Debauche,1941
 20327) *Microplutodes tristis* (Swinhoe,1902) (Geometridae) Synonym(s): *tristis* Swinhoe,1902
 20328) *Micrulia catocalaria* (Snellen,1881) (Geometridae) Synonym(s): *catocalaria* Snellen,1881; *purpurea* W.Warren,1897; *lobata* Hampson,1912
 20329) *Micrulia pacifica* Holloway,1979 (Geometridae) Synonym(s): *pacifica* Holloway,1979
 20330) *Micrulia tenuilinea* W.Warren,1896 (Geometridae) Synonym(s): *tenuilinea* W.Warren,1896; *dentosa* W.Warren,1901
 20331) *Mictoschema swierstrai* L.B.Prout,1917 (Geometridae) Synonym(s): *swierstrai* L.B.Prout,1917
 20332) *Mictoschema tuckeri* L.B.Prout,1925 (Geometridae) Synonym(s): *tuckeri* L.B.Prout,1925
 20333) *Milionia basalis* Walker,1854 (Geometridae) Synonym(s): *basalis* Walker,1854; *latifasciata* Butler,1881
 20334) *Milionia basalis butleri* Druce,1883 (Geometridae) Synonym(s): *butleri* Druce,1883
 20335) *Milionia basalis guentheri* Butler,1881 (Geometridae) Synonym(s): *guentheri* Butler,1881

- 20336) *Milionia basalis pryleri* Druce, 1888 (Geometridae) Synonym(s): *pryeri* Druce, 1888; *pyeri* Hutacharern & Tuhtim, 1995
- 20337) *Milionia basalis pyrozonis* Butler, 1882 (Geometridae) Synonym(s): *pyrozonis* Butler, 1882
- 20338) *Milionia basalis sharpei* Butler, 1886 (Geometridae) Synonym(s): *sharpei* Butler, 1886
- 20339) *Milionia basalis zonea* Moore, 1872 (Geometridae) Synonym(s): *zonea* Moore, 1872
- 20340) *Milionia coalescens* Semper, 1901 (Geometridae) Synonym(s): *coalescens* Semper, 1901
- 20341) *Milionia coronifera* Semper, 1901 (Geometridae) Synonym(s): *coronifera* Semper, 1901; *stellata* Semper, 1901; *pretiosa* Schultze, 1908
- 20342) *Milionia dulitana* Rothschild, 1917 (Geometridae) Synonym(s): *dulitana* Rothschild, 1917
- 20343) *Milionia lamprobasis* Inoue, 1992 (Geometridae) Synonym(s): *lamprobasis* Inoue, 1992
- 20344) *Milionia lativitta* Moore, 1872 (Geometridae) Synonym(s): *lativitta* Moore, 1872; *pulchrinervis* R. Felder, 1874
- 20345) *Milionia luculenta* Swinhoe, 1890 (Geometridae) Synonym(s): *luculenta* Swinhoe, 1890
- 20346) *Milionia philippinensis* Rothschild, 1895 (Geometridae) Synonym(s): *philippinensis* Rothschild, 1895
- 20347) *Milionia rubrifascia* Joicey & Talbot, 1915 (Geometridae) Synonym(s): *rubrifascia* Joicey & Talbot, 1915
- 20348) *Mimandria cataractae* L.B. Prout, 1917 (Geometridae) Synonym(s): *catractae* L.B. Prout, 1917
- 20349) *Mimaplata canui* Herbulot, 1993 (Geometridae) Synonym(s): *canui* Herbulot, 1993
- 20350) *Mimochroa albifrons* (Moore, 1888) (Geometridae) Synonym(s): *albifrons* Moore, 1888
- 20351) *Mimochroa angulifascia* Moore, 1879 (Geometridae) Synonym(s): *angulifascia* Moore, 1879
- 20352) *Mimochroa hypoxantha* (Kollar, [1844]) (Geometridae) Synonym(s): *hypoxantha* Kollar, [1844]; *lugens* Butler, 1880
- 20353) *Mimochroa olivescens* (Wileman, 1914) (Geometridae) Synonym(s): *olivescens* Wileman, 1914
- 20354) *Mimochroa pyricoetes* L.B. Prout, 1928 (Geometridae) Synonym(s): *pyricoetes* L.B. Prout, 1928
- 20355) *Mimoclystia corticearia* (Aurivillius, 1910) (Geometridae) Synonym(s): *corticearia* Aurivillius, 1910
- 20356) *Mimoclystia explanata* (Walker, 1862) (Geometridae) Synonym(s): *explanata* Walker, 1862; *coarctata* Walker, 1862; *pallidata* Walker, 1862; *euboliata* Walker, [1863]; *sylvicultrix* Wallengren, 1872
- 20357) *Mimoclystia mermera* (Prout, 1935) (Geometridae) Synonym(s): *mermera* Prout, 1935
- 20358) *Mimoclystia pudicata* (Walker, 1862) (Geometridae) Synonym(s): *pudicata* Walker, 1862; *semiflava* Warren, 1898
- 20359) *Mimoclystia pudicata quaggaria* (Wallengren, 1872) (Geometridae) Synonym(s): *quaggaria* Wallengren, 1872
- 20360) *Mimoclystia tepescens* L.B. Prout, 1922 (Geometridae) Synonym(s): *tepescens* L.B. Prout, 1922
- 20361) *Mimoclystia undulosata* W. Warren, 1901 (Geometridae) Synonym(s): *undulosata* W. Warren, 1901
- 20362) *Mimomiza creuntaria* (Moore, 1868) (Geometridae) Synonym(s): *creuntaria* Moore, 1868
- 20363) *Mimomiza creuntaria creuntaria* (Moore, 1868) (Geometridae) Synonym(s): *creuntaria* Moore, 1868
- 20364) *Mimomiza creuntaria flavescens* Swinhoe, 1906 (Geometridae) Synonym(s): *flavescens* Swinhoe, 1906; *lyciscaria* Oberthür, 1912; *serinaria* Thierry-Mieg, 1915
- 20365) *Minoa murinata* (Scopoli, 1763) (Geometridae) Synonym(s): *murinata* Scopoli, 1763; *sordata* Linnaeus, 1767; *fuscata* Hufnagel, 1767; *euphorbiata* [Denis & Schiffermüller], 1775; *unicolorata* Hübner, 1787; *euphorbiaria* Hübner, 1799; *limburgia* Lempke, 1969
- 20366) *Minoa murinata amylaria* L.B. Prout, 1914 (Geometridae) Synonym(s): *amylaria* L.B. Prout, 1914
- 20367) *Minoa murinata limburgia* Lempke, 1969 (Geometridae) Synonym(s): *limburgia* Lempke, 1969
- 20368) *Minoa murinata lutea* Schwingenschuss, 1954 (Geometridae) Synonym(s): *lutea* Schwingenschuss, 1954
- 20369) *Minoa murinata murinata* (Scopoli, 1763) (Geometridae) Synonym(s): *murinata* Scopoli, 1763; *sordata* Linnaeus, 1767; *fuscata* Hufnagel, 1767; *euphorbiata* [Denis & Schiffermüller], 1775; *unicolorata* Hübner, 1787; *euphorbiaria* Hübner, 1799; *limburgia* Lempke, 1969
- 20370) *Mixocera albimargo* W. Warren, 1901 (Geometridae) Synonym(s): *albimargo* W. Warren, 1901
- 20371) *Mixocera albigstrigata* (Pagenstecher, 1893) (Geometridae) Synonym(s): *albigstrigata* Pagenstecher, 1893; *oleagina* W. Warren, 1897; *serraticornis* W. Warren, 1897
- 20372) *Mixocera albigstrigata politzari* Hausmann, 1997 (Geometridae) Synonym(s): *politzari* Hausmann, 1997
- 20373) *Mixocera frustratoria* (Wallengren, 1863) (Geometridae) Synonym(s): *frustratoria* Wallengren, 1863; *#frustatoria* Walker, 1863
- 20374) *Mixocera katharinae* Hausmann, 1997 (Geometridae) Synonym(s): *katharinae* Hausmann, 1997
- 20375) *Mixocera latilineata* (Walker, 1866) (Geometridae) Synonym(s): *latilineata* Walker, 1866
- 20376) *Mixocera ledermanni* Hausmann, 1997 (Geometridae) Synonym(s): *ledermanni* Hausmann, 1997
- 20377) *Mixocera parvulata* (Walker, [1863]) (Geometridae) Synonym(s): *parvulata* Walker, [1863]; *rectifasciata* Hampson, 1896
- 20378) *Mixocera viridans* L.B. Prout, 1912 (Geometridae) Synonym(s): *viridans* L.B. Prout, 1912
- 20379) *Mixocera wiedenorum* Hausmann, 1997 (Geometridae) Synonym(s): *wiedenorum* Hausmann, 1997
- 20380) *Mixocera xanthostephana* L.B. Prout, 1912 (Geometridae) Synonym(s): *xanthostephana* L.B. Prout, 1912
- 20381) *Mixochlora alternata* W. Warren, 1897 (Geometridae) Synonym(s): *alternata* W. Warren, 1897
- 20382) *Mixochlora argentifusa* (Walker, 1861) (Geometridae) Synonym(s): *argentifusa* Walker, 1861
- 20383) *Mixochlora prasinus* (Butler, 1879) (Geometridae) Synonym(s): *prasinus* Butler, 1879
- 20384) *Mixochlora prasinus kalisi* (L.B. Prout, 1935) (Geometridae) Synonym(s): *kalisi* L.B. Prout, 1935
- 20385) *Mixochlora prasinus nopporn* Koçak & Kemal, 2006 (Geometridae) Synonym(s): *vittata* Moore, 1868 nec Thunb., 1784; *nopporn* Koçak & Kemal, 2006
- 20386) *Mixochlora prasinus prasinus* (Butler, 1879) (Geometridae) Synonym(s): *prasinus* Butler, 1879
- 20387) *Mixochlora prasinus sumatrensis* (L.B. Prout, 1933) (Geometridae) Synonym(s): *sumatrensis* L.B. Prout, 1933
- 20388) *Mixochlora radiata* W. Warren, 1912 (Geometridae) Synonym(s): *radiata* W. Warren, 1912
- 20389) *Monocerotesa abraxides* (L.B. Prout, 1914) (Geometridae) Synonym(s): *abraxides* L.B. Prout, 1914
- 20390) *Monocerotesa coalescens* (Bastelberger, 1909) (Geometridae) Synonym(s): *coalescens* Bastelberger, 1909; *flavipicta* Wileman, 1911
- 20391) *Monocerotesa conjuncta* (Wileman, 1912) (Geometridae) Synonym(s): *conjuncta* Wileman, 1912
- 20392) *Monocerotesa flavescens* Inoue, 1998 (Geometridae) Synonym(s): *flavescens* Inoue, 1998
- 20393) *Monocerotesa hypomesta* (L.B. Prout, 1937) (Geometridae) Synonym(s): *hypomesta* L.B. Prout, 1937
- 20394) *Monocerotesa leptogramma* Wehrli, 1937 (Geometridae) Synonym(s): *leptogramma* Wehrli, 1937
- 20395) *Monocerotesa levata* (L.B. Prout, 1926) (Geometridae) Synonym(s): *levata* L.B. Prout, 1926
- 20396) *Monocerotesa locoscripta* Holloway, [1994] (Geometridae) Synonym(s): *locoscripta* Holloway, [1994]
- 20397) *Monocerotesa lutearia* (Leech, 1891) (Geometridae) Synonym(s): *lutearia* Leech, 1891
- 20398) *Monocerotesa maculilinea* (W. Warren, 1905) (Geometridae) Synonym(s): *maculilinea* W. Warren, 1905
- 20399) *Monocerotesa minuta* (W. Warren, 1905) (Geometridae) Synonym(s): *minuta* W. Warren, 1905
- 20400) *Monocerotesa papuensis* (W. Warren, 1907) (Geometridae) Synonym(s): *papuensis* W. Warren, 1907
- 20401) *Monocerotesa phoebea* (L.B. Prout, 1916) (Geometridae) Synonym(s): *phoebea* L.B. Prout, 1916
- 20402) *Monocerotesa proximista* Holloway, [1994] (Geometridae) Synonym(s): *proximista* Holloway, [1994]
- 20403) *Monocerotesa pygmaearia* (Leech, 1897) (Geometridae) Synonym(s): *pygmaearia* Leech, 1897
- 20404) *Monocerotesa radiata* (W. Warren, 1897) (Geometridae) Synonym(s): *radiata* W. Warren, 1897
- 20405) *Monocerotesa seriepunctata* (L.B. Prout, 1929) (Geometridae) Synonym(s): *seriepunctata* L.B. Prout, 1929
- 20406) *Monocerotesa strigata* (W. Warren, 1893) (Geometridae) Synonym(s): *strigata* W. Warren, 1893; *maculata* W. Warren, 1896
- 20407) *Monocerotesa strigata commissa* (L.B. Prout, 1932) (Geometridae) Synonym(s): *commissa* L.B. Prout, 1932
- 20408) *Monocerotesa strigata connexa* (W. Warren, 1901) (Geometridae) Synonym(s): *connexa* W. Warren, 1901
- 20409) *Monocerotesa subcostistriga* (L.B. Prout, 1916) (Geometridae) Synonym(s): *subcostistriga* L.B. Prout, 1916
- 20410) *Monocerotesa trichoma* Wehrli, 1937 (Geometridae) Synonym(s): *trichoma* Wehrli, 1937
- 20411) *Monocerotesa unifasciata* Inoue, 1998 (Geometridae) Synonym(s): *unifasciata* Inoue, 1998
- 20412) *Monocerotesa virgata* (Wileman, 1912) (Geometridae) Synonym(s): *virgata* Wileman, 1912
- 20413) *Monocerotesa viridochrea* (W. Warren, 1907) (Geometridae) Synonym(s): *viridochrea* W. Warren, 1907
- 20414) *Myinodes constantina* Hausmann, 1994 (Geometridae) Synonym(s): *constantina* Hausmann, 1994
- 20415) *Myinodes interpunctaria* (Herrich-Schäffer, 1839) (Geometridae) Synonym(s): *interpunctaria* Herrich-Schäffer, 1839
- 20416) *Myinodes interpunctaria atlantica* Hausmann, 1994 (Geometridae) Synonym(s): *atlantica* Hausmann, 1994
- 20417) *Myinodes shohami* Hausmann, 1994 (Geometridae) Synonym(s): *shohami* Hausmann, 1994
- 20418) *Myrioblephara albibasis* (Hampson, 1895) (Geometridae) Synonym(s): *albibasis* Hampson, 1895
- 20419) *Myrioblephara albipunctata* W. Warren, 1893 (Geometridae) Synonym(s): *albipunctata* W. Warren, 1893
- 20420) *Myrioblephara benefica* Sato, 1993 (Geometridae) Synonym(s): *benefica* Sato, 1993

- 20421) *Myrioblephara bifida* Holloway,[1994] (Geometridae) Synonym(s): *bifida* Holloway,[1994]
 20422) *Myrioblephara conifera* (Moore,1888) (Geometridae) Synonym(s): *conifera* Moore,1888
 20423) *Myrioblephara duplexa* (Moore,1888) (Geometridae) Synonym(s): *duplexa* Moore,1888; *nigrilinearia* Leech,1897; *eoduplexa* Wehrli,1943
 20424) *Myrioblephara duplexodes* Sato,1994 (Geometridae) Synonym(s): *duplexodes* Sato,1994
 20425) *Myrioblephara embolochroma* (L.B.Prout,1927) (Geometridae) Synonym(s): *embolochroma* L.B.Prout,1927
 20426) *Myrioblephara enormis* W.Warren,1893 (Geometridae) Synonym(s): *enormis* W.Warren,1893
 20427) *Myrioblephara gandakiensis* Sato,1998 (Geometridae) Synonym(s): *gandakiensis* Sato,1998
 20428) *Myrioblephara geniculata* (Prout,1932) (Geometridae) Synonym(s): *geniculata* Prout,1932
 20429) *Myrioblephara harutai* Sato,1994 (Geometridae) Synonym(s): *harutai* Sato,1994
 20430) *Myrioblephara idaeoides* (Moore,1888) (Geometridae) Synonym(s): *idaeoides* Moore,1888
 20431) *Myrioblephara irrorata* (Moore,1888) (Geometridae) Synonym(s): *irrorata* Moore,1888
 20432) *Myrioblephara microduplexa* Sato,1995 (Geometridae) Synonym(s): *microduplexa* Sato,1995
 20433) *Myrioblephara pallibasis* Holloway,[1994] (Geometridae) Synonym(s): *pallibasis* Holloway,[1994]
 20434) *Myrioblephara pingasoides* (W.Warren,1893) (Geometridae) Synonym(s): *pingasoides* W.Warren,1893
 20435) *Myrioblephara planaria* (Swinhoe,1894) (Geometridae) Synonym(s): *planaria* Swinhoe,1894
 20436) *Myrioblephara repleta* (Prout,1926) (Geometridae) Synonym(s): *repleta* Prout,1926
 20437) *Myrioblephara rubrifusa* W.Warren,1893 (Geometridae) Synonym(s): *rubrifusa* W.Warren,1893
 20438) *Myrioblephara servina* (Hampson,1895) (Geometridae) Synonym(s): *servina* Hampson,1895
 20439) *Myrioblephara simplaria* (Swinhoe,1894) (Geometridae) Synonym(s): *simplaria* Swinhoe,1894
 20440) *Myrioblephara simplaria boarmioides* (Rothschils,1915) (Geometridae) Synonym(s): *boarmioides* Rothschild,1915
 20441) *Myrioblephara simplaria cucullata* Holloway,[1994] (Geometridae) Synonym(s): *cucullata* Holloway,[1994]
 20442) *Myrioblephara simplaria meseres* (Prout,1935) (Geometridae) Synonym(s): *meseres* Prout,1935
 20443) *Myrioblephara simplaria simplaria* (Swinhoe,1894) (Geometridae) Synonym(s): *simplaria* Swinhoe,1894
 20444) *Myrioblephara simplaria submarginata* W.Warren,1906 (Geometridae) Synonym(s): *submarginata* W.Warren,1906
 20445) *Myrioblephara simplaria tranostigma* (Prout,1931) (Geometridae) Synonym(s): *tranostigma* Prout,1931
 20446) *Myrioblephara xanthozonea* (Hampson,1907) (Geometridae) Synonym(s): *xanthozonea* Hampson,1907
 20447) *Nadagara comprehensata* Walker,1862 (Geometridae) Synonym(s): *comprehensata* Walker,1862
 20448) *Nadagara cryptospila* L.B.Prout,1929 (Geometridae) Synonym(s): *cryptospila* L.B.Prout,1929
 20449) *Nadagara eposioneura* L.B.Prout,1926 (Geometridae) Synonym(s): *eposioneura* L.B.Prout,1926
 20450) *Nadagara intractata* Walker,1862 (Geometridae) Synonym(s): *intractata* Walker,1862
 20451) *Nadagara odontias* L.B.Prout,1923 (Geometridae) Synonym(s): *odontias* L.B.Prout,1923
 20452) *Nadagara orbipuncta* L.B.Prout,1925 (Geometridae) Synonym(s): *orbipuncta* L.B.Prout,1925
 20453) *Nadagara reprensata* L.B.Prout,1916 (Geometridae) Synonym(s): *reprensata* L.B.Prout,1916; *vindevogheli* Herbulot,1988
 20454) *Nadagara scitilineata* Walker,1862 (Geometridae) Synonym(s): *scitilineata* Walker,1862
 20455) *Nadagara synocha* L.B.Prout,1923 (Geometridae) Synonym(s): *synocha* L.B.Prout,1923
 20456) *Nadagara vigaia* Walker,1862 (Geometridae) Synonym(s): *vigaia* Walker,1862; *inordinata* Walker,1862
 20457) *Narraga cappadocica* Herbulot,1943 (Geometridae) Synonym(s): *cappadocica* Herbulot,1943
 20458) *Narraga fasciolaria* (Hufnagel,1767) (Geometridae) Synonym(s): *fasciolaria* Hufnagel,1767; *cebraria* Hübner,[1799]; *zebraria* Duponchel,1829.
 20459) *Narraga fasciolaria danubialis* Moucha & Povolny,1957 (Geometridae) Synonym(s): *danubialis* Moucha & Povolny,1957
 20460) *Narraga fasciolaria fasciolaria* (Hufnagel,1767) (Geometridae) Synonym(s): *fasciolaria* Hufnagel,1767; *cebraria* Hübner,[1799]; *zebraria* Duponchel,1829.
 20461) *Narraga fasciolaria fumipennis* L.B.Prout,1915 (Geometridae) Synonym(s): *fumipennis* L.B.Prout,1915
 20462) *Narraga fasciolaria turkestanica* Moucha & Povolny,1957 (Geometridae) Synonym(s): *turkestanica* Moucha & Povolny,1957
 20463) *Narraga isabel* Agenjo,1956 (Geometridae) Synonym(s): *isabel* Agenjo,1956
 20464) *Narraga nelvae* (Rothschild,1912) (Geometridae) Synonym(s): *nelvae* Rothschild,1912
 20465) *Narraga tessularia* (Metzner,1845) (Geometridae) Synonym(s): *tessularia* Metzner,1845; *baltearia* Freyer,1845; *atronacularia* Herrich-Schäffer,1848.
 20466) *Narraga tessularia ilia* Wehrli,1940 (Geometridae) Synonym(s): *ilia* Wehrli,1940
 20467) *Narraga tessularia kasyi* Moucha & Povolny,1957 (Geometridae) Synonym(s): *kasyi* Moucha & Povolny,1957
 20468) *Narraga tessularia pannonica* Vojnits,1977 (Geometridae) Synonym(s): *pannonica* Vojnits,1977
 20469) *Narraga tessularia tessularia* (Metzner,1845) (Geometridae) Synonym(s): *tessularia* Metzner,1845; *baltearia* Freyer,1845; *atronacularia* Herrich-Schäffer,1848.
 20470) *Nassinia aurantiaca* (L.B.Prout,1928) (Geometridae) Synonym(s): *aurantiaca* L.B.Prout,1928
 20471) *Nassinia caffraria* (Linnaeus,1767) (Geometridae) Synonym(s): *caffraria* Linnaeus,1767; *petavia* Stoll,1781; *petaviaria* Hübner,[1823]; *bupaliata* Walker,1862
 20472) *Nassinia caffraria caffraria* (Linnaeus,1767) (Geometridae) Synonym(s): *caffraria* Linnaeus,1767; *petavia* Stoll,1781; *petaviaria* Hübner,[1823]; *bupaliata* Walker,1862
 20473) *Nassinia pretoria* (Prout,1916) (Geometridae) Synonym(s): *pretoria* Prout,1916
 20474) *Naxa cuneicincta* Herbulot,1989 (Geometridae) Synonym(s): *cuneicincta* Herbulot,1989
 20475) *Naxa guttulata* W.Warren,1894 (Geometridae) Synonym(s): *guttulata* W.Warren,1894
 20476) *Naxa kerangatis* Holloway,1996 (Geometridae) Synonym(s): *kerangatis* Holloway,1996
 20477) *Naxa oblitterata* W.Warren,1893 (Geometridae) Synonym(s): *oblitterata* W.Warren,1893
 20478) *Naxa textilis* Walker,1856 (Geometridae) Synonym(s): *textilis* Walker,1856; *cypraria* Guenée,[1858]; *hugeli* R.Felder & Rogenhofer,1875
 20479) *Nebula achromaria* (La Harpe,1853) (Geometridae) Synonym(s): *achromaria* La Harpe,1853; *saxicolata* Lederer,1853; *hispalata* Rambur,1866; *fasciata* Wehrli,1920; *tenebrata* Dannehl,1933.
 20480) *Nebula adlata* (Staudinger,[1895]) (Geometridae) Synonym(s): *adlata* Staudinger,[1895]
 20481) *Nebula apiciata* (Staudinger,1892) (Geometridae) Synonym(s): *apiciata* Staudinger,1892
 20482) *Nebula approximata* (Staudinger,1879) (Geometridae) Synonym(s): *approximata* Staudinger,1879
 20483) *Nebula brevifasciata* (W.Warren,1888) (Geometridae) Synonym(s): *brevifasciata* W.Warren,1888
 20484) *Nebula eteocretica* (Rebel,1906) (Geometridae) Synonym(s): *eteocretica* Rebel,1906
 20485) *Nebula flavistrigata* (W.Warren,1888) (Geometridae) Synonym(s): *flavistrigata* W.Warren,1888
 20486) *Nebula fortificaria* A.Bang-Haas,1910 (Geometridae) Synonym(s): *fortificaria* A.Bang-Haas,1910
 20487) *Nebula homophana* (Hampson,1895) (Geometridae) Synonym(s): *homophana* Hampson,1895
 20488) *Nebula homophana homophana* (Hampson,1895) (Geometridae) Synonym(s): *homophana* Hampson,1895
 20489) *Nebula homophana petri* (L.B.Prout,1924) (Geometridae) Synonym(s): *petri* L.B.Prout,1924
 20490) *Nebula homophana sustenta* (L.B.Prout,1937) (Geometridae) Synonym(s): *sustenta* L.B.Prout,1937
 20491) *Nebula homophoeta* (L.B.Prout,1926) (Geometridae) Synonym(s): *homophoeta* L.B.Prout,1926
 20492) *Nebula ibericata* (Staudinger,1871) (Geometridae) Synonym(s): *ibericata* Staudinger,1871
 20493) *Nebula impunctata* (Staudinger,1879) (Geometridae) Synonym(s): *impunctata* Staudinger,1879
 20494) *Nebula juvenilata* (Zerny,1933) (Geometridae) Synonym(s): *juvenilata* Zerny,1933
 20495) *Nebula khorassana* (Brandt,1941) (Geometridae) Synonym(s): *chorassana* Brandt,1941
 20496) *Nebula lamata* (Staudinger,1897) (Geometridae) Synonym(s): *lamata* Staudinger,1897
 20497) *Nebula longipennis* (Brandt,1941) (Geometridae) Synonym(s): *longipennis* Brandt,1941
 20498) *Nebula ludificata* (Staudinger,1870) (Geometridae) Synonym(s): *ludificata* Staudinger,1870; *decipiata* Staudinger,1901
 20499) *Nebula mantelorum* Hausmann,1997 (Geometridae) Synonym(s): *mantelorum* Hausmann,1997
 20500) *Nebula mongoliata* (Staudinger,1897) (Geometridae) Synonym(s): *mongoliata* Staudinger,1897
 20501) *Nebula nebulata* (Treitschke,1828) (Geometridae) Synonym(s): *nebulata* Treitschke,1828
 20502) *Nebula neogamata* (Püngeler,1909) (Geometridae) Synonym(s): *neogamata* Püngeler,1909
 20503) *Nebula numidiata* (Staudinger,1892) (Geometridae) Synonym(s): *numidiata* Staudinger,1892
 20504) *Nebula propagata* (Christoph,1893) (Geometridae) Synonym(s): *propagata* Christoph,1893
 20505) *Nebula reclamata* (L.B.Prout,1914) (Geometridae) Synonym(s): *reclamata* L.B.Prout,1914

- 20506) *Nebula rejectaria* (Staudinger,1892) (Geometridae) Synonym(s): *rejectaria* Staudinger,1892; *interrogata* Alpheraky,1897.
- 20507) *Nebula rogata* (Staudinger,1892) (Geometridae) Synonym(s): *rogata* Staudinger,1892
- 20508) *Nebula saidabadi* (Brandt,1941) (Geometridae) Synonym(s): *saidabadi* Brandt,1941
- 20509) *Nebula salicata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *#salicata* [Denis & Schiffermüller],1775
- 20510) *Nebula salicata ablutaria* (Boisduval,1840) (Geometridae) Synonym(s): *ablutaria* Boisduval,1840; *probaria* Herrich-Schäffer,1852; *ruficinctaria* Guenée,[1858]
- 20511) *Nebula salicata hangayi* Vojnits,1986 (Geometridae) Synonym(s): *hangayi* Vojnits,1986
- 20512) *Nebula schneideraria* (Lederer,1855) (Geometridae) Synonym(s): *schneideraria* Lederer,1855; *taurica* Staudinger,1901.
- 20513) *Nebula senectaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *senectaria* Herrich-Schäffer,[1852].
- 20514) *Nebula senectaria sultana* (Schwingschuss,1939) (Geometridae) Synonym(s): *sultana* Schwingschuss,1939
- 20515) *Nebula tophaceata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *tophaceata* [Denis & Schiffermüller],1775
- 20516) *Nebula triciata* (Wiltshire,1967) (Geometridae) Synonym(s): *triciata* Wiltshire,1967
- 20517) *Nebula tshatkalensis* Viidalepp,1988 (Geometridae) Synonym(s): *tshatkalensis* Viidalepp,1988
- 20518) *Nebula vartianata* (Wiltshire,1970) (Geometridae) Synonym(s): *vartianata* Wiltshire,1970
- 20519) *Nebula viduata* (Staudinger,1892) (Geometridae) Synonym(s): *viduata* Staudinger,1892
- 20520) *Necyopa chloana* (L.B.Prout,1926) (Geometridae) Synonym(s): *chloana* L.B.Prout,1926; *refrenata* L.B.Prout,1932
- 20521) *Necyopa flatipennata* Walker,1862 (Geometridae) Synonym(s): *flatipennata* Walker,1862; *recticommata* Swinhoe,1903
- 20522) *Necyopa ioge* L.B.Prout,1932 (Geometridae) Synonym(s): *ioge* L.B.Prout,1932
- 20523) *Necyopa subtriangula* L.B.Prout,1932 (Geometridae) Synonym(s): *subtriangula* L.B.Prout,1932
- 20524) *Necyopa triangularis* (W.Warren,1896) (Geometridae) Synonym(s): *triangularis* W.Warren,1896; *anetotasis* L.B.Prout,1935
- 20525) *Neognopharmia hoerhammeri* (Brandt,1938) (Geometridae) Synonym(s): *hoerhammeri* Brandt,1938; *#horhammeri* Scoble,1999
- 20526) *Neognopharmia hoerhammeri hoerhammeri* (Brandt,1938) (Geometridae) Synonym(s): *hoerhammeri* Brandt,1938; *#horhammeri* Scoble,1999
- 20527) *Neognopharmia stevenaria* (Boisduval,1840) (Geometridae) Synonym(s): *stevenaria* Boisduval,1840; *lapidisaria* Freyer,1841
- 20528) *Neogyne elongata* W.Warren,1898 (Geometridae) Synonym(s): *elongata* W.Warren,1898
- 20529) *Neohipparchus hypoleuca* (Hampson,1903) (Geometridae) Synonym(s): *hypoleuca* Hampson,1903; *flaminaria* Oberthür,1916
- 20530) *Neohipparchus vallata* (Butler,1878) (Geometridae) Synonym(s): *vallata* Butler,1878
- 20531) *Neromia activa* L.B.Prout,1930 (Geometridae) Synonym(s): *activa* L.B.Prout,1930
- 20532) *Neromia barretti* L.B.Prout,1912 (Geometridae) Synonym(s): *barretti* L.B.Prout,1912
- 20533) *Neromia carnifrons* Butler,1883 (Geometridae) Synonym(s): *carnifrons* Butler,1883
- 20534) *Neromia carnifrons carnifrons* Butler,1883 (Geometridae) Synonym(s): *carnifrons* Butler,1883
- 20535) *Neromia carnifrons rectilinearis* Leech,1897 (Geometridae) Synonym(s): *rectilinearis* Leech,1897
- 20536) *Neromia chlorosticta* L.B.Prout,1912 (Geometridae) Synonym(s): *chlorosticta* L.B.Prout,1912
- 20537) *Neromia clavicornis* L.B.Prout,1915 (Geometridae) Synonym(s): *clavicornis* L.B.Prout,1915
- 20538) *Neromia cohaerens* L.B.Prout,1916 (Geometridae) Synonym(s): *cohaerens* L.B.Prout,1916
- 20539) *Neromia impostura* L.B.Prout,1915 (Geometridae) Synonym(s): *impostura* L.B.Prout,1915
- 20540) *Neromia manderensis* L.B.Prout,1916 (Geometridae) Synonym(s): *manderensis* L.B.Prout,1916
- 20541) *Neromia phoenicosticta* L.B.Prout,1912 (Geometridae) Synonym(s): *phoenicosticta* L.B.Prout,1912; *miltosticta* L.B.Prout,1912
- 20542) *Neromia picticosta* L.B.Prout,1913 (Geometridae) Synonym(s): *picticosta* L.B.Prout,1913
- 20543) *Neromia propinquilinea* L.B.Prout,1920 (Geometridae) Synonym(s): *propinquilinea* L.B.Prout,1920
- 20544) *Neromia pulvereisparsa* Hampson,1896 (Geometridae) Synonym(s): *pulvereisparsa* Hampson,1896; *jodisata* Staudinger,1898; *draudti* Andres & Seitz,1923
- 20545) *Neromia quieta* L.B.Prout,1912 (Geometridae) Synonym(s): *quieta* L.B.Prout,1912
- 20546) *Neromia rhodomadia* L.B.Prout,1922 (Geometridae) Synonym(s): *rhodomadia* L.B.Prout,1922
- 20547) *Neromia rubripunctilla* L.B.Prout,1912 (Geometridae) Synonym(s): *rubripunctilla* L.B.Prout,1912
- 20548) *Neromia simplex* Brandt,1938 (Geometridae) Synonym(s): *simplex* Brandt,1938
- 20549) *Neromia* sp. (Geometridae) Synonym(s):
- 20550) *Neromia strigulosa* L.B.Prout,1925 (Geometridae) Synonym(s): *strigulosa* L.B.Prout,1925
- 20551) *Neurotoca endorhoda* Hampson,1910 (Geometridae) Synonym(s): *endorhoda* Hampson,1910
- 20552) *Neurotoca notata* W.Warren,1897 (Geometridae) Synonym(s): *notata* W.Warren,1897
- 20553) *Nomenia duodecimlineata* (Packard,1873) (Geometridae) Synonym(s): *duodecimlineata* Packard,1873; *unipecta* Pearsall,1906
- 20554) *Nomenia duodecimlineata duodecimlineata* (Packard,1873) (Geometridae) Synonym(s): *duodecimlineata* Packard,1873; *unipecta* Pearsall,1906
- 20555) *Nomenia duodecimlineata secunda* Pearsall,1906 (Geometridae) Synonym(s): *secunda* Pearsall,1906
- 20556) *Nomenia obsoleta* Swett,1916 (Geometridae) Synonym(s): *obsoleta* Swett,1916
- 20557) *Nothocasis sertata* (Hübner,[1817]) (Geometridae) Synonym(s): *sertata* Hübner,[1817]
- 20558) *Nothofidonia ansorgei* (W.Warren,1901) (Geometridae) Synonym(s): *ansorgei* W.Warren,1901
- 20559) *Nothofidonia ansorgei ansorgei* (W.Warren,1901) (Geometridae) Synonym(s): *ansorgei* W.Warren,1901
- 20560) *Nothofidonia ansorgei saphromeris* L.B.Prout,1934 (Geometridae) Synonym(s): *saphromeris* L.B.Prout,1934
- 20561) *Nothofidonia bicolor* L.B.Prout,1915 (Geometridae) Synonym(s): *bicolor* L.B.Prout,1915
- 20562) *Nothofidonia irregularis* L.B.Prout,1915 (Geometridae) Synonym(s): *irregularis* L.B.Prout,1915
- 20563) *Nothofidonia xenoleuca* L.B.Prout,1928 (Geometridae) Synonym(s): *xenoleuca* L.B.Prout,1928
- 20564) *Nothomiza achromaria* (Guenée,[1858]) (Geometridae) Synonym(s): *achromaria* Guenée,[1858]
- 20565) *Nothomiza aegriviridis* L.B.Prout,1926 (Geometridae) Synonym(s): *aegriviridis* L.B.Prout,1926
- 20566) *Nothomiza aquata* L.B.Prout,1929 (Geometridae) Synonym(s): *aquata* L.B.Prout,1929
- 20567) *Nothomiza ateles* Wehrli,1935 (Geometridae) Synonym(s): *ateles* Wehrli,1935
- 20568) *Nothomiza aureolaria* Inoue,1982 (Geometridae) Synonym(s): *aureolaria* Inoue,1982
- 20569) *Nothomiza binotata* W.Warren,1897 (Geometridae) Synonym(s): *binotata* W.Warren,1897
- 20570) *Nothomiza cinerascens* (Moore,1888) (Geometridae) Synonym(s): *cinerascens* Moore,1888
- 20571) *Nothomiza costalis* (Moore,1868) (Geometridae) Synonym(s): *costalis* Moore,1868; *pulchra* Butler,1880
- 20572) *Nothomiza costinotata* (W.Warren,1893) (Geometridae) Synonym(s): *costinotata* W.Warren,1893
- 20573) *Nothomiza flavicosta* (L.B.Prout,1914) (Geometridae) Synonym(s): *flavicosta* L.B.Prout,1914
- 20574) *Nothomiza flaviordinata* L.B.Prout,1925 (Geometridae) Synonym(s): *flaviordinata* L.B.Prout,1925
- 20575) *Nothomiza formosana* (Butler,1878) (Geometridae) Synonym(s): *formosana* Butler,1878; *triangulifera* Imaizumi,1938
- 20576) *Nothomiza formosana formosana* (Butler,1878) (Geometridae) Synonym(s): *formosana* Butler,1878; *triangulifera* Imaizumi,1938
- 20577) *Nothomiza formosana oxygoniodes* Wehrli,1939 (Geometridae) Synonym(s): *oxygoniodes* Wehrli,1939
- 20578) *Nothomiza ithyterma* L.B.Prout,1926 (Geometridae) Synonym(s): *ithyterma* L.B.Prout,1926
- 20579) *Nothomiza lycauges* L.B.Prout,1924 (Geometridae) Synonym(s): *lycauges* L.B.Prout,1924
- 20580) *Nothomiza melanographa* Wehrli,1936 (Geometridae) Synonym(s): *melanographa* Wehrli,1936
- 20581) *Nothomiza nana* W.Warren,1897 (Geometridae) Synonym(s): *nana* W.Warren,1897
- 20582) *Nothomiza peralba* (Swinhoe,1894) (Geometridae) Synonym(s): *peralba* Swinhoe,1894
- 20583) *Nothomiza peralba* (Swinhoe,1894) (Geometridae) Synonym(s): *peralba* Swinhoe,1894
- 20584) *Nothomiza perichora* Wehrli,1940 (Geometridae) Synonym(s): *perichora* Wehrli,1940
- 20585) *Nothomiza rectangula* L.B.Prout,1925 (Geometridae) Synonym(s): *rectangula* L.B.Prout,1925
- 20586) *Nothomiza submediostriata* Wehrli,1939 (Geometridae) Synonym(s): *submediostriata* Wehrli,1939
- 20587) *Nothomiza xanthocolona* (Meyrick,1897) (Geometridae) Synonym(s): *xanthocolona* Meyrick,1897
- 20588) *Nychiodes (Comesia) admirabilia* Brandt,1938 (Geometridae) Synonym(s): *admirabilia* Brandt,1938
- 20589) *Nychiodes (Comesia) admirabilia safidaria* Wiltshire,1943 (Geometridae) Synonym(s): *safidaria* Wiltshire,1943
- 20590) *Nychiodes (Eunychiodes) agatcha* Brandt,1938 (Geometridae) Synonym(s): *agatcha* Brandt,1938
- 20591) *Nychiodes (Eunychiodes) amygdalaria* (Herrich-Schäffer,[1848]) (Geometridae) Synonym(s): *amygdalaria* Herrich-Schäffer,[1848]
- 20592) *Nychiodes (Eunychiodes) amygdalaria almensis* Wehrli,1941 (Geometridae) Synonym(s): *almensis* Wehrli,1941
- 20593) *Nychiodes (Eunychiodes) amygdalaria amygdalaria* (Herrich-Schäffer,[1848]) (Geometridae) Synonym(s): *amygdalaria* Herrich-Schäffer,[1848]

- 20594) *Nychiodes* (Eunychiodes) *amygdalaria malatyaca* Wehrli, 1941 (Geometridae) Synonym(s): *malatyaca* Wehrli, 1941
 20595) *Nychiodes* (Eunychiodes) *antiquaria* Staudinger, 1892 (Geometridae) Synonym(s): *antiquaria* Staudinger, 1892.
 20596) *Nychiodes* (Eunychiodes) *antiquaria antiquaria* Staudinger, 1892 (Geometridae) Synonym(s): *antiquaria* Staudinger, 1892.
 20597) *Nychiodes* (Eunychiodes) *antiquaria confusa* W. Warren, 1902 (Geometridae) Synonym(s): *confusa* W. Warren, 1902
 20598) *Nychiodes* (Eunychiodes) *antiquaria languescens* L.B. Prout, 1926 (Geometridae) Synonym(s): *languescens* L.B. Prout, 1926
 20599) *Nychiodes* (Eunychiodes) *divergaria* (Staudinger, 1892) (Geometridae) Synonym(s): *divergaria* Staudinger, 1892
 20600) *Nychiodes* (Eunychiodes) *divergaria achtyca* Wehrli, 1939 (Geometridae) Synonym(s): *achtyca* Wehrli, 1939
 20601) *Nychiodes* (Eunychiodes) *divergaria divergaria* (Staudinger, 1892) (Geometridae) Synonym(s): *divergaria* Staudinger, 1892
 20602) *Nychiodes* (Eunychiodes) *divergaria elbursica* Wehrli, 1937 (Geometridae) Synonym(s): *elbursica* Wehrli, 1937
 20603) *Nychiodes* (Eunychiodes) *divergaria fallax* Wehrli, 1939 (Geometridae) Synonym(s): *fallax* Wehrli, 1939
 20604) *Nychiodes* (Eunychiodes) *farinosa* Brandt, 1938 (Geometridae) Synonym(s): *farinosa* Brandt, 1938
 20605) *Nychiodes* (Eunychiodes) *leviata* Brandt, 1938 (Geometridae) Synonym(s): *laeviata* Brandt, 1938
 20606) *Nychiodes* (Eunychiodes) *subfusca* Brandt, 1938 (Geometridae) Synonym(s): *subfusca* Brandt, 1938
 20607) *Nychiodes* (Eunychiodes) *subvirida* Brandt, 1938 (Geometridae) Synonym(s): *subvirida* Brandt, 1938
 20608) *Nychiodes* (Eunychiodes) *subvirida disjuncta* Wehrli, 1941 (Geometridae) Synonym(s): *disjuncta* Wehrli, 1941
 20609) *Nychiodes* (Eunychiodes) *subvirida subvirida* Brandt, 1938 (Geometridae) Synonym(s): *subvirida* Brandt, 1938
 20610) *Nychiodes* (Eunychiodes) *subvirida taftana* Brandt, 1941 (Geometridae) Synonym(s): *taftana* Brandt, 1941
 20611) *Nychiodes* (Eunychiodes) *variabilis* Brandt, 1938 (Geometridae) Synonym(s): *variabilis* Brandt, 1938; #variabilis auct.
 20612) *Nychiodes* (Eunychiodes) *variabilis opulenta* Brandt, 1941 (Geometridae) Synonym(s): *opulenta* Brandt, 1941
 20613) *Nychiodes* (Fritz Wagneria) *dalmatina* Wagner, 1909 (Geometridae) Synonym(s): *dalmatina* Wagner, 1909
 20614) *Nychiodes* (Fritz Wagneria) *dalmatina andreasaria* Warnecke, 1925 (Geometridae) Synonym(s):
 20615) *Nychiodes* (Fritz Wagneria) *palaestinensis* F. Wagner, 1919 (Geometridae) Synonym(s): *palaestinensis* F. Wagner, 1919
 20616) *Nychiodes* (Fritz Wagneria) *palaestinensis libanotica* Zerny, 1933 (Geometridae) Synonym(s): *libanotica* Zerny, 1933
 20617) *Nychiodes* (Fritz Wagneria) *palaestinensis palaestinensis* F. Wagner, 1919 (Geometridae) Synonym(s): *palaestinensis* F. Wagner, 1919
 20618) *Nychiodes* (Fritz Wagneria) *persuavis* Wehrli, 1929 (Geometridae) Synonym(s): *persuavis* Wehrli, 1929
 20619) *Nychiodes* (Fritz Wagneria) *rayatica* Wiltshire, 1957 (Geometridae) Synonym(s): *rayatica* Wiltshire, 1957
 20620) *Nychiodes* (Fritz Wagneria) *waltheri* F. Wagner, 1919 (Geometridae) Synonym(s): *waltheri* F. Wagner, 1919.
 20621) *Nychiodes* (Fritz Wagneria) *waltheri osthelderi* Wehrli, 1929 (Geometridae) Synonym(s): *osthelderi* Wehrli, 1929
 20622) *Nychiodes* (Fritz Wagneria) *waltheri saerdabica* Wehrli, 1938 (Geometridae) Synonym(s): *saerdabica* Wehrli, 1938
 20623) *Nychiodes* (Fritz Wagneria) *waltheri syriaca* Wehrli, 1929 (Geometridae) Synonym(s): *syriaca* Wehrli, 1929
 20624) *Nychiodes* (Fritz Wagneria) *waltheri transcaspia* Wehrli, 1929 (Geometridae) Synonym(s): *transcaspia* Wehrli, 1929
 20625) *Nychiodes* (Fritz Wagneria) *waltheri waltheri* F. Wagner, 1919 (Geometridae) Synonym(s): *waltheri* F. Wagner, 1919.
 20626) *Nychiodes* (s.str.) *andalusiaria* Staudinger, 1892 (Geometridae) Synonym(s): *andalusiaria* Staudinger, 1892
 20627) *Nychiodes* (s.str.) *hispanica* Wehrli, 1927 (Geometridae) Synonym(s): *hispanica* Wehrli, 1927
 20628) *Nychiodes* (s.str.) *mauretanica* Wehrli, 1929 (Geometridae) Synonym(s): *mauretanica* Wehrli, 1929
 20629) *Nychiodes* (s.str.) *obscuraria* (Villers, 1789) (Geometridae) Synonym(s): *obscuraria* Villers, 1789; *lividaria* Hübner, [1799].
 20630) *Nychiodes* (s.str.) *ragusaria* Millière, 1884 (Geometridae) Synonym(s): *ragusaria* Millière, 1884
 20631) *Nychiodes* *aphrodite* Hausmann & Wimmer, 1994 (Geometridae) Synonym(s): *aphrodite* Hausmann & Wimmer, 1994
 20632) *Nychiodes* *muelleri* Hausmann, 1991 (Geometridae) Synonym(s): *muelleri* Hausmann, 1991
 20633) *Nychiodes* *princeps* Wiltshire, 1966 (Geometridae) Synonym(s): *princeps* Wiltshire, 1966
 20634) *Nychiodes* *quettensis* Wiltshire, 1966 (Geometridae) Synonym(s): *quettensis* Wiltshire, 1966
 20635) *Nychiodes* *torrevinagensis* Expósito, 1984 (Geometridae) Synonym(s): *torrevinagensis* Expósito, 1984
 20636) *Nychiodes* *tythta* L.B. Prout, 1915 (Geometridae) Synonym(s): *tythta* L.B. Prout, 1915
 20637) *Nyssiodes* *koreanus* Kemal & Koçak, 2004 (Geometridae) Synonym(s): *ochraceus* Kim & Shin, 1995 nec Whli, 1923; *koreanus* Kemal & Koçak, 2004
 20638) *Nyssiodes* *lefuarius* (Erschoff, 1872) (Geometridae) Synonym(s): *lefuarius* Erschoff, 1872; *olgaria* Oberthür, 1880; *maturaria* Christoph, 1881
 20639) *Nyssiodes* *ochraceus* Wehrli, 1923 (Geometridae) Synonym(s): *ochraceus* Wehrli, 1923; *perochrea* Wehrli, 1941
 20640) *Nyssiodes* *rhodopolitis* Wehrli, 1939 (Geometridae) Synonym(s): *rhodopolitis* Wehrli, 1939
 20641) *Oar* *pratana* (Fabricius, 1794) (Geometridae) Synonym(s): *pratana* Fabricius, 1794; *pratana* Turton, 1802; *megearia* Oberthür, 1881; *ectypata* Mabil, 1888
 20642) *Oar* *pratana baezi* Hausmann, 2004 (Geometridae) Synonym(s): *baezi* Hausmann, 2004
 20643) *Oar* *pratana mortuaria* (Staudinger, 1898) (Geometridae) Synonym(s): *mortuaria* Staudinger, 1898
 20644) *Oar* *pratana occidens* L.B. Prout, 1935 (Geometridae) Synonym(s): *occidens* L.B. Prout, 1935
 20645) *Oar* *pratana oppressa* (Walker, 1870) (Geometridae) Synonym(s): *oppressa* Walker, 1870; *obscuraria* Bethune-Baker, 1894; *nigrescens* Hampson, 1896
 20646) *Oar* *pratana pratana* (Fabricius, 1794) (Geometridae) Synonym(s): *pratana* Fabricius, 1794; *pratana* Turton, 1802; *reamuraria* Milière, 1864; *megearia* Oberthür, 1881; *ectypata* Mabil, 1888
 20647) *Oar* *reamuraria* (Milière, 1864) (Geometridae) Synonym(s): *reamuraria* Milière, 1864; *megearia* Oberthür, 1881; *occidens* L.B. Prout, 1935
 20648) *Oaracta* *auricincta* (Walker, 1862) (Geometridae) Synonym(s): *auricincta* Walker, 1862; *sofalaria* R. Felder & Rogenhofer, 1875
 20649) *Oaracta* *maculata* (Warren, 1897) (Geometridae) Synonym(s): *maculata* Warren, 1897; *perobliqua* Prout, 1915
 20650) *Oaracta* *neophronaria* (Oberthür, 1912) (Geometridae) Synonym(s): *neophronaria* Oberthür, 1912
 20651) *Oaracta* sp. (Geometridae) Synonym(s):
 20652) *Obolcola* *decisa* (W. Warren, 1914) (Geometridae) Synonym(s): *decisa* W. Warren, 1914
 20653) *Obolcola* *deocellata* (Prout, 1913) (Geometridae) Synonym(s): *deocellata* Prout, 1913
 20654) *Obolcola* *petronaria* (Guenée, [1858]) (Geometridae) Synonym(s): *petronaria* Guenée, [1858]
 20655) *Obolcola* sp. (Geometridae) Synonym(s):
 20656) *Ochodontia* *adustaria* Fischer de Waldheim, 1840 (Geometridae) Synonym(s): *adustaria* Fischer de Waldheim, 1840; *sareptanaria* Freyer, 1841
 20657) *Ochroplutodes* *haturata* (Walker, 1860) (Geometridae) Synonym(s): *haturata* Walker, 1860
 20658) *Oedia* *atrata* (Linnaeus, 1758) (Geometridae) Synonym(s): *atrata* Linnaeus, 1758; *chaerophyllata* Linnaeus, 1767; *chaerophyllaria* Boisduval, 1840; *pyrenaica* Gumpenberg, 1887
 20659) *Odontognophos* *dumetatus* (Treitschke, 1827) (Geometridae) Synonym(s): *dumetatus* Treitschke, 1827; *temperata* Eversmann, 1846; *saturata* Fuchs, 1902
 20660) *Odontognophos* *perspersatus* (Treitschke, 1827) (Geometridae) Synonym(s): *respersaria* Hübner, [1813]; *perspersatus* Treitschke, 1827
 20661) *Odontognophos* *zacharius* (Staudinger, 1879) (Geometridae) Synonym(s): *zacharia* Staudinger, 1879
 20662) *Odontognophos* *zacharius dagestanensis* Wehrli, 1953 (Geometridae) Synonym(s): *dagestanensis* Wehrli, 1953
 20663) *Odontognophos* *zacharius zacharius* (Staudinger, 1879) (Geometridae) Synonym(s): *zacharia* Staudinger, 1879
 20664) *Odontopera* *acutaria* (Leech, 1897) (Geometridae) Synonym(s): *acutaria* Leech, 1897
 20665) *Odontopera* *acutaria acutaria* (Leech, 1897) (Geometridae) Synonym(s): *acutaria* Leech, 1897
 20666) *Odontopera* *acutaria contaminata* (L.B. Prout, 1915) (Geometridae) Synonym(s): *contaminata* L.B. Prout, 1915
 20667) *Odontopera* *acutaria epiphana* (Wehrli, 1940) (Geometridae) Synonym(s): *epiphana* Wehrli, 1940
 20668) *Odontopera* *acyrthoria* (L.B. Prout, 1938) (Geometridae) Synonym(s): *acyrthoria* L.B. Prout, 1938
 20669) *Odontopera* *acyrthoria acyrthoria* (L.B. Prout, 1938) (Geometridae) Synonym(s): *acyrthoria* L.B. Prout, 1938
 20670) *Odontopera* *acyrthoria camerunica* (L.B. Prout, 1938) (Geometridae) Synonym(s): *camerunica* L.B. Prout, 1938
 20671) *Odontopera* *aemoniaria* (Swinhoe, 1904) (Geometridae) Synonym(s): *aemoniaria* Swinhoe, 1904
 20672) *Odontopera* *aemoniaria aemoniaria* (Swinhoe, 1904) (Geometridae) Synonym(s): *aemoniaria* Swinhoe, 1904
 20673) *Odontopera* *aemoniaria eupages* (L.B. Prout, 1938) (Geometridae) Synonym(s): *eupages* L.B. Prout, 1938
 20674) *Odontopera* *aemula* (L.B. Prout, 1938) (Geometridae) Synonym(s): *aemula* L.B. Prout, 1938
 20675) *Odontopera* *albiguttata* Bastelberger, 1909 (Geometridae) Synonym(s): *albiguttata* Bastelberger, 1909
 20676) *Odontopera* *alienata* Staudinger, 1892 (Geometridae) Synonym(s): *alienata* Staudinger, 1892
 20677) *Odontopera* *ambigua* (W. Warren, 1898) (Geometridae) Synonym(s): *ambigua* W. Warren, 1898
 20678) *Odontopera* *angularia* (Moore, 1868) (Geometridae) Synonym(s): *angularia* Moore, 1868
 20679) *Odontopera* *arida* (Butler, 1878) (Geometridae) Synonym(s): *arida* Butler, 1878
 20680) *Odontopera* *arida arida* (Butler, 1878) (Geometridae) Synonym(s): *arida* Butler, 1878

- 20681) *Odontopera arida melancholica* (Inoue,1963) (Geometridae) Synonym(s): *melancholica* Inoue,1963
 20682) *Odontopera aurata* (L.B.Prout,1915) (Geometridae) Synonym(s): *aurata* L.B.Prout,1915; *nubiferaria* Wehrli,1940; *urupina* Bryk,1942; *yeterfuna* Bryk,1942
 20683) *Odontopera azelinaria* (Swinhoe,1904) (Geometridae) Synonym(s): *azelinaria* Swinhoe,1904
 20684) *Odontopera belli* (L.B.Prout,1938) (Geometridae) Synonym(s): *belli* L.B.Prout,1938
 20685) *Odontopera bidentata* (Linnaeus,1761) (Geometridae) Synonym(s): *#bidentata* Clerck,1759; *bidentata* Linnaeus,1761; *bidentaria* Fabricius,1794; *dentaria* Hübner,[1799].
 20686) *Odontopera bidentata exsul* (Tchetverikov,1905) (Geometridae) Synonym(s): *exsul* Tchetverikov,1905; *asiatica* A.Bang-Haas,1907.
 20687) *Odontopera bidentata harutai* (Inoue,1953) (Geometridae) Synonym(s): *harutai* Inoue,1953
 20688) *Odontopera bidentata kurilana* (Bryk,1942) (Geometridae) Synonym(s): *kurilana* Bryk,1942
 20689) *Odontopera bidentata rava* (Vojnits,1975) (Geometridae) Synonym(s): *rava* Vojnits,1975
 20690) *Odontopera bilinearia* (Swinhoe,1890) (Geometridae) Synonym(s): *bilinearia* Swinhoe,1890
 20691) *Odontopera bilinearia bilinearia* (Swinhoe,1890) (Geometridae) Synonym(s): *bilinearia* Swinhoe,1890
 20692) *Odontopera bilinearia coryphodes* (Wehrli,1940) (Geometridae) Synonym(s): *coryphodes* Wehrli,1940
 20693) *Odontopera bilinearia nephela* (Wehrli,1940) (Geometridae) Synonym(s): *nephela* Wehrli,1940
 20694) *Odontopera bilinearia subarida* Inoue,1986 (Geometridae) Synonym(s): *subarida* Inoue,1986
 20695) *Odontopera bivittaria* (Moore,1868) (Geometridae) Synonym(s): *bivittaria* Moore,1868
 20696) *Odontopera blaisa* (Wehrli,1936) (Geometridae) Synonym(s): *blaisa* Wehrli,1936
 20697) *Odontopera brevata* (L.B.Prout,1922) (Geometridae) Synonym(s): *brevata* L.B.Prout,1922
 20698) *Odontopera briela* (Debauche,1937) (Geometridae) Synonym(s): *briela* Debauche,1937
 20699) *Odontopera cervinaria* (Moore,1868) (Geometridae) Synonym(s): *cervinaria* Moore,1868
 20700) *Odontopera crocalliaria* (Wehrli,1931) (Geometridae) Synonym(s):
 20701) *Odontopera crocalliaria crocalliaria* (Wehrli,1931) (Geometridae) Synonym(s): *crocalliaria* Wehrli,1931
 20702) *Odontopera crocalliaria yangstea* (Wehrli,1940) (Geometridae) Synonym(s): *yangstea* Wehrli,1940
 20703) *Odontopera curtica* (L.B.Prout,1932) (Geometridae) Synonym(s): *curtica* L.B.Prout,1932
 20704) *Odontopera curtica craterias* (L.B.Prout,1938) (Geometridae) Synonym(s): *craterias* L.B.Prout,1938
 20705) *Odontopera curtica curtica* (L.B.Prout,1932) (Geometridae) Synonym(s): *curtica* L.B.Prout,1932
 20706) *Odontopera dargei* Herbulot,1982 (Geometridae) Synonym(s): *dargei* Herbulot,1982
 20707) *Odontopera elaborans* (Dyar,1914) (Geometridae) Synonym(s): *elaborans* Dyar,1914
 20708) *Odontopera erebaria* Guenée,[1858] (Geometridae) Synonym(s): *erebaria* Guenée,[1858]; *indecorsaria* Walker,1866
 20709) *Odontopera exoglypha* Herbulot,1982 (Geometridae) Synonym(s): *exoglypha* Herbulot,1982
 20710) *Odontopera fragilis* Butler,1882 (Geometridae) Synonym(s): *fragilis* Butler,1882
 20711) *Odontopera fuscilinea* (Hampson,1907) (Geometridae) Synonym(s): *fuscilinea* Hampson,1907
 20712) *Odontopera graecarius* (A.Bang-Haas,1910) (Geometridae) Synonym(s): *graecarius* A.Bang-Haas,1910
 20713) *Odontopera heydena* (Swinhoe,1894) (Geometridae) Synonym(s): *heydena* Swinhoe,1894
 20714) *Odontopera homales* (L.B.Prout,1922) (Geometridae) Synonym(s): *homales* L.B.Prout,1922
 20715) *Odontopera hypopolia* (Wehrli,1936) (Geometridae) Synonym(s): *hypopolia* Wehrli,1936
 20716) *Odontopera imitata* (W.Warren,1897) (Geometridae) Synonym(s): *imitata* W.Warren,1897
 20717) *Odontopera insulata* Bastelberger,1909 (Geometridae) Synonym(s): *insulata* Bastelberger,1909; *variegata* Wileman,1910
 20718) *Odontopera insulata insulata* Bastelberger,1909 (Geometridae) Synonym(s): *insulata* Bastelberger,1909; *variegata* Wileman,1910
 20719) *Odontopera insulata tsekua* (Wehrli,1931) (Geometridae) Synonym(s): *tsekua* Wehrli,1931
 20720) *Odontopera integraria* Guenée,[1858] (Geometridae) Synonym(s): *integraria* Guenée,[1858]
 20721) *Odontopera justa* (L.B.Prout,1928) (Geometridae) Synonym(s): *justa* L.B.Prout,1928
 20722) *Odontopera kametaria* (R.Felder & Rogenhofer,[1875]) (Geometridae) Synonym(s): *kametaria* R.Felder & Rogenhofer,[1875]
 20723) *Odontopera kanchai* Yazaki,1994 (Geometridae) Synonym(s): *kanchai* Yazaki,1994
 20724) *Odontopera lentiginosaria* (Moore,1868) (Geometridae) Synonym(s): *lentiginosaria* Moore,1868
 20725) *Odontopera luzonensis* (Wileman & South,1917) (Geometridae) Synonym(s): *luzonensis* Wileman & South,1917; *umbrina* West,1929
 20726) *Odontopera mediochrea* (Wehrli,1931) (Geometridae) Synonym(s): *mediochrea* Wehrli,1931
 20727) *Odontopera muscularia* Staudinger,1892 (Geometridae) Synonym(s): *muscularia* Staudinger,1892
 20728) *Odontopera nubigosa* (L.B.Prout,1928) (Geometridae) Synonym(s): *nubigosa* L.B.Prout,1928
 20729) *Odontopera obliquaria* (Moore,1868) (Geometridae) Synonym(s): *obliquaria* Moore,1868
 20730) *Odontopera obvelata* Inoue,1987 (Geometridae) Synonym(s): *obvelata* Inoue,1987
 20731) *Odontopera ochroneura* (L.B.Prout,1938) (Geometridae) Synonym(s): *ochroneura* L.B.Prout,1938
 20732) *Odontopera ochroneura aidna* (L.B.Prout,1938) (Geometridae) Synonym(s): *aidna* L.B.Prout,1938
 20733) *Odontopera ochroneura dicyrta* (L.B.Prout,1938) (Geometridae) Synonym(s): *dicyrta* L.B.Prout,1938
 20734) *Odontopera ochroneura ochroneura* (L.B.Prout,1938) (Geometridae) Synonym(s): *ochroneura* L.B.Prout,1938
 20735) *Odontopera orographica* (L.B.Prout,1938) (Geometridae) Synonym(s): *orographica* L.B.Prout,1938
 20736) *Odontopera paliscia* (L.B.Prout,1922) (Geometridae) Synonym(s): *paliscia* L.B.Prout,1922
 20737) *Odontopera paraplesia* (Wehrli,1940) (Geometridae) Synonym(s): *paraplesia* Wehrli,1940
 20738) *Odontopera perplexa* Yazaki,1992 (Geometridae) Synonym(s): *perplexa* Yazaki,1992
 20739) *Odontopera perplexata* (W.Warren,1904) (Geometridae) Synonym(s): *perplexata* W.Warren,1904
 20740) *Odontopera postobscura* (Wehrli,1936) (Geometridae) Synonym(s): *postobscura* Wehrli,1936
 20741) *Odontopera prolita* (Wehrli,1936) (Geometridae) Synonym(s): *prolita* Wehrli,1936
 20742) *Odontopera protecta* Herbulot,1983 (Geometridae) Synonym(s): *protecta* Herbulot,1983
 20743) *Odontopera pulveraria* (De Joannis,1929) (Geometridae) Synonym(s): *pulveraria* De Joannis,1929
 20744) *Odontopera rubescens* Inoue,1987 (Geometridae) Synonym(s): *rubescens* Inoue,1987
 20745) *Odontopera similaria* (Moore,1888) (Geometridae) Synonym(s): *similaria* Moore,1888
 20746) *Odontopera similaria similaria* (Moore,1888) (Geometridae) Synonym(s): *similaria* Moore,1888
 20747) *Odontopera similaria tahoia* (Wehrli,1940) (Geometridae) Synonym(s): *tahoia* Wehrli,1940
 20748) *Odontopera stictoneura* (L.B.Prout,1917) (Geometridae) Synonym(s): *stictoneura* L.B.Prout,1917
 20749) *Odontopera urania* (Wehrli,1933) (Geometridae) Synonym(s): *urania* Wehrli,1933
 20750) *Odontopera veneris* Inoue,1987 (Geometridae) Synonym(s): *veneris* Inoue,1987
 20751) *Odontopera xera* (L.B.Prout,1922) (Geometridae) Synonym(s): *xera* L.B.Prout,1922
 20752) *Oedicebra albipennis* W.Warren,1902 (Geometridae) Synonym(s): *albipennis* W.Warren,1902
 20753) *Oenochroma unifasciata* Holloway,1979 (Geometridae) Synonym(s): *unifasciata* Holloway,1979
 20754) *Oenospila altistrix* Holloway,1996 (Geometridae) Synonym(s): *altistrix* Holloway,1996
 20755) *Oenospila flavifusata* (Walker,1861) (Geometridae) Synonym(s): *flavifusata* Walker,1861; *sinuata* Moore,1868
 20756) *Oenospila gemmans* L.B.Prout,1935 (Geometridae) Synonym(s): *gemmans* L.B.Prout,1935
 20757) *Oenospila microstrix* Holloway,1996 (Geometridae) Synonym(s): *microstrix* Holloway,1996
 20758) *Oenospila strix* (Butler,1889) (Geometridae) Synonym(s): *strix* Butler,1889
 20759) *Omiza herois* (L.B.Prout,1932) (Geometridae) Synonym(s): *herois* L.B.Prout,1932
 20760) *Omiza lycoraria* (Guenée,[1858]) (Geometridae) Synonym(s): *lycoraria* Guenée,[1858]; *hypopyrata* Snellen,1895; *languidata* Swinhoe,1902
 20761) *Omiza miliaria* Swinhoe,1890 (Geometridae) Synonym(s): *miliaria* Swinhoe,1890
 20762) *Omizodes complanata* L.B.Prout,1922 (Geometridae) Synonym(s): *complanata* L.B.Prout,1922
 20763) *Omizodes ocellata* W.Warren,1894 (Geometridae) Synonym(s): *ocellata* W.Warren,1894
 20764) *Omphacodes delicata* (W.Warren,1905) (Geometridae) Synonym(s): *delicata* W.Warren,1905
 20765) *Omphacodes directa* (Walker,1861) (Geometridae) Synonym(s): *directa* Walker,1861; *gracilis* Butler,1889
 20766) *Omphacodes divergens* (W.Warren,1899) (Geometridae) Synonym(s): *divergens* W.Warren,1899
 20767) *Omphacodes minima* L.B.Prout,1913 (Geometridae) Synonym(s): *minima* L.B.Prout,1913
 20768) *Omphacodes pulchrifimbria* (W.Warren,1902) (Geometridae) Synonym(s): *pulchrifimbria* W.Warren,1902

- 20769) *Omphacodes pulchrifimbria pulchrifimbria* (W.Warren,1902) (Geometridae) Synonym(s): *pulchrifimbria* W.Warren,1902
 20770) *Omphacodes pulchrifimbria pulchritacta* L.B.Prout,1912 (Geometridae) Synonym(s): *pulchritacta* L.B.Prout,1912
 20771) *Omphacodes pulchrifimbria purifimbria* L.B.Prout,1930 (Geometridae) Synonym(s): *purifimbria* L.B.Prout,1930
 20772) *Omphacodes punctilineata* (W.Warren,1897) (Geometridae) Synonym(s): *punctilineata* W.Warren,1897
 20773) *Omphacodes vivida* (W.Warren,1899) (Geometridae) Synonym(s): *vivida* W.Warren,1899
 20774) *Omphalucha albosignata* Janse,1932 (Geometridae) Synonym(s): *albosignata* Janse,1932
 20775) *Omphalucha angulilinea* (Janse,1932) (Geometridae) Synonym(s): *angulilinea* Janse,1932
 20776) *Omphalucha apira* L.B.Prout,1938 (Geometridae) Synonym(s): *apira* L.B.Prout,1938
 20777) *Omphalucha brunnea* (W.Warren,1899) (Geometridae) Synonym(s): *brunnea* W.Warren,1899
 20778) *Omphalucha brunnea brunnea* (W.Warren,1899) (Geometridae) Synonym(s): *brunnea* W.Warren,1899
 20779) *Omphalucha lignaria* (W.Warren,1903) (Geometridae) Synonym(s): *lignaria* W.Warren,1903; *ambusta* W.Warren,1904
 20780) *Omphalucha brunnea unimoda* L.B.Prout,1938 (Geometridae) Synonym(s): *unimoda* L.B.Prout,1938
 20781) *Omphalucha crenulata* (W.Warren,1897) (Geometridae) Synonym(s): *crenulata* W.Warren,1897
 20782) *Omphalucha natalensis hirta* W.Warren,1905 (Geometridae) Synonym(s): *hirta* W.Warren,1905
 20783) *Omphalucha ditriba* L.B.Prout,1938 (Geometridae) Synonym(s): *ditriba* L.B.Prout,1938
 20784) *Omphalucha ditriba zautpanensis* L.B.Prout,1938 (Geometridae) Synonym(s): *zautpanensis* L.B.Prout,1938
 20785) *Omphalucha epixyna* L.B.Prout,1938 (Geometridae) Synonym(s): *epixyna* L.B.Prout,1938
 20786) *Omphalucha exocholoxa* L.B.Prout,1938 (Geometridae) Synonym(s): *exocholoxa* L.B.Prout,1938
 20787) *Omphalucha indeflexa* L.B.Prout,1922 (Geometridae) Synonym(s): *indeflexa* L.B.Prout,1922
 20788) *Omphalucha indigna* (L.B.Prout,1915) (Geometridae) Synonym(s): *indigna* L.B.Prout,1915
 20789) *Omphalucha katangae* L.B.Prout,1934 (Geometridae) Synonym(s): *katangae* L.B.Prout,1934
 20790) *Omphalucha maturnaria* (Möschler,1884) (Geometridae) Synonym(s): *maturnaria* Möschler,1884
 20791) *Omphalucha natalensis Herbulot*,1995 (Geometridae) Synonym(s): *natalensis* Herbulot,1995
 20792) *Omphalucha nubimedia* L.B.Prout,1938 (Geometridae) Synonym(s): *nubimedia* L.B.Prout,1938
 20793) *Omphalucha praeses* L.B.Prout,1938 (Geometridae) Synonym(s): *praeses* L.B.Prout,1938
 20794) *Omphalucha prosciodes* (L.B.Prout,1934) (Geometridae) Synonym(s): *prosciodes* L.B.Prout,1934
 20795) *Omphalucha ruandana* Herbulot,1997 (Geometridae) Synonym(s): *ruandana* Herbulot,1997
 20796) *Omphalucha rufinubes* W.Warren,1905 (Geometridae) Synonym(s): *rufinubes* W.Warren,1905
 20797) *Omphalucha* sp. (Geometridae) Synonym(s):
 20798) *Omphax bacoti* L.B.Prout,1912 (Geometridae) Synonym(s): *bacoti* L.B.Prout,1912
 20799) *Omphax bara* Herbulot,1972 (Geometridae) Synonym(s): *bara* Herbulot,1972
 20800) *Omphax bilobata* Janse,1935 (Geometridae) Synonym(s): *bilobata* Janse,1935
 20801) *Omphax idonea* L.B.Prout,1916 (Geometridae) Synonym(s): *idonea* L.B.Prout,1916
 20802) *Omphax interfulgens* Herbulot,1954 (Geometridae) Synonym(s): *interfulgens* Herbulot,1954
 20803) *Omphax leucocraspeda* (L.B.Prout,1916) (Geometridae) Synonym(s): *leucocraspeda* L.B.Prout,1916
 20804) *Omphax modesta* (W.Warren,1897) (Geometridae) Synonym(s): *modesta* W.Warren,1897
 20805) *Omphax neglecta* Herbulot,1977 (Geometridae) Synonym(s): *neglecta* Herbulot,1977
 20806) *Omphax nigricornis* (W.Warren,1897) (Geometridae) Synonym(s): *nigricornis* W.Warren,1897
 20807) *Omphax particeps* L.B.Prout,1932 (Geometridae) Synonym(s): *particeps* L.B.Prout,1932
 20808) *Omphax plantaria* Guenée,[1858] (Geometridae) Synonym(s): *plantaria* Guenée,[1858]; *marginata* W.Warren,1894; *subaspera* W.Warren,1894; *rubriplaga* W.Warren,1897; *apicata* W.Warren,1901
 20809) *Omphax plantaria rhodampyx* L.B.Prout,1930 (Geometridae) Synonym(s): *rhodampyx* L.B.Prout,1930
 20810) *Omphax rhodocera* (Hampson,1910) (Geometridae) Synonym(s): *rhodocera* Hampson,1910
 20811) *Omphax rigua* L.B.Prout,1930 (Geometridae) Synonym(s): *rigua* L.B.Prout,1930
 20812) *Omphax rubriceps* (W.Warren,1904) (Geometridae) Synonym(s): *rubriceps* W.Warren,1904; *monophyes* Swinhoe,1906; *ornatimargo* L.B.Prout,1913
 20813) *Omphax shorti* L.B.Prout,1912 (Geometridae) Synonym(s): *shorti* L.B.Prout,1912; *homalotis* L.B.Prout,1930
 20814) *Omphax trilobata* Janse,1935 (Geometridae) Synonym(s): *trilobata* Janse,1935
 20815) *Omphax vicinitaria* (Wallengren,1863) (Geometridae) Synonym(s): *vicinitaria* Wallengren,1863
 20816) *Onagrodes barbarula* L.B.Prout,1958 (Geometridae) Synonym(s): *barbarula* L.B.Prout,1958
 20817) *Onagrodes eucineta* L.B.Prout,1958 (Geometridae) Synonym(s): *eucineta* L.B.Prout,1958
 20818) *Onagrodes obscurata* W.Warren,1896 (Geometridae) Synonym(s): *obscurata* W.Warren,1896
 20819) *Onagrodes oosyndica* L.B.Prout,1958 (Geometridae) Synonym(s): *oosyndica* L.B.Prout,1958
 20820) *Onagrodes recurva* W.Warren,1907 (Geometridae) Synonym(s): *recurva* W.Warren,1907; *viridis* W.Warren,1907
 20821) *Onagrodes victoria* L.B.Prout,1958 (Geometridae) Synonym(s): *victoria* L.B.Prout,1958
 20822) *Onciliana multifera* L.B.Prout,1922 (Geometridae) Synonym(s): *multifera* L.B.Prout,1922
 20823) *Onychora agaritharia* (Dardoin,1842) (Geometridae) Synonym(s): *agaritharia* Dardoin,1842
 20824) *Onychora mauretanicaria* (Staudinger,1901) (Geometridae) Synonym(s): *mauretanicaria* Staudinger,1901
 20825) *Onycodes leptotenopsis* L.B.Prout,1913 (Geometridae) Synonym(s): *leptotenopsis* L.B.Prout,1913
 20826) *Onycodes rubra* (Lucas,1892) (Geometridae) Synonym(s): *rubra* Lucas,1892; *illidgei* Lucas,1894
 20827) *Onycodes traumataria* Guenée,[1858] (Geometridae) Synonym(s): *traumataria* Guenée,[1858]; *flagrantaria* Walker,[1863]
 20828) *Operophtera brumata* (Linnaeus,1758) (Geometridae) Synonym(s): *brumata* Linnaeus,1758; *hyemata* Hufnagel,1767; *hyemalis* Retzius,1783; *brumaria* Esper,1801; *vulgaris* Stephens,1829; *phryganea* Rambur,1870; *myricaria* Cooke,1882
 20829) *Operophtera fagata* (Scharfenberg,1805) (Geometridae) Synonym(s): *fagata* Scharfenberg,1805; *boreata* Hübner,[1813]; *borearia* Boisduval,1840
 20830) *Ophthalmitis albosignaria* (Bremer & Grey,1853) (Geometridae) Synonym(s): *albosignaria* Bremer & Grey,1853; *ocellata* Leech,1889; *saturniaria* Graeser,1889
 20831) *Ophthalmitis albosignaria albosignaria* (Bremer & Grey,1853) (Geometridae) Synonym(s): *albosignaria* Bremer & Grey,1853; *ocellata* Leech,1889; *saturniaria* Graeser,1889
 20832) *Ophthalmitis albosignaria juglandaria* (Oberthür,1913) (Geometridae) Synonym(s): *juglandaria* Oberthür,1913
 20833) *Ophthalmitis albosignaria viridans* Sato,1992 (Geometridae) Synonym(s): *viridans* Sato,1992
 20834) *Ophthalmitis basiscrypta* Holloway,[1994] (Geometridae) Synonym(s): *basiscrypta* Holloway,[1994]
 20835) *Ophthalmitis clararia* (Walker,1866) (Geometridae) Synonym(s): *clararia* Walker,1866; *fasciata* W.Warren,1900
 20836) *Ophthalmitis cordularia* (Swinhoe,1893) (Geometridae) Synonym(s): *cordularia* Swinhoe,1893
 20837) *Ophthalmitis cordularioides* Holloway,[1994] (Geometridae) Synonym(s): *cordularioides* Holloway,[1994]
 20838) *Ophthalmitis diurnaria* (Guenée,[1858]) (Geometridae) Synonym(s): *diurnaria* Guenée,[1858]; *infusaria* Walker,1860; *mundata* Walker,1869
 20839) *Ophthalmitis exemptaria* (Walker,1860) (Geometridae) Synonym(s): *exemptaria* Walker,1860; *suppressaria* Walker,1866
 20840) *Ophthalmitis herbidaria* (Guenée,[1858]) (Geometridae) Synonym(s): *herbidaria* Guenée,[1858]; *pulsaria* Swinhoe,1891
 20841) *Ophthalmitis kageri* Sommerer & Stüning,1994 (Geometridae) Synonym(s): *kageri* Sommerer & Stüning,1994
 20842) *Ophthalmitis lectularia* (Swinhoe,1891) (Geometridae) Synonym(s): *lectularia* Swinhoe,1891
 20843) *Ophthalmitis lectularia lectularia* (Swinhoe,1891) (Geometridae) Synonym(s): *lectularia* Swinhoe,1891
 20844) *Ophthalmitis lectularia siniherbida* (Wehrli,1943) (Geometridae) Synonym(s): *siniherbida* Wehrli,1943
 20845) *Ophthalmitis lushmania* Sato,1992 (Geometridae) Synonym(s): *lushmania* Sato,1992
 20846) *Ophthalmitis pertusaria* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *pertusaria* R.Felder & Rogenhofer,1875
 20847) *Ophthalmitis poliararia* (Hampson,1902) (Geometridae) Synonym(s): *poliararia* Hampson,1902
 20848) *Ophthalmitis punctifascia* Holloway,1976 (Geometridae) Synonym(s): *punctifascia* Holloway,1976
 20849) *Ophthalmitis ruficornis* (W.Warren,1897) (Geometridae) Synonym(s): *ruficornis* W.Warren,1897
 20850) *Ophthalmitis rufilauta* (L.B.Prout,1925) (Geometridae) Synonym(s): *rufilauta* L.B.Prout,1925
 20851) *Ophthalmitis satoi* Holloway,[1994] (Geometridae) Synonym(s): *satoi* Holloway,[1994]
 20852) *Ophthalmitis variegata* Holloway,[1994] (Geometridae) Synonym(s): *variegata* Holloway,[1994]
 20853) *Ophthalmitis viridior* Holloway,[1994] (Geometridae) Synonym(s): *viridior* Holloway,[1994]; *#viridior* Watanasit et al.,2004
 20854) *Opisthograptis irrorata* (Hampson,1895) (Geometridae) Synonym(s): *irrorata* Hampson,1895

- 20855) *Opisthograptis luteolata* (Linnaeus,1758) (Geometridae) Synonym(s): *luteolata* Linnaeus,1758; *crataegata* Linnaeus,1761; *crataegaria* Hübner,[1823]; *#emaculata* Graeser,1892; *impunctata* Osthelder,1931.
- 20856) *Opisthograptis moelleri* W.Warren,1893 (Geometridae) Synonym(s): *moelleri* W.Warren,1893
- 20857) *Opisthograptis niko* (Christoph,1893) (Geometridae) Synonym(s): *niko* Christoph,1893
- 20858) *Opisthograptis punctilineata* Wileman,1910 (Geometridae) Synonym(s): *punctilineata* Wileman,1910
- 20859) *Opisthograptis sulphurea* (Butler,1880) (Geometridae) Synonym(s): *sulphurea* Butler,1880
- 20860) *Opisthograptis swanni* L.B.Prout,1923 (Geometridae) Synonym(s): *swanni* L.B.Prout,1923
- 20861) *Opisthograptis tridentifera* (Moore,1888) (Geometridae) Synonym(s): *tridentifera* Moore,1888
- 20862) *Opisthograptis tsekuna* Wehrli,1940 (Geometridae) Synonym(s): *tsekuna* Wehrli,1940
- 20863) *Opisthotia tumidilinea* (Moore,1888) (Geometridae) Synonym(s): *tumidilinea* Moore,1888
- 20864) *Orbamia octomaculata* (Wallengren,1872) (Geometridae) Synonym(s): *octomaculata* Wallengren,1872; *ocellata* W.Warren,1897
- 20865) *Orbamia pauperata* Herbulot,1966 (Geometridae) Synonym(s): *pauperata* Herbulot,1966
- 20866) *Orbamia renimacula* (L.B.Prout,1926) (Geometridae) Synonym(s): *renimacula* L.B.Prout,1926
- 20867) *Orbamia* sp. (Geometridae) Synonym(s):
- 20868) *Orbamia subaurata* (W.Warren,1899) (Geometridae) Synonym(s): *subaurata* W.Warren,1899
- 20869) *Oreometra fifae* Wiltshire,1986 (Geometridae) Synonym(s): *fifae* Wiltshire,1986
- 20870) *Oreometra* ras Herbulot,1983 (Geometridae) Synonym(s): *ras* Herbulot,1983
- 20871) *Oreometra vittata* Aurivillius,1910 (Geometridae) Synonym(s): *vittata* Aurivillius,1910
- 20872) *Organopoda acerata* L.B.Prout,1938 (Geometridae) Synonym(s): *acerata* L.B.Prout,1938
- 20873) *Organopoda acmaea* L.B.Prout,1938 (Geometridae) Synonym(s): *acmaea* L.B.Prout,1938
- 20874) *Organopoda annulifera* (Butler,1889) (Geometridae) Synonym(s): *annulifera* Butler,1889
- 20875) *Organopoda annulifera annulifera* (Butler,1889) (Geometridae) Synonym(s): *annulifera* Butler,1889
- 20876) *Organopoda annulifera signifera* L.B.Prout,1938 (Geometridae) Synonym(s): *signifera* L.B.Prout,1938
- 20877) *Organopoda brevipalpis* L.B.Prout,1926 (Geometridae) Synonym(s): *brevipalpis* L.B.Prout,1926
- 20878) *Organopoda carnearia* (Walker,1861) (Geometridae) Synonym(s): *carnearia* Walker,1861
- 20879) *Organopoda carnearia himalaica* L.B.Prout,1938 (Geometridae) Synonym(s): *himalaica* L.B.Prout,1938
- 20880) *Organopoda cnecosticta* L.B.Prout,1932 (Geometridae) Synonym(s): *cnecosticta* L.B.Prout,1932
- 20881) *Organopoda subbrunnea* W.Warren,1897 (Geometridae) Synonym(s): *subbrunnea* W.Warren,1897
- 20882) *Orgyodes caparia* (Walker,1862) (Geometridae) Synonym(s): *caparia* Walker,1862; *capicolaria* R.Felder & Rogenhofer,1874
- 20883) *Ornithospila avicularia* Guenée,[1858] (Geometridae) Synonym(s): *avicularia* Guenée,[1858]; *pennisignata* Walker,1861
- 20884) *Ornithospila bipunctata* L.B.Prout,1916 (Geometridae) Synonym(s): *bipunctata* L.B.Prout,1916
- 20885) *Ornithospila carteronae* L.B.Prout,1916 (Geometridae) Synonym(s): *carteronae* L.B.Prout,1916
- 20886) *Ornithospila cincta* (Walker,1861) (Geometridae) Synonym(s): *cincta* Walker,1861
- 20887) *Ornithospila esmeralda* (Hampson,1895) (Geometridae) Synonym(s): *esmeralda* Hampson,1895
- 20888) *Ornithospila lineata* (Moore,1872) (Geometridae) Synonym(s): *lineata* Moore,1872
- 20889) *Ornithospila odontogramma* L.B.Prout,1916 (Geometridae) Synonym(s): *odontogramma* L.B.Prout,1916
- 20890) *Ornithospila psittacina* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *psittacina* R.Felder & Rogenhofer,1875
- 20891) *Ornithospila submonstrans* (Walker,1861) (Geometridae) Synonym(s): *submonstrans* Walker,1861; *circumflexaria* Snellen,[1886]
- 20892) *Ornithospila submonstrans moluccensis* L.B.Prout,1916 (Geometridae) Synonym(s): *moluccensis* L.B.Prout,1916
- 20893) *Ornithospila submonstrans submonstrans* (Walker,1861) (Geometridae) Synonym(s): *submonstrans* Walker,1861; *circumflexaria* Snellen,[1886]
- 20894) *Ornithospila succincta* L.B.Prout,1917 (Geometridae) Synonym(s): *succincta* L.B.Prout,1917
- 20895) *Ornithospila sundaensis* Holloway,1976 (Geometridae) Synonym(s): *sundaensis* Holloway,1976
- 20896) *Ornithospila viridimargo* L.B.Prout,1916 (Geometridae) Synonym(s): *viridimargo* L.B.Prout,1916
- 20897) *Orometra fifae* Wiltshire,1986 (Geometridae) Synonym(s): *fifae* Wiltshire,1986
- 20898) *Orometra ras* Herbulot,1983 (Geometridae) Synonym(s): *ras* Herbulot,1983
- 20899) *Orometra vittata* Aurivillius,1910 (Geometridae) Synonym(s): *vittata* Aurivillius,1910
- 20900) *Orothalassodes absimilis* (W.Warren,1901) (Geometridae) Synonym(s): *absimilis* W.Warren,1901
- 20901) *Orothalassodes aptifimbria* (L.B.Prout,1916) (Geometridae) Synonym(s): *aptifimbria* L.B.Prout,1916
- 20902) *Orothalassodes floccosa* (L.B.Prout,1917) (Geometridae) Synonym(s): *floccosa* L.B.Prout,1917
- 20903) *Orothalassodes glabrata* Holloway,1996 (Geometridae) Synonym(s): *glabrata* Holloway,1996
- 20904) *Orothalassodes hypocrites* (L.B.Prout,1912) (Geometridae) Synonym(s): *hypocrites* L.B.Prout,1912
- 20905) *Orothalassodes leucoceraea* (L.B.Prout,1925) (Geometridae) Synonym(s): *leucoceraea* L.B.Prout,1925
- 20906) *Orothalassodes leucospilota* (Moore,[1887]) (Geometridae) Synonym(s): *leucospilota* Moore,[1887]; *albomaculata* Hampson,1893
- 20907) *Orothalassodes retaka* Holloway,1996 (Geometridae) Synonym(s): *retaka* Holloway,1996
- 20908) *Orothalassodes simplex* (W.Warren,1912) (Geometridae) Synonym(s): *simplex* W.Warren,1912; *reversa* W.Warren,1912
- 20909) *Orothalassodes vivida* (L.B.Prout,1922) (Geometridae) Synonym(s): *vivida* L.B.Prout,1922
- 20910) *Ortaliella gruneraria* (Staudinger,1862) (Geometridae) Synonym(s): *gruneraria* Staudinger,1862
- 20911) *Ortaliella palaestinisensis* (Calberla,1891) (Geometridae) Synonym(s): *palaestinisensis* Calberla,1891
- 20912) *Ortaliella stonei* (Hausmann,1991) (Geometridae) Synonym(s): *stonei* Hausmann,1991
- 20913) *Orthobrachia flavidior* (Hampson,1898) (Geometridae) Synonym(s): *flavidior* Hampson,1898
- 20914) *Orthobrachia latifasciata* (Moore,1888) (Geometridae) Synonym(s): *latifasciata* Moore,1888
- 20915) *Orthobrachia owadai* Yazaki,1992 (Geometridae) Synonym(s): *owadai* Yazaki,1992
- 20916) *Orthobrachia tenebrosa* Yazaki,1992 (Geometridae) Synonym(s): *tenebrosa* Yazaki,1992
- 20917) *Orthocabera cymodegma* (L.B.Prout,1929) (Geometridae) Synonym(s): *cymodegma* L.B.Prout,1929
- 20918) *Orthocabera fuscolineata* (Swinhoe,1894) (Geometridae) Synonym(s): *fuscolineata* Swinhoe,1894
- 20919) *Orthocabera luteifrons* (Swinhoe,1894) (Geometridae) Synonym(s): *luteifrons* Swinhoe,1894
- 20920) *Orthocabera minor* (West,1929) (Geometridae) Synonym(s): *minor* West,1929
- 20921) *Orthocabera moupinaria* (Oberthür,1911) (Geometridae) Synonym(s): *moupinaria* Oberthür,1911
- 20922) *Orthocabera obliqua* (Hampson,1893) (Geometridae) Synonym(s): *obliqua* Hampson,1893
- 20923) *Orthocabera oceritaria* (Swinhoe,1893) (Geometridae) Synonym(s): *ocernaria* Swinhoe,1893; *conspicua* W.Warren,1897; *eumytha* L.B.Prout,1928
- 20924) *Orthocabera opalescens* (West,1929) (Geometridae) Synonym(s): *opalescens* West,1929
- 20925) *Orthocabera sericea* Butler,1879 (Geometridae) Synonym(s): *sericea* Butler,1879
- 20926) *Orthocabera similaria* (Swinhoe,1915) (Geometridae) Synonym(s): *similaria* Swinhoe,1915
- 20927) *Orthocabera sublavata* (L.B.Prout,1929) (Geometridae) Synonym(s): *sublavata* L.B.Prout,1929
- 20928) *Orthocabera subvitrea* (Hampson,1895) (Geometridae) Synonym(s): *subvitrea* Hampson,1895
- 20929) *Orthocabera tinagmaria* (Guenée,[1858]) (Geometridae) Synonym(s): *tinagmaria* Guenée,[1858]
- 20930) *Orthonama obstopata* (Fabricius,1794) (Geometridae) Synonym(s): *obstopata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemmata* Hübner,1799; *albicincta* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905
- 20931) *Orthonama vittata* (Borkhausen,1794) (Geometridae) Synonym(s): *vittata* Borkhausen,1794; *lignata* Hübner,[1799]; *areolaria* Haworth,1809; *lineataria* Donovan,1810; *lignaria* Boisduval,1840
- 20932) *Orthorisma netunaria* (Guenée,[1858]) (Geometridae) Synonym(s): *netunaria* Guenée,[1858]; *crassistriga* W.Warren,1896; *unicolor* W.Warren,1899
- 20933) *Orthoserica rufigrisea* W.Warren,1896 (Geometridae) Synonym(s): *rufigrisea* W.Warren,1896
- 20934) *Orthostixis calcularia* Lederer,1853 (Geometridae) Synonym(s): *calcularia* Lederer,1853
- 20935) *Orthostixis cinerea* Rebel,1916 (Geometridae) Synonym(s): *cinerea* Rebel,1916; *impura* Prout,1916.
- 20936) *Orthostixis cribraria* (Hübner,[1799]) (Geometridae) Synonym(s): *cribraria* Hübner,[1799].
- 20937) *Orthostixis cribraria amanensis* Wehrli,1932 (Geometridae) Synonym(s): *amanensis* Wehrli,1932
- 20938) *Orthostixis cribraria cribraria* (Hübner,[1799]) (Geometridae) Synonym(s): *cribraria* Hübner,[1799].
- 20939) *Oulobophora externata* Freyer,1846 (Geometridae) Synonym(s): *#externata* Herrich-Schäffer,1843; *externata* Freyer,1846; *turcosyrica* Wehrli,1934.

- 20940) *Oulobophora internata* (Püngeler,1888) (Geometridae) Synonym(s): *internata* Püngeler,1888
 20941) *Ourapteryx abbreviata* Inoue,1995 (Geometridae) Synonym(s): *abbreviata* Inoue,1995
 20942) *Ourapteryx adonidaria* Oberthür,1911 (Geometridae) Synonym(s): *adonidaria* Oberthür,1911
 20943) *Ourapteryx astrigera* Inoue,1993 (Geometridae) Synonym(s): *astrigera* Inoue,1993
 20944) *Ourapteryx caecata* (Bastelberger,1911) (Geometridae) Synonym(s): *caecata* Bastelberger,1911
 20945) *Ourapteryx cashmirensis* Bastelberger,1911 (Geometridae) Synonym(s): *cashmirensis* Bastelberger,1911
 20946) *Ourapteryx changi* Inoue,1985 (Geometridae) Synonym(s): *changi* Inoue,1985
 20947) *Ourapteryx clara* Butler,1880 (Geometridae) Synonym(s): *clara* Butler,1880
 20948) *Ourapteryx claretta* Holloway,1982 (Geometridae) Synonym(s): *claretta* Holloway,1982
 20949) *Ourapteryx consociata* Inoue,1993 (Geometridae) Synonym(s): *consociata* Inoue,1993
 20950) *Ourapteryx contronivea* Inoue,1993 (Geometridae) Synonym(s): *contronivea* Inoue,1993
 20951) *Ourapteryx diminuta* Inoue,1993 (Geometridae) Synonym(s): *diminuta* Inoue,1993
 20952) *Ourapteryx ebuleata* Guenée,[1858] (Geometridae) Synonym(s): *ebuleata* Guenée,[1858]
 20953) *Ourapteryx excellens* Butler,1889 (Geometridae) Synonym(s): *excellens* Butler,1889
 20954) *Ourapteryx falciformis* Inoue,1993 (Geometridae) Synonym(s): *falciformis* Inoue,1993
 20955) *Ourapteryx flavovirens* Inoue,1985 (Geometridae) Synonym(s): *flavovirens* Inoue,1985
 20956) *Ourapteryx fulvinervis* W.Warren,1894 (Geometridae) Synonym(s): *fulvinervis* W.Warren,1894
 20957) *Ourapteryx incaudata* W.Warren,1897 (Geometridae) Synonym(s): *incaudata* W.Warren,1897
 20958) *Ourapteryx inspersa* Wileman,1912 (Geometridae) Synonym(s): *inspersa* Wileman,1912
 20959) *Ourapteryx javana* Thierry-Mieg,1903 (Geometridae) Synonym(s): *javana* Thierry-Mieg,1903
 20960) *Ourapteryx karsholti* Inoue,1993 (Geometridae) Synonym(s): *karsholti* Inoue,1993
 20961) *Ourapteryx leucadelpha* (L.B.Prout,1928) (Geometridae) Synonym(s): *leucadelpha* L.B.Prout,1928
 20962) *Ourapteryx malatyensis* Wehrli,1936 (Geometridae) Synonym(s): *malatyensis* Wehrli,1936
 20963) *Ourapteryx margaritata* Moore,1868 (Geometridae) Synonym(s): *margaritata* Moore,1868
 20964) *Ourapteryx modesta* W.Warren,1896 (Geometridae) Synonym(s): *modesta* W.Warren,1896; *gisela* Thierry-Mieg,1905
 20965) *Ourapteryx monticola* Inoue,1985 (Geometridae) Synonym(s): *monticola* Inoue,1985
 20966) *Ourapteryx nigrifimbria* L.B.Prout,1928 (Geometridae) Synonym(s): *nigrifimbria* L.B.Prout,1928
 20967) *Ourapteryx nigrociliaris* Leech,1891 (Geometridae) Synonym(s): *nigrociliaris* Leech,1891
 20968) *Ourapteryx nigrociliaris magnifica* Inoue,1985 (Geometridae) Synonym(s): *magnifica* Inoue,1985
 20969) *Ourapteryx nigrociliaris nigrociliaris* Leech,1891 (Geometridae) Synonym(s): *nigrociliaris* Leech,1891
 20970) *Ourapteryx nivea* Butler,1883 (Geometridae) Synonym(s): *nivea* Butler,1883
 20971) *Ourapteryx pallidula* Inoue,1985 (Geometridae) Synonym(s): *pallidula* Inoue,1985
 20972) *Ourapteryx persica* Ménétériés,1832 (Geometridae) Synonym(s): *persica* Ménétériés,1832
 20973) *Ourapteryx picticaudata* Walker,1860 (Geometridae) Synonym(s): *picticaudata* Walker,1860
 20974) *Ourapteryx pluristrigata* W.Warren,1888 (Geometridae) Synonym(s): *pluristrigata* W.Warren,1888; *thibetaria* Bastelberger,1911.
 20975) *Ourapteryx podaliriata* Guenée,[1858] (Geometridae) Synonym(s): *podaliriata* Guenée,[1858]
 20976) *Ourapteryx primularis* Butler,1886 (Geometridae) Synonym(s): *primularis* Butler,1886
 20977) *Ourapteryx purissima* Thierry-Mieg,1905 (Geometridae) Synonym(s): *purissima* Thierry-Mieg,1905
 20978) *Ourapteryx ramosa* (Wileman,1910) (Geometridae) Synonym(s): *ramosa* Wileman,1910
 20979) *Ourapteryx ravida* Inoue,1995 (Geometridae) Synonym(s): *ravida* Inoue,1995
 20980) *Ourapteryx sambucaria* (Linnaeus,1758) (Geometridae) Synonym(s): *sambucaria* Linnaeus,1758.
 20981) *Ourapteryx sciticaudaria* Walker,1862 (Geometridae) Synonym(s): *sciticaudaria* Walker,1862
 20982) *Ourapteryx similaria* Leech,1897 (Geometridae) Synonym(s): *similaria* Leech,1897
 20983) *Ourapteryx stueningi* Inoue,1993 (Geometridae) Synonym(s): *stueningi* Inoue,1993
 20984) *Ourapteryx taiwana* Wileman,1910 (Geometridae) Synonym(s): *taiwana* Wileman,1910; *imitans* Bastelberger,1911
 20985) *Ourapteryx ussurica* Inoue,1993 (Geometridae) Synonym(s): *ussurica* Inoue,1993
 20986) *Ourapteryx variolaria* Inoue,1985 (Geometridae) Synonym(s): *variolaria* Inoue,1985
 20987) *Ourapteryx venusta* Inoue,1985 (Geometridae) Synonym(s): *venusta* Inoue,1985
 20988) *Ourapteryx versuta* L.B.Prout,1928 (Geometridae) Synonym(s): *versuta* L.B.Prout,1928
 20989) *Ourapteryx virescens* Matsumura,1910 (Geometridae) Synonym(s): *virescens* Matsumura,1910
 20990) *Ourapteryx yerburii* Butler,1886 (Geometridae) Synonym(s): *yerburii* Butler,1886; *sinata* Wehrli,1940.
 20991) *Ourapteryx yerburii virescens* Matsumura,1910 (Geometridae) Synonym(s): *virescens* Matsumura,1910
 20992) *Oxymacaria insularis* (W.Warren,1896) (Geometridae) Synonym(s): *insularis* W.Warren,1896
 20993) *Oxymacaria ochreatea* (W.Warren,1902) (Geometridae) Synonym(s): *ochreatea* W.Warren,1902
 20994) *Oxymacaria psilotes* (West,1929) (Geometridae) Synonym(s): *psilotes* West,1929
 20995) *Oxymacaria truncaria* (Leech,1897) (Geometridae) Synonym(s): *truncaria* Leech,1897
 20996) *Oxymacaria truncaria likiangensis* (Wehrli,1940) (Geometridae) Synonym(s): *likiangensis* Wehrli,1940
 20997) *Oxymacaria truncaria truncaria* (Leech,1897) (Geometridae) Synonym(s): *truncaria* Leech,1897
 20998) *Ozola acrophaea* (Meyrick,1886) (Geometridae) Synonym(s): *acrophaea* Meyrick,1886
 20999) *Ozola acutata* (Walker,1862) (Geometridae) Synonym(s): *acutata* Walker,1862
 21000) *Ozola apparata* L.B.Prout,1928 (Geometridae) Synonym(s): *apparata* L.B.Prout,1928
 21001) *Ozola auranticeps* L.B.Prout,1916 (Geometridae) Synonym(s): *auranticeps* L.B.Prout,1916
 21002) *Ozola basisparsata* (Walker,[1863]) (Geometridae) Synonym(s): *basisparsata* Walker,[1863]
 21003) *Ozola biangulifera* (Moore,1888) (Geometridae) Synonym(s): *biangulifera* Moore,1888
 21004) *Ozola concreta* L.B.Prout,1931 (Geometridae) Synonym(s): *concreta* L.B.Prout,1931
 21005) *Ozola convergens* W.Warren,1905 (Geometridae) Synonym(s): *convergens* W.Warren,1905
 21006) *Ozola decolorata* W.Warren,1897 (Geometridae) Synonym(s): *decolorata* W.Warren,1897
 21007) *Ozola defectata* Inoue,1971 (Geometridae) Synonym(s): *defectata* Inoue,1971
 21008) *Ozola edui* Sommerer,1995 (Geometridae) Synonym(s): *edui* Sommerer,1995
 21009) *Ozola falcipennis* (Moore,1888) (Geometridae) Synonym(s): *falcipennis* Moore,1888
 21010) *Ozola hesperias* (Meyrick,1886) (Geometridae) Synonym(s): *hesperias* Meyrick,1886
 21011) *Ozola hollowayi* Scoble & Sommerer,1988 (Geometridae) Synonym(s): *hollowayi* Scoble & Sommerer,1988
 21012) *Ozola impedita* (Walker,1861) (Geometridae) Synonym(s): *impedita* Walker,1861
 21013) *Ozola inexcisata* Fryer,1912 (Geometridae) Synonym(s): *inexcisata* Fryer,1912
 21014) *Ozola intransilis* L.B.Prout,1928 (Geometridae) Synonym(s): *intransilis* L.B.Prout,1928
 21015) *Ozola liwana* Sommerer,1995 (Geometridae) Synonym(s): *liwana* Sommerer,1995
 21016) *Ozola microniaria* Walker,1862 (Geometridae) Synonym(s): *microniaria* Walker,1862; *blitearia* Walker,[1863]
 21017) *Ozola minor* (Moore,1888) (Geometridae) Synonym(s): *minor* Moore,1888; *leptogonia* Hampson,1902
 21018) *Ozola minuta* Wiltshire,1990 (Geometridae) Synonym(s): *minuta* Wiltshire,1990
 21019) *Ozola niphoplaca* (Meyrick,1886) (Geometridae) Synonym(s): *niphoplaca* Meyrick,1886
 21020) *Ozola pannosa* Holloway,1976 (Geometridae) Synonym(s): *pannosa* Holloway,1976
 21021) *Ozola pica* Wileman & South,1921 (Geometridae) Synonym(s): *pica* Wileman & South,1921
 21022) *Ozola picaria* (Swinhoe,1892) (Geometridae) Synonym(s): *picaria* Swinhoe,1892
 21023) *Ozola plana* (W.Warren,1894) (Geometridae) Synonym(s): *plana* W.Warren,1894
 21024) *Ozola prouti* Holloway,1976 (Geometridae) Synonym(s): *prouti* Holloway,1976
 21025) *Ozola pulverulenta* W.Warren,1897 (Geometridae) Synonym(s): *pulverulenta* W.Warren,1897
 21026) *Ozola pyraloides* West,1930 (Geometridae) Synonym(s): *pyraloides* West,1930
 21027) *Ozola sinuicosta* L.B.Prout,1910 (Geometridae) Synonym(s): *sinuicosta* L.B.Prout,1910
 21028) *Ozola submontana* Holloway,1976 (Geometridae) Synonym(s): *submontana* Holloway,1976
 21029) *Ozola turlini* Herbulot,1985 (Geometridae) Synonym(s): *turlini* Herbulot,1985

- 21030) *Ozola violacea* W.Warren,1912 (Geometridae) Synonym(s): *violacea* W.Warren,1912
- 21031) *Pachycnemia benesignata* (Bellier,1861) (Geometridae) Synonym(s): *benesignata* Bellier,1861
- 21032) *Pachycnemia hippocastanaria* (Hübner,[1799]) (Geometridae) Synonym(s): *hippocastanaria* Hübner,[1799]; *anomalata* Haworth,1812; *degenerata* Hübner,[1813]; *difformaria* Hübner,[1825]; *hippocastanata* Treitschke,1827; *modestaria* Lempke,1970
- 21033) *Pachycnemia tibiaria* (Rambur,1829) (Geometridae) Synonym(s): *tibiaria* Rambur,1829
- 21034) *Pachyodes albidavidaria* Xue,1992 (Geometridae) Synonym(s): *albidavidaria* Xue,1992
- 21035) *Pachyodes amplificata* (Walker,1862) (Geometridae) Synonym(s): *amplificata* Walker,1862; *abraxas* Oberthür,1913
- 21036) *Pachyodes apicalis* (Moore,1888) (Geometridae) Synonym(s): *apicalis* Moore,1888
- 21037) *Pachyodes davidaria* (Poujade,1895) (Geometridae) Synonym(s): *davidaria* Poujade,1895
- 21038) *Pachyodes ectoxantha* (Wehrli,1933) (Geometridae) Synonym(s): *ectoxantha* Wehrli,1933
- 21039) *Pachyodes haemataria* (Herrich-Schäffer,[1854]) (Geometridae) Synonym(s): *haemataria* Herrich-Schäffer,[1854]; *almaria* Guenée,[1858]
- 21040) *Pachyodes harutai* Yazaki,1992 (Geometridae) Synonym(s): *harutai* Yazaki,1992
- 21041) *Pachyodes harutai harutai* Yazaki,1992 (Geometridae) Synonym(s): *harutai* Yazaki,1992
- 21042) *Pachyodes harutai infuscatus* Yazaki,1992 (Geometridae) Synonym(s): *infuscatus* Yazaki,1992
- 21043) *Pachyodes leucomelanaria* (Poujade,1895) (Geometridae) Synonym(s): *leucomelanaria* Poujade,1895
- 21044) *Pachyodes ornataria* Moore,1888 (Geometridae) Synonym(s): *ornataria* Moore,1888
- 21045) *Pachyodes pictaria* Moore,1888 (Geometridae) Synonym(s): *pictaria* Moore,1888
- 21046) *Pachyodes pratti* (L.B.Prout,1927) (Geometridae) Synonym(s): *pratti* L.B.Prout,1927
- 21047) *Pachyodes subtrita* (L.B.Prout,1914) (Geometridae) Synonym(s): *subtrita* L.B.Prout,1914
- 21048) *Pachyodes subtrita simplicior* (De Joannis,1929) (Geometridae) Synonym(s): *simplicior* De Joannis,1929
- 21049) *Pachyodes vigil* (L.B.Prout,1926) (Geometridae) Synonym(s): *vigil* L.B.Prout,1926
- 21050) *Palaeaspilates carnea* (W.Warren,1914) (Geometridae) Synonym(s): *carnea* W.Warren,1914; *mansueta* L.B.Prout,1917
- 21051) *Palaeaspilates inoffensa* W.Warren,1894 (Geometridae) Synonym(s): *inoffensa* W.Warren,1894
- 21052) *Palaeaspilates reducta* (Wiltshire,[1981]) (Geometridae) Synonym(s): *reducta* Wiltshire,[1981]
- 21053) *Palaeaspilates rufaria* (W.Warren,1896) (Geometridae) Synonym(s): *rufaria* W.Warren,1896
- 21054) *Palaeaspilates sublutearia* (Wiltshire,1977) (Geometridae) Synonym(s): *sublutearia* Wiltshire,1977
- 21055) *Palaeonyssia trisecta* (W.Warren,1897) (Geometridae) Synonym(s): *trisecta* W.Warren,1897; *fuliginosa* W.Warren,1905
- 21056) *Palpoctenidia phoenicosoma* (Swinhoe,1895) (Geometridae) Synonym(s): *phoenicosoma* Swinhoe,1895
- 21057) *Panagropis equestraria* (Walker,1861) (Geometridae) Synonym(s): *equestraria* Walker,1861
- 21058) *Panagropis muricolor* (W.Warren,1897) (Geometridae) Synonym(s): *muricolor* W.Warren,1897
- 21059) *Papuanticlea horia* (Prout,1939) (Geometridae) Synonym(s): *horia* Prout,1939
- 21060) *Papuanticlea ochroria* Holloway,1979 (Geometridae) Synonym(s): *ochroria* Holloway,1979
- 21061) *Papuanticlea onaea* (Prout,1939) (Geometridae) Synonym(s): *onaea* Prout,1939
- 21062) *Papuanticlea semiflava* (W.Warren,1906) (Geometridae) Synonym(s): *semiflava* W.Warren,1906
- 21063) *Papuanticlea subcaesia* (Warren,1903) (Geometridae) Synonym(s): *subcaesia* Warren,1903
- 21064) *Paraboarmia viertlii* (Bohatsch,1883) (Geometridae) Synonym(s): *viertlii* Bohatsch,1883
- 21065) *Paracalicha hoenei* Sato,1992 (Geometridae) Synonym(s): *hoenei* Sato,1992
- 21066) *Paracalicha prasinaria* Sato,1992 (Geometridae) Synonym(s): *prasinaria* Sato,1992
- 21067) *Paracalicha psittacata* (Bastelberger,1909) (Geometridae) Synonym(s): *psittacata* Bastelberger,1909; *divisaria* Wileman,1911
- 21068) *Paradarisa consonaria* (Hübner,[1799]) (Geometridae) Synonym(s): *consonaria* Hübner,[1799]
- 21069) *Paragathia albimarginata* W.Warren,1902 (Geometridae) Synonym(s): *albimarginata* W.Warren,1902; *delicia* Thierry-Mieg,1907
- 21070) *Paramaxates hainana* Chu,1981 (Geometridae) Synonym(s): *hainana* Chu,1981
- 21071) *Paramaxates inornata* Yazaki,1988 (Geometridae) Synonym(s): *inornata* Yazaki,1988
- 21072) *Paramaxates khasiana* (W.Warren,1894) (Geometridae) Synonym(s): *khasiana* W.Warren,1894; *minuscule* Yazaki,1988
- 21073) *Paramaxates macrocerata* Yazaki,1988 (Geometridae) Synonym(s): *macrocerata* Yazaki,1988
- 21074) *Paramaxates polygrapharia* (Walker,1860) (Geometridae) Synonym(s): *polygrapharia* Walker,1860
- 21075) *Paramaxates posterecta* Holloway,1976 (Geometridae) Synonym(s): *posterecta* Holloway,1976
- 21076) *Paramaxates spinivesica* Holloway,1996 (Geometridae) Synonym(s): *spinivesica* Holloway,1996
- 21077) *Paramaxates taiwana* Yazaki,1988 (Geometridae) Synonym(s): *taiwana* Yazaki,1988
- 21078) *Paramaxates taiwana* Yazaki,1988 (Geometridae) Synonym(s): *taiwana* Yazaki,1988
- 21079) *Paramaxates vagata* (Walker,1861) (Geometridae) Synonym(s): *vagata* Walker,1861
- 21080) *Paramaxates yazakii* Holloway,1996 (Geometridae) Synonym(s): *yazakii* Holloway,1996
- 21081) *Paraperania wehrlii*,1939 (Geometridae) Synonym(s): *Paraperania* Wehrli,1939
- 21082) *Paraperania chionoepela* Inoue,1992 (Geometridae) Synonym(s): *chionoepela* Inoue,1992
- 21083) *Paraperania giraffata* (Guenée,[1858]) (Geometridae) Synonym(s): *giraffata* Guenée,[1858]; *grandaria* R.Felder & C.Felder,1862; *lienpingensis* Wehrli,1939
- 21084) *Paraprasina discolor* W.Warren,1897 (Geometridae) Synonym(s): *discolor* W.Warren,1897
- 21085) *Parapythodes costimaculata* L.B.Prout,1913 (Geometridae) Synonym(s): *costimaculata* L.B.Prout,1913
- 21086) *Parapythodes kedar* (Druce,1896) (Geometridae) Synonym(s): *kedra* Druce,1896
- 21087) *Parapythodes* sp. (Geometridae) Synonym(s):
- 21088) *Parapythodes tenuis* (Butler,1878) (Geometridae) Synonym(s): *tenuis* Butler,1878.
- 21089) *Parasynergia atomaria* (W.Warren,1896) (Geometridae) Synonym(s): *atomaria* W.Warren,1896; *convergens* W.Warren,1897
- 21090) *Parasynergia borbachodes* W.Warren,1896 (Geometridae) Synonym(s): *borbachodes* W.Warren,1896
- 21091) *Parasynergia complicata* W.Warren,1893 (Geometridae) Synonym(s): *complicata* W.Warren,1893
- 21092) *Parasynergia defixaria* (West,1929) (Geometridae) Synonym(s): *defixaria* West,1929
- 21093) *Parasynergia diffusaria* (Moore,1868) (Geometridae) Synonym(s): *diffusaria* Moore,1868; *punctifera* Butler,1880
- 21094) *Parasynergia fortilineata* Holloway,[1994] (Geometridae) Synonym(s): *fortilineata* Holloway,[1994]
- 21095) *Parasynergia lidderdalii* (Butler,1880) (Geometridae) Synonym(s): *lidderdalii* Butler,1880
- 21096) *Parasynergia lineata* (W.Warren,1896) (Geometridae) Synonym(s): *lineata* W.Warren,1896; *parumnotata* W.Warren,1899
- 21097) *Parasynergia macularia* W.Warren,1894 (Geometridae) Synonym(s): *macularia* W.Warren,1894
- 21098) *Parasynergia nigriclavata* W.Warren,1897 (Geometridae) Synonym(s): *nigriclavata* W.Warren,1897
- 21099) *Parasynergia pluristriaria* (Walker,[1863]) (Geometridae) Synonym(s): *pluristriaria* Walker,[1863]
- 21100) *Parasynergia rufinervis* W.Warren,1896 (Geometridae) Synonym(s): *rufinervis* W.Warren,1896
- 21101) *Parasynergia sundastriaria* Holloway,[1994] (Geometridae) Synonym(s): *sundastriaria* Holloway,[1994]
- 21102) *Parazoma ferax* L.B.Prout,1926 (Geometridae) Synonym(s): *ferax* L.B.Prout,1926
- 21103) *Parazoma hypobasis* L.B.Prout,1931 (Geometridae) Synonym(s): *hypobasis* L.B.Prout,1931
- 21104) *Parazoma semifusca* (W.Warren,1896) (Geometridae) Synonym(s): *semifusca* W.Warren,1896
- 21105) *Parazoma semifusca semifusca* (W.Warren,1896) (Geometridae) Synonym(s): *semifusca* W.Warren,1896
- 21106) *Parazoma semifusca swanni* L.B.Prout,1941 (Geometridae) Synonym(s): *swanni* L.B.Prout,1941
- 21107) *Pareclipsis incerta* L.B.Prout,1916 (Geometridae) Synonym(s): *incerta* L.B.Prout,1916
- 21108) *Pareclipsis leptophyes* L.B.Prout,1916 (Geometridae) Synonym(s): *leptophyes* L.B.Prout,1916
- 21109) *Pareclipsis ochrea* (W.Warren,1905) (Geometridae) Synonym(s): *ochrea* W.Warren,1905
- 21110) *Pareclipsis onus* L.B.Prout,1917 (Geometridae) Synonym(s): *onus* L.B.Prout,1917
- 21111) *Pareclipsis oxyptera* L.B.Prout,1916 (Geometridae) Synonym(s): *oxyptera* L.B.Prout,1916
- 21112) *Pareclipsis phaeopsis* L.B.Prout,1922 (Geometridae) Synonym(s): *phaeopsis* L.B.Prout,1922
- 21113) *Pareclipsis punctata* W.Warren,1900 (Geometridae) Synonym(s): *punctata* W.Warren,1900
- 21114) *Pareclipsis* sp.1 (Geometridae) Synonym(s):
- 21115) *Pareclipsis* sp.2 (Geometridae) Synonym(s):
- 21116) *Pareclipsis* sp.3 (Geometridae) Synonym(s):
- 21117) *Pareclipsis umbrata* (W.Warren,1893) (Geometridae) Synonym(s): *umbrata* W.Warren,1893; *kwantungensis* Wehrli,1940

- 21118) *Parectropis ignota* Sato,1995 (Geometridae) Synonym(s): *ignota* Sato,1995
 21119) *Parectropis nepalensis* Sato,1994 (Geometridae) Synonym(s): *nepalensis* Sato,1994
 21120) *Parectropis nigrosparsa* (Wileman & South,1917) (Geometridae) Synonym(s): *nigrosparsa* Wileman & South,1917; *eubostryx* Wehrli,1953; *macroluridata* Viidalepp,1979
 21121) *Parectropis siamensis* Sato,1996 (Geometridae) Synonym(s): *siamensis* Sato,1996
 21122) *Parectropis similaria* (Hufnagel,1767) (Geometridae) Synonym(s): *similaria* Hufnagel,1767; *corticaria* [Denis & Schiffermüller],1775; *extersaria* Hübner,[1799]; *luridata* Borkhausen,1794
 21123) *Parectropis subflava* (Bastelberger,1909) (Geometridae) Synonym(s): *subflava* Bastelberger,1909; *leucosema* L.B.Prout,1914
 21124) *Pareulype berberata* (Fabricius,1787) (Geometridae) Synonym(s): *#berberata* [Denis & Schiffermüller],1775; *berberata* Fabricius,1787; *berberaria* Boisduval,1840
 21125) *Pareulype berberata berberata* (Fabricius,1787) (Geometridae) Synonym(s): *#berberata* [Denis & Schiffermüller],1775; *berberata* Fabricius,1787; *berberaria* Boisduval,1840
 21126) *Pareulype berberata griseata* (Oberthür,1917) (Geometridae) Synonym(s): *griseata* Oberthür,1917; *cinerea* Herbulot,1977
 21127) *Pareulype berberata maindroni* Herbulot,1977 (Geometridae) Synonym(s): *maindroni* Herbulot,1977
 21128) *Pareulype casearia* (Constant,1884) (Geometridae) Synonym(s): *casearia* Constant,1884
 21129) *Pareumelea eugeniata* (Guenée,[1858]) (Geometridae) Synonym(s): *fimbriata* Stoll,[1782] nec Schr.,1759; *eugeniata* Guenée,[1858]; *flagrata* R.Felder & Rogenhofer,1875
 21130) *Pareumelea hortensiata* (Guenée,[1858]) (Geometridae) Synonym(s): *hortensiata* Guenée,[1858]; *fervidaria* Walker,1866; *marginipennis* Butler,1879
 21131) *Pareumelea hortensiata exstinguens* L.B.Prout,1931 (Geometridae) Synonym(s): *exstinguens* L.B.Prout,1931
 21132) *Pareumelea hortensiata hortensiata* (Guenée,[1858]) (Geometridae) Synonym(s): *hortensiata* Guenée,[1858]; *fervidaria* Walker,1866; *marginipennis* Butler,1879
 21133) *Pareumelea hortensiata rostrata* Swinhoe,1900 (Geometridae) Synonym(s): *rostrata* Swinhoe,1900
 21134) *Parortholitha moerdyki* Herbulot,1980 (Geometridae) Synonym(s): *moerdyki* Herbulot,1980
 21135) *Parortholitha subrectiaria* (Walker,1861) (Geometridae) Synonym(s): *subrectiaria* Walker,1861; *cidariata* Walker,1862
 21136) *Parosteodes fictiliaria* (Guenée,[1858]) (Geometridae) Synonym(s): *fictiliaria* Guenée,[1858]; *ferritinctaria* Walker,1861; *procurata* Walker,1861; *dissutata* Walker,1862; *plana* W.Warren,1898
 21137) *Parosteodes grisea* Holloway,1979 (Geometridae) Synonym(s): *grisea* Holloway,1979
 21138) *Pasiphila chloerata* (Mabille,1870) (Geometridae) Synonym(s): *chloerata* Mabille,1870; *consueta* Butler,1879; *horticolaria* Fuchs,1892
 21139) *Pasiphila debiliata* (Hübner,[1817]) (Geometridae) Synonym(s): *debiliata* Hübner,[1817]; *nigropunctata* Chant,1833; *debiliaria* Boisduval,1840; *clerci* Krulikovsky,1891; *suspiciosa* Inoue,1982
 21140) *Pasiphila hyrcanica* Viidalepp & Mironov,2006 (Geometridae) Synonym(s): *hyrcanica* Viidalepp & Mironov,2006
 21141) *Pasiphila palpata* (Walker,1862) (Geometridae) Synonym(s): *palpata* Walker,1862; *variegata* Moore,[1887]; *virescens* Moore,[1887]
 21142) *Pasiphila rectangulata* (Linnaeus,1758) (Geometridae) Synonym(s): *rectangulata* Linnaeus,1758; *viridulata* Hufnagel,1767; *cydoniata* Borkhausen,1794; *mediana* Panzer,1804; *nigrocerciceata* Haworth,1809; *sericeata* Haworth,1809; *subaerata* Hübner,[1817]; *rectangularia* Boisduval,1840
 21143) *Pasiphilodes chlorocampsis* (L.B.Prout,1926) (Geometridae) Synonym(s): *chlorocampsis* L.B.Prout,1926
 21144) *Pasiphilodes eurytalides* (L.B.Prout,1932) (Geometridae) Synonym(s): *eurytalides* L.B.Prout,1932
 21145) *Pasiphilodes fractiscripta* (L.B.Prout,1958) (Geometridae) Synonym(s): *fractiscripta* L.B.Prout,1958
 21146) *Pasiphilodes luteata* Holloway,1996 (Geometridae) Synonym(s): *luteata* Holloway,1996
 21147) *Pasiphilodes nina* (G.S.Robinson,1975) (Geometridae) Synonym(s): *nina* G.S.Robinson,1975
 21148) *Pasiphilodes oribates* (L.B.Prout,1925) (Geometridae) Synonym(s): *oribates* L.B.Prout,1925
 21149) *Pasiphilodes regularis* (W.Warren,1895) (Geometridae) Synonym(s): *regularis* W.Warren,1895
 21150) *Pasiphilodes rubrifusa* (W.Warren,1895) (Geometridae) Synonym(s): *rubrifusa* W.Warren,1895
 21151) *Pasiphilodes rufogrisea* Holloway,1976 (Geometridae) Synonym(s): *rufogrisea* Holloway,1976
 21152) *Pasiphilodes sayata* Holloway,1976 (Geometridae) Synonym(s): *sayata* Holloway,1976
 21153) *Pasiphilodes subpalpata* (L.B.Prout,1958) (Geometridae) Synonym(s): *subpalpata* L.B.Prout,1958
 21154) *Pasiphilodes subtrita* (Walker,1866) (Geometridae) Synonym(s): *subtrita* Walker,1866; *lepta* Meyrick,1886; *mempta* L.B.Prout,1928; *fluctuosa* L.B.Prout,1934; *aeneta* L.B.Prout,1958; *woodjonesi* L.B.Prout,1958; *oceanica* Herbulot,1962; *aucta* Herbulot,1963; *rotumensis* G.S.Robinson,1975
 21155) *Pasiphilodes viridescens* (W.Warren,1895) (Geometridae) Synonym(s): *viridescens* W.Warren,1895
 21156) *Peetula exanthemata* Moore,1888 (Geometridae) Synonym(s): *exanthemata* Moore,1888
 21157) *Peetula stramineata* (W.Warren,1888) (Geometridae) Synonym(s): *stramineata* W.Warren,1888
 21158) *Pelagodes aucta* (L.B.Prout,1912) (Geometridae) Synonym(s): *aucta* L.B.Prout,1912
 21159) *Pelagodes cochlearis* Holloway,1996 (Geometridae) Synonym(s): *cochlearis* Holloway,1996
 21160) *Pelagodes falsaria* (L.B.Prout,1912) (Geometridae) Synonym(s): *falsaria* L.B.Prout,1912; *griseifimbria* L.B.Prout,1937
 21161) *Pelagodes forceps* Holloway,1996 (Geometridae) Synonym(s): *forceps* Holloway,1996
 21162) *Pelagodes rana* Holloway,1996 (Geometridae) Synonym(s): *rana* Holloway,1996
 21163) *Pelagodes semengok* Holloway,1996 (Geometridae) Synonym(s): *semengok* Holloway,1996
 21164) *Pelagodes semihyalina* (Walker,1861) (Geometridae) Synonym(s): *semihyalina* Walker,1861
 21165) *Pelagodes spiniseparati* Holloway,1996 (Geometridae) Synonym(s): *spiniseparati* Holloway,1996
 21166) *Pelagodes tridens* Holloway,1996 (Geometridae) Synonym(s): *tridens* Holloway,1996
 21167) *Pelagodes viridicapus* (W.Warren,1897) (Geometridae) Synonym(s): *viridicapus* W.Warren,1897
 21168) *Pelagodes waterstradii* Holloway,1996 (Geometridae) Synonym(s): *waterstradii* Holloway,1996
 21169) *Pellonia serraginarina* (Kaila & Viidalepp,1996) (Geometridae) Synonym(s): *serraginarina* Kaila & Viidalepp,1996
 21170) *Pellonia vibicaria* (Linnaeus,1761) (Geometridae) Synonym(s): *#vibicaria* Clerck,1759; *vibicaria* Linnaeus,1761; *cruentata* Scopoli,1763; *rubrofasciata* Hufnagel,1767; *artriosa* Fourcroy,1785; *cruentaria* Villers,1789
 21171) *Pellonia vibicaria strigata* Staudinger,1871 (Geometridae) Synonym(s): *strigata* Staudinger,1871
 21172) *Pellonia vibicaria unicolorata* Staudinger,1871 (Geometridae) Synonym(s): *unicolorata* Staudinger,1871
 21173) *Pellonia vibicaria vibicaria* (Linnaeus,1761) (Geometridae) Synonym(s): *#vibicaria* Clerck,1759; *vibicaria* Linnaeus,1761; *cruentata* Scopoli,1763; *rubrofasciata* Hufnagel,1767; *artriosa* Fourcroy,1785; *cruentaria* Villers,1789
 21174) *Pelurga comitata* (Linnaeus,1758) (Geometridae) Synonym(s): *comitata* Linnaeus,1758
 21175) *Peratophyga alluvialis* Holloway,[1994] (Geometridae) Synonym(s): *alluvialis* Holloway,[1994]
 21176) *Peratophyga beta* Holloway,[1994] (Geometridae) Synonym(s): *beta* Holloway,[1994]
 21177) *Peratophyga bifasciata* W.Warren,1905 (Geometridae) Synonym(s): *bifasciata* W.Warren,1905
 21178) *Peratophyga flavomaculata* Swinhoe,1902 (Geometridae) Synonym(s): *flavomaculata* Swinhoe,1902
 21179) *Peratophyga hyalinata* (Kollar,[1844]) (Geometridae) Synonym(s): *hyalinata* Kollar,[1844]; *aerata* Moore,1868; *ionephela* Wiltshire,1966
 21180) *Peratophyga hypsicyma* (L.B.Prout,1916) (Geometridae) Synonym(s): *hypsicyma* L.B.Prout,1916
 21181) *Peratophyga hypsidesma* Holloway,[1994] (Geometridae) Synonym(s): *hypsidesma* Holloway,[1994]
 21182) *Peratophyga oblectata* L.B.Prout,1929 (Geometridae) Synonym(s): *oblectata* L.B.Prout,1929
 21183) *Peratophyga sobrina* (L.B.Prout,1932) (Geometridae) Synonym(s): *sobrina* L.B.Prout,1932
 21184) *Peratophyga spilodesma* L.B.Prout,1934 (Geometridae) Synonym(s): *spilodesma* L.B.Prout,1934
 21185) *Peratophyga trigonata* (Walker,1861) (Geometridae) Synonym(s): *trigonata* Walker,1861
 21186) *Peratophyga venetia* Swinhoe,1902 (Geometridae) Synonym(s): *venetia* Swinhoe,1902
 21187) *Peratophyga xanthayala* (Hampson,1896) (Geometridae) Synonym(s): *xanthayala* Hampson,1896
 21188) *Peratophyga zamaradina* Herbulot,1993 (Geometridae) Synonym(s): *zamaradina* Herbulot,1993
 21189) *Peratostega coctata* W.Warren,1897 (Geometridae) Synonym(s): *coctata* W.Warren,1897; *rufa* W.Warren,1897
 21190) *Peratostega deletaria* (Moore,1888) (Geometridae) Synonym(s): *deletaria* Moore,1888
 21191) *Peratostega indistincta* (Moore,1888) (Geometridae) Synonym(s): *indistincta* Moore,1888
 21192) *Peratostega punctapex* Holloway,[1994] (Geometridae) Synonym(s): *punctapex* Holloway,[1994]
 21193) *Percnia felinaria* Guenée,[1858] (Geometridae) Synonym(s): *felinaria* Guenée,[1858]
 21194) *Percnia interfusa* W.Warren,1893 (Geometridae) Synonym(s): *interfusa* W.Warren,1893
 21195) *Percnia longitermen* L.B.Prout,1914 (Geometridae) Synonym(s): *longitermen* L.B.Prout,1914

- 21196) *Percnia luridaria* (Leech,1897) (Geometridae) Synonym(s): *luridaria* Leech,1897
 21197) *Percnia prouti* (Wehrli,1925) (Geometridae) Synonym(s): *prouti* Wehrli,1925
 21198) *Percnia suffusa* Wileman,1914 (Geometridae) Synonym(s): *suffusa* Wileman,1914
 21199) *Perconia baeticaria* (Rambur,1866) (Geometridae) Synonym(s): *baeticaria* Rambur,1866; *baeticaria* Staudinger,1871
 21200) *Perconia strigillaria* (Hübner,1787) (Geometridae) Synonym(s): *strigillaria* Hübner,1787; *respersaria* Hübner,[1799]; *inaequaria* Haworth,1809; *herpetitaria* Rambur,1866; *grisearia* Lempke,1952; *fuscognaria* Lempke,1953
 21201) *Peribatodes abstersarius* (Boisduval,1840) (Geometridae) Synonym(s): *abstersarius* Boisduval,1840
 21202) *Peribatodes buxcolarius* (Mabille,1873) (Geometridae) Synonym(s): *buxcolarius* Mabille,1873
 21203) *Peribatodes correptarius* (Zeller,1847) (Geometridae) Synonym(s): *correptaria* Zeller,1847.
 21204) *Peribatodes correptarius syrilibanoni* (Wehrli,1931) (Geometridae) Synonym(s): *syrilibanoni* Wehrli,1931; *syrilibani* Wehrli,1933
 21205) *Peribatodes dragone* Laever & Parenzan,1985 (Geometridae) Synonym(s): *dragone* Laever & Parenzan,1985
 21206) *Peribatodes ilicarius* (Geyer,1833) (Geometridae) Synonym(s): *ilicaria* Geyer,1833; *manuelarius* Herrich-Schäffer,1852.
 21207) *Peribatodes inaequalis* (Goeze,1781) (Geometridae) Synonym(s): *#rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemmaria* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *syrilaurica* Wehrli,1931
 21208) *Peribatodes perversarius* (Boisduval,1840) (Geometridae) Synonym(s): *perversarius* Boisduval,1840
 21209) *Peribatodes powelli* (Oberthür,1913) (Geometridae) Synonym(s): *powelli* Oberthür,1913
 21210) *Peribatodes psoralarius* (Millière,1885) (Geometridae) Synonym(s): *psoralarius* Millière,1885
 21211) *Peribatodes secundarius* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *#secundaria* [Denis & Schiffermüller],1775; *fallentaria* Staudinger,1879; *druentaria* Cleu,1928; *syrisca* Wehrli,1933; *francosuevica* Schneider,1942; *rometschi* Schneider,1942; *occidentaria* Lempke,1953
 21212) *Peribatodes subflavarius* (Millière,1876) (Geometridae) Synonym(s): *subflavarius* Millière,1876
 21213) *Peribatodes umbrarius* (Hübner,[1809]) (Geometridae) Synonym(s): *umbraria* Hübner,[1809]; *vaucheri* Thierry-Mieg,1916
 21214) *Peribatodes umbrarius khenchelae* (Wehrli,1943) (Geometridae) Synonym(s): *powelli* Oberthür,1913 nec Obth.,1913; *khenchelae* Wehrli,1943
 21215) *Peribatodes umbrarius mimeuri* (Rungs,1950) (Geometridae) Synonym(s): *mimeuri* Rungs,1950
 21216) *Peribatodes umbrarius panorma* (Wehrli,1943) (Geometridae) Synonym(s): *panorma* Wehrli,1943
 21217) *Peribatodes umbrarius syrianus* (Wehrli,1943) (Geometridae) Synonym(s): *syrianus* Wehrli,1943; *#syrianus* Hausmann,1997
 21218) *Peribatodes umbrarius umbrarius* (Hübner,[1809]) (Geometridae) Synonym(s): *umbraria* Hübner,[1809]; *vaucheri* Thierry-Mieg,1916
 21219) *Perixera absconditaria* (Walker,1863) (Geometridae) Synonym(s): *absconditaria* Walker,1863
 21220) *Perixera absconditaria assamica* (L.B.Prout,1938) (Geometridae) Synonym(s): *assamica* L.B.Prout,1938
 21221) *Perixera argentosa* (L.B.Prout,1920) (Geometridae) Synonym(s): *argentosa* L.B.Prout,1920
 21222) *Perixera argyromma* (W.Warren,1896) (Geometridae) Synonym(s): *argyromma* W.Warren,1896
 21223) *Perixera celebensis* (L.B.Prout,1938) (Geometridae) Synonym(s): *celebensis* L.B.Prout,1938
 21224) *Perixera clandestina* (L.B.Prout,1918) (Geometridae) Synonym(s): *clandestina* L.B.Prout,1918
 21225) *Perixera contrariata* (Walker,1861) (Geometridae) Synonym(s): *contrariata* Walker,1861; *variospila* W.Warren,1901; *falsareolaria* Oberthür,1916
 21226) *Perixera dalmatensis* (Holloway,1979) (Geometridae) Synonym(s): *dalmatensis* Holloway,1979
 21227) *Perixera decretaria* (Walker,1861) (Geometridae) Synonym(s): *decretaria* Walker,1861; *privata* Walker,1861
 21228) *Perixera denticulata* (Hampson,1895) (Geometridae) Synonym(s): *denticulata* Hampson,1895; *mediusta* W.Warren,1895
 21229) *Perixera dotilla* (Swinhoe,1894) (Geometridae) Synonym(s): *dotilla* Swinhoe,1894
 21230) *Perixera flavirubra* W.Warren,1896 (Geometridae) Synonym(s): *flavirubra* W.Warren,1896; *transversata* W.Warren,1897
 21231) *Perixera flavirubra flavareata* (W.Warren,1897) (Geometridae) Synonym(s): *flavareata* W.Warren,1897
 21232) *Perixera flavirubra hyperperhes* (L.B.Prout,1938) (Geometridae) Synonym(s): *hyperperhes* L.B.Prout,1938
 21233) *Perixera gaeta* (Swinhoe,1902) (Geometridae) Synonym(s): *gaeta* Swinhoe,1902
 21234) *Perixera gloria* (G.S.Robinson,1975) (Geometridae) Synonym(s): *gloria* G.S.Robinson,1975
 21235) *Perixera illepidaria* (Guenée,[1858]) (Geometridae) Synonym(s): *illepidaria* Guenée,[1858]; *semicompleta* Walker,1861; *immemoraria* Walker,1866; *strictaria* Snellen,1881
 21236) *Perixera insitiva* (L.B.Prout,1920) (Geometridae) Synonym(s): *insitiva* L.B.Prout,1920
 21237) *Perixera javensis* (W.Warren,1897) (Geometridae) Synonym(s): *javensis* W.Warren,1897
 21238) *Perixera jocos* (W.Warren,1896) (Geometridae) Synonym(s): *jocosa* W.Warren,1896
 21239) *Perixera kohensis* (Holloway,1979) (Geometridae) Synonym(s): *kohensis* Holloway,1979
 21240) *Perixera melantoches* (L.B.Prout,1938) (Geometridae) Synonym(s): *melantoches* L.B.Prout,1938
 21241) *Perixera monetaria* (Guenée,[1858]) (Geometridae) Synonym(s): *monetaria* Guenée,[1858]; *areolaria* Guenée,[1858]; *argentspila* W.Warren,1893; *hyperythra* Swinhoe,1894; *pleniluna* W.Warren,1897
 21242) *Perixera nesidica* (L.B.Prout,1931) (Geometridae) Synonym(s): *nesidica* L.B.Prout,1931
 21243) *Perixera niveopuncta* (W.Warren,1897) (Geometridae) Synonym(s): *niveopuncta* W.Warren,1897; *decolorata* W.Warren,1897; *paucinotata* W.Warren,1901; *indigens* W.Warren,1906
 21244) *Perixera obliivaria* (Walker,1861) (Geometridae) Synonym(s): *obliivaria* Walker,1861; *suspiciaria* Snellen,1881; *rufidorsata* W.Warren,1896; *rufannularia* W.Warren,1897
 21245) *Perixera obrinaria* (Guenée,[1858]) (Geometridae) Synonym(s): *obrinaria* Guenée,[1858]; *caligata* Walker,[1863]; *contractata* Walker,[1863]; *similaria* Walker,[1863]; *rubrisecta* W.Warren,1898
 21246) *Perixera ochraria* (Swinhoe,1902) (Geometridae) Synonym(s): *ochraria* Swinhoe,1902
 21247) *Perixera ochreofusa* Holloway,1997 (Geometridae) Synonym(s): *ochreofusa* Holloway,1997
 21248) *Perixera paragloria* (Holloway,1979) (Geometridae) Synonym(s): *paragloria* Holloway,1979
 21249) *Perixera penumbra* (W.Warren,1895) (Geometridae) Synonym(s): *penumbra* W.Warren,1895
 21250) *Perixera perscripta* (L.B.Prout,1938) (Geometridae) Synonym(s): *perscripta* L.B.Prout,1938
 21251) *Perixera pictimaculis* (L.B.Prout,1929) (Geometridae) Synonym(s): *pictimaculis* L.B.Prout,1929
 21252) *Perixera prionodes* (Meyrick,1886) (Geometridae) Synonym(s): *prionodes* Meyrick,1886
 21253) *Perixera punctata* (W.Warren,1897) (Geometridae) Synonym(s): *punctata* W.Warren,1897
 21254) *Perixera pyrrhocrica* (L.B.Prout,1926) (Geometridae) Synonym(s): *pyrrhocrica* L.B.Prout,1926
 21255) *Perixera roseofusa* W.Warren,1896 (Geometridae) Synonym(s): *roseofusa* W.Warren,1896
 21256) *Perixera sabulosa* (W.Warren,1895) (Geometridae) Synonym(s): *sabulosa* W.Warren,1895
 21257) *Perixera samoana* (W.Warren,1897) (Geometridae) Synonym(s): *samoana* W.Warren,1897
 21258) *Perixera sarawackaria* (Guenée,[1858]) (Geometridae) Synonym(s): *sarawackaria* Guenée,[1858]; *lichenaria* Swinhoe,1892; *obscurata* W.Warren,1893
 21259) *Perixera sordidata* (W.Warren,1896) (Geometridae) Synonym(s): *sordidata* W.Warren,1896; *grisea* W.Warren,1898; *odontota* Turner,1908
 21260) *Perixera subsimilis* W.Warren,1897 (Geometridae) Synonym(s): *subsimilis* W.Warren,1897
 21261) *Perixera thermosaria* (Walker,[1863]) (Geometridae) Synonym(s): *thermosaria* Walker,[1863]
 21262) *Perizoma affinis* (Moore,1888) (Geometridae) Synonym(s): *affinis* Moore,1888
 21263) *Perizoma affinitata* (Stephens,1831) (Geometridae) Synonym(s): *affinitata* Stephens,1831
 21264) *Perizoma africana* (Warren,1911) (Geometridae) Synonym(s): *africana* Warren,1911
 21265) *Perizoma albidivisa* W.Warren,1893 (Geometridae) Synonym(s): *albidivisa* W.Warren,1893
 21266) *Perizoma albofasciata* (Moore,1888) (Geometridae) Synonym(s): *albofasciata* Moore,1888; *mixtifascia* L.B.Prout,1938
 21267) *Perizoma albulata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *albulata* [Denis & Schiffermüller],1775; *dissoluta* Strand,1902
 21268) *Perizoma alchemillata* (Linnaeus,1758) (Geometridae) Synonym(s): *alchemillata* Linnaeus,1758; *rivulata* [Denis & Schiffermüller],1775; *nassata* Fabricius,1794; *alchemillaria* Borkhausen,1794; *aparinata* Hübner,[1825]; *silenata* Stephens,1850; *fennica* Reuter,1893
 21269) *Perizoma alumna* (Prout,1925) (Geometridae) Synonym(s): *alumna* Prout,1925
 21270) *Perizoma antisticta* (L.B.Prout,1938) (Geometridae) Synonym(s): *antisticta* L.B.Prout,1938
 21271) *Perizoma apicistrigata* W.Warren,1893 (Geometridae) Synonym(s): *apicistrigata* W.Warren,1893
 21272) *Perizoma artifex* L.B.Prout,1925 (Geometridae) Synonym(s): *artifex* L.B.Prout,1925
 21273) *Perizoma artifex artifex* L.B.Prout,1925 (Geometridae) Synonym(s): *artifex* L.B.Prout,1925
 21274) *Perizoma artifex basutensis* L.B.Prout,1925 (Geometridae) Synonym(s): *basutensis* L.B.Prout,1925
 21275) *Perizoma bicolor* W.Warren,1893 (Geometridae) Synonym(s): *bicolor* W.Warren,1893

- 21276) *Perizoma bifaciata* (Haworth,1809) (Geometridae) Synonym(s): *bifaciata* Haworth,1809; *unifasciata* Haworth,1809; *#bifaciata* Haworth,[1828]; *aquilaria* Herrich-Schäffer,1848; *linolata* Guenée,[1858]; *odontata* Millière,1870
- 21277) *Perizoma blandiata* (Denis & Schiffermüller,1775) (Geometridae) Synonym(s): *blandiata* [Denis & Schiffermüller],1775; *adaequata* Borkhausen,1794; *derasata* Schrank,1802; *trigonata* Haworth,1809; *dilacerata* Zetterstedt,1839; *blandiaria* Boisduval,1840; *jucundaria* Boisduval,1840; *albidata* Eversmann,1842.
- 21278) *Perizoma cesa* Kemal & Koçak,2004 (Geometridae) Synonym(s): *interrupta* Grossbeck,1910 *nec* Wrr.,1893; *cesa* Kemal & Koçak,2004
- 21279) *Perizoma conjuncta* W.Warren,1893 (Geometridae) Synonym(s): *conjuncta* W.Warren,1893
- 21280) *Perizoma constricta* W.Warren,1901 (Geometridae) Synonym(s): *constricta* W.Warren,1901
- 21281) *Perizoma contrita* (L.B.Prout,1914) (Geometridae) Synonym(s): *contrita* L.B.Prout,1914
- 21282) *Perizoma decorata* (Moore,1888) (Geometridae) Synonym(s): *decorata* Moore,1888; *quadrinotata* W.Warren,1896
- 21283) *Perizoma didymata* (Linnaeus,1758) (Geometridae) Synonym(s): *didymata* Linnaeus,1758; *inundaria* [Denis & Schiffermüller],1775; *scabrata* Hübner,[1799]; *alpestrata* Hübner,[1809]; *scabraria* Hübner,[1825]; *attenuata* Culot,1919; *pyraeneata* Bubacek,1926; *trifasciata* Warnecke,1936; *koehni* Warnecke,1936; *gedrensis* Prout,1937
- 21284) *Perizoma epipercna* (Prout,1913) (Geometridae) Synonym(s): *epipercna* Prout,1913
- 21285) *Perizoma eviscerata* W.Warren,1914 (Geometridae) Synonym(s): *eviscerata* W.Warren,1914
- 21286) *Perizoma fasciata* W.Warren,1893 (Geometridae) Synonym(s): *fasciata* W.Warren,1893
- 21287) *Perizoma fasciata* W.Warren,1893 (Geometridae) Synonym(s): *fasciata* W.Warren,1893
- 21288) *Perizoma flavofasciata* (Thunberg,1792) (Geometridae) Synonym(s): *flavofasciata* Thunberg,1792; *decolorata* Thunberg,[1799] *nec* Viller,1789.
- 21289) *Perizoma flavofasciata romieuxi* Wiltshire,1964 (Geometridae) Synonym(s): *romieuxi* Wiltshire,1964
- 21290) *Perizoma flavosparsata* (Wagner,1926) (Geometridae) Synonym(s): *flavosparsata* Wagner,1926; *perpusillata* Fernandez,1931
- 21291) *Perizoma gigas* Wiltshire,1976 (Geometridae) Synonym(s): *gigas* Wiltshire,1976
- 21292) *Perizoma haasi* (Hedemann,1881) (Geometridae) Synonym(s): *haasi* Hedemann,1881
- 21293) *Perizoma hockingii* (Butler,1889) (Geometridae) Synonym(s): *hockingii* Butler,1889
- 21294) *Perizoma hydrata* (Treitschke,1829) (Geometridae) Synonym(s): *hydrata* Treitschke,1829; *flexuosaria* Boheman,1852
- 21295) *Perizoma hydrata hydrata* (Treitschke,1829) (Geometridae) Synonym(s): *hydrata* Treitschke,1829; *flexuosaria* Boheman,1852
- 21296) *Perizoma hydrata masal* Kemal & Koçak,2004 (Geometridae) Synonym(s): *fasciata* Turati & Verity,1912 *nec* Wrr.,1893; *masal* Kemal & Koçak,2004
- 21297) *Perizoma incultaria* (Herrich-Schäffer,1848) (Geometridae) Synonym(s): *incultaria* Herrich-Schäffer,1848
- 21298) *Perizoma interrupta* W.Warren,1893 (Geometridae) Synonym(s): *interrupta* W.Warren,1893
- 21299) *Perizoma interrupta* W.Warren,1893 (Geometridae) Synonym(s): *interrupta* W.Warren,1893
- 21300) *Perizoma lacernigera* (Butler,1889) (Geometridae) Synonym(s): *lacernigera* Butler,1889
- 21301) *Perizoma lacteiguttata* W.Warren,1893 (Geometridae) Synonym(s): *lacteiguttata* W.Warren,1893
- 21302) *Perizoma lamprammodes* (Prout,1911) (Geometridae) Synonym(s): *lamprammodes* Prout,1911
- 21303) *Perizoma lineola* Bastelberger,1911 (Geometridae) Synonym(s): *lineola* Bastelberger,1911
- 21304) *Perizoma lucifrons* L.B.Prout,1926 (Geometridae) Synonym(s): *lucifrons* L.B.Prout,1926; *lychnobia* L.B.Prout,1938
- 21305) *Perizoma lugdunaria* (Herrich-Schäffer,1855) (Geometridae) Synonym(s): *lugdunaria* Herrich-Schäffer,1855
- 21306) *Perizoma maculata* (Moore,1888) (Geometridae) Synonym(s): *maculata* Moore,1888
- 21307) *Perizoma maerens* (Staudinger,1892) (Geometridae) Synonym(s): *maerens* Staudinger,1892
- 21308) *Perizoma medangularis* (L.B.Prout,1914) (Geometridae) Synonym(s): *mediangularis* L.B.Prout,1914
- 21309) *Perizoma minimata* (Staudinger,1897) (Geometridae) Synonym(s): *minimata* Staudinger,1897
- 21310) *Perizoma minorata* (Treitschke,1828) (Geometridae) Synonym(s): *minorata* Treitschke,1828
- 21311) *Perizoma mordax* L.B.Prout,1939 (Geometridae) Synonym(s): *mordax* L.B.Prout,1939
- 21312) *Perizoma niveiplaga* Bastelberger,1909 (Geometridae) Synonym(s): *niveiplaga* Bastelberger,1909
- 21313) *Perizoma obscurata* Bastelberger,1909 (Geometridae) Synonym(s): *obscurata* Bastelberger,1909
- 21314) *Perizoma obsoletata* (Herrich-Schäffer,1838) (Geometridae) Synonym(s): *obsoletata* Herrich-Schäffer,1838; *alpicolaria* Herrich-Schäffer,1848; *gentianata* Millière,1873; *juracolaria* Wehrli,1939
- 21315) *Perizoma ochreotincta* Wileman,1915 (Geometridae) Synonym(s): *ochreotincta* Wileman,1915
- 21316) *Perizoma olivacea* (W.Warren,1893) (Geometridae) Synonym(s): *olivacea* W.Warren,1893
- 21317) *Perizoma omnifasciaria* Inoue,1998 (Geometridae) Synonym(s): *omnifasciaria* Inoue,1998
- 21318) *Perizoma onurcani* Can & Mironov,2006 (Geometridae) Synonym(s): *onurcani* Can & Mironov,2006
- 21319) *Perizoma parahydrata* Alberti,1969 (Geometridae) Synonym(s): *parahydrata* Alberti,1969
- 21320) *Perizoma parallelineata* (Retzius,1783) (Geometridae) Synonym(s): *parallelineata* Retzius,1783; *praelalaria* Villers,1789; *subduplicaria* Costa,[1849]
- 21321) *Perizoma parvaria* (Leech,1891) (Geometridae) Synonym(s): *parvaria* Leech,1891; *ablegata* Staudinger,1897
- 21322) *Perizoma petrogenes* (Prout,1922) (Geometridae) Synonym(s): *petrogenes* Prout,1922
- 21323) *Perizoma phidola* (L.B.Prout,1938) (Geometridae) Synonym(s): *phidola* L.B.Prout,1938
- 21324) *Perizoma poliosana* Rebel,1948 (Geometridae) Synonym(s): *poliosana* Rebel,1948
- 21325) *Perizoma promptata* (Püngeler,1909) (Geometridae) Synonym(s): *promptata* Püngeler,1909
- 21326) *Perizoma prouti* (Schawerda,1934) (Geometridae) Synonym(s): *prouti* Schawerda,1934
- 21327) *Perizoma puerilis* L.B.Prout,1926 (Geometridae) Synonym(s): *puerilis* L.B.Prout,1926
- 21328) *Perizoma rantaizanensis* Wileman,1915 (Geometridae) Synonym(s): *rantaizanensis* Wileman,1915
- 21329) *Perizoma rectifasciata* (Hampson,1902) (Geometridae) Synonym(s): *rectifasciata* Hampson,1902
- 21330) *Perizoma reisseri* (Schawerda,1932) (Geometridae) Synonym(s): *reisseri* Schawerda,1932
- 21331) *Perizoma sagittata* (Fabricius,1787) (Geometridae) Synonym(s): *bidentata* Hufnagel,1767 (*praeocc.*); *sagittata* Fabricius,1787; *comitata* Hübner,[1800]
- 21332) *Perizoma schistacea* (Moore,1888) (Geometridae) Synonym(s): *schistacea* Moore,1888
- 21333) *Perizoma seriata* (Moore,1888) (Geometridae) Synonym(s): *seriata* Moore,1888; *niveiplaga* Bastelberger,1909
- 21334) *Perizoma simulatum* Wileman,1911 (Geometridae) Synonym(s): *simulatum* Wileman,1911
- 21335) *Perizoma* sp. (Geometridae) Synonym(s):
- 21336) *Perizoma subviridis* (Hampson,1902) (Geometridae) Synonym(s): *subviridis* Hampson,1902
- 21337) *Perizoma sugii* Inoue,1998 (Geometridae) Synonym(s): *sugii* Inoue,1998
- 21338) *Perizoma taiwana* Wileman,1911 (Geometridae) Synonym(s): *taiwana* Wileman,1911; *arizanensis* Wileman,1915
- 21339) *Perizoma tenuifascia* W.Warren,1896 (Geometridae) Synonym(s): *tenuifascia* W.Warren,1896
- 21340) *Perizoma triplagiata* W.Warren,1896 (Geometridae) Synonym(s): *triplagiata* W.Warren,1896
- 21341) *Perizoma variabilis* W.Warren,1893 (Geometridae) Synonym(s): *variabilis* W.Warren,1893
- 21342) *Perizoma verberata* (Scopoli,1763) (Geometridae) Synonym(s): *verberata* Scopoli,1763; *rupestrata* [Denis & Schiffermüller],1775; *bassiaria* Feisthamel,1835; *vogesaria* Peyerimhoff,1880; *pawlitcheiki* Hormuzaki,1899
- 21343) *Perizoma vinculata* (Staudinger,1896) (Geometridae) Synonym(s): *vinculata* Staudinger,1896
- 21344) *Petelia aesyra* L.B.Prout,1930 (Geometridae) Synonym(s): *aesyra* L.B.Prout,1930
- 21345) *Petelia albopunctata* (Swinhoe,1891) (Geometridae) Synonym(s): *albopunctata* Swinhoe,1891
- 21346) *Petelia delostigma* L.B.Prout,1932 (Geometridae) Synonym(s): *delostigma* L.B.Prout,1932
- 21347) *Petelia distracta* (Walker,1860) (Geometridae) Synonym(s): *distracta* Walker,1860; *strigularia* Walker,[1863]
- 21348) *Petelia erythroides* (Wehrli,1936) (Geometridae) Synonym(s): *erythroides* Wehrli,1936
- 21349) *Petelia fasciata* (Moore,1868) (Geometridae) Synonym(s): *fasciata* Moore,1868
- 21350) *Petelia immaculata* Hampson,1893 (Geometridae) Synonym(s): *immaculata* Hampson,1893
- 21351) *Petelia medardaria* (Herrich-Schäffer,[1856]) (Geometridae) Synonym(s): *medardaria* Herrich-Schäffer,[1856]; *chacoraca* Walker,1860; *chandubija* Walker,1860
- 21352) *Petelia orbapicalis* Herbulot,1993 (Geometridae) Synonym(s): *orbapicalis* Herbulot,1993
- 21353) *Petelia paroobathra* L.B.Prout,1932 (Geometridae) Synonym(s): *paroobathra* L.B.Prout,1932
- 21354) *Petelia rioberaia* (Walker,1860) (Geometridae) Synonym(s): *rioberaia* Walker,1860
- 21355) *Petelia rivulosa* (Butler,1881) (Geometridae) Synonym(s): *rivulosa* Butler,1881
- 21356) *Petelia trifascia* Holloway,1979 (Geometridae) Synonym(s): *trifascia* Holloway,1979

- 21357) *Petelia tuhana* Holloway, 1976 (Geometridae) Synonym(s): *tuhana* Holloway, 1976
- 21358) *Petovia marginata* (Walker, 1854) (Geometridae) Synonym(s): *marginata* Walker, 1854; *dichroaria* Herrich-Schäffer, [1854]; *incertaria* Guenée, 1858; *amatonga* Vuillot, 1892; *perversaria* Gaede, 1917
- 21359) *Petrophora binaevata* (Mabille, 1869) (Geometridae) Synonym(s): *binaevata* Mabille, 1869
- 21360) *Petrophora chlorosata* (Scopoli, 1763) (Geometridae) Synonym(s): *chlorosata* Scopoli, 1763; *innata* Fabricius, 1794; *virgaria* Borkhausen, 1794; *petraria* Hübner, [1799]; *petrata* Haworth, 1809.
- 21361) *Petrophora convergata* (Villers, 1789) (Geometridae) Synonym(s): *convergata* Villers, 1789; *scutularia* Duponchel, 1830; *permutaria* Freyer, [1836]; *petlaria* Boisduval, 1840
- 21362) *Petrophora narbonea* (Linnaeus, 1767) (Geometridae) Synonym(s): *narbonea* Linnaeus, 1767; *partitaria* Hübner, [1813]
- 21363) *Phaioграмма etruscaria* (Zeller, 1849) (Geometridae) Synonym(s): *etruscaria* Zeller, 1849; *pulmentaria* Guenée, [1858]; *palaestinensis* Fuchs, 1903.
- 21364) *Phaioграмма faustinata* (Millière, 1868) (Geometridae) Synonym(s): *faustinata* Millière, 1868; *rhoisaria* Chrétien, 1909.
- 21365) *Phaioграмма polemia* (Prout, 1920) (Geometridae) Synonym(s): *polemia* Prout, 1920
- 21366) *Phaioграмма stibolepida* (Butler, 1879) (Geometridae) Synonym(s): *stibolepida* Butler, 1879; *pallidularia* Mabille, 1880
- 21367) *Phaselia algiricaria* Oberthür, 1913 (Geometridae) Synonym(s): *algiricaria* Oberthür, 1913
- 21368) *Phaselia algiricaria algiricaria* Oberthür, 1913 (Geometridae) Synonym(s): *algiricaria* Oberthür, 1913
- 21369) *Phaselia algiricaria aragona* Wehrli, 1941 (Geometridae) Synonym(s): *aragona* Wehrli, 1941
- 21370) *Phaselia algiricaria gigantaria* Schwingenschuss, 1936 (Geometridae) Synonym(s): *gigantaria* Schwingenschuss, 1936
- 21371) *Phaselia algiricaria relictata* (Turati, 1930) (Geometridae) Synonym(s): *relictata* Turati, 1930
- 21372) *Phaselia deliciosaria* (Lederer, 1855) (Geometridae) Synonym(s): *deliciosaria* Lederer, 1855
- 21373) *Phaselia erika* Ebert, 1965 (Geometridae) Synonym(s): *erika* Ebert, 1965
- 21374) *Phaselia joestleinae* Hausmann, 1996 (Geometridae) Synonym(s): *joestleinae* Hausmann, 1996
- 21375) *Phaselia kasyi* Wiltshire, 1966 (Geometridae) Synonym(s): *kasyi* Wiltshire, 1966
- 21376) *Phaselia naryana* Oberthür, 1913 (Geometridae) Synonym(s): *naryana* Oberthür, 1913
- 21377) *Phaselia phoeniciaria* (Turati & C.G.Krüger, 1936) (Geometridae) Synonym(s): *phoeniciaria* Turati & C.G.Krüger, 1936
- 21378) *Phaselia serrularia* (Eversmann, 1847) (Geometridae) Synonym(s): *serrularia* Eversmann, 1847; *phaeoleucaria* Lederer, 1855.
- 21379) *Phaselia serrularia catharia* Wehrli, 1941 (Geometridae) Synonym(s): *catharia* Wehrli, 1941
- 21380) *Phaselia serrularia pithana* Wehrli, 1941 (Geometridae) Synonym(s): *pithana* Wehrli, 1941
- 21381) *Phaselia serrularia serrularia* (Eversmann, 1847) (Geometridae) Synonym(s): *serrularia* Eversmann, 1847; *phaeoleucaria* Lederer, 1855.
- 21382) *Phaselia serrularia shurensis* Wehrli, 1941 (Geometridae) Synonym(s): *shurensis* Wehrli, 1941
- 21383) *Phibalapteryx virgata* (Hufnagel, 1767) (Geometridae) Synonym(s): *virgata* Hufnagel, 1767; *lineolata* [Denis & Schiffermüller], 1775; *obliquata* Thunberg, 1784; *lineolaria* Boisduval, 1840
- 21384) *Phigalia armeniacae* (Djakonov, 1949) (Geometridae) Synonym(s): *armeniaca* Djakonov, 1949
- 21385) *Phigalia declinata* (Staudinger, 1882) (Geometridae) Synonym(s): *declinata* Staudinger, 1882; *suidunaria* Alpheraky, 1883; *#suidanaria* Scoble, 1999.
- 21386) *Phigalia pedaria* (Fabricius, 1787) (Geometridae) Synonym(s): *#pilosaria* [Denis & Schiffermüller], 1775; *pedaria* Fabricius, 1787.
- 21387) *Philereme instabilis* (Alpheraky, 1883) (Geometridae) Synonym(s): *instabilis* Alpheraky, 1883
- 21388) *Philereme senescens* (Staudinger, 1892) (Geometridae) Synonym(s): *senescens* Staudinger, 1892
- 21389) *Philereme transversata* (Hufnagel, 1767) (Geometridae) Synonym(s): *transversata* Hufnagel, 1767; *rhannata* [Denis & Schiffermüller], 1775.
- 21390) *Philereme vetulata* [Denis & Schiffermüller], 1775 (Geometridae) Synonym(s): *undulataria* Hufnagel, 1767; *vetulata* [Denis & Schiffermüller], 1775; *affectata* Eversmann, 1842; *subductata* Walker, 1862
- 21391) *Phoenicocampa terinata* (R.Felder & Rogenhofer, 1875) (Geometridae) Synonym(s): *terinata* R.Felder & Rogenhofer, 1875
- 21392) *Pholodes fuliginea* (Hampson, 1891) (Geometridae) Synonym(s): *fuliginea* Hampson, 1891; *atrifasciata* W. Warren, 1893; *indigna* W. Warren, 1899
- 21393) *Pholodes nigrescens* (W. Warren, 1893) (Geometridae) Synonym(s): *nigrescens* W. Warren, 1893
- 21394) *Pholodes squamosa* (W. Warren, 1896) (Geometridae) Synonym(s): *squamosa* W. Warren, 1896
- 21395) *Photoscotosia achrolopha* (Püngeler, 1900) (Geometridae) Synonym(s): *achrolopha* Püngeler, 1900
- 21396) *Photoscotosia albapex* (Hampson, 1895) (Geometridae) Synonym(s): *albapex* Hampson, 1895
- 21397) *Photoscotosia albomacularia* Leech, 1897 (Geometridae) Synonym(s): *albomacularia* Leech, 1897
- 21398) *Photoscotosia amplicata* (Walker, 1862) (Geometridae) Synonym(s): *amplicata* Walker, 1862; *trisinata* Moore, 1868; *dejeani* Oberthür, 1893
- 21399) *Photoscotosia annubilata* L.B.Prout, 1940 (Geometridae) Synonym(s): *annubilata* L.B.Prout, 1940
- 21400) *Photoscotosia antitypa* Brandt, 1941 (Geometridae) Synonym(s): *antitypa* Brandt, 1941
- 21401) *Photoscotosia apicinotaria* Leech, 1897 (Geometridae) Synonym(s): *apicinotaria* Leech, 1897
- 21402) *Photoscotosia atromarginata* W. Warren, 1893 (Geometridae) Synonym(s): *atromarginata* W. Warren, 1893
- 21403) *Photoscotosia atrophica* Xue, 1988 (Geometridae) Synonym(s): *atrophica* Xue, 1988
- 21404) *Photoscotosia chlorochrota* Hampson, 1902 (Geometridae) Synonym(s): *chlorochrota* Hampson, 1902
- 21405) *Photoscotosia dejuncta* L.B.Prout, 1937 (Geometridae) Synonym(s): *dejuncta* L.B.Prout, 1937
- 21406) *Photoscotosia dejuta* L.B.Prout, 1937 (Geometridae) Synonym(s): *dejuta* L.B.Prout, 1937
- 21407) *Photoscotosia diochoticha* Xue, 1988 (Geometridae) Synonym(s): *diochoticha* Xue, 1988
- 21408) *Photoscotosia dipaega* L.B.Prout, 1940 (Geometridae) Synonym(s): *dipaega* L.B.Prout, 1940
- 21409) *Photoscotosia elegantissima* Inoue, 1988 (Geometridae) Synonym(s): *elegantissima* Inoue, 1988
- 21410) *Photoscotosia eudiosa* Xue, 1988 (Geometridae) Synonym(s): *eudiosa* Xue, 1988
- 21411) *Photoscotosia eutheria* Xue, 1988 (Geometridae) Synonym(s): *eutheria* Xue, 1988
- 21412) *Photoscotosia fasciaria* Leech, 1897 (Geometridae) Synonym(s): *fasciaria* Leech, 1897
- 21413) *Photoscotosia ferrearia* Xue, 1988 (Geometridae) Synonym(s): *ferrearia* Xue, 1988
- 21414) *Photoscotosia fulguritis* W. Warren, 1893 (Geometridae) Synonym(s): *fulguritis* W. Warren, 1893; *keraria* Swinhoe, 1893
- 21415) *Photoscotosia funebris* W. Warren, 1895 (Geometridae) Synonym(s): *funebris* W. Warren, 1895
- 21416) *Photoscotosia gracilescens* Xue & Meng, 1992 (Geometridae) Synonym(s): *gracilescens* Xue & Meng, 1992
- 21417) *Photoscotosia indecora* L.B.Prout, 1940 (Geometridae) Synonym(s): *indecora* L.B.Prout, 1940
- 21418) *Photoscotosia insularis* Bastelberger, 1909 (Geometridae) Synonym(s): *insularis* Bastelberger, 1909
- 21419) *Photoscotosia isosticta* L.B.Prout, 1940 (Geometridae) Synonym(s): *isosticta* L.B.Prout, 1940
- 21420) *Photoscotosia leechi* (Alpheraky, 1892) (Geometridae) Synonym(s): *leechi* Alpheraky, 1892
- 21421) *Photoscotosia leuconia* Xue, 1988 (Geometridae) Synonym(s): *leuconia* Xue, 1988
- 21422) *Photoscotosia lucicolens* (Butler, 1878) (Geometridae) Synonym(s): *lucicolens* Butler, 1878
- 21423) *Photoscotosia metachryseis* Hampson, 1896 (Geometridae) Synonym(s): *metachryseis* Hampson, 1896
- 21424) *Photoscotosia mimetica* Xue, 1988 (Geometridae) Synonym(s): *mimetica* Xue, 1988
- 21425) *Photoscotosia miniosata* (Walker, 1862) (Geometridae) Synonym(s): *miniosata* Walker, 1862
- 21426) *Photoscotosia miniosata cupha* L.B.Prout, 1931 (Geometridae) Synonym(s): *cupha* L.B.Prout, 1931
- 21427) *Photoscotosia miniosata miniosata* (Walker, 1862) (Geometridae) Synonym(s): *miniosata* Walker, 1862
- 21428) *Photoscotosia multilinea* W. Warren, 1893 (Geometridae) Synonym(s): *multilinea* W. Warren, 1893
- 21429) *Photoscotosia multiplicata* W. Warren, 1898 (Geometridae) Synonym(s): *multiplicata* W. Warren, 1898; *erebenna* L.B.Prout, 1935
- 21430) *Photoscotosia nitida* Inoue, 1982 (Geometridae) Synonym(s): *nitida* Inoue, 1982
- 21431) *Photoscotosia nubilata* (Moore, 1888) (Geometridae) Synonym(s): *nubilata* Moore, 1888
- 21432) *Photoscotosia obliquisignata* (Moore, 1888) (Geometridae) Synonym(s): *obliquisignata* Moore, 1888; *stigmatica* W. Warren, 1894
- 21433) *Photoscotosia palaearctica* (Staudinger, 1882) (Geometridae) Synonym(s): *palaearctica* Staudinger, 1882; *fusca* Staudinger, 1901
- 21434) *Photoscotosia pallidimaculata* Yazaki, 1995 (Geometridae) Synonym(s): *pallidimaculata* Yazaki, 1995
- 21435) *Photoscotosia pallifasciaria* Leech, 1897 (Geometridae) Synonym(s): *pallifasciaria* Leech, 1897
- 21436) *Photoscotosia pamirica* (Vidalepp, 1988) (Geometridae) Synonym(s): *pamirica* Vidalepp, 1988
- 21437) *Photoscotosia penguionaria* (Oberthür, 1893) (Geometridae) Synonym(s): *penguionaria* Oberthür, 1893
- 21438) *Photoscotosia polysticha* L.B.Prout, 1940 (Geometridae) Synonym(s): *polysticha* L.B.Prout, 1940
- 21439) *Photoscotosia portentosaria* Xue & Meng, 1995 (Geometridae) Synonym(s): *portentosaria* Xue & Meng, 1995
- 21440) *Photoscotosia postmutata* L.B.Prout, 1914 (Geometridae) Synonym(s): *postmutata* L.B.Prout, 1914
- 21441) *Photoscotosia prasinotmeta* L.B.Prout, 1940 (Geometridae) Synonym(s): *prasinotmeta* L.B.Prout, 1940

- 21442) *Photoscotosia propugnataria* Leech,1897 (Geometridae) Synonym(s): *propugnataria* Leech,1897
 21443) *Photoscotosia prosenes* L.B.Prout,1940 (Geometridae) Synonym(s): *prosenes* L.B.Prout,1940
 21444) *Photoscotosia prosphorosticha* Xue,1988 (Geometridae) Synonym(s): *prosphorosticha* Xue,1988
 21445) *Photoscotosia rectilinearis* Leech,1897 (Geometridae) Synonym(s): *rectilinearis* Leech,1897
 21446) *Photoscotosia reperta* Xue,1988 (Geometridae) Synonym(s): *reperta* Xue,1988
 21447) *Photoscotosia rivularia* Leech,1897 (Geometridae) Synonym(s): *rivularia* Leech,1897
 21448) *Photoscotosia scrobifasciaria* Xue & Meng,1992 (Geometridae) Synonym(s): *scrobifasciaria* Xue & Meng,1992
 21449) *Photoscotosia sericata* Xue,1988 (Geometridae) Synonym(s): *sericata* Xue,1988
 21450) *Photoscotosia strostrigata* (Bremer,1864) (Geometridae) Synonym(s): *strostrigata* Bremer,1864
 21451) *Photoscotosia tonchignearia* (Oberthür,1893) (Geometridae) Synonym(s): *tonchignearia* Oberthür,1893
 21452) *Photoscotosia undulosa* (Alpheraky,1888) (Geometridae) Synonym(s): *undulosa* Alpheraky,1888
 21453) *Photoscotosia velutina* W.Warren,1895 (Geometridae) Synonym(s): *velutina* W.Warren,1895
 21454) *Phrissogonus laticostata* (Walker,1862) (Geometridae) Synonym(s): *laticostata* Walker,1862; *canata* Walker,1862; *laticostatus* Meyrick,1891
 21455) *Phthonandria atrilineata* (Butler,1881) (Geometridae) Synonym(s): *atrilineata* Butler,1881; *brunnearia* Herz,1905; *emarioides* Wehrli,1941; *epistygna* Wehrli,1941
 21456) *Phthonandria atrilineata atrilineata* (Butler,1881) (Geometridae) Synonym(s): *atrilineata* Butler,1881; *brunnearia* Herz,1905; *emarioides* Wehrli,1941; *epistygna* Wehrli,1941
 21457) *Phthonandria atrilineata cuneilinearis* (Wileman,1911) (Geometridae) Synonym(s): *cuneilinearis* Wileman,1911; *cuneilinearis* Wehrli,1941
 21458) *Phthonandria atrilineata indica* Inoue,1990 (Geometridae) Synonym(s): *indica* Inoue,1990
 21459) *Phthonandria conjunctiva* W.Warren,1896 (Geometridae) Synonym(s): *conjunctiva* W.Warren,1896
 21460) *Phthonandria emaria* (Bremer,1861) (Geometridae) Synonym(s): *emaria* Bremer,1861
 21461) *Phthonandria emaria emaria* (Bremer,1861) (Geometridae) Synonym(s): *emaria* Bremer,1861
 21462) *Phthonandria emaria periyangtsea* (Wehrli,1941) (Geometridae) Synonym(s): *periyangtsea* Wehrli,1941
 21463) *Phthonandria mollis* (De Joannis,1929) (Geometridae) Synonym(s): *mollis* De Joannis,1929
 21464) *Phthonandria pinguis* (W.Warren,1904) (Geometridae) Synonym(s): *pinguis* W.Warren,1904
 21465) *Phthonandria potopolskii* (Viidalepp,1988) (Geometridae) Synonym(s): *potopolskii* Viidalepp,1988
 21466) *Phthonoloba acrolophites* (L.B.Prout,1926) (Geometridae) Synonym(s): *acrolophites* L.B.Prout,1926
 21467) *Phthonoloba altissima* Holloway,1976 (Geometridae) Synonym(s): *altissima* Holloway,1976
 21468) *Phthonoloba altitudinum* (L.B.Prout,1931) (Geometridae) Synonym(s): *altitudinum* L.B.Prout,1931
 21469) *Phthonoloba aurantisquama* (W.Warren,1897) (Geometridae) Synonym(s): *aurantisquama* W.Warren,1897
 21470) *Phthonoloba bracteola* Holloway,1976 (Geometridae) Synonym(s): *bracteola* Holloway,1976
 21471) *Phthonoloba brevipalpis* (W.Warren,1899) (Geometridae) Synonym(s): *brevipalpis* W.Warren,1899
 21472) *Phthonoloba caliginosa* Holloway,1976 (Geometridae) Synonym(s): *caliginosa* Holloway,1976
 21473) *Phthonoloba fasciata* (Moore,1888) (Geometridae) Synonym(s): *fasciata* Moore,1888; *olivacea* W.Warren,1893
 21474) *Phthonoloba graphica* (L.B.Prout,1916) (Geometridae) Synonym(s): *graphica* L.B.Prout,1916
 21475) *Phthonoloba lutosa* Holloway,1976 (Geometridae) Synonym(s): *lutosa* Holloway,1976
 21476) *Phthonoloba micans* (L.B.Prout,1929) (Geometridae) Synonym(s): *micans* L.B.Prout,1929
 21477) *Phthonoloba permista* (L.B.Prout,1958) (Geometridae) Synonym(s): *permista* L.B.Prout,1958
 21478) *Phthonoloba punctatissima* (W.Warren,1897) (Geometridae) Synonym(s): *punctatissima* W.Warren,1897
 21479) *Phthonoloba stigmaphora* (L.B.Prout,1932) (Geometridae) Synonym(s): *stigmaphora* L.B.Prout,1932
 21480) *Phthonoloba violacea* (W.Warren,1906) (Geometridae) Synonym(s): *violacea* W.Warren,1906
 21481) *Phthonoloba viridifasciata* Inoue,1963 (Geometridae) Synonym(s): *viridifasciata* Inoue,1963
 21482) *Phthorarcha ishkovi* Viidalepp,1986 (Geometridae) Synonym(s): *ishkovi* Viidalepp,1986
 21483) *Phthorarcha primigena* Staudinger,1895 (Geometridae) Synonym(s): *primigena* Staudinger,1895
 21484) *Phyllometra argentaria* (A.Bang-Haas,1910) (Geometridae) Synonym(s): *argentaria* A.Bang-Haas,1910
 21485) *Phyllometra culminaria* (Eversmann,1843) (Geometridae) Synonym(s): *culminaria* Eversmann,1843; *desertaria* Freyer,1844.
 21486) *Phyllometra gracilaria* Boisduval,1840 (Geometridae) Synonym(s): *gracilaria* Boisduval,1840; *cacuminaria* Rambur,1866.
 21487) *Phyllometra planaria* (Chrétien,1911) (Geometridae) Synonym(s): *planaria* Chrétien,1911
 21488) *Phyllometra proutiana* Turati,1936 (Geometridae) Synonym(s): *proutiana* Turati,1936
 21489) *Phyllometra teneraria* (Staudinger,1892) (Geometridae) Synonym(s): *teneraria* Staudinger,1892; *coelestinaria* Alpheraky,1892.
 21490) *Physetobasis annulata* (Hampson,1891) (Geometridae) Synonym(s): *annulata* Hampson,1891
 21491) *Physetobasis dentifascia* Hampson,1895 (Geometridae) Synonym(s): *dentifascia* Hampson,1895
 21492) *Physetobasis dentifascia dentifascia* Hampson,1895 (Geometridae) Synonym(s): *dentifascia* Hampson,1895
 21493) *Physetobasis dentifascia kachinica* L.B.Prout,1958 (Geometridae) Synonym(s): *kachinica* L.B.Prout,1958
 21494) *Physetobasis dentifascia kiunkiangana* L.B.Prout,1958 (Geometridae) Synonym(s): *kiunkiangana* L.B.Prout,1958
 21495) *Physetobasis dentifascia mandarinaria* (Leech,1897) (Geometridae) Synonym(s): *mandarinaria* Leech,1897
 21496) *Physetobasis dentifascia rectipendens* L.B.Prout,1958 (Geometridae) Synonym(s): *rectipendens* L.B.Prout,1958
 21497) *Physetobasis dentifascia triangulifera* Inoue,1954 (Geometridae) Synonym(s): *triangulifera* Inoue,1954
 21498) *Physetobasis griseipennis* (Moore,1888) (Geometridae) Synonym(s): *griseipennis* Moore,1888
 21499) *Physetobasis heliocomia* Meyrick,1897 (Geometridae) Synonym(s): *heliocomia* Meyrick,1897
 21500) *Piercia bryophilaria* (W.Warren,1903) (Geometridae) Synonym(s): *bryophilaria* W.Warren,1903
 21501) *Piercia cidariata* (Guenée,[1858]) (Geometridae) Synonym(s): *cidariata* Guenée,[1858]
 21502) *Piercia ciliata* Janse,1933 (Geometridae) Synonym(s): *ciliata* Janse,1933
 21503) *Piercia dibola* L.B.Prout,1935 (Geometridae) Synonym(s): *dibola* L.B.Prout,1935
 21504) *Piercia dryas* (Prout,1915) (Geometridae) Synonym(s): *dryas* Prout,1915
 21505) *Piercia emmeles* (Prout,1922) (Geometridae) Synonym(s): *emmeles* Prout,1922
 21506) *Piercia leptophyes* L.B.Prout,1935 (Geometridae) Synonym(s): *leptophyes* L.B.Prout,1935
 21507) *Piercia lightfooti* (Prout,1925) (Geometridae) Synonym(s): *lightfooti* Prout,1925
 21508) *Piercia lightfooti ceres* L.B.Prout,1935 (Geometridae) Synonym(s): *ceres* L.B.Prout,1935
 21509) *Piercia lightfooti lightfooti* (Prout,1925) (Geometridae) Synonym(s): *lightfooti* Prout,1925
 21510) *Piercia nimipunctata* Janse,1933 (Geometridae) Synonym(s): *nimipunctata* Janse,1933
 21511) *Piercia olivata* Janse,1933 (Geometridae) Synonym(s): *olivata* Janse,1933
 21512) *Piercia perizomoides* (Prout,1916) (Geometridae) Synonym(s): *perizomoides* Prout,1916
 21513) *Piercia prasinaria* (W.Warren,1901) (Geometridae) Synonym(s): *prasinaria* W.Warren,1901
 21514) *Piercia smaragdinata* (Walker,1862) (Geometridae) Synonym(s): *smaragdinata* Walker,1862; *tenella* Warren,1911
 21515) *Piercia* sp.1 (Geometridae) Synonym(s):
 21516) *Piercia* sp.2 (Geometridae) Synonym(s):
 21517) *Piercia spatiosata* (Walker,1862) (Geometridae) Synonym(s): *spatiosata* Walker,1862; *priscata* Walker,1862; *despectata* Walker,1862
 21518) *Piercia subterlimbata* (Prout,1917) (Geometridae) Synonym(s): *subterlimbata* Prout,1917
 21519) *Piercia vittata* Janse,1933 (Geometridae) Synonym(s): *vittata* Janse,1933
 21520) *Piercia yui* Inoue,1970 (Geometridae) Synonym(s): *yui* Inoue,1970
 21521) *Piercia zukwalensis* Debauche,1937 (Geometridae) Synonym(s): *zukwalensis* Debauche,1937
 21522) *Pingasa abyssinaria* (Guenée,[1858]) (Geometridae) Synonym(s): *abyssinaria* Guenée,[1858]
 21523) *Pingasa abyssinaria abyssinaria* (Guenée,[1858]) (Geometridae) Synonym(s): *abyssinaria* Guenée,[1858]
 21524) *Pingasa abyssinaria rufata* D.S.Fletcher,1956 (Geometridae) Synonym(s): *rufata* D.S.Fletcher,1956
 21525) *Pingasa alba* Swinhoe,1891 (Geometridae) Synonym(s): *alba* Swinhoe,1891
 21526) *Pingasa atropa* L.B.Prout,1935 (Geometridae) Synonym(s): *atropa* L.B.Prout,1935
 21527) *Pingasa chlora* (Stoll,[1782]) (Geometridae) Synonym(s): *chlora* Stoll,[1782]; *echchloraria* Hübner,[1823]; *chlora* Guenée,[1858]; *paulinaria* Pagenstecher,1885; *latifascia* W.Warren,1894
 21528) *Pingasa cinerea* W.Warren,1894 (Geometridae) Synonym(s): *cinerea* W.Warren,1894; *singularis* Kershaw,1897; *undascripta* Lucas,1900

- 21529) *Pingasa cornivalva* Wiltshire, 1982 (Geometridae) Synonym(s): *cornivalva* Wiltshire, 1982
 21530) *Pingasa distensaria* (Walker, 1860) (Geometridae) Synonym(s): *distensaria* Walker, 1860
 21531) *Pingasa distensaria distensaria* (Walker, 1860) (Geometridae) Synonym(s): *distensaria* Walker, 1860
 21532) *Pingasa distensaria respondens* (Walker, 1860) (Geometridae) Synonym(s): *respondens* Walker, 1860
 21533) *Pingasa elutriata* L.B.Prout, 1916 (Geometridae) Synonym(s): *elutriata* L.B.Prout, 1916
 21534) *Pingasa javensis* W.Warren, 1894 (Geometridae) Synonym(s): *javensis* W.Warren, 1894; *lombokensis* L.B.Prout, 1927
 21535) *Pingasa lahaye* (Oberthür, 1887) (Geometridae) Synonym(s): *lahaye* Oberthür, 1887
 21536) *Pingasa lahaye austria* L.B.Prout, 1917 (Geometridae) Synonym(s): *austria* L.B.Prout, 1917
 21537) *Pingasa lahaye lahaye* (Oberthür, 1887) (Geometridae) Synonym(s): *lahaye* Oberthür, 1887
 21538) *Pingasa lariaria* (Walker, 1860) (Geometridae) Synonym(s): *lariaria* Walker, 1860; *irrorataria* Moore, 1868
 21539) *Pingasa manilensis* L.B.Prout, 1916 (Geometridae) Synonym(s): *manilensis* L.B.Prout, 1916
 21540) *Pingasa multispurcata* L.B.Prout, 1913 (Geometridae) Synonym(s): *multispurcata* L.B.Prout, 1913
 21541) *Pingasa nigrolineata* Karisch, 2006 (Geometridae) Synonym(s): *nigrolineata* Karisch, 2006
 21542) *Pingasa pallidata* (De Joannis, 1912) (Geometridae) Synonym(s): *pallidata* De Joannis, 1912
 21543) *Pingasa pauciflavata* L.B.Prout, 1927 (Geometridae) Synonym(s): *pauciflavata* L.B.Prout, 1927
 21544) *Pingasa porphyrochrostes* L.B.Prout, 1922 (Geometridae) Synonym(s): *porphyrochrostes* L.B.Prout, 1922
 21545) *Pingasa pseudoterpnaria* (Guenée, [1858]) (Geometridae) Synonym(s): *pseudoterpnaria* Guenée, [1858]; *pryeri* Butler, 1878
 21546) *Pingasa pseudoterpnaria gracilis* L.B.Prout, 1916 (Geometridae) Synonym(s): *gracilis* L.B.Prout, 1916
 21547) *Pingasa pseudoterpnaria pseudoterpnaria* (Guenée, [1858]) (Geometridae) Synonym(s): *pseudoterpnaria* Guenée, [1858]; *pryeri* Butler, 1878
 21548) *Pingasa pseudoterpnaria tephrosiaria* (Guenée, [1858]) (Geometridae) Synonym(s): *tephrosiaria* Guenée, [1858]
 21549) *Pingasa rhadamaria* (Guenée, [1858]) (Geometridae) Synonym(s): *rhadamaria* Guenée, [1858]
 21550) *Pingasa rhadamaria alterata* (Walker, 1860) (Geometridae) Synonym(s): *alterata* Walker, 1860
 21551) *Pingasa rhadamaria attenuans* (Walker, 1860) (Geometridae) Synonym(s): *attenuans* Walker, 1860
 21552) *Pingasa rhadamaria rhadamaria* (Guenée, [1858]) (Geometridae) Synonym(s): *rhadamaria* Guenée, [1858]
 21553) *Pingasa rhadamaria signifrontaria* (Mabille, 1893) (Geometridae) Synonym(s): *signifrontaria* Mabille, 1893
 21554) *Pingasa rhadamaria victoria* L.B.Prout, 1913 (Geometridae) Synonym(s): *victoria* L.B.Prout, 1913
 21555) *Pingasa rubicunda* W.Warren, 1894 (Geometridae) Synonym(s): *rubicunda* W.Warren, 1894
 21556) *Pingasa rubimontana* Holloway & Sommerer, 1984 (Geometridae) Synonym(s): *rubimontana* Holloway & Sommerer, 1984
 21557) *Pingasa rufofasciata* Moore, 1888 (Geometridae) Synonym(s): *rufofasciata* Moore, 1888
 21558) *Pingasa ruginaria* (Guenée, [1858]) (Geometridae) Synonym(s): *ruginaria* Guenée, [1858]; *nyctemerata* Walker, 1860; *perfectaria* Walker, 1860
 21559) *Pingasa ruginaria andamanica* L.B.Prout, 1916 (Geometridae) Synonym(s): *andamanica* L.B.Prout, 1916
 21560) *Pingasa ruginaria communicans* (Walker, 1860) (Geometridae) Synonym(s): *communicans* Walker, 1860
 21561) *Pingasa ruginaria commutata* (Walker, 1860) (Geometridae) Synonym(s): *commutata* Walker, 1860; *batiaria* Plötz, 1880
 21562) *Pingasa ruginaria interrupta* W.Warren, 1901 (Geometridae) Synonym(s): *interrupta* W.Warren, 1901
 21563) *Pingasa ruginaria pacifica* Inoue, 1964 (Geometridae) Synonym(s): *pacifica* Inoue, 1964
 21564) *Pingasa ruginaria ruginaria* (Guenée, [1858]) (Geometridae) Synonym(s): *ruginaria* Guenée, [1858]; *nyctemerata* Walker, 1860; *perfectaria* Walker, 1860
 21565) *Pingasa secreta* Inoue, 1986 (Geometridae) Synonym(s): *secreta* Inoue, 1986
 21566) *Pingasa subpurpurea* W.Warren, 1897 (Geometridae) Synonym(s): *subpurpurea* W.Warren, 1897
 21567) *Pingasa subviridis* W.Warren, 1896 (Geometridae) Synonym(s): *subviridis* W.Warren, 1896
 21568) *Pingasa venusta* W.Warren, 1894 (Geometridae) Synonym(s): *venusta* W.Warren, 1894
 21569) *Pitheca neavei* L.B.Prout, 1915 (Geometridae) Synonym(s): *neavei* L.B.Prout, 1915
 21570) *Pitheca neavei neavei* L.B.Prout, 1915 (Geometridae) Synonym(s): *neavei* L.B.Prout, 1915
 21571) *Pityeja histrionaria* (Herrich-Schäffer, [1853]) (Geometridae) Synonym(s): *histrionaria* Herrich-Schäffer, [1853]; *bellaria* Walker, 1861; *pura* W.Warren, 1894; *fulvida* W.Warren, 1909; *tigridata* W.Warren, 1909; *magnifica* Bastelberger, 1909
 21572) *Pityeja nazada* (Druce, 1892) (Geometridae) Synonym(s): *nazada* Druce, 1892; *plusia* L.B.Prout, 1933
 21573) *Pityeja ornata* Rindge, 1958 (Geometridae) Synonym(s): *ornata* Rindge, 1958
 21574) *Pityeja picta* Schaus, 1898 (Geometridae) Synonym(s): *picta* Schaus, 1898
 21575) *Plagodis dolabraria* (Linnaeus, 1767) (Geometridae) Synonym(s): *dolabraria* Linnaeus, 1767; *ustulataria* Hufnagel, 1767; *fulvicans* Fourcroy, 1785.
 21576) *Plagodis inustaria* (Moore, 1868) (Geometridae) Synonym(s): *inustaria* Moore, 1868
 21577) *Plagodis niveivertex* Wehrli, 1938 (Geometridae) Synonym(s): *niveivertex* Wehrli, 1938
 21578) *Plagodis ochraceata* Viidalepp, 1988 (Geometridae) Synonym(s): *ochraceata* Viidalepp, 1988
 21579) *Plagodis ouvardi* (Oberthür, 1911) (Geometridae) Synonym(s): *ouvardi* Oberthür, 1911
 21580) *Plagodis porphyrea* Wehrli, 1937 (Geometridae) Synonym(s): *porphyrea* Wehrli, 1937
 21581) *Plagodis propoecila* Wehrli, 1938 (Geometridae) Synonym(s): *propoecila* Wehrli, 1938
 21582) *Plagodis pulveraria* (Linnaeus, 1758) (Geometridae) Synonym(s): *pulveraria* Linnaeus, 1758; *diffusaria* Walker, 1862
 21583) *Plagodis reticulata* W.Warren, 1893 (Geometridae) Synonym(s): *reticulata* W.Warren, 1893
 21584) *Plagodis subpurpuraria* (Leech, 1897) (Geometridae) Synonym(s): *subpurpuraria* Leech, 1897
 21585) *Plateoplia acrobolia* (Wallengren, 1875) (Geometridae) Synonym(s): *acrobolia* Wallengren, 1875; *flavata* W.Warren, 1897; *ochriciliata* W.Warren, 1901.
 21586) *Platycerota balia* (L.B.Prout, 1932) (Geometridae) Synonym(s): *balia* L.B.Prout, 1932
 21587) *Platycerota crinita* W.Warren, 1897 (Geometridae) Synonym(s): *crinita* W.Warren, 1897
 21588) *Platycerota olivata* Hampson, 1902 (Geometridae) Synonym(s): *olivata* Hampson, 1902
 21589) *Platycerota percrinita* L.B.Prout, 1932 (Geometridae) Synonym(s): *percrinita* L.B.Prout, 1932
 21590) *Platycerota spilotelaria* (Walker, [1863]) (Geometridae) Synonym(s): *spilotelaria* Walker, [1863]; *inapertaria* Walker, [1863]
 21591) *Platycerota subroseata* (Walker, 1866) (Geometridae) Synonym(s): *subroseata* Walker, 1866
 21592) *Platycerota vitticostata* (Walker, [1863]) (Geometridae) Synonym(s): *vitticostata* Walker, [1863]; *infixaria* Walker, [1863]
 21593) *Platycerota vitticostoides* Holloway, [1994] (Geometridae) Synonym(s): *vitticostoides* Holloway, [1994]
 21594) *Platyclepea arabella* Wiltshire, 1983 (Geometridae) Synonym(s): *arabella* Wiltshire, 1983
 21595) *Platyclepea bifida* Herbulot, 1984 (Geometridae) Synonym(s): *bifida* Herbulot, 1984
 21596) *Platyclepea bullifera* M.Krüger, 2001 (Geometridae) Synonym(s): *bullifera* M.Krüger, 2001
 21597) *Platyclepea curvigliadiata* M.Krüger, 2001 (Geometridae) Synonym(s): *curvigliadiata* M.Krüger, 2001
 21598) *Platyclepea curvigliadiata curvigliadiata* M.Krüger, 2001 (Geometridae) Synonym(s): *curvigliadiata* M.Krüger, 2001
 21599) *Platyclepea flava* M.Krüger, 2001 (Geometridae) Synonym(s): *flava* M.Krüger, 2001
 21600) *Platyclepea griseobrunnea* M.Krüger, 2001 (Geometridae) Synonym(s): *griseobrunnea* M.Krüger, 2001
 21601) *Platyclepea jordani* M.Krüger, 2001 (Geometridae) Synonym(s): *jordani* M.Krüger, 2001
 21602) *Platyclepea loranthiphaga* M.Krüger, 2001 (Geometridae) Synonym(s): *loranthiphaga* M.Krüger, 2001
 21603) *Platyclepea macilenta* M.Krüger, 2001 (Geometridae) Synonym(s): *macilenta* M.Krüger, 2001
 21604) *Platyclepea mackayi* M.Krüger, 2001 (Geometridae) Synonym(s): *mackayi* M.Krüger, 2001
 21605) *Platyclepea mackayi mackayi* M.Krüger, 2001 (Geometridae) Synonym(s): *mackayi* M.Krüger, 2001
 21606) *Platyclepea persubtilis* M.Krüger, 2001 (Geometridae) Synonym(s): *persubtilis* M.Krüger, 2001
 21607) *Platyclepea pseudospurcata* M.Krüger, 2001 (Geometridae) Synonym(s): *pseudospurcata* M.Krüger, 2001
 21608) *Platyclepea schistopenis* M.Krüger, 2001 (Geometridae) Synonym(s): *schistopenis* M.Krüger, 2001
 21609) *Platyclepea schistopenis schistopenis* M.Krüger, 2001 (Geometridae) Synonym(s): *schistopenis* M.Krüger, 2001
 21610) *Platyclepea spurcata* (W.Warren, 1897) (Geometridae) Synonym(s): *spurcata* W.Warren, 1897; *nudaria* W.Warren, 1900; *deformis* W.Warren, 1909.
 21611) *Platyclepea uhlenhuthi* M.Krüger, 2001 (Geometridae) Synonym(s): *uhlenhuthi* M.Krüger, 2001
 21612) *Plegapteryx anomalus* Herrich-Schäffer, [1856] (Geometridae) Synonym(s): *anomalus* Herrich-Schäffer, [1856]; *partita* Holland, 1893; *titia* Druce, 1899; *segmentata* W.Warren, 1902; *grotesca* Bryk, 1913; *primoti* Viette, 1954
 21613) *Plegapteryx anomalus viridis* W.Warren, 1909 (Geometridae) Synonym(s): *viridis* W.Warren, 1909
 21614) *Plegapteryx hellinsi* (Carcasson, 1962) (Geometridae) Synonym(s): *hellinsi* Carcasson, 1962
 21615) *Plegapteryx obscura* Holland, 1893 (Geometridae) Synonym(s): *obscura* Holland, 1893
 21616) *Plegapteryx peregrinus* (Carcasson, 1962) (Geometridae) Synonym(s): *peregrinus* Carcasson, 1962

- 21617) *Plegapteryx prouti* (Bethune-Baker,1927) (Geometridae) Synonym(s): *prouti* Bethune-Baker,1927
 21618) *Plegapteryx purpurascens* Holland,1893 (Geometridae) Synonym(s): *purpurascens* Holland,1893
 21619) *Plegapteryx sphingata* (W.Warren,1895) (Geometridae) Synonym(s): *sphingata* W.Warren,1895
 21620) *Plegapteryx subsplendens* Holland,1893 (Geometridae) Synonym(s): *subsplendens* Holland,1893
 21621) *Plemyria rubiginata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *bicolorata* Hufnagel,1767 nec Hufn.,1766; *rubiginata* [Denis & Schiffermüller],1775.
 21622) *Plesiomorpha flaviceps* (Butler,1881) (Geometridae) Synonym(s): *flaviceps* Butler,1881
 21623) *Plesiomorpha flaviceps divesilineata* (W.Warren,1896) (Geometridae) Synonym(s): *divesilineata* W.Warren,1896
 21624) *Plesiomorpha flaviceps flaviceps* (Butler,1881) (Geometridae) Synonym(s): *flaviceps* Butler,1881
 21625) *Plesiomorpha punctilinearia* (Leech,1891) (Geometridae) Synonym(s): *punctilinearia* Leech,1891; *vulpecula* W.Warren,1898
 21626) *Plesioscotia pulchrata* (Alpheraky,1883) (Geometridae) Synonym(s): *pulchrata* Alpheraky,1883; *cometifera* W.Warren,1901.
 21627) *Plutodes argentilauta* L.B.Prout,1929 (Geometridae) Synonym(s): *argentilauta* L.B.Prout,1929
 21628) *Plutodes costatus* (Butler,1886) (Geometridae) Synonym(s): *costatus* Butler,1886; *triangularis* W.Warren,1893
 21629) *Plutodes cyclaria* Guenée,[1858] (Geometridae) Synonym(s): *cyclaria* Guenée,[1858]
 21630) *Plutodes discigera* Butler,1880 (Geometridae) Synonym(s): *discigera* Butler,1880
 21631) *Plutodes evaginata* Holloway,[1994] (Geometridae) Synonym(s): *evaginata* Holloway,[1994]
 21632) *Plutodes exquisita* Butler,1880 (Geometridae) Synonym(s): *exquisita* Butler,1880
 21633) *Plutodes flavescens* Butler,1880 (Geometridae) Synonym(s): *flavescens* Butler,1880
 21634) *Plutodes joiceyi* L.B.Prout,1928 (Geometridae) Synonym(s): *joiceyi* L.B.Prout,1928
 21635) *Plutodes korintjensis* L.B.Prout,1929 (Geometridae) Synonym(s): *korintjensis* L.B.Prout,1929
 21636) *Plutodes lamisca* Swinhoe,1894 (Geometridae) Synonym(s): *lamisca* Swinhoe,1894
 21637) *Plutodes malaysiana* Holloway,1982 (Geometridae) Synonym(s): *malaysiana* Holloway,1982
 21638) *Plutodes moultoni* L.B.Prout,1923 (Geometridae) Synonym(s): *moultoni* L.B.Prout,1923
 21639) *Plutodes philornis* L.B.Prout,1926 (Geometridae) Synonym(s): *philornis* L.B.Prout,1926
 21640) *Plutodes pulcherrima* West,1929 (Geometridae) Synonym(s): *pulcherrima* West,1929
 21641) *Plutodes subcaudata* Butler,1880 (Geometridae) Synonym(s): *subcaudata* Butler,1880
 21642) *Plutodes transmutata* Walker,1861 (Geometridae) Synonym(s): *transmutata* Walker,1861; *gavisata* Walker,[1863]
 21643) *Plutodes unidentata* Holloway,1976 (Geometridae) Synonym(s): *unidentata* Holloway,1976
 21644) *Plutodes warreni* L.B.Prout,1923 (Geometridae) Synonym(s): *warreni* L.B.Prout,1923
 21645) *Poeciasthena burmensis* L.B.Prout,1926 (Geometridae) Synonym(s): *burmensis* L.B.Prout,1926
 21646) *Poeciasthena dimorpha* Holloway,1979 (Geometridae) Synonym(s): *dimorpha* Holloway,1979
 21647) *Poeciasthena inhaesa* L.B.Prout,1934 (Geometridae) Synonym(s): *inhaesa* L.B.Prout,1934
 21648) *Poeciasthena leucydra* L.B.Prout,1934 (Geometridae) Synonym(s): *leucydra* L.B.Prout,1934
 21649) *Poeciasthena nubivaga* L.B.Prout,1932 (Geometridae) Synonym(s): *nubivaga* L.B.Prout,1932
 21650) *Poeciasthena prouti* West,1929 (Geometridae) Synonym(s): *prouti* West,1929
 21651) *Poeciasthena pulchraria* (Doubleday,1843) (Geometridae) Synonym(s): *pulchraria* Doubleday,1843; *ondinata* Guenée,[1858]; *plurilineata* Walker,1861; *decolor* Turner,1904
 21652) *Pogonopygia nigralbata* W.Warren,1897 (Geometridae) Synonym(s): *nigralbata* W.Warren,1897; *conspicuararia* Leech,1897
 21653) *Pogonopygia nigralbata attenuata* W.Warren,1897 (Geometridae) Synonym(s): *attenuata* W.Warren,1897
 21654) *Pogonopygia nigralbata nigralbata* W.Warren,1897 (Geometridae) Synonym(s): *nigralbata* W.Warren,1897; *conspicuararia* Leech,1897
 21655) *Pogonopygia pavida* (Bastelberger,1911) (Geometridae) Synonym(s): *pavida* Bastelberger,1911
 21656) *Pogonopygia pavida baria* (L.B.Prout,1932) (Geometridae) Synonym(s): *baria* L.B.Prout,1932
 21657) *Pogonopygia pavida contaminata* (Inoue,1971) (Geometridae) Synonym(s): *contaminata* Inoue,1971
 21658) *Pogonopygia pavida pavida* (Bastelberger,1911) (Geometridae) Synonym(s): *pavida* Bastelberger,1911
 21659) *Pogonopygia pavida xanthura* (Prout,1928) (Geometridae) Synonym(s): *xanthura* Prout,1928
 21660) *Polyacme dentata* W.Warren,1896 (Geometridae) Synonym(s): *dentata* W.Warren,1896
 21661) *Polymixinia appositaria* (Leech,1891) (Geometridae) Synonym(s): *appositaria* Leech,1891; *koreana* Alpheraky,1897
 21662) *Polymixinia lidjangina* (Wehrli,1943) (Geometridae) Synonym(s): *lidjangina* Wehrli,1943
 21663) *Polymixinia lidjangina lidjangina* (Wehrli,1943) (Geometridae) Synonym(s): *lidjangina* Wehrli,1943
 21664) *Polymixinia lidjangina muhabbet* Koçak,2007 (Geometridae) Synonym(s): *decoloraria* Leech,1897 nec Alph.1889; *muhabbet* Koçak,2007
 21665) *Polynesia curtittibia* L.B.Prout,1922 (Geometridae) Synonym(s): *curtittibia* L.B.Prout,1922
 21666) *Polynesia sunandava* (Walker,1861) (Geometridae) Synonym(s): *sunandava* Walker,1861; *aeriferata* Walker,[1863]
 21667) *Polynesia truncapex* Swinhoe,1892 (Geometridae) Synonym(s): *truncapex* Swinhoe,1892
 21668) *Polyscia ochrilinea* W.Warren,1896 (Geometridae) Synonym(s): *ochrilinea* W.Warren,1896
 21669) *Polyscia viridisporca* L.B.Prout,1927 (Geometridae) Synonym(s): *viridisporca* L.B.Prout,1927
 21670) *Polystroma adumbrata* (Kollar,[1844]) (Geometridae) Synonym(s): *adumbrata* Kollar,[1844]; *fuscigrisea* Hampson,1895
 21671) *Polystroma steelae* (L.B.Prout,1934) (Geometridae) Synonym(s): *steelae* L.B.Prout,1934
 21672) *Polystroma subspissata* W.Warren,1897 (Geometridae) Synonym(s): *subspissata* W.Warren,1897; *brunneitrames* L.B.Prout,1916
 21673) *Polythrena coloraria* (Herrich-Schäffer,1855) (Geometridae) Synonym(s): *coloraria* Herrich-Schäffer,1855; *melanicretata* Lederer,1855
 21674) *Pomasia denticlathrata* W.Warren,1893 (Geometridae) Synonym(s): *denticlathrata* W.Warren,1893
 21675) *Pomasia euryopsis* Meyrick,1897 (Geometridae) Synonym(s): *euryopsis* Meyrick,1897
 21676) *Pomasia galastis* Meyrick,1897 (Geometridae) Synonym(s): *galastis* Meyrick,1897
 21677) *Pomasia lacunaria* Holloway,1997 (Geometridae) Synonym(s): *lacunaria* Holloway,1997
 21678) *Pomasia lamunin* Holloway,1997 (Geometridae) Synonym(s): *lamunin* Holloway,1997
 21679) *Pomasia luteata* Holloway,1997 (Geometridae) Synonym(s): *luteata* Holloway,1997
 21680) *Pomasia nuriae* Holloway,1997 (Geometridae) Synonym(s): *nuriae* Holloway,1997
 21681) *Pomasia oblitterata* (Walker,1866) (Geometridae) Synonym(s): *oblitterata* Walker,1866; *conferta* Swinhoe,1902
 21682) *Pomasia parerga* L.B.Prout,1941 (Geometridae) Synonym(s): *parerga* L.B.Prout,1941
 21683) *Pomasia psylaria* Guenée,[1858] (Geometridae) Synonym(s): *psylaria* Guenée,[1858]
 21684) *Pomasia reticulata* Hampson,1895 (Geometridae) Synonym(s): *reticulata* Hampson,1895
 21685) *Pomasia salutaris* L.B.Prout,1929 (Geometridae) Synonym(s): *salutaris* L.B.Prout,1929
 21686) *Pomasia vernacularia* Guenée,[1858] (Geometridae) Synonym(s): *vernacularia* Guenée,[1858]
 21687) *Povilasias kashghara* (Moore,1878) (Geometridae) Synonym(s): *kashghara* Moore,1878
 21688) *Prasinocyma acutipennis* Wiltshire,1994 (Geometridae) Synonym(s): *acutipennis* Wiltshire,1994
 21689) *Prasinocyma aetheraea* (Debauche,1937) (Geometridae) Synonym(s): *aetheraea* Debauche,1937
 21690) *Prasinocyma aff. ocytera* (Meyrick,1888) (Geometridae) Synonym(s): *ocytera* Meyrick,1888
 21691) *Prasinocyma albicosta* (Walker,1861) (Geometridae) Synonym(s): *albicosta* Walker,1861
 21692) *Prasinocyma albicosta rufitincta* W.Warren,1897 (Geometridae) Synonym(s): *rufitincta* W.Warren,1897
 21693) *Prasinocyma albisticta* (W.Warren,1901) (Geometridae) Synonym(s): *albisticta* W.Warren,1901
 21694) *Prasinocyma albivenata* Herbulot,1983 (Geometridae) Synonym(s): *albivenata* Herbulot,1983
 21695) *Prasinocyma angolica* L.B.Prout,1930 (Geometridae) Synonym(s): *angolica* L.B.Prout,1930
 21696) *Prasinocyma arabica* Wiltshire,1982 (Geometridae) Synonym(s): *arabica* Wiltshire,1982
 21697) *Prasinocyma bamenda* Herbulot,1982 (Geometridae) Synonym(s): *bamenda* Herbulot,1982
 21698) *Prasinocyma batesi* L.B.Prout,1930 (Geometridae) Synonym(s): *batesi* L.B.Prout,1930
 21699) *Prasinocyma bifimbriata* L.B.Prout,1912 (Geometridae) Synonym(s): *bifimbriata* L.B.Prout,1912
 21700) *Prasinocyma bilobata* D.S.Fletcher,1958 (Geometridae) Synonym(s): *bilobata* D.S.Fletcher,1958
 21701) *Prasinocyma centralis* L.B.Prout,1915 (Geometridae) Synonym(s): *centralis* L.B.Prout,1915
 21702) *Prasinocyma cf.triangulata* D.S.Fletcher,1958 (Geometridae) Synonym(s): *triangulata* D.S.Fletcher,1958
 21703) *Prasinocyma chloroprosopa* L.B.Prout,1913 (Geometridae) Synonym(s): *chloroprosopa* L.B.Prout,1913
 21704) *Prasinocyma croca* D.S.Fletcher,1978 (Geometridae) Synonym(s): *croca* D.S.Fletcher,1978

- 21705) *Prasinocyma differens* (W.Warren,1902) (Geometridae) Synonym(s): *differens* W.Warren,1902
 21706) *Prasinocyma dohertyi* W.Warren,1903 (Geometridae) Synonym(s): *dohertyi* W.Warren,1903
 21707) *Prasinocyma dorsipunctata* W.Warren,1911 (Geometridae) Synonym(s): *dorsipunctata* W.Warren,1911
 21708) *Prasinocyma eremica* Wiltshire,1980 (Geometridae) Synonym(s): *eremica* Wiltshire,1980
 21709) *Prasinocyma gajdacsii* L.B.Prout,1930 (Geometridae) Synonym(s): *gajdacsii* L.B.Prout,1930
 21710) *Prasinocyma geminata* L.B.Prout,1913 (Geometridae) Synonym(s): *geminata* L.B.Prout,1913
 21711) *Prasinocyma germinaria* (Guenée,[1858]) (Geometridae) Synonym(s): *germinaria* Guenée,[1858]
 21712) *Prasinocyma hadrata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *hadrata* R.Felder & Rogenhofer,1875
 21713) *Prasinocyma hailei* Debauche,1937 (Geometridae) Synonym(s): *hailei* Debauche,1937
 21714) *Prasinocyma immaculata* (Thunberg,1784) (Geometridae) Synonym(s): *immaculata* Thunberg,1784; *scissaria* R.Felder & Rogenhofer,1875
 21715) *Prasinocyma inversicaulis* L.B.Prout,1913 (Geometridae) Synonym(s): *inversicaulis* L.B.Prout,1913
 21716) *Prasinocyma neglecta* L.B.Prout,1921 (Geometridae) Synonym(s): *neglecta* L.B.Prout,1921
 21717) *Prasinocyma niveisticta* L.B.Prout,1912 (Geometridae) Synonym(s): *niveisticta* L.B.Prout,1912
 21718) *Prasinocyma oculata* L.B.Prout,1915 (Geometridae) Synonym(s): *oculata* L.B.Prout,1915
 21719) *Prasinocyma panchlora* L.B.Prout,1913 (Geometridae) Synonym(s): *panchlora* L.B.Prout,1913
 21720) *Prasinocyma pavlitzkiae* D.S.Fletcher,1958 (Geometridae) Synonym(s): *pavlitzkiae* D.S.Fletcher,1958
 21721) *Prasinocyma peristicta* West,1930 (Geometridae) Synonym(s): *peristicta* West,1930
 21722) *Prasinocyma perpulverata* L.B.Prout,1916 (Geometridae) Synonym(s): *perpulverata* L.B.Prout,1916
 21723) *Prasinocyma pictifimbria* W.Warren,1904 (Geometridae) Synonym(s): *pictifimbria* W.Warren,1904
 21724) *Prasinocyma pulchraia* Swinhoe,1904 (Geometridae) Synonym(s): *pulchraia* Swinhoe,1904
 21725) *Prasinocyma pupillata* (Warren,1902) (Geometridae) Synonym(s): *pupillata* Warren,1902
 21726) *Prasinocyma salutaria* (Swinhoe,1904) (Geometridae) Synonym(s): *salutaria* Swinhoe,1904
 21727) *Prasinocyma sanguinica* L.B.Prout,1912 (Geometridae) Synonym(s): *sanguinica* L.B.Prout,1912
 21728) *Prasinocyma shoa* Herbulot,1993 (Geometridae) Synonym(s): *shoa* Herbulot,1993
 21729) *Prasinocyma thiaucourti* Herbulot,1993 (Geometridae) Synonym(s): *thiaucourti* Herbulot,1993
 21730) *Prasinocyma tranquilla* L.B.Prout,1917 (Geometridae) Synonym(s): *tranquilla* L.B.Prout,1917
 21731) *Prasinocyma tricolorifrons* (L.B.Prout,1913) (Geometridae) Synonym(s): *tricolorifrons* L.B.Prout,1913
 21732) *Prasinocyma trifilifimbria* L.B.Prout,1915 (Geometridae) Synonym(s): *trifilifimbria* L.B.Prout,1915
 21733) *Prasinocyma triglena* L.B.Prout,1930 (Geometridae) Synonym(s): *triglena* L.B.Prout,1930
 21734) *Prasinocyma unipuncta* W.Warren,1897 (Geometridae) Synonym(s): *unipuncta* W.Warren,1897
 21735) *Prasinocyma vermicularia* (Guenée,[1858]) (Geometridae) Synonym(s): *vermicularia* Guenée,[1858]; *dilucida* Walker,1861
 21736) *Probitia exclusa* (Walker,1860) (Geometridae) Synonym(s): *exclusa* Walker,1860; *praetereuns* Walker,1860; *frenata* R.Felder & Rogenhofer,[1875]; *lignaria* Walker,1866
 21737) *Probitia imprimata* (Walker,1861) (Geometridae) Synonym(s): *imprimata* Walker,1861
 21738) *Probitia obstataria* (Walker,1861) (Geometridae) Synonym(s): *obstataria* Walker,1861; *turpis* W.Warren,1897
 21739) *Probitia perichila* (L.B.Prout,1929) (Geometridae) Synonym(s): *perichila* L.B.Prout,1929
 21740) *Probitia sesquilinea* (L.B.Prout,1930) (Geometridae) Synonym(s): *sesquilinea* L.B.Prout,1930
 21741) *Probitia subferruginea* Bastelberger,1907 (Geometridae) Synonym(s): *subferruginea* Bastelberger,1907
 21742) *Problepsis aegretta* R.Felder & Rogenhofer,1875 (Geometridae) Synonym(s): *aegretta* R.Felder & Rogenhofer,1875
 21743) *Problepsis apollinaria* (Guenée,[1858]) (Geometridae) Synonym(s): *apollinaria* Guenée,[1858]
 21744) *Problepsis apollinaria aphylla* L.B.Prout,1938 (Geometridae) Synonym(s): *aphylla* L.B.Prout,1938
 21745) *Problepsis apollinaria apollinaria* (Guenée,[1858]) (Geometridae) Synonym(s): *apollinaria* Guenée,[1858]
 21746) *Problepsis apollinaria candidior* L.B.Prout,1917 (Geometridae) Synonym(s): *candidior* L.B.Prout,1917
 21747) *Problepsis apollinaria deparcata* L.B.Prout,1925 (Geometridae) Synonym(s): *deparcata* L.B.Prout,1925
 21748) *Problepsis apollinaria hemicyclata* W.Warren,1897 (Geometridae) Synonym(s): *hemicyclata* W.Warren,1897
 21749) *Problepsis apollinaria wilemani* West,1930 (Geometridae) Synonym(s): *wilemani* West,1930
 21750) *Problepsis asira* Wiltshire,1982 (Geometridae) Synonym(s): *asira* Wiltshire,1982
 21751) *Problepsis conjunctiva* W.Warren,1893 (Geometridae) Synonym(s): *conjunctiva* W.Warren,1893
 21752) *Problepsis conjunctiva conjunctiva* W.Warren,1893 (Geometridae) Synonym(s): *conjunctiva* W.Warren,1893
 21753) *Problepsis conjunctiva subjunctiva* L.B.Prout,1917 (Geometridae) Synonym(s): *subjunctiva* L.B.Prout,1917
 21754) *Problepsis crassinotata* L.B.Prout,1917 (Geometridae) Synonym(s): *crassinotata* L.B.Prout,1917
 21755) *Problepsis delphiaria* (Guenée,[1858]) (Geometridae) Synonym(s): *delphiaria* Guenée,[1858]
 21756) *Problepsis delphiaria auriculifera* W.Warren,1897 (Geometridae) Synonym(s): *auriculifera* W.Warren,1897; *argentsquama* W.Warren,1899
 21757) *Problepsis delphiaria delphiaria* (Guenée,[1858]) (Geometridae) Synonym(s): *delphiaria* Guenée,[1858]
 21758) *Problepsis digammata* Kirby,1896 (Geometridae) Synonym(s): *digammata* Kirby,1896; *digammata* Warren,1897
 21759) *Problepsis erythra* Wiltshire,1982 (Geometridae) Synonym(s): *erythra* Wiltshire,1982
 21760) *Problepsis latonaria* (Guenée,[1858]) (Geometridae) Synonym(s): *latonaria* Guenée,[1858]
 21761) *Problepsis neumanni* L.B.Prout,1932 (Geometridae) Synonym(s): *neumanni* L.B.Prout,1932
 21762) *Problepsis ocellata* (Frivaldszky,1845) (Geometridae) Synonym(s): *ocellata* Frivaldszky,1845; *ommatophoraria* Guenée,[1858]
 21763) *Problepsis ocellata cinerea* (Butler,1886) (Geometridae) Synonym(s): *cinerea* Butler,1886
 21764) *Problepsis ocellata ocellata* (Frivaldszky,1845) (Geometridae) Synonym(s): *ocellata* Frivaldszky,1845; *ommatophoraria* Guenée,[1858]
 21765) *Problepsis paredra* L.B.Prout,1917 (Geometridae) Synonym(s): *paredra* Prout,1917
 21766) *Problepsis plenorbis* L.B.Prout,1917 (Geometridae) Synonym(s): *plenorbis* Prout,1917
 21767) *Problepsis shirozui* Inoue,1986 (Geometridae) Synonym(s): *shirozui* Inoue,1986
 21768) *Problepsis vulgaris* Butler,1889 (Geometridae) Synonym(s): *vulgaris* Butler,1889; *attenuata* W.Warren,1909
 21769) *Prochasma albimonilis* L.B.Prout,1927 (Geometridae) Synonym(s): *albimonilis* L.B.Prout,1927
 21770) *Prochasma dentilinea* (W.Warren,1893) (Geometridae) Synonym(s): *dentilinea* W.Warren,1893; *squalida* Wileman,1915
 21771) *Prochasma mimica* W.Warren,1897 (Geometridae) Synonym(s): *mimica* W.Warren,1897
 21772) *Prochasma scissivestis* L.B.Prout,1926 (Geometridae) Synonym(s): *scissivestis* L.B.Prout,1926
 21773) *Prometopidia arenosa* Wiltshire,1961 (Geometridae) Synonym(s): *arenosa* Wiltshire,1961
 21774) *Prometopidia conisaria* Hampson,1902 (Geometridae) Synonym(s): *conisaria* Hampson,1902
 21775) *Prosomphax callista* W.Warren,1911 (Geometridae) Synonym(s): *callista* W.Warren,1911
 21776) *Prosomphax deuterurga* L.B.Prout,1922 (Geometridae) Synonym(s): *deuterurga* L.B.Prout,1922
 21777) *Proteuchloris neriaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *neriaria* Herrich-Schäffer,[1852].
 21778) *Protonebula altera* (Bastelberger,1911) (Geometridae) Synonym(s): *altera* Bastelberger,1911
 21779) *Protonebula combusta* (Swinhoe,1894) (Geometridae) Synonym(s): *combusta* Swinhoe,1894
 21780) *Protonebula cupreata* (Moore,1868) (Geometridae) Synonym(s): *cupreata* Moore,1868
 21781) *Protonebula egregia* (Inoue,1986) (Geometridae) Synonym(s): *egregia* Inoue,1986
 21782) *Protonebula tripunctaria* (Leech,1897) (Geometridae) Synonym(s): *tripunctaria* Leech,1897
 21783) *Protonebula umbrifera* (Butler,1879) (Geometridae) Synonym(s): *umbrifera* Butler,1879
 21784) *Protorhoe avetianae* (Vardikjan,1974) (Geometridae) Synonym(s): *avetianae* Vardikjan,1974
 21785) *Protorhoe corollaria* (Herrich-Schäffer,[1848]) (Geometridae) Synonym(s): *corollaria* Herrich-Schäffer,[1848]; *noacki* Draudt,1935.
 21786) *Protorhoe crebrolineata* (Kuznetsov,1960) (Geometridae) Synonym(s): *crebrolineata* Kuznetsov,1960
 21787) *Protorhoe renodata* (Püngeler,1909) (Geometridae) Synonym(s): *renodata* Püngeler,1909
 21788) *Protorhoe tadzhikaria* (Stshetkin,1956) (Geometridae) Synonym(s): *tadzhikaria* Stshetkin,1956
 21789) *Protorhoe turkmenaria* (Stshetkin,1956) (Geometridae) Synonym(s): *turkmenaria* Stshetkin,1956
 21790) *Protorhoe unicata* (Guenée,[1858]) (Geometridae) Synonym(s): *unicata* Guenée,[1858]
 21791) *Protorhoe unicata centralisata* (Staudinger,1892) (Geometridae) Synonym(s): *centralisata* Staudinger,1892
 21792) *Protorhoe unicata unicata* (Guenée,[1858]) (Geometridae) Synonym(s): *unicata* Guenée,[1858]
 21793) *Protosteira achroa* L.B.Prout,1935 (Geometridae) Synonym(s): *achroa* L.B.Prout,1935

- 21794) *Protosteira decolorata* Herbulot,1984 (Geometridae) Synonym(s): *decolorata* Herbulot,1984
 21795) *Protosteira spectabilis* (W.Warren,1899) (Geometridae) Synonym(s): *spectabilis* W.Warren,1899
 21796) *Protosteira turlini* Herbulot,1988 (Geometridae) Synonym(s): *turlini* Herbulot,1988
 21797) *Protuliocnemis biplagiata* (Moore,[1887]) (Geometridae) Synonym(s): *biplagiata* Moore,[1887]
 21798) *Protuliocnemis biplagiata* (Moore,[1887]) (Geometridae) Synonym(s): *biplagiata* Moore,[1887]
 21799) *Protuliocnemis biplagiata biplagiata* (Moore,[1887]) (Geometridae) Synonym(s): *biplagiata* Moore,[1887]
 21800) *Protuliocnemis biplagiata reducta* (Holloway,1979) (Geometridae) Synonym(s): *reducta* Holloway,1979
 21801) *Protuliocnemis biplagiata reducta* Holloway,1979 (Geometridae) Synonym(s): *reducta* Holloway,1979
 21802) *Protuliocnemis castalaria* (Oberthür,1916) (Geometridae) Synonym(s): *castalaria* Oberthür,1916
 21803) *Protuliocnemis helpsi* Holloway,1996 (Geometridae) Synonym(s): *helpsi* Holloway,1996
 21804) *Protuliocnemis helpsi* Holoway,1996 (Geometridae) Synonym(s): *helpsi* Holoway,1996
 21805) *Protuliocnemis partita* (Walker,1861) (Geometridae) Synonym(s): *partita* Walker,1861; *concisiplaga* Walker,1861; *felicitata* Walker,1861; *calliptera* Meyrick,1889; *doddaria* Oberthür,1916
 21806) *Protuliocnemis partita* (Walker,1861) (Geometridae) Synonym(s): *partita* Walker,1861; *felicitata* Walker,1861; *concisiplaga* Walker,1861; *calliptera* Meyrick,1889; *doddaria* Oberthür,1916
 21807) *Protuliocnemis woodfordi* (W.Warren,1899) (Geometridae) Synonym(s): *woodfordi* W.Warren,1899
 21808) *Protuliocnemis woodfordi* (W.Warren,1899) (Geometridae) Synonym(s): *woodfordi* W.Warren,1899
 21809) *Proutiana ferrorubrata* (Walker,[1863]) (Geometridae) Synonym(s): *ferrorubrata* Walker,[1863]; *rubellata* R.Felder & Rogenhofer,1875; *cacoctenes* L.B.Prout,1917
 21810) *Proutiana perconsersa* (L.B.Prout,1915) (Geometridae) Synonym(s): *perconsersa* L.B.Prout,1915
 21811) *Proutictis artesiaria* (Denis & Schiffermüller,[1775]) (Geometridae) Synonym(s): *artesiaria* [Denis & Schiffermüller],1775
 21812) *Psaliodes albifascia* (Dognin,1911) (Geometridae) Synonym(s): *albifascia* Dognin,1911
 21813) *Psaliodes albifulva* W.Warren,1909 (Geometridae) Synonym(s): *albifulva* W.Warren,1909
 21814) *Psaliodes albistriga* W.Warren,1904 (Geometridae) Synonym(s): *albistriga* W.Warren,1904
 21815) *Psaliodes aliena* Dognin,1911 (Geometridae) Synonym(s): *aliena* Dognin,1911
 21816) *Psaliodes analiplaga* W.Warren,1904 (Geometridae) Synonym(s): *analiplaga* W.Warren,1904
 21817) *Psaliodes angustata* Bastelberger,1907 (Geometridae) Synonym(s): *angustata* Bastelberger,1907
 21818) *Psaliodes annuligera* Dognin,1911 (Geometridae) Synonym(s): *annuligera* Dognin,1911
 21819) *Psaliodes antesignata* L.B.Prout,1934 (Geometridae) Synonym(s): *antsignata* L.B.Prout,1934
 21820) *Psaliodes aparallela* L.B.Prout,1934 (Geometridae) Synonym(s): *aparallela* L.B.Prout,1934
 21821) *Psaliodes apicenotata* Dognin,1910 (Geometridae) Synonym(s): *apicenotata* Dognin,1910
 21822) *Psaliodes apostata* Dognin,1910 (Geometridae) Synonym(s): *apostata* Dognin,1910
 21823) *Psaliodes aquila* Dognin,1911 (Geometridae) Synonym(s): *aquila* Dognin,1911
 21824) *Psaliodes aurativena* W.Warren,1904 (Geometridae) Synonym(s): *aurativena* W.Warren,1904
 21825) *Psaliodes bella* (Jones,1921) (Geometridae) Synonym(s): *bella* Jones,1921
 21826) *Psaliodes bicolor* L.B.Prout,1910 (Geometridae) Synonym(s): *bicolor* L.B.Prout,1910
 21827) *Psaliodes biconalis* (Walker,1859) (Geometridae) Synonym(s): *biconalis* Walker,1859
 21828) *Psaliodes bifurcata* Bastelberger,1907 (Geometridae) Synonym(s): *bifurcata* Bastelberger,1907
 21829) *Psaliodes bilineata* Dognin,1913 (Geometridae) Synonym(s): *bilineata* Dognin,1913
 21830) *Psaliodes bistrigata* Dognin,1913 (Geometridae) Synonym(s): *bistrigata* Dognin,1913
 21831) *Psaliodes brachiata* Dognin,1906 (Geometridae) Synonym(s): *brachiata* Dognin,1906
 21832) *Psaliodes castanea* (W.Warren,1904) (Geometridae) Synonym(s): *castanea* W.Warren,1904; *brunneata* W.Warren,1904
 21833) *Psaliodes catenifera* W.Warren,1907 (Geometridae) Synonym(s): *catenifera* W.Warren,1907
 21834) *Psaliodes cedaza* Dognin,1899 (Geometridae) Synonym(s): *cedaza* Dognin,1899
 21835) *Psaliodes choma* (Druce,1893) (Geometridae) Synonym(s): *choma* Druce,1893
 21836) *Psaliodes cidariata* (Maassen,1890) (Geometridae) Synonym(s): *cidariata* Maassen,1890
 21837) *Psaliodes citrinata* W.Warren,1904 (Geometridae) Synonym(s): *citrinata* W.Warren,1904
 21838) *Psaliodes clathrata* W.Warren,1904 (Geometridae) Synonym(s): *clathrata* W.Warren,1904
 21839) *Psaliodes claudiarina* Schaus,1912 (Geometridae) Synonym(s): *claudiarina* Schaus,1912
 21840) *Psaliodes coacta* Dognin,1911 (Geometridae) Synonym(s): *coacta* Dognin,1911
 21841) *Psaliodes completa* (W.Warren,1904) (Geometridae) Synonym(s): *completa* W.Warren,1904
 21842) *Psaliodes composita* Dognin,1911 (Geometridae) Synonym(s): *composita* Dognin,1911
 21843) *Psaliodes concinna* Bastelberger,1907 (Geometridae) Synonym(s): *concinna* Bastelberger,1907
 21844) *Psaliodes confusa* W.Warren,1897 (Geometridae) Synonym(s): *confusa* W.Warren,1897
 21845) *Psaliodes conimaculata* Dognin,1910 (Geometridae) Synonym(s): *conimaculata* Dognin,1910
 21846) *Psaliodes conspersata* W.Warren,1904 (Geometridae) Synonym(s): *conspersata* W.Warren,1904
 21847) *Psaliodes crassinota* (Dognin,1911) (Geometridae) Synonym(s): *crassinota* Dognin,1911
 21848) *Psaliodes crispata* Schaus,1912 (Geometridae) Synonym(s): *crispata* Schaus,1912
 21849) *Psaliodes cronia* Druce,1893 (Geometridae) Synonym(s): *cronia* Druce,1893; *acutangula* W.Warren,1904
 21850) *Psaliodes crotona* Druce,1893 (Geometridae) Synonym(s): *crotona* Druce,1893
 21851) *Psaliodes cupreipennis* Dognin,1914 (Geometridae) Synonym(s): *cupreipennis* Dognin,1914
 21852) *Psaliodes cydna* Druce,1893 (Geometridae) Synonym(s): *cydna* Druce,1893
 21853) *Psaliodes cynthia* Druce,1893 (Geometridae) Synonym(s): *cynthia* Druce,1893
 21854) *Psaliodes daedala* Druce,1893 (Geometridae) Synonym(s): *daedala* Druce,1893
 21855) *Psaliodes damia* Druce,1893 (Geometridae) Synonym(s): *damia* Druce,1893
 21856) *Psaliodes damophila* Druce,1893 (Geometridae) Synonym(s): *damophila* Druce,1893
 21857) *Psaliodes demasaria* Schaus,1912 (Geometridae) Synonym(s): *demasaria* Schaus,1912
 21858) *Psaliodes detractata* Walker,1862 (Geometridae) Synonym(s): *detractata* Walker,1862; *effrenata* Walker,[1863]
 21859) *Psaliodes disrupta* Dognin,1913 (Geometridae) Synonym(s): *disrupta* Dognin,1913
 21860) *Psaliodes duplicilinea* W.Warren,1907 (Geometridae) Synonym(s): *duplicilinea* W.Warren,1907
 21861) *Psaliodes electa* Schaus,1912 (Geometridae) Synonym(s): *electa* Schaus,1912
 21862) *Psaliodes endotrichiata* (Snellen,1874) (Geometridae) Synonym(s): *endotrichiata* Snellen,1874
 21863) *Psaliodes euplaneta* Dyar,1916 (Geometridae) Synonym(s): *euplaneta* Dyar,1916
 21864) *Psaliodes exilis* W.Warren,1907 (Geometridae) Synonym(s): *exilis* W.Warren,1907
 21865) *Psaliodes exuberans* Dognin,1911 (Geometridae) Synonym(s): *exuberans* Dognin,1911
 21866) *Psaliodes fervesces* Dyar,1920 (Geometridae) Synonym(s): *fervesces* Dyar,1920
 21867) *Psaliodes flavagata* Guenée,[1858] (Geometridae) Synonym(s): *flavagata* Guenée,[1858]
 21868) *Psaliodes flavivena* Dognin,1903 (Geometridae) Synonym(s): *flavivena* Dognin,1903
 21869) *Psaliodes fractifascia* Dognin,1903 (Geometridae) Synonym(s): *fractifascia* Dognin,1903
 21870) *Psaliodes fulva* (W.Warren,1905) (Geometridae) Synonym(s): *fulva* W.Warren,1905
 21871) *Psaliodes fuscata* (W.Warren,1905) (Geometridae) Synonym(s): *fuscata* W.Warren,1905
 21872) *Psaliodes geminisigna* Dognin,1918 (Geometridae) Synonym(s): *geminisigna* Dognin,1918
 21873) *Psaliodes grandis* Dognin,1913 (Geometridae) Synonym(s): *grandis* Dognin,1913
 21874) *Psaliodes hieroglyphica* Schaus,1901 (Geometridae) Synonym(s): *hieroglyphica* Schaus,1901
 21875) *Psaliodes infantula* W.Warren,1900 (Geometridae) Synonym(s): *infantula* W.Warren,1900; *lilacina* W.Warren,1904
 21876) *Psaliodes inferna* W.Warren,1904 (Geometridae) Synonym(s): *inferna* W.Warren,1904
 21877) *Psaliodes infulata* Schaus,1912 (Geometridae) Synonym(s): *infulata* Schaus,1912
 21878) *Psaliodes interrupta* (Dognin,1913) (Geometridae) Synonym(s): *interrupta* Dognin,1913
 21879) *Psaliodes intersecta* (Dognin,1911) (Geometridae) Synonym(s): *intersecta* Dognin,1911
 21880) *Psaliodes interstrata* Schaus,1912 (Geometridae) Synonym(s): *interstrata* Schaus,1912

- 21881) *Psaliodes inundulata* Guenée,[1858] (Geometridae) Synonym(s): *inundulata* Guenée,[1858]
 21882) *Psaliodes jabata* Dognin,1899 (Geometridae) Synonym(s): *jabata* Dognin,1899
 21883) *Psaliodes laticlara* Dognin,1904 (Geometridae) Synonym(s): *laticlara* Dognin,1904
 21884) *Psaliodes liebra* Dognin,1899 (Geometridae) Synonym(s): *liebra* Dognin,1899
 21885) *Psaliodes lignosata* (Walker,1862) (Geometridae) Synonym(s): *lignosata* Walker,1862; *purpurea* Schaus,1901
 21886) *Psaliodes limbata* Dognin,1913 (Geometridae) Synonym(s): *limbata* Dognin,1913
 21887) *Psaliodes lisera* Dognin,1899 (Geometridae) Synonym(s): *lisera* Dognin,1899
 21888) *Psaliodes lucida* Dognin,1913 (Geometridae) Synonym(s): *lucida* Dognin,1913
 21889) *Psaliodes magnipalpata* (Dognin,1913) (Geometridae) Synonym(s): *magnipalpata* Dognin,1913
 21890) *Psaliodes marmorata* W.Warren,1905 (Geometridae) Synonym(s): *marmorata* W.Warren,1905
 21891) *Psaliodes nigrifusa* Bastelberger,1907 (Geometridae) Synonym(s): *miniata* W.Warren,1904
 21892) *Psaliodes monapo* Dyar,1916 (Geometridae) Synonym(s): *monapo* Dyar,1916
 21893) *Psaliodes multilinea* Schaus,1901 (Geometridae) Synonym(s): *multilinea* Schaus,1901
 21894) *Psaliodes myxa* Druce,1899 (Geometridae) Synonym(s): *myxa* Druce,1899
 21895) *Psaliodes nexilinea* W.Warren,1904 (Geometridae) Synonym(s): *nexilinea* W.Warren,1904
 21896) *Psaliodes nictitans* W.Warren,1904 (Geometridae) Synonym(s): *nictitans* W.Warren,1904
 21897) *Psaliodes nigrifusa* Bastelberger,1907 (Geometridae) Synonym(s): *nigrifusa* Bastelberger,1907
 21898) *Psaliodes nivestrotta* W.Warren,1907 (Geometridae) Synonym(s): *nivestrotta* W.Warren,1907
 21899) *Psaliodes nodosa* W.Warren,1904 (Geometridae) Synonym(s): *nodosa* W.Warren,1904
 21900) *Psaliodes nucleata* Guenée,[1858] (Geometridae) Synonym(s): *nucleata* Guenée,[1858]
 21901) *Psaliodes ochreata* Snellen,1874 (Geometridae) Synonym(s): *ochreata* Snellen,1874; *adhaesiata* R.Felder & Rogenhofer,1875
 21902) *Psaliodes oleagina* Dognin,1911 (Geometridae) Synonym(s): *oleagina* Dognin,1911
 21903) *Psaliodes olivaria* W.Warren,1908 (Geometridae) Synonym(s): *olivaria* W.Warren,1908
 21904) *Psaliodes olivescens* Dognin,1911 (Geometridae) Synonym(s): *olivescens* Dognin,1911
 21905) *Psaliodes onopria* Dyar,1927 (Geometridae) Synonym(s): *onopria* Dyar,1927
 21906) *Psaliodes orozcoa* Dyar,1914 (Geometridae) Synonym(s): *orozcoa* Dyar,1914
 21907) *Psaliodes ossicolor* W.Warren,1904 (Geometridae) Synonym(s): *ossicolor* W.Warren,1904
 21908) *Psaliodes paleata* Guenée,[1858] (Geometridae) Synonym(s): *paleata* Guenée,[1858]
 21909) *Psaliodes pallida* Schaus,1901 (Geometridae) Synonym(s): *pallida* Schaus,1901
 21910) *Psaliodes perfusata* Bastelberger,1907 (Geometridae) Synonym(s): *perfusata* Bastelberger,1907
 21911) *Psaliodes pervasata* W.Warren,1904 (Geometridae) Synonym(s): *pervasata* W.Warren,1904; *dislocata* W.Warren,1905
 21912) *Psaliodes philetus* Schaus,1912 (Geometridae) Synonym(s): *philetus* Schaus,1912
 21913) *Psaliodes picta* W.Warren,1904 (Geometridae) Synonym(s): *picta* W.Warren,1904
 21914) *Psaliodes planiplaga* W.Warren,1904 (Geometridae) Synonym(s): *planiplaga* W.Warren,1904
 21915) *Psaliodes plumbescens* (W.Warren,1904) (Geometridae) Synonym(s): *plumbescens* W.Warren,1904
 21916) *Psaliodes pomona* Druce,1893 (Geometridae) Synonym(s): *pomona* Druce,1893
 21917) *Psaliodes porcia* Druce,1893 (Geometridae) Synonym(s): *porcia* Druce,1893
 21918) *Psaliodes posides* Druce,1893 (Geometridae) Synonym(s): *posides* Druce,1893
 21919) *Psaliodes potina* Druce,1893 (Geometridae) Synonym(s): *potina* Druce,1893
 21920) *Psaliodes prionogramma* (L.B.Prout,1910) (Geometridae) Synonym(s): *prionogramma* L.B.Prout,1910
 21921) *Psaliodes prunicolor* (W.Warren,1904) (Geometridae) Synonym(s): *prunicolor* W.Warren,1904
 21922) *Psaliodes quinquelatera* L.B.Prout,1916 (Geometridae) Synonym(s): *quinquelatera* L.B.Prout,1916
 21923) *Psaliodes repertita* Dognin,1913 (Geometridae) Synonym(s): *repertita* Dognin,1913
 21924) *Psaliodes rica* Dognin,1899 (Geometridae) Synonym(s): *rica* Dognin,1899; *ignivenata* W.Warren,1904
 21925) *Psaliodes saja* (Dognin,1893) (Geometridae) Synonym(s): *saja* Dognin,1893
 21926) *Psaliodes samanigoei* (Dognin,1891) (Geometridae) Synonym(s): *samanigoei* Dognin,1891
 21927) *Psaliodes seitzii* Bastelberger,1907 (Geometridae) Synonym(s): *seitzii* Bastelberger,1907
 21928) *Psaliodes semirasa* W.Warren,1904 (Geometridae) Synonym(s): *semirasa* W.Warren,1904
 21929) *Psaliodes semisecta* L.B.Prout,1916 (Geometridae) Synonym(s): *semisecta* L.B.Prout,1916
 21930) *Psaliodes serratilinea* W.Warren,1904 (Geometridae) Synonym(s): *serratilinea* W.Warren,1904
 21931) *Psaliodes siennata* W.Warren,1904 (Geometridae) Synonym(s): *siennata* W.Warren,1904
 21932) *Psaliodes simplex* Schaus,1912 (Geometridae) Synonym(s): *simplex* Schaus,1912
 21933) *Psaliodes sordida* (W.Warren,1904) (Geometridae) Synonym(s): *sordida* W.Warren,1904
 21934) *Psaliodes stimulata* Dognin,1911 (Geometridae) Synonym(s): *stimulata* Dognin,1911
 21935) *Psaliodes strigosa* (W.Warren,1904) (Geometridae) Synonym(s): *strigosa* W.Warren,1904
 21936) *Psaliodes subfulvescens* W.Warren,1904 (Geometridae) Synonym(s): *subfulvescens* W.Warren,1904
 21937) *Psaliodes subocellata* Dognin,1913 (Geometridae) Synonym(s): *subocellata* Dognin,1913
 21938) *Psaliodes subochreofusa* Herbulot,1988 (Geometridae) Synonym(s): *subochreofusa* Herbulot,1988
 21939) *Psaliodes sutum* Schaus,1912 (Geometridae) Synonym(s): *sutum* Schaus,1912
 21940) *Psaliodes tenuinota* (Dognin,1911) (Geometridae) Synonym(s): *tenuinota* Dognin,1911
 21941) *Psaliodes tolimata* Dognin,1913 (Geometridae) Synonym(s): *tolimata* Dognin,1913
 21942) *Psaliodes torsilinea* Dognin,1914 (Geometridae) Synonym(s): *torsilinea* Dognin,1914
 21943) *Psaliodes trilunata* W.Warren,1904 (Geometridae) Synonym(s): *trilunata* W.Warren,1904
 21944) *Psaliodes tripartita* W.Warren,1904 (Geometridae) Synonym(s): *tripartita* W.Warren,1904
 21945) *Psaliodes tripita* Dognin,1899 (Geometridae) Synonym(s): *tripita* Dognin,1899
 21946) *Psaliodes variegata* Schaus,1901 (Geometridae) Synonym(s): *variegata* Schaus,1901
 21947) *Psaliodes vernifera* L.B.Prout,1929 (Geometridae) Synonym(s): *vernifera* L.B.Prout,1929
 21948) *Psaliodes vinosata* W.Warren,1904 (Geometridae) Synonym(s): *vinosata* W.Warren,1904
 21949) *Psaliodes vulpina* W.Warren,1904 (Geometridae) Synonym(s): *vulpina* W.Warren,1904
 21950) *Pseudabraxas taiwana* Inoue,1986 (Geometridae) Synonym(s): *taiwana* Inoue,1986
 21951) *Pseudalcis* W.Warren,1897 (Geometridae) Synonym(s): *Pseudalcis* W.Warren,1897
 21952) *Pseudalcis albata* (W.Warren,1904) (Geometridae) Synonym(s): *albata* W.Warren,1904
 21953) *Pseudalcis catoriata* W.Warren,1897 (Geometridae) Synonym(s): *catoriata* W.Warren,1897
 21954) *Pseudalcis cinerascens* W.Warren,1897 (Geometridae) Synonym(s): *cinerascens* W.Warren,1897
 21955) *Pseudalcis trispinaria* (Walker,1860) (Geometridae) Synonym(s): *trispinaria* Walker,1860
 21956) *Pseudentephria remmi* Viidalepp,1976 (Geometridae) Synonym(s): *remmi* Viidalepp,1976
 21957) *Pseuderythrophus bipunctatus* (W.Warren,1899) (Geometridae) Synonym(s): *bipunctatus* W.Warren,1899
 21958) *Pseuderythrophus bipunctatus idmon* L.B.Prout,1930 (Geometridae) Synonym(s): *idmon* L.B.Prout,1930
 21959) *Pseudeuchlora kafebera* (Swinhoe,1894) (Geometridae) Synonym(s): *kafebera* Swinhoe,1894
 21960) *Pseudeuchromia ampliflava* (Semper,1901) (Geometridae) Synonym(s): *ampliflava* Semper,1901
 21961) *Pseudeuchromia maculifera* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *maculifera* R.Felder & Rogenhofer,1875; *adaucta* W.Warren,1897; *septemnotata* W.Warren,1897; *curzola* Swinhoe,1902; *catachroma* Schultze,1907; *chrysaugina* Bastelberger,1907
 21962) *Pseudhemitheia detrita* Bastelberger,1909 (Geometridae) Synonym(s): *detrita* Bastelberger,1909
 21963) *Pseudhemitheia euopla* L.B.Prout,1930 (Geometridae) Synonym(s): *euopla* L.B.Prout,1930
 21964) *Pseudhemitheia exomila* L.B.Prout,1917 (Geometridae) Synonym(s): *exomila* L.B.Prout,1917
 21965) *Pseudhemitheia saturata* L.B.Prout,1912 (Geometridae) Synonym(s): *saturata* L.B.Prout,1912
 21966) *Pseudidiochlora temburong* Holloway,1996 (Geometridae) Synonym(s): *temburong* Holloway,1996
 21967) *Pseudiodis albidentula* (Hampson,1907) (Geometridae) Synonym(s): *albidentula* Hampson,1907
 21968) *Pseudiodis unifascia* (Hampson,1891) (Geometridae) Synonym(s): *unifascia* Hampson,1891
 21969) *Pseudobiston pinratana* Inoue,1994 (Geometridae) Synonym(s): *pinratana* Inoue,1994

- 21970) *Pseudobraccia biplagiata* (Semper,1901) (Geometridae) Synonym(s): *biplagiata* Semper,1901
 21971) *Pseudobraccia imitatrix* W.Warren,1895 (Geometridae) Synonym(s): *imitatrix* W.Warren,1895; *latimargo* Semper,1901
 21972) *Pseudobraccia rotundimacula* (W.Warren,1897) (Geometridae) Synonym(s): *rotundimacula* W.Warren,1897
 21973) *Pseudobrephos baynei* L.B.Prout,1910 (Geometridae) Synonym(s): *baynei* L.B.Prout,1910
 21974) *Pseudobrephos costiplaga* (Jones,1921) (Geometridae) Synonym(s): *costiplaga* Jones,1921
 21975) *Pseudocassyma retaka* Holloway,[1994] (Geometridae) Synonym(s): *retaka* Holloway,[1994]
 21976) *Pseudocassyma sundagraphoides* Holloway,[1994] (Geometridae) Synonym(s): *sundagraphoides* Holloway,[1994]
 21977) *Pseudocassyma uniformis* Holloway,1997 (Geometridae) Synonym(s): *uniformis* Holloway,1997
 21978) *Pseudochesias neddaria* (Swinhoe,1904) (Geometridae) Synonym(s): *neddaria* Swinhoe,1904
 21979) *Pseudocinglis benigna* (Brandt,1941) (Geometridae) Synonym(s): *benigna* Brandt,1941
 21980) *Pseudocinglis benigna benigna* (Brandt,1941) (Geometridae) Synonym(s): *benigna* Brandt,1941
 21981) *Pseudocinglis benigna nigromaculata* Hausmann,1994 (Geometridae) Synonym(s): *nigromaculata* Hausmann,1994
 21982) *Pseudocinglis eurata* (L.B.Prout,1913) (Geometridae) Synonym(s): *eurata* L.B.Prout,1913
 21983) *Pseudocollix hyperythra* (Hampson,1895) (Geometridae) Synonym(s): *hyperythra* Hampson,1895
 21984) *Pseudocollix hyperythra catalalia* L.B.Prout,1941 (Geometridae) Synonym(s): *catalalia* L.B.Prout,1941
 21985) *Pseudocollix hyperythra hyperythra* (Hampson,1895) (Geometridae) Synonym(s): *hyperythra* Hampson,1895
 21986) *Pseudocollix kawamurai* (Inoue,1972) (Geometridae) Synonym(s): *kawamurai* Inoue,1972
 21987) *Pseudocomostola comestocraspeda* (L.B.Prout,1916) (Geometridae) Synonym(s): *comestocraspeda* L.B.Prout,1916
 21988) *Pseudodysstroma albovenosata* (Heydemann,1932) (Geometridae) Synonym(s): *albovenosata* Heydemann,1932
 21989) *Pseudodysstroma dentatum* Choi,1998 (Geometridae) Synonym(s): *dentatum* Choi,1998
 21990) *Pseudodysstroma nepalensis* Heydemann,1961 (Geometridae) Synonym(s): *nepalensis* Heydemann,1961
 21991) *Pseudolarentia arenaria* (W.Warren,1902) (Geometridae) Synonym(s): *arenaria* W.Warren,1902
 21992) *Pseudolarentia dulcis* (Butler,1879) (Geometridae) Synonym(s): *dulcis* Butler,1879
 21993) *Pseudolarentia megalaria* (Guenée,[1858]) (Geometridae) Synonym(s): *megalaria* Guenée,[1858]; *atroclarata* Walker,1863
 21994) *Pseudolarentia monosticta* (Butler,1894) (Geometridae) Synonym(s): *monosticta* Butler,1894; *nigrocellata* W.Warren,1897; *montecta* Fawcett,1916
 21995) *Pseudolarentia rejecta* Herbulot,1997 (Geometridae) Synonym(s): *rejecta* Herbulot,1997
 21996) *Pseudolarentia sambirana* Herbulot,1965 (Geometridae) Synonym(s): *sambirana* Herbulot,1965
 21997) *Pseudomaenas alcidata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *alcidata* R.Felder & Rogenhofer,1875
 21998) *Pseudomaenas anguinata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *anguinata* R.Felder & Rogenhofer,1875
 21999) *Pseudomaenas arcuata* M.Krüger,1999 (Geometridae) Synonym(s): *arcuata* M.Krüger,1999
 22000) *Pseudomaenas bivirgata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *bivirgata* R.Felder & Rogenhofer,1875
 22001) *Pseudomaenas callistege* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *callistege* R.Felder & Rogenhofer,1875
 22002) *Pseudomaenas complicata* M.Krüger,1999 (Geometridae) Synonym(s): *complicata* M.Krüger,1999
 22003) *Pseudomaenas directa* M.Krüger,1999 (Geometridae) Synonym(s): *directa* M.Krüger,1999
 22004) *Pseudomaenas dukei* M.Krüger,1999 (Geometridae) Synonym(s): *dukei* M.Krüger,1999
 22005) *Pseudomaenas eumetrorrhabda* L.B.Prout,1938 (Geometridae) Synonym(s): *eumetrorrhabda* L.B.Prout,1938
 22006) *Pseudomaenas euzonaria* M.Krüger,1999 (Geometridae) Synonym(s): *euzonaria* M.Krüger,1999
 22007) *Pseudomaenas honiballi* M.Krüger,1999 (Geometridae) Synonym(s): *honiballi* M.Krüger,1999
 22008) *Pseudomaenas intricata* (Walker,[1858]) (Geometridae) Synonym(s): *intricata* Walker,[1858]
 22009) *Pseudomaenas krooni* M.Krüger,1999 (Geometridae) Synonym(s): *krooni* M.Krüger,1999
 22010) *Pseudomaenas leucograptia* (Warren,1911) (Geometridae) Synonym(s): *leucograptia* Warren,1911
 22011) *Pseudomaenas margarita* (Warren,1914) (Geometridae) Synonym(s): *margarita* Warren,1914
 22012) *Pseudomaenas maulipennis* (Wallengren,1865) (Geometridae) Synonym(s): *maulipennis* Wallengren,1865
 22013) *Pseudomaenas oncodogramma* L.B.Prout,1917 (Geometridae) Synonym(s): *oncodogramma* L.B.Prout,1917
 22014) *Pseudomaenas orophila* M.Krüger,1999 (Geometridae) Synonym(s): *orophila* M.Krüger,1999
 22015) *Pseudomaenas prominens* M.Krüger,1999 (Geometridae) Synonym(s): *prominens* M.Krüger,1999
 22016) *Pseudomaenas sinulata* M.Krüger,1999 (Geometridae) Synonym(s): *sinulata* M.Krüger,1999
 22017) *Pseudomaenas staudei* M.Krüger,1999 (Geometridae) Synonym(s): *staudei* M.Krüger,1999
 22018) *Pseudomaenas tricolor* (Warren,1897) (Geometridae) Synonym(s): *tricolor* Warren,1897
 22019) *Pseudomaenas turneri* L.B.Prout,1938 (Geometridae) Synonym(s): *turneri* L.B.Prout,1938
 22020) *Pseudomiza annulata* (W.Warren,1899) (Geometridae) Synonym(s): *annulata* W.Warren,1899
 22021) *Pseudomiza argenteilinea* (Moore,1868) (Geometridae) Synonym(s): *argenteilinea* Moore,1868
 22022) *Pseudomiza argenteilinea argenteilinea* (Moore,1868) (Geometridae) Synonym(s): *argenteilinea* Moore,1868
 22023) *Pseudomiza argenteilinea eugraphes* L.B.Prout,1923 (Geometridae) Synonym(s): *eugraphes* L.B.Prout,1923
 22024) *Pseudomiza castanearia* (Moore,1868) (Geometridae) Synonym(s): *castanearia* Moore,1868; *cervina* W.Warren,1893
 22025) *Pseudomiza leucogonia* (Hampson,1895) (Geometridae) Synonym(s): *leucogonia* Hampson,1895
 22026) *Pseudomiza obliquaria* (Leech,1897) (Geometridae) Synonym(s): *obliquaria* Leech,1897
 22027) *Pseudomiza punctinalis* Beyer,1958 (Geometridae) Synonym(s): *punctinalis* Beyer,1958
 22028) *Pseudomiza uniformis* Inoue,1992 (Geometridae) Synonym(s): *uniformis* Inoue,1992
 22029) *Pseudopantthera chrysoteryx* Wehrli,1937 (Geometridae) Synonym(s): *chrysoteryx* Wehrli,1937
 22030) *Pseudopantthera flavaria* (Leech,1897) (Geometridae) Synonym(s): *flavaria* Leech,1897
 22031) *Pseudopantthera himalayica* (Kollar,[1844]) (Geometridae) Synonym(s): *himalayica* Kollar,[1844]; *himalayata* Guenée,[1858]; *ennomosaria* Walker,[1863]
 22032) *Pseudopantthera invenustaria* (Leech,1897) (Geometridae) Synonym(s): *invenustaria* Leech,1897
 22033) *Pseudopantthera lozonaria* (Oberthür,1893) (Geometridae) Synonym(s): *lozonaria* Oberthür,1893
 22034) *Pseudopantthera macularia* (Linnaeus,1758) (Geometridae) Synonym(s): *macularia* Linnaeus,1758; *maculata* Scopoli,1763; *panthera* Fourcroy,1785; *quadrinaculata* Haworth,1809; *meridionalis* Galvagni,1908
 22035) *Pseudopantthera oberthuri* (Alpheraky,1895) (Geometridae) Synonym(s): *oberthuri* Alpheraky,1895
 22036) *Pseudopantthera syriacata* (Guenée,1852) (Geometridae) Synonym(s): *syriacata* Guenée,1852; *syriacaria* Wiltshire,1958
 22037) *Pseudopantthera triangulum* (Oberthür,1886) (Geometridae) Synonym(s): *triangulum* Oberthür,1886
 22038) *Pseudopolynesia amplificata* (Walker,1861) (Geometridae) Synonym(s): *amplificata* Walker,1861
 22039) *Pseudopolynesia amplificata* (Walker,1861) (Geometridae) Synonym(s): *amplificata* Walker,1861
 22040) *Pseudopolynesia hebe* (Bethune-Baker,1915) (Geometridae) Synonym(s): *hebe* Bethune-Baker,1915; *interrupta* L.B.Prout,1916; *praelustris* L.B.Prout,1933; *phanoides* Debauche,1941
 22041) *Pseudosoloe thalassina* (W.Warren,1909) (Geometridae) Synonym(s): *thalassina* W.Warren,1909; *monosticta* Hampson,1910; *simplex* Aurivillius,1910; *ntebi* Bethune-Baker,1911
 22042) *Pseudostegania defectata* (Christoph,1881) (Geometridae) Synonym(s): *defectata* Christoph,1881
 22043) *Pseudosterrha paulula* (Swinhoe,1886) (Geometridae) Synonym(s): *paulula* Swinhoe,1886; *ochrea* Warren,1888; *gayneri* Rothschild,1901
 22044) *Pseudosterrha rufistrigata* (Hampson,1896) (Geometridae) Synonym(s): *rufistrigata* Hampson,1896; *xerophilaria* Püngeler,1902; *marcida* W.Warren & Rothschild,1905; *elbaensis* Rebel,1948
 22045) *Pseudoterpna coronillaria* (Hübner,[1817]) (Geometridae) Synonym(s): *coronillaria* Hübner,[1817]; *cinerascens* Koch,1854 nec Z.,1847
 22046) *Pseudoterpna coronillaria algirica* Wehrli,1930 (Geometridae) Synonym(s): *algirica* Wehrli,1930
 22047) *Pseudoterpna coronillaria axillaria* Guenée,[1858] (Geometridae) Synonym(s): *axillaria* Guenée,[1858]
 22048) *Pseudoterpna coronillaria cinerascens* (Zeller,1847) (Geometridae) Synonym(s): *cinerascens* Zeller,1847
 22049) *Pseudoterpna coronillaria coronillaria* (Hübner,[1817]) (Geometridae) Synonym(s): *coronillaria* Hübner,[1817]; *cinerascens* Koch,1854 nec Z.,1847
 22050) *Pseudoterpna coronillaria flammigii* Hausmann,1997 (Geometridae) Synonym(s): *flammigii* Hausmann,1997
 22051) *Pseudoterpna coronillaria halperini* Hausmann,1997 (Geometridae) Synonym(s): *halperini* Hausmann,1997
 22052) *Pseudoterpna corsicaria* (Rambur,1833) (Geometridae) Synonym(s): *corsicaria* Rambur,1833; *ramburaria* Oberthür,1916
 22053) *Pseudoterpna lesuraria* Lucas,1933 (Geometridae) Synonym(s): *lesuraria* Lucas,1933

- 22054) *Pseudoterpna pruinata* (Hufnagel,1767) (Geometridae) Synonym(s): *pruinata* Hufnagel,1767; *prasinaria* Fabricius,1775 nec Hufnagel,1767; *cythisaria* [Denis & Schiffmüller],1775; *genistaria* Villers,1789.
- 22055) *Pseudoterpna rectistrigaria* Wiltshire,1948 (Geometridae) Synonym(s): *rectistrigaria* Wiltshire,1948
- 22056) *Psilalcis albistigma* Joicey & Talbot,1917 (Geometridae) Synonym(s): *albistigma* Joicey & Talbot,1917
- 22057) *Psilalcis aurantifascia* L.B.Prout,1916 (Geometridae) Synonym(s): *aurantifascia* L.B.Prout,1916
- 22058) *Psilalcis bani* Sato,1998 (Geometridae) Synonym(s): *bani* Sato,1998
- 22059) *Psilalcis bisinuata* (Hampson,1895) (Geometridae) Synonym(s): *bisinuata* Hampson,1895
- 22060) *Psilalcis breta* (Swinhoe,1890) (Geometridae) Synonym(s): *breta* Swinhoe,1890
- 22061) *Psilalcis calcicola* Holloway,[1994] (Geometridae) Synonym(s): *calcicola* Holloway,[1994]
- 22062) *Psilalcis conceptaria* Holloway,[1994] (Geometridae) Synonym(s): *conceptaria* Holloway,[1994]
- 22063) *Psilalcis conspicuata* (Moore,1888) (Geometridae) Synonym(s): *conspicuata* Moore,1888
- 22064) *Psilalcis dierli* Sato,1995 (Geometridae) Synonym(s): *dierli* Sato,1995
- 22065) *Psilalcis dignampta* (L.B.Prout,1927) (Geometridae) Synonym(s): *dignampta* L.B.Prout,1927
- 22066) *Psilalcis Wehrli* (Wehrli,1953) (Geometridae) Synonym(s): *diniphas* Wehrli,1953
- 22067) *Psilalcis distanticlara* (L.B.Prout,1916) (Geometridae) Synonym(s): *distanticlara* L.B.Prout,1916
- 22068) *Psilalcis dochmioscia* (L.B.Prout,1916) (Geometridae) Synonym(s): *dochmioscia* L.B.Prout,1916
- 22069) *Psilalcis ectocampe* (Wehrli,1953) (Geometridae) Synonym(s): *ectocampe* Wehrli,1953
- 22070) *Psilalcis eupinara* (Wehrli,1953) (Geometridae) Synonym(s): *eupinara* Wehrli,1953
- 22071) *Psilalcis floresana* Sato,1996 (Geometridae) Synonym(s): *floresana* Sato,1996
- 22072) *Psilalcis galsworthyi* Sato,1996 (Geometridae) Synonym(s): *galsworthyi* Sato,1996
- 22073) *Psilalcis impos* (L.B.Prout,1927) (Geometridae) Synonym(s): *impos* L.B.Prout,1927
- 22074) *Psilalcis inceptaria* (Walker,1866) (Geometridae) Synonym(s): *inceptaria* Walker,1866; *hoengshana* Wehrli,1953
- 22075) *Psilalcis indistincta* Hampson,1891 (Geometridae) Synonym(s): *indistincta* Hampson,1891
- 22076) *Psilalcis insecurea* (L.B.Prout,1927) (Geometridae) Synonym(s): *insecurea* L.B.Prout,1927
- 22077) *Psilalcis intermedia* W.Warren,1899 (Geometridae) Synonym(s): *intermedia* W.Warren,1899
- 22078) *Psilalcis latimedia* (W.Warren,1906) (Geometridae) Synonym(s): *latimedia* W.Warren,1906; *extrema* L.B.Prout,1916
- 22079) *Psilalcis lophomeris* (L.B.Prout,1927) (Geometridae) Synonym(s): *lophomeris* L.B.Prout,1927
- 22080) *Psilalcis luzonica* Sato,1998 (Geometridae) Synonym(s): *luzonica* Sato,1998
- 22081) *Psilalcis ochroneura* (L.B.Prout,1916) (Geometridae) Synonym(s): *ochroneura* L.B.Prout,1916
- 22082) *Psilalcis owadai* Sato,1996 (Geometridae) Synonym(s): *owadai* Sato,1996
- 22083) *Psilalcis pallidaria* (Moore,1888) (Geometridae) Synonym(s): *pallidaria* Moore,1888; *dendrellaria* Swinhoe,1893
- 22084) *Psilalcis pallidimargo* (W.Warren,1906) (Geometridae) Synonym(s): *pallidimargo* W.Warren,1906; *gigas* L.B.Prout,1916
- 22085) *Psilalcis paraceptaria* Sato,1996 (Geometridae) Synonym(s): *paraceptaria* Sato,1996
- 22086) *Psilalcis polycnema* (L.B.Prout,1916) (Geometridae) Synonym(s): *polycnema* L.B.Prout,1916
- 22087) *Psilalcis postochrea* Sato,1996 (Geometridae) Synonym(s): *postochrea* Sato,1996
- 22088) *Psilalcis prionophora* (L.B.Prout,1916) (Geometridae) Synonym(s): *prionophora* L.B.Prout,1916
- 22089) *Psilalcis pulveraria* (Wileman,1912) (Geometridae) Synonym(s): *pulveraria* Wileman,1912; *nigriflexa* L.B.Prout,1914
- 22090) *Psilalcis rotundata* Inoue,1998 (Geometridae) Synonym(s): *rotundata* Inoue,1998
- 22091) *Psilalcis rufaria* (W.Warren,1896) (Geometridae) Synonym(s): *rufaria* W.Warren,1896
- 22092) *Psilalcis subfasciata* (W.Warren,1899) (Geometridae) Synonym(s): *subfasciata* W.Warren,1899; *discolor* Swinhoe,1909
- 22093) *Psilalcis subochrea* (W.Warren,1896) (Geometridae) Synonym(s): *subochrea* W.Warren,1896
- 22094) *Psilalcis subtochracea* (Hampson,1902) (Geometridae) Synonym(s): *subtochracea* Hampson,1902
- 22095) *Psilalcis thricophora* (Hampson,1895) (Geometridae) Synonym(s): *thricophora* Hampson,1895
- 22096) *Psilalcis tmetoloba* L.B.Prout,1924 (Geometridae) Synonym(s): *tmetoloba* L.B.Prout,1924
- 22097) *Psilalcis venusta* W.Warren,1906 (Geometridae) Synonym(s): *venusta* W.Warren,1906
- 22098) *Psilalcis vietnamensis* Sato,1996 (Geometridae) Synonym(s): *vietnamensis* Sato,1996
- 22099) *Psilocerea acerata* D.S.Fletcher,1978 (Geometridae) Synonym(s): *acerata* D.S.Fletcher,1978
- 22100) *Psilocerea albivertex* Herbulot,1992 (Geometridae) Synonym(s): *albivertex* Herbulot,1992
- 22101) *Psilocerea anearia* Swinhoe,1904 (Geometridae) Synonym(s): *anearia* Swinhoe,1904
- 22102) *Psilocerea apicata* W.Warren,1897 (Geometridae) Synonym(s): *apicata* W.Warren,1897
- 22103) *Psilocerea arabica* Wiltshire,1983 (Geometridae) Synonym(s): *arabica* Wiltshire,1983
- 22104) *Psilocerea aspilates* Herbulot,1954 (Geometridae) Synonym(s): *aspilates* Herbulot,1954
- 22105) *Psilocerea cneca* L.B.Prout,1932 (Geometridae) Synonym(s): *cneca* L.B.Prout,1932
- 22106) *Psilocerea gratiosa* L.B.Prout,1927 (Geometridae) Synonym(s): *gratiosa* L.B.Prout,1927
- 22107) *Psilocerea hypermetra* L.B.Prout,1931 (Geometridae) Synonym(s): *hypermetra* L.B.Prout,1931
- 22108) *Psilocerea icterias* Herbulot,1973 (Geometridae) Synonym(s): *icterias* Herbulot,1973
- 22109) *Psilocerea immitata* Janse,1932 (Geometridae) Synonym(s): *immitata* Janse,1932
- 22110) *Psilocerea leptosyne* D.S.Fletcher,1978 (Geometridae) Synonym(s): *leptosyne* D.S.Fletcher,1978
- 22111) *Psilocerea melanops* Carcasson,1965 (Geometridae) Synonym(s): *melanops* Carcasson,1965
- 22112) *Psilocerea pulverosa* (W.Warren,1894) (Geometridae) Synonym(s): *pulverosa* W.Warren,1894; *apiciata* W.Warren,1897; *transversa* Bethune-Baker,1913
- 22113) *Psilocerea semirufa* (W.Warren,1901) (Geometridae) Synonym(s): *semirufa* W.Warren,1901
- 22114) *Psilocerea szunyoghii* D.S.Fletcher,1978 (Geometridae) Synonym(s): *szunyoghii* D.S.Fletcher,1978
- 22115) *Psilocladia diaereta* L.B.Prout,1923 (Geometridae) Synonym(s): *diaereta* L.B.Prout,1923
- 22116) *Psilocladia loxostigma* L.B.Prout,1915 (Geometridae) Synonym(s): *loxostigma* L.B.Prout,1915
- 22117) *Psilocladia obliquata* W.Warren,1898 (Geometridae) Synonym(s): *obliquata* W.Warren,1898
- 22118) *Psilocladia repudiosa* (L.B.Prout,1915) (Geometridae) Synonym(s): *repudiosa* L.B.Prout,1915
- 22119) *Psilosetia pura* W.Warren,1900 (Geometridae) Synonym(s): *pura* W.Warren,1900
- 22120) *Psilotagma decorata* W.Warren,1894 (Geometridae) Synonym(s): *decorata* W.Warren,1894
- 22121) *Psodos alpinata* (Scopoli,1763) (Geometridae) Synonym(s): *alpinata* Scopoli,1763; *horridaria* [Denis & Schiffmüller],1775; *carbonata* Schrank,1802; *horridata* Duponchel,1830
- 22122) *Psodos alticolaria* (Mann,1853) (Geometridae) Synonym(s): *alticolaria* Mann,1853; *chalybaeus* Zerny,1916
- 22123) *Psodos baldensis* (Wolfsberger,1966) (Geometridae) Synonym(s): *baldensis* Wolfsberger,1966
- 22124) *Psodos bentelii* (Rätzer,1890) (Geometridae) Synonym(s): *bentelii* Rätzer,1890
- 22125) *Psodos burmanni* (Tarmann,1984) (Geometridae) Synonym(s): *burmanni* Tarmann,1984
- 22126) *Psodos canaliculata* (Hochenwarth,1785) (Geometridae) Synonym(s): *canaliculata* Hochenwarth,1785; *trepidaria* Hübner,[1809]; *trepidata* Duponchel,1830; *pyrenaica* Schawerda,1919
- 22127) *Psodos coracina* (Esper,1805) (Geometridae) Synonym(s): *hirtata* Fabricius,1794; *coracina* Esper,1805; *chaonaria* Freyer,1828
- 22128) *Psodos noricana* (Wagner,1898) (Geometridae) Synonym(s): *noricana* Wagner,1898; *belzebuth* Praviel,1938
- 22129) *Psodos perlinii* (Turati,1915) (Geometridae) Synonym(s): *perlinii* Turati,1915
- 22130) *Psodos quadrifaria* (Sulzer,1776) (Geometridae) Synonym(s): *quadrifaria* Sulzer,1776; *alpinata* [Denis & Schiffmüller],1775 nec Sc.,1763; *equestrata* Fabricius,1777; *equestraria* Esper,[1806] nec Fabr.,1794; *pyrenaica* Oberthür,1913
- 22131) *Psodos spitzi* (Rebel,1906) (Geometridae) Synonym(s): *spitzi* Rebel,1906
- 22132) *Psodos wehrlii* (Vorbrott,1918) (Geometridae) Synonym(s): *wehrlii* Vorbrott,1918
- 22133) *Psychophora sabini* Kirby,1824 (Geometridae) Synonym(s): *sabini* Kirby,1824
- 22134) *Psyra angulifera* (Walker,1866) (Geometridae) Synonym(s): *angulifera* Walker,1866
- 22135) *Psyra conferta* Inoue,1983 (Geometridae) Synonym(s): *conferta* Inoue,1983
- 22136) *Psyra crypta* Yazaki,1994 (Geometridae) Synonym(s): *crypta* Yazaki,1994
- 22137) *Psyra cuneata* Walker,1860 (Geometridae) Synonym(s): *cuneata* Walker,1860; *dsagara* Wehrli,1953; *lidjangica* Wehrli,1953; *szetschwana* Wehrli,1953
- 22138) *Psyra debilis* W.Warren,1888 (Geometridae) Synonym(s): *debilis* W.Warren,1888

- 22139) *Psyrta debilis debilis* W.Warren,1888 (Geometridae) Synonym(s): *debilis* W.Warren,1888
 22140) *Psyrta debilis indica* (Butler,1889) (Geometridae) Synonym(s): *indica* Butler,1889
 22141) *Psyrta falcipennis* Yazaki,1994 (Geometridae) Synonym(s): *falcipennis* Yazaki,1994
 22142) *Psyrta fulvaria* Yazaki,1992 (Geometridae) Synonym(s): *fulvaria* Yazaki,1992
 22143) *Psyrta gracilis* Yazaki,1992 (Geometridae) Synonym(s): *gracilis* Yazaki,1992
 22144) *Psyrta moderata* Inoue,1982 (Geometridae) Synonym(s): *moderata* Inoue,1982
 22145) *Psyrta similaria* Moore,1868 (Geometridae) Synonym(s): *similaria* Moore,1868
 22146) *Psyrta spurcataria* (Walker,1863) (Geometridae) Synonym(s): *spurcataria* Walker,1863; *florida* Bastelberger,1911
 22147) *Psyroides flavivertex* Wehrli,1931 (Geometridae) Synonym(s): *flavivertex* Wehrli,1931
 22148) *Psyroides pentagramma* Wehrli,1954 (Geometridae) Synonym(s): *pentagramma* Wehrli,1954
 22149) *Psyroides ramphodes* Wehrli,1954 (Geometridae) Synonym(s): *ramphodes* Wehrli,1954
 22150) *Pterapherapteryx sexalata* (Retzius,1783) (Geometridae) Synonym(s): *sexalata* Retzius,1783; *sexalisata* Hübner,1788; *sezalata* Hübner,1799; *hexaptera* Latreille,1805
 22151) *Pungleria capreolaria* (Fabricius,1787) (Geometridae) Synonym(s): *capreolaria* Fabricius,1787
 22152) *Pydna badiaria* (Freyer,1841) (Geometridae) Synonym(s): *badiaria* Freyer,1841; *telaria* Herrich-Schäffer,1847; *cervinaria* Herrich-Schäffer,1847; *praeacanaria* Eversmann,1847; *pollenaria* Freyer,1854
 22153) *Pydna bahara* (Brandt,1938) (Geometridae) Synonym(s): *bahara* Brandt,1938
 22154) *Pydna iranica* (Schwingenschuss,1939) (Geometridae) Synonym(s): *iranica* Schwingenschuss,1939
 22155) *Pygmaena fusca* (Thunberg,1792) (Geometridae) Synonym(s): *fusca* Thunberg,1792; *venetaria* Hübner,1809; *canitaria* Freyer,1830; *fuscantaria* Zetterstedt,1839 nec Thunb.,1792
 22156) *Racotis anaglyptica* L.B.Prout,1935 (Geometridae) Synonym(s): *anaglyptica* L.B.Prout,1935
 22157) *Racotis apodosima* L.B.Prout,1931 (Geometridae) Synonym(s): *apodosima* L.B.Prout,1931
 22158) *Racotis boarmiaria* (Guenée,1858) (Geometridae) Synonym(s): *boarmiaria* Guenée,1858
 22159) *Racotis boarmiaria boarmiaria* (Guenée,1858) (Geometridae) Synonym(s): *boarmiaria* Guenée,1858
 22160) *Racotis boarmiaria japonica* Inoue,1953 (Geometridae) Synonym(s): *japonica* Inoue,1953
 22161) *Racotis boarmiaria obliterata* W.Warren,1894 (Geometridae) Synonym(s): *obliterata* W.Warren,1894
 22162) *Racotis boarmiaria plenifasciata* W.Warren,1894 (Geometridae) Synonym(s): *plenifasciata* W.Warren,1894
 22163) *Racotis breijeri* (L.B.Prout,1922) (Geometridae) Synonym(s): *breijeri* L.B.Prout,1922
 22164) *Racotis canui* Herbulot,1991 (Geometridae) Synonym(s): *canui* Herbulot,1991
 22165) *Racotis cogens* L.B.Prout,1929 (Geometridae) Synonym(s): *cogens* L.B.Prout,1929
 22166) *Racotis deportata* Herbulot,1970 (Geometridae) Synonym(s): *deportata* Herbulot,1970
 22167) *Racotis discistigmata* (Hampson,1902) (Geometridae) Synonym(s): *discistigmata* Hampson,1902
 22168) *Racotis fortijuxta* Sato,1995 (Geometridae) Synonym(s): *fortijuxta* Sato,1995
 22169) *Racotis incauta* (Prout,1916) (Geometridae) Synonym(s): *incauta* Prout,1916
 22170) *Racotis inconclusa* (Walker,1860) (Geometridae) Synonym(s): *inconclusa* Walker,1860; *illustrata* W.Warren,1899
 22171) *Racotis luzonensis* Sato,1995 (Geometridae) Synonym(s): *luzonensis* Sato,1995
 22172) *Racotis neonephria* L.B.Prout,1935 (Geometridae) Synonym(s): *neonephria* L.B.Prout,1935
 22173) *Racotis quadripunctata* Holloway,1994 (Geometridae) Synonym(s): *quadripunctata* Holloway,1994
 22174) *Ramitia obliquelineata* Viidalepp,1988 (Geometridae) Synonym(s): *obliquelineata* Viidalepp,1988
 22175) *Rhadinophax divincta* (Walker,1861) (Geometridae) Synonym(s): *divincta* Walker,1861
 22176) *Rhadinophax pudicata* (Walker,1866) (Geometridae) Synonym(s): *pudicata* Walker,1866; *frondinata* R.Felder & Rogenhofer,1875
 22177) *Rhadinophax sanguinipuncta* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *sanguinipuncta* R.Felder & Rogenhofer,1875
 22178) *Rhadinophax trimeni* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *trimeni* R.Felder & Rogenhofer,1875
 22179) *Rhanidopsis alleni* Holloway,1996 (Geometridae) Synonym(s): *alleni* Holloway,1996
 22180) *Rhanidopsis alleni* Holloway,1996 (Geometridae) Synonym(s): *alleni* Holloway,1996
 22181) *Rhanidopsis neophantes* West,1930 (Geometridae) Synonym(s): *neophantes* West,1930
 22182) *Rhanidopsis neophantes* West,1930 (Geometridae) Synonym(s): *neophantes* West,1930
 22183) *Rheumaptera abraxidia* (Hampson,1895) (Geometridae) Synonym(s): *abraxia* Hampson,1895
 22184) *Rheumaptera acis* (D.S.Fletcher,1961) (Geometridae) Synonym(s): *acis* D.S.Fletcher,1961
 22185) *Rheumaptera acutata* Xue & Meng,1992 (Geometridae) Synonym(s): *acutata* Xue & Meng,1992
 22186) *Rheumaptera affinis* Xue & Meng,1992 (Geometridae) Synonym(s): *affinis* Xue & Meng,1992
 22187) *Rheumaptera albidia* Xue,1995 (Geometridae) Synonym(s): *albidia* Xue,1995
 22188) *Rheumaptera albiplaga* (Oberthür,1886) (Geometridae) Synonym(s): *albiplaga* Oberthür,1886
 22189) *Rheumaptera albofasciata* Inoue,1986 (Geometridae) Synonym(s): *albofasciata* Inoue,1986
 22190) *Rheumaptera alternata* (Staudinger,1896) (Geometridae) Synonym(s): *alternata* Staudinger,1896; *nudaria* Leech,1897
 22191) *Rheumaptera anestia* (L.B.Prout,1941) (Geometridae) Synonym(s): *anestia* L.B.Prout,1941
 22192) *Rheumaptera chinensis* (Leech,1897) (Geometridae) Synonym(s): *chinensis* Leech,1897; *moerens* Alpheraky,1897
 22193) *Rheumaptera cinerea* Yazaki,1995 (Geometridae) Synonym(s): *cinerea* Yazaki,1995
 22194) *Rheumaptera corporaali* (Wehrli,1933) (Geometridae) Synonym(s): *corporaali* Wehrli,1933
 22195) *Rheumaptera empodia* (L.B.Prout,1941) (Geometridae) Synonym(s): *empodia* L.B.Prout,1941
 22196) *Rheumaptera gudarica* (Dufay,1983) (Geometridae) Synonym(s): *gudarica* Dufay,1983
 22197) *Rheumaptera hastata* (Linnaeus,1758) (Geometridae) Synonym(s): *hastata* Linnaeus,1758; *heraclitaea* Fourcroy,1785; *hastaria* Boisduval,1840
 22198) *Rheumaptera hydatoplex* (L.B.Prout,1938) (Geometridae) Synonym(s): *hydatoplex* L.B.Prout,1938
 22199) *Rheumaptera hypolopha* (Hampson,1895) (Geometridae) Synonym(s): *hypolopha* Hampson,1895
 22200) *Rheumaptera inanata* (Christoph,1881) (Geometridae) Synonym(s): *inanata* Christoph,1881; *costipunctaria* Leech,1897
 22201) *Rheumaptera incertata* (Staudinger,1882) (Geometridae) Synonym(s): *incertata* Staudinger,1882
 22202) *Rheumaptera ithys* (L.B.Prout,1937) (Geometridae) Synonym(s): *ithys* L.B.Prout,1937
 22203) *Rheumaptera lugens* (Oberthür,1886) (Geometridae) Synonym(s): *lugens* Oberthür,1886
 22204) *Rheumaptera luteimedia* (L.B.Prout,1941) (Geometridae) Synonym(s): *luteimedia* L.B.Prout,1941
 22205) *Rheumaptera mochica* (Dognin,1904) (Geometridae) Synonym(s): *mochica* Dognin,1904
 22206) *Rheumaptera moniliferaria* (Oberthür,1893) (Geometridae) Synonym(s): *moniliferaria* Oberthür,1893
 22207) *Rheumaptera montivagata* Duponchel,1830 (Geometridae) Synonym(s): *montivagata* Duponchel,1830; *montivagaria* Boisduval,1840; *andalusica* Ribbe,1912
 22208) *Rheumaptera moscardonica* Laever,1983 (Geometridae) Synonym(s): *moscardonica* Laever,1983
 22209) *Rheumaptera naseraria* (Oberthür,1893) (Geometridae) Synonym(s): *naseraria* Oberthür,1893
 22210) *Rheumaptera nengkaoensis* Inoue,1986 (Geometridae) Synonym(s): *nengkaoensis* Inoue,1986
 22211) *Rheumaptera neocervinalis* Inoue,1982 (Geometridae) Synonym(s): *neocervinalis* Inoue,1982
 22212) *Rheumaptera nigralbata* (W.Warren,1888) (Geometridae) Synonym(s): *nigralbata* W.Warren,1888
 22213) *Rheumaptera pharcis* Xue,1995 (Geometridae) Synonym(s): *pharcis* Xue,1995
 22214) *Rheumaptera relicta* (Herbulot,1953) (Geometridae) Synonym(s): *relicta* Herbulot,1953
 22215) *Rheumaptera scotaria* (Hampson,1907) (Geometridae) Synonym(s): *scotaria* Hampson,1907
 22216) *Rheumaptera sideritaria* (Oberthür,1884) (Geometridae) Synonym(s): *sideritaria* Oberthür,1884
 22217) *Rheumaptera subhastata* (Nolcken,1870) (Geometridae) Synonym(s): *subhastata* Nolcken,1870; *sagittifera* Gumpfenberg,1890
 22218) *Rheumaptera titubata* (L.B.Prout,1941) (Geometridae) Synonym(s): *titubata* L.B.Prout,1941
 22219) *Rheumaptera tremodes* (L.B.Prout,1941) (Geometridae) Synonym(s): *tremodes* L.B.Prout,1941
 22220) *Rheumaptera tremulata* (Guenée,1858) (Geometridae) Synonym(s): *tremulata* Guenée,1858
 22221) *Rheumaptera valentula* (L.B.Prout,1941) (Geometridae) Synonym(s): *valentula* L.B.Prout,1941
 22222) *Rheumaptera veterinata* (Christoph,1881) (Geometridae) Synonym(s): *veterinata* Christoph,1881
 22223) *Rhodesia albovidata* (Saalmüller,1880) (Geometridae) Synonym(s): *albovidata* Saalmüller,1880
 22224) *Rhodesia depompata* L.B.Prout,1913 (Geometridae) Synonym(s): *depompata* L.B.Prout,1913

- 22225) *Rhodesia viridalbata* W.Warren,1905 (Geometridae) Synonym(s): *viridalbata* W.Warren,1905
 22226) *Rhodomatra angasmarca* Dognin,1917 (Geometridae) Synonym(s): *angasmarca* Dognin,1917
 22227) *Rhodomatra audeoudi* Prout,1928 (Geometridae) Synonym(s): *audeoudi* Prout,1928
 22228) *Rhodomatra debiliaria* Rothschild,1914 (Geometridae) Synonym(s): *debiliaria* Rothschild,1914
 22229) *Rhodomatra intervenata* (W.Warren,1902) (Geometridae) Synonym(s): *intervenata* W.Warren,1902
 22230) *Rhodomatra labdoides* Herbulot,1997 (Geometridae) Synonym(s): *labdoides* Herbulot,1997
 22231) *Rhodomatra participata* (Walker,1862) (Geometridae) Synonym(s): *participata* Walker,1862; *peculiata* Walker,1862
 22232) *Rhodomatra plectaria* (Guenée,[1858]) (Geometridae) Synonym(s): *plectaria* Guenée,[1858]
 22233) *Rhodomatra sacraria* (Linnaeus,1767) (Geometridae) Synonym(s): *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858];
 22234) *Rhodometra satura* L.B.Prout,1916 (Geometridae) Synonym(s): *satura* L.B.Prout,1916
 22235) *Rhodometra sevastopuloi* Carcasson,1964 (Geometridae) Synonym(s): *sevastopuloi* Carcasson,1964
 22236) *Rhodometra virginpampa* (Dognin,1892) (Geometridae) Synonym(s): *virginpampa* Dognin,1892
 22237) *Rhodophthitus anamesa* (L.B.Prout,1915) (Geometridae) Synonym(s): *anamesa* L.B.Prout,1915
 22238) *Rhodophthitus arichannaria* D.S.Fletcher,1978 (Geometridae) Synonym(s): *arichannaria* D.S.Fletcher,1978
 22239) *Rhodophthitus atacta* L.B.Prout,1922 (Geometridae) Synonym(s): *atacta* L.B.Prout,1922
 22240) *Rhodophthitus barlowi* (L.B.Prout,1922) (Geometridae) Synonym(s): *barlowi* L.B.Prout,1922
 22241) *Rhodophthitus betsileanus* Herbulot,1965 (Geometridae) Synonym(s): *betsileanus* Herbulot,1965
 22242) *Rhodophthitus castus* W.Warren,1904 (Geometridae) Synonym(s): *castus* W.Warren,1904
 22243) *Rhodophthitus commaculata* (L.B.Prout,1897) (Geometridae) Synonym(s): *commaculata* L.B.Prout,1897
 22244) *Rhodophthitus formosus* Butler,1880 (Geometridae) Synonym(s): *formosus* Butler,1880
 22245) *Rhodophthitus myriostictus* L.B.Prout,1915 (Geometridae) Synonym(s): *myriostictus* L.B.Prout,1915
 22246) *Rhodophthitus procellosa* W.Warren,1905 (Geometridae) Synonym(s): *procellosa* W.Warren,1905
 22247) *Rhodophthitus pseudabraxas* Carcasson,1964 (Geometridae) Synonym(s): *pseudabraxas* Carcasson,1964
 22248) *Rhodophthitus roseovittata* (Butler,1896) (Geometridae) Synonym(s): *roseovittata* Butler,1896
 22249) *Rhodophthitus rudicornis* (Butler,1898) (Geometridae) Synonym(s): *rudicornis* Butler,1898
 22250) *Rhodophthitus simplex* W.Warren,1897 (Geometridae) Synonym(s): *simplex* W.Warren,1897; *roseus* W.Warren,1899; *rhodonaria* Oberthür,1916
 22251) *Rhodophthitus thapsinus* L.B.Prout,1931 (Geometridae) Synonym(s): *thapsinus* L.B.Prout,1931
 22252) *Rhodophthitus tricoloraria* (Mabille,1890) (Geometridae) Synonym(s): *tricoloraria* Mabille,1890; *imperialis* Bastelberger,1907
 22253) *Rhodophthitus unca* (Le Cerf,1922) (Geometridae) Synonym(s): *unca* Le Cerf,1922
 22254) *Rhodostrophia abscisaria* Brandt,1941 (Geometridae) Synonym(s): *abscisaria* Brandt,1941
 22255) *Rhodostrophia abscisaria abscisaria* Brandt,1941 (Geometridae) Synonym(s): *abscisaria* Brandt,1941
 22256) *Rhodostrophia abscisaria chlorotica* Wiltshire,1967 (Geometridae) Synonym(s): *chlorotica* Wiltshire,1967
 22257) *Rhodostrophia adauctata* (Staudinger,1892) (Geometridae) Synonym(s): *adauctata* Staudinger,1892
 22258) *Rhodostrophia adauctata alexandraria* (Staudinger,1892) (Geometridae) Synonym(s): *alexandraria* Staudinger,1892
 22259) *Rhodostrophia adauctata grisearia* (Staudinger,1892) (Geometridae) Synonym(s): *grisearia* Staudinger,1892
 22260) *Rhodostrophia anchora* L.B.Prout,1935 (Geometridae) Synonym(s): *anchotera* L.B.Prout,1935
 22261) *Rhodostrophia anjumana* Wiltshire,1967 (Geometridae) Synonym(s): *anjumana* Wiltshire,1967
 22262) *Rhodostrophia anomala* W.Warren,1895 (Geometridae) Synonym(s): *anomala* W.Warren,1895; *araearia* Hampson,1903
 22263) *Rhodostrophia aquila* Yazaki,1998 (Geometridae) Synonym(s): *aquila* Yazaki,1998
 22264) *Rhodostrophia auctata* (Staudinger,1879) (Geometridae) Synonym(s): *auctata* Staudinger,1879
 22265) *Rhodostrophia bicolor* W.Warren,1895 (Geometridae) Synonym(s): *bicolor* W.Warren,1895
 22266) *Rhodostrophia bisinuata* W.Warren,1895 (Geometridae) Synonym(s): *bisinuata* W.Warren,1895; *sinensis* L.B.Prout,1913
 22267) *Rhodostrophia bisinuata bisinuata* W.Warren,1895 (Geometridae) Synonym(s): *bisinuata* W.Warren,1895; *sinensis* L.B.Prout,1913
 22268) *Rhodostrophia bisinuata wilemani* L.B.Prout,1938 (Geometridae) Synonym(s): *wilemani* L.B.Prout,1938
 22269) *Rhodostrophia calabra* (Petagna,1786) (Geometridae) Synonym(s): *calabra* Petagna,1786; *trifasciata* Cyrillo,1787; *calabrararia* Hübner,1790.
 22270) *Rhodostrophia calabra calabra* (Petagna,1786) (Geometridae) Synonym(s): *calabra* Petagna,1786; *trifasciata* Cyrillo,1787; *calabrararia* Hübner,1790.
 22271) *Rhodostrophia calabra separata* Prout,1935 (Geometridae) Synonym(s): *separata* Prout,1935; *muscosa* Bastelberger,1908.
 22272) *Rhodostrophia calabra transcaucasica* Prout,1920 (Geometridae) Synonym(s): *transcaucasica* Prout,1920
 22273) *Rhodostrophia cinerascens* (Moore,1888) (Geometridae) Synonym(s): *cinerascens* Moore,1888; *subflavida* W.Warren,1893
 22274) *Rhodostrophia cinerascens borealis* (Swinhoe,1890) (Geometridae) Synonym(s): *borealis* Swinhoe,1890; *rhoda* L.B.Prout,1913
 22275) *Rhodostrophia cinerascens cinerascens* (Moore,1888) (Geometridae) Synonym(s): *cinerascens* Moore,1888; *subflavida* W.Warren,1893
 22276) *Rhodostrophia cretacearia* Rebel,1916 (Geometridae) Synonym(s): *cretacearia* Rebel,1916
 22277) *Rhodostrophia cuprinaria* (Christoph,1876) (Geometridae) Synonym(s): *cuprinaria* Christoph,1876; *phaenicearia* Hampson,1907.
 22278) *Rhodostrophia discopunctata* Amsel,1935 (Geometridae) Synonym(s): *tabidaria* auct. nec Zell.,1847; *discopunctata* Amsel,1935
 22279) *Rhodostrophia dispar* (Staudinger,1892) (Geometridae) Synonym(s): *dispar* Staudinger,1892
 22280) *Rhodostrophia dissoluta* L.B.Prout,1938 (Geometridae) Synonym(s): *dissoluta* L.B.Prout,1938
 22281) *Rhodostrophia erythema* L.B.Prout,1924 (Geometridae) Synonym(s): *erythema* L.B.Prout,1924
 22282) *Rhodostrophia froitzheimi* Wiltshire,1966 (Geometridae) Synonym(s): *froitzeimi* Wiltshire,1966
 22283) *Rhodostrophia froitzheimi froitzheimi* Wiltshire,1966 (Geometridae) Synonym(s): *froitzeimi* Wiltshire,1966
 22284) *Rhodostrophia froitzheimi salangensis* Wiltshire,1966 (Geometridae) Synonym(s): *salangensis* Wiltshire,1966
 22285) *Rhodostrophia furialis* Brandt,1941 (Geometridae) Synonym(s): *furialis* Brandt,1941
 22286) *Rhodostrophia glaucifusa* (Hampson,1907) (Geometridae) Synonym(s): *glaucifusa* Hampson,1907
 22287) *Rhodostrophia grumaria* (Alpheraky,1892) (Geometridae) Synonym(s): *grumaria* Alpheraky,1892
 22288) *Rhodostrophia haematozona* Hampson,1895 (Geometridae) Synonym(s): *haematozona* Hampson,1895
 22289) *Rhodostrophia herbicolens* (Butler,1883) (Geometridae) Synonym(s): *herbicolen* Butler,1883
 22290) *Rhodostrophia inaeffectata* L.B.Prout,1938 (Geometridae) Synonym(s): *inaeffectata* L.B.Prout,1938
 22291) *Rhodostrophia inconspicua* (Butler,1886) (Geometridae) Synonym(s): *inconspicua* Butler,1886
 22292) *Rhodostrophia inconspicua inconspicua* (Butler,1886) (Geometridae) Synonym(s): *inconspicua* Butler,1886
 22293) *Rhodostrophia inconspicua subconspicua* L.B.Prout,1913 (Geometridae) Synonym(s): *subconspicua* L.B.Prout,1913
 22294) *Rhodostrophia jacularia* (Hübner,[1813]) (Geometridae) Synonym(s): *jacularia* Hübner,[1813]
 22295) *Rhodostrophia jacularia minor* (Alpheraky,1892) (Geometridae) Synonym(s): *minor* Alpheraky,1892
 22296) *Rhodostrophia kabulensis* Wiltshire,1970 (Geometridae) Synonym(s): *kabulensis* Wiltshire,1970
 22297) *Rhodostrophia lanceolata* Kaila & Viidalepp,1996 (Geometridae) Synonym(s): *lanceolata* Kaila & Viidalepp,1996
 22298) *Rhodostrophia lenis* Wiltshire,1966 (Geometridae) Synonym(s): *lenis* Wiltshire,1966
 22299) *Rhodostrophia linguata* Wiltshire,1966 (Geometridae) Synonym(s): *linguata* Wiltshire,1966
 22300) *Rhodostrophia lyubechanskii* Vasilenko,2003 (Geometridae) Synonym(s): *lyubechanskii* Vasilenko,2003
 22301) *Rhodostrophia meonaria* (Guenée,[1858]) (Geometridae) Synonym(s): *meonaria* Guenée,[1858]
 22302) *Rhodostrophia meonaria meonaria* (Guenée,[1858]) (Geometridae) Synonym(s): *meonaria* Guenée,[1858]
 22303) *Rhodostrophia meonaria pallidior* Wiltshire,1966 (Geometridae) Synonym(s): *pallidior* Wiltshire,1966
 22304) *Rhodostrophia muricolor* W.Warren,1897 (Geometridae) Synonym(s): *muricolor* W.Warren,1897
 22305) *Rhodostrophia nesam* Brandt,1938 (Geometridae) Synonym(s): *nesam* Brandt,1938
 22306) *Rhodostrophia nesam fuscata* Brandt,1941 (Geometridae) Synonym(s): *fuscata* Brandt,1941
 22307) *Rhodostrophia nubifera* Brandt,1941 (Geometridae) Synonym(s): *nubifera* Brandt,1941
 22308) *Rhodostrophia nubifera klapperichi* Wiltshire,1966 (Geometridae) Synonym(s): *klapperichi* Wiltshire,1966
 22309) *Rhodostrophia nubifera nubifera* Brandt,1941 (Geometridae) Synonym(s): *nubifera* Brandt,1941
 22310) *Rhodostrophia olivacea* W.Warren,1895 (Geometridae) Synonym(s): *olivacea* W.Warren,1895
 22311) *Rhodostrophia olivipallens* Wiltshire,1966 (Geometridae) Synonym(s): *olivipallens* Wiltshire,1966
 22312) *Rhodostrophia oxyntis* L.B.Prout,1935 (Geometridae) Synonym(s): *oxyntis* L.B.Prout,1935
 22313) *Rhodostrophia pellonaria* (Guenée,[1858]) (Geometridae) Synonym(s): *pellonaria* Guenée,[1858]; *meonodes* L.B.Prout,1935

- 22314) *Rhodostrophia pelliaria khasiana* (Moore,1888) (Geometridae) Synonym(s): *khasiana* Moore,1888
 22315) *Rhodostrophia pelliaria pelliaria* (Guenée,[1858]) (Geometridae) Synonym(s): *pellinaria* Guenée,[1858]; *meonodes* L.B.Prout,1935
 22316) *Rhodostrophia peregrina* (Kollar,[1844]) (Geometridae) Synonym(s): *peregrina* Kollar,[1844]; *rara* Butler,1889
 22317) *Rhodostrophia peripheres* L.B.Prout,1938 (Geometridae) Synonym(s): *peripheres* L.B.Prout,1938
 22318) *Rhodostrophia peripheres debilis* Wiltshire,1949 (Geometridae) Synonym(s): *debilis* Wiltshire,1949
 22319) *Rhodostrophia peripheres peripheres* L.B.Prout,1938 (Geometridae) Synonym(s): *peripheres* L.B.Prout,1938
 22320) *Rhodostrophia philolaches* (Oberthür,1891) (Geometridae) Synonym(s): *philolaches* Oberthür,1891; *farinosa* W.Warren,1897
 22321) *Rhodostrophia philolaches philolaches* (Oberthür,1891) (Geometridae) Synonym(s): *philolaches* Oberthür,1891; *farinosa* W.Warren,1897
 22322) *Rhodostrophia philolaches tibetaria* (Staudinger,1896) (Geometridae) Synonym(s): *tibetaria* Staudinger,1896
 22323) *Rhodostrophia pleonasma* Wiltshire,1967 (Geometridae) Synonym(s): *pleonasma* Wiltshire,1967
 22324) *Rhodostrophia plesiochora* L.B.Prout,1917 (Geometridae) Synonym(s): *plesiochora* L.B.Prout,1917
 22325) *Rhodostrophia poliaria* Hampson,1903 (Geometridae) Synonym(s): *poliaria* Hampson,1903
 22326) *Rhodostrophia poliaria excellens* L.B.Prout,1938 (Geometridae) Synonym(s): *excellens* L.B.Prout,1938
 22327) *Rhodostrophia poliaria poliaria* Hampson,1903 (Geometridae) Synonym(s): *poliaria* Hampson,1903
 22328) *Rhodostrophia praecisaria* (Staudinger,1892) (Geometridae) Synonym(s): *praecisaria* Staudinger,1892
 22329) *Rhodostrophia praecisaria badakhschana* Ebert,1965 (Geometridae) Synonym(s): *badakhschana* Ebert,1965
 22330) *Rhodostrophia praecisaria praecisaria* (Staudinger,1892) (Geometridae) Synonym(s): *praecisaria* Staudinger,1892
 22331) *Rhodostrophia pudorata* (Fabricius,1794) (Geometridae) Synonym(s): *pudorata* Fabricius,1794
 22332) *Rhodostrophia pulveraria* Hampson,1903 (Geometridae) Synonym(s): *pulveraria* Hampson,1903
 22333) *Rhodostrophia subrupa* L.B.Prout,1935 (Geometridae) Synonym(s): *rhodospania* L.B.Prout,1935
 22334) *Rhodostrophia rueckbeili* Sheljuzhko,1955 (Geometridae) Synonym(s): *rueckbeili* Sheljuzhko,1955
 22335) *Rhodostrophia sieversi* (Christoph,1882) (Geometridae) Synonym(s): *sieversi* Christoph,1882
 22336) *Rhodostrophia similata* (Moore,1888) (Geometridae) Synonym(s): *similata* Moore,1888
 22337) *Rhodostrophia staudingeri* (Alpheraky,1883) (Geometridae) Synonym(s): *staudingeri* Alpheraky,1883
 22338) *Rhodostrophia stigmatica* Butler,1889 (Geometridae) Synonym(s): *stigmatica* Butler,1889
 22339) *Rhodostrophia subrupa* W.Warren,1897 (Geometridae) Synonym(s): *subrupa* W.Warren,1897
 22340) *Rhodostrophia tabidaria* (Zeller,1847) (Geometridae) Synonym(s): *tabidaria* Zeller,1847
 22341) *Rhodostrophia tabidaria cypriaria* Rebel,1916 (Geometridae) Synonym(s): *cypriaria* Rebel,1916; *cypria* L.B.Prout,1920
 22342) *Rhodostrophia tabidaria tabidaria* (Zeller,1847) (Geometridae) Synonym(s): *tabidaria* Zeller,1847
 22343) *Rhodostrophia terrestraria* (Lederer,1869) (Geometridae) Synonym(s): *terrestraria* Lederer,1869
 22344) *Rhodostrophia terrestraria pelliaria* (Christoph,1885) (Geometridae) Synonym(s): *pellinaria* Christoph,1885
 22345) *Rhodostrophia terrestraria terrestraria* (Lederer,1869) (Geometridae) Synonym(s): *terrestraria* Lederer,1869
 22346) *Rhodostrophia tremiscens* L.B.Prout,1918 (Geometridae) Synonym(s): *tremiscens* L.B.Prout,1918
 22347) *Rhodostrophia tristrigalis* Butler,1889 (Geometridae) Synonym(s): *tristrigalis* Butler,1889
 22348) *Rhodostrophia tumulosa* Brandt,1938 (Geometridae) Synonym(s): *tumulosa* Brandt,1938
 22349) *Rhodostrophia vartianae* Wiltshire,1966 (Geometridae) Synonym(s): *vartianae* Wiltshire,1966
 22350) *Rhodostrophia vastaria* (Christoph,1876) (Geometridae) Synonym(s): *vastaria* Christoph,1876
 22351) *Rhodostrophia vinacaria* (Moore,1868) (Geometridae) Synonym(s): *vinacaria* Moore,1868
 22352) *Rhodostrophia xesta* L.B.Prout,1935 (Geometridae) Synonym(s): *xesta* L.B.Prout,1935
 22353) *Rhodostrophia xesta badhyzicola* Viidalepp,1988 (Geometridae) Synonym(s): *badhyzicola* Viidalepp,1988
 22354) *Rhodostrophia xesta xesta* L.B.Prout,1935 (Geometridae) Synonym(s): *xesta* L.B.Prout,1935
 22355) *Rhodostrophia yunnanaria* (Oberthür,1923) (Geometridae) Synonym(s): *yunnanaria* Oberthür,1923
 22356) *Rhombocentra semipurpurea* (W.Warren,1897) (Geometridae) Synonym(s): *semipurpurea* W.Warren,1897
 22357) *Rhoptria asperaria* (Hübner,[1817]) (Geometridae) Synonym(s): *asperaria* Hübner,[1817]; *collata* Hübner,[1826]; *pityata* Rambur,1829; *esteparentis* Agenjo,1933; *aspersaria* Zukowsky,1941.
 22358) *Rhoptria dolosaria* (Herrich-Schäffer,[1848]) (Geometridae) Synonym(s): *dolosaria* Herrich-Schäffer,[1848]
 22359) *Rhoptria erebata* (W.Warren,1897) (Geometridae) Synonym(s): *erebata* W.Warren,1897
 22360) *Rhoptria mardinata* (Staudinger,1900) (Geometridae) Synonym(s): *mardinata* Staudinger,1900; *pistaciae* Wiltshire,1943
 22361) *Rhynchobapta cervinaria* (Moore,1888) (Geometridae) Synonym(s): *cervinaria* Moore,1888
 22362) *Rhynchobapta cervinaria bilineata* (Leech,1891) (Geometridae) Synonym(s): *bilineata* Leech,1891
 22363) *Rhynchobapta cervinaria cervinaria* (Moore,1888) (Geometridae) Synonym(s): *cervinaria* Moore,1888
 22364) *Rhynchobapta eburnivea* (W.Warren,1896) (Geometridae) Synonym(s): *eburnivea* W.Warren,1896; *albovenaria* Leech,1897
 22365) *Rhynchobapta flavicostaria* Leech,1897 (Geometridae) Synonym(s): *flavicostaria* Leech,1897
 22366) *Rhynchobapta irrorata* Hampson,1902 (Geometridae) Synonym(s): *irrorata* Hampson,1902
 22367) *Rhynchobapta pernites* Wehrli,1924 (Geometridae) Synonym(s): *pernites* Wehrli,1924
 22368) *Rikiosatoa bhutanica* Inoue,1992 (Geometridae) Synonym(s): *bhutanica* Inoue,1992
 22369) *Rikiosatoa euphiles* (L.B.Prout,1916) (Geometridae) Synonym(s): *euphiles* L.B.Prout,1916
 22370) *Rikiosatoa fucataria* (Wileman,1911) (Geometridae) Synonym(s): *fucataria* Wileman,1911; *aperta* Bastelberger,1911
 22371) *Rikiosatoa fucatarides* Sato,1992 (Geometridae) Synonym(s): *fucatarides* Sato,1992
 22372) *Rikiosatoa grisea* (Butler,1878) (Geometridae) Synonym(s): *grisea* Butler,1878
 22373) *Rikiosatoa hoenensis* (Wehrli,1943) (Geometridae) Synonym(s): *hoenensis* Wehrli,1943
 22374) *Rikiosatoa mavi* (L.B.Prout,1915) (Geometridae) Synonym(s): *mavi* L.B.Prout,1915; *opiseura* Wehrli,1943; *shibatani* Inoue,1978
 22375) *Rikiosatoa transversa* Inoue,1998 (Geometridae) Synonym(s): *transversa* Inoue,1998
 22376) *Rikiosatoa vandervoordeni* (L.B.Prout,1923) (Geometridae) Synonym(s): *vandervoordeni* L.B.Prout,1923
 22377) *Rougeotiana pseudonoctua* Herbulot,1983 (Geometridae) Synonym(s): *pseudonoctua* Herbulot,1983
 22378) *Ruttellerona cessaria* (Walker,1860) (Geometridae) Synonym(s): *cessaria* Walker,1860; *praeclararia* Walker,[1863]
 22379) *Ruttellerona harmonica* (Hampson,1898) (Geometridae) Synonym(s): *harmonica* Hampson,1898
 22380) *Ruttellerona kalisi* L.B.Prout,1935 (Geometridae) Synonym(s): *kalisi* L.B.Prout,1935
 22381) *Ruttellerona lithina* (W.Warren,1903) (Geometridae) Synonym(s): *lithina* W.Warren,1903; *indiligens* L.B.Prout,1925
 22382) *Ruttellerona lithina kinabalensis* (L.B.Prout,1935) (Geometridae) Synonym(s): *kinabalensis* L.B.Prout,1935
 22383) *Ruttellerona lithina lithina* (W.Warren,1903) (Geometridae) Synonym(s): *lithina* W.Warren,1903; *indiligens* L.B.Prout,1925
 22384) *Ruttellerona obsequens* (L.B.Prout,1929) (Geometridae) Synonym(s): *obsequens* L.B.Prout,1929
 22385) *Ruttellerona pallicostaria* (Moore,1868) (Geometridae) Synonym(s): *pallicostaria* Moore,1868
 22386) *Ruttellerona presbytica* G.S.Robinson,1975 (Geometridae) Synonym(s): *presbytica* G.S.Robinson,1975
 22387) *Ruttellerona pseudocessaria* Holloway,[1994] (Geometridae) Synonym(s): *pseudocessaria* Holloway,[1994]
 22388) *Ruttellerona pulverulenta* (W.Warren,1897) (Geometridae) Synonym(s): *pulverulenta* W.Warren,1897
 22389) *Ruttellerona scotozona* (Hampson,1900) (Geometridae) Synonym(s): *scotozona* Hampson,1900
 22390) *Ruttellerona stigmaticostia* (L.B.Prout,1928) (Geometridae) Synonym(s): *stigmaticostia* L.B.Prout,1928
 22391) *Sabulodes convergens* (Bastelberger,1911) (Geometridae) Synonym(s): *convergens* Bastelberger,1911
 22392) *Sarcinodes aequilinearia* (Walker,1860) (Geometridae) Synonym(s): *aequilinearia* Walker,1860; *trilineata* Walker,1866
 22393) *Sarcinodes carnearia* Guenée,[1858] (Geometridae) Synonym(s): *carnearia* Guenée,[1858]
 22394) *Sarcinodes debitorius* (Walker,[1863]) (Geometridae) Synonym(s): *debitaria* Walker,[1863]
 22395) *Sarcinodes flavicans* Yazaki,1988 (Geometridae) Synonym(s): *flavicans* Yazaki,1988
 22396) *Sarcinodes fortis* Yazaki,1988 (Geometridae) Synonym(s): *fortis* Yazaki,1988
 22397) *Sarcinodes holzi* (Pagenstecher,1884) (Geometridae) Synonym(s): *holzi* Pagenstecher,1884; *compacta* W.Warren,1896
 22398) *Sarcinodes lilacina* Moore,1888 (Geometridae) Synonym(s): *lilacina* Moore,1888
 22399) *Sarcinodes luzonensis* Wileman & South,1917 (Geometridae) Synonym(s): *luzonensis* Wileman & South,1917
 22400) *Sarcinodes perakaria* Swinhoe,1899 (Geometridae) Synonym(s): *perakaria* Swinhoe,1899
 22401) *Sarcinodes prouti* Inoue,1992 (Geometridae) Synonym(s): *prouti* Inoue,1992
 22402) *Sarcinodes reductatus* Inoue,1992 (Geometridae) Synonym(s): *reductatus* Inoue,1992

- 22403) *Sarcinodes repurgatus* Inoue,1992 (Geometridae) Synonym(s): *repurgatus* Inoue,1992
 22404) *Sarcinodes restituaris* (Walker,[1863]) (Geometridae) Synonym(s): *restituaria* Walker,[1863]
 22405) *Sarcinodes sumatraris* (Walker,1866) (Geometridae) Synonym(s): *sumatraria* Walker,1866
 22406) *Sarcinodes susana* Swinhoe,1891 (Geometridae) Synonym(s): *susana* Swinhoe,1891
 22407) *Sarcinodes tornubilatus* Sommerer,1995 (Geometridae) Synonym(s): *tornubilatus* Sommerer,1995
 22408) *Sarcinodes variabilis* Yazaki,1988 (Geometridae) Synonym(s): *variabilis* Yazaki,1988
 22409) *Sarcinodes vultuarius* Guenée,[1858] (Geometridae) Synonym(s): *vultuaria* Guenée,[1858]; *bilineata* Moore,1868; *punctata* W.Warren,1894
 22410) *Sarcinodes yaeyamana* Inoue,1976 (Geometridae) Synonym(s): *yaeyamana* Inoue,1976
 22411) *Sarcinodes yazakii* Inoue,1992 (Geometridae) Synonym(s): *yazakii* Inoue,1992
 22412) *Sarcinodes yeni* Sommerer,1996 (Geometridae) Synonym(s): *yeni* Sommerer,1996
 22413) *Sardocynria bastelicaria* (Bellier,1862) (Geometridae) Synonym(s): *bastelicaria* Bellier,1862
 22414) *Satoblephara faircloughi* Holloway,[1994] (Geometridae) Synonym(s): *faircloughi* Holloway,[1994]
 22415) *Satoblephara hollowayi* Sato,1990 (Geometridae) Synonym(s): *hollowayi* Sato,1990
 22416) *Satoblephara karsholti* Sato,1990 (Geometridae) Synonym(s): *karsholti* Sato,1990
 22417) *Satoblephara luzonensis* Sato,1990 (Geometridae) Synonym(s): *luzonensis* Sato,1990
 22418) *Satoblephara nepalensis* Sato,1993 (Geometridae) Synonym(s): *nepalensis* Sato,1993
 22419) *Satoblephara parvularia* (Leech,1891) (Geometridae) Synonym(s): *parvularia* Leech,1891
 22420) *Satoracotis melagrapharia* (Hampson,[1907]) (Geometridae) Synonym(s): *melagrapharia* Hampson,[1907]
 22421) *Satoracotis melagrapharia melagrapharia* (Hampson,[1907]) (Geometridae) Synonym(s): *melagrapharia* Hampson,[1907]
 22422) *Satoracotis melagrapharia tapaica* Stüning,1995 (Geometridae) Synonym(s): *tapaica* Stüning,1995
 22423) *Sauris abnormis* (Moore,1888) (Geometridae) Synonym(s): *abnormis* Moore,1888; *melanocera* Hampson,1891; *nitidula* W.Warren,1899
 22424) *Sauris acanthina* L.B.Prout,1930 (Geometridae) Synonym(s): *acanthina* L.B.Prout,1930
 22425) *Sauris angulosa* (W.Warren,1896) (Geometridae) Synonym(s): *angulosa* W.Warren,1896
 22426) *Sauris angusta* W.Warren,1905 (Geometridae) Synonym(s): *angusta* W.Warren,1905
 22427) *Sauris angustifasciata* Inoue,1976 (Geometridae) Synonym(s): *angustifasciata* Inoue,1976
 22428) *Sauris aroensis* (W.Warren,1903) (Geometridae) Synonym(s): *aroensis* W.Warren,1903
 22429) *Sauris aspricosta* L.B.Prout,1925 (Geometridae) Synonym(s): *aspricosta* L.B.Prout,1925
 22430) *Sauris atrilineata* W.Warren,1906 (Geometridae) Synonym(s): *atrilineata* W.Warren,1906
 22431) *Sauris auricula* (W.Warren,1895) (Geometridae) Synonym(s): *auricula* W.Warren,1895
 22432) *Sauris basilia* L.B.Prout,1958 (Geometridae) Synonym(s): *basilia* L.B.Prout,1958
 22433) *Sauris bicolor* (W.Warren,1896) (Geometridae) Synonym(s): *bicolor* W.Warren,1896
 22434) *Sauris bigriseata* W.Warren,1907 (Geometridae) Synonym(s): *bigriseata* W.Warren,1907
 22435) *Sauris brevipalpis* Dugdale,1980 (Geometridae) Synonym(s): *brevipalpis* Dugdale,1980
 22436) *Sauris brunnescens* (W.Warren,1896) (Geometridae) Synonym(s): *brunnescens* W.Warren,1896
 22437) *Sauris buruensis* L.B.Prout,1929 (Geometridae) Synonym(s): *buruensis* L.B.Prout,1929
 22438) *Sauris cirrhigera* (W.Warren,1897) (Geometridae) Synonym(s): *cirrhigera* W.Warren,1897; *nusta* Swinhoe,1902; *subnigrata* W.Warren,1905
 22439) *Sauris coalita* L.B.Prout,1931 (Geometridae) Synonym(s): *coalita* L.B.Prout,1931
 22440) *Sauris commoni* Dugdale,1980 (Geometridae) Synonym(s): *commoni* Dugdale,1980
 22441) *Sauris contorta* (W.Warren,1897) (Geometridae) Synonym(s): *contorta* W.Warren,1897
 22442) *Sauris curticornis* (W.Warren,1897) (Geometridae) Synonym(s): *curticornis* W.Warren,1897
 22443) *Sauris curvicosta* L.B.Prout,1928 (Geometridae) Synonym(s): *curvicosta* L.B.Prout,1928
 22444) *Sauris denigrata* (W.Warren,1897) (Geometridae) Synonym(s): *denigrata* W.Warren,1897
 22445) *Sauris dentatilinea* (W.Warren,1905) (Geometridae) Synonym(s): *dentatilinea* W.Warren,1905
 22446) *Sauris elaiica* (Meyrick,1886) (Geometridae) Synonym(s): *elaiica* Meyrick,1886
 22447) *Sauris erigens* L.B.Prout,1925 (Geometridae) Synonym(s): *erigens* L.B.Prout,1925
 22448) *Sauris eupitheciata* (Snellen,1881) (Geometridae) Synonym(s): *eupitheciata* Snellen,1881; *postalba* Hampson,1895; *viridata* W.Warren,1907
 22449) *Sauris fuscomarginata* Hashimoto,1995 (Geometridae) Synonym(s): *fuscomarginata* Hashimoto,1995
 22450) *Sauris griseolauta* W.Warren,1906 (Geometridae) Synonym(s): *griseolauta* W.Warren,1906
 22451) *Sauris hiruudinata* Guenée,[1858] (Geometridae) Synonym(s): *hiruudinata* Guenée,[1858]; *remodesaria* Walker,1862; *lobta* W.Warren,1895
 22452) *Sauris ignobilis* Butler,1880 (Geometridae) Synonym(s): *ignobilis* Butler,1880
 22453) *Sauris imbecilla* (Swinhoe,1902) (Geometridae) Synonym(s): *imbecilla* Swinhoe,1902
 22454) *Sauris improspira* L.B.Prout,1931 (Geometridae) Synonym(s): *improspira* L.B.Prout,1931
 22455) *Sauris incisca* L.B.Prout,1958 (Geometridae) Synonym(s): *incisca* L.B.Prout,1958
 22456) *Sauris incisoides* Holloway,1997 (Geometridae) Synonym(s): *incisoides* Holloway,1997
 22457) *Sauris interruptata* (Moore,1888) (Geometridae) Synonym(s): *interruptata* Moore,1888; *cinerosa* W.Warren,1894; *mirabilis* Hampson,1895
 22458) *Sauris lichenias* (Meyrick,1891) (Geometridae) Synonym(s): *lichenias* Meyrick,1891
 22459) *Sauris lineosa* (Moore,1888) (Geometridae) Synonym(s): *lineosa* Moore,1888; *normis* Hampson,1895
 22460) *Sauris lucens* (W.Warren,1899) (Geometridae) Synonym(s): *lucens* W.Warren,1899
 22461) *Sauris malaca* (Meyrick,1891) (Geometridae) Synonym(s): *malaca* Meyrick,1891
 22462) *Sauris marginepunctata* (W.Warren,1899) (Geometridae) Synonym(s): *marginepunctata* W.Warren,1899; *plagulata* Bastelberger,1911
 22463) *Sauris melanoceros* (Meyrick,1889) (Geometridae) Synonym(s): *melanoceros* Meyrick,1889
 22464) *Sauris melanosterna* Dugdale,1980 (Geometridae) Synonym(s): *melanosterna* Dugdale,1980
 22465) *Sauris mellita* L.B.Prout,1928 (Geometridae) Synonym(s): *mellita* L.B.Prout,1928
 22466) *Sauris mesilauensis* Holloway,1976 (Geometridae) Synonym(s): *mesilauensis* Holloway,1976
 22467) *Sauris muscosa* Rothschild,1915 (Geometridae) Synonym(s): *muscosa* Rothschild,1915
 22468) *Sauris nanaria* Leech,1897 (Geometridae) Synonym(s): *nanaria* Leech,1897
 22469) *Sauris nebulosa* Dugdale,1980 (Geometridae) Synonym(s): *nebulosa* Dugdale,1980
 22470) *Sauris nigricincta* W.Warren,1896 (Geometridae) Synonym(s): *nigricincta* W.Warren,1896
 22471) *Sauris nigrifusalis* (W.Warren,1896) (Geometridae) Synonym(s): *nigrifusalis* W.Warren,1896
 22472) *Sauris nigripalpata* Walker,1862 (Geometridae) Synonym(s): *nigripalpata* Walker,1862
 22473) *Sauris oetakwana* L.B.Prout,1958 (Geometridae) Synonym(s): *oetakwana* L.B.Prout,1958
 22474) *Sauris othnia* L.B.Prout,1958 (Geometridae) Synonym(s): *othnia* L.B.Prout,1958
 22475) *Sauris pallidipalpis* (L.B.Prout,1916) (Geometridae) Synonym(s): *pallidipalpis* L.B.Prout,1916
 22476) *Sauris pallidiplaga* (W.Warren,1897) (Geometridae) Synonym(s): *pallidiplaga* W.Warren,1897
 22477) *Sauris parviplaga* (W.Warren,1906) (Geometridae) Synonym(s): *parviplaga* W.Warren,1906
 22478) *Sauris pelagitis* L.B.Prout,1933 (Geometridae) Synonym(s): *pelagitis* L.B.Prout,1933
 22479) *Sauris perfasciata* Hampson,1895 (Geometridae) Synonym(s): *perfasciata* Hampson,1895
 22480) *Sauris plumipes* Dugdale,1980 (Geometridae) Synonym(s): *plumipes* Dugdale,1980
 22481) *Sauris preptochaetes* L.B.Prout,1929 (Geometridae) Synonym(s): *preptochaetes* L.B.Prout,1929
 22482) *Sauris priva* L.B.Prout,1930 (Geometridae) Synonym(s): *priva* L.B.Prout,1930
 22483) *Sauris proboscidiaria* Walker,1862 (Geometridae) Synonym(s): *proboscidiaria* Walker,1862; *metaphaea* Hampson,1907
 22484) *Sauris quassa* L.B.Prout,1932 (Geometridae) Synonym(s): *quassa* L.B.Prout,1932
 22485) *Sauris rectilineata* Dugdale,1980 (Geometridae) Synonym(s): *rectilineata* Dugdale,1980
 22486) *Sauris rhododactyla* (W.Warren,1906) (Geometridae) Synonym(s): *rhododactyla* W.Warren,1906
 22487) *Sauris rubriplaga* (W.Warren,1899) (Geometridae) Synonym(s): *rubriplaga* W.Warren,1899
 22488) *Sauris seminigra* (W.Warren,1903) (Geometridae) Synonym(s): *seminigra* W.Warren,1903
 22489) *Sauris septa* L.B.Prout,1929 (Geometridae) Synonym(s): *septa* L.B.Prout,1929
 22490) *Sauris sinuaticornis* (W.Warren,1896) (Geometridae) Synonym(s): *sinuaticornis* W.Warren,1896
 22491) *Sauris subfulva* (W.Warren,1905) (Geometridae) Synonym(s): *subfulva* W.Warren,1905
 22492) *Sauris triseriata* (Moore,[1887]) (Geometridae) Synonym(s): *triseriata* Moore,[1887]

- 22493) *Sauris turpipennis* (W.Warren,1896) (Geometridae) Synonym(s): *turpipennis* W.Warren,1896
 22494) *Sauris ursula* G.S.Robinson,1975 (Geometridae) Synonym(s): *ursula* G.S.Robinson,1975
 22495) *Sauris usta* (W.Warren,1895) (Geometridae) Synonym(s): *usta* W.Warren,1895
 22496) *Sauris vetustata* Walker,1866 (Geometridae) Synonym(s): *vetustata* Walker,1866
 22497) *Sauris victoria* G.S.Robinson,1975 (Geometridae) Synonym(s): *victoria* G.S.Robinson,1975
 22498) *Sauris volcanica* (Butler,1887) (Geometridae) Synonym(s): *volcanica* Butler,1887; *erebata* W.Warren,1903
 22499) *Sauris wanda* G.S.Robinson,1975 (Geometridae) Synonym(s): *wanda* G.S.Robinson,1975
 22500) *Sauris xissa* G.S.Robinson,1975 (Geometridae) Synonym(s): *xissa* G.S.Robinson,1975
 22501) *Scardamia aetha* L.B.prout,1926 (Geometridae) Synonym(s): *aetha* L.B.prout,1926
 22502) *Scardamia aurantiacaria* Bremer,1864 (Geometridae) Synonym(s): *aurantiacaria* Bremer,1864
 22503) *Scardamia bractearia* (Walker,1860) (Geometridae) Synonym(s): *bractearia* Walker,1860; *taprobanes* R.Felder & Rogenhofer,1875
 22504) *Scardamia chrysolina* Meyrick,1892 (Geometridae) Synonym(s): *chrysolina* Meyrick,1892
 22505) *Scardamia easwarammae* Walia,1994 (Geometridae) Synonym(s): *easwarammae* Walia,1994
 22506) *Scardamia eucampta* L.B.Prout,1930 (Geometridae) Synonym(s): *eucampta* L.B.Prout,1930
 22507) *Scardamia iographa* L.B.Prout,1932 (Geometridae) Synonym(s): *iographa* L.B.Prout,1932
 22508) *Scardamia ithyzona* L.B.Prout,1932 (Geometridae) Synonym(s): *ithyzona* L.B.Prout,1932
 22509) *Scardamia klossi* Rothschild,1915 (Geometridae) Synonym(s): *klossi* Rothschild,1915
 22510) *Scardamia metallaria* Guenée,[1858] (Geometridae) Synonym(s): *metallaria* Guenée,[1858]
 22511) *Scardamia neeraria* Oberthür,1912 (Geometridae) Synonym(s): *neeraria* Oberthür,1912
 22512) *Scardamia nubilicosta* L.B.Prout,1932 (Geometridae) Synonym(s): *nubilicosta* L.B.Prout,1932
 22513) *Scardamia obliquaria* Leech,1897 (Geometridae) Synonym(s): *obliquaria* Leech,1897
 22514) *Scardamia percitraria* Fryer,1912 (Geometridae) Synonym(s): *percitraria* Fryer,1912
 22515) *Scardamia rectilinea* W.Warren,1896 (Geometridae) Synonym(s): *rectilinea* W.Warren,1896
 22516) *Scardamia rectistrigata* Wehrli,1924 (Geometridae) Synonym(s): *rectistrigata* Wehrli,1924
 22517) *Scardamia seminigra* L.B.Prout,1925 (Geometridae) Synonym(s): *seminigra* L.B.Prout,1925
 22518) *Schistophyle falcifera* W.Warren,1896 (Geometridae) Synonym(s): *falcifera* W.Warren,1896
 22519) *Schistophyle horishana* (Matsumura,1931) (Geometridae) Synonym(s): *horishana* Matsumura,1931
 22520) *Schistostege decussata* ([Denis & Schiffmüller],1775) (Geometridae) Synonym(s): *decussata* [Denis & Schiffmüller],1775; *treitschkei* Kovacs,1957
 22521) *Schistostege nubilaria* (Hübner,[1799]) (Geometridae) Synonym(s): *nubilaria* Hübner,[1799]; *exalbata* Hübner,[1817]; *knuppferi* Hoyningen-Huene,1904
 22522) *Sciadia tenebraria* (Esper,[1806]) (Geometridae) Synonym(s): *tenebraria* Esper,[1806]; *torvaria* Hübner,[1813]; *olivacea* Warren,1895
 22523) *Scintillithex glaucisparsa* (L.B.Prout,1932) (Geometridae) Synonym(s): *glaucisparsa* L.B.Prout,1932
 22524) *Scintillithex glaucisparsa scintillulata* (L.B.Prout,1941) (Geometridae) Synonym(s): *scintillulata* L.B.Prout,1941
 22525) *Scodiomima afghana* Wiltshire,1961 (Geometridae) Synonym(s): *afghana* Wiltshire,1961
 22526) *Scodiomima crocallaria* Staudinger,1892 (Geometridae) Synonym(s): *crocallaria* Staudinger,1892
 22527) *Scodiomima tadzhikistanica* Shchetkin & Viidalepp,1988 (Geometridae) Synonym(s): *tadzhikistanica* Shchetkin & Viidalepp,1988
 22528) *Scodionista amoritaria* (Püngeler,1902) (Geometridae) Synonym(s): *amoritaria* Püngeler,1902; *autumnata* Brandt,1938; *abduhamidi* Wiltshire,1949
 22529) *Scodionista amoritaria amoritaria* (Püngeler,1902) (Geometridae) Synonym(s): *amoritaria* Püngeler,1902; *autumnata* Brandt,1938; *abduhamidi* Wiltshire,1949
 22530) *Scodionista amoritaria irrorata* Wiltshire,1990 (Geometridae) Synonym(s): *irrorata* Wiltshire,1990
 22531) *Scodionista mischii* Turati & C.G.Krüger,1936 (Geometridae) Synonym(s): *mischii* Turati & C.G.Krüger,1936
 22532) *Scopula accentuata* (Guenée,[1858]) (Geometridae) Synonym(s): *accentuata* Guenée,[1858]; *exiguaria* Walker,1860; *rudisaria* Walker,1861; *dentigerata* Walker,1863
 22533) *Scopula acentra* (W.Warren,1897) (Geometridae) Synonym(s): *acentra* W.Warren,1897
 22534) *Scopula achrosta* L.B.Prout,1935 (Geometridae) Synonym(s): *achrosta* L.B.Prout,1935
 22535) *Scopula actuararia* (Walker,1861) (Geometridae) Synonym(s): *actuararia* Walker,1861
 22536) *Scopula actuararia actuararia* (Walker,1861) (Geometridae) Synonym(s): *actuararia* Walker,1861
 22537) *Scopula actuararia nigranalisa* (W.Warren,1896) (Geometridae) Synonym(s): *nigranalisa* W.Warren,1896; *parumnotata* W.Warren,1898
 22538) *Scopula actuararia sheljuzhkoii* Wiltshire,1967 (Geometridae) Synonym(s): *sheljuzhkoii* Wiltshire,1967
 22539) *Scopula acyma* L.B.Prout,1932 (Geometridae) Synonym(s): *acyma* L.B.Prout,1932
 22540) *Scopula adelpharia* (Püngeler,1894) (Geometridae) Synonym(s): *adelpharia* Püngeler,1894
 22541) *Scopula adelpharia adelpharia* (Püngeler,1894) (Geometridae) Synonym(s): *adelpharia* Püngeler,1894
 22542) *Scopula adelpharia pharaonis* Sterneck,1933 (Geometridae) Synonym(s): *pharaonis* Sterneck,1933
 22543) *Scopula adeptaria* (Walker,1861) (Geometridae) Synonym(s): *adeptaria* Walker,1861; *eximia* W.Warren,1898; *tenuipes* Turner,1914; *tainanensis* Wileman & South,1917
 22544) *Scopula aegrefasciata* Sihvonen,2001 (Geometridae) Synonym(s): *aegrefasciata* Sihvonen,2001
 22545) *Scopula aequidistans* (W.Warren,1896) (Geometridae) Synonym(s): *aequidistans* W.Warren,1896
 22546) *Scopula aequifasciata* (Christoph,1881) (Geometridae) Synonym(s): *aequifasciata* Christoph,1881; *aequifasciaria* Hedemann,1881
 22547) *Scopula afghana* Ebert,1965 (Geometridae) Synonym(s): *afghana* Ebert,1965
 22548) *Scopula agrapta* (W.Warren,1902) (Geometridae) Synonym(s): *agrapta* W.Warren,1902
 22549) *Scopula albiceraria* (Herrich-Schäffer,1847) (Geometridae) Synonym(s): *albiceraria* Herrich-Schäffer,1847; *sulphuraria* Freyer,1847; *vitellinaria* Eversmann,1851
 22550) *Scopula albidaria* (Staudinger,1901) (Geometridae) Synonym(s): *albidaria* Staudinger,1901
 22551) *Scopula albidaria albidaria* (Staudinger,1901) (Geometridae) Synonym(s): *albidaria* Staudinger,1901
 22552) *Scopula albidaria sankana* L.B.Prout,1938 (Geometridae) Synonym(s): *sankana* L.B.Prout,1938
 22553) *Scopula albiflava* (W.Warren,1896) (Geometridae) Synonym(s): *albiflava* W.Warren,1896
 22554) *Scopula albilavata* (W.Warren,1899) (Geometridae) Synonym(s): *albilavata* W.Warren,1899
 22555) *Scopula albilavata* (W.Warren,1899) (Geometridae) Synonym(s): *albilavata* W.Warren,1899
 22556) *Scopula albomaculata* (Moore,1888) (Geometridae) Synonym(s): *albomaculata* Moore,1888
 22557) *Scopula alboverticata* (W.Warren,1895) (Geometridae) Synonym(s): *alboverticata* W.Warren,1895
 22558) *Scopula alma* L.B.Prout,1920 (Geometridae) Synonym(s): *alma* L.B.Prout,1920
 22559) *Scopula alstoni* L.B.Prout,1919 (Geometridae) Synonym(s): *alstoni* L.B.Prout,1919
 22560) *Scopula amala* (Meyrick,1886) (Geometridae) Synonym(s): *amala* Meyrick,1886; *parasira* Meyrick,1889; *lacteisabulosa* Rothschild,1915
 22561) *Scopula ambigua* L.B.Prout,1935 (Geometridae) Synonym(s): *ambigua* L.B.Prout,1935
 22562) *Scopula amphiphracta* L.B.Prout,1938 (Geometridae) Synonym(s): *amphiphracta* L.B.Prout,1938
 22563) *Scopula amseli* Wiltshire,1967 (Geometridae) Synonym(s): *amseli* Wiltshire,1967
 22564) *Scopula anaitisaria* (Walker,1861) (Geometridae) Synonym(s): *anaitisaria* Walker,1861
 22565) *Scopula anatreces* L.B.Prout,1920 (Geometridae) Synonym(s): *anatreces* L.B.Prout,1920
 22566) *Scopula annexata* L.B.Prout,1938 (Geometridae) Synonym(s): *annexata* L.B.Prout,1938
 22567) *Scopula annubiata* (Staudinger,1892) (Geometridae) Synonym(s): *annubiata* Staudinger,1892
 22568) *Scopula annularia* (Swinhoe,1890) (Geometridae) Synonym(s): *nigropunctata* Guenée,[1858] *nec* Hfn.,1767; *annularia* Swinhoe,1890; *reducta* Rothschild,1920
 22569) *Scopula anoista* (L.B.Prout,1915) (Geometridae) Synonym(s): *anoista* L.B.Prout,1915
 22570) *Scopula ansorgei* (W.Warren,1899) (Geometridae) Synonym(s): *ansorgei* W.Warren,1899
 22571) *Scopula ansulata* (Lederer,1871) (Geometridae) Synonym(s): *ansulata* Lederer,1871
 22572) *Scopula ansulata adulteraria* (Erschoff,1874) (Geometridae) Synonym(s): *adulteraria* Erschoff,1874
 22573) *Scopula ansulata ansulata* (Lederer,1871) (Geometridae) Synonym(s): *ansulata* Lederer,1871
 22574) *Scopula ansulata characteristica* (Alpheraky,1883) (Geometridae) Synonym(s): *characteristica* Alpheraky,1883
 22575) *Scopula ansulata eberti* Wiltshire,1967 (Geometridae) Synonym(s): *eberti* Wiltshire,1967
 22576) *Scopula antiloparia* (Wallengren,1863) (Geometridae) Synonym(s): *antiloparia* Wallengren,1863

- 22577) *Scopula apicipunctata* (Christoph,1881) (Geometridae) Synonym(s): *apicipunctata* Christoph,1881
 22578) *Scopula arenosaria* (Staudinger,1879) (Geometridae) Synonym(s): *arenosaria* Staudinger,1879
 22579) *Scopula argentidisca* (W.Warren,1902) (Geometridae) Synonym(s): *argentidisca* W.Warren,1902; *naias* W.Warren,1903
 22580) *Scopula argyroleuca* (Hampson,1910) (Geometridae) Synonym(s): *argyroleuca* Hampson,1910
 22581) *Scopula asparta* L.B.Prout,1938 (Geometridae) Synonym(s): *asparta* L.B.Prout,1938
 22582) *Scopula aspiciens* L.B.Prout,1926 (Geometridae) Synonym(s): *aspiciens* L.B.Prout,1926
 22583) *Scopula aspilataria* (Walker,1861) (Geometridae) Synonym(s): *aspilataria* Walker,1861
 22584) *Scopula asthena* Inoue,1943 (Geometridae) Synonym(s): *asthena* Inoue,1943
 22585) *Scopula astrabes* L.B.Prout,1932 (Geometridae) Synonym(s): *astrabes* L.B.Prout,1932
 22586) *Scopula asymmetrica* Holloway,1997 (Geometridae) Synonym(s): *asymmetrica* Holloway,1997
 22587) *Scopula atramentaria* (Bastelberger,1909) (Geometridae) Synonym(s): *atramentaria* Bastelberger,1909
 22588) *Scopula atricapilla* L.B.Prout,1934 (Geometridae) Synonym(s): *atricapilla* L.B.Prout,1934
 22589) *Scopula atricapilla atricapilla* L.B.Prout,1934 (Geometridae) Synonym(s): *atricapilla* L.B.Prout,1934
 22590) *Scopula atricapilla harithensis* Wiltshire,1990 (Geometridae) Synonym(s): *harithensis* Wiltshire,1990
 22591) *Scopula atriceps* (Hampson,1895) (Geometridae) Synonym(s): *atriceps* Hampson,1895
 22592) *Scopula atridiscata* (W.Warren,1897) (Geometridae) Synonym(s): *atridiscata* W.Warren,1897
 22593) *Scopula attentata* (Walker,1861) (Geometridae) Synonym(s): *attentata* Walker,1861
 22594) *Scopula attentata nicobarica* L.B.Prout,1938 (Geometridae) Synonym(s): *nicobarica* L.B.Prout,1938
 22595) *Scopula beccarii* (L.B.Prout,1915) (Geometridae) Synonym(s): *beccarii* L.B.Prout,1915
 22596) *Scopula beckeraria* (Lederer,1853) (Geometridae) Synonym(s): *beckeraria* Lederer,1853
 22597) *Scopula beckeraria amataria* (Wehrli,1927) (Geometridae) Synonym(s): *amataria* Wehrli,1927
 22598) *Scopula beckeraria assimilaria* L.B.Prout,1913 (Geometridae) Synonym(s): *assimilaria* L.B.Prout,1913
 22599) *Scopula beckeraria (Lederer,1853)* (Geometridae) Synonym(s): *beckeraria* Lederer,1853
 22600) *Scopula beckeraria hermonicola* Hausmann,1997 (Geometridae) Synonym(s): *hermonicola* Hausmann,1997
 22601) *Scopula beckeraria rebeli* (L.B.Prout,1913) (Geometridae) Synonym(s): *agraria* Rebel,1908 nec Joann.,1891; *rebeli* L.B.Prout,1913
 22602) *Scopula benguensis* L.B.Prout,1931 (Geometridae) Synonym(s): *benguensis* L.B.Prout,1931
 22603) *Scopula bifalsaria* (L.B.Prout,1913) (Geometridae) Synonym(s): *bifalsaria* L.B.Prout,1913; *falsificata* L.B.Prout,1924
 22604) *Scopula bigeminata* (W.Warren,1897) (Geometridae) Synonym(s): *bigeminata* W.Warren,1897; *fumosaria* Swinhoe,1904
 22605) *Scopula bimaculata* (Leech,1897) (Geometridae) Synonym(s): *bimaculata* Leech,1897
 22606) *Scopula bispurcata* (W.Warren,1898) (Geometridae) Synonym(s): *bispurcata* W.Warren,1898
 22607) *Scopula brachypus* L.B.Prout,1926 (Geometridae) Synonym(s): *brachypus* L.B.Prout,1926
 22608) *Scopula butleri* (L.B.Prout,1913) (Geometridae) Synonym(s): *insolata* Butler,1889 nec Feld. & Rog.,1875; *satsumaria* Leech,1897; *butleri* L.B.Prout,1913
 22609) *Scopula caeria* L.B.Prout,1938 (Geometridae) Synonym(s): *caeria* L.B.Prout,1938
 22610) *Scopula caesaria* (Walker,1861) (Geometridae) Synonym(s): *caesaria* Walker,1861; *obturbata* Walker,1861; *faeculentaria* Mabille,1880; *rufimixtaria* Warren,1900
 22611) *Scopula cajanderi* (Herz,1904) (Geometridae) Synonym(s): *cajanderi* Herz,1904; *anaitaria* Herz,1904
 22612) *Scopula caledonica* Holloway,1979 (Geometridae) Synonym(s): *caledonica* Holloway,1979
 22613) *Scopula candidaria* (W.Warren,1902) (Geometridae) Synonym(s): *candidaria* W.Warren,1902
 22614) *Scopula caricaria* (Reutti,1853) (Geometridae) Synonym(s): *caricaria* Reutti,1853
 22615) *Scopula carnosia* L.B.Prout,1925 (Geometridae) Synonym(s): *carnosia* L.B.Prout,1925
 22616) *Scopula cassiaria* (Swinhoe,1904) (Geometridae) Synonym(s): *cassiaria* Swinhoe,1904
 22617) *Scopula cassioides* L.B.Prout,1932 (Geometridae) Synonym(s): *cassioides* L.B.Prout,1932
 22618) *Scopula cesa* Kemal & Koçak,2004 (Geometridae) Synonym(s): *convergens* Bryk,1949 nec Warr.,1904; *cesa* Kemal & Koçak,2004
 22619) *Scopula cf. hectata* (Guenée,[1858]) (Geometridae) Synonym(s): *hectata* Guenée,[1858]
 22620) *Scopula cf. nigrinotata* (Warren,1897) 1 (Geometridae) Synonym(s):
 22621) *Scopula cf. nigrinotata* (Warren,1897) 2 (Geometridae) Synonym(s):
 22622) *Scopula cf. oryx* Herbulot,1985 (Geometridae) Synonym(s): *oryx* Herbulot,1985
 22623) *Scopula cf.laticans* (Geometridae) Synonym(s):
 22624) *Scopula cineraria* (Leech,1897) (Geometridae) Synonym(s): *cineraria* Leech,1897
 22625) *Scopula cinnamomata* D.S.Fletcher,1955 (Geometridae) Synonym(s): *cinnamomata* D.S.Fletcher,1955
 22626) *Scopula circumpunctata* (W.Warren,1898) (Geometridae) Synonym(s): *circumpunctata* W.Warren,1898
 22627) *Scopula clandestina* Herbulot,[1956] (Geometridae) Synonym(s): *clandestina* Herbulot,[1956]
 22628) *Scopula clarivialis* L.B.Prout,1931 (Geometridae) Synonym(s): *clarivialis* L.B.Prout,1931
 22629) *Scopula cleoraria* (Walker,1861) (Geometridae) Synonym(s): *cleoraria* Walker,1861
 22630) *Scopula coangulata* L.B.Prout,1920 (Geometridae) Synonym(s): *coangulata* L.B.Prout,1920
 22631) *Scopula colymbas* Herbulot,1994 (Geometridae) Synonym(s): *colymbas* Herbulot,1994
 22632) *Scopula commaria* (Swinhoe,1904) (Geometridae) Synonym(s): *commaria* Swinhoe,1904
 22633) *Scopula complanata* (W.Warren,1896) (Geometridae) Synonym(s): *complanata* W.Warren,1896
 22634) *Scopula concinnaria* (Duponchel,1842) (Geometridae) Synonym(s): *concinnaria* Duponchel,1842; *concinnata* Guenée,[1858]; *hesperidata* Staudinger,1871; *universaria* Zerny,1927
 22635) *Scopula confusa* (Butler,1878) (Geometridae) Synonym(s): *confusa* Butler,1878
 22636) *Scopula congruata* (Zeller,1847) (Geometridae) Synonym(s): *congruata* Zeller,1847; *leukiberica* Wehrli,1927; *ablutata* Dannehl,1927.
 22637) *Scopula coniaris* L.B.Prout,1932 (Geometridae) Synonym(s): *coniaris* L.B.Prout,1932
 22638) *Scopula coniaris* (L.B.Prout,1913) (Geometridae) Synonym(s): *pulveraria* Leech,1897 nec Sn.,1872; *coniaris* L.B.Prout,1913
 22639) *Scopula consimilata* (W.Warren,1896) (Geometridae) Synonym(s): *consimilata* W.Warren,1896; *aggravata* W.Warren,1897; *perfilata* L.B.Prout,1920; *seductilis* L.B.Prout,1931
 22640) *Scopula contramutata* L.B.Prout,1920 (Geometridae) Synonym(s): *contramutata* L.B.Prout,1920
 22641) *Scopula corralaria* (Kretschmar,1862) (Geometridae) Synonym(s): *corralaria* Kretschmar,1862; *limburgensis* L.B.Prout,1935; *limburgensis* Scoble,1999
 22642) *Scopula corrupta* L.B.Prout,1931 (Geometridae) Synonym(s): *corrupta* L.B.Prout,1931
 22643) *Scopula costata* (Moore,[1887]) (Geometridae) Synonym(s): *costata* Moore,[1887]
 22644) *Scopula coudularia* (W.Warren,1898) (Geometridae) Synonym(s): *coudularia* W.Warren,1898
 22645) *Scopula crassipuncta* (W.Warren,1901) (Geometridae) Synonym(s): *crassipuncta* W.Warren,1901
 22646) *Scopula crawshayi* L.B.Prout,1932 (Geometridae) Synonym(s): *crawshayi* L.B.Prout,1932
 22647) *Scopula cumulata* (Alpheraky,1883) (Geometridae) Synonym(s): *cumulata* Alpheraky,1883; *cretaria* Staudinger,1892.
 22648) *Scopula cumulata alaiana* Viidalepp,1988 (Geometridae) Synonym(s): *alaiana* Viidalepp,1988
 22649) *Scopula cumulata cumulata* (Alpheraky,1883) (Geometridae) Synonym(s): *cumulata* Alpheraky,1883; *cretaria* Staudinger,1892.
 22650) *Scopula curvimargo* (W.Warren,1900) (Geometridae) Synonym(s): *curvimargo* W.Warren,1900; *bilineata* Bastelberger,1909; *nubicincta* Hampson,1910
 22651) *Scopula dapharia* (Swinhoe,1904) (Geometridae) Synonym(s): *dapharia* Swinhoe,1904
 22652) *Scopula dargei* Herbulot,1992 (Geometridae) Synonym(s): *dargei* Herbulot,1992
 22653) *Scopula declinata* Herbulot,1972 (Geometridae) Synonym(s): *declinata* Herbulot,1972
 22654) *Scopula decolor* (Staudinger,1898) (Geometridae) Synonym(s): *decolor* Staudinger,1898; *languidata* L.B.Prout,1913
 22655) *Scopula decolor flaccata* (Staudinger,1898) (Geometridae) Synonym(s): *flaccata* Staudinger,1898
 22656) *Scopula decorata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1787; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806].
 22657) *Scopula decorata aequata* (Staudinger,1879) (Geometridae) Synonym(s): *aequata* Staudinger,1879; *armeniaca* Thierry-Mieg,1916
 22658) *Scopula decorata drenowskii* Sterneck,1941 (Geometridae) Synonym(s): *drenowskii* Sterneck,1941
 22659) *Scopula deflavaria* (W.Warren,1896) (Geometridae) Synonym(s): *deflavaria* W.Warren,1896
 22660) *Scopula deflavarioides* Holloway,1997 (Geometridae) Synonym(s): *deflavarioides* Holloway,1997

- 22661) *Scopula delitata* (L.B.Prout,1913) (Geometridae) Synonym(s): *delitata* L.B.Prout,1913
 22662) *Scopula demissaria* (Walker,1863) (Geometridae) Synonym(s): *demissaria* Walker,1863
 22663) *Scopula derasata* (Walker,1863) (Geometridae) Synonym(s): *derasata* Walker,1863
 22664) *Scopula deserti* (W.Warren,1897) (Geometridae) Synonym(s): *deserti* W.Warren,1897
 22665) *Scopula desita* (Walker,1861) (Geometridae) Synonym(s): *desita* Walker,1861; *vibrata* Lucas,1900
 22666) *Scopula desita desita* (Walker,1861) (Geometridae) Synonym(s): *desita* Walker,1861; *vibrata* Lucas,1900
 22667) *Scopula desita luzonica* L.B.Prout,1931 (Geometridae) Synonym(s): *luzonica* L.B.Prout,1931
 22668) *Scopula dhofarata* Wiltshire,1986 (Geometridae) Synonym(s): *dhofarata* Wiltshire,1986
 22669) *Scopula dimorphata* (Snellen,1881) (Geometridae) Synonym(s): *dimorphata* Snellen,1881
 22670) *Scopula dimorphata hainanica* L.B.Prout,1938 (Geometridae) Synonym(s): *hainanica* L.B.Prout,1938
 22671) *Scopula dissonans* (W.Warren,1897) (Geometridae) Synonym(s): *dissonans* W.Warren,1897
 22672) *Scopula divisaria* (Christoph,1893) (Geometridae) Synonym(s): *divisaria* Christoph,1893
 22673) *Scopula donovani* (Distant,1892) (Geometridae) Synonym(s): *donovani* Distant,1892; *extraordinaria* Staudinger,1892; *extremata* Warren,1897
 22674) *Scopula dubernardi* (Oberthür,1923) (Geometridae) Synonym(s): *dubernardi* Oberthür,1923
 22675) *Scopula duplicipuncta* (L.B.Prout,1913) (Geometridae) Synonym(s): *duplicipuncta* L.B.Prout,1913
 22676) *Scopula emissaria* (Walker,1861) (Geometridae) Synonym(s): *emissaria* Walker,1861; *defamataria* Walker,1861; *mollis* W.Warren,1896
 22677) *Scopula emma* (L.B.Prout,1913) (Geometridae) Synonym(s): *emma* L.B.Prout,1913.
 22678) *Scopula emma emma* (L.B.Prout,1913) (Geometridae) Synonym(s): *emma* L.B.Prout,1913.
 22679) *Scopula emma jordani* West,1930 (Geometridae) Synonym(s): *jordani* West,1930
 22680) *Scopula emutaria* (Hübner,1809) (Geometridae) Synonym(s): *emutaria* Hübner,1809; *subroseata* Haworth,1809
 22681) *Scopula emutaria emutaria* (Hübner,1809) (Geometridae) Synonym(s): *emutaria* Hübner,1809.
 22682) *Scopula emutaria subroseata* (Haworth,1809) (Geometridae) Synonym(s): *subroseata* Haworth,1809.
 22683) *Scopula epigypsa* (Meyrick,1886) (Geometridae) Synonym(s): *epigypsa* Meyrick,1886; *nivipennis* Butler,1886; *cernea* Druce,1888.
 22684) *Scopula epigypsa epigypsa* (Meyrick,1886) (Geometridae) Synonym(s): *epigypsa* Meyrick,1886; *nivipennis* Butler,1886; *cernea* Druce,1888.
 22685) *Scopula erinaria* (Swinhoe,1904) (Geometridae) Synonym(s): *erinaria* Swinhoe,1904
 22686) *Scopula erinaria erinaria* (Swinhoe,1904) (Geometridae) Synonym(s): *erinaria* Swinhoe,1904
 22687) *Scopula erinaria isolata* L.B.Prout,1920 (Geometridae) Synonym(s): *isolata* L.B.Prout,1920
 22688) *Scopula euchroa* L.B.Prout,1925 (Geometridae) Synonym(s): *euchroa* L.B.Prout,1925
 22689) *Scopula farinaria* (Leech,1897) (Geometridae) Synonym(s): *farinaria* Leech,1897
 22690) *Scopula ferrilineata* (Moore,1888) (Geometridae) Synonym(s): *ferrilineata* Moore,1888
 22691) *Scopula fibulata* (Guenée,1858) (Geometridae) Synonym(s): *fibulata* Guenée,1858
 22692) *Scopula fimbrilineata* (W.Warren,1902) (Geometridae) Synonym(s): *fimbrilineata* W.Warren,1902; *protuberans* W.Warren,1909; *niobe* Fawcett,1916
 22693) *Scopula flaccidaria* (Zeller,1852) (Geometridae) Synonym(s): *flaccidaria* Zeller,1852
 22694) *Scopula flaccidaria flaccidaria* (Zeller,1852) (Geometridae) Synonym(s): *flaccidaria* Zeller,1852
 22695) *Scopula flexio* L.B.Prout,1917 (Geometridae) Synonym(s): *flexio* L.B.Prout,1917
 22696) *Scopula floslactata* (Haworth,1809) (Geometridae) Synonym(s): *spataceata* Scopoli,1763; *concanetata* Hufnagel,1767; *brunneata* Goetze,1781; *fulvostrigata* Goetze,1781; *fulvicans*, *strigata* Fourcroy,1785; *dentilineata* Borkhausen,1794; *remutata* Hübner,1799; *floslactata* Haworth,1809; *lactata* Haworth,1809; *scotica* Cockayne,1951.
 22697) *Scopula floslactata claudata* (L.B.Prout,1913) (Geometridae) Synonym(s): *claudata* L.B.Prout,1913
 22698) *Scopula floslactata floslactata* (Haworth,1809) (Geometridae) Synonym(s): *spataceata* Scopoli,1763; *concanetata* Hufnagel,1767; *brunneata* Goetze,1781; *fulvostrigata* Goetze,1781; *fulvicans*, *strigata* Fourcroy,1785; *dentilineata* Borkhausen,1794; *remutata* Hübner,1799; *floslactata* Haworth,1809; *lactata* Haworth,1809; *scotica* Cockayne,1951.
 22699) *Scopula formosana* L.B.Prout,1934 (Geometridae) Synonym(s): *orientalis* L.B.Prout,1914 nec Alph.,1875; *formosana* Prout,1934
 22700) *Scopula formosana formosana* L.B.Prout,1934 (Geometridae) Synonym(s): *orientalis* L.B.Prout,1914 nec Alph.,1875; *formosana* Prout,1934
 22701) *Scopula frigidaria* (Möschler,1860) (Geometridae) Synonym(s): *frigidaria* Möschler,1860
 22702) *Scopula froitzheimi* Wiltshire,1967 (Geometridae) Synonym(s): *froitzheimi* Wiltshire,1967
 22703) *Scopula furfurata* (W.Warren,1897) (Geometridae) Synonym(s): *fufurata* W.Warren,1897
 22704) *Scopula gazellaria* (Wallengren,1863) (Geometridae) Synonym(s): *gazellaria* Wallengren,1863; *gazella* Distant,1892; *griseolineata* Warren,1900
 22705) *Scopula gnou* Herbulot,1985 (Geometridae) Synonym(s): *gnou* Herbulot,1985
 22706) *Scopula griseascens* (Staudinger,1892) (Geometridae) Synonym(s): *griseascens* Staudinger,1892
 22707) *Scopula haematophaga* Bänziger & D.S.Fletcher,1985 (Geometridae) Synonym(s): *haematophaga* Bänziger & D.S.Fletcher,1985
 22708) *Scopula halimodendrata* Erschoff,1874 (Geometridae) Synonym(s): *halimodendrata* Erschoff,1874
 22709) *Scopula hanna* (Butler,1878) (Geometridae) Synonym(s): *hanna* Butler,1878
 22710) *Scopula hectata* (Guenée,1858) (Geometridae) Synonym(s): *hectata* Guenée,1858
 22711) *Scopula hesycha* L.B.Prout,1919 (Geometridae) Synonym(s): *hesycha* L.B.Prout,1919
 22712) *Scopula hoerhammeri* Brandt,1941 (Geometridae) Synonym(s): *hoerhammeri* Brandt,1941
 22713) *Scopula homodoxa* (Meyrick,1886) (Geometridae) Synonym(s): *homodoxa* Meyrick,1886
 22714) *Scopula honestata* (Mabille,1869) (Geometridae) Synonym(s): *honestata* Mabille,1869
 22715) *Scopula ignobilis* (W.Warren,1901) (Geometridae) Synonym(s): *ignobilis* W.Warren,1901
 22716) *Scopula imitaria* (Hübner,1799) (Geometridae) Synonym(s): *fimbriata* Fourcroy,1785 nec Schreb.,1759; *imitaria* Hübner,1799
 22717) *Scopula imitaria syriacaria* (Culot,1919) (Geometridae) Synonym(s): *syriacaria* Culot,1919
 22718) *Scopula immistaria* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,1852
 22719) *Scopula immistaria beshkovi* Gelbrecht & Hausmann,1997 (Geometridae) Synonym(s): *beshkovi* Gelbrecht & Hausmann,1997
 22720) *Scopula immistaria immistaria* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,1852
 22721) *Scopula immorata* (Linnaeus,1758) (Geometridae) Synonym(s): *immorata* Linnaeus,1758; *contaminata* Scopoli,1763; *graminata* Hufnagel,1767; *festucaria* Brahm,1791 nec Hbn.,1790; *fusata* Fabricius,1794 nec Hfn.,1767; *immoraria* Hübner,1799; *serenata* Turati,1905; *myrtillata* Dadd,1911
 22722) *Scopula immorata duercki* Sheljuzhko,1955 (Geometridae) Synonym(s): *duercki* Sheljuzhko,1955
 22723) *Scopula immorata immorata* (Linnaeus,1758) (Geometridae) Synonym(s): *immorata* Linnaeus,1758; *contaminata* Scopoli,1763; *graminata* Hufnagel,1767; *festucaria* Brahm,1791 nec Hbn.,1790; *fusata* Fabricius,1794 nec Hfn.,1767; *immoraria* Hübner,1799; *serenata* Turati,1905; *myrtillata* Dadd,1911
 22724) *Scopula immutata* (Linnaeus,1758) (Geometridae) Synonym(s): *immutata* Linnaeus,1758; *pallidata* Borkhausen,1794.
 22725) *Scopula impersonata* (Walker,1861) (Geometridae) Synonym(s): *impersonata* Walker,1861; *muscularia* Staudinger,1897
 22726) *Scopula impicta* L.B.Prout,1922 (Geometridae) Synonym(s): *impicta* L.B.Prout,1922
 22727) *Scopula incanata* (Linnaeus,1758) (Geometridae) Synonym(s): *incanata* Linnaeus,1758; *variegata* Scopoli,1763; *mediata* Fabricius,1777; *planata* Villers,1789; *incanaria* Hübner,1825; *mutata* Treitschke,1828; *mutataria* Duponchel,1830; *adjunctaria* Boisduval,1840; *demutaria* Bruand,1846
 22728) *Scopula indicataria* (Walker,1861) (Geometridae) Synonym(s): *indicataria* Walker,1861
 22729) *Scopula inscriptata* (Walker,1863) (Geometridae) Synonym(s): *inscriptata* Walker,1863; *acentra* W.Warren,1911
 22730) *Scopula insincera* L.B.Prout,1920 (Geometridae) Synonym(s): *insincera* L.B.Prout,1920
 22731) *Scopula instructata* (Walker,1863) (Geometridae) Synonym(s): *instructata* Walker,1863
 22732) *Scopula internata* (Guenée,1858) (Geometridae) Synonym(s): *internata* Guenée,1858; *strigulifera* Walker,1861; *illituta* Walker,1863; *pulverosaria* Walker,1863; *pudens* Warren,1905
 22733) *Scopula internataria* (Walker,1861) (Geometridae) Synonym(s): *internataria* Walker,1861; *tremula* Bastelberger,1909
 22734) *Scopula inustaria* (Herrich-Schäffer,1847) (Geometridae) Synonym(s): *inustaria* Herrich-Schäffer,1847
 22735) *Scopula iranaria* Bytinski-Salz & Brandt,1937 (Geometridae) Synonym(s): *iranaria* Bytinski-Salz & Brandt,1937; *#depuncta* Bytinski-Salz & Brandt,1937
 22736) *Scopula irrufata* (W.Warren,1905) (Geometridae) Synonym(s): *irrufata* W.Warren,1905
 22737) *Scopula kashmirensis* Moore,1888 (Geometridae) Synonym(s): *kashmirensis* Moore,1888
 22738) *Scopula klaphecki* L.B.Prout,1922 (Geometridae) Synonym(s): *klaphecki* L.B.Prout,1922
 22739) *Scopula lacriphaga* Bänziger & D.S.Fletcher,1985 (Geometridae) Synonym(s): *lacriphaga* Bänziger & D.S.Fletcher,1985

- 22740) *Scopula lactaria* (Walker,1861) (Geometridae) Synonym(s): *lactaria* Walker,1861; *intervulsata* Walker,1861; *tectaria* Walker,1866
 22741) *Scopula laevipennis* (W.Warren,1897) (Geometridae) Synonym(s): *laevipennis* W.Warren,1897; *uninotata* W.Warren,1897
 22742) *Scopula latelineata* (L.B.Prout,1934) (Geometridae) Synonym(s): *latelineata* L.B.Prout,1934
 22743) *Scopula latitans* L.B.Prout,1920 (Geometridae) Synonym(s): *reconditaria* Snellen,1872 nec Walk.,1861; *latitans* L.B.Prout,1920
 22744) *Scopula lehmanni* Hausmann,1991 (Geometridae) Synonym(s): *lehmanni* Hausmann,1991
 22745) *Scopula leuraria* (L.B.Prout,1913) (Geometridae) Synonym(s): *leuraria* L.B.Prout,1913
 22746) *Scopula limbata* (Wileman,1915) (Geometridae) Synonym(s): *limbata* Wileman,1915
 22747) *Scopula lubricata* (W.Warren,1895) (Geometridae) Synonym(s): *lubricata* W.Warren,1895
 22748) *Scopula ludibunda* (L.B.Prout,1915) (Geometridae) Synonym(s): *ludibunda* L.B.Prout,1915
 22749) *Scopula luridata* (Zeller,1847) (Geometridae) Synonym(s): *luridata* Zeller,1847; *formosaria* Herrich-Schäffer,1852; *coenosaria* Lederer,1855
 22750) *Scopula luridata distracta* (Butler,1881) (Geometridae) Synonym(s): *distracta* Butler,1881
 22751) *Scopula luridata luridata* (Zeller,1847) (Geometridae) Synonym(s): *luridata* Zeller,1847; *formosaria* Herrich-Schäffer,1852; *coenosaria* Lederer,1855.
 22752) *Scopula luridata sternecki* L.B.Prout,1935 (Geometridae) Synonym(s): *chinesis* Sterneck,1931 nec Stern.,1931; *sternecki* L.B.Prout,1935.
 22753) *Scopula lutearia* (Leech,1897) (Geometridae) Synonym(s): *lutearia* Leech,1897
 22754) *Scopula luteicollis* L.B.Prout,1938 (Geometridae) Synonym(s): *luteicollis* L.B.Prout,1938
 22755) *Scopula malayana* Bänziger & D.S.Fletcher,1985 (Geometridae) Synonym(s): *malayana* Bänziger & D.S.Fletcher,1985
 22756) *Scopula manes* (Djakonov,1936) (Geometridae) Synonym(s): *manes* Djakonov,1936
 22757) *Scopula manifesta* (L.B.Prout,1911) (Geometridae) Synonym(s): *manifesta* L.B.Prout,1911
 22758) *Scopula marcidaria* (Leech,1897) (Geometridae) Synonym(s): *marcidaria* Leech,1897
 22759) *Scopula marginepunctata* (Goeze,1781) (Geometridae) Synonym(s): *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosa* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891
 22760) *Scopula marginepunctata terrigena* L.B.Prout,1935 (Geometridae) Synonym(s): *terrigena* L.B.Prout,1935
 22761) *Scopula mecysma* (Swinhoe,1894) (Geometridae) Synonym(s): *mecysma* Swinhoe,1894
 22762) *Scopula mecysma mecysma* (Swinhoe,1894) (Geometridae) Synonym(s): *mecysma* Swinhoe,1894
 22763) *Scopula mecysma mesites* L.B.Prout,1935 (Geometridae) Synonym(s): *mesites* L.B.Prout,1935
 22764) *Scopula melanstigma* L.B.Prout,1938 (Geometridae) Synonym(s): *melanstigma* L.B.Prout,1938
 22765) *Scopula mendicaria* (Leech,1897) (Geometridae) Synonym(s): *mendicaria* Leech,1897; *virginaria* Imaizumi,1941
 22766) *Scopula minoa* (L.B.Prout,1916) (Geometridae) Synonym(s): *minoa* L.B.Prout,1916
 22767) *Scopula minorata* (Boisduval,1833) (Geometridae) Synonym(s): *minorata* Boisduval,1833; *ochroleucata* Herrich-Schäffer,1844; *ochroleucaria* Herrich-Schäffer,[1847]; *luculata* Guenée,[1858]; *mauritiata* Guenée,[1858]; *consentanea* Walker,1861; *holobapharia* Mabilie,1900; *mombasae* W.Warren,1904; *dresnaya* D.Lucas,1937.
 22768) *Scopula mishmica* L.B.Prout,1938 (Geometridae) Synonym(s): *mishmica* L.B.Prout,1938
 22769) *Scopula molaris* L.B.Prout,1922 (Geometridae) Synonym(s): *molaris* L.B.Prout,1922
 22770) *Scopula monotropa* L.B.Prout,1925 (Geometridae) Synonym(s): *monotropa* L.B.Prout,1925
 22771) *Scopula natalica* (Butler,1875) (Geometridae) Synonym(s): *natalica* Butler,1875; *diffisizana* Hampson,1910
 22772) *Scopula nemoraria* (Hübner,[1799]) (Geometridae) Synonym(s): *nemoraria* Hübner,[1799]; *aliata* Herrich-Schäffer,1847.
 22773) *Scopula nemorivagata* (Wallengren,1863) (Geometridae) Synonym(s): *nemorivagata* Wallengren,1863; *bonaventura* W.Warren,1897
 22774) *Scopula nepheloperas* (L.B.Prout,1916) (Geometridae) Synonym(s): *nepheloperas* L.B.Prout,1916
 22775) *Scopula nesciaria* (Walker,1861) (Geometridae) Synonym(s): *nesciaria* Walker,1861; *negataria* Walker,1861
 22776) *Scopula nigrinotata* (W.Warren,1897) (Geometridae) Synonym(s): *nigrinotata* W.Warren,1897
 22777) *Scopula nigrociliata* Ebert,1965 (Geometridae) Synonym(s): *nigrociliata* Ebert,1965
 22778) *Scopula nigropunctata* (Hufnagel,1767) (Geometridae) Synonym(s): *nigropunctata* Hufnagel,1767; *nemorata* Borkhausen,1794; *tristriaria* Fabricius,1794; *inspersata* Schrank,1802; *exemptaria* Hübner,[1823]
 22779) *Scopula nivellearia* (Oberthür,1922) (Geometridae) Synonym(s): *nivellearia* Oberthür,1922
 22780) *Scopula obliquiscripta* (W.Warren,1897) (Geometridae) Synonym(s): *obliquiscripta* W.Warren,1897
 22781) *Scopula ochraceata* (Staudinger,1901) (Geometridae) Synonym(s): *ochraceata* Staudinger,1901
 22782) *Scopula omana* Wiltshire,1977 (Geometridae) Synonym(s): *omana* Wiltshire,1977
 22783) *Scopula opicata* (Fabricius,1798) (Geometridae) Synonym(s): *opicata* Fabricius,1798; *infantularia* Guenée,[1858]; *vanaria* Walker,1861
 22784) *Scopula opperta* L.B.Prout,1920 (Geometridae) Synonym(s): *opperta* L.B.Prout,1920
 22785) *Scopula oppilata* (Walker,1861) (Geometridae) Synonym(s): *oppilata* Walker,1861
 22786) *Scopula orientalis* (Alpheraky,1876) (Geometridae) Synonym(s): *orientalis* Alpheraky,1876
 22787) *Scopula ornata* (Scopoli,1763) (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785.
 22788) *Scopula ornata enzela* L.B.Prout,1935 (Geometridae) Synonym(s): *enzela* L.B.Prout,1935
 22789) *Scopula ornata ornata* (Scopoli,1763) (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785.
 22790) *Scopula oryx* Herbulot,1985 (Geometridae) Synonym(s): *oryx* Herbulot,1985
 22791) *Scopula ourebi* Herbulot,1985 (Geometridae) Synonym(s): *ourebi* Herbulot,1985
 22792) *Scopula oxysticha* L.B.Prout,1938 (Geometridae) Synonym(s): *oxysticha* L.B.Prout,1938
 22793) *Scopula palleuca* L.B.Prout,1925 (Geometridae) Synonym(s): *palleuca* L.B.Prout,1925
 22794) *Scopula palpifera* L.B.Prout,1925 (Geometridae) Synonym(s): *palpifera* L.B.Prout,1925
 22795) *Scopula parallelaria* (W.Warren,1901) (Geometridae) Synonym(s): *parallelaria* W.Warren,1901
 22796) *Scopula pelloniodes* L.B.Prout,1922 (Geometridae) Synonym(s): *pelloniodes* L.B.Prout,1922
 22797) *Scopula penricei* L.B.Prout,1920 (Geometridae) Synonym(s): *penricei* L.B.Prout,1920
 22798) *Scopula permutata* (Staudinger,1897) (Geometridae) Synonym(s): *permutata* Staudinger,1897
 22799) *Scopula personata* (L.B.Prout,1913) (Geometridae) Synonym(s): *personata* L.B.Prout,1913
 22800) *Scopula pertinax* (L.B.Prout,1916) (Geometridae) Synonym(s): *pertinax* L.B.Prout,1916
 22801) *Scopula phyletis* (L.B.Prout,1913) (Geometridae) Synonym(s): *phyletis* L.B.Prout,1913
 22802) *Scopula picta* (W.Warren,1897) (Geometridae) Synonym(s): *picta* W.Warren,1897; *fulvilinea* W.Warren,1914
 22803) *Scopula pinguis* (Swinhoe,1902) (Geometridae) Synonym(s): *pinguis* Swinhoe,1902
 22804) *Scopula plumbearia* (Leech,1891) (Geometridae) Synonym(s): *plumbearia* Leech,1891
 22805) *Scopula polyterpes* L.B.Prout,1920 (Geometridae) Synonym(s): *polyterpes* L.B.Prout,1920
 22806) *Scopula praecanata* (Staudinger,1896) (Geometridae) Synonym(s): *praecanata* Staudinger,1896
 22807) *Scopula preumes* L.B.Prout,1938 (Geometridae) Synonym(s): *preumes* L.B.Prout,1938
 22808) *Scopula promethes* L.B.Prout,1928 (Geometridae) Synonym(s): *promethes* L.B.Prout,1928
 22809) *Scopula propinquaria* (Leech,1897) (Geometridae) Synonym(s): *propinquaria* Leech,1897
 22810) *Scopula prouti* Djakonov,1935 (Geometridae) Synonym(s): *prouti* Djakonov,1935; *kurilula* Bryk,1942
 22811) *Scopula pseudoafghana* Ebert,1965 (Geometridae) Synonym(s): *pseudoafghana* Ebert,1965
 22812) *Scopula pseudocorrivalaria* (Wehrli,1932) (Geometridae) Synonym(s): *pseudocorrivalaria* Wehrli,1932
 22813) *Scopula pseudohonestata* (Wehrli,1926) (Geometridae) Synonym(s): *pseudohonestata* Wehrli,1926
 22814) *Scopula pudicaria* (Motschulsky,1861) (Geometridae) Synonym(s): *pudicaria* Motschulsky,1861
 22815) *Scopula pulchellata* (Fabricius,1794) (Geometridae) Synonym(s): *pulchellata* Fabricius,1794; *nictata* Guenée,[1858]; *metaspilaria* Walker,1861; *ligataria* Walker,1861; *spatiosaria* Walker,1866; *grandicularia* Swinhoe,1886; *spilodorsata* Warren,1895; *discata* Warren,1897; *obdiscata* Prout,1938; *spilotis* Prout,1938; *cosmeta* Prout,1938
 22816) *Scopula pulchellata pulchellata* (Fabricius,1794) (Geometridae) Synonym(s): *pulchellata* Fabricius,1794; *nictata* Guenée,[1858]; *metaspilaria* Walker,1861; *ligataria* Walker,1861; *spatiosaria* Walker,1866; *grandicularia* Swinhoe,1886; *spilodorsata* Warren,1895; *discata* Warren,1897; *obdiscata* Prout,1938; *spilotis* Prout,1938; *cosmeta* Prout,1938
 22817) *Scopula pulchellata rufinubes* (W.Warren,1900) (Geometridae) Synonym(s): *rufinubes* W.Warren,1900
 22818) *Scopula pulchellata semperi* L.B.Prout,1938 (Geometridae) Synonym(s): *semperi* L.B.Prout,1938

- 22819) *Scopula pulchellata takowensis* L.B.Prout,1938 (Geometridae) Synonym(s): *takowensis* L.B.Prout,1938
 22820) *Scopula punctilineata* (W.Warren,1897) (Geometridae) Synonym(s): *punctilineata* W.Warren,1897
 22821) *Scopula quadrifasciata* (Bastelberger,1909) (Geometridae) Synonym(s): *quadrifasciata* Bastelberger,1909; *glaucozyma* Hampson,1910
 22822) *Scopula quinquefasciata* Holloway,1979 (Geometridae) Synonym(s): *quinquefasciata* Holloway,1979
 22823) *Scopula quintaria* (L.B.Prout,1916) (Geometridae) Synonym(s): *quintaria* L.B.Prout,1916
 22824) *Scopula remotata* (Guenée,1858) (Geometridae) Synonym(s): *remotata* Guenée,1858
 22825) *Scopula rhodinarina* (Rebel,1907) (Geometridae) Synonym(s): *rhodinarina* Rebel,1907
 22826) *Scopula rivularia* (Leech,1897) (Geometridae) Synonym(s): *rivularia* Leech,1897
 22827) *Scopula rossi* (L.B.Prout,1913) (Geometridae) Synonym(s): *rossi* L.B.Prout,1913
 22828) *Scopula rubellata* (Staudinger,1871) (Geometridae) Synonym(s): *rubellata* Staudinger,1871
 22829) *Scopula rubiginata* (Hufnagel,1767) (Geometridae) Synonym(s): *rubiginata* Hufnagel,1767; *rubricata* [Denis & Schiffermüller],1775; *vittata* Thunberg,1784; *domialla* Fourcroy,1785; *variata* Villers,1789; *rubricaria* Hübner,[1799]; *subangularia* Herrich-Schäffer,1839
 22830) *Scopula rubraria* (Doubleday,1843) (Geometridae) Synonym(s): *rubraria* Doubleday,1843; *figlinaria* Guenée,[1858]; *attributa* Walker,1861; *repletaria* Walker,1861; *acidaliaria* Walker,1862
 22831) *Scopula ruficolor* (L.B.Prout,1916) (Geometridae) Synonym(s): *ruficolor* L.B.Prout,1916
 22832) *Scopula rufigrisea* L.B.Prout,1913 (Geometridae) Synonym(s): *rufigrisea* L.B.Prout,1913
 22833) *Scopula rufinubes* (W.Warren,1900) (Geometridae) Synonym(s): *rufinubes* W.Warren,1900
 22834) *Scopula rufisalsa* (W.Warren,1897) (Geometridae) Synonym(s): *rufisalsa* W.Warren,1897
 22835) *Scopula rufistigma* (W.Warren,1895) (Geometridae) Synonym(s): *rufistigma* W.Warren,1895
 22836) *Scopula rufistigma* W.Warren,1895 (Geometridae) Synonym(s): *rufistigma* W.Warren,1895
 22837) *Scopula sanguinsecta* (W.Warren,1897) (Geometridae) Synonym(s): *sanguinsecta* W.Warren,1897; *muscosaria* W.Warren,1902
 22838) *Scopula sarcodes* L.B.Prout,1935 (Geometridae) Synonym(s): *sarcodes* L.B.Prout,1935
 22839) *Scopula sarfaiensis* Wiltshire,1982 (Geometridae) Synonym(s): *sarfaiensis* Wiltshire,1982
 22840) *Scopula sauteri* L.B.Prout,1922 (Geometridae) Synonym(s): *sauteri* L.B.Prout,1922
 22841) *Scopula scalcercii* Hausmann,2003 (Geometridae) Synonym(s): *scalcercii* Hausmann,2003
 22842) *Scopula scotti* Debauche,1937 (Geometridae) Synonym(s): *scotti* Debauche,1937
 22843) *Scopula sedataria* (Leech,1897) (Geometridae) Synonym(s): *sedataria* Leech,1897
 22844) *Scopula segregata* L.B.Prout,1919 (Geometridae) Synonym(s): *segregata* L.B.Prout,1919
 22845) *Scopula serena* (L.B.Prout,1920) (Geometridae) Synonym(s): *serena* L.B.Prout,1920
 22846) *Scopula silonaria* (Guenée,[1858]) (Geometridae) Synonym(s): *silonaria* Guenée,[1858]; *sticticata* W.Warren,1901
 22847) *Scopula simplicifata* L.B.Prout,1928 (Geometridae) Synonym(s): *simplicifata* L.B.Prout,1928
 22848) *Scopula simplicifata* L.B.Prout,1928 (Geometridae) Synonym(s): *simplicifata* L.B.Prout,1928
 22849) *Scopula sincera* (W.Warren,1901) (Geometridae) Synonym(s): *sincera* W.Warren,1901
 22850) *Scopula sinnaria* (Swinhoe,1904) (Geometridae) Synonym(s): *sinnaria* Swinhoe,1904
 22851) *Scopula sinnaria bisinuata* (W.Warren,1905) (Geometridae) Synonym(s): *bisinuata* W.Warren,1905
 22852) *Scopula sinopersonata* (Wehrli,1932) (Geometridae) Synonym(s): *sinopersonata* Wehrli,1932
 22853) *Scopula sjostedti* Djakonov,1936 (Geometridae) Synonym(s): *sjostedti* Djakonov,1936
 22854) *Scopula sp.1* (Geometridae) Synonym(s):
 22855) *Scopula sp.2* (Geometridae) Synonym(s):
 22856) *Scopula spoliata* (Walker,1861) (Geometridae) Synonym(s): *spoliata* Walker,1861; *pygarata* Wallengren,1863
 22857) *Scopula straminea* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *straminea* R.Felder & Rogenhofer,1875; *melliflua* Warren,1897
 22858) *Scopula subcarnea* L.B.Prout,1934 (Geometridae) Synonym(s): *subcarnea* L.B.Prout,1934
 22859) *Scopula subgastonia* Wiltshire,1982 (Geometridae) Synonym(s): *subgastonia* Wiltshire,1982
 22860) *Scopula sublobata* (W.Warren,1898) (Geometridae) Synonym(s): *sublobata* W.Warren,1898; *khakiata* W.Warren,1905
 22861) *Scopula sublutescens* L.B.Prout,1920 (Geometridae) Synonym(s): *sublutescens* L.B.Prout,1920
 22862) *Scopula submutata* (Treitschke,1828) (Geometridae) Synonym(s): *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902
 22863) *Scopula submutata submutata* (Treitschke,1828) (Geometridae) Synonym(s): *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902
 22864) *Scopula submutata taurilibanotica* (Wehrli,1932) (Geometridae) Synonym(s): *taurilibanotica* Wehrli,1932; *syrlibanotica* Wehrli,1933
 22865) *Scopula subobliquata* (L.B.Prout,1913) (Geometridae) Synonym(s): *subobliquata* L.B.Prout,1913
 22866) *Scopula subpartita* L.B.Prout,1919 (Geometridae) Synonym(s): *subpartita* L.B.Prout,1919
 22867) *Scopula subpulchellata* L.B.Prout,1920 (Geometridae) Synonym(s): *subpulchellata* L.B.Prout,1920
 22868) *Scopula subpunctaria* (Herrich-Schäffer,1847) (Geometridae) Synonym(s): *punctata* Scopoli,1763 *nec* Cl.,1759; *punctaria* Duponchel,1830; *subpunctaria* Herrich-Schäffer,1847; *cerusaria* La Harpe,1850; *depunctata* Guenée,[1858]
 22869) *Scopula subrubellata* Sterneck,1941 (Geometridae) Synonym(s): *subrubellata* Sterneck,1941
 22870) *Scopula subserena* Wiltshire,1990 (Geometridae) Synonym(s): *subserena* Wiltshire,1990
 22871) *Scopula subtilata* (Christoph,1867) (Geometridae) Synonym(s): *subtilata* Christoph,1867
 22872) *Scopula subtracta* L.B.Prout,1935 (Geometridae) Synonym(s): *subtracta* L.B.Prout,1935
 22873) *Scopula subtracta* L.B.Prout,1935 (Geometridae) Synonym(s): *subtracta* L.B.Prout,1935
 22874) *Scopula succrassula* L.B.Prout,1931 (Geometridae) Synonym(s): *succrassula* L.B.Prout,1931
 22875) *Scopula superior* (Butler,1878) (Geometridae) Synonym(s): *superior* Butler,1878; *sancta* Butler,1881
 22876) *Scopula sybillaria* (Swinhoe,1902) (Geometridae) Synonym(s): *sybillaria* Swinhoe,1902
 22877) *Scopula szechuanensis* L.B.Prout,1913 (Geometridae) Synonym(s): *szechuanensis* L.B.Prout,1913
 22878) *Scopula taifika* Wiltshire,1982 (Geometridae) Synonym(s): *taifika* Wiltshire,1982
 22879) *Scopula tenuiscripta* L.B.Prout,1917 (Geometridae) Synonym(s): *tenuiscripta* L.B.Prout,1917
 22880) *Scopula tenuispersata* (Fuchs,1902) (Geometridae) Synonym(s): *tenuispersata* Fuchs,1902
 22881) *Scopula ternata* Schrank,1802 (Geometridae) Synonym(s): *ternata* Schrank,1802; *fumata* Stephens,1831; *commutata* Freyer,1832; *saluata* Speyer,1839; *commutaria* Boisduval,1840; *nitidaria* Boisduval,1840; *gypsaria* Boisduval,1840; *simplicaria* Freyer,1852; *duplexaria* La Harpe,1855; *perfumata* L.B.Prout,1934; *aequicerata* Traff,1965
 22882) *Scopula tessellaria* (Boisduval,1840) (Geometridae) Synonym(s): *tessellaria* Boisduval,1840; *pulverulentaria* Selys-Longchamps,1844; *tabianaria* Turati,1905; *prouitiana* Shelfjuzhko,1955
 22883) *Scopula timia* (L.B.Prout,1916) (Geometridae) Synonym(s): *timia* L.B.Prout,1916
 22884) *Scopula tosariensis* L.B.Prout,1923 (Geometridae) Synonym(s): *tosariensis* L.B.Prout,1923
 22885) *Scopula traducta* L.B.Prout,1938 (Geometridae) Synonym(s): *traducta* L.B.Prout,1938
 22886) *Scopula transcaspica* L.B.Prout,1935 (Geometridae) Synonym(s): *transcaspica* L.B.Prout,1935
 22887) *Scopula transcaspica taftanica* (Brandt,1941) (Geometridae) Synonym(s): *taftanica* Brandt,1941
 22888) *Scopula transcaspica transcaspica* L.B.Prout,1935 (Geometridae) Synonym(s): *transcaspica* L.B.Prout,1935
 22889) *Scopula tsekuensis* L.B.Prout,1935 (Geometridae) Synonym(s): *tsekuensis* L.B.Prout,1935
 22890) *Scopula turbidaria* (Hübner,[1819]) (Geometridae) Synonym(s): *turbidaria* Hübner,[1819]; *macraria* Guenée,[1858]; *lutosata* Rambur,1866
 22891) *Scopula turbulentaria* (Staudinger,1870) (Geometridae) Synonym(s): *turbulentaria* Staudinger,1870; *collata* W.Warren,1901; *habenata* W.Warren,1901; *syriacata* Neuburger,1904; *syriturica* Wehrli,1934
 22892) *Scopula turbulentaria steinbacheri* L.B.Prout,1935 (Geometridae) Synonym(s): *steinbacheri* L.B.Prout,1935
 22893) *Scopula turbulentaria turbulentaria* (Staudinger,1870) (Geometridae) Synonym(s): *turbulentaria* Staudinger,1870; *collata* W.Warren,1901; *habenata* W.Warren,1901; *syriacata* Neuburger,1904; *syriturica* Wehrli,1934
 22894) *Scopula umbelaria* (Hübner,[1813]) (Geometridae) Synonym(s): *syvestrata* Borkhausen,1794; *umbelaria* Hübner,[1813]; *compararia* Herrich-Schäffer,[1847]
 22895) *Scopula undilinea* (W.Warren,1900) (Geometridae) Synonym(s): *undilinea* W.Warren,1900
 22896) *Scopula undulataria* (Moore,1888) (Geometridae) Synonym(s): *undulataria* Moore,1888
 22897) *Scopula unilineata* (W.Warren,1896) (Geometridae) Synonym(s): *unilineata* W.Warren,1896
 22898) *Scopula unisignata* L.B.Prout,1926 (Geometridae) Synonym(s): *unisignata* L.B.Prout,1926

- 22899) *Scopula vacuata* (Guenée,1858) (Geometridae) Synonym(s): *vacuata* Guenée,1858
- 22900) *Scopula vigilata* (Wagner,1926) (Geometridae) Synonym(s): *#submutulata* Rebel,1902; *#vigilata* L.B.Prout,1913; *vigilata* Wagner,1926; *turatii* Wagner,1926; *submutulata* Wagner,1926
- 22901) *Scopula violacea* (W.Warren,1897) (Geometridae) Synonym(s): *violacea* W.Warren,1897
- 22902) *Scopula virgulata* [(Denis & Schiffermüller),1775] (Geometridae) Synonym(s): *virgulata* [Denis & Schiffermüller],1775; *strigaria* Hübner,[1799]; *virgularia* Hübner,[1825]; *sulcaria* Hübner,[1825].
- 22903) *Scopula yihe* Yang,1978 (Geometridae) Synonym(s): *yihe* Yang,1978
- 22904) *Scopula zophodes* L.B.Prout,1935 (Geometridae) Synonym(s): *zophodes* L.B.Prout,1935
- 22905) *Scopuloides fucata* (Püngeler,1909) (Geometridae) Synonym(s): *fucata* Püngeler,1909; *kirghisica* Viidalepp,1988
- 22906) *Scopuloides origalis* (Brandt,1941) (Geometridae) Synonym(s): *origalis* Brandt,1941
- 22907) *Scopuloides origalis danieli* (Wiltshire,1966) (Geometridae) Synonym(s): *danieli* Wiltshire,1966
- 22908) *Scopuloides origalis origalis* (Brandt,1941) (Geometridae) Synonym(s): *origalis* Brandt,1941
- 22909) *Scopuloides origalis safida* (Wiltshire,1966) (Geometridae) Synonym(s): *safida* Wiltshire,1966
- 22910) *Scopuloides origalis vantschica* (Viidalepp,1988) (Geometridae) Synonym(s): *vantschica* Viidalepp,1988
- 22911) *Scordyliodes liturata* (W.Warren,1904) (Geometridae) Synonym(s): *liturata* W.Warren,1904
- 22912) *Scordyliodes preciosa* (Maassen,1890) (Geometridae) Synonym(s): *preciosa* Maassen,1890
- 22913) *Scordyliodes subtessellata* (Dognin,1906) (Geometridae) Synonym(s): *subtessellata* Dognin,1906
- 22914) *Scordyliodes tessellata* (W.Warren,1904) (Geometridae) Synonym(s): *tessellata* W.Warren,1904
- 22915) *Scotocyma albinotata* (Walker,1864) (Geometridae) Synonym(s): *albinotata* Walker,1864; *platydesma* Lower,1894; *eurychra* Turner,1922; *idioschema* Turner,1922; *transfixa* Turner,1931; *ischnophrica* Turner,1932
- 22916) *Scotocyma asiatica* Holloway,1997 (Geometridae) Synonym(s): *asiatica* Holloway,1997
- 22917) *Scotocyma legalis* (W.Warren,1896) (Geometridae) Synonym(s): *legalis* W.Warren,1896
- 22918) *Scotocyma longiuncus* O.Schmidt,2005 (Geometridae) Synonym(s): *longiuncus* O.Schmidt,2005
- 22919) *Scotocyma manusensis* L.B.Prout,1940 (Geometridae) Synonym(s): *manusensis* L.B.Prout,1940
- 22920) *Scotocyma mimula* (W.Warren,1905) (Geometridae) Synonym(s): *mimula* W.Warren,1905
- 22921) *Scotocyma miscix* L.B.Prout,1934 (Geometridae) Synonym(s): *miscix* L.B.Prout,1934
- 22922) *Scotocyma rutilimixta* O.Schmidt,2005 (Geometridae) Synonym(s): *rutilimixta* O.Schmidt,2005
- 22923) *Scotocyma samoensis* O.Schmidt,2005 (Geometridae) Synonym(s): *samoensis* O.Schmidt,2005
- 22924) *Scotocyma scotopepla* L.B.Prout,1940 (Geometridae) Synonym(s): *scotopepla* L.B.Prout,1940
- 22925) *Scotocyma sumatrensis* O.Schmidt,2005 (Geometridae) Synonym(s): *sumatrensis* O.Schmidt,2005
- 22926) *Scotopteryx aelptes* L.B.Prout,1937 (Geometridae) Synonym(s): *aelptes* L.B.Prout,1937
- 22927) *Scotopteryx albiclausa* (W.Warren,1897) (Geometridae) Synonym(s): *albiclausa* W.Warren,1897
- 22928) *Scotopteryx alfaccaria* (Staudinger,1859) (Geometridae) Synonym(s): *alfaccaria* Staudinger,1859; *nevadaria* Rambur,1866.
- 22929) *Scotopteryx alfaccaria albarracina* (Zerny,1927) (Geometridae) Synonym(s): *albarracina* Zerny,1927.
- 22930) *Scotopteryx alfaccaria alfaccaria* (Staudinger,1859) (Geometridae) Synonym(s): *alfaccaria* Staudinger,1859; *nevadaria* Rambur,1866.
- 22931) *Scotopteryx alfaccaria transmarina* (Zerny,1934) (Geometridae) Synonym(s): *transmarina* Zerny,1934
- 22932) *Scotopteryx alpherakii* (Erschoff,1877) (Geometridae) Synonym(s): *alpherakii* Erschoff,1877
- 22933) *Scotopteryx angularia* (Villers,1789) (Geometridae) Synonym(s): *angularia* Villers,1789; *diniensis* Neuburger,1906; *lantoscana* Wehrli,1924
- 22934) *Scotopteryx appropinquaria* (Staudinger,1892) (Geometridae) Synonym(s): *appropinquaria* Staudinger,1892
- 22935) *Scotopteryx arthuri* (L.B.Prout,1939) (Geometridae) Synonym(s): *arthuri* L.B.Prout,1939
- 22936) *Scotopteryx atrosigillata* (Walker,1863) (Geometridae) Synonym(s): *atrosigillata* Walker,[1863]
- 22937) *Scotopteryx bipunctaria* [(Denis & Schiffermüller),1775] (Geometridae) Synonym(s): *bipunctaria* [Denis & Schiffermüller],1775; *undulata* Scopoli,1763 nec Linn.,1758; *geminataria* Villers,1789; *gachtaria* Freyer,1851
- 22938) *Scotopteryx burgaria* (Eversmann,1843) (Geometridae) Synonym(s): *burgaria* Eversmann,1843
- 22939) *Scotopteryx caucasica* (Niesiolowski,1937) (Geometridae) Synonym(s): *caucasica* Niesiolowski,1937
- 22940) *Scotopteryx chenopodiata* (Linnaeus,1758) (Geometridae) Synonym(s): *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria* sensu Duponchel,1829
- 22941) *Scotopteryx chenopodiata chenopodiata* (Linnaeus,1758) (Geometridae) Synonym(s): *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria* sensu Duponchel,1829
- 22942) *Scotopteryx chenopodiata sibirica* (A.Bang-Haas,1907) (Geometridae) Synonym(s): *sibirica* A.Bang-Haas,1907
- 22943) *Scotopteryx coarctaria* [(Denis & Schiffermüller),1775] (Geometridae) Synonym(s): *coarctaria* [Denis & Schiffermüller],1775; *coarctata* Fabricius,1794; *tenebraria* Hübner,[1809]
- 22944) *Scotopteryx coelinaria* Graslin,1863 (Geometridae) Synonym(s): *coelinaria* Graslin,1863; *vernetaria* Oberthür,1896; *gerardini* Oberthür,1907
- 22945) *Scotopteryx crenulimargo* (L.B.Prout,1925) (Geometridae) Synonym(s): *crenulimargo* L.B.Prout,1925
- 22946) *Scotopteryx crypsichroma* (W.Warren,1907) (Geometridae) Synonym(s): *crypsichroma* W.Warren,1907
- 22947) *Scotopteryx cryptocyclus* (L.B.Prout,1913) (Geometridae) Synonym(s): *cryptocyclus* L.B.Prout,1913
- 22948) *Scotopteryx cryptospilata* (Walker,1863) (Geometridae) Synonym(s): *cryptospilata* Walker,1863
- 22949) *Scotopteryx dentilinea* (Dognin,1914) (Geometridae) Synonym(s): *dentilinea* Dognin,1914
- 22950) *Scotopteryx deversa* (L.B.Prout,1913) (Geometridae) Synonym(s): *deversa* L.B.Prout,1913
- 22951) *Scotopteryx diana* Riemis,1997 (Geometridae) Synonym(s): *diana* Riemis,1997
- 22952) *Scotopteryx dorytata* Xue,1993 (Geometridae) Synonym(s): *dorytata* Xue,1993
- 22953) *Scotopteryx duplicata* (W.Warren,1893) (Geometridae) Synonym(s): *duplicata* W.Warren,1893
- 22954) *Scotopteryx duplicata duplicata* (W.Warren,1893) (Geometridae) Synonym(s): *duplicata* W.Warren,1893
- 22955) *Scotopteryx duplicata subfimbriata* (L.B.Prout,1937) (Geometridae) Synonym(s): *subfimbriata* L.B.Prout,1937
- 22956) *Scotopteryx elbursica* (Bytinski-Salz & Brandt,1937) (Geometridae) Synonym(s): *elbursica* Bytinski-Salz & Brandt,1937
- 22957) *Scotopteryx elongata* (Dognin,1904) (Geometridae) Synonym(s): *elongata* Dognin,1904
- 22958) *Scotopteryx emanata* (Dognin,1893) (Geometridae) Synonym(s): *emanata* Dognin,1893
- 22959) *Scotopteryx euboliata* (W.Warren,1905) (Geometridae) Synonym(s): *euboliata* W.Warren,1905
- 22960) *Scotopteryx eurypeda* (L.B.Prout,1937) (Geometridae) Synonym(s): *eurypeda* L.B.Prout,1937
- 22961) *Scotopteryx ferridotata* (Walker,1863) (Geometridae) Synonym(s): *ferridotata* Walker,[1863]
- 22962) *Scotopteryx fissiferata* (Walker,1862) (Geometridae) Synonym(s): *fissiferata* Walker,1862; *intermixta* Walker,1862
- 22963) *Scotopteryx flavophasgania* Xue,1993 (Geometridae) Synonym(s): *flavophasgania* Xue,1993
- 22964) *Scotopteryx fulminata* (Dognin,1893) (Geometridae) Synonym(s): *fulminata* Dognin,1893
- 22965) *Scotopteryx fuscofasciata* (Brandt,1938) (Geometridae) Synonym(s): *fuscofasciata* Brandt,1938
- 22966) *Scotopteryx fuscofasciata fuscofasciata* (Brandt,1938) (Geometridae) Synonym(s): *fuscofasciata* Brandt,1938
- 22967) *Scotopteryx fuscofasciata subardua* (Wiltshire,1949) (Geometridae) Synonym(s): *subardua* Wiltshire,1949
- 22968) *Scotopteryx fuscofasciata zoroaster* (Wiltshire,1949) (Geometridae) Synonym(s): *zoroaster* Wiltshire,1949
- 22969) *Scotopteryx golovushkini* Kostjuk,1991 (Geometridae) Synonym(s): *golovushkini* Kostjuk,1991
- 22970) *Scotopteryx horismodes* (Prout,1913) (Geometridae) Synonym(s): *horismodes* Prout,1913
- 22971) *Scotopteryx ignorata* Hausmann,1998 (Geometridae) Synonym(s): *ignorata* Hausmann,1998
- 22972) *Scotopteryx inflexa* (Dognin,1914) (Geometridae) Synonym(s): *inflexa* Dognin,1914
- 22973) *Scotopteryx integraria* (Staudinger,1892) (Geometridae) Synonym(s): *integraria* Staudinger,1892
- 22974) *Scotopteryx junctata* (Staudinger,1882) (Geometridae) Synonym(s): *junctata* Staudinger,1882
- 22975) *Scotopteryx junctata badahshanica* Viidalepp,1988 (Geometridae) Synonym(s): *badahshanica* Viidalepp,1988
- 22976) *Scotopteryx junctata junctata* (Staudinger,1882) (Geometridae) Synonym(s): *junctata* Staudinger,1882
- 22977) *Scotopteryx junctata microgynaria* (Hampson,1902) (Geometridae) Synonym(s): *microgynaria* Hampson,1902
- 22978) *Scotopteryx junctata pamirica* Viidalepp,1988 (Geometridae) Synonym(s): *pamirica* Viidalepp,1988
- 22979) *Scotopteryx kashgara* (Moore,1878) (Geometridae) Synonym(s): *kashgara* Moore,1878
- 22980) *Scotopteryx kiminaiana* (Matsumura,1925) (Geometridae) Synonym(s): *kiminaiana* Matsumura,1925
- 22981) *Scotopteryx kuznecovi* Herbulot,1996 (Geometridae) Synonym(s): *kuznecovi* Herbulot,1996

- 22982) *Scotopteryx kuznetsovi* (Vardikjan,1957) (Geometridae) Synonym(s): *kuznetsovi Vardikjan,1957*
 22983) *Scotopteryx langi* (Christoph,1885) (Geometridae) Synonym(s): *langi Christoph,1885*
 22984) *Scotopteryx leucocypta* (Hampson,1902) (Geometridae) Synonym(s): *leucocypta Hampson,1902*
 22985) *Scotopteryx luridata* (Hufnagel,1767) (Geometridae) Synonym(s): *luridata Hufnagel,1767; plumbaria Fabricius,1775; palumbaria [Denis & Schiffmüller],1775; marginaria Goeze,1781; quadrifasciaria Thunberg,1784; luridaria Brahm,1791; palumbata Hübner,[1825]*
 22986) *Scotopteryx moeniata* (Scopoli,1763) (Geometridae) Synonym(s): *moeniata Scopoli,1763; moeniaria [Denis & Schiffmüller],1775; fimbriata Fabricius,1777 nec Schr.,1759; angulata Rottemburg,1777 nec Hufn.,1767; moeniataria Villers,1789; modesta Lempke,1967*
 22987) *Scotopteryx mucronata* (Scopoli,1763) (Geometridae) Synonym(s): *mucronata Scopoli,1763; virgaria Esper,[1801]; turturia Treitschke,1827*
 22988) *Scotopteryx mucronata scotica* Cockayne,1940 (Geometridae) Synonym(s): *scotica Cockayne,1940*
 22989) *Scotopteryx nasifera* (Warren,1888) (Geometridae) Synonym(s): *nasifera Warren,1888*
 22990) *Scotopteryx mucronata* (A.Bang-Haas,1907) (Geometridae) Synonym(s): *nebulata A.Bang-Haas,1907*
 22991) *Scotopteryx nictitaria* (Herrich-Schäffer,1855) (Geometridae) Synonym(s): *nictitaria Herrich-Schäffer,1855*
 22992) *Scotopteryx obvallaria* (Mabille,1867) (Geometridae) Synonym(s): *obvallaria Mabille,1867*
 22993) *Scotopteryx octodurensis* (Favre,1903) (Geometridae) Synonym(s): *octodurensis Favre,1903; nevadina Wehrli,1927*
 22994) *Scotopteryx octodurensis decolor* (Schwingenschuss,1939) (Geometridae) Synonym(s): *decolor Schwingenschuss,1939*
 22995) *Scotopteryx octodurensis ibera* (Prout,1937) (Geometridae) Synonym(s): *ibera Prout,1937*
 22996) *Scotopteryx octodurensis lozeræ* (Herbulot,1957) (Geometridae) Synonym(s): *lozeræ Herbulot,1957*
 22997) *Scotopteryx octodurensis octodurensis* (Favre,1903) (Geometridae) Synonym(s): *octodurensis Favre,1903; nevadina Wehrli,1927*
 22998) *Scotopteryx peribolata* (Hübner,[1817]) (Geometridae) Synonym(s): *peribolata Hübner,[1817]*
 22999) *Scotopteryx peribolata chouika* (Oberthür,1909) (Geometridae) Synonym(s): *chouika Oberthür,1909; magna Prout,1914*
 23000) *Scotopteryx peribolata culoti* (Schawerda,1932) (Geometridae) Synonym(s): *culoti Schawerda,1932*
 23001) *Scotopteryx peringueyi* (Prout,1917) (Geometridae) Synonym(s): *peringueyi Prout,1917*
 23002) *Scotopteryx perplexaria* (Staudinger,1892) (Geometridae) Synonym(s): *perplexaria Staudinger,1892*
 23003) *Scotopteryx pinnaria* (Christoph,1888) (Geometridae) Synonym(s): *pinnaria Christoph,1888*
 23004) *Scotopteryx pinnaria miljanovskii* Viidalepp,1977 (Geometridae) Synonym(s): *caucasica Dijakonov,1955 nec Niesiol.,1937; miljanovskii Viidalepp,1977*
 23005) *Scotopteryx pinnaria pinnaria* (Christoph,1888) (Geometridae) Synonym(s): *pinnaria Christoph,1888*
 23006) *Scotopteryx proximaria* (Rambur,1833) (Geometridae) Synonym(s): *proximaria Rambur,1833*
 23007) *Scotopteryx ratona* (Dognin,1896) (Geometridae) Synonym(s): *ratona Dognin,1896*
 23008) *Scotopteryx roesleri* (Vojnits,1973) (Geometridae) Synonym(s): *roesleri Vojnits,1973*
 23009) *Scotopteryx roseicilia* (Hampson,1895) (Geometridae) Synonym(s): *roseicilia Hampson,1895*
 23010) *Scotopteryx roseifascia* (Hampson,1895) (Geometridae) Synonym(s): *roseifascia Hampson,1895*
 23011) *Scotopteryx sartata* (Alpheraky,1883) (Geometridae) Synonym(s): *sartata Alpheraky,1883*
 23012) *Scotopteryx scotophagania* Xue,1993 (Geometridae) Synonym(s): *scotophagania Xue,1993*
 23013) *Scotopteryx semenovi* (Alpheraky,1892) (Geometridae) Synonym(s): *semenovi Alpheraky,1892; ouanguemetaria Oberthür,1893*
 23014) *Scotopteryx similaria* (Leech,1897) (Geometridae) Synonym(s): *similaria Leech,1897; erschoffii Alpheraky,1897*
 23015) *Scotopteryx sinensis* (Alpheraky,1883) (Geometridae) Synonym(s): *sinensis Alpheraky,1883*
 23016) *Scotopteryx sinuosa* (Wiltshire,1970) (Geometridae) Synonym(s): *sinuosa Wiltshire,1970*
 23017) *Scotopteryx sp.* (Geometridae) Synonym(s):
 23018) *Scotopteryx sterilis* (Prout,1938) (Geometridae) Synonym(s): *sterilis Prout,1938*
 23019) *Scotopteryx subvicinaria* (Staudinger,1892) (Geometridae) Synonym(s): *subvicinaria Staudinger,1892*
 23020) *Scotopteryx subvicinaria libanaria* (Prout,1914) (Geometridae) Synonym(s): *libanaria Prout,1914*
 23021) *Scotopteryx subvicinaria subvicinaria* (Staudinger,1892) (Geometridae) Synonym(s): *subvicinaria Staudinger,1892*
 23022) *Scotopteryx superjecta* Prout,1910 (Geometridae) Synonym(s): *superjecta Prout,1910*
 23023) *Scotopteryx supproximaria* (Staudinger,1892) (Geometridae) Synonym(s): *supproximaria Staudinger,1892*
 23024) *Scotopteryx transbaicalica* (Djakonov,1955) (Geometridae) Synonym(s): *transbaicalica Djakonov,1955*
 23025) *Scotopteryx vicaria* (Walker,[1863]) (Geometridae) Synonym(s): *vicaria Walker,[1863]*
 23026) *Scotopteryx vicinaria* (Duponchel,1830) (Geometridae) Synonym(s): *vicinaria Duponchel,1830; zumsteinaria Harpe,1862; illyriacaria Schawerda,1919*
 23027) *Scotopteryx vicinaria brunnescens* (Prout,1914) (Geometridae) Synonym(s): *brunnescens Prout,1914*
 23028) *Scotopteryx vicinaria hyrcanaria* (Staudinger,1892) (Geometridae) Synonym(s): *hyrcanaria Staudinger,1892*
 23029) *Scotopteryx vicinaria vicinaria* (Duponchel,1830) (Geometridae) Synonym(s): *vicinaria Duponchel,1830; zumsteinaria Harpe,1862; illyriacaria Schawerda,1919*
 23030) *Scotopteryx vittistrigata* (Prout,1910) (Geometridae) Synonym(s): *vittistrigata Prout,1910*
 23031) *Selenia dentaria* (Fabricius,1775) (Geometridae) Synonym(s): *dentaria Fabricius,1775; gagathes Goeze,1781; achataea Fourcroy,1785; ustularia Donovan,1794; illunaria Hübner,[1799]; bilunaria Esper,[1801]; julitaria Haworth,1809; minor Boisduval,1840*
 23032) *Selenia forsteri* Wehrli,1941 (Geometridae) Synonym(s): *forsteri Wehrli,1941*
 23033) *Selenia lunularia* (Hübner,1788) (Geometridae) Synonym(s): *lunaria [Denis & Schiffmüller],1775 nec Fabr.,1775; lunularia Hübner,1788; delunaria Hübner,[1799]; sublunaria Stephens,1831*
 23034) *Selenia lunularia kuldjana* (Wehrli,1940) (Geometridae) Synonym(s): *kuldjana Wehrli,1940*
 23035) *Selenia lunularia lunularia* (Hübner,1788) (Geometridae) Synonym(s): *lunaria [Denis & Schiffmüller],1775 nec Fabr.,1775; lunularia Hübner,1788; delunaria Hübner,[1799]; sublunaria Stephens,1831*
 23036) *Selenia tetralunaria* (Hufnagel,1767) (Geometridae) Synonym(s): *tetralunaria Hufnagel,1767*
 23037) *Selidosema ambustarium* (Geyer,1831) (Geometridae) Synonym(s): *ambustarium Geyer,1831; duponcheliaria Lefebvre,1831; mauretania Wehrli,1953*
 23038) *Selidosema atrarium* Powell,1941 (Geometridae) Synonym(s): *atrarium Powell,1941*
 23039) *Selidosema brunnearium* (Villers,1789) (Geometridae) Synonym(s): *brunnearia Villers,1789; ericetaria Villers,1789; subfimbriata Haworth,1812; oelandica Wahlgren,1913*
 23040) *Selidosema brunnearium syriacarium* Staudinger,1901 (Geometridae) Synonym(s): *syriacaria Staudinger,1901*
 23041) *Selidosema combustarium* Püngeler,1904 (Geometridae) Synonym(s): *combustaria Püngeler,1904*
 23042) *Selidosema herbuloti* Rungs,1975 (Geometridae) Synonym(s): *herbuloti Rungs,1975*
 23043) *Selidosema modestarium* Püngeler,1914 (Geometridae) Synonym(s): *modestaria Püngeler,1914*
 23044) *Selidosema parenzani* Hausmann,1993 (Geometridae) Synonym(s): *parenzani Hausmann,1993*
 23045) *Selidosema picturatum* Rothschild,1915 (Geometridae) Synonym(s): *picturatum Rothschild,1915*
 23046) *Selidosema plumarium* ([Denis & Schiffmüller],1775) (Geometridae) Synonym(s): *#plumaria [Denis & Schiffmüller],1775; limbata Rambur,1829*
 23047) *Selidosema plumarium amani* Wehrli,1932 (Geometridae) Synonym(s): *amani Wehrli,1932*
 23048) *Selidosema rorarium* (Fabricius,1777) (Geometridae) Synonym(s): *roraria Fabricius,1777*
 23049) *Selidosema taeniolarium* (Hübner,[1813]) (Geometridae) Synonym(s): *taeniolarium Hübner,[1813]*
 23050) *Selidosema tamsi* Rebel,1939 (Geometridae) Synonym(s): *tamsi Rebel,1939*
 23051) *Semiothisa liturata* (Linnaeus,1761) (Geometridae) Synonym(s): *#liturata Clerck,1759; liturata Linnaeus,1761*
 23052) *Semiothisa saburraria* (Eversmann,1851) (Geometridae) Synonym(s): *saburraria Eversmann,1851*
 23053) *Semiothisa saburraria saburraria* (Eversmann,1851) (Geometridae) Synonym(s): *saburraria Eversmann,1851*
 23054) *Semiothisa signaria* (Hübner,[1809]) (Geometridae) Synonym(s): *signaria Hübner,[1809]*
 23055) *Serratophyga sterrhoticha* (L.B.Prout,1937) (Geometridae) Synonym(s): *sterrhoticha L.B.Prout,1937*
 23056) *Serratophyga subangulata* (W.Warren,1896) (Geometridae) Synonym(s): *subangulata W.Warren,1896; micans Hampson,1896*
 23057) *Serratophyga xanthospilaria* (Wehrli,1925) (Geometridae) Synonym(s): *xanthospilaria Wehrli,1925*
 23058) *Sesquialtera audens* L.B.Prout,1931 (Geometridae) Synonym(s): *audens L.B.Prout,1931*
 23059) *Sesquialtera lonchota* L.B.Prout,1931 (Geometridae) Synonym(s): *lonchota L.B.Prout,1931*
 23060) *Sesquialtera ramecourti* Herbulot,1967 (Geometridae) Synonym(s): *ramecourti Herbulot,1967*
 23061) *Sesquialtera ridicula* L.B.Prout,1916 (Geometridae) Synonym(s): *ridicula L.B.Prout,1916*
 23062) *Shangrilana paradisea* Inoue,1994 (Geometridae) Synonym(s): *paradisea Inoue,1994*
 23063) *Sicyodes alicata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *alicata R.Felder & Rogenhofer,1875*

- 23064) *Sicyodes cambogiaria* (Guenée, [1858]) (Geometridae) Synonym(s): *cambogiaria* Guenée, [1858]
 23065) *Sicyodes costipicta* (Geometridae) Synonym(s):
 23066) *Sicyodes costipicta olearis* L.B.Prout, 1938 (Geometridae) Synonym(s): *olearis* L.B.Prout, 1938
 23067) *Sicyodes ocellata* W.Warren, 1897 (Geometridae) Synonym(s): *ocellata* W.Warren, 1897
 23068) *Sicyodes olivescens* (W.Warren, 1898) (Geometridae) Synonym(s): *olivescens* W.Warren, 1898
 23069) *Sicyodes* sp. (Geometridae) Synonym(s):
 23070) *Siona lineata* (Scopoli, 1763) (Geometridae) Synonym(s): *lineata* Scopoli, 1763; *dealbata* Linnaeus, 1767; *duplicata* Fourcroy, 1785 nec Fabr., 1775; *dealbata* Hübner, [1799]
 23071) *Sirinopteryx ablunata* (Guenée, [1858]) (Geometridae) Synonym(s): *ablunata* Guenée, [1858]; *pangiarina* R.Felder & Rogenhofer, 1875; *kashmirica* W.Warren, 1899
 23072) *Sirinopteryx duplicilinea* (Hampson, 1895) (Geometridae) Synonym(s): *duplicilinea* Hampson, 1895
 23073) *Sirinopteryx harutai* Yazaki, 1998 (Geometridae) Synonym(s): *harutai* Yazaki, 1998
 23074) *Sirinopteryx longipennis* (W.Warren, 1893) (Geometridae) Synonym(s): *longipennis* W.Warren, 1893
 23075) *Sirinopteryx nepalensis* Inoue, 1992 (Geometridae) Synonym(s): *nepalensis* Inoue, 1992
 23076) *Sirinopteryx parallela* Wehrli, 1937 (Geometridae) Synonym(s): *parallela* Wehrli, 1937
 23077) *Sirinopteryx punctifera* Wehrli, 1937 (Geometridae) Synonym(s): *punctifera* Wehrli, 1937
 23078) *Sirinopteryx quadripunctata* (Moore, 1868) (Geometridae) Synonym(s): *quadripunctata* Moore, 1868
 23079) *Sirinopteryx rosinaria* Oberthür, 1911 (Geometridae) Synonym(s): *rosinaria* Oberthür, 1911
 23080) *Sirinopteryx rufilineata* W.Warren, 1893 (Geometridae) Synonym(s): *rufilineata* W.Warren, 1893
 23081) *Sirinopteryx rufivinctata* (Walker, [1863]) (Geometridae) Synonym(s): *rufivinctata* Walker, [1863]
 23082) *Sirinopteryx undulifera* W.Warren, 1893 (Geometridae) Synonym(s): *undulifera* W.Warren, 1893
 23083) *Solitanea mariae* (Stauder, 1921) (Geometridae) Synonym(s): *mariae* Stauder, 1921
 23084) *Somatina accraria* Swinhoe, 1904 (Geometridae) Synonym(s): *accraria* Swinhoe, 1904
 23085) *Somatina anthophilata* Guenée, [1858] (Geometridae) Synonym(s): *anthophilata* Guenée, [1858]
 23086) *Somatina apicipuncta* L.B.Prout, 1915 (Geometridae) Synonym(s): *apicipuncta* L.B.Prout, 1915
 23087) *Somatina centrofasciaria* (Leech, 1897) (Geometridae) Synonym(s): *centrofasciaria* Leech, 1897
 23088) *Somatina centrophora* L.B.Prout, 1915 (Geometridae) Synonym(s): *centrophora* L.B.Prout, 1915
 23089) *Somatina chalyboeata* (Walker, 1869) (Geometridae) Synonym(s): *chalyboeata* Walker, 1869
 23090) *Somatina ctenophora* L.B.Prout, 1915 (Geometridae) Synonym(s): *ctenophora* L.B.Prout, 1915
 23091) *Somatina dentifasciaria* Inoue, 1992 (Geometridae) Synonym(s): *dentifasciaria* Inoue, 1992
 23092) *Somatina discata* W.Warren, 1909 (Geometridae) Synonym(s): *discata* W.Warren, 1909
 23093) *Somatina eurymitra* Turner, 1926 (Geometridae) Synonym(s): *eurymitra* Turner, 1926
 23094) *Somatina figurata* W.Warren, 1897 (Geometridae) Synonym(s): *figurata* W.Warren, 1897; *rufitacta* W.Warren, 1905
 23095) *Somatina fletcheri* Herbulot, 1958 (Geometridae) Synonym(s): *fletcheri* Herbulot, 1958
 23096) *Somatina fraus* L.B.Prout, 1916 (Geometridae) Synonym(s): *fraus* L.B.Prout, 1916
 23097) *Somatina fungifera* W.Warren, 1909 (Geometridae) Synonym(s): *fungifera* W.Warren, 1909
 23098) *Somatina hombergi* Herbulot, 1967 (Geometridae) Synonym(s): *hombergi* Herbulot, 1967
 23099) *Somatina impunctulata* (W.Warren, 1901) (Geometridae) Synonym(s): *impunctulata* W.Warren, 1901
 23100) *Somatina indicataria* (Walker, 1861) (Geometridae) Synonym(s): *indicataria* Walker, 1861
 23101) *Somatina ioscia* L.B.Prout, 1932 (Geometridae) Synonym(s): *ioscia* L.B.Prout, 1932
 23102) *Somatina irregularis* (W.Warren, 1898) (Geometridae) Synonym(s): *irregularis* W.Warren, 1898
 23103) *Somatina lemairei* Herbulot, 1978 (Geometridae) Synonym(s): *lemairei* Herbulot, 1978
 23104) *Somatina lia* L.B.Prout, 1915 (Geometridae) Synonym(s): *lia* L.B.Prout, 1915
 23105) *Somatina macroanthophilata* Xue, 1992 (Geometridae) Synonym(s): *macroanthophilata* Xue, 1992
 23106) *Somatina maeandrata* L.B.Prout, 1925 (Geometridae) Synonym(s): *maeandrata* L.B.Prout, 1925
 23107) *Somatina mendicaria* (Leech, 1897) (Geometridae) Synonym(s): *mendicaria* Leech, 1897
 23108) *Somatina microphylla* (Meyrick, 1889) (Geometridae) Synonym(s): *microphylla* Meyrick, 1889; *catacissa* Turner, 1908
 23109) *Somatina mozambica* (Thierry-Mieg, 1905) (Geometridae) Synonym(s): *mozambica* Thierry-Mieg, 1905
 23110) *Somatina nigriscata* W.Warren, 1896 (Geometridae) Synonym(s): *nigriscata* W.Warren, 1896
 23111) *Somatina nucleata* W.Warren, 1905 (Geometridae) Synonym(s): *nucleata* W.Warren, 1905
 23112) *Somatina obscuriciliata* Wehrli, 1924 (Geometridae) Synonym(s): *obscuriciliata* Wehrli, 1924
 23113) *Somatina omicraria* (Fabricius, 1798) (Geometridae) Synonym(s): *omicraria* Fabricius, 1798; *extrucata* Walker, 1861; *cana* Hampson, 1895
 23114) *Somatina ossicolor* W.Warren, 1898 (Geometridae) Synonym(s): *ossicolor* W.Warren, 1898
 23115) *Somatina plynusaria* (Walker, [1863]) (Geometridae) Synonym(s): *plynusaria* Walker, [1863]; *congruaria* Walker, 1869
 23116) *Somatina postlineata* (W.Warren, 1899) (Geometridae) Synonym(s): *postlineata* W.Warren, 1899
 23117) *Somatina propleptica* L.B.Prout, 1917 (Geometridae) Synonym(s): *propleptica* L.B.Prout, 1917
 23118) *Somatina prouti* Janse, 1934 (Geometridae) Synonym(s): *prouti* Janse, 1934
 23119) *Somatina purpurascens* Moore, [1887] (Geometridae) Synonym(s): *purpurascens* Moore, [1887]
 23120) *Somatina pythiaria* (Guenée, [1858]) (Geometridae) Synonym(s): *pythiaria* Guenée, [1858]
 23121) *Somatina rhodochila* L.B.Prout, 1932 (Geometridae) Synonym(s): *rhodochila* L.B.Prout, 1932
 23122) *Somatina rosacea* Swinhoe, 1894 (Geometridae) Synonym(s): *rosacea* Swinhoe, 1894
 23123) *Somatina rufifascia* W.Warren, 1896 (Geometridae) Synonym(s): *rufifascia* W.Warren, 1896; *maculata* W.Warren, 1898; *sordida* W.Warren, 1898; *rubridisca* Swinhoe, 1900
 23124) *Somatina sanctithomae* Herbulot, 1958 (Geometridae) Synonym(s): *sanctithomae* Herbulot, 1958
 23125) *Somatina sedata* L.B.Prout, 1922 (Geometridae) Synonym(s): *sedata* L.B.Prout, 1922
 23126) *Somatina* sp.1 (Geometridae) Synonym(s):
 23127) *Somatina* sp.2 (Geometridae) Synonym(s):
 23128) *Somatina sublucens* (W.Warren, 1907) (Geometridae) Synonym(s): *sublucens* W.Warren, 1907
 23129) *Somatina subviridata* (W.Warren, 1901) (Geometridae) Synonym(s): *subviridata* W.Warren, 1901
 23130) *Somatina syneorus* L.B.Prout, 1915 (Geometridae) Synonym(s): *syneorus* L.B.Prout, 1915
 23131) *Somatina transvehens* L.B.Prout, 1918 (Geometridae) Synonym(s): *transvehens* L.B.Prout, 1918
 23132) *Somatina triocellata* (Bastelberger, 1908) (Geometridae) Synonym(s): *triocellata* Bastelberger, 1908
 23133) *Somatina vestalis* (Butler, 1875) (Geometridae) Synonym(s): *vestalis* Butler, 1875
 23134) *Somatina virginalis* L.B.Prout, 1917 (Geometridae) Synonym(s): *virginalis* L.B.Prout, 1917
 23135) *Somatina wiltshirei* Prout, 1938 (Geometridae) Synonym(s): *wiltshirei* Prout, 1938
 23136) *Songarica mollicularia* (Eversmann, 1848) (Geometridae) Synonym(s): *mollicularia* Eversmann, 1848
 23137) *Spaniocentra agathoides* Prout, 1931 (Geometridae) Synonym(s): *agathoides* Prout, 1931
 23138) *Spaniocentra apatella* West, 1930 (Geometridae) Synonym(s): *apatella* West, 1930
 23139) *Spaniocentra apatelloides* Holloway, 1996 (Geometridae) Synonym(s): *apatelloides* Holloway, 1996
 23140) *Spaniocentra bulbosa* Holloway, 1982 (Geometridae) Synonym(s): *bulbosa* Holloway, 1982
 23141) *Spaniocentra clavata* Holloway, 1982 (Geometridae) Synonym(s): *clavata* Holloway, 1982
 23142) *Spaniocentra hollowayi* Inoue, 1986 (Geometridae) Synonym(s): *hollowayi* Inoue, 1986
 23143) *Spaniocentra isopania* Prout, 1917 (Geometridae) Synonym(s): *isopania* Prout, 1917
 23144) *Spaniocentra lobata* Holloway, 1982 (Geometridae) Synonym(s): *lobata* Holloway, 1982
 23145) *Spaniocentra lyra* (Swinhoe, 1892) (Geometridae) Synonym(s): *lyra* Swinhoe, 1892
 23146) *Spaniocentra megaspilaria* (Guenée, [1858]) (Geometridae) Synonym(s): *megaspilaria* Guenée, [1858]; *uniplaga* Walker, 1861
 23147) *Spaniocentra pannosa* (Moore, [1887]) (Geometridae) Synonym(s): *pannosa* Moore, [1887]
 23148) *Spaniocentra spicata* Holloway, 1982 (Geometridae) Synonym(s): *spicata* Holloway, 1982
 23149) *Spaniocentra tridens* Holloway, 1982 (Geometridae) Synonym(s): *tridens* Holloway, 1982

- 23150) *Spargania luctuata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *luctuata* [Denis & Schiffermüller],1775; *transversata* Thunberg,1788 *nec* Hfn.,1767; *kodiakata* Packard,1873; *albidior* Alpheraky,1897; *lugubrata* Müller,1930
- 23151) *Spartopteryx kindermannaria* (Staudinger,1871) (Geometridae) Synonym(s): *kindermannaria* Staudinger,1871
- 23152) *Spartopteryx kindermannaria* (Staudinger,1871) (Geometridae) Synonym(s): *kindermannaria* Staudinger,1871
- 23153) *Spilopera anomala* (W.Warren,1893) (Geometridae) Synonym(s): *anomala* W.Warren,1893
- 23154) *Spilopera chui* Stüning,1987 (Geometridae) Synonym(s): *chui* Stüning,1987
- 23155) *Spilopera crenularia* Leech,1897 (Geometridae) Synonym(s): *crenularia* Leech,1897
- 23156) *Spilopera debilis* (Butler,1878) (Geometridae) Synonym(s): *debilis* Butler,1878
- 23157) *Spilopera roseimarginaria* Leech,1897 (Geometridae) Synonym(s): *roseimarginaria* Leech,1897
- 23158) *Spiralisigna acidna* (Turner,1904) (Geometridae) Synonym(s): *acidna* Turner,1904
- 23159) *Spiralisigna minutissima* (Swinhoe,1902) (Geometridae) Synonym(s): *minutissima* Swinhoe,1902
- 23160) *Spiralisigna pseudofluctuosa* (Holloway,1979) (Geometridae) Synonym(s): *pseudofluctuosa* Holloway,1979
- 23161) *Stalgmia guttaria* (Gray,1832) (Geometridae) Synonym(s): *guttaria* Gray,1832; *tenera* Walker,1865
- 23162) *Stamnodes danilovi* Erschoff,1877 (Geometridae) Synonym(s): *danilovi* Erschoff,1877
- 23163) *Stamnodes danilovi* danilovi Erschoff,1877 (Geometridae) Synonym(s): *danilovi* Erschoff,1877
- 23164) *Stamnodes danilovi* djakonovi Alpheraky,1916 (Geometridae) Synonym(s): *djakonovi* Alpheraky,1916
- 23165) *Stamnodes depeculata* (Lederer,1870) (Geometridae) Synonym(s): *depeculata* Lederer,1870
- 23166) *Stamnodes depeculata* brachynesis Prout,1938 (Geometridae) Synonym(s): *brachynesis* Prout,1938
- 23167) *Stamnodes depeculata* depeculata (Lederer,1870) (Geometridae) Synonym(s): *depeculata* Lederer,1870
- 23168) *Stamnodes depeculata* discreta Prout,1938 (Geometridae) Synonym(s): *discreta* Prout,1938
- 23169) *Stamnodes depeculata* lamarum Prout,1941 (Geometridae) Synonym(s): *lamarum* Prout,1941
- 23170) *Stamnodes depeculata* narzanica Alpheraky,1877 (Geometridae) Synonym(s): *narzanica* Alpheraky,1877
- 23171) *Stamnodes depeculata* symmora L.B.Prout,1938 (Geometridae) Synonym(s): *symmora* L.B.Prout,1938; *progressiva* Schwingenschuss,1939.
- 23172) *Stamnodes depeculata* thibetaria Oberthür,1886 (Geometridae) Synonym(s): *thibetaria* Oberthür,1886
- 23173) *Stamnodes pauperaria* (Eversmann,1848) (Geometridae) Synonym(s): *pauperaria* Eversmann,1848
- 23174) *Stamnodes pauperaria* pamira Djakonov,1916 (Geometridae) Synonym(s): *pamira* Djakonov,1916
- 23175) *Stamnodes pauperaria* pamphilata R.Felder & Rogenhofer,1875 (Geometridae) Synonym(s): *pamphilata* R.Felder & Rogenhofer,1875
- 23176) *Stamnodes pauperaria* pauperaria (Eversmann,1848) (Geometridae) Synonym(s): *pauperaria* Eversmann,1848
- 23177) *Stegania cararia* (Hübner,1790) (Geometridae) Synonym(s): *cararia* Hübner,1790
- 23178) *Stegania dalmataria* (Guenée,1858) (Geometridae) Synonym(s): *dalmataria* Guenée,1858
- 23179) *Stegania dalmataria* altaica (Wehrli,1939) (Geometridae) Synonym(s): *altaica* Wehrli,1939
- 23180) *Stegania dalmataria* arenaria Staudinger,1892 (Geometridae) Synonym(s): *arenaria* Staudinger,1892
- 23181) *Stegania dalmataria* dalmataria (Guenée,1858) (Geometridae) Synonym(s): *dalmataria* Guenée,1858
- 23182) *Stegania dilectaria* (Hübner,1790) (Geometridae) Synonym(s): *dilectaria* Hübner,1790; *commutataria* Hübner,1819; *commutata* Freyer,1832
- 23183) *Stegania dilectaria* trimaculoides (Wehrli,1931) (Geometridae) Synonym(s): *trimaculoides* Wehrli,1931
- 23184) *Stegania frixa* (L.B.Prout,1937) (Geometridae) Synonym(s): *frixia* L.B.Prout,1937
- 23185) *Stegania mesonephele* (Wiltshire,1967) (Geometridae) Synonym(s): *mesonephele* Wiltshire,1967
- 23186) *Stegania mesonephele* mesonephele (Wiltshire,1967) (Geometridae) Synonym(s): *mesonephele* Wiltshire,1967
- 23187) *Stegania mesonephele* tugaiana Viidalepp,1988 (Geometridae) Synonym(s): *tugaiana* Viidalepp,1988
- 23188) *Stegania ochrearia* A.Bang-Haas,1910 (Geometridae) Synonym(s): *ochrearia* A.Bang-Haas,1910; *xanthinaria* Oberthür,1923
- 23189) *Stegania oranaria* (Wehrli,1930) (Geometridae) Synonym(s): *oranaria* Wehrli,1930
- 23190) *Stegania postrecta* (Wehrli,1930) (Geometridae) Synonym(s): *postrecta* Wehrli,1930
- 23191) *Stegania trimaculata* (Villers,1789) (Geometridae) Synonym(s): *trimaculata* Villers,1789; *permutataria* Hübner,1799; *albicaria* Bruand,1846; *cognataria* Lederer,1853
- 23192) *Stegania wiltshirei* (Ebert,1965) (Geometridae) Synonym(s): *wiltshirei* Ebert,1965
- 23193) *Stigma kuldschaensis* Alpheraky,1883 (Geometridae) Synonym(s): *kuldschaensis* Alpheraky,1883
- 23194) *Stigma kuldschaensis* kuldschaensis Alpheraky,1883 (Geometridae) Synonym(s): *kuldschaensis* Alpheraky,1883
- 23195) *Stigma kuldschaensis* negrita Thierry-Mieg,1905 (Geometridae) Synonym(s): *negrita* Thierry-Mieg,1905; *atraria* A.Bang-Haas,1906.
- 23196) *Stueningia poggearia* (Lederer,1855) (Geometridae) Synonym(s): *poggearia* Lederer,1855
- 23197) *Stueningia poggearia* meyi Hausmann,1993 (Geometridae) Synonym(s): *meyi* Hausmann,1993
- 23198) *Stueningia poggearia* poggearia (Lederer,1855) (Geometridae) Synonym(s): *poggearia* Lederer,1855
- 23199) *Stueningia wolffi* Hausmann,1993 (Geometridae) Synonym(s): *wolffi* Hausmann,1993
- 23200) *Stueningia wolffi* taurica Hausmann,1993 (Geometridae) Synonym(s): *taurica* Hausmann,1993
- 23201) *Stueningia wolffi* wolffi Hausmann,1993 (Geometridae) Synonym(s): *wolffi* Hausmann,1993
- 23202) *Sundadoxa multidentata* (L.B.Prout,1916) (Geometridae) Synonym(s): *multidentata* L.B.Prout,1916
- 23203) *Sundagrapha lepidota* (L.B.Prout,1916) (Geometridae) Synonym(s): *lepidota* L.B.Prout,1916
- 23204) *Sundagrapha tenebrosa* (Swinhoe,1902) (Geometridae) Synonym(s): *tenebrosa* Swinhoe,1902
- 23205) *Sundascelia epeyls* (L.B.Prout,1932) (Geometridae) Synonym(s): *epeyls* L.B.Prout,1932
- 23206) *Swannia marmarea* L.B.Prout,1926 (Geometridae) Synonym(s): *marmarea* L.B.Prout,1926
- 23207) *Symmactra genuflexus* (Hampson,1895) (Geometridae) Synonym(s): *genuflexus* Hampson,1895
- 23208) *Symmactra inobtrusa* (W.Warren,1897) (Geometridae) Synonym(s): *inobtrusa* W.Warren,1897
- 23209) *Symmactra regularis* (W.Warren,1896) (Geometridae) Synonym(s): *regularis* W.Warren,1896
- 23210) *Symmactra solidaria* (Guenée,1858) (Geometridae) Synonym(s): *solidaria* Guenée,1858; *quadraequata* Walker,1861; *thalassica* Moore,1887; *rufifrontaria* Hampson,1907; *hyporrhoda* L.B.Prout,1938
- 23211) *Symmetroctena fumosa* W.Warren,1895 (Geometridae) Synonym(s): *fumosa* W.Warren,1895; *pachydesma* Turner,1947
- 23212) *Symmetroctena variegata* Holloway,1979 (Geometridae) Synonym(s): *variegata* Holloway,1979
- 23213) *Symmimetis confusa* (W.Warren,1906) (Geometridae) Synonym(s): *confusa* W.Warren,1906
- 23214) *Symmimetis cristata* (W.Warren,1897) (Geometridae) Synonym(s): *cristata* W.Warren,1897; *rivula* Hampson,1903
- 23215) *Symmimetis heveli* Holloway,1997 (Geometridae) Synonym(s): *heveli* Holloway,1997
- 23216) *Symmimetis merceri* G.S.Robinson,1975 (Geometridae) Synonym(s): *merceri* G.S.Robinson,1975
- 23217) *Symmimetis muscosa* Turner,1907 (Geometridae) Synonym(s): *muscosa* Turner,1907
- 23218) *Symmimetis thorectes* L.B.Prout,1934 (Geometridae) Synonym(s): *thorectes* L.B.Prout,1934
- 23219) *Syncollesia trilineata* (Hampson,1910) (Geometridae) Synonym(s): *trilineata* Hampson,1910
- 23220) *Syncosmia craspedozona* (L.B.Prout,1958) (Geometridae) Synonym(s): *craspedozona* L.B.Prout,1958
- 23221) *Syncosmia craspedozona* venata (L.B.Prout,1958) (Geometridae) Synonym(s): *venata* L.B.Prout,1958
- 23222) *Syncosmia discisuffusa* (Holloway,1976) (Geometridae) Synonym(s): *discisuffusa* Holloway,1976
- 23223) *Syncosmia dissographa* (L.B.Prout,1958) (Geometridae) Synonym(s): *dissographa* L.B.Prout,1958
- 23224) *Syncosmia eugerys* (L.B.Prout,1929) (Geometridae) Synonym(s): *eugerys* L.B.Prout,1929
- 23225) *Syncosmia eurymesa* (L.B.Prout,1926) (Geometridae) Synonym(s): *eurymesa* L.B.Prout,1926
- 23226) *Syncosmia layanga* (Holloway,1976) (Geometridae) Synonym(s): *layanga* Holloway,1976
- 23227) *Syncosmia patinata* W.Warren,1897 (Geometridae) Synonym(s): *patinata* W.Warren,1897
- 23228) *Syncosmia seminata* (W.Warren,1898) (Geometridae) Synonym(s): *seminata* W.Warren,1898
- 23229) *Syncosmia trichophora* (Hampson,1895) (Geometridae) Synonym(s): *trichophora* Hampson,1895
- 23230) *Syncosmia xanthocomes* (L.B.Prout,1926) (Geometridae) Synonym(s): *xanthocomes* L.B.Prout,1926
- 23231) *Syndromodes cellulata* W.Warren,1898 (Geometridae) Synonym(s): *cellulata* W.Warren,1898
- 23232) *Syndromodes dimensa* (Walker,1861) (Geometridae) Synonym(s): *dimensa* Walker,1861
- 23233) *Syndromodes invenusta* (Wallengren,1863) (Geometridae) Synonym(s): *invenusta* Wallengren,1863; *unicolor* W.Warren,1897
- 23234) *Syndromodes oedocnemis* L.B.Prout,1922 (Geometridae) Synonym(s): *oedocnemis* L.B.Prout,1922
- 23235) *Syndromodes prasinops* L.B.Prout,1930 (Geometridae) Synonym(s): *prasinops* L.B.Prout,1930
- 23236) *Syndromodes* sp. (Geometridae) Synonym(s):

- 23237) *Synegia albibasis* (W.Warren,1906) (Geometridae) Synonym(s): *albibasis* W.Warren,1906
 23238) *Synegia angusta* L.B.Prout,1924 (Geometridae) Synonym(s): *angusta* L.B.Prout,1924
 23239) *Synegia assimilis* (West,1929) (Geometridae) Synonym(s): *assimilis* West,1929
 23240) *Synegia asymbates* L.B.Prout,1932 (Geometridae) Synonym(s): *asymbates* L.B.Prout,1932
 23241) *Synegia aurantiaca* (W.Warren,1897) (Geometridae) Synonym(s): *aurantiaca* W.Warren,1897
 23242) *Synegia balteata* (W.Warren,1902) (Geometridae) Synonym(s): *balteata* W.Warren,1902
 23243) *Synegia botydaria* Guenée,[1858] (Geometridae) Synonym(s): *botydaria* Guenée,[1858]; *sericearia* Walker,1866
 23244) *Synegia camptogrammaria* (Guenée,[1858]) (Geometridae) Synonym(s): *camptogrammaria* Guenée,[1858]; *maculosata* W.Warren,1896
 23245) *Synegia clathrata* (W.Warren,1896) (Geometridae) Synonym(s): *clathrata* W.Warren,1896
 23246) *Synegia correspondens* (W.Warren,1897) (Geometridae) Synonym(s): *correspondens* W.Warren,1897
 23247) *Synegia cristobalensis* Herbulot,1991 (Geometridae) Synonym(s): *cristobalensis* Herbulot,1991
 23248) *Synegia decolorata* (W.Warren,1903) (Geometridae) Synonym(s): *decolorata* W.Warren,1903; *nigritibiata* West,1929
 23249) *Synegia dentifascia* Holloway,[1994] (Geometridae) Synonym(s): *dentifascia* Holloway,[1994]
 23250) *Synegia echmatica* (L.B.Prout,1929) (Geometridae) Synonym(s): *echmatica* L.B.Prout,1929
 23251) *Synegia esther* Butler,1881 (Geometridae) Synonym(s): *esther* Butler,1881; *inconspicua* Butler,1881; *suffusa* L.B.Prout,1915; *uniformis* Inoue,1954
 23252) *Synegia estherodes* Sato,1990 (Geometridae) Synonym(s): *estherodes* Sato,1990
 23253) *Synegia eumeleata* (Walker,1861) (Geometridae) Synonym(s): *eumeleata* Walker,1861; *secunda* Swinhoe,1909; *tertia* West,1929
 23254) *Synegia fasciata* (W.Warren,1899) (Geometridae) Synonym(s): *fasciata* W.Warren,1899
 23255) *Synegia frenaria* (Guenée,[1858]) (Geometridae) Synonym(s): *frenaria* Guenée,[1858]
 23256) *Synegia fulvata* (W.Warren,1906) (Geometridae) Synonym(s): *fulvata* W.Warren,1906
 23257) *Synegia hadassa* (Butler,1878) (Geometridae) Synonym(s): *hadassa* Butler,1878; *omissa* W.Warren,1894
 23258) *Synegia hormosticta* L.B.Prout,1925 (Geometridae) Synonym(s): *hormosticta* L.B.Prout,1925
 23259) *Synegia ichinosawana* (Matsumura,1925) (Geometridae) Synonym(s): *ichinosawana* Matsumura,1925; *minima* Wehrli,1939
 23260) *Synegia imitaria* (Walker,1861) (Geometridae) Synonym(s): *imitaria* Walker,1861; *obrimaria* Walker,1861; *aemula* W.Warren,1894
 23261) *Synegia imitaria malayana* L.B.Prout,1925 (Geometridae) Synonym(s): *malayana* L.B.Prout,1925
 23262) *Synegia intensa* (W.Warren,1897) (Geometridae) Synonym(s): *intensa* W.Warren,1897
 23263) *Synegia limitata* (W.Warren,1897) (Geometridae) Synonym(s): *limitata* W.Warren,1897
 23264) *Synegia limitatoides* Inoue,1982 (Geometridae) Synonym(s): *limitatoides* Inoue,1982
 23265) *Synegia lineata* Swinhoe,1902 (Geometridae) Synonym(s): *lineata* Swinhoe,1902
 23266) *Synegia liparampyx* (L.B.Prout,1929) (Geometridae) Synonym(s): *liparampyx* L.B.Prout,1929
 23267) *Synegia luteolata* (Snellen,[1886]) (Geometridae) Synonym(s): *luteolata* Snellen,[1886]
 23268) *Synegia masuii* Sato,1990 (Geometridae) Synonym(s): *masuii* Sato,1990
 23269) *Synegia medioxima* L.B.Prout,1928 (Geometridae) Synonym(s): *medioxima* L.B.Prout,1928
 23270) *Synegia nephelotis* L.B.Prout,1929 (Geometridae) Synonym(s): *nephelotis* L.B.Prout,1929
 23271) *Synegia nigrellata* (W.Warren,1896) (Geometridae) Synonym(s): *nigrellata* W.Warren,1896
 23272) *Synegia obliquifasciata* Wehrli,1936 (Geometridae) Synonym(s): *obliquifasciata* Wehrli,1936
 23273) *Synegia obscura* (W.Warren,1894) (Geometridae) Synonym(s): *obscura* W.Warren,1894
 23274) *Synegia ocellata* (W.Warren,1894) (Geometridae) Synonym(s): *ocellata* W.Warren,1894
 23275) *Synegia ohtsukai* Sato,1990 (Geometridae) Synonym(s): *ohtsukai* Sato,1990
 23276) *Synegia pallens* Inoue,1982 (Geometridae) Synonym(s): *pallens* Inoue,1982
 23277) *Synegia parallelaria* (W.Warren,1902) (Geometridae) Synonym(s): *parallelaria* W.Warren,1902
 23278) *Synegia phaiotaeniata* Wehrli,1936 (Geometridae) Synonym(s): *phaiotaeniata* Wehrli,1936
 23279) *Synegia polita* (L.B.Prout,1916) (Geometridae) Synonym(s): *polita* L.B.Prout,1916
 23280) *Synegia polynesia* (L.B.Prout,1916) (Geometridae) Synonym(s): *polynesia* L.B.Prout,1916
 23281) *Synegia potenza* Holloway,1976 (Geometridae) Synonym(s): *potenza* Holloway,1976
 23282) *Synegia prospera* L.B.Prout,1929 (Geometridae) Synonym(s): *prospera* L.B.Prout,1929
 23283) *Synegia punctinervis* Holloway,1976 (Geometridae) Synonym(s): *punctinervis* Holloway,1976
 23284) *Synegia sanguinata* (W.Warren,1897) (Geometridae) Synonym(s): *sanguinata* W.Warren,1897
 23285) *Synegia saturata* (West,1929) (Geometridae) Synonym(s): *saturata* West,1929
 23286) *Synegia sciagraphica* (L.B.Prout,1916) (Geometridae) Synonym(s): *sciagraphica* L.B.Prout,1916
 23287) *Synegia semipectinata* (L.B.Prout,1916) (Geometridae) Synonym(s): *semipectinata* L.B.Prout,1916
 23288) *Synegia sordidata* (W.Warren,1907) (Geometridae) Synonym(s): *sordidata* W.Warren,1907; *papuensis* L.B.Prout,1916
 23289) *Synegia subapicata* (L.B.Prout,1916) (Geometridae) Synonym(s): *subapicata* L.B.Prout,1916
 23290) *Synegia subomissa* Wehrli,1939 (Geometridae) Synonym(s): *subomissa* Wehrli,1939
 23291) *Synegia thamiosticta* L.B.Prout,1931 (Geometridae) Synonym(s): *thamiosticta* L.B.Prout,1931
 23292) *Synegia transgrisea* Holloway,1976 (Geometridae) Synonym(s): *transgrisea* Holloway,1976
 23293) *Synegia varians* (W.Warren,1894) (Geometridae) Synonym(s): *varians* W.Warren,1894
 23294) *Synegiodes diffusifascia* Swinhoe,1892 (Geometridae) Synonym(s): *diffusifascia* Swinhoe,1892
 23295) *Synegiodes diffusifascia Swinhoe,1892* (Geometridae) Synonym(s): *diffusifascia* Swinhoe,1892
 23296) *Syneora strixoides* Holloway,1979 (Geometridae) Synonym(s): *strixoides* Holloway,1979
 23297) *Syngonorthus subpunctatus* Butler,1892 (Geometridae) Synonym(s): *subpunctatus* Butler,1892
 23298) *Synopsia sociaria* (Hübner,[1799]) (Geometridae) Synonym(s): *sociaria* Hübner,[1799]; *staudingeraria* Martorell,1874; *acuta* Wehrli,1926
 23299) *Synopsidia phasidaria* (Rogenhofer,1873) (Geometridae) Synonym(s): *phasidaria* Rogenhofer,1873
 23300) *Synopsidia phasidaria afghana* Wiltshire,1966 (Geometridae) Synonym(s): *afghana* Wiltshire,1966
 23301) *Synopsidia phasidaria alvandi* Wiltshire,1966 (Geometridae) Synonym(s): *alvandi* Wiltshire,1966
 23302) *Synopsidia phasidaria ardschira* Brandt,1938 (Geometridae) Synonym(s): *ardschira* Brandt,1938
 23303) *Synopsidia phasidaria centralis* Wiltshire,1966 (Geometridae) Synonym(s): *centralis* Wiltshire,1966
 23304) *Synopsidia phasidaria chiraza* Brandt,1938 (Geometridae) Synonym(s): *chiraza* Brandt,1938
 23305) *Synopsidia phasidaria jodes* Wehrli,1936 (Geometridae) Synonym(s): *jodes* Wehrli,1936
 23306) *Synopsidia phasidaria phasidaria* (Rogenhofer,1873) (Geometridae) Synonym(s): *phasidaria* Rogenhofer,1873
 23307) *Synopsidia phasidaria tekkearia* (Christoph,1883) (Geometridae) Synonym(s): *tekkearia* Christoph,1883
 23308) *Synopsidia phasidaria znojkoii* (Djakonov,1935) (Geometridae) Synonym(s): *znojkoii* Djakonov,1935
 23309) *Systema albipicta* (W.Warren,1893) (Geometridae) Synonym(s): *albipicta* W.Warren,1893
 23310) *Systema aulotis* L.B.Prout,1927 (Geometridae) Synonym(s): *aulotis* L.B.Prout,1927
 23311) *Systema longiplaga* L.B.Prout,1923 (Geometridae) Synonym(s): *longiplaga* L.B.Prout,1923
 23312) *Systema pauxilla* L.B.Prout,1927 (Geometridae) Synonym(s): *pauxilla* L.B.Prout,1927
 23313) *Systema pauxilloides* Holloway,[1994] (Geometridae) Synonym(s): *pauxilloides* Holloway,[1994]
 23314) *Systema projectaria* (Leech,1897) (Geometridae) Synonym(s): *projectaria* Leech,1897
 23315) *Systema semicirculata* (Moore,1868) (Geometridae) Synonym(s): *semicirculata* Moore,1868; *concinna* W.Warren,1893
 23316) *Syzeuxis heteromeces* L.B.Prout,1926 (Geometridae) Synonym(s): *heteromeces* L.B.Prout,1926
 23317) *Syzeuxis magnifica* L.B.Prout,1926 (Geometridae) Synonym(s): *magnifica* L.B.Prout,1926
 23318) *Syzeuxis nigrinotata* (W.Warren,1896) (Geometridae) Synonym(s): *nigrinotata* W.Warren,1896
 23319) *Syzeuxis seminanis* L.B.Prout,1926 (Geometridae) Synonym(s): *seminanis* L.B.Prout,1926
 23320) *Syzeuxis subfasciaria* (Wehrli,1924) (Geometridae) Synonym(s): *subfasciaria* Wehrli,1924
 23321) *Syzeuxis tessellifimbria* L.B.Prout,1926 (Geometridae) Synonym(s): *tessellifimbria* L.B.Prout,1926
 23322) *Syzeuxis trinitaria* (Moore,1868) (Geometridae) Synonym(s): *trinitaria* Moore,1868
 23323) *Tanaorhinus kina* Swinhoe,1893 (Geometridae) Synonym(s): *kina* Swinhoe,1893
 23324) *Tanaorhinus malayanus* Inoue,1992 (Geometridae) Synonym(s): *malayanus* Inoue,1992
 23325) *Tanaorhinus philippinensis* Yazaki,1995 (Geometridae) Synonym(s): *philippinensis* Yazaki,1995

- 23326) *Tanaorhinus rafflesii* (Moore,[1860]) (Geometridae) Synonym(s): *rafflesii* Moore,[1860]; *luteoviridata* Walker,1861; *subignita* Walker,1861; *basaliata* Walker,1866; *#rufflesii* Hutacharern & Tubtim,1995
- 23327) *Tanaorhinus viridiluteata* (Walker,1861) (Geometridae) Synonym(s): *viridiluteata* Walker,1861
- 23328) *Tanaorhinus waterstradti* L.B.Prout,1933 (Geometridae) Synonym(s): *waterstradti* L.B.Prout,1933
- 23329) *Tanaotrichia curvata* (W.Warren,1895) (Geometridae) Synonym(s): *curvata* W.Warren,1895
- 23330) *Tanaotrichia orientis* L.B.Prout,1913 (Geometridae) Synonym(s): *orientis* L.B.Prout,1913
- 23331) *Tanaotrichia prasonaria* (Swinhoe,1892) (Geometridae) Synonym(s): *prasonaria* Swinhoe,1892
- 23332) *Tango unica* (Rindge,1971) (Geometridae) Synonym(s): *unica* Rindge,1971
- 23333) *Tango variata* (Rindge,1973) (Geometridae) Synonym(s): *variata* Rindge,1973
- 23334) *Tasta acornutata* Holloway,[1994] (Geometridae) Synonym(s): *acornutata* Holloway,[1994]
- 23335) *Tasta apluta* L.B.Prout,1928 (Geometridae) Synonym(s): *apluta* L.B.Prout,1928
- 23336) *Tasta argozana* L.B.Prout,1926 (Geometridae) Synonym(s): *argozana* L.B.Prout,1926
- 23337) *Tasta chalybeata* W.Warren,1897 (Geometridae) Synonym(s): *chalybeata* W.Warren,1897
- 23338) *Tasta chalybeatoides* Holloway,[1994] (Geometridae) Synonym(s): *chalybeatoides* Holloway,[1994]
- 23339) *Tasta disciscura* Holloway,1976 (Geometridae) Synonym(s): *disciscura* Holloway,1976
- 23340) *Tasta elliptica* Holloway,[1994] (Geometridae) Synonym(s): *elliptica* Holloway,[1994]
- 23341) *Tasta epargyra* Wehrli,1936 (Geometridae) Synonym(s): *epargyra* Wehrli,1936
- 23342) *Tasta micaceata* Walker,[1863] (Geometridae) Synonym(s): *micaceata* Walker,[1863]; *iridis* Butler,1880
- 23343) *Tasta montana* Holloway,[1994] (Geometridae) Synonym(s): *montana* Holloway,[1994]
- 23344) *Tasta reflexa* Swinhoe,1902 (Geometridae) Synonym(s): *reflexa* Swinhoe,1902
- 23345) *Tasta reflexoides* Holloway,[1994] (Geometridae) Synonym(s): *reflexoides* Holloway,[1994]
- 23346) *Telletrurona amnicosta* Sato,1996 (Geometridae) Synonym(s): *amnicosta* Sato,1996
- 23347) *Tephрина arenacearia* (Denis & Schiffermüller),1775 (Geometridae) Synonym(s): *arenacearia* [Denis & Schiffermüller],1775; *flavidaria* Eversmann,1852; *discriminaria* Walker,1862; *irradiata* Walker,1862; *impreviata* Walker,1863; *stena* Wehrli,1940
- 23348) *Tephрина assimilaria* (Rambur,1833) (Geometridae) Synonym(s): *assimilaria* Rambur,1833
- 23349) *Tephрина hopfferaria* (Staudinger,1879) (Geometridae) Synonym(s): *hopfferaria* Staudinger,1879
- 23350) *Tephрина inconspicuaria* (Hübner,[1819]) (Geometridae) Synonym(s): *inconspicuaria* Hübner,[1819]
- 23351) *Tephрина murinaria* (Denis & Schiffermüller),1775 (Geometridae) Synonym(s): *murinaria* [Denis & Schiffermüller],1775; *nubecularia* Villers,1789; *mysosaria* Esper,[1806]; *cineraria* Duponchel,1829; *buffonaria* Millière,1855
- 23352) *Tephрина plumbarioides* Sterneck,1928 (Geometridae) Synonym(s): *plumbarioides* Sterneck,1928
- 23353) *Tephрина pulinda* Walker,1860 (Geometridae) Synonym(s): *pulinda* Walker,1860
- 23354) *Tephрина suleiman* (Wehrli,1936) (Geometridae) Synonym(s): *suleiman* Wehrli,1936
- 23355) *Tephronia arenbergeri* (Hausmann,1995) (Geometridae) Synonym(s): *arenbergeri* Hausmann,1995
- 23356) *Tephronia bytinskii* (Wehrli,1939) (Geometridae) Synonym(s): *bytinskii* Wehrli,1939
- 23357) *Tephronia codetaria* (Oberthür,1881) (Geometridae) Synonym(s): *codetaria* Oberthür,1881; *cyrnea* Schawerda,1932
- 23358) *Tephronia cremiaria* (Freyer,1837) (Geometridae) Synonym(s): *cremiaria* Freyer,1837
- 23359) *Tephronia duercki* Reisser,1933 (Geometridae) Synonym(s): *duercki* Reisser,1933
- 23360) *Tephronia espaniola* Schawerda,1931 (Geometridae) Synonym(s): *espaniola* Schawerda,1931; *melaleucaria* Schwingenschuss,1932
- 23361) *Tephronia ethiopica* Herbulot,1983 (Geometridae) Synonym(s): *ethiopica* Herbulot,1983
- 23362) *Tephronia fatimaria* A.Bang-Haas,1906 (Geometridae) Synonym(s): *fatimaria* A.Bang-Haas,1906; *ismailaria* Oberthür,1913; *lactearia* Wehrli,1953
- 23363) *Tephronia fumosata* (Hausmann,1995) (Geometridae) Synonym(s): *fumosata* Hausmann,1995; *#fumosaria* Hausmann,1997
- 23364) *Tephronia lepraria* (Rebel,1909) (Geometridae) Synonym(s): *lepraria* Rebel,1909
- 23365) *Tephronia minutaria* Turati,1934 (Geometridae) Synonym(s): *minutaria* Turati,1934
- 23366) *Tephronia nigrolineata* Zerny,1934 (Geometridae) Synonym(s): *nigrolineata* Zerny,1934
- 23367) *Tephronia oppositaria* Mann,1864 (Geometridae) Synonym(s): *oppositaria* Mann,1864
- 23368) *Tephronia oppositaria obscuraria* Staudinger,1901 (Geometridae) Synonym(s): *obscuraria* Staudinger,1901
- 23369) *Tephronia oppositaria oppositaria* Mann,1864 (Geometridae) Synonym(s): *oppositaria* Mann,1864
- 23370) *Tephronia oppositaria syriaca* (L.B.Prout,1915) (Geometridae) Synonym(s): *syriaca* L.B.Prout,1915
- 23371) *Tephronia oranaria* Staudinger,1892 (Geometridae) Synonym(s): *oranaria* Staudinger,1892
- 23372) *Tephronia praerecta* Wehrli,1933 (Geometridae) Synonym(s): *praerecta* Wehrli,1933
- 23373) *Tephronia psyloritaria* (Reisser,1958) (Geometridae) Synonym(s): *psyloritaria* Reisser,1958
- 23374) *Tephronia sepiaria* (Hufnagel,1767) (Geometridae) Synonym(s): *sepiaria* Hufnagel,1767; *cineraria* [Denis & Schiffermüller],1775; *carieraria* Herrich-Schäffer,1848; *destituta* Walker,1870; *gingalata* Millière,1873
- 23375) *Terina charmione* (Fabricius,1793) (Geometridae) Synonym(s): *charmione* Fabricius,1793
- 23376) *Terina chrysoptera* Hampson,1909 (Geometridae) Synonym(s): *chrysoptera* Hampson,1909
- 23377) *Terina circumcincta* L.B.Prout,1915 (Geometridae) Synonym(s): *circumcincta* L.B.Prout,1915
- 23378) *Terina circumdata* (Walker,[1865]) (Geometridae) Synonym(s): *circumdata* Walker,[1865]
- 23379) *Terina doleris* (Plötz,1880) (Geometridae) Synonym(s): *doleris* Plötz,1880; *accra* Swinhoe,1904
- 23380) *Terina internata* (W.Warren,1909) (Geometridae) Synonym(s): *internata* W.Warren,1909
- 23381) *Terina maculifera* Strand,1911 (Geometridae) Synonym(s): *maculifera* Strand,1911
- 23382) *Terina niphanda* Druce,1888 (Geometridae) Synonym(s): *niphanda* Druce,1888
- 23383) *Terina octogesa* (Druce,1888) (Geometridae) Synonym(s): *octogesa* Druce,1888; *incisa* Holland,1893; *flavibasis* W.Warren,1897; *meliorata* L.B.Prout,1915
- 23384) *Terina renifera* (W.Warren,1897) (Geometridae) Synonym(s): *renifera* W.Warren,1897
- 23385) *Terina rogersi* L.B.Prout,1915 (Geometridae) Synonym(s): *rogersi* L.B.Prout,1915
- 23386) *Terina sanguinarea* Bethune-Baker,1911 (Geometridae) Synonym(s): *sanguinarea* Bethune-Baker,1911
- 23387) *Thalassodes acutipennis* Prout,1916 (Geometridae) Synonym(s): *acutipennis* Prout,1916
- 23388) *Thalassodes albifimbria* W.Warren,1897 (Geometridae) Synonym(s): *albifimbria* W.Warren,1897; *ostracites* Karsch,1900
- 23389) *Thalassodes antithetica* Herbulot,[1963] (Geometridae) Synonym(s): *antithetica* Herbulot,[1963]
- 23390) *Thalassodes baladensis* Holloway,1977 (Geometridae) Synonym(s): *baladensis* Holloway,1977
- 23391) *Thalassodes byrsopsis* Meyrick,1886 (Geometridae) Synonym(s): *byrsopsis* Meyrick,1886
- 23392) *Thalassodes camerunalta* Herbulot,1986 (Geometridae) Synonym(s): *camerunalta* Herbulot,1986
- 23393) *Thalassodes caprifolia* Herbulot,1986 (Geometridae) Synonym(s): *caprifolia* Herbulot,1986
- 23394) *Thalassodes charops* L.B.Prout,1928 (Geometridae) Synonym(s): *charops* L.B.Prout,1928
- 23395) *Thalassodes chloropsis* Meyrick,1886 (Geometridae) Synonym(s): *chloropsis* Meyrick,1886; *timoclea* Druce,1888
- 23396) *Thalassodes curiosa* Swinhoe,1902 (Geometridae) Synonym(s): *curiosa* Swinhoe,1902
- 23397) *Thalassodes deloloma* L.B.Prout,1925 (Geometridae) Synonym(s): *deloloma* L.B.Prout,1925
- 23398) *Thalassodes dentatilinea* L.B.Prout,1912 (Geometridae) Synonym(s): *dentatilinea* L.B.Prout,1912
- 23399) *Thalassodes depulsata* Walker,1861 (Geometridae) Synonym(s): *depulsata* Walker,1861
- 23400) *Thalassodes diaphana* Debauche,1941 (Geometridae) Synonym(s): *diaphana* Debauche,1941
- 23401) *Thalassodes dissepta* Walker,1861 (Geometridae) Synonym(s): *dissepta* Walker,1861
- 23402) *Thalassodes dissita* (Walker,1861) (Geometridae) Synonym(s): *dissita* Walker,1861
- 23403) *Thalassodes dissitoides* Holloway,1996 (Geometridae) Synonym(s): *dissitoides* Holloway,1996
- 23404) *Thalassodes dorsilinea* Warren,1903 (Geometridae) Synonym(s): *dorsilinea* Warren,1903
- 23405) *Thalassodes dorsipunctata* Warren,1903 (Geometridae) Synonym(s): *dorsipunctata* Warren,1903
- 23406) *Thalassodes effata* Prout,1916 (Geometridae) Synonym(s): *effata* Prout,1916
- 23407) *Thalassodes figurata* Robinson,1968 (Geometridae) Synonym(s): *figurata* Robinson,1968
- 23408) *Thalassodes fiona* Robinson,1975 (Geometridae) Synonym(s): *fiona* Robinson,1975
- 23409) *Thalassodes gigas* Warren,1899 (Geometridae) Synonym(s): *gigas* Warren,1899
- 23410) *Thalassodes grammonota* Prout,1916 (Geometridae) Synonym(s): *grammonota* Prout,1916

- 23411) *Thalassodes halioscia* Warren,1912 (Geometridae) Synonym(s): *halioscia* Warren,1912
 23412) *Thalassodes hypoxantha* D.S.Fletcher,1957 (Geometridae) Synonym(s): *hypoxantha* D.S.Fletcher,1957
 23413) *Thalassodes hyraria* Guenée,[1858] (Geometridae) Synonym(s): *hyraria* Guenée,[1858]
 23414) *Thalassodes immistaria* Walker,1861 (Geometridae) Synonym(s): *immistaria* Walker,1861
 23415) *Thalassodes immistaria immistaria* Walker,1861 (Geometridae) Synonym(s): *immistaria* Walker,1861
 23416) *Thalassodes immistaria intaminata* Inoue,1971 (Geometridae) Synonym(s): *intaminata* Inoue,1971
 23417) *Thalassodes immistaria opalina* Butler,1880 (Geometridae) Synonym(s): *opalina* Butler,1880
 23418) *Thalassodes inconclusaria* Walker,1861 (Geometridae) Synonym(s): *inconclusaria* Walker,1861
 23419) *Thalassodes interalbata* Prout,1911 (Geometridae) Synonym(s): *interalbata* Prout,1911
 23420) *Thalassodes javensis* Prout,1925 (Geometridae) Synonym(s): *javensis* Prout,1925
 23421) *Thalassodes linguissita* Holloway,1996 (Geometridae) Synonym(s): *linguissita* Holloway,1996
 23422) *Thalassodes liquescens* Prout,1934 (Geometridae) Synonym(s): *liquescens* Prout,1934
 23423) *Thalassodes maipoensis* Galsworthy,1997 (Geometridae) Synonym(s): *maipoensis* Galsworthy,1997
 23424) *Thalassodes maipoensis Galsworthy*,1997 (Geometridae) Synonym(s): *maipoensis* Galsworthy,1997
 23425) *Thalassodes microchloropis* Holloway,1979 (Geometridae) Synonym(s): *microchloropis* Holloway,1979
 23426) *Thalassodes minor* Prout,1903 (Geometridae) Synonym(s): *minor* Prout,1903
 23427) *Thalassodes mohrae* Sommerer,1997 (Geometridae) Synonym(s): *mohrae* Sommerer,1997
 23428) *Thalassodes nivestrota* Warren,1903 (Geometridae) Synonym(s): *nivestrota* Warren,1903
 23429) *Thalassodes opaca* Warren,1898 (Geometridae) Synonym(s): *opaca* Warren,1898
 23430) *Thalassodes opalinoides* Holloway,1996 (Geometridae) Synonym(s): *opalinoides* Holloway,1996
 23431) *Thalassodes pantascia* West,1930 (Geometridae) Synonym(s): *pantascia* West,1930
 23432) *Thalassodes pilaria* Guenée,[1858] (Geometridae) Synonym(s): *pilaria* Guenée,[1858]
 23433) *Thalassodes progressa* Prout,1926 (Geometridae) Synonym(s): *progressa* Prout,1926
 23434) *Thalassodes pseudochloropis* Holloway,1979 (Geometridae) Synonym(s): *pseudochloropis* Holloway,1979
 23435) *Thalassodes quadraria* Guenée,[1858] (Geometridae) Synonym(s): *quadraria* Guenée,[1858]; *digressa* Walker,1861; *ricinaria* Guenée,1862; *aequaria* Mabilille,1898; *chlorinaria* Mabilille,1898; *subreticulata* Mabilille,1900; *sapoliaria* Swinhoe,1904; *#quadrasis* Hutacharern & Tubtim,1995
 23436) *Thalassodes regressa* Herbulot,1958 (Geometridae) Synonym(s): *regressa* Herbulot,1958
 23437) *Thalassodes rhytiphorus* Lower,1893 (Geometridae) Synonym(s): *rhytiphorus* Lower,1893
 23438) *Thalassodes saturata* Snellen,1881 (Geometridae) Synonym(s): *saturata* Snellen,1881
 23439) *Thalassodes scrutata* Herbulot,1972 (Geometridae) Synonym(s): *scrutata* Herbulot,1972
 23440) *Thalassodes subracutipennis* Inoue,1994 (Geometridae) Synonym(s): *subracutipennis* Inoue,1994
 23441) *Thalassodes sundissepta* Holloway,1996 (Geometridae) Synonym(s): *sundissepta* Holloway,1996
 23442) *Thalassodes tanymelea* Prout,1916 (Geometridae) Synonym(s): *tanymelea* Prout,1916
 23443) *Thalassodes umbrimedia* Warren,1903 (Geometridae) Synonym(s): *umbrimedia* Warren,1903
 23444) *Thalassodes unicolor* Warren,1902 (Geometridae) Synonym(s): *unicolor* Warren,1902
 23445) *Thalassodes viridifascia* Swinhoe,1908 (Geometridae) Synonym(s): *viridifascia* Swinhoe,1908
 23446) *Thalassodes viridimargo* Holloway,1979 (Geometridae) Synonym(s): *viridimargo* Holloway,1979
 23447) *Thalassodes zebra* Warren,1906 (Geometridae) Synonym(s): *zebra* Warren,1906
 23448) *Thalassodes zothalmia* Prout,1933 (Geometridae) Synonym(s): *zothalmia* Prout,1933
 23449) *Thalera aeruginata* (W.Warren,1893) (Geometridae) Synonym(s): *aeruginata* W.Warren,1893
 23450) *Thalera fimbrialis* (Scopoli,1763) (Geometridae) Synonym(s): *fimbrialis* Scopoli,1763; *thymiaria* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903
 23451) *Thalera fimbrialis fimbrialis* (Scopoli,1763) (Geometridae) Synonym(s): *fimbrialis* Scopoli,1763; *thymiaria* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903
 23452) *Thalera fimbrialis magnata* Fuchs,1903 (Geometridae) Synonym(s): *magnata* Fuchs,1903
 23453) *Thalera suavis* (Swinhoe,1902) (Geometridae) Synonym(s): *suavis* Swinhoe,1902
 23454) *Thelycera hemithales* Prout,1912 (Geometridae) Synonym(s): *hemithales* Prout,1912
 23455) *Thera (Pennithera) firmata* (Hübner,[1822]) (Geometridae) Synonym(s): *firmata* Hübner,[1822]; *consobrinata* Curtis,1834; *firmaria* Treitschke,1835
 23456) *Thera (Pennithera) firmata firmata* (Hübner,[1822]) (Geometridae) Synonym(s): *firmata* Hübner,[1822]; *consobrinata* Curtis,1834; *firmaria* Treitschke,1835
 23457) *Thera (Pennithera) firmata ulicata* (Rambur,1834) (Geometridae) Synonym(s): *ulicata* Rambur,1834; *ulicaria* Boisduval,1840
 23458) *Thera (s.str.) atrinotata* (De Joannis,1929) (Geometridae) Synonym(s): *atrinotata* De Joannis,1929
 23459) *Thera (s.str.) britannica* (Turner,1925) (Geometridae) Synonym(s): *britannica* Turner,1925; *albonigrata* Gornik,1942
 23460) *Thera (s.str.) cembrae* (Kitt,1912) (Geometridae) Synonym(s): *cembrae* Kitt,1912
 23461) *Thera (s.str.) cognata* (Thunberg,1792) (Geometridae) Synonym(s): *cognata* Thunberg,1792; *simulata* Hübner,[1809]; *coniferata* Curtis,1834; *geneata* Feisthamel,1835; *simularia* Boisduval,1840; *genearia* Boisduval,1840
 23462) *Thera (s.str.) cupressata* (Geyer,[1831]) (Geometridae) Synonym(s): *cupressata* (Geyer,[1831]); *cupressaria* Boisduval,1840
 23463) *Thera (s.str.) cyphoschema* L.B.Prout,1926 (Geometridae) Synonym(s): *cyphoschema* L.B.Prout,1926
 23464) *Thera (s.str.) dilectaria* (A.Bang-Haas,1910) (Geometridae) Synonym(s): *dilectaria* A.Bang-Haas,1910
 23465) *Thera (s.str.) djakonovi* (Kurentzov,1950) (Geometridae) Synonym(s): *djakonovi* Kurentzov,1950
 23466) *Thera (s.str.) exangulata* (W.Warren,1909) (Geometridae) Synonym(s): *exangulata* W.Warren,1909
 23467) *Thera (s.str.) fedtschenkoi* (Erschoff,1874) (Geometridae) Synonym(s): *fedtschenkoi* Erschoff,1874
 23468) *Thera (s.str.) guriata* (Emich,1873) (Geometridae) Synonym(s): *guriata* Emich,1873
 23469) *Thera (s.str.) hospes* (Djakonov,1955) (Geometridae) Synonym(s): *hospes* Djakonov,1955
 23470) *Thera (s.str.) juniperata* (Linnaeus,1758) (Geometridae) Synonym(s): *juniperata* Linnaeus,1758; *juniperaria* Boisduval,1840
 23471) *Thera (s.str.) juniperata loeberbaueri* Friedel,1969 (Geometridae) Synonym(s): *loeberbaueri* Friedel,1969
 23472) *Thera (s.str.) obeliscata* (Hübner,1787) (Geometridae) Synonym(s): *obeliscata* Hübner,1787; *tristrigaria* Donovan,1808; *scotica* Staudinger,1901; *diniensis* Heinrich,1923
 23473) *Thera (s.str.) serraria* (Lienig & Zeller,1846) (Geometridae) Synonym(s): *serraria* Lienig & Zeller,1846
 23474) *Thera (s.str.) tabulata* (Püngeler,1909) (Geometridae) Synonym(s): *tabulata* Püngeler,1909
 23475) *Thera (s.str.) variata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *variata* [Denis & Schiffermüller],1775; *adumbrata* Villers,1789; *variaria* Boisduval,1840; *subtaurica* Wehrli,1932
 23476) *Thera (s.str.) variata subtaurica* (Wehrli,1932) (Geometridae) Synonym(s): *subtaurica* Wehrli,1932
 23477) *Thera (s.str.) vetustata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *vetustata* [Denis & Schiffermüller],1775; *stragulata* Hübner,[1809]; *vitiosata* Freyer,1832; *stragularia* Boisduval,1840
 23478) *Therapis flavicaria* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *flavicaria* [Denis & Schiffermüller],1775
 23479) *Theria primaria* (Haworth,1809) (Geometridae) Synonym(s): *primaria* Haworth,1809; *ibicaria* Herrich-Schäffer,1851
 23480) *Theria rupicaprararia* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *rupicaprararia* [Denis & Schiffermüller],1775
 23481) *Thetidia albosagittata* (Ebert,1965) (Geometridae) Synonym(s): *albosagittata* Ebert,1965
 23482) *Thetidia bilineata* Hausmann,1991 (Geometridae) Synonym(s): *bilineata* Hausmann,1991
 23483) *Thetidia correspondens* Alpheraky,1883 (Geometridae) Synonym(s): *correspondens* Alpheraky,1883
 23484) *Thetidia crucigerata* (Christoph,1887) (Geometridae) Synonym(s): *crucigerata* Christoph,1887
 23485) *Thetidia euryithra* (L.B.Prout,1935) (Geometridae) Synonym(s): *euryithra* L.B.Prout,1935
 23486) *Thetidia fulminaria* Lederer,1870 (Geometridae) Synonym(s): *fulminaria* Lederer,1870
 23487) *Thetidia hammeri* (Ebert,1965) (Geometridae) Synonym(s): *hammeri* Ebert,1965
 23488) *Thetidia hazara* (Ebert,1965) (Geometridae) Synonym(s): *hazara* Ebert,1965
 23489) *Thetidia persica* Hausmann,1996 (Geometridae) Synonym(s): *persica* Hausmann,1996
 23490) *Thetidia plusiaria* Boisduval,1840 (Geometridae) Synonym(s): *plusiaria* Boisduval,1840
 23491) *Thetidia prasinaria* (Eversmann,1837) (Geometridae) Synonym(s): *prasinaria* Eversmann,1837; *volgaria* Guenée,[1858]; *mongolica* Staudinger,1897
 23492) *Thetidia radiata* Walker,[1863] (Geometridae) Synonym(s): *radiata* Walker,[1863]

- 23493) *Thetidia recta* (Brandt,1941) (Geometridae) Synonym(s): *recta* Brandt,1941
 23494) *Thetidia sardinica* (Schawerda,1934) (Geometridae) Synonym(s): *sardinica* Schawerda,1934
 23495) *Thetidia serraria* (Staudinger,1892) (Geometridae) Synonym(s): *serraria* Staudinger,1892.
 23496) *Thetidia silvia* Hausmann,1991 (Geometridae) Synonym(s): *silvia* Hausmann,1991
 23497) *Thetidia smaragdaria* (Fabricius,1787) (Geometridae) Synonym(s): *smaragdaria* Fabricius,1787
 23498) *Thetidia smaragdaria anomica* (L.B.Prout,1935) (Geometridae) Synonym(s): *anomica* L.B.Prout,1935
 23499) *Thetidia smaragdaria gigantea* (Millière,1874) (Geometridae) Synonym(s): *gigantea* Millière,1874; *castiliaria* Staudinger,1892.
 23500) *Thetidia smaragdularia* (Staudinger,1892) (Geometridae) Synonym(s): *smaragdularia* Staudinger,1892; *viridifrons* Warren,1897.
 23501) *Thetidia undulilinea* (W.Warren,1905) (Geometridae) Synonym(s): *undulilinea* W.Warren,1905
 23502) *Thinopteryx citrina* W.Warren,1894 (Geometridae) Synonym(s): *citrina* W.Warren,1894
 23503) *Thinopteryx crocoptera* (Kollar,[1844]) (Geometridae) Synonym(s): *crocoptera* Kollar,[1844]; *crocopterata* Guenée,[1858]; *erythrosticta* Wehrli,1939
 23504) *Thinopteryx crocoptera assamensis* Swinhoe,1916 (Geometridae) Synonym(s): *assamensis* Swinhoe,1916
 23505) *Thinopteryx delectans* (Butler,1878) (Geometridae) Synonym(s): *delectans* Butler,1878; *marginata* W.Warren,1899
 23506) *Thinopteryx nebulosa* Butler,1883 (Geometridae) Synonym(s): *nebulosa* Butler,1883
 23507) *Thinopteryx praetoraria* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *praetoraria* R.Felder & Rogenhofer,1875
 23508) *Thinopteryx stenoleuca* L.B.Prout,1928 (Geometridae) Synonym(s): *stenoleuca* L.B.Prout,1928
 23509) *Thoyowpongia nigrodiscus* Holloway,[1994] (Geometridae) Synonym(s): *nigrodiscus* Holloway,[1994]
 23510) *Timandra comae* Schmidt,1931 (Geometridae) Synonym(s): *angulata* Fourcroy,1785 nec Hfn.,1767; *comae* Schmidt,1931; *brykaria* Nordström,1943; *comai* Kaila & Albrecht,1994
 23511) *Timandra comae palmonii* Hausmann,1997 (Geometridae) Synonym(s): *palmonii* Hausmann,1997
 23512) *Timandra commixta* W.Warren,1895 (Geometridae) Synonym(s): *commixta* W.Warren,1895
 23513) *Timandra convectaria* Walker,1861 (Geometridae) Synonym(s): *convectaria* Walker,1861
 23514) *Timandra convectaria baguionis* (L.B.Prout,1938) (Geometridae) Synonym(s): *baguionis* L.B.Prout,1938
 23515) *Timandra correspondens* Hampson,1895 (Geometridae) Synonym(s): *correspondens* Hampson,1895
 23516) *Timandra griseata* W.Petersen,1902 (Geometridae) Synonym(s): *griseata* W.Petersen,1902
 23517) *Timandra obsoleta* W.Warren,1897 (Geometridae) Synonym(s): *obsoleta* W.Warren,1897
 23518) *Timandra punctinervis* L.B.Prout,1916 (Geometridae) Synonym(s): *punctinervis* L.B.Prout,1916; *rigida* L.B.Prout,1937.
 23519) *Timandra punctinervis fastosa* L.B.Prout,1938 (Geometridae) Synonym(s): *fastosa* L.B.Prout,1938
 23520) *Timandra punctinervis punctinervis* Prout,1916 (Geometridae) Synonym(s): *punctinervis* L.B.Prout,1916; *rigida* L.B.Prout,1937
 23521) *Timandra rectistrigaria* (Eversmann,1851) (Geometridae) Synonym(s): *rectistrigaria* Eversmann,1851; *puziloi* Erschoff,1870
 23522) *Timandra responsaria* Moore,1888 (Geometridae) Synonym(s): *responsaria* Moore,1888; *strigulata* W.Warren,1896
 23523) *Timandra rutilinea* W.Warren,1897 (Geometridae) Synonym(s): *rutilinea* W.Warren,1897; *flavisponsaria* Hampson,1912
 23524) *Timandromorpha discolor* (W.Warren,1896) (Geometridae) Synonym(s): *discolor* W.Warren,1896
 23525) *Timandromorpha energeis* (L.B.Prout,1933) (Geometridae) Synonym(s): *energeis* L.B.Prout,1933
 23526) *Timandromorpha enervata* Inoue,1944 (Geometridae) Synonym(s): *enervata* Inoue,1944
 23527) *Toulgoetia cauteriata* (Staudinger,1859) (Geometridae) Synonym(s): *cauteriata* Staudinger,1859
 23528) *Traminda acuta* (Warren,1897) (Geometridae) Synonym(s): *acuta* Warren,1897; *pallida* Warren,1899; *anandaria* Swinhoe,1904
 23529) *Traminda atroviridata* (Saalmüller,1880) (Geometridae) Synonym(s): *atroviridata* Saalmüller,1880
 23530) *Traminda aventiaria* (Guenée,[1858]) (Geometridae) Synonym(s): *aventiaria* Guenée,[1858]; *molybdias* Meyrick,1889.
 23531) *Traminda aventiaria aventiaria* (Guenée,[1858]) (Geometridae) Synonym(s): *aventiaria* Guenée,[1858]; *molybdias* Meyrick,1889.
 23532) *Traminda falcata* W.Warren,1897 (Geometridae) Synonym(s): *falcata* W.Warren,1897
 23533) *Traminda gracillata* Rebel,1948 (Geometridae) Synonym(s): *gracillata* Rebel,1948
 23534) *Traminda mundissima* (Walker,1861) (Geometridae) Synonym(s): *mundissima* Walker,1861; *diatomata* Walker,[1863]; *semicompleta* Walker,[1863]; *burmana* Swinhoe,1890; *malacopsis* Lower,1902
 23535) *Traminda neptunaria* (Guenée,[1858]) (Geometridae) Synonym(s): *neptunaria* Guenée,[1858]; *viridipennaria* Guenée,[1858]
 23536) *Traminda observata* (Walker,1861) (Geometridae) Synonym(s): *observata* Walker,1861; *glaucia* W.Warren,1897; *striata* W.Warren,1897
 23537) *Traminda ocellata* W.Warren,1895 (Geometridae) Synonym(s): *ocellata* W.Warren,1895; *rufa* W.Warren,1897
 23538) *Traminda prasodes* (Meyrick,1888) (Geometridae) Synonym(s): *prasodes* Meyrick,1888; *viridaria* Swinhoe,1902
 23539) *Traminda vividaria* (Walker,1861) (Geometridae) Synonym(s): *vividaria* Walker,1861; *ledereri* Wallengren,1863; *nigripuncta* W.Warren,1897; *variegata* Swinhoe,1904
 23540) *Trichodezia haberhaueri* (Lederer,1864) (Geometridae) Synonym(s): *haberhaueri* Lederer,1864; *ledereri* Staudinger,1901
 23541) *Trichodezia kindermanni* (Bremer,1864) (Geometridae) Synonym(s): *kindermanni* Bremer,1864
 23542) *Trichodezia kindermanni kindermanni* (Bremer,1864) (Geometridae) Synonym(s): *kindermanni* Bremer,1864
 23543) *Trichodezia kindermanni latifasciaria* Matsumura,1925 (Geometridae) Synonym(s): *latifasciaria* Matsumura,1925
 23544) *Trichodezia kindermanni leechi* Inoue,1946 (Geometridae) Synonym(s): *leechi* Inoue,1946
 23545) *Trichodezia kindermanni leucocratia* L.B.Prout,1937 (Geometridae) Synonym(s): *leucocratia* L.B.Prout,1937
 23546) *Trichodezia kindermanni mirabilis* Bryk,1942 (Geometridae) Synonym(s): *mirabilis* Bryk,1942
 23547) *Trichoplites albimaculosa* Inoue,1978 (Geometridae) Synonym(s): *albimaculosa* Inoue,1978
 23548) *Trichoplites cuprearia* (Moore,1868) (Geometridae) Synonym(s): *cuprearia* Moore,1868
 23549) *Trichoplites lateritiata* (Moore,1888) (Geometridae) Synonym(s): *lateritiata* Moore,1888
 23550) *Trichoplites tryphema* L.B.Prout,1934 (Geometridae) Synonym(s): *tryphema* L.B.Prout,1934
 23551) *Trichopterigia adiopa* L.B.Prout,1958 (Geometridae) Synonym(s): *adiopa* L.B.Prout,1958
 23552) *Trichopterigia atrofasciata* Hashimoto,1995 (Geometridae) Synonym(s): *atrofasciata* Hashimoto,1995
 23553) *Trichopterigia decorata* (Moore,1888) (Geometridae) Synonym(s): *decorata* Moore,1888
 23554) *Trichopterigia dejeani* L.B.Prout,1958 (Geometridae) Synonym(s): *dejeani* L.B.Prout,1958
 23555) *Trichopterigia hagna* L.B.Prout,1958 (Geometridae) Synonym(s): *hagna* L.B.Prout,1958
 23556) *Trichopterigia macularia* (Moore,1868) (Geometridae) Synonym(s): *macularia* Moore,1868; *multipunctata* Hampson,1903
 23557) *Trichopterigia minuta* Inoue,1992 (Geometridae) Synonym(s): *minuta* Inoue,1992
 23558) *Trichopterigia nigrisculpta* W.Warren,1897 (Geometridae) Synonym(s): *nigrisculpta* W.Warren,1897
 23559) *Trichopterigia nigronotata* W.Warren,1893 (Geometridae) Synonym(s): *nigronotata* W.Warren,1893
 23560) *Trichopterigia pilcheri* L.B.Prout,1958 (Geometridae) Synonym(s): *pilcheri* L.B.Prout,1958
 23561) *Trichopterigia placida* Yazaki,1993 (Geometridae) Synonym(s): *placida* Yazaki,1993
 23562) *Trichopterigia rivularis* (W.Warren,1893) (Geometridae) Synonym(s): *rivularis* W.Warren,1893
 23563) *Trichopterigia sanguinipunctata* (W.Warren,1893) (Geometridae) Synonym(s): *sanguinipunctata* W.Warren,1893; *pulcherrima* Swinhoe,1893; *exsanguis* Prout,1958
 23564) *Trichopterigia spheorrhyma* L.B.Prout,1926 (Geometridae) Synonym(s): *sphenorhyma* L.B.Prout,1926
 23565) *Trichopterigia superba* Yazaki,1993 (Geometridae) Synonym(s): *superba* Yazaki,1993
 23566) *Trichopterigia teligera* L.B.Prout,1958 (Geometridae) Synonym(s): *teligera* L.B.Prout,1958
 23567) *Trichopterigia ustimargo* W.Warren,1896 (Geometridae) Synonym(s): *ustimargo* W.Warren,1896
 23568) *Trichopterigia viridilineata* Hashimoto,1995 (Geometridae) Synonym(s): *viridilineata* Hashimoto,1995
 23569) *Trichopterigia yoshimotoi* Yazaki,1987 (Geometridae) Synonym(s): *yoshimotoi* Yazaki,1987
 23570) *Trichopteryx carpinata* (Borkhausen,1794) (Geometridae) Synonym(s): *carpinata* Borkhausen,1794; *costaestrigata* Haworth,1809; *dentistrigata* Haworth,1809; *lobulata* Hübner,[1813]
 23571) *Trichopteryx polycommata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *polycommata* [Denis & Schiffermüller],1775; *solata* Schrank,1802; *grisea* Djakonov,1926
 23572) *Trimetopia aetheraria* Guenée,[1858] (Geometridae) Synonym(s): *aetheraria* Guenée,[1858]
 23573) *Trimetopia aetheraria aetheraria* Guenée,[1858] (Geometridae) Synonym(s): *aetheraria* Guenée,[1858]
 23574) *Trimetopia aetheraria coerulea* W.Warren,1898 (Geometridae) Synonym(s): *coerulea* W.Warren,1898
 23575) *Triphosa acutipennis* W.Warren,1896 (Geometridae) Synonym(s): *acutipennis* W.Warren,1896
 23576) *Triphosa acyrota* L.B.Prout,1941 (Geometridae) Synonym(s): *acyrota* L.B.Prout,1941

- 23577) *Triphosa aequivalens* L.B.Prout,1937 (Geometridae) Synonym(s): *aequivalens* L.B.Prout,1937
- 23578) *Triphosa affirmata* (Guenée,[1858]) (Geometridae) Synonym(s): *affirmata* (Guenée,[1858]); *congoata* Walker,1862; *dubiferata* Walker,1862; *metagrammata* Walker,1862; *progressata* Walker,1862; *subcertaria* Herrich-Schäffer,1870; *rosenbergi* W.Warren,1900; *furva* W.Warren,1907
- 23579) *Triphosa agnata* Le Cerf,1918 (Geometridae) Synonym(s): *agnata* Le Cerf,1918; *oberthueri* Le Cerf,1918.
- 23580) *Triphosa albirama* L.B.Prout,1938 (Geometridae) Synonym(s): *albirama* L.B.Prout,1938
- 23581) *Triphosa californiata* (Packard,1871) (Geometridae) Synonym(s): *californiata* Packard,1871; *packardata* Grossbeck,1907
- 23582) *Triphosa consona* L.B.Prout,1926 (Geometridae) Synonym(s): *consona* L.B.Prout,1926
- 23583) *Triphosa corrasata* W.Warren,1897 (Geometridae) Synonym(s): *corrasata* W.Warren,1897
- 23584) *Triphosa dubiosata* (Walker,1862) (Geometridae) Synonym(s): *dubiosata* Walker,1862
- 23585) *Triphosa dubitata* (Linnaeus,1758) (Geometridae) Synonym(s): *dubitata* Linnaeus,1758
- 23586) *Triphosa expansa* (Moore,1888) (Geometridae) Synonym(s): *expansa* Moore,1888
- 23587) *Triphosa incertata* Staudinger,1882 (Geometridae) Synonym(s): *incertata* Staudinger,1882
- 23588) *Triphosa lugens* Bastelberger,1909 (Geometridae) Synonym(s): *lugens* Bastelberger,1909; *arizanensis* Wileman,1915
- 23589) *Triphosa macropora* L.B.Prout,1941 (Geometridae) Synonym(s): *macropora* L.B.Prout,1941
- 23590) *Triphosa melanoplaga* (Hampson,1902) (Geometridae) Synonym(s): *melanoplaga* Hampson,1902
- 23591) *Triphosa mnestira* L.B.Prout,1938 (Geometridae) Synonym(s): *mnestira* L.B.Prout,1938
- 23592) *Triphosa oenozona* L.B.Prout,1923 (Geometridae) Synonym(s): *oenozona* L.B.Prout,1923
- 23593) *Triphosa pallescens* W.Warren,1896 (Geometridae) Synonym(s): *pallescens* W.Warren,1896
- 23594) *Triphosa petronata* (Le Cerf,1918) (Geometridae) Synonym(s): *petronata* Le Cerf,1918
- 23595) *Triphosa ravulata* Staudinger,1892 (Geometridae) Synonym(s): *ravulata* Staudinger,1892
- 23596) *Triphosa sabaudiata* (Duponchel,1830) (Geometridae) Synonym(s): *sabaudiata* Duponchel,1830
- 23597) *Triphosa seseraria* (Oberthür,1893) (Geometridae) Synonym(s): *seseraria* Oberthür,1893
- 23598) *Triphosa taochata* Lederer,1870 (Geometridae) Synonym(s): *taochata* Lederer,1870
- 23599) *Triphosa venimaculata* (Moore,1868) (Geometridae) Synonym(s): *venimaculata* Moore,1868
- 23600) *Tripteridia conquadrate* (L.B.Prout,1958) (Geometridae) Synonym(s): *conquadrate* L.B.Prout,1958
- 23601) *Tripteridia dilopha* (L.B.Prout,1958) (Geometridae) Synonym(s): *dilopha* L.B.Prout,1958
- 23602) *Tripteridia dinosia* (L.B.Prout,1926) (Geometridae) Synonym(s): *dinosia* L.B.Prout,1926; *chlaenistes* L.B.Prout,1932
- 23603) *Tripteridia dymyna* (L.B.Prout,1958) (Geometridae) Synonym(s): *dymyna* L.B.Prout,1958
- 23604) *Tripteridia ectocosma* (L.B.Prout,1958) (Geometridae) Synonym(s): *ectocosma* L.B.Prout,1958
- 23605) *Tripteridia eusemozona* (L.B.Prout,1916) (Geometridae) Synonym(s): *eusemozona* L.B.Prout,1916
- 23606) *Tripteridia euthynsis* (L.B.Prout,1958) (Geometridae) Synonym(s): *euthynsis* L.B.Prout,1958
- 23607) *Tripteridia fletcheri* (Holloway,1976) (Geometridae) Synonym(s): *fletcheri* Holloway,1976
- 23608) *Tripteridia latistriga* (W.Warren,1906) (Geometridae) Synonym(s): *latistriga* W.Warren,1906; *cophogona* L.B.Prout,1932
- 23609) *Tripteridia monochasma* (L.B.Prout,1958) (Geometridae) Synonym(s): *monochasma* L.B.Prout,1958
- 23610) *Tripteridia ni* (L.B.Prout,1958) (Geometridae) Synonym(s): *ni* L.B.Prout,1958
- 23611) *Tripteridia novenaria* (L.B.Prout,1958) (Geometridae) Synonym(s): *novenaria* L.B.Prout,1958
- 23612) *Tripteridia scotochlaena* (L.B.Prout,1931) (Geometridae) Synonym(s): *scotochlaena* L.B.Prout,1931
- 23613) *Tripteridia subcomosa* (W.Warren,1907) (Geometridae) Synonym(s): *subcomosa* W.Warren,1907; *animata* L.B.Prout,1932
- 23614) *Tripteridia thaumasia* (L.B.Prout,1958) (Geometridae) Synonym(s): *thaumasia* L.B.Prout,1958
- 23615) *Tristeirometa bathylima* (L.B.Prout,1932) (Geometridae) Synonym(s): *bathylima* L.B.Prout,1932
- 23616) *Tristeirometa benguetana* (Schultze,1910) (Geometridae) Synonym(s): *benguetana* Schultze,1910
- 23617) *Tristeirometa bostryx* (L.B.Prout,1932) (Geometridae) Synonym(s): *bostryx* L.B.Prout,1932
- 23618) *Tristeirometa curvistriga* (W.Warren,1894) (Geometridae) Synonym(s): *curvistriga* W.Warren,1894
- 23619) *Tristeirometa decussata* (Moore,1868) (Geometridae) Synonym(s): *decussata* Moore,1868
- 23620) *Tristeirometa mesogrammata* (Walker,[1861]) (Geometridae) Synonym(s): *mesogrammata* Walker,[1861]
- 23621) *Tshingania sheljuzhkoii* Wehrli,1935 (Geometridae) Synonym(s): *sheljuzhkoii* Wehrli,1935
- 23622) *Tyloptera bella* (Butler,1878) (Geometridae) Synonym(s): *bella* Butler,1878; *eburneata* Christoph,1881
- 23623) *Tyloptera bella amamiensis* Sato,1986 (Geometridae) Synonym(s): *amamiensis* Sato,1986
- 23624) *Tyloptera bella bella* (Butler,1878) (Geometridae) Synonym(s): *bella* Butler,1878; *eburneata* Christoph,1881
- 23625) *Tyloptera bella diacena* (L.B.Prout,1926) (Geometridae) Synonym(s): *diacena* L.B.Prout,1926
- 23626) *Tyloptera bella ogatai* (Inoue,1995) (Geometridae) Synonym(s): *ogatai* Inoue,1995
- 23627) *Tyloptera bella taracta* (L.B.Prout,1958) (Geometridae) Synonym(s): *taracta* L.B.Prout,1958
- 23628) *Tympanota arfakensis* (Joicey & Talbot,1917) (Geometridae) Synonym(s): *arfakensis* Joicey & Talbot,1917
- 23629) *Tympanota ceramica* (Rothschild,1915) (Geometridae) Synonym(s): *ceramica* Rothschild,1915
- 23630) *Tympanota crypsipyrha* (L.B.Prout,1916) (Geometridae) Synonym(s): *crypsipyrha* L.B.Prout,1916
- 23631) *Tympanota erecta* W.Warren,1895 (Geometridae) Synonym(s): *erecta* W.Warren,1895
- 23632) *Tympanota gyiarcas* (L.B.Prout,1932) (Geometridae) Synonym(s): *gyiarcas* L.B.Prout,1932
- 23633) *Tympanota loxobasma* (L.B.Prout,1958) (Geometridae) Synonym(s): *loxobasma* L.B.Prout,1958
- 23634) *Tympanota olearia* (L.B.Prout,1958) (Geometridae) Synonym(s): *olearia* L.B.Prout,1958
- 23635) *Tympanota patefacta* (L.B.Prout,1958) (Geometridae) Synonym(s): *patefacta* L.B.Prout,1958
- 23636) *Tympanota postrubidaria* (Rothschild,1915) (Geometridae) Synonym(s): *postrubidaria* Rothschild,1915
- 23637) *Tympanota ptychosyrma* (L.B.Prout,1958) (Geometridae) Synonym(s): *ptychosyrma* L.B.Prout,1958
- 23638) *Uliura albidentata* (Moore,1868) (Geometridae) Synonym(s): *albidentata* Moore,1868; *pallidimargo* W.Warren,1904
- 23639) *Uliura combustaria* (Walker,1866) (Geometridae) Synonym(s): *combustaria* Walker,1866
- 23640) *Uliura dierli* Stüning,2000 (Geometridae) Synonym(s): *dierli* Stüning,2000
- 23641) *Uliura gratiosa* Sato,1995 (Geometridae) Synonym(s): *gratiosa* Sato,1995
- 23642) *Uliura infausta* (L.B.Prout,1914) (Geometridae) Synonym(s): *infausta* L.B.Prout,1914; *tetraspilaria* Wehrli,1924
- 23643) *Uliura kurokoi* Sato,1995 (Geometridae) Synonym(s): *kurokoi* Sato,1995
- 23644) *Urolitha bipunctifera* (Walker,1861) (Geometridae) Synonym(s): *bipunctifera* Walker,1861
- 23645) *Veniliodes inflammata* W.Warren,1894 (Geometridae) Synonym(s): *inflammata* W.Warren,1894
- 23646) *Veniliodes pantheraria* (R.Felder & Rogenhofer,1874) (Geometridae) Synonym(s): *pantheraria* R.Felder & Rogenhofer,1874
- 23647) *Veniliodes sp.* (Geometridae) Synonym(s):
- 23648) *Venusia accentuata* (L.B.Prout,1914) (Geometridae) Synonym(s): *accentuata* L.B.Prout,1914
- 23649) *Venusia albinea* (L.B.Prout,1938) (Geometridae) Synonym(s): *albinea* L.B.Prout,1938
- 23650) *Venusia apicistrigaria* (Djakonoff,1936) (Geometridae) Synonym(s): *apicistrigaria* Djakonoff,1936
- 23651) *Venusia balausta* Xue,1999 (Geometridae) Synonym(s): *balausta* Xue,1999
- 23652) *Venusia biangulata* (Sterneck,1938) (Geometridae) Synonym(s): *biangulata* Sterneck,1938
- 23653) *Venusia blomeri* (Curtis,1832) (Geometridae) Synonym(s): *blomeri* Curtis,1832; *pulchraria* Eversmann,1842; *szechuanensis* Wehrli,1931
- 23654) *Venusia blomeri blomeri* (Curtis,1832) (Geometridae) Synonym(s): *blomeri* Curtis,1832; *pulchraria* Eversmann,1842; *szechuanensis* Wehrli,1931
- 23655) *Venusia blomeri eulochi* (Bryk,1949) (Geometridae) Synonym(s): *eulochi* Bryk,1949
- 23656) *Venusia brevipunctata* L.B.Prout,1938 (Geometridae) Synonym(s): *brevipunctata* L.B.Prout,1938
- 23657) *Venusia cambrica* Curtis,1839 (Geometridae) Synonym(s): *cambrica* Curtis,1839; *erutaria* Boisduval,1840; *nebulosaria* Freyer,1850; *scitularia* Walker,1860.
- 23658) *Venusia cambrica aphrodite* Bryk,1942 (Geometridae) Synonym(s): *aphrodite* Bryk,1942
- 23659) *Venusia comptaria* (Walker,1860) (Geometridae) Synonym(s): *comptaria* Walker,1860; *salienta* Pearsall,1905; *perlineata* Packard,1873; *palumbes* Franclemont,1938
- 23660) *Venusia conisaria* Hampson,1903 (Geometridae) Synonym(s): *conisaria* Hampson,1903
- 23661) *Venusia conisaria conisaria* Hampson,1903 (Geometridae) Synonym(s): *conisaria* Hampson,1903
- 23662) *Venusia conisaria hypoconia* (L.B.Prout,1938) (Geometridae) Synonym(s): *hypoconia* L.B.Prout,1938
- 23663) *Venusia crassissima* Inoue,1987 (Geometridae) Synonym(s): *crassissima* Inoue,1987

- 23664) *Venusia dilecta* Yazaki, 1995 (Geometridae) Synonym(s): *dilecta* Yazaki, 1995
 23665) *Venusia eucosma* (L.B.Prout, 1914) (Geometridae) Synonym(s): *eucosma* L.B.Prout, 1914
 23666) *Venusia inefficax* (L.B.Prout, 1938) (Geometridae) Synonym(s): *inefficax* L.B.Prout, 1938
 23667) *Venusia kasyata* Wiltshire, 1966 (Geometridae) Synonym(s): *kasyata* Wiltshire, 1966
 23668) *Venusia kioudjrouaria* Oberthür, 1893 (Geometridae) Synonym(s): *kioudjrouaria* Oberthür, 1893
 23669) *Venusia laria* Oberthür, 1893 (Geometridae) Synonym(s): *laria* Oberthür, 1893
 23670) *Venusia laria ilara* (L.B.Prout, 1938) (Geometridae) Synonym(s): *ilara* L.B.Prout, 1938
 23671) *Venusia laria laria* Oberthür, 1893 (Geometridae) Synonym(s): *laria* Oberthür, 1893
 23672) *Venusia lilacina* (W.Warren, 1893) (Geometridae) Synonym(s): *lilacina* W.Warren, 1893
 23673) *Venusia lilacina lilacina* (W.Warren, 1893) (Geometridae) Synonym(s): *lilacina* W.Warren, 1893
 23674) *Venusia lilacina melanogramma* Wehrli, 1931 (Geometridae) Synonym(s): *melanogramma* Wehrli, 1931
 23675) *Venusia lilacina rala* (L.B.Prout, 1938) (Geometridae) Synonym(s): *rala* L.B.Prout, 1938
 23676) *Venusia limata* Inoue, 1982 (Geometridae) Synonym(s): *limata* Inoue, 1982
 23677) *Venusia lineata* Wileman, 1916 (Geometridae) Synonym(s): *lineata* Wileman, 1916
 23678) *Venusia maniata* Xue, 1999 (Geometridae) Synonym(s): *maniata* Xue, 1999
 23679) *Venusia marmoraria* (Leech, 1897) (Geometridae) Synonym(s): *marmoraria* Leech, 1897
 23680) *Venusia megaspilata* (W.Warren, 1895) (Geometridae) Synonym(s): *megaspilata* W.Warren, 1895
 23681) *Venusia naparia* Oberthür, 1893 (Geometridae) Synonym(s): *naparia* Oberthür, 1893
 23682) *Venusia nigrifurca* (L.B.Prout, 1926) (Geometridae) Synonym(s): *nigrifurca* L.B.Prout, 1926
 23683) *Venusia obliquisigna* (Moore, 1888) (Geometridae) Synonym(s): *obliquisigna* Moore, 1888
 23684) *Venusia ochrota* Hampson, 1903 (Geometridae) Synonym(s): *ochrota* Hampson, 1903; *roseicosta* Yazaki, 1994
 23685) *Venusia pallidaria* Hampson, 1903 (Geometridae) Synonym(s): *pallidaria* Hampson, 1903
 23686) *Venusia paradoxa* Xue, 1999 (Geometridae) Synonym(s): *paradoxa* Xue, 1999
 23687) *Venusia participata* (Sauter, 1869) (Geometridae) Synonym(s): *participata* Sauter, 1869
 23688) *Venusia pearsalli* (Dyar, 1906) (Geometridae) Synonym(s): *pearsalli* Dyar, 1906
 23689) *Venusia phasma* (Butler, 1879) (Geometridae) Synonym(s): *phasma* Butler, 1879
 23690) *Venusia planicaput* Inoue, 1987 (Geometridae) Synonym(s): *planicaput* Inoue, 1987
 23691) *Venusia punctiuncula* L.B.Prout, 1938 (Geometridae) Synonym(s): *punctiuncula* L.B.Prout, 1938
 23692) *Venusia purpuraria* (Hampson, 1895) (Geometridae) Synonym(s): *purpuraria* Hampson, 1895
 23693) *Venusia scitula* Xue, 1999 (Geometridae) Synonym(s): *scitula* Xue, 1999
 23694) *Venusia semistrigata* (Christoph, 1881) (Geometridae) Synonym(s): *semistrigata* Christoph, 1881
 23695) *Venusia semistrigata expressa* Inoue, 1963 (Geometridae) Synonym(s): *expressa* Inoue, 1963
 23696) *Venusia semistrigata semistrigata* (Christoph, 1881) (Geometridae) Synonym(s): *semistrigata* Christoph, 1881
 23697) *Venusia sikkimensis* (W.Warren, 1893) (Geometridae) Synonym(s): *sikkimensis* W.Warren, 1893
 23698) *Venusia syngenes* (Wehrli, 1931) (Geometridae) Synonym(s): *syngenes* Wehrli, 1931
 23699) *Venusia tchrraria* Oberthür, 1893 (Geometridae) Synonym(s): *tchrraria* Oberthür, 1893
 23700) *Venusia violettaria* Wehrli, 1931 (Geometridae) Synonym(s): *violetaria* Wehrli, 1931; *kukunoora* Wehrli, 1931
 23701) *Venusia yasudai* Inoue, 1987 (Geometridae) Synonym(s): *yasudai* Inoue, 1987
 23702) *Victoria albipicta* W.Warren, 1897 (Geometridae) Synonym(s): *albipicta* W.Warren, 1897
 23703) *Victoria altimontaria* Herbulot, 1971 (Geometridae) Synonym(s): *altimontaria* Herbulot, 1971
 23704) *Victoria argopastea* L.B.Prout, 1938 (Geometridae) Synonym(s): *argopastea* L.B.Prout, 1938
 23705) *Victoria barlowi* L.B.Prout, 1922 (Geometridae) Synonym(s): *barlowi* L.B.Prout, 1922
 23706) *Victoria compsa* L.B.Prout, 1932 (Geometridae) Synonym(s): *compsa* L.B.Prout, 1932
 23707) *Victoria eremita* Hausmann, 1993 (Geometridae) Synonym(s): *eremita* Hausmann, 1993
 23708) *Victoria fifensis* Wiltshire, 1994 (Geometridae) Synonym(s): *fifensis* Wiltshire, 1994
 23709) *Victoria fuscithorax* W.Warren, 1905 (Geometridae) Synonym(s): *fuscithorax* W.Warren, 1905; *mirabilis* W.Warren, 1911
 23710) *Victoria gordoni* L.B.Prout, 1912 (Geometridae) Synonym(s): *gordoni* L.B.Prout, 1912
 23711) *Victoria omanensis* Wiltshire, [1981] (Geometridae) Synonym(s): *omanensis* Wiltshire, [1981]
 23712) *Victoria plantei* Herbulot, [1977] (Geometridae) Synonym(s): *plantei* Herbulot, [1977]
 23713) *Victoria rhodoblemma* L.B.Prout, 1938 (Geometridae) Synonym(s): *rhodoblemma* L.B.Prout, 1938
 23714) *Victoria sematoperas* L.B.Prout, 1916 (Geometridae) Synonym(s): *sematoperas* L.B.Prout, 1916
 23715) *Victoria triplaga* L.B.Prout, 1915 (Geometridae) Synonym(s): *triplaga* L.B.Prout, 1915
 23716) *Victoria triplaga sphrigrion* Prout, 1930 (Geometridae) Synonym(s): *sphrigrion* Prout, 1930
 23717) *Victoria watsonae* Carcasson, 1971 (Geometridae) Synonym(s): *watsonae* Carcasson, 1971; *nimbosa* Herbulot, 1972
 23718) *Victoria wiltshirei* Hausmann, 1996 (Geometridae) Synonym(s): *wiltshirei* Hausmann, 1996
 23719) *Vindusara moorei* (Thierry-Mieg, 1899) (Geometridae) Synonym(s): *moorei* Thierry-Mieg, 1899
 23720) *Visiana sordidata* (Moore, 1888) (Geometridae) Synonym(s): *sordidata* Moore, 1888; *inimica* L.B.Prout, 1937; *hyperctenista* L.B.Prout, 1939; *robinsoni* L.B.Prout, 1939; *tamborica* L.B.Prout, 1939
 23721) *Visiana vinosa* (W.Warren, 1907) (Geometridae) Synonym(s): *vinosa* W.Warren, 1907
 23722) *Wehrliola revocaria* (Staudinger, 1892) (Geometridae) Synonym(s): *revocaria* Staudinger, 1892; *#fasciata* Wagner, 1931.
 23723) *Xandrames albofasciata* Moore, 1868 (Geometridae) Synonym(s): *albofasciata* Moore, 1868
 23724) *Xandrames dholaria* Moore, 1868 (Geometridae) Synonym(s): *dholaria* Moore, 1868; *sericea* Butler, 1881
 23725) *Xandrames latiferaria* (Walker, 1860) (Geometridae) Synonym(s): *latiferaria* Walker, 1860; *cnecozone* L.B.Prout, 1926
 23726) *Xandrames opisthochroma* L.B.Prout, 1928 (Geometridae) Synonym(s): *opisthochroma* L.B.Prout, 1928
 23727) *Xandrames postmarginata* Wileman & South, 1917 (Geometridae) Synonym(s): *postmarginata* Wileman & South, 1917
 23728) *Xandrames xanthomelanaria* Poujade, 1895 (Geometridae) Synonym(s): *xanthomelanaria* Poujade, 1895
 23729) *Xandrames xanthos* Sato, 1996 (Geometridae) Synonym(s): *xanthos* Sato, 1996
 23730) *Xanthisthisa brunnea* (W.Warren, 1899) (Geometridae) Synonym(s): *brunnea* W.Warren, 1899
 23731) *Xanthisthisa copta* Herbulot, 1977 (Geometridae) Synonym(s): *copta* Herbulot, 1977
 23732) *Xanthisthisa fulva* (W.Warren, 1902) (Geometridae) Synonym(s): *fulva* W.Warren, 1902
 23733) *Xanthisthisa holmi* D.S.Fletcher, 1958 (Geometridae) Synonym(s): *holmi* D.S.Fletcher, 1958
 23734) *Xanthisthisa lemairei* Herbulot, 1973 (Geometridae) Synonym(s): *lemairei* Herbulot, 1973
 23735) *Xanthisthisa nigricumulata* (W.Warren, 1902) (Geometridae) Synonym(s): *nigricumulata* W.Warren, 1902
 23736) *Xanthisthisa niveifrons* (L.B.Prout, 1922) (Geometridae) Synonym(s): *niveifrons* L.B.Prout, 1922
 23737) *Xanthisthisa tarsispina* (W.Warren, 1901) (Geometridae) Synonym(s): *tarsispina* W.Warren, 1901
 23738) *Xanthisthisa tergorinota* L.B.Prout, 1928 (Geometridae) Synonym(s): *tergorinota* L.B.Prout, 1928
 23739) *Xanthisthisa terna* Herbulot, 1984 (Geometridae) Synonym(s): *terna* Herbulot, 1984
 23740) *Xanthisthisa tumida* (W.Warren, 1902) (Geometridae) Synonym(s): *tumida* W.Warren, 1902
 23741) *Xanthorhoe ablechra* D.S.Fletcher, 1958 (Geometridae) Synonym(s): *ablechra* D.S.Fletcher, 1958
 23742) *Xanthorhoe abrasaria* (Herrich-Schäffer, 1855) (Geometridae) Synonym(s): *abrasaria* Herrich-Schäffer, 1855; *ligularia* Guenée, [1858]; *baicalata* Bremer, 1864
 23743) *Xanthorhoe abraxina* (Butler, 1879) (Geometridae) Synonym(s): *abraxina* Butler, 1879; *puccata* Christoph, 1881
 23744) *Xanthorhoe abyssinica* Herbulot, 1983 (Geometridae) Synonym(s): *abyssinica* Herbulot, 1983
 23745) *Xanthorhoe acutangulata* (Christoph, 1887) (Geometridae) Synonym(s): *acutangulata* Christoph, 1887
 23746) *Xanthorhoe aemyla* (L.B.Prout, 1938) (Geometridae) Synonym(s): *aemyla* L.B.Prout, 1938
 23747) *Xanthorhoe albodivisaria* (Aurivillius, 1910) (Geometridae) Synonym(s): *albodivisaria* Aurivillius, 1910
 23748) *Xanthorhoe alexandria* (Staudinger, 1892) (Geometridae) Synonym(s): *alexandria* Staudinger, 1892
 23749) *Xanthorhoe algidata* (Möschler, 1874) (Geometridae) Synonym(s): *algidata* Möschler, 1874
 23750) *Xanthorhoe alluaudi* (L.B.Prout, 1932) (Geometridae) Synonym(s): *alluaudi* L.B.Prout, 1932
 23751) *Xanthorhoe alta* Debauche, 1937 (Geometridae) Synonym(s): *alta* Debauche, 1937

- 23752) *Xanthorhoe altaica* Djakonov,1955 (Geometridae) Synonym(s): *altaica* Djakonov,1955
 23753) *Xanthorhoe alticolata* Barnes & McDunnough,1916 (Geometridae) Synonym(s): *alticolata* Barnes & McDunnough,1916
 23754) *Xanthorhoe altispex* (L.B.Prout,1921) (Geometridae) Synonym(s): *altispex* L.B.Prout,1921
 23755) *Xanthorhoe altitudinum* (Staudinger,1882) (Geometridae) Synonym(s): *altitudinum* Staudinger,1882
 23756) *Xanthorhoe annotinata* (Zetterstedt,1839) (Geometridae) Synonym(s): *annotinata* Zetterstedt,1839; *decrepitata* Zetterstedt,1839; *polygrapharia* Boisduval,1840; *monticolaria* Herrich-Schäffer,1852; *septentrionalis* Dannehl,1933
 23757) *Xanthorhoe argentina* (L.B.Prout,1910) (Geometridae) Synonym(s): *argentina* L.B.Prout,1910
 23758) *Xanthorhoe asiatica* (Staudinger,1882) (Geometridae) Synonym(s): *asiatica* Staudinger,1882
 23759) *Xanthorhoe belgarum* Herbulot,1981 (Geometridae) Synonym(s): *belgarum* Herbulot,1981
 23760) *Xanthorhoe bigeminata* (Christoph,1885) (Geometridae) Synonym(s): *bigeminata* Christoph,1885
 23761) *Xanthorhoe biriviata* (Borkhausen,1794) (Geometridae) Synonym(s): *biriviata* Borkhausen,1794; *pomoeriaria* Eversmann,1844
 23762) *Xanthorhoe borbonicata* (Guenée,1858) (Geometridae) Synonym(s): *borbonicata* Guenée,1858
 23763) *Xanthorhoe borealis* Hulst,1896 (Geometridae) Synonym(s): *borealis* Hulst,1896
 23764) *Xanthorhoe brachytoma* L.B.Prout,1933 (Geometridae) Synonym(s): *brachytoma* L.B.Prout,1933
 23765) *Xanthorhoe braunsi* Janse,1933 (Geometridae) Synonym(s): *braunsi* Janse,1933
 23766) *Xanthorhoe cadra* (Debauche,1937) (Geometridae) Synonym(s): *cadra* Debauche,1937
 23767) *Xanthorhoe callisthenes* L.B.Prout,1922 (Geometridae) Synonym(s): *callisthenes* L.B.Prout,1922
 23768) *Xanthorhoe calycopsis* L.B.Prout,1933 (Geometridae) Synonym(s): *calycopsis* L.B.Prout,1933
 23769) *Xanthorhoe castanea* W.Warren,1901 (Geometridae) Synonym(s): *castanea* W.Warren,1901
 23770) *Xanthorhoe columella* (Druce,1893) (Geometridae) Synonym(s): *columella* Druce,1893
 23771) *Xanthorhoe conchulata* (L.B.Prout,1921) (Geometridae) Synonym(s): *conchulata* L.B.Prout,1921
 23772) *Xanthorhoe consors* (L.B.Prout,1935) (Geometridae) Synonym(s): *consors* L.B.Prout,1935
 23773) *Xanthorhoe conspectaria* (Mann,1859) (Geometridae) Synonym(s): *conspectaria* Mann,1859
 23774) *Xanthorhoe cuneosignata* Debauche,1937 (Geometridae) Synonym(s): *cuneosignata* Debauche,1937
 23775) *Xanthorhoe curcumata* (Moore,1888) (Geometridae) Synonym(s): *curcumata* Moore,1888; *formosicola* Bastelberger,1909; *viridilineata* Bastelberger,1909; *viriditincta* Wileman,1915
 23776) *Xanthorhoe curcumoides* L.B.Prout,1923 (Geometridae) Synonym(s): *curcumoides* L.B.Prout,1923
 23777) *Xanthorhoe cybele* L.B.Prout,1931 (Geometridae) Synonym(s): *cybele* L.B.Prout,1931
 23778) *Xanthorhoe cyllene* (Druce,1893) (Geometridae) Synonym(s): *cyllene* Druce,1893
 23779) *Xanthorhoe decoloraria* (Esper,1806) (Geometridae) Synonym(s): *decoloraria* Esper,1806; *munitata* Hübner,1809; *munitaria* Boisduval,1840; *collinaria* Metzner,1840; *pauperimata* Christoph,1888
 23780) *Xanthorhoe deflorata* (Erschoff,1877) (Geometridae) Synonym(s): *deflorata* Erschoff,1877; *lepidaria* Christoph,1881
 23781) *Xanthorhoe designata* (Hufnagel,1767) (Geometridae) Synonym(s): *designata* Hufnagel,1767; *propugnata* [Denis & Schiffermüller],1775; *fuscofasciata* Retzius,1783; *fuscaria* Villers,1789; *propugnaria* Treitschke,1825
 23782) *Xanthorhoe disjunctaria* (La Harpe,1860) (Geometridae) Synonym(s): *disjunctaria* La Harpe,1860; *griphodeata* Rambur,1866; *iberaria* Rambur,1866; *multistriga* Oberthür,1910; *scoriaria* Turati,1910; *herculeana* Zerny,1934
 23783) *Xanthorhoe dissociata* W.Warren,1897 (Geometridae) Synonym(s): *dissociata* W.Warren,1897
 23784) *Xanthorhoe dodata* Swett & Casino,1920 (Geometridae) Synonym(s): *dodata* Swett & Casino,1920
 23785) *Xanthorhoe edmondsii* (Butler,1882) (Geometridae) Synonym(s): *edmondsii* Butler,1882
 23786) *Xanthorhoe elusa* L.B.Prout,1939 (Geometridae) Synonym(s): *elusa* L.B.Prout,1939
 23787) *Xanthorhoe eugraphata* (De Joannis,1915) (Geometridae) Synonym(s): *eugraphata* De Joannis,1915
 23788) *Xanthorhoe euthytoma* L.B.Prout,1926 (Geometridae) Synonym(s): *euthytoma* L.B.Prout,1926
 23789) *Xanthorhoe evae* Viidalepp & Remm,1982 (Geometridae) Synonym(s): *evae* Viidalepp & Remm,1982
 23790) *Xanthorhoe everetti* W.Warren,1897 (Geometridae) Synonym(s): *everetti* W.Warren,1897; *roseopicta* W.Warren,1903
 23791) *Xanthorhoe excelsissima* Herbulot,1977 (Geometridae) Synonym(s): *excelsissima* Herbulot,1977
 23792) *Xanthorhoe exorista* L.B.Prout,1922 (Geometridae) Synonym(s): *exorista* L.B.Prout,1922
 23793) *Xanthorhoe ferrugata* (Clerck,1759) (Geometridae) Synonym(s): *ferrugata* Clerck,1759; *corculata* Hufnagel,1767; *ferrugaria* [Denis & Schiffermüller],1775; *littorea* Fourcroy,1785; *lictorea* Geoffroy,1800; *unidentaria* Haworth,1809
 23794) *Xanthorhoe fidonaria* (Staudinger,1892) (Geometridae) Synonym(s): *fidonaria* Staudinger,1892; *icterica* Djakonov,1908
 23795) *Xanthorhoe fidonaria fidonaria* (Staudinger,1892) (Geometridae) Synonym(s): *fidonaria* Staudinger,1892; *icterica* Djakonov,1908
 23796) *Xanthorhoe fidonaria infernaria* (A.Bang-Haas,1910) (Geometridae) Synonym(s): *infernaria* A.Bang-Haas,1910
 23797) *Xanthorhoe fidonaria satanaria* (Aubert,1962) (Geometridae) Synonym(s): *satanaria* Aubert,1962
 23798) *Xanthorhoe finitima* (Walker,1862) (Geometridae) Synonym(s): *finitima* Walker,1862
 23799) *Xanthorhoe fissiferula* L.B.Prout,1939 (Geometridae) Synonym(s): *fissiferula* L.B.Prout,1939
 23800) *Xanthorhoe fluctuata* (Linnaeus,1758) (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 *nec* Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840
 23801) *Xanthorhoe fossaria* Taylor,1906 (Geometridae) Synonym(s): *fossaria* Taylor,1906
 23802) *Xanthorhoe fumipennis* (Hampson,1891) (Geometridae) Synonym(s): *fumipennis* Hampson,1891
 23803) *Xanthorhoe gata* (Dognin,1893) (Geometridae) Synonym(s): *gata* Dognin,1893
 23804) *Xanthorhoe gigantis* L.B.Prout,1939 (Geometridae) Synonym(s): *gigantis* L.B.Prout,1939
 23805) *Xanthorhoe greeni* L.B.Prout,1939 (Geometridae) Synonym(s): *greeni* L.B.Prout,1939
 23806) *Xanthorhoe griseiviridis* (Hampson,1895) (Geometridae) Synonym(s): *griseiviridis* (Hampson,1895)
 23807) *Xanthorhoe hamponi* L.B.Prout,1925 (Geometridae) Synonym(s): *hamponi* L.B.Prout,1925; *placida* L.B.Prout,1925
 23808) *Xanthorhoe hedyphaea* L.B.Prout,1922 (Geometridae) Synonym(s): *hedyphaea* L.B.Prout,1922
 23809) *Xanthorhoe holophaea* (Hampson,1899) (Geometridae) Synonym(s): *holophaea* Hampson,1899
 23810) *Xanthorhoe hortensaria* (Graeser,1890) (Geometridae) Synonym(s): *hortularia* Graeser,1889 *nec* Stgr.,1879; *hortensaria* Graeser,1890
 23811) *Xanthorhoe hyphagna* L.B.Prout,1923 (Geometridae) Synonym(s): *hyphagna* L.B.Prout,1923
 23812) *Xanthorhoe inaequata* W.Warren,1905 (Geometridae) Synonym(s): *inaequata* W.Warren,1905
 23813) *Xanthorhoe inconsiderata* (Staudinger,1892) (Geometridae) Synonym(s): *inconsiderata* Staudinger,1892
 23814) *Xanthorhoe incurata* (Hübner,1813) (Geometridae) Synonym(s): *incurata* Hübner,1813; *disceptaria* Fischer v. Röslerstamm,1837; *polygrapharia* Boisduval,1840; *incuraria* Boisduval,1840
 23815) *Xanthorhoe insperata* (Djakonov,1926) (Geometridae) Synonym(s): *insperata* Djakonov,1926
 23816) *Xanthorhoe interpositaria* (Staudinger,1892) (Geometridae) Synonym(s): *interpositaria* Staudinger,1892
 23817) *Xanthorhoe kamshatica* (Djakonov,1929) (Geometridae) Synonym(s): *kamshatica* Djakonov,1929
 23818) *Xanthorhoe labradorensis* (Packard,1867) (Geometridae) Synonym(s): *labradorensis* Packard,1867
 23819) *Xanthorhoe latigrisea* (W.Warren,1897) (Geometridae) Synonym(s): *latigrisea* W.Warren,1897
 23820) *Xanthorhoe liwagu* Holloway,1997 (Geometridae) Synonym(s): *liwagu* Holloway,1997
 23821) *Xanthorhoe lophogramma* Meyrick,1897 (Geometridae) Synonym(s): *lophogramma* Meyrick,1897
 23822) *Xanthorhoe lucasaria* (Schaus,1912) (Geometridae) Synonym(s): *lucasaria* Schaus,1912
 23823) *Xanthorhoe ludifica* W.Warren,1898 (Geometridae) Synonym(s): *ludifica* W.Warren,1898
 23824) *Xanthorhoe luminosa* Inoue,1982 (Geometridae) Synonym(s): *luminosa* Inoue,1982
 23825) *Xanthorhoe magnata* Herbulot,1957 (Geometridae) Synonym(s): *magnata* Herbulot,1957
 23826) *Xanthorhoe magnificata* (Walker,1862) (Geometridae) Synonym(s): *magnificata* Walker,1862; *inspurcata* Walker,1862; *subseparata* Walker,1862; *albilinea* Hampson,1891
 23827) *Xanthorhoe majorata* Heydemann,1936 (Geometridae) Synonym(s): *majorata* Heydemann,1936
 23828) *Xanthorhoe malgassa* Herbulot,1954 (Geometridae) Synonym(s): *malgassa* Herbulot,1954
 23829) *Xanthorhoe mecoterma* (Prout,1938) (Geometridae) Synonym(s): *mecoterma* Prout,1938
 23830) *Xanthorhoe melissaria* (Guenée,1858) (Geometridae) Synonym(s): *melissaria* Guenée,1858
 23831) *Xanthorhoe mesilauensis* Holloway,1976 (Geometridae) Synonym(s): *mesilauensis* Holloway,1976
 23832) *Xanthorhoe mimica* Janse,1933 (Geometridae) Synonym(s): *mimica* Janse,1933

- 23833) *Xanthorhoe montanata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *montanata* [Denis & Schiffermüller],1775; *implicata* Villers,1789; *implicaria* Haworth,1809; *montanaria* Treitschke,1828
- 23834) *Xanthorhoe nubilosa* W.Warren,1898 (Geometridae) Synonym(s): *nubilosa* W.Warren,1898
- 23835) *Xanthorhoe oxybiata* (Millière,1872) (Geometridae) Synonym(s): *oxybiata* Millière,1872
- 23836) *Xanthorhoe pallida* Rothschild,1915 (Geometridae) Synonym(s): *pallida* Rothschild,1915
- 23837) *Xanthorhoe peribleta* (Brandt,1941) (Geometridae) Synonym(s): *peribleta* Brandt,1941
- 23838) *Xanthorhoe poseata* (Geyer,[1836]) (Geometridae) Synonym(s): *poseata* Geyer,[1836]; *viridicinctata* Guenée,[1858]; *penetrata* Walker,1862; *rudisaria* Walker,1862; *vivadata* Walker,1862; *colorata* Walker,[1863]
- 23839) *Xanthorhoe postpositaria* (Staudinger,1892) (Geometridae) Synonym(s): *postpositaria* Staudinger,1892
- 23840) *Xanthorhoe praepositaria* (Staudinger,1892) (Geometridae) Synonym(s): *praepositaria* Staudinger,1892
- 23841) *Xanthorhoe pratti* L.B.Prout,1922 (Geometridae) Synonym(s): *pratti* L.B.Prout,1922
- 23842) *Xanthorhoe praxilla* (Druce,1893) (Geometridae) Synonym(s): *praxilla* Druce,1893
- 23843) *Xanthorhoe procilla* (Druce,1893) (Geometridae) Synonym(s): *procilla* Druce,1893
- 23844) *Xanthorhoe procne* (Fawcett,1916) (Geometridae) Synonym(s): *procne* Fawcett,1916
- 23845) *Xanthorhoe pseudogaliata* (Staudinger,1898) (Geometridae) Synonym(s): *pseudogaliata* Staudinger,1898
- 23846) *Xanthorhoe quadrifasciata* (Linnaeus,1761) (Geometridae) Synonym(s): *quadrifasciaria* Clerck,1759; *quadrifasciata* Linnaeus,1761; *ligustrata* [Denis & Schiffermüller],1775; *undulataria* Villers,1789; *badiata* Borkhausen,1794; *ligustraria* Treitschke,1825
- 23847) *Xanthorhoe rectifasciaria* (Lederer,1853) (Geometridae) Synonym(s): *rectifasciaria* Lederer,1853; *orthogrammaria* Guenée,[1858]
- 23848) *Xanthorhoe rectifasciaria* rector Wiltshire,1976 (Geometridae) Synonym(s): *rectior* Wiltshire,1976
- 23849) *Xanthorhoe rhodoides* (Brandt,1941) (Geometridae) Synonym(s): *rhodoides* Brandt,1941
- 23850) *Xanthorhoe rupicola* (Wollaston,1858) (Geometridae) Synonym(s): *rupicola* Wollaston,1858; *insulariata* Wallengren,1860
- 23851) *Xanthorhoe sajanaria* (L.B.Prout,1914) (Geometridae) Synonym(s): *sajanaria* L.B.Prout,1914
- 23852) *Xanthorhoe* sp.? (Geometridae) Synonym(s):
- 23853) *Xanthorhoe spadicearia* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *spadicearia* [Denis & Schiffermüller],1775; *alchemillaria* Esper,1801; *livinaria* LaHarpe,1855
- 23854) *Xanthorhoe spatuluncis* Wiltshire,1982 (Geometridae) Synonym(s): *spatuluncis* Wiltshire,1982
- 23855) *Xanthorhoe stupida* (Alpheraky,1897) (Geometridae) Synonym(s): *stupida* Alpheraky,1897
- 23856) *Xanthorhoe tamsi* D.S.Fletcher,1963 (Geometridae) Synonym(s): *tamsi* D.S.Fletcher,1963
- 23857) *Xanthorhoe tauaria* (Staudinger,1882) (Geometridae) Synonym(s): *tauaria* Staudinger,1882
- 23858) *Xanthorhoe tauaria* grisearia (Aubert,1962) (Geometridae) Synonym(s): *grisearia* Aubert,1962
- 23859) *Xanthorhoe tauaria* tauaria (Staudinger,1882) (Geometridae) Synonym(s): *tauaria* Staudinger,1882
- 23860) *Xanthorhoe tianschanica* (Alpheraky,1883) (Geometridae) Synonym(s): *tianschanica* Alpheraky,1883; *superpositaria* Prout,1914.
- 23861) *Xanthorhoe tianschanica* aksuaria (Aubert,1962) (Geometridae) Synonym(s): *aksuaria* Aubert,1962
- 23862) *Xanthorhoe tianschanica* tianschanica (Alpheraky,1883) (Geometridae) Synonym(s): *tianschanica* Alpheraky,1883; *superpositaria* Prout,1914.
- 23863) *Xanthorhoe transjugata* L.B.Prout,1923 (Geometridae) Synonym(s): *transjugata* L.B.Prout,1923; *mikenaria* Debauche,1938
- 23864) *Xanthorhoe transpositaria* (Aubert,1962) (Geometridae) Synonym(s): *transpositaria* Aubert,1962
- 23865) *Xanthorhoe trusa* L.B.Prout,1939 (Geometridae) Synonym(s): *trusa* L.B.Prout,1939
- 23866) *Xanthorhoe vidanoi* Parenzan & Hausmann,1994 (Geometridae) Synonym(s): *vidanoi* Parenzan & Hausmann,1994
- 23867) *Xanthorhoe vulgaris* Rothschild,1915 (Geometridae) Synonym(s): *vulgaris* Rothschild,1915
- 23868) *Xanthorhoe wiltshirei* (Brandt,1941) (Geometridae) Synonym(s): *wiltshirei* Brandt,1941
- 23869) *Xenimpia albicaput* D.S.Fletcher,1956 (Geometridae) Synonym(s): *albicaput* D.S.Fletcher,1956
- 23870) *Xenimpia angusta* L.B.Prout,1915 (Geometridae) Synonym(s): *angusta* L.B.Prout,1915
- 23871) *Xenimpia burgessi* Carcasson,1964 (Geometridae) Synonym(s): *burgessi* Carcasson,1964
- 23872) *Xenimpia chalepa* L.B.Prout,1915 (Geometridae) Synonym(s): *chalepa* L.B.Prout,1915
- 23873) *Xenimpia clenchi* Viette,1980 (Geometridae) Synonym(s): *clenchi* Viette,1980
- 23874) *Xenimpia conformis* (W.Warren,1898) (Geometridae) Synonym(s): *conformis* W.Warren,1898
- 23875) *Xenimpia crassimedia* Herbulot,1996 (Geometridae) Synonym(s): *crassimedia* Herbulot,1996
- 23876) *Xenimpia crassipecten* Herbulot,1961 (Geometridae) Synonym(s): *crassipecten* Herbulot,1961
- 23877) *Xenimpia dohertyi* Herbulot,1961 (Geometridae) Synonym(s): *dohertyi* Herbulot,1961
- 23878) *Xenimpia erosa* W.Warren,1895 (Geometridae) Synonym(s): *erosa* W.Warren,1895
- 23879) *Xenimpia erosa* linearis W.Warren,1897 (Geometridae) Synonym(s): *linearis* W.Warren,1897
- 23880) *Xenimpia fletcheri* Herbulot,1954 (Geometridae) Synonym(s): *fletcheri* Herbulot,1954
- 23881) *Xenimpia flexuosa* Herbulot,1996 (Geometridae) Synonym(s): *flexuosa* Herbulot,1996
- 23882) *Xenimpia hecqi* Herbulot,1996 (Geometridae) Synonym(s): *hecqi* Herbulot,1996
- 23883) *Xenimpia informis* (Swinhoe,1904) (Geometridae) Synonym(s): *informis* Swinhoe,1904
- 23884) *Xenimpia kala* Herbulot,1973 (Geometridae) Synonym(s): *kala* Herbulot,1973
- 23885) *Xenimpia karischi* Herbulot,1996 (Geometridae) Synonym(s): *karischi* Herbulot,1996
- 23886) *Xenimpia latesignata* (W.Warren,1914) (Geometridae) Synonym(s): *latesignata* W.Warren,1914
- 23887) *Xenimpia loile* Carcasson,1964 (Geometridae) Synonym(s): *loile* Carcasson,1964
- 23888) *Xenimpia luxuriosa* Herbulot,1961 (Geometridae) Synonym(s): *luxuriosa* Herbulot,1961
- 23889) *Xenimpia maculosata* (W.Warren,1897) (Geometridae) Synonym(s): *maculosata* W.Warren,1897
- 23890) *Xenimpia misogyna* Carcasson,1962 (Geometridae) Synonym(s): *misogyna* Carcasson,1962
- 23891) *Xenimpia opala* Carcasson,1964 (Geometridae) Synonym(s): *opala* Carcasson,1964
- 23892) *Xenimpia sillaria* (Swinhoe,1904) (Geometridae) Synonym(s): *sillaria* Swinhoe,1904
- 23893) *Xenimpia soricina* Herbulot,1973 (Geometridae) Synonym(s): *soricina* Herbulot,1973
- 23894) *Xenimpia spinosivalis* Herbulot,1996 (Geometridae) Synonym(s): *spinosivalis* Herbulot,1996
- 23895) *Xenimpia tetracantha* Herbulot,1973 (Geometridae) Synonym(s): *tetracantha* Herbulot,1973
- 23896) *Xenimpia transmarina* Herbulot,1961 (Geometridae) Synonym(s): *transmarina* Herbulot,1961
- 23897) *Xenimpia trizonata* (Saalmüller,1891) (Geometridae) Synonym(s): *trizonata* Saalmüller,1891; *trivittata* Mabille,1900
- 23898) *Xenimpia vastata* Herbulot,1996 (Geometridae) Synonym(s): *vastata* Herbulot,1996
- 23899) *Xenochlorodes albicostaria* Brandt,1938 (Geometridae) Synonym(s): *albicostaria* Brandt,1938
- 23900) *Xenochlorodes beryllaria* (Mann,1853) (Geometridae) Synonym(s): *beryllaria* Mann,1853; *aureliaria* Millière,1863
- 23901) *Xenochlorodes gilvoscens* Wiltshire,1966 (Geometridae) Synonym(s): *gilvoscens* Wiltshire,1966
- 23902) *Xenochlorodes graminaria* (Kollar,[1849]) (Geometridae) Synonym(s): *graminaria* Kollar,[1849]
- 23903) *Xenochlorodes magna* Wolff,1977 (Geometridae) Synonym(s): *magna* Wolff,1977
- 23904) *Xenochlorodes nubigena* (Wollaston,1858) (Geometridae) Synonym(s): *nubigena* Wollaston,1858
- 23905) *Xenochlorodes olympiaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *olympiaria* Herrich-Schäffer,[1852]; *cremonaria* Staudinger,1897; *pallida* Warren,1897.
- 23906) *Xenochlorodes petitaria* (Christoph,1887) (Geometridae) Synonym(s): *petitaria* Christoph,1887
- 23907) *Xenochlorodes postalbida* (Viidalepp,1988) (Geometridae) Synonym(s): *postalbida* Viidalepp,1988
- 23908) *Xenochlorodes xina* L.B.Prout,1916 (Geometridae) Synonym(s): *xina* L.B.Prout,1916
- 23909) *Xenochroma aetherea* Debauche,1941 (Geometridae) Synonym(s): *aetherea* Debauche,1941
- 23910) *Xenochroma angulosa* Herbulot,1984 (Geometridae) Synonym(s): *angulosa* Herbulot,1984
- 23911) *Xenochroma candidata* W.Warren,1902 (Geometridae) Synonym(s): *candidata* W.Warren,1902
- 23912) *Xenochroma dyscholorata* (W.Warren,1914) (Geometridae) Synonym(s): *dyscholorata* W.Warren,1914
- 23913) *Xenochroma palimpais* L.B.Prout,1934 (Geometridae) Synonym(s): *palimpais* L.B.Prout,1934
- 23914) *Xenochroma planimargo* L.B.Prout,1912 (Geometridae) Synonym(s): *planimargo* L.B.Prout,1912
- 23915) *Xenochroma roseimargo* Janse,1935 (Geometridae) Synonym(s): *roseimargo* Janse,1935
- 23916) *Xenochroma salsa* (W.Warren,1897) (Geometridae) Synonym(s): *salsa* W.Warren,1897
- 23917) *Xenochroma silvatica* Herbulot,1984 (Geometridae) Synonym(s): *silvatica* Herbulot,1984

- 23918) *Xenoclystia delectans* W.Warren,1906 (Geometridae) Synonym(s): *delectans* W.Warren,1906
 23919) *Xenoclystia delicata* W.Warren,1906 (Geometridae) Synonym(s): *delicata* W.Warren,1906
 23920) *Xenoclystia nigroviridata* (W.Warren,1896) (Geometridae) Synonym(s): *nigroviridata* W.Warren,1896
 23921) *Xenoclystia phaeoloma* L.B.Prout,1926 (Geometridae) Synonym(s): *phaeoloma* L.B.Prout,1926
 23922) *Xenoclystia unijuga* L.B.Prout,1926 (Geometridae) Synonym(s): *unijuga* L.B.Prout,1926
 23923) *Xenographia adustata* (Moore,1888) (Geometridae) Synonym(s): *adustata* Moore,1888
 23924) *Xenographia lignataria* W.Warren,1893 (Geometridae) Synonym(s): *lignataria* W.Warren,1893
 23925) *Xenographia manifestata* W.Warren,1897 (Geometridae) Synonym(s): *manifestata* W.Warren,1897
 23926) *Xenographia omorhusia* L.B.Prout,1929 (Geometridae) Synonym(s): *omorhusia* L.B.Prout,1929
 23927) *Xenographia semifusa* Hampson,1895 (Geometridae) Synonym(s): *semifusa* Hampson,1895; *denticulosa* W.Warren,1896
 23928) *Xenoplia contrasqualida* Inoue,1992 (Geometridae) Synonym(s): *contrasqualida* Inoue,1992
 23929) *Xenoplia foraria* (Guenée,[1858]) (Geometridae) Synonym(s): *foraria* Guenée,[1858]; *submissa* W.Warren,1893
 23930) *Xenoplia foraria foraria* (Guenée,[1858]) (Geometridae) Synonym(s): *foraria* Guenée,[1858]; *submissa* W.Warren,1893
 23931) *Xenoplia foraria terminata* (L.B.Prout,1928) (Geometridae) Synonym(s): *terminata* L.B.Prout,1928
 23932) *Xenoplia maculata* (Moore,1868) (Geometridae) Synonym(s): *maculata* Moore,1868; *subfumida* W.Warren,1894
 23933) *Xenoplia maculata punctimaculata* (L.B.Prout,1917) (Geometridae) Synonym(s): *punctimaculata* L.B.Prout,1917
 23934) *Xenoplia trivialis* (Yazaki,1987) (Geometridae) Synonym(s): *trivialis* Yazaki,1987
 23935) *Xenortholitia corioidea* (Bastelberger,1911) (Geometridae) Synonym(s): *corioidea* Bastelberger,1911
 23936) *Xenortholitia dicaea* (L.B.Prout,1911) (Geometridae) Synonym(s): *dicaea* L.B.Prout,1911
 23937) *Xenortholitia eutygramma* (Wehrli,1924) (Geometridae) Synonym(s): *eutygramma* Wehrli,1924
 23938) *Xenortholitia exacra* (Wehrli,1931) (Geometridae) Synonym(s): *exacra* Wehrli,1931
 23939) *Xenortholitia extrastrenua* (Wehrli,1931) (Geometridae) Synonym(s): *extrastrenua* Wehrli,1931
 23940) *Xenortholitia falcata* Yazaki,1993 (Geometridae) Synonym(s): *falcata* Yazaki,1993
 23941) *Xenortholitia latifusata* (Walker,1862) (Geometridae) Synonym(s): *latifusata* Walker,1862; *naemata* R.Felder & Rogenhofer,1875; *ignorata* Staudinger,1896 nec Sigr.,1892; *ignotata* Staudinger,1897
 23942) *Xenortholitia latifusata indecisa* (L.B.Prout,1937) (Geometridae) Synonym(s): *indecisa* L.B.Prout,1937
 23943) *Xenortholitia propinguata* (Kollar,[1844]) (Geometridae) Synonym(s): *propinguata* Kollar,[1844]
 23944) *Xenortholitia propinguata epigrypa* (L.B.Prout,1939) (Geometridae) Synonym(s): *epigrypa* L.B.Prout,1939
 23945) *Xenortholitia propinguata niphonica* (Butler,1878) (Geometridae) Synonym(s): *niphonica* Butler,1878
 23946) *Xenortholitia propinguata propinguata* (Kollar,[1844]) (Geometridae) Synonym(s): *propinguata* Kollar,[1844]
 23947) *Xenortholitia propinguata suavata* (Christoph,1881) (Geometridae) Synonym(s): *suavata* Christoph,1881
 23948) *Xenortholitia propinguata superlata* (L.B.Prout,1922) (Geometridae) Synonym(s): *superlata* L.B.Prout,1922; *euchora* West,1929
 23949) *Xenozancla versicolor* W.Warren,1893 (Geometridae) Synonym(s): *versicolor* W.Warren,1893
 23950) *Xerodes albisparsa* (W.Warren,1896) (Geometridae) Synonym(s): *albisparsa* W.Warren,1896; *singularis* Swinhoe,1902
 23951) *Xerodes albonotaria* (Bremer,1864) (Geometridae) Synonym(s): *albonotaria* Bremer,1864; *didyma* Wehrli,1940; *nesiotis* Wehrli,1940
 23952) *Xerodes cinerosa* (W.Warren,1895) (Geometridae) Synonym(s): *cinerosa* W.Warren,1895
 23953) *Xerodes crenulata* (Wileman,1915) (Geometridae) Synonym(s): *crenulata* Wileman,1915
 23954) *Xerodes inaccepta* (L.B.Prout,1910) (Geometridae) Synonym(s): *inaccepta* L.B.Prout,1910
 23955) *Xerodes lignicolor* (W.Warren,1897) (Geometridae) Synonym(s): *lignicolor* W.Warren,1897
 23956) *Xerodes pilosa* Holloway,[1994] (Geometridae) Synonym(s): *pilosa* Holloway,[1994]
 23957) *Xerodes ypsaria* Guenée,[1858] (Geometridae) Synonym(s): *ypsaria* Guenée,[1858]; *testacearia* Moore,1868
 23958) *Xeropteryx colombicola* (Walker,1860) (Geometridae) Synonym(s): *colombicola* (Walker,1860
 23959) *Xylinohylla hypocausta* (W.Warren,1899) (Geometridae) Synonym(s): *hypocausta* W.Warren,1899
 23960) *Xylinohylla maculata* (W.Warren,1897) (Geometridae) Synonym(s): *maculata* W.Warren,1897; *ochrea* W.Warren,1898
 23961) *Xylopteryx amieti* Herbulot,1973 (Geometridae) Synonym(s): *amieti* Herbulot,1973
 23962) *Xylopteryx anodina* Herbulot,1984 (Geometridae) Synonym(s): *anodina* Herbulot,1984
 23963) *Xylopteryx arcuata* (Walker,1862) (Geometridae) Synonym(s): *arcuata* Walker,1862; *laticinctata* Walker,1862; *sublectata* Walker,1862; *albimaculata* Hampson,1902
 23964) *Xylopteryx aucilla* L.B.Prout,1926 (Geometridae) Synonym(s): *aucilla* L.B.Prout,1926
 23965) *Xylopteryx bifida* Herbulot,1984 (Geometridae) Synonym(s): *bifida* Herbulot,1984
 23966) *Xylopteryx clathrata* Herbulot,1984 (Geometridae) Synonym(s): *clathrata* Herbulot,1984
 23967) *Xylopteryx cowani* Viette,1972 (Geometridae) Synonym(s): *cowani* Viette,1972
 23968) *Xylopteryx dargei* Herbulot,1984 (Geometridae) Synonym(s): *dargei* Herbulot,1984
 23969) *Xylopteryx doto* L.B.Prout,1925 (Geometridae) Synonym(s): *doto* L.B.Prout,1925
 23970) *Xylopteryx elongata* Herbulot,1985 (Geometridae) Synonym(s): *elongata* Herbulot,1985
 23971) *Xylopteryx emunctaria* (Guenée,[1858]) (Geometridae) Synonym(s): *emunctaria* Guenée,[1858]; *interposita* W.Warren,1902
 23972) *Xylopteryx gibbosa* Herbulot,1973 (Geometridae) Synonym(s): *gibbosa* Herbulot,1973
 23973) *Xylopteryx guichardi* Wiltshire,1982 (Geometridae) Synonym(s): *guichardi* Wiltshire,1982
 23974) *Xylopteryx lemairei* Herbulot,1984 (Geometridae) Synonym(s): *lemairei* Herbulot,1984
 23975) *Xylopteryx leroyae* D.S.Fletcher,1963 (Geometridae) Synonym(s): *leroyae* D.S.Fletcher,1963
 23976) *Xylopteryx nacaria* (Swinhoe,1904) (Geometridae) Synonym(s): *nacaria* Swinhoe,1904
 23977) *Xylopteryx nebulata* D.S.Fletcher,1963 (Geometridae) Synonym(s): *nebulata* D.S.Fletcher,1963
 23978) *Xylopteryx oneili* L.B.Prout,1932 (Geometridae) Synonym(s): *oneili* L.B.Prout,1932
 23979) *Xylopteryx phaeochyta* D.S.Fletcher,1958 (Geometridae) Synonym(s): *phaeochyta* D.S.Fletcher,1958
 23980) *Xylopteryx prasinaria* Hampson,1909 (Geometridae) Synonym(s): *prasinaria* Hampson,1909
 23981) *Xylopteryx protearia* Guenée,[1858] (Geometridae) Synonym(s): *protearia* Guenée,[1858]
 23982) *Xylopteryx protearia* Guenée,[1858] (Geometridae) Synonym(s): *protearia* Guenée,[1858]; *lucidiscata* Walker,[1863]; *africana* W.Warren,1911
 23983) *Xylopteryx prouti* Carcasson,1965 (Geometridae) Synonym(s): *prouti* Carcasson,1965
 23984) *Xylopteryx raphaelaria* (Oberthür,1890) (Geometridae) Synonym(s): *raphaelaria* Oberthür,1890
 23985) *Xylopteryx sima* L.B.Prout,1926 (Geometridae) Synonym(s): *sima* L.B.Prout,1926
 23986) *Xylopteryx triphaenata* Herbulot,1984 (Geometridae) Synonym(s): *triphaenata* Herbulot,1984
 23987) *Xylopteryx turlini* Herbulot,1984 (Geometridae) Synonym(s): *turlini* Herbulot,1984
 23988) *Xylopteryx versicolor* (W.Warren,1902) (Geometridae) Synonym(s): *versicolor* W.Warren,1902
 23989) *Yashmakia bigrisea* Holloway,[1994] (Geometridae) Synonym(s): *bigrisea* Holloway,[1994]
 23990) *Yashmakia conflagrata* (Hampson,1912) (Geometridae) Synonym(s): *conflagrata* Hampson,1912
 23991) *Yashmakia erythra* (Hampson,1891) (Geometridae) Synonym(s): *erythra* Hampson,1891
 23992) *Yashmakia loxozya* Holloway,[1994] (Geometridae) Synonym(s): *loxozya* Holloway,[1994]
 23993) *Yashmakia medionubis* (L.B.Prout,1925) (Geometridae) Synonym(s): *medionubis* L.B.Prout,1925
 23994) *Yashmakia orsinephes* (L.B.Prout,1928) (Geometridae) Synonym(s): *orsinephes* L.B.Prout,1928
 23995) *Yashmakia purpurascens* (W.Warren,1894) (Geometridae) Synonym(s): *purpurascens* W.Warren,1894; *rosearia* Leech,1897
 23996) *Yashmakia submissa* (W.Warren,1894) (Geometridae) Synonym(s): *submissa* W.Warren,1894
 23997) *Yashmakia suffusa* (W.Warren,1893) (Geometridae) Synonym(s): *suffusa* W.Warren,1893; *gopterana* Swinhoe,1894
 23998) *Yashmakia vanbraeckeli* Debauche,1941 (Geometridae) Synonym(s): *vanbraeckeli* Debauche,1941
 23999) *Yashmakia veneris* W.Warren,1901 (Geometridae) Synonym(s): *veneris* W.Warren,1901
 24000) *Zamarada ? chrysallophana* Mabilie,1900 (Geometridae) Synonym(s): *chrysallophana* Mabilie,1900
 24001) *Zamarada acerata* Pierre-Baltus,1983 (Geometridae) Synonym(s): *acerata* Pierre-Baltus,1983
 24002) *Zamarada achrochra* L.B.Prout,1928 (Geometridae) Synonym(s): *achrochra* L.B.Prout,1928
 24003) *Zamarada aclea* L.B.Prout,1912 (Geometridae) Synonym(s): *aclea* L.B.Prout,1912
 24004) *Zamarada aclys* D.S.Fletcher,1974 (Geometridae) Synonym(s): *aclys* D.S.Fletcher,1974
 24005) *Zamarada acosmeta* L.B.Prout,1921 (Geometridae) Synonym(s): *acosmeta* L.B.Prout,1921

- 24006) *Zamarada adiposata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *adiposata* R.Felder & Rogenhofer,1875
 24007) *Zamarada adiposata adiposata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *adiposata* R.Felder & Rogenhofer,1875
 24008) *Zamarada adumbrata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *adumbrata* D.S.Fletcher,1974
 24009) *Zamarada aegrotans* Herbulot,1979 (Geometridae) Synonym(s): *aegrotans* Herbulot,1979
 24010) *Zamarada aequilumata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *aequilumata* D.S.Fletcher,1974
 24011) *Zamarada aerata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *aerata* D.S.Fletcher,1974
 24012) *Zamarada aglae* Oberthür,1912 (Geometridae) Synonym(s): *aglae* Oberthür,1912
 24013) *Zamarada amelga* D.S.Fletcher,1974 (Geometridae) Synonym(s): *amelga* D.S.Fletcher,1974
 24014) *Zamarada amicta* L.B.Prout,1915 (Geometridae) Synonym(s): *amicta* L.B.Prout,1915
 24015) *Zamarada amymone* L.B.Prout,1934 (Geometridae) Synonym(s): *amymone* L.B.Prout,1934
 24016) *Zamarada anacantha* D.S.Fletcher,1974 (Geometridae) Synonym(s): *anacantha* D.S.Fletcher,1974
 24017) *Zamarada angustimargo* W.Warren,1901 (Geometridae) Synonym(s): *angustimargo* W.Warren,1901
 24018) *Zamarada anna* D.S.Fletcher,1974 (Geometridae) Synonym(s): *anna* D.S.Fletcher,1974
 24019) *Zamarada annamensis* Herbulot,1998 (Geometridae) Synonym(s): *annamensis* Herbulot,1998
 24020) *Zamarada ansorgei* Warren,1897 (Geometridae) Synonym(s): *ansorgei* Warren,1897
 24021) *Zamarada antitima* D.S.Fletcher,1974 (Geometridae) Synonym(s): *antitima* D.S.Fletcher,1974
 24022) *Zamarada apicata* Herbulot,1983 (Geometridae) Synonym(s): *apicata* Herbulot,1983
 24023) *Zamarada arguta* D.S.Fletcher,1974 (Geometridae) Synonym(s): *arguta* D.S.Fletcher,1974
 24024) *Zamarada ariste* D.S.Fletcher,1974 (Geometridae) Synonym(s): *ariste* D.S.Fletcher,1974
 24025) *Zamarada ascapthes* Prout,1925 (Geometridae) Synonym(s): *ascapthes* Prout,1925
 24026) *Zamarada ascapthes ascapthes* Prout,1925 (Geometridae) Synonym(s): *ascapthes* Prout,1925
 24027) *Zamarada astales* D.S.Fletcher,1974 (Geometridae) Synonym(s): *astales* D.S.Fletcher,1974
 24028) *Zamarada astyphele* D.S.Fletcher,1974 (Geometridae) Synonym(s): *astyphele* D.S.Fletcher,1974
 24029) *Zamarada auratisquama* Warren,1897 (Geometridae) Synonym(s): *auratisquama* Warren,1897
 24030) *Zamarada aureomarginata* Pagenstecher,1907 (Geometridae) Synonym(s): *aureomarginata* Pagenstecher,1907
 24031) *Zamarada aurolineata* Gaede,1915 (Geometridae) Synonym(s): *aurolineata* Gaede,1915
 24032) *Zamarada azona* Herbulot,1983 (Geometridae) Synonym(s): *azona* Herbulot,1983
 24033) *Zamarada baliata* (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *baliata* R.Felder & Rogenhofer,1875; *translucida* Moore,[1887]
 24034) *Zamarada bamenda* Herbulot,1975 (Geometridae) Synonym(s): *bamenda* Herbulot,1975
 24035) *Zamarada bamenda lemairei* Herbulot,1979 (Geometridae) Synonym(s): *lemairei* Herbulot,1979
 24036) *Zamarada bastelbergeri* Gaede,1915 (Geometridae) Synonym(s): *bastelbergeri* Gaede,1915; *acichemena* Prout,1934
 24037) *Zamarada bastelbergeri bastelbergeri* Gaede,1915 (Geometridae) Synonym(s): *bastelbergeri* Gaede,1915; *acichemena* Prout,1934
 24038) *Zamarada bastelbergeri trifida* Herbulot,1983 (Geometridae) Synonym(s): *trifida* Herbulot,1983
 24039) *Zamarada bathyscaphes* Prout,1912 (Geometridae) Synonym(s): *bathyscaphes* Prout,1912; *perplexa* Janse,1932
 24040) *Zamarada bernardii* D.S.Fletcher,1974 (Geometridae) Synonym(s): *bernardii* D.S.Fletcher,1974
 24041) *Zamarada bicuspidata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *bicuspidata* D.S.Fletcher,1974
 24042) *Zamarada bilobata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *bilobata* D.S.Fletcher,1974
 24043) *Zamarada bonaberiensis* Strand,1915 (Geometridae) Synonym(s): *bonaberiensis* Strand,1915
 24044) *Zamarada brevidens* Pierre-Baltus,1983 (Geometridae) Synonym(s): *brevidens* Pierre-Baltus,1983
 24045) *Zamarada calypso* Prout,1926 (Geometridae) Synonym(s): *calypso* Prout,1926
 24046) *Zamarada candelabra* D.S.Fletcher,1974 (Geometridae) Synonym(s): *candelabra* D.S.Fletcher,1974
 24047) *Zamarada candelabra candelabra* D.S.Fletcher,1974 (Geometridae) Synonym(s): *candelabra* D.S.Fletcher,1974
 24048) *Zamarada candelabra flexura* D.S.Fletcher,1974 (Geometridae) Synonym(s): *flexura* D.S.Fletcher,1974
 24049) *Zamarada canina* Herbulot,1983 (Geometridae) Synonym(s): *canina* Herbulot,1983
 24050) *Zamarada carcassoni* D.S.Fletcher,1974 (Geometridae) Synonym(s): *carcassoni* D.S.Fletcher,1974
 24051) *Zamarada cathetus* D.S.Fletcher,1974 (Geometridae) Synonym(s): *cathetus* D.S.Fletcher,1974
 24052) *Zamarada catori* Bethune-Baker,1913 (Geometridae) Synonym(s): *catori* Bethune-Baker,1913
 24053) *Zamarada cautela* D.S.Fletcher,1974 (Geometridae) Synonym(s): *cautela* D.S.Fletcher,1974
 24054) *Zamarada cepa* D.S.Fletcher,1974 (Geometridae) Synonym(s): *cepa* D.S.Fletcher,1974
 24055) *Zamarada characteristica* Orhant,1995 (Geometridae) Synonym(s): *characteristica* Orhant,1995
 24056) *Zamarada chrysopa* D.S.Fletcher,1974 (Geometridae) Synonym(s): *chrysopa* D.S.Fletcher,1974
 24057) *Zamarada chrysothyra* Hampson,1909 (Geometridae) Synonym(s): *chrysothyra* Hampson,1909
 24058) *Zamarada cinerea* D.S.Fletcher,1974 (Geometridae) Synonym(s): *cinerea* D.S.Fletcher,1974
 24059) *Zamarada cinnamomata* D.S.Fletcher,1978 (Geometridae) Synonym(s): *cinnamomata* D.S.Fletcher,1978
 24060) *Zamarada clavigera* D.S.Fletcher,1974 (Geometridae) Synonym(s): *clavigera* D.S.Fletcher,1974
 24061) *Zamarada clementi* Herbulot,1975 (Geometridae) Synonym(s): *clementi* Herbulot,1975
 24062) *Zamarada clenchi* D.S.Fletcher,1974 (Geometridae) Synonym(s): *clenchi* D.S.Fletcher,1974
 24063) *Zamarada clio* Oberthür,1912 (Geometridae) Synonym(s): *clio* Oberthür,1912
 24064) *Zamarada collarti* Debauche,1938 (Geometridae) Synonym(s): *collarti* Debauche,1938
 24065) *Zamarada consecuta* Prout,1922 (Geometridae) Synonym(s): *consecuta* Prout,1922
 24066) *Zamarada consecuta consecuta* Prout,1922 (Geometridae) Synonym(s): *consecuta* Prout,1922
 24067) *Zamarada consummata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *consummata* D.S.Fletcher,1974
 24068) *Zamarada corroborata* Herbulot,1954 (Geometridae) Synonym(s): *corroborata* Herbulot,1954
 24069) *Zamarada corymbophora* D.S.Fletcher,1974 (Geometridae) Synonym(s): *corymbophora* D.S.Fletcher,1974
 24070) *Zamarada crenulata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *crenulata* D.S.Fletcher,1974
 24071) *Zamarada crystallophana* Mabille,1900 (Geometridae) Synonym(s): *crystallophana* Mabille,1900
 24072) *Zamarada cucharita* D.S.Fletcher,1974 (Geometridae) Synonym(s): *cucharita* D.S.Fletcher,1974
 24073) *Zamarada cydippe* Herbulot,1954 (Geometridae) Synonym(s): *cydippe* Herbulot,1954
 24074) *Zamarada dargei* D.S.Fletcher,1974 (Geometridae) Synonym(s): *dargei* D.S.Fletcher,1974
 24075) *Zamarada dasyceles* D.S.Fletcher,1974 (Geometridae) Synonym(s): *dasyceles* D.S.Fletcher,1974
 24076) *Zamarada dearmata* Herbulot,1997 (Geometridae) Synonym(s): *dearmata* Herbulot,1997
 24077) *Zamarada deceptrix* W.Warren,1914 (Geometridae) Synonym(s): *deceptrix* W.Warren,1914
 24078) *Zamarada deceptrix deceptrix* Warren,1914 (Geometridae) Synonym(s): *deceptrix* Warren,1914
 24079) *Zamarada deformata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *deformata* D.S.Fletcher,1974
 24080) *Zamarada delosis* D.S.Fletcher,1974 (Geometridae) Synonym(s): *delosis* D.S.Fletcher,1974
 24081) *Zamarada delta* D.S.Fletcher,1974 (Geometridae) Synonym(s): *delta* D.S.Fletcher,1974
 24082) *Zamarada densiparsa* Prout,1922 (Geometridae) Synonym(s): *densiparsa* Prout,1922
 24083) *Zamarada dentata* D.S.Fletcher,1958 (Geometridae) Synonym(s): *dentata* D.S.Fletcher,1958
 24084) *Zamarada denticatella* Prout,1922 (Geometridae) Synonym(s): *denticatella* Prout,1922
 24085) *Zamarada denticulata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *denticulata* D.S.Fletcher,1974
 24086) *Zamarada dentigera* W.Warren,1909 (Geometridae) Synonym(s): *dentigera* W.Warren,1909
 24087) *Zamarada dentigera dentigera* Warren,1909 (Geometridae) Synonym(s): *dentigera* Warren,1909
 24088) *Zamarada dentigera stenotes* D.S.Fletcher,1974 (Geometridae) Synonym(s): *stenotes* D.S.Fletcher,1974
 24089) *Zamarada dialitha* D.S.Fletcher,1974 (Geometridae) Synonym(s): *dialitha* D.S.Fletcher,1974
 24090) *Zamarada differens* Bastelberger,1907 (Geometridae) Synonym(s): *differens* Bastelberger,1907
 24091) *Zamarada differens differens* Bastelberger,1907 (Geometridae) Synonym(s): *differens* Bastelberger,1907
 24092) *Zamarada dilata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *dilata* D.S.Fletcher,1974
 24093) *Zamarada dilucida* Warren,1909 (Geometridae) Synonym(s): *dilucida* Warren,1909
 24094) *Zamarada dione* D.S.Fletcher,1974 (Geometridae) Synonym(s): *dione* D.S.Fletcher,1974
 24095) *Zamarada disparata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *disparata* D.S.Fletcher,1974

- 24096) *Zamarada dolorosa* D.S.Fletcher,1974 (Geometridae) Synonym(s): *dolorosa* D.S.Fletcher,1974
 24097) *Zamarada dorsiplaga* Prout,1922 (Geometridae) Synonym(s): *dorsiplaga* Prout,1922
 24098) *Zamarada dyscapna* D.S.Fletcher,1974 (Geometridae) Synonym(s): *dyscapna* D.S.Fletcher,1974
 24099) *Zamarada ekphysis* D.S.Fletcher,1974 (Geometridae) Synonym(s): *ekphysis* D.S.Fletcher,1974
 24100) *Zamarada elonga* Pierre-Baltus,1983 (Geometridae) Synonym(s): *elonga* Pierre-Baltus,1983
 24101) *Zamarada emaciata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *emaciata* D.S.Fletcher,1974
 24102) *Zamarada enippe* Prout,1921 (Geometridae) Synonym(s): *enippe* Prout,1921
 24103) *Zamarada eogenaria* (Snellen,1881) (Geometridae) Synonym(s): *eogenaria* Snellen,1881
 24104) *Zamarada eogenaria cosmiaria* Swinhoe,1893 (Geometridae) Synonym(s): *cosmiaria* Swinhoe,1893; *tenuimargo* Swinhoe,1906
 24105) *Zamarada eogenaria eogenaria* (Snellen,1881) (Geometridae) Synonym(s): *eogenaria* Snellen,1881
 24106) *Zamarada episema* D.S.Fletcher,1974 (Geometridae) Synonym(s): *episema* D.S.Fletcher,1974
 24107) *Zamarada erato* Oberthür,1912 (Geometridae) Synonym(s): *erato* Oberthür,1912
 24108) *Zamarada eroessa* Prout,1915 (Geometridae) Synonym(s): *eroessa* Prout,1915
 24109) *Zamarada erosa* D.S.Fletcher,1974 (Geometridae) Synonym(s): *erosa* D.S.Fletcher,1974
 24110) *Zamarada erugata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *erugata* D.S.Fletcher,1974
 24111) *Zamarada erugata erugata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *erugata* D.S.Fletcher,1974
 24112) *Zamarada eryma* D.S.Fletcher,1974 (Geometridae) Synonym(s): *eryma* D.S.Fletcher,1974
 24113) *Zamarada eucharis* (Drury,1782) (Geometridae) Synonym(s): *eucharis* Drury,1782
 24114) *Zamarada euerces* (Prout,1928) (Geometridae) Synonym(s): *euerces* Prout,1928; *phygas* Prout,1928
 24115) *Zamarada euphrosyne* Oberthür,1912 (Geometridae) Synonym(s): *euphrosyne* Oberthür,1912
 24116) *Zamarada eurygnathus* D.S.Fletcher,1974 (Geometridae) Synonym(s): *eurygnathus* D.S.Fletcher,1974
 24117) *Zamarada euryscapes* Prout,1915 (Geometridae) Synonym(s): *euryscapes* Prout,1915
 24118) *Zamarada euterpina* Oberthür,1912 (Geometridae) Synonym(s): *euterpina* Oberthür,1912
 24119) *Zamarada excavata* Bethune-Baker,1913 (Geometridae) Synonym(s): *excavata* Bethune-Baker,1913
 24120) *Zamarada excavata acis* D.S.Fletcher,1974 (Geometridae) Synonym(s): *acis* D.S.Fletcher,1974
 24121) *Zamarada excavata excavata* Bethune-Baker,1913 (Geometridae) Synonym(s): *excavata* Bethune-Baker,1913
 24122) *Zamarada excavata pollex* D.S.Fletcher,1974 (Geometridae) Synonym(s): *pollex* D.S.Fletcher,1974
 24123) *Zamarada excisa* Hampson,1891 (Geometridae) Synonym(s): *excisa* Hampson,1891
 24124) *Zamarada exigua* D.S.Fletcher,1974 (Geometridae) Synonym(s): *exigua* D.S.Fletcher,1974
 24125) *Zamarada fallaciosa* Herbulot,1979 (Geometridae) Synonym(s): *fallaciosa* Herbulot,1979
 24126) *Zamarada ferruginata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *ferruginata* D.S.Fletcher,1974
 24127) *Zamarada fessa* Prout,1912 (Geometridae) Synonym(s): *fessa* Prout,1912
 24128) *Zamarada fibulata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *fibulata* D.S.Fletcher,1974
 24129) *Zamarada flavicaput* Warren,1901 (Geometridae) Synonym(s): *flavicaput* Warren,1901; *pyrocincta* Hampson,1910
 24130) *Zamarada flavicosta* Warren,1897 (Geometridae) Synonym(s): *flavicosta* Warren,1897
 24131) *Zamarada fletcheri* Herbulot,1975 (Geometridae) Synonym(s): *fletcheri* Herbulot,1975
 24132) *Zamarada fontaineae* Herbulot,1997 (Geometridae) Synonym(s): *fontaineae* Herbulot,1997
 24133) *Zamarada fugax* Warren,1902 (Geometridae) Synonym(s): *fugax* Warren,1902
 24134) *Zamarada fumosa* Gaede,1915 (Geometridae) Synonym(s): *fumosa* Gaede,1915
 24135) *Zamarada fusticula* D.S.Fletcher,1974 (Geometridae) Synonym(s): *fusticula* D.S.Fletcher,1974
 24136) *Zamarada gaedei* D.S.Fletcher,1974 (Geometridae) Synonym(s): *gaedei* D.S.Fletcher,1974
 24137) *Zamarada gamma* D.S.Fletcher,1958 (Geometridae) Synonym(s): *gamma* D.S.Fletcher,1958
 24138) *Zamarada geitaina* D.S.Fletcher,1974 (Geometridae) Synonym(s): *geitaina* D.S.Fletcher,1974
 24139) *Zamarada glareosa* Bastelberger,1909 (Geometridae) Synonym(s): *glareosa* Bastelberger,1909
 24140) *Zamarada glareosa glareosa* Bastelberger,1909 (Geometridae) Synonym(s): *glareosa* Bastelberger,1909
 24141) *Zamarada gracilata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *gracilata* D.S.Fletcher,1974
 24142) *Zamarada granti* Herbulot,1990 (Geometridae) Synonym(s): *granti* Herbulot,1990
 24143) *Zamarada griseola* D.S.Fletcher,1974 (Geometridae) Synonym(s): *griseola* D.S.Fletcher,1974
 24144) *Zamarada griveaudi* D.S.Fletcher,1974 (Geometridae) Synonym(s): *griveaudi* D.S.Fletcher,1974
 24145) *Zamarada herbuloti* D.S.Fletcher,1974 (Geometridae) Synonym(s): *herbuloti* D.S.Fletcher,1974
 24146) *Zamarada hero* Prout,1921 (Geometridae) Synonym(s): *hero* Prout,1921
 24147) *Zamarada hildebrandi* Herbulot,1979 (Geometridae) Synonym(s): *hildebrandi* Herbulot,1979
 24148) *Zamarada hildebrandi hildebrandi* Herbulot,1979 (Geometridae) Synonym(s): *hildebrandi* Herbulot,1979
 24149) *Zamarada hildebrandi moderata* Herbulot,1985 (Geometridae) Synonym(s): *moderata* Herbulot,1985
 24150) *Zamarada hombergi* Herbulot,1981 (Geometridae) Synonym(s): *hombergi* Herbulot,1981
 24151) *Zamarada hyalinaria* (Guenée,1858) (Geometridae) Synonym(s): *hyalinaria* Guenée,1858
 24152) *Zamarada ignicosta* Prout,1912 (Geometridae) Synonym(s): *ignicosta* Prout,1912
 24153) *Zamarada ignicosta hamulata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *hamulata* D.S.Fletcher,1974
 24154) *Zamarada ignicosta ignicosta* Prout,1912 (Geometridae) Synonym(s): *ignicosta* Prout,1912
 24155) *Zamarada ignicosta pyrilampes* Prout,1915 (Geometridae) Synonym(s): *pyrilampes* Prout,1915; *hemimeres* Prout,1915
 24156) *Zamarada ilaria* Swinhoe,1904 (Geometridae) Synonym(s): *ilaria* Swinhoe,1904
 24157) *Zamarada ilma* Prout,1922 (Geometridae) Synonym(s): *ilma* Prout,1922
 24158) *Zamarada ilma ilma* Prout,1922 (Geometridae) Synonym(s): *ilma* Prout,1922
 24159) *Zamarada incompta* D.S.Fletcher,1974 (Geometridae) Synonym(s): *incompta* D.S.Fletcher,1974
 24160) *Zamarada indacta* Herbulot,1979 (Geometridae) Synonym(s): *indacta* Herbulot,1979
 24161) *Zamarada indicata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *indicata* D.S.Fletcher,1974
 24162) *Zamarada inermis* D.S.Fletcher,1974 (Geometridae) Synonym(s): *inermis* D.S.Fletcher,1974
 24163) *Zamarada inermis inermis* D.S.Fletcher,1974 (Geometridae) Synonym(s): *inermis* D.S.Fletcher,1974
 24164) *Zamarada iobathra* Prout,1932 (Geometridae) Synonym(s): *iobathra* Prout,1932
 24165) *Zamarada iobathra iobathra* Prout,1932 (Geometridae) Synonym(s):
 24166) *Zamarada ioura* Pierre-Baltus,1983 (Geometridae) Synonym(s): *ioura* Pierre-Baltus,1983
 24167) *Zamarada ixiaria* Swinhoe,1904 (Geometridae) Synonym(s): *ixiaria* Swinhoe,1904
 24168) *Zamarada janata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *janata* D.S.Fletcher,1974
 24169) *Zamarada jansei* D.S.Fletcher,1974 (Geometridae) Synonym(s): *jansei* D.S.Fletcher,1974
 24170) *Zamarada jansei jansei* D.S.Fletcher,1974 (Geometridae) Synonym(s): *jansei* D.S.Fletcher,1974
 24171) *Zamarada justa* Herbulot,1979 (Geometridae) Synonym(s): *justa* Herbulot,1979
 24172) *Zamarada ka* Pierre-Baltus,1983 (Geometridae) Synonym(s): *ka* Pierre-Baltus,1983
 24173) *Zamarada kala* Herbulot,1975 (Geometridae) Synonym(s): *kala* Herbulot,1975
 24174) *Zamarada keraia* D.S.Fletcher,1974 (Geometridae) Synonym(s): *keraia* D.S.Fletcher,1974
 24175) *Zamarada kompsotes* D.S.Fletcher,1974 (Geometridae) Synonym(s): *kompsotes* D.S.Fletcher,1974
 24176) *Zamarada labifera* Prout,1915 (Geometridae) Synonym(s): *labifera* Prout,1915
 24177) *Zamarada labifera discata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *discata* D.S.Fletcher,1974
 24178) *Zamarada labifera labifera* Prout,1915 (Geometridae) Synonym(s): *labifera* Prout,1915
 24179) *Zamarada labrys* D.S.Fletcher,1974 (Geometridae) Synonym(s): *labrys* D.S.Fletcher,1974
 24180) *Zamarada lacinata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *lacinata* D.S.Fletcher,1974
 24181) *Zamarada latilimbata* Rebel,1948 (Geometridae) Synonym(s): *latilimbata* Rebel,1948
 24182) *Zamarada latimargo* Warren,1897 (Geometridae) Synonym(s): *latimargo* Warren,1897; *funbris* Gaede,1915
 24183) *Zamarada leona* Gaede,1915 (Geometridae) Synonym(s): *leona* Gaede,1915
 24184) *Zamarada lepta* D.S.Fletcher,1974 (Geometridae) Synonym(s): *lepta* D.S.Fletcher,1974
 24185) *Zamarada lequeuxi* Herbulot,1983 (Geometridae) Synonym(s): *lequeuxi* Herbulot,1983

- 24186) *Zamarada lima* D.S.Fletcher,1974 (Geometridae) Synonym(s): *lima* D.S.Fletcher,1974
 24187) *Zamarada longides* D.S.Fletcher,1963 (Geometridae) Synonym(s): *longides* D.S.Fletcher,1963
 24188) *Zamarada lophobela* D.S.Fletcher,1974 (Geometridae) Synonym(s): *lophobela* D.S.Fletcher,1974
 24189) *Zamarada manifesta* D.S.Fletcher,1974 (Geometridae) Synonym(s): *manifesta* D.S.Fletcher,1974
 24190) *Zamarada melanopyga* Herbulot,1954 (Geometridae) Synonym(s): *melanopyga* Herbulot,1954
 24191) *Zamarada melasma* D.S.Fletcher,1974 (Geometridae) Synonym(s): *melasma* D.S.Fletcher,1974
 24192) *Zamarada melpomene* Oberthür,1912 (Geometridae) Synonym(s): *melpomene* Oberthür,1912; *tragodica* Prout,1934
 24193) *Zamarada merga* D.S.Fletcher,1974 (Geometridae) Synonym(s): *merga* D.S.Fletcher,1974
 24194) *Zamarada mesotaenia* Prout,1931 (Geometridae) Synonym(s): *mesotaenia* Prout,1931
 24195) *Zamarada metallicata* W.Warren,1914 (Geometridae) Synonym(s): *metallicata* W.Warren,1914
 24196) *Zamarada metallica* metallica Warren,1914 (Geometridae) Synonym(s): *metallicata* Warren,1914
 24197) *Zamarada metrioscaphes* Prout,1912 (Geometridae) Synonym(s): *metrioscaphes* Prout,1912
 24198) *Zamarada metrioscaphes metrioscaphes* Prout,1912 (Geometridae) Synonym(s):
 24199) *Zamarada mimesis* D.S.Fletcher,1974 (Geometridae) Synonym(s): *mimesis* D.S.Fletcher,1974
 24200) *Zamarada minimaria* Swinhoe,1895 (Geometridae) Synonym(s): *minimaria* Swinhoe,1895; *iranica* Brandt,1941
 24201) *Zamarada minimaria arenosa* D.S.Fletcher,1974 (Geometridae) Synonym(s): *arenosa* D.S.Fletcher,1974
 24202) *Zamarada minimaria minimaria* Swinhoe,1895 (Geometridae) Synonym(s): *minimaria* Swinhoe,1895; *iranica* Brandt,1941
 24203) *Zamarada miranda* D.S.Fletcher,1974 (Geometridae) Synonym(s): *miranda* D.S.Fletcher,1974
 24204) *Zamarada modesta* Herbulot,1985 (Geometridae) Synonym(s): *modesta* Herbulot,1985
 24205) *Zamarada montana* Herbulot,1979 (Geometridae) Synonym(s): *montana* Herbulot,1979
 24206) *Zamarada montana montana* Herbulot,1979 (Geometridae) Synonym(s): *montana* Herbulot,1979
 24207) *Zamarada montana turlini* Herbulot,1979 (Geometridae) Synonym(s): *turlini* Herbulot,1979
 24208) *Zamarada mpasae* Pierre-Baltus,1985 (Geometridae) Synonym(s): *mpasae* Pierre-Baltus,1985
 24209) *Zamarada nasuta* Warren,1897 (Geometridae) Synonym(s): *nasuta* Warren,1897
 24210) *Zamarada nesiotica* D.S.Fletcher,1974 (Geometridae) Synonym(s): *nesiotica* D.S.Fletcher,1974
 24211) *Zamarada nigrapex* Herbulot,1981 (Geometridae) Synonym(s): *nigrapex* Herbulot,1981
 24212) *Zamarada ochrata* Warren,1902 (Geometridae) Synonym(s): *ochrata* Warren,1902
 24213) *Zamarada odontophora* D.S.Fletcher,1974 (Geometridae) Synonym(s): *odontophora* D.S.Fletcher,1974
 24214) *Zamarada onycha* D.S.Fletcher,1974 (Geometridae) Synonym(s): *onycha* D.S.Fletcher,1974
 24215) *Zamarada opala* Carcasson,1964 (Geometridae) Synonym(s): *opala* Carcasson,1964
 24216) *Zamarada ordinaria* Bethune-Baker,1913 (Geometridae) Synonym(s): *ordinaria* Bethune-Baker,1913; *medianata* Prout,1915.
 24217) *Zamarada ordinaria ordinaria* Bethune-Baker,1913 (Geometridae) Synonym(s): *ordinaria* Bethune-Baker,1913; *medianata* Prout,1915.
 24218) *Zamarada ostracodes* D.S.Fletcher,1974 (Geometridae) Synonym(s): *ostracodes* D.S.Fletcher,1974
 24219) *Zamarada oxybeles* D.S.Fletcher,1974 (Geometridae) Synonym(s): *oxybeles* D.S.Fletcher,1974
 24220) *Zamarada paxilla* D.S.Fletcher,1974 (Geometridae) Synonym(s): *paxilla* D.S.Fletcher,1974
 24221) *Zamarada pelobasis* D.S.Fletcher,1974 (Geometridae) Synonym(s): *pelobasis* D.S.Fletcher,1974
 24222) *Zamarada penthesis* D.S.Fletcher,1974 (Geometridae) Synonym(s): *penthesis* D.S.Fletcher,1974
 24223) *Zamarada perlepidata* (Walker,1863) (Geometridae) Synonym(s): *perlepidata* Walker,1863; *exquisita* Warren,1909
 24224) *Zamarada phaeozona* Hampson,1909 (Geometridae) Synonym(s): *phaeozona* Hampson,1909
 24225) *Zamarada phoenopasta* D.S.Fletcher,1974 (Geometridae) Synonym(s): *phoenopasta* D.S.Fletcher,1974
 24226) *Zamarada phratra* D.S.Fletcher,1978 (Geometridae) Synonym(s): *phratra* D.S.Fletcher,1978
 24227) *Zamarada phrontisaria* Swinhoe,1904 (Geometridae) Synonym(s): *phrontisaria* Swinhoe,1904
 24228) *Zamarada pinheyi* D.S.Fletcher,1956 (Geometridae) Synonym(s): *pinheyi* D.S.Fletcher,1956
 24229) *Zamarada plana* Bastelberger,1909 (Geometridae) Synonym(s): *plana* Bastelberger,1909
 24230) *Zamarada plana denticincta* Hampson,1910 (Geometridae) Synonym(s): *denticincta* Hampson,1910
 24231) *Zamarada plana plana* Bastelberger,1909 (Geometridae) Synonym(s):
 24232) *Zamarada platycephala* D.S.Fletcher,1974 (Geometridae) Synonym(s): *platycephala* D.S.Fletcher,1974
 24233) *Zamarada polycitemon* Prout,1932 (Geometridae) Synonym(s): *polycitemon* Prout,1932
 24234) *Zamarada principis* Herbulot,1958 (Geometridae) Synonym(s): *principis* Herbulot,1958
 24235) *Zamarada pringlei* D.S.Fletcher,1974 (Geometridae) Synonym(s): *pringlei* D.S.Fletcher,1974
 24236) *Zamarada prionotos* D.S.Fletcher,1974 (Geometridae) Synonym(s): *prionotos* D.S.Fletcher,1974
 24237) *Zamarada prionotos prionotos* D.S.Fletcher,1974 (Geometridae) Synonym(s): *prionotos* D.S.Fletcher,1974
 24238) *Zamarada pristis* D.S.Fletcher,1974 (Geometridae) Synonym(s): *pristis* D.S.Fletcher,1974
 24239) *Zamarada prolata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *prolata* D.S.Fletcher,1974
 24240) *Zamarada protrusa* Warren,1897 (Geometridae) Synonym(s): *protrusa* Warren,1897
 24241) *Zamarada protrusa protrusa* Warren,1897 (Geometridae) Synonym(s): *protrusa* Warren,1897
 24242) *Zamarada protrusa serrula* D.S.Fletcher,1974 (Geometridae) Synonym(s): *serrula* D.S.Fletcher,1974
 24243) *Zamarada psammites* D.S.Fletcher,1958 (Geometridae) Synonym(s): *psammites* D.S.Fletcher,1958
 24244) *Zamarada psectra* D.S.Fletcher,1974 (Geometridae) Synonym(s): *psectra* D.S.Fletcher,1974
 24245) *Zamarada psi* D.S.Fletcher,1974 (Geometridae) Synonym(s): *psi* D.S.Fletcher,1974
 24246) *Zamarada pulverosa* W.Warren,1895 (Geometridae) Synonym(s): *pulverosa* W.Warren,1895
 24247) *Zamarada pulverosa pulverosa* Warren,1895 (Geometridae) Synonym(s): *pulverosa* Warren,1895
 24248) *Zamarada purimargo* Prout,1912 (Geometridae) Synonym(s): *purimargo* Prout,1912; *viridiceps* Prout,1934
 24249) *Zamarada radula* D.S.Fletcher,1974 (Geometridae) Synonym(s): *radula* D.S.Fletcher,1974
 24250) *Zamarada reflexaria* (Walker,1863) (Geometridae) Synonym(s): *reflexaria* Walker,1863
 24251) *Zamarada reflexaria apsis* D.S.Fletcher,1974 (Geometridae) Synonym(s): *apsis* D.S.Fletcher,1974
 24252) *Zamarada reflexaria reflexaria* (Walker,1863) (Geometridae) Synonym(s): *reflexaria* Walker,1863
 24253) *Zamarada regularis* D.S.Fletcher,1974 (Geometridae) Synonym(s): *regularis* D.S.Fletcher,1974
 24254) *Zamarada regularis arcuata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *arcuata* D.S.Fletcher,1974
 24255) *Zamarada regularis regularis* D.S.Fletcher,1974 (Geometridae) Synonym(s): *regularis* D.S.Fletcher,1974
 24256) *Zamarada rhamphis* D.S.Fletcher,1974 (Geometridae) Synonym(s): *rhamphis* D.S.Fletcher,1974
 24257) *Zamarada rhodina* Pierre-Baltus,1983 (Geometridae) Synonym(s): *rhodina* Pierre-Baltus,1983
 24258) *Zamarada ruandana* Herbulot,1983 (Geometridae) Synonym(s): *ruandana* Herbulot,1983
 24259) *Zamarada rubrifascia* Pinhey,1962 (Geometridae) Synonym(s): *rubrifascia* Pinhey,1962
 24260) *Zamarada rufilinearia* Swinhoe,1904 (Geometridae) Synonym(s): *rufilinearia* Swinhoe,1904; *calliope* Oberthür,1912
 24261) *Zamarada rupta* D.S.Fletcher,1974 (Geometridae) Synonym(s): *rupta* D.S.Fletcher,1974
 24262) *Zamarada saburra* D.S.Fletcher,1974 (Geometridae) Synonym(s): *saburra* D.S.Fletcher,1974
 24263) *Zamarada sagitta* D.S.Fletcher,1974 (Geometridae) Synonym(s): *sagitta* D.S.Fletcher,1974
 24264) *Zamarada sahelica* Herbulot,1989 (Geometridae) Synonym(s): *sahelica* Herbulot,1989
 24265) *Zamarada schalida* D.S.Fletcher,1974 (Geometridae) Synonym(s): *schalida* D.S.Fletcher,1974
 24266) *Zamarada scintillans* Bastelberger,1909 (Geometridae) Synonym(s): *scintillans* Bastelberger,1909; *flavicincta* Hampson,1910
 24267) *Zamarada scriptifasciata* (Walker,1863) (Geometridae) Synonym(s): *scriptifasciata* Walker,1863
 24268) *Zamarada secutaria* (Guenée,1858) (Geometridae) Synonym(s): *secutaria* Guenée,1858
 24269) *Zamarada setosa* D.S.Fletcher,1974 (Geometridae) Synonym(s): *setosa* D.S.Fletcher,1974
 24270) *Zamarada seydeli* D.S.Fletcher,1974 (Geometridae) Synonym(s): *seydeli* D.S.Fletcher,1974
 24271) *Zamarada sicula* D.S.Fletcher,1974 (Geometridae) Synonym(s): *sicula* D.S.Fletcher,1974
 24272) *Zamarada similis* D.S.Fletcher,1974 (Geometridae) Synonym(s): *similis* D.S.Fletcher,1974
 24273) *Zamarada siniscalcarata* D.S.Fletcher,1974 (Geometridae) Synonym(s): *siniscalcarata* D.S.Fletcher,1974
 24274) *Zamarada strigilecula* D.S.Fletcher,1974 (Geometridae) Synonym(s): *strigilecula* D.S.Fletcher,1974
 24275) *Zamarada subincolaris* Gaede,1915 (Geometridae) Synonym(s): *subincolaris* Gaede,1915

- 24276) *Zamarada subinterrupta* Gaede, 1915 (Geometridae) Synonym(s): *subinterrupta* Gaede, 1915
 24277) *Zamarada suda* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *suda* D.S.Fletcher, 1974
 24278) *Zamarada symmetra* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *symmetra* D.S.Fletcher, 1974
 24279) *Zamarada terpsicore* Oberthür, 1912 (Geometridae) Synonym(s): *terpsicore* Oberthür, 1912
 24280) *Zamarada terpsicore aprica* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *aprica* D.S.Fletcher, 1974
 24281) *Zamarada terpsicore compacta* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *compacta* D.S.Fletcher, 1974
 24282) *Zamarada terpsicore terpsicore* Oberthür, 1912 (Geometridae) Synonym(s): *terpsicore* Oberthür, 1912
 24283) *Zamarada thalia* Oberthür, 1912 (Geometridae) Synonym(s): *thalia* Oberthür, 1912
 24284) *Zamarada torrida* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *torrida* D.S.Fletcher, 1974
 24285) *Zamarada tortura* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *tortura* D.S.Fletcher, 1974
 24286) *Zamarada tosta* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *tosta* D.S.Fletcher, 1974
 24287) *Zamarada toulgoeti* Herbulot, 1979 (Geometridae) Synonym(s): *toulgoeti* Herbulot, 1979
 24288) *Zamarada townsendi* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *townsendi* D.S.Fletcher, 1974
 24289) *Zamarada transvisaria* (Guenée, [1858]) (Geometridae) Synonym(s): *transvisaria* Guenée, [1858]
 24290) *Zamarada transvisaria transvisaria* (Guenée, [1858]) (Geometridae) Synonym(s): *transvisaria* Guenée, [1858]
 24291) *Zamarada triangularis* Gaede, 1915 (Geometridae) Synonym(s): *triangularis* Gaede, 1915
 24292) *Zamarada triangularis Pierre-Baltus*, 2004 (Geometridae) Synonym(s): *triangularis* Pierre-Baltus, 2004
 24293) *Zamarada tricuspidata* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *tricuspidata* D.S.Fletcher, 1974
 24294) *Zamarada tullia* Oberthür, 1913 (Geometridae) Synonym(s): *thalia* Oberthür, 1912 nec Obth., 1912; *tullia* Oberthür, 1913; *thalysia* Gaede, 1915
 24295) *Zamarada ucata* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *ucata* D.S.Fletcher, 1974
 24296) *Zamarada ucatoides* Holloway, 1994 (Geometridae) Synonym(s): *ucatoides* Holloway, 1994
 24297) *Zamarada undimarginata* Warren, 1897 (Geometridae) Synonym(s): *undimarginata* Warren, 1897
 24298) *Zamarada unisona* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *unisona* D.S.Fletcher, 1974
 24299) *Zamarada urania* Oberthür, 1912 (Geometridae) Synonym(s): *urania* Oberthür, 1912
 24300) *Zamarada varii* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *varii* D.S.Fletcher, 1974
 24301) *Zamarada varii varii* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *varii* D.S.Fletcher, 1974
 24302) *Zamarada variola* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *variola* D.S.Fletcher, 1974
 24303) *Zamarada vidua* Herbulot, 1979 (Geometridae) Synonym(s): *vidua* Herbulot, 1979
 24304) *Zamarada viettei* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *viettei* D.S.Fletcher, 1974
 24305) *Zamarada vigilans* Prout, 1915 (Geometridae) Synonym(s): *vigilans* Prout, 1915
 24306) *Zamarada vintejouxi* Herbulot, 1989 (Geometridae) Synonym(s): *vintejouxi* Herbulot, 1989
 24307) *Zamarada volsella* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *volsella* D.S.Fletcher, 1974
 24308) *Zamarada vulpina* Warren, 1897 (Geometridae) Synonym(s): *vulpina* Warren, 1897; *erna* Strand, 1915
 24309) *Zamarada weberi* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *weberi* D.S.Fletcher, 1974
 24310) *Zamarada xyle* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *xyle* D.S.Fletcher, 1974
 24311) *Zamarada xystra* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *xystra* D.S.Fletcher, 1974
 24312) *Zanclophenopha subusta* (W.Warren, 1901) (Geometridae) Synonym(s): *subusta* W.Warren, 1901
 24313) *Zanclopera falcata* W.Warren, 1894 (Geometridae) Synonym(s): *falcata* W.Warren, 1894; *calidata* W.Warren, 1905
 24314) *Zanclopera fulva* Yazaki, 1994 (Geometridae) Synonym(s): *fulva* Yazaki, 1994
 24315) *Zanclopera straminearia* Leech, 1897 (Geometridae) Synonym(s): *straminearia* Leech, 1897
 24316) *Zeheba aureata* Moore, [1887] (Geometridae) Synonym(s): *aureata* Moore, [1887]
 24317) *Zeheba aureatoides* Holloway, [1994] (Geometridae) Synonym(s): *aureatoides* Holloway, [1994]
 24318) *Zeheba dystactocrossa* L.B.Prout, 1929 (Geometridae) Synonym(s): *dystactocrossa* L.B.Prout, 1929
 24319) *Zeheba lucidata* (Walker, [1863]) (Geometridae) Synonym(s): *lucidata* Walker, [1863]
 24320) *Zeheba marginata* (Walker, 1866) (Geometridae) Synonym(s): *marginata* Walker, 1866
 24321) *Zeheba respectabilis* L.B.Prout, 1926 (Geometridae) Synonym(s): *respectabilis* L.B.Prout, 1926
 24322) *Zeheba spectabilis* (Butler, 1877) (Geometridae) Synonym(s): *spectabilis* Butler, 1877
 24323) *Zerenopsis leopardina* Felder, 1874 (Geometridae) Synonym(s): *leopardina* Felder, 1874
 24324) *Zerenopsis lepida* (Walker, 1854) (Geometridae) Synonym(s): *lepida* Walker, 1854
 24325) *Zernyia algiricaria* Lucas, 1940 (Geometridae) Synonym(s): *algiricaria* Lucas, 1940
 24326) *Zernyia annularis* L.B.Prout, 1929 (Geometridae) Synonym(s): *annularis* L.B.Prout, 1929
 24327) *Zernyia gnophoides* L.B.Prout, 1929 (Geometridae) Synonym(s): *gnophoides* L.B.Prout, 1929
 24328) *Zernyia granataria* (Staudinger, 1871) (Geometridae) Synonym(s): *granataria* Staudinger, 1871; *euconistoides* Zerny, 1927
 24329) *Zernyia maroccana* Reisser, 1933 (Geometridae) Synonym(s): *maroccana* Reisser, 1933
 24330) *Zernyia neltvai* L.B.Prout, 1929 (Geometridae) Synonym(s): *neltvai* L.B.Prout, 1929
 24331) *Zernyia selidosema* L.B.Prout, 1929 (Geometridae) Synonym(s): *selidosema* L.B.Prout, 1929
 24332) *Zeuctoboarmia albella* Herbulot, 1981 (Geometridae) Synonym(s): *albella* Herbulot, 1981
 24333) *Zeuctoboarmia amieti* Herbulot, 1973 (Geometridae) Synonym(s): *amieti* Herbulot, 1973
 24334) *Zeuctoboarmia bipandata* (L.B.Prout, 1915) (Geometridae) Synonym(s): *bipandata* L.B.Prout, 1915
 24335) *Zeuctoboarmia cataimena* (Prout, 1915) (Geometridae) Synonym(s): *cataimena* Prout, 1915
 24336) *Zeuctoboarmia contortilinea* (W.Warren, 1897) (Geometridae) Synonym(s): *contortilinea* W.Warren, 1897
 24337) *Zeuctoboarmia corolla* Herbulot, 1981 (Geometridae) Synonym(s): *corolla* Herbulot, 1981
 24338) *Zeuctoboarmia dargei* Herbulot, 1981 (Geometridae) Synonym(s): *dargei* Herbulot, 1981
 24339) *Zeuctoboarmia hyrax* (Townsend, 1952) (Geometridae) Synonym(s): *hyrax* Townsend, 1952
 24340) *Zeuctoboarmia ingens* Herbulot, 1973 (Geometridae) Synonym(s): *ingens* Herbulot, 1973
 24341) *Zeuctoboarmia lemairei* Herbulot, 1981 (Geometridae) Synonym(s): *lemairei* Herbulot, 1981
 24342) *Zeuctoboarmia ochracea* Herbulot, 1985 (Geometridae) Synonym(s): *ochracea* Herbulot, 1985
 24343) *Zeuctoboarmia pectinata* (W.Warren, 1897) (Geometridae) Synonym(s): *pectinata* W.Warren, 1897
 24344) *Zeuctoboarmia phantasma* Herbulot, 1981 (Geometridae) Synonym(s): *phantasma* Herbulot, 1981
 24345) *Zeuctoboarmia plantaei* Herbulot, 1981 (Geometridae) Synonym(s): *plantaei* Herbulot, 1981
 24346) *Zeuctoboarmia ruandana* Herbulot, 1981 (Geometridae) Synonym(s): *ruandana* Herbulot, 1981
 24347) *Zeuctoboarmia sabinei* (L.B.Prout, 1915) (Geometridae) Synonym(s): *sabinei* L.B.Prout, 1915
 24348) *Zeuctoboarmia severa* Herbulot, 1973 (Geometridae) Synonym(s): *severa* Herbulot, 1973
 24349) *Zeuctoboarmia seydeli* (L.B.Prout, 1934) (Geometridae) Synonym(s): *seydeli* L.B.Prout, 1934
 24350) *Zeuctoboarmia simplex* (L.B.Prout, 1915) (Geometridae) Synonym(s): *simplex* L.B.Prout, 1915
 24351) *Zeuctoboarmia smithi* (W.Warren, 1902) (Geometridae) Synonym(s): *smithi* W.Warren, 1902
 24352) *Zeuctoboarmia syntropha* (L.B.Prout, 1931) (Geometridae) Synonym(s): *syntropha* L.B.Prout, 1931
 24353) *Zeuctoboarmia translata* L.B.Prout, 1915 (Geometridae) Synonym(s): *translata* L.B.Prout, 1915
 24354) *Zeuctoboarmia viverra* Herbulot, 1981 (Geometridae) Synonym(s): *viverra* Herbulot, 1981
 24355) *Zeuctoboarmia werneri* (Rebel, 1917) (Geometridae) Synonym(s): *werneri* Rebel, 1917
 24356) *Ziridava asterota* L.B.Prout, 1958 (Geometridae) Synonym(s): *asterota* L.B.Prout, 1958
 24357) *Ziridava baliensis* L.B.Prout, 1958 (Geometridae) Synonym(s): *baliensis* L.B.Prout, 1958; *florensis* L.B.Prout, 1958
 24358) *Ziridava dysorga* L.B.Prout, 1928 (Geometridae) Synonym(s): *dysorga* L.B.Prout, 1928
 24359) *Ziridava gemmata* (W.Warren, 1899) (Geometridae) Synonym(s): *gemma* W.Warren, 1899; *admirabilis* W.Warren, 1903
 24360) *Ziridava kanshireiensis* L.B.Prout, 1958 (Geometridae) Synonym(s): *kanshireiensis* L.B.Prout, 1958
 24361) *Ziridava khasiensis* L.B.Prout, 1958 (Geometridae) Synonym(s): *khasiensis* L.B.Prout, 1958
 24362) *Ziridava rubridisca* (Hampson, 1891) (Geometridae) Synonym(s): *rubridisca* Hampson, 1891
 24363) *Ziridava rufinigra* (Swinhoe, 1895) (Geometridae) Synonym(s): *rufinigra* Swinhoe, 1895
 24364) *Ziridava xylinaria* (Walker, [1863]) (Geometridae) Synonym(s): *xylinaria* Walker, [1863]; *subrubrida* W.Warren, 1897; *leptomita* Turner, 1907; *subaequata* L.B.Prout, 1929

- 24365) *Zola terranea* (Butler,1879) (Geometridae) Synonym(s): *terranea* Butler,1879
 24366) *Zygophyxia consensa* (Swinhoe,1886) (Geometridae) Synonym(s): *consensa* Swinhoe,1886
 24367) *Zygophyxia erlangeri* L.B.Prout,1932 (Geometridae) Synonym(s): *erlangeri* L.B.Prout,1932
 24368) *Zygophyxia larseni* Wiltshire,1982 (Geometridae) Synonym(s): *larseni* Wiltshire,1982
 24369) *Zygophyxia palpata* L.B.Prout,1932 (Geometridae) Synonym(s): *palpata* L.B.Prout,1932
 24370) *Zygophyxia relicata* (Walker,1866) (Geometridae) Synonym(s): *relicata* Walker,1866; *demissus* Swinhoe,1887; *ooptera* Turner,1922
 24371) *Zygophyxia roseocincta* (W.Warren,1899) (Geometridae) Synonym(s): *roseocincta* W.Warren,1899
 24372) *Zygophyxia stenoptila* L.B.Prout,1916 (Geometridae) Synonym(s): *stenoptila* L.B.Prout,1916
 24373) *Zygophyxia toquilla* D.S.Fletcher,1978 (Geometridae) Synonym(s): *toquilla* D.S.Fletcher,1978
 24374) *Zygophyxia tornisecta* L.B.Prout,1916 (Geometridae) Synonym(s): *tornisecta* L.B.Prout,1916
 24375) *Zygophyxia transmeata* L.B.Prout,1931 (Geometridae) Synonym(s): *transmeata* L.B.Prout,1931
 24376) *Zythos aphrodite* (L.B.Prout,1932) (Geometridae) Synonym(s): *aphrodite* L.B.Prout,1932
 24377) *Zythos avellanea* (L.B.Prout,1932) (Geometridae) Synonym(s): *avellanea* L.B.Prout,1932
 24378) *Zythos clypeata* Yazaki,1996 (Geometridae) Synonym(s): *clypeata* Yazaki,1996
 24379) *Zythos cupreata* (Pagenstecher,1888) (Geometridae) Synonym(s): *cupreata* Pagenstecher,1888; *nebulosa* W.Warren,1897
 24380) *Zythos erotica* (L.B.Prout,1932) (Geometridae) Synonym(s): *erotica* L.B.Prout,1932
 24381) *Zythos fastigata* (L.B.Prout,1938) (Geometridae) Synonym(s): *fastigata* L.B.Prout,1938
 24382) *Zythos modesta* Yazaki,1996 (Geometridae) Synonym(s): *modesta* Yazaki,1996
 24383) *Zythos molybdina* (L.B.Prout,1938) (Geometridae) Synonym(s): *molybdina* L.B.Prout,1938
 24384) *Zythos oblitterata* (W.Warren,1897) (Geometridae) Synonym(s): *oblitterata* W.Warren,1897; *simplaria* Snellen,1899
 24385) *Zythos strigata* (W.Warren,1896) (Geometridae) Synonym(s): *strigata* W.Warren,1896
 24386) *Zythos turbata* (Walker,1862) (Geometridae) Synonym(s): *turbata* Walker,1862; *strigularia* Snellen,1886
- 24387) *Chrysocentris chrysozona* (Meyrick,1921) (Glyphipterygidae) Synonym(s): *chrysozona* Meyrick,1921
 24388) *Chrysocentris ditiorana* (Walker,1863) (Glyphipterygidae) Synonym(s): *ditiorana* Walker,1863
 24389) *Chrysocentris urania* Meyrick,1920 (Glyphipterygidae) Synonym(s): *urania* Meyrick,1920
 24390) *Electrographa argentifasciata* (Arita,1985) (Glyphipterygidae) Synonym(s): *argentifasciata* Arita,1985
 24391) *Electrographa chrysosema* (Meyrick,1933) (Glyphipterygidae) Synonym(s): *chrysosema* Meyrick,1933
 24392) *Electrographa iridesma* Meyrick,1930 (Glyphipterygidae) Synonym(s): *iridesma* Meyrick,1930
 24393) *Electrographa molybdotoma* (Diakonoff & Arita,1979) (Glyphipterygidae) Synonym(s): *molybdotoma* Diakonoff & Arita,1979
 24394) *Electrographa moriutii* (Arita,1987) (Glyphipterygidae) Synonym(s): *moriutii* Arita,1987
 24395) *Electrographa perculata* (Diakonoff,1979) (Glyphipterygidae) Synonym(s): *perculata* Diakonoff,1979
 24396) *Electrographa polychrysa* (Meyrick,1934) (Glyphipterygidae) Synonym(s): *polychrysa* Meyrick,1934
 24397) *Electrographa thiolychna* Meyrick,1912 (Glyphipterygidae) Synonym(s): *thiolychna* Meyrick,1912
 24398) *Glyphipterix alpha* Moriuti & Saito,1964 (Glyphipterygidae) Synonym(s): *alpha* Moriuti & Saito,1964
 24399) *Glyphipterix ametris* Diakonoff,1979 (Glyphipterygidae) Synonym(s): *ametris* Diakonoff,1979
 24400) *Glyphipterix amphipeda* Meyrick,1920 (Glyphipterygidae) Synonym(s): *amphipeda* Meyrick,1920
 24401) *Glyphipterix amseli* Diakonoff,1978 (Glyphipterygidae) Synonym(s): *amseli* Diakonoff,1978
 24402) *Glyphipterix antidoxa* Meyrick,1909 (Glyphipterygidae) Synonym(s): *antidoxa* Meyrick,1909
 24403) *Glyphipterix archimedica* Meyrick,1926 (Glyphipterygidae) Synonym(s): *archimedica* Meyrick,1926
 24404) *Glyphipterix argophracta* Meyrick,1926 (Glyphipterygidae) Synonym(s): *argophracta* Meyrick,1926
 24405) *Glyphipterix argyroguttella* (Ragonot,1885) (Glyphipterygidae) Synonym(s): *argyroguttella* Ragonot,1885
 24406) *Glyphipterix argyromis* Meyrick,1907 (Glyphipterygidae) Synonym(s): *argyromis* Meyrick,1907
 24407) *Glyphipterix basifasciata* Issiki,1930 (Glyphipterygidae) Synonym(s): *basifasciata* Issiki,1930; *jezonica* Matsumura,1931
 24408) *Glyphipterix bergstraesserella* (Fabricius,1781) (Glyphipterygidae) Synonym(s): *bergstraesserella* Fabricius,1781; *linneana* Hübner,[1825]; *linneella* Hübner,[1825]; *treitschkeana* Frölich,1828; *pietruskii* Novicki,1864; *altiorella* Bauer,1923
 24409) *Glyphipterix beta* Moriuti & Saito,1964 (Glyphipterygidae) Synonym(s): *beta* Moriuti & Saito,1964
 24410) *Glyphipterix bifasciella* Amsel,1959 (Glyphipterygidae) Synonym(s): *bifasciella* Amsel,1959
 24411) *Glyphipterix bohemani* (Zeller,1852) (Glyphipterygidae) Synonym(s): *bohemani* Zeller,1852
 24412) *Glyphipterix callitheia* Meyrick,1921 (Glyphipterygidae) Synonym(s): *callitheia* Meyrick,1921
 24413) *Glyphipterix carenota* Meyrick,1909 (Glyphipterygidae) Synonym(s): *carenota* Meyrick,1909
 24414) *Glyphipterix chionosoma* Diakonoff,1978 (Glyphipterygidae) Synonym(s): *chionosoma* Diakonoff,1978
 24415) *Glyphipterix climacaspis* Meyrick,1920 (Glyphipterygidae) Synonym(s): *climacaspis* Meyrick,1920
 24416) *Glyphipterix danilevskii* Diakonoff,1978 (Glyphipterygidae) Synonym(s): *danilevskii* Diakonoff,1978
 24417) *Glyphipterix decachrysa* Meyrick,1918 (Glyphipterygidae) Synonym(s): *decachrysa* Meyrick,1918
 24418) *Glyphipterix deliciosa* Diakonoff,1978 (Glyphipterygidae) Synonym(s): *deliciosa* Diakonoff,1978
 24419) *Glyphipterix delta* Moriuti & Saito,1964 (Glyphipterygidae) Synonym(s): *delta* Moriuti & Saito,1964
 24420) *Glyphipterix diaphora* Walsingham,1910 (Glyphipterygidae) Synonym(s): *diaphora* Walsingham,1910
 24421) *Glyphipterix diplotoxsa* Meyrick,1920 (Glyphipterygidae) Synonym(s): *diplotoxsa* Meyrick,1920
 24422) *Glyphipterix dolichophyes* Diakonoff,1978 (Glyphipterygidae) Synonym(s): *dolichophyes* Diakonoff,1978; *xyridota* Meyrick,1935; *oxydonta* Diakonoff,1978
 24423) *Glyphipterix equitella* (Scopoli,1763) (Glyphipterygidae) Synonym(s): *equitella* Scopoli,1763; *majorella* Heinemann & Wocke,[1876]; *minorella* Snellen,1882; *crassilunella* Rebel,1916; *zermattenensis* Amsel,1933; *sexguttella* Toll,1936
 24424) *Glyphipterix euleucotoma* Diakonoff & Arita,1976 (Glyphipterygidae) Synonym(s): *euleucotoma* Diakonoff & Arita,1976
 24425) *Glyphipterix forsterella* (Fabricius,1781) (Glyphipterygidae) Synonym(s): *forsterella* Fabricius,1781; *lucasella* Duponchel,1838; *variella* Zeller,1839; *oculatella* Zeller,1850; *albimaculella* Heimenann,1877
 24426) *Glyphipterix fortunatella* Walsingham,1908 (Glyphipterygidae) Synonym(s): *fortunatella* Walsingham,1908
 24427) *Glyphipterix funditrix* Diakonoff & Arita,1976 (Glyphipterygidae) Synonym(s): *funditrix* Diakonoff & Arita,1976
 24428) *Glyphipterix fuscoviridella* (Haworth,[1828]) (Glyphipterygidae) Synonym(s): *fuscoviridella* Haworth,[1828]; *albicostella* Duponchel,[1839]; *aereinitidella* Millièrre,1854
 24429) *Glyphipterix gamma* Moriuti & Saito,1964 (Glyphipterygidae) Synonym(s): *gamma* Moriuti & Saito,1964
 24430) *Glyphipterix gaudialis* Diakonoff & Arita,1979 (Glyphipterygidae) Synonym(s): *gaudialis* Diakonoff & Arita,1979
 24431) *Glyphipterix gemmula* Diakonoff & Arita,1979 (Glyphipterygidae) Synonym(s): *gemma* Diakonoff & Arita,1979
 24432) *Glyphipterix gianelliella* Ragonot,1885 (Glyphipterygidae) Synonym(s): *gianelliella* Ragonot,1885
 24433) *Glyphipterix grapholithoides* (Walsingham,1891) (Glyphipterygidae) Synonym(s): *grapholithoides* Walsingham,1891
 24434) *Glyphipterix haworthana* (Stephens,1834) (Glyphipterygidae) Synonym(s): *haworthana* Stephens,1834
 24435) *Glyphipterix heptaglyphella* Le Marchand,1925 (Glyphipterygidae) Synonym(s): *heptaglyphella* Le Marchand,1925
 24436) *Glyphipterix idiomorpha* Meyrick,1917 (Glyphipterygidae) Synonym(s): *idiomorpha* Meyrick,1917
 24437) *Glyphipterix imparfasciata* Arita,1979 (Glyphipterygidae) Synonym(s): *imparfasciata* Arita,1979
 24438) *Glyphipterix japonicella* Zeller,1877 (Glyphipterygidae) Synonym(s): *japonicella* Zeller,1877
 24439) *Glyphipterix loricatella* (Treitschke,1833) (Glyphipterygidae) Synonym(s): *loricatella* Treitschke,1833
 24440) *Glyphipterix luteomaculata* Arita,1979 (Glyphipterygidae) Synonym(s): *luteomaculata* Arita,1979
 24441) *Glyphipterix macrodrachma* Diakonoff,1979 (Glyphipterygidae) Synonym(s): *macrodrachma* Diakonoff,1979
 24442) *Glyphipterix magnatella* Erschoff,1877 (Glyphipterygidae) Synonym(s): *magnatella* Erschoff,1877
 24443) *Glyphipterix maritima* Diakonoff,1979 (Glyphipterygidae) Synonym(s): *maritima* Diakonoff,1979
 24444) *Glyphipterix medianella* Turati,1930 (Glyphipterygidae) Synonym(s): *medianella* Turati,1930
 24445) *Glyphipterix medica* Meyrick,1911 (Glyphipterygidae) Synonym(s): *medica* Meyrick,1911
 24446) *Glyphipterix melania* Diakonoff & Arita,1976 (Glyphipterygidae) Synonym(s): *melania* Diakonoff & Arita,1976

- 24447) *Glyphipterix nicaeella* Möschler, 1866 (Glyphipterygidae) Synonym(s): *nicaeella* Möschler, 1866
 24448) *Glyphipterix nigromarginata* Issiki, 1930 (Glyphipterygidae) Synonym(s): *nigromarginata* Issiki, 1930; *suzukii* Matsumura, 1931
 24449) *Glyphipterix octatoma* Diakonoff, 1978 (Glyphipterygidae) Synonym(s): *octatoma* Diakonoff, 1978
 24450) *Glyphipterix okui* Diakonoff & Arita, 1976 (Glyphipterygidae) Synonym(s): *okui* Diakonoff & Arita, 1976
 24451) *Glyphipterix ortholeuca* Meyrick, 1921 (Glyphipterygidae) Synonym(s): *ortholeuca* Meyrick, 1921
 24452) *Glyphipterix oxytricha* Meyrick, 1928 (Glyphipterygidae) Synonym(s): *oxytricha* Meyrick, 1928
 24453) *Glyphipterix persica* Diakonoff, 1979 (Glyphipterygidae) Synonym(s): *persica* Diakonoff, 1979
 24454) *Glyphipterix pertenuis* Diakonoff, 1979 (Glyphipterygidae) Synonym(s): *pertenuis* Diakonoff, 1979
 24455) *Glyphipterix pygmaeella* Rebel, 1896 (Glyphipterygidae) Synonym(s): *pygmaeella* Rebel, 1896
 24456) *Glyphipterix pygmaeella* Rebel, 1896 (Glyphipterygidae) Synonym(s): *pygmaeella* Rebel, 1896
 24457) *Glyphipterix regula* Diakonoff & Arita, 1976 (Glyphipterygidae) Synonym(s): *regula* Diakonoff & Arita, 1976
 24458) *Glyphipterix rhinocerope* Meyrick, 1935 (Glyphipterygidae) Synonym(s): *rhinocerope* Meyrick, 1935
 24459) *Glyphipterix schoenicolella* Boyd, 1859 (Glyphipterygidae) Synonym(s): *schoenicolella* Boyd, 1859
 24460) *Glyphipterix semiflavana* Issiki, 1930 (Glyphipterygidae) Synonym(s): *semiflavana* Issiki, 1930
 24461) *Glyphipterix semilunaris* Wollaston, 1879 (Glyphipterygidae) Synonym(s): *semilunaris* Wollaston, 1879
 24462) *Glyphipterix simplicella* Christoph, 1882 (Glyphipterygidae) Synonym(s): *simplicella* Christoph, 1882
 24463) *Glyphipterix simplicella* (Stephens, 1834) (Glyphipterygidae) Synonym(s): *simplicella* Stephens, 1834; *cognatella* Stephens, 1834; *conjunctella* Costa, 1834; *colluripennella* Costa, 1834; *aechmiella* Duponchel, 1838; *fischeriella* Zeller, 1839; *desideratella* Duponchel, 1842; *roeslerstammella* Fischer v. Roeslerstamm, 1843; *?nattani* Gozmany, 1954
 24464) *Glyphipterix speculiferella* Christoph, 1882 (Glyphipterygidae) Synonym(s): *speculiferella* Christoph, 1882
 24465) *Glyphipterix stelucha* Meyrick, 1909 (Glyphipterygidae) Synonym(s): *stelucha* Meyrick, 1909
 24466) *Glyphipterix sulcosa* Diakonoff, 1978 (Glyphipterygidae) Synonym(s): *sulcosa* Diakonoff, 1978
 24467) *Glyphipterix thrasonella* (Scopoli, 1763) (Glyphipterygidae) Synonym(s): *thrasonella* Scopoli, 1763; *klemannella* Fabricius, 1781; *fueslella* Fabricius, 1787; *fyestella* Fabricius, 1794; *ahornerella* Hübner, 1796; *seppella* Hübner, 1796; *aillyella* Hübner, 1796; *triguttella* Donovan, 1806; *fuesstii* Haworth, 1828; *equitella* Treitschke, 1833; *poeyella* Duponchel, 1838; *cladiella* Stainton, 1839; *eynrhoventella* Snellen, 1882; *albardella* Snellen, 1882; *#nitens* Banks, 1907; *struvei* Amsel, 1938
 24468) *Glyphipterix trigonodes* Arita, 1979 (Glyphipterygidae) Synonym(s): *trigonodes* Arita, 1979
 24469) *Glyphipterix umbilici* Hering, 1927 (Glyphipterygidae) Synonym(s): *umbilici* Hering, 1927; *talhouki* Diakonoff, 1978
 24470) *Lepidotarphius perornatellus* (Walker, 1864) (Glyphipterygidae) Synonym(s): *perornatellus* Walker, 1864; *splendens* Pryer, 1877
 24471) *Lepidotarphius perornatellus fulgens* Erschoff, 1877 (Glyphipterygidae) Synonym(s): *fulgens* Erschoff, 1877
 24472) *Lepidotarphius perornatellus perornatellus* (Walker, 1864) (Glyphipterygidae) Synonym(s): *perornatellus* Walker, 1864; *splendens* Pryer, 1877
 24473) *Metapodistis chrysosema* Meyrick, 1933 (Glyphipterygidae) Synonym(s): *chrysosema* Meyrick, 1933
 24474) *Metapodistis molybdotoma* Diakonoff & Arita, 1979 (Glyphipterygidae) Synonym(s): *molybdotoma* Diakonoff & Arita, 1979
 24475) *Orthotelia sparganella* (Thunberg, 1788) (Glyphipterygidae) Synonym(s): *sparganella* Thunberg, 1788; *venosa* Haworth, 1811; *tostella* Hübner, [1824]; *sparganiella* Treitschke, 1832
 24476) *Tetracanthos astrocosma* Meyrick, 1925 (Glyphipterygidae) Synonym(s): *astrocosma* Meyrick, 1925
 24477) *Ussara polystra* Meyrick, 1937 (Glyphipterygidae) Synonym(s): *polystra* Meyrick, 1937
 24478) *Acrocercops acanthidias* Meyrick, 1934 (Gracillariidae) Synonym(s): *acanthidias* Meyrick, 1934
 24479) *Acrocercops achnodes* Meyrick, 1915 (Gracillariidae) Synonym(s): *achnodes* Meyrick, 1915
 24480) *Acrocercops aeglophanes* (Turner, 1913) (Gracillariidae) Synonym(s): *aeglophanes* Turner, 1913
 24481) *Acrocercops aellomacha* (Meyrick, 1880) (Gracillariidae) Synonym(s): *aellomacha* Meyrick, 1880
 24482) *Acrocercops aemulka* Meyrick, 1916 (Gracillariidae) Synonym(s): *aemulka* Meyrick, 1916
 24483) *Acrocercops aeolella* (Meyrick, 1880) (Gracillariidae) Synonym(s): *aeolella* Meyrick, 1880
 24484) *Acrocercops affinis* Braun, 1918 (Gracillariidae) Synonym(s): *affinis* Braun, 1918
 24485) *Acrocercops albida* Turner, 1947 (Gracillariidae) Synonym(s): *albida* Turner, 1947
 24486) *Acrocercops albidorsella* Bradley, 1957 (Gracillariidae) Synonym(s): *albidorsella* Bradley, 1957
 24487) *Acrocercops albinatella* (Chambers, 1872) (Gracillariidae) Synonym(s): *albinatella* Chambers, 1872; *albinotella* Meyrick, 1912
 24488) *Acrocercops albofasciella* Yazaki, 1926 (Gracillariidae) Synonym(s): *albofasciella* Yazaki, 1926
 24489) *Acrocercops albomaculella* (Turner, 1894) (Gracillariidae) Synonym(s): *albomaculella* Turner, 1894; *#albimaculella* Turner, 1896
 24490) *Acrocercops albonmarginatum* (Walsingham, 1897) (Gracillariidae) Synonym(s): *albonmarginatum* Walsingham, 1897
 24491) *Acrocercops allactopa* Meyrick, 1916 (Gracillariidae) Synonym(s): *allactopa* Meyrick, 1916
 24492) *Acrocercops alysidota* (Meyrick, 1880) (Gracillariidae) Synonym(s): *alysidota* Meyrick, 1880; *citharoda* Meyrick, 1916
 24493) *Acrocercops amethystopa* Meyrick, 1916 (Gracillariidae) Synonym(s): *amethystopa* Meyrick, 1916
 24494) *Acrocercops amurensis* Kuznetsov, 1960 (Gracillariidae) Synonym(s): *amurensis* Kuznetsov, 1960
 24495) *Acrocercops angelica* Meyrick, 1919 (Gracillariidae) Synonym(s): *angelica* Meyrick, 1919
 24496) *Acrocercops anthogramma* Meyrick, 1921 (Gracillariidae) Synonym(s): *anthogramma* Meyrick, 1921
 24497) *Acrocercops anthracuris* Meyrick, 1926 (Gracillariidae) Synonym(s): *anthracuris* Meyrick, 1926
 24498) *Acrocercops antigrapha* Turner, 1926 (Gracillariidae) Synonym(s): *antigrapha* Turner, 1926
 24499) *Acrocercops antimima* Turner, 1940 (Gracillariidae) Synonym(s): *antimima* Turner, 1940
 24500) *Acrocercops apicella* Bradley, 1957 (Gracillariidae) Synonym(s): *apicella* Bradley, 1957
 24501) *Acrocercops apicepunctella* (Walsingham, 1891) (Gracillariidae) Synonym(s): *apicepunctella* Walsingham, 1891; *apicupunctella* Meyrick, 1912
 24502) *Acrocercops apoblepta* Turner, 1913 (Gracillariidae) Synonym(s): *apoblepta* Turner, 1913
 24503) *Acrocercops arbutella* Braun, 1925 (Gracillariidae) Synonym(s): *arbutella* Braun, 1925
 24504) *Acrocercops archepolis* (Meyrick, 1907) (Gracillariidae) Synonym(s): *archepolis* Meyrick, 1907
 24505) *Acrocercops argentigera* Diakonoff, 1955 (Gracillariidae) Synonym(s): *argentigera* Diakonoff, 1955
 24506) *Acrocercops argocosma* Meyrick, 1915 (Gracillariidae) Synonym(s): *argocosma* Meyrick, 1915
 24507) *Acrocercops argodesma* Meyrick, 1936 (Gracillariidae) Synonym(s): *argodesma* Meyrick, 1936
 24508) *Acrocercops argyraspis* Meyrick, 1908 (Gracillariidae) Synonym(s): *argyraspis* Meyrick, 1908
 24509) *Acrocercops argyrodesma* (Meyrick, 1882) (Gracillariidae) Synonym(s): *argyrodesma* Meyrick, 1882
 24510) *Acrocercops argyrosema* Turner, 1947 (Gracillariidae) Synonym(s): *argyrosema* Turner, 1947
 24511) *Acrocercops asaphogramma* Meyrick, 1920 (Gracillariidae) Synonym(s): *asaphogramma* Meyrick, 1920
 24512) *Acrocercops astericola* (Frey & Boll, 1873) (Gracillariidae) Synonym(s): *astericola* Frey & Boll, 1873
 24513) *Acrocercops astiopa* Meyrick, 1930 (Gracillariidae) Synonym(s): *astiopa* Meyrick, 1930
 24514) *Acrocercops atlantis* Meyrick, 1924 (Gracillariidae) Synonym(s): *atlantis* Meyrick, 1924
 24515) *Acrocercops attenuatum* (Walsingham, 1897) (Gracillariidae) Synonym(s): *attenuatum* Walsingham, 1897
 24516) *Acrocercops auricilla* (Stainton, 1859) (Gracillariidae) Synonym(s): *auricilla* Stainton, 1859
 24517) *Acrocercops autadelpha* (Meyrick, 1880) (Gracillariidae) Synonym(s): *autadelpha* Meyrick, 1880; *symphyletes* Turner, 1913
 24518) *Acrocercops autarithma* Meyrick, 1934 (Gracillariidae) Synonym(s): *autarithma* Meyrick, 1934
 24519) *Acrocercops axinophora* Turner, 1940 (Gracillariidae) Synonym(s): *axinophora* Turner, 1940
 24520) *Acrocercops barringtoniella* (Van Deventer, 1904) (Gracillariidae) Synonym(s): *barringtoniella* Van Deventer, 1904
 24521) *Acrocercops bifasciata* (Wallengren, 1891) (Gracillariidae) Synonym(s): *bifasciata* Wallengren, 1891
 24522) *Acrocercops bifrenis* Meyrick, 1918 (Gracillariidae) Synonym(s): *bifrenis* Meyrick, 1918
 24523) *Acrocercops bisinuata* Meyrick, 1921 (Gracillariidae) Synonym(s): *bisinuata* Meyrick, 1921
 24524) *Acrocercops brachyglypta* Meyrick, 1931 (Gracillariidae) Synonym(s): *brachyglypta* Meyrick, 1931
 24525) *Acrocercops breyeri* Bourquin, 1962 (Gracillariidae) Synonym(s): *breyeri* Bourquin, 1962
 24526) *Acrocercops brochogramma* Meyrick, 1914 (Gracillariidae) Synonym(s): *brochogramma* Meyrick, 1914
 24527) *Acrocercops brongniardella* (Fabricius, 1798) (Gracillariidae) Synonym(s): *brongniardella* Fabricius, 1798; *substriga* Haworth, 1828; *quercetella* Zeller, 1838; *curtisella* Duponchel, [1840]
 24528) *Acrocercops caementosa* Meyrick, 1915 (Gracillariidae) Synonym(s): *caementosa* Meyrick, 1915
 24529) *Acrocercops caenotheta* (Meyrick, 1880) (Gracillariidae) Synonym(s): *caenotheta* Meyrick, 1880

- 24530) *Acrocercops calicella* (Stainton,1862) (Gracillariidae) Synonym(s): *calicella* Stainton,1862
 24531) *Acrocercops calycophthalma* Meyrick,1926 (Gracillariidae) Synonym(s): *calycophthalma* Meyrick,1926
 24532) *Acrocercops camptochrysa* Meyrick,1921 (Gracillariidae) Synonym(s): *camptochrysa* Meyrick,1921
 24533) *Acrocercops candida* Turner,1947 (Gracillariidae) Synonym(s): *candida* Turner,1947
 24534) *Acrocercops castellata* Meyrick,1908 (Gracillariidae) Synonym(s): *castellata* Meyrick,1908
 24535) *Acrocercops chalcea* Turner,1926 (Gracillariidae) Synonym(s): *chalcea* Turner,1926
 24536) *Acrocercops chalceopla* (Turner,1913) (Gracillariidae) Synonym(s): *chalceopla* Turner,1913
 24537) *Acrocercops chalinosema* Meyrick,1936 (Gracillariidae) Synonym(s): *chalinosema* Meyrick,1936
 24538) *Acrocercops charitopsis* Meyrick,1915 (Gracillariidae) Synonym(s): *charitopsis* Meyrick,1915
 24539) *Acrocercops chenopa* Meyrick,1932 (Gracillariidae) Synonym(s): *chenopa* Meyrick,1932
 24540) *Acrocercops cherimoliae* Ghesquière,1940 (Gracillariidae) Synonym(s): *cherimoliae* Ghesquière,1940
 24541) *Acrocercops chionoplecta* (Meyrick,1883) (Gracillariidae) Synonym(s): *chionoplecta* Meyrick,1883
 24542) *Acrocercops chionosema* Turner,1940 (Gracillariidae) Synonym(s): *chionosema* Turner,1940
 24543) *Acrocercops chloronympha* Meyrick,1921 (Gracillariidae) Synonym(s): *chloronympha* Meyrick,1921
 24544) *Acrocercops chretiae* Vari,1961 (Gracillariidae) Synonym(s): *chretiae* Vari,1961
 24545) *Acrocercops chrysargyra* Meyrick,1908 (Gracillariidae) Synonym(s): *chrysargyra* Meyrick,1908
 24546) *Acrocercops chrysocosma* Meyrick,1915 (Gracillariidae) Synonym(s): *chrysocosma* Meyrick,1915
 24547) *Acrocercops chrysophila* Meyrick,1937 (Gracillariidae) Synonym(s): *chrysophila* Meyrick,1937
 24548) *Acrocercops chrysophylli* Vari,1961 (Gracillariidae) Synonym(s): *chrysophylli* Vari,1961
 24549) *Acrocercops chrysoplitis* Meyrick,1937 (Gracillariidae) Synonym(s): *chrysoplitis* Meyrick,1937
 24550) *Acrocercops cirrhantha* Meyrick,1915 (Gracillariidae) Synonym(s): *cirrhantha* Meyrick,1915
 24551) *Acrocercops cissiella* Busck,1934 (Gracillariidae) Synonym(s): *cissiella* Busck,1934
 24552) *Acrocercops citrodora* Meyrick,1914 (Gracillariidae) Synonym(s): *citrodora* Meyrick,1914
 24553) *Acrocercops clepsinoma* Meyrick,1916 (Gracillariidae) Synonym(s): *clepsinoma* Meyrick,1916
 24554) *Acrocercops clinogramma* Meyrick,1930 (Gracillariidae) Synonym(s): *clinogramma* Meyrick,1930
 24555) *Acrocercops clinozona* Meyrick,1920 (Gracillariidae) Synonym(s): *clinozona* Meyrick,1920
 24556) *Acrocercops clisiopa* Meyrick,1935 (Gracillariidae) Synonym(s): *clisiopa* Meyrick,1935
 24557) *Acrocercops clisiophora* Turner,1940 (Gracillariidae) Synonym(s): *clisiophora* Turner,1940
 24558) *Acrocercops clitoriella* Busck,1934 (Gracillariidae) Synonym(s): *clitoriella* Busck,1934
 24559) *Acrocercops clytosema* Meyrick,1920 (Gracillariidae) Synonym(s): *clytosema* Meyrick,1920
 24560) *Acrocercops cocciferella* (Chrétien,1910) (Gracillariidae) Synonym(s): *cocciferella* Chrétien,1910
 24561) *Acrocercops coffeifoliella* (Motschulsky,1859) (Gracillariidae) Synonym(s): *coffeifoliella* Motschulsky,1859
 24562) *Acrocercops coloptila* Meyrick,1937 (Gracillariidae) Synonym(s): *coloptila* Meyrick,1937
 24563) *Acrocercops combreticola* Vari,1961 (Gracillariidae) Synonym(s): *combreticola* Vari,1961
 24564) *Acrocercops contorta* Meyrick,1920 (Gracillariidae) Synonym(s): *contorta* Meyrick,1920
 24565) *Acrocercops convoluta* Meyrick,1908 (Gracillariidae) Synonym(s): *convoluta* Meyrick,1908
 24566) *Acrocercops cordiella* Busck,1934 (Gracillariidae) Synonym(s): *cordiella* Busck,1934
 24567) *Acrocercops cornicina* Meyrick,1908 (Gracillariidae) Synonym(s): *cornicina* Meyrick,1908
 24568) *Acrocercops crotalistis* Meyrick,1915 (Gracillariidae) Synonym(s): *crotalistis* Meyrick,1915
 24569) *Acrocercops crucigera* Meyrick,1920 (Gracillariidae) Synonym(s): *crucigera* Meyrick,1920
 24570) *Acrocercops crypsigrapha* Meyrick,1930 (Gracillariidae) Synonym(s): *crypsigrapha* Meyrick,1930
 24571) *Acrocercops crystallopa* Meyrick,1916 (Gracillariidae) Synonym(s): *crystallopa* Meyrick,1916
 24572) *Acrocercops cyanodeta* Meyrick,1918 (Gracillariidae) Synonym(s): *cyanodeta* Meyrick,1918
 24573) *Acrocercops cyclogramma* Meyrick,1921 (Gracillariidae) Synonym(s): *cyclogramma* Meyrick,1921
 24574) *Acrocercops cylicota* Meyrick,1914 (Gracillariidae) Synonym(s): *cylicota* Meyrick,1914
 24575) *Acrocercops cyma* Bradley,1957 (Gracillariidae) Synonym(s): *cyma* Bradley,1957
 24576) *Acrocercops cymella* Forbes,1931 (Gracillariidae) Synonym(s): *cymella* Forbes,1931
 24577) *Acrocercops cyphostacta* Meyrick,1921 (Gracillariidae) Synonym(s): *cyphostacta* Meyrick,1921
 24578) *Acrocercops defigurata* Meyrick,1928 (Gracillariidae) Synonym(s): *defigurata* Meyrick,1928
 24579) *Acrocercops delicata* Meyrick,1921 (Gracillariidae) Synonym(s): *delicata* Meyrick,1921
 24580) *Acrocercops demotes* Walsingham,1914 (Gracillariidae) Synonym(s): *demotes* Walsingham,1914
 24581) *Acrocercops desmochares* Meyrick,1921 (Gracillariidae) Synonym(s): *desmochares* Meyrick,1921
 24582) *Acrocercops diacentrota* Meyrick,1935 (Gracillariidae) Synonym(s): *diacentrota* Meyrick,1935
 24583) *Acrocercops diatonica* Meyrick,1916 (Gracillariidae) Synonym(s): *diatonica* Meyrick,1916
 24584) *Acrocercops didymella* (Meyrick,1880) (Gracillariidae) Synonym(s): *didymella* Meyrick,1880
 24585) *Acrocercops diffuella* (Van Deventer,1904) (Gracillariidae) Synonym(s): *diffuella* Van Deventer,1904
 24586) *Acrocercops dinosticha* Meyrick,1936 (Gracillariidae) Synonym(s): *dinosticha* Meyrick,1936
 24587) *Acrocercops diplacopa* Meyrick,1936 (Gracillariidae) Synonym(s): *diplacopa* Meyrick,1936
 24588) *Acrocercops distylii* Kumata & Kuroko,1988 (Gracillariidae) Synonym(s): *distylii* Kumata & Kuroko,1988
 24589) *Acrocercops doloploca* Meyrick,1921 (Gracillariidae) Synonym(s): *doloploca* Meyrick,1921
 24590) *Acrocercops eclampsis* Walsingham,1914 (Gracillariidae) Synonym(s): *eclampsis* Walsingham,1914
 24591) *Acrocercops encentris* Meyrick,1915 (Gracillariidae) Synonym(s): *encentris* Meyrick,1915
 24592) *Acrocercops enchlamyda* (Turner,1894) (Gracillariidae) Synonym(s): *enchlamyda* Turner,1894; *#euchlamyda* Turner,1896
 24593) *Acrocercops ennychodes* Meyrick,1921 (Gracillariidae) Synonym(s): *ennychodes* Meyrick,1921
 24594) *Acrocercops epiclina* Meyrick,1918 (Gracillariidae) Synonym(s): *epiclina* Meyrick,1918
 24595) *Acrocercops eranista* Meyrick,1918 (Gracillariidae) Synonym(s): *eranista* Meyrick,1918
 24596) *Acrocercops erebopa* Meyrick,1936 (Gracillariidae) Synonym(s): *erebopa* Meyrick,1936
 24597) *Acrocercops erioplaca* Meyrick,1918 (Gracillariidae) Synonym(s): *erioplaca* Meyrick,1918
 24598) *Acrocercops euargyra* Meyrick,1934 (Gracillariidae) Synonym(s): *euargyra* Meyrick,1934
 24599) *Acrocercops eugeniella* (Van Deventer,1904) (Gracillariidae) Synonym(s): *eugeniella* Van Deventer,1904
 24600) *Acrocercops eupetala* (Meyrick,1880) (Gracillariidae) Synonym(s): *eupetala* Meyrick,1880
 24601) *Acrocercops eurhythropa* Meyrick,1934 (Gracillariidae) Synonym(s): *eurhythropa* Meyrick,1934
 24602) *Acrocercops eurychalca* Meyrick,1920 (Gracillariidae) Synonym(s): *eurychalca* Meyrick,1920
 24603) *Acrocercops euryphanta* Meyrick,1911 (Gracillariidae) Synonym(s): *euryphanta* Meyrick,1911
 24604) *Acrocercops eurychema* Turner,1947 (Gracillariidae) Synonym(s): *eurychema* Turner,1947
 24605) *Acrocercops euthycolona* Meyrick,1931 (Gracillariidae) Synonym(s): *euthycolona* Meyrick,1931
 24606) *Acrocercops extenuata* Meyrick,1916 (Gracillariidae) Synonym(s): *extenuata* Meyrick,1916
 24607) *Acrocercops fasciculata* Meyrick,1915 (Gracillariidae) Synonym(s): *fasciculata* Meyrick,1915
 24608) *Acrocercops ficina* Vari,1961 (Gracillariidae) Synonym(s): *ficina* Vari,1961
 24609) *Acrocercops fuscipica* Bland,1980 (Gracillariidae) Synonym(s): *fuscipica* Bland,1980
 24610) *Acrocercops galeopa* Meyrick,1908 (Gracillariidae) Synonym(s): *galeopa* Meyrick,1908
 24611) *Acrocercops gemmans* Walsingham,1914 (Gracillariidae) Synonym(s): *gemmans* Walsingham,1914
 24612) *Acrocercops geologica* Meyrick,1908 (Gracillariidae) Synonym(s): *geologica* Meyrick,1908
 24613) *Acrocercops glutella* (Van Deventer,1904) (Gracillariidae) Synonym(s): *glutella* Van Deventer,1904
 24614) *Acrocercops goniodesma* Meyrick,1934 (Gracillariidae) Synonym(s): *goniodesma* Meyrick,1934
 24615) *Acrocercops gossypii* Vari,1961 (Gracillariidae) Synonym(s): *gossypii* Vari,1961
 24616) *Acrocercops grammatacma* Meyrick,1921 (Gracillariidae) Synonym(s): *grammatacma* Meyrick,1921
 24617) *Acrocercops guttiferella* Viette,1951 (Gracillariidae) Synonym(s): *guttiferella* Viette,1951
 24618) *Acrocercops habrosia* Meyrick,1921 (Gracillariidae) Synonym(s): *habrosia* Meyrick,1921
 24619) *Acrocercops hapalarga* Meyrick,1916 (Gracillariidae) Synonym(s): *hapalarga* Meyrick,1916

- 24620) *Acrocercops haplocosma* Meyrick, 1936 (Gracillariidae) Synonym(s): *haplocosma* Meyrick, 1936
 24621) *Acrocercops hapsidota* Meyrick, 1915 (Gracillariidae) Synonym(s): *hapsidota* Meyrick, 1915
 24622) *Acrocercops hastigera* Meyrick, 1915 (Gracillariidae) Synonym(s): *hastigera* Meyrick, 1915
 24623) *Acrocercops hedymopa* Turner, 1913 (Gracillariidae) Synonym(s): *hedymopa* Turner, 1913
 24624) *Acrocercops helicomitra* Meyrick, 1924 (Gracillariidae) Synonym(s): *helicomitra* Meyrick, 1924
 24625) *Acrocercops helicopa* Meyrick, 1929 (Gracillariidae) Synonym(s): *helicopa* Meyrick, 1929
 24626) *Acrocercops hemiglypta* Meyrick, 1916 (Gracillariidae) Synonym(s): *hemiglypta* Meyrick, 1916
 24627) *Acrocercops heptadrachma* Diakonoff, 1955 (Gracillariidae) Synonym(s): *heptadrachma* Diakonoff, 1955
 24628) *Acrocercops heterodoxa* Vari, 1961 (Gracillariidae) Synonym(s): *heterodoxa* Vari, 1961
 24629) *Acrocercops heteroloba* Meyrick, 1932 (Gracillariidae) Synonym(s): *heteroloba* Meyrick, 1932
 24630) *Acrocercops hexachorda* Meyrick, 1914 (Gracillariidae) Synonym(s): *hexachorda* Meyrick, 1914
 24631) *Acrocercops hexaclostia* Meyrick, 1934 (Gracillariidae) Synonym(s): *hexaclostia* Meyrick, 1934
 24632) *Acrocercops hierocosma* Meyrick, 1912 (Gracillariidae) Synonym(s): *hierocosma* Meyrick, 1912
 24633) *Acrocercops hippurista* Meyrick, 1915 (Gracillariidae) Synonym(s): *hippurista* Meyrick, 1915
 24634) *Acrocercops homalacta* Meyrick, 1927 (Gracillariidae) Synonym(s): *homalacta* Meyrick, 1927
 24635) *Acrocercops hoplocala* (Meyrick, 1880) (Gracillariidae) Synonym(s): *hoplocala* Meyrick, 1880
 24636) *Acrocercops hormista* Meyrick, 1916 (Gracillariidae) Synonym(s): *hormista* Meyrick, 1916
 24637) *Acrocercops horrens* Meyrick, 1932 (Gracillariidae) Synonym(s): *horrens* Meyrick, 1932
 24638) *Acrocercops hyphantica* Meyrick, 1912 (Gracillariidae) Synonym(s): *hyphantica* Meyrick, 1912
 24639) *Acrocercops imperfecta* Gozmany, 1960 (Gracillariidae) Synonym(s): *imperfecta* Gozmany, 1960
 24640) *Acrocercops iraniana* Triberti, 1990 (Gracillariidae) Synonym(s): *iraniana* Triberti, 1990
 24641) *Acrocercops irradians* Meyrick, 1931 (Gracillariidae) Synonym(s): *irradians* Meyrick, 1931
 24642) *Acrocercops irrorata* (Turner, 1894) (Gracillariidae) Synonym(s): *irrorata* Turner, 1894
 24643) *Acrocercops isodelta* Meyrick, 1908 (Gracillariidae) Synonym(s): *isodelta* Meyrick, 1908
 24644) *Acrocercops isotoma* Turner, 1940 (Gracillariidae) Synonym(s): *isotoma* Turner, 1940
 24645) *Acrocercops karachiella* Amsel, 1968 (Gracillariidae) Synonym(s): *karachiella* Amsel, 1968
 24646) *Acrocercops laciniella* (Meyrick, 1880) (Gracillariidae) Synonym(s): *laciniella* Meyrick, 1880
 24647) *Acrocercops largoplaga* Legrand, 1965 (Gracillariidae) Synonym(s): *largoplaga* Legrand, 1965
 24648) *Acrocercops lenticulata* Meyrick, 1922 (Gracillariidae) Synonym(s): *lenticulata* Meyrick, 1922
 24649) *Acrocercops leptalea* (Turner, 1900) (Gracillariidae) Synonym(s): *leptalea* Turner, 1900
 24650) *Acrocercops leucographa* Clarke, 1953 (Gracillariidae) Synonym(s): *leucographa* Clarke, 1953
 24651) *Acrocercops leucomochla* Turner, 1926 (Gracillariidae) Synonym(s): *leucomochla* Turner, 1926
 24652) *Acrocercops leuconota* (Zeller, 1877) (Gracillariidae) Synonym(s): *leuconota* Zeller, 1877
 24653) *Acrocercops leucophaea* Meyrick, 1919 (Gracillariidae) Synonym(s): *leucophaea* Meyrick, 1919
 24654) *Acrocercops leucostega* (Meyrick, 1932) (Gracillariidae) Synonym(s): *leucostega* Meyrick, 1932
 24655) *Acrocercops leucotoma* Turner, 1913 (Gracillariidae) Synonym(s): *leucotoma* Turner, 1913
 24656) *Acrocercops lithochalca* Meyrick, 1930 (Gracillariidae) Synonym(s): *lithochalca* Meyrick, 1930
 24657) *Acrocercops lithogramma* Meyrick, 1920 (Gracillariidae) Synonym(s): *lithogramma* Meyrick, 1920
 24658) *Acrocercops lophonota* Meyrick, 1921 (Gracillariidae) Synonym(s): *lophonota* Meyrick, 1921
 24659) *Acrocercops loxias* Meyrick, 1918 (Gracillariidae) Synonym(s): *loxias* Meyrick, 1918
 24660) *Acrocercops luctuosa* Meyrick, 1915 (Gracillariidae) Synonym(s): *luctuosa* Meyrick, 1915
 24661) *Acrocercops lyrica* Meyrick, 1908 (Gracillariidae) Synonym(s): *lyrica* Meyrick, 1908
 24662) *Acrocercops lysibathra* Meyrick, 1916 (Gracillariidae) Synonym(s): *lysibathra* Meyrick, 1916
 24663) *Acrocercops macaria* Turner, 1913 (Gracillariidae) Synonym(s): *macaria* Turner, 1913
 24664) *Acrocercops macrochalca* Meyrick, 1910 (Gracillariidae) Synonym(s): *macrochalca* Meyrick, 1910
 24665) *Acrocercops macroclina* Meyrick, 1916 (Gracillariidae) Synonym(s): *macroclina* Meyrick, 1916
 24666) *Acrocercops macroplaca* Meyrick, 1908 (Gracillariidae) Synonym(s): *macroplaca* Meyrick, 1908
 24667) *Acrocercops malvacea* Walsingham, 1907 (Gracillariidae) Synonym(s): *malvacea* Walsingham, 1907
 24668) *Acrocercops mantica* Meyrick, 1908 (Gracillariidae) Synonym(s): *mantica* Meyrick, 1908; *delographa* Meyrick, 1939
 24669) *Acrocercops maranthaceae* Busck, 1934 (Gracillariidae) Synonym(s): *maranthaceae* Busck, 1934
 24670) *Acrocercops marmarauges* Meyrick, 1936 (Gracillariidae) Synonym(s): *marmarauges* Meyrick, 1936
 24671) *Acrocercops marmaritis* Walsingham, 1914 (Gracillariidae) Synonym(s): *marmaritis* Walsingham, 1914
 24672) *Acrocercops martella* Legrand, 1965 (Gracillariidae) Synonym(s): *martella* Legrand, 1965
 24673) *Acrocercops mechanopla* Meyrick, 1934 (Gracillariidae) Synonym(s): *mechanopla* Meyrick, 1934
 24674) *Acrocercops melanactis* Meyrick, 1915 (Gracillariidae) Synonym(s): *melanactis* Meyrick, 1915
 24675) *Acrocercops melanocosma* Meyrick, 1920 (Gracillariidae) Synonym(s): *melanocosma* Meyrick, 1920
 24676) *Acrocercops melanoplecta* Meyrick, 1908 (Gracillariidae) Synonym(s): *melanoplecta* Meyrick, 1908
 24677) *Acrocercops melantherella* Busck, 1934 (Gracillariidae) Synonym(s): *melantherella* Busck, 1934
 24678) *Acrocercops mendosa* Meyrick, 1912 (Gracillariidae) Synonym(s): *mendosa* Meyrick, 1912
 24679) *Acrocercops mesochaeta* Meyrick, 1920 (Gracillariidae) Synonym(s): *mesochaeta* Meyrick, 1920
 24680) *Acrocercops microphis* Meyrick, 1921 (Gracillariidae) Synonym(s): *microphis* Meyrick, 1921
 24681) *Acrocercops myriogramma* Meyrick, 1937 (Gracillariidae) Synonym(s): *myriogramma* Meyrick, 1937
 24682) *Acrocercops nebropa* Meyrick, 1927 (Gracillariidae) Synonym(s): *nebropa* Meyrick, 1927
 24683) *Acrocercops nereis* (Meyrick, 1880) (Gracillariidae) Synonym(s): *nereis* Meyrick, 1880; *fluorescens* Turner, 1894
 24684) *Acrocercops niphocremna* Meyrick, 1932 (Gracillariidae) Synonym(s): *niphocremna* Meyrick, 1932
 24685) *Acrocercops nitidula* (Stainton, 1862) (Gracillariidae) Synonym(s): *nitidula* Stainton, 1862
 24686) *Acrocercops nolckeniella* (Zeller, 1877) (Gracillariidae) Synonym(s): *nolckeniella* Zeller, 1877
 24687) *Acrocercops obscura* (Turner, 1894) (Gracillariidae) Synonym(s): *obscura* Turner, 1894
 24688) *Acrocercops obversa* Meyrick, 1915 (Gracillariidae) Synonym(s): *obversa* Meyrick, 1915
 24689) *Acrocercops ochrifolii* Vari, 1961 (Gracillariidae) Synonym(s): *ochrifolii* Vari, 1961
 24690) *Acrocercops ochrocephala* (Meyrick, 1880) (Gracillariidae) Synonym(s): *ochrocephala* Meyrick, 1880
 24691) *Acrocercops ochronephela* Meyrick, 1908 (Gracillariidae) Synonym(s): *ochronephela* Meyrick, 1908
 24692) *Acrocercops ochroptila* Turner, 1913 (Gracillariidae) Synonym(s): *ochroptila* Turner, 1913
 24693) *Acrocercops ophiodes* (Turner, 1896) (Gracillariidae) Synonym(s): *ophiodes* Turner, 1896
 24694) *Acrocercops orbifera* Meyrick, 1908 (Gracillariidae) Synonym(s): *orbifera* Meyrick, 1908
 24695) *Acrocercops orianassa* Meyrick, 1932 (Gracillariidae) Synonym(s): *orianassa* Meyrick, 1932
 24696) *Acrocercops ortholocha* Meyrick, 1908 (Gracillariidae) Synonym(s): *ortholocha* Meyrick, 1908
 24697) *Acrocercops orthostacta* Meyrick, 1918 (Gracillariidae) Synonym(s): *orthostacta* Meyrick, 1918
 24698) *Acrocercops osteopa* Meyrick, 1920 (Gracillariidae) Synonym(s): *osteopa* Meyrick, 1920
 24699) *Acrocercops paliaema* Meyrick, 1930 (Gracillariidae) Synonym(s): *paliaema* Meyrick, 1930; *psaliacma* Meyrick, 1931
 24700) *Acrocercops panacicorticis* (Watt, 1920) (Gracillariidae) Synonym(s): *panacicorticis* Watt, 1920
 24701) *Acrocercops panacifinens* (Watt, 1920) (Gracillariidae) Synonym(s): *panacifinens* Watt, 1920
 24702) *Acrocercops panacitorsens* (Watt, 1920) (Gracillariidae) Synonym(s): *panacitorsens* Watt, 1920
 24703) *Acrocercops panacivagans* (Watt, 1920) (Gracillariidae) Synonym(s): *panacivagans* Watt, 1920
 24704) *Acrocercops panacivermiformis* (Watt, 1920) (Gracillariidae) Synonym(s): *panacivermiformis* Watt, 1920
 24705) *Acrocercops parallela* (Turner, 1894) (Gracillariidae) Synonym(s): *parallela* Turner, 1894
 24706) *Acrocercops patellata* Meyrick, 1921 (Gracillariidae) Synonym(s): *patellata* Meyrick, 1921
 24707) *Acrocercops patricia* Meyrick, 1908 (Gracillariidae) Synonym(s): *patricia* Meyrick, 1908
 24708) *Acrocercops pectinivalva* Bland, 1980 (Gracillariidae) Synonym(s): *pectinivalva* Bland, 1980
 24709) *Acrocercops penographa* Meyrick, 1920 (Gracillariidae) Synonym(s): *penographa* Meyrick, 1920

- 24710) *Acrocercops pentacycla* Meyrick, 1934 (Gracillariidae) Synonym(s): *pentacycla* Meyrick, 1934
 24711) *Acrocercops pentalocha* Meyrick, 1912 (Gracillariidae) Synonym(s): *pentalocha* Meyrick, 1912
 24712) *Acrocercops pertenuis* Turner, 1923 (Gracillariidae) Synonym(s): *pertenuis* Turner, 1923
 24713) *Acrocercops perturbata* Meyrick, 1921 (Gracillariidae) Synonym(s): *perturbata* Meyrick, 1921
 24714) *Acrocercops petalopa* Meyrick, 1934 (Gracillariidae) Synonym(s): *petalopa* Meyrick, 1934
 24715) *Acrocercops phaeodeta* Meyrick, 1927 (Gracillariidae) Synonym(s): *phaeodeta* Meyrick, 1927
 24716) *Acrocercops phaeomorpha* Meyrick, 1919 (Gracillariidae) Synonym(s): *phaeomorpha* Meyrick, 1919
 24717) *Acrocercops phaeospora* Meyrick, 1916 (Gracillariidae) Synonym(s): *phaeospora* Meyrick, 1916
 24718) *Acrocercops pharopeda* Meyrick, 1916 (Gracillariidae) Synonym(s): *pharopeda* Meyrick, 1916
 24719) *Acrocercops piligera* Meyrick, 1915 (Gracillariidae) Synonym(s): *piligera* Meyrick, 1915
 24720) *Acrocercops plebeia* Turner, 1913 (Gracillariidae) Synonym(s): *plebeia* Turner, 1913
 24721) *Acrocercops plectospila* Meyrick, 1921 (Gracillariidae) Synonym(s): *plectospila* Meyrick, 1921
 24722) *Acrocercops plocamis* Meyrick, 1908 (Gracillariidae) Synonym(s): *plocamis* Meyrick, 1908
 24723) *Acrocercops pnosmodiella* (Busck, 1902) (Gracillariidae) Synonym(s): *pnosmodiella* Busck, 1902
 24724) *Acrocercops poliocephala* Turner, 1913 (Gracillariidae) Synonym(s): *poliocephala* Turner, 1913
 24725) *Acrocercops polyclasta* Meyrick, 1919 (Gracillariidae) Synonym(s): *polyclasta* Meyrick, 1919
 24726) *Acrocercops pontifica* Forbes, 1931 (Gracillariidae) Synonym(s): *pontifica* Forbes, 1931
 24727) *Acrocercops praeclusa* Meyrick, 1914 (Gracillariidae) Synonym(s): *praeclusa* Meyrick, 1914
 24728) *Acrocercops praesecta* Meyrick, 1922 (Gracillariidae) Synonym(s): *praesecta* Meyrick, 1922
 24729) *Acrocercops prompta* Meyrick, 1916 (Gracillariidae) Synonym(s): *prompta* Meyrick, 1916
 24730) *Acrocercops prospera* Meyrick, 1920 (Gracillariidae) Synonym(s): *prospera* Meyrick, 1920
 24731) *Acrocercops psaliodes* Meyrick, 1926 (Gracillariidae) Synonym(s): *psaliodes* Meyrick, 1926
 24732) *Acrocercops punctulata* (Walsingham, 1891) (Gracillariidae) Synonym(s): *punctulata* Walsingham, 1891
 24733) *Acrocercops pylonias* Meyrick, 1921 (Gracillariidae) Synonym(s): *pylonias* Meyrick, 1921
 24734) *Acrocercops pyrigenes* (Turner, 1896) (Gracillariidae) Synonym(s): *nitidula* Turner, 1894 nec Stt., 1863; *pyrigenes* Turner, 1896
 24735) *Acrocercops quadrisecta* Meyrick, 1932 (Gracillariidae) Synonym(s): *quadrisecta* Meyrick, 1932
 24736) *Acrocercops querci* Kumata & Kuroko, 1988 (Gracillariidae) Synonym(s): *querci* Kumata & Kuroko, 1988
 24737) *Acrocercops quiquistrigella* (Chambers, 1875) (Gracillariidae) Synonym(s): *quiquistrigella* Chambers, 1875
 24738) *Acrocercops ramigera* Meyrick, 1920 (Gracillariidae) Synonym(s): *ramigera* Meyrick, 1920
 24739) *Acrocercops retrogressa* Meyrick, 1921 (Gracillariidae) Synonym(s): *retrogressa* Meyrick, 1921
 24740) *Acrocercops rhodospira* Meyrick, 1939 (Gracillariidae) Synonym(s): *rhodospira* Meyrick, 1939
 24741) *Acrocercops rhombiferellum* (Frey & Boll, 1876) (Gracillariidae) Synonym(s): *rhombiferellum* Frey & Boll, 1876
 24742) *Acrocercops rhombocosma* Meyrick, 1911 (Gracillariidae) Synonym(s): *rhombocosma* Meyrick, 1911
 24743) *Acrocercops rhostiastis* Meyrick, 1921 (Gracillariidae) Synonym(s): *rhostiastis* Meyrick, 1921
 24744) *Acrocercops rhostogramma* T.B. Fletcher, 1933 (Gracillariidae) Synonym(s): *rhostogramma* T.B. Fletcher, 1933
 24745) *Acrocercops rhynchograpta* Meyrick, 1920 (Gracillariidae) Synonym(s): *rhynchograpta* Meyrick, 1920
 24746) *Acrocercops sarcocrossa* Meyrick, 1924 (Gracillariidae) Synonym(s): *sarcocrossa* Meyrick, 1924
 24747) *Acrocercops sauropis* Meyrick, 1908 (Gracillariidae) Synonym(s): *sauropis* Meyrick, 1908
 24748) *Acrocercops scandalota* Meyrick, 1914 (Gracillariidae) Synonym(s): *scandalota* Meyrick, 1914
 24749) *Acrocercops scenias* Meyrick, 1914 (Gracillariidae) Synonym(s): *scenias* Meyrick, 1914
 24750) *Acrocercops scoliograpta* Meyrick, 1922 (Gracillariidae) Synonym(s): *scoliograpta* Meyrick, 1922
 24751) *Acrocercops scriptulata* Meyrick, 1916 (Gracillariidae) Synonym(s): *scriptulata* Meyrick, 1916
 24752) *Acrocercops selmatica* Meyrick, 1918 (Gracillariidae) Synonym(s): *selmatica* Meyrick, 1918
 24753) *Acrocercops serriformis* Meyrick, 1930 (Gracillariidae) Synonym(s): *serriformis* Meyrick, 1930
 24754) *Acrocercops serrigera* Meyrick, 1915 (Gracillariidae) Synonym(s): *serrigera* Meyrick, 1915
 24755) *Acrocercops sideroxylonella* (Busck, 1900) (Gracillariidae) Synonym(s): *sideroxylonella* Busck, 1900; *sideroxylella* Meyrick, 1912
 24756) *Acrocercops siphonaula* Meyrick, 1931 (Gracillariidae) Synonym(s): *siphonaula* Meyrick, 1931
 24757) *Acrocercops soritis* Meyrick, 1915 (Gracillariidae) Synonym(s): *soritis* Meyrick, 1915
 24758) *Acrocercops sphaerodelta* Meyrick, 1935 (Gracillariidae) Synonym(s): *sphaerodelta* Meyrick, 1935
 24759) *Acrocercops spodiophylla* Turner, 1913 (Gracillariidae) Synonym(s): *spodiophylla* Turner, 1913
 24760) *Acrocercops sporograpta* Meyrick, 1932 (Gracillariidae) Synonym(s): *sporograpta* Meyrick, 1932
 24761) *Acrocercops stalagmitis* Meyrick, 1915 (Gracillariidae) Synonym(s): *stalagmitis* Meyrick, 1915
 24762) *Acrocercops stereomita* Turner, 1913 (Gracillariidae) Synonym(s): *stereomita* Turner, 1913
 24763) *Acrocercops stricta* Meyrick, 1908 (Gracillariidae) Synonym(s): *stricta* Meyrick, 1908
 24764) *Acrocercops strigosa* Braun, 1914 (Gracillariidae) Synonym(s): *strigosa* Braun, 1914
 24765) *Acrocercops strophala* Meyrick, 1908 (Gracillariidae) Synonym(s): *strophala* Meyrick, 1908
 24766) *Acrocercops strophiaula* Meyrick, 1935 (Gracillariidae) Synonym(s): *strophiaula* Meyrick, 1935
 24767) *Acrocercops supplex* Meyrick, 1918 (Gracillariidae) Synonym(s): *supplex* Meyrick, 1918
 24768) *Acrocercops symbolopsis* Meyrick, 1936 (Gracillariidae) Synonym(s): *symbolopsis* Meyrick, 1936
 24769) *Acrocercops symmetropa* Meyrick, 1939 (Gracillariidae) Synonym(s): *symmetropa* Meyrick, 1939
 24770) *Acrocercops symploca* Turner, 1913 (Gracillariidae) Synonym(s): *symploca* Turner, 1913
 24771) *Acrocercops synclinias* Meyrick, 1931 (Gracillariidae) Synonym(s): *synclinias* Meyrick, 1931
 24772) *Acrocercops syzygiena* Vari, 1961 (Gracillariidae) Synonym(s): *syzygiena* Vari, 1961
 24773) *Acrocercops tacita* Triberti, 2001 (Gracillariidae) Synonym(s): *tacita* Triberti, 2001
 24774) *Acrocercops taeniarcha* Meyrick, 1932 (Gracillariidae) Synonym(s): *taeniarcha* Meyrick, 1932
 24775) *Acrocercops telearcha* Meyrick, 1908 (Gracillariidae) Synonym(s): *telearcha* Meyrick, 1908
 24776) *Acrocercops telestis* Meyrick, 1911 (Gracillariidae) Synonym(s): *telestis* Meyrick, 1911
 24777) *Acrocercops tenera* Meyrick, 1914 (Gracillariidae) Synonym(s): *tenera* Meyrick, 1914
 24778) *Acrocercops terminaliae* (Stainton, 1862) (Gracillariidae) Synonym(s): *terminaliae* Stainton, 1862
 24779) *Acrocercops terminalina* Vari, 1961 (Gracillariidae) Synonym(s): *terminalina* Vari, 1961
 24780) *Acrocercops tetrachorda* Turner, 1913 (Gracillariidae) Synonym(s): *tetrachorda* Turner, 1913
 24781) *Acrocercops tetracrena* Meyrick, 1908 (Gracillariidae) Synonym(s): *tetracrena* Meyrick, 1908
 24782) *Acrocercops tetradeta* Meyrick, 1926 (Gracillariidae) Synonym(s): *tetradeta* Meyrick, 1926
 24783) *Acrocercops theaeformisella* Viette, 1955 (Gracillariidae) Synonym(s): *theaeformisella* Viette, 1955
 24784) *Acrocercops thrylodes* Meyrick, 1930 (Gracillariidae) Synonym(s): *thrylodes* Meyrick, 1930
 24785) *Acrocercops thylacaula* Meyrick, 1932 (Gracillariidae) Synonym(s): *thylacaula* Meyrick, 1932
 24786) *Acrocercops tomia* Bradley, 1956 (Gracillariidae) Synonym(s): *tomia* Bradley, 1956
 24787) *Acrocercops transecta* Meyrick, 1931 (Gracillariidae) Synonym(s): *transecta* Meyrick, 1931
 24788) *Acrocercops trapezoides* (Turner, 1894) (Gracillariidae) Synonym(s): *trapezoides* Turner, 1894
 24789) *Acrocercops triacris* Meyrick, 1908 (Gracillariidae) Synonym(s): *triacris* Meyrick, 1908
 24790) *Acrocercops tricalyx* Meyrick, 1921 (Gracillariidae) Synonym(s): *tricalyx* Meyrick, 1921
 24791) *Acrocercops tricirra* Meyrick, 1935 (Gracillariidae) Synonym(s): *tricirra* Meyrick, 1935
 24792) *Acrocercops tricuneatella* (Meyrick, 1880) (Gracillariidae) Synonym(s): *tricuneatella* Meyrick, 1880
 24793) *Acrocercops tricyma* Meyrick, 1908 (Gracillariidae) Synonym(s): *tricyma* Meyrick, 1908
 24794) *Acrocercops trimetalla* Meyrick, 1915 (Gracillariidae) Synonym(s): *trimetalla* Meyrick, 1915
 24795) *Acrocercops tripolis* Meyrick, 1921 (Gracillariidae) Synonym(s): *tripolis* Meyrick, 1921
 24796) *Acrocercops triscalma* Meyrick, 1916 (Gracillariidae) Synonym(s): *triscalma* Meyrick, 1916
 24797) *Acrocercops trisigillata* Meyrick, 1921 (Gracillariidae) Synonym(s): *trisigillata* Meyrick, 1921
 24798) *Acrocercops trissoptila* Meyrick, 1921 (Gracillariidae) Synonym(s): *trissoptila* Meyrick, 1921
 24799) *Acrocercops tristaniae* (Turner, 1894) (Gracillariidae) Synonym(s): *tristaniae* Turner, 1894

- 24800) *Acrocercops undifraga* Meyrick, 1931 (Gracillariidae) Synonym(s): *undifraga* Meyrick, 1931
 24801) *Acrocercops unilineata* (Turner, 1894) (Gracillariidae) Synonym(s): *unilineata* Turner, 1894
 24802) *Acrocercops unipuncta* Bradley, 1957 (Gracillariidae) Synonym(s): *unipuncta* Bradley, 1957
 24803) *Acrocercops unistriata* Yuan, 1986 (Gracillariidae) Synonym(s): *unistriata* Yuan, 1986
 24804) *Acrocercops urbanella* (Zeller, 1877) (Gracillariidae) Synonym(s): *urbanella* Zeller, 1877
 24805) *Acrocercops ustulatella* (Stainton, 1859) (Gracillariidae) Synonym(s): *ustulatella* Stainton, 1859
 24806) *Acrocercops vallata* Kumata & Kuroko, 1988 (Gracillariidae) Synonym(s): *vallata* Kumata & Kuroko, 1988
 24807) *Acrocercops vanula* Meyrick, 1912 (Gracillariidae) Synonym(s): *vanula* Meyrick, 1912
 24808) *Acrocercops viatica* Meyrick, 1916 (Gracillariidae) Synonym(s): *viatica* Meyrick, 1916
 24809) *Acrocercops walsinghami* (Rebel, 1907) (Gracillariidae) Synonym(s): *walsinghami* Rebel, 1907
 24810) *Acrocercops xeniella* (Zeller, 1877) (Gracillariidae) Synonym(s): *xeniella* Zeller, 1877
 24811) *Acrocercops xystrota* Meyrick, 1915 (Gracillariidae) Synonym(s): *xystrota* Meyrick, 1915
 24812) *Acrocercops zadocaea* Meyrick, 1912 (Gracillariidae) Synonym(s): *zadocaea* Meyrick, 1912
 24813) *Acrocercops zamenopa* Meyrick, 1934 (Gracillariidae) Synonym(s): *zamenopa* Meyrick, 1934
 24814) *Acrocercops zebrulella* Forbes, 1931 (Gracillariidae) Synonym(s): *zebrulella* Forbes, 1931
 24815) *Acrocercops zopherandra* Meyrick, 1931 (Gracillariidae) Synonym(s): *zopherandra* Meyrick, 1931
 24816) *Acrocercops zorionella* (Hudson, 1918) (Gracillariidae) Synonym(s): *zorionella* Hudson, 1918
 24817) *Acrocercops zygonoma* Meyrick, 1921 (Gracillariidae) Synonym(s): *zygonoma* Meyrick, 1921
 24818) *Africaphala timaea* (Meyrick, 1914) (Gracillariidae) Synonym(s): *timaea* Meyrick, 1914
 24819) *Aistaea machaerophora* (Turner, 1940) (Gracillariidae) Synonym(s): *machaerophora* Turner, 1940
 24820) *Amblyptila cynanchi* Vari, 1961 (Gracillariidae) Synonym(s): *cynanchi* Vari, 1961
 24821) *Amblyptila strophantina* Vari, 1961 (Gracillariidae) Synonym(s): *strophantina* Vari, 1961
 24822) *Apistoneura psarochroma* Vari, 1961 (Gracillariidae) Synonym(s): *psarochroma* Vari, 1961
 24823) *Apophthisis congregata* Braun, 1923 (Gracillariidae) Synonym(s): *congregata* Braun, 1923
 24824) *Apophthisis pullata* Braun, 1915 (Gracillariidae) Synonym(s): *pullata* Braun, 1915
 24825) *Aristaea acares* (Turner, 1939) (Gracillariidae) Synonym(s): *acares* Turner, 1939
 24826) *Aristaea amalopa* (Meyrick, 1907) (Gracillariidae) Synonym(s): *amalopa* Meyrick, 1907
 24827) *Aristaea atrata* Triberti, 1985 (Gracillariidae) Synonym(s): *atrata* Triberti, 1985
 24828) *Aristaea bathracma* (Meyrick, 1912) (Gracillariidae) Synonym(s): *bathracma* Meyrick, 1912; *asteris* Kumata, 1977
 24829) *Aristaea eurygramma* Vari, 1961 (Gracillariidae) Synonym(s): *eurygramma* Vari, 1961
 24830) *Aristaea issikii* Kumata, 1977 (Gracillariidae) Synonym(s): *issikii* Kumata, 1977
 24831) *Aristaea onychota* (Meyrick, 1908) (Gracillariidae) Synonym(s): *onychota* Meyrick, 1908
 24832) *Aristaea pavoniella* (Zeller, 1847) (Gracillariidae) Synonym(s): *pavoniella* Zeller, 1847; *latisecta* Meyrick, 1922
 24833) *Aristaea thalassias* (Meyrick, 1880) (Gracillariidae) Synonym(s): *thalassias* Meyrick, 1880
 24834) *Aristaea vietnamella* Kuznetsov & Baryshnikova, 2001 (Gracillariidae) Synonym(s): *vietnamella* Kuznetsov & Baryshnikova, 2001
 24835) *Artifodina himalaica* Kumata, 1985 (Gracillariidae) Synonym(s): *himalaica* Kumata, 1985
 24836) *Artifodina japonica* Kumata, 1985 (Gracillariidae) Synonym(s): *japonica* Kumata, 1985
 24837) *Artifodina kurokoi* Kumata, 1995 (Gracillariidae) Synonym(s): *kurokoi* Kumata, 1995
 24838) *Artifodina siamensis* Kumata, 1995 (Gracillariidae) Synonym(s): *siamensis* Kumata, 1995
 24839) *Artifodina strigulata* Kumata, 1985 (Gracillariidae) Synonym(s): *strigulata* Kumata, 1985
 24840) *Aspilapteryx* (Sabulopteryx) *inquinata* Triberti, 1985 (Gracillariidae) Synonym(s): *inquinata* Triberti, 1985
 24841) *Aspilapteryx* (Sabulopteryx) *limosella* (Duponchel, 1844) (Gracillariidae) Synonym(s): *limosella* Duponchel, 1844
 24842) *Aspilapteryx* (s.str.) *magna* Triberti, 1985 (Gracillariidae) Synonym(s): *magna* Triberti, 1985
 24843) *Aspilapteryx* (s.str.) *multipunctella* (Chrétien, 1917) (Gracillariidae) Synonym(s): *multipunctella* Chrétien, 1917; *anagensis* Klimesch, 1979
 24844) *Aspilapteryx* (s.str.) *seriata* (Meyrick, 1912) (Gracillariidae) Synonym(s): *seriata* Meyrick, 1912
 24845) *Aspilapteryx* (s.str.) *spectabilis* Huemer, 1994 (Gracillariidae) Synonym(s): *spectabilis* Huemer, 1994
 24846) *Aspilapteryx* (s.str.) *tessellata* (Turner, 1940) (Gracillariidae) Synonym(s): *tessellata* Turner, 1940
 24847) *Aspilapteryx* (s.str.) *tringipennella* (Zeller, 1839) (Gracillariidae) Synonym(s): *tringipennella* Zeller, 1839; *fringilella* Duponchel, 1843.
 24848) *Borboryctis euryae* Kumata & Kuroko, 1988 (Gracillariidae) Synonym(s): *euryae* Kumata & Kuroko, 1988
 24849) *Borboryctis triplaca* (Meyrick, 1908) (Gracillariidae) Synonym(s): *triplaca* Meyrick, 1908
 24850) *Callicercops iridocrossa* (Meyrick, 1938) (Gracillariidae) Synonym(s): *iridocrossa* Meyrick, 1938; *yakusimensis* Kumata & Kuroko, 1988
 24851) *Callicercops milloiti* (Viette, 1951) (Gracillariidae) Synonym(s): *milloti* Viette, 1951
 24852) *Callicercops tricerus* (Meyrick, 1926) (Gracillariidae) Synonym(s): *tricerus* Meyrick, 1926; *triactis* Meyrick, 1930
 24853) *Callisto albicinctella* Kuznetsov, 1979 (Gracillariidae) Synonym(s): *albicinctella* Kuznetsov, 1979
 24854) *Callisto coffeella* (Zetterstedt, [1839]) (Gracillariidae) Synonym(s): *coffeella* Zetterstedt, [1839]; *interruptella* Zetterstedt, [1839]; *caelatella* Zeller, 1847; *alpicola* Gibeaux, 1990
 24855) *Callisto denticulella* (Thunberg, 1794) (Gracillariidae) Synonym(s): *denticulella* Thunberg, 1794; *gyllenhalella* Thunberg, 1794; *malinella* Hübner, [1813]; *guttea* Haworth, 1828; *guttiferella* Duponchel, 1840; *marginimaculella* Eversmann, 1844; *guttella* Doubleday, 1859; *solitariella* Dietz, 1907
 24856) *Callisto elegantella* Kuznetsov, 1979 (Gracillariidae) Synonym(s): *elegantella* Kuznetsov, 1979
 24857) *Callisto insperatella* (Nickerl, 1864) (Gracillariidae) Synonym(s): *insperatella* Nickerl, 1864
 24858) *Callisto pfaffenzerleri* (Frey, 1856) (Gracillariidae) Synonym(s): *pfaffenzerleri* Frey, 1856
 24859) *Caloptilia* (?) *leucolitha* (Meyrick, 1912) (Gracillariidae) Synonym(s): *leucolitha* Meyrick, 1912
 24860) *Caloptilia* (?) *scaeodesma* (Meyrick, 1928) (Gracillariidae) Synonym(s): *scaeodesma* Meyrick, 1928
 24861) *Caloptilia* (?) *selimpat* Yuan & G.S.Robinson, 1993 (Gracillariidae) Synonym(s): *selimpat* Yuan & G.S.Robinson, 1993
 24862) *Caloptilia* (?) *teucra* (Meyrick, 1934) (Gracillariidae) Synonym(s): *teucra* Meyrick, 1934
 24863) *Caloptilia* (Phylloptilia) *syrphetias* (Meyrick, 1907) (Gracillariidae) Synonym(s): *syrphetias* Meyrick, 1907; *zopherotarsa* Meyrick, 1936; *perseella* Kumata, 1982
 24864) *Caloptilia* (Povolnya) *aeolospila* (Meyrick, 1938) (Gracillariidae) Synonym(s): *aeolospila* Meyrick, 1938
 24865) *Caloptilia* (Povolnya) *jelita* Yuan & G.S.Robinson, 1993 (Gracillariidae) Synonym(s): *jelita* Yuan & G.S.Robinson, 1993
 24866) *Caloptilia* (Povolnya) *leucapennella* (Stephens, 1835) (Gracillariidae) Synonym(s): *sulphurella* Haworth, [1828] nec Fabr., 1777; *leucapennella* Stephens, 1835; *citrinellum* Zeller, 1839; *aurantiella* Peyerimhoff, 1871.
 24867) *Caloptilia* (Rhadinoptilia) *dicamica* Yuan & G.S.Robinson, 1993 (Gracillariidae) Synonym(s): *dicamica* Yuan & G.S.Robinson, 1993
 24868) *Caloptilia* (Sphyrophora) *sapina* Vari, 1961 (Gracillariidae) Synonym(s): *sapina* Vari, 1961
 24869) *Caloptilia* (Timodora) *acinata* Yuan & G.S.Robinson, 1993 (Gracillariidae) Synonym(s): *acinata* Yuan & G.S.Robinson, 1993
 24870) *Caloptilia* (Timodora) *isela* (Meyrick, 1914) (Gracillariidae) Synonym(s): *isela* Meyrick, 1914; *haplocharis* Meyrick, 1935
 24871) *Caloptilia* (Timodora) *protiella* (Deventer, 1904) (Gracillariidae) Synonym(s): *protiella* Deventer, 1904; *corollata* Meyrick, 1933; *elongata* Kumata, 1982
 24872) *Caloptilia* (s.str.) *acericolella* Kuznetsov, 1981 (Gracillariidae) Synonym(s): *acericolella* Kuznetsov, 1981
 24873) *Caloptilia* (s.str.) *acerivorella* (Kuznetsov, 1960) (Gracillariidae) Synonym(s): *acerivorella* Kuznetsov, 1960
 24874) *Caloptilia* (s.str.) *aeolocentra* (Meyrick, 1922) (Gracillariidae) Synonym(s): *aeolocentra* Meyrick, 1922
 24875) *Caloptilia* (s.str.) *alchimiella* (Scopoli, 1763) (Gracillariidae) Synonym(s): *alchimiella* Scopoli, 1763; *crucifera* Fourcroy, 1785; *swederella* Thunberg, 1788; *thunbergella* Fabricius, 1794; *francella* Hübner, 1796; *thunbergii* Haworth, 1828; *hilaripennella* Treitschke, 1833; *sardiniella* Amsel, 1936
 24876) *Caloptilia* (s.str.) *ariana* (Meyrick, 1914) (Gracillariidae) Synonym(s): *ariana* Meyrick, 1914; *heliciae* Kumata, 1966
 24877) *Caloptilia* (s.str.) *aurifasciata* Kumata, 1982 (Gracillariidae) Synonym(s): *aurifasciata* Kumata, 1982
 24878) *Caloptilia* (s.str.) *aurita* Triberti, 1989 (Gracillariidae) Synonym(s): *aurita* Triberti, 1989
 24879) *Caloptilia* (s.str.) *azaleella* (Brants, 1913) (Gracillariidae) Synonym(s): *azaleella* Brants, 1913; *azaleae* Busck, 1914; *anthracosperma* Meyrick, 1931
 24880) *Caloptilia* (s.str.) *baringi* Yuan & G.S.Robinson, 1993 (Gracillariidae) Synonym(s): *baringi* Yuan & G.S.Robinson, 1993
 24881) *Caloptilia* (s.str.) *betulicola* (Hering, 1927) (Gracillariidae) Synonym(s): *betulicola* Hering, 1927
 24882) *Caloptilia* (s.str.) *braccatella* (Staudinger, 1870) (Gracillariidae) Synonym(s): *braccatella* Staudinger, 1870; *?mutilata* Staudinger, 1880
 24883) *Caloptilia* (s.str.) *celtina* Vari, 1961 (Gracillariidae) Synonym(s): *celtina* Vari, 1961
 24884) *Caloptilia* (s.str.) *chrysoplaca* Vari, 1961 (Gracillariidae) Synonym(s): *chrysoplaca* Vari, 1961

- 24885) *Caloptilia* (s.str.) *corrugata* (Meyrick,1918) (Gracillariidae) Synonym(s): *corrugata* Meyrick,1918
 24886) *Caloptilia* (s.str.) *coruscans* (Walsingham,1907) (Gracillariidae) Synonym(s): *coruscans* Walsingham,1907; *schinella* Walsingham,1908; *terebinthiella* Chrétien,1910; *instincta* Meyrick,1922; *ferruginipennis* Turati,1924
 24887) *Caloptilia* (s.str.) *cryphia* Vari,1961 (Gracillariidae) Synonym(s): *cryphia* Vari,1961
 24888) *Caloptilia* (s.str.) *cuculipennella* (Hübner,1796) (Gracillariidae) Synonym(s): *cuculipennella* Hübner,1796; *cinerea* Haworth,1828; *ligustrinellum* Zeller,1839; *alaudella* Duponchel,[1840]
 24889) *Caloptilia* (s.str.) *deltosticta* (Meyrick,1933) (Gracillariidae) Synonym(s): *deltosticta* Meyrick,1933
 24890) *Caloptilia* (s.str.) *dicksoni* Vari,1961 (Gracillariidae) Synonym(s): *dicksoni* Vari,1961
 24891) *Caloptilia* (s.str.) *dogmatica* (Meyrick,1908) (Gracillariidae) Synonym(s): *dogmatica* Meyrick,1908
 24892) *Caloptilia* (s.str.) *elongella* (Linnaeus,1761) (Gracillariidae) Synonym(s): *elongella* Linnaeus,1761; *punctella* Linnaeus,1761; *signipennella* Hübner,1796; *elongatus* Fabricius,1798; *signipennis* Haworth,1828; *bruneorubella* Bruand,1850; *inconstans* Stainton,1851; *stramineella* Stainton,1851; *inconstantella* Bruand,1859
 24893) *Caloptilia* (s.str.) *emas* Yuan & G.S.Robinson,1993 (Gracillariidae) Synonym(s): *emas* Yuan & G.S.Robinson,1993
 24894) *Caloptilia* (s.str.) *etiolata* Yuan & G.S.Robinson,1993 (Gracillariidae) Synonym(s): *etiolata* Yuan & G.S.Robinson,1993
 24895) *Caloptilia* (s.str.) *eurycryptis* (Meyrick,1928) (Gracillariidae) Synonym(s): *eurycryptis* Meyrick,1928
 24896) *Caloptilia* (s.str.) *falconipennella* (Hübner,[1813]) (Gracillariidae) Synonym(s): *falconipennella* Hübner,[1813]; *oneratella* Zeller,1847
 24897) *Caloptilia* (s.str.) *fidella* (Reutti,1853) (Gracillariidae) Synonym(s): *fidella* Reutti,1853
 24898) *Caloptilia* (s.str.) *filifera* (Meyrick,1912) (Gracillariidae) Synonym(s): *filifera* Meyrick,1912
 24899) *Caloptilia* (s.str.) *flava* (Staudinger,1871) (Gracillariidae) Synonym(s): *flava* Staudinger,1871; *inquinatella* Christoph,1872; *impictipennella* Gerasimov,1930; *glycyrrhizae* Deschka,1979
 24900) *Caloptilia* (s.str.) *flavida* Liu & Yuan,1990 (Gracillariidae) Synonym(s): *flavida* Liu & Yuan,1990
 24901) *Caloptilia* (s.str.) *fribergensis* (Fritzsche,1871) (Gracillariidae) Synonym(s): *fribergensis* Fritzsche,1871; *monspessulanella* Klimesch,1942
 24902) *Caloptilia* (s.str.) *grypota* (Meyrick,1914) (Gracillariidae) Synonym(s): *grypota* Meyrick,1914
 24903) *Caloptilia* (s.str.) *hauderi* (Rebel,1906) (Gracillariidae) Synonym(s): *hauderi* Rebel,1906; *pyrenaeella* Chrétien,1908
 24904) *Caloptilia* (s.str.) *hemiconis* (Meyrick,1894) (Gracillariidae) Synonym(s): *hemiconis* Meyrick,1894; *rhaptoecrossa* Meyrick,1932
 24905) *Caloptilia* (s.str.) *hemidactylella* (Denis & Schiffermüller),1775 (Gracillariidae) Synonym(s): *hemidactylella* [Denis & Schiffermüller],1775; *hemedactylus* Fabricius,1798
 24906) *Caloptilia* (s.str.) *heterocosma* (Meyrick,1931) (Gracillariidae) Synonym(s): *heterocosma* Meyrick,1931
 24907) *Caloptilia* (s.str.) *honoratella* (Rebel,1914) (Gracillariidae) Synonym(s): *honoratella* Rebel,1914
 24908) *Caloptilia* (s.str.) *iorphna* (Meyrick,1939) (Gracillariidae) Synonym(s): *iorphna* Meyrick,1939
 24909) *Caloptilia* (s.str.) *iselaeta* (Meyrick,1914) (Gracillariidae) Synonym(s): *iselaeta* Meyrick,1914; *hapalocharis* Meyrick,1935
 24910) *Caloptilia* (s.str.) *isochrysa* (Meyrick,1908) (Gracillariidae) Synonym(s): *isochrysa* Meyrick,1908; *solaris* Kumata,1966
 24911) *Caloptilia* (s.str.) *isotoma* (Meyrick,1914) (Gracillariidae) Synonym(s): *isotoma* Meyrick,1914
 24912) *Caloptilia* (s.str.) *laurifoliae* (M.Hering,1927) (Gracillariidae) Synonym(s): *laurifoliae* M.Hering,1927
 24913) *Caloptilia* (s.str.) *leptophanes* (Meyrick,1928) (Gracillariidae) Synonym(s): *leptophanes* Meyrick,1928
 24914) *Caloptilia* (s.str.) *leptospora* Vari,1961 (Gracillariidae) Synonym(s): *leptospora* Vari,1961
 24915) *Caloptilia* (s.str.) *macrolepura* (Meyrick,1932) (Gracillariidae) Synonym(s): *macrolepura* Meyrick,1932; *xanthochiria* Vari,1961
 24916) *Caloptilia* (s.str.) *magnifica* (Stainton,1867) (Gracillariidae) Synonym(s): *magnifica* Stainton,1867; *redtenbacheri* Mann,1867; *moriokensis* Kumata,1982
 24917) *Caloptilia* (s.str.) *mastopis* (Meyrick,1918) (Gracillariidae) Synonym(s): *mastopis* Meyrick,1918
 24918) *Caloptilia* (s.str.) *metadoxa* (Meyrick,1908) (Gracillariidae) Synonym(s): *metadoxa* Meyrick,1908
 24919) *Caloptilia* (s.str.) *meyricki* Vari,1961 (Gracillariidae) Synonym(s): *meyricki* Vari,1961
 24920) *Caloptilia* (s.str.) *nomurai* Yuan & G.S.Robinson,1993 (Gracillariidae) Synonym(s): *nomurai* Yuan & G.S.Robinson,1993
 24921) *Caloptilia* (s.str.) *octopunctata* (Turner,1894) (Gracillariidae) Synonym(s): *octopunctata* Turner,1894; *tetratypa* Meyrick,1928; *cirrhocrotala* Meyrick,1928
 24922) *Caloptilia* (s.str.) *onustella* (Hübner,[1813]) (Gracillariidae) Synonym(s): *onustella* Hübner,[1813]; *semifascia* Haworth,[1828]
 24923) *Caloptilia* (s.str.) *oxydelta* (Meyrick,1908) (Gracillariidae) Synonym(s): *oxydelta* Meyrick,1908
 24924) *Caloptilia* (s.str.) *pallascens* (Staudinger,1880) (Gracillariidae) Synonym(s): *pallascens* Staudinger,1880
 24925) *Caloptilia* (s.str.) *parasticta* (Meyrick,1908) (Gracillariidae) Synonym(s): *parasticta* Meyrick,1908
 24926) *Caloptilia* (s.str.) *pentaplaea* (Meyrick,1911) (Gracillariidae) Synonym(s): *pentaplaea* Meyrick,1911
 24927) *Caloptilia* (s.str.) *poecilostola* Vari,1961 (Gracillariidae) Synonym(s): *poecilostola* Vari,1961
 24928) *Caloptilia* (s.str.) *populetorum* (Zeller,1839) (Gracillariidae) Synonym(s): *populetorum* Zeller,1839; *tetraonipennella* Duponchel,[1845]; *populella* Doubleday,1859
 24929) *Caloptilia* (s.str.) *porphyracma* (Meyrick,1922) (Gracillariidae) Synonym(s): *porphyracma* Meyrick,1922
 24930) *Caloptilia* (s.str.) *porphyranthes* (Meyrick,1921) (Gracillariidae) Synonym(s): *porphyranthes* Meyrick,1921
 24931) *Caloptilia* (s.str.) *prosticta* (Meyrick,1909) (Gracillariidae) Synonym(s): *prosticta* Meyrick,1909
 24932) *Caloptilia* (s.str.) *prosticta cataractias* (Meyrick,1921) (Gracillariidae) Synonym(s): *cataractias* Meyrick,1921
 24933) *Caloptilia* (s.str.) *prosticta prosticta* (Meyrick,1909) (Gracillariidae) Synonym(s): *prosticta* Meyrick,1909
 24934) *Caloptilia* (s.str.) *protiella* (Van Deventer,1904) (Gracillariidae) Synonym(s): *protiella* Van Deventer,1904; *corollata* Meyrick,1933; *elongata* Kumata,1982
 24935) *Caloptilia* (s.str.) *pterostoma* (Meyrick,1922) (Gracillariidae) Synonym(s): *pterostoma* Meyrick,1922
 24936) *Caloptilia* (s.str.) *punctulata* (Walsingham,1891) (Gracillariidae) Synonym(s): *punctulata* Walsingham,1891
 24937) *Caloptilia* (s.str.) *pyrrhochroma* Vari,1961 (Gracillariidae) Synonym(s): *pyrrhochroma* Vari,1961
 24938) *Caloptilia* (s.str.) *recitata* (Meyrick,1918) (Gracillariidae) Synonym(s): *recitata* Meyrick,1918
 24939) *Caloptilia* (s.str.) *rhodinella* (Herrich-Schäffer,[1854]) (Gracillariidae) Synonym(s): *rhodinella* Herrich-Schäffer,[1854]
 24940) *Caloptilia* (s.str.) *rhusina* Vari,1961 (Gracillariidae) Synonym(s): *rhusina* Vari,1961
 24941) *Caloptilia* (s.str.) *rjabovi* Kuznetsov & Baryshnikova,2001 (Gracillariidae) Synonym(s): *rjabovi* Kuznetsov & Baryshnikova,2001
 24942) *Caloptilia* (s.str.) *robustella* Jäckh,1972 (Gracillariidae) Synonym(s): *robustella* Jäckh,1972
 24943) *Caloptilia* (s.str.) *roscipennella* (Hübner,1796) (Gracillariidae) Synonym(s): *roscipennella* Hübner,1796; *roscipennis* Haworth,1828; *merulaepennella* Duponchel,[1840]; *puncticostella* Herrich-Schäffer,1855; *juglandella* Mann,1867
 24944) *Caloptilia* (s.str.) *rufipennella* (Hübner,1796) (Gracillariidae) Synonym(s): *rufipennella* Hübner,1796; *rufipennis* Haworth,1828
 24945) *Caloptilia* (s.str.) *scansoria* (Meyrick,1910) (Gracillariidae) Synonym(s): *scansoria* Meyrick,1910
 24946) *Caloptilia* (s.str.) *semonophanes* (Meyrick,1918) (Gracillariidae) Synonym(s): *semonophanes* Meyrick,1918
 24947) *Caloptilia* (s.str.) *sichuanensis* Liu & Yuan,1990 (Gracillariidae) Synonym(s): *sichuanensis* Liu & Yuan,1990
 24948) *Caloptilia* (s.str.) *soyella* (Van Deventer,1904) (Gracillariidae) Synonym(s): *soyella* Van Deventer,1904
 24949) *Caloptilia* (s.str.) *sphenocrossa* (Meyrick,1934) (Gracillariidae) Synonym(s): *sphenocrossa* Meyrick,1934
 24950) *Caloptilia* (s.str.) *staintoni* (Wollaston,1858) (Gracillariidae) Synonym(s): *staintoni* Wollaston,1858
 24951) *Caloptilia* (s.str.) *stigmatella* (Fabricius,1781) (Gracillariidae) Synonym(s): *stigmatella* Fabricius,1781; *cruciella* Goeze,1783; *equestris* Fourcroy,1783; *upupaepennella* Hübner,1796; *triangulella* Panzer,1799; *purpurea* Haworth,1828; *ochracea* Haworth,1828; *triangulosella* Costa,[1836]; *purpuriella* Chambers,1872; *consimilella* Frey,1876
 24952) *Caloptilia* (s.str.) *suberinella* (Tengström,1848) (Gracillariidae) Synonym(s): *suberinella* Tengström,1848
 24953) *Caloptilia* (s.str.) *sychnospora* Vari,1961 (Gracillariidae) Synonym(s): *sychnospora* Vari,1961
 24954) *Caloptilia* (s.str.) *syngenicia* Vari,1961 (Gracillariidae) Synonym(s): *syngenicia* Vari,1961
 24955) *Caloptilia* (s.str.) *tangkai* Yuan & G.S.Robinson,1993 (Gracillariidae) Synonym(s): *tangkai* Yuan & G.S.Robinson,1993
 24956) *Caloptilia* (s.str.) *teleodelta* (Meyrick,1926) (Gracillariidae) Synonym(s): *teleodelta* Meyrick,1926
 24957) *Caloptilia* (s.str.) *theivora* Walsingham,1891 (Gracillariidae) Synonym(s): *theivora* Walsingham,1891
 24958) *Caloptilia* (s.str.) *titanitis* (Meyrick,1921) (Gracillariidae) Synonym(s): *titanitis* Meyrick,1921
 24959) *Caloptilia* (s.str.) *vibrans* (Meyrick,1918) (Gracillariidae) Synonym(s): *vibrans* Meyrick,1918
 24960) *Caloptilia* (s.str.) *vicinola* Vari,1961 (Gracillariidae) Synonym(s): *vicinola* Vari,1961
 24961) *Caloptilia* (s.str.) *xanthocephala* Vari,1961 (Gracillariidae) Synonym(s): *xanthocephala* Vari,1961
 24962) *Caloptilia* (s.str.) *zachrysa* (Meyrick,1907) (Gracillariidae) Synonym(s): *zachrysa* Meyrick,1907

- 24963) *Caloptilia* (s.str.) *zonotarsa* (Meyrick,1936) (Gracillariidae) Synonym(s): *zonotarsa* Meyrick,1936
 24964) *Calybites phasianipennella* (Hübner,[1813]) (Gracillariidae) Synonym(s): *phasianipennella* Hübner,[1813]; *quadruplela* Zeller,1839; *isograptia* Meyrick,1928
 24965) *Calybites quadrisignella* (Zeller,1839) (Gracillariidae) Synonym(s): *quadrisignella* Zeller,1839
 24966) *Cameraria barlowi* Kumata,1993 (Gracillariidae) Synonym(s): *barlowi* Kumata,1993
 24967) *Cameraria bauhiniæ* (Stainton,1856) (Gracillariidae) Synonym(s): *bauhiniæ* Stainton,1856
 24968) *Cameraria borneensis* Kumata,1993 (Gracillariidae) Synonym(s): *borneensis* Kumata,1993
 24969) *Cameraria fasciata* Kumata,1993 (Gracillariidae) Synonym(s): *fasciata* Kumata,1993
 24970) *Cameraria milletiae* Kumata,1993 (Gracillariidae) Synonym(s): *milletiae* Kumata,1993
 24971) *Cameraria obliquifascia* (Filipjev,1926) (Gracillariidae) Synonym(s): *obliquifascia* Filipjev,1926
 24972) *Cameraria ohridella* Deschka & Dimic,1986 (Gracillariidae) Synonym(s): *ohridella* Deschka & Dimic,1986
 24973) *Cameraria palawanensis* Kumata,1995 (Gracillariidae) Synonym(s): *palawanensis* Kumata,1995
 24974) *Cameraria philippinensis* Kumata,1995 (Gracillariidae) Synonym(s): *philippinensis* Kumata,1995
 24975) *Cameraria pongamia* Kumata,1993 (Gracillariidae) Synonym(s): *pongamia* Kumata,1993
 24976) *Cameraria quadrifasciata* Kumata,1993 (Gracillariidae) Synonym(s): *quadrifasciata* Kumata,1993
 24977) *Cameraria saliciphaga* (Kuznetsov,1975) (Gracillariidae) Synonym(s): *saliciphaga* Kuznetsov,1975
 24978) *Cameraria trizosterata* Kumata,1993 (Gracillariidae) Synonym(s): *trizosterata* Kumata,1993
 24979) *Chrysocercops argentata* Kumata,1992 (Gracillariidae) Synonym(s): *argentata* Kumata,1992
 24980) *Chrysocercops azmii* Kumata,1992 (Gracillariidae) Synonym(s): *azmii* Kumata,1992
 24981) *Chrysocercops hopeella* Kumata,1992 (Gracillariidae) Synonym(s): *hopeella* Kumata,1992
 24982) *Chrysocercops leprosulæ* Kumata,1992 (Gracillariidae) Synonym(s): *leprosulæ* Kumata,1992
 24983) *Chrysocercops lithocarpella* Kumata,1992 (Gracillariidae) Synonym(s): *lithocarpella* Kumata,1992
 24984) *Chrysocercops malayana* Kumata,1992 (Gracillariidae) Synonym(s): *malayana* Kumata,1992
 24985) *Chrysocercops melastigmata* Kumata,1992 (Gracillariidae) Synonym(s): *melastigmata* Kumata,1992
 24986) *Chrysocercops neobalanocarpi* Kumata,1992 (Gracillariidae) Synonym(s): *neobalanocarpi* Kumata,1992
 24987) *Chrysocercops pectinata* Kumata,1992 (Gracillariidae) Synonym(s): *pectinata* Kumata,1992
 24988) *Chrysocercops shoreæ* Kumata,1992 (Gracillariidae) Synonym(s): *shoreæ* Kumata,1992
 24989) *Chrysocercops squamosa* Kumata,1992 (Gracillariidae) Synonym(s): *squamosa* Kumata,1992
 24990) *Chrysocercops thapai* Kumata,1992 (Gracillariidae) Synonym(s): *thapai* Kumata,1992
 24991) *Chrysocercops vaticæ* Kumata,1992 (Gracillariidae) Synonym(s): *vaticæ* Kumata,1992
 24992) *Conopobathra carbunculata* (Meyrick,1912) (Gracillariidae) Synonym(s): *carbunculata* Meyrick,1912
 24993) *Conopobathra geraea* Vari,1961 (Gracillariidae) Synonym(s): *geraea* Vari,1961
 24994) *Conopobathra gravissima* (Meyrick,1912) (Gracillariidae) Synonym(s): *gravissima* Meyrick,1912; *globulifera* Meyrick,1931
 24995) *Conopobathra plethorhabda* Vari,1961 (Gracillariidae) Synonym(s): *plethorhabda* Vari,1961
 24996) *Conopomorpha chionosema* Vari,1961 (Gracillariidae) Synonym(s): *chionosema* Vari,1961
 24997) *Conopomorpha cramerella* Snellen,1904 (Gracillariidae) Synonym(s): *cramerella* Snellen,1904
 24998) *Conopomorpha euphanes* Vari,1961 (Gracillariidae) Synonym(s): *euphanes* Vari,1961
 24999) *Conopomorpha fustigera* (Meyrick,1928) (Gracillariidae) Synonym(s): *fustigera* Meyrick,1928
 25000) *Conopomorpha litchiella* Bradley,1986 (Gracillariidae) Synonym(s): *litchiella* Bradley,1986
 25001) *Conopomorpha oceanica* Bradley,1986 (Gracillariidae) Synonym(s): *oceanica* Bradley,1986
 25002) *Conopomorpha sinensis* Bradley,1986 (Gracillariidae) Synonym(s): *sinensis* Bradley,1986
 25003) *Conopomorpha aptata* (Meyrick,1914) (Gracillariidae) Synonym(s): *aptata* Meyrick,1914; *acmophanes* Meyrick,1928
 25004) *Conopomorpha gypsochroma* Vari,1961 (Gracillariidae) Synonym(s): *gypsochroma* Vari,1961
 25005) *Conopomorpha ochnivora* Vari,1961 (Gracillariidae) Synonym(s): *ochnivora* Vari,1961
 25006) *Corethrovalva allophyliana* Vari,1961 (Gracillariidae) Synonym(s): *allophyliana* Vari,1961
 25007) *Corethrovalva goniosema* Vari,1961 (Gracillariidae) Synonym(s): *goniosema* Vari,1961
 25008) *Corethrovalva paraplesia* Vari,1961 (Gracillariidae) Synonym(s): *paraplesia* Vari,1961
 25009) *Corythocestis aletreuta* (Meyrick,1936) (Gracillariidae) Synonym(s): *aletreuta* Meyrick,1936; *chalybophanes* Meyrick,1937
 25010) *Corythocestis cyanolampra* (Vari,1961) (Gracillariidae) Synonym(s): *cyanolampra* Vari,1961
 25011) *Corythocestis pentharcha* (Meyrick,1922) (Gracillariidae) Synonym(s): *pentharcha* Meyrick,1922
 25012) *Corythocestis praeustella* (Van Deventer,1904) (Gracillariidae) Synonym(s): *praeustella* Van Deventer,1904
 25013) *Corythocestis sunosei* (Kumata,1998) (Gracillariidae) Synonym(s): *sunosei* Kumata,1998
 25014) *Corythocestis yaeyamensis* (Kumata,1998) (Gracillariidae) Synonym(s): *yaeyamensis* Kumata,1998
 25015) *Cryptolectica capnodelta* Vari,1961 (Gracillariidae) Synonym(s): *capnodelta* Vari,1961
 25016) *Cryptolectica chrysalis* Kumata & Ermolaev,1988 (Gracillariidae) Synonym(s): *chrysalis* Kumata & Ermolaev,1988
 25017) *Cryptolectica ensiformis* (Yuan,1986) (Gracillariidae) Synonym(s): *ensiformis* Yuan,1986
 25018) *Cryptolectica monodelta* (Meyrick,1912) (Gracillariidae) Synonym(s): *monodelta* Meyrick,1912
 25019) *Cryptolectica pasaniae* Kumata & Ermolaev,1988 (Gracillariidae) Synonym(s): *pasaniae* Kumata & Ermolaev,1988
 25020) *Cryptologa nystalea* T.B.Fletcher,1921 (Gracillariidae) Synonym(s): *nystalea* T.B.Fletcher,1921; *nystalea* Meyrick,1932
 25021) *Cupedia cupediella* (Herrich-Schäffer,1855) (Gracillariidae) Synonym(s): *cupediella* Herrich-Schäffer,1855
 25022) *Cuphodes diospyri* Vari,1961 (Gracillariidae) Synonym(s): *diospyri* Vari,1961
 25023) *Cuphodes dolichocera* Vari,1961 (Gracillariidae) Synonym(s): *dolichocera* Vari,1961
 25024) *Cuphodes leucocera* Vari,1961 (Gracillariidae) Synonym(s): *leucocera* Vari,1961
 25025) *Cuphodes melanostola* (Meyrick,1918) (Gracillariidae) Synonym(s): *melanostola* Meyrick,1918
 25026) *Cuphodes profluens* (Meyrick,1916) (Gracillariidae) Synonym(s): *profluens* Meyrick,1916
 25027) *Dekeidoryxis asynacta* (Meyrick,1918) (Gracillariidae) Synonym(s): *asynacta* Meyrick,1918
 25028) *Dekeidoryxis khooi* Kumata,1989 (Gracillariidae) Synonym(s): *khooi* Kumata,1989
 25029) *Dekeidoryxis maesae* Kumata,1989 (Gracillariidae) Synonym(s): *maesae* Kumata,1989
 25030) *Dendrorhycter marmaroides* Kumata,1978 (Gracillariidae) Synonym(s): *marmaroides* Kumata,1978
 25031) *Deoptilia heptadeta* (Meyrick,1936) (Gracillariidae) Synonym(s): *heptadeta* Meyrick,1936
 25032) *Deoptilia syrsta* (Meyrick,1926) (Gracillariidae) Synonym(s): *syrsta* Meyrick,1926
 25033) *Dextellia dorsilineella* (Amsel,1935) (Gracillariidae) Synonym(s): *dorsilineella* Amsel,1935; *dorsiliniella* Kuznetsov & Baryshnikov,2001
 25034) *Dialectica carcharota* (Meyrick,1912) (Gracillariidae) Synonym(s): *carcharota* Meyrick,1912
 25035) *Dialectica columellina* (Vari,1961) (Gracillariidae) Synonym(s): *columellina* Vari,1961
 25036) *Dialectica cordiaeicola* Vari,1961 (Gracillariidae) Synonym(s): *cordiaeicola* Vari,1961
 25037) *Dialectica ehretiae* (Vari,1961) (Gracillariidae) Synonym(s): *ehretiae* Vari,1961
 25038) *Dialectica galactozona* Vari,1961 (Gracillariidae) Synonym(s): *galactozona* Vari,1961
 25039) *Dialectica imperialella* (Zeller,1847) (Gracillariidae) Synonym(s): *imperialella* Zeller,1847
 25040) *Dialectica odontosema* (Vari,1961) (Gracillariidae) Synonym(s): *odontosema* Vari,1961
 25041) *Dialectica pavoncola* (Vari,1961) (Gracillariidae) Synonym(s): *pavoncola* Vari,1961
 25042) *Dialectica praegemina* (Meyrick,1917) (Gracillariidae) Synonym(s): *praegemina* Meyrick,1917
 25043) *Dialectica pyramidota* (Meyrick,1918) (Gracillariidae) Synonym(s): *pyramidota* Meyrick,1918
 25044) *Dialectica scalaria* (Zeller,1850) (Gracillariidae) Synonym(s): *scalaria* Zeller,1850
 25045) *Dialectica soffneri* (Gregor & Povolny,1965) (Gracillariidae) Synonym(s): *soffneri* Gregor & Povolny,1965
 25046) *Dialectica trigonidota* (Vari,1961) (Gracillariidae) Synonym(s): *trigonidota* Vari,1961
 25047) *Diphtheroptila brideliae* Vari,1961 (Gracillariidae) Synonym(s): *brideliae* Vari,1961
 25048) *Diphtheroptila oxyloga* (Meyrick,1928) (Gracillariidae) Synonym(s): *oxyloga* Meyrick,1928
 25049) *Dyssectopa scalarifera* Vari,1961 (Gracillariidae) Synonym(s): *scalarifera* Vari,1961
 25050) *Ectropina acidula* (Meyrick,1911) (Gracillariidae) Synonym(s): *acidula* Meyrick,1911
 25051) *Ectropina citricula* (Meyrick,1912) (Gracillariidae) Synonym(s): *citricula* Meyrick,1912

- 25052) *Ectropina ligata* (Meyrick,1912) (Gracillariidae) Synonym(s): *ligata* Meyrick,1912
 25053) *Ectropina raychaudhurii* Kumata,1979 (Gracillariidae) Synonym(s): *raychaudhurii* Kumata,1979
 25054) *Ectropina sclerochitoni* Vari,1961 (Gracillariidae) Synonym(s): *sclerochitoni* Vari,1961
 25055) *Ectropina suttoni* Bland,1980 (Gracillariidae) Synonym(s): *suttoni* Bland,1980
 25056) *Epicephala albifrons* (Stainton,1859) (Gracillariidae) Synonym(s): *albifrons* Stainton,1859
 25057) *Epicephala ancistropis* Meyrick,1935 (Gracillariidae) Synonym(s): *ancistropis* Meyrick,1935
 25058) *Epicephala ancylopa* Meyrick,1918 (Gracillariidae) Synonym(s): *ancylopa* Meyrick,1918
 25059) *Epicephala calasiris* Meyrick,1908 (Gracillariidae) Synonym(s): *calasiris* Meyrick,1908
 25060) *Epicephala colymbetella* Meyrick,1880 (Gracillariidae) Synonym(s): *colymbetella* Meyrick,1880; *frugicola* Turner,1913
 25061) *Epicephala echalina* Meyrick,1922 (Gracillariidae) Synonym(s): *echalina* Meyrick,1922
 25062) *Epicephala exetastis* Meyrick,1908 (Gracillariidae) Synonym(s): *exetastis* Meyrick,1908
 25063) *Epicephala flagellata* Meyrick,1908 (Gracillariidae) Synonym(s): *flagellata* Meyrick,1908
 25064) *Epicephala frenata* Meyrick,1908 (Gracillariidae) Synonym(s): *frenata* Meyrick,1908
 25065) *Epicephala haplodoxa* Vari,1961 (Gracillariidae) Synonym(s): *haplodoxa* Vari,1961
 25066) *Epicephala homostola* Vari,1961 (Gracillariidae) Synonym(s): *homostola* Vari,1961
 25067) *Epicephala jansei* Vari,1961 (Gracillariidae) Synonym(s): *jansei* Vari,1961
 25068) *Epicephala pelopepla* Vari,1961 (Gracillariidae) Synonym(s): *pelopepla* Vari,1961
 25069) *Epicephala periplecta* (Diakonoff,1955) (Gracillariidae) Synonym(s): *periplecta* Diakonoff,1955
 25070) *Epicephala pyrrhogastra* Meyrick,1908 (Gracillariidae) Synonym(s): *pyrrhogastra* Meyrick,1908
 25071) *Epicephala scythropis* Meyrick,1930 (Gracillariidae) Synonym(s): *scythropis* Meyrick,1930
 25072) *Epicephala spenitis* Meyrick,1931 (Gracillariidae) Synonym(s): *spenitis* Meyrick,1931
 25073) *Epicephala spinula* Clarke,1986 (Gracillariidae) Synonym(s): *spinula* Clarke,1986
 25074) *Epicephala squamella* Kuznetsov & Baryshnikova,2001 (Gracillariidae) Synonym(s): *squamella* Kuznetsov & Baryshnikova,2001
 25075) *Epicephala tephrostola* Vari,1961 (Gracillariidae) Synonym(s): *tephrostola* Vari,1961
 25076) *Eteoryctis deversa* (Meyrick,1932) (Gracillariidae) Synonym(s): *deversa* Meyrick,1932
 25077) *Eteoryctis gemoniella* (Stainton,1862) (Gracillariidae) Synonym(s): *gemoniella* Stainton,1862
 25078) *Eteoryctis picrasmae* Kumata & Kuroko,1988 (Gracillariidae) Synonym(s): *picrasmae* Kumata & Kuroko,1988
 25079) *Eteoryctis syngamma* (Meyrick,1914) (Gracillariidae) Synonym(s): *syngamma* Meyrick,1914
 25080) *Eucalybitis aureola* Kumata,1982 (Gracillariidae) Synonym(s): *aureola* Kumata,1982
 25081) *Euprophantis autoglypta* Meyrick,1921 (Gracillariidae) Synonym(s): *autoglypta* Meyrick,1921
 25082) *Euspilapteryx auroguttella* Stephens,1835 (Gracillariidae) Synonym(s): *stipella* Haworth,1828 *nec* Linn.,1761; *auroguttella* Stephens,1835; *lacertella* Zeller,1839; *plumbella* Duponchel,1845
 25083) *Euspilapteryx crypta* Vari,1961 (Gracillariidae) Synonym(s): *crypta* Vari,1961
 25084) *Gibbovalva civica* (Meyrick,1914) (Gracillariidae) Synonym(s): *civica* Meyrick,1914
 25085) *Gibbovalva kobusi* Kumata & Kuroko,1988 (Gracillariidae) Synonym(s): *kobusi* Kumata & Kuroko,1988
 25086) *Gibbovalva magnoliae* Kumata & Kuroko,1988 (Gracillariidae) Synonym(s): *magnoliae* Kumata & Kuroko,1988
 25087) *Gibbovalva quadrifasciata* (Stainton,1862) (Gracillariidae) Synonym(s): *quadrifasciata* Stainton,1862; *ordinatella* Meyrick,1880
 25088) *Gibbovalva urbana* (Meyrick,1908) (Gracillariidae) Synonym(s): *urbana* Meyrick,1908
 25089) *Gracillaria albicapitata* Issiki,1930 (Gracillariidae) Synonym(s): *albicapitata* Issiki,1930
 25090) *Gracillaria arsenievi* (Ermolaev,1977) (Gracillariidae) Synonym(s): *arsenievi* Ermolaev,1977
 25091) *Gracillaria chalcantbes* Meyrick,1894 (Gracillariidae) Synonym(s): *chalcantbes* Meyrick,1894
 25092) *Gracillaria japonica* Kumata,1982 (Gracillariidae) Synonym(s): *japonica* Kumata,1982
 25093) *Gracillaria loriolella* Frey,1881 (Gracillariidae) Synonym(s): *loriolella* Frey,1881; *norvegiellum* Wocke,1893; *rebeli* Klemensiewicz,1896
 25094) *Gracillaria syringella* (Fabricius,1794) (Gracillariidae) Synonym(s): *?microdactylella* [Denis & Schiffermüller],1775; *syringella* Fabricius,1794; *anastomosis* Haworth,1828; *aedeaeppennella* Treitschke,1833; *heringiella* Reutti,1898
 25095) *Gracillaria toubkalella* De Prins,1985 (Gracillariidae) Synonym(s): *toubkalella* De Prins,1985
 25096) *Gracillaria ussuriella* (Ermolaev,1977) (Gracillariidae) Synonym(s): *ussuriella* Ermolaev,1977
 25097) *Gracillaria verina* Clarke,1971 (Gracillariidae) Synonym(s): *verina* Clarke,1971
 25098) *Graphiocephala barbitas* (Meyrick,1909) (Gracillariidae) Synonym(s): *barbitas* Meyrick,1909
 25099) *Graphiocephala polysticha* Vari,1961 (Gracillariidae) Synonym(s): *polysticha* Vari,1961
 25100) *Graphiocephala strigifera* Vari,1961 (Gracillariidae) Synonym(s): *strigifera* Vari,1961
 25101) *Ketapangia leucochorda* (Meyrick,1908) (Gracillariidae) Synonym(s): *leucochorda* Meyrick,1908
 25102) *Ketapangia regulifera* (Meyrick,1933) (Gracillariidae) Synonym(s): *regulifera* Meyrick,1933
 25103) *Lamprolectica apicistrigata* (Walsingham,1891) (Gracillariidae) Synonym(s): *apicistrigata* Walsingham,1891
 25104) *Leucocercops dasmophora* (Meyrick,1908) (Gracillariidae) Synonym(s): *dasmophora* Meyrick,1908
 25105) *Leucospilapteryx anaphalidis* Kumata,1965 (Gracillariidae) Synonym(s): *anaphalidis* Kumata,1965
 25106) *Leucospilapteryx omisella* (Stainton,1848) (Gracillariidae) Synonym(s): *omisella* Stainton,1848; *ainoniella* Matsumura,1931
 25107) *Leucospilapteryx venustella* (Clemens,1860) (Gracillariidae) Synonym(s): *venustella* Clemens,1860; *eupatoriella* Chambers,1872
 25108) *Liocrobyla brachybothrys* Kuroko,1960 (Gracillariidae) Synonym(s): *brachybothrys* Kuroko,1960
 25109) *Liocrobyla desmodiella* Kuroko,1982 (Gracillariidae) Synonym(s): *desmodiella* Kuroko,1982
 25110) *Liocrobyla kumatai* Kuroko,1982 (Gracillariidae) Synonym(s): *kumatai* Kuroko,1982
 25111) *Liocrobyla lobata* Kuroko,1960 (Gracillariidae) Synonym(s): *lobata* Kuroko,1960
 25112) *Liocrobyla minima* (Noreika,1992) (Gracillariidae) Synonym(s): *minima* Noreika,1992
 25113) *Liocrobyla paraschista* Meyrick,1916 (Gracillariidae) Synonym(s): *paraschista* Meyrick,1916
 25114) *Liocrobyla saturata* Bradley,1961 (Gracillariidae) Synonym(s): *saturata* Bradley,1961
 25115) *Liocrobyla tephrosiae* Vari,1961 (Gracillariidae) Synonym(s): *tephrosiae* Vari,1961
 25116) *Macarostola ageta* (Turner,1917) (Gracillariidae) Synonym(s): *ageta* Turner,1917
 25117) *Macarostola callischema* Meyrick,1908 (Gracillariidae) Synonym(s): *callischema* Meyrick,1908
 25118) *Macarostola ceryx* (Diakonoff,1955) (Gracillariidae) Synonym(s): *ceryx* Diakonoff,1955
 25119) *Macarostola coccinea* (Walsingham,1900) (Gracillariidae) Synonym(s): *coccinea* Walsingham,1900
 25120) *Macarostola eugeniella* (Viette,1951) (Gracillariidae) Synonym(s): *eugeniella* Viette,1951
 25121) *Macarostola flora* (Meyrick,1926) (Gracillariidae) Synonym(s): *flora* Meyrick,1926
 25122) *Macarostola formosa* (Stainton,1862) (Gracillariidae) Synonym(s): *formosa* Stainton,1862
 25123) *Macarostola gamelia* (Meyrick,1936) (Gracillariidae) Synonym(s): *gamelia* Meyrick,1936
 25124) *Macarostola haemataula* (Meyrick,1912) (Gracillariidae) Synonym(s): *haemataula* Meyrick,1912
 25125) *Macarostola hieranthes* (Meyrick,1907) (Gracillariidae) Synonym(s): *hieranthes* Meyrick,1907
 25126) *Macarostola ida* (Meyrick,1880) (Gracillariidae) Synonym(s): *ida* Meyrick,1880; *rosea* Turner,1894
 25127) *Macarostola japonica* Kumata,1977 (Gracillariidae) Synonym(s): *japonica* Kumata,1977
 25128) *Macarostola miltopepla* (Turner,1926) (Gracillariidae) Synonym(s): *miltopepla* Turner,1926
 25129) *Macarostola miniella* (R.Felder & Rogenhofer,[1875]) (Gracillariidae) Synonym(s): *miniella* R.Felder & Rogenhofer,[1875]; *ethela* Meyrick,1880
 25130) *Macarostola noellinae* Vari,1961 (Gracillariidae) Synonym(s): *noellinae* Vari,1961
 25131) *Macarostola paradisica* Meyrick,1908 (Gracillariidae) Synonym(s): *paradisica* Meyrick,1908
 25132) *Macarostola parolca* Meyrick,1911 (Gracillariidae) Synonym(s): *parolca* Meyrick,1911
 25133) *Macarostola phoenicula* (Meyrick,1934) (Gracillariidae) Synonym(s): *phoenicula* Meyrick,1934
 25134) *Macarostola polyplaca* (Lower,1894) (Gracillariidae) Synonym(s): *polyplaca* Lower,1894
 25135) *Macarostola pontificalis* (Meyrick,1928) (Gracillariidae) Synonym(s): *pontificalis* Meyrick,1928
 25136) *Macarostola pyrelctis* (Meyrick,1927) (Gracillariidae) Synonym(s): *pyrelctis* Meyrick,1927
 25137) *Macarostola rosacea* (Turner,1940) (Gracillariidae) Synonym(s): *rosacea* Turner,1940
 25138) *Macarostola tegulata* Meyrick,1908 (Gracillariidae) Synonym(s): *tegulata* Meyrick,1908
 25139) *Macarostola thiasodes* (Meyrick,1912) (Gracillariidae) Synonym(s): *thiasodes* Meyrick,1912

- 25140) *Macarostola thriambica* (Meyrick,1907) (Gracillariidae) Synonym(s): *thriambica* Meyrick,1907
 25141) *Macarostola zehntneri* (Snellen,1902) (Gracillariidae) Synonym(s): *zehntneri* Snellen,1902
 25142) *Marmara affirmata* Meyrick,1918 (Gracillariidae) Synonym(s): *affirmata* Meyrick,1918
 25143) *Marmara apocynella* Braun,1915 (Gracillariidae) Synonym(s): *apocynella* Braun,1915
 25144) *Marmara auratella* Braun,1915 (Gracillariidae) Synonym(s): *auratella* Braun,1915
 25145) *Marmara isortha* (Meyrick,1915) (Gracillariidae) Synonym(s): *isortha* Meyrick,1915
 25146) *Marmara leptodesma* Meyrick,1928 (Gracillariidae) Synonym(s): *leptodesma* Meyrick,1928
 25147) *Metacercops hexactis* (Meyrick,1932) (Gracillariidae) Synonym(s): *hexactis* Meyrick,1932
 25148) *Metacercops praesticta* (Meyrick,1918) (Gracillariidae) Synonym(s): *praesticta* Meyrick,1918
 25149) *Metriochoera argyrocelis* Vari,1961 (Gracillariidae) Synonym(s): *argyrocelis* Vari,1961
 25150) *Metriochoera carissae* Vari,1963 (Gracillariidae) Synonym(s): *carissae* Vari,1963
 25151) *Metriochoera inferior* (Silvestri,1904) (Gracillariidae) Synonym(s): *inferior* Silvestri,1904
 25152) *Metriochoera latifoliella* (Millière,1887) (Gracillariidae) Synonym(s): *latifoliella* Millière,1887; *neglectus* Silvestri,1908
 25153) *Metriochoera pergulariae* Vari,1961 (Gracillariidae) Synonym(s): *pergulariae* Vari,1961
 25154) *Metriochoera scotinopa* Vari,1963 (Gracillariidae) Synonym(s): *scotinopa* Vari,1963
 25155) *Metriochoera syringae* Kumata,1998 (Gracillariidae) Synonym(s): *syringae* Kumata,1998
 25156) *Metriochoera tylophorae* Vari,1961 (Gracillariidae) Synonym(s): *tylophorae* Vari,1961
 25157) *Micrurapteryx bidentata* Noreika,1992 (Gracillariidae) Synonym(s): *bidentata* Noreika,1992
 25158) *Micrurapteryx fumosella* Kuznetsov & Tristan,1985 (Gracillariidae) Synonym(s): *fumosella* Kuznetsov & Tristan,1985
 25159) *Micrurapteryx gerasimovi* Ermolaev,1982 (Gracillariidae) Synonym(s): *gerasimovi* Ermolaev,1982
 25160) *Micrurapteryx gradatella* (Herrich-Schäffer,1855) (Gracillariidae) Synonym(s): *gradatella* Herrich-Schäffer,1855
 25161) *Micrurapteryx kollariella* (Zeller,1839) (Gracillariidae) Synonym(s): *kollariella* Zeller,1839
 25162) *Micrurapteryx parvula* Amsel,1935 (Gracillariidae) Synonym(s): *parvula* Amsel,1935
 25163) *Micrurapteryx salicifoliella* (Chambers,1872) (Gracillariidae) Synonym(s): *salicifoliella* Chambers,1872
 25164) *Micrurapteryx sophorella* Kuznetsov,1979 (Gracillariidae) Synonym(s): *sophorella* Kuznetsov,1979
 25165) *Micrurapteryx sophorivora* Kuznetsov & Tristan,1985 (Gracillariidae) Synonym(s): *sophorivora* Kuznetsov & Tristan,1985
 25166) *Micrurapteryx tortuosella* Kuznetsov & Tristan,1985 (Gracillariidae) Synonym(s): *tortuosella* Kuznetsov & Tristan,1985
 25167) *Monocercops actinosema* (Turner,1923) (Gracillariidae) Synonym(s): *actinosema* Turner,1923
 25168) *Monocercops nepalensis* Kumata,1989 (Gracillariidae) Synonym(s): *nepalensis* Kumata,1989
 25169) *Monocercops resplendens* (Stainton,1862) (Gracillariidae) Synonym(s): *resplendens* Stainton,1862
 25170) *Monocercops thoi* Kumata,1989 (Gracillariidae) Synonym(s): *thoi* Kumata,1989
 25171) *Monocercops triangulata* Kumata,1989 (Gracillariidae) Synonym(s): *triangulata* Kumata,1989
 25172) *Neolithocolletis hikomonticola* Kumata,1963 (Gracillariidae) Synonym(s): *hikomonticola* Kumata,1963
 25173) *Neolithocolletis kangarensis* Kumata,1963 (Gracillariidae) Synonym(s): *kangarensis* Kumata,1963
 25174) *Neolithocolletis pentadesma* (Meyrick,1919) (Gracillariidae) Synonym(s): *pentadesma* Meyrick,1919
 25175) *Neurostrota gunniella* (Busck,1906) (Gracillariidae) Synonym(s): *gunniella* Busck,1906
 25176) *Oligoneurina ficiola* Vari,1961 (Gracillariidae) Synonym(s): *ficiola* Vari,1961
 25177) *Ornixola caudulata* (Zeller,1839) (Gracillariidae) Synonym(s): *caudulata* Zeller,1839; *nigroscriptella* Duponchel,1845; *eisendlei* Hauser,1910
 25178) *Paracephala timaea* (Meyrick,1914) (Gracillariidae) Synonym(s): *timaea* Meyrick,1914
 25179) *Paracletis adelospila* Vari,1961 (Gracillariidae) Synonym(s): *adelospila* Vari,1961
 25180) *Paracletis hobohmi* Vari,1961 (Gracillariidae) Synonym(s): *hobohmi* Vari,1961
 25181) *Paracletis invita* (Meyrick,1912) (Gracillariidae) Synonym(s): *invita* Meyrick,1912; *ancistrula* Meyrick,1937
 25182) *Paracletis leucosticha* Vari,1961 (Gracillariidae) Synonym(s): *leucosticha* Vari,1961
 25183) *Paracletis mimetis* Vari,1961 (Gracillariidae) Synonym(s): *mimetis* Vari,1961
 25184) *Paracletis prionota* (Meyrick,1928) (Gracillariidae) Synonym(s): *prionota* Meyrick,1928
 25185) *Paractopa capnias* (Meyrick,1908) (Gracillariidae) Synonym(s): *capnias* Meyrick,1908
 25186) *Paractopa grisella* (Van Deventer,1904) (Gracillariidae) Synonym(s): *grisella* Van Deventer,1904
 25187) *Paractopa ononidis* (Zeller,1839) (Gracillariidae) Synonym(s): *ononidis* Zeller,1839; *ononiella* Duponchel,1845; *moniliella* Tengström,1848; *argentipunctella* Stainton,1848; *ononidella* Bruand,1851
 25188) *Paractopa oxyphena* Meyrick,1934 (Gracillariidae) Synonym(s): *oxyphena* Meyrick,1934
 25189) *Paractopa promylaea* (Meyrick,1917) (Gracillariidae) Synonym(s): *promylaea* Meyrick,1917
 25190) *Paractopa robinella* Clemens,1863 (Gracillariidae) Synonym(s): *robinella* Clemens,1863
 25191) *Parornix acuta* Triberti,1980 (Gracillariidae) Synonym(s): *acuta* Triberti,1980
 25192) *Parornix alni* Kumata,1965 (Gracillariidae) Synonym(s): *alni* Kumata,1965
 25193) *Parornix ampliata* (Stainton,1850) (Gracillariidae) Synonym(s): *ampliata* Stainton,1850
 25194) *Parornix anglicella* (Stainton,1850) (Gracillariidae) Synonym(s): *nebulea* Haworth,1828; *anglicella* Stainton,1850; *fragariae* Stainton,1874; *rubiella* Caradja,1920
 25195) *Parornix anguliferella* (Zeller,1847) (Gracillariidae) Synonym(s): *anguliferella* Zeller,1847
 25196) *Parornix asiatica* Noreika,1991 (Gracillariidae) Synonym(s): *asiatica* Noreika,1991
 25197) *Parornix atripalpella* Wahlström,1979 (Gracillariidae) Synonym(s): *atripalpella* Wahlström,1979
 25198) *Parornix betulae* (Stainton,1854) (Gracillariidae) Synonym(s): *betulae* Stainton,1854; *scutulatella* Stainton,1854; *betulella* Herrich-Schäffer,1855
 25199) *Parornix bifurca* Triberti,1998 (Gracillariidae) Synonym(s): *bifurca* Triberti,1998
 25200) *Parornix carpinella* (Frey,1863) (Gracillariidae) Synonym(s): *carpinella* Frey,1863; *eppelsheimi* Fuchs,1901
 25201) *Parornix compressa* Triberti,1990 (Gracillariidae) Synonym(s): *compressa* Triberti,1990
 25202) *Parornix compsumpta* Triberti,1987 (Gracillariidae) Synonym(s): *compsumpta* Triberti,1987
 25203) *Parornix concussa* (Meyrick,1933) (Gracillariidae) Synonym(s): *concussa* Meyrick,1933
 25204) *Parornix cotoneasterella* Kuznetsov,1978 (Gracillariidae) Synonym(s): *cotoneasterella* Kuznetsov,1978
 25205) *Parornix devoniella* (Stainton,1850) (Gracillariidae) Synonym(s): *devoniella* Stainton,1850; *avellanella* Stainton,1854; *avellanaecolella* Doubleday,1859; *cotoneastri* Caradja,1920
 25206) *Parornix ermolaevi* Kuznetsov,1979 (Gracillariidae) Synonym(s): *ermolaevi* Kuznetsov,1979
 25207) *Parornix fagivora* (Frey,1861) (Gracillariidae) Synonym(s): *fagivora* Frey,1861
 25208) *Parornix finitimella* (Zeller,1850) (Gracillariidae) Synonym(s): *finitimella* Zeller,1850
 25209) *Parornix fragilella* Triberti,1981 (Gracillariidae) Synonym(s): *fragilella* Triberti,1981
 25210) *Parornix hastata* Triberti,1990 (Gracillariidae) Synonym(s): *hastata* Triberti,1990
 25211) *Parornix incerta* Triberti,1982 (Gracillariidae) Synonym(s): *incerta* Triberti,1982
 25212) *Parornix kugitangi* Noreika,1991 (Gracillariidae) Synonym(s): *kugitangi* Noreika,1991
 25213) *Parornix kumatai* Ermolaev,1993 (Gracillariidae) Synonym(s): *kumatai* Ermolaev,1993
 25214) *Parornix loganella* (Stainton,1848) (Gracillariidae) Synonym(s): *loganella* Stainton,1848; *distinctella* Nolcken,1870
 25215) *Parornix loricata* Triberti,1998 (Gracillariidae) Synonym(s): *loricata* Triberti,1998
 25216) *Parornix maliphaga* Kuznetsov,1979 (Gracillariidae) Synonym(s): *maliphaga* Kuznetsov,1979
 25217) *Parornix maura* Triberti,1998 (Gracillariidae) Synonym(s): *maura* Triberti,1998
 25218) *Parornix mixta* (Triberti,1980) (Gracillariidae) Synonym(s): *mixta* Triberti,1980
 25219) *Parornix oculata* Triberti,1979 (Gracillariidae) Synonym(s): *oculata* Triberti,1979
 25220) *Parornix ornata* Triberti,1981 (Gracillariidae) Synonym(s): *ornata* Triberti,1981
 25221) *Parornix persicella* Danilevsky,1955 (Gracillariidae) Synonym(s): *persicella* Danilevsky,1955
 25222) *Parornix petiolella* (Frey,1861) (Gracillariidae) Synonym(s): *petiolella* Frey,1861
 25223) *Parornix polygrammella* (Wocke,1862) (Gracillariidae) Synonym(s): *polygrammella* Wocke,1862
 25224) *Parornix scoticella* (Stainton,1850) (Gracillariidae) Synonym(s): *scoticella* Stainton,1850; *canella* Tengström,1859; *alpicola* Wocke,1877; *fulluzella* Chretien,1898; *sauberella* Sorhagen,1905; *leucostola* Pelham-Clinton,1964
 25225) *Parornix subfinitimella* Kuznetsov,1956 (Gracillariidae) Synonym(s): *subfinitimella* Kuznetsov,1956

- 25226) *Parornix szoecsi* (Gozmany,1952) (Gracillariidae) Synonym(s): *szoecsi* Gozmany,1952; *amygdalella* Kuznetsov,1978
- 25227) *Parornix tenella* (Rebel,1919) (Gracillariidae) Synonym(s): *tenella* Rebel,1919
- 25228) *Parornix torquillella* (Zeller,1850) (Gracillariidae) Synonym(s): *meleagripennella* Hübner,1796; *torquillella* Zeller,1850; *#torquillella* Doubleday,1859
- 25229) *Parornix traugotti* Svensson,1976 (Gracillariidae) Synonym(s): *traugotti* Svensson,1976
- 25230) *Parornix turcmeniella* Kuznetsov,1956 (Gracillariidae) Synonym(s): *turcmeniella* Kuznetsov,1956
- 25231) *Phodoryctis caerulea* (Meyrick,1912) (Gracillariidae) Synonym(s): *caerulea* Meyrick,1912; *centrometra* Meyrick,1920; *#caerulea* Bradley,1961
- 25232) *Phodoryctis dolichophila* (Vari,1961) (Gracillariidae) Synonym(s): *dolichophila* Vari,1961
- 25233) *Phodoryctis stephaniae* Kumata & Kuroko,1988 (Gracillariidae) Synonym(s): *stephaniae* Kumata & Kuroko,1988
- 25234) *Phodoryctis thrypticosema* (Vari,1961) (Gracillariidae) Synonym(s): *thrypticosema* Vari,1961
- 25235) *Phrixosceles campsigrapha* Meyrick,1908 (Gracillariidae) Synonym(s): *campsigrapha* Meyrick,1908
- 25236) *Phrixosceles fibulatrix* Meyrick,1922 (Gracillariidae) Synonym(s): *fibulatrix* Meyrick,1922
- 25237) *Phrixosceles hydrocosma* Meyrick,1908 (Gracillariidae) Synonym(s): *hydrocosma* Meyrick,1908
- 25238) *Phrixosceles literaria* Meyrick,1908 (Gracillariidae) Synonym(s): *literaria* Meyrick,1908
- 25239) *Phrixosceles phricotarsa* Meyrick,1916 (Gracillariidae) Synonym(s): *phricotarsa* Meyrick,1916
- 25240) *Phrixosceles pteridograpta* Meyrick,1935 (Gracillariidae) Synonym(s): *pteridograpta* Meyrick,1935
- 25241) *Phrixosceles scioplintha* Meyrick,1934 (Gracillariidae) Synonym(s): *scioplintha* Meyrick,1934
- 25242) *Phrixosceles trochosticha* Meyrick,1908 (Gracillariidae) Synonym(s): *trochosticha* Meyrick,1908
- 25243) *Phyllocnistis amydropa* Meyrick,1934 (Gracillariidae) Synonym(s): *amydropa* Meyrick,1934
- 25244) *Phyllocnistis argothesa* Meyrick,1933 (Gracillariidae) Synonym(s): *argothesa* Meyrick,1933
- 25245) *Phyllocnistis canariensis* M.Hering,1927 (Gracillariidae) Synonym(s): *canariensis* M.Hering,1927
- 25246) *Phyllocnistis citrella* Stainton,1856 (Gracillariidae) Synonym(s): *citrella* Stainton,1856; *minutella* Van Deventer,1904; *citricola* Shiraki,1913
- 25247) *Phyllocnistis citronympha* Meyrick,1926 (Gracillariidae) Synonym(s): *citronympha* Meyrick,1926
- 25248) *Phyllocnistis echinodes* Meyrick,1926 (Gracillariidae) Synonym(s): *echinodes* Meyrick,1926
- 25249) *Phyllocnistis exaeta* Meyrick,1926 (Gracillariidae) Synonym(s): *exaeta* Meyrick,1926
- 25250) *Phyllocnistis exiguella* Van Deventer,1904 (Gracillariidae) Synonym(s): *exiguella* Van Deventer,1904
- 25251) *Phyllocnistis extrematrix* Martynova,1955 (Gracillariidae) Synonym(s): *extrematrix* Martynova,1955; *almaatensis* Martynova,1955
- 25252) *Phyllocnistis helicodes* Meyrick,1916 (Gracillariidae) Synonym(s): *helicodes* Meyrick,1916
- 25253) *Phyllocnistis humiliella* Van Deventer,1904 (Gracillariidae) Synonym(s): *humiliella* Van Deventer,1904
- 25254) *Phyllocnistis labyrinthella* (Bjerkander,1790) (Gracillariidae) Synonym(s): *labyrinthella* Bjerkander,1790; *sorhageniella* Lüders,1900
- 25255) *Phyllocnistis minimella* Van Deventer,1904 (Gracillariidae) Synonym(s): *minimella* Van Deventer,1904
- 25256) *Phyllocnistis nepenthae* M.Hering,1931 (Gracillariidae) Synonym(s): *nepenthae* M.Hering,1931
- 25257) *Phyllocnistis pharetrucha* Meyrick,1921 (Gracillariidae) Synonym(s): *pharetrucha* Meyrick,1921
- 25258) *Phyllocnistis saligna* (Zeller,1839) (Gracillariidae) Synonym(s): *saligna* Zeller,1839; *salicifoliella* Duponchel,[1845]; *salignella* Herrich-Schäffer,1855; *lugdunensella* Braund,1859
- 25259) *Phyllocnistis selenopa* Meyrick,1915 (Gracillariidae) Synonym(s): *selenopa* Meyrick,1915
- 25260) *Phyllocnistis spatulata* Meyrick,1928 (Gracillariidae) Synonym(s): *spatulata* Meyrick,1928
- 25261) *Phyllocnistis stereograpta* Meyrick,1934 (Gracillariidae) Synonym(s): *stereograpta* Meyrick,1934
- 25262) *Phyllocnistis synglypta* Meyrick,1918 (Gracillariidae) Synonym(s): *synglypta* Meyrick,1918
- 25263) *Phyllocnistis tectonivora* Meyrick,1936 (Gracillariidae) Synonym(s): *teutonivora* Meyrick,1936
- 25264) *Phyllocnistis temperator* Meyrick,1936 (Gracillariidae) Synonym(s): *temperator* Meyrick,1936
- 25265) *Phyllocnistis titania* Meyrick,1928 (Gracillariidae) Synonym(s): *titania* Meyrick,1928
- 25266) *Phyllocnistis unipunctella* (Stephens,1834) (Gracillariidae) Synonym(s): *unipunctella* Stephens,1834; *augustella* Costa,[1836] *nec* Hübner,1796; *suffusella* Zeller,1848
- 25267) *Phyllocnistis valentinensis* (M.Hering,1936) (Gracillariidae) Synonym(s): *valentinensis* M.Hering,1936
- 25268) *Phyllocnistis voutei* M.Hering,1932 (Gracillariidae) Synonym(s): *voutei* M.Hering,1932
- 25269) *Phyllocnistis xenia* M.Hering,1936 (Gracillariidae) Synonym(s): *xenia* M.Hering,1936
- 25270) *Phyllonorycter abrasella* (Duponchel,1843) (Gracillariidae) Synonym(s): *abrasella* Duponchel,1843; *abrasella* Zeller,1846
- 25271) *Phyllonorycter acaciella* (Duponchel,1843) (Gracillariidae) Synonym(s): *acaciella* Duponchel,1843; *bentivoliella* Costantini,1923
- 25272) *Phyllonorycter acerifoliella* (Zeller,1839) (Gracillariidae) Synonym(s): *sylvella* Haworth,[1828] *nec* Hübner,[1813]; *acerifoliella* Zeller,1839; *acernella* Duponchel,[1843].
- 25273) *Phyllonorycter aceripestis* (Kuznetsov,1978) (Gracillariidae) Synonym(s): *aceripestis* Kuznetsov,1978
- 25274) *Phyllonorycter aceriphaga* (Kuznetsov,1975) (Gracillariidae) Synonym(s): *aceriphaga* Kuznetsov,1975
- 25275) *Phyllonorycter adenocarpis* (Staudinger,1863) (Gracillariidae) Synonym(s): *adenocarpis* Staudinger,1863
- 25276) *Phyllonorycter aemula* Triberti, Deschka & Huemer,1997 (Gracillariidae) Synonym(s): *aemula* Triberti, Deschka & Huemer,1997
- 25277) *Phyllonorycter agilella* (Zeller,1846) (Gracillariidae) Synonym(s): *agilella* Zeller,1846
- 25278) *Phyllonorycter alluaudiella* (Chrétien,1922) (Gracillariidae) Synonym(s): *alluaudiella* Chrétien,1922
- 25279) *Phyllonorycter alnivorella* (Ragonot,1875) (Gracillariidae) Synonym(s): *alnivorella* Ragonot,1875
- 25280) *Phyllonorycter alpina* (Frey,1856) (Gracillariidae) Synonym(s): *alpina* Frey,1856; *hauderiella* Rebel,1913
- 25281) *Phyllonorycter amseli* (Povolny & Gregor,1955) (Gracillariidae) Synonym(s): *amseli* Povolny & Gregor,1955
- 25282) *Phyllonorycter anatolica* (Deschka,1970) (Gracillariidae) Synonym(s): *anatolica* Deschka,1970
- 25283) *Phyllonorycter anchistea* (Vari,1961) (Gracillariidae) Synonym(s): *anchistea* Vari,1961
- 25284) *Phyllonorycter anderidea* (T.B.Fletcher,1875) (Gracillariidae) Synonym(s): *anderidea* T.B.Fletcher,1875
- 25285) *Phyllonorycter apparella* (Herrich-Schäffer,1855) (Gracillariidae) Synonym(s): *apparella* Herrich-Schäffer,1855; *atomariella* Zeller,1875; *tremuloidiella* Braun,1908; *ontario* Freeman,1970
- 25286) *Phyllonorycter arkadiella* Derra,1985 (Gracillariidae) Synonym(s): *arkadiella* Derra,1985
- 25287) *Phyllonorycter armeniella* (Kuznetsov,1958) (Gracillariidae) Synonym(s): *armeniella* Kuznetsov,1958
- 25288) *Phyllonorycter aroniae* (M.Hering,1936) (Gracillariidae) Synonym(s): *aroniae* M.Hering,1936
- 25289) *Phyllonorycter baldensis* Deschka,1986 (Gracillariidae) Synonym(s): *baldensis* Deschka,1986
- 25290) *Phyllonorycter barbarella* (Rebel,1900) (Gracillariidae) Synonym(s): *barbarella* Rebel,1900
- 25291) *Phyllonorycter belotella* (Staudinger,1859) (Gracillariidae) Synonym(s): *belotella* Staudinger,1859
- 25292) *Phyllonorycter blancardella* (Fabricius,1781) (Gracillariidae) Synonym(s): *blancardella* Fabricius,1781; *pyrariella* Tutt,1898; *concomitella* Banks,1899
- 25293) *Phyllonorycter brachylaenae* (Vari,1961) (Gracillariidae) Synonym(s): *brachylaenae* Vari,1961
- 25294) *Phyllonorycter brevilineatella* (Benander,1946) (Gracillariidae) Synonym(s): *brevilineatella* Benander,1946
- 25295) *Phyllonorycter brunnea* Deschka,1975 (Gracillariidae) Synonym(s): *brunnea* Deschka,1975
- 25296) *Phyllonorycter caspica* Noreika,1992 (Gracillariidae) Synonym(s): *caspica* Noreika,1992
- 25297) *Phyllonorycter cavella* (Zeller,1846) (Gracillariidae) Synonym(s): *schreberella* Zeller,1839 *nec* Fabr.,1781; *cavella* Zeller,1846; *milleri* Povolny & Gregor,1950
- 25298) *Phyllonorycter cephalariae* (Lhomme,1934) (Gracillariidae) Synonym(s): *cephalariae* Lhomme,1934
- 25299) *Phyllonorycter cerasinella* (Reutti,1853) (Gracillariidae) Synonym(s): *cerasinella* Reutti,1853; *quinqunotella* Herrich-Schäffer,1855
- 25300) *Phyllonorycter cerisolella* (Peyerimhoff,1872) (Gracillariidae) Synonym(s): *cerisolella* Peyerimhoff,1872
- 25301) *Phyllonorycter chicanella* (Staudinger,1859) (Gracillariidae) Synonym(s): *chicanella* Staudinger,1859
- 25302) *Phyllonorycter chionopa* (Vari,1961) (Gracillariidae) Synonym(s): *chionopa* Vari,1961
- 25303) *Phyllonorycter christenseni* Derra,1985 (Gracillariidae) Synonym(s): *christenseni* Derra,1985
- 25304) *Phyllonorycter chrysella* (Constant,1885) (Gracillariidae) Synonym(s): *chrysella* Constant,1885
- 25305) *Phyllonorycter clepsiphaga* (Meyrick,1922) (Gracillariidae) Synonym(s): *clepsiphaga* Meyrick,1922
- 25306) *Phyllonorycter cocciferella* (Mendes,1910) (Gracillariidae) Synonym(s): *cocciferella* Mendes,1910
- 25307) *Phyllonorycter comparella* (Duponchel,1843) (Gracillariidae) Synonym(s): *comparella* Duponchel,1843; *cerrutiella* Hartig,1952
- 25308) *Phyllonorycter conformis* (Meyrick,1910) (Gracillariidae) Synonym(s): *conformis* Meyrick,1910
- 25309) *Phyllonorycter conista* (Meyrick,1911) (Gracillariidae) Synonym(s): *conista* Meyrick,1911; *clarisoma* Meyrick,1916
- 25310) *Phyllonorycter connexella* (Zeller,1846) (Gracillariidae) Synonym(s): *connexella* Zeller,1846; *asiatica* Gerasimov,1931

- 25311) *Phyllonorycter coryli* (Nicelli,1851) (Gracillariidae) Synonym(s): *coryli* Nicelli,1851; *corylella* Herrich-Schäffer,1855
 25312) *Phyllonorycter corylifoliella* (Hübner,1796) (Gracillariidae) Synonym(s): *corylifoliella* Hübner,1796; *betulae* Zeller,1839; *betulifoliella* Duponchel,1845; *caledoniella* Stainton,1851; *betulella* Herrich-Schäffer,1855
 25313) *Phyllonorycter cretata* (Kumata,1957) (Gracillariidae) Synonym(s): *cretata* Kumata,1957
 25314) *Phyllonorycter cydoniella* ([Denis & Schiffermüller],1775) (Gracillariidae) Synonym(s): *#cydoniella* [Denis & Schiffermüller],1775; *gregori* Povolny,1949
 25315) *Phyllonorycter cytisella* (Rebel,1896) (Gracillariidae) Synonym(s): *cytisella* Rebel,1896
 25316) *Phyllonorycter cytisifoliae* (M.Hering,1927) (Gracillariidae) Synonym(s): *cytisifoliae* M.Hering,1927
 25317) *Phyllonorycter cytissus* (Amsel & Hartig,1952) (Gracillariidae) Synonym(s): *cytissus* Amsel & Hartig,1952
 25318) *Phyllonorycter dalmatinella* (Amsel,1951) (Gracillariidae) Synonym(s): *dalmatinella* Amsel,1951
 25319) *Phyllonorycter deleta* (Staudinger,1880) (Gracillariidae) Synonym(s): *deleta* Staudinger,1880
 25320) *Phyllonorycter delitella* (Duponchel,1844) (Gracillariidae) Synonym(s): *delitella* Duponchel,1844
 25321) *Phyllonorycter dentifera* (Noreika,1992) (Gracillariidae) Synonym(s): *dentifera* Noreika,1992
 25322) *Phyllonorycter didymopa* (Vari,1961) (Gracillariidae) Synonym(s): *didymopa* Vari,1961
 25323) *Phyllonorycter distentella* (Zeller,1846) (Gracillariidae) Synonym(s): *distentella* Zeller,1846; *manniella* Herrich-Schäffer,1855
 25324) *Phyllonorycter dubitella* (Herrich-Schäffer,1855) (Gracillariidae) Synonym(s): *dubitella* Herrich-Schäffer,1855; *spinicoella* Herrich-Schäffer,1855
 25325) *Phyllonorycter elmaella* Doğanlar & Mutuura,1980 (Gracillariidae) Synonym(s): *elmaella* Doğanlar & Mutuura,1980
 25326) *Phyllonorycter emberizaepennella* (Bouché,1834) (Gracillariidae) Synonym(s): *emberizaepennella* Bouché,1834; *pezzolella* Herrich-Schäffer,1855
 25327) *Phyllonorycter encaeria* (Meyrick,1911) (Gracillariidae) Synonym(s): *encaeria* Meyrick,1911
 25328) *Phyllonorycter endryella* (Mann,1855) (Gracillariidae) Synonym(s): *endryella* Mann,1855; *meridionella* Möschler,1866; *caudiferella* Ragonot,1875
 25329) *Phyllonorycter epichares* (Meyrick,1928) (Gracillariidae) Synonym(s): *epichares* Meyrick,1928
 25330) *Phyllonorycter eratantha* (Meyrick,1922) (Gracillariidae) Synonym(s): *eratantha* Meyrick,1922
 25331) *Phyllonorycter ermani* (Kumata,1963) (Gracillariidae) Synonym(s): *ermani* Kumata,1963
 25332) *Phyllonorycter esperella* (Goeze,1783) (Gracillariidae) Synonym(s): *esperella* Goeze,1783; *quinnata* Fourcroy,1785; *quinnatella* Villers,1789; *caprinicoella* Stainton,1851
 25333) *Phyllonorycter extincta* Deschka,1974 (Gracillariidae) Synonym(s): *extincta* Deschka,1974
 25334) *Phyllonorycter fabaceaella* (Kuznetsov,1978) (Gracillariidae) Synonym(s): *fabaceaella* Kuznetsov,1978
 25335) *Phyllonorycter fasciformis* (Meyrick,1930) (Gracillariidae) Synonym(s): *fasciformis* Meyrick,1930
 25336) *Phyllonorycter fumeella* (Krone,1911) (Gracillariidae) Synonym(s): *fumeella* Krone,1911; *ochreojunctella* Klimesch,1942
 25337) *Phyllonorycter flava* Deschka,1975 (Gracillariidae) Synonym(s): *flava* Deschka,1975
 25338) *Phyllonorycter fraxinella* (Zeller,1846) (Gracillariidae) Synonym(s): *fraxinella* Zeller,1846
 25339) *Phyllonorycter froelichiella* (Zeller,1839) (Gracillariidae) Synonym(s): *froelichiella* Zeller,1839
 25340) *Phyllonorycter geniculella* (Ragonot,1874) (Gracillariidae) Synonym(s): *geniculella* Ragonot,1874; *dahmiella* Sorhagen,1900
 25341) *Phyllonorycter genistella* (Rebel,1901) (Gracillariidae) Synonym(s): *genistella* Rebel,1901
 25342) *Phyllonorycter gerasimovi* (M.Hering,1930) (Gracillariidae) Synonym(s): *gerasimovi* M.Hering,1930
 25343) *Phyllonorycter glaserorum* (Deschka,1969) (Gracillariidae) Synonym(s): *glaserorum* Deschka,1969
 25344) *Phyllonorycter grewiaecola* (Vari,1961) (Gracillariidae) Synonym(s): *grewiaecola* Vari,1961
 25345) *Phyllonorycter grewiella* (Vari,1961) (Gracillariidae) Synonym(s): *grewiella* Vari,1961
 25346) *Phyllonorycter haasi* (Rebel,1901) (Gracillariidae) Synonym(s): *haasi* Rebel,1901; *purgantella* Chrétien,1910; *joannisella* Durrant,1925
 25347) *Phyllonorycter hapalotoxa* (Meyrick,1921) (Gracillariidae) Synonym(s): *hapalotoxa* Meyrick,1921
 25348) *Phyllonorycter harrisella* (Linnaeus,1761) (Gracillariidae) Synonym(s): *harrisella* Linnaeus,1761; *cramerella* Fabricius,1777; *tenella* Duponchel,1843].
 25349) *Phyllonorycter heegeriella* (Zeller,1846) (Gracillariidae) Synonym(s): *heegeriella* Zeller,1846
 25350) *Phyllonorycter helianthemella* (Herrich-Schäffer,1861) (Gracillariidae) Synonym(s): *helianthemella* Herrich-Schäffer,1861; *cistifoliella* Groschke,1944
 25351) *Phyllonorycter hesperiella* (Staudinger,1859) (Gracillariidae) Synonym(s): *hesperiella* Staudinger,1859
 25352) *Phyllonorycter hexalobina* (Vari,1961) (Gracillariidae) Synonym(s): *hexalobina* Vari,1961; *#hexabolina* Vari,1961
 25353) *Phyllonorycter hibiscina* (Vari,1961) (Gracillariidae) Synonym(s): *hibiscina* Vari,1961
 25354) *Phyllonorycter hilarella* (Zetterstedt,1839) (Gracillariidae) Synonym(s): *hilarella* Zetterstedt,1839; *spinoella* Duponchel,1840
 25355) *Phyllonorycter hissarella* Noreika,1993 (Gracillariidae) Synonym(s): *hissarella* Noreika,1993
 25356) *Phyllonorycter idolias* (Meyrick,1891) (Gracillariidae) Synonym(s): *idolias* Meyrick,1891
 25357) *Phyllonorycter ilicifoliella* (Duponchel,1843) (Gracillariidae) Synonym(s): *ilicifoliella* Duponchel,1843
 25358) *Phyllonorycter infirma* Deschka,1975 (Gracillariidae) Synonym(s): *infirma* Deschka,1975
 25359) *Phyllonorycter insignitella* (Zeller,1846) (Gracillariidae) Synonym(s): *insignitella* Zeller,1846; *bueringerella* Heydenreich,1851
 25360) *Phyllonorycter iranica* Deschka,1979 (Gracillariidae) Synonym(s): *iranica* Deschka,1979
 25361) *Phyllonorycter irmella* (Palm,1947) (Gracillariidae) Synonym(s): *irmella* Palm,1947
 25362) *Phyllonorycter issikii* (Kumata,1963) (Gracillariidae) Synonym(s): *issikii* Kumata,1963
 25363) *Phyllonorycter iteina* (Meyrick,1918) (Gracillariidae) Synonym(s): *iteina* Meyrick,1918; *eophanes* Meyrick,1931
 25364) *Phyllonorycter joviella* (Constant,1890) (Gracillariidae) Synonym(s): *joviella* Constant,1890
 25365) *Phyllonorycter juglandicola* (Kuznetsov,1975) (Gracillariidae) Synonym(s): *juglandicola* Kuznetsov,1975
 25366) *Phyllonorycter junoniella* (Zeller,1846) (Gracillariidae) Synonym(s): *junoniella* Zeller,1846; *vacciniella* Stainton,1855
 25367) *Phyllonorycter kautziella* (Hartig,1938) (Gracillariidae) Synonym(s): *kautziella* Hartig,1938
 25368) *Phyllonorycter kleemannella* (Fabricius,1781) (Gracillariidae) Synonym(s): *kleemannella* Fabricius,1781
 25369) *Phyllonorycter kuhlweiniella* (Zeller,1839) (Gracillariidae) Synonym(s): *hortella* Fabricius,1794 nec Fabricius,1794; *kuhlweiniella* Zeller,1839; *saportella* Duponchel,1840.
 25370) *Phyllonorycter kUSDasi* (Deschka,1970) (Gracillariidae) Synonym(s): *kUSDasi* Deschka,1970
 25371) *Phyllonorycter lantanae* (Vari,1961) (Gracillariidae) Synonym(s): *lantanae* Vari,1961
 25372) *Phyllonorycter lantanaella* (Schränk,1802) (Gracillariidae) Synonym(s): *lantanaella* Schränk,1802; *elatella* Zeller,1846; *confertella* Heydenreich,1851
 25373) *Phyllonorycter laurocerasi* (Kuznetsov,1979) (Gracillariidae) Synonym(s): *laurocerasi* Kuznetsov,1979
 25374) *Phyllonorycter lautella* (Zeller,1846) (Gracillariidae) Synonym(s): *lautella* Zeller,1846; *irradiella* Stainton,1854
 25375) *Phyllonorycter leucographella* (Zeller,1850) (Gracillariidae) Synonym(s): *leucographella* Zeller,1850
 25376) *Phyllonorycter libanotica* (Deschka,1972) (Gracillariidae) Synonym(s): *libanotica* Deschka,1972
 25377) *Phyllonorycter linioliella* (Rungs,1942) (Gracillariidae) Synonym(s): *linioliella* Rungs,1942
 25378) *Phyllonorycter loxozona* (Meyrick,1936) (Gracillariidae) Synonym(s): *loxozona* Meyrick,1936
 25379) *Phyllonorycter luzonica* Kumata,1995 (Gracillariidae) Synonym(s): *luzonica* Kumata,1995
 25380) *Phyllonorycter macedonica* (Deschka,1971) (Gracillariidae) Synonym(s): *macedonica* Deschka,1971
 25381) *Phyllonorycter macrantherella* (Kuznetsov,1961) (Gracillariidae) Synonym(s): *macrantherella* Kuznetsov,1961
 25382) *Phyllonorycter maestingella* (Müller,1764) (Gracillariidae) Synonym(s): *maestingella* Müller,1764; *faginella* Zeller,1846; *securiferella* Stainton,1848; *triguttella* Stainton,1850; *phegophagella* Herrich-Schäffer,1855; *hedemanni* Caradja,1920
 25383) *Phyllonorycter malayana* Kumata,1993 (Gracillariidae) Synonym(s): *malayana* Kumata,1993
 25384) *Phyllonorycter malella* (Gerasimov,1931) (Gracillariidae) Synonym(s): *malella* Gerasimov,1931
 25385) *Phyllonorycter mannii* (Zeller,1846) (Gracillariidae) Synonym(s): *mannii* Zeller,1846; *manniella* Herrich-Schäffer,1855; *#manni* M.Hering,1934
 25386) *Phyllonorycter medicaginnella* (Gerasimov,1930) (Gracillariidae) Synonym(s): *medicaginnella* Gerasimov,1930
 25387) *Phyllonorycter melanosparta* (Meyrick,1912) (Gracillariidae) Synonym(s): *melanosparta* Meyrick,1912
 25388) *Phyllonorycter melhaniae* (Vari,1961) (Gracillariidae) Synonym(s): *melhaniae* Vari,1961
 25389) *Phyllonorycter menaea* (Meyrick,1918) (Gracillariidae) Synonym(s): *menaea* Meyrick,1918
 25390) *Phyllonorycter mespilella* (Hübner,1805) (Gracillariidae) Synonym(s): *mespilella* Hübner,1805; *pomifoliella* Zeller,1839; *decimella* Stainton,1851; *aureopallidella* Bruand,1859; *pyrivorella* Banks,1899
 25391) *Phyllonorycter messaniella* (Zeller,1846) (Gracillariidae) Synonym(s): *messaniella* Zeller,1846
 25392) *Phyllonorycter millierella* (Staudinger,1871) (Gracillariidae) Synonym(s): *millierella* Staudinger,1871; *celtidella* Rondani,1876
 25393) *Phyllonorycter mirbeckifoliae* Deschka,1974 (Gracillariidae) Synonym(s): *mirbeckifoliae* Deschka,1974

- 25394) *Phyllonorycter monspessulanella* (Fuchs,1897) (Gracillariidae) Synonym(s): *monspessulanella* Fuchs,1897
 25395) *Phyllonorycter montanella* Bradley,1980 (Gracillariidae) Synonym(s): *montanella* Bradley,1980
 25396) *Phyllonorycter muelleriella* (Zeller,1839) (Gracillariidae) Synonym(s): *muelleriella* Zeller,1839; *amyotella* Duponchel,1840
 25397) *Phyllonorycter myricae* Deschka,1976 (Gracillariidae) Synonym(s): *myricae* Deschka,1976
 25398) *Phyllonorycter myricella* Kumata,1995 (Gracillariidae) Synonym(s): *myricae* Kumata,1993 nec Deschk.,1976; *myricella* Kumata,1995
 25399) *Phyllonorycter neli* Buvat,1996 (Gracillariidae) Synonym(s): *neli* Buvat,1996
 25400) *Phyllonorycter nepalensis* Kumata,1973 (Gracillariidae) Synonym(s): *nepalensis* Kumata,1973
 25401) *Phyllonorycter nevadensis* (Walsingham,1908) (Gracillariidae) Synonym(s): *nevadensis* Walsingham,1908
 25402) *Phyllonorycter nicellii* (Stainton,1851) (Gracillariidae) Synonym(s): *nicellii* Stainton,1851; *dunningiella* Stainton,1852; *nicelliella* Doubleday,1859
 25403) *Phyllonorycter nigrescentella* (Logan,1851) (Gracillariidae) Synonym(s): *nigrescentella* Logan,1851
 25404) *Phyllonorycter nivalis* Deschka,1986 (Gracillariidae) Synonym(s): *nivalis* Deschka,1986
 25405) *Phyllonorycter obliquifascia* (Filipjev,1926) (Gracillariidae) Synonym(s): *obliquifascia* Filipjev,1926
 25406) *Phyllonorycter obtusifoliella* Deschka,1974 (Gracillariidae) Synonym(s): *obtusifoliella* Deschka,1974
 25407) *Phyllonorycter olympica* Deschka,1983 (Gracillariidae) Synonym(s): *olympica* Deschka,1983
 25408) *Phyllonorycter oreas* Kumata,1973 (Gracillariidae) Synonym(s): *oreas* Kumata,1973
 25409) *Phyllonorycter orientalis* (Kumata,1963) (Gracillariidae) Synonym(s): *orientalis* Kumata,1963
 25410) *Phyllonorycter ostryae* (Kumata,1963) (Gracillariidae) Synonym(s): *ostryae* Kumata,1963
 25411) *Phyllonorycter ovalifoliae* Kumata,1973 (Gracillariidae) Synonym(s): *ovalifoliae* Kumata,1973
 25412) *Phyllonorycter oxyacanthae* (Frey,1855) (Gracillariidae) Synonym(s): *oxyacanthae* Frey,1855
 25413) *Phyllonorycter parisiella* (Wocke,1848) (Gracillariidae) Synonym(s): *parisiella* Wocke,1848
 25414) *Phyllonorycter parvifoliella* (Ragonot,1875) (Gracillariidae) Synonym(s): *parvifoliella* Ragonot,1875
 25415) *Phyllonorycter pastorella* (Zeller,1846) (Gracillariidae) Synonym(s): *pastorella* Zeller,1846; *fainae* Gerasimov,1931
 25416) *Phyllonorycter pavoniae* (Vari,1961) (Gracillariidae) Synonym(s): *pavoniae* Vari,1961
 25417) *Phyllonorycter penangensis* Kumata,1993 (Gracillariidae) Synonym(s): *penangensis* Kumata,1993
 25418) *Phyllonorycter philerata* (Meyrick,1922) (Gracillariidae) Synonym(s): *philerata* Meyrick,1922
 25419) *Phyllonorycter phyllocytisi* (Hering,1936) (Gracillariidae) Synonym(s): *phyllocytisi* Hering,1936
 25420) *Phyllonorycter picardi* Buvat,1995 (Gracillariidae) Synonym(s): *picardi* Buvat,1995
 25421) *Phyllonorycter pictus* Walsingham,1914 (Gracillariidae) Synonym(s): *pictus* Walsingham,1914
 25422) *Phyllonorycter platani* (Staudinger,1870) (Gracillariidae) Synonym(s): *platani* Staudinger,1870; *felinella* Heinrich,1920
 25423) *Phyllonorycter platanoidella* (Joannis,1920) (Gracillariidae) Synonym(s): *platanoidella* Joannis,1920; *joannis* Le Marchard,1936
 25424) *Phyllonorycter pomiella* (Gerasimov,1933) (Gracillariidae) Synonym(s): *pomiella* Gerasimov,1933
 25425) *Phyllonorycter populi* (Filipjev,1926) (Gracillariidae) Synonym(s): *populi* Filipjev,1926; *populiella* Filipjev,1926 nec Chamb.,1878
 25426) *Phyllonorycter populialbae* (Kuznetsov,1961) (Gracillariidae) Synonym(s): *populialbae* Kuznetsov,1961
 25427) *Phyllonorycter populiicola* (Kuznetsov,1975) (Gracillariidae) Synonym(s): *populicola* Kuznetsov,1975
 25428) *Phyllonorycter populifoliella* (Treitschke,1833) (Gracillariidae) Synonym(s): *populifoliella* Treitschke,1833; *fritillella* Koch,1856; *pilosissimella* Bruand,1859; *petrazzaniella* Constantini,1923
 25429) *Phyllonorycter pruinosa* (Gerasimov,1931) (Gracillariidae) Synonym(s): *pruinosa* Gerasimov,1931
 25430) *Phyllonorycter pseuditeina* Kumata,1973 (Gracillariidae) Synonym(s): *pseuditeina* Kumata,1973
 25431) *Phyllonorycter pseudojezoniella* (Noreika,1994) (Gracillariidae) Synonym(s): *pseudojezoniella* Noreika,1994
 25432) *Phyllonorycter pseudojoviella* Deschka,1974 (Gracillariidae) Synonym(s): *pseudojoviella* Deschka,1974
 25433) *Phyllonorycter pseudoplataniella* (Ragonot,1874) (Gracillariidae) Synonym(s): *pseudoplataniella* Ragonot,1874
 25434) *Phyllonorycter pumilae* (Ermolaev,1981) (Gracillariidae) Synonym(s): *pumilae* Ermolaev,1981
 25435) *Phyllonorycter pyrifoliella* (Gerasimov,1933) (Gracillariidae) Synonym(s): *pyrifoliella* Gerasimov,1933
 25436) *Phyllonorycter pyrispinosae* Deschka,1986 (Gracillariidae) Synonym(s): *pyrispinosae* Deschka,1986
 25437) *Phyllonorycter quercifoliella* (Zeller,1839) (Gracillariidae) Synonym(s): *quercifoliella* Zeller,1839
 25438) *Phyllonorycter quercus* (Amsel & Hering,1931) (Gracillariidae) Synonym(s): *quercus* Amsel & Hering,1931
 25439) *Phyllonorycter quinquegutella* (Stainton,1851) (Gracillariidae) Synonym(s): *quinquegutella* Stainton,1851; *repentella* Sorhagen,1900
 25440) *Phyllonorycter raikhonae* (Noreika,1992) (Gracillariidae) Synonym(s): *raikhonae* Noreika,1992
 25441) *Phyllonorycter rajella* (Linnaeus,1758) (Gracillariidae) Synonym(s): *rajella* Linnaeus,1758; *alnifoliella* Hübner,1796; *alniella* Zeller,1839
 25442) *Phyllonorycter rebimbasi* (Mendes,1910) (Gracillariidae) Synonym(s): *rebimbasi* Mendes,1910
 25443) *Phyllonorycter retamella* (Chrétien,1915) (Gracillariidae) Synonym(s): *retamella* Chrétien,1915
 25444) *Phyllonorycter rhynchosiae* (Vari,1961) (Gracillariidae) Synonym(s): *rhynchosiae* Vari,1961
 25445) *Phyllonorycter robinella* (Clemens,1859) (Gracillariidae) Synonym(s): *robinella* Clemens,1859
 25446) *Phyllonorycter roboris* (Zeller,1839) (Gracillariidae) Synonym(s): *roboris* Zeller,1839; *roborifoliella* Duponchel,1843; *roborella* Stainton,1848
 25447) *Phyllonorycter rolandi* (Svensson,1966) (Gracillariidae) Synonym(s): *rolandi* Svensson,1966
 25448) *Phyllonorycter rubicola* Kumata,1973 (Gracillariidae) Synonym(s): *rubicola* Kumata,1973
 25449) *Phyllonorycter sagitella* (Bjerkander,1790) (Gracillariidae) Synonym(s): *sagitella* Bjerkander,1790; *tremulae* Zeller,1846; *tremulella* Herrich-Schäffer,1855
 25450) *Phyllonorycter salicicolella* (Sircom,1848) (Gracillariidae) Synonym(s): *salicicolella* Sircom,1848; *subconnexella* Stainton,1849; *capraella* Nicelli,1851; *fusca* Waters,1929
 25451) *Phyllonorycter saliciphaga* (Kuznetsov,1960) (Gracillariidae) Synonym(s): *saliciphaga* Kuznetsov,1960
 25452) *Phyllonorycter salictella* (Zeller,1846) (Gracillariidae) Synonym(s): *salictella* Zeller,1846; *viminiella* Sircom,1848; *heringiella* Gronlien,1932; *jaeckhi* M.Hering,1934
 25453) *Phyllonorycter sardiniensis* (Amsel,1939) (Gracillariidae) Synonym(s): *sardiniensis* Amsel,1939
 25454) *Phyllonorycter scabiosella* (Douglas,1853) (Gracillariidae) Synonym(s): *scabiosella* Douglas,1853; *scabiosaecolella* Doubleday,1859
 25455) *Phyllonorycter schreberella* (Fabricius,1781) (Gracillariidae) Synonym(s): *schreberella* Fabricius,1781; *ulminella* Zeller,1839; *guicciardiella* Costantini,1923
 25456) *Phyllonorycter scitulella* (Duponchel,1843) (Gracillariidae) Synonym(s): *scitulella* Duponchel,1843
 25457) *Phyllonorycter scopariella* (Zeller,1846) (Gracillariidae) Synonym(s): *scopariella* Zeller,1846
 25458) *Phyllonorycter sorbi* (Frey,1855) (Gracillariidae) Synonym(s): *sorbi* Frey,1855
 25459) *Phyllonorycter spartocytisi* (Hering,1927) (Gracillariidae) Synonym(s): *spartocytisi* Hering,1927
 25460) *Phyllonorycter spinicolella* (Zeller,1846) (Gracillariidae) Synonym(s): *spinicolella* Zeller,1846; *cerasicolella* Herrich-Schäffer,1855
 25461) *Phyllonorycter staintoniella* (Nicelli,1853) (Gracillariidae) Synonym(s): *staintoniella* Nicelli,1853; *pilosicolella* Bruand,1852; *tinctoriella* Le Marchard,1926; *desertella* Gregor & Povolny,1949
 25462) *Phyllonorycter stettinensis* (Nicelli,1852) (Gracillariidae) Synonym(s): *stettinensis* Nicelli,1852; *stettinella* Herrich-Schäffer,1855
 25463) *Phyllonorycter strigulatella* (Lienig & Zeller,1846) (Gracillariidae) Synonym(s): *strigulatella* Lienig & Zeller,1846
 25464) *Phyllonorycter suaveolentis* (Petty,1904) (Gracillariidae) Synonym(s): *suaveolentis* Petty,1904
 25465) *Phyllonorycter suberifoliella* (Zeller,1850) (Gracillariidae) Synonym(s): *suberifoliella* Zeller,1850
 25466) *Phyllonorycter sublautella* (Stainton,1869) (Gracillariidae) Synonym(s): *sublautella* Stainton,1869
 25467) *Phyllonorycter tangerensis* (Stainton,1872) (Gracillariidae) Synonym(s): *tangerensis* Stainton,1872
 25468) *Phyllonorycter tenerella* (Joannis,1915) (Gracillariidae) Synonym(s): *tenella* Zeller,1846 nec Dup.,1845; *tenerella* Joannis,1915; *albidorsella* Benander,1944
 25469) *Phyllonorycter tinctoriella* (Le Marchand,1926) (Gracillariidae) Synonym(s): *tinctoriella* Le Marchand,1926
 25470) *Phyllonorycter triarcha* (Meyrick,1908) (Gracillariidae) Synonym(s): *triarcha* Meyrick,1908
 25471) *Phyllonorycter tribhuvani* Kumata,1973 (Gracillariidae) Synonym(s): *tribhuvani* Kumata,1973
 25472) *Phyllonorycter trifasciella* (Haworth,1828) (Gracillariidae) Synonym(s): *trifasciella* Haworth,1828
 25473) *Phyllonorycter triflorella* (Peyerimhoff,1872) (Gracillariidae) Synonym(s): *triflorella* Peyerimhoff,1872
 25474) *Phyllonorycter trifoliella* (Gerasimov,1933) (Gracillariidae) Synonym(s): *trifoliella* Gerasimov,1933
 25475) *Phyllonorycter tristrigella* (Haworth,1828) (Gracillariidae) Synonym(s): *tristrigella* Haworth,1828
 25476) *Phyllonorycter trojana* Deschka,1982 (Gracillariidae) Synonym(s): *trojana* Deschka,1982

- 25477) *Phyllonorycter troodi* Deschka, 1974 (Gracillariidae) Synonym(s): *troodi* Deschka, 1974
 25478) *Phyllonorycter turanica* (Gerasimov, 1931) (Gracillariidae) Synonym(s): *turanica* Gerasimov, 1931
 25479) *Phyllonorycter turcomanicella* (Kuznetsov, 1960) (Gracillariidae) Synonym(s): *turcomanicella* Kuznetsov, 1960
 25480) *Phyllonorycter ulicicolella* (Stainton, 1851) (Gracillariidae) Synonym(s): *ulicicolella* Stainton, 1851
 25481) *Phyllonorycter ulmifoliella* (Hübner, 1817) (Gracillariidae) Synonym(s): *ulmifoliella* Hübner, 1817
 25482) *Phyllonorycter viminetorum* (Stainton, 1854) (Gracillariidae) Synonym(s): *viminetorum* Stainton, 1854
 25483) *Phyllonorycter vulturella* (Deschka, 1968) (Gracillariidae) Synonym(s): *vulturella* Deschka, 1968
 25484) *Phyllonorycter yamadai* Kumata, 1973 (Gracillariidae) Synonym(s): *yamadai* Kumata, 1973
 25485) *Phyllonorycter zerkovae* (Kumata, 1963) (Gracillariidae) Synonym(s): *zerkovae* Kumata, 1963
 25486) *Phyllonorycter zonochares* (Meyrick, 1933) (Gracillariidae) Synonym(s): *zonochares* Meyrick, 1933
 25487) *Pleiomorpha dystacta* Vari, 1961 (Gracillariidae) Synonym(s): *dystacta* Vari, 1961
 25488) *Pleiomorpha eumeces* Vari, 1961 (Gracillariidae) Synonym(s): *eumeces* Vari, 1961
 25489) *Pleiomorpha habrogramma* Vari, 1961 (Gracillariidae) Synonym(s): *habrogramma* Vari, 1961
 25490) *Pleiomorpha homotypa* Vari, 1961 (Gracillariidae) Synonym(s): *homotypa* Vari, 1961
 25491) *Pleiomorpha symmetra* Vari, 1961 (Gracillariidae) Synonym(s): *symmetra* Vari, 1961
 25492) *Pogonocephalia veneranda* (Meyrick, 1909) (Gracillariidae) Synonym(s): *veneranda* Meyrick, 1909
 25493) *Polydema hormophora* (Meyrick, 1912) (Gracillariidae) Synonym(s): *hormophora* Meyrick, 1912
 25494) *Polydema vansoni* Vari, 1961 (Gracillariidae) Synonym(s): *vansoni* Vari, 1961
 25495) *Polymitia eximipalpella* (Gerasimov, 1930) (Gracillariidae) Synonym(s): *eximipalpella* Gerasimov, 1930; *telaviviella* Amsel, 1935
 25496) *Polymitia laristana* Triberti, 1986 (Gracillariidae) Synonym(s): *laristana* Triberti, 1986
 25497) *Polysoma aenictum* Vari, 1961 (Gracillariidae) Synonym(s): *aenictum* Vari, 1961
 25498) *Polysoma clarki* Vari, 1961 (Gracillariidae) Synonym(s): *clarki* Vari, 1961
 25499) *Polysoma lithochrysum* (Meyrick, 1930) (Gracillariidae) Synonym(s): *lithochrysum* Meyrick, 1930
 25500) *Polysoma tanysphenum* (Meyrick, 1928) (Gracillariidae) Synonym(s): *tanysphenum* Meyrick, 1928
 25501) *Porphyrosela aglaazona* (Meyrick, 1882) (Gracillariidae) Synonym(s): *aglaazona* Meyrick, 1882
 25502) *Porphyrosela alternata* Kumata, 1993 (Gracillariidae) Synonym(s): *alternata* Kumata, 1993
 25503) *Porphyrosela dorinda* (Meyrick, 1912) (Gracillariidae) Synonym(s): *dorinda* Meyrick, 1912
 25504) *Porphyrosela homotropa* Vari, 1963 (Gracillariidae) Synonym(s): *homotropa* Vari, 1963
 25505) *Porphyrosela minuta* Clarke, 1953 (Gracillariidae) Synonym(s): *minuta* Clarke, 1953
 25506) *Porphyrosela neodoxa* (Meyrick, 1916) (Gracillariidae) Synonym(s): *neodoxa* Meyrick, 1916
 25507) *Porphyrosela teramni* Vari, 1961 (Gracillariidae) Synonym(s): *teramni* Vari, 1961
 25508) *Sauterina hofmanniella* (Schleich, 1867) (Gracillariidae) Synonym(s): *hofmanniella* Schleich, 1867
 25509) *Sauterina thrypticosema* (Vari, 1961) (Gracillariidae) Synonym(s): *thrypticosema* Vari, 1961
 25510) *Schedocercops maeruae* Vari, 1961 (Gracillariidae) Synonym(s): *maeruae* Vari, 1961
 25511) *Semnocera procellaris* (Meyrick, 1914) (Gracillariidae) Synonym(s): *procellaris* Meyrick, 1914
 25512) *Spulerina aphanosema* Vari, 1961 (Gracillariidae) Synonym(s): *aphanosema* Vari, 1961
 25513) *Spulerina astaurota* (Meyrick, 1922) (Gracillariidae) Synonym(s): *astaurota* Meyrick, 1922
 25514) *Spulerina atactodesma* Vari, 1961 (Gracillariidae) Synonym(s): *atactodesma* Vari, 1961
 25515) *Spulerina catapasta* Vari, 1961 (Gracillariidae) Synonym(s): *catapasta* Vari, 1961
 25516) *Spulerina corticicola* Kumata, 1964 (Gracillariidae) Synonym(s): *corticicola* Kumata, 1964
 25517) *Spulerina dissotoma* (Meyrick, 1931) (Gracillariidae) Synonym(s): *dissotoma* Meyrick, 1931; *lespedezifoliella* Kuroko, 1982
 25518) *Spulerina hexalocha* (Meyrick, 1912) (Gracillariidae) Synonym(s): *hexalocha* Meyrick, 1912
 25519) *Spulerina isonoma* (Meyrick, 1916) (Gracillariidae) Synonym(s): *isonoma* Meyrick, 1916
 25520) *Spulerina lochmaea* Vari, 1961 (Gracillariidae) Synonym(s): *lochmaea* Vari, 1961
 25521) *Spulerina malicola* (Meyrick, 1921) (Gracillariidae) Synonym(s): *malicola* Meyrick, 1921
 25522) *Spulerina marmarodes* Vari, 1961 (Gracillariidae) Synonym(s): *marmarodes* Vari, 1961
 25523) *Spulerina parthenocissi* Kumata & Kuroko, 1988 (Gracillariidae) Synonym(s): *parthenocissi* Kumata & Kuroko, 1988
 25524) *Spulerina quadrifasciata* Bland, 1980 (Gracillariidae) Synonym(s): *quadrifasciata* Bland, 1980
 25525) *Spulerina simploniella* (Fischer v. Röslerstamm, 1840) (Gracillariidae) Synonym(s): *simploniella* Fischer v. Röslerstamm, 1840; *eximiella* Christoph, 1888
 25526) *Spulerina virgulata* Kumata & Kuroko, 1988 (Gracillariidae) Synonym(s): *virgulata* Kumata & Kuroko, 1988
 25527) *Stomphastis adesa* Triberti, 1988 (Gracillariidae) Synonym(s): *adesa* Triberti, 1988
 25528) *Stomphastis aphrocyma* (Meyrick, 1918) (Gracillariidae) Synonym(s): *aphrocyma* Meyrick, 1918
 25529) *Stomphastis cardamitis* (Meyrick, 1918) (Gracillariidae) Synonym(s): *cardamitis* Meyrick, 1918
 25530) *Stomphastis chalybacma* (Meyrick, 1908) (Gracillariidae) Synonym(s): *chalybacma* Meyrick, 1908
 25531) *Stomphastis conflua* (Meyrick, 1914) (Gracillariidae) Synonym(s): *conflua* Meyrick, 1914
 25532) *Stomphastis crotoniphila* Vari, 1961 (Gracillariidae) Synonym(s): *crotoniphila* Vari, 1961
 25533) *Stomphastis crotonis* Vari, 1961 (Gracillariidae) Synonym(s): *crotonis* Vari, 1961
 25534) *Stomphastis dodonaeae* Vari, 1961 (Gracillariidae) Synonym(s): *dodonaeae* Vari, 1961
 25535) *Stomphastis eugrapta* Vari, 1961 (Gracillariidae) Synonym(s): *eugrapta* Vari, 1961
 25536) *Stomphastis heringi* Vari, 1963 (Gracillariidae) Synonym(s): *heringi* Vari, 1963
 25537) *Stomphastis horrens* Vari, 1963 (Gracillariidae) Synonym(s): *horrens* Vari, 1963
 25538) *Stomphastis labyrinthica* (Meyrick, 1918) (Gracillariidae) Synonym(s): *labyrinthica* Meyrick, 1918
 25539) *Stomphastis mixograptia* Vari, 1961 (Gracillariidae) Synonym(s): *mixograptia* Vari, 1961
 25540) *Stomphastis polygoni* Vari, 1961 (Gracillariidae) Synonym(s): *polygoni* Vari, 1961
 25541) *Stomphastis rorkei* Vari, 1961 (Gracillariidae) Synonym(s): *rorkei* Vari, 1961
 25542) *Stomphastis thraustica* (Meyrick, 1908) (Gracillariidae) Synonym(s): *thraustica* Meyrick, 1908; *plectica* Meyrick, 1912
 25543) *Stomphastis tremina* Vari, 1961 (Gracillariidae) Synonym(s): *tremina* Vari, 1961
 25544) *Synnympha diluviata* Meyrick, 1915 (Gracillariidae) Synonym(s): *diluviata* Meyrick, 1915
 25545) *Systoloneura geometropis* (Meyrick, 1936) (Gracillariidae) Synonym(s): *geometropis* Meyrick, 1936
 25546) *Systoloneura randiae* Vari, 1961 (Gracillariidae) Synonym(s): *randiae* Vari, 1961
 25547) *Telamoptilia cathedraea* (Meyrick, 1908) (Gracillariidae) Synonym(s): *cathedraea* Meyrick, 1908
 25548) *Telamoptilia geyeri* (Vari, 1961) (Gracillariidae) Synonym(s): *geyeri* Vari, 1961
 25549) *Telamoptilia hemistacta* (Meyrick, 1924) (Gracillariidae) Synonym(s): *hemistacta* Meyrick, 1924
 25550) *Telamoptilia prosacta* (Meyrick, 1918) (Gracillariidae) Synonym(s): *prosacta* Meyrick, 1918
 25551) *Telamoptilia tiliae* Kumata & Ermolaev, 1988 (Gracillariidae) Synonym(s): *tiliae* Kumata & Ermolaev, 1988
 25552) *Epicroesa chromatorhoea* (Diakonoff & Arita, 1979) (Heliozelidae) Synonym(s): *chromatorhoea* Diakonoff & Arita, 1979
 25553) *Heliodines roesella* (Linnaeus, 1758) (Heliodinidae) Synonym(s): *roesella* Linnaeus, 1758
 25554) *Antispila metallella* (Denis & Schiffermüller, 1775) (Heliozelidae) Synonym(s): *metallella* [Denis & Schiffermüller], 1775
 25555) *Antispila treitschkiella* (Fischer v. Röslerstamm, 1843) (Heliozelidae) Synonym(s): *treitschkiella* Fischer v. Röslerstamm, 1843
 25556) *Antispila ludwigi* M. Hering, 1941 (Heliozelidae) Synonym(s): *ludwigi* M. Hering, 1941
 25557) *Heliozela hammoniella* Sorhagen, 1885 (Heliozelidae) Synonym(s): *hammoniella* Sorhagen, 1885
 25558) *Heliozela lithargyrella* (Zeller, 1850) (Heliozelidae) Synonym(s): *lithargyrella* Zeller, 1850
 25559) *Heliozela resplendella* (Stainton, 1851) (Heliozelidae) Synonym(s): *resplendella* Stainton, 1851
 25560) *Heliozela sericiella* (Haworth, 1828) (Heliozelidae) Synonym(s): *sericiella* Haworth, 1828
 25561) *Holocacista rivillei* (Stainton, 1855) (Heliozelidae) Synonym(s): *rivillei* Stainton, 1855
 25562) *"Phassus" regius* Staudinger, 1896 (Hepialidae) Synonym(s): *regius* Staudinger, 1896; *rubellus* O. Bang-Haas, 1939
 25563) *Afrotheora argentinimaculata* Nielsen & Scoble, 1986 (Hepialidae) Synonym(s): *argentinimaculata* Nielsen & Scoble, 1986
 25564) *Afrotheora minirhodaula* Nielsen & Scoble, 1986 (Hepialidae) Synonym(s): *minirhodaula* Nielsen & Scoble, 1986
 25565) *Afrotheora rhodaula* (Meyrick, 1926) (Hepialidae) Synonym(s): *rhodaula* Meyrick, 1926

- 25566) *Afrotheora thermodes* (Meyrick,1921) (Hepialidae) Synonym(s): *thermodes* Meyrick,1921
 25567) *Antihepialus antarcticus* (Wallengren,1860) (Hepialidae) Synonym(s): *antarcticus* Wallengren,1860; *aurifaber* Felder,1874.
 25568) *Antihepialus capeneri* Janse,1948 (Hepialidae) Synonym(s): *capeneri* Janse,1948
 25569) *Antihepialus vansoni* (Janse,1942) (Hepialidae) Synonym(s): *vansoni* Janse,1942
 25570) *Endocrita aikasama* Tindale,1958 (Hepialidae) Synonym(s): *aikasama* Tindale,1958
 25571) *Endocrita aroura* Tindale,1958 (Hepialidae) Synonym(s): *aroura* Tindale,1958
 25572) *Endocrita auratus* (Hampson,[1893]) (Hepialidae) Synonym(s): *auratus* Hampson,[1893]
 25573) *Endocrita bromia* Tindale,1958 (Hepialidae) Synonym(s): *bromia* Tindale,1958
 25574) *Endocrita chalybeatus* (Moore,1879) (Hepialidae) Synonym(s): *chalybeatus* Moore,1879
 25575) *Endocrita chrysoptera* Tindale,1941 (Hepialidae) Synonym(s): *chrysoptera* Tindale,1941
 25576) *Endocrita crenilimbata* (Le Cerf,1919) (Hepialidae) Synonym(s): *crenilimbata* Le Cerf,1919
 25577) *Endocrita davidi* (Poujade,1886) (Hepialidae) Synonym(s): *davidi* Poujade,1886; *nankingi* Daniel,1940; *giganodus* Chu & Wang,1985
 25578) *Endocrita fijianodus* (Chu & Wang,1985) (Hepialidae) Synonym(s): *fijianodus* Chu & Wang,1985
 25579) *Endocrita gmelina* Tindale,1941 (Hepialidae) Synonym(s): *gmelina* Tindale,1941
 25580) *Endocrita hosei* Tindale,1958 (Hepialidae) Synonym(s): *hosei* Tindale,1958
 25581) *Endocrita javaensis* Viette,1950 (Hepialidae) Synonym(s): *javaensis* Viette,1950
 25582) *Endocrita kara* Tindale,1958 (Hepialidae) Synonym(s): *kara* Tindale,1958
 25583) *Endocrita niger* (van Eecke,1915) (Hepialidae) Synonym(s): *niger* van Eecke,1915; *pfitzneri* Gaede,1933
 25584) *Endocrita paraja* Tindale,1958 (Hepialidae) Synonym(s): *paraja* Tindale,1958
 25585) *Endocrita raapi* Tindale,1958 (Hepialidae) Synonym(s): *raapi* Tindale,1958
 25586) *Endocrita salvazi* Tindale,1958 (Hepialidae) Synonym(s): *salvazi* Tindale,1958
 25587) *Endocrita sericinus* (Swinhoe,1901) (Hepialidae) Synonym(s): *sericinus* Swinhoe,1901
 25588) *Endocrita sibellae* (Roepke,1935) (Hepialidae) Synonym(s): *sibellae* Roepke,1935
 25589) *Endocrita signifer* (Walker,1856) (Hepialidae) Synonym(s): *signifer* Walker,1856; *hunanensis* Chu & Wang,1985
 25590) *Endocrita taranu* Tindale,1958 (Hepialidae) Synonym(s): *taranu* Tindale,1958
 25591) *Endocrita topeza* Tindale,1958 (Hepialidae) Synonym(s): *topeza* Tindale,1958
 25592) *Endocrita tosa* Tindale,1958 (Hepialidae) Synonym(s): *tosa* Tindale,1958
 25593) *Endocrita williamsi* Tindale,1958 (Hepialidae) Synonym(s): *williamsi* Tindale,1958
 25594) *Endocrita yunnanensis* (Chu & Wang,1985) (Hepialidae) Synonym(s): *yunnanensis* Chu & Wang,1985
 25595) *Eudalaca albiplumis* (Warren,1914) (Hepialidae) Synonym(s): *albiplumis* Warren,1914
 25596) *Eudalaca albistriata* (Hampson,1910) (Hepialidae) Synonym(s): *albistriata* Hampson,1910
 25597) *Eudalaca ammon* (Wallengren,1860) (Hepialidae) Synonym(s): *ammon* Wallengren,1860; *fuscescens* Hampson,1910; *goniophora* Hampson,1910; *rhodesiensis* Hampson,1910.
 25598) *Eudalaca amphiarma* (Meyrick,1926) (Hepialidae) Synonym(s): *amphiarma* Meyrick,1926
 25599) *Eudalaca aurifuscalis* (Janse,1942) (Hepialidae) Synonym(s): *aurifuscalis* Janse,1942
 25600) *Eudalaca bacotii* (Quail,1900) (Hepialidae) Synonym(s): *bacotii* Quail,1900
 25601) *Eudalaca cretata* (Distant,1897) (Hepialidae) Synonym(s): *cretata* Distant,1897
 25602) *Eudalaca crossosema* (Meyrick,1921) (Hepialidae) Synonym(s): *crossosema* Meyrick,1921
 25603) *Eudalaca crudeni* (Janse,1942) (Hepialidae) Synonym(s): *crudeni* Janse,1942
 25604) *Eudalaca eriogastra* (Meyrick,1921) (Hepialidae) Synonym(s): *eriogastra* Meyrick,1921
 25605) *Eudalaca exul* (Herrich-Schäffer,1853) (Hepialidae) Synonym(s): *exul* Herrich-Schäffer,1853; *librata* Walker,1865; *metaleuca* Hampson,1910; *tumidifascia* Hampson,1910.
 25606) *Eudalaca gutterata* (Janse,1942) (Hepialidae) Synonym(s): *gutterata* Janse,1942
 25607) *Eudalaca hololeuca* (Hampson,1910) (Hepialidae) Synonym(s): *hololeuca* Hampson,1910
 25608) *Eudalaca homoterma* (Meyrick,1821) (Hepialidae) Synonym(s): *homoterma* (Meyrick,1821
 25609) *Eudalaca ibex* (Wallengren,1860) (Hepialidae) Synonym(s): *ibex* Wallengren,1860; *albirivula* Hampson,1910.
 25610) *Eudalaca infumata* (Janse,1942) (Hepialidae) Synonym(s): *infumata* Janse,1942
 25611) *Eudalaca isorrhoea* (Meyrick,1921) (Hepialidae) Synonym(s): *isorrhoea* Meyrick,1921
 25612) *Eudalaca leniflua* (Janse,1942) (Hepialidae) Synonym(s): *leniflua* Janse,1942
 25613) *Eudalaca leucocyma* (Hampson,1910) (Hepialidae) Synonym(s): *leucocyma* Hampson,1910
 25614) *Eudalaca leucophaea* (Janse,1919) (Hepialidae) Synonym(s): *leucophaea* Janse,1919
 25615) *Eudalaca limbopunctata* (Gaede,1930) (Hepialidae) Synonym(s): *limbopunctata* Gaede,1930
 25616) *Eudalaca minuscula* (Janse,1942) (Hepialidae) Synonym(s): *minuscula* Janse,1942
 25617) *Eudalaca nomaqua* (Walker,1856) (Hepialidae) Synonym(s): *nomaqua* Walker,1856; *#namaqua* Janse,1917.
 25618) *Eudalaca orthocosma* (Janse,1942) (Hepialidae) Synonym(s): *orthocosma* Janse,1942
 25619) *Eudalaca rivula* (Janse,1942) (Hepialidae) Synonym(s): *rivula* Janse,1942
 25620) *Eudalaca rufescens* (Hampson,1910) (Hepialidae) Synonym(s): *rufescens* Hampson,1910; *furva* Hampson,1910.
 25621) *Eudalaca semicana* (Janse,1919) (Hepialidae) Synonym(s): *stictigrapha* Hampson,1910; *semicana* Janse,1919
 25622) *Eudalaca troglodytis* (Janse,1919) (Hepialidae) Synonym(s): *troglodytis* Janse,1919
 25623) *Eudalaca vaporalis* (Meyrick,1921) (Hepialidae) Synonym(s): *vaporalis* Meyrick,1921; *homostola* Hampson,1910.
 25624) *Eudalaca vindex* (Meyrick,1939) (Hepialidae) Synonym(s): *vindex* Meyrick,1939
 25625) *Gazoryctra fuscogenteus* (O.Bang-Haas,1927) (Hepialidae) Synonym(s): *fuscogenteus* O.Bang-Haas,1927
 25626) *Gazoryctra ganna* (Hübner,[1804]) (Hepialidae) Synonym(s): *ganna* Hübner,[1804]; *arcticus* Boheman,1848; *chishimana* Matsumura,1931
 25627) *Gorgopis annulosa* Gaede,1930 (Hepialidae) Synonym(s): *annulosa* Gaede,1930
 25628) *Gorgopis armillata* Meyrick,1921 (Hepialidae) Synonym(s): *armillata* Meyrick,1921
 25629) *Gorgopis auratilis* Janse,1919 (Hepialidae) Synonym(s): *auratilis* Janse,1919
 25630) *Gorgopis aurifuscata* Janse,1942 (Hepialidae) Synonym(s): *aurifuscata* Janse,1942
 25631) *Gorgopis butlerii* Dewitz,1881 (Hepialidae) Synonym(s): *butlerii* Dewitz,1881
 25632) *Gorgopis caffra* Walker,1856 (Hepialidae) Synonym(s): *caffra* Walker,1856; *cervina* Wallengren,1860.
 25633) *Gorgopis centaurica* Meyrick,1921 (Hepialidae) Synonym(s): *centaurica* Meyrick,1921
 25634) *Gorgopis cochlias* Janse,1942 (Hepialidae) Synonym(s): *cochlias* Janse,1942
 25635) *Gorgopis crudeni* Janse,1919 (Hepialidae) Synonym(s): *crudeni* Janse,1919
 25636) *Gorgopis furcata* Janse,1942 (Hepialidae) Synonym(s): *furcata* Janse,1942
 25637) *Gorgopis fuscalis* Janse,1919 (Hepialidae) Synonym(s): *fuscalis* Janse,1919
 25638) *Gorgopis griseus* Gaede,1930 (Hepialidae) Synonym(s): *griseus* Gaede,1930
 25639) *Gorgopis huntii* Janse,1942 (Hepialidae) Synonym(s): *huntii* Janse,1942
 25640) *Gorgopis inornata* Janse,1942 (Hepialidae) Synonym(s): *inornata* Janse,1942
 25641) *Gorgopis intervallata* Warren,1914 (Hepialidae) Synonym(s): *intervallata* Warren,1914
 25642) *Gorgopis leucopetala* Meyrick,1921 (Hepialidae) Synonym(s): *leucopetala* Meyrick,1921
 25643) *Gorgopis libania* (Stoll,[1781]) (Hepialidae) Synonym(s): *libania* Stoll,[1781]; *abbottii* Holland,1892; *angolensis* Viette,1956.
 25644) *Gorgopis lobata* Janse,1942 (Hepialidae) Synonym(s): *lobata* Janse,1942
 25645) *Gorgopis olivaceonotata* Warren,1914 (Hepialidae) Synonym(s): *olivaceonotata* Warren,1914
 25646) *Gorgopis pallidiflava* Janse,1942 (Hepialidae) Synonym(s): *pallidiflava* Janse,1942
 25647) *Gorgopis pholidota* Meyrick,1921 (Hepialidae) Synonym(s): *pholidota* Meyrick,1921
 25648) *Gorgopis ptiloscelis* (Meyrick,1919) (Hepialidae) Synonym(s): *ptiloscelis* Meyrick,1919
 25649) *Gorgopis serangota* (Meyrick,1919) (Hepialidae) Synonym(s): *serangota* Meyrick,1919
 25650) *Gorgopis subrimosa* Janse,1942 (Hepialidae) Synonym(s): *subrimosa* Janse,1942
 25651) *Gorgopis zellerii* Dewitz,1881 (Hepialidae) Synonym(s): *zellerii* Dewitz,1881
 25652) *Hepialus humuli* (Linnaeus,1758) (Hepialidae) Synonym(s): *humuli* Linnaeus,1758; *humulator* Haworth,1802
 25653) *Hepialus mlokosevitschi* Romanoff,1884 (Hepialidae) Synonym(s): *mlokosevitschi* Romanoff,1884

- 25654) **Korscheltellus lupulinus (Linnaeus,1758)** (Hepialidae) Synonym(s): *lupulinus* Linnaeus,1758; *serraticornis* Gmelin,1790; *obliquus* Fabricius,1794; *cora* Schrank,1801; *lupulator* Haworth,1802; *obliquator* Haworth,1802; *nebulosator* Haworth,1802; *fuscus* Haworth,1809; *angulum* Haworth,1809; *nebulosus* Haworth,1809; *nebulosus* Haworth,1828; *espanoli* Gregorio,1981
- 25655) **Leto venus (Stoll,[1780])** (Hepialidae) Synonym(s): *venus* Stoll,[1780].
- 25656) **Metahepialus angustiptera Janse,1948** (Hepialidae) Synonym(s): *angustiptera* Janse,1948
- 25657) **Metahepialus plurimaculata (W.Warren,1914)** (Hepialidae) Synonym(s): *plurimaculata* W.Warren,1914
- 25658) **Metahepialus zenocentis (Meyrick,1926)** (Hepialidae) Synonym(s): *zenocentis* Meyrick,1926
- 25659) **Pharmacis aemilianus (Costantini,1911)** (Hepialidae) Synonym(s): *aemilianus* Costantini,1911
- 25660) **Pharmacis anselminae (Teobaldelli,1977)** (Hepialidae) Synonym(s): *anselminae* Teobaldelli,1977
- 25661) **Pharmacis bertrandi (Le Cerf,1936)** (Hepialidae) Synonym(s): *bertrandi* Le Cerf,1936
- 25662) **Pharmacis carna ([Denis & Schiffermüller],1775)** (Hepialidae) Synonym(s): *carna* [Denis & Schiffermüller],1775; *carnator* Haworth,1802; *judotta* Hübner,[1808]
- 25663) **Pharmacis castillanus (Oberthür,1883)** (Hepialidae) Synonym(s): *castillanus* Oberthür,1883
- 25664) **Pharmacis claudiae Kristal, Hirneisen & Steiner,1994** (Hepialidae) Synonym(s): *claudiae* Kristal, Hirneisen & Steiner,1994
- 25665) **Pharmacis fusconebulosa (De Geer,1778)** (Hepialidae) Synonym(s): *fusconebulosa* De Geer,1778; *mappa* Donovan,1801
- 25666) **Pharmacis pyrenaicus (Donzel,1838)** (Hepialidae) Synonym(s): *pyrenaicus* Donzel,1838; *pyrenaicus* Herrich-Schäffer,1846; *alticola* Oberthür,1882
- 25667) **Phassodes vitiensis Rothschild,1895** (Hepialidae) Synonym(s): *vitiensis* Rothschild,1895
- 25668) **Phassus pfitzneri (Hepialidae)** Synonym(s):
- 25669) **Phymatopus hecta (Linnaeus,1758)** (Hepialidae) Synonym(s): *hecta* Linnaeus,1758; *filina* [Denis & Schiffermüller],1775; *jodutta* [Denis & Schiffermüller],1775; *clavipes* Retzius,1783; *memorosa* Esper,1786; *hectorator* Haworth,1802; *joduttator* Haworth,1802
- 25670) **Triodia adriatica (Osthelder,1931)** (Hepialidae) Synonym(s): *adriatica* Osthelder,1931
- 25671) **Triodia amasina (Herrich-Schäffer,[1851])** (Hepialidae) Synonym(s): *amasina* Herrich-Schäffer,[1851]
- 25672) **Triodia sylvina (Linnaeus,1761)** (Hepialidae) Synonym(s): *sylvina* Linnaeus,1761; *hamma* [Denis & Schiffermüller],1775; *angulatum* Fabricius,1781; *multicolor* Fourcroy,1785; *crux* Fabricius,1787; *c-album* Villers,1789; *fauna* Schrank,1801; *cruxator* Haworth,1802; *angulator* Haworth,1802; *sylvinator* Haworth,1802; *kruegeri* Turati,1909; *androgynus* Agenjo,1942; *pardoi* Agenjo,1942; *alfaroi* Agenjo,1942; *laincalvo* Agenjo,1942
- 25673) **Vietteogorgopsis foetterlei (Viette,1951)** (Hepialidae) Synonym(s): *foetterlei* Viette,1951
- 25674) **Vietteogorgopsis jordani (Viette,1956)** (Hepialidae) Synonym(s): *jordani* Viette,1956
- 25675) **Vietteogorgopsis nigrovenosalis (Viette,1956)** (Hepialidae) Synonym(s): *nigrovenosalis* Viette,1956
- 25676) **Vietteogorgopsis oreas (Schaus,1892)** (Hepialidae) Synonym(s): *oreas* Schaus,1892
- 25677) **Vietteogorgopsis pittionii (Viette,1951)** (Hepialidae) Synonym(s): *pittionii* Viette,1951
- 25678) **Vietteogorgopsis schausi (Viette,1951)** (Hepialidae) Synonym(s): *schausi* Viette,1951
- 25679) **Vietteogorgopsis spitzi (Viette,1956)** (Hepialidae) Synonym(s): *spitzi* Viette,1956
- 25680) **Zenophassus schamyl (Christoph,1888)** (Hepialidae) Synonym(s): *schamyl* Christoph,1888
- 25681) **"Amblyscirtes" simius Edwards,1881** (Hesperiidae) Synonym(s): *simius* Edwards,1881
- 25682) **"Codatractus" hyster (Dyar,1916)** (Hesperiidae) Synonym(s): *hyster* Dyar,1916
- 25683) **"Jemadia" patrolcus (Plötz,1879)** (Hesperiidae) Synonym(s): *patrolcus* Plötz,1879
- 25684) **"Jemadia" vulcanus (Cramer,[1782])** (Hesperiidae) Synonym(s): *vulcanus* Cramer,[1782]
- 25685) **"Mellana" gala (Godman,1900)** (Hesperiidae) Synonym(s): *gala* Godman,1900
- 25686) **"Myscelus" epigona Herrich-Schäffer,1869** (Hesperiidae) Synonym(s): *epigona* Herrich-Schäffer,1869
- 25687) **"Poanes" benito Freeman,1979** (Hesperiidae) Synonym(s): *benito* Freeman,1979
- 25688) **"Pyrrhopyge" aethiops (Gmelin,1791)** (Hesperiidae) Synonym(s): *aethiops* Gmelin,1791 (*praeocc.*)
- 25689) **"Pyrrhopyge" lycagus (Cramer,[1779])** (Hesperiidae) Synonym(s): *lycagus* Cramer,[1779]
- 25690) **Abantis bamptoni Collins & T.Larsen,1994** (Hesperiidae) Synonym(s): *bamptoni* Collins & T.Larsen,1994
- 25691) **Abantis bamptoni bamptoni Collins & T.Larsen,1994** (Hesperiidae) Synonym(s): *bamptoni* Collins & T.Larsen,1994
- 25692) **Abantis bicolor (Trimen,1864)** (Hesperiidae) Synonym(s): *bicolor* Trimen,1864
- 25693) **Abantis bicolor bicolor (Trimen,1864)** (Hesperiidae) Synonym(s): *bicolor* Trimen,1864
- 25694) **Abantis bismarcki Karsch,1892** (Hesperiidae) Synonym(s): *bismarcki* Karsch,1892
- 25695) **Abantis bismarcki arctomarginata Lathy,1901** (Hesperiidae) Synonym(s): *arctomarginata* Lathy,1901; *#neavei* Aurivillius,1925.
- 25696) **Abantis bismarcki bismarcki Karsch,1892** (Hesperiidae) Synonym(s): *bismarcki* Karsch,1892
- 25697) **Abantis contigua Evans,1937** (Hesperiidae) Synonym(s): *contigua* Evans,1937
- 25698) **Abantis contigua contigua Evans,1937** (Hesperiidae) Synonym(s): *contigua* Evans,1937
- 25699) **Abantis efulensis Holland,1896** (Hesperiidae) Synonym(s): *efulensis* Holland,1896
- 25700) **Abantis efulensis efulensis Holland,1896** (Hesperiidae) Synonym(s): *efulensis* Holland,1896
- 25701) **Abantis elegantula (Mabille,1890)** (Hesperiidae) Synonym(s): *elegantula* Mabille,1890
- 25702) **Abantis elegantula elegantula (Mabille,1890)** (Hesperiidae) Synonym(s): *elegantula* Mabille,1890
- 25703) **Abantis eltringhami Jordan,1932** (Hesperiidae) Synonym(s): *eltringhami* Jordan,1932
- 25704) **Abantis eltringhami eltringhami Jordan,1932** (Hesperiidae) Synonym(s): *eltringhami* Jordan,1932
- 25705) **Abantis ja Druce,1909** (Hesperiidae) Synonym(s): *ja* Druce,1909
- 25706) **Abantis ja ja Druce,1909** (Hesperiidae) Synonym(s): *ja* Druce,1909
- 25707) **Abantis leucogaster (Mabille,1890)** (Hesperiidae) Synonym(s): *leucogaster* Mabille,1890
- 25708) **Abantis leucogaster iruma Evans,1951** (Hesperiidae) Synonym(s): *iruma* Evans,1951
- 25709) **Abantis leucogaster leucogaster (Mabille,1890)** (Hesperiidae) Synonym(s): *leucogaster* Mabille,1890
- 25710) **Abantis lucretia Druce,1909** (Hesperiidae) Synonym(s): *lucretia* Druce,1909
- 25711) **Abantis lucretia etoumbiensis Miller,1971** (Hesperiidae) Synonym(s): *etoumbiensis* Miller,1971
- 25712) **Abantis lucretia lofu Neave,1910** (Hesperiidae) Synonym(s): *lofu* Neave,1910
- 25713) **Abantis lucretia lucretia Druce,1909** (Hesperiidae) Synonym(s): *lucretia* Druce,1909
- 25714) **Abantis maesseni Miller,1971** (Hesperiidae) Synonym(s): *maesseni* Miller,1971
- 25715) **Abantis maesseni maesseni Miller,1971** (Hesperiidae) Synonym(s): *maesseni* Miller,1971
- 25716) **Abantis meneliki Berger,1979** (Hesperiidae) Synonym(s): *meneliki* Berger,1979
- 25717) **Abantis meneliki meneliki Berger,1979** (Hesperiidae) Synonym(s): *meneliki* Berger,1979
- 25718) **Abantis meru Evans,1947** (Hesperiidae) Synonym(s): *meru* Evans,1947
- 25719) **Abantis meru meru Evans,1947** (Hesperiidae) Synonym(s): *meru* Evans,1947
- 25720) **Abantis nigeriana Butler,1901** (Hesperiidae) Synonym(s): *nigeriana* Butler,1901
- 25721) **Abantis nigeriana nigeriana Butler,1901** (Hesperiidae) Synonym(s): *nigeriana* Butler,1901
- 25722) **Abantis nigeriana rougeoti Berger,1959** (Hesperiidae) Synonym(s): *rougeoti* Berger,1959
- 25723) **Abantis paradisea (Butler,1870)** (Hesperiidae) Synonym(s): *paradisea* Butler,1870; *namaquana* Westwood,1874
- 25724) **Abantis paradisea paradisea (Butler,1870)** (Hesperiidae) Synonym(s): *paradisea* Butler,1870; *namaquana* Westwood,1874
- 25725) **Abantis pseudonigeriana Usher,1984** (Hesperiidae) Synonym(s): *pseudonigeriana* Usher,1984
- 25726) **Abantis pseudonigeriana pseudonigeriana Usher,1984** (Hesperiidae) Synonym(s): *pseudonigeriana* Usher,1984
- 25727) **Abantis rubra Holland,1920** (Hesperiidae) Synonym(s): *rubra* Holland,1920
- 25728) **Abantis rubra rubra Holland,1920** (Hesperiidae) Synonym(s): *rubra* Holland,1920
- 25729) **Abantis tettensis Hopffer,1855** (Hesperiidae) Synonym(s): *tettensis* Hopffer,1855
- 25730) **Abantis tettensis tettensis Hopffer,1855** (Hesperiidae) Synonym(s): *tettensis* Hopffer,1855
- 25731) **Abantis venosa Trimen,1889** (Hesperiidae) Synonym(s): *venosa* Trimen,1889; *umvulensis* Sharpe; *#flava* Evans,1937; *#fulva* Evans,1937.
- 25732) **Abantis venosa venosa Trimen,1889** (Hesperiidae) Synonym(s): *venosa* Trimen,1889; *umvulensis* Sharpe; *#flava* Evans,1937; *#fulva* Evans,1937.
- 25733) **Abantis vidua Weymer,1901** (Hesperiidae) Synonym(s): *vidua* Weymer,1901
- 25734) **Abantis vidua vidua Weymer,1901** (Hesperiidae) Synonym(s): *vidua* Weymer,1901
- 25735) **Abantis zambesiaca (Westwood,1874)** (Hesperiidae) Synonym(s): *zambesiaca* Westwood,1874; *trimeni* Butler,1895
- 25736) **Abantis zambesiaca zambesiaca (Westwood,1874)** (Hesperiidae) Synonym(s): *zambesiaca* Westwood,1874; *trimeni* Butler,1895
- 25737) **Abaximorpha davidii Mabille,1876** (Hesperiidae) Synonym(s): *davidii* Mabille,1876

- 25738) *Abraximorpha davidii* *davidii* Mabile,1876 (Hesperiidae) Synonym(s): *davidii* Mabile,1876
 25739) *Abraximorpha davidii* *elfina* Evans,1949 (Hesperiidae) Synonym(s): *elfina* Evans,1949
 25740) *Abraximorpha davidii* *ermasis* Fruhstorfer,1914 (Hesperiidae) Synonym(s): *ermasis* Fruhstorfer,1914
 25741) *Abraximorpha esta* Evans,1949 (Hesperiidae) Synonym(s): *esta* Evans,1949
 25742) *Abraximorpha heringi* Mell,1922 (Hesperiidae) Synonym(s): *heringi* Mell,1922.
 25743) *Abraximorpha heringi* *heringi* Mell,1922 (Hesperiidae) Synonym(s): *heringi* Mell,1922
 25744) *Acada annulifer* (Holland,1892) (Hesperiidae) Synonym(s): *annulifer* Holland,1892
 25745) *Acada biseriata* (Mabile,1893) (Hesperiidae) Synonym(s): *biseriata* Mabile,1893; *zimbazo* Trimen,1894; *hictieriana* Strand,1921
 25746) *Acerbas anthea* (Hewitson,1868) (Hesperiidae) Synonym(s): *anthea* Hewitson,1868; *ciliatus* Butler,1877; *tagliadoides* Elwes & Edwards,1897
 25747) *Acerbas anthea anthea* (Hewitson,1868) (Hesperiidae) Synonym(s): *anthea* Hewitson,1868; *ciliatus* Butler,1877; *tagliadoides* Elwes & Edwards,1897
 25748) *Acerbas anthea javanica* Snellen,1910 (Hesperiidae) Synonym(s): *javanica* Snellen,1910
 25749) *Acerbas anthea luzona* De Jong,1982 (Hesperiidae) Synonym(s): *luzona* De Jong,1982
 25750) *Acerbas anthea pista* Evans,1949 (Hesperiidae) Synonym(s): *pista* Evans,1949
 25751) *Acerbas azona* (Hewitson,1866) (Hesperiidae) Synonym(s): *azona* Hewitson,1866; *cretura* Plötz,1886
 25752) *Acerbas azona azona* (Hewitson,1866) (Hesperiidae) Synonym(s): *azona* Hewitson,1866; *cretura* Plötz,1886
 25753) *Acerbas duris* (Mabile,1883) (Hesperiidae) Synonym(s): *duris* Mabile,1883; *mabiliei* Semper,1892
 25754) *Acerbas duris dorka* Evans,1949 (Hesperiidae) Synonym(s): *dorka* Evans,1949
 25755) *Acerbas duris duris* (Mabile,1883) (Hesperiidae) Synonym(s): *duris* Mabile,1883; *mabiliei* Semper,1892
 25756) *Acerbas martini* (Distant & Pryer,1887) (Hesperiidae) Synonym(s): *martini* Distant & Pryer,1887; *nitidifasciata* Elwes & Edwards,1897
 25757) *Acerbas martini martini* (Distant & Pryer,1887) (Hesperiidae) Synonym(s): *martini* Distant & Pryer,1887; *nitidifasciata* Elwes & Edwards,1897
 25758) *Acerbas selta* Evans,1949 (Hesperiidae) Synonym(s): *selta* Evans,1949
 25759) *Acerbas selta selta* Evans,1949 (Hesperiidae) Synonym(s): *selta* Evans,1949
 25760) *Achalarus albociliatus* (Mabile,1877) (Hesperiidae) Synonym(s): *albociliatus* Mabile,1877
 25761) *Achalarus albociliatus albociliatus* (Mabile,1877) (Hesperiidae) Synonym(s): *albociliatus* Mabile,1877
 25762) *Achalarus casica* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *casica* Herrich-Schäffer,1869; *epigena* Butler,1870
 25763) *Achalarus casica casica* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *casica* Herrich-Schäffer,1869; *epigena* Butler,1870
 25764) *Achalarus jalapus* (Plötz,1882) (Hesperiidae) Synonym(s): *jalapus* Plötz,1882
 25765) *Achalarus jalapus jalapus* (Plötz,1882) (Hesperiidae) Synonym(s): *jalapus* Plötz,1882
 25766) *Achalarus lyciades* (Geyer,1832) (Hesperiidae) Synonym(s): *lyciades* Geyer,1832; *hedysarum* Scudder,1889
 25767) *Achalarus lyciades lyciades* (Geyer,1832) (Hesperiidae) Synonym(s): *lyciades* Geyer,1832; *hedysarum* Scudder,1889
 25768) *Achalarus tehucana* (Draudt,1922) (Hesperiidae) Synonym(s): *tehucana* Draudt,1922
 25769) *Achalarus toxeus* (Plötz,1882) (Hesperiidae) Synonym(s): *toxews* Plötz,1882; *coyote* Skinner,1892; *nigrociliata* Mabile & Boulet,1912
 25770) *Achalarus toxews toxews* (Plötz,1882) (Hesperiidae) Synonym(s): *toxews* Plötz,1882; *coyote* Skinner,1892; *nigrociliata* Mabile & Boulet,1912
 25771) *Achlyodes busiris* (Cramer,1780) (Hesperiidae) Synonym(s): *busiris* Cramer,1780
 25772) *Achlyodes busiris busiris* (Cramer,1780) (Hesperiidae) Synonym(s): *busiris* Cramer,1780
 25773) *Achlyodes busiris heros* Ehrmann,1909 (Hesperiidae) Synonym(s): *heros* Ehrmann,1909
 25774) *Achlyodes pallida* (R.Felder,1869) (Hesperiidae) Synonym(s): *pallida* R.Felder,1869; *ozotes* Butler,1870; *selva* Evans,1953
 25775) *Achlyodes thraso* (Hübner,1807) (Hesperiidae) Synonym(s): *thraso* Hübner,1807; *peruvianus* Mabile & Boulet,1917
 25776) *Achlyodes thraso tamenund* (Edwards,1871) (Hesperiidae) Synonym(s): *tamenund* Edwards,1871
 25777) *Acleros bibundica* Strand,1913 (Hesperiidae) Synonym(s): *bibundica* Strand,1913; *displacidus* Rebel,1914
 25778) *Acleros leucopyga* (Mabile,1877) (Hesperiidae) Synonym(s): *leucopyga* Mabile,1877
 25779) *Acleros mackeenii* (Trimen,1868) (Hesperiidae) Synonym(s): *mackeenii* Trimen,1868; *olaus* Plötz,1884; *nyassicola* Strand,1921; *aureifrons* Strand,1921; *idenia* Evans,1937
 25780) *Acleros neavei* Evans,1937 (Hesperiidae) Synonym(s): *neavei* Evans,1937
 25781) *Acleros nigrapex* Strand,1913 (Hesperiidae) Synonym(s): *nigrapex* Strand,1913; *pulverana* Strand,1913; *minusculus* Rebel,1914
 25782) *Acleros ploetzi* Mabile,1890 (Hesperiidae) Synonym(s): *leucopygus* Plötz,1879 nec Mab.,1877; *ploetzi* Mabile,1890
 25783) *Acleros sparsum* Druce,1909 (Hesperiidae) Synonym(s): *sparsum* Druce,1909
 25784) *Actinor radians* (Moore,1878) (Hesperiidae) Synonym(s): *radians* Moore,1878
 25785) *Actinor radians radians* (Moore,1878) (Hesperiidae) Synonym(s): *radians* Moore,1878
 25786) *Adopaeoides bistrata* Godman,1900 (Hesperiidae) Synonym(s): *bistrata* Godman,1900; *curiosa* Evans,1955
 25787) *Adopaeoides prittwitzi* (Plötz,1884) (Hesperiidae) Synonym(s): *prittwitzi* Plötz,1884
 25788) *Aegiale hesperiaris* (Walker,1856) (Hesperiidae) Synonym(s): *hesperiaris* Walker,1856; *kollari* C.Felder & R.Felder,1860; *agavis* Blasquez,1870
 25789) *Aeromachus catocyanea* (Mabile,1876) (Hesperiidae) Synonym(s): *catocyanea* Mabile,1876
 25790) *Aeromachus catocyanea amplifascia* Huang,2003 (Hesperiidae) Synonym(s): *amplifascia* Huang,2003
 25791) *Aeromachus catocyanea catocyanea* (Mabile,1876) (Hesperiidae) Synonym(s): *catocyanea* Mabile,1876
 25792) *Aeromachus catocyanea curvifascia* Huang,2003 (Hesperiidae) Synonym(s): *curvifascia* Huang,2003
 25793) *Aeromachus dubius* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *dubius* Elwes & Edwards,1897
 25794) *Aeromachus dubius dubius* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *dubius* Elwes & Edwards,1897
 25795) *Aeromachus dubius impha* Evans,1949 (Hesperiidae) Synonym(s): *impha* Evans,1949
 25796) *Aeromachus dubius javanicus* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *javanicus* Elwes & Edwards,1897
 25797) *Aeromachus inachus* (Ménétriés,1858) (Hesperiidae) Synonym(s): *inachus* Ménétriés,1858
 25798) *Aeromachus inachus formosanus* Matsumura,1931 (Hesperiidae) Synonym(s): *formosanus* Matsumura,1931
 25799) *Aeromachus inachus inachus* (Ménétriés,1858) (Hesperiidae) Synonym(s): *inachus* Ménétriés,1858
 25800) *Aeromachus jhorus* De Nicéville,1885 (Hesperiidae) Synonym(s): *jhora* De Nicéville,1885
 25801) *Aeromachus jhorus cretus* Evans,1949 (Hesperiidae) Synonym(s): *creta* Evans,1949
 25802) *Aeromachus jhorus jhorus* De Nicéville,1885 (Hesperiidae) Synonym(s): *jhora* De Nicéville,1885
 25803) *Aeromachus jhorus skolus* Evans,1949 (Hesperiidae) Synonym(s): *skola* Evans,1949
 25804) *Aeromachus kali* De Nicéville,1895 (Hesperiidae) Synonym(s): *kali* De Nicéville,1895
 25805) *Aeromachus kali kali* De Nicéville,1895 (Hesperiidae) Synonym(s): *kali* De Nicéville,1895
 25806) *Aeromachus muscus* Mabile,1876 (Hesperiidae) Synonym(s): *muscus* Mabile,1876
 25807) *Aeromachus muscus muscus* Mabile,1876 (Hesperiidae) Synonym(s): *muscus* Mabile,1876
 25808) *Aeromachus piceus* Leech,1894 (Hesperiidae) Synonym(s): *piceus* Leech,1894
 25809) *Aeromachus piceus piceus* Leech,1894 (Hesperiidae) Synonym(s): *piceus* Leech,1894
 25810) *Aeromachus plumbeolus* (C.Felder & R.Felder,1867) (Hesperiidae) Synonym(s): *plumbeolus* C.Felder & R.Felder,1867
 25811) *Aeromachus plumbeolus plumbeolus* (C.Felder & R.Felder,1867) (Hesperiidae) Synonym(s): *plumbeolus* C.Felder & R.Felder,1867
 25812) *Aeromachus propinquus* Alpheraky,1897 (Hesperiidae) Synonym(s): *propinquus* Alpheraky,1897; *chinensis* Elwes & Edwards,1897; *thibetanus* Austaut,1900.
 25813) *Aeromachus propinquus propinquus* Alpheraky,1897 (Hesperiidae) Synonym(s): *propinquus* Alpheraky,1897; *chinensis* Elwes & Edwards,1897; *thibetanus* Austaut,1900.
 25814) *Aeromachus propinquus tali* Evans,1932 (Hesperiidae) Synonym(s): *tali* Evans,1932
 25815) *Aeromachus pygmaeus* (Fabricius,1775) (Hesperiidae) Synonym(s): *pygmaeus* Fabricius,1775; *indistincta* Moore,1878
 25816) *Aeromachus pygmaeus pygmaeus* (Fabricius,1775) (Hesperiidae) Synonym(s): *pygmaeus* Fabricius,1775; *indistincta* Moore,1878
 25817) *Aeromachus stigmatus* (Moore,1878) (Hesperiidae) Synonym(s): *stigmatus* Moore,1878; *monilis* Mabile,1883
 25818) *Aeromachus stigmatus obsoletus* (Moore,1878) (Hesperiidae) Synonym(s): *obsoletus* Moore,1878; *discreta* Plötz,1885
 25819) *Aeromachus stigmatus shanda* Evans,1949 (Hesperiidae) Synonym(s): *shanda* Evans,1949
 25820) *Aeromachus stigmatus stigmatus* (Moore,1878) (Hesperiidae) Synonym(s): *stigmatus* Moore,1878; *monilis* Mabile,1883
 25821) *Aethilla chiapa* Freeman,1969 (Hesperiidae) Synonym(s): *chiapa* Freeman,1969
 25822) *Aethilla echina* Hewitson,1870 (Hesperiidae) Synonym(s): *echina* Hewitson,1870; *haber* Mabile,1891; *subviolacea* Mabile,1903
 25823) *Aethilla lavochrea* Butler,1872 (Hesperiidae) Synonym(s): *lavochrea* Butler,1872; *athymnios* Möschler,1879
 25824) *Agathymus alliae* (D.Stallings & Turner,1957) (Hesperiidae) Synonym(s): *alliae* D.Stallings & Turner,1957

- 25825) *Agathymus aryxna* (Dyar,1905) (Hesperiidae) Synonym(s): *aryxna* Dyar,1905; *drucei* Skinner,1911
 25826) *Agathymus aryxna gentryi* (Hesperiidae) Synonym(s):
 25827) *Agathymus baueri* (D.Stallings & Turner,1957) (Hesperiidae) Synonym(s): *baueri* D.Stallings & Turner,1957
 25828) *Agathymus belli* (Freeman,1955) (Hesperiidae) Synonym(s): *belli* Freeman,1955
 25829) *Agathymus carlsbadensis* (D.Stallings & Turner,1957) (Hesperiidae) Synonym(s): *carlsbadensis* D.Stallings & Turner,1957
 25830) *Agathymus chinatiensis* Freeman,1964 (Hesperiidae) Synonym(s): *chinatiensis* Freeman,1964
 25831) *Agathymus chisosensis* (Freeman,1952) (Hesperiidae) Synonym(s): *chisosensis* Freeman,1952
 25832) *Agathymus comstocki* (Harbison,1963) (Hesperiidae) Synonym(s): *comstocki* Harbison,1963
 25833) *Agathymus dawsoni* Harbison,1963 (Hesperiidae) Synonym(s): *dawsoni* Harbison,1963
 25834) *Agathymus diaboloensis* Freeman,1962 (Hesperiidae) Synonym(s): *diaboloensis* Freeman,1962
 25835) *Agathymus escalantei* (D.Stallings, Turner & V.Stallings,1966) (Hesperiidae) Synonym(s): *escalantei* D.Stallings, Turner & V.Stallings,1966
 25836) *Agathymus estelleae* (D.Stallings & Turner,1958) (Hesperiidae) Synonym(s): *estelleae* D.Stallings & Turner,1958
 25837) *Agathymus evansi* (Freeman,1950) (Hesperiidae) Synonym(s): *evansi* Freeman,1950
 25838) *Agathymus fieldi* (Freeman,1960) (Hesperiidae) Synonym(s): *fieldi* Freeman,1960
 25839) *Agathymus florenae* (D.Stallings & Turner,1957) (Hesperiidae) Synonym(s): *florenae* D.Stallings & Turner,1957
 25840) *Agathymus freemani* D.Stallings, Turner & V.Stallings,1960 (Hesperiidae) Synonym(s): *freemani* D.Stallings, Turner & V.Stallings,1960
 25841) *Agathymus gilberti* Freeman,1964 (Hesperiidae) Synonym(s): *gilberti* Freeman,1964
 25842) *Agathymus hoffmanni* (Freeman,1952) (Hesperiidae) Synonym(s): *hoffmanni* Freeman,1952
 25843) *Agathymus indecisa* (Butler & Druce,1872) (Hesperiidae) Synonym(s): *indecisa* Butler & Druce,1872
 25844) *Agathymus judithae* (D.Stallings & Turner,1957) (Hesperiidae) Synonym(s): *judithae* D.Stallings & Turner,1957
 25845) *Agathymus juliae* (D.Stallings & Turner,1958) (Hesperiidae) Synonym(s): *juliae* D.Stallings & Turner,1958
 25846) *Agathymus lajitaensis* Freeman,1964 (Hesperiidae) Synonym(s): *lajitaensis* Freeman,1964
 25847) *Agathymus mariae* (Barnes & Benjamin,1924) (Hesperiidae) Synonym(s): *mariae* Barnes & Benjamin,1924
 25848) *Agathymus mcalpinei* (Freeman,1955) (Hesperiidae) Synonym(s): *mcalpinei* Freeman,1955
 25849) *Agathymus micheneri* (D.Stallings, Turner & V.Stallings,1961) (Hesperiidae) Synonym(s): *micheneri* D.Stallings, Turner & V.Stallings,1961
 25850) *Agathymus neumogeni* (Edwards,1882) (Hesperiidae) Synonym(s): *neumogeni* Edwards,1882
 25851) *Agathymus polingi* (Skinner,1905) (Hesperiidae) Synonym(s): *polingi* Skinner,1905
 25852) *Agathymus remingtoni* (D.Stallings & Turner,1958) (Hesperiidae) Synonym(s): *remingtoni* D.Stallings & Turner,1958
 25853) *Agathymus rethon* (Dyar,1913) (Hesperiidae) Synonym(s): *rethon* Dyar,1913
 25854) *Agathymus ricei* (D.Stallings, Turner & V.Stallings,1966) (Hesperiidae) Synonym(s): *ricei* D.Stallings, Turner & V.Stallings,1966
 25855) *Agathymus rindgei* Freeman,1964 (Hesperiidae) Synonym(s): *rindgei* Freeman,1964
 25856) *Agathymus stephensi* (Skinner,1912) (Hesperiidae) Synonym(s): *stephensi* Skinner,1912
 25857) *Agathymus valverdiensis* Freeman,1966 (Hesperiidae) Synonym(s): *valverdiensis* Freeman,1966
 25858) *Aguna albistria* (Mabille,1888) (Hesperiidae) Synonym(s): *albistria* Mabille,1888
 25859) *Aguna albistria leucogramma* (Mabille,1888) (Hesperiidae) Synonym(s): *leucogramma* Mabille,1888; *guatemalaina* Ehrmann,1907
 25860) *Aguna asander* (Hewitson,[1867]) (Hesperiidae) Synonym(s): *asander* Hewitson,[1867]; *panthius* Herrich-Schäffer,1869; *scheba* Plötz,1882; *euthemides* Mabille & Boulet,1917.
 25861) *Aguna asander asander* (Hewitson,[1867]) (Hesperiidae) Synonym(s): *asander* Hewitson,[1867]; *panthius* Herrich-Schäffer,1869; *scheba* Plötz,1882; *euthemides* Mabille & Boulet,1917.
 25862) *Aguna aurunce* (Hewitson,1867) (Hesperiidae) Synonym(s): *aurunce* Hewitson,1867
 25863) *Aguna aurunce hypozonius* (Plötz,1880) (Hesperiidae) Synonym(s): *hypozonius* Plötz,1880
 25864) *Aguna claxon* Evans,1952 (Hesperiidae) Synonym(s): *claxon* Evans,1952
 25865) *Aguna claxon claxon* Evans,1952 (Hesperiidae) Synonym(s): *claxon* Evans,1952
 25866) *Aguna coeloides* Austin & Mielke,1997 (Hesperiidae) Synonym(s): *coeloides* Austin & Mielke,1997
 25867) *Aguna metophis* (Latreille,[1824]) (Hesperiidae) Synonym(s): *metophis* Latreille,[1824]
 25868) *Aguna metophis metophis* (Latreille,[1824]) (Hesperiidae) Synonym(s): *metophis* Latreille,[1824]
 25869) *Aides brilla* (H.A.Freeman,1970) (Hesperiidae) Synonym(s): *brilla* H.A.Freeman,1970
 25870) *Aides dysoni* Godman,1900 (Hesperiidae) Synonym(s): *dysoni* Godman,1900; *elara* Godman,1900; *incantator* Druce,1908
 25871) *Alenia namaqua* Vari,1974 (Hesperiidae) Synonym(s): *namaqua* Vari,1974
 25872) *Alenia namaqua namaqua* Vari,1974 (Hesperiidae) Synonym(s): *namaqua* Vari,1974
 25873) *Alenia sandaster* (Trimen,1868) (Hesperiidae) Synonym(s): *sandaster* Trimen,1868
 25874) *Alenia sandaster sandaster* (Trimen,1868) (Hesperiidae) Synonym(s): *sandaster* Trimen,1868
 25875) *Allora doleschallii* (Felder,1860) (Hesperiidae) Synonym(s): *doleschallii* Felder,1860; *simassa* Fruhstorfer,1911
 25876) *Allora doleschallii albertisi* (Oberthür,1880) (Hesperiidae) Synonym(s): *albertisi* Oberthür,1880; *strophius* Miskin,1889; *raluana* Ribbe,1899; *siitiva* Fruhstorfer,1911; *infernalis* Rothschild,1916.
 25877) *Allora doleschallii doleschallii* (Felder,1860) (Hesperiidae) Synonym(s): *doleschallii* Felder,1860
 25878) *Allora doleschallii gazaka* (Fruhstorfer,1911) (Hesperiidae) Synonym(s): *gazaka* Fruhstorfer,1911
 25879) *Allora doleschallii luna* Evans,1934 (Hesperiidae) Synonym(s): *luna* Evans,1934
 25880) *Allora doleschallii solon* Evans,1949 (Hesperiidae) Synonym(s): *solon* Evans,1949
 25881) *Allora doleschallii viridicans* (Fruhstorfer,1911) (Hesperiidae) Synonym(s): *viridicans* Fruhstorfer,1911
 25882) *Allora major* Rothschild,1916 (Hesperiidae) Synonym(s): *major* Rothschild,1916
 25883) *Allora major lectra* Evans,1949 (Hesperiidae) Synonym(s): *lectra* Evans,1949
 25884) *Allora major major* Rothschild,1916 (Hesperiidae) Synonym(s): *major* Rothschild,1916
 25885) *Allora major talesia* Evans,1949 (Hesperiidae) Synonym(s): *talesia* Evans,1949
 25886) *Allora major zita* Evans,1934 (Hesperiidae) Synonym(s): *zita* Evans,1934
 25887) *Amblyscirtes aenus* Edwards,1878 (Hesperiidae) Synonym(s): *aenus* Edwards,1878
 25888) *Amblyscirtes aenus erna* H.A.Freeman,1943 (Hesperiidae) Synonym(s): *erna* H.A.Freeman,1943
 25889) *Amblyscirtes aenus megamacula* Scott,1998 (Hesperiidae) Synonym(s): *megamacula* Scott,1998
 25890) *Amblyscirtes aesculapius* (Fabricius,1793) (Hesperiidae) Synonym(s): *aesculapius* Fabricius,1793; *textor* Hübner,1831; *oneko* Scudder,1864; *wakulla* Edwards,1869
 25891) *Amblyscirtes alternata* (Grote & Robinson,1867) (Hesperiidae) Synonym(s): *alternata* Grote & Robinson,1867; *meridionalis* Dyar,1905
 25892) *Amblyscirtes anubis* (Godman,1900) (Hesperiidae) Synonym(s): *anubis* Godman,1900
 25893) *Amblyscirtes belli* Freeman,1941 (Hesperiidae) Synonym(s): *belli* Freeman,1941
 25894) *Amblyscirtes brocki* Freeman,1992 (Hesperiidae) Synonym(s): *brocki* Freeman,1992
 25895) *Amblyscirtes carolina* (Skinner,1892) (Hesperiidae) Synonym(s): *carolina* Skinner,1892
 25896) *Amblyscirtes cassus* Edwards,1883 (Hesperiidae) Synonym(s): *cassus* Edwards,1883
 25897) *Amblyscirtes celia* Skinner,1895 (Hesperiidae) Synonym(s): *celia* Skinner,1895
 25898) *Amblyscirtes elissa* Godman,1900 (Hesperiidae) Synonym(s): *elissa* Godman,1900
 25899) *Amblyscirtes elissa arizonae* Freeman,1993 (Hesperiidae) Synonym(s): *arizonae* Freeman,1993
 25900) *Amblyscirtes elissa elissa* Godman,1900 (Hesperiidae) Synonym(s): *elissa* Godman,1900
 25901) *Amblyscirtes eos* (Edwards,1871) (Hesperiidae) Synonym(s): *eos* Edwards,1871; *comus* Edwards,1877; *nilus* Edwards,1878; *quinquemacula* Skinner,1911
 25902) *Amblyscirtes exotera* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *exotera* Herrich-Schäffer,1869; *nanno* Edwards,1882; *marcus* Strand,1909
 25903) *Amblyscirtes fimbriata* (Plötz,1882) (Hesperiidae) Synonym(s): *fimbriata* Plötz,1882; *bellus* Edwards,1884
 25904) *Amblyscirtes fimbriata fimbriata* (Plötz,1882) (Hesperiidae) Synonym(s): *fimbriata* Plötz,1882; *bellus* Edwards,1884
 25905) *Amblyscirtes fimbriata pallida* Freeman,1993 (Hesperiidae) Synonym(s): *pallida* Freeman,1993
 25906) *Amblyscirtes fluonia* Godman,1900 (Hesperiidae) Synonym(s): *fluonia* Godman,1900
 25907) *Amblyscirtes folia* Godman,1900 (Hesperiidae) Synonym(s): *folia* Godman,1900
 25908) *Amblyscirtes hegona* (Scudder,1864) (Hesperiidae) Synonym(s): *hegona* Scudder,1864; *samoset* Scudder,1864; *nemoris* Edwards,1864; *argina* Plötz,1884
 25909) *Amblyscirtes linda* Freeman,1943 (Hesperiidae) Synonym(s): *linda* Freeman,1943

- 25910) *Amblyscirtes nereus* (Edwards,1876) (Hesperiidae) Synonym(s): *nereus* Edwards,1876
 25911) *Amblyscirtes novimaculatus* A.Warren,1998 (Hesperiidae) Synonym(s): *novimaculatus* A.Warren,1998
 25912) *Amblyscirtes nysa* Edwards,1877 (Hesperiidae) Synonym(s): *nysa* Edwards,1877; *similis* Strecker,1878
 25913) *Amblyscirtes oslari* (Skinner,1899) (Hesperiidae) Synonym(s): *oslari* Skinner,1899
 25914) *Amblyscirtes patriciae* (Bell,1959) (Hesperiidae) Synonym(s): *patriciae* Bell,1959; *immaculatus* Freeman,1970
 25915) *Amblyscirtes phylace* (Edwards,1878) (Hesperiidae) Synonym(s): *phylace* Edwards,1878
 25916) *Amblyscirtes raphaeli* Freeman,1973 (Hesperiidae) Synonym(s): *raphaeli* Freeman,1973
 25917) *Amblyscirtes reversa* Jones,1926 (Hesperiidae) Synonym(s): *reversa* Jones,1926
 25918) *Amblyscirtes texanae* Bell,1927 (Hesperiidae) Synonym(s): *texanae* Bell,1927
 25919) *Amblyscirtes tolteca* Scudder,1871 (Hesperiidae) Synonym(s): *tolteca* Scudder,1871
 25920) *Amblyscirtes tolteca prenda* Evans,1955 (Hesperiidae) Synonym(s): *prenda* Evans,1955
 25921) *Amblyscirtes tolteca tolteca* Scudder,1871 (Hesperiidae) Synonym(s): *tolteca* Scudder,1871
 25922) *Amblyscirtes vialis* (Edwards,1862) (Hesperiidae) Synonym(s): *vialis* Edwards,1862; *asella* Herrich-Schäffer,1869
 25923) *Amenis amra* (Hewitson,1871) (Hesperiidae) Synonym(s): *amra* Hewitson,1871; *brasiliensis* Mabilite,1904
 25924) *Amenis pionia* (Hewitson,1857) (Hesperiidae) Synonym(s): *pionia* Hewitson,1857
 25925) *Amenis ponina* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *ponina* Herrich-Schäffer,1869
 25926) *Ampittia capenas* (Hewitson,1868) (Hesperiidae) Synonym(s): *capenas* Hewitson,1868
 25927) *Ampittia capenas blanda* Evans,1947 (Hesperiidae) Synonym(s): *blanda* Evans,1947
 25928) *Ampittia capenas capenas* (Hewitson,1868) (Hesperiidae) Synonym(s): *capenas* Hewitson,1868
 25929) *Ampittia dalailama* (Mabilite,1876) (Hesperiidae) Synonym(s): *dalailama* Mabilite,1876; *lyde* Leech,1891
 25930) *Ampittia dalailama dalailama* (Mabilite,1876) (Hesperiidae) Synonym(s): *dalailama* Mabilite,1876; *lyde* Leech,1891
 25931) *Ampittia dalailama jesta* Evans,1939 (Hesperiidae) Synonym(s): *jesta* Evans,1939
 25932) *Ampittia dioscorides* (Fabricius,1793) (Hesperiidae) Synonym(s): *dioscorides* Fabricius,1793; *maro* Fabricius,1798; *ephesus* Hübner,1823
 25933) *Ampittia dioscorides camertes* (Hewitson,1868) (Hesperiidae) Synonym(s): *camertes* Hewitson,1868; *palemonides* Snellen,1892
 25934) *Ampittia dioscorides dioscorides* (Fabricius,1793) (Hesperiidae) Synonym(s): *dioscorides* Fabricius,1793; *maro* Fabricius,1798; *ephesus* Hübner,1823
 25935) *Ampittia dioscorides etura* Mabilite,1891 (Hesperiidae) Synonym(s): *etura* Mabilite,1891; *matsumurai* Sonan,1936
 25936) *Ampittia dioscorides singa* Evans,1949 (Hesperiidae) Synonym(s): *singa* Evans,1949
 25937) *Ampittia maroides* De Nicéville,1896 (Hesperiidae) Synonym(s): *maroides* De Nicéville,1896
 25938) *Ampittia maroides maroides* De Nicéville,1896 (Hesperiidae) Synonym(s): *maroides* De Nicéville,1896
 25939) *Ampittia nanus* Leech,1890 (Hesperiidae) Synonym(s): *nanus* Leech,1890
 25940) *Ampittia nanus nanus* Leech,1890 (Hesperiidae) Synonym(s): *nanus* Leech,1890
 25941) *Ampittia parva Aurivillius*,1925 (Hesperiidae) Synonym(s): *parva* Aurivillius,1925
 25942) *Ampittia parva parva Aurivillius*,1925 (Hesperiidae) Synonym(s): *parva* Aurivillius,1925
 25943) *Ampittia trimacula* Leech,1891 (Hesperiidae) Synonym(s): *trimacula* Leech,1891; *reducta* Draesecke,1925
 25944) *Ampittia trimacula trimacula* Leech,1891 (Hesperiidae) Synonym(s): *trimacula* Leech,1891; *reducta* Draesecke,1925
 25945) *Ampittia virgata* Leech,1890 (Hesperiidae) Synonym(s): *virgata* Leech,1890
 25946) *Ampittia virgata myakei* Matsumura,1909 (Hesperiidae) Synonym(s): *myakei* Matsumura,1909; *formsana* Fruhstorfer,1910
 25947) *Ampittia virgata virgata* Leech,1890 (Hesperiidae) Synonym(s): *virgata* Leech,1890
 25948) *Amysoria galgala* (Hewitson,1866) (Hesperiidae) Synonym(s): *galgala* Hewitson,1866; *strigifera* C.Felder & R.Felder,1867
 25949) *Anastrus luctuosus* (Godman & Salvin,1894) (Hesperiidae) Synonym(s): *luctuosus* Godman & Salvin,1894
 25950) *Anastrus meliboea* (Godman & Salvin,1894) (Hesperiidae) Synonym(s): *meliboea* Godman & Salvin,1894
 25951) *Anastrus meliboea meliboea* (Godman & Salvin,1894) (Hesperiidae) Synonym(s): *meliboea* Godman & Salvin,1894
 25952) *Anastrus nearis* (Möschler,1879) (Hesperiidae) Synonym(s): *nearis* Möschler,1879
 25953) *Anastrus nearis nearis* (Möschler,1879) (Hesperiidae) Synonym(s): *nearis* Möschler,1879
 25954) *Anastrus sempiternus* (Butler & Druce,1872) (Hesperiidae) Synonym(s): *sempiternus* Butler & Druce,1872; *varius* Mabilite,1883
 25955) *Anastrus sempiternus sempiternus* (Butler & Druce,1872) (Hesperiidae) Synonym(s): *sempiternus* Butler & Druce,1872; *varius* Mabilite,1883
 25956) *Anastrus tolimus* (Plötz,1884) (Hesperiidae) Synonym(s): *tolimus* Plötz,1884; *polyaenus* Mabilite,1895
 25957) *Anastrus tolimus tolimus* (Plötz,1884) (Hesperiidae) Synonym(s): *tolimus* Plötz,1884; *polyaenus* Mabilite,1895
 25958) *Anastrus virens* Austin,1998 (Hesperiidae) Synonym(s): *virens* Austin,1998
 25959) *Anatrytone logan* (Edwards,1873) (Hesperiidae) Synonym(s): *logan* Edwards,1873
 25960) *Anatrytone logan lagus* (Edwards,1881) (Hesperiidae) Synonym(s): *lagus* Edwards,1881
 25961) *Anatrytone mazai* (Freeman,1969) (Hesperiidae) Synonym(s): *mazai* Freeman,1969
 25962) *Anatrytone mella* (Godman,1900) (Hesperiidae) Synonym(s): *mella* Godman,1900
 25963) *Anatrytone potosiensis* (Freeman,1969) (Hesperiidae) Synonym(s): *potosiensis* Freeman,1969
 25964) *Ancistroides armatus* (Druce,1873) (Hesperiidae) Synonym(s): *armatus* Druce,1873
 25965) *Ancistroides armatus armatus* (Druce,1873) (Hesperiidae) Synonym(s): *armatus* Druce,1873
 25966) *Ancistroides armatus niasana* Evans,1926 (Hesperiidae) Synonym(s): *niasana* Evans,1926
 25967) *Ancistroides fulgur* De Nicéville,1894 (Hesperiidae) Synonym(s): *fulgur* De Nicéville,1894
 25968) *Ancistroides fulgur fulgur* De Nicéville,1894 (Hesperiidae) Synonym(s): *fulgur* De Nicéville,1894
 25969) *Ancistroides gemmifer* Butler,1877 (Hesperiidae) Synonym(s): *gemmifer* Butler,1877
 25970) *Ancistroides gemmifer dombya* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *dombya* Fruhstorfer,1911
 25971) *Ancistroides gemmifer dorna* Evans,1949 (Hesperiidae) Synonym(s): *dorna* Evans,1949
 25972) *Ancistroides gemmifer gemmifer* Butler,1877 (Hesperiidae) Synonym(s): *gemmifer* Butler,1877
 25973) *Ancistroides longicornis* Butler,1874 (Hesperiidae) Synonym(s): *longicornis* Butler,1874; *boisduvali* Mabilite,1876
 25974) *Ancistroides longicornis longicornis* Butler,1874 (Hesperiidae) Synonym(s): *longicornis* Butler,1874; *boisduvali* Mabilite,1876
 25975) *Ancistroides nigrata* (Latreille,1824) (Hesperiidae) Synonym(s): *nigrata* Latreille,1824
 25976) *Ancistroides nigrata diocles* (Moore,1865) (Hesperiidae) Synonym(s): *diocles* Moore,1865
 25977) *Ancistroides nigrata fumatus* Mabilite,1876 (Hesperiidae) Synonym(s): *fumatus* Mabilite,1876
 25978) *Ancistroides nigrata maura* Snellen,1880 (Hesperiidae) Synonym(s): *maura* Snellen,1880
 25979) *Ancistroides nigrata nigrata* (Latreille,1824) (Hesperiidae) Synonym(s): *nigrata* Latreille,1824; *vasuba* Fruhstorfer,1911
 25980) *Ancistroides othonias* Hewitson,1876 (Hesperiidae) Synonym(s): *othonias* Hewitson,1876
 25981) *Ancistroides othonias othonias* Hewitson,1876 (Hesperiidae) Synonym(s): *othonias* Hewitson,1876
 25982) *Ancyloxypha arene* (Edwards,1871) (Hesperiidae) Synonym(s): *arene* Edwards,1871; *myrtis* Edwards,1871; *isidorus* Plötz,1884; *euphrasia* Plötz,1884; *leporina* Plötz,1884
 25983) *Ancyloxypha numitor* (Fabricius,1793) (Hesperiidae) Synonym(s): *numitor* Fabricius,1793; *bion* Fabricius,1798; *puer* Hübner,[1823]; *marginatus* Harris,1862; *longleyi* French,1897
 25984) *Andronymus caesar* (Fabricius,1793) (Hesperiidae) Synonym(s): *caesar* Fabricius,1793; *leander* Plötz,1879; *antonius* Lindsey & Miller,1965
 25985) *Andronymus caesar caesar* (Fabricius,1793) (Hesperiidae) Synonym(s): *caesar* Fabricius,1793; *leander* Plötz,1879; *antonius* Lindsey & Miller,1965
 25986) *Andronymus caesar philander* (Hopffer,1855) (Hesperiidae) Synonym(s): *philander* Hopffer,1855
 25987) *Andronymus evander* (Mabilite,1890) (Hesperiidae) Synonym(s): *evander* Mabilite,1890; *kelembensis* Strand,1918
 25988) *Andronymus fenestrella* Bethune-Baker,1908 (Hesperiidae) Synonym(s): *fenestrella* Bethune-Baker,1908; *alenica* Strand,1912
 25989) *Andronymus gander* Evans,1947 (Hesperiidae) Synonym(s): *gander* Evans,1947
 25990) *Andronymus helles* Evans,1937 (Hesperiidae) Synonym(s): *helles* Evans,1937
 25991) *Andronymus hero* Evans,1937 (Hesperiidae) Synonym(s): *hero* Evans,1937
 25992) *Andronymus marcus* Usher,1980 (Hesperiidae) Synonym(s): *marcus* Usher,1980
 25993) *Andronymus marina* Evans,1937 (Hesperiidae) Synonym(s): *marina* Evans,1937
 25994) *Andronymus neander* (Plötz,1884) (Hesperiidae) Synonym(s): *neander* Plötz,1884; *producta* Trimen,1889; *torosa* Evans,1947
 25995) *Andronymus neander neander* (Plötz,1884) (Hesperiidae) Synonym(s): *neander* Plötz,1884; *producta* Trimen,1889; *torosa* Evans,1947
 25996) *Andronymus neander thomasi* Riley,1928 (Hesperiidae) Synonym(s): *thomasi* Riley,1928
 25997) *Anisochoria bacchus* Evans,1953 (Hesperiidae) Synonym(s): *bacchus* Evans,1953

- 25998) *Anisynta albovenata* Waterhouse, 1940 (Hesperiidae) Synonym(s): *albovenata* Waterhouse, 1940
 25999) *Anisynta albovenata albovenata* Waterhouse, 1940 (Hesperiidae) Synonym(s): *albovenata* Waterhouse, 1940
 26000) *Anisynta cynone* (Hewitson, 1874) (Hesperiidae) Synonym(s): *cynone* Hewitson, 1874
 26001) *Anisynta cynone cynone* (Hewitson, 1874) (Hesperiidae) Synonym(s): *cynone* Hewitson, 1874
 26002) *Anisynta cynone gracilis* (Tepper, 1882) (Hesperiidae) Synonym(s): *gracilis* Tepper, 1882
 26003) *Anisynta cynone grisea* Waterhouse, 1932 (Hesperiidae) Synonym(s): *grisea* Waterhouse, 1932
 26004) *Anisynta dominula* (Plötz, 1884) (Hesperiidae) Synonym(s): *dominula* Plötz, 1884
 26005) *Anisynta dominula dominula* (Plötz, 1884) (Hesperiidae) Synonym(s): *dominula* Plötz, 1884
 26006) *Anisynta dominula drachmophora* (Meyrick, 1885) (Hesperiidae) Synonym(s): *drachmophora* Meyrick, 1885
 26007) *Anisynta dominula draco* Waterhouse, 1938 (Hesperiidae) Synonym(s): *draco* Waterhouse, 1938
 26008) *Anisynta dominula dyris* Waterhouse, 1938 (Hesperiidae) Synonym(s): *dyris* Waterhouse, 1938
 26009) *Anisynta dominula pria* Waterhouse, 1932 (Hesperiidae) Synonym(s): *pria* Waterhouse, 1932
 26010) *Anisynta monticolae* Olliff, 1889 (Hesperiidae) Synonym(s): *monticolae* Olliff, 1889
 26011) *Anisynta monticolae monticolae* Olliff, 1889 (Hesperiidae) Synonym(s): *monticolae* Olliff, 1889
 26012) *Anisynta sphenosema* (Meyrick & Lower, 1902) (Hesperiidae) Synonym(s): *sphenosema* Meyrick & Lower, 1902; *paraphanes* Meyrick & Lower, 1902
 26013) *Anisynta sphenosema sphenosema* (Meyrick & Lower, 1902) (Hesperiidae) Synonym(s): *sphenosema* Meyrick & Lower, 1902; *paraphanes* Meyrick & Lower, 1902
 26014) *Anisynta tillyardi* Waterhouse & Lyell, 1914 (Hesperiidae) Synonym(s): *tillyardi* Waterhouse & Lyell, 1914
 26015) *Anisynta tillyardi tillyardi* Waterhouse & Lyell, 1914 (Hesperiidae) Synonym(s): *tillyardi* Waterhouse & Lyell, 1914
 26016) *Ankola fan* (Holland, 1894) (Hesperiidae) Synonym(s): *fan* Holland, 1894; *kamagamba* Bethune-Baker, 1906; *scalaris* Grünberg, 1907
 26017) *Anthoptus epictetus* (Fabricius, 1793) (Hesperiidae) Synonym(s): *epictetus* Fabricius, 1793; *nigritulus* Mabille, 1883; *inculta* Dyar, 1918
 26018) *Anthoptus insignis* (Plötz, 1882) (Hesperiidae) Synonym(s): *insignis* Plötz, 1882
 26019) *Anthoptus macalpinei* Freeman, 1969 (Hesperiidae) Synonym(s): *macalpinei* Freeman, 1969
 26020) *Antigonus corrosus* Mabille, 1878 (Hesperiidae) Synonym(s): *corrosus* Mabille, 1878; *sericus* Plötz, 1884
 26021) *Antigonus emorsus* (R. Felder, 1869) (Hesperiidae) Synonym(s): *emorsus* R. Felder, 1869; *albimedia* Draudt, 1922
 26022) *Antigonus erosus* (Hübner, 1812) (Hesperiidae) Synonym(s): *erosus* Hübner, 1812; *westermanni* Latreille, 1824
 26023) *Antigonus funebris* (R. Felder, 1869) (Hesperiidae) Synonym(s): *funebris* R. Felder, 1869
 26024) *Antigonus nearchus* (Latreille, 1817) (Hesperiidae) Synonym(s): *nearchus* Latreille, 1817; *ustus* Geyer, 1832; *pausus* Westwood, 1852; *hippalus* C. Felder & R. Felder, 1862; *satespes* C. Felder & R. Felder, 1862
 26025) *Apostictopterus fuliginosus* Leech, 1894 (Hesperiidae) Synonym(s): *fuliginosus* Leech, 1894
 26026) *Apostictopterus fuliginosus curiosus* Swinhoe, 1917 (Hesperiidae) Synonym(s): *curiosus* Swinhoe, 1917
 26027) *Apostictopterus fuliginosus fuliginosus* Leech, 1894 (Hesperiidae) Synonym(s): *fuliginosus* Leech, 1894
 26028) *Apyrrothrix araxes* (Hewitson, 1867) (Hesperiidae) Synonym(s): *araxes* Hewitson, 1867; *cyrillus* Plötz, 1879
 26029) *Apyrrothrix araxes araxes* (Hewitson, 1867) (Hesperiidae) Synonym(s): *araxes* Hewitson, 1867; *cyrillus* Plötz, 1879
 26030) *Apyrrothrix araxes arizonae* Godman & Salvin, 1893 (Hesperiidae) Synonym(s): *arizonae* Godman & Salvin, 1893
 26031) *Ardaris eximia* (Hewitson, 1871) (Hesperiidae) Synonym(s): *eximia* Hewitson, 1871
 26032) *Argon argus* (Möschler, 1879) (Hesperiidae) Synonym(s): *argus* Möschler, 1879
 26033) *Arita arita* (Schaus, 1902) (Hesperiidae) Synonym(s): *arita* Schaus, 1902; *musa* Kaye, 1914; *akuris* Bell, 1942
 26034) *Arnetta atkinsoni* (Moore, 1878) (Hesperiidae) Synonym(s): *atkinsoni* Moore, 1878; *khasianus* Moore, 1878; *subtestaceus* Moore, 1878; *parnaca* Fruhstorfer, 1910
 26035) *Arnetta atkinsoni atkinsoni* (Moore, 1878) (Hesperiidae) Synonym(s): *atkinsoni* Moore, 1878; *khasianus* Moore, 1878; *subtestaceus* Moore, 1878; *parnaca* Fruhstorfer, 1910
 26036) *Arnetta mercara* Evans, 1932 (Hesperiidae) Synonym(s): *mercara* Evans, 1932
 26037) *Arnetta mercara mercara* Evans, 1932 (Hesperiidae) Synonym(s): *mercara* Evans, 1932
 26038) *Arnetta verones* (Hewitson, 1878) (Hesperiidae) Synonym(s): *verones* Hewitson, 1878; *kala* Evans, 1932
 26039) *Arnetta verones verones* (Hewitson, 1878) (Hesperiidae) Synonym(s): *verones* Hewitson, 1878; *kala* Evans, 1932
 26040) *Arnetta vindhiana* (Moore, 1883) (Hesperiidae) Synonym(s): *vindhiana* Moore, 1883
 26041) *Arnetta vindhiana nilgiriana* Moore, 1883 (Hesperiidae) Synonym(s): *nilgiriana* Moore, 1883
 26042) *Arnetta vindhiana vindhiana* (Moore, 1883) (Hesperiidae) Synonym(s): *vindhiana* Moore, 1883
 26043) *Arrhenes dschilus* (Plötz, 1885) (Hesperiidae) Synonym(s): *dschilus* Plötz, 1885; *collatus* Plötz, 1885; *klossi* Rothschild, 1915
 26044) *Arrhenes dschilus decor* Evans, 1934 (Hesperiidae) Synonym(s): *decor* Evans, 1934
 26045) *Arrhenes dschilus dschilus* (Plötz, 1885) (Hesperiidae) Synonym(s): *dschilus* Plötz, 1885; *collatus* Plötz, 1885; *klossi* Rothschild, 1915
 26046) *Arrhenes dschilus iris* Waterhouse, 1932 (Hesperiidae) Synonym(s): *iris* Waterhouse, 1932
 26047) *Arrhenes elena* Evans, 1934 (Hesperiidae) Synonym(s): *elena* Evans, 1934
 26048) *Arrhenes elena elena* Evans, 1934 (Hesperiidae) Synonym(s): *elena* Evans, 1934
 26049) *Arrhenes floresia* Evans, 1934 (Hesperiidae) Synonym(s): *floresia* Evans, 1934
 26050) *Arrhenes floresia floresia* Evans, 1934 (Hesperiidae) Synonym(s): *floresia* Evans, 1934
 26051) *Arrhenes germana* Rothschild, 1915 (Hesperiidae) Synonym(s): *germana* Rothschild, 1915
 26052) *Arrhenes germana germana* Rothschild, 1915 (Hesperiidae) Synonym(s): *germana* Rothschild, 1915
 26053) *Arrhenes marnas* (C. Felder, 1860) (Hesperiidae) Synonym(s): *marnas* C. Felder, 1860; *grandis* Mabille, 1878; *diavansa* Fruhstorfer, 1911; *simillima* Rothschild, 1915
 26054) *Arrhenes marnas affinis* Waterhouse, 1912 (Hesperiidae) Synonym(s): *affinis* Waterhouse, 1912
 26055) *Arrhenes marnas jopas* Mabille, 1891 (Hesperiidae) Synonym(s): *jopas* Mabille, 1891
 26056) *Arrhenes marnas marnas* (C. Felder, 1860) (Hesperiidae) Synonym(s): *marnas* C. Felder, 1860; *grandis* Mabille, 1878; *diavansa* Fruhstorfer, 1911; *simillima* Rothschild, 1915
 26057) *Arrhenes martha* Evans, 1934 (Hesperiidae) Synonym(s): *martha* Evans, 1934
 26058) *Arrhenes martha martha* Evans, 1934 (Hesperiidae) Synonym(s): *martha* Evans, 1934
 26059) *Arrhenes tranquilla* Swinhoe, 1905 (Hesperiidae) Synonym(s): *tranquilla* Swinhoe, 1905; *terranea* Fruhstorfer, 1911
 26060) *Arrhenes tranquilla tranquilla* Swinhoe, 1905 (Hesperiidae) Synonym(s): *tranquilla* Swinhoe, 1905; *terranea* Fruhstorfer, 1911
 26061) *Arteurotia tractipennis* Butler & Druce, 1872 (Hesperiidae) Synonym(s): *tractipennis* Butler & Druce, 1872; *ribbei* Staudinger, 1876
 26062) *Artitropa alaotrana* Oberthür, 1916 (Hesperiidae) Synonym(s): *alaotrana* Oberthür, 1916
 26063) *Artitropa boseae* (Saalmüller, 1880) (Hesperiidae) Synonym(s): *boseae* Saalmüller, 1880; *aaron* Oberthür, 1916
 26064) *Artitropa cama* Evans, 1937 (Hesperiidae) Synonym(s): *cama* Evans, 1937
 26065) *Artitropa comus* (Stoll, 1782) (Hesperiidae) Synonym(s): *comus* Stoll, 1782; *helops* Drury, 1782; *ennius* Fabricius, 1793; *margaritata* Holland, 1890
 26066) *Artitropa erinny* (Trimen, 1862) (Hesperiidae) Synonym(s): *erinny* Trimen, 1862
 26067) *Artitropa erinny comorurum* Oberthür, 1916 (Hesperiidae) Synonym(s): *comorurum* Oberthür, 1916
 26068) *Artitropa erinny ehlersi* Karsch, 1896 (Hesperiidae) Synonym(s): *ehlersi* Karsch, 1896; *unifasciata* Aurivillius, 1910
 26069) *Artitropa erinny erinny* (Trimen, 1868) (Hesperiidae) Synonym(s): *erinny* Trimen, 1862
 26070) *Artitropa erinny nyasae* Riley, 1925 (Hesperiidae) Synonym(s): *nyasae* Riley, 1925
 26071) *Artitropa erinny radiata* Riley, 1925 (Hesperiidae) Synonym(s): *radiata* Riley, 1925
 26072) *Artitropa erinny vansomeri* Riley, 1925 (Hesperiidae) Synonym(s): *vansomeri* Riley, 1925
 26073) *Artitropa hollandi* Oberthür, 1916 (Hesperiidae) Synonym(s): *hollandi* Oberthür, 1916
 26074) *Artitropa milleri* Riley, 1925 (Hesperiidae) Synonym(s): *milleri* Riley, 1925
 26075) *Artitropa milleri coryndon* Evans, 1937 (Hesperiidae) Synonym(s): *coryndon* Evans, 1937
 26076) *Artitropa milleri milleri* Riley, 1925 (Hesperiidae) Synonym(s): *milleri* Riley, 1925
 26077) *Artitropa reducta* Aurivillius, 1925 (Hesperiidae) Synonym(s): *reducta* Aurivillius, 1925
 26078) *Asbolis capucinus* (Hesperiidae) Synonym(s):
 26079) *Astictopterus abjecta* (Snellen, 1872) (Hesperiidae) Synonym(s): *abjecta* Snellen, 1872; *fervus* Mabille, 1890; *uniformis* Karsch, 1893; *niangarensis* Holland, 1920

- 26080) *Astictopterus abjecta abjecta* (Snellen,1872) (Hesperiidae) Synonym(s): *abjecta* Snellen,1872; *furvus* Mabilie,1890; *uniformis* Karsch,1893; *niangarensis* Holland,1920
- 26081) *Astictopterus anomoeus* (Plötz,1879) (Hesperiidae) Synonym(s): *anomoeus* Plötz,1879
- 26082) *Astictopterus anomoeus anomoeus* (Plötz,1879) (Hesperiidae) Synonym(s): *anomoeus* Plötz,1879
- 26083) *Astictopterus bruno* (Evans,1937) (Hesperiidae) Synonym(s): *bruno* Evans,1937
- 26084) *Astictopterus bruno bruno* (Evans,1937) (Hesperiidae) Synonym(s): *bruno* Evans,1937
- 26085) *Astictopterus inornatus* (Trimen,1864) (Hesperiidae) Synonym(s): *inornatus* Trimen,1864
- 26086) *Astictopterus inornatus inornatus* (Trimen,1864) (Hesperiidae) Synonym(s): *inornatus* Trimen,1864
- 26087) *Astictopterus jama* C.Felder & R.Felder,1860 (Hesperiidae) Synonym(s): *jama* C.Felder & R.Felder,1860; *pulligo* Mabilie,1876; *melania* Plötz,1885
- 26088) *Astictopterus jama chinensis* Leech,1890 (Hesperiidae) Synonym(s): *chinensis* Leech,1890; *nubilus* Mabilie,1891.
- 26089) *Astictopterus jama jama* C.Felder & R.Felder,1860 (Hesperiidae) Synonym(s): *jama* C.Felder & R.Felder,1860; *pulligo* Mabilie,1876; *melania* Plötz,1885
- 26090) *Astictopterus jama olivascens* Moore,1878 (Hesperiidae) Synonym(s): *olivascens* Moore,1878; *henrici* Holland,1887; *kada* Swinhoe,1893; *tonkinianus* Fruhstorfer,1910; *permagnus* Fruhstorfer,1910; *quadripunctatus* Swinhoe,1915.
- 26091) *Astictopterus punctulata* (Butler,1895) (Hesperiidae) Synonym(s): *punctulata* Butler,1895
- 26092) *Astictopterus punctulata punctulata* (Butler,1895) (Hesperiidae) Synonym(s): *punctulata* Butler,1895
- 26093) *Astictopterus stellata* (Mabilie,1891) (Hesperiidae) Synonym(s): *stellata* Mabilie,1891
- 26094) *Astictopterus stellata amania* Evans,1947 (Hesperiidae) Synonym(s): *amania* Evans,1947
- 26095) *Astictopterus stellata mineni* (Trimen,1894) (Hesperiidae) Synonym(s): *mineni* Trimen,1894
- 26096) *Astictopterus stellata stellata* (Mabilie,1891) (Hesperiidae) Synonym(s): *stellata* Mabilie,1891
- 26097) *Astictopterus tura* Evans,1951 (Hesperiidae) Synonym(s): *tura* Evans,1951
- 26098) *Astictopterus tura tura* Evans,1951 (Hesperiidae) Synonym(s): *tura* Evans,1951
- 26099) *Astraptus alardus* (Stoll,[1790]) (Hesperiidae) Synonym(s): *alardus* Stoll,[1790]
- 26100) *Astraptus alardus alardus* (Stoll,[1790]) (Hesperiidae) Synonym(s): *alardus* Stoll,[1790]
- 26101) *Astraptus alardus latia* Evans,1952 (Hesperiidae) Synonym(s): *latia* Evans,1952
- 26102) *Astraptus alector* (C.Felder & R.Felder,1867) (Hesperiidae) Synonym(s): *alector* C.Felder & R.Felder,1867
- 26103) *Astraptus alector hopfferi* (Plötz,1882) (Hesperiidae) Synonym(s): *hopfferi* Plötz,1882; *uridon* Dyar,1912; *gilberti* Freeman,1969
- 26104) *Astraptus anaphus* (Cramer,[1777]) (Hesperiidae) Synonym(s): *anaphus* Cramer,[1777]
- 26105) *Astraptus anaphus anaphus* (Cramer,[1777]) (Hesperiidae) Synonym(s): *anaphus* Cramer,[1777]
- 26106) *Astraptus anaphus annetta* Evans,1952 (Hesperiidae) Synonym(s): *annetta* Evans,1952
- 26107) *Astraptus apastus* (Cramer,1777) (Hesperiidae) Synonym(s): *apastus* Cramer,1777; *briccus* Plötz,1881
- 26108) *Astraptus bifascia* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *bifascia* Herrich-Schäffer,1869
- 26109) *Astraptus brevicauda* Plötz,1886 (Hesperiidae) Synonym(s): *brevicauda* Plötz,1886; *talthybius* Mabilie,1888; *eniopeus* Godman & Salvin,1893;
- 26110) *Astraptus chiriquensis* (Staudinger,1876) (Hesperiidae) Synonym(s): *chiriquensis* Staudinger,1876; *weymeri* Plötz,1882
- 26111) *Astraptus chiriquensis chiriquensis* (Staudinger,1876) (Hesperiidae) Synonym(s): *chiriquensis* Staudinger,1876; *weymeri* Plötz,1882
- 26112) *Astraptus creteus* (Cramer,[1780]) (Hesperiidae) Synonym(s): *creteus* Cramer,[1780]
- 26113) *Astraptus creteus crana* Evans,1952 (Hesperiidae) Synonym(s): *crana* Evans,1952; *escalantei* Freeman,1967
- 26114) *Astraptus egregius* (Butler,[1870]) (Hesperiidae) Synonym(s): *egregius* Butler,[1870]
- 26115) *Astraptus egregius egregius* (Butler,[1870]) (Hesperiidae) Synonym(s): *egregius* Butler,[1870]
- 26116) *Astraptus enortus* (Stoll,[1781]) (Hesperiidae) Synonym(s): *enortus* Stoll,[1781]; *aulicus* Röber,1925
- 26117) *Astraptus fulgurator* (Walch,1775) (Hesperiidae) Synonym(s): *fulgurator* Walch,1775
- 26118) *Astraptus fulgurator azul* (Reakirt,[1867]) (Hesperiidae) Synonym(s): *azul* Reakirt,[1867]; *misitra* Plötz,1881; *albifasciatus* Röber,1925; *catemacoensis* Freeman,1967
- 26119) *Astraptus fulgurator fulgurator* (Walch,1775) (Hesperiidae) Synonym(s): *fulgurator* Walch,1775
- 26120) *Astraptus galesus* (Mabilie,1888) (Hesperiidae) Synonym(s): *galesus* Mabilie,1888
- 26121) *Astraptus galesus cassius* Evans,1952 (Hesperiidae) Synonym(s):
- 26122) *Astraptus galesus galesus* (Mabilie,1888) (Hesperiidae) Synonym(s):
- 26123) *Astraptus janeira* (Schaus,1902) (Hesperiidae) Synonym(s): *janeira* Schaus,1902
- 26124) *Astraptus megalurus* (Mabilie,1877) (Hesperiidae) Synonym(s): *megalurus* Mabilie,1877; *consus* Godman & Salvin,1893
- 26125) *Astraptus phalaecus* (Godman & Salvin,1893) (Hesperiidae) Synonym(s): *phalaecus* Godman & Salvin,1893
- 26126) *Astraptus talus* (Cramer,1777) (Hesperiidae) Synonym(s): *talus* Cramer,1777; *ausonius* Latreille,[1824]; *lucidator* Sepp,1844; *sumadue* Lucas,1856; *virens* Röber,1925
- 26127) *Astraptus tucuti* R.C.Williams,1927 (Hesperiidae) Synonym(s): *tucuti* R.C.Williams,1927
- 26128) *Atalopedes campestris* (Boisduval,1852) (Hesperiidae) Synonym(s): *campestris* Boisduval,1852
- 26129) *Atalopedes campestris campestris* (Boisduval,1852) (Hesperiidae) Synonym(s): *campestris* Boisduval,1852; *tenebricosus* Austin & Emmel,1998
- 26130) *Atalopedes campestris huron* (Edwards,1863) (Hesperiidae) Synonym(s): *huron* Edwards,1863; *kedema* Butler,1870; *amphissa* Plötz,1883; *angustus* Plötz,1883; *flaveola* Mabilie,1891
- 26131) *Atarnes sallei* (C.Felder & R.Felder,1867) (Hesperiidae) Synonym(s): *sallei* C.Felder & R.Felder,1867; *angustemarginata* Mabilie & Boullet,1917
- 26132) *Atrytonopsis arogos* (Hesperiidae) Synonym(s):
- 26133) *Atrytonopsis cestus* (Edwards,1884) (Hesperiidae) Synonym(s): *cestus* Edwards,1884
- 26134) *Atrytonopsis deva* (Edwards,1877) (Hesperiidae) Synonym(s): *deva* Edwards,1877
- 26135) *Atrytonopsis edwardsi* (Barnes & McDunnough,1916) (Hesperiidae) Synonym(s): *edwardsi* Barnes & McDunnough,1916
- 26136) *Atrytonopsis frappenda* (Dyar,1920) (Hesperiidae) Synonym(s): *frappenda* Dyar,1920
- 26137) *Atrytonopsis hianna* (Scudder,1868) (Hesperiidae) Synonym(s): *hianna* Scudder,1868; *grotei* Plötz,1883
- 26138) *Atrytonopsis hianna Scudder* (1868) (Hesperiidae) Synonym(s): *hianna* Scudder,1868; *grotei* Plötz,1883
- 26139) *Atrytonopsis hianna loammi* (Whitney,1876) (Hesperiidae) Synonym(s): *loammi* Whitney,1876; *regulus* Edwards,1881; *apostologica* Strand,1921
- 26140) *Atrytonopsis hianna turneri* Freeman,1948 (Hesperiidae) Synonym(s): *turneri* Freeman,1948
- 26141) *Atrytonopsis lunus* (Edwards,1884) (Hesperiidae) Synonym(s): *lunus* Edwards,1884
- 26142) *Atrytonopsis ovinia* (Hewitson,1866) (Hesperiidae) Synonym(s): *ovinia* Hewitson,1866; *rupilus* Schaus,1913; *zovinia* Dyar,1913
- 26143) *Atrytonopsis pittacus* (Edwards,1882) (Hesperiidae) Synonym(s): *pittacus* Edwards,1882
- 26144) *Atrytonopsis python* (Edwards,1882) (Hesperiidae) Synonym(s): *python* Edwards,1882; *margarita* Skinner,1913
- 26145) *Atrytonopsis vierecki* (Skinner,1902) (Hesperiidae) Synonym(s): *vierecki* Skinner,1902
- 26146) *Atrytonopsis zweifeli* Freeman,1969 (Hesperiidae) Synonym(s): *zweifeli* Freeman,1969
- 26147) *Aurina dida* Evans,1937 (Hesperiidae) Synonym(s): *dida* Evans,1937
- 26148) *Aurina dida dida* Evans,1937 (Hesperiidae) Synonym(s): *dida* Evans,1937
- 26149) *Autochton bipunctatus* (Gmelin,[1790]) (Hesperiidae) Synonym(s): *bipunctatus* Gmelin,[1790]; *orontes* Plötz,1882; *zonilis* Mabilie,1883
- 26150) *Autochton cellus* (Boisduval & Leconte,[1837]) (Hesperiidae) Synonym(s): *cellus* Boisduval & Leconte,[1837]; *festus* Geyer,[1837]; *mexicana* Draudt,1922
- 26151) *Autochton cellus cellus* (Boisduval & Leconte,[1837]) (Hesperiidae) Synonym(s): *cellus* Boisduval & Leconte,[1837]; *festus* Geyer,[1837]; *mexicana* Draudt,1922
- 26152) *Autochton cincta* (Plötz,1882) (Hesperiidae) Synonym(s): *cincta* Plötz,1882; *rotundatus* Mabilie,1883
- 26153) *Autochton longipennis* (Plötz,1882) (Hesperiidae) Synonym(s): *longipennis* Plötz,1882; *carys* Godman & Salvin,1894
- 26154) *Autochton neis* (Geyer,[1832]) (Hesperiidae) Synonym(s): *neis* Geyer,[1832]; *bocus* Plötz,1882; *dhega* Mabilie,1891; *lunulus* Plötz,1882; *agathokles* Ehrmann,1918
- 26155) *Autochton pseudocellus* (Coolidge & Clemence,[1910]) (Hesperiidae) Synonym(s): *pseudocellus* Coolidge & Clemence,[1910]
- 26156) *Autochton pseudocellus pseudocellus* (Coolidge & Clemence,[1910]) (Hesperiidae) Synonym(s): *pseudocellus* Coolidge & Clemence,[1910]
- 26157) *Autochton sierramadror* Burns,1984 (Hesperiidae) Synonym(s): *sierramadror* Burns,1984
- 26158) *Autochton vectilucis* (Butler,1872) (Hesperiidae) Synonym(s): *vectilucis* Butler,1872
- 26159) *Autochton zarex* (Hübner,1818) (Hesperiidae) Synonym(s): *zarex* Hübner,1818; *jsokrates* Ehrmann,1918; *assaracus* Hayward,1938; *punctisignatus* Bryk,1953

- 26160) *Azonax typhaon* (Hewitson,1877) (Hesperiidae) Synonym(s): *typhaon* Hewitson,1877
 26161) *Badamia atrox* (Butler,1877) (Hesperiidae) Synonym(s): *atrox* Butler,1877
 26162) *Badamia atrox atrox* (Butler,1877) (Hesperiidae) Synonym(s): *atrox* Butler,1877
 26163) *Badamia atrox collenettei* Evans,1933 (Hesperiidae) Synonym(s): *collenettei* Evans,1933
 26164) *Badamia atrox flava* Evans,1933 (Hesperiidae) Synonym(s): *flava* Evans,1933
 26165) *Badamia atrox subflava* Waterhouse,1920 (Hesperiidae) Synonym(s): *subflava* Waterhouse,1920
 26166) *Badamia exclamatonis* (Fabricius,1775) (Hesperiidae) Synonym(s): *exclamationis* Fabricius,1775; *ladon* Cramer,[1780]; *ericus* Fabricius,1798 nec *Fabricius*,1793; *forulus* Hübner,[1819]; *thymbron* Felder,1860.
 26167) *Badamia exclamatonis exclamatonis* (Fabricius,1775) (Hesperiidae) Synonym(s): *exclamationis* Fabricius,1775; *ladon* Cramer,[1780]; *ericus* Fabricius,1798 nec *Fabricius*,1793; *forulus* Hübner,[1819]; *thymbron* Felder,1860.
 26168) *Banta anna* (Evans,1935) (Hesperiidae) Synonym(s): *anna* Evans,1935
 26169) *Banta anna anna* (Evans,1935) (Hesperiidae) Synonym(s): *anna* Evans,1935
 26170) *Banta banta* Evans,1949 (Hesperiidae) Synonym(s): *banta* Evans,1949
 26171) *Banta banta banta* Evans,1949 (Hesperiidae) Synonym(s): *banta* Evans,1949
 26172) *Banta fulvomargo* (Joicey & Talbot,1915) (Hesperiidae) Synonym(s): *fulvomargo* Joicey & Talbot,1915
 26173) *Banta fulvomargo fulvomargo* (Joicey & Talbot,1915) (Hesperiidae) Synonym(s): *fulvomargo* Joicey & Talbot,1915
 26174) *Baoris farri* (Moore,1878) (Hesperiidae) Synonym(s): *farri* Moore,1878
 26175) *Baoris farri farri* (Moore,1878) (Hesperiidae) Synonym(s): *farri* Moore,1878
 26176) *Baoris farri scopulifera* Moore,1883 (Hesperiidae) Synonym(s): *scopulifera* Moore,1883
 26177) *Baoris leechii* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *leechii* Elwes & Edwards,1897
 26178) *Baoris leechii leechii* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *leechii* Elwes & Edwards,1897
 26179) *Baoris oceia* (Hewitson,1868) (Hesperiidae) Synonym(s): *oceia* Hewitson,1868
 26180) *Baoris oceia oceia* (Hewitson,1868) (Hesperiidae) Synonym(s): *oceia* Hewitson,1868
 26181) *Baoris pagana* De Nicéville,1887 (Hesperiidae) Synonym(s): *pagana* De Nicéville,1887
 26182) *Baoris pagana pagana* De Nicéville,1887 (Hesperiidae) Synonym(s): *pagana* De Nicéville,1887
 26183) *Baoris penicillata* Moore,1881 (Hesperiidae) Synonym(s): *penicillata* Moore,1881
 26184) *Baoris penicillata brenda* Evans,1937 (Hesperiidae) Synonym(s): *brenda* Evans,1937
 26185) *Baoris penicillata chapmani* Evans,1937 (Hesperiidae) Synonym(s): *chapmani* Evans,1937
 26186) *Baoris penicillata penicillata* Moore,1881 (Hesperiidae) Synonym(s): *penicillata* Moore,1881
 26187) *Baoris penicillata unicolor* Moore,1883 (Hesperiidae) Synonym(s): *unicolor* Moore,1883
 26188) *Barachus vittatus* (Felder,1862) (Hesperiidae) Synonym(s): *vittatus* Felder,1862
 26189) *Barachus vittatus gotha* Evans,1949 (Hesperiidae) Synonym(s): *gotha* Evans,1949
 26190) *Barachus vittatus hampsoni* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *hampsoni* Elwes & Edwards,1897
 26191) *Barachus vittatus septentrionum* Wood Mason & De Nicéville,1887 (Hesperiidae) Synonym(s): *septentrionum* Wood Mason & De Nicéville,1887
 26192) *Barachus vittatus subditus* Moore,1883 (Hesperiidae) Synonym(s): *subditus* Moore,1883
 26193) *Barachus vittatus vittatus* (Felder,1862) (Hesperiidae) Synonym(s): *vittatus* Felder,1862
 26194) *Barca bicolor* (Oberthür,1896) (Hesperiidae) Synonym(s): *bicolor* Oberthür,1896
 26195) *Barca bicolor bicolor* (Oberthür,1896) (Hesperiidae) Synonym(s): *bicolor* Oberthür,1896
 26196) *Bibasis amara* (Moore,1865) (Hesperiidae) Synonym(s): *amara* Moore,1865; *pindapatra* Fruhstorfer,1911
 26197) *Bibasis amara amara* (Moore,1865) (Hesperiidae) Synonym(s): *amara* Moore,1865; *pindapatra* Fruhstorfer,1911
 26198) *Bibasis anadi* De Nicéville,1883 (Hesperiidae) Synonym(s): *anadi* De Nicéville,1883; *purpurea* Riley & Godfrey,1925
 26199) *Bibasis anadi anadi* De Nicéville,1883 (Hesperiidae) Synonym(s): *anadi* De Nicéville,1883; *purpurea* Riley & Godfrey,1925
 26200) *Bibasis aquilina* (Speyer,1879) (Hesperiidae) Synonym(s): *aquilina* Speyer,1879
 26201) *Bibasis aquilina aquilina* (Speyer,1879) (Hesperiidae) Synonym(s): *aquilina* Speyer,1879
 26202) *Bibasis aquilina chrysaeglia* (Butler,[1882]) (Hesperiidae) Synonym(s): *chrysaeglia* Butler,[1882]
 26203) *Bibasis aquilina siola* Evans,1934 (Hesperiidae) Synonym(s): *siola* Evans,1934
 26204) *Bibasis etelka* (Hewitson,[1867]) (Hesperiidae) Synonym(s): *etelka* Hewitson,[1867]
 26205) *Bibasis etelka etelka* (Hewitson,[1867]) (Hesperiidae) Synonym(s): *etelka* Hewitson,[1867]
 26206) *Bibasis gomata* (Moore,[1866]) (Hesperiidae) Synonym(s): *gomata* Moore,[1866]
 26207) *Bibasis gomata gomata* (Moore,[1866]) (Hesperiidae) Synonym(s): *gomata* Moore,[1866]
 26208) *Bibasis gomata kanara* Evans,1926 (Hesperiidae) Synonym(s): *kanara* Evans,1926
 26209) *Bibasis gomata lalita* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *lalita* Fruhstorfer,1911; *vajra* Fruhstorfer,1911
 26210) *Bibasis gomata lara* Leech,1894 (Hesperiidae) Synonym(s): *lara* Leech,1894
 26211) *Bibasis gomata lorquini* Mabille,1876 (Hesperiidae) Synonym(s): *lorquini* Mabille,1876
 26212) *Bibasis gomata radiosa* Plötz,1885 (Hesperiidae) Synonym(s): *radiosa* Plötz,1885
 26213) *Bibasis harisa* (Moore,1865) (Hesperiidae) Synonym(s): *harisa* Moore,1865; *asambha* Fruhstorfer,1911
 26214) *Bibasis harisa aphrodite* Fruhstorfer,1905 (Hesperiidae) Synonym(s): *aphrodite* Fruhstorfer,1905; *mangolina* Evans,1932.
 26215) *Bibasis harisa consobrina* (Plötz,[1883]) (Hesperiidae) Synonym(s): *consobrina* Plötz,1884; *moncada* Fruhstorfer,1911; *crinatha* Fruhstorfer,1911; *distanti* Evans,1932.
 26216) *Bibasis harisa grandis* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *grandis* De Jong & Treadaway,1993
 26217) *Bibasis harisa harisa* (Moore,1865) (Hesperiidae) Synonym(s): *harisa* Moore,1865; *asambha* Fruhstorfer,1911
 26218) *Bibasis harisa niasana* Swinhoe,1912 (Hesperiidae) Synonym(s): *niasana* Swinhoe,1912
 26219) *Bibasis harisa pala* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *pala* De Jong & Treadaway,1993
 26220) *Bibasis iluska* (Hewitson,1867) (Hesperiidae) Synonym(s): *iluska* Hewitson,1867
 26221) *Bibasis iluska iluska* (Hewitson,1867) (Hesperiidae) Synonym(s): *iluska* Hewitson,1867; *rubrocincta* Mabille,1891
 26222) *Bibasis iluska mahintha* (Moore,1874) (Hesperiidae) Synonym(s): *mahintha* Moore,1874
 26223) *Bibasis iluska nestor* (Möschler,1878) (Hesperiidae) Synonym(s): *nestor* Möschler,1878; *firdusi* Plötz,1884; *atrinota* Mabille,1891; *antigone* Röber,1892; *ionis* De Nicéville,1895; *sambavana* Elwes & Edwards,1897; *zonaras* Fruhstorfer,1911.
 26224) *Bibasis imperialis* Plötz,1886 (Hesperiidae) Synonym(s): *imperialis* Plötz,1886; *castnioides* Van der Bergh,1922.
 26225) *Bibasis imperialis imperialis* Plötz,1886 (Hesperiidae) Synonym(s): *imperialis* Plötz,1886; *castnioides* Van der Bergh,1922.
 26226) *Bibasis jaina* (Moore,[1866]) (Hesperiidae) Synonym(s): *jaina* Moore,[1866]; *vasundhara* Fruhstorfer,1911
 26227) *Bibasis jaina astigmata* Evans,1932 (Hesperiidae) Synonym(s): *astigmata* Evans,1932
 26228) *Bibasis jaina fergusonii* De Nicéville,1893 (Hesperiidae) Synonym(s): *fergusonii* De Nicéville,1893
 26229) *Bibasis jaina formosana* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *formosana* Fruhstorfer,1911
 26230) *Bibasis jaina jaina* (Moore,[1866]) (Hesperiidae) Synonym(s): *jaina* Moore,[1866]; *vasundhara* Fruhstorfer,1911
 26231) *Bibasis jaina margana* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *margana* Fruhstorfer,1911
 26232) *Bibasis jaina velva* Evans,1932 (Hesperiidae) Synonym(s): *velva* Evans,1932
 26233) *Bibasis miracula* Evans,1949 (Hesperiidae) Synonym(s): *miracula* Evans,1949
 26234) *Bibasis miracula miracula* Evans,1949 (Hesperiidae) Synonym(s): *miracula* Evans,1949
 26235) *Bibasis oedipodea* (Swainson,1820) (Hesperiidae) Synonym(s): *oedipodea* Swainson,1820
 26236) *Bibasis oedipodea ataphus* E.Y.Watson,1893 (Hesperiidae) Synonym(s): *ataphus* E.Y.Watson,1893
 26237) *Bibasis oedipodea belesis* (Mabille,1876) (Hesperiidae) Synonym(s): *belesis* Mabille,1876; *aegina* Plötz,1884; *athena* Fruhstorfer,1911.
 26238) *Bibasis oedipodea excellens* Hopffer,1874 (Hesperiidae) Synonym(s): *excellens* Hopffer,1874; *oedipus* Elwes & Edwards,1897.
 26239) *Bibasis oedipodea oedipodea* (Swainson,1820) (Hesperiidae) Synonym(s): *oedipodea* Swainson,1820
 26240) *Bibasis oedipodea paltra* Evans,1949 (Hesperiidae) Synonym(s): *paltra* Evans,1949
 26241) *Bibasis phul* (Mabille,1876) (Hesperiidae) Synonym(s): *phul* Mabille,1876; *tolo* Plötz,1881; *lusca* Swinhoe,1907.
 26242) *Bibasis phul phul* (Mabille,1876) (Hesperiidae) Synonym(s): *phul* Mabille,1876; *tolo* Plötz,1881; *lusca* Swinhoe,1907.
 26243) *Bibasis sena* (Moore,[1866]) (Hesperiidae) Synonym(s): *sena* Moore,[1866]
 26244) *Bibasis sena palawana* (Staudinger,1889) (Hesperiidae) Synonym(s): *palawana* Staudinger,1889
 26245) *Bibasis sena sena* (Moore,[1866]) (Hesperiidae) Synonym(s): *sena* Moore,[1866]

- 26246) *Bibasis sena senata* Evans, 1934 (Hesperiidae) Synonym(s): *sena* Evans, 1934
 26247) *Bibasis sena uniformis* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *uniformis* Elwes & Edwards, 1897
 26248) *Bibasis striata* (Hewitson, 1867) (Hesperiidae) Synonym(s): *striata* Hewitson, 1867; *septentrionalis* Felder, 1867.
 26249) *Bibasis striata striata* (Hewitson, 1867) (Hesperiidae) Synonym(s): *striata* Hewitson, 1867; *septentrionalis* Felder, 1867.
 26250) *Bibasis vasutana* (Elwes & Edwards, 1897) (Hesperiidae) Synonym(s): *tuckeri* Elwes & Edwards, 1897
 26251) *Bibasis tuckeri tuckeri* (Elwes & Edwards, 1897) (Hesperiidae) Synonym(s): *tuckeri* Elwes & Edwards, 1897
 26252) *Bibasis vasutana* (Moore, 1865) (Hesperiidae) Synonym(s): *vasutana* Moore, 1865; *rahita* Fruhstorfer, 1911; *burma* Evans, 1934.
 26253) *Bibasis vasutana vasutana* (Moore, 1865) (Hesperiidae) Synonym(s): *vasutana* Moore, 1865; *rahita* Fruhstorfer, 1911; *burma* Evans, 1934.
 26254) *Bolla brennus* (Godman & Salvin, 1896) (Hesperiidae) Synonym(s): *brennus* Godman & Salvin, 1896
 26255) *Bolla clyti* (Godman & Salvin, 1897) (Hesperiidae) Synonym(s): *clyti* Godman & Salvin, 1897; *semitincta* Dyar, 1924
 26256) *Bolla cupreiceps* (Mabille, 1891) (Hesperiidae) Synonym(s): *cupreiceps* Mabille, 1891
 26257) *Bolla cybele* Evans, 1953 (Hesperiidae) Synonym(s): *cybele* Evans, 1953
 26258) *Bolla cyclops* (Mabille, 1877) (Hesperiidae) Synonym(s): *cyclops* Mabille, 1877; *sonda* Evans, 1953
 26259) *Bolla cylindrus* (Godman & Salvin, 1896) (Hesperiidae) Synonym(s): *cylindrus* Godman & Salvin, 1896
 26260) *Bolla eusebius* (Plötz, 1884) (Hesperiidae) Synonym(s): *eusebius* Plötz, 1884; *subgisela* Strand, 1921; *aplica* Bell, 1937
 26261) *Bolla evippe* (Godman & Salvin, 1896) (Hesperiidae) Synonym(s): *evippe* Godman & Salvin, 1896
 26262) *Bolla fenestra* Steinhäuser, 1991 (Hesperiidae) Synonym(s): *fenestra* Steinhäuser, 1991
 26263) *Bolla guerra* Evans, 1953 (Hesperiidae) Synonym(s): *guerra* Evans, 1953
 26264) *Bolla litus* (Dyar, 1912) (Hesperiidae) Synonym(s): *litus* Dyar, 1912; *smodora* Dyar, 1914
 26265) *Bolla oriza* Evans, 1953 (Hesperiidae) Synonym(s): *oriza* Evans, 1953
 26266) *Bolla orsines* (Godman & Salvin, 1896) (Hesperiidae) Synonym(s): *orsines* Godman & Salvin, 1896
 26267) *Bolla pullata* Mabille, 1878 (Hesperiidae) Synonym(s): *pullata* Mabille, 1878; *sodalis* Schaus, 1913; *imbras* Godman & Salvin, 1896
 26268) *Bolla solitaria* Steinhäuser, 1991 (Hesperiidae) Synonym(s): *solitaria* Steinhäuser, 1991
 26269) *Bolla subapicatus* (Schaus, 1902) (Hesperiidae) Synonym(s): *subapicatus* Schaus, 1902; *chilpancingo* Bell, 1937
 26270) *Bolla zorilla* (Plötz, 1886) (Hesperiidae) Synonym(s): *zorilla* Plötz, 1886; *hazela* Hayward, 1940; *madrea* R.C. Williams & Bell, 1940
 26271) *Borbo bevani* (Moore, 1878) (Hesperiidae) Synonym(s): *bevani* Moore, 1878
 26272) *Borbo bevani bevani* (Moore, 1878) (Hesperiidae) Synonym(s): *bevani* Moore, 1878
 26273) *Borbo binga* (Evans, 1937) (Hesperiidae) Synonym(s): *binga* Evans, 1937
 26274) *Borbo binga binga* (Evans, 1937) (Hesperiidae) Synonym(s): *binga* Evans, 1937
 26275) *Borbo borbonica* (Boisduval, 1833) (Hesperiidae) Synonym(s): *borbonica* Boisduval, 1833; *senegalensis* Klug, 1842; *continentalis* Strand, 1912
 26276) *Borbo borbonica borbonica* (Boisduval, 1833) (Hesperiidae) Synonym(s): *borbonica* Boisduval, 1833; *senegalensis* Klug, 1842; *continentalis* Strand, 1912
 26277) *Borbo borbonica morella* (De Joannis, 1893) (Hesperiidae) Synonym(s): *morella* De Joannis, 1893
 26278) *Borbo borbonica zelleri* (Lederer, 1855) (Hesperiidae) Synonym(s): *zelleri* Lederer, 1855; *holii* Oberthür, 1910
 26279) *Borbo chagwa* (Evans, 1937) (Hesperiidae) Synonym(s): *chagwa* Evans, 1937; *kilwa* Evans, 1937
 26280) *Borbo chagwa chagwa* (Evans, 1937) (Hesperiidae) Synonym(s): *chagwa* Evans, 1937; *kilwa* Evans, 1937
 26281) *Borbo cinnara* (Wallace, 1866) (Hesperiidae) Synonym(s): *cinnara* Wallace, 1866
 26282) *Borbo cinnara cinnara* (Wallace, 1866) (Hesperiidae) Synonym(s): *cinnara* Wallace, 1866
 26283) *Borbo detecta* (Trimen, 1893) (Hesperiidae) Synonym(s): *detecta* Trimen, 1893; *fallatus* Holland, 1896; *pyrrhobaphes* Mabille, 1898
 26284) *Borbo detecta detecta* (Trimen, 1893) (Hesperiidae) Synonym(s): *detecta* Trimen, 1893; *fallatus* Holland, 1896; *pyrrhobaphes* Mabille, 1898
 26285) *Borbo fallax* (Gaede, 1916) (Hesperiidae) Synonym(s): *fallax* Gaede, 1916
 26286) *Borbo fallax fallax* (Gaede, 1916) (Hesperiidae) Synonym(s): *fallax* Gaede, 1916
 26287) *Borbo fanta* (Evans, 1937) (Hesperiidae) Synonym(s): *fanta* Evans, 1937
 26288) *Borbo fanta barnesi* (Evans, 1949) (Hesperiidae) Synonym(s): *barnesi* Evans, 1949
 26289) *Borbo fanta fanta* (Evans, 1937) (Hesperiidae) Synonym(s): *fanta* Evans, 1937
 26290) *Borbo fatuellus* (Hopffer, 1855) (Hesperiidae) Synonym(s): *fatuellus* Hopffer, 1855; *cafraria* Plötz, 1883; *cinerea* Holland, 1896
 26291) *Borbo fatuellus dolens* (Mabille, 1898) (Hesperiidae) Synonym(s): *dolens* Mabille, 1898
 26292) *Borbo fatuellus fatuellus* (Hopffer, 1855) (Hesperiidae) Synonym(s): *fatuellus* Hopffer, 1855; *cafraria* Plötz, 1883; *cinerea* Holland, 1896
 26293) *Borbo fatuellus thomea* (Evans, 1937) (Hesperiidae) Synonym(s): *thomea* Evans, 1937
 26294) *Borbo ferruginea* (Aurivillius, 1925) (Hesperiidae) Synonym(s): *ferruginea* Aurivillius, 1925
 26295) *Borbo ferruginea dono* Evans, 1956 (Hesperiidae) Synonym(s): *dono* Evans, 1956
 26296) *Borbo ferruginea ferruginea* (Aurivillius, 1925) (Hesperiidae) Synonym(s): *ferruginea* Aurivillius, 1925
 26297) *Borbo gemella* (Mabille, 1884) (Hesperiidae) Synonym(s): *gemella* Mabille, 1884
 26298) *Borbo gemella gemella* (Mabille, 1884) (Hesperiidae) Synonym(s): *gemella* Mabille, 1884
 26299) *Borbo holtzi* (Plötz, 1883) (Hesperiidae) Synonym(s): *holtzi* Plötz, 1883; *ares* Mabille, 1883; *cana* Lathy, 1901; *caesia* Gaede, 1917; *aequalis* Gaede, 1917; *rougeoti* Picard, 1949
 26300) *Borbo holtzi holtzi* (Plötz, 1883) (Hesperiidae) Synonym(s): *holtzi* Plötz, 1883; *ares* Mabille, 1883; *cana* Lathy, 1901; *caesia* Gaede, 1917; *aequalis* Gaede, 1917; *rougeoti* Picard, 1949
 26301) *Borbo impar* (Mabille, 1883) (Hesperiidae) Synonym(s): *impar* Mabille, 1883
 26302) *Borbo impar impar* (Mabille, 1883) (Hesperiidae) Synonym(s): *impar* Mabille, 1883
 26303) *Borbo impar lavinia* Waterhouse, 1932 (Hesperiidae) Synonym(s): *lavinia* Waterhouse, 1932
 26304) *Borbo impar tetragraphus* (Mabille, 1891) (Hesperiidae) Synonym(s): *tetragraphus* Mabille, 1891
 26305) *Borbo kaka* (Evans, 1938) (Hesperiidae) Synonym(s): *kaka* Evans, 1938
 26306) *Borbo kaka kaka* (Evans, 1938) (Hesperiidae) Synonym(s): *kaka* Evans, 1938
 26307) *Borbo liana* (Evans, 1937) (Hesperiidae) Synonym(s): *liana* Evans, 1937
 26308) *Borbo liana liana* (Evans, 1937) (Hesperiidae) Synonym(s): *liana* Evans, 1937
 26309) *Borbo lugens* (Hopffer, 1855) (Hesperiidae) Synonym(s): *lugens* Hopffer, 1855; *xylos* Mabille, 1890; *maranga* Butler, 1900; *plana* Swinhoe, 1915
 26310) *Borbo lugens lugens* (Hopffer, 1855) (Hesperiidae) Synonym(s): *lugens* Hopffer, 1855; *xylos* Mabille, 1890; *maranga* Butler, 1900; *plana* Swinhoe, 1915
 26311) *Borbo micans* (Holland, 1896) (Hesperiidae) Synonym(s): *micans* Holland, 1896
 26312) *Borbo micans micans* (Holland, 1896) (Hesperiidae) Synonym(s): *micans* Holland, 1896
 26313) *Borbo perobscura* (Druce, 1912) (Hesperiidae) Synonym(s): *perobscura* Druce, 1912; *gemina* Gaede, 1916; *trigemina* Gaede, 1916
 26314) *Borbo perobscura perobscura* (Druce, 1912) (Hesperiidae) Synonym(s): *perobscura* Druce, 1912; *gemina* Gaede, 1916; *trigemina* Gaede, 1916
 26315) *Borbo ratek* (Boisduval, 1833) (Hesperiidae) Synonym(s): *ratek* Boisduval, 1833; *sinnis* Mabille, 1878; *weymeri* Saalmüller, 1884
 26316) *Borbo ratek ratek* (Boisduval, 1833) (Hesperiidae) Synonym(s): *ratek* Boisduval, 1833; *sinnis* Mabille, 1878; *weymeri* Saalmüller, 1884
 26317) *Borbo sirena* (Evans, 1937) (Hesperiidae) Synonym(s): *sirena* Evans, 1937
 26318) *Borbo sirena sirena* (Evans, 1937) (Hesperiidae) Synonym(s): *sirena* Evans, 1937
 26319) *Brusa allardi* Berger, 1967 (Hesperiidae) Synonym(s): *allardi* Berger, 1967
 26320) *Brusa saxicola* (Neave, 1910) (Hesperiidae) Synonym(s): *saxicola* Neave, 1910
 26321) *Bungalotus astylos* (Cramer, [1780]) (Hesperiidae) Synonym(s): *astylos* Cramer, [1780]
 26322) *Bungalotus erythus* (Cramer, [1775]) (Hesperiidae) Synonym(s): *erythus* Cramer, [1775]; *muretus* Fabricius, 1793
 26323) *Bungalotus midas* (Cramer, [1775]) (Hesperiidae) Synonym(s): *midas* Cramer, [1775]; *adrasor* Mabille & Boulet, 1912; *corentinus* Plötz, 1882
 26324) *Bungalotus milleri* Freeman, 1977 (Hesperiidae) Synonym(s): *milleri* Freeman, 1977
 26325) *Bungalotus quadratum* (Sepp, [1845]) (Hesperiidae) Synonym(s): *quadratum* Sepp, [1845]; *annulicornis* Möschler, 1877
 26326) *Cabares potrillo* (Lucas, 1857) (Hesperiidae) Synonym(s): *potrillo* Lucas, 1857; *paterculus* Herrich-Schäffer, 1863
 26327) *Caenides allyni* Miller, 1971 (Hesperiidae) Synonym(s): *allyni* Miller, 1971
 26328) *Caenides bengala* (Holland, 1891) (Hesperiidae) Synonym(s): *bengala* Holland, 1891
 26329) *Caenides binoevatus* (Mabille, 1891) (Hesperiidae) Synonym(s): *binoevatus* Mabille, 1891
 26330) *Caenides dacela* (Hewitson, 1876) (Hesperiidae) Synonym(s): *dacela* Hewitson, 1876
 26331) *Caenides dacena* (Hewitson, 1876) (Hesperiidae) Synonym(s): *dacena* Hewitson, 1876; *corduba* Hewitson, 1876; *leucopogon* Mabille, 1891; *masiva* Mabille & Vuillot, [1891]
 26332) *Caenides dacenilla* Aurivillius, 1925 (Hesperiidae) Synonym(s): *dacenilla* Aurivillius, 1925

- 26333) *Caenides halma* (Evans,1937) (Hesperiidae) Synonym(s): *halma* Evans,1937
 26334) *Caenides hidaroides Aurivillius,1896* (Hesperiidae) Synonym(s): *hidaroides Aurivillius,1896; artopta Druce,1910*
 26335) *Caenides kangvensis Holland,1896* (Hesperiidae) Synonym(s): *kangvensis Holland,1896*
 26336) *Caenides lena* (Evans,1937) (Hesperiidae) Synonym(s): *lena* Evans,1937
 26337) *Caenides leonora* (Plötz,1879) (Hesperiidae) Synonym(s): *leonora Plötz,1879*
 26338) *Caenides leonora dux* (Evans,1937) (Hesperiidae) Synonym(s): *dux* Evans,1937
 26339) *Caenides leonora leonora* (Plötz,1879) (Hesperiidae) Synonym(s): *leonora Plötz,1879; xanthagyra Mabilie,1891*
 26340) *Caenides lissa* (Evans,1937) (Hesperiidae) Synonym(s): *lissa* Evans,1937
 26341) *Caenides lissa lima* (Evans,1937) (Hesperiidae) Synonym(s): *lima* Evans,1937
 26342) *Caenides lissa lissa* (Evans,1937) (Hesperiidae) Synonym(s): *lissa* Evans,1937
 26343) *Caenides lota* (Evans,1937) (Hesperiidae) Synonym(s): *lota* Evans,1937
 26344) *Caenides luehderi* (Plötz,1879) (Hesperiidae) Synonym(s): *luehderi Plötz,1879*
 26345) *Caenides luehderi laura* (Evans,1937) (Hesperiidae) Synonym(s): *laura* Evans,1937
 26346) *Caenides luehderi luehderi* (Plötz,1879) (Hesperiidae) Synonym(s): *luehderi Plötz,1879*
 26347) *Caenides maracanda* (Hewitson,1876) (Hesperiidae) Synonym(s): *maracanda Hewitson,1876*
 26348) *Caenides meloui* Riley,1926 (Hesperiidae) Synonym(s): *meloui* Riley,1926
 26349) *Caenides na Lindsey & Miller,1965* (Hesperiidae) Synonym(s): *na Lindsey & Miller,1965*
 26350) *Caenides otilia Belcastro,1990* (Hesperiidae) Synonym(s): *otilia Belcastro,1990*
 26351) *Caenides soritia* (Hewitson,1876) (Hesperiidae) Synonym(s): *soritia Hewitson,1876*
 26352) *Caenides stoehri* (Karsch,1893) (Hesperiidae) Synonym(s): *stoehri Karsch,1893*
 26353) *Caenides volta* (Evans,1937) (Hesperiidae) Synonym(s): *volta* Evans,1937
 26354) *Caenides xychnus* (Mabilie,1891) (Hesperiidae) Synonym(s): *xychnus Mabilie,1891*
 26355) *Callegris hollandi* (Butler,1897) (Hesperiidae) Synonym(s): *hollandi Butler,1897*
 26356) *Callegris hollandi hollandi* (Butler,1897) (Hesperiidae) Synonym(s): *hollandi Butler,1897*
 26357) *Callegris jamesoni* (Sharpe,1890) (Hesperiidae) Synonym(s): *jamesoni Sharpe,1890; #kigonserensis Wichgraf,1921; #gava Evans,1937; neavei Evans,1951.*
 26358) *Callegris jamesoni ansorgei* Evans,1951 (Hesperiidae) Synonym(s): *ansorgei Evans,1951*
 26359) *Callegris jamesoni jacksoni* Evans,1951 (Hesperiidae) Synonym(s): *jacksoni Evans,1951*
 26360) *Callegris jamesoni jamesoni* (Sharpe,1890) (Hesperiidae) Synonym(s): *jamesoni Sharpe,1890; #kigonserensis Wichgraf,1921; #gava Evans,1937; neavei Evans,1951.*
 26361) *Callegris kobela* (Trimen,1864) (Hesperiidae) Synonym(s): *kobela Trimen,1864*
 26362) *Callegris krooni* Vari,1974 (Hesperiidae) Synonym(s): *krooni Vari,1974*
 26363) *Callegris lacteus* (Mabilie,1877) (Hesperiidae) Synonym(s): *lacteus Mabilie,1877*
 26364) *Callegris landbecki* (Druce,1910) (Hesperiidae) Synonym(s): *landbecki Druce,1910*
 26365) *Calliades zeutus* (Möschler,1879) (Hesperiidae) Synonym(s): *zeutus Möschler,1879; koluthos Plötz,1882; polias Godman,1901; rhacodes Mabilie & Boulet,1912*
 26366) *Callimormus juvenus* Scudder,1872 (Hesperiidae) Synonym(s): *juvenus Scudder,1872; polita Plötz,1884*
 26367) *Callimormus radiola* (Mabilie,1879) (Hesperiidae) Synonym(s): *radiola Mabilie,1879*
 26368) *Callimormus radiola radiola* (Mabilie,1879) (Hesperiidae) Synonym(s): *radiola Mabilie,1879*
 26369) *Callimormus saturnus* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *saturnus Herrich-Schäffer,1869; tenera Plötz,1884*
 26370) *Calpodus ethlius* (Stoll,1782) (Hesperiidae) Synonym(s): *ethlius Stoll,1782; chemnis Fabricius,1793; olynthus Boisduval & LeConte,[1837]*
 26371) *Caltoris aurociliata* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *aurociliata Elwes & Edwards,1897*
 26372) *Caltoris aurociliata aurociliata* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *aurociliata Elwes & Edwards,1897*
 26373) *Caltoris beraka* (Plötz,1885) (Hesperiidae) Synonym(s): *beraka Plötz,1885; gyas Mabilie,1891; robusta Elwes & Edwards,1897*
 26374) *Caltoris beraka beraka* (Plötz,1885) (Hesperiidae) Synonym(s): *beraka Plötz,1885; gyas Mabilie,1891; robusta Elwes & Edwards,1897*
 26375) *Caltoris boisduvalii* (C.Felder & R.Felder,[1867]) (Hesperiidae) Synonym(s): *boisduvalii C.Felder & R.Felder,[1867]; hasoroides Elwes & Edwards,1897*
 26376) *Caltoris boisduvalii boisduvalii* (C.Felder & R.Felder,[1867]) (Hesperiidae) Synonym(s): *boisduvalii C.Felder & R.Felder,[1867]; hasoroides Elwes & Edwards,1897*
 26377) *Caltoris boisduvalii hilda* Evans,1937 (Hesperiidae) Synonym(s): *hilda Evans,1937*
 26378) *Caltoris bromus* Leech,1894 (Hesperiidae) Synonym(s): *bromus Leech,1894; reducta Evans,1932*
 26379) *Caltoris bromus bromus* Leech,1894 (Hesperiidae) Synonym(s): *bromus Leech,1894; reducta Evans,1932*
 26380) *Caltoris bromus yanuca* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *yanuca Fruhstorfer,1911; giranna Matsumura,1919; mumon Matsumura,1936; ranrunna Sonan,1936*
 26381) *Caltoris brunnea* (Snellen,1876) (Hesperiidae) Synonym(s): *brunnea Snellen,1876*
 26382) *Caltoris brunnea brunnea* (Snellen,1876) (Hesperiidae) Synonym(s): *brunnea Snellen,1876; nirwana Plötz,1882; sodalis Mabilie,1893*
 26383) *Caltoris brunnea caere* De Nicéville,1891 (Hesperiidae) Synonym(s): *caere De Nicéville,1891*
 26384) *Caltoris cahira* (Moore,1877) (Hesperiidae) Synonym(s): *cahira Moore,1877*
 26385) *Caltoris cahira austeni* (Moore,1883) (Hesperiidae) Synonym(s): *austeni Moore,1883; fallacina Mabilie,1891; onchisa Swinhoe,1893; carna Evans,1926; cara Evans,1932*
 26386) *Caltoris cahira cahira* (Moore,1877) (Hesperiidae) Synonym(s): *cahira Moore,1877*
 26387) *Caltoris cahira carina* Evans,1937 (Hesperiidae) Synonym(s): *carina Evans,1937; confuciana Evans,1937*
 26388) *Caltoris canaraica* (Moore,1883) (Hesperiidae) Synonym(s): *canaraica Moore,1883; yatesi Evans,1929*
 26389) *Caltoris canaraica canaraica* (Moore,1883) (Hesperiidae) Synonym(s): *canaraica Moore,1883; yatesi Evans,1929*
 26390) *Caltoris confusa* Evans,1932 (Hesperiidae) Synonym(s): *confusa Evans,1932*
 26391) *Caltoris confusa confusa* Evans,1932 (Hesperiidae) Synonym(s): *confusa Evans,1932*
 26392) *Caltoris cormasa* (Hewitson,1876) (Hesperiidae) Synonym(s): *cormasa Hewitson,1876; moolata Moore,1878; dravida Mabilie,1878*
 26393) *Caltoris cormasa cormasa* (Hewitson,1876) (Hesperiidae) Synonym(s): *cormasa Hewitson,1876; moolata Moore,1878; dravida Mabilie,1878*
 26394) *Caltoris kumara* (Moore,1878) (Hesperiidae) Synonym(s): *kumara Moore,1878*
 26395) *Caltoris kumara elongata* Evans,1932 (Hesperiidae) Synonym(s): *elongata Evans,1932*
 26396) *Caltoris kumara kumara* (Moore,1878) (Hesperiidae) Synonym(s): *kumara Moore,1878*
 26397) *Caltoris kumara lanka* Evans,1926 (Hesperiidae) Synonym(s): *lanka Evans,1926*
 26398) *Caltoris kumara moorei* Evans,1926 (Hesperiidae) Synonym(s): *moorei Evans,1926*
 26399) *Caltoris malaya* Evans,1926 (Hesperiidae) Synonym(s): *malaya Evans,1926; javana Evans,1932*
 26400) *Caltoris malaya malaya* Evans,1926 (Hesperiidae) Synonym(s): *malaya Evans,1926; javana Evans,1932*
 26401) *Caltoris mehavagga* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *mehavagga Fruhstorfer,1911*
 26402) *Caltoris mehavagga mehavagga* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *mehavagga Fruhstorfer,1911*
 26403) *Caltoris philippina* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *philippina Herrich-Schäffer,1869; seriata Moore,1878; belli Evans,1932*
 26404) *Caltoris philippina philippina* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *philippina Herrich-Schäffer,1869; seriata Moore,1878; belli Evans,1932*
 26405) *Caltoris philippina subfenestrata* (Röber,1891) (Hesperiidae) Synonym(s): *subfenestrata Röber,1891*
 26406) *Caltoris plebeia* (De Nicéville,1887) (Hesperiidae) Synonym(s): *plebeia De Nicéville,1887; mormo Mabilie,1893*
 26407) *Caltoris plebeia plebeia* (De Nicéville,1887) (Hesperiidae) Synonym(s): *plebeia De Nicéville,1887; mormo Mabilie,1893*
 26408) *Caltoris sirius* Evans,1926 (Hesperiidae) Synonym(s): *sirius Evans,1926*
 26409) *Caltoris sirius chimdroa* Evans,1926 (Hesperiidae) Synonym(s): *chimdroa Evans,1926*
 26410) *Caltoris sirius fusca* Evans,1932 (Hesperiidae) Synonym(s): *fusca Evans,1932*
 26411) *Caltoris sirius kalparia* Evans,1937 (Hesperiidae) Synonym(s): *kalparia Evans,1937*
 26412) *Caltoris sirius sirius* Evans,1926 (Hesperiidae) Synonym(s): *sirius Evans,1926; sirina Evans,1932*
 26413) *Caltoris tenuis* Evans,1932 (Hesperiidae) Synonym(s): *tenuis Evans,1932*
 26414) *Caltoris tenuis tenuis* Evans,1932 (Hesperiidae) Synonym(s): *tenuis Evans,1932*

- 26415) *Caltoris tulusi* (De Nicéville,1883) (Hesperiidae) Synonym(s): *tulusi* De Nicéville,1883
 26416) *Caltoris tulusi jolanda* (Plötz,1886) (Hesperiidae) Synonym(s): *jolanda* Plötz,1886
 26417) *Caltoris tulusi tulusi* (De Nicéville,1883) (Hesperiidae) Synonym(s): *tulusi* De Nicéville,1883
 26418) *Camptopleura auxo* (Möschler,1877) (Hesperiidae) Synonym(s): *auxo* Möschler,1877
 26419) *Camptopleura oaxaca* Freeman,1969 (Hesperiidae) Synonym(s): *oaxaca* Freeman,1969
 26420) *Camptopleura theramenes* Mabille,1877 (Hesperiidae) Synonym(s): *theramenes* Mabille,1877
 26421) *Capila hainana* Crowley,1900 (Hesperiidae) Synonym(s): *hainana* Crowley,1900; *barroni* Riley & Godfrey,1923.
 26422) *Capila hainana hainana* Crowley,1900 (Hesperiidae) Synonym(s): *hainana* Crowley,1900; *barroni* Riley & Godfrey,1923.
 26423) *Capila hainana macwoodi* Evans,1914 (Hesperiidae) Synonym(s): *macwoodi* Evans,1914
 26424) *Capila jayadeva* Moore,[1866] (Hesperiidae) Synonym(s): *jayadeva* Moore,[1866]
 26425) *Capila jayadeva jayadeva* Moore,[1866] (Hesperiidae) Synonym(s): *jayadeva* Moore,[1866]
 26426) *Capila lidderdali* Elwes,1888 (Hesperiidae) Synonym(s): *lidderdali* Elwes,1888
 26427) *Capila lidderdali lidderdali* Elwes,1888 (Hesperiidae) Synonym(s): *lidderdali* Elwes,1888
 26428) *Capila omeia* Leech,1894 (Hesperiidae) Synonym(s): *omeia* Leech,1894
 26429) *Capila omeia omeia* Leech,1894 (Hesperiidae) Synonym(s): *omeia* Leech,1894
 26430) *Capila pennicillatum* De Nicéville,1892 (Hesperiidae) Synonym(s): *pennicillatum* De Nicéville,1892
 26431) *Capila pennicillatum insularis* Joicey & Talbot,1921 (Hesperiidae) Synonym(s): *insularis* Joicey & Talbot,1921
 26432) *Capila pennicillatum kiyila* Fruhstorfer,1914 (Hesperiidae) Synonym(s): *kiyila* Fruhstorfer,1914
 26433) *Capila pennicillatum pennicillatum* De Nicéville,1892 (Hesperiidae) Synonym(s): *pennicillatum* De Nicéville,1892
 26434) *Capila phanaeus* (Hewitson,1867) (Hesperiidae) Synonym(s): *phanaeus* Hewitson,1867
 26435) *Capila phanaeus falta* Evans,1949 (Hesperiidae) Synonym(s): *falta* Evans,1949
 26436) *Capila phanaeus ferrea* Evans,1934 (Hesperiidae) Synonym(s): *ferrea* Evans,1934
 26437) *Capila phanaeus fiducia* Evans,1949 (Hesperiidae) Synonym(s): *fiducia* Evans,1949
 26438) *Capila phanaeus flora* Evans,1934 (Hesperiidae) Synonym(s): *flora* Evans,1934
 26439) *Capila phanaeus fulva* Evans,1932 (Hesperiidae) Synonym(s): *fulva* Evans,1932
 26440) *Capila phanaeus lalita* Doherty,1888 (Hesperiidae) Synonym(s): *lalita* Doherty,1888
 26441) *Capila phanaeus phanaeus* Hewitson,1867 (Hesperiidae) Synonym(s): *phanaeus* Hewitson,1867
 26442) *Capila phanaeus quagga* Evans,1942 (Hesperiidae) Synonym(s): *quagga* Evans,1942
 26443) *Capila pieridoides* (Moore,1878) (Hesperiidae) Synonym(s): *pieridoides* Moore,1878
 26444) *Capila pieridoides adamsi* Evans,1932 (Hesperiidae) Synonym(s): *adamsi* Evans,1932
 26445) *Capila pieridoides chinensis* Evans,1932 (Hesperiidae) Synonym(s): *chinensis* Evans,1932
 26446) *Capila pieridoides pieridoides* (Moore,1878) (Hesperiidae) Synonym(s): *pieridoides* Moore,1878
 26447) *Capila pieridoides sofa* Evans,1934 (Hesperiidae) Synonym(s): *sofa* Evans,1934
 26448) *Capila translucida* Leech,1894 (Hesperiidae) Synonym(s): *translucida* Leech,1894; *pussa* Hering,1918
 26449) *Capila translucida translucida* Leech,1894 (Hesperiidae) Synonym(s): *translucida* Leech,1894; *pussa* Hering,1918
 26450) *Capila zennara* Moore,[1866] (Hesperiidae) Synonym(s): *zennara* Moore,[1866]
 26451) *Capila zennara zennara* Moore,[1866] (Hesperiidae) Synonym(s): *zennara* Moore,[1866]
 26452) *Caprona adelica* Karsch,1892 (Hesperiidae) Synonym(s): *adelica* Karsch,1892; *kordofani* Bethune-Baker,1916
 26453) *Caprona agama* (Moore,1857) (Hesperiidae) Synonym(s): *agama* Moore,1857; *syrrichthus* C.Felder & R.Felder,[1867]; *erosula* Felder,1867; *danae* Plötz,1884; *saraya* Doherty,1886; *siamica* Swinhoe,1907; *pelias* Fruhstorfer,1909; *pelligera* Fruhstorfer,1909; *mettasuta* Fruhstorfer,1909.
 26454) *Caprona agama agama* (Moore,1857) (Hesperiidae) Synonym(s): *agama* Moore,1857; *syrrichthus* C.Felder & R.Felder,[1867]; *erosula* Felder,1867; *danae* Plötz,1884; *saraya* Doherty,1886; *siamica* Swinhoe,1907; *pelias* Fruhstorfer,1909; *pelligera* Fruhstorfer,1909; *mettasuta* Fruhstorfer,1909.
 26455) *Caprona agama alora* Evans,1949 (Hesperiidae) Synonym(s): *alora* Evans,1949
 26456) *Caprona agama brunnea* Evans,1932 (Hesperiidae) Synonym(s): *brunnea* Evans,1932
 26457) *Caprona agama sumbina* Evans,1949 (Hesperiidae) Synonym(s): *sumbina* Evans,1949
 26458) *Caprona alida* De Nicéville,1891 (Hesperiidae) Synonym(s): *alida* De Nicéville,1891; *elwesii* Watson,1897; *parvipunctata* Mabille & Boulet,1917.
 26459) *Caprona alida alida* De Nicéville,1891 (Hesperiidae) Synonym(s): *alida* De Nicéville,1891; *elwesii* Watson,1897; *parvipunctata* Mabille & Boulet,1917.
 26460) *Caprona alida lanka* Evans,1932 (Hesperiidae) Synonym(s): *lanka* Evans,1932
 26461) *Caprona alida vespa* Evans,1949 (Hesperiidae) Synonym(s): *vespa* Evans,1949
 26462) *Caprona alida yerburyi* Evans,1949 (Hesperiidae) Synonym(s): *yerburyi* Evans,1949
 26463) *Caprona cassualalla* Bethune-Baker,1911 (Hesperiidae) Synonym(s): *cassualalla* Bethune-Baker,1911
 26464) *Caprona cassualalla cassualalla* Bethune-Baker,1911 (Hesperiidae) Synonym(s): *cassualalla* Bethune-Baker,1911
 26465) *Caprona pillaana* Wallengren,1857 (Hesperiidae) Synonym(s): *pillaana* Wallengren,1857; *heterogyna* Mabille,1890.
 26466) *Caprona pillaana pillaana* Wallengren,1857 (Hesperiidae) Synonym(s): *pillaana* Wallengren,1857; *heterogyna* Mabille,1890.
 26467) *Caprona ransonnetti* Felder,1868 (Hesperiidae) Synonym(s): *ransonnetti* Felder,1868
 26468) *Caprona ransonnetti potiphera* Hewitson,1873 (Hesperiidae) Synonym(s): *potiphera* Hewitson,1873; *taylorii* De Nicéville,1883; *pexadora* Plötz,1884
 26469) *Caprona ransonnetti ransonnetti* Felder,1868 (Hesperiidae) Synonym(s): *ransonnetti* Felder,1868
 26470) *Carcharodus (Lavatheria) boeticus* (Rambur,[1839]) (Hesperiidae) Synonym(s): *boeticus* Rambur,[1839]; *marrubii* Rambur,[1840]; *rostagnoi* Verity,1911; *fulvescens* Verity,1925; *fulva* Verity,1925; *grisea* Verity,1925; *viridescens* Verity,1925; *aegra* Verity,1925; *fonti* Sagarra,1930.
 26471) *Carcharodus (Lavatheria) boeticus boeticus* (Rambur,[1839]) (Hesperiidae) Synonym(s): *boeticus* Rambur,[1839]; *marrubii* Rambur,[1840]; *rostagnoi* Verity,1911; *fulvescens* Verity,1925; *fulva* Verity,1925; *grisea* Verity,1925; *viridescens* Verity,1925; *aegra* Verity,1925; *fonti* Sagarra,1930.
 26472) *Carcharodus (Lavatheria) boeticus octodurensis* Oberthür,1911 (Hesperiidae) Synonym(s): *octodurensis* Oberthür,1911
 26473) *Carcharodus (Lavatheria) lavatherae* (Esper,[1783]) (Hesperiidae) Synonym(s): *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948.
 26474) *Carcharodus (Lavatheria) lavatherae internirufus* (Rothschild,1914) (Hesperiidae) Synonym(s): *internirufus* Rothschild,1914; *rufescens* Oberthür,1914; *australissima* Verity,1925.
 26475) *Carcharodus (Lavatheria) lavatherae lavatherae* (Esper,[1783]) (Hesperiidae) Synonym(s): *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948.
 26476) *Carcharodus (Lavatheria) lavatherae tauricus* Reverdin,1915 (Hesperiidae) Synonym(s): *tauricus* Reverdin,1915; *nigroboscuro* Verity,1938.
 26477) *Carcharodus (Lavatheria) stauderi* Reverdin,1913 (Hesperiidae) Synonym(s): *stauderi* Reverdin,1913.
 26478) *Carcharodus (Lavatheria) stauderi ambiguus* (Verity,1925) (Hesperiidae) Synonym(s): *ambiguus* Verity,1925; *#fulvissima* Verity,1925.
 26479) *Carcharodus (Lavatheria) stauderi barcaeus* (Turati,1924) (Hesperiidae) Synonym(s): *barcaeus* Turati,1924.
 26480) *Carcharodus (Lavatheria) stauderi obscuratus* (Verity,1925) (Hesperiidae) Synonym(s): *obscuratus* Verity,1925
 26481) *Carcharodus (Lavatheria) stauderi ramses* Reverdin,1914 (Hesperiidae) Synonym(s): *ramses* Reverdin,1914.
 26482) *Carcharodus (Lavatheria) stauderi stauderi* Reverdin,1913 (Hesperiidae) Synonym(s): *stauderi* Reverdin,1913.
 26483) *Carcharodus (Reverdinus) dravira* (Moore,1874) (Hesperiidae) Synonym(s): *dravira* Moore,1874; *balucha* Evans,1932; *dentatus* Alberti,1940.
 26484) *Carcharodus (Reverdinus) dravira dravira* (Moore,1874) (Hesperiidae) Synonym(s): *dravira* Moore,1874; *balucha* Evans,1932; *dentatus* Alberti,1940.
 26485) *Carcharodus (Reverdinus) flocciferus* (Zeller,1847) (Hesperiidae) Synonym(s): *flocciferus* Zeller,1847; *altheae* Hübner,[1803] *nec* Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940.
 26486) *Carcharodus (Reverdinus) flocciferus flocciferus* (Zeller,1847) (Hesperiidae) Synonym(s): *flocciferus* Zeller,1847; *altheae* Hübner,[1803] *nec* Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940.
 26487) *Carcharodus (Reverdinus) flocciferus habiba* (Kaufmann,1955) (Hesperiidae) Synonym(s): *habiba* Kaufmann,1955
 26488) *Carcharodus (Reverdinus) orientalis* Reverdin,1913 (Hesperiidae) Synonym(s): *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932.
 26489) *Carcharodus (Reverdinus) orientalis orientalis* Reverdin,1913 (Hesperiidae) Synonym(s): *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932.
 26490) *Carcharodus (s.str.) alcaeae* (Esper,[1780]) (Hesperiidae) Synonym(s): *alcaeae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948.
 26491) *Carcharodus (s.str.) alcaeae alcaeae* (Esper,[1780]) (Hesperiidae) Synonym(s): *alcaeae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948.

- 26492) *Carcharodus* (s.str.) *alceae gooraisa* Evans,1949 (Hesperiidae) Synonym(s): *gooraisa* Evans,1949
 26493) *Carcharodus* (s.str.) *alceae insolatrix* Evans,1949 (Hesperiidae) Synonym(s): *insolatrix* Le Cerf,1913; *insolatrix* Evans,1949.
 26494) *Carcharodus* (s.str.) *alceae wissmanni* Warnecke,1934 (Hesperiidae) Synonym(s): *wissmanni* Warnecke,1934
 26495) *Carcharodus* (s.str.) *swinhoei* E.Y.Watson,1893 (Hesperiidae) Synonym(s): *swinhoei* E.Y.Watson,1893
 26496) *Carcharodus* (s.str.) *swinhoei swinhoei* E.Y.Watson,1893 (Hesperiidae) Synonym(s): *swinhoei* E.Y.Watson,1893
 26497) *Carcharodus* (s.str.) *tripolinus* (Verity,1925) (Hesperiidae) Synonym(s): *tripolinus* Verity,1925
 26498) *Carcharodus* (s.str.) *tripolinus tripolinus* (Verity,1925) (Hesperiidae) Synonym(s): *tripolinus* Verity,1925
 26499) *Carrhenes calidius* Godman & Salvin,1895 (Hesperiidae) Synonym(s): *calidius* Godman & Salvin,1895; *callierges* Mabilille & Boullet,1917
 26500) *Carrhenes callipetes* Godman & Salvin,1895 (Hesperiidae) Synonym(s): *callipetes* Godman & Salvin,1895
 26501) *Carrhenes canescens* (R.Felder,1869) (Hesperiidae) Synonym(s): *canescens* R.Felder,1869
 26502) *Carrhenes fulvescens* (Mabilille,1891) (Hesperiidae) Synonym(s): *fulvescens* Mabilille,1891
 26503) *Carterocephalus abax* Oberthür,1886 (Hesperiidae) Synonym(s): *abax* Oberthür,1886
 26504) *Carterocephalus abax abax* Oberthür,1886 (Hesperiidae) Synonym(s): *abax* Oberthür,1886
 26505) *Carterocephalus abax patra* Evans,1939 (Hesperiidae) Synonym(s): *patra* Evans,1939
 26506) *Carterocephalus alcinus* Evans,1939 (Hesperiidae) Synonym(s): *alcinus* Evans,1939
 26507) *Carterocephalus alcinus alcinus* Evans,1939 (Hesperiidae) Synonym(s): *alcinus* Evans,1939
 26508) *Carterocephalus argyrostigmus* (Eversmann,1851) (Hesperiidae) Synonym(s): *argyrostigma* Eversmann,1851; *argenteogutta* Butler,1870.
 26509) *Carterocephalus argyrostigmus argyrostigmus* (Eversmann,1851) (Hesperiidae) Synonym(s): *argyrostigma* Eversmann,1851; *argenteogutta* Butler,1870.
 26510) *Carterocephalus avanti* De Nicéville,1886 (Hesperiidae) Synonym(s): *avanti* De Nicéville,1886
 26511) *Carterocephalus avanti avanti* De Nicéville,1886 (Hesperiidae) Synonym(s): *avanti* De Nicéville,1886
 26512) *Carterocephalus avanti ensis* Evans,1939 (Hesperiidae) Synonym(s): *ensis* Evans,1939
 26513) *Carterocephalus avanti flavostigmus* Oberthür,1908 (Hesperiidae) Synonym(s): *flavostigmus* Oberthür,1908; *montana* South,1913.
 26514) *Carterocephalus christophi* Groum-Grshimailo,1890 (Hesperiidae) Synonym(s): *christophi* Groum-Grshimailo,1890; *dulcis* Oberthür,1896; *canopunctatus* Nabokov,1941.
 26515) *Carterocephalus christophi christophi* Groum-Grshimailo,1890 (Hesperiidae) Synonym(s): *christophi* Groum-Grshimailo,1890; *dulcis* Oberthür,1896; *canopunctatus* Nabokov,1941.
 26516) *Carterocephalus christophi tibetanus* South,1913 (Hesperiidae) Synonym(s): *tibetanus* South,1913
 26517) *Carterocephalus dieckmanni* Graeser,1888 (Hesperiidae) Synonym(s): *dieckmanni* Graeser,1888
 26518) *Carterocephalus dieckmanni dieckmanni* Graeser,1888 (Hesperiidae) Synonym(s): *dieckmanni* Graeser,1888
 26519) *Carterocephalus dieckmanni gemmatus* Leech,1891 (Hesperiidae) Synonym(s): *gemmatus* Leech,1891; *demea* Oberthür,1891
 26520) *Carterocephalus dieckmanni minor* Evans,1932 (Hesperiidae) Synonym(s): *minor* Evans,1932
 26521) *Carterocephalus dieckmanni watsoni* Evans,1932 (Hesperiidae) Synonym(s): *watsoni* Evans,1932
 26522) *Carterocephalus flavomaculatus* Oberthür,1887 (Hesperiidae) Synonym(s): *flavomaculatus* Oberthür,1887; *postnigra* South,1913.
 26523) *Carterocephalus flavomaculatus flavomaculatus* Oberthür,1887 (Hesperiidae) Synonym(s): *flavomaculatus* Oberthür,1887; *postnigra* South,1913.
 26524) *Carterocephalus houangty* Oberthür,1886 (Hesperiidae) Synonym(s): *houangty* Oberthür,1886
 26525) *Carterocephalus houangty bootia* Evans,1949 (Hesperiidae) Synonym(s): *bootia* Evans,1949
 26526) *Carterocephalus houangty houangty* Oberthür,1886 (Hesperiidae) Synonym(s): *houangty* Oberthür,1886
 26527) *Carterocephalus houangty shoka* Evans,1914 (Hesperiidae) Synonym(s): *shoka* Evans,1914
 26528) *Carterocephalus micio* Oberthür,1891 (Hesperiidae) Synonym(s): *micio* Oberthür,1891
 26529) *Carterocephalus micio micio* Oberthür,1891 (Hesperiidae) Synonym(s): *micio* Oberthür,1891
 26530) *Carterocephalus niveomaculatus* Oberthür,1887 (Hesperiidae) Synonym(s): *niveomaculatus* Oberthür,1887
 26531) *Carterocephalus niveomaculatus niveomaculatus* Oberthür,1887 (Hesperiidae) Synonym(s): *niveomaculatus* Oberthür,1887
 26532) *Carterocephalus palaemon* (Pallas,1771) (Hesperiidae) Synonym(s): *palaemon* Pallas,1771; *paniscus* Fabricius,1775; *brontes* [Denis & Schiffermüller],1775; *mesapano* Scudder,1868; *skada* Edwards,1870.
 26533) *Carterocephalus palaemon akaishianus* Fujioka,1970 (Hesperiidae) Synonym(s): *akaishianus* Fujioka,1970
 26534) *Carterocephalus palaemon albiguttatus* Christoph,1893 (Hesperiidae) Synonym(s): *albiguttatus* Christoph,1893; *brontides* Heyne,[1895]; *murasei* Matsumura,1925.
 26535) *Carterocephalus palaemon mandan* (Edwards,1863) (Hesperiidae) Synonym(s): *mandan* Edwards,1863; *mesapano* Scudder,1868; *skada* Edwards,1870.
 26536) *Carterocephalus palaemon palaemon* (Pallas,1771) (Hesperiidae) Synonym(s): *palaemon* Pallas,1771; *paniscus* Fabricius,1775; *brontes* [Denis & Schiffermüller],1775; *mesapano* Scudder,1868; *skada* Edwards,1870.
 26537) *Carterocephalus palaemon satakei* (Matsumura,1919) (Hesperiidae) Synonym(s): *satakei* Matsumura,1919
 26538) *Carterocephalus pulchrus* Leech,1891 (Hesperiidae) Synonym(s): *pulchra* Leech,1891
 26539) *Carterocephalus pulchrus ops* Groum-Grshimailo,1890 (Hesperiidae) Synonym(s): *ops* Groum-Grshimailo,1890
 26540) *Carterocephalus pulchrus pulchrus* Leech,1891 (Hesperiidae) Synonym(s): *pulchra* Leech,1891
 26541) *Carterocephalus silvicola* (Meigen,1829) (Hesperiidae) Synonym(s): *sylvius* Knoch,1781 *nec* Poda,1761; *silvicola* Meigen,1829; *silvioides* Müller,1920; *isshikii* Nakahara,1926; *doi* Matsumura,1928.
 26542) *Carterocephalus silvicola silvicola* (Meigen,1829) (Hesperiidae) Synonym(s): *sylvius* Knoch,1781 *nec* Poda,1761; *silvicola* Meigen,1829; *silvioides* Müller,1920; *isshikii* Nakahara,1926; *doi* Matsumura,1928.
 26543) *Carystoides abrahami* Freeman,1969 (Hesperiidae) Synonym(s): *abrahami* Freeman,1969
 26544) *Carystoides basoches* (Latreille,[1824]) (Hesperiidae) Synonym(s): *basoches* Latreille,[1824]; *brinoides* Möschler,1877; *argyrocoryne* Mabilille,1878; *philodamas* Mabilille,1883; *hebon* Mabilille,1891
 26545) *Carystoides escalantei* Freeman,1969 (Hesperiidae) Synonym(s): *escalantei* Freeman,1969
 26546) *Carystoides floresi* Freeman,1969 (Hesperiidae) Synonym(s): *floresi* Freeman,1969
 26547) *Carystoides hondura* Evans,1955 (Hesperiidae) Synonym(s): *hondura* Evans,1955
 26548) *Carystoides lila* Evans,1955 (Hesperiidae) Synonym(s): *lila* Evans,1955
 26549) *Carystoides mexicana* Freeman,1969 (Hesperiidae) Synonym(s): *mexicana* Freeman,1969
 26550) *Carystoides orbis* Godman,1901 (Hesperiidae) Synonym(s): *orbis* Godman,1901
 26551) *Carystus phorcus* (Cramer,1777) (Hesperiidae) Synonym(s): *phorcus* Cramer,1777; *marpesia* Hewitson,1868
 26552) *Carystus senex* (Plötz,1882) (Hesperiidae) Synonym(s): *senex* Plötz,1882
 26553) *Celaenorrhinus ambareesa* Moore,1865 (Hesperiidae) Synonym(s): *ambareesa* Moore,1865
 26554) *Celaenorrhinus ambareesa ambareesa* Moore,1865 (Hesperiidae) Synonym(s): *ambareesa* Moore,1865
 26555) *Celaenorrhinus ambra* Evans,1937 (Hesperiidae) Synonym(s): *ambra* Evans,1937
 26556) *Celaenorrhinus andamanicus* Wood Mason & De Nicéville,1881 (Hesperiidae) Synonym(s): *andamanicus* Wood Mason & De Nicéville,1881
 26557) *Celaenorrhinus andamanicus andamanicus* Wood Mason & De Nicéville,1881 (Hesperiidae) Synonym(s): *andamanicus* Wood Mason & De Nicéville,1881
 26558) *Celaenorrhinus andamanicus hanna* Evans,1949 (Hesperiidae) Synonym(s): *hanna* Evans,1949
 26559) *Celaenorrhinus asmara* (Butler,[1879]) (Hesperiidae) Synonym(s): *asmara* Butler,[1879]; *goto* Mabilille,1883; *milinda* Fruhstorfer,1909; *ayata* Fruhstorfer,1909
 26560) *Celaenorrhinus asmara asmara* (Butler,[1879]) (Hesperiidae) Synonym(s): *asmara* Butler,[1879]; *goto* Mabilille,1883; *milinda* Fruhstorfer,1909; *ayata* Fruhstorfer,1909
 26561) *Celaenorrhinus asmara consertus* De Nicéville,1890 (Hesperiidae) Synonym(s): *consertus* De Nicéville,1890; *cacus* De Nicéville,1890; *aditta* Fruhstorfer,1909
 26562) *Celaenorrhinus asmara palajava* (Staudinger,1889) (Hesperiidae) Synonym(s): *palajava* Staudinger,1889
 26563) *Celaenorrhinus aspersa* Leech,1891 (Hesperiidae) Synonym(s): *aspersa* Leech,1891; *clitus* De Nicéville,1891
 26564) *Celaenorrhinus aspersa aspersa* Leech,1891 (Hesperiidae) Synonym(s): *aspersa* Leech,1891; *clitus* De Nicéville,1891
 26565) *Celaenorrhinus aurivittatus* (Moore,[1879]) (Hesperiidae) Synonym(s): *aurivittatus* Moore,[1879]
 26566) *Celaenorrhinus aurivittatus aurivittatus* (Moore,[1879]) (Hesperiidae) Synonym(s): *aurivittatus* Moore,[1879]
 26567) *Celaenorrhinus aurivittatus mahaca* Fruhstorfer,1916 (Hesperiidae) Synonym(s): *mahaca* Fruhstorfer,1916; *sumatranus* Mabilille & Boullet,1916

- 26568) *Celaenorrhinus aurivittatus simalurensis* Van Eecke, 1910 (Hesperiidae) Synonym(s): *simalurensis* Van Eecke, 1910
- 26569) *Celaenorrhinus aurivittatus vimana* Fruhstorfer, 1910 (Hesperiidae) Synonym(s): *vimana* Fruhstorfer, 1910
- 26570) *Celaenorrhinus badia* Hewitson, 1877 (Hesperiidae) Synonym(s): *badia* Hewitson, 1877
- 26571) *Celaenorrhinus badia badia* Hewitson, 1877 (Hesperiidae) Synonym(s): *badia* Hewitson, 1877
- 26572) *Celaenorrhinus bakolo* Miller, 1964 (Hesperiidae) Synonym(s): *bakolo* Miller, 1964
- 26573) *Celaenorrhinus bakolo bakolo* Miller, 1964 (Hesperiidae) Synonym(s): *bakolo* Miller, 1964
- 26574) *Celaenorrhinus bazilanus* Fruhstorfer, 1909 (Hesperiidae) Synonym(s): *bazilanus* Fruhstorfer, 1909
- 26575) *Celaenorrhinus bazilanus bazilanus* Fruhstorfer, 1909 (Hesperiidae) Synonym(s): *bazilanus* Fruhstorfer, 1909
- 26576) *Celaenorrhinus bazilanus paradoxus* Fruhstorfer, 1909 (Hesperiidae) Synonym(s): *paradoxus* Fruhstorfer, 1909
- 26577) *Celaenorrhinus beni* Bethune-Baker, 1908 (Hesperiidae) Synonym(s): *beni* Bethune-Baker, 1908
- 26578) *Celaenorrhinus beni beni* Bethune-Baker, 1908 (Hesperiidae) Synonym(s): *beni* Bethune-Baker, 1908
- 26579) *Celaenorrhinus beni jacquelineae* Miller, 1971 (Hesperiidae) Synonym(s): *jacquelineae* Miller, 1971.
- 26580) *Celaenorrhinus bettoni* Butler, 1902 (Hesperiidae) Synonym(s): *bettoni* Butler, 1902; *obscuripennis* Strand, 1913; *modestus* Rebel, 1914; *hypoxanthina* Mabilille & Boulet, 1916.
- 26581) *Celaenorrhinus bitjena* Evans, 1937 (Hesperiidae) Synonym(s): *bitjena* Evans, 1937
- 26582) *Celaenorrhinus boadicea* (Hewitson, 1877) (Hesperiidae) Synonym(s): *boadicea* Hewitson, 1877; *atratus* Mabilille, 1891; *collucens* Holland, 1894; *#lucens* Mabilille, 1896.
- 26583) *Celaenorrhinus boadicea boadicea* (Hewitson, 1877) (Hesperiidae) Synonym(s): *boadicea* Hewitson, 1877; *atratus* Mabilille, 1891; *collucens* Holland, 1894; *#lucens* Mabilille, 1896.
- 26584) *Celaenorrhinus boadicea howarthi* Berger, 1976 (Hesperiidae) Synonym(s): *howarthi* Berger, 1976
- 26585) *Celaenorrhinus cameroni* (Distant, 1882) (Hesperiidae) Synonym(s): *cameroni* Distant, 1882
- 26586) *Celaenorrhinus chrysoglossa* (Mabilille, 1891) (Hesperiidae) Synonym(s): *chrysoglossa* Mabilille, 1891; *plotzi* Swinhoe, 1907.
- 26587) *Celaenorrhinus consanguinea* Leech, 1891 (Hesperiidae) Synonym(s): *consanguinea* Leech, 1891
- 26588) *Celaenorrhinus consanguinea chihhsiao* Hsu, 1990 (Hesperiidae) Synonym(s): *chihhsiao* Hsu, 1990
- 26589) *Celaenorrhinus consanguinea consanguinea* Leech, 1891 (Hesperiidae) Synonym(s): *consanguinea* Leech, 1891
- 26590) *Celaenorrhinus cordeironis* Kielland, 1992 (Hesperiidae) Synonym(s): *cordeironis* Kielland, 1992
- 26591) *Celaenorrhinus dargei* Berger, 1976 (Hesperiidae) Synonym(s): *dargei* Berger, 1976.
- 26592) *Celaenorrhinus dhanada* (Moore, [1866]) (Hesperiidae) Synonym(s): *dhanada* Moore, 1865
- 26593) *Celaenorrhinus dhanada affinis* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *affinis* Elwes & Edwards, 1897
- 26594) *Celaenorrhinus dhanada dentatus* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *dentatus* Elwes & Edwards, 1897
- 26595) *Celaenorrhinus dhanada dhanada* (Moore, [1866]) (Hesperiidae) Synonym(s): *dhanada* Moore, 1865
- 26596) *Celaenorrhinus dhanada hersa* Evans, 1949 (Hesperiidae) Synonym(s): *hersa* Evans, 1949
- 26597) *Celaenorrhinus dhanada lativittus* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *lativittus* Elwes & Edwards, 1897
- 26598) *Celaenorrhinus dhanada sema* Evans, 1926 (Hesperiidae) Synonym(s): *sema* Evans, 1926
- 26599) *Celaenorrhinus dhanada snelleni* Fruhstorfer, 1909 (Hesperiidae) Synonym(s): *snelleni* Fruhstorfer, 1909
- 26600) *Celaenorrhinus entellus* Hewitson, 1867 (Hesperiidae) Synonym(s): *entellus* Hewitson, 1867; *simula* Hewitson, 1877; *angustipennis* Elwes & Edwards, 1897; *binotatus* Fruhstorfer, 1909.
- 26601) *Celaenorrhinus entellus entellus* Hewitson, 1867 (Hesperiidae) Synonym(s): *entellus* Hewitson, 1867; *simula* Hewitson, 1877; *angustipennis* Elwes & Edwards, 1897; *binotatus* Fruhstorfer, 1909.
- 26602) *Celaenorrhinus ficulnea* Hewitson, 1868 (Hesperiidae) Synonym(s): *ficulnea* Hewitson, 1868; *signata* Druce, 1873
- 26603) *Celaenorrhinus ficulnea crona* Hewitson, 1878 (Hesperiidae) Synonym(s): *crona* Hewitson, 1878; *batchianus* Elwes & Edwards, 1897.
- 26604) *Celaenorrhinus ficulnea ficulnea* Hewitson, 1868 (Hesperiidae) Synonym(s): *ficulnea* Hewitson, 1868; *signata* Druce, 1873
- 26605) *Celaenorrhinus ficulnea niasica* Mabilille, 1913 (Hesperiidae) Synonym(s): *niasica* Mabilille, 1913; *ovalis* Mabilille, 1913
- 26606) *Celaenorrhinus ficulnea queda* Plötz, 1885 (Hesperiidae) Synonym(s): *queda* Plötz, 1885; *nibana* Fruhstorfer, 1910.
- 26607) *Celaenorrhinus ficulnea tola* Hewitson, 1878 (Hesperiidae) Synonym(s): *tola* Hewitson, 1878; *zawi* Plötz, 1885; *plesioneuræ* Staudinger, 1888
- 26608) *Celaenorrhinus flavocincta* De Nicéville, 1887 (Hesperiidae) Synonym(s): *flavocincta* De Nicéville, 1887
- 26609) *Celaenorrhinus flavocincta flavocincta* De Nicéville, 1887 (Hesperiidae) Synonym(s): *flavocincta* De Nicéville, 1887
- 26610) *Celaenorrhinus fritzgaertneri* (Bailey, 1880) (Hesperiidae) Synonym(s): *fritzgaertneri* Bailey, 1880; *variegatus* Godman & Salvin, 1894
- 26611) *Celaenorrhinus galenus* (Fabricius, 1793) (Hesperiidae) Synonym(s): *galenus* Fabricius, 1793; *fulgens* Mabilille, 1877; *biseriata* Butler, 1888; *maculata* Hampson, 1891; *hoehneli* Rogerhofer, 1891; *opalinus* Butler, 1901; *alluaudi* Mabilille & Boulet, 1916; *jeanneli* Mabilille & Boulet, 1916; *bryki* Aurivillius, 1925.
- 26612) *Celaenorrhinus halconis* De Jong & Treadaway, 1993 (Hesperiidae) Synonym(s): *halconis* De Jong & Treadaway, 1993.
- 26613) *Celaenorrhinus hecqui* Berger, 1976 (Hesperiidae) Synonym(s): *hecqui* Berger, 1976.
- 26614) *Celaenorrhinus homeyeri* (Plötz, 1880) (Hesperiidae) Synonym(s): *homeyeri* Plötz, 1880.
- 26615) *Celaenorrhinus humbloti* (Mabilille, 1884) (Hesperiidae) Synonym(s): *humbloti* Mabilille, 1884.
- 26616) *Celaenorrhinus illustris* (Mabilille, 1891) (Hesperiidae) Synonym(s): *illustris* Mabilille, 1891; *#abbreviata* Aurivillius, 1925.
- 26617) *Celaenorrhinus illustris daroa* Evans, 1937 (Hesperiidae) Synonym(s): *daroa* Evans, 1937
- 26618) *Celaenorrhinus illustris illustris* (Mabilille, 1891) (Hesperiidae) Synonym(s): *illustris* Mabilille, 1891; *#abbreviata* Aurivillius, 1925.
- 26619) *Celaenorrhinus illustroides* Miller, 1971 (Hesperiidae) Synonym(s): *illustroides* Miller, 1971.
- 26620) *Celaenorrhinus inaequalis* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *inaequalis* Elwes & Edwards, 1897
- 26621) *Celaenorrhinus inaequalis inaequalis* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *inaequalis* Elwes & Edwards, 1897
- 26622) *Celaenorrhinus inaequalis irene* Evans, 1941 (Hesperiidae) Synonym(s): *irene* Evans, 1941
- 26623) *Celaenorrhinus intermixtus* Aurivillius, 1896 (Hesperiidae) Synonym(s): *intermixtus* Aurivillius, 1896.
- 26624) *Celaenorrhinus intermixtus evansi* Berger, 1975 (Hesperiidae) Synonym(s): *evansi* Berger, 1975.
- 26625) *Celaenorrhinus intermixtus intermixtus* Aurivillius, 1896 (Hesperiidae) Synonym(s): *intermixtus* Aurivillius, 1896.
- 26626) *Celaenorrhinus kasai* Evans, 1956 (Hesperiidae) Synonym(s): *kasai* Evans, 1956.
- 26627) *Celaenorrhinus kasai kapangana* Berger, 1976 (Hesperiidae) Synonym(s): *kapangana* Berger, 1976.
- 26628) *Celaenorrhinus kasai kasai* Evans, 1956 (Hesperiidae) Synonym(s): *kasai* Evans, 1956.
- 26629) *Celaenorrhinus kiku* Hering, 1918 (Hesperiidae) Synonym(s): *kiku* Hering, 1918
- 26630) *Celaenorrhinus kiku kiku* Hering, 1918 (Hesperiidae) Synonym(s): *kiku* Hering, 1918
- 26631) *Celaenorrhinus kimboza* Evans, 1949 (Hesperiidae) Synonym(s): *kimboza* Evans, 1949.
- 26632) *Celaenorrhinus kivuensis* Joicey & Talbot, 1921 (Hesperiidae) Synonym(s): *kivuensis* Joicey & Talbot, 1921.
- 26633) *Celaenorrhinus ladana* (Butler, 1870) (Hesperiidae) Synonym(s): *ladana* Butler, 1870; *vajrada* Fruhstorfer, 1911
- 26634) *Celaenorrhinus ladana ladana* (Butler, 1870) (Hesperiidae) Synonym(s): *ladana* Butler, 1870; *vajrada* Fruhstorfer, 1911
- 26635) *Celaenorrhinus leona* Berger, 1975 (Hesperiidae) Synonym(s): *leona* Berger, 1975.
- 26636) *Celaenorrhinus leucocera* (Kollar, [1844]) (Hesperiidae) Synonym(s): *leucocera* Kollar, [1844]; *arminia* Plötz, 1884.
- 26637) *Celaenorrhinus leucocera leucocera* (Kollar, [1844]) (Hesperiidae) Synonym(s): *leucocera* Kollar, [1844]; *arminia* Plötz, 1884.
- 26638) *Celaenorrhinus lourentis* de Jong, 1976 (Hesperiidae) Synonym(s): *lourentis* de Jong, 1976.
- 26639) *Celaenorrhinus macrostictus* Holland, 1893 (Hesperiidae) Synonym(s): *macrostictus* Holland, 1893.
- 26640) *Celaenorrhinus maculosa* C.Felder & R.Felder, [1867] (Hesperiidae) Synonym(s): *maculosa* C.Felder & R.Felder, [1867]; *refulgens* Oberthür, 1896
- 26641) *Celaenorrhinus maculosa maculosa* C.Felder & R.Felder, [1867] (Hesperiidae) Synonym(s): *maculosa* C.Felder & R.Felder, [1867]; *refulgens* Oberthür, 1896
- 26642) *Celaenorrhinus maculosa taiwanus* Matsumura, 1919 (Hesperiidae) Synonym(s): *taiwanus* Matsumura, 1919
- 26643) *Celaenorrhinus meditrina* (Hewitson, 1877) (Hesperiidae) Synonym(s): *meditrina* Hewitson, 1877; *interniplaga* Mabilille, 1891; *pooanus* Aurivillius, 1910.
- 26644) *Celaenorrhinus mokeezi* (Wallengren, 1857) (Hesperiidae) Synonym(s): *mokeezi* Wallengren, 1857; *amaponda* Trimen, 1862.
- 26645) *Celaenorrhinus mokeezi mokeezi* (Wallengren, 1857) (Hesperiidae) Synonym(s): *mokeezi* Wallengren, 1857; *amaponda* Trimen, 1862.
- 26646) *Celaenorrhinus mokeezi separata* (Strand, 1911) (Hesperiidae) Synonym(s): *separata* Strand, 1911
- 26647) *Celaenorrhinus monartus* (Plötz, 1884) (Hesperiidae) Synonym(s): *monartus* Plötz, 1884; *chiriquensis* Mabilille, 1891
- 26648) *Celaenorrhinus morena* Evans, 1949 (Hesperiidae) Synonym(s): *morena* Evans, 1949
- 26649) *Celaenorrhinus morena morena* Evans, 1949 (Hesperiidae) Synonym(s): *morena* Evans, 1949
- 26650) *Celaenorrhinus munda* Moore, 1865 (Hesperiidae) Synonym(s): *munda* Moore, 1865

- 26651) *Celaenorrhinus munda* joka Evans, 1949 (Hesperiidae) Synonym(s): *joka* Evans, 1949
 26652) *Celaenorrhinus munda maculicornis* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *maculicornis* Elwes & Edwards, 1897
 26653) *Celaenorrhinus munda munda* Moore, 1865 (Hesperiidae) Synonym(s): *munda* Moore, 1865
 26654) *Celaenorrhinus nigricans* De Nicéville, 1885 (Hesperiidae) Synonym(s): *nigricans* De Nicéville, 1885
 26655) *Celaenorrhinus nigricans balukinus* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *balukinus* Elwes & Edwards, 1897
 26656) *Celaenorrhinus nigricans mindanus* De Jong, 1981 (Hesperiidae) Synonym(s): *mindanus* De Jong, 1981
 26657) *Celaenorrhinus nigricans nigricans* De Nicéville, 1885 (Hesperiidae) Synonym(s): *nigricans* De Nicéville, 1885
 26658) *Celaenorrhinus nigricans orbiferus* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *orbiferus* Elwes & Edwards, 1897
 26659) *Celaenorrhinus nigropunctata* Bethune-Baker, 1908 (Hesperiidae) Synonym(s): *nigropunctata* Bethune-Baker, 1908
 26660) *Celaenorrhinus nigropunctata netta* Evans, 1937 (Hesperiidae) Synonym(s): *netta* Evans, 1937
 26661) *Celaenorrhinus nigropunctata nigropunctata* Bethune-Baker, 1908 (Hesperiidae) Synonym(s): *nigropunctata* Bethune-Baker, 1908
 26662) *Celaenorrhinus oscula* Evans, 1949 (Hesperiidae) Synonym(s): *oscula* Evans, 1949
 26663) *Celaenorrhinus oscula oscula* Evans, 1949 (Hesperiidae) Synonym(s): *oscula* Evans, 1949
 26664) *Celaenorrhinus ovalis* Evans, 1937 (invalid name) (Hesperiidae) Synonym(s): *ovalis* Evans, 1937 nec Mabil, 1913
 26665) *Celaenorrhinus ovalis ovalis* Evans, 1937 (invalid name) (Hesperiidae) Synonym(s): *ovalis* Evans, 1937 nec Mabil, 1913
 26666) *Celaenorrhinus pahangensis* Naylor, 1962 (Hesperiidae) Synonym(s): *pahangensis* Naylor, 1962
 26667) *Celaenorrhinus pahangensis pahangensis* Naylor, 1962 (Hesperiidae) Synonym(s): *pahangensis* Naylor, 1962
 26668) *Celaenorrhinus patula* De Nicéville, 1889 (Hesperiidae) Synonym(s): *patula* De Nicéville, 1889; *pluscula* Leech, 1894; *chinensis* Swinhoe, 1907.
 26669) *Celaenorrhinus patula patula* De Nicéville, 1889 (Hesperiidae) Synonym(s): *patula* De Nicéville, 1889; *pluscula* Leech, 1894; *chinensis* Swinhoe, 1907.
 26670) *Celaenorrhinus perlustris* Rebel, 1914 (Hesperiidae) Synonym(s): *perlustris* Rebel, 1914.
 26671) *Celaenorrhinus perlustris katangensis* Berger, 1976 (Hesperiidae) Synonym(s): *katangensis* Berger, 1976
 26672) *Celaenorrhinus perlustris mona* Evans, 1937 (Hesperiidae) Synonym(s): *mona* Evans, 1937
 26673) *Celaenorrhinus perlustris perlustris* Rebel, 1914 (Hesperiidae) Synonym(s): *perlustris* Rebel, 1914.
 26674) *Celaenorrhinus pero* De Nicéville, 1889 (Hesperiidae) Synonym(s): *pero* De Nicéville, 1889
 26675) *Celaenorrhinus pero lucifera* Leech, 1894 (Hesperiidae) Synonym(s): *lucifera* Leech, 1894
 26676) *Celaenorrhinus pero pero* De Nicéville, 1889 (Hesperiidae) Synonym(s): *pero* De Nicéville, 1889
 26677) *Celaenorrhinus pinratanai* Eliot, 1984 (Hesperiidae) Synonym(s): *pinratanai* Eliot, 1984
 26678) *Celaenorrhinus pinratanai pinratanai* Eliot, 1984 (Hesperiidae) Synonym(s): *pinratanai* Eliot, 1984
 26679) *Celaenorrhinus plagiatus* Berger, 1976 (Hesperiidae) Synonym(s): *plagiatus* Berger, 1976
 26680) *Celaenorrhinus plagiatus plagiatus* Berger, 1976 (Hesperiidae) Synonym(s): *plagiatus* Berger, 1976
 26681) *Celaenorrhinus plagifera* De Nicéville, 1889 (Hesperiidae) Synonym(s): *plagifera* De Nicéville, 1889; *moelleri* Evans, 1932
 26682) *Celaenorrhinus plagifera plagifera* De Nicéville, 1889 (Hesperiidae) Synonym(s): *plagifera* De Nicéville, 1889; *moelleri* Evans, 1932
 26683) *Celaenorrhinus proxima* (Mabil, 1877) (Hesperiidae) Synonym(s): *proxima* Mabil, 1877
 26684) *Celaenorrhinus proxima maesseni* Berger, 1976 (Hesperiidae) Synonym(s): *maesseni* Berger, 1976
 26685) *Celaenorrhinus proxima proxima* (Mabil, 1877) (Hesperiidae) Synonym(s): *proxima* Mabil, 1877.
 26686) *Celaenorrhinus proxima toro* Evans, 1937 (Hesperiidae) Synonym(s): *toro* Evans, 1937
 26687) *Celaenorrhinus pulomaya* (Moore, [1866]) (Hesperiidae) Synonym(s): *pulomaya* Moore, 1865; *pila* Tytler, 1915
 26688) *Celaenorrhinus pulomaya formosanus* Fruhstorfer, 1909 (Hesperiidae) Synonym(s): *formosanus* Fruhstorfer, 1909
 26689) *Celaenorrhinus pulomaya pulomaya* (Moore, [1866]) (Hesperiidae) Synonym(s): *pulomaya* Moore, 1865; *pila* Tytler, 1915
 26690) *Celaenorrhinus putra* Moore, 1865 (Hesperiidae) Synonym(s): *putra* Moore, 1865
 26691) *Celaenorrhinus putra brahmaputra* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *brahmaputra* Elwes & Edwards, 1897
 26692) *Celaenorrhinus putra piepersi* Fruhstorfer, 1909 (Hesperiidae) Synonym(s): *piepersi* Fruhstorfer, 1909; *parva* Evans, 1932
 26693) *Celaenorrhinus putra putra* Moore, 1865 (Hesperiidae) Synonym(s): *putra* Moore, 1865
 26694) *Celaenorrhinus putra questa* Evans, 1949 (Hesperiidae) Synonym(s): *questa* Evans, 1949
 26695) *Celaenorrhinus putra sanda* Evans, 1941 (Hesperiidae) Synonym(s): *sanda* Evans, 1941
 26696) *Celaenorrhinus pyrrha* De Nicéville, 1889 (Hesperiidae) Synonym(s): *pyrrha* De Nicéville, 1889
 26697) *Celaenorrhinus pyrrha pyrrha* De Nicéville, 1889 (Hesperiidae) Synonym(s): *pyrrha* De Nicéville, 1889
 26698) *Celaenorrhinus ratna* Fruhstorfer, 1909 (Hesperiidae) Synonym(s): *ratna* Fruhstorfer, 1909; *clio* Mabil, 1914
 26699) *Celaenorrhinus ratna daphne* Evans, 1949 (Hesperiidae) Synonym(s): *daphne* Evans, 1949
 26700) *Celaenorrhinus ratna ratna* Fruhstorfer, 1909 (Hesperiidae) Synonym(s): *ratna* Fruhstorfer, 1909; *clio* Mabil, 1914
 26701) *Celaenorrhinus ratna tyleri* Evans, 1926 (Hesperiidae) Synonym(s): *tyleri* Evans, 1926
 26702) *Celaenorrhinus rubeho* Kielland, 1990 (Hesperiidae) Synonym(s): *rubeho* Kielland, 1990
 26703) *Celaenorrhinus ruficornis* Mabil, 1878 (Hesperiidae) Synonym(s): *ruficornis* Mabil, 1878
 26704) *Celaenorrhinus ruficornis area* Plötz, 1885 (Hesperiidae) Synonym(s): *area* Plötz, 1885; *anoma* Fruhstorfer, 1909; *celebica* Evans, 1932
 26705) *Celaenorrhinus ruficornis fusca* Hampson, 1889 (Hesperiidae) Synonym(s): *fusca* Hampson, 1889
 26706) *Celaenorrhinus ruficornis ruficornis* Mabil, 1878 (Hesperiidae) Synonym(s): *ruficornis* Mabil, 1878
 26707) *Celaenorrhinus rutilans* (Mabil, 1877) (Hesperiidae) Synonym(s): *rutilans* Mabil, 1877; *tergemira* Hewitson, 1877; *woermanni* Plötz, 1879.
 26708) *Celaenorrhinus sanjeensis* Kielland, 1990 (Hesperiidae) Synonym(s): *sanjeensis* Kielland, 1990
 26709) *Celaenorrhinus saturatus* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *saturatus* Elwes & Edwards, 1897
 26710) *Celaenorrhinus saturatus saturatus* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *saturatus* Elwes & Edwards, 1897
 26711) *Celaenorrhinus selysi* Berger, 1955 (Hesperiidae) Synonym(s): *selysi* Berger, 1955
 26712) *Celaenorrhinus spilotheus* Felder, 1868 (Hesperiidae) Synonym(s): *spilotheus* Felder, 1868
 26713) *Celaenorrhinus spilotheus spilotheus* Felder, 1868 (Hesperiidae) Synonym(s): *spilotheus* Felder, 1868
 26714) *Celaenorrhinus stallingsi* Freeman, 1946 (Hesperiidae) Synonym(s): *stallingsi* Freeman, 1946
 26715) *Celaenorrhinus stola* Evans, 1952 (Hesperiidae) Synonym(s): *stola* Evans, 1952
 26716) *Celaenorrhinus sumitra* Moore, 1865 (Hesperiidae) Synonym(s): *sumitra* Moore, 1865
 26717) *Celaenorrhinus sumitra sumitra* Moore, 1865 (Hesperiidae) Synonym(s): *sumitra* Moore, 1865
 26718) *Celaenorrhinus suzannae* Berger, 1976 (Hesperiidae) Synonym(s): *suzannae* Berger, 1976
 26719) *Celaenorrhinus tibetanus* Mabil, 1876 (Hesperiidae) Synonym(s): *tibetanus* Mabil, 1876; *latifascia* Mabil & Boullet, 1919
 26720) *Celaenorrhinus tibetanus tibetanus* Mabil, 1876 (Hesperiidae) Synonym(s): *tibetanus* Mabil, 1876
 26721) *Celaenorrhinus treadawayi* De Jong, 1981 (Hesperiidae) Synonym(s): *treadawayi* De Jong, 1981
 26722) *Celaenorrhinus treadawayi samarensis* De Jong, 1981 (Hesperiidae) Synonym(s): *samarensis* De Jong, 1981
 26723) *Celaenorrhinus uluguru* Kielland, 1990 (Hesperiidae) Synonym(s): *uluguru* Kielland, 1990
 26724) *Celaenorrhinus vietnamicus* Devyatkina, 1998 (Hesperiidae) Synonym(s): *vietnamicus* Devyatkina, 1998
 26725) *Celaenorrhinus zanza* Evans, 1937 (Hesperiidae) Synonym(s): *zanza* Evans, 1937
 26726) *Celaenorrhinus zea* Swinhoe, 1909 (Hesperiidae) Synonym(s): *zea* Swinhoe, 1909
 26727) *Celaenorrhinus zea zea* Swinhoe, 1909 (Hesperiidae) Synonym(s): *zea* Swinhoe, 1909
 26728) *Celotes limpia* Burns, 1974 (Hesperiidae) Synonym(s): *limpia* Burns, 1974
 26729) *Celotes nessus* (Edwards, 1877) (Hesperiidae) Synonym(s): *nessus* Edwards, 1877; *notabilis* Strecker, 1877; *radiatus* Plötz, 1881
 26730) *Cephise aelius* (Plötz, 1881) (Hesperiidae) Synonym(s): *aelius* Plötz, 1881; *augimulus* Godman & Salvin, 1893; *callicina* Schaus, 1912
 26731) *Cephise guatemalensis* (Freeman, 1977) (Hesperiidae) Synonym(s): *guatemalensis* Freeman, 1977
 26732) *Cephise mexicanus* Austin & Mielke, 2000 (Hesperiidae) Synonym(s): *mexicanus* Austin & Mielke, 2000
 26733) *Cephise nuspesez* Burns, 1996 (Hesperiidae) Synonym(s): *nuspesez* Burns, 1996
 26734) *Cephrenes acalle* (Hopffer, 1874) (Hesperiidae) Synonym(s): *acalle* Hopffer, 1874
 26735) *Cephrenes acalle acalle* (Hopffer, 1874) (Hesperiidae) Synonym(s): *acalle* Hopffer, 1874
 26736) *Cephrenes acalle chrysozona* Plötz, 1883 (Hesperiidae) Synonym(s): *chrysozona* Plötz, 1883; *negrosiana* Fruhstorfer, 1911
 26737) *Cephrenes acalle kayapu* (Doherty, 1891) (Hesperiidae) Synonym(s): *kayapu* Doherty, 1891; *bawana* Fruhstorfer, 1911
 26738) *Cephrenes acalle kliana* Evans, 1934 (Hesperiidae) Synonym(s): *kliana* Evans, 1934
 26739) *Cephrenes acalle lompa* Evans, 1934 (Hesperiidae) Synonym(s): *lompa* Evans, 1934
 26740) *Cephrenes acalle niasica* (Plötz, 1886) (Hesperiidae) Synonym(s): *niasica* Plötz, 1886; *raktaja* Fruhstorfer, 1911

- 26741) *Cephrenes acalle nicobarica* Evans,1932 (Hesperiidae) Synonym(s): *nicobarica* Evans,1932
 26742) *Cephrenes acalle oceanica* (Mabille,1904) (Hesperiidae) Synonym(s): *palmarum* Moore,1878 *nec* Feld.,1862; *oceanica* Mabille,1904; *hainanum* Sonan,1938
 26743) *Cephrenes augiades* (C.Felder,1860) (Hesperiidae) Synonym(s): *augiades* C.Felder,1860
 26744) *Cephrenes augiades arua* Evans,1935 (Hesperiidae) Synonym(s): *arua* Evans,1935
 26745) *Cephrenes augiades augiades* (C.Felder,1860) (Hesperiidae) Synonym(s): *augiades* C.Felder,1860
 26746) *Cephrenes augiades bruno* Evans,1935 (Hesperiidae) Synonym(s): *bruno* Evans,1935
 26747) *Cephrenes augiades burua* Evans,1935 (Hesperiidae) Synonym(s): *burua* Evans,1935
 26748) *Cephrenes augiades meeki* Evans,1935 (Hesperiidae) Synonym(s): *meeki* Evans,1935
 26749) *Cephrenes augiades sperthias* (C.Felder,1862) (Hesperiidae) Synonym(s): *sperthias* C.Felder,1862; *palmarum* C.Felder,1862; *ulama* Butler,1870; *ismenoides* Mabille,1878
 26750) *Cephrenes augiades tara* Evans,1935 (Hesperiidae) Synonym(s): *tara* Evans,1935
 26751) *Cephrenes augiades tenimbra* Evans,1935 (Hesperiidae) Synonym(s): *tenimbra* Evans,1935
 26752) *Cephrenes augiades tugela* Evans,1949 (Hesperiidae) Synonym(s): *tugela* Evans,1949
 26753) *Cephrenes augiades websteri* Evans,1935 (Hesperiidae) Synonym(s): *websteri* Evans,1935
 26754) *Cephrenes carna* Evans,1934 (Hesperiidae) Synonym(s): *carna* Evans,1934
 26755) *Cephrenes carna augiana* Evans,1934 (Hesperiidae) Synonym(s): *augiana* Evans,1934
 26756) *Cephrenes carna augusta* Evans,1934 (Hesperiidae) Synonym(s): *augusta* Evans,1934
 26757) *Cephrenes carna carna* Evans,1934 (Hesperiidae) Synonym(s): *carna* Evans,1934
 26758) *Cephrenes moseleyi* (Butler,1884) (Hesperiidae) Synonym(s): *moseleyi* Butler,1884
 26759) *Cephrenes moseleyi moseleyi* (Butler,1884) (Hesperiidae) Synonym(s): *moseleyi* Butler,1884
 26760) *Cephrenes moseleyi shortlandica* Swinhoe,1915 (Hesperiidae) Synonym(s): *shortlandica* Swinhoe,1915
 26761) *Cephrenes trichopepla* (Lower,1908) (Hesperiidae) Synonym(s): *trichopepla* Lower,1908
 26762) *Cephrenes trichopepla trichopepla* (Lower,1908) (Hesperiidae) Synonym(s): *trichopepla* Lower,1908
 26763) *Ceratrachia argyrosticha* (Plötz,1879) (Hesperiidae) Synonym(s): *argyrosticha* Plötz,1879
 26764) *Ceratrachia argyrosticha argyrosticha* (Plötz,1879) (Hesperiidae) Synonym(s): *argyrosticha* Plötz,1879; *argyrospila* Plötz,1884; *#limbana* Strand,1913
 26765) *Ceratrachia argyrosticha enta* Evans,1947 (Hesperiidae) Synonym(s): *enta* Evans,1947
 26766) *Ceratrachia aurea* Druce,1910 (Hesperiidae) Synonym(s): *aurea* Druce,1910; *guineensis* Strand,1913; *ugandae* Riley,1925
 26767) *Ceratrachia bonga* Evans,1947 (Hesperiidae) Synonym(s): *bonga* Evans,1947
 26768) *Ceratrachia brunnea* Bethune-Baker,1906 (Hesperiidae) Synonym(s): *brunnea* Bethune-Baker,1906
 26769) *Ceratrachia brunnea brunnea* Bethune-Baker,1906 (Hesperiidae) Synonym(s): *brunnea* Bethune-Baker,1906
 26770) *Ceratrachia brunnea ialemia* Druce,1909 (Hesperiidae) Synonym(s): *ialemia* Druce,1909
 26771) *Ceratrachia crowleyi* Riley,1925 (Hesperiidae) Synonym(s): *crowleyi* Riley,1925
 26772) *Ceratrachia flandria* Evans,1956 (Hesperiidae) Synonym(s): *flandria* Evans,1956
 26773) *Ceratrachia flava* Hewitson,1878 (Hesperiidae) Synonym(s): *flava* Hewitson,1878; *charita* Plötz,1879; *fasciata* Aurivillius,1896; *tessmanniana* Strand,1912
 26774) *Ceratrachia flava benitoensis* Miller,1964 (Hesperiidae) Synonym(s): *benitoensis* Miller,1964
 26775) *Ceratrachia flava fernanda* Evans,1937 (Hesperiidae) Synonym(s): *fernanda* Evans,1937
 26776) *Ceratrachia flava flava* Hewitson,1878 (Hesperiidae) Synonym(s): *flava* Hewitson,1878; *charita* Plötz,1879; *fasciata* Aurivillius,1896; *tessmanniana* Strand,1912
 26777) *Ceratrachia flava semlikensis* Joicey & Talbot,1921 (Hesperiidae) Synonym(s): *semlikensis* Joicey & Talbot,1921; *#rebeli* Dufrane,1945
 26778) *Ceratrachia hollandi* Bethune-Baker,1908 (Hesperiidae) Synonym(s): *hollandi* Bethune-Baker,1908
 26779) *Ceratrachia hollandi clara* Riley,1925 (Hesperiidae) Synonym(s): *clara* Riley,1925
 26780) *Ceratrachia hollandi hollandi* Bethune-Baker,1908 (Hesperiidae) Synonym(s): *hollandi* Bethune-Baker,1908
 26781) *Ceratrachia hollandi medea* Evans,1937 (Hesperiidae) Synonym(s): *medea* Evans,1937
 26782) *Ceratrachia mabirensis* Riley,1925 (Hesperiidae) Synonym(s): *mabirensis* Riley,1925; *toroensis* Riley,1925
 26783) *Ceratrachia maesseni* Miller,1971 (Hesperiidae) Synonym(s): *maesseni* Miller,1971
 26784) *Ceratrachia nothus* (Fabricius,1787) (Hesperiidae) Synonym(s): *nothus* Fabricius,1787; *enantia* Karsch,1893
 26785) *Ceratrachia nothus makomensis* Strand,1913 (Hesperiidae) Synonym(s): *makomensis* Strand,1913
 26786) *Ceratrachia nothus nothus* (Fabricius,1787) (Hesperiidae) Synonym(s): *nothus* Fabricius,1787; *enantia* Karsch,1893
 26787) *Ceratrachia phocion* (Fabricius,1781) (Hesperiidae) Synonym(s): *phocion* Fabricius,1781
 26788) *Ceratrachia phocion cameroni* Miller,1971 (Hesperiidae) Synonym(s): *cameroni* Miller,1971
 26789) *Ceratrachia phocion phocion* (Fabricius,1781) (Hesperiidae) Synonym(s): *phocion* Fabricius,1781; *phocaeus* Westwood,[1852]
 26790) *Ceratrachia punctata* Holland,1896 (Hesperiidae) Synonym(s): *punctata* Holland,1896
 26791) *Ceratrachia semilutea* Mabille,1891 (Hesperiidae) Synonym(s): *semilutea* Mabille,1891; *indeterminabilis* Strand,1912
 26792) *Ceratrachia weberi* Miller,1964 (Hesperiidae) Synonym(s): *weberi* Miller,1964
 26793) *Ceratrachia wollastoni* Heron,1909 (Hesperiidae) Synonym(s): *wollastoni* Heron,1909; *extensa* Aurivillius,1925; *extensa* Evans,1937; *#mariae* Dufrane,1945
 26794) *Chaetocneme antipodes* (Guérin-Méneville,1831) (Hesperiidae) Synonym(s): *antipodes* Guérin-Méneville,1831; *dichroa* Boisduval,1832
 26795) *Chaetocneme antipodes antipodes* (Guérin-Méneville,1831) (Hesperiidae) Synonym(s): *antipodes* Guérin-Méneville,1831; *dichroa* Boisduval,1832
 26796) *Chaetocneme antipodes biaka* Joicey & Talbot,1916 (Hesperiidae) Synonym(s): *biaka* Joicey & Talbot,1916
 26797) *Chaetocneme beata* Hewitson,1867 (Hesperiidae) Synonym(s): *beata* Hewitson,1867
 26798) *Chaetocneme beata beata* Hewitson,1867 (Hesperiidae) Synonym(s): *beata* Hewitson,1867
 26799) *Chaetocneme callixenus* Hewitson,1867 (Hesperiidae) Synonym(s): *callixenus* Hewitson,1867; *kallima* Swinhoe,1907
 26800) *Chaetocneme callixenus callixenus* Hewitson,1867 (Hesperiidae) Synonym(s): *callixenus* Hewitson,1867; *kallima* Swinhoe,1907
 26801) *Chaetocneme callixenus stringa* Evans,1949 (Hesperiidae) Synonym(s): *stringa* Evans,1949
 26802) *Chaetocneme critomedia* (Guérin-Méneville,1831) (Hesperiidae) Synonym(s): *critomedia* Guérin-Méneville,1831; *odix* Boisduval,1832; *latifascia* Rothschild,1915; *waigeuensis* Joicey & Talbot,1917; *subornata* Mabille & Boulet,1919.
 26803) *Chaetocneme critomedia caristus* Hewitson,1867 (Hesperiidae) Synonym(s): *caristus* Hewitson,1867
 26804) *Chaetocneme critomedia critomedia* (Guérin-Méneville,1831) (Hesperiidae) Synonym(s): *critomedia* Guérin-Méneville,1831; *odix* Boisduval,1832; *latifascia* Rothschild,1915; *waigeuensis* Joicey & Talbot,1917; *subornata* Mabille & Boulet,1919.
 26805) *Chaetocneme critomedia hydra* Evans,1934 (Hesperiidae) Synonym(s): *hydra* Evans,1934
 26806) *Chaetocneme critomedia sphinterifera* Fruhstorfer,1910 (Hesperiidae) Synonym(s): *sphinterifera* Fruhstorfer,1910
 26807) *Chaetocneme denitza* Hewitson,1867 (Hesperiidae) Synonym(s): *denitza* Hewitson,1867
 26808) *Chaetocneme denitza denitza* Hewitson,1867 (Hesperiidae) Synonym(s): *denitza* Hewitson,1867
 26809) *Chaetocneme editus* Plötz,1885 (Hesperiidae) Synonym(s): *editus* Plötz,1885; *stotharti* Rothschild,1915
 26810) *Chaetocneme editus editus* Plötz,1885 (Hesperiidae) Synonym(s): *editus* Plötz,1885; *stotharti* Rothschild,1915
 26811) *Chaetocneme editus trifenestrata* Fruhstorfer,1910 (Hesperiidae) Synonym(s): *trifenestrata* Fruhstorfer,1910
 26812) *Chaetocneme helirius* (Cramer,[1775]) (Hesperiidae) Synonym(s): *helirius* Cramer,[1775]; *corvus* Felder,1860; *cerinthus* Felder,1860; *aristippus* Fruhstorfer,1910.
 26813) *Chaetocneme helirius dissimilis* Swinhoe,1905 (Hesperiidae) Synonym(s): *dissimilis* Swinhoe,1905
 26814) *Chaetocneme helirius helirius* (Cramer,[1775]) (Hesperiidae) Synonym(s): *helirius* Cramer,[1775]; *corvus* Felder,1860; *cerinthus* Felder,1860; *aristippus* Fruhstorfer,1910.
 26815) *Chaetocneme helirius morea* Evans,1934 (Hesperiidae) Synonym(s): *morea* Evans,1934
 26816) *Chaetocneme helirius naevifera* Mabille,1888 (Hesperiidae) Synonym(s): *naevifera* Mabille,1888
 26817) *Chaetocneme helirius sombra* Evans,1934 (Hesperiidae) Synonym(s): *sombra* Evans,1934
 26818) *Chaetocneme kumpiana* Evans,1934 (Hesperiidae) Synonym(s): *kumpiana* Evans,1934
 26819) *Chaetocneme kumpiana kumpiana* Evans,1934 (Hesperiidae) Synonym(s): *kumpiana* Evans,1934
 26820) *Chaetocneme lunula* Mabille,1888 (Hesperiidae) Synonym(s): *lunula* Mabille,1888; *oetwakensis* Rothschild,1916
 26821) *Chaetocneme lunula lunula* Mabille,1888 (Hesperiidae) Synonym(s): *lunula* Mabille,1888; *oetwakensis* Rothschild,1916

- 26822) *Chaetocneme porphyropis* Meyrick & Lower, 1902 (Hesperiidae) *Synonym(s): porphyropis Meyrick & Lower, 1902*
- 26823) *Chaetocneme porphyropis porphyropis* Meyrick & Lower, 1902 (Hesperiidae) *Synonym(s): porphyropis Meyrick & Lower, 1902*
- 26824) *Chaetocneme tenuis* Van Eecke, 1924 (Hesperiidae) *Synonym(s): tenuis Van Eecke, 1924*
- 26825) *Chaetocneme tenuis tenuis* Van Eecke, 1924 (Hesperiidae) *Synonym(s): tenuis Van Eecke, 1924*
- 26826) *Chaetocneme triton* (Boisduval, 1832) (Hesperiidae) *Synonym(s): triton Boisduval, 1832*
- 26827) *Chaetocneme triton hibernia* Evans, 1934 (Hesperiidae) *Synonym(s): hibernia Evans, 1934*
- 26828) *Chaetocneme triton triton* (Boisduval, 1832) (Hesperiidae) *Synonym(s): triton Boisduval, 1832*
- 26829) *Chalypye chalybea* (Scudder, 1872) (Hesperiidae) *Synonym(s): chalybea Scudder, 1872; zereda Hewitson, 1871*
- 26830) *Chalypye chalybea chalybea* (Scudder, 1872) (Hesperiidae) *Synonym(s): chalybea Scudder, 1872; zereda Hewitson, 1871 nec Hew., 1866*
- 26831) *Chalypye chalybea chloris* (Evans, 1951) (Hesperiidae) *Synonym(s): chloris Evans, 1951*
- 26832) *Chamunda chamunda* (Moore, [1866]) (Hesperiidae) *Synonym(s): chamunda Moore, [1866]*
- 26833) *Chamunda chamunda chamunda* (Moore, [1866]) (Hesperiidae) *Synonym(s): chamunda Moore, [1866]*
- 26834) *Chioides albofasciatus* (Hewitson, [1867]) (Hesperiidae) *Synonym(s): albofasciatus Hewitson, [1867]*
- 26835) *Chioides catillus* (Cramer, [1780]) (Hesperiidae) *Synonym(s): catillus Cramer, [1780]; tarchon Hübner, [1825]; longicauda Sepp, 1848.*
- 26836) *Chioides catillus catillus* (Cramer, [1780]) (Hesperiidae) *Synonym(s): catillus Cramer, [1780]; tarchon Hübner, [1825]; longicauda Sepp, 1848.*
- 26837) *Chioides zilpa* (Butler, 1874) (Hesperiidae) *Synonym(s): zilpa Butler, 1874*
- 26838) *Chioides zilpa namba* Evans, 1952 (Hesperiidae) *Synonym(s): namba Evans, 1952*
- 26839) *Chioides zilpa zilpa* (Butler, 1874) (Hesperiidae) *Synonym(s): zilpa Butler, 1874*
- 26840) *Chiomara asychis* (Stoll, [1780]) (Hesperiidae) *Synonym(s): asychis Stoll, [1780]; dilucida Plötz, 1884*
- 26841) *Chiomara georgina* (Reakirt, 1868) (Hesperiidae) *Synonym(s): georgina Reakirt, 1868*
- 26842) *Chiomara georgina georgina* (Reakirt, 1868) (Hesperiidae) *Synonym(s): georgina Reakirt, 1868*
- 26843) *Chiomara georgina pelagica* (Weeks, 1891) (Hesperiidae) *Synonym(s): pelagica Weeks, 1891*
- 26844) *Chiomara mithrax* (Möschler, 1879) (Hesperiidae) *Synonym(s): mithrax Möschler, 1879; noctula Plötz, 1884; gundlachi Skinner & Ramsden, 1923*
- 26845) *Choaspes benjaminii* (Guérin-Méneville, 1843) (Hesperiidae) *Synonym(s): benjaminii Guérin-Méneville, 1843*
- 26846) *Choaspes benjaminii benjaminii* (Guérin-Méneville, 1843) (Hesperiidae) *Synonym(s): benjaminii Guérin-Méneville, 1843*
- 26847) *Choaspes benjaminii flavens* Eliot, 1992 (Hesperiidae) *Synonym(s): flavens Eliot, 1992*
- 26848) *Choaspes benjaminii formosanus* (Fruhstorfer, 1911) (Hesperiidae) *Synonym(s): formosanus Fruhstorfer, 1911*
- 26849) *Choaspes benjaminii japonicus* (Murray, 1875) (Hesperiidae) *Synonym(s): japonicus Murray, 1875*
- 26850) *Choaspes benjaminii pallidus* Evans, 1932 (Hesperiidae) *Synonym(s): pallidus Evans, 1932*
- 26851) *Choaspes estrellus* De Jong, 1980 (Hesperiidae) *Synonym(s): estrellus De Jong, 1980*
- 26852) *Choaspes estrellus estrellus* De Jong, 1980 (Hesperiidae) *Synonym(s): estrellus De Jong, 1980*
- 26853) *Choaspes estrellus pallens* Schröder & Treadaway, 1986 (Hesperiidae) *Synonym(s): pallens Schröder & Treadaway, 1986*
- 26854) *Choaspes hemixanthus* Rothschild, 1903 (Hesperiidae) *Synonym(s): hemixanthus Rothschild, 1903*
- 26855) *Choaspes hemixanthus cora* Evans, 1934 (Hesperiidae) *Synonym(s): cora Evans, 1934*
- 26856) *Choaspes hemixanthus furcatus* Evans, 1932 (Hesperiidae) *Synonym(s): furcatus Evans, 1932*
- 26857) *Choaspes hemixanthus hemixanthus* Rothschild, 1903 (Hesperiidae) *Synonym(s): hemixanthus Rothschild, 1903*
- 26858) *Choaspes hemixanthus mona* Evans, 1934 (Hesperiidae) *Synonym(s): mona Evans, 1934*
- 26859) *Choaspes iluensis* Ribbe, 1900 (Hesperiidae) *Synonym(s): iluensis Ribbe, 1900*
- 26860) *Choaspes iluensis iluensis* Ribbe, 1900 (Hesperiidae) *Synonym(s): iluensis Ribbe, 1900*
- 26861) *Choaspes iluensis ornatus* Rothschild, 1903 (Hesperiidae) *Synonym(s): ornatus Rothschild, 1903*
- 26862) *Choaspes plateni* Staudinger, 1888 (Hesperiidae) *Synonym(s): plateni Staudinger, 1888*
- 26863) *Choaspes plateni adhara* Fruhstorfer, 1911 (Hesperiidae) *Synonym(s): adhara Fruhstorfer, 1911*
- 26864) *Choaspes plateni boreus* De Jong & Treadaway, 1993 (Hesperiidae) *Synonym(s): boreus De Jong & Treadaway, 1993*
- 26865) *Choaspes plateni caudatus* Evans, 1932 (Hesperiidae) *Synonym(s): caudatus Evans, 1932*
- 26866) *Choaspes plateni extensus* Evans, 1932 (Hesperiidae) *Synonym(s): extensus Evans, 1932*
- 26867) *Choaspes plateni negrosa* De Jong & Treadaway, 1993 (Hesperiidae) *Synonym(s): De Jong & Treadaway, 1993*
- 26868) *Choaspes plateni plateni* Staudinger, 1888 (Hesperiidae) *Synonym(s): plateni Staudinger, 1888*
- 26869) *Choaspes plateni stigmatus* Evans, 1932 (Hesperiidae) *Synonym(s): stigmatus Evans, 1932*
- 26870) *Choaspes plateni visaya* De Jong, 1990 (Hesperiidae) *Synonym(s): visaya De Jong, 1990*
- 26871) *Choaspes subcaudatus* (C.Felder & R.Felder, [1867]) (Hesperiidae) *Synonym(s): subcaudatus C.Felder & R.Felder, [1867]*
- 26872) *Choaspes subcaudatus crawfurdi* Distant, 1886 (Hesperiidae) *Synonym(s): crawfurdi Distant, 1886*
- 26873) *Choaspes subcaudatus subcaudatus* (C.Felder & R.Felder, [1867]) (Hesperiidae) *Synonym(s): subcaudatus C.Felder & R.Felder, [1867]*
- 26874) *Choaspes xanthopogon* (Kollar, [1844]) (Hesperiidae) *Synonym(s): xanthopogon Kollar, [1844]; similis Evans, 1932*
- 26875) *Choaspes xanthopogon xanthopogon* (Kollar, [1844]) (Hesperiidae) *Synonym(s): xanthopogon Kollar, [1844]; similis Evans, 1932*
- 26876) *Chondrolepis cynthia* Evans, 1936 (Hesperiidae) *Synonym(s): cynthia Evans, 1936*
- 26877) *Chondrolepis leggei* (Heron, 1909) (Hesperiidae) *Synonym(s): leggei Heron, 1909*
- 26878) *Chondrolepis nero* Evans, 1937 (Hesperiidae) *Synonym(s): nero Evans, 1937*
- 26879) *Chondrolepis niveicornis* (Plötz, 1883) (Hesperiidae) *Synonym(s): niveicornis Plötz, 1883*
- 26880) *Chondrolepis niveicornis niveicornis* (Plötz, 1883) (Hesperiidae) *Synonym(s): niveicornis Plötz, 1883; murga Mabil, 1890; chiral, Trimen, 1894; abicornis Butler, 1896; mirandus Butler, 1902*
- 26881) *Chondrolepis niveicornis pseudonero* Berger, 1984 (Hesperiidae) *Synonym(s): pseudonero Berger, 1984*
- 26882) *Chondrolepis obscurior* De Jong, 1986 (Hesperiidae) *Synonym(s): obscurior De Jong, 1986*
- 26883) *Chondrolepis similis* De Jong, 1986 (Hesperiidae) *Synonym(s): similis De Jong, 1986*
- 26884) *Chondrolepis telisignata* (Butler, 1896) (Hesperiidae) *Synonym(s): telisignata Butler, 1896*
- 26885) *Chrysoplectrum epicincea* (Butler & Druce, 1872) (Hesperiidae) *Synonym(s): epicincea Butler & Druce, 1872*
- 26886) *Cobalopsis autumn* (Plötz, 1882) (Hesperiidae) *Synonym(s): autumn Plötz, 1882; edda Mabil, 1891*
- 26887) *Cobalopsis nero* (Herrich-Schäffer, 1869) (Hesperiidae) *Synonym(s): nero Herrich-Schäffer, 1869; lemur Mabil, 1883; cinerita Plötz, 1886; dyscritus Mabil, 1891; zetus Bell, 1942*
- 26888) *Cobalus fidicula* (Hewitson, 1877) (Hesperiidae) *Synonym(s): fidicula Hewitson, 1877; hesioides Plötz, 1882*
- 26889) *Codatractus alcaeus* (Hewitson, [1867]) (Hesperiidae) *Synonym(s): alcaeus Hewitson, [1867]; montezuma Scudder, 1872*
- 26890) *Codatractus alcaeus alcaeus* (Hewitson, [1867]) (Hesperiidae) *Synonym(s): alcaeus Hewitson, [1867]; montezuma Scudder, 1872*
- 26891) *Codatractus arizonensis* (Skinner, 1905) (Hesperiidae) *Synonym(s): arizonensis Skinner, 1905*
- 26892) *Codatractus arizonensis arizonensis* (Skinner, 1905) (Hesperiidae) *Synonym(s): arizonensis Skinner, 1905*
- 26893) *Codatractus bryaxis* (Hewitson, 1867) (Hesperiidae) *Synonym(s): bryaxis Hewitson, 1867*
- 26894) *Codatractus carlos* Evans, 1952 (Hesperiidae) *Synonym(s): carlos Evans, 1952*
- 26895) *Codatractus cyda* (Godman, 1901) (Hesperiidae) *Synonym(s): cyda Godman, 1901*
- 26896) *Codatractus cyledis* (Dyar, 1912) (Hesperiidae) *Synonym(s): cyledis Dyar, 1912*
- 26897) *Codatractus melon* (Godman & Salvin, 1893) (Hesperiidae) *Synonym(s): melon Godman & Salvin, 1893*
- 26898) *Codatractus melon melon* (Godman & Salvin, 1893) (Hesperiidae) *Synonym(s): melon Godman & Salvin, 1893*
- 26899) *Codatractus mysie* (Dyar, 1904) (Hesperiidae) *Synonym(s): mysie Dyar, 1904*
- 26900) *Codatractus sallyae* A. Warren, 1995 (Hesperiidae) *Synonym(s): sallyae A. Warren, 1995*
- 26901) *Codatractus uvydixa* (Dyar, 1914) (Hesperiidae) *Synonym(s): uvydixa Dyar, 1914*
- 26902) *Codatractus yucatanus* Freeman, 1977 (Hesperiidae) *Synonym(s): yucatanus Freeman, 1977*
- 26903) *Coeliades aeschylus* (Plötz, 1884) (Hesperiidae) *Synonym(s): aeschylus Plötz, 1884*
- 26904) *Coeliades aeschylus aeschylus* (Plötz, 1884) (Hesperiidae) *Synonym(s): aeschylus Plötz, 1884*
- 26905) *Coeliades anchises* (Gerstraecker, 1871) (Hesperiidae) *Synonym(s): anchises Gerstraecker, 1871; taranis Hewitson, 1876.*
- 26906) *Coeliades anchises anchises* (Gerstraecker, 1871) (Hesperiidae) *Synonym(s): anchises Gerstraecker, 1871; taranis Hewitson, 1876.*
- 26907) *Coeliades anchises jucunda* (Butler, 1881) (Hesperiidae) *Synonym(s): jucunda Butler, 1881*
- 26908) *Coeliades bixana* Evans, 1940 (Hesperiidae) *Synonym(s): bixana Evans, 1940*
- 26909) *Coeliades bixana bixana* Evans, 1940 (Hesperiidae) *Synonym(s): bixana Evans, 1940*

- 26910) *Coeliades bocagii* (Sharpe,1893) (Hesperiidae) Synonym(s): *bocagii* Sharpe,1893
 26911) *Coeliades bocagii bocagii* (Sharpe,1893) (Hesperiidae) Synonym(s): *bocagii* Sharpe,1893
 26912) *Coeliades chalybe* (Westwood,[1852]) (Hesperiidae) Synonym(s): *chalybe* Westwood,[1852]
 26913) *Coeliades chalybe chalybe* (Westwood,[1852]) (Hesperiidae) Synonym(s): *chalybe* Westwood,[1852]
 26914) *Coeliades chalybe immaculata* Carpenter,1935 (Hesperiidae) Synonym(s): *immaculata* Carpenter,1935
 26915) *Coeliades ernesti* (Grandidier,1867) (Hesperiidae) Synonym(s): *ernesti* Grandidier,1867; *pana* Hewitson,1867
 26916) *Coeliades ernesti ernesti* (Grandidier,1867) (Hesperiidae) Synonym(s): *ernesti* Grandidier,1867; *pana* Hewitson,1867
 26917) *Coeliades fervida* (Butler,1880) (Hesperiidae) Synonym(s): *fervida* Butler,1880
 26918) *Coeliades fervida fervida* (Butler,1880) (Hesperiidae) Synonym(s): *fervida* Butler,1880
 26919) *Coeliades fidia* Evans,1937 (Hesperiidae) Synonym(s): *fidia* Evans,1937
 26920) *Coeliades fidia fidia* Evans,1937 (Hesperiidae) Synonym(s): *fidia* Evans,1937
 26921) *Coeliades forestan* (Stoll,[1782]) (Hesperiidae) Synonym(s): *forestan* Stoll,[1782].
 26922) *Coeliades forestan arbogastes* (Guenée,1863) (Hesperiidae) Synonym(s): *arbogastes* Guenée,1863
 26923) *Coeliades forestan forestan* (Stoll,[1782]) (Hesperiidae) Synonym(s): *forestan* Stoll,[1782].
 26924) *Coeliades hanno* (Plötz,1879) (Hesperiidae) Synonym(s): *hanno* Plötz,1879; *necho* Plötz,1884; *#tripunctata* Aurivillius,1925
 26925) *Coeliades hanno hanno* (Plötz,1879) (Hesperiidae) Synonym(s): *hanno* Plötz,1879; *necho* Plötz,1884; *#tripunctata* Aurivillius,1925
 26926) *Coeliades keithloa* (Wallengren,1857) (Hesperiidae) Synonym(s): *keithloa* Wallengren,1857
 26927) *Coeliades keithloa keithloa* (Wallengren,1857) (Hesperiidae) Synonym(s): *keithloa* Wallengren,1857
 26928) *Coeliades keithloa kenya* Evans,1937 (Hesperiidae) Synonym(s): *kenya* Evans,1937
 26929) *Coeliades keithloa lorenzo* Evans,1947 (Hesperiidae) Synonym(s): *lorenzo* Evans,1947
 26930) *Coeliades keithloa menelik* (Ungemach,1932) (Hesperiidae) Synonym(s): *menelik* Ungemach,1932
 26931) *Coeliades keithloa merua* Evans,1947 (Hesperiidae) Synonym(s): *merua* Evans,1947
 26932) *Coeliades libeon* (Druce,1875) (Hesperiidae) Synonym(s): *libeon* Druce,1875; *unicolor* Mabilille,1877; *andonginis* Plötz,1884; *brussauxi* Mabilille,1891.
 26933) *Coeliades libeon libeon* (Druce,1875) (Hesperiidae) Synonym(s): *libeon* Druce,1875; *unicolor* Mabilille,1877; *andonginis* Plötz,1884; *brussauxi* Mabilille,1891.
 26934) *Coeliades pisistratus* (Fabricius,1793) (Hesperiidae) Synonym(s): *pisistratus* Fabricius,1793; *valmaran* Wallengren,1857.
 26935) *Coeliades pisistratus pisistratus* (Fabricius,1793) (Hesperiidae) Synonym(s): *pisistratus* Fabricius,1793; *valmaran* Wallengren,1857.
 26936) *Coeliades rama* Evans,1937 (Hesperiidae) Synonym(s): *rama* Evans,1937
 26937) *Coeliades rama rama* Evans,1937 (Hesperiidae) Synonym(s): *rama* Evans,1937
 26938) *Coeliades ramanatek* (Boisduval,1833) (Hesperiidae) Synonym(s): *ramanatek* Boisduval,1833
 26939) *Coeliades ramanatek comorana* Evans,1937 (Hesperiidae) Synonym(s): *comorana* Evans,1937
 26940) *Coeliades ramanatek ramanatek* (Boisduval,1833) (Hesperiidae) Synonym(s): *ramanatek* Boisduval,1833
 26941) *Coeliades sejuncta* (Mabilille & Vuillot,1891) (Hesperiidae) Synonym(s): *sejuncta* Mabilille & Vuillot,1891
 26942) *Coeliades sejuncta sejuncta* (Mabilille & Vuillot,1891) (Hesperiidae) Synonym(s): *sejuncta* Mabilille & Vuillot,1891
 26943) *Cogia caicus* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *caicus* Herrich-Schäffer,1869; *schaefferi* Plötz,1882
 26944) *Cogia caicus caicus* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *caicus* Herrich-Schäffer,1869; *schaefferi* Plötz,1882
 26945) *Cogia caicus moschus* (Edwards,1882) (Hesperiidae) Synonym(s): *moschus* Edwards,1882
 26946) *Cogia cajeta* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *cajeta* Herrich-Schäffer,1869; *thedeia* Dyar,1912
 26947) *Cogia cajeta cajeta* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *cajeta* Herrich-Schäffer,1869; *thedeia* Dyar,1912
 26948) *Cogia cajeta eluina* Godman & Salvin,1894 (Hesperiidae) Synonym(s): *eluina* Godman & Salvin,1894
 26949) *Cogia calchas* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *calchas* Herrich-Schäffer,1869
 26950) *Cogia hippalus* (Edwards,1882) (Hesperiidae) Synonym(s): *hippalus* Edwards,1882
 26951) *Cogia hippalus hippalus* (Edwards,1882) (Hesperiidae) Synonym(s): *hippalus* Edwards,1882
 26952) *Cogia hippalus hiska* Evans,1953 (Hesperiidae) Synonym(s): *hiska* Evans,1953
 26953) *Cogia hippalus peninsularis* L.Miller & MacNeill,1969 (Hesperiidae) Synonym(s): *peninsularis* L.Miller & MacNeill,1969
 26954) *Cogia mala* Evans,1953 (Hesperiidae) Synonym(s): *mala* Evans,1953
 26955) *Cogia outis* (Skinner,1894) (Hesperiidae) Synonym(s): *outis* Skinner,1894
 26956) *Coladenia agni* (De Nicéville,[1884]) (Hesperiidae) Synonym(s): *agni* De Nicéville,[1884]
 26957) *Coladenia agni agni* (De Nicéville,[1884]) (Hesperiidae) Synonym(s): *agni* De Nicéville,[1884]
 26958) *Coladenia agnioides* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *agnoides* Elwes & Edwards,1897
 26959) *Coladenia agnioides agnioides* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *agnoides* Elwes & Edwards,1897
 26960) *Coladenia buehneri* De Nicéville,1889 (Hesperiidae) Synonym(s): *buehneri* De Nicéville,1889
 26961) *Coladenia buehneri buehneri* De Nicéville,1889 (Hesperiidae) Synonym(s): *buehneri* De Nicéville,1889
 26962) *Coladenia hoenei* Evans,1939 (Hesperiidae) Synonym(s): *hoenei* Evans,1939
 26963) *Coladenia hoenei hoenei* Evans,1939 (Hesperiidae) Synonym(s): *hoenei* Evans,1939
 26964) *Coladenia igna* Semper,1892 (Hesperiidae) Synonym(s): *igna* Semper,1892; *sadakoe* Sonan,1936
 26965) *Coladenia igna igna* Semper,1892 (Hesperiidae) Synonym(s): *igna* Semper,1892; *sadakoe* Sonan,1936
 26966) *Coladenia igna marinda* De Jong & Treadaway,1992 (Hesperiidae) Synonym(s): *marinda* De Jong & Treadaway,1992
 26967) *Coladenia indrani* (Moore,[1866]) (Hesperiidae) Synonym(s): *indrani* Moore,[1866]
 26968) *Coladenia indrani indra* Evans,1926 (Hesperiidae) Synonym(s): *indra* Evans,1926
 26969) *Coladenia indrani indrani* (Moore,[1866]) (Hesperiidae) Synonym(s): *indrani* Moore,[1866]
 26970) *Coladenia indrani tissa* Moore,1881 (Hesperiidae) Synonym(s): *tissa* Moore,1881; *lankae* Plötz,1885
 26971) *Coladenia indrani uposathra* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *uposathra* Fruhstorfer,1911; *atarana* Evans,1932
 26972) *Coladenia kehelatha* Hewitson,1878 (Hesperiidae) Synonym(s): *kehelatha* Hewitson,1878; *atilia* Mabilille,1888.
 26973) *Coladenia kehelatha kehelatha* Hewitson,1878 (Hesperiidae) Synonym(s): *kehelatha* Hewitson,1878; *atilia* Mabilille,1888.
 26974) *Coladenia laxmi* (De Nicéville,[1889]) (Hesperiidae) Synonym(s): *laxmi* De Nicéville,[1889]
 26975) *Coladenia laxmi landa* Evans,1949 (Hesperiidae) Synonym(s): *landa* Evans,1949
 26976) *Coladenia laxmi laxmi* (De Nicéville,[1889]) (Hesperiidae) Synonym(s): *laxmi* De Nicéville,[1889]
 26977) *Coladenia laxmi sobrina* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *sobrina* Elwes & Edwards,1897
 26978) *Coladenia maeniata* Oberthür,1896 (Hesperiidae) Synonym(s): *maeniata* Oberthür,1896
 26979) *Coladenia maeniata maeniata* Oberthür,1896 (Hesperiidae) Synonym(s): *maeniata* Oberthür,1896
 26980) *Coladenia minor* Chiba,1991 (Hesperiidae) Synonym(s): *minor* Chiba,1991
 26981) *Coladenia minor minor* Chiba,1991 (Hesperiidae) Synonym(s): *minor* Chiba,1991
 26982) *Coladenia ochracea* De Jong & Treadaway,1992 (Hesperiidae) Synonym(s): *ochracea* De Jong & Treadaway,1992
 26983) *Coladenia ochracea ochracea* De Jong & Treadaway,1992 (Hesperiidae) Synonym(s): *ochracea* De Jong & Treadaway,1992
 26984) *Coladenia palawana* (Staudinger,1889) (Hesperiidae) Synonym(s): *palawana* Staudinger,1889
 26985) *Coladenia palawana palawana* (Staudinger,1889) (Hesperiidae) Synonym(s): *palawana* Staudinger,1889
 26986) *Coladenia semperi* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *semperi* Elwes & Edwards,1897
 26987) *Coladenia semperi semperi* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *semperi* Elwes & Edwards,1897
 26988) *Coladenia sheila* Evans,1939 (Hesperiidae) Synonym(s): *sheila* Evans,1939
 26989) *Coladenia sheila sheila* Evans,1939 (Hesperiidae) Synonym(s): *sheila* Evans,1939
 26990) *Coladenia similis* De Jong & Treadaway,1992 (Hesperiidae) Synonym(s): *similis* De Jong & Treadaway,1992
 26991) *Coladenia similis similis* De Jong & Treadaway,1992 (Hesperiidae) Synonym(s): *similis* De Jong & Treadaway,1992
 26992) *Coladenia uemurai* Huang,2003 (Hesperiidae) Synonym(s): *uemurai* Huang,2003
 26993) *Coladenia uemurai uemurai* Huang,2003 (Hesperiidae) Synonym(s): *uemurai* Huang,2003
 26994) *Coladenia vitrea* Leech,1894 (Hesperiidae) Synonym(s): *vitrea* Leech,1894
 26995) *Coladenia vitrea vitrea* Leech,1894 (Hesperiidae) Synonym(s): *vitrea* Leech,1894
 26996) *Conga chydrea* (Butler,1877) (Hesperiidae) Synonym(s): *chydrea* Butler,1877; *actor* Mabilille,1891; *vala* Mabilille,1891; *valo* Mabilille,1891
 26997) *Copacodes aurantiacus* (Hewitson,1868) (Hesperiidae) Synonym(s): *aurantiacus* Hewitson,1868; *waco* Edwards,1868; *simplex* R.Felder,1869; *procris* Edwards,1871; *macra* Plötz,1884; *candida* Wright,1890

- 26998) *Copaeodes minimus* (Edwards,1870) (Hesperiidae) Synonym(s): *minimus* Edwards,1870; *singularis* Plötz,1884; *rayata* Barnes & McDunnough,1913
- 26999) *Corticea corticea* (Plötz,1882) (Hesperiidae) Synonym(s): *corticea* Plötz,1882
- 27000) *Corticea lysias* (Plötz,1883) (Hesperiidae) Synonym(s): *lysias* Plötz,1883; *epiberus* Mabilie,1889
- 27001) *Croitana croites* (Hewitson,1874) (Hesperiidae) Synonym(s): *croites* Hewitson,1874
- 27002) *Croitana croites croites* (Hewitson,1874) (Hesperiidae) Synonym(s): *croites* Hewitson,1874
- 27003) *Croitana croites pindar* Waterhouse,1932 (Hesperiidae) Synonym(s): *pindar* Waterhouse,1932
- 27004) *Croniades auraria* Druce,1908 (Hesperiidae) Synonym(s): *auraria* Druce,1908
- 27005) *Croniades machaon* (Doubleday & Hewitson,1852) (Hesperiidae) Synonym(s): *machaon* Doubleday & Hewitson,1852
- 27006) *Croniades pieria* (Hewitson,1876) (Hesperiidae) Synonym(s): *pieria* Hewitson,1876
- 27007) *Ctenoptilum multiguttatum* De Nicéville,1890 (Hesperiidae) Synonym(s): *multiguttatum* De Nicéville,1890
- 27008) *Ctenoptilum multiguttatum multiguttatum* De Nicéville,1890 (Hesperiidae) Synonym(s): *multiguttatum* De Nicéville,1890
- 27009) *Ctenoptilum vasava* (Moore,1865) (Hesperiidae) Synonym(s): *vasava* Moore,1865
- 27010) *Ctenoptilum vasava chinensis* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *chinensis* Elwes & Edwards,1897
- 27011) *Ctenoptilum vasava vasava* (Moore,1865) (Hesperiidae) Synonym(s): *vasava* Moore,1865
- 27012) *Cupitha purrea* (Moore,1877) (Hesperiidae) Synonym(s): *purrea* Moore,1877; *tympañifera* Moore,1884; *verruca* Mabilie,1889; *lycorias* Mabilie,1893; *alara* Fruhstorfer,1911; *#purreea* Pinratana,1985
- 27013) *Cupitha purrea purrea* (Moore,1877) (Hesperiidae) Synonym(s): *purrea* Moore,1877; *tympañifera* Moore,1884; *verruca* Mabilie,1889; *lycorias* Mabilie,1893; *alara* Fruhstorfer,1911; *#purreea* Pinratana,1985
- 27014) *Cycloglypha thrasibulus* (Fabricius,1793) (Hesperiidae) Synonym(s): *thrasibulus* Fabricius,1793; *lucida* Mabilie & Boulet,1917; *florita* Zikan,1938; *lepidozonos* Bryk,1953
- 27015) *Cycloglypha tisia* Godman & Salvin,1896 (Hesperiidae) Synonym(s): *tisia* Godman & Salvin,1896
- 27016) *Cyclosemia anastomosis* Mabilie,1878 (Hesperiidae) Synonym(s): *anastomosis* Mabilie,1878
- 27017) *Cymaenes alumna* (Butler,1877) (Hesperiidae) Synonym(s): *alumna* Butler,1877; *obsoleta* Möschler,1879; *obsoletus* Mabilie,1883; *sacchariphila* Dyar,1917; *argus* Draudt,1924;
- 27018) *Cymaenes fraus* (Godman,1900) (Hesperiidae) Synonym(s): *fraus* Godman,1900
- 27019) *Cymaenes laureolus* (Schaus,1913) (Hesperiidae) Synonym(s): *laureolus* Schaus,1913
- 27020) *Cymaenes odilia* (Burmeister,1878) (Hesperiidae) Synonym(s): *odilia* Burmeister,1878; *corescens* Schaus,1902
- 27021) *Cymaenes theogenis* (Capronnier,1874) (Hesperiidae) Synonym(s): *theogenis* Capronnier,1874; *sulla* Möschler,1879; *ancus* Möschler,1879; *conta* Plötz,1886; *astur* Mabilie,1891; *polistion* Schaus,1902
- 27022) *Cymaenes trebius* (Mabilie,1891) (Hesperiidae) Synonym(s): *trebius* Mabilie,1891; *isus* Godman,1900
- 27023) *Cymaenes tripunctis* (Herrich-Schäffer,1865) (Hesperiidae) Synonym(s): *tripunctis* Herrich-Schäffer,1865; *jamaca* Schaus,1902
- 27024) *Cynea cynea* (Hewitson,1876) (Hesperiidae) Synonym(s): *cynea* Hewitson,1876; *kasus* Möschler,1879; *tersa* Möschler,1879; *binaria* Mabilie,1891; *zaba* Strand,1921
- 27025) *Cynea diluta* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *diluta* Herrich-Schäffer,1869; *erebina* Möschler,1879; *vellejus* Plötz,1882; *zeppa* Möschler,1883; *cleochares* Mabilie,1891; *alus* Godman,1900; *bomax* Schaus,1902
- 27026) *Cynea fista* Evans,1955 (Hesperiidae) Synonym(s): *fista* Evans,1955
- 27027) *Cynea irma* (Möschler,1879) (Hesperiidae) Synonym(s): *irma* Möschler,1879; *leucopogon* Plötz,1882
- 27028) *Cynea megalops* (Godman,1900) (Hesperiidae) Synonym(s): *megalops* Godman,1900
- 27029) *Cynea nigricola* Freeman,1969 (Hesperiidae) Synonym(s): *nigricola* Freeman,1969
- 27030) *Cyrina cyrina* (Hewitson,1876) (Hesperiidae) Synonym(s): *cyrina* Hewitson,1876; *parca* Nicéville,1889; *meleagrina* Elwes & Edwards,1897
- 27031) *Cyrina cyrina corpa* Evans,1949 (Hesperiidae) Synonym(s): *corpa* Evans,1949
- 27032) *Cyrina cyrina cyrina* (Hewitson,1876) (Hesperiidae) Synonym(s): *cyrina* Hewitson,1876; *parca* Nicéville,1889; *meleagrina* Elwes & Edwards,1897
- 27033) *Daimio celebica* (C.Felder & R.Felder,[1867]) (Hesperiidae) Synonym(s): *celebica* C.Felder & R.Felder,[1867]; *permena* Hewitson,1868; *nivescens* Fruhstorfer,1909
- 27034) *Daimio celebica celebica* (C.Felder & R.Felder,[1867]) (Hesperiidae) Synonym(s): *celebica* C.Felder & R.Felder,[1867]; *permena* Hewitson,1868; *nivescens* Fruhstorfer,1909
- 27035) *Daimio celebica sulina* Evans,1932 (Hesperiidae) Synonym(s): *sulina* Evans,1932
- 27036) *Daimio tethys* (Ménétriés,1857) (Hesperiidae) Synonym(s): *tethys* Ménétriés,1857; *lineata* Mabilie & Boulet,1916; *daiseni* Riley,1921; *yamashiroensis* Kato,1930.
- 27037) *Daimio tethys birmana* Evans,1926 (Hesperiidae) Synonym(s): *birmana* Evans,1926
- 27038) *Daimio tethys moori* (Mabilie,1876) (Hesperiidae) Synonym(s): *moori* Mabilie,1876; *felderi* Butler,1881; *chinensis* Staudinger,1892; *epitaras* Oberthür,1907; *formosana* Matsumura,1919; *taivana* Matsumura,1919; *saishuana* Okamoto,1924.
- 27039) *Daimio tethys roona* Evans,1949 (Hesperiidae) Synonym(s): *roona* Evans,1949
- 27040) *Daimio tethys tethys* (Ménétriés,1857) (Hesperiidae) Synonym(s): *tethys* Ménétriés,1857; *lineata* Mabilie & Boulet,1916; *daiseni* Riley,1921; *yamashiroensis* Kato,1930.
- 27041) *Dalla bubalon* (Dyar,1921) (Hesperiidae) Synonym(s): *bubalon* Dyar,1921
- 27042) *Dalla dividuum* (Dyar,1913) (Hesperiidae) Synonym(s): *dividuum* Dyar,1913
- 27043) *Dalla faula* (Godman,1900) (Hesperiidae) Synonym(s): *faula* Godman,1900
- 27044) *Dalla kemneri* Steinhäuser,1991 (Hesperiidae) Synonym(s): *kemneri* Steinhäuser,1991
- 27045) *Dalla lalage* (Godman,1900) (Hesperiidae) Synonym(s): *lalage* Godman,1900
- 27046) *Dalla lathaea* (Schaus,1913) (Hesperiidae) Synonym(s): *lathaea* Schaus,1913
- 27047) *Dalla ligilla* (Hewitson,1877) (Hesperiidae) Synonym(s): *ligilla* Hewitson,1877
- 27048) *Dalla mentor* Evans,1955 (Hesperiidae) Synonym(s): *mentor* Evans,1955
- 27049) *Dalla nubes* Steinhäuser,1991 (Hesperiidae) Synonym(s): *nubes* Steinhäuser,1991
- 27050) *Dalla ramirezi* Freeman,1969 (Hesperiidae) Synonym(s): *ramirezi* Freeman,1969
- 27051) *Dalla steinhäuseri* Freeman,1991 (Hesperiidae) Synonym(s): *steinhäuseri* Freeman,1991
- 27052) *Damas clavus* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *clavus* Herrich-Schäffer,1869; *crataea* Hewitson,1876; *cervus* Möschler,1877; *angulis* Plötz,1886; *ampyx* Mabilie,1891; *polles* Godman,1901; *tripuncta* Draudt,1924
- 27053) *Dardarina dardaris* (Hewitson,1877) (Hesperiidae) Synonym(s): *dardaris* Hewitson,1877
- 27054) *Darpa hanria* Moore,[1866] (Hesperiidae) Synonym(s): *hanria* Moore,[1866]
- 27055) *Darpa hanria hanria* Moore,[1866] (Hesperiidae) Synonym(s): *hanria* Moore,[1866]
- 27056) *Darpa pteria* (Hewitson,1868) (Hesperiidae) Synonym(s): *pteris* Hewitson,1868
- 27057) *Darpa pteria dealbata* (Distant,1886) (Hesperiidae) Synonym(s): *dealbata* Distant,1886
- 27058) *Darpa pteria pteria* (Hewitson,1868) (Hesperiidae) Synonym(s): *pteris* Hewitson,1868
- 27059) *Darpa striata* (Druce,1873) (Hesperiidae) Synonym(s): *striata* Druce,1873; *dimidiata* Fruhstorfer,1910
- 27060) *Darpa striata mintia* Evans,1949 (Hesperiidae) Synonym(s): *mintia* Evans,1949
- 27061) *Darpa striata striata* (Druce,1873) (Hesperiidae) Synonym(s): *striata* Druce,1873; *dimidiata* Fruhstorfer,1910
- 27062) *Decinea huasteca* (Freeman,1969) (Hesperiidae) Synonym(s): *huasteca* Freeman,1969
- 27063) *Decinea lucifer* (Hübner,[1831]) (Hesperiidae) Synonym(s): *lucifer* Hübner,[1831]; *pindar* Schaus,1913
- 27064) *Decinea mustea* Freeman,1979 (Hesperiidae) Synonym(s): *mustea* Freeman,1979
- 27065) *Decinea percusios* (Godman,1900) (Hesperiidae) Synonym(s): *percusios* Godman,1900
- 27066) *Decinea rindgei* Freeman,1968 (Hesperiidae) Synonym(s): *rindgei* Freeman,1968
- 27067) *Diaeus varna* Evans,1953 (Hesperiidae) Synonym(s): *varna* Evans,1953
- 27068) *Dispar compacta* (Butler,1882) (Hesperiidae) Synonym(s): *compacta* Butler,1882; *scepticalis* Rosenstock,1885; *atrax* Mabilie,1891; *melissa* Mabilie,1891
- 27069) *Dispar compacta compacta* (Butler,1882) (Hesperiidae) Synonym(s): *compacta* Butler,1882; *scepticalis* Rosenstock,1885; *atrax* Mabilie,1891; *melissa* Mabilie,1891
- 27070) *Doberes anticus* (Plötz,1884) (Hesperiidae) Synonym(s): *anticus* Plötz,1884
- 27071) *Doberes hewitsonius* (Reakirt,[1867]) (Hesperiidae) Synonym(s): *hewitsonius* Reakirt,[1867]; *mexicana* C.Felder & R.Felder,1867
- 27072) *Doberes sobrinus* Godman & Salvin,1895 (Hesperiidae) Synonym(s): *sobrinus* Godman & Salvin,1895

- 27073) *Drephalys dumeril* (Latreille,[1824]) (Hesperiidae) Synonym(s): *dumeril* (Latreille,[1824]); *formosus* C.Felder & R.Felder,1867
 27074) *Drephalys oria* Evans,1952 (Hesperiidae) Synonym(s): *oria* Evans,1952
 27075) *Dubiella belpa* Evans,1955 (Hesperiidae) Synonym(s): *belpa* Evans,1955
 27076) *Dyscophellus lama* Evans,1952 (Hesperiidae) Synonym(s): *lama* Evans,1952
 27077) *Dyscophellus nicephorus* (Hewitson,1876) (Hesperiidae) Synonym(s): *nicephorus* Hewitson,1876; *dexo* Mabilie,1888
 27078) *Dyscophellus porcius* (C.Felder & R.Felder,1862) (Hesperiidae) Synonym(s): *porcius* C.Felder & R.Felder,1862
 27079) *Dyscophellus porcius porcius* (C.Felder & R.Felder,1862) (Hesperiidae) Synonym(s): *porcius* C.Felder & R.Felder,1862
 27080) *Dyscophellus ramon* Evans,1952 (Hesperiidae) Synonym(s): *ramon* Evans,1952
 27081) *Eagris decastigma* Mabilie,1891 (Hesperiidae) Synonym(s): *decastigma* Mabilie,1891
 27082) *Eagris decastigma decastigma* Mabilie,1891 (Hesperiidae) Synonym(s): *decastigma* Mabilie,1891
 27083) *Eagris decastigma fuscata* Holland,1893 (Hesperiidae) Synonym(s): *fuscata* Holland,1893
 27084) *Eagris decastigma purpura* Evans,1937 (Hesperiidae) Synonym(s): *purpura* Evans,1937
 27085) *Eagris denuba* (Plötz,1879) (Hesperiidae) Synonym(s): *denuba* Plötz,1879; *decolor* Mabilie,1890.
 27086) *Eagris denuba denuba* (Plötz,1879) (Hesperiidae) Synonym(s): *denuba* Plötz,1879; *decolor* Mabilie,1890.
 27087) *Eagris denuba oblitterata* Carpenter,1928 (Hesperiidae) Synonym(s): *oblitterata* Carpenter,1928
 27088) *Eagris hereus* (Druce,1875) (Hesperiidae) Synonym(s): *hereus* Druce,1875; *birgitta* Strand,1913.
 27089) *Eagris hereus hereus* (Druce,1875) (Hesperiidae) Synonym(s): *hereus* Druce,1875; *birgitta* Strand,1913.
 27090) *Eagris hereus quaterna* (Mabilie,1890) (Hesperiidae) Synonym(s): *quaterna* Mabilie,1890
 27091) *Eagris lucetia* (Hewitson,1875) (Hesperiidae) Synonym(s): *lucetia* Hewitson,1875
 27092) *Eagris nottoana* (Wallengren,1857) (Hesperiidae) Synonym(s): *nottoana* Wallengren,1857; *phyllophyle* Trimen,1883; *flavipalpis* Plötz,1884; *melancholica* Mabilie,1890; *quadrinaculata* Neustetter,1916.
 27093) *Eagris nottoana knysna* Evans,1937 (Hesperiidae) Synonym(s): *knysna* Evans,1937
 27094) *Eagris nottoana nottoana* (Wallengren,1857) (Hesperiidae) Synonym(s): *nottoana* Wallengren,1857; *phyllophyle* Trimen,1883; *flavipalpis* Plötz,1884; *melancholica* Mabilie,1890; *quadrinaculata* Neustetter,1916.
 27095) *Eagris nottoana smithii* (Mabilie,[1887]) (Hesperiidae) Synonym(s): *smithii* Mabilie,[1887]
 27096) *Eagris sabadius* (Gray,[1832]) (Hesperiidae) Synonym(s): *sabadius* Gray,[1832]; *mauritia* Mabilie & Boullet,1916.
 27097) *Eagris sabadius aldarbanus* Fryer,1912 (Hesperiidae) Synonym(s): *aldarbanus* Fryer,1912
 27098) *Eagris sabadius andracene* (Boisduval,1833) (Hesperiidae) Synonym(s): *andracene* Boisduval,1833; *hyalinata* Saalmüller,1878.
 27099) *Eagris sabadius astoria* Holland,1896 (Hesperiidae) Synonym(s): *astoria* Holland,1896; *epira* Karsch,1896; *plicata* Butler,1901.
 27100) *Eagris sabadius comorana* Evans,1937 (Hesperiidae) Synonym(s): *comorana* Evans,1937
 27101) *Eagris sabadius maheta* Evans,1937 (Hesperiidae) Synonym(s): *maheta* Evans,1937
 27102) *Eagris sabadius ochreana* Lathy,1901 (Hesperiidae) Synonym(s): *ochreana* Lathy,1901
 27103) *Eagris sabadius sabadius* (Gray,[1832]) (Hesperiidae) Synonym(s): *sabadius* Gray,[1832]; *mauritia* Mabilie & Boullet,1916.
 27104) *Eagris subalbida* (Holland,1893) (Hesperiidae) Synonym(s): *subalbida* Holland,1893; *theclides* Holland,1896; *albiventer* Strand,1913; *obscura* Aurivillius,1925.
 27105) *Eagris subalbida aurivillii* (Neustetter,1927) (Hesperiidae) Synonym(s): *aurivillii* Neustetter,1927
 27106) *Eagris subalbida subalbida* (Holland,1893) (Hesperiidae) Synonym(s): *subalbida* Holland,1893; *theclides* Holland,1896; *albiventer* Strand,1913; *obscura* Aurivillius,1925.
 27107) *Eagris tetrastigma* (Mabilie,1891) (Hesperiidae) Synonym(s): *tetrastigma* Mabilie,1891; *tristifica* Aurivillius,1925.
 27108) *Eagris tetrastigma subolivescens* (Holland,1892) (Hesperiidae) Synonym(s): *subolivescens* Holland,1892
 27109) *Eagris tetrastigma tetrastigma* (Mabilie,1891) (Hesperiidae) Synonym(s): *tetrastigma* Mabilie,1891; *tristifica* Aurivillius,1925.
 27110) *Eagris tigris* Evans,1937 (Hesperiidae) Synonym(s): *tigris* Evans,1937
 27111) *Eagris tigris karyonza* Evans,1956 (Hesperiidae) Synonym(s): *karyonza* Evans,1956
 27112) *Eagris tigris tigris* Evans,1937 (Hesperiidae) Synonym(s): *tigris* Evans,1937
 27113) *Eanthis tamenund* (Edwards,1871) (Hesperiidae) Synonym(s): *tamenund* Edwards,1871
 27114) *Eanthis thraso* (Hübner,[1807]) (Hesperiidae) Synonym(s): *thraso* Hübner,[1807]
 27115) *Ebrietas anacreon* (Staudinger,1876) (Hesperiidae) Synonym(s): *anacreon* Staudinger,1876; *albunea* Staudinger,1876; *claudianus* Staudinger,1876; *ecliptica* Butler,1877; *torricinus* Plötz,1884; *undulata* Plötz,1884; *halidus* Mabilie,1891
 27116) *Ebrietas evanidus* Mabilie,1897 (Hesperiidae) Synonym(s): *evanidus* Mabilie,1897; *morio* Mabilie & Boullet,1917
 27117) *Ebrietas livius* Mabilie,1897 (Hesperiidae) Synonym(s): *livius* Mabilie,1897; *minor* Mabilie & Boullet,1917
 27118) *Ebrietas osyris* (Stausinger,1876) (Hesperiidae) Synonym(s): *osyris* Stausinger,1876
 27119) *Ebrietas sappho* Steinhäuser,1974 (Hesperiidae) Synonym(s): *sappho* Steinhäuser,1974
 27120) *Ebusus ebusus* (Stoll,[1790]) (Hesperiidae) Synonym(s): *ebusus* Stoll,[1790]
 27121) *Ebusus ebusus nigrior* L.Miller,1985 (Hesperiidae) Synonym(s): *nigrior* L.Miller,1985
 27122) *Ection elia* (Hewitson,1866) (Hesperiidae) Synonym(s): *elia* Hewitson,1866; *eburus* Plötz,1885; *magniplaga* Fruhstorfer,1911; *ayankara* Fruhstorfer,1911
 27123) *Ection elia elia* (Hewitson,1866) (Hesperiidae) Synonym(s): *elia* Hewitson,1866; *eburus* Plötz,1885; *magniplaga* Fruhstorfer,1911; *ayankara* Fruhstorfer,1911
 27124) *Enosis achelous* (Plötz,1882) (Hesperiidae) Synonym(s): *achelous* Plötz,1882; *atheas* Godman,1900
 27125) *Enosis immaculata* (Hewitson,1868) (Hesperiidae) Synonym(s): *immaculata* Hewitson,1868; *patens* Plötz,1882; *atrata* Mabilie,1889; *coroicensis* Weeks,1901; *inframaculata* Strand,1921; *nigrans* Hayward,1940
 27126) *Enosis matheri* Freeman,1969 (Hesperiidae) Synonym(s): *matheri* Freeman,1969
 27127) *Entheus crux* Steinhäuser,1989 (Hesperiidae) Synonym(s): *crux* Steinhäuser,1989
 27128) *Entheus matho* Godman & Salvin,1879 (Hesperiidae) Synonym(s): *matho* Godman & Salvin,1879
 27129) *Eogenes alcides Herrich-Schäffer*,[1852] (Hesperiidae) Synonym(s): *alcides* Herrich-Schäffer,[1852]
 27130) *Eogenes alcides ahriman* (Christoph,1884) (Hesperiidae) Synonym(s): *ahriman* Christoph,1884
 27131) *Eogenes alcides alcides* Herrich-Schäffer,[1852] (Hesperiidae) Synonym(s): *alcides* Herrich-Schäffer,[1852]
 27132) *Eogenes alcides chitrala* Evans,1949 (Hesperiidae) Synonym(s): *chitrala* Evans,1949
 27133) *Eogenes alcides uraka* Evans,1949 (Hesperiidae) Synonym(s): *uraka* Evans,1949
 27134) *Eogenes leslei* Evans,1926 (Hesperiidae) Synonym(s): *leslei* Evans,1912; *leslei* Evans,1926.
 27135) *Eogenes leslei elama* Wiltshire,1941 (Hesperiidae) Synonym(s): *elama* Wiltshire,1941
 27136) *Eogenes leslei leslei* Evans,1926 (Hesperiidae) Synonym(s): *leslei* Evans,1912; *leslei* Evans,1926.
 27137) *Epargyreus aspinus* Evans,1952 (Hesperiidae) Synonym(s): *aspinus* Evans,1952
 27138) *Epargyreus brodkorbi* Freeman,1969 (Hesperiidae) Synonym(s): *brodkorbi* Freeman,1969
 27139) *Epargyreus clarus* (Cramer,[1775]) (Hesperiidae) Synonym(s): *clarus* Cramer,[1775]; *tityrus* Fabricius,1775 nec Pod.,1761; *argentosus* Hayward,1933; *argenteola* Matsumura,1940.
 27140) *Epargyreus clarus californicus* MacNeill,1975 (Hesperiidae) Synonym(s): *californicus* MacNeill,1975
 27141) *Epargyreus clarus clarus* (Cramer,[1775]) (Hesperiidae) Synonym(s): *clarus* Cramer,[1775]; *tityrus* Fabricius,1775 nec Pod.,1761; *argentosus* Hayward,1933; *argenteola* Matsumura,1940.
 27142) *Epargyreus clarus huachuca* Dixon,1955 (Hesperiidae) Synonym(s): *huachuca* Dixon,1955
 27143) *Epargyreus clavicornis* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *clavicornis* Herrich-Schäffer,1869
 27144) *Epargyreus clavicornis tenda* Evans,1955 (Hesperiidae) Synonym(s): *tenda* Evans,1955
 27145) *Epargyreus deleoni* Freeman,1977 (Hesperiidae) Synonym(s): *deleoni* Freeman,1977
 27146) *Epargyreus exadeus* (Cramer,[1779]) (Hesperiidae) Synonym(s): *exadeus* Cramer,[1779]
 27147) *Epargyreus exadeus cruz* Evans,1952 (Hesperiidae) Synonym(s): *cruza* Evans,1952
 27148) *Epargyreus exadeus exadeus* (Cramer,[1779]) (Hesperiidae) Synonym(s): *exadeus* Cramer,[1779]
 27149) *Epargyreus socus* (Hübner,[1825]) (Hesperiidae) Synonym(s): *socus* Hübner,[1825]
 27150) *Epargyreus socus orizaba* Scudder,1872 (Hesperiidae) Synonym(s): *orizaba* Scudder,1872; *cama* Evans,1952
 27151) *Epargyreus spina* Evans,1952 (Hesperiidae) Synonym(s): *spina* Evans,1952
 27152) *Epargyreus spinosa* Evans,1952 (Hesperiidae) Synonym(s): *spinosa* Evans,1952

- 27153) *Epargyreus windi* Freeman, 1969 (Hesperiidae) Synonym(s): *windi* Freeman, 1969
- 27154) *Epargyreus zestos* (Geyer, [1832]) (Hesperiidae) Synonym(s): *zestos* Geyer, [1832]; *oberon* Worthington, 1881; *arsaces* Mabilie, 1903.
- 27155) *Epargyreus zestos* (Geyer, [1832]) (Hesperiidae) Synonym(s): *zestos* Geyer, [1832]; *oberon* Worthington, 1881; *arsaces* Mabilie, 1903.
- 27156) *Ephyriades brunneus* (Hesperiidae) Synonym(s):
- 27157) *Eprius velela* Godman, 1901 (Hesperiidae) Synonym(s): *velela* Godman, 1901; *holaphegges* Dyar, 1913
- 27158) *Eretis buamba* Evans, 1937 (Hesperiidae) Synonym(s): *buamba* Evans, 1937
- 27159) *Eretis buamba buamba* Evans, 1937 (Hesperiidae) Synonym(s): *buamba* Evans, 1937
- 27160) *Eretis cameroni* Evans, 1937 (Hesperiidae) Synonym(s): *cameroni* Evans, 1937
- 27161) *Eretis cameroni cameroni* Evans, 1937 (Hesperiidae) Synonym(s): *cameroni* Evans, 1937
- 27162) *Eretis djaelaclae* (Wallengren, 1857) (Hesperiidae) Synonym(s): *djaelaclae* Wallengren, 1857
- 27163) *Eretis djaelaclae djaelaclae* (Wallengren, 1857) (Hesperiidae) Synonym(s): *djaelaclae* Wallengren, 1857
- 27164) *Eretis herewardi* Riley, 1921 (Hesperiidae) Synonym(s): *herewardi* Riley, 1921
- 27165) *Eretis herewardi herewardi* Riley, 1921 (Hesperiidae) Synonym(s): *herewardi* Riley, 1921
- 27166) *Eretis herewardi rotundimacula* Evans, 1937 (Hesperiidae) Synonym(s): *rotundimacula* Mabilie & Boulet, 1916; *rotundimacula* Evans, 1937.
- 27167) *Eretis lugens* (Rogenhofer, 1891) (Hesperiidae) Synonym(s): *lugens* Rogenhofer, 1891; *morosa* Rogenhofer, 1891.
- 27168) *Eretis lugens lugens* (Rogenhofer, 1891) (Hesperiidae) Synonym(s): *lugens* Rogenhofer, 1891; *morosa* Rogenhofer, 1891.
- 27169) *Eretis melania* Mabilie, 1891 (Hesperiidae) Synonym(s): *melania* Mabilie, 1891; *perpaupera* Holland, 1892
- 27170) *Eretis melania melania* Mabilie, 1891 (Hesperiidae) Synonym(s): *melania* Mabilie, 1891; *perpaupera* Holland, 1892
- 27171) *Eretis mitiana* Evans, 1937 (Hesperiidae) Synonym(s): *mitiana* Evans, 1937
- 27172) *Eretis mitiana mitiana* Evans, 1937 (Hesperiidae) Synonym(s): *mitiana* Evans, 1937
- 27173) *Eretis mixta* Evans, 1937 (Hesperiidae) Synonym(s): *mixta* Evans, 1937
- 27174) *Eretis mixta mixta* Evans, 1937 (Hesperiidae) Synonym(s): *mixta* Evans, 1937
- 27175) *Eretis plistoncus* (Plötz, 1879) (Hesperiidae) Synonym(s): *plistoncus* Plötz, 1879
- 27176) *Eretis plistoncus plistoncus* (Plötz, 1879) (Hesperiidae) Synonym(s): *plistoncus* Plötz, 1879
- 27177) *Eretis umbra* (Trimen, 1862) (Hesperiidae) Synonym(s): *umbra* Trimen, 1862; *norica* Plötz, 1884.
- 27178) *Eretis umbra maculifera* Mabilie & Boulet, 1916 (Hesperiidae) Synonym(s): *maculifera* Mabilie & Boulet, 1916
- 27179) *Eretis umbra nox* (Neave, 1910) (Hesperiidae) Synonym(s): *nox* Neave, 1910
- 27180) *Eretis umbra umbra* (Trimen, 1862) (Hesperiidae) Synonym(s): *umbra* Trimen, 1862; *norica* Plötz, 1884.
- 27181) *Eretis vaga* Evans, 1937 (Hesperiidae) Synonym(s): *vaga* Evans, 1937
- 27182) *Eretis vaga vaga* Evans, 1937 (Hesperiidae) Synonym(s): *vaga* Evans, 1937
- 27183) *Erionota acroleucus* Wood-Mason & De Nicéville, 1881 (Hesperiidae) Synonym(s): *acroleucus* Wood-Mason & De Nicéville, 1881; *lara* Swinhoe, 1890
- 27184) *Erionota acroleucus acroleucus* Wood-Mason & De Nicéville, 1881 (Hesperiidae) Synonym(s): *acroleucus* Wood-Mason & De Nicéville, 1881; *lara* Swinhoe, 1890
- 27185) *Erionota acroleucus apex* Semper, 1892 (Hesperiidae) Synonym(s): *apex* Semper, 1892
- 27186) *Erionota acroleucus sakita* Ribbe, 1895 (Hesperiidae) Synonym(s): *sakita* Ribbe, 1895; *toradja* Fruhstorfer, 1911
- 27187) *Erionota grandis* Leech, 1894 (Hesperiidae) Synonym(s): *grandis* Leech, 1894
- 27188) *Erionota grandis alsatia* Evans, 1938 (Hesperiidae) Synonym(s): *alsatia* Evans, 1938
- 27189) *Erionota grandis grandis* Leech, 1894 (Hesperiidae) Synonym(s): *grandis* Leech, 1894
- 27190) *Erionota harmachis* (Hewitson, 1878) (Hesperiidae) Synonym(s): *harmachis* Hewitson, 1878; *staudingeri* Distant, 1886
- 27191) *Erionota harmachis harmachis* (Hewitson, 1878) (Hesperiidae) Synonym(s): *harmachis* Hewitson, 1878; *staudingeri* Distant, 1886
- 27192) *Erionota hiraca* Moore, 1881 (Hesperiidae) Synonym(s): *hiraca* Moore, 1881
- 27193) *Erionota hiraca apex* Semper, 1892 (Hesperiidae) Synonym(s): *apex* Semper, 1892; *apicalis* Evans, 1932
- 27194) *Erionota hiraca hiraca* Moore, 1881 (Hesperiidae) Synonym(s): *hiraca* Moore, 1881
- 27195) *Erionota sorpresa* De Jong & Treadaway, 1992 (Hesperiidae) Synonym(s): *sorpresa* De Jong & Treadaway, 1992
- 27196) *Erionota sorpresa sorpresa* De Jong & Treadaway, 1992 (Hesperiidae) Synonym(s): *sorpresa* De Jong & Treadaway, 1992
- 27197) *Erionota sybirta* Hewitson, 1876 (Hesperiidae) Synonym(s): *sybirta* Hewitson, 1876; *mabiliei* Staudinger, 1889
- 27198) *Erionota sybirta sybirta* Hewitson, 1876 (Hesperiidae) Synonym(s): *sybirta* Hewitson, 1876; *mabiliei* Staudinger, 1889
- 27199) *Erionota thrax* (Linnaeus, 1767) (Hesperiidae) Synonym(s): *thrax* Linnaeus, 1767
- 27200) *Erionota thrax alexandra* Semper, 1892 (Hesperiidae) Synonym(s): *alexandra* Semper, 1892
- 27201) *Erionota thrax hasdrubal* Fruhstorfer, 1910 (Hesperiidae) Synonym(s): *hasdrubal* Fruhstorfer, 1910
- 27202) *Erionota thrax mindana* Evans, 1941 (Hesperiidae) Synonym(s): *mindana* Evans, 1941
- 27203) *Erionota thrax thrax* (Linnaeus, 1767) (Hesperiidae) Synonym(s): *thrax* Linnaeus, 1767
- 27204) *Erionota torus* Evans, 1941 (Hesperiidae) Synonym(s): *torus* Evans, 1941
- 27205) *Erionota torus torus* Evans, 1941 (Hesperiidae) Synonym(s): *torus* Evans, 1941
- 27206) *Erionota tribus* Evans, 1941 (Hesperiidae) Synonym(s): *tribus* Evans, 1941
- 27207) *Erionota tribus tribus* Evans, 1941 (Hesperiidae) Synonym(s): *tribus* Evans, 1941
- 27208) *Erynnis* (Erynnides) *afranius* (Lintner, 1878) (Hesperiidae) Synonym(s): *afranius* Lintner, 1878
- 27209) *Erynnis* (Erynnides) *baptisiae* (Forbes, 1936) (Hesperiidae) Synonym(s): *baptisiae* Forbes, 1936
- 27210) *Erynnis* (Erynnides) *funeralis* (Scudder & Burgess, 1870) (Hesperiidae) Synonym(s): *funeralis* Scudder & Burgess, 1870; *australis* Mabilie, 1883
- 27211) *Erynnis* (Erynnides) *horatius* (Scudder & Burgess, 1870) (Hesperiidae) Synonym(s): *horatius* Scudder & Burgess, 1870; *virgilius* Scudder & Burgess, 1870; *petronius* Lintner, 1881
- 27212) *Erynnis* (Erynnides) *juvenalis* (Fabricius, 1793) (Hesperiidae) Synonym(s): *juvenalis* Fabricius, 1793; *costalis* Westwood & Hewitson, 1852; *ennius* Scudder & Burgess, 1870; *plautus* Scudder & Burgess, 1870
- 27213) *Erynnis* (Erynnides) *juvenalis clitus* (Edwards, 1882) (Hesperiidae) Synonym(s): *clitus* Edwards, 1882; *maestus* Godman & Salvin, 1899
- 27214) *Erynnis* (Erynnides) *lucilius* (Scudder & Burgess, 1870) (Hesperiidae) Synonym(s): *lucilius* Scudder & Burgess, 1870
- 27215) *Erynnis* (Erynnides) *martialis* (Scudder, 1869) (Hesperiidae) Synonym(s): *martialis* Scudder, 1869; *quercus* Butler, 1870; *ausonius* Lintner, 1873
- 27216) *Erynnis* (Erynnides) *meridianus* Bell, 1927 (Hesperiidae) Synonym(s): *meridianus* Bell, 1927
- 27217) *Erynnis* (Erynnides) *meridianus fieldi* Burns, 1964 (Hesperiidae) Synonym(s): *fieldi* Burns, 1964
- 27218) *Erynnis* (Erynnides) *pacuvius* (Lintner, 1878) (Hesperiidae) Synonym(s): *pacuvius* Lintner, 1878
- 27219) *Erynnis* (Erynnides) *pacuvius callidus* (Grinnell, 1904) (Hesperiidae) Synonym(s): *callidus* Grinnell, 1904
- 27220) *Erynnis* (Erynnides) *pacuvius lilius* (Dyar, 1904) (Hesperiidae) Synonym(s): *lilius* Dyar, 1904
- 27221) *Erynnis* (Erynnides) *pacuvius pacuvius* (Lintner, 1878) (Hesperiidae) Synonym(s): *pacuvius* Lintner, 1878
- 27222) *Erynnis* (Erynnides) *pacuvius pernigra* (Grinnell, 1905) (Hesperiidae) Synonym(s): *pernigra* Grinnell, 1905
- 27223) *Erynnis* (Erynnides) *persius* (Scudder, 1864) (Hesperiidae) Synonym(s): *persius* Scudder, 1864; *borealis* Cary, 1906; *avinoffi* Holland, 1930; *fredericki* Freeman, 1943
- 27224) *Erynnis* (Erynnides) *propertius* (Scudder & Burgess, 1870) (Hesperiidae) Synonym(s): *propertius* Scudder & Burgess, 1870; *tibullus* Scudder & Burgess, 1870
- 27225) *Erynnis* (Erynnides) *scudderii* (Skinner, 1914) (Hesperiidae) Synonym(s): *scudderii* Skinner, 1914
- 27226) *Erynnis* (Erynnides) *tristis* (Boisduval, 1852) (Hesperiidae) Synonym(s): *tristis* Boisduval, 1852
- 27227) *Erynnis* (Erynnides) *tristis pattersoni* Burns, 1964 (Hesperiidae) Synonym(s): *pattersoni* Burns, 1964
- 27228) *Erynnis* (Erynnides) *tristis tatus* (Edwards, 1882) (Hesperiidae) Synonym(s): *tatus* Edwards, 1882; *albomarginatus* Godman & Salvin, 1899
- 27229) *Erynnis* (Erynnides) *tristis tristis* (Boisduval, 1852) (Hesperiidae) Synonym(s): *tristis* Boisduval, 1852
- 27230) *Erynnis* (Erynnides) *zarucco* (Lucas, 1857) (Hesperiidae) Synonym(s): *zarucco* Lucas, 1857; *terentius* Scudder & Burgess, 1870; *ovidius* Scudder & Burgess, 1870; *naevius* Lintner, 1881; *diogenes* Plötz, 1884
- 27231) *Erynnis* (Hesperopegasus) *marloyi* (Boisduval, [1834]) (Hesperiidae) Synonym(s): *marloyi* Boisduval, [1834]; *sericea* Freyer, 1838; *rustan* Kollar, [1849].
- 27232) *Erynnis* (Hesperopegasus) *marloyi marloyi* (Boisduval, [1834]) (Hesperiidae) Synonym(s): *marloyi* Boisduval, [1834]; *sericea* Freyer, 1838; *rustan* Kollar, [1849].
- 27233) *Erynnis* (Hesperopegasus) *max* Evans, 1949 (Hesperiidae) Synonym(s): *max* Evans, 1949
- 27234) *Erynnis* (Hesperopegasus) *max max* Evans, 1949 (Hesperiidae) Synonym(s): *max* Evans, 1949

- 27235) *Erynnis (Hesperopegasus) pathan* Evans,1949 (Hesperiidae) Synonym(s): *pathan* Evans,1949
 27236) *Erynnis (Hesperopegasus) pathan* pathan Evans,1949 (Hesperiidae) Synonym(s): *pathan* Evans,1949
 27237) *Erynnis (s.str.) brizo* (Boisduval & Leconte,1834) (Hesperiidae) Synonym(s): *brizo* Boisduval & Leconte,1834
 27238) *Erynnis (s.str.) brizo brizo* (Boisduval & Leconte,1834) (Hesperiidae) Synonym(s): *brizo* Boisduval & Leconte,1834
 27239) *Erynnis (s.str.) brizo burgessi* (Skinner,1914) (Hesperiidae) Synonym(s): *burgessi* Skinner,1914
 27240) *Erynnis (s.str.) brizo lacustra* (Wright,1905) (Hesperiidae) Synonym(s): *lacustra* Wright,1905
 27241) *Erynnis (s.str.) brizo muelleri* (Draudt,1923) (Hesperiidae) Synonym(s): *muelleri* Draudt,1923
 27242) *Erynnis (s.str.) brizo somnus* (Lintner,1881) (Hesperiidae) Synonym(s): *somnus* Lintner,1881
 27243) *Erynnis (s.str.) elbursina* (Bytinski-Salz & Brandt,1937) (Hesperiidae) Synonym(s): *elbursina* Bytinski-Salz & Brandt,1937
 27244) *Erynnis (s.str.) elbursina elbursina* (Bytinski-Salz & Brandt,1937) (Hesperiidae) Synonym(s): *elbursina* Bytinski-Salz & Brandt,1937
 27245) *Erynnis (s.str.) icelus* (Scudder & Burgess,1870) (Hesperiidae) Synonym(s): *icelus* Scudder & Burgess,1870; *boutista* Plötz,1884; *hamamaelidis* Scudder,1889
 27246) *Erynnis (s.str.) mercurius* (Dyar,1926) (Hesperiidae) Synonym(s): *mercurius* Dyar,1926
 27247) *Erynnis (s.str.) montanus* (Bremer,1861) (Hesperiidae) Synonym(s): *montanus* Bremer,1861; *rusticanus* Butler,1870.
 27248) *Erynnis (s.str.) montanus monta* Evans,1949 (Hesperiidae) Synonym(s): *monta* Evans,1949
 27249) *Erynnis (s.str.) montanus montanus* (Bremer,1861) (Hesperiidae) Synonym(s): *montanus* Bremer,1861; *rusticanus* Butler,1870.
 27250) *Erynnis (s.str.) montanus nigrescens* Leech,1894 (Hesperiidae) Synonym(s): *nigrescens* Leech,1894; *leechii* Elwes & Edwards,1897
 27251) *Erynnis (s.str.) pelias* Leech,1891 (Hesperiidae) Synonym(s): *pelias* Leech,1891
 27252) *Erynnis (s.str.) pelias erebus* (Groum-Grshimailo,1890) (Hesperiidae) Synonym(s): *erebus* Groum-Grshimailo,1890
 27253) *Erynnis (s.str.) pelias pelias* Leech,1891 (Hesperiidae) Synonym(s): *pelias* Leech,1891
 27254) *Erynnis (s.str.) popoviana* (Nordmann,1851) (Hesperiidae) Synonym(s): *popoviana* Nordmann,1851; *sinina* Groum-Grshimailo,1891.
 27255) *Erynnis (s.str.) popoviana popoviana* (Nordmann,1851) (Hesperiidae) Synonym(s): *popoviana* Nordmann,1851; *sinina* Groum-Grshimailo,1891.
 27256) *Erynnis (s.str.) tages* (Linnaeus,1758) (Hesperiidae) Synonym(s): *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921.
 27257) *Erynnis (s.str.) tages cervantes* (De Graslin,1836) (Hesperiidae) Synonym(s): *cervantes* De Graslin,1836
 27258) *Erynnis (s.str.) tages tages* (Linnaeus,1758) (Hesperiidae) Synonym(s): *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921.
 27259) *Erynnis (s.str.) tages unicolor* (Freyer,[1848]) (Hesperiidae) Synonym(s): *unicolor* Freyer,[1848]; *#clarus* Caradja,1895; *magnatages* Verity,1938.
 27260) *Erynnis (s.str.) telemachus Burns*,1960 (Hesperiidae) Synonym(s): *telemachus* Burns,1960
 27261) *Euphyes alabamae* (Lindsey,1923) (Hesperiidae) Synonym(s): *alabamae* Lindsey,1923
 27262) *Euphyes antra* Evans,1955 (Hesperiidae) Synonym(s): *antra* Evans,1955
 27263) *Euphyes arpa* (Boisduval & LeConte,1834) (Hesperiidae) Synonym(s): *arpa* Boisduval & LeConte,1834
 27264) *Euphyes bayensis* (Hesperiidae) Synonym(s):
 27265) *Euphyes berryi* (Bell,1941) (Hesperiidae) Synonym(s): *berryi* Bell,1941
 27266) *Euphyes bimacula* (Grote & Robinson,1867) (Hesperiidae) Synonym(s): *bimacula* Grote & Robinson,1867; *acanoootus* Scudder,1868; *illinois* Dodge,1872
 27267) *Euphyes canda* Steinhäuser & A.Warren,2002 (Hesperiidae) Synonym(s): *canda* Steinhäuser & A.Warren,2002
 27268) *Euphyes chamuli* Freeman,1969 (Hesperiidae) Synonym(s): *chamuli* Freeman,1969
 27269) *Euphyes conspicua* (Edwards,1863) (Hesperiidae) Synonym(s): *conspicua* Edwards,1863; *pontiac* Edwards,1863; *orono* Scudder,1872
 27270) *Euphyes conspicua buchholzi* (Erlich & Gillham,1951) (Hesperiidae) Synonym(s): *buchholzi* Erlich & Gillham,1951
 27271) *Euphyes conspicua conspicua* (Edwards,1863) (Hesperiidae) Synonym(s): *conspicua* Edwards,1863; *pontiac* Edwards,1863; *orono* Scudder,1872
 27272) *Euphyes dion* (Edwards,1879) (Hesperiidae) Synonym(s): *dion* Edwards,1879
 27273) *Euphyes dukesi* (Lindsey,1923) (Hesperiidae) Synonym(s): *dukesi* Lindsey,1923
 27274) *Euphyes macguirei* Freeman,1975 (Hesperiidae) Synonym(s): *macguirei* Freeman,1975
 27275) *Euphyes peneia* (Godman,1900) (Hesperiidae) Synonym(s): *peneia* Godman,1900; *catiodides* Kaye,1925; *tristis* Lindsey,1925; *donahuei* Freeman,1967
 27276) *Euphyes pilatka* (Edwards,1867) (Hesperiidae) Synonym(s): *pilatka* Edwards,1867; *floridensis* Plötz,1883
 27277) *Euphyes vestris* (Boisduval,1852) (Hesperiidae) Synonym(s): *vestris* Boisduval,1852
 27278) *Euphyes vestris harbisoni* Brown & McGuire,1983 (Hesperiidae) Synonym(s): *harbisoni* Brown & McGuire,1983
 27279) *Euphyes vestris metacomet* (Harris,1862) (Hesperiidae) Synonym(s): *metacomet* Harris,1862; *rurea* Edwards,1862; *kiowah* Reakirt,1866; *osyka* Edwards,1867
 27280) *Euphyes vestris vestris* (Boisduval,1852) (Hesperiidae) Synonym(s): *vestris* Boisduval,1852
 27281) *Euschemon rafflesia* (Macleay,1827) (Hesperiidae) Synonym(s): *rafflesia* Macleay,1827; *albo-ornatus* Olliff,1891; *alba* Mabilie,1904.
 27282) *Euschemon rafflesia rafflesia* (Macleay,1827) (Hesperiidae) Synonym(s): *rafflesia* Macleay,1827; *albo-ornatus* Olliff,1891; *alba* Mabilie,1904.
 27283) *Euschemon rafflesia viridis* Waterhouse,1933 (Hesperiidae) Synonym(s): *viridis* Waterhouse,1933
 27284) *Eutocus facilis* (Plötz,1884) (Hesperiidae) Synonym(s): *facilis* Plötz,1884; *phthia* Godman,1901; *volasus* Godman,1901
 27285) *Eutychide complana* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *complana* Herrich-Schäffer,1869; *midia* Hewitson,1877; *favetta* Plötz,1882; *gura* Plötz,1882; *midia* Mabilie,1891
 27286) *Eutychide ochus* Godman,1900 (Hesperiidae) Synonym(s): *ochus* Godman,1900
 27287) *Eutychide paria* (Plötz,1882) (Hesperiidae) Synonym(s): *paria* Plötz,1882
 27288) *Exometoeca nycteris* Meyrick,1887 (Hesperiidae) Synonym(s): *nycteris* Meyrick,1887
 27289) *Exometoeca nycteris nycteris* Meyrick,1887 (Hesperiidae) Synonym(s): *nycteris* Meyrick,1887
 27290) *Felicena dirpha* (Boisduval,1832) (Hesperiidae) Synonym(s): *dirpha* Boisduval,1832; ? *phalos* Boisduval,1832
 27291) *Felicena dirpha albicilla* (Joicey & Talbot,1917) (Hesperiidae) Synonym(s): *albicilla* Joicey & Talbot,1917
 27292) *Felicena dirpha dirpha* (Boisduval,1832) (Hesperiidae) Synonym(s): *dirpha* Boisduval,1832; ? *phalos* Boisduval,1832
 27293) *Felicena dirpha nota* Evans,1949 (Hesperiidae) Synonym(s): *nota* Evans,1949
 27294) *Felicena dora* Evans,1949 (Hesperiidae) Synonym(s): *dora* Evans,1949
 27295) *Felicena dora dora* Evans,1949 (Hesperiidae) Synonym(s): *dora* Evans,1949
 27296) *Flaccilla aecas* (Stoll,1781) (Hesperiidae) Synonym(s): *aecas* Stoll,1781; *amana* Hewitson,1866
 27297) *Fresna carlo* Evans,1937 (Hesperiidae) Synonym(s): *carlo* Evans,1937
 27298) *Fresna cojo* (Karsch,1893) (Hesperiidae) Synonym(s): *cojo* Karsch,1893
 27299) *Fresna maesseni* Miller,1971 (Hesperiidae) Synonym(s): *maesseni* Miller,1971
 27300) *Fresna netopha* (Hewitson,1878) (Hesperiidae) Synonym(s): *netopha* Hewitson,1878
 27301) *Fresna nyassae* (Hewitson,1878) (Hesperiidae) Synonym(s): *nyassae* Hewitson,1878; *roncilgonis* Plötz,1882; *ennuari* Riley,1921; *plata* Evans,1937; *joppa* Evans,1937
 27302) *Fulda bernieri* (Boisduval,1833) (Hesperiidae) Synonym(s): *bernieri* Boisduval,1833; *cariate* Hewitson,1868; *ypsilon* Saalmüller,1884
 27303) *Fulda bernieri bernieri* (Boisduval,1833) (Hesperiidae) Synonym(s): *bernieri* Boisduval,1833; *cariate* Hewitson,1868; *ypsilon* Saalmüller,1884
 27304) *Fulda bernieri gatiana* (Oberthür,1923) (Hesperiidae) Synonym(s): *gatiana* Oberthür,1923
 27305) *Fulda bernieri lucida* Evans,1937 (Hesperiidae) Synonym(s): *lucida* Evans,1937
 27306) *Fulda bernieri pauliani* Evans,1952 (Hesperiidae) Synonym(s): *pauliani* Evans,1952
 27307) *Fulda coroller* (Boisduval,1833) (Hesperiidae) Synonym(s): *coroller* Boisduval,1833; *antalcidas* C.Felder & R.Felder,[1867]
 27308) *Fulda coroller australis* Viette,1956 (Hesperiidae) Synonym(s): *australis* Viette,1956
 27309) *Fulda coroller coroller* (Boisduval,1833) (Hesperiidae) Synonym(s): *coroller* Boisduval,1833; *antalcidas* C.Felder & R.Felder,[1867]
 27310) *Fulda imorina* Evans,1937 (Hesperiidae) Synonym(s): *imorina* Evans,1937
 27311) *Fulda rhadama* (Boisduval,1833) (Hesperiidae) Synonym(s): *rhadama* Boisduval,1833
 27312) *Galerga ellipsis* (Saalmüller,1884) (Hesperiidae) Synonym(s): *ellipsis* Saalmüller,1884; *mirza* Mabilie,[1887]; *idis* Oberthür,1916
 27313) *Galerga fito* (Evans,1937) (Hesperiidae) Synonym(s): *fito* Evans,1937
 27314) *Galerga hypostica* Mabilie,1898 (Hesperiidae) Synonym(s): *hypostica* Mabilie,1898
 27315) *Gamia buchholzi* (Plötz,1879) (Hesperiidae) Synonym(s): *buchholzi* Plötz,1879; *ditissimus* Mabilie,1891; *basisstriga* Holland,1893; *#robustus* Mabilie,1896
 27316) *Gamia shelleyi* (Sharpe,1890) (Hesperiidae) Synonym(s): *shelleyi* Sharpe,1890; *galua* Holland,1891; *zintgraffi* Karsch,1892

- 27317) *Gangara lebadea* Hewitson, 1886 (Hesperiidae) Synonym(s): *lebadea* Hewitson, 1886; *glandulosa* Distant, 1886
 27318) *Gangara lebadea* andamanica (Wood-Mason & De Nicéville, 1881) (Hesperiidae) Synonym(s): *andamanica* Wood-Mason & De Nicéville, 1881
 27319) *Gangara lebadea* janlourensi Schröder & Treadaway, 1987 (Hesperiidae) Synonym(s): *janlourensi* Schröder & Treadaway, 1987
 27320) *Gangara lebadea* lebadea Hewitson, 1886 (Hesperiidae) Synonym(s): *lebadea* Hewitson, 1886; *glandulosa* Distant, 1886
 27321) *Gangara lebadea* subfasciata (Moore, 1878) (Hesperiidae) Synonym(s): *subfasciata* Moore, 1878
 27322) *Gangara lebadea* ustini Treadaway & Nuyda, 1995 (Hesperiidae) Synonym(s): *ustini* Treadaway & Nuyda, 1995
 27323) *Gangara sanguinocculus* Martin, 1895 (Hesperiidae) Synonym(s): *sanguinocculus* Martin, 1895
 27324) *Gangara sanguinocculus* sanguinocculus Martin, 1895 (Hesperiidae) Synonym(s): *sanguinocculus* Martin, 1895
 27325) *Gangara thyrsis* (Fabricius, 1775) (Hesperiidae) Synonym(s): *thyrsis* Fabricius, 1775; *pandia* Moore, 1857; *yasodara* Fruhstorfer, 1910; *hainana* Sonan, 1920
 27326) *Gangara thyrsis* clothilda (Herrich-Schäffer, 1869) (Hesperiidae) Synonym(s): *clothilda* Herrich-Schäffer, 1869
 27327) *Gangara thyrsis* magnificens De Jong & Treadaway, 1993 (Hesperiidae) Synonym(s): *magnificens* De Jong & Treadaway, 1993
 27328) *Gangara thyrsis* pandina Evans, 1949 (Hesperiidae) Synonym(s): *pandina* Evans, 1949
 27329) *Gangara thyrsis* philippensis Fruhstorfer, 1910 (Hesperiidae) Synonym(s): *philippensis* Fruhstorfer, 1910
 27330) *Gangara thyrsis* thyrsis (Fabricius, 1775) (Hesperiidae) Synonym(s): *thyrsis* Fabricius, 1775; *pandia* Moore, 1857; *yasodara* Fruhstorfer, 1910; *hainana* Sonan, 1920
 27331) *Ge geta* De Nicéville, 1895 (Hesperiidae) Synonym(s): *geta* De Nicéville, 1895
 27332) *Ge geta* geta De Nicéville, 1895 (Hesperiidae) Synonym(s): *geta* De Nicéville, 1895
 27333) *Gegenes gambica* (Mabille, 1878) (Hesperiidae) Synonym(s): *gambica* Mabille, 1878
 27334) *Gegenes gambica* gambica (Mabille, 1878) (Hesperiidae) Synonym(s): *gambica* Mabille, 1878
 27335) *Gegenes hottentota* (Latreille, [1824]) (Hesperiidae) Synonym(s): *hottentota* Latreille, [1824]; *obumbrata* Trimen, 1891; *ocra* Evans, 1937.
 27336) *Gegenes hottentota* hottentota (Latreille, [1824]) (Hesperiidae) Synonym(s): *hottentota* Latreille, [1824]; *obumbrata* Trimen, 1891; *ocra* Evans, 1937.
 27337) *Gegenes niso* (Linnaeus, 1764) (Hesperiidae) Synonym(s): *niso* Linnaeus, 1764; *letterstedti* Wallengren, 1857; *indica* Mabille, 1883
 27338) *Gegenes niso* brevicornis (Plötz, 1884) (Hesperiidae) Synonym(s): *brevicornis* Plötz, 1884
 27339) *Gegenes niso* niso (Linnaeus, 1764) (Hesperiidae) Synonym(s): *niso* Linnaeus, 1764; *letterstedti* Wallengren, 1857; *indica* Mabille, 1883
 27340) *Gegenes nostradamus* (Fabricius, 1793) (Hesperiidae) Synonym(s): *nostradamus* Fabricius, 1793; *proclea* Walker, 1870; *karsana* Moore, 1874; *pumiliominima* Verity, 1931; *megalegyna* Verity, 1940.
 27341) *Gegenes nostradamus* nostradamus (Fabricius, 1793) (Hesperiidae) Synonym(s): *nostradamus* Fabricius, 1793; *proclea* Walker, 1870; *karsana* Moore, 1874; *pumiliominima* Verity, 1931; *megalegyna* Verity, 1940.
 27342) *Gegenes pumilio* (Hoffmannsegg, 1804) (Hesperiidae) Synonym(s): *pumilio* Hoffmannsegg, 1804; *pygmaeus* Cyrilli, 1787 nec Fabr., 1775; *aetna* Boisduval, 1840; *lefebvrei* Rambur, 1842; *monochroa* Rebel, 1907.
 27343) *Gegenes pumilio* pumilio (Hoffmannsegg, 1804) (Hesperiidae) Synonym(s): *pumilio* Hoffmannsegg, 1804; *pygmaeus* Cyrilli, 1787 nec Fabr., 1775; *aetna* Boisduval, 1840; *lefebvrei* Rambur, 1842; *monochroa* Rebel, 1907.
 27344) *Gerosis bhagava* (Moore, [1866]) (Hesperiidae) Synonym(s): *bhagava* Moore, [1866]; *milliana* Swinhoe, 1912
 27345) *Gerosis bhagava* andamanica Wood-Mason & De Nicéville, 1881 (Hesperiidae) Synonym(s): *andamanica* Wood-Mason & De Nicéville, 1881
 27346) *Gerosis bhagava* bhagava (Moore, [1866]) (Hesperiidae) Synonym(s): *bhagava* Moore, [1866]; *milliana* Swinhoe, 1912
 27347) *Gerosis corona* (Semper, 1892) (Hesperiidae) Synonym(s): *corona* Semper, 1892
 27348) *Gerosis corona* corona (Semper, 1892) (Hesperiidae) Synonym(s): *corona* Semper, 1892
 27349) *Gerosis corona* halcona Treadaway & Nuyda, 1995 (Hesperiidae) Synonym(s): *halcona* Treadaway & Nuyda, 1995
 27350) *Gerosis limax* (Plötz, 1884) (Hesperiidae) Synonym(s): *limax* Plötz, 1884; *visana* Fruhstorfer, 1910
 27351) *Gerosis limax* dirae (De Nicéville, 1895) (Hesperiidae) Synonym(s): *dirae* De Nicéville, 1895; *graya* Elwes & Edwards, 1897
 27352) *Gerosis limax* fumosa Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *fumosa* Elwes & Edwards, 1897
 27353) *Gerosis limax* limax (Plötz, 1884) (Hesperiidae) Synonym(s): *limax* Plötz, 1884; *visana* Fruhstorfer, 1910
 27354) *Gerosis limax* philippina Evans, 1932 (Hesperiidae) Synonym(s): *philippina* Evans, 1932
 27355) *Gerosis phisara* (Moore, 1884) (Hesperiidae) Synonym(s): *phisara* Moore, 1884
 27356) *Gerosis phisara* phisara (Moore, 1884) (Hesperiidae) Synonym(s): *phisara* Moore, 1884; *hamiltonii* De Nicéville, 1888; *kuki* Tytler, 1915; *expansa* Mabille & Boulet, 1916
 27357) *Gerosis phisara* rex (Evans, 1949) (Hesperiidae) Synonym(s): *rex* Evans, 1949
 27358) *Gerosis phisara* tenebrosa Joicey & Talbot, 1921 (Hesperiidae) Synonym(s): *tenebrosa* Joicey & Talbot, 1921
 27359) *Gerosis sinica* (C. Felder & R. Felder, 1862) (Hesperiidae) Synonym(s): *sinica* C. Felder & R. Felder, 1862; *diversa* Leech, 1890
 27360) *Gerosis sinica* minima Swinhoe, 1910 (Hesperiidae) Synonym(s): *minima* Swinhoe, 1910
 27361) *Gerosis sinica* narada (Moore, 1884) (Hesperiidae) Synonym(s): *narada* Moore, 1884; *indica* Evans, 1926.
 27362) *Gerosis sinica* sinica (C. Felder & R. Felder, 1862) (Hesperiidae) Synonym(s): *sinica* C. Felder & R. Felder, 1862; *diversa* Leech, 1890
 27363) *Gerosis tristis* (Eliot, 1959) (Hesperiidae) Synonym(s): *tristis* Eliot, 1959
 27364) *Gerosis tristis* tristis (Eliot, 1959) (Hesperiidae) Synonym(s): *tristis* Eliot, 1959
 27365) *Gerosis yuani* Huang, 2003 (Hesperiidae) Synonym(s): *yuani* Huang, 2003
 27366) *Gerosis yuani* yuani Huang, 2003 (Hesperiidae) Synonym(s): *yuani* Huang, 2003
 27367) *Gesta gesta* (Herrich-Schäffer, 1863) (Hesperiidae) Synonym(s): *gesta* Herrich-Schäffer, 1863; *bigutta* Pittwiz, 1868; *brusus* Burmeister, 1879; *blanda* Plötz, 1884
 27368) *Gesta invisus* (Butler & Druce, 1872) (Hesperiidae) Synonym(s): *invisus* Butler & Druce, 1872; *gorgona* Plötz, 1884; *llano* Dodge, 1903
 27369) *Gindanes brontius* Godman & Salvin, 1895 (Hesperiidae) Synonym(s): *brontius* Godman & Salvin, 1895
 27370) *Gindanes panaetius* Godman & Salvin, 1895 (Hesperiidae) Synonym(s): *panaetius* Godman & Salvin, 1895
 27371) *Gomalia elma* (Trimen, 1862) (Hesperiidae) Synonym(s): *elma* Trimen, 1862; *jeanneli* Picard, 1949.
 27372) *Gomalia elma* albofasciata Moore, 1879 (Hesperiidae) Synonym(s): *albofasciata* Moore, 1879; *litoralis* Swinhoe, 1884
 27373) *Gomalia elma* elma (Trimen, 1862) (Hesperiidae) Synonym(s): *elma* Trimen, 1862; *jeanneli* Picard, 1949.
 27374) *Gorgyra aburae* (Plötz, 1879) (Hesperiidae) Synonym(s): *aburae* Plötz, 1879
 27375) *Gorgyra afikpo* Druce, 1909 (Hesperiidae) Synonym(s): *afikpo* Druce, 1909
 27376) *Gorgyra aretina* (Hewitson, 1878) (Hesperiidae) Synonym(s): *aretina* Hewitson, 1878; *dolus* Plötz, 1879; *#albiventr* Mabille, 1896; *aretinodes* Strand, 1913
 27377) *Gorgyra bibulus* Riley, 1929 (Hesperiidae) Synonym(s): *bibulus* Riley, 1929
 27378) *Gorgyra bina* Evans, 1937 (Hesperiidae) Synonym(s): *bina* Evans, 1937
 27379) *Gorgyra bule* Miller, 1964 (Hesperiidae) Synonym(s): *bule* Miller, 1964
 27380) *Gorgyra diva* Evans, 1937 (Hesperiidae) Synonym(s): *diva* Evans, 1937
 27381) *Gorgyra diversata* Holland, 1896 (Hesperiidae) Synonym(s): *diversata* Holland, 1896; *diversata* Evans, 1937
 27382) *Gorgyra heterochrus* (Mabille, 1890) (Hesperiidae) Synonym(s): *heterochrus* Mabille, 1890
 27383) *Gorgyra johnstoni* (Butler, 1894) (Hesperiidae) Synonym(s): *johnstoni* Butler, 1894
 27384) *Gorgyra kalinzu* Evans, 1949 (Hesperiidae) Synonym(s): *kalinzu* Evans, 1949
 27385) *Gorgyra minima* Holland, 1896 (Hesperiidae) Synonym(s): *minima* Holland, 1896
 27386) *Gorgyra mocquersii* Holland, 1896 (Hesperiidae) Synonym(s): *mocquersii* Holland, 1896
 27387) *Gorgyra pali* Evans, 1937 (Hesperiidae) Synonym(s): *pali* Evans, 1937
 27388) *Gorgyra rubescens* Holland, 1896 (Hesperiidae) Synonym(s): *rubescens* Holland, 1896; *tessmanni* Strand, 1913
 27389) *Gorgyra sara* Evans, 1937 (Hesperiidae) Synonym(s): *sara* Evans, 1937
 27390) *Gorgyra sola* Evans, 1937 (Hesperiidae) Synonym(s): *sola* Evans, 1937
 27391) *Gorgyra subfacatus* (Mabille, 1890) (Hesperiidae) Synonym(s): *subfacatus* Mabille, 1890
 27392) *Gorgyra subfacatus* subfacatus (Mabille, 1890) (Hesperiidae) Synonym(s): *subfacatus* Mabille, 1890
 27393) *Gorgyra subfacatus* vosseleri Grünberg, 1907 (Hesperiidae) Synonym(s): *vosseleri* Grünberg, 1907
 27394) *Gorgyra subflavidus* Holland, 1896 (Hesperiidae) Synonym(s): *subflavidus* Holland, 1896; *pan* Evans, 1947
 27395) *Gorgythion begga* (Prittwitz, 1868) (Hesperiidae) Synonym(s): *begga* Prittwitz, 1868; *tucumana* Burmeister, 1878
 27396) *Gorgythion begga* pyralina (Möschler, 1877) (Hesperiidae) Synonym(s): *pyralina* Möschler, 1877; *Schaus*, 1902
 27397) *Grais stigmaticus* (Mabille, 1883) (Hesperiidae) Synonym(s): *stigmaticus* Mabille, 1883; *fumosus* Plötz, 1884

- 27398) *Granila pascas* (Hewitson,1857) (Hesperiidae) Synonym(s): *pascas* Hewitson,1857
 27399) *Gretna balenge* (Holland,1891) (Hesperiidae) Synonym(s): *balenge* Holland,1891
 27400) *Gretna balenge balenge* (Holland,1891) (Hesperiidae) Synonym(s): *balenge* Holland,1891
 27401) *Gretna balenge zowa* Lindsey & Miller,1965 (Hesperiidae) Synonym(s): *zowa* Lindsey & Miller,1965
 27402) *Gretna bugoma* Evans,1947 (Hesperiidae) Synonym(s): *bugoma* Evans,1947
 27403) *Gretna carmen* Evans,1937 (Hesperiidae) Synonym(s): *carmen* Evans,1937
 27404) *Gretna carmen capra* Evans,1937 (Hesperiidae) Synonym(s): *capra* Evans,1937
 27405) *Gretna carmen carmen* Evans,1937 (Hesperiidae) Synonym(s): *carmen* Evans,1937
 27406) *Gretna cylinda* (Hewitson,1876) (Hesperiidae) Synonym(s): *cylinda* Hewitson,1876
 27407) *Gretna lacida* (Hewitson,1876) (Hesperiidae) Synonym(s): *lacida* Hewitson,1876
 27408) *Gretna waga* (Plötz,1886) (Hesperiidae) Synonym(s): *waga* Plötz,1886; *ilerda* Möschler,1887
 27409) *Gretna zarembo* (Plötz,1884) (Hesperiidae) Synonym(s): *zarembo* Plötz,1884
 27410) *Gretna zarembo jacksoni* Evans,1937 (Hesperiidae) Synonym(s): *jacksoni* Evans,1937
 27411) *Gretna zarembo zarembo* (Plötz,1884) (Hesperiidae) Synonym(s): *zarembo* Plötz,1884
 27412) *Gyrogra subnotata* (Holland,1894) (Hesperiidae) Synonym(s): *subnotata* Holland,1894; *#rufipuncta* Mabil,1896
 27413) *Halotus jonaveriorum* Burns,1992 (Hesperiidae) Synonym(s): *jonaveriorum* Burns,1992
 27414) *Halotus rica* (Bell,1942) (Hesperiidae) Synonym(s): *rica* Bell,1942
 27415) *Halpe arcuata* Evans,1937 (Hesperiidae) Synonym(s): *arcuata* Evans,1937
 27416) *Halpe arcuata arcuata* Evans,1937 (Hesperiidae) Synonym(s): *arcuata* Evans,1937
 27417) *Halpe aurifera* (Elwes & Edwards,1897) (Hesperiidae) Synonym(s): *aurifera* Elwes & Edwards,1897; *hazis* Nicéville,1897
 27418) *Halpe aurifera aurifera* (Elwes & Edwards,1897) (Hesperiidae) Synonym(s): *aurifera* Elwes & Edwards,1897; *hazis* Nicéville,1897
 27419) *Halpe beturia* (Hewitson,1868) (Hesperiidae) Synonym(s): *beturia* Hewitson,1868; *majuscula* Elwes & Edwards,1897.
 27420) *Halpe beturia beturia* (Hewitson,1868) (Hesperiidae) Synonym(s): *beturia* Hewitson,1868; *majuscula* Elwes & Edwards,1897.
 27421) *Halpe burmana* Swinhoe,1913 (Hesperiidae) Synonym(s): *burmana* Swinhoe,1913
 27422) *Halpe burmana burmana* Swinhoe,1913 (Hesperiidae) Synonym(s): *burmana* Swinhoe,1913
 27423) *Halpe clara* Cassidy,1985 (Hesperiidae) Synonym(s): *clara* Cassidy,1985
 27424) *Halpe clara clara* Cassidy,1985 (Hesperiidae) Synonym(s): *clara* Cassidy,1985
 27425) *Halpe dante* Evans,1949 (Hesperiidae) Synonym(s): *dante* Evans,1949
 27426) *Halpe dante dante* Evans,1949 (Hesperiidae) Synonym(s): *dante* Evans,1949
 27427) *Halpe dante luzona* Evans,1949 (Hesperiidae) Synonym(s): *luzona* Evans,1949
 27428) *Halpe dante tilia* Evans,1949 (Hesperiidae) Synonym(s): *tilia* Evans,1949
 27429) *Halpe elana* Eliot,1959 (Hesperiidae) Synonym(s): *elana* Eliot,1959
 27430) *Halpe elana elana* Eliot,1959 (Hesperiidae) Synonym(s): *elana* Eliot,1959
 27431) *Halpe fasciata* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *fasciata* Elwes & Edwards,1897
 27432) *Halpe fasciata fasciata* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *fasciata* Elwes & Edwards,1897
 27433) *Halpe flava* Evans,1926 (Hesperiidae) Synonym(s): *flava* Evans,1926
 27434) *Halpe flava flava* Evans,1926 (Hesperiidae) Synonym(s): *flava* Evans,1926
 27435) *Halpe frontieri* Devyatkin,1997 (Hesperiidae) Synonym(s): *frontieri* Devyatkin,1997
 27436) *Halpe gamma* Evans,1937 (Hesperiidae) Synonym(s): *gamma* Evans,1937
 27437) *Halpe gamma gamma* Evans,1937 (Hesperiidae) Synonym(s): *gamma* Evans,1937
 27438) *Halpe hauxwelli* Evans,1937 (Hesperiidae) Synonym(s): *hauxwelli* Evans,1937
 27439) *Halpe hauxwelli hauxwelli* Evans,1937 (Hesperiidae) Synonym(s): *hauxwelli* Evans,1937
 27440) *Halpe hieron* De Nicéville,1894 (Hesperiidae) Synonym(s): *hieron* De Nicéville,1894
 27441) *Halpe hieron hieron* De Nicéville,1894 (Hesperiidae) Synonym(s): *hieron* De Nicéville,1894
 27442) *Halpe homolea* (Hewitson,1868) (Hesperiidae) Synonym(s): *homolea* Hewitson,1868
 27443) *Halpe homolea aucma* Swinhoe,1893 (Hesperiidae) Synonym(s): *aucma* Swinhoe,1893; *marta* Swinhoe,1893; *perara* Swinhoe,1893
 27444) *Halpe homolea ceylonica* Moore,1878 (Hesperiidae) Synonym(s): *ceylonica* Moore,1878
 27445) *Halpe homolea egena* (C.Felder,1868) (Hesperiidae) Synonym(s): *egenae* C.Felder,1868; *brunnea* Moore,1881
 27446) *Halpe homolea filda* Evans,1949 (Hesperiidae) Synonym(s): *filda* Evans,1949
 27447) *Halpe homolea handa* Evans,1949 (Hesperiidae) Synonym(s): *handa* Evans,1949
 27448) *Halpe homolea hindu* Evans,1937 (Hesperiidae) Synonym(s): *hindu* Evans,1937
 27449) *Halpe homolea homolea* (Hewitson,1868) (Hesperiidae) Synonym(s): *homolea* Hewitson,1868
 27450) *Halpe homolea molta* Evans,1949 (Hesperiidae) Synonym(s): *molta* Evans,1949
 27451) *Halpe homolea nephele* Leech,1894 (Hesperiidae) Synonym(s): *nephele* Leech,1894
 27452) *Halpe homolea perfossa* South,1913 (Hesperiidae) Synonym(s): *perfossa* South,1913
 27453) *Halpe inconspicua* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *inconspicua* De Jong & Treadaway,1993
 27454) *Halpe inconspicua inconspicua* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *inconspicua* De Jong & Treadaway,1993
 27455) *Halpe insignis* (Distant,1886) (Hesperiidae) Synonym(s): *insignis* Distant,1886
 27456) *Halpe insignis insignis* (Distant,1886) (Hesperiidae) Synonym(s): *insignis* Distant,1886
 27457) *Halpe knyvetti* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *knyvetti* Elwes & Edwards,1897; *tyleri* Evans,1932; *kilda* Evans,1937
 27458) *Halpe knyvetti knyvetti* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *knyvetti* Elwes & Edwards,1897; *tyleri* Evans,1932; *kilda* Evans,1937
 27459) *Halpe kumara* De Nicéville,1885 (Hesperiidae) Synonym(s): *kumara* De Nicéville,1885
 27460) *Halpe kumara kumara* De Nicéville,1885 (Hesperiidae) Synonym(s): *kumara* De Nicéville,1885
 27461) *Halpe kusala* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *kusala* Fruhstorfer,1911; *diana* Evans,1932
 27462) *Halpe kusala kusala* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *kusala* Fruhstorfer,1911; *diana* Evans,1932
 27463) *Halpe latipinna* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *latipinna* De Jong & Treadaway,1993
 27464) *Halpe latipinna latipinna* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *latipinna* De Jong & Treadaway,1993
 27465) *Halpe luteisquama* (Mabille,1876) (Hesperiidae) Synonym(s): *luteisquama* Mabille,1876; *bazilana* Fruhstorfer,1911
 27466) *Halpe luteisquama luteisquama* (Mabille,1876) (Hesperiidae) Synonym(s): *luteisquama* Mabille,1876; *bazilana* Fruhstorfer,1911
 27467) *Halpe mahapara* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *mahapara* Fruhstorfer,1911
 27468) *Halpe mahapara mahapara* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *mahapara* Fruhstorfer,1911
 27469) *Halpe ormenes* Plötz,1886 (Hesperiidae) Synonym(s): *ormenes* Plötz,1886
 27470) *Halpe ormenes ormenes* Plötz,1886 (Hesperiidae) Synonym(s): *ormenes* Plötz,1886
 27471) *Halpe ormenes vilasina* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *vilasina* Fruhstorfer,1911; *vistara* Fruhstorfer,1911.
 27472) *Halpe palawea* (Staudinger,1889) (Hesperiidae) Synonym(s): *palawea* Staudinger,1889
 27473) *Halpe palawea palawea* (Staudinger,1889) (Hesperiidae) Synonym(s): *palawea* Staudinger,1889
 27474) *Halpe pelethronix* Fruhstorfer,1910 (Hesperiidae) Synonym(s): *pelethronix* Fruhstorfer,1910; *limbanga* Evans,1932
 27475) *Halpe pelethronix pagaia* Evans,1932 (Hesperiidae) Synonym(s): *pagaia* Evans,1932
 27476) *Halpe pelethronix pelethronix* Fruhstorfer,1910 (Hesperiidae) Synonym(s): *pelethronix* Fruhstorfer,1910; *limbanga* Evans,1932
 27477) *Halpe porus* (Mabille,1876) (Hesperiidae) Synonym(s): *porus* Mabille,1876; *moorei* E.Y.Watson,1893; *beturina* Fruhstorfer,1911
 27478) *Halpe porus porus* (Mabille,1876) (Hesperiidae) Synonym(s): *porus* Mabille,1876; *moorei* E.Y.Watson,1893; *teliga* Swinhoe,1893; *beturina* Fruhstorfer,1911
 27479) *Halpe purpurascens* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *purpurascens* De Jong & Treadaway,1993
 27480) *Halpe sikkima* (Moore,1882) (Hesperiidae) Synonym(s): *sikkima* Moore,1882; *selangora* Swinhoe,1913
 27481) *Halpe sikkima sikkima* (Moore,1882) (Hesperiidae) Synonym(s): *sikkima* Moore,1882; *selangora* Swinhoe,1913
 27482) *Halpe sulphurifera* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *sulphurifera* Herrich-Schäffer,1869; *joloana* Fruhstorfer,1911.
 27483) *Halpe sulphurifera sulphurifera* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *sulphurifera* Herrich-Schäffer,1869; *joloana* Fruhstorfer,1911.
 27484) *Halpe toxopea* Evans,1932 (Hesperiidae) Synonym(s): *toxopea* Evans,1932
 27485) *Halpe toxopea toxopea* Evans,1932 (Hesperiidae) Synonym(s): *toxopea* Evans,1932
 27486) *Halpe veluvana* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *veluvana* Fruhstorfer,1911

- 27487) *Halpe veluvana brevicornis* Evans,1932 (Hesperiidae) Synonym(s): *brevicornis* Evans,1932
 27488) *Halpe veluvana veluvana* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *veluvana* Fruhstorfer,1911
 27489) *Halpe wantona Swinhoe*,1893 (Hesperiidae) Synonym(s): *wantona* Swinhoe,1893; *confusa* Evans,1932
 27490) *Halpe wantona wantona* Swinhoe,1893 (Hesperiidae) Synonym(s): *wantona* Swinhoe,1893; *confusa* Evans,1932
 27491) *Halpe zandra Evans*,1937 (Hesperiidae) Synonym(s): *zandra* Evans,1937
 27492) *Halpe zandra zandra* Evans,1937 (Hesperiidae) Synonym(s): *zandra* Evans,1937
 27493) *Halpe zema* (Hewitson,1877) (Hesperiidae) Synonym(s): *zema* Hewitson,1877
 27494) *Halpe zema vistula* Evans,1937 (Hesperiidae) Synonym(s): *vistula* Evans,1937
 27495) *Halpe zema zema* (Hewitson,1877) (Hesperiidae) Synonym(s): *zema* Hewitson,1877
 27496) *Halpe zinda Evans*,1937 (Hesperiidae) Synonym(s): *zinda* Evans,1937
 27497) *Halpe zinda zinda* Evans,1937 (Hesperiidae) Synonym(s): *zinda* Evans,1937
 27498) *Halpe zinda zodia* Eliot,1980 (Hesperiidae) Synonym(s): *zodia* Eliot,1980
 27499) *Halpe zola Evans*,1937 (Hesperiidae) Synonym(s): *zola* Evans,1937
 27500) *Halpe zola zamba* Corbet,1940 (Hesperiidae) Synonym(s): *zamba* Corbet,1940
 27501) *Halpe zola zola* Evans,1937 (Hesperiidae) Synonym(s): *zola* Evans,1937
 27502) *Hasora* (Discolor-gr.) *borneensis* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *borneensis* Elwes & Edwards,1897
 27503) *Hasora* (Discolor-gr.) *borneensis borneensis* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *borneensis* Elwes & Edwards,1897
 27504) *Hasora* (Discolor-gr.) *borneensis luza* Evans,1949 (Hesperiidae) Synonym(s): *luza* Evans,1949
 27505) *Hasora* (Discolor-gr.) *buina* Evans,1926 (Hesperiidae) Synonym(s): *buina* Evans,1926
 27506) *Hasora* (Discolor-gr.) *buina buina* Evans,1926 (Hesperiidae) Synonym(s): *buina* Evans,1926
 27507) *Hasora* (Discolor-gr.) *discolor* (Felder,1859) (Hesperiidae) Synonym(s): *discolor* Felder,1859
 27508) *Hasora* (Discolor-gr.) *discolor discolor* (Felder,1859) (Hesperiidae) Synonym(s): *discolor* Felder,1859
 27509) *Hasora* (Discolor-gr.) *discolor eira* Evans,1949 (Hesperiidae) Synonym(s): *eira* Evans,1949
 27510) *Hasora* (Discolor-gr.) *discolor mastusia* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *mastusia* Fruhstorfer,1911
 27511) *Hasora* (Discolor-gr.) *discolor splendida* Mabille,1876 (Hesperiidae) Synonym(s): *splendida* Mabille,1876
 27512) *Hasora* (Discolor-gr.) *umbrina* Mabille,1891 (Hesperiidae) Synonym(s): *umbrina* Mabille,1891; *hobroa* Swinhoe,1907
 27513) *Hasora* (Discolor-gr.) *umbrina umbrina* Mabille,1891 (Hesperiidae) Synonym(s): *umbrina* Mabille,1891; *hobroa* Swinhoe,1907
 27514) *Hasora* (Lizetta-gr.) *lizetta* Plötz,1884 (Hesperiidae) Synonym(s): *lizetta* Plötz,1884; *hadria* De Nicéville,1889; *wortha* Swinhoe,1907.
 27515) *Hasora* (Lizetta-gr.) *lizetta lizetta* Plötz,1884 (Hesperiidae) Synonym(s): *lizetta* Plötz,1884; *hadria* De Nicéville,1889; *wortha* Swinhoe,1907.
 27516) *Hasora* (Lizetta-gr.) *mus* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *mus* Elwes & Edwards,1897
 27517) *Hasora* (Lizetta-gr.) *mus mus* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *mus* Elwes & Edwards,1897
 27518) *Hasora* (Lizetta-gr.) *mus pahanga* Evans,1926 (Hesperiidae) Synonym(s): *pahanga* Evans,1926
 27519) *Hasora* (Lizetta-gr.) *proxissima* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *proxissima* Elwes & Edwards,1897
 27520) *Hasora* (Lizetta-gr.) *proxissima lavella* Evans,1926 (Hesperiidae) Synonym(s): *lavella* Evans,1926
 27521) *Hasora* (Lizetta-gr.) *proxissima proxissima* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *proxissima* Elwes & Edwards,1897
 27522) *Hasora* (Lizetta-gr.) *proxissima siamica* Evans,1932 (Hesperiidae) Synonym(s): *siamica* Evans,1932
 27523) *Hasora* (Lizetta-gr.) *proxissima siva* Evans,1932 (Hesperiidae) Synonym(s): *siva* Evans,1932
 27524) *Hasora* (Lizetta-gr.) *proxissima takwa* Evans,1949 (Hesperiidae) Synonym(s): *takwa* Evans,1949
 27525) *Hasora* (Lizetta-gr.) *salanga* Plötz,1885 (Hesperiidae) Synonym(s): *salanga* Plötz,1885; *woolletti* Riley,1923
 27526) *Hasora* (Lizetta-gr.) *salanga salanga* Plötz,1885 (Hesperiidae) Synonym(s): *salanga* Plötz,1885; *woolletti* Riley,1923
 27527) *Hasora* (Mixta-gr.) *badra* (Moore,1858) (Hesperiidae) Synonym(s): *badra* Moore,1858; *certhia* Plötz,1884; *godana* Fruhstorfer,1911; *sankarya* Fruhstorfer,1911.
 27528) *Hasora* (Mixta-gr.) *badra badra* (Moore,1858) (Hesperiidae) Synonym(s): *badra* Moore,1858; *certhia* Plötz,1884; *godana* Fruhstorfer,1911; *sankarya* Fruhstorfer,1911.
 27529) *Hasora* (Mixta-gr.) *badra lanka* Evans,1926 (Hesperiidae) Synonym(s): *lanka* Evans,1926
 27530) *Hasora* (Mixta-gr.) *celaenus* (Stoll,[1782]) (Hesperiidae) Synonym(s): *celaenus* Stoll,[1782]; *lugubris* Boisduval,1832; *violacea* Elwes & Edwards,1897; *akshita* Fruhstorfer,1911.
 27531) *Hasora* (Mixta-gr.) *celaenus celaenus* (Stoll,[1782]) (Hesperiidae) Synonym(s): *celaenus* Stoll,[1782]; *lugubris* Boisduval,1832; *violacea* Elwes & Edwards,1897; *akshita* Fruhstorfer,1911.
 27532) *Hasora* (Mixta-gr.) *mixta* (Mabille,1876) (Hesperiidae) Synonym(s): *mixta* Mabille,1876; *cirta* Fruhstorfer,1911
 27533) *Hasora* (Mixta-gr.) *mixta fenestrata* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *fenestrata* Fruhstorfer,1911
 27534) *Hasora* (Mixta-gr.) *mixta mixta* (Mabille,1876) (Hesperiidae) Synonym(s): *mixta* Mabille,1876; *cirta* Fruhstorfer,1911
 27535) *Hasora* (Mixta-gr.) *mixta prabha* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *prabha* Fruhstorfer,1911; *lioneli* Fruhstorfer,1911; *tyrius* Fruhstorfer,1911; *yanuna* Fruhstorfer,1911.
 27536) *Hasora* (Mixta-gr.) *mixta simplicissima* (Mabille,1876) (Hesperiidae) Synonym(s): *simplicissima* Mabille,1876
 27537) *Hasora* (Mixta-gr.) *moetissima* (Mabille,1876) (Hesperiidae) Synonym(s): *moetissima* Mabille,1876
 27538) *Hasora* (Mixta-gr.) *moetissima moetissima* (Mabille,1876) (Hesperiidae) Synonym(s): *moetissima* Mabille,1876
 27539) *Hasora* (Mixta-gr.) *moetissima unica* Evans,1934 (Hesperiidae) Synonym(s): *unica* Evans,1934
 27540) *Hasora* (Mixta-gr.) *perplexa* (Mabille,1876) (Hesperiidae) Synonym(s): *perplexa* Mabille,1876
 27541) *Hasora* (Mixta-gr.) *perplexa perplexa* (Mabille,1876) (Hesperiidae) Synonym(s): *perplexa* Mabille,1876
 27542) *Hasora* (Mixta-gr.) *quadripunctata* (Mabille,1876) (Hesperiidae) Synonym(s): *quadripunctata* Mabille,1876
 27543) *Hasora* (Mixta-gr.) *quadripunctata celebica* Staudinger,1889 (Hesperiidae) Synonym(s): *celebica* Staudinger,1889
 27544) *Hasora* (Mixta-gr.) *quadripunctata gnaeus* Plötz,1884 (Hesperiidae) Synonym(s): *gnaeus* Plötz,1884; *madatta* Fruhstorfer,1911
 27545) *Hasora* (Mixta-gr.) *quadripunctata quadripunctata* (Mabille,1876) (Hesperiidae) Synonym(s): *quadripunctata* Mabille,1876
 27546) *Hasora* (Mixta-gr.) *subcoelestis* Rothschild,1916 (Hesperiidae) Synonym(s): *subcoelestis* Rothschild,1916
 27547) *Hasora* (Mixta-gr.) *subcoelestis subcoelestis* Rothschild,1916 (Hesperiidae) Synonym(s): *subcoelestis* Rothschild,1916
 27548) *Hasora* (Mixta-gr.) *vitta* (Butler,1870) (Hesperiidae) Synonym(s): *vitta* Butler,1870; *chabrona* Plötz,1884.
 27549) *Hasora* (Mixta-gr.) *vitta indica* Evans,1932 (Hesperiidae) Synonym(s): *indica* Evans,1932
 27550) *Hasora* (Mixta-gr.) *vitta manda* Evans,1949 (Hesperiidae) Synonym(s): *manda* Evans,1949
 27551) *Hasora* (Mixta-gr.) *vitta proximata* Staudinger,1889 (Hesperiidae) Synonym(s): *proximata* Staudinger,1889; *pathana* Fruhstorfer,1911.
 27552) *Hasora* (Mixta-gr.) *vitta simillima* Rothschild,1916 (Hesperiidae) Synonym(s): *simillima* Rothschild,1916; *latifascia* Joicey & Talbot,1917.
 27553) *Hasora* (Mixta-gr.) *vitta sula* Evans,1932 (Hesperiidae) Synonym(s): *sula* Evans,1932
 27554) *Hasora* (Mixta-gr.) *vitta vitta* (Butler,1870) (Hesperiidae) Synonym(s): *vitta* Butler,1870; *chabrona* Plötz,1884.
 27555) *Hasora* (Myra-gr.) *anura* De Nicéville,1889 (Hesperiidae) Synonym(s): *anura* De Nicéville,1889
 27556) *Hasora* (Myra-gr.) *anura anura* De Nicéville,1889 (Hesperiidae) Synonym(s): *anura* De Nicéville,1889
 27557) *Hasora* (Myra-gr.) *anura china* Evans,1949 (Hesperiidae) Synonym(s): *china* Evans,1949
 27558) *Hasora* (Myra-gr.) *danda* Evans,1949 (Hesperiidae) Synonym(s): *danda* Evans,1949
 27559) *Hasora* (Myra-gr.) *danda danda* Evans,1949 (Hesperiidae) Synonym(s): *danda* Evans,1949
 27560) *Hasora* (Myra-gr.) *myra* (Hewitson,1867) (Hesperiidae) Synonym(s): *myra* Hewitson,1867
 27561) *Hasora* (Myra-gr.) *myra funebris* Evans,1932 (Hesperiidae) Synonym(s): *funebris* Evans,1932
 27562) *Hasora* (Myra-gr.) *myra myra* (Hewitson,1867) (Hesperiidae) Synonym(s): *myra* Hewitson,1867
 27563) *Hasora* (Myra-gr.) *zoma* Evans,1934 (Hesperiidae) Synonym(s): *zoma* Evans,1934
 27564) *Hasora* (Myra-gr.) *zoma zoma* Evans,1934 (Hesperiidae) Synonym(s): *zoma* Evans,1934
 27565) *Hasora* (Thridas-gr.) *khoda* (Mabille,1876) (Hesperiidae) Synonym(s): *khoda* Mabille,1876
 27566) *Hasora* (Thridas-gr.) *khoda burgeri* Ribbe,1889 (Hesperiidae) Synonym(s): *burgeri* Ribbe,1889
 27567) *Hasora* (Thridas-gr.) *khoda coulteri* Wood Mason & De Nicéville,1881 (Hesperiidae) Synonym(s): *coulteri* Wood Mason & De Nicéville,1881
 27568) *Hasora* (Thridas-gr.) *khoda dampierensis* Rothschild,1915 (Hesperiidae) Synonym(s): *dampierensis* Rothschild,1915
 27569) *Hasora* (Thridas-gr.) *khoda haslia* Swinhoe,1899 (Hesperiidae) Synonym(s): *haslia* Swinhoe,1899
 27570) *Hasora* (Thridas-gr.) *khoda khoda* (Mabille,1876) (Hesperiidae) Synonym(s): *khoda* Mabille,1876
 27571) *Hasora* (Thridas-gr.) *khoda linda* Evans,1934 (Hesperiidae) Synonym(s): *linda* Evans,1934

- 27572) *Hasora* (Thridas-gr.) *khoda minsona* Swinhoe,1907 (Hesperiidae) Synonym(s): *minsona* Swinhoe,1907
- 27573) *Hasora* (Thridas-gr.) *khoda plexa* Evans,1949 (Hesperiidae) Synonym(s): *plexa* Evans,1949
- 27574) *Hasora* (Thridas-gr.) *khoda tantra* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *tantra* Fruhstorfer,1911; *avajra* Fruhstorfer,1911.
- 27575) *Hasora* (Thridas-gr.) *leucospila* Mabille,1891 (Hesperiidae) Synonym(s): *leucospila* Mabille,1891; *palinda* Swinhoe,1905; *matisca* Fruhstorfer,1911; *parnia* Fruhstorfer,1911.
- 27576) *Hasora* (Thridas-gr.) *leucospila leucospila* Mabille,1891 (Hesperiidae) Synonym(s): *leucospila* Mabille,1891; *palinda* Swinhoe,1905; *matisca* Fruhstorfer,1911; *parnia* Fruhstorfer,1911.
- 27577) *Hasora* (Thridas-gr.) *leucospila spila* Evans,1949 (Hesperiidae) Synonym(s): *spila* Evans,1949
- 27578) *Hasora* (Thridas-gr.) *thridas* (Boisduval,1832) (Hesperiidae) Synonym(s): *thridas* Boisduval,1832; *ribbei* Plötz,1886; *apara* Fruhstorfer,1911.
- 27579) *Hasora* (Thridas-gr.) *thridas chalybeata* Joicey & Talbot,1917 (Hesperiidae) Synonym(s): *chalybeata* Joicey & Talbot,1917
- 27580) *Hasora* (Thridas-gr.) *thridas thridas* (Boisduval,1832) (Hesperiidae) Synonym(s): *thridas* Boisduval,1832; *ribbei* Plötz,1886; *apara* Fruhstorfer,1911.
- 27581) *Hasora* (Thridas-gr.) *wilcocksii* Eliot,1970 (Hesperiidae) Synonym(s): *wilcocksii* Eliot,1970
- 27582) *Hasora* (s.str.) *chromus* (Cramer,[1782]) (Hesperiidae) Synonym(s): *alexis* Fabricius,1775 nec Poda,1761; *chromus* Cramer,[1782]; *contempta* Plötz,[1883]; *lucescens* Lucas,1900; *attenuata* Mabille,[1904] nec Staudinger,1889; *ganapata* Fruhstorfer,1911.
- 27583) *Hasora* (s.str.) *chromus bilunata* Butler,1882 (Hesperiidae) Synonym(s): *bilunata* Butler,1882
- 27584) *Hasora* (s.str.) *chromus chromus* (Cramer,[1782]) (Hesperiidae) Synonym(s): *alexis* Fabricius,1775 nec Poda,1761; *chromus* Cramer,[1782]; *contempta* Plötz,[1883]; *lucescens* Lucas,1900; *attenuata* Mabille,[1904] nec Staudinger,1889; *ganapata* Fruhstorfer,1911.
- 27585) *Hasora* (s.str.) *chromus inermis* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *inermis* Elwes & Edwards,1897
- 27586) *Hasora* (s.str.) *coeruleostriata* De Jong,1982 (Hesperiidae) Synonym(s): *coeruleostriata* De Jong,1982
- 27587) *Hasora* (s.str.) *hurama* (Butler,1870) (Hesperiidae) Synonym(s): *hurama* Butler,1870; *vivapama* Fruhstorfer,1911; *postfasciata* Rothschild,1916.
- 27588) *Hasora* (s.str.) *hurama arua* Evans,1934 (Hesperiidae) Synonym(s): *arua* Evans,1934
- 27589) *Hasora* (s.str.) *hurama hurama* (Butler,1870) (Hesperiidae) Synonym(s): *hurama* Butler,1870; *vivapama* Fruhstorfer,1911; *postfasciata* Rothschild,1916.
- 27590) *Hasora* (s.str.) *hurama kieta* Strand,1922 (Hesperiidae) Synonym(s): *kieta* Strand,1922
- 27591) *Hasora* (s.str.) *hurama mola* Evans,1949 (Hesperiidae) Synonym(s): *mola* Evans,1949
- 27592) *Hasora* (s.str.) *mavis* Evans,1934 (Hesperiidae) Synonym(s): *mavis* Evans,1934
- 27593) *Hasora* (s.str.) *schoenherr* (Latreille,1828) (Hesperiidae) Synonym(s): *schoenherr* Latreille,1828
- 27594) *Hasora* (s.str.) *schoenherr babuyana* Treadaway & Nuyda,1995 (Hesperiidae) Synonym(s): *babuyana* Treadaway & Nuyda,1995
- 27595) *Hasora* (s.str.) *schoenherr chuza* (Hewitson,1867) (Hesperiidae) Synonym(s): *chuza* Hewitson,1867; *sumatranus* Kalis,1933
- 27596) *Hasora* (s.str.) *schoenherr cridatta* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *cridatta* Fruhstorfer,1911
- 27597) *Hasora* (s.str.) *schoenherr gaspa* Evans,1949 (Hesperiidae) Synonym(s): *gaspas* Evans,1949
- 27598) *Hasora* (s.str.) *schoenherr saida* (Hewitson,1867) (Hesperiidae) Synonym(s): *saida* Hewitson,1867; *gentiana* Felder,1867.
- 27599) *Hasora* (s.str.) *schoenherr schoenherr* (Latreille,1828) (Hesperiidae) Synonym(s): *schoenherr* Latreille,1828
- 27600) *Hasora* (s.str.) *taminatus* (Hübner,[1818]) (Hesperiidae) Synonym(s): *taminatus* Hübner,[1818]
- 27601) *Hasora* (s.str.) *taminatus amboinensis* Swinhoe,1909 (Hesperiidae) Synonym(s): *amboinensis* Swinhoe,1909; *pramidha* Fruhstorfer,1911; *junta* Evans,1934.
- 27602) *Hasora* (s.str.) *taminatus andama* Evans,1949 (Hesperiidae) Synonym(s): *andama* Evans,1949
- 27603) *Hasora* (s.str.) *taminatus attenuata* Staudinger,1889 (Hesperiidae) Synonym(s): *attenuata* Staudinger,1889; *meala* Swinhoe,1907; *acakra* Fruhstorfer,1911.
- 27604) *Hasora* (s.str.) *taminatus bhavara* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *bhavara* Fruhstorfer,1911
- 27605) *Hasora* (s.str.) *taminatus dipama* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *dipama* Fruhstorfer,1911
- 27606) *Hasora* (s.str.) *taminatus malayana* (C.Felder & R.Felder,1860) (Hesperiidae) Synonym(s): *malayana* C.Felder & R.Felder,1860; *almea* Swinhoe,1909; *conostigma* Joicey & Talbot,1921; *salemana* Kalis,1933.
- 27607) *Hasora* (s.str.) *taminatus milona* Evans,1932 (Hesperiidae) Synonym(s): *milona* Evans,1932
- 27608) *Hasora* (s.str.) *taminatus padma* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *padma* Fruhstorfer,1911; *galaca* Fruhstorfer,1911.
- 27609) *Hasora* (s.str.) *taminatus taminatus* (Hübner,[1818]) (Hesperiidae) Synonym(s): *taminatus* Hübner,[1818]
- 27610) *Hasora* (s.str.) *taminatus vairacana* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *vairacana* Fruhstorfer,1911
- 27611) *Helias cama* Evans,1953 (Hesperiidae) Synonym(s): *cama* Evans,1953
- 27612) *Helioptes alana* (Reakirt,1868) (Hesperiidae) Synonym(s): *alana* Reakirt,1868; *adusta* Plötz,1885; *ligania* Plötz,1885; *romaniana* Bryk,1953
- 27613) *Helioptes arsalte* (Linnaeus,1758) (Hesperiidae) Synonym(s): *arsalte* Linnaeus,1758; *niveus* Cramer,1775; *crameri* Billberg,1820; *figara* Butler,1870; *janice* Ehrmann,1907
- 27614) *Helioptes ericetorum* (Boisduval,1852) (Hesperiidae) Synonym(s): *ericetorum* Boisduval,1852; *alba* Edwards,1866
- 27615) *Helioptes laviana* (Hewitson,1868) (Hesperiidae) Synonym(s): *laviana* Hewitson,1868; *pastor* R.Felder,1869; *oceanus* Edwards,1871; *dividua* Röber,1925
- 27616) *Helioptes macaira* (Reakirt,[1867]) (Hesperiidae) Synonym(s): *macaira* Reakirt,[1867]; *nivea* Scudder,1872 nec Cr.,1775; *locutia* Hewitson,1875; *eulalia* Plötz,1885
- 27617) *Helioptyrgus domicella* (Erichson,[1849]) (Hesperiidae) Synonym(s): *domicella* Erichson,[1849]; *nearchus* Edwards,1882; *aconita* Plötz,1884
- 27618) *Helioptyrgus sublinea* (Schaus,1902) (Hesperiidae) Synonym(s): *sublinea* Schaus,1902
- 27619) *Hesperia attalus* (Edwards,1871) (Hesperiidae) Synonym(s): *attalus* Edwards,1871; *seminola* Scudder,1871; *quaiapen* Scudder,1889
- 27620) *Hesperia attalus attalus* (Edwards,1871) (Hesperiidae) Synonym(s): *attalus* Edwards,1871; *seminola* Scudder,1871; *quaiapen* Scudder,1889
- 27621) *Hesperia attalus slossonae* (Skinner,1890) (Hesperiidae) Synonym(s): *slossonae* Skinner,1890
- 27622) *Hesperia colorado* (Scudder,1874) (Hesperiidae) Synonym(s): *colorado* Scudder,1874
- 27623) *Hesperia colorado colorado* (Scudder,1874) (Hesperiidae) Synonym(s): *colorado* Scudder,1874
- 27624) *Hesperia colorado leussleri* Lindsey,1940 (Hesperiidae) Synonym(s): *leussleri* Lindsey,1940
- 27625) *Hesperia columbia* (Scudder,1872) (Hesperiidae) Synonym(s): *columbia* Scudder,1872; *california* Wright,1905; *erynnioides* Dyar,1907
- 27626) *Hesperia comma* (Linnaeus,1758) (Hesperiidae) Synonym(s): *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928.
- 27627) *Hesperia comma assiniboia* (Lyman,1892) (Hesperiidae) Synonym(s): *assiniboia* Lyman,1892
- 27628) *Hesperia comma benuncas* (Oberthür,1912) (Hesperiidae) Synonym(s): *benuncas* Oberthür,1912
- 27629) *Hesperia comma comma* (Linnaeus,1758) (Hesperiidae) Synonym(s): *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928.
- 27630) *Hesperia comma dimila* (Moore,1874) (Hesperiidae) Synonym(s): *dimila* Moore,1874; *indica-fusca* Verity,1931.
- 27631) *Hesperia comma dodgei* Bell,1927 (Hesperiidae) Synonym(s): *dodgei* Bell,1927
- 27632) *Hesperia comma harpalus* (Edwards,1881) (Hesperiidae) Synonym(s): *harpalus* Edwards,1881; *cabelus* Edwards,1881; *idaho* Edwards,1883
- 27633) *Hesperia comma hibera* (Verity,1928) (Hesperiidae) Synonym(s): *hibera* Verity,1928
- 27634) *Hesperia comma hulbirti* Lindsey,1939 (Hesperiidae) Synonym(s): *hulbirti* Lindsey,1939
- 27635) *Hesperia comma lato* (Groum-Grshimailo,1890) (Hesperiidae) Synonym(s): *lato* Groum-Grshimailo,1890
- 27636) *Hesperia comma laurentina* (Lyman,1892) (Hesperiidae) Synonym(s): *laurentina* Lyman,1892
- 27637) *Hesperia comma lena* Korshunov & Gorbunov,1995 (Hesperiidae) Synonym(s): *lena* Korshunov & Gorbunov,1995
- 27638) *Hesperia comma manitoba* (Scudder,1874) (Hesperiidae) Synonym(s): *manitoba* Scudder,1874
- 27639) *Hesperia comma mixta* Alpheraky,1881 (Hesperiidae) Synonym(s): *mixta* Alpheraky,1881
- 27640) *Hesperia comma ochracea* Lindsey,1941 (Hesperiidae) Synonym(s): *ochracea* Lindsey,1941
- 27641) *Hesperia comma oregonia* (Edwards,1883) (Hesperiidae) Synonym(s): *oregonia* Edwards,1883
- 27642) *Hesperia comma pallida* (Staudinger,1901) (Hesperiidae) Synonym(s): *pallida* Staudinger,1901
- 27643) *Hesperia comma planula* Korshunov,1995 (Hesperiidae) Synonym(s): *planula* Korshunov,1995
- 27644) *Hesperia comma shandura* Evans,1949 (Hesperiidae) Synonym(s): *mixta-conflua* Tutt,1905 (*hom.*); *shandura* Evans,1949
- 27645) *Hesperia comma shushkini* Korshunov,1995 (Hesperiidae) Synonym(s): *shushkini* Korshunov,1995
- 27646) *Hesperia comma susanae* L.Miller,1962 (Hesperiidae) Synonym(s): *susanae* L.Miller,1962
- 27647) *Hesperia comma tildenii* Freeman,[1956] (Hesperiidae) Synonym(s): *tildenii* Freeman,[1956]
- 27648) *Hesperia comma yosemite* Leussler,1933 (Hesperiidae) Synonym(s): *yosemite* Leussler,1933

- 27649) *Hesperia dacotae* (Skinner,1911) (Hesperiidae) Synonym(s): *dacotae* Skinner,1911
 27650) *Hesperia florinda* Butler,1878 (Hesperiidae) Synonym(s): *florinda* Butler,1878; *repugnans* Staudinger,1892; *mikado* Leech,1895.
 27651) *Hesperia florinda florinda* Butler,1878 (Hesperiidae) Synonym(s): *florinda* Butler,1878; *repugnans* Staudinger,1892; *mikado* Leech,1895.
 27652) *Hesperia juba* (Scudder,1874) (Hesperiidae) Synonym(s): *juba* Scudder,1874
 27653) *Hesperia leonardus* Harris,1862 (Hesperiidae) Synonym(s): *leonardus* Harris,1862
 27654) *Hesperia lindseyi* (Holland,1930) (Hesperiidae) Synonym(s): *lindseyi* Holland,1930
 27655) *Hesperia meskei* (Edwards,1877) (Hesperiidae) Synonym(s): *meskei* Edwards,1877
 27656) *Hesperia meskei meskei* (Edwards,1877) (Hesperiidae) Synonym(s): *meskei* Edwards,1877
 27657) *Hesperia meskei straton* (Edwards,1881) (Hesperiidae) Synonym(s): *straton* Edwards,1881
 27658) *Hesperia metea* Scudder,1864 (Hesperiidae) Synonym(s): *metea* Scudder,1864
 27659) *Hesperia metea licinus* (Edwards,1871) (Hesperiidae) Synonym(s): *licinus* Edwards,1871; *horus* Edwards,1871; *belfragei* Freeman,1944
 27660) *Hesperia metea metea* Scudder,1864 (Hesperiidae) Synonym(s): *metea* Scudder,1864
 27661) *Hesperia miriamae* MacNeill,1959 (Hesperiidae) Synonym(s): *miriamae* MacNeill,1959
 27662) *Hesperia nevada* (Scudder,1874) (Hesperiidae) Synonym(s): *nevada* Scudder,1874
 27663) *Hesperia ottoe* (Edwards,1866) (Hesperiidae) Synonym(s): *ottoe* Edwards,1866
 27664) *Hesperia pahaska* Leussler,1938 (Hesperiidae) Synonym(s): *pahaska* Leussler,1938
 27665) *Hesperia pahaska martini* MacNeill,1964 (Hesperiidae) Synonym(s): *martini* MacNeill,1964
 27666) *Hesperia pahaska pahaska* Leussler,1938 (Hesperiidae) Synonym(s): *pahaska* Leussler,1938
 27667) *Hesperia pahaska williamsi* Lindsey,1940 (Hesperiidae) Synonym(s): *williamsi* Lindsey,1940
 27668) *Hesperia pawnee* Dodge,1874 (Hesperiidae) Synonym(s): *pawnee* Dodge,1874
 27669) *Hesperia sassacus* Harris,1862 (Hesperiidae) Synonym(s): *sassacus* Harris,1862
 27670) *Hesperia sassacus manitoboides* (Fletcher,1888) (Hesperiidae) Synonym(s): *manitoboides* Fletcher,1888
 27671) *Hesperia sassacus sassacus* Harris,1862 (Hesperiidae) Synonym(s): *sassacus* Harris,1862
 27672) *Hesperia uncas* (Edwards,1863) (Hesperiidae) Synonym(s): *uncas* Edwards,1863; *ridingsii* Reakirt,1866
 27673) *Hesperia uncas gilberti* MacNeill,1964 (Hesperiidae) Synonym(s): *gilberti* MacNeill,1964
 27674) *Hesperia uncas lasus* (Edwards,1884) (Hesperiidae) Synonym(s): *lasus* Edwards,1884
 27675) *Hesperia uncas macswaini* MacNeill,1964 (Hesperiidae) Synonym(s): *macswaini* MacNeill,1964
 27676) *Hesperia uncas uncas* (Edwards,1863) (Hesperiidae) Synonym(s): *uncas* Edwards,1863; *ridingsii* Reakirt,1866
 27677) *Hesperia viridis* (Edwards,1883) (Hesperiidae) Synonym(s): *viridis* Edwards,1883
 27678) *Hesperia woodgatei* (R.C.Williams,1914) (Hesperiidae) Synonym(s): *woodgatei* R.C.Williams,1914
 27679) *Hesperilla andersoni* Kirby,1893 (Hesperiidae) Synonym(s): *andersoni* Kirby,1893
 27680) *Hesperilla andersoni andersoni* Kirby,1893 (Hesperiidae) Synonym(s): *andersoni* Kirby,1893
 27681) *Hesperilla chaostola* Meyrick,1887 (Hesperiidae) Synonym(s): *chaostola* Meyrick,1887
 27682) *Hesperilla chaostola chaostola* Meyrick,1887 (Hesperiidae) Synonym(s): *chaostola* Meyrick,1887
 27683) *Hesperilla chaostola chares* Waterhouse,1933 (Hesperiidae) Synonym(s): *chares* Waterhouse,1933
 27684) *Hesperilla chaostola leucophaea* Couchman,1945 (Hesperiidae) Synonym(s): *leucophaea* Couchman,1945
 27685) *Hesperilla chrysotricha* Meyrick & Lower,1902 (Hesperiidae) Synonym(s): *chrysotricha* Meyrick & Lower,1902
 27686) *Hesperilla chrysotricha chrysotricha* Meyrick & Lower,1902 (Hesperiidae) Synonym(s): *chrysotricha* Meyrick & Lower,1902
 27687) *Hesperilla chrysotricha cyclopsila* Meyrick & Lower,1902 (Hesperiidae) Synonym(s): *cyclopsila* Meyrick & Lower,1902; *leucospila* Waterhouse,1927
 27688) *Hesperilla chrysotricha leucosia* Waterhouse,1938 (Hesperiidae) Synonym(s): *leucosia* Waterhouse,1938
 27689) *Hesperilla chrysotricha plebeia* Waterhouse,1927 (Hesperiidae) Synonym(s): *plebeia* Waterhouse,1927
 27690) *Hesperilla crypsargyra* Meyrick,1887 (Hesperiidae) Synonym(s): *crypsargyra* Meyrick,1887
 27691) *Hesperilla crypsargyra crypsargyra* Meyrick,1887 (Hesperiidae) Synonym(s): *crypsargyra* Meyrick,1887
 27692) *Hesperilla crypsargyra hopsoni* Waterhouse,1927 (Hesperiidae) Synonym(s): *hopsoni* Waterhouse,1927
 27693) *Hesperilla donnysa* Hewitson,1868 (Hesperiidae) Synonym(s): *donnysa* Hewitson,1868
 27694) *Hesperilla donnysa albina* Waterhouse,1932 (Hesperiidae) Synonym(s): *albina* Waterhouse,1932
 27695) *Hesperilla donnysa aurantia* Waterhouse,1927 (Hesperiidae) Synonym(s): *aurantia* Waterhouse,1927
 27696) *Hesperilla donnysa delos* Waterhouse,1941 (Hesperiidae) Synonym(s): *delos* Waterhouse,1941
 27697) *Hesperilla donnysa diluta* Waterhouse,1932 (Hesperiidae) Synonym(s): *diluta* Waterhouse,1932
 27698) *Hesperilla donnysa donnysa* Hewitson,1868 (Hesperiidae) Synonym(s): *donnysa* Hewitson,1868
 27699) *Hesperilla donnysa flavescens* Waterhouse,1927 (Hesperiidae) Synonym(s): *flavescens* Waterhouse,1927
 27700) *Hesperilla donnysa flavia* Waterhouse,1941 (Hesperiidae) Synonym(s): *flavia* Waterhouse,1941
 27701) *Hesperilla donnysa galena* Waterhouse,1927 (Hesperiidae) Synonym(s): *donnysa galena* Waterhouse,1927
 27702) *Hesperilla donnysa icaria* Waterhouse,1941 (Hesperiidae) Synonym(s): *icaria* Waterhouse,1941
 27703) *Hesperilla donnysa patmos* Waterhouse,1941 (Hesperiidae) Synonym(s): *patmos* Waterhouse,1941
 27704) *Hesperilla donnysa samos* Waterhouse,1941 (Hesperiidae) Synonym(s): *samos* Waterhouse,1941
 27705) *Hesperilla idothea* Miskin,1889 (Hesperiidae) Synonym(s): *idothea* Miskin,1889; *dispar* Kirby,1893
 27706) *Hesperilla idothea clara* Waterhouse,1932 (Hesperiidae) Synonym(s): *clara* Waterhouse,1932
 27707) *Hesperilla idothea idothea* Miskin,1889 (Hesperiidae) Synonym(s): *idothea* Miskin,1889; *dispar* Kirby,1893
 27708) *Hesperilla malindeva* Lower,1911 (Hesperiidae) Synonym(s): *malindeva* Lower,1911
 27709) *Hesperilla malindeva malindeva* Lower,1911 (Hesperiidae) Synonym(s): *malindeva* Lower,1911
 27710) *Hesperilla mastersi* Waterhouse,1900 (Hesperiidae) Synonym(s): *mastersi* Waterhouse,1900
 27711) *Hesperilla mastersi mastersi* Waterhouse,1900 (Hesperiidae) Synonym(s): *mastersi* Waterhouse,1900
 27712) *Hesperilla ornata* (Leach,[1815]) (Hesperiidae) Synonym(s): *ornata* Leach,[1815]
 27713) *Hesperilla ornata monotherm* Lower,1907 (Hesperiidae) Synonym(s): *monotherm* Lower,1907
 27714) *Hesperilla ornata ornata* (Leach,[1815]) (Hesperiidae) Synonym(s): *ornata* Leach,[1815]
 27715) *Hesperilla picta* (Leach,[1815]) (Hesperiidae) Synonym(s): *picta* Leach,[1815]
 27716) *Hesperilla picta picta* (Leach,[1815]) (Hesperiidae) Synonym(s): *picta* Leach,[1815]
 27717) *Hesperopsis alpheus* (Edwards,1876) (Hesperiidae) Synonym(s): *alpheus* Edwards,1876
 27718) *Hesperopsis alpheus alpheus* (Edwards,1876) (Hesperiidae) Synonym(s): *alpheus* Edwards,1876
 27719) *Hesperopsis alpheus oricus* Edwards,1879 (Hesperiidae) Synonym(s): *oricus* Edwards,1879; *arizonensis* Mabile & Bouillet,1917
 27720) *Hesperopsis alpheus texana* Scott,1986 (Hesperiidae) Synonym(s): *texana* Scott,1986
 27721) *Hesperopsis graciela* (MacNeill,1970) (Hesperiidae) Synonym(s): *graciela* MacNeill,1970
 27722) *Hesperopsis libya* (Scudder,1878) (Hesperiidae) Synonym(s): *libya* Scudder,1878
 27723) *Hesperopsis libya lena* (Edwards,1882) (Hesperiidae) Synonym(s): *lena* Edwards,1882
 27724) *Hesperopsis libya libya* (Scudder,1878) (Hesperiidae) Synonym(s): *libya* Scudder,1878
 27725) *Heteropterus morpheus* (Pallas,1771) (Hesperiidae) Synonym(s): *morpheus* Pallas,1771; *speculum* Rottemburg,1775; *steropes* Denis & Schiffermüller,1775; *aracanthus* Fabricius,1777; *speculifer* Fourcroy,1785.
 27726) *Heteropterus morpheus morpheus* (Pallas,1771) (Hesperiidae) Synonym(s): *morpheus* Pallas,1771; *speculum* Rottemburg,1775; *steropes* Denis & Schiffermüller,1775; *aracanthus* Fabricius,1777; *speculifer* Fourcroy,1785.
 27727) *Hewitsoniella migonitis* Hewitson,1876 (Hesperiidae) Synonym(s): *migonitis* Hewitson,1876; *aenesius* Hewitson,1876; *trimaculatus* Rothschild,1915
 27728) *Hewitsoniella migonitis migonitis* Hewitson,1876 (Hesperiidae) Synonym(s): *migonitis* Hewitson,1876; *aenesius* Hewitson,1876; *trimaculatus* Rothschild,1915
 27729) *Hidari bhawani* De Nicéville,1888 (Hesperiidae) Synonym(s): *bhawani* De Nicéville,1888
 27730) *Hidari bhawani bhawani* De Nicéville,1888 (Hesperiidae) Synonym(s): *bhawani* De Nicéville,1888
 27731) *Hidari doesoena* Martin,1895 (Hesperiidae) Synonym(s): *doesoena* Martin,1895
 27732) *Hidari doesoena doesoena* Martin,1895 (Hesperiidae) Synonym(s): *doesoena* Martin,1895
 27733) *Hidari doesoena gloria* Evans,1949 (Hesperiidae) Synonym(s): *gloria* Evans,1949
 27734) *Hidari irava* (Moore,[1858]) (Hesperiidae) Synonym(s): *thrax* Geyer nec Linn.; *irava* Moore,[1858]; *hypaea* Hewitson,1868; *thracimima* Verity,1931

- 27735) **Hidari irava irava** (Moore,[1858]) (Hesperiidae) Synonym(s): *thrax* Geyer nec Linn.; *irava* Moore,[1858]; *hypaea* Hewitson,1868; *thracimima* Verity,1931
- 27736) **Houala amena** (Grose-Smith,1891) (Hesperiidae) Synonym(s): *amena* Grose-Smith,1891
- 27737) **Houala arota** Evans,1937 (Hesperiidae) Synonym(s): *arota* Evans,1937
- 27738) **Houala dispar** (Mabille,1877) (Hesperiidae) Synonym(s): *dispar* Mabille,1877; *disparilis* Oberthür,1916
- 27739) **Houala pardalina** (Butler,1879) (Hesperiidae) Synonym(s): *pardalina* Butler,1879; *labordei* Oberthür,1916
- 27740) **Houala saclavus** (Mabille,1891) (Hesperiidae) Synonym(s): *sacclavus* Mabille,1891; *gallienii* Oberthür,1916
- 27741) **Hyalothyrs neleus** (Linnaeus,1758) (Hesperiidae) Synonym(s): *neleus* Linnaeus,1758
- 27742) **Hyalothyrs neleus pemphigargyra** (Mabille,1888) (Hesperiidae) Synonym(s): *pemphigargyra* Mabille,1888; *niger* Röber,1927
- 27743) **Hyarotis adrastus** (Stoll,[1780]) (Hesperiidae) Synonym(s): *adrastus* Stoll,[1780]
- 27744) **Hyarotis adrastus adrastus** (Stoll,[1780]) (Hesperiidae) Synonym(s): *adrastus* Stoll,[1780]
- 27745) **Hyarotis adrastus armax** Evans,1942 (Hesperiidae) Synonym(s): *armax* Evans,1942
- 27746) **Hyarotis adrastus praba** (Moore,[1866]) (Hesperiidae) Synonym(s): *praba* Moore,[1866]; *phaenicis* Hewitson,1871; *meluchus* Fruhstorfer,1911; *palawensis* Fruhstorfer,1911; *mindanaensis* Fruhstorfer,1911; *#prabha* Pinratana,1985.
- 27747) **Hyarotis iadera** De Nicéville,1895 (Hesperiidae) Synonym(s): *iadera* De Nicéville,1895; *ciliata* Elwes & Edwards,1897
- 27748) **Hyarotis iadera iadera** De Nicéville,1895 (Hesperiidae) Synonym(s): *iadera* De Nicéville,1895; *ciliata* Elwes & Edwards,1897
- 27749) **Hyarotis microstictum Wood-Mason & De Nicéville,1887** (Hesperiidae) Synonym(s): *microstictum* Wood-Mason & De Nicéville,1887; *biseriata* Elwes & Edwards,1897; *binghami* Swinhoe,1907
- 27750) **Hyarotis microstictum coorga** Evans,1949 (Hesperiidae) Synonym(s): *coorga* Evans,1949
- 27751) **Hyarotis microstictum microstictum Wood-Mason & De Nicéville,1887** (Hesperiidae) Synonym(s): *microstictum* Wood-Mason & De Nicéville,1887; *biseriata* Elwes & Edwards,1897; *binghami* Swinhoe,1907
- 27752) **Hylephila phyleus** (Drury,1773) (Hesperiidae) Synonym(s): *phyleus* Drury,1773; *carin* Hübner,[1823]; *bucephalus* Stephens,1828; *hala* Butler,1870; *muertovalle* Scott,1981; *eureka* Austin & J.Emmel,1998
- 27753) **Hylephila phyleus phyleus** (Drury,1773) (Hesperiidae) Synonym(s): *phyleus* Drury,1773; *carin* Hübner,[1823]; *bucephalus* Stephens,1828; *hala* Butler,1870; *muertovalle* Scott,1981; *eureka* Austin & J.Emmel,1998
- 27754) **Hypoleucis ophiusa** (Hewitson,1866) (Hesperiidae) Synonym(s): *ophiusa* Hewitson,1866
- 27755) **Hypoleucis ophiusa ophir** Evans,1937 (Hesperiidae) Synonym(s): *ophir* Evans,1937
- 27756) **Hypoleucis ophiusa ophiusa** (Hewitson,1866) (Hesperiidae) Synonym(s): *ophiusa* Hewitson,1866
- 27757) **Hypoleucis sophia** Evans,1937 (Hesperiidae) Synonym(s): *sophia* Evans,1937
- 27758) **Hypoleucis tripunctata** Mabille,1891 (Hesperiidae) Synonym(s): *tripunctata* Mabille,1891; *titanota* Karsch,1893
- 27759) **Hypoleucis tripunctata draga** Evans,1937 (Hesperiidae) Synonym(s): *draga* Evans,1937
- 27760) **Hypoleucis tripunctata tripunctata Mabille,1891** (Hesperiidae) Synonym(s): *tripunctata* Mabille,1891; *titanota* Karsch,1893
- 27761) **Hypoleucis tripunctata truda** Evans,1937 (Hesperiidae) Synonym(s): *truda* Evans,1937
- 27762) **Iambrix distant** Shepherd,1937 (Hesperiidae) Synonym(s): *unicolor* Distant,1886 nec Mre.,1883; *distanti* Shepherd,1937
- 27763) **Iambrix distanti distant** Shepherd,1937 (Hesperiidae) Synonym(s): *unicolor* Distant,1886 nec Mre.,1883; *distanti* Shepherd,1937
- 27764) **Iambrix latifascia** Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *latifascia* Elwes & Edwards,1897
- 27765) **Iambrix latifascia latifascia** Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *latifascia* Elwes & Edwards,1897
- 27766) **Iambrix obliquans** Mabille,1893 (Hesperiidae) Synonym(s): *obliquans* Mabille,1893
- 27767) **Iambrix obliquans obliquans** Mabille,1893 (Hesperiidae) Synonym(s): *obliquans* Mabille,1893
- 27768) **Iambrix obliquans yamanta** Fruhstorfer,1910 (Hesperiidae) Synonym(s): *yamanta* Fruhstorfer,1910
- 27769) **Iambrix salsala** (Moore,1865) (Hesperiidae) Synonym(s): *salsala* Moore,1865; *vasuba* Fruhstorfer,1910
- 27770) **Iambrix salsala luteipalpis** Plötz,1886 (Hesperiidae) Synonym(s): *luteipalpis* Plötz,1886
- 27771) **Iambrix salsala salsala** (Moore,1865) (Hesperiidae) Synonym(s): *salsala* Moore,1865; *vasuba* Fruhstorfer,1910
- 27772) **Iambrix stellifer** (Butler,1877) (Hesperiidae) Synonym(s): *stellifer* Butler,1877; *mergus* Plötz,1884; *niasicus* Fruhstorfer,1910
- 27773) **Iambrix stellifer stellifer** (Butler,1877) (Hesperiidae) Synonym(s): *stellifer* Butler,1877; *mergus* Plötz,1884; *niasicus* Fruhstorfer,1910
- 27774) **Ilma irvina** (Plötz,1886) (Hesperiidae) Synonym(s): *irvina* Plötz,1886; *jovina* Swinhoe,1905
- 27775) **Ilma irvina irvina** (Plötz,1886) (Hesperiidae) Synonym(s): *irvina* Plötz,1886; *jovina* Swinhoe,1905
- 27776) **Isma binotatus** Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *binotatus* Elwes & Edwards,1897; *cicatrosa* Elwes & Edwards,1897
- 27777) **Isma binotatus binotatus** Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *binotatus* Elwes & Edwards,1897; *cicatrosa* Elwes & Edwards,1897
- 27778) **Isma bipunctatus** Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *bipunctatus* Elwes & Edwards,1897
- 27779) **Isma bipunctatus bipunctatus** Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *bipunctatus* Elwes & Edwards,1897
- 27780) **Isma bononia** (Hewitson,1868) (Hesperiidae) Synonym(s): *bononia* Hewitson,1868; *inarime* De Nicéville,1891; *zetis* Mabille,1893
- 27781) **Isma bononia bononia** (Hewitson,1868) (Hesperiidae) Synonym(s): *bononia* Hewitson,1868; *inarime* De Nicéville,1891; *zetis* Mabille,1893
- 27782) **Isma bononia idyalis** De Nicéville,1897 (Hesperiidae) Synonym(s): *idyalis* De Nicéville,1897
- 27783) **Isma bononoides** Druce,1912 (Hesperiidae) Synonym(s): *bononoides* Druce,1912; *matanga* Druce,1912
- 27784) **Isma bononoides bononoides** Druce,1912 (Hesperiidae) Synonym(s): *bononoides* Druce,1912; *matanga* Druce,1912
- 27785) **Isma cronus** De Nicéville,1894 (Hesperiidae) Synonym(s): *cronus* De Nicéville,1894
- 27786) **Isma cronus cronus** De Nicéville,1894 (Hesperiidae) Synonym(s): *cronus* De Nicéville,1894
- 27787) **Isma dawna** Evans,1926 (Hesperiidae) Synonym(s): *dawna* Evans,1926
- 27788) **Isma dawna dawna** Evans,1926 (Hesperiidae) Synonym(s): *dawna* Evans,1926
- 27789) **Isma feralia** (Hewitson,1868) (Hesperiidae) Synonym(s): *feralia* Hewitson,1868; *javana* Evans,1932
- 27790) **Isma feralia fenestrata** Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *fenestrata* Elwes & Edwards,1897; *concinna* Elwes & Edwards,1897
- 27791) **Isma feralia feralia** (Hewitson,1868) (Hesperiidae) Synonym(s): *feralia* Hewitson,1868; *javana* Evans,1932
- 27792) **Isma feralia lenya** Evans,1932 (Hesperiidae) Synonym(s): *lenya* Evans,1932
- 27793) **Isma feralia ssp.n.** (Hesperiidae) Synonym(s):
- 27794) **Isma guttulifera** Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *guttulifera* Elwes & Edwards,1897; *damocles* Evans,1939
- 27795) **Isma guttulifera guttulifera** Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *guttulifera* Elwes & Edwards,1897; *damocles* Evans,1939
- 27796) **Isma hislopi** Eliot,1973 (Hesperiidae) Synonym(s): *hislopi* Eliot,1973
- 27797) **Isma kuala** Evans,1932 (Hesperiidae) Synonym(s): *kuala* Evans,1932
- 27798) **Isma kuala kuala** Evans,1932 (Hesperiidae) Synonym(s): *kuala* Evans,1932
- 27799) **Isma miosticta** De Nicéville,1891 (Hesperiidae) Synonym(s): *miosticta* De Nicéville,1891; *indistincta* Druce,1912
- 27800) **Isma miosticta miosticta** De Nicéville,1891 (Hesperiidae) Synonym(s): *miosticta* De Nicéville,1891; *indistincta* Druce,1912
- 27801) **Isma obscura** Distant,1886 (Hesperiidae) Synonym(s): *obscura* Distant,1886
- 27802) **Isma obscura bicolor** Evans,1926 (Hesperiidae) Synonym(s): *bicolor* Evans,1926
- 27803) **Isma obscura fonta** Evans,1949 (Hesperiidae) Synonym(s): *fonta* Evans,1949
- 27804) **Isma obscura obscura** Distant,1886 (Hesperiidae) Synonym(s): *obscura* Distant,1886
- 27805) **Isma obscura purpurascens** Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *purpurascens* Elwes & Edwards,1897
- 27806) **Isma obscura vulsina** Evans,1949 (Hesperiidae) Synonym(s): *vulsina* Evans,1949
- 27807) **Isma protoclea** (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *protoclea* Herrich-Schäffer,1869
- 27808) **Isma protoclea iapis** De Nicéville,1890 (Hesperiidae) Synonym(s): *iapis* De Nicéville,1890
- 27809) **Isma protoclea protoclea** (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *protoclea* Herrich-Schäffer,1869; *vulso* Mabille,1893
- 27810) **Isma umbrosa** Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *umbrosa* Elwes & Edwards,1897
- 27811) **Isma umbrosa ferox** Evans,1932 (Hesperiidae) Synonym(s): *ferox* Evans,1932
- 27812) **Isma umbrosa umbrosa** Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *umbrosa* Elwes & Edwards,1897
- 27813) **Isoteinon lamprospilus** C.Felder & R.Felder,1862 (Hesperiidae) Synonym(s): *lamprospilus* C.Felder & R.Felder,1862
- 27814) **Isoteinon lamprospilus formosanus** Fruhstorfer,1910 (Hesperiidae) Synonym(s): *formosanus* Fruhstorfer,1910
- 27815) **Isoteinon lamprospilus lamprospilus** C.Felder & R.Felder,1862 (Hesperiidae) Synonym(s): *lamprospilus* C.Felder & R.Felder,1862
- 27816) **Iton semamora** (Moore,1866) (Hesperiidae) Synonym(s): *semamora* Moore,1866
- 27817) **Iton semamora barea** (Hewitson,1866) (Hesperiidae) Synonym(s): *barea* Hewitson,1866
- 27818) **Iton semamora semamora** (Moore,1866) (Hesperiidae) Synonym(s): *semamora* Moore,1866

- 27819) *Iton watsonii* De Nicéville, 1895 (Hesperiidae) Synonym(s): *watsonii* De Nicéville, 1895
 27820) *Iton watsonii watsonii* De Nicéville, 1895 (Hesperiidae) Synonym(s): *watsonii* De Nicéville, 1895
 27821) *Jemadia ahira* (Hewitson, 1866) (Hesperiidae) Synonym(s): *ahira* Hewitson, 1866
 27822) *Jemadia alburnia* (Mabille, 1891) (Hesperiidae) Synonym(s): *alburnia* Mabille, 1891
 27823) *Jemadia azeta* (Hewitson, 1866) (Hesperiidae) Synonym(s): *azeta* Hewitson, 1866
 27824) *Jemadia fallax* (Mabille, 1878) (Hesperiidae) Synonym(s): *fallax* Mabille, 1878
 27825) *Jemadia gnetus* (Fabricius, 1781) (Hesperiidae) Synonym(s): *gnetus* Fabricius, 1781; *megalesius* Hübner, [1819]
 27826) *Jemadia hephaestos* (Möschler, 1883) (Hesperiidae) Synonym(s): *hephaestos* Möschler, 1883; *zamora* Mabille & Boulet, 1908
 27827) *Jemadia hewitsoni* (Mabille, 1878) (Hesperiidae) Synonym(s): *hewitsoni* Mabille, 1878
 27828) *Jemadia hospita* (Butler, 1877) (Hesperiidae) Synonym(s): *hospita* Butler, 1877
 27829) *Jemadia imitator* (Mabille, 1891) (Hesperiidae) Synonym(s): *imitator* Mabille, 1891
 27830) *Jemadia lecerfi* Mabille & Boulet, 1908 (Hesperiidae) Synonym(s): *lecerfi* Mabille & Boulet, 1908
 27831) *Jemadia lisetta* Mabille & Boulet, 1908 (Hesperiidae) Synonym(s): *lisetta* Mabille & Boulet, 1908
 27832) *Jemadia menechmus* (Mabille, 1878) (Hesperiidae) Synonym(s): *menechmus* Mabille, 1878
 27833) *Jemadia patrobas* (Hewitson, 1871) (Hesperiidae) Synonym(s): *vulcanus* Hewitson, 1857 nec Cr., 1782; *patrobas* Hewitson, 1871
 27834) *Jemadia polyzona* (Latreille, 1823) (Hesperiidae) Synonym(s): *polyzona* Latreille, 1823; *jamina* Butler, 1870
 27835) *Jemadia pseudognetus* (Mabille, 1878) (Hesperiidae) Synonym(s): *pseudognetus* Mabille, 1878; *dorylas* Plötz, 1879; *paulensis* Schaus, 1902
 27836) *Jemadia scomber* Druce, 1908 (Hesperiidae) Synonym(s): *scomber* Druce, 1908
 27837) *Jemadia sosia* (Mabille, 1878) (Hesperiidae) Synonym(s): *sosia* Mabille, 1878
 27838) *Jemadia suzetta* Mabille & Boulet, 1908 (Hesperiidae) Synonym(s): *suzetta* Mabille & Boulet, 1908
 27839) *Jemadia ulyxes* (Plötz, 1879) (Hesperiidae) Synonym(s): *ulyxes* Plötz, 1879
 27840) *Jemadia umbrata* Mabille & Boulet, 1908 (Hesperiidae) Synonym(s): *umbrata* Mabille & Boulet, 1908
 27841) *Jemadia zimra* (Hewitson, 1871) (Hesperiidae) Synonym(s): *zimra* Hewitson, 1871
 27842) *Jemadia zonara* (Hewitson, 1866) (Hesperiidae) Synonym(s): *zonara* Hewitson, 1866
 27843) *Joanna joanna* Evans, 1955 (Hesperiidae) Synonym(s): *joanna* Evans, 1955
 27844) *Jonaspyge jonas* (C. Felder & R. Felder, 1859) (Hesperiidae) Synonym(s): *jonas* C. Felder & R. Felder, 1859; *cydonia* Druce, 1874
 27845) *Jonaspyge tzotzili* (Freeman, 1969) (Hesperiidae) Synonym(s): *tzotzili* Freeman, 1969
 27846) *Justinia norda* Evans, 1955 (Hesperiidae) Synonym(s): *norda* Evans, 1955
 27847) *Katreus dimidius* (Holland, 1896) (Hesperiidae) Synonym(s): *dimidius* Holland, 1896; *hollandi* Druce, 1909; *#drucei* Evans, 1937; *#karschi* Evans, 1937
 27848) *Katreus dimidius dimidius* (Holland, 1896) (Hesperiidae) Synonym(s): *dimidius* Holland, 1896; *hollandi* Druce, 1909; *#drucei* Evans, 1937; *#karschi* Evans, 1937
 27849) *Katreus holocaustus* (Mabille, 1891) (Hesperiidae) Synonym(s): *holocaustus* Mabille, 1891; *melichroptera* Karsch, 1895
 27850) *Katreus holocaustus holocaustus* (Mabille, 1891) (Hesperiidae) Synonym(s): *holocaustus* Mabille, 1891; *melichroptera* Karsch, 1895
 27851) *Katreus johnstonii* (Butler, 1888) (Hesperiidae) Synonym(s): *johnstonii* Butler, 1888; *apicalis* Mabille, 1890; *percnoptera* Karsch, 1895
 27852) *Kedestes barberae* (Trimén, 1873) (Hesperiidae) Synonym(s): *barberae* Trimén, 1873
 27853) *Kedestes barberae barberae* (Trimén, 1873) (Hesperiidae) Synonym(s): *barberae* Trimén, 1873
 27854) *Kedestes barberae bonsa* Evans, 1956 (Hesperiidae) Synonym(s): *bonsa* Evans, 1956
 27855) *Kedestes barberae bunta* Evans, 1956 (Hesperiidae) Synonym(s): *bunta* Evans, 1956
 27856) *Kedestes brunneostigma* (Plötz, 1884) (Hesperiidae) Synonym(s): *brunneostigma* Plötz, 1884
 27857) *Kedestes callicles* (Hewitson, 1868) (Hesperiidae) Synonym(s): *callicles* Hewitson, 1868; *aleta* Plötz, 1883
 27858) *Kedestes chaca* (Trimén, 1873) (Hesperiidae) Synonym(s): *chaca* Trimén, 1873
 27859) *Kedestes heathi* Hancock & Gardiner, 1982 (Hesperiidae) Synonym(s): *heathi* Hancock & Gardiner, 1982
 27860) *Kedestes lema* Neave, 1910 (Hesperiidae) Synonym(s): *lema* Neave, 1910
 27861) *Kedestes lema lema* Neave, 1910 (Hesperiidae) Synonym(s): *lema* Neave, 1910
 27862) *Kedestes lema linka* Evans, 1956 (Hesperiidae) Synonym(s): *linka* Evans, 1956
 27863) *Kedestes lenis* Riley, 1932 (Hesperiidae) Synonym(s): *lenis* Riley, 1932
 27864) *Kedestes lepenula* (Wallengren, 1857) (Hesperiidae) Synonym(s): *lepenula* Wallengren, 1857; *chersias* Hewitson, 1877
 27865) *Kedestes macomo* (Trimén, 1862) (Hesperiidae) Synonym(s): *macomo* Trimén, 1862
 27866) *Kedestes malua* Neave, 1910 (Hesperiidae) Synonym(s): *malua* Neave, 1910
 27867) *Kedestes marshalli Aurivillius*, 1925 (Hesperiidae) Synonym(s): *marshalli Aurivillius*, 1925
 27868) *Kedestes michaeli* Gardiner & Hancock, 1982 (Hesperiidae) Synonym(s): *michaeli* Gardiner & Hancock, 1982
 27869) *Kedestes mohozutza* (Wallengren, 1857) (Hesperiidae) Synonym(s): *mohozutza* Wallengren, 1857
 27870) *Kedestes monostichus* Hancock & Gardiner, 1982 (Hesperiidae) Synonym(s): *monostichus* Hancock & Gardiner, 1982
 27871) *Kedestes nancy* Collins & T. Larsen, 1991 (Hesperiidae) Synonym(s): *nancy* Collins & T. Larsen, 1991
 27872) *Kedestes nerva* (Fabricius, 1793) (Hesperiidae) Synonym(s): *nerva* Fabricius, 1793; *tucusa* Trimén, 1883
 27873) *Kedestes nerva nerva* (Fabricius, 1793) (Hesperiidae) Synonym(s): *nerva* Fabricius, 1793; *tucusa* Trimén, 1883
 27874) *Kedestes nerva paola* Plötz, 1884 (Hesperiidae) Synonym(s): *paola* Plötz, 1884
 27875) *Kedestes niveostigma* (Trimén, 1864) (Hesperiidae) Synonym(s): *niveostigma* Trimén, 1864
 27876) *Kedestes pinheyi* Hancock & Gardiner, 1982 (Hesperiidae) Synonym(s): *pinheyi* Hancock & Gardiner, 1982
 27877) *Kedestes protensa* Butler, 1901 (Hesperiidae) Synonym(s): *protensa* Butler, 1901; *chacoides* Gaede, 1916
 27878) *Kedestes rogersi* Druce, 1907 (Hesperiidae) Synonym(s): *rogersi* Druce, 1907
 27879) *Kedestes straeleni* Evans, 1956 (Hesperiidae) Synonym(s): *straeleni* Evans, 1956
 27880) *Kedestes sublineata* Pennington, 1953 (Hesperiidae) Synonym(s): *sublineata* Pennington, 1953
 27881) *Kedestes wallengrenii* (Trimén, 1883) (Hesperiidae) Synonym(s): *wallengrenii* Trimén, 1883
 27882) *Kedestes wallengrenii fenestratus* (Butler, 1894) (Hesperiidae) Synonym(s): *fenestratus* Butler, 1894
 27883) *Kedestes wallengrenii wallengrenii* (Trimén, 1883) (Hesperiidae) Synonym(s): *wallengrenii* Trimén, 1883
 27884) *Kobrona croma* Evans, 1949 (Hesperiidae) Synonym(s): *croma* Evans, 1949
 27885) *Kobrona croma croma* Evans, 1949 (Hesperiidae) Synonym(s): *croma* Evans, 1949
 27886) *Kobrona denva* Evans, 1949 (Hesperiidae) Synonym(s): *denva* Evans, 1949
 27887) *Kobrona denva denva* Evans, 1949 (Hesperiidae) Synonym(s): *denva* Evans, 1949
 27888) *Kobrona edina* Evans, 1949 (Hesperiidae) Synonym(s): *edina* Evans, 1949
 27889) *Kobrona edina edina* Evans, 1949 (Hesperiidae) Synonym(s): *edina* Evans, 1949
 27890) *Kobrona eva* Evans, 1935 (Hesperiidae) Synonym(s): *eva* Evans, 1935
 27891) *Kobrona eva eva* Evans, 1935 (Hesperiidae) Synonym(s): *eva* Evans, 1935
 27892) *Kobrona idea* Evans, 1949 (Hesperiidae) Synonym(s): *idea* Evans, 1949
 27893) *Kobrona idea idea* Evans, 1949 (Hesperiidae) Synonym(s): *idea* Evans, 1949
 27894) *Kobrona infralutea* (Rothschild, 1916) (Hesperiidae) Synonym(s): *infralutea* Rothschild, 1916
 27895) *Kobrona infralutea infralutea* (Rothschild, 1916) (Hesperiidae) Synonym(s): *infralutea* Rothschild, 1916
 27896) *Kobrona kobros* (Plötz, 1885) (Hesperiidae) Synonym(s): *kobros* Plötz, 1885; *novaguineae* Rothschild, 1915
 27897) *Kobrona kobros issla* (Plötz, 1886) (Hesperiidae) Synonym(s): *issla* Plötz, 1886; *isla* De Nicéville, 1892
 27898) *Kobrona kobros kobros* (Plötz, 1885) (Hesperiidae) Synonym(s): *kobros* Plötz, 1885; *novaguineae* Rothschild, 1915
 27899) *Kobrona mirza* Evans, 1935 (Hesperiidae) Synonym(s): *mirza* Evans, 1935
 27900) *Kobrona mirza mirza* Evans, 1935 (Hesperiidae) Synonym(s): *mirza* Evans, 1935
 27901) *Kobrona pansa* Evans, 1934 (Hesperiidae) Synonym(s): *pansa* Evans, 1934
 27902) *Kobrona pansa pansa* Evans, 1934 (Hesperiidae) Synonym(s): *pansa* Evans, 1934
 27903) *Kobrona pansa panta* Evans, 1949 (Hesperiidae) Synonym(s): *panta* Evans, 1949
 27904) *Kobrona rasta* Evans, 1935 (Hesperiidae) Synonym(s): *rasta* Evans, 1935
 27905) *Kobrona rasta rasta* Evans, 1935 (Hesperiidae) Synonym(s): *rasta* Evans, 1935
 27906) *Kobrona tabella* Evans, 1935 (Hesperiidae) Synonym(s): *tabella* Evans, 1935
 27907) *Kobrona tabella tabella* Evans, 1935 (Hesperiidae) Synonym(s): *tabella* Evans, 1935

- 27908) *Kobrona vanda* Evans, 1949 (Hesperiidae) Synonym(s): *vanda* Evans, 1949
 27909) *Kobrona vanda vanda* Evans, 1949 (Hesperiidae) Synonym(s): *vanda* Evans, 1949
 27910) *Kobrona vasa* Evans, 1935 (Hesperiidae) Synonym(s): *vasa* Evans, 1935
 27911) *Kobrona vasa vasa* Evans, 1935 (Hesperiidae) Synonym(s): *vasa* Evans, 1935
 27912) *Kobrona wama* (Plötz, 1885) (Hesperiidae) Synonym(s): *wama* Plötz, 1885
 27913) *Kobrona wama rudha* (Fruhstorfer, 1911) (Hesperiidae) Synonym(s): *rudha* Fruhstorfer, 1911
 27914) *Kobrona wama wama* (Plötz, 1885) (Hesperiidae) Synonym(s): *wama* Plötz, 1885
 27915) *Koruthaialos butleri* (De Nicéville, 1883) (Hesperiidae) Synonym(s): *butleri* De Nicéville, 1883; *nigerrima* Swinhoe, 1919
 27916) *Koruthaialos butleri butleri* (De Nicéville, 1883) (Hesperiidae) Synonym(s): *butleri* De Nicéville, 1883; *nigerrima* Swinhoe, 1919
 27917) *Koruthaialos focula* (Plötz, 1882) (Hesperiidae) Synonym(s): *focula* Plötz, 1882; *kophene* De Nicéville, 1896
 27918) *Koruthaialos focula focula* (Plötz, 1882) (Hesperiidae) Synonym(s): *focula* Plötz, 1882; *kophene* De Nicéville, 1896
 27919) *Koruthaialos focula frena* Evans, 1949 (Hesperiidae) Synonym(s): *frena* Evans, 1949
 27920) *Koruthaialos focula kerala* De Nicéville, 1896 (Hesperiidae) Synonym(s): *kerala* De Nicéville, 1896
 27921) *Koruthaialos rubecula* (Plötz, 1882) (Hesperiidae) Synonym(s): *rubecula* Plötz, 1882
 27922) *Koruthaialos rubecula atra* Evans, 1949 (Hesperiidae) Synonym(s): *atra* Evans, 1949
 27923) *Koruthaialos rubecula balina* Evans, 1949 (Hesperiidae) Synonym(s): *balina* Evans, 1949
 27924) *Koruthaialos rubecula cachara* Evans, 1949 (Hesperiidae) Synonym(s): *butleri* Wood-Mason & De Nicéville, 1886 nec De Nicéville, 1883; *cachara* Evans, 1949
 27925) *Koruthaialos rubecula hector* E.Y. Watson, 1893 (Hesperiidae) Synonym(s): *hector* E.Y. Watson, 1893; *avidha* Fruhstorfer, 1910; *gopaka* Fruhstorfer, 1910
 27926) *Koruthaialos rubecula luzonensis* Fruhstorfer, 1910 (Hesperiidae) Synonym(s): *luzonensis* Fruhstorfer, 1910
 27927) *Koruthaialos rubecula namata* Fruhstorfer, 1910 (Hesperiidae) Synonym(s): *namata* Fruhstorfer, 1910; *sumatrana* Evans, 1932
 27928) *Koruthaialos rubecula niasicus* Fruhstorfer, 1910 (Hesperiidae) Synonym(s): *niasicus* Fruhstorfer, 1910
 27929) *Koruthaialos rubecula ponta* Evans, 1949 (Hesperiidae) Synonym(s): *ponta* Evans, 1949
 27930) *Koruthaialos rubecula rubecula* (Plötz, 1882) (Hesperiidae) Synonym(s): *rubecula* Plötz, 1882
 27931) *Koruthaialos rubecula rubina* Evans, 1949 (Hesperiidae) Synonym(s): *rubina* Evans, 1949
 27932) *Koruthaialos rubecula verona* Evans, 1949 (Hesperiidae) Synonym(s): *verona* Evans, 1949
 27933) *Koruthaialos sindu* (C. Felder & R. Felder, 1860) (Hesperiidae) Synonym(s): *sindu* C. Felder & R. Felder, 1860
 27934) *Koruthaialos sindu javanites* (Staudinger, 1889) (Hesperiidae) Synonym(s): *javanites* Staudinger, 1889; *haraka* Fruhstorfer, 1910
 27935) *Koruthaialos sindu monda* Evans, 1949 (Hesperiidae) Synonym(s): *monda* Evans, 1949
 27936) *Koruthaialos sindu palawites* (Staudinger, 1889) (Hesperiidae) Synonym(s): *palawites* Staudinger, 1889
 27937) *Koruthaialos sindu rudra* Evans, 1942 (Hesperiidae) Synonym(s): *rudra* Evans, 1942
 27938) *Koruthaialos sindu sindu* (C. Felder & R. Felder, 1860) (Hesperiidae) Synonym(s): *sindu* C. Felder & R. Felder, 1860
 27939) *Koruthaialos sindu tanda* Evans, 1949 (Hesperiidae) Synonym(s): *tanda* Evans, 1949
 27940) *Lento hermione* (Schaus, 1913) (Hesperiidae) Synonym(s): *hermione* Schaus, 1913
 27941) *Lepella lepeletier* (Latreille, [1824]) (Hesperiidae) Synonym(s): *lepeletier* Latreille, [1824]
 27942) *Leptalina unicolor* (Bremer & Grey, [1852]) (Hesperiidae) Synonym(s): *unicolor* Bremer & Grey, [1852]; *ornatus* Bremer, 1861
 27943) *Leptalina unicolor unicolor* (Bremer & Grey, [1852]) (Hesperiidae) Synonym(s): *unicolor* Bremer & Grey, [1852]; *ornatus* Bremer, 1861
 27944) *Lerema accius* (J.E. Smith, 1797) (Hesperiidae) Synonym(s): *accius* J.E. Smith, 1797; *monoco* Scudder, 1864; *nortonii* Edwards, 1867; *punctella* Grote & Robinson, 1867; *parumpunctata* Herrich-Schäffer, 1869; *pattenii* Scudder, 1872; *phocylides* Plötz, 1882
 27945) *Lerema liris* Evans, 1955 (Hesperiidae) Synonym(s): *liris* Evans, 1955
 27946) *Lerema lochius* (Plötz, 1882) (Hesperiidae) Synonym(s): *lochius* Plötz, 1882; *dido* Plötz, 1882
 27947) *Lerema lumina* (Herrich-Schäffer, 1869) (Hesperiidae) Synonym(s): *lumina* Herrich-Schäffer, 1869; *bipunctata* Mabil, 1899; *staurus* Mabil, 1904
 27948) *Lerodea arabus* (Edwards, 1882) (Hesperiidae) Synonym(s): *arabus* Edwards, 1882; *dysaules* Godman, 1900
 27949) *Lerodea eufala* (Edwards, 1869) (Hesperiidae) Synonym(s): *floridae* Mabil, 1867; *eufala* Edwards, 1869; *dispersa* Herrich-Schäffer, 1869; *micylla* Burmeister, 1878; *obscura* Mabil, 1904
 27950) *Lerodea similea* Bell, 1942 (Hesperiidae) Synonym(s): *similea* Bell, 1942
 27951) *Leucochitonea amneris* (Rebel & Rogenhofer, 1894) (Hesperiidae) Synonym(s): *amneris* Rebel & Rogenhofer, 1894
 27952) *Leucochitonea hindei* Druce, 1903 (Hesperiidae) Synonym(s): *hindei* Druce, 1903
 27953) *Leucochitonea levubu* Wallengren, 1857 (Hesperiidae) Synonym(s): *levubu* Wallengren, 1857; *lactea* Plötz, 1885; *#defecta* Aurivillius, 1925
 27954) *Librita heras* (Godman, 1900) (Hesperiidae) Synonym(s): *heras* Godman, 1900
 27955) *Librita librita* (Plötz, 1886) (Hesperiidae) Synonym(s): *librita* Plötz, 1886; *hecale* Godman, 1900
 27956) *Lobocla bifasciata* (Bremer & Grey, 1853) (Hesperiidae) Synonym(s): *bifasciata* Bremer & Grey, 1853; *kodairi* Sonan, 1936; *disparalis* Murayama, 1995.
 27957) *Lobocla bifasciata bifasciata* (Bremer & Grey, 1853) (Hesperiidae) Synonym(s): *bifasciata* Bremer & Grey, 1853; *kodairi* Sonan, 1936; *disparalis* Murayama, 1995.
 27958) *Lobocla contracta* Leech, 1894 (Hesperiidae) Synonym(s): *contracta* Leech, 1894
 27959) *Lobocla contracta contracta* Leech, 1894 (Hesperiidae) Synonym(s): *contracta* Leech, 1894
 27960) *Lobocla germana* Oberthür, 1886 (Hesperiidae) Synonym(s): *germana* Oberthür, 1886
 27961) *Lobocla germana germana* Oberthür, 1886 (Hesperiidae) Synonym(s): *germana* Oberthür, 1886
 27962) *Lobocla liliana* (Atkinson, 1871) (Hesperiidae) Synonym(s): *liliana* Atkinson, 1871; *casyapa* Moore, 1884
 27963) *Lobocla liliana aborica* Tytler, 1915 (Hesperiidae) Synonym(s): *aborica* Tytler, 1915
 27964) *Lobocla liliana ignatius* Plötz, 1882 (Hesperiidae) Synonym(s): *ignatius* Plötz, 1882; *casyapa* Moore, 1884.
 27965) *Lobocla liliana liliana* (Atkinson, 1871) (Hesperiidae) Synonym(s): *liliana* Atkinson, 1871; *casyapa* Moore, 1884
 27966) *Lobocla liliana tonka* Evans, 1949 (Hesperiidae) Synonym(s): *tonka* Evans, 1949
 27967) *Lobocla liliana zesta* Evans, 1949 (Hesperiidae) Synonym(s): *zesta* Evans, 1949
 27968) *Lobocla nepos* Oberthür, 1886 (Hesperiidae) Synonym(s): *nepos* Oberthür, 1886
 27969) *Lobocla nepos nepos* Oberthür, 1886 (Hesperiidae) Synonym(s): *nepos* Oberthür, 1886
 27970) *Lobocla nepos phyllis* Hemming, 1933 (Hesperiidae) Synonym(s): *frater* Alpheraky, 1897 nec Oberthür, 1891; *phyllis* Hemming, 1933.
 27971) *Lobocla proxima* Leech, 1891 (Hesperiidae) Synonym(s): *frater* Oberthür, 1891; *proxima* Leech, 1891
 27972) *Lobocla proxima proxima* Leech, 1891 (Hesperiidae) Synonym(s): *frater* Oberthür, 1891; *proxima* Leech, 1891
 27973) *Lobocla simplex* Leech, 1891 (Hesperiidae) Synonym(s): *simplex* Leech, 1891; *gener* Oberthür, 1891
 27974) *Lobocla simplex simplex* Leech, 1891 (Hesperiidae) Synonym(s): *simplex* Leech, 1891; *gener* Oberthür, 1891
 27975) *Lotongus avesta* (Hewitson, 1868) (Hesperiidae) Synonym(s): *avesta* Hewitson, 1868
 27976) *Lotongus avesta avesta* (Hewitson, 1868) (Hesperiidae) Synonym(s): *avesta* Hewitson, 1868
 27977) *Lotongus calathus* (Hewitson, 1876) (Hesperiidae) Synonym(s): *calathus* Hewitson, 1876
 27978) *Lotongus calathus balta* Evans, 1949 (Hesperiidae) Synonym(s): *balta* Evans, 1949
 27979) *Lotongus calathus calathus* (Hewitson, 1876) (Hesperiidae) Synonym(s): *calathus* Hewitson, 1876; *schaedia* Hewitson, 1876; *maculatus* Distant, 1886; *surus* Mabil, 1895
 27980) *Lotongus calathus parthenope* Plötz, 1886 (Hesperiidae) Synonym(s): *parthenope* Plötz, 1886; *traviata* Plötz, 1886
 27981) *Lotongus calathus shigeoi* Treadaway & Nuyda, 1994 (Hesperiidae) Synonym(s): *shigeoi* Treadaway & Nuyda, 1994
 27982) *Lotongus calathus taprobanus* Plötz, 1885 (Hesperiidae) Synonym(s): *taprobanus* Plötz, 1885; *mythecoides* De Nicéville, 1898
 27983) *Lotongus calathus zalates* Mabil, 1893 (Hesperiidae) Synonym(s): *zalates* Mabil, 1893
 27984) *Lotongus onara* (Butler, 1870) (Hesperiidae) Synonym(s): *onara* Butler, 1870
 27985) *Lotongus onara onara* (Butler, 1870) (Hesperiidae) Synonym(s): *onara* Butler, 1870
 27986) *Lotongus sarala* De Nicéville, 1889 (Hesperiidae) Synonym(s): *sarala* De Nicéville, 1889
 27987) *Lotongus sarala chinensis* Evans, 1932 (Hesperiidae) Synonym(s): *chinensis* Evans, 1932
 27988) *Lotongus sarala conjuncta* Evans, 1932 (Hesperiidae) Synonym(s): *conjuncta* Evans, 1932
 27989) *Lotongus sarala quinquepuncta* Joicey & Talbot, 1921 (Hesperiidae) Synonym(s): *quinquepuncta* Joicey & Talbot, 1921
 27990) *Lotongus sarala sarala* De Nicéville, 1889 (Hesperiidae) Synonym(s): *sarala* De Nicéville, 1889
 27991) *Lychnuoides saptiae* (Godman & Salvin, 1879) (Hesperiidae) Synonym(s): *saptiae* Godman & Salvin, 1879
 27992) *Mahotis crida* (Doubleday & Hewitson, 1851) (Hesperiidae) Synonym(s): *crida* Doubleday & Hewitson, 1851

- 27993) *Mahotis malis* (Godman & Salvin, 1879) (Hesperiidae) Synonym(s): *malis* Godman & Salvin, 1879
 27994) *Mahotis nurseia* (Swainson, 1821) (Hesperiidae) Synonym(s): *nurseia* Swainson, 1821
 27995) *Malaza carmides* (Hewitson, 1868) (Hesperiidae) Synonym(s): *carmides* Hewitson, 1868; *catocalinus* Mabilie, 1878
 27996) *Malaza empyreus* (Mabilie, 1878) (Hesperiidae) Synonym(s): *empyreus* Mabilie, 1878
 27997) *Malaza fastuosus* (Mabilie, 1884) (Hesperiidae) Synonym(s): *fastuosus* Mabilie, 1884
 27998) *Matapa aria* (Moore, [1866]) (Hesperiidae) Synonym(s): *aria* Moore, [1866]; *neglecta* Mabilie, 1876; *pulla* Plötz, 1882.
 27999) *Matapa aria aria* (Moore, [1866]) (Hesperiidae) Synonym(s): *aria* Moore, [1866]; *neglecta* Mabilie, 1876; *pulla* Plötz, 1882.
 28000) *Matapa celsina* (C.Felder & R.Felder, [1867]) (Hesperiidae) Synonym(s): *celsina* C.Felder & R.Felder, [1867]; *hyrmina* Hewitson, 1867; *assur* Mabilie, 1876; *ractaya* Fruhstorfer, 1911
 28001) *Matapa celsina celsina* (C.Felder & R.Felder, [1867]) (Hesperiidae) Synonym(s): *celsina* C.Felder & R.Felder, [1867]; *hyrmina* Hewitson, 1867; *assur* Mabilie, 1876; *ractaya* Fruhstorfer, 1911
 28002) *Matapa cresta* Evans, 1949 (Hesperiidae) Synonym(s): *cresta* Evans, 1949
 28003) *Matapa cresta cresta* Evans, 1949 (Hesperiidae) Synonym(s): *cresta* Evans, 1949
 28004) *Matapa druna* (Moore, [1866]) (Hesperiidae) Synonym(s): *druna* Moore, [1866]; *shalgrama* De Nicéville, 1883
 28005) *Matapa druna druna* (Moore, [1866]) (Hesperiidae) Synonym(s): *druna* Moore, [1866]; *shalgrama* De Nicéville, 1883
 28006) *Matapa intermedia* De Jong, 1983 (Hesperiidae) Synonym(s): *intermedia* De Jong, 1983
 28007) *Matapa intermedia nigrita* De Jong, 1983 (Hesperiidae) Synonym(s): *nigrita* De Jong, 1983
 28008) *Matapa purpurascens* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *purpurascens* Elwes & Edwards, 1897
 28009) *Matapa purpurascens purpurascens* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *purpurascens* Elwes & Edwards, 1897
 28010) *Matapa sasivarna* (Moore, [1866]) (Hesperiidae) Synonym(s): *sasivarna* Moore, [1866]
 28011) *Matapa sasivarna sasivarna* (Moore, [1866]) (Hesperiidae) Synonym(s): *sasivarna* (Moore, [1866])
 28012) *Megathymus beulahae* D.Stallings & Turner, 1958 (Hesperiidae) Synonym(s): *beulahae* D.Stallings & Turner, 1958
 28013) *Megathymus beulahae beulahae* D.Stallings & Turner, 1958 (Hesperiidae) Synonym(s): *beulahae* D.Stallings & Turner, 1958
 28014) *Megathymus beulahae gayleae* D.Stallings, Turner & V.Stallings, 1963 (Hesperiidae) Synonym(s): *gayleae* D.Stallings, Turner & V.Stallings, 1963
 28015) *Megathymus cofaqui* (Strecker, 1876) (Hesperiidae) Synonym(s): *cofaqui* Strecker, 1876
 28016) *Megathymus harrisi* Freeman, 1955 (Hesperiidae) Synonym(s): *harrisi* Freeman, 1955
 28017) *Megathymus streckeri* (Skinner, 1895) (Hesperiidae) Synonym(s): *streckeri* Skinner, 1895
 28018) *Megathymus texanus* Barnes & McDunnough, 1912 (Hesperiidae) Synonym(s): *texanus* Barnes & McDunnough, 1912
 28019) *Megathymus texanus leussleri* Holland, 1931 (Hesperiidae) Synonym(s): *leussleri* Holland, 1931
 28020) *Megathymus texanus texanus* Barnes & McDunnough, 1912 (Hesperiidae) Synonym(s): *texanus* Barnes & McDunnough, 1912
 28021) *Megathymus ursus* Poling, 1902 (Hesperiidae) Synonym(s): *ursus* Poling, 1902
 28022) *Megathymus ursus deserti* R.Wielgus, D.Wielgus & J.Wielgus, 1972 (Hesperiidae) Synonym(s): *deserti* R.Wielgus, D.Wielgus & J.Wielgus, 1972
 28023) *Megathymus ursus ursus* Poling, 1902 (Hesperiidae) Synonym(s): *ursus* Poling, 1902
 28024) *Megathymus ursus violae* D.Stallings & Turner, 1956 (Hesperiidae) Synonym(s): *violae* D.Stallings & Turner, 1956
 28025) *Megathymus yuccae* (Boisduval & LeConte, [1837]) (Hesperiidae) Synonym(s): *yuccae* Boisduval & LeConte, [1837]; *alabamae* Freeman, 1943
 28026) *Megathymus yuccae albasuffusa* R.Wielgus, D.Wielgus & J.Wielgus, 1974 (Hesperiidae) Synonym(s): *albasuffusa* R.Wielgus, D.Wielgus & J.Wielgus, 1974
 28027) *Megathymus yuccae arizonae* Tinkham, 1954 (Hesperiidae) Synonym(s): *arizonae* Tinkham, 1954
 28028) *Megathymus yuccae browni* D.Stallings & Turner, 1960 (Hesperiidae) Synonym(s): *browni* D.Stallings & Turner, 1960
 28029) *Megathymus yuccae buchholzi* Freeman, 1952 (Hesperiidae) Synonym(s): *buchholzi* Freeman, 1952
 28030) *Megathymus yuccae coloradensis* C.V.Riley, 1877 (Hesperiidae) Synonym(s): *coloradensis* C.V.Riley, 1877
 28031) *Megathymus yuccae elidaensis* D.Stallings, Turner & V.Stallings, 1966 (Hesperiidae) Synonym(s): *elidaensis* D.Stallings, Turner & V.Stallings, 1966
 28032) *Megathymus yuccae kendalli* Freeman, 1965 (Hesperiidae) Synonym(s): *kendalli* Freeman, 1965
 28033) *Megathymus yuccae louisae* Freeman, 1963 (Hesperiidae) Synonym(s): *louisae* Freeman, 1963
 28034) *Megathymus yuccae martini* D.Stallings & Turner, 1956 (Hesperiidae) Synonym(s): *martini* D.Stallings & Turner, 1956
 28035) *Megathymus yuccae madae* D.Stallings, Turner & V.Stallings, 1966 (Hesperiidae) Synonym(s): *madae* D.Stallings, Turner & V.Stallings, 1966
 28036) *Megathymus yuccae navajo* Skinner, 1911 (Hesperiidae) Synonym(s): *navajo* Skinner, 1911
 28037) *Megathymus yuccae reinthali* Freeman, 1963 (Hesperiidae) Synonym(s): *reinthali* Freeman, 1963
 28038) *Megathymus yuccae reubeni* D.Stallings, Turner & V.Stallings, 1963 (Hesperiidae) Synonym(s): *reubeni* D.Stallings, Turner & V.Stallings, 1963
 28039) *Megathymus yuccae stallingsi* Freeman, 1943 (Hesperiidae) Synonym(s): *stallingsi* Freeman, 1943
 28040) *Megathymus yuccae wilsonorum* D.Stallings & Turner, 1958 (Hesperiidae) Synonym(s): *wilsonorum* D.Stallings & Turner, 1958
 28041) *Megathymus yuccae winkensis* Freeman, 1965 (Hesperiidae) Synonym(s): *winkensis* Freeman, 1965
 28042) *Megathymus yuccae yuccae* (Boisduval & LeConte, [1837]) (Hesperiidae) Synonym(s): *yuccae* Boisduval & LeConte, [1837]; *alabamae* Freeman, 1943
 28043) *Melanopyge erythrosticta* (Godman & Salvin, 1879) (Hesperiidae) Synonym(s): *erythrosticta* Godman & Salvin, 1879
 28044) *Melanopyge hoffmanni* (Freeman, 1977) (Hesperiidae) Synonym(s): *hoffmanni* Freeman, 1977
 28045) *Melanopyge mulleri* (Bell, 1934) (Hesperiidae) Synonym(s): *mulleri* Bell, 1934; *plancartei* Hoffmann, 1941
 28046) *Melphina argyroides* (Holland, 1894) (Hesperiidae) Synonym(s): *argyroides* Holland, 1894
 28047) *Melphina evansi* Berger, 1974 (Hesperiidae) Synonym(s): *evansi* Berger, 1974
 28048) *Melphina flavina* Lindsey & Miller, 1965 (Hesperiidae) Synonym(s): *flavina* Lindsey & Miller, 1965
 28049) *Melphina hulstaerti* Berger, 1974 (Hesperiidae) Synonym(s): *hulstaerti* Evans, 1956; *hulstaerti* Berger, 1974
 28050) *Melphina malthina* (Hewitson, 1876) (Hesperiidae) Synonym(s): *malthina* Hewitson, 1876; *euryaspila* Mabilie, 1891; ? *eala* Evans, 1956
 28051) *Melphina melphis* (Holland, 1893) (Hesperiidae) Synonym(s): *melphis* Holland, 1893
 28052) *Melphina noctula* (Druce, 1909) (Hesperiidae) Synonym(s): *noctula* Druce, 1909; *palocampta* Druce, 1909
 28053) *Melphina statira* (Mabilie, 1891) (Hesperiidae) Synonym(s): *statira* Mabilie, 1891
 28054) *Melphina statirides* (Holland, 1896) (Hesperiidae) Synonym(s): *statirides* Holland, 1896; *flavifasciola* Druce, 1909
 28055) *Melphina tarace* (Mabilie, 1891) (Hesperiidae) Synonym(s): *tarace* Mabilie, 1891
 28056) *Melphina unistriga* (Holland, 1893) (Hesperiidae) Synonym(s): *unistriga* Holland, 1893
 28057) *Mesodina aeluropis* Meyrick, 1901 (Hesperiidae) Synonym(s): *aeluropis* Meyrick, 1901
 28058) *Mesodina aeluropis aeluropis* Meyrick, 1901 (Hesperiidae) Synonym(s): *aeluropis* Meyrick, 1901
 28059) *Mesodina halyzia* (Hewitson, 1868) (Hesperiidae) Synonym(s): *halyzia* Hewitson, 1868
 28060) *Mesodina halyzia cyanophracta* Lower, 1911 (Hesperiidae) Synonym(s): *cyanophracta* Lower, 1911
 28061) *Mesodina halyzia halyzia* (Hewitson, 1868) (Hesperiidae) Synonym(s): *halyzia* Hewitson, 1868
 28062) *Metardaris cosinga* (Hewitson, 1874) (Hesperiidae) Synonym(s): *cosinga* Hewitson, 1874; *obscura* Mabilie, 1904; *sanguinea* Mabilie, 1908
 28063) *Methion melas* Godman, 1900 (Hesperiidae) Synonym(s): *melas* Godman, 1900
 28064) *Methionopsis ina* (Plötz, 1882) (Hesperiidae) Synonym(s): *ina* Plötz, 1882; *modestus* Godman, 1901
 28065) *Methionopsis typhon* Godman, 1901 (Hesperiidae) Synonym(s): *typhon* Godman, 1901
 28066) *Metisella abdeli abdeli* (Krüger, 1928) (Hesperiidae) Synonym(s): *abdeli* Krüger, 1928
 28067) *Metisella abdeli elgona* Evans, 1938 (Hesperiidae) Synonym(s): *elgona* Evans, 1938
 28068) *Metisella aegipan* (Trimen, 1868) (Hesperiidae) Synonym(s): *aegipan* Trimen, 1868
 28069) *Metisella aegipan aegipan* (Trimen, 1868) (Hesperiidae) Synonym(s): *aegipan* Trimen, 1868
 28070) *Metisella aegipan inyanga* Evans, 1956 (Hesperiidae) Synonym(s): *inyanga* Evans, 1956
 28071) *Metisella alticola* (Aurivillius, 1925) (Hesperiidae) Synonym(s): *alticola* Aurivillius, 1925
 28072) *Metisella angolana* (Karsch, 1896) (Hesperiidae) Synonym(s): *angolana* Karsch, 1896
 28073) *Metisella angolana angolana* (Karsch, 1896) (Hesperiidae) Synonym(s): *angolana* Karsch, 1896
 28074) *Metisella angolana cooksoni* (Druce, 1905) (Hesperiidae) Synonym(s): *cooksoni* Druce, 1905
 28075) *Metisella carsoni* (Butler, 1898) (Hesperiidae) Synonym(s): *carsoni* Butler, 1898
 28076) *Metisella congoni* de Jong & Kielland, 1983 (Hesperiidae) Synonym(s): *congoni* de Jong & Kielland, 1983
 28077) *Metisella decipiens* (Butler, 1896) (Hesperiidae) Synonym(s): *decipiens* Butler, 1896
 28078) *Metisella formosus* (Butler, 1894) (Hesperiidae) Synonym(s): *formosus* Butler, 1894
 28079) *Metisella formosus formosus* (Butler, 1894) (Hesperiidae) Synonym(s): *formosus* Butler, 1894

- 28080) *Metisella formosus linda Evans, 1937* (Hesperiidae) Synonym(s): *linda Evans, 1937*
- 28081) *Metisella formosus mittoni Carcasson, 1961* (Hesperiidae) Synonym(s): *mittoni Carcasson, 1961*
- 28082) *Metisella formosus nyanza Evans, 1937* (Hesperiidae) Synonym(s): *nyanza Evans, 1937*
- 28083) *Metisella kakamega De Jong, 1976* (Hesperiidae) Synonym(s): *kakamega De Jong, 1976*
- 28084) *Metisella kambove (Neave, 1910)* (Hesperiidae) Synonym(s): *kambove Neave, 1910*
- 28085) *Metisella kumbona Evans, 1937* (Hesperiidae) Synonym(s): *kumbona Evans, 1937*
- 28086) *Metisella malgacha (Boisduval, 1833)* (Hesperiidae) Synonym(s): *malgacha Boisduval, 1833; limpopona Wallengren, 1857*
- 28087) *Metisella malgacha malchaga (Boisduval, 1833)* (Hesperiidae) Synonym(s): *malgacha Boisduval, 1833; limpopona Wallengren, 1857*
- 28088) *Metisella malgacha orina Vari, 1976* (Hesperiidae) Synonym(s): *orina Vari, 1976*
- 28089) *Metisella medea Evans, 1937* (Hesperiidae) Synonym(s): *medea Evans, 1937*
- 28090) *Metisella medea medea Evans, 1937* (Hesperiidae) Synonym(s): *medea Evans, 1937*
- 28091) *Metisella medea nyika Evans, 1937* (Hesperiidae) Synonym(s): *nyika Evans, 1937*
- 28092) *Metisella meninx (Trimen, 1873)* (Hesperiidae) Synonym(s): *meninx Trimen, 1873; argentiostriatus Plötz, 1886*
- 28093) *Metisella metis (Linnaeus, 1764)* (Hesperiidae) Synonym(s): *metis Linnaeus, 1764*
- 28094) *Metisella metis metis (Linnaeus, 1764)* (Hesperiidae) Synonym(s): *metis Linnaeus, 1764*
- 28095) *Metisella metis paris Evans, 1937* (Hesperiidae) Synonym(s): *paris Evans, 1937*
- 28096) *Metisella midas (Butler, 1894)* (Hesperiidae) Synonym(s): *midas Butler, 1894; xanthometis Mabille, 1898*
- 28097) *Metisella midas malda Evans, 1937* (Hesperiidae) Synonym(s): *malda Evans, 1937*
- 28098) *Metisella midas midas (Butler, 1894)* (Hesperiidae) Synonym(s): *midas Butler, 1894; xanthometis Mabille, 1898*
- 28099) *Metisella orientalis (Aurivillius, 1925/abdeli Krüger, 1928 geçerli)* (Hesperiidae) Synonym(s):
- 28100) *Metisella perexcellens (Butler, 1896)* (Hesperiidae) Synonym(s): *perexcellens Butler, 1896*
- 28101) *Metisella perexcellens marunga Evans, 1937* (Hesperiidae) Synonym(s): *marunga Evans, 1937*
- 28102) *Metisella perexcellens perexcellens (Butler, 1896)* (Hesperiidae) Synonym(s): *perexcellens Butler, 1896*
- 28103) *Metisella perexcellens sitebi Kielland, 1982* (Hesperiidae) Synonym(s): *sitebi Kielland, 1982*
- 28104) *Metisella quadrisignatus (Butler, 1894)* (Hesperiidae) Synonym(s): *quadrisignatus Butler, 1894*
- 28105) *Metisella quadrisignatus nanda Evans, 1937* (Hesperiidae) Synonym(s): *nanda Evans, 1937*
- 28106) *Metisella quadrisignatus quadrisignatus (Butler, 1894)* (Hesperiidae) Synonym(s): *quadrisignatus Butler, 1894*
- 28107) *Metisella syrinx (Trimen, 1868)* (Hesperiidae) Synonym(s): *syrinx Trimen, 1868*
- 28108) *Metisella trisignatus (Neave, 1904)* (Hesperiidae) Synonym(s): *trisignatus Neave, 1904*
- 28109) *Metisella trisignatus tanga Evans, 1937* (Hesperiidae) Synonym(s): *tanga Evans, 1937*
- 28110) *Metisella trisignatus trisignatus (Neave, 1904)* (Hesperiidae) Synonym(s): *trisignatus Neave, 1904*
- 28111) *Metisella tsadicus (Aurivillius, 1905)* (Hesperiidae) Synonym(s): *tsadicus Aurivillius, 1905; ogwany Bethune-Baker, 1906; birbiranus Ungemach, 1932*
- 28112) *Metisella willemi (Wallengren, 1857)* (Hesperiidae) Synonym(s): *willemi Wallengren, 1857; cheles Hewitson, 1868*
- 28113) *Metron chrysogastra (Butler, 1870)* (Hesperiidae) Synonym(s): *chrysogastra Butler, 1870; goza Hewitson, 1877; cuneata Plötz, 1882*
- 28114) *Meza banda (Evans, 1937)* (Hesperiidae) Synonym(s): *banda Evans, 1937*
- 28115) *Meza budonga (Evans, 1938)* (Hesperiidae) Synonym(s): *budonga Evans, 1938*
- 28116) *Meza cybeutes (Holland, 1894)* (Hesperiidae) Synonym(s): *cybeutes Holland, 1894; tessmanni Strand, 1913*
- 28117) *Meza cybeutes cybeutes (Holland, 1894)* (Hesperiidae) Synonym(s): *cybeutes Holland, 1894; tessmanni Strand, 1913*
- 28118) *Meza cybeutes pallida (Holland, 1896)* (Hesperiidae) Synonym(s): *pallida Holland, 1896; pallida Evans, 1937*
- 28119) *Meza cybeutes volta Miller, 1971* (Hesperiidae) Synonym(s): *volta Miller, 1971*
- 28120) *Meza elba (Evans, 1937)* (Hesperiidae) Synonym(s): *elba Evans, 1937*
- 28121) *Meza indusiata (Mabille, 1891)* (Hesperiidae) Synonym(s): *indusiata Mabille, 1891; kasai Druce, 1909; #dualensis Strand, 1914*
- 28122) *Meza larea (Neave, 1910)* (Hesperiidae) Synonym(s): *larea Neave, 1910; #hias Strand, 1921*
- 28123) *Meza leucophaea (Holland, 1894)* (Hesperiidae) Synonym(s): *leucophaea Holland, 1894*
- 28124) *Meza leucophaea bassa Lindsey & Miller, 1894* (Hesperiidae) Synonym(s): *bassa Lindsey & Miller, 1894*
- 28125) *Meza leucophaea leucophaea (Holland, 1894)* (Hesperiidae) Synonym(s): *leucophaea Holland, 1894*
- 28126) *Meza mabea (Holland, 1894)* (Hesperiidae) Synonym(s): *mabea Holland, 1894*
- 28127) *Meza mabiliei (Holland, 1893)* (Hesperiidae) Synonym(s): *mabiliei Holland, 1893*
- 28128) *Meza meza (Hewitson, 1877)* (Hesperiidae) Synonym(s): *meza Hewitson, 1877; batea Plötz, 1879; bubovi Karsch, 1893; varia Mabille, 1896; ogrugana Lathy, 1903*
- 28129) *Microceris variicolor (Ménétriés, 1855)* (Hesperiidae) Synonym(s): *variicolor Ménétriés, 1855*
- 28130) *Mictis crispus (Herrich-Schäffer, 1870)* (Hesperiidae) Synonym(s): *crispus Herrich-Schäffer, 1870*
- 28131) *Mictis crispus caerulea (Mabille, 1877)* (Hesperiidae) Synonym(s): *caerulea Mabille, 1877*
- 28132) *Mimene albiclavata (Butler, 1882)* (Hesperiidae) Synonym(s): *albiclavata Butler, 1882*
- 28133) *Mimene albiclavata albiclavata (Butler, 1882)* (Hesperiidae) Synonym(s): *albiclavata Butler, 1882*
- 28134) *Mimene albidiscus Joicey & Talbot, 1917* (Hesperiidae) Synonym(s): *albidiscus Joicey & Talbot, 1917*
- 28135) *Mimene albidiscus albidiscus Joicey & Talbot, 1917* (Hesperiidae) Synonym(s): *albidiscus Joicey & Talbot, 1917*
- 28136) *Mimene atropatene (Fruhstorfer, 1911)* (Hesperiidae) Synonym(s): *atropatene Fruhstorfer, 1911; wollastoni Rothschild, 1915*
- 28137) *Mimene atropatene atropatene (Fruhstorfer, 1911)* (Hesperiidae) Synonym(s): *atropatene Fruhstorfer, 1911; wollastoni Rothschild, 1915*
- 28138) *Mimene basalis Rothschild, 1915* (Hesperiidae) Synonym(s): *basalis Rothschild, 1915*
- 28139) *Mimene basalis basalis Rothschild, 1915* (Hesperiidae) Synonym(s): *basalis Rothschild, 1915; viridicincta Joicey & Talbot, 1917*
- 28140) *Mimene basalis benita Evans, 1935* (Hesperiidae) Synonym(s): *benita Evans, 1935*
- 28141) *Mimene biakensis Joicey & Talbot, 1917* (Hesperiidae) Synonym(s): *biakensis Joicey & Talbot, 1917*
- 28142) *Mimene biakensis biakensis Joicey & Talbot, 1917* (Hesperiidae) Synonym(s): *biakensis Joicey & Talbot, 1917*
- 28143) *Mimene biakensis gunta Evans, 1949* (Hesperiidae) Synonym(s): *gunta Evans, 1949*
- 28144) *Mimene celia Evans, 1935* (Hesperiidae) Synonym(s): *celia Evans, 1935*
- 28145) *Mimene celia brutus Evans, 1935* (Hesperiidae) Synonym(s): *brutus Evans, 1935*
- 28146) *Mimene celia caesar Evans, 1935* (Hesperiidae) Synonym(s): *caesar Evans, 1935*
- 28147) *Mimene celia celia Evans, 1935* (Hesperiidae) Synonym(s): *celia Evans, 1935*
- 28148) *Mimene celia sariba Evans, 1935* (Hesperiidae) Synonym(s): *sariba Evans, 1935*
- 28149) *Mimene cyanea Evans, 1928* (Hesperiidae) Synonym(s): *cyanea Evans, 1928*
- 28150) *Mimene cyanea cyanea Evans, 1928* (Hesperiidae) Synonym(s): *cyanea Evans, 1928*
- 28151) *Mimene kolbei (Ribbe, 1899)* (Hesperiidae) Synonym(s): *kolbei Ribbe, 1899*
- 28152) *Mimene kolbei kolbei (Ribbe, 1899)* (Hesperiidae) Synonym(s): *kolbei Ribbe, 1899*
- 28153) *Mimene kolbei tenebricosa (Mabille, 1904)* (Hesperiidae) Synonym(s): *tenebricosa Mabille, 1904; megathymoides Rothschild, 1915*
- 28154) *Mimene lysima (Swinhoe, 1905)* (Hesperiidae) Synonym(s): *lysima Swinhoe, 1905; miltiades Fruhstorfer, 1911*
- 28155) *Mimene lysima lysima (Swinhoe, 1905)* (Hesperiidae) Synonym(s): *lysima Swinhoe, 1905; miltiades Fruhstorfer, 1911*
- 28156) *Mimene melie (De Nicéville, 1895)* (Hesperiidae) Synonym(s): *melie De Nicéville, 1895*
- 28157) *Mimene melie melie (De Nicéville, 1895)* (Hesperiidae) Synonym(s): *melie De Nicéville, 1895*
- 28158) *Mimene milnea Evans, 1935* (Hesperiidae) Synonym(s): *milnea Evans, 1935*
- 28159) *Mimene milnea milnea Evans, 1935* (Hesperiidae) Synonym(s): *milnea Evans, 1935*
- 28160) *Mimene miltias (Karsch, 1876)* (Hesperiidae) Synonym(s): *miltias Karsch, 1876*
- 28161) *Mimene miltias miltias (Karsch, 1876)* (Hesperiidae) Synonym(s): *miltias Karsch, 1876*
- 28162) *Mimene orida (Boisduval, 1832)* (Hesperiidae) Synonym(s): *orida Boisduval, 1832; owgarra Evans, 1935*
- 28163) *Mimene orida orida (Boisduval, 1832)* (Hesperiidae) Synonym(s): *orida Boisduval, 1832; owgarra Evans, 1935*
- 28164) *Mimene waigeuensis Joicey & Talbot, 1917* (Hesperiidae) Synonym(s): *waigeuensis Joicey & Talbot, 1917*
- 28165) *Mimene waigeuensis waigeuensis Joicey & Talbot, 1917* (Hesperiidae) Synonym(s): *waigeuensis Joicey & Talbot, 1917*
- 28166) *Mimene wandammanensis Joicey & Talbot, 1917* (Hesperiidae) Synonym(s): *wandammanensis Joicey & Talbot, 1917*
- 28167) *Mimene wandammanensis wandammanensis Joicey & Talbot, 1917* (Hesperiidae) Synonym(s): *wandammanensis Joicey & Talbot, 1917*
- 28168) *Mimia chiapaensis Freeman, 1969* (Hesperiidae) Synonym(s): *chiapaensis Freeman, 1969*

- 28169) *Mimoniades baroni* Mabil & Boulet,1908 (Hesperiidae) Synonym(s): *baroni* Mabil & Boulet,1908
 28170) *Mimoniades eupheme* Godman & Salvin,1875 (Hesperiidae) Synonym(s): *eupheme* Godman & Salvin,1875
 28171) *Mimoniades mimetes* Mabil,1909 (Hesperiidae) Synonym(s): *mimetes* Mabil,1909
 28172) *Mimoniades minthe* Godman & Salvin,1875 (Hesperiidae) Synonym(s): *minthe* Godman & Salvin,1875; *egena* Mabil & Boulet,1908
 28173) *Mimoniades ocyalus* Hübner,1823 (Hesperiidae) Synonym(s): *ocyalus* Hübner,1823; *iphiuous* Kirby,1871
 28174) *Mimoniades periphema* Hewitson,1874 (Hesperiidae) Synonym(s): *periphema* Hewitson,1874
 28175) *Mimoniades pityusa* Hewitson,1874 (Hesperiidae) Synonym(s): *pityusa* Hewitson,1874; *porus* Plötz,1879
 28176) *Mimoniades punctiger* Mabil & Boulet,1908 (Hesperiidae) Synonym(s): *punctiger* Mabil & Boulet,1908
 28177) *Mimoniades sela* Hewitson,1866 (Hesperiidae) Synonym(s): *sela* Hewitson,1866
 28178) *Mimoniades versicolor* (Latreille,1823) (Hesperiidae) Synonym(s): *versicolor* Latreille,1823; *mulcifer* Hübner,1825
 28179) *Miraja flora* (Oberthür,1923) (Hesperiidae) Synonym(s): *flora* Oberthür,1923
 28180) *Miraja howa* (Mabil,1876) (Hesperiidae) Synonym(s): *howa* Mabil,1876
 28181) *Miraja ismael* (Oberthür,1916) (Hesperiidae) Synonym(s): *ismael* Oberthür,1916
 28182) *Miraja ochracea* Evans,1937 (Hesperiidae) Synonym(s): *ochracea* Evans,1937; *#pallida* Aurivillius,1925
 28183) *Miraja paroechus* (Mabil,1887) (Hesperiidae) Synonym(s): *paroechus* Mabil,1887
 28184) *Miraja sida* Evans,1937 (Hesperiidae) Synonym(s): *sida* Evans,1937
 28185) *Miraja silvestralis* Viette,1956 (Hesperiidae) Synonym(s): *silvestralis* Viette,1956; *#hova* Mabil,1887
 28186) *Miraja sylvia* Evans,1937 (Hesperiidae) Synonym(s): *sylvia* Evans,1937
 28187) *Miraja varians* (Oberthür,1916) (Hesperiidae) Synonym(s): *variens* Oberthür,1916; *#brunnea* Oberthür,1916
 28188) *Mnaseas bicolor* (Mabil,1889) (Hesperiidae) Synonym(s): *bicolor* Mabil,1889
 28189) *Mnasicles geta* Godman,1901 (Hesperiidae) Synonym(s): *geta* Godman,1901
 28190) *Mnasicles hicetaon* Godman,1901 (Hesperiidae) Synonym(s): *hicetaon* Godman,1901; *stollmeyer* Bell,1932; *koehler* Hayward,1939
 28191) *Mnasilus allubita* (Butler,1877) (Hesperiidae) Synonym(s): *allubita* Butler,1877; *evanidus* Mabil,1883; *umbrosus* Mabil,1883; *zalma* Plötz,1886; *amyrna* Mabil,1891; *penicillatus* Godman,1900; *norma* Dyar,1917
 28192) *Mnasinous patage* Godman,1900 (Hesperiidae) Synonym(s): *patage* Godman,1900
 28193) *Mnasitheus chrysophrys* (Mabil,1891) (Hesperiidae) Synonym(s): *chrysophrys* Mabil,1891; *cephis* Godman,1900
 28194) *Mnasitheus nitra* Evans,1955 (Hesperiidae) Synonym(s): *nitra* Evans,1955
 28195) *Moeris hyagnis* Godman,1900 (Hesperiidae) Synonym(s): *hyagnis* Godman,1900
 28196) *Moeris stroma* Evans,1955 (Hesperiidae) Synonym(s): *stroma* Evans,1955
 28197) *Moltena fiara* (Butler,1870) (Hesperiidae) Synonym(s): *fiara* Butler,1870; *#natalica* Plötz,1882
 28198) *Monca crispinus* (Plötz,1882) (Hesperiidae) Synonym(s): *crispinus* Plötz,1882; *tyrtaeus* Plötz,1882
 28199) *Monca jera* (Godman,1900) (Hesperiidae) Synonym(s): *jera* Godman,1900
 28200) *Monza alberti* (Holland,1896) (Hesperiidae) Synonym(s): *alberti* Holland,1896; *entebbea* Swinhoe,1909; *#bibundicana* Strand,1913; *#alenicola* Strand,1913
 28201) *Monza cretacea* (Snellen,1872) (Hesperiidae) Synonym(s): *cretacea* Snellen,1872; *gonessa* Hewitson,1877; *leucosoma* Mabil,1877; *camerona* Plötz,1879; *ploetiziana* Strand,1921; *oldenburgi* Neustetter,1927
 28202) *Monza punctata* (Aurivillius,1910) (Hesperiidae) Synonym(s): *punctata* Aurivillius,1910; *crona* Evans,1937; *#canda* Evans,1937
 28203) *Monza punctata crola* Evans,1937 (Hesperiidae) Synonym(s): *crola* Evans,1937; *crota* Evans,1937; *#candia* Evans,1937
 28204) *Monza punctata punctata* (Aurivillius,1910) (Hesperiidae) Synonym(s): *punctata* Aurivillius,1910; *crona* Evans,1937; *#canda* Evans,1937
 28205) *Mooreana princeps* (Semper,1892) (Hesperiidae) Synonym(s): *princeps* Semper,1892
 28206) *Mooreana princeps princeps* (Semper,1892) (Hesperiidae) Synonym(s): *princeps* Semper,1892
 28207) *Mooreana trichoneura* (C.Felder & R.Felder,1860) (Hesperiidae) Synonym(s): *trichoneura* C.Felder & R.Felder,1860
 28208) *Mooreana trichoneura multipunctatus* (Crowley,1900) (Hesperiidae) Synonym(s): *multipunctatus* Crowley,1900
 28209) *Mooreana trichoneura nava* (Fruhstorfer,1909) (Hesperiidae) Synonym(s): *nava* Fruhstorfer,1909
 28210) *Mooreana trichoneura nivosa* (Fruhstorfer,1909) (Hesperiidae) Synonym(s): *nivosa* Fruhstorfer,1909
 28211) *Mooreana trichoneura pralaya* (Moore,1866) (Hesperiidae) Synonym(s): *pralaya* Moore,1866; *pellita* Fruhstorfer,1919
 28212) *Mooreana trichoneura trichoneura* (C.Felder & R.Felder,1860) (Hesperiidae) Synonym(s): *trichoneura* C.Felder & R.Felder,1860
 28213) *Mooreana trichoneura trichoneuroides* (Elwes & Edwards,1897) (Hesperiidae) Synonym(s): *trichoneuroides* Elwes & Edwards,1897
 28214) *Mopala orma* (Plötz,1879) (Hesperiidae) Synonym(s): *orma* Plötz,1879; *violascens* Plötz,1882
 28215) *Morvinia falisca* (Hewitson,1878) (Hesperiidae) Synonym(s): *falisca* Hewitson,1878
 28216) *Morvinia falisca lachesis* (Dyar,1918) (Hesperiidae) Synonym(s): *lachesis* Dyar,1918
 28217) *Morys lyde* Godman,1900 (Hesperiidae) Synonym(s): *lyde* Godman,1900
 28218) *Morys micrythus* Godman,1900 (Hesperiidae) Synonym(s): *micrythus* Godman,1900; *incompta* Hayward,1941
 28219) *Morys valda* Evans,1955 (Hesperiidae) Synonym(s): *valda* Evans,1955
 28220) *Motasingha atralba* (Tepper,1881) (Hesperiidae) Synonym(s): *atralba* Tepper,1881
 28221) *Motasingha atralba anaces* Waterhouse,1937 (Hesperiidae) Synonym(s): *anaces* Waterhouse,1937
 28222) *Motasingha atralba anapus* Waterhouse,1937 (Hesperiidae) Synonym(s): *anapus* Waterhouse,1937
 28223) *Motasingha atralba atralba* (Tepper,1881) (Hesperiidae) Synonym(s): *atralba* Tepper,1881
 28224) *Motasingha atralba dactyliota* (Meyrick,1887) (Hesperiidae) Synonym(s): *dactyliota* Meyrick,1887
 28225) *Motasingha atralba nila* Waterhouse,1932 (Hesperiidae) Synonym(s): *nila* Waterhouse,1932
 28226) *Motasingha dirphia* (Hewitson,1868) (Hesperiidae) Synonym(s): *dirphia* Hewitson,1868
 28227) *Motasingha dirphia dea* Waterhouse,1933 (Hesperiidae) Synonym(s): *dea* Waterhouse,1933
 28228) *Motasingha dirphia dilata* Waterhouse,1933 (Hesperiidae) Synonym(s): *dilata* Waterhouse,1933
 28229) *Motasingha dirphia dirphia* (Hewitson,1868) (Hesperiidae) Synonym(s): *dirphia* Hewitson,1868
 28230) *Motasingha dirphia trimaculata* (Tepper,1881) (Hesperiidae) Synonym(s): *trimaculata* Tepper,1881; *quadrinaculata* Tepper,1881
 28231) *Mucia zygia* (Plötz,1886) (Hesperiidae) Synonym(s): *zygia* Plötz,1886; *thya* Godman,1900; *matalma* Schaus,1902
 28232) *Muschampia antonia* (Speyer,1879) (Hesperiidae) Synonym(s): *antonia* Speyer,1879
 28233) *Muschampia antonia antonia* (Speyer,1879) (Hesperiidae) Synonym(s): *antonia* Speyer,1879
 28234) *Muschampia antonia gigantea* (Staudinger,1886) (Hesperiidae) Synonym(s): *gigantea* Staudinger,1886
 28235) *Muschampia antonia shivaensis* (Wyatt,1961) (Hesperiidae) Synonym(s): *shivaensis* Wyatt,1961
 28236) *Muschampia cribrellum* (Eversmann,1841) (Hesperiidae) Synonym(s): *cribrellum* Eversmann,1841
 28237) *Muschampia cribrellum cribrellum* (Eversmann,1841) (Hesperiidae) Synonym(s): *cribrellum* Eversmann,1841
 28238) *Muschampia cribrellum heilong* (Streltsov & Dubatolov,1997) (Hesperiidae) Synonym(s): *heilong* Streltsov & Dubatolov,1997
 28239) *Muschampia cribrellum obscurior* (Staudinger,1892) (Hesperiidae) Synonym(s): *obscurior* Staudinger,1892; *hybrida* Mabil,1909; *incompleta* Warren,1926
 28240) *Muschampia gigas* (Bremer,1864) (Hesperiidae) Synonym(s): *gigas* Bremer,1864; *minor* Mabil,1909
 28241) *Muschampia gigas gigas* (Bremer,1864) (Hesperiidae) Synonym(s): *gigas* Bremer,1864; *minor* Mabil,1909
 28242) *Muschampia hieromax* (Hemming,1932) (Hesperiidae) Synonym(s): *hieromax* Hemming,1932
 28243) *Muschampia hieromax hieromax* (Hemming,1932) (Hesperiidae) Synonym(s): *hieromax* Hemming,1932
 28244) *Muschampia kuenlunus* (Groum-Grshimailo,1893) (Hesperiidae) Synonym(s): *kuenlunus* Groum-Grshimailo,1893
 28245) *Muschampia kuenlunus kuenlunus* (Groum-Grshimailo,1893) (Hesperiidae) Synonym(s): *kuenlunus* Groum-Grshimailo,1893
 28246) *Muschampia leuzeae* (Oberthür,1881) (Hesperiidae) Synonym(s): *leuzeae* Oberthür,1881
 28247) *Muschampia leuzeae leuzeae* (Oberthür,1881) (Hesperiidae) Synonym(s): *leuzeae* Oberthür,1881
 28248) *Muschampia lutulentus* (Groum-Grshimailo,1887) (Hesperiidae) Synonym(s): *lutulentus* Groum-Grshimailo,1887; *lutulentus* Mabil,1909
 28249) *Muschampia lutulentus jaxartensis* Lukhtanov,1994 (Hesperiidae) Synonym(s): *jaxartensis* Lukhtanov,1994
 28250) *Muschampia lutulentus lutulentus* (Groum-Grshimailo,1887) (Hesperiidae) Synonym(s): *lutulentus* Groum-Grshimailo,1887; *lutulentus* Mabil,1909
 28251) *Muschampia mohammed* Oberthür,1887 (Hesperiidae) Synonym(s): *mohammed* Oberthür,1887; *ahmed* Oberthür,1912
 28252) *Muschampia mohammed caid* Le Cerf,1923 (Hesperiidae) Synonym(s): *caid* Le Cerf,1923
 28253) *Muschampia mohammed mohammed* Oberthür,1887 (Hesperiidae) Synonym(s): *mohammed* Oberthür,1887; *ahmed* Oberthür,1912
 28254) *Muschampia musta* Evans,1949 (Hesperiidae) Synonym(s): *musta* Evans,1949

- 28255) *Muschampia musta loga* Evans,1949 (Hesperiidae) Synonym(s): *loga* Evans,1949
 28256) *Muschampia musta musta* Evans,1949 (Hesperiidae) Synonym(s): *musta* Evans,1949
 28257) *Muschampia musta phil* Evans,1949 (Hesperiidae) Synonym(s): *phil* Evans,1949
 28258) *Muschampia nomas* (Lederer,1855) (Hesperiidae) Synonym(s): *nomas* Lederer,1855
 28259) *Muschampia nomas nomas* (Lederer,1855) (Hesperiidae) Synonym(s): *nomas* Lederer,1855
 28260) *Muschampia plurimacula* (Christoph,1893) (Hesperiidae) Synonym(s): *plurimacula* Christoph,1893
 28261) *Muschampia plurimacula plurimacula* (Christoph,1893) (Hesperiidae) Synonym(s): *plurimacula* Christoph,1893
 28262) *Muschampia poggei* (Lederer,1858) (Hesperiidae) Synonym(s): *poggei* Lederer,1858
 28263) *Muschampia poggei mouchai* Alberti,1974 (Hesperiidae) Synonym(s): *mouchai* Alberti,1974
 28264) *Muschampia poggei patta* Evans,1949 (Hesperiidae) Synonym(s): *patta* Evans,1949
 28265) *Muschampia poggei poggei* (Lederer,1858) (Hesperiidae) Synonym(s): *poggei* Lederer,1858
 28266) *Muschampia prometheus* (Groum-Grshimailo,1890) (Hesperiidae) Synonym(s): *prometheus* Groum-Grshimailo,1890
 28267) *Muschampia prometheus prometheus* (Groum-Grshimailo,1890) (Hesperiidae) Synonym(s): *prometheus* Groum-Grshimailo,1890
 28268) *Muschampia proteides* (Wagner,1929) (Hesperiidae) Synonym(s): *proteides* Wagner,1929; *lycaonius* Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [misident.]; *lycaomius* Benjamini & Avni,2001
 28269) *Muschampia proteides proteides* (Wagner,1929) (Hesperiidae) Synonym(s): *proteides* Wagner,1929; *lycaonius* Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [misident.]; *lycaomius* Benjamini & Avni,2001
 28270) *Muschampia proteides stepporum* Benjamini & Avni,2001 (Hesperiidae) Synonym(s): *stepporum* Benjamini & Avni,2001
 28271) *Muschampia proteus* (Staudinger,1886) (Hesperiidae) Synonym(s): *proteus* Staudinger,1886
 28272) *Muschampia proteus proteus* (Staudinger,1886) (Hesperiidae) Synonym(s): *proteus* Staudinger,1886; *epimetheus* Mabilite,1909.
 28273) *Muschampia protheon* (Rambur,1858) (Hesperiidae) Synonym(s): *protheon* Rambur,1858.
 28274) *Muschampia protheon protheon* (Rambur,1858) (Hesperiidae) Synonym(s): *protheon* Rambur,1858.
 28275) *Muschampia proto* (Ochsenheimer,1808) (Hesperiidae) Synonym(s): *proto* Ochsenheimer,1808
 28276) *Muschampia proto aragonensis* (De Sagarra,1924) (Hesperiidae) Synonym(s): *aragonensis* De Sagarra,1924; *#rubea* De Sagarra,1924; *#fenestrata* De Sagarra,1924; *nigrita* Verity,1925; *clarescens* Agenjo,1934; *evansi* Bryk,1940
 28277) *Muschampia proto fulvosatura* Verity,1925 (Hesperiidae) Synonym(s): *fulvosatura* Verity,1925; *lambesa* Evans,1949
 28278) *Muschampia proto proto* (Ochsenheimer,1808) (Hesperiidae) Synonym(s): *proto* Ochsenheimer,1808
 28279) *Muschampia proto williamsi* Querci,1932 (Hesperiidae) Synonym(s): *williamsi* Querci,1932
 28280) *Muschampia staudingeri* (Speyer,1879) (Hesperiidae) Synonym(s): *staudingeri* Speyer,1879
 28281) *Muschampia staudingeri pseudoproteus* Devyatkin,1992 (Hesperiidae) Synonym(s): *pseudoproteus* Devyatkin,1992
 28282) *Muschampia staudingeri staudingeri* (Speyer,1879) (Hesperiidae) Synonym(s): *staudingeri* Speyer,1879
 28283) *Muschampia staudingeri variabilis* Devyatkin,1992 (Hesperiidae) Synonym(s): *variabilis* Devyatkin,1992.
 28284) *Muschampia staudingeri variegata* Devyatkin,1992 (Hesperiidae) Synonym(s): *variegata* Devyatkin,1992
 28285) *Muschampia tersa* Evans,1949 (Hesperiidae) Synonym(s): *tersa* Evans,1949
 28286) *Muschampia tersa tersa* Evans,1949 (Hesperiidae) Synonym(s): *tersa* Evans,1949
 28287) *Muschampia tessellum* (Hübner,[1802]) (Hesperiidae) Synonym(s): *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816
 28288) *Muschampia tessellum cribrilloides* (Gaede,1931) (Hesperiidae) Synonym(s): *#cribrilloides* Warren,1926 (described as aberration); *cribrilloides* Gaede,1931.
 28289) *Muschampia tessellum dilutior* (Heyne,[1895]) (Hesperiidae) Synonym(s): *dilutior* Heyne,[1895]; *fucata* Mabilite,1909; *minor* Mabilite,1909.
 28290) *Muschampia tessellum nigricans* (Mabilite,1909) (Hesperiidae) Synonym(s): *nigricans* Mabilite,1909
 28291) *Muschampia tessellum nobilis* (Staudinger,1882) (Hesperiidae) Synonym(s): *nobilis* Staudinger,1882
 28292) *Muschampia tessellum tessellum* (Hübner,[1802]) (Hesperiidae) Synonym(s): *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816
 28293) *Mylon ander* Evans,1953 (Hesperiidae) Synonym(s): *ander* Evans,1953
 28294) *Mylon caju* (Plötz,1884) (Hesperiidae) Synonym(s): *caju* Plötz,1884
 28295) *Mylon caju hera* Evans,1953 (Hesperiidae) Synonym(s): *hera* Evans,1953
 28296) *Mylon cristata* Austin,2000 (Hesperiidae) Synonym(s): *cristata* Austin,2000
 28297) *Mylon jason* (Ehrmann,1907) (Hesperiidae) Synonym(s): *jason* Ehrmann,1907
 28298) *Mylon lassia* (Hewitson,1868) (Hesperiidae) Synonym(s): *lassia* Hewitson,1868; *pulcherius* R.Felder,1869; *parvus* Mabilite & Boulet,1917
 28299) *Mylon maimon* (Fabricius,1775) (Hesperiidae) Synonym(s): *maimon* Fabricius,1775; *menippus* Fabricius,1777; *melander* Cramer,1780; *albescens* Mabilite & Boulet,1917
 28300) *Mylon pelopidas* (Fabricius,1793) (Hesperiidae) Synonym(s): *pelopidas* Fabricius,1793; *ozema* Butler,1870
 28301) *Mylon salvia* Evans,1953 (Hesperiidae) Synonym(s): *salvia* Evans,1953
 28302) *Myrinia myris* (Mabilite,1897) (Hesperiidae) Synonym(s): *myris* Mabilite,1897
 28303) *Myrinia raymundo* Freeman,1979 (Hesperiidae) Synonym(s): *raymundo* Freeman,1979
 28304) *Myscelus amystis* (Hewitson,1867) (Hesperiidae) Synonym(s): *amystis* Hewitson,1867
 28305) *Myscelus amystis hages* Godman & Salvin,1893 (Hesperiidae) Synonym(s): *hages* Godman & Salvin,1893
 28306) *Myscelus assaricus* (Cramer,[1780]) (Hesperiidae) Synonym(s): *assaricus* Cramer,[1780]
 28307) *Myscelus assaricus michaeli* Nicolay,1975 (Hesperiidae) Synonym(s): *michaeli* Nicolay,1975
 28308) *Myscelus belti* Godman & Salvin,1879 (Hesperiidae) Synonym(s): *belti* Godman & Salvin,1879
 28309) *Myscelus illustris* Mabilite,1904 (Hesperiidae) Synonym(s): *illustris* Mabilite,1904
 28310) *Myscelus nobilis* (Cramer,[1779]) (Hesperiidae) Synonym(s): *nobilis* Cramer,[1779]; *salus* Fabricius,1793
 28311) *Myscelus orbis* Mabilite,1883 (Hesperiidae) Synonym(s): *orbis* Mabilite,1883
 28312) *Myscelus orthrus* Hewitson,1877 (Hesperiidae) Synonym(s): *orthrus* Hewitson,1877
 28313) *Myscelus pegasus* Mabilite,1904 (Hesperiidae) Synonym(s): *pegasus* Mabilite,1904
 28314) *Myscelus perissodora* Dyar,1914 (Hesperiidae) Synonym(s): *perissodora* Dyar,1914
 28315) *Myscelus persela* Mabilite,1891 (Hesperiidae) Synonym(s): *persela* Mabilite,1891; *caucanus* Staudinger,1888
 28316) *Myscelus phoronis* Hewitson,1867 (Hesperiidae) Synonym(s): *phoronis* Hewitson,1867
 28317) *Myscelus santhilarius* (Latreille,1823) (Hesperiidae) Synonym(s): *santhilarius* Latreille,1823
 28318) *Myscelus sothis* Mabilite,1883 (Hesperiidae) Synonym(s): *sothis* Mabilite,1883
 28319) *Mysoria affinis* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *affinis* Herrich-Schäffer,1869
 28320) *Mysoria ambigua* (Mabilite & Boulet,1908) (Hesperiidae) Synonym(s): *ambigua* Mabilite & Boulet,1908; *proxima* Mabilite & Boulet,1908
 28321) *Mysoria cayennae* Mabilite & Boulet,1908 (Hesperiidae) Synonym(s): *acastus* Cramer,1780 (praeocc.); *phidias* Fabricius,1787 (praeocc.); *barcastus* Sepp,1855; *cayennae* Mabilite & Boulet,1908
 28322) *Mysoria decolor* Mabilite & Boulet,1908 (Hesperiidae) Synonym(s): *Mabilite & Boulet,1908*
 28323) *Mysoria pallens* (Mabilite,1891) (Hesperiidae) Synonym(s): *pallens* Mabilite,1891
 28324) *Mysoria pardalina* (C.Felder & R.Felder,1867) (Hesperiidae) Synonym(s): *pardalina* C.Felder & R.Felder,1867
 28325) *Mysoria sejanus* (Hopffer,1874) (Hesperiidae) Synonym(s): *sejanus* Hopffer,1874
 28326) *Mysoria thasus* (Cramer,1782) (Hesperiidae) Synonym(s): *thasus* Cramer,1782
 28327) *Mysoria venezuelae* (Scudder,1872) (Hesperiidae) Synonym(s): *venezuelae* Scudder,1872
 28328) *Mysoria wilsoni* Freeman,1969 (Hesperiidae) Synonym(s): *wilsoni* Freeman,1969
 28329) *Naevolus orius* (Mabilite,1883) (Hesperiidae) Synonym(s): *orius* Mabilite,1883; *naevolus* Godman,1900
 28330) *Narcosius colossus* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *colossus* Herrich-Schäffer,1869
 28331) *Narcosius nazaraeus* Steinhäuser,1986 (Hesperiidae) Synonym(s): *nazaraeus* Steinhäuser,1986
 28332) *Narcosius parisi* (R.S.Williams,1927) (Hesperiidae) Synonym(s): *parisi* R.S.Williams,1927
 28333) *Narcosius parisi helen* (Evans,1952) (Hesperiidae) Synonym(s): *helen* Evans,1952
 28334) *Narcosius samson* (Evans,1952) (Hesperiidae) Synonym(s): *samson* Evans,1952
 28335) *Narcus broteas* (Cramer,1780) (Hesperiidae) Synonym(s): *broteas* Cramer,1780; *cous* Möschler,1879; *eugamon* Godman & Salvin,1893
 28336) *Narcus paulliniae* (Sepp,[1844]) (Hesperiidae) Synonym(s): *paulliniae* Sepp,[1844]; *caepio* Herrich-Schäffer,1869; *gizala* Möschler,1870; *cephisus* Hewitson,1876; *nucula* Mabilite,1883; *evathius* Mabilite,1888; *mermeros* Mabilite & Boulet,1912

- 28337) *Narcus phintias* Schaus, 1913 (Hesperiidae) Synonym(s): *phintias* Schaus, 1913; *mackeyi* R.C.Williams, 1933
- 28338) *Narcus phocus* (Cramer, 1777) (Hesperiidae) Synonym(s): *phocus* Cramer, 1777; *decemmaculata* Sepp, 1844; *pherenice* Hewitson, 1867; *dianina* Plötz, 1882
- 28339) *Narcus solon* Plötz, 1882 (Hesperiidae) Synonym(s): *solon* Plötz, 1882
- 28340) *Narcus solon corilla* Evans, 1952 (Hesperiidae) Synonym(s): *corilla* Evans, 1952
- 28341) *Nastra julia* (Freeman, 1945) (Hesperiidae) Synonym(s): *julia* Freeman, 1945; *hoffmanni* Bell, 1947
- 28342) *Nastra leucone* (Godman, 1900) (Hesperiidae) Synonym(s): *leucone* Godman, 1900
- 28343) *Nastra therminier* (Latreille, 1824) (Hesperiidae) Synonym(s): *therminier* Latreille, 1824; *fusca* Grote & Robinson, 1867
- 28344) *Nastra neamathla* (Skinner & R.C.Williams, 1923) (Hesperiidae) Synonym(s): *neamathla* Skinner & R.C.Williams, 1923
- 28345) *Neohesperilla crocea* (Miskin, 1889) (Hesperiidae) Synonym(s): *crocea* Miskin, 1889; *satulla* Mabile, 1891
- 28346) *Neohesperilla crocea crocea* (Miskin, 1889) (Hesperiidae) Synonym(s): *crocea* Miskin, 1889; *satulla* Mabile, 1891
- 28347) *Neohesperilla senta* (Miskin, 1891) (Hesperiidae) Synonym(s): *senta* Miskin, 1891
- 28348) *Neohesperilla senta senta* (Miskin, 1891) (Hesperiidae) Synonym(s): *senta* Miskin, 1891
- 28349) *Neohesperilla xanthomera* (Meyrick & Lower, 1902) (Hesperiidae) Synonym(s): *xanthomera* Meyrick & Lower, 1902
- 28350) *Neohesperilla xanthomera xanthomera* (Meyrick & Lower, 1902) (Hesperiidae) Synonym(s): *xanthomera* Meyrick & Lower, 1902
- 28351) *Neohesperilla xiphophora* (Lower, 1911) (Hesperiidae) Synonym(s): *xiphophora* Lower, 1911
- 28352) *Neohesperilla xiphophora xiphophora* (Lower, 1911) (Hesperiidae) Synonym(s): *xiphophora* Lower, 1911
- 28353) *Neoxeniades luda* (Hewitson, 1877) (Hesperiidae) Synonym(s): *luda* Hewitson, 1877; *hundurensis* Mabile, 1891
- 28354) *Neoxeniades molion* (Godman, 1901) (Hesperiidae) Synonym(s): *molion* Godman, 1901; *phidonides* Mabile, 1904
- 28355) *Netrobalane canopus* (Trimen, 1864) (Hesperiidae) Synonym(s): *canopus* Trimen, 1864; *orientalis* Aurivillius, 1925
- 28356) *Netrocoryne repanda* Felder, 1867 (Hesperiidae) Synonym(s): *repanda* Felder, 1867; *vulpecula* Prittwitz, 1868
- 28357) *Netrocoryne repanda expansa* Waterhouse, 1932 (Hesperiidae) Synonym(s): *expansa* Waterhouse, 1932
- 28358) *Netrocoryne repanda repanda* Felder, 1867 (Hesperiidae) Synonym(s): *repanda* Felder, 1867; *vulpecula* Prittwitz, 1868
- 28359) *Netrocoryne thaddeus* Hewitson, 1876 (Hesperiidae) Synonym(s): *thaddeus* Hewitson, 1876; *hymenaeus* Hewitson, 1876
- 28360) *Netrocoryne thaddeus thaddeus* Hewitson, 1876 (Hesperiidae) Synonym(s): *thaddeus* Hewitson, 1876; *hymenaeus* Hewitson, 1876
- 28361) *Nisoniades castolus* (Hewitson, 1878) (Hesperiidae) Synonym(s): *castolus* Hewitson, 1878; *alternata* R.C.Williams & Bell, 1939; *hesione* Hayward, 1939
- 28362) *Nisoniades comitana* Freeman, 1969 (Hesperiidae) Synonym(s): *comitana* Freeman, 1969
- 28363) *Nisoniades ephora* (Herrich-Schäffer, 1870) (Hesperiidae) Synonym(s): *ephora* Herrich-Schäffer, 1870; *perforata* Plötz, 1882; *tiphys* Godman & Salvin, 1894; *peruana* R.C.Williams & Bell, 1939
- 28364) *Nisoniades godma* Evans, 1953 (Hesperiidae) Synonym(s): *godma* Evans, 1953
- 28365) *Nisoniades incomptus* Austin, 1997 (Hesperiidae) Synonym(s): *incomptus* Austin, 1997
- 28366) *Nisoniades laurentina* (R.C.Williams & Bell, 1939) (Hesperiidae) Synonym(s): *laurentina* R.C.Williams & Bell, 1939
- 28367) *Nisoniades macarius* (Herrich-Schäffer, 1870) (Hesperiidae) Synonym(s): *macarius* Herrich-Schäffer, 1870; *albangula* Herrich-Schäffer, 1870; *gonoptila* Burmeister, 1878; *angulosus* Mabile, 1895; *rhamses* Mabile & Boulet, 1917; *ruda* Mabile & Boulet, 1917
- 28368) *Nisoniades nikko* Hayward, 1948 (Hesperiidae) Synonym(s): *nikko* Hayward, 1948
- 28369) *Nisoniades rubescens* (Möschler, 1876) (Hesperiidae) Synonym(s): *rubescens* Möschler, 1876; *bromias* Godman & Salvin, 1894; *triangulus* Mabile, 1897; *clara* Mabile & Boulet, 1917; *nigra* Mabile & Boulet, 1917
- 28370) *Nisoniades vista* Evans, 1955 (Hesperiidae) Synonym(s): *vista* Evans, 1955
- 28371) *Noctuana lactifera* (Butler & Druce, 1872) (Hesperiidae) Synonym(s): *lactifera* Butler & Druce, 1872
- 28372) *Noctuana lactifera bipuncta* (Plötz, 1884) (Hesperiidae) Synonym(s): *bipuncta* Plötz, 1884
- 28373) *Noctuana stator* (Godman & Salvin, 1899) (Hesperiidae) Synonym(s): *stator* Godman & Salvin, 1899
- 28374) *Nosphittia perplexa* (Mabile, 1878) (Hesperiidae) Synonym(s): *perplexa* Mabile, 1878
- 28375) *Notocrypta caerulea* Evans, 1928 (Hesperiidae) Synonym(s): *caerulea* Evans, 1928
- 28376) *Notocrypta caerulea caerulea* Evans, 1928 (Hesperiidae) Synonym(s): *caerulea* Evans, 1928
- 28377) *Notocrypta clavata* Staudinger, 1889 (Hesperiidae) Synonym(s): *clavata* Staudinger, 1889; *devadatta* Fruhstorfer, 1911
- 28378) *Notocrypta clavata clavata* Staudinger, 1889 (Hesperiidae) Synonym(s): *clavata* Staudinger, 1889; *devadatta* Fruhstorfer, 1911
- 28379) *Notocrypta clavata niasana* Evans, 1926 (Hesperiidae) Synonym(s): *niasana* Evans, 1926
- 28380) *Notocrypta clavata theba* Evans, 1949 (Hesperiidae) Synonym(s): *theba* Evans, 1949
- 28381) *Notocrypta clavata xantha* Evans, 1942 (Hesperiidae) Synonym(s): *xantha* Evans, 1942
- 28382) *Notocrypta curvifascia* (C.Felder & R.Felder, 1862) (Hesperiidae) Synonym(s): *curvifascia* C.Felder & R.Felder, 1862; *restricta* Moore, 1881
- 28383) *Notocrypta curvifascia chimaera* (Plötz, 1882) (Hesperiidae) Synonym(s): *chimaera* Plötz, 1882; *fraga* Fruhstorfer, 1911
- 28384) *Notocrypta curvifascia corinda* Evans, 1949 (Hesperiidae) Synonym(s): *corinda* Evans, 1949
- 28385) *Notocrypta curvifascia curvifascia* (C.Felder & R.Felder, 1862) (Hesperiidae) Synonym(s): *curvifascia* C.Felder & R.Felder, 1862; *restricta* Moore, 1881
- 28386) *Notocrypta feisthamelii* (Boisduval, 1832) (Hesperiidae) Synonym(s): *feisthamelii* Boisduval, 1832; *satra* Fruhstorfer, 1911; *unipuncta* Rothschild, 1915
- 28387) *Notocrypta feisthamelii alinkara* Fruhstorfer, 1911 (Hesperiidae) Synonym(s): *alinkara* Fruhstorfer, 1911
- 28388) *Notocrypta feisthamelii alysos* (Moore, 1866) (Hesperiidae) Synonym(s): *alysos* Moore, 1866
- 28389) *Notocrypta feisthamelii avattana* Fruhstorfer, 1911 (Hesperiidae) Synonym(s): *avattana* Fruhstorfer, 1911
- 28390) *Notocrypta feisthamelii celebensis* Staudinger, 1889 (Hesperiidae) Synonym(s): *celebensis* Staudinger, 1889
- 28391) *Notocrypta feisthamelii feisthamelii* (Boisduval, 1832) (Hesperiidae) Synonym(s): *feisthamelii* Boisduval, 1832; *satra* Fruhstorfer, 1911; *unipuncta* Rothschild, 1915
- 28392) *Notocrypta feisthamelii padhana* Fruhstorfer, 1911 (Hesperiidae) Synonym(s): *padhana* Fruhstorfer, 1911; *samana* Fruhstorfer, 1911
- 28393) *Notocrypta feisthamelii rectifasciata* Leech, 1894 (Hesperiidae) Synonym(s): *rectifasciata* Leech, 1894
- 28394) *Notocrypta feisthamelii samyutta* Fruhstorfer, 1911 (Hesperiidae) Synonym(s): *samyutta* Fruhstorfer, 1911; *dharana* Fruhstorfer, 1911
- 28395) *Notocrypta flavipes* (Janson, 1886) (Hesperiidae) Synonym(s): *flavipes* Janson, 1886
- 28396) *Notocrypta flavipes flavipes* (Janson, 1886) (Hesperiidae) Synonym(s): *flavipes* Janson, 1886
- 28397) *Notocrypta howarthi* Hayashi, 1980 (Hesperiidae) Synonym(s): *howarthi* Hayashi, 1980
- 28398) *Notocrypta howarthi howarthi* Hayashi, 1980 (Hesperiidae) Synonym(s): *howarthi* Hayashi, 1980
- 28399) *Notocrypta maria* Evans, 1949 (Hesperiidae) Synonym(s): *maria* Evans, 1949
- 28400) *Notocrypta maria maria* Evans, 1949 (Hesperiidae) Synonym(s): *maria* Evans, 1949
- 28401) *Notocrypta paralyos* (Wood Mason & De Nicéville, 1881) (Hesperiidae) Synonym(s): *paralyos* Wood Mason & De Nicéville, 1881; *infrapicta* Strand, 1920
- 28402) *Notocrypta paralyos alysia* Evans, 1926 (Hesperiidae) Synonym(s): *alysia* Evans, 1926
- 28403) *Notocrypta paralyos asawa* Fruhstorfer, 1911 (Hesperiidae) Synonym(s): *asawa* Fruhstorfer, 1911; *arisana* Sonan, 1930
- 28404) *Notocrypta paralyos chunda* Fruhstorfer, 1911 (Hesperiidae) Synonym(s): *chunda* Fruhstorfer, 1911
- 28405) *Notocrypta paralyos mangla* Evans, 1949 (Hesperiidae) Synonym(s): *mangla* Evans, 1949
- 28406) *Notocrypta paralyos nitron* Evans, 1942 (Hesperiidae) Synonym(s): *nitron* Evans, 1942
- 28407) *Notocrypta paralyos paralyos* (Wood Mason & De Nicéville, 1881) (Hesperiidae) Synonym(s): *paralyos* Wood Mason & De Nicéville, 1881; *infrapicta* Strand, 1920
- 28408) *Notocrypta paralyos sidha* Fruhstorfer, 1911 (Hesperiidae) Synonym(s): *sidha* Fruhstorfer, 1911; *sukavata* Fruhstorfer, 1911
- 28409) *Notocrypta paralyos teuta* Evans, 1949 (Hesperiidae) Synonym(s): *teuta* Evans, 1949
- 28410) *Notocrypta paralyos varians* (Plötz, 1882) (Hesperiidae) Synonym(s): *variens* Plötz, 1882; *leucographa* Plötz, 1882
- 28411) *Notocrypta paralyos volux* (Mabile, 1883) (Hesperiidae) Synonym(s): *volux* Mabile, 1883; *mahima* Fruhstorfer, 1911
- 28412) *Notocrypta paralyos yaya* Fruhstorfer, 1911 (Hesperiidae) Synonym(s): *yaya* Fruhstorfer, 1911
- 28413) *Notocrypta pria* (Druce, 1873) (Hesperiidae) Synonym(s): *pria* Druce, 1873
- 28414) *Notocrypta pria pria* (Druce, 1873) (Hesperiidae) Synonym(s): *pria* Druce, 1873
- 28415) *Notocrypta quadrata* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *quadrata* Elwes & Edwards, 1897
- 28416) *Notocrypta quadrata quadrata* Elwes & Edwards, 1897 (Hesperiidae) Synonym(s): *quadrata* Elwes & Edwards, 1897
- 28417) *Notocrypta renardi* (Oberthür, 1878) (Hesperiidae) Synonym(s): *renardi* Oberthür, 1878
- 28418) *Notocrypta renardi renardi* (Oberthür, 1878) (Hesperiidae) Synonym(s): *renardi* Oberthür, 1878
- 28419) *Notocrypta renardi roona* Evans, 1949 (Hesperiidae) Synonym(s): *roona* Evans, 1949

- 28420) *Notocrypta waigensis* (Plötz,1882) (Hesperiidae) Synonym(s): *waigensis* Plötz,1882
 28421) *Notocrypta waigensis aluensis* Swinhoe,1907 (Hesperiidae) Synonym(s): *aluensis* Swinhoe,1907
 28422) *Notocrypta waigensis waigensis* (Plötz,1882) (Hesperiidae) Synonym(s): *waigensis* Plötz,1882
 28423) *Notocrypta waigensis wanga* Evans,1949 (Hesperiidae) Synonym(s): *wanga* Evans,1949
 28424) *Nyctelius nyctelius* (Latreille,1824) (Hesperiidae) Synonym(s): *nyctelius* Latreille,1824; *ares* C.Felder,1862; *coscinia* Herrich-Schäffer,1865; *aegialea* Plötz,1883
 28425) *Oarisma edwardsii* (Barnes,1897) (Hesperiidae) Synonym(s): *edwardsii* Barnes,1897
 28426) *Oarisma era* Dyar,1927 (Hesperiidae) Synonym(s): *era* Dyar,1927
 28427) *Oarisma garita* (Reakirt,1866) (Hesperiidae) Synonym(s): *garita* Reakirt,1866; *hylax* Edwards,1871
 28428) *Oarisma garita calega* (Godman,1900) (Hesperiidae) Synonym(s): *calega* Godman,1900
 28429) *Oarisma garita garita* (Reakirt,1866) (Hesperiidae) Synonym(s): *garita* Reakirt,1866; *hylax* Edwards,1871
 28430) *Oarisma poweshiek* (Parker,1870) (Hesperiidae) Synonym(s): *poweshiek* Parker,1870
 28431) *Ochlodes agricola* (Boisduval,1852) (Hesperiidae) Synonym(s): *agricola* Boisduval,1852; *yreka* Edwards,1866; *milo* Edwards,1883
 28432) *Ochlodes agricola agricola* (Boisduval,1852) (Hesperiidae) Synonym(s): *agricola* Boisduval,1852; *yreka* Edwards,1866; *milo* Edwards,1883
 28433) *Ochlodes agricola nemorum* (Boisduval,1852) (Hesperiidae) Synonym(s): *nemorum* Boisduval,1852
 28434) *Ochlodes agricola verus* (Edwards,1881) (Hesperiidae) Synonym(s): *verus* Edwards,1881
 28435) *Ochlodes bouddha* Mabille,1876 (Hesperiidae) Synonym(s): *bouddha* Mabille,1876; *consors* Leech,1894
 28436) *Ochlodes bouddha bouddha* Mabille,1876 (Hesperiidae) Synonym(s): *bouddha* Mabille,1876; *consors* Leech,1894
 28437) *Ochlodes brahma* Moore,1878 (Hesperiidae) Synonym(s): *brahma* Moore,1878; *rama* Evans,1932
 28438) *Ochlodes brahma brahma* Moore,1878 (Hesperiidae) Synonym(s): *brahma* Moore,1878; *rama* Evans,1932
 28439) *Ochlodes crataeis* Leech,1894 (Hesperiidae) Synonym(s): *crataeis* Leech,1894
 28440) *Ochlodes crataeis crataeis* Leech,1894 (Hesperiidae) Synonym(s): *crataeis* Leech,1894
 28441) *Ochlodes flavomaculatus* Draeseke,1905 (Hesperiidae) Synonym(s): *flavomaculatus* Draeseke,1905
 28442) *Ochlodes flavomaculatus flavomaculatus* Draeseke,1905 (Hesperiidae) Synonym(s): *flavomaculatus* Draeseke,1905
 28443) *Ochlodes hyrcanus* (Christoph,1893) (Hesperiidae) Synonym(s): *hyrcanus* Christoph,1893
 28444) *Ochlodes hyrcanus hyrcanus* (Christoph,1893) (Hesperiidae) Synonym(s): *hyrcanus* Christoph,1893
 28445) *Ochlodes klapperichii* Evans,1940 (Hesperiidae) Synonym(s): *klapperichii* Evans,1940
 28446) *Ochlodes klapperichii klapperichii* Evans,1940 (Hesperiidae) Synonym(s): *klapperichii* Evans,1940
 28447) *Ochlodes lanta* Evans,1939 (Hesperiidae) Synonym(s): *lanta* Evans,1939
 28448) *Ochlodes lanta lanta* Evans,1949 (Hesperiidae) Synonym(s): *lanta* Evans,1939
 28449) *Ochlodes linga* Evans,1939 (Hesperiidae) Synonym(s): *linga* Evans,1939
 28450) *Ochlodes linga linga* Evans,1939 (Hesperiidae) Synonym(s): *linga* Evans,1939
 28451) *Ochlodes ochraceus* (Bremer,1861) (Hesperiidae) Synonym(s): *ochracea* Bremer,1861; *rikuchina* Butler,1878; *ampittiformis* Matsumura,1919
 28452) *Ochlodes ochraceus ochraceus* (Bremer,1861) (Hesperiidae) Synonym(s): *ochracea* Bremer,1861; *rikuchina* Butler,1878; *ampittiformis* Matsumura,1919
 28453) *Ochlodes siva* Moore,1878 (Hesperiidae) Synonym(s): *siva* Moore,1878
 28454) *Ochlodes siva karenia* Evans,1932 (Hesperiidae) Synonym(s): *karenia* Evans,1932
 28455) *Ochlodes siva niitakana* Sonan,1936 (Hesperiidae) Synonym(s): *niitakana* Sonan,1936
 28456) *Ochlodes siva siva* Moore,1878 (Hesperiidae) Synonym(s): *siva* Moore,1878
 28457) *Ochlodes siva tarsa* Evans,1949 (Hesperiidae) Synonym(s): *tarsa* Evans,1949
 28458) *Ochlodes subhyalinus* (Bremer & Grey,1853) (Hesperiidae) Synonym(s): *subhyalina* Bremer & Grey,1853; *vivax* Bryk,1946
 28459) *Ochlodes subhyalinus formosanus* Matsumura,1919 (Hesperiidae) Synonym(s): *formosana* Matsumura,1919
 28460) *Ochlodes subhyalinus pascus* Evans,1949 (Hesperiidae) Synonym(s): *pasca* Evans,1949
 28461) *Ochlodes subhyalinus subhyalinus* (Bremer & Grey,1853) (Hesperiidae) Synonym(s): *subhyalina* Bremer & Grey,1853; *vivax* Bryk,1946
 28462) *Ochlodes sylvanoides* (Boisduval,1852) (Hesperiidae) Synonym(s): *sylvanoides* Boisduval,1852; *pratincola* Boisduval,1852; *napa* Edwards,1865; *francisca* Plötz,1883
 28463) *Ochlodes thibetanus* Oberthür,1886 (Hesperiidae) Synonym(s): *thibetanus* Oberthür,1886; *gautamae* Bryk,1946
 28464) *Ochlodes thibetanus sanku* Evans,1949 (Hesperiidae) Synonym(s): *sanka* Evans,1949
 28465) *Ochlodes thibetanus thibetanus* Oberthür,1886 (Hesperiidae) Synonym(s): *thibetanus* Oberthür,1886; *gautamae* Bryk,1946
 28466) *Ochlodes venatus* (Bremer & Grey,1852) (Hesperiidae) Synonym(s): *venatus* Bremer & Grey,1852
 28467) *Ochlodes venatus faunus* (Turati,1905) (Hesperiidae) Synonym(s): *sylvanus* Esper,1777 nec Dru.,[1773]; *melicerta* Bergsträßer,1780 nec Dru.,[1773]; *faunus* Turati,1905; *septentrionalis* Verity,1919; *taurica* Gaede,1931; *alexandra* Hemming,1934; *esperi* Verity,1934; *nicaensis* Praviel,1948; *concoulense* Picard,1948; *hesperodoron* Kaufman,1956
 28468) *Ochlodes venatus sagittus* Hemming,1934 (Hesperiidae) Synonym(s): *sylvanoides* Leech,1894 nec Bsd.,1832; *sagitta* Hemming,1934
 28469) *Ochlodes venatus septentrionalis* (Verity,1919) (Hesperiidae) Synonym(s): *septentrionalis* Verity,1919
 28470) *Ochlodes venatus similis* Leech,1894 (Hesperiidae) Synonym(s): *similis* Leech,1894
 28471) *Ochlodes venatus venatus* (Bremer & Grey,1852) (Hesperiidae) Synonym(s): *venatus* Bremer & Grey,1852
 28472) *Ochlodes yuma* (Edwards,1873) (Hesperiidae) Synonym(s): *yuma* Edwards,1873; *scudderi* Skinner,1899
 28473) *Ochus subvittatus* (Moore,1878) (Hesperiidae) Synonym(s): *subvittatus* Moore,1878
 28474) *Ochus subvittatus subradiatus* (Moore,1878) (Hesperiidae) Synonym(s): *subradiatus* Moore,1878
 28475) *Ochus subvittatus subvittatus* (Moore,1878) (Hesperiidae) Synonym(s): *subvittatus* Moore,1878; *intricatus* Fruhstorfer,1910
 28476) *Ocyba calathana* (Hewitson,1868) (Hesperiidae) Synonym(s): *calathana* Hewitson,1868
 28477) *Ocyba calathana calanus* (Godman & Salvin,1894) (Hesperiidae) Synonym(s): *calanus* Godman & Salvin,1894
 28478) *Ocybadistes ardea* Bethune-Baker,1906 (Hesperiidae) Synonym(s): *ardea* Bethune-Baker,1906; *udraka* Fruhstorfer,1910; *ardea* Rothschild,1915; *lucia* Evans,1934
 28479) *Ocybadistes ardea ardea* Bethune-Baker,1906 (Hesperiidae) Synonym(s): *ardea* Bethune-Baker,1906; *udraka* Fruhstorfer,1910; *ardea* Rothschild,1915; *lucia* Evans,1934
 28480) *Ocybadistes ardea dora* Evans,1934 (Hesperiidae) Synonym(s): *dora* Evans,1934
 28481) *Ocybadistes ardea heterobathra* Lower,1908 (Hesperiidae) Synonym(s): *heterobathra* Lower,1908
 28482) *Ocybadistes flavovittata* (Latreille,1823) (Hesperiidae) Synonym(s): *flavovittata* Latreille,1823; *hespera* Waterhouse,1932
 28483) *Ocybadistes flavovittata ceres* Waterhouse,1933 (Hesperiidae) Synonym(s): *ceres* Waterhouse,1933
 28484) *Ocybadistes flavovittata flavovittata* (Latreille,1823) (Hesperiidae) Synonym(s): *flavovittata* Latreille,1823; *hespera* Waterhouse,1932
 28485) *Ocybadistes flavovittata kokoda* Evans,1949 (Hesperiidae) Synonym(s): *kokoda* Evans,1949
 28486) *Ocybadistes flavovittata vesta* Waterhouse,1932 (Hesperiidae) Synonym(s): *vesta* Waterhouse,1932
 28487) *Ocybadistes hypomeloma* Lower,1911 (Hesperiidae) Synonym(s): *hypomeloma* Lower,1911
 28488) *Ocybadistes hypomeloma hypomeloma* Lower,1911 (Hesperiidae) Synonym(s): *hypomeloma* Lower,1911
 28489) *Ocybadistes hypomeloma vaga* Waterhouse,1932 (Hesperiidae) Synonym(s): *vaga* Waterhouse,1932
 28490) *Ocybadistes papua* Evans,1934 (Hesperiidae) Synonym(s): *papua* Evans,1934
 28491) *Ocybadistes papua papua* Evans,1934 (Hesperiidae) Synonym(s): *papua* Evans,1934
 28492) *Ocybadistes walkeri* Heron,1894 (Hesperiidae) Synonym(s): *walkeri* Heron,1894; *sudodana* Fruhstorfer,1910
 28493) *Ocybadistes walkeri hypochlora* Lower,1911 (Hesperiidae) Synonym(s): *hypochlora* Lower,1911
 28494) *Ocybadistes walkeri olivia* Waterhouse,1933 (Hesperiidae) Synonym(s): *olivia* Waterhouse,1933
 28495) *Ocybadistes walkeri sonia* Waterhouse,1933 (Hesperiidae) Synonym(s): *sonia* Waterhouse,1933
 28496) *Ocybadistes walkeri sophia* Evans,1934 (Hesperiidae) Synonym(s): *sophia* Evans,1934
 28497) *Ocybadistes walkeri sothis* Waterhouse,1933 (Hesperiidae) Synonym(s): *sothis* Waterhouse,1933
 28498) *Ocybadistes walkeri walkeri* Heron,1894 (Hesperiidae) Synonym(s): *walkeri* Heron,1894; *sudodana* Fruhstorfer,1910
 28499) *Odina cuneiformis* Semper,1892 (Hesperiidae) Synonym(s): *cuneiformis* Semper,1892
 28500) *Odina cuneiformis cuneiformis* Semper,1892 (Hesperiidae) Synonym(s): *cuneiformis* Semper,1892
 28501) *Odina decoratus* (Hewitson,1867) (Hesperiidae) Synonym(s): *decoratus* Hewitson,1867; *bicolor* Oberthür,1893.
 28502) *Odina decoratus decoratus* (Hewitson,1867) (Hesperiidae) Synonym(s): *decoratus* Hewitson,1867; *bicolor* Oberthür,1893.
 28503) *Odina hieroglyphica* (Butler,1870) (Hesperiidae) Synonym(s): *hieroglyphica* Butler,1870

- 28504) *Odina hieroglyphica chrysomelaena* Mabilie,1891 (Hesperiidae) Synonym(s): *chrysomelaena* Mabilie,1891; *sulina* Evans,1932
- 28505) *Odina hieroglyphica hieroglyphica* (Butler,1870) (Hesperiidae) Synonym(s): *hieroglyphica* Butler,1870
- 28506) *Odina hieroglyphica ortina* Evans,1941 (Hesperiidae) Synonym(s): *ortina* Evans,1941
- 28507) *Odina hieroglyphica ortygia* De Nicéville,1895 (Hesperiidae) Synonym(s): *ortygia* De Nicéville,1895
- 28508) *Odontoptilum angulatum* (C.Felder,1862) (Hesperiidae) Synonym(s): *angulatum* C.Felder,1862; *sura* Moore,1865; *sumatrana* Fruhstorfer,1909; *mahabini* Fruhstorfer,1909.
- 28509) *Odontoptilum angulatum angulatum* (C.Felder,1862) (Hesperiidae) Synonym(s): *angulatum* C.Felder,1862; *sura* Moore,1865; *sumatrana* Fruhstorfer,1909; *mahabini* Fruhstorfer,1909.
- 28510) *Odontoptilum angulatum helias* (C.Felder & R.Felder,1867) (Hesperiidae) Synonym(s): *helias* C.Felder & R.Felder,1867
- 28511) *Odontoptilum angulatum helisum* Semper,1892 (Hesperiidae) Synonym(s): *helisum* Semper,1892; *subangulata* Fruhstorfer,1909
- 28512) *Odontoptilum angulatum hyperides* Doherty,1891 (Hesperiidae) Synonym(s): *hyperides* Doherty,1891
- 28513) *Odontoptilum angulatum sinka* Evans,1949 (Hesperiidae) Synonym(s): *sinka* Evans,1949
- 28514) *Odontoptilum leptogrammmum* (Hewitson,1868) (Hesperiidae) Synonym(s): *leptogrammmum* Hewitson,1868
- 28515) *Odontoptilum leptogrammmum leptogrammmum* (Hewitson,1868) (Hesperiidae) Synonym(s): *leptogrammmum* Hewitson,1868
- 28516) *Odontoptilum pygelum* (Hewitson,1868) (Hesperiidae) Synonym(s): *pygela* Hewitson,1868; *ragupta* Fruhstorfer,1909
- 28517) *Odontoptilum pygelum javanicum* Fruhstorfer,1909 (Hesperiidae) Synonym(s): *javanicum* Fruhstorfer,1909
- 28518) *Odontoptilum pygelum pygelum* (Hewitson,1868) (Hesperiidae) Synonym(s): *pygela* Hewitson,1868; *ragupta* Fruhstorfer,1909
- 28519) *Oeonus pyste* Godman,1900 (Hesperiidae) Synonym(s): *pyste* Godman,1900
- 28520) *Oerane microthyrus* (Mabilie,1883) (Hesperiidae) Synonym(s): *microthyrus* Mabilie,1883; *mindorana* Semper,1892
- 28521) *Oerane microthyrus microthyrus* (Mabilie,1883) (Hesperiidae) Synonym(s): *microthyrus* Mabilie,1883; *mindorana* Semper,1892
- 28522) *Oerane microthyrus neaera* (De Nicéville,1891) (Hesperiidae) Synonym(s): *neaera* De Nicéville,1891; *pusilla* Fruhstorfer,1911
- 28523) *Oligoria maculata* (Hesperiidae) Synonym(s):
- 28524) *Oneses hyalophora* (R.Felder,1869) (Hesperiidae) Synonym(s): *hyalophora* R.Felder,1869
- 28525) *Onespa nubis* Steinhäuser,1974 (Hesperiidae) Synonym(s): *nubis* Steinhäuser,1974
- 28526) *Onophas columbaria* (Herrich-Schäffer,1870) (Hesperiidae) Synonym(s): *columbaria* Herrich-Schäffer,1870; *flossites* Butler,1874
- 28527) *Onryza maga* (Leech,1890) (Hesperiidae) Synonym(s): *maga* Leech,1890
- 28528) *Onryza maga arisana* Matsumura,1909 (Hesperiidae) Synonym(s): *arisana* Matsumura,1909; *takeuchii* Matsumura,1929
- 28529) *Onryza maga maga* (Leech,1890) (Hesperiidae) Synonym(s): *maga* Leech,1890
- 28530) *Onryza meiktila* (De Nicéville,1891) (Hesperiidae) Synonym(s): *meiktila* De Nicéville,1891
- 28531) *Onryza meiktila meiktila* (De Nicéville,1891) (Hesperiidae) Synonym(s): *meiktila* De Nicéville,1891
- 28532) *Onryza perbella* Hering,1918 (Hesperiidae) Synonym(s): *perbella* Hering,1918
- 28533) *Onryza perbella perbella* Hering,1918 (Hesperiidae) Synonym(s): *perbella* Hering,1918
- 28534) *Onryza siamica* Riley & Godfrey,1925 (Hesperiidae) Synonym(s): *siamica* Riley & Godfrey,1925
- 28535) *Onryza siamica siamica* Riley & Godfrey,1925 (Hesperiidae) Synonym(s): *siamica* Riley & Godfrey,1925
- 28536) *Oreisplanus munionga* (Olliff,1889) (Hesperiidae) Synonym(s): *munionga* Olliff,1889
- 28537) *Oreisplanus munionga munionga* (Olliff,1889) (Hesperiidae) Synonym(s): *munionga* Olliff,1889
- 28538) *Oreisplanus perornatus* (Kirby,1893) (Hesperiidae) Synonym(s): *perornatus* Kirby,1893
- 28539) *Oreisplanus perornatus perornatus* (Kirby,1893) (Hesperiidae) Synonym(s): *perornatus* Kirby,1893
- 28540) *Oriens alfurus* (Plötz,1885) (Hesperiidae) Synonym(s): *alfurus* Plötz,1885
- 28541) *Oriens alfurus alfurus* (Plötz,1885) (Hesperiidae) Synonym(s): *alfurus* Plötz,1885
- 28542) *Oriens augustula* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *augustula* Herrich-Schäffer,1869; *fitjensis* Mabilie,1878; *chaura* Evans,1934
- 28543) *Oriens augustula alexina* (Plötz,1884) (Hesperiidae) Synonym(s): *alexina* Plötz,1884; *fraseri* Hopkins,1927
- 28544) *Oriens augustula augustula* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *augustula* Herrich-Schäffer,1869; *fitjensis* Mabilie,1878; *chaura* Evans,1934
- 28545) *Oriens californica* (Scudder,1872) (Hesperiidae) Synonym(s): *californica* Scudder,1872; *akar* Mabilie,1883; *locus* Plötz,1886
- 28546) *Oriens californica californica* (Scudder,1872) (Hesperiidae) Synonym(s): *californica* Scudder,1872; *akar* Mabilie,1883; *locus* Plötz,1886
- 28547) *Oriens concinna* (Elwes & Edwards,1897) (Hesperiidae) Synonym(s): *concinna* Elwes & Edwards,1897
- 28548) *Oriens concinna concinna* (Elwes & Edwards,1897) (Hesperiidae) Synonym(s): *concinna* Elwes & Edwards,1897
- 28549) *Oriens fons* Evans,1949 (Hesperiidae) Synonym(s): *fons* Evans,1949
- 28550) *Oriens fons fons* Evans,1949 (Hesperiidae) Synonym(s): *fons* Evans,1949
- 28551) *Oriens gola* (Moore,1877) (Hesperiidae) Synonym(s): *gola* Moore,1877
- 28552) *Oriens gola gola* (Moore,1877) (Hesperiidae) Synonym(s): *gola* Moore,1877
- 28553) *Oriens gola nipata* (Fruhstorfer,1911) (Hesperiidae) Synonym(s): *nipata* Fruhstorfer,1911; *rosa* Evans
- 28554) *Oriens gola pseudolus* (Mabilie,1883) (Hesperiidae) Synonym(s): *pseudolus* Mabilie,1883; *fabriolata* Plötz,1884; *naranata* Distant,1886; *rajagriha* Fruhstorfer,1911; *trishna* Fruhstorfer,1911
- 28555) *Oriens goloides* (Moore,1881) (Hesperiidae) Synonym(s): *goloides* Moore,1881
- 28556) *Oriens goloides goloides* (Moore,1881) (Hesperiidae) Synonym(s): *goloides* Moore,1881
- 28557) *Oriens paragola* (De Nicéville,1895) (Hesperiidae) Synonym(s): *paragola* De Nicéville,1895; *borneensis* Evans,1932
- 28558) *Oriens paragola paragola* (De Nicéville,1895) (Hesperiidae) Synonym(s): *paragola* De Nicéville,1895; *borneensis* Evans,1932
- 28559) *Orses cynisca* (Swainson,1821) (Hesperiidae) Synonym(s): *cynisca* Swainson,1821; *catina* Hewitson,1866; *poyas* Reakirt,1867
- 28560) *Orthos gabina* (Godman,1900) (Hesperiidae) Synonym(s): *gabina* Godman,1900; *lateranus* Schaus,1913
- 28561) *Orthos lycortas* (Godman,1900) (Hesperiidae) Synonym(s): *lycortas* Godman,1900
- 28562) *Osmodes adon* (Mabilie,1890) (Hesperiidae) Synonym(s): *adon* Mabilie,1890; *barombina* Neustetter,1916; *noda* Evans,1951
- 28563) *Osmodes adonia* Evans,1937 (Hesperiidae) Synonym(s): *adonia* Evans,1937
- 28564) *Osmodes adonides* Miller,1971 (Hesperiidae) Synonym(s): *adonides* Miller,1971
- 28565) *Osmodes adosus* (Mabilie,1890) (Hesperiidae) Synonym(s): *adosus* Mabilie,1890; *#argentipuncta* Mabilie,1896; *#argenteigutta* Holland,1896; *schultzei* Aurivillius,1925
- 28566) *Osmodes banghaasi* Holland,1896 (Hesperiidae) Synonym(s): *banghaasi* Holland,1896
- 28567) *Osmodes costatus* Aurivillius,1896 (Hesperiidae) Synonym(s): *costatus* Aurivillius,1896; *cottoni* Bethune-Baker,1908
- 28568) *Osmodes distincta* Holland,1896 (Hesperiidae) Synonym(s): *distincta* Holland,1896
- 28569) *Osmodes hollandi* Evans,1937 (Hesperiidae) Synonym(s): *hollandi* Evans,1937
- 28570) *Osmodes laronia* (Hewitson,1868) (Hesperiidae) Synonym(s): *laronia* Hewitson,1868; *#bicuta* Mabilie,1896
- 28571) *Osmodes lindseyi* Miller,1964 (Hesperiidae) Synonym(s): *lindseyi* Miller,1964
- 28572) *Osmodes lindseyi lindseyi* Miller,1964 (Hesperiidae) Synonym(s): *lindseyi* Miller,1964
- 28573) *Osmodes lindseyi occidentalis* Miller,1971 (Hesperiidae) Synonym(s): *occidentalis* Miller,1971
- 28574) *Osmodes lux* Holland,1892 (Hesperiidae) Synonym(s): *lux* Holland,1892
- 28575) *Osmodes maesseni* Miller,1971 (Hesperiidae) Synonym(s): *maesseni* Miller,1971
- 28576) *Osmodes minchini* Evans,1937 (Hesperiidae) Synonym(s): *minchini* Evans,1937
- 28577) *Osmodes omar* Swinhoe,1916 (Hesperiidae) Synonym(s): *omar* Swinhoe,1916
- 28578) *Osmodes thora* (Plötz,1884) (Hesperiidae) Synonym(s): *thora* Plötz,1884; *chrysauge* Mabilie,1891; *thops* Holland,1896
- 28579) *Osphantes ogowena* (Mabilie,1891) (Hesperiidae) Synonym(s): *ogowena* Mabilie,1891
- 28580) *Osphantes ogowena lulua* Evans,1956 (Hesperiidae) Synonym(s): *lulua* Evans,1956
- 28581) *Osphantes ogowena ogowena* (Mabilie,1891) (Hesperiidae) Synonym(s): *ogowena* Mabilie,1891
- 28582) *Ouleus bubaris* (Godman & Salvin,1895) (Hesperiidae) Synonym(s): *bubaris* Godman & Salvin,1895
- 28583) *Ouleus calavius* (Godman & Salvin,1895) (Hesperiidae) Synonym(s): *calavius* Godman & Salvin,1895; *colotes* Godman & Salvin,1895
- 28584) *Ouleus cyrna* (Mabilie,1895) (Hesperiidae) Synonym(s): *cyrna* Mabilie,1895; *fasciata* Godman & Salvin,1895; *simplex* Godman & Salvin,1895
- 28585) *Ouleus salvana* Evans,1953 (Hesperiidae) Synonym(s): *salvana* Evans,1953
- 28586) *Oxynteta confusa* Mabilie,1904 (Hesperiidae) Synonym(s): *confusa* Mabilie,1904
- 28587) *Oxynteta felderi* Hopffer,1874 (Hesperiidae) Synonym(s): *felderi* Hopffer,1874
- 28588) *Oxynteta hopfferi* Staudinger,1888 (Hesperiidae) Synonym(s): *hopfferi* Staudinger,1888

- 28589) *Oxynteta semihyalina* Felder, 1862 (Hesperiidae) Synonym(s): *semihyalina* Felder, 1862
 28590) *Oxyntes corusca* (Herrich-Schäffer, 1869) (Hesperiidae) Synonym(s): *corusca* Herrich-Schäffer, 1869; *martius* Mabilite, 1889
 28591) *Paches loxus* (Westwood, [1852]) (Hesperiidae) Synonym(s): *loxus* Westwood, [1852]
 28592) *Paches loxus gloriosus* Röber, 1925 (Hesperiidae) Synonym(s): *gloriosus* Röber, 1925
 28593) *Paches polla* (Mabilite, 1888) (Hesperiidae) Synonym(s): *polla* Mabilite, 1888
 28594) *Pachyneuria licisca* (Plötz, 1882) (Hesperiidae) Synonym(s): *licisca* Plötz, 1882; *thyestes* Godman & Salvin, 1894; *melcheri* Weeks, 1906
 28595) *Panoquina errans* (Skinner, 1892) (Hesperiidae) Synonym(s): *errans* Skinner, 1892
 28596) *Panoquina evadnes* (Stoll, 1781) (Hesperiidae) Synonym(s): *evadnes* Stoll, 1781; *chlorus* Plötz, 1882
 28597) *Panoquina evansi* (Freeman, 1946) (Hesperiidae) Synonym(s): *evansi* Freeman, 1946
 28598) *Panoquina fusina* (Hesperiidae) Synonym(s):
 28599) *Panoquina hecebola* (Scudder, 1872) (Hesperiidae) Synonym(s): *hecebola* Scudder, 1872; *parilis* Mabilite, 1891
 28600) *Panoquina lucas* (Fabricius, 1793) (Hesperiidae) Synonym(s): *lucas* Fabricius, 1793; *sylvicola* Herrich-Schäffer, 1865; *neriana* Plötz, 1883; *woodruffi* E.Y. Watson, 1937
 28601) *Panoquina ocola* (Edwards, 1863) (Hesperiidae) Synonym(s): *ocola* Edwards, 1863; *stratyllis* Burmeister, 1878; *heterospila* Mabilite, 1878; *ortygia* Möschler, 1883
 28602) *Panoquina panoquin* (Scudder, 1864) (Hesperiidae) Synonym(s): *panoquin* Scudder, 1864; *ophis* Edwards, 1871; *wimico* Plötz, 1883
 28603) *Panoquina panoquinoides* (Skinner, 1891) (Hesperiidae) Synonym(s): *panoquinoides* Skinner, 1891
 28604) *Panoquina pauper* (Mabilite, 1878) (Hesperiidae) Synonym(s): *pauper* Mabilite, 1878
 28605) *Papias dictys* Godman, 1900 (Hesperiidae) Synonym(s): *dictys* Godman, 1900; *scapa* Evans, 1937
 28606) *Papias nigrans* (Schaus, 1913) (Hesperiidae) Synonym(s): *nigrans* Schaus, 1913
 28607) *Papias phaeomelas* (Hübner, [1831]) (Hesperiidae) Synonym(s): *phaeomelas* Hübner, [1831]; *atramentarius* Mabilite, 1883; *microsema* Godman, 1900
 28608) *Papias phainis* Godman, 1900 (Hesperiidae) Synonym(s): *phainis* Godman, 1900; *cyanus* Schaus, 1902; *sobrinus* Schaus, 1902; *ignarus* Bell, 1932; *unicolor* Hayward, 1938; *modesta* Hayward, 1939; *larias* Bell, 1941
 28609) *Papias subcostulata* (Herrich-Schäffer, 1870) (Hesperiidae) Synonym(s): *subcostulata* Herrich-Schäffer, 1870; *infuscata* Plötz, 1882; *integra* Mabilite, 1891
 28610) *Paraceros biguttulus* (Mabilite, 1890) (Hesperiidae) Synonym(s): *biguttulus* Mabilite, 1890; *sangoanus* Carcasson, 1964
 28611) *Paraceros maesseni* Berger, 1978 (Hesperiidae) Synonym(s): *maesseni* Berger, 1978
 28612) *Paraceros overlaeti* Berger, 1978 (Hesperiidae) Synonym(s): *overlaeti* Berger, 1978
 28613) *Paraceros placidus* (Plötz, 1879) (Hesperiidae) Synonym(s): *placidus* Plötz, 1879; *substrigata* Holland, 1893
 28614) *Paratrytone aphractioia* Dyar, 1914 (Hesperiidae) Synonym(s): *aphractioia* Dyar, 1914
 28615) *Paratrytone decepta* L. Miller & J. Miller, 1972 (Hesperiidae) Synonym(s): *decepta* L. Miller & J. Miller, 1972
 28616) *Paratrytone kemneri* Steinhäuser, 1996 (Hesperiidae) Synonym(s): *kemneri* Steinhäuser, 1996
 28617) *Paratrytone omitemensis* Steinhäuser, 1996 (Hesperiidae) Synonym(s): *omitemensis* Steinhäuser, 1996
 28618) *Paratrytone pilza* Evans, 1955 (Hesperiidae) Synonym(s): *pilza* Evans, 1955
 28619) *Paratrytone polyclea* Godman, 1900 (Hesperiidae) Synonym(s): *polyclea* Godman, 1900
 28620) *Paratrytone raspa* (Evans, 1955) (Hesperiidae) Synonym(s): *raspa* Evans, 1955; *miahua* Steinhäuser, 1996
 28621) *Paratrytone rhexenor* Godman, 1900 (Hesperiidae) Synonym(s): *rhexenor* Godman, 1900
 28622) *Paratrytone snowi* (Edwards, 1877) (Hesperiidae) Synonym(s): *snowi* Edwards, 1877
 28623) *Pardaleodes bule* Holland, 1896 (Hesperiidae) Synonym(s): *bule* Holland, 1896; *makala* Bethune-Baker, 1908; *#schultzei* Aurivillius, 1925
 28624) *Pardaleodes edipus* (Stoll, [1781]) (Hesperiidae) Synonym(s): *edipus* Stoll, [1781]
 28625) *Pardaleodes incerta* (Snellen, 1872) (Hesperiidae) Synonym(s): *incerta* Snellen, 1872; *murcia* Plötz, 1883; *diluta* Robbe, 1892
 28626) *Pardaleodes sator* (Westwood, [1852]) (Hesperiidae) Synonym(s): *sator* Westwood, [1852]; *pusiella* Mabilite, 1877
 28627) *Pardaleodes tibullus* (Fabricius, 1793) (Hesperiidae) Synonym(s): *tibullus* Fabricius, 1793; *reichenowi* Plötz, 1879; *festus* Mabilite, 1890; *torensis* Bethune-Baker, 1906
 28628) *Pardaleodes xanthopeplus* Holland, 1892 (Hesperiidae) Synonym(s): *xanthopeplus* Holland, 1892
 28629) *Parellbella macleannani* (Godman & Salvin, 1893) (Hesperiidae) Synonym(s): *macleannani* Godman & Salvin, 1893
 28630) *Parnara amalia* Semper, 1879 (Hesperiidae) Synonym(s): *amalia* Semper, 1879
 28631) *Parnara amalia amalia* Semper, 1879 (Hesperiidae) Synonym(s): *amalia* Semper, 1879
 28632) *Parnara ganga* Evans, 1937 (Hesperiidae) Synonym(s): *ganga* Evans, 1937
 28633) *Parnara ganga ganga* Evans, 1937 (Hesperiidae) Synonym(s): *ganga* Evans, 1937
 28634) *Parnara guttatus* (Bremer & Grey, [1852]) (Hesperiidae) Synonym(s): *guttatus* Bremer & Grey, [1852]; *fortunei* Felder, 1862; *wambo* Plötz, 1886; *kotoshana* Sonan, 1936
 28635) *Parnara guttatus andra* Evans, 1949 (Hesperiidae) Synonym(s): *andra* Evans, 1949
 28636) *Parnara guttatus apostatus* Snellen, 1880 (Hesperiidae) Synonym(s): *apostatus* Snellen, 1880
 28637) *Parnara guttatus battus* Evans, 1949 (Hesperiidae) Synonym(s): *battus* Evans, 1949
 28638) *Parnara guttatus guttatus* (Bremer & Grey, [1852]) (Hesperiidae) Synonym(s): *guttatus* Bremer & Grey, [1852]
 28639) *Parnara guttatus mangala* (Moore, [1866]) (Hesperiidae) Synonym(s): *mangala* Moore, [1866]; *philino* Möschler, 1879; *kolantus* Plötz, 1885
 28640) *Parnara guttatus ogasawarensis* Matsumura, 1926 (Hesperiidae) Synonym(s): *ogasawarensis* Matsumura, 1926
 28641) *Parnara guttatus ormuzd* (Groum-Grshimailo, 1888) (Hesperiidae) Synonym(s): *ormuzd* Groum-Grshimailo, 1888
 28642) *Parnara kawazoei* Chiba & Eliot, 1991 (Hesperiidae) Synonym(s): *kawazoei* Chiba & Eliot, 1991
 28643) *Parnara kawazoei kawazoei* Chiba & Eliot, 1991 (Hesperiidae) Synonym(s): *kawazoei* Chiba & Eliot, 1991
 28644) *Parnara naso* (Fabricius, 1798) (Hesperiidae) Synonym(s): *naso* Fabricius, 1798; *marchalli* Boisduval, 1833
 28645) *Parnara naso bada* (Moore, 1878) (Hesperiidae) Synonym(s): *bada* Moore, 1878; *quinigera* Moore, 1878; *hainanus* Moore, 1878; *intermedia* Plötz, 1883; *daendali* Plötz, 1883; *rondoa* Plötz, 1886; *distinctus* Holland, 1887; *philotas* De Nicéville, 1895
 28646) *Parnara naso bigutta* Evans, 1937 (Hesperiidae) Synonym(s): *bigutta* Evans, 1937
 28647) *Parnara naso borneana* Chiba & Eliot, 1991 (Hesperiidae) Synonym(s): *borneana* Chiba & Eliot, 1991
 28648) *Parnara naso monasi* (Trimen, 1889) (Hesperiidae) Synonym(s): *monasi* Trimen, 1889; *neoba* Mabilite, 1891; *subochracea* Holland, 1896; *anelia* Bethune-Baker, 1908; *chambezi* Neave, 1910
 28649) *Parnara naso naso* (Fabricius, 1798) (Hesperiidae) Synonym(s): *naso* Fabricius, 1798; *marchalli* Boisduval, 1833
 28650) *Parnara naso podora* (Plötz, 1884) (Hesperiidae) Synonym(s): *podora* Plötz, 1884
 28651) *Parnara naso poutieri* (Boisduval, 1833) (Hesperiidae) Synonym(s): *poutieri* Boisduval, 1833; *ibara* Plötz, 1883; *albigutta* Mabilite, [1887]
 28652) *Parnara naso sida* Waterhouse, 1934 (Hesperiidae) Synonym(s): *sida* Waterhouse, 1934
 28653) *Paronymus ligora* (Hewitson, 1876) (Hesperiidae) Synonym(s): *ligora* Hewitson, 1876; *thersander* Mabilite, 1890
 28654) *Paronymus nevea* (Druce, 1910) (Hesperiidae) Synonym(s): *nevea* Druce, 1910
 28655) *Paronymus xanthias* (Mabilite, 1891) (Hesperiidae) Synonym(s): *xanthias* Mabilite, 1891
 28656) *Paronymus xanthioides* (Holland, 1892) (Hesperiidae) Synonym(s): *xanthioides* Holland, 1892
 28657) *Parosmodes lentiginosa* (Holland, 1896) (Hesperiidae) Synonym(s): *lentiginosa* Holland, 1896
 28658) *Parosmodes morantii* (Trimen, 1873) (Hesperiidae) Synonym(s): *morantii* Trimen, 1873; *ranoha* Westwood, 1881; *icteria* Mabilite, 1891
 28659) *Parosmodes morantii axis* Evans, 1937 (Hesperiidae) Synonym(s): *axis* Evans, 1937
 28660) *Parosmodes morantii morantii* (Trimen, 1873) (Hesperiidae) Synonym(s): *morantii* Trimen, 1873; *ranoha* Westwood, 1881; *icteria* Mabilite, 1891
 28661) *Parosmodes onza* Evans, 1956 (Hesperiidae) Synonym(s): *onza* Evans, 1956
 28662) *Parphorus decorus* (Herrich-Schäffer, 1869) (Hesperiidae) Synonym(s): *decorus* Herrich-Schäffer, 1869; *tanquilus* Möschler, 1879; *cotiso* Schaus, 1913; *substriata* Hayward, 1934
 28663) *Parphorus storax* (Mabilite, 1891) (Hesperiidae) Synonym(s): *storax* Mabilite, 1891; *Tessmann*, 1928
 28664) *Pasma polysema* (Lower, 1908) (Hesperiidae) Synonym(s): *polysema* Lower, 1908
 28665) *Pasma polysema polysema* (Lower, 1908) (Hesperiidae) Synonym(s): *polysema* Lower, 1908
 28666) *Pasma tasmanica* (Miskin, 1889) (Hesperiidae) Synonym(s): *tasmanica* Miskin, 1889; *comma* Kirby, 1893
 28667) *Pasma tasmanica tasmanica* (Miskin, 1889) (Hesperiidae) Synonym(s): *tasmanica* Miskin, 1889; *comma* Kirby, 1893
 28668) *Pastria albimedia* (Joicey & Talbot, 1917) (Hesperiidae) Synonym(s): *albimedia* Joicey & Talbot, 1917
 28669) *Pastria albimedia albimedia* (Joicey & Talbot, 1917) (Hesperiidae) Synonym(s): *albimedia* Joicey & Talbot, 1917

- 28670) *Pastria pastria* Evans,1949 (Hesperiidae) Synonym(s): *pastria* Evans,1949
 28671) *Pastria pastria pastria* Evans,1949 (Hesperiidae) Synonym(s): *pastria* Evans,1949
 28672) *Pedesta baileyi* (South,1913) (Hesperiidae) Synonym(s): *baileyi* South,1913
 28673) *Pedesta baileyi baileyi* (South,1913) (Hesperiidae) Synonym(s): *baileyi* South,1913
 28674) *Pedesta baileyi nanka* Evans,1949 (Hesperiidae) Synonym(s): *nanka* Evans,1949
 28675) *Pedesta blanchardii* (Mabille,1876) (Hesperiidae) Synonym(s): *blanchardii* Mabille,1876
 28676) *Pedesta blanchardii blanchardii* (Mabille,1876) (Hesperiidae) Synonym(s): *blanchardii* Mabille,1876
 28677) *Pedesta blanchardii shensia* Evans,1949 (Hesperiidae) Synonym(s): *shensia* Evans,1949
 28678) *Pedesta masuriensis* (Moore,1878) (Hesperiidae) Synonym(s): *masuriensis* Moore,1878
 28679) *Pedesta masuriensis masuriensis* (Moore,1878) (Hesperiidae) Synonym(s): *masuriensis* Moore,1878
 28680) *Pedesta blanchardii tali* (Swinhoe,1912) (Hesperiidae) Synonym(s): *tali* Swinhoe,1912
 28681) *Pedesta panda* Evans,1937 (Hesperiidae) Synonym(s): *panda* Evans,1937
 28682) *Pedesta panda panda* Evans,1937 (Hesperiidae) Synonym(s): *panda* Evans,1937
 28683) *Pedesta pandita* (De Nicéville,1885) (Hesperiidae) Synonym(s): *pandita* De Nicéville,1885
 28684) *Pedesta pandita pandita* (De Nicéville,1885) (Hesperiidae) Synonym(s): *pandita* De Nicéville,1885
 28685) *Pedesta serena* Evans,1937 (Hesperiidae) Synonym(s): *serena* Evans,1937
 28686) *Pedesta serena serena* Evans,1937 (Hesperiidae) Synonym(s): *serena* Evans,1937
 28687) *Pellicia angra* Evans,1953 (Hesperiidae) Synonym(s): *angra* Evans,1953
 28688) *Pellicia arina* Evans,1953 (Hesperiidae) Synonym(s): *arina* Evans,1953
 28689) *Pellicia dimidiata* Herrich-Schäffer,1870 (Hesperiidae) Synonym(s): *dimidiata* Herrich-Schäffer,1870; *didia* Möscgler,1877; *corinna* Plötz,1882; *nivonicus* Plötz,1884; *bilinea* Mabille,1889; *bobae* Weeks,1906; *hypsipyle* Hayward,1947
 28690) *Pelopidas agna* (Moore,[1866]) (Hesperiidae) Synonym(s): *agna* Moore,[1866]; *dingo* Evans,1949.
 28691) *Pelopidas agna agna* (Moore,[1866]) (Hesperiidae) Synonym(s): *agna* Moore,[1866]; *dingo* Evans,1949.
 28692) *Pelopidas agna agnata* Evans,1934 (Hesperiidae) Synonym(s): *agnata* Evans,1934
 28693) *Pelopidas assamensis* De Nicéville,1882 (Hesperiidae) Synonym(s): *assamensis* De Nicéville,1882
 28694) *Pelopidas assamensis assamensis* De Nicéville,1882 (Hesperiidae) Synonym(s): *assamensis* De Nicéville,1882
 28695) *Pelopidas conjunctus* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *conjunctus* Herrich-Schäffer,1869
 28696) *Pelopidas conjunctus conjunctus* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *conjunctus* Herrich-Schäffer,1869
 28697) *Pelopidas conjunctus narooa* Moore,1878 (Hesperiidae) Synonym(s): *narooa* Moore,1878
 28698) *Pelopidas jansonis* Butler,1878 (Hesperiidae) Synonym(s): *jansonis* Butler,1878
 28699) *Pelopidas jansonis jansonis* Butler,1878 (Hesperiidae) Synonym(s): *jansonis* Butler,1878
 28700) *Pelopidas lyelli* Rothschild,1915 (Hesperiidae) Synonym(s): *lyelli* Rothschild,1915
 28701) *Pelopidas lyelli lyelli* Rothschild,1915 (Hesperiidae) Synonym(s): *lyelli* Rothschild,1915
 28702) *Pelopidas lyelli mathewi* Evans,1937 (Hesperiidae) Synonym(s): *mathewi* Evans,1937
 28703) *Pelopidas mathias* (Fabricius,1798) (Hesperiidae) Synonym(s): *mathias* Fabricius,1798; *elegans* Mabille,1877; *umbrata* Butler,1879; *octofenestrata* Saalmüller,1884; *albirostris* Mabille,[1887].
 28704) *Pelopidas mathias mathias* (Fabricius,1798) (Hesperiidae) Synonym(s): *mathias* Fabricius,1798; *elegans* Mabille,1877; *umbrata* Butler,1879; *octofenestrata* Saalmüller,1884; *albirostris* Mabille,[1887].
 28705) *Pelopidas mathias oberthueri* Evans,1937 (Hesperiidae) Synonym(s): *oberthueri* Evans,1937
 28706) *Pelopidas mathias repetita* Butler,1882 (Hesperiidae) Synonym(s): *repetita* Butler,1882
 28707) *Pelopidas sinensis* Mabille,1877 (Hesperiidae) Synonym(s): *sinensis* Mabille,1877; *prominens* Moore,1882; *similis* Leech,1890 nec Moore,1881.
 28708) *Pelopidas sinensis sinensis* Mabille,1877 (Hesperiidae) Synonym(s): *sinensis* Mabille,1877; *prominens* Moore,1882; *similis* Leech,1890 nec Moore,1881.
 28709) *Pelopidas subochraceus* Moore,1878 (Hesperiidae) Synonym(s): *subochraceus* Moore,1878
 28710) *Pelopidas subochraceus barneyi* Evans,1937 (Hesperiidae) Synonym(s): *barneyi* Evans,1937
 28711) *Pelopidas subochraceus subochraceus* Moore,1878 (Hesperiidae) Synonym(s): *subochraceus* Moore,1878
 28712) *Pelopidas thrax* (Hübner,[1821]) (Hesperiidae) Synonym(s): *thrax* Hübner,[1821]; *midea* Walker,1870
 28713) *Pelopidas thrax flava* Evans,1926 (Hesperiidae) Synonym(s): *flava* Evans,1926
 28714) *Pelopidas thrax inconspicua* (Bertolini,1850) (Hesperiidae) Synonym(s): *inconspicua* Bertolini,1850; *mohopaani* Wallengren,1857; *micipsa* Trimen,1862; *lodra* Plötz,1879
 28715) *Pelopidas thrax masta* Evans,1949 (Hesperiidae) Synonym(s): *masta* Evans,1949
 28716) *Pelopidas thrax thrax* (Hübner,[1821]) (Hesperiidae) Synonym(s): *thrax* Hübner,[1821]; *midea* Walker,1870
 28717) *Pemara pugnans* (De Nicéville,1891) (Hesperiidae) Synonym(s): *pugnans* De Nicéville,1891
 28718) *Perichares lotus* (Butler,1870) (Hesperiidae) Synonym(s): *lotus* Butler,1870; *heroni* Kaye,1904
 28719) *Perichares philetes* (Gmelin,[1790]) (Hesperiidae) Synonym(s): *coridon* Fabricius,1775 nec Sc.,1863; *philetes* Gmelin,[1790]; *phocion* Fabricius,1793; *julianus* Turton,1806; *trinitad* Lucas,1857;
 28720) *Perichares philetes adela* (Hewitson,[1867]) (Hesperiidae) Synonym(s): *adela* Hewitson,[1867]; *dolores* Reakirt,1868; *marmorata* Scudder,1872
 28721) *Perrotia albiplaga* Oberthür,1916 (Hesperiidae) Synonym(s): *albiplaga* Oberthür,1916; *albimacula* Oberthür,1916; *teresina* Oberthür,1923
 28722) *Perrotia eximia* (Oberthür,1923) (Hesperiidae) Synonym(s): *eximia* Oberthür,1923
 28723) *Perrotia gala* Evans,1937 (Hesperiidae) Synonym(s): *gala* Evans,1937
 28724) *Perrotia gillias* (Mabille,1878) (Hesperiidae) Synonym(s): *gillias* Mabille,1878; *epimalchus* Oberthür,1916
 28725) *Perrotia kingdoni* (Butler,1879) (Hesperiidae) Synonym(s): *kingdoni* Butler,1879; *perroti* Oberthür,1916
 28726) *Perrotia malchus* (Mabille,1879) (Hesperiidae) Synonym(s): *malchus* Mabille,1879; *apostrophia* Oberthür,1916
 28727) *Phanes aletes* (Geyer,[1832]) (Hesperiidae) Synonym(s): *alates* Geyer,[1832]
 28728) *Phanus albiapicalis* Austin,1993 (Hesperiidae) Synonym(s): *albiapicalis* Austin,1993
 28729) *Phanus confusus* Austin,1993 (Hesperiidae) Synonym(s): *confusus* Austin,1993
 28730) *Phanus marshallii* Kirby,1880 (Hesperiidae) Synonym(s): *marshallii* Kirby,1880
 28731) *Phanus rilma* Evans,1952 (Hesperiidae) Synonym(s): *rilma* Evans,1952
 28732) *Phanus vitreus* (Stoll,1781) (Hesperiidae) Synonym(s): *vitreus* Stoll,1781; *momus* Fabricius,1787; *godmani* R.C.Williams & Bell,1931
 28733) *Pheraeus covadonga* Freeman,1969 (Hesperiidae) Synonym(s): *covadonga* Freeman,1969
 28734) *Pheraeus covadonga covadonga* Freeman,1969 (Hesperiidae) Synonym(s): *covadonga* Freeman,1969
 28735) *Pheraeus covadonga loxicha* Steinhäuser,1991 (Hesperiidae) Synonym(s): *loxicha* Steinhäuser,1991
 28736) *Phocides belus* Godman & Salvin,1893 (Hesperiidae) Synonym(s): *belus* Godman & Salvin,1893
 28737) *Phocides pigmalion* (Cramer,[1779]) (Hesperiidae) Synonym(s): *pigmalion* Cramer,[1779]; *tenuistriga* Mabille & Boulet,1912; *vulcanides* Röber,1925; *iocularis* Röber,1925; *disparilis* Röber,1925.
 28738) *Phocides pigmalion okeechobee* (Worthington,1881) (Hesperiidae) Synonym(s): *okeechobee* Worthington,1881
 28739) *Phocides pigmalion pigmalion* (Cramer,[1779]) (Hesperiidae) Synonym(s): *pigmalion* Cramer,[1779]; *tenuistriga* Mabille & Boulet,1912; *vulcanides* Röber,1925; *iocularis* Röber,1925; *disparilis* Röber,1925.
 28740) *Phocides polybius* (Fabricius,1793) (Hesperiidae) Synonym(s): *palemon* Cramer,[1777] nec Pall.,1771; *polybius* Fabricius,1793; *cruentus* Hübner,[1819]; *#gunderi* Williams & Bell,1931
 28741) *Phocides polybius lilea* (Reakirt,[1867]) (Hesperiidae) Synonym(s): *lilea* Reakirt,[1867]; *albicilla* Herrich-Schäffer,1869; *socius* Butler & Druce,1872; *cruentus* Scudder,1872 nec Hübner,[1819]; *sanguinea* Scudder,[1871]; *decolor* Mabille,1880; *albiciata* Röber,1925.
 28742) *Phocides polybius polybius* (Fabricius,1793) (Hesperiidae) Synonym(s): *palemon* Cramer,[1777] nec Pall.,1771; *polybius* Fabricius,1793; *cruentus* Hübner,[1819]; *#gunderi* Williams & Bell,1931
 28743) *Phocides urania* (Westwood,1852) (Hesperiidae) Synonym(s): *urania* Westwood,1852; *texana* Scudder,[1871].
 28744) *Pholisora catullus* (Fabricius,1793) (Hesperiidae) Synonym(s): *catullus* Fabricius,1793
 28745) *Pholisora mejicanus* (Reakirt,[1867]) (Hesperiidae) Synonym(s): *mejicanus* Reakirt,[1867]
 28746) *Pintara bowringi* Joicey & Talbot,1921 (Hesperiidae) Synonym(s): *bowringi* Joicey & Talbot,1921; *choui* Gu,1994
 28747) *Pintara bowringi bowringi* Joicey & Talbot,1921 (Hesperiidae) Synonym(s): *bowringi* Joicey & Talbot,1921; *choui* Gu,1994
 28748) *Pintara bowringi colorata* Devyatkin,1998 (Hesperiidae) Synonym(s): *colorata* Devyatkin,1998
 28749) *Pintara capiloides* Devyatkin,1998 (Hesperiidae) Synonym(s): *capiloides* Devyatkin,1998

- 28750) *Pintara melli* (Hering,1918) (Hesperiidae) Synonym(s): *melli* Hering,1918
 28751) *Pintara pinwilli* (Butler,[1879]) (Hesperiidae) Synonym(s): *pinwilli* Butler,[1879]
 28752) *Pintara pinwilli banga* Evans,1949 (Hesperiidae) Synonym(s): *banga* Evans,1949
 28753) *Pintara pinwilli pinwilli* (Butler,[1879]) (Hesperiidae) Synonym(s): *pinwilli* Butler,[1879]
 28754) *Pintara tabrica* Hewitson,1873 (Hesperiidae) Synonym(s): *tabrica* Hewitson,1873
 28755) *Pintara tabrica tabrica* Hewitson,1873 (Hesperiidae) Synonym(s): *tabrica* Hewitson,1873
 28756) *Pirdana albicornis* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *albicornis* Elwes & Edwards,1897
 28757) *Pirdana albicornis albicornis* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *albicornis* Elwes & Edwards,1897
 28758) *Pirdana distanti* Staudinger,1889 (Hesperiidae) Synonym(s): *distanti* Staudinger,1889
 28759) *Pirdana distanti distanti* Staudinger,1889 (Hesperiidae) Synonym(s): *distanti* Staudinger,1889
 28760) *Pirdana distanti pavona* De Nicéville,1895 (Hesperiidae) Synonym(s): *pavona* De Nicéville,1895; *niasica* Fruhstorfer,1911
 28761) *Pirdana distanti spenda* Evans,1949 (Hesperiidae) Synonym(s): *spenda* Evans,1949
 28762) *Pirdana fusca* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *fusca* De Jong & Treadaway,1993
 28763) *Pirdana fusca fusca* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *fusca* De Jong & Treadaway,1993
 28764) *Pirdana hyela* (Hewitson,1867) (Hesperiidae) Synonym(s): *hyela* Hewitson,1867; *scanda* Fruhstorfer,1911
 28765) *Pirdana hyela hyela* (Hewitson,1867) (Hesperiidae) Synonym(s): *hyela* Hewitson,1867; *scanda* Fruhstorfer,1911
 28766) *Pirdana hyela ismene* (C.Felder & R.Felder,[1867]) (Hesperiidae) Synonym(s): *ismene* C.Felder & R.Felder,[1867]; *sargon* Mabilie,1876
 28767) *Pirdana hyela major* Evans,1932 (Hesperiidae) Synonym(s): *major* Evans,1932
 28768) *Pirdana hyela rudolphii* Elwes & De Nicéville,1886 (Hesperiidae) Synonym(s): *rudolphii* Elwes & De Nicéville,1886
 28769) *Piruna aea* (Dyar,1912) (Hesperiidae) Synonym(s): *aea* Dyar,1912; *sombra* Evans,1955; *cingo* Evans,1955
 28770) *Piruna aea mexicana* Freeman,1979 (Hesperiidae) Synonym(s): *mexicana* Freeman,1979
 28771) *Piruna brunnea* (Scudder,1872) (Hesperiidae) Synonym(s): *brunnea* Scudder,1872
 28772) *Piruna ceracates* (Hewitson,1874) (Hesperiidae) Synonym(s): *ceracates* Hewitson,1874
 28773) *Piruna cyclosticta* (Dyar,1920) (Hesperiidae) Synonym(s): *cyclosticta* Dyar,1920
 28774) *Piruna dampfi* (Bell,1942) (Hesperiidae) Synonym(s): *dampfi* Bell,1942
 28775) *Piruna gyranis* (Plötz,1884) (Hesperiidae) Synonym(s): *gyranis* Plötz,1884; *anomala* Mabilie,1889; *leucospila* Godman,1900; *sticta* Evans,1955
 28776) *Piruna haferniki* Freeman,1970 (Hesperiidae) Synonym(s): *haferniki* Freeman,1970
 28777) *Piruna jonka* Steinhäuser,1991 (Hesperiidae) Synonym(s): *jonka* Steinhäuser,1991
 28778) *Piruna kemneri* Freeman,1990 (Hesperiidae) Synonym(s): *kemneri* Freeman,1990
 28779) *Piruna maculata* Freeman,1970 (Hesperiidae) Synonym(s): *maculata* Freeman,1970
 28780) *Piruna microstictus* (Godman,1900) (Hesperiidae) Synonym(s): *microstictus* Godman,1900; *ajjiciensis* Freeman,1970
 28781) *Piruna millerorum* Steinhäuser,1991 (Hesperiidae) Synonym(s): *millerorum* Steinhäuser,1991
 28782) *Piruna mullinsi* Freeman,1991 (Hesperiidae) Synonym(s): *mullinsi* Freeman,1991
 28783) *Piruna penaea* (Dyar,1918) (Hesperiidae) Synonym(s): *penaea* Dyar,1918; *milpa* Freeman,1970
 28784) *Piruna pirus* (Hesperiidae) Synonym(s):
 28785) *Piruna polingi* (Barnes,1900) (Hesperiidae) Synonym(s): *polingi* Barnes,1900
 28786) *Piruna purepecha* A.Warren & Gonzalez,1998 (Hesperiidae) Synonym(s): *purepecha* A.Warren & Gonzalez,1998
 28787) *Piruna roeveri* (L.Miller & J.Miller,1972) (Hesperiidae) Synonym(s): *roeveri* L.Miller & J.Miller,1972
 28788) *Piruna sina* Freeman,1970 (Hesperiidae) Synonym(s): *sina* Freeman,1970
 28789) *Pithauria marsena* (Hewitson,[1866]) (Hesperiidae) Synonym(s): *marsena* Hewitson,[1866]; *ornata* C.Felder & R.Felder,[1867]; *subornata* Plötz,1887; *atichisoni* Wood-Mason & De Nicéville,[1887]; *uma* De Nicéville,1888; *glauca* Elwes & Edwards,1897
 28790) *Pithauria marsena marsena* (Hewitson,[1866]) (Hesperiidae) Synonym(s): *marsena* Hewitson,[1866]; *ornata* C.Felder & R.Felder,[1867]; *subornata* Plötz,1887; *atichisoni* Wood-Mason & De Nicéville,[1887]; *uma* De Nicéville,1888; *glauca* Elwes & Edwards,1897
 28791) *Pithauria murdava* (Moore,[1866]) (Hesperiidae) Synonym(s): *murdava* Moore,[1866]; *weymeri* Plötz,1883
 28792) *Pithauria murdava murdava* (Moore,[1866]) (Hesperiidae) Synonym(s): *murdava* Moore,[1866]; *weymeri* Plötz,1883
 28793) *Pithauria stramineipennis* Wood-Mason & De Nicéville,[1887] (Hesperiidae) Synonym(s): *stramineipennis* Wood-Mason & De Nicéville,[1887]
 28794) *Pithauria stramineipennis linus* Evans,1937 (Hesperiidae) Synonym(s): *linus* Evans,1937
 28795) *Pithauria stramineipennis stramineipennis* Wood-Mason & De Nicéville,[1887] (Hesperiidae) Synonym(s): *stramineipennis* Wood-Mason & De Nicéville,[1887]
 28796) *Plastingia aurantiaca* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *aurantiaca* Elwes & Edwards,1897
 28797) *Plastingia aurantiaca aura* Evans,1941 (Hesperiidae) Synonym(s): *aura* Evans,1941
 28798) *Plastingia aurantiaca aurantiaca* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *aurantiaca* Elwes & Edwards,1897
 28799) *Plastingia aurantiaca montivaga* Pendlebury,1939 (Hesperiidae) Synonym(s): *montivaga* Pendlebury,1939
 28800) *Plastingia callineura* (C.Felder & R.Felder,1867) (Hesperiidae) Synonym(s): *callineura* C.Felder & R.Felder,1867
 28801) *Plastingia callineura callineura* (C.Felder & R.Felder,1867) (Hesperiidae) Synonym(s): *callineura* C.Felder & R.Felder,1867
 28802) *Plastingia callineura niasana* Fruhstorfer,1909 (Hesperiidae) Synonym(s): *niasana* Fruhstorfer,1909; *burmana* Evans,1926; *perakana* Evans,1926
 28803) *Plastingia callineura rubida* Evans,1941 (Hesperiidae) Synonym(s): *rubida* Evans,1941
 28804) *Plastingia flavescens* (C.Felder & R.Felder,[1867]) (Hesperiidae) Synonym(s): *flavescens* C.Felder & R.Felder,[1867]; *atala* Fruhstorfer,1909; *samanga* Fruhstorfer,1909
 28805) *Plastingia flavescens flavescens* (C.Felder & R.Felder,[1867]) (Hesperiidae) Synonym(s): *flavescens* C.Felder & R.Felder,[1867]; *atala* Fruhstorfer,1909; *samanga* Fruhstorfer,1909
 28806) *Plastingia mangola* Evans,1949 (Hesperiidae) Synonym(s): *mangola* Evans,1949
 28807) *Plastingia mangola mangola* Evans,1949 (Hesperiidae) Synonym(s): *mangola* Evans,1949
 28808) *Plastingia margherita* margherita Doherty,1889 (Hesperiidae) Synonym(s): *margherita* Doherty,1889
 28809) *Plastingia margherita miriam* Evans,1941 (Hesperiidae) Synonym(s): *miriam* Evans,1941
 28810) *Plastingia naga* De Nicéville,1884 (Hesperiidae) Synonym(s): *naga* De Nicéville,1884; *palawata* Staudinger,1889; *valenia* Fruhstorfer,1909
 28811) *Plastingia naga naga* De Nicéville,1884 (Hesperiidae) Synonym(s): *naga* De Nicéville,1884; *palawata* Staudinger,1889; *valenia* Fruhstorfer,1909
 28812) *Plastingia noemi* De Nicéville,1885 (Hesperiidae) Synonym(s): *noemi* De Nicéville,1885
 28813) *Plastingia noemi noemi* De Nicéville,1885 (Hesperiidae) Synonym(s): *noemi* De Nicéville,1885
 28814) *Plastingia pellationia* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *pellonia* Fruhstorfer,1911
 28815) *Plastingia pellationia pellationia* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *pellonia* Fruhstorfer,1911
 28816) *Plastingia tessellata* (Hewitson,1866) (Hesperiidae) Synonym(s): *tessellata* Hewitson,1866; *eulepis* C.Felder & R.Felder,[1867]; *mangolina* Fruhstorfer,1911
 28817) *Plastingia tessellata tessa* Evans,1949 (Hesperiidae) Synonym(s): *tessa* Evans,1949
 28818) *Plastingia tessellata tessellata* (Hewitson,1866) (Hesperiidae) Synonym(s): *tessellata* Hewitson,1866; *eulepis* C.Felder & R.Felder,[1867]; *mangolina* Fruhstorfer,1911
 28819) *Plastingia viburnia* Semper,1892 (Hesperiidae) Synonym(s): *viburnia* Semper,1892
 28820) *Plastingia viburnia viburnia* Semper,1892 (Hesperiidae) Synonym(s): *viburnia* Semper,1892
 28821) *Platylesches affinissima* Strand,1921 (Hesperiidae) Synonym(s): *affinissima* Strand,1921
 28822) *Platylesches ayresii* (Trimen,1889) (Hesperiidae) Synonym(s): *ayresii* Trimen,1889
 28823) *Platylesches batangae* (Holland,1894) (Hesperiidae) Synonym(s): *batangae* Holland,1894
 28824) *Platylesches chamaeleon* (Mabilie,1891) (Hesperiidae) Synonym(s): *chamaeleon* Mabilie,1891
 28825) *Platylesches chamaeleon chamaeleon* (Mabilie,1891) (Hesperiidae) Synonym(s): *chamaeleon* Mabilie,1891
 28826) *Platylesches chamaeleon tero* Evans,1937 (Hesperiidae) Synonym(s): *tero* Evans,1937
 28827) *Platylesches fosta* Evans,1937 (Hesperiidae) Synonym(s): *fosta* Evans,1937
 28828) *Platylesches galesa* (Hewitson,1877) (Hesperiidae) Synonym(s): *galesa* Hewitson,1877; *nigerrima* Butler,1894; *nigricans* Holland,1896; *depygata* Strand,1921
 28829) *Platylesches iva* Evans,1937 (Hesperiidae) Synonym(s): *iva* Evans,1937
 28830) *Platylesches lamba* Neave,1910 (Hesperiidae) Synonym(s): *lamba* Neave,1910
 28831) *Platylesches langa* Evans,1937 (Hesperiidae) Synonym(s): *langa* Evans,1937

- 28832) *Platylesches larseni* Kielland,1992 (Hesperiidae) Synonym(s): *larseni* Kielland,1992
- 28833) *Platylesches moritili* (Wallengren,1857) (Hesperiidae) Synonym(s): *moritili* Wallengren,1857; *zephora* Plötz,1884; *heterophila* Mabilie,1891; *amadhu* Mabilie,1891; *#costalis* Aurivillius,1925
- 28834) *Platylesches neba* (Hewitson,1877) (Hesperiidae) Synonym(s): *neba* Hewitson,1877
- 28835) *Platylesches panga* Evans,1937 (Hesperiidae) Synonym(s): *panga* Evans,1937
- 28836) *Platylesches picanini* (Holland,1894) (Hesperiidae) Synonym(s): *#grandiplaga* Mabilie,1891; *picanini* Holland,1894; *goetzei* Grünberg,1907
- 28837) *Platylesches rasta* Evans,1937 (Hesperiidae) Synonym(s): *rasta* Evans,1937
- 28838) *Platylesches rasta anka* Evans,1937 (Hesperiidae) Synonym(s): *anka* Evans,1937
- 28839) *Platylesches rasta rasta* Evans,1937 (Hesperiidae) Synonym(s): *rasta* Evans,1937
- 28840) *Platylesches robustus* Neave,1910 (Hesperiidae) Synonym(s): *robustus* Neave,1910; *ertli* Gaede,1917
- 28841) *Platylesches robustus robustus* Neave,1910 (Hesperiidae) Synonym(s): *robustus* Neave,1910; *ertli* Gaede,1917
- 28842) *Platylesches robustus villa* Evans,1937 (Hesperiidae) Synonym(s): *villa* Evans,1937
- 28843) *Platylesches rossii* Belcastro,1986 (Hesperiidae) Synonym(s): *rossii* Belcastro,1986
- 28844) *Platylesches shona* Evans,1937 (Hesperiidae) Synonym(s): *shona* Evans,1937
- 28845) *Platylesches tina* Evans,1937 (Hesperiidae) Synonym(s): *tina* Evans,1937
- 28846) *Ploetzia amygdalis* (Mabilie,1877) (Hesperiidae) Synonym(s): *amygdalis* Mabilie,1877
- 28847) *Poanes aaroni* (Skinner,1890) (Hesperiidae) Synonym(s): *aaroni* Skinner,1890
- 28848) *Poanes aaroni aaroni* (Skinner,1890) (Hesperiidae) Synonym(s): *aaroni* Skinner,1890
- 28849) *Poanes aaroni howardi* (Skinner,1896) (Hesperiidae) Synonym(s): *howardi* Skinner,1896
- 28850) *Poanes hobomok* (Harris,1862) (Hesperiidae) Synonym(s): *hobomok* Harris,1862
- 28851) *Poanes inimica* (Butler & Druce,1872) (Hesperiidae) Synonym(s): *inimica* Butler & Druce,1872; *lupulina* Plötz,1882
- 28852) *Poanes massasoit* (Scudder,1864) (Hesperiidae) Synonym(s): *massasoit* Scudder,1864
- 28853) *Poanes massasoit chermocki* Andersen & Simmons,1976 (Hesperiidae) Synonym(s): *chermocki* Andersen & Simmons,1976
- 28854) *Poanes massasoit massasoit* (Scudder,1864) (Hesperiidae) Synonym(s): *massasoit* Scudder,1864
- 28855) *Poanes melane* (Edwards,1869) (Hesperiidae) Synonym(s): *melane* Edwards,1869
- 28856) *Poanes melane melane* (Edwards,1869) (Hesperiidae) Synonym(s): *melane* Edwards,1869
- 28857) *Poanes melane poa* Evans,1955 (Hesperiidae) Synonym(s): *poa* Evans,1955
- 28858) *Poanes melane vitellina* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *vitellina* Herrich-Schäffer,1869
- 28859) *Poanes monticola* (Godman,1900) (Hesperiidae) Synonym(s): *monticola* Godman,1900; *capta* L.Miller & J.Miller,1972
- 28860) *Poanes niveolimbus* (Mabilie,1889) (Hesperiidae) Synonym(s): *niveolimbus* Mabilie,1889
- 28861) *Poanes taxiles* (Edwards,1881) (Hesperiidae) Synonym(s): *taxiles* Edwards,1881; *psaumis* Godman,1900
- 28862) *Poanes viator* (Edwards,1865) (Hesperiidae) Synonym(s): *viator* Edwards,1865
- 28863) *Poanes viator viator* (Edwards,1865) (Hesperiidae) Synonym(s): *viator* Edwards,1865
- 28864) *Poanes viator zizaniae* Shapiro,1971 (Hesperiidae) Synonym(s): *zizaniae* Shapiro,1971
- 28865) *Poanes yehl* (Skinner,1893) (Hesperiidae) Synonym(s): *yehl* Skinner,1893
- 28866) *Poanes zabulon* (Boisduval & LeConte,[1837]) (Hesperiidae) Synonym(s): *zabulon* Boisduval & LeConte,[1837]; *erratica* Plötz,1883
- 28867) *Polites baracoa* (Lucas,1857) (Hesperiidae) Synonym(s): *baracoa* Lucas,1857
- 28868) *Polites carus* (Edwards,1883) (Hesperiidae) Synonym(s): *carus* Edwards,1883
- 28869) *Polites draco* (Edwards,1871) (Hesperiidae) Synonym(s): *draco* Edwards,1871
- 28870) *Polites mardon* (Edwards,1881) (Hesperiidae) Synonym(s): *mardon* Edwards,1881
- 28871) *Polites mystic* (Edwards,1863) (Hesperiidae) Synonym(s): *mystic* Edwards,1863
- 28872) *Polites norae* MacNeill,1993 (Hesperiidae) Synonym(s): *norae* MacNeill,1993
- 28873) *Polites origenes* (Fabricius,1793) (Hesperiidae) Synonym(s): *origenes* Fabricius,1793; *manataaqua* Scudder,1864; *alcina* Skinner,1893
- 28874) *Polites peckius* (W.Kirby,1837) (Hesperiidae) Synonym(s): *peckius* W.Kirby,1837; *wamsutta* Harris,1862
- 28875) *Polites pupillus* (Plötz,1882) (Hesperiidae) Synonym(s): *pupillus* Plötz,1882; *catahorma* Dyar,1916
- 28876) *Polites puxillus* (Mabilie,1891) (Hesperiidae) Synonym(s): *puxillus* Mabilie,1891
- 28877) *Polites rhesus* (Edwards,1883) (Hesperiidae) Synonym(s): *rhesus* Edwards,1883; *axius* Plötz,1883
- 28878) *Polites sabuleti* (Boisduval,1852) (Hesperiidae) Synonym(s): *sabuleti* Boisduval,1852; *genoa* Plötz,1883
- 28879) *Polites sabuleti chusca* (Edwards,1873) (Hesperiidae) Synonym(s): *chusca* Edwards,1873
- 28880) *Polites sabuleti sabuleti* (Boisduval,1852) (Hesperiidae) Synonym(s): *sabuleti* Boisduval,1852; *genoa* Plötz,1883
- 28881) *Polites sabuleti tecumseh* (Grinnell,1903) (Hesperiidae) Synonym(s): *tecumseh* Grinnell,1903
- 28882) *Polites sonora* (Scudder,1872) (Hesperiidae) Synonym(s): *sonora* Scudder,1872
- 28883) *Polites sonora siris* (Edwards,1881) (Hesperiidae) Synonym(s): *siris* Edwards,1881
- 28884) *Polites sonora sonora* (Scudder,1872) (Hesperiidae) Synonym(s): *sonora* Scudder,1872
- 28885) *Polites sonora utahensis* (Skinner,1911) (Hesperiidae) Synonym(s): *utahensis* Skinner,1911
- 28886) *Polites subreticulata* (Plötz,1883) (Hesperiidae) Synonym(s): *subreticulata* Plötz,1883; *citrus* Mabilie,1889; *reticulata* Godman,1900
- 28887) *Polites themistocles* (Latreille,1824) (Hesperiidae) Synonym(s): *thauamas* Fabricius,1787 *nec* Hufn.,1766; *phocion* Fabricius,1798 *nec* Fabr.,1793; *themistocles* Latreille,1824; *cernes* Boisduval & LeConte,[1834]; *ahaton* Harris,1862
- 28888) *Polites vibex* (Geyer,[1832]) (Hesperiidae) Synonym(s): *vibex* Geyer,[1832]; *brettus* Boisduval & LeConte,[1834]; *wingina* Scudder,1864; *osyka* Edwards,1867; *morganta* Plötz,1883; *unna* Plötz,1883
- 28889) *Polites vibex brettoides* (Edwards,1883) (Hesperiidae) Synonym(s): *brettoides* Edwards,1883; *clara* Plötz,1883; *stigma* Skinner,1896
- 28890) *Polites vibex praeceps* (Scudder,1872) (Hesperiidae) Synonym(s): *praeceps* Scudder,1872; *phormio* Mabilie,1878; *sulfurina* Mabilie,1878; *galenia* Möschler,1879; *humida* Möschler,1879; *clara* Plötz,1883; *zenckei* plötz,1883; *stigma* Skinner,1896; *hypozona* Dyar,1918
- 28891) *Polyctor cleta* Evans,1953 (Hesperiidae) Synonym(s): *cleta* Evans,1953
- 28892) *Polyctor enops* (Godman & Salvin,1894) (Hesperiidae) Synonym(s): *enops* Godman & Salvin,1894
- 28893) *Polygonus leo* (Gmelin,1790) (Hesperiidae) Synonym(s): *amynas* Fabricius,1775 *nec* Pda,1761; *leo* Gmelin,1790; *savigny* Latreille,[1824]; *histrion* Röber,1925.
- 28894) *Polygonus leo* (Gmelin,[1790]) (Hesperiidae) Synonym(s): *amynas* Fabricius,1775 *nec* Pod.,1761; *leo* Gmelin,[1790]; *histrion* Röber,1925
- 28895) *Polygonus leo arizonensis* (Skinner,1911) (Hesperiidae) Synonym(s): *arizonensis* Skinner,1911; *pallida* Röber,1925
- 28896) *Polygonus leo leo* (Gmelin,1790) (Hesperiidae) Synonym(s): *amynas* Fabricius,1775 *nec* Pda,1761; *leo* Gmelin,1790; *savigny* Latreille,[1824]; *histrion* Röber,1925.
- 28897) *Polygonus manueli* Bell & Comstock,1948 (Hesperiidae) Synonym(s): *manueli* Bell & Comstock,1948
- 28898) *Polygonus manueli manueli* Bell & Comstock,1948 (Hesperiidae) Synonym(s): *manueli* Bell & Comstock,1948
- 28899) *Polygonus savigny* (Latreille,[1824]) (Hesperiidae) Synonym(s): *savigny* Latreille,[1824]; *manueli* Bell & W.P.Comstock,1948; *mimeticus* J.Zikan & W.Zikan,1968
- 28900) *Polythrix asine* (Hewitson,1867) (Hesperiidae) Synonym(s): *asine* Hewitson,1867
- 28901) *Polythrix auginus* (Hewitson,1867) (Hesperiidae) Synonym(s): *auginus* Hewitson,1867; *flamula* Herrich-Schäffer,1869
- 28902) *Polythrix caunus* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *caunus* Herrich-Schäffer,1869; *lindora* Butler,1870
- 28903) *Polythrix kanshul* Shuey,1991 (Hesperiidae) Synonym(s): *kanshul* Shuey,1991
- 28904) *Polythrix mexicanus* Freeman,1969 (Hesperiidae) Synonym(s): *mexicanus* Freeman,1969
- 28905) *Polythrix mexicanus* Freeman,1969 (Hesperiidae) Synonym(s): *mexicanus* Freeman,1969
- 28906) *Polythrix mexicanus mexicanus* Freeman,1969 (Hesperiidae) Synonym(s): *mexicanus* Freeman,1969
- 28907) *Polythrix octomaculata* (Sepp,1848) (Hesperiidae) Synonym(s): *octomaculata* Sepp,1848
- 28908) *Polythrix octomaculata* (Sepp,[1844]) (Hesperiidae) Synonym(s): *octomaculata* Sepp,[1844]; *decussata* Ménétériés,1855; *calenus* Mabilie,1888; *alciphron* Godman & Salvin,1893; *elegans* Hayward,1933
- 28909) *Polythrix octomaculata octomaculata* (Sepp,1848) (Hesperiidae) Synonym(s): *octomaculata* Sepp,1848
- 28910) *Polythrix procerus* (Plötz,1880) (Hesperiidae) Synonym(s): *procerus* Plötz,1880
- 28911) *Polythrix procerus procerus* (Plötz,1880) (Hesperiidae) Synonym(s): *procerus* Plötz,1880
- 28912) *Polytremis annama* Evans,1937 (Hesperiidae) Synonym(s): *annama* Evans,1937
- 28913) *Polytremis annama annama* Evans,1937 (Hesperiidae) Synonym(s): *annama* Evans,1937

- 28914) *Polytremis caerulescens* (Mabille,1876) (Hesperiidae) Synonym(s): *caerulescens Mabille,1876*
 28915) *Polytremis caerulescens caerulescens* (Mabille,1876) (Hesperiidae) Synonym(s): *caerulescens Mabille,1876*
 28916) *Polytremis discreta* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *discreta Elwes & Edwards,1897; himalaya Evans,1926*
 28917) *Polytremis discreta discreta* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *discreta Elwes & Edwards,1897; himalaya Evans,1926*
 28918) *Polytremis discreta felicia* Evans,1932 (Hesperiidae) Synonym(s): *felicia Evans,1932*
 28919) *Polytremis eltola* (Hewitson,1869) (Hesperiidae) Synonym(s): *eltola Hewitson,1869*
 28920) *Polytremis eltola corbeti* Evans,1927 (Hesperiidae) Synonym(s): *corbeti Evans,1927*
 28921) *Polytremis eltola eltola* (Hewitson,1869) (Hesperiidae) Synonym(s): *eltola Hewitson,1869*
 28922) *Polytremis eltola tappana* Matsumura,1931 (Hesperiidae) Synonym(s): *tappana Matsumura,1931*
 28923) *Polytremis lubricans* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *lubricans Herrich-Schäffer,1869*
 28924) *Polytremis lubricans felicia* Evans,1932 (Hesperiidae) Synonym(s): *lubricans Herrich-Schäffer,1869*
 28925) *Polytremis lubricans taiwana* Matsumura,1919 (Hesperiidae) Synonym(s): *taiwana Matsumura,1919*
 28926) *Polytremis mencia* (Moore,1877) (Hesperiidae) Synonym(s): *mentia Moore,1877*
 28927) *Polytremis mencia kiraizana* Sonan,1938 (Hesperiidae) Synonym(s): *kiraizana Sonan,1938*
 28928) *Polytremis mencia mencia* (Moore,1877) (Hesperiidae) Synonym(s): *mentia Moore,1877*
 28929) *Polytremis minuta* Evans,1926 (Hesperiidae) Synonym(s): *minuta Evans,1926*
 28930) *Polytremis minuta minuta* Evans,1926 (Hesperiidae) Synonym(s): *minuta Evans,1926*
 28931) *Polytremis nascens* (Leech,1894) (Hesperiidae) Synonym(s): *nascens Leech,1894*
 28932) *Polytremis nascens nascens* (Leech,1894) (Hesperiidae) Synonym(s): *nascens Leech,1894*
 28933) *Polytremis pellucida* (Murray,1875) (Hesperiidae) Synonym(s): *pellucida Murray,1875; quinquepuncta Mabille,1883; sachaliensis Matsumura,1925.*
 28934) *Polytremis pellucida pellucida* (Murray,1875) (Hesperiidae) Synonym(s): *pellucida Murray,1875; quinquepuncta Mabille,1883; sachaliensis Matsumura,1925.*
 28935) *Polytremis pellucida quanta* Evans,1949 (Hesperiidae) Synonym(s): *quanta Evans,1949*
 28936) *Polytremis theca* Evans,1937 (Hesperiidae) Synonym(s): *theca Evans,1937*
 28937) *Polytremis theca fukia* Evans,1940 (Hesperiidae) Synonym(s): *fukia Evans,1940*
 28938) *Polytremis theca theca* Evans,1937 (Hesperiidae) Synonym(s): *theca Evans,1937*
 28939) *Polytremis zina* (Evans,1932) (Hesperiidae) Synonym(s): *zina Evans,1932; zinoides Evans,1937*
 28940) *Polytremis zina zina* (Evans,1932) (Hesperiidae) Synonym(s): *zina Evans,1932; zinoides Evans,1937*
 28941) *Pompeius dars* (Plötz,1883) (Hesperiidae) Synonym(s): *dars Plötz,1883; crassinota Mabille,1897; menopis Schaus,1902*
 28942) *Pompeius pompeius* (Latreille,[1824]) (Hesperiidae) Synonym(s): *pompeius Latreille,[1824]; athenion Hübner,[1825]; judas Plötz,1882; lagon Mabille,1891*
 28943) *Pompeius verna* (Edwards,1862) (Hesperiidae) Synonym(s): *verna Edwards,1862; pottowattomie Worthington,1880; vetulina Plötz,1883; sigida Mabille,1891; sequoyah Freeman,1942*
 28944) *Potamanaxas unifasciata* (C.Felder & R.Felder,1867) (Hesperiidae) Synonym(s): *unifasciata C.Felder & R.Felder,1867; marica Godman & Salvin,1895*
 28945) *Potanthus amor* Evans,1932 (Hesperiidae) Synonym(s): *amor Evans,1932*
 28946) *Potanthus amor amor* Evans,1932 (Hesperiidae) Synonym(s): *amor Evans,1932*
 28947) *Potanthus confucius* (C.Felder & R.Felder,1862) (Hesperiidae) Synonym(s): *confucius C.Felder & R.Felder,1862; freda Evans,1934*
 28948) *Potanthus confucius angustata* Matsumura,1910 (Hesperiidae) Synonym(s): *angustata Matsumura,1910*
 28949) *Potanthus confucius confucius* (C.Felder & R.Felder,1862) (Hesperiidae) Synonym(s): *confucius C.Felder & R.Felder,1862; freda Evans,1934*
 28950) *Potanthus confucius diana* Evans,1949 (Hesperiidae) Synonym(s): *diana Evans,1949*
 28951) *Potanthus confucius dushta* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *dushta Fruhstorfer,1911*
 28952) *Potanthus confucius nina* Evans,1932 (Hesperiidae) Synonym(s): *nina Evans,1932*
 28953) *Potanthus confucius satra* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *satra Fruhstorfer,1911*
 28954) *Potanthus confucius yojana* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *yojana Fruhstorfer,1911*
 28955) *Potanthus dara* (Kollar,[1844]) (Hesperiidae) Synonym(s): *dara Kollar,[1844]; maesa Moore,1865; nala Plötz,1883; zebra Elwes & Edwards,1897.*
 28956) *Potanthus dara dara* (Kollar,[1844]) (Hesperiidae) Synonym(s): *dara Kollar,[1844]; maesa Moore,1865; nala Plötz,1883; zebra Elwes & Edwards,1897.*
 28957) *Potanthus fetingi* Möschler,1878 (Hesperiidae) Synonym(s): *fetingi Möschler,1878; euria Plötz,1883; pavor De Nicéville,1894*
 28958) *Potanthus fetingi alpha* Evans,1934 (Hesperiidae) Synonym(s): *alpha Evans,1934*
 28959) *Potanthus fetingi fetingi* Möschler,1878 (Hesperiidae) Synonym(s): *fetingi Möschler,1878; euria Plötz,1883; pavor De Nicéville,1894*
 28960) *Potanthus fetingi orfitus* Mabille,1874 (Hesperiidae) Synonym(s): *orfitus Mabille,1874*
 28961) *Potanthus flavum* (Murray,1875) (Hesperiidae) Synonym(s): *flavum Murray,1875; japonica Mabille,1883*
 28962) *Potanthus flavum alcon* (Evans,1932) (Hesperiidae) Synonym(s): *alcon Evans,1932*
 28963) *Potanthus flavum flavum* (Murray,1875) (Hesperiidae) Synonym(s): *flavum Murray,1875; japonica Mabille,1883*
 28964) *Potanthus flavum niobe* Evans,1934 (Hesperiidae) Synonym(s): *niobe Evans,1934*
 28965) *Potanthus ganda* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *ganda Fruhstorfer,1911; lena Evans,1934*
 28966) *Potanthus ganda ganda* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *ganda Fruhstorfer,1911; lena Evans,1934*
 28967) *Potanthus ganda marla* Evans,1949 (Hesperiidae) Synonym(s): *marla Evans,1949*
 28968) *Potanthus hetaerus* Mabille,1883 (Hesperiidae) Synonym(s): *hetaerus Mabille,1883*
 28969) *Potanthus hetaerus dina* Evans,1934 (Hesperiidae) Synonym(s): *dina Evans,1934*
 28970) *Potanthus hetaerus hetaerus* Mabille,1883 (Hesperiidae) Synonym(s): *hetaerus Mabille,1883*
 28971) *Potanthus hetaerus serina* Plötz,1883 (Hesperiidae) Synonym(s): *serina Plötz,1883; chariyawa Fruhstorfer,1911; sravasta Fruhstorfer,1911; rasana Fruhstorfer,1911*
 28972) *Potanthus ilion* De Nicéville,1897 (Hesperiidae) Synonym(s): *ilion De Nicéville,1897; sutrana Evans,1932*
 28973) *Potanthus ilion ilion* De Nicéville,1897 (Hesperiidae) Synonym(s): *ilion De Nicéville,1897; sutrana Evans,1932*
 28974) *Potanthus juno* Evans,1932 (Hesperiidae) Synonym(s): *juno Evans,1932*
 28975) *Potanthus juno juno* Evans,1932 (Hesperiidae) Synonym(s): *juno Evans,1932*
 28976) *Potanthus juno wilemanni* Evans,1934 (Hesperiidae) Synonym(s): *wilemanni Evans,1934*
 28977) *Potanthus lydia* Evans,1934 (Hesperiidae) Synonym(s): *lydia Evans,1934*
 28978) *Potanthus lydia fraseri* Evans,1934 (Hesperiidae) Synonym(s): *fraseri Evans,1934*
 28979) *Potanthus lydia lydia* Evans,1934 (Hesperiidae) Synonym(s): *lydia Evans,1934*
 28980) *Potanthus mara* Evans,1932 (Hesperiidae) Synonym(s): *mara Evans,1932*
 28981) *Potanthus mara kansa* Evans,1949 (Hesperiidae) Synonym(s): *kansa Evans,1949*
 28982) *Potanthus mara mara* Evans,1932 (Hesperiidae) Synonym(s): *mara Evans,1932*
 28983) *Potanthus mingo* (Edwards,1866) (Hesperiidae) Synonym(s): *mingo Edwards,1866; nitida Mabille,1877; flavoguttata Plötz,1883*
 28984) *Potanthus mingo ajax* Evans,1932 (Hesperiidae) Synonym(s): *ajax Evans,1932*
 28985) *Potanthus mingo mingo* (Edwards,1866) (Hesperiidae) Synonym(s): *mingo Edwards,1866; nitida Mabille,1877; flavoguttata Plötz,1883*
 28986) *Potanthus mingo tanya* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *tanya Fruhstorfer,1911*
 28987) *Potanthus nesta* Evans,1934 (Hesperiidae) Synonym(s): *nesta Evans,1934*
 28988) *Potanthus nesta nesta* Evans,1934 (Hesperiidae) Synonym(s): *nesta Evans,1934*
 28989) *Potanthus nesta netta* Evans,1934 (Hesperiidae) Synonym(s): *netta Evans,1934*
 28990) *Potanthus niobe* Evans,1934 (Hesperiidae) Synonym(s): *niobe Evans,1934*
 28991) *Potanthus niobe hyugai* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *hyugai De Jong & Treadaway,1993*
 28992) *Potanthus niobe niobe* Evans,1934 (Hesperiidae) Synonym(s): *niobe Evans,1934*
 28993) *Potanthus omaha* (Edwards,1863) (Hesperiidae) Synonym(s): *omaha Edwards,1863; maesoides Butler,1877; luzonensis Staudinger,1889*
 28994) *Potanthus omaha bione* Evans,1949 (Hesperiidae) Synonym(s): *bione Evans,1949*
 28995) *Potanthus omaha copia* Evans,1932 (Hesperiidae) Synonym(s): *copia Evans,1932*
 28996) *Potanthus omaha maesina* Evans,1934 (Hesperiidae) Synonym(s): *maesina Evans,1934*
 28997) *Potanthus omaha nita* Evans,1934 (Hesperiidae) Synonym(s): *nita Evans,1934*
 28998) *Potanthus omaha omaha* (Edwards,1863) (Hesperiidae) Synonym(s): *omaha Edwards,1863; maesoides Butler,1877; luzonensis Staudinger,1889*

- 28999) *Potanthus omaha ottala Swinhoe, 1913* (Hesperiidae) Synonym(s): *ottala Swinhoe, 1913*
 29000) *Potanthus pallida* (Evans, 1932) (Hesperiidae) Synonym(s): *pallida Evans, 1932*
 29001) *Potanthus pallida pallida* (Evans, 1932) (Hesperiidae) Synonym(s): *pallida Evans, 1932*
 29002) *Potanthus palnia Evans, 1914* (Hesperiidae) Synonym(s): *palnia Evans, 1914*
 29003) *Potanthus palnia afer Evans, 1932* (Hesperiidae) Synonym(s): *afer Evans, 1932*
 29004) *Potanthus palnia palnia Evans, 1914* (Hesperiidae) Synonym(s): *palnia Evans, 1914*
 29005) *Potanthus pamela Evans, 1934* (Hesperiidae) Synonym(s): *pamela Evans, 1934*
 29006) *Potanthus pamela pamela Evans, 1934* (Hesperiidae) Synonym(s): *pamela Evans, 1934*
 29007) *Potanthus pavus Fruhstorfer, 1911* (Hesperiidae) Synonym(s): *pavus Fruhstorfer, 1911*
 29008) *Potanthus pavus lesbia Evans, 1934* (Hesperiidae) Synonym(s): *lesbia Evans, 1934*
 29009) *Potanthus pavus Fruhstorfer, 1911* (Hesperiidae) Synonym(s): *pavus Fruhstorfer, 1911*
 29010) *Potanthus pseudomaesa* (Moore, 1881) (Hesperiidae) Synonym(s): *pseudomaesa Moore, 1881; cato Evans, 1932*.
 29011) *Potanthus pseudomaesa clio* (Evans, 1932) (Hesperiidae) Synonym(s): *clio Evans, 1932*
 29012) *Potanthus pseudomaesa paula Evans, 1934* (Hesperiidae) Synonym(s): *paula Evans, 1934*
 29013) *Potanthus pseudomaesa pseudomaesa* (Moore, 1881) (Hesperiidae) Synonym(s): *pseudomaesa Moore, 1881; cato Evans, 1932*.
 29014) *Potanthus purpura Evans, 1932* (Hesperiidae) Synonym(s): *purpura Evans, 1932*
 29015) *Potanthus purpura purpura Evans, 1932* (Hesperiidae) Synonym(s): *purpura Evans, 1932*
 29016) *Potanthus rectifasciatus Elwes & Edwards, 1897* (Hesperiidae) Synonym(s): *rectifasciatus Elwes & Edwards, 1897*
 29017) *Potanthus rectifasciatus rectifasciatus Elwes & Edwards, 1897* (Hesperiidae) Synonym(s): *rectifasciatus Elwes & Edwards, 1897*
 29018) *Potanthus serina Plötz, 1883* (Hesperiidae) Synonym(s): *serina Plötz, 1883*
 29019) *Potanthus serina serina Plötz, 1883* (Hesperiidae) Synonym(s): *serina Plötz, 1883*
 29020) *Potanthus sita Evans, 1932* (Hesperiidae) Synonym(s): *sita Evans, 1932*
 29021) *Potanthus sita sita Evans, 1932* (Hesperiidae) Synonym(s): *sita Evans, 1932*
 29022) *Potanthus taxilus Mabilie, 1878* (Hesperiidae) Synonym(s): *taxilus Mabilie, 1878*
 29023) *Potanthus taxilus ahrendti Plötz, 1883* (Hesperiidae) Synonym(s): *ahrendti Plötz, 1883*
 29024) *Potanthus taxilus alma Evans, 1934* (Hesperiidae) Synonym(s): *alma Evans, 1934*
 29025) *Potanthus taxilus alpha Evans, 1934* (Hesperiidae) Synonym(s): *alpha Evans, 1934*
 29026) *Potanthus taxilus nikaja Fruhstorfer, 1911* (Hesperiidae) Synonym(s): *nikaja Fruhstorfer, 1911*
 29027) *Potanthus taxilus rabida Evans, 1949* (Hesperiidae) Synonym(s): *rabida Evans, 1949*
 29028) *Potanthus taxilus sapitana Fruhstorfer, 1911* (Hesperiidae) Synonym(s): *sapitana Fruhstorfer, 1911*
 29029) *Potanthus taxilus taxilus Mabilie, 1878* (Hesperiidae) Synonym(s): *taxilus Mabilie, 1878*
 29030) *Potanthus trachala Mabilie, 1877* (Hesperiidae) Synonym(s): *trachala Mabilie, 1877*
 29031) *Potanthus trachala dilutior Elwes & Edwards, 1897* (Hesperiidae) Synonym(s): *dilutior Elwes & Edwards, 1897; sumatrensis Mabilie, 1904*
 29032) *Potanthus trachala ottalina Evans, 1932* (Hesperiidae) Synonym(s): *ottalina Evans, 1932*
 29033) *Potanthus trachala phoebe Evans, 1934* (Hesperiidae) Synonym(s): *phoebe Evans, 1934*
 29034) *Potanthus trachala trachala Mabilie, 1877* (Hesperiidae) Synonym(s): *trachala Mabilie, 1877; zatilla Plötz, 1886*
 29035) *Potanthus trachala tytleri Evans, 1914* (Hesperiidae) Synonym(s): *tytleri Evans, 1914; ino Evans, 1932*
 29036) *Potanthus tropica Plötz, 1883* (Hesperiidae) Synonym(s): *tropica Plötz, 1883*
 29037) *Potanthus tropica tropica Plötz, 1883* (Hesperiidae) Synonym(s): *tropica Plötz, 1883*
 29038) *Potanthus upadhana Fruhstorfer, 1911* (Hesperiidae) Synonym(s): *upadhana Fruhstorfer, 1911; cakka Fruhstorfer, 1911*
 29039) *Potanthus upadhana upadhana Fruhstorfer, 1911* (Hesperiidae) Synonym(s): *upadhana Fruhstorfer, 1911; cakka Fruhstorfer, 1911*
 29040) *Prada papua* (Evans, 1928) (Hesperiidae) Synonym(s): *papua Evans, 1928*
 29041) *Prada papua papua* (Evans, 1928) (Hesperiidae) Synonym(s): *papua Evans, 1928*
 29042) *Prada rawlinsonia Evans, 1949* (Hesperiidae) Synonym(s): *rawlinsonia Evans, 1949*
 29043) *Prada rawlinsonia rawlinsonia Evans, 1949* (Hesperiidae) Synonym(s): *rawlinsonia Evans, 1949*
 29044) *Prada rothschildi* (Evans, 1928) (Hesperiidae) Synonym(s): *rothschildi Evans, 1928*
 29045) *Prada rothschildi rothschildi* (Evans, 1928) (Hesperiidae) Synonym(s): *rothschildi Evans, 1928*
 29046) *Problema bulenta* (Hesperiidae) Synonym(s):
 29047) *Problema byssus* (Hesperiidae) Synonym(s):
 29048) *Procampta rara Holland, 1892* (Hesperiidae) Synonym(s): *rara Holland, 1892*
 29049) *Prosopalpus debilis* (Plötz, 1879) (Hesperiidae) Synonym(s): *debilis Plötz, 1879; duplex Mabilie, 1890*
 29050) *Prosopalpus saga Evans, 1937* (Hesperiidae) Synonym(s): *saga Evans, 1937*
 29051) *Prosopalpus styli Evans, 1937* (Hesperiidae) Synonym(s): *styli Evans, 1937*
 29052) *Proteides mercurius* (Fabricius, 1787) (Hesperiidae) Synonym(s): *idas Cramer, [1779] nec Linnaeus, 1758; mercurius Fabricius, 1787*.
 29053) *Proteides mercurius mercurius* (Fabricius, 1787) (Hesperiidae) Synonym(s): *idas Cramer, [1779] nec Linnaeus, 1758; mercurius Fabricius, 1787*.
 29054) *Proteides mercurius sanantonio* (Lucas, 1857) (Hesperiidae) Synonym(s): *sanantonio Lucas, 1857*
 29055) *Prusiana hercules* (Mabilie, 1889) (Hesperiidae) Synonym(s): *hercules Mabilie, 1889; androstenes Fruhstorfer*
 29056) *Prusiana hercules hercules* (Mabilie, 1889) (Hesperiidae) Synonym(s): *hercules Mabilie, 1889; androstenes Fruhstorfer*
 29057) *Prusiana kuehni* (Plötz, 1886) (Hesperiidae) Synonym(s): *kuehni Plötz, 1886; subrubra Holland, 1891; simplex Elwes & Edwards, 1897*
 29058) *Prusiana kuehni kuehni* (Plötz, 1886) (Hesperiidae) Synonym(s): *kuehni Plötz, 1886; subrubra Holland, 1891; simplex Elwes & Edwards, 1897*
 29059) *Prusiana prusias* (C. Felder, 1861) (Hesperiidae) Synonym(s): *prusias C. Felder, 1861; specularis Plötz, 1883; batchiana Swinhoe, 1905*
 29060) *Prusiana prusias insularis* (Elwes & Edwards, 1897) (Hesperiidae) Synonym(s): *insularis Elwes & Edwards, 1897; kreon Fruhstorfer, 1911*
 29061) *Prusiana prusias matinus* (Fruhstorfer, 1911) (Hesperiidae) Synonym(s): *matinus Fruhstorfer, 1911; padhana Fruhstorfer, 1911; sariputra Fruhstorfer, 1911*
 29062) *Prusiana prusias prusias* (C. Felder, 1861) (Hesperiidae) Synonym(s): *prusias C. Felder, 1861; specularis Plötz, 1883; batchiana Swinhoe, 1905*
 29063) *Pseudoborbo bevani* (Moore, 1878) (Hesperiidae) Synonym(s): *bevani Moore, 1878; modesta Moore, [1884]; vaika Plötz, 1886; sarus Mabilie, 1891; thylene Leech, [1893]*.
 29064) *Pseudoborbo bevani bevani* (Moore, 1878) (Hesperiidae) Synonym(s): *bevani Moore, 1878; modesta Moore, [1884]; vaika Plötz, 1886; sarus Mabilie, 1891; thylene Leech, [1893]*.
 29065) *Pseudocoladenia dan* (Fabricius, 1787) (Hesperiidae) Synonym(s): *dan Fabricius, 1787*
 29066) *Pseudocoladenia dan dan* (Fabricius, 1787) (Hesperiidae) Synonym(s): *dan Fabricius, 1787*
 29067) *Pseudocoladenia dan dea* (Leech, 1894) (Hesperiidae) Synonym(s): *dea Leech, 1894*
 29068) *Pseudocoladenia dan decora* (Evans, 1939) (Hesperiidae) Synonym(s): *decora Evans, 1939*
 29069) *Pseudocoladenia dan dhyana* (Fruhstorfer, 1909) (Hesperiidae) Synonym(s): *dhyana Fruhstorfer, 1909*
 29070) *Pseudocoladenia dan eacus* (Latreille, 1823) (Hesperiidae) Synonym(s): *ecacus Latreille, 1823; dichroa Plötz, 1884; lombokiana Fruhstorfer, 1909; sumbavana Fruhstorfer, 1909*.
 29071) *Pseudocoladenia dan fabia* (Evans, 1949) (Hesperiidae) Synonym(s): *fabia Evans, 1949*
 29072) *Pseudocoladenia dan fatih* (Kollar, [1844]) (Hesperiidae) Synonym(s): *fatih Kollar, [1844]*
 29073) *Pseudocoladenia dan fatua* (Evans, 1949) (Hesperiidae) Synonym(s): *fatua Evans, 1949*
 29074) *Pseudocoladenia dan festa* (Evans, 1949) (Hesperiidae) Synonym(s): *festa Evans, 1949*
 29075) *Pseudocoladenia dan fulvescens* (Elwes & Edwards, 1897) (Hesperiidae) Synonym(s): *fulvescens Elwes & Edwards, 1897*
 29076) *Pseudocoladenia dan sumatrana* (Fruhstorfer, 1910) (Hesperiidae) Synonym(s): *sumatrana Fruhstorfer, 1910*
 29077) *Pseudocopaodes eunus* (Hesperiidae) Synonym(s):
 29078) *Pseudokerana fulgur* (De Nicéville, 1894) (Hesperiidae) Synonym(s): *fulgur De Nicéville, 1894*
 29079) *Pseudokerana fulgur fulgur* (De Nicéville, 1894) (Hesperiidae) Synonym(s): *fulgur De Nicéville, 1894*
 29080) *Pteroteion caenira* (Hewitson, 1867) (Hesperiidae) Synonym(s):
 29081) *Pteroteion capronnieri* (Plötz, 1879) (Hesperiidae) Synonym(s):
 29082) *Pteroteion ceucenira* (Druce, 1910) (Hesperiidae) Synonym(s): *ceucenira Druce, 1910*
 29083) *Pteroteion iricolor* (Holland, 1890) (Hesperiidae) Synonym(s):
 29084) *Pteroteion laterculus* (Holland, 1890) (Hesperiidae) Synonym(s):

- 29085) *Pteroteinon laufella* (Hewitson,1868) (Hesperiidae) Synonym(s):
 29086) *Pteroteinon pruna* Evans,1937 (Hesperiidae) Synonym(s):
 29087) *Pteroteinon pruna pruna* Evans,1937 (Hesperiidae) Synonym(s):
 29088) *Pteroteinon pruna reali* Berger,1962 (Hesperiidae) Synonym(s):
 29089) *Pudicitia pholus* (De Nicéville,1889) (Hesperiidae) Synonym(s): *pholus* De Nicéville,1889
 29090) *Pudicitia pholus pholus* (De Nicéville,1889) (Hesperiidae) Synonym(s): *pholus* De Nicéville,1889
 29091) *Pyrgus adepta* Plötz,1884 (Hesperiidae) Synonym(s): *adepta* Plötz,1884; *dion* Plötz,1884; *lycurgus* Plötz,1884
 29092) *Pyrgus aladaghensis* De Prins & Poorten,1995 (Hesperiidae) Synonym(s): *aladaghensis* De Prins & Poorten,1995
 29093) *Pyrgus aladaghensis aladaghensis* De Prins & Poorten,1995 (Hesperiidae) Synonym(s): *aladaghensis* De Prins & Poorten,1995
 29094) *Pyrgus albescens* Plötz,1884 (Hesperiidae) Synonym(s): *albescens* Plötz,1884; *occidentalis* Skinner,1906
 29095) *Pyrgus alpinus* (Erschoff,1874) (Hesperiidae) Synonym(s): *alpinus* Erschoff,1874
 29096) *Pyrgus alpinus alichurensis* De Jong,1975 (Hesperiidae) Synonym(s): *alichurensis* De Jong,1975
 29097) *Pyrgus alpinus alpinus* (Erschoff,1874) (Hesperiidae) Synonym(s): *alpinus* Erschoff,1874.
 29098) *Pyrgus alpinus anubis* Korb,2000 (Hesperiidae) Synonym(s): *anubis* Korb,2000
 29099) *Pyrgus alpinus mustagatae* Alberti,1952 (Hesperiidae) Synonym(s): *mustagatae* Alberti,1952
 29100) *Pyrgus alveus* (Hübner,[1803]) (Hesperiidae) Synonym(s): *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffelensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991.
 29101) *Pyrgus alveus accreta* (Verity,1925) (Hesperiidae) Synonym(s): *accreta* Verity,1925; *necaccreta* Verity,1925; *grandis* Verity,1925; *magnalveus* Verity,1929; *pyrenealpinus* Verity,1929; *lutetianus* Picard,1948; *subdecoloratus* Picard,1953.
 29102) *Pyrgus alveus alveus* (Hübner,[1803]) (Hesperiidae) Synonym(s): *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffelensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991.
 29103) *Pyrgus alveus centralitaliae* (Verity,1920) (Hesperiidae) Synonym(s): *centralitaliae* Verity,1920
 29104) *Pyrgus alveus iliensis* (Reverdin,1912) (Hesperiidae) Synonym(s): *iliensis* Reverdin,1912 (according to Prins & Poorten,1995, junior subjective synonym of *Pyrgus alveus alveus* Hbn.,1803).
 29105) *Pyrgus alveus jurassicus* (Warren,1926) (Hesperiidae) Synonym(s): *jurassica* Warren,1926
 29106) *Pyrgus alveus kansuensis* (Reverdin,1927) (Hesperiidae) Synonym(s): *kansuensis* Reverdin,1927
 29107) *Pyrgus alveus reverdini* (Oberthür,1912) (Hesperiidae) Synonym(s): *reverdini* Oberthür,1912
 29108) *Pyrgus alveus scandinavicus* (Strand,1903) (Hesperiidae) Synonym(s): *scandinavicus* Strand,1903
 29109) *Pyrgus alveus sifanicus* Groum-Grshimailo,1890 (Hesperiidae) Synonym(s): *sifanicus* Groum-Grshimailo,1890
 29110) *Pyrgus alveus speyeri* (Staudinger,1887) (Hesperiidae) Synonym(s): *speyeri* Staudinger,1887
 29111) *Pyrgus andromedae* (Wallengren,1853) (Hesperiidae) Synonym(s): *andromedae* Wallengren,1853; *striata* Vorbrodt,1912; *perseus* Schawerda,1919.
 29112) *Pyrgus andromedae andromedae* (Wallengren,1853) (Hesperiidae) Synonym(s): *andromedae* Wallengren,1853; *striata* Vorbrodt,1912; *perseus* Schawerda,1919.
 29113) *Pyrgus armoricanus* (Oberthür,1910) (Hesperiidae) Synonym(s): *armoricanus* Oberthür,1910; *petheri* Romei,1927.
 29114) *Pyrgus armoricanus armoricanus* (Oberthür,1910) (Hesperiidae) Synonym(s): *armoricanus* Oberthür,1910; *petheri* Romei,1927.
 29115) *Pyrgus armoricanus disjunctus* Alberti,1940 (Hesperiidae) Synonym(s): *disjunctus* Alberti,1940
 29116) *Pyrgus armoricanus maroccanus* Ricard,1950 (Hesperiidae) Synonym(s): *maroccanus* Ricard,1950
 29117) *Pyrgus armoricanus persicus* (Reverdin,1913) (Hesperiidae) Synonym(s): *persicus* Reverdin,1913; *reverdini* le Cerf,1913 nec Oberthür,1912; *prostanæ* Pfeiffer,1927; *lecerfi* Verity,1928; *#poatpersica* Verity,1936.
 29118) *Pyrgus armoricanus philonides* (Hemming,1931) (Hesperiidae) Synonym(s): *philonides* Hemming,1931
 29119) *Pyrgus badachschanus* (Alberti,1940) (Hesperiidae) Synonym(s): *badachschanus* Alberti,1940
 29120) *Pyrgus badachschanus badachschanus* (Alberti,1940) (Hesperiidae) Synonym(s): *badachschanus* Alberti,1940
 29121) *Pyrgus bieti* (Oberthür,1886) (Hesperiidae) Synonym(s): *bieti* Oberthür,1886
 29122) *Pyrgus bieti bieti* (Oberthür,1886) (Hesperiidae) Synonym(s): *bieti* Oberthür,1886
 29123) *Pyrgus bieti yunnanus* (Oberthür,1912) (Hesperiidae) Synonym(s): *yunnanus* Oberthür,1912
 29124) *Pyrgus bolkariensis* De Prins & Poorten,1995 (Hesperiidae) Synonym(s): *bolkariensis* De Prins & Poorten,1995
 29125) *Pyrgus bolkariensis bolkariensis* De Prins & Poorten,1995 (Hesperiidae) Synonym(s): *bolkariensis* De Prins & Poorten,1995
 29126) *Pyrgus cacaliae* (Rambur,[1839]) (Hesperiidae) Synonym(s): *cacaliae* Rambur,[1839]; *pyreneus* Picard,1947
 29127) *Pyrgus cacaliae cacaliae* (Rambur,1839) (Hesperiidae) Synonym(s): *cacaliae* Rambur,[1839]; *pyreneus* Picard,1947
 29128) *Pyrgus carlinae* (Rambur,[1839]) (Hesperiidae) Synonym(s): *carlinae* Rambur,[1839]; *olivacea* Oberthür,1910; *caecus* Turati & Verity,1911; *atrata* Verity,1925; *cottiana* Kaufman,1954.
 29129) *Pyrgus carlinae carlinae* (Rambur,[1839]) (Hesperiidae) Synonym(s): *carlinae* Rambur,[1839]; *olivacea* Oberthür,1910; *caecus* Turati & Verity,1911; *atrata* Verity,1925; *cottiana* Kaufman,1954.
 29130) *Pyrgus carthami* (Hübner,[1813]) (Hesperiidae) Synonym(s): *carthami* Hübner,[1813]
 29131) *Pyrgus carthami analogus* Alberti,1938 (Hesperiidae) Synonym(s): *analogus* Alberti,1938
 29132) *Pyrgus carthami carthami* (Hübner,[1813]) (Hesperiidae) Synonym(s): *carthami* Hübner,[1813]
 29133) *Pyrgus carthami lucasi* Reverdin,1929 (Hesperiidae) Synonym(s): *lucasi* Reverdin,1929
 29134) *Pyrgus carthami microcarthami* (Verity,1928) (Hesperiidae) Synonym(s): *microcarthami* Verity,1928; *pyrenaica* Warren,1926 nec Tutt,1906.
 29135) *Pyrgus carthami moeschleri* (Herrich-Schäffer,[1854]) (Hesperiidae) Synonym(s): *moeschleri* Herrich-Schäffer,[1854]
 29136) *Pyrgus carthami nemausensis* Picard,1948 (Hesperiidae) Synonym(s): *nemausensis* Picard,1948
 29137) *Pyrgus carthami nevadensis* Oberthür,1910 (Hesperiidae) Synonym(s): *nevadensis* Oberthür,1910
 29138) *Pyrgus carthami pyrenaicus* (Warren,1926) (Hesperiidae) Synonym(s): *pyrenaicus* Warren,1926
 29139) *Pyrgus carthami septentrionalis* Alberti,1938 (Hesperiidae) Synonym(s): *septentrionalis* Alberti,1938
 29140) *Pyrgus carthami valesiacus* Mabilie,1876 (Hesperiidae) Synonym(s): *valesiacus* Mabilie,1876
 29141) *Pyrgus cashmirensis* Moore,1874 (Hesperiidae) Synonym(s): *cashmirensis* Moore,1874
 29142) *Pyrgus cashmirensis cashmirensis* Moore,1874 (Hesperiidae) Synonym(s): *cashmirensis* Moore,1874
 29143) *Pyrgus cashmirensis pseudoalpinus* Alberti,1952 (Hesperiidae) Synonym(s): *pseudoalpinus* Alberti,1952
 29144) *Pyrgus cashmirensis pumilus* De Jong,1979 (Hesperiidae) Synonym(s): *pumilus* De Jong,1979
 29145) *Pyrgus centaureae* (Rambur,[1839]) (Hesperiidae) Synonym(s): *centaureae* Rambur,[1839]
 29146) *Pyrgus centaureae centaureae* (Rambur,[1839]) (Hesperiidae) Synonym(s): *centaureae* Rambur,[1839]
 29147) *Pyrgus centaureae freija* (Warren,1924) (Hesperiidae) Synonym(s): *freija* Warren,[1924]
 29148) *Pyrgus centaureae kurenzovi* Korshunov,1995 (Hesperiidae) Synonym(s): *sibirica* Kurenzov,1970 nec Rev.,1911; *kurenzovi* Korshunov,1995.
 29149) *Pyrgus centaureae loki* Evans,1953 (Hesperiidae) Synonym(s): *loki* Evans,1953
 29150) *Pyrgus centaureae wyandot* (Edwards,1863) (Hesperiidae) Synonym(s): *wyandot* Edwards,1863
 29151) *Pyrgus cinarae* (Rambur,[1839]) (Hesperiidae) Synonym(s): *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840
 29152) *Pyrgus cinarae cinarae* (Rambur,[1839]) (Hesperiidae) Synonym(s): *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840
 29153) *Pyrgus cirsii* (Rambur,[1839]) (Hesperiidae) Synonym(s): *cirsii* Rambur,[1839]; *turcivola* De Lattin,1950.
 29154) *Pyrgus cirsii cirsii* (Rambur,[1839]) (Hesperiidae) Synonym(s): *cirsii* Rambur,[1839]; *turcivola* De Lattin,1950.
 29155) *Pyrgus cirsii iberica* (Groum-Grshimailo,1893) (Hesperiidae) Synonym(s): *iberica* Groum-Grshimailo,1893; *fabressei* Oberthür,1910; *#parafabressei* Verity,1925.
 29156) *Pyrgus communis* (Grote,1872) (Hesperiidae) Synonym(s): *communis* Grote,1872; *albovittata* Grote,1873; *insolatrix* Plötz,1884; *varus* Plötz,1884
 29157) *Pyrgus darwazicus* Groum-Grshimailo,1890 (Hesperiidae) Synonym(s): *darwazicus* Groum-Grshimailo,1890; *submurina* Reverdin,1933.
 29158) *Pyrgus darwazicus celsimontius* Kaufmann,1952 (Hesperiidae) Synonym(s): *celsimontius* Kaufmann,1952; *lilliput* Wyatt & Omoto,1966.
 29159) *Pyrgus darwazicus darwazicus* Groum-Grshimailo,1890 (Hesperiidae) Synonym(s): *darwazicus* Groum-Grshimailo,1890; *submurina* Reverdin,1933.
 29160) *Pyrgus darwazicus distinctus* De Jong,1979 (Hesperiidae) Synonym(s): *distinctus* De Jong,1979
 29161) *Pyrgus dejeani* (Oberthür,1912) (Hesperiidae) Synonym(s): *dejeani* Oberthür,1912
 29162) *Pyrgus dejeani dejeani* (Oberthür,1912) (Hesperiidae) Synonym(s): *dejeani* Oberthür,1912
 29163) *Pyrgus foulquieri* (Oberthür,1910) (Hesperiidae) Synonym(s): *foulquieri* Oberthür,1910; *bellieri* Oberthür,1910; *nigropicta* Verity,1926; *adkini* Picard,1948; *gaillardii* Picard,1948; *corsicae* Renner,1991; *trentinensis* Renner,1991.

- 29164) *Pyrgus foulquieri foulquieri* (Oberthür,1910) (Hesperiidae) Synonym(s): *foulquieri* Oberthür,1910; *bellieri* Oberthür,1910; *nigropicta* Verity,1926; *adkinsi* Picard,1948; *gaillardii* Picard,1948; *corsicae* Renner,1991; *trentinensis* Renner,1991.
- 29165) *Pyrgus jupei* (Alberti,1967) (Hesperiidae) Synonym(s): *jupei* Alberti,1967; *centralasiae* Renner,1991.
- 29166) *Pyrgus jupei jupei* (Alberti,1967) (Hesperiidae) Synonym(s): *jupei* Alberti,1967; *centralasiae* Renner,1991.
- 29167) *Pyrgus maculatus* (Bremer & Grey,1852) (Hesperiidae) Synonym(s): *maculatus* Bremer & Grey,1852; *zona* Mabille,1875; *albistriga* Mabille,1876.
- 29168) *Pyrgus maculatus bocki* (Oberthür,1912) (Hesperiidae) Synonym(s): *bocki* Oberthür,1912
- 29169) *Pyrgus maculatus maculatus* (Bremer & Grey,1852) (Hesperiidae) Synonym(s): *maculatus* Bremer & Grey,1852; *zona* Mabille,1875; *albistriga* Mabille,1876.
- 29170) *Pyrgus maculatus thibetanus* (Oberthür,1891) (Hesperiidae) Synonym(s): *thibetanus* Oberthür,1891
- 29171) *Pyrgus malvae* (Linnaeus,1758) (Hesperiidae) Synonym(s): *malvae* Linnaeus,1758; *minor* Esper,1777; *sao* Bergsträßer,1779; *taras* Bergsträßer,1780; *altheae* Esper,1783; *malvarum* Ochsenheimer,1808; *cardui* Latreille,1823; *elegantior* Verity,1934; *hextrema* Pfeiffer,1938.
- 29172) *Pyrgus malvae kauffmanni* Alberti,1955 (Hesperiidae) Synonym(s): *kauffmanni* Alberti,1955
- 29173) *Pyrgus malvae malvae* (Linnaeus,1758) (Hesperiidae) Synonym(s): *malvae* Linnaeus,1758; *minor* Esper,1777; *sao* Bergsträßer,1779; *taras* Bergsträßer,1780; *altheae* Esper,1783; *malvarum* Ochsenheimer,1808; *cardui* Latreille,1823; *elegantior* Verity,1934; *hextrema* Pfeiffer,1938.
- 29174) *Pyrgus malvoides* (Elwes & Edwards,1897) (Hesperiidae) Synonym(s): *malvoides* Elwes & Edwards,1897; *alpina* Tutt,1906; *pseudomalvae* Verity,1913; *modestior* Verity,1929.
- 29175) *Pyrgus malvoides malvoides* (Elwes & Edwards,1897) (Hesperiidae) Synonym(s): *malvoides* Elwes & Edwards,1897; *alpina* Tutt,1906; *pseudomalvae* Verity,1913; *modestior* Verity,1929.
- 29176) *Pyrgus melotis* (Duponchel,[1834]) (Hesperiidae) Synonym(s): *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932.
- 29177) *Pyrgus melotis graecus* (Oberthür,1910) (Hesperiidae) Synonym(s): *graecus* Oberthür,1910
- 29178) *Pyrgus melotis melotis* (Duponchel,[1834]) (Hesperiidae) Synonym(s): *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932.
- 29179) *Pyrgus melotis ponticus* (Reverdin,1914) (Hesperiidae) Synonym(s): *ponticus* Reverdin,1914; *caucasica* Rjabov,1926.
- 29180) *Pyrgus numidus* (Oberthür,1910) (Hesperiidae) Synonym(s): *numidus* Oberthür,1910; *scabellata* Oberthür,1915.
- 29181) *Pyrgus numidus numidus* (Oberthür,1910) (Hesperiidae) Synonym(s): *numidus* Oberthür,1910; *scabellata* Oberthür,1915.
- 29182) *Pyrgus oberthuri* Leech,1891 (Hesperiidae) Synonym(s): *oberthuri* Leech,1891
- 29183) *Pyrgus oberthuri delavayi* (Oberthür,1891) (Hesperiidae) Synonym(s): *delavayi* Oberthür,1891
- 29184) *Pyrgus oberthuri oberthuri* Leech,1891 (Hesperiidae) Synonym(s): *oberthuri* Leech,1891
- 29185) *Pyrgus oileus* (Linnaeus,1767) (Hesperiidae) Synonym(s): *oileus* Linnaeus,1767; *syrictus* Fabricius,1775; *montivagus* Reakirt,1867; *adjutrix* Plötz,1884; *fumosa* Reverdin,1919
- 29186) *Pyrgus onopordi* (Rambur,[1839]) (Hesperiidae) Synonym(s): *onopordi* Rambur,[1839]; *conyzae* Guenée,1877; *fulvotincta* Verity,1919.
- 29187) *Pyrgus onopordi onopordi* (Rambur,[1839]) (Hesperiidae) Synonym(s): *onopordi* Rambur,[1839]; *conyzae* Guenée,1877; *fulvotincta* Verity,1919.
- 29188) *Pyrgus orcus* (Stoll,[1780]) (Hesperiidae) Synonym(s): *orcus* Stoll,[1780]; *tartarus* Hübner,[1813]; *cenchreus* Hewitson,1878; *syrictides* Reverdin,1919
- 29189) *Pyrgus philetas* Edwards,1881 (Hesperiidae) Synonym(s): *philetas* Edwards,1881
- 29190) *Pyrgus ruralis* (Boisduval,1852) (Hesperiidae) Synonym(s): *ruralis* Boisduval,1852; *caespitatus* Boisduval,1852; *ricara* Edwards,1865; *petreius* Edwards,1870
- 29191) *Pyrgus schansiensis* (Reverdin,1915) (Hesperiidae) Synonym(s): *schansiensis* Reverdin,1915
- 29192) *Pyrgus schansiensis schansiensis* (Reverdin,1915) (Hesperiidae) Synonym(s): *schansiensis* Reverdin,1915
- 29193) *Pyrgus scriptura* (Boisduval,1852) (Hesperiidae) Synonym(s): *scriptura* Boisduval,1852
- 29194) *Pyrgus scriptura apertorum* Austin,1998 (Hesperiidae) Synonym(s): *apertorum* Austin,1998
- 29195) *Pyrgus serratulae* (Rambur,[1839]) (Hesperiidae) Synonym(s): *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948.
- 29196) *Pyrgus serratulae alveoides* (Staudinger,1901) (Hesperiidae) Synonym(s): *alveoides* Staudinger,1901
- 29197) *Pyrgus serratulae balcanicus* (Warren,1926) (Hesperiidae) Synonym(s): *balcanicus* Warren,1926
- 29198) *Pyrgus serratulae major* (Staudinger,1878) (Hesperiidae) Synonym(s): *major* Staudinger,1878
- 29199) *Pyrgus serratulae serratulae* (Rambur,[1839]) (Hesperiidae) Synonym(s): *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinner,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948.
- 29200) *Pyrgus serratulae sukshshini* Korshunov & Ivonine,1996 (Hesperiidae) Synonym(s): *sukshshini* Korshunov & Ivonine,1996
- 29201) *Pyrgus serratulae uralensis* (Warren,1926) (Hesperiidae) Synonym(s): *uralensis* Warren,1926
- 29202) *Pyrgus sibiricus* (Reverdin,1911) (Hesperiidae) Synonym(s): *sibiricus* Reverdin,1911
- 29203) *Pyrgus sibiricus chapmani* Warren,1926 (Hesperiidae) Synonym(s): *chapmani* Warren,1926
- 29204) *Pyrgus sibiricus sibiricus* (Reverdin,1911) (Hesperiidae) Synonym(s): *sibiricus* Reverdin,1911
- 29205) *Pyrgus sidae* (Esper,[1784]) (Hesperiidae) Synonym(s): *sidae* Esper,[1784]
- 29206) *Pyrgus sidae evansi* Alberti,1957 (Hesperiidae) Synonym(s): *evansi* Alberti,1957
- 29207) *Pyrgus sidae occiduus* (Verity,1925) (Hesperiidae) Synonym(s): *occiduus* Verity,1925; *occidentalis* Verity,1919 *nec* Skinn.,1906.
- 29208) *Pyrgus sidae sidae* (Esper,[1784]) (Hesperiidae) Synonym(s): *sidae* Esper,[1784]
- 29209) *Pyrgus warrenensis* (Verity,1928) (Hesperiidae) Synonym(s): *warrenensis* Verity,1928; *occidentalis* Renner,1991 *nec* Skinn.,1906; *dejongenensis* Taymans,1993.
- 29210) *Pyrgus warrenensis warrenensis* (Verity,1928) (Hesperiidae) Synonym(s): *warrenensis* Verity,1928; *occidentalis* Renner,1991 *nec* Skinner,1906; *dejongenensis* Taymans,1993.
- 29211) *Pyrgus xanthus* Edwards,1878 (Hesperiidae) Synonym(s): *xanthus* Edwards,1878; *mcduffnoughi* Oberthür,1913
- 29212) *Pyrroneura agnesia* (Eliot,1967) (Hesperiidae) Synonym(s): *agnesia* Eliot,1967
- 29213) *Pyrroneura agnesia agnesia* (Eliot,1967) (Hesperiidae) Synonym(s): *agnesia* Eliot,1967
- 29214) *Pyrroneura agnesia limbanga* (Eliot,1967) (Hesperiidae) Synonym(s): *limbanga* Eliot,1967
- 29215) *Pyrroneura callineura* (C.Felder & R.Felder,[1867]) (Hesperiidae) Synonym(s): *callineura* C.Felder & R.Felder,[1867]
- 29216) *Pyrroneura callineura callineura* (C.Felder & R.Felder,[1867]) (Hesperiidae) Synonym(s): *callineura* C.Felder & R.Felder,[1867]
- 29217) *Pyrroneura callineura donatana* (Eliot,1967) (Hesperiidae) Synonym(s): *donatana* Eliot,1967
- 29218) *Pyrroneura callineura rubida* Evans,1941 (Hesperiidae) Synonym(s): *rubida* Evans,1941
- 29219) *Pyrroneura derna* (Evans,1941) (Hesperiidae) Synonym(s): *derna* Evans,1941
- 29220) *Pyrroneura derna derna* (Evans,1941) (Hesperiidae) Synonym(s): *derna* Evans,1941
- 29221) *Pyrroneura flavia* (Staudinger,1889) (Hesperiidae) Synonym(s): *flavia* Staudinger,1889
- 29222) *Pyrroneura flavia flavia* (Staudinger,1889) (Hesperiidae) Synonym(s): *flavia* Staudinger,1889
- 29223) *Pyrroneura flavia fruhstorferi* (Mabille,1893) (Hesperiidae) Synonym(s): *fruhstorferi* Mabille,1893
- 29224) *Pyrroneura helena* (Butler,1870) (Hesperiidae) Synonym(s): *helena* Butler,1870
- 29225) *Pyrroneura helena helena* (Butler,1870) (Hesperiidae) Synonym(s): *helena* Butler,1870
- 29226) *Pyrroneura helena natuna* (Fruhstorfer,1909) (Hesperiidae) Synonym(s): *natuna* Fruhstorfer,1909
- 29227) *Pyrroneura klanga* Evans,1941 (Hesperiidae) Synonym(s): *klanga* Evans,1941
- 29228) *Pyrroneura klanga klanga* Evans,1941 (Hesperiidae) Synonym(s): *MY Prk*
- 29229) *Pyrroneura latoia* (Hewitson,1868) (Hesperiidae) Synonym(s): *latoia* Hewitson,1868
- 29230) *Pyrroneura latoia bardia* (Evans,1941) (Hesperiidae) Synonym(s): *bardia* Evans,1941
- 29231) *Pyrroneura latoia latoia* (Hewitson,1868) (Hesperiidae) Synonym(s): *latoia* Hewitson,1868
- 29232) *Pyrroneura liburnia* (Hewitson,1868) (Hesperiidae) Synonym(s): *liburnia* Hewitson,1868
- 29233) *Pyrroneura liburnia divinae* Schröder & Treadaway,1987 (Hesperiidae) Synonym(s): *divinae* Schröder & Treadaway,1987
- 29234) *Pyrroneura liburnia dora* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *dora* De Jong & Treadaway,1993
- 29235) *Pyrroneura liburnia liburnia* (Hewitson,1868) (Hesperiidae) Synonym(s): *liburnia* Hewitson,1868
- 29236) *Pyrroneura liburnia minda* (Evans,1941) (Hesperiidae) Synonym(s): *minda* Evans,1941
- 29237) *Pyrroneura liburnia rosa* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *rosa* De Jong & Treadaway,1993
- 29238) *Pyrroneura liburnia wita* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *wita* De Jong & Treadaway,1993
- 29239) *Pyrroneura margherita* (Doherty,1889) (Hesperiidae) Synonym(s): *margherita* Doherty,1889
- 29240) *Pyrroneura margherita manda* Evans,1941 (Hesperiidae) Synonym(s): *manda* Evans,1941
- 29241) *Pyrroneura margherita margherita* (Doherty,1889) (Hesperiidae) Synonym(s): *margherita* (Doherty,1889

- 29242) *Pyrroneura margherita miriam* (Evans,1941) (Hesperiidae) Synonym(s): *miriam* Evans,1941
 29243) *Pyrroneura niasana* (Fruhstorfer,1909) (Hesperiidae) Synonym(s): *niasana* Fruhstorfer,1909
 29244) *Pyrroneura niasana burmana* (Evans,1926) (Hesperiidae) Synonym(s): *burmana* Evans,1926
 29245) *Pyrroneura niasana niasana* (Fruhstorfer,1909) (Hesperiidae) Synonym(s): *niasana* Fruhstorfer,1909
 29246) *Pyrroneura perakana* (Evans,1926) (Hesperiidae) Synonym(s): *perakana* Evans,1926
 29247) *Pyrroneura perakana perakana* (Evans,1926) (Hesperiidae) Synonym(s): *perakana* Evans,1926
 29248) *Pyrroneura vermiculata* (Hewitson,1878) (Hesperiidae) Synonym(s): *vermiculata* Hewitson,1878
 29249) *Pyrroneura vermiculata vermiculata* (Hewitson,1878) (Hesperiidae) Synonym(s): *vermiculata* Hewitson,1878
 29250) *Pyrrhiades lucagus* (Cramer,[1777]) (Hesperiidae) Synonym(s): *lucagus* Cramer,[1777]
 29251) *Pyrrhocalcia iphis* (Drury,[1773]) (Hesperiidae) Synonym(s): *iphis* Drury,[1773]; *phidias* Cramer,1779 nec Linn.,1758
 29252) *Pyrrhopyge aerata* Godman & Salvin,1879 (Hesperiidae) Synonym(s): *aerata* Godman & Salvin,1879
 29253) *Pyrrhopyge aesculapius* Staudinger,1875 (Hesperiidae) Synonym(s): *aesculapius* Staudinger,1875; *variegaticeps* Godman & Salvin,1879
 29254) *Pyrrhopyge agenoria* Hewitson,1876 (Hesperiidae) Synonym(s): *agenoria* Hewitson,1876
 29255) *Pyrrhopyge amyclas* (Cramer,[1782]) (Hesperiidae) Synonym(s): *amyclas* Cramer,[1782]; *laonome* Swainson,1821
 29256) *Pyrrhopyge anina* Mabilie & Boulet,1908 (Hesperiidae) Synonym(s): *anina* Mabilie & Boulet,1908
 29257) *Pyrrhopyge araethyrea* Hewitson,1870 (Hesperiidae) Synonym(s): *araethyrea* Hewitson,1870
 29258) *Pyrrhopyge aziza* Hewitson,1866 (Hesperiidae) Synonym(s): *aziza* Hewitson,1866
 29259) *Pyrrhopyge bogotana* Reakirt,1868 (Hesperiidae) Synonym(s): *bogotana* Reakirt,1868
 29260) *Pyrrhopyge cardus* Mabilie,1891 (Hesperiidae) Synonym(s): *cardus* Mabilie,1891
 29261) *Pyrrhopyge charybdis* Doubleday,1852 (Hesperiidae) Synonym(s): *charybdis* Doubleday,1852
 29262) *Pyrrhopyge cleopas* Mabilie & Boulet,1908 (Hesperiidae) Synonym(s): *cleopas* Mabilie & Boulet,1908
 29263) *Pyrrhopyge cossea* Druce,1875 (Hesperiidae) Synonym(s): *cossea* Druce,1875
 29264) *Pyrrhopyge creon* Druce,1874 (Hesperiidae) Synonym(s): *creon* Druce,1874; *cyclops* Staudinger,1875
 29265) *Pyrrhopyge creona* Druce,1874 (Hesperiidae) Synonym(s): *creona* Druce,1874; *aurora* Mabilie,1891
 29266) *Pyrrhopyge croceimargo* Mabilie & Boulet,1908 (Hesperiidae) Synonym(s): *croceimargo* Mabilie & Boulet,1908
 29267) *Pyrrhopyge cruor* Druce,1908 (Hesperiidae) Synonym(s): *cruor* Druce,1908
 29268) *Pyrrhopyge decipiens* Mabilie,1904 (Hesperiidae) Synonym(s): *decipiens* Mabilie,1904
 29269) *Pyrrhopyge denticulata* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *denticulata* Herrich-Schäffer,1869
 29270) *Pyrrhopyge dulcinea* Plötz,1879 (Hesperiidae) Synonym(s): *dulcinea* Plötz,1879
 29271) *Pyrrhopyge fassli* Boulet,1910 (Hesperiidae) Synonym(s): *fassli* Boulet,1910
 29272) *Pyrrhopyge fimbriata* Plötz,1882 (Hesperiidae) Synonym(s): *fimbriata* Plötz,1882
 29273) *Pyrrhopyge fleximargo* Mabilie & Boulet,1908 (Hesperiidae) Synonym(s): *fleximargo* Mabilie & Boulet,1908
 29274) *Pyrrhopyge fluminis* Butler,1873 (Hesperiidae) Synonym(s): *fluminis* Butler,1873
 29275) *Pyrrhopyge garata* Hewitson,1866 (Hesperiidae) Synonym(s): *garata* Hewitson,1866
 29276) *Pyrrhopyge gazer* Hewitson,1866 (Hesperiidae) Synonym(s): *gazer* Hewitson,1866
 29277) *Pyrrhopyge gellias* Godman & Salvin,1893 (Hesperiidae) Synonym(s): *gellias* Godman & Salvin,1893
 29278) *Pyrrhopyge gortyna* Hewitson,1866 (Hesperiidae) Synonym(s): *gortyna* Hewitson,1866
 29279) *Pyrrhopyge hadassa* Hewitson,1866 (Hesperiidae) Synonym(s): *hadassa* Hewitson,1866
 29280) *Pyrrhopyge hades* Mabilie,1904 (Hesperiidae) Synonym(s): *hades* Mabilie,1904
 29281) *Pyrrhopyge haemon* Godman & Salvin,1893 (Hesperiidae) Synonym(s): *haemon* Godman & Salvin,1893
 29282) *Pyrrhopyge hygiaea* C.Felder & R.Felder,1867 (Hesperiidae) Synonym(s): *hygiaea* C.Felder & R.Felder,1867
 29283) *Pyrrhopyge hylaeus* Mabilie,1891 (Hesperiidae) Synonym(s): *hylaeus* Mabilie,1891
 29284) *Pyrrhopyge hyperici* Hübner,[1823] (Hesperiidae) Synonym(s): *hyperici* Hübner,[1823]
 29285) *Pyrrhopyge infantilis* Druce,1908 (Hesperiidae) Synonym(s): *infantilis* Druce,1908
 29286) *Pyrrhopyge insana* Staudinger,1875 (Hesperiidae) Synonym(s): *insana* Staudinger,1875
 29287) *Pyrrhopyge intersecta* Herrich-Schäffer,1869 (Hesperiidae) Synonym(s): *intersecta* Herrich-Schäffer,1869
 29288) *Pyrrhopyge josepha* Plötz,1879 (Hesperiidae) Synonym(s): *josepha* Plötz,1879
 29289) *Pyrrhopyge kelita* Hewitson,1866 (Hesperiidae) Synonym(s): *kelita* Hewitson,1866; *tristis* Mabilie & Boulet,1908
 29290) *Pyrrhopyge lampros* Hopffer,1874 (Hesperiidae) Synonym(s): *lampros* Hopffer,1874
 29291) *Pyrrhopyge latifasciata* Butler,1873 (Hesperiidae) Synonym(s): *latifasciata* Butler,1873
 29292) *Pyrrhopyge maculosa* Hewitson,1866 (Hesperiidae) Synonym(s): *maculosa* Hewitson,1866; *agathon* C.Felder & R.Felder,1867
 29293) *Pyrrhopyge maenas* (Fabricius,1787) (Hesperiidae) Synonym(s): *bixae* Cramer,1780 nec Linn.; *maenas* Fabricius,1787
 29294) *Pyrrhopyge martena* Hewitson,1866 (Hesperiidae) Synonym(s): *martena* Hewitson,1866
 29295) *Pyrrhopyge melanomerus* Mabilie & Boulet,1908 (Hesperiidae) Synonym(s): *melanomerus* Mabilie & Boulet,1908
 29296) *Pyrrhopyge mendax* Mabilie & Boulet,1908 (Hesperiidae) Synonym(s): *mendax* Mabilie & Boulet,1908
 29297) *Pyrrhopyge menecrates* Mabilie,1878 (Hesperiidae) Synonym(s): *menecrates* Mabilie,1878
 29298) *Pyrrhopyge papius* Hopffer,1874 (Hesperiidae) Synonym(s): *papius* Hopffer,1874
 29299) *Pyrrhopyge passova* Hewitson,1866 (Hesperiidae) Synonym(s): *passova* Hewitson,1866
 29300) *Pyrrhopyge pelota* Plötz,1879 (Hesperiidae) Synonym(s): *pelota* Plötz,1879
 29301) *Pyrrhopyge phaeax* Hopffer,1874 (Hesperiidae) Synonym(s): *phaeax* Hopffer,1874
 29302) *Pyrrhopyge phidias* (Linnaeus,1764) (Hesperiidae) Synonym(s): *phidias* Linnaeus,1764
 29303) *Pyrrhopyge phylleia* Hewitson,1874 (Hesperiidae) Synonym(s): *phylleia* Hewitson,1874
 29304) *Pyrrhopyge polemon* Hopffer,1874 (Hesperiidae) Synonym(s): *polemon* Hopffer,1874
 29305) *Pyrrhopyge proculus* Hopffer,1874 (Hesperiidae) Synonym(s): *zeleucus* Erichson,1848 nec Fabr.; *proculus* Hopffer,1874
 29306) *Pyrrhopyge pseudohadassa* Mabilie & Boulet,1908 (Hesperiidae) Synonym(s): *pseudohadassa* Mabilie & Boulet,1908
 29307) *Pyrrhopyge rhacia* Hewitson,1875 (Hesperiidae) Synonym(s): *rhacia* Hewitson,1875
 29308) *Pyrrhopyge roscius* Hopffer,1874 (Hesperiidae) Synonym(s): *roscius* Hopffer,1874
 29309) *Pyrrhopyge rubricor* Mabilie & Boulet,1908 (Hesperiidae) Synonym(s): *rubricor* Mabilie & Boulet,1908
 29310) *Pyrrhopyge rufinucha* Godman & Salvin,1879 (Hesperiidae) Synonym(s): *rufinucha* Godman & Salvin,1879
 29311) *Pyrrhopyge sanies* Druce,1908 (Hesperiidae) Synonym(s): *sanies* Druce,1908
 29312) *Pyrrhopyge scylla* Ménétriés,1855 (Hesperiidae) Synonym(s): *scylla* Ménétriés,1855
 29313) *Pyrrhopyge semidentata* Mabilie,1877 (Hesperiidae) Synonym(s): *semidentata* Mabilie,1877
 29314) *Pyrrhopyge sergius* Hopffer,1874 (Hesperiidae) Synonym(s): *sergius* Hopffer,1874; *leucoloma* Erschoff,1874
 29315) *Pyrrhopyge styx* Möschler,1878 (Hesperiidae) Synonym(s): *styx* Möschler,1878
 29316) *Pyrrhopyge telassa* Hewitson,1866 (Hesperiidae) Synonym(s): *telassa* Hewitson,1866; *telassina* Mabilie & Boulet,1908
 29317) *Pyrrhopyge tenuis* Mabilie & Boulet,1908 (Hesperiidae) Synonym(s): *tenuis* Mabilie & Boulet,1908
 29318) *Pyrrhopyge thericles* Mabilie,1891 (Hesperiidae) Synonym(s): *thericles* Mabilie,1891
 29319) *Pyrrhopyge zekeucus* (Fabricius,1793) (Hesperiidae) Synonym(s): *zekeucus* Fabricius,1793
 29320) *Pyrrhopyge zenodorus* Godman & Salvin,1893 (Hesperiidae) Synonym(s): *thasus* Butler & Druce,1874 nec Cr.; *zenodorus* Godman & Salvin,1893
 29321) *Pyrrhopyge zereda* Hewitson,1866 (Hesperiidae) Synonym(s): *zereda* Hewitson,1866; *rufipectus* Godman & Salvin,1879
 29322) *Pythionides assecla* Mabilie,1883 (Hesperiidae) Synonym(s): *assecla* Mabilie,1883
 29323) *Pythionides jovianus* (Stoll,[1782]) (Hesperiidae) Synonym(s): *jovianus* Stoll,[1782]
 29324) *Pythionides jovianus amaryllis* Staudinger,1876 (Hesperiidae) Synonym(s): *amaryllis* Staudinger,1876
 29325) *Pythionides mundo* Freeman,1979 (Hesperiidae) Synonym(s): *mundo* Freeman,1979
 29326) *Pythionides proxenus* Godman & Salvin,1895 (Hesperiidae) Synonym(s): *proxenus* Godman & Salvin,1895; *canace* Schaus,1913
 29327) *Pythionides pteris* (Godman & Salvin,1895) (Hesperiidae) Synonym(s): *pteris* Godman & Salvin,1895
 29328) *Pythionides rosa* Steinhäuser,1989 (Hesperiidae) Synonym(s): *rosa* Steinhäuser,1989
 29329) *Quadrus anicius* (Godman & Salvin,1893) (Hesperiidae) Synonym(s): *anicius* Godman & Salvin,1893
 29330) *Quadrus cerialis* (Stoll,[1782]) (Hesperiidae) Synonym(s): *cerialis* Stoll,[1782]; *orcus* Fabricius,1793; *cerberus* Hübner,[1819]; *majorinus* Draudt,1922
 29331) *Quadrus contubernalis* (Mabilie,1883) (Hesperiidae) Synonym(s): *contubernalis* Mabilie,1883; *praxis* Plötz,1884

- 29332) *Quadrus francesius* Freeman, 1969 (Hesperiidae) Synonym(s): *francesius* Freeman, 1969
 29333) *Quadrus lugubris* (R.Felder, 1969) (Hesperiidae) Synonym(s): *lugubris* R.Felder, 1969; *obscurascens* Mabil & Boulet, 1917
 29334) *Quasimellana agnesae* (Bell, 1959) (Hesperiidae) Synonym(s): *agnesae* Bell, 1959
 29335) *Quasimellana andersoni* Burns, 1994 (Hesperiidae) Synonym(s): *andersoni* Burns, 1994
 29336) *Quasimellana aurora* (Bell, 1942) (Hesperiidae) Synonym(s): *aurora* Bell, 1942; *tecla* Steinhäuser, 1974
 29337) *Quasimellana balsa* (Bell, 1942) (Hesperiidae) Synonym(s): *balsa* Bell, 1942; *fremani* Steinhäuser, 1974
 29338) *Quasimellana eulogius* (Plötz, 1882) (Hesperiidae) Synonym(s): *eulogius* Plötz, 1882; *mellona* Godman, 1900; *heberia* Dyar, 1914; *oaxaca* Freeman, 1979
 29339) *Quasimellana fieldi* (Bell, 1942) (Hesperiidae) Synonym(s): *fieldi* Bell, 1942; *montezuma* Freeman, 1969
 29340) *Quasimellana mexicana* (Bell, 1942) (Hesperiidae) Synonym(s): *mexicana* Bell, 1942
 29341) *Quasimellana mulleri* (Bell, 1942) (Hesperiidae) Synonym(s): *mulleri* Bell, 1942
 29342) *Quasimellana myron* (Godman, 1900) (Hesperiidae) Synonym(s): *myron* Godman, 1900
 29343) *Quasimellana nayana* (Bell, 1941) (Hesperiidae) Synonym(s): *nayana* Bell, 1941; *tamana* Steinhäuser, 1974
 29344) *Quasimellana servillius* (Möschler, 1883) (Hesperiidae) Synonym(s): *servillius* Möschler, 1883; *verba* Evans, 1955
 29345) *Quasimellana siblinga* Burns, 1994 (Hesperiidae) Synonym(s): *siblinga* Burns, 1994
 29346) *Quedara albifascia* (Moore, 1878) (Hesperiidae) Synonym(s): *albifascia* Moore, 1878
 29347) *Quedara albifascia albifascia* (Moore, 1878) (Hesperiidae) Synonym(s): *albifascia* Moore, 1878
 29348) *Quedara basiflava* (De Nicéville, 1888) (Hesperiidae) Synonym(s): *basiflava* De Nicéville, 1888
 29349) *Quedara basiflava basiflava* (De Nicéville, 1888) (Hesperiidae) Synonym(s): *basiflava* De Nicéville, 1888
 29350) *Quedara inornata* (Elwes & Edwards, 1897) (Hesperiidae) Synonym(s): *inornata* Elwes & Edwards, 1897
 29351) *Quedara inornata inornata* (Elwes & Edwards, 1897) (Hesperiidae) Synonym(s): *inornata* Elwes & Edwards, 1897
 29352) *Quedara monteithi* (Wood-Mason & De Nicéville, 1887) (Hesperiidae) Synonym(s): *monteithi* Wood-Mason & De Nicéville, 1887; *comoploea* Swinhoe, 1909
 29353) *Quedara monteithi dissimilis* (Elwes & Edwards, 1897) (Hesperiidae) Synonym(s): *dissimilis* Elwes & Edwards, 1897
 29354) *Quedara monteithi monteithi* (Wood-Mason & De Nicéville, 1887) (Hesperiidae) Synonym(s): *monteithi* Wood-Mason & De Nicéville, 1887; *comoploea* Swinhoe, 1909
 29355) *Quedara monteithi noctis* (Staudinger, 1889) (Hesperiidae) Synonym(s): *noctis* Staudinger, 1889; *aliena* Staudinger, 1889
 29356) *Quedara singularis* (Mabil, 1893) (Hesperiidae) Synonym(s): *singularis* Mabil, 1893; *perfusca* Mabil, 1893
 29357) *Quedara singularis singularis* (Mabil, 1893) (Hesperiidae) Synonym(s): *singularis* Mabil, 1893; *perfusca* Mabil, 1893
 29358) *Quinta cannae* (Herrich-Schäffer, 1869) (Hesperiidae) Synonym(s): *cannae* Herrich-Schäffer, 1869; *calonice* Burmeister, 1878; *osembo* Möschler, 1883; *dupecca* Weeks, 1902; *atiopides* Larranaga, 1923
 29359) *Rachelia extrusus* (C.Felder & R.Felder, [1867]) (Hesperiidae) Synonym(s): *extrusus* C.Felder & R.Felder, [1867]; *affinis* Mabil & Boulet, 1912; *basalis* Joicey & Talbot, 1916
 29360) *Rachelia extrusus extrusus* (C.Felder & R.Felder, [1867]) (Hesperiidae) Synonym(s): *extrusus* C.Felder & R.Felder, [1867]; *affinis* Mabil & Boulet, 1912; *basalis* Joicey & Talbot, 1916
 29361) *Rachelia extrusus icosia* (Fruhstorfer, 1911) (Hesperiidae) Synonym(s):
 29362) *Remella duena* (Evans, 1955) (Hesperiidae) Synonym(s): *duena* Evans, 1955
 29363) *Remella remus* (Fabricius, 1798) (Hesperiidae) Synonym(s): *remus* Fabricius, 1798; *centralis* Herrich-Schäffer, 1869
 29364) *Remella rita* (Evans, 1955) (Hesperiidae) Synonym(s): *rita* Evans, 1955
 29365) *Remella vopiscus* (Herrich-Schäffer, 1869) (Hesperiidae) Synonym(s): *vopiscus* Herrich-Schäffer, 1869; *justinoides* Butler & Druce, 1872
 29366) *Rhabdomantis galatia* (Hewitson, 1868) (Hesperiidae) Synonym(s): *galatia* Hewitson, 1868; *rhabdophorus* Mabil, 1890
 29367) *Rhabdomantis sosia* (Mabil, 1891) (Hesperiidae) Synonym(s): *sosia* Mabil, 1891
 29368) *Rhinthon osca* (Plötz, 1882) (Hesperiidae) Synonym(s): *osca* Plötz, 1882; *cabella* Plötz, 1886; *chiriquensis* Mabil, 1889; *biserta* Schaus, 1902
 29369) *Ridens allyni* Freeman, 1979 (Hesperiidae) Synonym(s): *allyni* Freeman, 1979
 29370) *Ridens crison* (Godman & Salvin, 1893) (Hesperiidae) Synonym(s): *crison* Godman & Salvin, 1893
 29371) *Ridens mephitis* (Hewitson, 1876) (Hesperiidae) Synonym(s): *mephitis* Hewitson, 1876; *dinora* Plötz, 1881
 29372) *Ridens mercedes* Steinhäuser, 1983 (Hesperiidae) Synonym(s): *mercedes* Steinhäuser, 1983
 29373) *Ridens militas* (Godman & Salvin, 1893) (Hesperiidae) Synonym(s): *militas* Godman & Salvin, 1893
 29374) *Sabera aruana* (Plötz, 1886) (Hesperiidae) Synonym(s): *aruana* Plötz, 1886
 29375) *Sabera aruana aruana* (Plötz, 1886) (Hesperiidae) Synonym(s): *aruana* Plötz, 1886
 29376) *Sabera aruana lina* Evans, 1949 (Hesperiidae) Synonym(s): *lina* Evans, 1949
 29377) *Sabera biaga* Evans, 1949 (Hesperiidae) Synonym(s): *biaga* Evans, 1949
 29378) *Sabera biaga biaga* Evans, 1949 (Hesperiidae) Synonym(s): *biaga* Evans, 1949
 29379) *Sabera bicolor Rothschild, 1915* (Hesperiidae) Synonym(s): *bicolor* Rothschild, 1915
 29380) *Sabera bicolor bicolor* Rothschild, 1915 (Hesperiidae) Synonym(s): *bicolor* Rothschild, 1915
 29381) *Sabera bicolor misola* Evans, 1949 (Hesperiidae) Synonym(s): *misola* Evans, 1949
 29382) *Sabera caesina* (Hewitson, 1866) (Hesperiidae) Synonym(s):
 29383) *Sabera caesina albifascia* (Miskin, 1889) (Hesperiidae) Synonym(s): *albifascia* Miskin, 1889
 29384) *Sabera caesina barina* Fruhstorfer, 1911 (Hesperiidae) Synonym(s):
 29385) *Sabera caesina caesina* (Hewitson, 1866) (Hesperiidae) Synonym(s):
 29386) *Sabera caesina louisa* Evans, 1935 (Hesperiidae) Synonym(s):
 29387) *Sabera caesina sudesta* Evans, 1935 (Hesperiidae) Synonym(s):
 29388) *Sabera dobboe* (Plötz, 1885) (Hesperiidae) Synonym(s):
 29389) *Sabera dobboe autoleon* (Miskin, 1889) (Hesperiidae) Synonym(s): *autoleon* Miskin, 1889
 29390) *Sabera dobboe dobboe* (Plötz, 1885) (Hesperiidae) Synonym(s):
 29391) *Sabera dobboe edna* Evans, 1935 (Hesperiidae) Synonym(s):
 29392) *Sabera dobboe hanova* Evans, 1949 (Hesperiidae) Synonym(s):
 29393) *Sabera dobboe meforica* Fruhstorfer, 1911 (Hesperiidae) Synonym(s):
 29394) *Sabera dorena* Evans, 1935 (Hesperiidae) Synonym(s):
 29395) *Sabera dorena dorena* Evans, 1935 (Hesperiidae) Synonym(s):
 29396) *Sabera expansa* Evans, 1935 (Hesperiidae) Synonym(s):
 29397) *Sabera expansa expansa* Evans, 1935 (Hesperiidae) Synonym(s):
 29398) *Sabera fuliginosa* (Miskin, 1889) (Hesperiidae) Synonym(s): *fuliginosa* Miskin, 1889
 29399) *Sabera fuliginosa chota* Evans, 1949 (Hesperiidae) Synonym(s): *chota* Evans, 1949
 29400) *Sabera fuliginosa fuliginosa* (Miskin, 1889) (Hesperiidae) Synonym(s): *fuliginosa* Miskin, 1889
 29401) *Sabera fusca* Joicey & Talbot, 1917 (Hesperiidae) Synonym(s):
 29402) *Sabera fusca fusca* Joicey & Talbot, 1917 (Hesperiidae) Synonym(s):
 29403) *Sabera kumpia* Evans, 1949 (Hesperiidae) Synonym(s):
 29404) *Sabera kumpia kumpia* Evans, 1949 (Hesperiidae) Synonym(s):
 29405) *Sabera kumpla baxta* Evans, 1949 (Hesperiidae) Synonym(s):
 29406) *Sabera tabla* (Swinhoe, 1905) (Hesperiidae) Synonym(s):
 29407) *Sabera tabla tabla* (Swinhoe, 1905) (Hesperiidae) Synonym(s):
 29408) *Salanoemia fuscicornis* (Elwes & Edwards, 1897) (Hesperiidae) Synonym(s): *fuscicornis* Elwes & Edwards, 1897
 29409) *Salanoemia fuscicornis fuscicornis* (Elwes & Edwards, 1897) (Hesperiidae) Synonym(s): *fuscicornis* Elwes & Edwards, 1897
 29410) *Salanoemia sala* (Hewitson, 1866) (Hesperiidae) Synonym(s): *sala* Hewitson, 1866; *submaculata* Staudinger, 1889; *maculicornis* Elwes & Edwards, 1897; *kanara* Evans, 1926
 29411) *Salanoemia sala sala* (Hewitson, 1866) (Hesperiidae) Synonym(s): *sala* Hewitson, 1866; *submaculata* Staudinger, 1889; *maculicornis* Elwes & Edwards, 1897; *kanara* Evans, 1926
 29412) *Salanoemia similis* (Elwes & Edwards, 1897) (Hesperiidae) Synonym(s): *similis* Elwes & Edwards, 1897
 29413) *Salanoemia similis similis* (Elwes & Edwards, 1897) (Hesperiidae) Synonym(s): *similis* Elwes & Edwards, 1897
 29414) *Salanoemia tavoyana* (Evans, 1926) (Hesperiidae) Synonym(s): *tavoyana* Evans, 1926

- 29415) *Salanoemia tavoyana tavoyana* (Evans,1926) (Hesperiidae) Synonym(s): *tavoyana* Evans,1926
 29416) *Saliana antonius* (Latreille,[1824]) (Hesperiidae) Synonym(s): *antonius* Latreille,[1824]
 29417) *Saliana esperi* Evans,1955 (Hesperiidae) Synonym(s): *esperi* Evans,1955
 29418) *Saliana fusta* Evans,1955 (Hesperiidae) Synonym(s): *fusta* Evans,1955
 29419) *Saliana hewitsoni* (Riley,1926) (Hesperiidae) Synonym(s): *hewitsoni* Riley,1926
 29420) *Saliana longirostris* (Sepp,1840) (Hesperiidae) Synonym(s): *longirostris* Sepp,1840
 29421) *Saliana saladin* Evans,1955 (Hesperiidae) Synonym(s): *saladin* Evans,1955
 29422) *Saliana salius* (Cramer,[1775]) (Hesperiidae) Synonym(s): *salius* Cramer,[1775]; *trimacula* Mabille,1879
 29423) *Saliana severus* (Mabille,1895) (Hesperiidae) Synonym(s): *severus* Mabille,1895
 29424) *Saliana triangularis* (Kaye,1914) (Hesperiidae) Synonym(s): *triangularis* Kaye,1914
 29425) *Sancus fuligo* (Mabille,1876) (Hesperiidae) Synonym(s): *fuligo* Mabille,1876; *forensis* Plötz,1884; *kethra* Plötz,1884; *ulunda* Staudinger,1889
 29426) *Sancus fuligo fuligo* (Mabille,1876) (Hesperiidae) Synonym(s): *fuligo* Mabille,1876; *forensis* Plötz,1884; *kethra* Plötz,1884; *ulunda* Staudinger,1889
 29427) *Sancus fuligo fuscata* Snellen,1878 (Hesperiidae) Synonym(s): *fuscata* Snellen,1878; *celunda* Staudinger,1889.
 29428) *Sancus fuligo subfasciatus* (Moore,[1879]) (Hesperiidae) Synonym(s): *subfasciatus* Moore,[1879]
 29429) *Sarangesa astrigera* Butler,1894 (Hesperiidae) Synonym(s): *astrigera* Butler,1894; *neavei* Riley,1921.
 29430) *Sarangesa astrigera astrigera* Butler,1894 (Hesperiidae) Synonym(s): *astrigera* Butler,1894; *neavei* Riley,1921.
 29431) *Sarangesa aza* Evans,1951 (Hesperiidae) Synonym(s): *aza* Evans,1951
 29432) *Sarangesa aza aza* Evans,1951 (Hesperiidae) Synonym(s): *aza* Evans,1951
 29433) *Sarangesa bouvieri* (Mabille,1877) (Hesperiidae) Synonym(s): *bouvieri* Mabille,1877; *philotimus* Plötz,1879.
 29434) *Sarangesa bouvieri bouvieri* (Mabille,1877) (Hesperiidae) Synonym(s): *bouvieri* Mabille,1877; *philotimus* Plötz,1879.
 29435) *Sarangesa brigida* (Plötz,1879) (Hesperiidae) Synonym(s): *brigida* Plötz,1879; *brigidella* Plötz,1886; *aurimargo* Holland,1896.
 29436) *Sarangesa brigida atra* Evans,1937 (Hesperiidae) Synonym(s): *atra* Evans,1937
 29437) *Sarangesa brigida brigida* (Plötz,1879) (Hesperiidae) Synonym(s): *brigida* Plötz,1879; *brigidella* Plötz,1886; *aurimargo* Holland,1896.
 29438) *Sarangesa brigida sanaga* Miller,1964 (Hesperiidae) Synonym(s): *sanaga* Miller,1964
 29439) *Sarangesa dasahara* (Moore,[1866]) (Hesperiidae) Synonym(s): *dasahara* Moore,[1866]; *philippus* Mabille,1883
 29440) *Sarangesa dasahara adona* Evans,1949 (Hesperiidae) Synonym(s): *adona* Evans,1949
 29441) *Sarangesa dasahara albicilia* Moore,[1881] (Hesperiidae) Synonym(s): *albicilia* Moore,[1881]; *sezendis* Plötz,1885
 29442) *Sarangesa dasahara dasahara* (Moore,[1866]) (Hesperiidae) Synonym(s): *dasahara* Moore,[1866]; *philippus* Mabille,1883.
 29443) *Sarangesa dasahara davidsoni* Swinhoe,1912 (Hesperiidae) Synonym(s): *davidsoni* Swinhoe,1912; *hampsoni* Swinhoe,1912
 29444) *Sarangesa dasahara sandra* Evans,1949 (Hesperiidae) Synonym(s): *sandra* Evans,1949
 29445) *Sarangesa gaerdesi* Evans,1949 (Hesperiidae) Synonym(s): *gaerdesi* Evans,1949
 29446) *Sarangesa gaerdesi gaerdesi* Evans,1949 (Hesperiidae) Synonym(s): *gaerdesi* Evans,1949
 29447) *Sarangesa gaerdesi smithae* Vari,1976 (Hesperiidae) Synonym(s):
 29448) *Sarangesa haplopa* Swinhoe,1907 (Hesperiidae) Synonym(s): *haplopa* Swinhoe,1907
 29449) *Sarangesa haplopa haplopa* Swinhoe,1907 (Hesperiidae) Synonym(s): *haplopa* Swinhoe,1907
 29450) *Sarangesa laelius* (Mabille,1877) (Hesperiidae) Synonym(s): *laelius* Mabille,1877; *synestalmenus* Karsch,1893; *tristis* Rebel,1914; *laelioides* Riley,1921; *#coelius* De Fleury,1926.
 29451) *Sarangesa laelius laelius* (Mabille,1877) (Hesperiidae) Synonym(s): *laelius* Mabille,1877; *synestalmenus* Karsch,1893; *tristis* Rebel,1914; *laelioides* Riley,1921; *#coelius* De Fleury,1926.
 29452) *Sarangesa lucidella* (Mabille,1891) (Hesperiidae) Synonym(s): *lucidella* Mabille,1891; *ganyi* Bethune-Baker,1906.
 29453) *Sarangesa lucidella helena* Evans,1947 (Hesperiidae) Synonym(s): *helena* Evans,1947
 29454) *Sarangesa lucidella lucidella* (Mabille,1891) (Hesperiidae) Synonym(s): *lucidella* Mabille,1891; *ganyi* Bethune-Baker,1906.
 29455) *Sarangesa lunula* Druce,1910 (Hesperiidae) Synonym(s): *lunula* Druce,1910
 29456) *Sarangesa lunula lunula* Druce,1910 (Hesperiidae) Synonym(s): *lunula* Druce,1910
 29457) *Sarangesa maculata* (Mabille,1891) (Hesperiidae) Synonym(s): *maculata* Mabille,1891; *subalbicans* Bethune-Baker,1906.
 29458) *Sarangesa maculata maculata* (Mabille,1891) (Hesperiidae) Synonym(s): *maculata* Mabille,1891; *subalbicans* Bethune-Baker,1906.
 29459) *Sarangesa majorella* (Mabille,1891) (Hesperiidae) Synonym(s): *majorella* Mabille,1891
 29460) *Sarangesa majorella majorella* (Mabille,1891) (Hesperiidae) Synonym(s): *majorella* Mabille,1891
 29461) *Sarangesa maxima* Neave,1910 (Hesperiidae) Synonym(s): *maxima* Neave,1910
 29462) *Sarangesa maxima maxima* Neave,1910 (Hesperiidae) Synonym(s): *maxima* Neave,1910
 29463) *Sarangesa motozi* (Wallengren,1857) (Hesperiidae) Synonym(s): *motozi* Wallengren,1857; *pato* Trimen,1862; *ophthalmica* Mabille,1891; *pertusa* Mabille,1891; *helmi* Karsch,1896; *ophthalmicodes* Strand,1912.
 29464) *Sarangesa motozi motozi* (Wallengren,1857) (Hesperiidae) Synonym(s): *motozi* Wallengren,1857; *pato* Trimen,1862; *ophthalmica* Mabille,1891; *pertusa* Mabille,1891; *helmi* Karsch,1896; *ophthalmicodes* Strand,1912.
 29465) *Sarangesa motozioides* Holland,1892 (Hesperiidae) Synonym(s): *motozioides* Holland,1892
 29466) *Sarangesa motozioides motozioides* Holland,1892 (Hesperiidae) Synonym(s): *motozioides* Holland,1892
 29467) *Sarangesa pandaensis* Joicey & Talbot,1921 (Hesperiidae) Synonym(s): *pandaensis* Joicey & Talbot,1921
 29468) *Sarangesa pandaensis deningi* Evans,1956 (Hesperiidae) Synonym(s): *deningi* Evans,1956
 29469) *Sarangesa pandaensis pandaensis* Joicey & Talbot,1921 (Hesperiidae) Synonym(s): *pandaensis* Joicey & Talbot,1921
 29470) *Sarangesa penningtoni* Evans,1951 (Hesperiidae) Synonym(s): *penningtoni* Evans,1951
 29471) *Sarangesa phidyle* (Walker,1870) (Hesperiidae) Synonym(s): *phidyle* Walker,1870; *besa* Mabille,1891; *eliminata* Holland,1896; *deserticola* Rebel,1907; *#varia* Evans,1937.
 29472) *Sarangesa phidyle phidyle* (Walker,1870) (Hesperiidae) Synonym(s): *phidyle* Walker,1870; *besa* Mabille,1891; *eliminata* Holland,1896; *deserticola* Rebel,1907; *#varia* Evans,1937.
 29473) *Sarangesa princei* Karsch,1896 (Hesperiidae) Synonym(s): *princei* Karsch,1896
 29474) *Sarangesa princei princei* Karsch,1896 (Hesperiidae) Synonym(s): *princei* Karsch,1896
 29475) *Sarangesa purendra* (Moore,1857) (Hesperiidae) Synonym(s): *purendra* Moore,1857
 29476) *Sarangesa purendra hopkinsi* Evans,1921 (Hesperiidae) Synonym(s): *hopkinsi* Evans,1921
 29477) *Sarangesa purendra pandra* Evans,1949 (Hesperiidae) Synonym(s): *pandra* Evans,1949
 29478) *Sarangesa purendra purendra* (Moore,1857) (Hesperiidae) Synonym(s): *purendra* Moore,1857
 29479) *Sarangesa purendra sati* De Nicéville,1891 (Hesperiidae) Synonym(s): *sati* De Nicéville,1891
 29480) *Sarangesa ruona* Evans,1937 (Hesperiidae) Synonym(s): *ruona* Evans,1937
 29481) *Sarangesa ruona ruona* Evans,1937 (Hesperiidae) Synonym(s): *ruona* Evans,1937
 29482) *Sarangesa seineri* Strand,1909 (Hesperiidae) Synonym(s): *seineri* Strand,1909; *tanga* Evans,1937.
 29483) *Sarangesa seineri durbana* Evans,1937 (Hesperiidae) Synonym(s): *durbana* Evans,1937
 29484) *Sarangesa seineri seineri* Strand,1909 (Hesperiidae) Synonym(s): *seineri* Strand,1909; *tanga* Evans,1937.
 29485) *Sarangesa tertullianus* (Fabricius,1793) (Hesperiidae) Synonym(s): *tertullianus* Fabricius,1793
 29486) *Sarangesa tertullianus tertullianus* (Fabricius,1793) (Hesperiidae) Synonym(s): *tertullianus* Fabricius,1793
 29487) *Sarangesa thecla* (Plötz,1879) (Hesperiidae) Synonym(s): *thecla* Plötz,1879; *semialba* Mabille,1891.
 29488) *Sarangesa thecla mabira* Evans,1956 (Hesperiidae) Synonym(s): *mabira* Evans,1956
 29489) *Sarangesa thecla thecla* (Plötz,1879) (Hesperiidae) Synonym(s): *thecla* Plötz,1879; *semialba* Mabille,1891.
 29490) *Sarangesa tricerata* (Mabille,1891) (Hesperiidae) Synonym(s): *tricerata* Mabille,1891
 29491) *Sarangesa tricerata compacta* Evans,1951 (Hesperiidae) Synonym(s): *compacta* Evans,1951
 29492) *Sarangesa tricerata tricerata* (Mabille,1891) (Hesperiidae) Synonym(s): *tricerata* Mabille,1891
 29493) *Sarbia antias* (Felder,1859) (Hesperiidae) Synonym(s): *antias* Felder,1859
 29494) *Sarbia catomelaena* Mabille & Boulet,1908 (Hesperiidae) Synonym(s): *catomelaena* Mabille & Boulet,1908
 29495) *Sarbia damippe* Mabille & Boulet,1908 (Hesperiidae) Synonym(s): *damippe* Mabille & Boulet,1908
 29496) *Sarbia erythrosoma* Mabille,1897 (Hesperiidae) Synonym(s): *erythrosoma* Mabille,1897
 29497) *Sarbia hegesippe* Mabille & Boulet,1908 (Hesperiidae) Synonym(s): *hegesippe* Mabille & Boulet,1908
 29498) *Sarbia luteizona* (Mabille,1877) (Hesperiidae) Synonym(s): *luteizona* Mabille,1877

- 29499) *Sarbia martii* (Plötz,1879) (Hesperiidae) Synonym(s): *martii* Plötz,1879
- 29500) *Sarbia oneka* (Hewitson,1866) (Hesperiidae) Synonym(s): *oneka* Hewitson,1866
- 29501) *Sarbia spixii* (Plötz,1879) (Hesperiidae) Synonym(s): *spixii* Plötz,1879
- 29502) *Sarbia xanthippe* (Latreille,1823) (Hesperiidae) Synonym(s): *xanthippe* Latreille,1823
- 29503) *Satarupa gopala Moore*,[1866] (Hesperiidae) Synonym(s): *gopala* Moore,[1866]; *tonkiniana* Fruhstorfer,1909; *hainana* Evans,1932.
- 29504) *Satarupa gopala gopala Moore*,[1866] (Hesperiidae) Synonym(s): *gopala* Moore,[1866]; *tonkiniana* Fruhstorfer,1909; *hainana* Evans,1932.
- 29505) *Satarupa gopala malaya Evans*,1932 (Hesperiidae) Synonym(s): *malaya* Evans,1932
- 29506) *Satarupa majasra Fruhstorfer*,1909 (Hesperiidae) Synonym(s): *majasra* Fruhstorfer,1909; *formosana* Matsumura,1910 *nec* Fruhstorfer,1909; *formosibia* Strand,1926; *formosicola* Matsumura,1929.
- 29507) *Satarupa majasra majasra Fruhstorfer*,1909 (Hesperiidae) Synonym(s): *majasra* Fruhstorfer,1909; *formosana* Matsumura,1910 *nec* Fruhstorfer,1909; *formosibia* Strand,1926; *formosicola* Matsumura,1929.
- 29508) *Satarupa monbeigi Oberthür*,1921 (Hesperiidae) Synonym(s): *monbeigi* Oberthür,1921
- 29509) *Satarupa monbeigi monbeigi Oberthür*,1921 (Hesperiidae) Synonym(s): *monbeigi* Oberthür,1921
- 29510) *Satarupa nymphalis* (Speyer,1879) (Hesperiidae) Synonym(s): *nymphalis* Speyer,1879; *sugitanii* Matsumura,1929.
- 29511) *Satarupa nymphalis khamensis* (Alpheraky,1897) (Hesperiidae) Synonym(s): *kamensis* Alpheraky,1897; *oberthueri* Evans,1932; *intermedia* Evans,1932.
- 29512) *Satarupa nymphalis nymphalis* (Speyer,1879) (Hesperiidae) Synonym(s): *nymphalis* Speyer,1879; *sugitanii* Matsumura,1929.
- 29513) *Satarupa splendens* Tytler,1915 (Hesperiidae) Synonym(s): *splendens* Tytler,1915
- 29514) *Satarupa splendens splendens* Tytler,1915 (Hesperiidae) Synonym(s): *splendens* Tytler,1915
- 29515) *Satarupa valentini Oberthür*,1921 (Hesperiidae) Synonym(s): *valentini* Oberthür,1921
- 29516) *Satarupa valentini valentini Oberthür*,1921 (Hesperiidae) Synonym(s): *valentini* Oberthür,1921
- 29517) *Satarupa zulla* Tytler,1915 (Hesperiidae) Synonym(s): *zulla* Tytler,1915
- 29518) *Satarupa zulla ouvardi Oberthür*,1921 (Hesperiidae) Synonym(s): *ouvardi* Oberthür,1921
- 29519) *Satarupa zulla zulla* Tytler,1915 (Hesperiidae) Synonym(s): *zulla* Tytler,1915
- 29520) *Saturnus obscurus* (Bell,1941) (Hesperiidae) Synonym(s): *obscurus* Bell,1941
- 29521) *Scobura cephalo* (Hewitson,1876) (Hesperiidae) Synonym(s): *cephala* Hewitson,1876
- 29522) *Scobura cephalo cephalo* (Hewitson,1876) (Hesperiidae) Synonym(s): *cephala* Hewitson,1876
- 29523) *Scobura cephaloides* (De Nicéville,1888) (Hesperiidae) Synonym(s): *cephaloides* De Nicéville,1888
- 29524) *Scobura cephaloides cephaloides* (De Nicéville,1888) (Hesperiidae) Synonym(s): *cephaloides* De Nicéville,1888
- 29525) *Scobura cephaloides kinka Evans*,1949 (Hesperiidae) Synonym(s): *kinka* Evans,1949
- 29526) *Scobura conia* Hering,1918 (Hesperiidae) Synonym(s): *coniata* Hering,1918
- 29527) *Scobura conia conia* Hering,1918 (Hesperiidae) Synonym(s): *coniata* Hering,1918
- 29528) *Scobura conia lyso Evans*,1939 (Hesperiidae) Synonym(s): *lyso* Evans,1939
- 29529) *Scobura isota* (Swinhoe,1893) (Hesperiidae) Synonym(s): *isota* Swinhoe,1893
- 29530) *Scobura isota isota* (Swinhoe,1893) (Hesperiidae) Synonym(s): *isota* Swinhoe,1893
- 29531) *Scobura phiditia* (Hewitson,1866) (Hesperiidae) Synonym(s): *phiditia* Hewitson,1866; *martini* Elwes & Edwards,1897
- 29532) *Scobura phiditia phiditia* (Hewitson,1866) (Hesperiidae) Synonym(s): *phiditia* Hewitson,1866; *martini* Elwes & Edwards,1897
- 29533) *Scobura tyleri Evans*,1914 (Hesperiidae) Synonym(s): *tyleri* Evans,1914
- 29534) *Scobura tyleri tyleri* Evans,1914 (Hesperiidae) Synonym(s): *tyleri* Evans,1914
- 29535) *Scobura woolletti* Riley,1923 (Hesperiidae) Synonym(s): *woolletti* Riley,1923
- 29536) *Scobura woolletti cephalina Evans*,1932 (Hesperiidae) Synonym(s): *cephalina* Evans,1932
- 29537) *Scobura woolletti woolletti* Riley,1923 (Hesperiidae) Synonym(s): *woolletti* Riley,1923
- 29538) *Sebastonyma dolopia* (Hewitson,1868) (Hesperiidae) Synonym(s): *dolopia* Hewitson,1868
- 29539) *Sebastonyma dolopia dolopia* (Hewitson,1868) (Hesperiidae) Synonym(s): *dolopia* Hewitson,1868
- 29540) *Sebastonyma medoensis* Lee,1979 (Hesperiidae) Synonym(s): *medoensis* Lee,1979
- 29541) *Sebastonyma medoensis albostrata* Huang,2003 (Hesperiidae) Synonym(s): *albostrata* Huang,2003
- 29542) *Sebastonyma medoensis medoensis* Lee,1979 (Hesperiidae) Synonym(s): *medoensis* Lee,1979
- 29543) *Sebastonyma pudens* Evans,1937 (Hesperiidae) Synonym(s): *pudens* Evans,1937
- 29544) *Sebastonyma pudens pudens* Evans,1937 (Hesperiidae) Synonym(s): *pudens* Evans,1937
- 29545) *Semalea arela* (Mabille,1891) (Hesperiidae) Synonym(s): *arela* Mabille,1891
- 29546) *Semalea atrio* (Mabille,1891) (Hesperiidae) Synonym(s): *atrio* Mabille,1891
- 29547) *Semalea kola* Evans,1937 (Hesperiidae) Synonym(s): *kola* Evans,1937
- 29548) *Semalea proxima* (Plötz,1886) (Hesperiidae) Synonym(s): *proxima* Plötz,1886
- 29549) *Semalea pulvina* (Plötz,1879) (Hesperiidae) Synonym(s): *pulvina* Plötz,1879
- 29550) *Semalea sextilis* (Plötz,1886) (Hesperiidae) Synonym(s): *sextilis* Plötz,1886
- 29551) *Seseria affinis* (Druce,1873) (Hesperiidae) Synonym(s): *affinis* Druce,1873; *niphates* Weymer,1873
- 29552) *Seseria affinis affinis* (Druce,1873) (Hesperiidae) Synonym(s): *affinis* Druce,1873; *niphates* Weymer,1873
- 29553) *Seseria affinis javanensis* (Fruhstorfer,1909) (Hesperiidae) Synonym(s): *javanensis* Fruhstorfer,1909
- 29554) *Seseria affinis kirmana* (Plötz,1885) (Hesperiidae) Synonym(s): *kirmana* Plötz,1885; *cognata* Distant,1886
- 29555) *Seseria affinis niasica* Evans,1932 (Hesperiidae) Synonym(s): *niasica* Evans,1932
- 29556) *Seseria dohertyi* (E.Y.Watson,1893) (Hesperiidae) Synonym(s): *dohertyi* E.Y.Watson,1893
- 29557) *Seseria dohertyi dohertyi* (E.Y.Watson,1893) (Hesperiidae) Synonym(s): *dohertyi* E.Y.Watson,1893
- 29558) *Seseria dohertyi salex* Evans,1949 (Hesperiidae) Synonym(s): *salex* Evans,1949
- 29559) *Seseria dohertyi scona* Evans,1949 (Hesperiidae) Synonym(s): *scona* Evans,1949
- 29560) *Seseria formosana* (Fruhstorfer,1909) (Hesperiidae) Synonym(s): *formosana* Fruhstorfer,1909; *nigroguttata* Matsumura,1910.
- 29561) *Seseria formosana formosana* (Fruhstorfer,1909) (Hesperiidae) Synonym(s): *formosana* Fruhstorfer,1909; *nigroguttata* Matsumura,1910.
- 29562) *Seseria sambara* (Moore,[1866]) (Hesperiidae) Synonym(s): *sambara* Moore,1865; *cosima* Plötz,1884.
- 29563) *Seseria sambara indosinica* (Fruhstorfer,1909) (Hesperiidae) Synonym(s): *indosinica* Fruhstorfer,1909
- 29564) *Seseria sambara sambara* (Moore,[1866]) (Hesperiidae) Synonym(s): *sambara* Moore,1865; *cosima* Plötz,1884.
- 29565) *Seseria sesame* Evans,1949 (Hesperiidae) Synonym(s): *sesame* Evans,1949
- 29566) *Seseria sesame sesame* Evans,1949 (Hesperiidae) Synonym(s): *sesame* Evans,1949
- 29567) *Seseria strigata* Evans,1926 (Hesperiidae) Synonym(s): *strigata* Evans,1926
- 29568) *Seseria strigata strigata* Evans,1926 (Hesperiidae) Synonym(s): *strigata* Evans,1926
- 29569) *Signeta flammeata* (Butler,1882) (Hesperiidae) Synonym(s): *flammeata* Butler,1882; *eclipsis* Butler,1882; *atromacula* Miskin,1889
- 29570) *Signeta flammeata flammeata* (Butler,1882) (Hesperiidae) Synonym(s): *flammeata* Butler,1882; *eclipsis* Butler,1882; *atromacula* Miskin,1889
- 29571) *Signeta tymbophora* (Meyrick & Lower,1902) (Hesperiidae) Synonym(s): *tymbophora* Meyrick & Lower,1902
- 29572) *Signeta tymbophora tymbophora* (Meyrick & Lower,1902) (Hesperiidae) Synonym(s): *tymbophora* Meyrick & Lower,1902
- 29573) *Sostrata bifasciata* (Hesperiidae) Synonym(s):
- 29574) *Sostrata nordica* Evans,1953 (Hesperiidae) Synonym(s): *nordica* Evans,1953
- 29575) *Sovia albipecta* (De Nicéville,1891) (Hesperiidae) Synonym(s): *albipecta* De Nicéville,1891; *prominens* Evans,1932
- 29576) *Sovia albipecta albipecta* (De Nicéville,1891) (Hesperiidae) Synonym(s): *albipecta* De Nicéville,1891; *prominens* Evans,1932
- 29577) *Sovia grahami* (Evans,1926) (Hesperiidae) Synonym(s): *grahami* Evans,1926
- 29578) *Sovia grahami grahami* (Evans,1926) (Hesperiidae) Synonym(s): *grahami* Evans,1926
- 29579) *Sovia grahami miliaohuae* Huang,2003 (Hesperiidae) Synonym(s): *miliaohuae* Huang,2003
- 29580) *Sovia hyrtacus* (De Nicéville,1897) (Hesperiidae) Synonym(s): *hyrtacus* De Nicéville,1897; *miesa* Kirby,1879
- 29581) *Sovia hyrtacus hyrtacus* (De Nicéville,1897) (Hesperiidae) Synonym(s): *hyrtacus* De Nicéville,1897; *miesa* Kirby,1879
- 29582) *Sovia lucasii* (Mabille,1876) (Hesperiidae) Synonym(s): *lucasii* Mabille,1876; *sona* Evans,1937
- 29583) *Sovia lucasii lucasii* (Mabille,1876) (Hesperiidae) Synonym(s): *lucasii* Mabille,1876; *sona* Evans,1937
- 29584) *Sovia malta* Evans,1949 (Hesperiidae) Synonym(s): *malta* Evans,1949
- 29585) *Sovia malta malta* Evans,1949 (Hesperiidae) Synonym(s): *malta* Evans,1949

- 29586) *Sovia separata* (Moore,1882) (Hesperiidae) Synonym(s): *separata* Moore,1882
 29587) *Sovia separata magna* (Evans,1932) (Hesperiidae) Synonym(s): *magna* Evans,1932
 29588) *Sovia subflava* (Leech,1894) (Hesperiidae) Synonym(s): *subflava* Leech,1894
 29589) *Sovia subflava subflava* (Leech,1894) (Hesperiidae) Synonym(s): *subflava* Leech,1894
 29590) *Spathilepia clonius* (Cramer,1775) (Hesperiidae) Synonym(s): *clonius* Cramer,1775
 29591) *Spialia* (Neospialia) *orbifer* (Hübner,[1823]) (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
 29592) *Spialia* (Neospialia) *orbifer carnea* (Reverdin,1927) (Hesperiidae) Synonym(s): *carnea* Reverdin,1927
 29593) *Spialia* (Neospialia) *orbifer hilaris* (Staudinger,1901) (Hesperiidae) Synonym(s): *hilaris* Staudinger,1901; *secunda* Graves,1925.
 29594) *Spialia* (Neospialia) *orbifer lugens* (Staudinger,1886) (Hesperiidae) Synonym(s): *lugens* Staudinger,1886; *murasaki* Sugitani,1936
 29595) *Spialia* (Neospialia) *orbifer orbifer* (Hübner,[1823]) (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
 29596) *Spialia* (Neospialia) *orbifer pseudolugens* Gorbunov,1995 (Hesperiidae) Synonym(s): *pseudolugens* Gorbunov,1995
 29597) *Spialia* (Neospialia) *sertorius* (Hoffmannsegg,1804) (Hesperiidae) Synonym(s): *sertorius* Hoffmannsegg,1804
 29598) *Spialia* (Neospialia) *sertorius ali* (Oberthür,1881) (Hesperiidae) Synonym(s): *ali* Oberthür,1881; *therapnoides* Oberthür,1910.
 29599) *Spialia* (Neospialia) *sertorius sertorius* (Hoffmannsegg,1804) (Hesperiidae) Synonym(s): *sertorius* Hoffmannsegg,1804; *hibisciae* Hübner
 29600) *Spialia* (Neospialia) *therapne* (Rambur,1832) (Hesperiidae) Synonym(s): *therapne* Rambur,1832
 29601) *Spialia* (Neospialia) *therapne therapne* (Rambur,1832) (Hesperiidae) Synonym(s): *therapne* Rambur,1832
 29602) *Spialia* (s.str.) *agylla* (Trimen,1889) (Hesperiidae) Synonym(s): *agylla* Trimen,1889
 29603) *Spialia* (s.str.) *agylla agylla* (Trimen,1889) (Hesperiidae) Synonym(s): *agylla* Trimen,1889
 29604) *Spialia* (s.str.) *agylla bamptoni* Vari,1976 (Hesperiidae) Synonym(s): *bamptoni* Vari,1976
 29605) *Spialia* (s.str.) *asterodia* (Trimen,1864) (Hesperiidae) Synonym(s): *asterodia* Trimen,1864
 29606) *Spialia* (s.str.) *colotes* (Druce,1875) (Hesperiidae) Synonym(s): *colotes* Druce,1875
 29607) *Spialia* (s.str.) *colotes colotes* (Druce,1875) (Hesperiidae) Synonym(s): *colotes* Druce,1875
 29608) *Spialia* (s.str.) *colotes semiconfluens* De Jong,1978 (Hesperiidae) Synonym(s): *semiconfluens* De Jong,1978
 29609) *Spialia* (s.str.) *colotes transvaaliae* (Trimen,1889) (Hesperiidae) Synonym(s): *transvaaliae* Trimen,1889
 29610) *Spialia* (s.str.) *confusa* Evans,1937 (Hesperiidae) Synonym(s): *confusa* Higgins,1925; *confusa* Evans,1937
 29611) *Spialia* (s.str.) *confusa confusa* Evans,1937 (Hesperiidae) Synonym(s): *confusa* Higgins,1925; *confusa* Evans,1937
 29612) *Spialia* (s.str.) *confusa obscura* Evans,1937 (Hesperiidae) Synonym(s): *obscura* Evans,1937
 29613) *Spialia* (s.str.) *delagoae* (Trimen,1898) (Hesperiidae) Synonym(s): *delagoae* Trimen,1898
 29614) *Spialia* (s.str.) *depauperata* (Strand,1911) (Hesperiidae) Synonym(s): *depauperata* Strand,1911; *rehfousi* Oberthür,1912
 29615) *Spialia* (s.str.) *depauperata australis* de Jong,1978 (Hesperiidae) Synonym(s): *australis* de Jong,1978
 29616) *Spialia* (s.str.) *depauperata depauperata* (Strand,1911) (Hesperiidae) Synonym(s): *depauperata* Strand,1911; *rehfousi* Oberthür,1912
 29617) *Spialia* (s.str.) *diomus* (Hopffer,1855) (Hesperiidae) Synonym(s): *diomus* Hopffer,1855
 29618) *Spialia* (s.str.) *diomus diomus* (Hopffer,1855) (Hesperiidae) Synonym(s): *diomus* Hopffer,1855
 29619) *Spialia* (s.str.) *diomus ferax* (Wallengren,1863) (Hesperiidae) Synonym(s): *ferax* Wallengren,1863; *abscondita* Plötz,1884; *lacreuzei* Oberthür,1912
 29620) *Spialia* (s.str.) *doris* (Walker,1870) (Hesperiidae) Synonym(s): *doris* Walker,1870; *adenensis* Butler,1885.
 29621) *Spialia* (s.str.) *doris amenophis* (Reverdin,1914) (Hesperiidae) Synonym(s): *amenophis* Reverdin,1914
 29622) *Spialia* (s.str.) *doris daphne* Evans,1949 (Hesperiidae) Synonym(s): *daphne* Evans,1949
 29623) *Spialia* (s.str.) *doris doris* (Walker,1870) (Hesperiidae) Synonym(s): *doris* Walker,1870; *adenensis* Butler,1885.
 29624) *Spialia* (s.str.) *doris evanidus* (Butler,1880) (Hesperiidae) Synonym(s): *evanidus* Butler,1880
 29625) *Spialia* (s.str.) *dromus* (Plötz,1884) (Hesperiidae) Synonym(s): *dromus* Plötz,1884; *zaira* Plötz,1884; *melaleuca* Oberthür,1912; *leucomelas* Oberthür,1912; *elongata* Higgins,1924; *meridionalis* Higgins,1924.
 29626) *Spialia* (s.str.) *galba* (Fabricius,1793) (Hesperiidae) Synonym(s): *galba* Fabricius,1793.
 29627) *Spialia* (s.str.) *galba galba* (Fabricius,1793) (Hesperiidae) Synonym(s): *galba* Fabricius,1793.
 29628) *Spialia* (s.str.) *galba superna* (Moore,1865) (Hesperiidae) Synonym(s): *superna* Moore,1865
 29629) *Spialia* (s.str.) *geron* (E.Y.Watson,1893) (Hesperiidae) Synonym(s): *geron* E.Y.Watson,1893
 29630) *Spialia* (s.str.) *geron geron* (E.Y.Watson,1893) (Hesperiidae) Synonym(s): *geron* E.Y.Watson,1893
 29631) *Spialia* (s.str.) *kituina* (Karsch,1896) (Hesperiidae) Synonym(s): *kituina* Karsch,1896
 29632) *Spialia* (s.str.) *mafa* (Trimen,1870) (Hesperiidae) Synonym(s): *mafa* Trimen,1870; *oberthueri* Aurivillius,1925; *aurivilli* Shepard,1935.
 29633) *Spialia* (s.str.) *mafa higginsi* Evans,1937 (Hesperiidae) Synonym(s): *higginsi* Evans,1937
 29634) *Spialia* (s.str.) *mafa mafa* (Trimen,1870) (Hesperiidae) Synonym(s): *mafa* Trimen,1870; *oberthueri* Aurivillius,1925; *aurivilli* Shepard,1935.
 29635) *Spialia* (s.str.) *mangana* (Rebel,1899) (Hesperiidae) Synonym(s): *mangana* Rebel,1899
 29636) *Spialia* (s.str.) *mangana mangana* (Rebel,1899) (Hesperiidae) Synonym(s): *mangana* Rebel,1899
 29637) *Spialia* (s.str.) *nanus* (Trimen,1889) (Hesperiidae) Synonym(s): *nanus* Trimen,1889
 29638) *Spialia* (s.str.) *osthelderi* (Pfeiffer,1932) (Hesperiidae) Synonym(s): *osthelderi* Pfeiffer,1932
 29639) *Spialia* (s.str.) *osthelderi gecko* Evans,1949 (Hesperiidae) Synonym(s): *gecko* Evans,1949
 29640) *Spialia* (s.str.) *osthelderi osthelderi* (Pfeiffer,1932) (Hesperiidae) Synonym(s): *osthelderi* Pfeiffer,1932
 29641) *Spialia* (s.str.) *paula* (Higgins,1924) (Hesperiidae) Synonym(s): *paula* Higgins,1924
 29642) *Spialia* (s.str.) *phlomidis* (Herrich-Schäffer,[1845]) (Hesperiidae) Synonym(s): *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974.
 29643) *Spialia* (s.str.) *phlomidis hermona* Evans,1956 (Hesperiidae) Synonym(s): *hermona* Evans,1956.
 29644) *Spialia* (s.str.) *phlomidis phlomidis* (Herrich-Schäffer,[1845]) (Hesperiidae) Synonym(s): *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974.
 29645) *Spialia* (s.str.) *plotzi* (Aurivillius,1891) (Hesperiidae) Synonym(s): *plotzi* Aurivillius,1891; *zebra* Rebel,1914 nec Butl.,1888; *rebeli* Higgins,1924.
 29646) *Spialia* (s.str.) *plotzi occidentalis* de Jong,1977 (Hesperiidae) Synonym(s): *occidentalis* de Jong,1977
 29647) *Spialia* (s.str.) *plotzi plotzi* (Aurivillius,1891) (Hesperiidae) Synonym(s): *plotzi* Aurivillius,1891; *zebra* Rebel,1914 nec Butl.,1888; *rebeli* Higgins,1924.
 29648) *Spialia* (s.str.) *sataspes* (Trimen,1864) (Hesperiidae) Synonym(s): *sataspes* Trimen,1864
 29649) *Spialia* (s.str.) *secessus* (Trimen,1891) (Hesperiidae) Synonym(s): *secessus* Trimen,1891; *#trimeni* Aurivillius,1925
 29650) *Spialia* (s.str.) *spio* (Linnaeus,1764) (Hesperiidae) Synonym(s): *spio* Linnaeus,1764; *vindex* Stoll,[1781].
 29651) *Spialia* (s.str.) *spio spio* (Linnaeus,1764) (Hesperiidae) Synonym(s): *spio* Linnaeus,1764; *vindex* Stoll,[1781].
 29652) *Spialia* (s.str.) *struvei* (Püngeler,1914) (Hesperiidae) Synonym(s): *struvei* Püngeler,1914
 29653) *Spialia* (s.str.) *struvei fetida* Zhdanko,1992 (Hesperiidae) Synonym(s): *fetida* Zhdanko,1992
 29654) *Spialia* (s.str.) *struvei irida* Zhdanko,1993 (Hesperiidae) Synonym(s): *irida* Zhdanko,1993
 29655) *Spialia* (s.str.) *struvei struvei* (Püngeler,1914) (Hesperiidae) Synonym(s): *struvei* Püngeler,1914
 29656) *Spialia* (s.str.) *wrefordi* Evans,1951 (Hesperiidae) Synonym(s): *wrefordi* Evans,1951
 29657) *Spialia* (s.str.) *wrefordi wrefordi* Evans,1951 (Hesperiidae) Synonym(s): *wrefordi* Evans,1951
 29658) *Spialia* (s.str.) *zebra* (Butler,1888) (Hesperiidae) Synonym(s): *zebra* Butler,1888; *hellas* De Nicéville,1889.
 29659) *Spialia* (s.str.) *zebra bifida* (Higgins,1924) (Hesperiidae) Synonym(s): *bifida* Higgins,1924
 29660) *Spialia* (s.str.) *zebra zebra* (Butler,1888) (Hesperiidae) Synonym(s): *zebra* Butler,1888; *hellas* De Nicéville,1889.
 29661) *Stallingsia* *jacki* D.Stallings, Turner & V.Stallings,1963 (Hesperiidae) Synonym(s): *jacki* D.Stallings, Turner & V.Stallings,1963
 29662) *Stallingsia maculosa* (Freeman,1955) (Hesperiidae) Synonym(s): *maculosa* Freeman,1955
 29663) *Stallingsia smithi* (Druce,1896) (Hesperiidae) Synonym(s): *smithi* Druce,1896
 29664) *Staphylus ascalaphus* (Staudinger,1876) (Hesperiidae) Synonym(s): *ascalaphus* Staudinger,1876
 29665) *Staphylus azteca* (Scudder,1872) (Hesperiidae) Synonym(s): *azteca* Scudder,1872; *unifascia* Mabilie,1889; *machuca* Schaus,1913; *quadratus* Dyar,1926; *inconstans* Bell,1932
 29666) *Staphylus ceos* (Edwards,1882) (Hesperiidae) Synonym(s): *ceos* Edwards,1882
 29667) *Staphylus hayhurstii* (Edwards,1870) (Hesperiidae) Synonym(s): *hayhurstii* Edwards,1870
 29668) *Staphylus iguala* (R.C.Williams & Bell,1940) (Hesperiidae) Synonym(s): *iguala* R.C.Williams & Bell,1940; *ziza* Evans,1953; *zuritus* Freeman,1969
 29669) *Staphylus lenis* Steinhäuser,1989 (Hesperiidae) Synonym(s): *lenis* Steinhäuser,1989
 29670) *Staphylus mazans* (Reakirt,[1867]) (Hesperiidae) Synonym(s): *mazans* Reakirt,[1867]

- 29671) *Staphylus tepeca* (Bell,1942) (Hesperiidae) Synonym(s): *tepeca* Bell,1942
 29672) *Staphylus tierra* Evans,1953 (Hesperiidae) Synonym(s): *tierra* Evans,1953; *veytius* Freeman,1969
 29673) *Staphylus vincula* (Plötz,1886) (Hesperiidae) Synonym(s): *vincula* Plötz,1886; *opites* Godman & Salvin,1896
 29674) *Staphylus vulgata* (Möschler,1879) (Hesperiidae) Synonym(s): *vulgata* Möschler,1879
 29675) *Stimula swinhoei* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *swinhoei* Elwes & Edwards,1897
 29676) *Stimula swinhoei* disca Evans,1949 (Hesperiidae) Synonym(s): *disca* Evans,1949
 29677) *Stimula swinhoei* swinhoei Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *swinhoei* Elwes & Edwards,1897
 29678) *Stinga morrisoni* (Edwards,1878) (Hesperiidae) Synonym(s): *morrisoni* Edwards,1878
 29679) *Suada albinus* (Semper,1892) (Hesperiidae) Synonym(s): *albina* Semper,1892; *flavea* Evans,1932
 29680) *Suada albinus* albinus (Semper,1892) (Hesperiidae) Synonym(s): *albina* Semper,1892; *flavea* Evans,1932
 29681) *Suada cataleucos* (Staudinger,1889) (Hesperiidae) Synonym(s): *catoleucos* Staudinger,1889
 29682) *Suada cataleucos* cataleucos (Staudinger,1889) (Hesperiidae) Synonym(s): *catoleucos* Staudinger,1889
 29683) *Suada swerga* (De Nicéville,1883) (Hesperiidae) Synonym(s): *swerga* De Nicéville,1883; *moelleri* Moore,1883
 29684) *Suada swerga* sedata Evans,1949 (Hesperiidae) Synonym(s): *sedata* Evans,1949
 29685) *Suada swerga* suava Evans,1949 (Hesperiidae) Synonym(s): *suava* Evans,1949
 29686) *Suada swerga* swerga (De Nicéville,1883) (Hesperiidae) Synonym(s): *swerga* De Nicéville,1883; *moelleri* Moore,1883
 29687) *Suada swerga* triplex (Plötz,1884) (Hesperiidae) Synonym(s): *triplex* Plötz,1884
 29688) *Suastus everyx* Mabilille,1883 (Hesperiidae) Synonym(s): *everyx* Mabilille,1883; *tripura* De Nicéville,1883
 29689) *Suastus everyx* albescens Mabilille,1891 (Hesperiidae) Synonym(s): *albescens* Mabilille,1891
 29690) *Suastus everyx* everyx Mabilille,1883 (Hesperiidae) Synonym(s): *everyx* Mabilille,1883; *tripura* De Nicéville,1883
 29691) *Suastus gremius* (Fabricius,1798) (Hesperiidae) Synonym(s): *gremius* Fabricius,1798; *disu* Kollar,1844; *divodasa* Moore,1865; *robsonii* De Nicéville,1895; *centripuncta* Seitz,1927
 29692) *Suastus gremius* chilon Doherty,1891 (Hesperiidae) Synonym(s): *chilon* Doherty,1891
 29693) *Suastus gremius* gremius (Fabricius,1798) (Hesperiidae) Synonym(s): *gremius* Fabricius,1798; *disu* Kollar,1844; *divodasa* Moore,1865; *robsonii* De Nicéville,1895; *centripuncta* Seitz,1927
 29694) *Suastus gremius* subgrisea (Moore,1878) (Hesperiidae) Synonym(s): *subgrisea* Moore,1878
 29695) *Suastus migreus* Semper,1892 (Hesperiidae) Synonym(s): *migreus* Semper,1892
 29696) *Suastus migreus* migreus Semper,1892 (Hesperiidae) Synonym(s): *migreus* Semper,1892
 29697) *Suastus minutus* (Moore,1877) (Hesperiidae) Synonym(s): *minutus* Moore,1877; *sinhalus* Plötz,1885
 29698) *Suastus minutus* aditus Evans,1943 (Hesperiidae) Synonym(s): *aditia* Evans,1943
 29699) *Suastus minutus* aditus Moore,1884 (Hesperiidae) Synonym(s): *aditus* Moore,1884
 29700) *Suastus minutus* bipunctus Swinhoe,1894 (Hesperiidae) Synonym(s): *bipunctus* Swinhoe,1894
 29701) *Suastus minutus* compactus De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *compactus* De Jong & Treadaway,1993
 29702) *Suastus minutus* minutus (Moore,1877) (Hesperiidae) Synonym(s): *minutus* Moore,1877; *sinhalus* Plötz,1885
 29703) *Suastus minutus* scopas Staudinger,1889 (Hesperiidae) Synonym(s): *scopas* Staudinger,1889
 29704) *Suniana lascivia* (Rosenstock,1885) (Hesperiidae) Synonym(s): *lascivia* Rosenstock,1885
 29705) *Suniana lascivia* lascivia (Rosenstock,1885) (Hesperiidae) Synonym(s): *lascivia* Rosenstock,1885
 29706) *Suniana lascivia* neocles (Mabilille,1891) (Hesperiidae) Synonym(s): *neocles* Mabilille,1891
 29707) *Suniana lascivia* pola Evans,1934 (Hesperiidae) Synonym(s): *pola* Evans,1934; *?lasus* Waterhouse,1937
 29708) *Suniana lascivia* tenuis Evans,1934 (Hesperiidae) Synonym(s): *tenuis* Evans,1934
 29709) *Suniana subfasciata* (Rothschild,1915) (Hesperiidae) Synonym(s): *subfasciata* Rothschild,1915
 29710) *Suniana subfasciata* subfasciata (Rothschild,1915) (Hesperiidae) Synonym(s): *subfasciata* Rothschild,1915
 29711) *Suniana sunias* (C.Felder,1860) (Hesperiidae) Synonym(s): *sunias* C.Felder,1860; *yashtivana* Fruhstorfer,1910
 29712) *Suniana sunias* bella Evans,1934 (Hesperiidae) Synonym(s): *bella* Evans,1934
 29713) *Suniana sunias* isabella Evans,1934 (Hesperiidae) Synonym(s): *isabella* Evans,1934
 29714) *Suniana sunias* nihana (Fruhstorfer,1910) (Hesperiidae) Synonym(s): *nihana* Fruhstorfer,1910; *fasciata* Rothschild,1915; *aola* Evans,1934
 29715) *Suniana sunias* nola (Waterhouse,1932) (Hesperiidae) Synonym(s): *nola* Waterhouse,1932
 29716) *Suniana sunias* reactivita (Mabilille,1877) (Hesperiidae) Synonym(s): *reactivita* Mabilille,1877
 29717) *Suniana sunias* sauda Waterhouse,1937 (Hesperiidae) Synonym(s): *sauda* Waterhouse,1937
 29718) *Suniana sunias* sunias (Felder,1860) (Hesperiidae) Synonym(s): *sunias* C.Felder,1860; *yashtivana* Fruhstorfer,1910
 29719) *Suniana sunias* tanus (Plötz,1885) (Hesperiidae) Synonym(s): *tanus* Plötz,1885
 29720) *Synale cynaxa* (Hewitson,1867) (Hesperiidae) Synonym(s): *cynaxa* Hewitson,1867
 29721) *Synapte malitiosa* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *malitiosa* Herrich-Schäffer,1869
 29722) *Synapte pecta* Evans,1955 (Hesperiidae) Synonym(s): *pecta* Evans,1955
 29723) *Synapte salenus* (Mabilille,1883) (Hesperiidae) Synonym(s): *salenus* Mabilille,1883
 29724) *Synapte shiva* Evans,1955 (Hesperiidae) Synonym(s): *shiva* Evans,1955
 29725) *Synapte silius* (Latreille,[1824]) (Hesperiidae) Synonym(s): *silius* Latreille,[1824]; *lunata* Plötz,1882; *lycaenoides* Plötz,1882; *silene* Plötz,1882; *herus* Mabilille,1889; *insidiosa* Mabilille,1891; *dubitans* Schaus,1902; *restricta* Harward,1934
 29726) *Synapte silna* Evans,1955 (Hesperiidae) Synonym(s): *silna* Evans,1955
 29727) *Synapte syraces* (Godman,1901) (Hesperiidae) Synonym(s): *syraces* Godman,1901
 29728) *Systasea microsticta* Dyar,1923 (Hesperiidae) Synonym(s): *microsticta* Dyar,1923
 29729) *Systasea pulverulenta* (R.Felder,1869) (Hesperiidae) Synonym(s): *pulverulenta* R.Felder,1869; *taeniatus* Plötz,1884; *filipalpis* Mabilille,1891
 29730) *Systasea zampa* (Edwards,1876) (Hesperiidae) Synonym(s): *zampa* Edwards,1876; *evansi* Bell,1941
 29731) *Tagiades* (Nestus-gr) *calliganus* Butler,[1879] (Hesperiidae) Synonym(s): *calliganus* Butler,[1879]; *yapatha* Fruhstorfer,1910
 29732) *Tagiades* (Nestus-gr) *calliganus* calliganus Butler,[1879] (Hesperiidae) Synonym(s): *calliganus* Butler,[1879]; *yapatha* Fruhstorfer,1910
 29733) *Tagiades* (Nestus-gr) *cohaerens* Mabilille,1914 (Hesperiidae) Synonym(s): *cohaerens* Mabilille,1914; *formosana* Matsumura,1919
 29734) *Tagiades* (Nestus-gr) *cohaerens* cinda Evans,1933 (Hesperiidae) Synonym(s): *cinda* Evans,1933
 29735) *Tagiades* (Nestus-gr) *cohaerens* cohaerens Mabilille,1914 (Hesperiidae) Synonym(s): *cohaerens* Mabilille,1914; *formosana* Matsumura,1919
 29736) *Tagiades* (Nestus-gr) *cohaerens* cynthia Evans,1934 (Hesperiidae) Synonym(s): *cynthia* Evans,1934; *pintra* Evans,1934
 29737) *Tagiades* (Nestus-gr) *litigiosus* Möschler,1878 (Hesperiidae) Synonym(s): *litigiosus* Möschler,1878; *vajuna* Fruhstorfer,1910; *eson* Evans,1926; *kotoshona* Sonan,1936
 29738) *Tagiades* (Nestus-gr) *litigiosus* andamanicus Evans,1932 (Hesperiidae) Synonym(s): *andamanicus* Evans,1932; *major* Evans,1932
 29739) *Tagiades* (Nestus-gr) *litigiosus* ceylonicus Evans,1932 (Hesperiidae) Synonym(s): *ceylonicus* Evans,1932
 29740) *Tagiades* (Nestus-gr) *litigiosus* litigiosus Möschler,1878 (Hesperiidae) Synonym(s): *litigiosus* Möschler,1878; *vajuna* Fruhstorfer,1910; *eson* Evans,1926; *kotoshona* Sonan,1936
 29741) *Tagiades* (Nestus-gr) *litigiosus* sambavanus Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *sambavanus* Elwes & Edwards,1897
 29742) *Tagiades* (Nestus-gr) *litigiosus* tubulus Fruhstorfer,1910 (Hesperiidae) Synonym(s): *tubulus* Fruhstorfer,1910
 29743) *Tagiades* (Nestus-gr) *menaka* (Moore,[1866]) (Hesperiidae) Synonym(s): *menaka* Moore,[1866]; *vulturna* Plötz,1884; *gavina* Fruhstorfer,1910
 29744) *Tagiades* (Nestus-gr) *menaka* manis Evans,1933 (Hesperiidae) Synonym(s): *manis* Evans,1933
 29745) *Tagiades* (Nestus-gr) *menaka* mantra Evans,1934 (Hesperiidae) Synonym(s): *mantra* Evans,1934
 29746) *Tagiades* (Nestus-gr) *menaka* menaka (Moore,[1866]) (Hesperiidae) Synonym(s): *menaka* Moore,[1866]; *vulturna* Plötz,1884; *gavina* Fruhstorfer,1910
 29747) *Tagiades* (Nestus-gr) *nestus* Felder,1860 (Hesperiidae) Synonym(s): *nestus* Felder,1860; *metanga* Ribbe,1889
 29748) *Tagiades* (Nestus-gr) *nestus* biakanus Evans,1934 (Hesperiidae) Synonym(s): *biakanus* Evans,1934
 29749) *Tagiades* (Nestus-gr) *nestus* brunta Evans,1949 (Hesperiidae) Synonym(s): *brunta* Evans,1949
 29750) *Tagiades* (Nestus-gr) *nestus* gilolensis Mabilille,1878 (Hesperiidae) Synonym(s): *gilolensis* Mabilille,1878; *ternatensis* Mabilille & Bouillet,1916
 29751) *Tagiades* (Nestus-gr) *nestus* junctus Evans,1949 (Hesperiidae) Synonym(s): *junctus* Evans,1949
 29752) *Tagiades* (Nestus-gr) *nestus* korelus Mabilille,1891 (Hesperiidae) Synonym(s): *korelus* Mabilille,1891; *sivova* Swinhoe,1904; *curiosa* Swinhoe,1905; *monachus* Fruhstorfer,1910; *curatus* Fruhstorfer,1910; *swinhoei* Fruhstorfer,1910
 29753) *Tagiades* (Nestus-gr) *nestus* meforus Evans,1934 (Hesperiidae) Synonym(s): *meforus* Evans,1934
 29754) *Tagiades* (Nestus-gr) *nestus* nestus Felder,1860 (Hesperiidae) Synonym(s): *nestus* Felder,1860; *metanga* Ribbe,1889

- 29755) *Tagiades (Nestus-gr) nestus pentajus Fruhstorfer, 1910* (Hesperiidae) Synonym(s): *pentajus Fruhstorfer, 1910*
- 29756) *Tagiades (Nestus-gr) nestus presbyter Butler, 1882* (Hesperiidae) Synonym(s): *presbyter Butler, 1882; gracilentus Weymer, 1887*
- 29757) *Tagiades (Nestus-gr) nestus suffusus Rothschild, 1915* (Hesperiidae) Synonym(s): *suffusus Rothschild, 1915*
- 29758) *Tagiades (Nestus-gr) toba De Nicéville, 1896* (Hesperiidae) Synonym(s): *toba De Nicéville, 1896*
- 29759) *Tagiades (Nestus-gr) toba nana Elwes & Edwards, 1897* (Hesperiidae) Synonym(s): *nana Elwes & Edwards, 1897*
- 29760) *Tagiades (Nestus-gr) toba toba De Nicéville, 1896* (Hesperiidae) Synonym(s): *toba De Nicéville, 1896*
- 29761) *Tagiades (Nestus-gr) trebellius (Hopffer, 1874)* (Hesperiidae) Synonym(s): *trebellius Hopffer, 1874*
- 29762) *Tagiades (Nestus-gr) trebellius canonicus Fruhstorfer, 1910* (Hesperiidae) Synonym(s): *canonicus Fruhstorfer, 1910; persimilis Rothschild, 1916*
- 29763) *Tagiades (Nestus-gr) trebellius kina Evans, 1934* (Hesperiidae) Synonym(s): *kina Evans, 1934*
- 29764) *Tagiades (Nestus-gr) trebellius lola Evans, 1949* (Hesperiidae) Synonym(s): *lola Evans, 1949*
- 29765) *Tagiades (Nestus-gr) trebellius martinus Plötz, 1884* (Hesperiidae) Synonym(s): *martinus Plötz, 1884; stramineipennis Mabil, 1903; micaja Fruhstorfer, 1910*
- 29766) *Tagiades (Nestus-gr) trebellius mitra Mabil, 1895* (Hesperiidae) Synonym(s): *mitra Mabil, 1895; avathana Fruhstorfer, 1905*
- 29767) *Tagiades (Nestus-gr) trebellius moti Evans, 1934* (Hesperiidae) Synonym(s): *moti Evans, 1934*
- 29768) *Tagiades (Nestus-gr) trebellius neira Plötz, 1885* (Hesperiidae) Synonym(s): *neira Plötz, 1885*
- 29769) *Tagiades (Nestus-gr) trebellius sem Mabil, 1883* (Hesperiidae) Synonym(s): *sem Mabil, 1883*
- 29770) *Tagiades (Nestus-gr) trebellius sheba Evans, 1934* (Hesperiidae) Synonym(s): *sheba Evans, 1934*
- 29771) *Tagiades (Nestus-gr) trebellius trebellius (Hopffer, 1874)* (Hesperiidae) Synonym(s): *trebellius Hopffer, 1874*
- 29772) *Tagiades (Nestus-gr) trebellius vella Evans, 1934* (Hesperiidae) Synonym(s): *vella Evans, 1934*
- 29773) *Tagiades (Nestus-gr) ultra Evans, 1932* (Hesperiidae) Synonym(s): *ultra Evans, 1932*
- 29774) *Tagiades (Nestus-gr) ultra ultra Evans, 1932* (Hesperiidae) Synonym(s): *ultra Evans, 1932*
- 29775) *Tagiades (Nestus-gr) waterstradti Elwes & Edwards, 1897* (Hesperiidae) Synonym(s): *waterstradti Elwes & Edwards, 1897*
- 29776) *Tagiades (Nestus-gr) waterstradti talanga Evans, 1949* (Hesperiidae) Synonym(s): *talanga Evans, 1949*
- 29777) *Tagiades (Nestus-gr) waterstradti waterstradti Elwes & Edwards, 1897* (Hesperiidae) Synonym(s): *waterstradti Elwes & Edwards, 1897*
- 29778) *Tagiades (s.str.) flesus (Fabricius, 1781)* (Hesperiidae) Synonym(s): *flesus Fabricius, 1781; ophion Drury, 1782; ophelia Evans, 1937*
- 29779) *Tagiades (s.str.) gana Moore, [1866]* (Hesperiidae) Synonym(s): *gana Moore, [1866]; menantho Plötz, 1885; perakanus Fruhstorfer, 1910*
- 29780) *Tagiades (s.str.) gana alica Moore, 1877* (Hesperiidae) Synonym(s): *alica Moore, 1877*
- 29781) *Tagiades (s.str.) gana athos Plötz, 1884* (Hesperiidae) Synonym(s): *athos Plötz, 1884*
- 29782) *Tagiades (s.str.) gana elegans Mabil, 1877* (Hesperiidae) Synonym(s): *elegans Mabil, 1877*
- 29783) *Tagiades (s.str.) gana gana Moore, [1866]* (Hesperiidae) Synonym(s): *gana Moore, [1866]; menantho Plötz, 1885; perakanus Fruhstorfer, 1910*
- 29784) *Tagiades (s.str.) gana jainas Fruhstorfer, 1910* (Hesperiidae) Synonym(s): *jainas Fruhstorfer, 1910*
- 29785) *Tagiades (s.str.) gana meetana Moore, 1878* (Hesperiidae) Synonym(s): *meetana Moore, 1878*
- 29786) *Tagiades (s.str.) gana narba Evans, 1942* (Hesperiidae) Synonym(s): *narba Evans, 1942*
- 29787) *Tagiades (s.str.) gana sangarava Fruhstorfer, 1910* (Hesperiidae) Synonym(s): *sangarava Fruhstorfer, 1910*
- 29788) *Tagiades (s.str.) gana semperi Fruhstorfer, 1910* (Hesperiidae) Synonym(s): *semperi Fruhstorfer, 1910*
- 29789) *Tagiades (s.str.) gana silvius Evans, 1934* (Hesperiidae) Synonym(s): *silvius Evans, 1934*
- 29790) *Tagiades (s.str.) insularis Mabil, 1876* (Hesperiidae) Synonym(s): *insularis Mabil, 1876*
- 29791) *Tagiades (s.str.) insularis grandis Evans, 1937* (Hesperiidae) Synonym(s): *grandis Evans, 1937*
- 29792) *Tagiades (s.str.) insularis insularis Mabil, 1876* (Hesperiidae) Synonym(s): *insularis Mabil, 1876*
- 29793) *Tagiades (s.str.) insularis mayotta Evans, 1937* (Hesperiidae) Synonym(s): *mayotta Evans, 1937*
- 29794) *Tagiades (s.str.) japetus (Stoll, [1781])* (Hesperiidae) Synonym(s): *japetus Stoll, [1781]; buruanus Fruhstorfer, 1910; eprius Fruhstorfer, 1910; masistius Fruhstorfer, 1910; deinolochus Fruhstorfer, 1910*
- 29795) *Tagiades (s.str.) japetus atticus (Fabricius, 1793)* (Hesperiidae) Synonym(s): *atticus Fabricius, 1793; utanus Plötz, 1885; rajaghra Fruhstorfer, 1910*
- 29796) *Tagiades (s.str.) japetus avienus Fruhstorfer, 1910* (Hesperiidae) Synonym(s): *avienus Fruhstorfer, 1910*
- 29797) *Tagiades (s.str.) japetus balanus Fruhstorfer, 1910* (Hesperiidae) Synonym(s): *balanus Fruhstorfer, 1910*
- 29798) *Tagiades (s.str.) japetus bandanus Fruhstorfer, 1910* (Hesperiidae) Synonym(s): *bandanus Fruhstorfer, 1910*
- 29799) *Tagiades (s.str.) japetus brasidas Doherty, 1890* (Hesperiidae) Synonym(s): *brasidas Doherty, 1890; sumbae van Eecke, 1913*
- 29800) *Tagiades (s.str.) japetus carnicus Evans, 1934* (Hesperiidae) Synonym(s): *carnicus Evans, 1934*
- 29801) *Tagiades (s.str.) japetus enganicus Fruhstorfer, 1910* (Hesperiidae) Synonym(s): *nepos Latreille, 1823 nec Fabr., 1793; enganicus Fruhstorfer, 1910; jetavana Fruhstorfer, 1910; guineensis Mabil & Boulet, 1916*
- 29802) *Tagiades (s.str.) japetus helferi Felder, 1862* (Hesperiidae) Synonym(s): *helferi Felder, 1862; noctis Elwes & Edwards, 1897*
- 29803) *Tagiades (s.str.) japetus hovius Swinhoe, 1904* (Hesperiidae) Synonym(s): *hovius Swinhoe, 1904*
- 29804) *Tagiades (s.str.) japetus inconspicuus Rothschild, 1915* (Hesperiidae) Synonym(s): *inconspicuus Rothschild, 1915*
- 29805) *Tagiades (s.str.) japetus janetta Butler, 1870* (Hesperiidae) Synonym(s): *janetta Butler, 1870; kowaia Plötz, 1885; gamelia Miskin, 1889; tindalii Ribbe, 1889; australiensis Mabil, 1891; bubasa Swinhoe, 1904; louisa Swinhoe, 1907; fergussonius Fruhstorfer, 1910; vulcania Evans, 1934*
- 29806) *Tagiades (s.str.) japetus japetus (Stoll, [1781])* (Hesperiidae) Synonym(s): *japetus Stoll, [1781]; buruanus Fruhstorfer, 1910; eprius Fruhstorfer, 1910; masistius Fruhstorfer, 1910; deinolochus Fruhstorfer, 1910*
- 29807) *Tagiades (s.str.) japetus kazarus Evans, 1934* (Hesperiidae) Synonym(s): *kazarus Evans, 1934*
- 29808) *Tagiades (s.str.) japetus mathias Evans, 1934* (Hesperiidae) Synonym(s): *mathias Evans, 1934*
- 29809) *Tagiades (s.str.) japetus nankowra Evans, 1934* (Hesperiidae) Synonym(s): *nankowra Evans, 1934*
- 29810) *Tagiades (s.str.) japetus navus Fruhstorfer, 1910* (Hesperiidae) Synonym(s): *navus Fruhstorfer, 1910*
- 29811) *Tagiades (s.str.) japetus obscuratus Staudinger, 1889* (Hesperiidae) Synonym(s): *obscuratus Staudinger, 1889*
- 29812) *Tagiades (s.str.) japetus obscurus Mabil, 1876* (Hesperiidae) Synonym(s): *obscurus Mabil, 1876; distans Moore, 1881*
- 29813) *Tagiades (s.str.) japetus prasnaja Fruhstorfer, 1910* (Hesperiidae) Synonym(s): *prasnaja Fruhstorfer, 1910*
- 29814) *Tagiades (s.str.) japetus ravi Moore, 1865* (Hesperiidae) Synonym(s): *ravi Moore, 1865; khasiana Moore, 1884; lugens Mabil, 1888; epicharmus Fruhstorfer, 1910*
- 29815) *Tagiades (s.str.) japetus tenimberanus Kalis, 1933* (Hesperiidae) Synonym(s): *tenimberanus Kalis, 1933; yamdena Evans, 1934*
- 29816) *Tagiades (s.str.) japetus titus Plötz, 1884* (Hesperiidae) Synonym(s): *titus Plötz, 1884*
- 29817) *Tagiades (s.str.) japetus xareus Mabil, 1891* (Hesperiidae) Synonym(s): *xareus Mabil, 1891; mangala Fruhstorfer, 1910*
- 29818) *Tagiades (s.str.) lavatus Butler, [1879]* (Hesperiidae) Synonym(s): *lavatus Butler, [1879]; albovittata Moore, 1883*
- 29819) *Tagiades (s.str.) lavatus lavatus Butler, [1879]* (Hesperiidae) Synonym(s): *lavatus Butler, [1879]; albovittata Moore, 1883*
- 29820) *Tagiades (s.str.) parra Fruhstorfer, 1910* (Hesperiidae) Synonym(s): *parra Fruhstorfer, 1910*
- 29821) *Tagiades (s.str.) parra gala Evans, 1949* (Hesperiidae) Synonym(s): *gala Evans, 1949*
- 29822) *Tagiades (s.str.) parra naxos Evans, 1949* (Hesperiidae) Synonym(s): *naxos Evans, 1949*
- 29823) *Tagiades (s.str.) parra niasanus Mabil & Boulet, 1916* (Hesperiidae) Synonym(s): *niasanus Mabil & Boulet, 1916*
- 29824) *Tagiades (s.str.) parra parra Fruhstorfer, 1910* (Hesperiidae) Synonym(s): *parra Fruhstorfer, 1910; elongata Mabil & Boulet, 1916*
- 29825) *Tagiades (s.str.) parra ssp.n.* (Hesperiidae) Synonym(s):
- 29826) *Tagiades (s.str.) samboranus Grose-Smith, 1891* (Hesperiidae) Synonym(s): *samboranus Grose-Smith, 1891*
- 29827) *Tagiades (s.str.) samboranus rana Evans, 1937* (Hesperiidae) Synonym(s): *rana Evans, 1937*
- 29828) *Tagiades (s.str.) samboranus samboranus Grose-Smith, 1891* (Hesperiidae) Synonym(s): *samboranus Grose-Smith, 1891*
- 29829) *Talides alternata Bell, 1941* (Hesperiidae) Synonym(s): *alternata Bell, 1941*
- 29830) *Talides cantra Evans, 1955* (Hesperiidae) Synonym(s): *cantra Evans, 1955*
- 29831) *Talides sergestus (Cramer, [1775])* (Hesperiidae) Synonym(s): *sergestus Cramer, [1775]; adjuncta Plötz, 1882*
- 29832) *Tapena thwaitesi Moore, 1881* (Hesperiidae) Synonym(s): *thwaitesi Moore, 1881*
- 29833) *Tapena thwaitesi bornea Evans, 1941* (Hesperiidae) Synonym(s): *bornea Evans, 1941*
- 29834) *Tapena thwaitesi minuscula Elwes & Edwards, 1897* (Hesperiidae) Synonym(s): *minuscula Elwes & Edwards, 1897*
- 29835) *Tapena thwaitesi thwaitesi Moore, 1881* (Hesperiidae) Synonym(s): *thwaitesi Moore, 1881*
- 29836) *Taractrocera aliena Plötz, 1883* (Hesperiidae) Synonym(s): *aliena Plötz, 1883; myconius Plötz, 1884*
- 29837) *Taractrocera aliena aliena Plötz, 1883* (Hesperiidae) Synonym(s): *aliena Plötz, 1883; myconius Plötz, 1884*
- 29838) *Taractrocera aliena talantus Plötz, 1885* (Hesperiidae) Synonym(s): *talantus Plötz, 1885; godhania Fruhstorfer, 1910*

- 29839) *Taractrocera anisomorpha* Lower,1911 (Hesperiidae) Synonym(s): *anisomorpha* Lower,1911
 29840) *Taractrocera anisomorpha anisomorpha* Lower,1911 (Hesperiidae) Synonym(s): *anisomorpha* Lower,1911
 29841) *Taractrocera archias* (C.Felder,1860) (Hesperiidae) Synonym(s): *archias* C.Felder,1860; *nigrolimbatus* Snellen,1876; *dschaka* Plötz,1885; *ikramana* Fruhstorfer,1910; *turica* Seitz,1927
 29842) *Taractrocera archias archias* (C.Felder,1860) (Hesperiidae) Synonym(s): *archias* C.Felder,1860
 29843) *Taractrocera archias bavius* Mabille,1891 (Hesperiidae) Synonym(s): *bavius* Mabille,1891
 29844) *Taractrocera archias kisaga* Fruhstorfer,1910 (Hesperiidae) Synonym(s): *kisaga* Fruhstorfer,1910
 29845) *Taractrocera archias quinta* Swinhoe,1905 (Hesperiidae) Synonym(s): *quinta* Swinhoe,1905
 29846) *Taractrocera archias samadha* Fruhstorfer,1910 (Hesperiidae) Synonym(s): *samadha* Fruhstorfer,1910; *aurea* Evans,1932
 29847) *Taractrocera ardonia* (Hewitson,1868) (Hesperiidae) Synonym(s): *ardonia* Hewitson,1868
 29848) *Taractrocera ceramas atropunctata* E.Y.Watson,1896 (Hesperiidae) Synonym(s): *ardonia* Hewitson,1868
 29849) *Taractrocera ardonia sumatrensis* Evans,1926 (Hesperiidae) Synonym(s): *sumatrensis* Evans,1926; *lamia* Evans,1934
 29850) *Taractrocera ceramas* (Hewitson,1868) (Hesperiidae) Synonym(s): *ceramas* Hewitson,1868; *lynx* Möschler,1878; *silhetica* Evans,1912
 29851) *Taractrocera ceramas atropunctata* E.Y.Watson,1896 (Hesperiidae) Synonym(s): *atropunctata* E.Y.Watson,1896
 29852) *Taractrocera ceramas ceramas* (Hewitson,1868) (Hesperiidae) Synonym(s): *ceramas* Hewitson,1868; *lynx* Möschler,1878; *silhetica* Evans,1912
 29853) *Taractrocera ceramas media* Evans,1934 (Hesperiidae) Synonym(s): *media* Evans,1934
 29854) *Taractrocera ceramas nicevillei* E.Y.Watson,1893 (Hesperiidae) Synonym(s): *nicevillei* E.Y.Watson,1893
 29855) *Taractrocera ceramas oberthueri* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *oberthueri* Elwes & Edwards,1897
 29856) *Taractrocera ceramas thelma* Evans,1934 (Hesperiidae) Synonym(s): *thelma* Evans,1934
 29857) *Taractrocera danna* (Moore,1865) (Hesperiidae) Synonym(s): *danna* Moore,1865
 29858) *Taractrocera danna danna* (Moore,1865) (Hesperiidae) Synonym(s): *danna* Moore,1865
 29859) *Taractrocera dolon* Plötz,1884 (Hesperiidae) Synonym(s): *dolon* Plötz,1884
 29860) *Taractrocera dolon diomedes* Waterhouse,1933 (Hesperiidae) Synonym(s): *diomedes* Waterhouse,1933
 29861) *Taractrocera dolon dolon* Plötz,1884 (Hesperiidae) Synonym(s): *dolon* Plötz,1884
 29862) *Taractrocera flavoides* Leech,1894 (Hesperiidae) Synonym(s): *flavoides* Leech,1894
 29863) *Taractrocera flavoides flavoides* Leech,1894 (Hesperiidae) Synonym(s): *flavoides* Leech,1894
 29864) *Taractrocera ilia* Waterhouse,1932 (Hesperiidae) Synonym(s): *ilia* Waterhouse,1932
 29865) *Taractrocera ilia beata* Evans,1934 (Hesperiidae) Synonym(s): *beata* Evans,1934
 29866) *Taractrocera ilia ilia* Waterhouse,1932 (Hesperiidae) Synonym(s): *ilia* Waterhouse,1932
 29867) *Taractrocera ina* Waterhouse,1932 (Hesperiidae) Synonym(s): *ina* Waterhouse,1932
 29868) *Taractrocera ina ina* Waterhouse,1932 (Hesperiidae) Synonym(s): *ina* Waterhouse,1932
 29869) *Taractrocera ina iola* Waterhouse,1933 (Hesperiidae) Synonym(s): *iola* Waterhouse,1933
 29870) *Taractrocera luzonensis* Staudinger,1889 (Hesperiidae) Synonym(s): *luzonensis* Staudinger,1889
 29871) *Taractrocera luzonensis luzonensis* Staudinger,1889 (Hesperiidae) Synonym(s): *luzonensis* Staudinger,1889
 29872) *Taractrocera luzonensis stella* Evans,1934 (Hesperiidae) Synonym(s): *stella* Evans,1934
 29873) *Taractrocera maevius* (Fabricius,1793) (Hesperiidae) Synonym(s): *maevius* Fabricius,1793; *flaccus* Fabricius,1793
 29874) *Taractrocera maevius maevius* (Fabricius,1793) (Hesperiidae) Synonym(s): *maevius* Fabricius,1793; *flaccus* Fabricius,1793
 29875) *Taractrocera maevius sagara* (Moore,1866) (Hesperiidae) Synonym(s): *sagara* Moore,1865; *lineata* Druce,1874
 29876) *Taractrocera papyria* (Boisduval,1832) (Hesperiidae) Synonym(s): *papyria* Boisduval,1832; *celaena* Cox,1873; *fumosa* Guest,1882; *alix* Plötz,1884
 29877) *Taractrocera papyria agraulia* (Hewitson,1868) (Hesperiidae) Synonym(s): *agraulia* Hewitson,1868; *minimus* Miskin,1889
 29878) *Taractrocera papyria papyria* (Boisduval,1832) (Hesperiidae) Synonym(s): *papyria* Boisduval,1832; *celaena* Cox,1873; *fumosa* Guest,1882; *alix* Plötz,1884
 29879) *Taractrocera tilda* Evans,1934 (Hesperiidae) Synonym(s): *tilda* Evans,1934
 29880) *Taractrocera tilda tilda* Evans,1934 (Hesperiidae) Synonym(s): *tilda* Evans,1934
 29881) *Taractrocera ziclea* Plötz,1884 (Hesperiidae) Synonym(s): *ziclea* Plötz,1884
 29882) *Taractrocera ziclea bessa* Evans,1949 (Hesperiidae) Synonym(s): *bessa* Evans,1949
 29883) *Taractrocera ziclea dongola* Evans,1932 (Hesperiidae) Synonym(s): *dongola* Evans,1932
 29884) *Taractrocera ziclea stella* Evans,1934 (Hesperiidae) Synonym(s): *stella* Evans,1934
 29885) *Taractrocera ziclea tissara* Fruhstorfer,1910 (Hesperiidae) Synonym(s): *tissara* Fruhstorfer,1910
 29886) *Taractrocera ziclea zenia* Evans,1934 (Hesperiidae) Synonym(s): *zenia* Evans,1934
 29887) *Taractrocera ziclea ziclea* Plötz,1884 (Hesperiidae) Synonym(s): *ziclea* Plötz,1884
 29888) *Telemiades avitus* (Stoll,[1781]) (Hesperiidae) Synonym(s): *avitus* Stoll,[1781]; *lurideolus* Mabille,1877; *lamus* Mabille,1888; *xantho* Hayward,1938
 29889) *Telemiades choricus* (Schaus,1902) (Hesperiidae) Synonym(s): *choricus* Schaus,1902
 29890) *Telemiades fides* Bell,1949 (Hesperiidae) Synonym(s): *fides* Bell,1949
 29891) *Telemiades megallus* Mabille,1888 (Hesperiidae) Synonym(s): *megallus* Mabille,1888
 29892) *Telemiades nicomedes* (Möschler,1879) (Hesperiidae) Synonym(s): *nicomedes* Möschler,1879; *meris* Plötz,1886; *punctatus* Mabille & Boulet,[1917]
 29893) *Telicota ancilla* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *ancilla* Herrich-Schäffer,1869; *olivescens* Herrich-Schäffer,1869.
 29894) *Telicota ancilla ancilla* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *ancilla* Herrich-Schäffer,1869; *olivescens* Herrich-Schäffer,1869.
 29895) *Telicota ancilla angiana* Evans,1934 (Hesperiidae) Synonym(s): *angiana* Evans,1934
 29896) *Telicota ancilla baudina* Evans,1949 (Hesperiidae) Synonym(s): *baudina* Evans,1949
 29897) *Telicota ancilla horisha* Evans,1934 (Hesperiidae) Synonym(s): *horisha* Evans,1934
 29898) *Telicota ancilla lanka* Evans,1932 (Hesperiidae) Synonym(s): *lanka* Evans,1932
 29899) *Telicota ancilla lucca* Evans,1934 (Hesperiidae) Synonym(s): *lucca* Evans,1934
 29900) *Telicota ancilla mamba* Evans,1949 (Hesperiidae) Synonym(s): *mamba* Evans,1949
 29901) *Telicota ancilla minda* Evans,1934 (Hesperiidae) Synonym(s): *minda* Evans,1934
 29902) *Telicota ancilla santa* Evans,1934 (Hesperiidae) Synonym(s): *santa* Evans,1934
 29903) *Telicota ancilla volens* Evans,1949 (Hesperiidae) Synonym(s): *volens* Evans,1949
 29904) *Telicota aroa* Evans,1934 (Hesperiidae) Synonym(s): *aroa* Evans,1934
 29905) *Telicota aroa aroa* Evans,1934 (Hesperiidae) Synonym(s): *aroa* Evans,1934
 29906) *Telicota augias* (Linnaeus,1763) (Hesperiidae) Synonym(s): *augias* Linnaeus,1763
 29907) *Telicota augias anisodesma* Lower,1911 (Hesperiidae) Synonym(s): *anisodesma* Lower,1911
 29908) *Telicota augias argilus* Waterhouse,1933 (Hesperiidae) Synonym(s): *argilus* Waterhouse,1933
 29909) *Telicota augias arula* Evans,1934 (Hesperiidae) Synonym(s): *arula* Evans,1934
 29910) *Telicota augias augias* (Linnaeus,1763) (Hesperiidae) Synonym(s): *augias* Linnaeus,1763
 29911) *Telicota augias bunga* Evans,1934 (Hesperiidae) Synonym(s): *bunga* Evans,1934
 29912) *Telicota augias florina* Evans,1949 (Hesperiidae) Synonym(s): *florina* Evans,1949
 29913) *Telicota augias krefftii* MacLeay,1866 (Hesperiidae) Synonym(s): *krefftii* MacLeay,1866
 29914) *Telicota augias pythias* Mabille,1878 (Hesperiidae) Synonym(s): *pythias* Mabille,1878
 29915) *Telicota bambusae* (Moore,1878) (Hesperiidae) Synonym(s): *bambusae* Moore,1878
 29916) *Telicota bambusae bambusae* (Moore,1878) (Hesperiidae) Synonym(s): *bambusae* Moore,1878
 29917) *Telicota besta* Evans,1949 (Hesperiidae) Synonym(s): *besta* Evans,1949
 29918) *Telicota besta bina* Evans,1949 (Hesperiidae) Synonym(s): *bina* Evans,1949
 29919) *Telicota brachydesma* Lower,1908 (Hesperiidae) Synonym(s): *brachydesma* Lower,1908
 29920) *Telicota brachydesma brachydesma* Lower,1908 (Hesperiidae) Synonym(s): *brachydesma* Lower,1908
 29921) *Telicota colon* (Fabricius,1775) (Hesperiidae) Synonym(s): *colon* Fabricius,1775
 29922) *Telicota colon amba* Evans,1934 (Hesperiidae) Synonym(s): *amba* Evans,1934
 29923) *Telicota colon argeus* Plötz,1883 (Hesperiidae) Synonym(s): *argeus* Plötz,1883
 29924) *Telicota colon colon* (Fabricius,1775) (Hesperiidae) Synonym(s): *colon* Fabricius,1775
 29925) *Telicota colon elsa* Evans,1934 (Hesperiidae) Synonym(s): *elsa* Evans,1934
 29926) *Telicota colon kala* Evans,1934 (Hesperiidae) Synonym(s): *kala* Evans,1934

- 29927) *Telicota colon stinga* Evans,1949 (Hesperiidae) Synonym(s): *stinga* Evans,1949
 29928) *Telicota colon vaja* Corbet,1942 (Hesperiidae) Synonym(s): *vaja* Corbet,1942
 29929) *Telicota colon vega* Evans,1949 (Hesperiidae) Synonym(s): *vega* Evans,1949
 29930) *Telicota colon zara* Evans,1949 (Hesperiidae) Synonym(s): *zara* Evans,1949
 29931) *Telicota doba Evans*,1949 (Hesperiidae) Synonym(s): *doba* Evans,1949
 29932) *Telicota doba doba* Evans,1949 (Hesperiidae) Synonym(s): *doba* Evans,1949
 29933) *Telicota eurtas* (C.Felder,1860) (Hesperiidae) Synonym(s): *eurtas* C.Felder,1860
 29934) *Telicota eurtas eurtas* (C.Felder,1860) (Hesperiidae) Synonym(s): *eurtas* C.Felder,1860
 29935) *Telicota eurtas eurychlora* Lower,1908 (Hesperiidae) Synonym(s): *eurychlora* Lower,1908
 29936) *Telicota eurtas laconia* Waterhouse,1937 (Hesperiidae) Synonym(s): *laconia* Waterhouse,1937
 29937) *Telicota gervasa Evans*,1949 (Hesperiidae) Synonym(s): *gervasa* Evans,1949
 29938) *Telicota gervasa gervasa* Evans,1949 (Hesperiidae) Synonym(s): *gervasa* Evans,1949
 29939) *Telicota hilda* Eliot,1959 (Hesperiidae) Synonym(s): *hilda* Eliot,1959
 29940) *Telicota hilda hilda* Eliot,1959 (Hesperiidae) Synonym(s): *hilda* Eliot,1959
 29941) *Telicota hilda palawana* Murayama & Uehara,1992 (Hesperiidae) Synonym(s): *palawana* Murayama & Uehara,1992
 29942) *Telicota kaimana* Evans,1934 (Hesperiidae) Synonym(s): *kaimana* Evans,1934
 29943) *Telicota kaimana kaimana* Evans,1934 (Hesperiidae) Synonym(s): *kaimana* Evans,1934
 29944) *Telicota kezia* Evans,1949 (Hesperiidae) Synonym(s): *kezia* Evans,1949
 29945) *Telicota kezia kezia* Evans,1949 (Hesperiidae) Synonym(s): *kezia* Evans,1949
 29946) *Telicota kezia lenna* Evans,1949 (Hesperiidae) Synonym(s): *lenna* Evans,1949
 29947) *Telicota laruta* Evans,1934 (Hesperiidae) Synonym(s): *laruta* Evans,1934
 29948) *Telicota laruta laruta* Evans,1934 (Hesperiidae) Synonym(s): *laruta* Evans,1934
 29949) *Telicota lettina* Evans,1934 (Hesperiidae) Synonym(s): *lettina* Evans,1934
 29950) *Telicota lettina lettina* Evans,1934 (Hesperiidae) Synonym(s): *lettina* Evans,1934
 29951) *Telicota linna* Evans,1949 (Hesperiidae) Synonym(s): *linna* Evans,1949
 29952) *Telicota linna bactra* Evans,1949 (Hesperiidae) Synonym(s): *bactra* Evans,1949
 29953) *Telicota linna bodra* Evans,1949 (Hesperiidae) Synonym(s): *bodra* Evans,1949
 29954) *Telicota linna linna* Evans,1949 (Hesperiidae) Synonym(s): *linna* Evans,1949
 29955) *Telicota melanion* Mabilille,1878 (Hesperiidae) Synonym(s): *melanion* Mabilille,1878
 29956) *Telicota melanion godiva* Evans,1934 (Hesperiidae) Synonym(s): *godiva* Evans,1934
 29957) *Telicota melanion melanion* Mabilille,1878 (Hesperiidae) Synonym(s): *melanion* Mabilille,1878
 29958) *Telicota mesoptis* Lower,1911 (Hesperiidae) Synonym(s): *mesoptis* Lower,1911
 29959) *Telicota mesoptis affinis* Rothschild,1915 (Hesperiidae) Synonym(s): *affinis* Rothschild,1915
 29960) *Telicota mesoptis cadmus* Evans,1934 (Hesperiidae) Synonym(s): *cadmus* Evans,1934
 29961) *Telicota mesoptis halma* Evans,1934 (Hesperiidae) Synonym(s): *halma* Evans,1934
 29962) *Telicota mesoptis mesoptis* Lower,1911 (Hesperiidae) Synonym(s): *mesoptis* Lower,1911
 29963) *Telicota ohara* Plötz,1883 (Hesperiidae) Synonym(s): *ohara* Plötz,1883
 29964) *Telicota ohara formosana* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *formosana* Fruhstorfer,1911
 29965) *Telicota ohara iona* Evans,1949 (Hesperiidae) Synonym(s): *iona* Evans,1949
 29966) *Telicota ohara ixion* Evans,1949 (Hesperiidae) Synonym(s): *ixion* Evans,1949
 29967) *Telicota ohara jactus* Evans,1949 (Hesperiidae) Synonym(s): *jactus* Evans,1949
 29968) *Telicota ohara jania* Evans,1949 (Hesperiidae) Synonym(s): *janias* Evans,1949
 29969) *Telicota ohara jix* Evans,1949 (Hesperiidae) Synonym(s): *jix* Evans,1949
 29970) *Telicota ohara ohara* Plötz,1883 (Hesperiidae) Synonym(s): *ohara* Plötz,1883
 29971) *Telicota ohara rahula* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *rahula* Fruhstorfer,1911
 29972) *Telicota ohara vedanga* Evans,1949 (Hesperiidae) Synonym(s): *vedanga* Evans,1949
 29973) *Telicota paceka* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *paceka* Fruhstorfer,1911
 29974) *Telicota paceka paceka* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *paceka* Fruhstorfer,1911
 29975) *Telicota sadra* Evans,1949 (Hesperiidae) Synonym(s): *sadra* Evans,1949
 29976) *Telicota sadra sadra* Evans,1949 (Hesperiidae) Synonym(s): *sadra* Evans,1949
 29977) *Telicota subha* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *subha* Fruhstorfer,1911
 29978) *Telicota subha subha* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *subha* Fruhstorfer,1911
 29979) *Telicota ternatensis* Swinhoe,1907 (Hesperiidae) Synonym(s): *ternatensis* Swinhoe,1907
 29980) *Telicota ternatensis aruba* Evans,1949 (Hesperiidae) Synonym(s): *aruba* Evans,1949
 29981) *Telicota ternatensis fenias* Evans,1949 (Hesperiidae) Synonym(s): *fenias* Evans,1949
 29982) *Telicota ternatensis festa* Evans,1934 (Hesperiidae) Synonym(s): *festa* Evans,1934
 29983) *Telicota ternatensis hesta* Evans,1934 (Hesperiidae) Synonym(s): *hesta* Evans,1934
 29984) *Telicota ternatensis moorei* Rothschild,1915 (Hesperiidae) Synonym(s): *moorei* Rothschild,1915
 29985) *Telicota ternatensis ranga* Evans,1949 (Hesperiidae) Synonym(s): *ranga* Evans,1949
 29986) *Telicota ternatensis solva* Evans,1949 (Hesperiidae) Synonym(s): *solva* Evans,1949
 29987) *Telicota ternatensis sula* Evans,1949 (Hesperiidae) Synonym(s): *sula* Evans,1949
 29988) *Telicota ternatensis ternatensis* Swinhoe,1907 (Hesperiidae) Synonym(s): *ternatensis* Swinhoe,1907
 29989) *Telicota ternatensis testa* Evans,1934 (Hesperiidae) Synonym(s): *testa* Evans,1934
 29990) *Telicota torsa* Evans,1934 (Hesperiidae) Synonym(s): *torsa* Evans,1934
 29991) *Telicota torsa torsa* Evans,1934 (Hesperiidae) Synonym(s): *torsa* Evans,1934
 29992) *Telicota vinta* Evans,1949 (Hesperiidae) Synonym(s): *vinta* Evans,1949
 29993) *Telicota vinta vinta* Evans,1949 (Hesperiidae) Synonym(s): *vinta* Evans,1949
 29994) *Telles arcalaus* (Stoll,[1782]) (Hesperiidae) Synonym(s): *arcalaus* Stoll,[1782]; *uraniae* Sepp,1855; *submarmorata* Kaye,[1925]
 29995) *Teniorhinus harona* (Westwood,1881) (Hesperiidae) Synonym(s): *harona* Westwood,1881
 29996) *Teniorhinus herilus* (Hopffer,1855) (Hesperiidae) Synonym(s): *herilus* Hopffer,1855
 29997) *Teniorhinus ignita* (Mabilille,1877) (Hesperiidae) Synonym(s): *ignita* Mabilille,1877
 29998) *Teniorhinus watsoni* Holland,1892 (Hesperiidae) Synonym(s): *watsoni* Holland,1892
 29999) *Teniorhinus watsoni niger* (Druce,1910) (Hesperiidae) Synonym(s): *niger* Druce,1910
 30000) *Teniorhinus watsoni watsoni* Holland,1892 (Hesperiidae) Synonym(s): *watsoni* Holland,1892
 30001) *Thargella caura* (Plötz,1882) (Hesperiidae) Synonym(s): *caura* Plötz,1882; *lepte* Mabilille,1883; *fuliginosa* Godman,1900; *sipariana* Kaye,[1925]
 30002) *Theagenes aegides* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *aegides* Herrich-Schäffer,1869
 30003) *Thespieus aspernatus* Draudt,1934 (Hesperiidae) Synonym(s): *aspernatus* Draudt,1934
 30004) *Thespieus dalman* (Latreille,[1824]) (Hesperiidae) Synonym(s): *dalman* Latreille,[1824]
 30005) *Thespieus macareus* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *macareus* Herrich-Schäffer,1869; *emacareus* Plötz,1882; *cacajo* Dyar,1913
 30006) *Thessia jalapus* (Plötz,1881) (Hesperiidae) Synonym(s): *jalapus* Plötz,1881; *xerxes* Bell,1934
 30007) *Thoon modius* (Mabilille,1889) (Hesperiidae) Synonym(s): *modius* Mabilille,1889; *viridiceps* Mabilille,1889; *stilio* Mabilille,1891; *cocalus* Godman,1900
 30008) *Thoon wellingi* Freeman,1969 (Hesperiidae) Synonym(s): *wellingi* Freeman,1969
 30009) *Thoressa aina* (De Nicéville,1890) (Hesperiidae) Synonym(s): *aina* De Nicéville,1890
 30010) *Thoressa aina aina* (De Nicéville,1890) (Hesperiidae) Synonym(s): *aina* De Nicéville,1890
 30011) *Thoressa astigmata* (Swinhoe,1890) (Hesperiidae) Synonym(s): *astigmata* Swinhoe,1890
 30012) *Thoressa astigmata astigmata* (Swinhoe,1890) (Hesperiidae) Synonym(s): *astigmata* Swinhoe,1890
 30013) *Thoressa bivitta* (Oberthür,1886) (Hesperiidae) Synonym(s): *bivitta* Oberthür,1886; *albivitta* Oberthür,1886
 30014) *Thoressa bivitta bivitta* (Oberthür,1886) (Hesperiidae) Synonym(s): *bivitta* Oberthür,1886
 30015) *Thoressa cerata* (Hewitson,1876) (Hesperiidae) Synonym(s): *cerata* Hewitson,1876
 30016) *Thoressa cerata cerata* (Hewitson,1876) (Hesperiidae) Synonym(s): *cerata* Hewitson,1876

- 30017) *Thoressa decorata* (Moore,1881) (Hesperiidae) Synonym(s): *decorata* Moore,1881
 30018) *Thoressa decorata decorata* (Moore,1881) (Hesperiidae) Synonym(s): *decorata* Moore,1881
 30019) *Thoressa evershedii* (Evans,1910) (Hesperiidae) Synonym(s): *evershedii* Evans,1910; *cochina* Evans,1932
 30020) *Thoressa evershedii evershedii* (Evans,1910) (Hesperiidae) Synonym(s): *evershedii* Evans,1910; *cochina* Evans,1932
 30021) *Thoressa fusca* (Elwes,1892) (Hesperiidae) Synonym(s): *fusca* Elwes,1892
 30022) *Thoressa fusca caenis* (Leech,1894) (Hesperiidae) Synonym(s): *caenis* Leech,1894
 30023) *Thoressa fusca debilis* (Elwes & Edwards,1897) (Hesperiidae) Synonym(s): *debilis* Elwes & Edwards,1897
 30024) *Thoressa fusca fusca* (Elwes,1892) (Hesperiidae) Synonym(s): *fusca* Elwes,1892
 30025) *Thoressa fusca senna* Evans,1937 (Hesperiidae) Synonym(s): *senna* Evans,1937
 30026) *Thoressa fusca strona* Evans,1949 (Hesperiidae) Synonym(s): *strona* Evans,1949
 30027) *Thoressa gupta* (De Nicéville,1886) (Hesperiidae) Synonym(s): *gupta* De Nicéville,1886
 30028) *Thoressa gupta gupta* (De Nicéville,1886) (Hesperiidae) Synonym(s): *gupta* De Nicéville,1886
 30029) *Thoressa honorei* (De Nicéville,1887) (Hesperiidae) Synonym(s): *honorei* De Nicéville,1887
 30030) *Thoressa honorei honorei* (De Nicéville,1887) (Hesperiidae) Synonym(s): *honorei* De Nicéville,1887
 30031) *Thoressa horishama* (Matsumura,1910) (Hesperiidae) Synonym(s): *horishama* Matsumura,1910; *ara Fruhstorfer*,1911; *formosa* Seitz,1926; *aokii* Matsumura,1934
 30032) *Thoressa horishama horishama* (Matsumura,1910) (Hesperiidae) Synonym(s): *horishama* Matsumura,1910; *ara Fruhstorfer*,1911; *formosa* Seitz,1926; *aokii* Matsumura,1934
 30033) *Thoressa hyrie* (De Nicéville,1891) (Hesperiidae) Synonym(s): *hyrie* De Nicéville,1891; *merea* Evans,1932
 30034) *Thoressa hyrie hyrie* (De Nicéville,1891) (Hesperiidae) Synonym(s): *hyrie* De Nicéville,1891; *merea* Evans,1932
 30035) *Thoressa justini Inoue & Kawazoe*,1969 (Hesperiidae) Synonym(s): *justini Inoue & Kawazoe*,1969
 30036) *Thoressa justini justini Inoue & Kawazoe*,1969 (Hesperiidae) Synonym(s): *justini Inoue & Kawazoe*,1969
 30037) *Thoressa justini raphaeli Nuyda & Kitamura*,1994 (Hesperiidae) Synonym(s): *raphaeli Nuyda & Kitamura*,1994
 30038) *Thoressa kuata* Evans,1940 (Hesperiidae) Synonym(s): *kuata* Evans,1940
 30039) *Thoressa kuata kuata* Evans,1940 (Hesperiidae) Synonym(s): *kuata* Evans,1940
 30040) *Thoressa latris* (Leech,1894) (Hesperiidae) Synonym(s): *latris* Leech,1894
 30041) *Thoressa latris latris* (Leech,1894) (Hesperiidae) Synonym(s): *latris* Leech,1894
 30042) *Thoressa masoni* (Moore,1878) (Hesperiidae) Synonym(s): *masoni* Moore,1878
 30043) *Thoressa masoni masoni* (Moore,1878) (Hesperiidae) Synonym(s): *masoni* Moore,1878
 30044) *Thoressa sitala* (De Nicéville,1885) (Hesperiidae) Synonym(s): *sitala* De Nicéville,1885
 30045) *Thoressa sitala sitala* (De Nicéville,1885) (Hesperiidae) Synonym(s): *sitala* De Nicéville,1885
 30046) *Thoressa submacula* (Leech,1890) (Hesperiidae) Synonym(s): *submacula* Leech,1890
 30047) *Thoressa submacula submacula* (Leech,1890) (Hesperiidae) Synonym(s): *submacula* Leech,1890
 30048) *Thoressa thandaunga* Evans,1926 (Hesperiidae) Synonym(s): *thandaunga* Evans,1926
 30049) *Thoressa thandaunga thandaunga* Evans,1926 (Hesperiidae) Synonym(s): *thandaunga* Evans,1926
 30050) *Thoressa varia* (Murray,1876) (Hesperiidae) Synonym(s): *varia* Murray,1876; *melancholica* Bryk,1942
 30051) *Thoressa varia varia* (Murray,1876) (Hesperiidae) Synonym(s): *varia* Murray,1876; *melancholica* Bryk,1942
 30052) *Thoressa zinnia* Evans,1939 (Hesperiidae) Synonym(s): *zinnia* Evans,1939
 30053) *Thoressa zinnia zinnia* Evans,1939 (Hesperiidae) Synonym(s): *zinnia* Evans,1939
 30054) *Thorybes bathyllus* (J.E.Smith,1797) (Hesperiidae) Synonym(s): *bathyllus* J.E.Smith,1797; *syloson* Mabilie,1903
 30055) *Thorybes bathyllus bathyllus* (J.E.Smith,1797) (Hesperiidae) Synonym(s): *bathyllus* J.E.Smith,1797; *syloson* Mabilie,1903
 30056) *Thorybes confusus* Bell,1922 (Hesperiidae) Synonym(s): *confusus* Bell,1922
 30057) *Thorybes confusus confusus* Bell,1922 (Hesperiidae) Synonym(s): *confusus* Bell,1922
 30058) *Thorybes diversus* Bell,1927 (Hesperiidae) Synonym(s): *diversus* Bell,1927
 30059) *Thorybes diversus diversus* Bell,1927 (Hesperiidae) Synonym(s): *diversus* Bell,1927
 30060) *Thorybes drusus* (Edwards,1883) (Hesperiidae) Synonym(s): *drusus* Edwards,1883; *paucipuncta* Dyar,1916
 30061) *Thorybes drusus drusus* (Edwards,1883) (Hesperiidae) Synonym(s): *drusus* Edwards,1883; *paucipuncta* Dyar,1916
 30062) *Thorybes mexicanus* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *mexicanus* Herrich-Schäffer,1869; *ananius* Plötz,1882
 30063) *Thorybes mexicanus dobra* Evans,1952 (Hesperiidae) Synonym(s): *dobra* Evans,1952
 30064) *Thorybes mexicanus mexicanus* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *mexicanus* Herrich-Schäffer,1869; *ananius* Plötz,1882
 30065) *Thorybes mexicanus nevada* Scudder,1872 (Hesperiidae) Synonym(s): *nevada* Scudder,1872
 30066) *Thorybes pylades* (Scudder,1870) (Hesperiidae) Synonym(s): *pylades* Scudder,1870
 30067) *Thorybes pylades albosuffusa* Freeman,1943 (Hesperiidae) Synonym(s): *albosuffusa* Freeman,1943
 30068) *Thorybes pylades indistinctus* Austin & Emmel,1998 (Hesperiidae) Synonym(s): *indistinctus* Austin & Emmel,1998
 30069) *Thorybes pylades pylades* (Scudder,1870) (Hesperiidae) Synonym(s): *pylades* Scudder,1870
 30070) *Thorybes valerianus* (Plötz,1882) (Hesperiidae) Synonym(s): *valerianus* Plötz,1882; ? *mysie* Dyar,1904.
 30071) *Thorybes valerianus valerianus* (Plötz,1882) (Hesperiidae) Synonym(s): *valerianus* Plötz,1882; ? *mysie* Dyar,1904.
 30072) *Thracides phidon* (Cramer,[1775]) (Hesperiidae) Synonym(s): *phidon* Cramer,[1775]; *pyrophoros* Sepp,1844
 30073) *Thymelicus acteon* (Rottemburg,1775) (Hesperiidae) Synonym(s): *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
 30074) *Thymelicus acteon acteon* (Rottemburg,1775) (Hesperiidae) Synonym(s): *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
 30075) *Thymelicus acteon maurus* (Picard) (Hesperiidae) Synonym(s): *maurus* Picard
 30076) *Thymelicus acteon oranus* Evans,1949 (Hesperiidae) Synonym(s): *orana* Evans,1949
 30077) *Thymelicus acteon virescens* Tutt,1905 (Hesperiidae) Synonym(s): *virescens* Tutt,1905
 30078) *Thymelicus alaicus* (Filipjev,1931) (Hesperiidae) Synonym(s): *alaicus* Filipjev,1931.
 30079) *Thymelicus alaicus alaicus* (Filipjev,1931) (Hesperiidae) Synonym(s): *alaicus* Filipjev,1931.
 30080) *Thymelicus christi* (Rebel,1894) (Hesperiidae) Synonym(s): *christi* Rebel,1894
 30081) *Thymelicus christi christi* (Rebel,1894) (Hesperiidae) Synonym(s): *christi* Rebel,1894
 30082) *Thymelicus hamza* (Oberthür,1876) (Hesperiidae) Synonym(s): *hamza* Oberthür,1876
 30083) *Thymelicus hamza hamza* (Oberthür,1876) (Hesperiidae) Synonym(s): *hamza* Oberthür,1876
 30084) *Thymelicus hamza novissimus* (Turati,1921) (Hesperiidae) Synonym(s): *novissima* Turati,1921
 30085) *Thymelicus hyrax* (Lederer,1861) (Hesperiidae) Synonym(s): *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937.
 30086) *Thymelicus hyrax hyrax* (Lederer,1861) (Hesperiidae) Synonym(s): *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937.
 30087) *Thymelicus leoninus* (Butler,1878) (Hesperiidae) Synonym(s): *leonina* Butler,1878
 30088) *Thymelicus leoninus leoninus* (Butler,1878) (Hesperiidae) Synonym(s): *leonina* Butler,1878
 30089) *Thymelicus leoninus tatsius* Evans,1949 (Hesperiidae) Synonym(s): *tatsia* Evans,1949
 30090) *Thymelicus lineolus* (Ochsenheimer,1808) (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
 30091) *Thymelicus lineolus ifranensis* (Picard) (Hesperiidae) Synonym(s): *ifranensis* Picard
 30092) *Thymelicus lineolus kushanus* Wyatt,1961 (Hesperiidae) Synonym(s): *kushana* Wyatt,1961
 30093) *Thymelicus lineolus lineolus* (Ochsenheimer,1808) (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
 30094) *Thymelicus lineolus pseudothomas* Zerny,1927 (Hesperiidae) Synonym(s): *pseudothomas* Zerny,1927
 30095) *Thymelicus lineolus semicolon* (Staudinger,1892) (Hesperiidae) Synonym(s): *semicolon* Staudinger,1892
 30096) *Thymelicus novus* (Reverdin,1916) (Hesperiidae) Synonym(s): *novus* Reverdin,1916
 30097) *Thymelicus novus novus* (Reverdin,1916) (Hesperiidae) Synonym(s): *novus* Reverdin,1916
 30098) *Thymelicus stigma* (Staudinger,1886) (Hesperiidae) Synonym(s): *stigma* Staudinger,1886
 30099) *Thymelicus stigma stigma* (Staudinger,1886) (Hesperiidae) Synonym(s): *stigma* Staudinger,1886
 30100) *Thymelicus sylvaticus* (Bremer,1861) (Hesperiidae) Synonym(s): *sylvatica* Bremer,1861

- 30101) *Thymelicus sylvaticus astigmatus* Leech,1894 (Hesperiidae) Synonym(s): *astigmatus* Leech,1894
 30102) *Thymelicus sylvaticus nervulatus* Mabilie,1876 (Hesperiidae) Synonym(s): *nervulatus* Mabilie,1876
 30103) *Thymelicus sylvaticus occidentalis* Leech,1894 (Hesperiidae) Synonym(s): *occidentalis* Leech,1894
 30104) *Thymelicus sylvaticus occidentalis* Leech,1894 (Hesperiidae) Synonym(s): *occidentalis* Leech,1894
 30105) *Thymelicus sylvaticus sylvaticus* (Bremer,1861) (Hesperiidae) Synonym(s): *sylvatica* Bremer,1861
 30106) *Thymelicus sylvaticus tenebrosus* Leech,1894 (Hesperiidae) Synonym(s): *tenebrosus* Leech,1894
 30107) *Thymelicus sylvestris* (Poda,1761) (Hesperiidae) Synonym(s): *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thauas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905
 30108) *Thymelicus sylvestris ibericus* (Tutt,[1905]) (Hesperiidae) Synonym(s): *ibericus* Tutt,[1905].
 30109) *Thymelicus sylvestris sylvestris* (Poda,1761) (Hesperiidae) Synonym(s): *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thauas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905
 30110) *Thymelicus sylvestris syriacus* (Tutt,[1905]) (Hesperiidae) Synonym(s): *syriacus* Tutt,[1905]; *maxima* Verity,1936; *wernerii* Rebel,1937.
 30111) *Tiacellia tiacellia* (Hewitson,1874) (Hesperiidae) Synonym(s): *tiacellia* Hewitson,1874
 30112) *Tiacellia tiacellia tiacellia* (Hewitson,1874) (Hesperiidae) Synonym(s): *tiacellia* Hewitson,1874
 30113) *Tigasis simplex* (Bell,1930) (Hesperiidae) Synonym(s): *simplex* Bell,1930
 30114) *Timochares rufifasciata* (Plötz,1884) (Hesperiidae) Synonym(s): *rufifasciata* Plötz,1884; *obscurior* Draudt,1922
 30115) *Timochares trifasciata* (Hewitson,1868) (Hesperiidae) Synonym(s): *trifasciata* Hewitson,1868; *hemula* Godman & Salvin,1896
 30116) *Tirynthia conflua* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *conflua* Herrich-Schäffer,1869
 30117) *Toxidaria arfakensis* Joicey & Talbot,1917 (Hesperiidae) Synonym(s): *arfakensis* Joicey & Talbot,1917
 30118) *Toxidaria arfakensis arfakensis* Joicey & Talbot,1917 (Hesperiidae) Synonym(s): *arfakensis* Joicey & Talbot,1917
 30119) *Toxidaria crypsigramma* Meyrick & Lower,1902 (Hesperiidae) Synonym(s): *crypsigramma* Meyrick & Lower,1902
 30120) *Toxidaria crypsigramma crypsigramma* Meyrick & Lower,1902 (Hesperiidae) Synonym(s): *crypsigramma* Meyrick & Lower,1902
 30121) *Toxidaria doubledayi* (Felder,1862) (Hesperiidae) Synonym(s): *doubledayi* Felder,1862; *leachi* Felder,1862; *vallio* Mabilie,1883
 30122) *Toxidaria doubledayi doubledayi* (Felder,1862) (Hesperiidae) Synonym(s): *doubledayi* Felder,1862; *leachi* Felder,1862; *vallio* Mabilie,1883
 30123) *Toxidaria inornatus* (Butler,1883) (Hesperiidae) Synonym(s): *inornatus* Butler,1883; *maykora* Plötz,1885; *uniformis* Swinhoe,1905
 30124) *Toxidaria inornatus anga* Evans,1949 (Hesperiidae) Synonym(s): *anga* Evans,1949
 30125) *Toxidaria inornatus inornatus* (Butler,1883) (Hesperiidae) Synonym(s): *inornatus* Butler,1883; *maykora* Plötz,1885; *uniformis* Swinhoe,1905
 30126) *Toxidaria inornatus sekara* Plötz,1885 (Hesperiidae) Synonym(s): *sekara* Plötz,1885; *damora* Fruhstorfer,1911
 30127) *Toxidaria melania* Waterhouse,1903 (Hesperiidae) Synonym(s): *melania* Waterhouse,1903
 30128) *Toxidaria melania melania* Waterhouse,1903 (Hesperiidae) Synonym(s): *melania* Waterhouse,1903
 30129) *Toxidaria parvulus* Plötz,1884 (Hesperiidae) Synonym(s): *parvulus* Plötz,1884; *humilis* Miskin,1889; *ismene* Anderson & Spry,1894
 30130) *Toxidaria parvulus parvulus* Plötz,1884 (Hesperiidae) Synonym(s): *parvulus* Plötz,1884; *humilis* Miskin,1889; *ismene* Anderson & Spry,1894
 30131) *Toxidaria peron* (Latreille,1824) (Hesperiidae) Synonym(s): *peron* Latreille,1824; *kochii* Felder,1862; *doclea* Hewitson,1868; *arsenia* Plötz,1884; *thielei* Strand,1907
 30132) *Toxidaria peron peron* (Latreille,1824) (Hesperiidae) Synonym(s): *peron* Latreille,1824; *kochii* Felder,1862; *doclea* Hewitson,1868; *arsenia* Plötz,1884; *thielei* Strand,1907
 30133) *Toxidaria rietmanni* (Semper,1879) (Hesperiidae) Synonym(s): *rietmanni* Semper,1879; *extranea* Plötz,1884; *leucostigma* Meyrick & Lower,1902
 30134) *Toxidaria rietmanni parasema* Lower,1908 (Hesperiidae) Synonym(s): *parasema* Lower,1908
 30135) *Toxidaria rietmanni rietmanni* (Semper,1879) (Hesperiidae) Synonym(s): *rietmanni* Semper,1879; *extranea* Plötz,1884; *leucostigma* Meyrick & Lower,1902
 30136) *Toxidaria sexguttata* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *sexguttata* Herrich-Schäffer,1869
 30137) *Toxidaria sexguttata sela* Waterhouse,1932 (Hesperiidae) Synonym(s): *sela* Waterhouse,1932
 30138) *Toxidaria sexguttata sexguttata* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *sexguttata* Herrich-Schäffer,1869
 30139) *Toxidaria thyrrhus* Mabilie,1891 (Hesperiidae) Synonym(s): *thyrrhus* Mabilie,1891; *bathrophora* Meyrick & Lower,1902
 30140) *Toxidaria thyrrhus thyrrhus* Mabilie,1891 (Hesperiidae) Synonym(s): *thyrrhus* Mabilie,1891; *bathrophora* Meyrick & Lower,1902
 30141) *Trapezites argenteoornatus* Hewitson,1868 (Hesperiidae) Synonym(s): *argenteoornatus* Hewitson,1868
 30142) *Trapezites argenteoornatus argenteoornatus* Hewitson,1868 (Hesperiidae) Synonym(s): *argenteoornatus* Hewitson,1868
 30143) *Trapezites argenteoornatus insula* Waterhouse,1932 (Hesperiidae) Synonym(s): *insula* Waterhouse,1932
 30144) *Trapezites eliena* Hewitson,1868 (Hesperiidae) Synonym(s): *eliena* Hewitson,1868; *caecilius* Plötz,1884
 30145) *Trapezites eliena eliena* Hewitson,1868 (Hesperiidae) Synonym(s): *eliena* Hewitson,1868; *caecilius* Plötz,1884
 30146) *Trapezites eliena monocycla* Lower,1911 (Hesperiidae) Synonym(s): *monocycla* Lower,1911
 30147) *Trapezites heteromacula* Meyrick & Lower,1902 (Hesperiidae) Synonym(s): *heteromacula* Meyrick & Lower,1902
 30148) *Trapezites heteromacula heteromacula* Meyrick & Lower,1902 (Hesperiidae) Synonym(s): *heteromacula* Meyrick & Lower,1902
 30149) *Trapezites iacchoides* Waterhouse,1903 (Hesperiidae) Synonym(s): *iacchoides* Waterhouse,1903; *obruta* Seitz,1927
 30150) *Trapezites iacchoides iacchoides* Waterhouse,1903 (Hesperiidae) Synonym(s): *iacchoides* Waterhouse,1903; *obruta* Seitz,1927
 30151) *Trapezites iacchus* (Fabricius,1775) (Hesperiidae) Synonym(s): *iacchus* Fabricius,1775
 30152) *Trapezites iacchus iacchus* (Fabricius,1775) (Hesperiidae) Synonym(s): *iacchus* Fabricius,1775
 30153) *Trapezites lutea* Tepper,1881 (Hesperiidae) Synonym(s): *lutea* Tepper,1881
 30154) *Trapezites lutea glaucus* Waterhouse & Lyell,1914 (Hesperiidae) Synonym(s): *glaucus* Waterhouse & Lyell,1914
 30155) *Trapezites lutea leucon* Waterhouse,1938 (Hesperiidae) Synonym(s): *leucon* Waterhouse,1938
 30156) *Trapezites lutea lutea* Tepper,1881 (Hesperiidae) Synonym(s): *lutea* Tepper,1881
 30157) *Trapezites maheta* Hewitson,1877 (Hesperiidae) Synonym(s): *maheta* Hewitson,1877
 30158) *Trapezites maheta maheta* Hewitson,1877 (Hesperiidae) Synonym(s): *maheta* Hewitson,1877
 30159) *Trapezites maheta praxedes* Plötz,1884 (Hesperiidae) Synonym(s): *praxedes* Plötz,1884
 30160) *Trapezites petalia* Hewitson,1868 (Hesperiidae) Synonym(s): *petalia* Hewitson,1868; *megalopis* Meyrick,1887
 30161) *Trapezites petalia petalia* Hewitson,1868 (Hesperiidae) Synonym(s): *petalia* Hewitson,1868; *megalopis* Meyrick,1887
 30162) *Trapezites phigalia* Hewitson,1868 (Hesperiidae) Synonym(s): *phigalia* Hewitson,1868; *phlaea* Plötz,1884; *phillyra* Miskin,1889
 30163) *Trapezites phigalia phigalia* Hewitson,1868 (Hesperiidae) Synonym(s): *phigalia* Hewitson,1868; *phlaea* Plötz,1884; *phillyra* Miskin,1889
 30164) *Trapezites phigalia phila* Waterhouse,1937 (Hesperiidae) Synonym(s): *phila* Waterhouse,1937
 30165) *Trapezites phigalioides* Waterhouse,1903 (Hesperiidae) Synonym(s): *phigalioides* Waterhouse,1903
 30166) *Trapezites phigalioides phigalioides* Waterhouse,1903 (Hesperiidae) Synonym(s): *phigalioides* Waterhouse,1903
 30167) *Trapezites sciron* Waterhouse & Lyell,1914 (Hesperiidae) Synonym(s): *sciron* Waterhouse & Lyell,1914
 30168) *Trapezites sciron sciron* Waterhouse & Lyell,1914 (Hesperiidae) Synonym(s): *sciron* Waterhouse & Lyell,1914
 30169) *Trapezites symmommus* Hübner,1823 (Hesperiidae) Synonym(s): *symmommus* Hübner,[1819]; *symmommus* Hübner,1823.
 30170) *Trapezites symmommus soma* Waterhouse,1932 (Hesperiidae) Synonym(s): *soma* Waterhouse,1932
 30171) *Trapezites symmommus sombra* Waterhouse,1932 (Hesperiidae) Synonym(s): *sombra* Waterhouse,1932
 30172) *Trapezites symmommus symmommus* Hübner,1823 (Hesperiidae) Synonym(s): *symmommus* Hübner,[1819]; *symmommus* Hübner,1823.
 30173) *Tromba xanthura* (Godman,1901) (Hesperiidae) Synonym(s): *xanthura* Godman,1901
 30174) *Tsitana dicksoni* Evans,1956 (Hesperiidae) Synonym(s): *dicksoni* Evans,1956
 30175) *Tsitana tsita* (Trimen,1870) (Hesperiidae) Synonym(s): *tsita* Trimen,1870; *monochromus* Mabilie,1891
 30176) *Tsitana tsita tsita* (Trimen,1870) (Hesperiidae) Synonym(s): *tsita* Trimen,1870; *monochromus* Mabilie,1891
 30177) *Tsitana tsita uitehaga* Evans,1937 (Hesperiidae) Synonym(s): *uitehaga* Evans,1937
 30178) *Tsitana tulbagha* Evans,1937 (Hesperiidae) Synonym(s): *tulbagha* Evans,1937
 30179) *Tsitana tulbagha kaplani* Dickson,1976 (Hesperiidae) Synonym(s): *kaplani* Dickson,1976
 30180) *Tsitana tulbagha tulbagha* Evans,1937 (Hesperiidae) Synonym(s): *tulbagha* Evans,1937
 30181) *Tsitana wallacei* (Neave,1910) (Hesperiidae) Synonym(s): *wallacei* Neave,1910
 30182) *Turesis tabascoensis* Freeman,1979 (Hesperiidae) Synonym(s): *tabascoensis* Freeman,1979
 30183) *Turnerina hazelae* (D.Stallings & Turner,1958) (Hesperiidae) Synonym(s): *hazelae* D.Stallings & Turner,1958
 30184) *Turnerina mejicanus* (Bell,1938) (Hesperiidae) Synonym(s): *mejicanus* Bell,1938
 30185) *Typhedanus ampyx* (Godman & Salvin,1893) (Hesperiidae) Synonym(s): *ampyx* Godman & Salvin,1893; *alladius* Godman & Salvin,1894

- 30186) *Typhedanus salas* Freeman, 1977 (Hesperiidae) Synonym(s): *salas* Freeman, 1977
- 30187) *Typhedanus undulatus* (Hewitson, [1867]) (Hesperiidae) Synonym(s): *undulatus* Hewitson, [1867]; *sumichrasti* Scudder, 1872; *elongatus* Plötz, 1881; *niciasus* Plötz, 1881
- 30188) *Typhedanus undulatus undulatus* (Hewitson, [1867]) (Hesperiidae) Synonym(s): *undulatus* Hewitson, [1867]; *sumichrasti* Scudder, 1872; *elongatus* Plötz, 1881; *niciasus* Plötz, 1881
- 30189) *Udaspes folus* (Cramer, [1775]) (Hesperiidae) Synonym(s): *folus* Cramer, [1775]; *cicero* Fabricius, 1793
- 30190) *Udaspes folus folus* (Cramer, [1775]) (Hesperiidae) Synonym(s): *folus* Cramer, [1775]; *cicero* Fabricius, 1793
- 30191) *Udaspes stellata Oberthür, 1896* (Hesperiidae) Synonym(s): *stellata* Oberthür, 1896
- 30192) *Udaspes stellata stellata* Oberthür, 1896 (Hesperiidae) Synonym(s): *stellata* Oberthür, 1896
- 30193) *Udranomía kikkawai* (Weeks, 1906) (Hesperiidae) Synonym(s): *kikkawai* Weeks, 1906
- 30194) *Udranomía orcinus* (C. Felder & R. Felder, 1867) (Hesperiidae) Synonym(s): *orcinus* C. Felder & R. Felder, 1867
- 30195) *Unkana ambasa* (Moore, 1857) (Hesperiidae) Synonym(s): *ambasa* Moore, 1857; *latreillei* C. Felder & R. Felder, [1867]; *cruda* Herrich-Schäffer, 1869; *anitta* Plötz, 1882; *palawana* Fruhstorfer, 1911
- 30196) *Unkana ambasa ambasa* (Moore, 1857) (Hesperiidae) Synonym(s): *ambasa* Moore, 1857; *latreillei* C. Felder & R. Felder, [1867]; *cruda* Herrich-Schäffer, 1869; *anitta* Plötz, 1882; *palawana* Fruhstorfer, 1911
- 30197) *Unkana ambasa attina* (Hewitson, 1866) (Hesperiidae) Synonym(s): *attina* Hewitson, 1866
- 30198) *Unkana ambasa batara Distant, 1886* (Hesperiidae) Synonym(s): *batara* Distant, 1886
- 30199) *Unkana ambasa mindanaensis* Fruhstorfer, 1911 (Hesperiidae) Synonym(s): *mindanaensis* Fruhstorfer, 1911
- 30200) *Unkana ambasa tranga* Evans, 1949 (Hesperiidae) Synonym(s): *tranga* Evans, 1949
- 30201) *Unkana flava* Evans, 1932 (Hesperiidae) Synonym(s): *flava* Evans, 1932
- 30202) *Unkana flava flava* Evans, 1932 (Hesperiidae) Synonym(s): *flava* Evans, 1932
- 30203) *Unkana mythea* (Hewitson, 1877) (Hesperiidae) Synonym(s): *mythea* Hewitson, 1877
- 30204) *Unkana mythea kala* Evans, 1932 (Hesperiidae) Synonym(s): *kala* Evans, 1932
- 30205) *Unkana mythea mythea* (Hewitson, 1877) (Hesperiidae) Synonym(s): *mythea* Hewitson, 1877
- 30206) *Urbanus albimargo* (Mabille, [1875]) (Hesperiidae) Synonym(s): *albimargo* Mabille, [1875]; *dominicanus* Plötz, 1886; *triptolemus* Ehrmann, 1907
- 30207) *Urbanus albimargo albimargo* (Mabille, [1875]) (Hesperiidae) Synonym(s): *albimargo* Mabille, [1875]; *dominicanus* Plötz, 1886; *triptolemus* Ehrmann, 1907
- 30208) *Urbanus belli* (Hayward, 1935) (Hesperiidae) Synonym(s): *belli* Hayward, 1935; *alva* Evans, 1952
- 30209) *Urbanus dorantes* (Stoll, [1790]) (Hesperiidae) Synonym(s): *dorantes* Stoll, [1790]; *torones* Hübner, 1821; *atletes* C. Felder & R. Felder, 1862; *amisus* Hewitson, 1867; *protillus* Herrich-Schäffer, 1869; *kefersteinii* Plötz, 1881; *retractus* Plötz, 1881; *velinus* Plötz, 1881; *rauterbergi* Skinner, 1895
- 30210) *Urbanus dorantes calafia* (R. C. Williams, 1926) (Hesperiidae) Synonym(s): *calafia* R. C. Williams, 1926
- 30211) *Urbanus dorantes dorantes* (Stoll, [1790]) (Hesperiidae) Synonym(s): *dorantes* Stoll, [1790]; *torones* Hübner, 1821; *atletes* C. Felder & R. Felder, 1862; *amisus* Hewitson, 1867; *protillus* Herrich-Schäffer, 1869; *kefersteinii* Plötz, 1881; *retractus* Plötz, 1881; *rauterbergi* Skinner, 1895
- 30212) *Urbanus dorantes santiago* (Lucas, 1856) (Hesperiidae) Synonym(s): *santiago* Lucas, 1856; *cariosa* Herrich-Schäffer, 1862; *corydon* Butler, 1870; *larius* Plötz, 1880
- 30213) *Urbanus doryssus* (Swainson, 1821) (Hesperiidae) Synonym(s): *orion* Drury, 1782 nec Pall., 1771 non Cr., 1779; *doryssus* Swainson, 1821; *brachius* Geyer, 1832; *leucites* Mabille, 1888; *cleopatra* Ehrmann, 1907; *interruptus* R. C. Williams, 1926
- 30214) *Urbanus doryssus chales* (Godman & Salvin, 1893) (Hesperiidae) Synonym(s): *chales* Godman & Salvin, 1893; *interruptus* R. C. Williams, 1926
- 30215) *Urbanus doryssus doryssus* (Swainson, 1821) (Hesperiidae) Synonym(s): *orion* Drury, 1782 nec Pall., 1771 non Cr., 1779; *doryssus* Swainson, 1821; *brachius* Geyer, 1832; *leucites* Mabille, 1888; *cleopatra* Ehrmann, 1907; *interruptus* R. C. Williams, 1926
- 30216) *Urbanus esmeraldus* (Butler, 1877) (Hesperiidae) Synonym(s): *esmeraldus* Butler, 1877
- 30217) *Urbanus esmeraldus esmeraldus* (Butler, 1877) (Hesperiidae) Synonym(s): *esmeraldus* Butler, 1877
- 30218) *Urbanus procne* (Plötz, 1881) (Hesperiidae) Synonym(s): *procne* Plötz, 1881
- 30219) *Urbanus procne procne* (Plötz, 1881) (Hesperiidae) Synonym(s): *procne* Plötz, 1881
- 30220) *Urbanus pronta* Evans, 1952 (Hesperiidae) Synonym(s): *pronta* Evans, 1952
- 30221) *Urbanus pronus* Evans, 1952 (Hesperiidae) Synonym(s): *pronus* Evans, 1952
- 30222) *Urbanus proteus* (Linnaeus, 1758) (Hesperiidae) Synonym(s): *proteus* Linnaeus, 1758
- 30223) *Urbanus proteus proteus* (Linnaeus, 1758) (Hesperiidae) Synonym(s): *proteus* Linnaeus, 1758
- 30224) *Urbanus simplicius* (Stoll, [1790]) (Hesperiidae) Synonym(s): *simplicius* Stoll, [1790]; *gracilicauda* Plötz, 1881; *pilatus* Plötz, 1881; *borja* Ehrmann, 1907; *thiemei* Ehrmann, 1907
- 30225) *Urbanus simplicius simplicius* (Stoll, [1790]) (Hesperiidae) Synonym(s): *simplicius* Stoll, [1790]; *gracilicauda* Plötz, 1881; *pilatus* Plötz, 1881; *borja* Ehrmann, 1907; *thiemei* Ehrmann, 1907
- 30226) *Urbanus tanna* Evans, 1952 (Hesperiidae) Synonym(s): *tanna* Evans, 1952
- 30227) *Urbanus tanna tanna* Evans, 1952 (Hesperiidae) Synonym(s): *tanna* Evans, 1952
- 30228) *Urbanus teleus* (Hübner, [1821]) (Hesperiidae) Synonym(s): *dorantes* Hübner, [1807] nec St., 1790; *teleus* Hübner, [1821]; *zalanthus* Plötz, 1880; *latipennis* Mabille & Vuillet, 1891
- 30229) *Urbanus teleus teleus* (Hübner, [1821]) (Hesperiidae) Synonym(s): *dorantes* Hübner, [1807] nec St., 1790; *teleus* Hübner, [1821]; *zalanthus* Plötz, 1880; *latipennis* Mabille & Vuillet, 1891
- 30230) *Urbanus viridis* Freeman, 1970 (Hesperiidae) Synonym(s): *viridis* Freeman, 1970
- 30231) *Urbanus viterboana* (Ehrmann, 1907) (Hesperiidae) Synonym(s): *viterboana* Ehrmann, 1907
- 30232) *Vacerra cervara* Steinhäuser, 1974 (Hesperiidae) Synonym(s): *cervara* Steinhäuser, 1974
- 30233) *Vacerra gayra* (Dyar, 1918) (Hesperiidae) Synonym(s): *gayra* Dyar, 1918
- 30234) *Vacerra lachares* Godman, 1900 (Hesperiidae) Synonym(s): *lachares* Godman, 1900
- 30235) *Vacerra litana* (Hewitson, [1866]) (Hesperiidae) Synonym(s): *litana* Hewitson, [1866]; *aeas* Plötz, 1882
- 30236) *Venada advena* (Mabille, 1889) (Hesperiidae) Synonym(s): *advena* Mabille, 1889
- 30237) *Vettius coryna* (Hewitson, 1867) (Hesperiidae) Synonym(s): *coryna* Hewitson, 1867
- 30238) *Vettius coryna argentius* Freeman, 1969 (Hesperiidae) Synonym(s): *argentius* Freeman, 1969
- 30239) *Vettius coryna conka* Evans, 1955 (Hesperiidae) Synonym(s): *conka* Evans, 1955
- 30240) *Vettius coryna coryna* (Hewitson, 1867) (Hesperiidae) Synonym(s): *coryna* Hewitson, 1867
- 30241) *Vettius fantasos* (Cramer, 1780) (Hesperiidae) Synonym(s): *fantasos* Cramer, 1780; *abebalus* Stoll, [1781]; *eucherus* Plötz, 1882
- 30242) *Vettius marcus* (Fabricius, 1787) (Hesperiidae) Synonym(s): *marcus* Fabricius, 1787; *phyllides* Röber, 1925
- 30243) *Vettius onaca* Evans, 1955 (Hesperiidae) Synonym(s): *onaca* Evans, 1955
- 30244) *Vettius pica* (Herrich-Schäffer, 1869) (Hesperiidae) Synonym(s): *pica* Herrich-Schäffer, 1869
- 30245) *Vettius tertianus* (Herrich-Schäffer, 1869) (Hesperiidae) Synonym(s): *tertianus* Herrich-Schäffer, 1869
- 30246) *Vidius perigenes* (Godman, 1900) (Hesperiidae) Synonym(s): *perigenes* Godman, 1900
- 30247) *Vinius tryhana* (Kaye, 1914) (Hesperiidae) Synonym(s): *tryhana* Kaye, 1914; *sophistes* Dyar, 1918
- 30248) *Vinpeius tinga* (Evans, 1955) (Hesperiidae) Synonym(s): *tinga* Evans, 1955; *freemani* L. Miller, 1970
- 30249) *Virga clenchi* L. Miller, 1970 (Hesperiidae) Synonym(s): *clenchi* L. Miller, 1970
- 30250) *Virga virginus* (Möschler, 1883) (Hesperiidae) Synonym(s): *virginus* Möschler, 1883; *cometho* Godman, 1901; *silvanus* Harward, 1947
- 30251) *Vlasta extrusus* (Felder, 1867) (Hesperiidae) Synonym(s): *extrusus* Felder, 1867
- 30252) *Vlasta extrusus extrusus* (Felder, 1867) (Hesperiidae) Synonym(s): *extrusus* Felder, 1867
- 30253) *Vlasta extrusus icosia* Fruhstorfer, 1911 (Hesperiidae) Synonym(s): *icosia* Fruhstorfer, 1911; *affinis* Mabille & Boulet, 1912; *basalis* Joicey & Talbot, 1916
- 30254) *Wallengrenia curassavica* (Snellen, 1887) (Hesperiidae) Synonym(s): *curassavica* Snellen, 1887; *winslowi* Weeks, 1906
- 30255) *Wallengrenia egeremet* (Scudder, 1864) (Hesperiidae) Synonym(s): *egeremet* Scudder, 1864; *ursa* Worthington, 1880; *cinna* Plötz, 1883
- 30256) *Wallengrenia otho* (J. E. Smith, 1797) (Hesperiidae) Synonym(s): *otho* J. E. Smith, 1797; *pustula* Geyer, 1832; *jobrea* Dyar, 1918
- 30257) *Windia windi* Freeman, 1969 (Hesperiidae) Synonym(s): *windi* Freeman, 1969
- 30258) *Xanthodisca ariel* (Mabille, 1878) (Hesperiidae) Synonym(s): *ariel* Mabille, 1878
- 30259) *Xanthodisca astrape* (Holland, 1892) (Hesperiidae) Synonym(s): *astrape* Holland, 1892; *parcus* Karsch, 1893; *eurydice* Aurivillius, 1925
- 30260) *Xanthodisca rega* (Mabille, 1890) (Hesperiidae) Synonym(s): *rega* Mabille, 1890; *staudingeri* Holland, 1896; *sierrae* Holland, 1896; *evansi* Picard, 1949

- 30261) *Xanthodisca vibius* (Hewitson,1878) (Hesperiidae) Synonym(s): *vibius* Hewitson,1878
 30262) *Xanthoneura corissa* (Hewitson,1876) (Hesperiidae) Synonym(s): *corissa* Hewitson,1876; *drancus* Plötz,1884; *lathonia* Elwes & Edwards,1897
 30263) *Xanthoneura corissa corissa* (Hewitson,1876) (Hesperiidae) Synonym(s): *corissa* Hewitson,1876; *drancus* Plötz,1884; *lathonia* Elwes & Edwards,1897
 30264) *Xanthoneura corissa indrasana* (Elwes & De Nicéville,1887) (Hesperiidae) Synonym(s): *indrasana* Elwes & De Nicéville,1887
 30265) *Xanthoneura corissa patmapana* (Fruhstorfer,1911) (Hesperiidae) Synonym(s): *patmapana* Fruhstorfer,1911
 30266) *Xanthoneura telesinus* (Mabille,1878) (Hesperiidae) Synonym(s): *telesinus* Mabille,1878
 30267) *Xeniades orchamus* (Cramer,[1777]) (Hesperiidae) Synonym(s): *orchamus* Cramer,[1777]; *xanthothrix* Herrich-Schäffer,1869; *licia* Plötz,1882
 30268) *Xeniades pteris* (Godman,1900) (Hesperiidae) Synonym(s): *pteras* Godman,1900
 30269) *Xenophanes tryxus* (Stoll,1780) (Hesperiidae) Synonym(s): *tryxus* Stoll,1780; *salvianus* Fabricius,1793; *ruatanensis* Godman & Salvin,1895; *euphemie* Ehrmann,1907; *perplexus* Bell,1942
 30270) *Yanguna arinas* (Cramer,[1779]) (Hesperiidae) Synonym(s): *arinas* Cramer,[1779]; *arinus* Fabricius,1781
 30271) *Yanguna aspilos* Mabille & Boulet,1908 (Hesperiidae) Synonym(s): *aspilos* Mabille & Boulet,1908
 30272) *Yanguna aspitha* (Hewitson,1866) (Hesperiidae) Synonym(s): *aspitha* Hewitson,1866
 30273) *Yanguna assaricus* (Cramer,[1782]) (Hesperiidae) Synonym(s): *assaricus* Cramer,[1782]; *alsaricus* Fabricius,1793
 30274) *Yanguna cometes* (Cramer,[1782]) (Hesperiidae) Synonym(s): *cometes* Cramer,[1782]
 30275) *Yanguna cosyra* (Druce,1875) (Hesperiidae) Synonym(s): *cosyra* Druce,1875
 30276) *Yanguna hadora* (Hewitson,1866) (Hesperiidae) Synonym(s): *hadora* Hewitson,1866
 30277) *Yanguna parima* (Plötz,1886) (Hesperiidae) Synonym(s): *parima* Plötz,1886
 30278) *Yanguna pedaia* (Hewitson,1866) (Hesperiidae) Synonym(s): *pedaia* Hewitson,1866
 30279) *Yanguna rubricollis* (Sepp,1848) (Hesperiidae) Synonym(s): *rubricollis* Sepp,1848
 30280) *Yanguna spatiosa* (Hewitson,1870) (Hesperiidae) Synonym(s): *spatiosa* Hewitson,1870
 30281) *Yanguna staudingeri* (Plötz,1879) (Hesperiidae) Synonym(s): *staudingeri* Plötz,1879; *cometides* Mabille & Boulet,1908
 30282) *Yanoancistroides sinica* (H.Huang,1997) (Hesperiidae) Synonym(s): *sinica* H.Huang,1997
 30283) *Zariaspes mys* (Hübner,[1808]) (Hesperiidae) Synonym(s): *mys* Hübner,[1808]; *dukolum* Blake,1879; *dryops* Mabille,1883
 30284) *Zariaspes mytheus* Godman,1900 (Hesperiidae) Synonym(s): *mytheus* Godman,1900; *chromis* Skinner,1919; *xanthopolys* Dyar,1926
 30285) *Zela adorabilis* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *adorabilis* Fruhstorfer,1911
 30286) *Zela elioti* Evans,1939 (Hesperiidae) Synonym(s): *elioti* Evans,1939
 30287) *Zela excellens* Staudinger,1889 (Hesperiidae) Synonym(s): *excellens* Staudinger,1889; *solex* Evans,1939
 30288) *Zela excellens excellens* Staudinger,1889 (Hesperiidae) Synonym(s): *excellens* Staudinger,1889; *solex* Evans,1939
 30289) *Zela smaragdinus* (Druce,1913) (Hesperiidae) Synonym(s): *smaragdinus* Druce,1913
 30290) *Zela smaragdinus smaragdinus* (Druce,1913) (Hesperiidae) Synonym(s): *smaragdinus* Druce,1913
 30291) *Zela zenon* De Nicéville,1895 (Hesperiidae) Synonym(s): *zenon* De Nicéville,1895
 30292) *Zela zenon cowani* Evans,1939 (Hesperiidae) Synonym(s): *cowani* Evans,1939
 30293) *Zela zenon zenon* De Nicéville,1895 (Hesperiidae) Synonym(s): *zenon* De Nicéville,1895
 30294) *Zela zero* Evans,1932 (Hesperiidae) Synonym(s): *zero* Evans,1932
 30295) *Zela zero zero* Evans,1932 (Hesperiidae) Synonym(s): *zero* Evans,1932
 30296) *Zela zeus* De Nicéville,1895 (Hesperiidae) Synonym(s): *zeus* De Nicéville,1895
 30297) *Zela zeus major* Evans,1932 (Hesperiidae) Synonym(s): *major* Evans,1932
 30298) *Zela zeus optimus* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *Fruhstorfer*,1911
 30299) *Zela zeus zeus* De Nicéville,1895 (Hesperiidae) Synonym(s): *zeus* De Nicéville,1895
 30300) *Zenis janka* Evans,1955 (Hesperiidae) Synonym(s): *janka* Evans,1955; *hemizona* Dyar,1918
 30301) *Zenonia anax* Evans,1937 (Hesperiidae) Synonym(s): *anax* Evans,1937
 30302) *Zenonia crasta* Evans,1937 (Hesperiidae) Synonym(s): *crasta* Evans,1937
 30303) *Zenonia zeno* (Trimen,1864) (Hesperiidae) Synonym(s): *zeno* Trimen,1864; *splendens* Mabille,1877; *coanza* Plötz,1883; *watsoni* Butler,1894; *zenides* Strand,1918
 30304) *Zera belti* (Godman & Salvin,1894) (Hesperiidae) Synonym(s): *belti* Godman & Salvin,1894
 30305) *Zera difficilis* (Weeks,1901) (Hesperiidae) Synonym(s): *difficilis* Weeks,1901
 30306) *Zera eboneus* (Bell,1947) (Hesperiidae) Synonym(s): *eboneus* Bell,1947
 30307) *Zera hosta* Evans,1953 (Hesperiidae) Synonym(s): *hosta* Evans,1953
 30308) *Zera hyacinthinus* (Mabille,1877) (Hesperiidae) Synonym(s): *hyacinthinus* Mabille,1877
 30309) *Zera tetrastigma* (Sepp,[1844]) (Hesperiidae) Synonym(s): *tetrastigma* Sepp,[1844]; *menedemus* Godman & Salvin,1894; *peloepa* Godman & Salvin,1894
 30310) *Zestusa dorus* (Edwards,1882) (Hesperiidae) Synonym(s): *dorus* Edwards,1882
 30311) *Zestusa dorus dorus* (Edwards,1882) (Hesperiidae) Synonym(s): *dorus* Edwards,1882
 30312) *Zestusa elwesi* (Godman & Salvin,1893) (Hesperiidae) Synonym(s): *elwesi* Godman & Salvin,1893
 30313) *Zestusa levona* Steinhäuser,1972 (Hesperiidae) Synonym(s): *levona* Steinhäuser,1972
 30314) *Zestusa staudingeri* (Mabille,1888) (Hesperiidae) Synonym(s): *staudingeri* Mabille,1888
 30315) *Zobera albopunctata* Freeman,1970 (Hesperiidae) Synonym(s): *albopunctata* Freeman,1970
 30316) *Zobera marginata* Freeman,1979 (Hesperiidae) Synonym(s): *marginata* Freeman,1979
 30317) *Zobera oaxaquena* Steinhäuser,1991 (Hesperiidae) Synonym(s): *oaxaquena* Steinhäuser,1991
 30318) *Zographetus abima* (Hewitson,1877) (Hesperiidae) Synonym(s): *abima* Hewitson,1877; *palawanica* Strand,1921
 30319) *Zographetus abima abima* (Hewitson,1877) (Hesperiidae) Synonym(s): *abima* Hewitson,1877; *palawanica* Strand,1921
 30320) *Zographetus doxus* Eliot,1959 (Hesperiidae) Synonym(s): *doxus* Eliot,1959
 30321) *Zographetus doxus doxus* Eliot,1959 (Hesperiidae) Synonym(s): *doxus* Eliot,1959
 30322) *Zographetus ogygia* (Hewitson,1866) (Hesperiidae) Synonym(s): *ogygia* Hewitson,1866; *flavipennis* De Nicéville,1885; *flavulum* De Nicéville,1887
 30323) *Zographetus ogygia andamana* Evans,1926 (Hesperiidae) Synonym(s): *andamana* Evans,1926
 30324) *Zographetus ogygia durga* (Plötz,1884) (Hesperiidae) Synonym(s): *durga* Plötz,1884
 30325) *Zographetus ogygia ogygia* (Hewitson,1866) (Hesperiidae) Synonym(s): *ogygia* Hewitson,1866; *flavipennis* De Nicéville,1885; *flavulum* De Nicéville,1887
 30326) *Zographetus ogygioides* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *ogygioides* Elwes & Edwards,1897
 30327) *Zographetus ogygioides ogygioides* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *ogygioides* Elwes & Edwards,1897
 30328) *Zographetus pallens* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *pallens* De Jong & Treadaway,1993
 30329) *Zographetus pallens pallens* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *pallens* De Jong & Treadaway,1993
 30330) *Zographetus rama* (Mabille,1876) (Hesperiidae) Synonym(s): *rama* Mabille,1876; *graeae* De Nicéville,1895; *angulifera* Elwes & Edwards,1897; *dawna* Evans,1926
 30331) *Zographetus rama rama* (Mabille,1876) (Hesperiidae) Synonym(s): *rama* Mabille,1876; *graeae* De Nicéville,1895; *angulifera* Elwes & Edwards,1897; *dawna* Evans,1926
 30332) *Zographetus satwa* (De Nicéville,1884) (Hesperiidae) Synonym(s): *satwa* De Nicéville,1884
 30333) *Zographetus satwa satwa* (De Nicéville,1884) (Hesperiidae) Synonym(s): *satwa* De Nicéville,1884
 30334) *Zophopetes cerymica* (Hewitson,1867) (Hesperiidae) Synonym(s):
 30335) *Zophopetes dysmephila* (Trimen,1868) (Hesperiidae) Synonym(s):
 30336) *Zophopetes ganda* Evans,1937 (Hesperiidae) Synonym(s):
 30337) *Zophopetes haifa* Evans,1937 (Hesperiidae) Synonym(s):
 30338) *Zophopetes nobilior* (Holland,1896) (Hesperiidae) Synonym(s):
 30339) *Zopyrion sandace* Godman & Salvin,1896 (Hesperiidae) Synonym(s): *sandace* Godman & Salvin,1896
 30340) *Heterogynis andalusica* Daniel,1966 (Heterogynidae) Synonym(s): *andalusica* Daniel,1966
 30341) *Heterogynis canalensis* Chapman,1904 (Heterogynidae) Synonym(s): ? *hispana* Rambur,1837; *canalensis* Chapman,1904
 30342) *Heterogynis eremita* Zilli, Cianchi, Racheli & Bullini,1988 (Heterogynidae) Synonym(s): *eremita* Zilli, Cianchi, Racheli & Bullini,1988
 30343) *Heterogynis jellaba* De Freina,2003 (Heterogynidae) Synonym(s): *jellaba* De Freina,2003

- 30344) *Heterogynis paradoxa* Rambur,1837 (Heterogynidae) Synonym(s): *paradoxa* Rambur,1837
 30345) *Heterogynis penella* (Hübner,[1819]) (Heterogynidae) Synonym(s): *penella* Hübner,[1819]; *affinis* Rambur,1837; *erotica* Graslin,1850; *affiniella* Bruand,1853; *dubia* Schmidt,1860
 30346) *Heterogynis rifensis* De Freina,2003 (Heterogynidae) Synonym(s): *rifensis* De Freina,2003
 30347) *Heterogynis thomas Zilli*,1987 (Heterogynidae) Synonym(s): *thomas* Zilli,1987
 30348) *Doratopteryx afra* Rogenhofer,1884 (Himantopteridae) Synonym(s): *afra* Rogenhofer,1884
 30349) *Doratopteryx camerunica* M.Hering,1937 (Himantopteridae) Synonym(s): *camerunica* M.Hering,1937
 30350) *Doratopteryx collarti* M.Hering,1937 (Himantopteridae) Synonym(s): *collarti* M.Hering,1937
 30351) *Doratopteryx dissemurus* Kiriakoff,1963 (Himantopteridae) Synonym(s): *dissemurus* Kiriakoff,1963
 30352) *Doratopteryx filipennis* M.Hering,1937 (Himantopteridae) Synonym(s): *filipennis* M.Hering,1937
 30353) *Doratopteryx flavomaculata* M.Hering,1937 (Himantopteridae) Synonym(s): *flavomaculata* M.Hering,1937
 30354) *Doratopteryx fulva* M.Hering,1937 (Himantopteridae) Synonym(s): *fulva* M.Hering,1937
 30355) *Doratopteryx laticauda* M.Hering,1937 (Himantopteridae) Synonym(s): *laticauda* M.Hering,1937
 30356) *Doratopteryx latipennis* M.Hering,1937 (Himantopteridae) Synonym(s): *latipennis* M.Hering,1937
 30357) *Doratopteryx plumigera* Butler,1888 (Himantopteridae) Synonym(s): *plumigera* Butler,1888
 30358) *Doratopteryx steniptera* Hampson,1919 (Himantopteridae) Synonym(s): *steniptera* Hampson,1919
 30359) *Doratopteryx xanthomelas* Rothschild & Jordan,1903 (Himantopteridae) Synonym(s): *xanthomelas* Rothschild & Jordan,1903
 30360) *Doratopteryx zopheropa* Bethune-Baker,1911 (Himantopteridae) Synonym(s): *zopheropa* Bethune-Baker,1911
 30361) *Himantopterus caudata* (Moore,1879) (Himantopteridae) Synonym(s): *caudata* Moore,1879
 30362) *Himantopterus dohertyi* (Elwes,1890) (Himantopteridae) Synonym(s): *dohertyi* Elwes,1890; *elwesi* Jordan,1907
 30363) *Himantopterus fuscineris* Wesmael,1836 (Himantopteridae) Synonym(s): *fuscineris* Wesmael,1836
 30364) *Himantopterus papilionaria* Walker,1864 (Himantopteridae) Synonym(s): *papilionaria* Walker,1864
 30365) *Himantopterus venatus* Strand,1914 (Himantopteridae) Synonym(s): *venatus* Strand,1914
 30366) *Himantopterus zaida* (Doubleday,1843) (Himantopteridae) Synonym(s): *zaida* Doubleday,1843; *flavescens* Jordan,1907
 30367) *Pedoptila catori* Bethune-Baker,1911 (Himantopteridae) Synonym(s): *catori* Bethune-Baker,1911
 30368) *Pedoptila nemopteridia* Butler,1885 (Himantopteridae) Synonym(s): *nemopteridia* Butler,1885
 30369) *Pedoptila nigrocristata* Joicey & Talbot,1921 (Himantopteridae) Synonym(s): *nigrocristata* Joicey & Talbot,1921
 30370) *Pedoptila thales* Druce,1907 (Himantopteridae) Synonym(s): *thales* Druce,1907
 30371) *Pedoptila ubangiana* Schultze,1931 (Himantopteridae) Synonym(s): *ubangiana* Schultze,1931
 30372) *Pseudothymara staudingeri* (Rogenhofer,1888) (Himantopteridae) Synonym(s): *staudingeri* Rogenhofer,1888
 30373) *Semioptila ansorgei* Rothschild,1907 (Himantopteridae) Synonym(s): *ansorgei* Rothschild,1907
 30374) *Semioptila axine* M.Hering,1937 (Himantopteridae) Synonym(s): *axine* M.Hering,1937
 30375) *Semioptila banghaasi* M.Hering,1937 (Himantopteridae) Synonym(s): *banghaasi* M.Hering,1937
 30376) *Semioptila brachyura* M.Hering,1937 (Himantopteridae) Synonym(s): *brachyura* M.Hering,1937
 30377) *Semioptila brevicauda* M.Hering,1937 (Himantopteridae) Synonym(s): *brevicauda* M.Hering,1937
 30378) *Semioptila constans* M.Hering,1937 (Himantopteridae) Synonym(s): *constans* M.Hering,1937
 30379) *Semioptila dolicholoba* Hampson,1919 (Himantopteridae) Synonym(s): *dolicholoba* Hampson,1919
 30380) *Semioptila flavidiscata* Hampson,1910 (Himantopteridae) Synonym(s): *flavidiscata* Hampson,1910
 30381) *Semioptila fulveolans* (Mabille,1897) (Himantopteridae) Synonym(s): *fulveolans* Mabille,1897
 30382) *Semioptila hedydipna* Kiriakoff,1954 (Himantopteridae) Synonym(s): *hedydipna* Kiriakoff,1954
 30383) *Semioptila hilaris* Rebel,1906 (Himantopteridae) Synonym(s): *hilaris* Rebel,1906
 30384) *Semioptila hyalina* Talbot,1926 (Himantopteridae) Synonym(s): *hyalina* Talbot,1926
 30385) *Semioptila latifulva* Hampson,1919 (Himantopteridae) Synonym(s): *latifulva* Hampson,1919
 30386) *Semioptila longipennis* M.Hering,1937 (Himantopteridae) Synonym(s): *longipennis* M.Hering,1937
 30387) *Semioptila lufirensis* Joicey & Talbot,1921 (Himantopteridae) Synonym(s): *lufirensis* Joicey & Talbot,1921
 30388) *Semioptila lydia* Weymer,1908 (Himantopteridae) Synonym(s): *lydia* Weymer,1908
 30389) *Semioptila macrodipteryx* Kiriakoff,1954 (Himantopteridae) Synonym(s): *macrodipteryx* Kiriakoff,1954
 30390) *Semioptila marshalli* Rothschild,1907 (Himantopteridae) Synonym(s): *marshalli* Rothschild,1907
 30391) *Semioptila monochroma* M.Hering,1932 (Himantopteridae) Synonym(s): *monochroma* M.Hering,1932
 30392) *Semioptila opaca* M.Hering,1937 (Himantopteridae) Synonym(s): *opaca* M.Hering,1937
 30393) *Semioptila overlaeti* M.Hering,1937 (Himantopteridae) Synonym(s): *overlaeti* M.Hering,1937
 30394) *Semioptila papilionaria* (Walker,1864) (Himantopteridae) Synonym(s): *papilionaria* Walker,1864
 30395) *Semioptila psalidoprocne* Kiriakoff,1954 (Himantopteridae) Synonym(s): *psalidoprocne* Kiriakoff,1954
 30396) *Semioptila satanas* M.Hering,1937 (Himantopteridae) Synonym(s): *satanas* M.Hering,1937
 30397) *Semioptila semiflava* Talbot,1928 (Himantopteridae) Synonym(s): *semiflava* Talbot,1928
 30398) *Semioptila seminigra* Talbot,1928 (Himantopteridae) Synonym(s): *seminigra* Talbot,1928
 30399) *Semioptila spatulipennis* M.Hering,1937 (Himantopteridae) Synonym(s): *spatulipennis* M.Hering,1937
 30400) *Semioptila splendida* M.Hering,1937 (Himantopteridae) Synonym(s): *splendida* M.Hering,1937
 30401) *Semioptila stenopteryx* M.Hering,1932 (Himantopteridae) Synonym(s): *stenopteryx* M.Hering,1932
 30402) *Semioptila torta* Butler,1887 (Himantopteridae) Synonym(s): *torta* Butler,1887
 30403) *Semioptila torta mashuna* Rothschild,1907 (Himantopteridae) Synonym(s): *mashuna* Rothschild,1907
 30404) *Semioptila trogloba* Hampson,1919 (Himantopteridae) Synonym(s): *trogloba* Hampson,1919
 30405) *Semioptila trogloba xanthophila* M.Hering,1937 (Himantopteridae) Synonym(s): *xanthophila* M.Hering,1937
 30406) *Semioptila ursula* M.Hering,1937 (Himantopteridae) Synonym(s): *ursula* M.Hering,1937
 30407) *Semioptila vinculum* M.Hering,1937 (Himantopteridae) Synonym(s): *vinculum* M.Hering,1937
 30408) *Hyblaea constellata* Guenée,1852 (Hyblaeidae) Synonym(s): *constellata* Guenée,1852; *contraria* Walker,1865; *#triflagiata* Strand,1919
 30409) *Hyblaea fontainei* Berio,1967 (Hyblaeidae) Synonym(s): *fontainei* Berio,1967
 30410) *Hyblaea ibidias* Turner,1902 (Hyblaeidae) Synonym(s): *ibidias* Turner,1902; *joiceyi* Prout,1919
 30411) *Hyblaea occidentalis* Holland,1894 (Hyblaeidae) Synonym(s): *occidentalis* Holland,1894; *flavifasciata* Hampson,1910; *flavipicta* Hampson,1910; *inferna* Gaede,1917; *dilatata* Gaede,1917; *rosacea* Gaede,1917; *euryzona* Prout,1921.
 30412) *Hyblaea puer* (Cramer,[1777]) (Hyblaeidae) Synonym(s): *puer* Cramer,[1777]; *saga* Fabricius,1787; *unxia* Hübner,[1813]; *apricans* Boisduval,1833; *limacodella* Walker,1866; *mirificum* Strecker,1876; *#nigra* Stebbing,1903; *insula* Gaede,1917.
 30413) *Hyblaea sanguinea* Gaede,1917 (Hyblaeidae) Synonym(s): *sanguinea* Gaede,1917
 30414) *Hyblaea synaema* Turner,1902 (Hyblaeidae) Synonym(s): *synaema* Turner,1902
 30415) *Alampla arcifraga* (Meyrick,1914) (Immididae) Synonym(s): *arcifraga* Meyrick,1914
 30416) *Alampla palaeodes* (Meyrick,1914) (Immididae) Synonym(s): *palaeodes* Meyrick,1914; *cretotrigalis* Caradja,1925
 30417) *Imma auxobathra* Meyrick,1906 (Immididae) Synonym(s): *auxobathra* Meyrick,1906
 30418) *Imma caelestis* Meyrick,1906 (Immididae) Synonym(s): *caelestis* Meyrick,1906
 30419) *Imma diluticiliata* Walsingham,1900 (Immididae) Synonym(s): *diluticiliata* Walsingham,1900
 30420) *Imma flammula* Diakonoff,1978 (Immididae) Synonym(s): *flammula* Diakonoff,1978
 30421) *Imma mackwoodii* (Moore,1887) (Immididae) Synonym(s): *mackwoodii* Moore,1887
 30422) *Imma monocosma* Diakonoff & Arita,1979 (Immididae) Synonym(s): *monocosma* Diakonoff & Arita,1979
 30423) *Imma semicitra* Meyrick,1937 (Immididae) Synonym(s): *semicitra* Meyrick,1937
 30424) *Imma tetrope* (Diakonoff,1978) (Immididae) Synonym(s): *tetrope* Diakonoff,1978
 30425) *Imma torophracta* Meyrick,1935 (Immididae) Synonym(s): *torophracta* Meyrick,1935; *hoenei* Caradja,1938
 30426) *Imma transversella* Snellen,1878 (Immididae) Synonym(s): *transversella* Snellen,1878
 30427) *Moca auxobathra* Meyrick,1906 (Immididae) Synonym(s): *auxobathra* Meyrick,1906
 30428) *Alloclemensia devotella* Rebel,1893 (Incurvariidae) Synonym(s): *devotella* Rebel,1893
 30429) *Alloclemensia mesospilella* (Herrich-Schäffer,1854) (Incurvariidae) Synonym(s): *mesospilella* Herrich-Schäffer,1854; *quadrimaculella* Höfner,1876

- 30430) *Excurvaria praelatella* ([Denis & Schiffermüller],1775) (Incurvariidae) Synonym(s): *praelatella* [Denis & Schiffermüller],1775; *decemguttella* Fabricius,1794.
- 30431) *Incurvaria circulella* (Zetterstedt,1839) (Incurvariidae) Synonym(s): *circulella* Zetterstedt,1839
- 30432) *Incurvaria evocata* (Meyrick,1924) (Incurvariidae) Synonym(s): *evocata* Meyrick,1924
- 30433) *Incurvaria masculella* ([Denis & Schiffermüller],1775) (Incurvariidae) Synonym(s): *masculella* [Denis & Schiffermüller],1775; *muscula* Haworth,[1828]; *spuria* Haworth,[1828].
- 30434) *Incurvaria oehlmanniella* (Hübner,1796) (Incurvariidae) Synonym(s): *oehlmanniella* Hübner,1796; *oehlmanni* Haworth,1828; *schoenherrella* Zetterstedt,1839; *unitipallidella* Bruand,1859
- 30435) *Incurvaria pectinea* Haworth,[1828] (Incurvariidae) Synonym(s): *pectinella* Fabricius,1787 nec [Denis & Schiff.],1775; *pectinea* Haworth,[1828]; *zinckenii* Zeller,1839; *zinckeniella* Duponchel,[1845]; *zinckenella* Doubleday,1859; *tumorifica* Amerling,1860
- 30436) *Incurvaria ploessli* Huemer,1993 (Incurvariidae) Synonym(s): *ploessli* Huemer,1993
- 30437) *Incurvaria triglavensis* Hauder,1912 (Incurvariidae) Synonym(s): *triglavensis* Hauder,1912
- 30438) *Incurvaria vetulella* (Zetterstedt,1839) (Incurvariidae) Synonym(s): *vetulella* Zetterstedt,1839
- 30439) *Paraclemensia cyanella* (Zeller,1850) (Incurvariidae) Synonym(s): *cyanella* Zeller,1850; *europaea* Davis,1975
- 30440) *Phylloporia bistrigella* (Haworth,1828) (Incurvariidae) Synonym(s): *bistrigella* Haworth,1828; *abalienella* Zetterstedt,1839; *subammanella* Stainton,1849; *dilorella* Herrich-Schäffer,1851; *labradorella* Clemens,1864; *aureovireus* Dietz,1905
- 30441) *Anticrates agrippina* Meyrick,1930 (Lacturidae) Synonym(s): *agrippina* Meyrick,1930
- 30442) *Anticrates anticlina* Meyrick,1907 (Lacturidae) Synonym(s): *anticlina* Meyrick,1907
- 30443) *Anticrates argyropilantha* Meyrick,1938 (Lacturidae) Synonym(s): *argyropilantha* Meyrick,1938
- 30444) *Anticrates argyropilantha chrysaema* Diakonoff,1955 (Lacturidae) Synonym(s): *chrysaema* Diakonoff,1955
- 30445) *Anticrates autobrocha* Meyrick,1922 (Lacturidae) Synonym(s): *autobrocha* Meyrick,1922
- 30446) *Anticrates chrysantha* Meyrick,1905 (Lacturidae) Synonym(s): *chrysantha* Meyrick,1905
- 30447) *Anticrates crocophaea* Meyrick,1921 (Lacturidae) Synonym(s): *crocophaea* Meyrick,1921
- 30448) *Anticrates despotica* Meyrick,1926 (Lacturidae) Synonym(s): *despotica* Meyrick,1926
- 30449) *Anticrates eulimna* Meyrick,1913 (Lacturidae) Synonym(s): *eulimna* Meyrick,1913
- 30450) *Anticrates metreta* (Turner,1903) (Lacturidae) Synonym(s): *metreta* Turner,1903
- 30451) *Anticrates paraxantha* (Meyrick,1907) (Lacturidae) Synonym(s): *paraxantha* Meyrick,1907
- 30452) *Anticrates phaedima* Turner,1913 (Lacturidae) Synonym(s): *phaedima* Turner,1913
- 30453) *Anticrates zapya* Meyrick,1907 (Lacturidae) Synonym(s): *zapyra* Meyrick,1907
- 30454) *"Lasiocampa" angulifera* Walker,1865 (Lasiocampidae) Synonym(s): *angulifera* Walker,1865
- 30455) *Alompra ferruginea* Moore,1872 (Lasiocampidae) Synonym(s): *ferruginea* Moore,1872
- 30456) *Alompra roepkei* Tams,1953 (Lasiocampidae) Synonym(s): *roepkei* Tams,1953
- 30457) *Amurilla rubra* (Hampson,1896) (Lasiocampidae) Synonym(s): *rubra* Hampson,1896
- 30458) *Amurilla rubra gloria* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *gloria* Zolotuhin,2005
- 30459) *Amurilla rubra rubra* (Hampson,1896) (Lasiocampidae) Synonym(s): *rubra* Hampson,1896
- 30460) *Amurilla subpurpurea* (Butler,1881) (Lasiocampidae) Synonym(s): *subpurpurea* Butler,1881
- 30461) *Amurilla subpurpurea obscurior* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *obscurior* Zolotuhin & Witt,2000
- 30462) *Anadias affinis* Aurivillius,1911 (Lasiocampidae) Synonym(s): *affinis* Aurivillius,1911; *swierstrai* Aurivillius,1922
- 30463) *Anadias fuscifasciata* Aurivillius,1922 (Lasiocampidae) Synonym(s): *fuscifasciata* Aurivillius,1922
- 30464) *Anadias jansei* Aurivillius,1927 (Lasiocampidae) Synonym(s): *jansei* Aurivillius,1927
- 30465) *Anadias punctifascia* (Walker,1855) (Lasiocampidae) Synonym(s): *punctifascia* Walker,1855; *sobria* Walker,1865.
- 30466) *Anadias schoenheiti* (Wichgraff,1922) (Lasiocampidae) Synonym(s): *schoenheiti* Wichgraff,1922
- 30467) *Argonestis flammans* (Hampson,1892) (Lasiocampidae) Synonym(s): *flammans* Hampson,1892
- 30468) *Arguda decurtata* Moore,1879 (Lasiocampidae) Synonym(s): *decurtata* Moore,1879
- 30469) *Arguda era* Zolotuhin,[2006] (Lasiocampidae) Synonym(s): *era* Zolotuhin,[2006]
- 30470) *Arguda insulindiana* De Lajonquière,1977 (Lasiocampidae) Synonym(s): *insulindiana* De Lajonquière,1977
- 30471) *Arguda insulindiana inexpectata* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *inexpectata* Zolotuhin & Witt,2000
- 30472) *Arguda insulindiana insulindiana* De Lajonquière,1977 (Lasiocampidae) Synonym(s): *insulindiana* De Lajonquière,1977
- 30473) *Arguda magnifica* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *magnifica* Zolotuhin,2005
- 30474) *Arguda rectilinea* Hampson,[1893] (Lasiocampidae) Synonym(s): *rectilinea* Hampson,[1893]
- 30475) *Arguda sandrae* Zwick,1998 (Lasiocampidae) Synonym(s): *sandrae* Zwick,1998
- 30476) *Arguda sandrae boica* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *boica* Zolotuhin,2005
- 30477) *Arguda sandrae sandrae* Zwick,1998 (Lasiocampidae) Synonym(s): *sandrae* Zwick,1998
- 30478) *Arguda tayana* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *tayana* Zolotuhin & Witt,2000
- 30479) *Arguda thaica* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *thaica* Zolotuhin,2005
- 30480) *Arguda viettei* De Lajonquière,1977 (Lasiocampidae) Synonym(s): *viettei* De Lajonquière,1977
- 30481) *Arguda vinata* (Moore,1865) (Lasiocampidae) Synonym(s): *vinata* Moore,1865
- 30482) *Arguda vinata nepalina* Kishida,1992 (Lasiocampidae) Synonym(s): *nepalina* Kishida,1992
- 30483) *Arguda vinata vinata* (Moore,1865) (Lasiocampidae) Synonym(s): *vinata* Moore,1865
- 30484) *Berelade jordani* Tams,1936 (Lasiocampidae) Synonym(s): *jordani* Tams,1936
- 30485) *Berelade perobliqua* Walker,1855 (Lasiocampidae) Synonym(s): *perobliqua* Walker,1855; *fumosa* Distant,1897.
- 30486) *Berelade signinervis* Strand,1912 (Lasiocampidae) Synonym(s): *signinervis* Strand,1912
- 30487) *Berelade wallengreni* Aurivillius,1892 (Lasiocampidae) Synonym(s): *obliquata sensu* Klug nec Walleng.,1865; *wallengreni* Aurivillius,1892
- 30488) *Bharetta cinnamomea* Moore,[1866] (Lasiocampidae) Synonym(s): *cinnamomea* Moore,[1866]
- 30489) *Bharetta owadai* Kishida,1986 (Lasiocampidae) Synonym(s): *owadai* Kishida,1986
- 30490) *Bombycomorpha bifascia* (Walker,1855) (Lasiocampidae) Synonym(s): *bifascia* Walker,1855; *nupta* R.Felder,1874
- 30491) *Bombycomorpha pallida* Distant,1897 (Lasiocampidae) Synonym(s): *pallida* Distant,1897
- 30492) *Bombycopsis bipars* (Walker,1855) (Lasiocampidae) Synonym(s): *bipars* Walker,1855; *incompta* Walker,1855
- 30493) *Bombycopsis capicola* Aurivillius,1921 (Lasiocampidae) Synonym(s): *capicola* Aurivillius,1921
- 30494) *Bombycopsis das M.Hering*,1929 (Lasiocampidae) Synonym(s): *das M.Hering*,1929
- 30495) *Bombycopsis indecora* (Walker,1865) (Lasiocampidae) Synonym(s): *indecora* Walker,1865
- 30496) *Bombycopsis metallica* (Distant,1898) (Lasiocampidae) Synonym(s): *metallica* Distant,1898
- 30497) *Bombycopsis nigrovittata* Aurivillius,1927 (Lasiocampidae) Synonym(s): *nigrovittata* Aurivillius,1927; *#nigrovittata* Pinhey,1975
- 30498) *Bombycopsis ochroleuca* Felder,1874 (Lasiocampidae) Synonym(s): *ochroleuca* R.Felder,1874
- 30499) *Bombycopsis venosa* (Butler,1895) (Lasiocampidae) Synonym(s): *venosa* Butler,1895
- 30500) *Bufoidia ledereri* (Koçak,1981) (Lasiocampidae) Synonym(s): *bufo* Lederer,1861 nec Fabr.,1787; *ledereri* Koçak,1981.
- 30501) *Catelebeda cuneilinea* (Walker,1856) (Lasiocampidae) Synonym(s): *cuneilinea* Walker,1856; *bimaculata* Walker,1865
- 30502) *Catelebeda discocellularis* Strand,1912 (Lasiocampidae) Synonym(s): *discocellularis* Strand,1912
- 30503) *Catelebeda jamesoni* (Bethune-Baker,1908) (Lasiocampidae) Synonym(s): *jamesoni* Bethune-Baker,1908
- 30504) *Cerberolebeda styx* Zolotuhin,1995 (Lasiocampidae) Synonym(s): *styx* Zolotuhin,1995
- 30505) *Chondrostega aurivillii* Püngeler,1902 (Lasiocampidae) Synonym(s): *aurivillii* Püngeler,1902
- 30506) *Chondrostega constantinum* Aurivillius,1898 (Lasiocampidae) Synonym(s): *constantinum* Aurivillius,1898
- 30507) *Chondrostega fascianum* Staudinger,1892 (Lasiocampidae) Synonym(s): *fascianum* Staudinger,1892
- 30508) *Chondrostega fascianum fascianum* Staudinger,1892 (Lasiocampidae) Synonym(s): *fascianum* Staudinger,1892
- 30509) *Chondrostega fascianum feisali* Wiltshire,1941 (Lasiocampidae) Synonym(s): *feisali* Wiltshire,1941
- 30510) *Chondrostega longespinitum* Aurivillius,1894 (Lasiocampidae) Synonym(s): *longespinitum* Aurivillius,1894
- 30511) *Chondrostega murina* Aurivillius,1927 (Lasiocampidae) Synonym(s): *murina* Aurivillius,1927
- 30512) *Chondrostega osthelderi* Püngeler,1925 (Lasiocampidae) Synonym(s): *osthelderi* Püngeler,1925
- 30513) *Chondrostega pastranum* Lederer,1858 (Lasiocampidae) Synonym(s): *pastranum* Lederer,1858; *hyrcanum* Staudinger,1871
- 30514) *Chondrostega palaeastranum* Staudinger,1892 (Lasiocampidae) Synonym(s): *palaeastranum* Staudinger,1892

- 30515) *Chondrostega pastranum pastranum* Lederer, 1858 (Lasiocampidae) Synonym(s): *pastranum* Lederer, 1858
 30516) *Chondrostega pauli* Gaede, 1932 (Lasiocampidae) Synonym(s): *pauli* Gaede, 1932
 30517) *Chondrostega pauli pauli* Gaede, 1932 (Lasiocampidae) Synonym(s): *pauli* Gaede, 1932
 30518) *Chondrostega ruficornis* Aurivillius, 1921 (Lasiocampidae) Synonym(s): *ruficornis* Aurivillius, 1921
 30519) *Chondrostega subfasciatum* (Klug, 1832) (Lasiocampidae) Synonym(s): *subfasciatum* Klug, 1832
 30520) *Chondrostega vandalicium* (Millière, 1865) (Lasiocampidae) Synonym(s): *vandalicia* Millière, 1865
 30521) *Chondrostegoides capensis* Aurivillius, 1905 (Lasiocampidae) Synonym(s): *capensis* Aurivillius, 1905
 30522) *Chonopla modulata* (Swinhoe, 1890) (Lasiocampidae) Synonym(s): *modulata* Swinhoe, 1890
 30523) *Chonopla tecta* De Lajonquière, 1979 (Lasiocampidae) Synonym(s): *tecta* De Lajonquière, 1979
 30524) *Chrysopsyche bivittata* Aurivillius, 1927 (Lasiocampidae) Synonym(s): *bivittata* Aurivillius, 1927
 30525) *Chrysopsyche imparilis* Aurivillius, 1905 (Lasiocampidae) Synonym(s): *imparilis* Aurivillius, 1905; *ladburyi* Bethune-Baker, 1911
 30526) *Chrysopsyche lutulenta* Tams, 1923 (Lasiocampidae) Synonym(s): *lutulenta* Tams, 1923
 30527) *Cosmeptera monstrosa* Zolotuhin & Witt, 2000 (Lasiocampidae) Synonym(s): *monstrosa* Zolotuhin & Witt, 2000
 30528) *Cosmeptera salvazai* De Lajonquière, 1979 (Lasiocampidae) Synonym(s): *salvazai* De Lajonquière, 1979
 30529) *Cosmotriche lobulina* (Denis & Schiffermüller, 1775) (Lasiocampidae) Synonym(s): *#lobulina* [Denis & Schiffermüller], 1775
 30530) *Craspia marshalli* Aurivillius, 1909 (Lasiocampidae) Synonym(s): *marshalli* Aurivillius, 1909; *rhypara* Hering, 1929
 30531) *Craspia wahlbergi* Aurivillius, 1909 (Lasiocampidae) Synonym(s): *wahlbergi* Aurivillius, 1909
 30532) *Crinocraspeda torrida* (Moore, 1879) (Lasiocampidae) Synonym(s): *torrida* Moore, 1879
 30533) *Crinocraspeda torrida torrida* (Moore, 1879) (Lasiocampidae) Synonym(s): *torrida* Moore, 1879
 30534) *Cymatopacha obscura* Aurivillius, 1921 (Lasiocampidae) Synonym(s): *obscura* Aurivillius, 1921
 30535) *Dendrolimus angulata* Gaede, 1932 (Lasiocampidae) Synonym(s): *angulata* Gaede, 1932
 30536) *Dendrolimus grisea* (Moore, 1879) (Lasiocampidae) Synonym(s): *grisea* Moore, 1879; *houi* De Lajonquière, 1979
 30537) *Dendrolimus kikuchii* Matsumura, 1927 (Lasiocampidae) Synonym(s): *kikuchii* Matsumura, 1927
 30538) *Dendrolimus kikuchii hainanensis* Tsai & Hou, 1980 (Lasiocampidae) Synonym(s): *hainanensis* Tsai & Hou, 1980
 30539) *Dendrolimus kikuchii kikuchii* Matsumura, 1927 (Lasiocampidae) Synonym(s): *kikuchii* Matsumura, 1927
 30540) *Dendrolimus kikuchii ochraceus* Tsai & Liu, 1962 (Lasiocampidae) Synonym(s): *ochraceus* Tsai & Liu, 1962
 30541) *Dendrolimus klapperichi* Wiltshire, 1958 (Lasiocampidae) Synonym(s): *klapperichi* Wiltshire, 1958
 30542) *Dendrolimus liliput* Zolotuhin & Witt, 2000 (Lasiocampidae) Synonym(s): *liliput* Zolotuhin & Witt, 2000
 30543) *Dendrolimus pini* (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *pini* Linnaeus, 1758; *paulae* Daniel, 1959; *adriatica* Michieli, 1959
 30544) *Dendrolimus pini corsaria* Schawerda, 1926 (Lasiocampidae) Synonym(s): *corsaria* Schawerda, 1926
 30545) *Dendrolimus pini pini* (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *pini* Linnaeus, 1758; *paulae* Daniel, 1959; *adriatica* Michieli, 1959
 30546) *Dendrolimus pini witti* De Freina, 1979 (Lasiocampidae) Synonym(s): *witti* De Freina, 1979
 30547) *Dendrolimus punctata* (Walker, 1855) (Lasiocampidae) Synonym(s): *punctata* Walker, 1855
 30548) *Dendrolimus punctata glados* Zolotuhin & Witt, 2000 (Lasiocampidae) Synonym(s): *glados* Zolotuhin & Witt, 2000
 30549) *Dendrolimus senex* Zolotuhin, 2002 (Lasiocampidae) Synonym(s): *senex* Zolotuhin, 2002
 30550) *Dinometa maputuana* (Wichgraff, 1906) (Lasiocampidae) Synonym(s): *maputuana* Wichgraff, 1906
 30551) *Dollmania cuprea* (Distant, 1897) (Lasiocampidae) Synonym(s): *cuprea* Distant, 1897
 30552) *Dollmania flava* (Fawcett, 1915) (Lasiocampidae) Synonym(s): *flavia* Fawcett, 1915
 30553) *Dollmania plinthochroa* Tams, 1930 (Lasiocampidae) Synonym(s): *plinthochroa* Tams, 1930
 30554) *Dollmania purpurascens* (Aurivillius, 1909) (Lasiocampidae) Synonym(s): *purpurascens* Aurivillius, 1909; *reussi* Strand, 1913; *marwitzii* Strand, 1913
 30555) *Epichnapteroides fuliginosa* Pinhey, 1973 (Lasiocampidae) Synonym(s): *fuliginosa* Pinhey, 1973
 30556) *Epichnapteroides lobata* Strand, 1913 (Lasiocampidae) Synonym(s): *lobata* Strand, 1913
 30557) *Epichnapteroides marmorata* Pinhey, 1973 (Lasiocampidae) Synonym(s): *marmorata* Pinhey, 1973
 30558) *Epitralaba argenteoguttata* (Aurivillius, 1909) (Lasiocampidae) Synonym(s): *argenteoguttata* Aurivillius, 1909
 30559) *Epitralaba nyassana* (Aurivillius, 1909) (Lasiocampidae) Synonym(s): *nyassana* Aurivillius, 1909; *horridula* Tams, 1925
 30560) *Eriogaster acanthophylli* Christoph, 1882 (Lasiocampidae) Synonym(s): *acanthophylli* Christoph, 1882
 30561) *Eriogaster arbusculae* (Freyer, 1849) (Lasiocampidae) Synonym(s): *arbusculae* Freyer, 1849
 30562) *Eriogaster catax* (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *catax* Linnaeus, 1758; *lentipes* Esper, 1783
 30563) *Eriogaster czipkai* De Lajonquière, 1975 (Lasiocampidae) Synonym(s): *czipkai* De Lajonquière, 1975
 30564) *Eriogaster daralagesis* Zolotuhin, 1991 (Lasiocampidae) Synonym(s): *daralagesis* Zolotuhin, 1991
 30565) *Eriogaster henkei* Staudinger, 1879 (Lasiocampidae) Synonym(s): *henkei* Staudinger, 1879
 30566) *Eriogaster lanestrus* (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *lanestrus* Linnaeus, 1758; *senecta* Graeser, 1888
 30567) *Eriogaster neogena* (Fischer Waldheim, 1824) (Lasiocampidae) Synonym(s): *neogena* Fischer Waldheim, 1824
 30568) *Eriogaster neogena neogena* (Fischer Waldheim, 1824) (Lasiocampidae) Synonym(s): *neogena* Fischer Waldheim, 1824
 30569) *Eriogaster neogena ruckbeili* (Graeser, 1892) (Lasiocampidae) Synonym(s): *ruckbeili* Graeser, 1892; *sokolowi* O. Bang-Haas, 1934.
 30570) *Eriogaster nippei* De Freina, 1988 (Lasiocampidae) Synonym(s): *nippei* De Freina, 1988
 30571) *Eriogaster pfeifferi* Daniel, 1932 (Lasiocampidae) Synonym(s): *pfeifferi* Daniel, 1932; *amygdali* Wiltshire, 1941
 30572) *Eriogaster pfeifferi pfeifferi* Daniel, 1932 (Lasiocampidae) Synonym(s): *pfeifferi* Daniel, 1932; *amygdali* Wiltshire, 1941
 30573) *Eriogaster pfeifferi talhouki* Wiltshire, 1976 (Lasiocampidae) Synonym(s): *talhouki* Wiltshire, 1976
 30574) *Eriogaster philippi* Bartel, 1911 (Lasiocampidae) Synonym(s): *philippi* Bartel, 1911
 30575) *Eriogaster reshoeffti* Schulte & Witt, 1975 (Lasiocampidae) Synonym(s): *reshoeffti* Schulte & Witt, 1975
 30576) *Eriogaster rimicola* (Schränk, 1802) (Lasiocampidae) Synonym(s): *#rimicola* [Denis & Schiffermüller], 1775; *rimicola* Schränk, 1802
 30577) *Eriogaster rimicola hackeri* De Freina, 1999 (Lasiocampidae) Synonym(s): *hackeri* De Freina, 1999
 30578) *Eriogaster rimicola dispersa* Staudinger, 1879 (Lasiocampidae) Synonym(s): *dispersa* Staudinger, 1879
 30579) *Eriogaster rimicola rimicola* (Schränk, 1802) (Lasiocampidae) Synonym(s): *#rimicola* [Denis & Schiffermüller], 1775; *rimicola* Schränk, 1802
 30580) *Eteinopla narcissus* Zolotuhin, 1995 (Lasiocampidae) Synonym(s): *narcissus* Zolotuhin, 1995
 30581) *Eteinopla signata* (Moore, 1879) (Lasiocampidae) Synonym(s): *signata* Moore, 1879
 30582) *Eucraera gemmata* (Distant, 1897) (Lasiocampidae) Synonym(s): *gemmata* Distant, 1897
 30583) *Eucraera koellikeri* (Dewitz, 1881) (Lasiocampidae) Synonym(s): *koellikeri* Dewitz, 1881
 30584) *Eucraera salambo* (Vuillot, 1892) (Lasiocampidae) Synonym(s): *salambo* Vuillot, 1892
 30585) *Euthrix alessa* Zolotuhin & Witt, 2000 (Lasiocampidae) Synonym(s): *alessa* Zolotuhin & Witt, 2000
 30586) *Euthrix decisa* (Walker, 1855) (Lasiocampidae) Synonym(s): *decisa* Walker, 1855
 30587) *Euthrix fossa* (Swinhoe, 1879) (Lasiocampidae) Synonym(s): *fossa* Swinhoe, 1879
 30588) *Euthrix fossa fossa* (Swinhoe, 1879) (Lasiocampidae) Synonym(s): *fossa* Swinhoe, 1879
 30589) *Euthrix fossa mariae* Zolotuhin, 2001 (Lasiocampidae) Synonym(s): *mariae* Zolotuhin, 2001
 30590) *Euthrix fox* Zolotuhin & Witt, 2000 (Lasiocampidae) Synonym(s): *fox* Zolotuhin & Witt, 2000
 30591) *Euthrix imitatrix* (De Lajonquière, 1978) (Lasiocampidae) Synonym(s): *imitatrix* De Lajonquière, 1978
 30592) *Euthrix imitatrix imitatrix* (De Lajonquière, 1978) (Lasiocampidae) Synonym(s): *imitatrix* De Lajonquière, 1978
 30593) *Euthrix imitatrix tonkiensis* (De Lajonquière, 1978) (Lasiocampidae) Synonym(s): *tonkiensis* De Lajonquière, 1978
 30594) *Euthrix improvisa* (De Lajonquière, 1978) (Lasiocampidae) Synonym(s): *improvisa* De Lajonquière, 1978
 30595) *Euthrix inobtrusa* (Walker, 1862) (Lasiocampidae) Synonym(s): *inobtrusa* Walker, 1862
 30596) *Euthrix isocyma* (Hampson, 1892) (Lasiocampidae) Synonym(s): *isocyma* Hampson, 1892
 30597) *Euthrix isocyma orientalis* (Lajonquière, 1978) (Lasiocampidae) Synonym(s): *orientalis* Lajonquière, 1978
 30598) *Euthrix laeta* (Walker, 1855) (Lasiocampidae) Synonym(s): *laeta* Walker, 1855
 30599) *Euthrix laeta austrina* (Lajonquière, 1978) (Lasiocampidae) Synonym(s): *austrina* Lajonquière, 1978
 30600) *Euthrix laeta laeta* (Walker, 1855) (Lasiocampidae) Synonym(s): *laeta* Walker, 1855
 30601) *Euthrix lucipherus* Zolotuhin & Witt, 2000 (Lasiocampidae) Synonym(s): *lucipherus* Zolotuhin & Witt, 2000
 30602) *Euthrix potatoria* (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *potatoria* Linnaeus, 1758
 30603) *Euthrix sherpai* Zolotuhin, 2001 (Lasiocampidae) Synonym(s): *sherpai* Zolotuhin, 2001
 30604) *Euthrix sondensis* (De Lajonquière, 1978) (Lasiocampidae) Synonym(s): *sondensis* De Lajonquière, 1978

- 30605) *Euthrix tangi* (Lajonquière,1978) (Lasiocampidae) Synonym(s): *tangi* Lajonquière,1978
 30606) *Euthrix tenebrosus* Zolotuhin,[2006] (Lasiocampidae) Synonym(s): *tenebrosus* Zolotuhin,[2006]
 30607) *Eutricha albofasciata* (Aurivillius,1921) (Lasiocampidae) Synonym(s): *albofasciata* Aurivillius,1921
 30608) *Eutricha auriflua* (Aurivillius,1908) (Lasiocampidae) Synonym(s): *auriflua* Aurivillius,1908
 30609) *Eutricha bifascia* (Walker,1855) (Lasiocampidae) Synonym(s): *bifascia* Walker,1855
 30610) *Eutricha bilinea* (Walker,1855) (Lasiocampidae) Synonym(s): *bilinea* Walker,1855; *ondulosa* Conte,1906.
 30611) *Eutricha capensis* (Linnaeus,1767) (Lasiocampidae) Synonym(s): *capensis* Linnaeus,1767; *aluco* Fabricius,1781; *pithyocampa* Stoll,1781; *obscura* Walker,1855; *ferruginea* Felder,1874.
 30612) *Eutricha denticula* (Bethune-Baker,1908) (Lasiocampidae) Synonym(s): *denticula* Bethune-Baker,1908; *pallens* Bethune-Baker,1908; *sericeofasciata* Aurivillius,1921; *orientalis* Stoneham,1942.
 30613) *Eutricha fulvida* (Distant,1897) (Lasiocampidae) Synonym(s): *fulvida* Distant,1897
 30614) *Eutricha maeshalli* (Aurivillius,1902) (Lasiocampidae) Synonym(s): *maeshalli* Aurivillius,1902
 30615) *Eutricha morosa* (Walker,1855) (Lasiocampidae) Synonym(s): *morosa* Walker,1855; *richelmanni* Weymer,1892; *drucei* Bethune-Baker,1908.
 30616) *Eutricha phoea* (Druce,1888) (Lasiocampidae) Synonym(s): *phoea* Druce,1888; *mirabilis* Distant,1897
 30617) *Eutricha truncata* (Walker,1855) (Lasiocampidae) Synonym(s): *truncata* Walker,1855; *ligniclusula* Walker,1865; *plagiogramma* Mabille,1880; *picturata* Grünberg,1910; *occidentalis* Strand,1912.
 30618) *Euwallengrenia rectilineata* (Aurivillius,1905) (Lasiocampidae) Synonym(s): *rectilineata* Aurivillius,1905
 30619) *Euwallengrenia reducta* (Walker,1855) (Lasiocampidae) Synonym(s): *reducta* Walker,1855; *caffra* Wallengren,1860
 30620) *Gastropacha (Estigena) koniensis* Tams,1935 (Lasiocampidae) Synonym(s): *koniensis* Tams,1935
 30621) *Gastropacha (Estigena) leopoldi* Tams,1935 (Lasiocampidae) Synonym(s): *leopoldi* Tams,1935
 30622) *Gastropacha (Estigena) pardale* (Walker,1855) (Lasiocampidae) Synonym(s): *pardale* Walker,1855
 30623) *Gastropacha (Estigena) philippinensis* Tams,1935 (Lasiocampidae) Synonym(s): *philippinensis* Tams,1935
 30624) *Gastropacha (Estigena) xenapates* Tams,1935 (Lasiocampidae) Synonym(s): *xenapates* Tams,1935
 30625) *Gastropacha (Stenophyllides) acutifolia* Roepke,1953 (Lasiocampidae) Synonym(s): *acutifolia* Roepke,1953
 30626) *Gastropacha (Stenophyllides) remnaumovi* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *remnaumovi* Zolotuhin,2005
 30627) *Gastropacha (Stenophyllides) sikkima* Moore,1879 (Lasiocampidae) Synonym(s): *sikkima* Moore,1879
 30628) *Gastropacha (s.str.) africana* (Holland,1893) (Lasiocampidae) Synonym(s): *africana* Holland,1893; *muscovit* Bryk,1915
 30629) *Gastropacha (s.str.) eberti* De Lajonquière,1967 (Lasiocampidae) Synonym(s): *eberti* De Lajonquière,1967
 30630) *Gastropacha (s.str.) populifolia* (Esper,[1782]) (Lasiocampidae) Synonym(s): *#populifolia* [Denis & Schiffermüller],1775; *populifolia* Esper,[1782]
 30631) *Gastropacha (s.str.) quercifolia* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *quercifolia* Linnaeus,1758; *alnifolia* Ochseneheimer,1810; *salicifolia* Staudinger,1892; *meridionalis* Hormuzaki,1897; *sibirica* Krulikowsky,1909
 30632) *Gastropacha (s.str.) quercifolia lucens* Mell,1939 (Lasiocampidae) Synonym(s): *lucens* Mell,1939
 30633) *Gastropacha (s.str.) tsingtauca* Grünberg,1911 (Lasiocampidae) Synonym(s): *tsingtauca* Grünberg,1911
 30634) *Gastropachaeis meridionalis* Aurivillius,1901 (Lasiocampidae) Synonym(s): *meridionalis* Aurivillius,1901
 30635) *Gonometa postica* Walker,1855 (Lasiocampidae) Synonym(s): *postica* Walker,1855; *stalii* Wallengren,1860; *marginata* Walker,1862; *effusa* Walker,1865
 30636) *Gonometa rufobrunnea* Aurivillius,1922 (Lasiocampidae) Synonym(s): *rufobrunnea* Aurivillius,1922
 30637) *Grammodora nigrolineata* (Aurivillius,1895) (Lasiocampidae) Synonym(s): *nigrolineata* Aurivillius,1895
 30638) *Hallicarnia albipectus* (Walker,1855) (Lasiocampidae) Synonym(s): *albipectus* Walker,1855
 30639) *Haplopacha cinerea* Aurivillius,1905 (Lasiocampidae) Synonym(s): *cinerea* Aurivillius,1905
 30640) *Henometa clarki* (Aurivillius,1909) (Lasiocampidae) Synonym(s): *clarki* Aurivillius,1909
 30641) *Hypotrabala sanguicincta* (Aurivillius,1901) (Lasiocampidae) Synonym(s): *sanguicincta* Aurivillius,1901
 30642) *Kosala flavosignata* (Moore,1879) (Lasiocampidae) Synonym(s): *flavosignata* Moore,1879
 30643) *Kosala reducta* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *reducta* Zolotuhin & Witt,2000
 30644) *Kosala rufa* Hampson,1892 (Lasiocampidae) Synonym(s): *rufa* Hampson,1892
 30645) *Kosala sanguinea* Moore,1879 (Lasiocampidae) Synonym(s): *sanguinea* Moore,1879
 30646) *Kunugia ampla* (Walker,1855) (Lasiocampidae) Synonym(s): *ampla* Walker,1855
 30647) *Kunugia australoplacida* Holloway,1987 (Lasiocampidae) Synonym(s): *australoplacida* Holloway,1987
 30648) *Kunugia basinigra* (Roepke,1953) (Lasiocampidae) Synonym(s): *basinigra* Roepke,1953
 30649) *Kunugia brunnea* (Wileman,1915) (Lasiocampidae) Synonym(s): *brunnea* Wileman,1915
 30650) *Kunugia burmensis* (Gaede,1932) (Lasiocampidae) Synonym(s): *burmensis* Gaede,1932
 30651) *Kunugia divaricata* (Moore,1884) (Lasiocampidae) Synonym(s): *divaricata* Moore,1884
 30652) *Kunugia falco* Zolotuhin,2002 (Lasiocampidae) Synonym(s): *falco* Zolotuhin,2002
 30653) *Kunugia florimaculata* (Tsai & Hou,1983) (Lasiocampidae) Synonym(s): *florimaculata* Tsai & Hou,1983; *charpentieri* Holloway & Bender,1990
 30654) *Kunugia fulgens* (Moore,1879) (Lasiocampidae) Synonym(s): *fulgens* Moore,1879
 30655) *Kunugia grjukovae* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *grjukovae* Zolotuhin,2005
 30656) *Kunugia gynandra* (Swinhoe,1893) (Lasiocampidae) Synonym(s): *gynandra* Swinhoe,1893
 30657) *Kunugia latipennis* (Walker,1855) (Lasiocampidae) Synonym(s): *latipennis* Walker,1855; *basimacula* Walker,1862; *purpurascens* Moore,1884; *sumatrae* Swinhoe,1916; *basidiscata* Holloway,1982; *dongchuaensis* Tsai & Hou,1983
 30658) *Kunugia lemeepauli* (Lemee & Tams,1950) (Lasiocampidae) Synonym(s): *lemeepauli* Lemee & Tams,1950; *yongdensis* Tsai & Hou,1983
 30659) *Kunugia lineata* (Moore,1879) (Lasiocampidae) Synonym(s): *lineata* Moore,1879
 30660) *Kunugia mediacolorata* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *mediacolorata* Zolotuhin & Witt,2000
 30661) *Kunugia placida* (Moore,1879) (Lasiocampidae) Synonym(s): *placida* Moore,1879; *lidderdalii* Butler,1881; *dukouensis* Tsai & Hou,1980
 30662) *Kunugia siamka* Zolotuhin,2002 (Lasiocampidae) Synonym(s): *siamka* Zolotuhin,2002
 30663) *Kunugia sinjaevi* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *sinjaevi* Zolotuhin & Witt,2000
 30664) *Kunugia undans* (Walker,1855) (Lasiocampidae) Synonym(s): *undans* Walker,1855
 30665) *Kunugia vulpina* (Moore,1879) (Lasiocampidae) Synonym(s): *vulpina* Moore,1879
 30666) *Kunugia vulpina omeiensis* Tsai & Liu,1964 (Lasiocampidae) Synonym(s): *omeiensis* Tsai & Liu,1964
 30667) *Kunugia vulpina victori* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *victori* Zolotuhin & Witt,2000
 30668) *Kunugia vulpina vulpina* (Moore,1879) (Lasiocampidae) Synonym(s): *vulpina* Moore,1879
 30669) *Kunugia wotteni* Zolotuhin,[2006] (Lasiocampidae) Synonym(s): *wotteni* Zolotuhin,[2006]
 30670) *Laeliopsis punctuligera* Aurivillius,1911 (Lasiocampidae) Synonym(s): *punctuligera* Aurivillius,1911
 30671) *Lajonquiereia poeciloptera* (Grünberg,1913) (Lasiocampidae) Synonym(s): *poeciloptera* Grünberg,1913
 30672) *Lasiocampa concolor* Christoph,1893 (Lasiocampidae) Synonym(s): *concolor* Christoph,1893
 30673) *Lasiocampa datini* Mabille,1888 (Lasiocampidae) Synonym(s): *datini* Mabille,1888
 30674) *Lasiocampa davidis* Staudinger,1894 (Lasiocampidae) Synonym(s): *davidis* Staudinger,1894
 30675) *Lasiocampa decolorata* (Klug,1832) (Lasiocampidae) Synonym(s): *decolorata* Klug,1832
 30676) *Lasiocampa eversmanni* (Kindermann,1843) (Lasiocampidae) Synonym(s): *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Sishetkin,1960.
 30677) *Lasiocampa grandis* (Rogenhofer,1891) (Lasiocampidae) Synonym(s): *grandis* Rogenhofer,1891
 30678) *Lasiocampa grisea* Grünberg,1911 (Lasiocampidae) Synonym(s): *grisea* Grünberg,1911
 30679) *Lasiocampa josua* Staudinger,1896 (Lasiocampidae) Synonym(s): *josua* Staudinger,1896
 30680) *Lasiocampa nana* Staudinger,1887 (Lasiocampidae) Synonym(s): *nana* Staudinger,1887; *herzi* Christoph,1888
 30681) *Lasiocampa piontkovskii* Sheljuzhko,1943 (Lasiocampidae) Synonym(s): *piontkovskii* Sheljuzhko,1943
 30682) *Lasiocampa quercus* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *quercus* Linnaeus,1758; *roboris* Fabricius,1793; *spartii* Hübner,[1803]; *guillemontii* Trimoulet,1858; *scula* Staudinger,1861; *scopariae* Millièrre,1861; *burdigalensis* Gerhard,1882; *meridionalis* Tutt,1901; *altaica* Grünberg,1911; *balcanoturcica* De Freina,1981
 30683) *Lasiocampa serrula* (Guenée,1858) (Lasiocampidae) Synonym(s): *serrula* Guenée,1858
 30684) *Lasiocampa serrula maroccana* Staudinger,1894 (Lasiocampidae) Synonym(s): *maroccana* Staudinger,1894
 30685) *Lasiocampa serrula palaestiniensis* Staudinger,1894 (Lasiocampidae) Synonym(s): *palaestiniensis* Staudinger,1894

- 30686) *Lasiocampa serrula serrula* (Guenée,1858) (Lasiocampidae) Synonym(s): *serrula* Guenée,1858
 30687) *Lasiocampa serrula undulata* Staudinger,1894 (Lasiocampidae) Synonym(s): *undulata* Staudinger,1894
 30688) *Lasiocampa staudingeri* Baker,1885 (Lasiocampidae) Synonym(s): *staudingeri* Baker,1885
 30689) *Lasiocampa trifolii* (Denis & Schiffermüller),1775) (Lasiocampidae) Synonym(s): *#trifolii* [Denis & Schiffermüller],1775; *medicaginis* Borkhausen,1793; *terreni* Herrich-Schäffer
 30690) *Lasiocampa trifolii cocles* (Geyer,[1831]) (Lasiocampidae) Synonym(s): *cocles* Geyer,[1831]
 30691) *Lebeda cognata* Grünberg,1913 (Lasiocampidae) Synonym(s): *cognata* Grünberg,1913
 30692) *Lebeda mustelina* Distant,1899 (Lasiocampidae) Synonym(s): *mustelina* Distant,1899
 30693) *Lebeda nobilis* Walker,1855 (Lasiocampidae) Synonym(s): *nobilis* Walker,1855
 30694) *Lebeda nobilis malaccana* Tams,1935 (Lasiocampidae) Synonym(s): *malaccana* Tams,1935
 30695) *Lebeda nobilis nobilis* Walker,1855 (Lasiocampidae) Synonym(s): *nobilis* Walker,1855
 30696) *Lebeda nobilis sinina* De Lajonquière,1979 (Lasiocampidae) Synonym(s): *sinina* De Lajonquière,1979
 30697) *Lebeda nobilis* ssp.n. (Lasiocampidae) Synonym(s):
 30698) *Lebeda nobilis sumatrana* Tams,1935 (Lasiocampidae) Synonym(s): *sumatrana* Tams,1935
 30699) *Lebeda trifascia* (Walker,1855) (Lasiocampidae) Synonym(s): *trifascia* Walker,1855
 30700) *Leipoxais emarginata* Aurivillius,1911 (Lasiocampidae) Synonym(s): *emarginata* Aurivillius,1911
 30701) *Leipoxais peraffinis* Holland,1893 (Lasiocampidae) Synonym(s): *peraffinis* Holland,1893; *cinerascens* Strand,1912
 30702) *Libanopacha schwingenschussi* Zerny,1933 (Lasiocampidae) Synonym(s): *schwingenschussi* Zerny,1933
 30703) *Macrothylacia digramma* Meade-Waldo,1905 (Lasiocampidae) Synonym(s): *digramma* Meade-Waldo,1905
 30704) *Macrothylacia rubi* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *rubi* Linnaeus,1758
 30705) *Malacosoma alpicola* Staudinger,1870 /*primum* Staudinger,1887 (Lasiocampidae) Synonym(s): *alpicola* Staudinger,1870
 30706) *Malacosoma castrensis* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *castrensis* Linnaeus,1758
 30707) *Malacosoma castrensis castrensis* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *castrensis* Linnaeus,1758
 30708) *Malacosoma castrensis kirghisicum* (Staudinger,1879) (Lasiocampidae) Synonym(s): *kirghisicum* Staudinger,1879
 30709) *Malacosoma castrensis thomae* Gaede,1932 (Lasiocampidae) Synonym(s): *thomae* Gaede,1932; *thianshanica* Daniel,1949.
 30710) *Malacosoma dentata* Mell,1938 (Lasiocampidae) Synonym(s): *dentata* Mell,1938
 30711) *Malacosoma franconicum* (Denis & Schiffermüller),1775) /*prima* Staudinger,1887 (Lasiocampidae) Synonym(s): *#franconica* [Denis & Schiffermüller],1775; *grandiella* Boisduval,1840
 30712) *Malacosoma laurae* De Lajonquière,1977 (Lasiocampidae) Synonym(s): *laurae* De Lajonquière,1977
 30713) *Malacosoma neustrium* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *neustria* Linnaeus,1758; *annularis* Fourcroy,1785; *unicolor* Cyrilli,1787; *bilineatus* Haworth,1803
 30714) *Malacosoma parallellum* Staudinger,1887 (Lasiocampidae) Synonym(s): *parallellum* Staudinger,1887
 30715) *Mallocampa leighi* Aurivillius,1922 (Lasiocampidae) Synonym(s): *leighi* Aurivillius,1922
 30716) *Mesocelis monticola* Hübner,[1820] (Lasiocampidae) Synonym(s): *montana* Stoll,1781 (homonym); *monticola* Hübner,[1820]; *albiplaga* Walker,1862.
 30717) *Metadula indecisa* Walker,1865 (Lasiocampidae) Synonym(s): *indecisa* Walker,1865
 30718) *Metanastria aconyta* (Cramer,[1777]) (Lasiocampidae) Synonym(s): *aconyta* Cramer,[1777]
 30719) *Metanastria asteria* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *asteria* Zolotuhin,2005
 30720) *Metanastria asteria asteria* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *asteria* Zolotuhin,2005
 30721) *Metanastria capucina* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *capucina* Zolotuhin & Witt,2000
 30722) *Metanastria capucina capucina* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *capucina* Zolotuhin & Witt,2000
 30723) *Metanastria capucina purgata* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *purgata* Zolotuhin,2005
 30724) *Metanastria gemella* De Lajonquière,1979 (Lasiocampidae) Synonym(s): *gemella* De Lajonquière,1979
 30725) *Metanastria hyrtaca* (Cramer,[1779]) (Lasiocampidae) Synonym(s): *hyrtaca* Cramer,[1779]
 30726) *Metanastria mantra* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *mantra* Zolotuhin,2005
 30727) *Metanastria mantra mantra* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *mantra* Zolotuhin,2005
 30728) *Micropacha geira* Zolotuhin,2000 (Lasiocampidae) Synonym(s): *geira* Zolotuhin,2000
 30729) *Micropacha krocha* Zolotuhin,1995 (Lasiocampidae) Synonym(s): *krocha* Zolotuhin,1995
 30730) *Micropacha roepkei* Holloway,1987 (Lasiocampidae) Synonym(s): *roepkei* Holloway,1987
 30731) *Micropacha zojka* Zolotuhin,2000 (Lasiocampidae) Synonym(s): *zojka* Zolotuhin,2000
 30732) *Mimopacha gerstaeckerii* (Dewitz,1881) (Lasiocampidae) Synonym(s): *gerstaeckerii* Dewitz,1881.
 30733) *Mimopacha knoblauchii* (Dewitz,1881) (Lasiocampidae) Synonym(s): *knoblauchii* Dewitz,1881
 30734) *Napta straminea* (Aurivillius,1921) (Lasiocampidae) Synonym(s): *straminea* Aurivillius,1921; *eborea* Tams,1924
 30735) *Notogramma mutabile* (Candèze,1927) (Lasiocampidae) Synonym(s): *mutabile* Candèze,1927
 30736) *Ocinaropsis obscura* Aurivillius,1905 (Lasiocampidae) Synonym(s): *obscura* Aurivillius,1905
 30737) *Odonestis bheroba* Moore,1859 (Lasiocampidae) Synonym(s): *bheroba* Moore,1858
 30738) *Odonestis bheroba formosae* Wileman,1910 (Lasiocampidae) Synonym(s): *formosae* Wileman,1910
 30739) *Odonestis bheroba pheroba* Moore,1859 (Lasiocampidae) Synonym(s): *bheroba* Moore,1858
 30740) *Odonestis erectilinea* (Swinhoe,1904) (Lasiocampidae) Synonym(s): *erectilinea* Swinhoe,1904
 30741) *Odonestis lipara* Tams,1935 (Lasiocampidae) Synonym(s): *lipara* Tams,1935
 30742) *Odonestis pinratana* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *pinratana* Zolotuhin,2005
 30743) *Odonestis pruni* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *pruni* Linnaeus,1758
 30744) *Odonestis pruni reisseri* Rungs,1977 (Lasiocampidae) Synonym(s): *reisseri* Rungs,1977
 30745) *Odonestis vita* Moore,1859 (Lasiocampidae) Synonym(s): *vita* Moore,1859
 30746) *Odontocheilopteryx maculata* Aurivillius,1905 (Lasiocampidae) Synonym(s): *maculata* Aurivillius,1905
 30747) *Odontocheilopteryx myxa* Wallengren,1860 (Lasiocampidae) Synonym(s): *myxa* Wallengren,1860; *obscura* Aurivillius,1927
 30748) *Odontocraspis collieri* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *collieri* Zolotuhin & Witt,2000
 30749) *Odontocraspis hasora* Swinhoe,1894 (Lasiocampidae) Synonym(s): *hasora* Swinhoe,1894
 30750) *Odontopacha fenestrata* Aurivillius,1909 (Lasiocampidae) Synonym(s): *fenestrata* Aurivillius,1909
 30751) *Odontopacha kilwana* Strand,1911 (Lasiocampidae) Synonym(s): *kilwana* Strand,1911
 30752) *Opisthodontia cymographa* (Hampson,1910) (Lasiocampidae) Synonym(s): *cymographa* Hampson,1910; *bicrenulata* Bethune-Baker,1915
 30753) *Opisthodontia micha* (Druce,1899) (Lasiocampidae) Synonym(s): *micha* Druce,1899
 30754) *Pachymeta capreolus* Aurivillius,1914 (Lasiocampidae) Synonym(s): *capreolus* Aurivillius,1914
 30755) *Pachymetana neavei* (Aurivillius,1915) (Lasiocampidae) Synonym(s): *neavei* Aurivillius,1915
 30756) *Pachypasa limosa* (Serres,1826) (Lasiocampidae) Synonym(s): *limosa* Serres,1826
 30757) *Pachypasa otus* (Drury,[1773]) (Lasiocampidae) Synonym(s): *otus* Drury,[1773]
 30758) *Pachypasoides albinotum* Matsumura,1927 (Lasiocampidae) Synonym(s): *albinotum* Matsumura,1927
 30759) *Pachypasoides albisparis* Wileman,1910 (Lasiocampidae) Synonym(s): *albisparis* Wileman,1910
 30760) *Pachypasoides candezei* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *candezei* Zolotuhin & Witt,2000
 30761) *Pachypasoides lucanivalvus* Zolotuhin,2002 (Lasiocampidae) Synonym(s): *lucanivalvus* Zolotuhin,2002
 30762) *Pachypasoides roesleri* De Lajonquière,1973 (Lasiocampidae) Synonym(s): *roesleri* De Lajonquière,1973
 30763) *Pachypasoides roesleri dessiae* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *dessiae* Zolotuhin & Witt,2000
 30764) *Pachypasoides sagittifera* (Gaede,1931) (Lasiocampidae) Synonym(s): *sagittifera* Gaede,1931
 30765) *Pachypasoides yunnanensis* De Lajonquière,1973 (Lasiocampidae) Synonym(s): *yunnanensis* De Lajonquière,1973
 30766) *Paradoxopla javanica* (Draeseke) (Lasiocampidae) Synonym(s):
 30767) *Paradoxopla javanica cardinalis* (Holloway,1976) (Lasiocampidae) Synonym(s): *cardinalis* Holloway,1976
 30768) *Paradoxopla javanica javanica* (Draeseke) (Lasiocampidae) Synonym(s):
 30769) *Paradoxopla sinuata* (Moore,1879) (Lasiocampidae) Synonym(s): *sinuata* Moore,1879
 30770) *Paradoxopla sinuata fabulosa* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *fabulosa* Zolotuhin,2005
 30771) *Paradoxopla sinuata sinuata* (Moore,1879) (Lasiocampidae) Synonym(s): *sinuata* Moore,1879
 30772) *Paradoxopla sinuata taiwana* (Wileman,1915) (Lasiocampidae) Synonym(s): *taiwana* Wileman,1915

- 30773) *Paradoxopla sinuata undulata* (Moore,1879) (Lasiocampidae) Synonym(s): *undulata* Moore,1879
 30774) *Paralebeda crinodes* (R.Felder,1868) (Lasiocampidae) Synonym(s): *crinodes* R.Felder,1868
 30775) *Paralebeda crinodes crinodes* (R.Felder,1868) (Lasiocampidae) Synonym(s): *crinodes* R.Felder,1868
 30776) *Paralebeda crinodes paos* Zolotuhin,1996 (Lasiocampidae) Synonym(s): *paos* Zolotuhin,1996
 30777) *Paralebeda crinodes uniformis* Holloway,1976 (Lasiocampidae) Synonym(s): *uniformis* Holloway,1976
 30778) *Paralebeda femorata* (Ménétriés,1858) (Lasiocampidae) Synonym(s): *femorata* Ménétriés,1858
 30779) *Paralebeda femorata femorata* (Ménétriés,1858) (Lasiocampidae) Synonym(s): *femorata* Ménétriés,1858
 30780) *Paralebeda femorata karmata* Zolotuhin (Lasiocampidae) Synonym(s):
 30781) *Paralebeda femorata mirabilis* Zolotuhin (Lasiocampidae) Synonym(s):
 30782) *Paralebeda femorata titanica* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *titanica* Zolotuhin & Witt,2000
 30783) *Paralebeda lucifuga* (Swinhoe,1892) (Lasiocampidae) Synonym(s): *lucifuga* Swinhoe,1892
 30784) *Paralebeda plagifera* (Walker,1855) (Lasiocampidae) Synonym(s): *plagifera* Walker,1855
 30785) *Philotherma clara* Bethune-Baker,1908 (Lasiocampidae) Synonym(s): *clara* Bethune-Baker,1908
 30786) *Philotherma media* Aurivillius,1909 (Lasiocampidae) Synonym(s): *media* Aurivillius,1909
 30787) *Philotherma obscura* Aurivillius,1927 (Lasiocampidae) Synonym(s): *obscura* Aurivillius,1927
 30788) *Philotherma rennei* (Dewitz,1881) (Lasiocampidae) Synonym(s): *rennei* Dewitz,1881; *triangulifera* Aurivillius,1927
 30789) *Philotherma rosa* (Druce,1888) (Lasiocampidae) Synonym(s): *rosa* Druce,1888; *montibia* Strand,1912; *squamata* Strand,1912; *ochrascens* Strand,1912; *natalica* Aurivillius,1927
 30790) *Philotherma rosa aniera* Hering,1929 (Lasiocampidae) Synonym(s): *aniera* Hering,1929
 30791) *Philotherma rosa* (Druce,1888) (Lasiocampidae) Synonym(s): *rosa* Druce,1888; *montibia* Strand,1912; *squamata* Strand,1912; *ochrascens* Strand,1912; *natalica* Aurivillius,1927
 30792) *Phylodesma alicia* John,1909 (Lasiocampidae) Synonym(s): *alice* John,1909
 30793) *Phylodesma farahae* Lajonquière,1963 (Lasiocampidae) Synonym(s): *farahae* Lajonquière,1963
 30794) *Phylodesma glasunowi* Groum-Grshimailo,1895 (Lasiocampidae) Synonym(s): *glasunowi* Groum-Grshimailo,1895
 30795) *Phylodesma glasunowi capreata* (Brandt,1939) (Lasiocampidae) Synonym(s): *capreata* Brandt,1939
 30796) *Phylodesma hyssarum* Zolotuhin & Dubatolov,1992 (Lasiocampidae) Synonym(s): *hyssarum* Zolotuhin & Dubatolov,1992
 30797) *Phylodesma ilicifolia* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *ilicifolia* Linnaeus,1758
 30798) *Phylodesma ilicifolia sinina* Groum-Grshimailo,1891 (Lasiocampidae) Synonym(s): *sinina* Groum-Grshimailo,1891
 30799) *Phylodesma japonica* (Leech,1889) (Lasiocampidae) Synonym(s): *japonica* Leech,1889
 30800) *Phylodesma joannis* De Lajonquière,1963 (Lasiocampidae) Synonym(s): *joannis* De Lajonquière,1963
 30801) *Phylodesma kermesifolia* (De Lajonquière,1960) (Lasiocampidae) Synonym(s): *kermesifolia* De Lajonquière,1960
 30802) *Phylodesma suberifolia* (Duponchel,1842) (Lasiocampidae) Synonym(s): *suberifolia* Duponchel,1842
 30803) *Phylodesma tremulifolium* (Hübner,[1810]) (Lasiocampidae) Synonym(s): *betulifolium* Ochseneheimer,1810 *nec* Esp.,1782; *tremulifolium* Hübner,[1810]; *#tremulifolium* De Freina,1999
 30804) *Phylodesma tremulifolium ambiguum* Staudinger,1901 (Lasiocampidae) Synonym(s): *ambiguum* Staudinger,1901
 30805) *Poecilocampa alpina* (Frey & Wulschlegel,1874) (Lasiocampidae) Synonym(s): *alpina* Frey & Wulschlegel,1874; *pontica* De Freina,1999.
 30806) *Poecilocampa nilsinjaevi* Zolotuhin,[2006] (Lasiocampidae) Synonym(s): *nilsinjaevi* Zolotuhin,[2006]
 30807) *Poecilocampa populi* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *populi* Linnaeus,1758
 30808) *Pseudolyra cervina* (Aurivillius,1905) (Lasiocampidae) Synonym(s): *cervina* Aurivillius,1905
 30809) *Pseudolyra cinerea* (Aurivillius,1901) (Lasiocampidae) Synonym(s): *cinerea* Aurivillius,1901
 30810) *Pseudolyra distincta* (Distant,1899) (Lasiocampidae) Synonym(s): *distincta* Distant,1899
 30811) *Pseudometa basalis* (Walker,1865) (Lasiocampidae) Synonym(s): *basalis* Walker,1865; *acuminata* Walker,1865
 30812) *Pseudometa dollmani* Tams,1925 (Lasiocampidae) Synonym(s): *dollmani* Tams,1925
 30813) *Pseudometa viola* Aurivillius,1901 (Lasiocampidae) Synonym(s): *viola* Aurivillius,1901
 30814) *Psilogaster loti* (Ochseneheimer,1810) (Lasiocampidae) Synonym(s): *loti* Ochseneheimer,1810; *vernetensis* Oberthür,1916
 30815) *Pyrosis dierli* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *dierli* Zolotuhin & Witt,2000
 30816) *Pyrosis eximia* Oberthür,1880 (Lasiocampidae) Synonym(s): *eximia* Oberthür,1880
 30817) *Pyrosis fulviplaga* (De Joannis,1929) (Lasiocampidae) Synonym(s): *fulviplaga* De Joannis,1929
 30818) *Pyrosis hreblayi* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *hreblayi* Zolotuhin & Witt,2000
 30819) *Pyrosis hreblayi hreblayi* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *hreblayi* Zolotuhin & Witt,2000
 30820) *Pyrosis hyalata* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *hyalata* Zolotuhin & Witt,2000
 30821) *Pyrosis matronata* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *matronata* Zolotuhin & Witt,2000
 30822) *Pyrosis rotundipennis* (De Joannis,1929) (Lasiocampidae) Synonym(s): *rotundipennis* De Joannis,1929
 30823) *Pyrosis* sp. (Lasiocampidae) Synonym(s):
 30824) *Pyrosis undulosa* (Walker,1855) (Lasiocampidae) Synonym(s): *undulosa* Walker,1855
 30825) *Pyrosis undulosa gadrangana* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *gadrangana* Zolotuhin & Witt,2000
 30826) *Pyrosis undulosa undulosa* (Walker,1855) (Lasiocampidae) Synonym(s): *undulosa* Walker,1855
 30827) *Radhica elisabethae* De Lajonquière,1977 (Lasiocampidae) Synonym(s): *elisabethae* De Lajonquière,1977
 30828) *Radhica flavovittata* Moore,1879 (Lasiocampidae) Synonym(s): *flavovittata* Moore,1879
 30829) *Radhica flavovittata flavovittata* Moore,1879 (Lasiocampidae) Synonym(s): *flavovittata* Moore,1879
 30830) *Radhica flavovittata puana* Zolotuhin,1995 (Lasiocampidae) Synonym(s): *puana* Zolotuhin,1995
 30831) *Radhica himerta* (Swinhoe,1893) (Lasiocampidae) Synonym(s): *himerta* Swinhoe,1893
 30832) *Radhica holoxantha* (Grünberg,1912) (Lasiocampidae) Synonym(s): *holoxantha* Grünberg,1912
 30833) *Rhinobombyx cuneata* Aurivillius,1879 (Lasiocampidae) Synonym(s): *cuneata* Aurivillius,1879; *ziczac* Strand,1912
 30834) *Schausinna clementsi* (Schaus,1897) (Lasiocampidae) Synonym(s): *clementsi* Schaus,1897
 30835) *Schausinna regia* (Grünberg,1910) (Lasiocampidae) Synonym(s): *regia* Grünberg,1910
 30836) *Sena breyeri* (Aurivillius,1922) (Lasiocampidae) Synonym(s): *breyeri* Aurivillius,1922
 30837) *Sena cardinali* (Tams,1931) (Lasiocampidae) Synonym(s): *cardinali* Tams,1931
 30838) *Sena cuneata* (Brandt,1938) (Lasiocampidae) Synonym(s): *cuneata* Brandt,1938
 30839) *Sena donaldsoni* Holland & Smith,1901 (Lasiocampidae) Synonym(s): *donaldsoni* Holland & Smith,1901
 30840) *Sena donaldsoni donaldsoni* Holland & Smith,1901 (Lasiocampidae) Synonym(s): *donaldsoni* Holland & Smith,1901
 30841) *Sena donaldsoni marshalli* (Aurivillius,1901) (Lasiocampidae) Synonym(s): *marshalli* Aurivillius,1901
 30842) *Sena donaldsoni rougeoti* De Lajonquière,1977 (Lasiocampidae) Synonym(s): *rougeoti* De Lajonquière,1977
 30843) *Sena levenna* (Wallengren,1875) (Lasiocampidae) Synonym(s): *levenna* Wallengren,1875
 30844) *Sena mendax* (Berio,1939) (Lasiocampidae) Synonym(s): *mendax* Berio,1939
 30845) *Sena oberthueri* (D.Lucas,1909) (Lasiocampidae) Synonym(s): *oberthueri* D.Lucas,1909; *hilgerti* Rothschild,1913; *lucasi* Oberthür,1916; *virgo* Oberthür,1916
 30846) *Sena oberthueri nazmii* De Lajonquière,1977 (Lasiocampidae) Synonym(s): *nazmii* De Lajonquière,1977
 30847) *Sena oberthueri oberthueri* (D.Lucas,1909) (Lasiocampidae) Synonym(s): *oberthueri* D.Lucas,1909; *hilgerti* Rothschild,1913; *lucasi* Oberthür,1916; *virgo* Oberthür,1916
 30848) *Sena parva* (Aurivillius,1921) (Lasiocampidae) Synonym(s): *parva* Aurivillius,1921
 30849) *Sena poecila* (M.Hering,1932) (Lasiocampidae) Synonym(s): *poecila* M.Hering,1932
 30850) *Sena prompta* (Walker,1855) (Lasiocampidae) Synonym(s): *prompta* Walker,1855; *interjecta* Aurivillius,1909
 30851) *Sena prompta plusioides* Walker,1862 (Lasiocampidae) Synonym(s): *plusioides* Walker,1862; *rufotincta* Strand,1909.
 30852) *Sena prompta prompta* (Walker,1855) (Lasiocampidae) Synonym(s): *prompta* Walker,1855; *interjecta* Aurivillius,1909
 30853) *Sena proxima* (Staudinger,1894) (Lasiocampidae) Synonym(s): *proxima* Staudinger,1894
 30854) *Sena punctulata* (Aurivillius,1914) (Lasiocampidae) Synonym(s): *punctulata* Aurivillius,1914
 30855) *Sena quirimbo* (Tams,1936) (Lasiocampidae) Synonym(s): *quirimbo* Tams,1936
 30856) *Sena quirimbo exocyrta* (Tams,1936) (Lasiocampidae) Synonym(s): *exocyrta* Tams,1936
 30857) *Sena quirimbo quirimbo* (Tams,1936) (Lasiocampidae) Synonym(s): *quirimbo* Tams,1936

- 30858) *Sena scotti* (Tams,1931) (Lasiocampidae) Synonym(s): *scotti* Tams,1931
 30859) *Sena sikarama* (Ebert,1969) (Lasiocampidae) Synonym(s): *sikarama* Ebert,1969
 30860) *Sena simplex* (Aurivillius,1905) (Lasiocampidae) Synonym(s): *simplex* Aurivillius,1905; *pygmula* Strand,1911
 30861) *Sena sordida* (Erschoff,1874) (Lasiocampidae) Synonym(s): *sordida* Erschoff,1874
 30862) *Sena strigifascia* (Hampson,1909) (Lasiocampidae) Synonym(s): *strigifascia* Hampson,1909
 30863) *Stenophatna marshalli* Aurivillius,1909 (Lasiocampidae) Synonym(s): *marshalli* Aurivillius,1909
 30864) *Stoermeriana cuneata* (Distant,1897) (Lasiocampidae) Synonym(s): *cuneata* Distant,1897
 30865) *Stoermeriana nabataea* De Freina,2002 (Lasiocampidae) Synonym(s): *nabataea* De Freina,2002
 30866) *Stoermeriana omana* De Freina & Witt,1988 (Lasiocampidae) Synonym(s): *omana* De Freina & Witt,1988
 30867) *Stoermeriana regrabuii* (Rungs,1948) (Lasiocampidae) Synonym(s): *regrabuii* Rungs,1948
 30868) *Streblole aculeata* (Walker,1865) (Lasiocampidae) Synonym(s): *aculeata* Walker,1865; *scapulosa* Felder,1874
 30869) *Streblole alpherakyi* (Christoph,1885) (Lasiocampidae) Synonym(s): *alpherakyi* Christoph,1885
 30870) *Streblole amphilecta* (Tams,1936) (Lasiocampidae) Synonym(s): *amphilecta* Tams,1936
 30871) *Streblole bimaculata* (Walker,1865) (Lasiocampidae) Synonym(s): *bimaculata* Walker,1865
 30872) *Streblole capensis* (Aurivillius,1905) (Lasiocampidae) Synonym(s): *capensis* Aurivillius,1905; *rangei* Gaede,1915
 30873) *Streblole concava* (Strand,1912) (Lasiocampidae) Synonym(s): *concava* Strand,1912
 30874) *Streblole concolor* (Walker,1865) (Lasiocampidae) Synonym(s): *concolor* Walker,1865
 30875) *Streblole cristata* (Stoll,[1782]) (Lasiocampidae) Synonym(s): *cristata* Stoll,[1782]; *herista* Hübner,1832; *carinata* Wallengren,1860.
 30876) *Streblole cuprea* (Distant,1899) (Lasiocampidae) Synonym(s): *cuprea* Distant,1899
 30877) *Streblole distinguenda* (Aurivillius,1905) (Lasiocampidae) Synonym(s): *distinguenda* Aurivillius,1905
 30878) *Streblole dorsalis* (Walker,1866) (Lasiocampidae) Synonym(s): *dorsalis* Walker,1866
 30879) *Streblole igniflua* (Moore,[1883]) (Lasiocampidae) Synonym(s): *igniflua* Moore,[1883]
 30880) *Streblole jansei* (Tams,1936) (Lasiocampidae) Synonym(s): *jansei* Tams,1936
 30881) *Streblole lajonquieri* Bender & Dierl,1982 (Lasiocampidae) Synonym(s): *lajonquieri* Bender & Dierl,1982
 30882) *Streblole pancala* (Tams,1936) (Lasiocampidae) Synonym(s): *pancala* Tams,1936
 30883) *Streblole panda* Hübner,[1820] (Lasiocampidae) Synonym(s): *panda* Hübner,[1820]
 30884) *Streblole polydora* (Druce,1888) (Lasiocampidae) Synonym(s): *polydora* Druce,1888; *obliqua* Strand,1912
 30885) *Streblole repanda* (Hübner,[1808]) (Lasiocampidae) Synonym(s): *repanda* Hübner,[1808]
 30886) *Streblole singularis* (Aurivillius,1893) (Lasiocampidae) Synonym(s): *singularis* Aurivillius,1893
 30887) *Streblole siva* (Lefèbvre,1827) (Lasiocampidae) Synonym(s): *siva* Lefèbvre,1827
 30888) *Streblole solitaria* Zolotuhin,1991 (Lasiocampidae) Synonym(s): *solitaria* Zolotuhin,1991
 30889) *Streblole stupida* (Staudinger,1887) (Lasiocampidae) Synonym(s): *stupida* Staudinger,1887
 30890) *Streblole uniformis* (Aurivillius,1927) (Lasiocampidae) Synonym(s): *uniformis* Aurivillius,1927
 30891) *Suana concolor* (Walker,1855) (Lasiocampidae) Synonym(s): *concolor* Walker,1855; *bimaculata* Walker,1855; *ampla* Walker,1855; *cervina* Moore,1879; *riemdyki* Heylaerts,1889
 30892) *Suana concolor concolor* (Walker,1855) (Lasiocampidae) Synonym(s): *concolor* Walker,1855; *bimaculata* Walker,1855; *ampla* Walker,1855; *cervina* Moore,1879; *riemdyki* Heylaerts,1889
 30893) *Suana concolor sundana* Holloway,1987 (Lasiocampidae) Synonym(s): *sundana* Holloway,1987
 30894) *Suana concolor zahmi* Holloway & Bender,1990 (Lasiocampidae) Synonym(s): *zahmi* Holloway & Bender,1990
 30895) *Syrastrena borneensis* Tams,1935 (Lasiocampidae) Synonym(s): *borneensis* Tams,1935
 30896) *Syrastrena dorca* Zolotuhin,[2006] (Lasiocampidae) Synonym(s): *dorca* Zolotuhin,[2006]
 30897) *Syrastrena lajonquieri* Holloway,1982 (Lasiocampidae) Synonym(s): *lajonquieri* Holloway,1982
 30898) *Syrastrena lajonquieri fortelineata* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *fortelineata* Zolotuhin & Witt,2000
 30899) *Syrastrena lajonquieri lajonquieri* Holloway,1982 (Lasiocampidae) Synonym(s): *lajonquieri* Holloway,1982
 30900) *Syrastrena lanaoensis* Tams,1935 (Lasiocampidae) Synonym(s): *lanaoensis* Tams,1935
 30901) *Syrastrena lanaoensis continentalis* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *continentalis* Zolotuhin & Witt,2000
 30902) *Syrastrena lanaoensis lanaoensis* Tams,1935 (Lasiocampidae) Synonym(s): *lanaoensis* Tams,1935
 30903) *Syrastrena malaccana* Tams,1935 (Lasiocampidae) Synonym(s): *malaccana* Tams,1935
 30904) *Syrastrena minor* (Moore,1879) (Lasiocampidae) Synonym(s): *minor* Moore,1879
 30905) *Syrastrena regia* Zolotuhin & Witt,2000 (Lasiocampidae) Synonym(s): *regia* Zolotuhin & Witt,2000
 30906) *Syrastrenopsis inthanonensis* Orhant,2001 (Lasiocampidae) Synonym(s): *inthanonensis* Orhant,2001
 30907) *Syrastrenopsis moltrechti* Grünberg,1914 (Lasiocampidae) Synonym(s): *moltrechti* Grünberg,1914
 30908) *Takanea diehli* De Lajonquière,1978 (Lasiocampidae) Synonym(s): *diehli* De Lajonquière,1978
 30909) *Takanea diehli diehli* De Lajonquière,1978 (Lasiocampidae) Synonym(s): *diehli* De Lajonquière,1978
 30910) *Takanea excisa* (Wileman,1910) (Lasiocampidae) Synonym(s): *excisa* Wileman,1910
 30911) *Takanea excisa excisa* (Wileman,1910) (Lasiocampidae) Synonym(s): *excisa* Wileman,1910
 30912) *Takanea excisa miyakei* (Wileman,1915) (Lasiocampidae) Synonym(s): *miyakei* Wileman,1915
 30913) *Takanea excisa murina* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *murina* Zolotuhin,2005
 30914) *Takanea excisa yangtsei* De Lajonquière,1973 (Lasiocampidae) Synonym(s): *yangtsei* De Lajonquière,1973
 30915) *Trabala brahma* Roepke,1951 (Lasiocampidae) Synonym(s): *brahma* Roepke,1951
 30916) *Trabala charon* Druce,1910 (Lasiocampidae) Synonym(s): *charon* Druce,1910
 30917) *Trabala ganesha* Roepke,1951 (Lasiocampidae) Synonym(s): *ganesha* Roepke,1951
 30918) *Trabala irrorata* Moore,1884 (Lasiocampidae) Synonym(s): *irrorata* Moore,1884
 30919) *Trabala irrorata simalura* Roepke,1951 (Lasiocampidae) Synonym(s): *simalura* Roepke,1951
 30920) *Trabala krishna* Roepke,1951 (Lasiocampidae) Synonym(s): *krishna* Roepke,1951
 30921) *Trabala niphanæ* Owada & Kishida,1989 (Lasiocampidae) Synonym(s): *niphanæ* Owada & Kishida,1989
 30922) *Trabala pallida* (Walker,1855) (Lasiocampidae) Synonym(s): *pallida* Walker,1855
 30923) *Trabala pinratanai* Zolotuhin,2005 (Lasiocampidae) Synonym(s): *pinratanai* Zolotuhin,2005
 30924) *Trabala shiva* Roepke,1951 (Lasiocampidae) Synonym(s): *shiva* Roepke,1951
 30925) *Trabala viridana* Joicey & Talbot,1917 (Lasiocampidae) Synonym(s): *viridana* Joicey & Talbot,1917
 30926) *Trabala vishnou* (Lefèbvre,1827) (Lasiocampidae) Synonym(s): *vishnou* Lefèbvre,1827
 30927) *Trabala vishnou gigantina* Yang (Lasiocampidae) Synonym(s):
 30928) *Trabala vishnou guttata* (Matsumura,1909) (Lasiocampidae) Synonym(s): *guttata* Matsumura,1909
 30929) *Trabala vishnou singhana* Roepke,1951 (Lasiocampidae) Synonym(s): *singhana* Roepke,1951
 30930) *Trabala vishnou vishnou* (Lefèbvre,1827) (Lasiocampidae) Synonym(s): *vishnou* Lefèbvre,1827
 30931) *Trichiura ariæ* (Hübner,[1824]) (Lasiocampidae) Synonym(s): *ariæ* Hübner,[1824]
 30932) *Trichiura castiliana* (Spuler,1908) (Lasiocampidae) Synonym(s): *castiliana* Spuler,1908
 30933) *Trichiura crataegi* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *crataegi* Linnaeus,1758
 30934) *Trichiura crataegi anatolica* Daniel,1956 (Lasiocampidae) Synonym(s): *anatolica* Daniel,1956
 30935) *Trichiura crataegi crataegi* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *crataegi* Linnaeus,1758
 30936) *Trichiura crataegi lasistana* De Freina,1979 (Lasiocampidae) Synonym(s): *lasistana* De Freina,1979
 30937) *Trichiura ilicis* (Rambur,1866) (Lasiocampidae) Synonym(s): *ilicis* Rambur,1866
 30938) *Trichiura mirzayani* Ebert,1971 (Lasiocampidae) Synonym(s): *mirzayani* Ebert,1971
 30939) *Trichiura mirzayani kopetdaghi* Dubatolov & Zolotuhin,1992 (Lasiocampidae) Synonym(s): *kopetdaghi* Dubatolov & Zolotuhin,1992
 30940) *Trichiura mirzayani mirzayani* Ebert,1971 (Lasiocampidae) Synonym(s): *mirzayani* Ebert,1971
 30941) *Trichiura pistaciae* Wiltshire,1952 (Lasiocampidae) Synonym(s): *pistaciae* Wiltshire,1952
 30942) *Trichiura sapor* Wiltshire,1946 (Lasiocampidae) Synonym(s): *sapor* Wiltshire,1946
 30943) *Trichiura verena* Witt,1981 (Lasiocampidae) Synonym(s): *verena* Witt,1981
 30944) *Trichiurana meridionalis* Aurivillius,1921 (Lasiocampidae) Synonym(s): *meridionalis* Aurivillius,1921

- 30945) *Trichopisthia igneotincta* (Aurivillius,1909) (Lasiocampidae) Synonym(s): *igneotincta* Aurivillius,1909; *poecilosticta* Grünberg,1910; *dubia* Aurivillius,1922.
- 30946) *Trichopisthia montei* (Druce,1888) (Lasiocampidae) Synonym(s): *montei* Druce,1888; *pallida* Fawcett,1903
- 30947) *Zolotuhinia bhutata* (Zolotuhin,2000) (Lasiocampidae) Synonym(s): *bhutata* Zolotuhin,2000
- 30948) *Zolotuhinia mendica* (Zolotuhin,2000) (Lasiocampidae) Synonym(s): *mendica* Zolotuhin,2000
- 30949) "*Frisilia*" *sulcata* Meyrick,1910 (Lecithoceridae) Synonym(s): *sulcata* Meyrick,1910
- 30950) "*Lecithocera*" *antiphraetis* Meyrick,1921 (Lecithoceridae) Synonym(s): *antiphraetis* Meyrick,1921
- 30951) *Abrahamia justa* (Meyrick,1910) (Lecithoceridae) Synonym(s): *justa* Meyrick,1910; *meritodes* Meyrick,1910; *karachiella* Amsel,1968
- 30952) *Amaloxestis astringens* Gozmany,1973 (Lecithoceridae) Synonym(s): *astringens* Gozmany,1973
- 30953) *Amaloxestis callitricha* (Meyrick,1910) (Lecithoceridae) Synonym(s): *callitricha* Meyrick,1910
- 30954) *Amaloxestis chiloptila* (Meyrick,1921) (Lecithoceridae) Synonym(s): *chiloptila* Meyrick,1921
- 30955) *Amaloxestis nepalensis* Gozmany,1973 (Lecithoceridae) Synonym(s): *nepalensis* Gozmany,1973
- 30956) *Amaloxestis perizeucta* (Meyrick,1910) (Lecithoceridae) Synonym(s): *perizeucta* Meyrick,1910
- 30957) *Anamimnesis bleszynskii* Gozmany,1978 (Lecithoceridae) Synonym(s): *bleszynskii* Gozmany,1978
- 30958) *Aproparia pselaphistis* (Meyrick,1910) (Lecithoceridae) Synonym(s): *pselaphistis* Meyrick,1910
- 30959) *Athymoris martialis* Meyrick,1935 (Lecithoceridae) Synonym(s): *martialis* Meyrick,1935
- 30960) *Atrichozancla cosymbota* (Meyrick,1920) (Lecithoceridae) Synonym(s): *cosymbota* Meyrick,1920
- 30961) *Atrichozancla gymnoparpa* Janse,1963 (Lecithoceridae) Synonym(s): *gymnoparpa* Janse,1963
- 30962) *Atrichozancla phaeocrossis* (Meyrick,1937) (Lecithoceridae) Synonym(s): *phaeocrossis* Meyrick,1937
- 30963) *Carodista afghana* Gozmany,1978 (Lecithoceridae) Synonym(s): *afghana* Gozmany,1978
- 30964) *Catacreagra bathroptila* (Meyrick,1929) (Lecithoceridae) Synonym(s): *bathroptila* Meyrick,1929
- 30965) *Catacreagra citrostrota* (Meyrick,1911) (Lecithoceridae) Synonym(s): *citrostrota* Meyrick,1911
- 30966) *Catacreagra gracilis* Gozmany,1978 (Lecithoceridae) Synonym(s): *gracilis* Gozmany,1978
- 30967) *Catacreagra melicrata* (Meyrick,1910) (Lecithoceridae) Synonym(s): *melicrata* Meyrick,1910
- 30968) *Catacreagra niphomitra* (Meyrick,1931) (Lecithoceridae) Synonym(s): *niphomitra* Meyrick,1931
- 30969) *Catacreagra notolychna* (Meyrick,1936) (Lecithoceridae) Synonym(s): *notolychna* Meyrick,1936
- 30970) *Catacreagra tricholpa* (Meyrick,1929) (Lecithoceridae) Synonym(s): *tricholpa* Meyrick,1929
- 30971) *Ceuthomadarus atlantis* Gozmany,1978 (Lecithoceridae) Synonym(s): *atlantis* Gozmany,1978
- 30972) *Ceuthomadarus chthoniopa* (Meyrick,1936) (Lecithoceridae) Synonym(s): *chthoniopa* Meyrick,1936
- 30973) *Ceuthomadarus croesus* Gozmany, (Lecithoceridae) Synonym(s):
- 30974) *Ceuthomadarus derrai* Gozmany,2002 (Lecithoceridae) Synonym(s): *derrai* Gozmany,2002
- 30975) *Ceuthomadarus funebrellus* (Chrétien,1922) (Lecithoceridae) Synonym(s): *funebrellus* Chrétien,1922; *umbrinella* Zerny,1936
- 30976) *Ceuthomadarus rungsi* (Lucas,1937) (Lecithoceridae) Synonym(s): *rungsii* Lucas,1937
- 30977) *Ceuthomadarus tenebrionellus* Mann,1864 (Lecithoceridae) Synonym(s): *tenebrionellus* Mann,1864; *monochromella* Rebel,1902; *crepusculellus* Caradja,1920.
- 30978) *Ceuthomadarus viduellus* Rebel,1903 (Lecithoceridae) Synonym(s): *viduellus* Rebel,1903
- 30979) *Concordaxis convergens* Gozmany, (Lecithoceridae) Synonym(s):
- 30980) *Cophomantella bifrenata* (Meyrick,1921) (Lecithoceridae) Synonym(s): *bifrenata* Meyrick,1921
- 30981) *Cophomantella furnaria* (Meyrick,1913) (Lecithoceridae) Synonym(s): *furnaria* Meyrick,1913
- 30982) *Cophomantella homogramma* (Meyrick,1918) (Lecithoceridae) Synonym(s): *homogramma* Meyrick,1918
- 30983) *Coydalla interguttella* Walker,1864 (Lecithoceridae) Synonym(s): *interguttella* Walker,1864
- 30984) *Crocogma cribanota* (Meyrick,1910) (Lecithoceridae) Synonym(s): *cribanota* Meyrick,1910
- 30985) *Crocogma isocola* Meyrick,1918 (Lecithoceridae) Synonym(s): *isocola* Meyrick,1918; *tonaea* Meyrick,1918
- 30986) *Cubitomoris aechmobola* (Meyrick,1925) (Lecithoceridae) Synonym(s): *aechmobola* Meyrick,1925
- 30987) *Deltoplastis apostatis* (Meyrick,1932) (Lecithoceridae) Synonym(s): *apostatis* Meyrick,1932
- 30988) *Deltoplastis commatopa* Meyrick,1932 (Lecithoceridae) Synonym(s): *commatopa* Meyrick,1932
- 30989) *Deltoplastis gypsopeda* Meyrick,1934 (Lecithoceridae) Synonym(s): *gypsopeda* Meyrick,1934
- 30990) *Deltoplastis lobigera* Gozmany,1978 (Lecithoceridae) Synonym(s): *lobigera* Gozmany,1978
- 30991) *Deltoplastis sincera* (Diakonoff,1952) (Lecithoceridae) Synonym(s): *sincera* Diakonoff,1952
- 30992) *Dioxgnatha nectarus* (Wu,1996) (Lecithoceridae) Synonym(s): *nectarus* Wu,1996
- 30993) *Dragmatucha bivia* Meyrick,1908 (Lecithoceridae) Synonym(s): *bivia* Meyrick,1908
- 30994) *Dragmatucha proaula* Meyrick,1908 (Lecithoceridae) Synonym(s): *proaula* Meyrick,1908
- 30995) *Eccedoxa lysimopa* (Meyrick,1933) (Lecithoceridae) Synonym(s): *lysimopa* Meyrick,1933
- 30996) *Eccedoxa thenara* Wu,2001 (Lecithoceridae) Synonym(s): *thenara* Wu,2001
- 30997) *Epharmonia ardua* (Meyrick,1910) (Lecithoceridae) Synonym(s): *ardua* Meyrick,1910
- 30998) *Epimactis atropunctella* (Walsingham,1881) (Lecithoceridae) Synonym(s): *atropunctella* Walsingham,1881
- 30999) *Eridachtha crossogramma* (Meyrick,1921) (Lecithoceridae) Synonym(s): *crossogramma* Meyrick,1921
- 31000) *Eridachtha guttifera* Gozmany,1973 (Lecithoceridae) Synonym(s): *guttifera* Gozmany,1973
- 31001) *Eridachtha kasyella* Gozmany,1978 (Lecithoceridae) Synonym(s): *kasyella* Gozmany,1978
- 31002) *Eurodachtha canigella* (Caradja,1920) (Lecithoceridae) Synonym(s): *canigella* Caradja,1920
- 31003) *Eurodachtha flavissimella* (Mann,1862) (Lecithoceridae) Synonym(s): *flavissimella* Mann,1862
- 31004) *Eurodachtha nigralba* Gozmany,1978 (Lecithoceridae) Synonym(s): *nigralba* Gozmany,1978
- 31005) *Eurodachtha pallicornella* (Staudinger,1859) (Lecithoceridae) Synonym(s): *pallicornella* Staudinger,1859
- 31006) *Eurodachtha siculella* (Wocke,1889) (Lecithoceridae) Synonym(s): *siculella* Wocke,1889
- 31007) *Frisilia chinensis* Gozmany,1978 (Lecithoceridae) Synonym(s): *chinensis* Gozmany,1978
- 31008) *Frisilia compsostoma* Meyrick,1921 (Lecithoceridae) Synonym(s): *compsostoma* Meyrick,1921
- 31009) *Frisilia crossophaea* (Meyrick,1931) (Lecithoceridae) Synonym(s): *crossophaea* Meyrick,1931
- 31010) *Frisilia homalistis* Meyrick,1935 (Lecithoceridae) Synonym(s): *homalistis* Meyrick,1935
- 31011) *Frisilia sulcata* Meyrick,1910 (Lecithoceridae) Synonym(s): *sulcata* Meyrick,1910
- 31012) *Halolaguna biferrinella* (Walker,1864) (Lecithoceridae) Synonym(s): *biferrinella* Walker,1864
- 31013) *Halolaguna orthogonia* Wu,2000 (Lecithoceridae) Synonym(s): *orthogonia* Wu,2000
- 31014) *Halolaguna subaxata* Gozmany,1978 (Lecithoceridae) Synonym(s): *subaxata* Gozmany,1978
- 31015) *Hoenea helenae* Gozmany,1970 (Lecithoceridae) Synonym(s): *helenae* Gozmany,1970
- 31016) *Homaloxestis aganacma* Diakonoff,[1968] (Lecithoceridae) Synonym(s): *aganacma* Diakonoff,[1968]
- 31017) *Homaloxestis alopecopa* Meyrick,1929 (Lecithoceridae) Synonym(s): *alopecopa* Meyrick,1929
- 31018) *Homaloxestis australis* Park,2004 (Lecithoceridae) Synonym(s): *australis* Park,2004
- 31019) *Homaloxestis briantiella* (Turati,1879) (Lecithoceridae) Synonym(s): *briantiella* Turati,1879
- 31020) *Homaloxestis cholopis* (Meyrick,1906) (Lecithoceridae) Synonym(s): *cholopis* Meyrick,1906; *lophophora* Janse,1954; *surrepta* Diakonoff,[1968]
- 31021) *Homaloxestis cicatrix* Gozmany,1973 (Lecithoceridae) Synonym(s): *cicatrix* Gozmany,1973
- 31022) *Homaloxestis croceata* Gozmany,1978 (Lecithoceridae) Synonym(s): *croceata* Gozmany,1978
- 31023) *Homaloxestis furcula* Park,2004 (Lecithoceridae) Synonym(s): *furcula* Park,2004
- 31024) *Homaloxestis hades* Gozmany,1978 (Lecithoceridae) Synonym(s): *hades* Gozmany,1978
- 31025) *Homaloxestis hainanensis* Wu,1994 (Lecithoceridae) Synonym(s): *hainanensis* Wu,1994
- 31026) *Homaloxestis hesperis* Gozmany,1978 (Lecithoceridae) Synonym(s): *hesperis* Gozmany,1978
- 31027) *Homaloxestis hilaris* Gozmany,1978 (Lecithoceridae) Synonym(s): *hilaris* Gozmany,1978
- 31028) *Homaloxestis horridens* Gozmany,1973 (Lecithoceridae) Synonym(s): *horridens* Gozmany,1973
- 31029) *Homaloxestis liochlaena* Meyrick,1931 (Lecithoceridae) Synonym(s): *liochlaena* Meyrick,1931
- 31030) *Homaloxestis luzonensis* Park & Byun,2007 (Lecithoceridae) Synonym(s): *luzonensis* Park & Byun,2007
- 31031) *Homaloxestis mucroraphis* Gozmany,1978 (Lecithoceridae) Synonym(s): *mucroraphis* Gozmany,1978
- 31032) *Homaloxestis multidentalis* Park,2004 (Lecithoceridae) Synonym(s): *multidentalis* Park,2004

- 31033) *Homaloxestis myeloxesta* Meyrick, 1932 (Lecithoceridae) Synonym(s): *myeloxesta* Meyrick, 1932
 31034) *Homaloxestis plocamandra* (Meyrick, 1907) (Lecithoceridae) Synonym(s): *plocamandra* Meyrick, 1907
 31035) *Homaloxestis pumilis* Park, 2004 (Lecithoceridae) Synonym(s): *pumilis* Park, 2004
 31036) *Homaloxestis quadralis* Park & Byun, 2007 (Lecithoceridae) Synonym(s): *quadralis* Park & Byun, 2007
 31037) *Homaloxestis saitoi* Park, 2004 (Lecithoceridae) Synonym(s): *saitoi* Park, 2004
 31038) *Homaloxestis xylotripta* Meyrick, 1918 (Lecithoceridae) Synonym(s): *xylotripta* Meyrick, 1918
 31039) *Hygroplasta atrifasciata* Park, 2003 (Lecithoceridae) Synonym(s): *atrifasciata* Park, 2003
 31040) *Hygroplasta lygaea* (Meyrick, 1911) (Lecithoceridae) Synonym(s): *lygaea* Meyrick, 1911
 31041) *Hygroplasta monodryas* (Meyrick, 1914) (Lecithoceridae) Synonym(s): *monodryas* Meyrick, 1914
 31042) *Hygroplasta notalatra* Wu, 1998 (Lecithoceridae) Synonym(s): *notalatra* Wu, 1998
 31043) *Hygroplasta parviella* Park, 2003 (Lecithoceridae) Synonym(s): *parviella* Park, 2003
 31044) *Hygroplasta plocioura* Park, 2003 (Lecithoceridae) Synonym(s): *plocioura* Park, 2003
 31045) *Hygroplasta spoliatella* (Walker, 1864) (Lecithoceridae) Synonym(s): *spoliatella* Walker, 1864
 31046) *Hyperochtha butyropa* (Meyrick, 1910) (Lecithoceridae) Synonym(s): *butyropa* Meyrick, 1910
 31047) *Hyperochtha hoplophora* Gozmany, 1973 (Lecithoceridae) Synonym(s): *hoplophora* Gozmany, 1973
 31048) *Idiopteryx obliquella* (Walsingham, 1881) (Lecithoceridae) Synonym(s): *obliquella* Walsingham, 1881; *obsepta* Meyrick, 1918
 31049) *Ilinarsis iranica* Gozmany (Lecithoceridae) Synonym(s):
 31050) *Ilioparsis effulgens* Gozmany, 1973 (Lecithoceridae) Synonym(s): *effulgens* Gozmany, 1973
 31051) *Isotopa discopuncta* Janse, 1954 (Lecithoceridae) Synonym(s): *discopuncta* Janse, 1954
 31052) *Issikiopteryx japonica* Moriuti, 1973 (Lecithoceridae) Synonym(s): *japonica* Moriuti, 1973
 31053) *Issikiopteryx zonosphaera* (Meyrick, 1935) (Lecithoceridae) Synonym(s): *zonosphaera* Meyrick, 1935
 31054) *Lecithocera aenicta* Janse, 1954 (Lecithoceridae) Synonym(s): *aenicta* Janse, 1954
 31055) *Lecithocera alpestra* Park, 2005 (Lecithoceridae) Synonym(s): *alpestra* Park, 2005
 31056) *Lecithocera amseli* Gozmany, 1978 (Lecithoceridae) Synonym(s): *amseli* Gozmany, 1978
 31057) *Lecithocera anatolica* Gozmany, 1978 (Lecithoceridae) Synonym(s): *anatolica* Gozmany, 1978
 31058) *Lecithocera anthologella* Wallengren, 1875 (Lecithoceridae) Synonym(s): *anthologella* Wallengren, 1875
 31059) *Lecithocera aspergata* Gozmany, 1973 (Lecithoceridae) Synonym(s): *aspergata* Gozmany, 1973
 31060) *Lecithocera binotata* Meyrick, 1918 (Lecithoceridae) Synonym(s): *binotata* Meyrick, 1918
 31061) *Lecithocera calochalca* Gozmany, 1978 (Lecithoceridae) Synonym(s): *calochalca* Gozmany, 1978
 31062) *Lecithocera catacnepha* Gozmany, 1973 (Lecithoceridae) Synonym(s): *catacnepha* Gozmany, 1973
 31063) *Lecithocera caviella* Park, 2005 (Lecithoceridae) Synonym(s): *caviella* Park, 2005
 31064) *Lecithocera chersitis* Meyrick, 1918 (Lecithoceridae) Synonym(s): *chersitis* Meyrick, 1918
 31065) *Lecithocera cinnamomea* Gozmany, 1978 (Lecithoceridae) Synonym(s): *cinnamomea* Gozmany, 1978
 31066) *Lecithocera dierli* Gozmany, 1973 (Lecithoceridae) Synonym(s): *dierli* Gozmany, 1973
 31067) *Lecithocera echinata* Gozmany, 1978 (Lecithoceridae) Synonym(s): *echinata* Gozmany, 1978
 31068) *Lecithocera erecta* Meyrick, 1935 (Lecithoceridae) Synonym(s): *erecta* Meyrick, 1935
 31069) *Lecithocera fascinatix* Meyrick, 1935 (Lecithoceridae) Synonym(s): *fascinatix* Meyrick, 1935
 31070) *Lecithocera flavicosta* Gozmany, 1973 (Lecithoceridae) Synonym(s): *flavicosta* Gozmany, 1973
 31071) *Lecithocera flavipalpis* Walsingham, 1891 (Lecithoceridae) Synonym(s): *flavipalpis* Walsingham, 1891
 31072) *Lecithocera flavofusa* Gozmany, 1973 (Lecithoceridae) Synonym(s): *flavofusa* Gozmany, 1973
 31073) *Lecithocera graphata* Gozmany, 1978 (Lecithoceridae) Synonym(s): *graphata* Gozmany, 1978
 31074) *Lecithocera ianthodes* Meyrick, 1931 (Lecithoceridae) Synonym(s): *ianthodes* Meyrick, 1931
 31075) *Lecithocera ideologa* Meyrick, 1937 (Lecithoceridae) Synonym(s): *ideologa* Meyrick, 1937
 31076) *Lecithocera iodocarpa* Gozmany, 1978 (Lecithoceridae) Synonym(s): *iodocarpa* Gozmany, 1978
 31077) *Lecithocera ladrone* Gozmany, 2002 (Lecithoceridae) Synonym(s): *ladrone* Gozmany, 2002
 31078) *Lecithocera laticostella* Turati, 1926 (Lecithoceridae) Synonym(s): *laticostella* Turati, 1926
 31079) *Lecithocera longivalva* Gozmany, 1978 (Lecithoceridae) Synonym(s): *longivalva* Gozmany, 1978
 31080) *Lecithocera loxophthalma* Meyrick, 1934 (Lecithoceridae) Synonym(s): *loxophthalma* Meyrick, 1934
 31081) *Lecithocera lucernata* Meyrick, 1913 (Lecithoceridae) Synonym(s): *lucernata* Meyrick, 1913
 31082) *Lecithocera magna* Park, 2005 (Lecithoceridae) Synonym(s): *magna* Park, 2005
 31083) *Lecithocera mazina* Meyrick, 1910 (Lecithoceridae) Synonym(s): *mazina* Meyrick, 1910
 31084) *Lecithocera melliflua* Gozmany, 1978 (Lecithoceridae) Synonym(s): *melliflua* Gozmany, 1978
 31085) *Lecithocera meyricki* Gozmany, 1978 (Lecithoceridae) Synonym(s): *meyricki* Gozmany, 1978
 31086) *Lecithocera myopa* Meyrick, 1913 (Lecithoceridae) Synonym(s): *myopa* Meyrick, 1913
 31087) *Lecithocera nepalica* Gozmany, 1973 (Lecithoceridae) Synonym(s): *nepalica* Gozmany, 1973
 31088) *Lecithocera nepheloschema* Gozmany, 1973 (Lecithoceridae) Synonym(s): *nepheloschema* Gozmany, 1973
 31089) *Lecithocera nigrana* (Duponchel, 1836) (Lecithoceridae) Synonym(s): *nigrana* Duponchel, 1836; *luticornella* Zeller, 1839; *orsoviella* Heinemann, 1870; *#lucicornella* Staudinger, 1880.
 31090) *Lecithocera officialis* Meyrick, 1911 (Lecithoceridae) Synonym(s): *officialis* Meyrick, 1911
 31091) *Lecithocera oxycona* Meyrick, 1910 (Lecithoceridae) Synonym(s): *oxycona* Meyrick, 1910
 31092) *Lecithocera pachyntis* Meyrick, 1894 (Lecithoceridae) Synonym(s): *pachyntis* Meyrick, 1894
 31093) *Lecithocera paraulias* Gozmany, 1978 (Lecithoceridae) Synonym(s): *paraulias* Gozmany, 1978
 31094) *Lecithocera parenthesis* Gozmany, 1973 (Lecithoceridae) Synonym(s): *parenthesis* Gozmany, 1973
 31095) *Lecithocera pauperella* Rebel, 1916 (Lecithoceridae) Synonym(s): *pauperella* Rebel, 1916
 31096) *Lecithocera pelomorpha* Meyrick, 1931 (Lecithoceridae) Synonym(s): *pelomorpha* Meyrick, 1931
 31097) *Lecithocera peracantha* Gozmany, 1978 (Lecithoceridae) Synonym(s): *peracantha* Gozmany, 1978
 31098) *Lecithocera persica* Gozmany, 1978 (Lecithoceridae) Synonym(s): *persica* Gozmany, 1978
 31099) *Lecithocera phaeoperla* Gozmany, 1978 (Lecithoceridae) Synonym(s): *phaeoperla* Gozmany, 1978
 31100) *Lecithocera polioflava* Gozmany, 1978 (Lecithoceridae) Synonym(s): *polioflava* Gozmany, 1978
 31101) *Lecithocera praeses* Meyrick, 1919 (Lecithoceridae) Synonym(s): *praeses* Meyrick, 1919
 31102) *Lecithocera protolyca* Meyrick, 1938 (Lecithoceridae) Synonym(s): *protolyca* Meyrick, 1938
 31103) *Lecithocera raphidica* Gozmany, 1978 (Lecithoceridae) Synonym(s): *raphidica* Gozmany, 1978
 31104) *Lecithocera rotundata* Gozmany, 1978 (Lecithoceridae) Synonym(s): *rotundata* Gozmany, 1978
 31105) *Lecithocera sigillata* Gozmany, 1978 (Lecithoceridae) Synonym(s): *sigillata* Gozmany, 1978
 31106) *Lecithocera squalida* Gozmany, 1978 (Lecithoceridae) Synonym(s): *squalida* Gozmany, 1978
 31107) *Lecithocera structurata* Gozmany, 1978 (Lecithoceridae) Synonym(s): *structurata* Gozmany, 1978
 31108) *Lecithocera syntropha* Meyrick, 1918 (Lecithoceridae) Synonym(s): *syntropha* Meyrick, 1918
 31109) *Lecithocera syriella* Gozmany, 1978 (Lecithoceridae) Synonym(s): *syriella* Gozmany, 1978
 31110) *Lecithocera tricholoba* Gozmany, 1978 (Lecithoceridae) Synonym(s): *tricholoba* Gozmany, 1978
 31111) *Lecithocera tylobathra* Meyrick, 1931 (Lecithoceridae) Synonym(s): *tylobathra* Meyrick, 1931
 31112) *Lecithocera vartiani* Gozmany, 1978 (Lecithoceridae) Synonym(s): *vartiani* Gozmany, 1978
 31113) *Lecitholaxa adonia* Wu, 2002 (Lecithoceridae) Synonym(s): *adonia* Wu, 2002
 31114) *Lecitholaxa kumatai* Gozmany, 1978 (Lecithoceridae) Synonym(s): *kumatai* Gozmany, 1978
 31115) *Lecitholaxa thiodora* (Meyrick, 1914) (Lecithoceridae) Synonym(s): *thiodora* Meyrick, 1914; *leucoceros* Meyrick, 1932
 31116) *Lecitholaxa zopheropis* (Meyrick, 1931) (Lecithoceridae) Synonym(s): *zopheropis* Meyrick, 1931
 31117) *Monerista hippastis* (Meyrick, 1908) (Lecithoceridae) Synonym(s): *hippastis* Meyrick, 1908
 31118) *Neocorodes amnesta* Meyrick, 1923 (Lecithoceridae) Synonym(s): *amnesta* Meyrick, 1923
 31119) *Nephelographa panni* Gozmany, 1978 (Lecithoceridae) Synonym(s): *panni* Gozmany, 1978
 31120) *Nospistica acriella* Park, 2002 (Lecithoceridae) Synonym(s): *acriella* Park, 2002
 31121) *Nospistica bisinuata* Park, 2002 (Lecithoceridae) Synonym(s): *bisinuata* Park, 2002

- 31122) *Nosphistica effrenata* (Meyrick,1918) (Lecithoceridae) Synonym(s): *effrenata* Meyrick,1918
 31123) *Nosphistica erratica* Meyrick,1911 (Lecithoceridae) Synonym(s): *erratica* Meyrick,1911
 31124) *Nosphistica fenestrata* (Gozmany,1978) (Lecithoceridae) Synonym(s): *fenestrata* Gozmany,1978
 31125) *Nosphistica fuscolepis* Park,2002 (Lecithoceridae) Synonym(s): *fuscolepis* Park,2002
 31126) *Nosphistica metalynchna* (Meyrick,1935) (Lecithoceridae) Synonym(s): *metalynchna* Meyrick,1935
 31127) *Nosphistica orientana* Park,2005 (Lecithoceridae) Synonym(s): *orientana* Park,2005
 31128) *Nosphistica owadai* Park,2005 (Lecithoceridae) Synonym(s): *owadai* Park,2005
 31129) *Nosphistica paramecola* (Wu,1996) (Lecithoceridae) Synonym(s): *paramecola* Wu,1996
 31130) *Nosphistica tarokoensis* Park,2002 (Lecithoceridae) Synonym(s): *tarokoensis* Park,2002
 31131) *Nosphistica undulata* Park,2002 (Lecithoceridae) Synonym(s): *undulata* Park,2002
 31132) *Nyctocyra fraudatrix* Gozmany,1978 (Lecithoceridae) Synonym(s): *fraudatrix* Gozmany,1978
 31133) *Odites* (Gozmaniola) kollarella (Costa,[1836]) (Lecithoceridae) Synonym(s): *kollarella* Costa,[1836]
 31134) *Odites* (Oditoides) continua Meyrick,1925 (Lecithoceridae) Synonym(s): *continua* Meyrick,1925
 31135) *Odites* (Oditoides) hermatika Meyrick,1915 (Lecithoceridae) Synonym(s): *hermatika* Meyrick,1915
 31136) *Odites* (Oditoides) isocentra Meyrick,1906 (Lecithoceridae) Synonym(s): *isocentra* Meyrick,1906
 31137) *Odites* (Oditoides) notocapna Meyrick,1925 (Lecithoceridae) Synonym(s): *notocapna* Meyrick,1925
 31138) *Odites* (Oditoides) ternatella (Staudinger,1859) (Lecithoceridae) Synonym(s): *ternatella* Staudinger,1859
 31139) *Odites* (s.str.) actiosa Meyrick,1914 (Lecithoceridae) Synonym(s): *actiosa* Meyrick,1914
 31140) *Odites* (s.str.) agraula Meyrick,1908 (Lecithoceridae) Synonym(s): *agraulula* Meyrick,1908
 31141) *Odites* (s.str.) albidella Snellen,1901 (Lecithoceridae) Synonym(s): *albidella* Snellen,1901
 31142) *Odites* (s.str.) analogica Meyrick,1917 (Lecithoceridae) Synonym(s): *analogica* Meyrick,1917
 31143) *Odites* (s.str.) anisocarpa Meyrick,1930 (Lecithoceridae) Synonym(s): *anisocarpa* Meyrick,1930
 31144) *Odites* (s.str.) apicalis Diakonoff,[1968] (Lecithoceridae) Synonym(s): *apicalis* Diakonoff,[1968]
 31145) *Odites* (s.str.) aspasta Meyrick,1908 (Lecithoceridae) Synonym(s): *aspasta* Meyrick,1908
 31146) *Odites* (s.str.) assidua Meyrick,1914 (Lecithoceridae) Synonym(s): *assidua* Meyrick,1914
 31147) *Odites* (s.str.) atmopa Meyrick,1914 (Lecithoceridae) Synonym(s): *atmopa* Meyrick,1914
 31148) *Odites* (s.str.) atonopa Meyrick,1918 (Lecithoceridae) Synonym(s): *atonopa* Meyrick,1918
 31149) *Odites* (s.str.) balanospila Meyrick,1930 (Lecithoceridae) Synonym(s): *balanospila* Meyrick,1930; *haplogramma* Meyrick,1930
 31150) *Odites* (s.str.) balsamias Meyrick,1911 (Lecithoceridae) Synonym(s): *balsamias* Meyrick,1911
 31151) *Odites* (s.str.) brachyclista Meyrick,1928 (Lecithoceridae) Synonym(s): *brachyclista* Meyrick,1928
 31152) *Odites* (s.str.) cataxantha Meyrick,1915 (Lecithoceridae) Synonym(s): *cataxantha* Meyrick,1915
 31153) *Odites* (s.str.) centrias (Meyrick,1894) (Lecithoceridae) Synonym(s): *centrias* Meyrick,1894
 31154) *Odites* (s.str.) choricopa Meyrick,1931 (Lecithoceridae) Synonym(s): *choricopa* Meyrick,1931
 31155) *Odites* (s.str.) circiformis Meyrick,1930 (Lecithoceridae) Synonym(s): *circiformis* Meyrick,1930
 31156) *Odites* (s.str.) citrantha Meyrick,1908 (Lecithoceridae) Synonym(s): *citrantha* Meyrick,1908
 31157) *Odites* (s.str.) consecrata Meyrick,1917 (Lecithoceridae) Synonym(s): *consecrata* Meyrick,1917
 31158) *Odites* (s.str.) consignata Meyrick,1921 (Lecithoceridae) Synonym(s): *consignata* Meyrick,1921
 31159) *Odites* (s.str.) crocota Meyrick,1912 (Lecithoceridae) Synonym(s): *crocota* Meyrick,1912
 31160) *Odites* (s.str.) crossophanta Meyrick,1930 (Lecithoceridae) Synonym(s): *crossophanta* Meyrick,1930
 31161) *Odites* (s.str.) cuculans Meyrick,1918 (Lecithoceridae) Synonym(s): *cuculans* Meyrick,1918
 31162) *Odites* (s.str.) dilutella (Walsingham,1881) (Lecithoceridae) Synonym(s): *dilutella* Walsingham,1881
 31163) *Odites* (s.str.) diopta Meyrick,1917 (Lecithoceridae) Synonym(s): *diopta* Meyrick,1917
 31164) *Odites* (s.str.) emensa Meyrick,1921 (Lecithoceridae) Synonym(s): *emensia* Meyrick,1921
 31165) *Odites* (s.str.) encarsia Meyrick,1908 (Lecithoceridae) Synonym(s): *encarsia* Meyrick,1908
 31166) *Odites* (s.str.) eriopa Meyrick,1908 (Lecithoceridae) Synonym(s): *eriopa* Meyrick,1908
 31167) *Odites* (s.str.) euphema Meyrick,1914 (Lecithoceridae) Synonym(s): *euphema* Meyrick,1914
 31168) *Odites* (s.str.) exterrita Meyrick,1937 (Lecithoceridae) Synonym(s): *exterrita* Meyrick,1937
 31169) *Odites* (s.str.) fessa Meyrick,1921 (Lecithoceridae) Synonym(s): *fessa* Meyrick,1921
 31170) *Odites* (s.str.) furfurosa (Meyrick,1906) (Lecithoceridae) Synonym(s): *furfurosa* Meyrick,1906
 31171) *Odites* (s.str.) glaphyra Meyrick,1908 (Lecithoceridae) Synonym(s): *glaphyra* Meyrick,1908
 31172) *Odites* (s.str.) gomphias Meyrick,1908 (Lecithoceridae) Synonym(s): *gomphias* Meyrick,1908
 31173) *Odites* (s.str.) haplonoma Meyrick,1915 (Lecithoceridae) Synonym(s): *haplonoma* Meyrick,1915
 31174) *Odites* (s.str.) hemipercna Meyrick,1914 (Lecithoceridae) Synonym(s): *hemipercna* Meyrick,1914
 31175) *Odites* (s.str.) heptasticta Meyrick,1914 (Lecithoceridae) Synonym(s): *heptasticta* Meyrick,1914
 31176) *Odites* (s.str.) holocitra Meyrick,1925 (Lecithoceridae) Synonym(s): *holocitra* Meyrick,1925
 31177) *Odites* (s.str.) holotorna Meyrick,1925 (Lecithoceridae) Synonym(s): *holotorna* Meyrick,1925
 31178) *Odites* (s.str.) homocirra Diakonoff,[1968] (Lecithoceridae) Synonym(s): *homocirra* Diakonoff,[1968]
 31179) *Odites* (s.str.) incallida Meyrick,1915 (Lecithoceridae) Synonym(s): *incallida* Meyrick,1915
 31180) *Odites* (s.str.) incolumis Meyrick,1918 (Lecithoceridae) Synonym(s): *incolumis* Meyrick,1918
 31181) *Odites* (s.str.) incusata Meyrick,1921 (Lecithoceridae) Synonym(s): *incusata* Meyrick,1921
 31182) *Odites* (s.str.) insons Meyrick,1912 (Lecithoceridae) Synonym(s): *insons* Meyrick,1912
 31183) *Odites* (s.str.) inversa Meyrick,1914 (Lecithoceridae) Synonym(s): *inversa* Meyrick,1914
 31184) *Odites* (s.str.) issikii (Takahashi,1930) (Lecithoceridae) Synonym(s): *issikii* Takahashi,1930; *perissopsis* Meyrick,1936.
 31185) *Odites* (s.str.) laconica Meyrick,1927 (Lecithoceridae) Synonym(s): *laconica* Meyrick,1927
 31186) *Odites* (s.str.) leucostola (Meyrick,1921) (Lecithoceridae) Synonym(s): *leucostola* Meyrick,1921
 31187) *Odites* (s.str.) lividula Meyrick,1932 (Lecithoceridae) Synonym(s): *lividula* Meyrick,1932
 31188) *Odites* (s.str.) malivora Meyrick,1930 (Lecithoceridae) Synonym(s): *malivora* Meyrick,1930
 31189) *Odites* (s.str.) matura Meyrick,1914 (Lecithoceridae) Synonym(s): *matura* Meyrick,1914
 31190) *Odites* (s.str.) meloxantha Meyrick,1927 (Lecithoceridae) Synonym(s): *meloxantha* Meyrick,1927
 31191) *Odites* (s.str.) metaclista Meyrick,1915 (Lecithoceridae) Synonym(s): *metaclista* Meyrick,1915
 31192) *Odites* (s.str.) metaphracta Meyrick,1909 (Lecithoceridae) Synonym(s): *metaphracta* Meyrick,1909
 31193) *Odites* (s.str.) metascia Meyrick,1937 (Lecithoceridae) Synonym(s): *metascia* Meyrick,1937
 31194) *Odites* (s.str.) natalensis Walsingham,1891 (Lecithoceridae) Synonym(s): *natalensis* Walsingham,1891
 31195) *Odites* (s.str.) navigatrix (Meyrick,1912) (Lecithoceridae) Synonym(s): *navigatrix* Meyrick,1912
 31196) *Odites* (s.str.) nubeculosa Meyrick,1918 (Lecithoceridae) Synonym(s): *nubeculosa* Meyrick,1918
 31197) *Odites* (s.str.) obumbrata Meyrick,1925 (Lecithoceridae) Synonym(s): *obumbrata* Meyrick,1925
 31198) *Odites* (s.str.) obvia Meyrick,1914 (Lecithoceridae) Synonym(s): *obvia* Meyrick,1914
 31199) *Odites* (s.str.) oligectis Meyrick,1917 (Lecithoceridae) Synonym(s): *oligectis* Meyrick,1917
 31200) *Odites* (s.str.) orthometra Meyrick,1908 (Lecithoceridae) Synonym(s): *orthometra* Meyrick,1908
 31201) *Odites* (s.str.) pancyclia Meyrick,1928 (Lecithoceridae) Synonym(s): *pancyclia* Meyrick,1928
 31202) *Odites* (s.str.) paracyrta (Meyrick,1905) (Lecithoceridae) Synonym(s): *paracyrta* Meyrick,1905
 31203) *Odites* (s.str.) pelochrosta Meyrick,1933 (Lecithoceridae) Synonym(s): *pelochrosta* Meyrick,1933; *microbolista* Meyrick,1937
 31204) *Odites* (s.str.) periscias Meyrick,1928 (Lecithoceridae) Synonym(s): *periscias* Meyrick,1928
 31205) *Odites* (s.str.) perissa Diakonoff,[1968] (Lecithoceridae) Synonym(s): *perissa* Diakonoff,[1968]; *atrimersa* Diakonoff,[1968]
 31206) *Odites* (s.str.) perissopsis Meyrick,1936 (Lecithoceridae) Synonym(s): *perissopsis* Meyrick,1936
 31207) *Odites* (s.str.) plocamopa Meyrick,1935 (Lecithoceridae) Synonym(s): *plocamopa* Meyrick,1935
 31208) *Odites* (s.str.) practoria Meyrick,1908 (Lecithoceridae) Synonym(s): *practoria* Meyrick,1908
 31209) *Odites* (s.str.) pragmatias Meyrick,1914 (Lecithoceridae) Synonym(s): *pragmatias* Meyrick,1914
 31210) *Odites* (s.str.) procellosa Meyrick,1908 (Lecithoceridae) Synonym(s): *procellosa* Meyrick,1908
 31211) *Odites* (s.str.) prosedra Meyrick,1915 (Lecithoceridae) Synonym(s): *prosedra* Meyrick,1915

- 31212) *Odites* (s.str.) *repetita* Meyrick, 1932 (Lecithoceridae) Synonym(s): *repetita* Meyrick, 1932
 31213) *Odites* (s.str.) *ricinella* (Stainton, 1859) (Lecithoceridae) Synonym(s): *ricinella* Stainton, 1859
 31214) *Odites* (s.str.) *semisepta* Meyrick, 1930 (Lecithoceridae) Synonym(s): *semisepta* Meyrick, 1930
 31215) *Odites* (s.str.) *siccinervis* Meyrick, 1930 (Lecithoceridae) Synonym(s): *siccinervis* Meyrick, 1930
 31216) *Odites* (s.str.) *sphenidias* Meyrick, 1914 (Lecithoceridae) Synonym(s): *sphenidias* Meyrick, 1914
 31217) *Odites* (s.str.) *sucinea* Meyrick, 1915 (Lecithoceridae) Synonym(s): *sucinea* Meyrick, 1915
 31218) *Odites* (s.str.) *superscripta* Meyrick, 1926 (Lecithoceridae) Synonym(s): *superscripta* Meyrick, 1926
 31219) *Odites* (s.str.) *typota* Meyrick, 1915 (Lecithoceridae) Synonym(s): *typota* Meyrick, 1915
 31220) *Odites* (s.str.) *velipotens* Meyrick, 1935 (Lecithoceridae) Synonym(s): *velipotens* Meyrick, 1935
 31221) *Odites* (s.str.) *xenophaea* Meyrick, 1931 (Lecithoceridae) Synonym(s): *xenophaea* Meyrick, 1931
 31222) *Oditinae* Lvovsky, 1996 (Lecithoceridae) Synonym(s): *Oditinae* Lvovsky, 1996
 31223) *Opacoptera* *callirhabda* (Meyrick, 1936) (Lecithoceridae) Synonym(s): *callirhabda* Meyrick, 1936
 31224) *Philharmonia* *euryisia* Wu, 2000 (Lecithoceridae) Synonym(s): *euryisia* Wu, 2000
 31225) *Philharmonia* *filiale* Gozmany, 2002 (Lecithoceridae) Synonym(s): *filiale* Gozmany, 2002
 31226) *Philharmonia* *paratona* Gozmany, 1978 (Lecithoceridae) Synonym(s): *paratona* Gozmany, 1978
 31227) *Philoptila* *fenestrata* Gozmany, 1978 (Lecithoceridae) Synonym(s): *fenestrata* Gozmany, 1978
 31228) *Philoptila* *metalychna* Meyrick, 1935 (Lecithoceridae) Synonym(s): *metalychna* Meyrick, 1935
 31229) *Plagiocrossa* *picrodora* (Meyrick, 1913) (Lecithoceridae) Synonym(s): *picrodora* Meyrick, 1913
 31230) *Pompographa* *psilosopha* (Meyrick, 1911) (Lecithoceridae) Synonym(s): *psilosopha* Meyrick, 1911
 31231) *Procometis* *mistharna* (Meyrick, 1908) (Lecithoceridae) Synonym(s): *mistharna* Meyrick, 1908
 31232) *Procometis* *sphendonistis* (Meyrick, 1908) (Lecithoceridae) Synonym(s): *sphendonistis* Meyrick, 1908
 31233) *Procometis* *spoliatrix* (Meyrick, 1916) (Lecithoceridae) Synonym(s): *spoliatrix* Meyrick, 1916
 31234) *Procometis* *trochala* Meyrick, 1908 (Lecithoceridae) Synonym(s): *trochala* Meyrick, 1908
 31235) *Prothamnones* *platycycla* Meyrick, 1923 (Lecithoceridae) Synonym(s): *platycycla* Meyrick, 1923
 31236) *Protolychnis* *maculata* (Walsingham, 1881) (Lecithoceridae) Synonym(s): *maculata* Walsingham, 1881
 31237) *Ptochoryctis* *acrosticta* Meyrick, 1906 (Lecithoceridae) Synonym(s): *acrosticta* Meyrick, 1906
 31238) *Ptochoryctis* *alma* (Meyrick, 1908) (Lecithoceridae) Synonym(s): *alma* Meyrick, 1908
 31239) *Ptochoryctis* *anguillaris* Meyrick, 1914 (Lecithoceridae) Synonym(s): *anguillaris* Meyrick, 1914
 31240) *Ptochoryctis* *eremopa* Meyrick, 1894 (Lecithoceridae) Synonym(s): *eremopa* Meyrick, 1894
 31241) *Ptochoryctis* *galbana* (Meyrick, 1914) (Lecithoceridae) Synonym(s): *galbana* Meyrick, 1914
 31242) *Ptochoryctis* *ochrograpta* (Meyrick, 1923) (Lecithoceridae) Synonym(s): *ochrograpta* Meyrick, 1923
 31243) *Ptochoryctis* *scionota* Meyrick, 1906 (Lecithoceridae) Synonym(s): *scionota* Meyrick, 1906
 31244) *Ptochoryctis* *simbleuta* Meyrick, 1907 (Lecithoceridae) Synonym(s): *simbleuta* Meyrick, 1907
 31245) *Quassitagma* *comparata* Gozmany, 1978 (Lecithoceridae) Synonym(s): *comparata* Gozmany, 1978
 31246) *Quassitagma* *duplicata* Gozmany, 1978 (Lecithoceridae) Synonym(s): *duplicata* Gozmany, 1978
 31247) *Quassitagma* *indigens* (Meyrick, 1914) (Lecithoceridae) Synonym(s): *indigens* Meyrick, 1914
 31248) *Recontracta* *frisilina* Gozmany, 1978 (Lecithoceridae) Synonym(s): *frisilina* Gozmany, 1978
 31249) *Rhizosthenes* *chalciformis* Meyrick, 1935 (Lecithoceridae) Synonym(s): *chalciformis* Meyrick, 1935
 31250) *Sarisophora* *agorastis* Meyrick, 1931 (Lecithoceridae) Synonym(s): *agorastis* Meyrick, 1931
 31251) *Sarisophora* *brachymita* (Turner, 1919) (Lecithoceridae) Synonym(s): *brachymita* Turner, 1919
 31252) *Sarisophora* *chlaenota* Meyrick, 1904 (Lecithoceridae) Synonym(s): *chlaenota* Meyrick, 1904
 31253) *Sarisophora* *cyclonitis* (Meyrick, 1904) (Lecithoceridae) Synonym(s): *cyclonitis* Meyrick, 1904
 31254) *Scythriopodes* *aspasta* (Meyrick, 1908) (Lecithoceridae) Synonym(s): *aspasta* Meyrick, 1908
 31255) *Scythriopodes* *atonopa* (Meyrick, 1918) (Lecithoceridae) Synonym(s): *atonopa* Meyrick, 1918
 31256) *Scythriopodes* *choricopa* (Meyrick, 1931) (Lecithoceridae) Synonym(s): *choricopa* Meyrick, 1931
 31257) *Scythriopodes* *citrantia* (Meyrick, 1908) (Lecithoceridae) Synonym(s): *citrantia* Meyrick, 1908
 31258) *Scythriopodes* *glaphyra* (Meyrick, 1908) (Lecithoceridae) Synonym(s): *glaphyra* Meyrick, 1908
 31259) *Scythriopodes* *heptastica* (Meyrick, 1914) (Lecithoceridae) Synonym(s): *heptastica* Meyrick, 1914
 31260) *Scythriopodes* *issikii* (Takahashi, 1930) (Lecithoceridae) Synonym(s): *issikii* Takahashi, 1930; *perissopsis* Meyrick, 1936
 31261) *Scythriopodes* *pancyelia* (Meyrick, 1928) (Lecithoceridae) Synonym(s): *pancyelia* Meyrick, 1928
 31262) *Scythriopodes* *paracyrta* (Meyrick, 1905) (Lecithoceridae) Synonym(s): *paracyrta* Meyrick, 1905
 31263) *Scythriopodes* *plocamora* (Meyrick, 1935) (Lecithoceridae) Synonym(s): *plocamora* Meyrick, 1935
 31264) *Scythriopodes* *practoria* (Meyrick, 1908) (Lecithoceridae) Synonym(s): *practoria* Meyrick, 1908
 31265) *Scythriopodes* *procellosa* (Meyrick, 1908) (Lecithoceridae) Synonym(s): *procellosa* Meyrick, 1908
 31266) *Scythriopodes* *ussuriella* Lvovsky, 1996 (Lecithoceridae) Synonym(s): *ussuriella* Lvovsky, 1996
 31267) *Scythriopodes* *velipotens* (Meyrick, 1935) (Lecithoceridae) Synonym(s): *velipotens* Meyrick, 1935
 31268) *Scythriopodes* *venusta* (Moriuti, 1977) (Lecithoceridae) Synonym(s): *venusta* Moriuti, 1977
 31269) *Scythriopodes* *xenophaea* (Meyrick, 1931) (Lecithoceridae) Synonym(s): *xenophaea* Meyrick, 1931
 31270) *Siderostigma* *triatoma* Gozmany, 1973 (Lecithoceridae) Synonym(s): *triatoma* Gozmany, 1973
 31271) *Siderostigma* *triatoma* Gozmany, 1978 (Lecithoceridae) Synonym(s): *triatoma* Gozmany, 1978
 31272) *Spatulignatha* *hemichrysa* (Meyrick, 1910) (Lecithoceridae) Synonym(s): *hemichrysa* Meyrick, 1910
 31273) *Sphaerolbia* *chrematistis* Meyrick, 1934 (Lecithoceridae) Synonym(s): *chrematistis* Meyrick, 1934
 31274) *Stryphnocolpa* *trinotata* Meyrick, 1920 (Lecithoceridae) Synonym(s): *trinotata* Meyrick, 1920
 31275) *Synchalara* *agrolaca* (Meyrick, 1907) (Lecithoceridae) Synonym(s): *agrolaca* Meyrick, 1907
 31276) *Synchalara* *byrsina* (Meyrick, 1907) (Lecithoceridae) Synonym(s): *byrsina* Meyrick, 1907
 31277) *Synchalara* *minax* (Meyrick, 1907) (Lecithoceridae) Synonym(s): *minax* Meyrick, 1907
 31278) *Synchalara* *rhombota* (Meyrick, 1907) (Lecithoceridae) Synonym(s): *rhombota* Meyrick, 1907
 31279) *Synchordaxis* *pardalis* Gozmany (Lecithoceridae) Synonym(s):
 31280) *Synesarga* *caradjai* Gozmany, 1978 (Lecithoceridae) Synonym(s): *caradjai* Gozmany, 1978
 31281) *Synesarga* *pseudocathara* (Diakonoff, 1952) (Lecithoceridae) Synonym(s): *pseudocathara* Diakonoff, 1952
 31282) *Tegenocharis* *tenebrans* Gozmany, 1973 (Lecithoceridae) Synonym(s): *tenebrans* Gozmany, 1973
 31283) *Thamnopalpa* *argomitra* (Meyrick, 1925) (Lecithoceridae) Synonym(s): *argomitra* Meyrick, 1925
 31284) *Thubana* *abbreviata* Park, 2003 (Lecithoceridae) Synonym(s): *abbreviata* Park, 2003
 31285) *Thubana* *albisignis* (Meyrick, 1914) (Lecithoceridae) Synonym(s): *albisignis* Meyrick, 1914
 31286) *Thubana* *albisignis* (Meyrick, 1914) (Lecithoceridae) Synonym(s): *albisignis* Meyrick, 1914
 31287) *Thubana* *amphisticta* (Meyrick, 1914) (Lecithoceridae) Synonym(s): *amphisticta* Meyrick, 1914
 31288) *Thubana* *batillua* Park, 2003 (Lecithoceridae) Synonym(s): *batillua* Park, 2003
 31289) *Thubana* *binotella* (Walker, 1864) (Lecithoceridae) Synonym(s): *binotella* Walker, 1864
 31290) *Thubana* *bisignatella* Walker, 1864 (Lecithoceridae) Synonym(s): *bisignatella* Walker, 1864; *lampronialis* Walker, 1864
 31291) *Thubana* *bullulata* (Meyrick, 1910) (Lecithoceridae) Synonym(s): *bullulata* Meyrick, 1910
 31292) *Thubana* *bullulata* (Meyrick, 1910) (Lecithoceridae) Synonym(s): *bullulata* Meyrick, 1910
 31293) *Thubana* *caligaris* Park, 2003 (Lecithoceridae) Synonym(s): *caligaris* Park, 2003
 31294) *Thubana* *chanthaburiensis* Park, 2003 (Lecithoceridae) Synonym(s): *chanthaburiensis* Park, 2003
 31295) *Thubana* *cherandra* (Meyrick, 1906) (Lecithoceridae) Synonym(s): *cherandra* Meyrick, 1906
 31296) *Thubana* *costimaculella* (Snellen, 1903) (Lecithoceridae) Synonym(s): *costimaculella* Snellen, 1903
 31297) *Thubana* *davula* Park, 2003 (Lecithoceridae) Synonym(s): *davula* Park, 2003
 31298) *Thubana* *deltaspis* Meyrick, 1935 (Lecithoceridae) Synonym(s): *deltaspis* Meyrick, 1935
 31299) *Thubana* *deltaspis* Meyrick, 1935 (Lecithoceridae) Synonym(s): *deltaspis* Meyrick, 1935
 31300) *Thubana* *dialeukos* Park, 2003 (Lecithoceridae) Synonym(s): *dialeukos* Park, 2003
 31301) *Thubana* *doisuthepana* Park, 2003 (Lecithoceridae) Synonym(s): *doisuthepana* Park, 2003

- 31302) *Thubana exoema* (Meyrick,1911) (Lecithoceridae) Synonym(s): *exoema* Meyrick,1911
 31303) *Thubana fangensis* Park,2003 (Lecithoceridae) Synonym(s): *fangensis* Park,2003
 31304) *Thubana helvilibata* Park,2003 (Lecithoceridae) Synonym(s): *helvilibata* Park,2003
 31305) *Thubana heylaertsi* (Snellen,1903) (Lecithoceridae) Synonym(s): *heylaertsi* Snellen,1903
 31306) *Thubana isocrypta* (Meyrick,1911) (Lecithoceridae) Synonym(s): *isocrypta* Meyrick,1911
 31307) *Thubana kinabaluensis* Park & Sugisima,2005 (Lecithoceridae) Synonym(s): *kinabaluensis* Park & Sugisima,2005
 31308) *Thubana kubahensis* Park & Abang,2005 (Lecithoceridae) Synonym(s): *kubahensis* Park & Abang,2005
 31309) *Thubana kumatai* Park & Sugisima,2005 (Lecithoceridae) Synonym(s): *kumatai* Park & Sugisima,2005
 31310) *Thubana kurokoi* Park,2003 (Lecithoceridae) Synonym(s): *kurokoi* Park,2003
 31311) *Thubana laxata* (Meyrick,1911) (Lecithoceridae) Synonym(s): *laxata* Meyrick,1911
 31312) *Thubana laxata* (Meyrick,1911) (Lecithoceridae) Synonym(s): *laxata* Meyrick,1911
 31313) *Thubana leucosphena* Meyrick,1931 (Lecithoceridae) Synonym(s): *leucosphena* Meyrick,1931
 31314) *Thubana leucosphena* Meyrick,1931 (Lecithoceridae) Synonym(s): *leucosphena* Meyrick,1931
 31315) *Thubana melitopyga* Meyrick,1923 (Lecithoceridae) Synonym(s): *melitopyga* Meyrick,1923
 31316) *Thubana microcera* Gozmany,1978 (Lecithoceridae) Synonym(s): *microcera* Gozmany,1978
 31317) *Thubana microcera* Gozmany,1978 (Lecithoceridae) Synonym(s): *microcera* Gozmany,1978
 31318) *Thubana nardinopa* Meyrick,1918 (Lecithoceridae) Synonym(s): *nardinopa* Meyrick,1918
 31319) *Thubana nodosa* (Meyrick,1910) (Lecithoceridae) Synonym(s): *nodosa* Meyrick,1910
 31320) *Thubana ochracea* Park & Abang,2005 (Lecithoceridae) Synonym(s): *ochracea* Park & Abang,2005
 31321) *Thubana ochrodelta* Park,2003 (Lecithoceridae) Synonym(s): *ochrodelta* Park,2003
 31322) *Thubana onyx* Gozmany,1978 (Lecithoceridae) Synonym(s): *onyx* Gozmany,1978
 31323) *Thubana onyx* Gozmany,1978 (Lecithoceridae) Synonym(s): *onyx* Gozmany,1978
 31324) *Thubana prolata* Park & Abang,2005 (Lecithoceridae) Synonym(s): *prolata* Park & Abang,2005
 31325) *Thubana quadrata* Park & Abang,2005 (Lecithoceridae) Synonym(s): *quadrata* Park & Abang,2005
 31326) *Thubana reniforma* Wu,2000 (Lecithoceridae) Synonym(s): *reniforma* Wu,2000
 31327) *Thubana residua* (Meyrick,1923) (Lecithoceridae) Synonym(s): *residua* Meyrick,1923
 31328) *Thubana residua* Meyrick,1923 (Lecithoceridae) Synonym(s): *residua* Meyrick,1923
 31329) *Thubana spinata* Park & Abang,2005 (Lecithoceridae) Synonym(s): *spinata* Park & Abang,2005
 31330) *Thubana stenosis* Park,2003 (Lecithoceridae) Synonym(s): *stenosis* Park,2003
 31331) *Thubana xanthoteles* (Meyrick,1923) (Lecithoceridae) Synonym(s): *xanthoteles* Meyrick,1923
 31332) *Thubana xanthoteles* Meyrick,1923 (Lecithoceridae) Synonym(s): *xanthoteles* Meyrick,1923
 31333) *Thubana xylogramma* Meyrick,1922 (Lecithoceridae) Synonym(s): *xylogramma* Meyrick,1922
 31334) *Thymiatris melitacma* Meyrick,1907 (Lecithoceridae) Synonym(s): *melitacma* Meyrick,1907
 31335) *Timyra phycisella* Walker,1864 (Lecithoceridae) Synonym(s): *phycisella* Walker,1864
 31336) *Tisis amabilis* Park,2003 (Lecithoceridae) Synonym(s): *amabilis* Park,2003
 31337) *Tisis argyrophaea* Meyrick,1910 (Lecithoceridae) Synonym(s): *argyrophaea* Meyrick,1910
 31338) *Tisis asterias* Park,2003 (Lecithoceridae) Synonym(s): *asterias* Park,2003
 31339) *Tisis aurantiella* Park,2003 (Lecithoceridae) Synonym(s): *aurantiella* Park,2003
 31340) *Tisis bicolorella* Walker,1864 (Lecithoceridae) Synonym(s): *bicolorella* Walker,1864
 31341) *Tisis boleta* Wu,1998 (Lecithoceridae) Synonym(s): *boleta* Wu,1998
 31342) *Tisis calybaeella* (Walker,1864) (Lecithoceridae) Synonym(s): *calybaeella* Walker,1864; *latifasciella* Walker,1864
 31343) *Tisis cerambycina* Meyrick,1926 (Lecithoceridae) Synonym(s): *cerambycina* Meyrick,1926
 31344) *Tisis charadraea* Meyrick,1910 (Lecithoceridae) Synonym(s): *charadraea* Meyrick,1910
 31345) *Tisis colubrialis* Park,2005 (Lecithoceridae) Synonym(s): *colubrialis* Park,2005
 31346) *Tisis elegans* (Snellen,1903) (Lecithoceridae) Synonym(s): *elegans* Snellen,1903
 31347) *Tisis eurylampis* Meyrick,1910 (Lecithoceridae) Synonym(s): *eurylampis* Meyrick,1910
 31348) *Tisis helioclina* (Meyrick,1894) (Lecithoceridae) Synonym(s): *helioclina* Meyrick,1894
 31349) *Tisis hyacinthina* Meyrick,1910 (Lecithoceridae) Synonym(s): *hyacinthina* Meyrick,1910
 31350) *Tisis imperatrix* Meyrick,1910 (Lecithoceridae) Synonym(s): *imperatrix* Meyrick,1910
 31351) *Tisis latiductalis* Park,2005 (Lecithoceridae) Synonym(s): *latiductalis* Park,2005
 31352) *Tisis luteella* (Snellen,1903) (Lecithoceridae) Synonym(s): *luteella* Snellen,1903
 31353) *Tisis meliorella* (Walker,1864) (Lecithoceridae) Synonym(s): *meliorella* Walker,1864
 31354) *Tisis mesozosta* Meyrick,1914 (Lecithoceridae) Synonym(s): *mesozosta* Meyrick,1914
 31355) *Tisis nielseni* Park,2001 (Lecithoceridae) Synonym(s): *nielseni* Park,2001
 31356) *Tisis penrisseica* Park,2005 (Lecithoceridae) Synonym(s): *penrisseica* Park,2005
 31357) *Tisis plautata* Wu,1998 (Lecithoceridae) Synonym(s): *plautata* Wu,1998
 31358) *Tisis sabahensis* Park,2003 (Lecithoceridae) Synonym(s): *sabahensis* Park,2003
 31359) *Tisis sandaradema* Wu,1998 (Lecithoceridae) Synonym(s): *sandaradema* Wu,1998
 31360) *Tisis seclusella* (Walker,1864) (Lecithoceridae) Synonym(s): *seclusella* Walker,1864
 31361) *Tisis sophistica* Park,2003 (Lecithoceridae) Synonym(s): *sophistica* Park,2003
 31362) *Tisis thaiana* Park,2003 (Lecithoceridae) Synonym(s): *thaiana* Park,2003
 31363) *Tisis xantholepidos* Park,2003 (Lecithoceridae) Synonym(s): *xantholepidos* Park,2003
 31364) *Tisis yasudai* Park,2003 (Lecithoceridae) Synonym(s): *yasudai* Park,2003
 31365) *Torodora aenoptera* Gozmany,1978 (Lecithoceridae) Synonym(s): *aenoptera* Gozmany,1978
 31366) *Torodora albicruris* Park & Heppner,2000 (Lecithoceridae) Synonym(s): *albicruris* Park & Heppner,2000
 31367) *Torodora ancylota* Meyrick,1894 (Lecithoceridae) Synonym(s): *ancylota* Meyrick,1894
 31368) *Torodora angustia* Park,2007 (Lecithoceridae) Synonym(s): *angustia* Park,2007
 31369) *Torodora antisema* (Meyrick,1938) (Lecithoceridae) Synonym(s): *antisema* Meyrick,1938
 31370) *Torodora arcifera* (Meyrick,1907) (Lecithoceridae) Synonym(s): *arcifera* Meyrick,1907
 31371) *Torodora aritai* Park,2002 (Lecithoceridae) Synonym(s): *aritai* Park,2002
 31372) *Torodora babeana* Park,2007 (Lecithoceridae) Synonym(s): *babeana* Park,2007
 31373) *Torodora bracculata* (Meyrick,1911) (Lecithoceridae) Synonym(s): *bracculata* Meyrick,1911
 31374) *Torodora calligrapha* Gozmany,1978 (Lecithoceridae) Synonym(s): *calligrapha* Gozmany,1978
 31375) *Torodora capillaris* Park & Heppner,2000 (Lecithoceridae) Synonym(s): *capillaris* Park & Heppner,2000
 31376) *Torodora cerascara* Wu & Liu,1992 (Lecithoceridae) Synonym(s): *cerascara* Wu & Liu,1992
 31377) *Torodora characteris* Meyrick,1894 (Lecithoceridae) Synonym(s): *characteris* Meyrick,1894
 31378) *Torodora chiangdoica* Park,2002 (Lecithoceridae) Synonym(s): *chiangdoica* Park,2002
 31379) *Torodora chinanensis* Park,2003 (Lecithoceridae) Synonym(s): *chinanensis* Park,2003
 31380) *Torodora chlorobapta* (Meyrick,1931) (Lecithoceridae) Synonym(s): *chlorobapta* Meyrick,1931
 31381) *Torodora chumphonica* Park,2002 (Lecithoceridae) Synonym(s): *chumphonica* Park,2002
 31382) *Torodora convexa* Gozmany,1973 (Lecithoceridae) Synonym(s): *convexa* Gozmany,1973
 31383) *Torodora corsota* (Meyrick,1911) (Lecithoceridae) Synonym(s): *corsota* Meyrick,1911
 31384) *Torodora defracta* Gozmany,1973 (Lecithoceridae) Synonym(s): *defracta* Gozmany,1973
 31385) *Torodora deleastra* (Meyrick,1911) (Lecithoceridae) Synonym(s): *deleastra* Meyrick,1911
 31386) *Torodora dentijuxta* Gozmany,1978 (Lecithoceridae) Synonym(s): *dentijuxta* Gozmany,1978
 31387) *Torodora diakonoffi* Gozmany,1978 (Lecithoceridae) Synonym(s): *diakonoffi* Gozmany,1978
 31388) *Torodora diceba* Wu & Liu,1994 (Lecithoceridae) Synonym(s): *diceba* Wu & Liu,1994
 31389) *Torodora digna* (Meyrick,1918) (Lecithoceridae) Synonym(s): *digna* Meyrick,1918
 31390) *Torodora dinosigna* Gozmany,1973 (Lecithoceridae) Synonym(s): *dinosigna* Gozmany,1973
 31391) *Torodora durabila* Wu & Liu,1994 (Lecithoceridae) Synonym(s): *durabila* Wu & Liu,1994

- 31392) *Torodora epicharis* Park, 2002 (Lecithoceridae) Synonym(s): *epicharis* Park, 2002
 31393) *Torodora epiphorana* Park, 2002 (Lecithoceridae) Synonym(s): *epiphorana* Park, 2002
 31394) *Torodora epitritona* Park, 2002 (Lecithoceridae) Synonym(s): *epitritona* Park, 2002
 31395) *Torodora eupatris* (Meyrick, 1910) (Lecithoceridae) Synonym(s): *eupatris* Meyrick, 1910
 31396) *Torodora facula* Wu & Park, 1999 (Lecithoceridae) Synonym(s): *facula* Wu & Park, 1999
 31397) *Torodora flavescens* Gozmany, 1978 (Lecithoceridae) Synonym(s): *flavescens* Gozmany, 1978
 31398) *Torodora forsteri* Gozmany, 1973 (Lecithoceridae) Synonym(s): *forsteri* Gozmany, 1973
 31399) *Torodora fortis* (Meyrick, 1918) (Lecithoceridae) Synonym(s): *fortis* Meyrick, 1918
 31400) *Torodora frustrans* (Diakonoff, 1952) (Lecithoceridae) Synonym(s): *frustrans* Diakonoff, 1952
 31401) *Torodora fuscobasalis* Park, 2002 (Lecithoceridae) Synonym(s): *fuscobasalis* Park, 2002
 31402) *Torodora fuscoptera* Rose & Pathania, 2003 (Lecithoceridae) Synonym(s): *fuscoptera* Rose & Pathania, 2003
 31403) *Torodora galera* Wu & Liu, 1994 (Lecithoceridae) Synonym(s): *galera* Wu & Liu, 1994
 31404) *Torodora glyptosema* (Meyrick, 1938) (Lecithoceridae) Synonym(s): *glyptosema* Meyrick, 1938
 31405) *Torodora granata* Wu & Liu, 1994 (Lecithoceridae) Synonym(s): *granata* Wu & Liu, 1994
 31406) *Torodora hepatisma* Gozmany, 1978 (Lecithoceridae) Synonym(s): *hepatisma* Gozmany, 1978
 31407) *Torodora hoenei* Gozmany, 1978 (Lecithoceridae) Synonym(s): *hoenei* Gozmany, 1978
 31408) *Torodora invariella* (Walker, 1869) (Lecithoceridae) Synonym(s): *invariella* Walker, 1869
 31409) *Torodora iresina* Wu & Liu, 1994 (Lecithoceridae) Synonym(s): *iresina* Wu & Liu, 1994
 31410) *Torodora karsholti* Park, 2002 (Lecithoceridae) Synonym(s): *karsholti* Park, 2002
 31411) *Torodora lineata* Park, 2002 (Lecithoceridae) Synonym(s): *lineata* Park, 2002
 31412) *Torodora loeica* Park, 2002 (Lecithoceridae) Synonym(s): *loeica* Park, 2002
 31413) *Torodora loncheloba* Wu & Liu, 1994 (Lecithoceridae) Synonym(s): *loncheloba* Wu & Liu, 1994
 31414) *Torodora longilobella* Park, 2002 (Lecithoceridae) Synonym(s): *longilobella* Park, 2002
 31415) *Torodora macrosigna* Gozmany, 1973 (Lecithoceridae) Synonym(s): *macrosigna* Gozmany, 1973
 31416) *Torodora malthodesa* Wu & Liu, 1994 (Lecithoceridae) Synonym(s): *malthodesa* Wu & Liu, 1994
 31417) *Torodora manoconta* Wu & Liu, 1994 (Lecithoceridae) Synonym(s): *manoconta* Wu & Liu, 1994
 31418) *Torodora materata* Wu & Liu, 1994 (Lecithoceridae) Synonym(s): *materata* Wu & Liu, 1994
 31419) *Torodora metasaris* (Meyrick, 1911) (Lecithoceridae) Synonym(s): *metasaris* Meyrick, 1911
 31420) *Torodora micrognatha* Wu, 1999 (Lecithoceridae) Synonym(s): *micrognatha* Wu, 1999
 31421) *Torodora milichina* Wu & Liu, 1994 (Lecithoceridae) Synonym(s): *milichina* Wu & Liu, 1994
 31422) *Torodora moerens* Gozmany, 2002 (Lecithoceridae) Synonym(s): *moerens* Gozmany, 2002
 31423) *Torodora moriyasu* Park, 2002 (Lecithoceridae) Synonym(s): *moriyasu* Park, 2002
 31424) *Torodora neodeltospila* Rose & Pathania, 2003 (Lecithoceridae) Synonym(s): *neodeltospila* Rose & Pathania, 2003
 31425) *Torodora notacma* Wu, 1997 (Lecithoceridae) Synonym(s): *notacma* Wu, 1997
 31426) *Torodora nyctiphron* (Meyrick, 1931) (Lecithoceridae) Synonym(s): *nyctiphron* Meyrick, 1931
 31427) *Torodora ocreatana* Wu & Liu, 1994 (Lecithoceridae) Synonym(s): *ocreatana* Wu & Liu, 1994
 31428) *Torodora octavana* (Meyrick, 1911) (Lecithoceridae) Synonym(s): *octavana* Meyrick, 1911
 31429) *Torodora octosperma* (Diakonoff, 1952) (Lecithoceridae) Synonym(s): *octosperma* Diakonoff, 1952
 31430) *Torodora opportuna* (Meyrick, 1923) (Lecithoceridae) Synonym(s): *opportuna* Meyrick, 1923
 31431) *Torodora orocola* Gozmany, 1973 (Lecithoceridae) Synonym(s): *orocola* Gozmany, 1973
 31432) *Torodora parafuscoptera* Rose & Pathania, 2003 (Lecithoceridae) Synonym(s): *parafuscoptera* Rose & Pathania, 2003
 31433) *Torodora parallactis* Meyrick, 1894 (Lecithoceridae) Synonym(s): *parallactis* Meyrick, 1894
 31434) *Torodora parallella* Gozmany, 1978 (Lecithoceridae) Synonym(s): *parallella* Gozmany, 1978
 31435) *Torodora parasema* (Meyrick, 1913) (Lecithoceridae) Synonym(s): *parasema* Meyrick, 1913
 31436) *Torodora parotidosa* Wu, 1994 (Lecithoceridae) Synonym(s): *parotidosa* Wu, 1994
 31437) *Torodora parthenopis* (Meyrick, 1932) (Lecithoceridae) Synonym(s): *parthenopis* Meyrick, 1932
 31438) *Torodora pegasana* Wu & Liu, 1994 (Lecithoceridae) Synonym(s): *pegasana* Wu & Liu, 1994
 31439) *Torodora pennunca* Wu & Liu, 1994 (Lecithoceridae) Synonym(s): *pennunca* Wu & Liu, 1994
 31440) *Torodora pentagona* Park, 2002 (Lecithoceridae) Synonym(s): *pentagona* Park, 2002
 31441) *Torodora phoberopis* (Meyrick, 1938) (Lecithoceridae) Synonym(s): *phoberopis* Meyrick, 1938
 31442) *Torodora phoberopis* (Meyrick, 1938) (Lecithoceridae) Synonym(s): *phoberopis* Meyrick, 1938
 31443) *Torodora phuruaensis* Park, 2007 (Lecithoceridae) Synonym(s): *phuruaensis* Park, 2007
 31444) *Torodora piscarifurca* Wu & Park, 1999 (Lecithoceridae) Synonym(s): *piscarifurca* Wu & Park, 1999
 31445) *Torodora ponomarenkoae* Rose & Pathania, 2003 (Lecithoceridae) Synonym(s): *ponomarenkoae* Rose & Pathania, 2003
 31446) *Torodora pseudogalera* Park, 2003 (Lecithoceridae) Synonym(s): *pseudogalera* Park, 2003
 31447) *Torodora pubesensovalvata* Rose & Pathania, 2003 (Lecithoceridae) Synonym(s): *pubesensovalvata* Rose & Pathania, 2003
 31448) *Torodora rectilinea* Park, 2003 (Lecithoceridae) Synonym(s): *rectilinea* Park, 2003
 31449) *Torodora rectoralvata* Park, 2007 (Lecithoceridae) Synonym(s): *rectoralvata* Park, 2007
 31450) *Torodora retardata* Gozmany, 1973 (Lecithoceridae) Synonym(s): *retardata* Gozmany, 1973
 31451) *Torodora rhamphasta* Gozmany, 1978 (Lecithoceridae) Synonym(s): *rhamphasta* Gozmany, 1978
 31452) *Torodora roesleri* Gozmany, 1978 (Lecithoceridae) Synonym(s): *roesleri* Gozmany, 1978
 31453) *Torodora sagmaria* Park, 2002 (Lecithoceridae) Synonym(s): *sagmaria* Park, 2002
 31454) *Torodora sciadosa* Wu & Liu, 1994 (Lecithoceridae) Synonym(s): *sciadosa* Wu & Liu, 1994
 31455) *Torodora serpentina* (Diakonoff, 1952) (Lecithoceridae) Synonym(s): *serpentina* Diakonoff, 1952
 31456) *Torodora silvatica* Park, 2007 (Lecithoceridae) Synonym(s): *silvatica* Park, 2007
 31457) *Torodora sortilega* (Meyrick, 1911) (Lecithoceridae) Synonym(s): *sortilega* Meyrick, 1911
 31458) *Torodora spilotella* (Walker, 1864) (Lecithoceridae) Synonym(s): *spilotella* Walker, 1864
 31459) *Torodora spinula* Park, 2002 (Lecithoceridae) Synonym(s): *spinula* Park, 2002
 31460) *Torodora straminea* Gozmany, 2002 (Lecithoceridae) Synonym(s): *straminea* Gozmany, 2002
 31461) *Torodora sympelax* Gozmany, 1978 (Lecithoceridae) Synonym(s): *sympelax* Gozmany, 1978
 31462) *Torodora tenebrata* Gozmany, 1978 (Lecithoceridae) Synonym(s): *tenebrata* Gozmany, 1978
 31463) *Torodora thraneuta* (Meyrick, 1911) (Lecithoceridae) Synonym(s): *thraneuta* Meyrick, 1911
 31464) *Torodora torrifacta* Gozmany, 1978 (Lecithoceridae) Synonym(s): *torrifacta* Gozmany, 1978
 31465) *Torodora trigona* Gozmany, 1978 (Lecithoceridae) Synonym(s): *trigona* Gozmany, 1978
 31466) *Torodora trigonopis* (Meyrick, 1907) (Lecithoceridae) Synonym(s): *trigonopis* Meyrick, 1907
 31467) *Torodora ventralilata* Wu & Park, 1999 (Lecithoceridae) Synonym(s): *ventralilata* Wu & Park, 1999
 31468) *Torodora vietnamensis* Park, 2007 (Lecithoceridae) Synonym(s): *vietnamensis* Park, 2007
 31469) *Torodora virginopis* Gozmany, 1978 (Lecithoceridae) Synonym(s): *virginopis* Gozmany, 1978
 31470) *Torodora walsinghami* Wu, 1999 (Lecithoceridae) Synonym(s): *walsinghami* Wu, 1999
 31471) *Torodora xerastis* Meyrick, 1905 (Lecithoceridae) Synonym(s): *xerastis* Meyrick, 1905
 31472) *Trichoboscis crocosema* (Meyrick, 1929) (Lecithoceridae) Synonym(s): *crocosema* Meyrick, 1929
 31473) *Trichoboscis pansarista* Meyrick, 1929 (Lecithoceridae) Synonym(s): *pansarista* Meyrick, 1929
 31474) *Trypnerantis atelogramma* Meyrick, 1907 (Lecithoceridae) Synonym(s): *atelogramma* Meyrick, 1907
 31475) *Lemonia balcanica* Herrich-Schäffer, [1843] (Lemoniidae) Synonym(s): *balcanica* Herrich-Schäffer, [1843]; *anatolica* Wagner, 1931.
 31476) *Lemonia ballioni* (Christoph, 1888) (Lemoniidae) Synonym(s): *ballioni* Christoph, 1888
 31477) *Lemonia beiruti* pontica Aurivillius, 1894 (Lemoniidae) Synonym(s): *beiruti* pontica Aurivillius, 1894
 31478) *Lemonia beiruti* Daniel, 1965 (Lemoniidae) Synonym(s): *beiruti* Daniel, 1965
 31479) *Lemonia dumi* (Linnaeus, 1761) (Lemoniidae) Synonym(s): *dumi* Linnaeus, 1761; *dumeti* Linnaeus, 1767
 31480) *Lemonia pauli* Staudinger, [1895] (Lemoniidae) Synonym(s): *pauli* Staudinger, [1895]
 31481) *Lemonia peilei* Rothschild, 1921 (Lemoniidae) Synonym(s): *peilei* Rothschild, 1921

- 31482) *Lemonia peilei farsica* Wiltshire,1946 (Lemoniidae) Synonym(s): *farsica* Wiltshire,1946
 31483) *Lemonia peilei klapperichi* Wiltshire,1961 (Lemoniidae) Synonym(s): *klapperichi* Wiltshire,1961
 31484) *Lemonia peilei peilei Rothschild*,1924 (Lemoniidae) Synonym(s): *peilei Rothschild*,1924
 31485) *Lemonia peilei talhouki* Wiltshire,1952 (Lemoniidae) Synonym(s): *talhouki* Wiltshire,1952
 31486) *Lemonia philopalus* (Donzel,1842) (Lemoniidae) Synonym(s): *philopalus* Donzel,1842
 31487) *Lemonia pia* Püngeler,1902 (Lemoniidae) Synonym(s): *pia* Püngeler,1902
 31488) *Lemonia pia friedeli* Witt,1979 (Lemoniidae) Synonym(s): *friedeli* Witt,1979
 31489) *Lemonia pia ispira De Freina*,1999 (Lemoniidae) Synonym(s): *ispira De Freina*,1999
 31490) *Lemonia pia pia* Püngeler,1902 (Lemoniidae) Synonym(s): *pia* Püngeler,1902
 31491) *Lemonia sacrosancta* Püngeler,1902 (Lemoniidae) Synonym(s): *sacrosancta* Püngeler,1902
 31492) *Lemonia sacrosancta sacrosancta* Püngeler,1902 (Lemoniidae) Synonym(s): *sacrosancta* Püngeler,1902
 31493) *Lemonia sacrosancta syriensis* Daniel,1953 (Lemoniidae) Synonym(s): *syriensis* Daniel,1953
 31494) *Lemonia taraxaconis* (Gmelin,1790) (Lemoniidae) Synonym(s): *#taraxaci* [Denis & Schiffermüller],1775; *taraxaconis* Gmelin,1790
 31495) *Sabalia fulvicincta* Hampson,1901 (Lemoniidae) Synonym(s): *fulvicincta* Hampson,1901
 31496) *Sabalia jacksoni* Sharpe,1890 (Lemoniidae) Synonym(s): *jacksoni* Sharpe,1890
 31497) *Sabalia picarina* Walker,1865 (Lemoniidae) Synonym(s): *picarina* Walker,1865
 31498) *Sabalia sericaria* Weymer,1896 (Lemoniidae) Synonym(s): *sericaria* Weymer,1896
 31499) *Sabalia thalia* Fawcett,1915 (Lemoniidae) Synonym(s): *thalia* Fawcett,1915
 31500) *Sabalia tippelscirchi* Karsch,1898 (Lemoniidae) Synonym(s): *tippelscirchi* Karsch,1898
 31501) *Libythea (Jera) labdaca* Westwood & Hewitson,1851 (Libytheidae) Synonym(s): *labdaca* Westwood & Hewitson,1851
 31502) *Libythea (Jera) labdaca labdaca* Westwood & Hewitson,1851 (Libytheidae) Synonym(s): *labdaca* Westwood & Hewitson,1851
 31503) *Libythea (Jera) labdaca laius* Trimen,1879 (Libytheidae) Synonym(s): *laius* Trimen,1879
 31504) *Libythea (s.str.) celtis* (Laicharting,1782) (Libytheidae) Synonym(s): *celtis* Laicharting,1782
 31505) *Libythea (s.str.) celtis celtis* (Laicharting,1782) (Libytheidae) Synonym(s): *celtis* Laicharting,1782
 31506) *Libythea (s.str.) celtis celtoides* Fruhstorfer,1909 (Libytheidae) Synonym(s): *celtoides* Fruhstorfer,1909
 31507) *Libythea (s.str.) celtis cesa* Kemal & Koçak,2007 (Libytheidae) Synonym(s): *cesa* Kemal & Koçak,2005
 31508) *Libythea (s.str.) celtis chinensis* Fruhstorfer,1909 (Libytheidae) Synonym(s): *chinensis* Fruhstorfer,1909
 31509) *Libythea (s.str.) celtis formosana* Fruhstorfer,1909 (Libytheidae) Synonym(s): *formosana* Fruhstorfer,1909
 31510) *Libythea (s.str.) celtis matsumurae* Fruhstorfer,1909 (Libytheidae) Synonym(s): *matsumurae* Fruhstorfer,1909
 31511) *Libythea (s.str.) geoffroy* Godart,[1823] (Libytheidae) Synonym(s): *geoffroy* Godart,[1823]
 31512) *Libythea (s.str.) geoffroy alompra* Moore,1901 (Libytheidae) Synonym(s): *alompra* Moore,1901
 31513) *Libythea (s.str.) geoffroy bardas* Fruhstorfer,1914 (Libytheidae) Synonym(s): *bardas* Fruhstorfer,1914
 31514) *Libythea (s.str.) geoffroy celebensis* Staudinger (Libytheidae) Synonym(s):
 31515) *Libythea (s.str.) geoffroy geoffroy* Godart,[1823] (Libytheidae) Synonym(s): *geoffroy* Godart,[1823]
 31516) *Libythea (s.str.) geoffroy philippina* Staudinger,1889 (Libytheidae) Synonym(s): *philippina* Staudinger,1889
 31517) *Libythea (s.str.) geoffroy sumbensis* Pagenstecher (Libytheidae) Synonym(s):
 31518) *Libythea (s.str.) lepita* Moore,1857 (Libytheidae) Synonym(s): *lepita* Moore,1857
 31519) *Libythea (s.str.) lepita lepita* Moore,1857 (Libytheidae) Synonym(s): *lepita* Moore,1857
 31520) *Libythea (s.str.) myrrha* Godart,[1819] (Libytheidae) Synonym(s): *myrrha* Godart,[1819]
 31521) *Libythea (s.str.) myrrha borneensis* Fruhstorfer (Libytheidae) Synonym(s): *borneensis* Fruhstorfer
 31522) *Libythea (s.str.) myrrha carma* Fruhstorfer,1914 (Libytheidae) Synonym(s): *carma* Fruhstorfer,1914
 31523) *Libythea (s.str.) myrrha hecura* Fruhstorfer,1914 (Libytheidae) Synonym(s): *hecura* Fruhstorfer,1914
 31524) *Libythea (s.str.) myrrha iwanagai* Hayashi,1976 (Libytheidae) Synonym(s): *iwanagai* Hayashi,1976
 31525) *Libythea (s.str.) myrrha myrrha* Godart,[1819] (Libytheidae) Synonym(s): *myrrha* Godart,[1819]
 31526) *Libythea (s.str.) myrrha rama* Moore,1872 (Libytheidae) Synonym(s): *rama* Moore,1872
 31527) *Libythea (s.str.) myrrha sanguinalis* Fruhstorfer,1898 (Libytheidae) Synonym(s): *sanguinalis* Fruhstorfer,1898; *myrrhina* Fruhstorfer,1910; *hecura* Fruhstorfer; *thira* Fruhstorfer
 31528) *Libythea (s.str.) narina* Godart,[1819] (Libytheidae) Synonym(s): *narina* Godart,[1819]
 31529) *Libythea (s.str.) narina canuleia* Fruhstorfer,1910 (Libytheidae) Synonym(s): *canuleia* Fruhstorfer,1910
 31530) *Libythea (s.str.) narina hybrida* Martin (Libytheidae) Synonym(s):
 31531) *Libythea (s.str.) narina luzonica* Moore,1901 (Libytheidae) Synonym(s): *luzonica* Moore,1901
 31532) *Libythea (s.str.) narina narina* Godart,[1819] (Libytheidae) Synonym(s): *narina* Godart,[1819]
 31533) *Libythea (s.str.) narina rohini* Marschall,1881 (Libytheidae) Synonym(s): *rohini* Marschall,1881
 31534) *Libythea (s.str.) narina sangha* Fruhstorfer (Libytheidae) Synonym(s): *sangha* Fruhstorfer
 31535) *Libythea (s.str.) narina sumbawana* Fruhstorfer (Libytheidae) Synonym(s): *sumbawana* Fruhstorfer
 31536) *Libytheana bachmannii* (Kirtland,1852) (Libytheidae) Synonym(s): *bachmannii* Kirtland,1852; *kirtlandi* Field,1938
 31537) *Libytheana bachmannii bachmannii* (Kirtland,1852) (Libytheidae) Synonym(s): *bachmannii* Kirtland,1852; *kirtlandi* Field,1938
 31538) *Libytheana bachmannii larvata* (Strecker,[1878]) (Libytheidae) Synonym(s): *larvata* Strecker,[1878]; *streckeri* Field,1938
 31539) *Libytheana carinenta* (Cramer,1777) (Libytheidae) Synonym(s): *carinenta* Cramer,1777
 31540) *Libytheana carinenta mexicana* Michener,1943 (Libytheidae) Synonym(s): *mexicana* Michener,1943
 31541) *Libytheana motya* (Boisduval & Leconte,[1833]) (Libytheidae) Synonym(s): *motya* Boisduval & Leconte,[1833]
 31542) *Actiolepis rubida* R.Felder,1862 (Limaecodidae) Synonym(s): *rubida* R.Felder,1862
 31543) *Afraltha chionostola* (Hampson,1910) (Limaecodidae) Synonym(s): *chionostola* Hampson,1910
 31544) *Afraltha luxuriosa* (M.Hering,1928) (Limaecodidae) Synonym(s): *luxuriosa* M.Hering,1928
 31545) *Afrobirthama flaccidia* (Druce,1899) (Limaecodidae) Synonym(s): *flaccidia* Druce,1899
 31546) *Afrobirthama hobohmi* Janse,1964 (Limaecodidae) Synonym(s): *hobohmi* Janse,1964
 31547) *Afrobirthama reducta* M.Hering,1928 (Limaecodidae) Synonym(s): *reducta* M.Hering,1928
 31548) *Afromiresa ustitermina* (Hampson,1910) (Limaecodidae) Synonym(s): *ustitermina* Hampson,1910
 31549) *Allothosea lola* (Swinhoe,1904) (Limaecodidae) Synonym(s): *lola* Swinhoe,1904; *orgyioides* Van Eecke,1929; *plumbea* M.Hering,1931
 31550) *Allothosea montana* Holloway,1986 (Limaecodidae) Synonym(s): *montana* Holloway,1986
 31551) *Altha adala* (Moore,1859) (Limaecodidae) Synonym(s): *adala* Moore,1859; *#adada* Hutacharern & Tuhtim,1995
 31552) *Altha albigitata* (Snellen,1879) (Limaecodidae) Synonym(s): *albigitata* Snellen,1879; *nigriplaga* Heylaerts,1890; *sanguineomaculata* Heylaerts,1890
 31553) *Altha ansorgei* Bethune-Baker,1911 (Limaecodidae) Synonym(s): *ansorgei* Bethune-Baker,1911
 31554) *Altha ansorgei Bethune-Baker*,1911 (Limaecodidae) Synonym(s): *ansorgei* Bethune-Baker,1911
 31555) *Altha castaneipars* (Moore,1865) (Limaecodidae) Synonym(s): *castaneipars* Moore,1865
 31556) *Altha chionostola* Hampson,1910 (Limaecodidae) Synonym(s): *chionostola* Hampson,1910
 31557) *Altha contaminata* (Hampson,1892) (Limaecodidae) Synonym(s): *contaminata* Hampson,1892
 31558) *Altha kerangatis* Holloway,1982 (Limaecodidae) Synonym(s): *kerangatis* Holloway,1982
 31559) *Altha lacteola* (Swinhoe,1890) (Limaecodidae) Synonym(s): *lacteola* Swinhoe,1890
 31560) *Altha lacteola lacteola* (Swinhoe,1890) (Limaecodidae) Synonym(s): *lacteola* Swinhoe,1890
 31561) *Altha lacteola melanopsis* Strand,1915 (Limaecodidae) Synonym(s): *melanopsis* Strand,1915
 31562) *Altha nivea* Walker,1862 (Limaecodidae) Synonym(s): *nivea* Walker,1862
 31563) *Altha nuristana* Daniel,1965 (Limaecodidae) Synonym(s): *nuristana* Daniel,1965
 31564) *Altha obliquifascia* Hampson,1900 (Limaecodidae) Synonym(s): *obliquifascia* Hampson,1900
 31565) *Altha rubrifuscalis* Hampson,1910 (Limaecodidae) Synonym(s): *rubrifuscalis* Hampson,1910
 31566) *Altha rufescens* Swinhoe,1893 (Limaecodidae) Synonym(s): *rufescens* Swinhoe,1893
 31567) *Altha subrosea* Wileman,1915 (Limaecodidae) Synonym(s): *subrosea* Wileman,1915
 31568) *Anaxidia lactea* Swinhoe,1892 (Limaecodidae) Synonym(s): *lactea* Swinhoe,1892; *aerogramma* Lower,1915
 31569) *Anaxidia lozogramma* (Turner,1902) (Limaecodidae) Synonym(s): *lozogramma* Turner,1902
 31570) *Anepesia eugyra* Turner,1926 (Limaecodidae) Synonym(s): *eugyra* Turner,1926

- 31571) *Aneposia tephraea* Turner, 1926 (Limacodidae) Synonym(s): *tephraea* Turner, 1926
 31572) *Apluda plebeja* Wallengren, 1863 (Limacodidae) Synonym(s): *plebeja* Wallengren, 1863
 31573) *Apoda limacodes* (Hufnagel, 1766) (Limacodidae) Synonym(s): *limacodes* Hufnagel, 1766; *testudo* [Denis & Schiffermüller], 1775; *funalis* Donovan, 1794; *testudinana* Hübner, [1799]; *avellana* auct.
 31574) *Apodecta monodisca* Turner, 1902 (Limacodidae) Synonym(s): *monodisca* Turner, 1902; *actinias* Lower, 1902; *insularis* West, 1937
 31575) *Apreptophanes stvensoni* Janse, 1964 (Limacodidae) Synonym(s): *stvensoni* Janse, 1964
 31576) *Araecygia castanea* Hampson, 1892 (Limacodidae) Synonym(s): *castanea* Hampson, 1892
 31577) *Araecygia cupreata* Hampson, 1897 (Limacodidae) Synonym(s): *cupreata* Hampson, 1897
 31578) *Araecygia phaeopasta* Hampson, 1906 (Limacodidae) Synonym(s): *phaeopasta* Hampson, 1906
 31579) *Araecygia spatulata* Hampson, 1892 (Limacodidae) Synonym(s): *spatulata* Hampson, 1892
 31580) *Arbelarosa diagonalis* Holloway, 1982 (Limacodidae) Synonym(s): *diagonalis* Holloway, 1982
 31581) *Arctozygaena quinquemaculata* Gaede, 1926 (Limacodidae) Synonym(s): *quinquemaculata* Gaede, 1926
 31582) *Astatophebia marmaromaculata* Janse, 1964 (Limacodidae) Synonym(s): *marmaromaculata* Janse, 1964
 31583) *Asteria cineracea* Karsch, 1896 (Limacodidae) Synonym(s): *cineracea* Karsch, 1896
 31584) *Asteria cretata* Karsch, 1899 (Limacodidae) Synonym(s): *cretata* Karsch, 1899
 31585) *Asteria nivosa* R.Felder, 1874 (Limacodidae) Synonym(s): *nivosa* R.Felder, 1874
 31586) *Asteria phlebodes* Karsch, 1896 (Limacodidae) Synonym(s): *phlebodes* Karsch, 1896
 31587) *Asteria vitilena* Karsch, 1896 (Limacodidae) Synonym(s): *vitilena* Karsch, 1896
 31588) *Atosia daenia* (Moore, 1859) (Limacodidae) Synonym(s): *daenia* Moore, 1859
 31589) *Atosia himalayana* Holloway, 1986 (Limacodidae) Synonym(s): *himalayana* Holloway, 1986
 31590) *Atosia rochei* Holloway, 1986 (Limacodidae) Synonym(s): *rochei* Holloway, 1986
 31591) *Atosia spicata* Holloway, 1986 (Limacodidae) Synonym(s): *spicata* Holloway, 1986
 31592) *Atosia trusmadia* Holloway, 1986 (Limacodidae) Synonym(s): *trusmadia* Holloway, 1986
 31593) *Baria elsa* (Druce, 1887) (Limacodidae) Synonym(s): *elsa* Druce, 1887
 31594) *Baria transversata* Karsch, 1899 (Limacodidae) Synonym(s): *transversata* Karsch, 1899
 31595) *Belippa horrida* Walker, 1865 (Limacodidae) Synonym(s): *horrida* Walker, 1865; *formosaensis* Kawada, 1930
 31596) *Birithama congrua* (Walker, 1862) (Limacodidae) Synonym(s): *congrua* Walker, 1862; *simplex* Snellen, 1900
 31597) *Birithama rubicunda* (Walker, 1862) (Limacodidae) Synonym(s): *rubicunda* Walker, 1862; *obliqua* Walker, 1862; *acallis* Swinhoe, 1906; *psychidalis* Van Eecke, 1929
 31598) *Birithamoides junctura* (Walker, 1865) (Limacodidae) Synonym(s): *junctura* Walker, 1865
 31599) *Birithamoides plagioscia* (Turner, 1902) (Limacodidae) Synonym(s): *plagioscia* Turner, 1902; *aspidophora* Lower, 1902
 31600) *Birithamula altichara* Holloway, 1986 (Limacodidae) Synonym(s): *altichara* Holloway, 1986
 31601) *Birithamula chara* (Swinhoe, 1901) (Limacodidae) Synonym(s): *chara* Swinhoe, 1901
 31602) *Birithosea bisura* (Moore, 1860) (Limacodidae) Synonym(s): *bisura* Moore, 1860; *orthosiodes* Walker, 1862; *brunnea* Swinhoe, 1904
 31603) *Bornethosea Holloway, 1986* (Limacodidae) Synonym(s): *Bornethosea* Holloway, 1986
 31604) *Bornethosea nigrina* Holloway, 1986 (Limacodidae) Synonym(s): *nigrina* Holloway, 1986
 31605) *Brachia albiviata* (Hampson, 1910) (Limacodidae) Synonym(s): *albiviata* Hampson, 1910
 31606) *Brachia amblygrapta* Janse, 1964 (Limacodidae) Synonym(s): *amblygrapta* Janse, 1964
 31607) *Brachia breijeri* (Janse, 1964) (Limacodidae) Synonym(s): *breijeri* Janse, 1964
 31608) *Brachypecta perobliqua* Janse, 1964 (Limacodidae) Synonym(s): *perobliqua* Janse, 1964
 31609) *Caffricola cloeckneria* (Stoll, 1781) (Limacodidae) Synonym(s): *cloeckneria* Stoll, 1781
 31610) *Caffricola kenyensis* Talbot, 1932 (Limacodidae) Synonym(s): *kenyensis* Talbot, 1932
 31611) *Caffricola vicina* Alberti, 1954 (Limacodidae) Synonym(s): *vicina* Alberti, 1954
 31612) *Calcarifera ordinata* (Butler, 1886) (Limacodidae) Synonym(s): *ordinata* Butler, 1886; *colligans* T.P.Lucas, 1891
 31613) *Cania bandura* (Moore, 1859) (Limacodidae) Synonym(s): *bandura* Moore, 1859; *malaccana* Walker, 1865
 31614) *Cania bandura acutivalva* Holloway, 1986 (Limacodidae) Synonym(s): *acutivalva* Holloway, 1986
 31615) *Cania bilinea* (Walker, 1855) (Limacodidae) Synonym(s): *bilinea* Walker, 1855; *bicarlinatus* Walker, 1858; *malaccana* Walker, 1865; *mollis* Walker, 1865
 31616) *Cania guichardi* Holloway, 1986 (Limacodidae) Synonym(s): *guichardi* Holloway, 1986
 31617) *Cania heppneri* Inoue, 1992 (Limacodidae) Synonym(s): *heppneri* Inoue, 1992
 31618) *Cania minuta* Holloway, 1986 (Limacodidae) Synonym(s): *minuta* Holloway, 1986
 31619) *Cania notodonta* Hampson, 1897 (Limacodidae) Synonym(s): *notodonta* Hampson, 1897
 31620) *Cania pulligonis* Swinhoe, 1889 (Limacodidae) Synonym(s): *pulligonis* Swinhoe, 1889
 31621) *Cania robusta* M.Hering, 1931 (Limacodidae) Synonym(s): *robusta* M.Hering, 1931; *pallida* M.Hering, 1931
 31622) *Cania sericea* Walker, 1855 (Limacodidae) Synonym(s): *sericea* Walker, 1855; *#sericea* Hutacharern & Tuhtim, 1995
 31623) *Cania siamensis* Tams, 1924 (Limacodidae) Synonym(s): *siamensis* Tams, 1924
 31624) *Cania striola* M.Hering, 1931 (Limacodidae) Synonym(s): *striola* M.Hering, 1931
 31625) *Cania styx* Holloway, 1986 (Limacodidae) Synonym(s): *styx* Holloway, 1986
 31626) *Ceratonema albifusum* Hampson, [1893] (Limacodidae) Synonym(s): *albifusum* Hampson, [1893]
 31627) *Ceratonema fasciatum* Hampson, [1893] (Limacodidae) Synonym(s): *fasciatum* Hampson, [1893]
 31628) *Ceratonema ferrugineum* Hampson, 1896 (Limacodidae) Synonym(s): *ferrugineum* Hampson, 1896
 31629) *Ceratonema retractatum* (Walker, 1865) (Limacodidae) Synonym(s): *retractatum* Walker, 1865
 31630) *Ceratonema rufibasale* Hampson, 1896 (Limacodidae) Synonym(s): *rufibasale* Hampson, 1896
 31631) *Ceratonema wilemani* West, 1932 (Limacodidae) Synonym(s): *wilemani* West, 1932
 31632) *Chalcoecelis albiguttatus* (Snellen, 1879) (Limacodidae) Synonym(s): *albiguttatus* Snellen, 1879; *fumifera* Swinhoe, 1890; *nigriplaga* Heylaerts, 1890; *sanguineomaculata* Heylaerts, 1890; *pulchrimacula* Hulstaert, 1924
 31633) *Chalcoecelis castanica* (Turner, 1926) (Limacodidae) Synonym(s): *castanica* Turner, 1926
 31634) *Chalcoecelis rubra* Bethune-Baker, 1908 (Limacodidae) Synonym(s): *rubra* Bethune-Baker, 1908
 31635) *Chalcoecelis castaneipars* (Moore, 1866) (Limacodidae) Synonym(s): *castaneipars* Moore, 1866
 31636) *Cheromettia sumatrensis* (Heylaerts, 1884) (Limacodidae) Synonym(s): *sumatrensis* Heylaerts, 1884
 31637) *Chibiraga banghaasi* (M.Hering & Hopp, 1927) (Limacodidae) Synonym(s): *banghaasi* M.Hering & Hopp, 1927; *muramatsui* Kawada, 1930; *nantonis* Matsumura, 1931
 31638) *Chrysamma amabilis* Clench, 1955 (Limacodidae) Synonym(s): *amabilis* Clench, 1955
 31639) *Chrysamma purpuripulchra* Karsch, 1896 (Limacodidae) Synonym(s): *purpuripulchra* Karsch, 1896
 31640) *Chrysopoloma bicolor* (Distant, 1897) (Limacodidae) Synonym(s): *bicolor* Distant, 1897
 31641) *Chrysopoloma flavipes* Aurivillius, 1901 (Limacodidae) Synonym(s): *flavipes* Aurivillius, 1901
 31642) *Chrysopoloma isabellina* Aurivillius, 1895 (Limacodidae) Synonym(s): *isabellina* Aurivillius, 1895
 31643) *Chrysopoloma pallens* M.Hering, 1923 (Limacodidae) Synonym(s): *similis* Distant, 1903 nec Auriv., 1895; *pallens* M.Hering, 1923.
 31644) *Chrysopoloma paupera* M.Hering, 1925 (Limacodidae) Synonym(s): *paupera* M.Hering, 1925
 31645) *Chrysopoloma restricta* Distant, 1899 (Limacodidae) Synonym(s): *restricta* Distant, 1899
 31646) *Chrysopoloma rosea* Druce, 1886 (Limacodidae) Synonym(s): *rosea* Druce, 1886
 31647) *Chrysopoloma rudis* (Walker, 1865) (Limacodidae) Synonym(s): *rudis* Walker, 1865
 31648) *Chrysopoloma similis* Aurivillius, 1895 (Limacodidae) Synonym(s): *similis* Aurivillius, 1895
 31649) *Chrysopoloma varia* Distant, 1899 (Limacodidae) Synonym(s): *varia* Distant, 1899
 31650) *Coenobasis albiramosa* (Walker, 1865) (Limacodidae) Synonym(s): *albiramosa* Walker, 1865
 31651) *Coenobasis amoena* R.Felder & Rogenhofer, 1874 (Limacodidae) Synonym(s): *amoena* R.Felder & Rogenhofer, 1874
 31652) *Coenobasis argentilinea* Aurivillius, 1899 (Limacodidae) Synonym(s): *argentilinea* Aurivillius, 1899
 31653) *Coenobasis chloronoton* Hampson, 1916 (Limacodidae) Synonym(s): *chloronoton* Hampson, 1916
 31654) *Coenobasis farouki* Wiltshire, 1947 (Limacodidae) Synonym(s): *farouki* Wiltshire, 1947
 31655) *Coenobasis hemichlora* Grünberg, 1910 (Limacodidae) Synonym(s): *hemichlora* Grünberg, 1910
 31656) *Coenobasis intermedia* Janse, 1964 (Limacodidae) Synonym(s): *intermedia* Janse, 1964

- 31657) *Coenobasis panochra* Janse, 1964 (Limacodidae) Synonym(s): *panochra* Janse, 1964
 31658) *Coenobasis postflavida* Hampson, 1910 (Limacodidae) Synonym(s): *postflavida* Hampson, 1910
 31659) *Coenobasis turneri* West, 1937 (Limacodidae) Synonym(s): *turneri* West, 1937
 31660) *Comana albibasis* (Walker, 1862) (Limacodidae) Synonym(s): *albibasis* Walker, 1862; *humeralis* Walker, 1865
 31661) *Comana collaris* Walker, 1865 (Limacodidae) Synonym(s): *collaris* Walker, 1865
 31662) *Comana corones* (Fabricius, 1775) (Limacodidae) Synonym(s): *corones* Fabricius, 1775; *miltocosma* Turner, 1902
 31663) *Comana cosmocalla* (Lower, 1902) (Limacodidae) Synonym(s): *cosmocalla* Lower, 1902; *dochmosema* Turner, 1902; *#casmodalla* Van Eecke, 1925
 31664) *Comana eurypara* (Turner, 1926) (Limacodidae) Synonym(s): *eurypara* Turner, 1926
 31665) *Comana idiomorpha* (Turner, 1942) (Limacodidae) Synonym(s): *idiomorpha* Turner, 1942
 31666) *Comana inexpectata* M. Hering, 1931 (Limacodidae) Synonym(s): *inexpectata* M. Hering, 1931
 31667) *Comana miltocytha* (Turner, 1932) (Limacodidae) Synonym(s): *miltocytha* Turner, 1932
 31668) *Comana miltogramma* (Meyrick, 1891) (Limacodidae) Synonym(s): *miltogramma* Meyrick, 1891; *rosea* T. P. Lucas, 1891; *miniacea* Swinhoe, 1892
 31669) *Comana mjobergi* (Aurivillius, 1920) (Limacodidae) Synonym(s): *mjobergi* Aurivillius, 1920; *#mjobergi* Van Eecke, 1925
 31670) *Comana monomorpha* (Turner, 1904) (Limacodidae) Synonym(s): *monomorpha* Turner, 1904
 31671) *Comana resplendens* (Turner, 1926) (Limacodidae) Synonym(s): *resplendens* Turner, 1926
 31672) *Comanula uniformis* (Swinhoe, 1892) (Limacodidae) Synonym(s): *uniformis* Swinhoe, 1892; *bipunctata* M. Hering, 1931
 31673) *Contheyla lola* Swinhoe (Limacodidae) Synonym(s):
 31674) *Contheyla melanosticta* Hampson, 1892 (Limacodidae) Synonym(s): *melanosticta* Hampson, 1892
 31675) *Contheyla propexa* (Swinhoe, 1889) (Limacodidae) Synonym(s): *propexa* Swinhoe, 1889
 31676) *Contheyla vestita* Walker, 1865 (Limacodidae) Synonym(s): *vestita* Walker, 1865
 31677) *Cosuma marginata* Holland, 1895 (Limacodidae) Synonym(s): *marginata* Holland, 1895
 31678) *Cosuma polana* Druce, 1887 (Limacodidae) Synonym(s): *polana* Druce, 1887
 31679) *Cosuma rugosa* Walker, 1855 (Limacodidae) Synonym(s): *rugosa* Walker, 1855
 31680) *Crothaema conspicua* Janse, 1964 (Limacodidae) Synonym(s): *conspicua* Janse, 1964
 31681) *Crothaema decorata* Distant, 1892 (Limacodidae) Synonym(s): *decorata* Distant, 1892
 31682) *Crothaema schoutedeni* M. Hering, 1954 (Limacodidae) Synonym(s): *schoutedeni* M. Hering, 1954
 31683) *Crothaema sericea* Butler, 1880 (Limacodidae) Synonym(s): *sericea* Butler, 1880
 31684) *Ctenocompa hilda* (Druce, 1887) (Limacodidae) Synonym(s): *hilda* Druce, 1887
 31685) *Ctenocompa secta* Strand, 1912 (Limacodidae) Synonym(s): *secta* Strand, 1912
 31686) *Ctenolita anacompa* Karsch, 1896 (Limacodidae) Synonym(s): *anacompa* Karsch, 1896
 31687) *Ctenolita argyrobapta* Karsch, 1899 (Limacodidae) Synonym(s): *argyrobapta* Karsch, 1899
 31688) *Ctenolita chrostisa* Karsch, 1896 (Limacodidae) Synonym(s): *chrostisa* Karsch, 1896
 31689) *Ctenolita epargyra* Karsch, 1896 (Limacodidae) Synonym(s): *epargyra* Karsch, 1896
 31690) *Ctenolita habenichti* Wichgraf, 1913 (Limacodidae) Synonym(s): *habenichti* Wichgraf, 1913
 31691) *Ctenolita melanosticta* (Bethune-Baker, 1909) (Limacodidae) Synonym(s): *melanosticta* Bethune-Baker, 1909
 31692) *Darna* (Orthocraspeda) *bornesordida* Holloway, 1986 (Limacodidae) Synonym(s): *bornesordida* Holloway, 1986
 31693) *Darna* (Orthocraspeda) *catenatus* (Snellen, 1879) (Limacodidae) Synonym(s): *catenatus* Snellen, 1879
 31694) *Darna* (Orthocraspeda) *furva* (Wileman, 1911) (Limacodidae) Synonym(s): *furva* Wileman, 1911; *fasciata* Shiraki, 1913
 31695) *Darna* (Orthocraspeda) *nemacera* (Hampson, 1900) (Limacodidae) Synonym(s): *nemacera* Hampson, 1900
 31696) *Darna* (Orthocraspeda) *sordida* (Snellen, 1900) (Limacodidae) Synonym(s): *sordida* Snellen, 1900; *luticrista* Tams, 1924
 31697) *Darna* (Orthocraspeda) *trima* (Moore, [1860]) (Limacodidae) Synonym(s): *trima* Moore, [1860]
 31698) *Darna* (Orthocraspeda) *trima ajavana* Holloway, 1986 (Limacodidae) Synonym(s): *ajavana* Holloway, 1986
 31699) *Darna* (Orthocraspeda) *tuaranensis* (Holloway, 1976) (Limacodidae) Synonym(s): *tuaranensis* Holloway, 1976
 31700) *Darna* (Oxyplax) *fulvidorsia* (Hampson, 1910) (Limacodidae) Synonym(s): *fulvidorsia* Hampson, 1910
 31701) *Darna* (Oxyplax) *fulvimixa* (Hampson, 1910) (Limacodidae) Synonym(s): *fulvimixa* Hampson, 1910
 31702) *Darna* (Oxyplax) *ochracea* (Moore, 1883) (Limacodidae) Synonym(s): *ochracea* Moore, 1883
 31703) *Darna* (Oxyplax) *pallivitta* (Moore, 1877) (Limacodidae) Synonym(s): *ochracea* auct. nec Mr., [1883]; *pallivitta* Moore, 1877
 31704) *Darna* (Ploneta) *bradleyi* Holloway, 1986 (Limacodidae) Synonym(s): *bradleyi* Holloway, 1986
 31705) *Darna* (Ploneta) *cotesi* (Swinhoe, 1893) (Limacodidae) Synonym(s): *cotesi* Swinhoe, 1893
 31706) *Darna* (Ploneta) *diducta* (Snellen, 1900) (Limacodidae) Synonym(s): *diducta* Snellen, 1900
 31707) *Darna* (Ploneta) *flavina* M. Hering, 1931 (Limacodidae) Synonym(s): *flavina* M. Hering, 1931
 31708) *Darna* (Ploneta) *jasea* (Swinhoe, 1899) (Limacodidae) Synonym(s): *jasea* Swinhoe, 1899
 31709) *Darna* (s.str.) *metaleuca* (Walker, 1862) (Limacodidae) Synonym(s): *metaleuca* Walker, 1862; *plana* Walker, 1862
 31710) *Darna* (s.str.) *nararia* (Moore, 1859) (Limacodidae) Synonym(s): *nararia* Moore, 1859; *signata* Moore, 1883; *fraterna* Moore, 1883; *suffusa* Moore, 1888; *cosmiana* Swinhoe, 1886; *sericea* Hampson, 1893
 31711) *Darna* (s.str.) *sybilla* (Swinhoe, 1903) (Limacodidae) Synonym(s): *sybilla* Swinhoe, 1903
 31712) *Darna* sp. (Limacodidae) Synonym(s):
 31713) *Delorhachis kilosa* West, 1940 (Limacodidae) Synonym(s): *kilosa* West, 1940
 31714) *Delorhachis nigrivenosa* Karsch, 1896 (Limacodidae) Synonym(s): *nigrivenosa* Karsch, 1896
 31715) *Delorhachis viridiplaga* Karsch, 1896 (Limacodidae) Synonym(s): *viridiplaga* Karsch, 1896
 31716) *Deltoptera iphia* Janse, 1964 (Limacodidae) Synonym(s): *iphia* Janse, 1964
 31717) *Deltoptera omana* Wiltshire, 1976 (Limacodidae) Synonym(s): *omana* Wiltshire, 1976
 31718) *Demonarosa diagonalis* (Holloway, 1982) (Limacodidae) Synonym(s): *diagonalis* Holloway, 1982
 31719) *Demonarosa mediadorsata* (M. Hering, 1931) (Limacodidae) Synonym(s): *mediadorsata* M. Hering, 1931
 31720) *Demonarosa ochrirubra* (Holloway, 1976) (Limacodidae) Synonym(s): *ochrirubra* Holloway, 1976
 31721) *Demonarosa rosea* Matsumura, 1931 (Limacodidae) Synonym(s): *rosea* Matsumura, 1931
 31722) *Demonarosa rufotessellata* (Moore, 1879) (Limacodidae) Synonym(s): *rufotessellata* Moore, 1879
 31723) *Demonarosa rufotessellata subrosea* (Wileman, 1915) (Limacodidae) Synonym(s): *subrosea* Wileman, 1915; *rosea* Matsumura, 1931
 31724) *Dinawa nigricans* Bethune-Baker, 1904 (Limacodidae) Synonym(s): *nigricans* Bethune-Baker, 1904
 31725) *Dinawa rufa* Bethune-Baker, 1904 (Limacodidae) Synonym(s): *rufa* Bethune-Baker, 1904
 31726) *Doratifera casta* (Scott, 1864) (Limacodidae) Synonym(s): *casta* Scott, 1864; *#acasta* Froggatt, 1907
 31727) *Doratifera corallina* (Turner, 1902) (Limacodidae) Synonym(s): *corallina* Turner, 1902
 31728) *Doratifera ochroptila* Turner, 1926 (Limacodidae) Synonym(s): *ochroptila* Turner, 1926
 31729) *Doratifera oxleyi* (Newman, 1855) (Limacodidae) Synonym(s): *oxleyi* Newman, 1855; *circumdata* Walker, 1855; *confusa* Walker, 1855; *longerans* Tepper, 1890
 31730) *Doratifera pinguis* (Walker, 1855) (Limacodidae) Synonym(s): *pinguis* Walker, 1855; *olorina* Turner, 1926
 31731) *Doratifera quadriguttata* (Walker, 1855) (Limacodidae) Synonym(s): *quadriguttata* Walker, 1855; *lewini* Scott, 1864; *unicolora* Swinhoe, 1902
 31732) *Doratifera stenora* Turner, 1902 (Limacodidae) Synonym(s): *stenora* Turner, 1902
 31733) *Doratifera vulnerans* (Lewin, 1805) (Limacodidae) Synonym(s): *vulnerans* Lewin, 1805
 31734) *Ecnomoctena brachyopa* (Lower, 1897) (Limacodidae) Synonym(s): *brachyopa* Lower, 1897; *grisea* Aurivillius, 1920
 31735) *Ecnomoctena hemitoma* Turner, 1926 (Limacodidae) Synonym(s): *hemitoma* Turner, 1926
 31736) *Ecnomoctena sciobaphes* Turner, 1941 (Limacodidae) Synonym(s): *sciobaphes* Turner, 1941
 31737) *Ectropa ancilis* Wallengren, 1863 (Limacodidae) Synonym(s): *ancilis* Wallengren, 1863
 31738) *Elassoptila microxutha* Turner, 1902 (Limacodidae) Synonym(s): *microxutha* Turner, 1902
 31739) *Eloasa acrata* (Turner, 1926) (Limacodidae) Synonym(s): *acrata* Turner, 1926
 31740) *Eloasa atmodes* (Turner, 1902) (Limacodidae) Synonym(s): *atmodes* Turner, 1902; *loxoleuca* Turner, 1904
 31741) *Eloasa bombycoides* (R. Felder, 1874) (Limacodidae) Synonym(s): *bombycoides* R. Felder, 1874; *erecta* Swinhoe, 1902; *amphibrota* Lower, 1902; *rutila* Turner, 1914
 31742) *Eloasa brevipennis* (M. Hering, 1931) (Limacodidae) Synonym(s): *brevipennis* M. Hering, 1931
 31743) *Eloasa callidesma* (Lower, 1896) (Limacodidae) Synonym(s): *callidesma* Lower, 1896

- 31744) *Eloasa inferquens* (Scott,1864) (Limacodidae) Synonym(s): *inferquens* Scott,1864; *entima* Turner,1926
 31745) *Eloasa liosarca* (Lower,1902) (Limacodidae) Synonym(s): *liosarca* Lower,1902; *integer* Turner,1926
 31746) *Eloasa luxa* (Swinhoe,1902) (Limacodidae) Synonym(s): *luxa* Swinhoe,1902
 31747) *Eloasa perixera* (Lower,1902) (Limacodidae) Synonym(s): *perixera* Lower,1902
 31748) *Eloasa sphenosema* (Lower,1902) (Limacodidae) Synonym(s): *sphenosema* Lower,1902
 31749) *Eloasa symphonistis* (Turner,1936) (Limacodidae) Synonym(s): *symphonistis* Turner,1936
 31750) *Euphylycta erastria* Snellen,1900 (Limacodidae) Synonym(s): *erastria* Snellen,1900
 31751) *Exanthica atelacma* Meyrick,1926 (Limacodidae) Synonym(s): *atelacma* Meyrick,1926
 31752) *Exanthica trigonella* (R.Felder & Rogenhofer,1875) (Limacodidae) Synonym(s): *trigonella* R.Felder & Rogenhofer,1875
 31753) *Featheria obvia* Hampson,1916 (Limacodidae) Synonym(s): *obvia* Hampson,1916
 31754) *Flavinarosa holoxanthia* (Hampson,1900) (Limacodidae) Synonym(s): *holoxanthia* Hampson,1900
 31755) *Gavara velutina* Walker,[1858] (Limacodidae) Synonym(s): *velutina* Walker,[1858]; *squamosa* Wallengren,1860; *leprosa* Felder,1874.
 31756) *Gephyrophora mitis* Karsch,1896 (Limacodidae) Synonym(s): *mitis* Karsch,1896
 31757) *Griseothosea cruda* (Walker,1862) (Limacodidae) Synonym(s): *cruda* Walker,1862
 31758) *Griseothosea fasciata* (Moore,1888) (Limacodidae) Synonym(s): *fasciata* Moore,1888
 31759) *Griseothosea kinabaluensis* Holloway,1986 (Limacodidae) Synonym(s): *kinabaluensis* Holloway,1986
 31760) *Griseothosea mixta* (Snellen,1900) (Limacodidae) Synonym(s): *mixta* Snellen,1900
 31761) *Halseyia basiclara* (M.Hering,1937) (Limacodidae) Synonym(s): *basiclara* M.Hering,1937
 31762) *Halseyia bisecta* (Butler,1898) (Limacodidae) Synonym(s): *bisecta* Butler,1898
 31763) *Halseyia biumbata* (Hampson,1910) (Limacodidae) Synonym(s): *biumbata* Hampson,1910
 31764) *Halseyia intacta* (M.Hering,1937) (Limacodidae) Synonym(s): *intacta* M.Hering,1937
 31765) *Halseyia pseudobisecta* (M.Hering,1937) (Limacodidae) Synonym(s): *pseudobisecta* M.Hering,1937
 31766) *Halseyia rectifascia* (M.Hering,1937) (Limacodidae) Synonym(s): *rectifascia* M.Hering,1937
 31767) *Halseyia rufilinea* (Bethune-Baker,1909) (Limacodidae) Synonym(s): *rufilinea* Bethune-Baker,1909
 31768) *Halseyia tamsi* (M.Hering,1937) (Limacodidae) Synonym(s): *tamsi* M.Hering,1937
 31769) *Hamartia clarissa* M.Hering,1937 (Limacodidae) Synonym(s): *clarissa* M.Hering,1937
 31770) *Hamartia medora* M.Hering,1937 (Limacodidae) Synonym(s): *medora* M.Hering,1937
 31771) *Hedraea quadrifida* (T.P.Lucas,1901) (Limacodidae) Synonym(s): *quadrifida* T.P.Lucas,1901
 31772) *Heringarosa cretacea* Holloway,1986 (Limacodidae) Synonym(s): *cretacea* Holloway,1986
 31773) *Heringarosa trifurca* Holloway,1986 (Limacodidae) Synonym(s): *trifurca* Holloway,1986
 31774) *Heterogenea asella* ([Denis & Schiffermüller],1775) (Limacodidae) Synonym(s): *asella* [Denis & Schiffermüller],1775; *cruciata* Knoch,1783; *asellana* Hübner,[1799]
 31775) *Hilopoda gravidipes* Karsch,1896 (Limacodidae) Synonym(s): *gravidipes* Karsch,1896
 31776) *Homosusica eugrapha* Janse,1964 (Limacodidae) Synonym(s): *eugrapha* Janse,1964
 31777) *Hoyosia codeti* (Oberthür,1883) (Limacodidae) Synonym(s): *codeti* Oberthür,1883
 31778) *Hoyosia cretica* (Rebel,1906) (Limacodidae) Synonym(s): *cretica* Rebel,1906
 31779) *Hydroclada antigona* Meyrick,1890 (Limacodidae) Synonym(s): *antigona* Meyrick,1890; *binea* Druce,1899
 31780) *Hyphorma minax* Walker,1865 (Limacodidae) Synonym(s): *minax* Walker,1865
 31781) *Hyphorma minax capucina* Snellen,1900 (Limacodidae) Synonym(s): *capucina* Snellen,1900
 31782) *Hyphorma minax margaritacea* M.Hering,1931 (Limacodidae) Synonym(s): *margaritacea* M.Hering,1931; *barisana* West,1937
 31783) *Hyphorma minax minax* Walker,1865 (Limacodidae) Synonym(s): *minax* Walker,1865
 31784) *Hyphorma minax minor* De Joannis,1930 (Limacodidae) Synonym(s): *minor* De Joannis,1930
 31785) *Hyphorma pannosa* Snellen,1900 (Limacodidae) Synonym(s): *pannosa* Snellen,1900
 31786) *Hyphorma sericea* Leech,1899 (Limacodidae) Synonym(s): *sericea* Leech,1899
 31787) *Hyphorma subterminalis* Hampson,1910 (Limacodidae) Synonym(s): *subterminalis* Hampson,1910
 31788) *Hyphormides argentipunctata* M.Hering,1931 (Limacodidae) Synonym(s): *argentipunctata* M.Hering,1931
 31789) *Hyphormoides obliquestrigata* Strand,1914 (Limacodidae) Synonym(s): *obliquestrigata* Strand,1914
 31790) *Hypsolophia hypodrosa* Turner,1926 (Limacodidae) Synonym(s): *hypodrosa* Turner,1926
 31791) *Idonauton apicalis* (Walker,1855) (Limacodidae) Synonym(s): *apicalis* Walker,1855; *curvifera* Walker,1859; *rubriplaga* Walker,1862
 31792) *Idonauton nigribasis* Hampson,1905 (Limacodidae) Synonym(s): *nigribasis* Hampson,1905
 31793) *Inous nigripalpis* Walker,1855 (Limacodidae) Synonym(s): *nigripalpis* Walker,1855
 31794) *Iragoides conjuncta* (Walker,1855) (Limacodidae) Synonym(s): *conjuncta* Walker,1855; *fimbriates* Walker,1858; *cuprea* Moore,1878
 31795) *Iragoides melli* (M.Hering,1931) (Limacodidae) Synonym(s): *melli* M.Hering,1931
 31796) *Iragoides taiwana* (Wileman,1916) (Limacodidae) Synonym(s): *taiwana* Wileman,1916
 31797) *Isozinara pallidifascia* Janse,1964 (Limacodidae) Synonym(s): *pallidifascia* Janse,1964
 31798) *Jordaniana lactea* (Pagenstecher,1903) (Limacodidae) Synonym(s): *lactea* Pagenstecher,1903
 31799) *Lamprolepidia chrysochroa* (R.Felder,1874) (Limacodidae) Synonym(s): *chrysochroa* R.Felder,1874; *euchrysa* Lower,1896
 31800) *Lasiocara pulchra* Bethune-Baker,1904 (Limacodidae) Synonym(s): *pulchra* Bethune-Baker,1904
 31801) *Lasiolimacos ferruginea* Bethune-Baker,1904 (Limacodidae) Synonym(s): *ferruginea* Bethune-Baker,1904
 31802) *Lasiolimacos kenricki* Bethune-Baker,1904 (Limacodidae) Synonym(s): *kenricki* Bethune-Baker,1904
 31803) *Lasiolimacos pratti* Bethune-Baker,1904 (Limacodidae) Synonym(s): *pratti* Bethune-Baker,1904
 31804) *Latoia albicosta* (Hampson,1910) (Limacodidae) Synonym(s): *albicosta* Hampson,1910; *#kilmandscharonis* Strand
 31805) *Latoia anagaura* Janse,1964 (Limacodidae) Synonym(s): *anagaura* Janse,1964
 31806) *Latoia eremotropa* Janse,1964 (Limacodidae) Synonym(s): *eremotropa* Janse,1964
 31807) *Latoia inexpectata* (Staudinger,1895) (Limacodidae) Synonym(s): *inexpectata* Staudinger,1895
 31808) *Latoia johannes* (Distant,1898) (Limacodidae) Synonym(s): *johannes* Distant,1898
 31809) *Latoia latistriga* (Walker,1855) (Limacodidae) Synonym(s): *latistriga* Walker,1855
 31810) *Latoia nivos angustifascia* M.Hering,1928 (Limacodidae) Synonym(s): *angustifascia* M.Hering,1928
 31811) *Latoia urda* (Druce,1887) (Limacodidae) Synonym(s): *urda* Druce,1887; *karschi* Dyar,1912
 31812) *Latoia viridicosta* (Hampson,1910) (Limacodidae) Synonym(s): *viridicosta* Hampson,1910
 31813) *Latoia viridifascia* Holland,1893 (Limacodidae) Synonym(s): *viridifascia* Holland,1893
 31814) *Latoia viridimixta* Janse,1964 (Limacodidae) Synonym(s): *viridimixta* Janse,1964
 31815) *Latoia vitilena* (Karsch,1896) (Limacodidae) Synonym(s): *vitilena* Karsch,1896; *#vitilinea* Van Eecke,1925
 31816) *Latoia vivida* (Walker,1865) (Limacodidae) Synonym(s): *vivida* Walker,1865; *arcuata* Karsch,1896; *neumanni* Karsch,1896; *viridimixta* Janse,1964
 31817) *Latoiola pusilla* (Aurivillius,1899) (Limacodidae) Synonym(s): *pusilla* Aurivillius,1899
 31818) *Lepidorytis sulcata* Aurivillius,1900 (Limacodidae) Synonym(s): *sulcata* Aurivillius,1900
 31819) *Limacoceros pulchra* (Bethune-Baker,1904) (Limacodidae) Synonym(s): *pulchra* Bethune-Baker,1904; *pyrrhothrix* Turner,1926
 31820) *Limacosilla pirifera* M.Hering,1931 (Limacodidae) Synonym(s): *pirifera* M.Hering,1931
 31821) *Lymantricoides parva* Holloway,1986 (Limacodidae) Synonym(s): *parva* Holloway,1986
 31822) *Lymantricoides pulverulenta* (M.Hering,1931) (Limacodidae) Synonym(s): *pulverulenta* M.Hering,1931
 31823) *Macroplecta albescens* Hampson,1910 (Limacodidae) Synonym(s): *albescens* Hampson,1910
 31824) *Macroplecta apicalis* Hampson,1897 (Limacodidae) Synonym(s): *apicalis* Hampson,1897
 31825) *Macroplecta fuscifusa* Hampson,1910 (Limacodidae) Synonym(s): *fuscifusa* Hampson,1910; *hyperdiffusa* Strand,1916
 31826) *Macroplecta hieroglyphica* Bethune-Baker,1911 (Limacodidae) Synonym(s): *hieroglyphica* Bethune-Baker,1911
 31827) *Macroplecta meridionalis* M.Hering,1928 (Limacodidae) Synonym(s): *meridionalis* M.Hering,1928
 31828) *Macroplecta mesocyma* Hampson,1910 (Limacodidae) Synonym(s): *mesocyma* Hampson,1910
 31829) *Macroplecta minutissima* (Swinhoe,1890) (Limacodidae) Synonym(s): *minutissima* Swinhoe,1890
 31830) *Macroplecta obliquilinea* Hampson,1910 (Limacodidae) Synonym(s): *obliquilinea* Hampson,1910
 31831) *Macroplecta rosea* Bethune-Baker,1911 (Limacodidae) Synonym(s): *rosea* Bethune-Baker,1911
 31832) *Macroplecta rufopallens* Hampson,1910 (Limacodidae) Synonym(s): *rufopallens* Hampson,1910

- 31833) *Macrolepcta semiaurantia* Hampson, 1896 (Limacodidae) Synonym(s): *semiaurantia* Hampson, 1896
 31834) *Macrolepcta tripunctata* Mabille, 1900 (Limacodidae) Synonym(s): *tripunctata* Mabille, 1900
 31835) *Mahanta leworthyi* Holloway, 1986 (Limacodidae) Synonym(s): *leworthyi* Holloway, 1986
 31836) *Mahanta quadrilinea* Moore, 1879 (Limacodidae) Synonym(s): *quadrilinea* Moore, 1879
 31837) *Mambara delocrossa* (Turner, 1906) (Limacodidae) Synonym(s): *delocrossa* Turner, 1906
 31838) *Mambara haplopis* (Turner, 1906) (Limacodidae) Synonym(s): *haplopis* Turner, 1906
 31839) *Mambara inconspicua* Bethune-Baker, 1918 (Limacodidae) Synonym(s): *inconspicua* Bethune-Baker, 1918
 31840) *Mambarilla roseata* Holloway, 1986 (Limacodidae) Synonym(s): *roseata* Holloway, 1986
 31841) *Mambarilla rotunda* (Hampson, 1903) (Limacodidae) Synonym(s): *rotunda* Hampson, 1903; *spatulifimbria* Hering, 1931
 31842) *Marsuplectra* Holloway, 1986 (Limacodidae) Synonym(s): *Marsuplectra* Holloway, 1986
 31843) *Marsuplectra parasina* (M. Hering, 1931) (Limacodidae) Synonym(s): *parasina* M. Hering, 1931
 31844) *Mecytha dnophera* (Turner, 1931) (Limacodidae) Synonym(s): *dnophera* Turner, 1931
 31845) *Mecytha fasciata* (Walker, 1855) (Limacodidae) Synonym(s): *fasciata* Walker, 1855; *semicana* Walker, 1855; *xylomeli* Scott, 1864
 31846) *Micraphe lateritia* Karsch, 1896 (Limacodidae) Synonym(s): *lateritia* Karsch, 1896; *coccinea* Hampson, 1910; *haematoessa* Hampson, 1910; *#haematoessula* Strand, 1916; *intensor* Rothschild, 1921.
 31847) *Microleon longipalpis* Butler, 1885 (Limacodidae) Synonym(s): *longipalpis* Butler, 1885
 31848) *Microleon rubicunda* Wileman, 1911 (Limacodidae) Synonym(s): *rubicunda* Wileman, 1911
 31849) *Microlimax pallidipuncta* Hampson, 1896 (Limacodidae) Synonym(s): *pallidipuncta* Hampson, 1896
 31850) *Miresa acallis* Swinhoe, 1906 (Limacodidae) Synonym(s): *acallis* Swinhoe, 1906
 31851) *Miresa albipuncta* (Herrich-Schäffer, [1854]) (Limacodidae) Synonym(s): *albipuncta* Herrich-Schäffer, [1854]; *guttifera* Walker, 1855
 31852) *Miresa alma* Druce, 1898 (Limacodidae) Synonym(s): *alma* Druce, 1898
 31853) *Miresa aquila* Druce, 1899 (Limacodidae) Synonym(s): *aquila* Druce, 1899
 31854) *Miresa argentea* (Druce, 1887) (Limacodidae) Synonym(s): *argentea* Druce, 1887
 31855) *Miresa argentifera* Walker, 1855 (Limacodidae) Synonym(s): *argentifera* Walker, 1855
 31856) *Miresa binea* Druce, 1899 (Limacodidae) Synonym(s): *binea* Druce, 1899
 31857) *Miresa bracteata* Butler, 1880 (Limacodidae) Synonym(s): *bracteata* Butler, 1880
 31858) *Miresa burmensis* M. Hering, 1931 (Limacodidae) Synonym(s): *burmensis* M. Hering, 1931
 31859) *Miresa canescens* Hampson, 1896 (Limacodidae) Synonym(s): *canescens* Hampson, 1896
 31860) *Miresa clarissa* (Stoll, 1790) (Limacodidae) Synonym(s): *clarissa* Stoll, 1790; *argentata* Walker, 1855
 31861) *Miresa coccinea* Hampson, 1910 (Limacodidae) Synonym(s): *coccinea* Hampson, 1910; *intensor* Rothschild, 1921
 31862) *Miresa decedens* Walker, 1855 (Limacodidae) Synonym(s): *decedens* Walker, 1855
 31863) *Miresa doriens* Schaus, 1920 (Limacodidae) Synonym(s): *doriens* Schaus, 1920
 31864) *Miresa flavidorsalis* (Staudinger, 1887) (Limacodidae) Synonym(s): *flavidorsalis* Staudinger, 1887; *fuscicostalis* Fixsen, 1887
 31865) *Miresa fulgida* Wileman, 1910 (Limacodidae) Synonym(s): *fulgida* Wileman, 1910; *orientis* Strand, 1915; *#kagoshimensis* Strand, 1915; *demangei* De Joannis, 1930
 31866) *Miresa fusciflava* Dognin, 1910 (Limacodidae) Synonym(s): *fusciflava* Dognin, 1910
 31867) *Miresa gilba* Karsch, 1899 (Limacodidae) Synonym(s): *gilba* Karsch, 1899
 31868) *Miresa gracilis* Butler, 1882 (Limacodidae) Synonym(s): *gracilis* Butler, 1882
 31869) *Miresa haematoessa* Hampson, 1910 (Limacodidae) Synonym(s): *haematoessa* Hampson, 1910
 31870) *Miresa inornata* Walker, 1855 (Limacodidae) Synonym(s): *inornata* Walker, 1855
 31871) *Miresa melanosticta* Bethune-Baker, 1909 (Limacodidae) Synonym(s): *melanosticta* Bethune-Baker, 1909
 31872) *Miresa metathermistis* Hampson, 1910 (Limacodidae) Synonym(s): *metathermistis* Hampson, 1910
 31873) *Miresa nigriplaga* Heylaerts, 1890 (Limacodidae) Synonym(s): *nigriplaga* Heylaerts, 1890
 31874) *Miresa nivaha* Moore, 1859 (Limacodidae) Synonym(s): *nivaha* Moore, 1859
 31875) *Miresa nobilior* Holland, 1893 (Limacodidae) Synonym(s): *nobilior* Holland, 1893
 31876) *Miresa obscurimargo* Holloway, 1979 (Limacodidae) Synonym(s): *obscurimargo* Holloway, 1979
 31877) *Miresa orthosioides* Walker, 1862 (Limacodidae) Synonym(s): *orthosioides* Walker, 1862
 31878) *Miresa phoecea* Hampson, 1910 (Limacodidae) Synonym(s): *phoecea* Hampson, 1910
 31879) *Miresa pucara* Dognin, 1893 (Limacodidae) Synonym(s): *pucara* Dognin, 1893
 31880) *Miresa pyrosoma* Butler, 1882 (Limacodidae) Synonym(s): *pyrosoma* Butler, 1882
 31881) *Miresa pyrosomoides* Holland, 1893 (Limacodidae) Synonym(s): *pyrosomoides* Holland, 1893
 31882) *Miresa sanguineomaculata* Heylaerts, 1890 (Limacodidae) Synonym(s): *sanguineomaculata* Heylaerts, 1890
 31883) *Miresa scotopepla* Hampson, 1900 (Limacodidae) Synonym(s): *scotopepla* Hampson, 1900
 31884) *Miresa semicalida* Hampson, 1910 (Limacodidae) Synonym(s): *semicalida* Hampson, 1910
 31885) *Miresa sobrina* Druce, 1898 (Limacodidae) Synonym(s): *sobrina* Druce, 1898
 31886) *Miresa sola* Swinhoe, 1901 (Limacodidae) Synonym(s): *sola* Swinhoe, 1901
 31887) *Miresa strigivena* Hampson, 1910 (Limacodidae) Synonym(s): *strigivena* Hampson, 1910
 31888) *Miresa thermistis* Hampson, 1910 (Limacodidae) Synonym(s): *thermistis* Hampson, 1910
 31889) *Miresa ustitermina* Hampson, 1910 (Limacodidae) Synonym(s): *ustitermina* Hampson, 1910
 31890) *Miresa venosa* Dyar, 1906 (Limacodidae) Synonym(s): *venosa* Dyar, 1906
 31891) *Monema capucina* Snellen, 1900 (Limacodidae) Synonym(s): *capucina* Snellen, 1900
 31892) *Monema coralina* Dudgeon, 1895 (Limacodidae) Synonym(s): *coralina* Dudgeon, 1895
 31893) *Monema flavescens* Walker, 1855 (Limacodidae) Synonym(s): *flavescens* Walker, 1855; *nigrans* De Joannis, 1901
 31894) *Monema leucosticta* Hampson, 1910 (Limacodidae) Synonym(s): *leucosticta* Hampson, 1910
 31895) *Monema virescens* Matsumura, 1915 (Limacodidae) Synonym(s): *virescens* Matsumura, 1915
 31896) *Monoplecta castanea* Janse, 1964 (Limacodidae) Synonym(s): *castanea* Janse, 1964
 31897) *Nagoda cardinalis* Wileman & South, 1921 (Limacodidae) Synonym(s): *cardinalis* Wileman & South, 1921
 31898) *Nagoda nigricans* Moore, 1887 (Limacodidae) Synonym(s): *nigricans* Moore, 1887
 31899) *Nagodopsis albipuncta* Holloway, 1986 (Limacodidae) Synonym(s): *albipuncta* Holloway, 1986
 31900) *Nagodopsis parvimargo* (Holloway, 1976) (Limacodidae) Synonym(s): *parvimargo* Holloway, 1976
 31901) *Nagodopsis shirakiana* Matsumura, 1931 (Limacodidae) Synonym(s): *nigricans* Shiraki, 1913 nec Mr., 1877; *shirakiana* Matsumura, 1931
 31902) *Narosa aroa* Bethune-Baker, 1904 (Limacodidae) Synonym(s): *aroa* Bethune-Baker, 1904
 31903) *Narosa castanea* Mabille, 1900 (Limacodidae) Synonym(s): *castanea* Mabille, 1900
 31904) *Narosa concinna* Swinhoe, 1901 (Limacodidae) Synonym(s): *concinna* Swinhoe, 1901
 31905) *Narosa corusca* Wileman, 1911 (Limacodidae) Synonym(s): *corusca* Wileman, 1911; *baibarana* Matsumura, 1927; *ishidae* Matsumura, 1927; *shinshana* Matsumura, 1927; *takamukui* Matsumura, 1927
 31906) *Narosa culta* Butler, 1879 (Limacodidae) Synonym(s): *culta* Butler, 1879
 31907) *Narosa daenia* (Moore, 1859) (Limacodidae) Synonym(s): *daenia* Moore, 1859; *#doenia* Barlow, 1982
 31908) *Narosa endodonta* Hampson, 1897 (Limacodidae) Synonym(s): *endodonta* Hampson, 1897
 31909) *Narosa erminea* Hampson, 1895 (Limacodidae) Synonym(s): *erminea* Hampson, 1895
 31910) *Narosa fulgens* (Leech, 1890) (Limacodidae) Synonym(s): *fulgens* Leech, 1890; *kanshireana* Matsumura, 1927
 31911) *Narosa harmani* Holloway, 1986 (Limacodidae) Synonym(s): *harmani* Holloway, 1986
 31912) *Narosa hedychroa* Bethune-Baker, 1909 (Limacodidae) Synonym(s): *hedychroa* Bethune-Baker, 1909
 31913) *Narosa holoxanthia* Hampson, 1900 (Limacodidae) Synonym(s): *holoxanthia* Hampson, 1900
 31914) *Narosa lacteola* Swinhoe, 1890 (Limacodidae) Synonym(s): *lacteola* Swinhoe, 1890
 31915) *Narosa lawaii* Holloway, 1986 (Limacodidae) Synonym(s): *lawaii* Holloway, 1986
 31916) *Narosa luzonica* Holloway, 1986 (Limacodidae) Synonym(s): *luzonica* Holloway, 1986
 31917) *Narosa nagani* Holloway, 1986 (Limacodidae) Synonym(s): *nagani* Holloway, 1986
 31918) *Narosa nephochloeropsis* Bethune-Baker, 1909 (Limacodidae) Synonym(s): *nephochloeropsis* Bethune-Baker, 1909

- 31919) *Narosa nigrisigna* Wileman, 1911 (Limacodidae) Synonym(s): *nigrisigna* Wileman, 1911; *penicillata* Strand, 1916; *formosana* Matsumura, 1927; *edoensis* Chang, 1989 nec Kawada, 1930
- 31920) *Narosa nitobei* Shiraki, 1913 (Limacodidae) Synonym(s): *nitobei* Shiraki, 1913
- 31921) *Narosa pachycera* Hampson, 1897 (Limacodidae) Synonym(s): *pachycera* Hampson, 1897
- 31922) *Narosa propolioides* Holloway, 1982 (Limacodidae) Synonym(s): *propolioides* Holloway, 1982
- 31923) *Narosa pura* Snellen, 1900 (Limacodidae) Synonym(s): *pura* Snellen, 1900
- 31924) *Narosa rosipuncta* Holloway, 1986 (Limacodidae) Synonym(s): *rosipuncta* Holloway, 1986
- 31925) *Narosa silati* Holloway, 1986 (Limacodidae) Synonym(s): *silati* Holloway, 1986
- 31926) *Narosa trilinea* Bethune-Baker, 1909 (Limacodidae) Synonym(s): *trilinea* Bethune-Baker, 1909
- 31927) *Narosa velutina* Walker, 1862 (Limacodidae) Synonym(s): *velutina* Walker, 1862
- 31928) *Natada acatharta* Hampson, 1897 (Limacodidae) Synonym(s): *acatharta* Hampson, 1897
- 31929) *Natada amicta* Swinhoe, 1906 (Limacodidae) Synonym(s): *amicta* Swinhoe, 1906
- 31930) *Natada arizana* (Wileman, 1916) (Limacodidae) Synonym(s): *arizana* Wileman, 1916
- 31931) *Natada arpi* Dyar, 1908 (Limacodidae) Synonym(s): *arpi* Dyar, 1908
- 31932) *Natada avellana* Dognin, 1910 (Limacodidae) Synonym(s): *avellana* Dognin, 1910
- 31933) *Natada basalis* Walker, 1855 (Limacodidae) Synonym(s): *basalis* Walker, 1855
- 31934) *Natada bergii* Dyar, 1906 (Limacodidae) Synonym(s): *quadrata* Berg, 1882; *bergii* Dyar, 1906
- 31935) *Natada caria* (Druce, 1887) (Limacodidae) Synonym(s): *caria* Druce, 1887
- 31936) *Natada cephica* Swinhoe, 1890 (Limacodidae) Synonym(s): *cephica* Swinhoe, 1890
- 31937) *Natada chrysaspis* Hampson, 1910 (Limacodidae) Synonym(s): *chrysaspis* Hampson, 1910; *chrysaspodes* Strand, 1916
- 31938) *Natada cochuba* Schaus, 1900 (Limacodidae) Synonym(s): *cochuba* Schaus, 1900
- 31939) *Natada convergens* (Walker, 1855) (Limacodidae) Synonym(s): *convergens* Walker, 1855
- 31940) *Natada cora* Schaus, 1920 (Limacodidae) Synonym(s): *cora* Schaus, 1920
- 31941) *Natada daona* (Druce, 1887) (Limacodidae) Synonym(s): *daona* Druce, 1887
- 31942) *Natada deba* Dyar, 1906 (Limacodidae) Synonym(s): *deba* Dyar, 1906
- 31943) *Natada debella* Dyar, 1906 (Limacodidae) Synonym(s): *debella* Dyar, 1906
- 31944) *Natada dognini* Dyar, 1906 (Limacodidae) Synonym(s): *dognini* Dyar, 1906
- 31945) *Natada kochi* Janse, 1964 (Limacodidae) Synonym(s): *kochi* Janse, 1964
- 31946) *Natada lucens* (Walker, 1855) (Limacodidae) Synonym(s): *lucens* Walker, 1855
- 31947) *Natada lutea* Pagenstecher, 1890 (Limacodidae) Synonym(s): *lutea* Pagenstecher, 1890
- 31948) *Natada michorta* Dyar, 1912 (Limacodidae) Synonym(s): *michorta* Dyar, 1912
- 31949) *Natada miradora* Dyar, 1921 (Limacodidae) Synonym(s): *miradora* Dyar, 1921
- 31950) *Natada molicula* Dognin, 1911 (Limacodidae) Synonym(s): *molicula* Dognin, 1911
- 31951) *Natada monomorpha* Turner, 1904 (Limacodidae) Synonym(s): *monomorpha* Turner, 1904
- 31952) *Natada mycalia* (Stoll, 1790) (Limacodidae) Synonym(s): *mycalia* Stoll, 1790
- 31953) *Natada nasoni* (Grote, 1876) (Limacodidae) Synonym(s): *nasoni* Grote, 1876
- 31954) *Natada neutra* (Swinhoe, 1890) (Limacodidae) Synonym(s): *neutra* Swinhoe, 1890
- 31955) *Natada nigripuncta* Barnes & McDunnough, 1910 (Limacodidae) Synonym(s): *nigripuncta* Barnes & McDunnough, 1910
- 31956) *Natada nindla* Dyar, 1912 (Limacodidae) Synonym(s): *nindla* Dyar, 1912
- 31957) *Natada ocellata* Moore, 1879 (Limacodidae) Synonym(s): *ocellata* Moore, 1879
- 31958) *Natada ordinata* (Butler, 1886) (Limacodidae) Synonym(s): *ordinata* Butler, 1886; *colligans* T.P. Lucas, 1901
- 31959) *Natada perpectinata* Dyar, 1906 (Limacodidae) Synonym(s): *perpectinata* Dyar, 1906
- 31960) *Natada quadrata* (Walker, 1855) (Limacodidae) Synonym(s): *quadrata* Walker, 1855
- 31961) *Natada rufescens* Walker, 1855 (Limacodidae) Synonym(s): *rufescens* Walker, 1855
- 31962) *Natada salta* (Druce, 1900) (Limacodidae) Synonym(s): *salta* Druce, 1900
- 31963) *Natada sardites* (Druce, 1900) (Limacodidae) Synonym(s): *sardites* Druce, 1900
- 31964) *Natada simois* (Stoll, 1780) (Limacodidae) Synonym(s): *simois* Stoll, 178; *abscissa* Walker, 1865; *senilis* R. Felder & Rogenhofer, 1874
- 31965) *Natada subpectinata* Dyar, 1906 (Limacodidae) Synonym(s): *subpectinata* Dyar, 1906
- 31966) *Natada sufficiens* Dyar, 1906 (Limacodidae) Synonym(s): *sufficiens* Dyar, 1906
- 31967) *Natada undina* Druce, 1887 (Limacodidae) Synonym(s): *undina* Druce, 1887
- 31968) *Natada unicolor* (Moore, 1859) (Limacodidae) Synonym(s): *unicolor* Moore, 1859
- 31969) *Neogavara imitans* Janse, 1964 (Limacodidae) Synonym(s): *imitans* Janse, 1964
- 31970) *Neomocena brunneocrossa* Janse, 1964 (Limacodidae) Synonym(s): *brunneocrossa* Janse, 1964
- 31971) *Neomocena convergens* (M. Hering, 1928) (Limacodidae) Synonym(s): *convergens* M. Hering, 1928
- 31972) *Nervicompressa albomaculata* Bethune-Baker, 1904 (Limacodidae) Synonym(s): *albomaculata* Bethune-Baker, 1904
- 31973) *Nervicompressa aroa* Bethune-Baker, 1904 (Limacodidae) Synonym(s): *aroa* Bethune-Baker, 1904
- 31974) *Nervicompressa dubia* Bethune-Baker, 1904 (Limacodidae) Synonym(s): *dubia* Bethune-Baker, 1904
- 31975) *Nervicompressa kebeae* Bethune-Baker, 1904 (Limacodidae) Synonym(s): *kebeae* Bethune-Baker, 1904
- 31976) *Nervicompressa lunulata* Bethune-Baker, 1904 (Limacodidae) Synonym(s): *lunulata* Bethune-Baker, 1904
- 31977) *Nervicompressa unistrigata* Bethune-Baker, 1904 (Limacodidae) Synonym(s): *unistrigata* Bethune-Baker, 1904
- 31978) *Niphadolepis bipunctata* M. Hering, 1929 (Limacodidae) Synonym(s): *bipunctata* M. Hering, 1929
- 31979) *Nirma micron* Van Eecke, 1929 (Limacodidae) Synonym(s): *#micron* Van Eecke, 1925; *micron* Van Eecke, 1929
- 31980) *Nirma psychidalis* Van Eecke, 1929 (Limacodidae) Synonym(s): *#psychidalis* Van Eecke, 1925; *psychidalis* Van Eecke, 1929
- 31981) *Nirmides basalis* (Walker, 1862) (Limacodidae) Synonym(s): *basalis* Walker, 1862; *micron* Van Eecke, 1929
- 31982) *Nirmides flavissima* Holloway, 1986 (Limacodidae) Synonym(s): *flavissima* Holloway, 1986
- 31983) *Nirmides montana* Holloway, 1986 (Limacodidae) Synonym(s): *montana* Holloway, 1986
- 31984) *Nirmides purpurea* Holloway, 1986 (Limacodidae) Synonym(s): *purpurea* Holloway, 1986
- 31985) *Olona albitrigella* Snellen, 1900 (Limacodidae) Synonym(s): *albitrigella* Snellen, 1900
- 31986) *Omocnoides isophanes* Janse, 1964 (Limacodidae) Synonym(s): *isophanes* Janse, 1964
- 31987) *Pantoctenia gemmans* R. Felder & Rogenhofer, 1874 (Limacodidae) Synonym(s): *gemmans* R. Felder & Rogenhofer, 1874
- 31988) *Paraphlebs singularis* Aurivillius, 1921 (Limacodidae) Synonym(s): *singularis* Aurivillius, 1921; *dentilinea* Janse, 1964
- 31989) *Parapluda invitabilis* (Wallengren, 1860) (Limacodidae) Synonym(s): *invitabilis* Wallengren, 1860; *similis* Distant, 1897.
- 31990) *Parapluda neglecta* (M. Hering, 1928) (Limacodidae) Synonym(s): *neglecta* M. Hering, 1928
- 31991) *Parasa affinis* Mabille, 1890 (Limacodidae) Synonym(s): *affinis* Mabille, 1890
- 31992) *Parasa albipuncta* Hampson, 1892 (Limacodidae) Synonym(s): *albipuncta* Hampson, 1892
- 31993) *Parasa argentilinea* Hampson, 1892 (Limacodidae) Synonym(s): *argentilinea* Hampson, 1892
- 31994) *Parasa bicolor* (Walker, 1855) (Limacodidae) Synonym(s): *bicolor* Walker, 1855
- 31995) *Parasa bicolor virescens* (Matsumura, 1911) (Limacodidae) Synonym(s): *virescens* Matsumura, 1911
- 31996) *Parasa biguttata* (Walker, 1862) (Limacodidae) Synonym(s): *biguttata* Walker, 1862
- 31997) *Parasa bimaculata* Snellen, 1897 (Limacodidae) Synonym(s): *bimaculata* Snellen, 1897; *insignis* Swinhoe, 1905
- 31998) *Parasa cambouei* (Mabille, 1892) (Limacodidae) Synonym(s): *cambouei* Mabille, 1892
- 31999) *Parasa canangae* M. Hering, 1931 (Limacodidae) Synonym(s): *canangae* M. Hering, 1931
- 32000) *Parasa canangoides* Holloway, 1986 (Limacodidae) Synonym(s): *canangoides* Holloway, 1986
- 32001) *Parasa carnapia* Karsch, 1899 (Limacodidae) Synonym(s): *carnapia* Karsch, 1899
- 32002) *Parasa chapmani* Kirby, 1892 (Limacodidae) Synonym(s): *chapmani* Kirby, 1892
- 32003) *Parasa chlorostigma* (Snellen, 1879) (Limacodidae) Synonym(s): *chlorostigma* Snellen, 1879
- 32004) *Parasa chlorazonata* Hampson, 1896 (Limacodidae) Synonym(s): *chlorazonata* Hampson, 1896
- 32005) *Parasa darma* Moore, [1860] (Limacodidae) Synonym(s): *darma* Moore, [1860]; *dharma* Hampson, 1893
- 32006) *Parasa darmoides* Holloway, 1982 (Limacodidae) Synonym(s): *darmoides* Holloway, 1982
- 32007) *Parasa decolor* Karsch, 1899 (Limacodidae) Synonym(s): *decolor* Karsch, 1899

- 32008) *Parasa dentata* Hampson, 1892 (Limacodidae) Synonym(s): *dentata* Hampson, 1892
 32009) *Parasa ebenau* (Saalmüller, 1878) (Limacodidae) Synonym(s): *ebenau* Saalmüller, 1878
 32010) *Parasa fulvicorpus* Hampson, 1896 (Limacodidae) Synonym(s): *fulvicorpus* Hampson, 1896
 32011) *Parasa gentilis* (Snellen, 1900) (Limacodidae) Synonym(s): *gentilis* Snellen, 1900
 32012) *Parasa grandis* M.Hering, 1931 (Limacodidae) Synonym(s): *grandis* M.Hering, 1931
 32013) *Parasa hamponi* Dyar, 1894 (Limacodidae) Synonym(s): *viridis* Hampson, 1893; *hamponi* Dyar, 1894
 32014) *Parasa herbifera* (Walker, 1855) (Limacodidae) Synonym(s): *herbifera* Walker, 1855
 32015) *Parasa hilarata* (Staudinger, 1887) (Limacodidae) Synonym(s): *hilarata* Staudinger, 1887
 32016) *Parasa hilaris* (Westwood, 1848) (Limacodidae) Synonym(s): *hilaris* Westwood, 1848; *laeta* Westwood, 1848; *retracta* Walker, 1865; *hockingii* Moore, 1888; *mirza* Swinhoe, 1890
 32017) *Parasa humeralis* Walker, 1862 (Limacodidae) Synonym(s): *humeralis* Walker, 1862
 32018) *Parasa humilis* Mabile, 1890 (Limacodidae) Synonym(s): *humilis* Mabile, 1890
 32019) *Parasa isabella* Moore, 1859 (Limacodidae) Synonym(s): *isabella* Moore, 1859
 32020) *Parasa lampra* West, 1937 (Limacodidae) Synonym(s): *lampra* West, 1937
 32021) *Parasa lanceolata* M.Hering, 1928 (Limacodidae) Synonym(s): *lanceolata* M.Hering, 1928
 32022) *Parasa laonome* Druce, 1887 (Limacodidae) Synonym(s): *laonome* Druce, 1887
 32023) *Parasa lepid* (Cramer, [1779]) (Limacodidae) Synonym(s): *lepid* Cramer, [1779]; *graciosa* Westwood, 1848; *latifascia* Walker, 1855; *media* Walker, 1855
 32024) *Parasa lorquini* (Reakirt, 1864) (Limacodidae) Synonym(s): *lorquini* Reakirt, 1864; *zulona* Reakirt, 1864; *princeps* Strecker, 1900
 32025) *Parasa paera* Hampson, 1897 (Limacodidae) Synonym(s): *paera* Hampson, 1897
 32026) *Parasa pastoralis* Butler, 1885 (Limacodidae) Synonym(s): *pastoralis* Butler, 1885
 32027) *Parasa prasina* Alpheraky, 1895 (Limacodidae) Synonym(s): *prasina* Alpheraky, 1895
 32028) *Parasa punica* (Herrich-Schäffer, 1848) (Limacodidae) Synonym(s): *punica* Herrich-Schäffer, 1848
 32029) *Parasa repanda* Walker, 1855 (Limacodidae) Synonym(s): *repanda* Walker, 1855
 32030) *Parasa rubriplaga* (Walker, 1862) (Limacodidae) Synonym(s): *rubriplaga* Walker, 1862
 32031) *Parasa rudis* (Walker, 1862) (Limacodidae) Synonym(s): *rudis* Walker, 1862
 32032) *Parasa satura* Karsch, 1896 (Limacodidae) Synonym(s): *satura* Karsch, 1896
 32033) *Parasa shirakii* Kawada, 1930 (Limacodidae) Synonym(s): *shirakii* Kawada, 1930
 32034) *Parasa singularis* Butler, 1878 (Limacodidae) Synonym(s): *singularis* Butler, 1878
 32035) *Parasa smaragdina* Bethune-Baker, 1908 (Limacodidae) Synonym(s): *smaragdina* Bethune-Baker, 1908
 32036) *Parasa* sp. (Limacodidae) Synonym(s):
 32037) *Parasa sundalepida* Holloway, 1986 (Limacodidae) Synonym(s): *sundalepida* Holloway, 1986
 32038) *Parasa tessellata* Moore, 1877 (Limacodidae) Synonym(s): *tessellata* Moore, 1877
 32039) *Parasa valida* Butler, 1879 (Limacodidae) Synonym(s): *valida* Butler, 1879
 32040) *Parasoidea albicollaris* M.Hering, 1931 (Limacodidae) Synonym(s): *albicollaris* M.Hering, 1931
 32041) *Parasoidea neurocausta* (Turner, 1926) (Limacodidae) Synonym(s): *neurocausta* Turner, 1926
 32042) *Parasoidea paroa* (Turner, 1902) (Limacodidae) Synonym(s): *paroa* Turner, 1902
 32043) *Phlebotricha afflata* Karsch, 1896 (Limacodidae) Synonym(s): *afflata* Karsch, 1896
 32044) *Phlebotricha secunda* Strand, 1912 (Limacodidae) Synonym(s): *secunda* Strand, 1912
 32045) *Phocoderma betis* Druce, 1896 (Limacodidae) Synonym(s): *betis* Druce, 1896
 32046) *Phocoderma ocellata* (Moore, 1879) (Limacodidae) Synonym(s): *ocellata* Moore, 1879
 32047) *Phocoderma velutina* (Kollar, 1844) (Limacodidae) Synonym(s): *velutina* Kollar, 1844; *rugosa* Walker, 1855
 32048) *Phrixolepia nobilis* (Staudinger, 1887) (Limacodidae) Synonym(s): *nobilis* Staudinger, 1887
 32049) *Phrixolepia sericea* Butler, 1877 (Limacodidae) Synonym(s): *sericea* Butler, 1877; *castaneus* Oberthür, 1881
 32050) *Praesetora albitermina* (M.Hering, 1931) (Limacodidae) Synonym(s): *albitermina* M.Hering, 1931
 32051) *Praesetora kinabalua* (Holloway, 1976) (Limacodidae) Synonym(s): *kinabalua* Holloway, 1976
 32052) *Praesetora placerodes* (Turner, 1926) (Limacodidae) Synonym(s): *placerodes* Turner, 1926
 32053) *Probalintha inclusa* Walker, 1865 (Limacodidae) Synonym(s): *inclusa* Walker, 1865
 32054) *Pseudanapaea denotata* (Walker, 1865) (Limacodidae) Synonym(s): *denotata* Walker, 1865
 32055) *Pseudanapaea dentifascia* M.Hering, 1931 (Limacodidae) Synonym(s): *dentifascia* M.Hering, 1931
 32056) *Pseudanapaea transvestita* M.Hering, 1931 (Limacodidae) Synonym(s): *transvestita* M.Hering, 1931; *trigona* Turner, 1942
 32057) *Pseudidonauton bhaga* (Swinhoe, 1901) (Limacodidae) Synonym(s): *bhaga* Swinhoe, 1901
 32058) *Pseudidonauton bhaga admirabile* M.Hering, 1931 (Limacodidae) Synonym(s): *admirabile* M.Hering, 1931
 32059) *Pseudidonauton nigribasis* (Hampson, 1905) (Limacodidae) Synonym(s): *nigribasis* Hampson, 1905
 32060) *Pseudonirmides* Holloway, 1986 (Limacodidae) Synonym(s): *Pseudonirmides* Holloway, 1986
 32061) *Pseudonirmides sola* (Swinhoe, 1901) (Limacodidae) Synonym(s): *sola* Swinhoe, 1901; *luzonensis* M.Hering, 1931
 32062) *Pseudonirmides cyanopasta* (Hampson, 1910) (Limacodidae) Synonym(s): *cyanopasta* Hampson, 1910
 32063) *Pseudothoea albisignata* Janse, 1964 (Limacodidae) Synonym(s): *albisignata* Janse, 1964
 32064) *Pygmaeomorpha aquila* (Druce, 1899) (Limacodidae) Synonym(s): *aquila* Druce, 1899; *brunnea* Bethune-Baker, 1904; *eulopha* Turner, 1931
 32065) *Pygmaeomorpha modesta* Bethune-Baker, 1904 (Limacodidae) Synonym(s): *modesta* Bethune-Baker, 1904; *leucosticta* Turner, 1904; *dochmographa* Turner, 1904
 32066) *Pygmaeomorpha ocularis* (T.P.Lucas, 1895) (Limacodidae) Synonym(s): *ocularis* T.P.Lucas, 1895; *eumela* Lower, 1896; *discotypa* Turner, 1902
 32067) *Quasithoea sythoffi* (Snellen, 1900) (Limacodidae) Synonym(s): *sythoffi* Snellen, 1900
 32068) *Rhamnopsis arizanaella* Matsumura, 1931 (Limacodidae) Synonym(s): *arizanaella* Matsumura, 1931
 32069) *Rhamnosa angulata* Fixsen, 1887 (Limacodidae) Synonym(s): *angulata* Fixsen, 1887
 32070) *Rhamnosa plumbifusa* (Hampson, 1905) (Limacodidae) Synonym(s): *plumbifusa* Hampson, 1905; *narosides* Hering, 1931
 32071) *Rhamnosa uniformis* (Swinhoe, 1895) (Limacodidae) Synonym(s): *uniformis* Swinhoe, 1895; *takamukui* Matsumura, 1927
 32072) *Rhypteira sordida* Holland, 1893 (Limacodidae) Synonym(s): *sordida* Holland, 1893
 32073) *Saccurosa calcicola* Holloway, 1986 (Limacodidae) Synonym(s): *calcicola* Holloway, 1986
 32074) *Scirrhomia callima* Bethune-Baker, 1915 (Limacodidae) Synonym(s): *callima* Bethune-Baker, 1915
 32075) *Scirrhomia ethiopica* Bethune-Baker, 1915 (Limacodidae) Synonym(s): *ethiopica* Bethune-Baker, 1915
 32076) *Scirrhomia lamborni* Bethune-Baker, 1915 (Limacodidae) Synonym(s): *lamborni* Bethune-Baker, 1915
 32077) *Scopelodes albipalpis* M.Hering, 1931 (Limacodidae) Synonym(s): *albipalpis* M.Hering, 1931
 32078) *Scopelodes anthela* Swinhoe, 1909 (Limacodidae) Synonym(s): *anthela* Swinhoe, 1909
 32079) *Scopelodes anthela malaccana* M.Hering, 1933 (Limacodidae) Synonym(s): *malaccana* M.Hering, 1933
 32080) *Scopelodes contractus* Walker, 1855 (Limacodidae) Synonym(s): *contractus* Walker, 1855
 32081) *Scopelodes dinawa* Bethune-Baker, 1904 (Limacodidae) Synonym(s): *dinawa* Bethune-Baker, 1904
 32082) *Scopelodes exiqua* Swinhoe, 1916 (Limacodidae) Synonym(s): *exiqua* Swinhoe, 1916
 32083) *Scopelodes exiqua niassica* M.Hering, 1931 (Limacodidae) Synonym(s): *niassica* M.Hering, 1931
 32084) *Scopelodes lutea* M.Hering, 1931 (Limacodidae) Synonym(s): *lutea* M.Hering, 1931
 32085) *Scopelodes magnifica* M.Hering, 1931 (Limacodidae) Synonym(s): *magnifica* M.Hering, 1931
 32086) *Scopelodes pallivittata* Snellen, 1886 (Limacodidae) Synonym(s): *pallivittata* Snellen, 1886
 32087) *Scopelodes tantula* Swinhoe, 1904 (Limacodidae) Synonym(s): *tantula* Swinhoe, 1904
 32088) *Scopelodes testacea* Butler, 1886 (Limacodidae) Synonym(s): *testacea* Butler, 1886
 32089) *Scopelodes testacea malayana* M.Hering, 1931 (Limacodidae) Synonym(s): *malayana* M.Hering, 1931
 32090) *Scopelodes unicolor* Westwood, 1841 (Limacodidae) Synonym(s): *unicolor* Westwood, 1841; *palparis* Walker, 1855; *palpiger* Herrich-Schäffer, 1856; *minax* Walker, 1862; *micacea* Walker, 1865; *lutea* M.Hering, 1931
 32091) *Scopelodes venosa* Walker, 1855 (Limacodidae) Synonym(s): *venosa* Walker, 1855; *aurogrisea* Moore, 1883; *ursina* Butler, 1886
 32092) *Scotinocerides fasciata* M.Hering, 1937 (Limacodidae) Synonym(s): *fasciata* M.Hering, 1937
 32093) *Scotinocerides pseudorestricta* M.Hering, 1937 (Limacodidae) Synonym(s): *pseudorestricta* M.Hering, 1937
 32094) *Scotinocerides pseudorestricta flavina* M.Hering, 1937 (Limacodidae) Synonym(s): *flavina* M.Hering, 1937

- 32095) *Scotinochroa diplothysana* Tams,1932 (Limacodidae) Synonym(s): *diplothysana* Tams,1932
 32096) *Scotinochroa inconsequens* Butler,1897 (Limacodidae) Synonym(s): *inconsequens* Butler,1897; *peringueyi* Aurivillius,1921.
 32097) *Scotinochroa minor* Hampson,1916 (Limacodidae) Synonym(s): *minor* Hampson,1916
 32098) *Scotinochroa rufescens* Janse,1964 (Limacodidae) Synonym(s): *rufescens* Janse,1964
 32099) *Semyrilla lineata* (Holland,1893) (Limacodidae) Synonym(s): *lineata* Holland,1893; *obliquestrigata* Strand,1914
 32100) *Setora baibarana* (Matsumura,1931) (Limacodidae) Synonym(s): *baibarana* Matsumura,1931; *suberecta* Hering,1931; *kwangtungensis* Hering,1931; *#alibarana* Hutacharn & Tuftim,1995
 32101) *Setora circinatus* (Snellen,1879) (Limacodidae) Synonym(s): *circinatus* Snellen,1879
 32102) *Setora cupreiplaga* (Walker,1862) (Limacodidae) Synonym(s): *cupreiplaga* Walker,1862
 32103) *Setora cupreistriga* (Walker,1862) (Limacodidae) Synonym(s): *cupreistriga* Walker,1862
 32104) *Setora fletcheri* Holloway,1987 (Limacodidae) Synonym(s): *fletcheri* Holloway,1987
 32105) *Setora minimalis* Van Eecke,1923 (Limacodidae) Synonym(s): *minimalis* Van Eecke,1923
 32106) *Setora mongolica* M.Hering,1933 (Limacodidae) Synonym(s): *mongolica* M.Hering,1933
 32107) *Setora neutra* Swinhoe,1890 (Limacodidae) Synonym(s): *neutra* Swinhoe,1890
 32108) *Setora nitens* Walker,1855 (Limacodidae) Synonym(s): *nitens* Walker,1855
 32109) *Setora simplex* Snellen,1900 (Limacodidae) Synonym(s): *simplex* Snellen,1900
 32110) *Setora tamsi* M.Hering,1931 (Limacodidae) Synonym(s): *tamsi* M.Hering,1931
 32111) *Setothosea asigna* (Van Eecke,1929) (Limacodidae) Synonym(s): *assigna* Van Eecke,1929
 32112) *Spatulifimbria castaneiceps* Hampson,1892 (Limacodidae) Synonym(s): *castaneiceps* Hampson,1892
 32113) *Sporetolepis platti* Janse,1964 (Limacodidae) Synonym(s): *platti* Janse,1964
 32114) *Squamosa barymorpha* (Turner,1942) (Limacodidae) Synonym(s): *barymorpha* Turner,1942
 32115) *Squamosa ferruginea* Bethune-Baker,1908 (Limacodidae) Synonym(s): *ferruginea* Bethune-Baker,1908
 32116) *Squamosa nigrostigmata* Bethune-Baker,1904 (Limacodidae) Synonym(s): *nigrostigmata* Bethune-Baker,1904
 32117) *Striogvia foliola* (Snellen,1900) (Limacodidae) Synonym(s): *foliola* Snellen,1900
 32118) *Striogvia snelleni* Holloway,1986 (Limacodidae) Synonym(s): *snelleni* Holloway,1986
 32119) *Stroter capillatus* Karsch,1899 (Limacodidae) Synonym(s): *capillatus* Karsch,1899; *tripartita* Bethune-Baker,1911
 32120) *Stroter dukei* Janse,1964 (Limacodidae) Synonym(s): *dukei* Janse,1964
 32121) *Stroter intermissa* (Walker,1865) (Limacodidae) Synonym(s): *intermissa* Walker,1865
 32122) *Susica alphaea* (Fabricius,1775) (Limacodidae) Synonym(s): *alphaea* Fabricius,1775; *calida* Walker,1865; *congrua* Walker,1869 *nec* Wlk.,1865; *eremospila* Lower,1902
 32123) *Susica basalis* Walker,1862 (Limacodidae) Synonym(s): *basalis* Walker,1862
 32124) *Susica confusa* Walker,1865 (Limacodidae) Synonym(s): *confusa* Walker,1865
 32125) *Susica congrua* Walker,1862 (Limacodidae) Synonym(s): *congrua* Walker,1862
 32126) *Susica everetti* Holloway,1982 (Limacodidae) Synonym(s): *everetti* Holloway,1982
 32127) *Susica formosana* Wileman,1911 (Limacodidae) Synonym(s): *formosana* Wileman,1911
 32128) *Susica fusca* Matsumura,1911 (Limacodidae) Synonym(s): *fusca* Matsumura,1911
 32129) *Susica heringi* Holloway,1982 (Limacodidae) Synonym(s): *heringi* Holloway,1982
 32130) *Susica himalayana* Holloway,1982 (Limacodidae) Synonym(s): *himalayana* Holloway,1982
 32131) *Susica malayana* M.Hering,1931 (Limacodidae) Synonym(s): *malayana* M.Hering,1931
 32132) *Susica molybdea* Hampson,1910 (Limacodidae) Synonym(s): *molybdea* Hampson,1910
 32133) *Susica nararia* (Moore,1859) (Limacodidae) Synonym(s): *nararia* Moore,1859
 32134) *Susica obscura* Holloway,1982 (Limacodidae) Synonym(s): *obscura* Holloway,1982
 32135) *Susica pallida* Walker,1855 (Limacodidae) Synonym(s): *pallida* Walker,1855; *stolognoma* West,1937
 32136) *Susica pannosa* Snellen,1900 (Limacodidae) Synonym(s): *pannosa* Snellen,1900
 32137) *Susica sericea* Hampson,1893 (Limacodidae) Synonym(s): *sericea* Hampson,1893
 32138) *Susica sinensis* (Walker,1856) (Limacodidae) Synonym(s): *sinensis* Walker,1856
 32139) *Susicina pyrocausta* (Hampson,1910) (Limacodidae) Synonym(s): *pyrocausta* Hampson,1910
 32140) *Taeda aetitis* Wallengren,1863 (Limacodidae) Synonym(s): *aetitis* Wallengren,1863; *alpipuncta* Druce,1888; *argentifera* Westwood,1881.
 32141) *Taeda connexa* (Janse,1964) (Limacodidae) Synonym(s): *connexa* Janse,1964
 32142) *Taeda prasina* Butler,1896 (Limacodidae) Synonym(s): *prasina* Butler,1896
 32143) *Tetraphleba brevilinea* (Walker,1865) (Limacodidae) Synonym(s): *brevilinea* Walker,1865
 32144) *Tetraphleba crispa* (Walker,1865) (Limacodidae) Synonym(s): *crispa* Walker,1865
 32145) *Tetraphleba ferreogrisea* Hampson,1910 (Limacodidae) Synonym(s): *ferreogrisea* Hampson,1910
 32146) *Tetraphleba nilgirica* (Hampson,1891) (Limacodidae) Synonym(s): *nilgirica* Hampson,1891
 32147) *Tetraphleba rugosa* (Wileman,1910) (Limacodidae) Synonym(s): *rugosa* Wileman,1910
 32148) *Thosea andamanica* Holloway,1987 (Limacodidae) Synonym(s): *andamanica* Holloway,1987
 32149) *Thosea aperiens* (Walker,1865) (Limacodidae) Synonym(s): *aperiens* Walker,1865
 32150) *Thosea arizana* Wileman,1916 (Limacodidae) Synonym(s): *arizana* Wileman,1916
 32151) *Thosea aurifrons* Bethune-Baker,1911 (Limacodidae) Synonym(s): *aurifrons* Bethune-Baker,1911
 32152) *Thosea bhaga* Swinhoe,1901 (Limacodidae) Synonym(s): *bhaga* Swinhoe,1901
 32153) *Thosea bicolor* Shiraki,1913 (Limacodidae) Synonym(s): *bicolor* Shiraki,1913
 32154) *Thosea bipartita* M.Hering,1933 (Limacodidae) Synonym(s): *bipartita* M.Hering,1933
 32155) *Thosea borneensis* M.Hering,1931 (Limacodidae) Synonym(s): *borneensis* M.Hering,1931
 32156) *Thosea brunnea* Semper,1902 (Limacodidae) Synonym(s): *brunnea* Semper,1902
 32157) *Thosea cana* (Walker,1865) (Limacodidae) Synonym(s): *cana* Walker,1865; *transversata* Walker,1865; *basifusca* Kawada,1930; *barikoti* Daniel,1965
 32158) *Thosea castanea* Wileman,1911 (Limacodidae) Synonym(s): *castanea* Wileman,1911
 32159) *Thosea catori* Bethune-Baker,1908 (Limacodidae) Synonym(s): *catori* Bethune-Baker,1908
 32160) *Thosea cervina* Moore,1877 (Limacodidae) Synonym(s): *cervina* Moore,1877
 32161) *Thosea chloris* Fawcett,1917 (Limacodidae) Synonym(s): *chloris* Fawcett,1917
 32162) *Thosea cinereomarginata* Banks,1906 (Limacodidae) Synonym(s): *cinereomarginata* Banks,1906
 32163) *Thosea conspersa* (Butler,1880) (Limacodidae) Synonym(s): *conspersa* Butler,1880
 32164) *Thosea cotesi* Swinhoe,1893 (Limacodidae) Synonym(s): *cotesi* Swinhoe,1893
 32165) *Thosea divergens* Moore,1879 (Limacodidae) Synonym(s): *divergens* Moore,1879; *divaricata* Moore,1884
 32166) *Thosea fasciata* (Moore,1888) (Limacodidae) Synonym(s): *fasciata* Moore,1888
 32167) *Thosea flaviceps* Hampson,1910 (Limacodidae) Synonym(s): *flaviceps* Hampson,1910
 32168) *Thosea fluxa* Snellen,1900 (Limacodidae) Synonym(s): *fluxa* Snellen,1900
 32169) *Thosea griseafurca* Holloway,1986 (Limacodidae) Synonym(s): *griseafurca* Holloway,1986
 32170) *Thosea loesa* (Moore,1859) (Limacodidae) Synonym(s): *loesa* Moore,1859
 32171) *Thosea lutea* Heylaerts,1890 (Limacodidae) Synonym(s): *lutea* Heylaerts,1890; *nubeculosa* Snellen,1892
 32172) *Thosea medialis* Holloway,1986 (Limacodidae) Synonym(s): *medialis* Holloway,1986
 32173) *Thosea minima* Semper,1902 (Limacodidae) Synonym(s): *minima* Semper,1902
 32174) *Thosea mixta* Snellen,1900 (Limacodidae) Synonym(s): *mixta* Snellen,1900
 32175) *Thosea ostia* (Swinhoe,1902) (Limacodidae) Synonym(s): *ostia* Swinhoe,1902
 32176) *Thosea pallifurca* Holloway,1986 (Limacodidae) Synonym(s): *pallifurca* Holloway,1986
 32177) *Thosea penthima* Turner,1902 (Limacodidae) Synonym(s): *penthima* Turner,1902; *pyrrhoea* Lower,1902
 32178) *Thosea peralbida* Swinhoe,1904 (Limacodidae) Synonym(s): *peralbida* Swinhoe,1904
 32179) *Thosea perseis* Fawcett,1917 (Limacodidae) Synonym(s): *perseis* Fawcett,1917
 32180) *Thosea postornata* Hampson,1900 (Limacodidae) Synonym(s): *sinensis* Moore,1877 *nec* Wlk.,1855; *postornata* Hampson,1900; *brunnea* Shiraki,1913
 32181) *Thosea rara* Swinhoe,1889 (Limacodidae) Synonym(s): *rara* Swinhoe,1889
 32182) *Thosea recta* Hampson,1893 (Limacodidae) Synonym(s): *recta* Hampson,1893

- 32183) *Thosea rotundata* Holloway, 1986 (Limacodidae) Synonym(s): *rotundata* Holloway, 1986
 32184) *Thosea rufa* Wileman, 1915 (Limacodidae) Synonym(s): *rufa* Wileman, 1915
 32185) *Thosea sericea* (Butler, 1881) (Limacodidae) Synonym(s): *sericea* Butler, 1881
 32186) *Thosea sevastopuloi* Holloway, 1987 (Limacodidae) Synonym(s): *sevastopuloi* Holloway, 1987
 32187) *Thosea siamica* Holloway, 1987 (Limacodidae) Synonym(s): *siamica* Holloway, 1987
 32188) *Thosea sijthoffii* Snellen, 1900 (Limacodidae) Synonym(s): *sijthoffii* Snellen, 1900
 32189) *Thosea sinensis* (Walker, 1855) (Limacodidae) Synonym(s): *sinensis* Walker, 1855; *taiwana* Shiraki, 1913
 32190) *Thosea taiwana* Wileman, 1916 (Limacodidae) Synonym(s): *taiwana* Wileman, 1916
 32191) *Thosea threnopis* Turner, 1931 (Limacodidae) Synonym(s): *threnopis* Turner, 1931
 32192) *Thosea trifurca* Holloway, 1986 (Limacodidae) Synonym(s): *trifurca* Holloway, 1986
 32193) *Thosea tripartita* (Moore, 1884) (Limacodidae) Synonym(s): *tripartita* Moore, 1884
 32194) *Thosea undosa* Fawcett, 1917 (Limacodidae) Synonym(s): *undosa* Fawcett, 1917
 32195) *Thosea unifascia* Walker, 1855 (Limacodidae) Synonym(s): *unifascia* Walker, 1855
 32196) *Thosea vetusina* Holloway, 1986 (Limacodidae) Synonym(s): *vetusina* Holloway, 1986
 32197) *Thosea vetusta* (Walker, 1862) (Limacodidae) Synonym(s): *vetusta* Walker, 1862; *biguttata* Walker, 1862
 32198) *Trachyptena holobrunnea* (Janse, 1964) (Limacodidae) Synonym(s): *holobrunnea* Janse, 1964
 32199) *Trichogya brunescens* M.Hering, 1933 (Limacodidae) Synonym(s): *brunescens* M.Hering, 1933
 32200) *Trichogya circulifera* M.Hering, 1933 (Limacodidae) Synonym(s): *circulifera* M.Hering, 1933
 32201) *Trichogya dilutata* M.Hering, 1938 (Limacodidae) Synonym(s): *dilutata* M.Hering, 1938
 32202) *Trichogya gateri* West, 1937 (Limacodidae) Synonym(s): *gateri* West, 1937
 32203) *Trichogya metamelaena* Hampson, 1897 (Limacodidae) Synonym(s): *metamelaena* Hampson, 1897
 32204) *Trichogya microleon* M.Hering, 1931 (Limacodidae) Synonym(s): *microleon* M.Hering, 1931
 32205) *Trichogya minuta* Rothschild, 1917 (Limacodidae) Synonym(s): *minuta* Rothschild, 1917
 32206) *Trichogya nigrimargo* M.Hering, 1931 (Limacodidae) Synonym(s): *nigrimargo* M.Hering, 1931
 32207) *Trichogya semifascia* Hampson, 1894 (Limacodidae) Synonym(s): *semifascia* Hampson, 1894; *albidivisum* Hampson, 1900
 32208) *Triplophleps inferna* (Swinhoe, 1890) (Limacodidae) Synonym(s): *inferna* Swinhoe, 1890
 32209) *Trogocrada deleter* Tams, 1953 (Limacodidae) Synonym(s): *deleter* Tams, 1953
 32210) *Trogocrada dimorpha* Janse, 1964 (Limacodidae) Synonym(s): *dimorpha* Janse, 1964
 32211) *Tryphax cinereus* (Holland, 1893) (Limacodidae) Synonym(s): *cinereus* Holland, 1893
 32212) *Tryphax expers* Karsch, 1896 (Limacodidae) Synonym(s): *expers* Karsch, 1896
 32213) *Tryphax uelleburgensis* Strand, 1912 (Limacodidae) Synonym(s): *uelleburgensis* Strand, 1912
 32214) *Tryphax vigoratus* Karsch, 1896 (Limacodidae) Synonym(s): *vigoratus* Karsch, 1896
 32215) *Uniptectiphora delosignata* Janse, 1964 (Limacodidae) Synonym(s): *delosignata* Janse, 1964
 32216) *Unithosea albilineata* (Hampson, 1910) (Limacodidae) Synonym(s): *albilineata* Hampson, 1910
 32217) *Zarachella specularis* Jordan, 1915 (Limacodidae) Synonym(s): *specularis* Jordan, 1915
 32218) *Zinara discophora* Hampson, 1910 (Limacodidae) Synonym(s): *discophora* Hampson, 1910
 32219) *Zinara nervosa* Walker, 1869 (Limacodidae) Synonym(s): *nervosa* Walker, 1869
 32220) *Zorostola melanoantha* Janse, 1964 (Limacodidae) Synonym(s): *melanoantha* Janse, 1964
 32221) "*Strymonidia neosinica* neosinica" Lee, 1963 (Lycaenidae) Synonym(s): *neosinica* Lee, 1963
 32222) "*Strymonidia neosinica*" Lee, 1963 (Lycaenidae) Synonym(s): *neosinica* Lee, 1963
 32223) *Actizera atrigemmata* (Butler, 1878) (Lycaenidae) Synonym(s): *atrigemmata* Butler, 1878
 32224) *Actizera lucida* (Trimen, 1883) (Lycaenidae) Synonym(s): *lucida* Trimen, 1883; *drucei* Bethune-Baker, 1906.
 32225) *Actizera lucida lucida* (Trimen, 1883) (Lycaenidae) Synonym(s): *lucida* Trimen, 1883; *drucei* Bethune-Baker, 1906.
 32226) *Actizera stellata* (Trimen, 1883) (Lycaenidae) Synonym(s): *stellata* Trimen, 1883
 32227) *Acupicta bubases* (Hewitson, 1875) (Lycaenidae) Synonym(s): *bubases* Hewitson, 1875
 32228) *Acupicta flemingi* Eliot, 1975 (Lycaenidae) Synonym(s): *flemingi* Eliot, 1975
 32229) *Acytolepis lilacea* (Hampson, 1889) (Lycaenidae) Synonym(s): *lilacea* Hampson, 1889; *crissa* De Nicéville, 1894.
 32230) *Acytolepis lilacea indochinensis* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *indochinensis* Eliot & Kawazoe, 1984
 32231) *Acytolepis lilacea lilacea* (Hampson, 1889) (Lycaenidae) Synonym(s): *lilacea* Hampson, 1889; *crissa* De Nicéville, 1894.
 32232) *Acytolepis lilacea moorei* (Toxopeus, 1926) (Lycaenidae) Synonym(s): *moorei* Toxopeus, 1926
 32233) *Acytolepis najara* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *najara* Fruhstorfer, 1910
 32234) *Acytolepis najara najara* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *najara* Fruhstorfer, 1910
 32235) *Acytolepis puspa* (Horsfield, [1828]) (Lycaenidae) Synonym(s): *puspa* Horsfield, [1828]; *sania* Fruhstorfer, 1910; *contilia* Fruhstorfer, 1910.
 32236) *Acytolepis puspa bazilana* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *bazilana* Fruhstorfer, 1910; *georgi* Fruhstorfer, 1910; *sabis* Fruhstorfer, 1917.
 32237) *Acytolepis puspa cagaya* (C.Felder & R.Felder, [1865]) (Lycaenidae) Synonym(s): *cagaya* C.Felder & R.Felder, [1865]; *ottonis* Fruhstorfer, 1910.
 32238) *Acytolepis puspa cyanesens* (De Nicéville, 1890) (Lycaenidae) Synonym(s): *cyanesens* De Nicéville, 1890
 32239) *Acytolepis puspa dammae* (Heron, 1894) (Lycaenidae) Synonym(s): *dammae* Heron, 1894
 32240) *Acytolepis puspa darmis* (Fruhstorfer, 1917) (Lycaenidae) Synonym(s): *darmis* Fruhstorfer, 1917; *roeberi* Fruhstorfer, 1917.
 32241) *Acytolepis puspa deronda* (Fruhstorfer, 1922) (Lycaenidae) Synonym(s): *deronda* Fruhstorfer, 1922
 32242) *Acytolepis puspa felderi* Toxopeus, 1927 (Lycaenidae) Synonym(s): *felderi* Toxopeus, 1927
 32243) *Acytolepis puspa gisca* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *gisca* Fruhstorfer, 1910; *hermagoras* Fruhstorfer, 1910; *#artena* Fruhstorfer, 1917; *telis* Fruhstorfer, 1917; *barneyi* Corbet, 1941.
 32244) *Acytolepis puspa hermione* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *hermione* Fruhstorfer, 1910; *haani* Kalis, 1938.
 32245) *Acytolepis puspa ishigakiana* (Matsumura, 1929) (Lycaenidae) Synonym(s): *ishigakiana* Matsumura, 1929; *umenonis* Matsumura, 1931.
 32246) *Acytolepis puspa kuehni* (Röber, 1886) (Lycaenidae) Synonym(s): *kuehni* Röber, 1886; *martini* Fruhstorfer, 1922; *hyllus* Fruhstorfer, 1922; *kalawari* Ribbe, 1926; *bangkaiensis* Ribbe, 1926.
 32247) *Acytolepis puspa lambi* (Distant, 1882) (Lycaenidae) Synonym(s): *lambi* Distant, 1882; *imperatrix* Butler, 1900.
 32248) *Acytolepis puspa mygdonia* (Fruhstorfer, 1917) (Lycaenidae) Synonym(s): *mygdonia* Fruhstorfer, 1917; *tymbria* Fruhstorfer, 1922.
 32249) *Acytolepis puspa myla* (Fruhstorfer, 1909) (Lycaenidae) Synonym(s): *myla* Fruhstorfer, 1909; *formosana* Bethune-Baker, 1914; *postimacula* Matsumura, 1929.
 32250) *Acytolepis puspa prominens* (De Nicéville, 1890) (Lycaenidae) Synonym(s): *prominens* De Nicéville, 1890
 32251) *Acytolepis puspa puspa* (Horsfield, [1828]) (Lycaenidae) Synonym(s): *puspa* Horsfield, [1828]; *sania* Fruhstorfer, 1910; *contilia* Fruhstorfer, 1910.
 32252) *Acytolepis puspa puspina* (Kheil, 1884) (Lycaenidae) Synonym(s): *puspina* Kheil, 1884
 32253) *Acytolepis puspa siporana* (Riley, 1943) (Lycaenidae) Synonym(s): *siporana* Riley, 1943
 32254) *Acytolepis puspa timorensis* (Butler, 1900) (Lycaenidae) Synonym(s): *timorensis* Butler, 1900
 32255) *Acytolepis puspa vandeldeni* (Toxopeus, 1926) (Lycaenidae) Synonym(s): *vandeldeni* Toxopeus, 1926
 32256) *Acytolepis puspa volumnia* (Fruhstorfer, 1922) (Lycaenidae) Synonym(s): *volumnia* Fruhstorfer, 1922
 32257) *Acytolepis ripte* (Druce, 1895) (Lycaenidae) Synonym(s): *ripte* Druce, 1895
 32258) *Acytolepis ripte ripte* (Druce, 1895) (Lycaenidae) Synonym(s): *ripte* Druce, 1895
 32259) *Acytolepis samanga* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *samanga* Fruhstorfer, 1910
 32260) *Acytolepis samanga samanga* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *samanga* Fruhstorfer, 1910
 32261) *Aethiopana honorius* (Fabricius, 1793) (Lycaenidae) Synonym(s): *honorius* Fabricius, 1793; *teresa* Hewitson, 1869; *coarctata* Hulstaert, 1924
 32262) *Aethiopana honorius divisa* (Butler, 1901) (Lycaenidae) Synonym(s): *divisa* Butler, 1901
 32263) *Aethiopana honorius honorius* (Fabricius, 1793) (Lycaenidae) Synonym(s): *honorius* Fabricius, 1793; *teresa* Hewitson, 1869; *coarctata* Hulstaert, 1924
 32264) *Alaena amazoula* (Boisduval, 1847) (Lycaenidae) Synonym(s): *amazoula* Boisduval, 1847; *#orphina* Vari, 1976.
 32265) *Alaena amazoula amazoula* (Boisduval, 1847) (Lycaenidae) Synonym(s): *amazoula* Boisduval, 1847; *#orphina* Vari, 1976.
 32266) *Alaena amazoula congoana* Aurivillius, 1914 (Lycaenidae) Synonym(s): *congoana* Aurivillius, 1914
 32267) *Alaena amazoula nysana* Hawker-Smith, 1933 (Lycaenidae) Synonym(s): *nysana* Hawker-Smith, 1933
 32268) *Alaena amazoula ochroma* Vari, 1976 (Lycaenidae) Synonym(s): *ochroma* Vari, 1976
 32269) *Alaena bicolora* Bethune-Baker, 1924 (Lycaenidae) Synonym(s): *bicolora* Bethune-Baker, 1924

- 32270) *Alaena brainei* Vari, 1976 (Lycaenidae) Synonym(s): *brainei* Vari, 1976
 32271) *Alaena caissa Rebel & Rogenhofer, 1894* (Lycaenidae) Synonym(s): *caissa Rebel & Rogenhofer, 1894*
 32272) *Alaena caissa caissa Rebel & Rogenhofer, 1894* (Lycaenidae) Synonym(s): *caissa Rebel & Rogenhofer, 1894*
 32273) *Alaena caissa kagera Talbot, 1935* (Lycaenidae) Synonym(s): *kagera Talbot, 1935*
 32274) *Alaena dodomaensis Kielland, 1983* (Lycaenidae) Synonym(s): *dodomaensis Kielland, 1983*
 32275) *Alaena ferrulineata Hawker-Smith, 1933* (Lycaenidae) Synonym(s): *ferrulineata Hawker-Smith, 1933*
 32276) *Alaena interposita Butler, 1883* (Lycaenidae) Synonym(s): *interposita Butler, 1883*
 32277) *Alaena interposita hauttecoeurii Oberthür, 1888* (Lycaenidae) Synonym(s): *hauttecoeurii Oberthür, 1888; aurantiaca Butler, 1895*
 32278) *Alaena interposita interposita Butler, 1883* (Lycaenidae) Synonym(s): *interposita Butler, 1883*
 32279) *Alaena johanna Sharpe, 1890* (Lycaenidae) Synonym(s): *johanna Sharpe, 1890*
 32280) *Alaena johanna johanna Sharpe, 1890* (Lycaenidae) Synonym(s): *johanna Sharpe, 1890*
 32281) *Alaena johanna tsavoa Jackson, 1966* (Lycaenidae) Synonym(s): *tsavoa Jackson, 1966*
 32282) *Alaena kiellandi Carcasson, 1965* (Lycaenidae) Synonym(s): *kiellandi Carcasson, 1965*
 32283) *Alaena lamborni Gifford, 1965* (Lycaenidae) Synonym(s): *lamborni Gifford, 1965; ackeryi D'Abrera, 1980*
 32284) *Alaena maculata Hawker-Smith, 1933* (Lycaenidae) Synonym(s): *maculata Hawker-Smith, 1933; ochrea Hawker-Smith, 1933*
 32285) *Alaena madibirensis Wichgraf, 1921* (Lycaenidae) Synonym(s): *madibirensis Wichgraf, 1921*
 32286) *Alaena margaritacea Eltringham, 1929* (Lycaenidae) Synonym(s): *margaritacea Eltringham, 1929*
 32287) *Alaena ngonga Jackson, 1966* (Lycaenidae) Synonym(s): *ngonga Jackson, 1966*
 32288) *Alaena nyassa Hewitson, 1877* (Lycaenidae) Synonym(s): *nyassa Hewitson, 1877*
 32289) *Alaena nyassa major Oberthür, 1888* (Lycaenidae) Synonym(s): *major Oberthür, 1888*
 32290) *Alaena nyassa marmorata Hawker-Smith, 1933* (Lycaenidae) Synonym(s): *marmorata Hawker-Smith, 1933*
 32291) *Alaena nyassa nyassa Hewitson, 1877* (Lycaenidae) Synonym(s): *nyassa Hewitson, 1877*
 32292) *Alaena oberthuri Aurivillius, 1898* (Lycaenidae) Synonym(s): *oberthuri Aurivillius, 1898*
 32293) *Alaena ochracea Butler, 1894* (Lycaenidae) Synonym(s): *ochracea Butler, 1894*
 32294) *Alaena picata Sharpe, 1896* (Lycaenidae) Synonym(s): *picata Sharpe, 1896; rollei Suffert, 1904; mulsa Thieme, 1904; connectens Talbot, 1935*
 32295) *Alaena picata interrupta Hawker-Smith, 1933* (Lycaenidae) Synonym(s): *interrupta Hawker-Smith, 1933*
 32296) *Alaena picata picata Sharpe, 1896* (Lycaenidae) Synonym(s): *picata Sharpe, 1896; rollei Suffert, 1904; mulsa Thieme, 1904; connectens Talbot, 1935*
 32297) *Alaena reticulata Butler, 1896* (Lycaenidae) Synonym(s): *reticulata Butler, 1896*
 32298) *Alaena rosei Vane-Wright, 1980* (Lycaenidae) Synonym(s): *rosei Vane-Wright, 1980*
 32299) *Alaena subrubra Bethune-Baker, 1915* (Lycaenidae) Synonym(s): *subrubra Bethune-Baker, 1915*
 32300) *Alaena unimaculosa Hawker-Smith, 1926* (Lycaenidae) Synonym(s): *unimaculosa Hawker-Smith, 1926*
 32301) *Allosmaitia pion (Godman & Salvin, 1887)* (Lycaenidae) Synonym(s): *pion Godman & Salvin, 1887*
 32302) *Allotinus (Fabitaras) borneensis Moulton, 1911* (Lycaenidae) Synonym(s): *borneensis Moulton, 1911; elioti Corbet, 1939*
 32303) *Allotinus (Fabitaras) borneensis borneensis Moulton, 1911* (Lycaenidae) Synonym(s): *borneensis Moulton, 1911; elioti Corbet, 1939*
 32304) *Allotinus (Fabitaras) fabius (Distant & Pryer, 1887)* (Lycaenidae) Synonym(s): *fabius Distant & Pryer, 1887*
 32305) *Allotinus (Fabitaras) fabius arrius Fruhstorfer, 1914* (Lycaenidae) Synonym(s): *arrius Fruhstorfer, 1914*
 32306) *Allotinus (Fabitaras) fabius fabius (Distant & Pryer, 1887)* (Lycaenidae) Synonym(s): *fabius Distant & Pryer, 1887*
 32307) *Allotinus (Fabitaras) portunus (De Nicéville, 1894)* (Lycaenidae) Synonym(s): *portunus De Nicéville, 1894*
 32308) *Allotinus (Fabitaras) portunus maitus Fruhstorfer, 1914* (Lycaenidae) Synonym(s): *maitus Fruhstorfer, 1914; fruhstorferi Corbet, 1939*
 32309) *Allotinus (Fabitaras) portunus portunus (De Nicéville, 1894)* (Lycaenidae) Synonym(s): *portunus De Nicéville, 1894*
 32310) *Allotinus (Fabitaras) sarrastes Fruhstorfer, 1913* (Lycaenidae) Synonym(s): *sarrastes Fruhstorfer, 1913*
 32311) *Allotinus (Fabitaras) sarrastes sarrastes Fruhstorfer, 1913* (Lycaenidae) Synonym(s): *sarrastes Fruhstorfer, 1913*
 32312) *Allotinus (Fabitaras) strigatus Moulton, 1911* (Lycaenidae) Synonym(s): *strigatus Moulton, 1911*
 32313) *Allotinus (Fabitaras) strigatus malayanus Corbet, 1939* (Lycaenidae) Synonym(s): *malayanus Corbet, 1939*
 32314) *Allotinus (Fabitaras) strigatus strigatus Moulton, 1911* (Lycaenidae) Synonym(s): *strigatus Moulton, 1911*
 32315) *Allotinus (Paragerydus) apries Fruhstorfer, 1913* (Lycaenidae) Synonym(s): *apries Fruhstorfer, 1913; eupalion Fruhstorfer, 1914*
 32316) *Allotinus (Paragerydus) apries apries Fruhstorfer, 1913* (Lycaenidae) Synonym(s): *apries Fruhstorfer, 1913; eupalion Fruhstorfer, 1914*
 32317) *Allotinus (Paragerydus) apries ristus Eliot, 1986* (Lycaenidae) Synonym(s): *ristus Eliot, 1986*
 32318) *Allotinus (Paragerydus) corbeti Eliot, 1956* (Lycaenidae) Synonym(s): *corbeti Eliot, 1956*
 32319) *Allotinus (Paragerydus) davidis Eliot, 1959* (Lycaenidae) Synonym(s): *davidis Eliot, 1959*
 32320) *Allotinus (Paragerydus) davidis davidis Eliot, 1959* (Lycaenidae) Synonym(s): *davidis Eliot, 1959*
 32321) *Allotinus (Paragerydus) horsfieldi (Moore, [1858])* (Lycaenidae) Synonym(s): *horsfieldi Moore, [1858]*
 32322) *Allotinus (Paragerydus) horsfieldi horsfieldi (Moore, [1858])* (Lycaenidae) Synonym(s): *horsfieldi Moore, [1858]*
 32323) *Allotinus (Paragerydus) horsfieldi nessus Corbet, 1939* (Lycaenidae) Synonym(s): *nessus Corbet, 1939*
 32324) *Allotinus (Paragerydus) horsfieldi permangus Fruhstorfer, 1913* (Lycaenidae) Synonym(s): *permangus Fruhstorfer, 1913*
 32325) *Allotinus (Paragerydus) leogoron Fruhstorfer, 1916* (Lycaenidae) Synonym(s): *leogoron Fruhstorfer, 1916; vadosus Corbet, 1939; lindus Corbet, 1939*
 32326) *Allotinus (Paragerydus) leogoron leogoron Fruhstorfer, 1916* (Lycaenidae) Synonym(s): *leogoron Fruhstorfer, 1916; vadosus Corbet, 1939; lindus Corbet, 1939*
 32327) *Allotinus (Paragerydus) subtrigosus (Moore, 1884)* (Lycaenidae) Synonym(s): *subtrigosus Moore, 1884*
 32328) *Allotinus (Paragerydus) subtrigosus ballantinei Eliot, 1986* (Lycaenidae) Synonym(s): *ballantinei Eliot, 1986*
 32329) *Allotinus (Paragerydus) subtrigosus subtrigosus (Moore, 1884)* (Lycaenidae) Synonym(s): *subtrigosus Moore, 1884*
 32330) *Allotinus (Paragerydus) subtrigosus yusukei Eliot, 1986* (Lycaenidae) Synonym(s): *yusukei Eliot, 1986*
 32331) *Allotinus (Paragerydus) unicolor C.Felder & R.Felder, [1865]* (Lycaenidae) Synonym(s): *unicolor C.Felder & R.Felder, [1865]; dilutus Corbet, 1939*
 32332) *Allotinus (Paragerydus) unicolor georgius Fruhstorfer, 1913* (Lycaenidae) Synonym(s): *georgius Fruhstorfer, 1913*
 32333) *Allotinus (Paragerydus) unicolor rekkia Riley & Godfrey, 1921* (Lycaenidae) Synonym(s): *rekkia Riley & Godfrey, 1921*
 32334) *Allotinus (Paragerydus) unicolor unicolor C.Felder & R.Felder, [1865]* (Lycaenidae) Synonym(s): *unicolor C.Felder & R.Felder, [1865]; dilutus Corbet, 1939*
 32335) *Allotinus (s.str.) fallax C.Felder & R.Felder, [1865]* (Lycaenidae) Synonym(s): *fallax C.Felder & R.Felder, [1865]*
 32336) *Allotinus (s.str.) fallax aphacus Fruhstorfer, 1913* (Lycaenidae) Synonym(s): *aphacus Fruhstorfer, 1913*
 32337) *Allotinus (s.str.) fallax apus De Nicéville, 1895* (Lycaenidae) Synonym(s): *apus De Nicéville, 1895; michaelis Eliot, 1959*
 32338) *Allotinus (s.str.) fallax doton Fruhstorfer, 1913* (Lycaenidae) Synonym(s): *doton Fruhstorfer, 1913*
 32339) *Allotinus (s.str.) fallax eryximachus Fruhstorfer, 1913* (Lycaenidae) Synonym(s): *eryximachus Fruhstorfer, 1913*
 32340) *Allotinus (s.str.) fallax fallax C.Felder & R.Felder, [1865]* (Lycaenidae) Synonym(s): *fallax C.Felder & R.Felder, [1865]*
 32341) *Allotinus (s.str.) fallax tymphrestus Fruhstorfer, 1916* (Lycaenidae) Synonym(s): *tymphrestus Fruhstorfer, 1916*
 32342) *Allotinus (s.str.) subviolaceus C.Felder & R.Felder, [1865]* (Lycaenidae) Synonym(s): *subviolaceus C.Felder & R.Felder, [1865]; alkamah Distant, 1886*
 32343) *Allotinus (s.str.) subviolaceus manychus Fruhstorfer, 1913* (Lycaenidae) Synonym(s): *manychus Fruhstorfer, 1913*
 32344) *Allotinus (s.str.) subviolaceus subviolaceus C.Felder & R.Felder, [1865]* (Lycaenidae) Synonym(s): *subviolaceus C.Felder & R.Felder, [1865]; alkamah Distant, 1886*
 32345) *Allotinus albatu C.Felder & R.Felder, [1865]* (Lycaenidae) Synonym(s): *albatu C.Felder & R.Felder, [1865]*
 32346) *Allotinus albatu albatu C.Felder & R.Felder, [1865]* (Lycaenidae) Synonym(s): *albatu C.Felder & R.Felder, [1865]*
 32347) *Allotinus albatu mendax Eliot, 1986* (Lycaenidae) Synonym(s): *mendax Eliot, 1986*
 32348) *Allotinus alkamah Distant, 1886* (Lycaenidae) Synonym(s): *alkamah Distant, 1886*
 32349) *Allotinus anaxandridas Fruhstorfer, 1917* (Lycaenidae) Synonym(s): *anaxandridas Fruhstorfer, 1917*
 32350) *Allotinus drumila (Moore, 1865)* (Lycaenidae) Synonym(s): *drumila Moore, 1865*
 32351) *Allotinus drumila aphonius Fruhstorfer, 1914* (Lycaenidae) Synonym(s): *aphonius Fruhstorfer, 1914*
 32352) *Allotinus drumila drumila (Moore, 1865)* (Lycaenidae) Synonym(s): *drumila Moore, 1865*
 32353) *Allotinus kudaratu Takamami, 1990* (Lycaenidae) Synonym(s): *kudaratu Takamami, 1990*
 32354) *Allotinus luzonensis Eliot, 1967* (Lycaenidae) Synonym(s): *luzonensis Eliot, 1967*
 32355) *Allotinus melos Druce, 1896* (Lycaenidae) Synonym(s): *melos Druce, 1896*
 32356) *Allotinus nigratus Semper, 1889* (Lycaenidae) Synonym(s): *nigratus Semper, 1889*

- 32357) *Allotinus nivalis* (Druce,1873) (Lycaenidae) Synonym(s): *nivalis* Druce,1873
 32358) *Allotinus nivalis felderi* Semper,1889 (Lycaenidae) Synonym(s): *felderi* Semper,1889
 32359) *Allotinus nivalis nivalis* (Druce,1873) (Lycaenidae) Synonym(s): *nivalis* Druce,1873
 32360) *Allotinus punctatus* Semper,1889 (Lycaenidae) Synonym(s): *punctatus* Semper,1889
 32361) *Allotinus samarensis* Eliot,1986 (Lycaenidae) Synonym(s): *samarensis* Eliot,1986
 32362) *Allotinus samarensis samarensis* Eliot,1986 (Lycaenidae) Synonym(s): *samarensis* Eliot,1986
 32363) *Aloeides almeida* (Felder,1862) (Lycaenidae) Synonym(s): *almeida* Felder,1862
 32364) *Aloeides angolensis* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *angolensis* Tite & Dickson,1973
 32365) *Aloeides apicalis* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *apicalis* Tite & Dickson,1968
 32366) *Aloeides aranda* (Wallengren,1857) (Lycaenidae) Synonym(s): *aranda* Wallengren,1857; *mars* Trimen,1862; *zilka* Grose-Smith,1900; *rougemonti* Oberthür,1909; *marshalli* Aurivillius,1923
 32367) *Aloeides arida* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *arida* Tite & Dickson,1968
 32368) *Aloeides bamptoni* Tite & Dickson,1977 (Lycaenidae) Synonym(s): *bamptoni* Tite & Dickson,1977
 32369) *Aloeides barklyi* (Trimen,1874) (Lycaenidae) Synonym(s): *barklyi* Trimen,1874
 32370) *Aloeides braueri* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *braueri* Tite & Dickson,1968
 32371) *Aloeides caffrariae* Henning,1987 (Lycaenidae) Synonym(s): *caffrariae* Henning,1987
 32372) *Aloeides caledoni* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *caledoni* Tite & Dickson,1973
 32373) *Aloeides carolynnae* Dickson,1983 (Lycaenidae) Synonym(s): *carolynnae* Dickson,1983
 32374) *Aloeides clarki* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *clarki* Tite & Dickson,1968
 32375) *Aloeides conradi* (Aurivillius,1907) (Lycaenidae) Synonym(s): *conradi* Aurivillius,1907
 32376) *Aloeides conradi angoniensis* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *angoniensis* Tite & Dickson,1973
 32377) *Aloeides conradi conradi* (Aurivillius,1907) (Lycaenidae) Synonym(s): *conradi* Aurivillius,1907
 32378) *Aloeides conradi jacksoni* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *jacksoni* Tite & Dickson,1973
 32379) *Aloeides conradi talboti* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *talboti* Tite & Dickson,1973
 32380) *Aloeides damarensis* (Trimen,1891) (Lycaenidae) Synonym(s): *damarensis* Trimen,1891
 32381) *Aloeides damarensis damarensis* (Trimen,1891) (Lycaenidae) Synonym(s): *damarensis* Trimen,1891
 32382) *Aloeides damarensis mashona* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *mashona* Tite & Dickson,1973
 32383) *Aloeides dentatis* (Swierstra,1909) (Lycaenidae) Synonym(s): *dentatis* Swierstra,1909
 32384) *Aloeides dentatis dentatis* (Swierstra,1909) (Lycaenidae) Synonym(s): *dentatis* Swierstra,1909
 32385) *Aloeides dentatis maseruna* (Riley,1938) (Lycaenidae) Synonym(s): *maseruna* Riley,1938
 32386) *Aloeides depicta* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *depicta* Tite & Dickson,1968
 32387) *Aloeides dicksoni* Henning,1987 (Lycaenidae) Synonym(s): *dicksoni* Henning,1987
 32388) *Aloeides dryas* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *dryas* Tite & Dickson,1968
 32389) *Aloeides egerides* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *egerides* Tite & Dickson,1968
 32390) *Aloeides gowani* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *gowani* Tite & Dickson,1968
 32391) *Aloeides griseus* Riley,1921 (Lycaenidae) Synonym(s): *griseus* Riley,1921
 32392) *Aloeides henningi* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *henningi* Tite & Dickson,1973
 32393) *Aloeides juana* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *juana* Tite & Dickson,1968
 32394) *Aloeides kaplani* Tite & Dickson,1977 (Lycaenidae) Synonym(s): *kaplani* Tite & Dickson,1977
 32395) *Aloeides lutescens* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *lutescens* Tite & Dickson,1968
 32396) *Aloeides macmasteri* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *macmasteri* Tite & Dickson,1973
 32397) *Aloeides maluti* Pringle,1983 (Lycaenidae) Synonym(s): *maluti* Pringle,1983
 32398) *Aloeides margaretae* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *margaretae* Tite & Dickson,1968
 32399) *Aloeides merces* Henning & Henning,1986 (Lycaenidae) Synonym(s): *merces* Henning & Henning,1986
 32400) *Aloeides molomo* (Trimen,1870) (Lycaenidae) Synonym(s): *molomo* Trimen,1870
 32401) *Aloeides molomo coalescens* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *coalescens* Tite & Dickson,1973
 32402) *Aloeides molomo handmani* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *handmani* Tite & Dickson,1973
 32403) *Aloeides molomo kiellandi* Carcasson,1961 (Lycaenidae) Synonym(s): *kiellandi* Carcasson,1961
 32404) *Aloeides molomo krooni* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *krooni* Tite & Dickson,1973
 32405) *Aloeides molomo molomo* (Trimen,1870) (Lycaenidae) Synonym(s): *molomo* Trimen,1870
 32406) *Aloeides molomo mumbuensis* Riley,1921 (Lycaenidae) Synonym(s): *mumbuensis* Riley,1921
 32407) *Aloeides nollothi* Tite & Dickson,1977 (Lycaenidae) Synonym(s): *nollothi* Tite & Dickson,1977
 32408) *Aloeides nubilus* Henning & Henning,1982 (Lycaenidae) Synonym(s): *nubilus* Henning & Henning,1982
 32409) *Aloeides oreas* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *oreas* Tite & Dickson,1968
 32410) *Aloeides pallida* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *pallida* Tite & Dickson,1968
 32411) *Aloeides pallida grandis* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *grandis* Tite & Dickson,1968
 32412) *Aloeides pallida jonathani* Pringle,1987 (Lycaenidae) Synonym(s): *jonathani* Pringle,1987
 32413) *Aloeides pallida littoralis* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *littoralis* Tite & Dickson,1968
 32414) *Aloeides pallida pallida* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *pallida* Tite & Dickson,1968
 32415) *Aloeides penningtoni* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *penningtoni* Tite & Dickson,1968; *natalensis* Tite & Dickson,1968.
 32416) *Aloeides pierus* (Cramer,[1779]) (Lycaenidae) Synonym(s): *pierus* Cramer,[1779]; *euadrus* Fabricius,1787.
 32417) *Aloeides plowesi* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *plowesi* Tite & Dickson,1973
 32418) *Aloeides pringlei* Tite & Dickson,1976 (Lycaenidae) Synonym(s): *pringlei* Tite & Dickson,1976
 32419) *Aloeides quickelbergei* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *quickelbergei* Tite & Dickson,1968
 32420) *Aloeides rileyi* Tite & Dickson,1976 (Lycaenidae) Synonym(s): *rileyi* Tite & Dickson,1976; *taylori* Tite & Dickson,1976.
 32421) *Aloeides rossouwi* Henning & Henning,1982 (Lycaenidae) Synonym(s): *rossouwi* Henning & Henning,1982
 32422) *Aloeides simplex* (Trimen,1893) (Lycaenidae) Synonym(s): *simplex* Trimen,1893
 32423) *Aloeides stvensoni* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *stvensoni* Tite & Dickson,1973
 32424) *Aloeides susanae* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *susanae* Tite & Dickson,1973
 32425) *Aloeides swanepoeli* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *swanepoeli* Tite & Dickson,1973
 32426) *Aloeides taikosama* (Wallengren,1857) (Lycaenidae) Synonym(s): *taikosama* Wallengren,1857; *orthrus* Trimen,1874.
 32427) *Aloeides teari* Henning & Henning,1982 (Lycaenidae) Synonym(s): *tearei* Henning & Henning,1982
 32428) *Aloeides thyra* (Linnaeus,1764) (Lycaenidae) Synonym(s): *thyra* Linnaeus,1764; *nycetus* Stoll,[1781]; *euadrus* Fabricius,1787.
 32429) *Aloeides titei* Henning,1987 (Lycaenidae) Synonym(s): *titei* Henning,1987
 32430) *Aloeides trimeni* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *trimeni* Tite & Dickson,1973
 32431) *Aloeides trimeni southeyae* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *southeyae* Tite & Dickson,1973
 32432) *Aloeides trimeni trimeni* Tite & Dickson,1973 (Lycaenidae) Synonym(s): *trimeni* Tite & Dickson,1973
 32433) *Aloeides vansoni* Tite & Dickson,1968 (Lycaenidae) Synonym(s): *vansoni* Tite & Dickson,1968
 32434) *Amblopala avidiena* (Hewitson,1877) (Lycaenidae) Synonym(s): *avidiena* Hewitson,1877
 32435) *Amblopala avidiena avidiena* (Hewitson,1877) (Lycaenidae) Synonym(s): *avidiena* Hewitson,1877
 32436) *Amblopala avidiena y-fasciata* (Sonan,1929) (Lycaenidae) Synonym(s): *y-fasciata* Sonan,1929; *katakirii* Sonan,1932
 32437) *Amblypodia anita* Hewitson,1862 (Lycaenidae) Synonym(s): *anita* Hewitson,1862
 32438) *Amblypodia anita andamanica* N.D.Riley (Lycaenidae) Synonym(s):
 32439) *Amblypodia anita anita* Hewitson,1862 (Lycaenidae) Synonym(s): *anita* Hewitson,1862
 32440) *Amblypodia anita dina* Fruhstorfer (Lycaenidae) Synonym(s):
 32441) *Amblypodia anita gigantea* Tytler (Lycaenidae) Synonym(s):
 32442) *Amblypodia anita hainana* Crowley (Lycaenidae) Synonym(s):
 32443) *Amblypodia anita naradoides* Moore (Lycaenidae) Synonym(s):
 32444) *Amblypodia anita parva* Eliot,1980 (Lycaenidae) Synonym(s): *parva* Eliot,1980
 32445) *Amblypodia narada* (Horsfield,[1828]) (Lycaenidae) Synonym(s): *narada* Horsfield,[1828]; *mohamad* Kalis,1933

- 32446) *Amblypodia narada* **andersoni** Moore, 1884 (Lycaenidae) Synonym(s): *andersoni* Moore, 1884
 32447) *Amblypodia narada confusa* N.D.Riley, 1922 (Lycaenidae) Synonym(s): *confusa* N.D.Riley, 1922
 32448) *Amblypodia narada erichsonii* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *C.Felder & R.Felder, [1865]*
 32449) *Amblypodia narada fara* Fruhstorfer, 1907 (Lycaenidae) Synonym(s): *fara* Fruhstorfer, 1907
 32450) *Amblypodia narada narada* (Horsfield, [1828]) (Lycaenidae) Synonym(s): *narada* Horsfield, [1828]; *mohamad Kalis, 1933*
 32451) *Amblypodia narada plateni* N.D.Riley, 1922 (Lycaenidae) Synonym(s): *plateni* N.D.Riley, 1922
 32452) *Amblypodia narada pycnoptera* (Toxopeus, 1930) (Lycaenidae) Synonym(s): *pycnoptera* Toxopeus, 1930
 32453) *Amblypodia narada salvia* Fruhstorfer, 1907 (Lycaenidae) Synonym(s): *salvia* Fruhstorfer, 1907
 32454) *Amblypodia narada sicutensis* Treadaway & Nuyda, 1993 (Lycaenidae) Synonym(s): *sicutensis* Treadaway & Nuyda, 1993
 32455) *Amblypodia narada smedleyi* N.D.Riley, 1945 (Lycaenidae) Synonym(s): *smedleyi* N.D.Riley, 1945
 32456) *Amblypodia narada taoana* Moore, [1879] (Lycaenidae) Synonym(s): *taoana* Moore, [1879]
 32457) *Ancema blanka* (De Nicéville, 1894) (Lycaenidae) Synonym(s): *blanka* De Nicéville, 1894
 32458) *Ancema blanka blanka* (De Nicéville, 1894) (Lycaenidae) Synonym(s): *blanka* De Nicéville, 1894
 32459) *Ancema blanka minturna* (Fruhstorfer, [1912]) (Lycaenidae) Synonym(s): *minturna* Fruhstorfer, [1912]
 32460) *Ancema ctesia* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *ctesia* Hewitson, [1865]
 32461) *Ancema ctesia agalla* (Fruhstorfer, 1912) (Lycaenidae) Synonym(s): *agalla* Fruhstorfer, 1912
 32462) *Ancema ctesia ctesia* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *ctesia* Hewitson, [1865]
 32463) *Anthene abruptus* (Gaede, 1915) (Lycaenidae) Synonym(s): *abruptus* Gaede, 1915
 32464) *Anthene afra* (Bethune-Baker, 1910) (Lycaenidae) Synonym(s): *afra* Bethune-Baker, 1910; *lysias* Hulsaert, 1924.
 32465) *Anthene alberta* (Bethune-Baker, 1910) (Lycaenidae) Synonym(s): *alberta* Bethune-Baker, 1910
 32466) *Anthene amarah* (Guérin-Méneville, 1849) (Lycaenidae) Synonym(s): *aramah* Guérin-Méneville, 1849; *olympusa* Walker, 1870.
 32467) *Anthene amarah amarah* (Guérin-Méneville, 1849) (Lycaenidae) Synonym(s): *aramah* Guérin-Méneville, 1849; *olympusa* Walker, 1870.
 32468) *Anthene amarah orphna* Clench, 1965 (Lycaenidae) Synonym(s): *orphna* Clench, 1965
 32469) *Anthene arnoldi* (Jones, 1918) (Lycaenidae) Synonym(s): *arnoldi* Jones, 1918
 32470) *Anthene arora* T.Larsen, 1983 (Lycaenidae) Synonym(s): *arora* T.Larsen, 1983
 32471) *Anthene arora arora* T.Larsen, 1983 (Lycaenidae) Synonym(s): *arora* T.Larsen, 1983
 32472) *Anthene aurea* (Bethune-Baker, 1910) (Lycaenidae) Synonym(s): *aurea* Bethune-Baker, 1910
 32473) *Anthene aurobrunnea* (Ungemach, 1932) (Lycaenidae) Synonym(s): *aurobrunnea* Ungemach, 1932
 32474) *Anthene bakeri* (Druce, 1910) (Lycaenidae) Synonym(s): *bakeri* Druce, 1910; *ja* Bethune-Baker, 1910
 32475) *Anthene barnesi* Stevenson, 1940 (Lycaenidae) Synonym(s): *barnesi* Stevenson, 1940
 32476) *Anthene bipuncta* (Joicey & Talbot, 1921) (Lycaenidae) Synonym(s): *bipuncta* Joicey & Talbot, 1921
 32477) *Anthene bitje* (Druce, 1910) (Lycaenidae) Synonym(s): *bitje* Druce, 1910
 32478) *Anthene bjoernstadi* Collins & T.Larsen, 1991 (Lycaenidae) Synonym(s): *bjoernstadi* Collins & T.Larsen, 1991
 32479) *Anthene buchholzi* (Plötz, 1880) (Lycaenidae) Synonym(s): *buchholzi* Plötz, 1880
 32480) *Anthene butleri* (Oberthür, 1880) (Lycaenidae) Synonym(s): *butleri* Oberthür, 1880
 32481) *Anthene butleri arabicus* Gabriel, 1954 (Lycaenidae) Synonym(s): *arabicus* Gabriel, 1954
 32482) *Anthene butleri butleri* (Oberthür, 1880) (Lycaenidae) Synonym(s): *butleri* Oberthür, 1880
 32483) *Anthene butleri galla* Stempffer, 1947 (Lycaenidae) Synonym(s): *galla* Stempffer, 1947
 32484) *Anthene butleri livida* (Trimen, 1881) (Lycaenidae) Synonym(s): *livida* Trimen, 1881
 32485) *Anthene butleri stempfferi* Storace, 1954 (Lycaenidae) Synonym(s): *stempfferi* Storace, 1954
 32486) *Anthene chirinda* (Bethune-Baker, 1910) (Lycaenidae) Synonym(s): *chirinda* Bethune-Baker, 1910
 32487) *Anthene collinsi* D'Abrera, 1980 (Lycaenidae) Synonym(s): *collinsi* D'Abrera, 1980
 32488) *Anthene contrastata* (Ungemach, 1932) (Lycaenidae) Synonym(s): *contrastata* Ungemach, 1932
 32489) *Anthene contrastata contrastata* (Ungemach, 1932) (Lycaenidae) Synonym(s): *contrastata* Ungemach, 1932
 32490) *Anthene contrastata mashuna* (Stevenson, 1937) (Lycaenidae) Synonym(s): *mashuna* Stevenson, 1937
 32491) *Anthene contrastata turkana* Stempffer, 1936 (Lycaenidae) Synonym(s): *turkana* Stempffer, 1936
 32492) *Anthene crawshayi* (Butler, 1899) (Lycaenidae) Synonym(s): *crawshayi* Butler, 1899; *marginata* Hulstaert, 1924
 32493) *Anthene crawshayi crawshayi* (Butler, 1899) (Lycaenidae) Synonym(s): *crawshayi* Butler, 1899; *marginata* Hulstaert, 1924
 32494) *Anthene crawshayi minuta* (Bethune-Baker, 1916) (Lycaenidae) Synonym(s): *minuta* Bethune-Baker, 1916; *#albilunata* Ungemach, 1932; *sobrina* Talbot, 1935.
 32495) *Anthene definita* (Butler, 1899) (Lycaenidae) Synonym(s): *definita* Butler, 1899
 32496) *Anthene definita definita* (Butler, 1899) (Lycaenidae) Synonym(s): *definita* Butler, 1899
 32497) *Anthene definita nigrocaudata* (Pagenstecher, 1902) (Lycaenidae) Synonym(s): *nigrocaudata* Pagenstecher, 1902; *liguroides* Strand, 1911; *fasciata* Ungemach, 1932.
 32498) *Anthene discimacula* (Joicey & Talbot, 1921) (Lycaenidae) Synonym(s): *discimacula* Joicey & Talbot, 1921
 32499) *Anthene emolus* (Godart, [1824]) (Lycaenidae) Synonym(s): *emolus* Godart, [1824]
 32500) *Anthene emolus emolus* (Godart, [1824]) (Lycaenidae) Synonym(s): *emolus* Godart, [1824]
 32501) *Anthene emolus goberus* (Fruhstorfer, 1916) (Lycaenidae) Synonym(s): *goberus* Fruhstorfer, 1916
 32502) *Anthene emolus modesta* Staudinger, 1889 (Lycaenidae) Synonym(s): *modesta* Staudinger, 1889
 32503) *Anthene erythropoecilus* (Holland, 1893) (Lycaenidae) Synonym(s): *erythropoecilus* Holland, 1893
 32504) *Anthene flavomaculatus* (Grose-Smith & Kirby, 1893) (Lycaenidae) Synonym(s): *flavomaculatus* Grose-Smith & Kirby, 1893
 32505) *Anthene hobleyi* (Neave, 1904) (Lycaenidae) Synonym(s): *hobleyi* Neave, 1904
 32506) *Anthene hobleyi elgonensis* (Aurivillius, 1925) (Lycaenidae) Synonym(s): *elgonensis* Aurivillius, 1925
 32507) *Anthene hobleyi hobleyi* (Neave, 1904) (Lycaenidae) Synonym(s): *hobleyi* Neave, 1904
 32508) *Anthene hobleyi kigezi* Stempffer, 1961 (Lycaenidae) Synonym(s): *kigezi* Stempffer, 1961
 32509) *Anthene hobleyi ufipa* Kielland, 1990 (Lycaenidae) Synonym(s): *ufipa* Kielland, 1990
 32510) *Anthene hodsoni* (Talbot, 1935) (Lycaenidae) Synonym(s): *hodsoni* Talbot, 1935
 32511) *Anthene hodsoni hodsoni* (Talbot, 1935) (Lycaenidae) Synonym(s): *hodsoni* Talbot, 1935
 32512) *Anthene hodsoni usamba* (Talbot, 1937) (Lycaenidae) Synonym(s): *usamba* Talbot, 1937
 32513) *Anthene indefinita* (Bethune-Baker, 1910) (Lycaenidae) Synonym(s): *indefinita* Bethune-Baker, 1910; *bigamica* Strand, 1911; *#oculata* Stempffer, 1946.
 32514) *Anthene ituria* (Bethune-Baker, 1910) (Lycaenidae) Synonym(s): *ituria* Bethune-Baker, 1910
 32515) *Anthene janna* Gabriel, 1949 (Lycaenidae) Synonym(s): *janna* Gabriel, 1949
 32516) *Anthene juba* (Fabricius, 1787) (Lycaenidae) Synonym(s): *juba* Fabricius, 1787; *dewitzi* Staudinger, 1891.
 32517) *Anthene kampala* (Bethune-Baker, 1910) (Lycaenidae) Synonym(s): *kampala* Bethune-Baker, 1910
 32518) *Anthene katera* Talbot, 1937 (Lycaenidae) Synonym(s): *katera* Talbot, 1937
 32519) *Anthene kersteni* (Gerstaecker, 1871) (Lycaenidae) Synonym(s): *kersteni* Gerstaecker, 1871
 32520) *Anthene lachares* (Hewitson, 1878) (Lycaenidae) Synonym(s): *lachares* Hewitson, 1878; *pulcher* Grose-Smith & Kirby, 1893; *liparis* Grose-Smith, 1898; *obsolescens* Bethune-Baker, 1910; *bitje* Stempffer, 1946 nec Druce., 1910.
 32521) *Anthene lachares lachares* (Hewitson, 1878) (Lycaenidae) Synonym(s): *lachares* Hewitson, 1878; *pulcher* Grose-Smith & Kirby, 1893; *liparis* Grose-Smith, 1898; *obsolescens* Bethune-Baker, 1910; *bitje* Stempffer, 1946 nec Druce., 1910.
 32522) *Anthene lachares toroensis* Stempffer, 1947 (Lycaenidae) Synonym(s): *toroensis* Stempffer, 1947
 32523) *Anthene larydas* (Cramer, [1780]) (Lycaenidae) Synonym(s): *larydas* Cramer, [1780]; *perides* Fabricius, 1793.
 32524) *Anthene lasti* (Grose-Smith & Kirby, 1894) (Lycaenidae) Synonym(s): *lasti* Grose-Smith & Kirby, 1894
 32525) *Anthene lemnos* (Hewitson, 1878) (Lycaenidae) Synonym(s): *lemnus* Hewitson, 1878
 32526) *Anthene lemnos lemnos* (Hewitson, 1878) (Lycaenidae) Synonym(s): *lemnus* Hewitson, 1878
 32527) *Anthene lemnos loa* (Strand, 1911) (Lycaenidae) Synonym(s): *loa* Strand, 1911
 32528) *Anthene leptala* (Courvoisier, 1914) (Lycaenidae) Synonym(s): *leptala* Courvoisier, 1914
 32529) *Anthene leptines* (Hewitson, 1874) (Lycaenidae) Synonym(s): *leptines* Hewitson, 1874; *arnoldi* Aurivillius, 1923 nec Jon., 1918.
 32530) *Anthene levis* (Hewitson, 1878) (Lycaenidae) Synonym(s): *levis* Hewitson, 1878; *grisea* Talbot, 1935
 32531) *Anthene licates* (Hewitson, 1873) (Lycaenidae) Synonym(s): *licates* Hewitson, 1873

- 32532) *Anthene licates addenda* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *addenda* Fruhstorfer, 1916
 32533) *Anthene licates dusuntua* Corbet, 1940 (Lycaenidae) Synonym(s): *dusuntua* Corbet, 1940
 32534) *Anthene licates philetas* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *philetas* Fruhstorfer, 1916
 32535) *Anthene ligures* (Hewitson, 1874) (Lycaenidae) Synonym(s): *ligures* Hewitson, 1874; *amanica* Strand, 1909; *ochreofascia* Talbot, 1935.
 32536) *Anthene liodes* (Hewitson, 1874) (Lycaenidae) Synonym(s): *liodes* Hewitson, 1874; *adherbal* Mabille, 1877; *monteironis* Kirby, 1878; *bihe* Bethune-Baker, 1910.
 32537) *Anthene locuples* (Grose-Smith, 1898) (Lycaenidae) Synonym(s): *locuples* Grose-Smith, 1898
 32538) *Anthene lunulata* (Trimen, 1894) (Lycaenidae) Synonym(s): *lunulata* Trimen, 1894; *hewitsoni* Aurivillius, 1898; *grosei* Aurivillius, 1898; *sanguinea* Bethune-Baker, 1910; *aquilonis* Hulstaert, 1924; *magna* Hulstaert, 1924.
 32539) *Anthene lycaenina* (C.Felder & R.Felder, [1867]) (Lycaenidae) Synonym(s): *lycaenina* C.Felder & R.Felder, [1867]
 32540) *Anthene lycaenina lycaenina* (C.Felder & R.Felder, [1867]) (Lycaenidae) Synonym(s): *lycaenina* C.Felder & R.Felder, [1867]
 32541) *Anthene lycaenina lycambes* (Hewitson, 1868) (Lycaenidae) Synonym(s): *lycambes* Hewitson, 1868
 32542) *Anthene lycaenina miya* (Fruhstorfer, 1916) (Lycaenidae) Synonym(s): *miya* Fruhstorfer, 1916
 32543) *Anthene lycaenina villosina* Fruhstorfer, 1923 (Lycaenidae) Synonym(s): *villosina* Fruhstorfer, 1923
 32544) *Anthene lychnaptes* (Holland, 1891) (Lycaenidae) Synonym(s): *lychnaptes* Holland, 1891; *lychnoptera* Grose-Smith & Kirby, 1893.
 32545) *Anthene lychnides* (Hewitson, 1878) (Lycaenidae) Synonym(s): *lychnides* Hewitson, 1878
 32546) *Anthene lysicles* (Hewitson, 1874) (Lycaenidae) Synonym(s): *lysicles* Hewitson, 1874
 32547) *Anthene madibirensis* (Wichgraf, 1921) (Lycaenidae) Synonym(s): *madibirensis* Wichgraf, 1921
 32548) *Anthene mahota* (Grose-Smith, 1887) (Lycaenidae) Synonym(s): *mahota* Grose-Smith, 1887
 32549) *Anthene makala* (Bethune-Baker, 1910) (Lycaenidae) Synonym(s): *makala* Bethune-Baker, 1910
 32550) *Anthene melambrotus* (Holland, 1893) (Lycaenidae) Synonym(s): *melambrotus* Holland, 1893
 32551) *Anthene millari* (Trimen, 1893) (Lycaenidae) Synonym(s): *millari* Trimen, 1893
 32552) *Anthene minima* (Trimen, 1893) (Lycaenidae) Synonym(s): *minima* Trimen, 1893
 32553) *Anthene montana* Kielland, 1990 (Lycaenidae) Synonym(s): *montana* Kielland, 1990
 32554) *Anthene mpanda* Kielland, 1990 (Lycaenidae) Synonym(s): *mpanda* Kielland, 1990
 32555) *Anthene ngoko* Stempffer, 1962 (Lycaenidae) Synonym(s): *ngoko* Stempffer, 1962
 32556) *Anthene nigropunctata* (Bethune-Baker, 1910) (Lycaenidae) Synonym(s): *nigropunctata* Bethune-Baker, 1910
 32557) *Anthene onias* (Hulstaert, 1924) (Lycaenidae) Synonym(s): *onias* Hulstaert, 1924
 32558) *Anthene opalina* Stempffer, 1946 (Lycaenidae) Synonym(s): *opalina* Stempffer, 1946
 32559) *Anthene otacilia* (Trimen, 1868) (Lycaenidae) Synonym(s): *otacilia* Trimen, 1868; *tongidensis* Bethune-Baker, 1926.
 32560) *Anthene otacilia dulcis* (Pagenstecher, 1902) (Lycaenidae) Synonym(s): *dulcis* Pagenstecher, 1902; *benadirensis* Stempffer, 1947.
 32561) *Anthene otacilia kikuyu* (Bethune-Baker, 1910) (Lycaenidae) Synonym(s): *kikuyu* Bethune-Baker, 1910
 32562) *Anthene otacilia otacilia* (Trimen, 1868) (Lycaenidae) Synonym(s): *otacilia* Trimen, 1868; *tongidensis* Bethune-Baker, 1926.
 32563) *Anthene pitmani* Stempffer, 1936 (Lycaenidae) Synonym(s): *pitmani* Stempffer, 1936
 32564) *Anthene pitmani pitmani* Stempffer, 1936 (Lycaenidae) Synonym(s): *pitmani* Stempffer, 1936
 32565) *Anthene pitmani somalina* Stempffer, 1936 (Lycaenidae) Synonym(s): *somalina* Stempffer, 1936
 32566) *Anthene princeps* (Butler, 1876) (Lycaenidae) Synonym(s): *princeps* Butler, 1876; *neglecta* Trimen, 1891; *uganda* Bethune-Baker, 1910.
 32567) *Anthene princeps princeps* (Butler, 1876) (Lycaenidae) Synonym(s): *princeps* Butler, 1876; *neglecta* Trimen, 1891; *uganda* Bethune-Baker, 1910.
 32568) *Anthene princeps smithi* (Mabille, 1877) (Lycaenidae) Synonym(s): *smithi* Mabille, 1877; *lochias* Hewitson, 1878; *mabillei* Lathy, 1921.
 32569) *Anthene pyroptera* (Aurivillius, 1895) (Lycaenidae) Synonym(s): *pyroptera* Aurivillius, 1895
 32570) *Anthene radiata* (Bethune-Baker, 1910) (Lycaenidae) Synonym(s): *radiata* Bethune-Baker, 1910
 32571) *Anthene ramnika* D'Abrera, 1980 (Lycaenidae) Synonym(s): *ramnika* D'Abrera, 1980
 32572) *Anthene rhodesiana* Stempffer, 1962 (Lycaenidae) Synonym(s): *rhodesiana* Stempffer, 1962
 32573) *Anthene rothschildi* (Aurivillius, 1922) (Lycaenidae) Synonym(s): *rothschildi* Aurivillius, 1922
 32574) *Anthene rubricinctus* (Holland, 1891) (Lycaenidae) Synonym(s): *rubricinctus* Holland, 1891; *musagetes* Holland, 1891
 32575) *Anthene rubricinctus anadema* (Druce, 1905) (Lycaenidae) Synonym(s): *anadema* Druce, 1905
 32576) *Anthene rubricinctus jeanneli* Stempffer, 1961 (Lycaenidae) Synonym(s): *elgonensis* Stempffer, 1936 *nec* Auriv., 1925; *latefasciata* Stempffer, 1944; *jeanneli* Stempffer, 1961
 32577) *Anthene rubricinctus rubricinctus* (Holland, 1891b) (Lycaenidae) Synonym(s): *rubricinctus* Holland, 1891; *musagetes* Holland, 1891
 32578) *Anthene rubrimaculata* (Strand, 1909) (Lycaenidae) Synonym(s): *rubrimaculata* Strand, 1909
 32579) *Anthene rubrimaculata rubrimaculata* (Strand, 1909) (Lycaenidae) Synonym(s): *rubrimaculata* Strand, 1909
 32580) *Anthene rubrimaculata tukuyu* Kielland, 1990 (Lycaenidae) Synonym(s): *tukuyu* Kielland, 1990
 32581) *Anthene rufomarginata* (Bethune-Baker, 1910) (Lycaenidae) Synonym(s): *rufomarginata* Bethune-Baker, 1910
 32582) *Anthene ruwenzoricus* (Grünberg, 1911) (Lycaenidae) Synonym(s): *ruwenzoricus* Grünberg, 1911
 32583) *Anthene saddacus* (Talbot, 1935) (Lycaenidae) Synonym(s): *saddacus* Talbot, 1935
 32584) *Anthene schoutedeni* (Hulstaert, 1924) (Lycaenidae) Synonym(s): *schoutedeni* Hulstaert, 1924
 32585) *Anthene scintillula* (Holland, 1891) (Lycaenidae) Synonym(s): *scintillula* Holland, 1891
 32586) *Anthene sheppardi* Stevenson, 1940 (Lycaenidae) Synonym(s): *sheppardi* Stevenson, 1940
 32587) *Anthene suquala* (Pagenstecher, 1902) (Lycaenidae) Synonym(s): *suquala* Pagenstecher, 1902
 32588) *Anthene sylvanus* (Drury, [1773]) (Lycaenidae) Synonym(s): *sylvanus* Drury, [1773]; *moncus* Fabricius, 1781; *syllidus* Hübner, [1826]; *locra* Plötz, 1880; *#natalensis* Staudinger & Schatz, 1888.
 32589) *Anthene sylvanus albicans* (Grünberg, 1910) (Lycaenidae) Synonym(s): *albicans* Grünberg, 1910
 32590) *Anthene sylvanus niveus* Stempffer, 1954 (Lycaenidae) Synonym(s): *niveus* Stempffer, 1954
 32591) *Anthene sylvanus sylvanus* (Drury, [1773]) (Lycaenidae) Synonym(s): *sylvanus* Drury, [1773]; *moncus* Fabricius, 1781; *syllidus* Hübner, [1826]; *locra* Plötz, 1880; *#natalensis* Staudinger & Schatz, 1888.
 32592) *Anthene talboti* Stempffer, 1936 (Lycaenidae) Synonym(s): *talboti* Stempffer, 1936
 32593) *Anthene ukereuwensis* (Strand, 1909) (Lycaenidae) Synonym(s): *ukereuwensis* Strand, 1909
 32594) *Anthene uzungwae* Kielland, 1990 (Lycaenidae) Synonym(s): *uzungwae* Kielland, 1990
 32595) *Anthene versatilis* (Bethune-Baker, 1910) (Lycaenidae) Synonym(s): *versatilis* Bethune-Baker, 1910
 32596) *Anthene wilsoni* (Talbot, 1935) (Lycaenidae) Synonym(s): *wilsoni* Talbot, 1935
 32597) *Anthene xanthopoeilus* (Holland, 1893) (Lycaenidae) Synonym(s): *xanthopoeilus* Holland, 1893
 32598) *Anthene zenkeri* (Karsch, 1895) (Lycaenidae) Synonym(s): *zenkeri* Karsch, 1895
 32599) *Antigius attilia* (Bremer, 1861) (Lycaenidae) Synonym(s): *attilia* Bremer, 1861
 32600) *Antigius attilia attilia* (Bremer, 1861) (Lycaenidae) Synonym(s): *attilia* Bremer, 1861
 32601) *Antigius attilia obsoletus* (Takeuchi, 1929) (Lycaenidae) Synonym(s): *obsoletus* Takeuchi, 1929
 32602) *Antigius butleri* (Fenton, 1881) (Lycaenidae) Synonym(s): *butleri* Fenton, 1881
 32603) *Antigius butleri butleri* (Fenton, 1881) (Lycaenidae) Synonym(s): *butleri* Fenton, 1881
 32604) *Aphnaeus* (Paraphnaeus) *hutchinsonii* Trimen, 1887 (Lycaenidae) Synonym(s): *hutchinsonii* Trimen, 1887
 32605) *Aphnaeus* (s.str.) *adamsi* Stempffer, 1954 (Lycaenidae) Synonym(s): *adamsi* Stempffer, 1954
 32606) *Aphnaeus* (s.str.) *affinis* Riley, 1921; *seydeli* Berger, 1953
 32607) *Aphnaeus* (s.str.) *argyrocyclus* Holland, 1890 (Lycaenidae) Synonym(s): *argyrocyclus* Holland, 1890
 32608) *Aphnaeus* (s.str.) *asterius* Plötz, 1880 (Lycaenidae) Synonym(s): *asterius* Plötz, 1880; *chalybeatus* Sharpe, 1890; *ilogo* Holland, 1890; *argenteola* Holland, 1890
 32609) *Aphnaeus* (s.str.) *brahami* Lathy, 1903 (Lycaenidae) Synonym(s): *brahami* Lathy, 1903
 32610) *Aphnaeus* (s.str.) *carcassoni* T.Larsen, 1986 (Lycaenidae) Synonym(s): *carcassoni* T.Larsen, 1986
 32611) *Aphnaeus* (s.str.) *chapini* (Holland, 1920) (Lycaenidae) Synonym(s): *chapini* Holland, 1920
 32612) *Aphnaeus* (s.str.) *chapini chapini* (Holland, 1920) (Lycaenidae) Synonym(s): *chapini* Holland, 1920
 32613) *Aphnaeus* (s.str.) *chapini occidentalis* Clench, 1963 (Lycaenidae) Synonym(s): *occidentalis* Clench, 1963
 32614) *Aphnaeus* (s.str.) *chapini ugandae* Stempffer, 1961 (Lycaenidae) Synonym(s): *ugandae* Stempffer, 1961
 32615) *Aphnaeus* (s.str.) *coronae* Talbot, 1935 (Lycaenidae) Synonym(s): *coronae* Talbot, 1935

- 32616) *Aphnaeus* (s.str.) *coronae coronae* Talbot,1935 (Lycaenidae) Synonym(s): *coronae* Talbot,1935
- 32617) *Aphnaeus* (s.str.) *coronae littoralis* Carcasson,1964 (Lycaenidae) Synonym(s): *littoralis* Carcasson,1964
- 32618) *Aphnaeus* (s.str.) *erikssoni* Trimen,1891 (Lycaenidae) Synonym(s): *erikssoni* Trimen,1891; *bruneeli* Berger,1951
- 32619) *Aphnaeus* (s.str.) *erikssoni barnesi* Stempffer,1954 (Lycaenidae) Synonym(s): *barnesi* Stempffer,1954
- 32620) *Aphnaeus* (s.str.) *erikssoni erikssoni* Trimen,1891 (Lycaenidae) Synonym(s): *erikssoni* Trimen,1891; *bruneeli* Berger,1951
- 32621) *Aphnaeus* (s.str.) *erikssoni kiellandi* Stempffer,1972 (Lycaenidae) Synonym(s): *kiellandi* Stempffer,1972
- 32622) *Aphnaeus* (s.str.) *erikssoni mashunae* Stempffer,1954 (Lycaenidae) Synonym(s): *mashunae* Stempffer,1954
- 32623) *Aphnaeus* (s.str.) *erikssoni rex* Aurivillius,1909 (Lycaenidae) Synonym(s): *rex* Aurivillius,1909
- 32624) *Aphnaeus* (s.str.) *flavescens* Stempffer,1954 (Lycaenidae) Synonym(s): *flavescens* Stempffer,1954
- 32625) *Aphnaeus* (s.str.) *flavescens flavescens* Stempffer,1954 (Lycaenidae) Synonym(s): *flavescens* Stempffer,1954
- 32626) *Aphnaeus* (s.str.) *flavescens williamsi* Carcasson,1964 (Lycaenidae) Synonym(s): *williamsi* Carcasson,1964
- 32627) *Aphnaeus* (s.str.) *gilloni* Stempffer,1966 (Lycaenidae) Synonym(s): *gilloni* Stempffer,1966
- 32628) *Aphnaeus* (s.str.) *herbuloti* Stempffer,1971 (Lycaenidae) Synonym(s): *herbuloti* Stempffer,1971
- 32629) *Aphnaeus* (s.str.) *Stempffer*,1954 (Lycaenidae) Synonym(s): *jacksoni* Stempffer,1954
- 32630) *Aphnaeus* (s.str.) *jefferyi* Hawker-Smith,1928 (Lycaenidae) Synonym(s): *jefferyi* Hawker-Smith,1928
- 32631) *Aphnaeus* (s.str.) *marshalli* Neave,1910 (Lycaenidae) Synonym(s): *marshalli* Neave,1910
- 32632) *Aphnaeus* (s.str.) *neavei* Bethune-Baker,1926 (Lycaenidae) Synonym(s): *neavei* Bethune-Baker,1926
- 32633) *Aphnaeus* (s.str.) *nyanzae* Stempffer,1954 (Lycaenidae) Synonym(s): *nyanzae* Stempffer,1954
- 32634) *Aphnaeus* (s.str.) *orcas* (Drury,1782) (Lycaenidae) Synonym(s): *orcas* Drury,1782; *guttatus* Plötz,1880; *hollandi* Butler,1902; *rattrayi* Sharpe,1904; *heliadorus* Schultze,1916; *#overlaeti* Berger,1953; *#fontainei* Berger,1953; *#paupera* Stempffer,1954
- 32635) *Aphnaeus* (s.str.) *questiauxi* Aurivillius,1903 (Lycaenidae) Synonym(s): *questiauxi* Aurivillius,1903
- 32636) *Apporasa atkinsoni* (Hewitson,1869) (Lycaenidae) Synonym(s): *atkinsoni* Hewitson,1869
- 32637) *Araotes lapithis* (Moore,1858) (Lycaenidae) Synonym(s): *lapithis* Moore,1858
- 32638) *Araotes lapithis arianus* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *arianus* Fruhstorfer,1912
- 32639) *Araotes lapithis lapithis* (Moore,1858) (Lycaenidae) Synonym(s): *lapithis* Moore,1858
- 32640) *Araotes lapithis uruwela* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *uruwela* Fruhstorfer,1912
- 32641) *Araotes perrhaebis* Semper,1890 (Lycaenidae) Synonym(s): *perrhaebis* Semper,1890
- 32642) *Araotes perrhaebis perrhaebis* Semper,1890 (Lycaenidae) Synonym(s): *perrhaebis* Semper,1890
- 32643) *Araragi enthea* (Janson,1877) (Lycaenidae) Synonym(s): *enthea* Janson,1877
- 32644) *Araragi enthea enthea* (Janson,1877) (Lycaenidae) Synonym(s): *enthea* Janson,1877
- 32645) *Arawacus jada* (Hewitson,1867) (Lycaenidae) Synonym(s): *jada* Hewitson,1867
- 32646) *Argyraspodes argyraspis* (Trimen,1873) (Lycaenidae) Synonym(s): *argyraspis* Trimen,1873
- 32647) *Argyrocheila bitje* Bethune-Baker,1915 (Lycaenidae) Synonym(s): *bitje* Bethune-Baker,1915
- 32648) *Argyrocheila inundifera* Hawker-Smith,1933 (Lycaenidae) Synonym(s): *inundifera* Hawker-Smith,1933
- 32649) *Argyrocheila undifera* Staudinger,1892 (Lycaenidae) Synonym(s): *undifera* Staudinger,1892
- 32650) *Argyrocheila undifera ugandae* Hawker-Smith,1933 (Lycaenidae) Synonym(s): *ugandae* Hawker-Smith,1933
- 32651) *Argyrocheila undifera undifera* Staudinger,1892 (Lycaenidae) Synonym(s): *undifera* Staudinger,1892
- 32652) *Arhopala aberrans* De Nicéville,1888 (Lycaenidae) Synonym(s): *aberrans* De Nicéville,1888; *#aberans* Pinratana,1981
- 32653) *Arhopala abseus* (Hewitson,1862) (Lycaenidae) Synonym(s): *abseus* Hewitson,1862
- 32654) *Arhopala abseus abseus* (Hewitson,1862) (Lycaenidae) Synonym(s): *abseus* Hewitson,1862
- 32655) *Arhopala abseus amphaea* C.Felder & R.Felder,1865 (Lycaenidae) Synonym(s): *amphaea* C.Felder & R.Felder,1865; *oghatinna* Fruhstorfer,1914
- 32656) *Arhopala abseus indicus* Riley,1923 (Lycaenidae) Synonym(s): *indicus* Riley,1923
- 32657) *Arhopala abseus mackwoodi* N.D.Riley,1923 (Lycaenidae) Synonym(s): *mackwoodi* N.D.Riley,1923
- 32658) *Arhopala abseus ophiala* Corbet,1941 (Lycaenidae) Synonym(s): *ophiala* Corbet,1941
- 32659) *Arhopala ace* De Nicéville,1893 (Lycaenidae) Synonym(s): *ace* De Nicéville,1893
- 32660) *Arhopala ace ace* De Nicéville,1893 (Lycaenidae) Synonym(s): *ace* De Nicéville,1893
- 32661) *Arhopala ace arata* Tytler,1915 (Lycaenidae) Synonym(s): *arata* Tytler,1915
- 32662) *Arhopala acetes* (Hewitson,1862) (Lycaenidae) Synonym(s): *acetes* Hewitson,1862
- 32663) *Arhopala achelous* (Hewitson,1862) (Lycaenidae) Synonym(s): *achelous* Hewitson,1862
- 32664) *Arhopala achelous achelous* (Hewitson,1862) (Lycaenidae) Synonym(s): *achelous* Hewitson,1862
- 32665) *Arhopala achelous malu* Corbet,1946 (Lycaenidae) Synonym(s): *malu* Corbet,1946
- 32666) *Arhopala acheolus* (Hewitson,1862) (Lycaenidae) Synonym(s): *acheolus* Hewitson,1862
- 32667) *Arhopala acta* (Evans,1957) (Lycaenidae) Synonym(s): *acta* Evans,1957
- 32668) *Arhopala aedias* (Hewitson,1862) (Lycaenidae) Synonym(s): *aedias* Hewitson,1862
- 32669) *Arhopala aedias aedias* (Hewitson,1862) (Lycaenidae) Synonym(s): *aedias* Hewitson,1862
- 32670) *Arhopala aedias agnis* C.Felder & R.Felder,1865 (Lycaenidae) Synonym(s): *agnis* C.Felder & R.Felder,1865
- 32671) *Arhopala aedias merittas* Corbet,1941 (Lycaenidae) Synonym(s): *merittas* Corbet,1941
- 32672) *Arhopala aedias oenotria* (Hewitson,1869) (Lycaenidae) Synonym(s): *oenotria* Hewitson,1869
- 32673) *Arhopala aedias yendava* (Grose-Smith,1887) (Lycaenidae) Synonym(s): *yendava* Grose-Smith,1887
- 32674) *Arhopala aedidas agnis* C.Felder & R.Felder,1865 (Lycaenidae) Synonym(s): *agnis* C.Felder & R.Felder,1865
- 32675) *Arhopala aedidas oenotria* Hewitson,1869 (Lycaenidae) Synonym(s): *oenotria* Hewitson,1869
- 32676) *Arhopala aeeta* De Nicéville,1893 (Lycaenidae) Synonym(s): *aeeta* De Nicéville,1893
- 32677) *Arhopala agaba* (Hewitson,1862) (Lycaenidae) Synonym(s): *agaba* Hewitson,1862
- 32678) *Arhopala agaba agaba* (Hewitson,1862) (Lycaenidae) Synonym(s): *agaba* Hewitson,1862
- 32679) *Arhopala agelastus* (Hewitson,1862) (Lycaenidae) Synonym(s): *agelastus* Hewitson,1862
- 32680) *Arhopala agelastus agelastus* (Hewitson,1862) (Lycaenidae) Synonym(s): *agelastus* Hewitson,1862
- 32681) *Arhopala agelastus perissa* Doherty,1889 (Lycaenidae) Synonym(s): *perissa* Doherty,1889
- 32682) *Arhopala agesias* (Hewitson,1862) (Lycaenidae) Synonym(s): *agesias* Hewitson,1862
- 32683) *Arhopala agesilaus* (Staudinger,1889) (Lycaenidae) Synonym(s): *agesilaus* Staudinger,1889
- 32684) *Arhopala agesilaus agesilaus* (Staudinger,1889) (Lycaenidae) Synonym(s): *agesilaus* Staudinger,1889
- 32685) *Arhopala agesilaus gesa* Corbet,1941 (Lycaenidae) Synonym(s): *gesa* Corbet,1941
- 32686) *Arhopala agesilaus philippa* Evans,1957 (Lycaenidae) Synonym(s): *philippa* Evans,1957
- 32687) *Arhopala agrata* De Nicéville,1890 (Lycaenidae) Synonym(s): *agrata* De Nicéville,1890
- 32688) *Arhopala agrata agrata* De Nicéville,1890 (Lycaenidae) Synonym(s): *agrata* De Nicéville,1890
- 32689) *Arhopala agrata binghami* Corbet,1946 (Lycaenidae) Synonym(s): *binghami* Corbet,1946
- 32690) *Arhopala agrata brooki* Bethune-Baker,1903 (Lycaenidae) Synonym(s): *brookii* Bethune-Baker,1903
- 32691) *Arhopala agrata shirozui* Hayashi,1976 (Lycaenidae) Synonym(s): *shirozui* Hayashi,1976
- 32692) *Arhopala aida* De Nicéville,1889 (Lycaenidae) Synonym(s): *aida* De Nicéville,1889
- 32693) *Arhopala aida aida* De Nicéville,1889 (Lycaenidae) Synonym(s): *aida* De Nicéville,1889
- 32694) *Arhopala aida ophir* (Evans,1957) (Lycaenidae) Synonym(s): *ophir* Evans,1957
- 32695) *Arhopala alaconia* (Hewitson,1869) (Lycaenidae) Synonym(s): *alaconia* Hewitson,1869
- 32696) *Arhopala alaconia alaconia* (Hewitson,1869) (Lycaenidae) Synonym(s): *alaconia* Hewitson,1869
- 32697) *Arhopala alaconia aloana* Corbet,1941 (Lycaenidae) Synonym(s): *aloana* Corbet,1941
- 32698) *Arhopala alaconia media* (Evans,1957) (Lycaenidae) Synonym(s): *media* Evans,1957; *kempi* Eliot,1959
- 32699) *Arhopala alaconia oberthueri* (Staudinger,1889) (Lycaenidae) Synonym(s): *oberthueri* Staudinger,1889
- 32700) *Arhopala alax* (Evans,1932) (Lycaenidae) Synonym(s): *alax* Evans,1932; *#arax* Pinratana,1981
- 32701) *Arhopala alea* (Hewitson,1862) (Lycaenidae) Synonym(s): *alea* Hewitson,1862
- 32702) *Arhopala alesia* C.Felder & R.Felder,1865 (Lycaenidae) Synonym(s): *alesia* C.Felder & R.Felder,1865
- 32703) *Arhopala alesia alesia* C.Felder & R.Felder,1865 (Lycaenidae) Synonym(s): *alesia* C.Felder & R.Felder,1865
- 32704) *Arhopala alesia mio* Hayashi,1981 (Lycaenidae) Synonym(s): *mio* Hayashi,1981

- 32705) *Arhopala alesia sacharja* Fruhstorfer, 1934 (Lycaenidae) Synonym(s): *sacharja* Fruhstorfer, 1934
 32706) *Arhopala alesia wimberleyi* (De Nicéville, 1887) (Lycaenidae) Synonym(s): *wimberleyi* De Nicéville, 1887
 32707) *Arhopala alexandrae* Schröder & Treadaway, 1978 (Lycaenidae) Synonym(s): *alexandrae* Schröder & Treadaway, 1978
 32708) *Arhopala alica* Evans, 1957 (Lycaenidae) Synonym(s): *alica* Evans, 1957
 32709) *Arhopala alitaeus* (Hewitson, 1862) (Lycaenidae) Synonym(s): *alitaeus* Hewitson, 1862
 32710) *Arhopala alitaeus alitaeus* (Hewitson, 1862) (Lycaenidae) Synonym(s): *alitaeus* Hewitson, 1862
 32711) *Arhopala alitaeus mindanaensis* Bethune-Baker, 1903 (Lycaenidae) Synonym(s): *Bethune-Baker*, 1903
 32712) *Arhopala alitaeus mirabella* Doherty, 1889 (Lycaenidae) Synonym(s): *mirabella* Doherty, 1889; *valika* Corbet, 1941
 32713) *Arhopala alitaeus myrtale* Staudinger, 1889 (Lycaenidae) Synonym(s): *myrtale* Staudinger, 1889
 32714) *Arhopala alitaeus panta* (Evans, 1957) (Lycaenidae) Synonym(s): *panta* Evans, 1957
 32715) *Arhopala alitaeus pardenas* Corbet, 1941 (Lycaenidae) Synonym(s): *pardenas* Corbet, 1941
 32716) *Arhopala alitaeus shigae* Murayama & Okamura, 1973 (Lycaenidae) Synonym(s): *shigae* Murayama & Okamura, 1973
 32717) *Arhopala alitaeus zilensis* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *zilensis* Fruhstorfer, 1914
 32718) *Arhopala allata* (Staudinger, 1889) (Lycaenidae) Synonym(s): *allata* Staudinger, 1889
 32719) *Arhopala allata allata* (Staudinger, 1889) (Lycaenidae) Synonym(s): *allata* Staudinger, 1889
 32720) *Arhopala allata atarana* (Tytler, 1926) (Lycaenidae) Synonym(s): *atarana* Tytler, 1926
 32721) *Arhopala allata evandra* Corbet, 1941 (Lycaenidae) Synonym(s): *evandra* Corbet, 1941
 32722) *Arhopala allata pambihira* Takamami, 1982 (Lycaenidae) Synonym(s): *allata* Staudinger, 1889
 32723) *Arhopala allata pandora* Corbet, 1941 (Lycaenidae) Synonym(s): *pandora* Corbet, 1941
 32724) *Arhopala allata suffusa* (Tytler, 1915) (Lycaenidae) Synonym(s): *suffusa* Tytler, 1915
 32725) *Arhopala amantes* (Hewitson, 1862) (Lycaenidae) Synonym(s): *amantes* Hewitson, 1862
 32726) *Arhopala amantes amantes* (Hewitson, 1862) (Lycaenidae) Synonym(s): *amantes* Hewitson, 1862
 32727) *Arhopala amantes amatix* De Nicéville, 1891 (Lycaenidae) Synonym(s): *amatix* De Nicéville, 1891
 32728) *Arhopala amantes apella* (Swinhoe, 1886) (Lycaenidae) Synonym(s): *apella* Swinhoe, 1886
 32729) *Arhopala ammon* (Hewitson, 1862) (Lycaenidae) Synonym(s): *ammon* Hewitson, 1862
 32730) *Arhopala ammon ammon* (Hewitson, 1862) (Lycaenidae) Synonym(s): *ammon* Hewitson, 1862
 32731) *Arhopala ammon sarawaca* Moulton, 1911 (Lycaenidae) Synonym(s): *sarawaca* Moulton, 1911
 32732) *Arhopala ammonides* (Doherty, 1891) (Lycaenidae) Synonym(s): *ammonides* Doherty, 1891
 32733) *Arhopala ammonides ammonides* (Doherty, 1891) (Lycaenidae) Synonym(s): *ammonides* Doherty, 1891
 32734) *Arhopala ammonides apurpurosa* Barlow, Banks & Holloway (Lycaenidae) Synonym(s):
 32735) *Arhopala ammonides bowringi* Evans, 1957 (Lycaenidae) Synonym(s): *bowringi* Evans, 1957
 32736) *Arhopala ammonides chunsu* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *chunsu* Fruhstorfer, 1914
 32737) *Arhopala ammonides elira* Corbet, 1941 (Lycaenidae) Synonym(s): *elira* Corbet, 1941
 32738) *Arhopala ammonides monava* Corbet, 1941 (Lycaenidae) Synonym(s): *monava* Corbet, 1941
 32739) *Arhopala amphimuta* (C.Felder & R.Felder, 1860) (Lycaenidae) Synonym(s): *amphimuta* C.Felder & R.Felder, 1860; *asia* De Nicéville, [1893]
 32740) *Arhopala amphimuta amphimuta* (C.Felder & R.Felder, 1860) (Lycaenidae) Synonym(s): *amphimuta* C.Felder & R.Felder, 1860; *asia* De Nicéville, [1893]
 32741) *Arhopala amphimuta milleriana* Corbet, 1941 (Lycaenidae) Synonym(s): *milleriana* Corbet, 1941
 32742) *Arhopala amphimuta quadra* (Evans, 1957) (Lycaenidae) Synonym(s): *quadra* Evans, 1957
 32743) *Arhopala anamuta* Semper, 1890 (Lycaenidae) Synonym(s): *anamuta* Semper, 1890
 32744) *Arhopala anarte* (Hewitson, 1862) (Lycaenidae) Synonym(s): *anarte* Hewitson, 1862; *morphicolor* Corbet, 1941
 32745) *Arhopala anarte anarte* (Hewitson, 1862) (Lycaenidae) Synonym(s): *anarte* Hewitson, 1862; *morphicolor* Corbet, 1941
 32746) *Arhopala anarte azurea* De Nicéville (Lycaenidae) Synonym(s):
 32747) *Arhopala anella* De Nicéville, 1895 (Lycaenidae) Synonym(s): *anella* De Nicéville, 1895
 32748) *Arhopala annulata* C.Felder, 1860 (Lycaenidae) Synonym(s): *annulata* C.Felder, 1860
 32749) *Arhopala anthelus* Westwood, 1851 (Lycaenidae) Synonym(s): *anthelus* Westwood, 1851
 32750) *Arhopala anthelus anthea* (Evans, 1925) (Lycaenidae) Synonym(s): *anthea* Evans, 1925
 32751) *Arhopala anthelus anthelus* Westwood, 1851 (Lycaenidae) Synonym(s): *anthelus* Westwood, 1851
 32752) *Arhopala anthelus anunda* Hewitson, 1869 (Lycaenidae) Synonym(s): *anunda* Hewitson, 1869
 32753) *Arhopala anthelus grahami* Corbet, 1941 (Lycaenidae) Synonym(s): *grahami* Corbet, 1941
 32754) *Arhopala anthelus impar* (Evans, 1957) (Lycaenidae) Synonym(s): *impar* Evans, 1957
 32755) *Arhopala anthelus jabadia* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *jabadia* Fruhstorfer, 1914
 32756) *Arhopala anthelus majestatis* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *majestatis* Fruhstorfer, 1914
 32757) *Arhopala anthelus marinduquensis* Hayashi, Schröder & Treadaway, 1984 (Lycaenidae) Synonym(s): *marinduquensis* Hayashi, Schröder & Treadaway, 1984
 32758) *Arhopala anthelus paradisi* Schröder & Treadaway, 1990 (Lycaenidae) Synonym(s): *paradisi* Schröder & Treadaway, 1990
 32759) *Arhopala anthelus reverie* Seki, 1994 (Lycaenidae) Synonym(s): *reverie* Seki, 1994
 32760) *Arhopala anthelus sanmariana* Osada & Hashimoto, 1987 (Lycaenidae) Synonym(s): *sanmariana* Osada & Hashimoto, 1987
 32761) *Arhopala anthelus saturator* (Staudinger, 1889) (Lycaenidae) Synonym(s): *saturator* Staudinger, 1889
 32762) *Arhopala anthelus sotades* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *sotades* Fruhstorfer, 1914
 32763) *Arhopala antimuta* (C.Felder & R.Felder, [1865]) (Lycaenidae) Synonym(s): *antimuta* C.Felder & R.Felder, [1865]; *davidsonii* De Nicéville, 1890; *tana* Corbet, 1941
 32764) *Arhopala antimuta antimuta* (C.Felder & R.Felder, [1865]) (Lycaenidae) Synonym(s): *antimuta* C.Felder & R.Felder, [1865]; *davidsonii* De Nicéville, 1890; *tana* Corbet, 1941
 32765) *Arhopala antimuta timana* Corbet, 1941 (Lycaenidae) Synonym(s): *timana* Corbet, 1941
 32766) *Arhopala araxes* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *araxes* C.Felder & R.Felder, [1865]
 32767) *Arhopala araxes araxes* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *araxes* C.Felder & R.Felder, [1865]
 32768) *Arhopala araxes onetor* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *onetor* Fruhstorfer, 1914
 32769) *Arhopala araxes talauta* (Evans, 1957) (Lycaenidae) Synonym(s): *talauta* Evans, 1957
 32770) *Arhopala araxes verelius* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *verelius* Fruhstorfer, 1914
 32771) *Arhopala argentea* Staudinger, 1888 (Lycaenidae) Synonym(s): *argentea* Staudinger, 1888; *clarissa* Grose-Smith
 32772) *Arhopala ariana* (Evans, 1925) (Lycaenidae) Synonym(s): *ariana* Evans, 1925
 32773) *Arhopala ariana ariana* (Evans, 1925) (Lycaenidae) Synonym(s): *ariana* Evans, 1925
 32774) *Arhopala arianaga* Corbet, 1941 (Lycaenidae) Synonym(s): *arianaga* Corbet, 1941
 32775) *Arhopala ariel* (Doherty, 1891) (Lycaenidae) Synonym(s): *ariel* Doherty, 1891; *antis* Corbet, 1941
 32776) *Arhopala aroa* (Hewitson, [1863]) (Lycaenidae) Synonym(s): *aroa* Hewitson, [1863]; *arops* Corbet, 1941
 32777) *Arhopala aroa aroa* (Hewitson, [1863]) (Lycaenidae) Synonym(s): *aroa* Hewitson, [1863]; *arops* Corbet, 1941
 32778) *Arhopala aroa esava* Corbet, 1941 (Lycaenidae) Synonym(s): *esava* Corbet, 1941
 32779) *Arhopala aronya* Hewitson, 1869 (Lycaenidae) Synonym(s): *aronya* Hewitson, 1869
 32780) *Arhopala aronya aronya* Hewitson, 1869 (Lycaenidae) Synonym(s): *aronya* Hewitson, 1869
 32781) *Arhopala aronya natsumiae* Hayashi, 1981 (Lycaenidae) Synonym(s): *natsumiae* Hayashi, 1981
 32782) *Arhopala arsenius* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *arsenius* C.Felder & R.Felder, [1865]
 32783) *Arhopala arsenius arsenius* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *arsenius* C.Felder & R.Felder, [1865]
 32784) *Arhopala arsenius everetti* Evans, 1957 (Lycaenidae) Synonym(s): *everetti* Evans, 1957
 32785) *Arhopala arvina* (Hewitson, 1863) (Lycaenidae) Synonym(s): *arvina* Hewitson, 1863
 32786) *Arhopala arvina aboe* De Nicéville, 1895 (Lycaenidae) Synonym(s): *aboe* De Nicéville, 1895
 32787) *Arhopala arvina adalita* Corbet, 1941 (Lycaenidae) Synonym(s): *adalita* Corbet, 1941
 32788) *Arhopala arvina ardea* (Evans, 1932) (Lycaenidae) Synonym(s): *ardea* Evans, 1932
 32789) *Arhopala arvina arvina* (Hewitson, 1863) (Lycaenidae) Synonym(s): *arvina* Hewitson, 1863
 32790) *Arhopala asinarus* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *asinarus* C.Felder & R.Felder, [1865]

- 32791) *Arhopala asinarus asinarus* C.Felder & R.Felder,[1865] (Lycaenidae) Synonym(s): *asinarus* C.Felder & R.Felder,[1865]
 32792) *Arhopala asinarus tonguva* (Grose-Smith,1887) (Lycaenidae) Synonym(s): *tonguva* Grose-Smith,1887
 32793) *Arhopala asopia* (Hewitson,1869) (Lycaenidae) Synonym(s): *asopia* Hewitson,1869
 32794) *Arhopala athada* (Staudinger,1889) (Lycaenidae) Synonym(s): *athada* Staudinger,1889; *agamemnon* Corbet,1941
 32795) *Arhopala athada apha* De Nicéville,1895 (Lycaenidae) Synonym(s): *apha* De Nicéville,1895
 32796) *Arhopala athada athada* (Staudinger,1889) (Lycaenidae) Synonym(s): *athada* Staudinger,1889; *agamemnon* Corbet,1941
 32797) *Arhopala athada wilemani* Evans,1957 (Lycaenidae) Synonym(s): *wilemani* Evans,1957
 32798) *Arhopala atosia* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *atosia* Hewitson,[1863]
 32799) *Arhopala atosia aria* (Evans,1932) (Lycaenidae) Synonym(s): *aria* Evans,1932
 32800) *Arhopala atosia aricia* (Staudinger,1889) (Lycaenidae) Synonym(s): *aricia* Staudinger,1889
 32801) *Arhopala atosia atosia* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *atosia* Hewitson,[1863]
 32802) *Arhopala atosia jahara* Corbet,1941 (Lycaenidae) Synonym(s): *jahara* Corbet,1941
 32803) *Arhopala atosia malayana* Bethune-Baker,1903 (Lycaenidae) Synonym(s): *malayana* Bethune-Baker,1903; *udapa* Corbet,1941
 32804) *Arhopala atrax* (Hewitson,1867) (Lycaenidae) Synonym(s): *atrax* Hewitson,1867
 32805) *Arhopala aurea* (Hewitson,1862) (Lycaenidae) Synonym(s): *aurea* Hewitson,1862
 32806) *Arhopala aurelia* (Evans,[1925]) (Lycaenidae) Synonym(s): *aurelia* (Evans,[1925])
 32807) *Arhopala avatha* De Nicéville,[1896] (Lycaenidae) Synonym(s): *avatha* De Nicéville,[1896]
 32808) *Arhopala avatha avatha* De Nicéville,[1896] (Lycaenidae) Synonym(s): *avatha* De Nicéville,[1896]
 32809) *Arhopala avatha lana* Evans,1957 (Lycaenidae) Synonym(s): *lana* Evans,1957
 32810) *Arhopala avathina* Corbet,1941 (Lycaenidae) Synonym(s): *avathina* Corbet,1941
 32811) *Arhopala avathina avathina* Corbet,1941 (Lycaenidae) Synonym(s): *avathina* Corbet,1941
 32812) *Arhopala avathina neon* Corbet,1941 (Lycaenidae) Synonym(s): *neon* Corbet,1941
 32813) *Arhopala azinis* De Nicéville,1896 (Lycaenidae) Synonym(s): *azinis* De Nicéville,1896
 32814) *Arhopala azinis azinis* De Nicéville,1896 (Lycaenidae) Synonym(s): *azinis* De Nicéville,1896
 32815) *Arhopala azinis kouna* Bethune-Baker,1896 (Lycaenidae) Synonym(s): *kouna* Bethune-Baker,1896
 32816) *Arhopala baluensis* Bethune-Baker,1904 (Lycaenidae) Synonym(s): *baluensis* Bethune-Baker,1904
 32817) *Arhopala barami* Bethune-Baker,1903 (Lycaenidae) Synonym(s): *barami* Bethune-Baker,1903
 32818) *Arhopala barami barami* Bethune-Baker,1903 (Lycaenidae) Synonym(s): *barami* Bethune-Baker,1903
 32819) *Arhopala barami penanga* Corbet,1941 (Lycaenidae) Synonym(s): *penanga* Corbet,1941
 32820) *Arhopala barami woodii* Ollenbach,1921 (Lycaenidae) Synonym(s): *woodii* Ollenbach,1921
 32821) *Arhopala bazaloides* (Hewitson,1878) (Lycaenidae) Synonym(s): *bazaloides* (Hewitson,1878)
 32822) *Arhopala bazaloides bazaloides* (Hewitson,1878) (Lycaenidae) Synonym(s): *bazaloides* (Hewitson,1878)
 32823) *Arhopala bazaloides lanka* (Evans,1957) (Lycaenidae) Synonym(s): *lanka* Evans,1957
 32824) *Arhopala bazalus* (Hewitson,1862) (Lycaenidae) Synonym(s): *bazalus* Hewitson,1862
 32825) *Arhopala bazalus asagiae* Hayashi,1978 (Lycaenidae) Synonym(s): *asagiae* Hayashi,1978
 32826) *Arhopala bazalus bazalus* (Hewitson,1862) (Lycaenidae) Synonym(s): *bazalus* Hewitson,1862
 32827) *Arhopala bazalus teesta* De Nicéville,1886 (Lycaenidae) Synonym(s): *teesta* De Nicéville,1886
 32828) *Arhopala bazalus turbata* (Butler,1881) (Lycaenidae) Synonym(s): *turbata* Butler,1881
 32829) *Arhopala bazalus zalinda* Corbet,1941 (Lycaenidae) Synonym(s): *zalinda* Corbet,1941
 32830) *Arhopala bella* Bethune-Baker,1896 (Lycaenidae) Synonym(s): *bella* Bethune-Baker,1896
 32831) *Arhopala belphoebe* Doherty,1889 (Lycaenidae) Synonym(s): *belphoebe* Doherty,1889
 32832) *Arhopala belphoebe belphoebe* Doherty,1889 (Lycaenidae) Synonym(s): *belphoebe* Doherty,1889
 32833) *Arhopala belphoebe cowani* Corbet,1941 (Lycaenidae) Synonym(s): *cowani* Corbet,1941
 32834) *Arhopala birmana* (Moore,1883) (Lycaenidae) Synonym(s): *birmana* Moore,1883
 32835) *Arhopala birmana asakurae* (Matsumura,1910) (Lycaenidae) Synonym(s): *asakurae* Matsumura,1910; *uchidae* Matsumura,1926; *#oryzana* Corbet,1941
 32836) *Arhopala birmana birmana* (Moore,1883) (Lycaenidae) Synonym(s): *birmana* Moore,1883
 32837) *Arhopala birmana hiurai* Hayashi,1976 (Lycaenidae) Synonym(s): *hiurai* Hayashi,1976
 32838) *Arhopala borneensis* Bethune-Baker,1896 (Lycaenidae) Synonym(s): *borneensis* Bethune-Baker,1896
 32839) *Arhopala brooksiana* Corbet,1941 (Lycaenidae) Synonym(s): *brooksiana* Corbet,1941
 32840) *Arhopala buddha* Bethune-Baker,1903 (Lycaenidae) Synonym(s): *buddha* Bethune-Baker,1903
 32841) *Arhopala buddha buddha* Bethune-Baker,1903 (Lycaenidae) Synonym(s): *buddha* Bethune-Baker,1903
 32842) *Arhopala buddha cooperi* (Evans,[1925]) (Lycaenidae) Synonym(s): *cooperi* Evans,[1925]; *gana* Corbet,1941
 32843) *Arhopala caeca* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *caeca* Hewitson,[1863]
 32844) *Arhopala camdana* Corbet,1941 (Lycaenidae) Synonym(s): *camdana* Corbet,1941
 32845) *Arhopala camdana camdana* Corbet,1941 (Lycaenidae) Synonym(s): *camdana* Corbet,1941
 32846) *Arhopala camdeo* (Moore,[1858]) (Lycaenidae) Synonym(s): *camdeo* Moore,[1858]
 32847) *Arhopala cardoni* Corbet,1941 (Lycaenidae) Synonym(s): *cardoni* Corbet,1941
 32848) *Arhopala chamaeleona* Bethune-Baker,1903 (Lycaenidae) Synonym(s): *Bethune-Baker*,1903
 32849) *Arhopala chamaeleona chamaeleona* Bethune-Baker,1903 (Lycaenidae) Synonym(s): *Bethune-Baker*,1903
 32850) *Arhopala chamaeleona maputi* Takanami,1984 (Lycaenidae) Synonym(s): *maputi* Takanami,1984
 32851) *Arhopala chamaeleona mizunumai* Hayashi,1978 (Lycaenidae) Synonym(s): *mizunumai* Hayashi,1978
 32852) *Arhopala cleander* (C.Felder,1860) (Lycaenidae) Synonym(s): *cleander* C.Felder,1860
 32853) *Arhopala cleander aphadantas* Corbet,1941 (Lycaenidae) Synonym(s): *aphadantas* Corbet,1941
 32854) *Arhopala cleander apharida* Corbet,1941 (Lycaenidae) Synonym(s): *apharida* Corbet,1941
 32855) *Arhopala cleander incerta* Moulton,1911 (Lycaenidae) Synonym(s): *incerta* Moulton,1911
 32856) *Arhopala cleander malayica* Bethune-Baker,1903 (Lycaenidae) Synonym(s): *malayica* Bethune-Baker,1903
 32857) *Arhopala cleander regia* (Evans,1925) (Lycaenidae) Synonym(s): *regia* Evans,1925
 32858) *Arhopala cleander sostrata* (Fruhstorfer,1914) (Lycaenidae) Synonym(s): *sostrata* Fruhstorfer,1914
 32859) *Arhopala comica* De Nicéville,1900 (Lycaenidae) Synonym(s): *comica* De Nicéville,1900
 32860) *Arhopala corinda* (Hewitson,1869) (Lycaenidae) Synonym(s): *corinda* Hewitson,1869
 32861) *Arhopala corinda acestes* De Nicéville,[1893] (Lycaenidae) Synonym(s): *acesstes* De Nicéville,[1893]
 32862) *Arhopala corinda corestes* Corbet,1941 (Lycaenidae) Synonym(s): *corestes* Corbet,1941
 32863) *Arhopala corinda corinda* (Hewitson,1869) (Lycaenidae) Synonym(s): *corinda* Hewitson,1869
 32864) *Arhopala curiosa* Evans,1957 (Lycaenidae) Synonym(s): *curiosa* Evans,1957
 32865) *Arhopala dajagaka* Bethune-Baker,1897 (Lycaenidae) Synonym(s): *dajagaka* Bethune-Baker,1897
 32866) *Arhopala dawaona* Semper,1890 (Lycaenidae) Synonym(s): *dawaona* Semper,1890
 32867) *Arhopala delta* (Evans,1957) (Lycaenidae) Synonym(s): *delta* Evans,1957
 32868) *Arhopala democritus* (Fabricius,1793) (Lycaenidae) Synonym(s): *democritus* Fabricius,1793
 32869) *Arhopala democritus buxtoni* Hewitson,1878 (Lycaenidae) Synonym(s): *buxtoni* Hewitson,1878
 32870) *Arhopala democritus democritus* (Fabricius,1793) (Lycaenidae) Synonym(s): *democritus* Fabricius,1793
 32871) *Arhopala democritus lycaenaria* (C.Felder & R.Felder,1860) (Lycaenidae) Synonym(s): *lycaenaria* C.Felder & R.Felder,1860
 32872) *Arhopala democritus olinda* Druce,1873 (Lycaenidae) Synonym(s): *olinda* Druce,1873
 32873) *Arhopala denta* Evans,1957 (Lycaenidae) Synonym(s): *denta* Evans,1957
 32874) *Arhopala dispar* Riley & Godfrey,1921 (Lycaenidae) Synonym(s): *dispar* Riley & Godfrey,1921
 32875) *Arhopala dispar dispar* Riley & Godfrey,1921 (Lycaenidae) Synonym(s): *dispar* Riley & Godfrey,1921
 32876) *Arhopala dispar pendleburyi* Corbet,1941 (Lycaenidae) Synonym(s): *pendleburyi* Corbet,1941
 32877) *Arhopala dodonea* (Moore,1857) (Lycaenidae) Synonym(s): *dodonea* Moore,1857
 32878) *Arhopala dodonea dodonea* (Moore,1857) (Lycaenidae) Synonym(s): *dodonea* Moore,1857
 32879) *Arhopala dohertyi* Bethune-Baker,1903 (Lycaenidae) Synonym(s): *dohertyi* Bethune-Baker,1903

- 32880) *Arhopala elizabethae* (Eliot,1959) (Lycaenidae) Synonym(s): *elizabethae* Eliot,1959
 32881) *Arhopala elopura* Druce,1894 (Lycaenidae) Synonym(s): *elopura* Druce,1894
 32882) *Arhopala elopura* dama Swinhoe,[1911] (Lycaenidae) Synonym(s): *dama* Swinhoe,[1911]
 32883) *Arhopala elopura elopura* Druce,1894 (Lycaenidae) Synonym(s): *elopura* Druce,1894
 32884) *Arhopala epimete* (Staudinger,1889) (Lycaenidae) Synonym(s): *epimete* Staudinger,1889
 32885) *Arhopala epimete* duessa Doherty,1889 (Lycaenidae) Synonym(s): *duessa* Doherty,1889
 32886) *Arhopala epimete* epimete (Staudinger,1889) (Lycaenidae) Synonym(s): *epimete* Staudinger,1889
 32887) *Arhopala epimete* magindana Osada,1987 (Lycaenidae) Synonym(s): *magindana* Osada,1987
 32888) *Arhopala epimete* suedas Corbet,1941 (Lycaenidae) Synonym(s): *suedas* Corbet,1941
 32889) *Arhopala epimuta* (Moore,[1858]) (Lycaenidae) Synonym(s): *epimuta* Moore,[1858]
 32890) *Arhopala epimuta* elsiei (Evans,1925) (Lycaenidae) Synonym(s): *elsiei* Evans,1925
 32891) *Arhopala epimuta* epiala Corbet,1941 (Lycaenidae) Synonym(s): *epiala* Corbet,1941
 32892) *Arhopala epimuta* epimuta (Moore,[1858]) (Lycaenidae) Synonym(s): *epimuta* Moore,[1858]
 32893) *Arhopala eridanus* C.Felder,1860 (Lycaenidae) Synonym(s): *eridanus* C.Felder,1860
 32894) *Arhopala eridanus* dilutior Staudinger,1889 (Lycaenidae) Synonym(s): *dilutior* Staudinger,1889
 32895) *Arhopala eridanus* elfeta Hewitson,1869 (Lycaenidae) Synonym(s): *elfeta* Hewitson,1869
 32896) *Arhopala eridanus* eridanus C.Felder,1860 (Lycaenidae) Synonym(s): *eridanus* C.Felder,1860
 32897) *Arhopala eridanus* lewara Ribbe,1926 (Lycaenidae) Synonym(s): *lewara* Ribbe,1926
 32898) *Arhopala eumolpus* (Cramer,[1780]) (Lycaenidae) Synonym(s): *eumolpus* Cramer,[1780]
 32899) *Arhopala eumolpus* adonias Hewitson,1862 (Lycaenidae) Synonym(s): *adonias* Hewitson,1862
 32900) *Arhopala eumolpus* aristomachus Fruhstorfer,1914 (Lycaenidae) Synonym(s): *aristomachus* Fruhstorfer,1914
 32901) *Arhopala eumolpus* eumolpus (Cramer,[1780]) (Lycaenidae) Synonym(s): *eumolpus* Cramer,[1780]
 32902) *Arhopala eumolpus* maxwelli (Distant,1885) (Lycaenidae) Synonym(s): *maxwelli* Distant,1885; *farquhari* Distant,1885
 32903) *Arhopala evansi* Corbet,1941 (Lycaenidae) Synonym(s): *evansi* Corbet,1941
 32904) *Arhopala fulla* (Hewitson,1862) (Lycaenidae) Synonym(s): *fulla* Hewitson,1862
 32905) *Arhopala fulla* andamanica Wood-Mason & De Nicéville,1881 (Lycaenidae) Synonym(s): *andamanica* Wood-Mason & De Nicéville,1881
 32906) *Arhopala fulla* fulla (Hewitson,1862) (Lycaenidae) Synonym(s): *fulla* Hewitson,1862
 32907) *Arhopala fulla* ignara Riley & Godfrey,1921 (Lycaenidae) Synonym(s): *ignara* Riley & Godfrey,1921
 32908) *Arhopala fulla* intaca Corbet,1941 (Lycaenidae) Synonym(s): *intaca* Corbet,1941
 32909) *Arhopala fulla* santa (Evans,1957) (Lycaenidae) Synonym(s): *santa* Evans,1957
 32910) *Arhopala ganesa* (Moore,1857) (Lycaenidae) Synonym(s): *ganesa* Moore,1857
 32911) *Arhopala ganesa* formosana Kato,1930 (Lycaenidae) Synonym(s): *formosana* Kato,1930
 32912) *Arhopala ganesa* ganesa (Moore,1857) (Lycaenidae) Synonym(s): *ganesa* Moore,1857
 32913) *Arhopala ganesa* seminigra (Leech,1890) (Lycaenidae) Synonym(s): *seminigra* Leech,1890
 32914) *Arhopala ganesa* watsoni (Evans,1957) (Lycaenidae) Synonym(s): *watsoni* Evans,1957
 32915) *Arhopala grandimuta* Seki,1993 (Lycaenidae) Synonym(s): *grandimuta* Seki,1993
 32916) *Arhopala grandimuta* grandimuta Seki,1993 (Lycaenidae) Synonym(s): *grandimuta* Seki,1993
 32917) *Arhopala grandimuta* takanami Seki,1993 (Lycaenidae) Synonym(s): *takanami* Seki,1993
 32918) *Arhopala havilandi* Bethune-Baker,1896 (Lycaenidae) Synonym(s): *havilandi* Bethune-Baker,1896
 32919) *Arhopala havilandi* havilandi Bethune-Baker,1896 (Lycaenidae) Synonym(s): *havilandi* Bethune-Baker,1896
 32920) *Arhopala havilandi* kota (Evans,1957) (Lycaenidae) Synonym(s): *kota* Evans,1957
 32921) *Arhopala havilandi* wilcocks Eliot,1973 (Lycaenidae) Synonym(s): *wilcocks* Eliot,1973
 32922) *Arhopala hellada* Fruhstorfer,[1914] (Lycaenidae) Synonym(s): *hellada* Fruhstorfer,[1914]
 32923) *Arhopala hellada* hellada Fruhstorfer,[1914] (Lycaenidae) Synonym(s): *hellada* Fruhstorfer,[1914]
 32924) *Arhopala hellada* ozana Fruhstorfer,[1914] (Lycaenidae) Synonym(s): *ozana* Fruhstorfer,[1914]
 32925) *Arhopala hellenore* Doherty,1889 (Lycaenidae) Synonym(s): *hellenore* Doherty,1889
 32926) *Arhopala hellenore* hellenore Doherty,1889 (Lycaenidae) Synonym(s): *hellenore* Doherty,1889
 32927) *Arhopala hellenore* siroes Fruhstorfer,1914 (Lycaenidae) Synonym(s): *siroes* Fruhstorfer,1914
 32928) *Arhopala hesba* Hewitson,1869 (Lycaenidae) Synonym(s): *hesba* Hewitson,1869
 32929) *Arhopala hinigugma* Takanami,1985 (Lycaenidae) Synonym(s): *hinigugma* Takanami,1985
 32930) *Arhopala horsfieldi* Pagenstecher,1890 (Lycaenidae) Synonym(s): *horsfieldi* Pagenstecher,1890
 32931) *Arhopala horsfieldi* basiviridis De Nicéville,1891 (Lycaenidae) Synonym(s): *basiviridis* De Nicéville,1891
 32932) *Arhopala horsfieldi* eurythenes Fruhstorfer,1914 (Lycaenidae) Synonym(s): *eurythenes* Fruhstorfer,1914
 32933) *Arhopala horsfieldi* horsfieldi Pagenstecher,1890 (Lycaenidae) Synonym(s): *horsfieldi* Pagenstecher,1890
 32934) *Arhopala horsfieldi* palawanica Hayashi,1976 (Lycaenidae) Synonym(s): *palawanica* Hayashi,1976
 32935) *Arhopala horsfieldi* serpa Fruhstorfer,1899 (Lycaenidae) Synonym(s): *serpa* Fruhstorfer,1899
 32936) *Arhopala hypomuta* (Hewitson,1862) (Lycaenidae) Synonym(s): *hypomuta* Hewitson,1862
 32937) *Arhopala hypomuta* hypomuta (Hewitson,1862) (Lycaenidae) Synonym(s): *hypomuta* Hewitson,1862
 32938) *Arhopala ijauensis* Bethune-Baker,1897 (Lycaenidae) Synonym(s): *ijauensis* Bethune-Baker,1897
 32939) *Arhopala ilocana* Osada & Hashimoto,1987 (Lycaenidae) Synonym(s): *ilocana* Osada & Hashimoto,1987
 32940) *Arhopala inornata* C.Felder & R.Felder,1860 (Lycaenidae) Synonym(s): *inornata* C.Felder & R.Felder,1860; *brahma* Bethune-Baker,1897
 32941) *Arhopala inornata* empesta Corbet,1941 (Lycaenidae) Synonym(s): *empesta* Corbet,1941
 32942) *Arhopala inornata* inornata (C.Felder & R.Felder,1860) (Lycaenidae) Synonym(s): *inornata* C.Felder & R.Felder,1860; *brahma* Bethune-Baker,1897
 32943) *Arhopala irregularis* Bethune-Baker,1903 (Lycaenidae) Synonym(s): *irregularis* Bethune-Baker,1903
 32944) *Arhopala japonica* Murray,1875 (Lycaenidae) Synonym(s): *japonica* Murray,1875
 32945) *Arhopala japonica* kotoshona (Sonan,1940) (Lycaenidae) Synonym(s): *kotoshona* Sonan,1940
 32946) *Arhopala johoreana* Corbet,1941 (Lycaenidae) Synonym(s): *johoreana* Corbet,1941
 32947) *Arhopala johoreana* johoreana Corbet,1941 (Lycaenidae) Synonym(s): *johoreana* Corbet,1941
 32948) *Arhopala johoreana* kalima (Evans,1957) (Lycaenidae) Synonym(s): *kalima* Evans,1957
 32949) *Arhopala khamti* Doherty,1891 (Lycaenidae) Synonym(s): *khamti* Doherty,1891
 32950) *Arhopala kinabala* Druce,1895 (Lycaenidae) Synonym(s): *kinabala* Druce,1895
 32951) *Arhopala kurzi* (Distant,1885) (Lycaenidae) Synonym(s): *kurzi* Distant,1885
 32952) *Arhopala labuana* Bethune-Baker,1896 (Lycaenidae) Synonym(s): *labuana* Bethune-Baker,1896
 32953) *Arhopala lurida* Corbet,1941 (Lycaenidae) Synonym(s): *lurida* Corbet,1941
 32954) *Arhopala luzonensis* Takanami & Ballantine,1987 (Lycaenidae) Synonym(s): *luzonensis* Takanami & Ballantine,1987
 32955) *Arhopala major* (Staudinger,1889) (Lycaenidae) Synonym(s): *major* Staudinger,1889; *catori* Bethune-Baker,1903
 32956) *Arhopala major* major (Staudinger,1889) (Lycaenidae) Synonym(s): *major* Staudinger,1889; *catori* Bethune-Baker,1903
 32957) *Arhopala major* parvimaculata Okubo,1983 (Lycaenidae) Synonym(s): *parvimaculata* Okubo,1983
 32958) *Arhopala matsutaroi* Hayashi,1979 (Lycaenidae) Synonym(s): *matsutaroi* Hayashi,1979
 32959) *Arhopala metamuta* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *metamuta* Hewitson,[1863]; *gunongensis* Bethune-Baker,1897
 32960) *Arhopala metamuta* hilda (Evans,1957) (Lycaenidae) Synonym(s): *hilda* Evans,1957
 32961) *Arhopala metamuta* metamuta (Hewitson,[1863]) (Lycaenidae) Synonym(s): *metamuta* Hewitson,[1863]; *gunongensis* Bethune-Baker,1897
 32962) *Arhopala milleri* Corbet,1941 (Lycaenidae) Synonym(s): *milleri* Corbet,1941
 32963) *Arhopala moolaiana* (Moore,[1879]) (Lycaenidae) Synonym(s): *moolaiana* Moore,[1879]
 32964) *Arhopala moolaiana* klossi Corbet,1941 (Lycaenidae) Synonym(s): *klossi* Corbet,1941
 32965) *Arhopala moolaiana* maya (Evans,1932) (Lycaenidae) Synonym(s): *maya* Evans,1932
 32966) *Arhopala moolaiana* moolaiana (Moore,[1879]) (Lycaenidae) Synonym(s): *moolaiana* Moore,[1879]
 32967) *Arhopala moolaiana* yajuna Corbet,1941 (Lycaenidae) Synonym(s): *yajuna* Corbet,1941
 32968) *Arhopala moorei* Bethune-Baker,1896 (Lycaenidae) Synonym(s): *moorei* Bethune-Baker; *waterstradii* Bethune-Baker
 32969) *Arhopala moorei* busa Corbet,1941 (Lycaenidae) Synonym(s): *busa* Corbet,1941; *santava* Corbet,1941

- 32970) *Arhopala moorei moorei* Bethune-Baker, 1896 (Lycaenidae) Synonym(s): *moorei* Bethune-Baker; *waterstradti* Bethune-Baker
- 32971) *Arhopala muta* (Hewitson, 1862) (Lycaenidae) Synonym(s): *muta* Hewitson, 1862
- 32972) *Arhopala muta gloria* (Evans, 1957) (Lycaenidae) Synonym(s): *gloria* Evans, 1957
- 32973) *Arhopala muta maranda* Corbet, 1941 (Lycaenidae) Synonym(s): *maranda* Corbet, 1941; *tropaea* Corbet, 1941
- 32974) *Arhopala muta merguiana* Corbet, 1941 (Lycaenidae) Synonym(s): *merguiana* Corbet, 1941
- 32975) *Arhopala muta muta* (Hewitson, 1862) (Lycaenidae) Synonym(s): *muta* Hewitson, 1862
- 32976) *Arhopala muta trima* Corbet, 1941 (Lycaenidae) Synonym(s): *trima* Corbet, 1941; *wallacei* Corbet, 1941
- 32977) *Arhopala myrtha* (Staudinger, 1889) (Lycaenidae) Synonym(s): *myrtha* Staudinger, 1889
- 32978) *Arhopala myrzala* (Hewitson, 1869) (Lycaenidae) Synonym(s): *myrzala* Hewitson, 1869
- 32979) *Arhopala myrzala conjuncta* Corbet, 1941 (Lycaenidae) Synonym(s): *conjuncta* Corbet, 1941
- 32980) *Arhopala myrzala lammis* Corbet, 1941 (Lycaenidae) Synonym(s): *lammis* Corbet, 1941
- 32981) *Arhopala myrzala myrzala* Hewitson, 1869 (Lycaenidae) Synonym(s): *myrzala* Hewitson, 1869
- 32982) *Arhopala myrzalina* Corbet, 1941 (Lycaenidae) Synonym(s): *myrzalina* Corbet, 1941
- 32983) *Arhopala nakamotoi* Hayashi, 1978 (Lycaenidae) Synonym(s): *nakamotoi* Hayashi, 1978
- 32984) *Arhopala nankoshana* (Shimonoya & Murayama, 1976) (Lycaenidae) Synonym(s): *nankoshana* Shimonoya & Murayama, 1976
- 32985) *Arhopala nicevillei* Bethune-Baker, 1903 (Lycaenidae) Synonym(s): *nicevillei* Bethune-Baker, 1903
- 32986) *Arhopala norda* (Evans, 1957) (Lycaenidae) Synonym(s): *norda* Evans, 1957
- 32987) *Arhopala norda norda* (Evans, 1957) (Lycaenidae) Synonym(s): *norda* Evans, 1957
- 32988) *Arhopala norda ronda* Eliot, 1992 (Lycaenidae) Synonym(s): *ronda* Eliot, 1992
- 32989) *Arhopala normani* Eliot, 1972 (Lycaenidae) Synonym(s): *normani* Eliot, 1972
- 32990) *Arhopala ocrida* Hewitson, 1869 (Lycaenidae) Synonym(s): *ocrida* Hewitson, 1869
- 32991) *Arhopala ocrida cionnii* Schröder & Treadaway, 1994 (Lycaenidae) Synonym(s): *cionnii* Schröder & Treadaway, 1994
- 32992) *Arhopala ocrida ocrida* Hewitson, 1869 (Lycaenidae) Synonym(s): *ocrida* Hewitson, 1869
- 32993) *Arhopala oenea* (Hewitson, 1869) (Lycaenidae) Synonym(s): *oenea* Hewitson, 1869
- 32994) *Arhopala opalina* (Moore, [1884]) (Lycaenidae) Synonym(s): *opalina* Moore, [1884]
- 32995) *Arhopala opalina azata* De Nicéville, [1896] (Lycaenidae) Synonym(s): *azata* De Nicéville, [1896]
- 32996) *Arhopala opalina opalina* (Moore, [1884]) (Lycaenidae) Synonym(s): *opalina* Moore, [1884]
- 32997) *Arhopala ormistoni* Riley, 1920 (Lycaenidae) Synonym(s): *ormistoni* Riley, 1920
- 32998) *Arhopala overdijkinki* Corbet, 1941 (Lycaenidae) Synonym(s): *overdijkinki* Corbet, 1941
- 32999) *Arhopala overdijkinki overdijkinki* Corbet, 1941 (Lycaenidae) Synonym(s): *overdijkinki* Corbet, 1941
- 33000) *Arhopala overdijkinki unda* (Evans, 1957) (Lycaenidae) Synonym(s): *unda* Evans, 1957
- 33001) *Arhopala paraganesa* (De Nicéville, 1882) (Lycaenidae) Synonym(s): *paraganesa* De Nicéville, 1882
- 33002) *Arhopala paraganesa dusunensis* Barlow, Banks & Holloway (Lycaenidae) Synonym(s):
- 33003) *Arhopala paraganesa hammon* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *hammon* Fruhstorfer, 1914
- 33004) *Arhopala paraganesa mendava* Corbet, 1941 (Lycaenidae) Synonym(s): *mendava* Corbet, 1941
- 33005) *Arhopala paraganesa paraganesa* (De Nicéville, 1882) (Lycaenidae) Synonym(s): *paraganesa* De Nicéville, 1882
- 33006) *Arhopala paraganesa tomokoae* Hayashi, 1976 (Lycaenidae) Synonym(s): *tomokoae* Hayashi, 1976
- 33007) *Arhopala paraganesa zephyretta* Doherty, 1891 (Lycaenidae) Synonym(s): *zephyretta* Doherty, 1891
- 33008) *Arhopala paralea* (Evans, [1925]) (Lycaenidae) Synonym(s): *paralea* Evans, [1925]
- 33009) *Arhopala paramuta* De Nicéville, 1883 (Lycaenidae) Synonym(s): *paramuta* De Nicéville, 1883
- 33010) *Arhopala paramuta horishana* Matsumura, 1910 (Lycaenidae) Synonym(s): *horishana* Matsumura, 1910
- 33011) *Arhopala paramuta paramuta* De Nicéville, 1883 (Lycaenidae) Synonym(s): *paramuta* De Nicéville, 1883
- 33012) *Arhopala perimuta* (Moore, [1858]) (Lycaenidae) Synonym(s): *perimuta* Moore, [1858]
- 33013) *Arhopala perimuta perimuta* (Moore, [1858]) (Lycaenidae) Synonym(s): *perimuta* Moore, [1858]
- 33014) *Arhopala perimuta regina* Corbet, 1941 (Lycaenidae) Synonym(s): *regina* Corbet, 1941; *linta* Corbet, 1941
- 33015) *Arhopala phaenops* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *phaenops* C.Felder & R.Felder, [1865]
- 33016) *Arhopala phaenops detrita* Staudinger, 1889 (Lycaenidae) Synonym(s): *detrita* Staudinger, 1889
- 33017) *Arhopala phaenops phaenops* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *phaenops* C.Felder & R.Felder, [1865]
- 33018) *Arhopala phaenops sandakani* Bethune-Baker, 1896 (Lycaenidae) Synonym(s): *sandakani* Bethune-Baker, 1896
- 33019) *Arhopala phaenops termerion* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *termerion* Fruhstorfer, 1914
- 33020) *Arhopala phanda* Corbet, 1941 (Lycaenidae) Synonym(s): *phanda* Corbet, 1941
- 33021) *Arhopala pseudocentaurus Doubleday*, 1847 (Lycaenidae) Synonym(s): *pseudocentaurus* Doubleday, 1847
- 33022) *Arhopala pseudocentaurus aglais* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *aglais* C.Felder & R.Felder, [1865]; *setsuroi* Hayashi, 1981
- 33023) *Arhopala pseudocentaurus amazona* (Pagenstecher, 1890) (Lycaenidae) Synonym(s): *amazona* Pagenstecher, 1890
- 33024) *Arhopala pseudocentaurus centenius* Fruhstorfer (Lycaenidae) Synonym(s): *centenius* Fruhstorfer
- 33025) *Arhopala pseudocentaurus coruscans* Wood-Mason & De Nicéville, 1881 (Lycaenidae) Synonym(s): *coruscans* Wood-Mason & De Nicéville, 1881
- 33026) *Arhopala pseudocentaurus dixonii* Eliot, 1978 (Lycaenidae) Synonym(s): *dixonii* Eliot, 1978
- 33027) *Arhopala pseudocentaurus nakula* (C.Felder & R.Felder, 1860) (Lycaenidae) Synonym(s): *nakula* C.Felder & R.Felder, 1860
- 33028) *Arhopala pseudocentaurus pirithous* Moore, 1883 (Lycaenidae) Synonym(s): *pirithous* Moore, 1883
- 33029) *Arhopala pseudocentaurus pseudocentaurus Doubleday*, 1847 (Lycaenidae) Synonym(s): *pseudocentaurus* Doubleday, 1847
- 33030) *Arhopala pseudomuta* (Staudinger, 1889) (Lycaenidae) Synonym(s): *pseudomuta* Staudinger, 1889; *rafflesii* De Nicéville, 1890; *epibata* Corbet, 1948
- 33031) *Arhopala pseudomuta ariavana* Corbet, 1941 (Lycaenidae) Synonym(s): *ariavana* Corbet, 1941
- 33032) *Arhopala pseudomuta contra* (Evans, 1957) (Lycaenidae) Synonym(s): *contra* Evans, 1957
- 33033) *Arhopala pseudomuta pseudomuta* (Staudinger, 1889) (Lycaenidae) Synonym(s): *pseudomuta* Staudinger, 1889; *rafflesii* De Nicéville, 1890; *epibata* Corbet, 1948
- 33034) *Arhopala rama* (Kollar, [1844]) (Lycaenidae) Synonym(s): *rama* Kollar, [1844]
- 33035) *Arhopala rama rama* (Kollar, [1844]) (Lycaenidae) Synonym(s): *rama* Kollar, [1844]
- 33036) *Arhopala rama ramosa* (Evans, [1925]) (Lycaenidae) Synonym(s): *ramosa* Evans, [1925]
- 33037) *Arhopala rudepoema* Seki, 1994 (Lycaenidae) Synonym(s): *rudepoema* Seki, 1994
- 33038) *Arhopala sakaguchii* Hayashi, 1981 (Lycaenidae) Synonym(s): *sakaguchii* Hayashi, 1981
- 33039) *Arhopala sanghira* Bethune-Baker, 1897 (Lycaenidae) Synonym(s): *sanghira* Bethune-Baker, 1897
- 33040) *Arhopala sceva* Bethune-Baker, 1903 (Lycaenidae) Synonym(s): *sceva* Bethune-Baker, 1903
- 33041) *Arhopala sceva indra* Evans, 1957 (Lycaenidae) Synonym(s): *indra* Evans, 1957
- 33042) *Arhopala sceva sceva* Bethune-Baker, 1903 (Lycaenidae) Synonym(s): *sceva* Bethune-Baker, 1903
- 33043) *Arhopala selta* (Hewitson, 1869) (Lycaenidae) Synonym(s): *selta* Hewitson, 1869
- 33044) *Arhopala selta constanceae* De Nicéville (Lycaenidae) Synonym(s):
- 33045) *Arhopala selta hislopi* Eliot, 1962 (Lycaenidae) Synonym(s): *hislopi* Eliot, 1962
- 33046) *Arhopala selta selta* (Hewitson, 1869) (Lycaenidae) Synonym(s): *selta* Hewitson, 1869
- 33047) *Arhopala semperi* Bethune-Baker, 1896 (Lycaenidae) Synonym(s): *semperi* Bethune-Baker, 1896
- 33048) *Arhopala semperi russelli* Eliot, 1962 (Lycaenidae) Synonym(s): *russelli* Eliot, 1962
- 33049) *Arhopala semperi semperi* Bethune-Baker, 1896 (Lycaenidae) Synonym(s): *semperi* Bethune-Baker, 1896
- 33050) *Arhopala siabra* Corbet, 1941 (Lycaenidae) Synonym(s): *siabra* Corbet, 1941
- 33051) *Arhopala silhetensis* (Hewitson, 1862) (Lycaenidae) Synonym(s): *silhetensis* Hewitson, 1862
- 33052) *Arhopala silhetensis adorea* De Nicéville, 1890 (Lycaenidae) Synonym(s): *De Nicéville*, 1890
- 33053) *Arhopala silhetensis fundania* Fruhstorfer, 1934 (Lycaenidae) Synonym(s): *fundania* Fruhstorfer, 1934
- 33054) *Arhopala silhetensis philippina* Hayashi, 1981 (Lycaenidae) Synonym(s): *philippina* Hayashi, 1981
- 33055) *Arhopala silhetensis silhetensis* (Hewitson, 1862) (Lycaenidae) Synonym(s): *silhetensis* Hewitson, 1862
- 33056) *Arhopala similis* Druce, 1895 (Lycaenidae) Synonym(s): *similis* Druce, 1895
- 33057) *Arhopala singla* De Nicéville, 1885 (Lycaenidae) Synonym(s): *singla* De Nicéville, 1885
- 33058) *Arhopala sintanga* Corbet, 1948 (Lycaenidae) Synonym(s): *sintanga* Corbet, 1948

- 33059) *Arhopala sintanga sintanga* Corbet,1948 (Lycaenidae) Synonym(s): *sintanga* Corbet,1948
 33060) *Arhopala sintanga tani* Eliot,1992 (Lycaenidae) Synonym(s): *tani* Eliot,1992
 33061) *Arhopala staudingeri* Semper,1890 (Lycaenidae) Synonym(s): *staudingeri* Semper,1890
 33062) *Arhopala staudingeri castagnedai* Osada & Hashimoto,1987 (Lycaenidae) Synonym(s): *castagnedai* Osada & Hashimoto,1987
 33063) *Arhopala staudingeri negrosiana* Hayashi,1981 (Lycaenidae) Synonym(s): *negrosiana* Hayashi,1981
 33064) *Arhopala staudingeri staudingeri* Semper,1890 (Lycaenidae) Synonym(s): *staudingeri* Semper,1890
 33065) *Arhopala stinga* (Evans,1957) (Lycaenidae) Synonym(s): *stinga* Evans,1957
 33066) *Arhopala stubbsi* Eliot,1962 (Lycaenidae) Synonym(s): *stubbsi* Eliot,1962
 33067) *Arhopala sublustris* Bethune-Baker,1904 (Lycaenidae) Synonym(s): *sublustris* Bethune-Baker,1904
 33068) *Arhopala sublustris karnyi* Corbet,1941 (Lycaenidae) Synonym(s): *karnyi* Corbet,1941
 33069) *Arhopala sublustris ralanda* Corbet,1941 (Lycaenidae) Synonym(s): *ralanda* Corbet,1941
 33070) *Arhopala sublustris ridleyi* Corbet,1941 (Lycaenidae) Synonym(s): *ridleyi* Corbet,1941
 33071) *Arhopala sublustris sublustris* Bethune-Baker,1904 (Lycaenidae) Synonym(s): *sublustris* Bethune-Baker,1904
 33072) *Arhopala tameanga* Bethune-Baker,1896 (Lycaenidae) Synonym(s): *tameanga* Bethune-Baker,1896
 33073) *Arhopala tephlis* Hewitson,1869 (Lycaenidae) Synonym(s): *tephlis* Hewitson,1869
 33074) *Arhopala tephlis bicolora* Röber,1886 (Lycaenidae) Synonym(s): *bicolora* Röber,1886
 33075) *Arhopala tephlis unnoi* Hayashi,1976 (Lycaenidae) Synonym(s): *unnoi* Hayashi,1976
 33076) *Arhopala theba* Hewitson,1863 (Lycaenidae) Synonym(s): *theba* Hewitson,1863
 33077) *Arhopala tindongani* Nuyda & Takanami,1990 (Lycaenidae) Synonym(s): *tindongani* Nuyda & Takanami,1990
 33078) *Arhopala trionoea* Semper,1890 (Lycaenidae) Synonym(s): *trionoea* Semper,1890
 33079) *Arhopala trogon* (Distant,1884) (Lycaenidae) Synonym(s): *trogon* Distant,1884
 33080) *Arhopala tropaea* Corbet,1941 (Lycaenidae) Synonym(s): *tropaea* Corbet,1941
 33081) *Arhopala varro Fruhstorfer*,[1914] (Lycaenidae) Synonym(s): *varro Fruhstorfer*,[1914]
 33082) *Arhopala varro selama* (Eliot,1959) (Lycaenidae) Synonym(s): *selama* Eliot,1959
 33083) *Arhopala varro varro Fruhstorfer*,[1914] (Lycaenidae) Synonym(s): *varro Fruhstorfer*,[1914]
 33084) *Arhopala vihara* (C.Felder & R.Felder,1860) (Lycaenidae) Synonym(s): *vihara* C.Felder & R.Felder,1860
 33085) *Arhopala vihara hirava* Corbet,1941 (Lycaenidae) Synonym(s): *hirava* Corbet,1941
 33086) *Arhopala vihara pagia* Corbet,1941 (Lycaenidae) Synonym(s): *pagia* Corbet,1941
 33087) *Arhopala vihara vihara* (C.Felder & R.Felder,1860) (Lycaenidae) Synonym(s): *vihara* C.Felder & R.Felder,1860
 33088) *Arhopala weelii* Piepers & Snellen,1918 (Lycaenidae) Synonym(s): *weelii* Piepers & Snellen,1918
 33089) *Arhopala wildeyana* Corbet,1941 (Lycaenidae) Synonym(s): *wildeyana* Corbet,1941
 33090) *Arhopala wildeyana havea* Corbet,1941 (Lycaenidae) Synonym(s): *havea* Corbet,1941
 33091) *Arhopala wildeyana wildeyana* Corbet,1941 (Lycaenidae) Synonym(s): *wildeyana* Corbet,1941
 33092) *Arhopala zambra* Swinhoe,[1911] (Lycaenidae) Synonym(s): *zambra* Swinhoe,[1911]
 33093) *Arhopala zambra kitamurai* Seki,1994 (Lycaenidae) Synonym(s): *kitamurai* Seki,1994
 33094) *Arhopala zambra plateni* Evans,1957 (Lycaenidae) Synonym(s): *plateni* Evans,1957
 33095) *Arhopala zambra triviata* Seki,1994 (Lycaenidae) Synonym(s): *triviata* Seki,1994
 33096) *Arhopala zambra zambra* Swinhoe,[1911] (Lycaenidae) Synonym(s): *zambra* Swinhoe,[1911]
 33097) *Arhopala zeta* Moore,1878 (Lycaenidae) Synonym(s): *zeta* Moore,1878
 33098) *Arhopala zylda* Corbet,1941 (Lycaenidae) Synonym(s): *zylda* Corbet,1941
 33099) *Arhopala zylda elioti* Corbet,1941 (Lycaenidae) Synonym(s): *elioti* Corbet,1941
 33100) *Arhopala zylda zylda* Corbet,1941 (Lycaenidae) Synonym(s): *zylda* Corbet,1941
 33101) *Artipe anna* (Druce,1896) (Lycaenidae) Synonym(s): *anna* Druce,1896
 33102) *Artipe anna anna* (Druce,1896) (Lycaenidae) Synonym(s): *anna* Druce,1896
 33103) *Artipe eryx* (Linnaeus,1771) (Lycaenidae) Synonym(s): *eryx* Linnaeus,1771
 33104) *Artipe eryx eryx* (Linnaeus,1771) (Lycaenidae) Synonym(s): *eryx* Linnaeus,1771
 33105) *Artipe eryx excellens* Eliot,1959 (Lycaenidae) Synonym(s): *excellens* Eliot,1959
 33106) *Artipoetes pryri* (Murray,1873) (Lycaenidae) Synonym(s): *pryeri* Murray,1873
 33107) *Artipoetes pryri pryri* (Murray,1873) (Lycaenidae) Synonym(s): *pryeri* Murray,1873
 33108) *Aslauga atrophifurca* Cottrell,1981 (Lycaenidae) Synonym(s): *atrophifurca* Cottrell,1981
 33109) *Aslauga aura* Druce,1913 (Lycaenidae) Synonym(s): *aura* Druce,1913
 33110) *Aslauga australis* Cottrell,1981 (Lycaenidae) Synonym(s): *australis* Cottrell,1981
 33111) *Aslauga bella* Bethune-Baker,1914 (Lycaenidae) Synonym(s): *bella* Bethune-Baker,1914
 33112) *Aslauga bitjensis* Bethune-Baker,1925 (Lycaenidae) Synonym(s): *bitjensis* Bethune-Baker,1925
 33113) *Aslauga camerunica* Stempffer,1969 (Lycaenidae) Synonym(s): *camerunica* Stempffer,1969
 33114) *Aslauga lamborni* Bethune-Baker,1914 (Lycaenidae) Synonym(s): *lamborni* Bethune-Baker,1914
 33115) *Aslauga latifurca* Cottrell,1981 (Lycaenidae) Synonym(s): *latifurca* Cottrell,1981
 33116) *Aslauga marshalli* Butler,1899 (Lycaenidae) Synonym(s): *marshalli* Butler,1899; *marginaria* Talbot,1937
 33117) *Aslauga modesta* Schultze,1923 (Lycaenidae) Synonym(s): *modesta* Schultze,1923
 33118) *Aslauga orientalis* Cottrell,1981 (Lycaenidae) Synonym(s): *orientalis* Cottrell,1981
 33119) *Aslauga pandora* Druce,1913 (Lycaenidae) Synonym(s): *pandora* Druce,1913
 33120) *Aslauga purpurascens* Holland,1890 (Lycaenidae) Synonym(s): *purpurascens* Holland,1890
 33121) *Aslauga vininga* (Hewitson,1875) (Lycaenidae) Synonym(s): *vininga* Hewitson,1875; *marginata* Plötz,1880; *marginalis* Kirby,1890; *subfulvida* Holland,1890
 33122) *Athysanota ornata* (Mabille,1890) (Lycaenidae) Synonym(s): *ornata* Mabille,1890; *pseudosoyauxii* Ehrmann,1894
 33123) *Athysanota ornata flava* (Holland,1920) (Lycaenidae) Synonym(s): *flava* Holland,1920
 33124) *Athysanota ornata ornata* (Mabille,1890) (Lycaenidae) Synonym(s): *ornata* Mabille,1890; *pseudosoyauxii* Ehrmann,1894
 33125) *Athysanota ornata vestalis* (Aurivillius,1895) (Lycaenidae) Synonym(s): *vestalis* Aurivillius,1895
 33126) *Atlides halesus* (Lycaenidae) Synonym(s):
 33127) *Austrozephyrus absolon* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *absolon* Hewitson,[1865]
 33128) *Austrozephyrus absolon absolon* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *absolon* Hewitson,[1865]
 33129) *Austrozephyrus absolon malayicus* (Pendlebury,1939) (Lycaenidae) Synonym(s): *malayicus* Pendlebury,1939; *albifasciatus* Howarth,1957
 33130) *Austrozephyrus absolon thamar* (Toxopeus,1935) (Lycaenidae) Synonym(s): *thamar* Toxopeus,1935
 33131) *Austrozephyrus borneanus* Pendlebury,1939 (Lycaenidae) Synonym(s): *borneanus* Pendlebury,1939
 33132) *Austrozephyrus reginae* Schröder & Treadaway,1982 (Lycaenidae) Synonym(s): *reginae* Schröder & Treadaway,1982
 33133) *Axiocerses amanga* (Westwood,1881) (Lycaenidae) Synonym(s): *amanga* Westwood,1881; *mendeche* Grose-Smith,1889.
 33134) *Axiocerses amanga amanga* (Westwood,1881) (Lycaenidae) Synonym(s): *amanga* Westwood,1881; *mendeche* Grose-Smith,1889.
 33135) *Axiocerses amanga baumi* Weymer,1901 (Lycaenidae) Synonym(s): *baumi* Weymer,1901
 33136) *Axiocerses amanga borealis* Aurivillius,1915 (Lycaenidae) Synonym(s): *borealis* Aurivillius,1915
 33137) *Axiocerses argenteomaculata* Pagenstecher,1902 (Lycaenidae) Synonym(s): *argenteomaculata* Pagenstecher,1902
 33138) *Axiocerses bambana* Grose-Smith,1900 (Lycaenidae) Synonym(s): *bambana* Grose-Smith,1900
 33139) *Axiocerses bambana bambana* Grose-Smith,1900 (Lycaenidae) Synonym(s): *bambana* Grose-Smith,1900
 33140) *Axiocerses bambana orichalcea* Henning & Henning,1996 (Lycaenidae) Synonym(s): *orichalcea* Henning & Henning,1996
 33141) *Axiocerses bamptoni* Henning & Henning,1996 (Lycaenidae) Synonym(s): *bamptoni* Henning & Henning,1996.
 33142) *Axiocerses callaghani* Henning & Henning,1996 (Lycaenidae) Synonym(s): *callaghani* Henning & Henning,1996
 33143) *Axiocerses coalescens* Henning & Henning,1996 (Lycaenidae) Synonym(s): *coalescens* Henning & Henning,1996
 33144) *Axiocerses collinsi* Henning & Henning,1996 (Lycaenidae) Synonym(s): *collinsi* Henning & Henning,1996.
 33145) *Axiocerses croesus* (Trimen,1862) (Lycaenidae) Synonym(s): *croesus* Trimen,1862
 33146) *Axiocerses harpax* (Fabricius,1775) (Lycaenidae) Synonym(s): *harpax* Fabricius,1775; *perion* Stoll,[1782]; *piscatoris* Clench,1943.
 33147) *Axiocerses harpax efulena* Clench,1963 (Lycaenidae) Synonym(s): *efulena* Clench,1963

- 33148) *Axiocerses harpax harpax* (Fabricius,1775) (Lycaenidae) Synonym(s): *harpax* Fabricius,1775; *perion* Stoll,[1782]; *piscatoris* Clench,1943.
- 33149) *Axiocerses harpax kadugli* Talbot,1935 (Lycaenidae) Synonym(s): *kadugli* Talbot,1935.
- 33150) *Axiocerses harpax ugandana* Clench,1963 (Lycaenidae) Synonym(s): *ugandana* Clench,1963
- 33151) *Axiocerses heathi* Henning & Henning,1996 (Lycaenidae) Synonym(s): *heathi* Henning & Henning,1996
- 33152) *Axiocerses jacksoni* Stempffer,1948 (Lycaenidae) Synonym(s): *jacksoni* Stempffer,1948
- 33153) *Axiocerses karinae* Henning & Henning,1996 (Lycaenidae) Synonym(s): *karinae* Henning & Henning,1996
- 33154) *Axiocerses kiellandi* Henning & Henning,1996 (Lycaenidae) Synonym(s): *kiellandi* Henning & Henning,1996.
- 33155) *Axiocerses maureli* Dufrane,1954 (Lycaenidae) Synonym(s): *maureli* Dufrane,1954
- 33156) *Axiocerses melanica* Henning & Henning,1996 (Lycaenidae) Synonym(s): *melanica* Henning & Henning,1996.
- 33157) *Axiocerses melanica aurata* Henning & Henning,1996 (Lycaenidae) Synonym(s): *aurata* Henning & Henning,1996
- 33158) *Axiocerses melanica melanica* Henning & Henning,1996 (Lycaenidae) Synonym(s): *melanica* Henning & Henning,1996.
- 33159) *Axiocerses nyika* Quickelberge,1984 (Lycaenidae) Synonym(s): *nyika* Quickelberge,1984
- 33160) *Axiocerses punicea* (Grose-Smith,1889) (Lycaenidae) Synonym(s): *punicea* Grose-Smith,1889
- 33161) *Axiocerses punicea cruenta* (Trimen,1894) (Lycaenidae) Synonym(s): *cruenta* Trimen,1894
- 33162) *Axiocerses punicea punicea* (Grose-Smith,1889) (Lycaenidae) Synonym(s): *punicea* Grose-Smith,1889
- 33163) *Axiocerses styx* Rebel,1908 (Lycaenidae) Synonym(s): *styx* Rebel,1908
- 33164) *Axiocerses susannae* Henning & Henning,1996 (Lycaenidae) Synonym(s): *susannae* Henning & Henning,1996
- 33165) *Axiocerses tjoane* (Wallengren,1857) (Lycaenidae) Synonym(s): *tjoane* Wallengren,1857
- 33166) *Axiocerses tjoane rubescens* Henning & Henning,1996 (Lycaenidae) Synonym(s): *rubescens* Henning & Henning,1996
- 33167) *Axiocerses tjoane tjoane* (Wallengren,1857) (Lycaenidae) Synonym(s): *tjoane* Wallengren,1857
- 33168) *Azanus* (Azanisis) *isis* (Drury,[1773]) (Lycaenidae) Synonym(s): *isis* Drury,[1773]; *caeruleoalbus* Goeze,[1779]; *camillus* Cramer,[1780]; *isarchus* Fabricius,1793.
- 33169) *Azanus* (s.str.) *jesous* (Guérin-Méneville,1849) (Lycaenidae) Synonym(s): *jesous* Guérin-Méneville,1849; *agave* Walker,1870; *sigillata* Butler,1876.
- 33170) *Azanus* (s.str.) *jesous gamra* (Lederer,1855) (Lycaenidae) Synonym(s): *gamra* Lederer,1855
- 33171) *Azanus* (s.str.) *jesous jesous* (Guérin-Méneville,1849) (Lycaenidae) Synonym(s): *jesous* Guérin-Méneville,1849; *agave* Walker,1870; *sigillata* Butler,1876.
- 33172) *Azanus* (s.str.) *mirza* (Plötz,1880) (Lycaenidae) Synonym(s): *mirza* Plötz,1880; *occidentalis* Butler,1888; *#dificiens* Dufrane,1953; *#ornata* Dufrane,1953; *mirzelli* Koçak,1980 [rejected, Opinion 1478,1988].
- 33173) *Azanus* (s.str.) *mirza mirza* (Plötz,1880) (Lycaenidae) Synonym(s): *mirza* Plötz,1880; *occidentalis* Butler,1888; *#dificiens* Dufrane,1953; *#ornata* Dufrane,1953; *mirzelli* Koçak,1980 [rejected, Opinion 1478,1988].
- 33174) *Azanus* (s.str.) *moriqua* (Wallengren,1857) (Lycaenidae) Synonym(s): *moriqua* Wallengren,1857; *benigna* Möschler,1884.
- 33175) *Azanus* (s.str.) *moriqua moriqua* (Wallengren,1857) (Lycaenidae) Synonym(s): *moriqua* Wallengren,1857; *benigna* Möschler,1884.
- 33176) *Azanus* (s.str.) *natalensis* (Trimen & Bowker,1887) (Lycaenidae) Synonym(s): *natalensis* Trimen & Bowker,1887
- 33177) *Azanus* (s.str.) *sitalces* (Mabille,1900) (Lycaenidae) Synonym(s): *sitalces* Mabille,1900; *rubripuncta* Lathy,1921
- 33178) *Azanus* (s.str.) *sitalces mayotti* D'Abbrera,1980 (Lycaenidae) Synonym(s): *mayotti* D'Abbrera,1980
- 33179) *Azanus* (s.str.) *sitalces sitalces* (Mabille,1900) (Lycaenidae) Synonym(s): *sitalces* Mabille,1900; *rubripuncta* Lathy,1921
- 33180) *Azanus* (s.str.) *soalalicus* (Karsch,1900) (Lycaenidae) Synonym(s): *soalalicus* Karsch,1900
- 33181) *Azanus* (s.str.) *ubaldus* (Stoll,[1782]) (Lycaenidae) Synonym(s): *ubaldus* Stoll,[1782]; *zena* Moore,1865; *ethoda* Walker,1870; *itea* Walker,1870; *macalenga* Trimen,1870; *thebana* Staudinger,1894.
- 33182) *Azanus* (s.str.) *ubaldus ubaldus* (Stoll,[1782]) (Lycaenidae) Synonym(s): *ubaldus* Stoll,[1782]; *zena* Moore,1865; *ethoda* Walker,1870; *itea* Walker,1870; *macalenga* Trimen,1870; *thebana* Staudinger,1894.
- 33183) *Azanus* (s.str.) *uranus* Butler,1886 (Lycaenidae) Synonym(s): *uranus* Butler,1886
- 33184) *Azanus* (s.str.) *uranus uranus* Butler,1886 (Lycaenidae) Synonym(s): *uranus* Butler,1886
- 33185) *Azanus* (s.str.) *urios* Riley & Godfrey,1921 (Lycaenidae) Synonym(s): *urios* Riley & Godfrey,1921
- 33186) *Baliochila amanica* Stempffer & Bennett,1953 (Lycaenidae) Synonym(s): *amanica* Stempffer & Bennett,1953
- 33187) *Baliochila aslanga* (Trimen,1873) (Lycaenidae) Synonym(s): *aslanga* Trimen,1873
- 33188) *Baliochila barnesi* Stempffer & Bennett,1953 (Lycaenidae) Synonym(s): *barnesi* Stempffer & Bennett,1953
- 33189) *Baliochila congdoni* Kielland,1990 (Lycaenidae) Synonym(s): *congdoni* Kielland,1990
- 33190) *Baliochila dubiosa* Stempffer & Bennett,1953 (Lycaenidae) Synonym(s): *dubiosa* Stempffer & Bennett,1953
- 33191) *Baliochila fragilis* Stempffer & Bennett,1953 (Lycaenidae) Synonym(s): *fragilis* Stempffer & Bennett,1953
- 33192) *Baliochila hildegarda* (Kirby,1887) (Lycaenidae) Synonym(s): *hildegarda* Kirby,1887
- 33193) *Baliochila latimarginata* (Hawker-Smith,1933) (Lycaenidae) Synonym(s): *latimarginata* Hawker-Smith,1933
- 33194) *Baliochila lipara* Stempffer & Bennett,1953 (Lycaenidae) Synonym(s): *lipara* Stempffer & Bennett,1953
- 33195) *Baliochila minima* (Hawker-Smith,1933) (Lycaenidae) Synonym(s): *minima* Hawker-Smith,1933
- 33196) *Baliochila nevei* Stempffer & Bennett,1953 (Lycaenidae) Synonym(s): *nevei* Stempffer & Bennett,1953
- 33197) *Baliochila nguru* Kielland,1986 (Lycaenidae) Synonym(s): *nguru* Kielland,1986
- 33198) *Baliochila nyasae* Stempffer & Bennett,1953 (Lycaenidae) Synonym(s): *nyasae* Stempffer & Bennett,1953
- 33199) *Baliochila petersi* Stempffer & Bennett,1956 (Lycaenidae) Synonym(s): *petersi* Stempffer & Bennett,1956
- 33200) *Baliochila pringlei* Stempffer,1967 (Lycaenidae) Synonym(s): *pringlei* Stempffer,1967
- 33201) *Baliochila pseudofragilis* Kielland,1976 (Lycaenidae) Synonym(s): *pseudofragilis* Kielland,1976
- 33202) *Baliochila singularis* Stempffer & Bennett,1953 (Lycaenidae) Synonym(s): *singularis* Stempffer & Bennett,1953
- 33203) *Baliochila stygia* Stempffer & Bennett,1953 (Lycaenidae) Synonym(s): *stygia* Stempffer & Bennett,1953
- 33204) *Baliochila woodi* (Riley,1943) (Lycaenidae) Synonym(s): *woodi* Riley,1943
- 33205) *Batelus zebra* Druce,1910 (Lycaenidae) Synonym(s): *zebra* Druce,1910
- 33206) *Bindahara phocides* (Fabricius,1793) (Lycaenidae) Synonym(s): *phocides* Fabricius,1793
- 33207) *Bindahara phocides origenes* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *origenes* Fruhstorfer,1912
- 33208) *Bindahara phocides phocides* (Fabricius,1793) (Lycaenidae) Synonym(s): *phocides* Fabricius,1793
- 33209) *Bothrinia chennelli* (De Nicéville,1883) (Lycaenidae) Synonym(s): *chennelli* De Nicéville,1883
- 33210) *Bothrinia chennelli celastroides* Shirozu & Saigusa,1962 (Lycaenidae) Synonym(s): *celastroides* Shirozu & Saigusa,1962
- 33211) *Bothrinia chennelli chennelli* (De Nicéville,1883) (Lycaenidae) Synonym(s): *chennelli* De Nicéville,1883
- 33212) *Brephidium exile* (Lycaenidae) Synonym(s):
- 33213) *Brephidium isophthalma* (Lycaenidae) Synonym(s):
- 33214) *Brephidium metophis* (Wallengren,1860) (Lycaenidae) Synonym(s): *metophis* Wallengren,1860
- 33215) *Britomartis cleoboides* (Elwes,[1893]) (Lycaenidae) Synonym(s): *cleoboides* Elwes,[1893]
- 33216) *Britomartis cleoboides cleoboides* (Elwes,[1893]) (Lycaenidae) Synonym(s): *cleoboides* Elwes,[1893]
- 33217) *Britomartis cleoboides viga* (Corbet,1940) (Lycaenidae) Synonym(s): *viga* Corbet,1940
- 33218) *Bullis buto* (De Nicéville,[1895]) (Lycaenidae) Synonym(s): *buto* De Nicéville,[1895]
- 33219) *Bullis buto buto* (De Nicéville,[1895]) (Lycaenidae) Synonym(s): *buto* De Nicéville,[1895]
- 33220) *Bullis buto cowani* (Corbet,1940) (Lycaenidae) Synonym(s): *cowani* Corbet,1940
- 33221) *Bullis elioti* (Corbet,1940) (Lycaenidae) Synonym(s): *elioti* Corbet,1940
- 33222) *Bullis elioti elioti* (Corbet,1940) (Lycaenidae) Synonym(s): *elioti* Corbet,1940
- 33223) *Bullis stigmata* (Druce,1904) (Lycaenidae) Synonym(s): *stigmata* Druce,1904
- 33224) *Bullis stigmata stigmata* (Druce,1904) (Lycaenidae) Synonym(s): *stigmata* Druce,1904
- 33225) *Cacyreus audeoudi* Stempffer,1936 (Lycaenidae) Synonym(s): *audeoudi* Stempffer,1936
- 33226) *Cacyreus darius* (Mabille,1877) (Lycaenidae) Synonym(s): *darius* Mabille,1877
- 33227) *Cacyreus dicksoni* Pennington,1962 (Lycaenidae) Synonym(s): *dicksoni* Pennington,1962
- 33228) *Cacyreus ethiopicus* Tite,1961 (Lycaenidae) Synonym(s): *ethiopicus* Tite,1961
- 33229) *Cacyreus lingeus* (Stoll,[1782]) (Lycaenidae) Synonym(s): *lingeus* Stoll,[1782]; *ericus* Fabricius,1793; *ciliaris* Aurivillius,1910
- 33230) *Cacyreus marshalli* Butler,[1898] (Lycaenidae) Synonym(s): *marshalli* Butler,[1898]
- 33231) *Cacyreus marshalli marshalli* Butler,[1898] (Lycaenidae) Synonym(s): *marshalli* Butler,[1898]

- 33232) *Cacyreus niebuhri* T.Larsen,1982 (Lycaenidae) Synonym(s): *niebuhri* T.Larsen,1982
 33233) *Cacyreus niebuhri niebuhri* T.Larsen,1982 (Lycaenidae) Synonym(s): *niebuhri* T.Larsen,1982
 33234) *Cacyreus tespis* (Herbst,[1804]) (Lycaenidae) Synonym(s): *palemon* Stoll,[1782] *nec palaemon* Pall.,1771; *tespis* Herbst,[1804]; *fracta* Grünberg,1911 (*Koçak*,1996).
 33235) *Cacyreus tespis ghimirra* Talbot,1935 (Lycaenidae) Synonym(s): *ghimirra* Talbot,1935.
 33236) *Cacyreus tespis tespis* (Herbst,[1804]) (Lycaenidae) Synonym(s): *palemon* Stoll,[1782] *nec palaemon* Pall.,1771; *tespis* Herbst,[1804]; *fracta* Grünberg,1911 (*Koçak*,1996).
 33237) *Cacyreus virilis Stempffer*,1936 (Lycaenidae) Synonym(s): *virilis* Aurivillius,1924; *virilis* Stempffer,1936.
 33238) *Cacyreus virilis virilis* Stempffer,1936 (Lycaenidae) Synonym(s): *virilis* Aurivillius,1924; *virilis* Stempffer,1936.
 33239) *Caleta caleta* (Hewitson,[1876]) (Lycaenidae) Synonym(s): *caleta* Hewitson,[1876]
 33240) *Caleta caleta argola* (Hewitson,[1876]) (Lycaenidae) Synonym(s): *argola* Hewitson,[1876]
 33241) *Caleta caleta caleta* (Hewitson,[1876]) (Lycaenidae) Synonym(s): *caleta* Hewitson,[1876]
 33242) *Caleta caleta gerasa* (Fruhstorfer,1918) (Lycaenidae) Synonym(s): *gerasa* Fruhstorfer,1918
 33243) *Caleta decidia* (Hewitson,[1876]) (Lycaenidae) Synonym(s): *decidia* Hewitson,[1876]
 33244) *Caleta decidia decidia* (Hewitson,[1876]) (Lycaenidae) Synonym(s): *decidia* Hewitson,[1876]
 33245) *Caleta elna* (Hewitson,[1876]) (Lycaenidae) Synonym(s): *elna* Hewitson,[1876]
 33246) *Caleta elna elna* (Hewitson,[1876]) (Lycaenidae) Synonym(s): *elna* Hewitson,[1876]
 33247) *Caleta elna elvira* (Fruhstorfer,1918) (Lycaenidae) Synonym(s): *elvira* Fruhstorfer,1918
 33248) *Caleta elna epeus* (Corbet,1938) (Lycaenidae) Synonym(s): *epeus* Corbet,1938
 33249) *Caleta elna noliteia* (Fruhstorfer,1918) (Lycaenidae) Synonym(s): *noliteia* Fruhstorfer,1918
 33250) *Caleta roxus* (Godart,[1824]) (Lycaenidae) Synonym(s): *roxus* Godart,[1824]
 33251) *Caleta roxus angustior* Staudinger,1889 (Lycaenidae) Synonym(s): *angustior* Staudinger,1889
 33252) *Caleta roxus pemanggilensis* Eliot,1978 (Lycaenidae) Synonym(s): *pemanggilensis* Eliot,1978
 33253) *Caleta roxus pothus* (Fruhstorfer,1918) (Lycaenidae) Synonym(s): *pothus* Fruhstorfer,1918
 33254) *Caleta roxus rhodoides* Eliot,1992 (Lycaenidae) Synonym(s): *rhodoides* Eliot,1992
 33255) *Caleta roxus roxanus* (De Nicéville,1897) (Lycaenidae) Synonym(s): *roxana* De Nicéville,1897
 33256) *Caleta roxus roxus* (Godart,[1824]) (Lycaenidae) Synonym(s): *roxus* Godart,[1824]
 33257) *Callenya kaguya* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *kaguya* Eliot & Kawazoe,1984
 33258) *Callenya kaguya kaguya* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *kaguya* Eliot & Kawazoe,1984
 33259) *Callenya lenya* (Evans,1932) (Lycaenidae) Synonym(s): *lenya* Evans,1932; *cowani* Corbet,1940.
 33260) *Callenya lenya baluana* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *baluana* Eliot & Kawazoe,1984
 33261) *Callenya lenya lenya* (Evans,1932) (Lycaenidae) Synonym(s): *lenya* Evans,1932; *cowani* Corbet,1940.
 33262) *Callenya melaena* (Doherty,1889) (Lycaenidae) Synonym(s): *melaena* Doherty,1889; *latimargo* Matsumura,1929 (*praeocc.*).
 33263) *Callenya melaena melaena* (Doherty,1889) (Lycaenidae) Synonym(s): *melaena* Doherty,1889; *latimargo* Matsumura,1929 (*praeocc.*).
 33264) *Callenya melaena shonen* (Esaki,1932) (Lycaenidae) Synonym(s): *shonen* Esaki,1932
 33265) *Callophrys armeniaci* Zhdanko,1998 (Lycaenidae) Synonym(s): *armeniaca* Zhdanko,1998
 33266) *Callophrys armeniaci armeniaci* Zhdanko,1998 (Lycaenidae) Synonym(s): *armeniaca* Zhdanko,1998
 33267) *Callophrys augustinus* (Westwood,1852) (Lycaenidae) Synonym(s): *augustus* W.Kirby,1837 *nec Fabr.*,1793; *augustinus* Westwood,1852; *croesioides* Scudder,1876; *immaculata* Cockle,1910 *nec Fuchs*,1891; *helenae* Dos Passos,1943; *annetteae* Dos Passos,1943; *concava* Austin,1998
 33268) *Callophrys avis* Chapman,1909 (Lycaenidae) Synonym(s): *avis* Chapman,1909
 33269) *Callophrys avis avis* Chapman,1909 (Lycaenidae) Synonym(s): *avis* Chapman,1909
 33270) *Callophrys avis barragui* Dujardin,1972 (Lycaenidae) Synonym(s): *barragui* Dujardin,1972
 33271) *Callophrys butleri* Migranov,1992 (Lycaenidae) Synonym(s): *butleri* Migranov,1992; *#butlerovi* Lukhtanov & Lukhtanov,1994.
 33272) *Callophrys butleri butleri* Migranov,1992 (Lycaenidae) Synonym(s): *butleri* Migranov,1992; *#butlerovi* Lukhtanov & Lukhtanov,1994.
 33273) *Callophrys chalybeitincta* Sovinsky,1905 (Lycaenidae) Synonym(s): *chalybeitincta* Sovinsky,1905; *caerulescens* A.Bang-Haas,1912; *schamyl* Sheldon,1914.
 33274) *Callophrys chalybeitincta chalybeitincta* Sovinsky,1905 (Lycaenidae) Synonym(s): *chalybeitincta* Sovinsky,1905; *caerulescens* A.Bang-Haas,1912; *schamyl* Sheldon,1914.
 33275) *Callophrys danchenkoi* Zhdanko,1998 (Lycaenidae) Synonym(s): *danchenkoi* Zhdanko,1998
 33276) *Callophrys danchenkoi danchenkoi* Zhdanko,1998 (Lycaenidae) Synonym(s): *danchenkoi* Zhdanko,1998
 33277) *Callophrys dospassosi* Clench,1981 (Lycaenidae) Synonym(s): *dospassosi* Clench,1981; *searsi* Clench,1981
 33278) *Callophrys dumetorum* (Boisduval,1852) (Lycaenidae) Synonym(s): *dumetorum* Boisduval,1852
 33279) *Callophrys dumetorum affinis* (Edwards,1862) (Lycaenidae) Synonym(s): *affinis* Edwards,1862
 33280) *Callophrys dumetorum apama* (Edwards,1882) (Lycaenidae) Synonym(s): *apama* Edwards,1882
 33281) *Callophrys dumetorum dumetorum* (Boisduval,1852) (Lycaenidae) Synonym(s): *dumetorum* Boisduval,1852
 33282) *Callophrys dumetorum viridis* (Edwards,1862) (Lycaenidae) Synonym(s): *viridis* Edwards,1862
 33283) *Callophrys eryphon* (Boisduval,1852) (Lycaenidae) Synonym(s): *eryphon* Boisduval,1852
 33284) *Callophrys estela* Clench,1981 (Lycaenidae) Synonym(s): *estela* Clench,1981
 33285) *Callophrys fotis* (Strecker,1878) (Lycaenidae) Synonym(s): *fotis* Strecker,1878
 33286) *Callophrys frivaldskyi* (Lederer,1855) (Lycaenidae) Synonym(s): *frivaldskyi* Lederer,1855
 33287) *Callophrys frivaldskyi arquata* Johnson,1992 (Lycaenidae) Synonym(s): *arquata* Johnson,1992; *#aquilonaria* Korb,2000
 33288) *Callophrys frivaldskyi frivaldskyi* (Lederer,1855) (Lycaenidae) Synonym(s): *frivaldskyi* Lederer,1855
 33289) *Callophrys gryneus* (Hübner,[1819]) (Lycaenidae) Synonym(s): *damon* Stoll,1782 *nec Denis & Schiff*,1775; *gryneus* Hübner,[1819]; *damastus* Godart,[1824]; *auburniana* Harris,1862; *patersoniana* Brehme,1907
 33290) *Callophrys gryneus gryneus* (Hübner,[1819]) (Lycaenidae) Synonym(s): *damon* Stoll,1782 *nec Denis & Schiff*,1775; *gryneus* Hübner,[1819]; *damastus* Godart,[1824]; *auburniana* Harris,1862; *patersoniana* Brehme,1907
 33291) *Callophrys gryneus loki* (Skinner,1907) (Lycaenidae) Synonym(s): *loki* Skinner,1907
 33292) *Callophrys gryneus muiri* (Edwards,1881) (Lycaenidae) Synonym(s): *muiri* Edwards,1881
 33293) *Callophrys gryneus nelsoni* (Boisduval,1869) (Lycaenidae) Synonym(s): *nelsoni* Boisduval,1869
 33294) *Callophrys gryneus siva* (Edwards,1874) (Lycaenidae) Synonym(s): *siva* Edwards,1874; *rhodope* Godman & Salvin,1887
 33295) *Callophrys gryneus swadneri* (Chermock,1945) (Lycaenidae) Synonym(s): *swadneri* Chermock,1945
 33296) *Callophrys gryneus thornei* (J.W.Brown,1983) (Lycaenidae) Synonym(s): *thornei* J.W.Brown,1983
 33297) *Callophrys guatemalena* Clench,1981 (Lycaenidae) Synonym(s): *guatemalena* Clench,1981
 33298) *Callophrys henrici* (Grote & Robinson,1867) (Lycaenidae) Synonym(s): *irus* Boisduval & Le Conte,[1835] *nec Godt.*,[1824]; *henrici* Grote & Robinson,1867; *solatus* Cook & F.E.Watson,1909; *margaretae* Dos Passos,1943; *turneri* Clech,1943; *viridissima* Pavulaan,1998; *yahwehus* Gatrell,1999
 33299) *Callophrys hesseli* (Rawson & Ziegler,1950) (Lycaenidae) Synonym(s): *hesseli* Rawson & Ziegler,1950
 33300) *Callophrys irus* (Godart,[1824]) (Lycaenidae) Synonym(s): *irus* Godart,[1824]; *balteata* Scudder,1889
 33301) *Callophrys johnsoni* (Skinner,1904) (Lycaenidae) Synonym(s): *johnsoni* Skinner,1904
 33302) *Callophrys korea* K.Johnson,1992 (Lycaenidae) Synonym(s): *korea* K.Johnson,1992
 33303) *Callophrys korea korea* K.Johnson,1992 (Lycaenidae) Synonym(s): *korea* K.Johnson,1992
 33304) *Callophrys lanoraieensis* (Sheppard,1934) (Lycaenidae) Synonym(s): *lanoraieensis* Sheppard,1934
 33305) *Callophrys leechuanlungi* Huang & Chen,2005 (Lycaenidae) Synonym(s): *leechuanlungi* Huang & Chen,2005
 33306) *Callophrys mcfarlandi* (P.Ehrlich & Clench,1960) (Lycaenidae) Synonym(s): *mcfarlandi* P.Ehrlich & Clench,1960; *madreoriente* K.Johnson,1988
 33307) *Callophrys mossii* (Edwards,1881) (Lycaenidae) Synonym(s): *mossii* Edwards,1881
 33308) *Callophrys mystaphia* Miller,1913 (Lycaenidae) Synonym(s): *mystaphia* Miller,1913
 33309) *Callophrys mystaphia mystaphia* Miller,1913 (Lycaenidae) Synonym(s): *mystaphia* Miller,1913
 33310) *Callophrys nippon* (Hübner,[1823]) (Lycaenidae) Synonym(s): *nippon* Hübner,[1823]
 33311) *Callophrys paulae* Pfeiffer,1932 (Lycaenidae) Synonym(s): *paulae* Pfeiffer,1932; *kolak* Higgins,1965
 33312) *Callophrys paulae paulae* Pfeiffer,1932 (Lycaenidae) Synonym(s): *paulae* Pfeiffer,1932; *kolak* Higgins,1965
 33313) *Callophrys polios* (Cook & F.E.Watson,1907) (Lycaenidae) Synonym(s): *polios* Cook & F.E.Watson,1907

- 33314) *Callophrys prodiga* K.Johnson,1992 (Lycaenidae) Synonym(s): *prodiga* K.Johnson,1992
 33315) *Callophrys rubi* (Linnaeus,1758) (Lycaenidae) Synonym(s): *rubi* Linnaeus,1758
 33316) *Callophrys rubi borealis* Krulikowsky,1890 (Lycaenidae) Synonym(s): *borealis* Krulikowsky,1890
 33317) *Callophrys rubi fervida* Staudinger,1901 (Lycaenidae) Synonym(s): *fervida* Staudinger,1901
 33318) *Callophrys rubi rubi* (Linnaeus,1758) (Lycaenidae) Synonym(s): *rubi* Linnaeus,1758
 33319) *Callophrys rubi sibirica* (Heyne,[1895]) (Lycaenidae) Synonym(s): *sibirica* Heyne,[1895]
 33320) *Callophrys scaphia* Clench,1981 (Lycaenidae) Synonym(s): *scaphia* Clench,1981
 33321) *Callophrys sheridanii* (Edwards,1877) (Lycaenidae) Synonym(s): *sheridanii* Edwards,1877
 33322) *Callophrys sheridanii comstocki* Henne,1940 (Lycaenidae) Synonym(s): *comstocki* Henne,1940
 33323) *Callophrys sheridanii lemberti* Tilden,1963 (Lycaenidae) Synonym(s): *lemberti* Tilden,1963
 33324) *Callophrys sheridanii sheridanii* (Edwards,1877) (Lycaenidae) Synonym(s): *sheridanii* Edwards,1877
 33325) *Callophrys spinetorum* (Hewitson,1867) (Lycaenidae) Synonym(s): *spinetorum* Hewitson,1867; *ninus* Edwards,1871; *cuyamaca* Wright,1922; *millerorum* Clench,1981
 33326) *Callophrys suaveola* (Staudinger,1881) (Lycaenidae) Synonym(s): *suaveola* Staudinger,1881
 33327) *Callophrys suaveola suaveola* (Staudinger,1881) (Lycaenidae) Synonym(s): *suaveola* Staudinger,1881
 33328) *Callophrys titanus* Zhdanko,1998 (Lycaenidae) Synonym(s): *titanus* Zhdanko,1998
 33329) *Callophrys titanus titanus* Zhdanko,1998 (Lycaenidae) Synonym(s): *titanus* Zhdanko,1998
 33330) *Callophrys xami* (Reakirt,1866) (Lycaenidae) Synonym(s): *xami* Reakirt,1866; *blenina* Hewitson,1868; *texami* Clench,1981
 33331) *Calycopis cecrops* (Fabricius,1793) (Lycaenidae) Synonym(s): *cecrops* Fabricius,1793; *poeas* Hübner,[1811]
 33332) *Calycopis isobea* (Butler & Druce,1872) (Lycaenidae) Synonym(s): *isobea* Butler & Druce,1872
 33333) *Capys alpheus* (Cramer,[1777]) (Lycaenidae) Synonym(s): *alpheus* Cramer,[1777]
 33334) *Capys alpheus alpheus* (Cramer,[1777]) (Lycaenidae) Synonym(s): *alpheus* Cramer,[1777]
 33335) *Capys alpheus extentus* Quickelberge,1979 (Lycaenidae) Synonym(s):
 33336) *Capys bamptoni* Henning & Henning,1988 (Lycaenidae) Synonym(s): *bamptoni* Henning & Henning,1988
 33337) *Capys brunneus* Aurivillius,1916 (Lycaenidae) Synonym(s): *brunneus* Aurivillius,1916
 33338) *Capys brunneus brunneus* Aurivillius,1916 (Lycaenidae) Synonym(s): *brunneus* Aurivillius,1916
 33339) *Capys brunneus heathi* Henning & Henning,1988 (Lycaenidae) Synonym(s): *heathi* Henning & Henning,1988
 33340) *Capys calpurnia* Henning & Henning,1988 (Lycaenidae) Synonym(s): *calpurnia* Henning & Henning,1988
 33341) *Capys catharus* Riley,1932 (Lycaenidae) Synonym(s): *catharus* Riley,1932
 33342) *Capys catharus catharus* Riley,1932 (Lycaenidae) Synonym(s): *catharus* Riley,1932
 33343) *Capys catharus rileyi* Stempffer,1967 (Lycaenidae) Synonym(s): *rileyi* Stempffer,1967
 33344) *Capys collinsi* Henning & Henning,1988 (Lycaenidae) Synonym(s): *collinsi* Henning & Henning,1988
 33345) *Capys connexivus* Butler,1897 (Lycaenidae) Synonym(s): *connexivus* Butler,1897
 33346) *Capys connexivus connexivus* Butler,1897 (Lycaenidae) Synonym(s): *connexivus* Butler,1897
 33347) *Capys connexivus gardineri* Henning & Henning,1988 (Lycaenidae) Synonym(s): *gardineri* Henning & Henning,1988
 33348) *Capys cupreus* Henning & Henning,1988 (Lycaenidae) Synonym(s): *cupreus* Henning & Henning,1988
 33349) *Capys disjunctus* Trimen,1895 (Lycaenidae) Synonym(s): *disjunctus* Trimen,1895
 33350) *Capys disjunctus bamendanus* Schultze,1909 (Lycaenidae) Synonym(s): *bamendanus* Schultze,1909
 33351) *Capys disjunctus disjunctus* Trimen,1895 (Lycaenidae) Synonym(s): *disjunctus* Trimen,1895
 33352) *Capys hermes* Henning & Henning,1988 (Lycaenidae) Synonym(s): *hermes* Henning & Henning,1988
 33353) *Capys juliae* Henning & Henning,1988 (Lycaenidae) Synonym(s): *juliae* Henning & Henning,1988
 33354) *Capys meruensis* Henning & Henning,1988 (Lycaenidae) Synonym(s): *meruensis* Henning & Henning,1988
 33355) *Capys penningtoni* Riley,1932 (Lycaenidae) Synonym(s): *penningtoni* Riley,1932
 33356) *Castalius rosimon* (Fabricius,1775) (Lycaenidae) Synonym(s): *rosimon* Fabricius,1775
 33357) *Castalius rosimon monrosi* Semper,1889 (Lycaenidae) Synonym(s): *monrosi* Semper,1889
 33358) *Castalius rosimon rosimon* (Fabricius,1775) (Lycaenidae) Synonym(s): *rosimon* Fabricius,1775
 33359) *Catapaecilma elegans* (Druce,1873) (Lycaenidae) Synonym(s): *elegans* Druce,1873
 33360) *Catapaecilma elegans elegans* (Druce,1873) (Lycaenidae) Synonym(s): *elegans* Druce,1873
 33361) *Catapaecilma elegans zephyria* Fruhstorfer,1915 (Lycaenidae) Synonym(s): *zephyria* Fruhstorfer,1915
 33362) *Catapaecilma evansi* Pendlebury,1933 (Lycaenidae) Synonym(s): *evansi* Pendlebury,1933
 33363) *Catapaecilma evansi evansi* Pendlebury,1933 (Lycaenidae) Synonym(s): *evansi* Pendlebury,1933
 33364) *Catapaecilma evansi parva* Schröder & Treadaway,1988 (Lycaenidae) Synonym(s): *parva* Schröder & Treadaway,1988
 33365) *Catapaecilma evansi rizali* Takanami,1984 (Lycaenidae) Synonym(s): *rizali* Takanami,1984
 33366) *Catapaecilma gracilis* Semper,1890 (Lycaenidae) Synonym(s): *gracilis* Semper,1890
 33367) *Catapaecilma lila* Eliot,1967 (Lycaenidae) Synonym(s): *lila* Eliot,1967
 33368) *Catapaecilma lila lila* Eliot,1967 (Lycaenidae) Synonym(s): *lila* Eliot,1967
 33369) *Catapaecilma major* Druce,1895 (Lycaenidae) Synonym(s): *major* Druce,1895
 33370) *Catapaecilma major albicans* Corbet,1941 (Lycaenidae) Synonym(s): *albicans* Corbet,1941
 33371) *Catapaecilma major emas* Fruhstorfer,[1912] (Lycaenidae) Synonym(s): *emas* Fruhstorfer,[1912]; *tyana* Fruhstorfer,1915
 33372) *Catapaecilma major major* Druce,1895 (Lycaenidae) Synonym(s): *major* Druce,1895
 33373) *Catapaecilma nakamotoi* Hayashi,1979 (Lycaenidae) Synonym(s): *nakamotoi* Hayashi,1979
 33374) *Catapaecilma nuydai* Takanami,1984 (Lycaenidae) Synonym(s): *nuydai* Takanami,1984
 33375) *Catapaecilma subochracea* Elwes,[1893] (Lycaenidae) Synonym(s): *subochracea* Elwes,[1893]
 33376) *Catapaecilma subochracea subochracea* Elwes,[1893] (Lycaenidae) Synonym(s): *subochracea* Elwes,[1893]
 33377) *Catochrysops cnejus* (Fabricius,1798) (Lycaenidae) Synonym(s): *cnejus* Fabricius,1798
 33378) *Catochrysops cnejus cnejus* (Fabricius,1798) (Lycaenidae) Synonym(s): *cnejus* Fabricius,1798
 33379) *Catochrysops panormus* (C.Felder,1860) (Lycaenidae) Synonym(s): *panormus* C.Felder,1860
 33380) *Catochrysops panormus exiguus* (Distant,1886) (Lycaenidae) Synonym(s): *exiguus* Distant,1886; *perakana* Corbet,1938
 33381) *Catochrysops panormus panormus* (C.Felder,1860) (Lycaenidae) Synonym(s): *panormus* C.Felder,1860
 33382) *Catochrysops strabo* (Fabricius,1793) (Lycaenidae) Synonym(s): *strabo* Fabricius,1793; *riama* Corbet,1938
 33383) *Catochrysops strabo luzonensis* Tite,1959 (Lycaenidae) Synonym(s): *luzonensis* Tite,1959
 33384) *Catochrysops strabo strabo* (Fabricius,1793) (Lycaenidae) Synonym(s): *strabo* Fabricius,1793; *riama* Corbet,1938
 33385) *Catopyrops ancyra* (C.Felder,1860) (Lycaenidae) Synonym(s): *ancyra* C.Felder,1860
 33386) *Catopyrops ancyra aberrans* (Elwes,[1893]) (Lycaenidae) Synonym(s): *aberrans* Elwes,[1893]
 33387) *Catopyrops ancyra almora* Druce,1873 (Lycaenidae) Synonym(s): *almora* Druce,1873
 33388) *Catopyrops ancyra ancyra* (C.Felder,1860) (Lycaenidae) Synonym(s): *ancyra* C.Felder,1860
 33389) *Cebrella (Chelakina) lingga* (Moulton,1912) (Lycaenidae) Synonym(s): *lingga* Moulton,1912
 33390) *Cebrella (Chelakina) lingga hollowayi* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *hollowayi* Eliot & Kawazoe,1984
 33391) *Cebrella (Chelakina) lingga lingga* (Moulton,1912) (Lycaenidae) Synonym(s): *lingga* Moulton,1912
 33392) *Cebrella (Chelakina) matanga* (Chapman,1911) (Lycaenidae) Synonym(s): *matanga* Chapman,1911; *delampra* Moulton,1912.
 33393) *Cebrella (Chelakina) matanga matanga* (Chapman,1911) (Lycaenidae) Synonym(s): *matanga* Chapman,1911; *delampra* Moulton,1912.
 33394) *Cebrella (Chelakina) nigerrima* (Moulton,1912) (Lycaenidae) Synonym(s): *nigerrima* Moulton,1912; *chelaka* Moulton,1913.
 33395) *Cebrella (Chelakina) nigerrima kerionga* Eliot,1992 (Lycaenidae) Synonym(s): *kerionga* Eliot,1992
 33396) *Cebrella (Chelakina) nigerrima nigerrima* (Moulton,1912) (Lycaenidae) Synonym(s): *nigerrima* Moulton,1912; *chelaka* Moulton,1913.
 33397) *Cebrella (s.str.) pellecebra* (Fruhstorfer,1910) (Lycaenidae) Synonym(s): *pellecebra* Fruhstorfer,1910
 33398) *Cebrella (s.str.) pellecebra moultoni* (Chapman,1911) (Lycaenidae) Synonym(s): *moultoni* Chapman,1911; *oskewa* Moulton,1912.
 33399) *Cebrella (s.str.) pellecebra pellecebra* (Fruhstorfer,1910) (Lycaenidae) Synonym(s): *pellecebra* Fruhstorfer,1910
 33400) *Cebrella (s.str.) penelope* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *penelope* Eliot & Kawazoe,1984
 33401) *Cebrella (s.str.) penelope kashiwaii* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *kashiwaii* Eliot & Kawazoe,1984
 33402) *Cebrella (s.str.) penelope penelope* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *penelope* Eliot & Kawazoe,1984

- 33403) *Celarchus* (*Armentulus*) *shelfordii* (De Nicéville,1902) (Lycaenidae) Synonym(s): *shelfordii* De Nicéville,1902
- 33404) *Celarchus* (*Armentulus*) *shelfordii elizabethae* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *elizabethae* Eliot & Kawazoe,1984
- 33405) *Celarchus* (*Armentulus*) *shelfordii montanensis* (Barlow, Banks & Holloway,1971) (Lycaenidae) Synonym(s): *montanensis* Barlow, Banks & Holloway,1971
- 33406) *Celarchus* (*Armentulus*) *shelfordii shelfordii* (De Nicéville,1902) (Lycaenidae) Synonym(s): *shelfordii* De Nicéville,1902
- 33407) *Celarchus* (s.str.) *archagathos* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *archagathos* C.Felder & R.Felder,[1865]
- 33408) *Celarchus* (s.str.) *archagathos archagathos* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *archagathos* C.Felder & R.Felder,[1865]
- 33409) *Celarchus* (s.str.) *archagathos leytensis* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *leytensis* Eliot & Kawazoe,1984
- 33410) *Celarchus* (s.str.) *hermarchus* (Fruhstorfer,1910) (Lycaenidae) Synonym(s): *hermarchus* Fruhstorfer,1910
- 33411) *Celarchus* (s.str.) *hermarchus hermarchus* (Fruhstorfer,1910) (Lycaenidae) Synonym(s): *hermarchus* Fruhstorfer,1910
- 33412) *Celarchus* (s.str.) *hermarchus vesontia* Fruhstorfer,1917 (Lycaenidae) Synonym(s): *vesontia* Fruhstorfer,1917
- 33413) *Celastrina acesina* (Bethune-Baker,1906) (Lycaenidae) Synonym(s): *acesina* Bethune-Baker,1906
- 33414) *Celastrina acesina acesina* (Bethune-Baker,1906) (Lycaenidae) Synonym(s): *acesina* Bethune-Baker,1906
- 33415) *Celastrina algernoni* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *oreas* Leach (*praeocc.*); *algernoni* Fruhstorfer,1917; *nuydai* Hayashi & Iwanaga,1974.
- 33416) *Celastrina algernoni algernoni* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *oreas* Leach (*praeocc.*); *algernoni* Fruhstorfer,1917; *nuydai* Hayashi & Iwanaga,1974.
- 33417) *Celastrina algernoni kadazanensis* Barlow, Banks & Holloway,1971 (Lycaenidae) Synonym(s): *kadazanensis* Barlow, Banks & Holloway,1971; *kawazoei* Hayashi & Iwanaga,1974.
- 33418) *Celastrina argiolus* (Linnaeus,1758) (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
- 33419) *Celastrina argiolus argiolus* (Linnaeus,1758) (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
- 33420) *Celastrina argiolus bieneri* Forster,1941 (Lycaenidae) Synonym(s): *bieneri* Forster,1941
- 33421) *Celastrina argiolus caphis* (Fruhstorfer,1922) (Lycaenidae) Synonym(s): *caphis* Fruhstorfer,1922
- 33422) *Celastrina argiolus cinerea* (Edwards,1883) (Lycaenidae) Synonym(s): *cinerea* Edwards,1883; *arizonensis* Edwards,1884.
- 33423) *Celastrina argiolus echo* (Edwards,1864) (Lycaenidae) Synonym(s): *echo* Edwards,1864
- 33424) *Celastrina argiolus gozora* (Boisduval,1870) (Lycaenidae) Synonym(s): *gozora* Boisduval,1870
- 33425) *Celastrina argiolus hypoleuca* (Kollar,[1849]) (Lycaenidae) Synonym(s): *hypoleuca* Kollar,[1849]; *paraleuca* Röber,1897.
- 33426) *Celastrina argiolus iyntheana* (De Nicéville,1884) (Lycaenidae) Synonym(s): *iyntheana* De Nicéville,1884; *jyntheana* De Nicéville,1884; *sikkima* Moore,1884; *bothrinoides* Chapman,1909; *puspargiolus* Chapman,1909; *herophilus* Fruhstorfer,1910; *cition* Fruhstorfer,1910
- 33427) *Celastrina argiolus ladon* (Cramer,[1780]) (Lycaenidae) Synonym(s): *ladon* Cramer,[1780]; *pseudargiolus* Boisduval & Le Conte,1835; *violacea* Edwards,1866; *neglectamajor* Tutt,1908.
- 33428) *Celastrina argiolus ladonides* (De l'Orza,1869) (Lycaenidae) Synonym(s): *ladonides* De l'Orza,1869; *levettii* Butler,1883; *sachaliensis* Esaki,1922; *sachaliensis* Matsumura,1925; *heringi* Kardakov,1928; *ussuriensis* Forster,1941.
- 33429) *Celastrina argiolus lucia* (Kirby,1837) (Lycaenidae) Synonym(s): *lucia* Kirby,1837; *neglecta* Edwards,1862; *marginata* Edwards,1883; *argentata* T.B.Fletcher,1903.
- 33430) *Celastrina argiolus mauretania* (Rothschild,1925) (Lycaenidae) Synonym(s): *algorica* Oberthür,1915 nec Heyne,1895; *mauretania* Rothschild,1925
- 33431) *Celastrina argiolus ssp.n.* (Lycaenidae) Synonym(s):
- 33432) *Celastrina argiolus sugurui* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *sugurui* Eliot & Kawazoe,1984
- 33433) *Celastrina fedoseevi* Korshunov & Ivonin,1990 (Lycaenidae) Synonym(s): *fedoseevi* Korshunov & Ivonin,1990
- 33434) *Celastrina fedoseevi fedoseevi* Korshunov & Ivonin,1990 (Lycaenidae) Synonym(s): *fedoseevi* Korshunov & Ivonin,1990
- 33435) *Celastrina filipjevi* (Riley,1934) (Lycaenidae) Synonym(s): *filipjevi* Riley,1934
- 33436) *Celastrina filipjevi admirabilis* (Sugitani,1936) (Lycaenidae) Synonym(s): *admirabilis* Sugitani,1936
- 33437) *Celastrina filipjevi filipjevi* (Riley,1934) (Lycaenidae) Synonym(s): *filipjevi* Riley,1934
- 33438) *Celastrina gigas* (Hemming,1928) (Lycaenidae) Synonym(s): *gigas* Hemming,1928
- 33439) *Celastrina gigas gigas* (Hemming,1928) (Lycaenidae) Synonym(s): *gigas* Hemming,1928
- 33440) *Celastrina huegelii* (Moore,1882) (Lycaenidae) Synonym(s): *huegelii* Moore,1882
- 33441) *Celastrina huegelii huegelii* (Moore,1882) (Lycaenidae) Synonym(s): *huegelii* Moore,1882
- 33442) *Celastrina huegelii oreoides* (Evans,1925) (Lycaenidae) Synonym(s): *oreoides* Evans,1925
- 33443) *Celastrina kollari* (Westwood,[1852]) (Lycaenidae) Synonym(s): *coelestina* Kollar,1848 nec Evers.,1843; *kollari* Westwood,[1852]; *kasmira* Moore,1865; *trita* Swinhoe,1919.
- 33444) *Celastrina kollari iyntheana* (De Nicéville,1884) (Lycaenidae) Synonym(s): *iyntheana* De Nicéville,1884; *iyntheana* Moore,1884; *sikkima* Moore,1884; *victoria* Swinhoe,1893; *bothrinoides* Chapman,1909; *puspargolus* Chapman,1909; *albaeruleoides* Chapman,1909; *herophilus* Fruhstorfer,1910; *cition* Fruhstorfer,1910.
- 33445) *Celastrina kollari kollari* (Westwood,[1852]) (Lycaenidae) Synonym(s): *coelestina* Kollar,1848 nec Evers.,1843; *kollari* Westwood,[1852]; *kasmira* Moore,1865; *trita* Swinhoe,1919.
- 33446) *Celastrina ladon argentata* (Lycaenidae) Synonym(s):
- 33447) *Celastrina ladon humulus* (Lycaenidae) Synonym(s):
- 33448) *Celastrina ladon idella* (Lycaenidae) Synonym(s):
- 33449) *Celastrina ladon ladon* (Lycaenidae) Synonym(s):
- 33450) *Celastrina ladon neglecta* (Lycaenidae) Synonym(s):
- 33451) *Celastrina ladon ssp.* (Lycaenidae) Synonym(s):
- 33452) *Celastrina ladon violacea* (Lycaenidae) Synonym(s):
- 33453) *Celastrina lavendularis* (Moore,1877) (Lycaenidae) Synonym(s): *lavendularis* Moore,1877; *amitra* Fruhstorfer,1922.
- 33454) *Celastrina lavendularis aroana* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *aroana* Eliot & Kawazoe,1984
- 33455) *Celastrina lavendularis chloe* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *chloe* Eliot & Kawazoe,1984
- 33456) *Celastrina lavendularis epicharma* (Fruhstorfer,1910) (Lycaenidae) Synonym(s): *epicharma* Fruhstorfer,1910
- 33457) *Celastrina lavendularis floresiana* (Courvoisier,1910) (Lycaenidae) Synonym(s): *floresiana* Courvoisier,1910
- 33458) *Celastrina lavendularis gadara* (Fruhstorfer,1910) (Lycaenidae) Synonym(s): *gadara* Fruhstorfer,1910
- 33459) *Celastrina lavendularis hermesianax* (Fruhstorfer,1910) (Lycaenidae) Synonym(s): *hermesianax* Fruhstorfer,1910
- 33460) *Celastrina lavendularis himilcon* (Fruhstorfer,1909) (Lycaenidae) Synonym(s): *himilcon* Fruhstorfer,1909; *crimissa* Fruhstorfer,1917.
- 33461) *Celastrina lavendularis isabella* Corbet,1937 (Lycaenidae) Synonym(s): *isabella* Corbet,1937
- 33462) *Celastrina lavendularis lavendularis* (Moore,1877) (Lycaenidae) Synonym(s): *lavendularis* Moore,1877; *amitra* Fruhstorfer,1922.
- 33463) *Celastrina lavendularis limbata* (Moore,1879) (Lycaenidae) Synonym(s): *limbata* Moore,1879; *placida* De Nicéville,1884; *placida* Moore,1884; *hegesander* Fruhstorfer,1910.
- 33464) *Celastrina lavendularis lyce* (Grose-Smith,1896) (Lycaenidae) Synonym(s): *lyce* Grose-Smith,1896; *pellonia* Fruhstorfer,1910.
- 33465) *Celastrina lavendularis placidina* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *placidina* Fruhstorfer,1917; *alta* Barlow, Banks & Holloway,1971.
- 33466) *Celastrina morsheadi* (Evans,1915) (Lycaenidae) Synonym(s): *morsheadi* Evans,1915
- 33467) *Celastrina morsheadi astynome* (Oberthür,1919) (Lycaenidae) Synonym(s): *astynome* Oberthür,1919
- 33468) *Celastrina morsheadi morsheadi* (Evans,1915) (Lycaenidae) Synonym(s): *morsheadi* Evans,1915
- 33469) *Celastrina neglectamajor* (Lycaenidae) Synonym(s):
- 33470) *Celastrina nigra* (Lycaenidae) Synonym(s):
- 33471) *Celastrina oreas* (Leech,1893) (Lycaenidae) Synonym(s): *oreas* Leech,1893
- 33472) *Celastrina oreas arisana* (Matsumura,1926) (Lycaenidae) Synonym(s): *arisana* Matsumura,1926
- 33473) *Celastrina oreas baileyi* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *baileyi* Eliot & Kawazoe,1984
- 33474) *Celastrina oreas hoenei* Forster,1941 (Lycaenidae) Synonym(s): *hoenei* Forster,1941
- 33475) *Celastrina oreas mirificus* (Sugitani,1936) (Lycaenidae) Synonym(s): *mirificus* Sugitani,1936

- 33476) *Celastrina oreas oreana* (Swinhoe,1910) (Lycaenidae) Synonym(s): *oreana* Swinhoe,1910
 33477) *Celastrina oreas oreas* (Leech,1893) (Lycaenidae) Synonym(s): *oreas* Leech,1893
 33478) *Celastrina oreas septentrionis* Forster,1941 (Lycaenidae) Synonym(s): *septentrionis* Forster,1941
 33479) *Celastrina oreas yunnana* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *yunnana* Eliot & Kawazoe,1984
 33480) *Celastrina perplexa Eliot & Kawazoe,1984* (Lycaenidae) Synonym(s): *perplexa* Eliot & Kawazoe,1984
 33481) *Celastrina perplexa perplexa* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *perplexa* Eliot & Kawazoe,1984
 33482) *Celastrina philippina* Semper,1889 (Lycaenidae) Synonym(s): *philippina* Semper,1889
 33483) *Celastrina philippina labranda* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *labranda* Fruhstorfer,1917
 33484) *Celastrina philippina nedda* (Grose-Smith,1894) (Lycaenidae) Synonym(s): *nedda* Grose-Smith,1894; *vulcanica* Rothschild,1915; *artinia* Fruhstorfer,1917; *lychorida* Fruhstorfer,1917.
 33485) *Celastrina philippina philippina* Semper,1889 (Lycaenidae) Synonym(s): *philippina* Semper,1889
 33486) *Celastrina philippina phuste* (Druce,1895) (Lycaenidae) Synonym(s): *phuste* Druce,1895
 33487) *Celatoxia albidisca* (Moore,1884) (Lycaenidae) Synonym(s): *albidisca* Moore,1884
 33488) *Celatoxia albidisca albidisca* (Moore,1884) (Lycaenidae) Synonym(s): *albidisca* Moore,1884
 33489) *Celatoxia carna* (De Nicéville,1895) (Lycaenidae) Synonym(s): *carna* De Nicéville,1895
 33490) *Celatoxia carna carna* (De Nicéville,1895) (Lycaenidae) Synonym(s): *carna* De Nicéville,1895
 33491) *Celatoxia carna carnita* (Fruhstorfer,1922) (Lycaenidae) Synonym(s): *carnita* Fruhstorfer,1922
 33492) *Celatoxia marginata* (De Nicéville,1884) (Lycaenidae) Synonym(s): *marginata* De Nicéville,1884; *marginata* Moore,1884; *victoria* Swinhoe,1893; *marata* Corbet,1936.
 33493) *Celatoxia marginata marginata* (De Nicéville,1884) (Lycaenidae) Synonym(s): *marginata* De Nicéville,1884; *marata* Corbet,1936.
 33494) *Celatoxia marginata splendens* (Butler,1900) (Lycaenidae) Synonym(s): *splendens* Butler,1900
 33495) *Cesa waggae* (Sharpe,1898) (Lycaenidae) Synonym(s): *waggae* Sharpe,1898
 33496) *Chaetoprocta odata* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *odata* Hewitson,[1865]
 33497) *Chaetoprocta odata odata* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *odata* Hewitson,[1865]
 33498) *Charana mandarina* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *mandarina* Hewitson,[1863]
 33499) *Charana mandarina mandarina* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *mandarina* Hewitson,[1863]
 33500) *Charana mandarina splendida* Moulton,1911 (Lycaenidae) Synonym(s): *splendida* Moulton,1911
 33501) *Cheritra aenea* Semper,1890 (Lycaenidae) Synonym(s): *aenea* Semper,1890
 33502) *Cheritra freja* (Fabricius,1793) (Lycaenidae) Synonym(s): *freja* Fabricius,1793
 33503) *Cheritra freja evansi* Cowan,1965 (Lycaenidae) Synonym(s): *evansi* Cowan,1965
 33504) *Cheritra freja freja* (Fabricius,1793) (Lycaenidae) Synonym(s): *freja* Fabricius,1793
 33505) *Cheritra freja frigga* Fruhstorfer,[1912] (Lycaenidae) Synonym(s): *frigga* Fruhstorfer,[1912]
 33506) *Cheritra orpheus* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *orpheus* C.Felder & R.Felder,[1865]
 33507) *Cheritra orpheus eurydice* Fruhstorfer,[1912] (Lycaenidae) Synonym(s): *eurydice* Fruhstorfer,[1912]
 33508) *Cheritra orpheus orpheus* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *orpheus* C.Felder & R.Felder,[1865]
 33509) *Cheritra orpheus orphnine* Cowan,1967 (Lycaenidae) Synonym(s): *orphnine* Cowan,1967
 33510) *Cheritrella truncipennis* De Nicéville,1887 (Lycaenidae) Synonym(s): *truncipennis* De Nicéville,1887
 33511) *Cheritrella truncipennis truncipennis* De Nicéville,1887 (Lycaenidae) Synonym(s): *truncipennis* De Nicéville,1887
 33512) *Chilades (Freyeria) minuscula* (Aurivillius,1909) (Lycaenidae) Synonym(s): *minuscula* Aurivillius,1909
 33513) *Chilades (Freyeria) putli* (Kollar,[1844]) (Lycaenidae) Synonym(s): *putli* Kollar,[1844]; *orientalis* Forster,1980
 33514) *Chilades (Freyeria) putli putli* (Kollar,[1844]) (Lycaenidae) Synonym(s): *putli* Kollar,[1844]; *orientalis* Forster,1980
 33515) *Chilades (Freyeria) trochylus* (Freyer,[1843]) (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931
 33516) *Chilades (Freyeria) trochylus gnoma* Snellen,1876 (Lycaenidae) Synonym(s): *gnoma* Snellen,1876
 33517) *Chilades (Freyeria) trochylus trochylus* (Freyer,[1843]) (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931.
 33518) *Chilades (Lachides) galba* (Lederer,1855) (Lycaenidae) Synonym(s): *galba* Lederer,1855
 33519) *Chilades (Lachides) galba galba* (Lederer,1855) (Lycaenidae) Synonym(s): *galba* Lederer,1855
 33520) *Chilades (Lachides) galba phiala* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *phiala* Groum-Grshimailo,1890
 33521) *Chilades (Luthrodes) pandava* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *pandava* Horsfield,[1829]; *bengalia* De Nicéville; *nicola* Swinhoe.
 33522) *Chilades (Luthrodes) pandava minuta* (Evans,1932) (Lycaenidae) Synonym(s): *minuta* Evans,1932
 33523) *Chilades (Luthrodes) pandava pandava* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *pandava* Horsfield,[1829]; *bengalia* De Nicéville; *nicola* Swinhoe.
 33524) *Chilades (Luthrodes) pandava vapanda* Semper,1889 (Lycaenidae) Synonym(s): *vapanda* Semper,1889
 33525) *Chilades (s.str.) lajus* (Stoll,[1780]) (Lycaenidae) Synonym(s): *lajus* Stoll,[1780] *nec laia* Cr.,[1779]
 33526) *Chilades (s.str.) lajus lajus* (Stoll,[1780]) (Lycaenidae) Synonym(s): *lajus* Stoll,[1780] *nec laia* Cr.,[1779]
 33527) *Chilades (s.str.) lajus tavoyanus* Evans,[1925] (Lycaenidae) Synonym(s): *tavoyanus* Evans,[1925]
 33528) *Chilades (s.str.) parrhasius* (Fabricius,1793) (Lycaenidae) Synonym(s): *parrhasius* Fabricius,1793; *contracta* Butler,1880; *ella* Butler,1881; *lempkei* Blom,1979.
 33529) *Chilades (s.str.) parrhasius parrhasius* (Fabricius,1793) (Lycaenidae) Synonym(s): *parrhasius* Fabricius,1793; *contracta* Butler,1880; *ella* Butler,1881; *lempkei* Blom,1979.
 33530) *Chilades alberta* Butler,1901 (Lycaenidae) Synonym(s): *alberta* Butler,1901
 33531) *Chilades eleusis* (Demaision,1888) (Lycaenidae) Synonym(s): *eleusis* Demaision,1888; *pudorina* Mabille,1890; *serrula* Mabille,1890; *pharaonis* Staudinger,1894; *#strigatus* Aurivillius,1925
 33532) *Chilades elicola* (Strand,1911) (Lycaenidae) Synonym(s): *elicola* Strand,1911
 33533) *Chilades kedonga* (Grose-Smith,1898) (Lycaenidae) Synonym(s): *kedonga* Grose-Smith,1898; *pulchriatrata* Bethune-Baker,1905
 33534) *Chilades lajus* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *lajus* C.Felder & R.Felder,[1865]
 33535) *Chilades mindora* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *mindora* C.Felder & R.Felder,[1865]
 33536) *Chilades nigeriae* (Sharpe,1902) (Lycaenidae) Synonym(s): *nigeriae* Sharpe,1902
 33537) *Chilades sanctithomae* (Sharpe,1893) (Lycaenidae) Synonym(s): *sanctithomae* Sharpe,1893
 33538) *Chliaria balua* Moulton,1911 (Lycaenidae) Synonym(s): *balua* Moulton,1911
 33539) *Chliaria balua balua* Moulton,1911 (Lycaenidae) Synonym(s): *balua* Moulton,1911
 33540) *Chliaria balua gabrieli* Corbet,1938 (Lycaenidae) Synonym(s): *gabrieli* Corbet,1938
 33541) *Chliaria kina* (Hewitson,1869) (Lycaenidae) Synonym(s): *kina* Hewitson,1869
 33542) *Chliaria kina celastroides* Corbet,1938 (Lycaenidae) Synonym(s): *celastroides* Corbet,1938
 33543) *Chliaria kina kina* (Hewitson,1869) (Lycaenidae) Synonym(s): *kina* Hewitson,1869
 33544) *Chliaria othona* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *othona* Hewitson,[1865]
 33545) *Chliaria othona othona* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *othona* Hewitson,[1865]
 33546) *Chliaria othona semanga* Corbet,1940 (Lycaenidae) Synonym(s): *semanga* Corbet,1940
 33547) *Chliaria pahanga* Corbet,1938 (Lycaenidae) Synonym(s): *pahanga* Corbet,1938
 33548) *Chliaria pahanga pahanga* Corbet,1938 (Lycaenidae) Synonym(s): *pahanga* Corbet,1938
 33549) *Chloroselas argentea* Riley,1932 (Lycaenidae) Synonym(s): *argentea* Riley,1932
 33550) *Chloroselas azurea* Butler,1900 (Lycaenidae) Synonym(s): *azurea* Butler,1900
 33551) *Chloroselas esmeralda* Butler,[1886] (Lycaenidae) Synonym(s): *esmeralda* Butler,[1886]
 33552) *Chloroselas esmeralda bilqis* T.Larsen,1983 (Lycaenidae) Synonym(s): *bilqis* T.Larsen,1983
 33553) *Chloroselas esmeralda esmeralda* Butler,[1886] (Lycaenidae) Synonym(s): *esmeralda* Butler,[1886]
 33554) *Chloroselas minima* Jackson,1966 (Lycaenidae) Synonym(s): *minima* Jackson,1966
 33555) *Chloroselas ogadenensis* Jackson,1966 (Lycaenidae) Synonym(s): *ogadenensis* Jackson,1966
 33556) *Chloroselas overlaeti* Stempffer,1956 (Lycaenidae) Synonym(s): *overlaeti* Stempffer,1956
 33557) *Chloroselas psedozeritis* (Trimen,1873) (Lycaenidae) Synonym(s): *psedozeritis* Trimen,1873

- 33558) *Chloroselas psedozeritis psedozeritis* (Trimen,1873) (Lycaenidae) Synonym(s): *psedozeritis* Trimen,1873
 33559) *Chloroselas psedozeritis tytleri* Riley,1932 (Lycaenidae) Synonym(s): *tytleri* Riley,1932
 33560) *Chloroselas psedozeritis umbrosa* Jackson,1966 (Lycaenidae) Synonym(s): *umbrosa* Jackson,1966
 33561) *Chloroselas tamaniba* (Walker,1870) (Lycaenidae) Synonym(s): *tamaniba* Walker,1870
 33562) *Chloroselas taposana* Riley,1932 (Lycaenidae) Synonym(s): *taposana* Riley,1932
 33563) *Chloroselas trembathi* Collins & T.Larsen,1991 (Lycaenidae) Synonym(s): *trembathi* Collins & T.Larsen,1991
 33564) *Chloroselas vansomeri* Jackson,1966 (Lycaenidae) Synonym(s): *vansomeri* Jackson,1966
 33565) *Chlorostrymon maesites* (Lycaenidae) Synonym(s):
 33566) *Chlorostrymon simaethis* (Lycaenidae) Synonym(s):
 33567) *Chlorostrymon telea* (Lycaenidae) Synonym(s):
 33568) *Chrysoritis* (Oxychaeta) *dicksoni* (Gabriel,1947) (Lycaenidae) Synonym(s): *dicksoni* Gabriel,1947
 33569) *Chrysoritis* (Poecilmitis) *aethon* (Trimen,1887) (Lycaenidae) Synonym(s): *aethon* Trimen,1887
 33570) *Chrysoritis* (Poecilmitis) *aureus* Van Son,1966 (Lycaenidae) Synonym(s): *aureus* Van Son,1966
 33571) *Chrysoritis* (Poecilmitis) *chrysaor* (Trimen,1864) (Lycaenidae) Synonym(s): *chrysaor* Trimen,1864
 33572) *Chrysoritis* (Poecilmitis) *lycegenes* (Trimen,1874) (Lycaenidae) Synonym(s): *lycegenes* Trimen,1874
 33573) *Chrysoritis* (Poecilmitis) *lycia* Riley,1938 (Lycaenidae) Synonym(s): *lycia* Riley,1938
 33574) *Chrysoritis* (Poecilmitis) *lyncurium* (Trimen,1868) (Lycaenidae) Synonym(s): *lyncurium* Trimen,1868
 33575) *Chrysoritis* (Poecilmitis) *midas* Pennington,1962 (Lycaenidae) Synonym(s): *midas* Pennington,1962
 33576) *Chrysoritis* (Poecilmitis) *natalensis* Van Son,1966 (Lycaenidae) Synonym(s): *natalensis* Van Son,1966
 33577) *Chrysoritis* (Poecilmitis) *phosphor* (Trimen,1864) (Lycaenidae) Synonym(s): *phosphor* Trimen,1864
 33578) *Chrysoritis* (Poecilmitis) *phosphor borealis* Quickelberge,1972 (Lycaenidae) Synonym(s): *borealis* Quickelberge,1972
 33579) *Chrysoritis* (Poecilmitis) *phosphor phosphor* (Trimen,1864) (Lycaenidae) Synonym(s): *phosphor* Trimen,1864
 33580) *Chrysoritis* (Thysbe) *adonis* Pennington,1962 (Lycaenidae) Synonym(s): *adonis* Pennington,1962
 33581) *Chrysoritis* (Thysbe) *aridus* Pennington,1953 (Lycaenidae) Synonym(s): *aridus* Pennington,1953
 33582) *Chrysoritis* (Thysbe) *atlantica* Dickson,1966 (Lycaenidae) Synonym(s): *atlantica* Dickson,1966
 33583) *Chrysoritis* (Thysbe) *azurius* Swanepoel,1975 (Lycaenidae) Synonym(s): *azurius* Swanepoel,1975
 33584) *Chrysoritis* (Thysbe) *balli* Dickson & Henning,[1981] (Lycaenidae) Synonym(s): *balli* Dickson & Henning,[1981]
 33585) *Chrysoritis* (Thysbe) *bamptoni* Dickson,1976 (Lycaenidae) Synonym(s): *bamptoni* Dickson,1976
 33586) *Chrysoritis* (Thysbe) *beaufortia* Dickson,1966 (Lycaenidae) Synonym(s): *beaufortia* Dickson,1966
 33587) *Chrysoritis* (Thysbe) *beaufortia beaufortia* Dickson,1966 (Lycaenidae) Synonym(s): *beaufortia* Dickson,1966
 33588) *Chrysoritis* (Thysbe) *beaufortia charlesi* Dickson,1970 (Lycaenidae) Synonym(s): *charlesi* Dickson,1970
 33589) *Chrysoritis* (Thysbe) *beulah* Quickelberge,1966 (Lycaenidae) Synonym(s): *beulah* Quickelberge,1966
 33590) *Chrysoritis* (Thysbe) *braueri* Pennington,1967 (Lycaenidae) Synonym(s): *braueri* Pennington,1967
 33591) *Chrysoritis* (Thysbe) *brooksi* Riley,1938 (Lycaenidae) Synonym(s): *brooksi* Riley,1938
 33592) *Chrysoritis* (Thysbe) *brooksi brooksi* Riley,1938 (Lycaenidae) Synonym(s): *brooksi* Riley,1938
 33593) *Chrysoritis* (Thysbe) *brooksi tearei* Dickson,1966 (Lycaenidae) Synonym(s): *tearei* Dickson,1966
 33594) *Chrysoritis* (Thysbe) *daphne* Dickson,1975 (Lycaenidae) Synonym(s): *daphne* Dickson,1975
 33595) *Chrysoritis* (Thysbe) *endymion* Pennington,1962 (Lycaenidae) Synonym(s): *endymion* Pennington,1962
 33596) *Chrysoritis* (Thysbe) *henningi* (Bampton,1981) (Lycaenidae) Synonym(s): *henningi* Bampton,1981.
 33597) *Chrysoritis* (Thysbe) *hyperion* Dickson,1975 (Lycaenidae) Synonym(s): *hyperion* Dickson,1975
 33598) *Chrysoritis* (Thysbe) *irene* Pennington,1968 (Lycaenidae) Synonym(s): *irene* Pennington,1968
 33599) *Chrysoritis* (Thysbe) *kaplani* Henning,1979 (Lycaenidae) Synonym(s): *kaplani* Henning,1979
 33600) *Chrysoritis* (Thysbe) *lyndseyae* Henning,1979 (Lycaenidae) Synonym(s): *lyndseyae* Henning,1979
 33601) *Chrysoritis* (Thysbe) *lysander* Pennington,1962 (Lycaenidae) Synonym(s): *lysander* Pennington,1962
 33602) *Chrysoritis* (Thysbe) *lysander hantamsbergae* Dickson,1978 (Lycaenidae) Synonym(s): *hantamsbergae* Dickson,1978
 33603) *Chrysoritis* (Thysbe) *lysander lysander* Pennington,1962 (Lycaenidae) Synonym(s): *lysander* Pennington,1962
 33604) *Chrysoritis* (Thysbe) *nigricans* (Aurivillius,1923) (Lycaenidae) Synonym(s): *nigricans* Aurivillius,1923
 33605) *Chrysoritis* (Thysbe) *nigricans nigricans* (Aurivillius,1923) (Lycaenidae) Synonym(s): *nigricans* Aurivillius,1923
 33606) *Chrysoritis* (Thysbe) *nigricans zwartbergae* Dickson,1982 (Lycaenidae) Synonym(s): *zwartbergae* Dickson,1982
 33607) *Chrysoritis* (Thysbe) *orientalis* Swanepoel,1976 (Lycaenidae) Synonym(s): *orientalis* Swanepoel,1976
 33608) *Chrysoritis* (Thysbe) *palmus* (Stoll,[1781]) (Lycaenidae) Synonym(s): *palmus* Stoll,[1781]
 33609) *Chrysoritis* (Thysbe) *palmus margueritae* Dickson,1982 (Lycaenidae) Synonym(s): *margueritae* Dickson,1982
 33610) *Chrysoritis* (Thysbe) *palmus palmus* (Stoll,[1781]) (Lycaenidae) Synonym(s): *palmus* Stoll,[1781]
 33611) *Chrysoritis* (Thysbe) *pan* Pennington,1962 (Lycaenidae) Synonym(s): *pan* Pennington,1962
 33612) *Chrysoritis* (Thysbe) *pelion* Pennington,1953 (Lycaenidae) Synonym(s): *pelion* Pennington,1953
 33613) *Chrysoritis* (Thysbe) *penningtoni* Riley,1938 (Lycaenidae) Synonym(s): *penningtoni* Riley,1938
 33614) *Chrysoritis* (Thysbe) *perseus* Henning,1977 (Lycaenidae) Synonym(s): *perseus* Henning,1977
 33615) *Chrysoritis* (Thysbe) *plutus* Pennington,1967 (Lycaenidae) Synonym(s): *plutus* Pennington,1967
 33616) *Chrysoritis* (Thysbe) *psyche* Pennington,1967 (Lycaenidae) Synonym(s): *psyche* Pennington,1967
 33617) *Chrysoritis* (Thysbe) *pyramus* Pennington,1953 (Lycaenidae) Synonym(s): *pyramus* Pennington,1953
 33618) *Chrysoritis* (Thysbe) *rileyi* Dickson,1966 (Lycaenidae) Synonym(s): *rileyi* Dickson,1966
 33619) *Chrysoritis* (Thysbe) *stepheni* Dickson,1978 (Lycaenidae) Synonym(s): *stepheni* Dickson,1978
 33620) *Chrysoritis* (Thysbe) *swanepoeli* Dickson,1965 (Lycaenidae) Synonym(s): *swanepoeli* Dickson,1965
 33621) *Chrysoritis* (Thysbe) *thysbe* (Linnaeus,1764) (Lycaenidae) Synonym(s): *thysbe* Linnaeus,1764; *nais* Cramer,[1775] *nec* Forst.,1771; *splendens* Swainson,1833; *osbecki* Aurivillius,1882
 33622) *Chrysoritis* (Thysbe) *thysbe schloszae* (Dickson,1994) (Lycaenidae) Synonym(s): *schloszae* Dickson,1994
 33623) *Chrysoritis* (Thysbe) *thysbe thysbe* (Linnaeus,1764) (Lycaenidae) Synonym(s): *thysbe* Linnaeus,1764; *nais* Cramer,[1775] *nec* Forst.,1771; *splendens* Swainson,1833; *osbecki* Aurivillius,1882
 33624) *Chrysoritis* (Thysbe) *trimeni* Riley,1938 (Lycaenidae) Synonym(s): *trimeni* Riley,1938
 33625) *Chrysoritis* (Thysbe) *turneri* Riley,1938 (Lycaenidae) Synonym(s): *turneri* Riley,1938
 33626) *Chrysoritis* (Thysbe) *turneri amatola* Dickson & McMaster,1967 (Lycaenidae) Synonym(s): *amatola* Dickson & McMaster,1967
 33627) *Chrysoritis* (Thysbe) *turneri turneri* Riley,1938 (Lycaenidae) Synonym(s): *turneri* Riley,1938
 33628) *Chrysoritis* (Thysbe) *uranus* Pennington,1962 (Lycaenidae) Synonym(s): *uranus* Pennington,1962
 33629) *Chrysoritis* (Thysbe) *uranus schoemani* (Heath,1994) (Lycaenidae) Synonym(s): *schoemani* Heath,1994
 33630) *Chrysoritis* (Thysbe) *uranus uranus* Pennington,1962 (Lycaenidae) Synonym(s): *uranus* Pennington,1962
 33631) *Chrysoritis* (Thysbe) *violescens* Dickson,1971 (Lycaenidae) Synonym(s): *violescens* Dickson,1971
 33632) *Chrysoritis* (Thysbe) *whitei* (Dickson,1994) (Lycaenidae) Synonym(s): *whitei* Dickson,1994
 33633) *Chrysoritis* (Thysbe) *williami* Heath,1997 (Lycaenidae) Synonym(s): *dicksoni* Henning,1977 *nec* Gabr.,1947; *williami* Heath,1997.
 33634) *Chrysoritis* (Thysbe) *wykehami* Dickson,1980 (Lycaenidae) Synonym(s): *wykehami* Dickson,1980
 33635) *Chrysoritis* (s.str.) *chrysantas* (Trimen,1868) (Lycaenidae) Synonym(s): *chrysantas* Trimen,1868
 33636) *Chrysoritis* (s.str.) *coetzeri* (Dickson,1994) (Lycaenidae) Synonym(s): *coetzeri* Dickson,1994.
 33637) *Chrysoritis* (s.str.) *cottrelli* (Dickson,1975) (Lycaenidae) Synonym(s): *cottrelli* Dickson,1975
 33638) *Chrysoritis* (s.str.) *felthami* (Trimen,1904) (Lycaenidae) Synonym(s): *felthami* Trimen,1904
 33639) *Chrysoritis* (s.str.) *felthami dukei* Dickson,1967 (Lycaenidae) Synonym(s): *dukei* Dickson,1967
 33640) *Chrysoritis* (s.str.) *felthami felthami* (Trimen,1904) (Lycaenidae) Synonym(s): *felthami* Trimen,1904
 33641) *Chrysoritis* (s.str.) *oreas* (Trimen,1891) (Lycaenidae) Synonym(s): *oreas* Trimen,1891
 33642) *Chrysoritis* (s.str.) *pyroeis* (Trimen,1864) (Lycaenidae) Synonym(s): *pyroeis* Trimen,1864
 33643) *Chrysoritis* (s.str.) *pyroeis hersaleki* Dickson,1970 (Lycaenidae) Synonym(s): *hersaleki* Dickson,1970
 33644) *Chrysoritis* (s.str.) *pyroeis pyroeis* (Trimen,1864) (Lycaenidae) Synonym(s): *pyroeis* Trimen,1864

- 33645) *Chrysoritis* (s.str.) *zeuxo* (Linnaeus,1764) (Lycaenidae) Synonym(s): *zeuxo* Linnaeus,1764
 33646) *Chrysoritis* (s.str.) *zonarius* (Riley,1938) (Lycaenidae) Synonym(s): *zonarius* Riley,1938
 33647) *Chrysozephyrus* *assamicus* (Tytler,1915) (Lycaenidae) Synonym(s): *assamicus* Tytler,1915
 33648) *Chrysozephyrus* *atabyrius* (Oberthür,1913) (Lycaenidae) Synonym(s): *atabyrius* Oberthür,1913
 33649) *Chrysozephyrus* *aurorinus* (Oberthür,1880) (Lycaenidae) Synonym(s): *aurorinus* Oberthür,1880; *evanidus* Murayama,1947
 33650) *Chrysozephyrus* *aurorinus alpinus* (Murayama,1955) (Lycaenidae) Synonym(s): *alpinus* Murayama,1955
 33651) *Chrysozephyrus* *aurorinus kansaiensis* (Murayama,1955) (Lycaenidae) Synonym(s): *kansaiensis* Murayama,1955
 33652) *Chrysozephyrus* *bhutanensis* (Howarth,1957) (Lycaenidae) Synonym(s): *bhutanensis* Howarth,1957
 33653) *Chrysozephyrus* *birupa* (Moore,1877) (Lycaenidae) Synonym(s): *birupa* Moore,1877
 33654) *Chrysozephyrus* *birupa birupa* (Moore,1877) (Lycaenidae) Synonym(s): *birupa* Moore,1877
 33655) *Chrysozephyrus* *chinensis* (Howarth,1957) (Lycaenidae) Synonym(s): *chinensis* Howarth,1957
 33656) *Chrysozephyrus* *desgodinsi* (Oberthür,1886) (Lycaenidae) Synonym(s): *desgodinsi* Oberthür,1886; *nishikaze* Araki & Sibatani,1941
 33657) *Chrysozephyrus* *desgodinsi desgodinsi* (Oberthür,1886) (Lycaenidae) Synonym(s): *desgodinsi* Oberthür,1886
 33658) *Chrysozephyrus* *desgodinsi dumoides* (Tytler,1915) (Lycaenidae) Synonym(s): *dumoides* Tytler,1915
 33659) *Chrysozephyrus* *disparatus* (Howarth,1957) (Lycaenidae) Synonym(s): *disparatus* Howarth,1957
 33660) *Chrysozephyrus* *disparatus interpositus* (Howarth,1957) (Lycaenidae) Synonym(s): *interpositus* Howarth,1957
 33661) *Chrysozephyrus* *disparatus pseudoletus* (Howarth,1957) (Lycaenidae) Synonym(s): *pseudoletus* Howarth,1957
 33662) *Chrysozephyrus* *disparatus pseudotaiwanus* (Howarth,1957) (Lycaenidae) Synonym(s): *pseudotaiwanus* Howarth,1957
 33663) *Chrysozephyrus* *dubernardi* (N.D.Riley,1939) (Lycaenidae) Synonym(s): *dubernardi* N.D.Riley,1939
 33664) *Chrysozephyrus* *formosanus* (Esaki,1932) (Lycaenidae) Synonym(s): *formosanus* Esaki,1932; *esakii* Sonan,1940; *teisoi* Sonan,1941; *sanctissima* Araki & Sibatani,1941; *#kappanzanus* Murayama & Shimonoya,1963; *#latilineatus* Murayama & Shimonoya,1963
 33665) *Chrysozephyrus* *hisamatsusanus* (Nagami & Ishiga,1937) (Lycaenidae) Synonym(s): *hisamatsusanus* Nagami & Ishiga,1937
 33666) *Chrysozephyrus* *intermedius* (Tytler,1915) (Lycaenidae) Synonym(s): *intermedia* Tytler,1915
 33667) *Chrysozephyrus* *jakamensis* (Tytler,1915) (Lycaenidae) Synonym(s): *jakamensis* Tytler,1915
 33668) *Chrysozephyrus* *kabura* (Tytler,1915) (Lycaenidae) Synonym(s): *kabura* Tytler,1915; *#kabrua* D'Abbrera,1986
 33669) *Chrysozephyrus* *kabura kabura* (Tytler,1915) (Lycaenidae) Synonym(s): *kabura* Tytler,1915; *#kabrua* D'Abbrera,1986
 33670) *Chrysozephyrus* *kabura niitakanus* (Kano,1928) (Lycaenidae) Synonym(s): *niitakanus* Kano,1928; *kanonis* Matsumura,1929; *neidhoeferi* Shimonoya & Murayama,1971
 33671) *Chrysozephyrus* *khasius* (De Nicéville,1890) (Lycaenidae) Synonym(s): *khasius* De Nicéville,1890
 33672) *Chrysozephyrus* *kirbariensis* (Tytler,1915) (Lycaenidae) Synonym(s): *kirbariensis* Tytler,1915
 33673) *Chrysozephyrus* *kirbariensis shakunage* Fujioka,1970 (Lycaenidae) Synonym(s): *shakunage* Fujioka,1970
 33674) *Chrysozephyrus* *marginatus* (Howarth,1957) (Lycaenidae) Synonym(s): *marginatus* Howarth,1957
 33675) *Chrysozephyrus* *mushaellus* (Matsumura,1938) (Lycaenidae) Synonym(s): *mushaellus* Matsumura,1938; *chungianus* Murayama,1958; *hsuehshanus* Murayama & Shimonoya,1969; *mulshengi* Shimonoya & Murayama,1971
 33676) *Chrysozephyrus* *nigroapicalis* (Howarth,1957) (Lycaenidae) Synonym(s): *nigroapicalis* Howarth,1957
 33677) *Chrysozephyrus* *nigroapicalis philipi* Eliot (Lycaenidae) Synonym(s): *philipi* Eliot
 33678) *Chrysozephyrus* *paonus* (Tytler,1915) (Lycaenidae) Synonym(s): *paona* Tytler,1915
 33679) *Chrysozephyrus* *pedius* (Leach,1893) (Lycaenidae) Synonym(s): *pedius* Leach,1893
 33680) *Chrysozephyrus* *rarasanus* (Matsumura,1939) (Lycaenidae) Synonym(s): *rarasanus* Matsumura,1939
 33681) *Chrysozephyrus* *sandersi* (Howarth,1957) (Lycaenidae) Synonym(s): *sandersi* Howarth,1957
 33682) *Chrysozephyrus* *sikkimensis* (Howarth,1957) (Lycaenidae) Synonym(s): *sikkimensis* Howarth,1957
 33683) *Chrysozephyrus* *smaragdinus* (Bremer,1861) (Lycaenidae) Synonym(s): *smaragdina* Bremer,1861
 33684) *Chrysozephyrus* *smaragdinus smaragdinus* (Bremer,1861) (Lycaenidae) Synonym(s): *smaragdina* Bremer,1861
 33685) *Chrysozephyrus* *souleanus* (Riley,1939) (Lycaenidae) Synonym(s): *souleana* Riley,1939
 33686) *Chrysozephyrus* *souleanus souleanus* (Riley,1939) (Lycaenidae) Synonym(s): *souleana* Riley,1939
 33687) *Chrysozephyrus* *splendidulus* Murayama & Shimonoya,1965 (Lycaenidae) Synonym(s): *splendidulus* Murayama & Shimonoya,1965; *#splendidulus* Chen,1974
 33688) *Chrysozephyrus* *surioius* (Tytler,1915) (Lycaenidae) Synonym(s): *surioius* Tytler,1915
 33689) *Chrysozephyrus* *sylus* (Kollar,[1844]) (Lycaenidae) Synonym(s): *syla* Kollar,[1844]
 33690) *Chrysozephyrus* *sylus sylus* (Kollar,[1844]) (Lycaenidae) Synonym(s): *syla* Kollar,[1844]
 33691) *Chrysozephyrus* *tiemushanus* Shirozu & Yamamoto,1959 (Lycaenidae) Synonym(s): *tiemushanus* Shirozu & Yamamoto,1959
 33692) *Chrysozephyrus* *trilokus* (Hannington,1910) (Lycaenidae) Synonym(s): *trilokus* Hannington,1910
 33693) *Chrysozephyrus* *trilokus trilokus* (Hannington,1910) (Lycaenidae) Synonym(s): *trilokus* Hannington,1910
 33694) *Chrysozephyrus* *tytleri* (Howarth,1957) (Lycaenidae) Synonym(s): *tytleri* Howarth,1957
 33695) *Chrysozephyrus* *vittatus* (Tytler,1915) (Lycaenidae) Synonym(s): *vittatus* Tytler,1915
 33696) *Chrysozephyrus* *watsoni* (Evans,1927) (Lycaenidae) Synonym(s): *watsoni* Evans,1927
 33697) *Chrysozephyrus* *yuchingkinus* Murayama & Shimonoya,1965 (Lycaenidae) Synonym(s): *yuchingkinus* Murayama & Shimonoya,1965; *#etsu* D'Abbrera,1986
 33698) *Chrysozephyrus* *zoa* (De Nicéville,1889) (Lycaenidae) Synonym(s): *zoa* De Nicéville,1889
 33699) *Cigaritis* *acamas* (Klug,1834) (Lycaenidae) Synonym(s): *acamas* Klug,1834
 33700) *Cigaritis* *acamas acamas* (Klug,1834) (Lycaenidae) Synonym(s): *acamas* Klug,1834
 33701) *Cigaritis* *acamas bellatrix* (Butler,1886) (Lycaenidae) Synonym(s): *bellatrix* Butler,1886
 33702) *Cigaritis* *acamas chitralensis* (Riley,1925) (Lycaenidae) Synonym(s): *chitralensis* Riley,1925
 33703) *Cigaritis* *acamas cypriaca* (Riley,1925) (Lycaenidae) Synonym(s): *cypriaca* Riley,1925
 33704) *Cigaritis* *acamas divisa* (Rothschild,1915) (Lycaenidae) Synonym(s): *divisa* Rothschild,1915
 33705) *Cigaritis* *acamas egyptiaca* (Riley,1925) (Lycaenidae) Synonym(s): *egyptiaca* Riley,1925
 33706) *Cigaritis* *acamas hypargyros* (Butler,1886) (Lycaenidae) Synonym(s): *hypargyros* Butler,1886
 33707) *Cigaritis* *allardi* Oberthür,1909 (Lycaenidae) Synonym(s): *allardi* Oberthür,1909
 33708) *Cigaritis* *allardi allardi* Oberthür,1909 (Lycaenidae) Synonym(s): *allardi* Oberthür,1909
 33709) *Cigaritis* *allardi estherae* Brévignon,1985 (Lycaenidae) Synonym(s): *estherae* Brévignon,1985
 33710) *Cigaritis* *allardi meridionalis* Riley,1925 (Lycaenidae) Synonym(s): *meridionalis* Riley,1925
 33711) *Cigaritis* *allardi occidentalis* Le Cerf,1923 (Lycaenidae) Synonym(s): *occidentalis* Le Cerf,1923
 33712) *Cigaritis* *apelles* (Oberthür,1878) (Lycaenidae) Synonym(s): *apelles* Oberthür,1878
 33713) *Cigaritis* *apuleia* Hulstaert,1924 (Lycaenidae) Synonym(s): *apuleia* Hulstaert,1924
 33714) *Cigaritis* *avriko* (Karsch,1893) (Lycaenidae) Synonym(s): *avriko* Karsch,1893
 33715) *Cigaritis* *baghirmii* Stempffer,1946 (Lycaenidae) Synonym(s): *baghirmii* Stempffer,1946
 33716) *Cigaritis* *brunnea* Jackson,1966 (Lycaenidae) Synonym(s): *brunnea* Jackson,1966
 33717) *Cigaritis* *buchanani* (Rothschild,1921) (Lycaenidae) Synonym(s): *buchanani* Rothschild,1921
 33718) *Cigaritis* *cilissa* Lederer,1861 (Lycaenidae) Synonym(s): *cilissa* Lederer,1861
 33719) *Cigaritis* *cilissa cilissa* Lederer,1861 (Lycaenidae) Synonym(s): *cilissa* Lederer,1861
 33720) *Cigaritis* *collinsi* Kielland,1980 (Lycaenidae) Synonym(s): *collinsi* Kielland,1980
 33721) *Cigaritis* *crustaria* (Holland,1890) (Lycaenidae) Synonym(s): *crustaria* Holland,1890
 33722) *Cigaritis* *crustaria crustaria* (Holland,1890) (Lycaenidae) Synonym(s): *crustaria* Holland,1890
 33723) *Cigaritis* *crustaria mysteriosa* Clench,1965 (Lycaenidae) Synonym(s): *mysteriosa* Clench,1965
 33724) *Cigaritis* *cynica* Riley,1921 (Lycaenidae) Synonym(s): *cynica* Riley,1921
 33725) *Cigaritis* *dufranei* Bouyer,1991 (Lycaenidae) Synonym(s): *dufranei* Bouyer,1991
 33726) *Cigaritis* *elima* (Moore,1877) (Lycaenidae) Synonym(s): *elima* Moore,1877
 33727) *Cigaritis* *elima elima* (Moore,1877) (Lycaenidae) Synonym(s): *elima* Moore,1877
 33728) *Cigaritis* *elima uniformis* (Moore,1882) (Lycaenidae) Synonym(s): *uniformis* Moore,1882
 33729) *Cigaritis* *ella* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *ella* Hewitson,[1865]; *chaka* Wallengren,1875; *junodi* D'Abbrera,1980.

- 33730) *Cigaritis elwesi* (Riley,1925) (Lycaenidae) Synonym(s): *elwesi* Riley,1925
 33731) *Cigaritis elwesi elwesi* (Riley,1925) (Lycaenidae) Synonym(s): *elwesi* Riley,1925
 33732) *Cigaritis epargyros* (Eversmann,1854) (Lycaenidae) Synonym(s): *epargyros* Eversmann,1854
 33733) *Cigaritis epargyros epargyros* (Eversmann,1854) (Lycaenidae) Synonym(s): *epargyros* Eversmann,1854
 33734) *Cigaritis epargyros marginalis* Riley,1921 (Lycaenidae) Synonym(s): *marginalis* Riley,1921
 33735) *Cigaritis epargyros transcaspica* Staudinger,1901 (Lycaenidae) Synonym(s): *transcaspica* Staudinger,1901
 33736) *Cigaritis gilletti* (Riley,1925) (Lycaenidae) Synonym(s): *gilletti* Riley,1925
 33737) *Cigaritis gilletti gilletti* (Riley,1925) (Lycaenidae) Synonym(s): *gilletti* Riley,1925
 33738) *Cigaritis homeyeri* (Dewitz,1887) (Lycaenidae) Synonym(s): *homeyeri* Dewitz,1887; *kallimon* Druce,1887; *#fracta* Stempffer,1948
 33739) *Cigaritis ictis* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *ictis* Hewitson,[1865]
 33740) *Cigaritis ictis ictis* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *ictis* Hewitson,[1865]
 33741) *Cigaritis iza* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *iza* Hewitson,[1865]
 33742) *Cigaritis kutu* Corbet,1940 (Lycaenidae) Synonym(s): *kutu* Corbet,1940
 33743) *Cigaritis kutu kutu* Corbet,1940 (Lycaenidae) Synonym(s): *kutu* Corbet,1940
 33744) *Cigaritis lilacina* (Moore,1884) (Lycaenidae) Synonym(s): *lilacina* Moore,1884
 33745) *Cigaritis lilacina lilacina* (Moore,1884) (Lycaenidae) Synonym(s): *lilacina* Moore,1884
 33746) *Cigaritis lohita* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *lohita* Horsfield,[1829]
 33747) *Cigaritis lohita himalayanus* (Moore,1884) (Lycaenidae) Synonym(s): *himalayanus* Moore,1884
 33748) *Cigaritis lohita lohita* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *lohita* Horsfield,[1829]
 33749) *Cigaritis lohita senama* (Fruhstorfer,[1912]) (Lycaenidae) Synonym(s): *senama* Fruhstorfer,[1912]
 33750) *Cigaritis lohita zebrinus* (Moore,1884) (Lycaenidae) Synonym(s): *zebrinus* Moore,1884; *milleri* Corbet,1940
 33751) *Cigaritis lutosus* (Plötz,1880) (Lycaenidae) Synonym(s): *lutosus* Plötz,1880
 33752) *Cigaritis maxima* (Elwes,1892) (Lycaenidae) Synonym(s): *maxima* Elwes,1892
 33753) *Cigaritis maxima maxima* (Elwes,1892) (Lycaenidae) Synonym(s): *maxima* Elwes,1892
 33754) *Cigaritis menelas* Druce,1907 (Lycaenidae) Synonym(s): *menelas* Druce,1907
 33755) *Cigaritis modesta* (Trimen,1891) (Lycaenidae) Synonym(s): *modesta* Trimen,1891
 33756) *Cigaritis modesta heathi* D'Abrera,1980 (Lycaenidae) Synonym(s): *heathi* D'Abrera,1980
 33757) *Cigaritis modesta modesta* (Trimen,1891) (Lycaenidae) Synonym(s): *modesta* Trimen,1891
 33758) *Cigaritis montana* Joicey & Talbot,1924 (Lycaenidae) Synonym(s): *montana* Joicey & Talbot,1924
 33759) *Cigaritis mozambica* (Bertolini,1850) (Lycaenidae) Synonym(s): *mozambica* Bertolini,1850; *caffer* Trimen,1868.
 33760) *Cigaritis myrmecophila* Dumont,1922 (Lycaenidae) Synonym(s): *myrmecophila* Dumont,1922
 33761) *Cigaritis myrmecophila farsica* (Rose & Schurian,1977) (Lycaenidae) Synonym(s): *farsica* Rose & Schurian,1977
 33762) *Cigaritis myrmecophila myrmecophila* Dumont,1922 (Lycaenidae) Synonym(s): *myrmecophila* Dumont,1922
 33763) *Cigaritis nairobiensis* Sharpe,1904 (Lycaenidae) Synonym(s): *nairobiensis* Sharpe,1904
 33764) *Cigaritis namaqua* (Trimen,1874) (Lycaenidae) Synonym(s): *namaqua* Trimen,1874
 33765) *Cigaritis natalensis* (Westwood,[1851]) (Lycaenidae) Synonym(s): *natalensis* Westwood,[1851]; *masilikazi* Wallengren,1857; *#obscura* Aurivillius,1923
 33766) *Cigaritis natalensis natalensis* (Westwood,[1851]) (Lycaenidae) Synonym(s): *natalensis* Westwood,[1851]; *masilikazi* Wallengren,1857; *#obscura* Aurivillius,1923
 33767) *Cigaritis nilus* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *nilus* Hewitson,[1865]; *subaureus* Smith,1898; *kaduglii* Bethune-Baker,1916.
 33768) *Cigaritis nilus nilus* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *nilus* Hewitson,[1865]; *subaureus* Smith,1898; *kaduglii* Bethune-Baker,1916.
 33769) *Cigaritis nipalicus* (Moore,1884) (Lycaenidae) Synonym(s): *nipalicus* Moore,1884
 33770) *Cigaritis nipalicus nipalicus* (Moore,1884) (Lycaenidae) Synonym(s): *nipalicus* Moore,1884
 33771) *Cigaritis nyassae* (Butler,1884) (Lycaenidae) Synonym(s): *nyassae* Butler,1884
 33772) *Cigaritis phanes* (Trimen,1873) (Lycaenidae) Synonym(s): *phanes* Trimen,1873; *erna* Staudinger,1888; *#phanis* Swierstra,1909
 33773) *Cigaritis pinheyi* Heath,1983 (Lycaenidae) Synonym(s): *pinheyi* Heath,1983
 33774) *Cigaritis scotti* Gabriel,1954 (Lycaenidae) Synonym(s): *scotti* Gabriel,1954
 33775) *Cigaritis scotti scotti* Gabriel,1954 (Lycaenidae) Synonym(s): *scotti* Gabriel,1954
 33776) *Cigaritis seliga* (Fruhstorfer,[1912]) (Lycaenidae) Synonym(s): *seliga* Fruhstorfer,[1912]
 33777) *Cigaritis seliga seliga* (Fruhstorfer,[1912]) (Lycaenidae) Synonym(s): *seliga* Fruhstorfer,[1912]
 33778) *Cigaritis shaba* Bouyer,1991 (Lycaenidae) Synonym(s): *shaba* Bouyer,1991
 33779) *Cigaritis siphax* Lucas,1849 (Lycaenidae) Synonym(s): *siphax* Lucas,1849
 33780) *Cigaritis siphax siphax* Lucas,1849 (Lycaenidae) Synonym(s): *siphax* Lucas,1849
 33781) *Cigaritis somalina* Butler,1885 (Lycaenidae) Synonym(s): *somalina* Butler,1885
 33782) *Cigaritis somalina somalina* Butler,1885 (Lycaenidae) Synonym(s): *somalina* Butler,1885
 33783) *Cigaritis syama* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *syama* Horsfield,[1829]
 33784) *Cigaritis syama negrita* C.Felder,1862 (Lycaenidae) Synonym(s): *negrita* C.Felder,1862
 33785) *Cigaritis syama peguanus* (Moore,1884) (Lycaenidae) Synonym(s): *peguanus* Moore,1884
 33786) *Cigaritis syama syama* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *syama* Horsfield,[1829]
 33787) *Cigaritis syama terana* (Fruhstorfer,[1912]) (Lycaenidae) Synonym(s): *terana* Fruhstorfer,[1912]
 33788) *Cigaritis tanganyikae* Kielland,1990 (Lycaenidae) Synonym(s): *tanganyikae* Kielland,1990
 33789) *Cigaritis tanganyikae tanganyikae* Kielland,1990 (Lycaenidae) Synonym(s): *tanganyikae* Kielland,1990
 33790) *Cigaritis tavetensis* Lathy,1906 (Lycaenidae) Synonym(s): *tavetensis* Lathy,1906
 33791) *Cigaritis tavetensis tavetensis* Lathy,1906 (Lycaenidae) Synonym(s): *tavetensis* Lathy,1906
 33792) *Cigaritis trimeni* Neave,1910 (Lycaenidae) Synonym(s): *trimeni* Neave,1910
 33793) *Cigaritis trimeni congolana* Dufrane,1954 (Lycaenidae) Synonym(s): *congolana* Dufrane,1954
 33794) *Cigaritis trimeni trimeni* Neave,1910 (Lycaenidae) Synonym(s): *trimeni* Neave,1910
 33795) *Cigaritis uighurica* Kemal & Koçak,2005 (Lycaenidae) Synonym(s): *maxima* Staudinger,1901 nec Elw.,1892; *uighurica* Kemal & Koçak,2005
 33796) *Cigaritis uighurica uighurica* Kemal & Koçak,2005 (Lycaenidae) Synonym(s): *maxima* Staudinger,1901 nec Elw.,1892; *uighurica* Kemal & Koçak,2005
 33797) *Cigaritis victoriae* (Butler,1884) (Lycaenidae) Synonym(s): *victoriae* Butler,1884
 33798) *Cigaritis victoriae victoriae* (Butler,1884) (Lycaenidae) Synonym(s): *victoriae* Butler,1884
 33799) *Cigaritis vixinga* (Hewitson,1875) (Lycaenidae) Synonym(s): *vixinga* Hewitson,1875
 33800) *Cigaritis vixinga davidsoni* Talbot,1936 (Lycaenidae) Synonym(s): *davidsoni* Talbot,1936
 33801) *Cigaritis vixinga vixinga* (Hewitson,1875) (Lycaenidae) Synonym(s): *vixinga* Hewitson,1875
 33802) *Cigaritis vulcanus* (Fabricius,1775) (Lycaenidae) Synonym(s): *vulcanus* Fabricius,1775
 33803) *Cigaritis vulcanus tavoyanus* (Evans,1925) (Lycaenidae) Synonym(s): *tavoyanus* Evans,1925
 33804) *Cigaritis vulcanus vulcanus* (Fabricius,1775) (Lycaenidae) Synonym(s): *vulcanus* Fabricius,1775
 33805) *Cigaritis zohra* Donzel,1847 (Lycaenidae) Synonym(s): *zohra* Donzel,1847; *#massinissa* Lucas,1847
 33806) *Cigaritis zohra jugurtha* Oberthür,1876 (Lycaenidae) Synonym(s): *jugurtha* Oberthür,1876
 33807) *Cigaritis zohra littoralis* Riley,1925 (Lycaenidae) Synonym(s): *littoralis* Riley,1925
 33808) *Cigaritis zohra orientalis* Riley,1925 (Lycaenidae) Synonym(s): *orientalis* Riley,1925
 33809) *Cigaritis zohra zohra* Donzel,1847 (Lycaenidae) Synonym(s): *zohra* Donzel,1847; *#massinissa* Lucas,1847.
 33810) *Citrinophila bennetti* Jackson,1967 (Lycaenidae) Synonym(s): *bennetti* Jackson,1967
 33811) *Citrinophila erastus* (Hewitson,1866) (Lycaenidae) Synonym(s): *erastus* Hewitson,1866; *erastus* Kirby,1887; *flaveola* Kirby,1887
 33812) *Citrinophila erastus erastus* (Hewitson,1866) (Lycaenidae) Synonym(s): *erastus* Hewitson,1866; *erastus* Kirby,1887; *flaveola* Kirby,1887
 33813) *Citrinophila erastus pallida* Hawker-Smith,1933 (Lycaenidae) Synonym(s): *pallida* Hawker-Smith,1933
 33814) *Citrinophila marginalis* Kirby,1887 (Lycaenidae) Synonym(s): *marginalis* Kirby,1887; *serena* Kirby,1890; *pusio* Grose-Smith,1898
 33815) *Citrinophila similis* (Kirby,1887) (Lycaenidae) Synonym(s): *similis* Kirby,1887
 33816) *Citrinophila tenera* (Kirby,1887) (Lycaenidae) Synonym(s): *tenera* Kirby,1887; *limbata* Kirby,1887
 33817) *Citrinophila terias* Joicey & Talbot,1921 (Lycaenidae) Synonym(s): *terias* Joicey & Talbot,1921; *regularis* Schultz,1923

- 33818) *Citrinophila unipunctata* Bethune-Baker, 1908 (Lycaenidae) Synonym(s): *unipunctata* Bethune-Baker, 1908
 33819) *Cnodontes pallida* (Trimen, 1898) (Lycaenidae) Synonym(s): *pallida* Trimen, 1898
 33820) *Cnodontes penningtoni* Bennett, 1954 (Lycaenidae) Synonym(s): *penningtoni* Bennett, 1954
 33821) *Cnodontes vansomeri* Stempffer & Bennett, 1953 (Lycaenidae) Synonym(s): *vansomeri* Stempffer & Bennett, 1953
 33822) *Cnodontes vansoni* Stempffer & Bennett, 1956 (Lycaenidae) Synonym(s): *vansoni* Stempffer & Bennett, 1956
 33823) *Cooksonia aliciae* Talbot, 1935 (Lycaenidae) Synonym(s): *aliciae* Talbot, 1935
 33824) *Cooksonia neavei* (Druce, 1912) (Lycaenidae) Synonym(s): *neavei* Druce, 1912
 33825) *Cooksonia neavei neavei* (Druce, 1912) (Lycaenidae) Synonym(s): *neavei* Druce, 1912
 33826) *Cooksonia neavei rhodesiae* Pinhey, 1962 (Lycaenidae) Synonym(s): *rhodesiae* Pinhey, 1962
 33827) *Cooksonia trimeni* Druce, 1905 (Lycaenidae) Synonym(s): *trimeni* Druce, 1905
 33828) *Cooksonia trimeni terpsichore* Talbot, 1935 (Lycaenidae) Synonym(s): *terpsichore* Talbot, 1935
 33829) *Cooksonia trimeni trimeni* Druce, 1905 (Lycaenidae) Synonym(s): *trimeni* Druce, 1905
 33830) *Cordelia comes* (Leech, 1890) (Lycaenidae) Synonym(s): *comes* Leech, 1890
 33831) *Cordelia comes wilemaniella* (Matsumura, 1929) (Lycaenidae) Synonym(s): *wilemaniella* Matsumura, 1929
 33832) *Coreana raphaelis* (Oberthür, 1880) (Lycaenidae) Synonym(s): *raphaelis* Oberthür, 1880
 33833) *Coreana raphaelis raphaelis* (Oberthür, 1880) (Lycaenidae) Synonym(s): *raphaelis* Oberthür, 1880
 33834) *Cowania achaja* (Fruhstorfer, [1912]) (Lycaenidae) Synonym(s): *achaja* Fruhstorfer, [1912]
 33835) *Creon cleobis* (Godart, [1824]) (Lycaenidae) Synonym(s): *cleobis* Godart, [1824]
 33836) *Creon cleobis cleobis* (Godart, [1824]) (Lycaenidae) Synonym(s): *cleobis* Godart, [1824]
 33837) *Creon cleobis queda* (Corbet, 1938) (Lycaenidae) Synonym(s): *queda* Corbet, 1938; *pendleburyi* Corbet, 1940
 33838) *Crudaria capensis* Van Son, 1956 (Lycaenidae) Synonym(s): *capensis* Van Son, 1956
 33839) *Crudaria leroma* (Wallengren, 1857) (Lycaenidae) Synonym(s): *leroma* Wallengren, 1857; *zorites* Hewitson, 1874; *delagoensis* Sharpe, 1891; *#albomaculata* Aurivillius, 1923.
 33840) *Crudaria wykehami* Dickson, 1983 (Lycaenidae) Synonym(s): *wykehami* Dickson, 1983
 33841) *Cupidesthes albida* (Aurivillius, 1923) (Lycaenidae) Synonym(s): *albida* Aurivillius, 1923
 33842) *Cupidesthes arescopia* Bethune-Baker, 1910 (Lycaenidae) Synonym(s): *arescopia* Bethune-Baker, 1910; *hilarion* Hulstaert, 1924
 33843) *Cupidesthes arescopia arescopia* Bethune-Baker, 1910 (Lycaenidae) Synonym(s): *arescopia* Bethune-Baker, 1910; *hilarion* Hulstaert, 1924
 33844) *Cupidesthes arescopia orientalis* (Stempffer, 1962) (Lycaenidae) Synonym(s): *orientalis* Stempffer, 1962
 33845) *Cupidesthes caerulea* Jackson, 1966 (Lycaenidae) Synonym(s): *caerulea* Jackson, 1966
 33846) *Cupidesthes cuprifascia* Joicey & Talbot, 1921 (Lycaenidae) Synonym(s): *cuprifascia* Joicey & Talbot, 1921
 33847) *Cupidesthes irumu* Stempffer, 1948 (Lycaenidae) Synonym(s): *irumu* Stempffer, 1948
 33848) *Cupidesthes jacksoni* Stempffer, 1969 (Lycaenidae) Synonym(s): *jacksoni* Stempffer, 1969
 33849) *Cupidesthes leonina* (Bethune-Baker, 1903) (Lycaenidae) Synonym(s): *leonina* Bethune-Baker, 1903
 33850) *Cupidesthes lithas* (Druce, 1890) (Lycaenidae) Synonym(s): *lithas* Druce, 1890
 33851) *Cupidesthes mimetica* (Druce, 1910) (Lycaenidae) Synonym(s): *mimetica* Druce, 1910; *mimetica* Bethune-Baker, 1910
 33852) *Cupidesthes minor* Joicey & Talbot, 1921 (Lycaenidae) Synonym(s): *minor* Joicey & Talbot, 1921
 33853) *Cupidesthes paludicola* (Holland, 1891) (Lycaenidae) Synonym(s): *paludicola* Holland, 1891; *brunneus* Grose-Smith & Kirby, 1897
 33854) *Cupidesthes paralithas* Bethune-Baker, 1926 (Lycaenidae) Synonym(s): *paralithas* Bethune-Baker, 1926
 33855) *Cupidesthes robusta* Aurivillius, 1895 (Lycaenidae) Synonym(s): *robusta* Aurivillius, 1895
 33856) *Cupidesthes thyrsis* (Kirby, 1878) (Lycaenidae) Synonym(s): *thyrsis* Kirby, 1878
 33857) *Cupidesthes vidua* Talbot, 1929 (Lycaenidae) Synonym(s): *vidua* Talbot, 1929
 33858) *Cupidesthes voltae* Sharpe, 1890 (Lycaenidae) Synonym(s): *voltae* Sharpe, 1890
 33859) *Cupidesthes voltae gabunica* (Aurivillius, 1898) (Lycaenidae) Synonym(s): *gabunica* Aurivillius, 1898
 33860) *Cupidesthes voltae voltae* Sharpe, 1890 (Lycaenidae) Synonym(s): *voltae* Sharpe, 1890
 33861) *Cupidesthes voltae ysobelae* Jackson, 1966 (Lycaenidae) Synonym(s): *ysobelae* Jackson, 1966
 33862) *Cupido* (Everes) *acaudata* (Lee, 1963) (Lycaenidae) Synonym(s): *acaudata* Lee, 1963
 33863) *Cupido* (Everes) *acaudata acaudata* (Lee, 1963) (Lycaenidae) Synonym(s): *acaudata* Lee, 1963
 33864) *Cupido* (Everes) *alcetas* (Hoffmannsegg, 1804) (Lycaenidae) Synonym(s): *tiresias* Hübner, [1800] *nec tiresias* Rottemburg, 1775; *alcetas* Hoffmannsegg, 1804; *coretas* Ochseneheimer, 1808.
 33865) *Cupido* (Everes) *alcetas alcetas* (Hoffmannsegg, 1804) (Lycaenidae) Synonym(s): *tiresias* Hübner, [1800] *nec tiresias* Rottemburg, 1775; *alcetas* Hoffmannsegg, 1804; *coretas* Ochseneheimer, 1808.
 33866) *Cupido* (Everes) *alcetas dilutior* (Verity, 1934) (Lycaenidae) Synonym(s): *dilutior* Verity, 1934
 33867) *Cupido* (Everes) *argiades* (Pallas, 1771) (Lycaenidae) Synonym(s): *argiades* Pallas, 1771; *tiresias* Rottemburg, 1775; *amyntas* [Denis & Schiffermüller], 1775 *nec* Poda, 1761; *irenae* Dujardin, 1974.
 33868) *Cupido* (Everes) *argiades argiades* (Pallas, 1771) (Lycaenidae) Synonym(s): *argiades* Pallas, 1771; *tiresias* Rottemburg, 1775; *amyntas* [Denis & Schiffermüller], 1775 *nec* Poda, 1761; *irenae* Dujardin, 1974.
 33869) *Cupido* (Everes) *argiades hellotia* (Ménétrières, 1857) (Lycaenidae) Synonym(s): *hellotia* Ménétrières, 1857; *#bellotia* Kirby, 1871.
 33870) *Cupido* (Everes) *argiades indica* (Evans, 1932) (Lycaenidae) Synonym(s): *indica* Evans, 1932
 33871) *Cupido* (Everes) *argiades seitzii* (Wnukowsky, 1928) (Lycaenidae) Synonym(s): *seitzii* Wnukowsky, 1928
 33872) *Cupido* (Everes) *decolor* (Staudinger, 1886) (Lycaenidae) Synonym(s): *decolor* Staudinger, 1886
 33873) *Cupido* (Everes) *decolor decolor* (Staudinger, 1886) (Lycaenidae) Synonym(s): *decolor* Staudinger, 1886
 33874) *Cupido* (Everes) *decoloratus* (Staudinger, 1886) (Lycaenidae) Synonym(s): *decoloratus* Staudinger, 1886
 33875) *Cupido* (Everes) *decoloratus decoloratus* (Staudinger, 1886) (Lycaenidae) Synonym(s): *decoloratus* Staudinger, 1886
 33876) *Cupido* (Everes) *dipora* (Moore, 1865) (Lycaenidae) Synonym(s): *dipora* Moore, 1865
 33877) *Cupido* (Everes) *dipora dipora* (Moore, 1865) (Lycaenidae) Synonym(s): *dipora* Moore, 1865
 33878) *Cupido* (Everes) *diporides* Chapman, 1908 (Lycaenidae) Synonym(s): *diporides* Chapman, 1908
 33879) *Cupido* (Everes) *diporides diporides* Chapman, 1908 (Lycaenidae) Synonym(s): *diporides* Chapman, 1908
 33880) *Cupido* (Everes) *lacturnus* (Godart, [1824]) (Lycaenidae) Synonym(s): *lacturnus* Godart, [1824]
 33881) *Cupido* (Everes) *lacturnus lacturnus* (Godart, [1824]) (Lycaenidae) Synonym(s): *lacturnus* Godart, [1824]
 33882) *Cupido* (Everes) *lacturnus rileyi* (Godfrey, 1916) (Lycaenidae) Synonym(s): *rileyi* Godfrey, 1916
 33883) *Cupido* (Everes) *shandura* (Evans, 1932) (Lycaenidae) Synonym(s): *shandura* Evans, 1932
 33884) *Cupido* (Everes) *shandura shandura* (Evans, 1932) (Lycaenidae) Synonym(s): *shandura* Evans, 1932
 33885) *Cupido* (Sinocupido) *lokiangensis* (Lee, 1963) (Lycaenidae) Synonym(s): *lokiangensis* Lee, 1963
 33886) *Cupido* (Sinocupido) *lokiangensis lokiangensis* (Lee, 1963) (Lycaenidae) Synonym(s): *lokiangensis* Lee, 1963
 33887) *Cupido* (s.str.) *alainus* (Staudinger, 1887) (Lycaenidae) Synonym(s): *alainus* Staudinger, 1887
 33888) *Cupido* (s.str.) *alainus alainus* (Staudinger, 1887) (Lycaenidae) Synonym(s): *alainus* Staudinger, 1887
 33889) *Cupido* (s.str.) *buddhista* (Alpheraky, 1881) (Lycaenidae) Synonym(s): *buddhista* Alpheraky, 1881; *balinti* D'Abrera, 1993
 33890) *Cupido* (s.str.) *buddhista buddhista* (Alpheraky, 1881) (Lycaenidae) Synonym(s): *buddhista* Alpheraky, 1881; *balinti* D'Abrera, 1993.
 33891) *Cupido* (s.str.) *carswelli* Stempffer, 1927 (Lycaenidae) Synonym(s): *carswelli* Stempffer, 1927
 33892) *Cupido* (s.str.) *carswelli carswelli* Stempffer, 1927 (Lycaenidae) Synonym(s): *carswelli* Stempffer, 1927
 33893) *Cupido* (s.str.) *gisela* (Püngeler, 1901) (Lycaenidae) Synonym(s): *gisela* Püngeler, 1901
 33894) *Cupido* (s.str.) *gisela gisela* (Püngeler, 1901) (Lycaenidae) Synonym(s): *gisela* Püngeler, 1901
 33895) *Cupido* (s.str.) *lorquini* (Herrich-Schäffer, [1851]) (Lycaenidae) Synonym(s): *lorquini* Herrich-Schäffer, [1851]
 33896) *Cupido* (s.str.) *lorquini lorquini* (Herrich-Schäffer, [1851]) (Lycaenidae) Synonym(s): *lorquini* Herrich-Schäffer, [1851]
 33897) *Cupido* (s.str.) *minimus* (Fuessly, 1775) (Lycaenidae) Synonym(s): *minimus* Fuessly, 1775; *alsus* [Denis & Schiffermüller], 1775; *pseudolus* Bersträßer, [1779]; *puer* Schrank, 1801.
 33898) *Cupido* (s.str.) *minimus albocilia* Oorschot et al., 1984 (Lycaenidae) Synonym(s): *albocilia* Oorschot et al., 1984
 33899) *Cupido* (s.str.) *minimus alsoides* (Gerhard, [1851]) (Lycaenidae) Synonym(s): *alsoides* Gerhard, [1851]
 33900) *Cupido* (s.str.) *minimus magnus* (Staudinger, 1892) (Lycaenidae) Synonym(s): *magnus* Staudinger, 1892

- 33901) *Cupido* (s.str.) *minimus minimus* (Fuessly,1775) (Lycaenidae) Synonym(s): *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801.
- 33902) *Cupido* (s.str.) *minimus noguerae* Haig-Thomas,1929 (Lycaenidae) Synonym(s): *noguerae* Haig-Thomas,1929
- 33903) *Cupido* (s.str.) *minimus trinacrae* Verity,1919 (Lycaenidae) Synonym(s): *trinacrae* Verity,1919
- 33904) *Cupido* (s.str.) *minimus tuzovi* Zhdanko,1994 (Lycaenidae) Synonym(s): *tuzovi* Zhdanko,1994; *tusovi* Lukhtanov,1994.
- 33905) *Cupido* (s.str.) *osiris* (Meigen,[1829]) (Lycaenidae) Synonym(s): *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833].
- 33906) *Cupido* (s.str.) *osiris bernardiana* Beuret,1957 (Lycaenidae) Synonym(s): *bernardiana* Beuret,1957
- 33907) *Cupido* (s.str.) *osiris majuspunctata* (Verity,1934) (Lycaenidae) Synonym(s): *majuspunctata* Verity,1934.
- 33908) *Cupido* (s.str.) *osiris osiris* (Meigen,[1829]) (Lycaenidae) Synonym(s): *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833].
- 33909) *Cupido* (s.str.) *pakistanus* Salk & Weiss,1998 (Lycaenidae) Synonym(s): *pakistanus* Salk & Weiss,1998; ? *shandura* Evans,1912
- 33910) *Cupido* (s.str.) *pakistanus pakistanus* Salk & Weiss,1998 (Lycaenidae) Synonym(s): *pakistanus* Salk & Weiss,1998; ? *shandura* Evans,1912
- 33911) *Cupido* (s.str.) *prosecusa* (Erschoff,1874) (Lycaenidae) Synonym(s): *prosecusa* Erschoff,1874
- 33912) *Cupido* (s.str.) *prosecusa duplex* (Alpheraky,1889) (Lycaenidae) Synonym(s): *duplex* Alpheraky,1889
- 33913) *Cupido* (s.str.) *prosecusa korlana* (Staudinger,1901) (Lycaenidae) Synonym(s): *korlana* Staudinger,1901
- 33914) *Cupido* (s.str.) *prosecusa prosecusa* (Erschoff,1874) (Lycaenidae) Synonym(s): *prosecusa* Erschoff,1874
- 33915) *Cupido* (s.str.) *staudingeri* (Christoph,1873) (Lycaenidae) Synonym(s): *staudingeri* Christoph,1873
- 33916) *Cupido* (s.str.) *staudingeri staudingeri* (Christoph,1873) (Lycaenidae) Synonym(s): *staudingeri* Christoph,1873
- 33917) *Cupidopsis cissus* (Godart,[1824]) (Lycaenidae) Synonym(s): *cissus* Godart,[1824]; *catharina* Trimen,1862; *abberans* Butler,1878; *#albiradiatus* Stoneham,1938; *#immaculatus* Stoneham,1938.
- 33918) *Cupidopsis jobates* (Hopffer,1855) (Lycaenidae) Synonym(s): *jobates* Hopffer,1855; *siwani* Trimen,1862; *#conjugens* Strand,1912; *#ochreopuncta* Aurivillius,1925.
- 33919) *Cupidopsis jobates jobates* (Hopffer,1855) (Lycaenidae) Synonym(s): *jobates* Hopffer,1855; *siwani* Trimen,1862; *#conjugens* Strand,1912; *#ochreopuncta* Aurivillius,1925.
- 33920) *Cupidopsis jobates uranochroa* Ungemach,1932 (Lycaenidae) Synonym(s): *uranochroa* Ungemach,1932
- 33921) *Cupidopsis mauritanica* Riley,1932 (Lycaenidae) Synonym(s): *mauritanica* Riley,1932
- 33922) *Curetis acuta* Moore,1877 (Lycaenidae) Synonym(s): *acuta* Moore,1877
- 33923) *Curetis acuta acuta* Moore,1877 (Lycaenidae) Synonym(s): *acuta* Moore,1877
- 33924) *Curetis acuta formosana* Fruhstorfer (Lycaenidae) Synonym(s):
- 33925) *Curetis acuta naga* Evans,1954 (Lycaenidae) Synonym(s): *naga* Evans,1954
- 33926) *Curetis angulata* Moore,1883 (Lycaenidae) Synonym(s): *angulata* Moore,1883
- 33927) *Curetis angulata angulata* Moore,1883 (Lycaenidae) Synonym(s): *angulata* Moore,1883
- 33928) *Curetis brunnea* Wileman,1909 (Lycaenidae) Synonym(s): *brunnea* Wileman,1909
- 33929) *Curetis bulis* (Westwood,[1851]) (Lycaenidae) Synonym(s): *bulis* Westwood,[1851]
- 33930) *Curetis bulis bulis* (Westwood,[1851]) (Lycaenidae) Synonym(s): *bulis* Westwood,[1851]
- 33931) *Curetis bulis doxa* Evans,1954 (Lycaenidae) Synonym(s): *doxa* Evans,1954
- 33932) *Curetis bulis stigmata* (Moore,1879) (Lycaenidae) Synonym(s): *stigmata* Moore,1879; *niasia* Fruhstorfer,1908
- 33933) *Curetis dentata* Moore,1879 (Lycaenidae) Synonym(s): *dentata* Moore,1879
- 33934) *Curetis dentata denta* Evans,1954 (Lycaenidae) Synonym(s): *denta* Evans,1954
- 33935) *Curetis dentata dentata* Moore,1879 (Lycaenidae) Synonym(s): *dentata* Moore,1879
- 33936) *Curetis felderi* Distant,1884 (Lycaenidae) Synonym(s): *felderi* Distant,1884; *gabrielii* Corbet,1937
- 33937) *Curetis felderi felderi* Distant,1884 (Lycaenidae) Synonym(s): *felderi* Distant,1884; *gabrielii* Corbet,1937
- 33938) *Curetis freda* Eliot,1959 (Lycaenidae) Synonym(s): *freda* Eliot,1959
- 33939) *Curetis freda freda* Eliot,1959 (Lycaenidae) Synonym(s): *freda* Eliot,1959
- 33940) *Curetis insularis* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *insularis* Horsfield,[1829]
- 33941) *Curetis insularis insularis* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *insularis* Horsfield,[1829]
- 33942) *Curetis insularis pseudoinularis* Fruhstorfer,1908 (Lycaenidae) Synonym(s): *pseudoinularis* Fruhstorfer,1908
- 33943) *Curetis nesophila* (C.Felder & R.Felder,1862) (Lycaenidae) Synonym(s): *nesophila* C.Felder & R.Felder,1862
- 33944) *Curetis regula* Evans,1954 (Lycaenidae) Synonym(s): *regula* Evans,1954
- 33945) *Curetis regula regula* Evans,1954 (Lycaenidae) Synonym(s): *regula* Evans,1954
- 33946) *Curetis santana* (Moore,[1858]) (Lycaenidae) Synonym(s): *santana* Moore,[1858]
- 33947) *Curetis santana ge* Fruhstorfer (Lycaenidae) Synonym(s):
- 33948) *Curetis santana malayica* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *malayica* C.Felder & R.Felder,[1865]; *honestia* Fruhstorfer,1908
- 33949) *Curetis santana santana* (Moore,[1858]) (Lycaenidae) Synonym(s): *santana* Moore,[1858]
- 33950) *Curetis saronis* Moore,1877 (Lycaenidae) Synonym(s): *saronis* Moore,1877
- 33951) *Curetis saronis indosinica* Fruhstorfer,1908 (Lycaenidae) Synonym(s): *indosinica* Fruhstorfer,1908
- 33952) *Curetis saronis saronis* Moore,1877 (Lycaenidae) Synonym(s): *saronis* Moore,1877
- 33953) *Curetis saronis sumatrana* Corbet,1937 (Lycaenidae) Synonym(s): *sumatrana* Corbet,1937
- 33954) *Curetis siva* Evans,1954 (Lycaenidae) Synonym(s): *siva* Evans,1954
- 33955) *Curetis sperthis* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *sperthis* C.Felder & R.Felder,[1865]
- 33956) *Curetis sperthis bawana* Fruhstorfer (Lycaenidae) Synonym(s):
- 33957) *Curetis sperthis kawazoei* Okubo,1983 (Lycaenidae) Synonym(s): *kawazoei* Okubo,1983
- 33958) *Curetis sperthis kiritana* Doherty (Lycaenidae) Synonym(s):
- 33959) *Curetis sperthis niasica* Fruhstorfer (Lycaenidae) Synonym(s):
- 33960) *Curetis sperthis sperthis* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *sperthis* C.Felder & R.Felder,[1865]
- 33961) *Curetis tagalica* (C.Felder & R.Felder,1862) (Lycaenidae) Synonym(s): *tagalica* C.Felder & R.Felder,1862
- 33962) *Curetis tagalica hera* Fruhstorfer,1908 (Lycaenidae) Synonym(s): *hera* Fruhstorfer,1908
- 33963) *Curetis tagalica jopa* Fruhstorfer,1908 (Lycaenidae) Synonym(s): *jopa* Fruhstorfer,1908
- 33964) *Curetis tagalica labuana* Evans,1954 (Lycaenidae) Synonym(s): *labuana* Evans,1954
- 33965) *Curetis tagalica palawanica* Staudinger,1889 (Lycaenidae) Synonym(s): *palawanica* Staudinger,1889
- 33966) *Curetis tagalica tagalica* (C.Felder & R.Felder,1862) (Lycaenidae) Synonym(s): *tagalica* C.Felder & R.Felder,1862
- 33967) *Curetis tagalica takanamii* Schröder & Treadaway,1989 (Lycaenidae) Synonym(s): *takanamii* Schröder & Treadaway,1989
- 33968) *Curetis thetis* (Drury,1773) (Lycaenidae) Synonym(s): *thetis* Drury,1773
- 33969) *Curetis thetis gloriosa* Moore (Lycaenidae) Synonym(s):
- 33970) *Curetis thetis kondula* Evans,1954 (Lycaenidae) Synonym(s): *kondula* Evans,1954
- 33971) *Curetis thetis nicobarica* Swinhoe (Lycaenidae) Synonym(s):
- 33972) *Curetis thetis obscura* Evans,1932 (Lycaenidae) Synonym(s): *obscura* Evans,1932
- 33973) *Curetis thetis saleyerensis* Chapman (Lycaenidae) Synonym(s):
- 33974) *Curetis thetis thetis* (Drury,1773) (Lycaenidae) Synonym(s): *thetis* Drury,1773
- 33975) *Curetis thetis venata* Fruhstorfer (Lycaenidae) Synonym(s):
- 33976) *Curetis tonkina* Evans,1954 (Lycaenidae) Synonym(s): *tonkina* Evans,1954
- 33977) *Cyaniriodes libna* (Hewitson,1869) (Lycaenidae) Synonym(s): *libna* Hewitson,1869
- 33978) *Cyaniriodes libna andersonii* (Moore,1884) (Lycaenidae) Synonym(s): *andersonii* Moore,1884
- 33979) *Cyaniriodes libna miotsukushi* Hayashi,1976 (Lycaenidae) Synonym(s): *miotsukushi* Hayashi,1976
- 33980) *Cyaniriodes libna samarana* Schröder & Treadaway,1994 (Lycaenidae) Synonym(s): *samarana* Schröder & Treadaway,1994
- 33981) *Cyaniriodes libna tawicolana* Schröder & Treadaway,1994 (Lycaenidae) Synonym(s): *tawicolana* Schröder & Treadaway,1994
- 33982) *Cyaniriodes siraspiorum* Schröder & Treadaway,1976 (Lycaenidae) Synonym(s): *siraspiorum* Schröder & Treadaway,1976; *leyte* Medicielo,1993
- 33983) *Cyanophrys goodsoni* (Lycaenidae) Synonym(s):
- 33984) *Cyanophrys herodotus* (Lycaenidae) Synonym(s):

- 33985) *Cyanophrys miserabilis* (Clench,1946) (Lycaenidae) Synonym(s): *miserabilis* Clench,1946; *longula* auct. nec Hew.,1868.
- 33986) *Cyclyrius mandersi* (Druce,1907) (Lycaenidae) Synonym(s): *mandersi* Druce,1907
- 33987) *Cyclyrius webbianus* (Brullé,[1840]) (Lycaenidae) Synonym(s): *webbianus* Brullé,[1840]
- 33988) *Cyclyrius webbianus webbianus* (Brullé,[1840]) (Lycaenidae) Synonym(s): *webbianus* Brullé,[1840]
- 33989) *Dacalana akayamai* Hayashi, Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *akayamai* Hayashi, Schröder & Treadaway,1983
- 33990) *Dacalana aristarchus* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *aristarchus* Fruhstorfer,1912; *natsumiae* Hayashi,1983
- 33991) *Dacalana burmana* Moore,1884 (Lycaenidae) Synonym(s): *burmana* Moore,1884
- 33992) *Dacalana burmana burmana* Moore,1884 (Lycaenidae) Synonym(s): *burmana* Moore,1884
- 33993) *Dacalana cotys* (Hewitson,1865) (Lycaenidae) Synonym(s): *cotys* Hewitson,1865
- 33994) *Dacalana cotys cotys* (Hewitson,1865) (Lycaenidae) Synonym(s): *cotys* Hewitson,1865
- 33995) *Dacalana cremera* (De Nicéville,1894) (Lycaenidae) Synonym(s): *cremera* De Nicéville,1894
- 33996) *Dacalana cremera cremera* (De Nicéville,1894) (Lycaenidae) Synonym(s): *cremera* De Nicéville,1894
- 33997) *Dacalana cremera ricardi* (Eliot,1959) (Lycaenidae) Synonym(s): *ricardi* Eliot,1959
- 33998) *Dacalana irmae* Hayashi, Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *irmae* Hayashi, Schröder & Treadaway,1983
- 33999) *Dacalana kurosawai* Hayashi,1976 (Lycaenidae) Synonym(s): *kurosawai* Hayashi,1976
- 34000) *Dacalana liaoi* Hayashi, Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *liaoi* Hayashi, Schröder & Treadaway,1983; *negrosensis* M.Okano & T.Okano,1991
- 34001) *Dacalana mio* Hayashi, Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *mio* Hayashi, Schröder & Treadaway,1983
- 34002) *Dacalana monsaponia* Schröder & Treadaway,1978 (Lycaenidae) Synonym(s): *monsaponia* Schröder & Treadaway,1978; *sugimotoi* Hayashi,1978
- 34003) *Dacalana monsaponia marinduquensis* Hayashi, Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *marinduquensis* Hayashi, Schröder & Treadaway,1983
- 34004) *Dacalana monsaponia monsaponia* Schröder & Treadaway,1978 (Lycaenidae) Synonym(s): *monsaponia* Schröder & Treadaway,1978; *sugimotoi* Hayashi,1978
- 34005) *Dacalana penicilligera* De Nicéville,1890 (Lycaenidae) Synonym(s): *penicilligera* De Nicéville,1890
- 34006) *Dacalana penicilligera penicilligera* De Nicéville,1890 (Lycaenidae) Synonym(s): *penicilligera* De Nicéville,1890
- 34007) *Dacalana polyorketes* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *polyorketes* Fruhstorfer,1912
- 34008) *Dacalana polyorketes kawamurai* Takanami,1988 (Lycaenidae) Synonym(s): *kawamurai* Takanami,1988
- 34009) *Dacalana polyorketes laduanae* Schröder & Treadaway,1989 (Lycaenidae) Synonym(s): *laduanae* Schröder & Treadaway,1989
- 34010) *Dacalana polyorketes polyorketes* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *polyorketes* Fruhstorfer,1912
- 34011) *Dacalana sannio* Druce,1895 (Lycaenidae) Synonym(s): *sannio* Druce,1895
- 34012) *Dacalana sannio lucillae* Hayashi, Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *lucillae* Hayashi, Schröder & Treadaway,1983
- 34013) *Dacalana sannio sannio* Druce,1895 (Lycaenidae) Synonym(s): *sannio* Druce,1895
- 34014) *Dacalana sinhara* Fruhstorfer,[1914] (Lycaenidae) Synonym(s): *sinhara* Fruhstorfer,[1914]
- 34015) *Dacalana sinhara sinhara* Fruhstorfer,[1914] (Lycaenidae) Synonym(s): *sinhara* Fruhstorfer,[1914]
- 34016) *Dacalana treadawayi* Hayashi,1984 (Lycaenidae) Synonym(s): *treadawayi* Hayashi,1984
- 34017) *Dacalana vidura* (Horsfield,[1828]) (Lycaenidae) Synonym(s): *vidura* Horsfield,[1828]
- 34018) *Dacalana vidura ayzada* Fruhstorfer,[1914] (Lycaenidae) Synonym(s): *ayzada* Fruhstorfer,[1914]
- 34019) *Dacalana vidura vidura* (Horsfield,[1828]) (Lycaenidae) Synonym(s): *vidura* Horsfield,[1828]
- 34020) *Danis schaeffera* (Eschscholtz,1821) (Lycaenidae) Synonym(s): *schaeffera* Eschscholtz,1821
- 34021) *Dapidodigma demeter* Clench,1961 (Lycaenidae) Synonym(s): *demeter* Clench,1961
- 34022) *Dapidodigma demeter demeter* Clench,1961 (Lycaenidae) Synonym(s): *demeter* Clench,1961
- 34023) *Dapidodigma demeter nuptus* Clench,1961 (Lycaenidae) Synonym(s): *nuptus* Clench,1961
- 34024) *Dapidodigma demeter sudsudana* D'Abbrera,1980 (Lycaenidae) Synonym(s): *sudsudana* D'Abbrera,1980
- 34025) *Dapidodigma hymen* (Fabricius,1775) (Lycaenidae) Synonym(s): *hymen* Fabricius,1775; *liger* Cramer,[1779]
- 34026) *Deloneura barca* (Grose-Smith,1901) (Lycaenidae) Synonym(s): *barca* Grose-Smith,1901
- 34027) *Deloneura immaculata* Trimen,1868 (Lycaenidae) Synonym(s): *immaculata* Trimen,1868
- 34028) *Deloneura millari* Trimen,1906 (Lycaenidae) Synonym(s): *millari* Trimen,1906
- 34029) *Deloneura millari dondoensis* Pennington,1953 (Lycaenidae) Synonym(s): *dondoensis* Pennington,1953
- 34030) *Deloneura millari millari* Trimen,1906 (Lycaenidae) Synonym(s): *millari* Trimen,1906
- 34031) *Deloneura ochrascens* Neave,1904 (Lycaenidae) Synonym(s): *ochrascens* Neave,1904
- 34032) *Deloneura ochrascens littoralis* Talbot,1935 (Lycaenidae) Synonym(s): *littoralis* Talbot,1935
- 34033) *Deloneura ochrascens ochrascens* Neave,1904 (Lycaenidae) Synonym(s): *ochrascens* Neave,1904
- 34034) *Deloneura sheppardi* Stevenson,1934 (Lycaenidae) Synonym(s): *sheppardi* Stevenson,1934
- 34035) *Deloneura subfusca* Hawker-Smith,1933 (Lycaenidae) Synonym(s): *subfusca* Hawker-Smith,1933; *innesi* Van Son,1949
- 34036) *Deramas alixae* Eliot,1978 (Lycaenidae) Synonym(s): *alixae* Eliot,1978
- 34037) *Deramas alixae alixae* Eliot,1978 (Lycaenidae) Synonym(s): *alixae* Eliot,1978
- 34038) *Deramas anshadorum* Eliot,1986 (Lycaenidae) Synonym(s): *anshadorum* Eliot,1986
- 34039) *Deramas anshadorum anshadorum* Eliot,1986 (Lycaenidae) Synonym(s): *anshadorum* Eliot,1986
- 34040) *Deramas antynax* Eliot,1970 (Lycaenidae) Synonym(s): *antynax* Eliot,1970
- 34041) *Deramas antynax antynax* Eliot,1970 (Lycaenidae) Synonym(s): *antynax* Eliot,1970
- 34042) *Deramas anyx* Eliot,1964 (Lycaenidae) Synonym(s): *anyx* Eliot,1964
- 34043) *Deramas anyx anyx* Eliot,1964 (Lycaenidae) Synonym(s): *anyx* Eliot,1964
- 34044) *Deramas basrii* Eliot,1992 (Lycaenidae) Synonym(s): *basrii* Eliot,1992
- 34045) *Deramas basrii basrii* Eliot,1992 (Lycaenidae) Synonym(s): *basrii* Eliot,1992
- 34046) *Deramas bidotata* Fruhstorfer,1914 (Lycaenidae) Synonym(s): *bidotata* Fruhstorfer,1914; *philippinensis* Hayashi,1981
- 34047) *Deramas bidotata bidotata* Fruhstorfer,1914 (Lycaenidae) Synonym(s): *bidotata* Fruhstorfer,1914; *philippinensis* Hayashi,1981
- 34048) *Deramas evelynae* Schröder & Treadaway,1978 (Lycaenidae) Synonym(s): *evelynae* Schröder & Treadaway,1978; *kawazoei* Hayashi,1981
- 34049) *Deramas evelynae evelynae* Schröder & Treadaway,1978 (Lycaenidae) Synonym(s): *evelynae* Schröder & Treadaway,1978; *kawazoei* Hayashi,1981
- 34050) *Deramas evelynae nahomiae* Takanami,1985 (Lycaenidae) Synonym(s): *nahomiae* Takanami,1985
- 34051) *Deramas evelynae tuiso* Takanami,1987 (Lycaenidae) Synonym(s): *tuiso* Takanami,1987
- 34052) *Deramas ikedai* Hayashi,1978 (Lycaenidae) Synonym(s): *ikedai* Hayashi,1978
- 34053) *Deramas ikedai ikedai* Hayashi,1978 (Lycaenidae) Synonym(s): *ikedai* Hayashi,1978
- 34054) *Deramas jasoda* (De Nicéville,[1889]) (Lycaenidae) Synonym(s): *jasoda* De Nicéville,[1889]
- 34055) *Deramas jasoda bradamante* (Doherty,1890) (Lycaenidae) Synonym(s): *bradamante* Doherty,1890
- 34056) *Deramas jasoda jasoda* (De Nicéville,[1889]) (Lycaenidae) Synonym(s): *jasoda* De Nicéville,[1889]
- 34057) *Deramas livens* Distant,1886 (Lycaenidae) Synonym(s): *livens* Distant,1886; *pharygoides* De Nicéville,1890
- 34058) *Deramas livens evansi* Eliot,1964 (Lycaenidae) Synonym(s): *evansi* Eliot,1964
- 34059) *Deramas livens livens* Distant,1886 (Lycaenidae) Synonym(s): *livens* Distant,1886; *pharygoides* De Nicéville,1890
- 34060) *Deramas livens montana* Schröder & Treadaway,1978 (Lycaenidae) Synonym(s): *montana* Schröder & Treadaway,1978
- 34061) *Deramas mindanensis* Eliot,1964 (Lycaenidae) Synonym(s): *mindanensis* Eliot,1964
- 34062) *Deramas mindanensis mindanensis* Eliot,1964 (Lycaenidae) Synonym(s): *mindanensis* Eliot,1964
- 34063) *Deramas nelvis* Eliot,1964 (Lycaenidae) Synonym(s): *nelvis* Eliot,1964
- 34064) *Deramas nelvis manobo* Schröder & Treadaway,1978 (Lycaenidae) Synonym(s): *manobo* Schröder & Treadaway,1978
- 34065) *Deramas nelvis nelvis* Eliot,1964 (Lycaenidae) Synonym(s): *nelvis* Eliot,1964
- 34066) *Deramas nigrescens* Eliot,1964 (Lycaenidae) Synonym(s): *nigrescens* Eliot,1964
- 34067) *Deramas nigrescens nigrescens* Eliot,1964 (Lycaenidae) Synonym(s): *nigrescens* Eliot,1964
- 34068) *Deramas nolens* Eliot,1964 (Lycaenidae) Synonym(s): *nolens* Eliot,1964
- 34069) *Deramas nolens nolens* Eliot,1964 (Lycaenidae) Synonym(s): *nolens* Eliot,1964
- 34070) *Deramas nolens pasteurii* Eliot,1978 (Lycaenidae) Synonym(s): *pasteurii* Eliot,1978
- 34071) *Deramas sumikat* Schröder & Treadaway,1986 (Lycaenidae) Synonym(s): *sumikat* Schröder & Treadaway,1986

- 34072) *Deramas sumikat sumikat* Schröder & Treadaway, 1986 (Lycaenidae) Synonym(s): *sumikat* Schröder & Treadaway, 1986
- 34073) *Deramas tomokoae* Hayashi, 1978 (Lycaenidae) Synonym(s): *tomokoae* Hayashi, 1978
- 34074) *Deramas tomokoae tomokoae* Hayashi, 1978 (Lycaenidae) Synonym(s): *tomokoae* Hayashi, 1978
- 34075) *Deramas toshikoae* Hayashi, 1981 (Lycaenidae) Synonym(s): *toshikoae* Hayashi, 1981
- 34076) *Deramas toshikoae toshikoae* Hayashi, 1981 (Lycaenidae) Synonym(s): *toshikoae* Hayashi, 1981
- 34077) *Deramas treadawayi* Hayashi, 1981 (Lycaenidae) Synonym(s): *treadawayi* Hayashi, 1981
- 34078) *Deramas treadawayi treadawayi* Hayashi, 1981 (Lycaenidae) Synonym(s): *treadawayi* Hayashi, 1981
- 34079) *Deramas woolletti* Eliot, 1970 (Lycaenidae) Synonym(s): *woolletti* Eliot, 1970
- 34080) *Deramas woolletti woolletti* Eliot, 1970 (Lycaenidae) Synonym(s): *woolletti* Eliot, 1970
- 34081) *Desmolycaena arabica* Riley, 1932 (Lycaenidae) Synonym(s): *arabica* Riley, 1932
- 34082) *Desmolycaena arabica arabica* Riley, 1932 (Lycaenidae) Synonym(s): *arabica* Riley, 1932
- 34083) *Desmolycaena mazoensis* Trimen, 1898 (Lycaenidae) Synonym(s): *mazoensis* Trimen, 1898
- 34084) *Desmolycaena rogersi* Riley, 1932 (Lycaenidae) Synonym(s): *rogersi* Riley, 1932
- 34085) *Deudorix (Actis) mimeta* (Karsch, 1895) (Lycaenidae) Synonym(s): *mimeta* Karsch, 1895; *perigrapha* Karsch, 1895; *unda* Gaede, 1915
- 34086) *Deudorix (Actis) mimeta baginei* Collins & T. Larsen, 1991 (Lycaenidae) Synonym(s): *baginei* Collins & T. Larsen, 1991
- 34087) *Deudorix (Actis) mimeta mimeta* (Karsch, 1895) (Lycaenidae) Synonym(s): *mimeta* Karsch, 1895; *perigrapha* Karsch, 1895; *unda* Gaede, 1915
- 34088) *Deudorix (Actis) ula* (Karsch, 1895) (Lycaenidae) Synonym(s): *ula* Karsch, 1895; *#nigrostriata* Aurivillius, 1923
- 34089) *Deudorix (Diopetes) aucta* Karsch, 1895 (Lycaenidae) Synonym(s): *aucta* Karsch, 1895
- 34090) *Deudorix (Diopetes) aurivilliusi* Stempffer, 1954 (Lycaenidae) Synonym(s): *aurivilliusi* Stempffer, 1954
- 34091) *Deudorix (Diopetes) catalla* Karsch, 1895 (Lycaenidae) Synonym(s): *catalla* Karsch, 1895
- 34092) *Deudorix (Diopetes) corruscans* Aurivillius, 1898 (Lycaenidae) Synonym(s): *corruscans* Aurivillius, 1898
- 34093) *Deudorix (Diopetes) deritas* Hewitson, 1874 (Lycaenidae) Synonym(s): *deritas* Hewitson, 1874
- 34094) *Deudorix (Diopetes) fumata* Stempffer, 1954 (Lycaenidae) Synonym(s): *fumata* Stempffer, 1954
- 34095) *Deudorix (Diopetes) kedassa* Druce, 1910 (Lycaenidae) Synonym(s): *kedassa* Druce, 1910
- 34096) *Deudorix (Diopetes) latilavia* Clench, 1965 (Lycaenidae) Synonym(s): *latilavia* Clench, 1965
- 34097) *Deudorix (Diopetes) nirmo* Clench, 1965 (Lycaenidae) Synonym(s): *nirmo* Clench, 1965
- 34098) *Deudorix (Diopetes) pasteon* Druce, 1910 (Lycaenidae) Synonym(s): *pasteon* Druce, 1910; *bwamba* Stempffer, 1962
- 34099) *Deudorix (Diopetes) pseudoderitas* Stempffer, 1964 (Lycaenidae) Synonym(s): *pseudoderitas* Stempffer, 1964
- 34100) *Deudorix (Diopetes) sadeska* Clench, 1965 (Lycaenidae) Synonym(s): *sadeska* Clench, 1965
- 34101) *Deudorix (Diopetes) violetta* Aurivillius, 1898 (Lycaenidae) Synonym(s): *violetta* Aurivillius, 1898
- 34102) *Deudorix (Hypokopelates) anetia* Hulstaert, 1924 (Lycaenidae) Synonym(s): *anetia* Hulstaert, 1924
- 34103) *Deudorix (Hypokopelates) anetta* (Talbot, 1935) (Lycaenidae) Synonym(s): *anetta* Talbot, 1935
- 34104) *Deudorix (Hypokopelates) angelita* Suffert, 1904 (Lycaenidae) Synonym(s): *angelita* Suffert, 1904; *makala* Bethune-Baker, 1908
- 34105) *Deudorix (Hypokopelates) angelita angelita* Suffert, 1904 (Lycaenidae) Synonym(s): *angelita* Suffert, 1904; *makala* Bethune-Baker, 1908
- 34106) *Deudorix (Hypokopelates) angelita schultzei* Aurivillius, 1907 (Lycaenidae) Synonym(s): *schultzei* Aurivillius, 1907
- 34107) *Deudorix (Hypokopelates) aruma* (Hewitson, 1873) (Lycaenidae) Synonym(s): *aruma* Hewitson, 1873; *rava* Holland, 1892
- 34108) *Deudorix (Hypokopelates) aruma aruma* (Hewitson, 1873) (Lycaenidae) Synonym(s): *aruma* Hewitson, 1873; *rava* Holland, 1892
- 34109) *Deudorix (Hypokopelates) aruma simplex* (Schultze, 1917) (Lycaenidae) Synonym(s): *simplex* Schultze, 1917
- 34110) *Deudorix (Hypokopelates) azurea* Stempffer, 1964 (Lycaenidae) Synonym(s): *azurea* Stempffer, 1964
- 34111) *Deudorix (Hypokopelates) canescens* (Joicey & Talbot, 1921) (Lycaenidae) Synonym(s): *canescens* Joicey & Talbot, 1921; *fusca* Aurivillius, 1923
- 34112) *Deudorix (Hypokopelates) catori* Bethune-Baker, 1903 (Lycaenidae) Synonym(s): *catori* Bethune-Baker, 1903
- 34113) *Deudorix (Hypokopelates) cobaltina* Stempffer, 1964 (Lycaenidae) Synonym(s): *cobaltina* Stempffer, 1964
- 34114) *Deudorix (Hypokopelates) dimitris* D'Abrera, 1980 (Lycaenidae) Synonym(s): *dimitris* D'Abrera, 1980
- 34115) *Deudorix (Hypokopelates) eleala* (Hewitson, 1865) (Lycaenidae) Synonym(s): *eleala* Hewitson, 1865
- 34116) *Deudorix (Hypokopelates) elealodes* Bethune-Baker, 1908 (Lycaenidae) Synonym(s): *elealodes* Bethune-Baker, 1908; *#lineosa* Joicey & Talbot, 1921; *mariana* Hulstaert, 1924
- 34117) *Deudorix (Hypokopelates) infuscata* Stempffer, 1964 (Lycaenidae) Synonym(s): *infuscata* Stempffer, 1964
- 34118) *Deudorix (Hypokopelates) ituri* Bethune-Baker, 1908 (Lycaenidae) Synonym(s): *ituri* Bethune-Baker, 1908
- 34119) *Deudorix (Hypokopelates) kafuensis* Neave, 1910 (Lycaenidae) Synonym(s): *kafuensis* Neave, 1910; *feminina* Hulstaert, 1924
- 34120) *Deudorix (Hypokopelates) kallipygos* (Birket-Smith, 1960) (Lycaenidae) Synonym(s): *kallipygos* Birket-Smith, 1960
- 34121) *Deudorix (Hypokopelates) leonina* Bethune-Baker, 1904 (Lycaenidae) Synonym(s): *leonina* Bethune-Baker, 1904
- 34122) *Deudorix (Hypokopelates) marginata* Stempffer, 1962 (Lycaenidae) Synonym(s): *marginata* Stempffer, 1962
- 34123) *Deudorix (Hypokopelates) mera* (Hewitson, 1873) (Lycaenidae) Synonym(s): *mera* Hewitson, 1873; *#kinumbensis* Dufrane, 1945
- 34124) *Deudorix (Hypokopelates) moyambina* (Bethune-Baker, 1904) (Lycaenidae) Synonym(s): *moyambina* Bethune-Baker, 1904
- 34125) *Deudorix (Hypokopelates) nyanzana* Stempffer, 1957 (Lycaenidae) Synonym(s): *nyanzana* Stempffer, 1957
- 34126) *Deudorix (Hypokopelates) obscura* (Bethune-Baker, 1914) (Lycaenidae) Synonym(s): *obscura* Bethune-Baker, 1914
- 34127) *Deudorix (Hypokopelates) otraeda* (Hewitson, 1863) (Lycaenidae) Synonym(s): *otraeda* Hewitson, 1863; *genuba* Hewitson, 1875
- 34128) *Deudorix (Hypokopelates) petersi* Stempffer & Bennett, 1956 (Lycaenidae) Synonym(s): *petersi* Stempffer & Bennett, 1956
- 34129) *Deudorix (Hypokopelates) sebastopulo* D'Abrera, 1980 (Lycaenidae) Synonym(s): *sebastopulo* D'Abrera, 1980
- 34130) *Deudorix (Hypokopelates) tenuivittata* Stempffer, 1951 (Lycaenidae) Synonym(s): *tenuivittata* Stempffer, 1951
- 34131) *Deudorix (Hypokopelates) ugandae* (Talbot, 1935) (Lycaenidae) Synonym(s): *ugandae* Talbot, 1935
- 34132) *Deudorix (Hypokopelates) ultramarina* Stempffer, 1964 (Lycaenidae) Synonym(s): *ultramarina* Stempffer, 1964
- 34133) *Deudorix (Hypokopelates) viridis* Stempffer, 1964 (Lycaenidae) Synonym(s): *viridis* Stempffer, 1964
- 34134) *Deudorix (Hypomyrina) nomenia* (Hewitson, 1874) (Lycaenidae) Synonym(s): *nomenia* Hewitson, 1874; *nomion* Staudinger, 1891; *acares* Karsch, 1893; *fournierae* Gabriel, 1939
- 34135) *Deudorix (Kopelates) virgata* (Druce, 1891) (Lycaenidae) Synonym(s): *virgata* Druce, 1891; *gracilis* Staudinger, 1891
- 34136) *Deudorix (Pilodeudorix) ankoleensis* Stempffer, 1953 (Lycaenidae) Synonym(s): *ugandae* Stempffer, 1946 nec Talb., 1935; *ankoleensis* Stempffer, 1953
- 34137) *Deudorix (Pilodeudorix) bamba* Neave, 1910 (Lycaenidae) Synonym(s): *bamba* Neave, 1910
- 34138) *Deudorix (Pilodeudorix) caerulea* Druce, 1890 (Lycaenidae) Synonym(s): *caerulea* Druce, 1890; *obscurata* Trimen, 1891; *hollandi* Ehrmann, 1894; *batikelides* Holland, 1920
- 34139) *Deudorix (Pilodeudorix) cameroni* (Plötz, 1880) (Lycaenidae) Synonym(s): *cameroni* Plötz, 1880; *nobilis* Staudinger, 1891; *barbatus* Druce, 1891
- 34140) *Deudorix (Pilodeudorix) cameroni cameroni* (Plötz, 1880) (Lycaenidae) Synonym(s): *cameroni* Plötz, 1880; *nobilis* Staudinger, 1891; *barbatus* Druce, 1891
- 34141) *Deudorix (Pilodeudorix) cameroni katanga* Clench, 1965 (Lycaenidae) Synonym(s): *katanga* Clench, 1965
- 34142) *Deudorix (Pilodeudorix) diyllus* Hewitson, 1878 (Lycaenidae) Synonym(s): *diyllus* Hewitson, 1878; *debilis* Staudinger, 1891
- 34143) *Deudorix (Pilodeudorix) diyllus congoana* Aurivillius, 1923 (Lycaenidae) Synonym(s): *congoana* Aurivillius, 1923; *orientalis* Stempffer, 1957
- 34144) *Deudorix (Pilodeudorix) diyllus diyllus* Hewitson, 1878 (Lycaenidae) Synonym(s): *diyllus* Hewitson, 1878; *debilis* Staudinger, 1891
- 34145) *Deudorix (Pilodeudorix) kohli* Aurivillius, 1921 (Lycaenidae) Synonym(s): *kohli* Aurivillius, 1921
- 34146) *Deudorix (Pilodeudorix) rogersi* (Kielland, 1985) (Lycaenidae) Synonym(s): *rogersi* Kielland, 1985
- 34147) *Deudorix (Pilodeudorix) zela* (Hewitson, 1869) (Lycaenidae) Synonym(s): *zela* Hewitson, 1869; *simplex* Staudinger, 1891
- 34148) *Deudorix (Pilodeudorix) zeloides* (Butler, 1901) (Lycaenidae) Synonym(s): *zeloides* Butler, 1901
- 34149) *Deudorix (Pilodeudorix) zelomina* Rebel, 1914 (Lycaenidae) Synonym(s): *zelomina* Rebel, 1914
- 34150) *Deudorix (Virachola) affinis* Rothschild, 1915 (Lycaenidae) Synonym(s): *affinis* Rothschild, 1915
- 34151) *Deudorix (Virachola) affinis affinis* Rothschild, 1915 (Lycaenidae) Synonym(s): *affinis* Rothschild, 1915
- 34152) *Deudorix (Virachola) antalus* (Hopffer, 1855) (Lycaenidae) Synonym(s): *antalus* Hopffer, 1855; *anta* Trimen, 1862; *gambius* Mabille, [1887]; *kitobolensis* Strand, 1912
- 34153) *Deudorix (Virachola) antalus antalus* (Hopffer, 1855) (Lycaenidae) Synonym(s): *antalus* Hopffer, 1855; *anta* Trimen, 1862; *gambius* Mabille, [1887]; *kitobolensis* Strand, 1912
- 34154) *Deudorix (Virachola) badhami* Carcasson, 1961 (Lycaenidae) Synonym(s): *badhami* Carcasson, 1961
- 34155) *Deudorix (Virachola) baronica* Ungemach, 1932 (Lycaenidae) Synonym(s): *baronica* Ungemach, 1932

- 34156) *Deudorix (Virachola) batikeli* (Boisduval,1833) (Lycaenidae) Synonym(s): *batikeli* Boisduval,1833; *tsiphana* Boisduval,1833; *licinia* Mabil,1878; *derona* Grose-Smith,1891
- 34157) *Deudorix (Virachola) batikelides* Holland,1920 (Lycaenidae) Synonym(s): *batikelides* Holland,1920
- 34158) *Deudorix (Virachola) caliginosa* Lathy,1903 (Lycaenidae) Synonym(s): *caliginosa* Lathy,1903
- 34159) *Deudorix (Virachola) chalybeata* Joicey & Talbot,1926 (Lycaenidae) Synonym(s): *chalybeata* Joicey & Talbot,1926
- 34160) *Deudorix (Virachola) dariaves* Hewitson,1877 (Lycaenidae) Synonym(s): *dariaves* Hewitson,1877
- 34161) *Deudorix (Virachola) dinochares* Grose-Smith,1887 (Lycaenidae) Synonym(s): *dinochares* Grose-Smith,1887; *dieden* Karsch,1900; *rhodesiensis* Stevenson,1937
- 34162) *Deudorix (Virachola) dinochares dinochares* Grose-Smith,1887 (Lycaenidae) Synonym(s): *dinochares* Grose-Smith,1887; *dieden* Karsch,1900; *rhodesiensis* Stevenson,1937
- 34163) *Deudorix (Virachola) dinomenes* Grose-Smith,1887 (Lycaenidae) Synonym(s): *dinomenes* Grose-Smith,1887
- 34164) *Deudorix (Virachola) dinomenes dinomenes* Grose-Smith,1887 (Lycaenidae) Synonym(s): *dinomenes* Grose-Smith,1887
- 34165) *Deudorix (Virachola) diocles* Hewitson,1869 (Lycaenidae) Synonym(s): *diocles* Hewitson,1869; *vosseleri* Strand,1911
- 34166) *Deudorix (Virachola) diomedes* Jackson,1966 (Lycaenidae) Synonym(s): *diomedes* Jackson,1966
- 34167) *Deudorix (Virachola) ecaudata* Gifford,1963 (Lycaenidae) Synonym(s): *dohertyi* Bethune-Baker,1905 nec Obth.,1894; *ecaudata* Gifford,1963
- 34168) *Deudorix (Virachola) edwardsi* Gabriel,1939 (Lycaenidae) Synonym(s): *edwardsi* Gabriel,1939
- 34169) *Deudorix (Virachola) galathea* (Swainson,1821) (Lycaenidae) Synonym(s): *galathea* Swainson,1821
- 34170) *Deudorix (Virachola) isocrates* (Fabricius,1793) (Lycaenidae) Synonym(s): *isocrates* Fabricius,1793; *pann* Fabricius,1793
- 34171) *Deudorix (Virachola) isocrates isocrates* (Fabricius,1793) (Lycaenidae) Synonym(s): *isocrates* Fabricius,1793; *pann* Fabricius,1793
- 34172) *Deudorix (Virachola) jacksoni* Talbot,1935 (Lycaenidae) Synonym(s): *jacksoni* Talbot,1935
- 34173) *Deudorix (Virachola) kayonza* Stempffer,1956 (Lycaenidae) Synonym(s): *kayonza* Stempffer,1956
- 34174) *Deudorix (Virachola) kessuma* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *kessuma* Horsfield,[1829]
- 34175) *Deudorix (Virachola) kessuma clearchus* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *clearchus* Fruhstorfer,1912
- 34176) *Deudorix (Virachola) kessuma deliochus* (Hewitson,1874) (Lycaenidae) Synonym(s): *deliochus* Hewitson,1874
- 34177) *Deudorix (Virachola) kessuma kessuma* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *kessuma* Horsfield,[1829]
- 34178) *Deudorix (Virachola) kessuma throana* Fruhstorfer,1914 (Lycaenidae) Synonym(s): *throana* Fruhstorfer,1914
- 34179) *Deudorix (Virachola) kessuma tucca* Fruhstorfer,1915 (Lycaenidae) Synonym(s): *tucca* Fruhstorfer,1915
- 34180) *Deudorix (Virachola) livia* (Klug,1834) (Lycaenidae) Synonym(s): *livia* Klug,1834; *pallascens* Rothschild,1921
- 34181) *Deudorix (Virachola) livia barnetti* Libert,2005 (Lycaenidae) Synonym(s): *barnetti* Libert,2005
- 34182) *Deudorix (Virachola) livia livia* (Klug,1834) (Lycaenidae) Synonym(s): *livia* Klug,1834; *pallascens* Rothschild,1921
- 34183) *Deudorix (Virachola) lorisona* (Hewitson,1862) (Lycaenidae) Synonym(s): *lorisona* Hewitson,1862; *bimaculata* Hewitson,1874; *alticola* Aurivillius,1923; *#obliterata* Hawker-Smith,1928; *#unimaculata* Hawker-Smith,1928; *#albifrons* Stempffer,1948
- 34184) *Deudorix (Virachola) lorisona coffea* Jackson,1966 (Lycaenidae) Synonym(s): *coffea* Jackson,1966
- 34185) *Deudorix (Virachola) lorisona lorisona* (Hewitson,1862) (Lycaenidae) Synonym(s): *lorisona* Hewitson,1862; *bimaculata* Hewitson,1874; *alticola* Aurivillius,1923; *#obliterata* Hawker-Smith,1928; *#unimaculata* Hawker-Smith,1928; *#albifrons* Stempffer,1948
- 34186) *Deudorix (Virachola) lorisona rutshuruensis* (Berger,1981) (Lycaenidae) Synonym(s): *rutshuruensis* Berger,1981
- 34187) *Deudorix (Virachola) lorisona sesse* Stempffer & Jackson,1962 (Lycaenidae) Synonym(s): *sesse* Stempffer & Jackson,1962
- 34188) *Deudorix (Virachola) magda* Gifford,1963 (Lycaenidae) Synonym(s): *magda* Gifford,1963
- 34189) *Deudorix (Virachola) masamichii* Okubo,1983 (Lycaenidae) Synonym(s): *masamichii* Okubo,1983
- 34190) *Deudorix (Virachola) montana* Kielland,1985 (Lycaenidae) Synonym(s): *montana* Kielland,1985
- 34191) *Deudorix (Virachola) mpanda* Kielland,1990 (Lycaenidae) Synonym(s): *mpanda* Kielland,1990
- 34192) *Deudorix (Virachola) nicephora* Hulstaert,1924 (Lycaenidae) Synonym(s): *nicephora* Hulstaert,1924
- 34193) *Deudorix (Virachola) odana* Druce,1887 (Lycaenidae) Synonym(s): *odana* Druce,1887
- 34194) *Deudorix (Virachola) penningtoni* Van Son,1949 (Lycaenidae) Synonym(s): *penningtoni* Van Son,1949
- 34195) *Deudorix (Virachola) perse* Hewitson,[1863] (Lycaenidae) Synonym(s): *perse* Hewitson,[1863]
- 34196) *Deudorix (Virachola) perse ghela* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *ghela* Fruhstorfer,1912
- 34197) *Deudorix (Virachola) perse maseas* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *maseas* Fruhstorfer,1912
- 34198) *Deudorix (Virachola) perse perse* Hewitson,[1863] (Lycaenidae) Synonym(s): *perse* Hewitson,[1863]
- 34199) *Deudorix (Virachola) perse silo* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *silo* Fruhstorfer,1912
- 34200) *Deudorix (Virachola) renidens* (Mabille,1884) (Lycaenidae) Synonym(s): *renidens* Mabille,1884
- 34201) *Deudorix (Virachola) renidens renidens* (Mabille,1884) (Lycaenidae) Synonym(s): *renidens* Mabille,1884
- 34202) *Deudorix (Virachola) rubida* (Tytler,1927) (Lycaenidae) Synonym(s): *rubida* Tytler,1927
- 34203) *Deudorix (Virachola) rubida rubida* (Tytler,1927) (Lycaenidae) Synonym(s): *rubida* Tytler,1927
- 34204) *Deudorix (Virachola) similis* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *similis* Hewitson,[1863]
- 34205) *Deudorix (Virachola) similis dalyensis* Le Souff & Tindale,1970 (Lycaenidae) Synonym(s): *dalyensis* Le Souff & Tindale,1970
- 34206) *Deudorix (Virachola) similis similis* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *similis* Hewitson,[1863]
- 34207) *Deudorix (Virachola) similis vocetius* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *vocetius* Fruhstorfer,1912
- 34208) *Deudorix (Virachola) subguttata* (Elwes,[1893]) (Lycaenidae) Synonym(s): *subguttata* Elwes,[1893]
- 34209) *Deudorix (Virachola) subguttata malaya* Pendlebury & Corbet,1933 (Lycaenidae) Synonym(s): *malaya* Pendlebury & Corbet,1933
- 34210) *Deudorix (Virachola) subguttata subguttata* (Elwes,[1893]) (Lycaenidae) Synonym(s): *subguttata* Elwes,[1893]
- 34211) *Deudorix (Virachola) suk* Stempffer,1948 (Lycaenidae) Synonym(s): *suk* Stempffer,1948
- 34212) *Deudorix (Virachola) ufipa* Kielland,1978 (Lycaenidae) Synonym(s): *ufipa* Kielland,1978
- 34213) *Deudorix (Virachola) vansomereni* Stempffer,1951 (Lycaenidae) Synonym(s): *vansomereni* Stempffer,1951
- 34214) *Deudorix (Virachola) vansoni* Pennington,1948 (Lycaenidae) Synonym(s): *vansoni* Pennington,1948
- 34215) *Deudorix (Virachola) wardi* (Mabille,1878) (Lycaenidae) Synonym(s): *wardi* Mabille,1878; *rutila* Mabille,1878; *diapolis* Hewitson,1878; *#rutilans* Mabille,[1887]
- 34216) *Deudorix (s.str.) apayao* Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *apayao* Schröder & Treadaway,1983
- 34217) *Deudorix (s.str.) apayao apayao* Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *apayao* Schröder & Treadaway,1983
- 34218) *Deudorix (s.str.) elioti* Corbet,1940 (Lycaenidae) Synonym(s): *elioti* Corbet,1940
- 34219) *Deudorix (s.str.) elioti elioti* Corbet,1940 (Lycaenidae) Synonym(s): *elioti* Corbet,1940
- 34220) *Deudorix (s.str.) epijarbas* (Moore,[1858]) (Lycaenidae) Synonym(s): *epijarbas* Moore,[1858]
- 34221) *Deudorix (s.str.) epijarbas amatius* Fruhstorfer,[1912] (Lycaenidae) Synonym(s): *amatius* Fruhstorfer,[1912]
- 34222) *Deudorix (s.str.) epijarbas ancus* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *ancus* Fruhstorfer,1912
- 34223) *Deudorix (s.str.) epijarbas cinnabarus* Fruhstorfer,[1912] (Lycaenidae) Synonym(s): *cinnabarus* Fruhstorfer,[1912]
- 34224) *Deudorix (s.str.) epijarbas epijarbas* (Moore,[1858]) (Lycaenidae) Synonym(s): *epijarbas* Moore,[1858]
- 34225) *Deudorix (s.str.) philippinensis* Schröder, Treadaway & Hayashi,1981 (Lycaenidae) Synonym(s): *philippinensis* Schröder, Treadaway & Hayashi,1981
- 34226) *Deudorix (s.str.) philippinensis philippinensis* Schröder, Treadaway & Hayashi,1981 (Lycaenidae) Synonym(s): *philippinensis* Schröder, Treadaway & Hayashi,1981
- 34227) *Deudorix (s.str.) staudingeri* Druce,1895 (Lycaenidae) Synonym(s): *staudingeri* Druce,1895
- 34228) *Deudorix (s.str.) staudingeri staudingeri* Druce,1895 (Lycaenidae) Synonym(s): *staudingeri* Druce,1895
- 34229) *Deudorix (s.str.) sumatrensis* Fruhstorfer,[1912] (Lycaenidae) Synonym(s): *sumatrensis* Fruhstorfer,[1912]; *stubbis* Eliot,1960
- 34230) *Deudorix (s.str.) sumatrensis sumatrensis* Fruhstorfer,[1912] (Lycaenidae) Synonym(s): *sumatrensis* Fruhstorfer,[1912]; *stubbis* Eliot,1960
- 34231) *Discolampa ethion* (Westwood,[1851]) (Lycaenidae) Synonym(s): *ethion* Westwood,[1851]
- 34232) *Discolampa ethion ethion* (Westwood,[1851]) (Lycaenidae) Synonym(s): *ethion* Westwood,[1851]
- 34233) *Discolampa ethion negrosiana* Murayama,1983 (Lycaenidae) Synonym(s): *negrosiana* Murayama,1983
- 34234) *Discolampa ethion thalimar* (Fruhstorfer,1922) (Lycaenidae) Synonym(s): *thalimar* Fruhstorfer,1922
- 34235) *Discolampa ethion ulysseus* Staudinger,1889 (Lycaenidae) Synonym(s): *ulysses* Staudinger,1889
- 34236) *Drina borromeorum* Schröder & Treadaway,1991 (Lycaenidae) Synonym(s): *borromeorum* Schröder & Treadaway,1991
- 34237) *Drina cowani* Corbet,1940 (Lycaenidae) Synonym(s): *cowani* Corbet,1940
- 34238) *Drina cowani cowani* Corbet,1940 (Lycaenidae) Synonym(s): *cowani* Corbet,1940

- 34239) *Drina discophora* (C.Felder & R.Felder,1862) (Lycaenidae) Synonym(s): *discophora* C.Felder & R.Felder,1862
 34240) *Drina donina* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *donina* Hewitson,[1865]
 34241) *Drina donina donina* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *donina* Hewitson,[1865]
 34242) *Drina donina usira* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *usira* C.Felder & R.Felder,[1865]
 34243) *Drina mancia* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *maneia* Hewitson,[1863]
 34244) *Drina mancia mancia* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *maneia* Hewitson,[1863]
 34245) *Drina mavortia* (Hewitson,1869) (Lycaenidae) Synonym(s): *mavortia* Hewitson,1869
 34246) *Drupadia cinesoides* (De Nicéville,1889) (Lycaenidae) Synonym(s): *cinesoides* De Nicéville,1889
 34247) *Drupadia cinesoides cinesoides* (De Nicéville,1889) (Lycaenidae) Synonym(s): *cinesoides* De Nicéville,1889
 34248) *Drupadia estella* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *estella* Hewitson,[1863]
 34249) *Drupadia estella estella* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *estella* Hewitson,[1863]
 34250) *Drupadia estella nicevillei* (Doherty,1889) (Lycaenidae) Synonym(s): *nicevillei* Doherty,1889
 34251) *Drupadia estella semperna* (Corbet,1944) (Lycaenidae) Synonym(s): *semperna* Corbet,1944
 34252) *Drupadia hayashii* Schröder & Treadaway,1989 (Lycaenidae) Synonym(s): *hayashii* Schröder & Treadaway,1989
 34253) *Drupadia johorensis* (Cowan,1958) (Lycaenidae) Synonym(s): *johorensis* Cowan,1958
 34254) *Drupadia johorensis johorensis* (Cowan,1958) (Lycaenidae) Synonym(s): *johorensis* Cowan,1958
 34255) *Drupadia niasica* (Röber,1886) (Lycaenidae) Synonym(s): *niasica* Röber,1886
 34256) *Drupadia niasica biranta* (Riley,1942) (Lycaenidae) Synonym(s): *biranta* Riley,1942
 34257) *Drupadia niasica florens* Cowan,1974 (Lycaenidae) Synonym(s): *florens* Cowan,1974
 34258) *Drupadia niasica natus* Takanami,1987 (Lycaenidae) Synonym(s): *natus* Takanami,1987
 34259) *Drupadia niasica niasica* (Röber,1886) (Lycaenidae) Synonym(s): *niasica* Röber,1886
 34260) *Drupadia niasica perlisa* (Riley,1942) (Lycaenidae) Synonym(s): *perlisa* Riley,1942; *cuboidea* Okubo,1983
 34261) *Drupadia niasica* ssp. (Lycaenidae) Synonym(s):
 34262) *Drupadia niasica thaenia* Druce,1895 (Lycaenidae) Synonym(s): *thaenia* Druce,1895
 34263) *Drupadia ravindra* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *ravindra* Horsfield,[1829]
 34264) *Drupadia ravindra balabacola* Schröder & Treadaway,1989 (Lycaenidae) Synonym(s): *balabacola* Schröder & Treadaway,1989
 34265) *Drupadia ravindra boisduvali* Moore,1884 (Lycaenidae) Synonym(s): *boisduvali* Moore,1884
 34266) *Drupadia ravindra caerulea* Okubo,1983 (Lycaenidae) Synonym(s): *caerulea* Okubo,1983
 34267) *Drupadia ravindra joloana* Staudinger,1889 (Lycaenidae) Synonym(s): *joloana* Staudinger,1889
 34268) *Drupadia ravindra moorei* (Distant,1882) (Lycaenidae) Synonym(s): *moorei* Distant,1882
 34269) *Drupadia ravindra okurai* M.Okano & T.Okano,1991 (Lycaenidae) Synonym(s): *okurai* M.Okano & T.Okano,1991
 34270) *Drupadia ravindra ravindra* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *ravindra* Horsfield,[1829]
 34271) *Drupadia ravindra ravindrina* Staudinger,1889 (Lycaenidae) Synonym(s): *ravindrina* Staudinger,1889
 34272) *Drupadia ravindra resoluta* Cowan,1974 (Lycaenidae) Synonym(s): *resoluta* Cowan,1974
 34273) *Drupadia rufotaenia* (Fruhstorfer,[1912]) (Lycaenidae) Synonym(s): *rufotaenia* Fruhstorfer,[1912]
 34274) *Drupadia rufotaenia archbaldi* (Evans,1932) (Lycaenidae) Synonym(s): *archbaldi* Evans,1932
 34275) *Drupadia rufotaenia praecox* Cowan,1974 (Lycaenidae) Synonym(s): *praecox* Cowan,1974
 34276) *Drupadia rufotaenia rufotaenia* (Fruhstorfer,[1912]) (Lycaenidae) Synonym(s): *rufotaenia* Fruhstorfer,[1912]
 34277) *Drupadia rufotaenia torquata* Cowan,1974 (Lycaenidae) Synonym(s): *torquata* Cowan,1974
 34278) *Drupadia scaeva* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *scaeva* Hewitson,[1863]
 34279) *Drupadia scaeva cooperi* (Tytler,1940) (Lycaenidae) Synonym(s): *cooperi* Tytler,1940
 34280) *Drupadia scaeva melisa* (Hewitson,1869) (Lycaenidae) Synonym(s): *melisa* Hewitson,1869
 34281) *Drupadia scaeva scaeva* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *scaeva* Hewitson,[1863]
 34282) *Drupadia theda* (C.Felder & R.Felder,1862) (Lycaenidae) Synonym(s): *theda* C.Felder & R.Felder,1862
 34283) *Drupadia theda fabricii* Moore,1884 (Lycaenidae) Synonym(s): *fabricii* Moore,1884
 34284) *Drupadia theda miyo* Takanami,1987 (Lycaenidae) Synonym(s): *miyo* Takanami,1987
 34285) *Drupadia theda osadai* Takanami,1987 (Lycaenidae) Synonym(s): *osadai* Takanami,1987
 34286) *Drupadia theda pekas* Takanami,1982 (Lycaenidae) Synonym(s): *pekas* Takanami,1982
 34287) *Drupadia theda renonga* (Corbet,1938) (Lycaenidae) Synonym(s): *renonga* Corbet,1938
 34288) *Drupadia theda tawiensis* Schröder & Treadaway,1989 (Lycaenidae) Synonym(s): *tawiensis* Schröder & Treadaway,1989
 34289) *Drupadia theda theda* (C.Felder & R.Felder,1862) (Lycaenidae) Synonym(s): *theda* C.Felder & R.Felder,1862
 34290) *Drupadia theda thesmia* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *thesmia* Hewitson,[1863]
 34291) *Drupadia theda unicolor* Staudinger,1889 (Lycaenidae) Synonym(s): *unicolor* Staudinger,1889
 34292) *Durbania amakosa* Trimen,1862 (Lycaenidae) Synonym(s): *amakosa* Trimen,1862
 34293) *Durbania amakosa albescens* Quickelberge,1981 (Lycaenidae) Synonym(s): *albescens* Quickelberge,1981
 34294) *Durbania amakosa amakosa* Trimen,1862 (Lycaenidae) Synonym(s): *amakosa* Trimen,1862
 34295) *Durbania amakosa ayresi* Van Son,1941 (Lycaenidae) Synonym(s): *ayresi* Van Son,1941
 34296) *Durbania amakosa flavida* Quickelberge,1981 (Lycaenidae) Synonym(s): *flavida* Quickelberge,1981
 34297) *Durbania amakosa natalensis* Van Son,1959 (Lycaenidae) Synonym(s): *natalensis* Van Son,1959
 34298) *Durbania amakosa penningtoni* Van Son,1959 (Lycaenidae) Synonym(s): *penningtoni* Van Son,1959
 34299) *Durbania limbata* Trimen,1887 (Lycaenidae) Synonym(s): *limbata* Trimen,1887; *amabilis* Staudinger,1888
 34300) *Durbaniella clarki* (Van Son,1941) (Lycaenidae) Synonym(s): *clarki* Van Son,1941
 34301) *Durbaniopsis saga* (Trimen,1883) (Lycaenidae) Synonym(s): *saga* Trimen,1883
 34302) *Egumbia ernesti* (Karsch,1895) (Lycaenidae) Synonym(s): *ernesti* Karsch,1895; *catori* Bethune-Baker,1924; *katangana* Romieux,1937
 34303) *Eicochrysops antoto* (Strand,1911) (Lycaenidae) Synonym(s): *antoto* Strand,1911
 34304) *Eicochrysops distractus* (De Joannis & Verity,1913) (Lycaenidae) Synonym(s): *distractus* De Joannis & Verity,1913
 34305) *Eicochrysops dudgeoni* Riley,1929 (Lycaenidae) Synonym(s): *dudgeoni* Riley,1929
 34306) *Eicochrysops eicetrochilus* Bethune-Baker,1924 (Lycaenidae) Synonym(s): *eicetrochilus* Bethune-Baker,1924
 34307) *Eicochrysops fontainei* Stempffer,1961 (Lycaenidae) Synonym(s): *fontainei* Stempffer,1961
 34308) *Eicochrysops hippocrates* (Fabricius,1793) (Lycaenidae) Synonym(s): *hippocrates* Fabricius,1793; *delicula* Mabille,1877
 34309) *Eicochrysops masai* (Bethune-Baker,1905) (Lycaenidae) Synonym(s): *masai* Bethune-Baker,1905
 34310) *Eicochrysops meryamae* Rougeot,1983 (Lycaenidae) Synonym(s): *meryamae* Rougeot,1983
 34311) *Eicochrysops messapus* (Godart,[1824]) (Lycaenidae) Synonym(s): *messapus* Godart,[1824]; *acca* Westwood,[1851]
 34312) *Eicochrysops messapus mahallakoaena* (Wallengren,1857) (Lycaenidae) Synonym(s): *mahallakoaena* Wallengren,1857
 34313) *Eicochrysops messapus messapus* (Godart,[1824]) (Lycaenidae) Synonym(s): *messapus* Godart,[1824]; *acca* Westwood,[1851]
 34314) *Eicochrysops messapus nandiana* (Bethune-Baker,1906) (Lycaenidae) Synonym(s): *nandiana* Bethune-Baker,1906
 34315) *Eicochrysops messapus sebgadis* (Guérin-Méneville,1849) (Lycaenidae) Synonym(s): *sebgadis* Guérin-Méneville,1849
 34316) *Eicochrysops pauliani* Stempffer,1950 (Lycaenidae) Synonym(s): *pauliani* Stempffer,1950
 34317) *Eicochrysops pinheyi* Heath,1985 (Lycaenidae) Synonym(s): *pinheyi* Heath,1985
 34318) *Eicochrysops pusillus* (Ungemach,1932) (Lycaenidae) Synonym(s): *pusillus* Ungemach,1932
 34319) *Eicochrysops rogersi* Bethune-Baker,1924 (Lycaenidae) Synonym(s): *rogersi* Bethune-Baker,1924
 34320) *Eicochrysops sanguigutta* (Mabille,1879) (Lycaenidae) Synonym(s): *sanguigutta* Mabille,1879; *caeruleoarcuata* Saalmüller,1884
 34321) *Electrostrymon angelia* (Hewitson,1874) (Lycaenidae) Synonym(s): *angelia* Hewitson,1874
 34322) *Electrostrymon canus* (Lycaenidae) Synonym(s):
 34323) *Electrostrymon sangala* (Lycaenidae) Synonym(s):
 34324) *Eooxylides etias* (Smith,1887) (Lycaenidae) Synonym(s): *etias* Smith,1887
 34325) *Eooxylides etias shahaniae* Treadaway & Nuyda,1994 (Lycaenidae) Synonym(s): *shahaniae* Treadaway & Nuyda,1994
 34326) *Eooxylides meduana* (Hewitson,1869) (Lycaenidae) Synonym(s): *meduana* Hewitson,1869
 34327) *Eooxylides tharis* (Geyer,[1837]) (Lycaenidae) Synonym(s): *tharis* Geyer,[1837]
 34328) *Eooxylides tharis distanti* Riley,1942 (Lycaenidae) Synonym(s): *distanti* Riley,1942

- 34329) *Eooxylides tharis tharisides* Fruhstorfer, 1904 (Lycaenidae) Synonym(s): *tharisides* Fruhstorfer, 1904
 34330) *Epitola adolphifridericici* Schultze, 1911 (Lycaenidae) Synonym(s): *adolphifridericici* Schultze, 1911
 34331) *Epitola alba* Jackson, 1962 (Lycaenidae) Synonym(s): *alba* Jackson, 1962
 34332) *Epitola albomaculata* Bethune-Baker, 1903 (Lycaenidae) Synonym(s): *albomaculata* Bethune-Baker, 1903
 34333) *Epitola azurea* Jackson, 1962 (Lycaenidae) Synonym(s): *azurea* Jackson, 1962; *carpenteri* Bethune-Baker, 1922
 34334) *Epitola badura* Kirby, 1890 (Lycaenidae) Synonym(s): *badura* Kirby, 1890
 34335) *Epitola bwamba* Jackson, 1964 (Lycaenidae) Synonym(s): *bwamba* Jackson, 1964
 34336) *Epitola carcina* Hewitson, 1873 (Lycaenidae) Synonym(s): *carcina* Hewitson, 1873; *kholifa* Bethune-Baker, 1904; *entebbeana* Bethune-Baker, 1926
 34337) *Epitola carilla* Roche, 1954 (Lycaenidae) Synonym(s): *carilla* Roche, 1954
 34338) *Epitola catuna* Kirby, 1890 (Lycaenidae) Synonym(s): *catuna* Kirby, 1890; *mus* Suffert, 1904
 34339) *Epitola catuna carpenteri* Bethune-Baker, 1922 (Lycaenidae) Synonym(s): *carpenteri* Bethune-Baker, 1922
 34340) *Epitola catuna catuna* Kirby, 1890 (Lycaenidae) Synonym(s): *catuna* Kirby, 1890; *mus* Suffert, 1904
 34341) *Epitola cepheia* Hewitson, 1873 (Lycaenidae) Synonym(s): *cephena* Hewitson, 1873
 34342) *Epitola cepheia cepheia* Hewitson, 1873 (Lycaenidae) Synonym(s): *cephena* Hewitson, 1873; *doleta* Kirby, 1890; *leonina* Bethune-Baker, 1904; *leonensis* Bethune-Baker, 1904
 34343) *Epitola cepheia entebbeana* Bethune-Baker, 1926 (Lycaenidae) Synonym(s): *entebbeana* Bethune-Baker, 1926
 34344) *Epitola ceraunia* Hewitson, 1873 (Lycaenidae) Synonym(s): *ceraunia* Hewitson, 1873; *dewitzi* Kirby, 1887
 34345) *Epitola cercene* Hewitson, 1873 (Lycaenidae) Synonym(s): *cercene* Hewitson, 1873; *versicolor* Kirby, 1887
 34346) *Epitola cercenoides* Holland, 1890 (Lycaenidae) Synonym(s): *cercenoides* Holland, 1890; *batesi* Druce, 1910
 34347) *Epitola cinerea* Berger, 1981 (Lycaenidae) Synonym(s): *cinerea* Berger, 1981
 34348) *Epitola coerulea* Jackson, 1962 (Lycaenidae) Synonym(s): *coerulea* Jackson, 1962
 34349) *Epitola conception* Suffert, 1904 (Lycaenidae) Synonym(s): *conception* Suffert, 1904
 34350) *Epitola congoana* Aurivillius, 1923 (Lycaenidae) Synonym(s): *congoana* Aurivillius, 1923
 34351) *Epitola conjuncta* Grose-Smith & Kirby, 1893 (Lycaenidae) Synonym(s): *conjuncta* Grose-Smith & Kirby, 1893
 34352) *Epitola conjuncta budduana* Talbot, 1937 (Lycaenidae) Synonym(s): *budduana* Talbot, 1937
 34353) *Epitola conjuncta conjuncta* Grose-Smith & Kirby, 1893 (Lycaenidae) Synonym(s): *conjuncta* Grose-Smith & Kirby, 1893
 34354) *Epitola convexa* Roche, 1954 (Lycaenidae) Synonym(s): *convexa* Roche, 1954
 34355) *Epitola crowleyi* Sharpe, 1890 (Lycaenidae) Synonym(s): *hewitsoni* Staudinger, 1889 nec Mab., 1877; *crowleyi* Sharpe, 1890
 34356) *Epitola crowleyi crowleyi* Sharpe, 1890 (Lycaenidae) Synonym(s): *hewitsoni* Staudinger, 1889 nec Mab., 1877; *crowleyi* Sharpe, 1890
 34357) *Epitola crowleyi holochroma* Berger, 1981 (Lycaenidae) Synonym(s): *holochroma* Berger, 1981
 34358) *Epitola cyanea* Jackson, 1964 (Lycaenidae) Synonym(s): *cyanea* Jackson, 1964
 34359) *Epitola daveyi* Roche, 1954 (Lycaenidae) Synonym(s): *daveyi* Roche, 1954
 34360) *Epitola decellei* Stempffer, 1956 (Lycaenidae) Synonym(s): *decellei* Stempffer, 1956
 34361) *Epitola dolorosa* Roche, 1954 (Lycaenidae) Synonym(s): *dolorosa* Roche, 1954
 34362) *Epitola dorothea* Bethune-Baker, 1904 (Lycaenidae) Synonym(s): *dorothea* Bethune-Baker, 1904
 34363) *Epitola dubia* Jackson, 1964 (Lycaenidae) Synonym(s): *dubia* Jackson, 1964
 34364) *Epitola dunia* Kirby, 1887 (Lycaenidae) Synonym(s): *dunia* Kirby, 1887
 34365) *Epitola elissa* Grose-Smith, 1898 (Lycaenidae) Synonym(s): *elissa* Grose-Smith, 1898; *oniensis* Roche, 1954
 34366) *Epitola flavoantennata* Roche, 1954 (Lycaenidae) Synonym(s): *flavoantennata* Roche, 1954
 34367) *Epitola gerina* Hewitson, 1878 (Lycaenidae) Synonym(s): *gerina* Hewitson, 1878
 34368) *Epitola ghesquieri* Roche, 1954 (Lycaenidae) Synonym(s): *ghesquieri* Roche, 1954; *nigeriae* Jackson, 1962
 34369) *Epitola goodi* Holland, 1890 (Lycaenidae) Synonym(s): *goodi* Holland, 1890
 34370) *Epitola hewitsoni* Mabille, 1877 (Lycaenidae) Synonym(s): *hewitsoni* Mabille, 1877; *falkensteinii* Dewitz, 1879
 34371) *Epitola hewitsonioides* Hawker-Smith, 1933 (Lycaenidae) Synonym(s): *hewitsonioides* Hawker-Smith, 1933
 34372) *Epitola ikoya* Roche, 1954 (Lycaenidae) Synonym(s): *ikoya* Roche, 1954
 34373) *Epitola insulana* Aurivillius, 1923 (Lycaenidae) Synonym(s): *insulana* Aurivillius, 1923
 34374) *Epitola intermedia* Roche, 1954 (Lycaenidae) Synonym(s): *intermedia* Roche, 1954
 34375) *Epitola iturina* Joicey & Talbot, 1921 (Lycaenidae) Synonym(s): *iturina* Joicey & Talbot, 1921; *bella* Aurivillius, 1923
 34376) *Epitola ivoirensis* Jackson, 1967 (Lycaenidae) Synonym(s): *ivoirensis* Jackson, 1967
 34377) *Epitola kamengensis* Jackson, 1962 (Lycaenidae) Synonym(s): *kamengensis* Jackson, 1962
 34378) *Epitola katerae* Jackson, 1962 (Lycaenidae) Synonym(s): *katerae* Jackson, 1962
 34379) *Epitola katherinae* Poulton, 1929 (Lycaenidae) Synonym(s): *katherinae* Poulton, 1929
 34380) *Epitola lamborni* Bethune-Baker, 1922 (Lycaenidae) Synonym(s): *lamborni* Bethune-Baker, 1922
 34381) *Epitola leonina* Staudinger, 1888 (Lycaenidae) Synonym(s): *leonina* Staudinger, 1888; *ciconia* Grose-Smith, 1892
 34382) *Epitola liana* Roche, 1954 (Lycaenidae) Synonym(s): *liana* Roche, 1954
 34383) *Epitola maculata* Hawker-Smith, 1926 (Lycaenidae) Synonym(s): *maculata* Hawker-Smith, 1926; *pulchra* Jackson, 1964
 34384) *Epitola magnifica* Jackson, 1964 (Lycaenidae) Synonym(s): *magnifica* Jackson, 1964
 34385) *Epitola mara* Talbot, 1935 (Lycaenidae) Synonym(s): *mara* Talbot, 1935
 34386) *Epitola marginata* Kirby, 1887 (Lycaenidae) Synonym(s): *marginata* Kirby, 1887; *umbratilis* Holland, 1890
 34387) *Epitola mengoensis* Bethune-Baker, 1906 (Lycaenidae) Synonym(s): *mengoensis* Bethune-Baker, 1906
 34388) *Epitola mercedes* Suffert, 1904 (Lycaenidae) Synonym(s): *mercedes* Suffert, 1904
 34389) *Epitola miranda* Staudinger, 1889 (Lycaenidae) Synonym(s): *miranda* Staudinger, 1889
 34390) *Epitola miranda miranda* Staudinger, 1889 (Lycaenidae) Synonym(s): *miranda* Staudinger, 1889
 34391) *Epitola miranda vidua* Talbot, 1935 (Lycaenidae) Synonym(s): *vidua* Talbot, 1935
 34392) *Epitola mirifica* Jackson, 1964 (Lycaenidae) Synonym(s): *mirifica* Jackson, 1964
 34393) *Epitola mongiro* Jackson, 1968 (Lycaenidae) Synonym(s): *mongiro* Jackson, 1968
 34394) *Epitola moyambina* Bethune-Baker, 1903 (Lycaenidae) Synonym(s): *moyambina* Bethune-Baker, 1903
 34395) *Epitola mpangensis* Jackson, 1962 (Lycaenidae) Synonym(s): *mpangensis* Jackson, 1962
 34396) *Epitola nigra* Bethune-Baker, 1903 (Lycaenidae) Synonym(s): *nigra* Bethune-Baker, 1903
 34397) *Epitola nigrovenata* Jackson, 1962 (Lycaenidae) Synonym(s): *nigrovenata* Jackson, 1962
 34398) *Epitola nitide* Druce, 1910 (Lycaenidae) Synonym(s): *nitide* Druce, 1910
 34399) *Epitola obscura* Hawker-Smith, 1933 (Lycaenidae) Synonym(s): *obscura* Hawker-Smith, 1933
 34400) *Epitola orientalis* Roche, 1954 (Lycaenidae) Synonym(s): *orientalis* Roche, 1954
 34401) *Epitola ouesso* Jackson, 1962 (Lycaenidae) Synonym(s): *ouesso* Jackson, 1962
 34402) *Epitola pinodes* Druce, 1890 (Lycaenidae) Synonym(s): *pinodes* Druce, 1890
 34403) *Epitola pinodoides* Grose-Smith & Kirby, 1893 (Lycaenidae) Synonym(s): *pinodoides* Grose-Smith & Kirby, 1893
 34404) *Epitola posthumus* (Fabricius, 1793) (Lycaenidae) Synonym(s): *posthumus* Fabricius, 1793; *elion* Westwood, [1851]; *belli* Hewitson, 1874
 34405) *Epitola pseudelissa* Jackson, 1968 (Lycaenidae) Synonym(s): *pseudelissa* Jackson, 1968
 34406) *Epitola pseudoconjuncta* Jackson, 1962 (Lycaenidae) Synonym(s): *pseudoconjuncta* Jackson, 1962
 34407) *Epitola pulverulenta* Dufrane, 1953 (Lycaenidae) Synonym(s): *pulverulenta* Dufrane, 1953
 34408) *Epitola rileyi* Audeoud, 1936 (Lycaenidae) Synonym(s): *rileyi* Audeoud, 1936
 34409) *Epitola semibrunnea* Bethune-Baker, 1916 (Lycaenidae) Synonym(s): *semibrunnea* Bethune-Baker, 1916; *ammon* Joicey & Talbot, 1921
 34410) *Epitola staudingeri* Kirby, 1890 (Lycaenidae) Synonym(s): *staudingeri* Kirby, 1890
 34411) *Epitola staudingeri aequatorialis* Jackson, 1962 (Lycaenidae) Synonym(s): *aequatorialis* Jackson, 1962
 34412) *Epitola staudingeri staudingeri* Kirby, 1890 (Lycaenidae) Synonym(s): *staudingeri* Kirby, 1890
 34413) *Epitola stempfferi* Jackson, 1962 (Lycaenidae) Synonym(s): *stempfferi* Jackson, 1962
 34414) *Epitola subargentea* Jackson, 1964 (Lycaenidae) Synonym(s): *subargentea* Jackson, 1964
 34415) *Epitola subgriseata* Jackson, 1964 (Lycaenidae) Synonym(s): *subgriseata* Jackson, 1964
 34416) *Epitola sublustris* Bethune-Baker, 1904 (Lycaenidae) Synonym(s): *sublustris* Bethune-Baker, 1904
 34417) *Epitola suzannae* Berger, 1981 (Lycaenidae) Synonym(s): *suzannae* Berger, 1981

- 34418) *Epitola tumentia* Druce, 1910 (Lycaenidae) Synonym(s): *tumentia* Druce, 1910
 34419) *Epitola uniformis* Kirby, 1887 (Lycaenidae) Synonym(s): *uniformis* Kirby, 1887
 34420) *Epitola urania* Kirby, 1887 (Lycaenidae) Synonym(s): *urania* Kirby, 1887
 34421) *Epitola urania tanganikensis* Joicey & Talbot, 1921 (Lycaenidae) Synonym(s): *tanganikensis* Joicey & Talbot, 1921
 34422) *Epitola urania urania* Kirby, 1887 (Lycaenidae) Synonym(s): *urania* Kirby, 1887
 34423) *Epitola vinalli* Talbot, 1935 (Lycaenidae) Synonym(s): *vinalli* Talbot, 1935; *subcoerulea* Roche, 1954
 34424) *Epitola virinea* Bethune-Baker, 1904 (Lycaenidae) Synonym(s): *virinea* Bethune-Baker, 1904
 34425) *Epitola viridana* Joicey & Talbot, 1921 (Lycaenidae) Synonym(s): *viridana* Joicey & Talbot, 1921
 34426) *Epitola viridana radiata* Bethune-Baker, 1926 (Lycaenidae) Synonym(s): *radiata* Bethune-Baker, 1926
 34427) *Epitola viridana viridana* Joicey & Talbot, 1921 (Lycaenidae) Synonym(s): *viridana* Joicey & Talbot, 1921
 34428) *Epitola zelica* Kirby, 1890 (Lycaenidae) Synonym(s): *zelica* Kirby, 1890; *subalba* Bethune-Baker, 1915
 34429) *Epitola zelza* Hewitson, 1873 (Lycaenidae) Synonym(s): *zelza* Hewitson, 1873; *badia* Kirby, 1887
 34430) *Epitolina catori* Bethune-Baker, 1904 (Lycaenidae) Synonym(s): *catori* Bethune-Baker, 1904
 34431) *Epitolina catori catori* Bethune-Baker, 1904 (Lycaenidae) Synonym(s): *catori* Bethune-Baker, 1904
 34432) *Epitolina catori ugandae* Jackson, 1962 (Lycaenidae) Synonym(s): *ugandae* Jackson, 1962
 34433) *Epitolina dispar* (Kirby, 1887) (Lycaenidae) Synonym(s): *dispar* Kirby, 1887; *mnestra* Möschler, 1887; *melissa* Druce, 1888; *cordelia* Kirby, 1890; *dubia* Kirby, 1890
 34434) *Eresina bergeri* Stempffer, 1956 (Lycaenidae) Synonym(s): *bergeri* Stempffer, 1956
 34435) *Eresina bilinea* Talbot, 1935 (Lycaenidae) Synonym(s): *bilinea* Talbot, 1935
 34436) *Eresina conradti* Stempffer, 1956 (Lycaenidae) Synonym(s): *conradti* Stempffer, 1956
 34437) *Eresina corynetes* (Grose-Smith & Kirby, 1890) (Lycaenidae) Synonym(s): *corynetes* Grose-Smith & Kirby, 1890
 34438) *Eresina crola* Talbot, 1935 (Lycaenidae) Synonym(s): *crola* Talbot, 1935
 34439) *Eresina fontainei* Stempffer, 1956 (Lycaenidae) Synonym(s): *fontainei* Stempffer, 1956
 34440) *Eresina fusca* (Cator, 1904) (Lycaenidae) Synonym(s): *fusca* Cator, 1904
 34441) *Eresina jacksoni* Stempffer, 1961 (Lycaenidae) Synonym(s): *jacksoni* Stempffer, 1961
 34442) *Eresina katangana* Stempffer, 1956 (Lycaenidae) Synonym(s): *katangana* Stempffer, 1956
 34443) *Eresina katera* Stempffer, 1962 (Lycaenidae) Synonym(s): *katera* Stempffer, 1962
 34444) *Eresina likouala* Stempffer, 1962 (Lycaenidae) Synonym(s): *likouala* Stempffer, 1962
 34445) *Eresina maesseni* Stempffer, 1956 (Lycaenidae) Synonym(s): *maesseni* Stempffer, 1956
 34446) *Eresina masaka* Stempffer, 1962 (Lycaenidae) Synonym(s): *masaka* Stempffer, 1962
 34447) *Eresina pseudofusca* Stempffer, 1961 (Lycaenidae) Synonym(s): *pseudofusca* Stempffer, 1961
 34448) *Eresina rougeoti* Stempffer, 1956 (Lycaenidae) Synonym(s): *rougeoti* Stempffer, 1956
 34449) *Eresina saundersi* Stempffer, 1956 (Lycaenidae) Synonym(s): *saundersi* Stempffer, 1956
 34450) *Eresina theodori* Stempffer, 1956 (Lycaenidae) Synonym(s): *theodori* Stempffer, 1956
 34451) *Eresina toroensis* Joicey & Talbot, 1921 (Lycaenidae) Synonym(s): *toroensis* Joicey & Talbot, 1921
 34452) *Eresinopsides bichroma* Strand, 1911 (Lycaenidae) Synonym(s): *bichroma* Strand, 1911; *staphyla* Hulstaert, 1924
 34453) *Eresinopsides bichroma bichroma* Strand, 1911 (Lycaenidae) Synonym(s): *bichroma* Strand, 1911; *staphyla* Hulstaert, 1924
 34454) *Eresinopsides bichroma jefferyi* Stempffer, 1950 (Lycaenidae) Synonym(s): *jefferyi* Stempffer, 1950
 34455) *Eresiomera beni* (Stempffer, 1961) (Lycaenidae) Synonym(s): *beni* Stempffer, 1961
 34456) *Eresiomera bicolor* (Grose-Smith & Kirby, 1890) (Lycaenidae) Synonym(s): *bicolor* Grose-Smith & Kirby, 1890
 34457) *Eresiomera clenchi* (Stempffer, 1961) (Lycaenidae) Synonym(s): *clenchi* Stempffer, 1961
 34458) *Eresiomera cornesi* (Stempffer, 1969) (Lycaenidae) Synonym(s): *cornesi* Stempffer, 1969
 34459) *Eresiomera cornucopiae* (Holland, 1892) (Lycaenidae) Synonym(s): *cornucopiae* Holland, 1892
 34460) *Eresiomera isca* (Hewitson, 1873) (Lycaenidae) Synonym(s): *isca* Hewitson, 1873; *#demaculata* Hulstaert, 1924
 34461) *Eresiomera isca isca* (Hewitson, 1873) (Lycaenidae) Synonym(s): *isca* Hewitson, 1873; *#demaculata* Hulstaert, 1924
 34462) *Eresiomera isca magnimacula* (Rebel, 1914) (Lycaenidae) Synonym(s): *magnimacula* Rebel, 1914
 34463) *Eresiomera issia* (Stempffer, 1969) (Lycaenidae) Synonym(s): *issia* Stempffer, 1969
 34464) *Eresiomera jacksoni* (Stempffer, 1969) (Lycaenidae) Synonym(s): *jacksoni* Stempffer, 1969
 34465) *Eresiomera mapongwa* (Holland, 1893) (Lycaenidae) Synonym(s): *mapongwa* Holland, 1893
 34466) *Eresiomera nigeriana* (Stempffer, 1962) (Lycaenidae) Synonym(s): *nigeriana* Stempffer, 1962
 34467) *Eresiomera osheba* (Holland, 1890) (Lycaenidae) Synonym(s): *osheba* Holland, 1890; *minium* Druce, 1910; *mildbraedi* Schultze, 1912
 34468) *Eresiomera ouesso* (Stempffer, 1962) (Lycaenidae) Synonym(s): *ouesso* Stempffer, 1962
 34469) *Eresiomera paradoxa* (Schultze, 1917) (Lycaenidae) Synonym(s): *paradoxa* Schultze, 1917
 34470) *Eresiomera paradoxa orientalis* (Stempffer, 1962) (Lycaenidae) Synonym(s): *orientalis* Stempffer, 1962
 34471) *Eresiomera paradoxa paradoxa* (Schultze, 1917) (Lycaenidae) Synonym(s): *paradoxa* Schultze, 1917
 34472) *Eresiomera phaeochiton* (Grünberg, 1910) (Lycaenidae) Synonym(s): *phaeochiton* Grünberg, 1910
 34473) *Eresiomera rougeoti* (Stempffer, 1961) (Lycaenidae) Synonym(s): *rougeoti* Stempffer, 1961
 34474) *Eresiomera rutilo* (Druce, 1910) (Lycaenidae) Synonym(s): *rutilo* Druce, 1910
 34475) *Eriksonia acraeina* Trimen, 1891 (Lycaenidae) Synonym(s): *acraeina* Trimen, 1891
 34476) *Eriksonia cooksoni* Druce, 1905 (Lycaenidae) Synonym(s): *cooksoni* Druce, 1905
 34477) *Erora laeta* (Edwards, 1862) (Lycaenidae) Synonym(s): *laeta* Edwards, 1862; *clothilde* Edwards, 1863
 34478) *Erora quaderna* (Hewitson, 1868) (Lycaenidae) Synonym(s): *quaderna* Hewitson, 1868
 34479) *Euaspa forsteri* (Esaki & Shirozu, 1943) (Lycaenidae) Synonym(s): *forsteri* Esaki & Shirozu, 1943
 34480) *Euaspa forsteri forsteri* (Esaki & Shirozu, 1943) (Lycaenidae) Synonym(s): *forsteri* Esaki & Shirozu, 1943
 34481) *Euaspa milionia* (Hewitson, [1869]) (Lycaenidae) Synonym(s): *milionia* Hewitson, [1869]
 34482) *Euaspa milionia formosana* Nomura, 1931 (Lycaenidae) Synonym(s): *formosana* Nomura, 1931
 34483) *Euaspa milionia milionia* (Hewitson, [1869]) (Lycaenidae) Synonym(s): *milionia* Hewitson, [1869]
 34484) *Euaspa pavo* De Nicéville, 1887 (Lycaenidae) Synonym(s): *pavo* De Nicéville, 1887
 34485) *Euaspa pavo pavo* De Nicéville, 1887 (Lycaenidae) Synonym(s): *pavo* De Nicéville, 1887
 34486) *Euaspa tayal* (Esaki & Shirozu, 1943) (Lycaenidae) Synonym(s): *tayal* Esaki & Shirozu, 1943
 34487) *Euaspa tayal tayal* (Esaki & Shirozu, 1943) (Lycaenidae) Synonym(s): *tayal* Esaki & Shirozu, 1943
 34488) *Euchrysops abyssinica* (Aurivillius, 1922) (Lycaenidae) Synonym(s): *abyssinica* Aurivillius, 1922
 34489) *Euchrysops albistriata* (Capronnier, 1889) (Lycaenidae) Synonym(s): *albistriata* Capronnier, 1889
 34490) *Euchrysops albistriata albistriata* (Capronnier, 1889) (Lycaenidae) Synonym(s): *albistriata* Capronnier, 1889
 34491) *Euchrysops albistriata greenwoodi* D'Abrera, 1980 (Lycaenidae) Synonym(s): *greenwoodi* D'Abrera, 1980
 34492) *Euchrysops barkeri* (Trimen, 1893) (Lycaenidae) Synonym(s): *barkeri* Trimen, 1893
 34493) *Euchrysops brunneus* Bethune-Baker, 1923 (Lycaenidae) Synonym(s): *brunneus* Bethune-Baker, 1923
 34494) *Euchrysops cnejus* (Fabricius, 1798) (Lycaenidae) Synonym(s): *cnejus* Fabricius, 1798
 34495) *Euchrysops cnejus cnejus* (Fabricius, 1798) (Lycaenidae) Synonym(s): *cnejus* Fabricius, 1798
 34496) *Euchrysops crawshayi* (Butler, 1899) (Lycaenidae) Synonym(s): *crawshayi* Butler, 1899; *subdita* Grose-Smith, 1901; *crawshayinus* Aurivillius, 1924
 34497) *Euchrysops crawshayi* (Butler, 1899) (Lycaenidae) Synonym(s): *crawshayi* Butler, 1899; *subdita* Grose-Smith, 1901; *crawshayinus* Aurivillius, 1924
 34498) *Euchrysops crawshayi fontainei* Stempffer, 1967 (Lycaenidae) Synonym(s): *fontainei* Stempffer, 1967
 34499) *Euchrysops cyclopteris* (Butler, 1876) (Lycaenidae) Synonym(s): *cyclopteris* Butler, 1876
 34500) *Euchrysops decaryi* Stempffer, 1947 (Lycaenidae) Synonym(s): *decaryi* Stempffer, 1947
 34501) *Euchrysops dolorosa* (Trimen, 1887) (Lycaenidae) Synonym(s): *dolorosa* Trimen, 1887
 34502) *Euchrysops horus* (Stoneham, 1938) (Lycaenidae) Synonym(s): *horus* Stoneham, 1938
 34503) *Euchrysops jacksoni* Stempffer, 1952 (Lycaenidae) Synonym(s): *jacksoni* Stempffer, 1952
 34504) *Euchrysops kabrosae* (Bethune-Baker, 1906) (Lycaenidae) Synonym(s): *kabrosae* Bethune-Baker, 1906
 34505) *Euchrysops katangae* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *katangae* Bethune-Baker, 1923

- 34506) *Euchrysops latrunculata* (Grünberg,1910) (Lycaenidae) Synonym(s): *latrunculata* Grünberg,1910
 34507) *Euchrysops lois* (Butler,1886) (Lycaenidae) Synonym(s): *lois* Butler,1886
 34508) *Euchrysops lois lois* (Butler,1886) (Lycaenidae) Synonym(s): *lois* Butler,1886
 34509) *Euchrysops malathana* (Boisduval,1833) (Lycaenidae) Synonym(s): *malathana* Boisduval,1833; *asopus* Hopffer,1855; *kama* Trimen,1862; *conguensis* Mabilie,1877.
 34510) *Euchrysops malathana malathana* (Boisduval,1833) (Lycaenidae) Synonym(s): *malathana* Boisduval,1833; *asopus* Hopffer,1855; *kama* Trimen,1862; *conguensis* Mabilie,1877.
 34511) *Euchrysops mauensis* Bethune-Baker,1923 (Lycaenidae) Synonym(s): *mauensis* Bethune-Baker,1923
 34512) *Euchrysops mauensis abyssiniae* Storace,1950 (Lycaenidae) Synonym(s): *abyssiniae* Storace,1950
 34513) *Euchrysops mauensis mauensis* Bethune-Baker,1923 (Lycaenidae) Synonym(s): *mauensis* Bethune-Baker,1923
 34514) *Euchrysops migiurtiniensis* Stempffer,1946 (Lycaenidae) Synonym(s): *migiurtiniensis* Stempffer,1946
 34515) *Euchrysops nandensis* (Neave,1904) (Lycaenidae) Synonym(s): *nandensis* Neave,1904
 34516) *Euchrysops nilotica* (Aurivillius,1904) (Lycaenidae) Synonym(s): *nilotica* Aurivillius,1904
 34517) *Euchrysops osiris* (Hopffer,1855) (Lycaenidae) Synonym(s): *osiris* Hopffer,1855; *anubis* Snellen,1872; *phoa* Snellen,1872; *pyrrhops* Mabilie,1877; *cuprescens* Sharpe,1898; *australis* Hulstaert,1924.
 34518) *Euchrysops osiris orientalis* Hulstaert,1924 (Lycaenidae) Synonym(s): *orientalis* Hulstaert,1924
 34519) *Euchrysops osiris osiris* (Hopffer,1855) (Lycaenidae) Synonym(s): *osiris* Hopffer,1855; *anubis* Snellen,1872; *phoa* Snellen,1872; *pyrrhops* Mabilie,1877; *cuprescens* Sharpe,1898; *australis* Hulstaert,1924.
 34520) *Euchrysops philbyi* Gabriel,1954 (Lycaenidae) Synonym(s): *philbyi* Gabriel,1954
 34521) *Euchrysops philbyi philbyi* Gabriel,1954 (Lycaenidae) Synonym(s): *philbyi* Gabriel,1954
 34522) *Euchrysops reducta* Hulstaert,1924 (Lycaenidae) Synonym(s): *reducta* Hulstaert,1924
 34523) *Euchrysops reducta niveocincta* Ungemach,1932 (Lycaenidae) Synonym(s): *niveocincta* Ungemach,1932
 34524) *Euchrysops reducta reducta* Hulstaert,1924 (Lycaenidae) Synonym(s): *reducta* Hulstaert,1924
 34525) *Euchrysops severini* Hulstaert,1924 (Lycaenidae) Synonym(s): *severini* Hulstaert,1924
 34526) *Euchrysops subpallida* Bethune-Baker,1923 (Lycaenidae) Synonym(s): *subpallida* Bethune-Baker,1923; *major* Bethune-Baker,1923; *fescennia* Hulstaert,1924
 34527) *Euchrysops unigemmata* (Butler,1895) (Lycaenidae) Synonym(s): *unigemmata* Butler,1895; *browni* Stempffer,1954
 34528) *Euliphyra leucyana* (Hewitson,1874) (Lycaenidae) Synonym(s): *leucyana* Hewitson,1874
 34529) *Euliphyra mirifica* Holland,1890 (Lycaenidae) Synonym(s): *mirifica* Holland,1890
 34530) *Euliphyra mirifica mirifica* Holland,1890 (Lycaenidae) Synonym(s): *mirifica* Holland,1890
 34531) *Euliphyra mirifica sjoestedti* Aurivillius,1895 (Lycaenidae) Synonym(s): *sjoestedti* Aurivillius,1895; *hewitsoni* Aurivillius,1898
 34532) *Eumaeus atala* (Lycaenidae) Synonym(s):
 34533) *Euphilotes battoides* (Lycaenidae) Synonym(s):
 34534) *Euphilotes battoides allyni* (Lycaenidae) Synonym(s):
 34535) *Euphilotes battoides baueri* (Lycaenidae) Synonym(s):
 34536) *Euphilotes battoides bernardino* (Lycaenidae) Synonym(s):
 34537) *Euphilotes battoides centralis* (Lycaenidae) Synonym(s):
 34538) *Euphilotes battoides ellisi* (Lycaenidae) Synonym(s):
 34539) *Euphilotes battoides intermedia* (Lycaenidae) Synonym(s):
 34540) *Euphilotes enoptes* (Lycaenidae) Synonym(s):
 34541) *Euphilotes enoptes ancilla* (Lycaenidae) Synonym(s):
 34542) *Euphilotes enoptes dammersi* (Lycaenidae) Synonym(s):
 34543) *Euphilotes enoptes mojave* (Lycaenidae) Synonym(s):
 34544) *Euphilotes rita* (Lycaenidae) Synonym(s):
 34545) *Euphilotes rita pallescens* (Lycaenidae) Synonym(s):
 34546) *Euphilotes spaldingi* (Lycaenidae) Synonym(s):
 34547) *Euthecta cooksoni* Bennett,1954 (Lycaenidae) Synonym(s):
 34548) *Everes amyntula* (Lycaenidae) Synonym(s):
 34549) *Everes comyntas* (Lycaenidae) Synonym(s):
 34550) *Falcuna campimus* (Holland,1890a) (Lycaenidae) Synonym(s):
 34551) *Falcuna campimus campimus* (Holland,1890a) (Lycaenidae) Synonym(s):
 34552) *Falcuna campimus dilatata* (Schultze,1923) (Lycaenidae) Synonym(s):
 34553) *Falcuna dorotheae* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s):
 34554) *Falcuna gitte* Bennett,1969a (Lycaenidae) Synonym(s):
 34555) *Falcuna hollandi* (Aurivillius,1898) (Lycaenidae) Synonym(s):
 34556) *Falcuna hollandi hollandi* (Aurivillius,1898) (Lycaenidae) Synonym(s):
 34557) *Falcuna hollandi nigricans* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s):
 34558) *Falcuna hollandi suffusa* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s):
 34559) *Falcuna iturina* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s):
 34560) *Falcuna kasai* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s):
 34561) *Falcuna lacteata* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s):
 34562) *Falcuna leonensis* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s):
 34563) *Falcuna libyssa* (Hewitson,1866) (Lycaenidae) Synonym(s):
 34564) *Falcuna libyssa angolensis* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s):
 34565) *Falcuna libyssa cameroonica* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s):
 34566) *Falcuna libyssa libyssa* (Hewitson,1866) (Lycaenidae) Synonym(s):
 34567) *Falcuna lybia* (Staudinger,1892a) (Lycaenidae) Synonym(s):
 34568) *Falcuna margarita* (Suffert,1904a) (Lycaenidae) Synonym(s):
 34569) *Falcuna melandeta* (Holland,1893a) (Lycaenidae) Synonym(s):
 34570) *Falcuna orientalis* (Bethune-Baker,1906) (Lycaenidae) Synonym(s):
 34571) *Falcuna orientalis bwamba* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s):
 34572) *Falcuna orientalis orientalis* (Bethune-Baker,1906) (Lycaenidae) Synonym(s):
 34573) *Falcuna overlaeti* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s):
 34574) *Falcuna reducta* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s): *reducta* Stempffer & Bennett,1963
 34575) *Falcuna semliki* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s):
 34576) *Falcuna synesia* (Hulstaert,1924) (Lycaenidae) Synonym(s): *synesia* Hulstaert,1924
 34577) *Falcuna synesia fusca* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s): *fusca* Stempffer & Bennett,1963
 34578) *Falcuna synesia gabonensis* Stempffer & Bennett,1963 (Lycaenidae) Synonym(s): *gabonensis* Stempffer & Bennett,1963
 34579) *Falcuna synesia synesia* (Hulstaert,1924) (Lycaenidae) Synonym(s): *synesia* Hulstaert,1924
 34580) *Famegana alsulus* (Herrich-Schäffer,1869) (Lycaenidae) Synonym(s): *alsulus* Herrich-Schäffer,1869
 34581) *Favonius aquamarinus* Dubatolov & Sergeev,1987 (Lycaenidae) Synonym(s): *aquamarinus* Dubatolov & Sergeev,1987
 34582) *Favonius aquamarinus aquamarinus* Dubatolov & Sergeev,1987 (Lycaenidae) Synonym(s): *aquamarinus* Dubatolov & Sergeev,1987
 34583) *Favonius jezoensis* (Matsumura,1915) (Lycaenidae) Synonym(s): *jezoensis* Matsumura,1915
 34584) *Favonius jezoensis jezoensis* (Matsumura,1915) (Lycaenidae) Synonym(s): *jezoensis* Matsumura,1915
 34585) *Favonius korshunovi* Dubatolov & Sergeev,1982 (Lycaenidae) Synonym(s): *korshunovi* Dubatolov & Sergeev,1982
 34586) *Favonius korshunovi korshunovi* Dubatolov & Sergeev,1982 (Lycaenidae) Synonym(s): *korshunovi* Dubatolov & Sergeev,1982
 34587) *Favonius latifasciatus* (Shirozu & Hayasi,1959) (Lycaenidae) Synonym(s): *latifasciatus* Shirozu & Hayasi,1959
 34588) *Favonius latifasciatus latifasciatus* (Shirozu & Hayasi,1959) (Lycaenidae) Synonym(s): *latifasciatus* Shirozu & Hayasi,1959
 34589) *Favonius orientalis* (Murray,1875) (Lycaenidae) Synonym(s): *orientalis* Murray,1875
 34590) *Favonius orientalis orientalis* (Murray,1875) (Lycaenidae) Synonym(s): *orientalis* Murray,1875

- 34591) *Favonius saphirinus* (Staudinger,1887) (Lycaenidae) Synonym(s): *saphirinus* Staudinger,1887
 34592) *Favonius saphirinus saphirinus* (Staudinger,1887) (Lycaenidae) Synonym(s): *saphirinus* Staudinger,1887
 34593) *Favonius ultramarinus* (Fixsen,1887) (Lycaenidae) Synonym(s): *ultramarinus* Fixsen,1887
 34594) *Favonius ultramarinus ultramarinus* (Fixsen,1887) (Lycaenidae) Synonym(s): *ultramarinus* Fixsen,1887
 34595) *Peniseca tarquinius* (Fabricius,1793) (Lycaenidae) Synonym(s): *tarquinius* Fabricius,1793; *crataegi* Boisduval & Leconte,[1833]; *porsenna* Scudder,1864
 34596) *Peniseca tarquinius novascotiae* McDunnough,1935 (Lycaenidae) Synonym(s): *novascotiae* McDunnough,1935
 34597) *Peniseca tarquinius tarquinius* (Fabricius,1793) (Lycaenidae) Synonym(s): *tarquinius* Fabricius,1793; *crataegi* Boisduval & Leconte,[1833]; *porsenna* Scudder,1864
 34598) *Flos adriana* De Nicéville,1883 (Lycaenidae) Synonym(s): *adriana* De Nicéville,1883
 34599) *Flos adriana adriana* De Nicéville,1883 (Lycaenidae) Synonym(s): *adriana* De Nicéville,1883
 34600) *Flos anniella* (Hewitson,1862) (Lycaenidae) Synonym(s): *anniella* Hewitson,1862
 34601) *Flos anniella anniella* (Hewitson,1862) (Lycaenidae) Synonym(s): *anniella* Hewitson,1862
 34602) *Flos anniella artegai* Doherty,1889 (Lycaenidae) Synonym(s): *artegai* Doherty,1889
 34603) *Flos anniella malangana* (Toxopeus,1929) (Lycaenidae) Synonym(s): *malangana* Toxopeus,1929
 34604) *Flos apidanus* (Cramer,[1777]) (Lycaenidae) Synonym(s): *apidanus* Cramer,[1777]; *dorimond* Stoll,1790; *antipaxas* Fruhstorfer,1914; *alter* Toxopeus,1929
 34605) *Flos apidanus ahamus* Doherty,1891 (Lycaenidae) Synonym(s): *ahamus* Doherty,1891
 34606) *Flos apidanus ambigua* (Toxopeus,1929) (Lycaenidae) Synonym(s): *ambigua* Toxopeus,1929; *anthracophila* Toxopeus,1929
 34607) *Flos apidanus apidanus* (Cramer,[1777]) (Lycaenidae) Synonym(s): *apidanus* Cramer,[1777]; *dorimond* Stoll,1790; *antipaxas* Fruhstorfer,1914; *alter* Toxopeus,1929
 34608) *Flos apidanus arahat* (Fruhstorfer,1914) (Lycaenidae) Synonym(s): *arahat* Fruhstorfer,1914
 34609) *Flos apidanus berossus* (Fruhstorfer,1914) (Lycaenidae) Synonym(s): *berossus* Fruhstorfer,1914
 34610) *Flos apidanus comes* (Fruhstorfer,1914) (Lycaenidae) Synonym(s): *comes* Fruhstorfer,1914
 34611) *Flos apidanus himma* (Fruhstorfer,1914) (Lycaenidae) Synonym(s): *himmia* Fruhstorfer,1914
 34612) *Flos apidanus palawanus* (Staudinger,1889) (Lycaenidae) Synonym(s): *palawanus* Staudinger,1889
 34613) *Flos apidanus phalakron* (Fruhstorfer,1914) (Lycaenidae) Synonym(s): *phalakron* Fruhstorfer,1914
 34614) *Flos apidanus saturatus* (Snellen,1890) (Lycaenidae) Synonym(s): *saturatus* Snellen,1890; *kartaphilus* Fruhstorfer,1914
 34615) *Flos apidanus viribus* (Fruhstorfer,1914) (Lycaenidae) Synonym(s): *viribus* Fruhstorfer,1914
 34616) *Flos apidanus xisuthurus* (Fruhstorfer,1914) (Lycaenidae) Synonym(s): *xisuthurus* Fruhstorfer,1914
 34617) *Flos arca* De Nicéville,1883 (Lycaenidae) Synonym(s): *arca* De Nicéville,1883
 34618) *Flos areste* (Hewitson,1862) (Lycaenidae) Synonym(s): *areste* Hewitson,1862
 34619) *Flos areste areste* (Hewitson,1862) (Lycaenidae) Synonym(s): *areste* Hewitson,1862
 34620) *Flos asoka* De Nicéville,1883 (Lycaenidae) Synonym(s): *asoka* De Nicéville,1883
 34621) *Flos asoka asoka* De Nicéville,1883 (Lycaenidae) Synonym(s): *asoka* De Nicéville,1883
 34622) *Flos bungo* Evans,1957 (Lycaenidae) Synonym(s): *bungo* Evans,1957
 34623) *Flos chinensis* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *chinensis* C.Felder & R.Felder,[1865]
 34624) *Flos diardi* (Hewitson,1862) (Lycaenidae) Synonym(s): *diardi* Hewitson,1862
 34625) *Flos diardi capeta* Hewitson,1878 (Lycaenidae) Synonym(s): *capeta* Hewitson,1878; *almansor* Fruhstorfer,1914
 34626) *Flos diardi diardi* (Hewitson,1862) (Lycaenidae) Synonym(s): *diardi* Hewitson,1862
 34627) *Flos fulgida* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *fulgida* Hewitson,[1863]
 34628) *Flos fulgida fulgida* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *fulgida* Hewitson,[1863]
 34629) *Flos fulgida singhapura* (Distant,1885) (Lycaenidae) Synonym(s): *singhapura* Distant,1885
 34630) *Flos fulgida zilana* Fruhstorfer,1900 (Lycaenidae) Synonym(s): *zilana* Fruhstorfer,1900
 34631) *Flos iriya* Fruhstorfer,1914 (Lycaenidae) Synonym(s): *iriyia* Fruhstorfer,1914
 34632) *Flos kuhni* Röber,1887 (Lycaenidae) Synonym(s): *kuhni* Röber,1887
 34633) *Flos morphina* (Distant,1884) (Lycaenidae) Synonym(s): *morphina* Distant,1884
 34634) *Flos morphina morphina* (Distant,1884) (Lycaenidae) Synonym(s): *morphina* Distant,1884
 34635) *Flos morphina sidicina* (Fruhstorfer,1914) (Lycaenidae) Synonym(s): *sidicina* Fruhstorfer,1914
 34636) *Glaucopsyche* (Apelles) *astraea* (Freyer,[1851]) (Lycaenidae) Synonym(s): *astraea* Freyer,[1851]; *#astrea* Gerhard,1853
 34637) *Glaucopsyche* (Apelles) *astraea* (Freyer,[1851]) (Lycaenidae) Synonym(s): *astraea* Freyer,[1851]; *#astrea* Gerhard,1853
 34638) *Glaucopsyche* (Apelles) *astraea eckweileri* Koçak,1979 (Lycaenidae) Synonym(s): *eckweileri* Koçak,1979
 34639) *Glaucopsyche* (Apelles) *melanops* (Boisduval,1828) (Lycaenidae) Synonym(s): *melanops* Boisduval,1828; *saportae* Geyer,[1832]
 34640) *Glaucopsyche* (Apelles) *melanops algerica* (Heyne,[1895]) (Lycaenidae) Synonym(s): *algerica* Heyne,[1895]
 34641) *Glaucopsyche* (Apelles) *melanops alluaudi* (Oberthür,1922) (Lycaenidae) Synonym(s): *alluaudi* Oberthür,1922
 34642) *Glaucopsyche* (Apelles) *melanops cantabra* Agenjo,1967 (Lycaenidae) Synonym(s): *cantabra* Agenjo,1967
 34643) *Glaucopsyche* (Apelles) *melanops justoi* Agenjo,1967 (Lycaenidae) Synonym(s): *justoi* Agenjo,1967
 34644) *Glaucopsyche* (Apelles) *melanops marchandii* (Boisduval,1836) (Lycaenidae) Synonym(s): *marchandii* Boisduval,1836; *diversa* Sagarra,1926.
 34645) *Glaucopsyche* (Apelles) *melanops melanops* (Boisduval,1828) (Lycaenidae) Synonym(s): *melanops* Boisduval,1828; *saportae* Geyer,[1832]
 34646) *Glaucopsyche* (Apelles) *melanops williamsi* (Hemming,1931) (Lycaenidae) Synonym(s): *williamsi* Hemming,1931
 34647) *Glaucopsyche* (Apelles) *paphos* (Chapman,1920) (Lycaenidae) Synonym(s): *paphos* Chapman,1920
 34648) *Glaucopsyche* (Apelles) *paphos paphos* (Chapman,1920) (Lycaenidae) Synonym(s): *paphos* Chapman,1920
 34649) *Glaucopsyche* (Bajluana) *argali* (Elwes,1899) (Lycaenidae) Synonym(s): *argali* Elwes,1899
 34650) *Glaucopsyche* (Bajluana) *argali argali* (Elwes,1899) (Lycaenidae) Synonym(s): *argali* Elwes,1899
 34651) *Glaucopsyche* (Bajluana) *argali arkhar* Lukhtanov,1990 (Lycaenidae) Synonym(s): *arkhar* Lukhtanov,1990
 34652) *Glaucopsyche* (s.str.) *aeruginosa* (Staudinger,1881) (Lycaenidae) Synonym(s): *aeruginosa* Staudinger,1881; *subalexis* Obratsov,1936.
 34653) *Glaucopsyche* (s.str.) *aeruginosa aeruginosa* (Staudinger,1881) (Lycaenidae) Synonym(s): *aeruginosa* Staudinger,1881; *subalexis* Obratsov,1936.
 34654) *Glaucopsyche* (s.str.) *alexis* (Poda,1761) (Lycaenidae) Synonym(s): *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976.
 34655) *Glaucopsyche* (s.str.) *alexis alexis* (Poda,1761) (Lycaenidae) Synonym(s): *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976.
 34656) *Glaucopsyche* (s.str.) *alexis cyllarus* (Rottemburg,1775) (Lycaenidae) Synonym(s): *cyllarus* Rottemburg,1775; *dimus* Bergsträßer,[1779]; *bronthé* Bergsträßer,[1779]; *phobos* Bergsträßer,[1779].
 34657) *Glaucopsyche* (s.str.) *alexis helena* Agenjo,1967 (Lycaenidae) Synonym(s): *helena* Agenjo,1967
 34658) *Glaucopsyche* (s.str.) *alexis latina* Hartig,1939 (Lycaenidae) Synonym(s): *latina* Hartig,1939
 34659) *Glaucopsyche* (s.str.) *alexis lugens* (Caradja,1893) (Lycaenidae) Synonym(s): *lugens* Caradja,1893
 34660) *Glaucopsyche* (s.str.) *alexis maritimalpium* Verity,1928 (Lycaenidae) Synonym(s): *alpina* Turati & Verity,1911 *nec* Berce,1867; *maritimalpium* Verity,1928; *selene* Hemming,1934.
 34661) *Glaucopsyche* (s.str.) *alexis melanoposmater* Verity,1928 (Lycaenidae) Synonym(s): *melanoposmater* Verity,1928
 34662) *Glaucopsyche* (s.str.) *alexis morena* Agenjo,[1927] (Lycaenidae) Synonym(s): *morena* Agenjo,[1927]
 34663) *Glaucopsyche* (s.str.) *alexis pauper* Verity,1919 (Lycaenidae) Synonym(s): *pauper* Verity,1919
 34664) *Glaucopsyche* (s.str.) *alexis pauperella* De Sagarra,1926 (Lycaenidae) Synonym(s): *pauperella* De Sagarra,1926
 34665) *Glaucopsyche* (s.str.) *alexis tristis* (Gerhard,[1851]) (Lycaenidae) Synonym(s): *tristis* Gerhard,[1851]
 34666) *Glaucopsyche* (s.str.) *charybdis* (Staudinger,1886) (Lycaenidae) Synonym(s): *charybdis* Staudinger,1886
 34667) *Glaucopsyche* (s.str.) *charybdis charybdis* (Staudinger,1886) (Lycaenidae) Synonym(s): *charybdis* Staudinger,1886
 34668) *Glaucopsyche* (s.str.) *laetifica* (Püngeler,1898) (Lycaenidae) Synonym(s): *laetifica* Püngeler,1898
 34669) *Glaucopsyche* (s.str.) *laetifica laetifica* (Püngeler,1898) (Lycaenidae) Synonym(s): *laetifica* Püngeler,1898
 34670) *Glaucopsyche* (s.str.) *lycormas* (Butler,1868) (Lycaenidae) Synonym(s): *lycormas* Butler,1868
 34671) *Glaucopsyche* (s.str.) *lycormas lederi* (A.Bang-Haas,1907) (Lycaenidae) Synonym(s): *lederi* A.Bang-Haas,1907
 34672) *Glaucopsyche* (s.str.) *lycormas lycormas* (Butler,1868) (Lycaenidae) Synonym(s): *lycormas* Butler,1868

- 34673) *Glaucopsyche* (s.str.) *lygdamus* (Doubleday,1841) (Lycaenidae) Synonym(s): *lygdamus* Doubleday,1841; *nittanyensis* Chermock,1944; *boydi* Clark,1948
- 34674) *Glaucopsyche* (s.str.) *lygdamus lygdamus* (Doubleday,1841) (Lycaenidae) Synonym(s): *lygdamus* Doubleday,1841; *nittanyensis* Chermock,1944; *boydi* Clark,1948
- 34675) *Glaucopsyche* (s.str.) *piasmus* (Boisduval,1852) (Lycaenidae) Synonym(s): *piasmus* Boisduval,1852; *viaca* Edwards,1871
- 34676) *Glaucopsyche* (s.str.) *piasmus piasmus* (Boisduval,1852) (Lycaenidae) Synonym(s): *piasmus* Boisduval,1852; *viaca* Edwards,1871
- 34677) *Glaucopsyche* (s.str.) *seminigra* Howarth & Povolny,1976 (Lycaenidae) Synonym(s): *seminigra* Howarth & Povolny,1976
- 34678) *Glaucopsyche* (s.str.) *seminigra safidensis* Blom,1979 (Lycaenidae) Synonym(s): *safidensis* Blom,1979
- 34679) *Glaucopsyche* (s.str.) *seminigra seminigra* Howarth & Povolny,1976 (Lycaenidae) Synonym(s): *seminigra* Howarth & Povolny,1976
- 34680) *Glaucopsyche* (s.str.) *xerces* (Boisduval,1852) (Lycaenidae) Synonym(s): *xerces* Boisduval,1852; *antiacis* Boisduval,1852; *polyphemus* Boisduval,1869
- 34681) *Goldia pacifica* (Dubatolov & Korshunov,1984) (Lycaenidae) Synonym(s): *pacifica* Dubatolov & Korshunov,1984
- 34682) *Goldia pacifica pacifica* (Dubatolov & Korshunov,1984) (Lycaenidae) Synonym(s): *pacifica* Dubatolov & Korshunov,1984
- 34683) *Habrodais grunus* (Boisduval,1852) (Lycaenidae) Synonym(s): *grunus* Boisduval,1852
- 34684) *Habrodais grunus grunus* (Boisduval,1852) (Lycaenidae) Synonym(s): *grunus* Boisduval,1852
- 34685) *Habrodais grunus herri* Field,1938 (Lycaenidae) Synonym(s): *herri* Field,1938
- 34686) *Habrodais grunus lorquini* Field,1938 (Lycaenidae) Synonym(s): *lorquini* Field,1938
- 34687) *Harpentryreus aequatorialis* (Sharpe,1892) (Lycaenidae) Synonym(s): *aequatorialis* Sharpe,1892; *sharpi* Butler,1901
- 34688) *Harpentryreus aequatorialis aequatorialis* (Sharpe,1892) (Lycaenidae) Synonym(s): *aequatorialis* Sharpe,1892; *sharpi* Butler,1901
- 34689) *Harpentryreus aequatorialis vulcanica* (Joicey & Talbot,1924) (Lycaenidae) Synonym(s): *vulcanica* Joicey & Talbot,1924
- 34690) *Harpentryreus argenteostriata* Stempffer,1961 (Lycaenidae) Synonym(s): *argenteostriata* Stempffer,1961; *collinsi* Kielland,1987
- 34691) *Harpentryreus berger* Stempffer,1976 (Lycaenidae) Synonym(s): *berger* Stempffer,1976
- 34692) *Harpentryreus boma* (Bethune-Baker,1926) (Lycaenidae) Synonym(s): *boma* Bethune-Baker,1926
- 34693) *Harpentryreus hazelae* Stempffer,1973 (Lycaenidae) Synonym(s): *hazelae* Stempffer,1973
- 34694) *Harpentryreus junio* (Butler,1897) (Lycaenidae) Synonym(s): *juno* Butler,1897
- 34695) *Harpentryreus kisaba* (Joicey & Talbot,1921) (Lycaenidae) Synonym(s): *kisaba* Joicey & Talbot,1921; *ruandensis* Joicey & Talbot,1924
- 34696) *Harpentryreus major* (Joicey & Talbot,1924) (Lycaenidae) Synonym(s): *major* Joicey & Talbot,1924
- 34697) *Harpentryreus marlieri* Stempffer,1961 (Lycaenidae) Synonym(s): *marlieri* Stempffer,1961
- 34698) *Harpentryreus marungensis* (Joicey & Talbot,1924) (Lycaenidae) Synonym(s): *marungensis* Joicey & Talbot,1924
- 34699) *Harpentryreus marungensis mangalisae* Kielland,1986 (Lycaenidae) Synonym(s): *mangalisae* Kielland,1986
- 34700) *Harpentryreus marungensis marungensis* (Joicey & Talbot,1924b) (Lycaenidae) Synonym(s): *marungensis* Joicey & Talbot,1924
- 34701) *Harpentryreus marungensis wollastoni* (Bethune-Baker,1926) (Lycaenidae) Synonym(s): *wollastoni* Bethune-Baker,1926
- 34702) *Harpentryreus meruana* (Aurivillius,1910) (Lycaenidae) Synonym(s): *meruana* Aurivillius,1910
- 34703) *Harpentryreus noquasa* (Trimen,1887) (Lycaenidae) Synonym(s): *noquasa* Trimen,1887
- 34704) *Harpentryreus notoba* (Trimen,1868) (Lycaenidae) Synonym(s): *notoba* Trimen,1868
- 34705) *Harpentryreus reginaldi* Heron,1909 (Lycaenidae) Synonym(s): *reginaldi* Heron,1909
- 34706) *Harpentryreus tsomo* (Trimen,1868) (Lycaenidae) Synonym(s): *tsomo* Trimen,1868
- 34707) *Heliophorus* (Kulua) *androcles* (Westwood,[1851]) (Lycaenidae) Synonym(s): *androcles* Westwood,[1851]
- 34708) *Heliophorus* (Kulua) *androcles androcles* (Westwood,[1851]) (Lycaenidae) Synonym(s): *androcles* Westwood,[1851]
- 34709) *Heliophorus* (Kulua) *androcles coruscans* (Moore,1882) (Lycaenidae) Synonym(s): *coruscans* Moore,1882
- 34710) *Heliophorus* (Kulua) *androcles rubidus* Riley,1929 (Lycaenidae) Synonym(s): *rubidus* Riley,1929
- 34711) *Heliophorus* (Kulua) *bakeri* Evans,1927 (Lycaenidae) Synonym(s): *bakeri* Evans,1927
- 34712) *Heliophorus* (Kulua) *bakeri bakeri* Evans,1927 (Lycaenidae) Synonym(s): *bakeri* Evans,1927
- 34713) *Heliophorus* (Nesa) *sena* (Kollar,[1844]) (Lycaenidae) Synonym(s): *sena* Kollar,[1844]
- 34714) *Heliophorus* (Nesa) *sena sena* (Kollar,[1844]) (Lycaenidae) Synonym(s): *sena* Kollar,[1844]
- 34715) *Heliophorus* (s.str.) *brahma* (Moore,1888) (Lycaenidae) Synonym(s): *brahma* Moore,1888
- 34716) *Heliophorus* (s.str.) *brahma brahma* (Moore,1888) (Lycaenidae) Synonym(s): *brahma* Moore,1888
- 34717) *Heliophorus* (s.str.) *brahma mogoka* Evans,1932 (Lycaenidae) Synonym(s): *mogoka* Evans,1932
- 34718) *Heliophorus* (s.str.) *epicles* (Godart,[1824]) (Lycaenidae) Synonym(s): *epicles* Godart,[1824]
- 34719) *Heliophorus* (s.str.) *epicles epicles* (Godart,[1824]) (Lycaenidae) Synonym(s): *epicles* Godart,[1824]
- 34720) *Heliophorus* (s.str.) *epicles latilimbatus* (Fruhstorfer,1908) (Lycaenidae) Synonym(s): *latilimbatus* Fruhstorfer,1908
- 34721) *Heliophorus* (s.str.) *hybridus* Tytler,1912 (Lycaenidae) Synonym(s): *hybridus* Tytler,1912
- 34722) *Heliophorus* (s.str.) *hybridus hybridus* Tytler,1912 (Lycaenidae) Synonym(s): *hybridus* Tytler,1912
- 34723) *Heliophorus* (s.str.) *ila* (De Nicéville,1896) (Lycaenidae) Synonym(s): *ila* De Nicéville,1896
- 34724) *Heliophorus* (s.str.) *ila ila* (De Nicéville,1896) (Lycaenidae) Synonym(s): *ila* De Nicéville,1896
- 34725) *Heliophorus* (s.str.) *ila nulus* Eliot,1963 (Lycaenidae) Synonym(s): *nulus* Eliot,1963
- 34726) *Heliophorus* (s.str.) *indicus* (Fruhstorfer,1908) (Lycaenidae) Synonym(s): *indicus* Fruhstorfer,1908
- 34727) *Heliophorus* (s.str.) *indicus indicus* (Fruhstorfer,1908) (Lycaenidae) Synonym(s): *indicus* Fruhstorfer,1908
- 34728) *Heliophorus* (s.str.) *kiana* (Lycaenidae) Synonym(s):
- 34729) *Heliophorus* (s.str.) *langii* (Moore,1883) (Lycaenidae) Synonym(s): *langii* Moore,1883
- 34730) *Heliophorus* (s.str.) *langii langii* (Moore,1883) (Lycaenidae) Synonym(s): *langii* Moore,1883
- 34731) *Heliophorus* (s.str.) *tamu* (Kollar,[1844]) (Lycaenidae) Synonym(s): *tamu* Kollar,[1844]; *viridipunctata* De Nicéville,1890; *hewitsoni* Moore
- 34732) *Heliophorus* (s.str.) *tamu tamu* (Kollar,[1844]) (Lycaenidae) Synonym(s): *tamu* Kollar,[1844]; *viridipunctata* De Nicéville,1890; *hewitsoni* Moore
- 34733) *Hemiargus ammon* (Lycaenidae) Synonym(s):
- 34734) *Hemiargus ceraunus* (Lycaenidae) Synonym(s):
- 34735) *Hemiargus isla* (Lycaenidae) Synonym(s):
- 34736) *Hemiargus thomasi* (Lycaenidae) Synonym(s):
- 34737) *Hewitsonia bitjeana* (Bethune-Baker,1915) (Lycaenidae) Synonym(s):
- 34738) *Hewitsonia boisduvalii* (Hewitson,1869) (Lycaenidae) Synonym(s): *boisduvalii* Hewitson,1869
- 34739) *Hewitsonia boisduvalii boisduvalii* (Hewitson,1869) (Lycaenidae) Synonym(s): *boisduvalii* Hewitson,1869
- 34740) *Hewitsonia boisduvalii congoensis* Joicey & Talbot,1921 (Lycaenidae) Synonym(s): *congoensis* Joicey & Talbot,1921
- 34741) *Hewitsonia boisduvalii nigrescens* Jackson,1962 (Lycaenidae) Synonym(s): *nigrescens* Jackson,1962
- 34742) *Hewitsonia crippsi* Stoneham,1934a (Lycaenidae) Synonym(s):
- 34743) *Hewitsonia danane* Stempffer,1969b (Lycaenidae) Synonym(s):
- 34744) *Hewitsonia dennisangwina* D'Abrera,1980 (Lycaenidae) Synonym(s):
- 34745) *Hewitsonia gomensis* Dufrane,1953 (Lycaenidae) Synonym(s):
- 34746) *Hewitsonia kirbyi* Dewitz,1879 (Lycaenidae) Synonym(s):
- 34747) *Hewitsonia kirbyi kirbyi* Dewitz,1879 (Lycaenidae) Synonym(s):
- 34748) *Hewitsonia kirbyi sankuru* Berger,1981 (Lycaenidae) Synonym(s):
- 34749) *Hewitsonia magdalenae* Stempffer,1951 (Lycaenidae) Synonym(s): *magdalenae* Stempffer,1951
- 34750) *Hewitsonia mittoni* Jackson,1964a (Lycaenidae) Synonym(s):
- 34751) *Hewitsonia similis* (Aurivillius,1891) (Lycaenidae) Synonym(s): *similis* Aurivillius,1891
- 34752) *Hewitsonia similis similis* (Aurivillius,1891) (Lycaenidae) Synonym(s): *similis* Aurivillius,1891
- 34753) *Hewitsonia similis ugandae* Jackson,1962 (Lycaenidae) Synonym(s): *ugandae* Jackson,1962
- 34754) *Horaga albimacula* (Wood-Mason & De Nicéville,1881) (Lycaenidae) Synonym(s): *albimacula* Wood-Mason & De Nicéville,1881
- 34755) *Horaga albimacula albimacula* (Wood-Mason & De Nicéville,1881) (Lycaenidae) Synonym(s): *albimacula* Wood-Mason & De Nicéville,1881
- 34756) *Horaga albimacula albigstigmata* Moulton,1912 (Lycaenidae) Synonym(s): *albigstigmata* Moulton,1912
- 34757) *Horaga albimacula anytus* Staudinger,1889 (Lycaenidae) Synonym(s): *anytus* Staudinger,1889
- 34758) *Horaga albimacula viola* Moore,1882 (Lycaenidae) Synonym(s): *viola* Moore,1882
- 34759) *Horaga amethystus* Druce,1903 (Lycaenidae) Synonym(s): *amethystus* Druce,1903
- 34760) *Horaga amethystus amethystus* Druce,1903 (Lycaenidae) Synonym(s): *amethystus* Druce,1903

- 34761) *Horaga amethystus isna* Corbet, 1941 (Lycaenidae) Synonym(s): *isna* Corbet, 1941
 34762) *Horaga amethystus overdijkinki* Corbet, 1941 (Lycaenidae) Synonym(s): *overdijkinki* Corbet, 1941
 34763) *Horaga amethystus purpurascens* Corbet, 1941 (Lycaenidae) Synonym(s): *purpurascens* Corbet, 1941
 34764) *Horaga amethystus sibuensis* Schröder & Treadaway, 1990 (Lycaenidae) Synonym(s): *sibuensis* Schröder & Treadaway, 1990
 34765) *Horaga araotina* Evans, [1933] (Lycaenidae) Synonym(s): *araotina* Evans, [1933]
 34766) *Horaga araotina araotina* Evans, [1933] (Lycaenidae) Synonym(s): *araotina* Evans, [1933]
 34767) *Horaga bilineata* Semper, 1890 (Lycaenidae) Synonym(s): *bilineata* Semper, 1890
 34768) *Horaga chalcedonyx Fruhstorfer, 1914* (Lycaenidae) Synonym(s): *chalcedonyx Fruhstorfer, 1914*
 34769) *Horaga chalcedonyx chalcedonyx Fruhstorfer, 1914* (Lycaenidae) Synonym(s): *chalcedonyx Fruhstorfer, 1914*
 34770) *Horaga chalcedonyx malaya* Corbet, 1941 (Lycaenidae) Synonym(s): *malaya* Corbet, 1941
 34771) *Horaga chalcedonyx ssp.* (Lycaenidae) Synonym(s):
 34772) *Horaga lefebvrei C. Felder & R. Felder, 1862* (Lycaenidae) Synonym(s): *lefebvrei C. Felder & R. Felder, 1862*
 34773) *Horaga lefebvrei lefebvrei C. Felder & R. Felder, 1862* (Lycaenidae) Synonym(s): *lefebvrei C. Felder & R. Felder, 1862*
 34774) *Horaga syrinx osma Fruhstorfer, 1912* (Lycaenidae) Synonym(s): *osma Fruhstorfer, 1912*
 34775) *Horaga natsumiae Hayashi, 1984* (Lycaenidae) Synonym(s): *natsumiae Hayashi, 1984*
 34776) *Horaga onyx* (Moore, [1858]) (Lycaenidae) Synonym(s): *onyx* Moore, [1858]
 34777) *Horaga onyx onyx* (Moore, [1858]) (Lycaenidae) Synonym(s): *onyx* Moore, [1858]
 34778) *Horaga onyx sardonix Fruhstorfer, 1914* (Lycaenidae) Synonym(s): *sardonix Fruhstorfer, 1914*
 34779) *Horaga syrinx* (C. Felder, 1860) (Lycaenidae) Synonym(s): *syrinx* C. Felder, 1860
 34780) *Horaga syrinx ashinica* Murayama & Okamura, 1973 (Lycaenidae) Synonym(s): *ashinica* Murayama & Okamura, 1973
 34781) *Horaga syrinx camiguina* Semper, 1890 (Lycaenidae) Synonym(s): *camiguina* Semper, 1890
 34782) *Horaga syrinx decolor* Staudinger, 1889 (Lycaenidae) Synonym(s): *decolor* Staudinger, 1889
 34783) *Horaga syrinx joloana Fruhstorfer, 1912* (Lycaenidae) Synonym(s): *joloana Fruhstorfer, 1912*
 34784) *Horaga syrinx maenala* (Hewitson, 1869) (Lycaenidae) Synonym(s): *maenala* Hewitson, 1869; *halba* Distant, 1886
 34785) *Horaga syrinx moulmeina* Moore, 1883 (Lycaenidae) Synonym(s): *moulmeina* Moore, 1883
 34786) *Horaga syrinx paulla Fruhstorfer, 1912* (Lycaenidae) Synonym(s): *paulla Fruhstorfer, 1912*
 34787) *Hypaurotis crysalus* (Lycaenidae) Synonym(s):
 34788) *Hypochrysops coelisparus* (Butler, 1883) (Lycaenidae) Synonym(s): *coelisparus* Butler, 1883
 34789) *Hypochrysops coelisparus coelisparus* (Butler, 1883) (Lycaenidae) Synonym(s): *coelisparus* Butler, 1883
 34790) *Hypochrysops coelisparus kerri* Riley, 1932 (Lycaenidae) Synonym(s): *kerri* Riley, 1932
 34791) *Hypolycaena amabilis* (De Nicéville, [1895]) (Lycaenidae) Synonym(s): *amabilis* De Nicéville, [1895]
 34792) *Hypolycaena amabilis amabilis* (De Nicéville, [1895]) (Lycaenidae) Synonym(s): *amabilis* De Nicéville, [1895]
 34793) *Hypolycaena amabilis lisba* (Corbet, 1948) (Lycaenidae) Synonym(s): *lisba* Corbet, 1948
 34794) *Hypolycaena amanica* Stempffer, 1951 (Lycaenidae) Synonym(s): *amanica* Stempffer, 1951
 34795) *Hypolycaena antifaunus* (Westwood, [1851]) (Lycaenidae) Synonym(s): *antifaunus* Westwood, [1851]; *similis* Dufrane, 1945; *#latefasciata* Dufrane, 1953
 34796) *Hypolycaena antifaunus antifaunus* (Westwood, [1851]) (Lycaenidae) Synonym(s): *antifaunus* Westwood, [1851]; *similis* Dufrane, 1945; *#latefasciata* Dufrane, 1953
 34797) *Hypolycaena antifaunus latimacula* (Joicey & Talbot, 1921) (Lycaenidae) Synonym(s): *latimacula* Joicey & Talbot, 1921
 34798) *Hypolycaena auricostalis* (Butler, 1897) (Lycaenidae) Synonym(s): *auricostalis* Butler, 1897; *sebasta* Hulstaert, 1924
 34799) *Hypolycaena auricostalis auricostalis* (Butler, 1897) (Lycaenidae) Synonym(s): *auricostalis* Butler, 1897; *sebasta* Hulstaert, 1924
 34800) *Hypolycaena auricostalis frommi* Strand, 1911 (Lycaenidae) Synonym(s): *frommi* Strand, 1911
 34801) *Hypolycaena buxtoni* Hewitson, 1874 (Lycaenidae) Synonym(s): *buxtoni* Hewitson, 1874; *seamani* Trimen, 1874
 34802) *Hypolycaena buxtoni buxtoni* Hewitson, 1874 (Lycaenidae) Synonym(s): *buxtoni* Hewitson, 1874; *seamani* Trimen, 1874
 34803) *Hypolycaena buxtoni rogersi* Bethune-Baker, 1924 (Lycaenidae) Synonym(s): *rogersi* Bethune-Baker, 1924
 34804) *Hypolycaena buxtoni spurcus* Talbot, 1929 (Lycaenidae) Synonym(s): *spurcus* Talbot, 1929; *#divisa* Talbot, 1935.
 34805) *Hypolycaena camanica* Stempffer, 1951 (Lycaenidae) Synonym(s): *camanica* Stempffer, 1951
 34806) *Hypolycaena condomini* Stempffer, 1956 (Lycaenidae) Synonym(s): *condomini* Stempffer, 1956
 34807) *Hypolycaena dubia* Aurivillius, 1895 (Lycaenidae) Synonym(s): *dubia* Aurivillius, 1895
 34808) *Hypolycaena erylus* (Godart, [1824]) (Lycaenidae) Synonym(s): *erylus* Godart, [1824]
 34809) *Hypolycaena erylus aimnestus* Fruhstorfer, 1912 (Lycaenidae) Synonym(s): *aimnestus* Fruhstorfer, 1912
 34810) *Hypolycaena erylus georgius* Fruhstorfer, 1912 (Lycaenidae) Synonym(s): *georgius* Fruhstorfer, 1912
 34811) *Hypolycaena erylus himavantis* Fruhstorfer, [1912] (Lycaenidae) Synonym(s): *himavantis* Fruhstorfer, [1912]
 34812) *Hypolycaena erylus orsiphantus* Fruhstorfer, 1912 (Lycaenidae) Synonym(s): *orsiphantus* Fruhstorfer, 1912
 34813) *Hypolycaena erylus teatus* Fruhstorfer, [1912] (Lycaenidae) Synonym(s): *teatus* Fruhstorfer, [1912]
 34814) *Hypolycaena erylus tmolus* C. Felder & R. Felder, 1862 (Lycaenidae) Synonym(s): *tmolus* C. Felder & R. Felder, 1862
 34815) *Hypolycaena hatita* Hewitson, 1865 (Lycaenidae) Synonym(s): *hatita* Hewitson, 1865
 34816) *Hypolycaena hatita anara* T. Larsen, 1986 (Lycaenidae) Synonym(s): *anara* T. Larsen, 1986
 34817) *Hypolycaena hatita hatita* Hewitson, 1865 (Lycaenidae) Synonym(s): *hatita* Hewitson, 1865
 34818) *Hypolycaena hatita japhusa* Riley, 1921 (Lycaenidae) Synonym(s): *japhusa* Riley, 1921
 34819) *Hypolycaena hatita ugandae* Sharpe, 1904 (Lycaenidae) Synonym(s): *ugandae* Sharpe, 1904
 34820) *Hypolycaena irawana* Hayashi, Schröder & Treadaway, 1984 (Lycaenidae) Synonym(s): *irawana* Hayashi, Schröder & Treadaway, 1984
 34821) *Hypolycaena ithna* Hewitson, 1869 (Lycaenidae) Synonym(s): *ithna* Hewitson, 1869
 34822) *Hypolycaena jacksoni* Bethune-Baker, 1906 (Lycaenidae) Synonym(s): *jacksoni* Bethune-Baker, 1906; *puella* Joicey & Talbot, 1921
 34823) *Hypolycaena kadiskos* Druce, 1890 (Lycaenidae) Synonym(s): *kadiskos* Druce, 1890
 34824) *Hypolycaena lebona* (Hewitson, 1865) (Lycaenidae) Synonym(s): *lebona* Hewitson, 1865; *#anomala* Dufrane, 1953; *#splendens* Dufrane, 1953
 34825) *Hypolycaena lebona coerulea* Aurivillius, 1895 (Lycaenidae) Synonym(s): *coerulea* Aurivillius, 1895; *#scintillans* Aurivillius, 1895.
 34826) *Hypolycaena lebona lebona* (Hewitson, 1865) (Lycaenidae) Synonym(s): *lebona* Hewitson, 1865; *#anomala* Dufrane, 1953; *#splendens* Dufrane, 1953
 34827) *Hypolycaena liara* Druce, 1890 (Lycaenidae) Synonym(s): *liara* Druce, 1890; *symmacha* Hulstaert, 1924; *bitjeana* Bethune-Baker, 1926; *plana* Talbot, 1935; *#obscura* Stempffer, 1947.
 34828) *Hypolycaena lochmophila* Tite, 1967 (Lycaenidae) Synonym(s): *lochmophila* Tite, 1967
 34829) *Hypolycaena merguia* (Doherty, 1889) (Lycaenidae) Synonym(s): *merguia* Doherty, 1889
 34830) *Hypolycaena merguia merguia* (Doherty, 1889) (Lycaenidae) Synonym(s): *merguia* Doherty, 1889
 34831) *Hypolycaena merguia skapane* Druce, 1895 (Lycaenidae) Synonym(s): *skapane* Druce, 1895
 34832) *Hypolycaena merguia watsoni* Swinhoe, 1911 (Lycaenidae) Synonym(s): *watsoni* Swinhoe, 1911
 34833) *Hypolycaena naara* Hewitson, 1873 (Lycaenidae) Synonym(s): *naara* Hewitson, 1873
 34834) *Hypolycaena nigra* Bethune-Baker, 1914 (Lycaenidae) Synonym(s): *nigra* Bethune-Baker, 1914
 34835) *Hypolycaena ogadenensis* Stempffer, 1946 (Lycaenidae) Synonym(s): *ogadenensis* Stempffer, 1946
 34836) *Hypolycaena othona* Hewitson, 1865 (Lycaenidae) Synonym(s): *othona* Hewitson, 1865
 34837) *Hypolycaena othona waltraudae* Treadaway & Nuyda, 1994 (Lycaenidae) Synonym(s): *waltraudae* Treadaway & Nuyda, 1994
 34838) *Hypolycaena pachalica* Butler, 1888 (Lycaenidae) Synonym(s): *pachalica* Butler, 1888; *aureolineata* Bethune-Baker, 1906.
 34839) *Hypolycaena pachalica pachalica* Butler, 1888 (Lycaenidae) Synonym(s): *pachalica* Butler, 1888; *aureolineata* Bethune-Baker, 1906.
 34840) *Hypolycaena philippus* (Fabricius, 1793) (Lycaenidae) Synonym(s): *philippus* Fabricius, 1793
 34841) *Hypolycaena philippus philippus* (Fabricius, 1793) (Lycaenidae) Synonym(s): *philippus* Fabricius, 1793
 34842) *Hypolycaena philippus ramonza* (Saalmüller, 1878) (Lycaenidae) Synonym(s): *ramonza* Saalmüller, 1878
 34843) *Hypolycaena schroederi* Hayashi, 1984 (Lycaenidae) Synonym(s): *schröderi* Hayashi, 1984
 34844) *Hypolycaena schubotzi* Aurivillius, 1923 (Lycaenidae) Synonym(s): *schubotzi* Aurivillius, 1923
 34845) *Hypolycaena shirozui* Hayashi, 1981 (Lycaenidae) Synonym(s): *shirozui* Hayashi, 1981
 34846) *Hypolycaena shirozui madilimi* Treadaway & Nuyda, 1995 (Lycaenidae) Synonym(s): *madilimi* Treadaway & Nuyda, 1995
 34847) *Hypolycaena shirozui shirozui* Hayashi, 1981 (Lycaenidae) Synonym(s): *shirozui* Hayashi, 1981

- 34848) *Hypolycaena sipylus* C.Felder,1860 (Lycaenidae) Synonym(s): *sipylus* C.Felder,1860
 34849) *Hypolycaena sipylus bella* Kalis,1933 (Lycaenidae) Synonym(s): *bella* Kalis,1933
 34850) *Hypolycaena sipylus capella* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *capella* Fruhstorfer,1912
 34851) *Hypolycaena sipylus giscon* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *giscon* Fruhstorfer,1912
 34852) *Hypolycaena sipylus intermedius* Kalis,1938 (Lycaenidae) Synonym(s): *intermedius* Kalis,1938
 34853) *Hypolycaena sipylus kalawara* Ribbe,1926 (Lycaenidae) Synonym(s): *kalawara* Ribbe,1926
 34854) *Hypolycaena sipylus minor* Ribbe,1926 (Lycaenidae) Synonym(s): *minor* Ribbe,1926
 34855) *Hypolycaena sipylus numa* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *numa* Fruhstorfer,1912
 34856) *Hypolycaena sipylus pictor* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *pictor* Fruhstorfer,1912
 34857) *Hypolycaena sipylus rhodanus* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *rhodanus* Fruhstorfer,1912
 34858) *Hypolycaena sipylus sipylus* C.Felder,1860 (Lycaenidae) Synonym(s): *sipylus* C.Felder,1860
 34859) *Hypolycaena sipylus tharriyas* C.Felder & R.Felder,1862 (Lycaenidae) Synonym(s): *tharriyas* C.Felder & R.Felder,1862
 34860) *Hypolycaena tearei* Henning,1981 (Lycaenidae) Synonym(s): *tearei* Henning,1981
 34861) *Hypolycaena theclodes* (C.Felder & R.Felder,1860) (Lycaenidae) Synonym(s): *theclodes* C.Felder & R.Felder,1860
 34862) *Hypolycaena theclodes camotana* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *camotana* Fruhstorfer,1912
 34863) *Hypolycaena theclodes nicobarica* Evans,1925 (Lycaenidae) Synonym(s): *nicobarica* Evans,1925
 34864) *Hypolycaena theclodes philippina* Staudinger,1889 (Lycaenidae) Synonym(s): *philippina* Staudinger,1889
 34865) *Hypolycaena theclodes theclodes* (C.Felder & R.Felder,1860) (Lycaenidae) Synonym(s): *theclodes* C.Felder & R.Felder,1860
 34866) *Hypolycaena theclodes vardara* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *vardara* Fruhstorfer,1912
 34867) *Hypolycaena toshikoe* Hayashi,1984 (Lycaenidae) Synonym(s): *toshikoe* Hayashi,1984
 34868) *Hypostrymon critola* (Lycaenidae) Synonym(s):
 34869) *Hypothecla astyla* C.Felder & R.Felder,1862 (Lycaenidae) Synonym(s): *astyla* C.Felder & R.Felder,1862
 34870) *Hypothecla astyla astyla* (C.Felder & R.Felder,1860) (Lycaenidae) Synonym(s): *astyla* C.Felder & R.Felder,1862
 34871) *Hypothecla astyla mindanaensis* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *mindanaensis* Fruhstorfer,1912
 34872) *Hypothecla astyla palawensis* Hayashi,1976 (Lycaenidae) Synonym(s): *palawensis* Hayashi,1976
 34873) *Hypothecla astyla tegea* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *tegea* Fruhstorfer,1912
 34874) *Iolana alferii* Wiltshire,1948 (Lycaenidae) Synonym(s): *alferii* Wiltshire,1948
 34875) *Iolana alferii alferii* Wiltshire,1948 (Lycaenidae) Synonym(s): *alferii* Wiltshire,1948
 34876) *Iolana andreasi* (Sheljuzhko,1919) (Lycaenidae) Synonym(s): *andreasi* Sheljuzhko,1919
 34877) *Iolana andreasi andreasi* (Sheljuzhko,1919) (Lycaenidae) Synonym(s): *andreasi* Sheljuzhko,1919
 34878) *Iolana andreasi khayami* Bernardi,1964 (Lycaenidae) Synonym(s): *khayami* Bernardi,1964
 34879) *Iolana arjanica* Rose,1979 (Lycaenidae) Synonym(s): *arjanica* Rose,1979
 34880) *Iolana debilitata* (Schultz,1905) (Lycaenidae) Synonym(s): *debilitata* Schultz,1905; *saritae* Fernandez-Rubio,1973
 34881) *Iolana debilitata debilitata* (Schultz,1905) (Lycaenidae) Synonym(s): *debilitata* Schultz,1905
 34882) *Iolana debilitata farriolsi* Sagarra,1930 (Lycaenidae) Synonym(s): *farriolsi* Sagarra,1930; *thomasi* Hemming,1931; *fidelis* Gomez-Bustillo,1973
 34883) *Iolana gigantea* (Groum-Grshimailo,1895) (Lycaenidae) Synonym(s): *gigantea* Groum-Grshimailo,1895
 34884) *Iolana gigantea gigantea* (Groum-Grshimailo,1885) (Lycaenidae) Synonym(s): *gigantea* Groum-Grshimailo,1885
 34885) *Iolana gigantea iphicles* (Staudinger,1886) (Lycaenidae) Synonym(s): *iphicles* Staudinger,1886
 34886) *Iolana gilgitica* (Tytler,1926) (Lycaenidae) Synonym(s): *gilgitica* Tytler,1926
 34887) *Iolana gilgitica gilgitica* (Tytler,1926) (Lycaenidae) Synonym(s): *gilgitica* Tytler,1926
 34888) *Iolana iolas* (Ochsenheimer,1816) (Lycaenidae) Synonym(s): *iolas* Ochsenheimer,1816; *obscuriolas* Betti,1977.
 34889) *Iolana iolas bureschi* Hemming,1931 (Lycaenidae) Synonym(s): *bureschi* Hemming,1931
 34890) *Iolana iolas iolas* (Ochsenheimer,1816) (Lycaenidae) Synonym(s): *iolas* Ochsenheimer,1816; *obscuriolas* Betti,1977.
 34891) *Iolana iolas protogenes* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *protogenes* Fruhstorfer,1917.
 34892) *Iolana iolas wulschlegeli* Oberthür,1915 (Lycaenidae) Synonym(s): *wulschlegeli* Oberthür,1915; *eurysthenes* Fruhstorfer,1917.
 34893) *Iolana kermani* Dumont,2004 (Lycaenidae) Synonym(s): *kermani* Dumont,2004
 34894) *Iolana lessei* Bernardi,1964 (Lycaenidae) Synonym(s): *lessei* Bernardi,1964; *christinae* Betti,1977; *cappadocia* Betti,1977
 34895) *Iolaus* (Aphniolaus) *pallene* (Wallengren,1857) (Lycaenidae) Synonym(s):
 34896) *Iolaus* (Argiolaus) *aequatorialis* (Stempffer & Bennett,1958) (Lycaenidae) Synonym(s):
 34897) *Iolaus* (Argiolaus) *alcibiades* Kirby,1871 (Lycaenidae) Synonym(s):
 34898) *Iolaus* (Argiolaus) *bergeri* (Stempffer,1953) (Lycaenidae) Synonym(s):
 34899) *Iolaus* (Argiolaus) *caesareus* Aurivillius,1895 (Lycaenidae) Synonym(s):
 34900) *Iolaus* (Argiolaus) *calisto* (Westwood,[1851]) (Lycaenidae) Synonym(s):
 34901) *Iolaus* (Argiolaus) *cottrelli* (Stempffer & Bennett,1958) (Lycaenidae) Synonym(s):
 34902) *Iolaus* (Argiolaus) *crawshayi* (Butler,1901) (Lycaenidae) Synonym(s): *crawshayi* Butler,1901
 34903) *Iolaus* (Argiolaus) *crawshayi* *crawshayi* (Butler,1901) (Lycaenidae) Synonym(s): *crawshayi* Butler,1901
 34904) *Iolaus* (Argiolaus) *crawshayi* *elgonae* (Stempffer & Bennett,1958) (Lycaenidae) Synonym(s): *elgonae* Stempffer & Bennett,1958
 34905) *Iolaus* (Argiolaus) *crawshayi* *littoralis* (Stempffer & Bennett,1958) (Lycaenidae) Synonym(s): *littoralis* Stempffer & Bennett,1958
 34906) *Iolaus* (Argiolaus) *crawshayi* *maureli* Dufrane,1954b (Lycaenidae) Synonym(s):
 34907) *Iolaus* (Argiolaus) *crawshayi* *niloticus* (Stempffer & Bennett,1958) (Lycaenidae) Synonym(s):
 34908) *Iolaus* (Argiolaus) *crawshayi* *nyanzae* (Stempffer & Bennett,1958) (Lycaenidae) Synonym(s):
 34909) *Iolaus* (Argiolaus) *dianae* Heath,1983 (Lycaenidae) Synonym(s):
 34910) *Iolaus* (Argiolaus) *isemenias* (Klug,1834) (Lycaenidae) Synonym(s):
 34911) *Iolaus* (Argiolaus) *isemenias* *isemenias* (Klug,1834) (Lycaenidae) Synonym(s):
 34912) *Iolaus* (Argiolaus) *isemenias* *piaggiae* Oberthür,1883b (Lycaenidae) Synonym(s):
 34913) *Iolaus* (Argiolaus) *iturensis* (Joicey & Talbot,1921) (Lycaenidae) Synonym(s): *iturensis* Joicey & Talbot,1921
 34914) *Iolaus* (Argiolaus) *kayonza* (Stempffer & Bennett,1958) (Lycaenidae) Synonym(s):
 34915) *Iolaus* (Argiolaus) *lalos* (Druce,1896) (Lycaenidae) Synonym(s): *lalos* Druce,1896
 34916) *Iolaus* (Argiolaus) *lalos* *kigezi* (Druce,1896) (Lycaenidae) Synonym(s): *kigezi* Druce,1896
 34917) *Iolaus* (Argiolaus) *lalos* *lalos* (Druce,1896) (Lycaenidae) Synonym(s): *lalos* Druce,1896
 34918) *Iolaus* (Argiolaus) *laonides* Aurivillius,1898a (Lycaenidae) Synonym(s):
 34919) *Iolaus* (Argiolaus) *lukabas* Druce,1890 (Lycaenidae) Synonym(s): *lukabas* Druce,1890
 34920) *Iolaus* (Argiolaus) *maritimus* (Stempffer & Bennett,1958) (Lycaenidae) Synonym(s):
 34921) *Iolaus* (Argiolaus) *maritimus* *maritimus* (Stempffer & Bennett,1958) (Lycaenidae) Synonym(s):
 34922) *Iolaus* (Argiolaus) *maritimus* *usambara* (Stempffer,1961) (Lycaenidae) Synonym(s):
 34923) *Iolaus* (Argiolaus) *montana* (Kielland,1978) (Lycaenidae) Synonym(s):
 34924) *Iolaus* (Argiolaus) *ndolae* (Stempffer & Bennett,1958) (Lycaenidae) Synonym(s):
 34925) *Iolaus* (Argiolaus) *pamelae* Heath,1983 (Lycaenidae) Synonym(s):
 34926) *Iolaus* (Argiolaus) *paneperata* Druce,1890 (Lycaenidae) Synonym(s): *paneperata* Druce,1890
 34927) *Iolaus* (Argiolaus) *parasilanus* Rebel,1914 (Lycaenidae) Synonym(s):
 34928) *Iolaus* (Argiolaus) *parasilanus* *divaricatus* (Riley,1928c) (Lycaenidae) Synonym(s):
 34929) *Iolaus* (Argiolaus) *parasilanus* *mabiliei* (Riley,1928c) (Lycaenidae) Synonym(s):
 34930) *Iolaus* (Argiolaus) *parasilanus* *maesseni* Stempffer & Bennett,1958 (Lycaenidae) Synonym(s):
 34931) *Iolaus* (Argiolaus) *parasilanus* *parasilanus* Rebel,1914 (Lycaenidae) Synonym(s):
 34932) *Iolaus* (Argiolaus) *poecilaon* (Riley,1928) (Lycaenidae) Synonym(s):
 34933) *Iolaus* (Argiolaus) *poecilaon* *fisheri* Heath,1983 (Lycaenidae) Synonym(s):
 34934) *Iolaus* (Argiolaus) *poecilaon* *poecilaon* (Riley,1928) (Lycaenidae) Synonym(s):
 34935) *Iolaus* (Argiolaus) *silarus* Druce,1885 (Lycaenidae) Synonym(s): *silarus* Druce,1885
 34936) *Iolaus* (Argiolaus) *silas* (Westwood,[1851]) (Lycaenidae) Synonym(s):
 34937) *Iolaus* (Argiolaus) *stewarti* Heath,1985 (Lycaenidae) Synonym(s):

- 34938) *Iolaus* (*Argiolaus*) *theodori* Stempffer, 1970 (Lycaenidae) Synonym(s):
 34939) *Iolaus* (*Argiolaus*) *vansomeri* (Stempffer & Bennett, 1958) (Lycaenidae) Synonym(s):
 34940) *Iolaus* (*Epamera*) *aemulus* Trimen, 1895 (Lycaenidae) Synonym(s):
 34941) *Iolaus* (*Epamera*) *aemulus aemulus* Trimen, 1895 (Lycaenidae) Synonym(s):
 34942) *Iolaus* (*Epamera*) *aemulus apatosa* (Stempffer, 1952a) (Lycaenidae) Synonym(s):
 34943) *Iolaus* (*Epamera*) *aethria* Karsch, 1893 (Lycaenidae) Synonym(s):
 34944) *Iolaus* (*Epamera*) *agnes Aurivillius*, 1898 (Lycaenidae) Synonym(s):
 34945) *Iolaus* (*Epamera*) *alienus* Trimen, 1898 (Lycaenidae) Synonym(s):
 34946) *Iolaus* (*Epamera*) *alienus alienus* Trimen, 1898 (Lycaenidae) Synonym(s):
 34947) *Iolaus* (*Epamera*) *alienus bicaudatus Aurivillius*, 1905 (Lycaenidae) Synonym(s):
 34948) *Iolaus* (*Epamera*) *alienus sophiae Henning & Henning*, 1991 (Lycaenidae) Synonym(s):
 34949) *Iolaus* (*Epamera*) *alienus ugandae Stempffer*, 1953 (Lycaenidae) Synonym(s):
 34950) *Iolaus* (*Epamera*) *aphnaeoides* Trimen, 1873 (Lycaenidae) Synonym(s):
 34951) *Iolaus* (*Epamera*) *arborifera* (Butler, 1901) (Lycaenidae) Synonym(s): *arborifera* Butler, 1901
 34952) *Iolaus* (*Epamera*) *aurivillii Röber*, 1900 (Lycaenidae) Synonym(s):
 34953) *Iolaus* (*Epamera*) *australis* Stevenson, 1937 (Lycaenidae) Synonym(s):
 34954) *Iolaus* (*Epamera*) *bakeri* (Riley, 1928) (Lycaenidae) Synonym(s):
 34955) *Iolaus* (*Epamera*) *banco* Stempffer, 1966 (Lycaenidae) Synonym(s):
 34956) *Iolaus* (*Epamera*) *bansana* Bethune-Baker, 1926 (Lycaenidae) Synonym(s):
 34957) *Iolaus* (*Epamera*) *bansana bansana* Bethune-Baker, 1926 (Lycaenidae) Synonym(s):
 34958) *Iolaus* (*Epamera*) *bansana yalae* Riley, 1928 (Lycaenidae) Synonym(s):
 34959) *Iolaus* (*Epamera*) *bellina* (Plötz, 1880) (Lycaenidae) Synonym(s):
 34960) *Iolaus* (*Epamera*) *bellina bellina* (Plötz, 1880) (Lycaenidae) Synonym(s):
 34961) *Iolaus* (*Epamera*) *bellina exquisita* (Riley, 1928) (Lycaenidae) Synonym(s):
 34962) *Iolaus* (*Epamera*) *bellina maris* (Riley, 1928) (Lycaenidae) Synonym(s):
 34963) *Iolaus* (*Epamera*) *coelestis* Bethune-Baker, 1926 (Lycaenidae) Synonym(s):
 34964) *Iolaus* (*Epamera*) *congdoni* (Kielland, 1985) (Lycaenidae) Synonym(s):
 34965) *Iolaus* (*Epamera*) *congdoni congdoni* (Kielland, 1985) (Lycaenidae) Synonym(s):
 34966) *Iolaus* (*Epamera*) *congdoni uluguru* (Kielland, 1985) (Lycaenidae) Synonym(s):
 34967) *Iolaus* (*Epamera*) *creta* Hewitson, 1878 (Lycaenidae) Synonym(s):
 34968) *Iolaus* (*Epamera*) *cytaeis* Hewitson, 1875 (Lycaenidae) Synonym(s):
 34969) *Iolaus* (*Epamera*) *cytaeis caerulea* (Riley, 1928) (Lycaenidae) Synonym(s): *caerulea* Riley, 1928
 34970) *Iolaus* (*Epamera*) *cytaeis cytaeis* Hewitson, 1875 (Lycaenidae) Synonym(s):
 34971) *Iolaus* (*Epamera*) *cytaeis leonis* (Riley, 1928) (Lycaenidae) Synonym(s):
 34972) *Iolaus* (*Epamera*) *diametra* (Karsch, 1895) (Lycaenidae) Synonym(s):
 34973) *Iolaus* (*Epamera*) *diametra aethes* Clench, 1964 (Lycaenidae) Synonym(s):
 34974) *Iolaus* (*Epamera*) *diametra diametra* (Karsch, 1895) (Lycaenidae) Synonym(s):
 34975) *Iolaus* (*Epamera*) *diametra mafugae* (Stempffer & Bennett, 1959) (Lycaenidae) Synonym(s):
 34976) *Iolaus* (*Epamera*) *diametra natalica* Vari, 1976 (Lycaenidae) Synonym(s):
 34977) *Iolaus* (*Epamera*) *dubiosa* (Stempffer & Bennett, 1959) (Lycaenidae) Synonym(s):
 34978) *Iolaus* (*Epamera*) *farquharsoni* (Bethune-Baker, 1922) (Lycaenidae) Synonym(s):
 34979) *Iolaus* (*Epamera*) *flavilinea* (Riley, 1928) (Lycaenidae) Synonym(s): *flavilinea* Riley, 1928
 34980) *Iolaus* (*Epamera*) *fontainei* (Stempffer, 1956) (Lycaenidae) Synonym(s):
 34981) *Iolaus* (*Epamera*) *frater* (Joicey & Talbot, 1921) (Lycaenidae) Synonym(s):
 34982) *Iolaus* (*Epamera*) *frater frater* (Joicey & Talbot, 1921) (Lycaenidae) Synonym(s):
 34983) *Iolaus* (*Epamera*) *frater kamerunica* (Riley, 1928) (Lycaenidae) Synonym(s):
 34984) *Iolaus* (*Epamera*) *frater kumboae* (Bethune-Baker, 1926) (Lycaenidae) Synonym(s):
 34985) *Iolaus* (*Epamera*) *gemmae* (Druce, 1910) (Lycaenidae) Synonym(s): *gemmae* Druce, 1910
 34986) *Iolaus* (*Epamera*) *glaucus* (Butler, [1886]) (Lycaenidae) Synonym(s): *glaucus* Butler, [1886]
 34987) *Iolaus* (*Epamera*) *glaucus* (Butler, [1886]) (Lycaenidae) Synonym(s):
 34988) *Iolaus* (*Epamera*) *glaucus glaucus* (Butler, [1886]) (Lycaenidae) Synonym(s): *glaucus* Butler, [1886]
 34989) *Iolaus* (*Epamera*) *glaucus jordanus* (Staudinger, [1897]) (Lycaenidae) Synonym(s): *jordanus* Staudinger, [1897]
 34990) *Iolaus* (*Epamera*) *handmani* (Gifford, 1965) (Lycaenidae) Synonym(s):
 34991) *Iolaus* (*Epamera*) *helenae* Henning & Henning, 1989 (Lycaenidae) Synonym(s):
 34992) *Iolaus* (*Epamera*) *hemicyanus* Sharpe, 1904 (Lycaenidae) Synonym(s):
 34993) *Iolaus* (*Epamera*) *hemicyanus barbara Suffert*, 1904 (Lycaenidae) Synonym(s):
 34994) *Iolaus* (*Epamera*) *hemicyanus barnsi* (Joicey & Talbot, 1921) (Lycaenidae) Synonym(s):
 34995) *Iolaus* (*Epamera*) *hemicyanus hemicyanus* Sharpe, 1904 (Lycaenidae) Synonym(s):
 34996) *Iolaus* (*Epamera*) *iasis* Hewitson, 1865 (Lycaenidae) Synonym(s):
 34997) *Iolaus* (*Epamera*) *iasis albomaculatus* Sharpe, 1904 (Lycaenidae) Synonym(s): *albomaculatus* Sharpe, 1904
 34998) *Iolaus* (*Epamera*) *iasis iasis* Hewitson, 1865 (Lycaenidae) Synonym(s):
 34999) *Iolaus* (*Epamera*) *jacksoni* (Stempffer, 1950) (Lycaenidae) Synonym(s):
 35000) *Iolaus* (*Epamera*) *kelle* Stempffer, 1967 (Lycaenidae) Synonym(s):
 35001) *Iolaus* (*Epamera*) *laon* Hewitson, 1878 (Lycaenidae) Synonym(s):
 35002) *Iolaus* (*Epamera*) *longicauda* (Stempffer & Bennett, 1959) (Lycaenidae) Synonym(s):
 35003) *Iolaus* (*Epamera*) *maesa* (Hewitson, 1862) (Lycaenidae) Synonym(s):
 35004) *Iolaus* (*Epamera*) *mermis* (Druce, 1896) (Lycaenidae) Synonym(s): *mermis* Druce, 1896
 35005) *Iolaus* (*Epamera*) *mimosae* Trimen, 1874 (Lycaenidae) Synonym(s):
 35006) *Iolaus* (*Epamera*) *mimosae berbera* (Bethune-Baker, 1924) (Lycaenidae) Synonym(s):
 35007) *Iolaus* (*Epamera*) *mimosae haemus* (Talbot, 1935) (Lycaenidae) Synonym(s):
 35008) *Iolaus* (*Epamera*) *mimosae mimosae* Trimen, 1874 (Lycaenidae) Synonym(s):
 35009) *Iolaus* (*Epamera*) *mimosae pamela* (Dickson, 1976) (Lycaenidae) Synonym(s):
 35010) *Iolaus* (*Epamera*) *mimosae rhodosense* (Stempffer & Bennett, 1959) (Lycaenidae) Synonym(s):
 35011) *Iolaus* (*Epamera*) *mongiro* Stempffer, 1969 (Lycaenidae) Synonym(s):
 35012) *Iolaus* (*Epamera*) *moyambina* (Stempffer & Bennett, 1959) (Lycaenidae) Synonym(s):
 35013) *Iolaus* (*Epamera*) *nasii* (Riley, 1928) (Lycaenidae) Synonym(s):
 35014) *Iolaus* (*Epamera*) *neavei* (Druce, 1910) (Lycaenidae) Synonym(s): *neavei* Druce, 1910
 35015) *Iolaus* (*Epamera*) *neavei katera* Talbot, 1937 (Lycaenidae) Synonym(s):
 35016) *Iolaus* (*Epamera*) *neavei neavei* (Druce, 1910) (Lycaenidae) Synonym(s): *neavei* Druce, 1910
 35017) *Iolaus* (*Epamera*) *nolaensis* (Stempffer, 1951) (Lycaenidae) Synonym(s):
 35018) *Iolaus* (*Epamera*) *nolaensis amanica* (Stempffer, 1951) (Lycaenidae) Synonym(s):
 35019) *Iolaus* (*Epamera*) *nolaensis nolaensis* (Stempffer, 1951) (Lycaenidae) Synonym(s):
 35020) *Iolaus* (*Epamera*) *normani* (T. Larsen, 1986) (Lycaenidae) Synonym(s): *normani* T. Larsen, 1986
 35021) *Iolaus* (*Epamera*) *nursei* (Butler, 1896) (Lycaenidae) Synonym(s): *nursei* Butler, 1896
 35022) *Iolaus* (*Epamera*) *nursei* (Butler, 1896) (Lycaenidae) Synonym(s):
 35023) *Iolaus* (*Epamera*) *nursei nursei* (Butler, 1896) (Lycaenidae) Synonym(s): *nursei* Butler, 1896
 35024) *Iolaus* (*Epamera*) *obscura Aurivillius*, 1923 (Lycaenidae) Synonym(s):
 35025) *Iolaus* (*Epamera*) *penningtoni* (Stempffer & Bennett, 1959) (Lycaenidae) Synonym(s):
 35026) *Iolaus* (*Epamera*) *pollux Aurivillius*, 1895 (Lycaenidae) Synonym(s):
 35027) *Iolaus* (*Epamera*) *pollux albocaerulea* (Riley, 1929) (Lycaenidae) Synonym(s): *albocaerulea* Riley, 1929

- 35028) *Iolaus* (Epamera) *pollux oberthueri* (Riley,1929) (Lycaenidae) Synonym(s):
 35029) *Iolaus* (Epamera) *pollux pollux Aurivillius,1895* (Lycaenidae) Synonym(s):
 35030) *Iolaus* (Epamera) *pseudofrater Stempffer,1962* (Lycaenidae) Synonym(s):
 35031) *Iolaus* (Epamera) *pseudopollux Stempffer,1962* (Lycaenidae) Synonym(s):
 35032) *Iolaus* (Epamera) *sappirus* (Druce,1902) (Lycaenidae) Synonym(s): *sappirus Druce,1902*
 35033) *Iolaus* (Epamera) *scintillans Aurivillius,1905* (Lycaenidae) Synonym(s):
 35034) *Iolaus* (Epamera) *sciophilus* (Schultze,1916) (Lycaenidae) Synonym(s):
 35035) *Iolaus* (Epamera) *sibella* (Druce,1910) (Lycaenidae) Synonym(s): *sibella Druce,1910*
 35036) *Iolaus* (Epamera) *sidus Trimen,1864* (Lycaenidae) Synonym(s):
 35037) *Iolaus* (Epamera) *silanus Grose-Smith,1889* (Lycaenidae) Synonym(s):
 35038) *Iolaus* (Epamera) *silanus alticola* (Stempffer,1961) (Lycaenidae) Synonym(s):
 35039) *Iolaus* (Epamera) *silanus silanus Grose-Smith,1889* (Lycaenidae) Synonym(s):
 35040) *Iolaus* (Epamera) *silanus silenus* (Hawker-Smith,1928b) (Lycaenidae) Synonym(s):
 35041) *Iolaus* (Epamera) *stenogrammica* (Riley,1928) (Lycaenidae) Synonym(s):
 35042) *Iolaus* (Epamera) *tajoraca Walker,1870* (Lycaenidae) Synonym(s):
 35043) *Iolaus* (Epamera) *tajoraca ertli Aurivillius,1916* (Lycaenidae) Synonym(s):
 35044) *Iolaus* (Epamera) *tajoraca tajoraca Walker,1870* (Lycaenidae) Synonym(s):
 35045) *Iolaus* (Epamera) *umbrosa* (Butler,1886) (Lycaenidae) Synonym(s):
 35046) *Iolaus* (Epamera) *umbrosa sudanicus Aurivillius,1905* (Lycaenidae) Synonym(s):
 35047) *Iolaus* (Epamera) *umbrosa umbrosa* (Butler,1886) (Lycaenidae) Synonym(s):
 35048) *Iolaus* (Epamera) *violacea* (Riley,1928) (Lycaenidae) Synonym(s): *violacea Riley,1928*
 35049) *Iolaus* (Etesiolaus) *catori Bethune-Baker,1904* (Lycaenidae) Synonym(s): *catori Bethune-Baker,1904*
 35050) *Iolaus* (Etesiolaus) *catori catori Bethune-Baker,1904* (Lycaenidae) Synonym(s): *catori Bethune-Baker,1904*
 35051) *Iolaus* (Etesiolaus) *catori cottoni Bethune-Baker,1908* (Lycaenidae) Synonym(s): *cottoni Bethune-Baker,1908*
 35052) *Iolaus* (Etesiolaus) *pinheyi* (Kielland,1986) (Lycaenidae) Synonym(s):
 35053) *Iolaus* (Hemiolaus) *caeculus Hopffer,1855* (Lycaenidae) Synonym(s):
 35054) *Iolaus* (Hemiolaus) *caeculus caeculus Hopffer,1855* (Lycaenidae) Synonym(s):
 35055) *Iolaus* (Hemiolaus) *caeculus littoralis* (Stempffer,1954) (Lycaenidae) Synonym(s): *littoralis Stempffer,1954*
 35056) *Iolaus* (Hemiolaus) *caeculus sodilensis Pinhey,1969* (Lycaenidae) Synonym(s):
 35057) *Iolaus* (Hemiolaus) *caeculus vividus* (Pinhey,1962) (Lycaenidae) Synonym(s):
 35058) *Iolaus* (Hemiolaus) *ceres* (Hewitson,1865) (Lycaenidae) Synonym(s):
 35059) *Iolaus* (Hemiolaus) *cobaltina* (Aurivillius,1898) (Lycaenidae) Synonym(s):
 35060) *Iolaus* (Hemiolaus) *marginatus* (Mabille,1899) (Lycaenidae) Synonym(s):
 35061) *Iolaus* (Hemiolaus) *maryra* (Mabille,1887) (Lycaenidae) Synonym(s):
 35062) *Iolaus* (Hemiolaus) *varnieri* (Stempffer & Bennett,1958) (Lycaenidae) Synonym(s):
 35063) *Iolaus* (Iolaphilus) *gabunica* (Riley,1928) (Lycaenidae) Synonym(s):
 35064) *Iolaus* (Iolaphilus) *henryi* (Stempffer,1961) (Lycaenidae) Synonym(s):
 35065) *Iolaus* (Iolaphilus) *iulus Hewitson,1869* (Lycaenidae) Synonym(s):
 35066) *Iolaus* (Iolaphilus) *jamesoni* (Druce,1891) (Lycaenidae) Synonym(s): *jamesoni Druce,1891*
 35067) *Iolaus* (Iolaphilus) *menas Druce,1890* (Lycaenidae) Synonym(s): *menas Druce,1890*
 35068) *Iolaus* (Iolaphilus) *menas menas Druce,1890* (Lycaenidae) Synonym(s): *menas Druce,1890*
 35069) *Iolaus* (Iolaphilus) *menas tatiana* (D'Abrera,1980) (Lycaenidae) Synonym(s):
 35070) *Iolaus* (Iolaphilus) *schultzei Aurivillius,1905* (Lycaenidae) Synonym(s):
 35071) *Iolaus* (Iolaphilus) *trimeni Wallengren,1875* (Lycaenidae) Synonym(s): *trimeni Wallengren,1875*
 35072) *Iolaus* (Iolaus) *bilineata Bethune-Baker,1908* (Lycaenidae) Synonym(s):
 35073) *Iolaus* (Iolaus) *bolissus Hewitson,1873* (Lycaenidae) Synonym(s):
 35074) *Iolaus* (Iolaus) *bolissus aurora Clench,1964* (Lycaenidae) Synonym(s):
 35075) *Iolaus* (Iolaus) *bolissus azureus Clench,1964* (Lycaenidae) Synonym(s):
 35076) *Iolaus* (Iolaus) *bolissus bolissus Hewitson,1873* (Lycaenidae) Synonym(s):
 35077) *Iolaus* (Iolaus) *carina Hewitson,1873* (Lycaenidae) Synonym(s):
 35078) *Iolaus* (Iolaus) *eurisus* (Cramer,[1779]) (Lycaenidae) Synonym(s):
 35079) *Iolaus* (Iolaus) *eurisus eurisus* (Cramer,[1779]) (Lycaenidae) Synonym(s):
 35080) *Iolaus* (Iolaus) *eurisus helius* (Fabricius,1781) (Lycaenidae) Synonym(s):
 35081) *Iolaus* (Iolaus) *vexillarius Clench,1964* (Lycaenidae) Synonym(s):
 35082) *Iolaus* (Pseudiolaus) *lulua* (Riley,1944) (Lycaenidae) Synonym(s): *lulua Riley,1944*
 35083) *Iolaus* (Pseudiolaus) *poultoni* (Riley,1928) (Lycaenidae) Synonym(s): *poultoni Riley,1928*
 35084) *Iolaus* (Stugeta) *bowkeri Trimen,1864* (Lycaenidae) Synonym(s): *bowkeri Trimen,1864*
 35085) *Iolaus* (Stugeta) *bowkeri albeza Koçak,1996* (Lycaenidae) Synonym(s): *caerulea Stempffer,1947 nec Ril.,1928; albeza Koçak,1996.*
 35086) *Iolaus* (Stugeta) *bowkeri bowkeri Trimen,1864* (Lycaenidae) Synonym(s): *bowkeri Trimen,1864*
 35087) *Iolaus* (Stugeta) *bowkeri ethiopica* (Stempffer & Bennett,1958) (Lycaenidae) Synonym(s): *ethiopica Stempffer & Bennett,1958*
 35088) *Iolaus* (Stugeta) *bowkeri henningi* (Dickson,1980) (Lycaenidae) Synonym(s): *henningi Dickson,1980*
 35089) *Iolaus* (Stugeta) *bowkeri kedonga* (Van Someren,1939) (Lycaenidae) Synonym(s): *kedonga Van Someren,1939*
 35090) *Iolaus* (Stugeta) *bowkeri maria* (Suffert,1904) (Lycaenidae) Synonym(s): *maria Suffert,1904*
 35091) *Iolaus* (Stugeta) *bowkeri mombasae* (Butler,1901) (Lycaenidae) Synonym(s): *mombasae Butler,1901*
 35092) *Iolaus* (Stugeta) *bowkeri nyanzana* (Wichgraf,1911) (Lycaenidae) Synonym(s): *nyanzana Wichgraf,1911*
 35093) *Iolaus* (Stugeta) *bowkeri nyanzana* (Talbot,1935) (Lycaenidae) Synonym(s): *nyasana Talbot,1935*
 35094) *Iolaus* (Stugeta) *bowkeri occidentalis* (Stempffer & Bennett,1958) (Lycaenidae) Synonym(s): *occidentalis Stempffer & Bennett,1958*
 35095) *Iolaus* (Stugeta) *bowkeri teari* (Dickson,1980) (Lycaenidae) Synonym(s): *tearei Dickson,1980*
 35096) *Iolaus* (Stugeta) *carpenteri* (Stempffer,1946) (Lycaenidae) Synonym(s): *carpenteri Stempffer,1946*
 35097) *Iolaus* (Stugeta) *marmoreus* (Butler,1866) (Lycaenidae) Synonym(s): *marmoreus Butler,1866*
 35098) *Iolaus* (Stugeta) *marmoreus marmoreus* (Butler,1866) (Lycaenidae) Synonym(s): *marmoreus Butler,1866*
 35099) *Iolaus* (Stugeta) *marmoreus olalae* (Stoneham,1934) (Lycaenidae) Synonym(s): *olalae Stoneham,1934*
 35100) *Iolaus* (Stugeta) *mimetica* (Aurivillius,1916) (Lycaenidae) Synonym(s): *mimetica Aurivillius,1916*
 35101) *Iolaus* (Stugeta) *somalina* (Stempffer,1946) (Lycaenidae) Synonym(s): *somalina Stempffer,1946*
 35102) *Iolaus* (Stugeta) *subinfusata* (Grünberg,1910) (Lycaenidae) Synonym(s): *subinfusata Grünberg,1910*
 35103) *Iolaus* (Stugeta) *subinfusata reynoldsi* (Dickson,1980) (Lycaenidae) Synonym(s): *reynoldsi Dickson,1980*
 35104) *Iolaus* (Stugeta) *subinfusata subinfusata* (Grünberg,1910) (Lycaenidae) Synonym(s): *subinfusata Grünberg,1910*
 35105) *Iolaus* (Tanuethira) *timon* (Fabricius,1787) (Lycaenidae) Synonym(s): *timon Fabricius,1787*
 35106) *Iolaus* (Tanuethira) *timon congoensis* (Joicey & Talbot,1921) (Lycaenidae) Synonym(s): *congoensis Joicey & Talbot,1921*
 35107) *Iolaus* (Tanuethira) *timon orientius Hulstaert,1924* (Lycaenidae) Synonym(s): *orientius Hulstaert,1924*
 35108) *Iolaus* (Tanuethira) *timon timon* (Fabricius,1787) (Lycaenidae) Synonym(s): *timon Fabricius,1787; prometheus Druce,1891*
 35109) *Iolaus* (Trichiolaus) *argentarius Butler,1879* (Lycaenidae) Synonym(s): *argentarius Butler,1879; leucoceros Oberthür,1916*
 35110) *Iolaus* (Trichiolaus) *mermeros* (Mabille,1878) (Lycaenidae) Synonym(s): *mermeros Mabille,1878*
 35111) *Ionolyce* *helicon* (C.Felder,1860) (Lycaenidae) Synonym(s): *helicon C.Felder,1860*
 35112) *Ionolyce* *helicon helicon* (C.Felder,1860) (Lycaenidae) Synonym(s): *helicon C.Felder,1860*
 35113) *Ionolyce* *helicon merguiana* (Moore,1884) (Lycaenidae) Synonym(s): *merguiana Moore,1884*
 35114) *Ionolyce* *helicon* ssp. (Lycaenidae) Synonym(s):
 35115) *Iraota* *distanti* (Staudinger,1889) (Lycaenidae) Synonym(s): *nila Distant,1886 (praeocc.); distanti Staudinger,1889*
 35116) *Iraota* *distanti distanti* (Staudinger,1889) (Lycaenidae) Synonym(s): *nila Distant,1886 (praeocc.); distanti Staudinger,1889*
 35117) *Iraota* *rochana* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *rochana Horsfield,[1829]*

- 35118) *Iraota rochana austrosuluensis* Schröder & Treadaway, 1989 (Lycaenidae) Synonym(s): *austrosuluensis* Schröder & Treadaway, 1989
- 35119) *Iraota rochana boswelliana* Distant, 1885 (Lycaenidae) Synonym(s): *boswelliana* Distant, 1885
- 35120) *Iraota rochana boudanti* Treadaway & Nuyda, 1993 (Lycaenidae) Synonym(s): *boudanti* Treadaway & Nuyda, 1993
- 35121) *Iraota rochana garzoni* Schröder & Treadaway, 1986 (Lycaenidae) Synonym(s): *garzoni* Schröder & Treadaway, 1986
- 35122) *Iraota rochana indalawanae* Schröder & Treadaway, 1993 (Lycaenidae) Synonym(s): *indalawanae* Schröder & Treadaway, 1993
- 35123) *Iraota rochana lazarena* C.Felder & R.Felder, 1862 (Lycaenidae) Synonym(s): *lazarena* C.Felder & R.Felder, 1862
- 35124) *Iraota rochana ottonis* Fruhstorfer, 1907 (Lycaenidae) Synonym(s): *ottonis* Fruhstorfer, 1907
- 35125) *Iraota rochana rochana* (Horsfield, 1829) (Lycaenidae) Synonym(s): *rochana* Horsfield, 1829
- 35126) *Iraota timoleon* (Stoll, 1790) (Lycaenidae) Synonym(s): *timoleon* Stoll, 1790
- 35127) *Iraota timoleon timoleon* (Stoll, 1790) (Lycaenidae) Synonym(s): *timoleon* Stoll, 1790
- 35128) *Iraota timoleon wickii* Eliot, 1980 (Lycaenidae) Synonym(s): *wickii* Eliot, 1980
- 35129) *Iridana bwamba* Stempffer, 1964 (Lycaenidae) Synonym(s): *bwamba* Stempffer, 1964
- 35130) *Iridana euprepes* (Druce, 1905) (Lycaenidae) Synonym(s): *euprepes* Druce, 1905
- 35131) *Iridana exquisita* (Grose-Smith, 1898) (Lycaenidae) Synonym(s): *exquisita* Grose-Smith, 1898
- 35132) *Iridana gabunica* Stempffer, 1964 (Lycaenidae) Synonym(s): *gabunica* Stempffer, 1964
- 35133) *Iridana ghanana* Stempffer, 1964 (Lycaenidae) Synonym(s): *ghanana* Stempffer, 1964
- 35134) *Iridana hypocala Eltringham, 1929* (Lycaenidae) Synonym(s): *hypocala* Eltringham, 1929; *magnifica* Hawker-Smith, 1933
- 35135) *Iridana incredibilis* (Staudinger, 1891) (Lycaenidae) Synonym(s): *incredibilis* Staudinger, 1891; *ansorgei* Grose-Smith, 1898
- 35136) *Iridana jacksoni* Stempffer, 1964 (Lycaenidae) Synonym(s): *jacksoni* Stempffer, 1964
- 35137) *Iridana katera* Stempffer, 1964 (Lycaenidae) Synonym(s): *katera* Stempffer, 1964
- 35138) *Iridana marina* Talbot, 1935 (Lycaenidae) Synonym(s): *marina* Talbot, 1935
- 35139) *Iridana nigeriana* Stempffer, 1964 (Lycaenidae) Synonym(s): *nigeriana* Stempffer, 1964
- 35140) *Iridana obscura* Stempffer, 1964 (Lycaenidae) Synonym(s): *obscura* Stempffer, 1964
- 35141) *Iridana perdita* (Kirby, 1890) (Lycaenidae) Synonym(s): *perdita* Kirby, 1890
- 35142) *Iridana rougeoti* Stempffer, 1964 (Lycaenidae) Synonym(s): *rougeoti* Stempffer, 1964
- 35143) *Iridana tororo* Stempffer, 1964 (Lycaenidae) Synonym(s): *tororo* Stempffer, 1964
- 35144) *Iridana unyoro* Stempffer, 1964 (Lycaenidae) Synonym(s): *unyoro* Stempffer, 1964
- 35145) *Jacoona anasuja* (C.Felder & R.Felder, 1865) (Lycaenidae) Synonym(s): *anasuja* C.Felder & R.Felder, 1865
- 35146) *Jacoona anasuja anasuja* (C.Felder & R.Felder, 1865) (Lycaenidae) Synonym(s): *anasuja* C.Felder & R.Felder, 1865
- 35147) *Jacoona anasuja nigerrima* Corbet, 1948 (Lycaenidae) Synonym(s): *nigerrima* Corbet, 1948
- 35148) *Jamides abdul* (Distant, 1886) (Lycaenidae) Synonym(s): *abdul* Distant, 1886; *marakata* Doherty, 1890
- 35149) *Jamides abdul abdul* (Distant, 1886) (Lycaenidae) Synonym(s): *abdul* Distant, 1886; *marakata* Doherty, 1890
- 35150) *Jamides abdul pemanggilensis* Eliot, 1978 (Lycaenidae) Synonym(s): *pemanggilensis* Eliot, 1978
- 35151) *Jamides alecto* (C.Felder, 1860) (Lycaenidae) Synonym(s): *alecto* C.Felder, 1860
- 35152) *Jamides alecto ageladas* (Fruhstorfer, 1915) (Lycaenidae) Synonym(s): *ageladas* Fruhstorfer, 1915
- 35153) *Jamides alecto alecto* (C.Felder, 1860) (Lycaenidae) Synonym(s): *alecto* C.Felder, 1860
- 35154) *Jamides alecto alocina* Swinhoe, 1915 (Lycaenidae) Synonym(s): *alocina* Swinhoe, 1915
- 35155) *Jamides alecto kawazoei* Hayashi, 1976 (Lycaenidae) Synonym(s): *kawazoei* Hayashi, 1976
- 35156) *Jamides alecto manilana* Toxopeus, 1930 (Lycaenidae) Synonym(s): *manilana* Toxopeus, 1930
- 35157) *Jamides alsietus* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *alsietus* Fruhstorfer, 1916
- 35158) *Jamides alsietus alsietus* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *alsietus* Fruhstorfer, 1916
- 35159) *Jamides alsietus camarines* Takanami, 1990 (Lycaenidae) Synonym(s): *camarines* Takanami, 1990
- 35160) *Jamides alsietus sabatus* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *sabatus* Fruhstorfer, 1916
- 35161) *Jamides aratus* (Stoll, 1781) (Lycaenidae) Synonym(s): *aratus* Stoll, 1781
- 35162) *Jamides aratus adana* (Druce, 1873) (Lycaenidae) Synonym(s): *adana* Druce, 1873
- 35163) *Jamides aratus nausiphanes* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *nausiphanes* Fruhstorfer, 1916
- 35164) *Jamides bochus* (Stoll, 1782) (Lycaenidae) Synonym(s): *bochus* Stoll, 1782
- 35165) *Jamides bochus bochus* (Stoll, 1782) (Lycaenidae) Synonym(s): *bochus* Stoll, 1782
- 35166) *Jamides bochus georgi* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *georgi* Fruhstorfer, 1916
- 35167) *Jamides bochus herodicus* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *herodicus* Fruhstorfer, 1916
- 35168) *Jamides bochus nabonassar* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *nabonassar* Fruhstorfer, 1916
- 35169) *Jamides caeruleus* (Druce, 1873) (Lycaenidae) Synonym(s): *caeruleus* Druce, 1873
- 35170) *Jamides caeruleus caeruleus* (Druce, 1873) (Lycaenidae) Synonym(s): *caeruleus* Druce, 1873
- 35171) *Jamides callistus Röber, 1886* (Lycaenidae) Synonym(s): *callistus* Röber, 1886
- 35172) *Jamides callistus amastris* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *amastris* Fruhstorfer, 1916
- 35173) *Jamides callistus callistus* Röber, 1886 (Lycaenidae) Synonym(s): *callistus* Röber, 1886
- 35174) *Jamides callistus cleitus* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *cleitus* Fruhstorfer, 1916
- 35175) *Jamides callistus mioae* Hayashi, 1976 (Lycaenidae) Synonym(s): *mioae* Hayashi, 1976
- 35176) *Jamides callistus neaethus* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *neaethus* Fruhstorfer, 1916
- 35177) *Jamides celeno* (Cramer, 1775) (Lycaenidae) Synonym(s): *celeno* Cramer, 1775; *alexis* Stoll, 1790 nec Poda, 1761; *aelianus* Fabricius, 1793; *zethus* Hübner, 1819.
- 35178) *Jamides celeno aelianus* (Fabricius, 1793) (Lycaenidae) Synonym(s): *aelianus* Fabricius, 1793
- 35179) *Jamides celeno celeno* (Cramer, 1775) (Lycaenidae) Synonym(s): *celeno* Cramer, 1775; *alexis* Stoll, 1790 nec Poda, 1761; *aelianus* Fabricius, 1793; *zethus* Hübner, 1819.
- 35180) *Jamides celeno optimus* Röber, 1886 (Lycaenidae) Synonym(s): *optimus* Röber, 1886
- 35181) *Jamides cleodius* C.Felder & R.Felder, 1865 (Lycaenidae) Synonym(s): *cleodius* C.Felder & R.Felder, 1865
- 35182) *Jamides cleodius cleodius* C.Felder & R.Felder, 1865 (Lycaenidae) Synonym(s): *cleodius* C.Felder & R.Felder, 1865
- 35183) *Jamides cleodius itumunus* Treadaway & Nuyda, 1995 (Lycaenidae) Synonym(s): *itumunus* Treadaway & Nuyda, 1995
- 35184) *Jamides cleodius manias* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *manias* Fruhstorfer, 1916
- 35185) *Jamides cleodius potidalon* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *potidalon* Fruhstorfer, 1916
- 35186) *Jamides cleodius semperi* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *semperi* Fruhstorfer, 1916
- 35187) *Jamides cleodius trichonis* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *trichonis* Fruhstorfer, 1916
- 35188) *Jamides cunilda* (Snellen, 1896) (Lycaenidae) Synonym(s): *cunilda* Snellen, 1896
- 35189) *Jamides cunilda nisanca* (Fruhstorfer) (Lycaenidae) Synonym(s):
- 35190) *Jamides cunilda sekii* Takanami, 1988 (Lycaenidae) Synonym(s): *sekii* Takanami, 1988
- 35191) *Jamides cyta* (Boisduval, 1832) (Lycaenidae) Synonym(s): *cyta* Boisduval, 1832
- 35192) *Jamides cyta koenigswarteri* Schröder, Treadaway & Nuyda, 1993 (Lycaenidae) Synonym(s): *koenigswarteri* Schröder, Treadaway & Nuyda, 1993
- 35193) *Jamides cyta minna* Riley & Corbet, 1938 (Lycaenidae) Synonym(s): *minna* Riley & Corbet, 1938
- 35194) *Jamides cyta natsumiae* Hayashi, 1976 (Lycaenidae) Synonym(s): *natsumiae* Hayashi, 1976
- 35195) *Jamides cyta raddatzii* Schröder & Treadaway, 1984 (Lycaenidae) Synonym(s): *raddatzii* Schröder & Treadaway, 1984
- 35196) *Jamides elpis* (Godart, 1824) (Lycaenidae) Synonym(s): *elpis* Godart, 1824
- 35197) *Jamides elpis phaliga* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *phaliga* Fruhstorfer, 1916
- 35198) *Jamides elpis pseudelpis* (Butler, 1879) (Lycaenidae) Synonym(s): *pseudelpis* Butler, 1879
- 35199) *Jamides ferrari* Evans, 1932 (Lycaenidae) Synonym(s): *ferrari* Evans, 1932
- 35200) *Jamides ferrari evansi* Riley & Corbet, 1938 (Lycaenidae) Synonym(s): *evansi* Riley & Corbet, 1938
- 35201) *Jamides ferrari ferrari* Evans, 1932 (Lycaenidae) Synonym(s): *ferrari* Evans, 1932
- 35202) *Jamides malaccanus* (Röber, 1886) (Lycaenidae) Synonym(s): *malaccanus* Röber, 1886
- 35203) *Jamides malaccanus aurensis* Eliot, 1978 (Lycaenidae) Synonym(s): *aurensis* Eliot, 1978
- 35204) *Jamides malaccanus malaccanus* (Röber, 1886) (Lycaenidae) Synonym(s): *malaccanus* Röber, 1886
- 35205) *Jamides parasaturatus* (Fruhstorfer, 1915) (Lycaenidae) Synonym(s): *parasaturatus* Fruhstorfer, 1915

- 35206) *Jamides parasaturatus paramalaccanus* Riley & Corbet, 1938 (Lycaenidae) Synonym(s): *paramalaccanus* Riley & Corbet, 1938
 35207) *Jamides parasaturatus parasaturatus* (Fruhstorfer, 1915) (Lycaenidae) Synonym(s): *parasaturatus* Fruhstorfer, 1915
 35208) *Jamides philatus* (Snellen, 1878) (Lycaenidae) Synonym(s): *philatus* Snellen, 1878
 35209) *Jamides philatus amphyssina* Staudinger, 1889 (Lycaenidae) Synonym(s): *amphyssina* Staudinger, 1889
 35210) *Jamides philatus osias* (Röber, 1886) (Lycaenidae) Synonym(s): *osias* Röber, 1886
 35211) *Jamides philatus philatus* (Snellen, 1878) (Lycaenidae) Synonym(s): *philatus* Snellen, 1878
 35212) *Jamides philatus subditus* (Moore, 1886) (Lycaenidae) Synonym(s): *subditus* Moore, 1886
 35213) *Jamides pura* (Moore, 1886) (Lycaenidae) Synonym(s): *pura* Moore, 1886
 35214) *Jamides pura cordaea* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *cordaea* Fruhstorfer, 1916
 35215) *Jamides pura pura* (Moore, 1886) (Lycaenidae) Synonym(s): *pura* Moore, 1886
 35216) *Jamides rothschildi Hayashi*, 1977 (Lycaenidae) Synonym(s): *rothschildi* Hayashi, 1977
 35217) *Jamides rothschildi aritai* Hayashi, 1976 (Lycaenidae) Synonym(s): *aritai* Hayashi, 1976
 35218) *Jamides rothschildi mindanensis* Hayashi, 1977 (Lycaenidae) Synonym(s): *mindanensis* Hayashi, 1977
 35219) *Jamides schatzi* (Röber, 1886) (Lycaenidae) Synonym(s): *schatzi* Röber, 1886
 35220) *Jamides schatzi jumaloni* Hayashi, 1976 (Lycaenidae) Synonym(s): *jumaloni* Hayashi, 1976
 35221) *Jamides schatzi nakamotoi* Hayashi, 1977 (Lycaenidae) Synonym(s): *nakamotoi* Hayashi, 1977
 35222) *Jamides suidas* C. Felder & R. Felder, [1865] (Lycaenidae) Synonym(s): *suidas* C. Felder & R. Felder, [1865]
 35223) *Jamides talinga* (Kheil, 1884) (Lycaenidae) Synonym(s): *talinga* Kheil, 1884
 35224) *Jamides talinga talinga* (Kheil, 1884) (Lycaenidae) Synonym(s): *talinga* Kheil, 1884
 35225) *Jamides virgulatus Druce*, 1895 (Lycaenidae) Synonym(s): *virgulatus* Druce, 1895
 35226) *Jamides virgulatus nisanca* (Fruhstorfer, 1915) (Lycaenidae) Synonym(s): *nisanca* Fruhstorfer, 1915
 35227) *Jamides virgulatus virgulatus* Druce, 1895 (Lycaenidae) Synonym(s): *virgulatus* Druce, 1895
 35228) *Jamides zebra* (Druce, 1895) (Lycaenidae) Synonym(s): *zebra* Druce, 1895
 35229) *Jamides zebra lakatti* Corbet, 1940 (Lycaenidae) Synonym(s): *lakatti* Corbet, 1940
 35230) *Jamides zebra zebra* (Druce, 1895) (Lycaenidae) Synonym(s): *zebra* Druce, 1895
 35231) *Japonica adusta* (Riley, 1930) (Lycaenidae) Synonym(s): *adusta* Riley, 1930
 35232) *Japonica adusta adusta* (Riley, 1930) (Lycaenidae) Synonym(s): *adusta* Riley, 1930
 35233) *Japonica lutea* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *lutea* Hewitson, [1865]
 35234) *Japonica lutea lutea* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *lutea* Hewitson, [1865]
 35235) *Japonica lutea patungkaonui* Murayama, 1956 (Lycaenidae) Synonym(s): *patungkaonui* Murayama, 1956
 35236) *Japonica saepestriata* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *saepestriata* Hewitson, [1865]
 35237) *Japonica saepestriata saepestriata* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *saepestriata* Hewitson, [1865]
 35238) *Keraunogramma helena* Röber, 1887 (Lycaenidae) Synonym(s): *helena* Röber, 1887
 35239) *Lachnocnema abyssinica* Libert, 1996 (Lycaenidae) Synonym(s): *abyssinica* Libert, 1996
 35240) *Lachnocnema angolans* Libert, 1996 (Lycaenidae) Synonym(s): *angolans* Libert, 1996
 35241) *Lachnocnema bamptoni* Libert, 1996 (Lycaenidae) Synonym(s): *bamptoni* Libert, 1996
 35242) *Lachnocnema bibulus* (Fabricius, 1793) (Lycaenidae) Synonym(s): *bibulus* Fabricius, 1793; *laches* Fabricius, 1793; *delegorguei* Boisduval, 1847; *emperamus* Snellen, 1872.
 35243) *Lachnocnema brimo* Karsch, 1893 (Lycaenidae) Synonym(s): *brimo* Karsch, 1893; *sudanica* Aurivillius, 1905; *obliquisigna* Hulstaert, 1924; *rectifascia* Hulstaert, 1924;
 35244) *Lachnocnema brimoides* Libert, 1996 (Lycaenidae) Synonym(s): *brimoides* Libert, 1996
 35245) *Lachnocnema busoga* Bethune-Baker, 1906 (Lycaenidae) Synonym(s): *busoga* Bethune-Baker, 1906
 35246) *Lachnocnema camerunica* D'Abrera, 1980 (Lycaenidae) Synonym(s): *camerunica* D'Abrera, 1980
 35247) *Lachnocnema disrupta* Talbot, 1935 (Lycaenidae) Synonym(s): *disrupta* Talbot, 1935
 35248) *Lachnocnema divergens* Gaede, 1915 (Lycaenidae) Synonym(s): *divergens* Gaede, 1915
 35249) *Lachnocnema dohertyi* Libert, 1996 (Lycaenidae) Synonym(s): *dohertyi* Libert, 1996
 35250) *Lachnocnema ducarme* Libert, 1996 (Lycaenidae) Synonym(s): *ducarme* Libert, 1996
 35251) *Lachnocnema durbani* Trimen, 1887 (Lycaenidae) Synonym(s): *durbani* Trimen, 1887
 35252) *Lachnocnema exiguus* Holland, 1890 (Lycaenidae) Synonym(s): *exiguus* Holland, 1890
 35253) *Lachnocnema jacksoni* Stempffer, 1967 (Lycaenidae) Synonym(s): *jacksoni* Stempffer, 1967
 35254) *Lachnocnema katangae* Libert, 1996 (Lycaenidae) Synonym(s): *katangae* Libert, 1996
 35255) *Lachnocnema magna* Aurivillius, 1895 (Lycaenidae) Synonym(s): *magna* Aurivillius, 1895; *umbra* Grose-Smith, 1901; *niveus* Druce, 1910.
 35256) *Lachnocnema makakensis* Birket-Smith, 1960 (Lycaenidae) Synonym(s): *makakensis* Birket-Smith, 1960
 35257) *Lachnocnema pseudobibulus* Libert, 1996 (Lycaenidae) Synonym(s): *pseudobibulus* Libert, 1996
 35258) *Lachnocnema regularis* Libert, 1996 (Lycaenidae) Synonym(s): *regularis* Libert, 1996
 35259) *Lachnocnema regularis grisea* Libert, 1996 (Lycaenidae) Synonym(s): *grisea* Libert, 1996
 35260) *Lachnocnema regularis regularis* Libert, 1996 (Lycaenidae) Synonym(s): *regularis* Libert, 1996
 35261) *Lachnocnema reutlingeri* Holland, 1892 (Lycaenidae) Synonym(s): *reutlingeri* Holland, 1892; *luna* Druce, 1910.
 35262) *Laeosopis evippus* (Hübner, 1793) (Lycaenidae) Synonym(s): *evippus* Hübner, 1793; *roboris* Esper, [1793].
 35263) *Laeosopis evippus demissa* Verity, 1943 (Lycaenidae) Synonym(s): *demissa* Verity, 1943
 35264) *Laeosopis evippus escorialensis* (Oberthür, 1910) (Lycaenidae) Synonym(s): *escorialensis* Oberthür, 1910
 35265) *Laeosopis evippus evippus* (Hübner, 1793) (Lycaenidae) Synonym(s): *evippus* Hübner, 1793; *roboris* Esper, [1793].
 35266) *Laeosopis evippus higginsii* Agenjo, 1963 (Lycaenidae) Synonym(s): *higginsii* Agenjo, 1963
 35267) *Laeosopis evippus lusitanica* Staudinger, [1892] (Lycaenidae) Synonym(s): *lusitanica* Staudinger, [1892].
 35268) *Laeosopis evippus magis* Agenjo, 1963 (Lycaenidae) Synonym(s): *magis* Agenjo, 1963
 35269) *Laeosopis evippus mudarra* Agenjo, 1963 (Lycaenidae) Synonym(s): *mudarra* Agenjo, 1963
 35270) *Laeosopis evippus portensis* Betti, 1977 (Lycaenidae) Synonym(s): *portensis* Betti, 1977
 35271) *Laeosopis evippus thiersi* Betti, 1977 (Lycaenidae) Synonym(s): *thiersi* Betti, 1977
 35272) *Lampides boeticus* (Linnaeus, 1767) (Lycaenidae) Synonym(s): *boeticus* Linnaeus, 1767; *damoetes* Fabricius, 1775; *coluteae* Fuessly, 1775; *pisorum* Fourcroy, 1785; *boedicus* Borkhausen, 1788; *#baeticus* Latreille, 1809; *armeniensis* Gerhard, 1886; *bagus* Distant, 1886
 35273) *Lampides boeticus boeticus* (Linnaeus, 1767) (Lycaenidae) Synonym(s): *boeticus* Linnaeus, 1767; *damoetes* Fabricius, 1775; *coluteae* Fuessly, 1775; *pisorum* Fourcroy, 1785; *boedicus* Borkhausen, 1788; *#baeticus* Latreille, 1809; *armeniensis* Gerhard, 1886; *bagus* Distant, 1886
 35274) *Larinopoda aspidos* Druce, 1890 (Lycaenidae) Synonym(s): *aspidos* Druce, 1890
 35275) *Larinopoda batesi* Bethune-Baker, 1926a (Lycaenidae) Synonym(s):
 35276) *Larinopoda eurema* (Plötz, 1880a) (Lycaenidae) Synonym(s):
 35277) *Larinopoda lagyra* (Hewitson, 1866) (Lycaenidae) Synonym(s):
 35278) *Larinopoda lagyra lagyra* (Hewitson, 1866) (Lycaenidae) Synonym(s):
 35279) *Larinopoda lagyra reducta* Berger, 1981 (Lycaenidae) Synonym(s): *reducta* Berger, 1981
 35280) *Larinopoda lircaea* (Hewitson, 1866) (Lycaenidae) Synonym(s):
 35281) *Larinopoda tera* (Hewitson, 1873c) (Lycaenidae) Synonym(s):
 35282) *Lepidochrysops aethiopica* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *aethiopica* Bethune-Baker, 1923; *nyasae* Bethune-Baker, 1923
 35283) *Lepidochrysops albilinea* Tite, 1959 (Lycaenidae) Synonym(s): *albilinea* Tite, 1959
 35284) *Lepidochrysops anerius* (Hulstaert, 1924) (Lycaenidae) Synonym(s): *anerius* Hulstaert, 1924
 35285) *Lepidochrysops anerius anerius* (Hulstaert, 1924) (Lycaenidae) Synonym(s): *anerius* Hulstaert, 1924
 35286) *Lepidochrysops anerius kiellandi* Stempffer, 1972 (Lycaenidae) Synonym(s): *kiellandi* Stempffer, 1972
 35287) *Lepidochrysops ansorgei* Tite, 1959 (Lycaenidae) Synonym(s): *ansorgei* Tite, 1959
 35288) *Lepidochrysops arabicus* Gabriel, 1954 (Lycaenidae) Synonym(s): *arabicus* Gabriel, 1954
 35289) *Lepidochrysops arabicus arabicus* Gabriel, 1954 (Lycaenidae) Synonym(s): *arabicus* Gabriel, 1954
 35290) *Lepidochrysops asteris* (Godart, [1824]) (Lycaenidae) Synonym(s): *asteris* Godart, [1824]; *caffrariae* Trimen, 1887
 35291) *Lepidochrysops auratus* Quickelberge, 1979 (Lycaenidae) Synonym(s): *auratus* Quickelberge, 1979

- 35292) *Lepidochrysops australis* Tite, 1964 (Lycaenidae) Synonym(s): *australis* Tite, 1964
 35293) *Lepidochrysops azureus* (Butler, 1879) (Lycaenidae) Synonym(s): *azureus* Butler, 1879
 35294) *Lepidochrysops bacchus* Riley, 1938 (Lycaenidae) Synonym(s): *bacchus* Riley, 1938
 35295) *Lepidochrysops badhami* Van Son, 1956 (Lycaenidae) Synonym(s): *badhami* Van Son, 1956
 35296) *Lepidochrysops balli* Dickson, 1985 (Lycaenidae) Synonym(s): *balli* Dickson, 1985
 35297) *Lepidochrysops barnesi* Pennington, 1953 (Lycaenidae) Synonym(s): *barnesi* Pennington, 1953
 35298) *Lepidochrysops braueri* Dickson, 1966 (Lycaenidae) Synonym(s): *braueri* Dickson, 1966
 35299) *Lepidochrysops budama* Van Someren, 1957 (Lycaenidae) Synonym(s): *budama* Van Someren, 1957
 35300) *Lepidochrysops butha* (Strand, 1911) (Lycaenidae) Synonym(s): *butha* Strand, 1911
 35301) *Lepidochrysops caerulea* Tite, 1961 (Lycaenidae) Synonym(s): *caerulea* Tite, 1961
 35302) *Lepidochrysops carsoni* (Butler, 1901) (Lycaenidae) Synonym(s): *carsoni* Butler, 1901
 35303) *Lepidochrysops chala* Kielland, 1980 (Lycaenidae) Synonym(s): *chala* Kielland, 1980
 35304) *Lepidochrysops chalceus* Quickelberge, 1979 (Lycaenidae) Synonym(s): *chalceus* Quickelberge, 1979
 35305) *Lepidochrysops chloauges* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *chloauges* Bethune-Baker, 1923
 35306) *Lepidochrysops cinerea* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *cinerea* Bethune-Baker, 1923
 35307) *Lepidochrysops cinerea cinerea* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *cinerea* Bethune-Baker, 1923
 35308) *Lepidochrysops cinerea kitale* (Stempffer, 1936) (Lycaenidae) Synonym(s): *kitale* Stempffer, 1936
 35309) *Lepidochrysops cinerea lunulifer* (Ungemach, 1932) (Lycaenidae) Synonym(s): *lunulifer* Ungemach, 1932
 35310) *Lepidochrysops coxii* Pinhey, 1945 (Lycaenidae) Synonym(s): *coxii* Pinhey, 1945
 35311) *Lepidochrysops cupreus* (Neave, 1910) (Lycaenidae) Synonym(s): *cupreus* Neave, 1910
 35312) *Lepidochrysops delicata* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *delicata* Bethune-Baker, 1923
 35313) *Lepidochrysops desmondi* Stempffer, 1951 (Lycaenidae) Synonym(s): *desmondi* Stempffer, 1951
 35314) *Lepidochrysops dollmani* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *dollmani* Bethune-Baker, 1923
 35315) *Lepidochrysops dukei* Cottrell, 1965 (Lycaenidae) Synonym(s): *dukei* Cottrell, 1965
 35316) *Lepidochrysops elgonae* Stempffer, 1950 (Lycaenidae) Synonym(s): *elgonae* Stempffer, 1950
 35317) *Lepidochrysops elgonae elgonae* Stempffer, 1950 (Lycaenidae) Synonym(s): *elgonae* Stempffer, 1950
 35318) *Lepidochrysops elgonae moyo* Van Someren, 1957 (Lycaenidae) Synonym(s): *moyo* Van Someren, 1957
 35319) *Lepidochrysops erici* Gardiner, 2003 (Lycaenidae) Synonym(s): *erici* Gardiner, 2003
 35320) *Lepidochrysops erici erici* Gardiner, 2003 (Lycaenidae) Synonym(s): *erici* Gardiner, 2003
 35321) *Lepidochrysops evae* Gardiner, 2003 (Lycaenidae) Synonym(s): *evae* Gardiner, 2003
 35322) *Lepidochrysops evae evae* Gardiner, 2003 (Lycaenidae) Synonym(s): *evae* Gardiner, 2003
 35323) *Lepidochrysops flavisquamosa* Tite, 1959 (Lycaenidae) Synonym(s): *flavisquamosa* Tite, 1959
 35324) *Lepidochrysops forsskali* T. Larsen, 1982 (Lycaenidae) Synonym(s): *forsskali* T. Larsen, 1982
 35325) *Lepidochrysops forsskali forsskali* T. Larsen, 1982 (Lycaenidae) Synonym(s): *forsskali* T. Larsen, 1982
 35326) *Lepidochrysops fulvescens* Tite, 1961 (Lycaenidae) Synonym(s): *fulvescens* Tite, 1961
 35327) *Lepidochrysops fumosa* (Butler, 1886) (Lycaenidae) Synonym(s): *fumosa* Butler, 1886
 35328) *Lepidochrysops glauca* (Trimen, 1887) (Lycaenidae) Synonym(s): *glauca* Trimen, 1887
 35329) *Lepidochrysops glauca glauca* (Trimen, 1887) (Lycaenidae) Synonym(s): *glauca* Trimen, 1887
 35330) *Lepidochrysops glauca swinburnei* Stevenson, 1939 (Lycaenidae) Synonym(s): *swinburnei* Stevenson, 1939
 35331) *Lepidochrysops grahami* (Trimen, 1893) (Lycaenidae) Synonym(s): *grahami* Trimen, 1893
 35332) *Lepidochrysops grandis* Talbot, 1937 (Lycaenidae) Synonym(s): *grandis* Talbot, 1937
 35333) *Lepidochrysops guichardi* Gabriel, 1949 (Lycaenidae) Synonym(s): *guichardi* Gabriel, 1949
 35334) *Lepidochrysops handmanni* Quickelberge, 1980 (Lycaenidae) Synonym(s): *handmanni* Quickelberge, 1980
 35335) *Lepidochrysops haveni* T. Larsen, 1983 (Lycaenidae) Synonym(s): *haveni* T. Larsen, 1983
 35336) *Lepidochrysops haveni haveni* T. Larsen, 1983 (Lycaenidae) Synonym(s): *haveni* T. Larsen, 1983
 35337) *Lepidochrysops hawkeri* (Talbot, 1929) (Lycaenidae) Synonym(s): *hawkeri* Talbot, 1929
 35338) *Lepidochrysops heathi* Gardiner, 1998 (Lycaenidae) Synonym(s): *heathi* Gardiner, 1998
 35339) *Lepidochrysops heathi heathi* Gardiner, 1998 (Lycaenidae) Synonym(s): *heathi* Gardiner, 1998
 35340) *Lepidochrysops hypopolia* (Trimen, 1887) (Lycaenidae) Synonym(s): *hypopolia* Trimen, 1887
 35341) *Lepidochrysops ignota* (Trimen, 1887) (Lycaenidae) Synonym(s): *ignota* Trimen, 1887
 35342) *Lepidochrysops intermedia* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *intermedia* Bethune-Baker, 1923
 35343) *Lepidochrysops intermedia cottrelli* Stempffer, 1954 (Lycaenidae) Synonym(s): *cottrelli* Stempffer, 1954
 35344) *Lepidochrysops intermedia intermedia* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *intermedia* Bethune-Baker, 1923
 35345) *Lepidochrysops inyangae* (Pinhey, 1945) (Lycaenidae) Synonym(s): *inyangae* Pinhey, 1945
 35346) *Lepidochrysops irvingi* (Swanepoel, 1948) (Lycaenidae) Synonym(s): *irvingi* Swanepoel, 1948
 35347) *Lepidochrysops jacksoni* Van Someren, 1957 (Lycaenidae) Synonym(s): *jacksoni* Van Someren, 1957
 35348) *Lepidochrysops jamesi* Swanepoel, 1971 (Lycaenidae) Synonym(s): *jamesi* Swanepoel, 1971
 35349) *Lepidochrysops jamesi claassensi* Dickson, 1982 (Lycaenidae) Synonym(s): *claassensi* Dickson, 1982
 35350) *Lepidochrysops jamesi jamesi* Swanepoel, 1971 (Lycaenidae) Synonym(s): *jamesi* Swanepoel, 1971
 35351) *Lepidochrysops jansei* Van Someren, 1957 (Lycaenidae) Synonym(s): *jansei* Van Someren, 1957
 35352) *Lepidochrysops jefferyi* (Swiestra, 1909) (Lycaenidae) Synonym(s): *jefferyi* Swiestra, 1909
 35353) *Lepidochrysops kennethi* Kielland, 1986 (Lycaenidae) Synonym(s): *kennethi* Kielland, 1986
 35354) *Lepidochrysops ketsi* Cottrell, 1965 (Lycaenidae) Synonym(s): *ketsi* Cottrell, 1965
 35355) *Lepidochrysops kilimanjarensis* (Strand, 1909) (Lycaenidae) Synonym(s): *kilimanjarensis* Strand, 1909
 35356) *Lepidochrysops koaena* (Strand, 1911) (Lycaenidae) Synonym(s): *koaena* Strand, 1911
 35357) *Lepidochrysops kocak* Seven, 1997 (Lycaenidae) Synonym(s): *gigantea* Trimen, 1898 nec Groum-Grsh., 1885; *kocak* Seven, 1997.
 35358) *Lepidochrysops labwor* Van Someren, 1957 (Lycaenidae) Synonym(s): *labwor* Van Someren, 1957
 35359) *Lepidochrysops lerothodi* (Trimen, 1904) (Lycaenidae) Synonym(s): *lerothodi* Trimen, 1904
 35360) *Lepidochrysops letsea* (Trimen, 1870) (Lycaenidae) Synonym(s): *letsea* Trimen, 1870
 35361) *Lepidochrysops leucon* (Mabille, 1879) (Lycaenidae) Synonym(s): *leucon* Mabille, 1879
 35362) *Lepidochrysops littoralis* Swanepoel & Vari, 1983 (Lycaenidae) Synonym(s): *littoralis* Swanepoel & Vari, 1983
 35363) *Lepidochrysops loewensteini* (Swanepoel, 1951) (Lycaenidae) Synonym(s): *loewensteini* Swanepoel, 1951
 35364) *Lepidochrysops longifalces* Tite, 1961 (Lycaenidae) Synonym(s): *longifalces* Tite, 1961
 35365) *Lepidochrysops lotana* Swanepoel, 1962 (Lycaenidae) Synonym(s): *lotana* Swanepoel, 1962
 35366) *Lepidochrysops lukenia* Van Someren, 1957 (Lycaenidae) Synonym(s): *lukenia* Van Someren, 1957
 35367) *Lepidochrysops mashuna* (Trimen, 1894) (Lycaenidae) Synonym(s): *mashuna* Trimen, 1894
 35368) *Lepidochrysops mcgregori* Pennington, 1970 (Lycaenidae) Synonym(s): *mcgregori* Pennington, 1970
 35369) *Lepidochrysops methymna* (Trimen, 1862) (Lycaenidae) Synonym(s): *methymna* Trimen, 1862; *major* Murray, 1956
 35370) *Lepidochrysops methymna dicksoni* Tite, 1964 (Lycaenidae) Synonym(s): *dicksoni* Tite, 1964
 35371) *Lepidochrysops methymna methymna* (Trimen, 1862) (Lycaenidae) Synonym(s): *methymna* Trimen, 1862; *major* Murray, 1956
 35372) *Lepidochrysops michaeli* Gardiner, 2003 (Lycaenidae) Synonym(s): *michaeli* Gardiner, 2003
 35373) *Lepidochrysops michaeli michaeli* Gardiner, 2003 (Lycaenidae) Synonym(s): *michaeli* Gardiner, 2003
 35374) *Lepidochrysops michellae* Henning & Henning, 1983 (Lycaenidae) Synonym(s): *michellae* Henning & Henning, 1983
 35375) *Lepidochrysops mpanda* Tite, 1961 (Lycaenidae) Synonym(s): *mpanda* Tite, 1961
 35376) *Lepidochrysops nacreus* Tite, 1961 (Lycaenidae) Synonym(s): *nacreus* Tite, 1961
 35377) *Lepidochrysops naidina* (Bethune-Baker, 1886) (Lycaenidae) Synonym(s): *naidina* Bethune-Baker, 1886
 35378) *Lepidochrysops neavei* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *neavei* Bethune-Baker, 1923
 35379) *Lepidochrysops negus* (C. Felder & R. Felder, [1865]) (Lycaenidae) Synonym(s): *negus* C. Felder & R. Felder, [1865]
 35380) *Lepidochrysops negus negus* (C. Felder & R. Felder, [1865]) (Lycaenidae) Synonym(s): *negus* C. Felder & R. Felder, [1865]
 35381) *Lepidochrysops negus wau* (Wichgraf, 1921) (Lycaenidae) Synonym(s): *wau* Wichgraf, 1921

- 35382) *Lepidochrysops neonegus* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *neonegus* Bethune-Baker, 1923; *variegata* Bethune-Baker, 1923
 35383) *Lepidochrysops neonegus borealis* Van Someren, 1957 (Lycaenidae) Synonym(s): *borealis* Van Someren, 1957
 35384) *Lepidochrysops neonegus neonegus* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *neonegus* Bethune-Baker, 1923; *variegata* Bethune-Baker, 1923
 35385) *Lepidochrysops nevillei* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *nevillei* Bethune-Baker, 1923
 35386) *Lepidochrysops nigeriae* Stempffer, 1957 (Lycaenidae) Synonym(s): *nigeriae* Stempffer, 1957
 35387) *Lepidochrysops nigrita* Tite, 1959 (Lycaenidae) Synonym(s): *nigrita* Tite, 1959
 35388) *Lepidochrysops nyika* Tite, 1961 (Lycaenidae) Synonym(s): *nyika* Tite, 1961
 35389) *Lepidochrysops oosthuizeni* Swanepoel & Vari, 1983 (Lycaenidae) Synonym(s): *oosthuizeni* Swanepoel & Vari, 1983
 35390) *Lepidochrysops oreas* Tite, 1964 (Lycaenidae) Synonym(s): *oreas* Tite, 1964
 35391) *Lepidochrysops oreas junae* Dickson, 1974 (Lycaenidae) Synonym(s): *junae* Dickson, 1974
 35392) *Lepidochrysops oreas oreas* Tite, 1964 (Lycaenidae) Synonym(s): *oreas* Tite, 1964
 35393) *Lepidochrysops ortygia* (Trimen, 1887) (Lycaenidae) Synonym(s): *ortygia* Trimen, 1887
 35394) *Lepidochrysops outeniqua* Swanepoel & Vari, 1983 (Lycaenidae) Synonym(s): *outeniqua* Swanepoel & Vari, 1983
 35395) *Lepidochrysops pampolis* (Druce, 1905) (Lycaenidae) Synonym(s): *pampolis* Druce, 1905
 35396) *Lepidochrysops parsimon* (Fabricius, 1775) (Lycaenidae) Synonym(s): *parsimon* Fabricius, 1775; *celaeus* Stoll, [1781]; *loveni* Aurivillius, 1922; *#albicans* Hulstaert, 1924
 35397) *Lepidochrysops parsimon abyssiniensis* (Strand, 1911) (Lycaenidae) Synonym(s): *abyssiniensis* Strand, 1911
 35398) *Lepidochrysops parsimon kivuensis* (Joicey & Talbot, 1921) (Lycaenidae) Synonym(s): *kivuensis* Joicey & Talbot, 1921
 35399) *Lepidochrysops parsimon oculus* (Ungemach, 1932) (Lycaenidae) Synonym(s): *oculus* Ungemach, 1932
 35400) *Lepidochrysops parsimon* (Fabricius, 1775) (Lycaenidae) Synonym(s): *parsimon* Fabricius, 1775; *celaeus* Stoll, [1781]; *loveni* Aurivillius, 1922; *#albicans* Hulstaert, 1924
 35401) *Lepidochrysops patricia* (Trimen, 1887) (Lycaenidae) Synonym(s): *patricia* Trimen, 1887; *#radiata* Woodhall, 2000
 35402) *Lepidochrysops peculiaris* (Rogenhofer, 1891) (Lycaenidae) Synonym(s): *peculiaris* Rogenhofer, 1891; *perpulchra* Holland, 1892
 35403) *Lepidochrysops peculiaris hypoleucus* (Butler, 1894) (Lycaenidae) Synonym(s): *hypoleucus* Butler, 1894; *exclusa* Trimen, 1894
 35404) *Lepidochrysops peculiaris peculiaris* (Rogenhofer, 1891) (Lycaenidae) Synonym(s): *peculiaris* Rogenhofer, 1891; *perpulchra* Holland, 1892
 35405) *Lepidochrysops penningtoni* Dickson, 1969 (Lycaenidae) Synonym(s): *penningtoni* Dickson, 1969
 35406) *Lepidochrysops pephredo* (Trimen, 1889) (Lycaenidae) Synonym(s): *pephredo* Trimen, 1889
 35407) *Lepidochrysops pittawayi* T. Larsen, 1983 (Lycaenidae) Synonym(s): *pittawayi* T. Larsen, 1983
 35408) *Lepidochrysops plebeia* (Butler, 1898) (Lycaenidae) Synonym(s): *plebeia* Butler, 1898
 35409) *Lepidochrysops plebeia plebeia* (Butler, 1898) (Lycaenidae) Synonym(s): *plebeia* Butler, 1898
 35410) *Lepidochrysops plebeia proclius* (Hulstaert, 1924) (Lycaenidae) Synonym(s): *proclius* Hulstaert, 1924
 35411) *Lepidochrysops polydialecta* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *polydialecta* Bethune-Baker, 1923
 35412) *Lepidochrysops poseidon* Pringle, 1987 (Lycaenidae) Synonym(s): *poseidon* Pringle, 1987
 35413) *Lepidochrysops praeterita* Swanepoel, 1962 (Lycaenidae) Synonym(s): *praeterita* Swanepoel, 1962
 35414) *Lepidochrysops pringlei* Dickson, 1982 (Lycaenidae) Synonym(s): *pringlei* Dickson, 1982
 35415) *Lepidochrysops procera* (Trimen, 1893) (Lycaenidae) Synonym(s): *procera* Trimen, 1893
 35416) *Lepidochrysops pterou* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *pterou* Bethune-Baker, 1923
 35417) *Lepidochrysops pterou lilacina* (Ungemach, 1932) (Lycaenidae) Synonym(s): *lilacina* Ungemach, 1932
 35418) *Lepidochrysops pterou pterou* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *pterou* Bethune-Baker, 1923
 35419) *Lepidochrysops pterou suk* Van Someren, 1957 (Lycaenidae) Synonym(s): *suk* Van Someren, 1957
 35420) *Lepidochrysops puncticilia* (Trimen, 1883) (Lycaenidae) Synonym(s): *puncticilia* Trimen, 1883
 35421) *Lepidochrysops quassi* (Karsch, 1895) (Lycaenidae) Synonym(s): *quassi* Karsch, 1895; *phasma* Butler, 1901
 35422) *Lepidochrysops quickelbergei* Swanepoel, 1969 (Lycaenidae) Synonym(s): *quickelbergei* Swanepoel, 1969
 35423) *Lepidochrysops reichenowi* (Dewitz, 1879) (Lycaenidae) Synonym(s): *reichenowi* Dewitz, 1879
 35424) *Lepidochrysops rhodesensae* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *rhodesensae* Bethune-Baker, 1923
 35425) *Lepidochrysops ringa* Tite, 1959 (Lycaenidae) Synonym(s): *ringa* Tite, 1959
 35426) *Lepidochrysops robertsoni* Cottrell, 1965 (Lycaenidae) Synonym(s): *robertsoni* Cottrell, 1965
 35427) *Lepidochrysops rossouwi* Henning & Henning, 1994 (Lycaenidae) Synonym(s): *rossouwi* Henning & Henning, 1994
 35428) *Lepidochrysops ruthica* Pennington, 1953 (Lycaenidae) Synonym(s): *ruthica* Pennington, 1953
 35429) *Lepidochrysops skotios* (Druce, 1905) (Lycaenidae) Synonym(s): *skotios* Druce, 1905; *orontius* Hulstaert, 1924; *brabo* Hulstaert, 1924
 35430) *Lepidochrysops solwezii* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *solwezii* Bethune-Baker, 1923
 35431) *Lepidochrysops southeyae* Pennington, 1967 (Lycaenidae) Synonym(s): *southeyae* Pennington, 1967
 35432) *Lepidochrysops stormsi* (Robbe, 1892) (Lycaenidae) Synonym(s): *stormsi* Robbe, 1892
 35433) *Lepidochrysops subvariegata* Talbot, 1935 (Lycaenidae) Synonym(s): *subvariegata* Talbot, 1935
 35434) *Lepidochrysops swanepoeli* (Pennington, 1948) (Lycaenidae) Synonym(s): *swanepoeli* Pennington, 1948
 35435) *Lepidochrysops swartbergensis* Swanepoel, 1969 (Lycaenidae) Synonym(s): *swartbergensis* Swanepoel, 1969
 35436) *Lepidochrysops synchrematiza* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *synchrematiza* Bethune-Baker, 1923; *sylvius* Hulstaert, 1924
 35437) *Lepidochrysops tantalus* (Trimen & Bowker, 1887) (Lycaenidae) Synonym(s): *tantalus* Trimen & Bowker, 1887
 35438) *Lepidochrysops titei* Dickson, 1976 (Lycaenidae) Synonym(s): *titei* Dickson, 1976
 35439) *Lepidochrysops trimeni* (Bethune-Baker, 1923) (Lycaenidae) Synonym(s): *trimeni* Bethune-Baker, 1923
 35440) *Lepidochrysops turlini* Stempffer, 1971 (Lycaenidae) Synonym(s): *turlini* Stempffer, 1971
 35441) *Lepidochrysops vansoni* (Swanepoel, 1949) (Lycaenidae) Synonym(s): *vansoni* Swanepoel, 1949
 35442) *Lepidochrysops variabilis* Cottrell, 1965 (Lycaenidae) Synonym(s): *variabilis* Cottrell, 1965
 35443) *Lepidochrysops vera* Tite, 1961 (Lycaenidae) Synonym(s): *vera* Tite, 1961
 35444) *Lepidochrysops victori* Pringle, 1984 (Lycaenidae) Synonym(s): *victori* Pringle, 1984
 35445) *Lepidochrysops victoriae* (Karsch, 1895) (Lycaenidae) Synonym(s): *victoriae* Karsch, 1895; *acholi* Bethune-Baker, 1906
 35446) *Lepidochrysops victoriae vansomeri* Stempffer, 1951 (Lycaenidae) Synonym(s): *vansomeri* Stempffer, 1951
 35447) *Lepidochrysops victoriae victoriae* (Karsch, 1895) (Lycaenidae) Synonym(s): *victoriae* Karsch, 1895; *acholi* Bethune-Baker, 1906
 35448) *Lepidochrysops violetta* (Pinhey, 1945) (Lycaenidae) Synonym(s): *violetta* Pinhey, 1945
 35449) *Lepidochrysops wykehami* Tite, 1964 (Lycaenidae) Synonym(s): *wykehami* Tite, 1964
 35450) *Leptomyrina* (Gonatomyrina) *gorgias* (Stoll, [1790]) (Lycaenidae) Synonym(s): *gorgias* Stoll, [1790]
 35451) *Leptomyrina* (Gonatomyrina) *gorgias cana* Talbot, 1935 (Lycaenidae) Synonym(s): *cana* Talbot, 1935
 35452) *Leptomyrina* (Gonatomyrina) *gorgias gorgias* (Stoll, [1790]) (Lycaenidae) Synonym(s): *gorgias* Stoll, [1790]
 35453) *Leptomyrina* (Gonatomyrina) *gorgias sobrina* Talbot, 1935 (Lycaenidae) Synonym(s): *sobrina* Talbot, 1935
 35454) *Leptomyrina* (Gonatomyrina) *handmani* Gifford, 1965 (Lycaenidae) Synonym(s): *handmani* Gifford, 1965
 35455) *Leptomyrina* (Gonatomyrina) *henningi* Dickson, 1976 (Lycaenidae) Synonym(s): *henningi* Dickson, 1976
 35456) *Leptomyrina* (Gonatomyrina) *lara* (Linnaeus, 1764) (Lycaenidae) Synonym(s): *lara* Linnaeus, 1764
 35457) *Leptomyrina* (Leptomyrina) *boschi* Strand, 1911 (Lycaenidae) Synonym(s): *boschi* Strand, 1911
 35458) *Leptomyrina* (Leptomyrina) *hirundo* (Wallengren, 1857) (Lycaenidae) Synonym(s): *hirundo* Wallengren, 1857
 35459) *Leptomyrina* (Leptomyrina) *makala* Bethune-Baker, 1908 (Lycaenidae) Synonym(s): *makala* Bethune-Baker, 1908
 35460) *Leptomyrina* (Leptomyrina) *phidias* (Fabricius, 1793) (Lycaenidae) Synonym(s): *phidias* Fabricius, 1793
 35461) *Leptomyrina* (Leptomyrina) *sudanica* Stempffer, 1964 (Lycaenidae) Synonym(s): *sudanica* Stempffer, 1964
 35462) *Leptotes adamsoni* Collins & T. Larsen, 1991 (Lycaenidae) Synonym(s): *adamsoni* Collins & T. Larsen, 1991
 35463) *Leptotes babaulti* (Stempffer, 1935) (Lycaenidae) Synonym(s): *babaulti* Stempffer, 1935
 35464) *Leptotes babaulti babaulti* (Stempffer, 1935) (Lycaenidae) Synonym(s): *babaulti* Stempffer, 1935
 35465) *Leptotes brevidentatus* (Tite, 1958) (Lycaenidae) Synonym(s): *brevidentatus* Tite, 1958
 35466) *Leptotes brevidentatus brevidentatus* (Tite, 1958) (Lycaenidae) Synonym(s): *brevidentatus* Tite, 1958
 35467) *Leptotes casca* (Tite, 1958) (Lycaenidae) Synonym(s): *casca* Tite, 1958
 35468) *Leptotes cassioides* (Capronnier, 1889) (Lycaenidae) Synonym(s): *cassioides* Capronnier, 1889
 35469) *Leptotes cassius* (Lycaenidae) Synonym(s):

- 35470) *Leptotes jeanneli* (Stempffer,1935) (Lycaenidae) Synonym(s): *jeanneli* Stempffer,1935
 35471) *Leptotes jeanneli jeanneli* (Stempffer,1935) (Lycaenidae) Synonym(s): *jeanneli* Stempffer,1935
 35472) *Leptotes marginalis* (Stempffer,[1944]) (Lycaenidae) Synonym(s): *marginalis* Stempffer,[1944]
 35473) *Leptotes marina* (Lycaenidae) Synonym(s):
 35474) *Leptotes mayottensis* (Tite,1958) (Lycaenidae) Synonym(s): *mayottensis* Tite,1958
 35475) *Leptotes pirthous* (Linnaeus,1767) (Lycaenidae) Synonym(s): *pirthous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925.
 35476) *Leptotes pirthous insulana* (Aurivillius,1909) (Lycaenidae) Synonym(s): *insulana* Aurivillius,1909
 35477) *Leptotes pirthous pirthous* (Linnaeus,1767) (Lycaenidae) Synonym(s): *pirthous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925.
 35478) *Leptotes plinius* (Fabricius,1793) (Lycaenidae) Synonym(s): *plinius* Fabricius,1793
 35479) *Leptotes plinius leopardus* Schultze,1910 (Lycaenidae) Synonym(s): *leopardus* Schultze,1910
 35480) *Leptotes pulchrus* (Murray,1874) (Lycaenidae) Synonym(s): *pulchra* Murray,1874; *#deficiens* Dufrane,1953
 35481) *Leptotes pulchrus pulchrus* (Murray,1874) (Lycaenidae) Synonym(s): *pulchra* Murray,1874; *#deficiens* Dufrane,1953
 35482) *Leptotes rabefaner* (Mabille,1877) (Lycaenidae) Synonym(s): *rabefaner* Mabille,1877
 35483) *Leptotes socotranus* (Ogilvie-Grant,1899) (Lycaenidae) Synonym(s): *socotranus* Ogilvie-Grant,1899
 35484) *Leptotes socotranus socotranus* (Ogilvie-Grant,1899) (Lycaenidae) Synonym(s): *socotranus* Ogilvie-Grant,1899
 35485) *Leptotes terrenus* (Joicey & Talbot,1926) (Lycaenidae) Synonym(s): *terrenus* Joicey & Talbot,1926
 35486) *Lestranicus transpectus* (Moore,1879) (Lycaenidae) Synonym(s): *transpectus* Moore,1879; *latimargo* Moore,1884.
 35487) *Lestranicus transpectus transpectus* (Moore,1879) (Lycaenidae) Synonym(s): *transpectus* Moore,1879; *latimargo* Moore,1884.
 35488) *Lestranicus yoshidai* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *yoshidai* Eliot & Kawazoe,1984
 35489) *Lestranicus yoshidai yoshidai* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *yoshidai* Eliot & Kawazoe,1984
 35490) *Leucantigius atayalica* Shirozu & Murayama,1943 (Lycaenidae) Synonym(s): *atayalica* Shirozu & Murayama,1943
 35491) *Lipaphnaeus aderna* (Plötz,1880) (Lycaenidae) Synonym(s): *aderna* Plötz,1880
 35492) *Lipaphnaeus aderna aderna* (Plötz,1880) (Lycaenidae) Synonym(s): *aderna* Plötz,1880
 35493) *Lipaphnaeus aderna pan* (Talbot,1935) (Lycaenidae) Synonym(s): *pan* Talbot,1935
 35494) *Lipaphnaeus aderna spindasoides* (Aurivillius,1916) (Lycaenidae) Synonym(s): *spindasoides* Aurivillius,1916
 35495) *Lipaphnaeus eustorgia* (Hulstaert,1924) (Lycaenidae) Synonym(s): *eustorgia* Hulstaert,1924
 35496) *Lipaphnaeus leonina* (Sharpe,1890) (Lycaenidae) Synonym(s): *leonina* Sharpe,1890
 35497) *Lipaphnaeus leonina bitje* (Druce,1910) (Lycaenidae) Synonym(s): *bitje* Druce,1910
 35498) *Lipaphnaeus leonina ivoirensis* Stempffer,1966 (Lycaenidae) Synonym(s): *ivoirensis* Stempffer,1966
 35499) *Lipaphnaeus leonina leonina* (Sharpe,1890) (Lycaenidae) Synonym(s): *leonina* Sharpe,1890
 35500) *Lipaphnaeus leonina paradoxa* (Schultze,1908) (Lycaenidae) Synonym(s): *paradoxa* Schultze,1908
 35501) *Lipaphnaeus loxura* (Rebel,1914) (Lycaenidae) Synonym(s):
 35502) *Liphyra brassolis* Westwood,1864 (Lycaenidae) Synonym(s): *brassolis* Westwood,1864
 35503) *Liphyra brassolis abbreviata* Strand,1911 (Lycaenidae) Synonym(s): *abbreviata* Strand,1911
 35504) *Liphyra brassolis brassolis* Westwood,1864 (Lycaenidae) Synonym(s): *brassolis* Westwood,1864
 35505) *Liphyra brassolis hermelnuydae* Schröder & Treadaway,1988 (Lycaenidae) Synonym(s): *hermelnuydae* Schröder & Treadaway,1988
 35506) *Liphyra brassolis justini* Schröder & Treadaway,1988 (Lycaenidae) Synonym(s): *justini* Schröder & Treadaway,1988
 35507) *Liptena albicans* Cator,1904 (Lycaenidae) Synonym(s): *albicans* Cator,1904
 35508) *Liptena albomacula* Hawker-Smith,1933 (Lycaenidae) Synonym(s): *albomacula* Hawker-Smith,1933
 35509) *Liptena alluadi* Mabille,1890 (Lycaenidae) Synonym(s): *alluadi* Mabille,1890
 35510) *Liptena amabilis* Schultze,1923 (Lycaenidae) Synonym(s): *amabilis* Schultze,1923
 35511) *Liptena angusta* Suffert,1904 (Lycaenidae) Synonym(s): *angusta* Suffert,1904
 35512) *Liptena bassae* Bethune-Baker,1926 (Lycaenidae) Synonym(s): *subpunctata* Bethune-Baker,1906; *bassae* Bethune-Baker,1926
 35513) *Liptena batesana* Bethune-Baker,1926 (Lycaenidae) Synonym(s): *batesana* Bethune-Baker,1926
 35514) *Liptena bergeri* Stempffer,Bennett & May,1974 (Lycaenidae) Synonym(s): *bergeri* Stempffer,Bennett & May,1974
 35515) *Liptena bolivari* Kheil,1905 (Lycaenidae) Synonym(s): *bolivari* Kheil,1905
 35516) *Liptena catalina* (Grose-Smith & Kirby,1887) (Lycaenidae) Synonym(s): *catalina* Grose-Smith & Kirby,1887
 35517) *Liptena confusa* Aurivillius,1898 (Lycaenidae) Synonym(s): *confusa* Aurivillius,1898
 35518) *Liptena congoana* Hawker-Smith,1933 (Lycaenidae) Synonym(s): *congoana* Hawker-Smith,1933
 35519) *Liptena decempunctata* Schultze,1923 (Lycaenidae) Synonym(s): *decempunctata* Schultze,1923
 35520) *Liptena decipiens* (Kirby,1890) (Lycaenidae) Synonym(s): *decipiens* Kirby,1890
 35521) *Liptena decipiens decipiens* (Kirby,1890) (Lycaenidae) Synonym(s): *decipiens* Kirby,1890
 35522) *Liptena decipiens etoumbi* Stempffer,Bennett & May,1974 (Lycaenidae) Synonym(s): *etoumbi* Stempffer,Bennett & May,1974
 35523) *Liptena decipiens leucostola* (Holland,1890) (Lycaenidae) Synonym(s): *leucostola* Holland,1890; *cameroona* Bethune-Baker,1926; *citronensis* Bethune-Baker,1926
 35524) *Liptena despecta* (Holland,1890) (Lycaenidae) Synonym(s): *despecta* Holland,1890; *modestissima* Rebel,1914; *langi* Holland,1920
 35525) *Liptena durbania* Bethune-Baker,1915 (Lycaenidae) Synonym(s): *durbania* Bethune-Baker,1915; *rectifascia* Hawker-Smith,1933
 35526) *Liptena eketi* Bethune-Baker,1926 (Lycaenidae) Synonym(s): *eketi* Bethune-Baker,1926
 35527) *Liptena eukrinaria* Bethune-Baker,1926 (Lycaenidae) Synonym(s): *eukrinaria* Bethune-Baker,1926
 35528) *Liptena eukrines* Druce,1905 (Lycaenidae) Synonym(s): *eukrines* Druce,1905; *#obsoleta* Dufrane,1953
 35529) *Liptena eukrinoides* Talbot,1937 (Lycaenidae) Synonym(s): *eukrinoides* Talbot,1937
 35530) *Liptena evanescens* (Kirby,1887) (Lycaenidae) Synonym(s): *evanescens* Kirby,1887; *xanthis* Holland,1920
 35531) *Liptena fatima* (Kirby,1890) (Lycaenidae) Synonym(s): *fatima* Kirby,1890
 35532) *Liptena ferruginea* Schultze,1923 (Lycaenidae) Synonym(s): *Schultze*,1923
 35533) *Liptena ferrymani* (Grose-Smith & Kirby,1891) (Lycaenidae) Synonym(s): *ferrymani* Grose-Smith & Kirby,1891
 35534) *Liptena ferrymani bigoti* (Stempffer,1964) (Lycaenidae) Synonym(s): *bigoti* Stempffer,1964
 35535) *Liptena ferrymani ferrymani* (Grose-Smith & Kirby,1891) (Lycaenidae) Synonym(s): *ferrymani* Grose-Smith & Kirby,1891
 35536) *Liptena flavicans* (Grose-Smith & Kirby,1891) (Lycaenidae) Synonym(s): *flavicans* Grose-Smith & Kirby,1891
 35537) *Liptena flavicans aequatorialis* Stempffer,1956 (Lycaenidae) Synonym(s): *aequatorialis* Stempffer,1956
 35538) *Liptena flavicans flavicans* (Grose-Smith & Kirby,1891) (Lycaenidae) Synonym(s): *flavicans* Grose-Smith & Kirby,1891
 35539) *Liptena flavicans katera* Stempffer,1956 (Lycaenidae) Synonym(s): *katera* Stempffer,1956
 35540) *Liptena flavicans oniens* Talbot,1935 (Lycaenidae) Synonym(s): *oniens* Talbot,1935
 35541) *Liptena flavicans praeusta* Schultze,1917 (Lycaenidae) Synonym(s): *praeusta* Schultze,1917
 35542) *Liptena fontainei* Stempffer,Bennett & May,1974 (Lycaenidae) Synonym(s): *fontainei* Stempffer,Bennett & May,1974
 35543) *Liptena fulvicans* Hawker-Smith,1933 (Lycaenidae) Synonym(s): *Hawker-Smith*,1933
 35544) *Liptena gordonii* (Druce,1903) (Lycaenidae) Synonym(s): *gordonii* Druce,1903; *bakeriana* Cator,1904
 35545) *Liptena griveaudi* Stempffer,1969 (Lycaenidae) Synonym(s): *griveaudi* Stempffer,1969
 35546) *Liptena hapale* Talbot,1935 (Lycaenidae) Synonym(s): *hapale* Talbot,1935
 35547) *Liptena helena* (Druce,1888) (Lycaenidae) Synonym(s): *helena* Druce,1888; *erycinoides* Grose-Smith & Kirby,1890
 35548) *Liptena homeyeri* Dewitz,1884 (Lycaenidae) Synonym(s): *homeyeri* Dewitz,1884
 35549) *Liptena homeyeri homeyeri* Dewitz,1884 (Lycaenidae) Synonym(s): *homeyeri* Dewitz,1884
 35550) *Liptena homeyeri straminea* Stempffer,Bennett & May,1974 (Lycaenidae) Synonym(s): *straminea* Stempffer,Bennett & May,1974
 35551) *Liptena ideoides* Dewitz,1887 (Lycaenidae) Synonym(s): *ideoides* Dewitz,1887; *girthii* Dewitz,1887
 35552) *Liptena ilaro* Stempffer,Bennett & May,1974 (Lycaenidae) Synonym(s): *ilaro* Stempffer,Bennett & May,1974
 35553) *Liptena infima* (Grose-Smith & Kirby,1890) (Lycaenidae) Synonym(s): *infima* Grose-Smith & Kirby,1890
 35554) *Liptena inframacula* Hawker-Smith,1933 (Lycaenidae) Synonym(s): *inframacula* Hawker-Smith,1933
 35555) *Liptena intermedia* Grünberg,1910 (Lycaenidae) Synonym(s): *intermedia* Grünberg,1910
 35556) *Liptena lualaba* Berger,1981 (Lycaenidae) Synonym(s): *lualaba* Berger,1981
 35557) *Liptena modesta* (Kirby,1890) (Lycaenidae) Synonym(s): *modesta* Kirby,1890; *latruncularia* Holland,1890
 35558) *Liptena mwagensis* Dufrane,1953 (Lycaenidae) Synonym(s): *mwagensis* Dufrane,1953

- 35559) *Liptena nigromarginata* Stempffer, 1961 (Lycaenidae) Synonym(s): *jacksoni* Stempffer, 1954 nec Carp., 1934; *nigromarginata* Stempffer, 1961
- 35560) *Liptena o-rubrum* (Holland, 1890) (Lycaenidae) Synonym(s): *o-rubrum* Holland, 1890
- 35561) *Liptena o-rubrum o-rubrum* (Holland, 1890) (Lycaenidae) Synonym(s): *o-rubrum* Holland, 1890
- 35562) *Liptena o-rubrum teroana* Talbot, 1935 (Lycaenidae) Synonym(s): *teroana* Talbot, 1935
- 35563) *Liptena o-rubrum tripunctata* (Grose-Smith & Kirby, 1894) (Lycaenidae) Synonym(s): *tripunctata* Grose-Smith & Kirby, 1894
- 35564) *Liptena occidentalis* Bethune-Baker, 1926 (Lycaenidae) Synonym(s): *occidentalis* Bethune-Baker, 1926
- 35565) *Liptena ochrea* Hawker-Smith, 1933 (Lycaenidae) Synonym(s): *ochrea* Hawker-Smith, 1933
- 35566) *Liptena opaca* Kirby, 1890 (Lycaenidae) Synonym(s): *opaca* Kirby, 1890; *immaculata* Grünberg, 1910
- 35567) *Liptena opaca centralis* Stempffer, Bennett & May, 1974 (Lycaenidae) Synonym(s): *centralis* Stempffer, Bennett & May, 1974
- 35568) *Liptena opaca gabunica* Stempffer, Bennett & May, 1974 (Lycaenidae) Synonym(s): *gabunica* Stempffer, Bennett & May, 1974
- 35569) *Liptena opaca opaca* Kirby, 1890 (Lycaenidae) Synonym(s): *opaca* Kirby, 1890; *immaculata* Grünberg, 1910
- 35570) *Liptena opaca sankuru* Stempffer, Bennett & May, 1974 (Lycaenidae) Synonym(s): *sankuru* Stempffer, Bennett & May, 1974
- 35571) *Liptena opaca ugandana* Stempffer, Bennett & May, 1974 (Lycaenidae) Synonym(s): *ugandana* Stempffer, Bennett & May, 1974
- 35572) *Liptena otlauga* (Grose-Smith & Kirby, 1890) (Lycaenidae) Synonym(s): *otlauga* Grose-Smith & Kirby, 1890
- 35573) *Liptena ouesso* Stempffer, Bennett & May, 1974 (Lycaenidae) Synonym(s): *ouesso* Stempffer, Bennett & May, 1974
- 35574) *Liptena ouesso mayombe* Stempffer, Bennett & May, 1974 (Lycaenidae) Synonym(s): *mayombe* Stempffer, Bennett & May, 1974
- 35575) *Liptena ouesso ouesso* Stempffer, Bennett & May, 1974 (Lycaenidae) Synonym(s): *ouesso* Stempffer, Bennett & May, 1974
- 35576) *Liptena overlaeti* Stempffer, Bennett & May, 1974 (Lycaenidae) Synonym(s): *overlaeti* Stempffer, Bennett & May, 1974
- 35577) *Liptena pearmani* Stempffer, Bennett & May, 1974 (Lycaenidae) Synonym(s): *pearmani* Stempffer, Bennett & May, 1974
- 35578) *Liptena perobscura* Druce, 1910 (Lycaenidae) Synonym(s): *perobscura* Druce, 1910; *kelle* Stempffer, 1964
- 35579) *Liptena praestans* (Grose-Smith, 1901) (Lycaenidae) Synonym(s): *praestans* Grose-Smith, 1901
- 35580) *Liptena praestans congoensis* Schultze, 1923 (Lycaenidae) Synonym(s): *congoensis* Schultze, 1923; *hulstaerti* Hawker-Smith, 1933; *kamitugensis* Dufrane, 1945
- 35581) *Liptena praestans praestans* (Grose-Smith, 1901) (Lycaenidae) Synonym(s): *praestans* Grose-Smith, 1901
- 35582) *Liptena rochei* Stempffer, 1951 (Lycaenidae) Synonym(s): *rochei* Stempffer, 1951
- 35583) *Liptena rubromacula* Hawker-Smith, 1933 (Lycaenidae) Synonym(s): *rubromacula* Hawker-Smith, 1933
- 35584) *Liptena rubromacula jacksoni* Carpenter, 1934 (Lycaenidae) Synonym(s): *jacksoni* Carpenter, 1934
- 35585) *Liptena rubromacula rubromacula* Hawker-Smith, 1933 (Lycaenidae) Synonym(s): *rubromacula* Hawker-Smith, 1933
- 35586) *Liptena sauberi* Schultze, 1912 (Lycaenidae) Synonym(s): *sauberi* Schultze, 1912
- 35587) *Liptena septistrigata* (Bethune-Baker, 1903) (Lycaenidae) Synonym(s): *septistrigata* Bethune-Baker, 1903
- 35588) *Liptena similis* (Kirby, 1890) (Lycaenidae) Synonym(s): *similis* Kirby, 1890; *olombo* Holland, 1890
- 35589) *Liptena simplicia* Möschler, 1887 (Lycaenidae) Synonym(s): *simplicia* Möschler, 1887; *albula* Druce, 1888; *semilimbata* Mabille, 1890
- 35590) *Liptena submacula* Lathy, 1903 (Lycaenidae) Synonym(s): *submacula* Lathy, 1903
- 35591) *Liptena submacula liberiana* Stempffer, Bennett & May, 1974 (Lycaenidae) Synonym(s): *liberiana* Stempffer, Bennett & May, 1974
- 35592) *Liptena submacula maesseni* Stempffer, Bennett & May, 1974 (Lycaenidae) Synonym(s): *maesseni* Stempffer, Bennett & May, 1974
- 35593) *Liptena submacula submacula* Lathy, 1903 (Lycaenidae) Synonym(s): *submacula* Lathy, 1903
- 35594) *Liptena submacula tringa* Stempffer, Bennett & May, 1974 (Lycaenidae) Synonym(s): *tringa* Stempffer, Bennett & May, 1974
- 35595) *Liptena subuffusa* Hawker-Smith, 1933 (Lycaenidae) Synonym(s): *subuffusa* Hawker-Smith, 1933
- 35596) *Liptena subundularis* Staudinger, 1892 (Lycaenidae) Synonym(s): *subundularis* Staudinger, 1892
- 35597) *Liptena subvariegata* Grose-Smith & Kirby, 1890 (Lycaenidae) Synonym(s): *subvariegata* Grose-Smith & Kirby, 1890
- 35598) *Liptena subvariegata aliquantum* Druce, 1910 (Lycaenidae) Synonym(s): *aliquantum* Druce, 1910
- 35599) *Liptena subvariegata subvariegata* Grose-Smith & Kirby, 1890 (Lycaenidae) Synonym(s): *subvariegata* Grose-Smith & Kirby, 1890
- 35600) *Liptena tiassale* Stempffer, 1969 (Lycaenidae) Synonym(s): *tiassale* Stempffer, 1969
- 35601) *Liptena titi* Stempffer, Bennett & May, 1974 (Lycaenidae) Synonym(s): *titi* Stempffer, Bennett & May, 1974
- 35602) *Liptena tricolora* (Bethune-Baker, 1915) (Lycaenidae) Synonym(s): *tricolora* Bethune-Baker, 1915
- 35603) *Liptena tullia* (Staudinger, 1892) (Lycaenidae) Synonym(s): *tullia* Staudinger, 1892
- 35604) *Liptena tulliana* Grose-Smith, 1901 (Lycaenidae) Synonym(s): *tulliana* Grose-Smith, 1901
- 35605) *Liptena turbata* (Kirby, 1890) (Lycaenidae) Synonym(s): *turbata* Kirby, 1890
- 35606) *Liptena undina* (Grose-Smith & Kirby, 1894) (Lycaenidae) Synonym(s): *undina* Grose-Smith & Kirby, 1894
- 35607) *Liptena undularis* Hewitson, 1866 (Lycaenidae) Synonym(s): *undularis* Hewitson, 1866
- 35608) *Liptena xanthostola* (Holland, 1890) (Lycaenidae) Synonym(s): *xanthostola* Holland, 1890
- 35609) *Liptena xanthostola coomassiensis* Hawker-Smith, 1933 (Lycaenidae) Synonym(s): *coomassiensis* Hawker-Smith, 1933
- 35610) *Liptena xanthostola xantha* (Grose-Smith, 1901) (Lycaenidae) Synonym(s): *xantha* Grose-Smith, 1901
- 35611) *Liptena xanthostola xanthostola* (Holland, 1890) (Lycaenidae) Synonym(s): *xanthostola* Holland, 1890
- 35612) *Liptena yakadumae* Schultze, 1917 (Lycaenidae) Synonym(s): *yakadumae* Schultze, 1917
- 35613) *Logania distant* Semper, 1889 (Lycaenidae) Synonym(s): *distanti* Semper, 1889
- 35614) *Logania distant* distant Semper, 1889 (Lycaenidae) Synonym(s): *distanti* Semper, 1889
- 35615) *Logania distant* drucei Moulton, 1911 (Lycaenidae) Synonym(s): *drucei* Moulton, 1911
- 35616) *Logania malayica* Distant, 1884 (Lycaenidae) Synonym(s): *malayica* Distant, 1884
- 35617) *Logania malayica malayica* Distant, 1884 (Lycaenidae) Synonym(s): *malayica* Distant, 1884
- 35618) *Logania malayica subura* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *subura* Fruhstorfer, 1914
- 35619) *Logania marmorata* Moore, 1884 (Lycaenidae) Synonym(s): *marmorata* Moore, 1884
- 35620) *Logania marmorata damis* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *damis* Fruhstorfer, 1914
- 35621) *Logania marmorata faustina* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *faustina* Fruhstorfer, 1914
- 35622) *Logania marmorata hilairea* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *hilairea* Fruhstorfer, 1914
- 35623) *Logania marmorata javanica* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *javanica* Fruhstorfer, 1914
- 35624) *Logania marmorata marmorata* Moore, 1884 (Lycaenidae) Synonym(s): *marmorata* Moore, 1884
- 35625) *Logania marmorata palawana* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *palawana* Fruhstorfer, 1914
- 35626) *Logania marmorata samosata* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *samosata* Fruhstorfer, 1914
- 35627) *Logania massalia* Doherty, 1891 (Lycaenidae) Synonym(s): *massalia* Doherty, 1891
- 35628) *Logania massalia massalia* Doherty, 1891 (Lycaenidae) Synonym(s): *massalia* Doherty, 1891; *luca* De Nicéville, 1894
- 35629) *Logania regina* (Druce, 1873) (Lycaenidae) Synonym(s): *regina* Druce, 1873
- 35630) *Logania regina evora* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *evora* Fruhstorfer, 1916
- 35631) *Logania regina regina* (Druce, 1873) (Lycaenidae) Synonym(s): *regina* Druce, 1873
- 35632) *Logania regina sriwa* Distant, 1886 (Lycaenidae) Synonym(s): *sriwa* Distant, 1886
- 35633) *Logania waltraudae* Eliot, 1986 (Lycaenidae) Synonym(s): *waltraudae* Eliot, 1986
- 35634) *Lontalius eltus* treadawayi Eliot, 1986 (Lycaenidae) Synonym(s): *treadawayi* Eliot, 1986
- 35635) *Loxura athymnus* (Stoll, [1780]) (Lycaenidae) Synonym(s): *athymnus* Stoll, [1780]
- 35636) *Loxura athymnus athymnus* (Stoll, [1780]) (Lycaenidae) Synonym(s): *athymnus* Stoll, [1780]
- 35637) *Loxura athymnus continentalis* Fruhstorfer, [1912] (Lycaenidae) Synonym(s): *continentalis* Fruhstorfer, [1912]
- 35638) *Loxura athymnus fuconius* Fruhstorfer, [1912] (Lycaenidae) Synonym(s): *fuconius* Fruhstorfer, [1912]
- 35639) *Loxura atymnus luzonica* Swinhoe, 1917 (Lycaenidae) Synonym(s): *luzonica* Swinhoe, 1917
- 35640) *Loxura cassiopeia* Distant, 1884 (Lycaenidae) Synonym(s): *cassiopeia* Distant, 1884
- 35641) *Loxura cassiopeia cassiopeia* Distant, 1884 (Lycaenidae) Synonym(s): *cassiopeia* Distant, 1884
- 35642) *Loxura cassiopeia owadai* Hayashi, 1977 (Lycaenidae) Synonym(s): *owadai* Hayashi, 1977
- 35643) *Loxura cassiopeia yilma* Fruhstorfer, 1926 (Lycaenidae) Synonym(s): *yilma* Fruhstorfer, 1926
- 35644) *Lycaena (Alciphronia) alciphron* (Rottemburg, 1775) (Lycaenidae) Synonym(s): *alciphron* Rottemburg, 1775; *lampetie* [Denis & Schiffermüller], 1775; *hiere Fabricius*, 1787.
- 35645) *Lycaena (Alciphronia) alciphron alciphron* (Rottemburg, 1775) (Lycaenidae) Synonym(s): *alciphron* Rottemburg, 1775; *lampetie* [Denis & Schiffermüller], 1775; *hiere Fabricius*, 1787.

- 35646) *Lycaena* (Alciphronia) *alciphron burgundiae* (Bellenger & Descimon, 1977) (Lycaenidae) Synonym(s): *burgundiae* Bellenger & Descimon, 1977
 35647) *Lycaena* (Alciphronia) *alciphron gallon* (Fruhstorfer, 1917) (Lycaenidae) Synonym(s): *gallon* Fruhstorfer, 1917
 35648) *Lycaena* (Alciphronia) *alciphron gordius* (Sulzer, 1776) (Lycaenidae) Synonym(s): *gordius* Sulzer, 1776; *isokrates* Fruhstorfer, 1909; *romanorum* Fruhstorfer, 1909; *gaudeolus* Fruhstorfer, 1909.
 35649) *Lycaena* (Alciphronia) *alciphron heracleanus* (Blachier, 1908) (Lycaenidae) Synonym(s): *heracleanus* Blachier, 1908
 35650) *Lycaena* (Alciphronia) *alciphron insignis* (De Sagarra, 1924) (Lycaenidae) Synonym(s): *insignis* De Sagarra, 1924; ? *paupercula* De Sagarra, 1924.
 35651) *Lycaena* (Alciphronia) *alciphron melibaeus* (Staudinger, 1878) (Lycaenidae) Synonym(s): *melibaeus* Staudinger, 1878; *fruginus* Fruhstorfer, 1917.
 35652) *Lycaena* (Alciphronia) *alciphron minutepunctata* (Verity, 1948) (Lycaenidae) Synonym(s): *minutepunctata* Verity, 1948
 35653) *Lycaena* (Alciphronia) *alciphron morvandica* (Bellenger & Descimon, 1977) (Lycaenidae) Synonym(s): *morvandica* Bellenger & Descimon, 1977
 35654) *Lycaena* (Alciphronia) *alciphron naryna* (Oberthür, 1910) (Lycaenidae) Synonym(s): *naryna* Oberthür, 1910
 35655) *Lycaena* (Alciphronia) *alciphron oceani* (Verity, 1943) (Lycaenidae) Synonym(s): *oceani* Verity, 1943
 35656) *Lycaena* (Alciphronia) *alciphron ochsenfeldinus* (Betti, 1977) (Lycaenidae) Synonym(s): *ochsenfeldinus* Betti, 1977
 35657) *Lycaena* (Alciphronia) *alciphron peride* Kemal & Koçak, 2007 (Lycaenidae) Synonym(s): *rubidus* Korshunov, 1995 nec Behr, 1866; *peride* Kemal & Koçak, 2007
 35658) *Lycaena* (Alciphronia) *alciphron veronicus* (Fruhstorfer, 1917) (Lycaenidae) Synonym(s): *veronius* Fruhstorfer, 1917
 35659) *Lycaena* (Antipodolycaena) *boldenarum* White, 1862 (Lycaenidae) Synonym(s): *boldenarum* White, 1862
 35660) *Lycaena* (Chalceria) *heteronea* (Boisduval, 1852) (Lycaenidae) Synonym(s): *heteronea* Boisduval, 1852; *gravenotata* Klots, 1930; *klotsi* Field, 1936
 35661) *Lycaena* (Chalceria) *heteronea clara* Edwards, 1880 (Lycaenidae) Synonym(s): *clara* Edwards, 1880
 35662) *Lycaena* (Chalceria) *rubidus* (Behr, 1866) (Lycaenidae) Synonym(s): *rubidus* Behr, 1866
 35663) *Lycaena* (Chalceria) *rubidus duofacies* K.Johnson & Balogh, 1977 (Lycaenidae) Synonym(s): *duofacies* K.Johnson & Balogh, 1977
 35664) *Lycaena* (Chalceria) *rubidus ferrisi* (K.Johnson & Balogh, 1977) (Lycaenidae) Synonym(s): *ferrisi* K.Johnson & Balogh, 1977
 35665) *Lycaena* (Chalceria) *rubidus longi* K.Johnson & Balogh, 1977 (Lycaenidae) Synonym(s): *longi* K.Johnson & Balogh, 1977
 35666) *Lycaena* (Chalceria) *rubidus monachensis* K.Johnson & Balogh, 1977 (Lycaenidae) Synonym(s): *monachensis* K.Johnson & Balogh, 1977
 35667) *Lycaena* (Chalceria) *rubidus perkinsorum* K.Johnson & Balogh, 1977 (Lycaenidae) Synonym(s): *perkinsorum* K.Johnson & Balogh, 1977
 35668) *Lycaena* (Chalceria) *rubidus rubidus* (Behr, 1866) (Lycaenidae) Synonym(s): *rubidus* Behr, 1866
 35669) *Lycaena* (Chalceria) *rubidus sirius* (Edwards, 1871) (Lycaenidae) Synonym(s): *sirius* Edwards, 1871
 35670) *Lycaena* (Epidemia) *dorcas* W.Kirby, 1837 (Lycaenidae) Synonym(s): *dorcas* W.Kirby, 1837; *anthelle* Doubleday, 1847
 35671) *Lycaena* (Epidemia) *dorcas arcticus* (Ferris, 1977) (Lycaenidae) Synonym(s): *arcticus* Ferris, 1977
 35672) *Lycaena* (Epidemia) *dorcas castro* (Reakirt, 1866) (Lycaenidae) Synonym(s): *castro* Reakirt, 1866
 35673) *Lycaena* (Epidemia) *dorcas claytoni* Brower, 1940 (Lycaenidae) Synonym(s): *claytoni* Brower, 1940
 35674) *Lycaena* (Epidemia) *dorcas dorcas* W.Kirby, 1837 (Lycaenidae) Synonym(s): *dorcas* W.Kirby, 1837; *anthelle* Doubleday, 1847
 35675) *Lycaena* (Epidemia) *dorcas dospassosi* McDunnough, 1940 (Lycaenidae) Synonym(s): *dospassosi* McDunnough, 1940
 35676) *Lycaena* (Epidemia) *dorcas florus* (Edwards, 1883) (Lycaenidae) Synonym(s): *florus* Edwards, 1883
 35677) *Lycaena* (Epidemia) *dorcas megaloceras* (Ferris, 1977) (Lycaenidae) Synonym(s): *megaloceras* Ferris, 1977
 35678) *Lycaena* (Epidemia) *epixanthae* (Boisduval & Leconte, [1833]) (Lycaenidae) Synonym(s): *epixanthae* Boisduval & Leconte, [1833]; *hypoxanthae* W.Kirby, 1862
 35679) *Lycaena* (Epidemia) *heloïdes* (Boisduval, 1852) (Lycaenidae) Synonym(s): *heloïdes* Boisduval, 1852
 35680) *Lycaena* (Epidemia) *mariposa* (Reakirt, 1866) (Lycaenidae) Synonym(s): *mariposa* Reakirt, 1866; *zeroe* Boisduval, 1869
 35681) *Lycaena* (Epidemia) *mariposa charlottensis* (Holland, 1930) (Lycaenidae) Synonym(s): *charlottensis* Holland, 1930
 35682) *Lycaena* (Epidemia) *mariposa mariposa* (Reakirt, 1866) (Lycaenidae) Synonym(s): *mariposa* Reakirt, 1866; *zeroe* Boisduval, 1869
 35683) *Lycaena* (Epidemia) *mariposa penroseae* Field, 1938 (Lycaenidae) Synonym(s): *penroseae* Field, 1938
 35684) *Lycaena* (Epidemia) *nivalis* (Boisduval, 1869) (Lycaenidae) Synonym(s): *nivalis* Boisduval, 1869; *ianthe* Edwards, 1871
 35685) *Lycaena* (Epidemia) *nivalis browni* Dos Passos, 1938 (Lycaenidae) Synonym(s): *browni* Dos Passos, 1938
 35686) *Lycaena* (Epidemia) *nivalis nivalis* (Boisduval, 1869) (Lycaenidae) Synonym(s): *nivalis* Boisduval, 1869; *ianthe* Edwards, 1871
 35687) *Lycaena* (Gaeides) *dione* (Scudder, 1869) (Lycaenidae) Synonym(s): *dione* Scudder, 1869
 35688) *Lycaena* (Gaeides) *editha* (Mead, 1878) (Lycaenidae) Synonym(s): *editha* Mead, 1878; #vandezeei Gunder, 1927
 35689) *Lycaena* (Gaeides) *editha editha* (Mead, 1878) (Lycaenidae) Synonym(s): *editha* Mead, 1878; #vandezeei Gunder, 1927
 35690) *Lycaena* (Gaeides) *editha vurali* Koçak, 1984 (Lycaenidae) Synonym(s): #meadi Field, 1936; *montana* Field, 1936 nec Mey.-Dür, 1852; *vurali* Koçak, 1984
 35691) *Lycaena* (Gaeides) *gorgon* (Boisduval, 1852) (Lycaenidae) Synonym(s): *gorgon* Boisduval, 1852
 35692) *Lycaena* (Gaeides) *xanthoides* (Boisduval, 1852) (Lycaenidae) Synonym(s): *xanthoides* Boisduval, 1852
 35693) *Lycaena* (Helleia) *helle* ([Denis & Schiffermüller], 1775) (Lycaenidae) Synonym(s): *helle* [Denis & Schiffermüller], 1775; *amphidamas* Esper, 1781; *xanthae* Lang, 1789 nec [Denis & Schiffermüller], 1775.
 35694) *Lycaena* (Helleia) *helle helle* ([Denis & Schiffermüller], 1775) (Lycaenidae) Synonym(s): *helle* [Denis & Schiffermüller], 1775; *amphidamas* Esper, 1781; *xanthae* Lang, 1789 nec [Denis & Schiffermüller], 1775.
 35695) *Lycaena* (Helleia) *helle leonia* (Beuret, 1926) (Lycaenidae) Synonym(s): *leonia* Beuret, 1926; *eneli* Betti, 1977
 35696) *Lycaena* (Helleia) *helle perrettei* (Weiss, 1977) (Lycaenidae) Synonym(s): *perrettei* Weiss, 1977; #perretei Leraut, 1997.
 35697) *Lycaena* (Helleia) *helle phintonis* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *phintonis* Fruhstorfer, 1910
 35698) *Lycaena* (Helleia) *helle pyrenaica* (Deslandes, 1930) (Lycaenidae) Synonym(s): *pyrenaica* Deslandes, 1930; *deslandesi* Hemming, 1932; *arvenica* Bernardi & De Lesse, 1952; *magdaleneae* Guérin, 1959.
 35699) *Lycaena* (Hellycaena) *thoe* (Guérin-Ménéville, [1831]) (Lycaenidae) Synonym(s): *thoe* Guérin-Ménéville, [1831]; *hyllus* sensu auct. nec Cr., [1775]
 35700) *Lycaena* (Heodes) *ottomanus* (Lefébvre, [1830]) (Lycaenidae) Synonym(s): *ottomanus* Lefébvre, [1830]; *legeri* Freyer, 1830.
 35701) *Lycaena* (Heodes) *ottomanus ottomanus* (Lefébvre, [1830]) (Lycaenidae) Synonym(s): *ottomanus* Lefébvre, [1830]; *legeri* Freyer, 1830.
 35702) *Lycaena* (Heodes) *virgaureae* (Linnaeus, 1758) (Lycaenidae) Synonym(s): *virgaureae* Linnaeus, 1758; *armeniaca* A.Bang-Haas, 1906; *chrysorhoas* Fruhstorfer, 1917; *balkanicola* Graves, 1928.
 35703) *Lycaena* (Heodes) *virgaureae alexandrae* (Fruhstorfer, 1909) (Lycaenidae) Synonym(s): *alexandrae* Fruhstorfer, 1909
 35704) *Lycaena* (Heodes) *virgaureae apennina* Calberla, 1887 (Lycaenidae) Synonym(s): *apennina* Calberla, 1887; *inalpinus* Verity, 1913
 35705) *Lycaena* (Heodes) *virgaureae aureomicans* (Heyne, 1897) (Lycaenidae) Synonym(s): *aureomicans* Heyne, 1897; *denizae* Eckweiler & Rose, 1993.
 35706) *Lycaena* (Heodes) *virgaureae caucasica* (Jachontov, 1909) (Lycaenidae) Synonym(s): *caucasica* Jachontov, 1909
 35707) *Lycaena* (Heodes) *virgaureae chrysorhoas* (Fruhstorfer, 1917) (Lycaenidae) Synonym(s): *chrysorhoas* Fruhstorfer, 1917
 35708) *Lycaena* (Heodes) *virgaureae gravesica* Verity, 1929 (Lycaenidae) Synonym(s): *gravesica* Verity, 1929; *gravesi* Verity, 1929
 35709) *Lycaena* (Heodes) *virgaureae miegii* (Vogel, 1857) (Lycaenidae) Synonym(s): *miegii* Vogel, 1857
 35710) *Lycaena* (Heodes) *virgaureae montanus* (Meyer-Dür, 1851) (Lycaenidae) Synonym(s): *montanus* Meyer-Dür, 1851
 35711) *Lycaena* (Heodes) *virgaureae pelusioti* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *pelusioti* Fruhstorfer, 1910; *mediomontana* Verity, 1929; *delicata* Higgins, 1950.
 35712) *Lycaena* (Heodes) *virgaureae pyrenaicola* Graves, 1928 (Lycaenidae) Synonym(s): *pyrenaicola* Graves, 1928
 35713) *Lycaena* (Heodes) *virgaureae pyrenemontana* Verity, 1929 (Lycaenidae) Synonym(s): *pyrenemontana* Verity, 1929
 35714) *Lycaena* (Heodes) *virgaureae vera* Hemming, 1928 (Lycaenidae) Synonym(s): *vera* Hemming, 1928
 35715) *Lycaena* (Heodes) *virgaureae virgaureae* (Linnaeus, 1758) (Lycaenidae) Synonym(s): *virgaureae* Linnaeus, 1758; *armeniaca* A.Bang-Haas, 1906; *chrysorhoas* Fruhstorfer, 1917; *balkanicola* Graves, 1928.
 35716) *Lycaena* (Heodes) *virgaureae virgaureola* (Staudinger, 1892) (Lycaenidae) Synonym(s): *virgaureola* Staudinger, 1892; *mongolica* Kurensov, 1970.
 35717) *Lycaena* (Hermelycaena) *hermes* (Edwards, 1870) (Lycaenidae) Synonym(s): *hermes* Edwards, 1870; *delsud* Wright, 1906
 35718) *Lycaena* (Hyracanana) *caspius* (Lederer, 1869) (Lycaenidae) Synonym(s): *caspius* Lederer, 1869
 35719) *Lycaena* (Hyracanana) *caspius afghanus* Howarth & Povolny, 1976 (Lycaenidae) Synonym(s): *afghanus* Howarth & Povolny, 1976
 35720) *Lycaena* (Hyracanana) *caspius caspius* (Lederer, 1869) (Lycaenidae) Synonym(s): *caspius* Lederer, 1869
 35721) *Lycaena* (Hyracanana) *caspius meridionalis* (Stshetkin, 1963) (Lycaenidae) Synonym(s): *meridionalis* Stshetkin, 1963
 35722) *Lycaena* (Hyracanana) *caspius susanus* (Swinhoe, 1889) (Lycaenidae) Synonym(s): *susanus* Swinhoe, 1889; *susanus* De Nicéville, 1890
 35723) *Lycaena* (Hyracanana) *evansi* De Nicéville, 1902 (Lycaenidae) Synonym(s): *evansi* De Nicéville, 1902
 35724) *Lycaena* (Hyracanana) *evansi evansi* Nicéville, 1902 (Lycaenidae) Synonym(s): *evansi* Nicéville, 1902
 35725) *Lycaena* (Hyracanana) *pamirus* Nekrutenko, 1983 (Lycaenidae) Synonym(s): *pamirus* Nekrutenko, 1983
 35726) *Lycaena* (Hyracanana) *pamirus pamirus* Nekrutenko, 1983 (Lycaenidae) Synonym(s): *pamirus* Nekrutenko, 1983

- 35727) *Lycaena (Hyrceanana) sarthus* (Staudinger,1886) (Lycaenidae) Synonym(s): *sartha* Staudinger,1886
 35728) *Lycaena (Hyrceanana) sarthus hofmanni* Ten Hagen,2006 (Lycaenidae) Synonym(s): *hofmanni* Ten Hagen,2006
 35729) *Lycaena (Hyrceanana) sarthus ophion* Hemming,1933 (Lycaenidae) Synonym(s): *caudatus* Staudinger,1901 (p.75) *nec* Stgr.1901 (p.73); *ophion* Hemming,1933
 35730) *Lycaena (Hyrceanana) sarthus sarthus* (Staudinger,1886) (Lycaenidae) Synonym(s): *sartha* Staudinger,1886
 35731) *Lycaena (Hyrceanana) sultan* (Lang,1884) (Lycaenidae) Synonym(s): *sultan* Lang,1884; *sultani* Staudinger,1886
 35732) *Lycaena (Hyrceanana) sultan sultan* (Lang,1884) (Lycaenidae) Synonym(s): *sultan* Lang,1884; *sultani* Staudinger,1886
 35733) *Lycaena (Margelycaena) transiens* (Staudinger,1886) (Lycaenidae) Synonym(s): *transiens* Staudinger,1886
 35734) *Lycaena (Hyrceanana) transiens transiens* (Staudinger,1886) (Lycaenidae) Synonym(s): *transiens* Staudinger,1886
 35735) *Lycaena (Loweia) tityrus* (Poda,1761) (Lycaenidae) Synonym(s): *tityrus* Poda,1761; *acrión* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990.
 35736) *Lycaena (Loweia) tityrus bleusei* (Oberthür,1896) (Lycaenidae) Synonym(s): *bleusei* Oberthür,1896
 35737) *Lycaena (Loweia) tityrus catherinei* Verity,1948 (Lycaenidae) Synonym(s): *catherinei* Verity,1948
 35738) *Lycaena (Loweia) tityrus dorilis* (Hufnagel,1766) (Lycaenidae) Synonym(s): *dorilis* Hufnagel,1766; *phocas* Rottemburg,1775; *xanthe* [Denis & Schiffermüller],1775; *circe* [Denis & Schiffermüller],1775 *nec* Fabricius,1775; *garbus* Fabricius,1787; *myopa* Latreille,1805.
 35739) *Lycaena (Loweia) tityrus italorum* (Verity,1919) (Lycaenidae) Synonym(s): *italorum* Verity,1919
 35740) *Lycaena (Loweia) tityrus opisthochros* (Verity,1939) (Lycaenidae) Synonym(s): *opisthochros* Verity,1939
 35741) *Lycaena (Loweia) tityrus pallidepicta* (Verity,1934) (Lycaenidae) Synonym(s): *pallidepicta* Verity,1934; *oceanitis* Verity,1948.
 35742) *Lycaena (Loweia) tityrus subalpinus* Speyer,1851 (Lycaenidae) Synonym(s): *subalpinus* Speyer,1851; *mixtalpina* Verity,1948.
 35743) *Lycaena (Loweia) tityrus tityrus* (Poda,1761) (Lycaenidae) Synonym(s): *tityrus* Poda,1761; *acrión* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990.
 35744) *Lycaena (Margelycaena) euphratica* (Eckweiler,1989) (Lycaenidae) Synonym(s): *euphratica* Eckweiler,1989
 35745) *Lycaena (Margelycaena) euphratica euphratica* (Eckweiler,1989) (Lycaenidae) Synonym(s): *euphratica* Eckweiler,1989
 35746) *Lycaena (Margelycaena) margelanica* (Staudinger,1881) (Lycaenidae) Synonym(s): *margelanica* Staudinger,1881
 35747) *Lycaena (Margelycaena) margelanica legezini* (Zhdanko,1999) (Lycaenidae) Synonym(s): *legezini* Zhdanko,1999
 35748) *Lycaena (Margelycaena) margelanica margelanica* (Staudinger,1881) (Lycaenidae) Synonym(s): *margelanica* Staudinger,1881
 35749) *Lycaena (Margelycaena) margelanica nigra* (Zhdanko,1999) (Lycaenidae) Synonym(s): *nigra* Zhdanko,1999
 35750) *Lycaena (Mirzakhania) kasyapa* (Moore,1865) (Lycaenidae) Synonym(s): *kasyapa* Moore,1865
 35751) *Lycaena (Mirzakhania) kasyapa kasyapa* (Moore,1865) (Lycaenidae) Synonym(s): *kasyapa* Moore,1865
 35752) *Lycaena (Palaeochrysophanus) candens* (Herrich-Schäffer,[1845]) (Lycaenidae) Synonym(s): *candens* Herrich-Schäffer,[1845]
 35753) *Lycaena (Palaeochrysophanus) candens candens* (Herrich-Schäffer,[1845]) (Lycaenidae) Synonym(s): *candens* Herrich-Schäffer,[1845]
 35754) *Lycaena (Palaeochrysophanus) candens candissima* (Pfeiffer,1937) (Lycaenidae) Synonym(s): *candissima* Pfeiffer,1937
 35755) *Lycaena (Palaeochrysophanus) candens leonhardi* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *leonhardi* Fruhstorfer,1917
 35756) *Lycaena (Palaeochrysophanus) candens pfeifferi* (Beuret,1952) (Lycaenidae) Synonym(s): *pfeifferi* Beuret,1952; *transcaucasica* auct.
 35757) *Lycaena (Palaeochrysophanus) hippothoe* (Linnaeus,1761) (Lycaenidae) Synonym(s): *hippothoe* Linnaeus,1761; *chryseis* [Denis & Schiffermüller],1775 *nec* Drury,1773; *euridice* Rottemburg,1775 *nec* Johansson,1763.
 35758) *Lycaena (Palaeochrysophanus) hippothoe amurensis* (Staudinger,1892) (Lycaenidae) Synonym(s): *amurensis* Staudinger,1892
 35759) *Lycaena (Palaeochrysophanus) hippothoe eurydame* (Hoffmannsegg,1806) (Lycaenidae) Synonym(s): *eurydame* Hoffmannsegg,1806; *eurybia* Ochsenheimer,1808; *cisalpina* Fruhstorfer,1909.
 35760) *Lycaena (Palaeochrysophanus) hippothoe hippothoe* (Linnaeus,1761) (Lycaenidae) Synonym(s): *hippothoe* Linnaeus,1761; *chryseis* [Denis & Schiffermüller],1775 *nec* Drury,1773; *euridice* Rottemburg,1775 *nec* Johansson,1763.
 35761) *Lycaena (Palaeochrysophanus) hippothoe mirus* Verity,1913 (Lycaenidae) Synonym(s): *mirus* Verity,1913; *bernardii* Beuret,1955.
 35762) *Lycaena (Palaeochrysophanus) hippothoe mirusnigra* (Agenjo,1944) (Lycaenidae) Synonym(s): *mirusnigra* Agenjo,1944
 35763) *Lycaena (Palaeochrysophanus) hippothoe paraeurydice* Verity,1943 (Lycaenidae) Synonym(s): *paraeurydice* Verity,1943
 35764) *Lycaena (Palaeochrysophanus) hippothoe parrai* (Agenjo,1944) (Lycaenidae) Synonym(s): *parrai* Agenjo,1944
 35765) *Lycaena (Palaeochrysophanus) hippothoe sajana* (Kozhantschikov,1923) (Lycaenidae) Synonym(s): *sajana* Kozhantschikov,1923
 35766) *Lycaena (Palaeochrysophanus) hippothoe stiberi* (Gerhard,1853) (Lycaenidae) Synonym(s): *stiberi* Gerhard,1853
 35767) *Lycaena (Palaeochrysophanus) hippothoe sumadiensis* (Szabo,1956) (Lycaenidae) Synonym(s): *sumadiensis* Szabo,1956
 35768) *Lycaena (Palaeochrysophanus) hippothoe valderiana* (Turati & Verity,1910) (Lycaenidae) Synonym(s): *valderiana* Turati & Verity,1910
 35769) *Lycaena (Phoenicurusia) alexandra* (Püngeler,1901) (Lycaenidae) Synonym(s): *alexandra* Püngeler,1901
 35770) *Lycaena (Phoenicurusia) alexandra alexandra* (Püngeler,1901) (Lycaenidae) Synonym(s): *alexandra* Püngeler,1901
 35771) *Lycaena (Phoenicurusia) alexandra darja* (Zhdanko,1990) (Lycaenidae) Synonym(s): *darja* Zhdanko,1990
 35772) *Lycaena (Phoenicurusia) alexandra zhanibeki* (Zhdanko,1999) (Lycaenidae) Synonym(s): *zhanibeki* Zhdanko,1999
 35773) *Lycaena (Phoenicurusia) athamantis* (Eversmann,1854) (Lycaenidae) Synonym(s): *athamantis* Eversmann,1854
 35774) *Lycaena (Phoenicurusia) athamantis athamantis* (Eversmann,1854) (Lycaenidae) Synonym(s): *athamantis* Eversmann,1854
 35775) *Lycaena (Phoenicurusia) athamantis balucha* (Howarth & Povolny,1976) (Lycaenidae) Synonym(s): *balucha* Howarth & Povolny,1976
 35776) *Lycaena (Phoenicurusia) athamantis iliensis* (Staudinger,1886) (Lycaenidae) Synonym(s): *iliensis* Staudinger,1886
 35777) *Lycaena (Phoenicurusia) athamantis povolnyi* (Howarth & Povolny,1976) (Lycaenidae) Synonym(s): *povolnyi* Howarth & Povolny,1976
 35778) *Lycaena (Phoenicurusia) dimorpha* (Staudinger,1881) (Lycaenidae) Synonym(s): *dimorphus* Staudinger,1881
 35779) *Lycaena (Phoenicurusia) dimorpha bogutena* (Zhdanko,1990) (Lycaenidae) Synonym(s): *bogutena* Zhdanko,1990
 35780) *Lycaena (Phoenicurusia) dimorpha dimorpha* (Staudinger,1881) (Lycaenidae) Synonym(s): *dimorphus* Staudinger,1881
 35781) *Lycaena (Phoenicurusia) dimorpha funeraria* (Nekrutenko,1984) (Lycaenidae) Synonym(s): *funeraria* Nekrutenko,1984
 35782) *Lycaena (Phoenicurusia) dimorpha infera* (Nekrutenko,1984) (Lycaenidae) Synonym(s): *infera* Nekrutenko,1984
 35783) *Lycaena (Phoenicurusia) dimorpha irghiza* (Nekrutenko,1984) (Lycaenidae) Synonym(s): *irghiza* Nekrutenko,1984
 35784) *Lycaena (Phoenicurusia) dimorpha turgena* (Zhdanko,1990) (Lycaenidae) Synonym(s): *turgena* Zhdanko,1990
 35785) *Lycaena (Phoenicurusia) eitschbergeri* (Lukhtanov,1993) (Lycaenidae) Synonym(s): *eitschbergeri* Lukhtanov,1993
 35786) *Lycaena (Phoenicurusia) eitschbergeri eitschbergeri* (Lukhtanov,1993) (Lycaenidae) Synonym(s): *eitschbergeri* Lukhtanov,1993
 35787) *Lycaena (Phoenicurusia) issykkuli* (Zhdanko,1990) (Lycaenidae) Synonym(s): *issykkuli* Zhdanko,1990
 35788) *Lycaena (Phoenicurusia) issykkuli issykkuli* (Zhdanko,1990) (Lycaenidae) Synonym(s): *issykkuli* Zhdanko,1990
 35789) *Lycaena (Phoenicurusia) japhetica* (Nekrutenko & Effendi,1983) (Lycaenidae) Synonym(s): *japhetica* Nekrutenko & Effendi,1983
 35790) *Lycaena (Phoenicurusia) japhetica japhetica* (Nekrutenko & Effendi,1983) (Lycaenidae) Synonym(s): *japhetica* Nekrutenko & Effendi,1983
 35791) *Lycaena (Phoenicurusia) melicertes* (Nekrutenko,1985) (Lycaenidae) Synonym(s): *melicertes* Nekrutenko,1985
 35792) *Lycaena (Phoenicurusia) melicertes melicertes* (Nekrutenko,1985) (Lycaenidae) Synonym(s): *melicertes* Nekrutenko,1985
 35793) *Lycaena (Phoenicurusia) phoenicura* (Lederer,1870) (Lycaenidae) Synonym(s): *phoenicurus* Lederer,1870; *transcaucasica* Miller,1923
 35794) *Lycaena (Phoenicurusia) phoenicura athamantides* (Eckweiler & Ten Hagen,2001) (Lycaenidae) Synonym(s): *athamantides* Eckweiler & Ten Hagen,2001
 35795) *Lycaena (Phoenicurusia) phoenicura phoenicura* (Lederer,1870) (Lycaenidae) Synonym(s): *phoenicurus* Lederer,1870; *transcaucasica* Miller,1923
 35796) *Lycaena (Phoenicurusia) phoenicura scintillans* (Christoph,1887) (Lycaenidae) Synonym(s): *scintillans* Christoph,1887
 35797) *Lycaena (Phoenicurusia) rushanica* (Zhdanko,1990) (Lycaenidae) Synonym(s): *rushanica* Zhdanko,1990
 35798) *Lycaena (Phoenicurusia) rushanica rushanica* (Zhdanko,1990) (Lycaenidae) Synonym(s): *rushanica* Zhdanko,1990
 35799) *Lycaena (Phoenicurusia) sogdiana* (Zhdanko,1990) (Lycaenidae) Synonym(s): *sogdiana* Zhdanko,1990
 35800) *Lycaena (Phoenicurusia) sogdiana sogdiana* (Zhdanko,1990) (Lycaenidae) Synonym(s): *sogdiana* Zhdanko,1990
 35801) *Lycaena (Tharsalea) arota* (Boisduval,1852) (Lycaenidae) Synonym(s): *arota* Boisduval,1852
 35802) *Lycaena (Tharsalea) arota arota* (Boisduval,1852) (Lycaenidae) Synonym(s): *arota* Boisduval,1852
 35803) *Lycaena (Tharsalea) arota nubila* Comstock,1926 (Lycaenidae) Synonym(s): *nubila* Comstock,1926
 35804) *Lycaena (Tharsalea) arota schellbachi* Tilden,1955 (Lycaenidae) Synonym(s): *schellbachi* Tilden,1955
 35805) *Lycaena (Tharsalea) arota virginensis* (Edwards,1870) (Lycaenidae) Synonym(s): *virginensis* Edwards,1870
 35806) *Lycaena (Thersamolycaena) aeolides* Churkin,1999 (Lycaenidae) Synonym(s): *aeolides* Churkin,1999
 35807) *Lycaena (Thersamolycaena) aeolides aeolides* Churkin,1999 (Lycaenidae) Synonym(s): *aeolides* Churkin,1999
 35808) *Lycaena (Thersamolycaena) aeolus* (Wyatt,1961) (Lycaenidae) Synonym(s): *aeolus* Wyatt,1961

- 35809) *Lycaena* (Thersamolycaena) *aeolus aeolus* (Wyatt,1961) (Lycaenidae) Synonym(s): *aeolus* Wyatt,1961
 35810) *Lycaena* (Thersamolycaena) *dabrerai* (Balint,1996) (Lycaenidae) Synonym(s): *dabrerai* Balint,1996
 35811) *Lycaena* (Thersamolycaena) *dabrerai dabrerai* (Balint,1996) (Lycaenidae) Synonym(s): *dabrerai* Balint,1996
 35812) *Lycaena* (Thersamolycaena) *dispar* ([Haworth],1802) (Lycaenidae) Synonym(s): *dispar* [Haworth],1802; *hippohoe* Rottemburg,1775 nec Linnaeus,1761.
 35813) *Lycaena* (Thersamolycaena) *dispar aurata* (Leech,1887) (Lycaenidae) Synonym(s): *aurata* Leech,1887; *borodowskyi* Groum-Grshimailo,1900; *parvus* Kurentzov,1941.
 35814) *Lycaena* (Thersamolycaena) *dispar batava* (Oberthür,1920) (Lycaenidae) Synonym(s): *batava* Oberthür,1920
 35815) *Lycaena* (Thersamolycaena) *dispar burdigalensis* (Lucas,1913) (Lycaenidae) Synonym(s): *burdigalensis* Lucas,1913
 35816) *Lycaena* (Thersamolycaena) *dispar carueli* (Le Moul,1945) (Lycaenidae) Synonym(s): *carueli* Le Moul,1945
 35817) *Lycaena* (Thersamolycaena) *dispar dispar* ([Haworth],1802) (Lycaenidae) Synonym(s): *dispar* [Haworth],1802
 35818) *Lycaena* (Thersamolycaena) *dispar festivus* (Krulikowsky,1909) (Lycaenidae) Synonym(s): *festivus* Krulikowsky,1909
 35819) *Lycaena* (Thersamolycaena) *dispar gronieri* (Bernardi,1963) (Lycaenidae) Synonym(s): *gronieri* Bernardi,1963
 35820) *Lycaena* (Thersamolycaena) *dispar rutilus* (Werneburg,1864) (Lycaenidae) Synonym(s): *hippohoe* Ochsenheimer,1808 nec Linnaeus,1761; *rutilus* Werneburg,1864.
 35821) *Lycaena* (Thersamolycaena) *pavana* (Horsfield,1829) (Lycaenidae) Synonym(s): *pavana* Horsfield,1829
 35822) *Lycaena* (Thersamolycaena) *pavana pavana* (Horsfield,1829) (Lycaenidae) Synonym(s): *pavana* Horsfield,1829
 35823) *Lycaena* (Thersamolycaena) *splendens* (Staudinger,1881) (Lycaenidae) Synonym(s): *splendens* Staudinger,1881
 35824) *Lycaena* (Thersamolycaena) *splendens splendens* (Staudinger,1881) (Lycaenidae) Synonym(s): *splendens* Staudinger,1881
 35825) *Lycaena* (Thersamolycaena) *violacea* (Staudinger,1892) (Lycaenidae) Synonym(s): *violacea* Staudinger,1892
 35826) *Lycaena* (Thersamolycaena) *violacea violacea* (Staudinger,1892) (Lycaenidae) Synonym(s): *violacea* Staudinger,1892
 35827) *Lycaena* (Thersamonia) *aditya* (Moore,1874) (Lycaenidae) Synonym(s): *aditya* Moore,1874
 35828) *Lycaena* (Thersamonia) *aditya aditya* (Moore,1874) (Lycaenidae) Synonym(s): *aditya* Moore,1874
 35829) *Lycaena* (Thersamonia) *alaica* (Groum-Grshimailo,1888) (Lycaenidae) Synonym(s): *alaica* Groum-Grshimailo,1888
 35830) *Lycaena* (Thersamonia) *alaica alaica* (Groum-Grshimailo,1888) (Lycaenidae) Synonym(s): *alaica* Groum-Grshimailo,1888
 35831) *Lycaena* (Thersamonia) *alpherakii* (Groum-Grshimailo,1888) (Lycaenidae) Synonym(s): *alpherakii* Groum-Grshimailo,1888
 35832) *Lycaena* (Thersamonia) *alpherakii alpherakii* (Groum-Grshimailo,1888) (Lycaenidae) Synonym(s): *alpherakii* Groum-Grshimailo,1888
 35833) *Lycaena* (Thersamonia) *asabinus* (Gerhard,[1850]) (Lycaenidae) Synonym(s): *helius* Herrich-Schäffer,[1851]; *asabinus* Herrich-Schäffer,[1852].
 35834) *Lycaena* (Thersamonia) *asabinus asabinus* (Gerhard,[1850]) (Lycaenidae) Synonym(s): *helius* Herrich-Schäffer,[1851]; *asabinus* Herrich-Schäffer,[1852].
 35835) *Lycaena* (Thersamonia) *asabinus satraps* (Staudinger,1878) (Lycaenidae) Synonym(s): *satraps* Staudinger,1878
 35836) *Lycaena* (Thersamonia) *asabinus tauricus* (Heyne,[1895]) (Lycaenidae) Synonym(s): *tauricus* Heyne,[1895]
 35837) *Lycaena* (Thersamonia) *attila Zhdanko*,1990 (Lycaenidae) Synonym(s): *attila* Zhdanko,1990
 35838) *Lycaena* (Thersamonia) *attila attila Zhdanko*,1990 (Lycaenidae) Synonym(s): *attila* Zhdanko,1990
 35839) *Lycaena* (Thersamonia) *eberti* (Forster,1972) (Lycaenidae) Synonym(s): *eberti* Forster,1972
 35840) *Lycaena* (Thersamonia) *eberti eberti* (Forster,1972) (Lycaenidae) Synonym(s): *eberti* Forster,1972
 35841) *Lycaena* (Thersamonia) *kefersteinii* (Gerhard,[1850]) (Lycaenidae) Synonym(s): *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *ochimus* Herrich-Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852].
 35842) *Lycaena* (Thersamonia) *kefersteinii hyrcana* (Neuburger,1903) (Lycaenidae) Synonym(s): *hyrcana* Neuburger,1903
 35843) *Lycaena* (Thersamonia) *kefersteinii kefersteinii* (Gerhard,[1850]) (Lycaenidae) Synonym(s): *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *ochimus* Herrich-Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852].
 35844) *Lycaena* (Thersamonia) *kefersteinii ocliferius* (Nekrutenko,1977) (Lycaenidae) Synonym(s): *ocliferius* Nekrutenko,1977
 35845) *Lycaena* (Thersamonia) *kefersteinii sahandensis* Schurian & Hofmann,1982 (Lycaenidae) Synonym(s): *sahandensis* Schurian & Hofmann,1982
 35846) *Lycaena* (Thersamonia) *kurdistanica* (Riley,1921) (Lycaenidae) Synonym(s): *kurdistanica* Riley,1921
 35847) *Lycaena* (Thersamonia) *kurdistanica kurdistanica* (Riley,1921) (Lycaenidae) Synonym(s): *kurdistanica* Riley,1921
 35848) *Lycaena* (Thersamonia) *lampon* (Lederer,1870) (Lycaenidae) Synonym(s): *lampon* Lederer,1870
 35849) *Lycaena* (Thersamonia) *lampon lampon* (Lederer,1870) (Lycaenidae) Synonym(s): *lampon* Lederer,1870
 35850) *Lycaena* (Thersamonia) *lamponides* (Staudinger,1901) (Lycaenidae) Synonym(s): *lamponides* Staudinger,1901; *peanus* Zhdanko,1990
 35851) *Lycaena* (Thersamonia) *lamponides lamponides* (Staudinger,1901) (Lycaenidae) Synonym(s): *lamponides* Staudinger,1901; *peanus* Zhdanko,1990
 35852) *Lycaena* (Thersamonia) *phoebeus* (Blachier,1905) (Lycaenidae) Synonym(s): *phoebeus* Blachier,1905
 35853) *Lycaena* (Thersamonia) *phoebeus phoebeus* (Blachier,1905) (Lycaenidae) Synonym(s): *phoebeus* Blachier,1905
 35854) *Lycaena* (Thersamonia) *solskyi* (Erschoff,1874) (Lycaenidae) Synonym(s): *solskyi* Erschoff,1874; *fulminans* Groum-Grshimailo,1888.
 35855) *Lycaena* (Thersamonia) *solskyi solskeyi* (Erschoff,1874) (Lycaenidae) Synonym(s): *solskyi* Erschoff,1874; *fulminans* Groum-Grshimailo,1888.
 35856) *Lycaena* (Thersamonia) *thersamon* (Esper,[1784]) (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *hmilitaris* Graves,1925.
 35857) *Lycaena* (Thersamonia) *thersamon persica* (Bienert,1870) (Lycaenidae) Synonym(s): *persica* Bienert,1870
 35858) *Lycaena* (Thersamonia) *thersamon thersamon* (Esper,[1784]) (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *hmilitaris* Graves,1925.
 35859) *Lycaena* (Thersamonia) *thetis* (Klug,1834) (Lycaenidae) Synonym(s): *thetis* Klug,1834.
 35860) *Lycaena* (Thersamonia) *thetis elbursina* (Pfeiffer,1937) (Lycaenidae) Synonym(s): *elbursina* Pfeiffer,1937
 35861) *Lycaena* (Thersamonia) *thetis ignitus* (Herrich-Schäffer,1852) (Lycaenidae) Synonym(s): *ignitus* Herrich-Schäffer,1846; *ignitus* Herrich-Schäffer,1852; *caudatus* Staudinger,1901.
 35862) *Lycaena* (Thersamonia) *thetis thetis* (Klug,1834) (Lycaenidae) Synonym(s): *thetis* Klug,1834.
 35863) *Lycaena* (Thersamonia) *thetis zahaltensis* (Graves,1910) (Lycaenidae) Synonym(s): *zahaltensis* Graves,1910
 35864) *Lycaena* (s.str.) *abbottii* (Holland,1892) (Lycaenidae) Synonym(s): *abbottii* Holland,1892
 35865) *Lycaena* (s.str.) *clarki* Clark & Dickson,1971 (Lycaenidae) Synonym(s): *clarki* Clark & Dickson,1971
 35866) *Lycaena* (s.str.) *kiyokoe* Sakai,1978 (Lycaenidae) Synonym(s): *kiyokoe* Sakai,1978
 35867) *Lycaena* (s.str.) *kiyokoe kiyokoe* Sakai,1978 (Lycaenidae) Synonym(s): *kiyokoe* Sakai,1978
 35868) *Lycaena* (s.str.) *orus* (Cramer,[1780]) (Lycaenidae) Synonym(s): *orus* Cramer,[1780]; *arcas* Fabricius,1787 nec Rott.,1775 non Dru.,1773
 35869) *Lycaena* (s.str.) *phlaeas* (Linnaeus,1761) (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853
 35870) *Lycaena* (s.str.) *phlaeas americanus* Harris,1862 (Lycaenidae) Synonym(s): *americana* Harris,1862
 35871) *Lycaena* (s.str.) *phlaeas arctodon* Ferris,1974 (Lycaenidae) Synonym(s): *arctodon* Ferris,1974
 35872) *Lycaena* (s.str.) *phlaeas arethusa* (Wolley-Dod,1907) (Lycaenidae) Synonym(s): *arethusa* Wolley-Dod,1907
 35873) *Lycaena* (s.str.) *phlaeas chinensis* (C.Felder & R.Felder,1862) (Lycaenidae) Synonym(s): *chinensis* C.Felder & R.Felder,1862; *matsumurana* Bryk,1946.
 35874) *Lycaena* (s.str.) *phlaeas cyrenaicus* (Turati,1921) (Lycaenidae) Synonym(s): *cyrenaicus* Turati,1921
 35875) *Lycaena* (s.str.) *phlaeas daimio* (Matsumura,1919) (Lycaenidae) Synonym(s): *daimio* Matsumura,1919; *japonica* Ford,1924; *kurilensis* Matsumura,1919; *distalpa* Kuway,1926; *kurilphlaeas* Bryk,1942.
 35876) *Lycaena* (s.str.) *phlaeas ethiopicus* (Poulton,1922) (Lycaenidae) Synonym(s): *ethiopicus* Poulton,1922
 35877) *Lycaena* (s.str.) *phlaeas feildeni* (M'Lachan,1878) (Lycaenidae) Synonym(s): *feildeni* M'Lachan,1878
 35878) *Lycaena* (s.str.) *phlaeas flavens* (Ford,1924) (Lycaenidae) Synonym(s): *flavens* Ford,1924
 35879) *Lycaena* (s.str.) *phlaeas ganalicus* Gorbunov,1995 (Lycaenidae) Synonym(s): *ganalicus* Gorbunov,1995
 35880) *Lycaena* (s.str.) *phlaeas hypophlaeas* (Boisduval,1852) (Lycaenidae) Synonym(s): *hypophlaeas* Boisduval,1852
 35881) *Lycaena* (s.str.) *phlaeas indicus* (Evans,1925) (Lycaenidae) Synonym(s): *indicus* Evans,1925
 35882) *Lycaena* (s.str.) *phlaeas lusitanicus* (Bryk,1940) (Lycaenidae) Synonym(s): *lusitanicus* Bryk,1940
 35883) *Lycaena* (s.str.) *phlaeas oxianus* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *oxiana* Groum-Grshimailo,1890; *turanica* Heyne,[1895]; *naruena* Courvoisier,1911; *coccineus* Ford,1924.
 35884) *Lycaena* (s.str.) *phlaeas phlaeas* (Linnaeus,1761) (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853

- 35885) *Lycaena* (s.str.) *phlaeas phlaeoides* (Staudinger,1901) (Lycaenidae) Synonym(s): *phlaeoides* Staudinger,1901
 35886) *Lycaena* (s.str.) *phlaeas polaris* Courvoisier,1911 (Lycaenidae) Synonym(s): *polaris* Courvoisier,1911; *hyperborea* Ford,1924
 35887) *Lycaena* (s.str.) *phlaeas pseudophlaeas* (Lucas,1866) (Lycaenidae) Synonym(s): *pseudophlaeas* Lucas,1866; *meneliki* Thierry-Mieg,1910.
 35888) *Lycaena* (s.str.) *phlaeas shields* Kemal & Koçak,2007 (Lycaenidae) Synonym(s): *alpestris* Emmel & Pratt,1998 nec Frr.,1851; *shields* Kemal & Koçak,2007
 35889) *Lycaena* (s.str.) *phlaeas shima* Gabriel,1954 (Lycaenidae) Synonym(s): *shima* Gabriel,1954
 35890) *Lycaena* (s.str.) *phlaeas stygianus* (Butler,1880) (Lycaenidae) Synonym(s): *stygianus* Butler,1880; *comedarum* Groum-Grshimailo,1890
 35891) *Lycaena* (s.str.) *phlaeas timeus* (Cramer,[1777]) (Lycaenidae) Synonym(s): *timeus* Cramer,[1777]; *eleus* Fabricius,1798; *turcicus* Gerhard,[1850].
 35892) *Lycaena* (s.str.) *svenhedini* (Nordstroem,1934) (Lycaenidae) Synonym(s): *svenhedini* Nordstroem,1934
 35893) *Lycaena* (s.str.) *svenhedini svenhedini* (Nordstroem,1934) (Lycaenidae) Synonym(s): *svenhedini* Nordstroem,1934
 35894) *Lycaena* (s.str.) *cupreus* (Edwards,1870) (Lycaenidae) Synonym(s): *cupreus* Edwards,1870
 35895) *Lycaena* (s.str.) *cupreus henryae* (Cadbury,1937) (Lycaenidae) Synonym(s): *henryae* Cadbury,1937
 35896) *Lycaena* (s.str.) *cupreus snowi* (Edwards,[1881]) (Lycaenidae) Synonym(s): *snowi* Edwards,[1881]
 35897) *Lycaena* *li* (Oberthür,1886) (Lycaenidae) Synonym(s): *li* Oberthür,1886
 35898) *Lycaena* *ouang* (Oberthür,1891) (Lycaenidae) Synonym(s): *ouang* Oberthür,1891
 35899) *Lycaena* *pang* (Oberthür,1886) (Lycaenidae) Synonym(s): *pang* Oberthür,1886
 35900) *Lycaena* *tseng* (Oberthür,1886) (Lycaenidae) Synonym(s): *tseng* Oberthür,1886
 35901) *Lycaenopsis* *haraldus* (Fabricius,1787) (Lycaenidae) Synonym(s): *haraldus* Fabricius,1787; *ananga* C.Felder & R.Felder,[1865]
 35902) *Lycaenopsis* *haraldus annamitica* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *annamitica* Eliot & Kawazoe,1984
 35903) *Lycaenopsis* *haraldus cornuta* (Druce,1873) (Lycaenidae) Synonym(s): *cornuta* Druce,1873
 35904) *Lycaenopsis* *haraldus haraldus* (Fabricius,1787) (Lycaenidae) Synonym(s): *haraldus* Fabricius,1787; *ananga* C.Felder & R.Felder,[1865]
 35905) *Lycaenopsis* *haraldus renonga* Riley,1932 (Lycaenidae) Synonym(s): *renonga* Riley,1932
 35906) *Maculinea* *alcon* ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): *alcon* [Denis & Schiffermüller],1775; *mamers* Bergsträßer,1779.
 35907) *Maculinea* *alcon aigoualensis* Bernardi & Gaillard,1953 (Lycaenidae) Synonym(s): *aigoualensis* Bernardi & Gaillard,1953
 35908) *Maculinea* *alcon alcon* ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): *alcon* [Denis & Schiffermüller],1775; *mamers* Bergsträßer,1779.
 35909) *Maculinea* *alcon jennissejensis* (Sheljuzhko,1928) (Lycaenidae) Synonym(s): *jennissejensis* Sheljuzhko,1928
 35910) *Maculinea* *alcon nestae* (Higgins,1930) (Lycaenidae) Synonym(s): *nestae* Higgins,1930; *taranis* Cleu,1950
 35911) *Maculinea* *alcon sevastos* (Rebel & Zerny,[1931]) (Lycaenidae) Synonym(s): *sevastos* Rebel & Zerny,[1931]; *limitenea* Balint,1985.
 35912) *Maculinea* *alcon tolistus* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *tolistus* Fruhstorfer,1917
 35913) *Maculinea* *arion* (Linnaeus,1758) (Lycaenidae) Synonym(s): *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *caucasica* Jachontov,1914 nec Led.,1870; *zara* Jachontov,1935.
 35914) *Maculinea* *arion aglaophon* (Fruhstorfer,1915) (Lycaenidae) Synonym(s): *aglaophon* Fruhstorfer,1915; *vernetensis* Oberthür,1916.
 35915) *Maculinea* *arion alconoides* (Keferstein,1851) (Lycaenidae) Synonym(s): *alconoides* Keferstein,1851; *delphinatus* Fruhstorfer,1910; *tainaron* Fruhstorfer,1915; *vesubia* Fruhstorfer,1917.
 35916) *Maculinea* *arion antesion* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *antesion* Fruhstorfer,1917
 35917) *Maculinea* *arion arion* (Linnaeus,1758) (Lycaenidae) Synonym(s): *arion* Linnaeus,1758; *telegone* Bergstr.,1779; *obscura* Christ,1878; *caucasica* Jachontov,1914 nec Lederer,1870; *zara* Jachontov,1935.
 35918) *Maculinea* *arion arthurus* (Melvill,1873) (Lycaenidae) Synonym(s): *arthurus* Melvill,1873; *obscura* Christ,1878; *alpina* Fabre,1899; *ofenia* Tutt,1909.
 35919) *Maculinea* *arion obscura* (Christ,1884) (Lycaenidae) Synonym(s): *obscura* Christ,1884; *ligurica* Wagner,1904
 35920) *Maculinea* *arion pyrenaefuscans* Verity,1948 (Lycaenidae) Synonym(s): *pyrenaefuscans* Verity,1948
 35921) *Maculinea* *arion rueli* (Krulikovskiy,1882) (Lycaenidae) Synonym(s): *rueli* Krulikovskiy,1882; *baschkiria* Krulikovskiy,1897.
 35922) *Maculinea* *arionides* (Staudinger,1887) (Lycaenidae) Synonym(s): *arionides* Staudinger,1887
 35923) *Maculinea* *arionides arionides* (Staudinger,1887) (Lycaenidae) Synonym(s): *arionides* Staudinger,1887
 35924) *Maculinea* *cyaneula* (Eversmann,1848) (Lycaenidae) Synonym(s): *cyaneula* Eversmann,1848; *philidor* Fruhstorfer,1915.
 35925) *Maculinea* *cyaneula cyaneula* (Eversmann,1848) (Lycaenidae) Synonym(s): *cyaneula* Eversmann,1848; *philidor* Fruhstorfer,1915.
 35926) *Maculinea* *cyaneula obscurior* (Staudinger,1901) ? (Lycaenidae) Synonym(s): *obscurior* Staudinger,1901; *naruena* Courvoisier,1910; *sosinismus* Fruhstorfer,1915.
 35927) *Maculinea* *cyaneula taras* (Fruhstorfer,1915) (Lycaenidae) Synonym(s): *taras* Fruhstorfer,1915
 35928) *Maculinea* *cyaneula ussuriensis* (Sheljuzhko,1928) (Lycaenidae) Synonym(s): *ussuriensis* Sheljuzhko,1928
 35929) *Maculinea* *kurentzovi* Sibatani, Saigusa & Hirowatari,1994 (Lycaenidae) Synonym(s): *kurentzovi* Sibatani, Saigusa & Hirowatari,1994
 35930) *Maculinea* *kurentzovi kurentzovi* Sibatani, Saigusa & Hirowatari,1994 (Lycaenidae) Synonym(s): *kurentzovi* Sibatani, Saigusa & Hirowatari,1994
 35931) *Maculinea* *nausithous* (Bergsträßer,[1779]) (Lycaenidae) Synonym(s): *nausithous* Bergsträßer,[1779]; *arcas* Rottentburg,1775 nec Dru.,1773; *erebus* Knoch,1782.
 35932) *Maculinea* *nausithous agenjoi* Vilarrubia,1948 (Lycaenidae) Synonym(s): *agenjoi* Vilarrubia,1948
 35933) *Maculinea* *nausithous kijevensis* (Sheljuzhko,1928) (Lycaenidae) Synonym(s): *kijevensis* Sheljuzhko,1928
 35934) *Maculinea* *nausithous nausithous* (Bergsträßer,[1779]) (Lycaenidae) Synonym(s): *nausithous* Bergsträßer,[1779]; *arcas* Rottentburg,1775 nec Dru.,1773; *erebus* Knoch,1782. *nausithous* Bergsträsser,1779; *nausithoe* Bergstr.,1779; *arcas* Rottentburg,1775 nec Drury,1773; *erebus* Knoch,1782.
 35935) *Maculinea* *rebeli* (Hirschke,1904) (Lycaenidae) Synonym(s): *rebeli* Hirschke,1904; *coerulea* Vorbrodt,1912; *latimargo* Courvoisier,1913; *alpicola* Beuret,1949; *cruciata* Beuret,1949; *gadmensis* Beuret,1949; *magnalpicola* Beuret,1949.
 35936) *Maculinea* *rebeli cordidula* (Jachontov,[1909]) (Lycaenidae) Synonym(s): *cordidula* Jachontov,[1909]
 35937) *Maculinea* *rebeli imitator* Tusov,2000 (Lycaenidae) Synonym(s): *alconides* Korb,1997 nec *alconides* Auriv.,1888 non Dahlstrom,1899; *imitator* Tusov,2000.
 35938) *Maculinea* *rebeli monticola* (Staudinger,1901) (Lycaenidae) Synonym(s): *monticola* Staudinger,1901.
 35939) *Maculinea* *rebeli rebeli* (Hirschke,1904) (Lycaenidae) Synonym(s): *rebeli* Hirschke,1904; *coerulea* Vorbrodt,1912; *latimargo* Courvoisier,1913; *xerophila* Berger,1946; *alpicola* Beuret,1949; *cruciata* Beuret,1949; *gadmensis* Beuret,1949; *magnalpicola* Beuret,1949.
 35940) *Maculinea* *telejus* (Bergsträßer,[1779]) (Lycaenidae) Synonym(s): *diomedes* Rottentburg,1775 nec Linn.,1758; *telejus* Bergsträßer,[1779]; *telegonus* Bergsträßer,[1779]; *arctophylax* Bergsträßer,[1779]; *arctophanus* Bergsträßer,[1779]; *euphemus* Hübner,[1800].
 35941) *Maculinea* *telejus albocuneata* (Spuler,1908) (Lycaenidae) Synonym(s): *albocuneata* Spuler,1908
 35942) *Maculinea* *telejus burdigalensis* Stempffer,1932 (Lycaenidae) Synonym(s): *burdigalensis* Stempffer,1932
 35943) *Maculinea* *telejus doli* (Matsumura,1928) (Lycaenidae) Synonym(s): *doli* Matsumura,1928
 35944) *Maculinea* *telejus kasamoto* (Druce,1875) (Lycaenidae) Synonym(s): *kasamoto* Druce,1875
 35945) *Maculinea* *telejus obscurata* (Staudinger,1892) (Lycaenidae) Synonym(s): *obscurata* Staudinger,1892
 35946) *Maculinea* *telejus ogumae* (Matsumura,1910) (Lycaenidae) Synonym(s): *ogumae* Matsumura,1910
 35947) *Maculinea* *telejus splendens* (Kozhantshikov,1924) (Lycaenidae) Synonym(s): *splendens* Kozhantshikov,1924
 35948) *Maculinea* *telejus telejus* (Bergsträßer,[1779]) (Lycaenidae) Synonym(s): *diomedes* Rottentburg,1775 nec Linn.,1758; *telejus* Bergsträßer,[1779]; *telegonus* Bergsträßer,[1779]; *arctophylax* Bergsträßer,[1779]; *arctophanus* Bergsträßer,[1779]; *euphemus* Hübner,[1800].
 35949) *Maculinea* *telejus thersandrus* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *thersandrus* Fruhstorfer,1917; *micromelanica* Verity,1943.
 35950) *Mahathala* *ameria* (Hewitson,1862) (Lycaenidae) Synonym(s): *ameria* Hewitson,1862; *zistra* Fruhstorfer,1908
 35951) *Mahathala* *ameria ameria* (Hewitson,1862) (Lycaenidae) Synonym(s): *ameria* Hewitson,1862; *zistra* Fruhstorfer,1908
 35952) *Mahathala* *ameria hainani* Bethune-Baker,1903 (Lycaenidae) Synonym(s): *hainani* Bethune-Baker,1903; *formosana* Fruhstorfer,1908
 35953) *Mahathala* *ameria javana* Fruhstorfer,1908 (Lycaenidae) Synonym(s): *javana* Fruhstorfer,1908
 35954) *Mahathala* *ariadeva* Fruhstorfer,1908 (Lycaenidae) Synonym(s): *ariadeva* Fruhstorfer,1908
 35955) *Mahathala* *ariadeva ariadeva* Fruhstorfer,1908 (Lycaenidae) Synonym(s): *ariadeva* Fruhstorfer,1908
 35956) *Mahathala* *ariadeva burmana* Talbot,1942 (Lycaenidae) Synonym(s): *burmana* Talbot,1942
 35957) *Manto* *hypoleuca* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *hypoleuca* Hewitson,[1865]
 35958) *Manto* *hypoleuca martina* Hewitson,1869 (Lycaenidae) Synonym(s): *martina* Hewitson,1869; *paluana* Staudinger,1889
 35959) *Manto* *hypoleuca terana* (Seitz,1926) (Lycaenidae) Synonym(s): *terana* Seitz,1926
 35960) *Mantoides* *gama* (Distant,1886) (Lycaenidae) Synonym(s): *gama* Distant,1886
 35961) *Mantoides* *gama gama* (Distant,1886) (Lycaenidae) Synonym(s): *gama* Distant,1886
 35962) *Matsutaroa* *iljai* Hayashi, Schröder & Treadaway,1984 (Lycaenidae) Synonym(s): *iljai* Hayashi, Schröder & Treadaway,1984

- 35963) *Megalopalpus angulosus* Grünberg, 1910b (Lycaenidae) Synonym(s):
 35964) *Megalopalpus metaleucus* Karsch, 1893a (Lycaenidae) Synonym(s):
 35965) *Megalopalpus simplex* Röber, 1886 (Lycaenidae) Synonym(s):
 35966) *Megalopalpus zymna* (Westwood, [1851]) (Lycaenidae) Synonym(s):
 35967) *Megisba malaya* (Horsfield, 1828) (Lycaenidae) Synonym(s): *malaya* Horsfield, 1828
 35968) *Megisba malaya anomala* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *anomala* Eliot & Kawazoe, 1984
 35969) *Megisba malaya malaya* (Horsfield, 1828) (Lycaenidae) Synonym(s): *malaya* Horsfield, 1828.
 35970) *Megisba malaya presbyter* Fruhstorfer, 1918 (Lycaenidae) Synonym(s): *presbyter* Fruhstorfer, 1918.
 35971) *Megisba malaya sikkima* Moore, 1884 (Lycaenidae) Synonym(s): *sikkima* Moore, 1884; *albidisca* Moore, 1884; *volubilis* Fruhstorfer, 1918; *velina* Fruhstorfer, 1918; *infumata* Fruhstorfer, 1918; *rosanna* Fruhstorfer, 1918; *iwasakii* Matsumura, 1919; *#siebersi* Toxopeus, 1927.
 35972) *Megisba malaya thwaitesi* Moore, 1881 (Lycaenidae) Synonym(s): *thwaitesi* Moore, 1881; *ganga* Swinhoe, 1885
 35973) *Megisba strongyle* (C. Felder, 1860) (Lycaenidae) Synonym(s): *strongyle* C. Felder, 1860
 35974) *Megisba strongyle aenigma* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *aenigma* Eliot & Kawazoe, 1984
 35975) *Megisba strongyle caudata* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *caudata* Eliot & Kawazoe, 1984
 35976) *Megisba strongyle clerica* Fruhstorfer, 1918 (Lycaenidae) Synonym(s): *clerica* Fruhstorfer, 1918
 35977) *Megisba strongyle monacha* Grose-Smith, 1894 (Lycaenidae) Synonym(s): *monacha* Grose-Smith, 1894; *insulicola* Rothschild, 1915.
 35978) *Megisba strongyle nigra* (Miskin, 1890) (Lycaenidae) Synonym(s): *nigra* Miskin, 1890
 35979) *Megisba strongyle orientalis* Joicey & Talbot, 1916 (Lycaenidae) Synonym(s): *orientalis* Joicey & Talbot, 1916
 35980) *Megisba strongyle strongyle* (C. Felder, 1860) (Lycaenidae) Synonym(s): *strongyle* C. Felder, 1860
 35981) *Megisba strongyle strongyloides* Fruhstorfer, 1918 (Lycaenidae) Synonym(s): *strongyloides* Fruhstorfer, 1918
 35982) *Micropentila adelgitha* (Hewitson, 1874) (Lycaenidae) Synonym(s): *adelgitha* Hewitson, 1874
 35983) *Micropentila adelgunda* (Staudinger, 1892) (Lycaenidae) Synonym(s): *adelgunda* Staudinger, 1892
 35984) *Micropentila alberta* (Staudinger, 1892) (Lycaenidae) Synonym(s): *alberta* Staudinger, 1892
 35985) *Micropentila bakotae* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s): *bakotae* Stempffer & Bennett, 1965
 35986) *Micropentila bitjeana* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s): *bitjeana* Stempffer & Bennett, 1965
 35987) *Micropentila brunnea* Kirby, 1887 (Lycaenidae) Synonym(s): *brunnea* Kirby, 1887
 35988) *Micropentila brunnea brunnea* Kirby, 1887 (Lycaenidae) Synonym(s): *brunnea* Kirby, 1887
 35989) *Micropentila brunnea centralis* Bennett, 1966 (Lycaenidae) Synonym(s): *centralis* Bennett, 1966
 35990) *Micropentila bunyoro* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s):
 35991) *Micropentila catocala* Strand, 1914d (Lycaenidae) Synonym(s):
 35992) *Micropentila cherereti* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s):
 35993) *Micropentila cingulum* Druce, 1910 (Lycaenidae) Synonym(s): *cingulum* Druce, 1910
 35994) *Micropentila dorothea* Bethune-Baker, 1903 (Lycaenidae) Synonym(s):
 35995) *Micropentila flavopunctata* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s):
 35996) *Micropentila fontainei* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s):
 35997) *Micropentila fulvula* Hawker-Smith, 1933 (Lycaenidae) Synonym(s):
 35998) *Micropentila fuscula* (Grose-Smith, 1898a) (Lycaenidae) Synonym(s):
 35999) *Micropentila gabunica* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s):
 36000) *Micropentila galenides* (Holland, 1895) (Lycaenidae) Synonym(s):
 36001) *Micropentila jacksoni* Talbot, 1937 (Lycaenidae) Synonym(s): *jacksoni* Talbot, 1937
 36002) *Micropentila katangana* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s): *katangana* Stempffer & Bennett, 1965
 36003) *Micropentila katerae* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s): *katerae* Stempffer & Bennett, 1965
 36004) *Micropentila kelleana* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s): *kelleana* Stempffer & Bennett, 1965
 36005) *Micropentila mabangi* Bethune-Baker, 1904 (Lycaenidae) Synonym(s): *mabangi* Bethune-Baker, 1904
 36006) *Micropentila mamfe* T. Larsen, 1986 (Lycaenidae) Synonym(s): *mamfe* T. Larsen, 1986
 36007) *Micropentila mpigi* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s): *mpigi* Stempffer & Bennett, 1965
 36008) *Micropentila nigeriana* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s): *nigeriana* Stempffer & Bennett, 1965
 36009) *Micropentila ogojae* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s): *ogojae* Stempffer & Bennett, 1965
 36010) *Micropentila sankuru* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s): *sankuru* Stempffer & Bennett, 1965
 36011) *Micropentila souanke* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s): *souanke* Stempffer & Bennett, 1965
 36012) *Micropentila subplagata* Bethune-Baker, 1915 (Lycaenidae) Synonym(s): *subplagata* Bethune-Baker, 1915
 36013) *Micropentila triangularis* Aurivillius, 1895 (Lycaenidae) Synonym(s): *triangularis* Aurivillius, 1895
 36014) *Micropentila ugandae* Hawker-Smith, 1933 (Lycaenidae) Synonym(s): *ugandae* Hawker-Smith, 1933
 36015) *Micropentila victoriae* Stempffer & Bennett, 1965 (Lycaenidae) Synonym(s): *victoriae* Stempffer & Bennett, 1965
 36016) *Micropentila villiersi* Stempffer, 1970 (Lycaenidae) Synonym(s): *villiersi* Stempffer, 1970
 36017) *Micropsyche ariana* Mattoni, 1981 (Lycaenidae) Synonym(s): *ariana* Mattoni, 1981
 36018) *Micropsyche ariana ariana* Mattoni, 1981 (Lycaenidae) Synonym(s): *ariana* Mattoni, 1981
 36019) *Miletus ancon* (Doherty, 1889) (Lycaenidae) Synonym(s): *ancon* Doherty, 1889
 36020) *Miletus ancon ancon* (Doherty, 1889) (Lycaenidae) Synonym(s): *ancon* Doherty, 1889
 36021) *Miletus ancon gigantes* (De Nicéville, 1894) (Lycaenidae) Synonym(s): *gigantes* De Nicéville, 1894
 36022) *Miletus ancon gigas* (Druce, 1895) (Lycaenidae) Synonym(s): *gigas* Druce, 1895; *anconides* Fruhstorfer, 1913
 36023) *Miletus ancon siamensis* (Godfrey, 1916) (Lycaenidae) Synonym(s): *siamensis* Godfrey, 1916
 36024) *Miletus archilochus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *archilochus* Fruhstorfer, 1913
 36025) *Miletus archilochus archilochus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *archilochus* Fruhstorfer, 1913 q
 36026) *Miletus atimonicus* Murayama & Okamura, 1973 (Lycaenidae) Synonym(s): *atimonicus* Murayama & Okamura, 1973
 36027) *Miletus bazilanus* Fruhstorfer, 1913 (Lycaenidae) Synonym(s): *bazilanus* Fruhstorfer, 1913
 36028) *Miletus biggsii* (Distant, 1884) (Lycaenidae) Synonym(s): *biggsii* Distant, 1884; *#atomaria* Fruhstorfer, 1913; *xeragis* Fruhstorfer, 1915; *hyllus* Fruhstorfer, 1915; *sebethus* Fruhstorfer, 1915; *extraneus* Toxopeus, 1929
 36029) *Miletus biggsii albotignula* (Van Eecke, 1914) (Lycaenidae) Synonym(s): *albotignula* Van Eecke, 1914
 36030) *Miletus biggsii biggsii* (Distant, 1884) (Lycaenidae) Synonym(s): *biggsii* Distant, 1884; *#atomaria* Fruhstorfer, 1913; *xeragis* Fruhstorfer, 1915; *hyllus* Fruhstorfer, 1915; *sebethus* Fruhstorfer, 1915; *extraneus* Toxopeus, 1929
 36031) *Miletus biggsii natunensis* (Fruhstorfer, 1915) (Lycaenidae) Synonym(s): *natunensis* Fruhstorfer, 1915
 36032) *Miletus biggsii niasicus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *niasicus* Fruhstorfer, 1913; *batunensis* Fruhstorfer, 1913
 36033) *Miletus boisduvali* Moore, 1857 (Lycaenidae) Synonym(s): *boisduvali* Moore, 1857; *stygianus* Butler, 1884; *ceramensis* Ribbe, 1889; *acragas* Doherty, 1891; *vincula* Druce, 1895; *buruensis* Holland, 1900; *lombokianus* Fruhstorfer, 1913; *dossemus* Fruhstorfer, 1913; *adeus* Fruhstorfer, 1913; *heraeon* Fruhstorfer, 1915; *courvoisieri* Fruhstorfer, 1915; *oxylus* Fruhstorfer, 1915
 36034) *Miletus boisduvali avitus* (Fruhstorfer, 1915) (Lycaenidae) Synonym(s): *avitus* Fruhstorfer, 1915
 36035) *Miletus boisduvali boisduvali* Moore, 1857 (Lycaenidae) Synonym(s): *boisduvali* Moore, 1857; *stygianus* Butler, 1884; *ceramensis* Ribbe, 1889; *acragas* Doherty, 1891; *vincula* Druce, 1895; *buruensis* Holland, 1900; *lombokianus* Fruhstorfer, 1913; *dossemus* Fruhstorfer, 1913; *adeus* Fruhstorfer, 1913; *heraeon* Fruhstorfer, 1915; *courvoisieri* Fruhstorfer, 1915; *oxylus* Fruhstorfer, 1915
 36036) *Miletus boisduvali diotrophes* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *diotrophes* Fruhstorfer, 1913
 36037) *Miletus celinus* Eliot, 1961 (Lycaenidae) Synonym(s): *celinus* Eliot, 1961
 36038) *Miletus celinus celinus* Eliot, 1961 (Lycaenidae) Synonym(s): *celinus* Eliot, 1961
 36039) *Miletus cellarius* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *cellarius* Fruhstorfer, 1913
 36040) *Miletus cellarius cellarius* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *cellarius* Fruhstorfer, 1913
 36041) *Miletus chinensis* C. Felder, 1862 (Lycaenidae) Synonym(s): *chinensis* C. Felder, 1862
 36042) *Miletus chinensis assamensis* (Doherty, 1891) (Lycaenidae) Synonym(s): *assamensis* Doherty, 1891; *milvius* Fruhstorfer, 1913
 36043) *Miletus chinensis chinensis* C. Felder, 1862 (Lycaenidae) Synonym(s): *chinensis* C. Felder, 1862
 36044) *Miletus chinensis learchus* C. Felder & R. Felder, [1865] (Lycaenidae) Synonym(s): *learchus* C. Felder & R. Felder, [1865]; *irroratus* Druce, 1874; *kelantanus* Corbet, 1938

- 36045) *Miletus chinensis longearia* (De Nicéville, 1898) (Lycaenidae) Synonym(s): *longearia* De Nicéville, 1898
- 36046) *Miletus croton* (Doherty, 1889) (Lycaenidae) Synonym(s): *croton* Doherty, 1889
- 36047) *Miletus croton corus* Eliot, 1961 (Lycaenidae) Synonym(s): *corus* Eliot, 1961
- 36048) *Miletus croton croton* (Doherty, 1889) (Lycaenidae) Synonym(s): *croton* Doherty, 1889; *tavoyana* Evans, 1932
- 36049) *Miletus croton karenia* (Evans, 1932) (Lycaenidae) Synonym(s): *karenia* Evans, 1932
- 36050) *Miletus drucei* (Semper, 1888) (Lycaenidae) Synonym(s): *drucei* Semper, 1888; *philippus* Staudinger, 1889; *jacchus* Fruhstorfer, 1913; *palanius* Fruhstorfer, 1913; *epidurus* Fruhstorfer, 1913
- 36051) *Miletus drucei drucei* (Semper, 1888) (Lycaenidae) Synonym(s): *drucei* Semper, 1888; *philippus* Staudinger, 1889; *jacchus* Fruhstorfer, 1913; *palanius* Fruhstorfer, 1913; *epidurus* Fruhstorfer, 1913
- 36052) *Miletus drucei metrovius* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *metrovius* Fruhstorfer, 1913; *phradimon* Fruhstorfer, 1915
- 36053) *Miletus gaesa* (De Nicéville, 1895) (Lycaenidae) Synonym(s): *gaesa* De Nicéville, 1895
- 36054) *Miletus gaesa carrinas* (Fruhstorfer, 1915) (Lycaenidae) Synonym(s): *carrinas* Fruhstorfer, 1915
- 36055) *Miletus gaesa gaesa* (De Nicéville, 1895) (Lycaenidae) Synonym(s): *gaesa* De Nicéville, 1895
- 36056) *Miletus gaetulus* (De Nicéville, 1894) (Lycaenidae) Synonym(s): *gaetulus* De Nicéville, 1894
- 36057) *Miletus gaetulus aphytis* Fruhstorfer, 1913 (Lycaenidae) Synonym(s): *aphytis* Fruhstorfer, 1913
- 36058) *Miletus gaetulus gaetulus* (De Nicéville, 1894) (Lycaenidae) Synonym(s): *gaetulus* De Nicéville, 1894
- 36059) *Miletus gaetulus innocens* (Druce, 1895) (Lycaenidae) Synonym(s): *innocens* Druce, 1895
- 36060) *Miletus gallus* (De Nicéville, 1894) (Lycaenidae) Synonym(s): *gallus* De Nicéville, 1894
- 36061) *Miletus gallus gallus* (De Nicéville, 1894) (Lycaenidae) Synonym(s): *gallus* De Nicéville, 1894
- 36062) *Miletus gallus leucocyon* (Toxopeus, 1940) (Lycaenidae) Synonym(s): *leucocyon* Toxopeus, 1940
- 36063) *Miletus gigantes* (De Nicéville, 1894) (Lycaenidae) Synonym(s): *gigantes* De Nicéville, 1894
- 36064) *Miletus gigantes gigantes* (De Nicéville, 1894) (Lycaenidae) Synonym(s): *gigantes* De Nicéville, 1894
- 36065) *Miletus gopara* (De Nicéville, 1890) (Lycaenidae) Synonym(s): *gopara* De Nicéville, 1890; *denticulata* Fruhstorfer, 1913
- 36066) *Miletus gopara artaxus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *artaxus* Fruhstorfer, 1913; *#iochalia* Fruhstorfer, 1913
- 36067) *Miletus gopara eustatius* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *eustatius* Fruhstorfer, 1913
- 36068) *Miletus gopara gopara* (De Nicéville, 1890) (Lycaenidae) Synonym(s): *gopara* De Nicéville, 1890; *denticulata* Fruhstorfer, 1913
- 36069) *Miletus gopara pardus* Eliot, 1961 (Lycaenidae) Synonym(s): *pardus* Eliot, 1961
- 36070) *Miletus heracleion* (Doherty, 1891) (Lycaenidae) Synonym(s): *heracleion* Doherty, 1891
- 36071) *Miletus heracleion arion* Eliot, 1961 (Lycaenidae) Synonym(s): *arion* Eliot, 1961
- 36072) *Miletus heracleion heracleion* (Doherty, 1891) (Lycaenidae) Synonym(s): *heracleion* Doherty, 1891
- 36073) *Miletus leos* (Guérin-Méneville, 1830) (Lycaenidae) Synonym(s): *leos* Guérin-Méneville, 1830; *boisduvalii* Butler, 1884 *nec* Mr., 1857; *meronus* Fruhstorfer, 1913; *amphiarus* Fruhstorfer, 1913; *gardineri* Fruhstorfer, 1914
- 36074) *Miletus leos aronicus* (Fruhstorfer, 1914) (Lycaenidae) Synonym(s): *rex* Fruhstorfer, 1913 *nec* Bsd. 1832; *aronicus* Fruhstorfer, 1914; *nineyanus* Fruhstorfer, 1914; *acrisius* Fruhstorfer, 1914
- 36075) *Miletus leos catoleucos* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *catoleucos* Fruhstorfer, 1913
- 36076) *Miletus leos florensis* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *florensis* Fruhstorfer, 1913; *eulus* Fruhstorfer, 1913
- 36077) *Miletus leos leos* (Guérin-Méneville, 1830) (Lycaenidae) Synonym(s): *leos* Guérin-Méneville, 1830; *boisduvalii* Butler, 1884 *nec* Mr., 1857; *meronus* Fruhstorfer, 1913; *amphiarus* Fruhstorfer, 1913; *gardineri* Fruhstorfer, 1914
- 36078) *Miletus leos mangolicus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *mangolicus* Fruhstorfer, 1913
- 36079) *Miletus leos maximus* (Holland, 1890) (Lycaenidae) Synonym(s): *maximus* Holland, 1890; *sarus* Fruhstorfer, 1913; *#divisa* Fruhstorfer, 1913
- 36080) *Miletus leos tellus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *tellus* Fruhstorfer, 1913
- 36081) *Miletus leos teos* (Doherty, 1891) (Lycaenidae) Synonym(s): *teos* Doherty, 1891
- 36082) *Miletus leos vaneckei* (Toxopeus, 1930) (Lycaenidae) Synonym(s): *vaneckei* Toxopeus, 1930
- 36083) *Miletus leos virtus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *virtus* Fruhstorfer, 1913; *pentheus* Fruhstorfer, 1913
- 36084) *Miletus mallus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *mallus* Fruhstorfer, 1913; *gethusus* Fruhstorfer, 1915
- 36085) *Miletus mallus mallus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *mallus* Fruhstorfer, 1913; *gethusus* Fruhstorfer, 1915
- 36086) *Miletus mallus shania* (Evans, 1932) (Lycaenidae) Synonym(s): *shania* Evans, 1932
- 36087) *Miletus melanion* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *melanion* Felder & Felder, 1865
- 36088) *Miletus melanion bazilanus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *bazilanus* Fruhstorfer, 1913
- 36089) *Miletus melanion euphranor* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *euphranor* Fruhstorfer, 1914
- 36090) *Miletus melanion melanion* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *melanion* Felder & Felder, 1865
- 36091) *Miletus melanion vitelianus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *vitelianus* Fruhstorfer, 1913
- 36092) *Miletus nymphis* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *nymphis* Fruhstorfer, 1913
- 36093) *Miletus nymphis eneus* Eliot, 1961 (Lycaenidae) Synonym(s): *eneus* Eliot, 1961
- 36094) *Miletus nymphis fictus* Corbet, 1939 (Lycaenidae) Synonym(s): *fictus* Corbet, 1939
- 36095) *Miletus nymphis nymphis* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *nymphis* Fruhstorfer, 1913
- 36096) *Miletus nymphis porus* Eliot, 1961 (Lycaenidae) Synonym(s): *porus* Eliot, 1961
- 36097) *Miletus symethus* (Cramer, 1777) (Lycaenidae) Synonym(s): *symethus* Cramer, 1777; *pandu* Horsfield, 1828
- 36098) *Miletus symethus acampsis* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *acampsis* Fruhstorfer, 1913
- 36099) *Miletus symethus batuensis* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *batuensis* Fruhstorfer, 1913
- 36100) *Miletus symethus edonus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *edonus* Fruhstorfer, 1913
- 36101) *Miletus symethus hierophantes* (Fruhstorfer, 1915) (Lycaenidae) Synonym(s): *hierophantes* Fruhstorfer, 1915
- 36102) *Miletus symethus nuctus* Eliot, 1961 (Lycaenidae) Synonym(s): *nuctus* Eliot, 1961
- 36103) *Miletus symethus perucidus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *perucidus* Fruhstorfer, 1913; *megaris* Fruhstorfer, 1913
- 36104) *Miletus symethus petronius* (Distant & Pryer, 1887) (Lycaenidae) Synonym(s): *petronius* Distant & Pryer, 1887; *diopethes* Fruhstorfer, 1913
- 36105) *Miletus symethus phantus* Eliot, 1961 (Lycaenidae) Synonym(s): *phantus* Eliot, 1961
- 36106) *Miletus symethus philopator* (Fruhstorfer, 1914) (Lycaenidae) Synonym(s): *philopator* Fruhstorfer, 1914
- 36107) *Miletus symethus solitarius* Okubo, 1983 (Lycaenidae) Synonym(s): *solitarius* Okubo, 1983
- 36108) *Miletus symethus symethus* (Cramer, 1777) (Lycaenidae) Synonym(s): *symethus* Cramer, 1777; *pandu* Horsfield, 1828
- 36109) *Miletus symethus vespasianus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *vespasianus* Fruhstorfer, 1913
- 36110) *Miletus takanamii* Eliot, 1961 (Lycaenidae) Synonym(s): *takanamii* Eliot, 1961
- 36111) *Miletus valeus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *valeus* Fruhstorfer, 1913; *pallaxopas* Fruhstorfer, 1913
- 36112) *Miletus valeus valeus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *valeus* Fruhstorfer, 1913; *pallaxopas* Fruhstorfer, 1913
- 36113) *Miletus zinckenii* C.Felder & R.Felder, 1865 (Lycaenidae) Synonym(s): *zinckenii* C.Felder & R.Felder, 1865
- 36114) *Miletus zinckenii improbus* (Druce, 1896) (Lycaenidae) Synonym(s): *improbus* Druce, 1896
- 36115) *Miletus zinckenii zinckenii* C.Felder & R.Felder, 1865 (Lycaenidae) Synonym(s): *zinckenii* C.Felder & R.Felder, 1865
- 36116) *Mimacraea angustata* Schultz, 1923 (Lycaenidae) Synonym(s): *angustata* Schultz, 1923
- 36117) *Mimacraea charmion* Grose-Smith & Kirby, 1889 (Lycaenidae) Synonym(s): *charmion* Grose-Smith & Kirby, 1889
- 36118) *Mimacraea charmion charmion* Grose-Smith & Kirby, 1889 (Lycaenidae) Synonym(s): *charmion* Grose-Smith & Kirby, 1889
- 36119) *Mimacraea charmion ertli* Joicey & Talbot, 1924 (Lycaenidae) Synonym(s): *ertli* Joicey & Talbot, 1924
- 36120) *Mimacraea costleyi* Druce, 1912 (Lycaenidae) Synonym(s): *costleyi* Druce, 1912
- 36121) *Mimacraea darwinia* Butler, 1872 (Lycaenidae) Synonym(s): *darwinia* Butler, 1872
- 36122) *Mimacraea darwinia apicalis* Grose-Smith & Kirby, 1889 (Lycaenidae) Synonym(s): *apicalis* Grose-Smith & Kirby, 1889
- 36123) *Mimacraea darwinia darwinia* Butler, 1872 (Lycaenidae) Synonym(s): *darwinia* Butler, 1872
- 36124) *Mimacraea eltringhami* Druce, 1912 (Lycaenidae) Synonym(s): *eltringhami* Druce, 1912
- 36125) *Mimacraea eltringhami burgeoni* Hawker-Smith, 1928 (Lycaenidae) Synonym(s): *burgeoni* Hawker-Smith, 1928
- 36126) *Mimacraea eltringhami eltringhami* Druce, 1912 (Lycaenidae) Synonym(s): *eltringhami* Druce, 1912
- 36127) *Mimacraea flavofasciata* Schultz, 1912 (Lycaenidae) Synonym(s): *flavofasciata* Schultz, 1912
- 36128) *Mimacraea gelinia* (Oberthür, 1893) (Lycaenidae) Synonym(s): *gelinia* Oberthür, 1893
- 36129) *Mimacraea gelinia gelinia* (Oberthür, 1893) (Lycaenidae) Synonym(s): *gelinia* Oberthür, 1893

- 36130) *Mimacraea gelinia nguru* Kielland, 1986 (Lycaenidae) Synonym(s): *nguru* Kielland, 1986
 36131) *Mimacraea graeseri* Schultze, 1912 (Lycaenidae) Synonym(s): *graeseri* Schultze, 1912
 36132) *Mimacraea krausei* Dewitz, 1889 (Lycaenidae) Synonym(s): *krausei* Dewitz, 1889
 36133) *Mimacraea krausei karschioides* Carpenter & Jackson, 1950 (Lycaenidae) Synonym(s): *karschioides* Carpenter & Jackson, 1950
 36134) *Mimacraea krausei krausei* Dewitz, 1889 (Lycaenidae) Synonym(s): *krausei* Dewitz, 1889
 36135) *Mimacraea krausei masindae* Bethune-Baker, 1913 (Lycaenidae) Synonym(s): *masindae* Bethune-Baker, 1913
 36136) *Mimacraea krausei poultoni* Neave, 1904 (Lycaenidae) Synonym(s): *poultoni* Neave, 1904
 36137) *Mimacraea laeta* Schultze, 1912 (Lycaenidae) Synonym(s): *laeta* Schultze, 1912
 36138) *Mimacraea landbecki* Druce, 1910 (Lycaenidae) Synonym(s): *landbecki* Druce, 1910
 36139) *Mimacraea mariae* Dufrane, 1945 (Lycaenidae) Synonym(s): *mariae* Dufrane, 1945
 36140) *Mimacraea marschalli* Trimen, 1898 (Lycaenidae) Synonym(s): *marschalli* Trimen, 1898
 36141) *Mimacraea marschalli dohertyi* Rothschild, 1901 (Lycaenidae) Synonym(s): *dohertyi* Rothschild, 1901
 36142) *Mimacraea marschalli marschalli* Trimen, 1898 (Lycaenidae) Synonym(s): *marschalli* Trimen, 1898
 36143) *Mimacraea marschalli media* Talbot, 1937 (Lycaenidae) Synonym(s): *media* Talbot, 1937
 36144) *Mimacraea marschalli nzoia* Talbot, 1937 (Lycaenidae) Synonym(s): *nzoia* Talbot, 1937
 36145) *Mimacraea neavei* Eltringham, 1909 (Lycaenidae) Synonym(s): *neavei* Eltringham, 1909
 36146) *Mimacraea neokoton* Druce, 1907 (Lycaenidae) Synonym(s): *neokoton* Druce, 1907
 36147) *Mimacraea neurata* Holland, 1895 (Lycaenidae) Synonym(s): *neurata* Holland, 1895
 36148) *Mimacraea neurata fulvaria* Aurivillius, 1895 (Lycaenidae) Synonym(s): *fulvaria* Aurivillius, 1895
 36149) *Mimacraea neurata neurata* Holland, 1895 (Lycaenidae) Synonym(s): *neurata* Holland, 1895
 36150) *Mimacraea paragora* Rebel, 1911 (Lycaenidae) Synonym(s): *paragora* Rebel, 1911
 36151) *Mimacraea pseudopaea* Schultze, 1923 (Lycaenidae) Synonym(s): *pseudopaea* Schultze, 1923
 36152) *Mimacraea pulverulenta* Schultze, 1912 (Lycaenidae) Synonym(s): *pulverulenta* Schultze, 1912
 36153) *Mimacraea schmidtii* Schultze, 1923 (Lycaenidae) Synonym(s): *schmidtii* Schultze, 1923
 36154) *Mimacraea schubotzi* Schultze, 1912 (Lycaenidae) Synonym(s): *schubotzi* Schultze, 1912
 36155) *Mimacraea skoptoles* Druce, 1907 (Lycaenidae) Synonym(s): *skoptoles* Druce, 1907
 36156) *Mimacraea telloides* Schultze, 1923 (Lycaenidae) Synonym(s): *telloides* Schultze, 1923
 36157) *Mimeresia cellularis* (Kirby, 1890) (Lycaenidae) Synonym(s): *cellularis* Kirby, 1890
 36158) *Mimeresia debora* (Kirby, 1890) (Lycaenidae) Synonym(s):
 36159) *Mimeresia debora barnsi* (Hawker-Smith, 1933) (Lycaenidae) Synonym(s):
 36160) *Mimeresia debora catori* (Bethune-Baker, 1904) (Lycaenidae) Synonym(s): *catori* Bethune-Baker, 1904
 36161) *Mimeresia debora debora* (Kirby, 1890) (Lycaenidae) Synonym(s):
 36162) *Mimeresia debora deborula* (Aurivillius, 1898) (Lycaenidae) Synonym(s):
 36163) *Mimeresia dinora* (Kirby, 1890) (Lycaenidae) Synonym(s):
 36164) *Mimeresia dinora dinora* (Kirby, 1890) (Lycaenidae) Synonym(s):
 36165) *Mimeresia dinora discirubra* (Talbot, 1937) (Lycaenidae) Synonym(s):
 36166) *Mimeresia dinora meyerbeeri* D'Abrera, 1980 (Lycaenidae) Synonym(s):
 36167) *Mimeresia drucei* (Stempffer, 1954a) (Lycaenidae) Synonym(s):
 36168) *Mimeresia drucei drucei* (Stempffer, 1954a) (Lycaenidae) Synonym(s):
 36169) *Mimeresia drucei owerri* Stempffer, 1961a (Lycaenidae) Synonym(s):
 36170) *Mimeresia drucei ugandae* (Stempffer, 1954a) (Lycaenidae) Synonym(s):
 36171) *Mimeresia flavillacea* (Grünberg, 1910) (Lycaenidae) Synonym(s): *flavillacea* Grünberg, 1910
 36172) *Mimeresia flavillacea flavillacea* (Grünberg, 1910) (Lycaenidae) Synonym(s): *flavillacea* Grünberg, 1910
 36173) *Mimeresia flavillacea griseata* (Talbot, 1937) (Lycaenidae) Synonym(s): *griseata* Talbot, 1937
 36174) *Mimeresia issia* Stempffer, 1969b (Lycaenidae) Synonym(s):
 36175) *Mimeresia libentina* (Hewitson, 1866) (Lycaenidae) Synonym(s):
 36176) *Mimeresia libentina isabellae* (Schultze, 1917) (Lycaenidae) Synonym(s): *isabellae* Schultze, 1917
 36177) *Mimeresia libentina libentina* (Hewitson, 1866) (Lycaenidae) Synonym(s):
 36178) *Mimeresia moreelsi* (Aurivillius, 1901) (Lycaenidae) Synonym(s):
 36179) *Mimeresia moreelsi moreelsi* (Aurivillius, 1901) (Lycaenidae) Synonym(s):
 36180) *Mimeresia moreelsi purpurea* (Hawker-Smith, 1933) (Lycaenidae) Synonym(s):
 36181) *Mimeresia moreelsi tessmanni* (Grünberg, 1910b) (Lycaenidae) Synonym(s):
 36182) *Mimeresia moyambina* (Bethune-Baker, 1904) (Lycaenidae) Synonym(s):
 36183) *Mimeresia neavei* (Joicey & Talbot, 1921) (Lycaenidae) Synonym(s):
 36184) *Mimeresia pseudocellularis* Stempffer, 1968 (Lycaenidae) Synonym(s): *pseudocellularis* Stempffer, 1968
 36185) *Mimeresia russulus* (Druce, 1910) (Lycaenidae) Synonym(s): *russulus* Druce, 1910
 36186) *Mimeresia russulus katangae* (Hawker-Smith, 1926) (Lycaenidae) Synonym(s):
 36187) *Mimeresia russulus russulus* (Druce, 1910) (Lycaenidae) Synonym(s): *russulus* Druce, 1910
 36188) *Mimeresia russulus unyoro* Stempffer, 1961a (Lycaenidae) Synonym(s):
 36189) *Mimeresia semirufa* (Grose-Smith, 1902) (Lycaenidae) Synonym(s): *semirufa* Grose-Smith, 1902
 36190) *Ministrymon azia* (Lycaenidae) Synonym(s):
 36191) *Ministrymon clytie* (Lycaenidae) Synonym(s):
 36192) *Ministrymon leda* (Lycaenidae) Synonym(s):
 36193) *Monodontides (Buakraengius) cara* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *cara* Eliot & Kawazoe, 1984
 36194) *Monodontides (Buakraengius) cara cara* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *cara* Eliot & Kawazoe, 1984
 36195) *Monodontides (s.str.) apona* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *apona* Fruhstorfer, 1910
 36196) *Monodontides (s.str.) apona apona* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *apona* Fruhstorfer, 1910
 36197) *Monodontides (s.str.) argioloides* (Rothschild, 1915) (Lycaenidae) Synonym(s): *argioloides* Rothschild, 1915
 36198) *Monodontides (s.str.) argioloides argioloides* (Rothschild, 1915) (Lycaenidae) Synonym(s): *argioloides* Rothschild, 1915
 36199) *Monodontides (s.str.) hondai* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *hondai* Eliot & Kawazoe, 1984
 36200) *Monodontides (s.str.) hondai hondai* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *hondai* Eliot & Kawazoe, 1984
 36201) *Monodontides (s.str.) kolari* (Ribbe, 1926) (Lycaenidae) Synonym(s): *kolari* Ribbe, 1926
 36202) *Monodontides (s.str.) kolari kolari* (Ribbe, 1926) (Lycaenidae) Synonym(s): *kolari* Ribbe, 1926
 36203) *Monodontides (s.str.) luzonensis* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *luzonensis* Eliot & Kawazoe, 1984
 36204) *Monodontides (s.str.) luzonensis luzonensis* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *luzonensis* Eliot & Kawazoe, 1984
 36205) *Monodontides (s.str.) musina* (Snellen, 1892) (Lycaenidae) Synonym(s): *musina* Snellen, 1892; *candaules* De Nicéville, 1895; *lugra* Druce, 1895.
 36206) *Monodontides (s.str.) musina musina* (Snellen, 1892) (Lycaenidae) Synonym(s): *musina* Snellen, 1892; *candaules* De Nicéville, 1895; *lugra* Druce, 1895.
 36207) *Monodontides (s.str.) musina musinoides* (Swinhoe, 1910) (Lycaenidae) Synonym(s): *musinoides* Swinhoe, 1910; *parishii* Rhé-Philippe, 1911.
 36208) *Monodontides (s.str.) musina pelides* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *pelides* Fruhstorfer, 1910
 36209) *Monodontides (s.str.) ternatensis* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *ternatensis* Eliot & Kawazoe, 1984
 36210) *Monodontides (s.str.) ternatensis ternatensis* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *ternatensis* Eliot & Kawazoe, 1984
 36211) *Mota massyla* (Hewitson, 1869) (Lycaenidae) Synonym(s): *massyla* Hewitson, [1869]
 36212) *Myrina anettae* De Fleury, 1924 (Lycaenidae) Synonym(s): *anettae* De Fleury, 1924
 36213) *Myrina dermaptera* (Wallengren, 1857) (Lycaenidae) Synonym(s): *dermaptera* Wallengren, 1857; *#clermaptera* Butler, [2001].
 36214) *Myrina dermaptera dermaptera* (Wallengren, 1857) (Lycaenidae) Synonym(s): *dermaptera* Wallengren, 1857; *#clermaptera* Butler, [2001].
 36215) *Myrina dermaptera nyassae* Talbot, 1935 (Lycaenidae) Synonym(s): *nyassae* Talbot, 1935
 36216) *Myrina sharpei* Bethune-Baker, 1906 (Lycaenidae) Synonym(s): *sharpei* Bethune-Baker, 1906
 36217) *Myrina sharpei fontainei* Stempffer, 1961 (Lycaenidae) Synonym(s): *fontainei* Stempffer, 1961
 36218) *Myrina sharpei sharpei* Bethune-Baker, 1906 (Lycaenidae) Synonym(s): *sharpei* Bethune-Baker, 1906
 36219) *Myrina silenus* (Fabricius, 1775) (Lycaenidae) Synonym(s): *silenus* Fabricius, 1775

- 36220) *Myrina silenus ficedula* Trimen, 1879 (Lycaenidae) Synonym(s): *ficedula* Trimen, 1879
 36221) *Myrina silenus nzoiae* D'Abrera, 1980 (Lycaenidae) Synonym(s): *nzoiae* Stoneham, 1937; *nzoiae* D'Abrera, 1980.
 36222) *Myrina silenus penningtoni* Dickson & Stephen, 1971 (Lycaenidae) Synonym(s): *penningtoni* Dickson & Stephen, 1971.
 36223) *Myrina silenus silenus* (Fabricius, 1775) (Lycaenidae) Synonym(s): *silenus* Fabricius, 1775
 36224) *Myrina subornata* Lathy, 1903 (Lycaenidae) Synonym(s): *subornata* Lathy, 1903
 36225) *Myrina subornata kacheleba* D'Abrera, 1980 (Lycaenidae) Synonym(s): *kacheleba* D'Abrera, 1980
 36226) *Myrina subornata nuba* Talbot, 1935 (Lycaenidae) Synonym(s): *nuba* Talbot, 1935
 36227) *Myrina subornata subornata* Lathy, 1903 (Lycaenidae) Synonym(s): *subornata* Lathy, 1903
 36228) *Nacaduba angusta* (Druce, 1873) (Lycaenidae) Synonym(s): *angusta* Druce, 1873; *hondai* Hayashi, 1977
 36229) *Nacaduba angusta albida* Riley & Godfrey, 1925 (Lycaenidae) Synonym(s): *albida* Riley & Godfrey, 1925
 36230) *Nacaduba angusta angusta* (Druce, 1873) (Lycaenidae) Synonym(s): *angusta* Druce, 1873; *hondai* Hayashi, 1977
 36231) *Nacaduba angusta kerriana* Distant, 1886 (Lycaenidae) Synonym(s): *kerriana* Distant, 1886
 36232) *Nacaduba angusta limbura* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *limbura* Fruhstorfer, 1916
 36233) *Nacaduba berenice* (Herrich-Schäffer, 1869) (Lycaenidae) Synonym(s): *berenice* Herrich-Schäffer, 1869
 36234) *Nacaduba berenice aphyra* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *aphyra* Fruhstorfer, 1916
 36235) *Nacaduba berenice berenice* (Herrich-Schäffer, 1869) (Lycaenidae) Synonym(s): *berenice* Herrich-Schäffer, 1869
 36236) *Nacaduba berenice icena* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *icena* Fruhstorfer, 1916
 36237) *Nacaduba berenice zygida* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *zygida* Fruhstorfer, 1916
 36238) *Nacaduba beroe* (C.Felder & R.Felder, [1865]) (Lycaenidae) Synonym(s): *beroe* C.Felder & R.Felder, [1865]
 36239) *Nacaduba beroe beroe* (C.Felder & R.Felder, [1865]) (Lycaenidae) Synonym(s): *beroe* C.Felder & R.Felder, [1865]
 36240) *Nacaduba beroe gythion* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *gythion* Fruhstorfer, 1916
 36241) *Nacaduba beroe neon* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *neon* Fruhstorfer, 1916
 36242) *Nacaduba calauria* (C.Felder, 1860) (Lycaenidae) Synonym(s): *calauria* C.Felder, 1860
 36243) *Nacaduba calauria calauria* (C.Felder, 1860) (Lycaenidae) Synonym(s): *calauria* C.Felder, 1860
 36244) *Nacaduba calauria malayica* Corbet, 1938 (Lycaenidae) Synonym(s): *malayica* Corbet, 1938
 36245) *Nacaduba hermus* (C.Felder, 1860) (Lycaenidae) Synonym(s): *hermus* C.Felder, 1860
 36246) *Nacaduba hermus hermus* (C.Felder, 1860) (Lycaenidae) Synonym(s): *hermus* C.Felder, 1860
 36247) *Nacaduba hermus swatipa* Corbet, 1938 (Lycaenidae) Synonym(s): *swatipa* Corbet, 1938
 36248) *Nacaduba hermus tairea* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *tairea* Fruhstorfer, 1916
 36249) *Nacaduba kirtoni* Eliot, 1984 (Lycaenidae) Synonym(s): *kirtoni* Eliot, 1984
 36250) *Nacaduba kirtoni kirtoni* Eliot, 1984 (Lycaenidae) Synonym(s): *kirtoni* Eliot, 1984
 36251) *Nacaduba kurava* (Moore, [1858]) (Lycaenidae) Synonym(s): *kurava* Moore, [1858]
 36252) *Nacaduba kurava euplea* Fruhstorfer, 1915 (Lycaenidae) Synonym(s): *euplea* Fruhstorfer, 1915
 36253) *Nacaduba kurava fujiokai* Hayashi, 1976 (Lycaenidae) Synonym(s): *fujiokai* Hayashi, 1976
 36254) *Nacaduba kurava kurava* (Moore, [1858]) (Lycaenidae) Synonym(s): *kurava* Moore, [1858]
 36255) *Nacaduba kurava nemana* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *nemana* Fruhstorfer, 1916
 36256) *Nacaduba pactolus* (C.Felder, 1860) (Lycaenidae) Synonym(s): *pactolus* C.Felder, 1860
 36257) *Nacaduba pactolus continentalis* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *continentalis* Fruhstorfer, 1916
 36258) *Nacaduba pactolus neaira* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *neaira* Fruhstorfer, 1916
 36259) *Nacaduba pactolus odons* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *odons* Fruhstorfer, 1916
 36260) *Nacaduba pactolus pactolus* (C.Felder, 1860) (Lycaenidae) Synonym(s): *pactolus* C.Felder, 1860
 36261) *Nacaduba pavana* (Horsfield, [1828]) (Lycaenidae) Synonym(s): *pavana* Horsfield, [1828]
 36262) *Nacaduba pavana asaga* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *asaga* Fruhstorfer, 1916
 36263) *Nacaduba pavana georgi* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *georgi* Fruhstorfer, 1916
 36264) *Nacaduba pavana singapura* Corbet, 1938 (Lycaenidae) Synonym(s): *singapura* Corbet, 1938
 36265) *Nacaduba pavana vajuva* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *vajuva* Fruhstorfer, 1916
 36266) *Nacaduba pendleburyi* Corbet, 1938 (Lycaenidae) Synonym(s): *pendleburyi* Corbet, 1938
 36267) *Nacaduba pendleburyi penangensis* Tite, 1963 (Lycaenidae) Synonym(s): *penangensis* Tite, 1963
 36268) *Nacaduba pendleburyi pendleburyi* Corbet, 1938 (Lycaenidae) Synonym(s): *pendleburyi* Corbet, 1938
 36269) *Nacaduba russelli* Tite, 1963 (Lycaenidae) Synonym(s): *russelli* Tite, 1963
 36270) *Nacaduba russelli russelli* Tite, 1963 (Lycaenidae) Synonym(s): *russelli* Tite, 1963
 36271) *Nacaduba sanaya* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *sanaya* Fruhstorfer, 1916
 36272) *Nacaduba sanaya elioti* Corbet, 1938 (Lycaenidae) Synonym(s): *elioti* Corbet, 1938
 36273) *Nacaduba sanaya metallica* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *metallica* Fruhstorfer, 1916
 36274) *Nacaduba sanaya sanaya* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *sanaya* Fruhstorfer, 1916
 36275) *Nacaduba sericina* (C.Felder & R.Felder, [1865]) (Lycaenidae) Synonym(s): *sericina* C.Felder & R.Felder, [1865]
 36276) *Nacaduba sericina palawana* Hayashi, 1977 (Lycaenidae) Synonym(s): *palawana* Hayashi, 1977
 36277) *Nacaduba sericina sericina* (C.Felder & R.Felder, [1865]) (Lycaenidae) Synonym(s): *sericina* C.Felder & R.Felder, [1865]
 36278) *Nacaduba sericina thaumus* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *thaumus* Fruhstorfer, 1916
 36279) *Nacaduba solta* Eliot, 1955 (Lycaenidae) Synonym(s): *solta* Eliot, 1955
 36280) *Nacaduba solta solta* Eliot, 1955 (Lycaenidae) Synonym(s): *solta* Eliot, 1955
 36281) *Nacaduba subperusia* (Snellen, 1896) (Lycaenidae) Synonym(s): *subperusia* Snellen, 1896
 36282) *Nacaduba subperusia intricata* Corbet, 1938 (Lycaenidae) Synonym(s): *intricata* Corbet, 1938
 36283) *Nacaduba subperusia lysa* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *lysa* Fruhstorfer, 1916
 36284) *Nacaduba subperusia paska* Eliot, 1955 (Lycaenidae) Synonym(s): *paska* Eliot, 1955
 36285) *Nacaduba subperusia subperusia* (Snellen, 1896) (Lycaenidae) Synonym(s): *subperusia* Snellen, 1896
 36286) *Neaveia lamborni* Druce, 1910 (Lycaenidae) Synonym(s): *lamborni* Druce, 1910
 36287) *Neaveia lamborni lamborni* Druce, 1910 (Lycaenidae) Synonym(s): *lamborni* Druce, 1910
 36288) *Neaveia lamborni orientalis* Jackson, 1962 (Lycaenidae) Synonym(s): *orientalis* Jackson, 1962
 36289) *Neocheritra amrita* (C.Felder & R.Felder, 1860) (Lycaenidae) Synonym(s): *amrita* C.Felder & R.Felder, 1860; *paulina* Riley
 36290) *Neocheritra amrita amrita* (C.Felder & R.Felder, 1860) (Lycaenidae) Synonym(s): *amrita* C.Felder & R.Felder, 1860; *paulina* Riley
 36291) *Neocheritra fabronia* (Hewitson, 1878) (Lycaenidae) Synonym(s): *fabronia* Hewitson, 1878
 36292) *Neocheritra fabronia fabronia* (Hewitson, 1878) (Lycaenidae) Synonym(s): *fabronia* Hewitson, 1878
 36293) *Neocheritra fabronia lina* (Eliot, 1959) (Lycaenidae) Synonym(s): *lina* Eliot, 1959
 36294) *Neocheritra manata* Semper, 1890 (Lycaenidae) Synonym(s): *manata* Semper, 1890
 36295) *Neocheritra manata gertrudes* Schröder & Treadaway, 1978 (Lycaenidae) Synonym(s): *gertrudes* Schröder & Treadaway, 1978; *toshikoae* Hayashi, 1978
 36296) *Neocheritra manata manata* Semper, 1890 (Lycaenidae) Synonym(s): *manata* Semper, 1890
 36297) *Neopitola barombiensis* (Kirby, 1890) (Lycaenidae) Synonym(s): *barombiensis* Kirby, 1890
 36298) *Neolycaena* (Rhyminaria) *aeto* Zhdanko, [1996] (Lycaenidae) Synonym(s): *aeto* Zhdanko, [1996]
 36299) *Neolycaena* (Rhyminaria) *aeto aeto* Zhdanko, [1996] (Lycaenidae) Synonym(s): *aeto* Zhdanko, [1996]
 36300) *Neolycaena* (Rhyminaria) *carbonaria* (Groum-Grshimailo, 1890) (Lycaenidae) Synonym(s): *carbonaria* Groum-Grshimailo, 1890
 36301) *Neolycaena* (Rhyminaria) *carbonaria carbonaria* (Groum-Grshimailo, 1890) (Lycaenidae) Synonym(s): *carbonaria* Groum-Grshimailo, 1890
 36302) *Neolycaena* (Rhyminaria) *connae* Evans, 1932 (Lycaenidae) Synonym(s): *connae* Evans, 1932
 36303) *Neolycaena* (Rhyminaria) *connae connae* Evans, 1932 (Lycaenidae) Synonym(s): *connae* Evans, 1932
 36304) *Neolycaena* (Rhyminaria) *dauidi* (Oberthür, 1881) (Lycaenidae) Synonym(s): *dauidi* Oberthür, 1881
 36305) *Neolycaena* (Rhyminaria) *dauidi dauidi* (Oberthür, 1881) (Lycaenidae) Synonym(s): *dauidi* Oberthür, 1881
 36306) *Neolycaena* (Rhyminaria) *dauidi ssp.n.* (Lycaenidae) Synonym(s):
 36307) *Neolycaena* (Rhyminaria) *dauidi tangutica* (Groum-Grshimailo, 1890) (Lycaenidae) Synonym(s): *tangutica* Groum-Grshimailo, 1890
 36308) *Neolycaena* (Rhyminaria) *eckweileri* Lukhtanov, 1993 (Lycaenidae) Synonym(s): *eckweileri* Lukhtanov, 1993

- 36309) *Neolycaena* (Rhyminaria) eckweileri eckweileri Lukhtanov,1993 (Lycaenidae) Synonym(s): *eckweileri Lukhtanov,1993*
 36310) *Neolycaena* (Rhyminaria) eckweileri transiliensis Lukhtanov,1993 (Lycaenidae) Synonym(s): *transiliensis Lukhtanov,1993*
 36311) *Neolycaena* (Rhyminaria) falkovitshi Zhdanko & Korshunov,1985 (Lycaenidae) Synonym(s): *falkovitshi Zhdanko & Korshunov,1985*
 36312) *Neolycaena* (Rhyminaria) falkovitshi falkovitshi Zhdanko & Korshunov,1985 (Lycaenidae) Synonym(s): *falkovitshi Zhdanko & Korshunov,1985*
 36313) *Neolycaena* (Rhyminaria) iliensis (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *iliensis Groum-Grshimailo,1890*
 36314) *Neolycaena* (Rhyminaria) iliensis iliensis (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *iliensis Groum-Grshimailo,1890*
 36315) *Neolycaena* (Rhyminaria) irkuta Zhdanko,[1996] (Lycaenidae) Synonym(s): *irkuta Zhdanko,[1996]*
 36316) *Neolycaena* (Rhyminaria) irkuta irkuta Zhdanko,[1996] (Lycaenidae) Synonym(s): *irkuta Zhdanko,[1996]*
 36317) *Neolycaena* (Rhyminaria) kozlovi Zhdanko,[1996] (Lycaenidae) Synonym(s): *kozlovi Zhdanko,[1996]*
 36318) *Neolycaena* (Rhyminaria) kozlovi kozlovi Zhdanko,[1996] (Lycaenidae) Synonym(s): *kozlovi Zhdanko,[1996]*
 36319) *Neolycaena* (Rhyminaria) rhymnus (Eversmann,1832) (Lycaenidae) Synonym(s): *rhymnus Eversmann,1832*
 36320) *Neolycaena* (Rhyminaria) rhymnus betpakdalensis Zhdanko,1998 (Lycaenidae) Synonym(s): *betpakdalensis Zhdanko,1998*
 36321) *Neolycaena* (Rhyminaria) rhymnus rhymnus (Eversmann,1832) (Lycaenidae) Synonym(s): *rhymnus Eversmann,1832*
 36322) *Neolycaena* (Rhyminaria) rufina Lukhtanov,1994 (Lycaenidae) Synonym(s): *rufina Lukhtanov,1994*
 36323) *Neolycaena* (Rhyminaria) rufina rufina Lukhtanov,1994 (Lycaenidae) Synonym(s): *rufina Lukhtanov,1994*
 36324) *Neolycaena* (Rhyminaria) sajana Zhdanko,[1996] (Lycaenidae) Synonym(s): *sajana Zhdanko,[1996]*
 36325) *Neolycaena* (Rhyminaria) sajana sajana Zhdanko,[1996] (Lycaenidae) Synonym(s): *sajana Zhdanko,[1996]*
 36326) *Neolycaena* (Rhyminaria) submontana Zhdanko,[1996] (Lycaenidae) Synonym(s): *submontana Zhdanko,[1996]*
 36327) *Neolycaena* (Rhyminaria) submontana oschi Zhdanko,1998 (Lycaenidae) Synonym(s): *oschi Zhdanko,1998*
 36328) *Neolycaena* (Rhyminaria) submontana saurica Zhdanko,1998 (Lycaenidae) Synonym(s): *saurica Zhdanko,1998*
 36329) *Neolycaena* (Rhyminaria) submontana submontana Zhdanko,[1996] (Lycaenidae) Synonym(s): *submontana Zhdanko,[1996]*
 36330) *Neolycaena* (Rhyminaria) tengstroemi (Erschoff,1874) (Lycaenidae) Synonym(s): *tengstroemi Erschoff,1874*
 36331) *Neolycaena* (Rhyminaria) tengstroemi balchaschensis Zhdanko,1998 (Lycaenidae) Synonym(s): *balchaschensis Zhdanko,1998*
 36332) *Neolycaena* (Rhyminaria) tengstroemi kasakhstana Lukhtanov,1990 (Lycaenidae) Synonym(s): *kasakhstana Lukhtanov,1990*
 36333) *Neolycaena* (Rhyminaria) tengstroemi tengstroemi (Erschoff,1874) (Lycaenidae) Synonym(s): *tengstroemi Erschoff,1874*
 36334) *Neolycaena* (s.str.) lunara Zhdanko,1998 (Lycaenidae) Synonym(s): *lunara Zhdanko,1998*
 36335) *Neolycaena* (s.str.) lunara lunara Zhdanko,1998 (Lycaenidae) Synonym(s): *lunara Zhdanko,1998*
 36336) *Neolycaena* (s.str.) medea Zhdanko,1998 (Lycaenidae) Synonym(s): *medea Zhdanko,1998*
 36337) *Neolycaena* (s.str.) medea medea Zhdanko,1998 (Lycaenidae) Synonym(s): *medea Zhdanko,1998*
 36338) *Neolycaena* (s.str.) musa Zhdanko & Yakovlev,2001 (Lycaenidae) Synonym(s): *musa Zhdanko & Yakovlev,2001*
 36339) *Neolycaena* (s.str.) musa musa Zhdanko & Yakovlev,2001 (Lycaenidae) Synonym(s): *musa Zhdanko & Yakovlev,2001*
 36340) *Neolycaena* (s.str.) olga Lukhtanov,1999 (Lycaenidae) Synonym(s): *olga Lukhtanov,1999*
 36341) *Neolycaena* (s.str.) olga olga Lukhtanov,1999 (Lycaenidae) Synonym(s): *olga Lukhtanov,1999*
 36342) *Neolycaena* (s.str.) pretiosa (Lang,1884) (Lycaenidae) Synonym(s): *pretiosa Lang,1884; pretiosa Staudinger,1886*
 36343) *Neolycaena* (s.str.) pretiosa pretiosa (Lang,1884) (Lycaenidae) Synonym(s): *pretiosa Lang,1884; pretiosa Staudinger,1886*
 36344) *Neolycaena* (s.str.) sinensis (Alpheraky,1881) (Lycaenidae) Synonym(s): *sinensis Alpheraky,1881; yiliensis Huang & Murayama,1992.*
 36345) *Neolycaena* (s.str.) sinensis sinensis (Alpheraky,1881) (Lycaenidae) Synonym(s): *sinensis Alpheraky,1881; yiliensis Huang & Murayama,1992.*
 36346) *Neomyrina nivea* (Godman & Salvin,1878) (Lycaenidae) Synonym(s): *nivea Godman & Salvin,1878*
 36347) *Neomyrina nivea hiemalis* (Godman & Salvin,1878) (Lycaenidae) Synonym(s): *hiemalis Godman & Salvin,1878*
 36348) *Neomyrina nivea nivea* (Godman & Salvin,1878) (Lycaenidae) Synonym(s): *nivea Godman & Salvin,1878*
 36349) *Neomyrina nivea periculosa* Fruhstorfer,1913 (Lycaenidae) Synonym(s): *periculosa Fruhstorfer,1913*
 36350) *Neopithecops iolanthe* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *iolanthe Eliot & Kawazoe,1984*
 36351) *Neopithecops iolanthe boholicus* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *boholicus Eliot & Kawazoe,1984*
 36352) *Neopithecops iolanthe iolanthe* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *iolanthe Eliot & Kawazoe,1984*
 36353) *Neopithecops lucifer* (Röber,1886) (Lycaenidae) Synonym(s): *lucifer Röber,1886*
 36354) *Neopithecops lucifer heria* (Fruhstorfer,1919) (Lycaenidae) Synonym(s): *heria Fruhstorfer,1919*
 36355) *Neopithecops lucifer lucifer* (Röber,1886) (Lycaenidae) Synonym(s): *lucifer Röber,1886*
 36356) *Neopithecops lucifer parumbretta* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *parumbretta Eliot & Kawazoe,1984*
 36357) *Neopithecops sumbanus* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *sumbanus Eliot & Kawazoe,1984*
 36358) *Neopithecops sumbanus orientalis* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *orientalis Eliot & Kawazoe,1984*
 36359) *Neopithecops sumbanus sumbanus* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *sumbanus Eliot & Kawazoe,1984*
 36360) *Neopithecops umbretta* Grose-Smith,1895 (Lycaenidae) Synonym(s): *umbretta Grose-Smith,1895*
 36361) *Neopithecops umbretta dorothea* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *dorothea Eliot & Kawazoe,1984*
 36362) *Neopithecops umbretta obianus* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *obianus Eliot & Kawazoe,1984*
 36363) *Neopithecops umbretta tituria* (Fruhstorfer,1919) (Lycaenidae) Synonym(s): *tituria Fruhstorfer,1919*
 36364) *Neopithecops umbretta umbretta* Grose-Smith,1895 (Lycaenidae) Synonym(s): *umbretta Grose-Smith,1895*
 36365) *Neopithecops zalmora* (Butler,1870) (Lycaenidae) Synonym(s): *zalmora Butler,1870; nihana Moore,1878; horsfieldi Distant,1884; dolona Fruhstorfer,1919; fedora Fruhstorfer,1919; colutha Fruhstorfer,1919; batuanus Riley,1944.*
 36366) *Neopithecops zalmora andamanus* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *andamanus Eliot & Kawazoe,1984*
 36367) *Neopithecops zalmora dharma* (Moore,1881) (Lycaenidae) Synonym(s): *dharma Moore,1881; gaura Moore,1884; todara Fruhstorfer,1922.*
 36368) *Neopithecops zalmora indigeta* (Fruhstorfer,1919) (Lycaenidae) Synonym(s): *indigeta Fruhstorfer,1919*
 36369) *Neopithecops zalmora pertimidis* Toxopeus,1930 (Lycaenidae) Synonym(s): *pertimidis Toxopeus,1930*
 36370) *Neopithecops zalmora zalmora* (Butler,1870) (Lycaenidae) Synonym(s): *zalmora Butler,1870; nihana Moore,1878; horsfieldi Distant,1884; dolona Fruhstorfer,1919; fedora Fruhstorfer,1919; colutha Fruhstorfer,1919; batuanus Riley,1944.*
 36371) *Neozephyrus brilliantinus* (Staudinger,1887) (Lycaenidae) Synonym(s): *brillantinus Staudinger,1887*
 36372) *Neozephyrus brilliantinus brilliantinus* (Staudinger,1887) (Lycaenidae) Synonym(s): *brillantinus Staudinger,1887*
 36373) *Neozephyrus coruscans* (Leach,1893) (Lycaenidae) Synonym(s): *coruscans Leach,1893*
 36374) *Neozephyrus coruscans coruscans* (Leach,1893) (Lycaenidae) Synonym(s): *coruscans Leach,1893*
 36375) *Neozephyrus coruscans takasagoensis* (Nire,1920) (Lycaenidae) Synonym(s): *takasagoensis Nire,1920; tattakana Matsumura,1929*
 36376) *Neozephyrus helenae* Howarth,1957 (Lycaenidae) Synonym(s): *helenae Howarth,1957*
 36377) *Neozephyrus japonicus* (Murray,1875) (Lycaenidae) Synonym(s): *japonica Murray,1875*
 36378) *Neozephyrus japonicus japonicus* (Murray,1875) (Lycaenidae) Synonym(s): *japonica Murray,1875*
 36379) *Neozephyrus lethus* (Watson,1897) (Lycaenidae) Synonym(s): *letha Watson,1897*
 36380) *Neozephyrus taiwanus* (Wileman,1908) (Lycaenidae) Synonym(s): *taiwanus Wileman,1908; taiheizana Nomura,1931*
 36381) *Neozephyrus taxilus* (Bremer,1861) (Lycaenidae) Synonym(s): *taxila Bremer,1861; sidemina Kardakoff,1928; koreana N.D.Riley,1939; kawamotoi Murayama,1956*
 36382) *Neozephyrus taxilus monticola* Shirozu,1952 (Lycaenidae) Synonym(s): *monticola Shirozu,1952*
 36383) *Neozephyrus taxilus sachalinensis* (Matsumura,1928) (Lycaenidae) Synonym(s): *sachalinensis Matsumura,1928*
 36384) *Neozephyrus taxilus taxilus* (Bremer,1861) (Lycaenidae) Synonym(s): *taxila Bremer,1861; sidemina Kardakoff,1928; koreana N.D.Riley,1939; kawamotoi Murayama,1956*
 36385) *Neurellipes aequatorialis* (Stempffer,1962) (Lycaenidae) Synonym(s): *aequatorialis Stempffer,1962*
 36386) *Neurellipes chryseostictus* Bethune-Baker,1910 (Lycaenidae) Synonym(s): *chryseostictus Bethune-Baker,1910*
 36387) *Neurellipes fulvus* (Stempffer,1962) (Lycaenidae) Synonym(s): *fulvus Stempffer,1962*
 36388) *Neurellipes gemmifera* (Neave,1910) (Lycaenidae) Synonym(s): *gemmifera Neave,1910; pluricauda Ungemach,1932*
 36389) *Neurellipes likouala* (Stempffer,1962) (Lycaenidae) Synonym(s): *likouala Stempffer,1962*
 36390) *Neurellipes lusones* (Hewitson,1874) (Lycaenidae) Synonym(s): *lusones Hewitson,1874; fulvimacula Mabille,1890*
 36391) *Neurellipes meander* (Plötz,1880) (Lycaenidae) Synonym(s): *meander Plötz,1880*
 36392) *Neurellipes staudingeri* (Grose-Smith & Kirby,1894) (Lycaenidae) Synonym(s): *staudingeri Grose-Smith & Kirby,1894*
 36393) *Neurellipes staudingeri obsoleta* Stempffer,1947 (Lycaenidae) Synonym(s): *obsoleta Stempffer,1947*
 36394) *Neurellipes staudingeri staudingeri* (Grose-Smith & Kirby,1894) (Lycaenidae) Synonym(s): *staudingeri Grose-Smith & Kirby,1894*

- 36395) *Neurypexina kalinzu* Stempffer,1950 (Lycaenidae) Synonym(s): *kalinzu* Stempffer,1950
 36396) *Neurypexina lamprocles* (Hewitson,1878) (Lycaenidae) Synonym(s): *lamprocles* Hewitson,1878
 36397) *Neurypexina lyzanius* (Hewitson,1874) (Lycaenidae) Synonym(s): *lyzanius* Hewitson,1874; *regillus* Holland,1891; *turbatus* Grose-Smith & Kirby,1897
 36398) *Neurypexina quadricaudata* (Bethune-Baker,1926) (Lycaenidae) Synonym(s): *quadricaudata* Bethune-Baker,1926
 36399) *Niphanda asialis* (De Nicéville,1895) (Lycaenidae) Synonym(s): *asialis* De Nicéville,1895
 36400) *Niphanda asialis asialis* (De Nicéville,1895) (Lycaenidae) Synonym(s): *asialis* De Nicéville,1895
 36401) *Niphanda asialis marcia* Fawcett,1904 (Lycaenidae) Synonym(s): *marcia* Fawcett,1904
 36402) *Niphanda cymbia* (De Nicéville,1884) (Lycaenidae) Synonym(s): *cymbia* De Nicéville,1884
 36403) *Niphanda cymbia cymbia* (De Nicéville,1884) (Lycaenidae) Synonym(s): *cymbia* De Nicéville,1884
 36404) *Niphanda fusca* (Bremer & Grey,1852) (Lycaenidae) Synonym(s): *fusca* Bremer & Grey,1852
 36405) *Niphanda fusca fusca* (Bremer & Grey,1852) (Lycaenidae) Synonym(s): *fusca* Bremer & Grey,1852
 36406) *Niphanda stubbsi* Howarth,1956 (Lycaenidae) Synonym(s): *stubbsi* Howarth,1956
 36407) *Niphanda stubbsi stubbsi* Howarth,1956 (Lycaenidae) Synonym(s): *stubbsi* Howarth,1956
 36408) *Niphanda tessellata* Moore,[1875] (Lycaenidae) Synonym(s): *tessellata* Moore,[1875]; *aethiops* Distant,1886
 36409) *Niphanda tessellata aristarcha* Fruhstorfer,1919 (Lycaenidae) Synonym(s): *aristarcha* Fruhstorfer,1919
 36410) *Niphanda tessellata tessellata* Moore,[1875] (Lycaenidae) Synonym(s): *tessellata* Moore,[1875]; *aethiops* Distant,1886
 36411) *Notarthrinus binghami* Chapman,1908 (Lycaenidae) Synonym(s): *binghami* Chapman,1908
 36412) *Notarthrinus binghami binghami* Chapman,1908 (Lycaenidae) Synonym(s): *binghami* Chapman,1908
 36413) *Oboronia albicosta* (Gaede,1916) (Lycaenidae) Synonym(s): *albicosta* Gaede,1916
 36414) *Oboronia bueronica* Karsch,1895 (Lycaenidae) Synonym(s): *bueronica* Karsch,1895
 36415) *Oboronia guessfeldti* (Dewitz,1879) (Lycaenidae) Synonym(s): *guessfeldti* Dewitz,1879; *elorina* Staudinger,1888
 36416) *Oboronia liberiana* Stempffer,1950 (Lycaenidae) Synonym(s): *liberiana* Stempffer,1950
 36417) *Oboronia pseudopunctatus* (Strand,1912) (Lycaenidae) Synonym(s): *pseudopunctatus* Strand,1912; *arctimargo* Hulstaert,1924
 36418) *Oboronia punctatus* (Dewitz,1879) (Lycaenidae) Synonym(s): *punctatus* Dewitz,1879; *#jacksoni* Stempffer,1942; *staudingeri* Hemming,1960
 36419) *Ocaria ocrisia* (Lycaenidae) Synonym(s):
 36420) *Oenomaus ortygus* (Lycaenidae) Synonym(s):
 36421) *Orachrysops ariadne* (Butler,1898) (Lycaenidae) Synonym(s): *ariadne* Butler,1898
 36422) *Orachrysops lacrimosa* (Bethune-Baker,1923) (Lycaenidae) Synonym(s): *lacrimosa* Bethune-Baker,1923
 36423) *Orachrysops major* Vari & Kroon,1986 (Lycaenidae) Synonym(s): *major* Vari & Kroon,1986
 36424) *Orachrysops niobe* (Trimen,1862) (Lycaenidae) Synonym(s): *niobe* Trimen,1862
 36425) *Oraedium barberae* (Trimen,1868) (Lycaenidae) Synonym(s): *barberae* Trimen,1868
 36426) *Oreolyce (Arletta) vardhana* (Moore,1874) (Lycaenidae) Synonym(s): *vardhana* Moore,1874
 36427) *Oreolyce (Arletta) vardhana nepalica* (Forster,1980) (Lycaenidae) Synonym(s): *nepalica* Forster,1980
 36428) *Oreolyce (Arletta) vardhana vardhana* (Moore,1874) (Lycaenidae) Synonym(s): *vardhana* Moore,1874
 36429) *Oreolyce (s.str.) archena* (Corbet,1940) (Lycaenidae) Synonym(s): *archena* Corbet,1940
 36430) *Oreolyce (s.str.) archena archena* (Corbet,1940) (Lycaenidae) Synonym(s): *archena* Corbet,1940
 36431) *Oreolyce (s.str.) archena bouldoides* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *bouldoides* Eliot & Kawazoe,1984
 36432) *Oreolyce (s.str.) bouldi* (Chapman,1912) (Lycaenidae) Synonym(s): *bouldi* Chapman,1912
 36433) *Oreolyce (s.str.) bouldi bouldi* (Chapman,1912) (Lycaenidae) Synonym(s): *bouldi* Chapman,1912
 36434) *Oreolyce (s.str.) dohertyi* (Tytler,1915) (Lycaenidae) Synonym(s): *dohertyi* Tytler,1915
 36435) *Oreolyce (s.str.) dohertyi dohertyi* (Tytler,1915) (Lycaenidae) Synonym(s): *dohertyi* Tytler,1915
 36436) *Oreolyce (s.str.) nearcha* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *nearcha* Fruhstorfer,1917
 36437) *Oreolyce (s.str.) nearcha nearcha* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *nearcha* Fruhstorfer,1917
 36438) *Oreolyce (s.str.) quadriplaga* (Snellen,1892) (Lycaenidae) Synonym(s): *quadriplaga* Snellen,1892
 36439) *Oreolyce (s.str.) quadriplaga quadriplaga* (Snellen,1892) (Lycaenidae) Synonym(s): *quadriplaga* Snellen,1892
 36440) *Ornipholidotos aurivilliusi* Stempffer,1967 (Lycaenidae) Synonym(s): *aurivilliusi* Stempffer,1967
 36441) *Ornipholidotos bakotae* Stempffer,1962 (Lycaenidae) Synonym(s): *bakotae* Stempffer,1962
 36442) *Ornipholidotos bitjeensis* Stempffer,1957 (Lycaenidae) Synonym(s): *bitjeensis* Stempffer,1957
 36443) *Ornipholidotos camerunensis* Stempffer,1964 (Lycaenidae) Synonym(s): *camerunensis* Stempffer,1964
 36444) *Ornipholidotos congoensis* Stempffer,1964 (Lycaenidae) Synonym(s): *congoensis* Stempffer,1964
 36445) *Ornipholidotos emarginata* (Hawker-Smith,1933) (Lycaenidae) Synonym(s): *emarginata* Hawker-Smith,1933
 36446) *Ornipholidotos etoumbi* Stempffer,1967 (Lycaenidae) Synonym(s): *etoumbi* Stempffer,1967
 36447) *Ornipholidotos gabonensis* Stempffer,1947 (Lycaenidae) Synonym(s): *gabonensis* Stempffer,1947
 36448) *Ornipholidotos issia* Stempffer,1969 (Lycaenidae) Synonym(s): *issia* Stempffer,1969
 36449) *Ornipholidotos jacksoni* Stempffer,1961 (Lycaenidae) Synonym(s): *jacksoni* Stempffer,1961
 36450) *Ornipholidotos katangae* Stempffer,1947 (Lycaenidae) Synonym(s): *katangae* Stempffer,1947
 36451) *Ornipholidotos kelle* Stempffer,1967 (Lycaenidae) Synonym(s): *kelle* Stempffer,1967
 36452) *Ornipholidotos kirbyi* (Aurivillius,1895) (Lycaenidae) Synonym(s): *kirbyi* Aurivillius,1895; *#fumosa* Schultze,1923
 36453) *Ornipholidotos larseni* Stempffer,1969 (Lycaenidae) Synonym(s): *larseni* Stempffer,1969
 36454) *Ornipholidotos latimargo* (Hawker-Smith,1933) (Lycaenidae) Synonym(s): *latimargo* Hawker-Smith,1933
 36455) *Ornipholidotos likouala* Stempffer,1969 (Lycaenidae) Synonym(s): *likouala* Stempffer,1969
 36456) *Ornipholidotos muhata* (Dewitz,1887) (Lycaenidae) Synonym(s): *muhata* Dewitz,1887
 36457) *Ornipholidotos nguru* Kielland,1987 (Lycaenidae) Synonym(s): *nguru* Kielland,1987
 36458) *Ornipholidotos nigeriae* Stempffer,1964 (Lycaenidae) Synonym(s): *nigeriae* Stempffer,1964
 36459) *Ornipholidotos ntebi* (Bethune-Baker,1906) (Lycaenidae) Synonym(s): *ntebi* Bethune-Baker,1906
 36460) *Ornipholidotos onitshae* Stempffer,1962 (Lycaenidae) Synonym(s): *onitshae* Stempffer,1962
 36461) *Ornipholidotos overlaeti* Stempffer,1947 (Lycaenidae) Synonym(s): *overlaeti* Stempffer,1947
 36462) *Ornipholidotos paradoxa* (Druce,1910) (Lycaenidae) Synonym(s): *paradoxa* Druce,1910
 36463) *Ornipholidotos perfragilis* (Holland,1890) (Lycaenidae) Synonym(s): *perfragilis* Holland,1890; *sylphida* Staudinger,1892
 36464) *Ornipholidotos peucetia* (Hewitson,1866) (Lycaenidae) Synonym(s): *peucetia* Hewitson,1866
 36465) *Ornipholidotos peucetia penningtoni* (Riley,1944) (Lycaenidae) Synonym(s):
 36466) *Ornipholidotos peucetia peucedata* (Grose-Smith,1889) (Lycaenidae) Synonym(s): *peucedata* Grose-Smith,1889; *chyuluensis* Van Someren,1939; *orientalis* Storace,1947
 36467) *Ornipholidotos peucetia peucetia* (Hewitson,1866) (Lycaenidae) Synonym(s): *peucetia* Hewitson,1866
 36468) *Ornipholidotos sylpha* (Kirby,1890) (Lycaenidae) Synonym(s): *sylpha* Kirby,1890
 36469) *Ornipholidotos tanganyikae* Kielland,1983 (Lycaenidae) Synonym(s): *tanganyikae* Kielland,1983
 36470) *Ornipholidotos teroensis* Stempffer,1957 (Lycaenidae) Synonym(s): *teroensis* Stempffer,1957
 36471) *Ornipholidotos tiassale* Stempffer,1969 (Lycaenidae) Synonym(s): *tiassale* Stempffer,1969
 36472) *Ornipholidotos tirza* (Hewitson,1873) (Lycaenidae) Synonym(s): *tirza* Hewitson,1873
 36473) *Ornipholidotos ugandae* Stempffer,1947 (Lycaenidae) Synonym(s): *ugandae* Stempffer,1947
 36474) *Orthomiella lucida* Forster,1942 (Lycaenidae) Synonym(s): *lucida* Forster,1942
 36475) *Orthomiella pontis* (Elwes,1887) (Lycaenidae) Synonym(s): *pontis* Elwes,1887
 36476) *Orthomiella pontis fukienensis* Forster,1942 (Lycaenidae) Synonym(s): *fukienensis* Forster,1942
 36477) *Orthomiella pontis rovoreae* (Fruhstorfer,1918) (Lycaenidae) Synonym(s): *rovoreae* Fruhstorfer,1918
 36478) *Orthomiella rantaizana* (Wileman,1910) (Lycaenidae) Synonym(s): *rantaizana* Wileman,1910
 36479) *Orthomiella ronkayana* Balint,1997 (Lycaenidae) Synonym(s): *ronkayana* Balint,1997
 36480) *Orthomiella sinensis* (Elwes,1887) (Lycaenidae) Synonym(s): *sinensis* Elwes,1887
 36481) *Otnjukovia tatjana* (Zhdanko,1984) (Lycaenidae) Synonym(s): *tatjana* Zhdanko,1984
 36482) *Otnjukovia tatjana tatjana* (Zhdanko,1984) (Lycaenidae) Synonym(s): *tatjana* Zhdanko,1984
 36483) *Oxylides bella* Aurivillius,1898 (Lycaenidae) Synonym(s):

- 36484) *Oxylides faunus* (Drury,[1773]) (Lycaenidae) Synonym(s):
 36485) *Oxylides faunus albata* (Aurivillius,1895a) (Lycaenidae) Synonym(s):
 36486) *Oxylides faunus binza* Berger,1981 (Lycaenidae) Synonym(s):
 36487) *Oxylides faunus faunus* (Drury,[1773]) (Lycaenidae) Synonym(s):
 36488) *Oxylides faunus stempfferi* Berger,1981 (Lycaenidae) Synonym(s):
 36489) *Oxylides gloveri* Hawker-Smith,1929 (Lycaenidae) Synonym(s):
 36490) *Palaeophilotes (Inderskia) marina* Zhdanko,2004 (Lycaenidae) Synonym(s): *marina* Zhdanko,2004
 36491) *Palaeophilotes (Inderskia) marina marina* Zhdanko,2004 (Lycaenidae) Synonym(s): *marina* Zhdanko,2004
 36492) *Palaeophilotes (Inderskia) panope* (Eversmann,1851) (Lycaenidae) Synonym(s): *panope* Eversmann,1851
 36493) *Palaeophilotes (Inderskia) panope panope* (Eversmann,1851) (Lycaenidae) Synonym(s): *panope* Eversmann,1851
 36494) *Palaeophilotes (Inderskia) svetlana svetlana* Yakovlev,2003 (Lycaenidae) Synonym(s): *svetlana* Yakovlev,2003
 36495) *Palaeophilotes (s.str.) triphysina* (Staudinger,[1892]) (Lycaenidae) Synonym(s): *triphysina* Staudinger,[1892]; *yüliana* Chuan-Lung,1963.
 36496) *Palaeophilotes (s.str.) triphysina lama* Yakovlev,2005 (Lycaenidae) Synonym(s): *lama* Yakovlev,2005
 36497) *Palaeophilotes (s.str.) triphysina triphysina* (Staudinger,[1892]) (Lycaenidae) Synonym(s): *triphysina* Staudinger,[1892]; *yüliana* Chuan-Lung,1963.
 36498) *Pamela dudgeonii* (De Nicéville,1894) (Lycaenidae) Synonym(s): *dudgeonii* De Nicéville,1894
 36499) *Pamela dudgeonii dudgeonii* (De Nicéville,1894) (Lycaenidae) Synonym(s): *dudgeonii* De Nicéville,1894
 36500) *Paraslauga kallimoides* (Schultze,1912) (Lycaenidae) Synonym(s): *kallimoides* Schultze,1912; *cephren* Druce,1913
 36501) *Parelodina aroa* Bethune-Baker,1904 (Lycaenidae) Synonym(s): *aroa* Bethune-Baker,1904
 36502) *Parelodina aroa aroa* Bethune-Baker,1904 (Lycaenidae) Synonym(s): *aroa* Bethune-Baker,1904
 36503) *Parrhasius m-album* (Boisduval & Leconte,[1833]) (Lycaenidae) Synonym(s): *m-album* Boisduval & Leconte,[1833]
 36504) *Paruparo annie* Takanami,1982 (Lycaenidae) Synonym(s): *annie* Takanami,1982
 36505) *Paruparo cebuensis* Jumalon,1975 (Lycaenidae) Synonym(s): *cebuensis* Jumalon,1975
 36506) *Paruparo cebuensis amethystina* Schröder & Treadaway,1988 (Lycaenidae) Synonym(s): *amethystina* Schröder & Treadaway,1988
 36507) *Paruparo cebuensis cebuensis* Jumalon,1975 (Lycaenidae) Synonym(s): *cebuensis* Jumalon,1975
 36508) *Paruparo cebuensis chotaroi* Hayashi,1977 (Lycaenidae) Synonym(s): *chotaroi* Hayashi,1977
 36509) *Paruparo cebuensis mediciei* M.Okano & T.Okano,1991 (Lycaenidae) Synonym(s): *mediciei* M.Okano & T.Okano,1991
 36510) *Paruparo cebuensis soloni* M.Okano & T.Okano,1990 (Lycaenidae) Synonym(s): *soloni* M.Okano & T.Okano,1990
 36511) *Paruparo cebuensis treadawayi* Jumalon,1975 (Lycaenidae) Synonym(s): *treadawayi* Jumalon,1975
 36512) *Paruparo lumawigi* Schröder,1976 (Lycaenidae) Synonym(s): *lumawigi* Schröder,1976
 36513) *Paruparo lumawigi jumaloni* Treadaway & Nuyda,1993 (Lycaenidae) Synonym(s): *jumaloni* Treadaway & Nuyda,1993
 36514) *Paruparo lumawigi lumawigi* Schröder,1976 (Lycaenidae) Synonym(s): *lumawigi* Schröder,1976
 36515) *Paruparo lumawigi mindorana* Schröder & Treadaway,1993 (Lycaenidae) Synonym(s): *mindorana* Schröder & Treadaway,1993
 36516) *Paruparo lumawigi panayensis* Hayashi, Schröder & Treadaway,1984 (Lycaenidae) Synonym(s): *panayensis* Hayashi, Schröder & Treadaway,1984
 36517) *Paruparo mamertina* Hewitson,1869 (Lycaenidae) Synonym(s): *mamertina* Hewitson,1869
 36518) *Paruparo mamertina jeanhooperae* Schröder & Treadaway,1984 (Lycaenidae) Synonym(s): *jeanhooperae* Schröder & Treadaway,1988
 36519) *Paruparo mamertina mamertina* Hewitson,1869 (Lycaenidae) Synonym(s): *mamertina* Hewitson,1869
 36520) *Paruparo mamertina rahmani* Jumalon,1975 (Lycaenidae) Synonym(s): *rahmani* Jumalon,1975
 36521) *Paruparo mio* Hayashi, Schröder & Treadaway,1984 (Lycaenidae) Synonym(s): *mio* Hayashi, Schröder & Treadaway,1984
 36522) *Paruparo rosemarie* Seki,1993 (Lycaenidae) Synonym(s): *rosemarie* Seki,1993
 36523) *Paruparo violacea* Schröder & Treadaway,1978 (Lycaenidae) Synonym(s): *violacea* Schröder & Treadaway,1978
 36524) *Pentila (Liptenara) batesi* Bethune-Baker,1915 (Lycaenidae) Synonym(s): *batesi* Bethune-Baker,1915
 36525) *Pentila (Liptenara) hiendlmayri* (Dewitz,1887) (Lycaenidae) Synonym(s): *hiendlmayri* Dewitz,1887
 36526) *Pentila (Liptenara) schoutedeni* (Hawker-Smith,1926) (Lycaenidae) Synonym(s): *schoutedeni* Hawker-Smith,1926
 36527) *Pentila (s.str.) abraxas* (Westwood,[1851]) (Lycaenidae) Synonym(s): *abraxas* Westwood,[1851]; *tripunctata* Aurivillius,1895
 36528) *Pentila (s.str.) abraxas abraxas* (Westwood,[1851]) (Lycaenidae) Synonym(s): *abraxas* Westwood,[1851]; *tripunctata* Aurivillius,1895
 36529) *Pentila (s.str.) abraxas maculata* (Kirby,1887) (Lycaenidae) Synonym(s): *maculata* Kirby,1887
 36530) *Pentila (s.str.) abraxas pardalena* Druce,1910 (Lycaenidae) Synonym(s): *pardalena* Druce,1910; *affixa* Schultze,1923
 36531) *Pentila (s.str.) abraxas subochracea* Hawker-Smith,1933 (Lycaenidae) Synonym(s): *subochracea* Hawker-Smith,1933
 36532) *Pentila (s.str.) alba* Dewitz,1886 (Lycaenidae) Synonym(s): *alba* Dewitz,1886
 36533) *Pentila (s.str.) amenaidea* Hewitson,1873 (Lycaenidae) Synonym(s): *amenaidea* Hewitson,1873
 36534) *Pentila (s.str.) amenaidoides* (Holland,1893) (Lycaenidae) Synonym(s): *amenaidoides* Holland,1893
 36535) *Pentila (s.str.) auga* Karsch,1895 (Lycaenidae) Synonym(s): *auga* Karsch,1895
 36536) *Pentila (s.str.) bitje* Druce,1910 (Lycaenidae) Synonym(s): *bitje* Druce,1910
 36537) *Pentila (s.str.) camerunica* Stempffer & Bennett,1961 (Lycaenidae) Synonym(s): *camerunica* Stempffer & Bennett,1961
 36538) *Pentila (s.str.) carcassoni* Stempffer & Bennett,1961 (Lycaenidae) Synonym(s): *carcassoni* Stempffer & Bennett,1961
 36539) *Pentila (s.str.) christina* Suffert,1904 (Lycaenidae) Synonym(s): *christina* Suffert,1904
 36540) *Pentila (s.str.) cloetensi* Aurivillius,1898 (Lycaenidae) Synonym(s): *cloetensi* Aurivillius,1898
 36541) *Pentila (s.str.) cloetensi albida* Hawker-Smith,1933 (Lycaenidae) Synonym(s): *albida* Hawker-Smith,1933
 36542) *Pentila (s.str.) cloetensi aspasia* Grünberg,1910 (Lycaenidae) Synonym(s): *aspasia* Grünberg,1910
 36543) *Pentila (s.str.) cloetensi catauga* Rebel,1914 (Lycaenidae) Synonym(s): *catauga* Rebel,1914
 36544) *Pentila (s.str.) cloetensi cloetensi* Aurivillius,1898 (Lycaenidae) Synonym(s): *cloetensi* Aurivillius,1898; *elfrieda* Suffert,1904
 36545) *Pentila (s.str.) cloetensi latefasciata* Stempffer & Bennett,1961 (Lycaenidae) Synonym(s): *latefasciata* Stempffer & Bennett,1961
 36546) *Pentila (s.str.) cloetensi lucayensis* Schultze,1923 (Lycaenidae) Synonym(s): *lucayensis* Schultze,1923
 36547) *Pentila (s.str.) condamini* Stempffer,1963 (Lycaenidae) Synonym(s): *condamini* Stempffer,1963
 36548) *Pentila (s.str.) fallax* Bethune-Baker,1915 (Lycaenidae) Synonym(s): *fallax* Bethune-Baker,1915
 36549) *Pentila (s.str.) fidonioides* Schultze,1923 (Lycaenidae) Synonym(s): *fidonioides* Schultze,1923
 36550) *Pentila (s.str.) glagoessa* (Holland,1893) (Lycaenidae) Synonym(s): *glagoessa* Holland,1893
 36551) *Pentila (s.str.) hewitsoni* (Grose-Smith & Kirby,1887) (Lycaenidae) Synonym(s): *hewitsoni* Grose-Smith & Kirby,1887; *laura* Kirby,1890; *limbata* Holland,1893
 36552) *Pentila (s.str.) inconspicua* Druce,1910 (Lycaenidae) Synonym(s): *inconspicua* Druce,1910
 36553) *Pentila (s.str.) landbecki* Stempffer & Bennett,1961 (Lycaenidae) Synonym(s): *landbecki* Stempffer & Bennett,1961
 36554) *Pentila (s.str.) mesia* Hulstaert,1924 (Lycaenidae) Synonym(s): *mesia* Hulstaert,1924
 36555) *Pentila (s.str.) nero* (Grose-Smith & Kirby,1894) (Lycaenidae) Synonym(s): *nero* Grose-Smith & Kirby,1894; *bertha* Grose-Smith & Kirby,1894
 36556) *Pentila (s.str.) nigeriana* Stempffer & Bennett,1961 (Lycaenidae) Synonym(s): *nigeriana* Stempffer & Bennett,1961
 36557) *Pentila (s.str.) occidentalis* Aurivillius,1898 (Lycaenidae) Synonym(s): *occidentalis* Aurivillius,1898
 36558) *Pentila (s.str.) occidentalis gabunica* Stempffer & Bennett,1961 (Lycaenidae) Synonym(s): *gabunica* Stempffer & Bennett,1961
 36559) *Pentila (s.str.) occidentalis occidentalis* Aurivillius,1898 (Lycaenidae) Synonym(s): *occidentalis* Aurivillius,1898; *immaculata* Suffert,1904; *#congoana* Strand,1918
 36560) *Pentila (s.str.) pauli* Staudinger,1888 (Lycaenidae) Synonym(s): *pauli* Staudinger,1888
 36561) *Pentila (s.str.) pauli alberta* Hulstaert,1924 (Lycaenidae) Synonym(s): *alberta* Hulstaert,1924
 36562) *Pentila (s.str.) pauli benguellana* Stempffer & Bennett,1961 (Lycaenidae) Synonym(s): *benguellana* Stempffer & Bennett,1961
 36563) *Pentila (s.str.) pauli clarensis* Neave,1903 (Lycaenidae) Synonym(s): *clarensis* Neave,1903
 36564) *Pentila (s.str.) pauli elisabetha* Hulstaert,1924 (Lycaenidae) Synonym(s): *elisabetha* Hulstaert,1924; *#nigribasis* Hulstaert,1924
 36565) *Pentila (s.str.) pauli leopardina* Schultze,1923 (Lycaenidae) Synonym(s): *leopardina* Schultze,1923
 36566) *Pentila (s.str.) pauli multiplagata* Bethune-Baker,1908 (Lycaenidae) Synonym(s): *multiplagata* Bethune-Baker,1908
 36567) *Pentila (s.str.) pauli nyassana* Aurivillius,1898 (Lycaenidae) Synonym(s): *nyassana* Aurivillius,1898; *dama* Suffert,1904
 36568) *Pentila (s.str.) pauli obsoleta* Hawker-Smith,1933 (Lycaenidae) Synonym(s): *obsoleta* Hawker-Smith,1933; *cataractae* Stevenson,1940
 36569) *Pentila (s.str.) pauli pauli* Staudinger,1888 (Lycaenidae) Synonym(s): *pauli* Staudinger,1888; *radiata* Lathy,1903; *multipunctata* Lathy,1903
 36570) *Pentila (s.str.) pauli ras* Talbot,1935 (Lycaenidae) Synonym(s): *ras* Talbot,1935
 36571) *Pentila (s.str.) petreia* Hewitson,1874 (Lycaenidae) Synonym(s): *petreia* Hewitson,1874; *tripunctata* Druce,1888

- 36572) *Pentila* (s.str.) *petreoides* Bethune-Baker, 1915 (Lycaenidae) Synonym(s): *petreoides* Bethune-Baker, 1915
 36573) *Pentila* (s.str.) *phidia* Hewitson, 1874 (Lycaenidae) Synonym(s): *phidia* Hewitson, 1874; *nunu* Karsch, 1893
 36574) *Pentila* (s.str.) *picena* Hewitson, 1874 (Lycaenidae) Synonym(s): *picena* Hewitson, 1874
 36575) *Pentila* (s.str.) *picena* catori Bethune-Baker, 1906 (Lycaenidae) Synonym(s): *catori* Bethune-Baker, 1906
 36576) *Pentila* (s.str.) *picena* cydaria (Grose-Smith, 1898) (Lycaenidae) Synonym(s): *cydaria* Grose-Smith, 1898
 36577) *Pentila* (s.str.) *picena* *picena* Hewitson, 1874 (Lycaenidae) Synonym(s): *picena* Hewitson, 1874
 36578) *Pentila* (s.str.) *preussi* Staudinger, 1888 (Lycaenidae) Synonym(s): *preussi* Staudinger, 1888; *paucipunctata* Kirby, 1890; *lunaris* Weymer, 1892
 36579) *Pentila* (s.str.) *preussi* *faye* Stempffer, 1963 (Lycaenidae) Synonym(s): *faye* Stempffer, 1963
 36580) *Pentila* (s.str.) *preussi* *preussi* Staudinger, 1888 (Lycaenidae) Synonym(s): *preussi* Staudinger, 1888; *paucipunctata* Kirby, 1890; *lunaris* Weymer, 1892
 36581) *Pentila* (s.str.) *pseudorotha* Stempffer & Bennett, 1961 (Lycaenidae) Synonym(s): *pseudorotha* Stempffer & Bennett, 1961
 36582) *Pentila* (s.str.) *rogersi* (Druce, 1907) (Lycaenidae) Synonym(s): *rogersi* Druce, 1907
 36583) *Pentila* (s.str.) *rogersi* *parapetreia* Rebel, 1908 (Lycaenidae) Synonym(s): *parapetreia* Rebel, 1908; *derema* Strand, 1911
 36584) *Pentila* (s.str.) *rogersi* *rogersi* (Druce, 1907) (Lycaenidae) Synonym(s): *rogersi* Druce, 1907
 36585) *Pentila* (s.str.) *rondo* Kielland, 1990 (Lycaenidae) Synonym(s): *rondo* Kielland, 1990
 36586) *Pentila* (s.str.) *rotha* Hewitson, 1873 (Lycaenidae) Synonym(s): *rotha* Hewitson, 1873
 36587) *Pentila* (s.str.) *rotha* *marianna* Suffert, 1904 (Lycaenidae) Synonym(s): *marianna* Suffert, 1904
 36588) *Pentila* (s.str.) *rotha* *rotha* Hewitson, 1873 (Lycaenidae) Synonym(s): *rotha* Hewitson, 1873
 36589) *Pentila* (s.str.) *subfascata* Hawker-Smith, 1933 (Lycaenidae) Synonym(s): *subfascata* Hawker-Smith, 1933
 36590) *Pentila* (s.str.) *swynnertoni* Stempffer & Bennett, 1961 (Lycaenidae) Synonym(s): *swynnertoni* Stempffer & Bennett, 1961
 36591) *Pentila* (s.str.) *tachyroides* Dewitz, 1879 (Lycaenidae) Synonym(s): *tachyroides* Dewitz, 1879; *mylothrina* Butler, 1888; *roidesta* Suffert, 1904
 36592) *Pentila* (s.str.) *tachyroides* *isiro* Berger, 1981 (Lycaenidae) Synonym(s): *isiro* Berger, 1981
 36593) *Pentila* (s.str.) *tachyroides* *tachyroides* Dewitz, 1879 (Lycaenidae) Synonym(s): *tachyroides* Dewitz, 1879; *mylothrina* Butler, 1888; *roidesta* Suffert, 1904
 36594) *Pentila* (s.str.) *torrida* (Kirby, 1887) (Lycaenidae) Synonym(s): *torrida* Kirby, 1887; *lavinia* Kirby, 1890
 36595) *Pentila* (s.str.) *tropicalis* (Boisduval, 1847) (Lycaenidae) Synonym(s): *tropicalis* Boisduval, 1847
 36596) *Pentila* (s.str.) *tropicalis* *chyulu* Van Someren, 1939 (Lycaenidae) Synonym(s): *chyulu* Van Someren, 1939
 36597) *Pentila* (s.str.) *tropicalis* *fuscipunctata* Henning & Henning, 1994 (Lycaenidae) Synonym(s): *fuscipunctata* Henning & Henning, 1994
 36598) *Pentila* (s.str.) *tropicalis* *mombasae* (Grose-Smith & Kirby, 1889) (Lycaenidae) Synonym(s): *mombasae* Grose-Smith & Kirby, 1889; *lasti* Grose-Smith & Kirby, 1889
 36599) *Pentila* (s.str.) *tropicalis* *tropicalis* (Boisduval, 1847) (Lycaenidae) Synonym(s): *tropicalis* Boisduval, 1847
 36600) *Pentila* (s.str.) *umangiana* Aurivillius, 1898 (Lycaenidae) Synonym(s): *umangiana* Aurivillius, 1898
 36601) *Pentila* (s.str.) *umangiana* *connectens* Hulstaert, 1924 (Lycaenidae) Synonym(s): *connectens* Hulstaert, 1924
 36602) *Pentila* (s.str.) *umangiana* *fontainei* Stempffer & Bennett, 1961 (Lycaenidae) Synonym(s): *fontainei* Stempffer & Bennett, 1961
 36603) *Pentila* (s.str.) *umangiana* *meridionalis* Berger, 1981 (Lycaenidae) Synonym(s): *meridionalis* Berger, 1981
 36604) *Pentila* (s.str.) *umangiana* *prodita* Schultze, 1923 (Lycaenidae) Synonym(s): *prodita* Schultze, 1923
 36605) *Pentila* (s.str.) *umangiana* *umangiana* Aurivillius, 1898 (Lycaenidae) Synonym(s): *umangiana* Aurivillius, 1898
 36606) *Pentila* (s.str.) *umbra* Holland, 1892 (Lycaenidae) Synonym(s): *umbra* Holland, 1892
 36607) *Petrelaea* *dana* (De Nicéville, [1884]) (Lycaenidae) Synonym(s): *dana* De Nicéville, [1884]
 36608) *Petrelaea* *dana* *dana* (De Nicéville, [1884]) (Lycaenidae) Synonym(s): *dana* De Nicéville, [1884]
 36609) *Phaeostrymon* *alcestis* (Lycaenidae) Synonym(s):
 36610) *Phasis* *braueri* Dickson, 1968 (Lycaenidae) Synonym(s): *braueri* Dickson, 1968
 36611) *Phasis* *clavum* *Swanepoel*, 1953 (Lycaenidae) Synonym(s): *#clavum* Murray, 1935; *clavum* Swanepoel, 1953
 36612) *Phasis* *clavum* *clavum* *Swanepoel*, 1953 (Lycaenidae) Synonym(s): *#clavum* Murray, 1935; *clavum* Swanepoel, 1953
 36613) *Phasis* *clavum* *erythema* Quickelberge, 1980 (Lycaenidae) Synonym(s): *erythema* Quickelberge, 1980
 36614) *Phasis* *pringlei* Dickson, 1977 (Lycaenidae) Synonym(s): *pringlei* Dickson, 1977
 36615) *Phasis* *thero* (Linnaeus, 1764) (Lycaenidae) Synonym(s): *thero* Linnaeus, 1764; *rumina* Drury, [1773] *nec* Linn., 1758; *salmeoneus* Stoll, [1781]; *erosine* Fabricius, 1787; *pulsius* Herbst, 1793
 36616) *Phasis* *thero* *cedarbergae* Dickson & Wykeham, 1974 (Lycaenidae) Synonym(s): *cedarbergae* Dickson & Wykeham, 1974
 36617) *Phasis* *thero* *thero* (Linnaeus, 1764) (Lycaenidae) Synonym(s): *thero* Linnaeus, 1764; *rumina* Drury, [1773] *nec* Linn., 1758; *salmeoneus* Stoll, [1781]; *erosine* Fabricius, 1787; *pulsius* Herbst, 1793
 36618) *Philotes* *sonorensis* (Lycaenidae) Synonym(s):
 36619) *Philotiella* *speciosa* (Lycaenidae) Synonym(s):
 36620) *Philotiella* *speciosa* *leona* (Lycaenidae) Synonym(s):
 36621) *Phlyaria* *cyara* (Hewitson, 1876) (Lycaenidae) Synonym(s):
 36622) *Phlyaria* *cyara* *cyara* (Hewitson, 1876) (Lycaenidae) Synonym(s):
 36623) *Phlyaria* *cyara* *stactalla* Karsch, 1895 (Lycaenidae) Synonym(s): *stactalla* Karsch, 1895
 36624) *Phlyaria* *cyara* *tenuimarginata* (Grünberg, 1908) (Lycaenidae) Synonym(s): *tenuimarginata* Grünberg, 1908
 36625) *Phlyaria* *heritsia* (Hewitson, 1876) (Lycaenidae) Synonym(s):
 36626) *Phlyaria* *heritsia* *chibonotana* (Aurivillius, 1910b) (Lycaenidae) Synonym(s):
 36627) *Phlyaria* *heritsia* *heritsia* (Hewitson, 1876) (Lycaenidae) Synonym(s):
 36628) *Phlyaria* *heritsia* *intermedia* Tite, 1958 (Lycaenidae) Synonym(s): *intermedia* Tite, 1958
 36629) *Phlyaria* *heritsia* *virgo* (Butler, 1896) (Lycaenidae) Synonym(s):
 36630) *Phytala* *aequatorialis* Jackson, 1964 (Lycaenidae) Synonym(s): *aequatorialis* Jackson, 1964
 36631) *Phytala* *benitensis* (Holland, 1890) (Lycaenidae) Synonym(s): *benitensis* Holland, 1890
 36632) *Phytala* *elais* (Westwood, [1851]) (Lycaenidae) Synonym(s): *elais* Westwood, [1851]
 36633) *Phytala* *elais* *catori* Bethune-Baker, 1903 (Lycaenidae) Synonym(s): *catori* Bethune-Baker, 1903
 36634) *Phytala* *elais* *elais* (Westwood, [1851]) (Lycaenidae) Synonym(s): *elais* Westwood, [1851]
 36635) *Phytala* *elais* *ugandae* Jackson, 1964 (Lycaenidae) Synonym(s): *ugandae* Jackson, 1964
 36636) *Phytala* *henleyi* (Kirby, 1890) (Lycaenidae) Synonym(s): *henleyi* Kirby, 1890
 36637) *Phytala* *hyetta* Hewitson, 1873 (Lycaenidae) Synonym(s): *hyetta* Hewitson, 1873
 36638) *Phytala* *hyettina* Aurivillius, 1898 (Lycaenidae) Synonym(s): *hyettina* Aurivillius, 1898
 36639) *Phytala* *hyettoides* (Aurivillius, 1895) (Lycaenidae) Synonym(s): *hyettoides* Aurivillius, 1895
 36640) *Phytala* *intermixta* Aurivillius, 1898 (Lycaenidae) Synonym(s): *intermixta* Aurivillius, 1898
 36641) *Phytala* *nigrescens* Jackson, 1964 (Lycaenidae) Synonym(s): *nigrescens* Jackson, 1964
 36642) *Phytala* *obscura* Schultze, 1916 (Lycaenidae) Synonym(s): *obscura* Schultze, 1916
 36643) *Phytala* *reducta* Aurivillius, 1923 (Lycaenidae) Synonym(s): *reducta* Aurivillius, 1923
 36644) *Phytala* *rezia* (Grose-Smith & Kirby, 1893) (Lycaenidae) Synonym(s): *rezia* Grose-Smith & Kirby, 1893
 36645) *Phytala* *schultzei* Aurivillius, 1923 (Lycaenidae) Synonym(s): *schultzei* Aurivillius, 1923
 36646) *Phytala* *vansomeri* Jackson, 1964 (Lycaenidae) Synonym(s): *vansomeri* Jackson, 1964
 36647) *Pithecop* *corvus* *Fruhstorfer*, [1919] (Lycaenidae) Synonym(s): *corvus* *Fruhstorfer*, [1919]
 36648) *Pithecop* *corvus* *correctus* Cowan, 1966 (Lycaenidae) Synonym(s): *correctus* Cowan, 1966
 36649) *Pithecop* *corvus* *corvus* *Fruhstorfer*, [1919] (Lycaenidae) Synonym(s): *corvus* *Fruhstorfer*, [1919]
 36650) *Pithecop* *fulgens* Doherty, 1889 (Lycaenidae) Synonym(s): *fulgens* Doherty, 1889
 36651) *Plautella* *cossaea* (De Nicéville, 1895) (Lycaenidae) Synonym(s): *cossaea* De Nicéville, 1895
 36652) *Plautella* *cossaea* *cossaea* (De Nicéville, 1895) (Lycaenidae) Synonym(s): *cossaea* De Nicéville, 1895
 36653) *Plautella* *cossaea* *hegesias* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *hegesias* *Fruhstorfer*, 1910
 36654) *Plautella* *cossaea* *pambui* (Eliot, 1973) (Lycaenidae) Synonym(s): *pambui* Eliot, 1973
 36655) *Plautella* *cossaea* *plauta* (Druce, 1895) (Lycaenidae) Synonym(s): *plauta* Druce, 1895
 36656) *Plautella* *cossaea* *sabatina* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *sabatina* *Fruhstorfer*, 1910
 36657) *Plautella* *cossaea* *sonchus* (Druce, 1896) (Lycaenidae) Synonym(s): *sonchus* Druce, 1896; *distanti* *Fruhstorfer*, 1910.
 36658) *Plebejus* (Alpherakya) *bellonus* (Groum-Grshimailo, 1888) (Lycaenidae) Synonym(s): *bellonus* Groum-Grshimailo, 1888

- 36659) *Plebejus* (Alpherakya) *bellonus bellonus* (Groum-Grshimailo,1888) (Lycaenidae) Synonym(s): *bellonus Groum-Grshimailo,1888*
- 36660) *Plebejus* (Alpherakya) *devanicus* (Moore,1874) (Lycaenidae) Synonym(s): *devanicus Moore,1874*
- 36661) *Plebejus* (Alpherakya) *devanicus devanicus* (Moore,1874) (Lycaenidae) Synonym(s): *devanicus Moore,1874*
- 36662) *Plebejus* (Alpherakya) *devanicus kohibabaensis* (Sakai,1978) (Lycaenidae) Synonym(s): *kohibabaensis Sakai,1978*
- 36663) *Plebejus* (Alpherakya) *pilgram Balint & Johnson,1997* (Lycaenidae) Synonym(s): *pilgram Balint & Johnson,1997; serica Groum-Grsh.,1902 nec Felder,1862.*
- 36664) *Plebejus* (Alpherakya) *pilgram pilgram Balint & Johnson,1997* (Lycaenidae) Synonym(s): *pilgram Balint & Johnson,1997; serica Groum-Grsh.,1902 nec Felder,1862.*
- 36665) *Plebejus* (Alpherakya) *sartoides* (Swinhoe,1910) (Lycaenidae) Synonym(s): *sartoides Swinhoe,1910*
- 36666) *Plebejus* (Alpherakya) *sartoides gooraisicus* (Tytler,1926) (Lycaenidae) Synonym(s): *gooraisica Tytler,1926*
- 36667) *Plebejus* (Alpherakya) *sartoides rupalus* (Tytler,1926) (Lycaenidae) Synonym(s): *rupala Tytler,1926*
- 36668) *Plebejus* (Alpherakya) *sartoides sartoides* (Swinhoe,1910) (Lycaenidae) Synonym(s): *sartoides Swinhoe,1910*
- 36669) *Plebejus* (Alpherakya) *sartus* (Alpheraky,1881) (Lycaenidae) Synonym(s): *sartus Alpheraky,1881; phryxis Staudinger,1886*
- 36670) *Plebejus* (Alpherakya) *sartus sartus* (Alpheraky,1881) (Lycaenidae) Synonym(s): *sartus Alpheraky,1881; phryxis Staudinger,1886*
- 36671) *Plebejus* (Icaricia) *acmon* (Westwood & Hewitson,[1852]) (Lycaenidae) Synonym(s): *acmon Westwood & Hewitson,[1852]; antaegon Boisduval,1852; cotilei Grinnell,1916*
- 36672) *Plebejus* (Icaricia) *icarioides* (Boisduval,1852) (Lycaenidae) Synonym(s): *icarioides Boisduval,1852; phileros Boisduval,1869; fulla Edwards,1870; mintha Edwards,1870*
- 36673) *Plebejus* (Icaricia) *icarioides missionensis* Hovanitz,1937 (Lycaenidae) Synonym(s): *missionensis Hovanitz,1937*
- 36674) *Plebejus* (Icaricia) *lupini* (Boisduval,1869) (Lycaenidae) Synonym(s): *lupini Boisduval,1869*
- 36675) *Plebejus* (Icaricia) *neurona* (Skinner,1902) (Lycaenidae) Synonym(s): *neurona Skinner,1902*
- 36676) *Plebejus* (Icaricia) *shasta* (Edwards,1862) (Lycaenidae) Synonym(s): *shasta Edwards,1862; zelmira C.Felder & R.Felder,[1865]; calchas Behr,1867; nivium Boisduval,1869*
- 36677) *Plebejus* (Kretania) *carmon* (Gerhard,[1851]) (Lycaenidae) Synonym(s): *carmon Gerhard,[1851, November]; eurypilus Freyer,[1851,December].*
- 36678) *Plebejus* (Kretania) *carmon carmon* (Gerhard,[1851]) (Lycaenidae) Synonym(s): *carmon Gerhard,[1851, November]; eurypilus Freyer,[1851,December].*
- 36679) *Plebejus* (Kretania) *carmon euaemon* (Hemming,1931) (Lycaenidae) Synonym(s): *euaemon Hemming,1932; #euaemon Shchurov & Lukhtanov,2001.*
- 36680) *Plebejus* (Kretania) *carmon pelopides* Poorten,1984 (Lycaenidae) Synonym(s): *pelopides Poorten,1984*
- 36681) *Plebejus* (Kretania) *carmon zamotajlovi* (Shchurov & Lukhtanov,2001) (Lycaenidae) Synonym(s): *zamotajlovi Shchurov & Lukhtanov,2001*
- 36682) *Plebejus* (Kretania) *csomai* (Balint,1992) (Lycaenidae) Synonym(s): *csomai Balint,1992*
- 36683) *Plebejus* (Kretania) *csomai csomai* (Balint,1992) (Lycaenidae) Synonym(s): *csomai Balint,1992*
- 36684) *Plebejus* (Kretania) *iranicus* (Forster,1938) (Lycaenidae) Synonym(s): *iranicus Forster,1938*
- 36685) *Plebejus* (Kretania) *iranicus iranici* (Forster,1938) (Lycaenidae) Synonym(s): *iranicus Forster,1938*
- 36686) *Plebejus* (Kretania) *psylorita* (Freyer,1845) (Lycaenidae) Synonym(s): *psylorita Freyer,1845*
- 36687) *Plebejus* (Kretania) *psylorita psylorita* (Freyer,1845) (Lycaenidae) Synonym(s): *psylorita Freyer,1845*
- 36688) *Plebejus* (Lycaeides) *agnatus* (Staudinger,1889) (Lycaenidae) Synonym(s): *agnata Staudinger,1889*
- 36689) *Plebejus* (Lycaeides) *agnatus agnatus* (Staudinger,1889) (Lycaenidae) Synonym(s): *agnata Staudinger,1889*
- 36690) *Plebejus* (Lycaeides) *agnatus rognedus* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *rogneda Groum-Grshimailo,1890*
- 36691) *Plebejus* (Lycaeides) *argyrognomon* (Bergsträßer,[1779]) (Lycaenidae) Synonym(s): *argyrognomon Bergsträßer,[1779]; argyrobios Bergsträßer,[1779]; argyrocapelus Bergsträßer,[1779]; argyrocopus Bergsträßer,[1779]; argyroela Bergsträßer,[1779]; argyrophylax Bergsträßer,[1779]; ismenias Meigen,1829; ligurica Oberthür,1910; aegus Chapman,1917*
- 36692) *Plebejus* (Lycaeides) *argyrognomon aeginus* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *aegina Groum-Grshimailo,1890; regina Rühl,[1893].*
- 36693) *Plebejus* (Lycaeides) *argyrognomon argyrognomon* (Bergsträßer,1779) (Lycaenidae) Synonym(s): *argyrognomon Bergsträßer,[1779]; argyrobios Bergsträßer,[1779]; argyrocapelus Bergsträßer,[1779]; argyrocopus Bergsträßer,[1779]; argyroela Bergsträßer,[1779]; argyrophylax Bergsträßer,[1779]; ismenias Meigen,1829; ligurica Oberthür,1910; aegus Chapman,1917*
- 36694) *Plebejus* (Lycaeides) *argyrognomon bellofontanensis* Stempffer (Lycaenidae) Synonym(s): *bellofontanensis Stempffer*
- 36695) *Plebejus* (Lycaeides) *argyrognomon caspicus* (Forster,1936) (Lycaenidae) Synonym(s): *caspica Forster,1936*
- 36696) *Plebejus* (Lycaeides) *argyrognomon danapiensis* (Stempffer & Schmidt) (Lycaenidae) Synonym(s): *danapiensis Stempffer & Schmidt*
- 36697) *Plebejus* (Lycaeides) *argyrognomon dubius* (Schulz,1881) (Lycaenidae) Synonym(s): *dubia Schulz,1881*
- 36698) *Plebejus* (Lycaeides) *argyrognomon euergetes* Stauder (Lycaenidae) Synonym(s): *euergetes Stauder*
- 36699) *Plebejus* (Lycaeides) *argyrognomon gabrieli* Balint,1988 (Lycaenidae) Synonym(s): *gabrieli Balint,1988*
- 36700) *Plebejus* (Lycaeides) *argyrognomon ganssuensis* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *ganssuensis Groum-Grshimailo,1890.*
- 36701) *Plebejus* (Lycaeides) *argyrognomon latiaris* (Rostagno) (Lycaenidae) Synonym(s): *latiaris Rostagno; mira Verity,1915; calabricola Verity,1921; sabina Dahl.*
- 36702) *Plebejus* (Lycaeides) *argyrognomon letitiis* Hemming,1934 (Lycaenidae) Synonym(s): *ligurica Oberthür,1910 nec Wagner,1904; letitia Hemming,1934; laria Verity,1937; lombardiana Beuret,1938.*
- 36703) *Plebejus* (Lycaeides) *argyrognomon norvegicus* (Nordström,1935) (Lycaenidae) Synonym(s): *norvegica Nordström,1935*
- 36704) *Plebejus* (Lycaeides) *argyrognomon praeterinsularis* (Verity,1921) (Lycaenidae) Synonym(s): *praeterinsularis Verity,1921*
- 36705) *Plebejus* (Lycaeides) *argyrognomon septentrionalis* (Beuret) (Lycaenidae) Synonym(s): *septentrionalis Beuret*
- 36706) *Plebejus* (Lycaeides) *argyrognomon tapinaegus* (Verity,1948) (Lycaenidae) Synonym(s): *tapinaegus Verity,1948.*
- 36707) *Plebejus* (Lycaeides) *bergi* Kusnezov,1908 (Lycaenidae) Synonym(s): *bergi Kusnezov,1908*
- 36708) *Plebejus* (Lycaeides) *bergi bergi* Kusnezov,1908 (Lycaenidae) Synonym(s): *bergi Kusnezov,1908*
- 36709) *Plebejus* (Lycaeides) *calliopis* (Boisduval,1832) (Lycaenidae) Synonym(s): *calliopis Boisduval,1832; calliopes Verity,1929.*
- 36710) *Plebejus* (Lycaeides) *christophi* (Staudinger,1874) (Lycaenidae) Synonym(s): *christophi Staudinger,1874; argivus Staudinger,1886.*
- 36711) *Plebejus* (Lycaeides) *christophi bactrianus* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *bactriana Groum-Grshimailo,1890*
- 36712) *Plebejus* (Lycaeides) *christophi christophi* (Staudinger,1874) (Lycaenidae) Synonym(s): *christophi Staudinger,1874; argivus Staudinger,1886.*
- 36713) *Plebejus* (Lycaeides) *christophi leslei* (Tytler,1926) (Lycaenidae) Synonym(s): *leslei Tytler,1926*
- 36714) *Plebejus* (Lycaeides) *christophi nanshanicus* (Forster,1936) (Lycaenidae) Synonym(s): *nanshanica Forster,1936*
- 36715) *Plebejus* (Lycaeides) *christophi samudra* (Moore,[1875]) (Lycaenidae) Synonym(s): *samudra Moore,[1875]; bracteata Butler,1880.*
- 36716) *Plebejus* (Lycaeides) *christophi submontanus* Stshetkin,1960 (Lycaenidae) Synonym(s): *submontana Stshetkin,1960*
- 36717) *Plebejus* (Lycaeides) *christophi tomyris* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *tomyris Groum-Grshimailo,1890.*
- 36718) *Plebejus* (Lycaeides) *christophi transcausicus* (Rebel,1901) (Lycaenidae) Synonym(s): *transcausicus Rebel,1901*
- 36719) *Plebejus* (Lycaeides) *cleobis* Bremer,1861 (Lycaenidae) Synonym(s): *cleobis Bremer,1861*
- 36720) *Plebejus* (Lycaeides) *cleobis cleobis* Bremer,1861 (Lycaenidae) Synonym(s): *cleobis Bremer,1861*
- 36721) *Plebejus* (Lycaeides) *cleobis iburiensis* (Butler,[1882]) (Lycaenidae) Synonym(s): *iburiensis Butler,[1882]*
- 36722) *Plebejus* (Lycaeides) *cleobis kenteanus* (Staudinger,1892) (Lycaenidae) Synonym(s): *kenteanus Staudinger,1892*
- 36723) *Plebejus* (Lycaeides) *cleobis ongodai* Tutt,1908 (Lycaenidae) Synonym(s): *ongodai Tutt,1908*
- 36724) *Plebejus* (Lycaeides) *cleobis tancrei* (Graeser,1888) (Lycaenidae) Synonym(s): *tancrei Graeser,1888; ternejanus Kurentzov,1970.*
- 36725) *Plebejus* (Lycaeides) *cleobis verchojanicus* (Kurentzov,1970) (Lycaenidae) Synonym(s): *verchojanicus Kurentzov,1970; caeruleus Gorbunov,1995*
- 36726) *Plebejus* (Lycaeides) *idas* (Linnaeus,1761) (Lycaenidae) Synonym(s): *idas Linnaeus,1761; leodorus Esper,1782; acreon Fabricius,1787; amphion Fabricius,1793.*
- 36727) *Plebejus* (Lycaeides) *idas aeginus* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *aegina Groum-Grshimailo,1890; #naruena Courvoisier,1913; colossa A.Bang-Haas*
- 36728) *Plebejus* (Lycaeides) *idas alpinus* (Berce,1867) (Lycaenidae) Synonym(s): *alpina Berce,1867; alpophila Verity,1919.*
- 36729) *Plebejus* (Lycaeides) *idas altarmenus* (Forster,1936) (Lycaenidae) Synonym(s): *altarmena Forster,1936*
- 36730) *Plebejus* (Lycaeides) *idas argulus* (Frey,1882) (Lycaenidae) Synonym(s): *argulus Frey,1882*
- 36731) *Plebejus* (Lycaeides) *idas armoricanus* (Oberthür,1910) (Lycaenidae) Synonym(s): *armoricana Oberthür,1910; saturior Verity,1924; idasoides Beuret,1934; subsaturior Verity,1948.*

- 36732) *Plebejus* (Lycaeides) *idas baldur* (Hemming,1934) (Lycaenidae) Synonym(s): *#balcanica* Züllich,1929 *nec Lycaena balkanica* Freyer,[1844]; *baldur* Hemming,1934.
- 36733) *Plebejus* (Lycaeides) *idas bavaricus* Forster,1936 (Lycaenidae) Synonym(s): *bavarica* Forster,1936
- 36734) *Plebejus* (Lycaeides) *idas bellieri* Oberthür,1910 (Lycaenidae) Synonym(s): *corsica* Tutt,1909 *nec Bellier*,1862; *bellieri* Oberthür,1910
- 36735) *Plebejus* (Lycaeides) *idas dalmatinus* (Neustetter,1938) (Lycaenidae) Synonym(s): *#croatica* Grund,1913; *dalmatina* Neustetter,1938; *croatica* Heydemann,1938.
- 36736) *Plebejus* (Lycaeides) *idas difficilis* (Stauder,1922) (Lycaenidae) Synonym(s): *difficilis* Stauder,1922.
- 36737) *Plebejus* (Lycaeides) *idas gazeli* (Beuret,1934) (Lycaenidae) Synonym(s): *gazeli* Beuret,1934; *batavana* Beuret,1936.
- 36738) *Plebejus* (Lycaeides) *idas haefelfingeri* (Beuret,1935) (Lycaenidae) Synonym(s): *aegidion* Frey,1880 *nec* Meisner,1818; *haefelfingeri* Beuret,1935.
- 36739) *Plebejus* (Lycaeides) *idas idas* (Linnaeus,1761) (Lycaenidae) Synonym(s): *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793.
- 36740) *Plebejus* (Lycaeides) *idas lycidasoides* Beuret (Lycaenidae) Synonym(s): *lycidasoides* Beuret
- 36741) *Plebejus* (Lycaeides) *idas magnalpinus* Verity,1927 (Lycaenidae) Synonym(s): *magnalpina* Verity,1927; *maritimalpina* Beuret,1938.
- 36742) *Plebejus* (Lycaeides) *idas picos* Agenjo,1966 (Lycaenidae) Synonym(s): *picos* Agenjo,1966
- 36743) *Plebejus* (Lycaeides) *idas rauracus* (Beuret,1934) (Lycaenidae) Synonym(s): *rauraca* Beuret,1934; *#postrauraca* Beuret,1934.
- 36744) *Plebejus* (Lycaeides) *idas rhenanus* Heydemann (Lycaenidae) Synonym(s): *rhenana* Heydemann
- 36745) *Plebejus* (Lycaeides) *idas selda* (Higgins,1964) (Lycaenidae) Synonym(s): *selda* Higgins,1964
- 36746) *Plebejus* (Lycaeides) *idas tshinganus* Forster,1936 (Lycaenidae) Synonym(s): *tshingana* Forster,1936
- 36747) *Plebejus* (Lycaeides) *lepidus* Zhdanko,2000 (Lycaenidae) Synonym(s): *lepidus* Zhdanko,2000
- 36748) *Plebejus* (Lycaeides) *lepidus* Zhdanko,2000 (Lycaenidae) Synonym(s): *lepidus* Zhdanko,2000
- 36749) *Plebejus* (Lycaeides) *maracandicus* (Erschoff,1874) (Lycaenidae) Synonym(s): *maracandica* Erschoff,1874; *dschagatai* Groum-Grshimailo,1887; *buchara* Forster,1936.
- 36750) *Plebejus* (Lycaeides) *maracandicus caspicus* (Forster,1936) (Lycaenidae) Synonym(s): *caspicus* Forster,1936
- 36751) *Plebejus* (Lycaeides) *maracandicus chalcha* (Korshunov,1982) (Lycaenidae) Synonym(s): *chalcha* Korshunov,1982
- 36752) *Plebejus* (Lycaeides) *maracandicus jakuticus* (Kurentzov,1970) (Lycaenidae) Synonym(s): *jakuticus* Kurentzov,1970
- 36753) *Plebejus* (Lycaeides) *maracandicus maracandicus* (Erschoff,1874) (Lycaenidae) Synonym(s): *maracandica* Erschoff,1874; *dschagatai* Groum-Grshimailo,1887; *buchara* Forster,1936.
- 36754) *Plebejus* (Lycaeides) *maracandicus planorum* (Alpheraky,1881) (Lycaenidae) Synonym(s): *planorum* Alpheraky,1881; *calmuca* Groum-Grshimailo,1891; *#calmucca* Staudinger,1901.
- 36755) *Plebejus* (Lycaeides) *maracandicus transbaicalensis* (Kurentzov,1970) (Lycaenidae) Synonym(s): *transbaicalensis* Kurentzov,1970
- 36756) *Plebejus* (Lycaeides) *melissa* (Edwards,1873) (Lycaenidae) Synonym(s): *melissa* Edwards,1873; *pseudosamuelis* Nabakov,1949
- 36757) *Plebejus* (Lycaeides) *melissa annetta* (Edwards,1882) (Lycaenidae) Synonym(s): *annetta* Edwards,1882
- 36758) *Plebejus* (Lycaeides) *melissa fridayi* Chermock,1945 (Lycaenidae) Synonym(s): *fridayi* Chermock,1945
- 36759) *Plebejus* (Lycaeides) *melissa melissa* (Edwards,1873) (Lycaenidae) Synonym(s): *melissa* Edwards,1873; *pseudosamuelis* Nabakov,1949
- 36760) *Plebejus* (Lycaeides) *melissa paradoxa* Chermock,1945 (Lycaenidae) Synonym(s): *paradoxa* Chermock,1945; *inyoensis* Nabakov,1949
- 36761) *Plebejus* (Lycaeides) *melissa samuelis* Nabakov,1944 (Lycaenidae) Synonym(s): *samuelis* Nabakov,1944
- 36762) *Plebejus* (Lycaeides) *mongolicus* (Rühl,[1893]) (Lycaenidae) Synonym(s): *mongolicus* Rühl,[1893]
- 36763) *Plebejus* (Lycaeides) *mongolicus mongolicus* (Rühl,[1893]) (Lycaenidae) Synonym(s): *mongolicus* Rühl,[1893]
- 36764) *Plebejus* (Lycaeides) *noah* (Herz,1900) (Lycaenidae) Synonym(s): *noah* Herz,1900
- 36765) *Plebejus* (Lycaeides) *noah noah* (Herz,1900) (Lycaenidae) Synonym(s): *noah* Herz,1900
- 36766) *Plebejus* (Lycaeides) *nushibi* Zhdanko,2000 (Lycaenidae) Synonym(s): *nushibi* Zhdanko,2000
- 36767) *Plebejus* (Lycaeides) *nushibi nushibi* Zhdanko,2000 (Lycaenidae) Synonym(s): *nushibi* Zhdanko,2000
- 36768) *Plebejus* (Lycaeides) *pseudoaegon* (Butler,[1882]) (Lycaenidae) Synonym(s): *pseudoaegon* Butler,[1882]
- 36769) *Plebejus* (Lycaeides) *pseudoaegon insularis* (Leech,[1893]) (Lycaenidae) Synonym(s): *insularis* Leech,[1893]
- 36770) *Plebejus* (Lycaeides) *pseudoaegon pseudoaegon* (Butler,[1882]) (Lycaenidae) Synonym(s): *pseudoaegon* Butler,[1882]
- 36771) *Plebejus* (Lycaeides) *pseudoaegon sinicus* Forster,1936 (Lycaenidae) Synonym(s): *sinica* Forster,1936
- 36772) *Plebejus* (Lycaeides) *pseudoaegon ussuricus* (Forster,1936) (Lycaenidae) Synonym(s): *ussurica* Forster,1936
- 36773) *Plebejus* (Lycaeides) *roxane* (Groum-Grshimailo,1887) (Lycaenidae) Synonym(s): *roxane* Groum-Grshimailo,1887
- 36774) *Plebejus* (Lycaeides) *roxane roxane* (Groum-Grshimailo,1887) (Lycaenidae) Synonym(s): *roxane* Groum-Grshimailo,1887
- 36775) *Plebejus* (Lycaeides) *subsolanus* (Eversmann,1851) (Lycaenidae) Synonym(s): *subsolanus* Eversmann,1851; *cleobis* Bremer,1861.
- 36776) *Plebejus* (Lycaeides) *subsolanus boreas* Balint,1988 (Lycaenidae) Synonym(s): *boreas* Balint,1988
- 36777) *Plebejus* (Lycaeides) *subsolanus ida* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *ida* Groum-Grshimailo,1890; *kenteana* Staudinger,1892
- 36778) *Plebejus* (Lycaeides) *subsolanus sifanicus* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *sifanicus* Groum-Grshimailo,1890
- 36779) *Plebejus* (Lycaeides) *subsolanus subsolanus* (Eversmann,1851) (Lycaenidae) Synonym(s): *subsolanus* Eversmann,1851; *cleobis* Bremer,1861.
- 36780) *Plebejus* (Lycaeides) *uiguricus* Zhdanko,2000 (Lycaenidae) Synonym(s): *uiguricus* Zhdanko,2000
- 36781) *Plebejus* (Lycaeides) *uiguricus uiguricus* Zhdanko,2000 (Lycaenidae) Synonym(s): *uiguricus* Zhdanko,2000
- 36782) *Plebejus* (Plebejides) *allardi* (Oberthür,1874) (Lycaenidae) Synonym(s): *allardi* Oberthür,1874
- 36783) *Plebejus* (Plebejides) *allardi allardi* (Oberthür,1874) (Lycaenidae) Synonym(s): *allardi* Oberthür,1874
- 36784) *Plebejus* (Plebejides) *allardii antiatlasicus* Tarrier,1996 (Lycaenidae) Synonym(s): *antiatlasicus* Tarrier,1996
- 36785) *Plebejus* (Plebejides) *beani* Balint & Johnson,1997 (Lycaenidae) Synonym(s): *indica* Evans,1925 *nec* Murray,1874; *beani* Balint & Johnson,1997
- 36786) *Plebejus* (Plebejides) *beani beani* Balint & Johnson,1997 (Lycaenidae) Synonym(s): *indica* Evans,1925 *nec* Murray,1874; *beani* Balint & Johnson,1997
- 36787) *Plebejus* (Plebejides) *brethertoni* (Brown,1976) (Lycaenidae) Synonym(s): *brethertoni* Brown,1976
- 36788) *Plebejus* (Plebejides) *brethertoni brethertoni* (Brown,1976) (Lycaenidae) Synonym(s): *brethertoni* Brown,1976
- 36789) *Plebejus* (Plebejides) *hespericus* (Rambur,[1839]) (Lycaenidae) Synonym(s): *hespericus* Rambur,[1839]
- 36790) *Plebejus* (Plebejides) *hespericus galani* Agenjo,1967 (Lycaenidae) Synonym(s): *galani* Agenjo,1967
- 36791) *Plebejus* (Plebejides) *hespericus hespericus* (Rambur,[1839]) (Lycaenidae) Synonym(s): *hespericus* Rambur,[1839]
- 36792) *Plebejus* (Plebejides) *hespericus matildae* Gomez Bustillo & Fernandez-Rubio,1972 (Lycaenidae) Synonym(s): *matildae* Gomez Bustillo & Fernandez-Rubio,1972
- 36793) *Plebejus* (Plebejides) *hespericus pardoi* Gomez Bustillo & Fernandez-Rubio,1972 (Lycaenidae) Synonym(s): *pardoi* Gomez Bustillo & Fernandez-Rubio,1972
- 36794) *Plebejus* (Plebejides) *magnificus* Balint,1987 (Lycaenidae) Synonym(s): *magnificus* Balint,1987
- 36795) *Plebejus* (Plebejides) *magnificus magnificus* Balint,1987 (Lycaenidae) Synonym(s): *magnificus* Balint,1987
- 36796) *Plebejus* (Plebejides) *martini* (Allard,1867) (Lycaenidae) Synonym(s): *martini* Allard,1867
- 36797) *Plebejus* (Plebejides) *martini martini* (Allard,1867) (Lycaenidae) Synonym(s): *martini* Allard,1867
- 36798) *Plebejus* (Plebejides) *martini regularis* Tennent,1995 (Lycaenidae) Synonym(s): *regularis* Tennent,1995
- 36799) *Plebejus* (Plebejides) *martini ungemachi* (Rothschild,1925) (Lycaenidae) Synonym(s): *ungemachi* Rothschild,1925
- 36800) *Plebejus* (Plebejides) *modicus* Verity,1935 (Lycaenidae) Synonym(s): *modicus* Verity,1935; *microsephyrus* Verity,1935
- 36801) *Plebejus* (Plebejides) *modicus abchasicus* Nekrutenko,1975 (Lycaenidae) Synonym(s): *abchasicus* Nekrutenko,1975
- 36802) *Plebejus* (Plebejides) *modicus microturcmenicus* Balint,1991 (Lycaenidae) Synonym(s): *microturcmenicus* Balint,1991
- 36803) *Plebejus* (Plebejides) *modicus modicus* Verity,1935 (Lycaenidae) Synonym(s): *modicus* Verity,1935; *microsephyrus* Verity,1935
- 36804) *Plebejus* (Plebejides) *nichollae* (Elwes,1901) (Lycaenidae) Synonym(s): *nichollae* Elwes,1901
- 36805) *Plebejus* (Plebejides) *nichollae akbesianus* Oberthür,1904 (Lycaenidae) Synonym(s): *akbesianus* Oberthür,1904
- 36806) *Plebejus* (Plebejides) *nichollae cleopatras* Hemming,1934 (Lycaenidae) Synonym(s): *cleopatras* Hemming,1934
- 36807) *Plebejus* (Plebejides) *nichollae nichollae* Elwes,1901 (Lycaenidae) Synonym(s): *nichollae* Elwes,1901
- 36808) *Plebejus* (Plebejides) *patriarcha* Balint,1992 (Lycaenidae) Synonym(s): *patriarcha* Balint,1992
- 36809) *Plebejus* (Plebejides) *patriarcha patriarcha* Balint,1992 (Lycaenidae) Synonym(s): *patriarcha* Balint,1992
- 36810) *Plebejus* (Plebejides) *philbyi* Graves,1925 (Lycaenidae) Synonym(s): *philbyi* Graves,1925
- 36811) *Plebejus* (Plebejides) *philbyi philbyi* Graves,1925 (Lycaenidae) Synonym(s): *philbyi* Graves,1925
- 36812) *Plebejus* (Plebejides) *pylaon* (Fischer v. Waldheim,1832) (Lycaenidae) Synonym(s): *pylaon* Fischer v. Waldheim,1832
- 36813) *Plebejus* (Plebejides) *pylaon forsteri* Balint,1990 (Lycaenidae) Synonym(s): *forsteri* Balint,1990

- 36814) *Plebejus (Plebejides) pylaon katunensis* Balint & Lukhtanov, 1990 (Lycaenidae) Synonym(s): *katunensis* Balint & Lukhtanov, 1990
- 36815) *Plebejus (Plebejides) pylaon pylaon* (Fischer de Waldheim, 1832) (Lycaenidae) Synonym(s): *pylaon* Fischer de Waldheim, 1832
- 36816) *Plebejus (Plebejides) pylaon turcomenicus* (Forster, 1936) (Lycaenidae) Synonym(s): *turcomenicus* Forster, 1936
- 36817) *Plebejus (Plebejides) sephirus* (Frivaldszky, 1835) (Lycaenidae) Synonym(s): *sephirus* Frivaldszky, 1835; *uhryki* Rebel, 1911; *proximus* Szabo, 1954; *kovacsi* Szabo, 1954; *foticus* Szabo, 1956.
- 36818) *Plebejus (Plebejides) sephirus sephirus* (Frivaldszky, 1835) (Lycaenidae) Synonym(s): *sephirus* Frivaldszky, 1835; *uhryki* Rebel, 1911; *proximus* Szabo, 1954; *kovacsi* Szabo, 1954; *foticus* Szabo, 1956.
- 36819) *Plebejus (Plebejides) trappi* (Verity, 1927) (Lycaenidae) Synonym(s): *lycidas* Trapp, 1863 nec Meigen, 1830; *trappi* Verity, 1927.
- 36820) *Plebejus (Plebejides) trappi trappi* (Verity, 1927) (Lycaenidae) Synonym(s): *lycidas* Trapp, 1863 nec Meigen, 1830; *trappi* Verity, 1927.
- 36821) *Plebejus (Plebejides) usbekus* Forster, 1939 (Lycaenidae) Synonym(s): *zephyrinus* Staudinger, 1886 nec Christoph, 1884; *usbekus* Forster, 1939
- 36822) *Plebejus (Plebejides) usbekus usbekus* Forster, 1939 (Lycaenidae) Synonym(s): *zephyrinus* Staudinger, 1886 nec Christoph, 1884; *usbekus* Forster, 1939
- 36823) *Plebejus (Plebejides) vogelii* (Oberthür, 1910) (Lycaenidae) Synonym(s): *vogelii* Oberthür, 1910
- 36824) *Plebejus (Plebejides) vogelii insperatus* Tennent, 1996 (Lycaenidae) Synonym(s): *insperatus* Tennent, 1996
- 36825) *Plebejus (Plebejides) vogelii vogelii* (Oberthür, 1910) (Lycaenidae) Synonym(s): *vogelii* Oberthür, 1910
- 36826) *Plebejus (Plebejides) zephyrinus* (Christoph, 1884) (Lycaenidae) Synonym(s): *zephyrinus* Christoph, 1884
- 36827) *Plebejus (Plebejides) zephyrinus albertii* Nekrutenko, 1975 (Lycaenidae) Synonym(s): *albertii* Nekrutenko, 1975
- 36828) *Plebejus (Plebejides) zephyrinus iranica* Koçak, 1980 (Lycaenidae) Synonym(s): *iranica* Forster, 1939 nec Forster, 1939; *iranica* Koçak, 1980
- 36829) *Plebejus (Plebejides) zephyrinus klausrosei* Balint, [1993] (Lycaenidae) Synonym(s): *klausrosei* Balint, [1993]
- 36830) *Plebejus (Plebejides) zephyrinus ordubadi* (Forster, 1938) (Lycaenidae) Synonym(s): *ordubadi* Forster, 1938
- 36831) *Plebejus (Plebejides) zephyrinus solimanus* (Forster, 1938) (Lycaenidae) Synonym(s): *solimanus* Forster, 1938
- 36832) *Plebejus (Plebejides) zephyrinus tarbagataiensis* Balint, [1993] (Lycaenidae) Synonym(s): *tarbagataiensis* Balint, [1993]
- 36833) *Plebejus (Plebejides) zephyrinus zephyrinus* (Christoph, 1884) (Lycaenidae) Synonym(s): *zephyrinus* Christoph, 1884
- 36834) *Plebejus (Plebulina) emigdonis* (Grinnell, 1905) (Lycaenidae) Synonym(s): *emigdonis* Grinnell, 1905; *melimona* Wright, 1905
- 36835) *Plebejus (ardis-gr) baroghilus* (Tytler, 1926) (Lycaenidae) Synonym(s): *baroghila* Tytler, 1926
- 36836) *Plebejus (ardis-gr) baroghilus baroghilus* (Tytler, 1926) (Lycaenidae) Synonym(s): *baroghila* Tytler, 1926
- 36837) *Plebejus (ardis-gr) eversmanni* (Lang, 1884) (Lycaenidae) Synonym(s): *eversmanni* Lang, 1884; *eversmanni* Staudinger, 1886 (hom.); *grumi* Staudinger, 1901; *ardis* Balint & Johnson, 1997.
- 36838) *Plebejus (ardis-gr) eversmanni badachshanus* Forster, 1972 (Lycaenidae) Synonym(s): *badachshana* Forster, 1972
- 36839) *Plebejus (ardis-gr) eversmanni eversmanni* (Lang, 1884) (Lycaenidae) Synonym(s): *eversmanni* Lang, 1884; *eversmanni* Staudinger, 1886 (hom.); *grumi* Staudinger, 1901; *ardis* Balint & Johnson, 1997.
- 36840) *Plebejus (ardis-gr) firuskuhi* Forster, 1940 (Lycaenidae) Synonym(s): *firuskuhi* Forster, 1940
- 36841) *Plebejus (ardis-gr) firuskuhi firuskuhi* Forster, 1940 (Lycaenidae) Synonym(s): *firuskuhi* Forster, 1940
- 36842) *Plebejus (ardis-gr) kwaja* (Evans, 1932) (Lycaenidae) Synonym(s): *kwaja* Evans, 1932
- 36843) *Plebejus (ardis-gr) kwaja kwaja* (Evans, 1932) (Lycaenidae) Synonym(s): *kwaja* Evans, 1932
- 36844) *Plebejus (s.str.) argus* (Linnaeus, 1758) (Lycaenidae) Synonym(s): *argus* Linnaeus, 1758; *aegon* Denis & Schiffermüller, 1775; *plouharnelensis* Oberthür, 1926; *pulchraphilome* Verity, 1931.
- 36845) *Plebejus (s.str.) argus aegiades* (Gerhard, [1852]) (Lycaenidae) Synonym(s): *aegiades* Gerhard, [1852]
- 36846) *Plebejus (s.str.) argus aegidion* (Meisner, 1818) (Lycaenidae) Synonym(s): *aegidion* Meisner, 1818; *valmasinii* Perlini, 1905; *alpina* Courv., 1910 nec Berce, 1967; *claraobscura* Verity, 1931
- 36847) *Plebejus (s.str.) argus aegon* ([Denis & Schiffermüller], 1775) (Lycaenidae) Synonym(s): *aegon* [Denis & Schiffermüller], 1775; *uliginosa* Dannehl; *cetaephilome* Verity, 1931.
- 36848) *Plebejus (s.str.) argus argus* (Linnaeus, 1758) (Lycaenidae) Synonym(s): *argus* Linnaeus, 1758; *aegon* Denis & Schiffermüller, 1775; *plouharnelensis* Oberthür, 1926; *pulchraphilome* Verity, 1931.
- 36849) *Plebejus (s.str.) argus bellus* (Herrich-Schäffer, [1844]) (Lycaenidae) Synonym(s): *bellus* Herrich-Schäffer, [1844]; *tscherkessica* Forster, 1936; *#georgica* Forster, 1936.
- 36850) *Plebejus (s.str.) argus branuelasensis* Tutt, 1908 (Lycaenidae) Synonym(s): *branuelasensis* Tutt, 1908
- 36851) *Plebejus (s.str.) argus caeruleus* Gorbunov, 1995 (Lycaenidae) Synonym(s): *caeruleus* Gorbunov, 1995
- 36852) *Plebejus (s.str.) argus clarasiaticus* (Verity, 1931) (Lycaenidae) Synonym(s): *clarasiatica* Verity, 1931; *katunica* Standel, 1960.
- 36853) *Plebejus (s.str.) argus cleomenes* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *cleomenes* Fruhstorfer, 1910
- 36854) *Plebejus (s.str.) argus coreanus* Tutt, 1909 (Lycaenidae) Synonym(s): *coreanus* Tutt, 1909; *orientalis* Kurentzov, 1970 nec Tutt, 1909; *kurentzovi* Koçak, 1980
- 36855) *Plebejus (s.str.) argus corsicus* (Bellier, 1862) (Lycaenidae) Synonym(s): *corsicus* Bellier, 1862
- 36856) *Plebejus (s.str.) argus gaillardi* (Beuret, 1950) (Lycaenidae) Synonym(s): *gaillardi* Beuret, 1950
- 36857) *Plebejus (s.str.) argus hypochionalpinus* (Verity, 1931) (Lycaenidae) Synonym(s): *hypochionalpina* Verity, 1931; *cleralpina* Verity, 1931.
- 36858) *Plebejus (s.str.) argus hypochionoides* (Tutt, 1909) (Lycaenidae) Synonym(s): *hypochionoides* Tutt, 1909; *pyrenaica* Tutt, 1909.
- 36859) *Plebejus (s.str.) argus hypochionus* (Rambur, 1858) (Lycaenidae) Synonym(s): *hypochionus* Rambur, 1858
- 36860) *Plebejus (s.str.) argus italarum* Verity, 1919 (Lycaenidae) Synonym(s): *italorum* Verity, 1919
- 36861) *Plebejus (s.str.) argus lydiades* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *lydiades* Fruhstorfer, 1910; *#pseudohypochiona* Verity, 1931.
- 36862) *Plebejus (s.str.) argus micrargus* (Butler, 1873) (Lycaenidae) Synonym(s): *micrargus* Butler, 1873; *japonica* Oberthür, 1910
- 36863) *Plebejus (s.str.) argus obensis* Forster, 1936 (Lycaenidae) Synonym(s): *obensis* Forster, 1936; *korshunovi* Standel, 1960.
- 36864) *Plebejus (s.str.) argus orientalis* (Tutt, 1909) (Lycaenidae) Synonym(s): *orientalis* Tutt, 1909
- 36865) *Plebejus (s.str.) argus orientaloidea* (Verity, 1931) (Lycaenidae) Synonym(s): *orientaloidea* Verity, 1931
- 36866) *Plebejus (s.str.) argus pamiurus* (Forster, 1936) (Lycaenidae) Synonym(s): *pamiurus* Forster, 1936
- 36867) *Plebejus (s.str.) argus philomene* (Bergsträßer, [1779]) (Lycaenidae) Synonym(s): *philomene* Bergsträßer, [1779]; *philomenus* Bergsträßer, [1779]; *argyrotoxa* Bergsträßer, [1779]; *argyra* Bergsträßer, [1779]; *argyraphalara* Bergsträßer, [1779]; *cetaephilome* Verity, 1931.
- 36868) *Plebejus (s.str.) argus sophianus* (Verity, 1931) (Lycaenidae) Synonym(s): *sophianus* Verity, 1931
- 36869) *Plebejus (s.str.) argus sultanus* (Forster, 1936) (Lycaenidae) Synonym(s): *sultanus* Forster, 1936; *#anatolica* Forster, 1936
- 36870) *Plebejus (s.str.) argus wolgensis* (Forster, 1936) (Lycaenidae) Synonym(s): *wolgensis* Forster, 1936
- 36871) *Plebejus (s.str.) dzhzaki Zhdanko, 2000* (Lycaenidae) Synonym(s): *dzhzaki* Zhdanko, 2000
- 36872) *Plebejus (s.str.) dzhzaki dzhzaki Zhdanko, 2000* (Lycaenidae) Synonym(s): *dzhzaki* Zhdanko, 2000
- 36873) *Plebejus (s.str.) saepiolus* (Boisduval, 1852) (Lycaenidae) Synonym(s): *saepiolus* Boisduval, 1852; *rufescens* Boisduval, 1869
- 36874) *Polyommatus (Agriades (Mestore)) ellisi* Marschall, 1882 (Lycaenidae) Synonym(s): *ellisi* Marschall, 1882
- 36875) *Polyommatus (Agriades (Mestore)) ellisi ellisi* Marschall, 1882 (Lycaenidae) Synonym(s): *ellisi* Marschall, 1882
- 36876) *Polyommatus (Agriades (Mestore)) errans* (Riley, 1927) (Lycaenidae) Synonym(s): *errans* Riley, 1927
- 36877) *Polyommatus (Agriades (Mestore)) errans errans* (Riley, 1927) (Lycaenidae) Synonym(s): *errans* Riley, 1927
- 36878) *Polyommatus (Agriades (Mestore)) jaloka* (Moore, [1874]) (Lycaenidae) Synonym(s): *jaloka* Moore, [1875]
- 36879) *Polyommatus (Agriades (Mestore)) jaloka jaloka* (Moore, [1875]) (Lycaenidae) Synonym(s): *jaloka* Moore, [1875]
- 36880) *Polyommatus (Agriades (Mestore)) janigena* (Riley, 1923) (Lycaenidae) Synonym(s): *janigena* Riley, 1923
- 36881) *Polyommatus (Agriades (Mestore)) janigena janigena* (Riley, 1923) (Lycaenidae) Synonym(s): *janigena* Riley, 1923
- 36882) *Polyommatus (Agriades (Mestore)) kurtjohnsoni* (Balint, 1997) (Lycaenidae) Synonym(s): *kurtjohnsoni* Balint, 1997
- 36883) *Polyommatus (Agriades (Mestore)) kurtjohnsoni kurtjohnsoni* Balint, 1997 (Lycaenidae) Synonym(s): *kurtjohnsoni* Balint, 1997
- 36884) *Polyommatus (Agriades (Mestore)) leela* (De Nicéville, 1884) (Lycaenidae) Synonym(s): *leela* De Nicéville, 1884
- 36885) *Polyommatus (Agriades (Mestore)) leela leela* (De Nicéville, 1884) (Lycaenidae) Synonym(s): *leela* De Nicéville, 1884
- 36886) *Polyommatus (Agriades (Mestore)) morsheadi* (Evans, 1923) (Lycaenidae) Synonym(s): *morsheadi* Evans, 1923
- 36887) *Polyommatus (Agriades (Mestore)) morsheadi morsheadi* (Evans, 1923) (Lycaenidae) Synonym(s): *morsheadi* Evans, 1923
- 36888) *Polyommatus (Agriades (s.str.)) aegagrus* (Christoph, 1873) (Lycaenidae) Synonym(s): *aegagrus* Christoph, 1873
- 36889) *Polyommatus (Agriades (s.str.)) aegagrus aegagrus* (Christoph, 1873) (Lycaenidae) Synonym(s): *aegagrus* Christoph, 1873
- 36890) *Polyommatus (Agriades (s.str.)) aquilo* (Boisduval, 1832) (Lycaenidae) Synonym(s): *aquilo* Boisduval, 1832
- 36891) *Polyommatus (Agriades (s.str.)) aquilo aquilina* (Staudinger, 1901) (Lycaenidae) Synonym(s): *aquilina* Staudinger, 1901
- 36892) *Polyommatus (Agriades (s.str.)) aquilo aquilo* (Boisduval, 1832) (Lycaenidae) Synonym(s): *aquilo* Boisduval, 1832

- 36893) *Polyommatus* (Agriades (s.str.)) *aquilo wosnesenskyi* (Ménétriés,1855) (Lycaenidae) Synonym(s): *wosnesenskyi* Ménétriés,1855
 36894) *Polyommatus* (Agriades (s.str.)) *diodorus* (Bremer,1861) (Lycaenidae) Synonym(s): *diodorus* Bremer,1861.
 36895) *Polyommatus* (Agriades (s.str.)) *diodorus diodorus* (Bremer,1861) (Lycaenidae) Synonym(s): *diodorus* Bremer,1861.
 36896) *Polyommatus* (Agriades (s.str.)) *diodorus orbitulinus* (Staudinger,1892) (Lycaenidae) Synonym(s): *orbitulinus* Staudinger,1892.
 36897) *Polyommatus* (Agriades (s.str.)) *dis* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *dis* Groum-Grshimailo,1890
 36898) *Polyommatus* (Agriades (s.str.)) *dis dis* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *dis* Groum-Grshimailo,1890
 36899) *Polyommatus* (Agriades (s.str.)) *franklinii* (Curtis,1835) (Lycaenidae) Synonym(s): *franklinii* Curtis,1835; *suttoni* Holland,1931
 36900) *Polyommatus* (Agriades (s.str.)) *franklinii bryanti* (Leussler,1935) (Lycaenidae) Synonym(s): *bryanti* Leussler,1935; *#kohlsaati* Gunder,1932
 36901) *Polyommatus* (Agriades (s.str.)) *franklinii franklinii* (Curtis,1835) (Lycaenidae) Synonym(s): *franklinii* Curtis,1835; *suttoni* Holland,1931
 36902) *Polyommatus* (Agriades (s.str.)) *franklinii lacustris* (Freeman,1939) (Lycaenidae) Synonym(s): *lacustris* Freeman,1939
 36903) *Polyommatus* (Agriades (s.str.)) *franklinii megal* (McDunnough,1927) (Lycaenidae) Synonym(s): *megal* McDunnough,1927
 36904) *Polyommatus* (Agriades (s.str.)) *franklinii podarce* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *podarce* C.Felder & R.Felder,[1865]; *tehama* Reakirt,[1866]; *cilla* Behr,1867; *nestos* Boisduval,1869
 36905) *Polyommatus* (Agriades (s.str.)) *franklinii rustica* (Edwards,1865) (Lycaenidae) Synonym(s): *rustica* Edwards,1865
 36906) *Polyommatus* (Agriades (s.str.)) *glandon* (De Prunner,1798) (Lycaenidae) Synonym(s): *glandon* De Prunner,1798; *meleager* Hübner,[1804] *nec* Esper,1778; *rustica* Edwards,1864.
 36907) *Polyommatus* (Agriades (s.str.)) *glandon glandon* (De Prunner,1798) (Lycaenidae) Synonym(s): *glandon* De Prunner,1798; *meleager* Hübner,[1804] *nec* Esper,1778; *rustica* Edwards,1864.
 36908) *Polyommatus* (Agriades (s.str.)) *glandon magnaglandon* (Verity,1949) (Lycaenidae) Synonym(s): *oberthueri* Staudinger,1901 *nec* Groum-Grshimailo,1887; *magnaglandon* Verity,1949.
 36909) *Polyommatus* (Agriades (s.str.)) *glandon orbitulinus* (Staudinger,1892) (Lycaenidae) Synonym(s): *orbitulinus* Staudinger,1892
 36910) *Polyommatus* (Agriades (s.str.)) *glandon zulichii* (Hemming,1933) (Lycaenidae) Synonym(s): *zulichii* Hemming,1933
 36911) *Polyommatus* (Agriades (s.str.)) *luanus* (Evans,1915) (Lycaenidae) Synonym(s): *luanus* Evans,1915
 36912) *Polyommatus* (Agriades (s.str.)) *luanus luanus* (Evans,1915) (Lycaenidae) Synonym(s): *luanus* Evans,1915
 36913) *Polyommatus* (Agriades (s.str.)) *phertiades* (Eversmann,1843) (Lycaenidae) Synonym(s): *phertiades* Eversmann,1843
 36914) *Polyommatus* (Agriades (s.str.)) *phertiades andarabi* (Forster,1937) (Lycaenidae) Synonym(s): *andarabi* Forster,1937
 36915) *Polyommatus* (Agriades (s.str.)) *phertiades dschagataicus* (A.Bang-Haas,1915) (Lycaenidae) Synonym(s): *dschagataicus* A.Bang-Haas,1915
 36916) *Polyommatus* (Agriades (s.str.)) *phertiades micrus* (Avinoff,1910) (Lycaenidae) Synonym(s): *micra* Avinoff,1910
 36917) *Polyommatus* (Agriades (s.str.)) *phertiades multipletus* (Tschikolovetz,1997) (Lycaenidae) Synonym(s): *multipletus* Tschikolovetz
 36918) *Polyommatus* (Agriades (s.str.)) *phertiades pherecydes* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *pheres* Staudinger,1886 *nec* Boisduval,1852; *pherecydes* Groum-Grshimailo,1890
 36919) *Polyommatus* (Agriades (s.str.)) *phertiades phertiades* (Eversmann,1843) (Lycaenidae) Synonym(s): *phertiades* Eversmann,1843
 36920) *Polyommatus* (Agriades (s.str.)) *philebus* (Fruhstorfer,1915) (Lycaenidae) Synonym(s): *philebus* Fruhstorfer,1915
 36921) *Polyommatus* (Agriades (s.str.)) *phertiades pseudomicrus* (Tshikolovets,1997) (Lycaenidae) Synonym(s): *pseudomicrus* Tshikolovets,1997
 36922) *Polyommatus* (Agriades (s.str.)) *phertiades tekessanus* (Alpheraky,1897) (Lycaenidae) Synonym(s): *tekessana* Alpheraky,1897
 36923) *Polyommatus* (Agriades (s.str.)) *pyrenaicus* (Boisduval,1840) (Lycaenidae) Synonym(s): *pyrenaicus* Boisduval,1840; *#pyrenicus* Naderi,2003
 36924) *Polyommatus* (Agriades (s.str.)) *pyrenaicus araraticus* (Gerhard,1853) (Lycaenidae) Synonym(s): *araraticus* Gerhard,1853; *latedisjuncta* Alberti,1973; *erzurumensis* Eckweiler & Hesselbarth,1978 (cf. Varga, 1977:274).
 36925) *Polyommatus* (Agriades (s.str.)) *pyrenaicus asturiensis* (Oberthür,1910) (Lycaenidae) Synonym(s): *asturiensis* Oberthür,1910
 36926) *Polyommatus* (Agriades (s.str.)) *pyrenaicus dardanus* (Freyer,[1844]) (Lycaenidae) Synonym(s): *dardanus* Freyer,[1844]; *hesselbarthi* Nekrutenko,1974 *nec* Manl.,1970.
 36927) *Polyommatus* (Agriades (s.str.)) *pyrenaicus ergane* (Higgins,1981) (Lycaenidae) Synonym(s): *ergane* Higgins,1981
 36928) *Polyommatus* (Agriades (s.str.)) *pyrenaicus kudrnai* (Koçak,1980) (Lycaenidae) Synonym(s): *rebeli* Tuleschkhov,1932 *nec* Hirsch.,1904; *kudrnai* Koçak,1980.
 36929) *Polyommatus* (Agriades (s.str.)) *pyrenaicus pyrenaicus* (Boisduval,1840) (Lycaenidae) Synonym(s): *pyrenaicus* Boisduval,1840; *#pyrenicus* Naderi,2003
 36930) *Polyommatus* (Agriades (s.str.)) *pyrenaicus yusuf* (Koçak & Seven,1995) (Lycaenidae) Synonym(s): *yusuf* Koçak & Seven,1995
 36931) *Polyommatus* (Agriades (s.str.)) *sikkimus* (Bath,1900) (Lycaenidae) Synonym(s): *sikkima* Bath,1900
 36932) *Polyommatus* (Agriades (s.str.)) *sikkimus sikkimus* (Bath,1900) (Lycaenidae) Synonym(s): *sikkima* Bath,1900
 36933) *Polyommatus* (Agriades (s.str.)) *walterforster* Koçak,1996 (Lycaenidae) Synonym(s): *forsteri* Sakai,1978 *nec* Pff.,1938; *walterforster* Koçak,1996
 36934) *Polyommatus* (Agriades (s.str.)) *walterforster walterforster* Koçak,1996 (Lycaenidae) Synonym(s): *forsteri* Sakai,1978 *nec* Pff.,1938; *walterforster* Koçak,1996
 36935) *Polyommatus* (Albulina (Pamiria)) *arcaseia* (Fruhstorfer,1916) (Lycaenidae) Synonym(s): *arcaseia* Fruhstorfer,1916
 36936) *Polyommatus* (Albulina (Pamiria)) *arcaseia arcaseia* (Fruhstorfer,1916) (Lycaenidae) Synonym(s): *arcaseia* Fruhstorfer,1916
 36937) *Polyommatus* (Albulina (Pamiria)) *chrysopsis* (Groum-Grshimailo,1888) (Lycaenidae) Synonym(s): *chrysopsis* Groum-Grshimailo,1888; *gilgitica* Tytler,1926.
 36938) *Polyommatus* (Albulina (Pamiria)) *chrysopsis chrysopsis* (Groum-Grshimailo,1888) (Lycaenidae) Synonym(s): *chrysopsis* Groum-Grshimailo,1888; *gilgitica* Tytler,1926.
 36939) *Polyommatus* (Albulina (Pamiria)) *farazi* (Pagès & Charmeux,1997) (Lycaenidae) Synonym(s): *farazi* Pagès & Charmeux,1997
 36940) *Polyommatus* (Albulina (Pamiria)) *farazi farazi* (Pagès & Charmeux,1997) (Lycaenidae) Synonym(s): *farazi* Pagès & Charmeux,1997
 36941) *Polyommatus* (Albulina (Pamiria)) *farmanali* (Charmeux,2002) (Lycaenidae) Synonym(s): *farmanali* Charmeux,2002
 36942) *Polyommatus* (Albulina (Pamiria)) *galathea* (Blanchard,[1844]) (Lycaenidae) Synonym(s): *galathea* Blanchard,[1844]; *nycula* Moore
 36943) *Polyommatus* (Albulina (Pamiria)) *galathea chitralicus* (Evans,1925) (Lycaenidae) Synonym(s): *chitralica* Evans,1925
 36944) *Polyommatus* (Albulina (Pamiria)) *galathea depreei* (Tytler) (Lycaenidae) Synonym(s): *depreei* Tytler
 36945) *Polyommatus* (Albulina (Pamiria)) *galathea galathea* (Blanchard,[1844]) (Lycaenidae) Synonym(s): *galathea* Blanchard,[1844]; *nycula* Moore
 36946) *Polyommatus* (Albulina (Pamiria)) *issus* (Zhdanko,1995) (Lycaenidae) Synonym(s): *issa* Zhdanko,1995
 36947) *Polyommatus* (Albulina (Pamiria)) *issus issus* (Zhdanko,1995) (Lycaenidae) Synonym(s): *issa* Zhdanko,1995
 36948) *Polyommatus* (Albulina (Pamiria)) *lehanus* Moore,1878 (Lycaenidae) Synonym(s): *lehanus* Moore,1878
 36949) *Polyommatus* (Albulina (Pamiria)) *lehanus armathea* (Fruhstorfer,1916) (Lycaenidae) Synonym(s): *armathea* Fruhstorfer,1916
 36950) *Polyommatus* (Albulina (Pamiria)) *lehanus artenitus* (Fruhstorfer,1916) (Lycaenidae) Synonym(s): *artenita* Fruhstorfer,1916
 36951) *Polyommatus* (Albulina (Pamiria)) *lehanus asiaticus* Elwes,1882 (Lycaenidae) Synonym(s): *asiaticus* Elwes,1882
 36952) *Polyommatus* (Albulina (Pamiria)) *lehanus lehanus* Moore,1878 (Lycaenidae) Synonym(s): *lehanus* Moore,1878
 36953) *Polyommatus* (Albulina (Pamiria)) *lehanus pharis* (Fawcett,1904) (Lycaenidae) Synonym(s): *pharis* Fawcett,1904
 36954) *Polyommatus* (Albulina (Pamiria)) *metallicus* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *metallica* C.Felder & R.Felder,[1865]
 36955) *Polyommatus* (Albulina (Pamiria)) *metallicus gilgiticus* (Tytler) (Lycaenidae) Synonym(s): *gilgitica* Tytler
 36956) *Polyommatus* (Albulina (Pamiria)) *metallicus metallicus* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *metallica* C.Felder & R.Felder,[1865]
 36957) *Polyommatus* (Albulina (Pamiria)) *omphius* (Moore,[1875]) (Lycaenidae) Synonym(s): *omphisa* Moore,[1875]
 36958) *Polyommatus* (Albulina (Pamiria)) *omphius omphius* (Moore,[1875]) (Lycaenidae) Synonym(s): *omphisa* Moore,[1875]
 36959) *Polyommatus* (Albulina (Pamiria)) *selma* Koçak,1996 (Lycaenidae) Synonym(s): *chitralensis* Tytler,1926 *nec* Swinh.,1910; *selma* Koçak,1996
 36960) *Polyommatus* (Albulina (Pamiria)) *selma selma* Koçak,1996 (Lycaenidae) Synonym(s): *chitralensis* Tytler,1926 *nec* Swinh.,1910; *selma* Koçak,1996
 36961) *Polyommatus* (Albulina (Patricius)) *felicis* (Oberthür,1887) (Lycaenidae) Synonym(s): *felicis* Oberthür,1887
 36962) *Polyommatus* (Albulina (Patricius)) *felicis felix* (Oberthür,1887) (Lycaenidae) Synonym(s): *felicis* Oberthür,1887
 36963) *Polyommatus* (Albulina (Patricius)) *gaborronkayi* (Balint,1997) (Lycaenidae) Synonym(s): *gaborronkayi* Balint,1997
 36964) *Polyommatus* (Albulina (Patricius)) *gaborronkayi gaborronkayi* (Balint,1997) (Lycaenidae) Synonym(s): *gaborronkayi* Balint,1997
 36965) *Polyommatus* (Albulina (Patricius)) *lucifera* (Staudinger,1867) (Lycaenidae) Synonym(s): *lucifera* Staudinger,1867; *lornex* Higgins,1982.
 36966) *Polyommatus* (Albulina (Patricius)) *lucifera lucifera* (Staudinger,1867) (Lycaenidae) Synonym(s): *lucifera* Staudinger,1867; *lornex* Higgins,1982.
 36967) *Polyommatus* (Albulina (Patricius)) *lucifera selengensis* (Forster,1940) (Lycaenidae) Synonym(s): *biton* Bremer,1861 (hom.); *selengensis* Forster,1940; *otton* Korshunov,1996.
 36968) *Polyommatus* (Albulina (Patricius)) *themis* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *themis* Groum-Grshimailo,1890

- 36969) *Polyommatus* (Albulina (Patricius)) *themis themis* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *themis Groum-Grshimailo,1890*
- 36970) *Polyommatus* (Albulina (Patricius)) *younghusbandi* (Elwes,1906) (Lycaenidae) Synonym(s): *younghusbandi Elwes,1906*
- 36971) *Polyommatus* (Albulina (Patricius)) *younghusbandi younghusbandi* (Elwes,1906) (Lycaenidae) Synonym(s): *younghusbandi Elwes,1906*
- 36972) *Polyommatus* (Albulina (Plebejidea)) *afshar* (Eckweiler,1998) (Lycaenidae) Synonym(s): *afshar Eckweiler,1998*
- 36973) *Polyommatus* (Albulina (Plebejidea)) *afshar afshar* (Eckweiler,1998) (Lycaenidae) Synonym(s): *afshar Eckweiler,1998*
- 36974) *Polyommatus* (Albulina (Plebejidea)) *afshar tandurensis* (Carbonell & Naderi,2002) (Lycaenidae) Synonym(s): *tandurensis Carbonell & Naderi,2002*
- 36975) *Polyommatus* (Albulina (Plebejidea)) *cyane* (Eversmann,1837) (Lycaenidae) Synonym(s): *cyane Eversmann,1837*
- 36976) *Polyommatus* (Albulina (Plebejidea)) *cyane cyane* (Eversmann,1837) (Lycaenidae) Synonym(s): *cyane Eversmann,1837*
- 36977) *Polyommatus* (Albulina (Plebejidea)) *cyane deserticola* (Elwes,1899) (Lycaenidae) Synonym(s): *deserticola Elwes,1899*
- 36978) *Polyommatus* (Albulina (Plebejidea)) *cyane ella* (Bollow,1931) (Lycaenidae) Synonym(s): *ella Bollow,1931*
- 36979) *Polyommatus* (Albulina (Plebejidea)) *cyane kozhantschikovi* (Sheljuzhko,1928) (Lycaenidae) Synonym(s): *kozantschikovi Sheljuzhko,1928*
- 36980) *Polyommatus* (Albulina (Plebejidea)) *cyane maximus* (O.Bang-Haas,1927) (Lycaenidae) Synonym(s): *maxima O.Bang-Haas,1927*
- 36981) *Polyommatus* (Albulina (Plebejidea)) *cyane tarbagata* (Suschkin,1909) (Lycaenidae) Synonym(s): *tarbagata Suschkin,1909*
- 36982) *Polyommatus* (Albulina (Plebejidea)) *elvira* (Eversmann,1854) (Lycaenidae) Synonym(s): *elvira Eversmann,1854; oberthueri Groum-Grshimailo,1887.*
- 36983) *Polyommatus* (Albulina (Plebejidea)) *elvira elvira* (Eversmann,1854) (Lycaenidae) Synonym(s): *elvira Eversmann,1854; oberthueri Groum-Grshimailo,1887.*
- 36984) *Polyommatus* (Albulina (Plebejidea)) *ferganus* (Staudinger,1881) (Lycaenidae) Synonym(s): *fergana Staudinger,1881; torgouta Alpheraky,1881*
- 36985) *Polyommatus* (Albulina (Plebejidea)) *ferganus ferganus* (Staudinger,1881) (Lycaenidae) Synonym(s): *fergana Staudinger,1881; torgouta Alpheraky,1881*
- 36986) *Polyommatus* (Albulina (Plebejidea)) *loewii* (Zeller,1847) (Lycaenidae) Synonym(s): *loewii Zeller,1847; empyrea Gerhard,[1851]; gigas Staudinger,1871; #robusta Turati & Fiori,1930; germanicae Pfeiffer,1932; dzhagamati Sheljuzhko,1934.*
- 36987) *Polyommatus* (Albulina (Plebejidea)) *loewii afghanus* (Howarth & Povolny,1976) (Lycaenidae) Synonym(s): *afghana Howarth & Povolny,1976*
- 36988) *Polyommatus* (Albulina (Plebejidea)) *loewii antilbanoticus* (Hemming,1929) (Lycaenidae) Synonym(s): *antilbanotica Hemming,1929*
- 36989) *Polyommatus* (Albulina (Plebejidea)) *loewii battenfeldi* (Rose & Schurian,[1978]) (Lycaenidae) Synonym(s): *battenfeldi Rose & Schurian,[1978]*
- 36990) *Polyommatus* (Albulina (Plebejidea)) *loewii chamanicus* (Moore,1884) (Lycaenidae) Synonym(s): *chamanica Moore,1884*
- 36991) *Polyommatus* (Albulina (Plebejidea)) *loewii grossi* (Rose,1975) (Lycaenidae) Synonym(s): *grossi Rose,1975*
- 36992) *Polyommatus* (Albulina (Plebejidea)) *loewii hissaricus* (Stshetkin,1963) (Lycaenidae) Synonym(s): *hissarica Stshetkin,1963*
- 36993) *Polyommatus* (Albulina (Plebejidea)) *loewii hoffmanni* (Rose & Schurian,[1978]) (Lycaenidae) Synonym(s): *hoffmanni Rose & Schurian,[1978]*
- 36994) *Polyommatus* (Albulina (Plebejidea)) *loewii laura* (Evans,1932) (Lycaenidae) Synonym(s): *laura Evans,1932*
- 36995) *Polyommatus* (Albulina (Plebejidea)) *loewii lockarti* (Hemming,1929) (Lycaenidae) Synonym(s): *lockarti Hemming,1929*
- 36996) *Polyommatus* (Albulina (Plebejidea)) *loewii loewii* (Zeller,1847) (Lycaenidae) Synonym(s): *loewii Zeller,1847; empyrea Gerhard,[1851]; gigas Staudinger,1871; #robusta Turati & Fiori,1930; germanicae Pfeiffer,1932; dzhagamati Sheljuzhko,1934.*
- 36997) *Polyommatus* (Albulina (Plebejidea)) *loewii minimus* (Junge & Rose,1978) (Lycaenidae) Synonym(s): *minimus Junge & Rose,1978.*
- 36998) *Polyommatus* (Albulina (Plebejidea)) *loewii sanoga* (Evans,1925) (Lycaenidae) Synonym(s): *sanoga Evans,1925*
- 36999) *Polyommatus* (Albulina (Plebejidea)) *loewii schwingenschussi* (Pfeiffer,1937) (Lycaenidae) Synonym(s): *schwingenschussi Pfeiffer,1937*
- 37000) *Polyommatus* (Albulina (Plebejidea)) *loewii uranicola* (Walker,1870) (Lycaenidae) Synonym(s): *uranicola Walker,1870*
- 37001) *Polyommatus* (Albulina (Plebejidea)) *miris* (Staudinger,1881) (Lycaenidae) Synonym(s): *miris Staudinger,1881; #oblitescens Schultz,1906*
- 37002) *Polyommatus* (Albulina (Plebejidea)) *miris miris* (Staudinger,1881) (Lycaenidae) Synonym(s): *miris Staudinger,1881; #oblitescens Schultz,1906*
- 37003) *Polyommatus* (Albulina (Plebejidea)) *rosei* (Eckweiler,1989) (Lycaenidae) Synonym(s): *rosei Eckweiler,1989*
- 37004) *Polyommatus* (Albulina (Plebejidea)) *rosei oshtoranus* (Weidenhoffer,2002) (Lycaenidae) Synonym(s): *oshtoranus Weidenhoffer,2002*
- 37005) *Polyommatus* (Albulina (Plebejidea)) *rosei rosei* (Eckweiler,1989) (Lycaenidae) Synonym(s): *rosei Eckweiler,1989*
- 37006) *Polyommatus* (Albulina (Vacciniina)) *alcedo* (Christoph,1877) (Lycaenidae) Synonym(s): *alcedo Christoph,1877*
- 37007) *Polyommatus* (Albulina (Vacciniina)) *alcedo alcedo* (Christoph,1877) (Lycaenidae) Synonym(s): *alcedo Christoph,1877*
- 37008) *Polyommatus* (Albulina (Vacciniina)) *alcedo ardasher* (Eckweiler,1998) (Lycaenidae) Synonym(s): *ardasher Eckweiler,1998*
- 37009) *Polyommatus* (Albulina (Vacciniina)) *alcedo hodja* (Moore) (Lycaenidae) Synonym(s): *hodja Moore*
- 37010) *Polyommatus* (Albulina (Vacciniina)) *alcedo zoro* (Eckweiler,1998) (Lycaenidae) Synonym(s): *zoro Eckweiler,1998*
- 37011) *Polyommatus* (Albulina (Vacciniina)) *antoninae* (Lukhtanov,1999) (Lycaenidae) Synonym(s): *antoninae Lukhtanov,1999*
- 37012) *Polyommatus* (Albulina (Vacciniina)) *antoninae antoninae* (Lukhtanov,1999) (Lycaenidae) Synonym(s): *antoninae Lukhtanov,1999*
- 37013) *Polyommatus* (Albulina (Vacciniina)) *balinti* (D'Abbrera,1993) (Lycaenidae) Synonym(s): *balinti D'Abbrera,1993*
- 37014) *Polyommatus* (Albulina (Vacciniina)) *balinti balinti* (D'Abbrera,1993) (Lycaenidae) Synonym(s): *balinti D'Abbrera,1993*
- 37015) *Polyommatus* (Albulina (Vacciniina)) *iris* (Lang,1884) (Lycaenidae) Synonym(s): *iris Lang,1884; iris Staudinger,1886; neiris Tshkolovets,1997.*
- 37016) *Polyommatus* (Albulina (Vacciniina)) *iris ashretha* (Evans,1925) (Lycaenidae) Synonym(s): *ashretha Evans,1925*
- 37017) *Polyommatus* (Albulina (Vacciniina)) *iris dushanbe* (Lukhtanov,1999) (Lycaenidae) Synonym(s): *dushanbe Lukhtanov,1999*
- 37018) *Polyommatus* (Albulina (Vacciniina)) *iris hanna* (Evans,1932) (Lycaenidae) Synonym(s): *hanna Evans,1932*
- 37019) *Polyommatus* (Albulina (Vacciniina)) *iris iris* (Lang,1884) (Lycaenidae) Synonym(s): *iris Lang,1884; iris Staudinger,1886; neiris Tshkolovets,1997.*
- 37020) *Polyommatus* (Albulina (Vacciniina)) *iris marlene* (Hemming,1934) (Lycaenidae) Synonym(s): *astorica Tytler,1926 nec Ev.,1925; marlene Hemming,1934.*
- 37021) *Polyommatus* (Albulina (Vacciniina)) *morgianus* (Kirby,1871) (Lycaenidae) Synonym(s): *hyrcana Lederer,1869 nec Felder,1860; morgiana Kirby,1871.*
- 37022) *Polyommatus* (Albulina (Vacciniina)) *morgianus badgiri* (Ten Hagen & Schurian,2001) (Lycaenidae) Synonym(s): *badgiri Ten Hagen & Schurian,2001*
- 37023) *Polyommatus* (Albulina (Vacciniina)) *morgianus blomi* (Rose & Schurian,1977) (Lycaenidae) Synonym(s): *blomi Rose & Schurian,1977*
- 37024) *Polyommatus* (Albulina (Vacciniina)) *morgianus montetaftanus* (Ten Hagen & Schurian,2001) (Lycaenidae) Synonym(s): *montetaftanus Ten Hagen & Schurian,2001*
- 37025) *Polyommatus* (Albulina (Vacciniina)) *morgianus morgianus* (Kirby,1871) (Lycaenidae) Synonym(s): *hyrcana Lederer,1869 nec Felder,1860; morgiana Kirby,1871.*
- 37026) *Polyommatus* (Albulina (Vacciniina)) *morgianus vaneki* (Weidenhoffer & Klir,2000) (Lycaenidae) Synonym(s): *vaneki Weidenhoffer & Klir,2000*
- 37027) *Polyommatus* (Albulina (Vacciniina)) *omotoi* (Forster,1972) (Lycaenidae) Synonym(s): *omotoi Forster,1972*
- 37028) *Polyommatus* (Albulina (Vacciniina)) *omotoi omotoi* (Forster,1972) (Lycaenidae) Synonym(s): *omotoi Forster,1972*
- 37029) *Polyommatus* (Albulina (Vacciniina)) *optilete* (Knoch,1781) (Lycaenidae) Synonym(s): *optilete Knoch,1781*
- 37030) *Polyommatus* (Albulina (Vacciniina)) *optilete cosanus* (Higgins,1930) (Lycaenidae) Synonym(s): *cosana Higgins,1930; media Verity,1943.*
- 37031) *Polyommatus* (Albulina (Vacciniina)) *optilete cyparissus* (Hübner,[1813]) (Lycaenidae) Synonym(s): *cyparissus Hübner,[1813]*
- 37032) *Polyommatus* (Albulina (Vacciniina)) *optilete optilete* (Knoch,1781) (Lycaenidae) Synonym(s): *optilete Knoch,1781*
- 37033) *Polyommatus* (Albulina (Vacciniina)) *optilete sibiricus* (Staudinger,1892) (Lycaenidae) Synonym(s): *sibiricus Staudinger,1892; uralensis Seitz,1909 nec Elw.,1899; medea Hemming,1934.*
- 37034) *Polyommatus* (Albulina (Vacciniina)) *rutilans* (Staudinger,1886) (Lycaenidae) Synonym(s): *rutilans Staudinger,1886*
- 37035) *Polyommatus* (Albulina (Vacciniina)) *rutilans rutilans* (Staudinger,1886) (Lycaenidae) Synonym(s): *rutilans Staudinger,1886*
- 37036) *Polyommatus* (Albulina (Vacciniina)) *sieversii* (Christoph,1873) (Lycaenidae) Synonym(s): *sieversii Christoph,1873*
- 37037) *Polyommatus* (Albulina (Vacciniina)) *sieversii felicius* (Evans,1932) (Lycaenidae) Synonym(s): *felicia Evans,1932*
- 37038) *Polyommatus* (Albulina (Vacciniina)) *sieversii haberhaueri* (Staudinger,1886) (Lycaenidae) Synonym(s): *haberhaueri Staudinger,1886*
- 37039) *Polyommatus* (Albulina (Vacciniina)) *sieversii sieversii* (Christoph,1873) (Lycaenidae) Synonym(s): *sieversii Christoph,1873*
- 37040) *Polyommatus* (Albulina (Vacciniina)) *vaneki* (Weidenhoffer & Klir,2000) (Lycaenidae) Synonym(s): *vaneki Weidenhoffer & Klir,2000*
- 37041) *Polyommatus* (Albulina (s.str.)) *amphirrhoe* (Oberthür,1910) (Lycaenidae) Synonym(s): *amphirrhoe Oberthür,1910*
- 37042) *Polyommatus* (Albulina (s.str.)) *amphirrhoe amphirrhoe* (Oberthür,1910) (Lycaenidae) Synonym(s): *amphirrhoe Oberthür,1910*
- 37043) *Polyommatus* (Albulina (s.str.)) *orbitulus* (De Prunner,1798) (Lycaenidae) Synonym(s): *orbitulus De Prunner,1798; atys Hübner,1804 nec Cr.,1780; pheretes Hoffmannsegg,1804; pheretes Hübner,1806.*
- 37044) *Polyommatus* (Albulina (s.str.)) *orbitulus astoricus* (Tytler,1926) ? (Lycaenidae) Synonym(s): *astoricus Tytler,1926*
- 37045) *Polyommatus* (Albulina (s.str.)) *orbitulus demulaensis* (Huang,2001) (Lycaenidae) Synonym(s): *demulaensis Huang,2001*
- 37046) *Polyommatus* (Albulina (s.str.)) *orbitulus dongdalaensis* (Huang,2001) (Lycaenidae) Synonym(s): *dongdalaensis Huang,2001*
- 37047) *Polyommatus* (Albulina (s.str.)) *orbitulus litangensis* (Huang,2001) (Lycaenidae) Synonym(s): *litangensis Huang,2001*

- 37048) *Polyommatus* (Albulina (s.str.)) *orbitulus lobbichleri* (Forster,1961) (Lycaenidae) Synonym(s): *lobbichleri* Forster,1961
 37049) *Polyommatus* (Albulina (s.str.)) *orbitulus luxurians* (Forster,1940) (Lycaenidae) Synonym(s): *luxurians* (Forster,1940)
 37050) *Polyommatus* (Albulina (s.str.)) *orbitulus major* (Evans,1915) (Lycaenidae) Synonym(s): *major* Evans,1915
 37051) *Polyommatus* (Albulina (s.str.)) *orbitulus orbitulus* (De Prunner,1798) (Lycaenidae) Synonym(s): *orbitulus* De Prunner,1798; *atys* Hübner,1804 nec Cr.,1780; *pheretes Hoffmannsegg*,1804; *pheretes Hübner*,1806.
 37052) *Polyommatus* (Albulina (s.str.)) *orbitulus pheretimus* (Staudinger,1892) (Lycaenidae) Synonym(s): *phetimus* Staudinger,1892
 37053) *Polyommatus* (Albulina (s.str.)) *orbitulus qinlingensis* (Wang,1998) (Lycaenidae) Synonym(s): *qinlingensis* Wang,1998
 37054) *Polyommatus* (Albulina (s.str.)) *orbitulus sajanus* (Heyne,[1895]) (Lycaenidae) Synonym(s): *sajanus* Heyne,[1895]
 37055) *Polyommatus* (Albulina (s.str.)) *orbitulus shanxiensis* (Murayama,1983) (Lycaenidae) Synonym(s): *shanxiensis* Murayama,1983
 37056) *Polyommatus* (Albulina (s.str.)) *orbitulus tatsienluica* (Oberthür,1910) (Lycaenidae) Synonym(s): *tatsienluica* Oberthür,1910
 37057) *Polyommatus* (Albulina (s.str.)) *orbitulus tibetana* (D'Abbrera,1993) (Lycaenidae) Synonym(s): *tibetana* D'Abbrera,1993
 37058) *Polyommatus* (Albulina (s.str.)) *orbitulus tyrone* (Forster,1940) (Lycaenidae) Synonym(s): *tyrone* Forster,1940
 37059) *Polyommatus* (Albulina (s.str.)) *orbonus* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *orbona* Groum-Grshimailo,1890; *tartarus* Staudinger,1895
 37060) *Polyommatus* (Albulina (s.str.)) *pharis* (Fawcett,1904) (Lycaenidae) Synonym(s): *pharis* Fawcett,1904.
 37061) *Polyommatus* (Albulina (s.str.)) *pharis pharis* (Fawcett,1904) (Lycaenidae) Synonym(s): *pharis* Fawcett,1904
 37062) *Polyommatus* (Aricia (Eumedonia)) *annulatus* (Elwes,1906) (Lycaenidae) Synonym(s): *annulatus* Elwes,1906
 37063) *Polyommatus* (Aricia (Eumedonia)) *annulatus annulatus* (Elwes,1906) (Lycaenidae) Synonym(s): *annulatus* Elwes,1906
 37064) *Polyommatus* (Aricia (Eumedonia)) *astoricus* (Evans,1925) (Lycaenidae) Synonym(s): *astorica* Evans,1925; *astorica* Tytler,1926.
 37065) *Polyommatus* (Aricia (Eumedonia)) *astoricus astoricus* (Evans,1925) (Lycaenidae) Synonym(s): *astorica* Evans,1925; *astorica* Tytler,1926.
 37066) *Polyommatus* (Aricia (Eumedonia)) *eumedon* (Esper,[1780]) (Lycaenidae) Synonym(s): *chiron* Rottemburg,1775 nec Fabr.,1775; *eumedon* Esper,[1780]; *osiris* O.Bang-Haas,1927 nec Hopff.,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980.
 37067) *Polyommatus* (Aricia (Eumedonia)) *eumedon aladaghensis* (Koçak,1979) (Lycaenidae) Synonym(s): *aladaghensis* Koçak,1979
 37068) *Polyommatus* (Aricia (Eumedonia)) *eumedon antiquus* (Heyne,[1895]) (Lycaenidae) Synonym(s): *antiquus* Heyne,[1895]
 37069) *Polyommatus* (Aricia (Eumedonia)) *eumedon belinus* (De Prunner,1798) (Lycaenidae) Synonym(s): *belinus* De Prunner,1798; *glaciata* Verity,1921.
 37070) *Polyommatus* (Aricia (Eumedonia)) *eumedon boliviariensis* (De Sagarra,1930) (Lycaenidae) Synonym(s): *boliviariensis* De Sagarra,1930
 37071) *Polyommatus* (Aricia (Eumedonia)) *eumedon eumedon* (Esper,[1780]) (Lycaenidae) Synonym(s): *chiron* Rottemburg,1775 nec Fabr.,1775; *eumedon* Esper,[1780]; *osiris* Bang-Haas,1927 nec Hopffer,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980.
 37072) *Polyommatus* (Aricia (Eumedonia)) *eumedon fylgides* (Gorbunov,1995) (Lycaenidae) Synonym(s): *fylgides* Gorbunov,1995
 37073) *Polyommatus* (Aricia (Eumedonia)) *eumedon grassoides* (Eitschberger & Steiniger,1975) (Lycaenidae) Synonym(s): *grassoides* Eitschberger & Steiniger,1975; *montriensis* Nel,1976.
 37074) *Polyommatus* (Aricia (Eumedonia)) *eumedon jermyni* (Swinhoe,1910) (Lycaenidae) Synonym(s): *jermyni* Swinhoe,1910
 37075) *Polyommatus* (Aricia (Eumedonia)) *eumedon mariensis* (Eitschberger & Steiniger,1975) (Lycaenidae) Synonym(s): *mariensis* Eitschberger & Steiniger,1975
 37076) *Polyommatus* (Aricia (Eumedonia)) *eumedon modestus* (Nekrutenko,1972) (Lycaenidae) Synonym(s): *modestus* Nekrutenko,1972
 37077) *Polyommatus* (Aricia (Eumedonia)) *eumedon moenus* (Eitschberger & Steiniger,1975) (Lycaenidae) Synonym(s): *moenus* Eitschberger & Steiniger,1975
 37078) *Polyommatus* (Aricia (Eumedonia)) *eumedon mylittus* (Hemming,1931) (Lycaenidae) Synonym(s): *mylittus* Hemming,1931
 37079) *Polyommatus* (Aricia (Eumedonia)) *eumedon namus* Koçak & Kemal,2002 (Lycaenidae) Synonym(s): *namus* Koçak & Kemal,2002
 37080) *Polyommatus* (Aricia (Eumedonia)) *eumedon nebrodensis* (Ragusa,1919) (Lycaenidae) Synonym(s): *nebrodensis* Ragusa,1919
 37081) *Polyommatus* (Aricia (Eumedonia)) *eumedon nitschei* (Hemming,1933) (Lycaenidae) Synonym(s): *alticola* Nitsche,1926 nec Chr.,1893; *nitschei* Hemming,1933.
 37082) *Polyommatus* (Aricia (Eumedonia)) *eumedon sarykola* (Sheljuzhko,1914) (Lycaenidae) Synonym(s): *sarykola* Sheljuzhko,1914
 37083) *Polyommatus* (Aricia (Eumedonia)) *kogistanus* (Groum-Grshimailo,1888) (Lycaenidae) Synonym(s): *kogistana* Groum-Grshimailo,1888
 37084) *Polyommatus* (Aricia (Eumedonia)) *kogistanus kogistanus* (Groum-Grshimailo,1888) (Lycaenidae) Synonym(s): *kogistana* Groum-Grshimailo,1888
 37085) *Polyommatus* (Aricia (Eumedonia)) *timidus* (Groum-Grshimailo,1885) (Lycaenidae) Synonym(s): *timida* Groum-Grshimailo,1885
 37086) *Polyommatus* (Aricia (Eumedonia)) *timidus timidus* (Groum-Grshimailo,1885) (Lycaenidae) Synonym(s): *timida* Groum-Grshimailo,1885
 37087) *Polyommatus* (Aricia (Pseudoaricia)) *hyacinthus* (Herrich-Schäffer,[1847]) (Lycaenidae) Synonym(s): *hyacinthus* Herrich-Schäffer,[1847]; *guelayae* Schurian & Rose,1991; *silvestris* Schurian & Eckweiler,1993.
 37088) *Polyommatus* (Aricia (Pseudoaricia)) *hyacinthus hyacinthus* (Herrich-Schäffer,[1847]) (Lycaenidae) Synonym(s): *hyacinthus* Herrich-Schäffer,[1847]; *guelayae* Schurian & Rose,1991; *silvestris* Schurian & Eckweiler,1993.
 37089) *Polyommatus* (Aricia (Pseudoaricia)) *isauricus* (Staudinger,1871) (Lycaenidae) Synonym(s): *isauricus* Staudinger,1871
 37090) *Polyommatus* (Aricia (Pseudoaricia)) *isauricus dorsumstellae* (Graves,1923) (Lycaenidae) Synonym(s): *dorsumstellae* Graves,1923
 37091) *Polyommatus* (Aricia (Pseudoaricia)) *isauricus isauricus* (Staudinger,1871) (Lycaenidae) Synonym(s): *isauricus* Staudinger,1871
 37092) *Polyommatus* (Aricia (Pseudoaricia)) *isauricus latimargo* (Miller,1923) (Lycaenidae) Synonym(s): *#latimargo* Courvoisier,1913; *latimargo* Miller,1923.
 37093) *Polyommatus* (Aricia (Pseudoaricia)) *nicias* (Meigen,1830) (Lycaenidae) Synonym(s): *nicias* Meigen,1830; *donzelii* Boisduval,1832.
 37094) *Polyommatus* (Aricia (Pseudoaricia)) *nicias bittis* (Fruhstorfer,1915) (Lycaenidae) Synonym(s): *septentrionalis* Krulikowsky,1908 nec Fuchs,1901; *bittis* Fruhstorfer,1915
 37095) *Polyommatus* (Aricia (Pseudoaricia)) *nicias borsippus* (Fruhstorfer,1915) (Lycaenidae) Synonym(s): *borsippa* Fruhstorfer,1915
 37096) *Polyommatus* (Aricia (Pseudoaricia)) *nicias kolosovi* (Korshunov,1995) (Lycaenidae) Synonym(s): *kolosovi* Korshunov,1995
 37097) *Polyommatus* (Aricia (Pseudoaricia)) *nicias nicias* (Meigen,1830) (Lycaenidae) Synonym(s): *nicias* Meigen,1830; *donzelii* Boisduval,1832.
 37098) *Polyommatus* (Aricia (Pseudoaricia)) *nicias scandicus* (Wahlgren,1930) (Lycaenidae) Synonym(s): *scandica* Wahlgren,1930
 37099) *Polyommatus* (Aricia (Pseudoaricia)) *teberdinus* (Sheljuzhko,1934) (Lycaenidae) Synonym(s): *teberdinus* Sheljuzhko,1934
 37100) *Polyommatus* (Aricia (Pseudoaricia)) *teberdinus nahizericus* (Eckweiler,1978) (Lycaenidae) Synonym(s): *nahizericus* Eckweiler,1978
 37101) *Polyommatus* (Aricia (Pseudoaricia)) *teberdinus teberdinus* (Sheljuzhko,1934) (Lycaenidae) Synonym(s): *teberdinus* Sheljuzhko,1934
 37102) *Polyommatus* (Aricia (Pseudoaricia)) *torulensis* Hesselbarth & Siepe,1993 (Lycaenidae) Synonym(s): *torulensis* Hesselbarth & Siepe,1993
 37103) *Polyommatus* (Aricia (Pseudoaricia)) *torulensis torulensis* Hesselbarth & Siepe,1993 (Lycaenidae) Synonym(s): *torulensis* Hesselbarth & Siepe,1993
 37104) *Polyommatus* (Aricia (Ultraaricia)) *anteros* (Freyer,[1838]) (Lycaenidae) Synonym(s): *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] nec Frivaldsky,1835; *orpheus* Nekrutenko,1980.
 37105) *Polyommatus* (Aricia (Ultraaricia)) *anteros anteros* (Freyer,[1838]) (Lycaenidae) Synonym(s): *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] nec Frivaldsky,1835; *orpheus* Nekrutenko,1980.
 37106) *Polyommatus* (Aricia (Ultraaricia)) *anteros dombaiensis* (Alberti,1969) (Lycaenidae) Synonym(s): *dombaiensis* Alberti,1969
 37107) *Polyommatus* (Aricia (Ultraaricia)) *bassoni* (T.Larsen,1974) (Lycaenidae) Synonym(s): *bassoni* T.Larsen,1974
 37108) *Polyommatus* (Aricia (Ultraaricia)) *bassoni bassoni* (T.Larsen,1974) (Lycaenidae) Synonym(s): *bassoni* T.Larsen,1974
 37109) *Polyommatus* (Aricia (Ultraaricia)) *crassipunctus* (Christoph,1893) (Lycaenidae) Synonym(s): *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909.
 37110) *Polyommatus* (Aricia (Ultraaricia)) *crassipunctus crassipunctus* (Christoph,1893) (Lycaenidae) Synonym(s): *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909.
 37111) *Polyommatus* (Aricia (Ultraaricia)) *crassipunctus mehmetcik* Koçak & Kemal,2002 (Lycaenidae) Synonym(s): *mehmetcik* Koçak & Kemal,2002
 37112) *Polyommatus* (Aricia (Ultraaricia)) *morroneensis* Ribbe,1910 (Lycaenidae) Synonym(s): *morroneensis* Ribbe,1910
 37113) *Polyommatus* (Aricia (Ultraaricia)) *morroneensis elsa* (Wyatt,1952) (Lycaenidae) Synonym(s): *elsae* Wyatt,1952
 37114) *Polyommatus* (Aricia (Ultraaricia)) *morroneensis hesselbarthi* (Manley,1970) (Lycaenidae) Synonym(s): *hesselbarthi* Manley,1970
 37115) *Polyommatus* (Aricia (Ultraaricia)) *morroneensis morroneensis* Ribbe,1910 (Lycaenidae) Synonym(s): *morroneensis* Ribbe,1910
 37116) *Polyommatus* (Aricia (Ultraaricia)) *morroneensis navarredondae* (Wyatt,1952) (Lycaenidae) Synonym(s): *navarredondae* Wyatt,1952
 37117) *Polyommatus* (Aricia (Ultraaricia)) *morroneensis ordesae* (Sagarra,1930) (Lycaenidae) Synonym(s): *ordesae* Sagarra,1930
 37118) *Polyommatus* (Aricia (Ultraaricia)) *morroneensis ramburi* (Verity,1913) (Lycaenidae) Synonym(s): *idas* Rambur,1842 nec Linnaeus,1761; *ramburi* Verity,1913

- 37119) *Polyommatus* (*Aricia* (*Ultraaricia*)) *vandarbani* (Pfeiffer,1937) (Lycaenidae) Synonym(s): *vandarbani* Pfeiffer,1937
- 37120) *Polyommatus* (*Aricia* (*Ultraaricia*)) *vandarbani vandarbani* (Pfeiffer,1937) (Lycaenidae) Synonym(s): *vandarbani* Pfeiffer,1937
- 37121) *Polyommatus* (*Aricia* (*Umpria*)) *chinensis* (Murray,1874) (Lycaenidae) Synonym(s): *chinensis* Murray,1874
- 37122) *Polyommatus* (*Aricia* (*Umpria*)) *chinensis chinensis* (Murray,1874) (Lycaenidae) Synonym(s): *chinensis* Murray,1874
- 37123) *Polyommatus* (*Aricia* (*Umpria*)) *chinensis myrmecias* (Christoph,1877) (Lycaenidae) Synonym(s): *myrmecias* Christoph,1877
- 37124) *Polyommatus* (*Aricia* (*Umpria*)) *chinensis sibiricanus* (Kozhanchikov,1923) (Lycaenidae) Synonym(s): *sibiricanus* Kozhanchikov,1923
- 37125) *Polyommatus* (*Aricia* (*Umpria*)) *scythissus* (Nekrutenko,1985) (Lycaenidae) Synonym(s): *scythissa* Nekrutenko,1985
- 37126) *Polyommatus* (*Aricia* (*Umpria*)) *scythissus scythissus* (Nekrutenko,1985) (Lycaenidae) Synonym(s): *scythissa* Nekrutenko,1985
- 37127) *Polyommatus* (*Aricia* (s.str.)) *agestis* (Denis & Schiffermüller,1775) (Lycaenidae) Synonym(s): *medon* Hufnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,1779].
- 37128) *Polyommatus* (*Aricia* (s.str.)) *agestis aestivus* (Zeller,1847) (Lycaenidae) Synonym(s): *aestiva* Zeller,1847; *calida* Bellier,1862
- 37129) *Polyommatus* (*Aricia* (s.str.)) *agestis agestis* (Denis & Schiffermüller,1775) (Lycaenidae) Synonym(s): *medon* Hufnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,1779].
- 37130) *Polyommatus* (*Aricia* (s.str.)) *agestis gallicus* (Oberthür,1910) (Lycaenidae) Synonym(s): *gallica* Oberthür,1910
- 37131) *Polyommatus* (*Aricia* (s.str.)) *agestis subcalidus* (Verity,1920) (Lycaenidae) Synonym(s): *subcalida* Verity,1920
- 37132) *Polyommatus* (*Aricia* (s.str.)) *artaxerxes* (Fabricius,1793) (Lycaenidae) Synonym(s): *artaxerxes* Fabricius,1793.
- 37133) *Polyommatus* (*Aricia* (s.str.)) *artaxerxes allous* (Geyer,1836) (Lycaenidae) Synonym(s): *allous* Geyer,1836; *alpina* Staudinger,1871; *delphica* Wnukowsky,1929.
- 37134) *Polyommatus* (*Aricia* (s.str.)) *artaxerxes artaxerxes* (Fabricius,1793) (Lycaenidae) Synonym(s): *artaxerxes* Fabricius,1793
- 37135) *Polyommatus* (*Aricia* (s.str.)) *artaxerxes hercynicus* (Kames,1969) (Lycaenidae) Synonym(s): *hercynica* Kames,1969
- 37136) *Polyommatus* (*Aricia* (s.str.)) *artaxerxes lepsinskanus* (Obraztsov,1935) (Lycaenidae) Synonym(s): *#lepsinskana* Obraztsov,1935
- 37137) *Polyommatus* (*Aricia* (s.str.)) *artaxerxes macedonicus* (Verity,1936) (Lycaenidae) Synonym(s): *macedonicus* Verity,1936; *issekutzi* Balogh,1956.
- 37138) *Polyommatus* (*Aricia* (s.str.)) *artaxerxes montensis* (Verity,1928) (Lycaenidae) Synonym(s): *montana* Heyne,1895; *nec Meyer-Dür,1852; nevadensis* Oberthür,1909 nec Oberthür,1909; *montensis* Verity,1928.
- 37139) *Polyommatus* (*Aricia* (s.str.)) *artaxerxes rambringi* (Lycaenidae) Synonym(s): *rambringi*
- 37140) *Polyommatus* (*Aricia* (s.str.)) *artaxerxes sarmatis* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *sarmatis* Groum-Grshimailo,1890; *inhonora* Jachontov,1909.
- 37141) *Polyommatus* (*Aricia* (s.str.)) *artaxerxes semimontensis* (Verity,1928) (Lycaenidae) Synonym(s): *semimontensis* Verity,1928; *alpiummagna* Verity,1943; *debrosti* Beuret,1960.
- 37142) *Polyommatus* (*Aricia* (s.str.)) *artaxerxes sheljuzhkoii* (Obraztsov,1935) (Lycaenidae) Synonym(s): *sheljuzhkoii* Obraztsov,1935; *#azerbajdzhana* Obraztsov,1935.
- 37143) *Polyommatus* (*Aricia* (s.str.)) *artaxerxes strandi* (Obraztsov,1935) (Lycaenidae) Synonym(s): *strandii* Obraztsov,1935
- 37144) *Polyommatus* (*Aricia* (s.str.)) *artaxerxes transalaicus* Obraztsov,1935 (Lycaenidae) Synonym(s): *transalaica* Obraztsov,1935
- 37145) *Polyommatus* (*Aricia* (s.str.)) *artaxerxes turgais* (Obraztsov,1935) (Lycaenidae) Synonym(s): *turgais* Obraztsov,1935
- 37146) *Polyommatus* (*Aricia* (s.str.)) *cramera* (Eschscholtz, 1821) (Lycaenidae) Synonym(s): *cramera* Eschscholtz,1821; *canariensis* Blachier,1889
- 37147) *Polyommatus* (*Aricia* (s.str.)) *cramera cramera* (Eschscholtz,1821) (Lycaenidae) Synonym(s): *cramera* Eschscholtz,1821; *canariensis* Blachier,1889
- 37148) *Polyommatus* (*Aricia* (s.str.)) *cramera subcramera* (Manley & Allcard,1970) (Lycaenidae) Synonym(s): *subcramera* Manley & Allcard,1970
- 37149) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *actis* (Herrich-Schäffer,1851) (Lycaenidae) Synonym(s): *atys* Gerhard,[May,1851] nec *atys* Hübner,1804 non Cramer,1780; *actis* Herrich-Schäffer,[December,1851]; *athis* Freyer,[December,1851].
- 37150) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *actis actis* (Herrich-Schäffer,1851) (Lycaenidae) Synonym(s): *atys* Gerhard,[May,1851] nec *atys* Hübner,1804 non Cramer,1780; *actis* Herrich-Schäffer,[December,1851]; *athis* Freyer,[December,1851].
- 37151) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *artvinensis* (Carbonell,1997) (Lycaenidae) Synonym(s): *artvinensis* Carbonell,1997
- 37152) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *artvinensis artvinensis* (Carbonell,1997) (Lycaenidae) Synonym(s): *artvinensis* Carbonell,1997
- 37153) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *cilicius* (Carbonell,1998) (Lycaenidae) Synonym(s): *cilicius* Carbonell,1998
- 37154) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *cilicius bolcarensis* (Carbonell,1998) (Lycaenidae) Synonym(s): *bolcarensis* Carbonell,1998
- 37155) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *cilicius cilicius* (Carbonell,1998) (Lycaenidae) Synonym(s): *cilicius* Carbonell,1998
- 37156) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *firdussii* (Forster,1956) (Lycaenidae) Synonym(s): *firdussii* Forster,1956
- 37157) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *firdussii firdussii* (Forster,1956) (Lycaenidae) Synonym(s): *firdussii* Forster,1956
- 37158) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *firdussii pseudactis* (Forster,1960) (Lycaenidae) Synonym(s): *pseudactis* Forster,1960
- 37159) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *sertavulensis* (Koçak,1979) (Lycaenidae) Synonym(s): *sertavulensis* Koçak,1979
- 37160) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *sertavulensis ernesti* Eckweiler,1989 (Lycaenidae) Synonym(s): *ernesti* Eckweiler,1989
- 37161) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *sertavulensis sertavulensis* (Koçak,1979) (Lycaenidae) Synonym(s): *sertavulensis* Koçak,1979
- 37162) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *sigberti* Olivier, Poorten, Puplesiene & de Prins,2000 (Lycaenidae) Synonym(s): *sigberti* Olivier, Poorten, Puplesiene & de Prins,2000
- 37163) *Polyommatus* (s.str. (*Agrodiaetus* (*Actisia*))) *sigberti sigberti* Olivier, Poorten, Puplesiene & de Prins,2000 (Lycaenidae) Synonym(s): *sigberti* Olivier, Poorten, Puplesiene & de Prins,2000
- 37164) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *admetus* (Esper,1783) (Lycaenidae) Synonym(s): *admetus* Esper,1783]
- 37165) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *admetus admetus* (Esper,1783) (Lycaenidae) Synonym(s): *admetus* Esper,1783]
- 37166) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *admetus anatoliensis* (Forster,1960) (Lycaenidae) Synonym(s): *anatoliensis* Forster,1960
- 37167) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *admetus malievi* (Dantchenko & Lukhtanov,2005) (Lycaenidae) Synonym(s): *malievi* Dantchenko & Lukhtanov,2005
- 37168) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *admetus yeranyani* (Dantchenko & Lukhtanov,2005) (Lycaenidae) Synonym(s): *yeranyani* Dantchenko & Lukhtanov,2005
- 37169) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *alcestis* (Zerny,1932) (Lycaenidae) Synonym(s): *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002.
- 37170) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *alcestis alcestis* (Zerny,1932) (Lycaenidae) Synonym(s): *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002.
- 37171) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ardschirus* (Brandt,1938) (Lycaenidae) Synonym(s): *ardschira* Brandt,1938
- 37172) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ardschirus ardschirus* (Brandt,1938) (Lycaenidae) Synonym(s): *ardschira* Brandt,1938
- 37173) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *aroaniensis* (Brown,1976) (Lycaenidae) Synonym(s): *aroaniensis* Brown,1976
- 37174) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *aroaniensis aroaniensis* (Brown,1976) (Lycaenidae) Synonym(s): *aroaniensis* Brown,1976
- 37175) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *belovi* (Dantchenko & Lukhtanov,2005) (Lycaenidae) Synonym(s): *belovi* Dantchenko & Lukhtanov,2005
- 37176) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *dantchenkoii* Lukhtanov, Wiemers & Meusemann,2003 (Lycaenidae) Synonym(s): *dantchenkoii* Lukhtanov, Wiemers & Meusemann,2003
- 37177) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *dantchenkoii dantchenkoii* Lukhtanov, Wiemers & Meusemann,2003 (Lycaenidae) Synonym(s): *dantchenkoii* Lukhtanov, Wiemers & Meusemann,2003
- 37178) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *dantchenkoii orphicus* Kolev,2005 (Lycaenidae) Synonym(s): *orphicus* Kolev,2005
- 37179) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *demavendi* (Pfeiffer,1938) (Lycaenidae) Synonym(s): *demavendi* Pfeiffer,1938; *#demavendi* de Lesse,1960
- 37180) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *demavendi amasyensis* (De Lesse,1961) (Lycaenidae) Synonym(s): *amasyensis* De Lesse,1961
- 37181) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *demavendi demavendi* (Pfeiffer,1938) (Lycaenidae) Synonym(s): *demavendi* Pfeiffer,1938; *#demavendi* de Lesse,1960
- 37182) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *demavendi khorasanensis* (Carbonell,2001) (Lycaenidae) Synonym(s): *khorasanensis* Carbonell,2001
- 37183) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *demavendi lorestanus* Eckweiler,1997 (Lycaenidae) Synonym(s): *lorestanus* Eckweiler,1997
- 37184) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *eleniae* Coutsis & De Prins,2005 (Lycaenidae) Synonym(s): *eleniae* Coutsis & De Prins,2005
- 37185) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *eleniae eleniae* Coutsis & De Prins,2005 (Lycaenidae) Synonym(s): *eleniae* Coutsis & De Prins,2005
- 37186) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *erivanensis* (Forster,1960) (Lycaenidae) Synonym(s): *erivanensis* Forster,1960
- 37187) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *erivanensis erivanensis* (Forster,1960) (Lycaenidae) Synonym(s): *erivanensis* Forster,1960

- 37188) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *erivanensis* *interjectus* (De Lesse,1960) (Lycaenidae) Synonym(s): *interjectus* De Lesse,1960
- 37189) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *fabressei* (Oberthür,1910) (Lycaenidae) Synonym(s): *fabressei* Oberthür,1910
- 37190) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *fabressei* *fabressei* (Oberthür,1910) (Lycaenidae) Synonym(s): *fabressei* Oberthür,1910
- 37191) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *fabressei* *violetae* (Gomez-Bustillo, Hermosa & Borrego,1979) (Lycaenidae) Synonym(s): *violetae* Gomez-Bustillo, Hermosa & Borrego,1979
- 37192) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *galloi* (Balletto & Toso,1979) (Lycaenidae) Synonym(s): *galloi* Balletto & Toso,1979
- 37193) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *galloi* *galloi* (Balletto & Toso,1979) (Lycaenidae) Synonym(s): *galloi* Balletto & Toso,1979
- 37194) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *humedasa* (Toso & Balletto,1976) (Lycaenidae) Synonym(s): *humedasa* Toso & Balletto,1976
- 37195) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *humedasa* *humedasa* (Toso & Balletto,1976) (Lycaenidae) Synonym(s): *humedasa* Toso & Balletto,1976
- 37196) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *nephohiptamenos* (Brown & Coutsis,1978) (Lycaenidae) Synonym(s): *nephohiptamenos* Brown & Coutsis,1978
- 37197) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *nephohiptamenos* *nephohiptamenos* (Brown & Coutsis,1978) (Lycaenidae) Synonym(s): *nephohiptamenos* Brown & Coutsis,1978
- 37198) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *paulae* Wiemers & De Prins,2004 (Lycaenidae) Synonym(s): *paulae* Wiemers & De Prins,2004
- 37199) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *paulae* *paulae* Wiemers & De Prins,2004 (Lycaenidae) Synonym(s): *paulae* Wiemers & De Prins,2004
- 37200) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii* (Freyer,[1830]) (Lycaenidae) Synonym(s): *ripartii* Freyer,[1830].
- 37201) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii* *budashkini* Kolev & De Prins,1995 (Lycaenidae) Synonym(s): *budashkini* Kolev & De Prins,1995
- 37202) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii* *curinieri* Sourès,1974 (Lycaenidae) Synonym(s): *curinieri* Sourès,1974
- 37203) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii* *exuberans* (Verity,1926) (Lycaenidae) Synonym(s): *exuberans* Verity,1926; *#rufolunulata* Verity,1943.
- 37204) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii* *montanesus* (Gomez-Bustillo,1971) (Lycaenidae) Synonym(s): *montanesa* Gomez-Bustillo,1971
- 37205) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii* *paralcestis* (Forster,1960) (Lycaenidae) Synonym(s): *paralcestis* Forster,1960
- 37206) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii* *pelopi* (Brown,1976) (Lycaenidae) Synonym(s): *pelopi* Brown,1976.
- 37207) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii* *ramonagenjo* Koçak & Kemal,2001 (Lycaenidae) Synonym(s): *agenjoi* Forster,1965 nec Higgins,1948; *ramonagenjo* Koçak & Kemal,2001
- 37208) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii* *ripartii* (Freyer,1830) (Lycaenidae) Synonym(s): *ripartii* Freyer,1830
- 37209) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii* *ripartii* (Boisduval,1832) (Lycaenidae) Synonym(s): *ripartii* Boisduval,1832
- 37210) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii* *tengritaghicus* Koçak & Kemal,2001 (Lycaenidae) Synonym(s): *tengritaghicus* Koçak & Kemal,2001
- 37211) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *urmiensis* Schurian & Ten Hagen,2003 (Lycaenidae) Synonym(s): *urmiensis* Schurian & Ten Hagen,2003
- 37212) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *urmiensis* *urmiensis* Schurian & Ten Hagen,2003 (Lycaenidae) Synonym(s): *urmiensis* Schurian & Ten Hagen,2003
- 37213) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *valiabadi* (Rose & Schurian,[1978]) (Lycaenidae) Synonym(s): *valiabadi* Rose & Schurian,[1978]
- 37214) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *valiabadi* *rijabovianus* (Koçak,1980) (Lycaenidae) Synonym(s): *rijabovianus* Koçak,1980
- 37215) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *valiabadi* *valiabadi* (Rose & Schurian,[1978]) (Lycaenidae) Synonym(s): *valiabadi* Rose & Schurian,[1978]
- 37216) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *ainsae* (Forster,1961) (Lycaenidae) Synonym(s): *ainsae* Forster,1961
- 37217) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *ainsae* *ainsae* (Forster,1961) (Lycaenidae) Synonym(s): *ainsae* Forster,1961
- 37218) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *antidolus* (Rebel,1901) (Lycaenidae) Synonym(s): *antidolus* Rebel,1901
- 37219) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *antidolus* *aereus* Eckweiler,1998 (Lycaenidae) Synonym(s): *aereus* Eckweiler,1998
- 37220) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *antidolus* *antidolus* (Rebel,1901) (Lycaenidae) Synonym(s): *antidolus* Rebel,1901
- 37221) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *antidolus* *femininoides* (Eckweiler,1987) (Lycaenidae) Synonym(s): *femininoides* Eckweiler,1987
- 37222) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *antidolus* *pertekensis* (Carbonell,2003) (Lycaenidae) Synonym(s): *pertekensis* Carbonell,2003
- 37223) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *dama* (Staudinger,[1892]) (Lycaenidae) Synonym(s): *dama* Staudinger,[1892]
- 37224) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *dama* *dama* (Staudinger,[1892]) (Lycaenidae) Synonym(s): *dama* Staudinger,[1892]
- 37225) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *dama* *karindus* (Riley,1921) (Lycaenidae) Synonym(s): *karindus* Riley,1921
- 37226) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *deebi* (T.Larsen,1974) (Lycaenidae) Synonym(s): *deebi* T.Larsen,1974
- 37227) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *deebi* *deebi* (T.Larsen,1974) (Lycaenidae) Synonym(s): *deebi* T.Larsen,1974
- 37228) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *dolus* (Hübner,[1823]) (Lycaenidae) Synonym(s): *dolus* Hübner,[1823]
- 37229) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *dolus* *dolus* (Hübner,[1823]) (Lycaenidae) Synonym(s): *dolus* Hübner,[1823]
- 37230) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *dolus* *gargano* (Wimmers,1931) (Lycaenidae) Synonym(s): *gargano* Wimmers,1931
- 37231) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *dolus* *pseudovirgilius* (De Lesse,1962) (Lycaenidae) Synonym(s): *pseudovirgilius* De Lesse,1962; *magnabrillata* Gomez-Bustillo,1971; *iris* Agenjo,[1973] nec Lang,1884.
- 37232) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *dolus* *virgilius* (Oberthür,1910) (Lycaenidae) Synonym(s): *virgilius* Oberthür,1910
- 37233) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *dolus* *vittatus* (Oberthür,1892) (Lycaenidae) Synonym(s): *vittatus* Oberthür,1892
- 37234) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *fulgens* (De Sagarra,1926) (Lycaenidae) Synonym(s): *fulgens* De Sagarra,1926
- 37235) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *fulgens* *fulgens* (De Sagarra,1926) (Lycaenidae) Synonym(s): *fulgens* De Sagarra,1926
- 37236) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *hamadanensis* (De Lesse,1959) (Lycaenidae) Synonym(s): *hamadanensis* De Lesse,1959
- 37237) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *hamadanensis* *hamadanensis* (De Lesse,1959) (Lycaenidae) Synonym(s): *hamadanensis* De Lesse,1959
- 37238) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *hamadanensis* *splendens* (Forster,1961) (Lycaenidae) Synonym(s): *splendens* Forster,1961 nec Stefanelli,1904.
- 37239) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *hopfferi* (Gerhard,[1851]) (Lycaenidae) Synonym(s): *#hopfferi* Herrich-Schäffer,[August,1851] (*uninominal*); *hopfferi* Gerhard,[November,1851]; *hopfferi* Herrich-Schäffer,31.December,1851]; *hadjina* Heyne,[1895]; *malatiae* Forster,1961.
- 37240) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *hopfferi* *hopfferi* (Gerhard,[1851]) (Lycaenidae) Synonym(s): *#hopfferi* Herrich-Schäffer,[August,1851] (*uninominal*); *hopfferi* Gerhard,[November,1851]; *hopfferi* Herrich-Schäffer,31.December,1851]; *hadjina* Heyne,[1895]; *malatiae* Forster,1961.
- 37241) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *kurdistanicus* (Forster,1961) (Lycaenidae) Synonym(s): *kurdistanicus* Forster,1961
- 37242) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *kurdistanicus* *kurdistanicus* (Forster,1961) (Lycaenidae) Synonym(s): *kurdistanicus* Forster,1961
- 37243) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *larseni* (Carbonell,1994) (Lycaenidae) Synonym(s): *larseni* Carbonell,1994
- 37244) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *larseni* *larseni* (Carbonell,1994) (Lycaenidae) Synonym(s): *larseni* Carbonell,1994
- 37245) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *lycius* (Carbonell,1996) (Lycaenidae) Synonym(s): *lycius* Carbonell,1996
- 37246) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *lycius* *lycius* (Carbonell,1996) (Lycaenidae) Synonym(s): *lycius* Carbonell,1996
- 37247) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *menalcas* (Freyer,[1837]) (Lycaenidae) Synonym(s): *menalcas* Freyer,[1837]; *epidolus* Boisduval,1840; *hamasina* Neuburger,1900.
- 37248) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *menalcas* *menalcas* (Freyer,[1837]) (Lycaenidae) Synonym(s): *menalcas* Freyer,[1837]; *epidolus* Boisduval,1840; *hamasina* Neuburger,1900.
- 37249) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *mithridates* (Staudinger,1878) (Lycaenidae) Synonym(s): *mithridates* Staudinger,1878
- 37250) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *mithridates* *mithridates* (Staudinger,1878) (Lycaenidae) Synonym(s): *mithridates* Staudinger,1878
- 37251) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *mithridates* *saetosus* (Pfeiffer,1932) (Lycaenidae) Synonym(s): *saetosus* Pfeiffer,1932; *#kovachi* Wiltshire,1957.
- 37252) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *morgani* (Le Cerf,[1910]) (Lycaenidae) Synonym(s): *morgani* Le Cerf,[1910]
- 37253) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *morgani* *morgani* (Le Cerf,[1910]) (Lycaenidae) Synonym(s): *morgani* Le Cerf,[1910]
- 37254) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *morgani* *sanandajensis* (Carbonell,2003) (Lycaenidae) Synonym(s): *sanandajensis* Carbonell,2003
- 37255) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *peilei* (Bethune-Baker,1921) (Lycaenidae) Synonym(s): *peilei* Bethune-Baker,1921

- 37256) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *peilei* *peilei* (Bethune-Baker,1921) (Lycaenidae) Synonym(s): *peilei* Bethune-Baker,1921
- 37257) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *poseidon* (Herrich-Schäffer,[1851]) (Lycaenidae) Synonym(s): *poseidon* Herrich-Schäffer,[1851]; *mesopotamica* Staudinger,1892.
- 37258) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *poseidon* *poseidon* (Herrich-Schäffer,[1851]) (Lycaenidae) Synonym(s): *poseidon* Herrich-Schäffer,[1851]; *mesopotamica* Staudinger,1892.
- 37259) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *sennanensis* (De Lesse,1959) (Lycaenidae) Synonym(s): *sennanensis* De Lesse,1959
- 37260) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *sennanensis* *sennanensis* (De Lesse,1959) (Lycaenidae) Synonym(s): *sennanensis* De Lesse,1959
- 37261) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *theresia* Schurian et al.,1992 (Lycaenidae) Synonym(s): *theresia* Schurian et al.,1992
- 37262) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *theresia* *theresia* Schurian et al.,1992 (Lycaenidae) Synonym(s): *theresia* Schurian et al.,1992
- 37263) *Polyommatus* (s.str. (*Agrodiaetus* (*Dagmara*))) *dagmarus* (Groum-Grshimailo,1888) (Lycaenidae) Synonym(s): *dagmara* Groum-Grshimailo,1888
- 37264) *Polyommatus* (s.str. (*Agrodiaetus* (*Dagmara*))) *dagmarus* *dagmarus* (Groum-Grshimailo,1888) (Lycaenidae) Synonym(s): *dagmara* Groum-Grshimailo,1888
- 37265) *Polyommatus* (s.str. (*Agrodiaetus* (*Dagmara*))) *pulchellus* Bernardi,1951 (Lycaenidae) Synonym(s): *pulcher* Sheljuzhko,1928 nec Murray,1873; *pulchella* Bernardi,1951
- 37266) *Polyommatus* (s.str. (*Agrodiaetus* (*Dagmara*))) *pulchellus* *chaburobatus* Tschikolowez,1992 (Lycaenidae) Synonym(s): *chaburobatus* Tschikolowez,1992
- 37267) *Polyommatus* (s.str. (*Agrodiaetus* (*Dagmara*))) *pulchellus* *pulchellus* Bernardi,1951 (Lycaenidae) Synonym(s): *pulcher* Sheljuzhko,1928 nec Murray,1873; *pulchella* Bernardi,1951
- 37268) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *actinides* (Staudinger,1886) (Lycaenidae) Synonym(s): *actinides* Staudinger,1886
- 37269) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *actinides* *actinides* (Staudinger,1886) (Lycaenidae) Synonym(s): *actinides* Staudinger,1886
- 37270) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *actinides* *weidenhofferi* Eckweiler,1997 (Lycaenidae) Synonym(s): *weidenhofferi* Eckweiler,1997
- 37271) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *afghanicus* (Forster,1973) (Lycaenidae) Synonym(s): *afghanicus* Forster,1973
- 37272) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *afghanicus* *afghanicus* (Forster,1973) (Lycaenidae) Synonym(s): *afghanicus* Forster,1973
- 37273) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *faramarzii* Skala,2001 (Lycaenidae) Synonym(s): *faramarzii* Skala,2001
- 37274) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *faramarzii* *faramarzii* Skala,2001 (Lycaenidae) Synonym(s): *faramarzii* Skala,2001
- 37275) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *hyrsyz* Koçak & Kemal,2001 (Lycaenidae) Synonym(s): *hyrsyz* Koçak & Kemal,2001
- 37276) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *hyrsyz* *hyrsyz* Koçak & Kemal,2001 (Lycaenidae) Synonym(s): *hyrsyz* Koçak & Kemal,2001
- 37277) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *iphigenides* (Staudinger,1886) (Lycaenidae) Synonym(s): *iphigenides* Staudinger,1886
- 37278) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *iphigenides* *iphigenides* (Staudinger,1886) (Lycaenidae) Synonym(s): *iphigenides* Staudinger,1886
- 37279) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *iphigenides* *ishkashimicus* Stchetkin,1986 (Lycaenidae) Synonym(s): *ishkashimicus* Stchetkin,1986
- 37280) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *iphigenides* *karatavicus* Lukhtanov,1990 (Lycaenidae) Synonym(s): *karatavicus* Lukhtanov,1990
- 37281) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *iphigenides* *lukhtanovi* Dantchenko,1993 (Lycaenidae) Synonym(s): *lukhtanovi* Dantchenko,1993
- 37282) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *juldus* (Staudinger,1886) (Lycaenidae) Synonym(s): *juldusa* Staudinger,1886; *duplicata* A.Bang-Haas,1910.
- 37283) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *juldus* *juldus* (Staudinger,1886) (Lycaenidae) Synonym(s): *juldusa* Staudinger,1886; *duplicata* A.Bang-Haas,1910.
- 37284) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *juldus* *kasachstanus* Lukhtanov & Dantchenko,1994 (Lycaenidae) Synonym(s): *kasachstanus* Lukhtanov & Dantchenko,1994
- 37285) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *juldus* *kirgisorum* Lukhtanov & Dantchenko,1994 (Lycaenidae) Synonym(s): *kirgisorum* Lukhtanov & Dantchenko,1994
- 37286) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *juldus* *rueckbeili* (Forster,1960) (Lycaenidae) Synonym(s): *rueckbeili* Forster,1960
- 37287) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *melanius* (Staudinger,1886) (Lycaenidae) Synonym(s): *melanius* Staudinger,1886
- 37288) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *melanius* *melanius* (Staudinger,1886) (Lycaenidae) Synonym(s): *melanius* Staudinger,1886
- 37289) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *muelleriae* Eckweiler,1997 (Lycaenidae) Synonym(s): *muelleriae* Eckweiler,1997
- 37290) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *muelleriae* *muelleriae* Eckweiler,1997 (Lycaenidae) Synonym(s): *muelleriae* Eckweiler,1997
- 37291) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *phyllides* (Staudinger,1886) (Lycaenidae) Synonym(s): *phyllides* Staudinger,1886
- 37292) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *phyllides* *ashabadicus* (Forster,1960) (Lycaenidae) Synonym(s): *ashabadica* Forster,1960; *ashabadica* Forster,1960
- 37293) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *phyllides* *kentauensis* Lukhtanov,1990 (Lycaenidae) Synonym(s): *kentauensis* Lukhtanov,1990
- 37294) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *phyllides* *phyllides* (Staudinger,1886) (Lycaenidae) Synonym(s): *phyllides* Staudinger,1886
- 37295) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *poseidonides* (Staudinger,1886) (Lycaenidae) Synonym(s): *poseidonides* Staudinger,1886
- 37296) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *poseidonides* *danilevskiy* Dantchenko,1994 (Lycaenidae) Synonym(s): *danilevskiy* Dantchenko,1994
- 37297) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *poseidonides* *florenciae* (Tytler,1926) (Lycaenidae) Synonym(s): *florenciae* Tytler,1926; ? *evansi* Forster,1956
- 37298) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *poseidonides* *poseidonides* (Staudinger,1886) (Lycaenidae) Synonym(s): *poseidonides* Staudinger,1886
- 37299) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *poseidonides* *rickmersi* (Forster,1956) (Lycaenidae) Synonym(s): *rickmersi* Forster,1956
- 37300) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *praeactinides* (Forster,1960) (Lycaenidae) Synonym(s): *praeactinides* Forster,1960
- 37301) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *praeactinides* *praeactinides* (Forster,1960) (Lycaenidae) Synonym(s): *praeactinides* Forster,1960
- 37302) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *shahrani* Skala,2001 (Lycaenidae) Synonym(s): *shahrani* Skala,2001
- 37303) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *shahrani* *shahrani* Skala,2001 (Lycaenidae) Synonym(s): *shahrani* Skala,2001
- 37304) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *ectabanensis* (De Lesse,1963) (Lycaenidae) Synonym(s): *ectabanensis* De Lesse,1963; *avajicus* Blom,1979; *hecbatanensis* Nazari,2003
- 37305) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *ectabanensis* *ectabanensis* (De Lesse,1963) (Lycaenidae) Synonym(s): *ectabanensis* De Lesse,1963; *avajicus* Blom,1979; *hecbatanensis* Nazari,2003
- 37306) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *ectabanensis* *gorbunovi* Dantchenko & Lukhtanov,1994 (Lycaenidae) Synonym(s): *gorbunovi* Dantchenko & Lukhtanov,1994
- 37307) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *erzindjanensis* (Carbonell,2002) (Lycaenidae) Synonym(s): *erzindjanensis* Carbonell,[2003]
- 37308) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *musa* *koçak* & Hosseinpour,1996 (Lycaenidae) Synonym(s): *brandti* Forster,1956 nec Pfeiffer,1938; *musa* Koçak & Hosseinpour,1996; *fredi* Eckweiler,1997.
- 37309) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *musa* *esfahensis* (Carbonell,2000) (Lycaenidae) Synonym(s): *esfahensis* Carbonell,2000
- 37310) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *musa* *musa* *koçak* & Hosseinpour,1996 (Lycaenidae) Synonym(s): *brandti* Forster,1956 nec Pfeiffer,1938; *musa* Koçak & Hosseinpour,1996; *fredi* Eckweiler,1997.
- 37311) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *pfeifferi* (Brandt,1938) (Lycaenidae) Synonym(s): *pfeifferi* Brandt,1938
- 37312) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *pfeifferi* *astyages* Skala,2001 (Lycaenidae) Synonym(s): *astyages* Skala,2001
- 37313) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *pfeifferi* *pfeifferi* (Brandt,1938) (Lycaenidae) Synonym(s): *pfeifferi* Brandt,1938
- 37314) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *wagneri* (Forster,1956) (Lycaenidae) Synonym(s): *wagneri* Forster,1956
- 37315) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *wagneri* *iphiactis* Lukhtanov & Dantchenko,2003 (Lycaenidae) Synonym(s): *iphiactis* Lukhtanov & Dantchenko,2003
- 37316) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *wagneri* *maraschi* (Forster,1956) (Lycaenidae) Synonym(s): *maraschi* Forster,1956
- 37317) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *wagneri* *wagneri* (Forster,1956) (Lycaenidae) Synonym(s): *wagneri* Forster,1956
- 37318) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *avinovi* Stchetkin,1980 (Lycaenidae) Synonym(s): *avinovi* Stchetkin,1980
- 37319) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *avinovi* *avinovi* Stchetkin,1980 (Lycaenidae) Synonym(s): *avinovi* Stchetkin,1980
- 37320) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *avinovi* *dangara* Eckweiler,1997 (Lycaenidae) Synonym(s): *dangara* Eckweiler,1997
- 37321) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *baltazardi* (De Lesse,1962) (Lycaenidae) Synonym(s): *baltazardi* De Lesse,1962
- 37322) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *baltazardi* *baltazardi* (De Lesse,1962) (Lycaenidae) Synonym(s): *baltazardi* De Lesse,1962
- 37323) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *bogra* Evans,1932 (Lycaenidae) Synonym(s): *bogra* Evans,1932
- 37324) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *bogra* *afghanistanus* (Forster,1972) (Lycaenidae) Synonym(s): *afghanistanus* Forster,1972
- 37325) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *bogra* *birjandensis* Eckweiler,2003 (Lycaenidae) Synonym(s): *birjandensis* Eckweiler,2003
- 37326) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *bogra* *bogra* Evans,1932 (Lycaenidae) Synonym(s): *bogra* Evans,1932
- 37327) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *bogra* *taftanus* Eckweiler,1997 (Lycaenidae) Synonym(s): *taftanus* Eckweiler,1997

- 37328) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *eckweileri* Ten Hagen, 1998 (Lycaenidae) Synonym(s): *eckweileri* Hagen, 1998
- 37329) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *eckweileri eckweileri* Ten Hagen, 1998 (Lycaenidae) Synonym(s): *eckweileri* Hagen, 1998
- 37330) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *erschoffii* (Lederer, 1869) (Lycaenidae) Synonym(s): *erschoffii* Lederer, 1869
- 37331) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *erschoffii erschoffii* (Lederer, 1869) (Lycaenidae) Synonym(s): *erschoffii* Lederer, 1869
- 37332) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *erschoffii pashtu* Eckweiler, 1997 (Lycaenidae) Synonym(s): *pashtu* Eckweiler, 1997
- 37333) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *erschoffii tahirides* Eckweiler, 1998 (Lycaenidae) Synonym(s): *tahirides* Eckweiler, 1998
- 37334) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *erschoffii tekkeanus* (Christoph, 1887) (Lycaenidae) Synonym(s): *tekkeanus* Christoph, 1887
- 37335) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *frauvartianae* Balint, 1997 (Lycaenidae) Synonym(s): *frauvartianae* Balint, 1997
- 37336) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *frauvartianae frauvartianae* Balint, 1997 (Lycaenidae) Synonym(s): *frauvartianae* Balint, 1997
- 37337) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *glaucias* (Lederer, 1871) (Lycaenidae) Synonym(s): *glaucias* Lederer, 1871
- 37338) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *glaucias glaucias* (Lederer, 1871) (Lycaenidae) Synonym(s): *glaucias* Lederer, 1871
- 37339) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *klausschuriani* Ten Hagen, 1999 (Lycaenidae) Synonym(s): *klausschuriani* Ten Hagen, 1999
- 37340) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *klausschuriani klausschuriani* Ten Hagen, 1999 (Lycaenidae) Synonym(s): *klausschuriani* Ten Hagen, 1999
- 37341) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *magnificus* (Groum-Grshimailo, 1885) (Lycaenidae) Synonym(s): *magnificus* Groum-Grshimailo, 1885; *superbus* Staudinger, 1887.
- 37342) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *magnificus magnificus* (Groum-Grshimailo, 1885) (Lycaenidae) Synonym(s): *magnificus* Groum-Grshimailo, 1885; *superbus* Staudinger, 1887.
- 37343) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *nadirus* (Moore, 1884) (Lycaenidae) Synonym(s): *nadirus* Moore, 1884
- 37344) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *nadirus nadirus* (Moore, 1884) (Lycaenidae) Synonym(s): *nadirus* Moore, 1884
- 37345) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *shirkuhensis* Ten Hagen & Eckweiler, 2001 (Lycaenidae) Synonym(s): *shirkuhensis* Ten Hagen & Eckweiler, 2001
- 37346) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *shirkuhensis shirkuhensis* Ten Hagen & Eckweiler, 2001 (Lycaenidae) Synonym(s): *shirkuhensis* Ten Hagen & Eckweiler, 2001
- 37347) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *tenhageni* Schurian & Eckweiler, 1999 (Lycaenidae) Synonym(s): *tenhageni* Schurian & Eckweiler, 1999
- 37348) *Polyommatus* (s.str. (*Agrodiaetus* (*Paragrodiaetus*))) *tenhageni tenthageni* Schurian & Eckweiler, 1999 (Lycaenidae) Synonym(s): *tenhageni* Schurian & Eckweiler, 1999
- 37349) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *baytopi* (De Lesse, 1959) (Lycaenidae) Synonym(s): *baytopi* De Lesse, 1959
- 37350) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *baytopi baytopi* (De Lesse, 1959) (Lycaenidae) Synonym(s): *baytopi* De Lesse, 1959
- 37351) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *baytopi ilkursun* Koçak & Kemal, 2001 (Lycaenidae) Synonym(s): *ilkursun* Koçak & Kemal, 2001
- 37352) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *darius* Eckweiler & Ten Hagen, 1998 (Lycaenidae) Synonym(s): *darius* Eckweiler & Ten Hagen, 1998
- 37353) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *darius daris* Eckweiler & Ten Hagen, 1998 (Lycaenidae) Synonym(s): *darius* Eckweiler & Ten Hagen, 1998
- 37354) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *darius masulensis* Ten Hagen & Schurian, 2000 (Lycaenidae) Synonym(s): *masulensis* Ten Hagen & Schurian, 2000
- 37355) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *igisizilim* Koçak & Kemal, 2001 (Lycaenidae) Synonym(s): *igisizilim* Koçak & Kemal, 2001
- 37356) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *igisizilim igisizilim* Koçak & Kemal, 2001 (Lycaenidae) Synonym(s): *igisizilim* Koçak & Kemal, 2001
- 37357) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *iphicarmon* Eckweiler & Rose, 1993 (Lycaenidae) Synonym(s): *iphicarmon* Eckweiler & Rose, 1993
- 37358) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *iphicarmon iphicarmon* Eckweiler & Rose, 1993 (Lycaenidae) Synonym(s): *iphicarmon* Eckweiler & Rose, 1993
- 37359) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *iphidamon* (Staudinger, 1899) (Lycaenidae) Synonym(s): *iphidamon* Staudinger, 1899
- 37360) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *iphidamon iphidamon* (Staudinger, 1899) (Lycaenidae) Synonym(s): *iphidamon* Staudinger, 1899
- 37361) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *iphigenia* (Herrich-Schäffer, [1847]) (Lycaenidae) Synonym(s): *iphigenia* Herrich-Schäffer, [1847]
- 37362) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *iphigenia araratensis* (De Lesse, 1957) (Lycaenidae) Synonym(s): *araratensis* De Lesse, 1957
- 37363) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *iphigenia barthae* (Pfeiffer, 1932) (Lycaenidae) Synonym(s): *barthae* Pfeiffer, 1932; *#zuleikae* Pfeiffer, 1932.
- 37364) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *iphigenia iphigenia* (Herrich-Schäffer, [1847]) (Lycaenidae) Synonym(s): *iphigenia* Herrich-Schäffer, [1847]
- 37365) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *iphigenia nonacriensis* (Brown, 1977) (Lycaenidae) Synonym(s): *nonacriensis* Brown, 1977
- 37366) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *mofidii* (De Lesse, 1963) (Lycaenidae) Synonym(s): *mofidii* De Lesse, 1963
- 37367) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *mofidii mofidii* (De Lesse, 1963) (Lycaenidae) Synonym(s): *mofidii* De Lesse, 1963
- 37368) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *mofidii sorkhensis* Eckweiler, 2003 (Lycaenidae) Synonym(s): *sorkhensis* Eckweiler, 2003
- 37369) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *phyllis* (Christoph, 1877) (Lycaenidae) Synonym(s): *phyllis* Christoph, 1877
- 37370) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *phyllis dagestanicus* (Forster, 1960) (Lycaenidae) Synonym(s): *dagestanica* Forster, 1960
- 37371) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *phyllis nekrutenkoi* Dantchenko & Lukhtanov, 1994 (Lycaenidae) Synonym(s): *nekrutenkoi* Dantchenko & Lukhtanov, 1994
- 37372) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *phyllis phyllis* (Christoph, 1877) (Lycaenidae) Synonym(s): *phyllis* Christoph, 1877
- 37373) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *phyllis wolfgangeckweiler* Koçak & Kemal, 2000 (Lycaenidae) Synonym(s): *sheljuzhko* Forster, 1960 *nec* Obraztsov, 1935; *wolfgangeckweiler* Koçak & Kemal, 2000.
- 37374) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *phyllis zeitunus* (Forster, 1960) (Lycaenidae) Synonym(s): *zeituna* Forster, 1960
- 37375) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *posthumus* (Christoph, 1877) (Lycaenidae) Synonym(s): *posthumus* Christoph, 1877
- 37376) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *posthumus birunii* Eckweiler & Ten Hagen, 1998 (Lycaenidae) Synonym(s): *birunii* Eckweiler & Ten Hagen, 1998
- 37377) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *posthumus posthumus* (Christoph, 1877) (Lycaenidae) Synonym(s): *posthumus* Christoph, 1877
- 37378) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *rovshani* Dantchenko & Lukhtanov, 1994 (Lycaenidae) Synonym(s): *rovshani* Dantchenko & Lukhtanov, 1994
- 37379) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *rovshani rovshani* Dantchenko & Lukhtanov, 1994 (Lycaenidae) Synonym(s): *rovshani* Dantchenko & Lukhtanov, 1994
- 37380) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *tankeri* (De Lesse, 1960) (Lycaenidae) Synonym(s): *tankeri* De Lesse, 1960
- 37381) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *tankeri tankeri* (De Lesse, 1960) (Lycaenidae) Synonym(s): *tankeri* De Lesse, 1960
- 37382) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *vanensis* (De Lesse, 1957) (Lycaenidae) Synonym(s): *vanensis* De Lesse, 1957
- 37383) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *vanensis vanensis* (De Lesse, 1957) (Lycaenidae) Synonym(s): *vanensis* De Lesse, 1957
- 37384) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspus*))) *altivagans* (Forster, 1956) (Lycaenidae) Synonym(s): *altivagans* Forster, 1956; *vaspurakani* Lukhtanov & Dantchenko, 2003
- 37385) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspus*))) *altivagans altivagans* (Forster, 1956) (Lycaenidae) Synonym(s): *altivagans* Forster, 1956; *vaspurakani* Lukhtanov & Dantchenko, 2003
- 37386) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspus*))) *anticarmon* (Koçak, 1983) (Lycaenidae) Synonym(s): *anticarmon* Koçak, 1983; *charmieuxi* Pagès, 1994
- 37387) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspus*))) *anticarmon anticarmon* (Koçak, 1983) (Lycaenidae) Synonym(s): *anticarmon* Koçak, 1983; *charmieuxi* Pagès, 1994
- 37388) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspus*))) *arasbarani* (Carbonell & Naderi, 2000) (Lycaenidae) Synonym(s): *arasbarani* Carbonell & Naderi, 2000 (March); *neglectus* Dantchenko, 2000 (May) *nec* Stradomsky & Arzanov, 1999.
- 37389) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspus*))) *arasbarani arasbarani* (Carbonell & Naderi, 2000) (Lycaenidae) Synonym(s): *arasbarani* Carbonell & Naderi, 2000 (March); *neglectus* Dantchenko, 2000 (May) *nec* Stradomsky & Arzanov, 1999.
- 37390) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspus*))) *aserbeidschanus* (Forster, 1956) (Lycaenidae) Synonym(s): *aserbeidschana* Forster, 1956
- 37391) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspus*))) *aserbeidschanus aserbeidschanus* (Forster, 1956) (Lycaenidae) Synonym(s): *aserbeidschana* Forster, 1956
- 37392) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspus*))) *caeruleus* (Staudinger, 1871) (Lycaenidae) Synonym(s): *caeruleus* Staudinger, 1871
- 37393) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspus*))) *caeruleus caeruleus* (Staudinger, 1871) (Lycaenidae) Synonym(s): *caeruleus* Staudinger, 1871

- 37394) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *caeruleus khoshyeilaqi* (Blom,1979) (Lycaenidae) Synonym(s): *khoshyeilaqi* Blom,1979
- 37395) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *damonides* (Staudinger,1899) (Lycaenidae) Synonym(s): *damonides* Staudinger,1899
- 37396) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *damonides damonides* (Staudinger,1899) (Lycaenidae) Synonym(s): *damonides* Staudinger,1899
- 37397) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *dizinesis* (Schurian,1982) (Lycaenidae) Synonym(s): *dizinesis* Schurian,1982
- 37398) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *dizensis* (Schurian,1982) (Lycaenidae) Synonym(s): *dizensis* Schurian,1982
- 37399) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *elbursicus* (Forster,1956) (Lycaenidae) Synonym(s): *elbursica* Forster,1956.
- 37400) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *elbursicus elbursicus* (Forster,1956) (Lycaenidae) Synonym(s): *elbursica* Forster,1956.
- 37401) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *elbursicus zapvadi* (Carbonell,1993) (Lycaenidae) Synonym(s): *zapvadi* Carbonell,1993
- 37402) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *eurypilus* (Gerhard,[1851]) (Lycaenidae) Synonym(s): *eurypilus* Gerhard,[1851]; *carmon* Herrich-Schäffer,[1851 December]; *munzuricus* Rose,1978
- 37403) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *eurypilus eurypilus* (Gerhard,[1851]) (Lycaenidae) Synonym(s): *eurypilus* Gerhard,[1851]; *carmon* Herrich-Schäffer,[1851 December]; *munzuricus* Rose,1978
- 37404) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *guezelmavi* Olivier et al.,1999 (Lycaenidae) Synonym(s): *guezelmavi* Olivier et al.,1999
- 37405) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *guezelmavi guezelmavi* Olivier et al.,1999 (Lycaenidae) Synonym(s): *guezelmavi* Olivier et al.,1999
- 37406) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *huberti* (Carbonell,1993) (Lycaenidae) Synonym(s): *huberti* Carbonell,1993
- 37407) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *huberti huberti* (Carbonell,1993) (Lycaenidae) Synonym(s): *huberti* Carbonell,1993
- 37408) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *kendevani* (Forster,1956) (Lycaenidae) Synonym(s): *kendevani* Forster,1956
- 37409) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *kendevani kendevani* (Forster,1956) (Lycaenidae) Synonym(s): *kendevani* Forster,1956
- 37410) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *kendevani pseudoxerxes* (Forster,1956) (Lycaenidae) Synonym(s): *pseudoxerxes* Forster,1956
- 37411) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *lukhtanovi* (Dantchenko,2005) (Lycaenidae) Synonym(s): *lukhtanovi* Dantchenko,2005
- 37412) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *lukhtanovi lukhtanovi* (Dantchenko,2005) (Lycaenidae) Synonym(s): *lukhtanovi* Dantchenko,2005
- 37413) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *ninae* (Forster,1956) (Lycaenidae) Synonym(s): *ninae* Forster,1956
- 37414) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *ninae ninae* (Forster,1956) (Lycaenidae) Synonym(s): *ninae* Forster,1956
- 37415) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *schuriani* (Rose,1978) (Lycaenidae) Synonym(s): *#schuriani* Rose,1978 [conditionally proposed]; *kunchuy Koçak*,1999
- 37416) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *schuriani attalaensis* Carbonell, Borie & De Prins,200 (Lycaenidae) Synonym(s): *attalaensis* Carbonell, Borie & De Prins,2004
- 37417) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *schuriani schuriani* (Rose,1978) (Lycaenidae) Synonym(s): *#schuriani* Rose,1978 [conditionally proposed]; *kunchuy Koçak*,1999
- 37418) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *shamil* (Dantchenko,2000) (Lycaenidae) Synonym(s): *shamil* Dantchenko,2000
- 37419) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *shamil shamil* (Dantchenko,2000) (Lycaenidae) Synonym(s): *shamil* Dantchenko,2000
- 37420) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *surakovi* Dantchenko & Lukhtanov,1994 (Lycaenidae) Synonym(s): *surakovi* Dantchenko & Lukhtanov,1994; *sekercioglu* Dantchenko & Lukhtanov,2002
- 37421) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *surakovi surakovi* Dantchenko & Lukhtanov,1994 (Lycaenidae) Synonym(s): *surakovi* Dantchenko & Lukhtanov,1994; *sekercioglu* Dantchenko & Lukhtanov,2002
- 37422) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *transcaspicus* (Heyne,[1895]) (Lycaenidae) Synonym(s): *transcaspicus* Heyne,[1895]; *transcaspicus* Staudinger,1899.
- 37423) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *transcaspicus difficillimus* (Forster,1956) (Lycaenidae) Synonym(s): *difficillimus* Forster,1956
- 37424) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *transcaspicus firuze* (Carbonell,1993) (Lycaenidae) Synonym(s): *firuze* Carbonell,1993
- 37425) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *transcaspicus kotzschii* (Forster,1956) (Lycaenidae) Synonym(s): *kotzschii* Forster,1956
- 37426) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *transcaspicus transcaspicus* (Heyne,[1895]) (Lycaenidae) Synonym(s): *transcaspicus* Heyne,[1895]; *transcaspicus* Staudinger,1899.
- 37427) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *turicola* (Koçak,1977) (Lycaenidae) Synonym(s): *turicola* Koçak,1977; *#turicolus* Kandul et al.,2004
- 37428) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *turicola turicola* (Koçak,1977) (Lycaenidae) Synonym(s): *turicola* Koçak,1977; *#turicolus* Kandul et al.,2004
- 37429) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *turicus* (Koçak,1977) (Lycaenidae) Synonym(s): *turicus* Koçak,1977
- 37430) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *turicus turicus* (Koçak,1977) (Lycaenidae) Synonym(s): *turicus* Koçak,1977
- 37431) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *yurinekrutenko* Koçak,1996 (Lycaenidae) Synonym(s): *ciscaucasicus* Forster,1956 *nec* Jachontov,1914 (Bollow,1931); *yurinekrutenko* Koçak,1996; *carmonides* Eckweiler,1997.
- 37432) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *yurinekrutenko yurinekrutenko* Koçak,1996 (Lycaenidae) Synonym(s): *ciscaucasicus* Forster,1956 *nec* Jachontov,1914 (Bollow,1931); *yurinekrutenko* Koçak,1996; *carmonides* Eckweiler,1997.
- 37433) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *zarathustra* Eckweiler,1997 (Lycaenidae) Synonym(s): *zarathustra* Eckweiler,1997
- 37434) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *zarathustra zarathustra* Eckweiler,1997 (Lycaenidae) Synonym(s): *zarathustra* Eckweiler,1997
- 37435) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *zardensis* Schurian & Ten Hagen,2001 (Lycaenidae) Synonym(s): *zardensis* Schurian & Ten Hagen,2001
- 37436) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *zardensis zardensis* Schurian & Ten Hagen,2001 (Lycaenidae) Synonym(s): *zardensis* Schurian & Ten Hagen,2001
- 37437) *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *barmifiruze* (Carbonell,2000) (Lycaenidae) Synonym(s): *barmifiruze* Carbonell,2000
- 37438) *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *barmifiruze barmifiruze* (Carbonell,2000) (Lycaenidae) Synonym(s): *barmifiruze* Carbonell,2000
- 37439) *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *cyaneus* (Staudinger,1899) (Lycaenidae) Synonym(s): *cyaneus* Staudinger,1899; *pseudocyaneus* Forster,1956.
- 37440) *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *cyaneus cyaneus* (Staudinger,1899) (Lycaenidae) Synonym(s): *cyaneus* Staudinger,1899; *pseudocyaneus* Forster,1956.
- 37441) *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *cyaneus damalis* (Riley,1921) (Lycaenidae) Synonym(s): *damalis* Riley,1921
- 37442) *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *cyaneus kermansis* (De Lesse,1962) (Lycaenidae) Synonym(s): *kermansis* De Lesse,1962
- 37443) *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *cyaneus paracyaneus* (De Lesse,1963) (Lycaenidae) Synonym(s): *paracyaneus* De Lesse,1963
- 37444) *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *merhaba* De Prins,1991 (Lycaenidae) Synonym(s): *merhaba* De Prins,1991
- 37445) *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *merhaba merhaba* De Prins,1991 (Lycaenidae) Synonym(s): *merhaba* De Prins,1991
- 37446) *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *xerxes* (Staudinger,1899) (Lycaenidae) Synonym(s): *xerxes* Staudinger,1899
- 37447) *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *xerxes xerxes* (Staudinger,1899) (Lycaenidae) Synonym(s): *xerxes* Staudinger,1899
- 37448) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damocles* (Herrich-Schäffer,[1844]) (Lycaenidae) Synonym(s): *damocles* Herrich-Schäffer,[1844]
- 37449) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damocles damocles* (Herrich-Schäffer,[1844]) (Lycaenidae) Synonym(s): *damocles* Herrich-Schäffer,[1844]
- 37450) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damocles krymaeus* (Sheljuzhko,1928) (Lycaenidae) Synonym(s): *krymaea* Sheljuzhko,1928
- 37451) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damocles rossicus* Dantchenko & Lukhtanov,1993 (Lycaenidae) Synonym(s): *rossicus* Dantchenko & Lukhtanov,1993
- 37452) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damocles tortumensis* (Carbonell,2003) (Lycaenidae) Synonym(s): *tortumensis* Carbonell,2003
- 37453) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damocles urartua* (Carbonell,2003) (Lycaenidae) Synonym(s): *urartua* Carbonell,2003
- 37454) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon* ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): *damon* [Denis & Schiffermüller],1775
- 37455) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon acutus* (Agenjo,[1973]) (Lycaenidae) Synonym(s): *acutus* Agenjo,[1973]
- 37456) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon ausonius* (Verity,1914) (Lycaenidae) Synonym(s): *ausonius* Verity,1914
- 37457) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon biton* (Sulzer,1776) (Lycaenidae) Synonym(s): *biton* Sulzer,1776
- 37458) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon cabreræ* (De Sagarra,1930) (Lycaenidae) Synonym(s): *cabreræ* De Sagarra,1930; *meridiocassus* Verity,1951
- 37459) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon clarior* (Verity,1943) (Lycaenidae) Synonym(s): *clarior* Verity,1943
- 37460) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon damon* ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): *damon* [Denis & Schiffermüller],1775
- 37461) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon ferreti* (Favre,1903) (Lycaenidae) Synonym(s): *ferreti* Favre,1903

- 37462) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon kotshubeji* (Sovinsky,[1916]) (Lycaenidae) Synonym(s): *kotshubeji* Sovinsky,[1916]
 37463) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon merzbacheri* (Courvoisier,1913) (Lycaenidae) Synonym(s): *merzbacheri* Courvoisier,1913
 37464) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon mongolensis* (Koçak,1980) (Lycaenidae) Synonym(s): *mongolensis* Koçak,1980
 37465) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon nogueræ* (De Sagarra,1924) (Lycaenidae) Synonym(s): *nogueræ* De Sagarra,1924
 37466) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon rufosaturior* Verity,1943 (Lycaenidae) Synonym(s): *rufosaturior* Verity,1943
 37467) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon zhicharevi* (Sovinsky,[1916]) (Lycaenidae) Synonym(s): *damon zhicharevi* Sovinsky,[1916]
 37468) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damone* (Eversmann,1841) (Lycaenidae) Synonym(s): *damone* Eversmann,1841
 37469) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damone altaicus* (Elwes,1899) (Lycaenidae) Synonym(s): *sibirica* Staudinger,1899 *nec* Staudinger,1892; *altaicus* Elwes,1899; *altaicus* Forster,1956.
 37470) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damone bogdoolensis* Dantchenko & Lukhtanov,1997 (Lycaenidae) Synonym(s): *bogdoolensis* Dantchenko & Lukhtanov,1997
 37471) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damone damone* (Eversmann,1841) (Lycaenidae) Synonym(s): *damone* Eversmann,1841
 37472) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damone irinae* Dantchenko,1997 (Lycaenidae) Synonym(s): *irinae* Dantchenko,1997
 37473) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damone pljushtchi* Budashkin & Lukhtanov,1993 (Lycaenidae) Synonym(s): *pljushtchi* Budashkin & Lukhtanov,1993
 37474) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damone tanais* Dantchenko & Pljushtch,1993 (Lycaenidae) Synonym(s): *tanaï* Dantchenko & Pljushtch,1993
 37475) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damone walteri* Dantchenko & Lukhtanov,1993 (Lycaenidae) Synonym(s): *walteri* Dantchenko & Lukhtanov,1993
 37476) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.?))) *stempfferi* (Brandt,1938) (Lycaenidae) Synonym(s): *stempfferi* Brandt,1938
 37477) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.?))) *stempfferi goletanus* Skala,2002 (Lycaenidae) Synonym(s): *goletanus* Skala,2002
 37478) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.?))) *stempfferi jaffar* Skala,2002 (Lycaenidae) Synonym(s): *jaffar* Skala,2002
 37479) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.?))) *stempfferi stempfferi* (Brandt,1938) (Lycaenidae) Synonym(s): *stempfferi* Brandt,1938
 37480) *Polyommatus* (s.str. (*Agrodiaetus* (s.str.?))) *stempfferi zoroaster* Skala,2002 (Lycaenidae) Synonym(s): *zoroaster* Skala,2002
 37481) *Polyommatus* (s.str. (*Cyaniris*)) *bellis* (Freyer,[1842]) (Lycaenidae) Synonym(s): *bellis* Freyer,[1842]; *mesopotamica* Tutt,[1909].
 37482) *Polyommatus* (s.str. (*Cyaniris*)) *bellis antiochena* (Lederer,1861) (Lycaenidae) Synonym(s): *antiochena* Lederer,1861; *intermedia* Tutt,[1909]
 37483) *Polyommatus* (s.str. (*Cyaniris*)) *bellis bellis* (Freyer,[1842]) (Lycaenidae) Synonym(s): *bellis* Freyer,[1842]; *mesopotamica* Tutt,[1909].
 37484) *Polyommatus* (s.str. (*Cyaniris*)) *bellis mohammad* Koçak & Hosseinpour,1996 (Lycaenidae) Synonym(s): *persica* Tutt,[1909] *nec* Bien.,1870; *mohammad* Koçak & Hosseinpour,1996
 37485) *Polyommatus* (s.str. (*Cyaniris*)) *bellis nurmuhammet* Kemal & Koçak,2005 (Lycaenidae) Synonym(s): *nurmuhammet* Kemal & Koçak,2005
 37486) *Polyommatus* (s.str. (*Cyaniris*)) *persephatta* (Alpheraky,1881) (Lycaenidae) Synonym(s): *persephatta* Alpheraky,1881
 37487) *Polyommatus* (s.str. (*Cyaniris*)) *persephatta minshelkensis* Lukhtanov,1990 (Lycaenidae) Synonym(s): *minshelkensis* Lukhtanov,1990
 37488) *Polyommatus* (s.str. (*Cyaniris*)) *persephatta minutus* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *minuta* Groum-Grshimailo,1890
 37489) *Polyommatus* (s.str. (*Cyaniris*)) *persephatta persephatta* (Alpheraky,1881) (Lycaenidae) Synonym(s): *persephatta* Alpheraky,1881
 37490) *Polyommatus* (s.str. (*Cyaniris*)) *semiargus* (Rottemburg,1775) (Lycaenidae) Synonym(s): *semiargus* Rottemburg,1775; *acis* Denis & Schiffermüller,1775 *nec* Dryry,1773; *byzas* Bergsträßer,[1779]; *byze* Bergsträßer,[1779]; *argopoeus* Bergsträßer,[1779]; *byzenus* Bergsträßer,[1779]; *argopoei* Bergsträßer,[1779]; *cimon* Lewin,1795; *argianus* Dalman,1816.
 37491) *Polyommatus* (s.str. (*Cyaniris*)) *semiargus altaianus* (Tutt,[1909]) (Lycaenidae) Synonym(s): *altaianus* Tutt,[1909]
 37492) *Polyommatus* (s.str. (*Cyaniris*)) *semiargus balcanicus* (Tutt,[1909]) (Lycaenidae) Synonym(s): *balcanicus* Tutt,[1909].
 37493) *Polyommatus* (s.str. (*Cyaniris*)) *semiargus ferganus* (Tutt,[1909]) (Lycaenidae) Synonym(s): *fergana* Tutt,[1909]
 37494) *Polyommatus* (s.str. (*Cyaniris*)) *semiargus maroccanus* (Lucas,1920) (Lycaenidae) Synonym(s): *maroccana* Lucas,1920
 37495) *Polyommatus* (s.str. (*Cyaniris*)) *semiargus meyerdueri* Vives Moreno,1994 (Lycaenidae) Synonym(s): *montana* Meyer-Dür,1851 *nec* Mey.-Dür,1851; *meyerdueri* Vives Moreno,1994
 37496) *Polyommatus* (s.str. (*Cyaniris*)) *semiargus montanagrandis* Tutt,[1909] (Lycaenidae) Synonym(s): *coelestina* Milliere,1874 *nec* Eversmann,1843; *transiens* Stauder,1925 *nec* Melcon,1910; *montanagrandis* Tutt,1909; *semimontana* Bollow,1931.
 37497) *Polyommatus* (s.str. (*Cyaniris*)) *semiargus savoienis* Leraut,1980 (Lycaenidae) Synonym(s): *#montanaclara* Verity,1943; *savoienis* Leraut,1980
 37498) *Polyommatus* (s.str. (*Cyaniris*)) *semiargus semiargus* (Rottemburg,1775) (Lycaenidae) Synonym(s): *semiargus* Rottemburg,1775; *acis* Denis & Schiffermüller,1775 *nec* Dryry,1773; *byzas* Bergsträßer,[1779]; *byze* Bergsträßer,[1779]; *argopoeus* Bergsträßer,[1779]; *byzenus* Bergsträßer,[1779]; *argopoei* Bergsträßer,[1779]; *cimon* Lewin,1795; *argianus* Dalman,1816.
 37499) *Polyommatus* (s.str. (*Cyaniris*)) *semiargus transiens* (Melcon,1910) (Lycaenidae) Synonym(s): *transiens* Melcon,1910
 37500) *Polyommatus* (s.str. (*Cyaniris*)) *semiargus uralensis* (Tutt,[1909]) (Lycaenidae) Synonym(s): *uralensis* Tutt,[1909]
 37501) *Polyommatus* (s.str. (*Lysandra*)) *albicans* (Gerhard,[1851]) (Lycaenidae) Synonym(s): *albicans* Gerh.,[1851]; *aragonensis* Gerh.,[1851]; *albicans* H.-S.,1851; *guadarramensis* Ribbe,1910; *penuelaensis* Ribbe,1910; *transalbicans* Tutt,1914; *cuencana* Vrtý.,1926; *bolivari* Romei,1927; *esteparina* Agenjo,1956; *anamariae* Agenjo,1968; *betica* Betti,1970...
 37502) *Polyommatus* (s.str. (*Lysandra*)) *albicans albicans* (Gerhard,[1851]) (Lycaenidae) Synonym(s): *albicans* Gerh.,[1851]; *aragonensis* Gerh.,[1851]; *albicans* H.-S.,1851; *guadarramensis* Ribbe,1910; *penuelaensis* Ribbe,1910; *transalbicans* Tutt,1914; *cuencana* Vrtý.,1926; *bolivari* Romei,1927; *esteparina* Agenjo,1956; *anamariae* Agenjo,1968; *betica* Betti,1970...
 37503) *Polyommatus* (s.str. (*Lysandra*)) *albicans berber* (Le Cerf,1932) (Lycaenidae) Synonym(s): *berber* Le Cerf,1932; *dujardini* Barrague,1987.
 37504) *Polyommatus* (s.str. (*Lysandra*)) *albicans dujardini* Barragué,1987 (Lycaenidae) Synonym(s): *dujardini* Barragué,1987
 37505) *Polyommatus* (s.str. (*Lysandra*)) *albicans esteparina* (Agenjo,1956) (Lycaenidae) Synonym(s): *esteparina* Agenjo,1956
 37506) *Polyommatus* (s.str. (*Lysandra*)) *bellargus* (Rottemburg,1775) (Lycaenidae) Synonym(s): *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 *nec* Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958
 37507) *Polyommatus* (s.str. (*Lysandra*)) *bellargus bellargus* (Rottemburg,1775) (Lycaenidae) Synonym(s): *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 *nec* Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958
 37508) *Polyommatus* (s.str. (*Lysandra*)) *bellargus etruscus* (Verity,1919) (Lycaenidae) Synonym(s): *etrusca* Verity,1919; *magnalutea* Verity,1919.
 37509) *Polyommatus* (s.str. (*Lysandra*)) *bellargus fuscescens* (Tutt,1909) (Lycaenidae) Synonym(s): *fuscescens* Tutt,1909
 37510) *Polyommatus* (s.str. (*Lysandra*)) *bellargus inalpina* (Verity,1919) (Lycaenidae) Synonym(s): *inalpina* Verity,1919
 37511) *Polyommatus* (s.str. (*Lysandra*)) *bellargus pictonensis* (Hemming,1931) (Lycaenidae) Synonym(s): *coelestis* Oberthür,1908 *nec* Alph.,1897; *pictonensis* Hemming,1931
 37512) *Polyommatus* (s.str. (*Lysandra*)) *caelestissimus* (Verity,1921) (Lycaenidae) Synonym(s): *caelestissima* Verity,1921
 37513) *Polyommatus* (s.str. (*Lysandra*)) *caelestissimus caelestissimus* (Verity,1921) (Lycaenidae) Synonym(s): *caelestissima* Verity,1921
 37514) *Polyommatus* (s.str. (*Lysandra*)) *coridon* (Poda,1761) (Lycaenidae) Synonym(s): *coridon* Poda,1761; *graeca* Heyne,1895; *torgniensis* Haverkamp,1906; *altica* Neustetter,1909; *alpiumpallida* Verity,1926; *jurae* Verity,1926; *insulana* Verity,1926; *galliae* Verity,1926; *narbonensis* Verity,1926; *fumosa* Verity,1926; *italagallica* Verity,1926; *diniae* Verity,1926; *minutepunctata* Verity,1926; *bieneri* Stauder,1924; *nicaeensis* Dujardin,1944.
 37515) *Polyommatus* (s.str. (*Lysandra*)) *coridon apenninus* Zeller,1847 (Lycaenidae) Synonym(s): *apennina* Zeller,1847; *superapennina* Verity,1915; *apauana* Verity,1915; *sibyllina* Verity,1915; *rufosplendens* Verity,1926; *rufoclarens* Verity,1926; *maritimarus* Verity,1943.
 37516) *Polyommatus* (s.str. (*Lysandra*)) *coridon borussius* (Dadd,1908) (Lycaenidae) Synonym(s): *borussia* Dadd,1908; *saxonica* Verity,1919.
 37517) *Polyommatus* (s.str. (*Lysandra*)) *coridon coridon* (Poda,1761) (Lycaenidae) Synonym(s): *coridon* Poda,1761; *graeca* Heyne,1895; *torgniensis* Haverkamp,1906; *altica* Neustetter,1909; *alpiumpallida* Verity,1926; *jurae* Verity,1926; *insulana* Verity,1926; *galliae* Verity,1926; *narbonensis* Verity,1926; *fumosa* Verity,1926; *italagallica* Verity,1926; *diniae* Verity,1926; *minutepunctata* Verity,1926; *bieneri* Stauder,1924; *nicaeensis* Dujardin,1944.
 37518) *Polyommatus* (s.str. (*Lysandra*)) *coridon gennargentii* (Leigheb,1987) (Lycaenidae) Synonym(s): *gennargentii* Leigheb,1987
 37519) *Polyommatus* (s.str. (*Lysandra*)) *coridon menendezpelayoi* (Agenjo,1956) (Lycaenidae) Synonym(s): *asturiensis* Sagarra,1924 *nec* Obth.,1910; *menendez-pelayoi* Agenjo,1956; *burgalesa* Agenjo,1956; *manleyi* De Lesse,1962; *mattonensis* Gomez-Bustillo,1980; *guipuzcoana* Gomez-Bustillo,1981.
 37520) *Polyommatus* (s.str. (*Lysandra*)) *coridon nufrellensis* (Schurian,1977) (Lycaenidae) Synonym(s): *nufrellensis* Schurian,1977
 37521) *Polyommatus* (s.str. (*Lysandra*)) *corydonius* (Herrich-Schäffer,[1852]) (Lycaenidae) Synonym(s): *corydonius* Herrich-Schäffer,[1852]

- 37522) *Polyommatus* (s.str. (Lysandra)) *corydonius caucasicus* (Lederer,1870) (Lycaenidae) Synonym(s): *caucasicus* Lederer,1870; *caeruleosmar* Verity,1939; *#skolowski Wojtusik & Niesiolowski,1946*.
- 37523) *Polyommatus* (s.str. (Lysandra)) *corydonius ciscaucasicus* (Jachontov,1914) (Lycaenidae) Synonym(s): *#ciscaucasicus* Jachontov,1914; *ciscaucasica* Bollow,1931.
- 37524) *Polyommatus* (s.str. (Lysandra)) *corydonius corydonius* (Herrich-Schäffer,[1852]) (Lycaenidae) Synonym(s): *corydonius* Herrich-Schäffer,[1852]
- 37525) *Polyommatus* (s.str. (Lysandra)) *dezinus Freina & Witt,1983* (Lycaenidae) Synonym(s): *dezinus Freina & Witt,1983*
- 37526) *Polyommatus* (s.str. (Lysandra)) *dezinus dezinus Freina & Witt,1983* (Lycaenidae) Synonym(s): *dezinus Freina & Witt,1983*
- 37527) *Polyommatus* (s.str. (Lysandra)) *hispanus* (Herrich-Schäffer,1852) (Lycaenidae) Synonym(s): *hispanus* Herrich-Schäffer,1852; *rezniceki* Bartel,1904; *meridionalis* Tutt,1909; *constanti Reverdin,1910*; *#florentina* Verity,1915; *#altera* Verity,1915; *#prior* Verity,1921; *septembris* Verity,1923; *galliaealbicans* Verity,1939; *pseudoalbicans* De Lesse,1962...
- 37528) *Polyommatus* (s.str. (Lysandra)) *hispanus gudarensis* (Aistleitner,1989) (Lycaenidae) Synonym(s): *gudarensis* Aistleitner,1989
- 37529) *Polyommatus* (s.str. (Lysandra)) *hispanus hispanus* (Herrich-Schäffer,1852) (Lycaenidae) Synonym(s): *hispanus* Herrich-Schäffer,1852; *rezniceki* Bartel,1904; *meridionalis* Tutt,1909; *constanti Reverdin,1910*; *#florentina* Verity,1915; *#altera* Verity,1915; *#prior* Verity,1921; *septembris* Verity,1923; *galliaealbicans* Verity,1939; *pseudoalbicans* De Lesse,1962...
- 37530) *Polyommatus* (s.str. (Lysandra)) *hispanus semperi* (Agenjo,1956) (Lycaenidae) Synonym(s): *semperi* Agenjo,1956; *luentina* De Lesse,1969.
- 37531) *Polyommatus* (s.str. (Lysandra)) *melamarinus* (Dantchenko,2000) (Lycaenidae) Synonym(s): *melamarina* Dantchenko,2000
- 37532) *Polyommatus* (s.str. (Lysandra)) *melamarinus melamarinus* (Dantchenko,2000) (Lycaenidae) Synonym(s): *melamarina* Dantchenko,2000
- 37533) *Polyommatus* (s.str. (Lysandra)) *ossmar* (Gerhard,[1851]) (Lycaenidae) Synonym(s): *ossmar* Gerhard,[1851]
- 37534) *Polyommatus* (s.str. (Lysandra)) *ossmar ankara* (Schurian & Hoffmann,1983) (Lycaenidae) Synonym(s): *ankara* Schurian & Hoffmann,1983
- 37535) *Polyommatus* (s.str. (Lysandra)) *ossmar olympicus* Lederer,1852 (Lycaenidae) Synonym(s): *olympicus* Lederer,1852
- 37536) *Polyommatus* (s.str. (Lysandra)) *ossmar ossmar* (Gerhard,[1851]) (Lycaenidae) Synonym(s): *ossmar* Gerhard,[1851]
- 37537) *Polyommatus* (s.str. (Lysandra)) *philippi* (Brown & Coutsis,1978) (Lycaenidae) Synonym(s): *philippi* Brown & Coutsis,1978
- 37538) *Polyommatus* (s.str. (Lysandra)) *philippi philippi* (Brown & Coutsis,1978) (Lycaenidae) Synonym(s): *philippi* Brown & Coutsis,1978
- 37539) *Polyommatus* (s.str. (Lysandra)) *punctiferus* (Oberthür,1876) (Lycaenidae) Synonym(s): *punctifera* Oberthür,1876
- 37540) *Polyommatus* (s.str. (Lysandra)) *punctiferus punctiferus* (Oberthür,1876) (Lycaenidae) Synonym(s): *punctifera* Oberthür,1876
- 37541) *Polyommatus* (s.str. (Lysandra)) *sheikh* (Dantchenko,2000) (Lycaenidae) Synonym(s): *sheikh* Dantchenko,2000
- 37542) *Polyommatus* (s.str. (Lysandra)) *sheikh sheikh* (Dantchenko,2000) (Lycaenidae) Synonym(s): *sheikh* Dantchenko,2000
- 37543) *Polyommatus* (s.str. (Lysandra)) *syriacus* (Tutt,1914) (Lycaenidae) Synonym(s): *syriacus* Tutt,1914
- 37544) *Polyommatus* (s.str. (Lysandra)) *syriacus burak* Koçak,1992 (Lycaenidae) Synonym(s): *tauricus* Schurian,1991 nec Heyne,[1895] non Venzmer,1920; *burak* Koçak,1992.
- 37545) *Polyommatus* (s.str. (Lysandra)) *syriacus syriacus* (Tutt,1914) (Lycaenidae) Synonym(s): *syriacus* Tutt,1914
- 37546) *Polyommatus* (s.str. (Meleageria)) *daphnis* ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 nec Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
- 37547) *Polyommatus* (s.str. (Meleageria)) *daphnis alpium* (Verity,1926) (Lycaenidae) Synonym(s): *alpium* Verity,1926
- 37548) *Polyommatus* (s.str. (Meleageria)) *daphnis brandti* (Pfeiffer,1938) (Lycaenidae) Synonym(s): *brandti* Pfeiffer,1938
- 37549) *Polyommatus* (s.str. (Meleageria)) *daphnis daphnis* ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 nec Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
- 37550) *Polyommatus* (s.str. (Meleageria)) *daphnis elamitus* (Le Cerf,1913) (Lycaenidae) Synonym(s): *elamita* Le Cerf,1913; *vangoelensis* Schurian & Häuser,1981.
- 37551) *Polyommatus* (s.str. (Meleageria)) *daphnis hayesi* (T.Larsen,1974) (Lycaenidae) Synonym(s): *hayesi* T.Larsen,1974
- 37552) *Polyommatus* (s.str. (Meleageria)) *daphnis macra* (Verity,1920) (Lycaenidae) Synonym(s): *macra* Verity,1920
- 37553) *Polyommatus* (s.str. (Meleageria)) *daphnis marcidus* (Lederer,1871) (Lycaenidae) Synonym(s): *marcida* Lederer,1871
- 37554) *Polyommatus* (s.str. (Meleageria)) *daphnis marteniana* (De Sagarra,1926) (Lycaenidae) Synonym(s): *marteniana* De Sagarra,1926
- 37555) *Polyommatus* (s.str. (Meleageria)) *daphnis narsanus* (Alberti,1973) (Lycaenidae) Synonym(s): *narsana* Alberti,1973
- 37556) *Polyommatus* (s.str. (Meleageria)) *daphnis versicolor* (Heyne,[1895]) (Lycaenidae) Synonym(s): *versicolor* Heyne,[1895]; *ignorata* Staudinger,1901; *erciyasi* Schurian & Häuser,1981; *palandoekis* Schurian & Häuser,1981; *dugijani* Schurian & Häuser,1981.
- 37557) *Polyommatus* (s.str. (Neolysandra)) *coelestinus* (Eversmann,1843) (Lycaenidae) Synonym(s): *coelestinus* Eversmann,1843
- 37558) *Polyommatus* (s.str. (Neolysandra)) *coelestinus alticola* (Christoph,1893) (Lycaenidae) Synonym(s): *alticola* Christoph,1893; *alexander* Higgins,1981
- 37559) *Polyommatus* (s.str. (Neolysandra)) *coelestinus coelestinus* (Eversmann,1843) (Lycaenidae) Synonym(s): *coelestinus* Eversmann,1843
- 37560) *Polyommatus* (s.str. (Neolysandra)) *coelestinus hera* (Eckweiler & Schurian,1980) (Lycaenidae) Synonym(s): *hera* Eckweiler & Schurian,1980
- 37561) *Polyommatus* (s.str. (Neolysandra)) *coelestinus hofzi* (Bernardi,1964) (Lycaenidae) Synonym(s): *iranica* Pfeiffer,1938 nec Forst.,1938; *hofzi* Bernardi,1964; *saadii* Eckweiler & Schurian,1980
- 37562) *Polyommatus* (s.str. (Neolysandra)) *coelestinus ponticus* (Courvoisier,1911) (Lycaenidae) Synonym(s): *ponticus* Courvoisier,1911
- 37563) *Polyommatus* (s.str. (Neolysandra)) *coronus* (Verity,1936) (Lycaenidae) Synonym(s): *coronus* Verity,1936
- 37564) *Polyommatus* (s.str. (Neolysandra)) *coronus coronus* (Verity,1936) (Lycaenidae) Synonym(s): *coronus* Verity,1936
- 37565) *Polyommatus* (s.str. (Neolysandra)) *diana* (Miller,[1913]) (Lycaenidae) Synonym(s): *diana* Miller,[1913]
- 37566) *Polyommatus* (s.str. (Neolysandra)) *diana diana* (Miller,[1913]) (Lycaenidae) Synonym(s): *diana* Miller,[1913]
- 37567) *Polyommatus* (s.str. (Neolysandra)) *diana omnicaeruleus* (Weidenhoffer,2002) (Lycaenidae) Synonym(s): *omnicaeruleus* Weidenhoffer,2002
- 37568) *Polyommatus* (s.str. (Neolysandra)) *ellisoni* (Pfeiffer,1931) (Lycaenidae) Synonym(s): *ellisoni* Pfeiffer,1931
- 37569) *Polyommatus* (s.str. (Neolysandra)) *ellisoni ellisoni* (Pfeiffer,1931) (Lycaenidae) Synonym(s): *ellisoni* Pfeiffer,1931
- 37570) *Polyommatus* (s.str. (Neolysandra)) *fatima* Eckweiler & Schurian,1980 (Lycaenidae) Synonym(s): *fatima* Eckweiler & Schurian,1980
- 37571) *Polyommatus* (s.str. (Neolysandra)) *fatima fatima* Eckweiler & Schurian,1980 (Lycaenidae) Synonym(s): *fatima* Eckweiler & Schurian,1980
- 37572) *Polyommatus* (s.str. (Neolysandra)) *fereiduna* Skala,2002 (Lycaenidae) Synonym(s): *fereiduna* Skala,2002
- 37573) *Polyommatus* (s.str. (Neolysandra)) *fereiduna fereiduna* Skala,2002 (Lycaenidae) Synonym(s): *fereiduna* Skala,2002
- 37574) *Polyommatus* (s.str. (Plebicula)) *abdelaziz* (Blachier,1908) (Lycaenidae) Synonym(s): *#cyanea* Aigner,1906; *#azurea* Blachier,1908; *abdelaziz* Blachier,1908; *bettii* BarraguÚ,1987.
- 37575) *Polyommatus* (s.str. (Plebicula)) *abdelaziz abdelaziz* (Blachier,1908) (Lycaenidae) Synonym(s): *#cyanea* Aigner,1906; *#azurea* Blachier,1908; *abdelaziz* Blachier,1908; *bettii* BarraguÚ,1987.
- 37576) *Polyommatus* (s.str. (Plebicula)) *amandus* (Schneider,1792) (Lycaenidae) Synonym(s): *icarius* Esper,1789 nec Rottemburg,1775; *amandus* Schneider,1792
- 37577) *Polyommatus* (s.str. (Plebicula)) *amandus achaianus* (Brown,1977) (Lycaenidae) Synonym(s): *achaianus* Brown,1977
- 37578) *Polyommatus* (s.str. (Plebicula)) *amandus agathon* Godart,[1824] (Lycaenidae) Synonym(s): *agathon* Godart,[1824]; *pyrenaeorum* Verity,1949.
- 37579) *Polyommatus* (s.str. (Plebicula)) *amandus amandus* (Schneider,1792) (Lycaenidae) Synonym(s): *icarius* Esper,1789 nec Rottemburg,1775; *amandus* Schneider,1792.
- 37580) *Polyommatus* (s.str. (Plebicula)) *amandus amatus* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *amatus* Groum-Grshimailo,1890
- 37581) *Polyommatus* (s.str. (Plebicula)) *amandus amurensis* (Staudinger,1892) (Lycaenidae) Synonym(s): *amurensis* Staudinger,1892
- 37582) *Polyommatus* (s.str. (Plebicula)) *amandus antheus* Hemming,1932 (Lycaenidae) Synonym(s): *antheus* Hemming,1932
- 37583) *Polyommatus* (s.str. (Plebicula)) *amandus brendus* Hemming,1932 (Lycaenidae) Synonym(s): *brenda* Hemming,1932
- 37584) *Polyommatus* (s.str. (Plebicula)) *amandus isias* (Fruhstorfer,1910) (Lycaenidae) Synonym(s): *isias* Fruhstorfer,1910
- 37585) *Polyommatus* (s.str. (Plebicula)) *amandus ludovicanus* (Betti,1977) (Lycaenidae) Synonym(s): *ludovicana* Betti,1977
- 37586) *Polyommatus* (s.str. (Plebicula)) *amandus orientalis* (Staudinger,1901) (Lycaenidae) Synonym(s): *orientalis* Staudinger,1901; *gina* Higgins,1958.
- 37587) *Polyommatus* (s.str. (Plebicula)) *amandus tova* Higgins,1948 (Lycaenidae) Synonym(s): *tova* Higgins,1948
- 37588) *Polyommatus* (s.str. (Plebicula)) *amandus turensis* (Heyne,[1895]) (Lycaenidae) Synonym(s): *turensis* Heyne,[1895]
- 37589) *Polyommatus* (s.str. (Plebicula)) *atlanticus* (Elwes,1906) (Lycaenidae) Synonym(s): *atlanticus* Elwes,1906
- 37590) *Polyommatus* (s.str. (Plebicula)) *atlanticus atlanticus* (Elwes,1906) (Lycaenidae) Synonym(s): *atlanticus* Elwes,1906
- 37591) *Polyommatus* (s.str. (Plebicula)) *atlanticus weissii* Dujardin,1977 (Lycaenidae) Synonym(s): *weissii* Dujardin,1977
- 37592) *Polyommatus* (s.str. (Plebicula)) *dorylas* ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): *dorylas* [Denis & Schiffermüller],1775; *hylas* Esper,[1778] nec Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985.
- 37593) *Polyommatus* (s.str. (Plebicula)) *dorylas armenus* (Staudinger,1871) (Lycaenidae) Synonym(s): *armenus* Staudinger,1871

- 37594) *Polyommatus* (s.str. (Plebicula)) *dorylas dorylas* (Denis & Schiffermüller, 1775) (Lycaenidae) Synonym(s): *dorylas* [Denis & Schiffermüller, 1775; *hylas* Esper, [1778] nec Linnaeus, 1758; *argester* Bergsträßer, [1779]; *magna* Balint, 1985.
- 37595) *Polyommatus* (s.str. (Plebicula)) *dorylas macromargaritus* Verity, 1926 (Lycaenidae) Synonym(s): *macromargarita* Verity, 1926
- 37596) *Polyommatus* (s.str. (Plebicula)) *dorylas micromargaritus* Verity, 1926 (Lycaenidae) Synonym(s): *micromargarita* Verity, 1926; *#anteparvaplumbea* Verity, 1934.
- 37597) *Polyommatus* (s.str. (Plebicula)) *dorylas parvaplumbeus* Verity, 1934 (Lycaenidae) Synonym(s): *parvaplumbea* Verity, 1934
- 37598) *Polyommatus* (s.str. (Plebicula)) *escheri* (Hübner, [1823]) (Lycaenidae) Synonym(s): *escheri* Hübner, [1823]; *agestor* Godart, 1823.
- 37599) *Polyommatus* (s.str. (Plebicula)) *escheri agenjoii* Higgins, 1948 (Lycaenidae) Synonym(s): *agenjoii* Higgins, 1948
- 37600) *Polyommatus* (s.str. (Plebicula)) *escheri ahmar* (Le Cerf, 1928) (Lycaenidae) Synonym(s): *ahmar* Le Cerf, 1928
- 37601) *Polyommatus* (s.str. (Plebicula)) *escheri balestrei* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *balestrei* Fruhstorfer, 1910
- 37602) *Polyommatus* (s.str. (Plebicula)) *escheri dalmaticus* (Speyer, 1882) (Lycaenidae) Synonym(s): *dalmaticus* Speyer, 1882; *parnassica* Brown, 1977.
- 37603) *Polyommatus* (s.str. (Plebicula)) *escheri escheri* (Hübner, [1823]) (Lycaenidae) Synonym(s): *escheri* Hübner, [1823]; *agestor* Godart, 1823.
- 37604) *Polyommatus* (s.str. (Plebicula)) *escheri helenae* (Oberthür, 1910) (Lycaenidae) Synonym(s): *helenae* Oberthür, 1910
- 37605) *Polyommatus* (s.str. (Plebicula)) *escheri microstictus* Verity, 1929 (Lycaenidae) Synonym(s): *microsticta* Verity, 1929
- 37606) *Polyommatus* (s.str. (Plebicula)) *escheri rondoui* (Oberthür, 1906) (Lycaenidae) Synonym(s): *rondoui* Oberthür, 1906; *rondoudimidia* Verity, 1929.
- 37607) *Polyommatus* (s.str. (Plebicula)) *escheri roseonitens* (Oberthür, 1910) (Lycaenidae) Synonym(s): *roseonitens* Oberthür, 1910
- 37608) *Polyommatus* (s.str. (Plebicula)) *escheri splendens* Stefanelli, 1904 (Lycaenidae) Synonym(s): *splendens* Stefanelli, 1904; *sicca* Verity, 1929.
- 37609) *Polyommatus* (s.str. (Plebicula)) *golgus* (Hübner, [1813]) (Lycaenidae) Synonym(s): *golgus* Hübner, [1813]
- 37610) *Polyommatus* (s.str. (Plebicula)) *golgus golgus* (Hübner, [1813]) (Lycaenidae) Synonym(s): *golgus* Hübner, [1813]
- 37611) *Polyommatus* (s.str. (Plebicula)) *nivescens* (Keferstein, 1851) (Lycaenidae) Synonym(s): *nivescens* Keferstein, 1851
- 37612) *Polyommatus* (s.str. (Plebicula)) *nivescens nivescens* (Keferstein, 1851) (Lycaenidae) Synonym(s): *nivescens* Keferstein, 1851
- 37613) *Polyommatus* (s.str. (Sublysandra)) *adulterinus* Heydemann, 1954 (Lycaenidae) Synonym(s): *adulterinus* Heydemann, 1954
- 37614) *Polyommatus* (s.str. (Sublysandra)) *adulterinus adulterinus* Heydemann, 1954 (Lycaenidae) Synonym(s): *adulterinus* Heydemann, 1954
- 37615) *Polyommatus* (s.str. (Sublysandra)) *aedon* (Christoph, 1877) (Lycaenidae) Synonym(s): *aedon* Christoph, 1877
- 37616) *Polyommatus* (s.str. (Sublysandra)) *aedon aedon* (Christoph, 1877) (Lycaenidae) Synonym(s): *aedon* Christoph, 1877
- 37617) *Polyommatus* (s.str. (Sublysandra)) *aedon araxianus* (Koçak, 1980) (Lycaenidae) Synonym(s): *araxianus* Koçak, 1980
- 37618) *Polyommatus* (s.str. (Sublysandra)) *aedon myrrhinus* (Staudinger, 1901) (Lycaenidae) Synonym(s): *myrrhinus* Staudinger, 1901; *noacki* Koçak, 1980
- 37619) *Polyommatus* (s.str. (Sublysandra)) *cornelius* (Freyer, [1850]) (Lycaenidae) Synonym(s): *cornelius* Freyer, [1850]; *cornelia* Gerhard, [1851]; *candalus* Herrich-Schäffer, [1851]; *zuleikae* Pfeiffer, 1932; *eberti* Koçak, 1979; *subtilis* Pages & Charmeux, 1992.
- 37620) *Polyommatus* (s.str. (Sublysandra)) *cornelius anatolicus* (Koçak, 1975) (Lycaenidae) Synonym(s): *anatolicus* Koçak, 1975
- 37621) *Polyommatus* (s.str. (Sublysandra)) *cornelius cornelius* (Freyer, [1850]) (Lycaenidae) Synonym(s): *cornelius* Freyer, [1850]; *cornelia* Gerhard, [1851]; *candalus* Herrich-Schäffer, [1851]; *zuleikae* Pfeiffer, 1932; *eberti* Koçak, 1979; *subtilis* Pages & Charmeux, 1992.
- 37622) *Polyommatus* (s.str. (Sublysandra)) *cornelius delerei* Heydemann, 1954 (Lycaenidae) Synonym(s): *delerei* Heydemann, 1954
- 37623) *Polyommatus* (s.str. (Sublysandra)) *isauricoides* (Graves, 1923) (Lycaenidae) Synonym(s): *isauricoides* Graves, 1923
- 37624) *Polyommatus* (s.str. (Sublysandra)) *isauricoides isauricoides* (Graves, 1923) (Lycaenidae) Synonym(s): *isauricoides* Graves, 1923
- 37625) *Polyommatus* (s.str. (Sublysandra)) *muetingi* (Balint, 1992) (Lycaenidae) Synonym(s): *muetingi* Balint, 1992
- 37626) *Polyommatus* (s.str. (Sublysandra)) *muetingi muetingi* (Balint, 1992) (Lycaenidae) Synonym(s): *muetingi* Balint, 1992
- 37627) *Polyommatus* (s.str. (Sublysandra)) *myrrhus* (Herrich-Schäffer, [1852]) (Lycaenidae) Synonym(s): *myrrhus* Herrich-Schäffer, [1852]
- 37628) *Polyommatus* (s.str. (Sublysandra)) *myrrhus bahramii* Carbonell & Skala, 2005 (Lycaenidae) Synonym(s): *bahramii* Carbonell & Skala, 2005
- 37629) *Polyommatus* (s.str. (Sublysandra)) *myrrhus cinyraeus* (Nekrutenko & Effendi, 1979) (Lycaenidae) Synonym(s): *cinyraeus* Nekrutenko & Effendi, 1979
- 37630) *Polyommatus* (s.str. (Sublysandra)) *myrrhus garrina* Carbonell & Skala, 2005 (Lycaenidae) Synonym(s): *garrina* Carbonell & Skala, 2005
- 37631) *Polyommatus* (s.str. (Sublysandra)) *myrrhus hakkariensis* (Koçak, 1977) (Lycaenidae) Synonym(s): *hakkariensis* Koçak, 1977
- 37632) *Polyommatus* (s.str. (Sublysandra)) *myrrhus myrrhus* (Herrich-Schäffer, [1852]) (Lycaenidae) Synonym(s): *myrrhus* Herrich-Schäffer, [1852]
- 37633) *Polyommatus* (s.str. (Sublysandra)) *nuksani* (Forster, 1937) (Lycaenidae) Synonym(s): *nuksani* Forster, 1937
- 37634) *Polyommatus* (s.str. (Sublysandra)) *nuksani nuksani* (Forster, 1937) (Lycaenidae) Synonym(s): *nuksani* Forster, 1937
- 37635) *Polyommatus* (s.str. (Thersitesia)) *thersites* (Canterer, [1835]) (Lycaenidae) Synonym(s): *thersites* Canterer, [1835]; *chapmani* Ball, 1914; *meridiana* Verity, 1919.
- 37636) *Polyommatus* (s.str. (Thersitesia)) *thersites alexius* (Freyer) (Lycaenidae) Synonym(s): *alexius* Freyer
- 37637) *Polyommatus* (s.str. (Thersitesia)) *thersites ardaydavanus* (Obraztsov, 1936) (Lycaenidae) Synonym(s): *ardaydana* Obraztsov, 1936
- 37638) *Polyommatus* (s.str. (Thersitesia)) *thersites gandzhanus* (Obraztsov, 1936) (Lycaenidae) Synonym(s): *gandzhana* Obraztsov, 1936; *#nigrovenata* Obraztsov, 1936.
- 37639) *Polyommatus* (s.str. (Thersitesia)) *thersites gravesi* (Chapman, 1912) (Lycaenidae) Synonym(s): *gravesi* Chapman, 1912
- 37640) *Polyommatus* (s.str. (Thersitesia)) *thersites hypanicus* (Obraztsov, 1936) (Lycaenidae) Synonym(s): *hypanica* Obraztsov, 1936
- 37641) *Polyommatus* (s.str. (Thersitesia)) *thersites josephinus* (De Sagarra, 1924) (Lycaenidae) Synonym(s): *josephina* De Sagarra, 1924
- 37642) *Polyommatus* (s.str. (Thersitesia)) *thersites karatshaicus* (Obraztsov, 1936) (Lycaenidae) Synonym(s): *karatshaica* Obraztsov, 1936
- 37643) *Polyommatus* (s.str. (Thersitesia)) *thersites ketshevanus* (Obraztsov, 1936) (Lycaenidae) Synonym(s): *ketshevana* Obraztsov, 1936
- 37644) *Polyommatus* (s.str. (Thersitesia)) *thersites narzanus* (Obraztsov, 1936) (Lycaenidae) Synonym(s): *narzana* Obraztsov, 1936
- 37645) *Polyommatus* (s.str. (Thersitesia)) *thersites orientis* (Sheljuzhko, 1928) (Lycaenidae) Synonym(s): *orientalis* Chapman, 1912 nec Staudinger, 1901; *orientis* Sheljuzhko, 1928.
- 37646) *Polyommatus* (s.str. (Thersitesia)) *thersites rjabovi* (Obraztsov, 1936) (Lycaenidae) Synonym(s): *rjabovi* Obraztsov, 1936
- 37647) *Polyommatus* (s.str. (Thersitesia)) *thersites sheljuzhkoianus* (Obraztsov, 1936) (Lycaenidae) Synonym(s): *sheljuzhkoiana* Obraztsov, 1936
- 37648) *Polyommatus* (s.str. (Thersitesia)) *thersites thersites* (Canterer, [1835]) (Lycaenidae) Synonym(s): *thersites* Canterer, [1835]; *chapmani* Ball, 1914; *meridiana* Verity, 1919; *#hibernata* Verity, 1919
- 37649) *Polyommatus* (s.str. (Thersitesia)) *thersites zhicharevi* (Obraztsov, 1936) (Lycaenidae) Synonym(s): *zhicharevi* Obraztsov, 1936
- 37650) *Polyommatus* (s.str.) *abdon Aistleitner & Aistleitner*, 1994 (Lycaenidae) Synonym(s): *abdon Aistleitner & Aistleitner*, 1994
- 37651) *Polyommatus* (s.str.) *abdon Aistleitner & Aistleitner*, 1994 (Lycaenidae) Synonym(s): *abdon Aistleitner & Aistleitner*, 1994
- 37652) *Polyommatus* (s.str.) *aloisi Balint*, 1988 (Lycaenidae) Synonym(s): *aloisi Balint*, 1988
- 37653) *Polyommatus* (s.str.) *aloisi aloisi Balint*, 1988 (Lycaenidae) Synonym(s): *aloisi Balint*, 1988
- 37654) *Polyommatus* (s.str.) *amor* (Lang, 1884) (Lycaenidae) Synonym(s): *amor* Lang, 1884; *amor* Staudinger, 1886 [Lectotype *: "Samarkand" designated by Lukhtanov, 1994, *Herbipoliana* 3: 272 (ZMHUB)].
- 37655) *Polyommatus* (s.str.) *amor amor* (Lang, 1884) (Lycaenidae) Synonym(s): *amor* Lang, 1884; *amor* Staudinger, 1886 [Lectotype *: "Samarkand" designated by Lukhtanov, 1994, *Herbipoliana* 3: 272 (ZMHUB)].
- 37656) *Polyommatus* (s.str.) *amor annamaria Balint*, 1992 (Lycaenidae) Synonym(s): *annamaria* Balint, 1992
- 37657) *Polyommatus* (s.str.) *amor vantshensis* Tchikolovets, 1995 (Lycaenidae) Synonym(s): *vantshensis* Tchikolovets, 1995
- 37658) *Polyommatus* (s.str.) *amor wiskotti* (Courvoisier, 1910) (Lycaenidae) Synonym(s): *#wiskotti* Courvoisier, 1910
- 37659) *Polyommatus* (s.str.) *andronicus Coutsis & Ghavalas*, 1995 (Lycaenidae) Synonym(s): *andronicus Coutsis & Ghavalas*, 1995
- 37660) *Polyommatus* (s.str.) *andronicus andronicus Coutsis & Ghavalas*, 1995 (Lycaenidae) Synonym(s): *andronicus Coutsis & Ghavalas*, 1995
- 37661) *Polyommatus* (s.str.) *arianus Moore*, [1866] (Lycaenidae) Synonym(s): *arianus Moore*, [1866]; *droshana* Evans, 1925.
- 37662) *Polyommatus* (s.str.) *arianus arianus Moore*, [1866] (Lycaenidae) Synonym(s): *arianus Moore*, [1866]; *droshana* Evans, 1925.
- 37663) *Polyommatus* (s.str.) *boisduvalii* (Herrich-Schäffer, [1844]) (Lycaenidae) Synonym(s): *anteros Boisduval*, 1840 nec Freyer, 1839; *boisduvalii* Herrich-Schäffer, [1844]
- 37664) *Polyommatus* (s.str.) *boisduvalii boisduvalii* (Herrich-Schäffer, [1844]) (Lycaenidae) Synonym(s): *anteros Boisduval*, 1840 nec Freyer, 1839; *boisduvalii* Herrich-Schäffer, [1844]
- 37665) *Polyommatus* (s.str.) *boisduvalii krziwitskyi* Koçak & Kemal, 2001 (Lycaenidae) Synonym(s): *orientalis* Krziwitsky, 1983 nec Staudinger, 1901; *krziwitskyi* Koçak & Kemal, 2001
- 37666) *Polyommatus* (s.str.) *bollandi Dumont*, 1998 (Lycaenidae) Synonym(s): *bollandi* Dumont, 1998
- 37667) *Polyommatus* (s.str.) *bollandi bollandi Dumont*, 1998 (Lycaenidae) Synonym(s): *bollandi* Dumont, 1998
- 37668) *Polyommatus* (s.str.) *buzulmavi Carbonell*, 1991 (Lycaenidae) Synonym(s): *buzulmavi Carbonell*, 1991; *narlica* Carbonell, 1991
- 37669) *Polyommatus* (s.str.) *buzulmavi buzulmavi Carbonell*, 1991 (Lycaenidae) Synonym(s): *buzulmavi Carbonell*, 1991; *narlica* Carbonell, 1991

- 37670) *Polyommatus* (s.str.) *chitralensis* (Swinhoe,1910) (Lycaenidae) Synonym(s): *chitralensis* Swinhoe,1910
 37671) *Polyommatus* (s.str.) *chitralensis chitralensis* (Swinhoe,1910) (Lycaenidae) Synonym(s): *chitralensis* Swinhoe,1910
 37672) *Polyommatus* (s.str.) *ciloicus* De Freina & Witt,1983 (Lycaenidae) Synonym(s): *ciloicus* De Freina & Witt,1983
 37673) *Polyommatus* (s.str.) *ciloicus alamuticus* Naderi & Ten Hagen,2006 (Lycaenidae) Synonym(s): *alamuticus* Naderi & Ten Hagen,2006
 37674) *Polyommatus* (s.str.) *ciloicus azarisorum* (Weidenhoffer,2002) (Lycaenidae) Synonym(s): *azarisorum* Weidenhoffer,2002
 37675) *Polyommatus* (s.str.) *ciloicus ciloicus* De Freina & Witt,1983 (Lycaenidae) Synonym(s): *ciloicus* De Freina & Witt,1983
 37676) *Polyommatus* (s.str.) *drasulus* (Swinhoe,1910) (Lycaenidae) Synonym(s): *drasula* Swinhoe,1910
 37677) *Polyommatus* (s.str.) *drasulus drasulus* (Swinhoe,1910) (Lycaenidae) Synonym(s): *drasula* Swinhoe,1910
 37678) *Polyommatus* (s.str.) *erigone* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *erigone* Groum-Grshimailo,1890
 37679) *Polyommatus* (s.str.) *erigone erigone* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *erigone* Groum-Grshimailo,1890
 37680) *Polyommatus* (s.str.) *eroides* (Frivaldsky,1835) (Lycaenidae) Synonym(s): *eroides* Frivaldsky,1835
 37681) *Polyommatus* (s.str.) *eroides epodes* Fruhstorfer,1916 (Lycaenidae) Synonym(s): *epodes* Fruhstorfer,1916
 37682) *Polyommatus* (s.str.) *eroides eroides* (Frivaldsky,1835) (Lycaenidae) Synonym(s): *eroides* Frivaldsky,1835
 37683) *Polyommatus* (s.str.) *eroides tartarus* Fruhstorfer,1916 (Lycaenidae) Synonym(s): *tartarus* Fruhstorfer,1916
 37684) *Polyommatus* (s.str.) *eros* (Ochsenheimer,1808) (Lycaenidae) Synonym(s): *tithonus* Hübner,[1804] nec Linn.,1771; *eros* Ochsenheimer,1808
 37685) *Polyommatus* (s.str.) *eros caeruleus* (Oberthür,1884) (Lycaenidae) Synonym(s): *caeruleus* Oberthür,1884
 37686) *Polyommatus* (s.str.) *eros dux* (Riley) (Lycaenidae) Synonym(s): *dux* Riley
 37687) *Polyommatus* (s.str.) *eros eros* (Ochsenheimer,1808) (Lycaenidae) Synonym(s): *tithonus* Hübner,[1804] nec Linn.,1771; *eros* Ochsenheimer,1808808.
 37688) *Polyommatus* (s.str.) *eros italicus* Oberthür,1910 (Lycaenidae) Synonym(s): *italicus* Oberthür,1910
 37689) *Polyommatus* (s.str.) *eros micreros* Verity,1949 (Lycaenidae) Synonym(s): *micreros* Verity,1949
 37690) *Polyommatus* (s.str.) *eros taimyrensis* Korshunov,1982 (Lycaenidae) Synonym(s): *taimyrensis* Korshunov,1982
 37691) *Polyommatus* (s.str.) *eros wazirus* Evans,1932 (Lycaenidae) Synonym(s): *wazira* Evans,1932
 37692) *Polyommatus* (s.str.) *erotides* (Staudinger,1892) (Lycaenidae) Synonym(s): *erotides* Staudinger,1892
 37693) *Polyommatus* (s.str.) *erotides amdoensis* (Wnukowsky,1929) (Lycaenidae) Synonym(s): *helena* Groum-Grshimailo,1891 nec Staudinger,1862; *amdoensis* Wnukowsky,1929.
 37694) *Polyommatus* (s.str.) *erotides erotides* (Staudinger,1892) (Lycaenidae) Synonym(s): *erotides* Staudinger,1892
 37695) *Polyommatus* (s.str.) *erotides gansuensis* Murayama,1983 (Lycaenidae) Synonym(s): *gansuensis* Murayama,1983
 37696) *Polyommatus* (s.str.) *erotides klaphecki* Courvoisier,1910 (Lycaenidae) Synonym(s): *klaphecki* Courvoisier,1910
 37697) *Polyommatus* (s.str.) *erotides sichuanus* Murayama,1983 (Lycaenidae) Synonym(s): *sichuanus* Murayama,1983
 37698) *Polyommatus* (s.str.) *erotides vasilyi* Tchikolovets,1995 (Lycaenidae) Synonym(s): *vasilyi* Tchikolovets,1995
 37699) *Polyommatus* (s.str.) *erotulus* Nekrutenko,1985 (Lycaenidae) Synonym(s): *erotulus* Nekrutenko,1985; *delessei* Carbonell,1994.
 37700) *Polyommatus* (s.str.) *erotulus erotulus* Nekrutenko,1985 (Lycaenidae) Synonym(s): *erotulus* Nekrutenko,1985; *delessei* Carbonell,1994.
 37701) *Polyommatus* (s.str.) *erotulus molleti* Carbonell,[1994] (Lycaenidae) Synonym(s): *molleti* Carbonell,[1994]
 37702) *Polyommatus* (s.str.) *forsteri* (Pfeiffer,1938) (Lycaenidae) Synonym(s): *forsteri* Pfeiffer,1938
 37703) *Polyommatus* (s.str.) *forsteri forsteri* (Pfeiffer,1938) (Lycaenidae) Synonym(s): *forsteri* Pfeiffer,1938
 37704) *Polyommatus* (s.str.) *forsteri yildizae* Koçak,1977 (Lycaenidae) Synonym(s): *yildizae* Koçak,1977; *hyulduzae* Korb,2000.
 37705) *Polyommatus* (s.str.) *gracilis* (Evans,1912) (Lycaenidae) Synonym(s): *gracilis* Evans,1912
 37706) *Polyommatus* (s.str.) *gracilis gracilis* (Evans,1912) (Lycaenidae) Synonym(s): *gracilis* Evans,1912
 37707) *Polyommatus* (s.str.) *hunza* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *hunza* Groum-Grshimailo,1890
 37708) *Polyommatus* (s.str.) *hunza hunza* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *hunza* Groum-Grshimailo,1890
 37709) *Polyommatus* (s.str.) *icadius* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *icadius* Groum-Grshimailo,1890
 37710) *Polyommatus* (s.str.) *icadius balletto* Koçak,1996 (Lycaenidae) Synonym(s): *alaicus* Balletto & Nekrutenko,1987 nec Groum-Grshimailo,1888; *balletto* Koçak,1996
 37711) *Polyommatus* (s.str.) *icadius candidus* Zhdanko,2000 (Lycaenidae) Synonym(s): *candidus* Zhdanko,2000
 37712) *Polyommatus* (s.str.) *icadius cicero* Ivonin & Kosterin,2001 (Lycaenidae) Synonym(s): *cicero* Ivonin & Kosterin,2001
 37713) *Polyommatus* (s.str.) *icadius icadius* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *icadius* Groum-Grshimailo,1890
 37714) *Polyommatus* (s.str.) *icarus* (Rottemburg,1775) (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851;
 37715) *Polyommatus* (s.str.) *icarus* (Rottemburg,1775), ssp. (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851;
 37716) *Polyommatus* (s.str.) *icarus ammosovi* (Kurentzov,1970) (Lycaenidae) Synonym(s): *ammosovi* Kurentzov,1970
 37717) *Polyommatus* (s.str.) *icarus bellicarus* Bryk,1940 (Lycaenidae) Synonym(s): *bellicarus* Bryk,1940
 37718) *Polyommatus* (s.str.) *icarus boalensis* Verhulst,1985 (Lycaenidae) Synonym(s): *boalensis* Verhulst,1985
 37719) *Polyommatus* (s.str.) *icarus celinus* (Austaut,1879) (Lycaenidae) Synonym(s): *celinus* Austaut,1879
 37720) *Polyommatus* (s.str.) *icarus claracaelestis* Verity,1949 (Lycaenidae) Synonym(s): *claracaelestis* Verity,1949
 37721) *Polyommatus* (s.str.) *icarus flavocinctatus* Rowland-Brown,1909 (Lycaenidae) Synonym(s): *flavocinctata* Rowland-Brown,1909
 37722) *Polyommatus* (s.str.) *icarus fuchsii* Sheljuzhko,1928 (Lycaenidae) Synonym(s): *fuchsii* Sheljuzhko,1928
 37723) *Polyommatus* (s.str.) *icarus fugitivus* (Butler,1881) (Lycaenidae) Synonym(s): *fugitiva* Butler,1881
 37724) *Polyommatus* (s.str.) *icarus icarus* (Rottemburg,1775) (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851;
 37725) *Polyommatus* (s.str.) *icarus korshunovi* Gorbunov,1995 (Lycaenidae) Synonym(s): *korshunovi* Gorbunov,1995
 37726) *Polyommatus* (s.str.) *icarus napaea* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *napaea* Groum-Grshimailo,1890
 37727) *Polyommatus* (s.str.) *icarus omelkoi* Dubatolov & Korshunov,1995 (Lycaenidae) Synonym(s): *omelkoi* Dubatolov & Korshunov,1995
 37728) *Polyommatus* (s.str.) *icarus rufoprivatus* Verity,1926 (Lycaenidae) Synonym(s): *rufoprivata* Verity,1926
 37729) *Polyommatus* (s.str.) *icarus sardoa* (Wagner,1909) (Lycaenidae) Synonym(s): *sardoa* Wagner,1909
 37730) *Polyommatus* (s.str.) *icarus zelleri* Verity,1919 (Lycaenidae) Synonym(s): *#meridionalis* Tutt,1909; *zelleri* Verity,1919
 37731) *Polyommatus* (s.str.) *imanishi* (Takeuchi,1936) (Lycaenidae) Synonym(s): *imanishi* Takeuchi,1936
 37732) *Polyommatus* (s.str.) *imanishi imanishi* (Takeuchi,1936) (Lycaenidae) Synonym(s): *imanishi* Takeuchi,1936
 37733) *Polyommatus* (s.str.) *juno* Hemming,1933 (Lycaenidae) Synonym(s): *juno* Hemming,1933
 37734) *Polyommatus* (s.str.) *juno juno* Hemming,1933 (Lycaenidae) Synonym(s): *juno* Hemming,1933
 37735) *Polyommatus* (s.str.) *kaabaki* Korb,2000 (Lycaenidae) Synonym(s): *kaabaki* Korb,2000
 37736) *Polyommatus* (s.str.) *kaabaki kaabaki* Korb,2000 (Lycaenidae) Synonym(s): *kaabaki* Korb,2000
 37737) *Polyommatus* (s.str.) *kamtschadalis* (Sheljuzhko,1933) (Lycaenidae) Synonym(s): *kamtschadalis* Sheljuzhko,1933
 37738) *Polyommatus* (s.str.) *kamtschadalis kamtschadalis* (Sheljuzhko,1933) (Lycaenidae) Synonym(s): *kamtschadalis* Sheljuzhko,1933
 37739) *Polyommatus* (s.str.) *kamtschadalis taimyrensis* Korshunov,1982 (Lycaenidae) Synonym(s): *taimyrensis* Korshunov,1982
 37740) *Polyommatus* (s.str.) *menelaos* Brown,1976 (Lycaenidae) Synonym(s): *menelaos* Brown,1976
 37741) *Polyommatus* (s.str.) *menelaos menelaos* Brown,1976 (Lycaenidae) Synonym(s): *menelaos* Brown,1976
 37742) *Polyommatus* (s.str.) *meoticus* Zhdanko & Stshurov,1998 (Lycaenidae) Synonym(s): *meoticus* Zhdanko & Stshurov,1998
 37743) *Polyommatus* (s.str.) *meoticus meoticus* Zhdanko & Stshurov,1998 (Lycaenidae) Synonym(s): *meoticus* Zhdanko & Stshurov,1998
 37744) *Polyommatus* (s.str.) *omotoi* Forster,1972 (Lycaenidae) Synonym(s): *omotoi* Forster,1972
 37745) *Polyommatus* (s.str.) *omotoi omotoi* Forster,1972 (Lycaenidae) Synonym(s): *omotoi* Forster,1972
 37746) *Polyommatus* (s.str.) *persicus* (Bienert,1870) (Lycaenidae) Synonym(s): *persica* Bienert,1870; *bienerti* Balint,[1993].
 37747) *Polyommatus* (s.str.) *persicus kashgharensis* Moore,1878 (Lycaenidae) Synonym(s): *kashgharensis* Moore,1878; *yarkundensis* Moore,1878.
 37748) *Polyommatus* (s.str.) *persicus persicus* (Bienert,1870) (Lycaenidae) Synonym(s): *persica* Bienert,1870; *bienerti* Balint,[1993].
 37749) *Polyommatus* (s.str.) *persicus szabokyi* (Balint,1990) (Lycaenidae) Synonym(s): *szabokyi* Balint,1990; *korshunovi* Gorbunov,1995.
 37750) *Polyommatus* (s.str.) *persicus turanicus* Heyne,[1895] (Lycaenidae) Synonym(s): *turanicus* Heyne,[1895].
 37751) *Polyommatus* (s.str.) *pseuderos* (Moore,1879) (Lycaenidae) Synonym(s): *pseuderos* Moore,1879

- 37752) *Polyommatus* (s.str.) *pseuderos biluchus* (Moore,1884) (Lycaenidae) Synonym(s): *bilucha* Moore,1884; *drunela* Swinhoe,1910; *shingara* Evans,1932
- 37753) *Polyommatus* (s.str.) *pseuderos droshanus* Swinhoe,1910 (Lycaenidae) Synonym(s): *droshanus* Swinhoe,1910
- 37754) *Polyommatus* (s.str.) *pseuderos nepalensis* Forster,1961 (Lycaenidae) Synonym(s): *nepalensis* Forster,1961; ? *sichuanicus* Murayama,1983 (cf. *Balint*,1992, *Linneana belg.* 13(8): 431).
- 37755) *Polyommatus* (s.str.) *pseuderos pseuderos* (Moore,1879) (Lycaenidae) Synonym(s): *pseuderos* Moore,1879
- 37756) *Polyommatus* (s.str.) *pseuderos tatsienluicus* (Fruhstorfer,1916) (Lycaenidae) Synonym(s): *tatsienluica* Fruhstorfer,1916; ? *gansuensis* Murayama,1983 (cf. *Balint*,1992, *Linneana belg.* 13(8): 431).
- 37757) *Polyommatus* (s.str.) *stigmatiferus Courvoisier,1903* (Lycaenidae) Synonym(s): *stigmatifera* Courvoisier,1903; *lunulata* Courvoisier,1903; *vasilyi* Tshikolovets,1995; *erotides sensu* Zhdanko,1997.
- 37758) *Polyommatus* (s.str.) *stigmatiferus stigmatiferus Courvoisier,1903* (Lycaenidae) Synonym(s): *stigmatifera* Courvoisier,1903; *lunulata* Courvoisier,1903; *vasilyi* Tshikolovets,1995.
- 37759) *Polyommatus* (s.str.) *stoliczkanus C.Felder & R.Felder,[1865]* (Lycaenidae) Synonym(s): *stoliczkanus C.Felder & R.Felder,[1865]*
- 37760) *Polyommatus* (s.str.) *stoliczkanus janetae* Evans,1927 (Lycaenidae) Synonym(s): *janetae* Evans,1927
- 37761) *Polyommatus* (s.str.) *stoliczkanus stoliczkanus C.Felder & R.Felder,[1865]* (Lycaenidae) Synonym(s): *stoliczkanus C.Felder & R.Felder,[1865]*
- 37762) *Polyommatus* (s.str.) *sutlejus* (Moore,1882) (Lycaenidae) Synonym(s): *sutleja* Moore,1882
- 37763) *Polyommatus* (s.str.) *sutlejus sutlejus* (Moore,1882) (Lycaenidae) Synonym(s): *sutleja* Moore,1882
- 37764) *Polyommatus* (s.str.) *tshetverikovi Nekrutenko,1977* (Lycaenidae) Synonym(s): *tshetverikovi Nekrutenko,1977*
- 37765) *Polyommatus* (s.str.) *tshetverikovi tshetverikovi Nekrutenko,1977* (Lycaenidae) Synonym(s): *tshetverikovi Nekrutenko,1977*
- 37766) *Polyommatus* (s.str.) *tsvetaevi* (Kurenzov,1970) (Lycaenidae) Synonym(s): *tsvetaevi Kurenzov,1970*
- 37767) *Polyommatus* (s.str.) *tsvetaevi tsvetaevi* (Kurenzov,1970) (Lycaenidae) Synonym(s): *tsvetaevi Kurenzov,1970*
- 37768) *Polyommatus* (s.str.) *venus* (Staudinger,1886) (Lycaenidae) Synonym(s): *venus Staudinger,1886*
- 37769) *Polyommatus* (s.str.) *venus lama* (Groum-Grshimailo,1890) (Lycaenidae) Synonym(s): *lama Groum-Grshimailo,1890*
- 37770) *Polyommatus* (s.str.) *venus venus* (Staudinger,1886) (Lycaenidae) Synonym(s): *venus Staudinger,1886*
- 37771) *Polyommatus* (s.str.) *zanganus Huang,1998* (Lycaenidae) Synonym(s): *zanganus Huang,1998*
- 37772) *Polyommatus* (s.str.) *zanganus zanganus Huang,1998* (Lycaenidae) Synonym(s): *zanganus Huang,1998*
- 37773) *Poriskina phakos Druce,1895* (Lycaenidae) Synonym(s): *phakos Druce,1895*
- 37774) *Poritia erycinoides* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *erycinoides C.Felder & R.Felder,[1865]*
- 37775) *Poritia erycinoides elsiei* Evans,1925 (Lycaenidae) Synonym(s): *elsiei Evans,1925*
- 37776) *Poritia erycinoides erycinoides* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *erycinoides C.Felder & R.Felder,[1865]*
- 37777) *Poritia erycinoides kinoshitai* Hayashi,1976 (Lycaenidae) Synonym(s): *kinoshitai Hayashi,1976*
- 37778) *Poritia erycinoides phraatica* Hewitson,1874 (Lycaenidae) Synonym(s): *phraatica Hewitson,1874*; *naukydes* Fruhstorfer,1912; *nigra* Fruhstorfer,1912; *demaculata* Fruhstorfer,1912; *coronata* Fruhstorfer,1912
- 37779) *Poritia erycinoides tavoyana* Doherty,1889 (Lycaenidae) Synonym(s): *tavoyana Doherty,1889*
- 37780) *Poritia fruhstorferi* Corbet,1940 (Lycaenidae) Synonym(s): *fruhstorferi Corbet,1940*
- 37781) *Poritia hewitsoni* Moore,[1866] (Lycaenidae) Synonym(s): *hewitsoni Moore,[1866]*
- 37782) *Poritia hewitsoni hewitsoni* Moore,[1866] (Lycaenidae) Synonym(s): *hewitsoni Moore,[1866]*
- 37783) *Poritia hewitsoni solitaria* Schröder & Treadaway,1989 (Lycaenidae) Synonym(s): *solitaria Schröder & Treadaway,1989*
- 37784) *Poritia hewitsoni taleva* Corbet,1940 (Lycaenidae) Synonym(s): *#nigritia* Fruhstorfer,1912; *taleva* Corbet,1940
- 37785) *Poritia languana* Schröder & Treadaway,1986 (Lycaenidae) Synonym(s): *languana Schröder & Treadaway,1986*
- 37786) *Poritia manilia* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *manilia Fruhstorfer,1912*
- 37787) *Poritia manilia evansi* Corbet,1940 (Lycaenidae) Synonym(s): *evansi Corbet,1940*
- 37788) *Poritia manilia manilia* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *manilia Fruhstorfer,1912*
- 37789) *Poritia phama* Druce,1896 (Lycaenidae) Synonym(s): *phama Druce,1896*
- 37790) *Poritia phama geta* Fawcett,1897 (Lycaenidae) Synonym(s): *geta Fawcett,1897*
- 37791) *Poritia phama palawana* Osada,1994 (Lycaenidae) Synonym(s): *palawana Osada,1994*
- 37792) *Poritia phama phama* Druce,1895 (Lycaenidae) Synonym(s): *phama Druce,1895*
- 37793) *Poritia phama rajata* Corbet,1940 (Lycaenidae) Synonym(s): *rajata Corbet,1940*
- 37794) *Poritia phama regia* Evans,1921 (Lycaenidae) Synonym(s): *regia Evans,1921*
- 37795) *Poritia philota* Hewitson,1874 (Lycaenidae) Synonym(s): *philota Hewitson,1874*; *#penumbrata* Morrell,1957; *#lugubris* Eliot,1957; *#ornata* Eliot,1957
- 37796) *Poritia philota glennuydai* Schröder & Treadaway,1989 (Lycaenidae) Synonym(s): *glennuydai Schröder & Treadaway,1989*
- 37797) *Poritia philota mindora* Osada,1994 (Lycaenidae) Synonym(s): *mindora Osada,1994*
- 37798) *Poritia philota phare* Druce,1895 (Lycaenidae) Synonym(s): *phare Druce,1895*; *sugimotoi* Hayashi,1978
- 37799) *Poritia philota philota* Hewitson,1874 (Lycaenidae) Synonym(s): *philota Hewitson,1874*; *#penumbrata* Morrell,1957; *#lugubris* Eliot,1957; *#ornata* Eliot,1957
- 37800) *Poritia phormedon* Druce,1895 (Lycaenidae) Synonym(s): *phormedon Druce,1895*
- 37801) *Poritia plateni* Staudinger,1889 (Lycaenidae) Synonym(s): *plateni Staudinger,1889*
- 37802) *Poritia pleurata* Hewitson,1874 (Lycaenidae) Synonym(s): *pleurata Hewitson,1874*
- 37803) *Poritia pleurata pleurata* Hewitson,1874 (Lycaenidae) Synonym(s): *pleurata Hewitson,1874*
- 37804) *Poritia promula* Hewitson,1874 (Lycaenidae) Synonym(s): *promula Hewitson,1874*
- 37805) *Poritia promula elegans* Fruhstorfer,[1919] (Lycaenidae) Synonym(s): *elegans Fruhstorfer,[1919]*
- 37806) *Poritia promula promula* Hewitson,1874 (Lycaenidae) Synonym(s): *promula Hewitson,1874*
- 37807) *Poritia sumatrae* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *sumatrae C.Felder & R.Felder,[1865]*
- 37808) *Poritia sumatrae sumatrae* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *sumatrae C.Felder & R.Felder,[1865]*
- 37809) *Poritia talophi* Hayashi, Schröder & Treadaway,1984 (Lycaenidae) Synonym(s): *talophi Hayashi, Schröder & Treadaway,1984*
- 37810) *Powellana cottoni* Bethune-Baker,1908 (Lycaenidae) Synonym(s): *cottoni Bethune-Baker,1908*
- 37811) *Praephilotes anthracias* (Christoph,1877) (Lycaenidae) Synonym(s): *anthracias Christoph,1877*
- 37812) *Praephilotes anthracias anthracias* (Christoph,1877) (Lycaenidae) Synonym(s): *anthracias Christoph,1877*
- 37813) *Praephilotes violacea* Howarth & Povolny,1976 (Lycaenidae) Synonym(s): *violacea Howarth & Povolny,1976*
- 37814) *Praephilotes violacea violacea* Howarth & Povolny,1976 (Lycaenidae) Synonym(s): *violacea Howarth & Povolny,1976*
- 37815) *Pratapa deva* (Moore,[1858]) (Lycaenidae) Synonym(s): *deva Moore,[1858]*
- 37816) *Pratapa deva deva* (Moore,[1858]) (Lycaenidae) Synonym(s): *deva Moore,[1858]*
- 37817) *Pratapa deva devana* Druce,1895 (Lycaenidae) Synonym(s): *devana Druce,1895*
- 37818) *Pratapa deva lila* (Moore,1883) (Lycaenidae) Synonym(s): *lila Moore,1883*
- 37819) *Pratapa deva relata* (Distant,1884) (Lycaenidae) Synonym(s): *relata Distant,1884*
- 37820) *Pratapa icetas* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *icetas Hewitson,[1865]*
- 37821) *Pratapa icetas extensa* Evans,[1925] (Lycaenidae) Synonym(s): *extensa Evans,[1925]*
- 37822) *Pratapa icetas icetas* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *icetas Hewitson,[1865]*
- 37823) *Pratapa icetas sakaia* Corbet,1940 (Lycaenidae) Synonym(s): *sakaia Corbet,1940*
- 37824) *Pratapa icetoides* (Elwes,[1893]) (Lycaenidae) Synonym(s): *icetoides Elwes,[1893]*
- 37825) *Pratapa icetoides calculis* Druce,1895 (Lycaenidae) Synonym(s): *calculis Druce,1895*
- 37826) *Pratapa icetoides icetoides* (Elwes,[1893]) (Lycaenidae) Synonym(s): *icetoides Elwes,[1893]*
- 37827) *Pratapa icetoides marikit* Schröder & Treadaway,1986 (Lycaenidae) Synonym(s): *marikit Schröder & Treadaway,1986*
- 37828) *Pratapa ismaeli* Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *ismaeli Schröder & Treadaway,1983*
- 37829) *Pratapa tyotaroi* Hayashi,1981 (Lycaenidae) Synonym(s): *tyotaroi Hayashi,1981*
- 37830) *Pratapa tyotaroi mindorensis* Treadaway & Nuyda,1995 (Lycaenidae) Synonym(s): *mindorensis Treadaway & Nuyda,1995*
- 37831) *Pratapa tyotaroi tyotaroi* Hayashi,1981 (Lycaenidae) Synonym(s): *tyotaroi Hayashi,1981*
- 37832) *Prosothes aluta* (Druce,1873) (Lycaenidae) Synonym(s): *aluta Druce,1873*
- 37833) *Prosothes aluta coelestis* (Wood-Mason & De Nicéville,1896) (Lycaenidae) Synonym(s): *coelestis Wood-Mason & De Nicéville,1896*
- 37834) *Prosothes aluta nanda* (De Nicéville,1895) (Lycaenidae) Synonym(s): *nanda De Nicéville,1895*
- 37835) *Prosothes aluta philiata* Fruhstorfer,1916 (Lycaenidae) Synonym(s): *philiata Fruhstorfer,1916*

- 37836) *Prosotas bhutea* (De Nicéville,1884) (Lycaenidae) Synonym(s): *bhutea* De Nicéville,1884
 37837) *Prosotas bhutea bhutea* (De Nicéville,1884) (Lycaenidae) Synonym(s): *bhutea* De Nicéville,1884
 37838) *Prosotas bhutea tambunanensis* Barlow, Banks & Holloway,1971 (Lycaenidae) Synonym(s): *tambunanensis* Barlow, Banks & Holloway,1971
 37839) *Prosotas dubiosa* (Semper,[1879]) (Lycaenidae) Synonym(s): *dubiosa* Semper,[1879]
 37840) *Prosotas dubiosa indica* (Evans,1925) (Lycaenidae) Synonym(s): *indica* Evans,1925
 37841) *Prosotas dubiosa lumpura* Corbet,1938 (Lycaenidae) Synonym(s): *lumpura* Corbet,1938
 37842) *Prosotas dubiosa subardates* Piepers & Snellen,1918 (Lycaenidae) Synonym(s): *subardates* Piepers & Snellen,1918
 37843) *Prosotas gracilis* (Röber,1886) (Lycaenidae) Synonym(s): *gracilis* Röber,1886
 37844) *Prosotas gracilis donina* Snellen,1901 (Lycaenidae) Synonym(s): *donina* Snellen,1901
 37845) *Prosotas gracilis ni* (De Nicéville,1902) (Lycaenidae) Synonym(s): *ni* De Nicéville,1902
 37846) *Prosotas gracilis* ssp. (Lycaenidae) Synonym(s):
 37847) *Prosotas lutea* (Martin,1895) (Lycaenidae) Synonym(s): *lutea* Martin,1895
 37848) *Prosotas lutea lutea* (Martin,1895) (Lycaenidae) Synonym(s): *lutea* Martin,1895
 37849) *Prosotas lutea sivoka* (Evans,1910) (Lycaenidae) Synonym(s): *sivoka* Evans,1910
 37850) *Prosotas maputi* Semper,1889 (Lycaenidae) Synonym(s): *maputi* Semper,1889
 37851) *Prosotas nelides* (De Nicéville,1895) (Lycaenidae) Synonym(s): *nelides* De Nicéville,1895
 37852) *Prosotas nora* (C.Felder,1860) (Lycaenidae) Synonym(s): *nora* C.Felder,1860
 37853) *Prosotas nora nora* (C.Felder,1860) (Lycaenidae) Synonym(s): *nora* C.Felder,1860
 37854) *Prosotas nora semperi* Fruhstorfer,1916 (Lycaenidae) Synonym(s): *semperi* Fruhstorfer,1916
 37855) *Prosotas nora superdates* Fruhstorfer,1916 (Lycaenidae) Synonym(s): *superdates* Fruhstorfer,1916
 37856) *Prosotas noreia* (R.Felder,1868) (Lycaenidae) Synonym(s): *noreia* R.Felder,1868
 37857) *Prosotas noreia hamptoni* (De Nicéville,1885) (Lycaenidae) Synonym(s): *hamptoni* De Nicéville,1885
 37858) *Prosotas pia* Toxopeus,1929 (Lycaenidae) Synonym(s): *pia* Toxopeus,1929
 37859) *Prosotas pia marginata* Tite,1963 (Lycaenidae) Synonym(s): *marginata* Tite,1963
 37860) *Prosotas pia pia* Toxopeus,1929 (Lycaenidae) Synonym(s): *pia* Toxopeus,1929
 37861) *Protantigius superans* (Oberthür,1914) (Lycaenidae) Synonym(s): *superans* Oberthür,1914
 37862) *Protantigius superans superans* (Oberthür,1914) (Lycaenidae) Synonym(s): *superans* Oberthür,1914
 37863) *Pseudaletis agrippina* Druce,1888 (Lycaenidae) Synonym(s): *agrippina* Druce,1888; *tricolor* Staudinger,1891
 37864) *Pseudaletis angustimargo* Hawker-Smith,1926 (Lycaenidae) Synonym(s): *angustimargo* Hawker-Smith,1926
 37865) *Pseudaletis antimachus* (Staudinger,1888) (Lycaenidae) Synonym(s): *antimachus* Staudinger,1888
 37866) *Pseudaletis arrhon* Druce,1913 (Lycaenidae) Synonym(s): *arrhon* Druce,1913
 37867) *Pseudaletis batesi* Druce,1910 (Lycaenidae) Synonym(s): *batesi* Druce,1910
 37868) *Pseudaletis busoga* Van Someren,1939 (Lycaenidae) Synonym(s): *busoga* Van Someren,1939
 37869) *Pseudaletis catori* Bethune-Baker,1926 (Lycaenidae) Synonym(s): *catori* Bethune-Baker,1926
 37870) *Pseudaletis clymenus* (Druce,1885) (Lycaenidae) Synonym(s): *clymenus* Druce,1885
 37871) *Pseudaletis clymenus clymenus* (Druce,1885) (Lycaenidae) Synonym(s): *clymenus* Druce,1885
 37872) *Pseudaletis clymenus subangulata* Talbot,1935 (Lycaenidae) Synonym(s): *subangulata* Talbot,1935
 37873) *Pseudaletis dardanella* N.D.Riley,1922 (Lycaenidae) Synonym(s): *dardanella* N.D.Riley,1922
 37874) *Pseudaletis leonis* (Staudinger,1888) (Lycaenidae) Synonym(s): *leonis* Staudinger,1888; *trifasciata* Sharpe,1890
 37875) *Pseudaletis lusambo* Stempffer,1961 (Lycaenidae) Synonym(s): *lusambo* Stempffer,1961
 37876) *Pseudaletis mazanguli* Neave,1910 (Lycaenidae) Synonym(s): *mazanguli* Neave,1910
 37877) *Pseudaletis nigra* Holland,1892 (Lycaenidae) Synonym(s): *nigra* Holland,1892; *occidentalis* Bethune-Baker,1926
 37878) *Pseudaletis nigra fontainei* Stempffer,1961 (Lycaenidae) Synonym(s): *fontainei* Stempffer,1961
 37879) *Pseudaletis nigra nigra* Holland,1892 (Lycaenidae) Synonym(s): *nigra* Holland,1892; *occidentalis* Bethune-Baker,1926
 37880) *Pseudaletis richardi* Stempffer,1953 (Lycaenidae) Synonym(s): *richardi* Stempffer,1953
 37881) *Pseudaletis spolia* N.D.Riley,1922 (Lycaenidae) Synonym(s): *spolia* N.D.Riley,1922
 37882) *Pseudaletis ugandae* N.D.Riley,1928 (Lycaenidae) Synonym(s): *ugandae* N.D.Riley,1928
 37883) *Pseudaletis zebra* Holland,1891 (Lycaenidae) Synonym(s): *zebra* Holland,1891
 37884) *Pseuderessia cornucopiae* (Holland,1892) (Lycaenidae) Synonym(s): *cornucopiae* Holland,1892
 37885) *Pseuderessia eleaza* (Hewitson,1873) (Lycaenidae) Synonym(s): *eleaza* Hewitson,1873; *catharina* Butler,1874; *variegata* Grose-Smith & Kirby,1890; *picta* Grose-Smith,1898
 37886) *Pseuderessia eleaza eleaza* (Hewitson,1873) (Lycaenidae) Synonym(s): *eleaza* Hewitson,1873; *catharina* Butler,1874; *variegata* Grose-Smith & Kirby,1890; *picta* Grose-Smith,1898
 37887) *Pseuderessia eleaza katera* Stempffer,1961 (Lycaenidae) Synonym(s): *katera* Stempffer,1961
 37888) *Pseuderessia eleaza nigra* Cator,1904 (Lycaenidae) Synonym(s): *nigra* Cator,1904
 37889) *Pseuderessia mapongua* (Holland,1893) (Lycaenidae) Synonym(s): *mapongua* Holland,1893
 37890) *Pseuderessia vidua* Talbot,1937 (Lycaenidae) Synonym(s): *vidua* Talbot,1937
 37891) *Pseudonacaduba aethiops* (Mabille,1877) (Lycaenidae) Synonym(s): *aethiops* Mabille,1877; *melania* Capronnier,1889 nec Stgr.,1886; *stratola* Holland,1891.
 37892) *Pseudonacaduba sichela* (Wallengren,1857) (Lycaenidae) Synonym(s): *sichela* Wallengren,1857; *dexamene* Druce,1887; *docilis* Butler,1888; *#sichela* Swierstra,1909.
 37893) *Pseudonacaduba sichela reticulum* (Mabille,1877) (Lycaenidae) Synonym(s): *reticulum* Mabille,1877
 37894) *Pseudonacaduba sichela sichela* (Wallengren,1857) (Lycaenidae) Synonym(s): *sichela* Wallengren,1857; *dexamene* Druce,1887; *docilis* Butler,1888; *#sichela* Swierstra,1909.
 37895) *Pseudoneveia jacksoni* Stempffer,1964 (Lycaenidae) Synonym(s): *jacksoni* Stempffer,1964
 37896) *Pseudophilotes abencerragus* (Pierret,1837) (Lycaenidae) Synonym(s): *abencerragus* Pierret,1837
 37897) *Pseudophilotes abencerragus abencerragus* (Pierret,1837) (Lycaenidae) Synonym(s): *abencerragus* Pierret,1837
 37898) *Pseudophilotes abencerragus amelia* (Hemming,1927) (Lycaenidae) Synonym(s): *amelia* Hemming,1927; *mattoni* Gomez-Bustillo,1982; *mattonica* Gomez-Bustillo,1982.
 37899) *Pseudophilotes abencerragus cavazzae* (Romei,1927) (Lycaenidae) Synonym(s): *cavazzae* Romei,1927.
 37900) *Pseudophilotes abencerragus coloniarum* (Turati,1927) (Lycaenidae) Synonym(s): *coloniarum* Turati,1927.
 37901) *Pseudophilotes abencerragus famelica* (Buxton,1914) (Lycaenidae) Synonym(s): *#famelica* Seitz,1909; *famelica* Buxton,1914.
 37902) *Pseudophilotes abencerragus felix* Manil,2006 (Lycaenidae) Synonym(s): *felix* Manil,2006
 37903) *Pseudophilotes abencerragus nabataeus* (Graves,1925) (Lycaenidae) Synonym(s): *nabataeus* Graves,1925
 37904) *Pseudophilotes barbagiae* De Prins & Poorten,1982 (Lycaenidae) Synonym(s): *barbagiae* De Prins & Poorten,1982
 37905) *Pseudophilotes barbagiae barbagiae* De Prins & Poorten,1982 (Lycaenidae) Synonym(s): *barbagiae* De Prins & Poorten,1982
 37906) *Pseudophilotes baton* (Bergsträßer,[1779]) (Lycaenidae) Synonym(s): *hylas* Denis & Schiffermüller,1775 nec Linnaeus,1758; *baton* Bergsträßer,[1779]; *hylactor* Bergsträßer,[1779] Bergsträßer,[1779]; *amphion* Esper,1780; *#praecocior* Verity,1919; *#obscurata* Verity,1919; *oicles* Dannehl,1925.
 37907) *Pseudophilotes baton albonotata* (De Sagarra,1926) (Lycaenidae) Synonym(s): *albonotata* De Sagarra,1926
 37908) *Pseudophilotes baton baton* (Bergsträßer,[1779]) (Lycaenidae) Synonym(s): *hylas* Denis & Schiffermüller,1775 nec Linnaeus,1758; *baton* Bergsträßer,[1779]; *hylactor* Bergsträßer,[1779] Bergsträßer,[1779]; *amphion* Esper,1780; *#praecocior* Verity,1919; *#obscurata* Verity,1919; *oicles* Dannehl,1925.
 37909) *Pseudophilotes baton occidentalis* (Hemming,1929) (Lycaenidae) Synonym(s): *occidentalis* Hemming,1929
 37910) *Pseudophilotes baton panoptes* (Hübner,[1813]) (Lycaenidae) Synonym(s): *panoptes* Hübner,[1813]; *andalusica* Ribbe,1910; *orlaria* Ribbe,1910.
 37911) *Pseudophilotes baton praepanoptes* (Verity,1928) (Lycaenidae) Synonym(s): *praepanoptes* Verity,1928
 37912) *Pseudophilotes jacuticus* Korshunov & Viidalepp,1980 (Lycaenidae) Synonym(s): *jacuticus* Korshunov & Viidalepp,1980
 37913) *Pseudophilotes jacuticus jacuticus* Korshunov & Viidalepp,1980 (Lycaenidae) Synonym(s): *jacuticus* Korshunov & Viidalepp,1980
 37914) *Pseudophilotes sinaicus* Nakamura,1975 (Lycaenidae) Synonym(s): *sinaicus* Nakamura,1975
 37915) *Pseudophilotes sinaicus sinaicus* Nakamura,1975 (Lycaenidae) Synonym(s): *sinaicus* Nakamura,1975
 37916) *Pseudophilotes vicrama* (Moore,1865) (Lycaenidae) Synonym(s): *vicrama* Moore,1865

- 37917) *Pseudophilotes vicrama astabene* (Hemming,1932) (Lycaenidae) Synonym(s): *clara* Staudinger,1901; *astabene* Hemming,1932
- 37918) *Pseudophilotes vicrama cashmirensis* (Moore,1874) (Lycaenidae) Synonym(s): *cashmirensis* Moore,1874
- 37919) *Pseudophilotes vicrama pallida* Shchetkin,1960 (Lycaenidae) Synonym(s): *pallida* Shchetkin,1960
- 37920) *Pseudophilotes vicrama schiffermuelleri* (Hemming,1929) (Lycaenidae) Synonym(s): *hylas* Denis & Schiffermüller,1775 nec Linn.,1758; *schiffermuelleri* Hemming,1929.
- 37921) *Pseudophilotes vicrama vicrama* (Moore,1865) (Lycaenidae) Synonym(s): *vicrama* Moore,1865
- 37922) *Pseudotajuria donatana* (De Nicéville,[1889]) (Lycaenidae) Synonym(s): *donatana* De Nicéville,[1889]
- 37923) *Pseudotajuria donatana bilara* M.Okano & T.Okano,1990 (Lycaenidae) Synonym(s): *bilara* M.Okano & T.Okano,1990
- 37924) *Pseudotajuria donatana donatana* (De Nicéville,[1889]) (Lycaenidae) Synonym(s): *donatana* De Nicéville,[1889]
- 37925) *Pseudotajuria donatana mansaka* Osada,1987 (Lycaenidae) Synonym(s): *mansaka* Osada,1987
- 37926) *Ptelina carnuta* (Hewitson,1873) (Lycaenidae) Synonym(s): *carnuta* Hewitson,1873
- 37927) *Ptelina carnuta carnuta* (Hewitson,1873) (Lycaenidae) Synonym(s): *carnuta* Hewitson,1873
- 37928) *Ptelina carnuta parva* (Kirby,1887) (Lycaenidae) Synonym(s): *parva* Kirby,1887
- 37929) *Ptelina subhyalina* Joicey & Talbot,1921 (Lycaenidae) Synonym(s): *subhyalina* Joicey & Talbot,1921
- 37930) *Ptox catreus* (De Nicéville,1895) (Lycaenidae) Synonym(s): *catreus* De Nicéville,1895; *semoni* Pagenstecher,1895.
- 37931) *Ptox catreus catreus* (De Nicéville,1895) (Lycaenidae) Synonym(s): *catreus* De Nicéville,1895; *semoni* Pagenstecher,1895.
- 37932) *Ptox catreus hermeias* (Fruhstorfer,1910) (Lycaenidae) Synonym(s): *hermeias* Fruhstorfer,1910
- 37933) *Ptox corythus* (De Nicéville,1895) (Lycaenidae) Synonym(s): *corythus* De Nicéville,1895
- 37934) *Ptox corythus corythus* (De Nicéville,1895) (Lycaenidae) Synonym(s): *corythus* De Nicéville,1895
- 37935) *Ptox corythus gaus* (Fruhstorfer,1910) (Lycaenidae) Synonym(s): *gaus* Fruhstorfer,1910
- 37936) *Purlisa gigantea* (Distant,1881) (Lycaenidae) Synonym(s): *gigantea* Distant,1881
- 37937) *Purlisa gigantea gigantea* (Distant,1881) (Lycaenidae) Synonym(s): *gigantea* Distant,1881
- 37938) *Quercusia quercus* (Linnaeus,1758) (Lycaenidae) Synonym(s): *quercus* Linnaeus,1758
- 37939) *Quercusia quercus ibericus* (Staudinger,1901) (Lycaenidae) Synonym(s): *ibericus* Staudinger,1901
- 37940) *Quercusia quercus quercus* (Linnaeus,1758) (Lycaenidae) Synonym(s): *quercus* Linnaeus,1758; *longicauda* Riley,1921
- 37941) *Rachana australis* (Schröder & Treadaway,1990) (Lycaenidae) Synonym(s): *australis* Schröder & Treadaway,1990
- 37942) *Rachana circumdata* (Schröder, Treadaway & Hayashi,1981) (Lycaenidae) Synonym(s): *circumdata* Schröder, Treadaway & Hayashi,1981
- 37943) *Rachana circumdata circumdata* (Schröder, Treadaway & Hayashi,1981) (Lycaenidae) Synonym(s): *circumdata* Schröder, Treadaway & Hayashi,1981
- 37944) *Rachana circumdata panayensis* Schröder, Treadaway & Hayashi,1981 (Lycaenidae) Synonym(s): *panayensis* Schröder, Treadaway & Hayashi,1981; *negrosensis* M.Okano & T.Okano,1990
- 37945) *Rachana jalindra* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *jalindra* Horsfield,[1829]
- 37946) *Rachana jalindra balabacensis* Schröder & Treadaway,1986 (Lycaenidae) Synonym(s): *balabacensis* Schröder & Treadaway,1986
- 37947) *Rachana jalindra burbona* (Hewitson,1878) (Lycaenidae) Synonym(s): *burbona* Hewitson,1878
- 37948) *Rachana jalindra indra* (Moore,1883) (Lycaenidae) Synonym(s): *indra* Moore,1883
- 37949) *Rachana jalindra jalindra* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *jalindra* Horsfield,[1829]
- 37950) *Rachana jalindra maganda* (Takanami,1982) (Lycaenidae) Synonym(s): *maganda* Takanami,1982
- 37951) *Rachana jalindra mindorensis* (Schröder & Treadaway,1985) (Lycaenidae) Synonym(s): *mindorensis* Schröder & Treadaway,1985
- 37952) *Rachana jalindra obsoleta* (Schröder & Treadaway,1993) (Lycaenidae) Synonym(s): *obsoleta* Schröder & Treadaway,1993
- 37953) *Rachana jalindra palawandra* (Staudinger,1889) (Lycaenidae) Synonym(s): *palawandra* Staudinger,1889
- 37954) *Rachana jalindra shiraishii* (Takanami,1984) (Lycaenidae) Synonym(s): *shiraishii* Takanami,1984
- 37955) *Rachana mariaba* (Hewitson,1869) (Lycaenidae) Synonym(s): *mariaba* Hewitson,1869
- 37956) *Rachana mioae* (Hayashi,1978) (Lycaenidae) Synonym(s): *mioae* Hayashi,1978
- 37957) *Rachana plateni* (Semper,1890) (Lycaenidae) Synonym(s): *plateni* Semper,1890
- 37958) *Rachana plateni parvula* (Schröder & Treadaway,1989) (Lycaenidae) Synonym(s): *parvula* Schröder & Treadaway,1989
- 37959) *Rachana plateni plateni* (Semper,1890) (Lycaenidae) Synonym(s): *plateni* Semper,1890; *navales* Schröder & Treadaway,1986
- 37960) *Rapala abnormis* Elwes,[1893] (Lycaenidae) Synonym(s): *abnormis* Elwes,[1893]
- 37961) *Rapala abnormis abnormis* Elwes,[1893] (Lycaenidae) Synonym(s): *abnormis* Elwes,[1893]
- 37962) *Rapala abnormis abusina* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *abusina* Fruhstorfer,1912
- 37963) *Rapala albapex* De Nicéville,1897 (Lycaenidae) Synonym(s): *albapex* De Nicéville,1897
- 37964) *Rapala arata* (Bremer,1861) (Lycaenidae) Synonym(s): *arata* Bremer,1861
- 37965) *Rapala arata arata* (Bremer,1861) (Lycaenidae) Synonym(s): *arata* Bremer,1861
- 37966) *Rapala caerulea* (Bremer & Grey,1853) (Lycaenidae) Synonym(s): *caerulea* Bremer & Grey,1853
- 37967) *Rapala caerulea caerulea* (Bremer & Grey,1853) (Lycaenidae) Synonym(s): *caerulea* Bremer & Grey,1853
- 37968) *Rapala caerulescens* Staudinger,1889 (Lycaenidae) Synonym(s): *caerulescens* Staudinger,1889
- 37969) *Rapala cowani* Corbet,1939 (Lycaenidae) Synonym(s): *cowani* Corbet,1939
- 37970) *Rapala cowani cowani* Corbet,1939 (Lycaenidae) Synonym(s): *cowani* Corbet,1939
- 37971) *Rapala damona* Swinhoe,1890 (Lycaenidae) Synonym(s): *damona* Swinhoe,1890
- 37972) *Rapala damona damona* Swinhoe,1890 (Lycaenidae) Synonym(s): *damona* Swinhoe,1890
- 37973) *Rapala dienece* (Hewitson,1878) (Lycaenidae) Synonym(s): *dienece* Hewitson,1878
- 37974) *Rapala dienece dienece* (Hewitson,1878) (Lycaenidae) Synonym(s): *dienece* Hewitson,1878
- 37975) *Rapala diopites* (Hewitson,1869) (Lycaenidae) Synonym(s): *diopites* Hewitson,1869
- 37976) *Rapala diopites alcetas* (Staudinger,1889) (Lycaenidae) Synonym(s): *alcetas* Staudinger,1889
- 37977) *Rapala diopites alcatina* Semper,1890 (Lycaenidae) Synonym(s): *alcatina* Semper,1890
- 37978) *Rapala diopites diopites* (Hewitson,1869) (Lycaenidae) Synonym(s): *diopites* Hewitson,1869
- 37979) *Rapala domitia* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *domitia* Hewitson,[1863]
- 37980) *Rapala domitia domitia* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *domitia* Hewitson,[1863]
- 37981) *Rapala domitia flemingi* Eliot,1969 (Lycaenidae) Synonym(s): *flemingi* Eliot,1969
- 37982) *Rapala elcia* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *elcia* Hewitson,[1863]
- 37983) *Rapala elcia elcia* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *elcia* Hewitson,[1863]
- 37984) *Rapala extensa* (Evans,1926) (Lycaenidae) Synonym(s): *extensa* Evans,1926
- 37985) *Rapala extensa extensa* (Evans,1926) (Lycaenidae) Synonym(s): *extensa* Evans,1926
- 37986) *Rapala hades* (De Nicéville,1895) (Lycaenidae) Synonym(s): *hades* De Nicéville,1895
- 37987) *Rapala hypargyria* Elwes,[1893] (Lycaenidae) Synonym(s): *hypargyria* Elwes,[1893]
- 37988) *Rapala hypargyria hypargyria* Elwes,[1893] (Lycaenidae) Synonym(s): *hypargyria* Elwes,[1893]
- 37989) *Rapala iarbus* (Fabricius,1787) (Lycaenidae) Synonym(s): *iarbus* Fabricius,1787; *ocerta* Fruhstorfer,[1912]
- 37990) *Rapala iarbus iarbus* (Fabricius,1787) (Lycaenidae) Synonym(s): *iarbus* Fabricius,1787; *ocerta* Fruhstorfer,[1912]
- 37991) *Rapala iarbus sorya* (Kollar,[1844]) (Lycaenidae) Synonym(s): *sorya* Kollar,[1844]
- 37992) *Rapala lankana* (Moore,[1879]) (Lycaenidae) Synonym(s): *lankana* Moore,[1879]
- 37993) *Rapala lankana lankana* (Moore,[1879]) (Lycaenidae) Synonym(s): *lankana* Moore,[1879]
- 37994) *Rapala manea* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *manea* Hewitson,[1863]
- 37995) *Rapala manea asikana* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *asikana* Fruhstorfer,1912
- 37996) *Rapala manea baweanica* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *baweanica* Fruhstorfer,1912
- 37997) *Rapala manea chozeba* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *chozeba* Hewitson,[1863]
- 37998) *Rapala manea enganica* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *enganica* Fruhstorfer,1912
- 37999) *Rapala manea ingana* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *ingana* Fruhstorfer,1912
- 38000) *Rapala manea lombokiana* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *lombokiana* Fruhstorfer,1912
- 38001) *Rapala manea manea* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *manea* Hewitson,[1863]
- 38002) *Rapala manea philippensis* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *philippensis* Fruhstorfer,1912
- 38003) *Rapala manea schistacea* (Moore,[1881]) (Lycaenidae) Synonym(s): *schistacea* Moore,[1881]

- 38004) *Rapala masara Osada, 1987* (Lycaenidae) Synonym(s): *masara Osada, 1987*
 38005) *Rapala micans* (Bremer & Grey, 1853) (Lycaenidae) Synonym(s): *micans Bremer & Grey, 1853*
 38006) *Rapala micans micans* (Bremer & Grey, 1853) (Lycaenidae) Synonym(s): *micans Bremer & Grey, 1853*
 38007) *Rapala micans selira* (Moore, 1874) (Lycaenidae) Synonym(s): *selira Moore, 1874; roana Fruhstorfer, 1930*
 38008) *Rapala nissa* (Kollar, 1844) (Lycaenidae) Synonym(s): *nissa Kollar, 1844*
 38009) *Rapala nissa nissa* (Kollar, 1844) (Lycaenidae) Synonym(s): *nissa Kollar, 1844*
 38010) *Rapala nissa nissoides Swinhoe, 1915* (Lycaenidae) Synonym(s): *nissoides Swinhoe, 1915*
 38011) *Rapala nissa pahangana Pendlebury & Corbet, 1933* (Lycaenidae) Synonym(s): *pahangana Pendlebury & Corbet, 1933*
 38012) *Rapala nissa ranta Swinhoe, 1897* (Lycaenidae) Synonym(s): *ranta Swinhoe, 1897*
 38013) *Rapala pheretima* (Hewitson, 1863) (Lycaenidae) Synonym(s): *phetima Hewitson, 1863*
 38014) *Rapala pheretima petosiris* (Hewitson, 1863) (Lycaenidae) Synonym(s): *petosiris Hewitson, 1863*
 38015) *Rapala pheretima pheretima* (Hewitson, 1863) (Lycaenidae) Synonym(s): *phetima Hewitson, 1863*
 38016) *Rapala pheretima sequeira* (Distant, 1885) (Lycaenidae) Synonym(s): *sequeira Distant, 1885; utimutis Distant, 1885*
 38017) *Rapala pheretima tiomana Eliot, 1978* (Lycaenidae) Synonym(s): *tiomana Eliot, 1978*
 38018) *Rapala phrangida Fruhstorfer, 1912* (Lycaenidae) Synonym(s): *phrangida Fruhstorfer, 1912*
 38019) *Rapala rectivitta* (Moore, 1879) (Lycaenidae) Synonym(s): *rectivitta Moore, 1879*
 38020) *Rapala rectivitta rectivitta* (Moore, 1879) (Lycaenidae) Synonym(s): *rectivitta Moore, 1879*
 38021) *Rapala refulgens De Nicéville, 1891* (Lycaenidae) Synonym(s): *refulgens De Nicéville, 1891*
 38022) *Rapala refulgens refulgens De Nicéville, 1891* (Lycaenidae) Synonym(s): *refulgens De Nicéville, 1891*
 38023) *Rapala renata Fruhstorfer, 1912* (Lycaenidae) Synonym(s): *renata Fruhstorfer, 1912*
 38024) *Rapala renata renata Fruhstorfer, 1912* (Lycaenidae) Synonym(s): *renata Fruhstorfer, 1912*
 38025) *Rapala rhodopis De Nicéville, 1896* (Lycaenidae) Synonym(s): *rhodopis De Nicéville, 1896*
 38026) *Rapala rhoecus De Nicéville, 1895* (Lycaenidae) Synonym(s): *rhoecus De Nicéville, 1895*
 38027) *Rapala rhoecus melida Fruhstorfer, 1912* (Lycaenidae) Synonym(s): *melida Fruhstorfer, 1912*
 38028) *Rapala rhoecus rhoecus De Nicéville, 1895* (Lycaenidae) Synonym(s): *rhoecus De Nicéville, 1895*
 38029) *Rapala rosacea De Nicéville, 1888* (Lycaenidae) Synonym(s): *rosacea De Nicéville, 1888*
 38030) *Rapala rosacea rosacea De Nicéville, 1888* (Lycaenidae) Synonym(s): *rosacea De Nicéville, 1888*
 38031) *Rapala scintilla De Nicéville, 1890* (Lycaenidae) Synonym(s): *scintilla De Nicéville, 1890*
 38032) *Rapala scintilla nemana Semper, 1890* (Lycaenidae) Synonym(s): *nemana Semper, 1890*
 38033) *Rapala scintilla scintilla De Nicéville, 1890* (Lycaenidae) Synonym(s): *scintilla De Nicéville, 1890*
 38034) *Rapala suffusa* (Moore, 1879) (Lycaenidae) Synonym(s): *suffusa Moore, 1879*
 38035) *Rapala suffusa anabasis Staudinger, 1889* (Lycaenidae) Synonym(s): *anabasis Staudinger, 1889*
 38036) *Rapala suffusa barthema* (Distant, 1885) (Lycaenidae) Synonym(s): *barthema Distant, 1885*
 38037) *Rapala suffusa catulus Fruhstorfer, 1912* (Lycaenidae) Synonym(s): *catulus Fruhstorfer, 1912*
 38038) *Rapala suffusa praxeas Fruhstorfer, 1914* (Lycaenidae) Synonym(s): *praxeas Fruhstorfer, 1914*
 38039) *Rapala suffusa suffusa* (Moore, 1879) (Lycaenidae) Synonym(s): *suffusa Moore, 1879*
 38040) *Rapala takasagonis Matsumura, 1929* (Lycaenidae) Synonym(s): *takasagonis Matsumura, 1929*
 38041) *Rapala takasagonis takasagonis Matsumura, 1929* (Lycaenidae) Synonym(s): *takasagonis Matsumura, 1929*
 38042) *Rapala tara De Nicéville, 1888* (Lycaenidae) Synonym(s): *tara De Nicéville, 1888*
 38043) *Rapala tara tara De Nicéville, 1888* (Lycaenidae) Synonym(s): *tara De Nicéville, 1888*
 38044) *Rapala tomokoe Hayashi, Schröder & Treadaway, 1978* (Lycaenidae) Synonym(s): *tomokoe Hayashi, Schröder & Treadaway, 1978*
 38045) *Rapala tomokoe bilara M.Okano & T.Okano, 1990* (Lycaenidae) Synonym(s): *bilara M.Okano & T.Okano, 1990*
 38046) *Rapala tomokoe ssp.* (Lycaenidae) Synonym(s):
 38047) *Rapala tomokoe takanamii Hayashi, 1984* (Lycaenidae) Synonym(s): *takanamii Hayashi, 1984*
 38048) *Rapala tomokoe tomokoe Hayashi, Schröder & Treadaway, 1978* (Lycaenidae) Synonym(s): *tomokoe Hayashi, Schröder & Treadaway, 1978*
 38049) *Rapala vajana Corbet, 1940* (Lycaenidae) Synonym(s): *vajana Corbet, 1940*
 38050) *Rapala varuna* (Horsfield, 1829) (Lycaenidae) Synonym(s): *varuna Horsfield, 1829*
 38051) *Rapala varuna arima Fruhstorfer, 1912* (Lycaenidae) Synonym(s): *arima Fruhstorfer, 1912*
 38052) *Rapala varuna formosana Fruhstorfer, 1912* (Lycaenidae) Synonym(s): *formosana Fruhstorfer, 1912*
 38053) *Rapala varuna nada Fruhstorfer, 1912* (Lycaenidae) Synonym(s): *nada Fruhstorfer, 1912*
 38054) *Rapala varuna orseis* (Hewitson, 1863) (Lycaenidae) Synonym(s): *orseis Hewitson, 1863*
 38055) *Rapala varuna ssp.* (Lycaenidae) Synonym(s):
 38056) *Rapala varuna varuna* (Horsfield, 1829) (Lycaenidae) Synonym(s): *varuna Horsfield, 1829*
 38057) *Rapala zamona Fruhstorfer, 1912* (Lycaenidae) Synonym(s): *zamona Fruhstorfer, 1912*
 38058) *Ravenna nivea* (Nire, 1920) (Lycaenidae) Synonym(s): *nivea Nire, 1920*
 38059) *Rekoa marius* (Lycaenidae) Synonym(s):
 38060) *Rekoa palegon* (Lycaenidae) Synonym(s):
 38061) *Remelana davisi Jumalon, 1975* (Lycaenidae) Synonym(s): *davisi Jumalon, 1975*
 38062) *Remelana davisi davisi Jumalon, 1975* (Lycaenidae) Synonym(s): *davisi Jumalon, 1975*
 38063) *Remelana davisi fulminans Schröder & Treadaway, 1978* (Lycaenidae) Synonym(s): *fulminans Schröder & Treadaway, 1978*
 38064) *Remelana davisi negrosensis M.Okano & T.Okano, 1990* (Lycaenidae) Synonym(s): *negrosensis M.Okano & T.Okano, 1990*
 38065) *Remelana davisi noeli Treadaway & Nuyda, 1993* (Lycaenidae) Synonym(s): *noeli Treadaway & Nuyda, 1993*
 38066) *Remelana jangala* (Horsfield, 1829) (Lycaenidae) Synonym(s): *jangala Horsfield, 1829*
 38067) *Remelana jangala andamanica De Nicéville* (Lycaenidae) Synonym(s):
 38068) *Remelana jangala bawana Fruhstorfer* (Lycaenidae) Synonym(s):
 38069) *Remelana jangala centa Fruhstorfer* (Lycaenidae) Synonym(s):
 38070) *Remelana jangala esra Fruhstorfer, 1907* (Lycaenidae) Synonym(s): *esra Fruhstorfer, 1907*
 38071) *Remelana jangala hainanensis Joicey & Talbot* (Lycaenidae) Synonym(s):
 38072) *Remelana jangala huberta Fruhstorfer* (Lycaenidae) Synonym(s):
 38073) *Remelana jangala jangala* (Horsfield, 1829) (Lycaenidae) Synonym(s): *jangala Horsfield, 1829*
 38074) *Remelana jangala mudra Fruhstorfer* (Lycaenidae) Synonym(s):
 38075) *Remelana jangala orsolina Hewitson* (Lycaenidae) Synonym(s):
 38076) *Remelana jangala ravata* (Moore, 1865) (Lycaenidae) Synonym(s): *ravata Moore, 1865*
 38077) *Remelana jangala travana* (Hewitson, 1865) (Lycaenidae) Synonym(s): *travana Hewitson, 1865*
 38078) *Remelana jangala westermanni* (C.Felder & R.Felder, 1865) (Lycaenidae) Synonym(s): *westermanni C.Felder & R.Felder, 1865*
 38079) *Rhinelephas arrhina Toxopeus, 1927* (Lycaenidae) Synonym(s): *arrhina Toxopeus, 1927*
 38080) *Rhinelephas arrhina arrhina Toxopeus, 1927* (Lycaenidae) Synonym(s): *arrhina Toxopeus, 1927*
 38081) *Rhinelephas cyanicornis* (Snellen, 1892) (Lycaenidae) Synonym(s): *cyanicornis Snellen, 1892; pallax Fruhstorfer, 1910*
 38082) *Rhinelephas cyanicornis cyanicornis* (Snellen, 1892) (Lycaenidae) Synonym(s): *cyanicornis Snellen, 1892; pallax Fruhstorfer, 1910*
 38083) *Rhinelephas cyanicornis denkeri Toxopeus, 1928* (Lycaenidae) Synonym(s): *denkeri Toxopeus, 1928*
 38084) *Ritra aurea* (Druce, 1873) (Lycaenidae) Synonym(s): *aurea Druce, 1873*
 38085) *Ritra aurea aurea* (Druce, 1873) (Lycaenidae) Synonym(s): *aurea Druce, 1873*
 38086) *Ritra aurea volumnia* (Fruhstorfer, 1912) (Lycaenidae) Synonym(s): *volumnia Fruhstorfer, 1912*
 38087) *Rubrapterus bavius* (Eversmann, 1832) (Lycaenidae) Synonym(s): *bavius Eversmann, 1832*
 38088) *Rubrapterus bavius bavius* (Eversmann, 1832) (Lycaenidae) Synonym(s): *bavius Eversmann, 1832*
 38089) *Rubrapterus bavius egeus* (Herrich-Schäffer, 1852) (Lycaenidae) Synonym(s): *egea Herrich-Schäffer, 1852*
 38090) *Rubrapterus bavius eitschbergeri* (Koçak, 1975) (Lycaenidae) Synonym(s): *eitschbergeri Koçak, 1975*
 38091) *Rubrapterus bavius fatma* (Oberthür, 1890) (Lycaenidae) Synonym(s): *fatma Oberthür, 1890*
 38092) *Rubrapterus bavius hungaricus* (Dioszegy, 1913) (Lycaenidae) Synonym(s): *hungaricus Dioszegy, 1913*
 38093) *Rubrapterus bavius masal Koçak, 1998* (Lycaenidae) Synonym(s): *masal Koçak, 1998*

- 38094) *Rubrapterus bavius oenolpae* (Koçak,1975) (Lycaenidae) Synonym(s): *oenolpae* Koçak,1975
 38095) *Rubrapterus bavius vanicola* (Koçak,1977) (Lycaenidae) Synonym(s): *vanicola* Koçak,1977
 38096) *Rysops scintilla* (Mabille,1877) (Lycaenidae) Synonym(s):
 38097) *Sancterila deliciosa* (Pagenstecher,1896) (Lycaenidae) Synonym(s): *deliciosa* Pagenstecher,1896
 38098) *Sancterila deliciosa deliciosa* (Pagenstecher,1896) (Lycaenidae) Synonym(s): *deliciosa* Pagenstecher,1896
 38099) *Sancterila pratorum* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *pratorum* Eliot & Kawazoe,1984
 38100) *Sancterila pratorum pratorum* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *pratorum* Eliot & Kawazoe,1984
 38101) *Sancterila russelli Eliot & Kawazoe,1984* (Lycaenidae) Synonym(s): *russelli* Eliot & Kawazoe,1984
 38102) *Sancterila russelli russelli* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *russelli* Eliot & Kawazoe,1984
 38103) *Sancterila sohmai* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *sohmai* Eliot & Kawazoe,1984
 38104) *Sancterila sohmai sohmai* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *sohmai* Eliot & Kawazoe,1984
 38105) *Satyrium (Nordmannia) abdominalis* (Gerhard,[1850]) (Lycaenidae) Synonym(s): *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *gerhardi* Wiltshire,1943; *elta* Higgins,1964.
 38106) *Satyrium (Nordmannia) abdominalis abdominalis* (Gerhard,[1850]) (Lycaenidae) Synonym(s): *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *gerhardi* Wiltshire,1943; *elta* Higgins,1964.
 38107) *Satyrium (Nordmannia) acaciae* (Fabricius,1787) (Lycaenidae) Synonym(s): *acaciae* Fabricius,1787; *nostras* Courvoisier,1913; *guichardi* Higgins,1965.
 38108) *Satyrium (Nordmannia) acaciae acaciae* (Fabricius,1787) (Lycaenidae) Synonym(s): *acaciae* Fabricius,1787; *nostras* Courvoisier,1913; *guichardi* Higgins,1965.
 38109) *Satyrium (Nordmannia) acaciae fumosa* (De Sagarra,1926) (Lycaenidae) Synonym(s): *fumosa* De Sagarra,1926
 38110) *Satyrium (Nordmannia) armenum* (Rebel,1901) (Lycaenidae) Synonym(s): *armenum* Rebel,1901
 38111) *Satyrium (Nordmannia) armenum armenum* (Rebel,1901) (Lycaenidae) Synonym(s): *armenum* Rebel,1901
 38112) *Satyrium (Nordmannia) esculi* (Hübner,[1804]) (Lycaenidae) Synonym(s): *esculi* Hübner,[1804]
 38113) *Satyrium (Nordmannia) esculi esculi* (Hübner,[1804]) (Lycaenidae) Synonym(s): *esculi* Hübner,[1804]
 38114) *Satyrium (Nordmannia) esculi ilicioides* (Gerhard,[1850]) (Lycaenidae) Synonym(s): *ilicioides* Gerhard,[1850]
 38115) *Satyrium (Nordmannia) esculi mauretanicum* (Staudinger,1892) (Lycaenidae) Synonym(s): *mauretanica* Staudinger,1892
 38116) *Satyrium (Nordmannia) herzi* (Fixsen,1887) (Lycaenidae) Synonym(s): *herzi* Fixsen,1887
 38117) *Satyrium (Nordmannia) herzi herzi* (Fixsen,1887) (Lycaenidae) Synonym(s): *herzi* Fixsen,1887
 38118) *Satyrium (Nordmannia) ilicis* (Esper,[1779]) (Lycaenidae) Synonym(s): *ilicis* Esper,[1779]
 38119) *Satyrium (Nordmannia) ilicis cerri* (Hübner,[1824]) (Lycaenidae) Synonym(s): *cerri* Hübner,[1824]
 38120) *Satyrium (Nordmannia) ilicis ilicis* (Esper,[1779]) (Lycaenidae) Synonym(s): *ilicis* Esper,[1779]; *linceus* Fabr.,1787; *caudatula* Zeller,1847; *bischoffii* Gerhard,1850; *cilicica* Holte,1897; *syra* Pfeiffer,1932; *prinopias* Zerny,1932.
 38121) *Satyrium (Nordmannia) latior* (Fixsen,1887) (Lycaenidae) Synonym(s): *latior* Fixsen,1887
 38122) *Satyrium (Nordmannia) latior latior* (Fixsen,1887) (Lycaenidae) Synonym(s): *latior* Fixsen,1887
 38123) *Satyrium (Nordmannia) marcidum* (Riley,1921) (Lycaenidae) Synonym(s): *marcidum* Riley,1921
 38124) *Satyrium (Nordmannia) marcidum marcidum* (Riley,1921) (Lycaenidae) Synonym(s): *marcidum* Riley,1921
 38125) *Satyrium (Nordmannia) marcidum mardinum* Oorschot et al.,1985 (Lycaenidae) Synonym(s): *mardinum* Oorschot et al.,1985
 38126) *Satyrium (Nordmannia) myrtale* (Klug,1834) (Lycaenidae) Synonym(s): *myrtale* Klug,1834
 38127) *Satyrium (Nordmannia) myrtale myrtale* (Klug,1834) (Lycaenidae) Synonym(s): *myrtale* Klug,1834
 38128) *Satyrium (Nordmannia) zabni* Oorschot & Brink,1991 (Lycaenidae) Synonym(s): *zabni* Higgins,1964; *zabni* Oorschot & Brink,1991.
 38129) *Satyrium (Nordmannia) zabni zabni* Oorschot & Brink,1991 (Lycaenidae) Synonym(s): *zabni* Higgins,1964; *zabni* Oorschot & Brink,1991.
 38130) *Satyrium (Strymonidia) eximium* (Fixsen,1887) (Lycaenidae) Synonym(s): *eximius* Fixsen,1887
 38131) *Satyrium (Strymonidia) eximium eximium* (Fixsen,1887) (Lycaenidae) Synonym(s): *eximius* Fixsen,1887
 38132) *Satyrium (Strymonidia) pruni* (Linnaeus,1758) (Lycaenidae) Synonym(s): *pruni* Linnaeus,1758
 38133) *Satyrium (Strymonidia) pruni pruni* (Linnaeus,1758) (Lycaenidae) Synonym(s): *pruni* Linnaeus,1758
 38134) *Satyrium (Strymonidia) prunoides* (Staudinger,1887) (Lycaenidae) Synonym(s): *prunoides* Staudinger,1887
 38135) *Satyrium (Strymonidia) prunoides prunoides* (Staudinger,1887) (Lycaenidae) Synonym(s): *prunoides* Staudinger,1887
 38136) *Satyrium (Strymonidia) rubicundum* (Leech,1885) (Lycaenidae) Synonym(s): *rubicunda* Leech,1885
 38137) *Satyrium (Strymonidia) rubicundum rubicundum* (Leech,1885) (Lycaenidae) Synonym(s): *rubicunda* Leech,1885
 38138) *Satyrium (Strymonidia) spini* (Fabricius,1787) (Lycaenidae) Synonym(s): *spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] *nec* Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 *nec* Fabricius,1787; *albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950.
 38139) *Satyrium (Strymonidia) spini bofilii* (De Sagarra,1924) (Lycaenidae) Synonym(s): *bofilii* De Sagarra,1924
 38140) *Satyrium (Strymonidia) spini leonensis* (Manley,1970) (Lycaenidae) Synonym(s): *leonensis* Manley,1970
 38141) *Satyrium (Strymonidia) spini melanthero* (Klug,1834) (Lycaenidae) Synonym(s): *melanthero* Klug,1834.
 38142) *Satyrium (Strymonidia) spini spini* (Fabricius,1787) (Lycaenidae) Synonym(s): *spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] *nec* Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 *nec* Fabricius,1787; *melanthero* Klug,1834; *albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950.
 38143) *Satyrium (Strymonidia) w-album* (Knoch,1782) (Lycaenidae) Synonym(s): *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911.
 38144) *Satyrium (Strymonidia) w-album w-album* (Knoch,1782) (Lycaenidae) Synonym(s): *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911.
 38145) *Satyrium (Superflua) acaudatum* (Staudinger,1901) (Lycaenidae) Synonym(s): *acaudatum* Staudinger,1901
 38146) *Satyrium (Superflua) acaudatum acaudatum* (Staudinger,1901) (Lycaenidae) Synonym(s): *acaudatum* Staudinger,1901
 38147) *Satyrium (Superflua) deria* (Moore,1865) (Lycaenidae) Synonym(s): *deria* Moore,1865
 38148) *Satyrium (Superflua) goniopterum* Lukhtanov,1995 (Lycaenidae) Synonym(s): *goniopterum* Lukhtanov,1995
 38149) *Satyrium (Superflua) goniopterum goniopterum* Lukhtanov,1995 (Lycaenidae) Synonym(s): *goniopterum* Lukhtanov,1995
 38150) *Satyrium (Superflua) hyrcanicum* (Riley,1939) (Lycaenidae) Synonym(s): *hyrcanicum* Riley,1939
 38151) *Satyrium (Superflua) hyrcanicum badachshanicum* (Stshetkin,1984) (Lycaenidae) Synonym(s): *badachshanicum* Stshetkin,1984
 38152) *Satyrium (Superflua) hyrcanicum cyri* Nekrutenko,1978 (Lycaenidae) Synonym(s): *cyri* Nekrutenko,1978
 38153) *Satyrium (Superflua) hyrcanicum hyrcanicum* (Riley,1939) (Lycaenidae) Synonym(s): *hyrcanicum* Riley,1939
 38154) *Satyrium (Superflua) hyrcanicum seravshanicum* (Stshetkin,1984) (Lycaenidae) Synonym(s): *seravshanicum* Stshetkin,1984
 38155) *Satyrium (Superflua) jebelum* (Nakamura,1975) (Lycaenidae) Synonym(s): *jebelum* Nakamura,1975
 38156) *Satyrium (Superflua) jebelum jebelum* (Nakamura,1975) (Lycaenidae) Synonym(s): *jebelum* Nakamura,1975
 38157) *Satyrium (Superflua) khowari* Charmeux,2004 (Lycaenidae) Synonym(s): *khowari* Charmeux,2004
 38158) *Satyrium (Superflua) ledereri* (Boisduval,1848) (Lycaenidae) Synonym(s): *ledereri* Boisduval,1848
 38159) *Satyrium (Superflua) ledereri christianae* Olivier,1989 (Lycaenidae) Synonym(s): *christianae* Olivier,1989
 38160) *Satyrium (Superflua) ledereri ledereri* (Boisduval,1848) (Lycaenidae) Synonym(s): *ledereri* Boisduval,1848
 38161) *Satyrium (Superflua) ledereri nazeri* (T.Larsen,1974) (Lycaenidae) Synonym(s): *nazeri* T.Larsen,1974
 38162) *Satyrium (Superflua) lunulatum* (Erschoff,1874) (Lycaenidae) Synonym(s): *lunulatum* Erschoff,1874
 38163) *Satyrium (Superflua) lunulatum lunulatum* (Erschoff,1874) (Lycaenidae) Synonym(s): *lunulatum* Erschoff,1874
 38164) *Satyrium (Superflua) mirabilis* (Erschoff,1874) (Lycaenidae) Synonym(s): *mirabilis* Erschoff,1874
 38165) *Satyrium (Superflua) persepolis* (Eckweiler & Ten Hagen,2003) (Lycaenidae) Synonym(s): *persepolis* Eckweiler & Ten Hagen,2003
 38166) *Satyrium (Superflua) sassanides* (Kollar,[1849]) (Lycaenidae) Synonym(s): *sassanides* Kollar,[1849]
 38167) *Satyrium (Superflua) sassanides sassanides* (Kollar,[1849]) (Lycaenidae) Synonym(s): *sassanides* Kollar,[1849]
 38168) *Satyrium acadica* (Lycaenidae) Synonym(s):
 38169) *Satyrium auctororum* (Lycaenidae) Synonym(s):
 38170) *Satyrium behrii* (Lycaenidae) Synonym(s):
 38171) *Satyrium calanus* (Lycaenidae) Synonym(s):
 38172) *Satyrium californica* (Lycaenidae) Synonym(s):
 38173) *Satyrium caryaevorum* (Lycaenidae) Synonym(s):
 38174) *Satyrium edwardsii* (Lycaenidae) Synonym(s):
 38175) *Satyrium favonius* (Lycaenidae) Synonym(s):

- 38176) *Satyrrium favonius favonius* (Lycaenidae) Synonym(s):
 38177) *Satyrrium favonius ontario* (Lycaenidae) Synonym(s):
 38178) *Satyrrium fulginosa* (Lycaenidae) Synonym(s):
 38179) *Satyrrium ilavia* (Lycaenidae) Synonym(s):
 38180) *Satyrrium kingi* (Lycaenidae) Synonym(s):
 38181) *Satyrrium liparops* (Lycaenidae) Synonym(s):
 38182) *Satyrrium polingi* (Lycaenidae) Synonym(s):
 38183) *Satyrrium saepium* (Lycaenidae) Synonym(s):
 38184) *Satyrrium sylvinus* (Lycaenidae) Synonym(s):
 38185) *Satyrrium tetra* (Lycaenidae) Synonym(s):
 38186) *Satyrrium titus* (Lycaenidae) Synonym(s):
 38187) *Scolitantides orion* (Pallas,1771) (Lycaenidae) Synonym(s): *orion* Pallas,1771; *battus* Denis & Schiffermüller,1775; *telephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943.
 38188) *Scolitantides orion jezoensis* Matsumura,1919 (Lycaenidae) Synonym(s): *jezoensis* Matsumura,1919
 38189) *Scolitantides orion orion* (Pallas,1771) (Lycaenidae) Synonym(s): *orion* Pallas,1771; *battus* Denis & Schiffermüller,1775; *telephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943.
 38190) *Scolitantides orion orithyia* (Groum-Grshimailo,1892) (Lycaenidae) Synonym(s): *ornata* Staudinger,1892 nec Mabilie,1890 non Staudinger,1892; *orithyia* Groum-Grshimailo,1892; *coreana* Matsumura,1926; *athene* Hemming,1934; *johanseni* Wnukowsky,1935; *#dageletensis* Seok,1938.
 38191) *Scolitantides orion parvula* (De Sagarra,1926) (Lycaenidae) Synonym(s): *parvula* De Sagarra,1926
 38192) *Scolitantides orion tytleri* Evans,1924 (Lycaenidae) Synonym(s): *tytleri* Evans,1924
 38193) *Scolitantides orion ultraornata* Verity,1937 (Lycaenidae) Synonym(s): *ultraornata* Verity,1937
 38194) *Semanga superba* (Druce,1873) (Lycaenidae) Synonym(s): *superba* Druce,1873
 38195) *Semanga superba deliciosa* Seitz,1926 (Lycaenidae) Synonym(s): *deliciosa* Seitz,1926
 38196) *Semanga superba gloriosa* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *gloriosa* Fruhstorfer,1912
 38197) *Semanga superba siamensis* Talbot,1936 (Lycaenidae) Synonym(s): *siamensis* Talbot,1936
 38198) *Semanga superba superba* (Druce,1873) (Lycaenidae) Synonym(s): *superba* Druce,1873
 38199) *Shijimia moorei* (Leech,1929) (Lycaenidae) Synonym(s): *moorei* Leech,1929
 38200) *Shijimia moorei moorei* (Leech,1929) (Lycaenidae) Synonym(s): *moorei* Leech,1929
 38201) *Shijimiaeoides divina* (Fixsen,1887) (Lycaenidae) Synonym(s): *divina* Fixsen,1887
 38202) *Shijimiaeoides divina barine* (Leech,1893) (Lycaenidae) Synonym(s): *barine* Leech,1893
 38203) *Shijimiaeoides divina divina* (Fixsen,1887) (Lycaenidae) Synonym(s): *divina* Fixsen,1887
 38204) *Shirozua jonasi* (Janson,1887) (Lycaenidae) Synonym(s): *jonasi* Janson,1887
 38205) *Shirozua jonasi jonasi* (Janson,1887) (Lycaenidae) Synonym(s): *jonasi* Janson,1887
 38206) *Siderus tephraeus* (Lycaenidae) Synonym(s):
 38207) *Sidima amarylde* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *amarylde* Eliot & Kawazoe,1984
 38208) *Sidima amarylde amarylde* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *amarylde* Eliot & Kawazoe,1984
 38209) *Sidima idamis* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *idamis* Fruhstorfer,1917
 38210) *Sidima idamis idamis* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *idamis* Fruhstorfer,1917
 38211) *Sidima murayamai* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *murayamai* Eliot & Kawazoe,1984
 38212) *Sidima murayamai murayamai* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *murayamai* Eliot & Kawazoe,1984
 38213) *Sidima sulawesiana* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *sulawesiana* Eliot & Kawazoe,1984
 38214) *Sidima sulawesiana sulawesiana* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *sulawesiana* Eliot & Kawazoe,1984
 38215) *Simiskina pasira* (Moulton,1911) (Lycaenidae) Synonym(s): *pasira* Moulton,1911
 38216) *Simiskina pasira pasira* (Moulton,1911) (Lycaenidae) Synonym(s): *pasira* Moulton,1911
 38217) *Simiskina pasira semperi* Fruhstorfer,1919 (Lycaenidae) Synonym(s): *semperi* Fruhstorfer,1919
 38218) *Simiskina pavonica* De Nicéville,1895 (Lycaenidae) Synonym(s): *pavonica* De Nicéville,1895
 38219) *Simiskina pavonica pavonica* De Nicéville,1895 (Lycaenidae) Synonym(s): *pavonica* De Nicéville,1895
 38220) *Simiskina pediada* (Hewitson,1877) (Lycaenidae) Synonym(s): *pediada* Hewitson,1877
 38221) *Simiskina pediada pediada* (Hewitson,1877) (Lycaenidae) Synonym(s): *pediada* Hewitson,1877
 38222) *Simiskina phalena* (Hewitson,1874) (Lycaenidae) Synonym(s): *phalena* Hewitson,1874
 38223) *Simiskina phalena harterti* Doherty,1889 (Lycaenidae) Synonym(s): *harterti* Doherty,1889
 38224) *Simiskina phalena hayashii* Schröder & Treadaway,1979 (Lycaenidae) Synonym(s): *hayashii* Schröder & Treadaway,1979
 38225) *Simiskina phalena howarthi* Hayashi,1976 (Lycaenidae) Synonym(s): *howarthi* Hayashi,1976
 38226) *Simiskina phalena ilagana* Osada & Hashimoto,1987 (Lycaenidae) Synonym(s): *ilagana* Osada & Hashimoto,1987
 38227) *Simiskina phalena phalena* (Hewitson,1874) (Lycaenidae) Synonym(s): *phalena* Hewitson,1874
 38228) *Simiskina phalia* (Hewitson,1874) (Lycaenidae) Synonym(s): *phalia* Hewitson,1874
 38229) *Simiskina phalia binghami* Fruhstorfer,[1912] (Lycaenidae) Synonym(s): *binghami* Fruhstorfer,[1912]
 38230) *Simiskina phalia morishitai* Hayashi,1976 (Lycaenidae) Synonym(s): *morishitai* Hayashi,1976
 38231) *Simiskina phalia phalia* (Hewitson,1874) (Lycaenidae) Synonym(s): *phalia* Hewitson,1874
 38232) *Simiskina phalia potina* (Hewitson,1874) (Lycaenidae) Synonym(s): *potina* Hewitson,1874; *fulgens* Distant,1886
 38233) *Simiskina pharyge* (Hewitson,1874) (Lycaenidae) Synonym(s): *pharyge* Hewitson,1874
 38234) *Simiskina pharyge deolina* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *deolina* Fruhstorfer,1917
 38235) *Simiskina pharyge pharyge* (Hewitson,1874) (Lycaenidae) Synonym(s): *pharyge* Hewitson,1874
 38236) *Simiskina philura* (Druce,1895) (Lycaenidae) Synonym(s): *philura* Druce,1895
 38237) *Simiskina philura elioti* Corbet,1940 (Lycaenidae) Synonym(s): *elioti* Corbet,1940
 38238) *Simiskina philura philura* (Druce,1895) (Lycaenidae) Synonym(s): *philura* Druce,1895
 38239) *Simiskina proxima* De Nicéville,1895 (Lycaenidae) Synonym(s): *proxima* De Nicéville,1895
 38240) *Simiskina proxima doherityi* Evans,[1925] (Lycaenidae) Synonym(s): *doherityi* Evans,[1925]
 38241) *Simiskina proxima proxima* De Nicéville,1895 (Lycaenidae) Synonym(s): *proxima* De Nicéville,1895
 38242) *Simiskina sibatika* Eliot,1969 (Lycaenidae) Synonym(s): *sibatika* Eliot,1969
 38243) *Simiskina sibatika sibatika* Eliot,1969 (Lycaenidae) Synonym(s): *sibatika* Eliot,1969
 38244) *Sinia lanty* (Oberthür,1887) (Lycaenidae) Synonym(s): *lanty* Oberthür,1887
 38245) *Sinia lanty lanty* (Oberthür,1887) (Lycaenidae) Synonym(s): *lanty* Oberthür,1887
 38246) *Sinthus chandrana* (Moore,1882) (Lycaenidae) Synonym(s): *chandrana* Moore,1882
 38247) *Sinthus chandrana chandrana* (Moore,1882) (Lycaenidae) Synonym(s): *chandrana* Moore,1882
 38248) *Sinthus chandrana grotei* (Moore,1884) (Lycaenidae) Synonym(s): *grotei* Moore,1884
 38249) *Sinthus malika* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *malika* Horsfield,[1829]
 38250) *Sinthus malika amata* Distant,1886 (Lycaenidae) Synonym(s): *amata* Distant,1886
 38251) *Sinthus malika malika* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *malika* Horsfield,[1829]
 38252) *Sinthus malika niasicola* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *niasicola* Fruhstorfer,1912
 38253) *Sinthus mindanensis* Hayashi, Schröder & Treadaway,1978 (Lycaenidae) Synonym(s): *mindanensis* Hayashi, Schröder & Treadaway,1978
 38254) *Sinthus mindanensis mindanensis* Hayashi, Schröder & Treadaway,1978 (Lycaenidae) Synonym(s): *mindanensis* Hayashi, Schröder & Treadaway,1978
 38255) *Sinthus mindanensis stephaniae* Hayashi, Schröder & Treadaway,1978 (Lycaenidae) Synonym(s): *stephaniae* Hayashi, Schröder & Treadaway,1978
 38256) *Sinthus mindanensis yoshiae* Hayashi,1981 (Lycaenidae) Synonym(s): *yoshiae* Hayashi,1981
 38257) *Sinthus nasaka* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *nasaka* Horsfield,[1829]
 38258) *Sinthus nasaka amba* (Kirby,1878) (Lycaenidae) Synonym(s): *amba* Kirby,1878; *amboides* Elwes,[1893]
 38259) *Sinthus nasaka nasaka* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *nasaka* Horsfield,[1829]
 38260) *Sinthus nasaka ogatai* Hayashi,1976 (Lycaenidae) Synonym(s): *ogatai* Hayashi,1976
 38261) *Sinthus nastumiae* Hayashi,1979 (Lycaenidae) Synonym(s): *nastumiae* Hayashi,1979

- 38262) *Sinthusia nastumiae* **Hayashi, 1979** (Lycaenidae) Synonym(s): *nastumiae* Hayashi, 1979
 38263) *Sinthusia natsumiae* **ondai** **Takanami, 1982** (Lycaenidae) Synonym(s): *ondai* Takanami, 1982
 38264) *Sinthusia peregrinus* **Staudinger, 1889** (Lycaenidae) Synonym(s): *peregrinus* Staudinger, 1889
 38265) *Sinthusia privata* **Fruhstorfer, 1912** (Lycaenidae) Synonym(s): *privata* Fruhstorfer, 1912
 38266) *Sinthusia privata kawazoei* **Hayashi, 1976** (Lycaenidae) Synonym(s): *kawazoei* Hayashi, 1976
 38267) *Sithon nedymond* (**Cramer, [1780]**) (Lycaenidae) Synonym(s): *nedymond* Cramer, [1780]
 38268) *Sithon nedymond ismarus* **Fruhstorfer, [1912]** (Lycaenidae) Synonym(s): *ismarus* Fruhstorfer, [1912]
 38269) *Sithon nedymond nedymond* (**Cramer, [1780]**) (Lycaenidae) Synonym(s): *nedymond* Cramer, [1780]
 38270) *Spalgis epius* (**Westwood, [1851]**) (Lycaenidae) Synonym(s): *epius* Westwood, [1851]; *strigatus* Semper, 1889; *georgi* Fruhstorfer, 1919; *semperi* Fruhstorfer, 1923
 38271) *Spalgis epius epius* (**Westwood, [1851]**) (Lycaenidae) Synonym(s): *epius* Westwood, [1851]; *strigatus* Semper, 1889; *georgi* Fruhstorfer, 1919; *semperi* Fruhstorfer, 1923
 38272) *Spalgis epius nubilus* (**Moore, 1884**) (Lycaenidae) Synonym(s): *nubilus* Moore, 1884
 38273) *Spalgis jacksoni* **Stempffer, 1967** (Lycaenidae) Synonym(s): *jacksoni* Stempffer, 1967
 38274) *Spalgis jacksoni jacksoni* **Stempffer, 1967** (Lycaenidae) Synonym(s): *jacksoni* Stempffer, 1967
 38275) *Spalgis jacksoni stempfferi* **Kielland, 1985** (Lycaenidae) Synonym(s): *stempfferi* Kielland, 1985
 38276) *Spalgis lemolea* **Druce, 1890** (Lycaenidae) Synonym(s): *lemolea* Druce, 1890
 38277) *Spalgis pilos* **Druce, 1890** (Lycaenidae) Synonym(s): *pilos* Druce, 1890
 38278) *Spalgis takanami* **Eliot, 1984** (Lycaenidae) Synonym(s): *takanami* Eliot, 1984
 38279) *Spalgis tintinga* (**Boisduval, 1833**) (Lycaenidae) Synonym(s): *tinting* Boisduval, 1833
 38280) *Stempfferia carcassoni* **Jackson, 1962** (Lycaenidae) Synonym(s): *carcassoni* Jackson, 1962
 38281) *Strymon acis* (Lycaenidae) Synonym(s):
 38282) *Strymon albata* (Lycaenidae) Synonym(s):
 38283) *Strymon alea* (Lycaenidae) Synonym(s):
 38284) *Strymon avalona* (Lycaenidae) Synonym(s):
 38285) *Strymon bazochii* (Lycaenidae) Synonym(s):
 38286) *Strymon bebrycia* (**Hewitson, 1868**) (Lycaenidae) Synonym(s):
 38287) *Strymon cestri* (Lycaenidae) Synonym(s):
 38288) *Strymon istapa* (Lycaenidae) Synonym(s):
 38289) *Strymon limenia* (Lycaenidae) Synonym(s):
 38290) *Strymon martialis* (Lycaenidae) Synonym(s):
 38291) *Strymon melinus* (Lycaenidae) Synonym(s):
 38292) *Strymon rufofusca* (Lycaenidae) Synonym(s):
 38293) *Strymon serapio* (Lycaenidae) Synonym(s):
 38294) *Strymon yojoa* (Lycaenidae) Synonym(s):
 38295) *Suasa lisides* (**Hewitson, [1863]**) (Lycaenidae) Synonym(s): *lisides* Hewitson, [1863]
 38296) *Suasa lisides liris* **Staudinger, 1889** (Lycaenidae) Synonym(s): *liris* Staudinger, 1889
 38297) *Suasa lisides lisides* (**Hewitson, [1863]**) (Lycaenidae) Synonym(s): *lisides* Hewitson, [1863]
 38298) *Suasa lisides suessa* **De Nicéville, [1893]** (Lycaenidae) Synonym(s): *suessa* De Nicéville, [1893]
 38299) *Surendra florimel* **Doherty, 1889** (Lycaenidae) Synonym(s): *florimel* Doherty, 1889
 38300) *Surendra kalawara* **Ribbe, 1926** (Lycaenidae) Synonym(s): *kalawara* Ribbe, 1926
 38301) *Surendra learmondi* **Tytler, 1940** (Lycaenidae) Synonym(s): *learmondi* Tytler, 1940
 38302) *Surendra manilana* (**C.Felder & R.Felder, 1862**) (Lycaenidae) Synonym(s): *manilana* C.Felder & R.Felder, 1862
 38303) *Surendra manilana johnelioti* **Schröder & Treadaway, 1993** (Lycaenidae) Synonym(s): *johnelioti* Schröder & Treadaway, 1993
 38304) *Surendra manilana manilana* (**C.Felder & R.Felder, 1862**) (Lycaenidae) Synonym(s): *manilana* C.Felder & R.Felder, 1862
 38305) *Surendra oligosema* **Röber, 1927** (Lycaenidae) Synonym(s): *oligosema* Röber, 1927
 38306) *Surendra quercetorum* (**Moore, [1858]**) (Lycaenidae) Synonym(s): *quercetorum* Moore, [1858]; *#quercetorum* Lewvanich, 2001
 38307) *Surendra quercetorum quercetorum* (**Moore, [1858]**) (Lycaenidae) Synonym(s): *quercetorum* Moore, [1858]; *#quercetorum* Lewvanich, 2001
 38308) *Surendra stimula* **De Nicéville, 1895** (Lycaenidae) Synonym(s): *stimula* De Nicéville, 1895
 38309) *Surendra vivarna* (**Horsfield, [1829]**) (Lycaenidae) Synonym(s): *vivarna* Horsfield, [1829]
 38310) *Surendra vivarna agdistis* (**Fruhstorfer, 1907**) (Lycaenidae) Synonym(s): *agdistis* Fruhstorfer, 1907
 38311) *Surendra vivarna amisena* (**Hewitson, 1862**) (Lycaenidae) Synonym(s): *amisena* Hewitson, 1862
 38312) *Surendra vivarna biplagiata* **Butler, 1883** (Lycaenidae) Synonym(s): *biplagiata* Butler, 1883
 38313) *Surendra vivarna discalis* **Moore, 1879** (Lycaenidae) Synonym(s): *discalis* Moore, 1879
 38314) *Surendra vivarna latimargo* **Moore, 1879** (Lycaenidae) Synonym(s): *latimargo* Moore, 1879
 38315) *Surendra vivarna neritos* (**Fruhstorfer, 1907**) (Lycaenidae) Synonym(s): *neritos* Fruhstorfer, 1907
 38316) *Surendra vivarna palowna* **Staudinger, 1889** (Lycaenidae) Synonym(s): *palowna* Staudinger, 1889
 38317) *Surendra vivarna samina* (**Fruhstorfer, 1907**) (Lycaenidae) Synonym(s): *samina* Fruhstorfer, 1907
 38318) *Surendra vivarna vandeldeni* **Kalis, 1933** (Lycaenidae) Synonym(s): *vandeldeni* Kalis, 1933
 38319) *Surendra vivarna vivarna* (**Horsfield, [1829]**) (Lycaenidae) Synonym(s): *vivarna* Horsfield, [1829]
 38320) *Syrmoptera amasa* (**Hewitson, 1869**) (Lycaenidae) Synonym(s): *amasa* Hewitson, 1869
 38321) *Syrmoptera bonifacii* **Stempffer, 1961** (Lycaenidae) Synonym(s): *bonifacii* Stempffer, 1961
 38322) *Syrmoptera homeyerii* (**Dewitz, 1879**) (Lycaenidae) Synonym(s): *homeyerii* Dewitz, 1879; *mixture* Hulstaert, 1924
 38323) *Syrmoptera melanomitra* **Karsch, 1895** (Lycaenidae) Synonym(s): *melanomitra* Karsch, 1895
 38324) *Syrmoptera nivea* **Joicey & Talbot, 1924** (Lycaenidae) Synonym(s): *nivea* Joicey & Talbot, 1924
 38325) *Tajuria alangani* **Schröder, Treadaway & Nuyda, 1993** (Lycaenidae) Synonym(s): *alangani* Schröder, Treadaway & Nuyda, 1993
 38326) *Tajuria alangani alangani* **Schröder, Treadaway & Nuyda, 1993** (Lycaenidae) Synonym(s): *alangani* Schröder, Treadaway & Nuyda, 1993
 38327) *Tajuria albiplaga* **De Nicéville, 1887** (Lycaenidae) Synonym(s): *albiplaga* De Nicéville, 1887
 38328) *Tajuria albiplaga albiplaga* **De Nicéville, 1887** (Lycaenidae) Synonym(s): *albiplaga* De Nicéville, 1887
 38329) *Tajuria albiplaga alixiae* **Eliot, 1973** (Lycaenidae) Synonym(s): *alixiae* Eliot, 1973
 38330) *Tajuria berensis* **Druce, 1896** (Lycaenidae) Synonym(s): *berensis* Druce, 1896
 38331) *Tajuria berensis berensis* **Druce, 1896** (Lycaenidae) Synonym(s): *berensis* Druce, 1896
 38332) *Tajuria berensis larutensis* **Pendlebury, 1933** (Lycaenidae) Synonym(s): *larutensis* Pendlebury, 1933
 38333) *Tajuria cippus* (**Fabricius, 1798**) (Lycaenidae) Synonym(s): *cippus* Fabricius, 1798
 38334) *Tajuria cippus cippus* (**Fabricius, 1798**) (Lycaenidae) Synonym(s): *cippus* Fabricius, 1798
 38335) *Tajuria cippus maxentius* **Fruhstorfer, [1912]** (Lycaenidae) Synonym(s): *maxentius* Fruhstorfer, [1912]
 38336) *Tajuria culta* **De Nicéville, 1896** (Lycaenidae) Synonym(s): *culta* De Nicéville, 1896
 38337) *Tajuria culta culta* **De Nicéville, 1896** (Lycaenidae) Synonym(s): *culta* De Nicéville, 1896
 38338) *Tajuria deudorix* (**Hewitson, 1869**) (Lycaenidae) Synonym(s): *deudorix* Hewitson, 1869
 38339) *Tajuria deudorix deudorix* (**Hewitson, 1869**) (Lycaenidae) Synonym(s): *deudorix* Hewitson, 1869
 38340) *Tajuria deudorix ingeni* (**Corbet, 1948**) (Lycaenidae) Synonym(s): *ingeni* Corbet, 1948
 38341) *Tajuria deudorix primitivoi* **Osada, 1987** (Lycaenidae) Synonym(s): *primitivoi* Osada, 1987
 38342) *Tajuria deudorix yuhkichii* **Hayashi, 1984** (Lycaenidae) Synonym(s): *yuhkichii* Hayashi, 1984
 38343) *Tajuria deudorix zoletai* **Osada, 1987** (Lycaenidae) Synonym(s): *zoletai* Osada, 1987
 38344) *Tajuria diaeus* (**Hewitson, [1865]**) (Lycaenidae) Synonym(s): *diaeus* Hewitson, [1865]
 38345) *Tajuria diaeus diaeus* (**Hewitson, [1865]**) (Lycaenidae) Synonym(s): *diaeus* Hewitson, [1865]
 38346) *Tajuria diaeus thydia* **Tytler, 1915** (Lycaenidae) Synonym(s): *thydia* Tytler, 1915
 38347) *Tajuria dominus* **Druce, 1895** (Lycaenidae) Synonym(s): *dominus* Druce, 1895
 38348) *Tajuria dominus dominus* **Druce, 1895** (Lycaenidae) Synonym(s): *dominus* Druce, 1895
 38349) *Tajuria igolotiana* **Murayama & Okamura, 1973** (Lycaenidae) Synonym(s): *igolotiana* Murayama & Okamura, 1973

- 38350) *Tajuria igolotiana fumiae* Hayashi, 1984 (Lycaenidae) Synonym(s): *fumiae* Hayashi, 1984
 38351) *Tajuria igolotiana igolotiana* Murayama & Okamura, 1973 (Lycaenidae) Synonym(s): *igolotiana* Murayama & Okamura, 1973
 38352) *Tajuria illurgioides* De Nicéville, 1890 (Lycaenidae) Synonym(s): *illurgioides* De Nicéville, 1890
 38353) *Tajuria illurgioides illurgioides* De Nicéville, 1890 (Lycaenidae) Synonym(s): *illurgioides* De Nicéville, 1890
 38354) *Tajuria illurgis* (Hewitson, 1869) (Lycaenidae) Synonym(s): *illurgis* Hewitson, 1869
 38355) *Tajuria illurgis illurgis* (Hewitson, 1869) (Lycaenidae) Synonym(s): *illurgis* Hewitson, 1869
 38356) *Tajuria inexpectata* Eliot, 1973 (Lycaenidae) Synonym(s): *inexpectata* Eliot, 1973
 38357) *Tajuria inexpectata inexpectata* Eliot, 1973 (Lycaenidae) Synonym(s): *inexpectata* Eliot, 1973
 38358) *Tajuria isaeus* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *isaeus* Hewitson, [1865]
 38359) *Tajuria isaeus isaeus* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *isaeus* Hewitson, [1865]
 38360) *Tajuria isaeus tyro* De Nicéville, 1895 (Lycaenidae) Synonym(s): *tyro* De Nicéville, 1895
 38361) *Tajuria isaeus verna* Corbet, 1940 (Lycaenidae) Synonym(s): *verna* Corbet, 1940
 38362) *Tajuria ister* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *ister* Hewitson, [1865]
 38363) *Tajuria ister ister* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *ister* Hewitson, [1865]
 38364) *Tajuria ister tussis* Druce, 1895 (Lycaenidae) Synonym(s): *tussis* Druce, 1895
 38365) *Tajuria jalajala* C.Felder, 1862 (Lycaenidae) Synonym(s): *jalajala* C.Felder, 1862; *pinamalaya* Takanami, 1987
 38366) *Tajuria jalajala jalajala* C.Felder, 1862 (Lycaenidae) Synonym(s): *jalajala* C.Felder, 1862; *pinamalaya* Takanami, 1987
 38367) *Tajuria jalajala steffi* Schröder & Treadaway, 1988 (Lycaenidae) Synonym(s): *steffi* Schröder & Treadaway, 1988
 38368) *Tajuria jehana* Moore, 1883 (Lycaenidae) Synonym(s): *jehana* Moore, 1883
 38369) *Tajuria jehana jehana* Moore, 1883 (Lycaenidae) Synonym(s): *jehana* Moore, 1883
 38370) *Tajuria luculenta* Leech, 1890 (Lycaenidae) Synonym(s): *luculenta* Leech, 1890
 38371) *Tajuria luculenta luculenta* Leech, 1890 (Lycaenidae) Synonym(s): *luculenta* Leech, 1890
 38372) *Tajuria luculenta taorana* Corbet, 1940 (Lycaenidae) Synonym(s): *taorana* Corbet, 1940
 38373) *Tajuria maculata* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *maculata* Hewitson, [1865]
 38374) *Tajuria maculata maculata* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *maculata* Hewitson, [1865]
 38375) *Tajuria mantra* (C.Felder & R.Felder, 1860) (Lycaenidae) Synonym(s): *mantra* C.Felder & R.Felder, 1860
 38376) *Tajuria mantra kimia* Treadaway & Nuyda, 1995 (Lycaenidae) Synonym(s): *kimia* Treadaway & Nuyda, 1995
 38377) *Tajuria mantra lucrosa* Fruhstorfer, 1912 (Lycaenidae) Synonym(s): *lucrosa* Fruhstorfer, 1912; *visayana* M.Okano & T.Okano, 1991
 38378) *Tajuria mantra mantra* (C.Felder & R.Felder, 1860) (Lycaenidae) Synonym(s): *mantra* C.Felder & R.Felder, 1860
 38379) *Tajuria mantra vergara* Semper, 1890 (Lycaenidae) Synonym(s): *vergara* Semper, 1890
 38380) *Tajuria matsutaroi* Hayashi, 1984 (Lycaenidae) Synonym(s): *matsutaroi* Hayashi, 1984
 38381) *Tajuria megistia* (Hewitson, 1869) (Lycaenidae) Synonym(s): *megistia* Hewitson, 1869
 38382) *Tajuria megistia megistia* (Hewitson, 1869) (Lycaenidae) Synonym(s): *megistia* Hewitson, 1869
 38383) *Tajuria megistia thiria* De Nicéville, [1896] (Lycaenidae) Synonym(s): *thiria* De Nicéville, [1896]
 38384) *Tajuria melastigma* De Nicéville, 1887 (Lycaenidae) Synonym(s): *melastigma* De Nicéville, 1887
 38385) *Tajuria melastigma melastigma* De Nicéville, 1887 (Lycaenidae) Synonym(s): *melastigma* De Nicéville, 1887
 38386) *Tajuria mizunumai* Hayashi, 1978 (Lycaenidae) Synonym(s): *mizunumai* Hayashi, 1978
 38387) *Tajuria sunia* Moulton, 1911 (Lycaenidae) Synonym(s): *sunia* Moulton, 1911
 38388) *Tajuria sunia sunia* Moulton, 1911 (Lycaenidae) Synonym(s): *sunia* Moulton, 1911
 38389) *Tajuria yajna* (Doherty, 1886) (Lycaenidae) Synonym(s): *yajna* Doherty, 1886
 38390) *Tajuria yajna ellisi* Evans, [1925] (Lycaenidae) Synonym(s): *ellisi* Evans, [1925]
 38391) *Tajuria yajna selangorana* Pendlebury & Corbet, 1933 (Lycaenidae) Synonym(s): *selangorana* Pendlebury & Corbet, 1933
 38392) *Tajuria yajna yajna* (Doherty, 1886) (Lycaenidae) Synonym(s): *yajna* Doherty, 1886
 38393) *Talicauda nyseus* (Guérin-Méneville, 1843) (Lycaenidae) Synonym(s): *nyseus* Guérin-Méneville, 1843
 38394) *Talicauda nyseus burmana* Evans, 1925 (Lycaenidae) Synonym(s): *burmana* Evans, 1925
 38395) *Talicauda nyseus macbethi* Riley, 1932 (Lycaenidae) Synonym(s): *macbethi* Riley, 1932
 38396) *Talicauda nyseus metana* Riley & Godfrey, 1921 (Lycaenidae) Synonym(s): *metana* Riley & Godfrey, 1921
 38397) *Talicauda nyseus nyseus* (Guérin-Méneville, 1843) (Lycaenidae) Synonym(s): *nyseus* Guérin-Méneville, 1843
 38398) *Taraka hamada* (Druce, 1875) (Lycaenidae) Synonym(s): *hamada* Druce, 1875
 38399) *Taraka hamada hamada* (Druce, 1875) (Lycaenidae) Synonym(s): *hamada* Druce, 1875
 38400) *Taraka hamada mendesia* Fruhstorfer, 1918 (Lycaenidae) Synonym(s): *mendesia* Fruhstorfer, 1918
 38401) *Taraka hamada nivata* Fruhstorfer, 1918 (Lycaenidae) Synonym(s): *nivata* Fruhstorfer, 1918
 38402) *Taraka mahanetra* Doherty, 1890 (Lycaenidae) Synonym(s): *mahanetra* Doherty, 1890; *hantu* Corbet, 1938
 38403) *Taraka mahanetra mahanetra* Doherty, 1890 (Lycaenidae) Synonym(s): *mahanetra* Doherty, 1890; *hantu* Corbet, 1938
 38404) *Tarucus* (Thespis-gr) *thespis* (Linnaeus, 1764) (Lycaenidae) Synonym(s): *thespis* Linnaeus, 1764; *pitho* Linnaeus, 1764.
 38405) *Tarucus* (s.str.) *alteratus* Moore, 1882 (Lycaenidae) Synonym(s): *alteratus* Moore, 1882
 38406) *Tarucus* (s.str.) *alteratus alteratus* Moore, 1882 (Lycaenidae) Synonym(s): *alteratus* Moore, 1882
 38407) *Tarucus* (s.str.) *balkanicus* (Freyer, [1843]) (Lycaenidae) Synonym(s): *balkanicus* Freyer, [1843]
 38408) *Tarucus* (s.str.) *balkanicus areshanus* Bethune-Baker, 1918 (Lycaenidae) Synonym(s): *areshanus* Bethune-Baker, 1918
 38409) *Tarucus* (s.str.) *balkanicus balkanicus* (Freyer, [1843]) (Lycaenidae) Synonym(s): *balkanicus* Freyer, [1843]
 38410) *Tarucus* (s.str.) *balkanicus nigrus* Bethune-Baker, 1918 (Lycaenidae) Synonym(s): *nigrus* Bethune-Baker, 1918
 38411) *Tarucus* (s.str.) *bowkeri* (Trimen, 1883) (Lycaenidae) Synonym(s): *bowkeri* Trimen, 1883
 38412) *Tarucus* (s.str.) *bowkeri bowkeri* (Trimen, 1883) (Lycaenidae) Synonym(s): *bowkeri* Trimen, 1883
 38413) *Tarucus* (s.str.) *bowkeri transvaalensis* Quickelberge, 1972 (Lycaenidae) Synonym(s): *transvaalensis* Quickelberge, 1972
 38414) *Tarucus* (s.str.) *callinarus* Butler, 1886 (Lycaenidae) Synonym(s): *callinara* Butler, 1886
 38415) *Tarucus* (s.str.) *callinarus callinarus* Butler, 1886 (Lycaenidae) Synonym(s): *callinara* Butler, 1886
 38416) *Tarucus* (s.str.) *extricatus* Butler, 1886 (Lycaenidae) Synonym(s): *extricatus* Butler, 1886
 38417) *Tarucus* (s.str.) *extricatus extricatus* Butler, 1886 (Lycaenidae) Synonym(s): *extricatus* Butler, 1886
 38418) *Tarucus* (s.str.) *grammicus* (Grose-Smith & Kirby, 1893) (Lycaenidae) Synonym(s): *grammicus* Grose-Smith & Kirby, 1893; *louisae* Sharpe, 1898.
 38419) *Tarucus* (s.str.) *grammicus gramicus* (Grose-Smith & Kirby, 1893) (Lycaenidae) Synonym(s): *grammicus* Grose-Smith & Kirby, 1893; *louisae* Sharpe, 1898.
 38420) *Tarucus* (s.str.) *hazarus* Evans, 1932 (Lycaenidae) Synonym(s): *hazarus* Evans, 1932
 38421) *Tarucus* (s.str.) *hazarus hazarus* Evans, 1932 (Lycaenidae) Synonym(s): *hazarus* Evans, 1932
 38422) *Tarucus* (s.str.) *indicus* Evans, 1932 (Lycaenidae) Synonym(s): *indicus* Evans, 1932
 38423) *Tarucus* (s.str.) *indicus indicus* Evans, 1932 (Lycaenidae) Synonym(s): *indicus* Evans, 1932
 38424) *Tarucus* (s.str.) *kiki* T.Larsen, 1976 (Lycaenidae) Synonym(s): *kiki* T.Larsen, 1976
 38425) *Tarucus* (s.str.) *kulala* Evans, 1955 (Lycaenidae) Synonym(s):
 38426) *Tarucus* (s.str.) *legrasi* Stempffer, 1948 (Lycaenidae) Synonym(s):
 38427) *Tarucus* (s.str.) *nara* (Kollar, [1844]) (Lycaenidae) Synonym(s): *nara* Kollar, [1844]
 38428) *Tarucus* (s.str.) *nara nara* (Kollar, [1844]) (Lycaenidae) Synonym(s): *nara* Kollar, [1844]
 38429) *Tarucus* (s.str.) *quadratus* Ogilvie-Grant, 1899 (Lycaenidae) Synonym(s): *quadratus* Ogilvie-Grant, 1899
 38430) *Tarucus* (s.str.) *quadratus* Ogilvie-Grant, 1899 (Lycaenidae) Synonym(s): *quadratus* Ogilvie-Grant, 1899
 38431) *Tarucus* (s.str.) *quadratus quadratus* Ogilvie-Grant, 1899 (Lycaenidae) Synonym(s): *quadratus* Ogilvie-Grant, 1899
 38432) *Tarucus* (s.str.) *rosaceus* (Austaut, 1885) (Lycaenidae) Synonym(s): *rosacea* Austaut, 1885; *mediterraneae* Bethune-Baker, 1918.
 38433) *Tarucus* (s.str.) *rosaceus rosaceus* (Austaut, 1885) (Lycaenidae) Synonym(s): *rosacea* Austaut, 1885; *mediterraneae* Bethune-Baker, 1918.
 38434) *Tarucus* (s.str.) *sybaris* (Hopffer, 1855) (Lycaenidae) Synonym(s): *sybaris* Hopffer, 1855
 38435) *Tarucus* (s.str.) *sybaris linearis* (Aurivillius, 1924) (Lycaenidae) Synonym(s): *linearis* Aurivillius, 1924
 38436) *Tarucus* (s.str.) *sybaris sybaris* (Hopffer, 1855) (Lycaenidae) Synonym(s): *sybaris* Hopffer, 1855
 38437) *Tarucus* (s.str.) *theophrastus* (Fabricius, 1793) (Lycaenidae) Synonym(s): *theophrastus* Fabricius, 1793
 38438) *Tarucus* (s.str.) *theophrastus theophrastus* (Fabricius, 1793) (Lycaenidae) Synonym(s): *theophrastus* Fabricius, 1793

- 38439) *Tarucus* (s.str.) *ungemachi* Stempffer, 1942 (Lycaenidae) Synonym(s): *ungemachi* Stempffer, 1942
 38440) *Tarucus* (s.str.) *venosus* Moore, 1882 (Lycaenidae) Synonym(s): *venosus* Moore, 1882
 38441) *Tarucus* (s.str.) *venosus venosus* Moore, 1882 (Lycaenidae) Synonym(s): *venosus* Moore, 1882
 38442) *Tarucus* (s.str.) *waterstradti* Druce, 1895 (Lycaenidae) Synonym(s): *waterstradti* Druce, 1895
 38443) *Tarucus* (s.str.) *waterstradti similimus* Schröder & Treadaway, 1985 (Lycaenidae) Synonym(s): *similimus* Schröder & Treadaway, 1985
 38444) *Tarucus* (s.str.) *waterstradti vileja* (Fruhstorfer, 1918) (Lycaenidae) Synonym(s): *vileja* Fruhstorfer, 1918
 38445) *Tarucus* (s.str.) *waterstradti waterstradti* Druce, 1895 (Lycaenidae) Synonym(s): *waterstradti* Druce, 1895
 38446) *Telipna acraea* (Westwood, [1851]) (Lycaenidae) Synonym(s): *acraea* Westwood, [1851]; *echo* Grose-Smith & Kirby, 1890
 38447) *Telipna acraea acraea* (Westwood, [1851]) (Lycaenidae) Synonym(s): *acraea* Westwood, [1851]; *echo* Grose-Smith & Kirby, 1890
 38448) *Telipna acraea bimacula* (Plötz, 1880) (Lycaenidae) Synonym(s): *bimacula* Plötz, 1880; *fervida* Grose-Smith & Kirby, 1890
 38449) *Telipna acraea conjuncta* Jackson, 1969 (Lycaenidae) Synonym(s): *conjuncta* Jackson, 1969
 38450) *Telipna acraea nigrita* Jackson, 1969 (Lycaenidae) Synonym(s): *nigrita* Jackson, 1969
 38451) *Telipna acraea zairiensis* Berger, 1981 (Lycaenidae) Synonym(s): *zairiensis* Berger, 1981
 38452) *Telipna acraeoides* (Grose-Smith & Kirby, 1890) (Lycaenidae) Synonym(s): *acraeoides* Grose-Smith & Kirby, 1890
 38453) *Telipna albofasciata* Aurivillius, 1910 (Lycaenidae) Synonym(s): *albofasciata* Aurivillius, 1910; *laplumei* Devos, 1917
 38454) *Telipna atrinervis* Hulstaert, 1924 (Lycaenidae) Synonym(s): *atrinervis* Hulstaert, 1924; *ja* Bethune-Baker, 1926; *venanigra* Bethune-Baker, 1926
 38455) *Telipna aurivillii* Rebel, 1914 (Lycaenidae) Synonym(s): *aurivillii* Rebel, 1914; *rothioides* Holland, 1920
 38456) *Telipna aurivillii aurivillii* Rebel, 1914 (Lycaenidae) Synonym(s): *aurivillii* Rebel, 1914; *rothioides* Holland, 1920
 38457) *Telipna aurivillii jefferyi* Jackson, 1969 (Lycaenidae) Synonym(s): *jefferyi* Jackson, 1969
 38458) *Telipna cameroonensis* Jackson, 1969 (Lycaenidae) Synonym(s): *cameroonensis* Jackson, 1969
 38459) *Telipna citrimaculata* Schultze, 1916 (Lycaenidae) Synonym(s): *citrimaculata* Schultze, 1916
 38460) *Telipna citrimaculata angustifascia* Joicey & Talbot, 1921 (Lycaenidae) Synonym(s): *angustifascia* Joicey & Talbot, 1921
 38461) *Telipna citrimaculata citrimaculata* Schultze, 1916 (Lycaenidae) Synonym(s): *citrimaculata* Schultze, 1916
 38462) *Telipna citrimaculata neavei* Bethune-Baker, 1926 (Lycaenidae) Synonym(s): *neavei* Bethune-Baker, 1926
 38463) *Telipna consanguinea* Rebel, 1914 (Lycaenidae) Synonym(s): *consanguinea* Rebel, 1914
 38464) *Telipna consanguinea consanguinea* Rebel, 1914 (Lycaenidae) Synonym(s): *consanguinea* Rebel, 1914
 38465) *Telipna consanguinea ugandae* Bethune-Baker, 1926 (Lycaenidae) Synonym(s): *ugandae* Bethune-Baker, 1926
 38466) *Telipna erica* Suffert, 1904 (Lycaenidae) Synonym(s): *erica* Suffert, 1904; *nigra* Suffert, 1904
 38467) *Telipna exsuperia* Hulstaert, 1924 (Lycaenidae) Synonym(s): *exsuperia* Hulstaert, 1924; *kelle* Jackson, 1969
 38468) *Telipna hollandi* Joicey & Talbot, 1921 (Lycaenidae) Synonym(s): *hollandi* Joicey & Talbot, 1921
 38469) *Telipna kayonza* Jackson, 1969 (Lycaenidae) Synonym(s): *kayonza* Jackson, 1969
 38470) *Telipna lotti* Jackson, 1969 (Lycaenidae) Synonym(s): *lotti* Jackson, 1969
 38471) *Telipna maesseni* Stempffer, 1970 (Lycaenidae) Synonym(s): *maesseni* Stempffer, 1970
 38472) *Telipna medjensis* Holland, 1920 (Lycaenidae) Synonym(s): *medjensis* Holland, 1920
 38473) *Telipna nyanza* Neave, 1904 (Lycaenidae) Synonym(s): *nyanza* Neave, 1904
 38474) *Telipna plagiata* Joicey & Talbot, 1921 (Lycaenidae) Synonym(s): *plagiata* Joicey & Talbot, 1921
 38475) *Telipna rothi* (Grose-Smith, 1898) (Lycaenidae) Synonym(s): *rothi* Grose-Smith, 1898
 38476) *Telipna ruffila* (Grose-Smith, 1901) (Lycaenidae) Synonym(s): *ruffila* Grose-Smith, 1901
 38477) *Telipna ruspinoidea* Schultze, 1923 (Lycaenidae) Synonym(s): *ruspinoidea* Schultze, 1923
 38478) *Telipna ruspinoidea katangae* Stempffer, 1961 (Lycaenidae) Synonym(s): *katangae* Stempffer, 1961
 38479) *Telipna ruspinoidea ruspinoidea* Schultze, 1923 (Lycaenidae) Synonym(s): *ruspinoidea* Schultze, 1923
 38480) *Telipna sanguinea* (Plötz, 1880) (Lycaenidae) Synonym(s): *sanguinea* Plötz, 1880; *annecke* Dewitz, 1886; *bistrigata* Aurivillius, 1925; *mariae* Dufrane, 1945
 38481) *Telipna sanguinea depuncta* Talbot, 1937 (Lycaenidae) Synonym(s): *depuncta* Talbot, 1937
 38482) *Telipna sanguinea kigoma* Kielland, 1978 (Lycaenidae) Synonym(s): *kigoma* Kielland, 1978
 38483) *Telipna sanguinea sanguinea* (Plötz, 1880) (Lycaenidae) Synonym(s): *sanguinea* Plötz, 1880; *annecke* Dewitz, 1886; *bistrigata* Aurivillius, 1925; *mariae* Dufrane, 1945
 38484) *Telipna semirufa* (Grose-Smith & Kirby, 1889) (Lycaenidae) Synonym(s): *semirufa* Grose-Smith & Kirby, 1889
 38485) *Telipna sheffieldi* Bethune-Baker, 1926 (Lycaenidae) Synonym(s): *sheffieldi* Bethune-Baker, 1926
 38486) *Telipna sulphitia* Hulstaert, 1924 (Lycaenidae) Synonym(s): *sulphitia* Hulstaert, 1924
 38487) *Telipna transversstigma* Druce, 1910 (Lycaenidae) Synonym(s): *transversstigma* Druce, 1910
 38488) *Telipna villiersi* Stempffer, 1965 (Lycaenidae) Synonym(s): *villiersi* Stempffer, 1965
 38489) *Teratoneura isabellae* Dudgeon, 1909 (Lycaenidae) Synonym(s): *isabellae* Dudgeon, 1909
 38490) *Teratoneura isabellae congoensis* Stempffer, 1954 (Lycaenidae) Synonym(s): *congoensis* Stempffer, 1954
 38491) *Teratoneura isabellae isabellae* Dudgeon, 1909 (Lycaenidae) Synonym(s): *isabellae* Dudgeon, 1909
 38492) *Teratozephyrus arisanus* (Wileman, 1909) (Lycaenidae) Synonym(s): *arisanus* Wileman, 1909
 38493) *Teratozephyrus arisanus arisanus* (Wileman, 1909) (Lycaenidae) Synonym(s): *arisanus* Wileman, 1909
 38494) *Teratozephyrus hecale* (Leech, 1893) (Lycaenidae) Synonym(s): *hecale* Leech, 1893
 38495) *Teratozephyrus hecale hecale* (Leech, 1893) (Lycaenidae) Synonym(s): *hecale* Leech, 1893
 38496) *Teratozephyrus hecale yugaii* (Kano, 1928) (Lycaenidae) Synonym(s): *yugaii* Kano, 1928; *shirakiana* Matsumura, 1929; *niitakana* Matsumura, 1929
 38497) *Teratozephyrus tsangkie* (Oberthür, 1886) (Lycaenidae) Synonym(s): *tsangkie* Oberthür, 1886; *doni* Tytler
 38498) *Teriomima micra* (Grose-Smith, 1898) (Lycaenidae) Synonym(s): *micra* Grose-Smith, 1898
 38499) *Teriomima parva* Hawker-Smith, 1933 (Lycaenidae) Synonym(s): *parva* Hawker-Smith, 1933
 38500) *Teriomima puella* Kirby, 1887 (Lycaenidae) Synonym(s): *puella* Kirby, 1887
 38501) *Teriomima puellaris* (Trimen, 1894) (Lycaenidae) Synonym(s): *puellaris* Trimen, 1894
 38502) *Teriomima subpunctata* Kirby, 1887 (Lycaenidae) Synonym(s): *subpunctata* Kirby, 1887; *delicatula* Kirby, 1890
 38503) *Teriomima zuluana* Van Son, 1949 (Lycaenidae) Synonym(s): *zuluana* Van Son, 1949
 38504) *Tetrrharanis diversa* (Bethune-Baker, 1904) (Lycaenidae) Synonym(s): *diversa* Bethune-Baker, 1904
 38505) *Tetrrharanis diversa diversa* (Bethune-Baker, 1904) (Lycaenidae) Synonym(s): *diversa* Bethune-Baker, 1904
 38506) *Tetrrharanis diversa ilala* (N.D. Riley, 1929) (Lycaenidae) Synonym(s): *ilala* N.D. Riley, 1929
 38507) *Tetrrharanis etoumbi* (Stempffer, 1964) (Lycaenidae) Synonym(s): *etoumbi* Stempffer, 1964
 38508) *Tetrrharanis ilma* (Hewitson, 1873) (Lycaenidae) Synonym(s): *ilma* Hewitson, 1873
 38509) *Tetrrharanis ilma daltoni* (Poulton, 1929) (Lycaenidae) Synonym(s): *daltoni* Poulton, 1929
 38510) *Tetrrharanis ilma ilma* (Hewitson, 1873) (Lycaenidae) Synonym(s): *ilma* Hewitson, 1873
 38511) *Tetrrharanis ilma lathyi* Joicey & Talbot, 1921 (Lycaenidae) Synonym(s): *lathyi* Joicey & Talbot, 1921
 38512) *Tetrrharanis ilma ugandae* (Stempffer, 1964) (Lycaenidae) Synonym(s): *ugandae* Stempffer, 1964
 38513) *Tetrrharanis laminifer* Clench, 1965 (Lycaenidae) Synonym(s): *laminifer* Clench, 1965
 38514) *Tetrrharanis nubifera* (Druce, 1910) (Lycaenidae) Synonym(s): *nubifera* Druce, 1910
 38515) *Tetrrharanis ogojae* (Stempffer, 1961) (Lycaenidae) Synonym(s): *ogojae* Stempffer, 1961
 38516) *Tetrrharanis onitshae* (Stempffer, 1962) (Lycaenidae) Synonym(s): *onitshae* Stempffer, 1962
 38517) *Tetrrharanis rougeoti* (Stempffer, 1954) (Lycaenidae) Synonym(s): *rougeoti* Stempffer, 1954
 38518) *Tetrrharanis schoutedeni* (Berger, 1954) (Lycaenidae) Synonym(s): *schoutedeni* Berger, 1954; *collitorum* Birket-Smith, 1960
 38519) *Tetrrharanis simplex* (Aurivillius, 1895) (Lycaenidae) Synonym(s): *simplex* Aurivillius, 1895
 38520) *Tetrrharanis souanke* (Stempffer, 1962) (Lycaenidae) Synonym(s): *souanke* Stempffer, 1962
 38521) *Tetrrharanis stempfferi* (Berger, 1954) (Lycaenidae) Synonym(s): *stempfferi* Berger, 1954
 38522) *Tetrrharanis stempfferi kigezi* (Stempffer, 1956) (Lycaenidae) Synonym(s): *kigezi* Stempffer, 1956
 38523) *Tetrrharanis stempfferi stempfferi* (Berger, 1954) (Lycaenidae) Synonym(s): *stempfferi* Berger, 1954
 38524) *Tetrrharanis symplocus* Clench, 1965 (Lycaenidae) Synonym(s): *symplocus* Clench, 1965
 38525) *Thaduka multicaudata* Moore, [1879] (Lycaenidae) Synonym(s): *multicaudata* Moore, [1879]
 38526) *Thaduka multicaudata kanara* Evans, 1925 (Lycaenidae) Synonym(s): *kanara* Evans, 1925

- 38527) *Thaduka multicaudata multicaudata* Moore,[1879] (Lycaenidae) Synonym(s): *multicaudata* Moore,[1879]
 38528) *Thamala marcianna* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *marcianna* Hewitson,[1863]
 38529) *Thamala marcianna marcianna* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *marcianna* Hewitson,[1863]
 38530) *Thamala marcianna miniata* Moore,1878 (Lycaenidae) Synonym(s): *miniata* Moore,1878
 38531) *Thamala marcianna petrella* Seitz,1926 (Lycaenidae) Synonym(s): *petrella* Seitz,1926
 38532) *Thamala marcianna sarupa* Corbet,1944 (Lycaenidae) Synonym(s): *sarupa* Corbet,1944
 38533) *Thecla betulae* (Linnaeus,1758) (Lycaenidae) Synonym(s): *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosae* Gerhard,[1850].
 38534) *Thecla betulae betulae* (Linnaeus,1758) (Lycaenidae) Synonym(s): *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosae* Gerhard,[1850].
 38535) *Thecla betulae crassa* Leech,1894 (Lycaenidae) Synonym(s): *crassa* Leech,1894
 38536) *Thecla betulina* Staudinger,1887 (Lycaenidae) Synonym(s): *betulina* Staudinger,1887
 38537) *Thecla betulina betulina* Staudinger,1887 (Lycaenidae) Synonym(s): *betulina* Staudinger,1887
 38538) *Thecla ziha* (Hewitson,1865) (Lycaenidae) Synonym(s): *ziha* Hewitson,[1865]
 38539) *Thecla ziha ziha* (Hewitson,[1865]) (Lycaenidae) Synonym(s): *ziha* Hewitson,[1865]
 38540) *Thermoniphas alberici* (Dufrane,1945) (Lycaenidae) Synonym(s):
 38541) *Thermoniphas albocaula* Stempffer,1956a (Lycaenidae) Synonym(s):
 38542) *Thermoniphas bibundana* (Grünberg,1910b) (Lycaenidae) Synonym(s):
 38543) *Thermoniphas caerulea* Stempffer,1956a (Lycaenidae) Synonym(s):
 38544) *Thermoniphas distincta* (Talbot,1935a) (Lycaenidae) Synonym(s):
 38545) *Thermoniphas fontainei* Stempffer,1956a (Lycaenidae) Synonym(s):
 38546) *Thermoniphas fumosa* Stempffer,1952a (Lycaenidae) Synonym(s):
 38547) *Thermoniphas kamitugensis* (Dufrane,1945) (Lycaenidae) Synonym(s):
 38548) *Thermoniphas kigezi* Stempffer,1956a (Lycaenidae) Synonym(s):
 38549) *Thermoniphas leucocyanea* Clench,1961a (Lycaenidae) Synonym(s):
 38550) *Thermoniphas micylus* (Cramer,1780) (Lycaenidae) Synonym(s):
 38551) *Thermoniphas micylus colorata* (Ungemach,1932) (Lycaenidae) Synonym(s):
 38552) *Thermoniphas micylus micylus* (Cramer,1780) (Lycaenidae) Synonym(s):
 38553) *Thermoniphas plurilimbata* Karsch,1895 (Lycaenidae) Synonym(s): *plurilimbata* Karsch,1895
 38554) *Thermoniphas plurilimbata plurilimbata* Karsch,1895 (Lycaenidae) Synonym(s): *plurilimbata* Karsch,1895
 38555) *Thermoniphas plurilimbata rutshurensis* (Joicey & Talbot,1921) (Lycaenidae) Synonym(s): *rutshurensis* Joicey & Talbot,1921
 38556) *Thermoniphas stempfferi* Clench,1961a (Lycaenidae) Synonym(s):
 38557) *Thermoniphas togara* (Plötz,1880a) (Lycaenidae) Synonym(s):
 38558) *Thermoniphas togara bugalla* Stempffer & Jackson,1962 (Lycaenidae) Synonym(s):
 38559) *Thermoniphas togara togara* (Plötz,1880) (Lycaenidae) Synonym(s):
 38560) *Thermozephyrus ataxus* (Westwood,[1851]) (Lycaenidae) Synonym(s): *ataxus* Westwood,[1851]; *kirishimaensis* Okajima,1922
 38561) *Thermozephyrus ataxus ataxus* (Westwood,[1851]) (Lycaenidae) Synonym(s): *ataxus* Westwood,[1851]; *kirishimaensis* Okajima,1922
 38562) *Thermozephyrus ataxus lingi* (Okano & Okura,1969) (Lycaenidae) Synonym(s): *lingi* Okano & Okura,1969; *subnivalis* Kawazoe & Wakabayashi,1969
 38563) *Thermozephyrus ataxus zulla* (Tytler,1915) (Lycaenidae) Synonym(s): *zulla* Tytler,1915
 38564) *Thestor basutus* (Wallengren,1857) (Lycaenidae) Synonym(s): *basutus* Wallengren,1857
 38565) *Thestor basutus basutus* (Wallengren,1857) (Lycaenidae) Synonym(s): *basutus* Wallengren,1857
 38566) *Thestor basutus capeneri* Dickson,1972 (Lycaenidae) Synonym(s): *capeneri* Dickson,1972
 38567) *Thestor brachycerus* (Trimen,1883) (Lycaenidae) Synonym(s): *brachycerus* Trimen,1883
 38568) *Thestor brachycerus brachycerus* (Trimen,1883) (Lycaenidae) Synonym(s): *brachycerus* Trimen,1883
 38569) *Thestor braunsi braunsi* van Son,1941 (Lycaenidae) Synonym(s):
 38570) *Thestor braunsi van Son*,1941 (Lycaenidae) Synonym(s):
 38571) *Thestor camdeboo* Dickson & Wykeham,1994 (Lycaenidae) Synonym(s): *camdeboo* Dickson & Wykeham,1994.
 38572) *Thestor camdeboo camdeboo* Dickson & Wykeham,1994 (Lycaenidae) Synonym(s): *camdeboo* Dickson & Wykeham,1994.
 38573) *Thestor compassbergae* Quickelberge & McMaster,1970 (Lycaenidae) Synonym(s): *compassbergae* Quickelberge & McMaster,1970
 38574) *Thestor compassbergae compassbergae* Quickelberge & McMaster,1970 (Lycaenidae) Synonym(s): *compassbergae* Quickelberge & McMaster,1970
 38575) *Thestor dicksoni* Riley,1954 (Lycaenidae) Synonym(s): *dicksoni* Riley,1954
 38576) *Thestor dicksoni calviniae* Riley,1954 (Lycaenidae) Synonym(s): *calviniae* Riley,1954
 38577) *Thestor dicksoni dicksoni* Riley,1954 (Lycaenidae) Synonym(s): *dicksoni* Riley,1954
 38578) *Thestor dicksoni warreni* Ball,1994 (Lycaenidae) Synonym(s): *warreni* Ball,1994
 38579) *Thestor dryburghi* Van Son,1966 (Lycaenidae) Synonym(s): *dryburghi* Van Son,1966
 38580) *Thestor dryburghi dryburghi* Van Son,1966 (Lycaenidae) Synonym(s): *dryburghi* Van Son,1966
 38581) *Thestor dukei* Van Son,1951 (Lycaenidae) Synonym(s): *dukei* Van Son,1951
 38582) *Thestor dukei dukei* Van Son,1951 (Lycaenidae) Synonym(s): *dukei* Van Son,1951
 38583) *Thestor holmesi* Van Son,1951 (Lycaenidae) Synonym(s): *holmesi* Van Son,1951
 38584) *Thestor holmesi holmesi* Van Son,1951 (Lycaenidae) Synonym(s): *holmesi* Van Son,1951
 38585) *Thestor kaplani* Dickson & Stephen,1971 (Lycaenidae) Synonym(s): *kaplani* Dickson & Stephen,1971
 38586) *Thestor kaplani kaplani* Dickson & Stephen,1971 (Lycaenidae) Synonym(s): *kaplani* Dickson & Stephen,1971
 38587) *Thestor malagas* Dickson & Wykeham,1994 (Lycaenidae) Synonym(s): *malagas* Dickson & Wykeham,1994
 38588) *Thestor malagas malagas* Dickson & Wykeham,1994 (Lycaenidae) Synonym(s): *malagas* Dickson & Wykeham,1994
 38589) *Thestor montanus* Van Son,1941 (Lycaenidae) Synonym(s): *montanus* Van Son,1941
 38590) *Thestor montanus montanus* Van Son,1941 (Lycaenidae) Synonym(s): *montanus* Van Son,1941
 38591) *Thestor murrayi* Swanepoel,1953 (Lycaenidae) Synonym(s): *murrayi* Swanepoel,1953
 38592) *Thestor murrayi murrayi* Swanepoel,1953 (Lycaenidae) Synonym(s): *murrayi* Swanepoel,1953
 38593) *Thestor penningtoni* Van Son,1949 (Lycaenidae) Synonym(s): *penningtoni* Van Son,1949
 38594) *Thestor penningtoni penningtoni* Van Son,1949 (Lycaenidae) Synonym(s): *penningtoni* Van Son,1949
 38595) *Thestor petra* Pennington,1962 (Lycaenidae) Synonym(s): *petra* Pennington,1962
 38596) *Thestor petra petra* Pennington,1962 (Lycaenidae) Synonym(s): *petra* Pennington,1962
 38597) *Thestor pictus* Van Son,1941 (Lycaenidae) Synonym(s): *pictus* Van Son,1941
 38598) *Thestor pictus pictus* Van Son,1941 (Lycaenidae) Synonym(s): *pictus* Van Son,1941
 38599) *Thestor pringlei* Dickson,1976 (Lycaenidae) Synonym(s): *pringlei* Dickson,1976
 38600) *Thestor pringlei pringlei* Dickson,1976 (Lycaenidae) Synonym(s): *pringlei* Dickson,1976
 38601) *Thestor protumnus* (Linnaeus,1764) (Lycaenidae) Synonym(s): *protumnus* Linnaeus,1764
 38602) *Thestor protumnus aridus* Van Son,1941 (Lycaenidae) Synonym(s): *aridus* Van Son,1941
 38603) *Thestor protumnus mijburghi* Dickson & Wykeham,1994 (Lycaenidae) Synonym(s): *mijburghi* Dickson & Wykeham,1994
 38604) *Thestor protumnus protumnus* (Linnaeus,1764) (Lycaenidae) Synonym(s): *protumnus* Linnaeus,1764
 38605) *Thestor rileyi* Pennington,1956 (Lycaenidae) Synonym(s): *rileyi* Pennington,1956
 38606) *Thestor rileyi rileyi* Pennington,1956 (Lycaenidae) Synonym(s): *rileyi* Pennington,1956
 38607) *Thestor rooibergensis* Heath,1994 (Lycaenidae) Synonym(s): *rooibergensis* Heath,1994.
 38608) *Thestor rooibergensis rooibergensis* Heath,1994 (Lycaenidae) Synonym(s): *rooibergensis* Heath,1994
 38609) *Thestor rossouwii* Dickson,1971 (Lycaenidae) Synonym(s): *rossouwii* Dickson,1971
 38610) *Thestor rossouwii rossouwii* Dickson,1971 (Lycaenidae) Synonym(s): *rossouwii* Dickson,1971
 38611) *Thestor stepheni* Swanepoel,1968 (Lycaenidae) Synonym(s): *stepheni* Swanepoel,1968
 38612) *Thestor stepheni stepheni* Swanepoel,1968 (Lycaenidae) Synonym(s): *stepheni* Swanepoel,1968
 38613) *Thestor strutti* Van Son,1951 (Lycaenidae) Synonym(s): *strutti* Van Son,1951
 38614) *Thestor strutti strutti* Van Son,1951 (Lycaenidae) Synonym(s): *strutti* Van Son,1951
 38615) *Thestor swanepoeli* Pennington,1971 (Lycaenidae) Synonym(s): *swanepoeli* Pennington,1971
 38616) *Thestor swanepoeli swanepoeli* Pennington,1971 (Lycaenidae) Synonym(s): *swanepoeli* Pennington,1971

- 38617) *Thestor tempe* Pennington, 1962 (Lycaenidae) Synonym(s): *tempe* Pennington, 1962
 38618) *Thestor tempe tempe* Pennington, 1962 (Lycaenidae) Synonym(s): *tempe* Pennington, 1962
 38619) *Thestor vansoni* Pennington, 1962 (Lycaenidae) Synonym(s): *vansoni* Pennington, 1962
 38620) *Thestor vansoni vansoni* Pennington, 1962 (Lycaenidae) Synonym(s): *vansoni* Pennington, 1962
 38621) *Thestor yildizae* Koçak, 1983 (Lycaenidae) Synonym(s): *obscurus* Van Son, 1941 nec Rühl, [1893]; *yildizae* Koçak, 1983.
 38622) *Thestor yildizae yildizae* Koçak, 1983 (Lycaenidae) Synonym(s): *obscurus* Van Son, 1941 nec Rühl, [1893]; *yildizae* Koçak, 1983.
 38623) *Thrix scopula* (Distant, 1886) (Lycaenidae) Synonym(s): *scopula* Distant, 1886
 38624) *Thrix scopula nisibis* (De Nicéville, 1895) (Lycaenidae) Synonym(s): *nisibis* De Nicéville, [1895]
 38625) *Thrix scopula scopula* (Distant, 1886) (Lycaenidae) Synonym(s): *scopula* Distant, 1886
 38626) *Ticherra acte* (Moore, [1858]) (Lycaenidae) Synonym(s): *acte* Moore, [1858]
 38627) *Ticherra acte acte* (Moore, [1858]) (Lycaenidae) Synonym(s): *acte* Moore, [1858]
 38628) *Ticherra acte liviana* Fruhstorfer, [1912] (Lycaenidae) Synonym(s): *liviana* Fruhstorfer, [1912]
 38629) *Tmolus echion* (Lycaenidae) Synonym(s):
 38630) *Tomares (nogelii) dobrogensis* (Caradja, 1895) (Lycaenidae) Synonym(s): *obscura* Rühl, [1893]
 38631) *Tomares (nogelii) dobrogensis dobrogensis* (Caradja, 1895) (Lycaenidae) Synonym(s): *dobrogensis* Caradja, 1895
 38632) *Tomares (nogelii) dobrogensis monotona* (Schwingenschuss, 1939) (Lycaenidae) Synonym(s): *monotona* Schwingenschuss, 1939
 38633) *Tomares (nogelii) dobrogensis uighurica* Koçak, Seven & Kemal, 2000 (Lycaenidae) Synonym(s): *uighurica* Koçak, Seven & Kemal, 2000; #*pallidior* Koçak, Seven & Kemal, 2000.
 38634) *Tomares (nogelii) nesimachus* (Oberthür, 1893) (Lycaenidae) Synonym(s): *nesimachus* Oberthür, 1893
 38635) *Tomares (nogelii) nesimachus nesimachus* (Oberthür, 1893) (Lycaenidae) Synonym(s): *nesimachus* Oberthür, 1893
 38636) *Tomares (nogelii) nogelii* (Freyer, [1851]) (Lycaenidae) Synonym(s): #*nogelii* Herrich-Schäffer, [1851]; *nogelii* Freyer, [1851]; *nogelii* Herrich-Schäffer, [1852]
 38637) *Tomares (nogelii) nogelii aurantiaca* (Staudinger, 1901) (Lycaenidae) Synonym(s): *aurantiaca* Staudinger, 1901
 38638) *Tomares (nogelii) nogelii cesa* Koçak, Seven & Kemal, 2000 (Lycaenidae) Synonym(s): *cesa* Koçak, Seven & Kemal, 2000
 38639) *Tomares (nogelii) nogelii nogelii* (Freyer, [1851]) (Lycaenidae) Synonym(s): #*nogelii* Herrich-Schäffer, [1851]; *nogelii* Freyer, [1851]; *nogelii* Herrich-Schäffer, [1852]
 38640) *Tomares (nogelii) nogelii nusret* Koçak & Kemal, 2007 (Lycaenidae) Synonym(s): *nusret* Koçak & Kemal, 2007
 38641) *Tomares (nogelii) nogelii obscura* (Rühl, [1893]) (Lycaenidae) Synonym(s): *obscura* Rühl, [1893]
 38642) *Tomares ballus* (Fabricius, 1787) (Lycaenidae) Synonym(s): *ballus* Fabricius, 1787
 38643) *Tomares ballus ballus* (Fabricius, 1787) (Lycaenidae) Synonym(s): *ballus* Fabricius, 1787
 38644) *Tomares callimachus* (Eversmann, 1848) (Lycaenidae) Synonym(s): *callimachus* Eversmann, 1848
 38645) *Tomares callimachus callimachus* (Eversmann, 1848) (Lycaenidae) Synonym(s): *callimachus* Eversmann, 1848
 38646) *Tomares callimachus dentata* (Staudinger, [1892]) (Lycaenidae) Synonym(s): *dentata* Staudinger, [1892]
 38647) *Tomares callimachus hafis* (Kollar, [1849]) (Lycaenidae) Synonym(s): *hafis* Kollar, [1849]
 38648) *Tomares callimachus tauricus* Korb & Yakovlev, 1998 (Lycaenidae) Synonym(s): *tauricus* Korb & Yakovlev, 1998
 38649) *Tomares desinens* Nekrutenko & Effendi, 1980 (Lycaenidae) Synonym(s): *desinens* Nekrutenko & Effendi, 1980
 38650) *Tomares desinens desinens* Nekrutenko & Effendi, 1980 (Lycaenidae) Synonym(s): *desinens* Nekrutenko & Effendi, 1980
 38651) *Tomares desinens mebepe* Koçak & Kemal, 2005 (Lycaenidae) Synonym(s): *mebepe* Koçak & Kemal, 2005
 38652) *Tomares fedtschenkoi* (Erschoff, 1874) (Lycaenidae) Synonym(s): *fedtschenkoi* Erschoff, 1874
 38653) *Tomares fedtschenkoi alpina* (Groum-Grshimailo, 1890) (Lycaenidae) Synonym(s): *alpina* Groum-Grshimailo, 1890
 38654) *Tomares fedtschenkoi fedtschenkoi* (Erschoff, 1874) (Lycaenidae) Synonym(s): *fedtschenkoi* Erschoff, 1874
 38655) *Tomares mauretanicus* (Lucas, 1849) (Lycaenidae) Synonym(s): *mauretanicus* Lucas, 1849
 38656) *Tomares mauretanicus amelnorum* Tarrier, 1998 (Lycaenidae) Synonym(s): *amelnorum* Tarrier, 1998
 38657) *Tomares mauretanicus antoniui* Brévignon, 1984 (Lycaenidae) Synonym(s): *antoniui* Brévignon, 1984
 38658) *Tomares mauretanicus mauretanicus* (Lucas, 1849) (Lycaenidae) Synonym(s): *mauretanicus* Lucas, 1849
 38659) *Tomares romanovi* (Christoph, 1882) (Lycaenidae) Synonym(s): *romanovi* Christoph, 1882
 38660) *Tomares romanovi cachetinus* Nekrutenko, 1978 (Lycaenidae) Synonym(s): *cachetinus* Nekrutenko, 1978
 38661) *Tomares romanovi cyprius* (Stichel, 1911) (Lycaenidae) Synonym(s): *cyprius* Stichel, 1911
 38662) *Tomares romanovi maculifera* (Staudinger, [1892]) (Lycaenidae) Synonym(s): *maculifera* Staudinger, [1892]
 38663) *Tomares romanovi romanovi* (Christoph, 1882) (Lycaenidae) Synonym(s): *romanovi* Christoph, 1882
 38664) *Tomares telemachus* Zhdanko, 2000 (Lycaenidae) Synonym(s): *telemachus* Zhdanko, 2000
 38665) *Tomares telemachus telemachus* Zhdanko, 2000 (Lycaenidae) Synonym(s): *telemachus* Zhdanko, 2000
 38666) *Tongeia fischeri* (Eversmann, 1843) (Lycaenidae) Synonym(s): *fischeri* Eversmann, 1843
 38667) *Tongeia fischeri fischeri* (Eversmann, 1843) (Lycaenidae) Synonym(s): *fischeri* Eversmann, 1843
 38668) *Tongeia potanini* (Alpheraky, 1889) (Lycaenidae) Synonym(s): *potanini* Alpheraky, 1889
 38669) *Tongeia potanini glycon* (Corbet, 1940) (Lycaenidae) Synonym(s): *glycon* Corbet, 1940
 38670) *Tongeia potanini potanini* (Alpheraky, 1889) (Lycaenidae) Synonym(s): *potanini* Alpheraky, 1889
 38671) *Tongeia potanini umbriel* (Doherty, 1889) (Lycaenidae) Synonym(s): *umbriel* Doherty, 1889
 38672) *Toxochitona ankole* Stempffer, 1967 (Lycaenidae) Synonym(s): *ankole* Stempffer, 1967
 38673) *Toxochitona gerda* (Kirby, 1890) (Lycaenidae) Synonym(s): *gerda* Kirby, 1890
 38674) *Toxochitona sankuru* Stempffer, 1961 (Lycaenidae) Synonym(s): *sankuru* Stempffer, 1961
 38675) *Toxochitona vansomeri* (Stempffer, 1954) (Lycaenidae) Synonym(s): *vansomeri* Stempffer, 1954
 38676) *Triclema africana* Bethune-Baker, 1926 (Lycaenidae) Synonym(s): *africana* Bethune-Baker, 1926
 38677) *Triclema coerulea* (Aurivillius, 1895) (Lycaenidae) Synonym(s): *coerulea* Aurivillius, 1895
 38678) *Triclema fasciatus* (Aurivillius, 1895) (Lycaenidae) Synonym(s): *fasciatus* Aurivillius, 1895
 38679) *Triclema hades* Bethune-Baker, 1910 (Lycaenidae) Synonym(s): *hades* Bethune-Baker, 1910
 38680) *Triclema inconspicua* Druce, 1910 (Lycaenidae) Synonym(s): *inconspicua* Druce, 1910
 38681) *Triclema inferna* Bethune-Baker, 1926 (Lycaenidae) Synonym(s): *inferna* Bethune-Baker, 1926
 38682) *Triclema kamilila* Bethune-Baker, 1910 (Lycaenidae) Synonym(s): *kamilila* Bethune-Baker, 1910
 38683) *Triclema kimboza* Kielland, 1990 (Lycaenidae) Synonym(s): *kimboza* Kielland, 1990
 38684) *Triclema lacides* (Hewitson, 1874) (Lycaenidae) Synonym(s): *lacides* Hewitson, 1874
 38685) *Triclema lamias* (Hewitson, 1878) (Lycaenidae) Synonym(s): *lamias* Hewitson, 1878
 38686) *Triclema lamias katerae* D'Abrera, 1980 (Lycaenidae) Synonym(s): *katerae* D'Abrera, 1980
 38687) *Triclema lamias lamias* (Hewitson, 1878) (Lycaenidae) Synonym(s): *lamias* Hewitson, 1878
 38688) *Triclema lucretilis* (Hewitson, 1874) (Lycaenidae) Synonym(s): *lucretilis* Hewitson, 1874
 38689) *Triclema lucretilis albipicta* Talbot, 1935 (Lycaenidae) Synonym(s): *albipicta* Talbot, 1935
 38690) *Triclema lucretilis lucretilis* (Hewitson, 1874) (Lycaenidae) Synonym(s): *lucretilis* Hewitson, 1874
 38691) *Triclema lutzi* Holland, 1920 (Lycaenidae) Synonym(s): *lutzi* Holland, 1920
 38692) *Triclema maesseni* (Stempffer, 1957) (Lycaenidae) Synonym(s): *maesseni* Stempffer, 1957
 38693) *Triclema marshalli* (Bethune-Baker, 1903) (Lycaenidae) Synonym(s): *marshalli* Bethune-Baker, 1903
 38694) *Triclema nigeriae* (Aurivillius, 1905) (Lycaenidae) Synonym(s): *nigeriae* Aurivillius, 1905
 38695) *Triclema obscura* Druce, 1910 (Lycaenidae) Synonym(s): *obscura* Druce, 1910
 38696) *Triclema oculatus* (Grose-Smith & Kirby, 1893) (Lycaenidae) Synonym(s): *oculatus* Grose-Smith & Kirby, 1893
 38697) *Triclema phoenicis* Karsch, 1893 (Lycaenidae) Synonym(s): *phoenicis* Karsch, 1893
 38698) *Triclema rufoplagata* Bethune-Baker, 1910 (Lycaenidae) Synonym(s): *rufoplagata* Bethune-Baker, 1910
 38699) *Triclema tisamenus* (Holland, 1891) (Lycaenidae) Synonym(s): *tisamenus* Holland, 1891
 38700) *Trimenia argyroploga* (Dickson, 1967) (Lycaenidae) Synonym(s): *argyroploga* Dickson, 1967
 38701) *Trimenia macmasteri* Dickson, 1968 (Lycaenidae) Synonym(s): *macmasteri* Dickson, 1968
 38702) *Trimenia macmasteri macmasteri* Dickson, 1968 (Lycaenidae) Synonym(s): *macmasteri* Dickson, 1968
 38703) *Trimenia macmasteri mijiburghi* Dickson, 1980 (Lycaenidae) Synonym(s): *mijiburghi* Dickson, 1980

- 38704) *Trimenia malagrida* (Wallengren, 1857) (Lycaenidae) Synonym(s): *malagrida* Wallengren, 1857; *aglaspis* Trimen, 1862
 38705) *Trimenia malagrida cedrusmontana* Dickson & Stephen, 1975 (Lycaenidae) Synonym(s): *cedrusmontana* Dickson & Stephen, 1975
 38706) *Trimenia malagrida malagrida* (Wallengren, 1857) (Lycaenidae) Synonym(s): *malagrida* Wallengren, 1857; *aglaspis* Trimen, 1862
 38707) *Trimenia malagrida paarlensis* (Dickson, 1967) (Lycaenidae) Synonym(s): *paarlensis* Dickson, 1967
 38708) *Trimenia wallengreni* (Trimen, 1887) (Lycaenidae) Synonym(s): *wallengreni* Trimen, 1887
 38709) *Trimenia wykehami* (Dickson, 1969) (Lycaenidae) Synonym(s): *wykehami* Dickson, 1969
 38710) *Tumerepedes flava* Bethune-Baker, 1913 (Lycaenidae) Synonym(s):
 38711) *Turanana anisophtalma* (Kollar, [1849]) (Lycaenidae) Synonym(s): *anisophtalma* Kollar, [1849]
 38712) *Turanana anisophtalma anisophtalma* (Kollar, [1849]) (Lycaenidae) Synonym(s): *anisophtalma* Kollar, [1849]
 38713) *Turanana chitrali* Charmeux & Pagès, 2004 (Lycaenidae) Synonym(s): *chitrali* Charmeux & Pagès, 2004
 38714) *Turanana cytis* (Christoph, 1877) (Lycaenidae) Synonym(s): *cytis* Christoph, 1876
 38715) *Turanana cytis cytis* (Christoph, 1877) (Lycaenidae) Synonym(s): *cytis* Christoph, 1876
 38716) *Turanana cytis kurdistan* Eckweiler, 1984 (Lycaenidae) Synonym(s): *kurdistan* Eckweiler, 1984
 38717) *Turanana cytis tuzovi* Tschikolovetz (Lycaenidae) Synonym(s): *tuzovi* Tschikolovetz
 38718) *Turanana dushak* Dubatolov, 1989 (Lycaenidae) Synonym(s): *dushak* Dubatolov, 1989
 38719) *Turanana dushak dushak* Dubatolov, 1989 (Lycaenidae) Synonym(s): *dushak* Dubatolov, 1989
 38720) *Turanana endymion* (Freyer, [1850]) (Lycaenidae) Synonym(s): *endymion* Freyer, [1850]
 38721) *Turanana endymion ahasveros* (Bytinski-Salz & Brandt, 1937) (Lycaenidae) Synonym(s): *ahasveros* Bytinski-Salz & Brandt, 1937; *ahasveri* Eckweiler & Hofmann, 1980
 38722) *Turanana endymion endymion* (Freyer, [1850]) (Lycaenidae) Synonym(s): *endymion* Freyer, [1850]
 38723) *Turanana grumi* (Forster, 1937) (Lycaenidae) Synonym(s): *grumi* Forster, 1937; *kotzschiorum* Tshikolovets, 1996.
 38724) *Turanana grumi grumi* (Forster, 1937) (Lycaenidae) Synonym(s): *grumi* Forster, 1937; *kotzschiorum* Tshikolovets, 1996.
 38725) *Turanana jurileontyi* Shchetkin, 1986 (Lycaenidae) Synonym(s): *jurileontyi* Shchetkin, 1986
 38726) *Turanana jurileontyi jurileontyi* Shchetkin, 1986 (Lycaenidae) Synonym(s): *jurileontyi* Shchetkin, 1986
 38727) *Turanana kugitangi* Zhdanko, 1984 (Lycaenidae) Synonym(s): *kugitangi* Zhdanko, 1984
 38728) *Turanana kugitangi kugitangi* Zhdanko, 1984 (Lycaenidae) Synonym(s): *kugitangi* Zhdanko, 1984
 38729) *Turanana laspura* (Evans, 1932) (Lycaenidae) Synonym(s): *laspura* Evans, 1932
 38730) *Turanana laspura laspura* (Evans, 1932) (Lycaenidae) Synonym(s): *laspura* Evans, 1932
 38731) *Turanana mizildigara* Tshikolovets, 1997 (Lycaenidae) Synonym(s): *mizildigara* Tshikolovets, 1997
 38732) *Turanana mizildigara mizildigara* Tshikolovets, 1997 (Lycaenidae) Synonym(s): *mizildigara* Tshikolovets, 1997
 38733) *Turanana panaegides* (Staudinger, 1886) (Lycaenidae) Synonym(s): *panaegides* Staudinger, 1886
 38734) *Turanana panaegides alaica* (Staudinger, 1886) (Lycaenidae) Synonym(s): *alaica* Staudinger, 1886
 38735) *Turanana panaegides panaegides* (Staudinger, 1886) (Lycaenidae) Synonym(s): *panaegides* Staudinger, 1886
 38736) *Turanana panaegides tshatkalia* Stshetkin, 1984 (Lycaenidae) Synonym(s): *tshatkalia* Stshetkin, 1984
 38737) *Turanana taygetica* (Rebel, 1902) (Lycaenidae) Synonym(s): *taygetica* Rebel, 1902
 38738) *Turanana taygetica endymioides* Coutsis, 2005 (Lycaenidae) Synonym(s): *endymioides* Coutsis, 2005
 38739) *Turanana taygetica taygetica* (Rebel, 1902) (Lycaenidae) Synonym(s): *taygetica* Rebel, 1902
 38740) *Tuxentius calice* (Hopffer, 1855) (Lycaenidae) Synonym(s): *calice* Hopffer, 1855
 38741) *Tuxentius calice calice* (Hopffer, 1855) (Lycaenidae) Synonym(s): *calice* Hopffer, 1855
 38742) *Tuxentius calice gregorii* (Butler, 1894) (Lycaenidae) Synonym(s): *gregorii* Butler, 1894
 38743) *Tuxentius carana* (Hewitson, 1876) (Lycaenidae) Synonym(s): *carana* Hewitson, 1876
 38744) *Tuxentius carana carana* (Hewitson, 1876) (Lycaenidae) Synonym(s): *carana* Hewitson, 1876
 38745) *Tuxentius carana kontu* (Karsch, 1893) (Lycaenidae) Synonym(s): *kontu* Karsch, 1893
 38746) *Tuxentius cretosus* (Butler, 1876) (Lycaenidae) Synonym(s): *cretosus* Butler, 1876
 38747) *Tuxentius cretosus cretosus* (Butler, 1876) (Lycaenidae) Synonym(s): *cretosus* Butler, 1876
 38748) *Tuxentius cretosus lacinatus* (Butler, 1886) (Lycaenidae) Synonym(s): *lacinatus* Butler, 1886
 38749) *Tuxentius cretosus nodieri* (Oberthür, 1883) (Lycaenidae) Synonym(s): *nodieri* Oberthür, 1883; *anomalogramma* Bethune-Baker, 1911.
 38750) *Tuxentius cretosus usemia* (Neave, 1904) (Lycaenidae) Synonym(s): *usemia* Neave, 1904
 38751) *Tuxentius ertli* (Aurivillius, 1907) (Lycaenidae) Synonym(s): *ertli* Aurivillius, 1907
 38752) *Tuxentius ertli ertli* (Aurivillius, 1907) (Lycaenidae) Synonym(s): *ertli* Aurivillius, 1907
 38753) *Tuxentius gabrieli* Balint, 1999 (Lycaenidae) Synonym(s): *interruptus* Gabriel, 1954 nec Moore, 1883; *gabrieli* Balint, 1999; *gabriel* Kemal, 1999.
 38754) *Tuxentius gabrieli gabrieli* Balint, 1999 (Lycaenidae) Synonym(s): *interruptus* Gabriel, 1954 nec Mre, 1883; *gabrieli* Balint, 1999; *gabriel* Kemal, 1999.
 38755) *Tuxentius hesperis* (Vari, 1976) (Lycaenidae) Synonym(s): *hesperis* Vari, 1976
 38756) *Tuxentius kaffana* (Talbot, 1935) (Lycaenidae) Synonym(s): *kaffana* Talbot, 1935
 38757) *Tuxentius margaritaceus* (Sharpe, 1892) (Lycaenidae) Synonym(s): *margaritaceus* Sharpe, 1892
 38758) *Tuxentius melaena* (Trimen, 1887) (Lycaenidae) Synonym(s): *melaena* Trimen, 1887; *#mela* Aurivillius, 1924.
 38759) *Tuxentius melaena griqua* (Trimen, 1887) (Lycaenidae) Synonym(s): *griqua* Trimen, 1887
 38760) *Tuxentius melaena melaena* (Trimen, 1887) (Lycaenidae) Synonym(s): *melaena* Trimen, 1887; *#mela* Aurivillius, 1924.
 38761) *Tuxentius stempfferi* (Kielland, 1976) (Lycaenidae) Synonym(s): *stempfferi* Kielland, 1976
 38762) *Tylopaedia sardonix* (Trimen, 1868) (Lycaenidae) Synonym(s): *sardonix* Trimen, 1868; *#knobeli* Van Son, 1959
 38763) *Tylopaedia sardonix peringueyi* (Dickson, 1969) (Lycaenidae) Synonym(s): *peringueyi* Dickson, 1969
 38764) *Tylopaedia sardonix sardonix* (Trimen, 1868) (Lycaenidae) Synonym(s): *sardonix* Trimen, 1868; *#knobeli* Van Son, 1959
 38765) *Udara* (Penudara) *albocaerulea* scharffi (Corbet, 1937) (Lycaenidae) Synonym(s): *scharffi* Corbet, 1937
 38766) *Udara* (Penudara) *albocaerulea* (Moore, 1879) (Lycaenidae) Synonym(s): *albocaeruleus* Moore, 1879; *amadis* Fruhstorfer, 1910; *sauteri* Fruhstorfer, 1917.
 38767) *Udara* (Penudara) *albocaerulea albocaerulea* (Moore, 1879) (Lycaenidae) Synonym(s): *albocaeruleus* Moore, 1879; *amadis* Fruhstorfer, 1910; *sauteri* Fruhstorfer, 1917.
 38768) *Udara* (Penudara) *oviana* (Fruhstorfer, 1917) (Lycaenidae) Synonym(s): *oviana* Fruhstorfer, 1917
 38769) *Udara* (Penudara) *oviana oviana* (Fruhstorfer, 1917) (Lycaenidae) Synonym(s): *oviana* Fruhstorfer, 1917
 38770) *Udara* (Penudara) *tyotaroi* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *tyotaroi* Eliot & Kawazoe, 1984
 38771) *Udara* (Penudara) *tyotaroi tyotaroi* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *tyotaroi* Eliot & Kawazoe, 1984
 38772) *Udara* (Perivaga) *antonia* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *antonia* Eliot & Kawazoe, 1984
 38773) *Udara* (Perivaga) *antonia antonia* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *antonia* Eliot & Kawazoe, 1984
 38774) *Udara* (Perivaga) *cybele* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *cybele* Eliot & Kawazoe, 1984
 38775) *Udara* (Perivaga) *cybele cybele* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *cybele* Eliot & Kawazoe, 1984
 38776) *Udara* (Perivaga) *cybele yukizawai* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *yukizawai* Eliot & Kawazoe, 1984
 38777) *Udara* (Perivaga) *laetitia* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *laetitia* Eliot & Kawazoe, 1984
 38778) *Udara* (Perivaga) *laetitia laetitia* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *laetitia* Eliot & Kawazoe, 1984
 38779) *Udara* (Perivaga) *manokwariensis* (Joicey, Noakes & Talbot, 1916) (Lycaenidae) Synonym(s): *manokwariensis* Joicey, Noakes & Talbot, 1916
 38780) *Udara* (Perivaga) *manokwariensis albescens* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *albescens* Eliot & Kawazoe, 1984
 38781) *Udara* (Perivaga) *manokwariensis leucothelia* (Jordan, 1930) (Lycaenidae) Synonym(s): *leucothelia* Jordan, 1930
 38782) *Udara* (Perivaga) *manokwariensis manokwariensis* (Joicey, Noakes & Talbot, 1916) (Lycaenidae) Synonym(s): *manokwariensis* Joicey, Noakes & Talbot, 1916
 38783) *Udara* (Perivaga) *meeki* (Bethune-Baker, 1906) (Lycaenidae) Synonym(s): *meeki* Bethune-Baker, 1906
 38784) *Udara* (Perivaga) *meeki arfaki* (Bethune-Baker, 1909) (Lycaenidae) Synonym(s): *arfaki* Bethune-Baker, 1909
 38785) *Udara* (Perivaga) *meeki kunupiensis* (Wind & Clench, 1947) (Lycaenidae) Synonym(s): *kunupiensis* Wind & Clench, 1947
 38786) *Udara* (Perivaga) *meeki meeki* (Bethune-Baker, 1906) (Lycaenidae) Synonym(s): *meeki* Bethune-Baker, 1906
 38787) *Udara* (Perivaga) *owgarra* (Bethune-Baker, 1906) (Lycaenidae) Synonym(s): *owgarra* Bethune-Baker, 1906
 38788) *Udara* (Perivaga) *owgarra mima* (Joicey & Talbot, 1916) (Lycaenidae) Synonym(s): *mima* Joicey & Talbot, 1916
 38789) *Udara* (Perivaga) *owgarra owgarra* (Bethune-Baker, 1906) (Lycaenidae) Synonym(s): *owgarra* Bethune-Baker, 1906

- 38790) Udara (Perivaga) pullus (Joicey & Noakes, 1916) (Lycaenidae) Synonym(s): *pullus Joicey & Noakes, 1916*
 38791) Udara (Perivaga) pullus pullus (Joicey & Noakes, 1916) (Lycaenidae) Synonym(s): *pullus Joicey & Noakes, 1916*
 38792) Udara (Perivaga) sibatani Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *sibatani Eliot & Kawazoe, 1984*
 38793) Udara (Perivaga) sibatani kodama Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *kodama Eliot & Kawazoe, 1984*
 38794) Udara (Perivaga) sibatani pallescens Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *pallescens Eliot & Kawazoe, 1984*
 38795) Udara (Perivaga) sibatani sibatani Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *sibatani Eliot & Kawazoe, 1984*
 38796) Udara (Selmanix) aemulus Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *aemulus Eliot & Kawazoe, 1984*
 38797) Udara (Selmanix) aemulus aemulus Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *aemulus Eliot & Kawazoe, 1984*
 38798) Udara (Selmanix) ceix (De Nicéville, 1892) (Lycaenidae) Synonym(s): *ceix De Nicéville, 1892*
 38799) Udara (Selmanix) ceix ceix (De Nicéville, 1892) (Lycaenidae) Synonym(s): *ceix De Nicéville, 1892*
 38800) Udara (Selmanix) ceix nix (Toxopeus, 1928) (Lycaenidae) Synonym(s): *nix Toxopeus, 1928*
 38801) Udara (Selmanix) nishiyamai Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *nishiyamai Eliot & Kawazoe, 1984*
 38802) Udara (Selmanix) nishiyamai nishiyamai Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *nishiyamai Eliot & Kawazoe, 1984*
 38803) Udara (Selmanix) santotomasana Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *santotomasana Eliot & Kawazoe, 1984*
 38804) Udara (Selmanix) santotomasana santotomasana Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *santotomasana Eliot & Kawazoe, 1984*
 38805) Udara (Selmanix) santotomasana subpura Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *subpura Eliot & Kawazoe, 1984*
 38806) Udara (Selmanix) selma (Druce, 1895) (Lycaenidae) Synonym(s): *selma Druce, 1895*
 38807) Udara (Selmanix) selma arsina (Fruhstorfer, 1922) (Lycaenidae) Synonym(s): *arsina Fruhstorfer, 1922*
 38808) Udara (Selmanix) selma cerima (Corbet, 1937) (Lycaenidae) Synonym(s): *cerima Corbet, 1937*
 38809) Udara (Selmanix) selma elothales (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *elothales Fruhstorfer, 1910; jugurtha Fruhstorfer, 1910*
 38810) Udara (Selmanix) selma mindanensis Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *mindanensis Eliot & Kawazoe, 1984*
 38811) Udara (Selmanix) selma selma (Druce, 1895) (Lycaenidae) Synonym(s): *selma Druce, 1895*
 38812) Udara (Selmanix) selma tanarata (Corbet, 1937) (Lycaenidae) Synonym(s): *tanarata Corbet, 1937; parvula Corbet, 1938*
 38813) Udara (Selmanix) wilemani Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *wilemani Eliot & Kawazoe, 1984*
 38814) Udara (Selmanix) wilemani wilemani Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *wilemani Eliot & Kawazoe, 1984*
 38815) Udara (Vaga) blackburni (Tuely, 1878) (Lycaenidae) Synonym(s): *blackburni Tuely, 1878*
 38816) Udara (Vaga) blackburni blackburni (Tuely, 1878) (Lycaenidae) Synonym(s): *blackburni Tuely, 1878*
 38817) Udara (Vaga) ogasawaraensis (Pryer, 1886) (Lycaenidae) Synonym(s): *ogasawaraensis Pryer, 1886*
 38818) Udara (s.str.) akasa (Horsfield, 1828) (Lycaenidae) Synonym(s): *akasa Horsfield, 1828; calon Fruhstorfer, 1910*
 38819) Udara (s.str.) akasa akasa (Horsfield, 1828) (Lycaenidae) Synonym(s): *akasa Horsfield, 1828; calon Fruhstorfer, 1910*
 38820) Udara (s.str.) akasa catullus (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *catullus Fruhstorfer, 1910*
 38821) Udara (s.str.) akasa mavis (Fruhstorfer, 1917) (Lycaenidae) Synonym(s): *mavis Fruhstorfer, 1917*
 38822) Udara (s.str.) akasa sadanobui Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *sadanobui Eliot & Kawazoe, 1984*
 38823) Udara (s.str.) aristinus (Fruhstorfer, 1917) (Lycaenidae) Synonym(s): *aristinus Fruhstorfer, 1917; klossi Corbet, 1937*
 38824) Udara (s.str.) aristinus aristinus (Fruhstorfer, 1917) (Lycaenidae) Synonym(s): *aristinus Fruhstorfer, 1917; klossi Corbet, 1937*
 38825) Udara (s.str.) aristius (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *aristius Fruhstorfer, 1910*
 38826) Udara (s.str.) aristius aristius (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *aristius Fruhstorfer, 1910*
 38827) Udara (s.str.) aristius lewari (Ribbe, 1926) (Lycaenidae) Synonym(s): *lewari Ribbe, 1926*
 38828) Udara (s.str.) camenae (De Nicéville, 1895) (Lycaenidae) Synonym(s): *camenae De Nicéville, 1895*
 38829) Udara (s.str.) camenae camenae (De Nicéville, 1895) (Lycaenidae) Synonym(s): *camenae De Nicéville, 1895*
 38830) Udara (s.str.) camenae euphron (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *euphron Fruhstorfer, 1910; valeria Fruhstorfer, 1910*
 38831) Udara (s.str.) camenae filipina (Murayama & Okamura, 1973) (Lycaenidae) Synonym(s): *filipina Murayama & Okamura, 1973*
 38832) Udara (s.str.) camenae mansuela Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *mansuela Eliot & Kawazoe, 1984*
 38833) Udara (s.str.) camenae pendleburyi (Corbet, 1937) (Lycaenidae) Synonym(s): *pendleburyi Corbet, 1937*
 38834) Udara (s.str.) camenae strophis (Druce, 1895) (Lycaenidae) Synonym(s): *strophis Druce, 1895*
 38835) Udara (s.str.) cardia (Felder, 1860) (Lycaenidae) Synonym(s): *cardia Felder, 1860; owgarra Bethune-Baker, 1908*
 38836) Udara (s.str.) cardia cardia (Felder, 1860) (Lycaenidae) Synonym(s): *cardia Felder, 1860; owgarra Bethune-Baker, 1908*
 38837) Udara (s.str.) cardia miyashitai Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *miyashitai Eliot & Kawazoe, 1984*
 38838) Udara (s.str.) coalita (De Nicéville, 1891) (Lycaenidae) Synonym(s): *coalita De Nicéville, 1891; polemonia Toxopeus, 1928*
 38839) Udara (s.str.) coalita briga (Fruhstorfer, 1917) (Lycaenidae) Synonym(s): *briga Fruhstorfer, 1917; margarelon Fruhstorfer, 1922*
 38840) Udara (s.str.) coalita coalita (De Nicéville, 1891) (Lycaenidae) Synonym(s): *coalita De Nicéville, 1891; polemonia Toxopeus, 1928*
 38841) Udara (s.str.) cyma (Toxopeus, 1927) (Lycaenidae) Synonym(s): *cyma Toxopeus, 1927*
 38842) Udara (s.str.) cyma cyma (Toxopeus, 1927) (Lycaenidae) Synonym(s): *cyma Toxopeus, 1927*
 38843) Udara (s.str.) cyma elioti Hayashi, 1976 (Lycaenidae) Synonym(s): *elioti Hayashi, 1976*
 38844) Udara (s.str.) dilecta (Moore, 1879) (Lycaenidae) Synonym(s): *dilectus Moore, 1879; hermonthis Fruhstorfer, 1909; hainana Fruhstorfer, 1910*
 38845) Udara (s.str.) dilecta coalitoides (Rothschild, 1915) (Lycaenidae) Synonym(s): *coalitoides Rothschild, 1915*
 38846) Udara (s.str.) dilecta dilecta (Moore, 1879) (Lycaenidae) Synonym(s): *dilectus Moore, 1879; hermonthis Fruhstorfer, 1909; hainana Fruhstorfer, 1910*
 38847) Udara (s.str.) dilecta neodilecta (Corbet, 1937) (Lycaenidae) Synonym(s): *neodilecta Corbet, 1937*
 38848) Udara (s.str.) dilecta paracatius (Fruhstorfer, 1917) (Lycaenidae) Synonym(s): *paracatius Fruhstorfer, 1917*
 38849) Udara (s.str.) dilecta parva Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *parva Eliot & Kawazoe, 1984*
 38850) Udara (s.str.) dilecta subcoalita (Rothschild, 1915) (Lycaenidae) Synonym(s): *subcoalita Rothschild, 1915; cynanae Fruhstorfer, 1917; #paradilecta Fruhstorfer, 1917; lombokensis Fruhstorfer, 1917; paradilecta Toxopeus, 1927; #phoenix Toxopeus, 1928*
 38851) Udara (s.str.) dilecta thoria (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *thoria Fruhstorfer, 1910*
 38852) Udara (s.str.) dilectissima (Druce, 1895) (Lycaenidae) Synonym(s): *dilectissima Druce, 1895*
 38853) Udara (s.str.) dilectissima dilectissima (Druce, 1895) (Lycaenidae) Synonym(s): *dilectissima Druce, 1895*
 38854) Udara (s.str.) dilectissima luzona Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *luzona Eliot & Kawazoe, 1984*
 38855) Udara (s.str.) drucei (Bethune-Baker, 1906) (Lycaenidae) Synonym(s): *drucei Bethune-Baker, 1906; parvipuncta Rothschild, 1915*
 38856) Udara (s.str.) drucei drucei (Bethune-Baker, 1906) (Lycaenidae) Synonym(s): *drucei Bethune-Baker, 1906; parvipuncta Rothschild, 1915*
 38857) Udara (s.str.) etsuzoi Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *etsuzoi Eliot & Kawazoe, 1984*
 38858) Udara (s.str.) etsuzoi etsuzoi Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *etsuzoi Eliot & Kawazoe, 1984*
 38859) Udara (s.str.) lanka (Moore, 1877) (Lycaenidae) Synonym(s): *lanka Moore, 1877*
 38860) Udara (s.str.) lanka lanka (Moore, 1877) (Lycaenidae) Synonym(s): *lanka Moore, 1877*
 38861) Udara (s.str.) masinissa (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *masinissa Fruhstorfer, 1910*
 38862) Udara (s.str.) masinissa masinissa (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *masinissa Fruhstorfer, 1910*
 38863) Udara (s.str.) placidula (Druce, 1895) (Lycaenidae) Synonym(s): *placidula Druce, 1895*
 38864) Udara (s.str.) placidula calata (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *calata Fruhstorfer, 1910*
 38865) Udara (s.str.) placidula confusa Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *confusa Eliot & Kawazoe, 1984*
 38866) Udara (s.str.) placidula howarthi (Cantlie & Norman, 1960) (Lycaenidae) Synonym(s): *howarthi Cantlie & Norman, 1960*
 38867) Udara (s.str.) placidula intensa (Toxopeus, 1928) (Lycaenidae) Synonym(s): *intensa Toxopeus, 1928*
 38868) Udara (s.str.) placidula irenae (Corbet, 1937) (Lycaenidae) Synonym(s): *irenae Corbet, 1937*
 38869) Udara (s.str.) placidula kawazoei Hayashi, 1976 (Lycaenidae) Synonym(s): *kawazoei Hayashi, 1976*
 38870) Udara (s.str.) placidula lyseas (Grose-Smith, 1895) (Lycaenidae) Synonym(s): *lyseas Grose-Smith, 1895*
 38871) Udara (s.str.) placidula placidula (Druce, 1895) (Lycaenidae) Synonym(s): *placidula Druce, 1895*
 38872) Udara (s.str.) placidula snelleni (Toxopeus, 1926) (Lycaenidae) Synonym(s): *snelleni Toxopeus, 1926*
 38873) Udara (s.str.) rona (Grose-Smith, 1894) (Lycaenidae) Synonym(s): *rona Grose-Smith, 1894; beretava Ribbe, 1899; biagi Bethune-Baker, 1908; thorinda Toxopeus, 1928*
 38874) Udara (s.str.) rona catius (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *catius Fruhstorfer, 1910; astarga Fruhstorfer, 1910; xanthippe Corbet, 1937*
 38875) Udara (s.str.) rona rona (Grose-Smith, 1894) (Lycaenidae) Synonym(s): *rona Grose-Smith, 1894; beretava Ribbe, 1899; biagi Bethune-Baker, 1908; thorinda Toxopeus, 1928*
 38876) Udara (s.str.) serangana Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *serangana Eliot & Kawazoe, 1984*

- 38877) Udara (s.str.) serangana serangana Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *serangana* Eliot & Kawazoe, 1984
 38878) Udara (s.str.) singalensis (Felder, 1868) (Lycaenidae) Synonym(s): *singalensis* Felder, 1868
 38879) Udara (s.str.) singalensis singalensis (Felder, 1868) (Lycaenidae) Synonym(s): *singalensis* Felder, 1868
 38880) Udara (s.str.) tenella (Miskin, 1891) (Lycaenidae) Synonym(s): *tenella* Miskin, 1891
 38881) Udara (s.str.) toxopeusi (Corbet, 1937) (Lycaenidae) Synonym(s): *toxopeusi* Corbet, 1937
 38882) Udara (s.str.) toxopeusi nieuwenhuisi Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *nieuwenhuisi* Eliot & Kawazoe, 1984
 38883) Udara (s.str.) toxopeusi toxopeusi (Corbet, 1937) (Lycaenidae) Synonym(s): *toxopeusi* Corbet, 1937
 38884) Una philippensis Schröder & Treadaway, 1986 (Lycaenidae) Synonym(s): *philippensis* Schröder & Treadaway, 1986
 38885) Una usta (Distant, 1886) (Lycaenidae) Synonym(s): *usta* Distant, 1886
 38886) Una usta usta (Distant, 1886) (Lycaenidae) Synonym(s): *usta* Distant, 1886
 38887) Uranobothria celebica (Fruhstorfer, 1917) (Lycaenidae) Synonym(s): *celebica* Fruhstorfer, 1917
 38888) Uranobothria celebica celebica (Fruhstorfer, 1917) (Lycaenidae) Synonym(s): *celebica* Fruhstorfer, 1917
 38889) Uranobothria tsukadai Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *tsukadai* Eliot & Kawazoe, 1984
 38890) Uranobothria tsukadai tsukadai Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *tsukadai* Eliot & Kawazoe, 1984
 38891) Uranothauma antinorii (Oberthür, 1883) (Lycaenidae) Synonym(s): *antinorii* Oberthür, 1883
 38892) Uranothauma antinorii antinorii (Oberthür, 1883) (Lycaenidae) Synonym(s): *antinorii* Oberthür, 1883
 38893) Uranothauma antinorii felthami (Stevenson, 1934) (Lycaenidae) Synonym(s): *felthami* Stevenson, 1934
 38894) Uranothauma artemenes (Mabille, 1880) (Lycaenidae) Synonym(s): *artemenes* Mabille, 1880; *auratus* Butler, 1880.
 38895) Uranothauma confusa Kielland, 1989 (Lycaenidae) Synonym(s): *confusa* Kielland, 1989
 38896) Uranothauma cordatus (Sharpe, 1892) (Lycaenidae) Synonym(s): *cordatus* Sharpe, 1892
 38897) Uranothauma crawshayi Butler, 1895 (Lycaenidae) Synonym(s): *crawshayi* Butler, 1895; *pseudocrawshayi* Kielland, 1980.
 38898) Uranothauma cuneatum Tite, 1958 (Lycaenidae) Synonym(s): *cuneatum* Tite, 1958
 38899) Uranothauma delatorum Heron, 1909 (Lycaenidae) Synonym(s): *delatorum* Heron, 1909
 38900) Uranothauma falkensteini (Dewitz, 1879) (Lycaenidae) Synonym(s): *falkensteini* Dewitz, 1879
 38901) Uranothauma kilimensis Kielland, 1985 (Lycaenidae) Synonym(s): *kilimensis* Kielland, 1985
 38902) Uranothauma lukwangule Kielland, 1987 (Lycaenidae) Synonym(s): *lukwangule* Kielland, 1987
 38903) Uranothauma lunifer (Rebel, 1914) (Lycaenidae) Synonym(s): *lunifer* Rebel, 1914
 38904) Uranothauma nguru Kielland, 1985 (Lycaenidae) Synonym(s): *nguru* Kielland, 1985
 38905) Uranothauma nubifer (Trimen, 1895) (Lycaenidae) Synonym(s): *nubifer* Trimen, 1895; *pelotus* Karsch, 1895; *distinctesignatus* Strand, 1911.
 38906) Uranothauma poggei (Dewitz, 1879) (Lycaenidae) Synonym(s): *poggei* Dewitz, 1879
 38907) Uranothauma uganda Kielland, 1980 (Lycaenidae) Synonym(s): *uganda* Kielland, 1980
 38908) Uranothauma usambarae Kielland, 1980 (Lycaenidae) Synonym(s): *usambarae* Kielland, 1980
 38909) Uranothauma vansomeri Stempffer, 1951 (Lycaenidae) Synonym(s): *vansomeri* Stempffer, 1951
 38910) Uranothauma williamsi Carcasson, 1961 (Lycaenidae) Synonym(s): *williamsi* Carcasson, 1961
 38911) Ussuriana takarana Araki & Hirayama, 1941 (Lycaenidae) Synonym(s): *takarana* Araki & Hirayama, 1941; *psedibara* Mizoguchi & Hiura, 1958
 38912) Vansomeria rogersi (Riley, 1932) (Lycaenidae) Synonym(s): *rogersi* Riley, 1932
 38913) Wagimo signata (Butler, 1882) (Lycaenidae) Synonym(s): *signata* Butler, 1882
 38914) Wagimo signata signata (Butler, 1882) (Lycaenidae) Synonym(s): *signata* Butler, 1882
 38915) Wagimo sulgeri (Oberthür, 1908) (Lycaenidae) Synonym(s): *sulgeri* Oberthür, 1908
 38916) Wagimo sulgeri insularis Shirozu, 1957 (Lycaenidae) Synonym(s): *insularis* Shirozu, 1957
 38917) Wagimo sulgeri sulgeri (Oberthür, 1908) (Lycaenidae) Synonym(s): *sulgeri* Oberthür, 1908
 38918) Yasoda androconifera Fruhstorfer, [1912] (Lycaenidae) Synonym(s): *androconifera* Fruhstorfer, [1912]
 38919) Yasoda androconifera androconifera Fruhstorfer, [1912] (Lycaenidae) Synonym(s): *androconifera* Fruhstorfer, [1912]
 38920) Yasoda pita (Horsfield, [1829]) (Lycaenidae) Synonym(s): *pita* Horsfield, [1829]
 38921) Yasoda pita dohertyi Fruhstorfer, [1912] (Lycaenidae) Synonym(s): *dohertyi* Fruhstorfer, [1912]
 38922) Yasoda pita pita (Horsfield, [1829]) (Lycaenidae) Synonym(s): *pita* Horsfield, [1829]
 38923) Yasoda pitane De Nicéville, [1893] (Lycaenidae) Synonym(s): *pitane* De Nicéville, [1893]
 38924) Yasoda pitane laruta Eliot, 1962 (Lycaenidae) Synonym(s): *laruta* Eliot, 1962
 38925) Yasoda pitane pitane De Nicéville, [1893] (Lycaenidae) Synonym(s): *pitane* De Nicéville, [1893]
 38926) Yasoda tripunctata (Hewitson, 1863) (Lycaenidae) Synonym(s): *tripunctata* Hewitson, 1863
 38927) Yasoda tripunctata atrinotata Fruhstorfer, [1912] (Lycaenidae) Synonym(s): *atrinotata* Fruhstorfer, [1912]
 38928) Yasoda tripunctata tripunctata (Hewitson, 1863) (Lycaenidae) Synonym(s): *tripunctata* Hewitson, 1863
 38929) Yettekia kumukuleensis (Huang & Murayama, 1988) (Lycaenidae) Synonym(s): *kumukuleensis* Huang & Murayama, 1988
 38930) Zeltus amasa (Hewitson, [1865]) (Lycaenidae) Synonym(s): *amasa* Hewitson, [1865]
 38931) Zeltus amasa amasa (Hewitson, [1865]) (Lycaenidae) Synonym(s): *amasa* Hewitson, [1865]
 38932) Zeltus amasa masaya Takana, 1984 (Lycaenidae) Synonym(s): *masaya* Takana, 1984
 38933) Zeltus amasa maximinians Fruhstorfer, [1912] (Lycaenidae) Synonym(s): *maximinians* Fruhstorfer, [1912]
 38934) Zeltus amasa miyatakei Hayashi, 1977 (Lycaenidae) Synonym(s): *miyatakei* Hayashi, 1977
 38935) Zeritis aurivillii Schultze, 1908 (Lycaenidae) Synonym(s): *aurivillii* Schultze, 1908
 38936) Zeritis fontainei Stempffer, 1956 (Lycaenidae) Synonym(s): *fontainei* Stempffer, 1956
 38937) Zeritis krystyna D'Abrera, 1980 (Lycaenidae) Synonym(s): *krystyna* D'Abrera, 1980
 38938) Zeritis neriene Boisduval, 1836 (Lycaenidae) Synonym(s): *neriene* Boisduval, 1836
 38939) Zeritis pulcherrima Aurivillius, 1923 (Lycaenidae) Synonym(s): *pulcherrima* Aurivillius, 1923
 38940) Zeritis sorhagenii (Dewitz, 1879) (Lycaenidae) Synonym(s): *sorhagenii* Dewitz, 1879
 38941) Zesius chrysomallus Hübner, [1819] (Lycaenidae) Synonym(s): *chrysomallus* Hübner, [1819]
 38942) Zinaspa distorta (De Nicéville, 1887) (Lycaenidae) Synonym(s): *distorta* De Nicéville, 1887
 38943) Zinaspa todara (Moore, [1884]) (Lycaenidae) Synonym(s): *todara* Moore, [1884]
 38944) Zinaspa todara karenia (Evans, [1925]) (Lycaenidae) Synonym(s): *karenia* Evans, [1925]; *#karenina* D'Abrera, 1986
 38945) Zinaspa todara neglecta South, 1913 (Lycaenidae) Synonym(s): *neglecta* South, 1913
 38946) Zinaspa todara todara (Moore, [1884]) (Lycaenidae) Synonym(s): *todara* Moore, [1884]
 38947) Zinaspa zana De Nicéville, 1898 (Lycaenidae) Synonym(s): *zana* De Nicéville, 1898
 38948) Zintha hintza (Trimen, 1864) (Lycaenidae) Synonym(s): *hintza* Trimen, 1864.
 38949) Zintha hintza hintza (Trimen, 1864) (Lycaenidae) Synonym(s): *hintza* Trimen, 1864.
 38950) Zintha hintza krooni (Dickson, 1973) (Lycaenidae) Synonym(s): *krooni* Dickson, 1973.
 38951) Zintha hintza resplendens (Butler, 1876) (Lycaenidae) Synonym(s): *resplendens* Butler, 1876
 38952) Zizeeria (Pseudozizeeria) maha (Kollar, [1844]) (Lycaenidae) Synonym(s): *maha* Kollar, [1844]; *chandala* Moore; *diluta* Felder; *squalida* Butler.
 38953) Zizeeria (Pseudozizeeria) maha maha (Kollar, [1844]) (Lycaenidae) Synonym(s): *maha* Kollar, [1844]; *chandala* Moore; *diluta* Felder; *squalida* Butler.
 38954) Zizeeria (Pseudozizeeria) maha okinawana Matsumura, 1929 (Lycaenidae) Synonym(s): *okinawana* Matsumura, 1929
 38955) Zizeeria (s.str.) karsandra (Moore, 1865) (Lycaenidae) Synonym(s): *karsandra* Moore, 1865
 38956) Zizeeria (s.str.) karsandra karsandra (Moore, 1865) (Lycaenidae) Synonym(s): *karsandra* Moore, 1865
 38957) Zizeeria (s.str.) knysna (Trimen, 1862) (Lycaenidae) Synonym(s): *lysimon* Hübner, [1804] nec Stll, [1790]; *knysna* Trimen, 1862.
 38958) Zizeeria (s.str.) knysna knysna (Trimen, 1862) (Lycaenidae) Synonym(s): *lysimon* Hübner, [1804] nec Stll, [1790]; *knysna* Trimen, 1862.
 38959) Zizina antanossa (Mabille, 1877) (Lycaenidae) Synonym(s): *antanossa* Mabille, 1877
 38960) Zizina antanossa antanossa (Mabille, 1877) (Lycaenidae) Synonym(s): *antanossa* Mabille, 1877
 38961) Zizina otis (Fabricius, 1787) (Lycaenidae) Synonym(s): *otis* Fabricius, 1787
 38962) Zizina otis indica (Murray, 1874) (Lycaenidae) Synonym(s): *indica* Murray, 1874
 38963) Zizina otis lampa (Corbet, 1940) (Lycaenidae) Synonym(s): *lampa* Corbet, 1940
 38964) Zizina otis otis (Fabricius, 1787) (Lycaenidae) Synonym(s): *otis* Fabricius, 1787
 38965) Zizina otis sangra (Moore, 1865) (Lycaenidae) Synonym(s): *sangra* Moore, 1865
 38966) Zizula cyna (Lycaenidae) Synonym(s):

- 38967) *Zizula hylax* (Fabricius,1775) (Lycaenidae) Synonym(s): *hylax* Fabricius,1775; *gaika* Trimen,1862; *mylica* Guenée,1863; *cleodora* Walker,1870; *perparva* Saalmüller,1884.
- 38968) *Zizula hylax hylax* (Fabricius,1775) (Lycaenidae) Synonym(s): *hylax* Fabricius,1775; *gaika* Trimen,1862; *mylica* Guenée,1863; *cleodora* Walker,1870; *perparva* Saalmüller,1884.
- 38969) "Artaxa" compacta T.P.Lucas,1894 (Lymantriidae) Synonym(s): *#albidens* T.P.Lucas,1891; *compacta* T.P.Lucas,1894
- 38970) "Dasychira" daphne M.Hering,1926 (Lymantriidae) Synonym(s): *daphne* M.Hering,1926
- 38971) *Abynotha hylomima* (Holland,1893) (Lymantriidae) Synonym(s): *hylomima* Holland,1893
- 38972) *Abynotha meinickei* M.Hering,1926 (Lymantriidae) Synonym(s): *meinickei* M.Hering,1926
- 38973) *Abynotha preussi* (Mabille & Vuillot,1892) (Lymantriidae) Synonym(s): *preussi* Mabille & Vuillot,1892
- 38974) *Aclonophlebia callista* Collenette,1933 (Lymantriidae) Synonym(s): *callista* Collenette,1933
- 38975) *Aclonophlebia civilis* M.Hering,1926 (Lymantriidae) Synonym(s): *civilis* M.Hering,1926
- 38976) *Aclonophlebia diffusa* M.Hering,1926 (Lymantriidae) Synonym(s): *diffusa* M.Hering,1926
- 38977) *Aclonophlebia flaveola* M.Hering,1926 (Lymantriidae) Synonym(s): *flaveola* M.Hering,1926
- 38978) *Aclonophlebia flavinotata* Butler,1898 (Lymantriidae) Synonym(s): *flavinotata* Butler,1898
- 38979) *Aclonophlebia ganymedes* M.Hering,1926 (Lymantriidae) Synonym(s): *ganymedes* M.Hering,1926
- 38980) *Aclonophlebia inconspicua* Hampson,1910 (Lymantriidae) Synonym(s): *inconspicua* Hampson,1910
- 38981) *Aclonophlebia lymantrioides* M.Hering,1926 (Lymantriidae) Synonym(s): *lymantrioides* M.Hering,1926
- 38982) *Aclonophlebia perspicua* M.Hering,1928 (Lymantriidae) Synonym(s): *perspicua* M.Hering,1928
- 38983) *Aclonophlebia poecilanthes* Collenette,1931 (Lymantriidae) Synonym(s): *poecilanthes* Collenette,1931
- 38984) *Aclonophlebia rufotincta* M.Hering,1926 (Lymantriidae) Synonym(s): *rufotincta* M.Hering,1926
- 38985) *Acyphas amphideta* (Turner,1902) (Lymantriidae) Synonym(s): *amphideta* Turner,1902
- 38986) *Acyphas chionitis* (Turner,1902) (Lymantriidae) Synonym(s): *chionitis* Turner,1902
- 38987) *Acyphas fulviceps* (Walker,1855) (Lymantriidae) Synonym(s): *fulviceps* Walker,1855; *fusca* Walker,1855
- 38988) *Acyphas leptotypa* (Turner,1904) (Lymantriidae) Synonym(s): *leptotypa* Turner,1904
- 38989) *Acyphas pelodes* (Lower,1893) (Lymantriidae) Synonym(s): *pelodes* Lower,1893; *aneliopa* Lower,1915
- 38990) *Acyphas semiochrea* (Herrich-Schäffer,[1855]) (Lymantriidae) Synonym(s): *semiochrea* Herrich-Schäffer,[1855]; *leucomelas* Walker,1855; *diemenii* Herrich-Schäffer,[1858]; *anacausta* Meyrick,1891; *hololeuca* Meyrick,1891; *alboanalis* Strand,1914
- 38991) *Adetoneura lentiginosa* Collenette,1933 (Lymantriidae) Synonym(s): *lentiginosa* Collenette,1933
- 38992) *Albarracina warionis* (Oberthür,1881) (Lymantriidae) Synonym(s): *warionis* Oberthür,1881; *korbi* Staudinger,1883; *banghaasi* Rothschild,1909; *deundulata* Strand,1910; *schindlerae* Oberthür,1922; *alluaudi* Oberthür,1922; *syrticola* C.G.Krüger,1932; *littoralis* Le Cerf,1933; *#autumnalis* C.G.Krüger,1939; *humilis* Rungs,1975; *#thoracica* Rungs,1975
- 38993) *Albarracina warionis syriaca* Standfuss,[1890] (Lymantriidae) Synonym(s): *syriaca* Standfuss,[1890]; *baui* Standfuss,[1890]
- 38994) *Albarracina warionis warionis* (Oberthür,1881) (Lymantriidae) Synonym(s): *warionis* Oberthür,1881; *korbi* Staudinger,1883; *banghaasi* Rothschild,1909; *deundulata* Strand,1910; *schindlerae* Oberthür,1922; *alluaudi* Oberthür,1922; *syrticola* C.G.Krüger,1932; *littoralis* Le Cerf,1933; *#autumnalis* C.G.Krüger,1939; *humilis* Rungs,1975; *#thoracica* Rungs,1975
- 38995) *Ampehekes gymna* Collenette,1936 (Lymantriidae) Synonym(s): *gymna* Collenette,1936
- 38996) *Anextotamus flavibasis* M.Hering,1926 (Lymantriidae) Synonym(s): *flavibasis* M.Hering,1926
- 38997) *Arctornis albescentis* Holloway,1999 (Lymantriidae) Synonym(s): *albescentis* Holloway,1999
- 38998) *Arctornis ardea* Holloway,1999 (Lymantriidae) Synonym(s): *ardea* Holloway,1999
- 38999) *Arctornis asymmetricus* Holloway,1999 (Lymantriidae) Synonym(s): *asymmetricus* Holloway,1999
- 39000) *Arctornis aureopalpatum* Holloway,1999 (Lymantriidae) Synonym(s): *aureopalpatum* Holloway,1999
- 39001) *Arctornis bicalcaratus* Holloway,1999 (Lymantriidae) Synonym(s): *bicalcaratus* Holloway,1999
- 39002) *Arctornis bilobuncus* Holloway,1999 (Lymantriidae) Synonym(s): *bilobuncus* Holloway,1999
- 39003) *Arctornis bisetosus* Holloway,1999 (Lymantriidae) Synonym(s): *bisetosus* Holloway,1999
- 39004) *Arctornis brunnescens* Holloway,1999 (Lymantriidae) Synonym(s): *brunnescens* Holloway,1999
- 39005) *Arctornis calcaripallus* Holloway,1999 (Lymantriidae) Synonym(s): *calcaripallus* Holloway,1999
- 39006) *Arctornis camurisque* Collenette (Lymantriidae) Synonym(s):
- 39007) *Arctornis ceconimena* Collenette,1936 (Lymantriidae) Synonym(s): *ceconimena* Collenette,1936
- 39008) *Arctornis clavimicruncus* Holloway,1999 (Lymantriidae) Synonym(s): *clavimicruncus* Holloway,1999
- 39009) *Arctornis cloanges* Collenette,1936 (Lymantriidae) Synonym(s): *cloanges* Collenette,1936
- 39010) *Arctornis contrarcuatus* Holloway,1999 (Lymantriidae) Synonym(s): *contrarcuatus* Holloway,1999
- 39011) *Arctornis corrugata* Toxopeus (Lymantriidae) Synonym(s):
- 39012) *Arctornis cretosanaphtha* Holloway,1999 (Lymantriidae) Synonym(s): *cretosanaphtha* Holloway,1999
- 39013) *Arctornis cretoserratus* Holloway,1999 (Lymantriidae) Synonym(s): *cretoserratus* Holloway,1999
- 39014) *Arctornis cygna* (Moore,1879) (Lymantriidae) Synonym(s): *cygna* Moore,1879; *cymbicornis* Butler,1881; *nigricilia* Swinhoe,1881; *comma* Hampson,1892; *divisa* Hampson,1892; *#cygna* Strand,1915
- 39015) *Arctornis discirufa* (Swinhoe,1903) (Lymantriidae) Synonym(s): *discirufa* Swinhoe,1903
- 39016) *Arctornis dorsolineatus* Holloway,1999 (Lymantriidae) Synonym(s): *dorsolineatus* Holloway,1999
- 39017) *Arctornis egerina* (Swinhoe,1893) (Lymantriidae) Synonym(s): *egerina* Swinhoe,1893
- 39018) *Arctornis egerina gymnophleps* (Collenette,1938) (Lymantriidae) Synonym(s): *gymnophleps* Collenette,1938
- 39019) *Arctornis erasmia* Toxopeus (Lymantriidae) Synonym(s):
- 39020) *Arctornis excavatus* Holloway,1999 (Lymantriidae) Synonym(s): *excavatus* Holloway,1999
- 39021) *Arctornis faucium* Holloway,1999 (Lymantriidae) Synonym(s): *faucium* Holloway,1999
- 39022) *Arctornis ferruginicosta* Holloway,1999 (Lymantriidae) Synonym(s): *ferruginicosta* Holloway,1999
- 39023) *Arctornis flaminea* Toxopeus (Lymantriidae) Synonym(s):
- 39024) *Arctornis flora* (Swinhoe,1903) (Lymantriidae) Synonym(s): *flora* Swinhoe,1903
- 39025) *Arctornis florella* (Collenette,1935) (Lymantriidae) Synonym(s): *florella* Collenette,1935
- 39026) *Arctornis galene* Toxopeus (Lymantriidae) Synonym(s):
- 39027) *Arctornis gelasphora* Collenette,1936 (Lymantriidae) Synonym(s): *gelasphora* Collenette,1936
- 39028) *Arctornis graciliclava* Holloway,1999 (Lymantriidae) Synonym(s): *graciliclava* Holloway,1999
- 39029) *Arctornis hedleyi* Holloway,1999 (Lymantriidae) Synonym(s): *hedleyi* Holloway,1999MY Bor
- 39030) *Arctornis heteroides* (Collenette,1938) (Lymantriidae) Synonym(s): *heteroides* Collenette,1938
- 39031) *Arctornis hipparia* Swinhoe (Lymantriidae) Synonym(s):
- 39032) *Arctornis isabella* (Toxopeus,1948) (Lymantriidae) Synonym(s): *isabella* Toxopeus,1948
- 39033) *Arctornis keranganaphtha* Holloway,1999 (Lymantriidae) Synonym(s): *keranganaphtha* Holloway,1999
- 39034) *Arctornis l-nigrum* (Müller,1764) (Lymantriidae) Synonym(s): *l-nigrum* Müller,1764; *v-nigrum* Fabricius,1775; *nivosa* [Denis & Schiffermüller],1775; *vaunigra* Stephens,1828
- 39035) *Arctornis labi* Holloway,1999 (Lymantriidae) Synonym(s): *labi* Holloway,1999
- 39036) *Arctornis liguluncus* Holloway,1999 (Lymantriidae) Synonym(s): *liguluncus* Holloway,1999
- 39037) *Arctornis lumulosa* (Mackey,1984) (Lymantriidae) Synonym(s): *lumulosa* Mackey,1984
- 39038) *Arctornis magnaclava* Holloway,1999 (Lymantriidae) Synonym(s): *magnaclava* Holloway,1999
- 39039) *Arctornis mallephrika* Holloway,1999 (Lymantriidae) Synonym(s): *mallephrika* Holloway,1999
- 39040) *Arctornis malleuncus* Holloway,1999 (Lymantriidae) Synonym(s): *malleuncus* Holloway,1999
- 39041) *Arctornis marginalis* (Walker,1862) (Lymantriidae) Synonym(s): *marginalis* Walker,1862
- 39042) *Arctornis marginata* (Moore,1883) (Lymantriidae) Synonym(s): *marginata* Moore,1883; *discolor* Hampson,1896; *lerwa* Swinhoe,1899; *phaedra* Collenette,1932; *melinau* Holloway,1982
- 39043) *Arctornis meridionalis* (Holloway,1982) (Lymantriidae) Synonym(s): *meridionalis* Holloway,1982
- 39044) *Arctornis micacea* (Walker,1862) (Lymantriidae) Synonym(s): *micacea* Walker,1862; *pulverulenta* Snellen,1895
- 39045) *Arctornis minutissima* Swinhoe (Lymantriidae) Synonym(s):
- 39046) *Arctornis montanaphtha* Holloway,1999 (Lymantriidae) Synonym(s): *montanaphtha* Holloway,1999

- 39047) *Arctornis mulunaphtha* Holloway,1999 (Lymantriidae) Synonym(s): *mulunaphtha* Holloway,1999
 39048) *Arctornis naphtha* Holloway,1999 (Lymantriidae) Synonym(s): *naphtha* Holloway,1999
 39049) *Arctornis nigrobustus* Holloway,1999 (Lymantriidae) Synonym(s): *nigrobustus* Holloway,1999
 39050) *Arctornis niphobola* (Collenette,1932) (Lymantriidae) Synonym(s): *niphobola* Collenette,1932
 39051) *Arctornis obtusa* (Walker,1862) (Lymantriidae) Synonym(s): *obtusa* Walker,1862; *kinabaluensis* Strand,1910
 39052) *Arctornis oranaphtha* Holloway,1999 (Lymantriidae) Synonym(s): *oranaphtha* Holloway,1999
 39053) *Arctornis ouria* (Collenette,1938) (Lymantriidae) Synonym(s): *ouria* Collenette,1938
 39054) *Arctornis parvaclava* Holloway,1999 (Lymantriidae) Synonym(s): *parvaclava* Holloway,1999
 39055) *Arctornis pellucidoides* Holloway,1999 (Lymantriidae) Synonym(s): *pellucidoides* Holloway,1999
 39056) *Arctornis perfecta* Walker (Lymantriidae) Synonym(s):
 39057) *Arctornis phasmatodes* (Collenette,1932) (Lymantriidae) Synonym(s): *phasmatodes* Collenette,1932; *sparsa* Toxopeus,1948
 39058) *Arctornis phrika* (Collenette,1932) (Lymantriidae) Synonym(s): *phrika* Collenette,1932
 39059) *Arctornis phrika gedea* (Toxopeus,1948) (Lymantriidae) Synonym(s): *gedea* Toxopeus,1948
 39060) *Arctornis plumbacea* (Swinhoe,1903) (Lymantriidae) Synonym(s): *plumbacea* Swinhoe,1903
 39061) *Arctornis poecilonipha* (Collenette,1932) (Lymantriidae) Synonym(s): *poecilonipha* Collenette,1932; *arborchristi* Toxopeus,1948
 39062) *Arctornis prasideura* Toxopeus (Lymantriidae) Synonym(s):
 39063) *Arctornis pseudungula* Holloway,1999 (Lymantriidae) Synonym(s): *pseudungula* Holloway,1999
 39064) *Arctornis rhopica* Toxopeus (Lymantriidae) Synonym(s):
 39065) *Arctornis riguata* (Snellen,1895) (Lymantriidae) Synonym(s): *riguata* Snellen,1895
 39066) *Arctornis rufimarginata* Swinhoe (Lymantriidae) Synonym(s):
 39067) *Arctornis rugosacculus* Holloway,1999 (Lymantriidae) Synonym(s): *rugosacculus* Holloway,1999
 39068) *Arctornis rutila* (Fabricius,1781) (Lymantriidae) Synonym(s): *rutila* Fabricius,1781; *ennomoides* Walker,1862; *urapterides* Walker,1865; *subinanis* Walker,1866; *geometrica* Semper,1899
 39069) *Arctornis salebrosa* Toxopeus (Lymantriidae) Synonym(s):
 39070) *Arctornis satinata* Toxopeus (Lymantriidae) Synonym(s):
 39071) *Arctornis sclerotuncus* Holloway,1999 (Lymantriidae) Synonym(s): *sclerotuncus* Holloway,1999
 39072) *Arctornis secula* Holloway,1999 (Lymantriidae) Synonym(s): *secula* Holloway,1999
 39073) *Arctornis semihyalina* (Swinhoe,1904) (Lymantriidae) Synonym(s): *semihyalina* Swinhoe,1904; *lepta* Collenette,1932
 39074) *Arctornis singaporensis* Strand (Lymantriidae) Synonym(s):
 39075) *Arctornis sinuoharpe* Holloway,1999 (Lymantriidae) Synonym(s): *sinuoharpe* Holloway,1999
 39076) *Arctornis submarginata* Walker (Lymantriidae) Synonym(s):
 39077) *Arctornis tortricoides* (Walker,1862) (Lymantriidae) Synonym(s): *tortricoides* Walker,1862
 39078) *Arctornis trasiana* (Collenette,1933) (Lymantriidae) Synonym(s): *trasiana* Collenette,1933
 39079) *Arctornis tricorniger* Holloway,1999 (Lymantriidae) Synonym(s): *tricorniger* Holloway,1999
 39080) *Arctornis ungula* Holloway,1999 (Lymantriidae) Synonym(s): *ungula* Holloway,1999
 39081) *Arctornis virgamicruncus* Holloway,1999 (Lymantriidae) Synonym(s): *virgamicruncus* Holloway,1999
 39082) *Arctornis xanthochila* Collenette,1936 (Lymantriidae) Synonym(s): *xanthochila* Collenette,1936
 39083) *Argyrotagma niobe* (Weyermer,1896) (Lymantriidae) Synonym(s): *niobe* Weyermer,1896; *thomsoni* Druce,1898; *mediofasciata* M.Hering,1926
 39084) *Aroa achrodisca* Hampson,1910 (Lymantriidae) Synonym(s): *achrodisca* Hampson,1910; *deflecta* M.Hering,1926
 39085) *Aroa anthora* (R.Felder & Rogenhofer,1874) (Lymantriidae) Synonym(s): *anthora* R.Felder & Rogenhofer,1874
 39086) *Aroa atrella* Hampson,1892 (Lymantriidae) Synonym(s): *atrella* Hampson,1892
 39087) *Aroa atrescens* Hampson,1897 (Lymantriidae) Synonym(s): *atrescens* Hampson,1897
 39088) *Aroa aurantifascia* Hampson,1892 (Lymantriidae) Synonym(s): *aurantifascia* Hampson,1892
 39089) *Aroa callima* Bethune-Baker,1911 (Lymantriidae) Synonym(s): *callima* Bethune-Baker,1911
 39090) *Aroa campbelli* Hampson,1904 (Lymantriidae) Synonym(s): *campbelli* Hampson,1904
 39091) *Aroa catori* Bethune-Baker,1911 (Lymantriidae) Synonym(s): *catori* Bethune-Baker,1911
 39092) *Aroa celaenostola* Collenette,1932 (Lymantriidae) Synonym(s): *celaenostola* Collenette,1932
 39093) *Aroa cinnamomea* (Moore,1879) (Lymantriidae) Synonym(s): *cinnamomea* Moore,1879; *aurantiaca* W.Warren,1888
 39094) *Aroa clara* Swinhoe,1885 (Lymantriidae) Synonym(s): *clara* Swinhoe,1885
 39095) *Aroa cometaris* (Butler,1887) (Lymantriidae) Synonym(s): *cometaris* Butler,1887; *flavovittata* Pagenstecher,1900
 39096) *Aroa coreana* Matsumura,1933 (Lymantriidae) Synonym(s): *coreana* Matsumura,1933
 39097) *Aroa difficilis* Walker,1865 (Lymantriidae) Synonym(s): *difficilis* Walker,1865
 39098) *Aroa discalis* Walker,1855 (Lymantriidae) Synonym(s): *discalis* Walker,1855; *hypoxantha* Wallengren,1863; *ochraceata* Walker,1865; *signata* Walker,1865; *xanthypopteros* Wichgraf,1921
 39099) *Aroa fenestriculata* Strand,1910 (Lymantriidae) Synonym(s): *fenestriculata* Strand,1910
 39100) *Aroa fenestriculata kinabaluensis* Strand,1910 (Lymantriidae) Synonym(s): *kinabaluensis* Strand,1910
 39101) *Aroa flaveofusca* Swinhoe,1902 (Lymantriidae) Synonym(s): *flaveofusca* Swinhoe,1902
 39102) *Aroa flavicollis* (Leech,1890) (Lymantriidae) Synonym(s): *flavicollis* Leech,1890; *leucoides* Strand,1911
 39103) *Aroa glebula* Swinhoe,1906 (Lymantriidae) Synonym(s): *glebula* Swinhoe,1906
 39104) *Aroa incerta* Rogenhofer,1891 (Lymantriidae) Synonym(s): *incerta* Rogenhofer,1891
 39105) *Aroa kambaiti* Collenette,1960 (Lymantriidae) Synonym(s): *kambaiti* Collenette,1960
 39106) *Aroa leonensis* Hampson,1910 (Lymantriidae) Synonym(s): *leonensis* Hampson,1910
 39107) *Aroa leucogramma* (R.Felder & Rogenhofer,1875) (Lymantriidae) Synonym(s): *leucogramma* R.Felder & Rogenhofer,1875; *meridionalis* Collenette,1932
 39108) *Aroa lithosioides* (Walker,1862) (Lymantriidae) Synonym(s): *lithosioides* Walker,1862
 39109) *Aroa luisa* Pagenstecher,1885 (Lymantriidae) Synonym(s): *luisa* Pagenstecher,1885; *niasana* Swinhoe,1907
 39110) *Aroa major* Hampson,1892 (Lymantriidae) Synonym(s): *major* Hampson,1892
 39111) *Aroa maxima* Hampson,1892 (Lymantriidae) Synonym(s): *maxima* Hampson,1892
 39112) *Aroa melanoleuca* Hampson,1905 (Lymantriidae) Synonym(s): *melanoleuca* Hampson,1905; *decolorata* M.Hering,1926
 39113) *Aroa mirma* Swinhoe,1903 (Lymantriidae) Synonym(s): *mirma* Swinhoe,1903
 39114) *Aroa nigripicta* Holland,1893 (Lymantriidae) Synonym(s): *nigripicta* Holland,1893
 39115) *Aroa nigrofascia* Wileman,1911 (Lymantriidae) Synonym(s): *nigrofascia* Wileman,1911; *jankowskii* Matsumura,1921
 39116) *Aroa noctuaeformis* (Aurivillius,1925) (Lymantriidae) Synonym(s): *noctuaeformis* Aurivillius,1925
 39117) *Aroa obliqua* Bethune-Baker,1911 (Lymantriidae) Synonym(s): *obliqua* Bethune-Baker,1911
 39118) *Aroa ochracea* (Moore,1879) (Lymantriidae) Synonym(s): *ochracea* Moore,1879
 39119) *Aroa ochripicta* Moore,1879 (Lymantriidae) Synonym(s): *ochripicta* Moore,1879
 39120) *Aroa omissa* Holland,1893 (Lymantriidae) Synonym(s): *omissa* Holland,1893
 39121) *Aroa pampocila* Collenette,1930 (Lymantriidae) Synonym(s): *pampocila* Collenette,1930
 39122) *Aroa perfida* Bethune-Baker,1911 (Lymantriidae) Synonym(s): *perfida* Bethune-Baker,1911
 39123) *Aroa pinodes* Bethune-Baker,1911 (Lymantriidae) Synonym(s): *pinodes* Bethune-Baker,1911
 39124) *Aroa plana* (Walker,1855) (Lymantriidae) Synonym(s): *plana* Walker,1855; *junctifera* Walker,1865
 39125) *Aroa postfusca* Gaede,1932 (Lymantriidae) Synonym(s): *postfusca* Gaede,1932
 39126) *Aroa pyrrhochroma* Walker,1865 (Lymantriidae) Synonym(s): *pyrrhochroma* Walker,1865
 39127) *Aroa quadrimaculata* (Janse,1915) (Lymantriidae) Synonym(s): *quadrimaculata* Janse,1915
 39128) *Aroa quadriplagata* Pagenstecher,1903 (Lymantriidae) Synonym(s): *quadriplagata* Pagenstecher,1903
 39129) *Aroa risoria* Swinhoe,1903 (Lymantriidae) Synonym(s): *risoria* Swinhoe,1903
 39130) *Aroa sagrara* Swinhoe,1885 (Lymantriidae) Synonym(s): *sagrara* Swinhoe,1885
 39131) *Aroa scytodes* Collenette,1932 (Lymantriidae) Synonym(s): *scytodes* Collenette,1932
 39132) *Aroa sienna* Hampson,1890 (Lymantriidae) Synonym(s): *sienna* Hampson,1890; *siena* Bryk,1934
 39133) *Aroa simplex* (Walker,1865) (Lymantriidae) Synonym(s): *simplex* Walker,1865

- 39134) *Aroa socrus* (Geyer,[1837]) (Lymantriidae) Synonym(s): *socrus* Geyer,[1837]
 39135) *Aroa subnotata* (Walker,1855) (Lymantriidae) Synonym(s): *subnotata* Walker,1855
 39136) *Aroa substrigosa* Walker,1855 (Lymantriidae) Synonym(s): *substrigosa* Walker,1855
 39137) *Aroa ticana* Schaus & Clements,1893 (Lymantriidae) Synonym(s): *ticana* Schaus & Clements,1893
 39138) *Aroa tomisa* Druce,1896 (Lymantriidae) Synonym(s): *tomisa* Druce,1896
 39139) *Aroa umbrata* Bethune-Baker,1908 (Lymantriidae) Synonym(s): *umbrata* Bethune-Baker,1908
 39140) *Aroa xerampelina* (Swinhoe,1885) (Lymantriidae) Synonym(s): *xerampelina* Swinhoe,1885
 39141) *Aroa yakoe* Bethune-Baker,1927 (Lymantriidae) Synonym(s): *yakoe* Bethune-Baker,1927
 39142) *Aruta flavipes* (Hampson,1892) (Lymantriidae) Synonym(s): *flavipes* Hampson,1892
 39143) *Aza eutelia* Druce,1899 (Lymantriidae) Synonym(s): *eutelia* Druce,1899
 39144) *Aza micacea* Walker,1865 (Lymantriidae) Synonym(s): *micacea* Walker,1865
 39145) *Azerturkia signatoria* (Christoph,1893) (Lymantriidae) Synonym(s): *signatoria* Christoph,1893
 39146) *Azerturkia signatoria militaris* (Oberthür,1914) (Lymantriidae) Synonym(s): *militaris* Oberthür,1914; *algerica* Oberthür,1916
 39147) *Azerturkia signatoria poenitens* (Staudinger,1900) (Lymantriidae) Synonym(s): *poenitens* Staudinger,1900
 39148) *Azerturkia signatoria signatoria* (Christoph,1893) (Lymantriidae) Synonym(s): *signatoria* Christoph,1893
 39149) *Barlowia charax* (Druce,1896) (Lymantriidae) Synonym(s): *charax* Druce,1896
 39150) *Barlowia nephodes* Collenette,1932 (Lymantriidae) Synonym(s): *nephodes* Collenette,1932
 39151) *Barlowia pyrilampres* Collenette,1931 (Lymantriidae) Synonym(s): *pyrilampres* Collenette,1931
 39152) *Barlowia zelotes* Talbot,1929 (Lymantriidae) Synonym(s): *zelotes* Talbot,1929
 39153) *Bicelluphora argentea* Janse,1915 (Lymantriidae) Synonym(s): *argentea* Janse,1915
 39154) *Bifurca longinasus* De Joannis,1929 (Lymantriidae) Synonym(s): *longinasus* De Joannis,1929
 39155) *Birnara bicolor* Walker (Lymantriidae) Synonym(s):
 39156) *Bracharoa dregei* (Herrich-Schäffer,1854) (Lymantriidae) Synonym(s): *dregei* Herrich-Schäffer,1854
 39157) *Bracharoa mixta* (Snellen,1872) (Lymantriidae) Synonym(s): *mixta* Snellen,1872; *vetusta* Hampson,1910
 39158) *Bracharoa quadripunctata* (Wallengren,1875) (Lymantriidae) Synonym(s): *quadripunctata* Wallengren,1875; *bistigmigera* Butler,1897; *#quadripuncta* Janse,1915
 39159) *Bracharoa reducta* M.Hering,1926 (Lymantriidae) Synonym(s): *reducta* M.Hering,1926
 39160) *Bracharoa tricolor* (Herrich-Schäffer,1856) (Lymantriidae) Synonym(s): *tricolor* Herrich-Schäffer,1856
 39161) *Calliteara abietis* [(Denis & Schiffermüller),1775] (Lymantriidae) Synonym(s): *#abietis* [Denis & Schiffermüller],1775
 39162) *Calliteara angulata* (Hampson,1895) (Lymantriidae) Synonym(s): *angulata* Hampson,1895; *maculosa* Matsumura,1929; *#angulosa* Kishida,1979
 39163) *Calliteara aphrasta* Collenette,1938 (Lymantriidae) Synonym(s): *aphrasta* Collenette,1938
 39164) *Calliteara arizana* (Wileman,1910) (Lymantriidae) Synonym(s): *arizana* Wileman,1910; *#arizona* Strand,1925; *albibasis* Matsumura,1931; *matsumurae* Bryk,1935
 39165) *Calliteara axutha* (Collenette,1934) (Lymantriidae) Synonym(s): *axutha* Collenette,1934
 39166) *Calliteara baibarana* (Matsumura,1927) (Lymantriidae) Synonym(s): *baibarana* Matsumura,1927
 39167) *Calliteara box* Holloway,1999 (Lymantriidae) Synonym(s): *box* Holloway,1999
 39168) *Calliteara cerigoides* (Walker,1862) (Lymantriidae) Synonym(s): *cerigoides* Walker,1862
 39169) *Calliteara cox* Schintlmeister,1994 (Lymantriidae) Synonym(s): *cox* Schintlmeister,1994
 39170) *Calliteara diplozona* (Collenette,1932) (Lymantriidae) Synonym(s): *diplozona* Collenette,1932
 39171) *Calliteara grotei* (Moore,1859) (Lymantriidae) Synonym(s): *grotei* Moore,1859; *kausalia* Moore,1879; *atomariana* Matsumura,1927
 39172) *Calliteara horsfieldii* (Saunders,1851) (Lymantriidae) Synonym(s): *horsfieldii* Saunders,1851; *arga* Moore,1859; *longipennis* Walker,1862; *nilgirica* Hampson,1891; *farenoides* Lucas,1892; *horsfieldi* Strand,1915
 39173) *Calliteara kikuchii* (Matsumura,1927) (Lymantriidae) Synonym(s): *kikuchii* Matsumura,1927
 39174) *Calliteara lairdae* (Holloway,1976) (Lymantriidae) Synonym(s): *lairdae* Holloway,1976
 39175) *Calliteara lunulata* (Butler,1877) (Lymantriidae) Synonym(s): *lunulata* Butler,1877
 39176) *Calliteara lunulata takamukuana* (Matsumura,1927) (Lymantriidae) Synonym(s): *takamukuana* Matsumura,1927; *taiwanensis* Matsumura,1927
 39177) *Calliteara muelleri* (Ebert,1968) (Lymantriidae) Synonym(s): *#muelleri* Ebert,1968; *muelleri* Ebert,1968
 39178) *Calliteara multilineata* (Swinhoe,1917) (Lymantriidae) Synonym(s): *multilineata* Swinhoe,1917
 39179) *Calliteara postfusca* (Swinhoe,1895) (Lymantriidae) Synonym(s): *postfusca* Swinhoe,1895
 39180) *Calliteara pseudolairdae* Holloway,1999 (Lymantriidae) Synonym(s): *pseudolairdae* Holloway,1999
 39181) *Calliteara pudibunda* (Linnaeus,1758) (Lymantriidae) Synonym(s): *pudibunda* Linnaeus,1758; *scopularia* Linnaeus,1758; *jutica* Müller,1764; *porrectaalba* Retzius,1783; *grandi* Lorkovic,1930
 39182) *Calliteara pudibunda paktia* (Ebert,1968) (Lymantriidae) Synonym(s): *paktia* Ebert,1968
 39183) *Calliteara saitonis* (Matsumura,1927) (Lymantriidae) Synonym(s): *saitonis* Matsumura,1927; *saitonella* Matsumura,1927
 39184) *Calliteara strigata* (Moore,1879) (Lymantriidae) Synonym(s): *strigata* Moore,1879; *niveosparsa* Butler,1881; *cordata* Holloway,1976
 39185) *Calliteara taiwana* (Wileman,1910) (Lymantriidae) Synonym(s): *taiwana* Wileman,1910; *multilineata* Swinhoe,1917; *kibarae* Matsumura,1927
 39186) *Calliteara zelotica* (Collenette,1932) (Lymantriidae) Synonym(s): *zelotica* Collenette,1932; *hamilleter* Collenette,1953
 39187) *Carpenterella chionobosca* Collenette,1960 (Lymantriidae) Synonym(s): *chionobosca* Collenette,1960
 39188) *Carpenterella nesiotica* Collenette,1933 (Lymantriidae) Synonym(s): *nesiotica* Collenette,1933
 39189) *Carriola ecnomoda* (Swinhoe,1907) (Lymantriidae) Synonym(s): *ecnomoda* Swinhoe,1907
 39190) *Carriola ecnomoda* Swinhoe (Lymantriidae) Synonym(s):
 39191) *Carriola fenestrata* (Hampson,1892) (Lymantriidae) Synonym(s): *fenestrata* Hampson,1892
 39192) *Carriola saturnioides* (Snellen,1879) (Lymantriidae) Synonym(s): *saturnioides* Snellen,1879
 39193) *Carriola seminsula* (Strand,1915) (Lymantriidae) Synonym(s): *seminsula* Strand,1915
 39194) *Carriola thyridophora* (Hampson,1892) (Lymantriidae) Synonym(s): *thyridophora* Hampson,1892
 39195) *Casama impura* (M.Hering,1926) (Lymantriidae) Synonym(s): *impura* M.Hering,1926
 39196) *Casama vilis* (Walker,1865) (Lymantriidae) Synonym(s): *vilis* Walker,1865; *indeterminata* Walker,1865; *richteri* Daniel,1960
 39197) *Chibidukoga nigra* (Hampson,1900) (Lymantriidae) Synonym(s): *nigra* Hampson,1900
 39198) *Chrysocyma mesopotamia* Hampson,1905 (Lymantriidae) Synonym(s): *mesopotamia* Hampson,1905
 39199) *Cifuna biundulans* Hampson,1897 (Lymantriidae) Synonym(s): *biundulans* Hampson,1897
 39200) *Cifuna cervina* (Moore,1879) (Lymantriidae) Synonym(s): *cervina* Moore,1879
 39201) *Cifuna eurydice* (Butler,1885) (Lymantriidae) Synonym(s): *eurydice* Butler,1885; *amata* Staudinger,1887; *ornata* Swinhoe,1923
 39202) *Cifuna jankowskii* (Oberthür,1884) (Lymantriidae) Synonym(s): *jankowskii* Oberthür,1884
 39203) *Cifuna locuples* Walker,1855 (Lymantriidae) Synonym(s): *locuples* Walker,1855
 39204) *Cifuna locuples confusa* (Bremer,1861) (Lymantriidae) Synonym(s): *confusa* Bremer,1861
 39205) *Cifuna marginenotata* M.Hering,1926 (Lymantriidae) Synonym(s): *marginenotata* M.Hering,1926
 39206) *Cifuna nigroplagata* Bethune-Baker,1913 (Lymantriidae) Synonym(s): *nigroplagata* Bethune-Baker,1913
 39207) *Cifuna nigroplagata chilophaea* M.Hering,1926 (Lymantriidae) Synonym(s): *chilophaea* M.Hering,1926
 39208) *Cimola opalina* Walker,1855 (Lymantriidae) Synonym(s): *opalina* Walker,1855; *thymiatidis* Druce,1883
 39209) *Cispia alba* (Moore,1879) (Lymantriidae) Synonym(s): *alba* Moore,1879
 39210) *Cispia aphrasta* Collenette,1932 (Lymantriidae) Synonym(s): *aphrasta* Collenette,1932
 39211) *Cispia borneensis* Strand,1915 (Lymantriidae) Synonym(s): *borneensis* Strand,1915
 39212) *Cispia charma* Swinhoe,1899 (Lymantriidae) Synonym(s): *charma* Swinhoe,1899
 39213) *Cispia dichroa* C.Felder & R.Felder,1881 (Lymantriidae) Synonym(s): *dichroa* C.Felder & R.Felder,1881; *armandvillei* Oberthür,1894
 39214) *Cispia fasciata* Semper,1899 (Lymantriidae) Synonym(s): *fasciata* Semper,1899
 39215) *Cispia grisea* Semper,1899 (Lymantriidae) Synonym(s): *grisea* Semper,1899
 39216) *Cispia joiceyi* Collenette,1930 (Lymantriidae) Synonym(s): *joiceyi* Collenette,1930
 39217) *Cispia kinabaluensis* Strand,1915 (Lymantriidae) Synonym(s): *kinabaluensis* Strand,1915
 39218) *Cispia manifesta* Collenette,1933 (Lymantriidae) Synonym(s): *manifesta* Collenette,1933
 39219) *Cispia ochrophaea* Collenette,1932 (Lymantriidae) Synonym(s): *ochrophaea* Collenette,1932

- 39220) *Cispia pumila* C.Felder & R.Felder,1881 (Lymantriidae) Synonym(s): *pumila* C.Felder & R.Felder,1881
- 39221) *Cispia punctifascia* Walker (Lymantriidae) Synonym(s):
- 39222) *Cispia punctifascia* Walker,1855 (Lymantriidae) Synonym(s): *punctifascia* Walker,1855; *#inferiora* Strand,1917; *#superiora* Strand,1917
- 39223) *Cispia suffusa* C.Felder & R.Felder,1881 (Lymantriidae) Synonym(s): *suffusa* C.Felder & R.Felder,1881
- 39224) *Cispia unicolor* C.Felder & R.Felder,1881 (Lymantriidae) Synonym(s): *unicolor* C.Felder & R.Felder,1881
- 39225) *Cispia venosa* Walker,1862 (Lymantriidae) Synonym(s): *venosa* Walker,1862
- 39226) *Cobanilla marginata* (Moore,1883) (Lymantriidae) Synonym(s): *marginata* Moore,1883
- 39227) *Cobanilla plumbacea* Swinhoe,1903 (Lymantriidae) Synonym(s): *plumbacea* Swinhoe,1903
- 39228) *Creagra albina* (Plötz,1880) (Lymantriidae) Synonym(s): *albina* Plötz,1880
- 39229) *Creagra atricosta* (Hampson,1909) (Lymantriidae) Synonym(s): *atricosta* Hampson,1909
- 39230) *Creagra kahli* (Holland,1920) (Lymantriidae) Synonym(s): *kahli* Holland,1920; *batesi* Bethune-Baker,1927
- 39231) *Creagra liturata* (Guérin-Méneville,[1844]) (Lymantriidae) Synonym(s): *liturata* Guérin-Méneville,[1844]; *dealbata* Herrich-Schäffer,1854; *aliena* Wallengren,1860
- 39232) *Creagra macrocera* (Sharpe,1890) (Lymantriidae) Synonym(s): *macrocera* Sharpe,1890
- 39233) *Cropera dianeura* M.Hering,1928 (Lymantriidae) Synonym(s): *dianeura* M.Hering,1928
- 39234) *Cropera phlebitis* (Hampson,1905) (Lymantriidae) Synonym(s): *phlebitis* Hampson,1905
- 39235) *Cropera sericea* (Hampson,1910) (Lymantriidae) Synonym(s): *sericea* Hampson,1910; *#cericea* Janse,1917
- 39236) *Cropera sericoptera* Collenette,1932 (Lymantriidae) Synonym(s): *sericoptera* Collenette,1932
- 39237) *Cropera stilpnaroma* M.Hering,1926 (Lymantriidae) Synonym(s): *stilpnaroma* M.Hering,1926
- 39238) *Cropera testacea* Walker,1855 (Lymantriidae) Synonym(s): *testacea* Walker,1855; *#seminuda* Hampson,1910
- 39239) *Cropera unipunctata* Wichgraf,1921 (Lymantriidae) Synonym(s): *unipunctata* Wichgraf,1921
- 39240) *Crorema adpersa* (Herrich-Schäffer,1854) (Lymantriidae) Synonym(s): *adpersa* Herrich-Schäffer,1854; *prolixa* Wallengren,1860
- 39241) *Crorema collenettei* M.Hering,1932 (Lymantriidae) Synonym(s): *collenettei* M.Hering,1932
- 39242) *Crorema crocipes* (Boisduval,1833) (Lymantriidae) Synonym(s): *crocipes* Boisduval,1833
- 39243) *Crorema desperata* M.Hering,1929 (Lymantriidae) Synonym(s): *desperata* M.Hering,1929
- 39244) *Crorema eleuteria* (Stoll,[1781]) (Lymantriidae) Synonym(s): *eleuteria* Stoll,[1781]
- 39245) *Crorema evanescens* Hampson,1910 (Lymantriidae) Synonym(s): *evanescens* Hampson,1910
- 39246) *Crorema fulvnotata* (Butler,1893) (Lymantriidae) Synonym(s): *fulvnotata* Butler,1893; *bipunctata* Wichgraf,1921; *euproctoides* M.Hering,1926
- 39247) *Crorema mentiens* (Lymantriidae) Synonym(s): *phaulia* Collenette,1960
- 39248) *Crorema mentiens* Walker,1855 (Lymantriidae) Synonym(s): *mentiens* Walker,1855; *obliqua* Walker,1855; *ampla* Walker,1865; *sulphurea* Plötz,1880; *albida* Hampson,1910;
- 39249) *Crorema mentiens phaulia* Collenette,1960 (Lymantriidae) Synonym(s): *phaulia* Collenette,1960
- 39250) *Crorema nigropunctata* Collenette,1931 (Lymantriidae) Synonym(s): *nigropunctata* Collenette,1931
- 39251) *Crorema quadristrigata* Talbot,1929 (Lymantriidae) Synonym(s): *quadristrigata* Talbot,1929
- 39252) *Crorema setinoides* (Holland,1893) (Lymantriidae) Synonym(s): *setinoides* Holland,1893
- 39253) *Crorema staphylinochrous* M.Hering,1926 (Lymantriidae) Synonym(s): *staphylinochrous* M.Hering,1926
- 39254) *Crorema submaculata* Collenette,1931 (Lymantriidae) Synonym(s): *submaculata* Collenette,1931
- 39255) *Crorema sudanica* Strand,1914 (Lymantriidae) Synonym(s): *sudanica* Strand,1914
- 39256) *Crorema thermochrous* M.Hering,1929 (Lymantriidae) Synonym(s): *thermochrous* M.Hering,1929
- 39257) *Croremopsis innocens* M.Hering,1926 (Lymantriidae) Synonym(s): *innocens* M.Hering,1926
- 39258) *Dactylorhyncha luteifascia* Hampson,1895 (Lymantriidae) Synonym(s): *luteifascia* Hampson,1895
- 39259) *Dactylorhyncha pallida* (Hampson,1891) (Lymantriidae) Synonym(s): *pallida* Hampson,1891
- 39260) *Dactylorhynchides limacodiformis* Strand,1920 (Lymantriidae) Synonym(s): *limacodiformis* Strand,1920
- 39261) *Daplasa irrorata* Moore,1879 (Lymantriidae) Synonym(s): *irrorata* Moore,1879
- 39262) *Dasorgyia alpherakii* Groum-Grshimailo,1891 (Lymantriidae) Synonym(s): *alpherakii* Groum-Grshimailo,1891
- 39263) *Dasorgyia alpherakii alpherakii* Groum-Grshimailo,1891 (Lymantriidae) Synonym(s): *alpherakii* Groum-Grshimailo,1891
- 39264) *Dasorgyia alpherakii grumi* Staudinger,1901 (Lymantriidae) Synonym(s): *grumi* Staudinger,1901
- 39265) *Dasorgyia alpherakii semenovi* Groum-Grshimailo,1891 (Lymantriidae) Synonym(s): *semenovi* Groum-Grshimailo,1891
- 39266) *Dasorgyia pumila* (Staudinger,1881) (Lymantriidae) Synonym(s): *pumila* Staudinger,1881
- 39267) *Dasorgyia selenophora* Staudinger,1887 (Lymantriidae) Synonym(s): *selenophora* Staudinger,1887
- 39268) *Dasorgyia selenophora pamirica* Strand,1911 (Lymantriidae) Synonym(s): *pamirica* Strand,1911
- 39269) *Dasyarctia grisea* Gaede,1923 (Lymantriidae) Synonym(s): *grisea* Gaede,1923
- 39270) *Dasychira abbreviata* Kenrick,1913 (Lymantriidae) Synonym(s): *abbreviata* Kenrick,1913
- 39271) *Dasychira achatina* (Abbot & Smith,1797) (Lymantriidae) Synonym(s): *achatina* Abbot & Smith,1797
- 39272) *Dasychira acrisia* (Plötz,1880) (Lymantriidae) Synonym(s): *acrisia* Plötz,1880
- 39273) *Dasychira acroleuca* M.Hering,1926 (Lymantriidae) Synonym(s): *acroleuca* M.Hering,1926
- 39274) *Dasychira aeana* Collenette,1931 (Lymantriidae) Synonym(s): *aeana* Collenette,1931
- 39275) *Dasychira aenotata* Tams,1930 (Lymantriidae) Synonym(s): *aenotata* Tams,1930
- 39276) *Dasychira aethalodes* Collenette,1931 (Lymantriidae) Synonym(s): *aethalodes* Collenette,1931
- 39277) *Dasychira affinis* Holland,1893 (Lymantriidae) Synonym(s): *affinis* Holland,1893
- 39278) *Dasychira agramma* De Joannis,1929 (Lymantriidae) Synonym(s): *agramma* De Joannis,1929
- 39279) *Dasychira agrotoides* (Holland,1893) (Lymantriidae) Synonym(s): *agrotoides* Holland,1893
- 39280) *Dasychira alampana* Collenette,1932 (Lymantriidae) Synonym(s): *alampana* Collenette,1932
- 39281) *Dasychira albescens* Moore,1879 (Lymantriidae) Synonym(s): *albescens* Moore,1879
- 39282) *Dasychira albiapex* M.Hering,1926 (Lymantriidae) Synonym(s): *albiapex* M.Hering,1926
- 39283) *Dasychira albibasalis* (Holland,1893) (Lymantriidae) Synonym(s): *albibasalis* Holland,1893
- 39284) *Dasychira albicostata* (Holland,1893) (Lymantriidae) Synonym(s): *albicostata* Holland,1893
- 39285) *Dasychira albilinea* (Holland,1893) (Lymantriidae) Synonym(s): *albilinea* Holland,1893
- 39286) *Dasychira albinotata* (Holland,1893) (Lymantriidae) Synonym(s): *albinotata* Holland,1893
- 39287) *Dasychira albiplaga* Swinhoe,1908 (Lymantriidae) Synonym(s): *albiplaga* Swinhoe,1908
- 39288) *Dasychira alboschistacea* Rothschild,1915 (Lymantriidae) Synonym(s): *alboschistacea* Rothschild,1915
- 39289) *Dasychira albospargata* (Holland,1893) (Lymantriidae) Synonym(s): *albospargata* Holland,1893
- 39290) *Dasychira allotria* M.Hering,1926 (Lymantriidae) Synonym(s): *allotria* M.Hering,1926
- 39291) *Dasychira ampliata* Butler,1878 (Lymantriidae) Synonym(s): *ampliata* Butler,1878
- 39292) *Dasychira amydropa* Collenette,1960 (Lymantriidae) Synonym(s): *amydropa* Collenette,1960
- 39293) *Dasychira anisozoga* Collenette,1960 (Lymantriidae) Synonym(s): *anisozoga* Collenette,1960
- 39294) *Dasychira anosta* Collenette,1960 (Lymantriidae) Synonym(s): *anosta* Collenette,1960
- 39295) *Dasychira antica* (Walker,1855) (Lymantriidae) Synonym(s): *antica* Walker,1855; *albilunulata* Karsch,1895
- 39296) *Dasychira aphanta* Collenette,1960 (Lymantriidae) Synonym(s): *aphanta* Collenette,1960
- 39297) *Dasychira apicata* (Holland,1893) (Lymantriidae) Synonym(s): *apicata* Holland,1893
- 39298) *Dasychira arakawae* Matsumura,1921 (Lymantriidae) Synonym(s): *arakawae* Matsumura,1921
- 39299) *Dasychira arctioides* (Holland,1893) (Lymantriidae) Synonym(s): *arctioides* Holland,1893; *postalba* Swinhoe,1906
- 39300) *Dasychira argiloides* (Holland,1893) (Lymantriidae) Synonym(s): *argiloides* Holland,1893
- 39301) *Dasychira argyroides* Collenette,1932 (Lymantriidae) Synonym(s): *argyroides* Collenette,1932
- 39302) *Dasychira astraphaea* Collenette,1931 (Lymantriidae) Synonym(s): *astraphaea* Collenette,1931
- 39303) *Dasychira atomaria* Walker,1859 (Lymantriidae) Synonym(s): *atomaria* Walker,1859; *obliquata* Grote & Robinson,1866; *parallela* Grote & Robinson,1866; *aridensis* Benjamin,1922
- 39304) *Dasychira atrivenosa* Palm,1893 (Lymantriidae) Synonym(s): *atrivenosa* Palm,1893
- 39305) *Dasychira aurantiaca* Kenrick,1913 (Lymantriidae) Synonym(s): *aurantiaca* Kenrick,1913
- 39306) *Dasychira aureofincta* Kenrick,1913 (Lymantriidae) Synonym(s): *aureofincta* Kenrick,1913

- 39307) *Dasychira aurifera* Scriba, 1919 (Lymantriidae) Synonym(s): *aurifera* Scriba, 1919; *suzukii* Matsumura, 1927
 39308) *Dasychira azelota* Collenette, 1933 (Lymantriidae) Synonym(s): *azelota* Collenette, 1933
 39309) *Dasychira barbara* M.Hering, 1926 (Lymantriidae) Synonym(s): *barbara* M.Hering, 1926
 39310) *Dasychira baruna* (Moore, 1859) (Lymantriidae) Synonym(s): *baruna* Moore, 1859
 39311) *Dasychira basalis* (Walker, 1855) (Lymantriidae) Synonym(s): *basalis* Walker, 1855
 39312) *Dasychira basiflava* (Packard, 1864) (Lymantriidae) Synonym(s): *basiflava* Packard, 1864; *clintonii* Grote & Robinson, 1866
 39313) *Dasychira basileus* M.Hering, 1932 (Lymantriidae) Synonym(s): *basileus* M.Hering, 1932
 39314) *Dasychira basilinea* M.Hering, 1926 (Lymantriidae) Synonym(s): *basilinea* M.Hering, 1926
 39315) *Dasychira basistriga* (Walker, 1856) (Lymantriidae) Synonym(s): *basistriga* Walker, 1856
 39316) *Dasychira bergmanni* Swinhoe, 1904 (Lymantriidae) Synonym(s): *bergmanni* Swinhoe, 1904
 39317) *Dasychira bhana* (Moore, 1892) (Lymantriidae) Synonym(s): *bhana* Moore, 1892
 39318) *Dasychira bimaculata* Aurivillius, 1926 (Lymantriidae) Synonym(s): *bimaculata* Aurivillius, 1926
 39319) *Dasychira blastema* M.Hering, 1926 (Lymantriidae) Synonym(s): *blastema* M.Hering, 1926
 39320) *Dasychira bokuma* Collenette, 1960 (Lymantriidae) Synonym(s): *bokuma* Collenette, 1960
 39321) *Dasychira bonniwelli* Barnes & McDunnough, 1924 (Lymantriidae) Synonym(s): *bonniwelli* Barnes & McDunnough, 1924
 39322) *Dasychira brunnea* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *brunnea* Bethune-Baker, 1904
 39323) *Dasychira brunneata* Kenrick, 1913 (Lymantriidae) Synonym(s): *brunneata* Kenrick, 1913
 39324) *Dasychira brunneicosta* (Holland, 1893) (Lymantriidae) Synonym(s): *brunneicosta* Holland, 1893
 39325) *Dasychira brunneipicta* Collenette, 1931 (Lymantriidae) Synonym(s): *brunneipicta* Collenette, 1931
 39326) *Dasychira brunnescens* Moore, 1879 (Lymantriidae) Synonym(s): *brunnescens* Moore, 1879
 39327) *Dasychira burtii* Collenette, 1960 (Lymantriidae) Synonym(s): *burtii* Collenette, 1960
 39328) *Dasychira caeca* (Plötz, 1880) (Lymantriidae) Synonym(s): *caeca* Plötz, 1880; *nubilata* Holland, 1893
 39329) *Dasychira caeruleifascia* (Holland, 1893) (Lymantriidae) Synonym(s): *caeruleifascia* Holland, 1893; *#orthogramma* M.Hering, 1926
 39330) *Dasychira callima* Collenette, 1932 (Lymantriidae) Synonym(s): *callima* Collenette, 1932
 39331) *Dasychira callipepla* Collenette, 1960 (Lymantriidae) Synonym(s): *callipepla* Collenette, 1960
 39332) *Dasychira callipluta* Collenette, 1933 (Lymantriidae) Synonym(s): *callipluta* Collenette, 1933
 39333) *Dasychira calliprepes* Collenette, 1933 (Lymantriidae) Synonym(s): *calliprepes* Collenette, 1933
 39334) *Dasychira cameruna* Aurivillius, [1905] (Lymantriidae) Synonym(s): *cameruna* Aurivillius, [1905]
 39335) *Dasychira canalia* Druce, 1887 (Lymantriidae) Synonym(s): *cangia* Druce, 1887
 39336) *Dasychira canovirescens* Aurivillius, 1925 (Lymantriidae) Synonym(s): *canovirescens* Aurivillius, 1925
 39337) *Dasychira capnora* Collenette, 1933 (Lymantriidae) Synonym(s): *capnora* Collenette, 1933
 39338) *Dasychira carpenteri* Bethune-Baker, 1913 (Lymantriidae) Synonym(s): *carpenteri* Bethune-Baker, 1913
 39339) *Dasychira castanea* Kenrick, 1913 (Lymantriidae) Synonym(s): *castanea* Kenrick, 1913
 39340) *Dasychira castor* M.Hering, 1926 (Lymantriidae) Synonym(s): *castor* M.Hering, 1926
 39341) *Dasychira catadela* Collenette, 1960 (Lymantriidae) Synonym(s): *catadela* Collenette, 1960
 39342) *Dasychira cedestis* M.Hering, 1926 (Lymantriidae) Synonym(s): *cedestis* M.Hering, 1926
 39343) *Dasychira cerigoides* (Walker, 1862) (Lymantriidae) Synonym(s): *cerigoides* Walker, 1862; *galinara* Swinhoe, 1903
 39344) *Dasychira chalana* Moore, 1859 (Lymantriidae) Synonym(s): *chalana* Moore, 1859
 39345) *Dasychira chalcocrata* Collenette, 1931 (Lymantriidae) Synonym(s): *chalcocrata* Collenette, 1931
 39346) *Dasychira chloebapha* Collenette, 1930 (Lymantriidae) Synonym(s): *chloebapha* Collenette, 1930
 39347) *Dasychira chlorobasis* M.Hering, 1926 (Lymantriidae) Synonym(s): *chlorobasis* M.Hering, 1926
 39348) *Dasychira chlorophila* M.Hering, 1926 (Lymantriidae) Synonym(s): *chlorophila* M.Hering, 1926
 39349) *Dasychira chlooptera* Hampson, 1892 (Lymantriidae) Synonym(s): *chlooptera* Hampson, 1892
 39350) *Dasychira chloroscia* M.Hering, 1926 (Lymantriidae) Synonym(s): *chloroscia* M.Hering, 1926
 39351) *Dasychira chorista* M.Hering, 1926 (Lymantriidae) Synonym(s): *chorista* M.Hering, 1926
 39352) *Dasychira cinctata* Moore, 1879 (Lymantriidae) Synonym(s): *cinctata* Moore, 1879
 39353) *Dasychira cinerea* Collenette, 1933 (Lymantriidae) Synonym(s): *cinerea* Collenette, 1933
 39354) *Dasychira cinnamomea* (Grote & Robinson, 1866) (Lymantriidae) Synonym(s): *cinnamomea* Grote & Robinson, 1866
 39355) *Dasychira circumdata* (Holland, 1893) (Lymantriidae) Synonym(s): *circumdata* Holland, 1893
 39356) *Dasychira citana* (Schaus & Clements, 1893) (Lymantriidae) Synonym(s): *citana* Schaus & Clements, 1893
 39357) *Dasychira citrinella* Matsumura, 1927 (Lymantriidae) Synonym(s): *citrinella* Matsumura, 1927
 39358) *Dasychira clathrata* (Holland, 1893) (Lymantriidae) Synonym(s): *clathrata* Holland, 1893
 39359) *Dasychira clavis* (Saalmüller, 1884) (Lymantriidae) Synonym(s): *clavis* Saalmüller, 1884
 39360) *Dasychira collini* Mabille, 1884 (Lymantriidae) Synonym(s): *collini* Mabille, 1884
 39361) *Dasychira complicata* Walker, 1865 (Lymantriidae) Synonym(s): *complicata* Walker, 1865; *pustulifera* Walker, 1865
 39362) *Dasychira compsa* Collenette, 1933 (Lymantriidae) Synonym(s): *compsa* Collenette, 1933
 39363) *Dasychira conjuncta* Wileman, 1911 (Lymantriidae) Synonym(s): *conjuncta* Wileman, 1911
 39364) *Dasychira costalis* (Walker, 1855) (Lymantriidae) Synonym(s): *costalis* Walker, 1855
 39365) *Dasychira costiplaga* (Walker, 1862) (Lymantriidae) Synonym(s): *costiplaga* Walker, 1862
 39366) *Dasychira crecadia* Collenette, 1931 (Lymantriidae) Synonym(s): *crecadia* Collenette, 1931
 39367) *Dasychira cromptoni* Swinhoe, 1903 (Lymantriidae) Synonym(s): *cromptoni* Swinhoe, 1903
 39368) *Dasychira crucifera* (Holland, 1893) (Lymantriidae) Synonym(s): *crucifera* Holland, 1893
 39369) *Dasychira cruda* Wileman, 1910 (Lymantriidae) Synonym(s): *cruda* Wileman, 1910; *tarowanensis* Matsumura, 1927
 39370) *Dasychira curvifirgata* (Karsch, 1893) (Lymantriidae) Synonym(s): *curvifirgata* Karsch, 1893
 39371) *Dasychira cymata* Swinhoe, 1907 (Lymantriidae) Synonym(s): *cymata* Swinhoe, 1907
 39372) *Dasychira cyrteschata* Collenette, 1939 (Lymantriidae) Synonym(s): *cyrteschata* Collenette, 1939
 39373) *Dasychira danva* (Schaus & Clements, 1893) (Lymantriidae) Synonym(s): *danva* Schaus & Clements, 1893
 39374) *Dasychira daphne* M.Hering, 1926 (Lymantriidae) Synonym(s): *daphne* M.Hering, 1926
 39375) *Dasychira daphneoides* M.Hering, 1926 (Lymantriidae) Synonym(s): *daphneoides* M.Hering, 1926
 39376) *Dasychira delicata* (Holland, 1893) (Lymantriidae) Synonym(s): *delicata* Holland, 1893
 39377) *Dasychira denudata* M.Hering, 1926 (Lymantriidae) Synonym(s): *denudata* M.Hering, 1926
 39378) *Dasychira deplagiata* M.Hering, 1926 (Lymantriidae) Synonym(s): *deplagiata* M.Hering, 1926
 39379) *Dasychira diatoma* M.Hering, 1926 (Lymantriidae) Synonym(s): *diatoma* M.Hering, 1926
 39380) *Dasychira diatoma stenoptera* M.Hering, 1926 (Lymantriidae) Synonym(s): *stenoptera* M.Hering, 1926
 39381) *Dasychira diluta* (Holland, 1893) (Lymantriidae) Synonym(s): *diluta* Holland, 1893
 39382) *Dasychira dina* M.Hering, 1926 (Lymantriidae) Synonym(s): *dina* M.Hering, 1926
 39383) *Dasychira diplosticta* Collenette, 1933 (Lymantriidae) Synonym(s): *diplosticta* Collenette, 1933
 39384) *Dasychira dollmani* Collenette, 1931 (Lymantriidae) Synonym(s): *dollmani* Collenette, 1931
 39385) *Dasychira dorsipennata* Barnes & McDunnough, 1919 (Lymantriidae) Synonym(s): *dorsipennata* Barnes & McDunnough, 1919
 39386) *Dasychira dubia* Kenrick, 1913 (Lymantriidae) Synonym(s): *dubia* Kenrick, 1913
 39387) *Dasychira elaeochroa* Collenette, 1931 (Lymantriidae) Synonym(s): *elaeochroa* Collenette, 1931
 39388) *Dasychira elegans* (Butler, 1882) (Lymantriidae) Synonym(s): *elegans* Butler, 1882
 39389) *Dasychira ella* Bryk, 1934 (Lymantriidae) Synonym(s): *styx* Barnes & McDunnough, 1913; *ella* Bryk, 1934
 39390) *Dasychira embrithes* Collenette, 1933 (Lymantriidae) Synonym(s): *embrithes* Collenette, 1933
 39391) *Dasychira endophaea* Hampson, 1910 (Lymantriidae) Synonym(s): *endophaea* Hampson, 1910
 39392) *Dasychira enos* (Druce, 1896) (Lymantriidae) Synonym(s): *enos* Druce, 1896; *insolita* Aurivillius, [1905]
 39393) *Dasychira ertli* Wichgraf, 1921 (Lymantriidae) Synonym(s): *ertli* Wichgraf, 1921
 39394) *Dasychira erubescens* (Holland, 1893) (Lymantriidae) Synonym(s): *erubescens* Holland, 1893
 39395) *Dasychira exigua* Candèze, 1927 (Lymantriidae) Synonym(s): *exigua* Candèze, 1927
 39396) *Dasychira exoleta* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *exoleta* Bethune-Baker, 1911

- 39397) *Dasychira feminula* (Hampson,1891) (Lymantriidae) Synonym(s): *feminula* Hampson,1891
 39398) *Dasychira feminula likiangensis* Collenette,1936 (Lymantriidae) Synonym(s): *likiangensis* Collenette,1936
 39399) *Dasychira fidjiensis* Mabille & Vuillot,1891 (Lymantriidae) Synonym(s): *fidjiensis* Mabille & Vuillot,1891; *#fidjiensis* Strand,1915; *vitensis* Bethune-Baker,1905
 39400) *Dasychira flava* (Holland,1893) (Lymantriidae) Synonym(s): *flava* Holland,1893
 39401) *Dasychira flavicosta* Hampson,1900 (Lymantriidae) Synonym(s): *flavicosta* Hampson,1900
 39402) *Dasychira flavimacula* Moore,1865 (Lymantriidae) Synonym(s): *flavimacula* Moore,1865; *hyatonga* Strand,1910
 39403) *Dasychira fulgetra* Candèze,1927 (Lymantriidae) Synonym(s): *fulgetra* Candèze,1927
 39404) *Dasychira fuliginosa* (Saalmüller,1884) (Lymantriidae) Synonym(s): *fuliginosa* Saalmüller,1884
 39405) *Dasychira fumosa* (Holland,1893) (Lymantriidae) Synonym(s): *fumosa* Holland,1893
 39406) *Dasychira fuscoplagiata* Aurivillius,1925 (Lymantriidae) Synonym(s): *fuscoplagiata* Aurivillius,1925
 39407) *Dasychira fuscula* M.Hering,1926 (Lymantriidae) Synonym(s): *fusca* Holland,1893 *nec* Wlk.; *fuscula* M.Hering,1926
 39408) *Dasychira galactina* (Mabille,1880) (Lymantriidae) Synonym(s): *galactina* Mabille,1880; *lemuria* M.Hering,1926
 39409) *Dasychira gentilis* Butler,1879 (Lymantriidae) Synonym(s): *gentilis* Butler,1879
 39410) *Dasychira geoffreyi* Bethune-Baker,1913 (Lymantriidae) Synonym(s): *geoffreyi* Bethune-Baker,1913
 39411) *Dasychira gephyra* M.Hering,1926 (Lymantriidae) Synonym(s): *gephyra* M.Hering,1926
 39412) *Dasychira glaucinoptera* Collenette,1934 (Lymantriidae) Synonym(s): *glaucinoptera* Collenette,1934
 39413) *Dasychira glaucinoptera batangensis* Collenette,1939 (Lymantriidae) Synonym(s): *batangensis* Collenette,1939
 39414) *Dasychira gloriosa* M.Hering,1926 (Lymantriidae) Synonym(s): *gloriosa* M.Hering,1926
 39415) *Dasychira glovera* Swinhoe,1906 (Lymantriidae) Synonym(s): *glovera* Swinhoe,1906
 39416) *Dasychira gloveroides* M.Hering,1926 (Lymantriidae) Synonym(s): *gloveroides* M.Hering,1926
 39417) *Dasychira gnava* Swinhoe,1903 (Lymantriidae) Synonym(s): *virescens* Möschler,1889 (*praeocc.*); *gnava* Swinhoe,1903
 39418) *Dasychira gonophora* (Holland,1893) (Lymantriidae) Synonym(s): *gonophora* Holland,1893; *prospera* M.Hering,1926
 39419) *Dasychira goodii* Holland,1893 (Lymantriidae) Synonym(s): *goodii* Holland,1893
 39420) *Dasychira grammodes* M.Hering,1926 (Lymantriidae) Synonym(s): *grammodes* M.Hering,1926
 39421) *Dasychira grandidleri* (Butler,1882) (Lymantriidae) Synonym(s): *grandidleri* Butler,1882
 39422) *Dasychira grata* Hulstaert,1923 (Lymantriidae) Synonym(s): *grata* Hulstaert,1923
 39423) *Dasychira grisea* Pagenstecher,1903 (Lymantriidae) Synonym(s): *grisea* Pagenstecher,1903
 39424) *Dasychira griseata* Rothschild,1915 (Lymantriidae) Synonym(s): *griseata* Rothschild,1915
 39425) *Dasychira grisefacta* (Dyar,1911) (Lymantriidae) Synonym(s): *grisefacta* Dyar,1911
 39426) *Dasychira griseinubes* Hampson,1910 (Lymantriidae) Synonym(s): *griseinubes* Hampson,1910
 39427) *Dasychira groetscheli* Rothschild,1915 (Lymantriidae) Synonym(s): *groetscheli* Rothschild,1915; *fusca* Rothschild,1915
 39428) *Dasychira grossa* Pagenstecher,1898 (Lymantriidae) Synonym(s): *grossa* Pagenstecher,1898
 39429) *Dasychira gwelila* Swinhoe,1903 (Lymantriidae) Synonym(s): *gwelila* Swinhoe,1903
 39430) *Dasychira hastifera* M.Hering,1926 (Lymantriidae) Synonym(s): *hastifera* M.Hering,1926
 39431) *Dasychira heringiana* Bryk,1934 (Lymantriidae) Synonym(s): *leucogramma* M.Hering,1926 *nec* Hamps.,1910; *heringiana* Bryk,1934
 39432) *Dasychira hieroglyphica* Swinhoe,1904 (Lymantriidae) Synonym(s): *hieroglyphica* Swinhoe,1904
 39433) *Dasychira hirayamae* Matsumura,1927 (Lymantriidae) Synonym(s): *hirayamae* Matsumura,1927
 39434) *Dasychira hodoepora* Collenette,1960 (Lymantriidae) Synonym(s): *hodoepora* Collenette,1960
 39435) *Dasychira hoenei* Collenette,1936 (Lymantriidae) Synonym(s): *hoenei* Collenette,1936
 39436) *Dasychira horishanella* Matsumura,1927 (Lymantriidae) Synonym(s): *horishanella* Matsumura,1927
 39437) *Dasychira horrida* Swinhoe,1903 (Lymantriidae) Synonym(s): *horrida* Swinhoe,1903
 39438) *Dasychira hyloica* (Holland,1893) (Lymantriidae) Synonym(s): *hyloica* Holland,1893
 39439) *Dasychira hypocrita* M.Hering,1926 (Lymantriidae) Synonym(s): *hypocrita* M.Hering,1926
 39440) *Dasychira ignotana* Strand,1915 (Lymantriidae) Synonym(s): *ignotana* Strand,1915
 39441) *Dasychira ila* Swinhoe,1904 (Lymantriidae) Synonym(s): *ila* Swinhoe,1904
 39442) *Dasychira ilesa* Collenette,1931 (Lymantriidae) Synonym(s): *ilesa* Collenette,1931
 39443) *Dasychira inconspicua* Bethune-Baker,1911 (Lymantriidae) Synonym(s): *inconspicua* Bethune-Baker,1911
 39444) *Dasychira infima* (Holland,1893) (Lymantriidae) Synonym(s): *infima* Holland,1893
 39445) *Dasychira invaria* (Walker,1856) (Lymantriidae) Synonym(s): *invaria* Walker,1856
 39446) *Dasychira isozyga* Collenette,1960 (Lymantriidae) Synonym(s): *isozyga* Collenette,1960
 39447) *Dasychira junki* Bryk,1934 (Lymantriidae) Synonym(s): *flava* Matsumura,1921 *nec* Holl.,1893; *junki* Bryk,1934
 39448) *Dasychira kagina* Matsumura,1927 (Lymantriidae) Synonym(s): *kagina* Matsumura,1927
 39449) *Dasychira kenricki* Bethune-Baker,1904 (Lymantriidae) Synonym(s): *kenricki* Bethune-Baker,1904
 39450) *Dasychira kervillei* (Barnes & McDunnough,1913) (Lymantriidae) Synonym(s): *kervillei* Barnes & McDunnough,1913
 39451) *Dasychira klajim* Bryk,1934 (Lymantriidae) Synonym(s): *achatina* M.Hering,1926 *nec* Abb. & Smth.,1797; *klajim* Bryk,1934
 39452) *Dasychira kosemponica* Strand,1914 (Lymantriidae) Synonym(s): *kosemponica* Strand,1914
 39453) *Dasychira laeliopsis* M.Hering,1926 (Lymantriidae) Synonym(s): *laeliopsis* M.Hering,1926
 39454) *Dasychira lampira* M.Hering,1926 (Lymantriidae) Synonym(s): *lampira* M.Hering,1926
 39455) *Dasychira landburyi* Bethune-Baker,1911 (Lymantriidae) Synonym(s): *landburyi* Bethune-Baker,1911
 39456) *Dasychira leucogramma* Hampson,1910 (Lymantriidae) Synonym(s): *leucogramma* Hampson,1910
 39457) *Dasychira leucophaea* (Abbot & Smith,1797) (Lymantriidae) Synonym(s): *leucophaea* Abbot & Smith,1797
 39458) *Dasychira leucostigmata* M.Hering,1926 (Lymantriidae) Synonym(s): *leucostigmata* M.Hering,1926
 39459) *Dasychira libella* Swinhoe,1904 (Lymantriidae) Synonym(s): *libella* Swinhoe,1904
 39460) *Dasychira lignea* (Butler,1879) (Lymantriidae) Synonym(s): *lignea* Butler,1879
 39461) *Dasychira likelembae* Aurivillius,1925 (Lymantriidae) Synonym(s): *likelembae* Aurivillius,1925
 39462) *Dasychira lipara* Collenette,1960 (Lymantriidae) Synonym(s): *lipara* Collenette,1960
 39463) *Dasychira litigiosa* M.Hering,1926 (Lymantriidae) Synonym(s): *litigiosa* M.Hering,1926
 39464) *Dasychira longistriata* M.Hering,1926 (Lymantriidae) Synonym(s): *longistriata* M.Hering,1926
 39465) *Dasychira loxogramma* M.Hering,1926 (Lymantriidae) Synonym(s): *loxogramma* M.Hering,1926
 39466) *Dasychira luteolata* Kenrick,1913 (Lymantriidae) Synonym(s): *luteolata* Kenrick,1913
 39467) *Dasychira macrodonta* M.Hering,1926 (Lymantriidae) Synonym(s): *macrodonta* M.Hering,1926
 39468) *Dasychira maculosa* Matsumura,1911 (Lymantriidae) Synonym(s): *maculosa* Matsumura,1911
 39469) *Dasychira magnalia* Swinhoe,1903 (Lymantriidae) Synonym(s): *magnalia* Swinhoe,1903
 39470) *Dasychira magnifica* Hampson,1910 (Lymantriidae) Synonym(s): *magnifica* Hampson,1910
 39471) *Dasychira magnifica maculata* Wichgraf,1921 (Lymantriidae) Synonym(s): *maculata* Wichgraf,1921
 39472) *Dasychira maligna* (Butler,1882) (Lymantriidae) Synonym(s): *maligna* Butler,1882
 39473) *Dasychira manto* (Strecker,1900) (Lymantriidae) Synonym(s): *manto* Strecker,1900; *interposita* Dyar,1911
 39474) *Dasychira mascarena* Butler,1878 (Lymantriidae) Synonym(s): *mascarena* Butler,1878
 39475) *Dasychira mediofasciata* M.Hering,1926 (Lymantriidae) Synonym(s): *mediofasciata* M.Hering,1926
 39476) *Dasychira melanoproctis* M.Hering,1926 (Lymantriidae) Synonym(s): *melanoproctis* M.Hering,1926
 39477) *Dasychira melochlora* M.Hering,1926 (Lymantriidae) Synonym(s): *melochlora* M.Hering,1926
 39478) *Dasychira minor* Bethune-Baker,1904 (Lymantriidae) Synonym(s): *minor* Bethune-Baker,1904
 39479) *Dasychira minor nebulosa* Collenette,1933 (Lymantriidae) Synonym(s): *nebulosa* Collenette,1933
 39480) *Dasychira misana* Moore,1859 (Lymantriidae) Synonym(s): *misana* Moore,1859
 39481) *Dasychira miselioides* Kenrick,1913 (Lymantriidae) Synonym(s): *miselioides* Kenrick,1913
 39482) *Dasychira miserata* (Holland,1893) (Lymantriidae) Synonym(s): *miserata* Holland,1893
 39483) *Dasychira mkattana* Strand,1912 (Lymantriidae) Synonym(s): *mkattana* Strand,1912
 39484) *Dasychira moerens* (R.Felder & Rogenhofer,1874) (Lymantriidae) Synonym(s): *moerens* R.Felder & Rogenhofer,1874
 39485) *Dasychira montana* (Beutenmüller,1903) (Lymantriidae) Synonym(s): *montana* Beutenmüller,1903

- 39486) *Dasychira multilinea* M.Hering,1926 (Lymantriidae) Synonym(s): *multilinea* M.Hering,1926
 39487) *Dasychira multipunctis* Strand,1912 (Lymantriidae) Synonym(s): *multipunctis* Strand,1912
 39488) *Dasychira muscosa* Holland,1893 (Lymantriidae) Synonym(s): *muscosa* Holland,1893
 39489) *Dasychira nagoyana* Matsumura,1933 (Lymantriidae) Synonym(s): *nagoyana* Matsumura,1933
 39490) *Dasychira nebulifera* M.Hering,1926 (Lymantriidae) Synonym(s): *nebulifera* M.Hering,1926
 39491) *Dasychira nigristriata* (Holland,1893) (Lymantriidae) Synonym(s): *nigristriata* Holland,1893
 39492) *Dasychira nigrita* Rothschild,1915 (Lymantriidae) Synonym(s): *nigrita* Rothschild,1915
 39493) *Dasychira nigrosparsata* Kenrick,1913 (Lymantriidae) Synonym(s): *nigrosparsata* Kenrick,1913
 39494) *Dasychira nolana* Mabille,1882 (Lymantriidae) Synonym(s): *nolana* Mabille,1882
 39495) *Dasychira nora* Pagenstecher,1903 (Lymantriidae) Synonym(s): *nora* Pagenstecher,1903
 39496) *Dasychira notia* M.Hering,1926 (Lymantriidae) Synonym(s): *notia* M.Hering,1926
 39497) *Dasychira nubifera* (Holland,1893) (Lymantriidae) Synonym(s): *nubifera* Holland,1893
 39498) *Dasychira nyctopa* Collenette,1960 (Lymantriidae) Synonym(s): *nyctopa* Collenette,1960
 39499) *Dasychira obliquilinea* Fawcett,1915 (Lymantriidae) Synonym(s): *obliquilinea* Fawcett,1915
 39500) *Dasychira obscura* Holland,1893 (Lymantriidae) Synonym(s): *obscura* Holland,1893
 39501) *Dasychira obsoletissima* Bethune-Baker,1911 (Lymantriidae) Synonym(s): *obsoletissima* Bethune-Baker,1911
 39502) *Dasychira ocellata* (Holland,1893) (Lymantriidae) Synonym(s): *ocellata* Holland,1893
 39503) *Dasychira ocellatula* M.Hering,1926 (Lymantriidae) Synonym(s): *ocellata* Kenrick,1913 *nec* Holl.,1893; *ocellatula* M.Hering,1926
 39504) *Dasychira ocellifera* (Holland,1893) (Lymantriidae) Synonym(s): *ocellifera* Holland,1893
 39505) *Dasychira ochroderoea* Mabille,1897 (Lymantriidae) Synonym(s): *ochroderoea* Mabille,1897
 39506) *Dasychira octophora* Hampson,1905 (Lymantriidae) Synonym(s): *octophora* Hampson,1905
 39507) *Dasychira olearia* (Swinhoe,1885) (Lymantriidae) Synonym(s): *olearia* Swinhoe,1885
 39508) *Dasychira olivacea* Wileman,1910 (Lymantriidae) Synonym(s): *olivacea* Wileman,1910; *cyanea* Matsumura,1927
 39509) *Dasychira omissa* M.Hering,1926 (Lymantriidae) Synonym(s): *omissa* M.Hering,1926
 39510) *Dasychira ophthalmodes* M.Hering,1926 (Lymantriidae) Synonym(s): *ophthalmodes* M.Hering,1926
 39511) *Dasychira orgyioides* Aurivillius,1925 (Lymantriidae) Synonym(s): *orgyioides* Aurivillius,1925
 39512) *Dasychira orimba* (Swinhoe,1894) (Lymantriidae) Synonym(s): *orimba* Swinhoe,1894
 39513) *Dasychira orphnina* M.Hering,1926 (Lymantriidae) Synonym(s): *orphnina* M.Hering,1926
 39514) *Dasychira osseata* Walker,1862 (Lymantriidae) Synonym(s): *osseata* Walker,1862
 39515) *Dasychira pachytaenia* M.Hering,1926 (Lymantriidae) Synonym(s): *pachytaenia* M.Hering,1926
 39516) *Dasychira pais* M.Hering,1926 (Lymantriidae) Synonym(s): *pais* M.Hering,1926
 39517) *Dasychira pallida* Butler,1882 (Lymantriidae) Synonym(s): *pallida* Butler,1882
 39518) *Dasychira pastor* (Butler,1882) (Lymantriidae) Synonym(s): *pastor* Butler,1882
 39519) *Dasychira peculiaris* (Butler,1879) (Lymantriidae) Synonym(s): *peculiaris* Butler,1879
 39520) *Dasychira pennatula* (Fabricius,1793) (Lymantriidae) Synonym(s): *pennatula* Fabricius,1793; *securis* Hübner,[1823]; *antica* Walker,1855; *falcata* Walker,1865; *tacta* Walker,1865; *approximata* Walker,1865
 39521) *Dasychira perdita* Bethune-Baker,1911 (Lymantriidae) Synonym(s): *perdita* Bethune-Baker,1911
 39522) *Dasychira perdis* Moore,1859 (Lymantriidae) Synonym(s): *perdis* Moore,1859
 39523) *Dasychira phaeocericea* Mabille,1884 (Lymantriidae) Synonym(s): *phaeocericea* Mabille,1884; *variegata* Kenrick,1913 (*praeocc.*); *ornata* Oberthür,1923; *kenricki* Swinhoe,1923
 39524) *Dasychira phaeosia* Hampson,1910 (Lymantriidae) Synonym(s): *phaeosia* Hampson,1910
 39525) *Dasychira phasa* Collenette,1960 (Lymantriidae) Synonym(s): *phasa* Collenette,1960
 39526) *Dasychira phasiana* (Butler,1882) (Lymantriidae) Synonym(s): *phasiana* Butler,1882
 39527) *Dasychira phoca* Hampson,1910 (Lymantriidae) Synonym(s): *phoca* Hampson,1910
 39528) *Dasychira phylax* M.Hering,1926 (Lymantriidae) Synonym(s): *phylax* M.Hering,1926
 39529) *Dasychira pilodes* Collenette,1936 (Lymantriidae) Synonym(s): *pilodes* Collenette,1936
 39530) *Dasychira pini* (Dyar,1911) (Lymantriidae) Synonym(s): *pini* Dyar,1911
 39531) *Dasychira pinicola* Dyar,1911 (Lymantriidae) Synonym(s): *plagiata* Walker,1865 *nec* Wlk.,1855; *pinicola* Dyar,1911
 39532) *Dasychira pista* M.Hering,1926 (Lymantriidae) Synonym(s): *pista* M.Hering,1926
 39533) *Dasychira plagiata* (Walker,1855) (Lymantriidae) Synonym(s): *plagiata* Walker,1855
 39534) *Dasychira plagosa* Rothschild,1915 (Lymantriidae) Synonym(s): *plagosa* Rothschild,1915
 39535) *Dasychira planozona* Collenette,1936 (Lymantriidae) Synonym(s): *planozona* Collenette,1936
 39536) *Dasychira ploetzi* M.Hering,1926 (Lymantriidae) Synonym(s): *ploetzi* M.Hering,1926; *cymatophorina* M.Hering,1926
 39537) *Dasychira pollux* M.Hering,1926 (Lymantriidae) Synonym(s): *pollux* M.Hering,1926
 39538) *Dasychira polyploca* Collenette,1960 (Lymantriidae) Synonym(s): *polyploca* Collenette,1960
 39539) *Dasychira polysphena* Collenette,1936 (Lymantriidae) Synonym(s): *polysphena* Collenette,1936
 39540) *Dasychira praecoecata* Bryk,1934 (Lymantriidae) Synonym(s): *costiplaga* Holland,1893 *nec* Wlk.,1862; *praecoecata* Bryk,1934
 39541) *Dasychira praecusta* (C.Felder,1861) (Lymantriidae) Synonym(s): *praecusta* C.Felder,1861
 39542) *Dasychira prasina* (Butler,1882) (Lymantriidae) Synonym(s): *prasina* Butler,1882; *malgassica* M.Hering,1926
 39543) *Dasychira problematica* M.Hering,1926 (Lymantriidae) Synonym(s): *problematica* M.Hering,1926
 39544) *Dasychira procincta* Saalmüller,1880 (Lymantriidae) Synonym(s): *procincta* Saalmüller,1880
 39545) *Dasychira proleptota* (Lymantriidae) Synonym(s):
 39546) *Dasychira proleptota cratista* Collenette,1960 (Lymantriidae) Synonym(s): *cratista* Collenette,1960
 39547) *Dasychira proletaria* Holland,1893 (Lymantriidae) Synonym(s): *proletaria* Holland,1893
 39548) *Dasychira psolobalia* Collenette,1936 (Lymantriidae) Synonym(s): *psolobalia* Collenette,1936
 39549) *Dasychira pulcherrima* M.Hering,1926 (Lymantriidae) Synonym(s): *pulcherrima* M.Hering,1926
 39550) *Dasychira pulchra* Swinhoe,1906 (Lymantriidae) Synonym(s): *pulchra* Swinhoe,1906
 39551) *Dasychira pulchripes* Aurivillius,1905 (Lymantriidae) Synonym(s): *pulchripes* Aurivillius,1905
 39552) *Dasychira punctifera* (Walker,1857) (Lymantriidae) Synonym(s): *punctifera* Walker,1857
 39553) *Dasychira pytna* (Druce,1898) (Lymantriidae) Synonym(s): *pytna* Druce,1898
 39554) *Dasychira quinquepunctata* (Möschler,1887) (Lymantriidae) Synonym(s): *quinquepunctata* Möschler,1887
 39555) *Dasychira remota* Druce,1884 (Lymantriidae) Synonym(s): *remota* Druce,1884
 39556) *Dasychira renominata* Strand,1915 (Lymantriidae) Synonym(s): *moerens* Butler,1882 (*praeocc.*); *renominata* Strand,1915; *butleri* Swinhoe,1923
 39557) *Dasychira rhabdota* Collenette,1933 (Lymantriidae) Synonym(s): *rhabdota* Collenette,1933
 39558) *Dasychira rhopalum* M.Hering,1926 (Lymantriidae) Synonym(s): *rhopalum* M.Hering,1926
 39559) *Dasychira robusta* (Walker,1855) (Lymantriidae) Synonym(s): *robusta* Walker,1855
 39560) *Dasychira rubricosta* M.Hering,1926 (Lymantriidae) Synonym(s): *rubricosta* M.Hering,1926
 39561) *Dasychira ruficosta* Bethune-Baker,1911 (Lymantriidae) Synonym(s): *ruficosta* Bethune-Baker,1911
 39562) *Dasychira ruptilinea* Holland,1893 (Lymantriidae) Synonym(s): *ruptilinea* Holland,1893
 39563) *Dasychira sachalinensis* Matsumura,1931 (Lymantriidae) Synonym(s): *sachalinensis* Matsumura,1931
 39564) *Dasychira sagittiphora* M.Hering,1926 (Lymantriidae) Synonym(s): *sagittiphora* M.Hering,1926
 39565) *Dasychira sanguinea* M.Hering,1926 (Lymantriidae) Synonym(s): *sanguinea* M.Hering,1926
 39566) *Dasychira saussurii* Dewitz,1881 (Lymantriidae) Synonym(s): *saussurii* Dewitz,1881
 39567) *Dasychira scotina* M.Hering,1926 (Lymantriidae) Synonym(s): *scotina* M.Hering,1926
 39568) *Dasychira scurra* M.Hering,1926 (Lymantriidae) Synonym(s): *scurra* M.Hering,1926
 39569) *Dasychira seitzii* M.Hering,1926 (Lymantriidae) Synonym(s): *seitzii* M.Hering,1926
 39570) *Dasychira semicirculosa* Gaede,1932 (Lymantriidae) Synonym(s): *semicirculosa* Gaede,1932
 39571) *Dasychira semiotheta* Collenette,1933 (Lymantriidae) Synonym(s): *semiotheta* Collenette,1933
 39572) *Dasychira signifera* Walker,1862 (Lymantriidae) Synonym(s): *signifera* Walker,1862
 39573) *Dasychira simiolus* Collenette,1936 (Lymantriidae) Synonym(s): *simiolus* Collenette,1936

- 39574) *Dasychira sociodes* Collenette, 1960 (Lymantriidae) Synonym(s): *sociodes* Collenette, 1960
 39575) *Dasychira spargata* M.Hering, 1926 (Lymantriidae) Synonym(s): *spargata* M.Hering, 1926
 39576) *Dasychira sphalera* M.Hering, 1926 (Lymantriidae) Synonym(s): *sphalera* M.Hering, 1926
 39577) *Dasychira sphaleroides* M.Hering, 1926 (Lymantriidae) Synonym(s): *sphaleroides* M.Hering, 1926
 39578) *Dasychira stegmanni* Grünberg, 1910 (Lymantriidae) Synonym(s): *stegmanni* Grünberg, 1910
 39579) *Dasychira stigmatica* Holland, 1893 (Lymantriidae) Synonym(s): *stigmatica* Holland, 1893
 39580) *Dasychira stigmatica aurelia* (Fawcett, 1918) (Lymantriidae) Synonym(s): *aurelia* Fawcett, 1918; *haurella* M.Hering, 1926
 39581) *Dasychira stigmatica propensa* M.Hering, 1926 (Lymantriidae) Synonym(s): *propensa* M.Hering, 1926
 39582) *Dasychira stigmatica stigmatica* Holland, 1893 (Lymantriidae) Synonym(s): *stigmatica* Holland, 1893
 39583) *Dasychira striata* (Holland, 1893) (Lymantriidae) Synonym(s): *striata* Holland, 1893
 39584) *Dasychira stridentata* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *stridentata* Bethune-Baker, 1911
 39585) *Dasychira styx* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *styx* Bethune-Baker, 1911
 39586) *Dasychira suarezia* Mabil, 1897 (Lymantriidae) Synonym(s): *suarazia* Mabil, 1897
 39587) *Dasychira subflava* (Walker, 1855) (Lymantriidae) Synonym(s): *subflava* Walker, 1855
 39588) *Dasychira sublutescens* Holland, 1893 (Lymantriidae) Synonym(s): *sublutescens* Holland, 1893
 39589) *Dasychira subnigra* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *subnigra* Bethune-Baker, 1904
 39590) *Dasychira subochracea* Aurivillius, 1910 (Lymantriidae) Synonym(s): *subochracea* Aurivillius, 1910
 39591) *Dasychira suisharyonis* Strand, 1914 (Lymantriidae) Synonym(s): *suisharyonis* Strand, 1914
 39592) *Dasychira suspecta* M.Hering, 1926 (Lymantriidae) Synonym(s): *suspecta* M.Hering, 1926
 39593) *Dasychira symbolum* M.Hering, 1926 (Lymantriidae) Synonym(s): *symbolum* M.Hering, 1926
 39594) *Dasychira taberna* M.Hering, 1926 (Lymantriidae) Synonym(s): *taberna* M.Hering, 1926
 39595) *Dasychira tenebrosa* Walker, 1865 (Lymantriidae) Synonym(s): *tenebrosa* Walker, 1865
 39596) *Dasychira thanatos* M.Hering, 1926 (Lymantriidae) Synonym(s): *thanatos* M.Hering, 1926
 39597) *Dasychira thermoplasma* Hampson, 1910 (Lymantriidae) Synonym(s): *thermoplasma* Hampson, 1910; *poecila* M.Hering, 1926
 39598) *Dasychira thersites* (Holland, 1893) (Lymantriidae) Synonym(s): *thersites* Holland, 1893
 39599) *Dasychira thomensis* Talbot, 1929 (Lymantriidae) Synonym(s): *thomensis* Talbot, 1929
 39600) *Dasychira thwaitesi* Moore, 1883 (Lymantriidae) Synonym(s): *thwaitesi* Moore, 1883; *pudica* Moore, 1887
 39601) *Dasychira thysanoessa* Collenette, 1933 (Lymantriidae) Synonym(s): *thysanoessa* Collenette, 1933
 39602) *Dasychira thysanogramma* Collenette, 1930 (Lymantriidae) Synonym(s): *thysanogramma* Collenette, 1930
 39603) *Dasychira torniplaga* M.Hering, 1926 (Lymantriidae) Synonym(s): *torniplaga* M.Hering, 1926
 39604) *Dasychira trapezimakulata* Strand, 1909 (Lymantriidae) Synonym(s): *trapezimakulata* Strand, 1909
 39605) *Dasychira triselenia* Collenette, 1931 (Lymantriidae) Synonym(s): *triselenia* Collenette, 1931
 39606) *Dasychira tristis* Heylaerts, 1892 (Lymantriidae) Synonym(s): *tristis* Heylaerts, 1892; *anaha* Swinhoe, 1906; *honaha* Strand, 1915; *hanana* Rothschild, 1920
 39607) *Dasychira umbra* Rothschild, 1920 (Lymantriidae) Synonym(s): *umbra* Rothschild, 1920
 39608) *Dasychira umbrensia* Bethune-Baker, 1913 (Lymantriidae) Synonym(s): *umbrensia* Bethune-Baker, 1913
 39609) *Dasychira umbricolora* Hampson, 1911 (Lymantriidae) Synonym(s): *umbricolora* Hampson, 1911
 39610) *Dasychira vagans* (Barnes & McDunnough, 1913) (Lymantriidae) Synonym(s): *vagans* Barnes & McDunnough, 1913; *grisea* Barnes & McDunnough, 1913; *willingi* Barnes & McDunnough, 1913
 39611) *Dasychira vaneckeae* Collenette, 1932 (Lymantriidae) Synonym(s): *vaneckeae* Collenette, 1932
 39612) *Dasychira varia* Walker, 1855 (Lymantriidae) Synonym(s): *varia* Walker, 1855; *maruta* Moore, 1859
 39613) *Dasychira variegata* Rothschild, 1915 (Lymantriidae) Synonym(s): *variegata* Rothschild, 1915
 39614) *Dasychira vibicipennis* Butler, 1879 (Lymantriidae) Synonym(s): *vibicipennis* Butler, 1879
 39615) *Dasychira viola* (Butler, 1879) (Lymantriidae) Synonym(s): *viola* Butler, 1879
 39616) *Dasychira violacea* M.Hering, 1926 (Lymantriidae) Synonym(s): *violacea* M.Hering, 1926
 39617) *Dasychira virescens* (Moore, 1879) (Lymantriidae) Synonym(s): *virescens* Moore, 1879
 39618) *Dasychira virginea* Oberthür, 1879 (Lymantriidae) Synonym(s): *virginea* Oberthür, 1879
 39619) *Dasychira viridipallens* M.Hering, 1926 (Lymantriidae) Synonym(s): *pallida* Holland, 1893 *nec* Butl., 1882; *viridipallens* M.Hering, 1926
 39620) *Dasychira viridipicta* Kenrick, 1913 (Lymantriidae) Synonym(s): *viridipicta* Kenrick, 1913
 39621) *Dasychira viridis* (Holland, 1893) (Lymantriidae) Synonym(s): *viridis* Holland, 1893
 39622) *Dasychira viridis* Druce, 1899 (Lymantriidae) Synonym(s): *viridis* Druce, 1899 *nec* Holl., 1893
 39623) *Dasychira wilemani* Collenette, 1933 (Lymantriidae) Synonym(s): *wilemani* Collenette, 1933
 39624) *Dasychira xylipoecila* M.Hering, 1926 (Lymantriidae) Synonym(s): *xylipoecila* M.Hering, 1926
 39625) *Dasychira zena* M.Hering, 1926 (Lymantriidae) Synonym(s): *zena* M.Hering, 1926
 39626) *Dasychirana crenulata* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *crenulata* Bethune-Baker, 1911
 39627) *Dasychirana obliquilinea* Bethune Baker, 1911 (Lymantriidae) Synonym(s): *obliquilinea* Bethune Baker, 1911
 39628) *Dasychirana unilineata* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *unilineata* Bethune-Baker, 1911
 39629) *Dasychirina chrysogramma* M.Hering, 1926 (Lymantriidae) Synonym(s): *chrysogramma* M.Hering, 1926
 39630) *Dasychirina strigata* Aurivillius, 1925 (Lymantriidae) Synonym(s): *strigata* Aurivillius, 1925
 39631) *Dendrophleps cretacea* Holloway, 1999 (Lymantriidae) Synonym(s): *cretacea* Holloway, 1999
 39632) *Dendrophleps semihyalina* Hampson, 1893 (Lymantriidae) Synonym(s): *semihyalina* Hampson, 1893
 39633) *Dicallomera fascelina* (Linnaeus, 1758) (Lymantriidae) Synonym(s): *fascelina* Linnaeus, 1758; *medicaginis* Hübner, [1803]; *danieli* De Freina, 1979.
 39634) *Dicallomera fascelina salangi* (Ebert, 1968) (Lymantriidae) Synonym(s): *salangi* Ebert, 1968
 39635) *Dicallomera nivalis* (Staudinger, 1887) (Lymantriidae) Synonym(s): *nivalis* Staudinger, 1887
 39636) *Dicallomera nivalis obscurata* (Staudinger, [1900]) (Lymantriidae) Synonym(s): *obscurata* Staudinger, [1900]
 39637) *Dicallomera pashutuna* (Ebert, 1968) (Lymantriidae) Synonym(s): *pashutuna* Ebert, 1968
 39638) *Dicranuropsis vilis* R.Felder & Rogenhofer, 1874 (Lymantriidae) Synonym(s): *vilis* R.Felder & Rogenhofer, 1874
 39639) *Dura alba* Moore, 1879 (Lymantriidae) Synonym(s): *alba* Moore, 1879; *dasychiroides* Rothschild, 1920
 39640) *Dura albicans* (Walker, 1856) (Lymantriidae) Synonym(s): *albicans* Walker, 1856
 39641) *Dura amiantha* Collenette, 1932 (Lymantriidae) Synonym(s): *amiantha* Collenette, 1932; *eucraera* Collenette, 1949
 39642) *Dura amplipennis* (Walker, 1865) (Lymantriidae) Synonym(s): *amplipennis* Walker, 1865
 39643) *Dura inonorata* (Hoppfer, 1874) (Lymantriidae) Synonym(s): *inonorata* Hoppfer, 1874
 39644) *Dura marginepunctata* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *marginepunctata* Bethune-Baker, 1904; *pusilla* Strand, 1915
 39645) *Dura ochrias* (Turner, 1906) (Lymantriidae) Synonym(s): *ochrias* Turner, 1906
 39646) *Dura prionodesma* Turner, 1921 (Lymantriidae) Synonym(s): *prionodesma* Turner, 1921
 39647) *Dura pseudalba* Holloway, 1999 (Lymantriidae) Synonym(s): *pseudalba* Holloway, 1999
 39648) *Dyasma thaumatopoeides* Collenette, 1960 (Lymantriidae) Synonym(s): *thaumatopoeides* Collenette, 1960
 39649) *Eopirga candida* M.Hering, 1926 (Lymantriidae) Synonym(s): *candida* M.Hering, 1926
 39650) *Eudasychira georgiana* (Fawcett, 1900) (Lymantriidae) Synonym(s): *georgiana* Fawcett, 1900
 39651) *Eudasychira metathermes* (Hampson, 1905) (Lymantriidae) Synonym(s): *metathermes* Hampson, 1905; *xanthochroma* Hering, 1926
 39652) *Eudasychira poliotis* (Hampson, 1910) (Lymantriidae) Synonym(s): *poliotis* Hampson, 1910; *polia* M.Hering, 1926
 39653) *Eudasychira proleptota* (Hampson, 1905) (Lymantriidae) Synonym(s): *proleptota* Hampson, 1905; *greeni* Janse, 1915
 39654) *Euproctidion conradi* Collenette, 1931 (Lymantriidae) Synonym(s): *conradi* Collenette, 1931
 39655) *Euproctidion gabunica* Holland, 1893 (Lymantriidae) Synonym(s): *gabunica* Holland, 1893
 39656) *Euproctidion rhodobaphes* Collenette, 1931 (Lymantriidae) Synonym(s): *rhodobaphes* Collenette, 1931
 39657) *Euproctidion rhodoides* Collenette, 1931 (Lymantriidae) Synonym(s): *rhodoides* Collenette, 1931
 39658) *Euproctidion striata* Collenette, 1931 (Lymantriidae) Synonym(s): *striata* Collenette, 1931
 39659) *Euproctillopsis affinis* M.Hering, 1926 (Lymantriidae) Synonym(s): *affinis* M.Hering, 1926
 39660) *Euproctis abjecta* (Swinhoe, 1893) (Lymantriidae) Synonym(s): *abjecta* Swinhoe, 1893
 39661) *Euproctis acatharta* (Turner, 1896) (Lymantriidae) Synonym(s): *acatharta* Turner, 1896
 39662) *Euproctis acodes* Collenette, 1932 (Lymantriidae) Synonym(s): *acodes* Collenette, 1932

- 39663) *Euproctis acrita* Joicey & Talbot, 1917 (Lymantriidae) Synonym(s): *acrita* Joicey & Talbot, 1917
 39664) *Euproctis actor* Turner, 1920 (Lymantriidae) Synonym(s): *actor* Turner, 1920
 39665) *Euproctis adela* Collenette, 1932 (Lymantriidae) Synonym(s): *adela* Collenette, 1932
 39666) *Euproctis aeana* Collenette, 1930 (Lymantriidae) Synonym(s): *aeana* Collenette, 1930
 39667) *Euproctis aeruginosa* Collenette, 1932 (Lymantriidae) Synonym(s): *aeruginosa* Collenette, 1932
 39668) *Euproctis aethalodes* Collenette, 1930 (Lymantriidae) Synonym(s): *aethalodes* Collenette, 1930
 39669) *Euproctis aethiopica* Snellen, 1872 (Lymantriidae) Synonym(s): *aethiopica* Snellen, 1872; *natalensis* Janse, 1915
 39670) *Euproctis aethodigmata* Collenette, 1960 (Lymantriidae) Synonym(s): *aethodigmata* Collenette, 1960
 39671) *Euproctis aganopa* Turner, 1921 (Lymantriidae) Synonym(s): *aganopa* Turner, 1921
 39672) *Euproctis alba* Swinhoe, 1903 (Lymantriidae) Synonym(s): *alba* Swinhoe, 1903
 39673) *Euproctis albescens* Swinhoe, 1903 (Lymantriidae) Synonym(s): *immaculata* Moore, 1884 *nec* Butl.; *albescens* Swinhoe, 1903
 39674) *Euproctis albinotata* (Heylaerts, 1892) (Lymantriidae) Synonym(s): *albinotata* Heylaerts, 1892
 39675) *Euproctis albinula* M. Hering, 1926 (Lymantriidae) Synonym(s): *albinula* M. Hering, 1926
 39676) *Euproctis albociliata* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *albociliata* Bethune-Baker, 1904
 39677) *Euproctis albodentata* (Moore, 1871) (Lymantriidae) Synonym(s): *albodentata* Moore, 1871; *numensa* Swinhoe, 1922
 39678) *Euproctis albonotata* Joicey, Noakes & Talbot, 1915 (Lymantriidae) Synonym(s): *albonotata* Joicey, Noakes & Talbot, 1915
 39679) *Euproctis albopunctata* Hampson, 1892 (Lymantriidae) Synonym(s): *albopunctata* Hampson, 1892
 39680) *Euproctis alboscripta* Van Eecke, 1928 (Lymantriidae) Synonym(s): *alboscripta* Van Eecke, 1928
 39681) *Euproctis albovenosa* (Semper, 1899) (Lymantriidae) Synonym(s): *albovenosa* Semper, 1899
 39682) *Euproctis aliena* (Butler, 1886) (Lymantriidae) Synonym(s): *aliena* Butler, 1886
 39683) *Euproctis alikangae* Strand, 1915 (Lymantriidae) Synonym(s): *alikangae* Strand, 1915
 39684) *Euproctis allocota* Collenette, 1933 (Lymantriidae) Synonym(s): *allocota* Collenette, 1933
 39685) *Euproctis amagethes* Collenette, 1930 (Lymantriidae) Synonym(s): *amagethes* Collenette, 1930
 39686) *Euproctis amplior* Collenette, 1930 (Lymantriidae) Synonym(s): *amplior* Collenette, 1930
 39687) *Euproctis amydra* Collenette, 1929 (Lymantriidae) Synonym(s): *amydra* Collenette, 1929
 39688) *Euproctis angulata* Matsumura, 1927 (Lymantriidae) Synonym(s): *angulata* Matsumura, 1927; *sakaguchii* Matsumura, 1927
 39689) *Euproctis angulifera* (Butler, 1886) (Lymantriidae) Synonym(s): *angulifera* Butler, 1886
 39690) *Euproctis angusta* Semper, 1899 (Lymantriidae) Synonym(s): *angusta* Semper, 1899
 39691) *Euproctis anna* Swinhoe, 1903 (Lymantriidae) Synonym(s): *anna* Swinhoe, 1903
 39692) *Euproctis annulipes* (Boisduval, 1833) (Lymantriidae) Synonym(s): *annulipes* Boisduval, 1833
 39693) *Euproctis anomoeptena* (Collenette, 1932) (Lymantriidae) Synonym(s): *anomoeptena* Collenette, 1932
 39694) *Euproctis antiphates* Hampson, 1892 (Lymantriidae) Synonym(s): *antiphates* Hampson, 1892
 39695) *Euproctis apatela* (Tams, 1930) (Lymantriidae) Synonym(s): *apatela* Tams, 1930
 39696) *Euproctis apateloides* (Holland, 1893) (Lymantriidae) Synonym(s): *apateloides* Holland, 1893
 39697) *Euproctis apatetica* Collenette, 1930 (Lymantriidae) Synonym(s): *apatetica* Collenette, 1930
 39698) *Euproctis apicipuncta* (Holland, 1893) (Lymantriidae) Synonym(s): *apicipuncta* Holland, 1893; *ndalla* Bethune-Baker, 1911
 39699) *Euproctis areolata* M. Hering, 1928 (Lymantriidae) Synonym(s): *areolata* M. Hering, 1928
 39700) *Euproctis arfaki* Bethune-Baker, 1910 (Lymantriidae) Synonym(s): *arfaki* Bethune-Baker, 1910
 39701) *Euproctis argentata* Leech, 1899 (Lymantriidae) Synonym(s): *argentata* Leech, 1899
 39702) *Euproctis argentimarginata* (Wileman & South, 1921) (Lymantriidae) Synonym(s): *argentimarginata* Wileman & South, 1921
 39703) *Euproctis argyrochila* (Collenette, 1931) (Lymantriidae) Synonym(s): *argyrochila* Collenette, 1931
 39704) *Euproctis aroa* (Bethune-Baker, 1904) (Lymantriidae) Synonym(s): *aroa* Bethune-Baker, 1904
 39705) *Euproctis arrogans* (T.P. Lucas, 1900) (Lymantriidae) Synonym(s): *arrogans* T.P. Lucas, 1900; *meeki* Druce, 1903; *arclada* Swinhoe, 1903; *nigrofasciata* Aurivillius, 1920
 39706) *Euproctis asaphobalia* Collenette, 1932 (Lymantriidae) Synonym(s): *asaphobalia* Collenette, 1932
 39707) *Euproctis ateralbus* Rothschild, 1915 (Lymantriidae) Synonym(s): *ateralbus* Rothschild, 1915
 39708) *Euproctis aterata* Collenette, 1932 (Lymantriidae) Synonym(s): *aterata* Collenette, 1932
 39709) *Euproctis atomaria* (Walker, 1855) (Lymantriidae) Synonym(s): *atomaria* Walker, 1855; *apicalis* Walker, 1855; *flavotriangulata* Strand, 1932
 39710) *Euproctis atomarina* Van Eecke, 1928 (Lymantriidae) Synonym(s): *atomarina* Van Eecke, 1928
 39711) *Euproctis atrigutta* Walker, 1862 (Lymantriidae) Synonym(s): *atrigutta* Walker, 1862
 39712) *Euproctis atripuncta* Hampson, 1897 (Lymantriidae) Synonym(s): *atripuncta* Hampson, 1897
 39713) *Euproctis atrisignata* Swinhoe, 1903 (Lymantriidae) Synonym(s): *atrisignata* Swinhoe, 1903
 39714) *Euproctis atrodisca* M. Hering, 1926 (Lymantriidae) Synonym(s): *atrodisca* M. Hering, 1926
 39715) *Euproctis atosquama* (Walker, 1866) (Lymantriidae) Synonym(s): *atosquama* Walker, 1866; *enunciativa* Swinhoe, 1892; *albosquama* Strand, 1918; *#enunciativoides* Strand, 1918
 39716) *Euproctis aurantia* Mabille, 1879 (Lymantriidae) Synonym(s): *aurantia* Mabille, 1879
 39717) *Euproctis auranticolor* Rothschild, 1915 (Lymantriidae) Synonym(s): *auranticolor* Rothschild, 1915
 39718) *Euproctis aurata* Wileman, 1911 (Lymantriidae) Synonym(s): *aurata* Wileman, 1911
 39719) *Euproctis aureoplaga* Kenrick, 1913 (Lymantriidae) Synonym(s): *aureoplaga* Kenrick, 1913
 39720) *Euproctis austriaca* Semper, 1899 (Lymantriidae) Synonym(s): *austriaca* Semper, 1899
 39721) *Euproctis baibarana* Matsumura, 1927 (Lymantriidae) Synonym(s): *baibarana* Matsumura, 1927
 39722) *Euproctis baliolalis* (Swinhoe, 1892) (Lymantriidae) Synonym(s): *baliolalis* Swinhoe, 1892
 39723) *Euproctis barbara* Swinhoe, 1903 (Lymantriidae) Synonym(s): *barbara* Swinhoe, 1903; *celebesicola* Strand, 1915
 39724) *Euproctis basalis* (Moore, 1879) (Lymantriidae) Synonym(s): *basalis* Moore, 1879
 39725) *Euproctis beato* Bryk, 1934 (Lymantriidae) Synonym(s): *distincta* Wichgraf, 1921 *nec* Feld, 1874; *#distanti* Hering, 1926; *beato* Bryk, 1934
 39726) *Euproctis benguetana* (Schultze, 1910) (Lymantriidae) Synonym(s): *benguetana* Schultze, 1910
 39727) *Euproctis biagi* (Bethune-Baker, 1908) (Lymantriidae) Synonym(s): *biagi* Bethune-Baker, 1908
 39728) *Euproctis bicolor* (Heylaerts, 1892) (Lymantriidae) Synonym(s): *bicolor* Heylaerts, 1892
 39729) *Euproctis bifascia* Hampson, 1891 (Lymantriidae) Synonym(s): *bifascia* Hampson, 1891
 39730) *Euproctis bifurcata* Van Eecke, 1928 (Lymantriidae) Synonym(s): *bifurcata* Van Eecke, 1928
 39731) *Euproctis bigutta* Holland, 1893 (Lymantriidae) Synonym(s): *bigutta* Holland, 1893
 39732) *Euproctis biguttulata* (Wileman, 1921) (Lymantriidae) Synonym(s): *biguttulata* Wileman, 1921
 39733) *Euproctis bimaculata* Walker, 1855 (Lymantriidae) Synonym(s): *bimaculata* Walker, 1855; *bigutta* Walker, 1855
 39734) *Euproctis bipartita* (Moore, 1879) (Lymantriidae) Synonym(s): *bipartita* Moore, 1879
 39735) *Euproctis biplagata* (Heylaerts, 1892) (Lymantriidae) Synonym(s): *biplagata* Heylaerts, 1892; *biplagatana* Strand, 1918
 39736) *Euproctis biplagiata* (Walker, 1865) (Lymantriidae) Synonym(s): *biplagiata* Walker, 1865
 39737) *Euproctis bipunctapex* (Hampson, 1891) (Lymantriidae) Synonym(s): *bipunctapex* Hampson, 1891
 39738) *Euproctis bipunctata* Wichgraf, 1921 (Lymantriidae) Synonym(s): *bipunctata* Wichgraf, 1921
 39739) *Euproctis bisecta* Rothschild, 1915 (Lymantriidae) Synonym(s): *bisecta* Rothschild, 1915
 39740) *Euproctis boulifa* Dumont, 1922 (Lymantriidae) Synonym(s): *boulifa* Dumont, 1922
 39741) *Euproctis brachychlaena* Collenette, 1936 (Lymantriidae) Synonym(s): *brachychlaena* Collenette, 1936
 39742) *Euproctis brunneipicta* Collenette, 1930 (Lymantriidae) Synonym(s): *brunneipicta* Collenette, 1930
 39743) *Euproctis calesia* Swinhoe, 1902 (Lymantriidae) Synonym(s): *calesia* Swinhoe, 1902
 39744) *Euproctis callichlaena* Collenette, 1936 (Lymantriidae) Synonym(s): *callichlaena* Collenette, 1936
 39745) *Euproctis callipotama* Collenette, 1932 (Lymantriidae) Synonym(s): *callipotama* Collenette, 1932
 39746) *Euproctis calva* Swinhoe, 1903 (Lymantriidae) Synonym(s): *calva* Swinhoe, 1903
 39747) *Euproctis calvella* Strand, 1918 (Lymantriidae) Synonym(s): *calvella* Strand, 1918
 39748) *Euproctis cana* Wichgraf, 1921 (Lymantriidae) Synonym(s): *cana* Wichgraf, 1921
 39749) *Euproctis canariensis* Kenrick, 1913 (Lymantriidae) Synonym(s): *canariensis* Kenrick, 1913
 39750) *Euproctis canescens* Rothschild, 1920 (Lymantriidae) Synonym(s): *canescens* Rothschild, 1920

- 39751) *Euproctis carcassoni* Collenette, 1960 (Lymantriidae) Synonym(s): *carcassoni* Collenette, 1960
 39752) *Euproctis cardinalis* (Wileman, 1921) (Lymantriidae) Synonym(s): *cardinalis* Wileman, 1921
 39753) *Euproctis castaneostriata* Kenrick, 1913 (Lymantriidae) Synonym(s): *castaneostriata* Kenrick, 1913
 39754) *Euproctis celebensis* Swinhoe, 1916 (Lymantriidae) Synonym(s): *signata* Walker, 1865 nec Wlk.; *celebensis* Swinhoe, 1916; *signatula* Strand, 1918
 39755) *Euproctis celebosa* Strand, 1918 (Lymantriidae) Synonym(s): *celebesa* Strand, 1918
 39756) *Euproctis celidota* Collenette, 1932 (Lymantriidae) Synonym(s): *celidota* Collenette, 1932
 39757) *Euproctis celsa* Walker, 1866 (Lymantriidae) Synonym(s): *celsa* Walker, 1866
 39758) *Euproctis centropallida* Matsumura, 1927 (Lymantriidae) Synonym(s): *centropallida* Matsumura, 1927
 39759) *Euproctis ceramozona* Collenette, 1931 (Lymantriidae) Synonym(s): *ceramozona* Collenette, 1931
 39760) *Euproctis cerasina* Swinhoe, 1903 (Lymantriidae) Synonym(s): *cerasina* Swinhoe, 1903
 39761) *Euproctis cereales* Collenette, 1960 (Lymantriidae) Synonym(s): *cereales* Collenette, 1960
 39762) *Euproctis cervina* (Moore, 1877) (Lymantriidae) Synonym(s): *cervina* Moore, 1877; *kashmirica* Strand, 1910
 39763) *Euproctis cesa* Koçak & Kemal, 2006 (Lymantriidae) Synonym(s): *alba* Bethune-Baker, 1904 nec Swinh., 1903; *cesa* Koçak & Kemal, 2006
 39764) *Euproctis chalcostoma* Collenette, 1932 (Lymantriidae) Synonym(s): *chalcostoma* Collenette, 1932
 39765) *Euproctis charmetanti* Vuillot, 1890 (Lymantriidae) Synonym(s): *charmetanti* Vuillot, 1890
 39766) *Euproctis cheela* Swinhoe, 1903 (Lymantriidae) Synonym(s): *cheela* Swinhoe, 1903
 39767) *Euproctis chibiana* Masumura, 1927 (Lymantriidae) Synonym(s): *chibiana* Masumura, 1927
 39768) *Euproctis chinobalia* Collenette, 1933 (Lymantriidae) Synonym(s): *chinobalia* Collenette, 1933
 39769) *Euproctis chirunda* Swinhoe, 1903 (Lymantriidae) Synonym(s): *chirunda* Swinhoe, 1903
 39770) *Euproctis chlora* Joicey & Talbot, 1917 (Lymantriidae) Synonym(s): *chlora* Joicey & Talbot, 1917
 39771) *Euproctis chlorospila* Joicey & Talbot, 1917 (Lymantriidae) Synonym(s): *chlorospila* Joicey & Talbot, 1917
 39772) *Euproctis chrysoparypha* Collenette, 1933 (Lymantriidae) Synonym(s): *chrysoparypha* Collenette, 1933
 39773) *Euproctis chrysophaea* (Walker, 1865) (Lymantriidae) Synonym(s): *chrysophaea* Walker, 1865; *rorida* M. Hering, 1926
 39774) *Euproctis chrysorrhoea* (Linnaeus, 1758) (Lymantriidae) Synonym(s): *chrysorrhoea* Linnaeus, 1758; *phaeorrhoeus* Haworth, 1803
 39775) *Euproctis chrysorrhoea xanthorrhoea* Oberthür, 1916 (Lymantriidae) Synonym(s): *xanthorrhoea* Oberthür, 1916 nec Koll., 1844
 39776) *Euproctis chrysosoma* Collenette, 1939 (Lymantriidae) Synonym(s): *chrysosoma* Collenette, 1939
 39777) *Euproctis cina* Strand, 1915 (Lymantriidae) Synonym(s): *cina* Strand, 1915
 39778) *Euproctis cincta* Swinhoe, 1903 (Lymantriidae) Synonym(s): *cincta* Swinhoe, 1903
 39779) *Euproctis citrinula* Van Eecke, 1928 (Lymantriidae) Synonym(s): *citrinula* Van Eecke, 1928
 39780) *Euproctis citrona* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *citrona* Bethune-Baker, 1911
 39781) *Euproctis civitta* Swinhoe, 1903 (Lymantriidae) Synonym(s): *civitta* Swinhoe, 1903
 39782) *Euproctis coccinata* Swinhoe, 1916 (Lymantriidae) Synonym(s): *coccinata* Swinhoe, 1916
 39783) *Euproctis coelebs* Collenette, 1932 (Lymantriidae) Synonym(s): *coelebs* Collenette, 1932
 39784) *Euproctis commutanda* Swinhoe, 1903 (Lymantriidae) Synonym(s): *immaculata* Butler, 1882 nec Butl., 1881; *commutanda* Swinhoe, 1903; *javaniana* Strand, 1918; *butleri* Swinhoe, 1907
 39785) *Euproctis compacta* Lucas, 1892 (Lymantriidae) Synonym(s): *compacta* Lucas, 1892
 39786) *Euproctis confluens* M. Hering, 1926 (Lymantriidae) Synonym(s): *confluens* M. Hering, 1926
 39787) *Euproctis coniochroa* Bethune-Baker, 1908 (Lymantriidae) Synonym(s): *coniochroa* Bethune-Baker, 1908
 39788) *Euproctis coniota* Collenette, 1960 (Lymantriidae) Synonym(s): *coniota* Collenette, 1960
 39789) *Euproctis conistica* Collenette, 1936 (Lymantriidae) Synonym(s): *conistica* Collenette, 1936
 39790) *Euproctis conizona* (Collenette, 1933) (Lymantriidae) Synonym(s): *conizona* Collenette, 1933
 39791) *Euproctis consocia* Walker, 1865 (Lymantriidae) Synonym(s): *consocia* Walker, 1865; *modesta* Schaus & Clements, 1893
 39792) *Euproctis conspersana* Strand, 1914 (Lymantriidae) Synonym(s): *conspersana* Strand, 1914
 39793) *Euproctis convergens* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *convergens* Bethune-Baker, 1911
 39794) *Euproctis corbetti* Tams, 1928 (Lymantriidae) Synonym(s): *corbetti* Tams, 1928
 39795) *Euproctis cosmia* Collenette, 1932 (Lymantriidae) Synonym(s): *cosmia* Collenette, 1932
 39796) *Euproctis costalis* (Walker, 1855) (Lymantriidae) Synonym(s): *costalis* Walker, 1855; *incomptaria* Walker, 1862; *complens* Walker, 1865; *illepida* Walker, 1865
 39797) *Euproctis crocata* (Boisduval, 1847) (Lymantriidae) Synonym(s): *crocata* Boisduval, 1847; *cateja* Wallengren, 1860; *#crocota* Hering, 1926
 39798) *Euproctis crocea* (Walker, 1865) (Lymantriidae) Synonym(s): *crocea* Walker, 1865; *holoxutha* Turner, 1902
 39799) *Euproctis croceisticta* Hampson, 1909 (Lymantriidae) Synonym(s): *croceisticta* Hampson, 1909
 39800) *Euproctis croceola* Strand, 1918 (Lymantriidae) Synonym(s): *crocea* Wileman, 1910 nec Wlk., 1865; *croceola* Strand, 1918
 39801) *Euproctis crocosticta* Hampson, 1905 (Lymantriidae) Synonym(s): *crocosticta* Hampson, 1905
 39802) *Euproctis curvata* Wileman, 1911 (Lymantriidae) Synonym(s): *curvata* Wileman, 1911
 39803) *Euproctis dana* Swinhoe, 1903 (Lymantriidae) Synonym(s): *dana* Swinhoe, 1903; *danaica* Strand, 1915
 39804) *Euproctis decussata* (Moore, 1877) (Lymantriidae) Synonym(s): *decussata* Moore, 1877
 39805) *Euproctis deliana* Van Eecke, 1928 (Lymantriidae) Synonym(s): *deliana* Van Eecke, 1928
 39806) *Euproctis dera* Moore, 1859 (Lymantriidae) Synonym(s): *dersa* Moore, 1859
 39807) *Euproctis dewitzi* (Grünberg, 1907) (Lymantriidae) Synonym(s): *dewitzi* Grünberg, 1907; *isis* Bethune-Baker, 1911
 39808) *Euproctis digramma* (Guérin-Ménéville, 1838) (Lymantriidae) Synonym(s): *digramma* Guérin-Ménéville, 1838; *flava* Kirby, 1892 nec Fabr., 1775
 39809) *Euproctis digramma unimacula* (Moore, 1879) (Lymantriidae) Synonym(s): *unimacula* Moore, 1879
 39810) *Euproctis dimorphissima* Holloway, 1979 (Lymantriidae) Synonym(s): *dimorphissima* Holloway, 1979
 39811) *Euproctis dinawa* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *dinawa* Bethune-Baker, 1904
 39812) *Euproctis diplosticta* (Rebel, 1914) (Lymantriidae) Synonym(s): *diplosticta* Rebel, 1914
 39813) *Euproctis diploxutha* Collenette, 1939 (Lymantriidae) Synonym(s): *diploxutha* Collenette, 1939
 39814) *Euproctis dirtea* Swinhoe, 1905 (Lymantriidae) Synonym(s): *dirtea* Swinhoe, 1905
 39815) *Euproctis discipuncta* Holland, 1893 (Lymantriidae) Synonym(s): *discipuncta* Holland, 1893
 39816) *Euproctis discophora* Snellen, 1879 (Lymantriidae) Synonym(s): *discophora* Snellen, 1879
 39817) *Euproctis diselena* Collenette, 1932 (Lymantriidae) Synonym(s): *diselena* Collenette, 1932
 39818) *Euproctis dispersa* (Moore, 1879) (Lymantriidae) Synonym(s): *dispersa* Moore, 1879; *bidentata* Hampson, 1897
 39819) *Euproctis disphena* Collenette, 1930 (Lymantriidae) Synonym(s): *disphena* Collenette, 1930
 39820) *Euproctis dissimilis* Wileman, 1910 (Lymantriidae) Synonym(s): *dissimilis* Wileman, 1910
 39821) *Euproctis disticta* Bethune-Baker, 1909 (Lymantriidae) Synonym(s): *disticta* Bethune-Baker, 1909
 39822) *Euproctis distincta* (R. Felder & Rogenhofer, 1874) (Lymantriidae) Synonym(s): *distincta* R. Felder & Rogenhofer, 1874
 39823) *Euproctis distracta* (Walker, 1865) (Lymantriidae) Synonym(s): *distracta* Walker, 1865
 39824) *Euproctis divisa* (Walker, 1855) (Lymantriidae) Synonym(s): *divisa* Walker, 1855
 39825) *Euproctis dolichocera* Collenette (Lymantriidae) Synonym(s):
 39826) *Euproctis drucei* Swinhoe, 1903 (Lymantriidae) Synonym(s): *titania* Druce, 1899 nec Butl., 1879; *drucei* Swinhoe, 1903
 39827) *Euproctis dyssema* Collenette, 1932 (Lymantriidae) Synonym(s): *dyssema* Collenette, 1932
 39828) *Euproctis ediconog* Koçak & Kemal, 2006 (Lymantriidae) Synonym(s): *squamosa* Bethune-Baker, 1908 nec Butl., 1881; *ediconog* Koçak & Kemal, 2006
 39829) *Euproctis edwardsii* (Newman, 1856) (Lymantriidae) Synonym(s): *edwardsii* Newman, 1856; *deficita* Walker, 1865; *indecora* Walker, 1865; *togata* T.P. Lucas, 1891
 39830) *Euproctis egregia* Swinhoe, 1903 (Lymantriidae) Synonym(s): *egregia* Swinhoe, 1903
 39831) *Euproctis ekeikei* (Bethune-Baker, 1904) (Lymantriidae) Synonym(s): *ekeikei* Bethune-Baker, 1904
 39832) *Euproctis electrophanes* Collenette, 1936 (Lymantriidae) Synonym(s): *electrophanes* Collenette, 1936
 39833) *Euproctis embammachroa* Collenette, 1931 (Lymantriidae) Synonym(s): *embammachroa* Collenette, 1931
 39834) *Euproctis emprepes* Turner, 1931 (Lymantriidae) Synonym(s): *emprepes* Turner, 1931
 39835) *Euproctis endoplagia* Hampson, 1897 (Lymantriidae) Synonym(s): *endoplagia* Hampson, 1897; *#endoplaga* Swinhoe, 1923
 39836) *Euproctis epaxia* Turner, 1906 (Lymantriidae) Synonym(s): *epaxia* Turner, 1906
 39837) *Euproctis epidela* Turner, 1906 (Lymantriidae) Synonym(s): *epidela* Turner, 1906

- 39838) *Euproctis epinephela* Collenette, 1932 (Lymantriidae) Synonym(s): *epinephela* Collenette, 1932
 39839) *Euproctis erema* Collenette, 1932 (Lymantriidae) Synonym(s): *erema* Collenette, 1932
 39840) *Euproctis erythropaeclia* Collenette, 1933 (Lymantriidae) Synonym(s): *erythropaeclia* Collenette, 1933
 39841) *Euproctis erythrostickta* (Hampson, 1910) (Lymantriidae) Synonym(s): *erythrostickta* Hampson, 1910
 39842) *Euproctis eumorpha* Collenette, 1932 (Lymantriidae) Synonym(s): *eumorpha* Collenette, 1932
 39843) *Euproctis euproctiformis* (Strand, 1915) (Lymantriidae) Synonym(s): *euproctiformis* Strand, 1915
 39844) *Euproctis euthypheres* Collenette, 1933 (Lymantriidae) Synonym(s): *euthypheres* Collenette, 1933
 39845) *Euproctis euthysana* (Turner, 1902) (Lymantriidae) Synonym(s): *euthysana* Turner, 1902
 39846) *Euproctis faceta* Swinhoe, 1903 (Lymantriidae) Synonym(s): *faceta* Swinhoe, 1903
 39847) *Euproctis falkensteini* (Dewitz, 1881) (Lymantriidae) Synonym(s): *falkensteini* Dewitz, 1881
 39848) *Euproctis faventia* Druce, 1899 (Lymantriidae) Synonym(s): *faventia* Druce, 1899
 39849) *Euproctis ferhat* Koçak & Kemal, 2006 (Lymantriidae) Synonym(s): *pusilla* Hulstaert, 1924 nec Moore, 1883; *ferhat* Koçak & Kemal, 2006
 39850) *Euproctis fervida* (Walker, 1863) (Lymantriidae) Synonym(s): *fervida* Walker, 1863
 39851) *Euproctis fimbriata* (T.P. Lucas, 1891) (Lymantriidae) Synonym(s): *fimbriata* T.P. Lucas, 1891
 39852) *Euproctis flava* (Fabricius, 1775) (Lymantriidae) Synonym(s): *flava* Fabricius, 1775
 39853) *Euproctis flavata* (Stoll, 1780) (Lymantriidae) Synonym(s): *flavata* Stoll, 1780
 39854) *Euproctis flavicaput* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *flavicaput* Bethune-Baker, 1904
 39855) *Euproctis flavicincta* Janse, 1915 (Lymantriidae) Synonym(s): *flavicincta* Janse, 1915
 39856) *Euproctis flavicosta* Hampson, 1900 (Lymantriidae) Synonym(s): *flavicosta* Hampson, 1900
 39857) *Euproctis flavinata* (Walker, 1865) (Lymantriidae) Synonym(s): *flavinata* Walker, 1865
 39858) *Euproctis flavipennis* Snellen, 1879 (Lymantriidae) Synonym(s): *flavipennis* Snellen, 1879
 39859) *Euproctis flavociliata* Swinhoe, 1901 (Lymantriidae) Synonym(s): *flavociliata* Swinhoe, 1901
 39860) *Euproctis flavocinerea* (Van Eecke, 1928) (Lymantriidae) Synonym(s): *flavocinerea* Van Eecke, 1928
 39861) *Euproctis flavolimbatalana* Strand, 1918 (Lymantriidae) Synonym(s): *flavolimbatalana* Strand, 1918
 39862) *Euproctis flavomarginata* (Wileman, 1934) (Lymantriidae) Synonym(s): *flavomarginata* Wileman, 1934
 39863) *Euproctis flavosulphurea* (Erschoff, 1872) (Lymantriidae) Synonym(s): *flavosulphurea* Erschoff, 1872; *cretacea* Staudinger, 1901; *froitzeimi* Wiltshire, 1958
 39864) *Euproctis fleuriotii* (Guérin-Méneville, 1862) (Lymantriidae) Synonym(s): *fleuriotii* Guérin-Méneville, 1862; *fleuriotti* Kirby, 1892
 39865) *Euproctis flexuosa* Veen, 1897 (Lymantriidae) Synonym(s): *flexuosa* Veen, 1897
 39866) *Euproctis flexuosana* Strand, 1918 (Lymantriidae) Synonym(s): *flexuosa* Wileman, 1910 nec Veen; *flexuosana* Strand, 1918; *koshunensis* Matsumura, 1921
 39867) *Euproctis florensis* Collenette, 1932 (Lymantriidae) Synonym(s): *florensis* Collenette, 1932
 39868) *Euproctis floridula* M. Hering, 1926 (Lymantriidae) Synonym(s): *floridula* M. Hering, 1926
 39869) *Euproctis fraterna* (Moore, 1883) (Lymantriidae) Synonym(s): *fraterna* Moore, 1883
 39870) *Euproctis frigidior* Collenette, 1932 (Lymantriidae) Synonym(s): *frigidior* Collenette, 1932
 39871) *Euproctis fulva* (Butler, 1882) (Lymantriidae) Synonym(s): *fulva* Butler, 1882
 39872) *Euproctis fulvinigra* Hampson, 1911 (Lymantriidae) Synonym(s): *fulvinigra* Hampson, 1911
 39873) *Euproctis fulvipennis* Hampson, 1910 (Lymantriidae) Synonym(s): *fulvipennis* Hampson, 1910
 39874) *Euproctis fulvipuncta* Hampson, 1892 (Lymantriidae) Synonym(s): *fulvipuncta* Hampson, 1892
 39875) *Euproctis fulvobrunnea* Collenette, 1932 (Lymantriidae) Synonym(s): *fulvobrunnea* Collenette, 1932
 39876) *Euproctis fulvonigra* (Swinhoe, 1903) (Lymantriidae) Synonym(s): *fulvonigra* Swinhoe, 1903
 39877) *Euproctis fulvostriata* Swinhoe, 1903 (Lymantriidae) Synonym(s): *fulvostriata* Swinhoe, 1903
 39878) *Euproctis fumitincta* Hampson, 1910 (Lymantriidae) Synonym(s): *fumitincta* Hampson, 1910; *suspensa* M. Hering, 1926
 39879) *Euproctis fumosa* (Snellen, 1877) (Lymantriidae) Synonym(s): *fumosa* Snellen, 1877
 39880) *Euproctis funeralis* Swinhoe, 1903 (Lymantriidae) Synonym(s): *funeralis* Swinhoe, 1903
 39881) *Euproctis fusciradiata* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *fusciradiata* Bethune-Baker, 1904
 39882) *Euproctis fuscipennis* Walker, 1862 (Lymantriidae) Synonym(s): *fuscipennis* Walker, 1862; *fuscipennis* Kirby, 1892
 39883) *Euproctis galactopis* (Turner, 1903) (Lymantriidae) Synonym(s): *galactopis* Turner, 1903
 39884) *Euproctis geminata* (Collenette, 1933) (Lymantriidae) Synonym(s): *geminata* Collenette, 1933
 39885) *Euproctis gentia* Swinhoe, 1903 (Lymantriidae) Synonym(s): *gentia* Swinhoe, 1903
 39886) *Euproctis geometrica* (Semper, 1899) (Lymantriidae) Synonym(s): *geometrica* Semper, 1899
 39887) *Euproctis geometroides* Collenette, 1932 (Lymantriidae) Synonym(s): *geometroides* Collenette, 1932
 39888) *Euproctis gilviringata* Collenette, 1932 (Lymantriidae) Synonym(s): *gilviringata* Collenette, 1932
 39889) *Euproctis gita* Collenette, 1932 (Lymantriidae) Synonym(s): *gita* Collenette, 1932
 39890) *Euproctis glaphyra* Collenette, 1936 (Lymantriidae) Synonym(s): *glaphyra* Collenette, 1936
 39891) *Euproctis gracilior* (Pagenstecher, 1886) (Lymantriidae) Synonym(s): *gracilior* Pagenstecher, 1886
 39892) *Euproctis grisea* Semper, 1899 (Lymantriidae) Synonym(s): *grisea* Semper, 1899
 39893) *Euproctis griseata* Bethune-Baker, 1908 (Lymantriidae) Synonym(s): *griseata* Bethune-Baker, 1908
 39894) *Euproctis griseostriata* Kenrick, 1913 (Lymantriidae) Synonym(s): *griseostriata* Kenrick, 1913
 39895) *Euproctis guttata* (Walker, 1855) (Lymantriidae) Synonym(s): *guttata* Walker, 1855; *digamma* Moore, 1883 nec Guérin-Méneville, 1838; *flava* Kirby, 1892
 39896) *Euproctis guttistriga* Walker, 1862 (Lymantriidae) Synonym(s): *guttistriga* Walker, 1862
 39897) *Euproctis guttulata* Snellen, 1886 (Lymantriidae) Synonym(s): *guttulata* Snellen, 1886
 39898) *Euproctis habrostola* Turner, 1902 (Lymantriidae) Synonym(s): *habrostola* Turner, 1902; *pura* Swinhoe, 1903
 39899) *Euproctis haemodetes* Hampson, 1905 (Lymantriidae) Synonym(s): *haemodetes* Hampson, 1905
 39900) *Euproctis hamptoni* Swinhoe, 1903 (Lymantriidae) Synonym(s): *variegata* Hampson, 1891 nec Mre., 1879; *hamptoni* Swinhoe, 1903
 39901) *Euproctis hapala* Collenette, 1932 (Lymantriidae) Synonym(s): *hapala* Collenette, 1932
 39902) *Euproctis hardenbergia* (Janse, 1915) (Lymantriidae) Synonym(s): *hardenbergia* Janse, 1915
 39903) *Euproctis hargreavesi* Collenette, 1931 (Lymantriidae) Synonym(s): *hargreavesi* Collenette, 1931
 39904) *Euproctis hemibathes* Swinhoe, 1906 (Lymantriidae) Synonym(s): *hemibathes* Swinhoe, 1906; *hemibathoides* Strand, 1918
 39905) *Euproctis hemicyclia* Collenette, 1930 (Lymantriidae) Synonym(s): *hemicyclia* Collenette, 1930
 39906) *Euproctis hemigenes* Collenette, 1932 (Lymantriidae) Synonym(s): *hemigenes* Collenette, 1932
 39907) *Euproctis holoxutha* Turner, 1902 (Lymantriidae) Synonym(s): *holoxutha* Turner, 1902
 39908) *Euproctis homonyma* Bryk, 1934 (Lymantriidae) Synonym(s): *coreana* Matsumura, 1927 nec Stgr., 1896; *homonyma* Bryk, 1934
 39909) *Euproctis hopponis* (Matsumura, 1933) (Lymantriidae) Synonym(s): *hopponis* Matsumura, 1933
 39910) *Euproctis howra* (Moore, 1879) (Lymantriidae) Synonym(s): *howra* Moore, 1879
 39911) *Euproctis howra* howra (Moore, 1879) (Lymantriidae) Synonym(s): *howra* Moore, 1879
 39912) *Euproctis howra* obsoleta (Hampson, 1891) (Lymantriidae) Synonym(s): *obsoleta* Hampson, 1891
 39913) *Euproctis huntet* W. Warren, 1903 (Lymantriidae) Synonym(s): *huntet* W. Warren, 1903; *hunteri* Swinhoe, 1923
 39914) *Euproctis hymnalis* Turner, 1921 (Lymantriidae) Synonym(s): *hymnalis* Turner, 1921
 39915) *Euproctis hypocloa* Collenette, 1932 (Lymantriidae) Synonym(s): *hypocloa* Collenette, 1932
 39916) *Euproctis hypoenops* Collenette, 1939 (Lymantriidae) Synonym(s): *hypoenops* Collenette, 1939
 39917) *Euproctis hypopolisa* Collenette, 1932 (Lymantriidae) Synonym(s): *hypopolisa* Collenette, 1932
 39918) *Euproctis icelomorpha* Swinhoe, 1906 (Lymantriidae) Synonym(s): *icelomorpha* Swinhoe, 1906; *nubilosa* Van Eecke, 1921
 39919) *Euproctis icilia* (Stoll, [1791]) (Lymantriidae) Synonym(s): *icilia* Stoll, [1791]
 39920) *Euproctis idonea* Swinhoe, 1903 (Lymantriidae) Synonym(s): *idonea* Swinhoe, 1903
 39921) *Euproctis immaculata* Butler, 1881 (Lymantriidae) Synonym(s): *immaculata* Butler, 1881; *plana* Hampson, 1892 nec Wlk., 1856
 39922) *Euproctis impuncta* (Butler, 1898) (Lymantriidae) Synonym(s): *impuncta* Butler, 1898
 39923) *Euproctis incommoda* (Butler, 1882) (Lymantriidae) Synonym(s): *incommoda* Butler, 1882
 39924) *Euproctis inconcisa* (Walker, 1865) (Lymantriidae) Synonym(s): *inconcisa* Walker, 1865
 39925) *Euproctis inconspicua* Leech, 1899 (Lymantriidae) Synonym(s): *inconspicua* Leech, 1899
 39926) *Euproctis indistincta* Rothschild, 1920 (Lymantriidae) Synonym(s): *indistincta* Rothschild, 1920

- 39927) *Euproctis inepta* (Butler,1887) (Lymantriidae) Synonym(s): *inepta* Butler,1887
 39928) *Euproctis innotata* (Walker,1865) (Lymantriidae) Synonym(s): *innotata* Walker,1865; *conspersa* R.Felder & Rogenhofer,1874
 39929) *Euproctis innupta* Collenette,1932 (Lymantriidae) Synonym(s): *innupta* Collenette,1932
 39930) *Euproctis inornata* Wileman,1910 (Lymantriidae) Synonym(s): *inornata* Wileman,1910
 39931) *Euproctis insulata* Wileman,1910 (Lymantriidae) Synonym(s): *insulata* Wileman,1910
 39932) *Euproctis inturbida* (Walker,1865) (Lymantriidae) Synonym(s): *inturbida* Walker,1865; *megaxantha* Walker,1866
 39933) *Euproctis iridescens* Janse,1915 (Lymantriidae) Synonym(s): *iridescens* Janse,1915
 39934) *Euproctis irregularis* Bethune-Baker,1904 (Lymantriidae) Synonym(s): *irregularis* Bethune-Baker,1904
 39935) *Euproctis irrorata* Moore,1859 (Lymantriidae) Synonym(s): *irrorata* Moore,1859
 39936) *Euproctis isabellina* Heylaerts,1892 (Lymantriidae) Synonym(s): *isabellina* Heylaerts,1892
 39937) *Euproctis javana* Aurivillius,1894 (Lymantriidae) Synonym(s): *javana* Aurivillius,1894
 39938) *Euproctis javana epirotica* Collenette,1932 (Lymantriidae) Synonym(s): *epirotica* Collenette,1932
 39939) *Euproctis javana javana* Aurivillius,1894 (Lymantriidae) Synonym(s): *javana* Aurivillius,1894
 39940) *Euproctis jefferyi* Collenette,1931 (Lymantriidae) Synonym(s): *jefferyi* Collenette,1931
 39941) *Euproctis josiata* (Walker,1865) (Lymantriidae) Synonym(s): *josiata* Walker,1865; *nobilis* R.Felder & Rogenhofer,1874
 39942) *Euproctis kala* (Moore,1859) (Lymantriidae) Synonym(s): *kala* Moore,1859
 39943) *Euproctis kamerunica* M.Hering,1926 (Lymantriidae) Synonym(s): *kamerunica* M.Hering,1926
 39944) *Euproctis kan* Matsumura,1933 (Lymantriidae) Synonym(s): *kan* Matsumura,1933
 39945) *Euproctis kanshireia* Wileman,1910 (Lymantriidae) Synonym(s): *kanshireia* Wileman,1910
 39946) *Euproctis karapina* Strand,1914 (Lymantriidae) Synonym(s): *karapina* Strand,1914; *nigroabdominalis* Matsumura,1931
 39947) *Euproctis karghalica* Moore,1878 (Lymantriidae) Synonym(s): *karghalica* Moore,1878; *#kargalika* Grum-Grshimailo,1886; *flavosulphurea* Grum-Grshimailo,1886; *#karghalika* Strand,1910; *#deornata* Ebert,1968
 39948) *Euproctis kebeae* Bethune-Baker,1904 (Lymantriidae) Synonym(s): *kebeae* Bethune-Baker,1904
 39949) *Euproctis labecula* Wileman,1910 (Lymantriidae) Synonym(s): *labecula* Wileman,1910
 39950) *Euproctis labeculoides* Strand,1914 (Lymantriidae) Synonym(s): *labeculoides* Strand,1914
 39951) *Euproctis lacipa* (Swinhoe,1923) (Lymantriidae) Synonym(s): *apicalis* Walker,1855 nec Wlk.,1855; *lacipa* Swinhoe,1923
 39952) *Euproctis lactea* Moore,1878 (Lymantriidae) Synonym(s): *lactea* Moore,1878
 39953) *Euproctis laniata* Hampson,1904 (Lymantriidae) Synonym(s): *laniata* Hampson,1904
 39954) *Euproctis latifascia* (Walker,1855) (Lymantriidae) Synonym(s): *latifascia* Walker,1855; *antica* Walker,1855 nec Wlk.,1855; *postica* Walker,1865; *abdominalis* Moore,1888; *#basiatra* Strand,1910; *#suisharyonis* Strand,1914
 39955) *Euproctis lativitta* (Moore,1879) (Lymantriidae) Synonym(s): *lativitta* Moore,1879; *nigripennis* Hampson,1892
 39956) *Euproctis lavella* Bethune-Baker,1910 (Lymantriidae) Synonym(s): *lavella* Bethune-Baker,1910
 39957) *Euproctis lemuria* (M.Hering,1926) (Lymantriidae) Synonym(s): *lemuria* M.Hering,1926
 39958) *Euproctis leonina* (Turner,1903) (Lymantriidae) Synonym(s): *leonina* Turner,1903
 39959) *Euproctis lepidographa* Hampson,1910 (Lymantriidae) Synonym(s): *lepidographa* Hampson,1910
 39960) *Euproctis leucophleba* Collenette,1932 (Lymantriidae) Synonym(s): *leucophleba* Collenette,1932
 39961) *Euproctis leucorhabda* Collenette,1939 (Lymantriidae) Synonym(s): *leucorhabda* Collenette,1939
 39962) *Euproctis leucospila* (Walker,1865) (Lymantriidae) Synonym(s): *leucospila* Walker,1865
 39963) *Euproctis leucopilodes* Strand,1918 (Lymantriidae) Synonym(s): *#pelucospila* Strand,1914; *#defecta* Strand,1918; *leucopilodes* Strand,1918
 39964) *Euproctis limbalis* (Herrich-Schäffer,[1855]) (Lymantriidae) Synonym(s): *limbalis* Herrich-Schäffer,[1855]; *boeckea* Herrich-Schäffer,[1858]; *leucophaea* Walker,1862
 39965) *Euproctis limonea* (Butler,1882) (Lymantriidae) Synonym(s): *limonea* Butler,1882
 39966) *Euproctis linta* (Moore,1859) (Lymantriidae) Synonym(s): *linta* Moore,1859
 39967) *Euproctis lipara* Collenette,1930 (Lymantriidae) Synonym(s): *lipara* Collenette,1930
 39968) *Euproctis livia* Swinhoe,1903 (Lymantriidae) Synonym(s): *livia* Swinhoe,1903; *#linia* Strand,1918
 39969) *Euproctis lodra* (Moore,1859) (Lymantriidae) Synonym(s): *lodra* Moore,1859
 39970) *Euproctis lucifuga* (T.P.Lucas,1892) (Lymantriidae) Synonym(s): *lucifuga* T.P.Lucas,1892; *chrysophaea* Turner,1902 nec Wlk.
 39971) *Euproctis lunata* Walker,1855 (Lymantriidae) Synonym(s): *lunata* Walker,1855
 39972) *Euproctis lunifera* (Walker,1865) (Lymantriidae) Synonym(s): *lunifera* Walker,1865
 39973) *Euproctis lutea* (Fabricius,1775) (Lymantriidae) Synonym(s): *lutea* Fabricius,1775 nec Hufn.,1766; *chrysophila* Walker,1865; *iobrota* Meyrick,1891
 39974) *Euproctis lutearia* (Bethune-Baker,1908) (Lymantriidae) Synonym(s): *lutearia* Bethune-Baker,1908
 39975) *Euproctis luteifascia* (Hampson,1891) (Lymantriidae) Synonym(s): *luteifascia* Hampson,1891; *#lateifascia* Strand,1915
 39976) *Euproctis luteomarginata* Bethune-Baker,1908 (Lymantriidae) Synonym(s): *luteomarginata* Bethune-Baker,1908; *lunula* Bethune-Baker,1908; *#garra* Strand,1918
 39977) *Euproctis luteosa* Bethune-Baker,1908 (Lymantriidae) Synonym(s): *luteosa* Bethune-Baker,1908
 39978) *Euproctis lutescens* Walker,1855 (Lymantriidae) Synonym(s): *lutescens* Walker,1855
 39979) *Euproctis lycene* Swinhoe,1904 (Lymantriidae) Synonym(s): *lycene* Swinhoe,1904
 39980) *Euproctis lyona* Swinhoe,1904 (Lymantriidae) Synonym(s): *lyona* Swinhoe,1904
 39981) *Euproctis macnultyi* Collenette,1960 (Lymantriidae) Synonym(s): *macnultyi* Collenette,1960
 39982) *Euproctis macrocera* Collenette,1933 (Lymantriidae) Synonym(s): *macrocera* Collenette,1933
 39983) *Euproctis macroplura* (Strand,1914) (Lymantriidae) Synonym(s): *macroplura* Strand,1914
 39984) *Euproctis macrostigma* Hampson,1904 (Lymantriidae) Synonym(s): *macrostigma* Hampson,1904
 39985) *Euproctis madana* Moore,1859 (Lymantriidae) Synonym(s): *madana* Moore,1859
 39986) *Euproctis magna* (Swinhoe,1891) (Lymantriidae) Synonym(s): *magna* Swinhoe,1891
 39987) *Euproctis magniplaga* Gaede,1932 (Lymantriidae) Synonym(s): *magniplaga* Gaede,1932
 39988) *Euproctis malaisei* Collenette,1960 (Lymantriidae) Synonym(s): *malaisei* Collenette,1960
 39989) *Euproctis mambara* Bethune-Baker,1908 (Lymantriidae) Synonym(s): *mambara* Bethune-Baker,1908
 39990) *Euproctis marginalis* (Walker,1855) (Lymantriidae) Synonym(s): *marginalis* Walker,1855
 39991) *Euproctis marginata* (Moore,1879) (Lymantriidae) Synonym(s): *marginata* Moore,1879; *quadrangularis* Moore,1879; *diffusefasciata* Gaede,1932
 39992) *Euproctis maza* Swinhoe,1903 (Lymantriidae) Synonym(s): *maza* Swinhoe,1903
 39993) *Euproctis mediosquamosa* Bethune-Baker,1909 (Lymantriidae) Synonym(s): *mediosquamosa* Bethune-Baker,1909
 39994) *Euproctis meeki* (Bethune-Baker,1904) (Lymantriidae) Synonym(s): *meeki* Bethune-Baker,1904
 39995) *Euproctis melalepia* Hampson,1909 (Lymantriidae) Synonym(s): *melalepia* Hampson,1909
 39996) *Euproctis melaleuca* Holland,1893 (Lymantriidae) Synonym(s): *melaleuca* Holland,1893
 39997) *Euproctis melambaphes* (Turner,1921) (Lymantriidae) Synonym(s): *melambaphes* Turner,1921
 39998) *Euproctis melania* (Staudinger,1892) (Lymantriidae) Synonym(s): *melania* Staudinger,1892; *melaniodes* Strand,1910.
 39999) *Euproctis melanochroma* Collenette,1939 (Lymantriidae) Synonym(s): *melanochroma* Collenette,1939
 40000) *Euproctis melanopholis* Hampson,1910 (Lymantriidae) Synonym(s): *melanopholis* Hampson,1910
 40001) *Euproctis melanorrhanta* (Turner,1931) (Lymantriidae) Synonym(s): *melanorrhanta* Turner,1931
 40002) *Euproctis melanosoma* (Butler,1882) (Lymantriidae) Synonym(s): *melanosoma* Butler,1882; *mixta* Butler,1882; *melainfera* Strand,1923
 40003) *Euproctis melanovis* Strand,1912 (Lymantriidae) Synonym(s): *melanovis* Strand,1912
 40004) *Euproctis melanura* (Wallengren,1860) (Lymantriidae) Synonym(s): *melanura* Wallengren,1860
 40005) *Euproctis menadoensis* Collenette,1933 (Lymantriidae) Synonym(s): *menadoensis* Collenette,1933; *menadoensis* Bryk,1934
 40006) *Euproctis merhaba* Koçak & Kemal,2006 (Lymantriidae) Synonym(s): *arao* Bethune-Baker,1904 nec Bet.-Bak.,1904; *merhaba* Koçak & Kemal,2006
 40007) *Euproctis metaleuca* (Walker,1862) (Lymantriidae) Synonym(s): *metaleuca* Walker,1862
 40008) *Euproctis micronides* Van Eecke,1928 (Lymantriidae) Synonym(s): *micronides* Van Eecke,1928
 40009) *Euproctis mima* (Strand,1912) (Lymantriidae) Synonym(s): *mima* Strand,1912
 40010) *Euproctis mimosa* (Matsumura,1933) (Lymantriidae) Synonym(s): *mimosa* Matsumura,1933
 40011) *Euproctis miniata* Kenrick,1913 (Lymantriidae) Synonym(s): *miniata* Kenrick,1913
 40012) *Euproctis minutissima* Swinhoe,1903 (Lymantriidae) Synonym(s): *minutissima* Swinhoe,1903

- 40013) *Euproctis mirabilis* Swinhoe, 1903 (Lymantriidae) Synonym(s): *mirabilis* Swinhoe, 1903
- 40014) *Euproctis mirma* Druce, 1899 (Lymantriidae) Synonym(s): *mirma* Druce, 1899; *#nurma Strand*, 1914
- 40015) *Euproctis mixta* (Butler, 1882) (Lymantriidae) Synonym(s): *mixta* Butler, 1882
- 40016) *Euproctis moalata* Swinhoe, 1916 (Lymantriidae) Synonym(s): *divisa* Walker, 1863 nec Wlk., 1855; *moalata* Swinhoe, 1916; *divisella* Strand, 1918; *motala* Swinhoe, 1923
- 40017) *Euproctis molunduan* Aurivillius, 1925 (Lymantriidae) Synonym(s): *molunduan* Aurivillius, 1925
- 40018) *Euproctis monophyes* Swinhoe, 1906 (Lymantriidae) Synonym(s): *monophyes* Swinhoe, 1906
- 40019) *Euproctis montis* (Leech, 1890) (Lymantriidae) Synonym(s): *montis* Leech, 1890
- 40020) *Euproctis morawae* Van Eecke, 1928 (Lymantriidae) Synonym(s): *morawae* Van Eecke, 1928
- 40021) *Euproctis muesser* Koçak & Kemal, 2006 (Lymantriidae) Synonym(s): *bicolor* Janse, 1915 nec Heyl., 1892; *muesser* Koçak & Kemal, 2006
- 40022) *Euproctis muhabbet* Koçak & Kemal, 2006 (Lymantriidae) Synonym(s): *protea* Collenette, 1932 nec Collen., 1932; *muhabbet* Koçak & Kemal, 2006
- 40023) *Euproctis mukaddes* Koçak & Kemal, 2006 (Lymantriidae) Synonym(s): *pulverea* Hampson, 1900 nec Lch., 1888; *mukaddes* Koçak & Kemal, 2006
- 40024) *Euproctis multidentata* M. Hering, 1926 (Lymantriidae) Synonym(s): *multidentata* M. Hering, 1926
- 40025) *Euproctis munda* Walker, 1862 (Lymantriidae) Synonym(s): *munda* Walker, 1862
- 40026) *Euproctis mycoides* Collenette, 1930 (Lymantriidae) Synonym(s): *mycoides* Collenette, 1930
- 40027) *Euproctis neavei* Tams, 1924 (Lymantriidae) Synonym(s): *neavei* Tams, 1924
- 40028) *Euproctis nebulosa* Rothschild, 1915 (Lymantriidae) Synonym(s): *nebulosa* Rothschild, 1915
- 40029) *Euproctis negrita* Hampson, 1892 (Lymantriidae) Synonym(s): *negrita* Hampson, 1892
- 40030) *Euproctis neola* Swinhoe, 1907 (Lymantriidae) Synonym(s): *neola* Swinhoe, 1907
- 40031) *Euproctis nessa* Swinhoe, 1903 (Lymantriidae) Synonym(s): *nessa* Swinhoe, 1903
- 40032) *Euproctis nessa nigrovenata* M. Hering, 1926 (Lymantriidae) Synonym(s): *nigrovenata* M. Hering, 1926
- 40033) *Euproctis nigra* (Holland, 1893) (Lymantriidae) Synonym(s): *nigra* Holland, 1893
- 40034) *Euproctis nigribasalis* Swinhoe, 1903 (Lymantriidae) Synonym(s): *nigribasalis* Swinhoe, 1903
- 40035) *Euproctis nigricauda* Matsumura, 1927 (Lymantriidae) Synonym(s): *nigricauda* Matsumura, 1927
- 40036) *Euproctis nigrifinis* (Swinhoe, 1903) (Lymantriidae) Synonym(s): *nigrifinis* Swinhoe, 1903; *nigrifrons* Swinhoe, 1922
- 40037) *Euproctis nigrifulva* Gaede, 1932 (Lymantriidae) Synonym(s): *nigrifulva* Gaede, 1932
- 40038) *Euproctis nigripuncta* Janse, 1915 (Lymantriidae) Synonym(s): *nigripuncta* Janse, 1915
- 40039) *Euproctis nigroapicalis* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *nigroapicalis* Bethune-Baker, 1904
- 40040) *Euproctis nigrofasciata* Semper, 1899 (Lymantriidae) Synonym(s): *nigrofasciata* Semper, 1899
- 40041) *Euproctis nigrolunulata* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *nigrolunulata* Bethune-Baker, 1911
- 40042) *Euproctis nigropuncta* Wileman, 1910 (Lymantriidae) Synonym(s): *nigropuncta* Wileman, 1910
- 40043) *Euproctis nigrosquamosa* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *nigrosquamosa* Bethune-Baker, 1911
- 40044) *Euproctis niphobola* Turner, 1902 (Lymantriidae) Synonym(s): *niphobola* Turner, 1902
- 40045) *Euproctis niphonis* (Butler, 1881) (Lymantriidae) Synonym(s): *niphonis* Butler, 1881; *squamosa* Butler, 1881; *raddei* Staudinger, 1887; *kuronis* Matsumura, 1933
- 40046) *Euproctis niphonis coreana* Staudinger, 1896 (Lymantriidae) Synonym(s): *coreana* Staudinger, 1896
- 40047) *Euproctis niveinotum* Strand, 1918 (Lymantriidae) Synonym(s): *niveinotum* Strand, 1918
- 40048) *Euproctis novaguinensis* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *novaguinensis* Bethune-Baker, 1904
- 40049) *Euproctis obscura* (Moore, 1859) (Lymantriidae) Synonym(s): *obscura* Moore, 1859
- 40050) *Euproctis ochrea* (Butler, 1878) (Lymantriidae) Synonym(s): *ochrea* Butler, 1878
- 40051) *Euproctis ochreatea* (Walker, 1865) (Lymantriidae) Synonym(s): *ochreatea* Walker, 1865
- 40052) *Euproctis ochrilineata* Gaede, 1932 (Lymantriidae) Synonym(s): *ochrilineata* Gaede, 1932
- 40053) *Euproctis ochrocerca* Collenette, 1932 (Lymantriidae) Synonym(s): *ochrocerca* Collenette, 1932
- 40054) *Euproctis ochrocraspeda* Collenette, 1932 (Lymantriidae) Synonym(s): *ochrocraspeda* Collenette, 1932
- 40055) *Euproctis ochroneura* Turner, 1931 (Lymantriidae) Synonym(s): *ochroneura* Turner, 1931
- 40056) *Euproctis ochroleura* Collenette, 1932 (Lymantriidae) Synonym(s): *ochroleura* Collenette, 1932
- 40057) *Euproctis okinawana* Matsumura, 1921 (Lymantriidae) Synonym(s): *okinawana* Matsumura, 1921
- 40058) *Euproctis olivata* Hampson, 1897 (Lymantriidae) Synonym(s): *olivata* Hampson, 1897
- 40059) *Euproctis onii* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *onii* Bethune-Baker, 1911
- 40060) *Euproctis oreosaura* (Swinhoe, 1894) (Lymantriidae) Synonym(s): *oreosaura* Swinhoe, 1894
- 40061) *Euproctis orgyioides* Van Eecke, 1928 (Lymantriidae) Synonym(s): *orgyioides* Van Eecke, 1928
- 40062) *Euproctis ormea* Swinhoe, 1903 (Lymantriidae) Synonym(s): *ormea* Swinhoe, 1903
- 40063) *Euproctis orphnaea* (Collenette, 1932) (Lymantriidae) Synonym(s): *orphnaea* Collenette, 1932
- 40064) *Euproctis ostentum* M. Hering, 1926 (Lymantriidae) Synonym(s): *ostentum* M. Hering, 1926
- 40065) *Euproctis ostra* Swinhoe, 1903 (Lymantriidae) Synonym(s): *ostra* Swinhoe, 1903
- 40066) *Euproctis osuna* Swinhoe, 1903 (Lymantriidae) Synonym(s): *osuna* Swinhoe, 1903
- 40067) *Euproctis ouria* Collenette, 1931 (Lymantriidae) Synonym(s): *ouria* Collenette, 1931
- 40068) *Euproctis owgarra* (Bethune-Baker, 1908) (Lymantriidae) Synonym(s): *owgarra* Bethune-Baker, 1908
- 40069) *Euproctis palla* (Holland, 1893) (Lymantriidae) Synonym(s): *palla* Holland, 1893
- 40070) *Euproctis pallens* (Bethune-Baker, 1908) (Lymantriidae) Synonym(s): *pallens* Bethune-Baker, 1908
- 40071) *Euproctis pallida* (Kirby, 1896) (Lymantriidae) Synonym(s): *pallida* Kirby, 1896; *dentata* M. Hering, 1926
- 40072) *Euproctis pallifrons* Semper, 1899 (Lymantriidae) Synonym(s): *pallifrons* Semper, 1899
- 40073) *Euproctis pallipes* Snellen, 1879 (Lymantriidae) Synonym(s): *pallipes* Snellen, 1879
- 40074) *Euproctis panabra* (Turner, 1902) (Lymantriidae) Synonym(s): *panabra* Turner, 1902
- 40075) *Euproctis panselena* Collenette, 1931 (Lymantriidae) Synonym(s): *rotunda* Bethune-Baker, 1908 nec Holl., 1893; *panselena* Collenette, 1931
- 40076) *Euproctis paradoxa* (Butler, 1886) (Lymantriidae) Synonym(s): *paradoxa* Butler, 1886
- 40077) *Euproctis parallela* Holland, 1893 (Lymantriidae) Synonym(s): *parallela* Holland, 1893
- 40078) *Euproctis parallelaria* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *parallelaria* Bethune-Baker, 1904
- 40079) *Euproctis paraneura* (Meyrick, 1886) (Lymantriidae) Synonym(s): *paraneura* Meyrick, 1886
- 40080) *Euproctis parva* Collenette, 1939 (Lymantriidae) Synonym(s): *parva* Collenette, 1939
- 40081) *Euproctis pauperata* Leech, 1899 (Lymantriidae) Synonym(s): *pauperata* Leech, 1899
- 40082) *Euproctis pecla* Swinhoe, 1903 (Lymantriidae) Synonym(s): *pecla* Swinhoe, 1903; *#peela* Strand, 1918
- 40083) *Euproctis pectinata* (Freyer, 1912) (Lymantriidae) Synonym(s): *pectinata* Freyer, 1912
- 40084) *Euproctis pelodes* Lower, 1903 (Lymantriidae) Synonym(s): *pelodes* Lower, 1903
- 40085) *Euproctis pelona* (Swinhoe, 1891) (Lymantriidae) Synonym(s): *pelona* Swinhoe, 1891
- 40086) *Euproctis pelopicta* Collenette, 1932 (Lymantriidae) Synonym(s): *pelopicta* Collenette, 1932
- 40087) *Euproctis pentatoxa* Collenette, 1930 (Lymantriidae) Synonym(s): *pentatoxa* Collenette, 1930
- 40088) *Euproctis perplexa* Swinhoe, 1903 (Lymantriidae) Synonym(s): *perplexa* Swinhoe, 1903
- 40089) *Euproctis perpusilla* M. Hering, 1926 (Lymantriidae) Synonym(s): *perpusilla* M. Hering, 1926
- 40090) *Euproctis perpusillans* Strand, 1918 (Lymantriidae) Synonym(s): *perpusillans* Strand, 1918
- 40091) *Euproctis petasma* Collenette, 1932 (Lymantriidae) Synonym(s): *petasma* Collenette, 1932
- 40092) *Euproctis phaea* Hampson, 1900 (Lymantriidae) Synonym(s): *phaea* Hampson, 1900
- 40093) *Euproctis phaula* Collenette, 1932 (Lymantriidae) Synonym(s): *phaula* Collenette, 1932
- 40094) *Euproctis philippinensis* (Wileman, 1921) (Lymantriidae) Synonym(s): *philippinensis* Wileman, 1921
- 40095) *Euproctis phloeochroa* Collenette, 1932 (Lymantriidae) Synonym(s): *phloeochroa* Collenette, 1932
- 40096) *Euproctis pinoptera* Collenette, 1939 (Lymantriidae) Synonym(s): *pinoptera* Collenette, 1939
- 40097) *Euproctis piperita* (Oberthür, 1880) (Lymantriidae) Synonym(s): *piperita* Oberthür, 1880; *snelleni* Staudinger, 1887; *staudingeri* Matsumura, 1909 nec Lch., 1888
- 40098) *Euproctis plagiata* (Walker, 1855) (Lymantriidae) Synonym(s): *plagiata* Walker, 1855
- 40099) *Euproctis plagiata syngenes* Collenette, 1932 (Lymantriidae) Synonym(s): *syngenes* Collenette, 1932

- 40100) *Euproctis plana* Walker, 1856 (Lymantriidae) Synonym(s): *atomaria* Walker, 1855 nec Wlk., 1855; *plana* Walker, 1856; *discinota* Moore, 1877; *muelleri* Snellen, 1877; *catala* Swinhoe, 1903
- 40101) *Euproctis poliocerca* Collenette, 1930 (Lymantriidae) Synonym(s): *policerca* Collenette, 1930
- 40102) *Euproctis postalbata* Matsumura, 1933 (Lymantriidae) Synonym(s): *postalbata* Matsumura, 1933
- 40103) *Euproctis postbicolor* Rothschild, 1915 (Lymantriidae) Synonym(s): *postbicolor* Rothschild, 1915
- 40104) *Euproctis postfusca* Wileman, 1917 (Lymantriidae) Synonym(s): *postfusca* Wileman, 1917
- 40105) *Euproctis postgrisea* Rothschild, 1920 (Lymantriidae) Synonym(s): *postgrisea* Rothschild, 1920
- 40106) *Euproctis posttincta* Moore, 1879 (Lymantriidae) Synonym(s): *posttincta* Moore, 1879
- 40107) *Euproctis postnigra* Swinhoe, 1903 (Lymantriidae) Synonym(s): *postnigra* Swinhoe, 1903
- 40108) *Euproctis potamia* (Collenette, 1932) (Lymantriidae) Synonym(s): *potamia* Collenette, 1932
- 40109) *Euproctis praecurrens* (Walker, 1865) (Lymantriidae) Synonym(s): *praecurrens* Walker, 1865; *globifera* C.Felder & R.Felder, 1868; *boleora* Swinhoe, 1892; *boliosa* Swinhoe, 1923
- 40110) *Euproctis pratti* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *pratti* Bethune-Baker, 1904
- 40111) *Euproctis producta* Walker, 1863 (Lymantriidae) Synonym(s): *producta* Walker, 1863; *depauperata* Mabilie, 1880; *#ukamica* Strand, 1912; *#pusillima* Strand, 1912
- 40112) *Euproctis promittens* (Walker, 1865) (Lymantriidae) Synonym(s): *promittens* Walker, 1865
- 40113) *Euproctis psamma* Collenette, 1933 (Lymantriidae) Synonym(s): *psamma* Collenette, 1933
- 40114) *Euproctis pseudoconsersa* Strand, 1914 (Lymantriidae) Synonym(s): *consersa* Butler, 1882 nec Feld., 1874; *#choka* Strand, 1910; *pseudoconsersa* Strand, 1914
- 40115) *Euproctis pterofera* Strand, 1914 (Lymantriidae) Synonym(s): *pygmaea* Matsumura, 1912 nec Mre., 1879; *pterofera* Strand, 1914
- 40116) *Euproctis pulchra* Bethune-Baker, 1908 (Lymantriidae) Synonym(s): *pulchra* Bethune-Baker, 1908
- 40117) *Euproctis pulvereae* Leech, 1888 (Lymantriidae) Synonym(s): *pulvereae* Leech, 1888
- 40118) *Euproctis pumilia* Van Eecke, 1928 (Lymantriidae) Synonym(s): *pumilia* Van Eecke, 1928
- 40119) *Euproctis punctatofasciata* Van Eecke, 1928 (Lymantriidae) Synonym(s): *punctatofasciata* Van Eecke, 1928
- 40120) *Euproctis punctifera* (Walker, 1855) (Lymantriidae) Synonym(s): *punctifera* Walker, 1855; *gaudens* Walker, 1865
- 40121) *Euproctis purpureofasciata* Wileman, 1914 (Lymantriidae) Synonym(s): *purpureofasciata* Wileman, 1914
- 40122) *Euproctis putilla* Saalmüller, 1884 (Lymantriidae) Synonym(s): *putilla* Saalmüller, 1884
- 40123) *Euproctis putris* M.Hering, 1926 (Lymantriidae) Synonym(s): *putris* M.Hering, 1926
- 40124) *Euproctis pycnadelpha* Lower, 1913 (Lymantriidae) Synonym(s): *pycnadelpha* Lower, 1913
- 40125) *Euproctis pygmaea* (Walker, 1855) (Lymantriidae) Synonym(s): *pygmaea* Walker, 1855
- 40126) *Euproctis pygmaeola* (Hulstaert, 1924) (Lymantriidae) Synonym(s): *pygmaeola* Hulstaert, 1924
- 40127) *Euproctis pyraustis* (Meyrick, 1891) (Lymantriidae) Synonym(s): *pyraustis* Meyrick, 1891; *scotochyta* Turner, 1902
- 40128) *Euproctis pyroxantha* (Pagenstecher, 1896) (Lymantriidae) Synonym(s): *pyroxantha* Pagenstecher, 1896
- 40129) *Euproctis quadriascia* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *quadriascia* Bethune-Baker, 1911
- 40130) *Euproctis radiata* (Bethune-Baker, 1908) (Lymantriidae) Synonym(s): *radiata* Bethune-Baker, 1908
- 40131) *Euproctis rana* Moore, 1865 (Lymantriidae) Synonym(s): *rana* Moore, 1865
- 40132) *Euproctis recraba* Swinhoe, 1903 (Lymantriidae) Synonym(s): *recraba* Swinhoe, 1903
- 40133) *Euproctis recurvata* Leech, 1899 (Lymantriidae) Synonym(s): *recurvata* Leech, 1899
- 40134) *Euproctis renifera* Swinhoe, 1895 (Lymantriidae) Synonym(s): *renifera* Swinhoe, 1895
- 40135) *Euproctis renominata* Hampson, 1892 (Lymantriidae) Synonym(s): *uniformis* Hampson, 1891 nec Mre., 1879; *renominata* Hampson, 1892
- 40136) *Euproctis repanda* Walker, 1865 (Lymantriidae) Synonym(s): *repanda* Walker, 1865
- 40137) *Euproctis reutlingeri* Holland, 1893 (Lymantriidae) Synonym(s): *reutlingeri* Holland, 1893
- 40138) *Euproctis revera* Swinhoe, 1904 (Lymantriidae) Synonym(s): *revera* Swinhoe, 1904
- 40139) *Euproctis ridleyi* Swinhoe, 1906 (Lymantriidae) Synonym(s): *ridleyi* Swinhoe, 1906
- 40140) *Euproctis riukiuaana* (Matsumura, 1927) (Lymantriidae) Synonym(s): *riukiuaana* Matsumura, 1927
- 40141) *Euproctis rivularis* Gaede, 1915 (Lymantriidae) Synonym(s): *rivularis* Gaede, 1915
- 40142) *Euproctis rotunda* (Holland, 1893) (Lymantriidae) Synonym(s): *rotunda* Holland, 1893
- 40143) *Euproctis ruanda* Collenette, 1933 (Lymantriidae) Synonym(s): *ruanda* Collenette, 1933
- 40144) *Euproctis rubida* Bethune-Baker, 1910 (Lymantriidae) Synonym(s): *rubida* Bethune-Baker, 1910
- 40145) *Euproctis rubiginosa* Snellen, 1877 (Lymantriidae) Synonym(s): *rubiginosa* Snellen, 1877
- 40146) *Euproctis rubricosta* Fawcett, 1917 (Lymantriidae) Synonym(s): *rubricosta* Fawcett, 1917
- 40147) *Euproctis rubroguttata* Aurivillius, [1905] (Lymantriidae) Synonym(s): *rubroguttata* Aurivillius, [1905]
- 40148) *Euproctis rubroradiata* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *rubroradiata* Bethune-Baker, 1904
- 40149) *Euproctis rufiterga* Hampson, 1910 (Lymantriidae) Synonym(s): *rufiterga* Hampson, 1910
- 40150) *Euproctis rufopunctata* (Walker, 1862) (Lymantriidae) Synonym(s): *rufopunctata* Walker, 1862; *#rufopuncta* Janse, 1915
- 40151) *Euproctis ruptata* (Walker, 1862) (Lymantriidae) Synonym(s): *ruptata* Walker, 1862
- 40152) *Euproctis sabulosa* Heylaerts, 1892 (Lymantriidae) Synonym(s): *sabulosa* Heylaerts, 1892
- 40153) *Euproctis sagroides* Hampson, 1891 (Lymantriidae) Synonym(s): *sagroides* Hampson, 1891
- 40154) *Euproctis samarensis* (Schultze, 1910) (Lymantriidae) Synonym(s): *samarensis* Schultze, 1910
- 40155) *Euproctis sanguigutta* Hampson, 1905 (Lymantriidae) Synonym(s): *sanguigutta* Hampson, 1905
- 40156) *Euproctis sarawacensis* (Talbot, 1926) (Lymantriidae) Synonym(s): *sarawacensis* Talbot, 1926
- 40157) *Euproctis sastra* (Moore, 1859) (Lymantriidae) Synonym(s): *sastra* Moore, 1859
- 40158) *Euproctis schaliphora* Collenette, 1936 (Lymantriidae) Synonym(s): *schaliphora* Collenette, 1936
- 40159) *Euproctis scintillans* (Walker, 1856) (Lymantriidae) Synonym(s): *scintillans* Walker, 1856; *justiciae* Moore, 1859; *moorei* Snellen, 1879; *limbata* Butler, 1881
- 40160) *Euproctis scintillans scintillans* (Walker, 1856) (Lymantriidae) Synonym(s): *scintillans* Walker, 1856; *justiciae* Moore, 1859; *moorei* Snellen, 1879; *limbata* Butler, 1881
- 40161) *Euproctis seitzii* Strand, 1910 (Lymantriidae) Synonym(s): *seitzii* Strand, 1910
- 40162) *Euproctis semifusca* (Walker, 1869) (Lymantriidae) Synonym(s): *semifusca* Walker, 1869; *irrorata* T.P.Lucas, 1892 nec Mr., 1859; *melambaphes* Turner, 1921
- 40163) *Euproctis seminigra* Joicey, Noakes & Talbot, 1915 (Lymantriidae) Synonym(s): *seminigra* Joicey, Noakes & Talbot, 1915
- 40164) *Euproctis semirufa* Joicey & Talbot, 1917 (Lymantriidae) Synonym(s): *semirufa* Joicey & Talbot, 1917
- 40165) *Euproctis semisignata* (Walker, 1865) (Lymantriidae) Synonym(s): *semisignata* Walker, 1865; *citrina* Moore, 1877; *leithiana* Moore, 1879; *brevivitta* Moore, 1879; *erecta* Moore, 1879; *illanta* Swinhoe, 1891
- 40166) *Euproctis semivitta* Moore, 1879 (Lymantriidae) Synonym(s): *semivitta* Moore, 1879
- 40167) *Euproctis semperiana* Bryk, 1934 (Lymantriidae) Synonym(s): *nigra* Semper, 1899 nec Holl., 1893; *semperiana* Bryk, 1934
- 40168) *Euproctis sericaria* Tams, 1924 (Lymantriidae) Synonym(s): *sericaria* Tams, 1924
- 40169) *Euproctis sericea* (Wileman, 1910) (Lymantriidae) Synonym(s): *sericea* Wileman, 1910; *formosicola* Matsumura, 1927; *fuscineris* Matsumura, 1927
- 40170) *Euproctis servilis* Walker, 1865 (Lymantriidae) Synonym(s): *servilis* Walker, 1865; *prima* Walker, 1866; *incompta* Snellen, 1879; *nurma* Druce, 1899; *#cinerea* Heylaerts, 1892
- 40171) *Euproctis sexmacula* Swinhoe, 1903 (Lymantriidae) Synonym(s): *sexmacula* Swinhoe, 1903; *#neolella* Strand, 1918; *#neobella* Strand, 1918
- 40172) *Euproctis shirakii* Matsumura, 1927 (Lymantriidae) Synonym(s): *lutea* Matsumura, 1911 nec Fabr., 1775; *shirakii* Matsumura, 1927
- 40173) *Euproctis shironis* Matsumura, 1933 (Lymantriidae) Synonym(s): *shironis* Matsumura, 1933
- 40174) *Euproctis sibulana* Semper, 1899 (Lymantriidae) Synonym(s): *sibulana* Semper, 1899
- 40175) *Euproctis signata* (Blanchard, 1844) (Lymantriidae) Synonym(s): *signata* Blanchard, 1844
- 40176) *Euproctis signiplaga* (Walker, 1862) (Lymantriidae) Synonym(s): *signiplaga* Walker, 1862
- 40177) *Euproctis similis* (Fuessly, 1775) (Lymantriidae) Synonym(s): *similis* Fuessly, 1775; *auriflua* [Denis & Schiffermüller], 1775; *cygnea* Thunberg, 1788; *rebeli* Habermayer, 1902
- 40178) *Euproctis similis* (Moore, 1859) nec Fuesly, 1775 (Lymantriidae) Synonym(s): *similis* Moore, 1859
- 40179) *Euproctis simplex* Wileman, 1911 (Lymantriidae) Synonym(s): *simplex* Wileman, 1911

- 40180) *Euproctis singapura* (Swinhoe,1892) (Lymantriidae) Synonym(s): *singapura* Swinhoe,1892
 40181) *Euproctis siribana* Semper,1899 (Lymantriidae) Synonym(s): *siribana* Semper,1899
 40182) *Euproctis sjoestedti* Aurivillius,1904 (Lymantriidae) Synonym(s): *sjoestedti* Aurivillius,1904; *#sjoestedti* Collenette,1933
 40183) *Euproctis solitaria* Van Eecke,1928 (Lymantriidae) Synonym(s): *solitaria* Van Eecke,1928
 40184) *Euproctis sparsa* Wileman,1910 (Lymantriidae) Synonym(s): *sparsa* Wileman,1910
 40185) *Euproctis staudingeri* (Leech,1889) (Lymantriidae) Synonym(s): *staudingeri* Leech,1889
 40186) *Euproctis stenomorpha* Turner,1921 (Lymantriidae) Synonym(s): *stenomorpha* Turner,1921
 40187) *Euproctis stenopa* Collenette,1932 (Lymantriidae) Synonym(s): *stenopa* Collenette,1932
 40188) *Euproctis stenoptera* (Collenette,1932) (Lymantriidae) Synonym(s): *stenoptera* Collenette,1932
 40189) *Euproctis stigmatifera* (Hampson,1896) (Lymantriidae) Synonym(s): *stigmatifera* Hampson,1896
 40190) *Euproctis stirasta* (Swinhoe,1903) (Lymantriidae) Synonym(s): *stirasta* Swinhoe,1903
 40191) *Euproctis stramenta* Bethune-Baker,1908 (Lymantriidae) Synonym(s): *stramenta* Bethune-Baker,1908
 40192) *Euproctis straminea* Leech,1899 (Lymantriidae) Synonym(s): *straminea* Leech,1899
 40193) *Euproctis straminicolor* Janse,1915 (Lymantriidae) Synonym(s): *straminicolor* Janse,1915
 40194) *Euproctis striata* Wileman,1910 (Lymantriidae) Synonym(s): *striata* Wileman,1910
 40195) *Euproctis strigifimbria* (Walker,1862) (Lymantriidae) Synonym(s): *strigifimbria* Walker,1862; *fracta* Walker,1865
 40196) *Euproctis subalba* (Janse,1915) (Lymantriidae) Synonym(s): *subalba* Janse,1915
 40197) *Euproctis subfasciata* (Walker,1865) (Lymantriidae) Synonym(s): *subfasciata* Walker,1865; *trifasciata* Moore,1879
 40198) *Euproctis subflava* (Bremer,1864) (Lymantriidae) Synonym(s): *flava* Bremer,1861 nec Fabr.,1775; *subflava* (Bremer,1864
 40199) *Euproctis subflava intensa* (Butler,1877) (Lymantriidae) Synonym(s): *intensa* Butler,1877
 40200) *Euproctis subfuscula* Hampson,1891 (Lymantriidae) Synonym(s): *subfuscula* Hampson,1891
 40201) *Euproctis sublutea* Bethune-Baker,1904 (Lymantriidae) Synonym(s): *sublutea* Bethune-Baker,1904
 40202) *Euproctis submarginata* (Walker,1865) (Lymantriidae) Synonym(s): *submarginata* Walker,1865
 40203) *Euproctis subnobilis* (Snellen,1881) (Lymantriidae) Synonym(s): *subnobilis* Snellen,1881; *simulans* Butler,1884; *erycides* Turner,1904; *#aruana* Strand,1918; *#lincea* Strand,1918
 40204) *Euproctis subnotata* (Walker,1865) (Lymantriidae) Synonym(s): *subnotata* Walker,1865; *polydorus* Schintlmeister,1994
 40205) *Euproctis subpunctata* (Bethune-Baker,1911) (Lymantriidae) Synonym(s): *subpunctata* Bethune-Baker,1911
 40206) *Euproctis subrana* (Moore,1859) (Lymantriidae) Synonym(s): *subrana* Moore,1859
 40207) *Euproctis sulphurescens* (Moore,1888) (Lymantriidae) Synonym(s): *sulphurescens* Moore,1888
 40208) *Euproctis sundara* Swinhoe,1903 (Lymantriidae) Synonym(s): *sundara* Swinhoe,1903
 40209) *Euproctis swinhoei* Bethune-Baker,1904 (Lymantriidae) Synonym(s): *swinhoei* Bethune-Baker,1904
 40210) *Euproctis tabida* (M.Hering,1926) (Lymantriidae) Synonym(s): *tabida* M.Hering,1926
 40211) *Euproctis taiwana* (Shiraki,1913) (Lymantriidae) Synonym(s): *taiwana* Shiraki,1913
 40212) *Euproctis talesea* Collenette,1932 (Lymantriidae) Synonym(s): *talesea* Collenette,1932
 40213) *Euproctis tamahonis* Matsumura,1927 (Lymantriidae) Synonym(s): *tamahonis* Matsumura,1927
 40214) *Euproctis tamsi* Collenette,1932 (Lymantriidae) Synonym(s): *tamsi* Collenette,1932
 40215) *Euproctis tanaocera* Collenette,1939 (Lymantriidae) Synonym(s): *tanaocera* Collenette,1939
 40216) *Euproctis telephanes* Collenette,1939 (Lymantriidae) Synonym(s): *telephanes* Collenette,1939
 40217) *Euproctis tenuis* Swinhoe,1903 (Lymantriidae) Synonym(s): *tenuis* Swinhoe,1903
 40218) *Euproctis terminalis* (Walker,1855) (Lymantriidae) Synonym(s): *terminalis* Walker,1855; *mesozona* Hampson,1905
 40219) *Euproctis tessmanni* M.Hering,1926 (Lymantriidae) Synonym(s): *tessmanni* M.Hering,1926
 40220) *Euproctis tetrabalia* Collenette,1930 (Lymantriidae) Synonym(s): *tetrabalia* Collenette,1930
 40221) *Euproctis tetrachroma* De Joannis,1929 (Lymantriidae) Synonym(s): *tetrachroma* De Joannis,1929
 40222) *Euproctis titania* Butler,1879 (Lymantriidae) Synonym(s): *titania* Butler,1879
 40223) *Euproctis tonkinensis* Strand,1918 (Lymantriidae) Synonym(s): *tonkinensis* Strand,1918
 40224) *Euproctis torasan* (Holland,1889) (Lymantriidae) Synonym(s): *torasan* Holland,1889
 40225) *Euproctis transversa* (Moore,1859) (Lymantriidae) Synonym(s): *transversa* Moore,1859; *humida* Swinhoe,1906
 40226) *Euproctis tridens* Collenette,1939 (Lymantriidae) Synonym(s): *tridens* Collenette,1939
 40227) *Euproctis trispila* (Turner,1921) (Lymantriidae) Synonym(s): *trispila* Turner,1921
 40228) *Euproctis tristicta* Collenette,1939 (Lymantriidae) Synonym(s): *tristicta* Collenette,1939
 40229) *Euproctis tsingtauca* (Strand,1910) (Lymantriidae) Synonym(s): *tsingtauca* Strand,1910
 40230) *Euproctis turificator* Collenette,1931 (Lymantriidae) Synonym(s): *turificator* Collenette,1931
 40231) *Euproctis uchidae* (Matsumura,1927) (Lymantriidae) Synonym(s): *uchidae* Matsumura,1927; *uchidai* Matsumura,1931
 40232) *Euproctis ugandicola* Strand,1911 (Lymantriidae) Synonym(s): *ugandicola* Strand,1911
 40233) *Euproctis unifascia* Wileman,1910 (Lymantriidae) Synonym(s): *unifascia* Wileman,1910; *#tainana* Strand,1918
 40234) *Euproctis uniformis* (Moore,1879) (Lymantriidae) Synonym(s): *uniformis* Moore,1879
 40235) *Euproctis unipuncta* Leech,1899 (Lymantriidae) Synonym(s): *unipuncta* Leech,1899; *#unipunctata* Swinhoe,1903; *chinensis* Swinhoe,1922
 40236) *Euproctis unipunctapex* Shiraki,1913 (Lymantriidae) Synonym(s): *unipunctapex* Shiraki,1913
 40237) *Euproctis urbis* Strand,1925 (Lymantriidae) Synonym(s): *urbis* Strand,1925
 40238) *Euproctis urocoma* (Strand,1914) (Lymantriidae) Synonym(s): *urocoma* Strand,1914
 40239) *Euproctis usta* Lucas,1901 (Lymantriidae) Synonym(s): *usta* Lucas,1901
 40240) *Euproctis usukia* Matsumura,1933 (Lymantriidae) Synonym(s): *usukia* Matsumura,1933
 40241) *Euproctis utilis* Swinhoe,1903 (Lymantriidae) Synonym(s): *utilis* Swinhoe,1903
 40242) *Euproctis vagans* (M.Hering,1926) (Lymantriidae) Synonym(s): *vagans* M.Hering,1926
 40243) *Euproctis vanroesseli* (Hulstaert,1924) (Lymantriidae) Synonym(s): *vanroesseli* Hulstaert,1924
 40244) *Euproctis varia* Walker,1855 (Lymantriidae) Synonym(s): *varia* Walker,1855; *siccimana* Strand,1915
 40245) *Euproctis varians* (Walker,1855) (Lymantriidae) Synonym(s): *variens* Walker,1855; *pygmaea* Moore,1879; *pusilla* Moore,1883
 40246) *Euproctis variegata* Moore,1879 (Lymantriidae) Synonym(s): *variegata* Moore,1879
 40247) *Euproctis venosa* (Moore,1879) (Lymantriidae) Synonym(s): *venosa* Moore,1879
 40248) *Euproctis vertiginosa* Van Eecke,1928 (Lymantriidae) Synonym(s): *vertiginosa* Van Eecke,1928
 40249) *Euproctis veto* Schintlmeister,1987 (Lymantriidae) Synonym(s): *veto* Schintlmeister,1987
 40250) *Euproctis virginea* Bethune-Baker,1904 (Lymantriidae) Synonym(s): *virginea* Bethune-Baker,1904
 40251) *Euproctis virginea buruensis* Collenette,1932 (Lymantriidae) Synonym(s): *buruensis* Collenette,1932
 40252) *Euproctis virgo* Swinhoe,1903 (Lymantriidae) Synonym(s): *virgo* Swinhoe,1903
 40253) *Euproctis virguncula* Walker,1855 (Lymantriidae) Synonym(s): *virguncula* Walker,1855; *marginalis* Walker,1856; *javanica* Strand,1915
 40254) *Euproctis vitellina* (Kollar,1844) (Lymantriidae) Synonym(s): *vitellina* Kollar,1844; *gamma* Walker,1856; *princeps* Walker,1865; *comparata* Walker,1865
 40255) *Euproctis wilemani* Collenette,1929 (Lymantriidae) Synonym(s): *wilemani* Collenette,1929
 40256) *Euproctis xanthocampa* (Dyar,1905) (Lymantriidae) Synonym(s): *xanthocampa* Dyar,1905
 40257) *Euproctis xanthocephus* Hampson,1910 (Lymantriidae) Synonym(s): *xanthocephus* Hampson,1910
 40258) *Euproctis xanthomela* Walker,1862 (Lymantriidae) Synonym(s): *xanthomela* Walker,1862
 40259) *Euproctis xanthomelaena* (Holland,1893) (Lymantriidae) Synonym(s): *xanthomelaena* Holland,1893
 40260) *Euproctis xanthopera* Hampson,1897 (Lymantriidae) Synonym(s): *xanthopera* Hampson,1897
 40261) *Euproctis xanthorhoea* (Kollar,1844) (Lymantriidae) Synonym(s): *xanthorhoea* Kollar,1844; *subnigra* Moore,1879; *subdita* Moore,1879; *flavonigra* Moore,1879
 40262) *Euproctis xanthosoma* Hampson,1910 (Lymantriidae) Synonym(s): *xanthosoma* Hampson,1910
 40263) *Euproctis xanthosticta* Hampson,1905 (Lymantriidae) Synonym(s): *xanthosticta* Hampson,1905
 40264) *Euproctis xanthura* Swinhoe,1907 (Lymantriidae) Synonym(s): *xanthura* Swinhoe,1907
 40265) *Euproctis xutha* Bethune-Baker,1908 (Lymantriidae) Synonym(s): *xutha* Bethune-Baker,1908
 40266) *Euproctis xuthocloea* Collenette,1932 (Lymantriidae) Synonym(s): *xuthocloea* Collenette,1932

- 40267) *Euproctis xuthoptera* (Turner,1920) (Lymantriidae) Synonym(s): *xuthoptera* Turner,1920
 40268) *Euproctis xuthosterna* (Turner,1924) (Lymantriidae) Synonym(s): *xuthosterna* Turner,1924
 40269) *Euproctis yulei* Bethune-Baker,1904 (Lymantriidae) Synonym(s): *yulei* Bethune-Baker,1904
 40270) *Euproctis yunnana* Collenette,1939 (Lymantriidae) Synonym(s): *yunnana* Collenette,1939
 40271) *Euproctis zebae* (Moore,1859) (Lymantriidae) Synonym(s): *zebae* Moore,1859
 40272) *Euproctoides ertli* Wichgraf,1921 (Lymantriidae) Synonym(s): *ertli* Wichgraf,1921
 40273) *Euproctoides miniata* Bethune-Baker,1911 (Lymantriidae) Synonym(s): *miniata* Bethune-Baker,1911
 40274) *Euzora clara* (Walker,1864) (Lymantriidae) Synonym(s): *clara* Walker,1864
 40275) *Euzora collucens* (T.P.Lucas,1890) (Lymantriidae) Synonym(s): *collucens* T.P.Lucas,1890
 40276) *Euzora costalis* (Moore,1879) (Lymantriidae) Synonym(s): *costalis* Moore,1879
 40277) *Euzora dinawa* (Bethune-Baker,1904) (Lymantriidae) Synonym(s): *dinawa* Bethune-Baker,1904
 40278) *Euzora impressa* (Snellen,1877) (Lymantriidae) Synonym(s): *impressa* Snellen,1877
 40279) *Euzora kebea* (Bethune-Baker,1908) (Lymantriidae) Synonym(s): *kebea* Bethune-Baker,1908
 40280) *Euzora ochripes* (Moore,1879) (Lymantriidae) Synonym(s): *ochripes* Moore,1879; *semihyalina* Swinhoe,1895 *nec* Hamps.
 40281) *Euzora sericea* (Moore,1879) (Lymantriidae) Synonym(s): *sericea* Moore,1879
 40282) *Fodinoidea rectifascia* Collenette,1930 (Lymantriidae) Synonym(s): *rectifascia* Collenette,1930
 40283) *Fodinoidea staudingeri* Saalmüller,1884 (Lymantriidae) Synonym(s): *staudingeri* Saalmüller,1884
 40284) *Fodinoidea vectigera* (Mabille,1882) (Lymantriidae) Synonym(s): *vectigera* Mabille,1882
 40285) *Grammoa striata* Aurivillius,[1905] (Lymantriidae) Synonym(s): *striata* Aurivillius,[1905]
 40286) *Griveaudyria cangia* (Druce,1887) (Lymantriidae) Synonym(s): *cangia* Druce,1887
 40287) *Griveaudyria ila* (Swinhoe,1904) (Lymantriidae) Synonym(s): *ila* Swinhoe,1904
 40288) *Gynaephora anthora* (Felder,1874) (Lymantriidae) Synonym(s): *anthora* Felder,1874
 40289) *Gynaephora difficilis* Walker,1865 (Lymantriidae) Synonym(s): *difficilis* Walker,1865
 40290) *Gynaephora discalis* Walker,1855 (Lymantriidae) Synonym(s): *discalis* Walker,1855; *hypoxantha* Wallengren,1863; *ochraceata* Walker,1865; *signata* Walker,1865
 40291) *Gynaephora melanoleuca* Hampson,1905 (Lymantriidae) Synonym(s): *melanoleuca* Hampson,1905
 40292) *Gynaephora quadrimaculata* (Janse,1915) (Lymantriidae) Synonym(s): *quadrimaculata* Janse,1915
 40293) *Gynaephora selenitica* (Esper,[1789]) (Lymantriidae) Synonym(s): *paradoxa* Fabricius,1787 *nec* Retz.,1783; *selenitica* Esper,[1789]; *lathyri* Hübner,[1803].
 40294) *Habrophylla euryzona* (Lower,1902) (Lymantriidae) Synonym(s): *euryzona* Lower,1902; *eurygona* Swinhoe,1922
 40295) *Habrophylla pycnadelpha* (Lower,1903) (Lymantriidae) Synonym(s): *pycnadelpha* Lower,1903
 40296) *Habrophylla retinopepla* (Lower,1905) (Lymantriidae) Synonym(s): *retinopepla* Lower,1905
 40297) *Hemerocampa vetusta* Boisduval,1852 (Lymantriidae) Synonym(s): *vetusta* Boisduval,1852; *gulosia* H.Edwards,1881
 40298) *Hemerophanes diatoma* (M.Hering,1926) (Lymantriidae) Synonym(s): *diatoma* M.Hering,1926
 40299) *Hemerophanes libyra* (Druce,1896) (Lymantriidae) Synonym(s): *libyra* Druce,1896
 40300) *Hemerophanes libyra flammeola* (Distant,1897) (Lymantriidae) Synonym(s): *flammeola* Distant,1897; *ianthina* Janse,1915
 40301) *Heptaptosis perelegans* (Aurivillius,1925) (Lymantriidae) Synonym(s): *perelegans* Aurivillius,1925; *joiceyi* Talbot,1929
 40302) *Heracula discivitta* Moore,1865 (Lymantriidae) Synonym(s): *discivitta* Moore,1865
 40303) *Heteronymgia chismona* Swinhoe,1903 (Lymantriidae) Synonym(s): *chismona* Swinhoe,1903
 40304) *Heteronymgia dissimilis* Aurivillius,1910 (Lymantriidae) Synonym(s): *dissimilis* Aurivillius,1910; *leucogyna* Hampson,1910; *#rufescens* M.Hering,1926
 40305) *Heteronymgia flavescens* Holland,1893 (Lymantriidae) Synonym(s): *flavescens* Holland,1893
 40306) *Heteronymgia manicata* (Aurivillius,1892) (Lymantriidae) Synonym(s): *manicata* Aurivillius,1892; *rhodapicata* Holland,1893
 40307) *Heteronymgia strigtorna* Hampson,1910 (Lymantriidae) Synonym(s): *strigtorna* Hampson,1910
 40308) *Himala argentea* (Walker,1855) (Lymantriidae) Synonym(s): *argentea* Walker,1855; *ilita* Moore,1859
 40309) *Homochira rendalli* (Distant,1897) (Lymantriidae) Synonym(s): *rendalli* Distant,1897
 40310) *Homocomeria flavicapilla* (Wallengren,1860) (Lymantriidae) Synonym(s): *flavicapilla* Wallengren,1860
 40311) *Homocomeria nivea* Aurivillius,1910 (Lymantriidae) Synonym(s): *nivea* Aurivillius,1910
 40312) *Hyaloperina abyssinica* M.Hering,1926 (Lymantriidae) Synonym(s): *abyssinica* M.Hering,1926
 40313) *Hyaloperina erythroma* Collenette,1960 (Lymantriidae) Synonym(s): *erythroma* Collenette,1960
 40314) *Hyaloperina nudiuscula* Aurivillius,[1905] (Lymantriidae) Synonym(s): *nudiuscula* Aurivillius,[1905]
 40315) *Hyaloperina privata* M.Hering,1926 (Lymantriidae) Synonym(s): *privata* M.Hering,1926
 40316) *Hyaloperina vitrina* M.Hering,1926 (Lymantriidae) Synonym(s): *vitrina* M.Hering,1926
 40317) *Icta fulviceps* Walker,1855 (Lymantriidae) Synonym(s): *fulviceps* Walker,1855
 40318) *Icta tanaopis* Turner,1921 (Lymantriidae) Synonym(s): *tanaopis* Turner,1921
 40319) *Ilema altichalana* Holloway,1999 (Lymantriidae) Synonym(s): *altichalana* Holloway,1999
 40320) *Ilema baruna* (Moore,[1860]) (Lymantriidae) Synonym(s): *baruna* Moore,[1860]
 40321) *Ilema chalana* (Moore,[1860]) (Lymantriidae) Synonym(s): *chalana* Moore,[1860]
 40322) *Ilema chalana chalanoides* Schintlmeister,1994 (Lymantriidae) Synonym(s): *chalanoides* Schintlmeister,1994
 40323) *Ilema chloroptera* (Hampson,1892) (Lymantriidae) Synonym(s): *chloroptera* Hampson,1892
 40324) *Ilema costiplaga* (Walker,1862) (Lymantriidae) Synonym(s): *costiplaga* Walker,1862
 40325) *Ilema montanata* Holloway,1982 (Lymantriidae) Synonym(s): *montanata* Holloway,1982
 40326) *Ilema nachiensis* (Marumo,1917) (Lymantriidae) Synonym(s): *nachiensis* Marumo,1917; *trimacula* Scriba,1919; *flava* Matsumura,1921 *nec* Holl.,1893; *citrinella* Matsumura,1927; *kagina* Matsumura,1927; *junki* Bryk,1934
 40327) *Ilema petrilinnaea* (Bryk,1934) (Lymantriidae) Synonym(s): *viridis* Druce,1899; *petrilinnaea* Bryk,1934
 40328) *Ilema preangerensis* (Heylaerts,1892) (Lymantriidae) Synonym(s): *preangerensis* Heylaerts,1892; *melanochlora* Hampson,1895
 40329) *Ilema vaneckei* (Collenette,1932) (Lymantriidae) Synonym(s): *vaneckei* Collenette,1932; *callima* Collenette,1932; *#vanecki* Holloway,1976
 40330) *Ilema apalochroa* Collenette,1930 (Lymantriidae) Synonym(s): *apalochroa* Collenette,1930
 40331) *Ilema basistriga* Joicey & Talbot,1917 (Lymantriidae) Synonym(s): *basistriga* Joicey & Talbot,1917
 40332) *Ilema cinnamomina* Rothschild,1915 (Lymantriidae) Synonym(s): *cinnamomina* Rothschild,1915
 40333) *Ilema dubia* Bethune-Baker,1904 (Lymantriidae) Synonym(s): *dubia* Bethune-Baker,1904
 40334) *Ilema lata* Holland,1893 (Lymantriidae) Synonym(s): *lata* Holland,1893
 40335) *Ilema malgassica* Kenrick,1913 (Lymantriidae) Synonym(s): *malgassica* Kenrick,1913
 40336) *Ilema munda* (Walker,1855) (Lymantriidae) Synonym(s): *munda* Walker,1855; *collenettei* Toxopeus,1948
 40337) *Ilema nepha* Joicey & Talbot,1917 (Lymantriidae) Synonym(s): *nepha* Joicey & Talbot,1917; *nepcha* Swinhoe,1923
 40338) *Ilema niveus* Bethune-Baker,1904 (Lymantriidae) Synonym(s): *niveus* Bethune-Baker,1904; *arosa* Bethune-Baker,1904
 40339) *Ilema pratti* Bethune-Baker,1904 (Lymantriidae) Synonym(s): *pratti* Bethune-Baker,1904
 40340) *Ilema spodea* Bethune-Baker,1904 (Lymantriidae) Synonym(s): *spodea* Bethune-Baker,1904
 40341) *Ilema sulphurea* Bethune-Baker,1904 (Lymantriidae) Synonym(s): *sulphurea* Bethune-Baker,1904
 40342) *Kanchia subvitrea* (Walker,1865) (Lymantriidae) Synonym(s): *subvitrea* Walker,1865
 40343) *Knappetra arenacea* (Linnaeus,1767) (Lymantriidae) Synonym(s): *arenacea* Linnaeus,1767; *squamosa* Walker,1855; *holdingii* R.Felder & Rogenhofer,1874
 40344) *Knappetra fasciata* (Walker,1855) (Lymantriidae) Synonym(s): *fasciata* Walker,1855; *squamiplaga* Walker,1869; *stellata* Distant,1897; *torrida* Distant,1897; *angolae* Bethune-Baker,1911; *plana* Fawcett,1915.
 40345) *Knappetra fasciata susanna* (Staudinger,1895) (Lymantriidae) Synonym(s): *susanna* Staudinger,1895
 40346) *Konokarecha daisetsuzana* Matsumura,1927 (Lymantriidae) Synonym(s): *daisetsuzana* Matsumura,1927; *relictus* Gaede,1932
 40347) *Lachana ladakensis* Moore (Lymantriidae) Synonym(s):
 40348) *Lacipa* ? *sarcistoides* M.Hering,1926 (Lymantriidae) Synonym(s): *sarcistoides* M.Hering,1926
 40349) *Lacipa albula* Fawcett,1917 (Lymantriidae) Synonym(s): *albula* Fawcett,1917
 40350) *Lacipa argyroleuca* Hampson,1910 (Lymantriidae) Synonym(s): *argyroleuca* Hampson,1910
 40351) *Lacipa bizonoides* Butler,1893 (Lymantriidae) Synonym(s): *bizonoides* Butler,1893; *#bizonides* Vari & Kroon,1986

- 40352) *Lacipa croceigramma* Hampson,1910 (Lymantriidae) Synonym(s): *croceigramma* Hampson,1910
 40353) *Lacipa flavitincta* Hampson,1910 (Lymantriidae) Synonym(s): *flavitincta* Hampson,1910
 40354) *Lacipa florida* (Swinhoe,1903) (Lymantriidae) Synonym(s): *florida* Swinhoe,1903
 40355) *Lacipa gemmata* Distant,1897 (Lymantriidae) Synonym(s): *gemmata* Distant,1897
 40356) *Lacipa gemmatula* M.Hering,1926 (Lymantriidae) Synonym(s): *gemmatula* M.Hering,1926
 40357) *Lacipa gracilis* Hopffer,1857 (Lymantriidae) Synonym(s): *gracilis* Hopffer,1857
 40358) *Lacipa heterosticta* Hampson,1910 (Lymantriidae) Synonym(s): *heterosticta* Hampson,1910
 40359) *Lacipa innocens* M.Hering,1928 (Lymantriidae) Synonym(s): *innocens* M.Hering,1928
 40360) *Lacipa melanosticta* Hampson,1910 (Lymantriidae) Synonym(s): *melanosticta* Hampson,1910
 40361) *Lacipa nobilis* (Herrich-Schäffer,1855) (Lymantriidae) Synonym(s): *nobilis* Herrich-Schäffer,1855
 40362) *Lacipa picta* (Boisduval,1847) (Lymantriidae) Synonym(s): *picta* Boisduval,1847
 40363) *Lacipa pulverea* Distant,1898 (Lymantriidae) Synonym(s): *pulverea* Distant,1898; *pubescens* Swinhoe,1903
 40364) *Lacipa quadripunctata* (Dewitz,1881) (Lymantriidae) Synonym(s): *quadripunctata* Dewitz,1881; *quinquepunctata* Distant,1898
 40365) *Lacipa robusta* M.Hering,1926 (Lymantriidae) Synonym(s): *robusta* M.Hering,1926
 40366) *Lacipa sarcistis* Hampson,1905 (Lymantriidae) Synonym(s): *sarcistis* Hampson,1905; *pactor* M.Hering,1926
 40367) *Lacipa sexpunctata* Distant,1897 (Lymantriidae) Synonym(s): *sexpunctata* Distant,1897
 40368) *Lacipa tau* Collenette,1931 (Lymantriidae) Synonym(s): *tau* Collenette,1931
 40369) *Laelia actiosa* M.Hering,1926 (Lymantriidae) Synonym(s): *actiosa* M.Hering,1926
 40370) *Laelia albimaculata* (M.Hering,1926) (Lymantriidae) Synonym(s): *albimaculata* M.Hering,1926
 40371) *Laelia amabilis* Aurivillius,1897 (Lymantriidae) Synonym(s): *amabilis* Aurivillius,1897
 40372) *Laelia amata* (Hering,1926) (Lymantriidae) Synonym(s): *amata* Hering,1926
 40373) *Laelia amaura* M.Hering,1926 (Lymantriidae) Synonym(s): *amaura* M.Hering,1926
 40374) *Laelia angustipennis* (Walker,1855) (Lymantriidae) Synonym(s): *angustipennis* Walker,1855
 40375) *Laelia atestacea* Hampson,1892 (Lymantriidae) Synonym(s): *testacea* Moore,1879 nec Wlk.,1854; *atestacea* Hampson,1892
 40376) *Laelia atrifilata* (Hampson,1905) (Lymantriidae) Synonym(s): *atrifilata* Hampson,1905
 40377) *Laelia aureus* Janse,1915 (Lymantriidae) Synonym(s): *aureus* Janse,1915
 40378) *Laelia aurivillii* (M.Hering,1926) (Lymantriidae) Synonym(s): *aurivillii* M.Hering,1926
 40379) *Laelia basalis* (Walker,1855) (Lymantriidae) Synonym(s): *basalis* Walker,1855
 40380) *Laelia basifurca* (Walker,1865) (Lymantriidae) Synonym(s): *basifurca* Walker,1865
 40381) *Laelia batoides* (Plötz,1880) (Lymantriidae) Synonym(s): *batoides* Plötz,1880
 40382) *Laelia batoides whitei* (Druce,1898) (Lymantriidae) Synonym(s): *whitei* Druce,1898
 40383) *Laelia bifascia* Hampson,1905 (Lymantriidae) Synonym(s): *bifascia* Hampson,1905
 40384) *Laelia blasphemia* (M.Hering,1926) (Lymantriidae) Synonym(s): *blasphemia* M.Hering,1926
 40385) *Laelia blasphemata xanthochroma* (M.Hering,1926) (Lymantriidae) Synonym(s): *xanthochroma* Hering,1926
 40386) *Laelia bonaberiensis* (Strand,1915) (Lymantriidae) Synonym(s): *bonaberiensis* Strand,1915; *hildoides* Holland,1920
 40387) *Laelia bryophilina* (Hampson,1910) (Lymantriidae) Synonym(s): *bryophilina* Hampson,1910
 40388) *Laelia cardinalis* Hampson,1892 (Lymantriidae) Synonym(s): *cardinalis* Hampson,1892
 40389) *Laelia clarki* Janse,1915 (Lymantriidae) Synonym(s): *clarki* Janse,1915
 40390) *Laelia coenosa* (Hübner,[1808]) (Lymantriidae) Synonym(s): *coenosa* Hübner,[1808]
 40391) *Laelia confinis* (Distant,1899) (Lymantriidae) Synonym(s): *confinis* Distant,1899
 40392) *Laelia curvifurcata* (Karsch,1895) (Lymantriidae) Synonym(s): *curvifurcata* Karsch,1895
 40393) *Laelia danva* (Schaus & Clements,1893) (Lymantriidae) Synonym(s): *danva* Schaus & Clements,1893
 40394) *Laelia devestita* (Walker,1865) (Lymantriidae) Synonym(s): *devestita* Walker,1865; *pallida* Moore,1884; *lactea* Moore,1884
 40395) *Laelia diascia* Hampson,1905 (Lymantriidae) Synonym(s): *diascia* Hampson,1905
 40396) *Laelia diascia infracta* Bethune-Baker,1911 (Lymantriidae) Synonym(s): *infracta* Bethune-Baker,1911
 40397) *Laelia dochmia* Collenette,1960 (Lymantriidae) Synonym(s): *dochmia* Collenette,1960
 40398) *Laelia eescota* (Hampson,1905) (Lymantriidae) Synonym(s): *eescota* Hampson,1905
 40399) *Laelia esthlopi* (Collenette,1953) (Lymantriidae) Synonym(s): *esthlopi* Collenette,1953
 40400) *Laelia exclamatonis* (Kollar,1844) (Lymantriidae) Synonym(s): *exclamatonis* Kollar,1844; *cervina* Walker,1855; *rotundata* Walker,1855; *rubida* Walker,1864; *disjuncta* Walker,1865; *horishanella* Matsumura,1931
 40401) *Laelia extatura* (Distant,1897) (Lymantriidae) Synonym(s): *extatura* Distant,1897
 40402) *Laelia extorta* (Distant,1897) (Lymantriidae) Synonym(s): *extorta* Distant,1897
 40403) *Laelia figlina* Distant,1899 (Lymantriidae) Synonym(s): *figlina* Distant,1899
 40404) *Laelia fracta* Schaus & Clements,1893 (Lymantriidae) Synonym(s): *fracta* Schaus & Clements,1893
 40405) *Laelia fusca* (Walker,1855) (Lymantriidae) Synonym(s): *fusca* Walker,1855
 40406) *Laelia gephyra* (M.Hering,1926) (Lymantriidae) Synonym(s): *gephyra* M.Hering,1926
 40407) *Laelia gwelila* (Swinhoe,1903) (Lymantriidae) Synonym(s): *gwelila* Swinhoe,1903
 40408) *Laelia haematica* Hampson,1905 (Lymantriidae) Synonym(s): *haematica* Hampson,1905
 40409) *Laelia hamponi* (M.Hering,1926) (Lymantriidae) Synonym(s): *postfusca* Hamp.,1905 nec Swinh.,1895; *hamponi* M.Hering,1926
 40410) *Laelia herbida* (Walker,1856) (Lymantriidae) Synonym(s): *herbida* Walker,1856
 40411) *Laelia heterogyna* Hampson,1892 (Lymantriidae) Synonym(s): *heterogyna* Hampson,1892
 40412) *Laelia hughesi* (Collenette,1933) (Lymantriidae) Synonym(s): *hughesi* Collenette,1933
 40413) *Laelia janenschi* M.Hering,1926 (Lymantriidae) Synonym(s): *janenschi* M.Hering,1926
 40414) *Laelia lavia* Swinhoe,1903 (Lymantriidae) Synonym(s): *lavia* Swinhoe,1903
 40415) *Laelia leucostigmata* (M.Hering,1926) (Lymantriidae) Synonym(s): *leucostigmata* M.Hering,1926
 40416) *Laelia lilacina* Moore,1884 (Lymantriidae) Synonym(s): *lilacina* Moore,1884
 40417) *Laelia litura* (Walker,1855) (Lymantriidae) Synonym(s): *litura* Walker,1855
 40418) *Laelia lunensis* (Hampson,1905) (Lymantriidae) Synonym(s): *lunensis* Hampson,1905
 40419) *Laelia lusambo* Collenette,1960 (Lymantriidae) Synonym(s): *lusambo* Collenette,1960
 40420) *Laelia marginipunctata* Bethune-Baker,1908 (Lymantriidae) Synonym(s): *marginipunctata* Bethune-Baker,1908
 40421) *Laelia mediofasciata* (Hering,1926) (Lymantriidae) Synonym(s): *mediofasciata* Hering,1926
 40422) *Laelia melaxantha* (Walker,1865) (Lymantriidae) Synonym(s): *melaxantha* Walker,1865
 40423) *Laelia municipalis* (Distant,1897) (Lymantriidae) Synonym(s): *municipalis* Distant,1897
 40424) *Laelia nigripulvereae* Janse,1915 (Lymantriidae) Synonym(s): *nigripulvereae* Janse,1915
 40425) *Laelia nubifuga* (Holland,1893) (Lymantriidae) Synonym(s): *nubifuga* Holland,1893
 40426) *Laelia octophora* (Hampson,1905) (Lymantriidae) Synonym(s): *octophora* Hampson,1905
 40427) *Laelia phenax* (Collenette,1932) (Lymantriidae) Synonym(s): *phenax* Collenette,1932
 40428) *Laelia pheosia* (Hampson,1910) (Lymantriidae) Synonym(s): *pheosia* Hampson,1910
 40429) *Laelia pluto* (M.Hering,1926) (Lymantriidae) Synonym(s): *pluto* M.Hering,1926
 40430) *Laelia postpura* (Hampson,1905) (Lymantriidae) Synonym(s): *postpura* Hampson,1905
 40431) *Laelia pulcherrima* (Hering,1926) (Lymantriidae) Synonym(s): *pulcherrima* Hering,1926
 40432) *Laelia punctifera* (Walker,1858) (Lymantriidae) Synonym(s): *punctifera* Walker,1858
 40433) *Laelia punctulata* (Butler,1875) (Lymantriidae) Synonym(s): *punctulata* Butler,1875
 40434) *Laelia pyrosoma* (Hampson,1910) (Lymantriidae) Synonym(s): *pyrosoma* Hampson,1910
 40435) *Laelia robusta* Janse,1915 (Lymantriidae) Synonym(s): *robusta* Janse,1915
 40436) *Laelia rocana* (Swinhoe,1906) (Lymantriidae) Synonym(s): *rocana* Swinhoe,1906
 40437) *Laelia rosea* Schaus & Clements,1893 (Lymantriidae) Synonym(s): *rosea* Schaus & Clements,1893
 40438) *Laelia rubrifilata* (Hampson,1905) (Lymantriidae) Synonym(s): *rubrifilata* Hampson,1905
 40439) *Laelia rubripennis* Moore,1884 (Lymantriidae) Synonym(s): *testacea* Moore,1872 (homonym); *fasciata* Moore,1883; *rubripennis* Moore,1884
 40440) *Laelia subrosea* (Walker,1855) (Lymantriidae) Synonym(s): *subrosea* Walker,1855

- 40441) *Laelia subviridis* Janse, 1915 (Lymantriidae) Synonym(s): *subviridis* Janse, 1915
 40442) *Laelia suffusa* (Walker, 1855) (Lymantriidae) Synonym(s): *suffusa* Walker, 1855; *angulifera* Walker, 1855; *prolata* Swinhoe, 1892
 40443) *Laelia swinnyi* Janse, 1915 (Lymantriidae) Synonym(s): *swinnyi* Janse, 1915
 40444) *Laelia testacea* Walker, 1854 (Lymantriidae) Synonym(s): *testacea* Walker, 1854; *juvenis* Walker, 1855; *colon* Hampson, 1891
 40445) *Laelia thanatos* (Hering, 1926) (Lymantriidae) Synonym(s): *thanatos* Hering, 1926
 40446) *Laelia umbrina* (Moore, 1888) (Lymantriidae) Synonym(s): *umbrina* Moore, 1888
 40447) *Laelia venosa* Moore, 1877 (Lymantriidae) Synonym(s): *venosa* Moore, 1877
 40448) *Laelia xyleutis* Hampson, 1905 (Lymantriidae) Synonym(s): *xyleutis* Hampson, 1905
 40449) *Laeliolina paetula* M. Hering, 1926 (Lymantriidae) Synonym(s): *paetula* M. Hering, 1926
 40450) *Laelioprocitis leucosphena* Collenette, 1939 (Lymantriidae) Synonym(s): *leucosphena* Collenette, 1939
 40451) *Laelioprocitis taeniosoma* M. Hering, 1926 (Lymantriidae) Synonym(s): *taeniosoma* M. Hering, 1926
 40452) *Laelorora flavimargo* M. Hering, 1926 (Lymantriidae) Synonym(s): *flavimargo* M. Hering, 1926
 40453) *Lepidopalpus hyalina* Janse, 1915 (Lymantriidae) Synonym(s): *hyalina* Janse, 1915
 40454) *Leptarora paupera* M. Hering, 1926 (Lymantriidae) Synonym(s): *paupera* M. Hering, 1926
 40455) *Leptocneria binotata* Butler, 1886 (Lymantriidae) Synonym(s): *binotata* Butler, 1886
 40456) *Leptocneria reducta* (Walker, 1855) (Lymantriidae) Synonym(s): *reducta* Walker, 1855; *bistigmalis* Strand, 1925; *curanda* Strand, 1929; *aurivillii* Bryk, 1934
 40457) *Leucoma bicolorata* Holloway, 1999 (Lymantriidae) Synonym(s): *bicolorata* Holloway, 1999
 40458) *Leucoma brontonepha* Collenette, 1931 (Lymantriidae) Synonym(s): *brontonepha* Collenette, 1931
 40459) *Leucoma camurisque* Collenette, 1932 (Lymantriidae) Synonym(s): *camurisque* Collenette, 1932
 40460) *Leucoma comma* (Hutton, 1865) (Lymantriidae) Synonym(s): *comma* Hutton, 1865; *#connua* Swinhoe, 1922
 40461) *Leucoma diaphana* Moore, 1879 (Lymantriidae) Synonym(s): *diaphana* Moore, 1879; *lactea* Moore, 1879; *birmanica* Strand, 1915
 40462) *Leucoma discirufa* Swinhoe, 1903 (Lymantriidae) Synonym(s): *discirufa* Swinhoe, 1903
 40463) *Leucoma divisa* (Walker, 1855) (Lymantriidae) Synonym(s): *divisa* Walker, 1855
 40464) *Leucoma egens* (C. Felder, 1861) (Lymantriidae) Synonym(s): *egens* C. Felder, 1861
 40465) *Leucoma egerina* Swinhoe, 1893 (Lymantriidae) Synonym(s): *egerina* Swinhoe, 1893
 40466) *Leucoma flavescens* (Moore, 1877) (Lymantriidae) Synonym(s): *flavescens* Moore, 1877; *sericea* Moore, 1877
 40467) *Leucoma flora* Swinhoe, 1903 (Lymantriidae) Synonym(s): *flora* Swinhoe, 1903
 40468) *Leucoma geometrica* Semper, 1899 (Lymantriidae) Synonym(s): *geometrica* Semper, 1899
 40469) *Leucoma gigantea* Aurivillius, 1894 (Lymantriidae) Synonym(s): *gigantea* Aurivillius, 1894
 40470) *Leucoma impressa* Snellen, 1877 (Lymantriidae) Synonym(s): *impressa* Snellen, 1877
 40471) *Leucoma intacta* Walker, 1866 (Lymantriidae) Synonym(s): *intacta* Walker, 1866
 40472) *Leucoma lepta* Collenette, 1933 (Lymantriidae) Synonym(s): *lepta* Collenette, 1933
 40473) *Leucoma lobipennis* Swinhoe, 1892 (Lymantriidae) Synonym(s): *lobipennis* Swinhoe, 1892
 40474) *Leucoma marginalis* (Walker, 1862) (Lymantriidae) Synonym(s): *marginalis* Walker, 1862
 40475) *Leucoma micacea* (Walker, 1862) (Lymantriidae) Synonym(s): *micacea* Walker, 1862; *pulverulenta* Snellen, 1895
 40476) *Leucoma minutissima* Swinhoe, 1903 (Lymantriidae) Synonym(s): *minutissima* Swinhoe, 1903
 40477) *Leucoma monobalia* Collenette, 1933 (Lymantriidae) Synonym(s): *monobalia* Collenette, 1933
 40478) *Leucoma nigrolineata* Bethune-Baker, 1927 (Lymantriidae) Synonym(s): *nigrolineata* Bethune-Baker, 1927
 40479) *Leucoma niphobola* Collenette, 1932 (Lymantriidae) Synonym(s): *niphobola* Collenette, 1932
 40480) *Leucoma nivata* (Walker, 1865) (Lymantriidae) Synonym(s): *nivata* Walker, 1865
 40481) *Leucoma nivosa* Walker, 1865 (Lymantriidae) Synonym(s): *nivosa* Walker, 1865
 40482) *Leucoma ochripes* (Moore, 1879) (Lymantriidae) Synonym(s): *ochripes* Moore, 1879; *eshanensis* Chao, 1983
 40483) *Leucoma ochropoda* (Eversmann, 1847) (Lymantriidae) Synonym(s): *ochropoda* Eversmann, 1847
 40484) *Leucoma ogovensis* (Holland, 1893) (Lymantriidae) Synonym(s): *ogovensis* Holland, 1893
 40485) *Leucoma parva* (Plötz, 1880) (Lymantriidae) Synonym(s): *parva* Plötz, 1880
 40486) *Leucoma pellucida* Swinhoe, 1903 (Lymantriidae) Synonym(s): *pellucida* Swinhoe, 1903
 40487) *Leucoma perfecta* (Walker, 1862) (Lymantriidae) Synonym(s): *perfecta* Walker, 1862
 40488) *Leucoma phasmatodes* Collenette, 1932 (Lymantriidae) Synonym(s): *phasmatodes* Collenette, 1932
 40489) *Leucoma phrika* Collenette, 1932 (Lymantriidae) Synonym(s): *phrika* Collenette, 1932
 40490) *Leucoma poecilniphia* Collenette, 1932 (Lymantriidae) Synonym(s): *poecilniphia* Collenette, 1932
 40491) *Leucoma primula* Swinhoe, 1903 (Lymantriidae) Synonym(s): *primula* Swinhoe, 1903
 40492) *Leucoma riguata* (Snellen, 1895) (Lymantriidae) Synonym(s): *riguata* Snellen, 1895
 40493) *Leucoma rufimarginata* Swinhoe, 1903 (Lymantriidae) Synonym(s): *rufimarginata* Swinhoe, 1903
 40494) *Leucoma salicis* (Linnaeus, 1758) (Lymantriidae) Synonym(s): *salicis* Linnaeus, 1758; *apparens* Retzius, 1783; *salicinus* Haworth, 1803; *xanthocampa* Dyar, 1905; *coreacola* Matsumura, 1933; *sjoquisti* Bryk, 1942; *variabilis* Bryk, 1949
 40495) *Leucoma salicis candida* Staudinger, 1892 (Lymantriidae) Synonym(s): *candida* Staudinger, 1892
 40496) *Leucoma salicis salicis* (Linnaeus, 1758) (Lymantriidae) Synonym(s): *salicis* Linnaeus, 1758; *apparens* Retzius, 1783; *salicinus* Haworth, 1803; *xanthocampa* Dyar, 1905; *coreacola* Matsumura, 1933; *sjoquisti* Bryk, 1942; *variabilis* Bryk, 1949
 40497) *Leucoma sartus* (Erschoff, 1874) (Lymantriidae) Synonym(s): *sartus* Erschoff, 1874
 40498) *Leucoma semihyalina* Swinhoe, 1904 (Lymantriidae) Synonym(s): *semihyalina* Swinhoe, 1904
 40499) *Leucoma semiochrea* (Herrich-Schäffer, 1855) (Lymantriidae) Synonym(s): *semiochrea* Herrich-Schäffer, 1855; *alboanalis* Strand, 1915
 40500) *Leucoma sericea* (Moore, 1879) (Lymantriidae) Synonym(s): *sericea* Moore, 1879; *horridula* Collenette, 1914; *avolaensis* Bethune-Baker, 1916; *loda* Collenette, 1947; *tafa* Collenette, 1951
 40501) *Leucoma sevastopuloi* Collenette, 1955 (Lymantriidae) Synonym(s): *sevastopuloi* Collenette, 1955
 40502) *Leucoma silhetica* (Walker, 1856) (Lymantriidae) Synonym(s): *silhetica* Walker, 1856
 40503) *Leucoma singaporensis* Strand, 1915 (Lymantriidae) Synonym(s): *singaporensis* Strand, 1915
 40504) *Leucoma subargentea* (C. Felder, 1861) (Lymantriidae) Synonym(s): *subargentea* C. Felder, 1861
 40505) *Leucoma surtur* (A. Bang-Haas, 1912) (Lymantriidae) Synonym(s): *surtur* A. Bang-Haas, 1912
 40506) *Leucoma vosseleri* Grünberg, 1907 (Lymantriidae) Synonym(s): *vosseleri* Grünberg, 1907
 40507) *Leucoma wiltshirei* Collenette, 1938 (Lymantriidae) Synonym(s): *wiltshirei* Collenette, 1938
 40508) *Leucoperina atroguttata* Aurivillius, 1909 (Lymantriidae) Synonym(s): *atroguttata* Aurivillius, 1909; *umbrinorma* M. Hering, 1926
 40509) *Liparodonta convexa* M. Hering, 1926 (Lymantriidae) Synonym(s): *convexa* M. Hering, 1926
 40510) *Liparodonta uniformis* M. Hering, 1926 (Lymantriidae) Synonym(s): *uniformis* M. Hering, 1926
 40511) *Locharna limbata* Collenette (Lymantriidae) Synonym(s):
 40512) *Lomadonta callipepla* Collenette, 1960 (Lymantriidae) Synonym(s): *callipepla* Collenette, 1960
 40513) *Lomadonta citrago* M. Hering, 1926 (Lymantriidae) Synonym(s): *citrago* M. Hering, 1926
 40514) *Lomadonta erythrina* Holland, 1893 (Lymantriidae) Synonym(s): *erythrina* Holland, 1893; *albisigna* Druce, 1910
 40515) *Lomadonta hoeseimanni* Bryk, 1913 (Lymantriidae) Synonym(s): *hoeseimanni* Bryk, 1913
 40516) *Lomadonta johnstoni* Swinhoe, 1903 (Lymantriidae) Synonym(s): *johnstoni* Swinhoe, 1903
 40517) *Lomadonta obscura* Swinhoe, 1904 (Lymantriidae) Synonym(s): *obscura* Swinhoe, 1904
 40518) *Lomadonta ochriaria* Hampson, 1910 (Lymantriidae) Synonym(s): *ochriaria* Hampson, 1910
 40519) *Lomadonta saturata* Swinhoe, 1904 (Lymantriidae) Synonym(s): *saturata* Swinhoe, 1904
 40520) *Lomadonta umbrata* Hampson, 1910 (Lymantriidae) Synonym(s): *umbrata* Hampson, 1910
 40521) *Lymantria albimacula* (Wallengren, 1865) (Lymantriidae) Synonym(s): *albimacula* Wallengren, 1865; *mosera* Druce, 1898
 40522) *Lymantria alexandrae* Schintlmeister, 1994 (Lymantriidae) Synonym(s): *alexandrae* Schintlmeister, 1994
 40523) *Lymantria ampla* (Walker, 1855) (Lymantriidae) Synonym(s): *ampla* Walker, 1855
 40524) *Lymantria antennata* Walker, 1855 (Lymantriidae) Synonym(s): *antennata* Walker, 1855
 40525) *Lymantria apicebrunnea* Gaede, 1932 (Lymantriidae) Synonym(s): *apicebrunnea* Gaede, 1932
 40526) *Lymantria arete* Fawcett, 1915 (Lymantriidae) Synonym(s): *arete* Fawcett, 1915

- 40527) *Lymantria argyrochroa* Collenette, 1936 (Lymantriidae) Synonym(s): *argyrochroa* Collenette, 1936
 40528) *Lymantria aryama* Moore, 1859 (Lymantriidae) Synonym(s): *aryama* Moore, 1859
 40529) *Lymantria asoetria* Hübner, 1826 (Lymantriidae) Synonym(s): *asoetria* Hübner, 1826; *antica* Walker, 1856; *pramesta* Moore, 1859
 40530) *Lymantria atala* Swinhoe, 1923 (Lymantriidae) Synonym(s): *binotata* Mabil, 1880 nec Butl.; *atala* Swinhoe, 1923
 40531) *Lymantria atemeles* Collenette, 1932 (Lymantriidae) Synonym(s): *atemeles* Collenette, 1932
 40532) *Lymantria aurivillii* Bryk, 1934 (Lymantriidae) Synonym(s): *aurivillii* Bryk, 1934
 40533) *Lymantria banzaitana* Matsumura, 1933 (Lymantriidae) Synonym(s): *banzaitana* Matsumura, 1933
 40534) *Lymantria barica* (Mabil, 1878) (Lymantriidae) Synonym(s): *barica* Mabil, 1878; *fuliginea* Butler, 1880; *fumosa* Saalmüller, 1884; *uxor* Saalmüller, 1884
 40535) *Lymantria barlowi* Schintlmeister, 1994 (Lymantriidae) Synonym(s): *barlowi* Schintlmeister, 1994
 40536) *Lymantria beatrix* (Stoll, [1790]) (Lymantriidae) Synonym(s): *beatrix* Stoll, [1790]; *ganaha* Swinhoe, 1903
 40537) *Lymantria bivittata* (Moore, 1879) (Lymantriidae) Synonym(s): *bivittata* Moore, 1879
 40538) *Lymantria brotea* (Stoll, [1781]) (Lymantriidae) Synonym(s): *brotea* Stoll, [1781]
 40539) *Lymantria brunneiplaga* Swinhoe, 1903 (Lymantriidae) Synonym(s): *brunneiplaga* Swinhoe, 1903
 40540) *Lymantria buruensis* Collenette, 1933 (Lymantriidae) Synonym(s): *buruensis* Collenette, 1933
 40541) *Lymantria capnodes* Collenette, 1932 (Lymantriidae) Synonym(s): *capnodes* Collenette, 1932; *bisextilis* Toxopeus, 1948
 40542) *Lymantria carriala* Swinhoe, 1903 (Lymantriidae) Synonym(s): *carriala* Swinhoe, 1903; *#carriola* Swinhoe, 1923
 40543) *Lymantria ceberosa* Swinhoe, 1903 (Lymantriidae) Synonym(s): *ceberosa* Swinhoe, 1903
 40544) *Lymantria concolor* Walker, 1855 (Lymantriidae) Synonym(s): *concolor* Walker, 1855
 40545) *Lymantria concolor superans* Walker, 1855 (Lymantriidae) Synonym(s): *superans* Walker, 1855
 40546) *Lymantria conspersa* M. Hering, 1927 (Lymantriidae) Synonym(s): *conspersa* M. Hering, 1927
 40547) *Lymantria cryptocloea* Collenette, 1932 (Lymantriidae) Synonym(s): *cryptocloea* Collenette, 1932
 40548) *Lymantria curvifera* (Walker, 1866) (Lymantriidae) Synonym(s): *curvifera* Walker, 1866; *lunata* Semper, 1898
 40549) *Lymantria detera* Walker, 1865 (Lymantriidae) Synonym(s): *detera* Walker, 1865; *costalis* Walker, 1865
 40550) *Lymantria dictyodigma* Collenette, 1930 (Lymantriidae) Synonym(s): *dictyodigma* Collenette, 1930
 40551) *Lymantria dispar* (Linnaeus, 1758) (Lymantriidae) Synonym(s): *dispar* Linnaeus, 1758; *disparina* Müller, 1802; *japonica* Motschulsky, 1860; *disparoides* Mabil, 1876; *bordigalensis* Mabil, 1876; *asiatica* Wnukowsky, 1926
 40552) *Lymantria dissoluta* Swinhoe, 1903 (Lymantriidae) Synonym(s): *dissoluta* Swinhoe, 1903
 40553) *Lymantria doreyensis* Collenette, 1933 (Lymantriidae) Synonym(s): *doreyensis* Collenette, 1933
 40554) *Lymantria dubiosa* Aurivillius, 1914 (Lymantriidae) Synonym(s): *dubiosa* Aurivillius, 1914
 40555) *Lymantria dulcinea* Butler, 1882 (Lymantriidae) Synonym(s): *dulcinea* Butler, 1882; *didymata* Kenrick, 1913
 40556) *Lymantria eddela* Swinhoe, 1903 (Lymantriidae) Synonym(s): *eddela* Swinhoe, 1903
 40557) *Lymantria ekelkei* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *ekelkei* Bethune-Baker, 1904
 40558) *Lymantria faircloughi* Holloway, 1999 (Lymantriidae) Synonym(s): *faircloughi* Holloway, 1999
 40559) *Lymantria finitorum* Collenette, 1931 (Lymantriidae) Synonym(s): *finitorum* Collenette, 1931
 40560) *Lymantria flavicilla* Hampson, 1910 (Lymantriidae) Synonym(s): *flavicilla* Hampson, 1910
 40561) *Lymantria formosana* Matsumura, 1911 (Lymantriidae) Synonym(s): *formosana* Matsumura, 1911
 40562) *Lymantria fuliginosa* Moore, 1883 (Lymantriidae) Synonym(s): *fuliginosa* Moore, 1883
 40563) *Lymantria ganara* Moore, [1860] (Lymantriidae) Synonym(s): *ganara* Moore, [1860]
 40564) *Lymantria ganaroides* Strand, 1915 (Lymantriidae) Synonym(s): *ganaroides* Strand, 1915
 40565) *Lymantria gondona* Swinhoe, 1903 (Lymantriidae) Synonym(s): *gondona* Swinhoe, 1903; *melete* Fawcett, 1915
 40566) *Lymantria grandis* Walker, 1855 (Lymantriidae) Synonym(s): *grandis* Walker, 1855; *maculosa* Walker, 1855; *metarhoda* Walker, 1862
 40567) *Lymantria grisea* Moore, 1879 (Lymantriidae) Synonym(s): *grisea* Moore, 1879
 40568) *Lymantria hemipyra* Collenette, 1932 (Lymantriidae) Synonym(s): *hemipyra* Collenette, 1932
 40569) *Lymantria heptasticta* (Mabil, 1878) (Lymantriidae) Synonym(s): *heptasticta* Mabil, 1878
 40570) *Lymantria hera* Druce, 1898 (Lymantriidae) Synonym(s): *hera* Druce, 1898
 40571) *Lymantria heringi* Kemal & Koçak, 2005 (Lymantriidae) Synonym(s): *disparina* Hering, 1926 nec Müll., 1802; *heringi* Kemal & Koçak, 2005
 40572) *Lymantria hollowayi* Schintlmeister, 1994 (Lymantriidae) Synonym(s): *hollowayi* Schintlmeister, 1994
 40573) *Lymantria horishanella* Matsumura, 1927 (Lymantriidae) Synonym(s): *horishanella* Matsumura, 1927
 40574) *Lymantria incerta* Walker, 1855 (Lymantriidae) Synonym(s): *incerta* Walker, 1855
 40575) *Lymantria inordinata* Walker, 1865 (Lymantriidae) Synonym(s): *inordinata* Walker, 1865; *barisana* Collenette, 1933
 40576) *Lymantria joannisi* Le Cerf, 1921 (Lymantriidae) Synonym(s): *joannisi* Le Cerf, 1921
 40577) *Lymantria kebae* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *kebae* Bethune-Baker, 1904
 40578) *Lymantria kettleweli* Collenette, 1953 (Lymantriidae) Synonym(s): *kettleweli* Collenette, 1953
 40579) *Lymantria kinta* Collenette, 1932 (Lymantriidae) Synonym(s): *kinta* Collenette, 1932
 40580) *Lymantria kobesi* Schintlmeister, 1994 (Lymantriidae) Synonym(s): *kobesi* Schintlmeister, 1994
 40581) *Lymantria kosemponis* Strand, 1914 (Lymantriidae) Synonym(s): *kosemponis* Strand, 1914
 40582) *Lymantria lepcha* Moore, 1879 (Lymantriidae) Synonym(s): *lepcha* Moore, 1879; *carneola* Moore, 1879; *galinara* Swinhoe, 1903
 40583) *Lymantria leucerythra* Collenette, 1930 (Lymantriidae) Synonym(s): *leucerythra* Collenette, 1930
 40584) *Lymantria loacana* Semper, 1898 (Lymantriidae) Synonym(s): *loacana* Semper, 1898
 40585) *Lymantria luscens* (Butler, 1881) (Lymantriidae) Synonym(s): *luscens* Butler, 1881; *aomoriensis* Matsumura, 1921
 40586) *Lymantria lunata* (Stoll, [1782]) (Lymantriidae) Synonym(s): *lunata* Stoll, [1782]; *ichorina* Butler, 1884; *#lunatoides* Strand, 1915
 40587) *Lymantria lutea* (Boisduval, 1847) (Lymantriidae) Synonym(s): *lutea* Boisduval, 1847
 40588) *Lymantria lygaea* Bethune-Baker, 1908 (Lymantriidae) Synonym(s): *lygaea* Bethune-Baker, 1908
 40589) *Lymantria maculata* Semper, 1898 (Lymantriidae) Synonym(s): *maculata* Semper, 1898
 40590) *Lymantria marginalis* Walker, 1862 (Lymantriidae) Synonym(s): *marginalis* Walker, 1862
 40591) *Lymantria marginata* Walker, 1855 (Lymantriidae) Synonym(s): *marginata* Walker, 1855; *pusilla* C. Felder & R. Felder, 1868
 40592) *Lymantria marwitzii* Grünberg, 1907 (Lymantriidae) Synonym(s): *marwitzii* Grünberg, 1907
 40593) *Lymantria mathura* Moore, 1865 (Lymantriidae) Synonym(s): *mathura* Moore, 1865; *aurora* Butler, 1877; *fusca* Leech, 1888
 40594) *Lymantria melanopogon* Strand, 1914 (Lymantriidae) Synonym(s): *melanopogon* Strand, 1914
 40595) *Lymantria melia* Fawcett, 1915 (Lymantriidae) Synonym(s): *melia* Fawcett, 1915
 40596) *Lymantria melissa* Fawcett, 1915 (Lymantriidae) Synonym(s): *melissa* Fawcett, 1915
 40597) *Lymantria menecles* Fawcett, 1915 (Lymantriidae) Synonym(s): *menecles* Fawcett, 1915
 40598) *Lymantria metella* Fawcett, 1915 (Lymantriidae) Synonym(s): *metella* Fawcett, 1915
 40599) *Lymantria microstrigata* Holloway, 1999 (Lymantriidae) Synonym(s): *microstrigata* Holloway, 1999
 40600) *Lymantria minahassa* Collenette, 1933 (Lymantriidae) Synonym(s): *minahassa* Collenette, 1933
 40601) *Lymantria miniata* Grünberg, 1907 (Lymantriidae) Synonym(s): *miniata* Grünberg, 1907
 40602) *Lymantria minomonis* Matsumura, 1933 (Lymantriidae) Synonym(s): *minomonis* Matsumura, 1933
 40603) *Lymantria minora* Van Eecke, 1928 (Lymantriidae) Synonym(s): *minora* Van Eecke, 1928; *pendleburyi* Collenette, 1932
 40604) *Lymantria modesta* (Walker, 1855) (Lymantriidae) Synonym(s): *modesta* Walker, 1855; *rhodopepla* C. Felder & R. Felder, 1868
 40605) *Lymantria moesta* Swinhoe, 1903 (Lymantriidae) Synonym(s): *moesta* Swinhoe, 1903; *nigriplagiata* Gaede, 1932
 40606) *Lymantria monacha* (Linnaeus, 1758) (Lymantriidae) Synonym(s): *monacha* Linnaeus, 1758; *heteroclitia* Müller, 1764; *chosenibia* Bryk, 1949; *matuta* Bryk, 1949; *idae* Bryk, 1949
 40607) *Lymantria monoides* Collenette, 1932 (Lymantriidae) Synonym(s): *monoides* Collenette, 1932
 40608) *Lymantria multiscripta* Holland, 1893 (Lymantriidae) Synonym(s): *multiscripta* Holland, 1893
 40609) *Lymantria narindra* Moore, [1860] (Lymantriidae) Synonym(s): *narindra* Moore, [1860]; *hilaris* Vollenhofen, 1863; *#narinda* Swinhoe, 1923
 40610) *Lymantria nebulosa* Wileman, 1910 (Lymantriidae) Synonym(s): *nebulosa* Wileman, 1910; *#aprilis* Strand, 1915
 40611) *Lymantria nephographa* Turner, 1915 (Lymantriidae) Synonym(s): *nephographa* Turner, 1915; *mjoebergi* Aurivillius, 1920
 40612) *Lymantria nigra* Moore, 1888 (Lymantriidae) Synonym(s): *nigra* Moore, 1888 nec Frr., 1833
 40613) *Lymantria nigricosta* Matsumura, 1921 (Lymantriidae) Synonym(s): *nigricosta* Matsumura, 1921

- 40614) *Lymantria nigrostriata* Kenrick, 1913 (Lymantriidae) Synonym(s): *nigrostriata* Kenrick, 1913
 40615) *Lymantria ninayi* Bethune-Baker, 1910 (Lymantriidae) Synonym(s): *ninayi* Bethune-Baker, 1910
 40616) *Lymantria nobunaga* Nagano, 1909 (Lymantriidae) Synonym(s): *nobunaga* Nagano, 1909
 40617) *Lymantria novaguinensis* Bethune-Baker, 1904 (Lymantriidae) Synonym(s): *novaguinensis* Bethune-Baker, 1904
 40618) *Lymantria nudala* Strand, 1915 (Lymantriidae) Synonym(s): *nudala* Strand, 1915
 40619) *Lymantria oberthuri* Lucas, 1906 (Lymantriidae) Synonym(s): *oberthuri* Lucas, 1906; *belvalettei* Dumont, 1928
 40620) *Lymantria obfusca* Walker, 1865 (Lymantriidae) Synonym(s): *obfusca* Walker, 1865
 40621) *Lymantria obsoleta* Walker, 1855 (Lymantriidae) Synonym(s): *obsoleta* Walker, 1855
 40622) *Lymantria orestera* Collenette, 1932 (Lymantriidae) Synonym(s): *orestera* Collenette, 1932
 40623) *Lymantria pagon* Holloway, 1999 (Lymantriidae) Synonym(s): *pagon* Holloway, 1999
 40624) *Lymantria panthera* (Van Eecke, 1928) (Lymantriidae) Synonym(s): *panthera* Van Eecke, 1928
 40625) *Lymantria parvula* Kenrick, 1913 (Lymantriidae) Synonym(s): *parvula* Kenrick, 1913
 40626) *Lymantria pelospila* (Turner, 1915) (Lymantriidae) Synonym(s): *pelospila* Turner, 1915; *lutescens* Aurivillius, 1920
 40627) *Lymantria philbyi* Collenette, 1933 (Lymantriidae) Synonym(s): *philbyi* Collenette, 1933
 40628) *Lymantria pilospilata* (Turner, 1915) (Lymantriidae) Synonym(s): *pilospilata* Turner, 1915
 40629) *Lymantria plumbalis* Hampson, 1895 (Lymantriidae) Synonym(s): *plumbalis* Hampson, 1895
 40630) *Lymantria polysticta* Collenette, 1929 (Lymantriidae) Synonym(s): *polysticta* Collenette, 1929
 40631) *Lymantria postfusca* Swinhoe, 1906 (Lymantriidae) Synonym(s): *postfusca* Swinhoe, 1906
 40632) *Lymantria praetermissa* Collenette, 1933 (Lymantriidae) Synonym(s): *praetermissa* Collenette, 1933
 40633) *Lymantria pruinosa* M. Hering, 1927 (Lymantriidae) Synonym(s): *pruinosa* M. Hering, 1927
 40634) *Lymantria rebuti* (Poujade, 1889) (Lymantriidae) Synonym(s): *rebuti* Poujade, 1889
 40635) *Lymantria rhabdota* Collenette, 1949 (Lymantriidae) Synonym(s): *rhabdota* Collenette, 1949
 40636) *Lymantria rhodina* Walker, 1865 (Lymantriidae) Synonym(s): *rhodina* Walker, 1865
 40637) *Lymantria rhodophora* (Mabille, 1879) (Lymantriidae) Synonym(s): *rhodophora* Mabille, 1879
 40638) *Lymantria rosea* Butler, 1879 (Lymantriidae) Synonym(s): *rosea* Butler, 1879; *rufotincta* Kenrick, 1913
 40639) *Lymantria roseola* Matsumura, 1931 (Lymantriidae) Synonym(s): *roseola* Matsumura, 1931
 40640) *Lymantria rosina* Pagenstecher, 1900 (Lymantriidae) Synonym(s): *rosina* Pagenstecher, 1900
 40641) *Lymantria rubroviridis* M. Hering, 1927 (Lymantriidae) Synonym(s): *rubroviridis* M. Hering, 1927
 40642) *Lymantria rufofusca* Mabille, 1909 (Lymantriidae) Synonym(s): *rufofusca* Mabille, 1909
 40643) *Lymantria russula* Collenette, 1933 (Lymantriidae) Synonym(s): *russula* Collenette, 1933
 40644) *Lymantria rusticana* M. Hering, 1927 (Lymantriidae) Synonym(s): *rusticana* M. Hering, 1927
 40645) *Lymantria sakaguchii* Matsumura, 1927 (Lymantriidae) Synonym(s): *sakaguchii* Matsumura, 1927
 40646) *Lymantria sapaensis* Kishida, 1998 (Lymantriidae) Synonym(s): *sapaensis* Kishida, 1998
 40647) *Lymantria semicincta* (Walker, 1855) (Lymantriidae) Synonym(s): *semicincta* Walker, 1855
 40648) *Lymantria serva* (Fabricius, 1793) (Lymantriidae) Synonym(s): *serva* Fabricius, 1793
 40649) *Lymantria servula* Collenette, 1936 (Lymantriidae) Synonym(s): *servula* Collenette, 1936
 40650) *Lymantria sexspinae* Holloway, 1976 (Lymantriidae) Synonym(s): *sexspinae* Holloway, 1976
 40651) *Lymantria silca* Swinhoe, 1903 (Lymantriidae) Synonym(s): *silca* Swinhoe, 1903
 40652) *Lymantria similis* Moore, 1879 (Lymantriidae) Synonym(s): *similis* Moore, 1879; *cara* Butler, 1881
 40653) *Lymantria similis niasica* Strand, 1915 (Lymantriidae) Synonym(s): *niasica* Strand, 1915
 40654) *Lymantria similis similis* Moore, 1879 (Lymantriidae) Synonym(s): *similis* Moore, 1879; *cara* Butler, 1881
 40655) *Lymantria simplex* Pagenstecher, 1886 (Lymantriidae) Synonym(s): *simplex* Pagenstecher, 1886
 40656) *Lymantria singapura* Swinhoe, 1906 (Lymantriidae) Synonym(s): *singapura* Swinhoe, 1906; *#singapara* Strand, 1917
 40657) *Lymantria sphalera* Collenette, 1930 (Lymantriidae) Synonym(s): *sphalera* Collenette, 1930; *talesia* Collenette, 1933
 40658) *Lymantria strigata* Aurivillius, 1894 (Lymantriidae) Synonym(s): *strigata* Aurivillius, 1894
 40659) *Lymantria subfusca* (Boisduval, 1847) (Lymantriidae) Synonym(s): *subfusca* Boisduval, 1847
 40660) *Lymantria sublunata* (Rothschild, 1920) (Lymantriidae) Synonym(s): *sublunata* Rothschild, 1920
 40661) *Lymantria subrosea* Swinhoe, 1903 (Lymantriidae) Synonym(s): *rosea* Hampson, 1892 nec Butl., 1879; *subrosea* Swinhoe, 1903
 40662) *Lymantria tacita* Hering, 1927 (Lymantriidae) Synonym(s): *tacita* Hering, 1927
 40663) *Lymantria tagalica* Aurivillius, 1914 (Lymantriidae) Synonym(s): *tagalica* Aurivillius, 1914
 40664) *Lymantria takamukui* Nagano, 1917 (Lymantriidae) Synonym(s): *takamukui* Nagano, 1917
 40665) *Lymantria taurina* M. Hering, 1927 (Lymantriidae) Synonym(s): *taurina* M. Hering, 1927
 40666) *Lymantria temburong* Holloway, 1999 (Lymantriidae) Synonym(s): *temburong* Holloway, 1999
 40667) *Lymantria todara* Moore, 1879 (Lymantriidae) Synonym(s): *todara* Moore, 1879
 40668) *Lymantria tottea* Swinhoe, 1903 (Lymantriidae) Synonym(s): *tottea* Swinhoe, 1903
 40669) *Lymantria turneri* Swinhoe, 1903 (Lymantriidae) Synonym(s): *aurora* Turner, 1902 nec Butl., 1877; *turneri* Swinhoe, 1903; *#hundifera* Strand, 1915
 40670) *Lymantria umbrifera* Wileman, 1910 (Lymantriidae) Synonym(s): *umbrifera* Wileman, 1910; *baibarana* Matsumura, 1927
 40671) *Lymantria umbrina* (Moore, 1879) (Lymantriidae) Synonym(s): *umbrina* Moore, 1879
 40672) *Lymantria uniformis* (Rothschild, 1913) (Lymantriidae) Synonym(s): *uniformis* Rothschild, 1913
 40673) *Lymantria vacillans* Walker, 1855 (Lymantriidae) Synonym(s): *vacillans* Walker, 1855; *#dubiosissima* Strand, 1909
 40674) *Lymantria velutina* (Mabille, 1878) (Lymantriidae) Synonym(s): *velutina* Mabille, 1878
 40675) *Lymantria viola* Swinhoe, 1889 (Lymantriidae) Synonym(s): *viola* Swinhoe, 1889
 40676) *Lymantria vitrina* (Mabille, 1878) (Lymantriidae) Synonym(s): *vitrina* Mabille, 1878
 40677) *Lymantria xylina* Swinhoe, 1903 (Lymantriidae) Synonym(s): *xylina* Swinhoe, 1903
 40678) *Lymantriades obliquilinea* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *obliquilinea* Bethune-Baker, 1911
 40679) *Macrolaelia corticina* Aurivillius, 1925 (Lymantriidae) Synonym(s): *corticina* Aurivillius, 1925
 40680) *Malachitis melanochlora* Hampson, 1895 (Lymantriidae) Synonym(s): *melanochlora* Hampson, 1895
 40681) *Malachitis preangerensis* (Heylaerts, 1892) (Lymantriidae) Synonym(s): *preangerensis* Heylaerts, 1892
 40682) *Marbla azami* Kheil, 1909 (Lymantriidae) Synonym(s): *azami* Kheil, 1909
 40683) *Marbla beni* Bethune-Baker, 1909 (Lymantriidae) Synonym(s): *beni* Bethune-Baker, 1909
 40684) *Marbla catharia* Collenette, 1933 (Lymantriidae) Synonym(s): *catharia* Collenette, 1933
 40685) *Marbla coelebs* Collenette, 1931 (Lymantriidae) Synonym(s): *coelebs* Collenette, 1931
 40686) *Marbla divisa* (Walker, 1855) (Lymantriidae) Synonym(s): *divisa* Walker, 1855
 40687) *Marbla divisa tenera* (Holland, 1893) (Lymantriidae) Synonym(s): *tenera* Holland, 1893
 40688) *Marbla elegantula* M. Hering, 1926 (Lymantriidae) Synonym(s): *elegantula* M. Hering, 1926
 40689) *Marbla hemileuca* Rebel, 1914 (Lymantriidae) Synonym(s): *hemileuca* Rebel, 1914; *semihyalina* Joicey & Talbot, 1924
 40690) *Marbla indentata* Holland, 1893 (Lymantriidae) Synonym(s): *indentata* Holland, 1893
 40691) *Marbla lindblomi* Aurivillius, 1921 (Lymantriidae) Synonym(s): *lindblomi* Aurivillius, 1921
 40692) *Marbla lutulenta* Collenette, 1931 (Lymantriidae) Synonym(s): *lutulenta* Collenette, 1931
 40693) *Marbla nyctemerina* Rebel, 1914 (Lymantriidae) Synonym(s): *nyctemerina* Rebel, 1914
 40694) *Marbla proxantha* Holland, 1893 (Lymantriidae) Synonym(s): *proxantha* Holland, 1893
 40695) *Marblepsis dolosa* M. Hering, 1926 (Lymantriidae) Synonym(s): *dolosa* M. Hering, 1926
 40696) *Marblepsis flabellaria* (Fabricius, 1787) (Lymantriidae) Synonym(s): *flabellaria* Fabricius, 1787; *crocicollis* Herrich-Schäffer, 1854; *temperata* Walker, 1855; *vecontia* Druce, 1899
 40697) *Marblepsis melanocraspis* (Hampson, 1905) (Lymantriidae) Synonym(s): *melanocraspis* Hampson, 1905
 40698) *Marblepsis niveola* M. Hering, 1926 (Lymantriidae) Synonym(s): *niveola* M. Hering, 1926
 40699) *Marblepsis pirgula* M. Hering, 1926 (Lymantriidae) Synonym(s): *pirgula* M. Hering, 1926
 40700) *Marblodes affinis* M. Hering, 1926 (Lymantriidae) Synonym(s): *affinis* M. Hering, 1926
 40701) *Marblodes paradoxa* M. Hering, 1926 (Lymantriidae) Synonym(s): *paradoxa* M. Hering, 1926
 40702) *Mardara albistriata* Hampson, 1892 (Lymantriidae) Synonym(s): *albistriata* Hampson, 1892

- 40703) *Mardara calligramma* Walker, 1865 (Lymantriidae) Synonym(s): *calligramma* Walker, 1865
 40704) *Mardara irrorata* (Moore, 1879) (Lymantriidae) Synonym(s): *irrorata* Moore, 1879; *flavimaculata* Hampson, 1892
 40705) *Mardara plagiotata* (Walker, 1862) (Lymantriidae) Synonym(s): *plagiotata* Walker, 1862
 40706) *Mardara ruficeps* Hampson, 1896 (Lymantriidae) Synonym(s): *ruficeps* Hampson, 1896
 40707) *Medama diplaga* (Hampson, 1910) (Lymantriidae) Synonym(s): *diplaga* Hampson, 1910
 40708) *Melanothrix alternans* Pagenstecher, 1890 (Lymantriidae) Synonym(s): *alternans* Pagenstecher, 1890
 40709) *Meteuproctis tomponis* Matsumura, 1927 (Lymantriidae) Synonym(s): *tomponis* Matsumura, 1927
 40710) *Micraroa minima* Janse, 1915 (Lymantriidae) Synonym(s): *minima* Janse, 1915
 40711) *Micraroa rufescens* Hampson, 1905 (Lymantriidae) Synonym(s): *rufescens* Hampson, 1905
 40712) *Morasa modesta* Walker, 1855 (Lymantriidae) Synonym(s): *modesta* Walker, 1855
 40713) *Mylantria xanthospila* (Plötz, 1880) (Lymantriidae) Synonym(s): *xanthospila* Plötz, 1880; *orestes* Druce, 1888
 40714) *Naroma nigrolunata* Collenette, 1931 (Lymantriidae) Synonym(s): *nigrolunata* Collenette, 1931
 40715) *Naroma signifera* Walker, 1856 (Lymantriidae) Synonym(s): *signifera* Walker, 1856; *lunifera* Walker, 1869; *cadica* Plötz, 1880
 40716) *Naroma varipes* (Walker, 1865) (Lymantriidae) Synonym(s): *varipes* Walker, 1865; *weyenbergi* Snellen, 1872
 40717) *Neomardara africana* (Holland, 1893) (Lymantriidae) Synonym(s): *africana* Holland, 1893
 40718) *Neomardara divergens* Collenette, 1931 (Lymantriidae) Synonym(s): *divergens* Collenette, 1931
 40719) *Neorgyia ochracea* Bethune-Baker, 1908 (Lymantriidae) Synonym(s): *ochracea* Bethune-Baker, 1908
 40720) *Noleca basigutta* Walker, 1855 (Lymantriidae) Synonym(s): *basigutta* Walker, 1855
 40721) *Noliproctis pumila* (Butler, 1882) (Lymantriidae) Synonym(s): *pumila* Butler, 1882
 40722) *Numenes contrahens* Walker, 1862 (Lymantriidae) Synonym(s): *contrahens* Walker, 1862; *delta* Strand, 1915
 40723) *Numenes disparilis* Staudinger, 1887 (Lymantriidae) Synonym(s): *disparilis* Staudinger, 1887; *separata* Leech, 1890; *hayashii* Matsumura, 1911
 40724) *Numenes flagrans* Tams, 1928 (Lymantriidae) Synonym(s): *flagrans* Tams, 1928
 40725) *Numenes hypoxantha* (Holland, 1893) (Lymantriidae) Synonym(s): *hypoxantha* Holland, 1893
 40726) *Numenes insignis* Moore, [1860] (Lymantriidae) Synonym(s): *insignis* Moore, [1860]; *laeta* Walker, 1866
 40727) *Numenes insolita* Schultze, 1910 (Lymantriidae) Synonym(s): *insolita* Schultze, 1910
 40728) *Numenes patrana* Moore, 1859 (Lymantriidae) Synonym(s): *patrana* Moore, 1859; *partita* Walker, 1864
 40729) *Numenes praestans* Saalmüller, 1884 (Lymantriidae) Synonym(s): *praestans* Saalmüller, 1884; *chelonina* Le Cerf, 1921; *aurantiaca* Oberthür, 1922
 40730) *Numenes siletti* Walker, 1855 (Lymantriidae) Synonym(s): *siletti* Walker, 1855; *quadriplagiata* Walker, 1855; *#includa* Strand, 1915; *#biincluda* Strand, 1915; *siletoides* Strand, 1915
 40731) *Numenes siletti siletti* Walker, 1855 (Lymantriidae) Synonym(s): *siletti* Walker, 1855; *quadriplagiata* Walker, 1855; *#includa* Strand, 1915; *#biincluda* Strand, 1915; *siletoides* Strand, 1915
 40732) *Numenes siletti strandi* Bryk, 1934 (Lymantriidae) Synonym(s): *laeta* Semper, 1898 nec Wlk., 1866; *strandii* Bryk, 1934
 40733) *Numenes takamukui* Matsumura, 1927 (Lymantriidae) Synonym(s): *takamukui* Matsumura, 1927
 40734) *Numenoides grandis* Butler, 1879 (Lymantriidae) Synonym(s): *grandis* Butler, 1879
 40735) *Ocnaria eos* Reisser, 1962 (Lymantriidae) Synonym(s): *eos* Reisser, 1962
 40736) *Ocnaria rubra* ([Denis & Schiffermüller], 1775) (Lymantriidae) Synonym(s): *#rubra* [Denis & Schiffermüller], 1775
 40737) *Ocnerygia amanda* Staudinger, 1892 (Lymantriidae) Synonym(s): *amanda* Staudinger, 1892
 40738) *Ogoa fuscovenata* Wichgraf, 1921 (Lymantriidae) Synonym(s): *fuscovenata* Wichgraf, 1921
 40739) *Ogoa neavei* Rothschild, 1916 (Lymantriidae) Synonym(s): *neavei* Rothschild, 1916
 40740) *Ogoa oberthueri* Rothschild, 1916 (Lymantriidae) Synonym(s): *oberthueri* Rothschild, 1916
 40741) *Ogoa simplex* Walker, 1856 (Lymantriidae) Synonym(s): *simplex* Walker, 1856
 40742) *Olapa argenna* (Mabille, 1899) (Lymantriidae) Synonym(s): *argenna* Mabille, 1899
 40743) *Olapa fulvipes* Hampson, 1910 (Lymantriidae) Synonym(s): *fulvipes* Hampson, 1910
 40744) *Olapa imitans* Aurivillius, 1910 (Lymantriidae) Synonym(s): *imitans* Aurivillius, 1910
 40745) *Olapa ituri* Collenette, 1931 (Lymantriidae) Synonym(s): *ituri* Collenette, 1931
 40746) *Olapa leptomita* Collenette, 1931 (Lymantriidae) Synonym(s): *leptomita* Collenette, 1931
 40747) *Olapa makala* Bethune-Baker, 1909 (Lymantriidae) Synonym(s): *makala* Bethune-Baker, 1909; *opalescens* Rebel, 1914
 40748) *Olapa melanocera* Hampson, 1909 (Lymantriidae) Synonym(s): *melanocera* Hampson, 1909
 40749) *Olapa nigribasis* Janse, 1926 (Lymantriidae) Synonym(s): *nigribasis* Janse, 1926
 40750) *Olapa nigricosta* Hampson, 1905 (Lymantriidae) Synonym(s): *nigricosta* Hampson, 1905; *minima* M. Hering, 1926
 40751) *Olapa sobo* Collenette, 1960 (Lymantriidae) Synonym(s): *sobo* Collenette, 1960
 40752) *Olene cookiensis* (Strand, 1915) (Lymantriidae) Synonym(s): *cookiensis* Strand, 1915
 40753) *Olene dalbergiae* (Moore, 1888) (Lymantriidae) Synonym(s): *dalbergiae* Moore, 1888; *#kangrana* Strand, 1910
 40754) *Olene dryina* (Lower, 1900) (Lymantriidae) Synonym(s): *dryina* Lower, 1900; *ostracina* Turner, 1902
 40755) *Olene dudgeoni* (Swinhoe, 1907) (Lymantriidae) Synonym(s): *dudgeoni* Swinhoe, 1907; *dasychiroides* Strand, 1914; *cruda* Wileman, 1915
 40756) *Olene hyperseles* (Collenette, 1931) (Lymantriidae) Synonym(s): *hyperseles* Collenette, 1931
 40757) *Olene inclusa* (Walker, 1856) (Lymantriidae) Synonym(s): *inclusa* Walker, 1856; *invaria* Walker, 1856
 40758) *Olene inclusa asvata* (Moore, [1860]) (Lymantriidae) Synonym(s): *asvata* Moore, [1860]
 40759) *Olene inclusa demaculata* (Strand, 1915) (Lymantriidae) Synonym(s): *demaculata* Strand, 1915
 40760) *Olene inclusa inclusa* (Walker, 1856) (Lymantriidae) Synonym(s): *inclusa* Walker, 1856; *invaria* Walker, 1856
 40761) *Olene inclusa patula* (Walker, 1862) (Lymantriidae) Synonym(s): *patula* Walker, 1862
 40762) *Olene mendosa* Hübner, [1823] (Lymantriidae) Synonym(s): *mendosa* Hübner, [1823]; *basalis* Walker, 1855; *lanceolata* Walker, 1855; *fusiformis* Walker, 1855; *sawanta* Moore, 1859; *basigera* Walker, 1865; *distinguenda* Walker, 1865; *divisa* Walker, 1865; *basivitta* Walker, 1869; *invasa* Walker, 1869; *tarowanensis* Matsumura, 1927
 40763) *Oligeria hemicalla* (Lower, 1905) (Lymantriidae) Synonym(s): *hemicalla* Lower, 1905
 40764) *Orgyia albocostata* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *albocostata* Bethune-Baker, 1911
 40765) *Orgyia albofasciata* (Schintlmeister, 1994) (Lymantriidae) Synonym(s): *albofasciata* Schintlmeister, 1994
 40766) *Orgyia anartoides* (Walker, 1855) (Lymantriidae) Synonym(s): *anartoides* Walker, 1855
 40767) *Orgyia antiqua* (Linnaeus, 1758) (Lymantriidae) Synonym(s): *antiqua* Linnaeus, 1758; *gonostigma* Scopoli, 1763; *paradoxa* Retzius, 1783; *modesta* Heyne, 1899; *manchurica* Matsumura, 1931;
 40768) *Orgyia antiqua argillacea* Ferguson, 1977 (Lymantriidae) Synonym(s): *argillacea* Ferguson, 1977
 40769) *Orgyia antiqua badia* H. Edwards, 1874 (Lymantriidae) Synonym(s): *badia* H. Edwards, 1874
 40770) *Orgyia antiqua confinis* Groum-Grshimailo, 1891 (Lymantriidae) Synonym(s): *confinis* Groum-Grshimailo, 1891
 40771) *Orgyia antiqua nova* Fitch, 1863 (Lymantriidae) Synonym(s): *nova* Fitch, 1863
 40772) *Orgyia antiqua zimmermanni* Graeser, 1888 (Lymantriidae) Synonym(s): *zimmermanni* Graeser, 1888
 40773) *Orgyia antiquoides* (Hübner, 1822) (Lymantriidae) Synonym(s): *antiquoides* Hübner, 1822; *ericae* Germar, 1824
 40774) *Orgyia araea* (Collenette, 1932) (Lymantriidae) Synonym(s): *araea* Collenette, 1932
 40775) *Orgyia ariadne* (Schintlmeister, 1994) (Lymantriidae) Synonym(s): *ariadne* Schintlmeister, 1994
 40776) *Orgyia athlophora* Turner, 1921 (Lymantriidae) Synonym(s): *athlophora* Turner, 1921
 40777) *Orgyia aurolimbata* Guenée, 1835 (Lymantriidae) Synonym(s): *aurolimbata* Guenée, 1835
 40778) *Orgyia australis* Walker, 1855 (Lymantriidae) Synonym(s): *australis* Walker, 1855; *postica* Walker, 1855; *ceylanica* Nietner, 1862; *canifascia* Walker, 1865; *ocularis* Moore, 1879
 40779) *Orgyia basinigra* (Heylaerts, 1892) (Lymantriidae) Synonym(s): *basinigra* Heylaerts, 1892
 40780) *Orgyia cana* H. Edwards, 1881 (Lymantriidae) Synonym(s): *cana* H. Edwards, 1881
 40781) *Orgyia corsica* (Boisduval, 1834) (Lymantriidae) Synonym(s): *corsica* Boisduval, 1834
 40782) *Orgyia definita* Packard, 1874 (Lymantriidae) Synonym(s): *definita* Packard, 1874
 40783) *Orgyia detrita* Guérin-Méneville, 1831 (Lymantriidae) Synonym(s): *detrita* Guérin-Méneville, 1831; *inornata* Beutenmüller, 1890; *kendalli* Riotte, 1971
 40784) *Orgyia dewara* Swinhoe, 1903 (Lymantriidae) Synonym(s): *dewara* Swinhoe, 1903
 40785) *Orgyia dimidiata* Walker, 1862 (Lymantriidae) Synonym(s): *dimidiata* Walker, 1862
 40786) *Orgyia dubia* (Tauscher, 1806) (Lymantriidae) Synonym(s): *dubia* Tauscher, 1806

- 40787) *Orgyia dubia algerica* (Lucas,1849) (Lymantriidae) Synonym(s): *algerica* Lucas,1849
 40788) *Orgyia dubia aurea* Oberthür,1922 (Lymantriidae) Synonym(s): *aurea* Oberthür,1922
 40789) *Orgyia dubia interrupta* Groum-Grshimailo,1890 (Lymantriidae) Synonym(s): *interrupta* Groum-Grshimailo,1890
 40790) *Orgyia dubia josephina* (Austaut,1880) (Lymantriidae) Synonym(s): *josephina* Austaut,1880
 40791) *Orgyia dubia judaea* Staudinger,1901 (Lymantriidae) Synonym(s): *judaea* Staudinger,1901
 40792) *Orgyia dubia transcaspica* Krulikowsky,1906 (Lymantriidae) Synonym(s): *transcaspica* Krulikowsky,1906
 40793) *Orgyia dubia turcica* (Lederer,1852) (Lymantriidae) Synonym(s): *turcica* Lederer,1852
 40794) *Orgyia falcata* Schaus,1896 (Lymantriidae) Synonym(s): *falcata* Schaus,1896
 40795) *Orgyia flavolimbata* Staudinger,1881 (Lymantriidae) Synonym(s): *flavolimbata* Staudinger,1881; *tristis* Grum-Grshimailo,1891
 40796) *Orgyia immaculata* Gaede,1932 (Lymantriidae) Synonym(s): *immaculata* Gaede,1932
 40797) *Orgyia leucostigma* (J.E.Smith,1797) (Lymantriidae) Synonym(s): *leucostigma* J.E.Smith,1797; *leucographa* Geyer,1832; *meridionalis* Riotte,1974
 40798) *Orgyia leucostigma intermedia* Fitch,1856 (Lymantriidae) Synonym(s): *intermedia* Fitch,1856; *borealis* Fitch,1856; *ablivosia* H.Edwards,1886
 40799) *Orgyia leucostigma leucostigma* (J.E.Smith,1797) (Lymantriidae) Synonym(s): *leucostigma* J.E.Smith,1797; *leucographa* Geyer,1832; *meridionalis* Riotte,1974
 40800) *Orgyia leucostigma oslari* Barnes,1900 (Lymantriidae) Synonym(s): *oslari* Barnes,1900
 40801) *Orgyia leucostigma plagiata* (Walker,1855) (Lymantriidae) Synonym(s): *plagiata* Walker,1855; *wardi* Riotte,1971
 40802) *Orgyia leucostigma sablensis* Neil,1979 (Lymantriidae) Synonym(s): *sablensis* Neil,1979
 40803) *Orgyia leuschneri* Riotte,1972 (Lymantriidae) Synonym(s): *leuschneri* Riotte,1972
 40804) *Orgyia leuschneri rindgei* Riotte,1972 (Lymantriidae) Synonym(s): *rindgei* Riotte,1972
 40805) *Orgyia magna* Ferguson,1977 (Lymantriidae) Synonym(s): *magna* Ferguson,1977
 40806) *Orgyia malagassica* Kenrick,1913 (Lymantriidae) Synonym(s): *malagassica* Kenrick,1913
 40807) *Orgyia mixta* Snellen,1872 (Lymantriidae) Synonym(s): *mixta* Snellen,1872
 40808) *Orgyia nantonis* Matsumura,1933 (Lymantriidae) Synonym(s): *nantonis* Matsumura,1933
 40809) *Orgyia nigriplaga* Swinhoe,1903 (Lymantriidae) Synonym(s): *nigriplaga* Swinhoe,1903
 40810) *Orgyia nigrocrocea* Walker,1862 (Lymantriidae) Synonym(s): *nigrocrocea* Walker,1862
 40811) *Orgyia nubila* Candèze,1927 (Lymantriidae) Synonym(s): *nubila* Candèze,1927
 40812) *Orgyia nucula* Swinhoe,1894 (Lymantriidae) Synonym(s): *nucula* Swinhoe,1894
 40813) *Orgyia nupera* Turati,1919 (Lymantriidae) Synonym(s): *nupera* Turati,1919
 40814) *Orgyia ochrolimbata* Staudinger,1881 (Lymantriidae) Synonym(s): *ochrolimbata* Staudinger,1881; *christophi* Alpheraky,1897
 40815) *Orgyia osseata* Walker,1862 (Lymantriidae) Synonym(s): *osseata* Walker,1862; *dimidiata* Walker,1862; *basivitta* Walker,1865
 40816) *Orgyia parallela* Gaede,1932 (Lymantriidae) Synonym(s): *parallela* Gaede,1932
 40817) *Orgyia postica* (Walker,1855) (Lymantriidae) Synonym(s): *postica* Walker,1855; *ceylanica* Nietner,1862; *nebulosa* Walker,1862; *ludekingii* Snellen,1879
 40818) *Orgyia prisca* Staudinger,1887 (Lymantriidae) Synonym(s): *prisca* Staudinger,1887
 40819) *Orgyia prisca nurohaki* Ebert,1968 (Lymantriidae) Synonym(s): *nurohaki* Ebert,1968
 40820) *Orgyia prisca vartiani* Ebert,1968 (Lymantriidae) Synonym(s): *vartiani* Ebert,1968
 40821) *Orgyia pseudotsugata* (McDunnough,1921) (Lymantriidae) Synonym(s): *pseudotsugata* McDunnough,1921
 40822) *Orgyia pseudotsugata benigna* Ferguson,1977 (Lymantriidae) Synonym(s): *benigna* Ferguson,1977
 40823) *Orgyia pseudotsugata morosa* Ferguson,1977 (Lymantriidae) Synonym(s): *morosa* Ferguson,1977
 40824) *Orgyia recens* (Hübner,1819) (Lymantriidae) Synonym(s): *recens* Hübner,1819
 40825) *Orgyia retinopepla* Lower,1905 (Lymantriidae) Synonym(s): *retinopepla* Lower,1905
 40826) *Orgyia rupestris* Rambur,1832 (Lymantriidae) Synonym(s): *rupestris* Rambur,1832; *ramburi* Mabilie,1866
 40827) *Orgyia sarramea* Holloway,1979 (Lymantriidae) Synonym(s): *sarramea* Holloway,1979
 40828) *Orgyia senica* Hampson,1900 (Lymantriidae) Synonym(s): *senica* Hampson,1900
 40829) *Orgyia shelfordi* Collette,1932 (Lymantriidae) Synonym(s): *shelfordi* Collette,1932
 40830) *Orgyia thyellina* Butler,1881 (Lymantriidae) Synonym(s): *thyellina* Butler,1881
 40831) *Orgyia tisdala* Swinhoe,1903 (Lymantriidae) Synonym(s): *tisdala* Swinhoe,1903
 40832) *Orgyia trigotephphas Boisduval,1829* (Lymantriidae) Synonym(s): *trigotephphas* Boisduval,1829; *etrusca* Verity,1905.
 40833) *Orgyia trigotephphas anceps* (Oberthür,1884) (Lymantriidae) Synonym(s): *anceps* Oberthür,1884
 40834) *Orgyia trigotephphas corsica* Boisduval,1834 (Lymantriidae) Synonym(s): *corsica* Boisduval,1834
 40835) *Orgyia trigotephphas holli* Oberthür,1916 (Lymantriidae) Synonym(s): *holli* Oberthür,1916
 40836) *Orgyia trigotephphas orientalis* Staudinger,1901 (Lymantriidae) Synonym(s): *orientalis* Staudinger,1901
 40837) *Orgyia trigotephphas panlacroixii* (Oberthür,1876) (Lymantriidae) Synonym(s): *panlacroixii* Oberthür,1876; *transiens* Staudinger & Rebel,1901; *sebdouensis* Oberthür,1916; *holli* Oberthür,1916.
 40838) *Orgyia trigotephphas sebdouensis* Oberthür,1916 (Lymantriidae) Synonym(s): *sebdouensis* Oberthür,1916
 40839) *Orgyia trigotephphas sicula* (Staudinger & Rebel,1901) (Lymantriidae) Synonym(s): *sicula* Staudinger & Rebel,1901
 40840) *Orgyia trigotephphas trigotephphas Boisduval,1829* (Lymantriidae) Synonym(s): *trigotephphas* Boisduval,1829; *etrusca* Verity,1905.
 40841) *Orgyia turbata* Butler,1879 (Lymantriidae) Synonym(s): *turbata* Butler,1879
 40842) *Orgyia turbida* Butler,1879 (Lymantriidae) Synonym(s): *turbida* Butler,1879
 40843) *Orgyia vaporata* M.Hering,1926 (Lymantriidae) Synonym(s): *vaporata* M.Hering,1926
 40844) *Orgyia varia* (Walker,1862) (Lymantriidae) Synonym(s): *varia* Walker,1862
 40845) *Orgyia vetusta* Hampson,1910 (Lymantriidae) Synonym(s): *vetusta* Hampson,1910
 40846) *Orgyia viridescens* (Walker,1855) (Lymantriidae) Synonym(s): *viridescens* Walker,1855
 40847) *Orvasca aurantiaca* (Hampson,1892) (Lymantriidae) Synonym(s): *aurantiaca* Hampson,1892
 40848) *Pachycispa picta* Butler,1882 (Lymantriidae) Synonym(s): *picta* Butler,1882
 40849) *Palasea albimacula* Wallengren,1863 (Lymantriidae) Synonym(s): *albimacula* Wallengren,1863
 40850) *Pantana albifascia* (Walker,1865) (Lymantriidae) Synonym(s): *albifascia* Walker,1865; *subfascia* Moore,1865
 40851) *Pantana azona* Collette,1960 (Lymantriidae) Synonym(s): *azona* Collette,1960
 40852) *Pantana baswana* Moore,1859 (Lymantriidae) Synonym(s): *baswana* Moore,1859
 40853) *Pantana bicolor* (Walker,1855) (Lymantriidae) Synonym(s): *bicolor* Walker,1855; *circumdata* Walker,1855; *delineata* Walker,1855; *comparata* Walker,1855; *sordida* Walker,1856
 40854) *Pantana bicolor bicolor* (Walker,1855) (Lymantriidae) Synonym(s): *bicolor* Walker,1855; *circumdata* Walker,1855; *delineata* Walker,1855; *comparata* Walker,1855; *sordida* Walker,1856
 40855) *Pantana bicolor lineosa* (Walker,1865) (Lymantriidae) Synonym(s): *lineosa* Walker,1865; *nubila* Butler,1879
 40856) *Pantana bicolor semilucida* Swinhoe,1903 (Lymantriidae) Synonym(s): *bicolor* Walker,1855 *nec* Wlk.,1855; *semilucida* Swinhoe,1903
 40857) *Pantana destituta* (Walker,1865) (Lymantriidae) Synonym(s): *destituta* Walker,1865
 40858) *Pantana droa* Swinhoe,1896 (Lymantriidae) Synonym(s): *droa* Swinhoe,1896
 40859) *Pantana eurygania* Druce,1899 (Lymantriidae) Synonym(s): *eurygania* Druce,1899
 40860) *Pantana flavivenosa* Candèze,1927 (Lymantriidae) Synonym(s): *flavivenosa* Candèze,1927
 40861) *Pantana infuscata* Matsumura,1921 (Lymantriidae) Synonym(s): *infuscata* Matsumura,1921
 40862) *Pantana interjecta* Swinhoe,1891 (Lymantriidae) Synonym(s): *interjecta* Swinhoe,1891
 40863) *Pantana luteiceps* Swinhoe,1896 (Lymantriidae) Synonym(s): *luteiceps* Swinhoe,1896
 40864) *Pantana luzonensis* Semper,1898 (Lymantriidae) Synonym(s): *luzonensis* Semper,1898; *#nigrosquamata* Strand,1923
 40865) *Pantana mindanensis* Semper,1898 (Lymantriidae) Synonym(s): *mindanensis* Semper,1898; *#visaya* Strand,1915
 40866) *Pantana nigrolimbata* Leech,1903 (Lymantriidae) Synonym(s): *nigrolimbata* Leech,1903
 40867) *Pantana pluto* (Leech,1890) (Lymantriidae) Synonym(s): *pluto* Leech,1890
 40868) *Pantana simplex* Leech,1899 (Lymantriidae) Synonym(s): *simplex* Leech,1899; *seriatopunctata* Matsumura,1921; *#monotonia* Strand,1915
 40869) *Pantana sinica* Moore,1877 (Lymantriidae) Synonym(s): *sinica* Moore,1877; *limbifera* Strand,1911
 40870) *Pantana terminata* (Walker,1865) (Lymantriidae) Synonym(s): *terminata* Walker,1865; *#terminalis* Strand,1915
 40871) *Pantana visaya* Semper,1898 (Lymantriidae) Synonym(s): *visaya* Semper,1898; *#luzonensis* Strand,1915; *visaga* Swinhoe,1923
 40872) *Pantana visum* (Hübner,1825) (Lymantriidae) Synonym(s): *visum* Hübner,1825; *dispar* Walker,1855

- 40873) *Paramarbla ansorgei* Collenette, 1960 (Lymantriidae) Synonym(s): *ansorgei* Collenette, 1960
 40874) *Parapellucens aphrasta* Collenette (Lymantriidae) Synonym(s):
 40875) *Parapellucens tegulatorii* Holloway, 1999 (Lymantriidae) Synonym(s): *tegulatorii* Holloway, 1999
 40876) *Parapirga neurabrunnea* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *neurabrunnea* Bethune-Baker, 1911
 40877) *Paraproctis chionopeza* Collenette, 1954 (Lymantriidae) Synonym(s): *chionopeza* Collenette, 1954
 40878) *Paraproctis osiris* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *osiris* Bethune-Baker, 1911
 40879) *Paraxena angola* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *angola* Bethune-Baker, 1911
 40880) *Paraxena esquamata* Bethune-Baker, 1911 (Lymantriidae) Synonym(s): *esquamata* Bethune-Baker, 1911
 40881) *Parocneria audeoudi* (Brandt, 1938) (Lymantriidae) Synonym(s): *audeoudi* Brandt, 1938; *#unicoloris* Brandt, 1938
 40882) *Parocneria detrita* (Esper, [1785]) (Lymantriidae) Synonym(s): *detrita* Esper, [1785]; *orientalis* Schwingenschuss, 1939; *orientis* Daniel, 1963
 40883) *Parocneria iranica* (Brandt, 1938) (Lymantriidae) Synonym(s): *iranica* Brandt, 1938
 40884) *Parocneria ledereri* (Millière, 1868) (Lymantriidae) Synonym(s): *ledereri* Millière, 1868
 40885) *Parocneria nora* (Staudinger, 1895) (Lymantriidae) Synonym(s): *nora* Staudinger, 1895
 40886) *Parocneria philbyi* (Collenette, 1933) (Lymantriidae) Synonym(s): *philbyi* Collenette, 1933
 40887) *Parocneria pilosa* (W. Warren, 1897) (Lymantriidae) Synonym(s): *pilosa* W. Warren, 1897
 40888) *Parocneria raddei* (Christoph, 1885) (Lymantriidae) Synonym(s): *raddei* Christoph, 1885
 40889) *Parocneria raddei vestalina* (Staudinger, 1894) (Lymantriidae) Synonym(s): *vestalina* Staudinger, 1894
 40890) *Parocneria samarita* (Staudinger, 1895) (Lymantriidae) Synonym(s): *samarita* Staudinger, 1895
 40891) *Parocneria stoetznerei* (Draeseke, 1926) (Lymantriidae) Synonym(s): *stoetznerei* Draeseke, 1926
 40892) *Parocneria terebinthi* (Freyer, [1838]) (Lymantriidae) Synonym(s): *terebinthi* Freyer, [1838]
 40893) *Parocneria terebynthina* (Staudinger, [1895]) (Lymantriidae) Synonym(s): *terebynthina* Staudinger, [1895]; *insolita* Brandt, 1938
 40894) *Parocneria toelgi* (Rebel, 1917) (Lymantriidae) Synonym(s): *toelgi* Rebel, 1917
 40895) *Parvaroa cinerea* Holloway (Lymantriidae) Synonym(s):
 40896) *Parvaroa obscura* Holloway, 1999 (Lymantriidae) Synonym(s): *obscura* Holloway, 1999
 40897) *Pendria binominata* Bryk, 1934 (Lymantriidae) Synonym(s): *rotundata* Rothschild, 1915 nec Swin., 1906; *binominata* Bryk, 1934
 40898) *Pendria fuscipicalis* Rothschild, 1915 (Lymantriidae) Synonym(s): *fuscipicalis* Rothschild, 1915
 40899) *Pendria rinaria* (Moore, 1859) (Lymantriidae) Synonym(s): *rinaria* Moore, 1859; *margaritacea* Snellen, 1886; *snelleni* Kirby, 1892
 40900) *Pendria rinaria dica* (Swinhoe, 1891) (Lymantriidae) Synonym(s): *dica* Swinhoe, 1891
 40901) *Pendria rinaria rinaria* (Moore, 1859) (Lymantriidae) Synonym(s): *rinaria* Moore, 1859; *margaritacea* Snellen, 1886; *snelleni* Kirby, 1892
 40902) *Pendria rotundata* Swinhoe, 1906 (Lymantriidae) Synonym(s): *rotundata* Swinhoe, 1906
 40903) *Penthophera lutea* (Boisduval, 1847) (Lymantriidae) Synonym(s): *lutea* Boisduval, 1847
 40904) *Penthophera morio* (Linnaeus, 1767) (Lymantriidae) Synonym(s): *morio* Linnaeus, 1767
 40905) *Penthophera morio caucasica* (Heylaerts, 1887) (Lymantriidae) Synonym(s): *caucasica* Heylaerts, 1887
 40906) *Penthophera subfusca* (Boisduval, 1847) (Lymantriidae) Synonym(s): *subfusca* Boisduval, 1847
 40907) *Perina nuda* (Fabricius, 1787) (Lymantriidae) Synonym(s): *nuda* Fabricius, 1787; *basalis* Walker, 1855; *subtincta* Walker, 1855; *combinata* Walker, 1865; *ritsemae* Heylaerts, 1881; *biparsa* Matsumura, 1911
 40908) *Perina pura* Walker, 1869 (Lymantriidae) Synonym(s): *pura* Walker, 1869
 40909) *Perina sunda* Holloway, 1999 (Lymantriidae) Synonym(s): *sunda* Holloway, 1999
 40910) *Pida apicalis* Walker, 1865 (Lymantriidae) Synonym(s): *apicalis* Walker, 1865
 40911) *Pida decolorata* (Walker, 1869) (Lymantriidae) Synonym(s): *decolorata* Walker, 1869
 40912) *Pida decolorata maculosa* Matsumura, 1911 (Lymantriidae) Synonym(s): *maculosa* Matsumura, 1911
 40913) *Pida postalba* Wileman, 1910 (Lymantriidae) Synonym(s): *postalba* Wileman, 1910; *purpurascens* Matsumura, 1927
 40914) *Pida strigipennis* (Moore, 1879) (Lymantriidae) Synonym(s): *strigipennis* Moore, 1879
 40915) *Pida strigipennis limbata* Collenette, 1932 (Lymantriidae) Synonym(s): *limbata* Collenette, 1932
 40916) *Pirga bipuncta* M. Hering, 1926 (Lymantriidae) Synonym(s): *bipuncta* M. Hering, 1926
 40917) *Pirga cryptogena* Collenette, 1931 (Lymantriidae) Synonym(s): *cryptogena* Collenette, 1931
 40918) *Pirga loveni Aurivillius*, 1934 (Lymantriidae) Synonym(s): *loveni* Aurivillius, 1934; *loveni* Bryk, 1934
 40919) *Pirga lutea* Grünberg, 1907 (Lymantriidae) Synonym(s): *lutea* Grünberg, 1907
 40920) *Pirga luteola* M. Hering, 1926 (Lymantriidae) Synonym(s): *luteola* M. Hering, 1926
 40921) *Pirga magna* Swinhoe, 1903 (Lymantriidae) Synonym(s): *magna* Swinhoe, 1903
 40922) *Pirga mirabilis* Aurivillius, 1892 (Lymantriidae) Synonym(s): *mirabilis* Aurivillius, 1892
 40923) *Pirga mnemosyne* Rebel, 1914 (Lymantriidae) Synonym(s): *mnemosyne* Rebel, 1914
 40924) *Pirga pellucida* Wichgraf, 1921 (Lymantriidae) Synonym(s): *pellucida* Wichgraf, 1921
 40925) *Pirga perfasciata* Wichgraf, 1913 (Lymantriidae) Synonym(s): *perfasciata* Wichgraf, 1913
 40926) *Pirga transvalensis* Janse, 1915 (Lymantriidae) Synonym(s): *transvalensis* Janse, 1915
 40927) *Pirga turbida* Grünberg, 1907 (Lymantriidae) Synonym(s): *turbida* Grünberg, 1907
 40928) *Pirga weisei* Karsch, 1900 (Lymantriidae) Synonym(s): *weisei* Karsch, 1900
 40929) *Pirgula atrinotata* (Butler, 1896) (Lymantriidae) Synonym(s): *atrinotata* Butler, 1896
 40930) *Pirgula jordani* Hering, 1926 (Lymantriidae) Synonym(s): *jordani* Hering, 1926
 40931) *Polymona aboleta* (Staudinger, 1895) (Lymantriidae) Synonym(s): *aboleta* Staudinger, 1895
 40932) *Polymona amabilis* (Christoph, 1887) (Lymantriidae) Synonym(s): *amabilis* Christoph, 1887
 40933) *Polymona atlantica* (Rambur, 1837) (Lymantriidae) Synonym(s): *atlantica* Rambur, 1837; *mus* Oberthür, 1916
 40934) *Polymona daraba* (Wiltshire, 1952) (Lymantriidae) Synonym(s): *daraba* Wiltshire, 1952
 40935) *Polymona destituta* (Staudinger, 1892) (Lymantriidae) Synonym(s): *destituta* Staudinger, 1892; *maraschi* Daniel, 1932.
 40936) *Polymona ellisoni* Collenette, 1938 (Lymantriidae) Synonym(s): *ellisoni* Collenette, 1938
 40937) *Polymona inaffinis* M. Hering, 1926 (Lymantriidae) Synonym(s): *inaffinis* M. Hering, 1926
 40938) *Polymona komarovi* (Christoph, 1882) (Lymantriidae) Synonym(s): *komarovi* Christoph, 1882
 40939) *Polymona lapidicola* (Herrich-Schäffer, [1852]) (Lymantriidae) Synonym(s): *lapidicola* Herrich-Schäffer, [1852]
 40940) *Polymona lapidicola mardina* (Staudinger, 1892) (Lymantriidae) Synonym(s): *mardina* Staudinger, 1892
 40941) *Polymona lapidicola urbicola* (Staudinger, 1879) (Lymantriidae) Synonym(s): *urbicola* Staudinger, 1879
 40942) *Polymona philbyi* Wiltshire, 1980 (Lymantriidae) Synonym(s): *philbyi* Wiltshire, 1980
 40943) *Polymona rubescens* Rebel, 1948 (Lymantriidae) Synonym(s): *rubescens* Rebel, 1948
 40944) *Polymona rufifemur* Walker, 1855 (Lymantriidae) Synonym(s): *rufifemur* Walker, 1855; *scurrilis* Wallengren, 1860; *lorimeri* Butler, 1878
 40945) *Polymona sulaki* Witt & Speidel, 2007 (Lymantriidae) Synonym(s): *sulaki* Witt & Speidel, 2007
 40946) *Polymona whitei* Wiltshire, 1980 (Lymantriidae) Synonym(s): *whitei* Wiltshire, 1980
 40947) *Porthesaroa maculata* Collenette, 1938 (Lymantriidae) Synonym(s): *maculata* Collenette, 1938
 40948) *Porthmeia bicolora* Bethune-Baker, 1908 (Lymantriidae) Synonym(s): *bicolora* Bethune-Baker, 1908
 40949) *Porthmeia pyrozoona* Collenette, 1930 (Lymantriidae) Synonym(s): *pyrozoona* Collenette, 1930
 40950) *Porthmeia radiata* Bethune-Baker, 1916 (Lymantriidae) Synonym(s): *radiata* Bethune-Baker, 1916
 40951) *Porthmeia subnigra* Bethune-Baker, 1908 (Lymantriidae) Synonym(s): *subnigra* Bethune-Baker, 1908
 40952) *Psalis africana* Kiriakoff, 1956 (Lymantriidae) Synonym(s): *africana* Kiriakoff, 1956
 40953) *Psalis pennatula* (Fabricius, 1793) (Lymantriidae) Synonym(s): *pennatula* Fabricius, 1793
 40954) *Pseudobazisa perculata* (Distant, 1897) (Lymantriidae) Synonym(s): *perculata* Distant, 1897
 40955) *Psilochira amydra* (Collenette, 1932) (Lymantriidae) Synonym(s): *amydra* Collenette, 1932
 40956) *Psilochira durioides* (Strand, 1915) (Lymantriidae) Synonym(s): *durioides* Strand, 1915
 40957) *Psilochira lineata* (Walker, 1855) (Lymantriidae) Synonym(s): *lineata* Walker, 1855; *nycthemera* Toxopeus, 1948; *sinuata* Toxopeus, 1948
 40958) *Psilochira venusta* (Collenette, 1933) (Lymantriidae) Synonym(s): *venusta* Collenette, 1933
 40959) *Pteredoa atripalpia* Hampson, 1910 (Lymantriidae) Synonym(s): *atripalpia* Hampson, 1910
 40960) *Pteredoa hololeuca* Hampson, 1910 (Lymantriidae) Synonym(s): *hololeuca* Hampson, 1910
 40961) *Pteredoa monosticta* (Butler, 1898) (Lymantriidae) Synonym(s): *monosticta* Butler, 1898

- 40962) *Pteredoa nigropuncta* M.Hering,1926 (Lymantriidae) Synonym(s): *nigropuncta* M.Hering,1926
 40963) *Pteredoa plumosa* Hampson,1905 (Lymantriidae) Synonym(s): *plumosa* Hampson,1905
 40964) *Pteredoa siderea* M.Hering,1926 (Lymantriidae) Synonym(s): *siderea* M.Hering,1926
 40965) *Pteredoa subapicalis* Hering,1926 (Lymantriidae) Synonym(s): *subapicalis* Hering,1926
 40966) *Pteredoa usebia* (Swinhoe,1903) (Lymantriidae) Synonym(s): *usebia* Swinhoe,1903; *#usebria* Janse,1915
 40967) *Redoa kenya* Collenette,1931 (Lymantriidae) Synonym(s): *kenya* Collenette,1931
 40968) *Redoa kibwezi* Collenette,1932 (Lymantriidae) Synonym(s): *kibwezi* Collenette,1932
 40969) *Redoa marginepunctata* (Saalmüller,1878) (Lymantriidae) Synonym(s): *marginepunctata* Saalmüller,1878
 40970) *Redoa mayotta* Collenette,1931 (Lymantriidae) Synonym(s): *mayotta* Collenette,1931
 40971) *Redoa rufiterga* Hampson,1910 (Lymantriidae) Synonym(s): *rufiterga* Hampson,1910
 40972) *Redoa submarginata* Walker,1855 (Lymantriidae) Synonym(s): *submarginata* Walker,1855; *transiens* Walker,1862; *acuta* Snellen,1881; *hipparia* Swinhoe,1893; *sikkima* Strand,1915; *keiana* Hulstaert,1923
 40973) *Redoa xanthoma* Collenette,1931 (Lymantriidae) Synonym(s): *xanthoma* Collenette,1931
 40974) *Repena fusca* (Walker,1855) (Lymantriidae) Synonym(s): *fusca* Walker,1855; *tephra* Herrich-Schäffer,1855; *subviridis* Walker,1865
 40975) *Resulia innotata* (Walker,1855) (Lymantriidae) Synonym(s): *innotata* Walker,1855; *flavipalpata* Staudinger,1896; *leporina* Zerny,1935; *alfieri* C.G.Krüger,1939
 40976) *Rhodesana crenulata* Bethune-Baker,1908 (Lymantriidae) Synonym(s): *crenulata* Bethune-Baker,1908
 40977) *Rhodesana mintha* Fawcett,1917 (Lymantriidae) Synonym(s): *mintha* Fawcett,1917
 40978) *Rhyopteryx bowdeni* Collenette,1960 (Lymantriidae) Synonym(s): *bowdeni* Collenette,1960
 40979) *Rhyopteryx diplogramma* M.Hering,1927 (Lymantriidae) Synonym(s): *diplogramma* M.Hering,1927
 40980) *Rhyopteryx diplogramma chera* M.Hering,1927 (Lymantriidae) Synonym(s): *chera* M.Hering,1927
 40981) *Rhyopteryx fontainei* Collenette,1960 (Lymantriidae) Synonym(s): *fontainei* Collenette,1960
 40982) *Rhyopteryx hemichrysa* Collenette,1960 (Lymantriidae) Synonym(s): *hemichrysa* Collenette,1960
 40983) *Rhyopteryx hemichrysa* Collenette,1960 (Lymantriidae) Synonym(s): *hemichrysa* Collenette,1960
 40984) *Rhyopteryx lugardi* (Swinhoe,1903) (Lymantriidae) Synonym(s): *lugardi* Swinhoe,1903
 40985) *Rhyopteryx psoloconia* Collenette,1960 (Lymantriidae) Synonym(s): *psoloconia* Collenette,1960
 40986) *Rhyopteryx psolozona* (Collenette,1938) (Lymantriidae) Synonym(s): *psolozona* Collenette,1938
 40987) *Rhyopteryx rhodalipa* (R.Felder & Rogenhofer,1874) (Lymantriidae) Synonym(s): *rhodalipa* R.Felder & Rogenhofer,1874; *tessellata* Distant,1897
 40988) *Rhyopteryx rhodea* (Hampson,1905) (Lymantriidae) Synonym(s): *rhodea* Hampson,1905
 40989) *Rhyopteryx rubripunctata* (Weymer,1892) (Lymantriidae) Synonym(s): *rubripunctata* Weymer,1892
 40990) *Rhyopteryx sordida* Aurivillius,1879 (Lymantriidae) Synonym(s): *sordida* Aurivillius,1879
 40991) *Rhyopteryx summissa* M.Hering,1926 (Lymantriidae) Synonym(s): *summissa* M.Hering,1926
 40992) *Rhyopteryx triangulifera* (Hampson,1910) (Lymantriidae) Synonym(s): *triangulifera* Hampson,1910
 40993) *Rhyopteryx uele* Collenette,1960 (Lymantriidae) Synonym(s): *uele* Collenette,1960
 40994) *Rhyptotes atima* Collenette,1931 (Lymantriidae) Synonym(s): *atima* Collenette,1931
 40995) *Ruanda aetheria* Strand,1909 (Lymantriidae) Synonym(s): *aetheria* Strand,1909
 40996) *Ruanda furva* (Hampson,1905) (Lymantriidae) Synonym(s): *furva* Hampson,1905
 40997) *Ruanda nuda* (Holland,1897) (Lymantriidae) Synonym(s): *nuda* Holland,1897
 40998) *Salvatgea arabica* (Wiltshire,1982) (Lymantriidae) Synonym(s): *arabica* Wiltshire,1982
 40999) *Salvatgea dhofarica* (Wiltshire,1980) (Lymantriidae) Synonym(s): *dhofarica* Wiltshire,1980
 41000) *Salvatgea xanthosoma* (Hampson,1910) (Lymantriidae) Synonym(s): *xanthosoma* Hampson,1910
 41001) *Scarpona discolor* (Hampson,1896) (Lymantriidae) Synonym(s): *discolor* Hampson,1896
 41002) *Scarpona ennomoides* (Walker,1862) (Lymantriidae) Synonym(s): *ennomoides* Walker,1862; *urapteroides* Walker,1865; *subinanis* Walker,1866; *#subinans* Swinhoe,1922
 41003) *Scarpona lerwa* (Swinhoe,1899) (Lymantriidae) Synonym(s): *lerwa* Swinhoe,1899
 41004) *Scarpona rutila* (Fabricius,1781) (Lymantriidae) Synonym(s): *rutila* Fabricius,1781
 41005) *Scarpona trasiana* Collenette,1933 (Lymantriidae) Synonym(s): *trasiana* Collenette,1933
 41006) *Schalidomitra ambages* Strand,1911 (Lymantriidae) Synonym(s): *ambages* Strand,1911
 41007) *Sevastopuloa celaenocera* Collenette,1960 (Lymantriidae) Synonym(s): *celaenocera* Collenette,1960
 41008) *Shisa excellens* Strand,1916 (Lymantriidae) Synonym(s): *excellens* Strand,1916
 41009) *Sitvia denudata* Walker (Lymantriidae) Synonym(s):
 41010) *Sitvia denudata* Walker,1865 (Lymantriidae) Synonym(s): *denudata* Walker,1865; *lowii* Butler,1879
 41011) *Sitvia eleuterioides* (Semper,1899) (Lymantriidae) Synonym(s): *eleuterioides* Semper,1899
 41012) *Sitvia karoli* (Semper,1899) (Lymantriidae) Synonym(s): *karoli* Semper,1899
 41013) *Sitvia marginata* Aurivillius,1894 (Lymantriidae) Synonym(s): *marginata* Aurivillius,1894
 41014) *Sitvia subdenudata* Rothschild,1915 (Lymantriidae) Synonym(s): *subdenudata* Rothschild,1915
 41015) *Somatoxena lassea* (Druce,1899) (Lymantriidae) Synonym(s): *lassea* Druce,1899
 41016) *Stenaroa ignepicta* Hampson,1910 (Lymantriidae) Synonym(s): *ignepicta* Hampson,1910
 41017) *Stilpnaroma nasisi* Collenette,1960 (Lymantriidae) Synonym(s): *nasisi* Collenette,1960
 41018) *Stracena aegrotos* Le Cerf,1922 (Lymantriidae) Synonym(s): *aegrotos* Le Cerf,1922
 41019) *Stracena bananæ* (Butler,1896) (Lymantriidae) Synonym(s): *bananæ* Butler,1896
 41020) *Stracena bananoides* M.Hering,1927 (Lymantriidae) Synonym(s): *bananoides* M.Hering,1927
 41021) *Stracena barnsi* Collenette,1930 (Lymantriidae) Synonym(s): *barnsi* Collenette,1930
 41022) *Stracena bipunctata* (Holland,1920) (Lymantriidae) Synonym(s): *bipunctata* Holland,1920
 41023) *Stracena flavipectus* Swinhoe,1904 (Lymantriidae) Synonym(s): *flavipectus* Swinhoe,1904
 41024) *Stracena fuscivena* Swinhoe,1903 (Lymantriidae) Synonym(s): *fuscivena* Swinhoe,1903; *limpida* Swinhoe,1903
 41025) *Stracena oloris* (M.Hering,1926) (Lymantriidae) Synonym(s): *oloris* M.Hering,1926
 41026) *Stracena pellucida* Grünberg,1907 (Lymantriidae) Synonym(s): *pellucida* Grünberg,1907
 41027) *Stracena promelaena* (Holland,1893) (Lymantriidae) Synonym(s): *promelaena* Holland,1893; *#intermedia* Aurivillius,[1905]
 41028) *Stracena punctigera* M.Hering,1928 (Lymantriidae) Synonym(s): *punctigera* M.Hering,1928
 41029) *Stracena sulphureivena* (Aurivillius,[1905]) (Lymantriidae) Synonym(s): *sulphureivena* Aurivillius,[1905]
 41030) *Stracena tavetensis* (Holland,1892) (Lymantriidae) Synonym(s): *tavetensis* Holland,1892; *telesilla* Druce,1899; *#tellisilla* Swinhoe,1922
 41031) *Stracena xanthocephala* (M.Hering,1926) (Lymantriidae) Synonym(s): *xanthocephala* M.Hering,1926
 41032) *Stracilla translucida* (Oberthür,1880) (Lymantriidae) Synonym(s): *translucida* Oberthür,1880
 41033) *Tearosoma aspersum* R.Felder & Rogenhofer,1874 (Lymantriidae) Synonym(s): *aspersum* R.Felder & Rogenhofer,1874
 41034) *Terphotrix lanaria* Holland,1893 (Lymantriidae) Synonym(s): *lanaria* Holland,1893
 41035) *Terphotrix tenuis* Holland,1893 (Lymantriidae) Synonym(s): *tenuis* Holland,1893
 41036) *Therriophila miara* M.Hering,1932 (Lymantriidae) Synonym(s): *miara* M.Hering,1932
 41037) *Thiacidas postica* Walker,1855 (Lymantriidae) Synonym(s): *postica* Walker,1855; *denotata* Walker,1855; *basifurca* Walker,1865; *curvata* Walker,1865; *nigroscripita* Walker,1865
 41038) *Topomesoides jonasi* (Butler,1877) (Lymantriidae) Synonym(s): *jonasi* Butler,1877; *gigantea* Strand,1910
 41039) *Toxoproctis flavolimbatæ* (Aurivillius,1894) (Lymantriidae) Synonym(s): *flavolimbatæ* Aurivillius,1894
 41040) *Bedellia cathareuta* Meyrick,1911 (Lyonetiidae) Synonym(s): *cathareuta* Meyrick,1911
 41041) *Bedellia ehikella* Szöcs,1967 (Lyonetiidae) Synonym(s): *ehikella* Szöcs,1967
 41042) *Bedellia somnulentella* (Zeller,1847) (Lyonetiidae) Synonym(s): *somnulentella* Zeller,1847; *orpheella* Stainton,1849; *convolutella* Heydenreich,1851; *staintoniella* Clemens,1860; *mnesileuca* Meyrick,1928; *ipomoeae* Bradley,1953
 41043) *Chrysolytis deliarcha* Meyrick,1937 (Lyonetiidae) Synonym(s): *deliarcha* Meyrick,1937
 41044) *Copobathra menodora* Meyrick,1911 (Lyonetiidae) Synonym(s): *menodora* Meyrick,1911
 41045) *Crobryophora daricella* Meyrick,1881 (Lyonetiidae) Synonym(s): *daricella* Meyrick,1881
 41046) *Crobryophora metallifera* (Walsingham,1891) (Lyonetiidae) Synonym(s): *metallifera* Walsingham,1891

- 41047) *Crobylophora xanthochyta* Meyrick, 1918 (Lyonetiidae) Synonym(s): *xanthochyta* Meyrick, 1918
 41048) *Cyclopomypha hermione* Meyrick, 1921 (Lyonetiidae) Synonym(s): *hermione* Meyrick, 1921
 41049) *Cyclopomypha julia* Meyrick, 1913 (Lyonetiidae) Synonym(s): *julia* Meyrick, 1913
 41050) *Cyclopomypha perspicua* Meyrick, 1913 (Lyonetiidae) Synonym(s): *perspicua* Meyrick, 1913
 41051) *Leucoptera aceris* (Fuchs, 1903) (Lyonetiidae) Synonym(s): *aceris* Fuchs, 1903
 41052) *Leucoptera adenocarpella* (Staudinger, 1871) (Lyonetiidae) Synonym(s): *adenocarpella* (Staudinger, 1871)
 41053) *Leucoptera andalusica* Mey, 1994 (Lyonetiidae) Synonym(s): *andalusica* Mey, 1994
 41054) *Leucoptera autograptia* Meyrick, 1918 (Lyonetiidae) Synonym(s): *autograptia* Meyrick, 1918
 41055) *Leucoptera calycotomella* Amsel, 1939 (Lyonetiidae) Synonym(s): *calycotomella* Amsel, 1939
 41056) *Leucoptera clerodendrella* Vari, 1955 (Lyonetiidae) Synonym(s): *clerodendrella* Vari, 1955
 41057) *Leucoptera coronillae* (Hering, 1933) (Lyonetiidae) Synonym(s): *coronillae* Hering, 1933; *phyllocytisi* Hering, 1936
 41058) *Leucoptera cytisiphagella* Klimesch, 1938 (Lyonetiidae) Synonym(s): *cytisiphagella* Klimesch, 1938
 41059) *Leucoptera genistae* (Hering, 1933) (Lyonetiidae) Synonym(s): *genistae* Hering, 1933; *apruitiella* Parenti, 1958
 41060) *Leucoptera heringiella* Toll, 1938 (Lyonetiidae) Synonym(s): *heringiella* Toll, 1938
 41061) *Leucoptera karsholti* Mey, 1994 (Lyonetiidae) Synonym(s): *karsholti* Mey, 1994
 41062) *Leucoptera laburnella* (Stainton, 1851) (Lyonetiidae) Synonym(s): *laburnella* Stainton, 1851; *wailesella* Stainton, 1858; *cytisella* Amsel, 1939
 41063) *Leucoptera lathyrifoliella* (Stainton, 1866) (Lyonetiidae) Synonym(s): *lathyrifoliella* Stainton, 1866
 41064) *Leucoptera lotella* (Stainton, 1859) (Lyonetiidae) Synonym(s): *lotella* Stainton, 1859
 41065) *Leucoptera loxaula* Meyrick, 1928 (Lyonetiidae) Synonym(s): *loxaula* Meyrick, 1928
 41066) *Leucoptera lustrata* (Herrich-Schäffer, 1855) (Lyonetiidae) Synonym(s): *lustrata* Herrich-Schäffer, 1855
 41067) *Leucoptera malifoliella* (Costa, [1836]) (Lyonetiidae) Synonym(s): *malifoliella* Costa, [1836]; *scitella* Zeller, 1839.
 41068) *Leucoptera meyricki* Ghesquière, 1940 (Lyonetiidae) Synonym(s): *meyricki* Ghesquière, 1940
 41069) *Leucoptera nieukerkeni* Mey, 1994 (Lyonetiidae) Synonym(s): *nieukerkeni* Mey, 1994
 41070) *Leucoptera onobrychidella* Klimesch, 1937 (Lyonetiidae) Synonym(s): *onobrychidella* Klimesch, 1937
 41071) *Leucoptera orobi* (Stainton, 1870) (Lyonetiidae) Synonym(s): *orobi* Stainton, 1870
 41072) *Leucoptera parinaricola* Vari, 1955 (Lyonetiidae) Synonym(s): *parinaricola* Vari, 1955
 41073) *Leucoptera pulchricola* Vari, 1955 (Lyonetiidae) Synonym(s): *pulchricola* Vari, 1955
 41074) *Leucoptera scammatias* Meyrick, 1909 (Lyonetiidae) Synonym(s): *scammatias* Meyrick, 1909
 41075) *Leucoptera sinuella* (Reutti, 1853) (Lyonetiidae) Synonym(s): *sinuella* Reutti, 1853; *susinella* Herrich-Schäffer, 1854
 41076) *Leucoptera spartifoliella* (Hübner, [1813]) (Lyonetiidae) Synonym(s): *spartifoliella* Hübner, [1813]; *punctaurella* Haworth, 1828; *cytisanthi* Deschka, 1972
 41077) *Leucoptera thessalica* Mey, 1994 (Lyonetiidae) Synonym(s): *thessalica* Mey, 1994
 41078) *Leucoptera zancaella* (Zeller, 1848) (Lyonetiidae) Synonym(s): *zancaella* Zeller, 1848
 41079) *Lyonetia clerkella* (Linnaeus, 1758) (Lyonetiidae) Synonym(s): *clerkella* Linnaeus, 1758; *penicilla* Borkhausen, 1794; *cerasifoliella* Hübner, 1796; *malifoliella* Hübner, 1796; *malella* Schrank, 1802; *autumnella* Curtis, 1829; *unipunctella* Stephens, 1829; *semiaurella* Stephens, 1829; *nivella* Stephens, 1829; *aereella* Treitschke, 1833; *phrynella* Costa, [1836]; *fonscolombella* Duponchel, [1840]; *magnimaculella* Bruand, 1859
 41080) *Lyonetia cotifraga* Meyrick, 1909 (Lyonetiidae) Synonym(s): *cotifraga* Meyrick, 1909
 41081) *Lyonetia eremitella* De Joannis, 1912 (Lyonetiidae) Synonym(s): *eremitella* De Joannis, 1912
 41082) *Lyonetia ledi* Wocke, 1859 (Lyonetiidae) Synonym(s): *ledi* Wocke, 1859; *candida* Braun, 1916
 41083) *Lyonetia prunifoliella* (Hübner, 1796) (Lyonetiidae) Synonym(s): *prunifoliella* Hübner, 1796; *padifoliella* Hübner, [1813]; *sittaepenella* Hübner, [1825]; *acerifoliella* Curtis, 1850
 41084) *Lyonetia pulverulentella* Zeller, 1839 (Lyonetiidae) Synonym(s): *pulverulentella* Zeller, 1839
 41085) *Phyllobrostis* (Pilotocoma) *apathetica* (Meyrick, 1921) (Lyonetiidae) Synonym(s): *apathetica* Meyrick, 1921
 41086) *Phyllobrostis* (Pilotocoma) *calcaria* Meyrick, 1911 (Lyonetiidae) Synonym(s): *calcaria* Meyrick, 1911
 41087) *Phyllobrostis* (Pilotocoma) *eremitella* De Joannis, 1912 (Lyonetiidae) Synonym(s): *eremitella* De Joannis, 1912
 41088) *Phyllobrostis* (Pilotocoma) *tephroleuca* (Meyrick, 1913) (Lyonetiidae) Synonym(s): *tephroleuca* Meyrick, 1913
 41089) *Phyllobrostis* (s.str.) *daphneella* Staudinger, 1859 (Lyonetiidae) Synonym(s): *daphneella* Staudinger, 1859
 41090) *Phyllobrostis* (s.str.) *farsensis* Mey, 2006 (Lyonetiidae) Synonym(s): *farsensis* Mey, 2006
 41091) *Phyllobrostis* (s.str.) *freganella* Hartig, 1941 (Lyonetiidae) Synonym(s): *freganella* Hartig, 1941
 41092) *Phyllobrostis* (s.str.) *hartmanni* Staudinger, 1867 (Lyonetiidae) Synonym(s): *hartmanni* Staudinger, 1867
 41093) *Phyllobrostis* (s.str.) *jedmella* Chrétien, 1907 (Lyonetiidae) Synonym(s): *jedmella* Chrétien, 1907
 41094) *Phyllobrostis* (s.str.) *kandaharensis* Mey, 2006 (Lyonetiidae) Synonym(s): *kandaharensis* Mey, 2006
 41095) *Phyllobrostis* (s.str.) *nuristanica* Mey, 2006 (Lyonetiidae) Synonym(s): *nuristanica* Mey, 2006
 41096) *Lypusa maurella* ([Denis & Schiffermüller], 1775) (Lypusidae) Synonym(s): *maurella* [Denis & Schiffermüller], 1775
 41097) *Arbeloides collaris* Aurivillius, 1921 (Metarbelidae) Synonym(s): *collaris* Aurivillius, 1921
 41098) *Arbeloides griseata* (Janse, 1925) (Metarbelidae) Synonym(s): *griseata* Janse, 1925
 41099) *Arbeloides heringi* Janse, 1930 (Metarbelidae) Synonym(s): *heringi* Janse, 1930
 41100) *Arbeloides meridialis* Karsch, 1896 (Metarbelidae) Synonym(s): *meridialis* Karsch, 1896; *meridionalis* Dalla Torre & Strand, 1923
 41101) *Indarbela campbelli* (Hampson, 1910) (Metarbelidae) Synonym(s): *campbelli* Hampson, 1910
 41102) *Indarbela obliquifasciata* Mell, 1923 (Metarbelidae) Synonym(s): *obliquifasciata* Mell, 1923
 41103) *Indarbela tegula* (Distant, 1897) (Metarbelidae) Synonym(s): *tegula* Distant, 1897
 41104) *Lebedodes castanea* Janse, 1925 (Metarbelidae) Synonym(s): *castanea* Janse, 1925
 41105) *Lebedodes fumealis* Janse, 1925 (Metarbelidae) Synonym(s): *fumealis* Janse, 1925
 41106) *Lebedodes natalica* Hampson, 1910 (Metarbelidae) Synonym(s): *natalica* Hampson, 1910
 41107) *Lebedodes reticulata* Gaede, 1929 (Metarbelidae) Synonym(s): *reticulata* Gaede, 1929
 41108) *Lebedodes wichgrafi* (Grünberg, 1910) (Metarbelidae) Synonym(s): *wichgrafi* Grünberg, 1910; *durbanica* Hampson, 1910
 41109) *Marschalliana bivittata* Aurivillius, 1901 (Metarbelidae) Synonym(s): *bivittata* Aurivillius, 1901
 41110) *Marschalliana jansei* Gaede, 1929 (Metarbelidae) Synonym(s): *jansei* Gaede, 1929
 41111) *Metarbela albitorquata* Hampson, 1910 (Metarbelidae) Synonym(s): *albitorquata* Hampson, 1910
 41112) *Metarbela alluaudi* Le Cerf, 1914 (Metarbelidae) Synonym(s): *alluaudi* Le Cerf, 1914
 41113) *Metarbela arcifera* Hampson, 1909 (Metarbelidae) Synonym(s): *arcifera* Hampson, 1909
 41114) *Metarbela bipuncta* Hampson, 1920 (Metarbelidae) Synonym(s): *bipuncta* Hampson, 1920
 41115) *Metarbela bucana* Strand, 1912 (Metarbelidae) Synonym(s): *bueana* Strand, 1912
 41116) *Metarbela cinereolimbata* Le Cerf, 1914 (Metarbelidae) Synonym(s): *cinereolimbata* Le Cerf, 1914
 41117) *Metarbela cremorna* Hampson, 1920 (Metarbelidae) Synonym(s): *cremorna* Hampson, 1920
 41118) *Metarbela cymaphora* Hampson, 1910 (Metarbelidae) Synonym(s): *cymaphora* Hampson, 1910; *neurosticta* Hampson, 1910
 41119) *Metarbela dialeuca* Hampson, 1910 (Metarbelidae) Synonym(s): *dialeuca* Hampson, 1910
 41120) *Metarbela diodonta* Hampson, 1916 (Metarbelidae) Synonym(s): *diodonta* Hampson, 1916
 41121) *Metarbela erecta* Gaede, 1929 (Metarbelidae) Synonym(s): *erecta* Gaede, 1929
 41122) *Metarbela flavicolor* Janse, 1925 (Metarbelidae) Synonym(s): *flavicolor* Janse, 1925
 41123) *Metarbela fumida* Karsch, 1896 (Metarbelidae) Synonym(s): *fumida* Karsch, 1896
 41124) *Metarbela funebris* Gaede, 1929 (Metarbelidae) Synonym(s): *funebris* Gaede, 1929
 41125) *Metarbela haberlandorum* I. Lehmann, 1997 (Metarbelidae) Synonym(s): *haberlandorum* I. Lehmann, 1997
 41126) *Metarbela heringi* Janse, 1930 (Metarbelidae) Synonym(s): *heringi* Janse, 1930
 41127) *Metarbela inconspicua* Gaede, 1929 (Metarbelidae) Synonym(s): *inconspicua* Gaede, 1929
 41128) *Metarbela iridescens* Janse, 1925 (Metarbelidae) Synonym(s): *iridescens* Janse, 1925
 41129) *Metarbela laguna* Hampson, 1920 (Metarbelidae) Synonym(s): *laguna* Hampson, 1920
 41130) *Metarbela latifasciata* Gaede, 1929 (Metarbelidae) Synonym(s): *latifasciata* Gaede, 1929
 41131) *Metarbela leucostigma* (Hampson, 1910) (Metarbelidae) Synonym(s): *leucostigma* Hampson, 1910
 41132) *Metarbela micra* Karsch, 1896 (Metarbelidae) Synonym(s): *micra* Karsch, 1896

- 41133) *Metarbela nubifera* (Bethune-Baker, 1909) (Metarbelidae) Synonym(s): *nubifera* Bethune-Baker, 1909
 41134) *Metarbela ochracea* Gaede, 1929 (Metarbelidae) Synonym(s): *ochracea* Gaede, 1929
 41135) *Metarbela onusta* Karsch, 1896 (Metarbelidae) Synonym(s): *onusta* Karsch, 1896
 41136) *Metarbela pagana* Strand, 1909 (Metarbelidae) Synonym(s): *pagana* Strand, 1909
 41137) *Metarbela pallescens* Le Cerf, 1914 (Metarbelidae) Synonym(s): *pallescens* Le Cerf, 1914
 41138) *Metarbela perstriata* Hampson, 1916 (Metarbelidae) Synonym(s): *perstriata* Hampson, 1916
 41139) *Metarbela plagifera* Gaede, 1929 (Metarbelidae) Synonym(s): *plagifera* Gaede, 1929
 41140) *Metarbela pygatala* Strand, 1912 (Metarbelidae) Synonym(s): *pygatala* Strand, 1912
 41141) *Metarbela quadriguttata* Aurivillius, 1925 (Metarbelidae) Synonym(s): *quadriguttata* Aurivillius, 1925
 41142) *Metarbela rava* Karsch, 1896 (Metarbelidae) Synonym(s): *rava* Karsch, 1896
 41143) *Metarbela reticulosana* Strand, 1912 (Metarbelidae) Synonym(s): *reticulosana* Strand, 1912
 41144) *Metarbela rufa* Gaede, 1929 (Metarbelidae) Synonym(s): *rufa* Gaede, 1929
 41145) *Metarbela splendida* D.S.Fletcher, 1968 (Metarbelidae) Synonym(s): *splendida* D.S.Fletcher, 1968
 41146) *Metarbela stivafer* Holland, 1893 (Metarbelidae) Synonym(s): *stivafer* Holland, 1893
 41147) *Metarbela taifensis* Wiltshire, 1988 (Metarbelidae) Synonym(s): *taifensis* Wiltshire, 1988
 41148) *Metarbela triangularis* Gaede, 1929 (Metarbelidae) Synonym(s): *triangularis* Gaede, 1929
 41149) *Metarbela triguttata* Aurivillius, 1905 (Metarbelidae) Synonym(s): *triguttata* Aurivillius, 1905
 41150) *Metarbela trisignata* Gaede, 1929 (Metarbelidae) Synonym(s): *trisignata* Gaede, 1929
 41151) *Metarbela tuckeri* (Butler, 1875) (Metarbelidae) Synonym(s): *tuckeri* Butler, 1875
 41152) *Metarbela vaualba* Hampson, 1920 (Metarbelidae) Synonym(s): *vaualba* Hampson, 1920
 41153) *Metarbelodes sticticosta* (Hampson, 1910) (Metarbelidae) Synonym(s): *sticticosta* Hampson, 1910
 41154) *Metarbelodes umtaliana* (Aurivillius, 1901) (Metarbelidae) Synonym(s): *umtaliana* Aurivillius, 1901
 41155) *Ortharbela albivenata* (Hampson, 1910) (Metarbelidae) Synonym(s): *albivenata* Hampson, 1910
 41156) *Ortharbela rufithorax* (Hampson, 1910) (Metarbelidae) Synonym(s): *rufithorax* Hampson, 1910
 41157) *Paralebedella carnescens* (Hampson, 1910) (Metarbelidae) Synonym(s): *carnescens* Hampson, 1910
 41158) *Salagena albicilia* Hampson, 1920 (Metarbelidae) Synonym(s): *albicilia* Hampson, 1920; *denigrata* Gaede, 1929
 41159) *Salagena albonotata* (Butler, 1898) (Metarbelidae) Synonym(s): *albonotata* Butler, 1898
 41160) *Salagena arcys* D.S.Fletcher, 1968 (Metarbelidae) Synonym(s): *arcys* D.S.Fletcher, 1968
 41161) *Salagena atridiscata* Hampson, 1910 (Metarbelidae) Synonym(s): *atridiscata* Hampson, 1910
 41162) *Salagena cuprea* Gaede, 1929 (Metarbelidae) Synonym(s): *cuprea* Gaede, 1929
 41163) *Salagena discata* Gaede, 1929 (Metarbelidae) Synonym(s): *discata* Gaede, 1929
 41164) *Salagena eustrigata* Hampson, 1916 (Metarbelidae) Synonym(s): *eustrigata* Hampson, 1916
 41165) *Salagena fetlaworkae* Rougeot, 1977 (Metarbelidae) Synonym(s): *fetlaworkae* Rougeot, 1977
 41166) *Salagena fuscata* Gaede, 1929 (Metarbelidae) Synonym(s): *fuscata* Gaede, 1929
 41167) *Salagena guichardi* Wiltshire, 1980 (Metarbelidae) Synonym(s): *guichardi* Wiltshire, 1980
 41168) *Salagena inversa* Gaede, 1929 (Metarbelidae) Synonym(s): *inversa* Gaede, 1929
 41169) *Salagena irrorata* Le Cerf, 1914 (Metarbelidae) Synonym(s): *irrorata* Le Cerf, 1914
 41170) *Salagena mirabilis* Le Cerf, 1919 (Metarbelidae) Synonym(s): *mirabilis* Le Cerf, 1919
 41171) *Salagena narses* Fawcett, 1916 (Metarbelidae) Synonym(s): *narses* Fawcett, 1916
 41172) *Salagena nigropuncta* Le Cerf, 1919 (Metarbelidae) Synonym(s): *nigropuncta* Le Cerf, 1919
 41173) *Salagena obsolescens* Hampson, 1910 (Metarbelidae) Synonym(s): *obsolescens* Hampson, 1910
 41174) *Salagena reticulata* Janse, 1925 (Metarbelidae) Synonym(s): *reticulata* Janse, 1925
 41175) *Salagena tessellata* Distant, 1897 (Metarbelidae) Synonym(s): *tessellata* Distant, 1897
 41176) *Salagena transversa* Walker, 1865 (Metarbelidae) Synonym(s): *transversa* Walker, 1865; *spiculata* Karsch, 1895; *strigosa* Aurivillius, 1901
 41177) *Salagena violetta* Gaede, 1929 (Metarbelidae) Synonym(s): *violetta* Gaede, 1929
 41178) *Squamura acutistriata* (Mell, 1923) (Metarbelidae) Synonym(s): *acutistriata* Mell, 1923
 41179) *Squamura celebensis* Roepke, 1957 (Metarbelidae) Synonym(s): *celebensis* Roepke, 1957
 41180) *Squamura disciplaga* (Swinhoe, 1901) (Metarbelidae) Synonym(s): *disciplaga* Swinhoe, 1901
 41181) *Squamura kinabalua* (Holloway, 1976) (Metarbelidae) Synonym(s): *kinabalua* Holloway, 1976
 41182) *Squamura maculata* Heylaerts, 1890 (Metarbelidae) Synonym(s): *maculata* Heylaerts, 1890; *flavina* Mell, 1923
 41183) *Squamura roepkei* Holloway, 1982 (Metarbelidae) Synonym(s): *roepkei* Holloway, 1982
 41184) *Squamura sumatrana* Roepke, 1957 (Metarbelidae) Synonym(s): *sumatrana* Roepke, 1957
 41185) *Teragra althodes* Hampson, 1910 (Metarbelidae) Synonym(s): *althodes* Hampson, 1910
 41186) *Teragra conspersa* Walker, 1855 (Metarbelidae) Synonym(s): *conspersa* Walker, 1855
 41187) *Teragra guttifera* Hampson, 1910 (Metarbelidae) Synonym(s): *guttifera* Hampson, 1910
 41188) *Teragra irvingi* Janse, 1925 (Metarbelidae) Synonym(s): *irvingi* Janse, 1925
 41189) *Teragra vogti* Bethune-Baker, 1927 (Metarbelidae) Synonym(s): *vogti* Bethune-Baker, 1927
 41190) *Agrionympha capensis* Whalley, 1978 (Micropterigidae) Synonym(s): *capensis* Whalley, 1978
 41191) *Agrionympha pseliacma* Meyrick, 1921 (Micropterigidae) Synonym(s): *pseliacma* Meyrick, 1921
 41192) *Agrionympha vari* Whalley, 1978 (Micropterigidae) Synonym(s): *vari* Whalley, 1978
 41193) *Microptericina amasiella* (Staudinger, 1880) (Micropterigidae) Synonym(s): *amasiella* Staudinger, 1880
 41194) *Microptericina lagodechiella* Zagulyaev, 1987 (Micropterigidae) Synonym(s): *lagodechiella* Zagulyaev, 1987
 41195) *Micropterix aglaella* (Duponchel, [1840]) (Micropterigidae) Synonym(s): *aglaella* Duponchel, [1840]
 41196) *Micropterix allionella* (Fabricius, 1794) (Micropterigidae) Synonym(s): *allionella* Fabricius, 1794; *tricinctella* Costa, [1836]
 41197) *Micropterix amsella* Heath, 1975 (Micropterigidae) Synonym(s): *amsella* Heath, 1975
 41198) *Micropterix aruncella* (Scopoli, 1763) (Micropterigidae) Synonym(s): *aruncella* Scopoli, 1763; *seppella* Fabricius, 1787; *podevinella* Hübner, [1813]; *concinella* Stephens, 1834; *eximiella* Zeller, 1850; *atricapila* Wocke, 1877; *nuraghella* Amsel, 1936
 41199) *Micropterix aureatella* (Scopoli, 1763) (Micropterigidae) Synonym(s): *aureatella* Scopoli, 1763; *ammanella* Hübner, [1813]; *allionella sensu* Stainton, 1850
 41200) *Micropterix aureoviridella* (Höfner, 1898) (Micropterigidae) Synonym(s): *aureoviridella* Höfner, 1898; *liogierella* Réal, 1987
 41201) *Micropterix calthella* (Linnaeus, 1761) (Micropterigidae) Synonym(s): *calthella* Linnaeus, 1761; *urticella* Costa, [1836]; *sulcatella* Bentley, 1845; *silesiaca* Toll, 1942
 41202) *Micropterix completella* Staudinger, 1871 (Micropterigidae) Synonym(s): *completella* Staudinger, 1871
 41203) *Micropterix corcyrella* Walsingham, 1919 (Micropterigidae) Synonym(s): *corcyrella* Walsingham, 1919
 41204) *Micropterix croatica* Heath & Kaltenbach, 1984 (Micropterigidae) Synonym(s): *croatica* Heath & Kaltenbach, 1984
 41205) *Micropterix emiliensis* Viette, 1950 (Micropterigidae) Synonym(s): *emiliensis* Viette, 1950
 41206) *Micropterix ertella* Walsingham, 1919 (Micropterigidae) Synonym(s): *ertella* Walsingham, 1919
 41207) *Micropterix facetella* (Zeller, 1850) (Micropterigidae) Synonym(s): *facetella* Zeller, 1850
 41208) *Micropterix fenestrellensis* Heath & Kaltenbach, 1984 (Micropterigidae) Synonym(s): *fenestrellensis* Heath & Kaltenbach, 1984
 41209) *Micropterix garganoensis* Heath, 1960 (Micropterigidae) Synonym(s): *garganoensis* Heath, 1960
 41210) *Micropterix granatensis* Heath, 1981 (Micropterigidae) Synonym(s): *granatensis* Heath, 1981
 41211) *Micropterix hartigi* Heath, 1981 (Micropterigidae) Synonym(s): *hartigi* Heath, 1981
 41212) *Micropterix ibericella* Caradja, 1920 (Micropterigidae) Synonym(s): *ibericella* Caradja, 1920
 41213) *Micropterix igaloensis* Amsel, 1951 (Micropterigidae) Synonym(s): *igaloensis* Amsel, 1951
 41214) *Micropterix imperfectella* Staudinger, 1859 (Micropterigidae) Synonym(s): *imperfectella* Staudinger, 1859
 41215) *Micropterix isobasella* Staudinger, 1871 (Micropterigidae) Synonym(s): *isobasella* Staudinger, 1871
 41216) *Micropterix italica* Heath, 1981 (Micropterigidae) Synonym(s): *italica* Heath, 1981
 41217) *Micropterix kardamylenensis* Rebel, 1903 (Micropterigidae) Synonym(s): *kardamylenensis* Rebel, 1903
 41218) *Micropterix klimeschi* Heath, 1973 (Micropterigidae) Synonym(s): *klimeschi* Heath, 1973
 41219) *Micropterix lakoniensis* Heath, 1985 (Micropterigidae) Synonym(s): *lakoniensis* Heath, 1985

- 41220) *Micropterix mansuetella* (Zeller,1844) (Micropterigidae) Synonym(s): *mansuetella* Zeller,1844
 41221) *Micropterix maschukella* Alpheraky,1876 (Micropterigidae) Synonym(s): *maschukella* Alpheraky,1876
 41222) *Micropterix minimella* Heath,1973 (Micropterigidae) Synonym(s): *minimella* Heath,1973
 41223) *Micropterix montosiella* Zagulyaev,1983 (Micropterigidae) Synonym(s): *montosiella* Zagulyaev,1983
 41224) *Micropterix myrtetella* (Zeller,1850) (Micropterigidae) Synonym(s): *myrtetella* Zeller,1850
 41225) *Micropterix osthelderi* Heath,1975 (Micropterigidae) Synonym(s): *osthelderi* Heath,1975
 41226) *Micropterix paykullella* (Fabricius,1794) (Micropterigidae) Synonym(s): *paykullella* Fabricius,1794; *anderschella* Hübner,[1813]
 41227) *Micropterix rablensis* (Zeller,1868) (Micropterigidae) Synonym(s): *rablensis* Zeller,1868
 41228) *Micropterix rothenbachii* (Frey,1856) (Micropterigidae) Synonym(s): *rothenbachii* Frey,1856; *rothenbachella* Herrich-Schäffer,1862; *australis* Heath,1981; *vallebonnella* Réal,1988
 41229) *Micropterix schaefferi* Heath,1975 (Micropterigidae) Synonym(s): *anderschella* sensu Herrich-Schäffer,1855; *schaefferi* Heath,1975
 41230) *Micropterix sicanella* Zeller,1847 (Micropterigidae) Synonym(s): *sicanella* Zeller,1847
 41231) *Micropterix trifasciella* Heath,1965 (Micropterigidae) Synonym(s): *trifasciella* Heath,1965
 41232) *Micropterix tunbergella* (Fabricius,1787) (Micropterigidae) Synonym(s): *tunbergella* Fabricius,1787; *hellwigella* Hübner,[1805]; *rubrifasciella* Haworth,1828; *depictella* Herrich-Schäffer,1855
 41233) *Micropterix tuscaniensis* Heath,1960 (Micropterigidae) Synonym(s): *tuscaniensis* Heath,1960
 41234) *Micropterix uxoria* Walsingham,1919 (Micropterigidae) Synonym(s): *uxoria* Walsingham,1919
 41235) *Micropterix vulturensis* Heath,1981 (Micropterigidae) Synonym(s): *vulturensis* Heath,1981
 41236) *Micropterix wockei* Staudinger,1870 (Micropterigidae) Synonym(s): *wocke* Staudinger,1870
 41237) *Micropterix zangheriella* Heath,1963 (Micropterigidae) Synonym(s): *zangheriella* Heath,1963
 41238) *Aleyda accipiter* (Dognin,1916) (Mimallonidae) Synonym(s): *accipiter* Dognin,1916
 41239) *Cicinnus acuta* (Schaus,1892) (Mimallonidae) Synonym(s): *acuta* Schaus,1892
 41240) *Cicinnus chabaudi* Dyar,1914 (Mimallonidae) Synonym(s): *chabaudi* Dyar,1914
 41241) *Cicinnus corallina* Dognin,1918 (Mimallonidae) Synonym(s): *corallina* Dognin,1918
 41242) *Cicinnus corcovada* (Schaus,1892) (Mimallonidae) Synonym(s): *corcovada* Schaus,1892
 41243) *Cicinnus cordubensis* (Berg,1882) (Mimallonidae) Synonym(s): *cordubensis* Berg,1882; *schultzi* Weyenbergh,1883; *nigrescens* Schaus,1896
 41244) *Cicinnus despecta* (Walker,1855) (Mimallonidae) Synonym(s): *despecta* Walker,1855; *curtisea* Weyenbergh,1874; *sanguinolenta* C.Felder,1874; *sachinius* Schaus,1934
 41245) *Cicinnus dulcis* Schaus,1910 (Mimallonidae) Synonym(s): *dulcis* Schaus,1910
 41246) *Cicinnus eugenia* Schaus,1905 (Mimallonidae) Synonym(s): *eugenia* Schaus,1905
 41247) *Cicinnus externa* (Moore,1882) (Mimallonidae) Synonym(s): *externa* Moore,1882
 41248) *Cicinnus felderia* Schaus,1928 (Mimallonidae) Synonym(s): *felderia* Schaus,1928
 41249) *Cicinnus fenestrata* Jones,1912 (Mimallonidae) Synonym(s): *fenestrata* Jones,1912
 41250) *Cicinnus fogia* Schaus,1905 (Mimallonidae) Synonym(s): *fogia* Schaus,1905
 41251) *Cicinnus forbesi* Schaus,1928 (Mimallonidae) Synonym(s): *forbesi* Schaus,1928
 41252) *Cicinnus gentilis* Schaus,1910 (Mimallonidae) Synonym(s): *gentilis* Schaus,1910
 41253) *Cicinnus malca* Schaus,1905 (Mimallonidae) Synonym(s): *malca* Schaus,1905
 41254) *Cicinnus mexicana* (Druce,1898) (Mimallonidae) Synonym(s): *mexicana* Druce,1898
 41255) *Cicinnus motagus* Schaus,1920 (Mimallonidae) Synonym(s): *motagus* Schaus,1920
 41256) *Cicinnus musa* (Schaus,1896) (Mimallonidae) Synonym(s): *musa* Schaus,1896
 41257) *Cicinnus olasis* Schaus,1928 (Mimallonidae) Synonym(s): *olasis* Schaus,1928
 41258) *Cicinnus packardi* (Grote,1865) (Mimallonidae) Synonym(s): *packardi* Grote,1865
 41259) *Cicinnus pudens* Schaus,1911 (Mimallonidae) Synonym(s): *pudens* Schaus,1911
 41260) *Cicinnus pulverula* (Schaus,1896) (Mimallonidae) Synonym(s): *pulverula* Schaus,1896
 41261) *Cicinnus roscida* Dognin,1910 (Mimallonidae) Synonym(s): *roscida* Dognin,1910
 41262) *Cicinnus solvens* Dyar,1914 (Mimallonidae) Synonym(s): *solvens* Dyar,1914
 41263) *Cicinnus submarcata* Schaus,1905 (Mimallonidae) Synonym(s): *submarcata* Schaus,1905
 41264) *Cicinnus thermesia* Jones,1921 (Mimallonidae) Synonym(s): *thermesia* Jones,1921
 41265) *Cicinnus tuisana* Schaus,1910 (Mimallonidae) Synonym(s): *tuisana* Schaus,1910
 41266) *Cicinnus volucris* Schaus,1910 (Mimallonidae) Synonym(s): *volucris* Schaus,1910
 41267) *Cicinnus xingua* (Dognin,1923) (Mimallonidae) Synonym(s): *xingua* Dognin,1923
 41268) *Euphaneta divisa* (Walker,1855) (Mimallonidae) Synonym(s): *divisa* Walker,1855
 41269) *Mimallol almeidai* Pearson,1951 (Mimallonidae) Synonym(s): *almeidai* Pearson,1951
 41270) *Mimallol amilia* (Cramer,1780) (Mimallonidae) Synonym(s): *amilia* Cramer,1780; *vorax* Sepp,[1832]
 41271) *Mimallol broscica* Schaus,1928 (Mimallonidae) Synonym(s): *broscica* Schaus,1928
 41272) *Mimallol garretti* Schaus,1934 (Mimallonidae) Synonym(s): *garretti* Schaus,1934
 41273) *Mimallol hector* Dognin,1924 (Mimallonidae) Synonym(s): *hector* Dognin,1924
 41274) *Mimallol neoamilia* Pearson,1951 (Mimallonidae) Synonym(s): *neoamilia* Pearson,1951
 41275) *Mimallol saturata* (Walker,1855) (Mimallonidae) Synonym(s): *saturata* Walker,1855
 41276) *Psychocampa belaria* Schaus,1928 (Mimallonidae) Synonym(s): *belaria* Schaus,1928
 41277) *Psychocampa beta* Schaus,1910 (Mimallonidae) Synonym(s): *beta* Schaus,1910
 41278) *Psychocampa bibula* (Dognin,1924) (Mimallonidae) Synonym(s): *bibula* Dognin,1924
 41279) *Psychocampa concolor* Grote & Robinson,1866 (Mimallonidae) Synonym(s): *concolor* Grote & Robinson,1866; *conona* Schaus,1905; *stenia* Dyar,1910
 41280) *Psychocampa doralica* Schaus,1928 (Mimallonidae) Synonym(s): *doralica* Schaus,1928
 41281) *Psychocampa eminens* (Dognin,1923) (Mimallonidae) Synonym(s): *eminens* Dognin,1923
 41282) *Psychocampa lemoulti* (Schaus,1905) (Mimallonidae) Synonym(s): *lemoulti* Schaus,1905
 41283) *Psychocampa manicora* Schaus,1928 (Mimallonidae) Synonym(s): *manicora* Schaus,1928
 41284) *Psychocampa mawaja* (Dognin,1922) (Mimallonidae) Synonym(s): *mawaja* Dognin,1922
 41285) *Psychocampa pluridiscata* (Dognin,1916) (Mimallonidae) Synonym(s): *pluridiscata* Dognin,1916
 41286) *Psychocampa prominens* (Schaus,1910) (Mimallonidae) Synonym(s): *prominens* Schaus,1910
 41287) *Psychocampa sylvia* (Schaus,1920) (Mimallonidae) Synonym(s): *sylvia* Schaus,1920
 41288) *Psychocampa veigli* Schaus,1934 (Mimallonidae) Synonym(s): *veigli* Schaus,1934
 41289) *Psychocampa ventana* (Dognin,1897) (Mimallonidae) Synonym(s): *ventana* Dognin,1897
 41290) *Psychocampa vitreata* (Schaus,1905) (Mimallonidae) Synonym(s): *vitreata* Schaus,1905
 41291) *Roelofa hegewischi* (Druce,1887) (Mimallonidae) Synonym(s): *hegewischi* Druce,1887
 41292) *Roelofa maricia* Schaus,1928 (Mimallonidae) Synonym(s): *maricia* Schaus,1928
 41293) *Roelofa narga* (Schaus,1905) (Mimallonidae) Synonym(s): *narga* Schaus,1905; *maera* Schaus,1913
 41294) *Roelofa olivia* (Schaus,1896) (Mimallonidae) Synonym(s): *olivia* Schaus,1896
 41295) *Mirina christophi* Staudinger,1887 (Mimallonidae) Synonym(s): *christophi* Staudinger,1887
 41296) *Mirina confucius* Zolotuhin & Witt,2000 (Mimallonidae) Synonym(s): *confucius* Zolotuhin & Witt,2000
 41297) *Mirina fenzeli* Mell,1938 (Mimallonidae) Synonym(s): *fenzeli* Mell,1938; *longnanensis* Chen & Wang,1993
 41298) *Bifascia nigrallbella* (Chrétien,1915) (Mimallonidae) Synonym(s): *nigrallbella* Chrétien,1915; *asteroleuca* Meyrick,1917
 41299) *Bifascioides leucomelanellus* (Rebel,1917) (Mimallonidae) Synonym(s): *leucomelanellus* Rebel,1917; *pirastica* Meyrick,1936
 41300) *Bifascioides yemenellus* (Amsel,1961) (Mimallonidae) Synonym(s): *yemenellus* Amsel,1961
 41301) *Coccidiphila charlierella* Réal,1988 (Mimallonidae) Synonym(s): *charlierella* Réal,1988
 41302) *Coccidiphila danilevskyi* Sinev,1997 (Mimallonidae) Synonym(s): *danilevskyi* Sinev,1997
 41303) *Coccidiphila gerasimovi* Danilevsky,1950 (Mimallonidae) Synonym(s): *gerasimovi* Danilevsky,1950
 41304) *Coccidiphila kaspinkeri* Traugott-Olsen,1986 (Mimallonidae) Synonym(s): *kaspinkeri* Traugott-Olsen,1986
 41305) *Coccidiphila ledereriella* (Zeller,1850) (Mimallonidae) Synonym(s): *ledereriella* Zeller,1850; *unedella* Millièr,1876; *rungsella* Nel & Brusseeux,1997
 41306) *Coccidiphila particiae* J.Nel & A.Nel,2000 (Mimallonidae) Synonym(s): *particiae* J.Nel & A.Nel,2000

- 41307) *Coccidiphila riedli* Traugott-Olsen, 1986 (Momphidae) Synonym(s): *riedli* Traugott-Olsen, 1986
- 41308) *Mompha* (*Anybia*) *epilobiella* (Roemer, 1794) (Momphidae) Synonym(s): *epilobiella* Roemer, 1794; *langiella* Hübner, 1796; *niveipunctella* Stainton, 1849; *fulicella* Herrich-Schäffer, 1853.
- 41309) *Mompha* (*Cyphophora*) *idaei* (Zeller, 1839) (Momphidae) Synonym(s): *idaei* Zeller, 1839; *idaella* Duponchel, [1845]; *grandisella* Chambers, 1875; *tricrostella* Chambers, 1875; *subridescens* Walsingham, 1882; *polaris* Sinev, 1986
- 41310) *Mompha* (*Lophoptilus*) *miscella* ([Denis & Schiffermüller], 1775) (Momphidae) Synonym(s): *miscella* [Denis & Schiffermüller], 1775; *staintoni* Sircom, 1848; *opacella* Müller-Rutz, 1934.
- 41311) *Mompha* (*Psacaphora*) *locupletella* ([Denis & Schiffermüller], 1775) (Momphidae) Synonym(s): *locupletella* [Denis & Schiffermüller], 1775; *schränkella* Hübner, 1805; *quadrilobella* Herrich-Schäffer, 1853.
- 41312) *Mompha* (*Psacaphora*) *maculata* (Sinev, 1986) (Momphidae) Synonym(s): *maculata* Sinev, 1986
- 41313) *Mompha* (*Psacaphora*) *raschkiella* (Zeller, 1839) (Momphidae) Synonym(s): *raschkiella* Zeller, 1839
- 41314) *Mompha* (*Psacaphora*) *sexstrigella* (Braun, 1921) (Momphidae) Synonym(s): *sexstrigella* Braun, 1921; *complexa* Svensson, 1982
- 41315) *Mompha* (*Psacaphora*) *terminella* (Humphreys & Westwood, 1845) (Momphidae) Synonym(s): *terminella* Humphreys & Westwood, 1845; *patriciella* Stainton, 1849; *chrysargyrella* Herrich-Schäffer, [1854]; *engelella* Busck, 1906
- 41316) *Mompha* (s.str.) *bradleyi* Riedl, 1965 (Momphidae) Synonym(s): *bradleyi* Riedl, 1965
- 41317) *Mompha* (s.str.) *confusella* Koster & Sinev, 1996 (Momphidae) Synonym(s): *confusella* Koster & Sinev, 1996
- 41318) *Mompha* (s.str.) *conturbatella* (Hübner, [1819]) (Momphidae) Synonym(s): *conturbatella* Hübner, [1819]; *elegantella* Zetterstedt, [1839]
- 41319) *Mompha* (s.str.) *divisella* Herrich-Schäffer, 1854 (Momphidae) Synonym(s): *divisella* Herrich-Schäffer, 1854; *decorella* Stainton, 1854.
- 41320) *Mompha* (s.str.) *fulvescens* (Haworth, [1828]) (Momphidae) Synonym(s): *epilobiella* [Denis & Schiffermüller], 1775; *epilobiella* Schrank, 1802 nec Roemer, 1794; *fulvescens* Haworth, [1828]; *nebulella* Stephens, 1834.
- 41321) *Mompha* (s.str.) *lacteella* (Stephens, 1834) (Momphidae) Synonym(s): *lacteella* Stephens, 1834; *gibbiferella* Zeller, 1839; *basipallidella* Stainton, 1849
- 41322) *Mompha* (s.str.) *meridionella* Koster & Sinev, 2003 (Momphidae) Synonym(s): *meridionella* Koster & Sinev, 2003
- 41323) *Mompha* (s.str.) *ochraceella* (Curtis, 1839) (Momphidae) Synonym(s): *ochraceella* Curtis, 1839
- 41324) *Mompha* (s.str.) *propinquella* (Stainton, 1851) (Momphidae) Synonym(s): *propinquella* Stainton, 1851; *paludicolella* Doubleday, 1859
- 41325) *Mompha* (s.str.) *sturnipennella* (Treitschke, 1833) (Momphidae) Synonym(s): *sturnipennella* Treitschke, 1833; *permutatella* Herrich-Schäffer, 1853; *nodicolella* Fuchs, 1902.
- 41326) *Mompha* (s.str.) *subbistrigella* (Haworth, [1828]) (Momphidae) Synonym(s): *subbistrigella* Haworth, [1828]
- 41327) *Mompha* (s.str.) *subdivisella* Bradley, 1951 (Momphidae) Synonym(s): *subdivisella* Bradley, 1951
- 41328) *Mompha* *antibathra* Meyrick, 1914 (Momphidae) Synonym(s): *antibathra* Meyrick, 1914
- 41329) *Mompha* *cyclocosma* Meyrick, 1921 (Momphidae) Synonym(s): *cyclocosma* Meyrick, 1921
- 41330) *Urodeta* *hibernella* (Staudinger, 1859) (Momphidae) Synonym(s): *hibernella* Staudinger, 1859
- 41331) *Acalyptis* *acumenta* (Scoble, 1980) (Nepticulidae) Synonym(s): *acumenta* Scoble, 1980
- 41332) *Acalyptis* *bispinata* (Scoble, 1980) (Nepticulidae) Synonym(s): *bispinata* Scoble, 1980
- 41333) *Acalyptis* *combretella* (Vari, 1955) (Nepticulidae) Synonym(s): *combretella* Vari, 1955
- 41334) *Acalyptis* *fagarivora* (Vari, 1955) (Nepticulidae) Synonym(s): *fagarivora* Vari, 1955
- 41335) *Acalyptis* *fulva* (Scoble, 1980) (Nepticulidae) Synonym(s): *fulva* Scoble, 1980
- 41336) *Acalyptis* *fuscifascia* (Scoble, 1980) (Nepticulidae) Synonym(s): *fuscifascia* Scoble, 1980
- 41337) *Acalyptis* *krooni* (Scoble, 1980) (Nepticulidae) Synonym(s): *krooni* Scoble, 1980
- 41338) *Acalyptis* *lanneivora* (Vari, 1955) (Nepticulidae) Synonym(s): *lanneivora* Vari, 1955
- 41339) *Acalyptis* *lesbia* Nieukerken & Hull, 2007 (Nepticulidae) Synonym(s): *lesbia* Nieukerken & Hull, 2007
- 41340) *Acalyptis* *limoniastris* Nieukerken, 2007 (Nepticulidae) Synonym(s): *limoniastris* Nieukerken, 2007
- 41341) *Acalyptis* *limonii* Z.Lastuvka & A.Lastuvka, 1998 (Nepticulidae) Synonym(s): *limonii* Z.Lastuvka & A.Lastuvka, 1998
- 41342) *Acalyptis* *loranthella* (Klimesch, 1937) (Nepticulidae) Synonym(s): *loranthella* Klimesch, 1937
- 41343) *Acalyptis* *lorantivora* (Janse, 1948) (Nepticulidae) Synonym(s): *lorantivora* Janse, 1948
- 41344) *Acalyptis* *lundensis* (Scoble, 1980) (Nepticulidae) Synonym(s): *lundensis* Scoble, 1980
- 41345) *Acalyptis* *mariepsensis* (Scoble, 1980) (Nepticulidae) Synonym(s): *mariepsensis* Scoble, 1980
- 41346) *Acalyptis* *maritima* Z.Lastuvka & A.Lastuvka, 1997 (Nepticulidae) Synonym(s): *maritima* Z.Lastuvka & A.Lastuvka, 1997
- 41347) *Acalyptis* *minimella* (Rebel, 1924) (Nepticulidae) Synonym(s): *minimella* Rebel, 1924
- 41348) *Acalyptis* *molleivora* (Scoble, 1980) (Nepticulidae) Synonym(s): *molleivora* Scoble, 1980
- 41349) *Acalyptis* *obliquella* (Scoble, 1980) (Nepticulidae) Synonym(s): *obliquella* Scoble, 1980
- 41350) *Acalyptis* *pistaciae* Nieukerken, 2007 (Nepticulidae) Synonym(s): *pistaciae* Nieukerken, 2007
- 41351) *Acalyptis* *platani* (Müller-Rutz, 1934) (Nepticulidae) Synonym(s): *platani* Müller-Rutz, 1934
- 41352) *Acalyptis* *pundaensis* (Scoble, 1980) (Nepticulidae) Synonym(s): *pundaensis* Scoble, 1980
- 41353) *Acalyptis* *pyrenaica* Lastuvka & Lastuvka, 1993 (Nepticulidae) Synonym(s): *pyrenaica* Lastuvka & Lastuvka, 1993
- 41354) *Acalyptis* *rubiaevara* (Scoble, 1980) (Nepticulidae) Synonym(s): *rubiaevara* Scoble, 1980
- 41355) *Acalyptis* *sellata* (Scoble, 1980) (Nepticulidae) Synonym(s): *sellata* Scoble, 1980
- 41356) *Acalyptis* *staticis* (Walsingham, 1908) (Nepticulidae) Synonym(s): *staticis* Walsingham, 1908
- 41357) *Acalyptis* *umdoniensis* (Scoble, 1980) (Nepticulidae) Synonym(s): *umdoniensis* Scoble, 1980
- 41358) *Acalyptis* *vacuolula* (Scoble, 1980) (Nepticulidae) Synonym(s): *vacuolula* Scoble, 1980
- 41359) *Acalyptis* *vepricola* (Vari, 1963) (Nepticulidae) Synonym(s): *vepricola* Vari, 1963
- 41360) *Acalyptis* *vumbaensis* (Scoble, 1980) (Nepticulidae) Synonym(s): *vumbaensis* Scoble, 1980
- 41361) *Acalyptis* *zeyheriae* (Scoble, 1980) (Nepticulidae) Synonym(s): *zeyheriae* Scoble, 1980
- 41362) *Arcticulata* *leucosideae* Scoble, 1983 (Nepticulidae) Synonym(s): *leucosideae* Scoble, 1983
- 41363) *Bohemannia* *auriciliella* (De Joannis, 1908) (Nepticulidae) Synonym(s): *auriciliella* De Joannis, 1908
- 41364) *Bohemannia* *pulverosella* (Stainton, 1849) (Nepticulidae) Synonym(s): *pulverosella* Stainton, 1849
- 41365) *Bohemannia* *quadrinaculella* (Boheman, 1851) (Nepticulidae) Synonym(s): *quadrinaculella* Boheman, 1851
- 41366) *Ectoedemia* (*Etainia*) *albimbimaculella* (Larsen, 1927) (Nepticulidae) Synonym(s): *albimbimaculella* Larsen, 1927
- 41367) *Ectoedemia* (*Etainia*) *biarmata* (Puplesis, 1994) (Nepticulidae) Synonym(s): *biarmata* Puplesis, 1994
- 41368) *Ectoedemia* (*Etainia*) *decentella* (Herrich-Schäffer, 1855) (Nepticulidae) Synonym(s): *decentella* Herrich-Schäffer, 1855
- 41369) *Ectoedemia* (*Etainia*) *leptognathos* (Puplesis & Diskus, 1996) (Nepticulidae) Synonym(s): *leptognathos* Puplesis & Diskus, 1996
- 41370) *Ectoedemia* (*Etainia*) *louisella* (Sircom, 1849) (Nepticulidae) Synonym(s): *louisella* Sircom, 1849
- 41371) *Ectoedemia* (*Etainia*) *obtusa* (Puplesis & Diskus, 1996) (Nepticulidae) Synonym(s): *obtusa* Puplesis & Diskus, 1996
- 41372) *Ectoedemia* (*Etainia*) *sericopeza* (Zeller, 1839) (Nepticulidae) Synonym(s): *sericopeza* Zeller, 1839
- 41373) *Ectoedemia* (*Fomoria*) *alexandria* Scoble, 1983 (Nepticulidae) Synonym(s): *alexandria* Scoble, 1983
- 41374) *Ectoedemia* (*Fomoria*) *deschkai* (Klimesch, 1978) (Nepticulidae) Synonym(s): *deschkai* Klimesch, 1978
- 41375) *Ectoedemia* (*Fomoria*) *euphorbiella* (Stainton, 1869) (Nepticulidae) Synonym(s): *euphorbiella* Stainton, 1869; *tergestina* Klimesch, 1940
- 41376) *Ectoedemia* (*Fomoria*) *fuscata* (Janse, 1948) (Nepticulidae) Synonym(s): *fuscata* Janse, 1948
- 41377) *Ectoedemia* (*Fomoria*) *groschkei* (Skala, 1943) (Nepticulidae) Synonym(s): *groschkei* Skala, 1943
- 41378) *Ectoedemia* (*Fomoria*) *hobohmi* (Janse, 1948) (Nepticulidae) Synonym(s): *hobohmi* Janse, 1948
- 41379) *Ectoedemia* (*Fomoria*) *incisaevora* Scoble, 1983 (Nepticulidae) Synonym(s): *incisaevora* Scoble, 1983
- 41380) *Ectoedemia* (*Fomoria*) *indicaevora* Scoble, 1983 (Nepticulidae) Synonym(s): *indicaevora* Scoble, 1983
- 41381) *Ectoedemia* (*Fomoria*) *knysnaensis* Scoble, 1983 (Nepticulidae) Synonym(s): *knysnaensis* Scoble, 1983
- 41382) *Ectoedemia* (*Fomoria*) *leptodictyae* Scoble, 1983 (Nepticulidae) Synonym(s): *leptodictyae* Scoble, 1983
- 41383) *Ectoedemia* (*Fomoria*) *lucidae* Scoble, 1983 (Nepticulidae) Synonym(s): *lucidae* Scoble, 1983
- 41384) *Ectoedemia* (*Fomoria*) *luisae* (Klimesch, 1978) (Nepticulidae) Synonym(s): *luisae* Klimesch, 1978
- 41385) *Ectoedemia* (*Fomoria*) *malenanensis* Scoble, 1983 (Nepticulidae) Synonym(s): *malenanensis* Scoble, 1983
- 41386) *Ectoedemia* (*Fomoria*) *myrtinaecola* Scoble, 1983 (Nepticulidae) Synonym(s): *myrtinaecola* Scoble, 1983
- 41387) *Ectoedemia* (*Fomoria*) *oleivora* (Vari, 1955) (Nepticulidae) Synonym(s): *oleivora* Vari, 1955
- 41388) *Ectoedemia* (*Fomoria*) *pappeivora* (Vari, 1963) (Nepticulidae) Synonym(s): *pappeivora* Vari, 1963
- 41389) *Ectoedemia* (*Fomoria*) *portensis* Scoble, 1983 (Nepticulidae) Synonym(s): *portensis* Scoble, 1983

- 41390) Ectoedemia (Fomoria) *septembrella* (Stainton,1849) (Nepticulidae) Synonym(s): *septembrella* Stainton,1849
 41391) Ectoedemia (Fomoria) *tecomariae* (Vari,1955) (Nepticulidae) Synonym(s): *tecomariae* Vari,1955
 41392) Ectoedemia (Fomoria) *thermae* Scoble,1983 (Nepticulidae) Synonym(s): *thermae* Scoble,1983
 41393) Ectoedemia (Fomoria) *vannifera* (Meyrick,1914) (Nepticulidae) Synonym(s): *vannifera* Meyrick,1914
 41394) Ectoedemia (Fomoria) *viridissimella* (Caradja,1920) (Nepticulidae) Synonym(s): *viridissimella* Caradja,1920
 41395) Ectoedemia (Fomoria) *weaveri* (Stainton,1855) (Nepticulidae) Synonym(s): *weaveri* Stainton,1855
 41396) Ectoedemia (Muhabbetana) *bicarina* Scoble,1983 (Nepticulidae) Synonym(s): *bicarina* Scoble,1983
 41397) Ectoedemia (Muhabbetana) *capensis* Scoble,1983 (Nepticulidae) Synonym(s): *capensis* Scoble,1983
 41398) Ectoedemia (Muhabbetana) *craspedota* (Vari,1963) (Nepticulidae) Synonym(s): *craspedota* Vari,1963
 41399) Ectoedemia (Muhabbetana) *crispae* Scoble,1983 (Nepticulidae) Synonym(s): *crispae* Scoble,1983
 41400) Ectoedemia (Muhabbetana) *denticulata* Scoble,1983 (Nepticulidae) Synonym(s): *denticulata* Scoble,1983
 41401) Ectoedemia (Muhabbetana) *digitata* Scoble,1983 (Nepticulidae) Synonym(s): *digitata* Scoble,1983
 41402) Ectoedemia (Muhabbetana) *furcella* Scoble,1983 (Nepticulidae) Synonym(s): *furcella* Scoble,1983
 41403) Ectoedemia (Muhabbetana) *grandinosa* (Meyrick,1911) (Nepticulidae) Synonym(s): *grandinosa* Meyrick,1911
 41404) Ectoedemia (Muhabbetana) *guerikae* Scoble,1983 (Nepticulidae) Synonym(s): *guerikae* Scoble,1983
 41405) Ectoedemia (Muhabbetana) *gymnosporiae* (Vari,1955) (Nepticulidae) Synonym(s): *gymnosporiae* Vari,1955
 41406) Ectoedemia (Muhabbetana) *jupiteri* Scoble,1983 (Nepticulidae) Synonym(s): *jupiteri* Scoble,1983
 41407) Ectoedemia (Muhabbetana) *kowynensis* Scoble,1983 (Nepticulidae) Synonym(s): *kowynensis* Scoble,1983
 41408) Ectoedemia (Muhabbetana) *limburgensis* Scoble,1983 (Nepticulidae) Synonym(s): *limburgensis* Scoble,1983
 41409) Ectoedemia (Muhabbetana) *macrochaeta* (Meyrick,1921) (Nepticulidae) Synonym(s): *macrochaeta* Meyrick,1921
 41410) Ectoedemia (Muhabbetana) *maritima* Scoble,1983 (Nepticulidae) Synonym(s): *maritima* Scoble,1983
 41411) Ectoedemia (Muhabbetana) *nigrisquama* Scoble,1983 (Nepticulidae) Synonym(s): *nigrisquama* Scoble,1983
 41412) Ectoedemia (Muhabbetana) *nylstromensis* Scoble,1983 (Nepticulidae) Synonym(s): *nylstromensis* Scoble,1983
 41413) Ectoedemia (Muhabbetana) *psarodes* (Vari,1963) (Nepticulidae) Synonym(s): *psarodes* Vari,1963
 41414) Ectoedemia (Muhabbetana) *rhabdophora* Scoble,1983 (Nepticulidae) Synonym(s): *rhabdophora* Scoble,1983
 41415) Ectoedemia (Muhabbetana) *royenicola* (Vari,1955) (Nepticulidae) Synonym(s): *royenicola* Vari,1955
 41416) Ectoedemia (Muhabbetana) *scabridae* Scoble,1983 (Nepticulidae) Synonym(s): *scabridae* Scoble,1983
 41417) Ectoedemia (Muhabbetana) *simicola* Scoble,1983 (Nepticulidae) Synonym(s): *simicola* Scoble,1983
 41418) Ectoedemia (Muhabbetana) *stimulata* (Meyrick,1913) (Nepticulidae) Synonym(s): *stimulata* Meyrick,1913
 41419) Ectoedemia (Muhabbetana) *subnitescens* (Meyrick,1937) (Nepticulidae) Synonym(s): *subnitescens* Meyrick,1937
 41420) Ectoedemia (Muhabbetana) *tergestina* (Klimesch,1940) (Nepticulidae) Synonym(s): *tergestina* Klimesch,1940
 41421) Ectoedemia (Muhabbetana) *umdoniella* Scoble,1983 (Nepticulidae) Synonym(s): *umdoniella* Scoble,1983
 41422) Ectoedemia (Muhabbetana) *undatae* Scoble,1983 (Nepticulidae) Synonym(s): *undatae* Scoble,1983
 41423) Ectoedemia (Muhabbetana) *vincamajorella* (Hartig,1964) (Nepticulidae) Synonym(s): *vincamajorella* Hartig,1964
 41424) Ectoedemia (Muhabbetana) *wilkinsoni* Scoble,1983 (Nepticulidae) Synonym(s): *wilkinsoni* Scoble,1983
 41425) Ectoedemia (Zimmermannia) *amani* Svensson,1966 (Nepticulidae) Synonym(s): *amani* Svensson,1966
 41426) Ectoedemia (Zimmermannia) *atrifrontella* (Stainton,1851) (Nepticulidae) Synonym(s): *atrifrontella* Stainton,1851
 41427) Ectoedemia (Zimmermannia) *hispanica* Van Nieukerken,1985 (Nepticulidae) Synonym(s): *hispanica* Van Nieukerken,1985
 41428) Ectoedemia (Zimmermannia) *liebwerdella* (Zimmermann,1940) (Nepticulidae) Synonym(s): *liebwerdella* Zimmermann,1940
 41429) Ectoedemia (Zimmermannia) *liguricella* Klimesch,1953 (Nepticulidae) Synonym(s): *liguricella* Klimesch,1953
 41430) Ectoedemia (Zimmermannia) *longicaudella* Klimesch,1953 (Nepticulidae) Synonym(s): *longicaudella* Klimesch,1953
 41431) Ectoedemia (Zimmermannia) *monemvasiae* Van Nieukerken,1985 (Nepticulidae) Synonym(s): *monemvasiae* Van Nieukerken,1985
 41432) Ectoedemia (s.str.) *aegilopidella* (Klimesch,1978) (Nepticulidae) Synonym(s): *aegilopidella* Klimesch,1978
 41433) Ectoedemia (s.str.) *agrimoniae* (Frey,1858) (Nepticulidae) Synonym(s): *agrimoniae* Frey,1858
 41434) Ectoedemia (s.str.) *albifasciella* (Heinemann,1871) (Nepticulidae) Synonym(s): *albifasciella* Heinemann,1871
 41435) Ectoedemia (s.str.) *algeriensis* Van Nieukerken,1985 (Nepticulidae) Synonym(s): *algeriensis* Van Nieukerken,1985
 41436) Ectoedemia (s.str.) *alnifoliae* Van Nieukerken,1985 (Nepticulidae) Synonym(s): *alnifoliae* Van Nieukerken,1985
 41437) Ectoedemia (s.str.) *andalusiae* Van Nieukerken,1985 (Nepticulidae) Synonym(s): *andalusiae* Van Nieukerken,1985
 41438) Ectoedemia (s.str.) *angulifasciella* (Stainton,1849) (Nepticulidae) Synonym(s): *angulifasciella* Stainton,1849
 41439) Ectoedemia (s.str.) *arcuatella* (Herrich-Schäffer,1855) (Nepticulidae) Synonym(s): *arcuatella* Herrich-Schäffer,1855
 41440) Ectoedemia (s.str.) *argyropeza* (Zeller,1839) (Nepticulidae) Synonym(s): *argyropeza* Zeller,1839
 41441) Ectoedemia (s.str.) *atricollis* (Stainton,1857) (Nepticulidae) Synonym(s): *atricollis* Stainton,1857
 41442) Ectoedemia (s.str.) *caradjai* (Hering,1932) (Nepticulidae) Synonym(s): *caradjai* Hering,1932
 41443) Ectoedemia (s.str.) *cerris* (Zimmermann,1944) (Nepticulidae) Synonym(s): *cerris* Zimmermann,1944
 41444) Ectoedemia (s.str.) *commiphorella* Scoble,1978 (Nepticulidae) Synonym(s): *commiphorella* Scoble,1978
 41445) Ectoedemia (s.str.) *contorta* Van Nieukerken,1985 (Nepticulidae) Synonym(s): *contorta* Van Nieukerken,1985
 41446) Ectoedemia (s.str.) *erythrogea* (De Joannis,1908) (Nepticulidae) Synonym(s): *erythrogea* De Joannis,1908
 41447) Ectoedemia (s.str.) *gilvipennella* (Klimesch,1946) (Nepticulidae) Synonym(s): *gilvipennella* Klimesch,1946
 41448) Ectoedemia (s.str.) *hannoverella* (Glitz,1872) (Nepticulidae) Synonym(s): *hannoverella* Glitz,1872
 41449) Ectoedemia (s.str.) *haraldi* (Soffner,1942) (Nepticulidae) Synonym(s): *haraldi* Soffner,1942
 41450) Ectoedemia (s.str.) *heringella* (Mariani,1939) (Nepticulidae) Synonym(s): *heringella* Mariani,1939
 41451) Ectoedemia (s.str.) *heringi* (Toll,1934) (Nepticulidae) Synonym(s): *heringi* Toll,1934
 41452) Ectoedemia (s.str.) *hexapetalae* (Szöcs,1957) (Nepticulidae) Synonym(s): *hexapetalae* Szöcs,1957
 41453) Ectoedemia (s.str.) *ilicis* (Mendes,1910) (Nepticulidae) Synonym(s): *ilicis* Mendes,1910
 41454) Ectoedemia (s.str.) *intimella* (Zeller,1848) (Nepticulidae) Synonym(s): *intimella* Zeller,1848
 41455) Ectoedemia (s.str.) *klimeschi* (Skala,1933) (Nepticulidae) Synonym(s): *klimeschi* Skala,1933
 41456) Ectoedemia (s.str.) *leucothorax* Van Nieukerken,1985 (Nepticulidae) Synonym(s): *leucothorax* Van Nieukerken,1985
 41457) Ectoedemia (s.str.) *liechtensteini* (Zimmermann,1944) (Nepticulidae) Synonym(s): *liechtensteini* Zimmermann,1944
 41458) Ectoedemia (s.str.) *mahalebella* (Klimesch,1936) (Nepticulidae) Synonym(s): *mahalebella* Klimesch,1936
 41459) Ectoedemia (s.str.) *mauni* Scoble,1979 (Nepticulidae) Synonym(s): *mauni* Scoble,1979
 41460) Ectoedemia (s.str.) *minimella* (Zetterstedt,1839) (Nepticulidae) Synonym(s): *minimella* Zetterstedt,1839
 41461) Ectoedemia (s.str.) *nigrimacula* (Janse,1948) (Nepticulidae) Synonym(s): *nigrimacula* Janse,1948
 41462) Ectoedemia (s.str.) *occultella* (Linnaeus,1767) (Nepticulidae) Synonym(s): *occultella* Linnaeus,1767; *flexuosella* Fologne,1861
 41463) Ectoedemia (s.str.) *phyllostomella* (Klimesch,1946) (Nepticulidae) Synonym(s): *phyllostomella* Klimesch,1946
 41464) Ectoedemia (s.str.) *preisseckeri* (Klimesch,1941) (Nepticulidae) Synonym(s): *preisseckeri* Klimesch,1941
 41465) Ectoedemia (s.str.) *primaria* (Meyrick,1913) (Nepticulidae) Synonym(s): *primaria* Meyrick,1913
 41466) Ectoedemia (s.str.) *pubescivora* (Weber,1937) (Nepticulidae) Synonym(s): *pubescivora* Weber,1937
 41467) Ectoedemia (s.str.) *quinquella* (Bedell,1848) (Nepticulidae) Synonym(s): *quinquella* Bedell,1848
 41468) Ectoedemia (s.str.) *rubivora* (Wocke,1860) (Nepticulidae) Synonym(s): *rubivora* Wocke,1860
 41469) Ectoedemia (s.str.) *rufifrontella* (Caradja,1920) (Nepticulidae) Synonym(s): *rufifrontella* Caradja,1920; *nigrosarsella* Klimesch,1940
 41470) Ectoedemia (s.str.) *similigneae* Puplensis,1994 (Nepticulidae) Synonym(s): *similigneae* Puplensis,1994
 41471) Ectoedemia (s.str.) *spinosella* (Joannis,1908) (Nepticulidae) Synonym(s): *spinosella* Joannis,1908
 41472) Ectoedemia (s.str.) *spiraeae* Gregor & Povolny,1983 (Nepticulidae) Synonym(s): *spiraeae* Gregor & Povolny,1983
 41473) Ectoedemia (s.str.) *subbimaculella* (Haworth,1828) (Nepticulidae) Synonym(s): *subbimaculella* Haworth,1828; *bistriculella* Heyden,1861
 41474) Ectoedemia (s.str.) *suberis* (Stainton,1869) (Nepticulidae) Synonym(s): *suberis* Stainton,1869
 41475) Ectoedemia (s.str.) *terebinthivora* (Klimesch,1975) (Nepticulidae) Synonym(s): *terebinthivora* Klimesch,1975
 41476) Ectoedemia (s.str.) *turbidella* (Zeller,1848) (Nepticulidae) Synonym(s): *turbidella* Zeller,1848
 41477) Ectoedemia (s.str.) *acetosae* (Stainton,1854) (Nepticulidae) Synonym(s): *acetosae* Stainton,1854
 41478) Ectoedemia (s.str.) *basidactyla* (Davis,1978) (Nepticulidae) Synonym(s): *basidactyla* Davis,1978
 41479) Ectoedemia (s.str.) *cyanochlora* (Meyrick,1915) (Nepticulidae) Synonym(s): *cyanochlora* Meyrick,1915

- 41480) *Enteucha gilvafascia* (Davis,1978) (Nepticulidae) Synonym(s): *gilvafascia* Davis,1978
 41481) *Enteucha* sp.n. (Nepticulidae) Synonym(s):
 41482) *Enteucha* sp.n. (Nepticulidae) Synonym(s):
 41483) *Etainia crypsixantha* (Meyrick,1918) (Nepticulidae) Synonym(s): *crypsixantha* Meyrick,1918
 41484) *Etainia kruegerensis* (Scoble,1983) (Nepticulidae) Synonym(s): *kruegerensis* Scoble,1983
 41485) *Etainia nigricapitella* (Janse,1948) (Nepticulidae) Synonym(s): *nigricapitella* Janse,1948
 41486) *Etainia zimbabwiensis* (Scoble,1983) (Nepticulidae) Synonym(s): *zimbabwiensis* Scoble,1983
 41487) *Parafomoria cistivora* (Peyerimhoff,1871) (Nepticulidae) Synonym(s): *cistivora* Peyerimhoff,1871
 41488) *Parafomoria halimivora* Van Nieukerken,1985 (Nepticulidae) Synonym(s): *halimivora* Van Nieukerken,1985
 41489) *Parafomoria helianthemella* (Herrich-Schäffer,1860) (Nepticulidae) Synonym(s): *helianthemella* Herrich-Schäffer,1860
 41490) *Parafomoria ladaniphila* (Mendes,1910) (Nepticulidae) Synonym(s): *ladaniphila* Mendes,1910
 41491) *Parafomoria liguricella* (Klimesch,1946) (Nepticulidae) Synonym(s): *liguricella* Klimesch,1946
 41492) *Parafomoria pseudocistivora* Van Nieukerken,1983 (Nepticulidae) Synonym(s): *pseudocistivora* Van Nieukerken,1983
 41493) *Simplimorpha lanceifoliella* (Vari,1955) (Nepticulidae) Synonym(s): *lanceifoliella* Vari,1955
 41494) *Simplimorpha promissa* (Staudinger,1871) (Nepticulidae) Synonym(s): *promissa* Staudinger,1871
 41495) *Stigmella abutilonica* Scoble,1978 (Nepticulidae) Synonym(s): *abutilonica* Scoble,1978
 41496) *Stigmella aceris* (Frey,1857) (Nepticulidae) Synonym(s): *aceris* Frey,1857; *penicillata* Heinemann & Wocke,1877
 41497) *Stigmella aeneofasciella* (Herrich-Schäffer,1855) (Nepticulidae) Synonym(s): *aeneofasciella* Herrich-Schäffer,1855
 41498) *Stigmella alaternella* (Le Marchand,1937) (Nepticulidae) Synonym(s): *alaternella* Le Marchand,1937
 41499) *Stigmella alicia* (Meyrick,1928) (Nepticulidae) Synonym(s): *alicia* Meyrick,1928
 41500) *Stigmella allophylica* Scoble,1978 (Nepticulidae) Synonym(s): *allophylica* Scoble,1978
 41501) *Stigmella alnetella* (Stainton,1856) (Nepticulidae) Synonym(s): *alnetella* Stainton,1856
 41502) *Stigmella ampullata* Scoble,1978 (Nepticulidae) Synonym(s): *ampullata* Scoble,1978
 41503) *Stigmella amygdali* (Klimesch,1978) (Nepticulidae) Synonym(s): *amygdali* Klimesch,1978
 41504) *Stigmella androflava* Scoble,1978 (Nepticulidae) Synonym(s): *androflava* Scoble,1978
 41505) *Stigmella angustivalva* Scoble,1978 (Nepticulidae) Synonym(s): *angustivalva* Scoble,1978
 41506) *Stigmella anomalella* (Goeze,1783) (Nepticulidae) Synonym(s): *anomalella* Goeze,1783; *rubicurrens* Walsingham,1907; *rosarum* Sorhagen,1922; *helbigi* Hartig,1941
 41507) *Stigmella assimilella* (Zeller,1848) (Nepticulidae) Synonym(s): *assimilella* Zeller,1848
 41508) *Stigmella atricapitella* (Haworth,1828) (Nepticulidae) Synonym(s): *atricapitella* Haworth,1828; *discrepans* Sorhagen,1922
 41509) *Stigmella aurella* (Fabricius,1775) (Nepticulidae) Synonym(s): *aurella* Fabricius,1775
 41510) *Stigmella auromarginella* (Richardson,1890) (Nepticulidae) Synonym(s): *auromarginella* Richardson,1890
 41511) *Stigmella aurora* Puplesis,1984 (Nepticulidae) Synonym(s): *aurora* Puplesis,1984
 41512) *Stigmella azaroli* (Klimesch,1978) (Nepticulidae) Synonym(s): *azaroli* Klimesch,1978
 41513) *Stigmella basiguttella* (Heinemann,1862) (Nepticulidae) Synonym(s): *basiguttella* Heinemann,1862
 41514) *Stigmella benanderella* (Wolff,1955) (Nepticulidae) Synonym(s): *benanderella* Wolff,1955
 41515) *Stigmella betulicola* (Stainton,1856) (Nepticulidae) Synonym(s): *betulicola* Stainton,1856
 41516) *Stigmella bicuspidata* Nieukerken & Johansson,2003 (Nepticulidae) Synonym(s): *bicuspidata* Nieukerken & Johansson,2003
 41517) *Stigmella caliginosa* (Meyrick,1921) (Nepticulidae) Synonym(s): *caliginosa* Meyrick,1921
 41518) *Stigmella carpinella* (Heinemann,1862) (Nepticulidae) Synonym(s): *carpinella* Heinemann,1862
 41519) *Stigmella catharticella* (Stainton,1853) (Nepticulidae) Synonym(s): *catharticella* Stainton,1853
 41520) *Stigmella celtifoliella* Vari,1955 (Nepticulidae) Synonym(s): *celtifoliella* Vari,1955
 41521) *Stigmella centifoliella* (Zeller,1848) (Nepticulidae) Synonym(s): *centifoliella* Zeller,1848
 41522) *Stigmella charistis* Vari,1963 (Nepticulidae) Synonym(s): *charistis* Vari,1963
 41523) *Stigmella cocciferae* Nieukerken & Johansson,2003 (Nepticulidae) Synonym(s): *cocciferae* Nieukerken & Johansson,2003
 41524) *Stigmella confinalis* Scoble,1978 (Nepticulidae) Synonym(s): *confinalis* Scoble,1978
 41525) *Stigmella confusella* (Wood & Walsingham,1894) (Nepticulidae) Synonym(s): *confusella* Wood & Walsingham,1894
 41526) *Stigmella continuella* (Stainton,1856) (Nepticulidae) Synonym(s): *continuella* Stainton,1856
 41527) *Stigmella crataegella* (Klimesch,1936) (Nepticulidae) Synonym(s): *crataegella* Klimesch,1936
 41528) *Stigmella crenulatae* (Klimesch,1975) (Nepticulidae) Synonym(s): *crenulatae* Klimesch,1975
 41529) *Stigmella crotonica* Scoble,1978 (Nepticulidae) Synonym(s): *crotonica* Scoble,1978
 41530) *Stigmella desperatella* (Frey,1856) (Nepticulidae) Synonym(s): *desperatella* Frey,1856
 41531) *Stigmella diniensis* (Klimesch,1975) (Nepticulidae) Synonym(s): *diniensis* Klimesch,1975
 41532) *Stigmella divina* Puplesis, Diskus & Van Nieukerken,1997 (Nepticulidae) Synonym(s): *divina* Puplesis, Diskus & Van Nieukerken,1997
 41533) *Stigmella dombeyivora* Scoble,1978 (Nepticulidae) Synonym(s): *dombeyivora* Scoble,1978
 41534) *Stigmella dorsiguttella* (Johansson,1971) (Nepticulidae) Synonym(s): *dorsiguttella* Johansson,1971
 41535) *Stigmella dryadella* (Hofmann,1868) (Nepticulidae) Synonym(s): *dryadella* Hofmann,1868
 41536) *Stigmella eberhardi* (Johansson,1971) (Nepticulidae) Synonym(s): *eberhardi* Johansson,1971
 41537) *Stigmella fagella* Heinemann,1862 (Nepticulidae) Synonym(s): *fagella* Heinemann,1862
 41538) *Stigmella fasciata* Nieukerken & Johansson,2003 (Nepticulidae) Synonym(s): *fasciata* Nieukerken & Johansson,2003
 41539) *Stigmella filipendulae* (Wocke,1871) (Nepticulidae) Synonym(s): *filipendulae* Wocke,1871
 41540) *Stigmella floslactella* (Haworth,1828) (Nepticulidae) Synonym(s): *floslactella* Haworth,1828; *saxatilella* Grönlien,1932
 41541) *Stigmella fluida* (Meyrick,1911) (Nepticulidae) Synonym(s): *fluida* Meyrick,1911
 41542) *Stigmella freyella* (Heyden,1858) (Nepticulidae) Synonym(s): *freyella* Heyden,1858
 41543) *Stigmella galactacma* (Meyrick,1924) (Nepticulidae) Synonym(s): *galactacma* Meyrick,1924
 41544) *Stigmella geimontani* (Klimesch,1940) (Nepticulidae) Synonym(s): *geimontani* Klimesch,1940
 41545) *Stigmella generalis* Scoble,1978 (Nepticulidae) Synonym(s): *generalis* Scoble,1978
 41546) *Stigmella geranica* Scoble,1978 (Nepticulidae) Synonym(s): *geranica* Scoble,1978
 41547) *Stigmella glutinosae* (Stainton,1858) (Nepticulidae) Synonym(s): *glutinosae* Stainton,1858; *glutinosella* Doubleday,1859; *distinguenda* Heinemann,1862; *rubescens* Heinemann,1871
 41548) *Stigmella greviae* Scoble,1978 (Nepticulidae) Synonym(s): *greviae* Scoble,1978
 41549) *Stigmella hahniella* (Wörtz,1890) (Nepticulidae) Synonym(s): *hahniella* Wörtz,1890
 41550) *Stigmella hemargyrella* (Kollar,1832) (Nepticulidae) Synonym(s): *hemargyrella* Kollar,1832; *basalella* Herrich-Schäffer,1855; *fagella* Herrich-Schäffer,1855; *fagi* Frey,1856; *nobilella* Heinemann & Wocke,1876; *fulgens* Stainton,1888
 41551) *Stigmella hortorum* Scoble,1978 (Nepticulidae) Synonym(s): *hortorum* Scoble,1978
 41552) *Stigmella hybnerella* (Hübner,1813) (Nepticulidae) Synonym(s): *hybnerella* Hübner,1813
 41553) *Stigmella ilicifoliella* (Mendes,1918) (Nepticulidae) Synonym(s): *ilicifoliella* Mendes,1918; *nigra* Dufrane,1955
 41554) *Stigmella incognitella* (Herrich-Schäffer,1855) (Nepticulidae) Synonym(s): *incognitella* Herrich-Schäffer,1855
 41555) *Stigmella ingens* (Meyrick,1913) (Nepticulidae) Synonym(s): *ingens* Meyrick,1913
 41556) *Stigmella inopinata* A.Lastuvka & Z.Lastuvka,1991 (Nepticulidae) Synonym(s): *inopinata* A.Lastuvka & Z.Lastuvka,1991
 41557) *Stigmella irregularis* Puplesis,1994 (Nepticulidae) Synonym(s): *irregularis* Puplesis,1994
 41558) *Stigmella irrorata* (Janse,1948) (Nepticulidae) Synonym(s): *irrorata* Janse,1948
 41559) *Stigmella juryi* Puplesis,1991 (Nepticulidae) Synonym(s): *juryi* Puplesis,1991
 41560) *Stigmella karsholti* Nieukerken & Johansson,2003 (Nepticulidae) Synonym(s): *karsholti* Nieukerken & Johansson,2003
 41561) *Stigmella kasyi* Nieukerken & Johansson,2003 (Nepticulidae) Synonym(s): *kasyi* Nieukerken & Johansson,2003
 41562) *Stigmella kazakhstanica* Puplesis,1991 (Nepticulidae) Synonym(s): *kazakhstanica* Puplesis,1991
 41563) *Stigmella kruegeri* Vari,1963 (Nepticulidae) Synonym(s): *kruegeri* Vari,1963
 41564) *Stigmella lapponica* (Wocke,1862) (Nepticulidae) Synonym(s): *lapponica* Wocke,1862; *lapponicella* Porritt,1883; *husatica* Schütze,1904; *vossensis* Grönlien,1928
 41565) *Stigmella lediella* (Schleich,1867) (Nepticulidae) Synonym(s): *lediella* Schleich,1867

- 41566) *Stigmella lemniscella* (Zeller,1839) (Nepticulidae) Synonym(s): *lemniscella* Zeller,1839; *marginicolella* Stainton,1853; *suberosella* Toll,1934; *#fulvomaculata* Skala,1936
- 41567) *Stigmella letabensis* Scoble,1978 (Nepticulidae) Synonym(s): *letabensis* Scoble,1978
- 41568) *Stigmella liota* Vari,1963 (Nepticulidae) Synonym(s): *liota* Vari,1963
- 41569) *Stigmella lonicerarum* (Frey,1856) (Nepticulidae) Synonym(s): *lonicerarum* Frey,1856
- 41570) *Stigmella luteella* (Stainton,1857) (Nepticulidae) Synonym(s): *luteella* Stainton,1857
- 41571) *Stigmella macrolepidella* (Klimesch,1978) (Nepticulidae) Synonym(s): *macrolepidella* Klimesch,1978
- 41572) *Stigmella magdalenae* (Klimesch,1950) (Nepticulidae) Synonym(s): *magdalenae* Klimesch,1950
- 41573) *Stigmella malella* (Stainton,1854) (Nepticulidae) Synonym(s): *malella* Stainton,1854; *angustella* Heinemann & Wocke,[1876]; *nigrobrunella* Groschke,1939
- 41574) *Stigmella mespilicola* (Frey,1856) (Nepticulidae) Synonym(s): *mespilicola* Frey,1856; *ariella* Herrich-Schäffer,1860
- 41575) *Stigmella microtheriella* (Stainton,1854) (Nepticulidae) Synonym(s): *microtheriella* Stainton,1854
- 41576) *Stigmella minusculella* (Herrich-Schäffer,1855) (Nepticulidae) Synonym(s): *minusculella* Herrich-Schäffer,1855; *stettinensis* Heinemann,1871; *chalybeia* Braun,1914; *embonella* Klimesch,1978
- 41577) *Stigmella minusculella* Herrich-Schäffer,[1855] (Nepticulidae) Synonym(s): *minusculella* Herrich-Schäffer,[1855]
- 41578) *Stigmella muricatella* Klimesch,1978 (Nepticulidae) Synonym(s): *muricatella* Klimesch,1978
- 41579) *Stigmella myrtilella* (Stainton,1857) (Nepticulidae) Synonym(s): *myrtilella* Stainton,1857
- 41580) *Stigmella naturnella* (Klimesch,1936) (Nepticulidae) Synonym(s): *naturnella* Klimesch,1936
- 41581) *Stigmella nigrata* (Meyrick,1913) (Nepticulidae) Synonym(s): *nigrata* Meyrick,1913
- 41582) *Stigmella nivenburgensis* (Preissecker,1942) (Nepticulidae) Synonym(s): *nivenburgensis* Preissecker,1942
- 41583) *Stigmella nylandriella* (Tengström,1848) (Nepticulidae) Synonym(s): *nylandriella* Tengström,1848; *aucupariae* Frey,1857; *aucupariella* Herrich-Schäffer,1862
- 41584) *Stigmella obliquella* (Heinemann,1862) (Nepticulidae) Synonym(s): *obliquella* Heinemann,1862; *wockeella* Heinemann,1871; *diversa* Glitz,1872; *babylonicae* Hartig,1942
- 41585) *Stigmella oxyacanthella* (Stainton,1854) (Nepticulidae) Synonym(s): *oxyacanthella* Stainton,1854
- 41586) *Stigmella paliurella* (Klimesch,1940) (Nepticulidae) Synonym(s): *paliurella* Klimesch,1940
- 41587) *Stigmella pallidiciliella* Klimesch,1946 (Nepticulidae) Synonym(s): *pallidiciliella* Klimesch,1946
- 41588) *Stigmella panconista* (Meyrick,1920) (Nepticulidae) Synonym(s): *panconista* Meyrick,1920
- 41589) *Stigmella paradoxa* (Frey,1858) (Nepticulidae) Synonym(s): *paradoxa* Frey,1858
- 41590) *Stigmella parinarella* Vari,1955 (Nepticulidae) Synonym(s): *parinarella* Vari,1955
- 41591) *Stigmella perplexa* (Janse,1948) (Nepticulidae) Synonym(s): *perplexa* Janse,1948
- 41592) *Stigmella perpygmaeella* (Doubleday,1859) (Nepticulidae) Synonym(s): *pygmaeella* Haworth,1828 *nec* [Denis & Schiff.],1775; *perpygmaeella* Doubleday,1859
- 41593) *Stigmella plagiolella* (Stainton,1854) (Nepticulidae) Synonym(s): *plagiolella* Stainton,1854
- 41594) *Stigmella platyzona* Vari,1963 (Nepticulidae) Synonym(s): *platyzona* Vari,1963
- 41595) *Stigmella porphyreuta* (Meyrick,1917) (Nepticulidae) Synonym(s): *porphyreuta* Meyrick,1917
- 41596) *Stigmella poterii* (Stainton,1857) (Nepticulidae) Synonym(s): *poterii* Stainton,1857; *poteriella* Doubleday,1859; *comari* Wocke,1862; *geminella* Frey,1870; *palustrella* Frey,1870; *tengstroemi* Nolcken,1871; *occultella* Heinemann,1871; *potentillae* Glitz,1872; *diffinis* Wocke,1874; *serella* Stainton,1888; *elisabethella* Szöcs,1957
- 41597) *Stigmella potgieteri* Scoble,1978 (Nepticulidae) Synonym(s): *potgieteri* Scoble,1978
- 41598) *Stigmella pretiosa* (Heinemann,1862) (Nepticulidae) Synonym(s): *pretiosa* Heinemann,1862
- 41599) *Stigmella pretoriata* Scoble,1978 (Nepticulidae) Synonym(s): *pretoriata* Scoble,1978
- 41600) *Stigmella protosema* (Meyrick,1921) (Nepticulidae) Synonym(s): *protosema* Meyrick,1921
- 41601) *Stigmella prunetorum* (Stainton,1855) (Nepticulidae) Synonym(s): *prunetorum* Stainton,1855; *dimidiatella* Herrich-Schäffer,1855; *perpusillella* Herrich-Schäffer,1855; *prunetella* Doubleday,1859; *ligustrella* Rössler,1866; *punctella* Threfall,1884.
- 41602) *Stigmella pyrellicola* Klimesch,1978 (Nepticulidae) Synonym(s): *pyrellicola* Klimesch,1978
- 41603) *Stigmella pyri* (Glitz,1865) (Nepticulidae) Synonym(s): *pyri* Glitz,1865
- 41604) *Stigmella regiella* (Herrich-Schäffer,1855) (Nepticulidae) Synonym(s): *regiella* Herrich-Schäffer,1855; *#corvimontana* Hering,1935
- 41605) *Stigmella rhamnella* (Herrich-Schäffer,1860) (Nepticulidae) Synonym(s): *rhamnella* Herrich-Schäffer,1860
- 41606) *Stigmella rhamnophila* (Amsel,1934) (Nepticulidae) Synonym(s): *rhamnophila* Amsel,1934
- 41607) *Stigmella rhynchosiella* Vari,1955 (Nepticulidae) Synonym(s): *rhynchosiella* Vari,1955
- 41608) *Stigmella roborella* (Johansson,1971) (Nepticulidae) Synonym(s): *roborella* Johansson,1971
- 41609) *Stigmella rolandi* Nieukerken,1990 (Nepticulidae) Synonym(s): *rolandi* Nieukerken,1990
- 41610) *Stigmella ruficapitella* (Haworth,[1828]) (Nepticulidae) Synonym(s): *ruficapitella* Haworth,[1828]; ? *violacella* Haworth,[1828]; *lamprotornella* Bruand,1859
- 41611) *Stigmella sakhalinella* Puplesis,1984 (Nepticulidae) Synonym(s): *sakhalinella* Puplesis,1984; *discidia* Schoorl & Wilkinson,1986
- 41612) *Stigmella salicis* (Stainton,1854) (Nepticulidae) Synonym(s): *salicis* Stainton,1854
- 41613) *Stigmella samiatella* (Zeller,1839) (Nepticulidae) Synonym(s): *samiatella* Zeller,1839
- 41614) *Stigmella sanguisorbae* (Wocke,1865) (Nepticulidae) Synonym(s): *sanguisorbae* Wocke,1865
- 41615) *Stigmella satarensis* Scoble,1978 (Nepticulidae) Synonym(s): *satarensis* Scoble,1978
- 41616) *Stigmella sorbi* (Stainton,1861) (Nepticulidae) Synonym(s): *sorbi* Stainton,1861
- 41617) *Stigmella speciosa* (Frey,1857) (Nepticulidae) Synonym(s): *speciosa* Frey,1857; *pseudoplatanella* Weber,1937
- 41618) *Stigmella spinosissimae* (Waters,1928) (Nepticulidae) Synonym(s): *spinosissimae* Waters,1928
- 41619) *Stigmella splendidissimella* (Herrich-Schäffer,1855) (Nepticulidae) Synonym(s): *splendidissimella* Herrich-Schäffer,1855
- 41620) *Stigmella stelviana* (Weber,1938) (Nepticulidae) Synonym(s): *stelviana* Weber,1938
- 41621) *Stigmella styracolella* (Klimesch,1978) (Nepticulidae) Synonym(s): *styracolella* Klimesch,1978
- 41622) *Stigmella suberivora* (Stainton,1869) (Nepticulidae) Synonym(s): *suberivora* Stainton,1869; *aureocaputella* Millière,1870; *aureocaputella* Millière,1870; *ilicivora* Peyerimhoff,1871
- 41623) *Stigmella svenssoni* (Johansson,1971) (Nepticulidae) Synonym(s): *svenssoni* Johansson,1971
- 41624) *Stigmella szoeciella* (Borkowski,1972) (Nepticulidae) Synonym(s): *szoeciella* Borkowski,1972
- 41625) *Stigmella thuringiaca* (Petty,1904) (Nepticulidae) Synonym(s): *thuringiaca* Petty,1904
- 41626) *Stigmella tiliae* (Frey,1856) (Nepticulidae) Synonym(s): *tiliae* Frey,1856
- 41627) *Stigmella tityrella* (Stainton,1854) (Nepticulidae) Synonym(s): *tityrella* Stainton,1854; *turicella* Herrich-Schäffer,1855; *turicensis* Frey,1856; *castanella* Stainton,1859
- 41628) *Stigmella tormentillella* (Herrich-Schäffer,1860) (Nepticulidae) Synonym(s): *tormentillella* Herrich-Schäffer,1860
- 41629) *Stigmella torminalis* (Wood,1890) (Nepticulidae) Synonym(s): *torminalis* Wood,1890
- 41630) *Stigmella tragilis* Scoble,1978 (Nepticulidae) Synonym(s): *tragilis* Scoble,1978
- 41631) *Stigmella trimaculella* (Haworth,1828) (Nepticulidae) Synonym(s): *trimaculella* Haworth,1828; *rufella* Zeller,1839; *populella* Herrich-Schäffer,1855; *albicornella* Kollar,1860; *gilvella* Rössler,1866; *populicola* Sørhagen,1922; *subtrimaculella* Dufrane,1949
- 41632) *Stigmella tristis* (Wocke,1862) (Nepticulidae) Synonym(s): *tristis* Wocke,1862
- 41633) *Stigmella triumfetta* Scoble,1978 (Nepticulidae) Synonym(s): *triumfetta* Scoble,1978
- 41634) *Stigmella trojana* Z.Lastuvka & A.Lastuvka,1998 (Nepticulidae) Synonym(s): *trojana* Z.Lastuvka & A.Lastuvka,1998
- 41635) *Stigmella ulmariae* (Wocke,1879) (Nepticulidae) Synonym(s): *ulmariae* Wocke,1879
- 41636) *Stigmella ulmiphaga* (Preissecker,1942) (Nepticulidae) Synonym(s): *ulmiphaga* Preissecker,1942
- 41637) *Stigmella ulmivora* (Fologne,1860) (Nepticulidae) Synonym(s): *ulmivora* Fologne,1860.
- 41638) *Stigmella urbana* (Meyrick,1913) (Nepticulidae) Synonym(s): *urbica* Meyrick,1913
- 41639) *Stigmella varii* Scoble,1978 (Nepticulidae) Synonym(s): *varii* Scoble,1978
- 41640) *Stigmella vimineticola* (Frey,1856) (Nepticulidae) Synonym(s): *vimineticola* Frey,1856
- 41641) *Stigmella viscerella* (Stainton,1853) (Nepticulidae) Synonym(s): *viscerella* Stainton,1853
- 41642) *Stigmella worcesteri* Scoble,1983 (Nepticulidae) Synonym(s): *worcesteri* Scoble,1983

- 41643) *Stigmella xanthomitra* (Meyrick,1921) (Nepticulidae) Synonym(s): *xanthomitra* Meyrick,1921
 41644) *Stigmella zangherii* (Klimesch,1951) (Nepticulidae) Synonym(s): *zangherii* Klimesch,1951
 41645) *Stigmella zelleriella* (Snellen,1875) (Nepticulidae) Synonym(s): *zelleriella* Snellen,1875
 41646) *Trifurcula (Glaucolepis) albiflorella* Klimesch,1978 (Nepticulidae) Synonym(s): *albiflorella* Klimesch,1978
 41647) *Trifurcula (Glaucolepis) alypella* Klimesch,1975 (Nepticulidae) Synonym(s): *alypella* Klimesch,1975
 41648) *Trifurcula (Glaucolepis) bleonella* (Chrétien,1904) (Nepticulidae) Synonym(s): *bleonella* Chrétien,1904
 41649) *Trifurcula (Glaucolepis) bupleurella* (Chrétien,1907) (Nepticulidae) Synonym(s): *bupleurella* Chrétien,1907
 41650) *Trifurcula (Glaucolepis) globulariae* Klimesch,1975 (Nepticulidae) Synonym(s): *globulariae* Klimesch,1975
 41651) *Trifurcula (Glaucolepis) headleyella* (Stainton,1854) (Nepticulidae) Synonym(s): *headleyella* Stainton,1854; *argyrostigma* Frey,1856; *argyrostigmella* Herrich-Schäffer,1862; *dubiella* Hauder,1912; *rodella* Svensson,1982
 41652) *Trifurcula (Glaucolepis) melanoptera* van Nieukerken & Puplesis,1991 (Nepticulidae) Synonym(s): *melanoptera* van Nieukerken & Puplesis,1991
 41653) *Trifurcula (Glaucolepis) rosmarinella* (Chrétien,1914) (Nepticulidae) Synonym(s): *rosmarinella* Chrétien,1914
 41654) *Trifurcula (Glaucolepis) sanctibenedicti* Klimesch,1979 (Nepticulidae) Synonym(s): *sanctibenedicti* Klimesch,1979
 41655) *Trifurcula (Glaucolepis) satirejae* (Parenti,1963) (Nepticulidae) Synonym(s): *satirejae* Parenti,1963
 41656) *Trifurcula (Glaucolepis) stoechadella* (Klimesch,1975) (Nepticulidae) Synonym(s): *stoechadella* Klimesch,1975
 41657) *Trifurcula (Glaucolepis) teucriella* (Chrétien,1914) (Nepticulidae) Synonym(s): *teucriella* Chrétien,1914
 41658) *Trifurcula (Glaucolepis) thymi* (Szöcs,1965) (Nepticulidae) Synonym(s): *thymi* Szöcs,1965
 41659) *Trifurcula (Glaucolepis) trilobella* Klimesch,1978 (Nepticulidae) Synonym(s): *trilobella* Klimesch,1978
 41660) *Trifurcula (Levarchama) anthyllidella* Klimesch,1975 (Nepticulidae) Synonym(s): *anthyllidella* Klimesch,1975
 41661) *Trifurcula (Levarchama) cryptella* (Stainton,1856) (Nepticulidae) Synonym(s): *cryptella* Stainton,1856
 41662) *Trifurcula (Levarchama) eurema* (Tutt,1899) (Nepticulidae) Synonym(s): *eurema* Tutt,1899
 41663) *Trifurcula (Levarchama) ortneri* (Klimesch,1951) (Nepticulidae) Synonym(s): *ortneri* Klimesch,1951
 41664) *Trifurcula (s.str.) aurella* Rebel,1933 (Nepticulidae) Synonym(s): *aurella* Rebel,1933
 41665) *Trifurcula (s.str.) austriaca* van Nieukerken,1990 (Nepticulidae) Synonym(s): *austriaca* van Nieukerken,1990
 41666) *Trifurcula (s.str.) beirnei* Puplesis,1984 (Nepticulidae) Synonym(s): *beirnei* Puplesis,1984
 41667) *Trifurcula (s.str.) calycotomella* A.Lastuvka & Z.Lastuvka,1997 (Nepticulidae) Synonym(s): *calycotomella* A.Lastuvka & Z.Lastuvka,1997
 41668) *Trifurcula (s.str.) chamaecytisi* Z.Lastuvka & A.Lastuvka,1994 (Nepticulidae) Synonym(s): *chamaecytisi* Z.Lastuvka & A.Lastuvka,1994
 41669) *Trifurcula (s.str.) coronillae* Van Nieukerken,1990 (Nepticulidae) Synonym(s): *coronillae* van Nieukerken,1990
 41670) *Trifurcula (s.str.) corothammi* Lastuvka & Lastuvka,1994 (Nepticulidae) Synonym(s): *corothammi* Lastuvka & Lastuvka,1994
 41671) *Trifurcula (s.str.) iberica* Van Nieukerken,1990 (Nepticulidae) Synonym(s): *iberica* Van Nieukerken,1990
 41672) *Trifurcula (s.str.) immundella* (Zeller,1839) (Nepticulidae) Synonym(s): *immundella* Zeller,1839
 41673) *Trifurcula (s.str.) josefklimeschi* Van Nieukerken,1990 (Nepticulidae) Synonym(s): *josefklimeschi* Van Nieukerken,1990
 41674) *Trifurcula (s.str.) luteola* Van Nieukerken,1990 (Nepticulidae) Synonym(s): *luteola* Van Nieukerken,1990
 41675) *Trifurcula (s.str.) moravica* A.Lastuvka & Z.Lastuvka,1994 (Nepticulidae) Synonym(s): *moravica* A.Lastuvka & Z.Lastuvka,1994
 41676) *Trifurcula (s.str.) orientella* Klimesch,1953 (Nepticulidae) Synonym(s): *orientella* Klimesch,1953
 41677) *Trifurcula (s.str.) pallidella* (Duponchel,1843) (Nepticulidae) Synonym(s): *pallidella* Duponchel,1843
 41678) *Trifurcula (s.str.) puplesisi* Van Nieukerken,1990 (Nepticulidae) Synonym(s): *puplesisi* Van Nieukerken,1990
 41679) *Trifurcula (s.str.) serotinella* (Herrich-Schäffer,1855) (Nepticulidae) Synonym(s): *serotinella* Herrich-Schäffer,1855
 41680) *Trifurcula (s.str.) silviae* Van Nieukerken,1990 (Nepticulidae) Synonym(s): *silviae* Van Nieukerken,1990
 41681) *Trifurcula (s.str.) squamatella* Stainton,1849 (Nepticulidae) Synonym(s): *squamata* Stainton,1849; *maxima* Klimesch,1973
 41682) *Trifurcula (s.str.) subnitidella* (Duponchel,1843) (Nepticulidae) Synonym(s): *subnitidella* Duponchel,1843; *griseella* Wolff,1957
 41683) *Trifurcula (s.str.) victoris* Van Nieukerken,1990 (Nepticulidae) Synonym(s): *victoris* Van Nieukerken,1990
 41684) *Trifurcula barbertonensis* Scoble,1980 (Nepticulidae) Synonym(s): *barbertonensis* Scoble,1980
 41685) *Trifurcula pulla* Scoble,1980 (Nepticulidae) Synonym(s): *pulla* Scoble,1980
 41686) *Varius ochnicola* (Vari,1955) (Nepticulidae) Synonym(s): *ochnicola* Vari,1955
 41687) "Aquis" orbicularis (Walker,1858) (Noctuidae) Synonym(s): *orbicularis* Walker,1858; *griseinigra* Hampson,1894
 41688) "Aquila" acontoides (Walker,1862) (Noctuidae) Synonym(s): *acontoides* Walker,1862
 41689) "Aquila" seria Holloway,2003 (Noctuidae) Synonym(s): *seria* Holloway,2003
 41690) "Cirroedia" accola R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): *accola* R.Felder & Rogenhofer,1874
 41691) "Craterestra" definiens (Walker,1857) (Noctuidae) Synonym(s): *definiens* Walker,1857
 41692) "Craterestra" subvelata (Walker,1875) (Noctuidae) Synonym(s): *subvelata* Walker,1875
 41693) "Erastria" varipalpis Walker,1865 (Noctuidae) Synonym(s): *varipalpis* Walker,1865
 41694) "Gelastocera" viridimacula W.Warren,1916 (Noctuidae) Synonym(s): *viridimacula* W.Warren,1916
 41695) "Genus" herculea (Corti & Draudt,1933) (Noctuidae) Synonym(s): *herculea* Corti & Draudt,1933
 41696) "Genus" juldussi (Alpheraky,1882) (Noctuidae) Synonym(s): *juldussi* Alpheraky,1882
 41697) "Genus" lasciva (Staudinger,1888) (Noctuidae) Synonym(s): *lasciva* Staudinger,1888
 41698) "Genus" stentzi (Lederer,1853) (Noctuidae) Synonym(s): *stentzi* Lederer,1853; *triangularis* Moore,1867; *stentsi* Hampson,1903
 41699) "Giaura" leucophaea (Hampson,1905) (Noctuidae) Synonym(s): *leucophaea* Hampson,1905
 41700) "Giaura" lichenosa (Hampson,1896) (Noctuidae) Synonym(s): *lichenosa* Hampson,1896
 41701) "Giaura" multipunctata Swinhoe,1919 (Noctuidae) Synonym(s): *punctata* Swinhoe,1890 nec Luc.; *multipunctata* Swinhoe,1919
 41702) "Giaura" niveidisca (Hampson,1894) (Noctuidae) Synonym(s): *niveidisca* Hampson,1894; *triangularis* Hampson,1894
 41703) "Giaura" robusta (Moore,1888) (Noctuidae) Synonym(s): *robusta* Moore,1888
 41704) "Giaura" tortricoides (Walker,1866) (Noctuidae) Synonym(s): *tortricoides* Walker,1866; *basigerella* Walker,1866; *curvilinea* Snellen,1879; *borneonis* Gaede,1937; *ura* Gade,1937
 41705) "Hadena" bulgeri (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *bulgeri* R.Felder & Rogenhofer,1874
 41706) "Hadena" fusifasciata Walker,1865 (Noctuidae) Synonym(s): *fusifasciata* Walker,1865
 41707) "Hadena" mamestroides Walker,1865 (Noctuidae) Synonym(s): *mamestroides* Walker,1865
 41708) "Hadena" ruptilinea (Walker,1857) (Noctuidae) Synonym(s): *ruptilinea* Walker,1857
 41709) "Lycophotia" ecvinacea Hampson,1903 (Noctuidae) Synonym(s): *ecvinacea* Hampson,1903
 41710) "Lycophotia" melanephra Hampson,1909 (Noctuidae) Synonym(s): *melanephra* Hampson,1909
 41711) "Lycophotia" postventa (Geyer,1837) (Noctuidae) Synonym(s): *postventa* Geyer,1837
 41712) "Mamestra" catephiodes Walker,1865 (Noctuidae) Synonym(s): *catephiodes* Walker,1865
 41713) "Meganola" apiensis Holloway,2003 (Noctuidae) Synonym(s): *apiensis* Holloway,2003
 41714) "Meganola" basalactifera Holloway,2003 (Noctuidae) Synonym(s): *basalactifera* Holloway,2003
 41715) "Meganola" flexilineata (Wileman,1916) (Noctuidae) Synonym(s): *flexilineata* Wileman,1916
 41716) "Meganola" manoboides Holloway,2003 (Noctuidae) Synonym(s): *manoboides* Holloway,2003
 41717) "Meganola" nitidoides Holloway,2003 (Noctuidae) Synonym(s): *nitidoides* Holloway,2003
 41718) "Meganola" scriptoides Holloway,2003 (Noctuidae) Synonym(s): *scriptoides* Holloway,2003
 41719) "Meganola" triangularis (Leech,1888) (Noctuidae) Synonym(s): *triangularis* Leech,1888
 41720) "Nola" sijthoffi Van Eecke,1920 (Noctuidae) Synonym(s): *sijthoffi* Van Eecke,1920; *sumatrana* Van Eecke,1926
 41721) "Nola" wilsonae Holloway,2003 (Noctuidae) Synonym(s): *wilsonae* Holloway,2003
 41722) "Ochropleura" triangularis Moore,1867 (Noctuidae) Synonym(s): *triangularis* Moore,1867
 41723) "Ophiodes" wahlbergi Wallengren,1856 (Noctuidae) Synonym(s): *wahlbergi* Wallengren,1856
 41724) "Pardasena" verna (Hampson,1902) (Noctuidae) Synonym(s): *verna* Hampson,1902
 41725) "Perigea" bicyclata Gaede,1915 (Noctuidae) Synonym(s): *bicyclata* Gaede,1915
 41726) "Perigea" grandirena (Hampson,1902) (Noctuidae) Synonym(s): *grandirena* Hampson,1902
 41727) "Perigea" quadrimacula (Mabille,1900) (Noctuidae) Synonym(s): *quadrimacula* Mabille,1900
 41728) "Plusia" ablusa R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): *ablusa* R.Felder & Rogenhofer,1874
 41729) "Plusia" aenescens A.E.Prout,1921 (Noctuidae) Synonym(s): *aenescens* A.E.Prout,1921
 41730) "Plusia" angulum Guenée,1852 (Noctuidae) Synonym(s): *angulum* Guenée,1852

- 41731) "Plusia" *aranea* Hampson, 1909 (Noctuidae) Synonym(s): *aranea* Hampson, 1909
 41732) "Plusia" *argyrodonta* Hampson, 1910 (Noctuidae) Synonym(s): *argyrodonta* Hampson, 1910
 41733) "Plusia" *chalcedona* Hampson, 1902 (Noctuidae) Synonym(s): *chalcedona* Hampson, 1902
 41734) "Plusia" *clarki* Hampson, 1900 (Noctuidae) Synonym(s): *clarki* Hampson, 1900
 41735) "Plusia" *dalei* Wollaston, 1879 (Noctuidae) Synonym(s): *dalei* Wollaston, 1879
 41736) "Plusia" *distalagma* Hampson, 1913 (Noctuidae) Synonym(s): *distalagma* Hampson, 1913
 41737) "Plusia" *dorfmeisteri* R.Felder & Rogenhofer, 1874 (Noctuidae) Synonym(s): *dorfmeisteri* R.Felder & Rogenhofer, 1874; *siculifera* Holland, 1894; *rhodochrysa* Joannis, 1906
 41738) "Plusia" *euchroa* (Hampson, 1918) (Noctuidae) Synonym(s): *euchroa* Hampson, 1918
 41739) "Plusia" *euchroides* Carcasson, 1965 (Noctuidae) Synonym(s): *euchroides* Carcasson, 1965
 41740) "Plusia" *fracta* Walker, 1858 (Noctuidae) Synonym(s): *fracta* Walker, 1858
 41741) "Plusia" *geminipuncta* Hampson, 1902 (Noctuidae) Synonym(s): *geminipuncta* Hampson, 1902
 41742) "Plusia" *guenei* Wallengren, 1865 (Noctuidae) Synonym(s): *guenei* Wallengren, 1865
 41743) "Plusia" *lavendula* Hampson, 1902 (Noctuidae) Synonym(s): *lavendula* Hampson, 1902
 41744) "Plusia" *melanocephala* Möschler, 1883 (Noctuidae) Synonym(s): *melanocephala* Möschler, 1883
 41745) "Plusia" *phoece* Hampson, 1910 (Noctuidae) Synonym(s): *phoece* Hampson, 1910
 41746) "Plusia" *rectilinea* Wallengren, 1865 (Noctuidae) Synonym(s): *rectilinea* Wallengren, 1865
 41747) "Plusia" *roseofasciata* Carcasson, 1965 (Noctuidae) Synonym(s): *roseofasciata* Carcasson, 1965
 41748) "Plusia" *sestertia* R.Felder & Rogenhofer, 1874 (Noctuidae) Synonym(s): *sestertia* R.Felder & Rogenhofer, 1874
 41749) "Plusia" *tetrastigma* Hampson, 1910 (Noctuidae) Synonym(s): *tetrastigma* Hampson, 1910
 41750) "Plusia" *violascens* (Hampson, 1913) (Noctuidae) Synonym(s): *violascens* Hampson, 1913
 41751) "Polia" *cuprescens* Hampson, 1905 (Noctuidae) Synonym(s): *cuprescens* Hampson, 1905
 41752) "Polia" *poliastis* (Hampson, 1902) (Noctuidae) Synonym(s): *poliastis* Hampson, 1902
 41753) "Rhizotype" *palliat* W. Warren, 1914 (Noctuidae) Synonym(s): *palliat* W. Warren, 1914
 41754) "Thalpochara" *aquamilinea* R.Felder & Rogenhofer, 1874 (Noctuidae) Synonym(s): *aquamilinea* R.Felder & Rogenhofer, 1874
 41755) "Thalpochara" *caffrorum* Wallengren, 1860 (Noctuidae) Synonym(s): *caffrorum* Wallengren, 1860
 41756) "Trachea" *normalis* Hampson, 1914 (Noctuidae) Synonym(s): *normalis* Hampson, 1914
 41757) "Trachea" *oxyla* (Fawcett, 1917) (Noctuidae) Synonym(s): *oxyla* Fawcett, 1917; *lobisemastis* Hampson, 1918
 41758) "Urbona" *chlorocrota* (Hampson, 1907) (Noctuidae) Synonym(s): *chlorocrota* Hampson, 1907
 41759) *Ableptina* *nubifera* (Hampson, 1902) (Noctuidae) Synonym(s): *nubifera* Hampson, 1902
 41760) *Abrostola* *agnorista* Dufay, 1956 (Noctuidae) Synonym(s): *agnorista* Dufay, 1956
 41761) *Abrostola* *anophioides* Moore, 1882 (Noctuidae) Synonym(s): *anophioides* Moore, 1882; *crinita* Dufay, 1957
 41762) *Abrostola* *asclepiadis* (Lang, 1789) (Noctuidae) Synonym(s): *asclepiadis* [Denis & Schiffermüller], 1775; *asclepiadis* Lang, 1789.
 41763) *Abrostola* *brevipennis* (Walker, 1858) (Noctuidae) Synonym(s): *brevipennis* Walker, 1858
 41764) *Abrostola* *clarissa* (Staudinger, 1900) (Noctuidae) Synonym(s): *clarissa* Staudinger, 1900
 41765) *Abrostola* *hyrcanica* Hacker, 2002 (Noctuidae) Synonym(s): *hyrcanica* Hacker, 2002
 41766) *Abrostola* *kaszabi* Dufay, 1971 (Noctuidae) Synonym(s): *kaszabi* Dufay, 1971
 41767) *Abrostola* *oculea* Dufay, 1958 (Noctuidae) Synonym(s): *oculea* Dufay, 1958
 41768) *Abrostola* *schintlmeisteri* Behounek & L.Ronkay, 1999 (Noctuidae) Synonym(s): *schintlmeisteri* Behounek & L.Ronkay, 1999
 41769) *Abrostola* *suisharyonis* Strand, 1920 (Noctuidae) Synonym(s): *suisharyonis* Strand, 1920
 41770) *Abrostola* *suisharyonis* robertsi Dufay, 1971 (Noctuidae) Synonym(s): *robertsi* Dufay, 1971
 41771) *Abrostola* *triopis* (Hampson, 1902) (Noctuidae) Synonym(s): *triopis* Hampson, 1902
 41772) *Abrostola* *tripartita* (Hufnagel, 1766) (Noctuidae) Synonym(s): *tripartita* Hufnagel, 1766; *trigemina* Werneburg, 1864.
 41773) *Abrostola* *triplasia* (Linnaeus, 1758) (Noctuidae) Synonym(s): *triplasia* Linnaeus, 1758; *trigemina* Werneburg, 1864.
 41774) *Aburina* *coerulescens* Hampson, 1926 (Noctuidae) Synonym(s): *coerulescens* Hampson, 1926
 41775) *Aburina* *poliophaea* Hampson, 1926 (Noctuidae) Synonym(s): *poliophaea* Hampson, 1926
 41776) *Aburina* *uniformis* (Swinhoe, 1919) (Noctuidae) Synonym(s): *uniformis* Swinhoe, 1919
 41777) *Acaenica* *diaperas* Hampson, 1918 (Noctuidae) Synonym(s): *diaperas* Hampson, 1918
 41778) *Acanthodelta* *distriga* Hampson, 1908 (Noctuidae) Synonym(s): *distriga* Hampson, 1908
 41779) *Acanthofrontia* *lithosiana* Hampson, 1910 (Noctuidae) Synonym(s): *lithosiana* Hampson, 1910
 41780) *Acantholipes* *circumdata* (Walker, 1858) (Noctuidae) Synonym(s): *circumdata* Walker, 1858; *vetustalis* Walker, [1866]; *flavisigna* Moore, 1881
 41781) *Acantholipes* *circumdata* *affinis* (Butler, 1880) (Noctuidae) Synonym(s): *affinis* Butler, 1880
 41782) *Acantholipes* *circumdata* *circumdata* (Walker, 1858) (Noctuidae) Synonym(s): *circumdata* Walker, 1858; *vetustalis* Walker, [1866]; *flavisigna* Moore, 1881
 41783) *Acantholipes* *hypenoides* Moore, 1881 (Noctuidae) Synonym(s): *hypenoides* Moore, 1881; *magniplaga* Swinhoe, 1905
 41784) *Acantholipes* *namacensis* (Guenée, 1852) (Noctuidae) Synonym(s): *namacensis* Guenée, 1852
 41785) *Acantholipes* *regularis* (Hübner, [1813]) (Noctuidae) Synonym(s): *regularis* Hübner, [1813]
 41786) *Acantholipes* *regularis* *hilaris* Schawerda, 1929 (Noctuidae) Synonym(s): *hilaris* Schawerda, 1929
 41787) *Acantholipes* *regularis* *regularis* (Hübner, [1813]) (Noctuidae) Synonym(s): *regularis* Hübner, [1813]
 41788) *Acantholipes* *regulatrix* Wiltshire, 1961 (Noctuidae) Synonym(s): *regulatrix* Wiltshire, 1961
 41789) *Acantholipes* *singularis* Gerasimov, 1931 (Noctuidae) Synonym(s): *singularis* Gerasimov, 1931
 41790) *Acantholipes* *trajecta* (Walker, 1865) (Noctuidae) Synonym(s): *trajecta* Walker, 1865; *inconspicua* Butler, 1880; *trifasciata* Moore, [1885]
 41791) *Acantholipes* *trimeni* R.Felder & Rogenhofer, 1874 (Noctuidae) Synonym(s): *trimeni* R.Felder & Rogenhofer, 1874
 41792) *Acantuarta* *thomensis* (Jordan, 1904) (Noctuidae) Synonym(s): *thomensis* Jordan, 1904
 41793) *Achaea* *boris* (Geyer, 1837) (Noctuidae) Synonym(s): *boris* Geyer, 1837; *mundissima* Walker, 1858; *senior* Walker, 1858; *sinistra* Mabille, 1880; *debilis* Holland, 1894
 41794) *Achaea* *catella* Guenée, 1852 (Noctuidae) Synonym(s): *catella* Guenée, 1852
 41795) *Achaea* *chrysopera* Druce, 1912 (Noctuidae) Synonym(s): *chrysopera* Druce, 1912
 41796) *Achaea* *dasybasis* Hampson, 1913 (Noctuidae) Synonym(s): *dasybasis* Hampson, 1913
 41797) *Achaea* *echo* (Walker, 1858) (Noctuidae) Synonym(s): *echo* Walker, 1858; *mariaca* Plötz, 1880
 41798) *Achaea* *ezea* (Cramer, 1779) (Noctuidae) Synonym(s): *ezea* Cramer, 1779; *hircus* Fabricius, 1794; *leona* R.Felder & Rogenhofer, 1874; *thomensis* Prout, 1927
 41799) *Achaea* *faber* Holland, 1894 (Noctuidae) Synonym(s): *faber* Holland, 1894
 41800) *Achaea* *finita* (Guenée, 1852) (Noctuidae) Synonym(s): *finita* Guenée, 1852; *limbata* R.Felder & Rogenhofer, 1874
 41801) *Achaea* *fulminans* Rebel, 1915 (Noctuidae) Synonym(s): *fulminans* Rebel, 1915
 41802) *Achaea* *illustrata* Walker, 1858 (Noctuidae) Synonym(s): *illustrata* Walker, 1858; *mabillii* Saalmüller, 1879
 41803) *Achaea* *indeterminata* (Walker, 1865) (Noctuidae) Synonym(s): *indeterminata* Walker, 1865; *demita* Möschler, 1883
 41804) *Achaea* *infinita* (Guenée, 1852) (Noctuidae) Synonym(s): *infinita* Guenée, 1852
 41805) *Achaea* *intermedia* Wallengren, 1856 (Noctuidae) Synonym(s): *intermedia* Wallengren, 1856
 41806) *Achaea* *janata* (Linnaeus, 1758) (Noctuidae) Synonym(s): *janata* Linnaeus, 1758; *melicerta* Drury, 1773; *tigrina* Fabricius, 1775; *transversii* Fereday, 1877; *ekeikei* Bethune-Baker, 1906
 41807) *Achaea* *lienardi* (Boisduval, 1833) (Noctuidae) Synonym(s): *lienardi* Boisduval, 1833; *cebrena* Guenée, 1852; *chamaeleon* Guenée, 1852; *zabulon* Guenée, 1852; *spectatura* Walker, 1858; *ophismoides* Walker, 1869; *partita* Walker, 1869; *hilaris* Plötz, 1880; *locra* Plötz, 1880; *externesignata* Saalmüller, 1880.
 41808) *Achaea* *mercatoria* (Fabricius, 1775) (Noctuidae) Synonym(s): *mercatoria* Fabricius, 1775; *vulpina* Fabricius, 1794; *ino* Hübner, [1823]; *accelerans* Walker, 1858
 41809) *Achaea* *mormoides* Walker, 1858 (Noctuidae) Synonym(s): *mormoides* Walker, 1858; *mania* R.Felder & Rogenhofer, 1874; *schuetzei* Bryk, 1915
 41810) *Achaea* *obvia* Hampson, 1913 (Noctuidae) Synonym(s): *obvia* Hampson, 1913; *angustifascia* D.S.Fletcher, 1963
 41811) *Achaea* *praestans* Guenée, 1852 (Noctuidae) Synonym(s): *praestans* Guenée, 1852; *bryoxantha* Hampson, 1902; *arabella* Bryk, 1915; *#bryoxantha* Poole, 1989

- 41812) *Achaea rufobrunnea* Strand,1914 (Noctuidae) Synonym(s): *rufobrunnea* Strand,1914
 41813) *Achaea serva* (Fabricius,1775) (Noctuidae) Synonym(s): *serva* Fabricius,1775; *nubifera* Moore,1877; *#fuscosuffusa* Strand,1914
 41814) *Achaea sordida* (Walker,1865) (Noctuidae) Synonym(s): *sordida* Walker,1865; *pretoriae* Distant,1892
 41815) *Achaea tolnaodes* Berio,1956 (Noctuidae) Synonym(s): *tolnaodes* Berio,1956
 41816) *Achaea tornistigma* Prout,1921 (Noctuidae) Synonym(s): *tornistigma* Prout,1921
 41817) *Achaea trapezoides* (Guenée,1862) (Noctuidae) Synonym(s): *trapezoides* Guenée,1862
 41818) *Achaea umbriger* Mabilie,1898 (Noctuidae) Synonym(s): *umbriger* Mabilie,1898
 41819) *Achaea violascens* Hampson,1918 (Noctuidae) Synonym(s): *violascens* Hampson,1918
 41820) *Acharya crassicornis* Moore,1882 (Noctuidae) Synonym(s): *crassicornis* Moore,1882
 41821) *Acharya franconica* (Swinhoe,1903) (Noctuidae) Synonym(s): *franconica* Swinhoe,1903; *#franconia* Kononenko & Pinratana,2005
 41822) *Acontia akbar* Wiltshire,1984 (Noctuidae) Synonym(s): *akbar* Wiltshire,1984
 41823) *Acontia antica* Walker,1862 (Noctuidae) Synonym(s): *antica* Walker,1862; *acontina* Mabilie,1900; *semitumbea* Hampson,1902.
 41824) *Acontia biskrensis* (Oberthür,1887) (Noctuidae) Synonym(s): *biskrensis* Oberthür,1887; *grisescens* Rebel,1948
 41825) *Acontia biskrensis* *agacinoi* Rungs,1945 (Noctuidae) Synonym(s): *agacinoi* Rungs,1945
 41826) *Acontia biskrensis* *biskrensis* (Oberthür,1887) (Noctuidae) Synonym(s): *biskrensis* Oberthür,1887; *grisescens* Rebel,1948
 41827) *Acontia biskrensis* *orientalis* (Brandt,1939) (Noctuidae) Synonym(s): *orientalis* Brandt,1939
 41828) *Acontia bohemani* Wallengren,1856 (Noctuidae) Synonym(s): *margaritata* Drury,1782 nec Linn.,1767; *bohemani* Wallengren,1856; *includens* Walker,[1858]; *monilifera* Walker,[1858]; *unio* R.Felder & Rogenhofer,1874.
 41829) *Acontia caffraria* (Cramer,1777) (Noctuidae) Synonym(s): *caffraria* Cramer,1777; *caloris* Hübner,[1808]; *komaga* R.Felder & Rogenhofer,1874;
 41830) *Acontia carnescens* (Hampson,1910) (Noctuidae) Synonym(s): *carnescens* Hampson,1910
 41831) *Acontia catenula* (Walker,1865) (Noctuidae) Synonym(s): *catenula* Walker,1865
 41832) *Acontia chrysoproctis* (Hampson,1902) (Noctuidae) Synonym(s): *chrysoproctis* Hampson,1902
 41833) *Acontia citripennis* (Hampson,1910) (Noctuidae) Synonym(s): *citripennis* Hampson,1910
 41834) *Acontia crassivalva* (Wiltshire,1947) (Noctuidae) Synonym(s): *crassivalva* Wiltshire,1947
 41835) *Acontia crocata* (Guenée,1852) (Noctuidae) Synonym(s): *crocata* Guenée,1852; *signifera* Walker,1858 nec Wlk.,1858; *meridionalis* Walker,1865; *scanda* R.Felder & Rogenhofer,1874
 41836) *Acontia cyanocraspis* (Hampson,1910) (Noctuidae) Synonym(s): *cyanocraspis* Hampson,1910
 41837) *Acontia dichroa* Hampson,1914 (Noctuidae) Synonym(s): *dichroa* Hampson,1914
 41838) *Acontia discoidea* Hopffer,1857 (Noctuidae) Synonym(s): *discoidea* Hopffer,1857; *upsilon* Walker,1865.
 41839) *Acontia discoidea* *albarabica* Wiltshire,1994 (Noctuidae) Synonym(s): *albarabica* Wiltshire,1994
 41840) *Acontia flavonigra* (Swinhoe,1884) (Noctuidae) Synonym(s): *flavonigra* Swinhoe,1884
 41841) *Acontia gradata* Walker,[1858] (Noctuidae) Synonym(s): *gradata* Walker,[1858]
 41842) *Acontia gratiosa* Wallengren,1856 (Noctuidae) Synonym(s): *gratiosa* Wallengren,1856; *luteola* Saalmüller,1891.
 41843) *Acontia guttifera* R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): *guttifera* R.Felder & Rogenhofer,1874
 41844) *Acontia hemixanthia* (Hampson,1910) (Noctuidae) Synonym(s): *hemixanthia* Hampson,1910
 41845) *Acontia hortensis* Swinhoe,1884 (Noctuidae) Synonym(s): *hortensis* Swinhoe,1884; *audeoudi* Brandt,1939; *#audeoudi* Ebert & Hacker,2002
 41846) *Acontia leucotrigona* (Hampson,1905) (Noctuidae) Synonym(s): *leucotrigona* Hampson,1905
 41847) *Acontia lucida* (Hufnagel,1766) (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *lugens* Alpheraky,1889.
 41848) *Acontia marmoralis* (Fabricius,1794) (Noctuidae) Synonym(s): *marmoralis* Fabricius,1794; *bipunctata* Walker,[1858]; *maculosa* Walker,[1858]; *tropica* Guenée,1852.
 41849) *Acontia melanura* (Tauscher,1809) (Noctuidae) Synonym(s): *titania* sensu auct. nec Esp.,[1798]; *melanura* Tauscher,1809.
 41850) *Acontia niphogona* (Hampson,1909) (Noctuidae) Synonym(s): *niphogona* Hampson,1909
 41851) *Acontia nitidula* (Fabricius,1787) (Noctuidae) Synonym(s): *nitidula* Fabricius,1787; *catena* Sowerby,1805; *elegans* Stephens,1829.
 41852) *Acontia notabilis* (Walker,1857) (Noctuidae) Synonym(s): *notabilis* Walker,1857
 41853) *Acontia nubilata* (Hampson,1902) (Noctuidae) Synonym(s): *nubilata* Hampson,1902
 41854) *Acontia olivacea* (Hampson,1891) (Noctuidae) Synonym(s): *olivacea* Hampson,1891
 41855) *Acontia olivacea* *umbrosa* (O.Bang-Haas,1927) (Noctuidae) Synonym(s): *umbrosa* O.Bang-Haas,1927
 41856) *Acontia opalinoides* Guenée,1852 (Noctuidae) Synonym(s): *opalinoides* Guenée,1852
 41857) *Acontia porphyrea* (Butler,1898) (Noctuidae) Synonym(s): *porphyrea* Butler,1898
 41858) *Acontia psaliphora* (Hampson,1910) (Noctuidae) Synonym(s): *psaliphora* Hampson,1910
 41859) *Acontia seminigra* (Rebel,1948) (Noctuidae) Synonym(s): *seminigra* Rebel,1948
 41860) *Acontia spangbergi* Aurivillius,1879 (Noctuidae) Synonym(s): *spangbergi* Aurivillius,1879
 41861) *Acontia sudarabica* Wiltshire,1982 (Noctuidae) Synonym(s): *sudarabica* Wiltshire,1982
 41862) *Acontia tetragonisa* (Hampson,1910) (Noctuidae) Synonym(s): *tetragonisa* Hampson,1910
 41863) *Acontia tinctilis* Wallengren,1875 (Noctuidae) Synonym(s): *tinctilis* Wallengren,1875
 41864) *Acontia titania* (Esper,[1798]) (Noctuidae) Synonym(s): *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846.
 41865) *Acontia umbriger* (R.Felder & Rogenhofer,[1875]) (Noctuidae) Synonym(s): *umbriger* R.Felder & Rogenhofer,[1875]; *trimaculata* Aurivillius,1879
 41866) *Acontia wahlbergi* Wallengren,1856 (Noctuidae) Synonym(s): *wahlbergi* Wallengren,1856; *urbani* R.Felder & Rogenhofer,1874; *valbergi* Hampson,1910.
 41867) *Acontia wallengreni* Aurivillius,1879 (Noctuidae) Synonym(s): *wallengreni* Aurivillius,1879; *wallengreni* Hampson,1910
 41868) *Acontia yemenensis* Hampson,1918 (Noctuidae) Synonym(s): *yemenensis* Hampson,1918
 41869) *Acontia zelleri* Wallengren,1856 (Noctuidae) Synonym(s): *zelleri* Wallengren,1856; *imitatrix* Wallengren,1856; *transfigurata* Wallengren,1856.
 41870) *Acosmetia arida* De Joannis,1909 (Noctuidae) Synonym(s): *arida* De Joannis,1909
 41871) *Acosmetia caliginosa* (Hübner,[1813]) (Noctuidae) Synonym(s): *caliginosa* Hübner,[1813]
 41872) *Acrapex aenigma* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *aenigma* R.Felder & Rogenhofer,1874
 41873) *Acrapex albivena* Hampson,1910 (Noctuidae) Synonym(s): *albivena* Hampson,1910
 41874) *Acrapex breviptera* Janse,1939 (Noctuidae) Synonym(s): *breviptera* Janse,1939
 41875) *Acrapex brunnea* Hampson,1910 (Noctuidae) Synonym(s): *brunnea* Hampson,1910; *brunneosa* Bethune-Baker,1911; *ochracea* Bethune-Baker,1911.
 41876) *Acrapex carnea* Hampson,1905 (Noctuidae) Synonym(s): *carnea* Hampson,1905
 41877) *Acrapex curvata* Hampson,1902 (Noctuidae) Synonym(s): *curvata* Hampson,1902
 41878) *Acrapex exsanguis* Lower,1902 (Noctuidae) Synonym(s): *exsanguis* Lower,1902
 41879) *Acrapex festiva* Janse,1939 (Noctuidae) Synonym(s): *festiva* Janse,1939
 41880) *Acrapex fuscifaciata* Janse,1939 (Noctuidae) Synonym(s): *fuscifaciata* Janse,1939
 41881) *Acrapex hemiphlebia* (Hampson,1914) (Noctuidae) Synonym(s): *hemiphlebia* Hampson,1914
 41882) *Acrapex metaphaea* Hampson,1910 (Noctuidae) Synonym(s): *metaphaea* Hampson,1910
 41883) *Acrapex minima* Janse,1939 (Noctuidae) Synonym(s): *minima* Janse,1939
 41884) *Acrapex mystica* Janse,1939 (Noctuidae) Synonym(s): *mystica* Janse,1939
 41885) *Acrapex pacifica* Holloway,1979 (Noctuidae) Synonym(s): *pacifica* Holloway,1979
 41886) *Acrapex pacifica* *santonis* Holloway,1979 (Noctuidae) Synonym(s): *santonis* Holloway,1979
 41887) *Acrapex prospera* Hacker & Fibiger,2001 (Noctuidae) Synonym(s): *prospera* Hacker & Fibiger,2001
 41888) *Acrapex simplex* Janse,1939 (Noctuidae) Synonym(s): *simplex* Janse,1939
 41889) *Acrapex spoliata* (Walker,1863) (Noctuidae) Synonym(s): *spoliata* Walker,1863
 41890) *Acrapex stygiata* (Hampson,1910) (Noctuidae) Synonym(s): *stygiata* Hampson,1910
 41891) *Acrapex taurica* (Staudinger,1900) (Noctuidae) Synonym(s): *taurica* Staudinger,1900
 41892) *Acrapex tristrigata* Warren,1914 (Noctuidae) Synonym(s): *tristrigata* Warren,1914
 41893) *Acropia chloropera* Hampson,1902 (Noctuidae) Synonym(s): *chloropera* Hampson,1902
 41894) *Acropia leprosa* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *leprosa* R.Felder & Rogenhofer,1874
 41895) *Acropia scapularis* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *scapularis* R.Felder & Rogenhofer,1874
 41896) *Acropia semiviridis* Hampson,1902 (Noctuidae) Synonym(s): *semiviridis* Hampson,1902

- 41897) *Acropia subolivacea* Walker, 1863 (Noctuidae) Synonym(s): *subolivacea* Walker, 1863; *marginata* R. Felder & Rogenhofer, 1874.
 41898) *Acrobyla draudti* (Brandt, 1939) (Noctuidae) Synonym(s): *draudti* Brandt, 1939
 41899) *Acrobyla eylandti* (Christoph, 1884) (Noctuidae) Synonym(s): *eylandti* Christoph, 1884
 41900) *Acrobyla kneuckeri* (Rebel, 1903) (Noctuidae) Synonym(s): *kneuckeri* Rebel, 1903; *turcorum* C.G. Krüger, 1939 nec Zny.
 41901) *Acrobyla kneuckeri ariefera* (Hampson, 1926) (Noctuidae) Synonym(s): *ariefera* Hampson, 1926
 41902) *Acrobyla kneuckeri kneuckeri* (Rebel, 1903) (Noctuidae) Synonym(s): *kneuckeri* Rebel, 1903; *turcorum* C.G. Krüger, 1939 nec Zny.
 41903) *Acronicta* (Hübner) *strigosa* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *strigosa* [Denis & Schiffermüller], 1775
 41904) *Acronicta* (Hübner) *strigosa strigosa* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *strigosa* [Denis & Schiffermüller], 1775
 41905) *Acronicta* (Platyclesta) *pruinosa* (Guenée, 1852) (Noctuidae) Synonym(s): *pruinosa* Guenée, 1852; *soluta* Walker, 1865; *consanguis* Butler, 1878; *asiatica* Poujade, 1888; *crenulata* Bethune-Baker, 1906; *albior* Hampson, 1909
 41906) *Acronicta* (Subacronicta) *centralis* Erschoff, 1874 (Noctuidae) Synonym(s): *centralis* Erschoff, 1874
 41907) *Acronicta* (Subacronicta) *megacephala* (Fabricius, 1787) (Noctuidae) Synonym(s): *megacephala* Fabricius, 1787; *ankarensis* Hering, 1933.
 41908) *Acronicta* (Triaena) *aceris* (Linnaeus, 1758) (Noctuidae) Synonym(s): *aceris* Linnaeus, 1758
 41909) *Acronicta* (Triaena) *aceris aceris* (Linnaeus, 1758) (Noctuidae) Synonym(s): *aceris* Linnaeus, 1758
 41910) *Acronicta* (Triaena) *aceris judaea* (Staudinger, 1901) (Noctuidae) Synonym(s): *judaea* Staudinger, 1901; *taurica* Staudinger, 1901; *johanna* Schawerda, 1940.
 41911) *Acronicta* (Triaena) *alni* (Linnaeus, 1767) (Noctuidae) Synonym(s): *alni* Linnaeus, 1767
 41912) *Acronicta* (Triaena) *cuspid* (Hübner, 1813) (Noctuidae) Synonym(s): *cuspid* Hübner, 1813
 41913) *Acronicta* (Triaena) *cuspid cuspid* (Hübner, 1813) (Noctuidae) Synonym(s): *cuspid* Hübner, 1813
 41914) *Acronicta* (Triaena) *elaegni* Alpheraky, 1887 (Noctuidae) Synonym(s): *elaegni* Alpheraky, 1887
 41915) *Acronicta* (Triaena) *gastridia* Swinhoe, 1895 (Noctuidae) Synonym(s): *gastridia* Swinhoe, 1895
 41916) *Acronicta* (Triaena) *intermedia* (W. Warren, 1909) (Noctuidae) Synonym(s): *incerta* Butler, 1878 nec Morr., 1875; *intermedia* W. Warren, 1909; *incretata* Hampson, 1909; *jezoensis* Matsumura, 1925; *formosana* Matsumura, 1928
 41917) *Acronicta* (Triaena) *leporina* (Linnaeus, 1758) (Noctuidae) Synonym(s): *leporina* Linnaeus, 1758
 41918) *Acronicta* (Triaena) *leporina leporina* (Linnaeus, 1758) (Noctuidae) Synonym(s): *leporina* Linnaeus, 1758
 41919) *Acronicta* (Triaena) *pasiphae* Draudt, 1936 (Noctuidae) Synonym(s): *pasiphae* Draudt, 1936
 41920) *Acronicta* (Triaena) *psi* (Linnaeus, 1758) (Noctuidae) Synonym(s): *psi* Linnaeus, 1758
 41921) *Acronicta* (Triaena) *psi iliensis* Draudt, 1931 (Noctuidae) Synonym(s): *iliensis* Draudt, 1931
 41922) *Acronicta* (Triaena) *psi psi* (Linnaeus, 1758) (Noctuidae) Synonym(s): *psi* Linnaeus, 1758
 41923) *Acronicta* (Triaena) *psi tehrana* Wiltshire, 1946 (Noctuidae) Synonym(s): *tehrana* Wiltshire, 1946
 41924) *Acronicta* (Triaena) *solimana* Draudt, 1938 (Noctuidae) Synonym(s): *solimana* Draudt, 1938
 41925) *Acronicta* (Triaena) *tridens* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *tridens* [Denis & Schiffermüller], 1775; *karghalika* Moore, 1878.
 41926) *Acronicta* (Viminia) *auricoma* (Fabricius, 1787) (Noctuidae) Synonym(s): *auricoma* [Denis & Schiffermüller], 1775; *auricoma* Fabricius, 1787; *lapathi* Schrank, 1801; *similis* Haworth, 1809; *pepli* Hübner, 1813; *alpina* Freyer, 1858
 41927) *Acronicta* (Viminia) *euphorbiae* (Denis, 1785) (Noctuidae) Synonym(s): *euphorbiae* [Denis & Schiffermüller], 1775; *euphorbiae* Denis, 1785; *montivaga* Guenée, 1852; *ottomana* Draudt, 1931; *garbowskii* Wojtusik & Niesiolowski, 1946.
 41928) *Acronicta* (Viminia) *euphorbiae korlana* Draudt, 1931 (Noctuidae) Synonym(s): *korlana* Draudt, 1931
 41929) *Acronicta* (Viminia) *indica* Moore, 1867 (Noctuidae) Synonym(s): *indica* Moore, 1867; *grisea* W. Warren, 1912 nec Wlk., 1856
 41930) *Acronicta* (Viminia) *menyanthidis* (Esper, 1789) (Noctuidae) Synonym(s): *menyanthidis* Esper, 1789
 41931) *Acronicta* (Viminia) *menyanthidis menyanthidis* (Esper, 1789) (Noctuidae) Synonym(s): *menyanthidis* Esper, 1789
 41932) *Acronicta* (Viminia) *orientalis* Mann, 1862 (Noctuidae) Synonym(s): *orientalis* Mann, 1862
 41933) *Acronicta* (Viminia) *rumicis* (Linnaeus, 1758) (Noctuidae) Synonym(s): *rumicis* Linnaeus, 1758; *litterata* Panzer, 1804; *salicis* Curtis, 1826; *diffusa* Walker, 1857
 41934) *Acronicta* (Viminia) *rumicis pallida* Rothschild, 1920 (Noctuidae) Synonym(s): *pallida* Rothschild, 1920
 41935) *Acronicta* (Viminia) *rumicis turanica* Staudinger, 1888 (Noctuidae) Synonym(s): *turanica* Staudinger, 1888
 41936) *Acronicta* (Viminia) *saadi* Brandt, 1938 (Noctuidae) Synonym(s): *saadi* Brandt, 1938
 41937) *Acronicta* *cinerea* (Hufnagel, 1766) (Noctuidae) Synonym(s): *cinerea* Hufnagel, 1766
 41938) *Acronicta* *denticulata* Moore, 1888 (Noctuidae) Synonym(s): *denticulata* Moore, 1888
 41939) *Acronicta* *lilacina* (Hampson, 1914) (Noctuidae) Synonym(s): *lilacina* Hampson, 1914
 41940) *Acronicta* *maxima* (Moore, 1881) (Noctuidae) Synonym(s): *maxima* Moore, 1881
 41941) *Acronicta* *niveogrisea* M. Krüger, 2001 (Noctuidae) Synonym(s): *niveogrisea* M. Krüger, 2001
 41942) *Acronicta* *silvicola* M. Krüger, 2001 (Noctuidae) Synonym(s): *silvicola* M. Krüger, 2001
 41943) *Acronicta* *transvalica* Hampson, 1911 (Noctuidae) Synonym(s): *transvalica* Hampson, 1911
 41944) *Acronicta* *vumbae* M. Krüger, 2001 (Noctuidae) Synonym(s): *vumbae* M. Krüger, 2001
 41945) *Actebia* *fennica* (Tauscher, 1837) (Noctuidae) Synonym(s): *fennica* Tauscher, 1837
 41946) *Actebia* *praecox* (Linnaeus, 1758) (Noctuidae) Synonym(s): *praecox* Linnaeus, 1758; *praiceps* Denis & Schiffermüller, [1775]; *pomacea* Fourcroy, 1785
 41947) *Actebia* *praecox praecox* (Linnaeus, 1758) (Noctuidae) Synonym(s): *praecox* Linnaeus, 1758; *praiceps* Denis & Schiffermüller, [1775]; *pomacea* Fourcroy, 1785
 41948) *Actinotia* *intermediata* (Bremer, 1861) (Noctuidae) Synonym(s): *intermediata* Bremer, 1861
 41949) *Actinotia* *polyodon* (Clerck, 1759) (Noctuidae) Synonym(s): *polyodon* Clerck, 1759; *perspicillaris* Linnaeus, 1761.
 41950) *Actinotia* *radiosa* (Esper, [1804]) (Noctuidae) Synonym(s): *radiosa* Esper, [1804]; *lyncea* Hübner, [1809] (*praecox*.)
 41951) *Actinotia* *stevenswani* Hrebly, Peregovits & L. Ronkay, 1999 (Noctuidae) Synonym(s): *stevenswani* Hrebly, Peregovits & L. Ronkay, 1999
 41952) *Adisura* *aerugo* (R. Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *aerugo* R. Felder & Rogenhofer, 1874
 41953) *Adisura* *atkinsoni* Moore, 1881 (Noctuidae) Synonym(s): *atkinsoni* Moore, 1881
 41954) *Adisura* *bella* Gaede, 1915 (Noctuidae) Synonym(s): *bella* Gaede, 1915
 41955) *Adisura* *callima* Bethune-Baker, 1911 (Noctuidae) Synonym(s): *callima* Bethune-Baker, 1911
 41956) *Adisura* *litarga* (Turner, 1920) (Noctuidae) Synonym(s): *litarga* Turner, 1920
 41957) *Adisura* *marginalis* (Walker, 1858) (Noctuidae) Synonym(s): *marginalis* Walker, 1858; *delicia* R. Felder & Rogenhofer, 1874; *dulcis* Moore, 1881; *similis* Moore, 1881; *purgata* W. Warren, 1913
 41958) *Adisura* *straminea* Hampson, 1902 (Noctuidae) Synonym(s): *straminea* Hampson, 1902
 41959) *Adrapsa* *ablualis* Walker, [1859] (Noctuidae) Synonym(s): *ablualis* Walker, [1859]; *tityusalis* Walker, [1859]; *semicircularis* Lucas, 1892
 41960) *Adrapsa* *abnormalis* Swinhoe, 1895 (Noctuidae) Synonym(s): *abnormalis* Swinhoe, 1895
 41961) *Adrapsa* *albirenalis* (Moore, 1867) (Noctuidae) Synonym(s): *albirenalis* Moore, 1867
 41962) *Adrapsa* *ochracea* Leech, 1900 (Noctuidae) Synonym(s): *ochracea* Leech, 1900
 41963) *Adrapsa* *quarilinealis* Wileman, 1914 (Noctuidae) Synonym(s): *quarilinealis* Wileman, 1914
 41964) *Adrapsa* *simplex* (Butler, 1879) (Noctuidae) Synonym(s): *simplex* Butler, 1879
 41965) *Adrapsa* sp. (Noctuidae) Synonym(s):
 41966) *Aedia* *acronyctoides* (Guenée, 1852) (Noctuidae) Synonym(s): *acronyctoides* Guenée, 1852
 41967) *Aedia* *cana* (Brandt, 1939) (Noctuidae) Synonym(s): *cana* Brandt, 1939
 41968) *Aedia* *funesta* (Esper, [1786]) (Noctuidae) Synonym(s): *funesta* Esper, [1786]; *quadrimaculata* Scopoli, 1786
 41969) *Aedia* *leucomelas* (Linnaeus, 1758) (Noctuidae) Synonym(s): *leucomelas* Linnaeus, 1758; *ramburi* Boisduval, 1829; *adepta* Geyer, 1832; *olivascens* Guenée, 1852; *limitaris* Walker, [1863]; *shisa* Strand, 1920; *thomae* Prout, 1927; *albidiscalis* Roepke, 1932; *ermanniae* Berio, 1989
 41970) *Aedophron* *monotonia* Amsel, 1935 (Noctuidae) Synonym(s): *monotonia* Amsel, 1935
 41971) *Aedophron* *phlebohora* Lederer, 1858 (Noctuidae) Synonym(s): *phlebohora* Lederer, 1858
 41972) *Aedophron* *rhodites* (Eversmann, 1851) (Noctuidae) Synonym(s): *rhodites* Eversmann, 1851; *aurorina* Herrich-Schäffer, [1852].
 41973) *Aedophron* *venosa* Christoph, 1887 (Noctuidae) Synonym(s): *venosa* Christoph, 1887
 41974) *Aegilia* *describens* Walker, [1858] (Noctuidae) Synonym(s): *describens* Walker, [1858]; *anisopecta* Snellen, 1880; *xylinata* Walker, 1865
 41975) *Aegle* *agatha* (Staudinger, 1861) (Noctuidae) Synonym(s): *agatha* Staudinger, 1861
 41976) *Aegle* *diatema* Boursin, 1962 (Noctuidae) Synonym(s): *diatema* Boursin, 1962
 41977) *Aegle* *eberti* Boursin, 1969 (Noctuidae) Synonym(s): *eberti* Boursin, 1969

- 41978) *Aegle exquisita* Boursin, 1969 (Noctuidae) Synonym(s): *exquisita* Boursin, 1969
 41979) *Aegle exsiccata* (W. Warren, 1905) (Noctuidae) Synonym(s): *exsiccata* W. Warren, 1905
 41980) *Aegle gratiosa* (Staudinger, 1892) (Noctuidae) Synonym(s): *gratiosa* Staudinger, 1892; *iranica* Bytinski-Salz & Brandt, 1937.
 41981) *Aegle kaekeritziana* (Hübner, [1799]) (Noctuidae) Synonym(s): *kaekeritziana* Hübner, [1799]; *flava* Hübner, [1809]; *flavida* Ochsenheimer, 1816.
 41982) *Aegle margarita* Boursin, 1961 (Noctuidae) Synonym(s): *margarita* Boursin, 1961
 41983) *Aegle nubila* (Staudinger, 1892) (Noctuidae) Synonym(s): *nubila* Staudinger, 1892
 41984) *Aegle otto* (Schawerda, 1923) (Noctuidae) Synonym(s): *otto* Schawerda, 1923
 41985) *Aegle rebeli* Schawerda, 1923 (Noctuidae) Synonym(s): *rebeli* Schawerda, 1923
 41986) *Aegle semicana* (Esper, [1798]) (Noctuidae) Synonym(s): *semicana* Esper, [1798]; *vespertalis* Hübner, [1813]; *mimetes* Brandt, 1938.
 41987) *Aegle semicana petroffii* Andres & Seitz, 1925 (Noctuidae) Synonym(s): *petroffii* Andres & Seitz, 1925
 41988) *Aegle semicana semicana* (Esper, [1798]) (Noctuidae) Synonym(s): *semicana* Esper, [1798]; *vespertalis* Hübner, [1813]
 41989) *Aegle subflava* (Erschoff, 1874) (Noctuidae) Synonym(s): *subflava* Erschoff, 1874
 41990) *Aegle vartianorum* Boursin, 1969 (Noctuidae) Synonym(s): *vartianorum* Boursin, 1969
 41991) *Aegle vespertinalis* (Rambur, 1813) (Noctuidae) Synonym(s): *vespertinalis* Rambur, 1813
 41992) *Aegocera abyssinica* Hampson, 1901 (Noctuidae) Synonym(s): *abyssinica* Hampson, 1901
 41993) *Aegocera affinis* Druce, 1883 (Noctuidae) Synonym(s): *affinis* Druce, 1883; *norma* Karsch, 1895
 41994) *Aegocera bettsi* Wiltshire, 1988 (Noctuidae) Synonym(s): *bettsi* Wiltshire, 1988
 41995) *Aegocera brevivitta* Hampson, 1901 (Noctuidae) Synonym(s): *brevivitta* Hampson, 1901; *irangiana* Wichgraf, 1913; *rectilineoides* Rothschild, 1921
 41996) *Aegocera fervida* Walker, 1854 (Noctuidae) Synonym(s): *fervida* Walker, 1854; *triphaenoides* Wallengren, 1860; *fimbria* Möschler, 1872
 41997) *Aegocera geometrica* Hampson, 1910 (Noctuidae) Synonym(s): *geometrica* Hampson, 1910
 41998) *Aegocera humphreyi* (Hampson, 1911) (Noctuidae) Synonym(s): *humphreyi* Hampson, 1911
 41999) *Aegocera kibwezensis* Strand, 1909 (Noctuidae) Synonym(s): *kibwezensis* Strand, 1909
 42000) *Aegocera menete* (Cramer, 1775) (Noctuidae) Synonym(s): *menete* Cramer, 1775; *formosa* Fabricius, 1787; *magna* Walker, 1854
 42001) *Aegocera obliqua* Mabilite, 1893 (Noctuidae) Synonym(s): *obliqua* Mabilite, 1893
 42002) *Aegocera obliquisigna* Hampson, 1901 (Noctuidae) Synonym(s): *obliquisigna* Hampson, 1901
 42003) *Aegocera obzyros* (Mabilite, 1878) (Noctuidae) Synonym(s): *obzyros* Mabilite, 1878
 42004) *Aegocera rectilinea* Boisduval, 1836 (Noctuidae) Synonym(s): *rectilinea* Boisduval, 1836
 42005) *Aegocera rubida* R. Felder & Rogenhofer, 1874 (Noctuidae) Synonym(s): *rubida* R. Felder & Rogenhofer, 1874
 42006) *Aegocera tigrina* (Druce, 1882) (Noctuidae) Synonym(s): *tigrina* Druce, 1882; *fabricata* Karsch, 1895; *nigrimargo* Jordan, 1913; *castaneimargo* Jordan, 1913; *albifascia* Jordan, 1913; *flavifascia* Jordan, 1913
 42007) *Aegocera tricolora* Bethune-Baker, 1909 (Noctuidae) Synonym(s): *tricolora* Bethune-Baker, 1909
 42008) *Aegocera venulia* (Cramer, 1777) (Noctuidae) Synonym(s): *venulia* Cramer, 1777
 42009) *Africalpe falkneri* Hacker & Ebert, 2002 (Noctuidae) Synonym(s): *falkneri* Hacker & Ebert, 2002
 42010) *Africalpe intrusa* C. G. Krüger, 1939 (Noctuidae) Synonym(s): *intrusa* C. G. Krüger, 1939; *annubia* Rebel, 1948
 42011) *Africalpe vagabunda* (Swinhoe, 1884) (Noctuidae) Synonym(s): *vagabunda* Swinhoe, 1884; ? *nubifera* Hampson, 1907
 42012) *Afroortyna altimontana* M. Krüger, 1997 (Noctuidae) Synonym(s): *altimontana* M. Krüger, 1997
 42013) *Afroortyna trinota* (Herrich-Schäffer, [1854]) (Noctuidae) Synonym(s): *trinota* Herrich-Schäffer, [1854]
 42014) *Agamana ectrogia* (Hampson, 1926) (Noctuidae) Synonym(s): *ectrogia* Hampson, 1926
 42015) *Agamana pentagonalis* (Butler, 1894) (Noctuidae) Synonym(s): *pentagonalis* Butler, 1894
 42016) *Agarista agricola* (Donovan, 1805) (Noctuidae) Synonym(s): *agricola* Donovan, 1805; *picta* Leach, 1815; *daemonis* Butler, 1876; *biformis* Butler, 1884; *timorensis* Butler, 1896; *laetior* Hulstaert, 1924
 42017) *Agarista flutians* Lucas, 1893 (Noctuidae) Synonym(s): *flutians* Lucas, 1893
 42018) *Agarista simplex* Lucas, 1891 (Noctuidae) Synonym(s): *simplex* Lucas, 1891
 42019) *Agoma trimenii* (R. Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *trimenii* R. Felder & Rogenhofer, 1874; *tricolor* Druce, 1883; *elegantula* Mabilite, 1893; *agoma* Karsch, 1895; *halans* Karsch, 1895; *ovifera* Hampson, 1910; *#semialba* Jordan, 1913
 42020) *Agrapha accentifera* (Lefebvre, 1827) (Noctuidae) Synonym(s): *accentifera* Lefebvre, 1827; *l-aureum* Freyer, 1831; *accifera* Gaede, 1937.
 42021) *Agrapha agnata* (Staudinger) (Noctuidae) Synonym(s):
 42022) *Agrapha amydra* (Dufay, 1972) (Noctuidae) Synonym(s): *amydra* Dufay, 1972
 42023) *Agrapha caelata* (Dufay, 1972) (Noctuidae) Synonym(s): *caelata* Dufay, 1972
 42024) *Agrapha eugrapha* (Hampson, 1913) (Noctuidae) Synonym(s): *eugrapha* Hampson, 1913
 42025) *Agrapha furcifera* (Walker, [1858]) (Noctuidae) Synonym(s): *furfifera* Walker, [1858]; *mutans* Walker, 1865; *ogovana* Holland, 1894; *babooni* Bethune-Baker, 1906; *polisha* Strand, 1920.
 42026) *Agrapha ichinosei* (Dufay, 1965) (Noctuidae) Synonym(s): *ichinosei* Dufay, 1965
 42027) *Agrapha latistigma* (A. E. Prout, 1922) (Noctuidae) Synonym(s): *latistigma* A. E. Prout, 1922
 42028) *Agrapha limbirena* (Guenée, 1852) (Noctuidae) Synonym(s): *limbirena* Guenée, 1852
 42029) *Agrapha phocooides* (Dufay, 1972) (Noctuidae) Synonym(s): *phocooides* Dufay, 1972
 42030) *Agrapha polycampta* (Dufay, 1972) (Noctuidae) Synonym(s): *polycampta* Dufay, 1972
 42031) *Agrapha scoteina* (Dufay, 1972) (Noctuidae) Synonym(s): *scoteina* Dufay, 1972
 42032) *Agrapha sigillata* (Dufay, 1970) (Noctuidae) Synonym(s): *sigillata* Dufay, 1970
 42033) *Agrapha tarassota* (Hampson, 1913) (Noctuidae) Synonym(s): *confusa* Moore, 1882 nec *Stph.*, 1850; *tarassota* Hampson, 1913
 42034) *Agrapha vermiculata* (Dufay, 1970) (Noctuidae) Synonym(s): *vermiculata* Dufay, 1970
 42035) *Agrochola* (Alpichola) *dubato* Varga & L. Ronkay, 1991 (Noctuidae) Synonym(s): *dubato* Varga & L. Ronkay, 1991
 42036) *Agrochola* (Alpichola) *egorovi* (O. Bang-Haas, 1934) (Noctuidae) Synonym(s): *egorovi* O. Bang-Haas, 1934
 42037) *Agrochola* (Alpichola) *egorovi* *egorovi* (O. Bang-Haas, 1934) (Noctuidae) Synonym(s): *egorovi* O. Bang-Haas, 1934
 42038) *Agrochola* (Alpichola) *egorovi* *laciniatae* Wiltshire, 1958 (Noctuidae) Synonym(s): *laciniatae* Wiltshire, 1958
 42039) *Agrochola* (Alpichola) *fibigeri* Hacker & Moberg, 1989 (Noctuidae) Synonym(s): *fibigeri* Hacker & Moberg, 1989
 42040) *Agrochola* (Alpichola) *janhillmanni* Hacker & Moberg, 1989 (Noctuidae) Synonym(s): *janhillmanni* Hacker & Moberg, 1989
 42041) *Agrochola* (Alpichola) *lactiflora* (Draudt, 1934) (Noctuidae) Synonym(s): *lactiflora* Draudt, 1934
 42042) *Agrochola* (Alpichola) *lactiflora* *lactiflora* (Draudt, 1934) (Noctuidae) Synonym(s): *lactiflora* Draudt, 1934
 42043) *Agrochola* (Alpichola) *wautieri* Dufay, 1975 (Noctuidae) Synonym(s): *wautieri* Dufay, 1975
 42044) *Agrochola* (Alpichola?) *gratiosa* (Staudinger, 1882) (Noctuidae) Synonym(s): *gratiosa* Staudinger, 1881.
 42045) *Agrochola* (Anchoscelis) *consueta* (Herrich-Schäffer, [1852]) (Noctuidae) Synonym(s): *consueta* Herrich-Schäffer, [1852]
 42046) *Agrochola* (Anchoscelis) *deleta* (Staudinger, 1881) (Noctuidae) Synonym(s): *deleta* Staudinger, 1881
 42047) *Agrochola* (Anchoscelis) *helvola* (Linnaeus, 1758) (Noctuidae) Synonym(s): *helvola* Linnaeus, 1758; *rufina* Linnaeus, 1758; *#fulvago* Clerck, 1759.
 42048) *Agrochola* (Anchoscelis) *helvola* *helvola* (Linnaeus, 1758) (Noctuidae) Synonym(s): *helvola* Linnaeus, 1758; *rufina* Linnaeus, 1758; *#fulvago* Clerck, 1759.
 42049) *Agrochola* (Anchoscelis) *helvola* *pallascens* (Osthelder, 1933) (Noctuidae) Synonym(s): *#pallascens* Warren, 1911; *pallascens* Osthelder, 1933; *vulpina* De Lattin, 1950.
 42050) *Agrochola* (Anchoscelis) *humilis* (Fabricius, 1787) (Noctuidae) Synonym(s): *#humilis* [Denis & Schiffermüller], 1775; *humilis* Fabricius, 1787
 42051) *Agrochola* (Anchoscelis) *humilis* *anatolica* Pinker, 1980 (Noctuidae) Synonym(s): *anatolica* Pinker, 1980
 42052) *Agrochola* (Anchoscelis) *humilis* *humilis* (Fabricius, 1787) (Noctuidae) Synonym(s): *#humilis* [Denis & Schiffermüller], 1775; *humilis* Fabricius, 1787
 42053) *Agrochola* (Anchoscelis) *hypotaenia* (Bytinski-Salz, 1936) (Noctuidae) Synonym(s): *hypotaenia* Bytinski-Salz, 1936; *wiltshirei* Bytinski-Salz, 1936
 42054) *Agrochola* (Anchoscelis) *imitata* Ronkay, 1984 (Noctuidae) Synonym(s): *imitata* Ronkay, 1984
 42055) *Agrochola* (Anchoscelis) *kindermannii* (Fischer v. Röslerstamm, [1841]) (Noctuidae) Synonym(s): *kindermannii* Fischer v. Röslerstamm, [1841]; *ballotae* Duponchel, [1842]; *cindermannii* Hampson, 1906; *rufa* Osthelder, 1933; *wolfschlaegeri* Boursin, 1953.
 42056) *Agrochola* (Anchoscelis) *litura* (Linnaeus, 1761) (Noctuidae) Synonym(s): *litura* Linnaeus, 1761
 42057) *Agrochola* (Anchoscelis) *litura* *litura* (Linnaeus, 1761) (Noctuidae) Synonym(s): *litura* Linnaeus, 1761
 42058) *Agrochola* (Anchoscelis) *lota* (Clerck, 1759) (Noctuidae) Synonym(s): *#lota* Clerck, 1759
 42059) *Agrochola* (Anchoscelis) *lota* *lota* (Clerck, 1759) (Noctuidae) Synonym(s): *#lota* Clerck, 1759
 42060) *Agrochola* (Anchoscelis) *luteogrisea* (W. Warren, 1911) (Noctuidae) Synonym(s): *luteogrisea* W. Warren, 1911

- 42061) *Agrochola (Anchoscelis) macilenta* (Hübner,[1809]) (Noctuidae) Synonym(s): *macilenta* Hübner,[1809]
 42062) *Agrochola (Anchoscelis) macilenta macilenta* (Hübner,[1809]) (Noctuidae) Synonym(s): *macilenta* Hübner,[1809]
 42063) *Agrochola (Anchoscelis) macilenta rubescens* (Wiltshire,1939) (Noctuidae) Synonym(s): *rubescens* Wiltshire,1939
 42064) *Agrochola (Anchoscelis) nigriclava* Boursin,1957 (Noctuidae) Synonym(s): *nigriclava* Boursin,1957
 42065) *Agrochola (Anchoscelis) nitida* (Fabricius,1787) (Noctuidae) Synonym(s): *#nitida* [Denis & Schiffermüller],1775; *nitida* Fabricius,1787
 42066) *Agrochola (Anchoscelis) occulta* Hacker,1996 (Noctuidae) Synonym(s): *occulta* Hacker,1996
 42067) *Agrochola (Anchoscelis) oropotamica* (Wiltshire,1941) (Noctuidae) Synonym(s): *oropotamica* Wiltshire,1941; *modesta* Brandt,1941.
 42068) *Agrochola (Anchoscelis) oropotamica oropotamica* (Wiltshire,1941) (Noctuidae) Synonym(s): *oropotamica* Wiltshire,1941; *modesta* Brandt,1941.
 42069) *Agrochola (Anchoscelis) oropotamica thermopotamica* (Wiltshire,1941) (Noctuidae) Synonym(s): *thermopotamica* Wiltshire,1941.
 42070) *Agrochola (Anchoscelis) osthelderi* Boursin,1951 (Noctuidae) Synonym(s): *osthelderi* Boursin,1951
 42071) *Agrochola (Anchoscelis) pauli* (Staudinger,1892) (Noctuidae) Synonym(s): *pauli* Staudinger,1892
 42072) *Agrochola (Anchoscelis) plumbea* (Wiltshire,1941) (Noctuidae) Synonym(s): *plumbea* Wiltshire,1941
 42073) *Agrochola (Anchoscelis) plumbea convergens* (Wiltshire,1946) (Noctuidae) Synonym(s): *convergens* Wiltshire,1946
 42074) *Agrochola (Anchoscelis) rupicapra* (Staudinger,1879) (Noctuidae) Synonym(s): *rupicapra* Staudinger,1879
 42075) *Agrochola (Anchoscelis) sairtana* Derra,1990 (Noctuidae) Synonym(s): *sairtana* Derra,1990
 42076) *Agrochola (Anchoscelis) scabra* (Staudinger,1892) (Noctuidae) Synonym(s): *scabra* Staudinger,1892
 42077) *Agrochola (Anchoscelis) schreieri* Hacker & Weigert,1986 (Noctuidae) Synonym(s): *schreieri* Hacker & Weigert,1986
 42078) *Agrochola (Anchoscelis) thurneri* Boursin,1953 (Noctuidae) Synonym(s): *thurneri* Boursin,1953
 42079) *Agrochola (Frivaldskyola) mansueta* (Herrich-Schäffer,[1850]) (Noctuidae) Synonym(s): *mansueta* Herrich-Schäffer,[1850]; *pontica* Staudinger,1901.
 42080) *Agrochola (Frivaldskyola) staudingeri* Ronkay,1984 (Noctuidae) Synonym(s): *staudingeri* Ronkay,1984
 42081) *Agrochola (Propenistra) laevis* (Hübner,[1803]) (Noctuidae) Synonym(s): *laevis* Hübner,[1803]
 42082) *Agrochola (Sunira) circellaris* (Hufnagel,1766) (Noctuidae) Synonym(s): *circellaris* Hufnagel,1766
 42083) *Agrochola (s.str.) pistacina* (Goeze,1781) (Noctuidae) Synonym(s): *#hychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781.
 42084) *Agrochola (s.str.) pistacina aequalis* Hacker & Stengel,1996 (Noctuidae) Synonym(s): *aequalis* Hacker & Stengel,1996
 42085) *Agrochola (s.str.) pistacina pistacina* (Goeze,1781) (Noctuidae) Synonym(s): *#hychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781.
 42086) *Agrochola (Boursin) Boursin,1956* (Noctuidae) Synonym(s): *albirena* Boursin,1956
 42087) *Agrochola albirena annamica* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *annamica* Hreblay, Peregovits & L.Ronkay,1999
 42088) *Agrochola albirena chihituana* (Chang,1991) (Noctuidae) Synonym(s): *chihituana* Chang,1991
 42089) *Agrochola albirena dointhanoni* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *dointhanoni* Hreblay & L.Ronkay,1999
 42090) *Agrochola antiqua* (Hacker,1992) (Noctuidae) Synonym(s): *antiqua* Hacker,1992
 42091) *Agrochola attila* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *attila* Hreblay & L.Ronkay,1999
 42092) *Agrochola blidaensis* (Stertz,1915) (Noctuidae) Synonym(s): *blidaensis* Stertz,1915
 42093) *Agrochola gorza* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *gorza* Hreblay & L.Ronkay,1999
 42094) *Agrochola haematidea* (Duponchel,1827) (Noctuidae) Synonym(s): *haematidea* Duponchel,1827
 42095) *Agrochola karma* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *karma* Hreblay, Peregovits & L.Ronkay,1999
 42096) *Agrochola kosagezai* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *kosagezai* Hreblay, Peregovits & L.Ronkay,1999
 42097) *Agrochola kunandrasi* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *kunandrasi* Hreblay & L.Ronkay,1999
 42098) *Agrochola leptographa* Hacker & L.Ronkay,1990 (Noctuidae) Synonym(s): *leptographa* Hacker & L.Ronkay,1990
 42099) *Agrochola meridionalis* (Staudinger,1871) (Noctuidae) Synonym(s): *meridionalis* Staudinger,1871
 42100) *Agrochola minorata* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *minorata* Hreblay & L.Ronkay,1999
 42101) *Agrochola naumanni* Hacker & L.Ronkay,1990 (Noctuidae) Synonym(s): *naumanni* Hacker & L.Ronkay,1990
 42102) *Agrochola orejoni* Agenjo,1951 (Noctuidae) Synonym(s): *orejoni* Agenjo,1951
 42103) *Agrochola orientalis* Fibiger,1997 (Noctuidae) Synonym(s): *orientalis* Fibiger,1997
 42104) *Agrochola pallidilinea* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *pallidilinea* Hreblay, Peregovits & L.Ronkay,1999
 42105) *Agrochola pistacinoides* (d'Aubuisson,1867) (Noctuidae) Synonym(s): *pistacinoides* d'Aubuisson,1867; *garibaldina* Turati,1905; *dujardini* Dufay,1975.
 42106) *Agrochola plumbitincta* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *plumbitincta* Hreblay, Peregovits & L.Ronkay,1999
 42107) *Agrochola prolai* Berio,1976 (Noctuidae) Synonym(s): *prolai* Berio,1976
 42108) *Agrochola punctilinea* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *punctilinea* Hreblay & L.Ronkay,1999
 42109) *Agrochola sakabei* (Sugi,1980) (Noctuidae) Synonym(s): *sakabei* Sugi,1980
 42110) *Agrochola semirena* (Draudt,1950) (Noctuidae) Synonym(s): *semirena* Draudt,1950
 42111) *Agrochola siamica* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *siamica* Hreblay & L.Ronkay,1999
 42112) *Agrochola spectabilis* Hacker & L.Ronkay,1990 (Noctuidae) Synonym(s): *spectabilis* Hacker & L.Ronkay,1990
 42113) *Agrochola statira* Boursin,1960 (Noctuidae) Synonym(s): *statira* Boursin,1960
 42114) *Agrochola telortoides* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *telortoides* Hreblay & L.Ronkay,1999
 42115) *Agrochola trapezoides* (Staudinger,1882) (Noctuidae) Synonym(s): *trapezoides* Staudinger,1882
 42116) *Agrochola zita* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *zita* Hreblay & L.Ronkay,1999
 42117) *Agrotis (Crassagrotis) bigramma* (Esper,[1790]) (Noctuidae) Synonym(s): *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golicki* Erschoff,1872; *huguenini* Rühl,1891.
 42118) *Agrotis (Crassagrotis) obesa* (Boisduval,1829) (Noctuidae) Synonym(s): *obesa* Boisduval,1840
 42119) *Agrotis (Crassagrotis) obesa lipara* Rambur,1848 (Noctuidae) Synonym(s): *lipara* Rambur,1848
 42120) *Agrotis (Crassagrotis) obesa obesa* (Boisduval,1829) (Noctuidae) Synonym(s): *obesa* Boisduval,1840
 42121) *Agrotis (Crassagrotis) obesa scytha* Alpheraky,1889 (Noctuidae) Synonym(s): *scytha* Alpheraky,1889; *nivea* Caradja,1932.
 42122) *Agrotis (Crassagrotis) obesa tauricola* Koçak,1981 (Noctuidae) Synonym(s): *fusca* Corti,1932 nec Bsd.,1837; *tauricola* Koçak,1981
 42123) *Agrotis (Leucagrotis) graslini* Rambur,1848 (Noctuidae) Synonym(s): *graslini* Rambur,1848; *rufotincta* Strand,1916; *gouini* Oberthür,1919; *joannisi* Glais & Le Pontois,1923.
 42124) *Agrotis (Leucagrotis) graslini arenosa* Staudinger,1859 (Noctuidae) Synonym(s): *arenosa* Staudinger,1859
 42125) *Agrotis (Leucagrotis) graslini atlanta* Le Cerf,1933 (Noctuidae) Synonym(s): *atlanta* Le Cerf,1933
 42126) *Agrotis (Leucagrotis) graslini graslini* Rambur,1848 (Noctuidae) Synonym(s): *graslini* Rambur,1848; *rufotincta* Strand,1916; *gouini* Oberthür,1919; *joannisi* Glais & Le Pontois,1923.
 42127) *Agrotis (Putagrotis) herzogii* (Rebel,1911) (Noctuidae) Synonym(s): *herzogii* Rebel,1911; *hoggari* Rothschild,1920; *minima* Turati,1924; *securifera* Turati,1924; *saracenic* Tams,1925; *leroyi* Lucas,1940
 42128) *Agrotis (Putagrotis) herzogii herzogii* Rebel,1911 (Noctuidae) Synonym(s): *herzogii* Rebel,1911; *hoggari* Rothschild,1920; *minima* Turati,1924; *securifera* Turati,1924; *saracenic* Tams,1925; *leroyi* Lucas,1940
 42129) *Agrotis (Putagrotis) puta* (Hübner,[1803]) (Noctuidae) Synonym(s): *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylea* Treit.,1826; *radiola* Stephens,1829; *catalaunensis* Milliere,1873; *meridionalis* Spuler,1905; *andreasii*, *minima*, *silvestrii* Turati,1924; *insula* Richardson,1958.
 42130) *Agrotis (Putagrotis) syricola* Berio,1936 (Noctuidae) Synonym(s): *#syricola* Corti & Draudt,1933; *syricola* Berio,1936
 42131) *Agrotis (s.str.) agrotiformis* (Hampson,1896) (Noctuidae) Synonym(s): *agrotiformis* Hampson,1896
 42132) *Agrotis (s.str.) alexandriensis* Bethune-Baker,1894 (Noctuidae) Synonym(s): *alexandriensis* Bethune-Baker,1894; *arens* Turati,1926; *albonitens* C.G.Krüger,1933; *griseifusa* C.G.Krüger,1933
 42133) *Agrotis (s.str.) alexandriensis alexandriensis* Bethune-Baker,1894 (Noctuidae) Synonym(s): *alexandriensis* Bethune-Baker,1894; *arens* Turati,1926; *albonitens* C.G.Krüger,1933; *griseifusa* C.G.Krüger,1933
 42134) *Agrotis (s.str.) amphora* (Hampson,1903) (Noctuidae) Synonym(s): *amphora* Hampson,1903
 42135) *Agrotis (s.str.) arnoldi* (Turati,1933) (Noctuidae) Synonym(s): *arnoldi* Turati,1933
 42136) *Agrotis (s.str.) biconicus* Kollar,[1844] (Noctuidae) Synonym(s): *spinifera* Hübner,[1808] nec Vill.,1789; *biconica* Kollar,[1844].
 42137) *Agrotis (s.str.) bifurca* Staudinger,1881 (Noctuidae) Synonym(s): *bifurca* Staudinger,1881; *stabilita* Corti,1928.
 42138) *Agrotis (s.str.) bifurca grossi* Hacker & Kuhna,1986 (Noctuidae) Synonym(s): *grossi* Hacker & Kuhna,1986
 42139) *Agrotis (s.str.) bilix* Guenée,1852 (Noctuidae) Synonym(s): *bilix* Guenée,1852
 42140) *Agrotis (s.str.) bitriangulus* Hampson,1902 (Noctuidae) Synonym(s): *bitriangula* Hampson,1902
 42141) *Agrotis (s.str.) caffer* (Hampson,1903) (Noctuidae) Synonym(s): *caffer* Hampson,1903

- 42142) *Agrotis* (s.str.) *characteristica* Alpheraky,1892 (Noctuidae) Synonym(s): *characteristica* Alpheraky,1892; *mirifica* Wagner,1913; *robustana* Poole,1988.
- 42143) *Agrotis* (s.str.) *characteristica characteristica* Alpheraky,1892 (Noctuidae) Synonym(s): *characteristica* Alpheraky,1892; *mirifica* Wagner,1913; *robustana* Poole,1988.
- 42144) *Agrotis* (s.str.) *chretieni* (Dumont,1903) (Noctuidae) Synonym(s): *chretieni* Dumont,1903
- 42145) *Agrotis* (s.str.) *cinctithorax* (Walker,1857) (Noctuidae) Synonym(s): *cinctithorax* Walker,1857
- 42146) *Agrotis* (s.str.) *cinerea* ([Denis & Schiffmüller],1775) (Noctuidae) Synonym(s): *cinerea* [Denis & Schiffmüller],1775; *obscura* Hübner,[1803]; *dentimaculatus* Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886; *alpigena* Calberla,1888; *tephрина* Staudinger,1901; *eximia* Culot,1910.
- 42147) *Agrotis* (s.str.) *clavis* (Hufnagel,1766) (Noctuidae) Synonym(s): *clavis* Hufnagel,1766; *corticea* [Denis & Schiffmüller],1775; *clavigerus* Haworth,1803; *subfuscus* Haworth,1803; *sincerii* Freyer,1849; *transversa* Walker,[1857]; *neocomensis* Rougemont,1902.
- 42148) *Agrotis* (s.str.) *clavis amurensis* (Staudinger,1892) (Noctuidae) Synonym(s): *amurensis* Staudinger,1892; *praedicta* Corti,1932
- 42149) *Agrotis* (s.str.) *clavis clavis* (Hufnagel,1766) (Noctuidae) Synonym(s): *clavis* Hufnagel,1766; *corticea* [Denis & Schiffmüller],1775; *clavigerus* Haworth,1803; *subfuscus* Haworth,1803; *sincerii* Freyer,1849; *transversa* Walker,[1857]; *neocomensis* Rougemont,1902.
- 42150) *Agrotis* (s.str.) *contingens* (W.Warren,1914) (Noctuidae) Synonym(s): *contingens* W.Warren,1914
- 42151) *Agrotis* (s.str.) *costalis* Walker,[1857] (Noctuidae) Synonym(s): *costalis* Walker,[1857]
- 42152) *Agrotis* (s.str.) *crassilinea* Wallengren,1860 (Noctuidae) Synonym(s): *crassilinea* Wallengren,1860
- 42153) *Agrotis* (s.str.) *desertorum Boisduval,1840* (Noctuidae) Synonym(s): *desertorum* Boisduval,1840; *deserticola* Eversmann,1842
- 42154) *Agrotis* (s.str.) *desertorum cursoriodes* (Hampson,1903) (Noctuidae) Synonym(s): *cursoriodes* Hampson,1903
- 42155) *Agrotis* (s.str.) *desertorum desertorum Boisduval,1840* (Noctuidae) Synonym(s): *desertorum* Boisduval,1840; *deserticola* Eversmann,1842
- 42156) *Agrotis* (s.str.) *desertorum wagneri Schwingenschuss,1938* (Noctuidae) Synonym(s): *wagneri* Corti & Draudt,1933; *wagneri* Schwingenschuss,1938
- 42157) *Agrotis* (s.str.) *endogaea Boisduval,[1837]* (Noctuidae) Synonym(s): *endogaea* Boisduval,[1837]
- 42158) *Agrotis* (s.str.) *endogaea endogaea Boisduval,[1837]* (Noctuidae) Synonym(s): *endogaea* Boisduval,[1837]
- 42159) *Agrotis* (s.str.) *hikmana Fibiger,1997* (Noctuidae) Synonym(s): *græca* Fibiger,1997
- 42160) *Agrotis* (s.str.) *exclamationis* (Linnaeus,1758) (Noctuidae) Synonym(s): *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 *nec* Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934.
- 42161) *Agrotis* (s.str.) *fatidica* (Hübner,[1824]) (Noctuidae) Synonym(s): *fatidica* Hübner,[1824]; *heydenreichii* Germar,[1844]; *incurva* Herrich-Schäffer,[1852].
- 42162) *Agrotis* (s.str.) *fraterna* Moore,1882 (Noctuidae) Synonym(s): *fraterna* Moore,1882
- 42163) *Agrotis* (s.str.) *fumipennis* (W.Warren,1912) (Noctuidae) Synonym(s): *fumipennis* W.Warren,1912
- 42164) *Agrotis* (s.str.) *glaucina* (Kozhantshikov,1923) (Noctuidae) Synonym(s): *glaucina* Kozhantshikov,1923
- 42165) *Agrotis* (s.str.) *haifae* Staudinger,1897 (Noctuidae) Synonym(s): *haifae* Staudinger,1897
- 42166) *Agrotis* (s.str.) *hikmana Wiltshire,1994* (Noctuidae) Synonym(s): *hikmana* Wiltshire,1994
- 42167) *Agrotis* (s.str.) *incognita* Staudinger,1888 (Noctuidae) Synonym(s): *incognita* Staudinger,1888; *seditiosa* Püngeler,1906.
- 42168) *Agrotis* (s.str.) *ipsilon* (Hufnagel,1766) (Noctuidae) Synonym(s): *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffmüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789.
- 42169) *Agrotis* (s.str.) *ipsilon aneituma* (Walker,1865) (Noctuidae) Synonym(s): *aneituma* Walker,1865
- 42170) *Agrotis* (s.str.) *iremeli* Nupponen, Ahola & Kullberg,2001 (Noctuidae) Synonym(s): *iremeli* Nupponen, Ahola & Kullberg,2001
- 42171) *Agrotis* (s.str.) *isopleura* Hampson,1902 (Noctuidae) Synonym(s): *isopleura* Hampson,1902
- 42172) *Agrotis* (s.str.) *lanidorsa* Guenée,1852 (Noctuidae) Synonym(s): *lanidorsa* Guenée,1852
- 42173) *Agrotis* (s.str.) *lata* Treitschke,1835 (Noctuidae) Synonym(s): *lata* Treitschke,1835
- 42174) *Agrotis* (s.str.) *legraini* Wiltshire,1994 (Noctuidae) Synonym(s): *legraini* Wiltshire,1994
- 42175) *Agrotis* (s.str.) *longidentifera* (Hampson,1903) (Noctuidae) Synonym(s): *longidentifera* Hampson,1903
- 42176) *Agrotis* (s.str.) *luehri* Mentzer & Moberg,1987 (Noctuidae) Synonym(s): *luehri* Mentzer & Moberg,1987
- 42177) *Agrotis* (s.str.) *montana* (Kozhantshikov,1928) (Noctuidae) Synonym(s): *montana* Kozhantshikov,1928
- 42178) *Agrotis* (s.str.) *munda* Walker,[1857] (Noctuidae) Synonym(s): *munda* Walker,[1857]; *basinotata* Walker,1858; *injuncta* Walker,1865; *turbulenta* Walker,1865; *scapularis* R.Felder & Rogenhofer,1874
- 42179) *Agrotis* (s.str.) *murinoides* Poole,1989 (Noctuidae) Synonym(s): *murina* A.Bang-Haas,1907 *nec* Gz.,1781 *non* Eversm.,1848; *murinoides* Poole,1989
- 42180) *Agrotis* (s.str.) *oliveatus* Hampson,1902 (Noctuidae) Synonym(s): *oliveatus* Hampson,1902
- 42181) *Agrotis* (s.str.) *pallidulus* Walker,1875 (Noctuidae) Synonym(s): *pallidulus* Walker,1875
- 42182) *Agrotis* (s.str.) *perirrorata* Hampson,1902 (Noctuidae) Synonym(s): *perirrorata* Hampson,1902
- 42183) *Agrotis* (s.str.) *perplexa* A.Bang-Haas,1910 (Noctuidae) Synonym(s): *perplexa* A.Bang-Haas,1910
- 42184) *Agrotis* (s.str.) *psammocharis* Boursin,1950 (Noctuidae) Synonym(s): *psammocharis* Boursin,1950
- 42185) *Agrotis* (s.str.) *quadrigera* Corti,1932 (Noctuidae) Synonym(s): *quadrigera* Corti,1932
- 42186) *Agrotis* (s.str.) *ripae* (Hübner,[1823]) (Noctuidae) Synonym(s): *ripae* Hübner,[1823]; *nebulosa* Stephens,1829; *desillii* Pierret,1839; *weissenbornii* Freyer,1845; *obotritica* Schmidt,1858; *farinosa* Stgr.,1888; *alexandriensis* Bethune-Baker,1894; *psammocharis* Staudinger,1895; *punica* Pinker,1979.
- 42187) *Agrotis* (s.str.) *ripae ripae* (Hübner,[1823]) (Noctuidae) Synonym(s): *ripae* Hübner,[1823]; *nebulosa* Stephens,1829; *desillii* Pierret,1839; *weissenbornii* Freyer,1845; *obotritica* Schmidt,1858; *farinosa* Stgr.,1888; *alexandriensis* Bethune-Baker,1894; *psammocharis* Staudinger,1895; *punica* Pinker,1979.
- 42188) *Agrotis* (s.str.) *robustana* Poole,1989 (Noctuidae) Synonym(s): *robusta* Eversmann,1856 *nec* Blanch.,1852; *robustana* Poole,1989.
- 42189) *Agrotis* (s.str.) *ruta* (Eversmann,1851) (Noctuidae) Synonym(s): *ruta* Eversmann,1851
- 42190) *Agrotis* (s.str.) *sabulosa* Rambur,1837 (Noctuidae) Synonym(s): *sabulosa* Rambur,1837
- 42191) *Agrotis* (s.str.) *sardzeana* Brandt,1941 (Noctuidae) Synonym(s): *sardzeana* Brandt,1941
- 42192) *Agrotis* (s.str.) *sardzeana saharæ* Pinker,1973 (Noctuidae) Synonym(s): *saharæ* Pinker,1973
- 42193) *Agrotis* (s.str.) *schawerdai* Bytinski-Salz,1937 (Noctuidae) Synonym(s): *schawerdai* Bytinski-Salz,1937
- 42194) *Agrotis* (s.str.) *scruposa* (Draudt,1936) (Noctuidae) Synonym(s): *scruposa* Draudt,1936
- 42195) *Agrotis* (s.str.) *segetum* ([Denis & Schiffmüller],1775) (Noctuidae) Synonym(s): *segetum* [Denis & Schiffmüller],1775; *sordida* [Denis & Schiffmüller],1775; *undulatus* Goeze,1781 (*præocc.*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *præcox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886.
- 42196) *Agrotis* (s.str.) *semivirens* Kozhantshikov,1937 (Noctuidae) Synonym(s): *semivirens* Kozhantshikov,1937
- 42197) *Agrotis* (s.str.) *simplonia* (Geyer,1832) (Noctuidae) Synonym(s): *simplonia* Geyer,1832; *nigrescens* Hoffmann,1915; *suffusa* Hoffmann,1915; *obsolescens* Strand,1916; *calcigena* Sohn-Rethel,1929; *coralita* Hospital,1948.
- 42198) *Agrotis* (s.str.) *subalba* Walker,[1857] (Noctuidae) Synonym(s): *subalba* Walker,[1857]
- 42199) *Agrotis* (s.str.) *trifurca* Eversmann,1837 (Noctuidae) Synonym(s): *trifurca* Eversmann,1837
- 42200) *Agrotis* (s.str.) *trifurcula* (Staudinger,1892) (Noctuidae) Synonym(s): *trifurcula* Staudinger,1892
- 42201) *Agrotis* (s.str.) *trux* (Hübner,[1824]) (Noctuidae) Synonym(s): *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
- 42202) *Agrotis* (s.str.) *trux nili* Bethune-Baker,1894 (Noctuidae) Synonym(s): *nili* Bethune-Baker,1894
- 42203) *Agrotis* (s.str.) *trux trux* (Hübner,[1824]) (Noctuidae) Synonym(s): *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
- 42204) *Agrotis* (s.str.) *turatii* Standfuss,1888 (Noctuidae) Synonym(s): *turatii* Standfuss,1888; *albescens* Zerny,1927; *eumetabola* Lajonquière,1969.
- 42205) *Agrotis* (s.str.) *turbans* Staudinger,1888 (Noctuidae) Synonym(s): *turbans* Staudinger,1888
- 42206) *Agrotis* (s.str.) *vestigialis* (Hufnagel,1766) (Noctuidae) Synonym(s): *vestigialis* Hufnagel,1766
- 42207) *Agrotis* (s.str.) *vestigialis vestigialis* (Hufnagel,1766) (Noctuidae) Synonym(s): *vestigialis* Hufnagel,1766
- 42208) *Agrotis* (s.str.) *yelai* Fibiger,1990 (Noctuidae) Synonym(s): *yelai* Fibiger,1990
- 42209) *Aiteta thermistis* (Hampson,1910) (Noctuidae) Synonym(s): *thermistis* Hampson,1910
- 42210) *Aiteta veluta* Hampson,1912 (Noctuidae) Synonym(s): *veluta* Hampson,1912
- 42211) *Ala pretiosa* Alpheraky,1892 (Noctuidae) Synonym(s): *pretiosa* Alpheraky,1892
- 42212) *Albocosta musiva* (Hübner,[1803]) (Noctuidae) Synonym(s): *musiva* Hübner,[1803]

- 42213) *Albocosta musiva musiva* (Hübner,[1803]) (Noctuidae) Synonym(s): *musiva* Hübner,[1803]
 42214) *Albocosta musiva sheljuzhkoi* (Varga,1973) (Noctuidae) Synonym(s): *sheljuzhkoi* Varga,1973
 42215) *Alelimma apicalis* (Hampson,1895) (Noctuidae) Synonym(s): *apicalis* Hampson,1895
 42216) *Alelimma palliostalis* Hampson,1902 (Noctuidae) Synonym(s): *palliostalis* Hampson,1902
 42217) *Allophyes alfaroi* Agenjo,1951 (Noctuidae) Synonym(s): *alfaroi* Agenjo,1951
 42218) *Allophyes asiatica* (Staudinger,1892) (Noctuidae) Synonym(s): *asiatica* Staudinger,1892
 42219) *Allophyes asiatica asiatica* (Staudinger,1892) (Noctuidae) Synonym(s): *asiatica* Staudinger,1892
 42220) *Allophyes asiatica cyprica* Boursin,1967 (Noctuidae) Synonym(s): *cyprica* Boursin,1967
 42221) *Allophyes benedictina* (Staudinger,1892) (Noctuidae) Synonym(s): *benedictina* Staudinger,1892
 42222) *Allophyes benedictina benedictina* (Staudinger,1892) (Noctuidae) Synonym(s): *benedictina* Staudinger,1892
 42223) *Allophyes benedictina pseudasiatica* Boursin,1957 (Noctuidae) Synonym(s): *pseudasiatica* Boursin,1957
 42224) *Allophyes corsica* (Spuler,1905) (Noctuidae) Synonym(s): *corsica* Spuler,1905
 42225) *Allophyes cretica* Pinker & Reisser,1978 (Noctuidae) Synonym(s): *cretica* Pinker & Reisser,1978
 42226) *Allophyes renalis* Boursin,1953 (Noctuidae) Synonym(s): *metaxys* Boursin,1953
 42227) *Allophyes oxyacanthae* (Linnaeus,1758) (Noctuidae) Synonym(s): *oxyacanthae* Linnaeus,1758; *capucina* Milliere,1870; *corsica* Spuler,1905; *alfaroi* Agenjo,1951; *powelli* Rungs,[1953]; *protai* Boursin,1966; *dujardini* Boursin,1968; *parenzani* De Laever,1977.
 42228) *Allophyes renalis* (Wiltshire,1941) (Noctuidae) Synonym(s): *renalis* Wiltshire,1941; *crassicornis* Brandt,1941.
 42229) *Allophyes renalis armeniaca* (Boursin,1944) (Noctuidae) Synonym(s): *armeniaca* Boursin,1944.
 42230) *Allophyes renalis renalis* (Wiltshire,1941) (Noctuidae) Synonym(s): *renalis* Wiltshire,1941; *crassicornis* Brandt,1941.
 42231) *Alvaradoia numerica* (Boisduval,1840) (Noctuidae) Synonym(s): *numerica* Boisduval,1840
 42232) *Amazonides atrisigna* (Hampson,1911) (Noctuidae) Synonym(s): *atrisigna* Hampson,1911
 42233) *Amazonides aulombardi* Hacker & Legrain,2002 (Noctuidae) Synonym(s): *aulombardi* Hacker & Legrain,2002
 42234) *Amazonides divdens* (Walker,[1857]) (Noctuidae) Synonym(s): *divdens* Walker,[1857]
 42235) *Amazonides ecstrigata* (Hampson,1903) (Noctuidae) Synonym(s): *ecstrigata* Hampson,1903
 42236) *Amazonides epipyria* (Hampson,1903) (Noctuidae) Synonym(s): *epipyria* Hampson,1903
 42237) *Amazonides fumicolor* (Hampson,1902) (Noctuidae) Synonym(s): *fumicolor* Hampson,1902
 42238) *Amazonides putrefacta* (Guenée,1852) (Noctuidae) Synonym(s): *putrefacta* Guenée,1852
 42239) *Amazonides ruficeps* (Hampson,1903) (Noctuidae) Synonym(s): *ruficeps* Hampson,1903
 42240) *Amazonides rufomixta* (Hampson,1903) (Noctuidae) Synonym(s): *rufomixta* Hampson,1903
 42241) *Amazonides tabida* (Guenée,1852) (Noctuidae) Synonym(s): *tabida* Guenée,1852
 42242) *Amazonides ustula* (Hampson,1913) (Noctuidae) Synonym(s): *ustula* Hampson,1913
 42243) *Amblyprora magnifica* (Schaus,1893) (Noctuidae) Synonym(s): *magnifica* Schaus,1893
 42244) *Amefrontia purpurea* Hampson,1899 (Noctuidae) Synonym(s): *purpurea* Hampson,1899
 42245) *Amephana anarrhini* (Duponchel,1840) (Noctuidae) Synonym(s): *anarrhini* Duponchel,1840
 42246) *Amephana fucosa* (Fabricius,1787) (Noctuidae) Synonym(s): *aurita* Fabricius,1787
 42247) *Amephana dalmatica* (Rebel,1919) (Noctuidae) Synonym(s): *dalmatica* Rebel,1919
 42248) *Amilaga* sp. (Noctuidae) Synonym(s):
 42249) *Ammetopa canroberti* (Oberthür,1918) (Noctuidae) Synonym(s): *canroberti* Oberthür,1918
 42250) *Ammoconia aholai* Fibiger,1996 (Noctuidae) Synonym(s): *aholai* Fibiger,1996.
 42251) *Ammoconia anonyma* Ronkay & Varga,1984 (Noctuidae) Synonym(s): *anonyma* Ronkay & Varga,1984
 42252) *Ammoconia caecimacula* (Fabricius,1787) (Noctuidae) Synonym(s): *caecimacula* Fabricius,1787
 42253) *Ammoconia caecimacula caecimacula* (Fabricius,1787) (Noctuidae) Synonym(s): *caecimacula* Fabricius,1787
 42254) *Ammoconia caecimacula transcaucasica* Ronkay & Varga,1984 (Noctuidae) Synonym(s): *transcaucasica* Ronkay & Varga,1984
 42255) *Ammoconia reisseri* Ronkay & Varga,1984 (Noctuidae) Synonym(s): *reisseri* Ronkay & Varga,1984
 42256) *Ammoconia senex* (Geyer,[1828]) (Noctuidae) Synonym(s): *senex* Geyer,[1828].
 42257) *Ammoconia senex rjabovi* Ronkay & Varga,1984 (Noctuidae) Synonym(s): *rjabovi* Ronkay & Varga,1984
 42258) *Ammoconia senex senex* (Geyer,[1828]) (Noctuidae) Synonym(s): *senex* Geyer,[1828].
 42259) *Ammoconia senex transhamadanensis* Gyulai & L.Ronkay,2006 (Noctuidae) Synonym(s): *transhamadanensis* Gyulai & L.Ronkay,2006
 42260) *Ammoconia senex victoris* Ronkay & Varga,1984 (Noctuidae) Synonym(s): *victoris* Ronkay & Varga,1984
 42261) *Ammoconia senex wagneri* (Boursin,1935) (Noctuidae) Synonym(s): *wagneri* Boursin,1935
 42262) *Ammogrotis suavis* Staudinger,1895 (Noctuidae) Synonym(s): *suavis* Staudinger,1895
 42263) *Ammopolia witzennmanni* (Standfuss,1890) (Noctuidae) Synonym(s): *witzennmanni* Standfuss,1890
 42264) *Amphia subunita* Guenée,1852 (Noctuidae) Synonym(s): *subunita* Guenée,1852; *exunita* Guenée,1852
 42265) *Amphigonia hepatizans* Guenée,1852 (Noctuidae) Synonym(s): *hepatizans* Guenée,1852
 42266) *Amphigonia motisigna* A.E.Prout,1928 (Noctuidae) Synonym(s): *motisigna* A.E.Prout,1928
 42267) *Amphipoea asiatica* (Burrows,1911) (Noctuidae) Synonym(s): *asiatica* Burrows,1911
 42268) *Amphipoea bifurcata* Gyulai & L.Ronkay,1994 (Noctuidae) Synonym(s): *bifurcata* Gyulai & L.Ronkay,1994
 42269) *Amphipoea crinanensis* (Burrows,1908) (Noctuidae) Synonym(s): *crinanensis* Burrows,1908
 42270) *Amphipoea fucosa* (Freyer,1830) (Noctuidae) Synonym(s): *fucosa* Freyer,1830
 42271) *Amphipoea lucens* (Freyer,1845) (Noctuidae) Synonym(s): *lucens* Freyer,1845
 42272) *Amphipoea maryamae* Zahiri & Fibiger,2006 (Noctuidae) Synonym(s): *maryamae* Zahiri & Fibiger,2006
 42273) *Amphipoea ochreola* (Staudinger,1882) (Noctuidae) Synonym(s): *ochreola* Staudinger,1882; *renalis* Alpheraky,1887.
 42274) *Amphipoea oculea* (Linnaeus,1761) (Noctuidae) Synonym(s): *oculea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffermüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei* Oberthür,1918.
 42275) *Amphipoea oculea oculea* (Linnaeus,1761) (Noctuidae) Synonym(s): *oculea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffermüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei* Oberthür,1918.
 42276) *Amphipoea oculea pallescens* (Staudinger,[1900]) (Noctuidae) Synonym(s): *pallescens* Staudinger,[1900]
 42277) *Amphipyra alpherakii* (Staudinger,1888) (Noctuidae) Synonym(s): *alpherakii* Staudinger,1888; *alpheraci* Hampson,1908.
 42278) *Amphipyra anophthalma* Boursin,1963 (Noctuidae) Synonym(s): *anophthalma* Boursin,1963
 42279) *Amphipyra berbera* Rungs,1949 (Noctuidae) Synonym(s): *#variegata* W.Warren,1911; *berbera* Rungs,1949
 42280) *Amphipyra berbera svenssoni* D.S.Fletcher,1968 (Noctuidae) Synonym(s): *svenssoni* D.S.Fletcher,1968
 42281) *Amphipyra boursini* Hacker,1998 (Noctuidae) Synonym(s): *boursini* Hacker,1998
 42282) *Amphipyra cancellata* Warren,1911 (Noctuidae) Synonym(s): *cancellata* Warren,1911
 42283) *Amphipyra livida* [Denis & Schiffermüller],1775 (Noctuidae) Synonym(s): *livida* [Denis & Schiffermüller],1775
 42284) *Amphipyra micans* Lederer,1857 (Noctuidae) Synonym(s): *micans* Lederer,1857
 42285) *Amphipyra molybdea* Christoph,1867 (Noctuidae) Synonym(s): *molybdea* Christoph,1867
 42286) *Amphipyra owadai* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *owadai* Hreblay, Peregovits & L.Ronkay,1999
 42287) *Amphipyra owadai nepalensis* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *nepalensis* Hreblay, Peregovits & L.Ronkay,1999
 42288) *Amphipyra owadai owadai* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *owadai* Hreblay, Peregovits & L.Ronkay,1999
 42289) *Amphipyra perflua* (Fabricius,1787) (Noctuidae) Synonym(s): *perflua* Fabricius,1787; *ulmea* Schrank,1801; *pyramidina* Esper,[1803].
 42290) *Amphipyra pyramidea* (Linnaeus,1758) (Noctuidae) Synonym(s): *pyramidea* Linnaeus,1758
 42291) *Amphipyra sergei* (Staudinger,1888) (Noctuidae) Synonym(s): *sergei* Staudinger,1888
 42292) *Amphipyra stix* Herrich-Schäffer,[1850] (Noctuidae) Synonym(s): *stix* Herrich-Schäffer,[1850]; *#styx* Staudinger,1879.
 42293) *Amphipyra strigata* D.S.Fletcher,1968 (Noctuidae) Synonym(s): *strigata* D.S.Fletcher,1968
 42294) *Amphipyra submicans* Kuznetsov,1958 (Noctuidae) Synonym(s): *submicans* Kuznetsov,1958
 42295) *Amphipyra submicans kautti* Hacker,1998 (Noctuidae) Synonym(s): *kautti* Hacker,1998
 42296) *Amphipyra tetra* (Fabricius,1787) (Noctuidae) Synonym(s): *tetra* Fabricius,1787
 42297) *Amphipyra tetra pallida* Staudinger,1901 (Noctuidae) Synonym(s): *pallida* Staudinger,1901

- 42298) *Amphipyra tragopoginis* (Clerck,1759) (Noctuidae) Synonym(s): *#tragopoginis* Clerck,1759; *luciola* Hufnagel,1766.
- 42299) *Amphipyra turcomana* Staudinger,1888 (Noctuidae) Synonym(s): *turcomana* Staudinger,1888
- 42300) *Amyna axis* Guenée,1852 (Noctuidae) Synonym(s): *axis* Guenée,1852; *octo* Guenée,1852; *colon* Guenée,1852; *flavigutta* Walker,1858; *perfundens* Walker,1858; *stricta* Walker,1858; *cephusalis* Walker,[1859]; *obstructa* Walker,1862; *vexabilis* Wallengren,1863; *inornata* Walker,1865; *leucospila* Walker,1865; *albipuncta* Walker,1869; *stigmatula* Snellen,1872; *bavia* R.Felder & Rogenhofer,1874; *orbica* Morrison,1875; *undulifera* Butler,1875; *tecta* Grote,1876; *monotretalis* Mabille,1879; *supplex* Swinhoe,1885; *rufa* Bethune-Baker,1906.
- 42301) *Amyna delicata* Wiltshire,1994 (Noctuidae) Synonym(s): *delicata* Wiltshire,1994
- 42302) *Amyna flavirena* Holloway,1979 (Noctuidae) Synonym(s): *flavirena* Holloway,1979
- 42303) *Amyna natalica* Pinhey,1975 (Noctuidae) Synonym(s): *natalica* Pinhey,1975
- 42304) *Amyna natalis* (Walker,1858) (Noctuidae) Synonym(s): *natalis* Walker,1858
- 42305) *Amyna punctum* (Fabricius,1794) (Noctuidae) Synonym(s): *punctum* Fabricius,1794; *annulata* Fabricius,1794; *selenampha* Guenée,1852; *spoliata* Walker,[1858]; *latipennis* Wallengren,1860; *subtracta* Walker,1862; *urba* Wallengren,1863; *trivenefica* Wallengren,1863; *natalensis* Wallengren,1865; *latipennis* Walker,1865; *paradoxa* Saalmüller,1880; *#trivenefica* Hampson,1902.
- 42306) *Anacronycta ? flavata* (Moore,1867) (Noctuidae) Synonym(s): *flavata* Moore,1867
- 42307) *Anacronycta albargentea* Speidel & Kononenko,1998 (Noctuidae) Synonym(s): *albargentea* Speidel & Kononenko,1998
- 42308) *Anacronycta caliginea* (Butler,1881) (Noctuidae) Synonym(s): *caliginea* Butler,1881
- 42309) *Anacronycta fuscipennis* (W.Warren,1912) (Noctuidae) Synonym(s): *fuscipennis* W.Warren,1912
- 42310) *Anacronycta horishana* Matsumura,1931 (Noctuidae) Synonym(s): *horishana* Matsumura,1931
- 42311) *Anacronycta infausta* (Walker,1856) (Noctuidae) Synonym(s): *infausta* Walker,1856; *nigra* W.Warren,1912
- 42312) *Anacronycta nitida* (Butler,1878) (Noctuidae) Synonym(s): *nitida* Butler,1878; *moupinensis* Leech,1900; *kurilensis* Bryk,1941
- 42313) *Anacronycta obscura* (Leech,1900) (Noctuidae) Synonym(s): *obscura* Leech,1900; *nigerrima* Draudt,1950
- 42314) *Anacronycta okinawensis* Sugi,1970 (Noctuidae) Synonym(s): *okinawensis* Sugi,1970
- 42315) *Anacronycta pallidipennis* (W.Warren,1912) (Noctuidae) Synonym(s): *pallidipennis* W.Warren,1912
- 42316) *Anacronycta sumatrana* Kobes,1985 (Noctuidae) Synonym(s): *sumatrana* Kobes,1985
- 42317) *Anadevidia hebetata* (Butler,1889) (Noctuidae) Synonym(s): *hebetata* Butler,1889
- 42318) *Anadevidia peponis* (Fabricius,1775) (Noctuidae) Synonym(s): *peponis* Fabricius,1775; *agramma* Guenée,1852; *inchoata* Walker,1865; *fumifera* Graeser,[1890]
- 42319) *Anagnia subfascia* Walker,1854 (Noctuidae) Synonym(s): *subfascia* Walker,1854; *subfasciata* Moore,1886
- 42320) *Analetia (Anapoma) chapa* Hreblay & Yoshimatsu,1999 (Noctuidae) Synonym(s): *chapa* Hreblay & Yoshimatsu,1999
- 42321) *Analetia (Anapoma) complicata* Hreblay,1999 (Noctuidae) Synonym(s): *complicata* Hreblay,1999
- 42322) *Analetia (Anapoma) coronilla* (Berio,1973) (Noctuidae) Synonym(s): *coronilla* Berio,1973
- 42323) *Analetia (Anapoma) himacola* Hreblay & Legrain,1999 (Noctuidae) Synonym(s): *himacola* Hreblay & Legrain,1999
- 42324) *Analetia (Anapoma) himacola keracola* Hreblay & Legrain,1999 (Noctuidae) Synonym(s): *keracola* Hreblay & Legrain,1999
- 42325) *Analetia (Anapoma) nigrilineosa* (Moore,1882) (Noctuidae) Synonym(s): *nigrilineosa* Moore,1882; *rufula* Hampson,1894
- 42326) *Analetia (Anapoma) postica* (Hampson,1905) (Noctuidae) Synonym(s): *postica* Hampson,1905; *draudtiana* Bryk,1942; *draudtiphila* Bryk,1949
- 42327) *Analetia (Anapoma) replicata* Hreblay & Yoshimatsu,1999 (Noctuidae) Synonym(s): *replicata* Hreblay & Yoshimatsu,1999
- 42328) *Analetia (Anapoma) riparia* (Boisduval,1829) (Noctuidae) Synonym(s): *riparia* Boisduval,1829
- 42329) *Analetia (Anapoma) unicorna* (Berio,1973) (Noctuidae) Synonym(s): *unicorna* Berio,1973; *grisea* Hreblay & Yoshimatsu,1996
- 42330) *Ananepa doda* (Swinhoe,1902) (Noctuidae) Synonym(s): *doda* Swinhoe,1902; *bhagha* Swinhoe,1917
- 42331) *Anaplectoides prasina* (Goeze,1781) (Noctuidae) Synonym(s): *#prasina* [Denis & Schiffmüller],1775; *#hebrida* [Denis & Schiffmüller],1775; *prasina* Goeze,1781; *egregia* Esper,[1787]; *jaspidea* Borkhausen,1792 *nec* De Vill.,1789; *mixta* Haworth,1809 *nec* Fabr.,1787; *herbacea* Guenée,1852; *albimaculata* Hormuzaki,1894
- 42332) *Anarta cordigera* (Thunberg,1788) (Noctuidae) Synonym(s): *cordigera* Thunberg,1788
- 42333) *Anarta fumida* Graeser,1888 (Noctuidae) Synonym(s): *fumida* Graeser,1888
- 42334) *Anarta funebris* Hübner (Noctuidae) Synonym(s):
- 42335) *Anarta lapponica* (Thunberg,1792) (Noctuidae) Synonym(s): *lapponica* Thunberg,1792
- 42336) *Anarta leucocycla* Staudinger,1857 (Noctuidae) Synonym(s): *leucocycla* Staudinger,1857
- 42337) *Anarta melanopa* (Thunberg,1791) (Noctuidae) Synonym(s): *melanopa* Thunberg,1791
- 42338) *Anarta melanopa rupestralis* (Hübner,[1799]) (Noctuidae) Synonym(s): *rupestralis* Hübner,[1799]
- 42339) *Anarta myrtilli* (Linnaeus,1761) (Noctuidae) Synonym(s): *myrtilli* Linnaeus,1761; *ericae* Hufnagel,1766
- 42340) *Anarta quieta* Hübner (Noctuidae) Synonym(s):
- 42341) *Anarta richardsoni* Curtis,1834 (Noctuidae) Synonym(s): *richardsoni* Curtis,1834
- 42342) *Anarta zetterstedtii* Staudinger,1857 (Noctuidae) Synonym(s): *zetterstedtii* Staudinger,1857
- 42343) *Anartomima secedens* (Walker,1858) (Noctuidae) Synonym(s): *secedens* Walker,1858
- 42344) *Anartomorpha potanini* Alpheraky,1892 (Noctuidae) Synonym(s): *potanini* Alpheraky,1892
- 42345) *Anathetis atrirena* (Hampson,1902) (Noctuidae) Synonym(s): *atrirena* Hampson,1902
- 42346) *Anathetis melanofascia* Janse,1938 (Noctuidae) Synonym(s): *melanofascia* Janse,1938
- 42347) *Androlymnia torsivena* (Hampson,1902) (Noctuidae) Synonym(s): *torsivena* Hampson,1902
- 42348) *Anedhella interrupta* (Janse,1938) (Noctuidae) Synonym(s): *interrupta* Janse,1938
- 42349) *Anedhella nigrivittata* (Hampson,1902) (Noctuidae) Synonym(s): *nigrivittata* Hampson,1902
- 42350) *Anedhella rectiradiata* (Hampson,1902) (Noctuidae) Synonym(s): *rectiradiata* Hampson,1902
- 42351) *Anedhella stigmata* (Janse,1938) (Noctuidae) Synonym(s): *stigmata* Janse,1938
- 42352) *Anepholcia pygaria* (W.Warren,1912) (Noctuidae) Synonym(s): *pygaria* W.Warren,1912
- 42353) *Anepholcia talboti* A.Prout,1924 (Noctuidae) Synonym(s): *talboti* A.Prout,1924
- 42354) *Anereuthina renosa* Hübner,1813 (Noctuidae) Synonym(s): *renosa* Hübner,1813; *lilach* Guenée,1852; *ocularia* Swinhoe,1890
- 42355) *Anigraea albomaculata* (Hampson,1894) (Noctuidae) Synonym(s): *albomaculata* Hampson,1894; *albibasis* Wileman & West,1928
- 42356) *Anigraea cinctipalpis* (Walker,1865) (Noctuidae) Synonym(s): *cinctipalpis* Walker,1865; *angulata* Moore,1882; *deletoides* Bethune-Baker,1906; *ovilata* W.Warren,1914
- 42357) *Anigraea rubida* Walker,1862 (Noctuidae) Synonym(s): *rubida* Walker,1862; *diffundens* Walker,1864; *obscura* Moore,1882
- 42358) *Anisoneura aluco* (Fabricius,1775) (Noctuidae) Synonym(s): *aluco* Fabricius,1775; *hypocyna* Guenée,1852
- 42359) *Anisoneura inermis* Tams,1924 (Noctuidae) Synonym(s): *inermis* Tams,1924
- 42360) *Anisoneura salebrosa* Guenée,1852 (Noctuidae) Synonym(s): *salebrosa* Guenée,1852; *obscurata* Pagenstecher,1895
- 42361) *Anoba angulilinea* (Holland,1894) (Noctuidae) Synonym(s): *angulilinea* Holland,1894; *unipuncta* Hampson,1902
- 42362) *Anoba atriplaga* (Walker,1858) (Noctuidae) Synonym(s): *atriplaga* Walker,1858; *anguliplaga* Walker,1858; *remota* Walengren,1860
- 42363) *Anoba atripuncta* (Hampson,1902) (Noctuidae) Synonym(s): *atripuncta* Hampson,1902
- 42364) *Anoba disjuncta* (Walker,1865) (Noctuidae) Synonym(s): *disjuncta* Walker,1865
- 42365) *Anoba hamifera* (Hampson,1902) (Noctuidae) Synonym(s): *hamifera* Hampson,1902
- 42366) *Anoba microloba* Hampson,1926 (Noctuidae) Synonym(s): *microloba* Hampson,1926
- 42367) *Anoba pectinata* (Hampson,1896) (Noctuidae) Synonym(s): *pectinata* Hampson,1896; *javensis* W.Warren,1912
- 42368) *Anoba phaeotermesia* Hampson,1926 (Noctuidae) Synonym(s): *phaeotermesia* Hampson,1926
- 42369) *Anoba plumipes* (Wallengren,1860) (Noctuidae) Synonym(s): *plumipes* Wallengren,1860
- 42370) *Anoba tessellata* (Moore,1867) (Noctuidae) Synonym(s): *tessellata* Moore,1867
- 42371) *Anoba triangularis* (Warnecke,1937) (Noctuidae) Synonym(s): *triangularis* Warnecke,1937
- 42372) *Anoba trigonoides* Walker,1858 (Noctuidae) Synonym(s): *trigonoides* Walker,1858
- 42373) *Anomis bidentata* (Hampson,1910) (Noctuidae) Synonym(s): *bidentata* Hampson,1910
- 42374) *Anomis capensis* (Gaede,1940) (Noctuidae) Synonym(s): *capensis* Gaede,1940
- 42375) *Anomis combinans* (Walker,1858) (Noctuidae) Synonym(s): *combinans* Walker,1858; *revocans* Walker,1858; *busama* Swinhoe,1920
- 42376) *Anomis figlina* Butler,1889 (Noctuidae) Synonym(s): *figlina* Butler,1889; *sinensis* Berio,1977
- 42377) *Anomis figlina figlina* Butler,1889 (Noctuidae) Synonym(s): *figlina* Butler,1889; *sinensis* Berio,1977

- 42378) *Anomis flava* (Fabricius,1775) (Noctuidae) Synonym(s): *flava* Fabricius,1775; *stigmatizans* Fabricius,1775; *fimbriago* Stephens,1829; *xanthindyma* Boisduval,1833; *auragoides* Guenée,1852; *indica* Guenée,1852; *variolora* Walker,1857; *edentata* Walker,1857; *aurantiaca* Prittwitz,1867; *serrata* Barnes & McDunnough,1913
- 42379) *Anomis fructusterebrans* Bänziger,1986 (Noctuidae) Synonym(s): *fructusterebrans* Bänziger,1986
- 42380) *Anomis fulvida* Guenée,1852 (Noctuidae) Synonym(s): *fulvida* Guenée,1852; *inducens* Walker,1858; *cuprina* Walker,1865; *privata* Walker,1865; *albipuncta* Snellen,1880; *nagaloa* Mabilbe & Vuillot,1890
- 42381) *Anomis guttanivis* (Walker,[1858]) (Noctuidae) Synonym(s): *guttanivis* Walker,[1858]
- 42382) *Anomis involuta* (Walker,[1858]) (Noctuidae) Synonym(s): *involuta* Walker,[1858]; *basalis* Walker,[1858]; *colligata* Walker,1865; *vitiensis* Butler,1886; *dona* Swinhoe,1919; *brima* Swinhoe,1920
- 42383) *Anomis leona* (Schaus & Clementis,1893) (Noctuidae) Synonym(s): *leona* Schaus & Clementis,1893
- 42384) *Anomis leucolopha* A.E.Prout,1928 (Noctuidae) Synonym(s): *leucolopha* A.E.Prout,1928
- 42385) *Anomis luperca* Möschler,1883 (Noctuidae) Synonym(s): *luperca* Möschler,1883
- 42386) *Anomis lyona* (Swinhoe,1919) (Noctuidae) Synonym(s): *lyona* Swinhoe,1919
- 42387) *Anomis mesogona* (Walker,1858) (Noctuidae) Synonym(s): *mesogona* Walker,1858
- 42388) *Anomis microdonta* Hampson,1926 (Noctuidae) Synonym(s): *microdonta* Hampson,1926
- 42389) *Anomis nigratarsis* (Walker,1858) (Noctuidae) Synonym(s): *nigratarsis* Walker,1858
- 42390) *Anomis polymorpha* Hampson,1926 (Noctuidae) Synonym(s): *polymorpha* Hampson,1926
- 42391) *Anomis privata* (Walker,1865) (Noctuidae) Synonym(s): *privata* Walker,1865; *commoda* Butler,1878; *subfulvida* W.Warren,1913; *griseolineata* W.Warren,1913
- 42392) *Anomis sabulifera* (Guenée,1852) (Noctuidae) Synonym(s): *sabulifera* Guenée,1852
- 42393) *Anomis scitipennis* (Walker,1864) (Noctuidae) Synonym(s): *scitipennis* Walker,1864; *milva* Swinhoe,1919; *ochreifusa* Swinhoe,1906
- 42394) *Anomis simulatrix* (Walker,1865) (Noctuidae) Synonym(s): *simulatrix* Walker,1865
- 42395) *Anomis* sp.1 (Noctuidae) Synonym(s):
- 42396) *Anomis subrosealis* (Walker,[1866]) (Noctuidae) Synonym(s): *subrosealis* Walker,[1866]
- 42397) *Anomis trilineata* (Moore,1883) (Noctuidae) Synonym(s): *trilineata* Moore,1883
- 42398) *Anomocla hopkinsi* Tams,1935 (Noctuidae) Synonym(s): *hopkinsi* Tams,1935
- 42399) *Anoratha costalis* Moore,1867 (Noctuidae) Synonym(s): *costalis* Moore,1867
- 42400) *Antarchaea baischi* Hacker,1996 (Noctuidae) Synonym(s): *baischi* Hacker,1996
- 42401) *Antarchaea conicephala* (Staudinger,1870) (Noctuidae) Synonym(s): *conicephala* Staudinger,1870; *fumicollis* Rogenhofer,1873.
- 42402) *Antarchaea erubescens* (A.Bang-Haas,1910) (Noctuidae) Synonym(s): *erubescens* A.Bang-Haas,1910
- 42403) *Antarchaea numisma* (Hübner,[1803]) (Noctuidae) Synonym(s): *numisma* Hübner,[1803]; *leda* Herrich-Schäffer,1851.
- 42404) *Antennola impura* (Mann,1862) (Noctuidae) Synonym(s): *impura* Mann,1862
- 42405) *Antennola impura impura* (Mann,1862) (Noctuidae) Synonym(s): *impura* Mann,1862
- 42406) *Antennola impura wilshirei* (Warnecke,1939) (Noctuidae) Synonym(s): *wilshirei* Warnecke,1939
- 42407) *Antholopha gloriosa* (Staudinger,1892) (Noctuidae) Synonym(s): *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta* Osthelder,1933; *#grisea* Osthelder,1933.
- 42408) *Antholopha gloriosa gloriosa* (Staudinger,1892) (Noctuidae) Synonym(s): *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta* Osthelder,1933; *#grisea* Osthelder,1933.
- 42409) *Antholopha gloriosa victorina* Ronkay,1990 (Noctuidae) Synonym(s): *victorina* Ronkay,1990
- 42410) *Anthraxia ephialtes* (Hübner,1822) (Noctuidae) Synonym(s): *At.-m.*
- 42411) *Anthraxia eriopoda* (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): *eriopoda* Herrich-Schäffer,[1851]
- 42412) *Anthraxia turcomanica* (Christoph,1893) (Noctuidae) Synonym(s): *turcomanica* Christoph,1893
- 42413) *Anticarsia irrorata* (Fabricius,1781) (Noctuidae) Synonym(s): *irrorata* Fabricius,1781; *sordida* Fabricius,1794 *nec* Denis & Schiff.,1775; *jocosa* Hübner,[1823]; *transducta* Walker,1865; *consuetata* Walker,1869; *loxigramma* Hampson,1902; *#irrorata* Hacker & Fibiger,2001
- 42414) *Anticarsia irrorata rubricans* (Boisduval,1833) (Noctuidae) Synonym(s): *rubricans* Boisduval,1833
- 42415) *Antiochlebia bracteata* R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): *bracteata* R.Felder & Rogenhofer,1874
- 42416) *Antiochlebia duplicata* Grünberg,1910 (Noctuidae) Synonym(s): *duplicata* Grünberg,1910
- 42417) *Antitrisuloides catocalina* (Moore,1882) (Noctuidae) Synonym(s): *catocalina* Moore,1882
- 42418) *Antitype chi* (Linnaeus,1758) (Noctuidae) Synonym(s): *chi* Linnaeus,1758; *olivacea* Stephens,1829; *marsicana* Dannehl,1929.
- 42419) *Antitype chionodes* Boursin,1968 (Noctuidae) Synonym(s): *chionodes* Boursin,1968
- 42420) *Antitype jonis* (Lederer,1865) (Noctuidae) Synonym(s): *jonis* Lederer,1865; *amasina* Staudinger,1901.
- 42421) *Antitype suda* (Geyer,[1832]) (Noctuidae) Synonym(s): *suda* Geyer,[1832]
- 42422) *Antitype suda schimae* (Schawerda,1911) (Noctuidae) Synonym(s): *schimae* Schawerda,1911
- 42423) *Anua samoensis* Tams,1935 (Noctuidae) Synonym(s): *samoensis* Tams,1935
- 42424) *Anua tongaensis* Hampson,1913 (Noctuidae) Synonym(s): *tongaensis* Hampson,1913
- 42425) *Anuga constricta* Guenée,1852 (Noctuidae) Synonym(s): *constricta* Guenée,1852; *complexa* Walker,1858; *glauropoides* Walker,1864; *macrocera* Snellen,1880
- 42426) *Anuga fida* Swinhoe,1902 (Noctuidae) Synonym(s): *fida* Swinhoe,1902
- 42427) *Anuga insuffusa* W.Warren,1914 (Noctuidae) Synonym(s): *insuffusa* W.Warren,1914
- 42428) *Anuga kobesi* Holloway,1985 (Noctuidae) Synonym(s): *kobesi* Holloway,1985
- 42429) *Anuga lunulata* Moore,1867 (Noctuidae) Synonym(s): *lunulata* Moore,1867
- 42430) *Anuga multiplicans* (Walker,1858) (Noctuidae) Synonym(s): *multiplicans* Walker,1858
- 42431) *Anumeta arabiae* Wiltshire,1961 (Noctuidae) Synonym(s): *arabiae* Wiltshire,1961
- 42432) *Anumeta arax* Fibiger,1995 (Noctuidae) Synonym(s): *caucasica* Rjabov (in litt.); *arax* Fibiger,1995
- 42433) *Anumeta asiatica* Wiltshire,1961 (Noctuidae) Synonym(s): *spatzi* auct.; *asiatica* Wiltshire,1961
- 42434) *Anumeta atosignata* Walker,1858 (Noctuidae) Synonym(s): *atosignata* Walker,1858; *arenosa* Brandt,1939
- 42435) *Anumeta cestina* (Staudinger,1884) (Noctuidae) Synonym(s): *cestina* Staudinger,1884
- 42436) *Anumeta cestis* (Ménétrières,1848) (Noctuidae) Synonym(s): *cestis* Ménétrières,1848; *punctata* Ménétrières,1848.
- 42437) *Anumeta cestis zaza* Wiltshire,1961 (Noctuidae) Synonym(s): *zaza* Wiltshire,1961
- 42438) *Anumeta ciliaria* (Ménétrières,1847) (Noctuidae) Synonym(s): *ciliaria* Ménétrières,1847; *dentistrigatae* Alpheraky,1883.
- 42439) *Anumeta dentistrigata* (Staudinger,1877) (Noctuidae) Synonym(s): *dentistrigata* Staudinger,1877
- 42440) *Anumeta eberti* Wiltshire,1961 (Noctuidae) Synonym(s): *eberti* Wiltshire,1961
- 42441) *Anumeta fractistrigata* (Alpheraky,1882) (Noctuidae) Synonym(s): *fractistrigata* Alpheraky,1882
- 42442) *Anumeta fricta* (Christoph,1893) (Noctuidae) Synonym(s): *fricta* Christoph,1893
- 42443) *Anumeta henkei* (Staudinger,1877) (Noctuidae) Synonym(s): *henkei* Staudinger,1877
- 42444) *Anumeta hilgerti* Rothschild,1909 (Noctuidae) Synonym(s): *hilgerti* Rothschild,1909; *comosa* Dumont,1920.
- 42445) *Anumeta hilgerti popovi* Wiltshire,1982 (Noctuidae) Synonym(s): *popovi* Wiltshire,1982
- 42446) *Anumeta palpangularis* (Püngeler,1901) (Noctuidae) Synonym(s): *palpangularis* Püngeler,1901
- 42447) *Anumeta sabulosa* Rothschild,1913 (Noctuidae) Synonym(s): *sabulosa* Rothschild,1913
- 42448) *Anumeta spilota* (Erschoff,1874) (Noctuidae) Synonym(s): *spilota* Erschoff,1874
- 42449) *Anumeta spilota harterti* Rothschild,1913 (Noctuidae) Synonym(s): *harterti* Rothschild,1913
- 42450) *Anumeta spilota mugshinensis* Wiltshire,1990 (Noctuidae) Synonym(s): *mugshinensis* Wiltshire,1990
- 42451) *Anumeta spilota spilota* (Erschoff,1874) (Noctuidae) Synonym(s): *spilota* Erschoff,1874
- 42452) *Anumeta straminea* (A.Bang-Haas,1906) (Noctuidae) Synonym(s): *straminea* A.Bang-Haas,1906
- 42453) *Anumeta surcoufi* Dumont,1920 (Noctuidae) Synonym(s): *surcoufi* Dumont,1920
- 42454) *Anydrophila banghaasi* Brandt,1939 (Noctuidae) Synonym(s): *banghaasi* Brandt,1939
- 42455) *Anydrophila distincta* Brandt,1939 (Noctuidae) Synonym(s): *distincta* Brandt,1939
- 42456) *Anydrophila fouadi* Wiltshire,1947 (Noctuidae) Synonym(s): *fouadi* Wiltshire,1947
- 42457) *Anydrophila fouadi grisea* Wiltshire,1949 (Noctuidae) Synonym(s): *grisea* Wiltshire,1949
- 42458) *Anydrophila hoerhammeri* Brandt,1939 (Noctuidae) Synonym(s): *hoerhammeri* Brandt,1939

- 42459) *Anydrophila hoerhammeri hoerhammeri* Brandt,1939 (Noctuidae) Synonym(s): *hoerhammeri* Brandt,1939
 42460) *Anydrophila hoerhammeri kasyi* Wiltshire,1976 (Noctuidae) Synonym(s): *kasyi* Wiltshire,1976
 42461) *Anydrophila imitatrix* (Christoph,1887) (Noctuidae) Synonym(s): *imitatrix* Christoph,1887
 42462) *Anydrophila intermixta* Warren,1913 (Noctuidae) Synonym(s): *intermixta* Warren,1913
 42463) *Anydrophila mirifica* (Erschoff,1874) (Noctuidae) Synonym(s): *mirifica* Erschoff,1874
 42464) *Anydrophila simiola* (Püngeler,1900) (Noctuidae) Synonym(s): *simiola* Püngeler,1900
 42465) *Anydrophila sirdar* Brandt,1939 (Noctuidae) Synonym(s): *sirdar* Brandt,1939
 42466) *Anydrophila stuebeli* (Calberla,1891) (Noctuidae) Synonym(s): *stuebeli* Calberla,1891; *fouadi* Wiltshire,1947.
 42467) *Apaeocera argyrogramma* Hampson,1905 (Noctuidae) Synonym(s): *argyrogramma* Hampson,1905
 42468) *Apamea alpigena* (Boisduval,1837) (Noctuidae) Synonym(s): *alpigena* Boisduval,1837
 42469) *Apamea anceps* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *anceps* [Denis & Schiffermüller],1775
 42470) *Apamea aquila* Donzel,1837 (Noctuidae) Synonym(s): *aquila* Donzel,1837
 42471) *Apamea arabs* (Oberthür,1881) (Noctuidae) Synonym(s): *arabs* Oberthür,1881
 42472) *Apamea baischia* (Hacker,1989) (Noctuidae) Synonym(s): *baischi* Hacker,1989
 42473) *Apamea boopis* (Hampson,1908) (Noctuidae) Synonym(s): *boopis* Hampson,1908
 42474) *Apamea caesia* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *caesia* Hreblay & L.Ronkay,1998
 42475) *Apamea chalybeata* (Walker,1865) (Noctuidae) Synonym(s): *chalybeata* Walker,1865; *suffusa* Moore,1867
 42476) *Apamea crenata* (Hufnagel,1766) (Noctuidae) Synonym(s): *crenata* Hufnagel,1766; *rurea* Fabricius,1775; *alopocurus* Esper,[1788]; *combusta* Hübner,[1808]; *hirticornus* Haworth,1812.
 42477) *Apamea cyanea* (Hampson,1908) (Noctuidae) Synonym(s): *cyanea* Hampson,1908
 42478) *Apamea epomidion* (Haworth,1809) (Noctuidae) Synonym(s): *charactera* auct. nec [Denis & Schiff.],1775; *epomidion* Haworth,1809
 42479) *Apamea erythrographa* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *erythrographa* Hreblay, Peregovits & L.Ronkay,1999
 42480) *Apamea euxinia* (Hacker,1985) (Noctuidae) Synonym(s): *euxinia* Hacker,1985
 42481) *Apamea extincta* (Staudinger,1892) (Noctuidae) Synonym(s): *extincta* Staudinger,1892
 42482) *Apamea ferrago* (Eversmann,1837) (Noctuidae) Synonym(s): *ferrago* Eversmann,1837
 42483) *Apamea ferrago ferrago* (Eversmann,1837) (Noctuidae) Synonym(s): *ferrago* Eversmann,1837
 42484) *Apamea ferrago obsoleta* (W.Warren,1911) (Noctuidae) Synonym(s): *obsoleta* W.Warren,1911
 42485) *Apamea furva* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#furva* [Denis & Schiffermüller],1775
 42486) *Apamea furva furva* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#furva* [Denis & Schiffermüller],1775
 42487) *Apamea glenura* (Swinhoe,1895) (Noctuidae) Synonym(s): *glenura* Swinhoe,1895
 42488) *Apamea glenurina* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *glenurina* Hreblay & L.Ronkay,1999
 42489) *Apamea goateri* Hacker,2001 (Noctuidae) Synonym(s): *goateri* Hacker,2001
 42490) *Apamea goperma* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *goperma* Hreblay & L.Ronkay,1999
 42491) *Apamea gratissima* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *gratissima* Hreblay & L.Ronkay,1999
 42492) *Apamea illyria* Freyer,1846 (Noctuidae) Synonym(s): *illyria* Freyer,1846
 42493) *Apamea indiges* (Turati,1926) (Noctuidae) Synonym(s): *indiges* Turati,1926
 42494) *Apamea kumari* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *kumari* Hreblay & L.Ronkay,1999
 42495) *Apamea lateritia* (Hufnagel,1766) (Noctuidae) Synonym(s): *lateritia* Hufnagel,1766; *molochina* Hübner,[1803].
 42496) *Apamea lateritia expallescens* (Staudinger,1882) (Noctuidae) Synonym(s): *expallescens* Staudinger,1882
 42497) *Apamea lateritia lateritia* (Hufnagel,1766) (Noctuidae) Synonym(s): *lateritia* Hufnagel,1766; *molochina* Hübner,[1803].
 42498) *Apamea leucodon* (Eversmann,1837) (Noctuidae) Synonym(s): *leucodon* Eversmann,1837
 42499) *Apamea leucodon anatolica* (Rebel,1933) (Noctuidae) Synonym(s): *anatolica* Rebel,1933
 42500) *Apamea leucodon leucodon* (Eversmann,1837) (Noctuidae) Synonym(s): *leucodon* Eversmann,1837
 42501) *Apamea lithoxylaea* (Fabricius,1787) (Noctuidae) Synonym(s): *#lithoxylaea* [Denis & Schiffermüller],1775; *lithoxylaea* Fabricius,1787.
 42502) *Apamea lithoxylaea lithoxylaea* (Fabricius,1787) (Noctuidae) Synonym(s): *#lithoxylaea* [Denis & Schiffermüller],1775; *lithoxylaea* Fabricius,1787.
 42503) *Apamea maillardi* (Geyer,1834) (Noctuidae) Synonym(s): *maillardi* Geyer,1834
 42504) *Apamea maillardi oxygrapha* Varga,1976 (Noctuidae) Synonym(s): *oxygrapha* Varga,1976
 42505) *Apamea maraschi* (Draudt,1934) (Noctuidae) Synonym(s): *maraschi* Draudt,1934
 42506) *Apamea maraschi maraschi* (Draudt,1934) (Noctuidae) Synonym(s): *maraschi* Draudt,1934
 42507) *Apamea michelii* Varga,1976 (Noctuidae) Synonym(s): *michelii* Varga,1976
 42508) *Apamea monoglypha* (Hufnagel,1766) (Noctuidae) Synonym(s): *polyodon* Linnaeus,1761 nec Cl.,1759; *monoglypha* Hufnagel,1766.
 42509) *Apamea nekrasovi* Mikkola, Varga & Gyulai,1995 (Noctuidae) Synonym(s): *nekrasovi* Mikkola, Varga & Gyulai,1995
 42510) *Apamea nigrostris* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *nigrostris* Hreblay, Peregovits & L.Ronkay,1999
 42511) *Apamea niveiplaga* (Walker,1857) (Noctuidae) Synonym(s): *niveiplaga* Walker,1857; *terranea* Butler,1889; *kodita* Swinhoe,1895
 42512) *Apamea oblonga* (Haworth,[1809]) (Noctuidae) Synonym(s): *oblonga* Haworth,[1809]; *abjecta* Hübner,[1813].
 42513) *Apamea ophiogramma* (Esper,1794) (Noctuidae) Synonym(s): *ophiogramma* Esper,1794
 42514) *Apamea platinea* (Treitschke,1825) (Noctuidae) Synonym(s): *platinea* Treitschke,1825; *grisescens* Toulenschkov,1951 nec Staudinger,1889; *touleschkoffi* Koçak,1980.
 42515) *Apamea platinea atlantica* (Zerny,1934) (Noctuidae) Synonym(s): *atlantica* Zerny,1934
 42516) *Apamea platinea aurora* (Brandt,1938) (Noctuidae) Synonym(s): *aurora* Brandt,1938.
 42517) *Apamea platinea binaloudi* (Brandt,1941) (Noctuidae) Synonym(s): *binaloudi* Brandt,1941
 42518) *Apamea platinea montana* (Herrich-Schäffer,1852) (Noctuidae) Synonym(s): *montana* Herrich-Schäffer,1852; *armena* Eversmann,1856; *farinulenta* Christoph,1893; *pentheri* Rebel,1905.
 42519) *Apamea platinea platinea* (Treitschke,1825) (Noctuidae) Synonym(s): *platinea* Treitschke,1825; *grisescens* Toulenschkov,1951 nec Staudinger,1889; *touleschkoffi* Koçak,1980.
 42520) *Apamea platinea reisseri* (Bubacek,1926) (Noctuidae) Synonym(s): *reisseri* Bubacek,1926
 42521) *Apamea platinea splendida* (Reisser,1935) (Noctuidae) Synonym(s): *splendida* Reisser,1935
 42522) *Apamea polyglypha* (Staudinger,1892) (Noctuidae) Synonym(s): *polyglypha* Staudinger,1892
 42523) *Apamea polyglypha polyglypha* (Staudinger,1892) (Noctuidae) Synonym(s): *polyglypha* Staudinger,1892
 42524) *Apamea pyxina* (A.Bang-Haas,1910) (Noctuidae) Synonym(s): *pyxina* A.Bang-Haas,1910.
 42525) *Apamea pyxina pyxina* (A.Bang-Haas,1910) (Noctuidae) Synonym(s): *pyxina* A.Bang-Haas,1910
 42526) *Apamea pyxina sassanidica* Hacker,1990 (Noctuidae) Synonym(s): *sassanidica* Hacker,1990.
 42527) *Apamea remissa* (Hübner,[1809]) (Noctuidae) Synonym(s): *remissa* Hübner,[1809]
 42528) *Apamea rjaboviana* Mikkola, Varga & Lafontaine, (Noctuidae) Synonym(s):
 42529) *Apamea rubrarena* (Treitschke,1825) (Noctuidae) Synonym(s): *rubrarena* Treitschke,1825
 42530) *Apamea rubrarena marginipicta* Varga,1977 (Noctuidae) Synonym(s): *marginipicta* Varga,1977
 42531) *Apamea rubrarena rubrarena* (Treitschke,1825) (Noctuidae) Synonym(s): *rubrarena* Treitschke,1825
 42532) *Apamea schawerdae* Draeseke,1928 (Noctuidae) Synonym(s): *schawerdae* Draeseke,1928
 42533) *Apamea scolopacina* (Esper,1788) (Noctuidae) Synonym(s): *scolopacina* Esper,1788
 42534) *Apamea sicula* (Turati,1909) (Noctuidae) Synonym(s): *sicula* Turati,1909
 42535) *Apamea sordens* (Hufnagel,1766) (Noctuidae) Synonym(s): *sordens* Hufnagel,1766
 42536) *Apamea sublustris* (Esper,[1788]) (Noctuidae) Synonym(s): *sublustris* Esper,[1788]
 42537) *Apamea syriaca* (Osthelder,1933) (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969.
 42538) *Apamea taiwana* (Wileman,1914) (Noctuidae) Synonym(s): *taiwana* Wileman,1914
 42539) *Apamea terranea* (Butler,1889) (Noctuidae) Synonym(s): *terranea* Butler,1889
 42540) *Apamea unanimis* (Hübner,[1813]) (Noctuidae) Synonym(s): *unanimis* Hübner,[1813]
 42541) *Apamea vicaria* (Püngeler,1902) (Noctuidae) Synonym(s): *vicaria* Püngeler,1902
 42542) *Apamea zeta* (Treitschke,1825) (Noctuidae) Synonym(s): *zeta* Treitschke,1825
 42543) *Apamea zeta cyanochlora* Varga,1976 (Noctuidae) Synonym(s): *cyanochlora* Varga,1976
 42544) *Apamea zeta hellenica* Hacker,Hassler & Schmidt,1988 (Noctuidae) Synonym(s): *hellenica* Hacker,Hassler & Schmidt,1988

- 42545) *Apamea zeta* sandorkovacs (Guenée,1852) (Noctuidae) Synonym(s): *rivalis* Guenée,1852
 42546) *Apamea zeta* sandorkovacs Peregovits & Varga,1984 (Noctuidae) Synonym(s): *sandorkovacs* Peregovits & Varga,1984
 42547) *Apautis rupicola* [Denis & Schiffermüller],1775 (Noctuidae) Synonym(s): *rupicola* [Denis & Schiffermüller],1775; *palliat* Fabricius,1787; *pallium* Borkhausen,1792; *heliophila* Hübner,[1803]
 42548) *Apautis theophila* (Staudinger,1866) (Noctuidae) Synonym(s): *theophila* Staudinger,1866
 42549) *Aplotelia nubilosa* W.Warren,1914 (Noctuidae) Synonym(s): *nubilosa* W.Warren,1914; *griseoapicata* Wileman & West,1928
 42550) *Apoestes noe* Ronkay,1990 (Noctuidae) Synonym(s): *noe* Ronkay,1990
 42551) *Apoestes phantasma* (Eversmann,1843) (Noctuidae) Synonym(s): *phantasma* Eversmann,1843; *centralasiae* W.Warren,1913.
 42552) *Apoestes spectrum* (Esper,[1787]) (Noctuidae) Synonym(s): *spectrum* Esper,[1787]
 42553) *Aporophyla australis* (Boisduval,1829) (Noctuidae) Synonym(s): *australis* Boisduval,1829
 42554) *Aporophyla canescens* (Duponchel,1826) (Noctuidae) Synonym(s): *canescens* Duponchel,1826; *pumicosa* Geyer,[1832]; *asphodeli* Rambur,1832; *plumbea* Staudinger,1895; *plumbina* Osthelder,1933.
 42555) *Aporophyla chioleuca* (Herrich-Schäffer,1850) (Noctuidae) Synonym(s): *chioleuca* Herrich-Schäffer,1850
 42556) *Aporophyla dipsalea* Wiltshire,1941 (Noctuidae) Synonym(s): *dipsalea* Wiltshire,1941; *distincta* L.Ronkay,1985.
 42557) *Aporophyla haasi* Staudinger,1892 (Noctuidae) Synonym(s): *haasi* Staudinger,1892
 42558) *Aporophyla lueneburgensis* (Freyer,1848) (Noctuidae) Synonym(s): *lueneburgensis* Freyer,1848
 42559) *Aporophyla lutulenta* [Denis & Schiffermüller],1775 (Noctuidae) Synonym(s): *lutulenta* [Denis & Schiffermüller],1775; *electric* Fabricius,1794; *fuscus* Haworth,1803; *consimilis* Stephens,1829; *orthostigma* Stephens,1829; *sedi* Duponchel,1836; *tripuncta* Freyer,1848; *brunnea* Schawerda,1929; *aterrima* Warnecke,1936; *insularis* Hansson,1952
 42560) *Aporophyla nigra* (Haworth,1809) (Noctuidae) Synonym(s): *lunula* Ström,1783 nec Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901
 42561) *Aporophyla nigra* cinerea Staudinger,1901 (Noctuidae) Synonym(s): *cinerea* Staudinger,1901
 42562) *Aporophyla nigra* nigra (Haworth,1809) (Noctuidae) Synonym(s): *lunula* Ström,1783 nec Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901
 42563) *Apospasta dipterigidia* (Hampson,1902) (Noctuidae) Synonym(s): *dipterigidia* Hampson,1902
 42564) *Apospasta fuscirufa* (Hampson,1905) (Noctuidae) Synonym(s): *fuscirufa* Hampson,1905
 42565) *Apostema citrina* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *citrina* Hreblay & L.Ronkay,1998
 42566) *Apostema distigmata* (Hampson,1906) (Noctuidae) Synonym(s): *distigmata* Hampson,1906
 42567) *Apostema melanura* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *melanura* Hreblay & L.Ronkay,1999
 42568) *Apothripa vailima* Tams,1935 (Noctuidae) Synonym(s): *vailima* Tams,1935
 42569) *Apsarasa atramenta* Hampson,1910 (Noctuidae) Synonym(s): *atramenta* Hampson,1910
 42570) *Apsarasa dajakana* Grünberg,1911 (Noctuidae) Synonym(s): *dajakana* Grünberg,1911
 42571) *Apsarasa figurata* Moore,1877 (Noctuidae) Synonym(s): *figurata* Moore,1877
 42572) *Apsarasa moluccana* Grünberg,1911 (Noctuidae) Synonym(s): *moluccana* Grünberg,1911
 42573) *Apsarasa nigrocaerulea* Hampson,1910 (Noctuidae) Synonym(s): *nigrocaerulea* Hampson,1910
 42574) *Apsarasa nigrotarsata* Grünberg,1911 (Noctuidae) Synonym(s): *nigrotarsata* Grünberg,1911
 42575) *Apsarasa radians* (Westwood,1848) (Noctuidae) Synonym(s): *radians* Westwood,1848
 42576) *Aquis albid* (Walker,[1863]) (Noctuidae) Synonym(s): *albid* Walker,[1863]
 42577) *Aquis viridisquama* Walker,1858 (Noctuidae) Synonym(s): *viridisquama* Walker,1858; *nubifera* Walker,[1863]; *albosparsa* Walker,1865
 42578) *Arachnognatha metascotia* Hampson,1897 (Noctuidae) Synonym(s): *metascotia* Hampson,1897
 42579) *Arachnognatha meterythra* Hampson,1894 (Noctuidae) Synonym(s): *meterythra* Hampson,1894; *#singaporicola* Strand,1917
 42580) *Araea indecora* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *indecora* R.Felder & Rogenhofer,1874
 42581) *Araeoptera sterrhaoides* Fibiger & Hacker,2001 (Noctuidae) Synonym(s): *sterrhaoides* Fibiger & Hacker,2001
 42582) *Araeopteron adeni* Fibiger & Hacker,2001 (Noctuidae) Synonym(s): *adeni* Fibiger & Hacker,2001
 42583) *Araeopteron alboniger* Fibiger & Hacker,2001 (Noctuidae) Synonym(s): *alboniger* Fibiger & Hacker,2001
 42584) *Araeopteron aulombardi* Fibiger & Hacker,2001 (Noctuidae) Synonym(s): *aulombardi* Fibiger & Hacker,2001
 42585) *Araeopteron canescens* (Walker,1865) (Noctuidae) Synonym(s): *canescens* Walker,1865
 42586) *Araeopteron ecphaea* (Hampson,1914) (Noctuidae) Synonym(s): *ecphaea* Hampson,1914
 42587) *Araeopteron griseatum* Hampson,1907 (Noctuidae) Synonym(s): *griseatum* Hampson,1907
 42588) *Araeopteron pictale* Hampson,1893 (Noctuidae) Synonym(s): *pictale* Hampson,1893
 42589) *Araeopteron schreieri* Fibiger & Hacker,2001 (Noctuidae) Synonym(s): *schreieri* Fibiger & Hacker,2001
 42590) *Araeopteron yemeni* Fibiger & Hacker,2001 (Noctuidae) Synonym(s): *yemeni* Fibiger & Hacker,2001
 42591) *Archanaera algae* (Esper,[1789]) (Noctuidae) Synonym(s): *algae* Esper,[1789]
 42592) *Archanaera cervina* Warren,1911 (Noctuidae) Synonym(s): *cervina* Warren,1911
 42593) *Archanaera dissoluta* (Treitschke,1825) (Noctuidae) Synonym(s): *dissoluta* Treitschke,1825
 42594) *Archanaera dissoluta* taurica (Lehmann,1998) (Noctuidae) Synonym(s): *taurica* Lehmann,1998
 42595) *Archanaera geminipuncta* (Haworth,1809) (Noctuidae) Synonym(s): *geminipuncta* Haworth,1809; *paludicola* Hübner,[1817].
 42596) *Archanaera geminipuncta* geminipuncta (Haworth,1809) (Noctuidae) Synonym(s): *geminipuncta* Haworth,1809; *paludicola* Hübner,[1817].
 42597) *Archanaera geminipuncta* orientalis (Wagner,1930) (Noctuidae) Synonym(s): *orientalis* Wagner,1930
 42598) *Archanaera geminipuncta* wiltshirei Bytinski-Salz,1936 (Noctuidae) Synonym(s): *wiltshirei* Bytinski-Salz,1936
 42599) *Archanaera insoluta* Warren,1911 (Noctuidae) Synonym(s): *insoluta* Warren,1911
 42600) *Archanaera neurica* (Hübner,[1808]) (Noctuidae) Synonym(s): *neurica* Hübner,[1808]
 42601) *Archanaera sparganii* (Esper,[1790]) (Noctuidae) Synonym(s): *sparganii* Esper,[1790]; *strigosa* Staudinger,1892.
 42602) *Archanaera sparganii* algaoides Wiltshire,1947 (Noctuidae) Synonym(s): *algaoides* Wiltshire,1947
 42603) *Archanaera sparganii* sparganii (Esper,[1790]) (Noctuidae) Synonym(s): *sparganii* Esper,[1790]
 42604) *Archephia basilinea* (Hampson,1902) (Noctuidae) Synonym(s): *basilinea* Hampson,1902
 42605) *Archilasia sobria* Walker,1865 (Noctuidae) Synonym(s): *sobria* Walker,1865
 42606) *Arcte coerula* (Guenée,1852) (Noctuidae) Synonym(s): *coerula* Guenée,1852
 42607) *Arcte modesta* (Hoeven,1840) (Noctuidae) Synonym(s): *modesta* Hoeven,1840; *immodesta* Guenée,1852
 42608) *Arcte taprobana* Moore,1885 (Noctuidae) Synonym(s): *taprobana* Moore,1885; *nigrescens* Butler,1888
 42609) *Arctiopais ambusta* (Mabille,1881) (Noctuidae) Synonym(s): *ambusta* Mabille,1881
 42610) *Arcyophora elegantula* Grünberg,1910 (Noctuidae) Synonym(s): *elegantula* Grünberg,1910
 42611) *Arcyophora icterica* (Swinhoe,1886) (Noctuidae) Synonym(s): *icterica* Swinhoe,1886; *bifasciata* Hampson,1891
 42612) *Arcyophora longivalvis* Guenée,1852 (Noctuidae) Synonym(s): *longivalvis* Guenée,1852; *apicalis* Walker,1865; *lobidorsis* Zeller,1863; *clathrimaculata* Strand,1909; *somnambula* Bryk,1913; *albipupillata* Strand,1917; *verticalis* Berio,1944.
 42613) *Arcyophora nudipes* Wallengren,1856 (Noctuidae) Synonym(s): *nudipes* Wallengren,1856
 42614) *Arcyophora patricula* (Hampson,1902) (Noctuidae) Synonym(s): *patricula* Hampson,1902; *riggenbachi* Bryk,1913; *patriculella* Strand,1917.
 42615) *Arcyophora sylvatica* Büttiker,1959 (Noctuidae) Synonym(s): *sylvatica* Büttiker,1959
 42616) *Arcyophora zanderi* R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): *zanderi* R.Felder & Rogenhofer,1874; *#auderi* Gaede,1935.
 42617) *Arenarba destituta* (Moore,[1884]) (Noctuidae) Synonym(s): *destituta* Moore,[1884]
 42618) *Arenostola amseli* Boursin,1961 (Noctuidae) Synonym(s): *amseli* Boursin,1961
 42619) *Arenostola delatini* Wiltshire,1953 (Noctuidae) Synonym(s): *delatini* Wiltshire,1953
 42620) *Arenostola deserticola* (Staudinger,1900) (Noctuidae) Synonym(s): *deserticola* Staudinger,1900; *chimaera* Rothschild,1920.
 42621) *Arenostola deserticola* deserticola (Staudinger,1900) (Noctuidae) Synonym(s): *deserticola* Staudinger,1900; *chimaera* Rothschild,1920.
 42622) *Arenostola deserticola* modesta (Staudinger,1900) (Noctuidae) Synonym(s): *modesta* Staudinger,1900
 42623) *Arenostola phragmitidis* (Hübner,[1803]) (Noctuidae) Synonym(s): *phragmitidis* Hübner,[1803]
 42624) *Arenostola unicolor* W.Warren,1914 (Noctuidae) Synonym(s): *unicolor* W.Warren,1914
 42625) *Arenostola unicolor* wiltshirei Hacker,1996 (Noctuidae) Synonym(s): *wiltshirei* Hacker,1996
 42626) *Argyrogramma signata* (Fabricius,1775) (Noctuidae) Synonym(s): *signata* Fabricius,1775; *diminuta* Walker,1865; *hainanensis* Chou & Lu,1979

- 42627) *Argyrolepidia aequalis* (Walker,1864) (Noctuidae) Synonym(s): *aequalis* Walker,1864; *dohertyi* Oberthür,1894; *integra* Jordan,1904; *capiens* Jordan,1904
- 42628) *Argyrolepidia aurea* Jordan,1903 (Noctuidae) Synonym(s): *aurea* Jordan,1903
- 42629) *Argyrolepidia caeruleotincta* (Lucas,1892) (Noctuidae) Synonym(s): *caeruleotincta* Lucas,1892
- 42630) *Argyrolepidia fracta* (Rothschild,1899) (Noctuidae) Synonym(s): *fracta* Rothschild,1899
- 42631) *Argyrolepidia lunaris* Rothschild,1905 (Noctuidae) Synonym(s): *lunaris* Rothschild,1905
- 42632) *Argyrolepidia novaeiberniae* (Boisduval,1874) (Noctuidae) Synonym(s): *novaeiberniae* Boisduval,1874
- 42633) *Argyrolepidia palaea* Rothschild,1905 (Noctuidae) Synonym(s): *palaea* Rothschild,1905
- 42634) *Argyrolepidia pamphilia* (Stoll,[1782]) (Noctuidae) Synonym(s): *pamphilia* Stoll,[1782]; *micacea* Walker,1864; *ceramensis* Kirby,1875; *ombiranus* Jordan,1906
- 42635) *Argyrolepidia salomonis* (Rothschild,1899) (Noctuidae) Synonym(s): *salomonis* Rothschild,1899
- 42636) *Argyrolepidia unimacula* Lower,1903 (Noctuidae) Synonym(s): *unimacula* Lower,1903
- 42637) *Argyropila striata* (Staudinger,1888) (Noctuidae) Synonym(s): *striata* Staudinger,1888
- 42638) *Argyropila succinea* (Esper,[1798]) (Noctuidae) Synonym(s): *succinea* Esper,[1798]
- 42639) *Ariathisa abyssinia* (Guenée,1852) (Noctuidae) Synonym(s): *abyssinia* Guenée,1852; *excisa* Herrich-Schäffer,[1854]; *atrosignata* Walker,1865; *europaea* Fernandez,1928
- 42640) *Ariathisa abyssinia abyssinia* (Guenée,1852) (Noctuidae) Synonym(s): *abyssinia* Guenée,1852; *excisa* Herrich-Schäffer,[1854]; *atrosignata* Walker,1865; *europaea* Fernandez,1928
- 42641) *Ariathisa semiluna* (Hampson,1909) (Noctuidae) Synonym(s): *semiluna* Hampson,1909
- 42642) *Ariola bedawan* Holloway,2003 (Noctuidae) Synonym(s): *bedawan* Holloway,2003
- 42643) *Ariola coelisigna* Walker,[1858] (Noctuidae) Synonym(s): *coelisigna* Walker,[1858]
- 42644) *Ariola gracilis* Holloway,2003 (Noctuidae) Synonym(s): *gracilis* Holloway,2003
- 42645) *Ariola pallidithorax* W.Warren,1912 (Noctuidae) Synonym(s): *pallidithorax* W.Warren,1912
- 42646) *Ariola triangulifera* W.Warren,1912 (Noctuidae) Synonym(s): *triangulifera* W.Warren,1912
- 42647) *Ariolica lineolata* Walker,[1863] (Noctuidae) Synonym(s): *lineolata* Walker,[1863]
- 42648) *Armada clio* (Staudinger,1884) (Noctuidae) Synonym(s): *clio* Staudinger,1884
- 42649) *Armada clio pakistana* Wiltshire,1979 (Noctuidae) Synonym(s): *pakistana* Wiltshire,1979
- 42650) *Armada dentata* (Staudinger,1884) (Noctuidae) Synonym(s): *dentata* Staudinger,1884; *afghana* Hampson,1926.
- 42651) *Armada fletcheri* Wiltshire,1961 (Noctuidae) Synonym(s): *fletcheri* Wiltshire,1961
- 42652) *Armada gallagheri* Wiltshire,1984 (Noctuidae) Synonym(s): *gallagheri* Wiltshire,1984
- 42653) *Armada heliothidia* (Hampson,1896) (Noctuidae) Synonym(s): *heliothidia* Hampson,1896; *roseifemur* Brandt,1939.
- 42654) *Armada maritima* Brandt,1939 (Noctuidae) Synonym(s): *maritima* Brandt,1939
- 42655) *Armada nilotica* A.Bang-Haas,1912 (Noctuidae) Synonym(s): *nilotica* A.Bang-Haas,1912
- 42656) *Armada panaceorum* (Ménétriés,1849) (Noctuidae) Synonym(s): *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
- 42657) *Armada panaceorum panaceorum* (Ménétriés,1849) (Noctuidae) Synonym(s): *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
- 42658) *Armada philbyi* Wiltshire,1979 (Noctuidae) Synonym(s): *philbyi* Wiltshire,1979
- 42659) *Armana nigracerta* Swinhoe,1890 (Noctuidae) Synonym(s): *nigracerta* Swinhoe,1890
- 42660) *Aroana cingalensis* (Walker,1866) (Noctuidae) Synonym(s): *cingalensis* Walker,1866
- 42661) *Aroana olivacea* Bethune-Baker,1906 (Noctuidae) Synonym(s): *olivacea* Bethune-Baker,1906
- 42662) *Aroana* sp. (Noctuidae) Synonym(s):
- 42663) *Arrade samoensis* Tams,1935 (Noctuidae) Synonym(s): *samoensis* Tams,1935
- 42664) *Arrhapa frontalis* Walker,1862 (Noctuidae) Synonym(s): *frontalis* Walker,1862; *paradoxa* Kobes,1997
- 42665) *Arrhapa robinsoni* (Swinhoe,1903) (Noctuidae) Synonym(s): *robinsoni* Swinhoe,1903
- 42666) *Arrthia bicolor* Rothschild,1896 (Noctuidae) Synonym(s): *bicolor* Rothschild,1896
- 42667) *Artena certior* (Walker,1858) (Noctuidae) Synonym(s): *certior* Walker,1858; *contenta* Walker,1858; *siamica* Walker,1865; *rectilinea* Snellen,1887
- 42668) *Artena convergens* (Gaede,1917) (Noctuidae) Synonym(s): *hochrobrunnea* Strand,1914; *convergens* Gaede,1917; *ochrobrunnea* Prout,1919
- 42669) *Artena dotata* (Fabricius,1794) (Noctuidae) Synonym(s): *dotata* Fabricius,1794
- 42670) *Artena lacteicincta* (Hampson,1912) (Noctuidae) Synonym(s): *lacteicincta* Hampson,1912
- 42671) *Artena rubida* (Walker,1864) (Noctuidae) Synonym(s): *rubida* Walker,1864
- 42672) *Artena submira* (Walker,1858) (Noctuidae) Synonym(s): *submira* Walker,1858
- 42673) *Arthisma scissuralis* Moore,1883 (Noctuidae) Synonym(s): *scissuralis* Moore,1883; *albitarsata* Pagenstecher,1888
- 42674) *Arthisma* sp.1 (Noctuidae) Synonym(s):
- 42675) *Arytrura musculus* (Ménétriés,1859) (Noctuidae) Synonym(s): *musculus* Ménétriés,1859
- 42676) *Arytrurides inornata* (Walker,1865) (Noctuidae) Synonym(s): *inornata* Walker,1865
- 42677) *Ascalapha odorata* (Linnaeus,1758) (Noctuidae) Synonym(s): *odorata* Linnaeus,1758
- 42678) *Asiccia lithosiana* Hampson,1926 (Noctuidae) Synonym(s): *lithosiana* Hampson,1926; *lithosiana* Kononenko & Pinratana,2005
- 42679) *Asinduma exscripta* Walker,1864 (Noctuidae) Synonym(s): *exscripta* Walker,1864
- 42680) *Aspidhampsonia glaucescens* (Hampson,1905) (Noctuidae) Synonym(s): *glaucescens* Hampson,1905
- 42681) *Aspidifrontia radiata* Hampson,1905 (Noctuidae) Synonym(s): *radiata* Hampson,1905
- 42682) *Aspidifrontia rufescens* Hampson,1902 (Noctuidae) Synonym(s): *rufescens* Hampson,1902
- 42683) *Aspidifrontia semipallida* Hampson,1902 (Noctuidae) Synonym(s): *semipallida* Hampson,1902
- 42684) *Asplenla melanodonta* (Hampson,1896) (Noctuidae) Synonym(s): *melanodonta* Hampson,1896
- 42685) *Asplenla melanodonta chloridina* (Hampson,1896) (Noctuidae) Synonym(s): *chloridina* Hampson,1896
- 42686) *Asplenla melanodonta melanodonta* (Hampson,1896) (Noctuidae) Synonym(s): *melanodonta* Hampson,1896
- 42687) *Asplenla melanodonta rubescens* (Hampson,1896) (Noctuidae) Synonym(s): *rubescens* Hampson,1896
- 42688) *Asteropetes noctuina* (Butler,1878) (Noctuidae) Synonym(s): *noctuina* Butler,1878
- 42689) *Asteroscopus sphinx* (Hufnagel,1766) (Noctuidae) Synonym(s): *sphinx* Hufnagel,1766; *cassinia* [Denis & Schiffermüller],1775; *alpina* Seifers,1916.
- 42690) *Asteroscopus syriaca* (Warren,1910) (Noctuidae) Synonym(s): *syriaca* Warren,1910; *decipulae* Kovacs,1966.
- 42691) *Atacira affinis* (Hampson,1918) (Noctuidae) Synonym(s): *affinis* Hampson,1918
- 42692) *Atacira brunneata* Holloway,1985 (Noctuidae) Synonym(s): *brunneata* Holloway,1985
- 42693) *Atacira caesia* (Roepke,1938) (Noctuidae) Synonym(s): *caesia* Roepke,1938
- 42694) *Atacira diehli* (Kobes,1982) (Noctuidae) Synonym(s): *diehli* Kobes,1982
- 42695) *Atacira dimidiata* (Walker,1863) (Noctuidae) Synonym(s): *dimidiata* Walker,1863; *triangulatrix* Wileman & West,1928
- 42696) *Atacira glauca* (Prout,1928) (Noctuidae) Synonym(s): *glauca* Prout,1928
- 42697) *Atacira grabczewskii* (Püngeler,1903) (Noctuidae) Synonym(s): *grabczewskii* Püngeler,1903
- 42698) *Atacira hupopalina* (Rothschild,1920) (Noctuidae) Synonym(s): *hupopalina* Rothschild,1920
- 42699) *Atacira josephinae* (Holloway,1976) (Noctuidae) Synonym(s): *josephinae* Holloway,1976
- 42700) *Atacira melanephra* (Hampson,1912) (Noctuidae) Synonym(s): *melanephra* Hampson,1912
- 42701) *Atacira* sp. (Noctuidae) Synonym(s):
- 42702) *Atethmia algerica* (Culot,1917) (Noctuidae) Synonym(s): *algerica* Culot,1917
- 42703) *Atethmia ambusta* (Fabricius,1787) (Noctuidae) Synonym(s): *ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787
- 42704) *Atethmia ambusta ambusta* (Fabricius,1787) (Noctuidae) Synonym(s): *ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787
- 42705) *Atethmia ambusta syriaca* Osthelder,1933 (Noctuidae) Synonym(s): *syriaca* Osthelder,1933
- 42706) *Atethmia borjomensis* (Romanoff,1885) (Noctuidae) Synonym(s): *borjomensis* Romanoff,1885
- 42707) *Atethmia centrargo* (Haworth,[1809]) (Noctuidae) Synonym(s): *centrargo* Haworth,[1809].
- 42708) *Atethmia centrargo centrargo* (Haworth,1809) (Noctuidae) Synonym(s): *centrargo* Haworth,[1809].
- 42709) *Atethmia centrargo maculifera* (Staudinger,1892) (Noctuidae) Synonym(s): *maculifera* Staudinger,1892
- 42710) *Atethmia centrargo pallida* (Staudinger,1892) (Noctuidae) Synonym(s): *pallida* Staudinger,1892; *flava* Rebel,1933
- 42711) *Atethmia obscura* Osthelder,1933 (Noctuidae) Synonym(s): *obscura* Osthelder,1933
- 42712) *Atethmia pinkeri* (Boursin,1970) (Noctuidae) Synonym(s): *pinkeri* Boursin,1970

- 42713) *Athaumasta cortex* (Alpheraky,1887) (Noctuidae) Synonym(s): *cortex* Alpheraky,1887; *corticula* Püngeler,1901.
 42714) *Athaumasta expressa* (Lederer,1855) (Noctuidae) Synonym(s): *expressa* Lederer,1855; *ochracea* Staudinger,1881
 42715) *Athetis absorbens* (Walker,[1857]) (Noctuidae) Synonym(s): *absorbens* Walker,[1857]
 42716) *Athetis aeneolineata* M.Krüger,2001 (Noctuidae) Synonym(s): *aeneolineata* M.Krüger,2001
 42717) *Athetis aeschria* Hampson,1909 (Noctuidae) Synonym(s): *aeschria* Hampson,1909
 42718) *Athetis albipuncta* (Hampson,1902) (Noctuidae) Synonym(s): *albipuncta* Hampson,1902
 42719) *Athetis albirena* (Hampson,1902) (Noctuidae) Synonym(s): *albirena* Hampson,1902
 42720) *Athetis alpina* M.Krüger,2001 (Noctuidae) Synonym(s): *alpina* M.Krüger,2001
 42721) *Athetis alternata* (Janse,1938) (Noctuidae) Synonym(s): *alternata* Janse,1938
 42722) *Athetis anomoeosis* Hampson,1909 (Noctuidae) Synonym(s): *anomoeosis* Hampson,1909
 42723) *Athetis assecta* M.Krüger,2001 (Noctuidae) Synonym(s): *assecta* M.Krüger,2001
 42724) *Athetis atristicta* Hampson,1918 (Noctuidae) Synonym(s): *atristicta* Hampson,1918
 42725) *Athetis aurobrunnea* (Janse,1938) (Noctuidae) Synonym(s): *aurobrunnea* Janse,1938
 42726) *Athetis aurogrisea* M.Krüger,2000 (Noctuidae) Synonym(s): *aurogrisea* M.Krüger,2000
 42727) *Athetis auronitens* M.Krüger,2000 (Noctuidae) Synonym(s): *auronitens* M.Krüger,2000
 42728) *Athetis bicornuta* M.Krüger,2000 (Noctuidae) Synonym(s): *bicornuta* M.Krüger,2000
 42729) *Athetis brunneaplagata* (Bethune-Baker,1911) (Noctuidae) Synonym(s): *brunneaplagata* Bethune-Baker,1911
 42730) *Athetis chioneopha* (Hampson,1911) (Noctuidae) Synonym(s): *chioneopha* Hampson,1911
 42731) *Athetis chionopis* Hampson,1909 (Noctuidae) Synonym(s): *chionopis* Hampson,1909
 42732) *Athetis collaris* (Wallengren,1856) (Noctuidae) Synonym(s): *collaris* Wallengren,1856; *caeca* Hampson,1902.
 42733) *Athetis collicola* M.Krüger,2001 (Noctuidae) Synonym(s): *collicola* M.Krüger,2001
 42734) *Athetis consocia* M.Krüger,2001 (Noctuidae) Synonym(s): *consocia* M.Krüger,2001
 42735) *Athetis correpta* (Püngeler,1907) (Noctuidae) Synonym(s): *correpta* Püngeler,1907
 42736) *Athetis debilis* M.Krüger,2000 (Noctuidae) Synonym(s): *debilis* M.Krüger,2000
 42737) *Athetis delecta* (Moore,1881) (Noctuidae) Synonym(s): *delecta* Moore,1881
 42738) *Athetis duplex* (Janse,1938) (Noctuidae) Synonym(s): *duplex* Janse,1938
 42739) *Athetis euxoa* M.Krüger,2001 (Noctuidae) Synonym(s): *euxoa* M.Krüger,2001
 42740) *Athetis excurvata* (Janse,1938) (Noctuidae) Synonym(s): *excurvata* Janse,1938
 42741) *Athetis flavipuncta* Hampson,1909 (Noctuidae) Synonym(s): *flavipuncta* Hampson,1909; *croceipuncta* Hampson,1909; *tanzaniae* Berio,1976
 42742) *Athetis foveata* Hampson,1909 (Noctuidae) Synonym(s): *foveata* Hampson,1909
 42743) *Athetis fraus* M.Krüger,2000 (Noctuidae) Synonym(s): *fraus* M.Krüger,2000
 42744) *Athetis fulgens* M.Krüger,2001 (Noctuidae) Synonym(s): *fulgens* M.Krüger,2001
 42745) *Athetis fumicolor* (Janse,1938) (Noctuidae) Synonym(s): *fumicolor* Janse,1938
 42746) *Athetis furvula* (Hübner,[1808]) (Noctuidae) Synonym(s): *furvula* Hübner,[1808]; *dasychira* Hübner,[1817]; *lenta* Treitschke,1825.
 42747) *Athetis gizana* Wiltshire,1986 (Noctuidae) Synonym(s): *gizana* Wiltshire,1986
 42748) *Athetis glauca* (Hampson,1902) (Noctuidae) Synonym(s): *glauca* Hampson,1902
 42749) *Athetis gluteosa* (Treitschke,1835) (Noctuidae) Synonym(s): *gluteosa* Treitschke,1835
 42750) *Athetis gonionephra* Hampson,1909 (Noctuidae) Synonym(s): *gonionephra* Hampson,1909; *nephrogonia* Berio,1976.
 42751) *Athetis gracilis* M.Krüger,2001 (Noctuidae) Synonym(s): *gracilis* M.Krüger,2001
 42752) *Athetis heliastis* Hampson,1909 (Noctuidae) Synonym(s): *heliastis* Hampson,1909
 42753) *Athetis ignava* (Guenée,1852) (Noctuidae) Synonym(s): *ignava* Guenée,1852; *pervicax* Wallengren,1875.
 42754) *Athetis instrata* M.Krüger,2001 (Noctuidae) Synonym(s): *instrata* M.Krüger,2001
 42755) *Athetis interlata* (Walker,1857) (Noctuidae) Synonym(s): *interlata* Walker,1857
 42756) *Athetis intricata* M.Krüger,2001 (Noctuidae) Synonym(s): *intricata* M.Krüger,2001
 42757) *Athetis leuconephra* Hampson,1909 (Noctuidae) Synonym(s): *leuconephra* Hampson,1909
 42758) *Athetis leucopis* (Hampson,1902) (Noctuidae) Synonym(s): *leucopis* Hampson,1902
 42759) *Athetis lyrophora* Boursin,1970 (Noctuidae) Synonym(s): *lyrophora* Boursin,1970
 42760) *Athetis magniplagia* (Hampson,1918) (Noctuidae) Synonym(s): *magniplagia* Hampson,1918
 42761) *Athetis melanephra* Hampson,1909 (Noctuidae) Synonym(s): *melanephra* Hampson,1909
 42762) *Athetis melanomma* Hampson,1920 (Noctuidae) Synonym(s): *melanomma* Hampson,1920
 42763) *Athetis melanopis* Hampson,1909 (Noctuidae) Synonym(s): *melanopis* Hampson,1909
 42764) *Athetis melanosema* Hampson,1914 (Noctuidae) Synonym(s): *melanopis* Hampson,1909 *nec* Hamps.,1909; *melanosema* Hampson,1914
 42765) *Athetis melanosticta* Hampson,1891 (Noctuidae) Synonym(s): *melanosticta* Hampson,1891
 42766) *Athetis metis* (Janse,1938) (Noctuidae) Synonym(s): *metis* Janse,1938
 42767) *Athetis micra* (Hampson,1902) (Noctuidae) Synonym(s): *micra* Hampson,1902
 42768) *Athetis microtera* (Hampson,1902) (Noctuidae) Synonym(s): *microtera* Hampson,1902
 42769) *Athetis mozambica* Hampson,1918 (Noctuidae) Synonym(s): *mozambica* Hampson,1918
 42770) *Athetis nephrosticta* Hampson,1909 (Noctuidae) Synonym(s): *nephrosticta* Hampson,1909
 42771) *Athetis nigra* (Janse,1938) (Noctuidae) Synonym(s): *nigra* Janse,1938
 42772) *Athetis nigristriata* M.Krüger,2000 (Noctuidae) Synonym(s): *nigristriata* M.Krüger,2000
 42773) *Athetis obscuroides* Poole,1989 (Noctuidae) Synonym(s): *obscura* Janse,1938 (*praeocc.*); *obscuroides* Poole,1989
 42774) *Athetis ocellata* (Janse,1938) (Noctuidae) Synonym(s): *ocellata* Janse,1938
 42775) *Athetis pallescens* (Janse,1938) (Noctuidae) Synonym(s): *pallescens* Janse,1938
 42776) *Athetis pallicornis* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *pallicornis* R.Felder & Rogenhofer,1874
 42777) *Athetis pallustris* (Hübner,[1808]) (Noctuidae) Synonym(s): *pallustris* Hübner,[1808]; *#pallustris* Lederer,1870
 42778) *Athetis perplexa* (Janse,1938) (Noctuidae) Synonym(s): *perplexa* Janse,1938
 42779) *Athetis pigra* (Guenée,1852) (Noctuidae) Synonym(s): *pigra* Guenée,1852; *partita* Walker,[1857]; *orbata* Möschler,1883
 42780) *Athetis poliostrata* Hampson,1909 (Noctuidae) Synonym(s): *poliostrata* Hampson,1909
 42781) *Athetis postpuncta* Holloway,1979 (Noctuidae) Synonym(s): *postpuncta* Holloway,1979
 42782) *Athetis reclusa* (Walker,1862) (Noctuidae) Synonym(s): *reclusa* Walker,1862; *agrotoides* Snellen,1880; *insignifera* Bethune-Baker,1906; *sparna* Wileman & West,1929
 42783) *Athetis restricta* (Janse,1938) (Noctuidae) Synonym(s): *restricta* Janse,1938
 42784) *Athetis rhigognostis* M.Krüger,2001 (Noctuidae) Synonym(s): *rhigognostis* M.Krüger,2001
 42785) *Athetis robertsi* (Janse,1938) (Noctuidae) Synonym(s): *robertsi* Janse,1938
 42786) *Athetis robusta* M.Krüger,2000 (Noctuidae) Synonym(s): *robusta* M.Krüger,2000
 42787) *Athetis rufipuncta* (Hampson,1902) (Noctuidae) Synonym(s): *rufipuncta* Hampson,1902
 42788) *Athetis satellitia* (Hampson,1902) (Noctuidae) Synonym(s): *satellitita* Hampson,1902
 42789) *Athetis signata* (Janse,1938) (Noctuidae) Synonym(s): *signata* Janse,1938
 42790) *Athetis sincera* (Swinhoe,1889) (Noctuidae) Synonym(s): *sincera* Swinhoe,1889
 42791) *Athetis singula* (Möschler,1883) (Noctuidae) Synonym(s): *singula* Möschler,1883
 42792) *Athetis smintha* (Hampson,1902) (Noctuidae) Synonym(s): *smintha* Hampson,1902
 42793) *Athetis sordida* M.Krüger,2001 (Noctuidae) Synonym(s): *sordida* M.Krüger,2001
 42794) *Athetis splendidula* M.Krüger,2001 (Noctuidae) Synonym(s): *splendidula* M.Krüger,2001
 42795) *Athetis striolata* (Butler,1886) (Noctuidae) Synonym(s): *striolata* Butler,1886; *acallis* Turner,1903
 42796) *Athetis tenuis* (Butler,1886) (Noctuidae) Synonym(s): *tenuis* Butler,1886
 42797) *Athetis thoracica* (Moore,[1884]) (Noctuidae) Synonym(s): *thoracica* Moore,[1884]; *ceres* Butler,1886; *euthusa* Hampson,1891; *heliarcha* Meyrick,1897; *unipunctata* Bethune-Baker,1906; *#nigripuncta* W.Warren,1913
 42798) *Athetis transvalensis* (Janse,1938) (Noctuidae) Synonym(s): *transvalensis* Janse,1938
 42799) *Athetis tristigmatica* M.Krüger,2000 (Noctuidae) Synonym(s): *tristigmatica* M.Krüger,2000
 42800) *Athetis umbriger* M.Krüger,2000 (Noctuidae) Synonym(s): *umbriger* M.Krüger,2000

- 42801) *Athetis xantholopha* (Hampson,1902) (Noctuidae) Synonym(s): *xantholopha* Hampson,1902
 42802) *Athyra anuliplaga* Walker,1865 (Noctuidae) Synonym(s): *anuliplaga* Walker,1865
 42803) *Attatha attathoides* (Karsch,1896) (Noctuidae) Synonym(s): *attathoides* Karsch,1896
 42804) *Attatha barlowi* A.E.Prout,1921 (Noctuidae) Synonym(s): *barlowi* A.E.Prout,1921
 42805) *Attatha ethiopica* Hampson,1910 (Noctuidae) Synonym(s): *ethiopica* Hampson,1910
 42806) *Attatha gaetana* Oberthür,1923 (Noctuidae) Synonym(s): *gaetana* Oberthür,1923
 42807) *Attatha ino* (Drury,1782) (Noctuidae) Synonym(s): *ino* Drury,1782; *notata* Fabricius,1894; *mundicolor* Walker,1865
 42808) *Attatha metaleuca* Hampson,1913 (Noctuidae) Synonym(s): *metaleuca* Hampson,1913
 42809) *Attatha nio* ? (Noctuidae) Synonym(s):
 42810) *Attatha regalis* (Moore,1872) (Noctuidae) Synonym(s): *regalis* Moore,1872
 42811) *Attatha sinuosa* Laporte,1973 (Noctuidae) Synonym(s): *sinuosa* Laporte,1973
 42812) *Attatha superba* Janse,1917 (Noctuidae) Synonym(s): *superba* Janse,1917
 42813) *Attonda adpersa* (R.Felder & Rogenhofer,1875) (Noctuidae) Synonym(s): *adpersa* R.Felder & Rogenhofer,1875
 42814) *Atunsea hoenei* Berio,1977 (Noctuidae) Synonym(s): *hoenei* Berio,1977
 42815) *Atypha pulmonaris* (Esper,1790) (Noctuidae) Synonym(s): *pulmonaris* Esper,1790
 42816) *Atypha pulmonaris promethea* Boursin,1943 (Noctuidae) Synonym(s): *promethea* Boursin,1943
 42817) *Atypha pulmonaris pulmonaris* (Esper,1790) (Noctuidae) Synonym(s): *pulmonaris* Esper,1790
 42818) *Aucha polyphaenoides polyphaenoides* (Wiltshire,1961) (Noctuidae) Synonym(s): *polyphaenoides* Wiltshire,1961
 42819) *Aucha polyphaenoides purpurascens* Wiltshire,1983 (Noctuidae) Synonym(s): *purpurascens* Wiltshire,1983
 42820) *Auchenisa callipona* Bethune-Baker,1911 (Noctuidae) Synonym(s): *callipona* Bethune-Baker,1911
 42821) *Auchenisa cookei* Pinhey,1958 (Noctuidae) Synonym(s): *cookei* Pinhey,1958
 42822) *Auchenisa dukei* Pinhey,1968 (Noctuidae) Synonym(s): *dukei* Pinhey,1968
 42823) *Auchenisa nigrimacula* Pinhey,1968 (Noctuidae) Synonym(s): *nigrimacula* Pinhey,1968
 42824) *Auchenisa roseotincta* Pinhey,1962 (Noctuidae) Synonym(s): *roseotincta* Pinhey,1962
 42825) *Auchenisa roseotincta albata* Wiltshire,1994 (Noctuidae) Synonym(s): *albata* Wiltshire,1994
 42826) *Auchmis* (s.str.) *curva* (Staudinger,1889) (Noctuidae) Synonym(s): *curva* Staudinger,1889
 42827) *Auchmis* (s.str.) *detersa* (Esper,1791) (Noctuidae) Synonym(s): *detersa* Esper,1791
 42828) *Auchmis* (s.str.) *detersa andalusica* (Ribbe,1912) (Noctuidae) Synonym(s): *andalusica* Ribbe,1912
 42829) *Auchmis* (s.str.) *detersa demavendi* Schawerda,1955 (Noctuidae) Synonym(s): *demavendi* Schawerda,1955
 42830) *Auchmis* (s.str.) *detersa detersa* (Esper,1791) (Noctuidae) Synonym(s): *detersa* Esper,1791
 42831) *Auchmis* (s.str.) *detersa margarita* Ronkay & Varga,1997 (Noctuidae) Synonym(s): *margarita* Ronkay & Varga,1997
 42832) *Auchmis* (s.str.) *detersa minoica* Reisser,1958 (Noctuidae) Synonym(s): *minoica* Reisser,1958
 42833) *Auchmis* (s.str.) *detersina* (Staudinger,1897) (Noctuidae) Synonym(s): *detersina* Staudinger,1897
 42834) *Auchmis* (s.str.) *detersina detersina* (Staudinger,1897) (Noctuidae) Synonym(s): *detersina* Staudinger,1897
 42835) *Auchmis* (s.str.) *detersina sericea* Varga & L.Ronkay,1991 (Noctuidae) Synonym(s): *sericea* Varga & L.Ronkay,1991
 42836) *Auchmis* (s.str.) *incognita* L.Ronkay & Varga,1990 (Noctuidae) Synonym(s): *incognita* L.Ronkay & Varga,1990
 42837) *Auchmis* (s.str.) *peterseni* (Christoph,1887) (Noctuidae) Synonym(s): *peterseni* Christoph,1887
 42838) *Auchmis* (s.str.) *peterseni nekrasovi* Ronkay & Varga,1997 (Noctuidae) Synonym(s): *nekrasovi* Ronkay & Varga,1997
 42839) *Auchmis* (s.str.) *poliorhiza* (Hampson,1902) (Noctuidae) Synonym(s): *poliorhiza* Hampson,1902
 42840) *Auchmis* (s.str.) *subdetersa* (Staudinger,1895) (Noctuidae) Synonym(s): *subdetersa* Staudinger,1895
 42841) *Audea albifasciata* Pinhey,1968 (Noctuidae) Synonym(s): *albifasciata* Pinhey,1968
 42842) *Audea antennalis* Berio,1954 (Noctuidae) Synonym(s): *antennalis* Berio,1954
 42843) *Audea bipunctata* Walker,1858] (Noctuidae) Synonym(s): *bipunctata* Walker,1858]; *fatua* R.Felder & Rogenhofer,1874
 42844) *Audea fatilega* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *fatilega* R.Felder & Rogenhofer,1874
 42845) *Audea fumata* (Wallengren,1860) (Noctuidae) Synonym(s): *fumata* Wallengren,1860
 42846) *Audea guichardi* (Noctuidae) Synonym(s):
 42847) *Audea humeralis* Hampson,1902 (Noctuidae) Synonym(s): *humeralis* Hampson,1902
 42848) *Audea hypostigmata* Hampson,1913 (Noctuidae) Synonym(s): *hypostigmata* Hampson,1913
 42849) *Audea melaleuca* Walker,1865 (Noctuidae) Synonym(s): *melaleuca* Walker,1865
 42850) *Audea melanoplaga* Hampson,1902 (Noctuidae) Synonym(s): *melanoplaga* Hampson,1902
 42851) *Audea subligata* Distant,1902 (Noctuidae) Synonym(s): *subligata* Distant,1902
 42852) *Audea tegulata* Hampson,1902 (Noctuidae) Synonym(s): *tegulata* Hampson,1902
 42853) *Australothis exopisso* Matthews,1999 (Noctuidae) Synonym(s): *exopisso* Matthews,1999
 42854) *Australothis rubrescens* (Walker,1858) (Noctuidae) Synonym(s): *rubrescens* Walker,1858; *aresca* Turner,1911; *caesia* W.Warren,1913; *rufa* W.Warren,1913 nec Wrr.,1911; *hyperchroa* Turner,1920
 42855) *Australothis tertia* (Roepke,1941) (Noctuidae) Synonym(s): *tertia* Roepke,1941
 42856) *Authadistis metaleuca* Hampson,1902 (Noctuidae) Synonym(s): *metaleuca* Hampson,1902
 42857) *Autoba admota* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *admota* R.Felder & Rogenhofer,1874
 42858) *Autoba brachygonia* (Hampson,1910) (Noctuidae) Synonym(s): *brachygonia* Hampson,1910
 42859) *Autoba olivacea* Walker,1858] (Noctuidae) Synonym(s): *olivacea* Walker,1858]
 42860) *Autoba teilhardi* (De Joannis,1909) (Noctuidae) Synonym(s): *teilhardi* De Joannis,1909
 42861) *Autoba versicolor* Walker,1863] (Noctuidae) Synonym(s): *versicolor* Walker,1863]
 42862) *Autographa aemula* ([Denis & Schiffmüller],1775) (Noctuidae) Synonym(s): *aemula* [Denis & Schiffmüller],1775
 42863) *Autographa aemula elongata* (Alberti,1969) (Noctuidae) Synonym(s): *elongata* Alberti,1969
 42864) *Autographa bractea* ([Denis & Schiffmüller],1775) (Noctuidae) Synonym(s): *bractea* [Denis & Schiffmüller],1775
 42865) *Autographa buraetica* (Staudinger,1892) (Noctuidae) Synonym(s): *buraetica* Staudinger,1892
 42866) *Autographa camptosema* (Hampson,1913) (Noctuidae) Synonym(s): *camptosema* Hampson,1913
 42867) *Autographa dudgeoni* (Hampson,1913) (Noctuidae) Synonym(s): *dudgeoni* Hampson,1913
 42868) *Autographa excelsa* (Kretschmar,1862) (Noctuidae) Synonym(s): *excelsa* Kretschmar,1862
 42869) *Autographa gamma* (Linnaeus,1758) (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schädewald,1992; *voelkeri* Schädewald,1992.
 42870) *Autographa jota* (Linnaeus,1758) (Noctuidae) Synonym(s): *jota* Linnaeus,1758; *protea* Stoll,1782; *inscripta* Esper,1787; *gammaaurina* Haworth,1809; *percontationis* Ochseneimer,1816; *aurigutta* Hübner,1821]; *ancora* Freyer,1832; *bartholomaei* Ménètriès,1859; *anatolica* Schwingenschuss,1938
 42871) *Autographa khinjana* Wiltshire,1961 (Noctuidae) Synonym(s): *khinjana* Wiltshire,1961
 42872) *Autographa macrogamma* (Eversmann,1842) (Noctuidae) Synonym(s): *macrogamma* Eversmann,1842
 42873) *Autographa mandarina* (Freyer,1845) (Noctuidae) Synonym(s): *mandarina* Freyer,1845
 42874) *Autographa monogramma* (Alpheraky,1887) (Noctuidae) Synonym(s): *monogramma* Alpheraky,1887
 42875) *Autographa nigrisigna* (Walker,1858) (Noctuidae) Synonym(s): *nigrisigna* Walker,1858]
 42876) *Autographa pulchrina* (Haworth,1809) (Noctuidae) Synonym(s): *pulchrina* Haworth,1809; *v-aureum* Guenée,1852; *percontratrix* Aurivillius,1891
 42877) *Autographa purpureofusa* (Hampson,1894) (Noctuidae) Synonym(s): *purpureofusa* Hampson,1894
 42878) *Autophila* (Cheiropheanes) *afghana* Ronkay,1986 (Noctuidae) Synonym(s): *afghana* Ronkay,1986
 42879) *Autophila* (Cheiropheanes) *anaphanes* Boursin,1940 (Noctuidae) Synonym(s): *anaphanes* Boursin,1940
 42880) *Autophila* (Cheiropheanes) *anaphanes anaphanes* Boursin,1940 (Noctuidae) Synonym(s): *anaphanes* Boursin,1940
 42881) *Autophila* (Cheiropheanes) *anaphanes cretica* Reisser,1958 (Noctuidae) Synonym(s): *cretica* Reisser,1958
 42882) *Autophila* (Cheiropheanes) *anaphanes cypriaca* Boursin,1940 (Noctuidae) Synonym(s): *cypriaca* Boursin,1940
 42883) *Autophila* (Cheiropheanes) *anaphanes dalmatica* Ronkay, (Noctuidae) Synonym(s):
 42884) *Autophila* (Cheiropheanes) *cataphanes* (Hübner,1813) (Noctuidae) Synonym(s): *cataphanes* Hübner,1813]
 42885) *Autophila* (Cheiropheanes) *cataphanes barbarica* Boursin,1940 (Noctuidae) Synonym(s): *barbarica* Boursin,1940
 42886) *Autophila* (Cheiropheanes) *cataphanes cataphanes* (Hübner,1813) (Noctuidae) Synonym(s): *cataphanes* Hübner,1813]
 42887) *Autophila* (Cheiropheanes) *cataphanes corsicosa* Schawerda,1931 (Noctuidae) Synonym(s): *corsicosa* Schawerda,1931
 42888) *Autophila* (Cheiropheanes) *cataphanes satanas* Boursin,1940 (Noctuidae) Synonym(s): *satanas* Boursin,1940

- 42889) *Autophila* (Cheirophanes) *chamaephanes* Boursin,1940 (Noctuidae) Synonym(s): *chamaephanes* Boursin,1940
 42890) *Autophila* (Cheirophanes) *chamaephanes chamaephanes* Boursin,1940 (Noctuidae) Synonym(s): *chamaephanes* Boursin,1940
 42891) *Autophila* (Cheirophanes) *chamaephanes macrophanes* Boursin,1955 (Noctuidae) Synonym(s): *macrophanes* Boursin,1955
 42892) *Autophila* (Cheirophanes) *cymaenotaenia* Boursin,1940 (Noctuidae) Synonym(s): *cymaenotaenia* Boursin,1940
 42893) *Autophila* (Cheirophanes) *cymaenotaenia cymaenotaenia* Boursin,1940 (Noctuidae) Synonym(s): *cymaenotaenia* Boursin,1940
 42894) *Autophila* (Cheirophanes) *cymaenotaenia orthotaenia* Wiltshire,1944 (Noctuidae) Synonym(s): *orthotaenia* Wiltshire,1944
 42895) *Autophila* (Cheirophanes) *eremocharis* Boursin,1940 (Noctuidae) Synonym(s): *eremocharis* Boursin,1940
 42896) *Autophila* (Cheirophanes) *eremocharis eremocharis* Boursin,1940 (Noctuidae) Synonym(s): *eremocharis* Boursin,1940
 42897) *Autophila* (Cheirophanes) *gracilis* (Staudinger,1874) (Noctuidae) Synonym(s): *gracilis* Staudinger,1874; *coruscantis* Swinhoe,1885
 42898) *Autophila* (Cheirophanes) *ligaminosa* (Eversmann,1851) (Noctuidae) Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
 42899) *Autophila* (Cheirophanes) *ligaminosa amianta* (Schawerda,1919) (Noctuidae) Synonym(s): *amianta* Schawerda,1919
 42900) *Autophila* (Cheirophanes) *ligaminosa ankara* (Swinhoe,1900) (Noctuidae) Synonym(s): *ankara* Swinhoe,1900
 42901) *Autophila* (Cheirophanes) *ligaminosa ligaminosa* (Eversmann,1851) (Noctuidae) Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
 42902) *Autophila* (Cheirophanes) *ligaminosa rhodochroa* Boursin,1939 (Noctuidae) Synonym(s): *rhodochroa* Boursin,1939
 42903) *Autophila* (Cheirophanes) *ligaminosa subligaminosa* (Staudinger,1888) (Noctuidae) Synonym(s): *subligaminosa* Staudinger,1888
 42904) *Autophila* (Cheirophanes) *maculifera* (Staudinger,1888) (Noctuidae) Synonym(s): *maculifera* Staudinger,1888 (in litt.); *maculifera* Staudinger,1888.
 42905) *Autophila* (Cheirophanes) *magnifica* Boursin,1963 (Noctuidae) Synonym(s): *magnifica* Boursin,1963
 42906) *Autophila* (Cheirophanes) *myriospea* Boursin,1940 (Noctuidae) Synonym(s): *myriospea* Boursin,1940
 42907) *Autophila* (Cheirophanes) *pauli* Boursin,1940 (Noctuidae) Synonym(s): *pauli* Boursin,1940
 42908) *Autophila* (Cheirophanes) *plattneri* Boursin,1955 (Noctuidae) Synonym(s): *plattneri* Boursin,1955
 42909) *Autophila* (Cheirophanes) *sinuata* (Fischer de Waldheim,1820) (Noctuidae) Synonym(s): *sinuata* Fischer de Waldheim,1820
 42910) *Autophila* (Cheirophanes) *tancrei* Boursin,1940 (Noctuidae) Synonym(s): *tancrei* Boursin,1940
 42911) *Autophila* (Cheirophanes) *tancrei tancrei* Boursin,1940 (Noctuidae) Synonym(s): *tancrei* Boursin,1940
 42912) *Autophila* (Cheirophanes) *tetrastigma* Boursin,1940 (Noctuidae) Synonym(s): *tetrastigma* Boursin,1940
 42913) *Autophila* (Cheirophanes) *tetrastigma tetrastigma* Boursin,1940 (Noctuidae) Synonym(s): *tetrastigma* Boursin,1940
 42914) *Autophila* (Cheirophanes) *vartianae* Ronkay,1986 (Noctuidae) Synonym(s): *vartianae* Ronkay,1986
 42915) *Autophila* (s.str.) *asiatica* (Staudinger,1888) (Noctuidae) Synonym(s): *asiatica* Staudinger,1888
 42916) *Autophila* (s.str.) *banghaasi* Boursin,1940 (Noctuidae) Synonym(s): *banghaasi* Boursin,1940
 42917) *Autophila* (s.str.) *banghaasi banghaasi* Boursin,1940 (Noctuidae) Synonym(s): *banghaasi* Boursin,1940
 42918) *Autophila* (s.str.) *banghaasi geghardica* Ronkay,1989 (Noctuidae) Synonym(s): *geghardica* Ronkay,1989
 42919) *Autophila* (s.str.) *cerealis* (Staudinger,1871) (Noctuidae) Synonym(s): *cerealis* Staudinger,1871
 42920) *Autophila* (s.str.) *cerealis amseli* Draudt,1936 (Noctuidae) Synonym(s): *amseli* Draudt,1936
 42921) *Autophila* (s.str.) *cinnamonea* Ronkay,1989 (Noctuidae) Synonym(s): *cinnamonea* Ronkay,1989
 42922) *Autophila* (s.str.) *cryptica* Ronkay,1986 (Noctuidae) Synonym(s): *cryptica* Ronkay,1986
 42923) *Autophila* (s.str.) *depressa* (Püngeler,1914) (Noctuidae) Synonym(s): *depressa* Püngeler,1914
 42924) *Autophila* (s.str.) *depressa depressa* (Püngeler,1914) (Noctuidae) Synonym(s): *depressa* Püngeler,1914
 42925) *Autophila* (s.str.) *depressa draudti* Osthelder,1933 (Noctuidae) Synonym(s): *draudti* Osthelder,1933
 42926) *Autophila* (s.str.) *depressa perornata* Boursin,1947 (Noctuidae) Synonym(s): *perornata* Boursin,1947
 42927) *Autophila* (s.str.) *dilucida* (Hübner,[1808]) (Noctuidae) Synonym(s): *dilucida* Hübner,[1808]; *praeclara* Schawerda,1918; *argentea* Caradja,1930; *troniceki* Reisser,1958.
 42928) *Autophila* (s.str.) *einsleri* Amsel,1935 (Noctuidae) Synonym(s): *luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa* Schwingenschuss,1939.
 42929) *Autophila* (s.str.) *einsleri clara* Wiltshire,1952 (Noctuidae) Synonym(s): *clara* Wiltshire,1952
 42930) *Autophila* (s.str.) *einsleri cyprogena* Boursin,1940 (Noctuidae) Synonym(s): *cyprogena* Boursin,1940
 42931) *Autophila* (s.str.) *einsleri einsleri* Amsel,1935 (Noctuidae) Synonym(s): *luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa* Schwingenschuss,1939.
 42932) *Autophila* (s.str.) *einsleri garmsira* Wiltshire,1952 (Noctuidae) Synonym(s): *garmsira* Wiltshire,1952
 42933) *Autophila* (s.str.) *einsleri hormuza* Wiltshire,1977 (Noctuidae) Synonym(s): *hormuza* Wiltshire,1977
 42934) *Autophila* (s.str.) *einsleri nigromarginata* Schwingenschuss,1938 (Noctuidae) Synonym(s): *nigromarginata* Schwingenschuss,1938; *elbursica* Boursin,1940.
 42935) *Autophila* (s.str.) *einsleri taurica* Boursin,1940 (Noctuidae) Synonym(s): *taurica* Boursin,1940
 42936) *Autophila* (s.str.) *eurytaenia* Boursin,1963 (Noctuidae) Synonym(s): *eurytaenia* Boursin,1963
 42937) *Autophila* (s.str.) *fuscolampra* Hacker & L.Ronkay,1990 (Noctuidae) Synonym(s): *fuscolampra* Hacker & L.Ronkay,1990
 42938) *Autophila* (s.str.) *glebicolor* (Erschoff,1874) (Noctuidae) Synonym(s): *glebicolor* Erschoff,1874
 42939) *Autophila* (s.str.) *himalayica* (Hampson,1894) (Noctuidae) Synonym(s): *himalayica* Hampson,1894
 42940) *Autophila* (s.str.) *hirsuta* (Staudinger,1870) (Noctuidae) Synonym(s): *hirsuta* Staudinger,1870
 42941) *Autophila* (s.str.) *hirsutula* (Alpheraky,[1894]) (Noctuidae) Synonym(s): *hirsutula* Alpheraky,[1894]
 42942) *Autophila* (s.str.) *horrida* Boursin,1955 (Noctuidae) Synonym(s): *horrida* Boursin,1955
 42943) *Autophila* (s.str.) *iranica* L.Ronkay,1989 (Noctuidae) Synonym(s): *iranica* L.Ronkay,1989
 42944) *Autophila* (s.str.) *iranica xanthozona* Fibiger & Ronkay,1991 (Noctuidae) Synonym(s): *xanthozona* Fibiger & Ronkay,1991
 42945) *Autophila* (s.str.) *laetifica* (Staudinger,1901) (Noctuidae) Synonym(s): *laetifica* Staudinger,1901
 42946) *Autophila* (s.str.) *lia* (Püngeler,1906) (Noctuidae) Synonym(s): *lia* Püngeler,1906
 42947) *Autophila* (s.str.) *libanotica* (Staudinger,1901) (Noctuidae) Synonym(s): *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962.
 42948) *Autophila* (s.str.) *libanotica libanotica* (Staudinger,1901) (Noctuidae) Synonym(s): *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962.
 42949) *Autophila* (s.str.) *limbata* (Staudinger,1871) (Noctuidae) Synonym(s): *limbata* Staudinger,1871
 42950) *Autophila* (s.str.) *limbata limbata* (Staudinger,1871) (Noctuidae) Synonym(s): *limbata* Staudinger,1871
 42951) *Autophila* (s.str.) *limbata parnassicola* Draudt,1936 (Noctuidae) Synonym(s): *parnassicola* Draudt,1936
 42952) *Autophila* (s.str.) *maura* (Staudinger,1888) (Noctuidae) Synonym(s): *maura* Staudinger,1888
 42953) *Autophila* (s.str.) *rasilis* (Püngeler,1900) (Noctuidae) Synonym(s): *rasilis* Püngeler,1900
 42954) *Autophila* (s.str.) *rosea* (Staudinger,1888) (Noctuidae) Synonym(s): *rosea* Staudinger,1888
 42955) *Autophila* (s.str.) *simplex* (Staudinger,1888) (Noctuidae) Synonym(s): *simplex* Staudinger,1888
 42956) *Autophila* (s.str.) *sinesafida* Wiltshire,1952 (Noctuidae) Synonym(s): *sinesafida* Wiltshire,1952
 42957) *Autophila* (s.str.) *subfusca* (Christoph,1893) (Noctuidae) Synonym(s): *subfusca* Christoph,1893
 42958) *Autophila* (s.str.) *subfusca brandti* Ronkay,1989 (Noctuidae) Synonym(s): *brandti* Ronkay,1989
 42959) *Autophila* (s.str.) *subfusca latistria* Ronkay,1989 (Noctuidae) Synonym(s): *latistria* Ronkay,1989
 42960) *Autophila* (s.str.) *subfusca subfusca* (Christoph,1893) (Noctuidae) Synonym(s): *subfusca* Christoph,1893
 42961) *Autophila* (s.str.) *vespertalis* (Staudinger,1896) (Noctuidae) Synonym(s): *vespertalis* Staudinger,1896
 42962) *Autophila* (s.str.) *vespertalis obscurata* (Staudinger,1901) (Noctuidae) Synonym(s): *obscurata* Staudinger,1901
 42963) *Autophila* (s.str.) *xena* Ronkay,1986 (Noctuidae) Synonym(s): *xena* Ronkay,1986
 42964) *Avatha complens* (Walker,1858) (Noctuidae) Synonym(s): *complens* Walker,1858; *glaucofascia* Walker,1858; *onerata* Walker,1864; *ruinosa* Swinhoe,1905
 42965) *Avatha discolor* (Fabricius,1794) (Noctuidae) Synonym(s): *discolor* Fabricius,1794; *includens* Walker,1858; *trigonifera* Walker,1858; *curvifera* Walker,1858; *complacens* Walker,1858; *frontalis* Walker,1858; *expectans* Walker,1858
 42966) *Avatha heterographa* (Hampson,1912) (Noctuidae) Synonym(s): *heterographa* Hampson,1912
 42967) *Avatha leksawadi* Koçak & Kemal,2006 (Noctuidae) Synonym(s): *bubo* Hübner,1832 nec Fabr.,1775; *leksawadi* Koçak & Kemal,2006
 42968) *Avatha noctuoides* (Guenée,1852) (Noctuidae) Synonym(s): *noctuoides* Guenée,1852
 42969) *Avatha novoguineana* (Bethune-Baker,1906) (Noctuidae) Synonym(s): *novoguineana* Bethune-Baker,1906; *pallidior* Strand,1917
 42970) *Avatha perficiens* (Walker,1858) (Noctuidae) Synonym(s): *perficiens* Walker,1858; *condita* Walker,1858
 42971) *Avatha pulcherrima* (Butler,1892) (Noctuidae) Synonym(s): *pulcherrima* Butler,1892
 42972) *Avatha rufiscripta* (Hampson,1926) (Noctuidae) Synonym(s): *rufiscripta* Hampson,1926
 42973) *Avatha subumbra* (Bethune-Baker,1906) (Noctuidae) Synonym(s): *subumbra* Bethune-Baker,1906

- 42974) *Avatha uloptera* (A.E.Prout,1925) (Noctuidae) Synonym(s): *uloptera* A.E.Prout,1925
 42975) *Avitta bracteola* Holloway,1976 (Noctuidae) Synonym(s): *bracteola* Holloway,1976
 42976) *Avitta discipuncta* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *discipuncta* R.Felder & Rogenhofer,1874; *pastea* Hampson,1902; *dinawa* Bethune-Baker,1906
 42977) *Avitta fasciosa* (Moore,1882) (Noctuidae) Synonym(s): *fasciosa* Moore,1882
 42978) *Avitta guttulosa* (Swinhoe,1900) (Noctuidae) Synonym(s): *guttulosa* Swinhoe,1900
 42979) *Avitta lineosa* (Saalmüller,1891) (Noctuidae) Synonym(s): *lineosa* Saalmüller,1891
 42980) *Avitta ophiusalis* (Walker,1858) (Noctuidae) Synonym(s): *ophiusalis* Walker,1858
 42981) *Avitta quadrilinea* (Walker,[1863]) (Noctuidae) Synonym(s): *quadrilinea* Walker,[1863]; *quadrilinealis* Moore,1867; *completa* Rothschild,1915
 42982) *Avitta rufifrons* Moore,[1887] (Noctuidae) Synonym(s): *rufifrons* Moore,[1887]
 42983) *Avitta* sp. (Noctuidae) Synonym(s):
 42984) *Avitta subsignans* Walker,1858 (Noctuidae) Synonym(s): *subsignans* Walker,1858; *surrigens* Walker,1864; *leitimorensis* Pagenstecher,1884
 42985) *Axylia annularis* Saalmüller,1891 (Noctuidae) Synonym(s): *annularis* Saalmüller,1891
 42986) *Axylia coniota* (Hampson,1903) (Noctuidae) Synonym(s): *coniota* Hampson,1903
 42987) *Axylia dispilata* Swinhoe,1891 (Noctuidae) Synonym(s): *dispilata* Swinhoe,1891
 42988) *Axylia putris* (Linnaeus,1761) (Noctuidae) Synonym(s): *putris* Linnaeus,1761; *subcorticalis* Hufnagel,1766; *pallium* Villers,1789; *lignosa* Hübner,[1803]; *mundipennis* W.Warren,1912
 42989) *Axylia putris triseriata* Moore,1888 (Noctuidae) Synonym(s): *triseriata* Moore,1888
 42990) *Badiza cauxa* (Swinhoe,1902) (Noctuidae) Synonym(s): *cauxa* Swinhoe,1902
 42991) *Ballatha willotti* Holloway,2003 (Noctuidae) Synonym(s): *willotti* Holloway,2003
 42992) *Bamra albicola* Walker,1858 (Noctuidae) Synonym(s): *albicola* Walker,1858; *discalis* Moore,1867; *diplostigma* Hampson,1893
 42993) *Bamra delicata* Hampson,1922 (Noctuidae) Synonym(s): *delicata* Hampson,1922
 42994) *Bamra marmorifera* (Walker,1858) (Noctuidae) Synonym(s): *marmorifera* Walker,1858
 42995) *Baniana arvorum* (Guenée,1852) (Noctuidae) Synonym(s): *arvorum* Guenée,1852; *recessa* Distant,1898
 42996) *Baniana culminifera* Hampson,1910 (Noctuidae) Synonym(s): *culminifera* Hampson,1910
 42997) *Baorisa floresiana* Behounek, Speidel & Thöny,1996 (Noctuidae) Synonym(s): *floriana* Behounek, Speidel & Thöny,1996
 42998) *Baorisa hieroglyphica* Moore,1882 (Noctuidae) Synonym(s): *hieroglyphica* Moore,1882
 42999) *Baorisa philippina* Behounek, Speidel & Thöny,1996 (Noctuidae) Synonym(s): *philippina* Behounek, Speidel & Thöny,1996
 43000) *Baorisa sulawesiana* Behounek, Speidel & Thöny,1996 (Noctuidae) Synonym(s): *sulawesiana* Behounek, Speidel & Thöny,1996
 43001) *Barasa acronyctoides* Walker,1862 (Noctuidae) Synonym(s): *acronyctoides* Walker,1862; *cana* Hampson,1893; *caradrinoides* Snellen,1879
 43002) *Barasa alopha* Hampson,1896 (Noctuidae) Synonym(s): *alopha* Hampson,1896
 43003) *Barasa basigerella* (Walker,1866) (Noctuidae) Synonym(s): *basigerella* Walker,1866
 43004) *Barasa costalis* Hampson,1895 (Noctuidae) Synonym(s): *costalis* Hampson,1895
 43005) *Barasa cymatistis* (Meyrick,1889) (Noctuidae) Synonym(s): *cymatistis* Meyrick,1889
 43006) *Barasa griseola* Bethune-Baker,1906 (Noctuidae) Synonym(s): *griseola* Bethune-Baker,1906; *#bakeri* Gaede,1937
 43007) *Barasa lunisigna* (Hampson,1898) (Noctuidae) Synonym(s): *lunisigna* Hampson,1898
 43008) *Barasa meizotoxa* De Joannis,1928 (Noctuidae) Synonym(s): *meizotoxa* De Joannis,1928
 43009) *Barasa melanograpta* Turner,1920 (Noctuidae) Synonym(s): *melanograpta* Turner,1920
 43010) *Barasa nigrosigillata* Roepke,1938 (Noctuidae) Synonym(s): *nigrosigillata* Roepke,1938
 43011) *Barasa orthosticha* Turner,1920 (Noctuidae) Synonym(s): *orthosticha* Turner,1920
 43012) *Barasa rebeli* Tams,1935 (Noctuidae) Synonym(s): *rebeli* Tams,1935
 43013) *Barasa suffida* Swinhoe,1919 (Noctuidae) Synonym(s): *suffida* Swinhoe,1919
 43014) *Barasa triangularis* G.D.Robinson,1975 (Noctuidae) Synonym(s): *triangularis* G.D.Robinson,1975
 43015) *Barasa vanbraeckeli* Roepke,1938 (Noctuidae) Synonym(s): *vanbraeckeli* Roepke,1938
 43016) *Barastrotia metalophota* (Hampson,1898) (Noctuidae) Synonym(s): *metalophota* Hampson,1898
 43017) *Bareia incidens* Walker,1858 (Noctuidae) Synonym(s): *incidens* Walker,1858
 43018) *Basistriga flammatra* (Denis & Schiffmüller,1775) (Noctuidae) Synonym(s): *flammatra* [Denis & Schiffmüller],1775; *bimaculata* Milliere,1885.
 43019) *Basistriga flammatra centralasiae* (Wagner,1913) (Noctuidae) Synonym(s): *centralasiae* Wagner,1913
 43020) *Basistriga flammatra deleta* (Kollar,[1849]) (Noctuidae) Synonym(s): *deleta* Kollar,[1849]
 43021) *Basistriga flammatra flammatra* (Denis & Schiffmüller,1775) (Noctuidae) Synonym(s): *flammatra* [Denis & Schiffmüller],1775; *bimaculata* Milliere,1885.
 43022) *Bastilla absentimacula* (Guenée,1852) (Noctuidae) Synonym(s): *absentimacula* Guenée,1852; *silvestris* Strand,1920
 43023) *Bastilla acuta* (Moore,1887) (Noctuidae) Synonym(s): *acuta* Moore,1887
 43024) *Bastilla amygdalis* Moore,[1885] (Noctuidae) Synonym(s): *amygdalis* Moore,[1885]
 43025) *Bastilla analis* (Guenée,1852) (Noctuidae) Synonym(s): *analis* Guenée,1852
 43026) *Bastilla arcuata* (Moore,1887) (Noctuidae) Synonym(s): *arcuata* Moore,1887; *guenei* Snellen,1880; *curvata* Leech,1889
 43027) *Bastilla binatang* Holloway & S.E.Miller,2003 (Noctuidae) Synonym(s): *binatang* Holloway & S.E.Miller,2003
 43028) *Bastilla crameri* (Moore,[1885]) (Noctuidae) Synonym(s): *achatinia* Cramer,1780 nec Sulz.,1776; *crameri* Moore,[1885]; *discalis* Moore,[1885]
 43029) *Bastilla cuneilineata* (W.Warren,1915) (Noctuidae) Synonym(s): *cuneilineata* W.Warren,1915
 43030) *Bastilla duplicata* (G.S.Robinson,1975) (Noctuidae) Synonym(s): *duplicata* G.S.Robinson,1975
 43031) *Bastilla feneratrix* (Guenée,1852) (Noctuidae) Synonym(s): *feneratrix* Guenée,1852; *melanochrous* Rothschild,1920
 43032) *Bastilla flexilinea* (W.Warren,1915) (Noctuidae) Synonym(s): *flexilinea* W.Warren,1915
 43033) *Bastilla fulvotaenia* (Guenée,1852) (Noctuidae) Synonym(s): *fulvotaenia* Guenée,1852
 43034) *Bastilla joviana* (Stoll,1782) (Noctuidae) Synonym(s): *sinuata* Fabricius,1781 nec Fabr.,1775; *joviana* Stoll,1782; *jovis* Hübner,[1823]
 43035) *Bastilla maturata* (Walker,1858) (Noctuidae) Synonym(s): *maturata* Walker,1858; *falcata* Moore,1882
 43036) *Bastilla maturescens* (Walker,1858) (Noctuidae) Synonym(s): *maturescens* Walker,1858
 43037) *Bastilla missionarii* (Hulstaert,1924) (Noctuidae) Synonym(s): *missionarii* Hulstaert,1924
 43038) *Bastilla myops* (Guenée,1852) (Noctuidae) Synonym(s): *myops* Guenée,1852; *affinis* Guenée,1852
 43039) *Bastilla nielsenii* Holloway & S.E.Miller,2003 (Noctuidae) Synonym(s): *nielsenii* Holloway & S.E.Miller,2003
 43040) *Bastilla praetermissa* (W.Warren,1913) (Noctuidae) Synonym(s): *praetermissa* W.Warren,1913
 43041) *Bastilla properata* (Walker,1858) (Noctuidae) Synonym(s): *properata* Walker,1858
 43042) *Bastilla redunda* (Swinhoe,1900) (Noctuidae) Synonym(s): *redunda* Swinhoe,1900
 43043) *Bastilla senex* (Walker,1858) (Noctuidae) Synonym(s): *senex* Walker,1858; *acutissima* Bethune-Baker,1906
 43044) *Bastilla simillima* (Guenée,1852) (Noctuidae) Synonym(s): *simillima* Guenée,1852; *mima* Strand,1920
 43045) *Bastilla solomonensis* (Hampson,1913) (Noctuidae) Synonym(s): *solomonensis* Hampson,1913
 43046) *Bastilla solomonensis bicuminata* (Holloway,1979) (Noctuidae) Synonym(s): *bicuminata* Holloway,1979
 43047) *Bastilla solomonensis hebridesia* (Holloway,1979) (Noctuidae) Synonym(s): *hebridesia* Holloway,1979
 43048) *Bastilla solomonensis jovia* (Gaede,1938) (Noctuidae) Synonym(s): *jovia* Gaede,1938
 43049) *Bastilla solomonensis papuana* (Holloway,1979) (Noctuidae) Synonym(s): *papuana* Holloway,1979
 43050) *Bastilla solomonensis solomonensis* (Hampson,1913) (Noctuidae) Synonym(s): *solomonensis* Hampson,1913
 43051) *Bastilla solomonensis* ssp. (Noctuidae) Synonym(s):
 43052) *Bastilla subacuta* (Bethune-Baker,1906) (Noctuidae) Synonym(s): *subacuta* Bethune-Baker,1906
 43053) *Bastilla subacuta juncta* (A.E.Prout,1922) (Noctuidae) Synonym(s): *juncta* A.E.Prout,1922
 43054) *Bastilla subacuta subacuta* (Bethune-Baker,1906) (Noctuidae) Synonym(s): *subacuta* Bethune-Baker,1906
 43055) *Bastilla tahitiensis* (Orhant,2002) (Noctuidae) Synonym(s): *tahitiensis* Orhant,2002
 43056) *Bastilla vitiensis* (Butler,1886) (Noctuidae) Synonym(s): *vitiensis* Butler,1886; *prouti* Hulstaert,1924; *cuneifascia* Hulstaert,1924
 43057) *Batracharta albistrigosa* W.Warren,1915 (Noctuidae) Synonym(s): *albistrigosa* W.Warren,1915
 43058) *Batracharta chariessa* A.E.Prout,1928 (Noctuidae) Synonym(s): *chariessa* A.E.Prout,1928
 43059) *Batracharta cossoides* (Walker,[1863]) (Noctuidae) Synonym(s): *cossoides* Walker,[1863]
 43060) *Batracharta divisa* Wileman,1914 (Noctuidae) Synonym(s): *divisa* Wileman,1914

- 43061) *Batracharta lempkei* Kobes, 1989 (Noctuidae) Synonym(s): *lempkei* Kobes, 1989
- 43062) *Batracharta obliqua* (Walker, 1862) (Noctuidae) Synonym(s): *obliqua* Walker, 1862; *apicalis* Moore, 1882; *tincta* Hampson, 1893
- 43063) *Batracharta* sp.2 (Noctuidae) Synonym(s):
- 43064) *Batracharta* sp.n. Holloway, 2005 (Noctuidae) Synonym(s):
- 43065) *Batracharta walkeri* Bethune-Baker, 1910 (Noctuidae) Synonym(s): *walkeri* Bethune-Baker, 1910; *ochreipennis* W. Warren, 1915
- 43066) *Beana terminigera* (Walker, 1858) (Noctuidae) Synonym(s): *terminigera* Walker, 1858; *polychroma* Walker, 1862
- 43067) *Beana cornuta* Holloway, 1982 (Noctuidae) Synonym(s): *cornuta* Holloway, 1982
- 43068) *Beana nubiferella* Walker, 1866 (Noctuidae) Synonym(s): *nubiferella* Walker, 1866; *milbradti* Kobes, 1977
- 43069) *Beana tortriciformis* (Strand, 1917) (Noctuidae) Synonym(s): *tortriciformis* Strand, 1917; *dilatata* Holloway, 1982
- 43070) *Behounekia freyeri* (Frivaldsky, 1835) (Noctuidae) Synonym(s): *freyeri* Frivaldsky, 1835; *lintea* Freyer, 1842; *orontii* Herrich-Schäffer, [1851]; *senescens* Eversmann, 1856; *Winthea Lederer*, 1870
- 43071) *Beihania anartoides* (Warnecke, 1937) (Noctuidae) Synonym(s): *anartoides* Warnecke, 1937
- 43072) *Beihania cuculliella* Wiltshire, 1967 (Noctuidae) Synonym(s): *cuculliella* Wiltshire, 1967
- 43073) *Beihania hyatti* Wiltshire, 1967 (Noctuidae) Synonym(s): *hyatti* Wiltshire, 1967
- 43074) *Beihania montaguei* Wiltshire, 1980 (Noctuidae) Synonym(s): *montaguei* Wiltshire, 1980
- 43075) *Beihania philbyi* Wiltshire, 1980 (Noctuidae) Synonym(s): *philbyi* Wiltshire, 1980
- 43076) *Belciades hoenei* Kononenko, 1997 (Noctuidae) Synonym(s): *hoenei* Kononenko, 1997
- 43077) *Belciades niveola* (Motschulsky, 1866) (Noctuidae) Synonym(s): *niveola* Motschulsky, 1866
- 43078) *Belciades sugii* Kononenko, 1997 (Noctuidae) Synonym(s): *sugii* Kononenko, 1997
- 43079) *Belciana bicolor* Wileman & West, 1929 (Noctuidae) Synonym(s): *bicolor* Wileman & West, 1929
- 43080) *Belciana biformis* (Walker, 1858) (Noctuidae) Synonym(s): *biformis* Walker, 1858; *hemodi* R. Felder & Rogenhofer, 1874
- 43081) *Belciana caerulea* Hampson, 1926 (Noctuidae) Synonym(s): *caerulea* Hampson, 1926
- 43082) *Belciana euechlora* Hampson, 1926 (Noctuidae) Synonym(s): *euechlora* Hampson, 1926
- 43083) *Belciana habroscia* A.E. Prout, 1924 (Noctuidae) Synonym(s): *habroscia* A.E. Prout, 1924
- 43084) *Belciana kala* (A.E. Prout, 1924) (Noctuidae) Synonym(s): *kala* A.E. Prout, 1924
- 43085) *Belciana kenricki* (Bethune-Baker, 1906) (Noctuidae) Synonym(s): *kenricki* Bethune-Baker, 1906
- 43086) *Belciana patricolor* A.E. Prout, 1924 (Noctuidae) Synonym(s): *patricolor* A.E. Prout, 1924
- 43087) *Belciana prasina* (Swinhoe, 1903) (Noctuidae) Synonym(s): *prasina* Swinhoe, 1903
- 43088) *Belciana pratti* (Bethune-Baker, 1906) (Noctuidae) Synonym(s): *pratti* Bethune-Baker, 1906
- 43089) *Belciana serrata* (Bethune-Baker, 1906) (Noctuidae) Synonym(s): *serrata* Bethune-Baker, 1906
- 43090) *Belciana sobieczkyi* Kobes, 1989 (Noctuidae) Synonym(s): *sobieczkyi* Kobes, 1989
- 43091) *Belciana sophronia* A.E. Prout, 1924 (Noctuidae) Synonym(s): *sophronia* A.E. Prout, 1924
- 43092) *Belciana staudingeri* (Leech, 1900) (Noctuidae) Synonym(s): *staudingeri* Leech, 1900; *trinubila* Draudt, 1937
- 43093) *Belciana striatovirens* (Moore, 1882) (Noctuidae) Synonym(s): *striatovirens* Moore, 1882
- 43094) *Belciana suberrata* A.E. Prout, 1924 (Noctuidae) Synonym(s): *suberrata* A.E. Prout, 1924
- 43095) *Bematha extensa* Walker, 1865 (Noctuidae) Synonym(s): *extensa* Walker, 1865
- 43096) *Bematha pectoralis* (Walker, 1864) (Noctuidae) Synonym(s): *pectoralis* Walker, 1864
- 43097) *Bematha transversata* Wileman & West, 1929 (Noctuidae) Synonym(s): *transversata* Wileman & West, 1929
- 43098) *Bena africana* (W. Warren, 1913) (Noctuidae) Synonym(s): *africana* W. Warren, 1913
- 43099) *Bena bicolorana* (Fuessly, 1775) (Noctuidae) Synonym(s): *prasina* auct. nec Linn., 1758; *bicolorana* Fuessly, 1775; *quercana* Denis & Schiffermüller, 1775; *conspersa* Warren, 1913.
- 43100) *Benshirachia paradoxa* Gyulai, Varga & L. Ronkay, 2002 (Noctuidae) Synonym(s): *paradoxa* Gyulai, Varga & L. Ronkay, 2002
- 43101) *Beriohansia hansali* (R. Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *hansali* R. Felder & Rogenhofer, [1874]
- 43102) *Bertula abjudicalis* Walker, [1859] (Noctuidae) Synonym(s): *abjudicalis* Walker, [1859]; *thrsalis* Walker, 1859; *tumidalis* Walker, 1859; *abducalis* Kononenko & Pinratana, 2005
- 43103) *Bertula* sp.1 (Noctuidae) Synonym(s):
- 43104) *Bertula* sp.2 (Noctuidae) Synonym(s):
- 43105) *Blasticorhinus enervis* (Swinhoe, 1890) (Noctuidae) Synonym(s): *enervis* Swinhoe, 1890
- 43106) *Blasticorhinus otophora* (Hampson, 1894) (Noctuidae) Synonym(s): *otophora* Hampson, 1894
- 43107) *Blasticorhinus rivulosa* (Walker, 1865) (Noctuidae) Synonym(s): *rivulosa* Walker, 1865; *quadripuncta* Swinhoe, 1902
- 43108) *Blasticorhinus* sp.1 (Noctuidae) Synonym(s):
- 43109) *Blasticorhinus* sp.2 (Noctuidae) Synonym(s):
- 43110) *Blasticorhinus varius* Yoshimoto, 1993 (Noctuidae) Synonym(s): *varius* Yoshimoto, 1993
- 43111) *Blenina accipiens* Walker, [1858] (Noctuidae) Synonym(s): *accipiens* Walker, [1858]
- 43112) *Blenina albifascia* Pinhey, 1968 (Noctuidae) Synonym(s): *albifascia* Pinhey, 1968; *sinefascia* Pinhey, 1978.
- 43113) *Blenina chlorophila* Hampson, 1905 (Noctuidae) Synonym(s): *chlorophila* Hampson, 1905
- 43114) *Blenina diagona* Hampson, 1912 (Noctuidae) Synonym(s): *diagona* Hampson, 1912
- 43115) *Blenina diagona* Hampson, 1912 (Noctuidae) Synonym(s): *diagona* Hampson, 1912
- 43116) *Blenina donans* Walker, 1857 (Noctuidae) Synonym(s): *donans* Walker, 1857
- 43117) *Blenina lichenopa* (Meyrick, 1897) (Noctuidae) Synonym(s): *lichenopa* Meyrick, 1897
- 43118) *Blenina lichenopa* (Meyrick, 1897) (Noctuidae) Synonym(s): *lichenopa* Meyrick, 1897
- 43119) *Blenina lichenopa nigrans* Bethune-Baker, 1906 (Noctuidae) Synonym(s): *nigrans* Bethune-Baker, 1906
- 43120) *Blenina lichenopa solomonis* Swinhoe, 1905 (Noctuidae) Synonym(s): *solomonis* Swinhoe, 1905
- 43121) *Blenina lichenopa vatu* G.S. Robinson, 1975 (Noctuidae) Synonym(s): *vatu* G.S. Robinson, 1975
- 43122) *Blenina lichenosa* Moore, 1877 (Noctuidae) Synonym(s): *lichenosa* Moore, 1877 nec R. Felder, 1874; *variegata* Moore, 1882; *#borneonis* Strand, 1917; *#lichenosella* Strand, 1917; *#lichenosula* Strand, 1917
- 43123) *Blenina lucretia* (Dalman, 1823) (Noctuidae) Synonym(s): *lucretia* Dalman, 1823
- 43124) *Blenina malachitis* Hampson, 1905 (Noctuidae) Synonym(s): *malachitis* Hampson, 1905; *#auriculata* Hampson, 1912; *#singaporica* Strand, 1917; *moluccensis* A.E. Prout, 1926
- 43125) *Blenina puloa* Swinhoe, 1901 (Noctuidae) Synonym(s): *puloa* Swinhoe, 1901
- 43126) *Blenina quadripuncta* Hampson, 1902 (Noctuidae) Synonym(s): *quadripuncta* Hampson, 1902
- 43127) *Blenina quinarya* Moore, 1882 (Noctuidae) Synonym(s): *quinarya* Moore, 1882
- 43128) *Blenina squamifera* (Wallengren, 1860) (Noctuidae) Synonym(s): *squamifera* Wallengren, 1860; *lichenosa* R. Felder, 1874; *autumnalis* Distant, 1898.
- 43129) *Blepharita amica* (Treitschke, 1825) (Noctuidae) Synonym(s): *amica* Treitschke, 1825
- 43130) *Blepharita satura* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *satura* [Denis & Schiffermüller], 1775
- 43131) *Blepharomorpha bifurcata* (Hreblay & Plante, 1996) (Noctuidae) Synonym(s): *bifurcata* Hreblay & Plante, 1996
- 43132) *Blepharomorpha draudiana* (Hreblay & Plante, 1996) (Noctuidae) Synonym(s): *draudiana* Hreblay & Plante, 1996
- 43133) *Blepharomorpha inflata* (Hreblay & Plante, 1996) (Noctuidae) Synonym(s): *inflata* Hreblay & Plante, 1996
- 43134) *Blepharomorpha luteifrons* (Walker, 1857) (Noctuidae) Synonym(s): *luteifrons* Walker, 1857
- 43135) *Blepharomorpha machka* Hreblay & L. Ronkay, 1998 (Noctuidae) Synonym(s): *machka* Hreblay & L. Ronkay, 1998
- 43136) *Blepharomorpha retrahens* (Walker, 1857) (Noctuidae) Synonym(s): *retrahens* Walker, 1857
- 43137) *Bleptina frontalis* Walker, 1862 (Noctuidae) Synonym(s): *frontalis* Walker, 1862
- 43138) *Bleptina intractalis* Walker, 1862 (Noctuidae) Synonym(s): *intractalis* Walker, 1862
- 43139) *Bocana incompleta* A.E. Prout, 1928 (Noctuidae) Synonym(s): *incompleta* A.E. Prout, 1928
- 43140) *Bocana manifestalis* Walker, [1859] (Noctuidae) Synonym(s): *manifestalis* Walker, [1859]; *oberratalis* Walker, [1859]; *determinata* Walker, 1865
- 43141) *Bocana umbrina* Tams, 1924 (Noctuidae) Synonym(s): *umbrina* Tams, 1924
- 43142) *Bocula brunneata* W. Warren, 1912 (Noctuidae) Synonym(s): *brunneata* W. Warren, 1912
- 43143) *Bocula caradrinoides* Guenée, 1852 (Noctuidae) Synonym(s): *caradrinoides* Guenée, 1852
- 43144) *Bocula divergens* A.E. Prout, 1926 (Noctuidae) Synonym(s): *divergens* A.E. Prout, 1926
- 43145) *Bocula marginata* Moore, 1882 (Noctuidae) Synonym(s): *marginata* Moore, 1882

- 43146) *Bocula metochrea* Hampson, 1926 (Noctuidae) Synonym(s): *metochrea* Hampson, 1926
 43147) *Bocula odontosema* Turner, 1909 (Noctuidae) Synonym(s): *odontosema* Turner, 1909; *lophoproctis* Hampson, 1922; *lobata* Hulstaert, 1924
 43148) *Bocula sejuncta* (Walker, 1856) (Noctuidae) Synonym(s): *sejuncta* Walker, 1856; *paucifera* Walker, 1857; *expansilis* W. Warren, 1912; *inquinata* W. Warren, 1912; *subspurcata* W. Warren, 1912; *nigropunctata* W. Warren, 1912; *magna* W. Warren, 1912; *pallida* W. Warren, 1912; *celebensis* Swinhoe, 1916
 43149) *Bocula terminata* (Walker, 1869) (Noctuidae) Synonym(s): *terminata* Walker, 1869
 43150) *Bocula xanthostola* Hampson, 1926 (Noctuidae) Synonym(s): *marginata* Moore, [1884] *nec* Mr. 1882; *xanthostola* Hampson, 1926
 43151) *Bombotelia simplex* (Walker, 1865) (Noctuidae) Synonym(s): *simplex* Walker, 1865
 43152) *Bonaberiana crassisquama* Strand, 1915 (Noctuidae) Synonym(s): *crassisquama* Strand, 1915
 43153) *Borbotana nivifascia* Walker, 1858 (Noctuidae) Synonym(s): *nivifascia* Walker, 1858
 43154) *Borbotana petrae* Behounek, 1999 (Noctuidae) Synonym(s): *petrae* Behounek, 1999
 43155) *Borbotana piskatschekae* Behounek, 1999 (Noctuidae) Synonym(s): *piskatschekae* Behounek, 1999
 43156) *Bornolis dufayi* (Boursin, 1960) (Noctuidae) Synonym(s): *dufayi* Boursin, 1960
 43157) *Bornolis flavistigma* (Moore, 1867) (Noctuidae) Synonym(s): *flavistigma* Moore, 1867; *basalis* Moore, 1881; *denticulosa* Moore, 1882
 43158) *Bornolis lithoxylea* (A. Bang-Haas, 1912) (Noctuidae) Synonym(s): *kamburunga* Holloway, 1976
 43159) *Bornolis niveiplaga* (Walker, 1857) (Noctuidae) Synonym(s): *niveiplaga* Walker, 1857
 43160) *Boursinia candida* (Boursin, 1964) (Noctuidae) Synonym(s): *candida* Boursin, 1964
 43161) *Boursinia deceptrix* (Staudinger, 1900) (Noctuidae) Synonym(s): *deceptrix* Staudinger, 1900
 43162) *Boursinia discordans* (Boursin, 1940) (Noctuidae) Synonym(s): *discrepans* Staudinger, 1892 *nec* Wlk., 1865; *discordans* Boursin, 1940
 43163) *Boursinia ferdovsi* (Brandt, 1941) (Noctuidae) Synonym(s): *ferdovsi* Brandt, 1941
 43164) *Boursinia lithoxylea* (A. Bang-Haas, 1912) (Noctuidae) Synonym(s): *lithoxylea* A. Bang-Haas, 1912; *beduina* Wiltshire, 1948
 43165) *Boursinia malitiosa* (Alpheraky, 1892) (Noctuidae) Synonym(s): *malitiosa* Alpheraky, 1892; *esurialis* Püngeler, 1914
 43166) *Boursinia oxygramma* Brandt, 1938 (Noctuidae) Synonym(s): *oxygramma* Brandt, 1938
 43167) *Boursinia symmicta* Brandt, 1938 (Noctuidae) Synonym(s): *symmicta* Brandt, 1938
 43168) *Brachionycha nubeculosa* (Esper, [1785]) (Noctuidae) Synonym(s): *nubeculosa* Esper, [1785]
 43169) *Brachionycha nubeculosa nubeculosa* (Esper, [1785]) (Noctuidae) Synonym(s): *nubeculosa* Esper, [1785]
 43170) *Brachionycha sajana* Draudt, 1934 (Noctuidae) Synonym(s): *sajana* Draudt, 1934
 43171) *Brachygalea albolineata* (Blachier, 1905) (Noctuidae) Synonym(s): *albolineata* Blachier, 1905; *leucorhabda* Hampson, 1906; *albolineata* Hampson, 1906
 43172) *Brachygalea kalchbergi* (Staudinger, 1897) (Noctuidae) Synonym(s): *kalchbergi* Staudinger, 1897
 43173) *Brachygalea leptographa* Ronkay & Gyulai, 1997 (Noctuidae) Synonym(s): *leptographa* Ronkay & Gyulai, 1997
 43174) *Brachygalea miskoi* Ronkay, 1997 (Noctuidae) Synonym(s): *miskoi* Ronkay, 1997
 43175) *Brachygalea miskoi miskoi* Ronkay, 1997 (Noctuidae) Synonym(s): *miskoi* Ronkay, 1997
 43176) *Brachylomia uralensis* (Warren, 1910) (Noctuidae) Synonym(s): *uralensis* Warren, 1910
 43177) *Brachylomia uralensis uralensis* (Warren, 1910) (Noctuidae) Synonym(s): *uralensis* Warren, 1910
 43178) *Brachylomia uralensis urartua* Hacker & Kuhna, 1986 (Noctuidae) Synonym(s): *urartua* Hacker & Kuhna, 1986
 43179) *Brachylomia viminalis* (Fabricius, 1777) (Noctuidae) Synonym(s): *viminalis* Fabricius, 1777; *stricta* Esper, [1789]; *saliceti* Borkhausen, 1792; *scripta* Hübner, [1803]
 43180) *Brachypteragrotis patricei* Viette, 1959 (Noctuidae) Synonym(s): *patricei* Viette, 1959
 43181) *Brachyxanthia zelotypa* (Lederer, 1853) (Noctuidae) Synonym(s): *zelotypa* Lederer, 1853
 43182) *Brana calopasa* Walker, [1858] (Noctuidae) Synonym(s): *calopasa* Walker, [1858]
 43183) *Brana cara* Yoshimoto, 2001 (Noctuidae) Synonym(s): *cara* Yoshimoto, 2001
 43184) *Brandtaxia discalis* (Brandt, 1941) (Noctuidae) Synonym(s): *discalis* Brandt, 1941
 43185) *Brandtina albonigra* Bytinski-Salz & Brandt, 1937 (Noctuidae) Synonym(s): *albonigra* Bytinski-Salz & Brandt, 1937; *noacki* Boursin, 1967
 43186) *Brephos ansorgei* (Jordan, 1904) (Noctuidae) Synonym(s): *ansorgei* Jordan, 1904
 43187) *Brephos decora* (Linnaeus, 1764) (Noctuidae) Synonym(s): *decora* Linnaeus, 1764; *julia* Cramer, 1776; *dubia* Hübner, 1827; *moldaenkei* Dewitz, 1881
 43188) *Brephos festiva* (Jordan, 1913) (Noctuidae) Synonym(s): *festiva* Jordan, 1913
 43189) *Brephos incongruella* W. Warren, 1914 (Noctuidae) Synonym(s): *incongruella* W. Warren, 1914
 43190) *Brephos nyassana* (Bartel, 1903) (Noctuidae) Synonym(s): *nyassana* Bartel, 1903
 43191) *Britha brithodes* D.S. Fletcher, 1961 (Noctuidae) Synonym(s): *brithodes* D.S. Fletcher, 1961
 43192) *Brithys crini* (Fabricius, 1775) (Noctuidae) Synonym(s): *crini* Fabricius, 1775; *dominica* Cramer, 1872; *nipponica* Matsumura, 1931
 43193) *Brithys crini pancratii* (Cyrillo, 1787) (Noctuidae) Synonym(s): *pancratii* Cyrillo, 1787
 43194) *Brithys encausta* (Hübner, [1808]) (Noctuidae) Synonym(s): *encausta* Hübner, [1808]
 43195) *Brithysana africana* Laporte, 1973 (Noctuidae) Synonym(s): *africana* Laporte, 1973
 43196) *Brithysana speyeri* (R. Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *speyeri* R. Felder & Rogenhofer, 1874
 43197) *Bryomima carducha* Staudinger, 1900 (Noctuidae) Synonym(s): *carducha* Staudinger, 1900
 43198) *Bryomima defreina* Hacker, [1987] (Noctuidae) Synonym(s): *defreina* Hacker, [1987]
 43199) *Bryomima dilutior* Schwingenschuss, 1937 (Noctuidae) Synonym(s): *dilutior* Schwingenschuss, 1937
 43200) *Bryomima dilutior rosea* Brandt, 1941 (Noctuidae) Synonym(s): *rosea* Brandt, 1941
 43201) *Bryomima hakkariensis* De Freina & Hacker, 1985 (Noctuidae) Synonym(s): *hakkariensis* De Freina & Hacker, 1985
 43202) *Bryomima luteosordida* Osthelder, 1933 (Noctuidae) Synonym(s): *luteosordida* Osthelder, 1933
 43203) *Bryomima nuristana* Varga & L. Ronkay, 1991 (Noctuidae) Synonym(s): *nuristana* Varga & L. Ronkay, 1991
 43204) *Bryonycta pineti* (Staudinger, 1859) (Noctuidae) Synonym(s): *pineti* Staudinger, 1859
 43205) *Bryophilopsis anomoiota* (Bethune-Baker, 1911) (Noctuidae) Synonym(s): *anomoiota* Bethune-Baker, 1911
 43206) *Bryophilopsis curvifera* Hampson, 1912 (Noctuidae) Synonym(s): *curvifera* Hampson, 1912
 43207) *Bryophilopsis orientalis* Hampson, 1912 (Noctuidae) Synonym(s): *orientalis* Hampson, 1912
 43208) *Bryophilopsis roederi* (Standfuss, 1892) (Noctuidae) Synonym(s): *roederi* Standfuss, 1892
 43209) *Bryophilopsis tarachoides* Mabille, 1900 (Noctuidae) Synonym(s): *tarachoides* Mabille, 1900
 43210) *Bryophilopsis tarachoides scotina* Wiltshire, 1980 (Noctuidae) Synonym(s): *scotina* Wiltshire, 1980
 43211) *Bryopolia centralasiae bryochlora* Varga, L. Ronkay & Hacker, 1990 (Noctuidae) Synonym(s): *bryochlora* Varga, L. Ronkay & Hacker, 1990
 43212) *Bryopolia chamaeleon* (Alpheraky, 1887) (Noctuidae) Synonym(s): *chamaeleon* Alpheraky, 1887
 43213) *Bryopolia chrysospora* Boursin, 1954 (Noctuidae) Synonym(s): *chrysospora* Boursin, 1954
 43214) *Bryopolia holosericea* Boursin, 1960 (Noctuidae) Synonym(s): *holosericea* Boursin, 1960
 43215) *Bryopolia monotona* L. Ronkay & Varga, 1990 (Noctuidae) Synonym(s): *monotona* L. Ronkay & Varga, 1990
 43216) *Bryopolia tsvetaevi* L. Ronkay & Varga, 1990 (Noctuidae) Synonym(s): *tsvetaevi* L. Ronkay & Varga, 1990
 43217) *Bryopolia tsvetaevi hissaricola* Varga & Gyulai, 1995 (Noctuidae) Synonym(s): *hissaricola* Varga & Gyulai, 1995
 43218) *Bryopolia virescens* (Hampson, 1894) (Noctuidae) Synonym(s): *virescens* Hampson, 1894
 43219) *Bryopolia virescens* ssp. (Noctuidae) Synonym(s):
 43220) *Bryotripa miophaea* Hampson, 1912 (Noctuidae) Synonym(s): *miophaea* Hampson, 1912; *transvaalensis* Strand, 1917
 43221) *Bryoxena boursini* Plante, 1983 (Noctuidae) Synonym(s): *boursini* Plante, 1983
 43222) *Bryoxena centralasiae* (Staudinger, 1882) (Noctuidae) Synonym(s): *centralasiae* Staudinger, 1882
 43223) *Bryoxena centralasiae centralasiae* (Staudinger, 1882) (Noctuidae) Synonym(s): *centralasiae* Staudinger, 1882
 43224) *Bryoxena centralasiae transversa* (Moore, 1882) (Noctuidae) Synonym(s): *transversa* Moore, 1882; *modesta* Moore, 1882
 43225) *Bryoxena confluens* L. Ronkay & Varga, 1990 (Noctuidae) Synonym(s): *confluens* L. Ronkay & Varga, 1990
 43226) *Bryoxena constricta* Varga & L. Ronkay, 1990 (Noctuidae) Synonym(s): *constricta* Varga & L. Ronkay, 1990
 43227) *Bryoxena plantei* Varga, L. Ronkay & Hacker, 1990 (Noctuidae) Synonym(s): *plantei* Varga, L. Ronkay & Hacker, 1990
 43228) *Bryoxena tenuicornis* (Alpheraky, 1887) (Noctuidae) Synonym(s): *tenuicornis* Alpheraky, 1887; *extrita* Hampson, 1906; *inextrita* Püngeler, 1914; *fuscior* Strand, 1915
 43229) *Bryoxena tribulis* (Plante, 1983) (Noctuidae) Synonym(s): *tribulis* Plante, 1983
 43230) *Burgena amoena* Rothschild, 1896 (Noctuidae) Synonym(s): *amoena* Rothschild, 1896
 43231) *Burgena chalybeata* Rothschild, 1896 (Noctuidae) Synonym(s): *chalybeata* Rothschild, 1896
 43232) *Burgena constricta* Rothschild & Jordan, 1905 (Noctuidae) Synonym(s): *constricta* Rothschild & Jordan, 1905

- 43233) **Burgena reducta** Rothschild & Jordan,1903 (Noctuidae) Synonym(s): *reducta* Rothschild & Jordan,1903
 43234) **Burgena splendida** (Butler,1887) (Noctuidae) Synonym(s): *splendida* Butler,1887; *pectoralis* Jordan,1904
 43235) **Burgena varia** (Walker,1854) (Noctuidae) Synonym(s): *varia* Walker,1854; *educta* Walker,1864; *transducta* Walker,1864; *arruana* Boisduval,1874; *#huteistriga* Strand,1912
 43236) **Busseola fusca** (Fuller,1901) (Noctuidae) Synonym(s): *fusca* Fuller,1901
 43237) **Busseola obliquifascia** (Hampson,1902) (Noctuidae) Synonym(s): *obliquifascia* Hampson,1902
 43238) **Busseola pallidicosta** (Hampson,1902) (Noctuidae) Synonym(s): *pallidicosta* Hampson,1902
 43239) **Busseola phaia** Bowden,1956 (Noctuidae) Synonym(s): *phaia* Bowden,1956
 43240) **Buzara** Walker,[1865] (Noctuidae) Synonym(s): *Buzara* Walker,[1865]; *Caranilla* Moore,[1885]
 43241) **Buzara chrysomela** Walker,[1865] (Noctuidae) Synonym(s): *chrysomela* Walker,[1865]
 43242) **Buzara luteipalpis** (Walker,1865) (Noctuidae) Synonym(s): *luteipalpis* Walker,1865
 43243) **Buzara onelia** (Guenée,1852) (Noctuidae) Synonym(s): *onelia* Guenée,1852; *umbrasa* Walker,1865; *obumbrata* Walker,1865
 43244) **Cacyparis tenuipalpis** (Snellen,1880) (Noctuidae) Synonym(s): *tenuipalpis* Snellen,1880
 43245) **Caduca albobunctata** (Walker,[1858]) (Noctuidae) Synonym(s): *albobunctata* Walker,[1858]; *meleagris* R.Felder & Rogenhofer,1874; *nasea* Swinhoe,1918
 43246) **Caduca phronimus** Rothschild,1920 (Noctuidae) Synonym(s): *phronimus* Rothschild,1920
 43247) **Caffristis ferrogrisea** (Hampson,1902) (Noctuidae) Synonym(s): *ferrogrisea* Hampson,1902
 43248) **Calamia deliciosa** Boursin,1957 (Noctuidae) Synonym(s): *deliciosa* Boursin,1957
 43249) **Calamia flavirufa** Hampson,1910 (Noctuidae) Synonym(s): *flavirufa* Hampson,1910
 43250) **Calamia metamorpha** (Boursin,1960) (Noctuidae) Synonym(s): *metamorpha* Boursin,1960
 43251) **Calamia staudingeri** Warnecke,1941 (Noctuidae) Synonym(s): *staudingeri* Warnecke,1941
 43252) **Calamia tridens** (Hufnagel,1766) (Noctuidae) Synonym(s): *tridens* Hufnagel,1766; *virens* Linnaeus,1767; *immaculata* Staudinger,1871.
 43253) **Calathusa argentea** Holloway,1979 (Noctuidae) Synonym(s): *argentea* Holloway,1979
 43254) **Calathusa basicunoides** Holloway,1979 (Noctuidae) Synonym(s): *basicunoides* Holloway,1979
 43255) **Calathusa basirufa** Holloway,1979 (Noctuidae) Synonym(s): *basirufa* Holloway,1979
 43256) **Calathusa basirufa ipota** Holloway,1979 (Noctuidae) Synonym(s): *ipota* Holloway,1979
 43257) **Calathusa basirufa suzukii** Holloway,1979 (Noctuidae) Synonym(s): *suzukii* Holloway,1979
 43258) **Calathusa brehoa** Holloway,1979 (Noctuidae) Synonym(s): *brehoa* Holloway,1979
 43259) **Calathusa cinerea** Holloway,1979 (Noctuidae) Synonym(s): *cinerea* Holloway,1979
 43260) **Calathusa humboldti** Holloway,1979 (Noctuidae) Synonym(s): *humboldti* Holloway,1979
 43261) **Calathusa mesospila** (Turner,1902) (Noctuidae) Synonym(s): *mesospila* Turner,1902
 43262) **Calathusa nubilosa** (Hampson,1914) (Noctuidae) Synonym(s): *nubilosa* Hampson,1914
 43263) **Calathusa stenophylla** (Turner,1902) (Noctuidae) Synonym(s): *stenophylla* Turner,1902
 43264) **Calathusa striata** Holloway,1979 (Noctuidae) Synonym(s): *striata* Holloway,1979
 43265) **Calathusa talesea** Holloway,1979 (Noctuidae) Synonym(s): *talesea* Holloway,1979
 43266) **Calathusa uniformis** Holloway,1979 (Noctuidae) Synonym(s): *uniformis* Holloway,1979
 43267) **Calesia dasyptera** (Kollar,[1844]) (Noctuidae) Synonym(s): *dasyptera* Kollar,[1844]; *leucostigma* Kollar,[1844]; *comosa* Guenée,1852; *stigmaleuca* Guenée,1852
 43268) **Calesia flabellifera** Moore,1878 (Noctuidae) Synonym(s): *flabellifera* Moore,1878
 43269) **Calesia haemorrhoea** Guenée,1852 (Noctuidae) Synonym(s): *haemorrhoea* Guenée,1852; *patna* R.Felder & Rogenhofer,1874
 43270) **Calesia karschi** (Bartel,1903) (Noctuidae) Synonym(s): *karschi* Bartel,1903
 43271) **Calesia othello** (Fawcett,1916) (Noctuidae) Synonym(s): *othello* Fawcett,1916
 43272) **Calesia phaiosoma** (Hampson,1891) (Noctuidae) Synonym(s): *phaiosoma* Hampson,1891; *#phaeosoma* Janse,1917
 43273) **Calesia proxantha** Hampson,1895 (Noctuidae) Synonym(s): *proxantha* Hampson,1895
 43274) **Calesia rhodotela** Hampson,1926 (Noctuidae) Synonym(s): *rhodotela* Hampson,1926
 43275) **Calesia stillifera** R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): *stillifera* R.Felder & Rogenhofer,1874; *satellitica* Moore,[1885]
 43276) **Calesia xanthognatha** Hampson,1926 (Noctuidae) Synonym(s): *xanthognatha* Hampson,1926; *desdemona* Wiltshire,1983
 43277) **Calesia zambesita** Walker,1865 (Noctuidae) Synonym(s): *zambesita* Walker,1865; *roseiventris* Gerstaecker,1871; *#sambesita* Hampson,1902
 43278) **Caligatus angasii** Wing,[1850] (Noctuidae) Synonym(s): *angasii* Wing,[1850]; *venutissima* Walker,1865
 43279) **Callihyccoda mirei** Herbulot & Viette,1952 (Noctuidae) Synonym(s): *mirei* Herbulot & Viette,1952
 43280) **Callierges ramosa** (Esper,[1786]) (Noctuidae) Synonym(s): *ramosa* Esper,[1786]
 43281) **Callierges ramosa ramosa** (Esper,[1786]) (Noctuidae) Synonym(s): *ramosa* Esper,[1786]
 43282) **Callierges ramosa vandarbana** Draudt,1938 (Noctuidae) Synonym(s): *vandarbana* Draudt,1938
 43283) **Calliodes appollina** Guenée,1852 (Noctuidae) Synonym(s): *appollina* Guenée,1852
 43284) **Calliodes pretiosissima** Holland,1892 (Noctuidae) Synonym(s): *pretiosissima* Holland,1892; *rivuligera* Butler,1893
 43285) **Callistege mi** (Clerck,1759) (Noctuidae) Synonym(s): *#mi* Clerck,1759; *graminis* Hufnagel,1766; *albolineata* Goeze,1781; *litterata* Cyrilli,1787 *nec* Sc.,1763
 43286) **Callistege mi elzei** De Freina,1976 (Noctuidae) Synonym(s): *elzei* De Freina,1976
 43287) **Callixena versicolora** Saalmüller,1891 (Noctuidae) Synonym(s): *versicolora* Saalmüller,1891
 43288) **Callixena viettei** (Berio,1955) (Noctuidae) Synonym(s): *viettei* Berio,1955
 43289) **Callopietria albivitta** (Hampson,1918) (Noctuidae) Synonym(s): *albivitta* Hampson,1918
 43290) **Callopietria dimorpha** Holloway,1979 (Noctuidae) Synonym(s): *dimorpha* Holloway,1979
 43291) **Callopietria falcata** Holloway,1979 (Noctuidae) Synonym(s): *falcata* Holloway,1979
 43292) **Callopietria insularis** Butler,1882 (Noctuidae) Synonym(s): *insularis* Butler,1882
 43293) **Callopietria juvenina** (Stoll,[1782]) (Noctuidae) Synonym(s): *juvenina* Stoll,[1782]; *purpureofasciata* Piller & Mitterpacher,1783; *lagopus* Esper,[1788]; *pteridis* Thunberg,1788; *manicata* Villers,1789; *formissimalis* Hübner,1796; *obscura* Butler,1878
 43294) **Callopietria latreillei** (Duponchel,1827) (Noctuidae) Synonym(s): *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsafikis,1973.
 43295) **Callopietria maillardi** (Guenée,1862) (Noctuidae) Synonym(s): *maillardi* Guenée,1862; *recurvata* Moore,1882; *nauticorum* Tams,1935; *pseudintermissa* Viette,1965.
 43296) **Callopietria meridionalis** Collenette,1929 (Noctuidae) Synonym(s): *meridionalis* Collenette,1929
 43297) **Callopietria meridionalis nauticorum** Tams,1935 (Noctuidae) Synonym(s): *nauticorum* Tams,1935
 43298) **Callopietria natalensis** (Hampson,1908) (Noctuidae) Synonym(s): *natalensis* Hampson,1908
 43299) **Callopietria placodoides** (Guenée,1852) (Noctuidae) Synonym(s): *placodoides* Guenée,1852; *doleschalli* R.Felder & Rogenhofer,1874
 43300) **Callopietria rectilinea** Saalmüller,1891 (Noctuidae) Synonym(s): *rectilinea* Saalmüller,1891
 43301) **Callopietria yerburii** Butler,1884 (Noctuidae) Synonym(s): *yerburii* Butler,1884; *promiscua* Saalmüller,1891.
 43302) **Callyna cupricolor** Hampson,1902 (Noctuidae) Synonym(s): *cupricolor* Hampson,1902
 43303) **Callyna decora** Walker,[1858] (Noctuidae) Synonym(s): *decora* Walker,[1858]
 43304) **Callyna figurans** Walker,1858 (Noctuidae) Synonym(s): *figurans* Walker,1858
 43305) **Callyna jugaria** (Walker,1858) (Noctuidae) Synonym(s): *jugaria* Walker,1858
 43306) **Callyna monoleuca** Walker,1858 (Noctuidae) Synonym(s): *monoleuca* Walker,1858
 43307) **Callyna nigerrima** Hampson,1902 (Noctuidae) Synonym(s): *nigerrima* Hampson,1902
 43308) **Callyna obscura** Hampson,1910 (Noctuidae) Synonym(s): *obscura* Hampson,1910
 43309) **Callyna unicolor** Hampson,1920 (Noctuidae) Synonym(s): *unicolor* Hampson,1920
 43310) **Calocucculia celsiae** (Herrich-Schäffer,1850) (Noctuidae) Synonym(s): *celsiae* Herrich-Schäffer,[1850]
 43311) **Calocucculia celsiae levantina** Hacker,2001 (Noctuidae) Synonym(s): *levantina* Hacker,2001
 43312) **Calogramma festiva** (Donovan,1805) (Noctuidae) Synonym(s): *festiva* Donovan,1805
 43313) **Calogramma picta** (Guérin-Ménéville,1838) (Noctuidae) Synonym(s): *picta* Guérin-Ménéville,1838
 43314) **Calophasia almoravida** Graslin,1863 (Noctuidae) Synonym(s): *almoravida* Graslin,1863

- 43315) *Calophasia angularis* Chrétien, 1911 (Noctuidae) Synonym(s): *angularis* Chrétien, 1911; *stigmatica* Rothschild, 1913; *liberatii* Turati, 1924; *danieli* Le Cerf, 1924; *pintori* Turati, 1924; *volmeri* Hering, 1930
- 43316) *Calophasia barthae* Wagner, 1929 (Noctuidae) Synonym(s): *barthae* Wagner, 1929
- 43317) *Calophasia codeti* (Oberthür, 1881) (Noctuidae) Synonym(s): *codeti* Oberthür, 1881
- 43318) *Calophasia hamifera* Staudinger, 1863 (Noctuidae) Synonym(s): *hamifera* Staudinger, 1863
- 43319) *Calophasia hamifera chleuha* Le Cerf, 1929 (Noctuidae) Synonym(s): *chleuha* Le Cerf, 1929
- 43320) *Calophasia lunula* (Hufnagel, 1766) (Noctuidae) Synonym(s): *lunula* Hufnagel, 1766; *linariae* [Denis & Schiffermüller], 1775.
- 43321) *Calophasia lunula lunula* (Hufnagel, 1766) (Noctuidae) Synonym(s): *lunula* Hufnagel, 1766; *linariae* [Denis & Schiffermüller], 1775.
- 43322) *Calophasia lunula ocellata* G. Ronkay & L. Ronkay, 1985 (Noctuidae) Synonym(s): *ocellata* G. Ronkay & L. Ronkay, 1985; *anatolica* Draudt, 1936
- 43323) *Calophasia opalina* (Esper, [1796]) (Noctuidae) Synonym(s): *casta* Borkhausen, 1793 *nec* Pall., 1767; *opalina* Esper, [1796]; *biroi* Aigner, 1901; *naruensis* Spuler, 1910; *castior* Sidauder, 1923.
- 43324) *Calophasia oxygramma* Boursin, 1963 (Noctuidae) Synonym(s): *oxygramma* Boursin, 1963
- 43325) *Calophasia platyptera* (Esper, [1788]) (Noctuidae) Synonym(s): *platyptera* Esper, [1788]; *canterius* De Villers, 1789; *tenera* Hübner, [1803]; *olbiensis* Duponchel, 1842; *subalbida* Staudinger, 1901.
- 43326) *Calophasia sinaica* (Wiltshire, 1948) (Noctuidae) Synonym(s): *sinaica* Wiltshire, 1948
- 43327) *Caloplasia hohenwarthi* (Hochenwarth, 1785) (Noctuidae) Synonym(s): *hochenwarthi* Hochenwarth, 1785; *divergens* Fabricius, 1787; *insignata* Reuter, 1893; *tibetana* Staudinger, 1895; *alaica* Galvagni, 1906; *cuprina* W. Warren, 1913; *hochenwarthi* Hampson, 1913; *lapponaris* Schulte, 1952
- 43328) *Caloplasia hohenwarthi hohenwarthi* (Hochenwarth, 1785) (Noctuidae) Synonym(s): *hochenwarthi* Hochenwarth, 1785; *divergens* Fabricius, 1787; *insignata* Reuter, 1893; *tibetana* Staudinger, 1895; *alaica* Galvagni, 1906; *cuprina* W. Warren, 1913; *hochenwarthi* Hampson, 1913; *lapponaris* Schulte, 1952
- 43329) *Calpiformis craushayi* (Hampson, 1905) (Noctuidae) Synonym(s): *craushayi* Hampson, 1905
- 43330) *Calymera ?cuprea* (Wileman & West, 1920) (Noctuidae) Synonym(s): *cuprea* Wileman & West, 1920
- 43331) *Calymera albimargo* (W. Warren, 1912) (Noctuidae) Synonym(s): *albimargo* W. Warren, 1912; *vulpina* W. Warren, 1912
- 43332) *Calymera antennata* (W. Warren, 1912) (Noctuidae) Synonym(s): *antennata* W. Warren, 1912
- 43333) *Calymera carneplagiata* (W. Warren, 1912) (Noctuidae) Synonym(s): *carneplagiata* W. Warren, 1912
- 43334) *Calymera curtisi* W. Warren, 1912 (Noctuidae) Synonym(s): *curtisi* W. Warren, 1912
- 43335) *Calymera elaeogramma* (A.E. Prout, 1926) (Noctuidae) Synonym(s): *elaogramma* A.E. Prout, 1926
- 43336) *Calymera elaeospila* (A.E. Prout, 1926) (Noctuidae) Synonym(s): *elaospila* A.E. Prout, 1926
- 43337) *Calymera fratella* Kobes, 1997 (Noctuidae) Synonym(s): *fratella* Kobes, 1997
- 43338) *Calymera jacobsoni* (Roepke, 1935) (Noctuidae) Synonym(s): *jacobsoni* Roepke, 1935
- 43339) *Calymera lauritzeni* Kobes, 1997 (Noctuidae) Synonym(s): *lauritzeni* Kobes, 1997
- 43340) *Calymera longicornis* (A.E. Prout, 1924) (Noctuidae) Synonym(s): *longicornis* A.E. Prout, 1924; *malabarica* Roepke, 1935
- 43341) *Calymera lukaschi* Kobes, 1997 (Noctuidae) Synonym(s): *lukaschi* Kobes, 1997
- 43342) *Calymera metaphaea* (Hampson, 1912) (Noctuidae) Synonym(s): *metaphaea* Hampson, 1912; *loxoscia* A.E. Prout, 1932; *phantera* A.E. Prout, 1932; *proutiae* Roepke, 1935; *sundanensis* Roepke, 1935
- 43343) *Calymera negativapex* (Holloway, 1976) (Noctuidae) Synonym(s): *negativapex* Holloway, 1976
- 43344) *Calymera nigriscata* Holloway, 2003 (Noctuidae) Synonym(s): *nigriscata* Holloway, 2003
- 43345) *Calymera picta* Moore, 1882 (Noctuidae) Synonym(s): *picta* Moore, 1882
- 43346) *Calymera pollex* Kobes, 1988 (Noctuidae) Synonym(s): *pollex* Kobes, 1988
- 43347) *Calymera sabulosa* (W. Warren, 1916) (Noctuidae) Synonym(s): *sabulosa* W. Warren, 1916; *micropunctata* Holloway, 1976
- 43348) *Calymera translucens* (Holloway, 1976) (Noctuidae) Synonym(s): *translucens* Holloway, 1976; *lasina* Kobes, 1997
- 43349) *Calymera vinacea* Holloway, 2003 (Noctuidae) Synonym(s): *vinacea* Holloway, 2003
- 43350) *Calymma communimacula* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *communimacula* [Denis & Schiffermüller], 1775
- 43351) *Calymma communimacula communimacula* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *communimacula* [Denis & Schiffermüller], 1775
- 43352) *Calymma communimacula gracilis* Osthelder, 1933 (Noctuidae) Synonym(s): *gracilis* Osthelder, 1933
- 43353) *Calyptra albivirgata* (Hampson, 1926) (Noctuidae) Synonym(s): *albivirgata* Hampson, 1926
- 43354) *Calyptra bicolor* (Moore, 1883) (Noctuidae) Synonym(s): *bicolor* Moore, 1883
- 43355) *Calyptra eustrigata* Hampson, 1926 (Noctuidae) Synonym(s): *eustrigata* Hampson, 1926
- 43356) *Calyptra fasciata* (Moore, 1882) (Noctuidae) Synonym(s): *fasciata* Moore, 1882; *labilis* Berio, 1970
- 43357) *Calyptra fletcheri* (Berio, 1956) (Noctuidae) Synonym(s): *fletcheri* Berio, 1956
- 43358) *Calyptra gruesa* (Draudt, 1950) (Noctuidae) Synonym(s): *gruesa* Draudt, 1950
- 43359) *Calyptra hokkaida* (Wileman, 1922) (Noctuidae) Synonym(s): *hokkaida* Wileman, 1922; *hoenei* Berio, 1956
- 43360) *Calyptra imperialis* (Grünberg, 1910) (Noctuidae) Synonym(s): *imperialis* Grünberg, 1910
- 43361) *Calyptra lata* (Butler, 1881) (Noctuidae) Synonym(s): *lata* Butler, 1881; *aureola* Graeser, 1889
- 43362) *Calyptra minuticornis* (Guenée, 1852) (Noctuidae) Synonym(s): *minuticornis* Guenée, 1852
- 43363) *Calyptra nyei* Bänziger, 1979 (Noctuidae) Synonym(s): *nyei* Bänziger, 1979
- 43364) *Calyptra ophideroides* (Guenée, 1852) (Noctuidae) Synonym(s): *ophideroides* Guenée, 1852
- 43365) *Calyptra orthograpta* (Butler, 1886) (Noctuidae) Synonym(s): *orthograpta* Butler, 1886; *striata* Poujade, 1887
- 43366) *Calyptra parva* Bänziger, 1979 (Noctuidae) Synonym(s): *parva* Bänziger, 1979
- 43367) *Calyptra pseudobicolor* Bänziger, 1979 (Noctuidae) Synonym(s): *pseudobicolor* Bänziger, 1979
- 43368) *Calyptra subnubila* (A.E. Prout, 1928) (Noctuidae) Synonym(s): *subnubila* A.E. Prout, 1928
- 43369) *Calyptra thalictri* (Borkhausen, 1790) (Noctuidae) Synonym(s): *capucina* Esper, 1789 *nec* Linn., 1767; *thalictri* Borkhausen, 1790; *sodalis* Butler, 1878; *#thalactri* Moore, 1882; *#intensiva* W. Warren, 1914; *#capuzina* Dannehl, 1925; *#centralitalica* Dannehl, 1925; *pallida* Schwingenschuss, 1938
- 43370) *Camptoloma carum* Kishida, 1996 (Noctuidae) Synonym(s): *carum* Kishida, 1996
- 43371) *Camptoloma interioratum* (Walker, 1864) (Noctuidae) Synonym(s): *interiorata* Walker, 1864; *erythropygum* R. Felder & Rogenhofer, 1874; *flagrans* Swinhoe, 1893; *#pallida* Mell, 1943; *#rubescens* Mell, 1943
- 43372) *Camptoloma interioratum binotatum* Butler, 1881 (Noctuidae) Synonym(s): *binotatum* Butler, 1881; *#designata* Mell, 1943
- 43373) *Camptoloma interioratum interioratum* (Walker, 1864) (Noctuidae) Synonym(s): *interiorata* Walker, 1864; *erythropygum* R. Felder & Rogenhofer, 1874; *flagrans* Swinhoe, 1893
- 43374) *Camptoloma mangpua* Zolotuhin & Witt, 2000 (Noctuidae) Synonym(s): *mangpua* Zolotuhin & Witt, 2000
- 43375) *Camptoloma mirabilis* Roepke, 1943 (Noctuidae) Synonym(s): *mirabilis* Roepke, 1943
- 43376) *Camptoloma vanata* Fang, 1994 (Noctuidae) Synonym(s): *#designata* Mell, 1943; *#rubescens* Mell, 1943; *vanata* Fang, 1994
- 43377) *Camptoloma vanata behouneki* Zolotuhin & Witt, 2000 (Noctuidae) Synonym(s): *VN Ton Tda Cuc*
- 43378) *Camptoloma vanata vanata* Fang, 1994 (Noctuidae) Synonym(s): *#designata* Mell, 1943; *#rubescens* Mell, 1943; *vanata* Fang, 1994
- 43379) *Campydelta campyla* (Hampson, 1909) (Noctuidae) Synonym(s): *campyla* Hampson, 1909
- 43380) *Caradrina (Boursinidrina) africarabica* (Plante, 1998) (Noctuidae) Synonym(s): *africarabica* Plante, 1998
- 43381) *Caradrina (Boursinidrina) brandti* (Boursin, 1939) (Noctuidae) Synonym(s): *brandti* Boursin, 1939
- 43382) *Caradrina (Boursinidrina) flavitincta* (Hampson, 1909) (Noctuidae) Synonym(s): *flavitincta* Hampson, 1909
- 43383) *Caradrina (Boursinidrina) germanii* (Duponchel, 1835) (Noctuidae) Synonym(s): *germanii* Duponchel, 1835; *laciniosa* Donzel, 1847; *leprii* Berio, 1942; *psammopsis* Boursin, 1967
- 43384) *Caradrina (Boursinidrina) hemipentha* (Boursin, 1939) (Noctuidae) Synonym(s): *hemipentha* Boursin, 1939
- 43385) *Caradrina (Boursinidrina) lobbichieri* (Boursin, 1970) (Noctuidae) Synonym(s): *lobbichieri* Boursin, 1970
- 43386) *Caradrina (Boursinidrina) oberthueri* (Rothschild, 1913) (Noctuidae) Synonym(s): *oberthueri* Rothschild, 1913; *apicimaculata* Rebel, [1948]
- 43387) *Caradrina (Boursinidrina) oberthueri persica* (Boursin, 1942) (Noctuidae) Synonym(s): *persica* Boursin, 1942
- 43388) *Caradrina (Boursinidrina) panurgia* (Boursin, 1939) (Noctuidae) Synonym(s): *panurgia* Boursin, 1939
- 43389) *Caradrina (Boursinidrina) parvaspersa* (Boursin, 1936) (Noctuidae) Synonym(s): *parvaspersa* Boursin, 1936
- 43390) *Caradrina (Boursinidrina) pseudodelpha* (Boursin, 1939) (Noctuidae) Synonym(s): *pseudodelpha* Boursin, 1939
- 43391) *Caradrina (Boursinidrina) pseudocosma* (Plante, 1998) (Noctuidae) Synonym(s): *pseudocosma* Plante, 1998
- 43392) *Caradrina (Boursinidrina) pulvis* (Boursin, 1939) (Noctuidae) Synonym(s): *pulvis* Boursin, 1939
- 43393) *Caradrina (Boursinidrina) pushkara* Hacker, 2004 (Noctuidae) Synonym(s): *pushkara* Hacker, 2004

- 43394) *Caradrina* (*Boursinidrina*) *rjabovi* (Boursin,1936) (Noctuidae) Synonym(s): *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939
- 43395) *Caradrina* (*Boursinidrina*) *rjabovi* *rjabovi* (Boursin,1936) (Noctuidae) Synonym(s): *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939
- 43396) *Caradrina* (*Boursinidrina*) *soudanensis* (Hampson,1918) (Noctuidae) Synonym(s): *soudanensis* Hampson,1918
- 43397) *Caradrina* (*Boursinidrina*) *stenoptera* (Boursin,1939) (Noctuidae) Synonym(s): *stenoptera* Boursin,1939; *agrapha* Boursin,1939
- 43398) *Caradrina* (*Boursinidrina*) *stenoptera* *baltistanicola* Hacker,2004 (Noctuidae) Synonym(s): *baltistanicola* Hacker,2004
- 43399) *Caradrina* (*Boursinidrina*) *stenoptera* *stenoptera* (Boursin,1939) (Noctuidae) Synonym(s): *stenoptera* Boursin,1939; *agrapha* Boursin,1939
- 43400) *Caradrina* (*Boursinidrina*) *surchica* (Boursin,1937) (Noctuidae) Synonym(s): *surchica* Boursin,1937
- 43401) *Caradrina* (*Boursinidrina*) *syriaca* (Staudinger,1892) (Noctuidae) Synonym(s): *syriaca* Staudinger,1892
- 43402) *Caradrina* (*Boursinidrina*) *wiltshirei* (Boursin,1936) (Noctuidae) Synonym(s): *wiltshirei* Boursin,1936
- 43403) *Caradrina* (*Eremodrina*) *adriennea* Hacker & Gyulai,2004 (Noctuidae) Synonym(s): *adriennea* Hacker & Gyulai,2004
- 43404) *Caradrina* (*Eremodrina*) *agenjoi* (Boursin,1936) (Noctuidae) Synonym(s): *agenjoi* Boursin,1936
- 43405) *Caradrina* (*Eremodrina*) *aldegaietheri* (Wiltshire,1986) (Noctuidae) Synonym(s): *aldegaietheri* Wiltshire,1986
- 43406) *Caradrina* (*Eremodrina*) *alfierii* (Boursin,1937) (Noctuidae) Synonym(s): *alfierii* Boursin,1937
- 43407) *Caradrina* (*Eremodrina*) *altissima* Hacker,2004 (Noctuidae) Synonym(s): *altissima* Hacker,2004
- 43408) *Caradrina* (*Eremodrina*) *ammoxantha* (Boursin,1957) (Noctuidae) Synonym(s): *ammoxantha* Boursin,1957
- 43409) *Caradrina* (*Eremodrina*) *armeniaca* (Boursin,1936) (Noctuidae) Synonym(s): *armeniaca* Boursin,1936
- 43410) *Caradrina* (*Eremodrina*) *armeniaca* *armeniaca* (Boursin,1936) (Noctuidae) Synonym(s): *armeniaca* Boursin,1936
- 43411) *Caradrina* (*Eremodrina*) *armeniaca* *barbarica* (Boursin,1936) (Noctuidae) Synonym(s): *#clara* Schawerda,1928; *clara* Schawerda,1931 *nec* Harvey,1878; *barbarica* Boursin,1936
- 43412) *Caradrina* (*Eremodrina*) *asymmetrica* (Boursin,1936) (Noctuidae) Synonym(s): *perspicua* Filipjev,1928 *nec* Warr.,1911; *asymmetrica* Boursin,1936.
- 43413) *Caradrina* (*Eremodrina*) *avis* (Pinker,1980) (Noctuidae) Synonym(s): *avis* Pinker,1980
- 43414) *Caradrina* (*Eremodrina*) *azim* (Boursin,1957) (Noctuidae) Synonym(s): *azim* Boursin,1957
- 43415) *Caradrina* (*Eremodrina*) *bactriana* (Boursin,1968) (Noctuidae) Synonym(s): *bactriana* Boursin,1968
- 43416) *Caradrina* (*Eremodrina*) *baltistana* Hacker,2004 (Noctuidae) Synonym(s): *baltistana* Hacker,2004
- 43417) *Caradrina* (*Eremodrina*) *belucha* (Swinhoe,1885) (Noctuidae) Synonym(s): *belucha* Swinhoe,1885; *conditorana* Pinker,1980
- 43418) *Caradrina* (*Eremodrina*) *casearia* (Staudinger,1900) (Noctuidae) Synonym(s): *casearia* Staudinger,1900; *taoorgensis* C.G.Krüger,1939
- 43419) *Caradrina* (*Eremodrina*) *didyma* (Boursin,1939) (Noctuidae) Synonym(s): *didyma* Boursin,1939; *hemipenthoides* Boursin,1942
- 43420) *Caradrina* (*Eremodrina*) *didyma* *didyma* (Boursin,1939) (Noctuidae) Synonym(s): *didyma* Boursin,1939; *hemipenthoides* Boursin,1942
- 43421) *Caradrina* (*Eremodrina*) *distigma* (Chrétien,1913) (Noctuidae) Synonym(s): *distigma* Chrétien,1913; *halimi* Chrétien,1913
- 43422) *Caradrina* (*Eremodrina*) *doleropsis* (Boursin,1939) (Noctuidae) Synonym(s): *doleropsis* Boursin,1939; *doleropsis* Boursin,1940.
- 43423) *Caradrina* (*Eremodrina*) *draudti* (Boursin,1936) (Noctuidae) Synonym(s): *draudti* Boursin,1936; *pseudopertinax* Boursin,1939; *pseudopertinax* Boursin,1940
- 43424) *Caradrina* (*Eremodrina*) *draudti* *cretica* Reisser,1958 (Noctuidae) Synonym(s): *cretica* Reisser,1958
- 43425) *Caradrina* (*Eremodrina*) *draudti* *draudti* (Boursin,1936) (Noctuidae) Synonym(s): *draudti* Boursin,1936; *pseudopertinax* Boursin,1939; *pseudopertinax* Boursin,1940
- 43426) *Caradrina* (*Eremodrina*) *eberti* (Hacker,1992) (Noctuidae) Synonym(s): *eberti* Hacker,1992
- 43427) *Caradrina* (*Eremodrina*) *ectomelaena* (Hampson,1916) (Noctuidae) Synonym(s): *ectomelaena* Hampson,1916
- 43428) *Caradrina* (*Eremodrina*) *eremocosma* (Boursin,1937) (Noctuidae) Synonym(s): *eremocosma* Boursin,1937
- 43429) *Caradrina* (*Eremodrina*) *eucriospila* (Boursin,1936) (Noctuidae) Synonym(s): *eucriospila* Boursin,1936; *prospera* Kuznetsov,1958
- 43430) *Caradrina* (*Eremodrina*) *eva* (Boursin,1963) (Noctuidae) Synonym(s): *eva* Boursin,1963
- 43431) *Caradrina* (*Eremodrina*) *expansa* (Alpheraky,1887) (Noctuidae) Synonym(s): *expansa* Alpheraky,1887
- 43432) *Caradrina* (*Eremodrina*) *falcuncula* Varga & L.Ronkay,1991 (Noctuidae) Synonym(s): *falcuncula* Varga & L.Ronkay,1991
- 43433) *Caradrina* (*Eremodrina*) *ferghana* (Staudinger,1892) (Noctuidae) Synonym(s): *ferghana* Staudinger,1892
- 43434) *Caradrina* (*Eremodrina*) *filipjevi* (Boursin,1936) (Noctuidae) Synonym(s): *filipjevi* Boursin,1936
- 43435) *Caradrina* (*Eremodrina*) *flava* (Oberthür,1876) (Noctuidae) Synonym(s): *flava* Oberthür,1876; *approximans* Rothschild,1914
- 43436) *Caradrina* (*Eremodrina*) *furcivalva* (Hacker,1992) (Noctuidae) Synonym(s): *furcivalva* Hacker,1992
- 43437) *Caradrina* (*Eremodrina*) *gandhara* Hacker,2004 (Noctuidae) Synonym(s): *gandhara* Hacker,2004
- 43438) *Caradrina* (*Eremodrina*) *genitalana* Hacker,2004 (Noctuidae) Synonym(s): *genitalana* Hacker,2004
- 43439) *Caradrina* (*Eremodrina*) *gilva* (Donzel,1837) (Noctuidae) Synonym(s): *gilva* Donzel,1837; *molisana* Dannehl,1929
- 43440) *Caradrina* (*Eremodrina*) *gilva* *gilva* (Donzel,1837) (Noctuidae) Synonym(s): *gilva* Donzel,1837; *molisana* Dannehl,1929
- 43441) *Caradrina* (*Eremodrina*) *gilva* *orientalis* (Boursin,1936) (Noctuidae) Synonym(s): *orientalis* Boursin,1936
- 43442) *Caradrina* (*Eremodrina*) *gyulalii* Hacker,2004 (Noctuidae) Synonym(s): *gyulalii* Hacker,2004
- 43443) *Caradrina* (*Eremodrina*) *hedychroa* (Boursin,1936) (Noctuidae) Synonym(s): *hedychroa* Boursin,1936
- 43444) *Caradrina* (*Eremodrina*) *himachala* Hacker,2004 (Noctuidae) Synonym(s): *himachala* Hacker,2004
- 43445) *Caradrina* (*Eremodrina*) *hypocnephias* (Boursin,1968) (Noctuidae) Synonym(s): *hypocnephias* Boursin,1968
- 43446) *Caradrina* (*Eremodrina*) *hypoleuca* (Boursin,[1968]) (Noctuidae) Synonym(s): *hypoleuca* Boursin,[1968]
- 43447) *Caradrina* (*Eremodrina*) *ibeasi* (Fernandez,[1918]) (Noctuidae) Synonym(s): *ibeasi* Fernandez,[1918]; *iberica* Hampson,1918; *bermeja* Zerny,1927
- 43448) *Caradrina* (*Eremodrina*) *inopinata* Hacker,2004 (Noctuidae) Synonym(s): *inopinata* Hacker,2004
- 43449) *Caradrina* (*Eremodrina*) *inumbata* (Staudinger,1900) (Noctuidae) Synonym(s): *inumbata* Staudinger,1900; *inumbatella* Pinker,1980
- 43450) *Caradrina* (*Eremodrina*) *inumbata* *exterioris* Hacker,2004 (Noctuidae) Synonym(s): *exterioris* Hacker,2004
- 43451) *Caradrina* (*Eremodrina*) *inumbata* *inumbata* (Staudinger,1900) (Noctuidae) Synonym(s): *inumbata* Staudinger,1900; *inumbatella* Pinker,1980
- 43452) *Caradrina* (*Eremodrina*) *inumbata* *obfuscata* Hacker,2004 (Noctuidae) Synonym(s): *obfuscata* Hacker,2004
- 43453) *Caradrina* (*Eremodrina*) *isfahana* Hacker,2004 (Noctuidae) Synonym(s): *isfahana* Hacker,2004
- 43454) *Caradrina* (*Eremodrina*) *kashmiriana* (Boursin,[1968]) (Noctuidae) Synonym(s): *kashmiriana* Boursin,[1968]
- 43455) *Caradrina* (*Eremodrina*) *kravchenkoi* Hacker,2004 (Noctuidae) Synonym(s): *kravchenkoi* Hacker,2004
- 43456) *Caradrina* (*Eremodrina*) *margiana* Hacker,2004 (Noctuidae) Synonym(s): *margiana* Hacker,2004
- 43457) *Caradrina* (*Eremodrina*) *melanura* (Alpheraky,1897) (Noctuidae) Synonym(s): *melanura* Alpheraky,1897; *samurana* Boursin,1939; *samurana* Boursin,1940
- 43458) *Caradrina* (*Eremodrina*) *melanurina* (Staudinger,1901) (Noctuidae) Synonym(s): *melanurina* Staudinger,1901
- 43459) *Caradrina* (*Eremodrina*) *merzbacheri* Boursin,1960 (Noctuidae) Synonym(s): *merzbacheri* Boursin,1960
- 43460) *Caradrina* (*Eremodrina*) *mirza* (Boursin,1957) (Noctuidae) Synonym(s): *mirza* Boursin,1957
- 43461) *Caradrina* (*Eremodrina*) *monssacralis* Varga & L.Ronkay,1991 (Noctuidae) Synonym(s): *monssacralis* Varga & L.Ronkay,1991
- 43462) *Caradrina* (*Eremodrina*) *morosa* (Lederer,1853) (Noctuidae) Synonym(s): *morosa* Lederer,1853; *permorosa* Bryk,1949
- 43463) *Caradrina* (*Eremodrina*) *morosa* *explanata* Hacker & Kononenko,2004 (Noctuidae) Synonym(s): *explanata* Hacker & Kononenko,2004
- 43464) *Caradrina* (*Eremodrina*) *muelleri* Hacker,2004 (Noctuidae) Synonym(s): *muelleri* Hacker,2004
- 43465) *Caradrina* (*Eremodrina*) *nadir* (Boursin,1957) (Noctuidae) Synonym(s): *nadir* Boursin,1957
- 43466) *Caradrina* (*Eremodrina*) *naumanni* Hacker,2004 (Noctuidae) Synonym(s): *naumanni* Hacker,2004
- 43467) *Caradrina* (*Eremodrina*) *nekrasovi* Hacker,2004 (Noctuidae) Synonym(s): *#nekrasovi* Hacker,2004; *nekrasovi* Hacker,2004
- 43468) *Caradrina* (*Eremodrina*) *oberthueri* (Rothschild,1913) (Noctuidae) Synonym(s): *vermeja* Ribbe,1912; *oberthuri* Rothschild,1913; *ibeasi* Ferdandez,[1918]; *iberica* Hampson,1918.
- 43469) *Caradrina* (*Eremodrina*) *parthica* Hacker,2004 (Noctuidae) Synonym(s): *parthica* Hacker,2004
- 43470) *Caradrina* (*Eremodrina*) *pertinax* (Staudinger,1879) (Noctuidae) Synonym(s): *pertinax* Staudinger,1879; *argentea* Caradja,1930.
- 43471) *Caradrina* (*Eremodrina*) *pertinax* *herczigi* Hacker,2004 (Noctuidae) Synonym(s): *herczigi* Hacker,2004
- 43472) *Caradrina* (*Eremodrina*) *phanosciera* (Boursin,1939) (Noctuidae) Synonym(s): *phanosciera* Boursin,1939
- 43473) *Caradrina* (*Eremodrina*) *pseudalbina* (Boursin,1942) (Noctuidae) Synonym(s): *pseudalbina* Boursin,1942
- 43474) *Caradrina* (*Eremodrina*) *ronkayorum* Hacker,2004 (Noctuidae) Synonym(s): *ronkayorum* Hacker,2004
- 43475) *Caradrina* (*Eremodrina*) *roxana* Boursin,1937 (Noctuidae) Synonym(s): *roxana* Boursin,1937; *leptodactyla* Varga & L.Ronkay,1991
- 43476) *Caradrina* (*Eremodrina*) *salzi* (Boursin,1936) (Noctuidae) Synonym(s): *salzi* Boursin,1936
- 43477) *Caradrina* (*Eremodrina*) *sarhadica* (Boursin,1942) (Noctuidae) Synonym(s): *sarhadica* Boursin,1942
- 43478) *Caradrina* (*Eremodrina*) *shugana* Hacker,2004 (Noctuidae) Synonym(s): *shugana* Hacker,2004

- 43479) *Caradrina (Eremodrina) singularis* Hacker,2004 (Noctuidae) Synonym(s): *singularis* Hacker,2004
 43480) *Caradrina (Eremodrina) stilpna* (Boursin,1957) (Noctuidae) Synonym(s): *stilpna* Boursin,1957
 43481) *Caradrina (Eremodrina) transoxanica* Hacker,2004 (Noctuidae) Synonym(s): *transoxanica* Hacker,2004
 43482) *Caradrina (Eremodrina) turatii* (Boursin,1936) (Noctuidae) Synonym(s): *turatii* Boursin,1936
 43483) *Caradrina (Eremodrina) turbulenta* (W.Warren,1911) (Noctuidae) Synonym(s): *turbulenta* W.Warren,1911; *umbratilis* Draudt,1933
 43484) *Caradrina (Eremodrina) turcomana* Hacker,2004 (Noctuidae) Synonym(s): *turcomana* Hacker,2004
 43485) *Caradrina (Eremodrina) vargai* Hacker,2004 (Noctuidae) Synonym(s): *vargai* Hacker,2004
 43486) *Caradrina (Eremodrina) vicina* (Staudinger,1870) (Noctuidae) Synonym(s): *vicina* Staudinger,1870; *perspicua* W.Warren,1911
 43487) *Caradrina (Eremodrina) vicina castrensis* Berio,1981 (Noctuidae) Synonym(s): *castrensis* Berio,1981
 43488) *Caradrina (Eremodrina) vicina hunza* Hacker,1992 (Noctuidae) Synonym(s): *hunza* Hacker,1992
 43489) *Caradrina (Eremodrina) vicina rosea* (Boursin,1936) (Noctuidae) Synonym(s): *rosea* Boursin,1936
 43490) *Caradrina (Eremodrina) vicina vicina* (Staudinger,1870) (Noctuidae) Synonym(s): *vicina* Staudinger,1870; *perspicua* W.Warren,1911
 43491) *Caradrina (Eremodrina) xanthorhoda* Boursin,1937 (Noctuidae) Synonym(s): *xanthorhoda* Boursin,1937; *tenebrosa* Boursin,1942
 43492) *Caradrina (Eremodrina) xiphophora* (Boursin,1968) (Noctuidae) Synonym(s): *xiphophora* Boursin,[1968]
 43493) *Caradrina (Eremodrina) xiphophora hindostana* Hacker,2004 (Noctuidae) Synonym(s): *hindostana* Hacker,2004
 43494) *Caradrina (Eremodrina) zagrobia* Hacker,2004 (Noctuidae) Synonym(s): *zagrobia* Hacker,2004
 43495) *Caradrina (Eremodrina) zernyi* (Boursin,1936) (Noctuidae) Synonym(s): *zernyi* Boursin,1936; *signata* Boursin,1936
 43496) *Caradrina (Eremodrina) zernyi debilis* (Boursin,1936) (Noctuidae) Synonym(s): *debilis* Boursin,1936
 43497) *Caradrina (Eremodrina) zernyi zernyi* (Boursin,1936) (Noctuidae) Synonym(s): *zernyi* Boursin,1936; *signata* Boursin,1936
 43498) *Caradrina (Eremodrina) zuleika* (Boursin,1957) (Noctuidae) Synonym(s): *zuleika* Boursin,1957
 43499) *Caradrina (Kalchbergiana) ingrata* (Staudinger,1897) (Noctuidae) Synonym(s): *ingrata* Staudinger,1897
 43500) *Caradrina (Levantrina) bodenheimeri* (Draudt,1934) (Noctuidae) Synonym(s): *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *pleiarchia* Boursin,1937
 43501) *Caradrina (Levantrina) bodenheimeri bodenheimeri* (Draudt,1934) (Noctuidae) Synonym(s): *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *pleiarchia* Boursin,1937
 43502) *Caradrina (Paradrina) abruzzensis* (Draudt,1933) (Noctuidae) Synonym(s): *abruzzensis* Draudt,1933
 43503) *Caradrina (Paradrina) abruzzensis abruzzensis* (Draudt,1933) (Noctuidae) Synonym(s): *abruzzensis* Draudt,1933
 43504) *Caradrina (Paradrina) abruzzensis rufirena* (Boursin,1939) (Noctuidae) Synonym(s): *rufirena* Boursin,1939; *rufirena* Boursin,1940; *personata* Kuznetsov,1958
 43505) *Caradrina (Paradrina) afrotropicalis* Hacker,2004 (Noctuidae) Synonym(s): *afrotropicalis* Hacker,2004
 43506) *Caradrina (Paradrina) amseli* (Boursin,1936) (Noctuidae) Synonym(s): *amseli* Boursin,1936
 43507) *Caradrina (Paradrina) atriluna* Guenée,1852 (Noctuidae) Synonym(s): *atriluna* Guenée,1852; *indicata* Walker,1857; *mediterraneae* Bethune-Baker,1894; *distincta* Staudinger,1898; *angularis* Turati,1935
 43508) *Caradrina (Paradrina) boursini* (Wagner,1936) (Noctuidae) Synonym(s): *boursini* Wagner,1936
 43509) *Caradrina (Paradrina) boursini ellisoni* (Boursin,1937) (Noctuidae) Synonym(s): *ellisoni* Boursin,1937
 43510) *Caradrina (Paradrina) chinensis* Leech,1900 (Noctuidae) Synonym(s): *chinensis* Leech,1900
 43511) *Caradrina (Paradrina) chinensis fusca* Leech,1900 (Noctuidae) Synonym(s): *fusca* Leech,1900; *heptarchia* Boursin,1936
 43512) *Caradrina (Paradrina) clavipalpis* (Scopoli,1763) (Noctuidae) Synonym(s): *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovskiy,1909; *teidovolans* Pinker,1974; *pinkeri* Kobes,1975
 43513) *Caradrina (Paradrina) clavipalpis harappa* Hacker,2004 (Noctuidae) Synonym(s): *harappa* Hacker,2004
 43514) *Caradrina (Paradrina) clavipalpis mauretana* (Draudt,1934) (Noctuidae) Synonym(s): *mauretana* Draudt,1934; *apicimaculata* Rebel,1948.
 43515) *Caradrina (Paradrina) clavipalpis pulverosa* (Walker,1857) (Noctuidae) Synonym(s): *pulverosa* Walker,1857
 43516) *Caradrina (Paradrina) eugraphis* Janse,1938 (Noctuidae) Synonym(s): *eugraphis* Janse,1938
 43517) *Caradrina (Paradrina) fibigeri* Hacker,2004 (Noctuidae) Synonym(s): *fibigeri* Hacker,2004
 43518) *Caradrina (Paradrina) flava* (Oberthür,1876) (Noctuidae) Synonym(s): *flava* Oberthür,1876; *approximans* Rothschild,1914.
 43519) *Caradrina (Paradrina) flavirena* (Guenée,1852) (Noctuidae) Synonym(s): *flavirena* Guenée,1852; *minor* Staudinger,1897; *subdita* W.Warren,1911; *muricolor* Boursin,1933; *subdita* Leraut,1980
 43520) *Caradrina (Paradrina) flavirena zobeidah* (Boursin,1937) (Noctuidae) Synonym(s): *zobeidah* Boursin,1937
 43521) *Caradrina (Paradrina) fulvofusca* Hacker,2004 (Noctuidae) Synonym(s): *fulvofusca* Hacker,2004
 43522) *Caradrina (Paradrina) fuscicornis* (Rambur,1832) (Noctuidae) Synonym(s): *fuscicornis* Rambur,1832; *variabilis* Bellier,1865; *continentalis* Boursin,1952; *pseudoterrea* De Laever,1980
 43523) *Caradrina (Paradrina) fuscomedia* Hacker,2004 (Noctuidae) Synonym(s): *fuscomedia* Hacker,2004
 43524) *Caradrina (Paradrina) glaucistis* Hampson,1902 (Noctuidae) Synonym(s): *glaucistis* Hampson,1902
 43525) *Caradrina (Paradrina) himalayica* Kollar,1844 (Noctuidae) Synonym(s): *himalayica* Kollar,1844; *arenacea* Moore,1881
 43526) *Caradrina (Paradrina) hypostigma* (Boursin,1932) (Noctuidae) Synonym(s): *hypostigma* Boursin,1932
 43527) *Caradrina (Paradrina) jacobsi* (Rothschild,1914) (Noctuidae) Synonym(s): *jacobsi* Rothschild,1914; *lignea* Turati,1930
 43528) *Caradrina (Paradrina) katherina* (Wiltshire,1947) (Noctuidae) Synonym(s): *katherina* Wiltshire,1947
 43529) *Caradrina (Paradrina) katherina dissimilata* (Wiltshire,1982) (Noctuidae) Synonym(s): *dissimilata* Wiltshire,1982
 43530) *Caradrina (Paradrina) klapperichi* (Boursin,1957) (Noctuidae) Synonym(s): *klapperichi* Boursin,1957
 43531) *Caradrina (Paradrina) levantina* Hacker,2004 (Noctuidae) Synonym(s): *levantina* Hacker,2004
 43532) *Caradrina (Paradrina) localis* (Wiltshire,1986) (Noctuidae) Synonym(s): *localis* Wiltshire,1986
 43533) *Caradrina (Paradrina) minoica* Hacker,2004 (Noctuidae) Synonym(s): *minoica* Hacker,2004
 43534) *Caradrina (Paradrina) noctivaga* (Bellier,1863) (Noctuidae) Synonym(s): *noctivaga* Bellier,1863; *litigiosa* Boisduval,1840
 43535) *Caradrina (Paradrina) noctivaga algeriensis* Stertz,1915 (Noctuidae) Synonym(s): *algeriensis* Stertz,1915; *persimilis* Rothschild,1920; *danieli* Rungs,[1950]
 43536) *Caradrina (Paradrina) poecila* (Boursin,1939) (Noctuidae) Synonym(s): *poecila* Boursin,1939
 43537) *Caradrina (Paradrina) rebeli* Staudinger,1901 (Noctuidae) Synonym(s): *rebeli* Staudinger,1901; *lapalmae* Pinker,1962; *grancanariae* Pinker,1962; *lanzarotensis* Pinker,1962; *fuerteventurensis* Pinker & Bacallado,1975
 43538) *Caradrina (Paradrina) scotoptera* (Püngeler,1914) (Noctuidae) Synonym(s): *scotoptera* Püngeler,1914
 43539) *Caradrina (Paradrina) scotoptera fuscovaria* Hacker,2004 (Noctuidae) Synonym(s): *fuscovaria* Hacker,2004
 43540) *Caradrina (Paradrina) selini* (Boisduval,1840) (Noctuidae) Synonym(s): *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Riggenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935]
 43541) *Caradrina (Paradrina) selini djeblis* Rungs,[1973] (Noctuidae) Synonym(s): *djeblis* Rungs,[1973]
 43542) *Caradrina (Paradrina) selini forsteri* (Boursin,1939) (Noctuidae) Synonym(s): *forsteri* Boursin,1939; *forsteri* Boursin,1940
 43543) *Caradrina (Paradrina) selini mairei* (Draudt,1909) (Noctuidae) Synonym(s): *mairei* Draudt,1909
 43544) *Caradrina (Paradrina) selini selini* (Boisduval,1840) (Noctuidae) Synonym(s): *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Riggenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935]
 43545) *Caradrina (Paradrina) stenoeca* (Wiltshire,1986) (Noctuidae) Synonym(s): *stenoeca* Wiltshire,1986
 43546) *Caradrina (Paradrina) suscijania* Mentzer,1981 (Noctuidae) Synonym(s): *suscijania* Mentzer,1981
 43547) *Caradrina (Paradrina) suscijania cilicia* Hacker,1992 (Noctuidae) Synonym(s): *cilicia* Hacker,1992
 43548) *Caradrina (Paradrina) wullschlegeli* (Püngeler,1903) (Noctuidae) Synonym(s): *wullschlegeli* Püngeler,1903
 43549) *Caradrina (Paradrina) wullschlegeli schwingenschussi* Boursin,1936 (Noctuidae) Synonym(s): *schwingenschussi* Boursin,1936
 43550) *Caradrina (Paradrina) wullschlegeli scythica* Hacker,2004 (Noctuidae) Synonym(s): *scythica* Hacker,2004
 43551) *Caradrina (Paradrina) zandi* (Wiltshire,1952) (Noctuidae) Synonym(s): *zandi* Wiltshire,1952
 43552) *Caradrina (Paradrina) zandi minimus* Fibiger, Svendsen & Nilsson,1999 (Noctuidae) Synonym(s): *minimus* Fibiger, Svendsen & Nilsson,1999
 43553) *Caradrina (Platyperigea) albina* (Eversmann,1848) (Noctuidae) Synonym(s): *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912
 43554) *Caradrina (Platyperigea) albina albina* (Eversmann,1848) (Noctuidae) Synonym(s): *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912

- 43555) *Caradrina (Platyperigea) aspersa* (Rambur,1834) (Noctuidae) Synonym(s): *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti* Turati,1913.
- 43556) *Caradrina (Platyperigea) fuscifusa* (Varga & L.Ronkay,1991) (Noctuidae) Synonym(s): *fuscifusa* Varga & L.Ronkay,1991
- 43557) *Caradrina (Platyperigea) hoenei* Hacker & Kononenko,2004 (Noctuidae) Synonym(s): *hoenei* Hacker & Kononenko,2004
- 43558) *Caradrina (Platyperigea) kadenii* (Freyer,1836) (Noctuidae) Synonym(s): *kadenii* Freyer,1836
- 43559) *Caradrina (Platyperigea) kadenii insularis* Hacker,2004 (Noctuidae) Synonym(s): *insularis* Hacker,2004
- 43560) *Caradrina (Platyperigea) kautti* Hacker,2004 (Noctuidae) Synonym(s): *kautti* Hacker,2004
- 43561) *Caradrina (Platyperigea) khorassana* (Boursin,1942) (Noctuidae) Synonym(s): *khorassana* Boursin,1942
- 43562) *Caradrina (Platyperigea) montana* (Bremer,1861) (Noctuidae) Synonym(s): *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis* Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949
- 43563) *Caradrina (Platyperigea) montana extima* Walker,1865 (Noctuidae) Synonym(s): *extima* Walker,1865; *civica* Grote,1883
- 43564) *Caradrina (Platyperigea) montana menetriesii* Kretschmar,1863 (Noctuidae) Synonym(s): *menetriesii* Kretschmar,1863; *cinerascens* Tengström,1869
- 43565) *Caradrina (Platyperigea) montana montana* (Bremer,1861) (Noctuidae) Synonym(s): *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis* Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949
- 43566) *Caradrina (Platyperigea) montana rougemonti* Spuler,1908 (Noctuidae) Synonym(s): *rougemonti* Spuler,1908
- 43567) *Caradrina (Platyperigea) montana weigerti* (Hacker,1992) (Noctuidae) Synonym(s): *weigerti* Hacker,1992
- 43568) *Caradrina (Platyperigea) olivascens* Hacker,2004 (Noctuidae) Synonym(s): *olivascens* Hacker,2004
- 43569) *Caradrina (Platyperigea) petraea* Tengström,1869 (Noctuidae) Synonym(s): *grisea* Eversmann,1848 nec Hfn.,1766; *petraea* Tengström,1869; *#tunkuna* Draudt,1934
- 43570) *Caradrina (Platyperigea) proxima* (Rambur,1837) (Noctuidae) Synonym(s): *proxima* Rambur,1837; *infusa* Rambur,1858
- 43571) *Caradrina (Platyperigea) proxima rufostigmata* (Rothschild,1914) (Noctuidae) Synonym(s): *rufostigmata* Rothschild,1914
- 43572) *Caradrina (Platyperigea) sogdiana* (Boursin,1936) (Noctuidae) Synonym(s): *sogdiana* Boursin,1936
- 43573) *Caradrina (Platyperigea) terrea* (Freyer,[1840]) (Noctuidae) Synonym(s): *terrea* Freyer,[1840]; *ustirena* Boisduval,1840
- 43574) *Caradrina (Platyperigea) terrea albersi* (Warnecke,1936) (Noctuidae) Synonym(s): *albersi* Warnecke,1936; *clarior* Warnecke,1936.
- 43575) *Caradrina (Platyperigea) terrea altera* Rungs,1972 (Noctuidae) Synonym(s): *altera* Rungs,1972
- 43576) *Caradrina (Platyperigea) terrea froitzheimi* (Boursin,1957) (Noctuidae) Synonym(s): *froitzeimi* Boursin,1957
- 43577) *Caradrina (Platyperigea) terrea matrona* (Ronkay & Varga,1985) (Noctuidae) Synonym(s): *matrona* Ronkay & Varga,1985
- 43578) *Caradrina (Platyperigea) terrea subplumbea* Hacker,2004 (Noctuidae) Synonym(s): *subplumbea* Hacker,2004
- 43579) *Caradrina (Platyperigea) terrea terrea* (Freyer,1840) (Noctuidae) Synonym(s): *terrea* Freyer,[1840]; *ustirena* Boisduval,1840.
- 43580) *Caradrina (Platyperigea) warneckei* (Boursin,1936) (Noctuidae) Synonym(s): *warneckei* Boursin,1936
- 43581) *Caradrina (Weigertrina) diabolica* (Boursin,1942) (Noctuidae) Synonym(s): *diabolica* Boursin,1942
- 43582) *Caradrina (Weigertrina) eremicola* (Plante,1998) (Noctuidae) Synonym(s): *eremicola* Plante,1998
- 43583) *Caradrina (Weigertrina) eremicola afrisudana* Hacker,2004 (Noctuidae) Synonym(s): *afrisudana* Hacker,2004
- 43584) *Caradrina (Weigertrina) eremicola eremicola* (Plante,1998) (Noctuidae) Synonym(s): *eremicola* Plante,1998
- 43585) *Caradrina (Weigertrina) senecai* Hacker,2004 (Noctuidae) Synonym(s): *senecai* Hacker,2004
- 43586) *Caradrina (s.str.) agrotina* (Staudinger,1892) (Noctuidae) Synonym(s): *agrotina* Staudinger,1892; *jordana* Staudinger,[1895]; *syriaca* Osthelder,1933.
- 43587) *Caradrina (s.str.) amurensis* (Staudinger,1892) (Noctuidae) Synonym(s): *amurensis* Staudinger,1892; *sabulosa* Graeser,1892.
- 43588) *Caradrina (s.str.) callicora* Le Cerf,1922 (Noctuidae) Synonym(s): *callicora* Le Cerf,1922
- 43589) *Caradrina (s.str.) intaminata* (Walker,1865) (Noctuidae) Synonym(s): *intaminata* Walker,1865
- 43590) *Caradrina (s.str.) melanosema* Hampson,1914 (Noctuidae) Synonym(s): *melanosema* Hampson,1914
- 43591) *Caradrina (s.str.) morpheus* (Hufnagel,1766) (Noctuidae) Synonym(s): *morpheus* Hufnagel,1766; *pulla* Beckwith,1794 nec Esp.,[1785]; *sepii* Hübner,[1803]; *dresnaya* D.Lucas,1933; *alpina* Hartig,[1938]
- 43592) *Caradrina (s.str.) pexicera* Hampson,1909 (Noctuidae) Synonym(s): *pexicera* Hampson,1909
- 43593) *Caradrina (s.str.) pseudagrotis* Hampson,1918 (Noctuidae) Synonym(s): *pseudagrotis* Hampson,1918
- 43594) *Caradrina (s.str.) sinistra* Janse,1938 (Noctuidae) Synonym(s): *sinistra* Janse,1938
- 43595) *Caradrina (s.str.) tibetica* Draudt,1950 (Noctuidae) Synonym(s): *tibetica* Draudt,1950
- 43596) *Caradrina ferida* Pagenstecher,1893 (Noctuidae) Synonym(s): *ferida* Pagenstecher,1893
- 43597) *Caradrina superciliata* Wallengren,1856 (Noctuidae) Synonym(s): *superciliata* Wallengren,1856
- 43598) *Caradrina tenebrata* Hampson,1902 (Noctuidae) Synonym(s): *tenebrata* Hampson,1902
- 43599) *Caradrina xanthopis* (Hampson,1909) (Noctuidae) Synonym(s): *xanthopis* Hampson,1909
- 43600) *Caranilla angularis* (Noctuidae) Synonym(s):
- 43601) *Carcharoda yemenicola* Wiltshire,1983 (Noctuidae) Synonym(s): *yemenicola* Wiltshire,1983
- 43602) *Cardepia additamenta* Hacker,1998 (Noctuidae) Synonym(s): *additamenta* Hacker,1998
- 43603) *Cardepia affinis* Rothschild,1913 (Noctuidae) Synonym(s): *affinis* Rothschild,1913; *ghigii* Turati,1921; *strobilacei* Dumont,1925.
- 43604) *Cardepia affinis antinea* Rungs,1972 (Noctuidae) Synonym(s): *antinea* Rungs,1972; *canaria* Pinker,1974.
- 43605) *Cardepia affinis europaea* Hacker,1998 (Noctuidae) Synonym(s): *europaea* Hacker,1998
- 43606) *Cardepia affinis iatnana* Hacker,1998 (Noctuidae) Synonym(s): *iatnana* Hacker,1998
- 43607) *Cardepia arenaria* (Hampson,1905) (Noctuidae) Synonym(s): *arenaria* Hampson,1905
- 43608) *Cardepia arenbergeri* Pinker,1974 (Noctuidae) Synonym(s): *arenbergeri* Pinker,1974
- 43609) *Cardepia dardistana* Boursin,1967 (Noctuidae) Synonym(s): *dardistana* Boursin,1967
- 43610) *Cardepia deserticola* Hampson,1905 (Noctuidae) Synonym(s): *deserticola* Hampson,1905
- 43611) *Cardepia emmanueli* Berio,1993 (Noctuidae) Synonym(s): *emmanueli* Berio,1993
- 43612) *Cardepia halophila* Hacker,1998 (Noctuidae) Synonym(s): *halophila* Hacker,1998
- 43613) *Cardepia hartigi* Parenzan,1981 (Noctuidae) Synonym(s): *hartigi* Parenzan,1981
- 43614) *Cardepia helix* (Boursin,1962) (Noctuidae) Synonym(s): *helix* Boursin,1962
- 43615) *Cardepia helix dubatolovi* Hacker,1998 (Noctuidae) Synonym(s): *dubatolovi* Hacker,1998
- 43616) *Cardepia irrisoria* (Erschoff,1874) (Noctuidae) Synonym(s): *#irrisor* Erschoff,1874; *irrisoria* Erschoff,1874; *albigicta* Christoph,1884
- 43617) *Cardepia irrisoria nigrescens* Hacker,1998 (Noctuidae) Synonym(s): *nigrescens* Hacker,1998
- 43618) *Cardepia kaszabi* Sukhareva & Varga,1973 (Noctuidae) Synonym(s): *kaszabi* Sukhareva & Varga,1973
- 43619) *Cardepia legraini* Hacker,1998 (Noctuidae) Synonym(s): *legraini* Hacker,1998
- 43620) *Cardepia martoni* Hacker,1998 (Noctuidae) Synonym(s): *martoni* Hacker,1998
- 43621) *Cardepia mixta* Pagenstecher,1907 (Noctuidae) Synonym(s): *mixta* Pagenstecher,1907
- 43622) *Cardepia oleagina* Hacker,1998 (Noctuidae) Synonym(s): *oleagina* Hacker,1998
- 43623) *Cardepia sociabilis* (Graslin,1850) (Noctuidae) Synonym(s): *sociabilis* Graslin,1850; *ghigii* Turati,1926; *pedrosai* Monteiro,1972; *grisea* Berio,1986.
- 43624) *Cardepia sociabilis canescens* Hacker,1998 (Noctuidae) Synonym(s): *canescens* Hacker,1998
- 43625) *Cardepia sociabilis deserticola* Hampson,1905 (Noctuidae) Synonym(s): *deserticola* Hampson,1905
- 43626) *Cardepia sociabilis mauretanica* Rothschild,1920 (Noctuidae) Synonym(s): *mauretanica* Rothschild,1920
- 43627) *Cardepia sociabilis rajasthanana* Hacker,1998 (Noctuidae) Synonym(s): *rajasthanana* Hacker,1998
- 43628) *Cardepia sociabilis sociabilis* (Graslin,1850) (Noctuidae) Synonym(s): *sociabilis* Graslin,1850; *ghigii* Turati,1926; *pedrosai* Monteiro,1972; *grisea* Berio,1986.
- 43629) *Cardepia sociabilis socialis* Hacker,1998 (Noctuidae) Synonym(s): *socialis* Hacker,1998
- 43630) *Cardiosace bidentata* (Hampson,1902) (Noctuidae) Synonym(s): *bidentata* Hampson,1902
- 43631) *Cardiosace erffai* Grünberg,1913 (Noctuidae) Synonym(s): *erffai* Grünberg,1913
- 43632) *Cardiosace natalis* (Guenée,1852) (Noctuidae) Synonym(s): *natalis* Guenée,1852
- 43633) *Cardiosace olivescens* Hampson,1910 (Noctuidae) Synonym(s): *olivescens* Hampson,1910
- 43634) *Cardiosace perilis* (Wallengren,1856) (Noctuidae) Synonym(s): *perilis* Wallengren,1856
- 43635) *Cardiosace sphendonistis* (Hampson,1902) (Noctuidae) Synonym(s): *sphendonistis* Hampson,1902
- 43636) *Cardiosace trychaenoides* (Wallengren,1856) (Noctuidae) Synonym(s): *trychaenoides* Wallengren,1856
- 43637) *Carea acutapex* Strand,1920 (Noctuidae) Synonym(s): *acutapex* Strand,1920
- 43638) *Carea adoxa* A.E.Prout,1924 (Noctuidae) Synonym(s): *adoxo* A.E.Prout,1924
- 43639) *Carea aetha* A.E.Prout,1928 (Noctuidae) Synonym(s): *aetha* A.E.Prout,1928

- 43640) *Carea albimargo* W.Warren,1912 (Noctuidae) Synonym(s): *albimargo* W.Warren,1912
 43641) *Carea albirufa* Hampson,1896 (Noctuidae) Synonym(s): *albirufa* Hampson,1896
 43642) *Carea albopurpurea* Hampson,1894 (Noctuidae) Synonym(s): *albopurpurea* Hampson,1894
 43643) *Carea angulata* (Fabricius,1793) (Noctuidae) Synonym(s): *angulata* Fabricius,1793; *subtilis* Walker,[1857]; *innocens* Swinhoe,1918; *intermedia* Swinhoe,1918
 43644) *Carea annae* Swinhoe,1904 (Noctuidae) Synonym(s): *annae* Swinhoe,1904
 43645) *Carea antennata* W.Warren,1912 (Noctuidae) Synonym(s): *antennata* W.Warren,1912
 43646) *Carea argentipurpurea* Holloway,1976 (Noctuidae) Synonym(s): *argentipurpurea* Holloway,1976
 43647) *Carea argentiviridis* Holloway,1976 (Noctuidae) Synonym(s): *argentiviridis* Holloway,1976
 43648) *Carea balteata* W.Warren,1912 (Noctuidae) Synonym(s): *balteata* W.Warren,1912
 43649) *Carea bilinea* Roepke,1938 (Noctuidae) Synonym(s): *bilinea* Roepke,1938
 43650) *Carea biviata* Hampson,1905 (Noctuidae) Synonym(s): *biviata* Hampson,1905
 43651) *Carea calva* W.Warren,1916 (Noctuidae) Synonym(s): *calva* W.Warren,1916
 43652) *Carea careoides* W.Warren,1912 (Noctuidae) Synonym(s): *careoides* W.Warren,1912
 43653) *Carea carissima* Wileman & West,1929 (Noctuidae) Synonym(s): *carissima* Wileman & West,1929
 43654) *Carea carneoplaga* W.Warren,1912 (Noctuidae) Synonym(s): *carneoplaga* W.Warren,1912
 43655) *Carea caroli* A.E.Prout,1922 (Noctuidae) Synonym(s): *caroli* A.E.Prout,1922
 43656) *Carea cervina* W.Warren,1916 (Noctuidae) Synonym(s): *cervina* W.Warren,1916
 43657) *Carea chalybea* (W.Warren,1916) (Noctuidae) Synonym(s): *chalybea* W.Warren,1916
 43658) *Carea chlorostigma* (Hampson,1893) (Noctuidae) Synonym(s): *chlorostigma* Hampson,1893
 43659) *Carea commixta* W.Warren,1916 (Noctuidae) Synonym(s): *commixta* W.Warren,1916
 43660) *Carea confinis* W.Warren,1916 (Noctuidae) Synonym(s): *confinis* W.Warren,1916
 43661) *Carea consimilis* W.Warren,1916 (Noctuidae) Synonym(s): *consimilis* W.Warren,1916
 43662) *Carea costiplaga* Swinhoe,1893 (Noctuidae) Synonym(s): *costiplaga* Swinhoe,1893; *tarika* Swinhoe,1901; *tarica* Hampson,1912
 43663) *Carea costiplaga defuscata* A.E.Prout,1922 (Noctuidae) Synonym(s): *defuscata* A.E.Prout,1922
 43664) *Carea cuprea* Wileman & South,1920 (Noctuidae) Synonym(s): *cuprea* Wileman & South,1920
 43665) *Carea curtisi* W.Warren,1916 (Noctuidae) Synonym(s): *curtisi* W.Warren,1916
 43666) *Carea devia* Hampson,1912 (Noctuidae) Synonym(s): *devia* Hampson,1912
 43667) *Carea diagona* Hampson,1912 (Noctuidae) Synonym(s): *diagona* Hampson,1912
 43668) *Carea diagona argentipunctata* Holloway,1976 (Noctuidae) Synonym(s): *argentipunctata* Holloway,1976
 43669) *Carea diagona diagona* Hampson,1912 (Noctuidae) Synonym(s): *diagona* Hampson,1912
 43670) *Carea dione* Swinhoe,1905 (Noctuidae) Synonym(s): *dione* Swinhoe,1905
 43671) *Carea diplogramma* Hampson,1905 (Noctuidae) Synonym(s): *diplogramma* Hampson,1905
 43672) *Carea distincta* Roepke,1938 (Noctuidae) Synonym(s): *distincta* Roepke,1938
 43673) *Carea ducalis* Bryk,1913 (Noctuidae) Synonym(s): *ducalis* Bryk,1913; *undicostata* W.Warren,1916; *undicostata* Holloway,1976
 43674) *Carea effusa* (Swinhoe,1901) (Noctuidae) Synonym(s): *effusa* Swinhoe,1901
 43675) *Carea egens* A.E.Prout,1924 (Noctuidae) Synonym(s): *egens* A.E.Prout,1924
 43676) *Carea elaeogramma* A.E.Prout,1926 (Noctuidae) Synonym(s): *elaogramma* A.E.Prout,1926
 43677) *Carea elaeospila* A.E.Prout,1926 (Noctuidae) Synonym(s): *elaospila* A.E.Prout,1926
 43678) *Carea endophaea* Hampson,1905 (Noctuidae) Synonym(s): *endophaea* Hampson,1905
 43679) *Carea erectilinea* A.E.Prout,1924 (Noctuidae) Synonym(s): *erectilinea* A.E.Prout,1924
 43680) *Carea fasciata* (Moore,1882) (Noctuidae) Synonym(s): *fasciata* Moore,1882
 43681) *Carea felix* A.E.Prout,1922 (Noctuidae) Synonym(s): *felix* A.E.Prout,1922
 43682) *Carea felix pallidior* A.E.Prout,1926 (Noctuidae) Synonym(s): *pallidior* A.E.Prout,1926
 43683) *Carea ferribrunnea* Holloway,1976 (Noctuidae) Synonym(s): *ferribrunnea* Holloway,1976
 43684) *Carea ferrinigra* Holloway,1976 (Noctuidae) Synonym(s): *ferrinigra* Holloway,1976
 43685) *Carea ferriviridis* Holloway,1976 (Noctuidae) Synonym(s): *ferriviridis* Holloway,1976
 43686) *Carea flava* Bethune-Baker,1906 (Noctuidae) Synonym(s): *flava* Bethune-Baker,1906
 43687) *Carea flavidirubra* Hampson,1918 (Noctuidae) Synonym(s): *flavidirubra* Hampson,1918
 43688) *Carea fulvescens* W.Warren,1912 (Noctuidae) Synonym(s): *fulvescens* W.Warren,1912
 43689) *Carea fuscata* A.E.Prout,1928 (Noctuidae) Synonym(s): *fuscata* A.E.Prout,1928
 43690) *Carea hepatica* W.Warren,1912 (Noctuidae) Synonym(s): *hepatica* W.Warren,1912
 43691) *Carea hollowayi* Kobes,1982 (Noctuidae) Synonym(s): *hollowayi* Kobes,1982
 43692) *Carea holophaea* Hampson,1905 (Noctuidae) Synonym(s): *holophaea* Hampson,1905
 43693) *Carea immemor* (W.Warren,1916) (Noctuidae) Synonym(s): *immemor* W.Warren,1916
 43694) *Carea inducens* (Walker,1859) (Noctuidae) Synonym(s): *inducens* Walker,1859
 43695) *Carea infundibulata* W.Warren,1916 (Noctuidae) Synonym(s): *infundibulata* W.Warren,1916
 43696) *Carea internifusca* Hampson,1912 (Noctuidae) Synonym(s): *internifusca* Hampson,1912
 43697) *Carea jacobsoni* Roepke,1935 (Noctuidae) Synonym(s): *jacobsoni* Roepke,1935
 43698) *Carea josephi* A.E.Prout,1922 (Noctuidae) Synonym(s): *josephi* A.E.Prout,1922
 43699) *Carea lentilineata* Hampson,1918 (Noctuidae) Synonym(s): *lentilineata* Hampson,1918
 43700) *Carea leucocraspis* Hampson,1905 (Noctuidae) Synonym(s): *leucocraspis* Hampson,1905
 43701) *Carea leucozona* A.E.Prout,1921 (Noctuidae) Synonym(s): *leucozona* A.E.Prout,1921
 43702) *Carea longicornis* A.E.Prout,1924 (Noctuidae) Synonym(s): *longicornis* A.E.Prout,1924
 43703) *Carea longicornis malabarica* Roepke,1935 (Noctuidae) Synonym(s): *malabarica* Roepke,1935
 43704) *Carea loxoscia* A.E.Prout,1932 (Noctuidae) Synonym(s): *loxoscia* A.E.Prout,1932
 43705) *Carea loxoscia pantera* A.E.Prout,1932 (Noctuidae) Synonym(s): *pantera* A.E.Prout,1932
 43706) *Carea mathilda* Swinhoe,1904 (Noctuidae) Synonym(s): *mathilda* Swinhoe,1904
 43707) *Carea mediogrisea* W.Warren,1912 (Noctuidae) Synonym(s): *mediogrisea* W.Warren,1912
 43708) *Carea mesocausta* Hampson,1905 (Noctuidae) Synonym(s): *mesocausta* Hampson,1905
 43709) *Carea metaphaea* Hampson,1912 (Noctuidae) Synonym(s): *metaphaea* Hampson,1912
 43710) *Carea minahassae* Roepke,1932 (Noctuidae) Synonym(s): *minahassae* Roepke,1932
 43711) *Carea minima* W.Warren,1916 (Noctuidae) Synonym(s): *minima* W.Warren,1916
 43712) *Carea minor* Mell,1943 (Noctuidae) Synonym(s): *minor* Mell,1943
 43713) *Carea mixticolor* (W.Warren,1916) (Noctuidae) Synonym(s): *mixticolor* W.Warren,1916
 43714) *Carea moira* Swinhoe,1893 (Noctuidae) Synonym(s): *moira* Swinhoe,1893
 43715) *Carea nebulifera* W.Warren,1912 (Noctuidae) Synonym(s): *nebulifera* W.Warren,1912
 43716) *Carea negativapex* Holloway,1976 (Noctuidae) Synonym(s): *negativapex* Holloway,1976
 43717) *Carea nexilla* Hampson,1912 (Noctuidae) Synonym(s): *nexilla* Hampson,1912
 43718) *Carea nisulus* Brk,1915 (Noctuidae) Synonym(s): *nisulus* Brk,1915
 43719) *Carea nitida* Hampson,1894 (Noctuidae) Synonym(s): *nitida* Hampson,1894
 43720) *Carea notodontina* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *notodontina* R.Felder & Rogenhofer,1874; *diluta* W.Warren,1916
 43721) *Carea obliquifascia* A.E.Prout,1928 (Noctuidae) Synonym(s): *obliquifascia* A.E.Prout,1928
 43722) *Carea obsolescens* Moore,1884 (Noctuidae) Synonym(s): *obsolescens* Moore,1884
 43723) *Carea obvia* Hampson,1912 (Noctuidae) Synonym(s): *obvia* Hampson,1912
 43724) *Carea ochreipennis* Holloway,1976 (Noctuidae) Synonym(s): *ochreipennis* Holloway,1976
 43725) *Carea ochreoviridis* Holloway,1976 (Noctuidae) Synonym(s): *ochreoviridis* Holloway,1976
 43726) *Carea ocyra* Swinhoe,1893 (Noctuidae) Synonym(s): *ocyra* Swinhoe,1893
 43727) *Carea padangensis* Roepke,1935 (Noctuidae) Synonym(s): *padangensis* Roepke,1935
 43728) *Carea pallida* Hampson,1905 (Noctuidae) Synonym(s): *pallida* Hampson,1905

- 43729) *Carea papuensis* W.Warren,1912 (Noctuidae) Synonym(s): *papuensis* W.Warren,1912
 43730) *Carea parangulata* Kobes,1997 (Noctuidae) Synonym(s): *parangulata* Kobes,1997
 43731) *Carea perspicua* A.E.Prout,1924 (Noctuidae) Synonym(s): *perspicua* A.E.Prout,1924
 43732) *Carea phaedropa* A.E.Prout,1924 (Noctuidae) Synonym(s): *phaedropa* A.E.Prout,1924
 43733) *Carea picta* (Moore,1882) (Noctuidae) Synonym(s): *picta* Moore,1882
 43734) *Carea plesiogramma* A.E.Prout,1926 (Noctuidae) Synonym(s): *plesiogramma* A.E.Prout,1926
 43735) *Carea pratti* Bethune-Baker,1906 (Noctuidae) Synonym(s): *pratti* Bethune-Baker,1906
 43736) *Carea proutae* Roepke,1935 (Noctuidae) Synonym(s): *proutae* Roepke,1935
 43737) *Carea pryleri* Druce,1911 (Noctuidae) Synonym(s): *pryeri* Druce,1911
 43738) *Carea purpurea* Hampson,1891 (Noctuidae) Synonym(s): *purpurea* Hampson,1891
 43739) *Carea purpureolineata* Hampson,1918 (Noctuidae) Synonym(s): *purpureolineata* Hampson,1918
 43740) *Carea quieta* A.E.Prout,1924 (Noctuidae) Synonym(s): *quieta* A.E.Prout,1924
 43741) *Carea quieta micropunctata* Holloway,1976 (Noctuidae) Synonym(s): *micropunctata* Holloway,1976
 43742) *Carea robinsoni* Swinhoe,1903 (Noctuidae) Synonym(s): *robinsoni* Swinhoe,1903
 43743) *Carea rubiginosa* Roepke,1935 (Noctuidae) Synonym(s): *rubiginosa* Roepke,1935
 43744) *Carea rubiginosa javana* Roepke,1935 (Noctuidae) Synonym(s): *javana* Roepke,1935
 43745) *Carea rubrifusa* Hampson,1905 (Noctuidae) Synonym(s): *rubrifusa* Hampson,1905
 43746) *Carea sabulosa* W.Warren,1916 (Noctuidae) Synonym(s): *sabulosa* W.Warren,1916
 43747) *Carea semipallida* A.E.Prout,1924 (Noctuidae) Synonym(s): *semipallida* A.E.Prout,1924
 43748) *Carea seticornis* Walker,1862 (Noctuidae) Synonym(s): *purpureoscripta* Walker,1862; *lilacina* Hampson,1894; *sumatrana* Roepke,1935
 43749) *Carea sibolgae* Roepke,1935 (Noctuidae) Synonym(s): *sibolgae* Roepke,1935
 43750) *Carea simplicilinea* W.Warren,1916 (Noctuidae) Synonym(s): *simplicilinea* W.Warren,1916
 43751) *Carea subvia* Wileman & West,1929 (Noctuidae) Synonym(s): *subvia* Wileman & West,1929
 43752) *Carea translucens* Holloway,1976 (Noctuidae) Synonym(s): *translucens* Holloway,1976
 43753) *Carea transpurpuralis* Holloway,1976 (Noctuidae) Synonym(s): *transpurpuralis* Holloway,1976
 43754) *Carea trichotmeta* A.E.Prout,1924 (Noctuidae) Synonym(s): *trichotmeta* A.E.Prout,1924
 43755) *Carea triguttata* W.Warren,1912 (Noctuidae) Synonym(s): *triguttata* W.Warren,1912
 43756) *Carea trilineata* W.Warren,1912 (Noctuidae) Synonym(s): *trilineata* W.Warren,1912; *trilineata* W.Warren,1916
 43757) *Carea tumida* Hampson,1905 (Noctuidae) Synonym(s): *tumida* Hampson,1905
 43758) *Carea tumidistigma* (W.Warren,1916) (Noctuidae) Synonym(s): *tumidistigma* W.Warren,1916
 43759) *Carea unipunctata* Bethune-Baker,1906 (Noctuidae) Synonym(s): *unipunctata* Bethune-Baker,1906
 43760) *Carea unipunctata fulvida* A.E.Prout,1924 (Noctuidae) Synonym(s): *fulvida* A.E.Prout,1924
 43761) *Carea vandermeermohri* Roepke,1935 (Noctuidae) Synonym(s): *vandermeermohri* Roepke,1935
 43762) *Carea varipes* Walker,[1857] (Noctuidae) Synonym(s): *varipes* Walker,[1857]; *curvifera* Walker,1862; *rhodophila* Walker,1865
 43763) *Carea varipes* Walker,[1857] (Noctuidae) Synonym(s): *varipes* Walker,[1857]; *curvifera* Walker,1862; *rhodophila* Walker,1865; *#ilacina* W.Warren,1913; *#modesta* W.Warren,1913; *roseotincta* Roepke,1938
 43764) *Carea varipes leucobathra* A.E.Prout,1932 (Noctuidae) Synonym(s): *leucobathra* A.E.Prout,1932
 43765) *Carea varipes roseotincta* Roepke,1938 (Noctuidae) Synonym(s): *roseotincta* Roepke,1938
 43766) *Carea venusta* W.Warren,1912 (Noctuidae) Synonym(s): *venusta* W.Warren,1912
 43767) *Carea verticata* W.Warren,1916 (Noctuidae) Synonym(s): *verticata* W.Warren,1916
 43768) *Carea vexilla* (Swinhoe,1893) (Noctuidae) Synonym(s): *vexilla* Swinhoe,1893
 43769) *Carea viridifascia* (Swinhoe,1902) (Noctuidae) Synonym(s): *viridifascia* Swinhoe,1902
 43770) *Carea viridipennis* Druce,1911 (Noctuidae) Synonym(s): *viridipennis* Druce,1911; *#viridipennis* Poole,1989
 43771) *Carea viridipicta* (Hampson,1896) (Noctuidae) Synonym(s): *viridipicta* Hampson,1896
 43772) *Carea vulpina* W.Warren,1912 (Noctuidae) Synonym(s): *vulpina* W.Warren,1912
 43773) *Carea zonata* Roepke,1935 (Noctuidae) Synonym(s): *zonata* Roepke,1935
 43774) *Carsina bendioides* (Walker,1864) (Noctuidae) Synonym(s): *bendioides* Walker,1864
 43775) *Carsina flavibrunnea* (Hampson,1895) (Noctuidae) Synonym(s): *flavibrunnea* Hampson,1895
 43776) *Carsina kanshirensis* (Wileman,1914) (Noctuidae) Synonym(s): *kanshirensis* Wileman,1914
 43777) *Carsina obliqua* (Moore,1867) (Noctuidae) Synonym(s): *obliqua* Moore,1867
 43778) *Catada charalis* Swinhoe,1900 (Noctuidae) Synonym(s): *charalis* Swinhoe,1900
 43779) *Catada glomeratis* Walker,[1859] (Noctuidae) Synonym(s): *glomeratis* Walker,[1859]
 43780) *Catada picta* (Moore,1882) (Noctuidae) Synonym(s): *picta* Moore,1882
 43781) *Catada sp.1* (Noctuidae) Synonym(s):
 43782) *Catada sp.2* (Noctuidae) Synonym(s):
 43783) *Catada sp.3* (Noctuidae) Synonym(s):
 43784) *Catamecia aeton* Culot,1912 (Noctuidae) Synonym(s): *aeton* Culot,1912
 43785) *Catamecia connectens* (Hampson,1902) (Noctuidae) Synonym(s): *connectens* Hampson,1902
 43786) *Catamecia furtiva* (Swinhoe,1885) (Noctuidae) Synonym(s): *furtiva* Swinhoe,1885
 43787) *Catamecia jordana* Staudinger,1898 (Noctuidae) Synonym(s): *jordana* Staudinger,1898; *bacheri* Staudinger,1901
 43788) *Catamecia minima* (Swinhoe,1889) (Noctuidae) Synonym(s): *minima* Swinhoe,1889; *delicata* Turati,1934; *kordofana* Wiltshire,1977
 43789) *Catamecia minima arabica* Wiltshire,1949 (Noctuidae) Synonym(s): *arabica* Wiltshire,1949
 43790) *Catamecia minima balestrei* Lucas,1907 (Noctuidae) Synonym(s): *balestrei* Lucas,1907
 43791) *Catamecia minima mauretania* Staudinger,1901 (Noctuidae) Synonym(s): *mauretania* Staudinger,1901
 43792) *Catamecia minima minima* (Swinhoe,1889) (Noctuidae) Synonym(s): *minima* Swinhoe,1889; *delicata* Turati,1934; *kordofana* Wiltshire,1977
 43793) *Catasema vulpina* Staudinger,1888 (Noctuidae) Synonym(s): *vulpina* Staudinger,1888
 43794) *Catephia alchymista* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *alchymista* [Denis & Schiffermüller],1775
 43795) *Catephia alchymista alchymista* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *alchymista* [Denis & Schiffermüller],1775
 43796) *Catephia alchymista uniformis* A.Bang-Haas,1910 (Noctuidae) Synonym(s): *uniformis* A.Bang-Haas,1910
 43797) *Catephia barrettae* Hampson,1905 (Noctuidae) Synonym(s): *barrettae* Hampson,1905
 43798) *Catephia discophora* Hampson,1926 (Noctuidae) Synonym(s): *discophora* Hampson,1926
 43799) *Catephia iridocosma* (Bethune-Baker,1911) (Noctuidae) Synonym(s): *iridocosma* Bethune-Baker,1911
 43800) *Catephia kumamotonis* (Matsumura,1926) (Noctuidae) Synonym(s): *kumamotonis* Matsumura,1926
 43801) *Catephia pallididisca* Hampson,1926 (Noctuidae) Synonym(s): *pallididisca* Hampson,1926
 43802) *Catephia pericyma* Hampson,1916 (Noctuidae) Synonym(s): *pericyma* Hampson,1916
 43803) *Catephia personata* Walker,1865 (Noctuidae) Synonym(s): *personata* Walker,1865
 43804) *Catephia scylla* Fawcett,1916 (Noctuidae) Synonym(s): *scylla* Fawcett,1916
 43805) *Catephia sericea* (Butler,1882) (Noctuidae) Synonym(s): *sericea* Butler,1882
 43806) *Catephia squamosa* (Wallengren,1856) (Noctuidae) Synonym(s): *squamosa* Wallengren,1856; *discistriga* Walker,[1858]; *inconclusa* Walker,[1858]; *trispilosa* Saalmüller,1880; *#aquamosa* Janse,1917.
 43807) *Catephia striata* Hampson,1902 (Noctuidae) Synonym(s): *striata* Hampson,1902
 43808) *Catephia virescens* Hampson,1902 (Noctuidae) Synonym(s): *virescens* Hampson,1902
 43809) *Catocala (Ephesia) ariana* Vartian,1964 (Noctuidae) Synonym(s): *ariana* Vartian,1964
 43810) *Catocala (Ephesia) eutychea* (Treitschke,1835) (Noctuidae) Synonym(s): *eutychea* Treitschke,1835; *delicata* Vicent,1913.
 43811) *Catocala (Ephesia) flavescens* (Hampson,1894) (Noctuidae) Synonym(s): *flavescens* Hampson,1894
 43812) *Catocala (Ephesia) nymphaea* (Esper,[1787]) (Noctuidae) Synonym(s): *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835].
 43813) *Catocala (Ephesia) nymphaea kashmirica* Warren,1913 (Noctuidae) Synonym(s): *kashmirica* Warren,1913; *kabuli* O.Bang-Haas,1927.
 43814) *Catocala (Ephesia) nymphaea nymphaea* (Esper,[1787]) (Noctuidae) Synonym(s): *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835].
 43815) *Catocala (Ephesia) separata* Freyer,1848 (Noctuidae) Synonym(s): *separata* Freyer,1848
 43816) *Catocala (s.str.) abacta* Staudinger,1900 (Noctuidae) Synonym(s): *abacta* Staudinger,1900; *irana* Brandt,1938; *#iranica* Hacker,1986.

- 43817) *Catocala* (s.str.) *adultera* Ménétriés, 1856 (Noctuidae) Synonym(s): *adultera* Ménétriés, 1856
 43818) *Catocala* (s.str.) *aestimabilis* Staudinger, 1892 (Noctuidae) Synonym(s): *aestimabilis* Staudinger, 1892
 43819) *Catocala* (s.str.) *afghana* Swinhoe, 1885 (Noctuidae) Synonym(s): *afghana* Swinhoe, 1885
 43820) *Catocala* (s.str.) *amabilis* A. Bang-Haas, 1907 (Noctuidae) Synonym(s): *amabilis* A. Bang-Haas, 1907
 43821) *Catocala* (s.str.) *artobolevskiji* Sheljuzhko, 1943 (Noctuidae) Synonym(s): *artobolevskiji* Sheljuzhko, 1943
 43822) *Catocala* (s.str.) *brandti* Hacker & Kautt, 1999 (Noctuidae) Synonym(s): *brandti* Hacker & Kautt, 1999
 43823) *Catocala* (s.str.) *brandti brandti* Hacker & Kautt, 1999 (Noctuidae) Synonym(s): *brandti* Hacker & Kautt, 1999
 43824) *Catocala* (s.str.) *brandti schaideri* Habeler & Hacker, 1999 (Noctuidae) Synonym(s): *schaideri* Habeler & Hacker, 1999
 43825) *Catocala* (s.str.) *catei* Weisert, 1998 (Noctuidae) Synonym(s): *catei* Weisert, 1998
 43826) *Catocala* (s.str.) *conjuncta* (Esper, [1787]) (Noctuidae) Synonym(s): *conjuncta* Esper, [1787]
 43827) *Catocala* (s.str.) *contemnenda* Staudinger, 1891 (Noctuidae) Synonym(s): *contemnenda* Staudinger, 1891
 43828) *Catocala* (s.str.) *conversa* (Esper, 1783) (Noctuidae) Synonym(s): *conversa* Esper, [1787]
 43829) *Catocala* (s.str.) *deducta* Eversmann, 1843 (Noctuidae) Synonym(s): *deducta* Eversmann, 1843
 43830) *Catocala* (s.str.) *desiderata* Staudinger, 1888 (Noctuidae) Synonym(s): *desiderata* Staudinger, 1888
 43831) *Catocala* (s.str.) *dilecta* (Hübner, [1808]) (Noctuidae) Synonym(s): *dilecta* Hübner, [1808]
 43832) *Catocala* (s.str.) *disjuncta* (Geyer, [1828]) (Noctuidae) Synonym(s): *disjuncta* Geyer, [1828]; *separata* Freyer, 1848; *luctuosa* Staudinger, 1901 *nec* Hulst, 1884; *fumigata* Kuznetsov, 1903.
 43833) *Catocala* (s.str.) *diversa* (Geyer, [1828]) (Noctuidae) Synonym(s): *diversa* Geyer, [1828]; *#diversa* Hacker, 1988
 43834) *Catocala* (s.str.) *electa* (Vieweg, 1790) (Noctuidae) Synonym(s): *electa* Vieweg, 1790
 43835) *Catocala* (s.str.) *elocata* (Esper, [1787]) (Noctuidae) Synonym(s): *elocata* Esper, [1787]; *marita* Hübner, [1813]; *nurus* Hübner, [1822]
 43836) *Catocala* (s.str.) *elocata elocata* (Esper, [1787]) (Noctuidae) Synonym(s): *elocata* Esper, [1787]
 43837) *Catocala* (s.str.) *elocata locata* Staudinger, 1892 (Noctuidae) Synonym(s): *locata* Staudinger, 1892
 43838) *Catocala* (s.str.) *fraxini* (Linnaeus, 1758) (Noctuidae) Synonym(s): *fraxini* Linnaeus, 1758
 43839) *Catocala* (s.str.) *fredi* Bytinski-Salz & Brandt, 1937 (Noctuidae) Synonym(s): *fredi* Bytinski-Salz & Brandt, 1937
 43840) *Catocala* (s.str.) *fugitiva* Warren, 1914 (Noctuidae) Synonym(s): *fugitiva* Warren, 1914
 43841) *Catocala* (s.str.) *fulminea* (Scopoli, 1763) (Noctuidae) Synonym(s): *fulminea* Scopoli, 1763; *paranympha* Linnaeus, 1767.
 43842) *Catocala* (s.str.) *hymenaea* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *#hymenaea* [Denis & Schiffermüller], 1775
 43843) *Catocala* (s.str.) *juncta* Staudinger, 1889 (Noctuidae) Synonym(s): *juncta* Staudinger, 1889
 43844) *Catocala* (s.str.) *kusnezovi* Püngeler, 1914 (Noctuidae) Synonym(s): *kusnezovi* Püngeler, 1914
 43845) *Catocala* (s.str.) *lesbia* Christoph, 1887 (Noctuidae) Synonym(s): *lesbia* Christoph, 1887
 43846) *Catocala* (s.str.) *lupina* Herrich-Schäffer, [1851] (Noctuidae) Synonym(s): *lupina* Herrich-Schäffer, [1851]
 43847) *Catocala* (s.str.) *lupina kastshenkoi* Sheljuzhko, 1943 (Noctuidae) Synonym(s): *kastshenkoi* Sheljuzhko, 1943
 43848) *Catocala* (s.str.) *lupina lupina* Herrich-Schäffer, [1851] (Noctuidae) Synonym(s): *lupina* Herrich-Schäffer, [1851]
 43849) *Catocala* (s.str.) *luscinia* Brandt, 1938 (Noctuidae) Synonym(s): *luscinia* Brandt, 1938.
 43850) *Catocala* (s.str.) *macula* (Hampson, 1891) (Noctuidae) Synonym(s): *macula* Hampson, 1891
 43851) *Catocala* (s.str.) *mariana* Rambur, 1858 (Noctuidae) Synonym(s): *mariana* Rambur, 1858
 43852) *Catocala* (s.str.) *mesopotamica* Kuznetsov, 1903 (Noctuidae) Synonym(s): *hetaera* Staudinger, 1895 *nec* Stgr., 1892; *aspasia* Staudinger, 1897 *nec* Streck, 1874; *mesopotamica* Kuznetsov, 1903
 43853) *Catocala* (s.str.) *neglecta* Staudinger, 1888 (Noctuidae) Synonym(s): *neglecta* Staudinger, 1888
 43854) *Catocala* (s.str.) *neonympha* (Esper, [1805]) (Noctuidae) Synonym(s): *neonympha* Esper, [1805]
 43855) *Catocala* (s.str.) *neonympha neonympha* (Esper, [1805]) (Noctuidae) Synonym(s): *neonympha* Esper, [1805]
 43856) *Catocala* (s.str.) *neonympha osthelderensis* Hacker, 1990 (Noctuidae) Synonym(s): *syriaca* Osthelder, 1933 *nec* Schult., 1909; *osthelderensis* Hacker, 1990.
 43857) *Catocala* (s.str.) *neonympha variegata* (Warren, 1913) (Noctuidae) Synonym(s): *variegata* Warren, 1913
 43858) *Catocala* (s.str.) *nupta* (Linnaeus, 1767) (Noctuidae) Synonym(s): *nupta* Linnaeus, 1767
 43859) *Catocala* (s.str.) *nupta centralasiae* Kuznetsov, 1903 (Noctuidae) Synonym(s): *nuptialis* Staudinger, 1901 *nec* Walker, 1857; *centralasiae* Kuznetsov, 1903
 43860) *Catocala* (s.str.) *nupta clara* Osthelder, 1933 (Noctuidae) Synonym(s): *clara* Osthelder, 1933
 43861) *Catocala* (s.str.) *nupta nupta* (Linnaeus, 1767) (Noctuidae) Synonym(s): *nupta* Linnaeus, 1767
 43862) *Catocala* (s.str.) *nymphaeoides* Herrich-Schäffer, 1852 (Noctuidae) Synonym(s): *nymphaeoides* Herrich-Schäffer, 1852
 43863) *Catocala* (s.str.) *nymphagoga* (Esper, [1787]) (Noctuidae) Synonym(s): *nymphagoga* Esper, [1787]; *tmolia* Lederer, 1865
 43864) *Catocala* (s.str.) *nymphagoga kurdistan* Hacker, 1999 (Noctuidae) Synonym(s): *kurdistan* Hacker, 1999
 43865) *Catocala* (s.str.) *nymphagoga nymphagoga* (Esper, [1787]) (Noctuidae) Synonym(s): *nymphagoga* Esper, [1787]; *tmolia* Lederer, 1865
 43866) *Catocala* (s.str.) *oberthuri* Austaut, 1879 (Noctuidae) Synonym(s): *oberthuri* Austaut, 1879
 43867) *Catocala* (s.str.) *optata* (Godart, 1824) (Noctuidae) Synonym(s): *optata* Godart, 1824
 43868) *Catocala* (s.str.) *optima* Staudinger, 1888 (Noctuidae) Synonym(s): *optima* Staudinger, 1888
 43869) *Catocala* (s.str.) *pacta* (Linnaeus, 1758) (Noctuidae) Synonym(s): *pacta* Linnaeus, 1758
 43870) *Catocala* (s.str.) *persimilis* W. Warren, 1888 (Noctuidae) Synonym(s): *persimilis* W. Warren, 1888
 43871) *Catocala* (s.str.) *prolifica* Walker, 1857 (Noctuidae) Synonym(s): *prolifica* Walker, 1857
 43872) *Catocala* (s.str.) *promissa* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *#promissa* [Denis & Schiffermüller], 1775
 43873) *Catocala* (s.str.) *puerpera* (Giorna, 1791) (Noctuidae) Synonym(s): *puerpera* Giorna, 1791; *amasia* Esper, [1804] *nec* Sm., 1797; *pelleus* Hübner, [1809]; *romana* Schultz, 1909
 43874) *Catocala* (s.str.) *puerpera orientalis* Staudinger, 1877 (Noctuidae) Synonym(s): *orientalis* Staudinger, 1877
 43875) *Catocala* (s.str.) *puerpera pudica* Moore, 1879 (Noctuidae) Synonym(s): *pudica* Moore, 1879; *pallida* Alpheraky, 1887.
 43876) *Catocala* (s.str.) *puerpera puerpera* (Giorna, 1791) (Noctuidae) Synonym(s): *puerpera* Giorna, 1791
 43877) *Catocala* (s.str.) *puerpera syriaca* Schultz, 1909 (Noctuidae) Synonym(s): *syriaca* Schultz, 1909
 43878) *Catocala* (s.str.) *puerpera tarbagata* Schultz, 1909 (Noctuidae) Synonym(s): *tarbagata* Schultz, 1909; *centralasiae* Sheljuzhko, 1943 *nec* Kuznetsov, 1903.
 43879) *Catocala* (s.str.) *remissa* Staudinger, 1892 (Noctuidae) Synonym(s): *remissa* Staudinger, 1892
 43880) *Catocala* (s.str.) *repudiata* Staudinger, 1888 (Noctuidae) Synonym(s): *repudiata* Staudinger, 1888
 43881) *Catocala* (s.str.) *sponsa* (Linnaeus, 1767) (Noctuidae) Synonym(s): *sponsa* Linnaeus, 1767
 43882) *Catocala* (s.str.) *timur* A. Bang-Haas, 1907 (Noctuidae) Synonym(s): *timur* A. Bang-Haas, 1907
 43883) *Catocala* (s.str.) *timur richteri* Wiltshire, 1961 (Noctuidae) Synonym(s): *richteri* Wiltshire, 1961
 43884) *Catocala* (s.str.) *viviannae* Hacker & Kautt, 1996 (Noctuidae) Synonym(s): *viviannae* Hacker & Kautt, 1996
 43885) *Catocala* (s.str.) *weiserti* Hacker, 1999 (Noctuidae) Synonym(s): *weiserti* Hacker, 1999
 43886) *Catocala* (s.str.) *wolffi* Hacker, 1999 (Noctuidae) Synonym(s): *wolffi* Hacker, 1999
 43887) *Celaena* *dolia* (Püngeler, 1902) (Noctuidae) Synonym(s): *dolia* Püngeler, 1902
 43888) *Celaena* *haworthii* (Curtis, 1829) (Noctuidae) Synonym(s): *haworthii* Curtis, 1829
 43889) *Celaena* *leucostigma* (Hübner, [1808]) (Noctuidae) Synonym(s): *leucostigma* Hübner, [1808]
 43890) *Centrartha* *albiapicata* Warren, 1914 (Noctuidae) Synonym(s): *albiapicata* Warren, 1914
 43891) *Centrartha* *albinotata* Janse, 1938 (Noctuidae) Synonym(s): *albinotata* Janse, 1938
 43892) *Centrartha* *albipuncta* Janse, 1938 (Noctuidae) Synonym(s): *albipuncta* Janse, 1938
 43893) *Centrartha* *albistriga* Janse, 1938 (Noctuidae) Synonym(s): *albistriga* Janse, 1938
 43894) *Centrartha* *albogrisea* Janse, 1938 (Noctuidae) Synonym(s): *albogrisea* Janse, 1938
 43895) *Centrartha* *argentea* Warren, 1914 (Noctuidae) Synonym(s): *argentea* Warren, 1914
 43896) *Centrartha* *brevipunctata* Janse, 1938 (Noctuidae) Synonym(s): *brevipunctata* Janse, 1938
 43897) *Centrartha* *brunnea* Warren, 1914 (Noctuidae) Synonym(s): *brunnea* Warren, 1914
 43898) *Centrartha* *cretacea* W. Warren, 1914 (Noctuidae) Synonym(s): *cretacea* W. Warren, 1914
 43899) *Centrartha* *dentata* Janse, 1938 (Noctuidae) Synonym(s): *dentata* Janse, 1938
 43900) *Centrartha* *dicksoni* Janse, 1938 (Noctuidae) Synonym(s): *dicksoni* Janse, 1938
 43901) *Centrartha* *diffusa* Janse, 1938 (Noctuidae) Synonym(s): *diffusa* Janse, 1938
 43902) *Centrartha* *fulvotata* Warren, 1914 (Noctuidae) Synonym(s): *fulvotata* Warren, 1914

- 43903) *Centrartha fulvincta* W.Warren,1914 (Noctuidae) Synonym(s): *fulvincta* W.Warren,1914
 43904) *Centrartha furcivitta* Hampson,1909 (Noctuidae) Synonym(s): *furcivitta* Hampson,1909
 43905) *Centrartha griseola* Janse,1938 (Noctuidae) Synonym(s): *griseola* Janse,1938
 43906) *Centrartha hexistigma* Janse,1938 (Noctuidae) Synonym(s): *hexistigma* Janse,1938
 43907) *Centrartha modesta* Janse,1938 (Noctuidae) Synonym(s): *modesta* Janse,1938
 43908) *Centrartha monochroma* Janse,1938 (Noctuidae) Synonym(s): *monochroma* Janse,1938
 43909) *Centrartha nigrosignata* Janse,1938 (Noctuidae) Synonym(s): *nigrosignata* Janse,1938
 43910) *Centrartha ochrealis* Janse,1938 (Noctuidae) Synonym(s): *ochrealis* Janse,1938
 43911) *Centrartha ossicolor* W.Warren,1914 (Noctuidae) Synonym(s): *ossicolor* W.Warren,1914; *roseitincta* Gaede,1915.
 43912) *Centrartha pallescens* Warren,1914 (Noctuidae) Synonym(s): *pallescens* Warren,1914
 43913) *Centrartha pectinata* Janse,1938 (Noctuidae) Synonym(s): *pectinata* Janse,1938
 43914) *Centrartha pygmaea* Janse,1938 (Noctuidae) Synonym(s): *pygmaea* Janse,1938
 43915) *Centrartha serricornis* Janse,1938 (Noctuidae) Synonym(s): *serricornis* Janse,1938
 43916) *Centrartha similis* Janse,1938 (Noctuidae) Synonym(s): *similis* Janse,1938
 43917) *Centrartha vansonii* Janse,1938 (Noctuidae) Synonym(s): *vansonii* Janse,1938; *#vanseni* Janse,1940.
 43918) *Centrogone chlorochrysa* Hampson,1910 (Noctuidae) Synonym(s): *chlorochrysa* Hampson,1910
 43919) *Cephena costata* Moore,1882 (Noctuidae) Synonym(s): *costata* Moore,1882
 43920) *Cerapoda aegyptiaca* Joannis,1910 (Noctuidae) Synonym(s): *aegyptiaca* Joannis,1910
 43921) *Cerapteryx graminis* (Linnaeus,1758) (Noctuidae) Synonym(s): *graminis* Linnaeus,1758; *tricuspis* Esper,[1786]; *hibernicus* Curtis,1833; *albinea* Boisduval,[1837].
 43922) *Cerapteryx graminis graminis* (Linnaeus,1758) (Noctuidae) Synonym(s): *graminis* Linnaeus,1758; *tricuspis* Esper,[1786]; *hibernicus* Curtis,1833; *albinea* Boisduval,[1837].
 43923) *Cerapteryx megalis* (Alpheraky,1882) (Noctuidae) Synonym(s): *megalis* Alpheraky,1882.
 43924) *Cerapteryx megalis tugani* Ronkay,1990 (Noctuidae) Synonym(s): *tugani* Ronkay,1990
 43925) *Ceraptia reniferalis* Guenée,1854 (Noctuidae) Synonym(s): *reniferalis* Guenée,1854; *megaproctis* Hampson,1902.
 43926) *Cerastis faceta* (Treitschke,1835) (Noctuidae) Synonym(s): *faceta* Treitschke,1835; *amicta* Donzel,1847.
 43927) *Cerastis leucographa* (Denis & Schiffermüller,1775) (Noctuidae) Synonym(s): *leucographa* [Denis & Schiffermüller],1775; *cervina* Hübner,[1821]; *lepetitii* Boisduval,1832
 43928) *Cerastis rubricosa* (Fabricius,1787) (Noctuidae) Synonym(s): *#rubricosa* [Denis & Schiffermüller],1775; *rubricosa* Fabricius,1787; *mucida* Esper,[1790]; *pilicornis* Brahm,1791; *rufa* Haworth,1809; *mista* Hübner,[1813].
 43929) *Cerocala albimacula* Hampson,1916 (Noctuidae) Synonym(s): *albimacula* Hampson,1916
 43930) *Cerocala algeriae* Oberthür,1876 (Noctuidae) Synonym(s): *algeriae* Oberthür,1876; *biskrensis* Culot,1916.
 43931) *Cerocala basilewskyi* Berio,1954 (Noctuidae) Synonym(s): *basilewskyi* Berio,1954
 43932) *Cerocala caelata* Karsch,1896 (Noctuidae) Synonym(s): *caelata* Karsch,1896
 43933) *Cerocala caelata albicornis* Berio,1966 (Noctuidae) Synonym(s): *albicornis* Berio,1966
 43934) *Cerocala contraria* (Walker,1865) (Noctuidae) Synonym(s): *contraria* Walker,1865; *revulsa* Wallengren,1875.
 43935) *Cerocala decaryi* Griveaud & Viette,1961 (Noctuidae) Synonym(s): *decaryi* Griveaud & Viette,1961
 43936) *Cerocala grandirena* Berio,1954 (Noctuidae) Synonym(s): *grandirena* Berio,1954
 43937) *Cerocala ilia* Viette,1973 (Noctuidae) Synonym(s): *ilia* Viette,1973
 43938) *Cerocala illustrata* Holland,1897 (Noctuidae) Synonym(s): *illustrata* Holland,1897; *lineata* Druce,1900
 43939) *Cerocala insana* (Herrich-Schäffer,1854) (Noctuidae) Synonym(s): *insana* Herrich-Schäffer,1854; *machadoi* Bacallado,1974.
 43940) *Cerocala masaica* Hampson,1913 (Noctuidae) Synonym(s): *masaica* Hampson,1913
 43941) *Cerocala mindingensis* Romieux,1937 (Noctuidae) Synonym(s): *mindingensis* Romieux,1937; *bergeri* Berio,1954
 43942) *Cerocala munda* Druce,1900 (Noctuidae) Synonym(s): *munda* Druce,1900
 43943) *Cerocala oppia* Druce,1900 (Noctuidae) Synonym(s): *oppia* Druce,1900
 43944) *Cerocala orientalis* De Joannis,1912 (Noctuidae) Synonym(s): *orientalis* De Joannis,1912
 43945) *Cerocala ratovosoni* Viette,1973 (Noctuidae) Synonym(s): *ratovosoni* Viette,1973
 43946) *Cerocala rothschildi* Turati,1924 (Noctuidae) Synonym(s): *rothschildi* Turati,1924
 43947) *Cerocala sana* Staudinger,1901 (Noctuidae) Synonym(s): *insana* Staudinger,1871 nec H-S.,1858; *sana* Staudinger,1901; *albifusa* de Joannis,1910.
 43948) *Cerocala scapulosa* (Hübner,[1808]) (Noctuidae) Synonym(s): *scapulosa* Hübner,[1808]
 43949) *Cerocala sokotrensis* Hampson,1899 (Noctuidae) Synonym(s): *sokotrensis* Hampson,1899; *socotrensis* Hampson,1913
 43950) *Cerocala subrufa* Griveaud & Viette,1961 (Noctuidae) Synonym(s): *subrufa* Griveaud & Viette,1961
 43951) *Cerocala vermiculosa* Herrich-Schäffer,1854 (Noctuidae) Synonym(s): *vermiculosa* Herrich-Schäffer,1854; *megalesia* Griveaud & Viette,1961.
 43952) *Cerynea endotrichalis* Hampson,1910 (Noctuidae) Synonym(s): *endotrichalis* Hampson,1910
 43953) *Cerynea ignealis* Hampson,1910 (Noctuidae) Synonym(s): *ignealis* Hampson,1910
 43954) *Cerynea thermesialis* (Walker,[1866]) (Noctuidae) Synonym(s): *thermesialis* Walker,[1866]
 43955) *Cerynea virescens* Hampson,1910 (Noctuidae) Synonym(s): *virescens* Hampson,1910
 43956) *Cetola costata* Gaede,1915 (Noctuidae) Synonym(s): *costata* Gaede,1915
 43957) *Cetola dentata* Walker,1855 (Noctuidae) Synonym(s): *dentata* Walker,1855; ? *ligniferata* Walker,1855
 43958) *Cetola naumanni* Speidel,2005 (Noctuidae) Synonym(s): *naumanni* Speidel,2005
 43959) *Cetola obscurior* Laporte,1972 (Noctuidae) Synonym(s): *obscurior* Laporte,1972
 43960) *Cetola phaleroides* Rothschild,1924 (Noctuidae) Synonym(s): *phaleroides* Rothschild,1924
 43961) *Cetola puechredoni* (Berio,1993) (Noctuidae) Synonym(s): *puechredoni* Berio,1993
 43962) *Cetola pulchra* (Bethune-Baker,1911) (Noctuidae) Synonym(s): *pulchra* Bethune-Baker,1911
 43963) *Cetola radiata* Hampson,1909 (Noctuidae) Synonym(s): *radiata* Hampson,1909
 43964) *Cetola rubricosta* Hampson,1907 (Noctuidae) Synonym(s): *rubricosta* Hampson,1907
 43965) *Cetola vicina* De Joannis,1913 (Noctuidae) Synonym(s): *vicina* De Joannis,1913
 43966) *Chabuata perirorata* W.Warren (Noctuidae) Synonym(s):
 43967) *Chabuata rufilinea* Hampson,1910 (Noctuidae) Synonym(s): *rufilinea* Hampson,1910
 43968) *Chaetostephana inclusa* (Karsch,1895) (Noctuidae) Synonym(s): *inclusa* Karsch,1895
 43969) *Chaetostephana rendalli* (Rothschild,1896) (Noctuidae) Synonym(s): *rendalli* Rothschild,1896
 43970) *Chaetostephana rendalli angolana* Jordan,1913 (Noctuidae) Synonym(s): *angolana* Jordan,1913
 43971) *Chaetostephana rendalli rendalli* (Rothschild,1896) (Noctuidae) Synonym(s): *rendalli* Rothschild,1896
 43972) *Chalciope alcyona* (Druce) (Noctuidae) Synonym(s): *alcyona* Druce
 43973) *Chalciope delta* (Boisduval,1833) (Noctuidae) Synonym(s): *delta* Boisduval,1833
 43974) *Chalciope erecta* Hampson,1902 (Noctuidae) Synonym(s): *erecta* Hampson,1902
 43975) *Chalciope mygdon* (Cramer,[1777]) (Noctuidae) Synonym(s): *mygdon* Cramer,[1777]; *triangulum* Fabricius,1787; *mygdoniae* Hübner,[1823]
 43976) *Chalciope pusilla* (Holland,1894) (Noctuidae) Synonym(s): *pusilla* Holland,1894
 43977) *Chalestra podaresalis* Walker,1859 (Noctuidae) Synonym(s): *podaresalis* Walker,1859
 43978) *Chandata aglaja* (Kishida & Yoshimoto,1978) (Noctuidae) Synonym(s): *aglaja* Kishida & Yoshimoto,1978
 43979) *Chandata bella* (Butler,1881) (Noctuidae) Synonym(s): *bella* Butler,1881; *graeseri* Staudinger,1892
 43980) *Chandata c-nigrum* Yoshimoto,1982 (Noctuidae) Synonym(s): *c-nigrum* Yoshimoto,1982
 43981) *Chandata maminti* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *maminti* Hreblay, Peregovits & L.Ronkay,1999
 43982) *Chandata partita* Moore,1882 (Noctuidae) Synonym(s): *partita* Moore,1882
 43983) *Chandata taiwana* Yoshimoto,1982 (Noctuidae) Synonym(s): *taiwana* Yoshimoto,1982
 43984) *Chandata tridentata* Yoshimoto,1982 (Noctuidae) Synonym(s): *tridentata* Yoshimoto,1982
 43985) *Chandica ayama* Kobes,1988 (Noctuidae) Synonym(s): *ayama* Kobes,1988
 43986) *Chandica quadripennis* Moore,1888 (Noctuidae) Synonym(s): *quadripennis* Moore,1888; *gertae* Kobes,1997
 43987) *Chandica radula* Holloway,2003 (Noctuidae) Synonym(s): *radula* Holloway,2003
 43988) *Characoma albulalis* Walker,1863 (Noctuidae) Synonym(s): *albulalis* Walker,1863

- 43989) *Characoma distincta* (Bethune-Baker, 1906) (Noctuidae) Synonym(s): *distincta* Bethune-Baker, 1906; *costiplagata* Bethune-Baker, 1910; *#perakensis* Strand, 1917; *perakensis* Gaede, 1937
- 43990) *Characoma fortiscripta* Holloway, 2003 (Noctuidae) Synonym(s): *fortiscripta* Holloway, 2003
- 43991) *Characoma glaucopasta* Hampson, 1912 (Noctuidae) Synonym(s): *glaucopasta* Hampson, 1912
- 43992) *Characoma melanographa* Hampson, 1918 (Noctuidae) Synonym(s): *melanographa* Hampson, 1918
- 43993) *Characoma metalophota* (Hampson, 1896) (Noctuidae) Synonym(s): *metalophota* Hampson, 1896
- 43994) *Characoma miophora* Hampson, 1912 (Noctuidae) Synonym(s): *miophora* Hampson, 1912
- 43995) *Characoma musculana* (Erschoff, 1874) (Noctuidae) Synonym(s): *musculana* Erschoff, 1874
- 43996) *Characoma nigricollaris* Hampson, 1918 (Noctuidae) Synonym(s): *nigricollaris* Hampson, 1918
- 43997) *Characoma nilotica* (Rogenhofer, 1882) (Noctuidae) Synonym(s): *nilotica* Rogenhofer, 1882
- 43998) *Characoma pallidorsum* Holloway, 2003 (Noctuidae) Synonym(s): *pallidorsum* Holloway, 2003
- 43999) *Characoma scoparioides* (Walker, 1863) (Noctuidae) Synonym(s):
- 44000) *Characoma stictigrapta* Hampson, 1914 (Noctuidae) Synonym(s): *stictigrapta* Hampson, 1914
- 44001) *Characoma submediana* Wiltshire, 1986 (Noctuidae) Synonym(s): *submediana* Wiltshire, 1986
- 44002) *Characoma vallata* (Meyrick, 1902) (Noctuidae) Synonym(s): *vallata* Meyrick, 1902
- 44003) *Charanyca trigrammica* (Hufnagel, 1766) (Noctuidae) Synonym(s): *trigrammica* Hufnagel, 1766; *asiaminorica* Pinker, 1980.
- 44004) *Chasmina basiflava* Holloway, 1979 (Noctuidae) Synonym(s): *basiflava* Holloway, 1979
- 44005) *Chasmina candida* (Walker, 1865) (Noctuidae) Synonym(s): *candida* Walker, 1865
- 44006) *Chasmina fasciculosa* (Walker, 1858) (Noctuidae) Synonym(s): *fasciculosa* Walker, 1858
- 44007) *Chasmina tibialis* (Fabricius, 1775) (Noctuidae) Synonym(s): *tibialis* Fabricius, 1775
- 44008) *Chasmina tibiopunctata* Bethune-Baker, 1908 (Noctuidae) Synonym(s): *tibiopunctata* Bethune-Baker, 1908; *nigropunctata* Bethune-Baker, 1908; *multipunctata* W. Warren, 1913
- 44009) *Chasminodes aino* Sugi, 1956 (Noctuidae) Synonym(s): *aino* Sugi, 1956
- 44010) *Chasminodes albonitens* (Bremer, 1861) (Noctuidae) Synonym(s): *albonitens* Bremer, 1861; *albipalpis* Bryk, 1948; *harutai* Sugi, 1955
- 44011) *Chasminodes annamica* Behounek, 1995 (Noctuidae) Synonym(s): *annamica* Behounek, 1995
- 44012) *Chasminodes sugii* Kononenko, 1981 (Noctuidae) Synonym(s): *sugii* Kononenko, 1981
- 44013) *Chasminodes unipuncta* Sugi, 1955 (Noctuidae) Synonym(s): *unipuncta* Sugi, 1955
- 44014) *Chasminodes ussurica* Kononenko, 1982 (Noctuidae) Synonym(s): *ussurica* Kononenko, 1982
- 44015) *Chazaria feildi* (Erschoff, 1874) (Noctuidae) Synonym(s): *feildi* Erschoff, 1874
- 44016) *Chazaria incarnata* (Freyer, 1838) (Noctuidae) Synonym(s): *incarnata* Freyer, 1838; *boisduvali* Boisduval, 1840.
- 44017) *Chelonomorpha japona* Motschulsky, 1860 (Noctuidae) Synonym(s): *japona* Motschulsky, 1860; *villicoides* Butler, 1875; *austeni* Moore, 1879; *burmana* Strand, 1912
- 44018) *Chersotis acutangula* (Staudinger, 1892) (Noctuidae) Synonym(s): *acutangula* Staudinger, 1892
- 44019) *Chersotis alpestris* (Boisduval, [1837]) (Noctuidae) Synonym(s): *alpestris* Boisduval, [1837]
- 44020) *Chersotis alpestris ponticola* (Draudt, 1936) (Noctuidae) Synonym(s): *ponticola* Draudt, 1936
- 44021) *Chersotis anatolica* (Draudt, 1936) (Noctuidae) Synonym(s): *anatolica* Draudt, 1936; *elegantula* Boursin, 1945.
- 44022) *Chersotis anatolica transcaspiae* Varga, 1996 (Noctuidae) Synonym(s): *transcaspiae* Varga, 1996
- 44023) *Chersotis anderegii* (Boisduval, [1837]) (Noctuidae) Synonym(s): *anderegii* Boisduval, [1837]
- 44024) *Chersotis anderegii anderegii* (Boisduval, [1837]) (Noctuidae) Synonym(s): *anderegii* Boisduval, [1837]
- 44025) *Chersotis anderegii arcana* Mikkola, 1987 (Noctuidae) Synonym(s): *arcana* Mikkola, 1987
- 44026) *Chersotis anderegii exclamans* (Eversmann, 1841) (Noctuidae) Synonym(s): *exclamans* Eversmann, 1841
- 44027) *Chersotis anderegii subtilis* Hacker & Peks, 1990 (Noctuidae) Synonym(s): *subtilis* Hacker & Peks, 1990
- 44028) *Chersotis antigrapha* Boursin, 1961 (Noctuidae) Synonym(s): *antigrapha* Boursin, 1961
- 44029) *Chersotis argyllographa* Varga & Gyulai, 2001 (Noctuidae) Synonym(s): *argyllographa* Varga & Gyulai, 2001
- 44030) *Chersotis binaloudi* Brandt, 1941 (Noctuidae) Synonym(s): *binaloudi* Brandt, 1941
- 44031) *Chersotis calorica* (Corti, 1930) (Noctuidae) Synonym(s): *calorica* Corti, 1930
- 44032) *Chersotis capnistis* (Lederer, 1872) (Noctuidae) Synonym(s): *capnistis* Lederer, 1872; *neara* Püngeler, 1902.
- 44033) *Chersotis capnistis capnistis* (Lederer, 1872) (Noctuidae) Synonym(s): *capnistis* Lederer, 1872; *neara* Püngeler, 1902.
- 44034) *Chersotis capnistis glabripennis* (Corti, 1926) (Noctuidae) Synonym(s): *glabripennis* Corti, 1926; *guberlae* Corti, 1930
- 44035) *Chersotis capnistis schnacki* Fibiger & Moberg, 1993 (Noctuidae) Synonym(s): *schnacki* Fibiger & Moberg, 1993
- 44036) *Chersotis cortifera* Rezbanayi-Reser, 1997 (Noctuidae) Synonym(s): *cortifera* Rezbanayi-Reser, 1997
- 44037) *Chersotis cryptographa* Varga & Gyulai, 2002 (Noctuidae) Synonym(s): *cryptographa* Varga & Gyulai, 2002
- 44038) *Chersotis cuprea* [Denis & Schiffermüller, 1775] (Noctuidae) Synonym(s): *cuprea* [Denis & Schiffermüller], 1775; *haematitea* Esper, [1794]; *palustris* Osthelder, 1927; *jordanovi* Touleschkov, 1951.
- 44039) *Chersotis cuprea cuprea* [Denis & Schiffermüller, 1775] (Noctuidae) Synonym(s): *cuprea* [Denis & Schiffermüller], 1775; *haematitea* Esper, [1794]; *palustris* Osthelder, 1927; *pertexta* Draudt, 1936; *jordanovi* Touleschkov, 1951.
- 44040) *Chersotis cuprea livescens* (Draudt, 1933) (Noctuidae) Synonym(s): *livescens* Draudt, 1933; *pertexta* Draudt, 1936.
- 44041) *Chersotis curvispina* Boursin, 1961 (Noctuidae) Synonym(s): *curvispina* Boursin, 1961
- 44042) *Chersotis cyrnea* (Spuler, 1908) (Noctuidae) Synonym(s): *cyrnea* Spuler, 1908
- 44043) *Chersotis delear* Boursin, 1970 (Noctuidae) Synonym(s): *delear* Boursin, 1970
- 44044) *Chersotis deplana* (Freyer, 1831) (Noctuidae) Synonym(s): *deplana* Freyer, 1831
- 44045) *Chersotis deplanata* (Eversmann, 1843) (Noctuidae) Synonym(s): *deplanata* Eversmann, 1843; ? *bardana* Freyer, 1845; *autumnalis* Oberthür, 1880; *sachalinensis* Matsumura, 1925; *columbina* Bryk, 1949
- 44046) *Chersotis eberti* Dufay & Varga, 1995 (Noctuidae) Synonym(s): *eberti* Dufay & Varga, 1995
- 44047) *Chersotis ebertorum* Koçak, 1980 (Noctuidae) Synonym(s): *marashi* Corti & Draudt, 1933 (p. 61) *nec* Corti & Draudt, 1933 (p. 58); *ebertorum* Koçak, 1980.
- 44048) *Chersotis electrographa* Varga, 1990 (Noctuidae) Synonym(s): *electrographa* Varga, 1990
- 44049) *Chersotis elegans* (Eversmann, 1837) (Noctuidae) Synonym(s): *elegans* Eversmann, 1837; *grammiptera* Rambur, [1839].
- 44050) *Chersotis elegans hermonis* Hacker & Kravchenko, 2001 (Noctuidae) Synonym(s): *hermonis* Hacker & Kravchenko, 2001
- 44051) *Chersotis fimbriola* (Esper, [1798]) (Noctuidae) Synonym(s): *fimbriola* Esper, [1798]
- 44052) *Chersotis fimbriola baloghi* Hacker & Varga, 1990 (Noctuidae) Synonym(s): *baloghi* Hacker & Varga, 1990
- 44053) *Chersotis fimbriola bohatschi* (Rebel, 1904) (Noctuidae) Synonym(s): *bohatschi* Rebel, 1904; *ayaschi* Koçak, 1989
- 44054) *Chersotis fimbriola fimbriola* (Esper, [1798]) (Noctuidae) Synonym(s): *fimbriola* Esper, [1798]
- 44055) *Chersotis fimbriola hackeri* Fibiger, 1993 (Noctuidae) Synonym(s): *hackeri* Fibiger, 1993
- 44056) *Chersotis fimbriola iberica* (Zerny, 1927) (Noctuidae) Synonym(s): *iberica* Zerny, 1927; *amalae* Fernandez, 1931
- 44057) *Chersotis fimbriola iminenia* (Zerny, 1934) (Noctuidae) Synonym(s): *iminenia* Zerny, 1934
- 44058) *Chersotis fimbriola maravignae* (Duponchel, 1826) (Noctuidae) Synonym(s): *maravignae* Duponchel, 1826; *dannehli* Hacker & Varga, 1990
- 44059) *Chersotis fimbriola raddei* (Christoph, 1877) (Noctuidae) Synonym(s): *raddei* Christoph, 1877
- 44060) *Chersotis fimbriola rifensis* (Rungs, 1967) (Noctuidae) Synonym(s): *rifensis* Rungs, 1967
- 44061) *Chersotis fimbriola tuna* Koçak, 1991 (Noctuidae) Synonym(s): *forsteri* Thurner, 1964 *nec* Shelj., 1955; *tuna* Koçak, 1991.
- 44062) *Chersotis fimbriola vallisensis* De Bros, 1962 (Noctuidae) Synonym(s): *vallisensis* De Bros, 1962
- 44063) *Chersotis fimbriola zernyi* (Corti, 1931) (Noctuidae) Synonym(s): *zernyi* Corti, 1931
- 44064) *Chersotis firdussi* Schwingenschuss, 1937 (Noctuidae) Synonym(s): *firdussi* Schwingenschuss, 1937
- 44065) *Chersotis friedeli* Pinker, 1974 (Noctuidae) Synonym(s): *friedeli* Pinker, 1974
- 44066) *Chersotis glebosa* (Staudinger, 1900) (Noctuidae) Synonym(s): *glebosa* Staudinger, 1900
- 44067) *Chersotis gratissima* (Corti, 1932) (Noctuidae) Synonym(s): *gratissima* Corti, 1932
- 44068) *Chersotis gratissima zaghros* Gyulai & Varga, 2006 (Noctuidae) Synonym(s): *zaghros* Gyulai & Varga, 2006
- 44069) *Chersotis hahni* (Christoph, 1885) (Noctuidae) Synonym(s): *hahni* Christoph, 1885
- 44070) *Chersotis herczigi* Varga, 1996 (Noctuidae) Synonym(s): *herczigi* Varga, 1996
- 44071) *Chersotis illauta* (Draudt, 1936) (Noctuidae) Synonym(s): *illauta* Draudt, 1936

- 44072) *Chersotis juvenis* (Staudinger,1901) (Noctuidae) Synonym(s): *caelebs* Staudinger,1900 nec Stgr.,1896; *juvenis* Staudinger,1901; *clarivenosa* Draudt,1936.
- 44073) *Chersotis kacem* (Le Cerf,1933) (Noctuidae) Synonym(s): *kacem* Le Cerf,1933
- 44074) *Chersotis laeta* (Rebel,1904) (Noctuidae) Synonym(s): *laeta* Rebel,1904
- 44075) *Chersotis laeta achaiana* Thurner,1967 (Noctuidae) Synonym(s): *achaiana* Thurner,1967
- 44076) *Chersotis laeta cretica* Hacker & Varga,1990 (Noctuidae) Synonym(s): *cretica* Hacker & Varga,1990
- 44077) *Chersotis laeta euxinia* Hacker & Varga,1990 (Noctuidae) Synonym(s): *euxinia* Hacker & Varga,1990
- 44078) *Chersotis laeta laeta* (Rebel,1904) (Noctuidae) Synonym(s): *laeta* Rebel,1904
- 44079) *Chersotis laeta leonhardi* (Rebel,1904) (Noctuidae) Synonym(s): *leonhardi* Rebel,1904
- 44080) *Chersotis larixia* (Guenée,1852) (Noctuidae) Synonym(s): *larixia* Guenée,1852.
- 44081) *Chersotis larixia asiatica* Schwingenschuss,1938 (Noctuidae) Synonym(s): *asiatica* Schwingenschuss,1938
- 44082) *Chersotis larixia erebina* (Boursin,1940) (Noctuidae) Synonym(s): *erebina* Boursin,1940
- 44083) *Chersotis larixia idai* Svendsen & Fibiger,1998 (Noctuidae) Synonym(s): *asiatica sensu* Fibiger,1993; *idai* Svendsen & Fibiger,1998
- 44084) *Chersotis laeta laeta* (Guenée,1852) (Noctuidae) Synonym(s): *larixia* Guenée,1852.
- 44085) *Chersotis lukhtanovi* Varga & Gyulai,2001 (Noctuidae) Synonym(s): *lukhtanovi* Varga & Gyulai,2001
- 44086) *Chersotis margaritacea* (Villers,1789) (Noctuidae) Synonym(s): *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti & Draudt,1933; *espinensis* Calle,1982
- 44087) *Chersotis margaritacea atlanticolans* Schwingenschuss,1955 (Noctuidae) Synonym(s): *atlanticolans* Schwingenschuss,1955
- 44088) *Chersotis margaritacea cesa* Kemal & Koçak,2006 (Noctuidae) Synonym(s): *signata* Wagner,1932 nec Stgr.,1900; *cesa* Kemal & Koçak,2006
- 44089) *Chersotis margaritacea margaritacea* (Villers,1789) (Noctuidae) Synonym(s): *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti & Draudt,1933; *espinensis* Calle,1982 *punensis* Calle,1982
- 44090) *Chersotis margaritacea orophila* Rungs,1967 (Noctuidae) Synonym(s): *orophila* Rungs,1967
- 44091) *Chersotis metagrapha* Varga,1975 (Noctuidae) Synonym(s): *metagrapha* Varga,1975
- 44092) *Chersotis multangula* (Hübner,[1803]) (Noctuidae) Synonym(s): *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Toulouchkov,1951.
- 44093) *Chersotis multangula andreae* Dufay,1973 (Noctuidae) Synonym(s): *andreae* Dufay,1973
- 44094) *Chersotis multangula multangula* (Hübner,[1803]) (Noctuidae) Synonym(s): *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Toulouchkov,1951.
- 44095) *Chersotis multangula subdissoluta* (F.Wagner,1931) (Noctuidae) Synonym(s): *subdissoluta* F.Wagner,1931
- 44096) *Chersotis nekrasovi* Varga,1996 (Noctuidae) Synonym(s): *nekrasovi* Varga,1996
- 44097) *Chersotis nitens* Brandt,1941 (Noctuidae) Synonym(s): *nitens* Brandt,1941
- 44098) *Chersotis obnubila* (Corti,1926) (Noctuidae) Synonym(s): *obnubila* Corti,1926
- 44099) *Chersotis ocellina* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *ocellina* [Denis & Schiffermüller],1775; *phytheumae* Esper,[1803]
- 44100) *Chersotis oreina* Dufay,1984 (Noctuidae) Synonym(s): *oreina* Dufay,1984
- 44101) *Chersotis pachnosa* Varga,1975 (Noctuidae) Synonym(s): *pachnosa* Varga,1975
- 44102) *Chersotis petermarci* Varga,1998 (Noctuidae) Synonym(s): *petermarci* Varga,1998
- 44103) *Chersotis rectangula* (Fabricius,1787) (Noctuidae) Synonym(s): *rectangula* Fabricius,1787.
- 44104) *Chersotis rectangula rectangula* (Fabricius,1787) (Noctuidae) Synonym(s): *rectangula* Fabricius,1787.
- 44105) *Chersotis rectangula subrectangula* (Staudinger,1871) (Noctuidae) Synonym(s): *subrectangula* Staudinger,1871
- 44106) *Chersotis ronkayorum* Fibiger Hacker & Varga,1992 (Noctuidae) Synonym(s): *ronkayorum* Fibiger Hacker & Varga,1993
- 44107) *Chersotis sarhada* Brandt,1941 (Noctuidae) Synonym(s): *sarhada* Brandt,1941
- 44108) *Chersotis semna* (Püngeler,1906) (Noctuidae) Synonym(s): *semna* Püngeler,1906
- 44109) *Chersotis shandur* Varga,1998 (Noctuidae) Synonym(s): *shandur* Varga,1998
- 44110) *Chersotis shandur shandur* Varga,1998 (Noctuidae) Synonym(s): *shandur* Varga,1998
- 44111) *Chersotis sordescens* (Staudinger,1900) (Noctuidae) Synonym(s): *sordescens* Staudinger,1900
- 44112) *Chersotis stenographa* Varga,1979 (Noctuidae) Synonym(s): *stenographa* Varga,1979
- 44113) *Chersotis sterilis* (Brandt,1938) (Noctuidae) Synonym(s): *sterilis* Brandt,1938
- 44114) *Chersotis stridula* (Hampson,1903) (Noctuidae) Synonym(s): *stridula* Hampson,1903
- 44115) *Chersotis transiens* (Staudinger,1897) (Noctuidae) Synonym(s): *transiens* Staudinger,1897; *altajensis* Rezbanyai-Reser,1997; *uralica* Rezbanyai-Reser,1997
- 44116) *Chersotis zukowskyi* (Draudt,1936) (Noctuidae) Synonym(s): *zukowskyi* Draudt,1936
- 44117) *Chersotis zukowskyi hellenica* Boursin,1961 (Noctuidae) Synonym(s): *hellenica* Boursin,1961
- 44118) *Chersotis zukowskyi zukowskyi* (Draudt,1936) (Noctuidae) Synonym(s): *zukowskyi* Draudt,1936
- 44119) *Chilasa falcata* Swinhoe,1885 (Noctuidae) Synonym(s): *falcata* Swinhoe,1885; *perhamata* Hampson,1894; *difformis* Roepke,1948
- 44120) *Chilodes distracta* (Eversmann,1848) (Noctuidae) Synonym(s): *distracta* Eversmann,1848; *cinerea* Alpheraky,1889; *mollicella* Püngeler,1907.
- 44121) *Chilodes maritima* (Tauscher,1806) (Noctuidae) Synonym(s): *maritima* Tauscher,1806; *bipunctana* Haworth,1812.
- 44122) *Chilodes megastigma* (Püngeler,1907) (Noctuidae) Synonym(s): *megastigma* Püngeler,1907
- 44123) *Chionoxantha margarita* Brandt,1938 (Noctuidae) Synonym(s): *margarita* Brandt,1938
- 44124) *Chionoxantha minutissima* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *minutissima* Hacker & Ebert,2002
- 44125) *Chionoxantha nobilis* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *nobilis* Hacker & Ebert,2002
- 44126) *Chionoxantha staudingeri* (Standfuss,1892) (Noctuidae) Synonym(s): *staudingeri* Standfuss,1892
- 44127) *Chitasida diplogramma* Hampson,1905 (Noctuidae) Synonym(s): *diplogramma* Hampson,1905
- 44128) *Chloantha elbursica* (Boursin,1968) (Noctuidae) Synonym(s): *elbursica* Boursin,1968
- 44129) *Chloantha hypericii* (Fabricius,1787) (Noctuidae) Synonym(s): *#hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787
- 44130) *Chloantha hypericii hypericii* (Fabricius,1787) (Noctuidae) Synonym(s): *#hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787
- 44131) *Chloethripa angulata* Holloway,2003 (Noctuidae) Synonym(s): *angulata* Holloway,2003
- 44132) *Chloethripa leucocephala* A.E.Prout,1928 (Noctuidae) Synonym(s): *leucocephala* A.E.Prout,1928
- 44133) *Chloriolaria gratissima* (Walker,[1863]) (Noctuidae) Synonym(s): *gratissima* Walker,[1863]
- 44134) *Chlorognesia viridipicta* (Hampson,1902) (Noctuidae) Synonym(s): *viridipicta* Hampson,1902
- 44135) *Chloropaga* sp. (Noctuidae) Synonym(s):
- 44136) *Chlorozada metaleuca* (Hampson,1905) (Noctuidae) Synonym(s): *metaleuca* Hampson,1905; *esmeralda* Hampson,1910.
- 44137) *Chlorozada verna* (Hampson,1902) (Noctuidae) Synonym(s): *verna* Hampson,1902
- 44138) *Chlumetia albiapicata* (Hampson,1902) (Noctuidae) Synonym(s): *albiapicata* Hampson,1902
- 44139) *Chlumetia lichenosa* (Hampson,1902) (Noctuidae) Synonym(s): *lichenosa* Hampson,1902
- 44140) *Chlumetia polymorpha* Hampson,1920 (Noctuidae) Synonym(s): *polymorpha* Hampson,1920
- 44141) *Chlumetia transversa* (Walker,1863) (Noctuidae) Synonym(s): *transversa* Walker,1863; *guangxiensis* Wu & Zhu,1981
- 44142) *Chora repandens* Walker,1862 (Noctuidae) Synonym(s): *repandens* Walker,1862; *sundana* R.Felder,1875; *hemichlora* De Joannis,1911
- 44143) *Chortodes abrupta* (Eversmann,1854) (Noctuidae) Synonym(s): *abrupta* Eversmann,1854
- 44144) *Chortodes brevilinea* (Fenn,1864) (Noctuidae) Synonym(s): *brevilinea* Fenn,1864
- 44145) *Chortodes dulcis* (Oberthür,1918) (Noctuidae) Synonym(s): *dulcis* Oberthür,1918
- 44146) *Chortodes elymi* (Treitschke,1825) (Noctuidae) Synonym(s): *elymi* Treitschke,1825
- 44147) *Chortodes morrisii* (Dale,1837) (Noctuidae) Synonym(s): *morrisii* Dale,1837; *bondii* Knaggs,1861
- 44148) *Chortodes pygmina* (Haworth,1809) (Noctuidae) Synonym(s): *pygmina* Haworth,1809; *fulva* Hübner,[1813].
- 44149) *Chortodes sohnretheli* (Püngeler,1907) (Noctuidae) Synonym(s): *sohnretheli* Püngeler,1907
- 44150) *Chortodes stigmatica* (Eversmann,1855) (Noctuidae) Synonym(s): *stigmatica* Eversmann,1855
- 44151) *Chrysodeixis acuta* (Walker,1858) (Noctuidae) Synonym(s): *acuta* Walker,1858; *furihatai* Okano,1963; *nigribursa* Chou & Lu,1974
- 44152) *Chrysodeixis chalcites* (Esper,[1789]) (Noctuidae) Synonym(s): *chalcites* Esper,[1789]; *chalcitis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865
- 44153) *Chrysodeixis chrysopepla* L.Ronkay,1989 (Noctuidae) Synonym(s): *chrysopepla* L.Ronkay,1989
- 44154) *Chrysodeixis diehli* Dufay,1982 (Noctuidae) Synonym(s): *diehli* Dufay,1982

- 44155) *Chrysodeixis dinawa* (Bethune-Baker,1906) (Noctuidae) Synonym(s): *dinawa* Bethune-Baker,1906
 44156) *Chrysodeixis eriosoma* (Doubleday,1843) (Noctuidae) Synonym(s): *eriosoma* Doubleday,1843; *verticillata* Guenée,1852
 44157) *Chrysodeixis goergneri* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *goergneri* Behounek & L.Ronkay,1999
 44158) *Chrysodeixis illuminata* (G.S.Robinson,1968) (Noctuidae) Synonym(s): *illuminata* G.S.Robinson,1968; *nesiotes* Dufay,1974; *albescens* Chou & Lu,1979
 44159) *Chrysodeixis imitans* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *imitans* Behounek & L.Ronkay,1999
 44160) *Chrysodeixis kebeae* (Bethune-Baker,1906) (Noctuidae) Synonym(s): *kebeae* Bethune-Baker,1906
 44161) *Chrysodeixis kebeana* (Bethune-Baker,1906) (Noctuidae) Synonym(s): *kebeana* Bethune-Baker,1906
 44162) *Chrysodeixis keili* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *keili* Behounek & L.Ronkay,1999
 44163) *Chrysodeixis luzonensis* (Wileman & West,1929) (Noctuidae) Synonym(s): *luzonensis* Wileman & West,1929
 44164) *Chrysodeixis minutus* Dufay,1970 (Noctuidae) Synonym(s): *minutus* Dufay,1970
 44165) *Chrysodeixis papuasiae* Dufay,1970 (Noctuidae) Synonym(s): *papuasiae* Dufay,1970
 44166) *Chrysodeixis permissa* (Walker,1858) (Noctuidae) Synonym(s): *permissa* Walker,1858
 44167) *Chrysodeixis plesiostes* Dufay,1982 (Noctuidae) Synonym(s): *plesiostes* Dufay,1982
 44168) *Chrysodeixis politus* Dufay,1970 (Noctuidae) Synonym(s): *politus* Dufay,1970
 44169) *Chrysodeixis similis* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *similis* Behounek & L.Ronkay,1999
 44170) *Chrysodeixis similis* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *similis* Behounek & L.Ronkay,1999
 44171) *Chrysodeixis taiwani* Dufay,1974 (Noctuidae) Synonym(s): *taiwani* Dufay,1974; *omeiensis* Chou & Lu,1978; *omiensis* Poole,1989
 44172) *Chrysograpta igneola* (Swinhoe,1890) (Noctuidae) Synonym(s): *igneola* Swinhoe,1890
 44173) *Chrysopera combinans* (Walker,1858) (Noctuidae) Synonym(s): *combinans* Walker,1858; *quadrilunata* Pagenstecher,1890
 44174) *Chrysozonata latiflavaria* (Swinhoe,1904) (Noctuidae) Synonym(s): *latiflavaria* Swinhoe,1904
 44175) *Chrysozonata purpurascens* Hampson,1914 (Noctuidae) Synonym(s): *purpurascens* Hampson,1914
 44176) *Churia gallagheri* Wiltshire,1985 (Noctuidae) Synonym(s): *gallagheri* Wiltshire,1985
 44177) *Churia typha* Wiltshire,1977 (Noctuidae) Synonym(s): *typha* Wiltshire,1977
 44178) *Chusaris aurantilineata* Hampson,1896 (Noctuidae) Synonym(s): *aurantilineata* Hampson,1896
 44179) *Chusaris venata* Warren,1914 (Noctuidae) Synonym(s): *venata* Warren,1914
 44180) *Chytonix brunnea* Gaede,1915 (Noctuidae) Synonym(s): *brunnea* Gaede,1915
 44181) *Cirrodos phoenicea* Hampson,1910 (Noctuidae) Synonym(s): *phoenicea* Hampson,1910
 44182) *Cladocerotis optabilis* (Boisduval,1834) (Noctuidae) Synonym(s): *optabilis* Boisduval,1834
 44183) *Claterna cydonia* (Cramer,1775) (Noctuidae) Synonym(s): *cydonia* Cramer,1775; *exagans* Walker,1858; *submemorans* Walker,1858; *affinis* Rothschild,1915
 44184) *Cleoceris scoriacea* (Esper,[1789]) (Noctuidae) Synonym(s): *scoriacea* Esper,[1789]; *caprae* Hübner,[1803].
 44185) *Cleoceris scoriacea scoriacea* (Esper,[1789]) (Noctuidae) Synonym(s): *scoriacea* Esper,[1789]; *caprae* Hübner,[1803].
 44186) *Cleoceris scoriacea subcanentis* Hacker,1990 (Noctuidae) Synonym(s): *subcanentis* Hacker,1990
 44187) *Cleonymia (Serryvania) fatima* (A.Bang-Haas,1907) (Noctuidae) Synonym(s): *fatima* A.Bang-Haas,1907
 44188) *Cleonymia (Serryvania) opposita* (Lederer,1870) (Noctuidae) Synonym(s): *opposita* Lederer,1870; *#obscurior* Osthelder,1933.
 44189) *Cleonymia (Serryvania) yvanii* (Duponchel,1833) (Noctuidae) Synonym(s): *yvanii* Duponchel,1833
 44190) *Cleonymia (s.str.) baetica* (Rambur,1837) (Noctuidae) Synonym(s): *baetica* Rambur,1837
 44191) *Cleonymia (s.str.) baetica baetica* (Rambur,1837) (Noctuidae) Synonym(s): *baetica* Rambur,1837
 44192) *Cleonymia (s.str.) baetica diluta* (Rothschild,1911) (Noctuidae) Synonym(s): *diluta* Rothschild,1911
 44193) *Cleonymia (s.str.) baetica orientalis* G.Ronkay & L.Ronkay,1995 (Noctuidae) Synonym(s): *orientalis* G.Ronkay & L.Ronkay,1995; *klapperichi* Hacker,2001
 44194) *Cleonymia (s.str.) baetica sardoa* (Turati,1911) (Noctuidae) Synonym(s): *sardoa* Turati,1911
 44195) *Cleonymia (s.str.) chabordis* (Oberthür,1876) (Noctuidae) Synonym(s): *chabordis* Oberthür,1876; *#charbordis* Brandt,1939.
 44196) *Cleonymia (s.str.) chabordis magadorensis* Rungs,1949 (Noctuidae) Synonym(s): *magadorensis* Rungs,1949
 44197) *Cleonymia (s.str.) diffluens* (Staudinger,1870) (Noctuidae) Synonym(s): *diffluens* Staudinger,1870
 44198) *Cleonymia (s.str.) pectinicornis* (Staudinger,1859) (Noctuidae) Synonym(s): *pectinicornis* Staudinger,1859; *youngi* Rothschild,1925
 44199) *Cleonymia (s.str.) warionis* (Oberthür,1876) (Noctuidae) Synonym(s): *warionis* Oberthür,1876
 44200) *Cleonymia jubata* (Oberthür,1890) (Noctuidae) Synonym(s): *jubata* Oberthür,1890
 44201) *Clethrorsa kossnerae* Behounek,1997 (Noctuidae) Synonym(s): *kossnerae* Behounek,1997
 44202) *Clethrorsa micropuncta* Holloway,1989 (Noctuidae) Synonym(s): *micropuncta* Holloway,1989
 44203) *Clethrorsa pilcheri* (Hampson,1896) (Noctuidae) Synonym(s): *pilcheri* Hampson,1896
 44204) *Clettharina macrocorema* Holloway,2003 (Noctuidae) Synonym(s): *macrocorema* Holloway,2003
 44205) *Clytie (Hypoglaucitis) distincta* (A.Bang-Haas,1907) (Noctuidae) Synonym(s): *distincta* A.Bang-Haas,1907
 44206) *Clytie (Hypoglaucitis) distincta distincta* (A.Bang-Haas,1907) (Noctuidae) Synonym(s): *distincta* A.Bang-Haas,1907
 44207) *Clytie (Hypoglaucitis) distincta iranica* Brandt,1939 (Noctuidae) Synonym(s): *iranica* Brandt,1939
 44208) *Clytie (Hypoglaucitis) infrequens* (Swinhoe,1884) (Noctuidae) Synonym(s): *infrequens* Swinhoe,1884; *benenotata* W.Warren,1888.
 44209) *Clytie (Hypoglaucitis) infrequens infrequens* (Swinhoe,1884) (Noctuidae) Synonym(s): *infrequens* Swinhoe,1884; *benenotata* W.Warren,1888.
 44210) *Clytie (Hypoglaucitis) infrequens moyses* (Staudinger,1895) (Noctuidae) Synonym(s): *moyses* Staudinger,1895
 44211) *Clytie (s.str.) arenosa* Rothschild,1913 (Noctuidae) Synonym(s): *arenosa* Rothschild,1913; *seifersi* Gaede,1933.
 44212) *Clytie (s.str.) arenosa arenosa* Rothschild,1913 (Noctuidae) Synonym(s): *arenosa* Rothschild,1913; *seifersi* Gaede,1933.
 44213) *Clytie (s.str.) arenosa nabataea* Hampson,1913 (Noctuidae) Synonym(s): *nabataea* Hampson,1913
 44214) *Clytie (s.str.) delunaris* (Staudinger,1889) (Noctuidae) Synonym(s): *delunaris* Staudinger,1889; *luteonigra* Warren,1913.
 44215) *Clytie (s.str.) devia* (Swinhoe,1884) (Noctuidae) Synonym(s): *devia* Swinhoe,1884
 44216) *Clytie (s.str.) euryphaea* Hampson,1918 (Noctuidae) Synonym(s): *euryphaea* Hampson,1918
 44217) *Clytie (s.str.) gracilis* (A.Bang-Haas,1907) (Noctuidae) Synonym(s): *gracilis* A.Bang-Haas,1907; *syrdaja* Hampson,1913.
 44218) *Clytie (s.str.) gracilis gracilis* (A.Bang-Haas,1907) (Noctuidae) Synonym(s): *gracilis* A.Bang-Haas,1907; *syrdaja* Hampson,1913.
 44219) *Clytie (s.str.) gracilis suppura* Wiltshire,1969 (Noctuidae) Synonym(s): *suppura* Wiltshire,1969
 44220) *Clytie (s.str.) gyulai* Hacker,2001 (Noctuidae) Synonym(s): *gyulai* Hacker,2001
 44221) *Clytie (s.str.) gyulai gyulai* Hacker,2001 (Noctuidae) Synonym(s): *gyulai* Hacker,2001
 44222) *Clytie (s.str.) haifae* (Habich,1905) (Noctuidae) Synonym(s): *haifae* Habich,1905
 44223) *Clytie (s.str.) illunaris* (Hübner,[1813]) (Noctuidae) Synonym(s): *illunaris* Hübner,[1813]; *canaria* Pinker,1974.
 44224) *Clytie (s.str.) illunaris illunaris* (Hübner,[1813]) (Noctuidae) Synonym(s): *illunaris* Hübner,[1813]; *canaria* Pinker,1974.
 44225) *Clytie (s.str.) illunaris legraini* Hacker,2001 (Noctuidae) Synonym(s): *legraini* Hacker,2001
 44226) *Clytie (s.str.) micra* Wiltshire,1973 (Noctuidae) Synonym(s): *micra* Wiltshire,1973
 44227) *Clytie (s.str.) micra micra* Wiltshire,1973 (Noctuidae) Synonym(s): *micra* Wiltshire,1973
 44228) *Clytie (s.str.) omana* Wiltshire,1985 (Noctuidae) Synonym(s): *omana* Wiltshire,1985
 44229) *Clytie (s.str.) rungsi* Laporte,1975 (Noctuidae) Synonym(s): *rungsii* Laporte,1975
 44230) *Clytie (s.str.) sabaea* Wiltshire,1947 (Noctuidae) Synonym(s): *sabaea* Wiltshire,1947
 44231) *Clytie (s.str.) sabaea bernardi* Rungs,1958 (Noctuidae) Synonym(s): *bernardi* Rungs,1958
 44232) *Clytie (s.str.) sabaea sabaea* Wiltshire,1947 (Noctuidae) Synonym(s): *sabaea* Wiltshire,1947
 44233) *Clytie (s.str.) sancta* (Staudinger,1898) (Noctuidae) Synonym(s): *sancta* Staudinger,1898
 44234) *Clytie (s.str.) scotorrhiza* Hampson,1913 (Noctuidae) Synonym(s): *scotorrhiza* Hampson,1913
 44235) *Clytie (s.str.) scotorrhiza orthomelaina* Wiltshire,1986 (Noctuidae) Synonym(s): *orthomelaina* Wiltshire,1986
 44236) *Clytie (s.str.) sublunaris* (Staudinger,1889) (Noctuidae) Synonym(s): *sublunaris* Staudinger,1889
 44237) *Clytie (s.str.) syriaca* (Bugnion,1837) (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848.
 44238) *Clytie (s.str.) terrulenta* (Christoph,1893) (Noctuidae) Synonym(s): *terrulenta* Christoph,1893
 44239) *Clytie (s.str.) terrulenta gentilis* (Staudinger,1898) (Noctuidae) Synonym(s): *gentilis* Staudinger,1898
 44240) *Clytie (s.str.) terrulenta terrulenta* (Christoph,1893) (Noctuidae) Synonym(s): *terrulenta* Christoph,1893
 44241) *Clytie (s.str.) tropicalis* Rungs,1975 (Noctuidae) Synonym(s): *tropicalis* Rungs,1975
 44242) *Clytie (s.str.) tropicalis orientalis* Rungs,1975 (Noctuidae) Synonym(s): *orientalis* Rungs,1975

- 44243) *Clytie* (s.str.) *tropicalis tropicalis* Rungs,1975 (Noctuidae) Synonym(s): *tropicalis* Rungs,1975
 44244) *Nodifrontia dissimilis* (Distant,1898) (Noctuidae) Synonym(s): *dissimilis* Distant,1898
 44245) *Coarica fasciata* Moore,1882 (Noctuidae) Synonym(s): *fasciata* Moore,1882
 44246) *Codalithia quincuncialis* Holloway,1979 (Noctuidae) Synonym(s): *quincuncialis* Holloway,1979
 44247) *Codalithia subtilis* Holloway,1979 (Noctuidae) Synonym(s): *subtilis* Holloway,1979
 44248) *Coenobia rufa* (Haworth,1809) (Noctuidae) Synonym(s): *rufa* Haworth,1809
 44249) *Coenophila jordani* (Turati,1912) (Noctuidae) Synonym(s): *jordani* Turati,1912
 44250) *Coenophila miniago* (Freyer,[1839]) (Noctuidae) Synonym(s): *miniago* Freyer,[1839]
 44251) *Coenophila subrosea* (Stephens,1829) (Noctuidae) Synonym(s): *subrosea* Stephens,1829; *rubrifera* Warnecke,1931
 44252) *Colbusa euclidica* Walker,1865 (Noctuidae) Synonym(s): *euclidica* Walker,1865
 44253) *Colobochyla* (Caspicastra) *platyzona* (Lederer,1870) (Noctuidae) Synonym(s): *platyzona* Lederer,1870; #*platyzona* Hacker,1990.
 44254) *Colobochyla* (Caspicastra) *platyzona capnoessa* Zerny,1915 (Noctuidae) Synonym(s): *capnoessa* Zerny,1915; *schah* Bytinski-Salz & Brandt,1937; #*shah* Hacker,1990.
 44255) *Colobochyla* (Caspicastra) *platyzona platyzona* (Lederer,1870) (Noctuidae) Synonym(s): *platyzona* Lederer,1870; #*platyzona* Hacker,1990.
 44256) *Colobochyla* (s.str.) *salicalis* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *salicalis* [Denis & Schiffermüller],1775; *salicatus* Haworth,1809; *cinerea* Butler,1879.
 44257) *Colocasia coryli* (Linnaeus,1758) (Noctuidae) Synonym(s): *coryli* Linnaeus,1758; *gibbosa* Miller,1764
 44258) *Colpocheilopteryx callichroma* (Distant,1901) (Noctuidae) Synonym(s): *callichroma* Distant,1901
 44259) *Colpocheilopteryx operatrix* (Wallengren,1860) (Noctuidae) Synonym(s): *operatrix* Wallengren,1860
 44260) *Cometaster pyrrula* (Hopffer,1858) (Noctuidae) Synonym(s): *pyrrula* Hopffer,1858; *lucida* R.Felder & Rogenhofer,1874
 44261) *Comocrus behri* (Angas,1847) (Noctuidae) Synonym(s): *behri* Angas,1847; *contorta* Walker,1864; *flexuosa* Walker,1864; *casuarinae* Scott,1865
 44262) *Compsotata elegantissima* (Guenée,1852) (Noctuidae) Synonym(s): *elegantissima* Guenée,1852
 44263) *Condate angulina* (Guenée,1852) (Noctuidae) Synonym(s): *angulina* Guenée,1852; *arenacea* Walker,1865; *consocia* Walker,1865; *retrahens* Walker,1865
 44264) *Condate hypenoides* Walker,1862 (Noctuidae) Synonym(s): *hypenoides* Walker,1862
 44265) *Condate purpurea* (Hampson,1902) (Noctuidae) Synonym(s): *purpurea* Hampson,1902
 44266) *Condate pustulifera* (Noctuidae) Synonym(s):
 44267) *Condate* sp. (Noctuidae) Synonym(s):
 44268) *Condica capensis* (Guenée,1852) (Noctuidae) Synonym(s): *capensis* Guenée,1852; *afra* Guenée,1852; *proditia* Walker,1862; *canorufa* Walker,1865; *funesta* Walker,1865; *spargens* Walker,1865.
 44269) *Condica conducta* (Walker,1857) (Noctuidae) Synonym(s): *conducta* Walker,1857; *inexacta* Walker,1865.
 44270) *Condica palaestiniensis* (Staudinger,1895) (Noctuidae) Synonym(s): *palaestiniensis* Staudinger,1895; *persicola* Draudt,1934; *persicola* Wiltshire,1952
 44271) *Condica pauperata* (Walker,1858) (Noctuidae) Synonym(s): *pauperata* Walker,1858; *leonina* Walker,1865; *aenea* Saalmüller,1891; *coptica* Wiltshire,1948.
 44272) *Condica viscosa* (Freyer,1831) (Noctuidae) Synonym(s): *viscosa* Freyer,1831; *indelicata* Turati,1934; *europaea* Parenzan,1980.
 44273) *Conicofrontia diamesa* (Hampson,1902) (Noctuidae) Synonym(s): *diamesa* Hampson,1902
 44274) *Conicofrontia sesamoides* Hampson,1902 (Noctuidae) Synonym(s): *sesamoides* Hampson,1902
 44275) *Conistra* (Dasyampa) *erythrocephala* (Fabricius,1787) (Noctuidae) Synonym(s): #*erythrocephala* [Denis & Schiffermüller],1775; *erythrocephala* Fabricius,1787.
 44276) *Conistra* (Dasyampa) *rubiginea* (Fabricius,1787) (Noctuidae) Synonym(s): #*rubiginea* [Denis & Schiffermüller],1775; *rubiginea* Fabricius,1787; *tigerina* Esper,[1791]; *pulverea* Hübner,[1803]
 44277) *Conistra* (Dasyampa) *staudingeri* (Graslin,1863) (Noctuidae) Synonym(s): *staudingeri* Graslin,1863; *rubigo* Rambur,1871
 44278) *Conistra* (s.str.) *acutula* (Staudinger,1892) (Noctuidae) Synonym(s): *acutula* Staudinger,1892
 44279) *Conistra* (s.str.) *alicia* Lajonquière,1939 (Noctuidae) Synonym(s): *alicia* Lajonquière,1939
 44280) *Conistra* (s.str.) *asiatica* Pinker,1980 (Noctuidae) Synonym(s): *asiatica* Pinker,1980
 44281) *Conistra* (s.str.) *aulombardi* Hreblay,1992 (Noctuidae) Synonym(s): *aulombardi* Hreblay,1992
 44282) *Conistra* (s.str.) *chaijani* Hacker & Weigert,1986 (Noctuidae) Synonym(s): *chaijani* Hacker & Weigert,1986
 44283) *Conistra* (s.str.) *daubei* (Duponchel,1838) (Noctuidae) Synonym(s): *daubei* Duponchel,1838; *buxi* Boisduval,1840
 44284) *Conistra* (s.str.) *dora* Hreblay,1992 (Noctuidae) Synonym(s): *dora* Hreblay,1992
 44285) *Conistra* (s.str.) *gabori* Hreblay,1992 (Noctuidae) Synonym(s): *gabori* Hreblay,1992
 44286) *Conistra* (s.str.) *gallica* (Lederer,1857) (Noctuidae) Synonym(s): *gallica* Lederer,1857
 44287) *Conistra* (s.str.) *intricata* (Boisduval,1829) (Noctuidae) Synonym(s): *intricata* Boisduval,1829
 44288) *Conistra* (s.str.) *kasyi* Boursin,1963 (Noctuidae) Synonym(s): *kasyi* Boursin,1963
 44289) *Conistra* (s.str.) *ligula* (Esper,1791) (Noctuidae) Synonym(s): *ligula* Esper,[1791]
 44290) *Conistra* (s.str.) *metria* Boursin,1940 (Noctuidae) Synonym(s): *metria* Boursin,1940; *pseudopolitina* Hacker,1990.
 44291) *Conistra* (s.str.) *politina* (Staudinger,1888) (Noctuidae) Synonym(s): *politina* Staudinger,1888; *subspadiceana* Staudinger,1888.
 44292) *Conistra* (s.str.) *ragusae* (Failla-Tedaldi,1890) (Noctuidae) Synonym(s): *ragusae* Failla-Tedaldi,1890
 44293) *Conistra* (s.str.) *ragusae archaia* Pinker,1980 (Noctuidae) Synonym(s): *archaia* Pinker,1980
 44294) *Conistra* (s.str.) *ragusae macedonica* (Pinker,1956) (Noctuidae) Synonym(s): *macedonica* Pinker,1956
 44295) *Conistra* (s.str.) *rubiginosa* (Scopoli,1763) (Noctuidae) Synonym(s): *rubiginosa* Scopoli,1763; *silene* [Denis & Schiffermüller],1775; *vaupunctatum* Esper,[1786].
 44296) *Conistra* (s.str.) *rubricans* Fibiger,1997 (Noctuidae) Synonym(s): *rubricans* Fibiger,1997
 44297) *Conistra* (s.str.) *torrida* (Lederer,1857) (Noctuidae) Synonym(s): *torrida* Lederer,1857
 44298) *Conistra* (s.str.) *torrida pinkeri* Hacker,1988 (Noctuidae) Synonym(s): *pinkeri* Hacker,1988
 44299) *Conistra* (s.str.) *torrida torrida* (Lederer,1857) (Noctuidae) Synonym(s): *torrida* Lederer,1857
 44300) *Conistra* (s.str.) *vaccinii* (Linnaeus,1761) (Noctuidae) Synonym(s): *vaccinii* Linnaeus,1761; *polita* [Denis & Schiffermüller],1775; *spadicea* [Denis & Schiffermüller],1775
 44301) *Conistra* (s.str.) *veronicae* (Hübner,[1813]) (Noctuidae) Synonym(s): *veronicae* Hübner,[1813]
 44302) *Conservula alambica* Gaede,1915 (Noctuidae) Synonym(s): *alambica* Gaede,1915
 44303) *Conservula anthophyes* (D.S.Fletcher,1963) (Noctuidae) Synonym(s): *anthophyes* D.S.Fletcher,1963
 44304) *Conservula cinisigna* Joannis,1906 (Noctuidae) Synonym(s): *cinisigna* Joannis,1906
 44305) *Conservula clarki* Janse,1937 (Noctuidae) Synonym(s): *clarki* Janse,1937
 44306) *Conservula minor* Holland,1896 (Noctuidae) Synonym(s): *minor* Holland,1896
 44307) *Constantiodes pyralina* Hampson,1916 (Noctuidae) Synonym(s): *pyralina* Hampson,1916
 44308) *Cophanta funestalis* Walker,1864 (Noctuidae) Synonym(s): *funestalis* Walker,1864; *anthracina* Snellen,1880; *optiva* Swinhoe,1890
 44309) *Cophanta occidentalis* Hampson,1910 (Noctuidae) Synonym(s): *occidentalis* Hampson,1910
 44310) *Copifrontia purpurea* (Gaede,1915) (Noctuidae) Synonym(s): *purpurea* Gaede,1915
 44311) *Copifrontia xantherythra* Hampson,1905 (Noctuidae) Synonym(s): *xantherythra* Hampson,1905
 44312) *Copiphana kraussi* (Rebel,1895) (Noctuidae) Synonym(s): *kraussi* Rebel,1895
 44313) *Corcobara angulipennis* Moore,1882 (Noctuidae) Synonym(s): *angulipennis* Moore,1882; *thwaitesi* Moore,[1885]
 44314) *Corgatha chionocraspis* Hampson,1918 (Noctuidae) Synonym(s): *chionocraspis* Hampson,1918
 44315) *Corgatha concavata* (Walker,1862) (Noctuidae) Synonym(s): *concavata* Walker,1862
 44316) *Corgatha dictaria* (Walker,1861) (Noctuidae) Synonym(s): *dictaria* Walker,1861; *liberata* Walker,1861; *metalligera* Butler,1881; *tana* Swinhoe,1900; *sasaki* Matsumura,1920
 44317) *Corgatha drepanodes* Hampson,1910 (Noctuidae) Synonym(s): *drepanodes* Hampson,1910
 44318) *Corgatha figuralis* (Walker,1865) (Noctuidae) Synonym(s): *figuralis* Walker,1865
 44319) *Corgatha figuralis paucifasciata* Holloway,1979 (Noctuidae) Synonym(s): *paucifasciata* Holloway,1979
 44320) *Corgatha hypoxantha* Hampson,1910 (Noctuidae) Synonym(s): *hypoxantha* Hampson,1910
 44321) *Corgatha odontota* D.S.Fletcher,1961 (Noctuidae) Synonym(s): *odontota* D.S.Fletcher,1961
 44322) *Corgatha producta* Hampson,1902 (Noctuidae) Synonym(s): *producta* Hampson,1902

- 44323) *Corgatha regula* Gaede, 1916 (Noctuidae) Synonym(s): *regula* Gaede, 1916
 44324) *Corgatha rubra* (Hampson, 1891) (Noctuidae) Synonym(s): *rubra* Hampson, 1891
 44325) *Cornutiplusia circumflexa* (Linnaeus, 1767) (Noctuidae) Synonym(s): *circumflexa* Linnaeus, 1767; *lunata* Fabricius, 1787; *flexuosa* Donovan, 1807; *daubii* Freyer, 1838; *graphica* Herrich-Schäffer, 1851; *patefacta* Walker, [1858]; *reticulata* Moore, 1882; *clarescens* Pinker & Bacallado, 1975; *#unata* Kononenko & Pınratana, 2005
 44326) *Corsa orbifera* (Walker, 1862) (Noctuidae) Synonym(s): *orbifera* Walker, 1862
 44327) *Cortyia canescens* Walker, [1858] (Noctuidae) Synonym(s): *canescens* Walker, [1858]
 44328) *Cortyia diapera* Hampson, 1913 (Noctuidae) Synonym(s): *diapera* Hampson, 1913
 44329) *Cortyia phaeocyma* Hampson, 1913 (Noctuidae) Synonym(s): *phaeocyma* Hampson, 1913
 44330) *Cortyia polycyma* (Hampson, 1909) (Noctuidae) Synonym(s): *polycyma* Hampson, 1909
 44331) *Cortyia setifera* Hampson, 1918 (Noctuidae) Synonym(s): *setifera* Hampson, 1918
 44332) *Cosmia* (Calymnia) *angulifera* Boursin, 1957 (Noctuidae) Synonym(s): *angulifera* Boursin, 1957
 44333) *Cosmia* (Calymnia) *ledereri* (Staudinger, 1897) (Noctuidae) Synonym(s): *ledereri* Staudinger, 1897
 44334) *Cosmia* (Calymnia) *subtilis* Staudinger, 1888 (Noctuidae) Synonym(s): *subtilis* Staudinger, 1888
 44335) *Cosmia* (Calymnia) *trapezina* (Linnaeus, 1758) (Noctuidae) Synonym(s): *trapezina* Linnaeus, 1758
 44336) *Cosmia* (s.str.) *affinis* (Linnaeus, 1767) (Noctuidae) Synonym(s): *affinis* Linnaeus, 1767
 44337) *Cosmia* (s.str.) *confinis* Herrich-Schäffer, [1849] (Noctuidae) Synonym(s): *confinis* Herrich-Schäffer, [1849]; *rhodopsis* Boursin, 1962; *phatopsis* Boursin, 1962.
 44338) *Cosmia* (s.str.) *diffinis* (Linnaeus, 1767) (Noctuidae) Synonym(s): *diffinis* Linnaeus, 1767
 44339) *Cosmia* (s.str.) *pyralina* [(Denis & Schiffermüller), 1775] (Noctuidae) Synonym(s): *pyralina* [Denis & Schiffermüller], 1775
 44340) *Cosmia* (s.str.) *staudingeri* (Alpheraky, 1882) (Noctuidae) Synonym(s): *staudingeri* Alpheraky, 1882
 44341) *Cosmia natalensis* (Prout, 1925) (Noctuidae) Synonym(s): *natalensis* Prout, 1925
 44342) *Cosmia polymorpha* Pinhey, 1968 (Noctuidae) Synonym(s): *polymorpha* Pinhey, 1968
 44343) *Cosmophila auragoides* Iyona Swinhoe, 1919 (Noctuidae) Synonym(s): *Iyona* Swinhoe, 1919
 44344) *Cosmophila flava* (Fabricius, 1775) (Noctuidae) Synonym(s): *flava* Fabricius, 1775
 44345) *Cossedia acolutha* Holloway, 2003 (Noctuidae) Synonym(s): *acolutha* Holloway, 2003
 44346) *Cossedia altiproesei* Holloway, 2003 (Noctuidae) Synonym(s): *altiproesei* Holloway, 2003
 44347) *Cossedia erateinalis* Walker, [1866] (Noctuidae) Synonym(s): *erateinalis* Walker, [1866]
 44348) *Cossedia hyriodes* Hampson, 1912 (Noctuidae) Synonym(s): *hyriodes* Hampson, 1912
 44349) *Cossedia kobesi* Holloway, 2003 (Noctuidae) Synonym(s): *kobesi* Holloway, 2003
 44350) *Cossedia proesei* Kobes, 1984 (Noctuidae) Synonym(s): *proesei* Kobes, 1984
 44351) *Cossedia semiflava* Hampson, 1905 (Noctuidae) Synonym(s): *semiflava* Hampson, 1905
 44352) *Crambiforma leucostrepta* Hampson, 1926 (Noctuidae) Synonym(s): *leucostrepta* Hampson, 1926
 44353) *Crameria amabilis* (Drury, 1773) (Noctuidae) Synonym(s): *amabilis* Drury, 1773; *alienata* Fabricius, 1794; *intercis* R.Felder & Rogenhofer, 1874; *#abyssinica* Strand, 1912; *#nyassica* Strand, 1912; *#accra* Strand, 1912; *istsariensis* Steneham, 1963
 44354) *Craniophora fasciata* (Moore, [1884]) (Noctuidae) Synonym(s): *fasciata* Moore, [1884]; *nigrostriata* Pagenstecher, 1888; *divisa* Moore, 1888
 44355) *Craniophora harmandi* (Poujade, 1898) (Noctuidae) Synonym(s): *harmandi* Poujade, 1898; *nigromaculata* Warren, 1912; *picata* Wileman, 1914
 44356) *Craniophora ligustri* (Fabricius, 1787) (Noctuidae) Synonym(s): *#ligustri* [Denis & Schiffermüller], 1775; *ligustri* Fabricius, 1787.
 44357) *Craniophora ligustri hyrcanica* Hacker & Ebert, 2002 (Noctuidae) Synonym(s): *hyrcanica* Hacker & Ebert, 2002
 44358) *Craniophora melanisans* Wiltshire, 1980 (Noctuidae) Synonym(s): *melanisans* Wiltshire, 1980
 44359) *Craniophora melanisans asirensis* Wiltshire, 1986 (Noctuidae) Synonym(s): *asirensis* Wiltshire, 1986
 44360) *Craniophora melanisans melanisans* Wiltshire, 1980 (Noctuidae) Synonym(s): *melanisans* Wiltshire, 1980
 44361) *Craniophora paragrapha* (R.Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *paragrapha* R.Felder & Rogenhofer, 1874; *inversa* Gaede, 1915.
 44362) *Craniophora pontica* (Staudinger, 1879) (Noctuidae) Synonym(s): *pontica* Staudinger, 1879
 44363) *Craniophora pontica navasi* Boursin, 1935 (Noctuidae) Synonym(s): *navasi* Boursin, 1935.
 44364) *Craniophora pontica pontica* (Staudinger, 1879) (Noctuidae) Synonym(s): *pontica* Staudinger, 1879
 44365) *Cremonalpus inquirendus* Strand, 1909 (Noctuidae) Synonym(s): *inquirendus* Strand, 1909
 44366) *Cretonia ethiopica* Hampson, 1910 (Noctuidae) Synonym(s): *ethiopica* Hampson, 1910
 44367) *Cretonia vegeta* (Swinhoe, 1885) (Noctuidae) Synonym(s):
 44368) *Crinala mimetica* Rothschild, 1896 (Noctuidae) Synonym(s): *mimetica* Rothschild, 1896
 44369) *Crinocula kinabaluensis* Rothschild, 1896 (Noctuidae) Synonym(s): *kinabaluensis* Rothschild, 1896; *cinabaluensis* Hampson, 1901
 44370) *Crionica cervicornis* (Fawcett, 1917) (Noctuidae) Synonym(s):
 44371) *Crionica diversipennis* Gaede, 1939 (Noctuidae) Synonym(s): *diversipennis* Gaede, 1939
 44372) *Crithote basipuncta* Schultze, 1908 (Noctuidae) Synonym(s): *basipuncta* Schultze, 1908
 44373) *Crithote horridipes* Walker, 1864 (Noctuidae) Synonym(s): *horridipes* Walker, 1864; *crinipes* Snellen, 1880
 44374) *Crithote* sp.n. Holloway, 2005 (Noctuidae) Synonym(s):
 44375) *Cruria darwiniensis* (Butler, 1884) (Noctuidae) Synonym(s): *darwiniensis* Butler, 1884; *#papuana* Strand, 1912
 44376) *Cruria donovani* (Boisduval, 1832) (Noctuidae) Synonym(s): *donovani* Boisduval, 1832
 44377) *Cruria epicharita* Turner, 1911 (Noctuidae) Synonym(s): *epicharita* Turner, 1911
 44378) *Cruria neptioides* (Butler, 1875) (Noctuidae) Synonym(s): *neptioides* Butler, 1875
 44379) *Cruria platyxantha* (Meyrick, 1891) (Noctuidae) Synonym(s): *platyxantha* Meyrick, 1891; *tropica* Lucas, 1891
 44380) *Cruria synopla* Turner, 1903 (Noctuidae) Synonym(s): *synopla* Turner, 1903
 44381) *Cruriopsis albomaculata* Kishida, 1993 (Noctuidae) Synonym(s): *albomaculata* Kishida, 1993
 44382) *Cruriopsis funebris* (Moore, 1872) (Noctuidae) Synonym(s): *funebris* Moore, 1872
 44383) *Cryphia* (Bryoleuca) *amseli* Boursin, 1952 (Noctuidae) Synonym(s): *amseli* Boursin, 1952
 44384) *Cryphia* (Bryoleuca) *argentacea* (Bytinsky-Salz & Brandt, 1937) (Noctuidae) Synonym(s): *argentacea* Bytinsky-Salz & Brandt, 1937
 44385) *Cryphia* (Bryoleuca) *diachorisma* Boursin, 1960 (Noctuidae) Synonym(s): *diachorisma* Boursin, 1960
 44386) *Cryphia* (Bryoleuca) *diehli* Boursin, 1960 (Noctuidae) Synonym(s): *diehli* Boursin, 1960
 44387) *Cryphia* (Bryoleuca) *dolopsis* (Hampson, 1908) (Noctuidae) Synonym(s): *dolopsis* Hampson, 1908; *#dolopsis* Osthelder, 1933.
 44388) *Cryphia* (Bryoleuca) *ereptricula* (Treitschke, 1825) (Noctuidae) Synonym(s): *ereptricula* Treitschke, 1825
 44389) *Cryphia* (Bryoleuca) *ereptricula ereptricula* (Treitschke, 1825) (Noctuidae) Synonym(s): *ereptricula* Treitschke, 1825
 44390) *Cryphia* (Bryoleuca) *ereptricula hellenica* Boursin, 1962 (Noctuidae) Synonym(s): *hellenica* Boursin, 1962
 44391) *Cryphia* (Bryoleuca) *eucta* (Hampson, 1908) (Noctuidae) Synonym(s): *eucta* Hampson, 1908
 44392) *Cryphia* (Bryoleuca) *labecula* (Lederer, 1855) (Noctuidae) Synonym(s): *labecula* Lederer, 1855
 44393) *Cryphia* (Bryoleuca) *literata* (Moore, 1881) (Noctuidae) Synonym(s): *literata* Moore, 1881
 44394) *Cryphia* (Bryoleuca) *microphysa* Boursin, 1952 (Noctuidae) Synonym(s): *microphysa* Boursin, 1952
 44395) *Cryphia* (Bryoleuca) *minima* (Wiltshire, 1949) (Noctuidae) Synonym(s): *minima* Wiltshire, 1949
 44396) *Cryphia* (Bryoleuca) *ochrota* (Hampson, 1908) (Noctuidae) Synonym(s): *ochrota* Hampson, 1908
 44397) *Cryphia* (Bryoleuca) *orthogramma* Boursin, 1954 (Noctuidae) Synonym(s): *orthogramma* Boursin, 1954; *aksuensis* Boursin, 1954; *ammochroa* Boursin, 1954; *taishanensis* Boursin, 1954; *#radiata* Boursin, 1954
 44398) *Cryphia* (Bryoleuca) *petrea* (Guenée, 1852) (Noctuidae) Synonym(s): *petrea* Guenée, 1852
 44399) *Cryphia* (Bryoleuca) *petrea contristans* (Lederer, 1857) (Noctuidae) Synonym(s): *contristans* Lederer, 1857; *troughti* Wiltshire, 1956.
 44400) *Cryphia* (Bryoleuca) *petrea hoerhammeri* (Schawerda, 1928) (Noctuidae) Synonym(s): *hoerhammeri* Schawerda, 1928
 44401) *Cryphia* (Bryoleuca) *petrea petrea* (Guenée, 1852) (Noctuidae) Synonym(s): *petrea* Guenée, 1852
 44402) *Cryphia* (Bryoleuca) *petricolor* (Lederer, 1870) (Noctuidae) Synonym(s): *petricolor* Lederer, 1870; *iranica* Schwingenschuss, 1937; *#solimana* Draudt, 1937.
 44403) *Cryphia* (Bryoleuca) *petricolor petricolor* (Lederer, 1870) (Noctuidae) Synonym(s): *petricolor* Lederer, 1870; *iranica* Schwingenschuss, 1937; *#solimana* Draudt, 1937.
 44404) *Cryphia* (Bryoleuca) *pittawayi* Wiltshire, 1986 (Noctuidae) Synonym(s): *pittawayi* Wiltshire, 1986
 44405) *Cryphia* (Bryoleuca) *protracta* (Christoph, 1893) (Noctuidae) Synonym(s): *protracta* Christoph, 1893

- 44406) *Cryphia* (Bryoleuca) *raddei* Boursin, 1953 (Noctuidae) Synonym(s): *raddei* Boursin, 1953
- 44407) *Cryphia* (Bryoleuca) *raptricula* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller], 1775; *divisa* Esper, [1791]; *palliola* Borkhausen, 1792; *pomula* Borkhausen, 1792; *deceptricula* Hübner, [1803]; *carbonis* Freyer, 1849; *felina* Eversmann, 1852; *#striata* Staudinger, 1879; *#persica* Strand, 1915; *cretica* Reisser, 1962
- 44408) *Cryphia* (Bryoleuca) *raptricula raptricula* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller], 1775; *divisa* Esper, [1791]; *palliola* Borkhausen, 1792; *pomula* Borkhausen, 1792; *deceptricula* Hübner, [1803]; *carbonis* Freyer, 1849; *felina* Eversmann, 1852; *#striata* Staudinger, 1879; *#persica* Strand, 1915; *cretica* Reisser, 1962
- 44409) *Cryphia* (Bryoleuca) *ravula* (Hübner, [1813]) (Noctuidae) Synonym(s): *ravula* Hübner, [1813]; *lupula* Hübner, [1813]; *trogodyta* Freyer, 1832.
- 44410) *Cryphia* (Bryoleuca) *rectilinea* (W. Warren, 1909) (Noctuidae) Synonym(s): *rectilinea* W. Warren, 1909; *mediochracea* Bytinski-Salz, 1936; *insulicola* Reisser, 1962.
- 44411) *Cryphia* (Bryoleuca) *remanei* Heydemann & Schulte, 1963 (Noctuidae) Synonym(s): *remanei* Heydemann & Schulte, 1963
- 44412) *Cryphia* (Bryoleuca) *rueckbeili* Boursin, 1953 (Noctuidae) Synonym(s): *rueckbeili* Boursin, 1953
- 44413) *Cryphia* (Bryoleuca) *seladona* (Christoph, 1885) (Noctuidae) Synonym(s): *seladona* Christoph, 1885
- 44414) *Cryphia* (Bryoleuca) *seladona burgeffi* (Draudt, 1931) (Noctuidae) Synonym(s): *burgeffi* Draudt, 1931.
- 44415) *Cryphia* (Bryoleuca) *seladona seladona* (Christoph, 1885) (Noctuidae) Synonym(s): *seladona* Christoph, 1885
- 44416) *Cryphia* (Bryoleuca) *strobinoi* Dujardin, 1972 (Noctuidae) Synonym(s): *strobinoi* Dujardin, 1972
- 44417) *Cryphia* (Bryoleuca) *tephrocharis* Boursin, 1954 (Noctuidae) Synonym(s): *tephrocharis* Boursin, 1954
- 44418) *Cryphia* (Bryoleuca) *thamanea* (Hampson, 1908) (Noctuidae) Synonym(s): *thamanea* Hampson, 1908
- 44419) *Cryphia* (Bryoleuca) *trilinea* (Bethune-Baker, 1894) (Noctuidae) Synonym(s): *trilinea* Bethune-Baker, 1894
- 44420) *Cryphia* (Bryophila) *centralis* (Draudt, 1931) (Noctuidae) Synonym(s): *centralis* Draudt, 1931
- 44421) *Cryphia* (Bryophila) *domestica* (Hufnagel, 1766) (Noctuidae) Synonym(s): *domestica* Hufnagel, 1766; *perla* [Denis & Schiffermüller], 1775.
- 44422) *Cryphia* (Bryophila) *duskei* (Christoph, 1893) (Noctuidae) Synonym(s): *duskei* Christoph, 1893
- 44423) *Cryphia* (Bryophila) *eucharista* Boursin, 1960 (Noctuidae) Synonym(s): *iranica* Brandt, 1941 *nec* Schwing., 1937; *eucharista* Boursin, 1960.
- 44424) *Cryphia* (Bryophila) *felina* (Eversmann, 1852) (Noctuidae) Synonym(s): *felina* Eversmann, 1852
- 44425) *Cryphia* (Bryophila) *gigantea* Boursin, 1960 (Noctuidae) Synonym(s): *gigantea* Boursin, 1960
- 44426) *Cryphia* (Bryophila) *hampsoni* (Draudt, 1931) (Noctuidae) Synonym(s): *hampsoni* Draudt, 1931
- 44427) *Cryphia* (Bryophila) *harithya* Wiltshire, 1990 (Noctuidae) Synonym(s): *harithya* Wiltshire, 1990
- 44428) *Cryphia* (Bryophila) *hedygrapha* Boursin, 1963 (Noctuidae) Synonym(s): *hedygrapha* Boursin, 1963
- 44429) *Cryphia* (Bryophila) *icteritia* Boursin, 1960 (Noctuidae) Synonym(s): *icteritia* Boursin, 1960
- 44430) *Cryphia* (Bryophila) *icteritia paghmana* Boursin, 1963 (Noctuidae) Synonym(s): *paghmana* Boursin, 1963
- 44431) *Cryphia* (Bryophila) *idonea* (Christoph, 1893) (Noctuidae) Synonym(s): *idonea* Christoph, 1893; *taftana* Brandt, 1939.
- 44432) *Cryphia* (Bryophila) *klapperichi* Boursin, 1960 (Noctuidae) Synonym(s): *klapperichi* Boursin, 1960
- 44433) *Cryphia* (Bryophila) *maeonis* (Lederer, 1865) (Noctuidae) Synonym(s): *maeonis* Lederer, 1865; *rubellina* Staudinger, 1900; *sabulicolor* De Lattin, 1950.
- 44434) *Cryphia* (Bryophila) *maeonis maeonis* (Lederer, 1865) (Noctuidae) Synonym(s): *maeonis* Lederer, 1865; *praecana* Christoph, 1893; *rubellina* Staudinger, 1900; *sordida* Staudinger, 1900; *sabulosa* Warren, 1909.
- 44435) *Cryphia* (Bryophila) *miltophaea* (Hampson, 1908) (Noctuidae) Synonym(s): *miltophaea* Hampson, 1908
- 44436) *Cryphia* (Bryophila) *molybdea* Boursin, 1960 (Noctuidae) Synonym(s): *molybdea* Boursin, 1960
- 44437) *Cryphia* (Bryophila) *occidentalis* (Osthelder, 1933) (Noctuidae) Synonym(s): *occidentalis* Osthelder, 1933.
- 44438) *Cryphia* (Bryophila) *omotoi* Boursin, 1968 (Noctuidae) Synonym(s): *omotoi* Boursin, 1968
- 44439) *Cryphia* (Bryophila) *paulina* (Staudinger, 1892) (Noctuidae) Synonym(s): *paulina* Staudinger, 1892; *keltana* Amsel, 1933.
- 44440) *Cryphia* (Bryophila) *paulina fuscirena* Wiltshire, 1980 (Noctuidae) Synonym(s): *fuscirena* Wiltshire, 1980
- 44441) *Cryphia* (Bryophila) *paulina mizbilensis* Wiltshire, 1980 (Noctuidae) Synonym(s): *mizbilensis* Wiltshire, 1980
- 44442) *Cryphia* (Bryophila) *paulina paulina* (Staudinger, 1892) (Noctuidae) Synonym(s): *paulina* Staudinger, 1892; *keltana* Amsel, 1933.
- 44443) *Cryphia* (Bryophila) *plumbeola* (Staudinger, 1881) (Noctuidae) Synonym(s): *plumbeola* Staudinger, 1881
- 44444) *Cryphia* (Bryophila) *plumbina* (Draudt, 1931) (Noctuidae) Synonym(s): *plumbina* Draudt, 1931
- 44445) *Cryphia* (Bryophila) *salomonis* Boursin, 1954 (Noctuidae) Synonym(s): *salomonis* Boursin, 1954
- 44446) *Cryphia* (Bryophila) *sublitterata* (Filipjev, 1928) (Noctuidae) Synonym(s): *sublitterata* Filipjev, 1928; *albiceps* Draudt, 1931; *protecta* Draudt, 1931.
- 44447) *Cryphia* (Bryophila) *vandalusia* (Duponchel, 1842) (Noctuidae) Synonym(s): *vandalusia* Duponchel, 1842; *auberti* Boursin, 1952.
- 44448) *Cryphia* (Bryophila) *vilis* (Hampson, 1908) (Noctuidae) Synonym(s): *vilis* Hampson, 1908
- 44449) *Cryphia* (Bryophila) *zeta* Plante, 1991 (Noctuidae) Synonym(s): *zeta* Plante, 1991
- 44450) *Cryphia* (Bryopsis) *alfoqiya* Wiltshire, 1986 (Noctuidae) Synonym(s): *alfoqiya* Wiltshire, 1986
- 44451) *Cryphia* (Bryopsis) *amasina* (Draudt, 1931) (Noctuidae) Synonym(s): *amasina* Draudt, 1931
- 44452) *Cryphia* (Bryopsis) *muralis* (Forster, 1771) (Noctuidae) Synonym(s): *muralis* Forster, 1771; *lichenis* Fabricius, 1775; *glandifera* [Denis & Schiffermüller], 1775; *par* Hübner, [1813]; *viridior* Schawerda, 1932
- 44453) *Cryphia* (Euthales) *algae* (Fabricius, 1775) (Noctuidae) Synonym(s): *algae* Fabricius, 1775; *degener* [Denis & Schiffermüller], 1775; *alni* Fabricius, 1787; *calligrapha* Borkhausen, 1792; *mendacula* Hübner, [1813].
- 44454) *Cryphia* (Euthales) *ochsi* (Boursin, 1941) (Noctuidae) Synonym(s): *ochsi* Boursin, 1941; *#badiofasciata* Boursin, 1952
- 44455) *Cryphia* (Euthales) *pallida* (Bethune-Baker, 1894) (Noctuidae) Synonym(s): *pallida* Bethune-Baker, 1894
- 44456) *Cryphia* (Hymenocryptia) *modesta* (Moore, 1881) (Noctuidae) Synonym(s): *modesta* Moore, 1881
- 44457) *Cryphia* (Hymenocryptia) *pelidna* Boursin, 1968 (Noctuidae) Synonym(s): *pelidna* Boursin, 1968
- 44458) *Cryphia* (s.str.) *amygdalina* Boursin, 1963 (Noctuidae) Synonym(s): *amygdalina* Boursin, 1963
- 44459) *Cryphia* (s.str.) *arabtracula* Hacker, 2002 (Noctuidae) Synonym(s): *arabtracula* Hacker, 2002
- 44460) *Cryphia* (s.str.) *distincta* (Christoph, 1887) (Noctuidae) Synonym(s): *distincta* Christoph, 1887
- 44461) *Cryphia* (s.str.) *eberti* Boursin, 1961 (Noctuidae) Synonym(s): *eberti* Boursin, 1961
- 44462) *Cryphia* (s.str.) *eberti eva* Boursin, 1963 (Noctuidae) Synonym(s): *eva* Boursin, 1963
- 44463) *Cryphia* (s.str.) *fraudatricula* (Hübner, [1803]) (Noctuidae) Synonym(s): *fraudatricula* Hübner, [1803]
- 44464) *Cryphia* (s.str.) *omalosi* Svendsen & Fibiger, 1998 (Noctuidae) Synonym(s): *omalosi* Svendsen & Fibiger, 1998
- 44465) *Cryphia* (s.str.) *receptricula* (Hübner, [1803]) (Noctuidae) Synonym(s): *strigula* Borkhausen, 1792 *nec* Thunb., 1788; *receptricula* Hübner, [1803]; *stictica* Ménétriès, 1859.
- 44466) *Cryphia* (s.str.) *simulatricula* (Guenée, 1852) (Noctuidae) Synonym(s): *simulatricula* Guenée, 1852
- 44467) *Cryphia* (s.str.) *vartianica* Boursin, 1969 (Noctuidae) Synonym(s): *vartianica* Boursin, 1969
- 44468) *Cryphia* *deceptura* (Walker, 1865) (Noctuidae) Synonym(s): *deceptura* Walker, 1865
- 44469) *Cryphia* *fulvifusa* (Hampson, 1911) (Noctuidae) Synonym(s): *fulvifusa* Hampson, 1911
- 44470) *Cryphia* *gea* (Schawerda, 1934) (Noctuidae) Synonym(s): *gea* Schawerda, 1934
- 44471) *Cryphia* *leucomelaena* (Hampson, 1908) (Noctuidae) Synonym(s): *leucomelaena* Hampson, 1908
- 44472) *Crypsedra* *gemmea* (Treitschke, 1825) (Noctuidae) Synonym(s): *gemmea* Treitschke, 1825
- 44473) *Crypsotidia* *glauca* (Holland, 1897) (Noctuidae) Synonym(s): *glauca* Holland, 1897
- 44474) *Crypsotidia* *maculifera* (Staudinger, 1898) (Noctuidae) Synonym(s): *maculifera* Staudinger, 1898; *wollastoni* Rothschild, 1901; *voolastoni* Hampson, 1913; ? *maculata* Tams, 1926.
- 44475) *Crypsotidia* *mesosema* Hampson, 1913 (Noctuidae) Synonym(s): *mesosema* Hampson, 1913
- 44476) *Cryptastria* *fuscomarginata* (Bethune-Baker, 1906) (Noctuidae) Synonym(s): *fuscomarginata* Bethune-Baker, 1906; *#fuscomaculata* Kononenko & Pinratana, 2005
- 44477) *Cryptocala* *chardinyi* (Boisduval, 1829) (Noctuidae) Synonym(s): *chardinyi* Boisduval, 1829
- 44478) *Cryptothripa* *occulta* (Swinhoe, 1885) (Noctuidae) Synonym(s): *occulta* Swinhoe, 1885
- 44479) *Cryptothripa* *polythymnia* (Hampson, 1902) (Noctuidae) Synonym(s): *polythymnia* Hampson, 1902; *bifurcata* Gaede, 1939.
- 44480) *Csorbatype* *csorbai* (Hreblay & L. Ronkay, 1998) (Noctuidae) Synonym(s): *csorbai* Hreblay & L. Ronkay, 1998
- 44481) *Csorbatype* *informis* (Hreblay & L. Ronkay, 1998) (Noctuidae) Synonym(s): *informis* Hreblay & L. Ronkay, 1998
- 44482) *Csorbatype* *thailandica* Hreblay & L. Ronkay, 1999 (Noctuidae) Synonym(s): *thailandica* Hreblay & L. Ronkay, 1999
- 44483) *Ctenane* *labuana* (Swinhoe, 1904) (Noctuidae) Synonym(s): *labuana* Swinhoe, 1904
- 44484) *Ctenoceratoda* ? *chiklika* (Moore, 1878) (Noctuidae) Synonym(s): *chiklika* Moore, 1878

- 44485) *Ctenoceratoda juliannae* Varga,1992 (Noctuidae) Synonym(s): *juliannae* Varga,1992
 44486) *Ctenoceratoda longicornis* Graeser,1892 (Noctuidae) Synonym(s): *longicornis* Graeser,1892
 44487) *Ctenoceratoda lukhtanovi* Varga & Gyulai,1998 (Noctuidae) Synonym(s): *lukhtanovi* Varga & Gyulai,1998
 44488) *Ctenoceratoda stenocera* Varga & Gyulai,2002 (Noctuidae) Synonym(s): *stenocera* Varga & Gyulai,2002
 44489) *Ctenoceratoda sukharevae* (Varga,1974) (Noctuidae) Synonym(s): *sukharevae* Varga,1974
 44490) *Ctenoceratoda zetina* (Staudinger,1900) (Noctuidae) Synonym(s): *zetina* Staudinger,1900; *impia* Püngeler,1905; *desquamata* Filipjev,1928.
 44491) *Ctenoceratoda zetina rhodoptera* Varga,1992 (Noctuidae) Synonym(s): *rhodoptera* Varga,1992
 44492) *Ctenoplusia* (Acanthoplusia) *agnata* (Staudinger,1892) (Noctuidae) Synonym(s): *agnata* Staudinger,1892
 44493) *Ctenoplusia* (Acanthoplusia) *armata* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *armata* Behounek & L.Ronkay,1999
 44494) *Ctenoplusia* (Acanthoplusia) *dufayi* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *dufayi* Behounek & L.Ronkay,1999
 44495) *Ctenoplusia* (Acanthoplusia) *herbuloti* Dufay,1982 (Noctuidae) Synonym(s): *herbuloti* Dufay,1982
 44496) *Ctenoplusia* (Acanthoplusia) *javana* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *javana* Behounek & L.Ronkay,1999
 44497) *Ctenoplusia* (Acanthoplusia) *latistigma* (Prout,1922) (Noctuidae) Synonym(s): *latistigma* Prout,1922
 44498) *Ctenoplusia* (Acanthoplusia) *latistigma floresiana* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *floresiana* Behounek & L.Ronkay,1999
 44499) *Ctenoplusia* (Acanthoplusia) *latistigma sulawesiana* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *sulawesiana* Behounek & L.Ronkay,1999
 44500) *Ctenoplusia* (Acanthoplusia) *microptera* L.Ronkay,1989 (Noctuidae) Synonym(s): *microptera* L.Ronkay,1989
 44501) *Ctenoplusia* (s.str.) *placida tarassota* (Hampson,1913) (Noctuidae) Synonym(s): *confusa* Moore,1882 nec Stph.,1850; *tarassota* Hampson,1913
 44502) *Ctenoplusia* (s.str.) *aeneofusa* (Hampson,1894) (Noctuidae) Synonym(s): *aeneofusa* Hampson,1894
 44503) *Ctenoplusia* (s.str.) *albostrata* (Bremer & Grey,1853) (Noctuidae) Synonym(s): *albostrata* Bremer & Grey,1853; *subchalybaea* Walker,1865; *nubila* Moore,1887; *oxygramma* Hampson,1894; *transfixa* auct.
 44504) *Ctenoplusia* (s.str.) *furcifera* (Walker,1857) (Noctuidae) Synonym(s): *furcifera* Walker,1857; *babooni* Bethune-Baker,1906; *polisha* Strand,1920; *yunnanensis* Chou & Lu,1978
 44505) *Ctenoplusia* (s.str.) *kosempnensis* (Strand,1920) (Noctuidae) Synonym(s): *kosempnensis* Strand,1920
 44506) *Ctenoplusia* (s.str.) *limbirena* (Guenée,1852) (Noctuidae) Synonym(s): *limbirena* Guenée,1852
 44507) *Ctenoplusia* (s.str.) *placida* (Moore,1884) (Noctuidae) Synonym(s): *placida* Moore,1884
 44508) *Ctenoplusia* (s.str.) *placida sundicata* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *sundicata* Behounek & L.Ronkay,1999
 44509) *Ctenoplusia* (s.str.) *sumbawana* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *sumbawana* Behounek & L.Ronkay,1999
 44510) *Ctenusa curvilinea* Hampson,1913 (Noctuidae) Synonym(s): *curvilinea* Hampson,1913; *rectilinea* Fawcett,1916.
 44511) *Ctenusa pallida* (Hampson,1902) (Noctuidae) Synonym(s): *pallida* Hampson,1902; *carnicolor* Hampson,1902; *rufirena* Hampson,1910; *brevipecten* Hampson,1913.
 44512) *Ctenusa varians* (Wallengren,1863) (Noctuidae) Synonym(s): *marginalis* Walker,1858 (*praeocc.*); *variens* Wallengren,1863; *marginifera* Walker,1864; *pretoriae* Distant,1902; *seriopuncta* Hampson,1916
 44513) *Cucullia* (Shargacucullia) *armena* G.Ronkay & L.Ronkay,1986 (Noctuidae) Synonym(s): *armena* G.Ronkay & L.Ronkay,1986
 44514) *Cucullia* (Shargacucullia) *barthae* Boursin,1933 (Noctuidae) Synonym(s): *barthae* Boursin,1933
 44515) *Cucullia* (Shargacucullia) *blattariae* (Esper,[1790]) (Noctuidae) Synonym(s): *blattariae* Esper,[1790]
 44516) *Cucullia* (Shargacucullia) *caninae* (Rambur,1833) (Noctuidae) Synonym(s): *caninae* Rambur,1833
 44517) *Cucullia* (Shargacucullia) *erythrocephala* (Wagner,1914) (Noctuidae) Synonym(s): *erythrocephala* Wagner,1914
 44518) *Cucullia* (Shargacucullia) *falcata* G.Ronkay & L.Ronkay,1988 (Noctuidae) Synonym(s): *falcata* G.Ronkay & L.Ronkay,1988
 44519) *Cucullia* (Shargacucullia) *gozmanyi* G.Ronkay & L.Ronkay,1994 (Noctuidae) Synonym(s): *gozmanyi* G.Ronkay & L.Ronkay,1994
 44520) *Cucullia* (Shargacucullia) *lanceolata* (Villers,1789) (Noctuidae) Synonym(s): *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826
 44521) *Cucullia* (Shargacucullia) *lanceolata anceps* Staudinger,1881 (Noctuidae) Synonym(s): *anceps* Staudinger,1881
 44522) *Cucullia* (Shargacucullia) *lychnitis* (Rambur,1833) (Noctuidae) Synonym(s): *lychnitis* Rambur,1833
 44523) *Cucullia* (Shargacucullia) *lychnitis albicans* Wiltshire,1976 (Noctuidae) Synonym(s): *albescens* Wiltshire,1968 nec Mr.,1881; *albicans* Wiltshire,1976.
 44524) *Cucullia* (Shargacucullia) *osthelderi* Boursin,1933 (Noctuidae) Synonym(s): *osthelderi* Boursin,1933
 44525) *Cucullia* (Shargacucullia) *prenanthis* Boisduval,1840 (Noctuidae) Synonym(s): *prenanthis* Boisduval,1840; *ceramanthea* Freyer,1844.
 44526) *Cucullia* (Shargacucullia) *reisseri* (Boursin,1933) (Noctuidae) Synonym(s): *reisseri* Boursin,1933
 44527) *Cucullia* (Shargacucullia) *scrophulariae* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *scrophulariae* [Denis & Schiffermüller],1775; *rivulorum* Guenée,1852
 44528) *Cucullia* (Shargacucullia) *scrophulariphaga* (Rambur,1833) (Noctuidae) Synonym(s): *scrophulariphaga* Rambur,1833
 44529) *Cucullia* (Shargacucullia) *scrophulariphila* (Staudinger,1859) (Noctuidae) Synonym(s): *scrophulariphila* Staudinger,1859
 44530) *Cucullia* (Shargacucullia) *strigicosta* Boursin,1940 (Noctuidae) Synonym(s): *strigicosta* Boursin,1940
 44531) *Cucullia* (Shargacucullia) *verbasci* (Linnaeus,1758) (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911.
 44532) *Cucullia* (Shargacucullia) *zerkowitzi* Boursin,1934 (Noctuidae) Synonym(s): *zerkowitzi* Boursin,1934
 44533) *Cucullia* (s.str.) *absinthii* (Linnaeus,1761) (Noctuidae) Synonym(s): *absinthii* Linnaeus,1761; *punctigera* Hufnagel,1766; *clausa* Walker,1857
 44534) *Cucullia* (s.str.) *achilleae* Guenée,1852 (Noctuidae) Synonym(s): *achilleae* Guenée,1852
 44535) *Cucullia* (s.str.) *aksuana* Boursin,1941 (Noctuidae) Synonym(s): *aksuana* Draudt,1934; *aksuana* Boursin,1941
 44536) *Cucullia* (s.str.) *albifuscata* Janse,1939 (Noctuidae) Synonym(s): *albifuscata* Janse,1939
 44537) *Cucullia* (s.str.) *albilineata* Gaede,1934 (Noctuidae) Synonym(s): *albilineata* Gaede,1934
 44538) *Cucullia* (s.str.) *albipennis* Hampson,1894 (Noctuidae) Synonym(s): *albipennis* Hampson,1894
 44539) *Cucullia* (s.str.) *alpherakyi* Staudinger,1896 (Noctuidae) Synonym(s): *alpherakyi* Staudinger,1896
 44540) *Cucullia* (s.str.) *amota* Alpherakyi,1887 (Noctuidae) Synonym(s): *amota* Alpherakyi,1887
 44541) *Cucullia* (s.str.) *anifurca* (Goeze,1781) (Noctuidae) Synonym(s): *hlactuae* [Denis & Schiffermüller],1775; *anifurca* Goeze,1781.
 44542) *Cucullia* (s.str.) *anifurca anifurca* (Goeze,1781) (Noctuidae) Synonym(s): *hlactuae* [Denis & Schiffermüller],1775; *anifurca* Goeze,1781.
 44543) *Cucullia* (s.str.) *anifurca pustulata* Eversmann,1842 (Noctuidae) Synonym(s): *pustulata* Eversmann,1842
 44544) *Cucullia* (s.str.) *anthocharis* Boursin,1969 (Noctuidae) Synonym(s): *anthocharis* Boursin,1969
 44545) *Cucullia* (s.str.) *argentea* (Hufnagel,1766) (Noctuidae) Synonym(s): *argentea* Hufnagel,1766
 44546) *Cucullia* (s.str.) *argentea argentea* (Hufnagel,1766) (Noctuidae) Synonym(s): *argentea* Hufnagel,1766
 44547) *Cucullia* (s.str.) *argentea subcaerulea* Staudinger,1901 (Noctuidae) Synonym(s): *subcaerulea* Staudinger,1901
 44548) *Cucullia* (s.str.) *argentina* (Fabricius,1787) (Noctuidae) Synonym(s): *argentina* Fabricius,1787; *achalina* Püngeler,1900; *grisescens* Wagner,1931 nec Leech,1900; *anatoliensis* Koçak,1980.
 44549) *Cucullia* (s.str.) *argentivitta* (Hampson,1906) (Noctuidae) Synonym(s): *argentivitta* Hampson,1906
 44550) *Cucullia* (s.str.) *artemisiae* (Hufnagel,1766) (Noctuidae) Synonym(s): *artemisiae* Hufnagel,1766; *abrotani* [Denis & Schiffermüller],1775
 44551) *Cucullia* (s.str.) *artemisiae artemisiae* (Hufnagel,1766) (Noctuidae) Synonym(s): *artemisiae* Hufnagel,1766; *abrotani* [Denis & Schiffermüller],1775
 44552) *Cucullia* (s.str.) *asteris* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *asteris* [Denis & Schiffermüller],1775
 44553) *Cucullia* (s.str.) *atrimacula* Hampson,1909 (Noctuidae) Synonym(s): *atrimacula* Hampson,1909
 44554) *Cucullia* (s.str.) *balsamitae* Boisduval,1840 (Noctuidae) Synonym(s): *balsamitae* Boisduval,1840
 44555) *Cucullia* (s.str.) *balsamitae balsamitae* Boisduval,1840 (Noctuidae) Synonym(s): *balsamitae* Boisduval,1840
 44556) *Cucullia* (s.str.) *behouneki* Hacker & Ronkay,1988 (Noctuidae) Synonym(s): *behouneki* Hacker & Ronkay,1988
 44557) *Cucullia* (s.str.) *behouneki behouneki* Hacker & Ronkay,1988 (Noctuidae) Synonym(s): *behouneki* Hacker & Ronkay,1988
 44558) *Cucullia* (s.str.) *behouneki korsosi* Ronkay,1990 (Noctuidae) Synonym(s): *korsosi* Ronkay,1990
 44559) *Cucullia* (s.str.) *biornata* Fischer v. Waldheim,1840 (Noctuidae) Synonym(s): *biornata* Fischer v. Waldheim,1840
 44560) *Cucullia* (s.str.) *biskrana* Oberthür,1918 (Noctuidae) Synonym(s): *biskrana* Oberthür,1918
 44561) *Cucullia* (s.str.) *boryphora* Fischer v. Waldheim,1840 (Noctuidae) Synonym(s): *boryphora* Fischer & Waldheim,1840
 44562) *Cucullia* (s.str.) *brunnea* Hampson,1902 (Noctuidae) Synonym(s): *brunnea* Hampson,1902
 44563) *Cucullia* (s.str.) *bubaceki* Kitt,1925 (Noctuidae) Synonym(s): *bubaceki* Kitt,1925
 44564) *Cucullia* (s.str.) *calendulae* Treitschke,1835 (Noctuidae) Synonym(s): *calendulae* Treitschke,1835; *wredowi* Costa,[1836]; *leucanthemi* Rambur,1858; *dellabrunai* Berio,1980.
 44565) *Cucullia* (s.str.) *campanulae* Freyer,1831 (Noctuidae) Synonym(s): *campanulae* Freyer,1831
 44566) *Cucullia* (s.str.) *cemenelensis* Boursin,1923 (Noctuidae) Synonym(s): *cemenelensis* Boursin,1923

- 44567) *Cucullia* (s.str.) *chamomillae* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822].
- 44568) *Cucullia* (s.str.) *chamomillae chamomillae* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822].
- 44569) *Cucullia* (s.str.) *chamomillae hackeri* G.Ronkay & L.Ronkay,1987 (Noctuidae) Synonym(s): *hackeri* G.Ronkay & L.Ronkay,1987
- 44570) *Cucullia* (s.str.) *chrysota* Hampson,1902 (Noctuidae) Synonym(s): *chrysota* Hampson,1902
- 44571) *Cucullia* (s.str.) *cineracea* Freyer,1841 (Noctuidae) Synonym(s): *cineracea* Freyer,1841
- 44572) *Cucullia* (s.str.) *cineracea argyllacea* Hacker, G.Ronkay & L.Ronkay,1990 (Noctuidae) Synonym(s): *argyllacea* Hacker, G.Ronkay & L.Ronkay,1990
- 44573) *Cucullia* (s.str.) *cineracea cyanogrisea* Hacker, G.Ronkay & L.Ronkay,1990 (Noctuidae) Synonym(s): *cyanogrisea* Hacker, G.Ronkay & L.Ronkay,1990
- 44574) *Cucullia* (s.str.) *citella* G.Ronkay & L.Ronkay,1987 (Noctuidae) Synonym(s): *citella* G.Ronkay & L.Ronkay,1987
- 44575) *Cucullia* (s.str.) *clausa* Walker,1857 (Noctuidae) Synonym(s): *clausa* Walker,1857
- 44576) *Cucullia* (s.str.) *consimilis* R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): *consimilis* R.Felder & Rogenhofer,1874
- 44577) *Cucullia* (s.str.) *daedalis* Janse,1939 (Noctuidae) Synonym(s): *daedalis* Janse,1939; *daedalus* Janse,1939.
- 44578) *Cucullia* (s.str.) *defecta* Staudinger,1897 (Noctuidae) Synonym(s): *defecta* Staudinger,1897
- 44579) *Cucullia* (s.str.) *distinguenda* Staudinger,1892 (Noctuidae) Synonym(s): *distinguenda* Staudinger,1892
- 44580) *Cucullia* (s.str.) *dracunculi* (Hübner,[1813]) (Noctuidae) Synonym(s): *dracunculi* Hübner,[1813]; *incana* Eversmann,1842; *anthemidis* Guenée,1852; *linosyridis* Fuchs,1903.
- 44581) *Cucullia* (s.str.) *duplicata* Staudinger,1882 (Noctuidae) Synonym(s): *duplicata* Staudinger,1882
- 44582) *Cucullia* (s.str.) *duplicata thomasi* Hacker, G.Ronkay & L.Ronkay,1990 (Noctuidae) Synonym(s): *thomasi* Hacker, G.Ronkay & L.Ronkay,1990
- 44583) *Cucullia* (s.str.) *extricata* (Walker,1857) (Noctuidae) Synonym(s): *extricata* Walker,1857
- 44584) *Cucullia* (s.str.) *faucicola* Wiltshire,1943 (Noctuidae) Synonym(s): *faucicola* Wiltshire,1943
- 44585) *Cucullia* (s.str.) *formosa* Rogenhofer,1860 (Noctuidae) Synonym(s): *formosa* Rogenhofer,1860
- 44586) *Cucullia* (s.str.) *fraterna* Butler,1878 (Noctuidae) Synonym(s): *fraterna* Butler,1878
- 44587) *Cucullia* (s.str.) *fraudatrix* Eversmann,1837 (Noctuidae) Synonym(s): *fraudatrix* Eversmann,1837; *pontica* Boisduval,1840.
- 44588) *Cucullia* (s.str.) *fuchsiana* Eversmann,1842 (Noctuidae) Synonym(s): *fuchsiana* Eversmann,1842
- 44589) *Cucullia* (s.str.) *generosa* Staudinger,1899 (Noctuidae) Synonym(s): *generosa* Staudinger,1899
- 44590) *Cucullia* (s.str.) *gnaphalii* (Hübner,[1813]) (Noctuidae) Synonym(s): *gnaphalii* Hübner,[1813]; *occidentalis* Boursin,1945.
- 44591) *Cucullia* (s.str.) *graeseri* Püngeler,1901 (Noctuidae) Synonym(s): *graeseri* Püngeler,1901
- 44592) *Cucullia* (s.str.) *hartigi* G.Ronkay & L.Ronkay,1987 (Noctuidae) Synonym(s): *hartigi* G.Ronkay & L.Ronkay,1987
- 44593) *Cucullia* (s.str.) *heinickei* Boursin,1968 (Noctuidae) Synonym(s): *heinickei* Boursin,1968
- 44594) *Cucullia* (s.str.) *hemidiaphana* Graeser,1892 (Noctuidae) Synonym(s): *hemidiaphana* Graeser,1892
- 44595) *Cucullia* (s.str.) *hemidiaphana efflatouni* Wiltshire,1948 (Noctuidae) Synonym(s): *efflatouni* Wiltshire,1948
- 44596) *Cucullia* (s.str.) *hutchinsoni* Hampson,1902 (Noctuidae) Synonym(s): *hutchinsoni* Hampson,1902
- 44597) *Cucullia* (s.str.) *improba* Christoph,1885 (Noctuidae) Synonym(s): *improba* Christoph,1885; *leptographa* Reisser,1958
- 44598) *Cucullia* (s.str.) *improba improba* Christoph,1885 (Noctuidae) Synonym(s): *improba* Christoph,1885; *leptographa* Reisser,1958
- 44599) *Cucullia* (s.str.) *improba muelleri* Hacker,2001 (Noctuidae) Synonym(s): *muelleri* Hacker,2001
- 44600) *Cucullia* (s.str.) *inaequalis* Janse,1939 (Noctuidae) Synonym(s): *inaequalis* Janse,1939
- 44601) *Cucullia* (s.str.) *inderiensis* Herrich-Schäffer,[1856] (Noctuidae) Synonym(s): *inderiensis* Herrich-Schäffer,[1856]
- 44602) *Cucullia* (s.str.) *kasyi* Wiltshire,1976 (Noctuidae) Synonym(s): *kasyi* Wiltshire,1976
- 44603) *Cucullia* (s.str.) *khorrassana* Brandt,1941 (Noctuidae) Synonym(s): *khorrassana* Brandt,1941
- 44604) *Cucullia* (s.str.) *lactea* (Fabricius,1787) (Noctuidae) Synonym(s): *lactea* Fabricius,1787
- 44605) *Cucullia* (s.str.) *lampra* (Püngeler,1909) (Noctuidae) Synonym(s): *lampra* Püngeler,1909
- 44606) *Cucullia* (s.str.) *leptographa* Reisser,1958 (Noctuidae) Synonym(s): *leptographa* Reisser,1958
- 44607) *Cucullia* (s.str.) *leucopis* Hampson,1906 (Noctuidae) Synonym(s): *leucopis* Hampson,1906
- 44608) *Cucullia* (s.str.) *lindei* Heyne,1899 (Noctuidae) Synonym(s): *lindei* Heyne,1899
- 44609) *Cucullia* (s.str.) *lucifuga* (Hübner,[1803]) (Noctuidae) Synonym(s): *lucifuga* Hübner,[1803].
- 44610) *Cucullia* (s.str.) *macara* Rebel,1948 (Noctuidae) Synonym(s): *macara* Rebel,1948
- 44611) *Cucullia* (s.str.) *macara benderi* Boursin,1963 (Noctuidae) Synonym(s): *benderi* Boursin,1963
- 44612) *Cucullia* (s.str.) *macewani* Wiltshire,1949 (Noctuidae) Synonym(s): *macewani* Wiltshire,1949
- 44613) *Cucullia* (s.str.) *magnifica* Freyer,1839 (Noctuidae) Synonym(s): *magnifica* Freyer,1839
- 44614) *Cucullia* (s.str.) *maracandica* Staudinger,1888 (Noctuidae) Synonym(s): *maracandica* Staudinger,1888; *herzi* Alpheraky,1894.
- 44615) *Cucullia* (s.str.) *mediogrisea* W.Warren,1911 (Noctuidae) Synonym(s): *mediogrisea* W.Warren,1911
- 44616) *Cucullia* (s.str.) *minogenica* Rebel,1916 (Noctuidae) Synonym(s): *minogenica* Rebel,1916
- 44617) *Cucullia* (s.str.) *minuta* Möschler,1883 (Noctuidae) Synonym(s): *minuta* Möschler,1883
- 44618) *Cucullia* (s.str.) *mixta* Freyer,1841 (Noctuidae) Synonym(s): *mixta* Freyer,1841; *consors* Eversmann,1846
- 44619) *Cucullia* (s.str.) *mixta lucida* G.Ronkay & L.Ronkay,1987 (Noctuidae) Synonym(s): *lucida* G.Ronkay & L.Ronkay,1987
- 44620) *Cucullia* (s.str.) *naruenensis* Staudinger,1879 (Noctuidae) Synonym(s): *naruenensis* Staudinger,1879; *eumorpha* Alpheraky,[1894].
- 44621) *Cucullia* (s.str.) *nigrifascia* Hampson,1894 (Noctuidae) Synonym(s): *nigrifascia* Hampson,1894
- 44622) *Cucullia* (s.str.) *nigrilinea* Janse,1939 (Noctuidae) Synonym(s): *nigrilinea* Janse,1939
- 44623) *Cucullia* (s.str.) *nocturnalis* Gaede,1934 (Noctuidae) Synonym(s): *nocturnalis* Gaede,1934
- 44624) *Cucullia* (s.str.) *notodontina* Boursin,1934 (Noctuidae) Synonym(s): *notodontina* Boursin,1934
- 44625) *Cucullia* (s.str.) *oberthuri* (Culot,1909) (Noctuidae) Synonym(s): *oberthuri* Culot,1909
- 44626) *Cucullia* (s.str.) *opacographa* G.Ronkay & L.Ronkay,1986 (Noctuidae) Synonym(s): *opacographa* G.Ronkay & L.Ronkay,1986
- 44627) *Cucullia* (s.str.) *pallidicolor* Janse,1939 (Noctuidae) Synonym(s): *pallidicolor* Janse,1939
- 44628) *Cucullia* (s.str.) *pallidistria* R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): *pallidistria* R.Felder & Rogenhofer,1874
- 44629) *Cucullia* (s.str.) *perstriata* Hampson,1906 (Noctuidae) Synonym(s): *perstriata* Hampson,1906; *simplex* Gaede,1934.
- 44630) *Cucullia* (s.str.) *petrophila* G.Ronkay & L.Ronkay,1998 (Noctuidae) Synonym(s): *petrophila* G.Ronkay & L.Ronkay,1998
- 44631) *Cucullia* (s.str.) *pittawayi* Wiltshire,1986 (Noctuidae) Synonym(s): *pittawayi* Wiltshire,1986
- 44632) *Cucullia* (s.str.) *platti* Prout,1925 (Noctuidae) Synonym(s): *platti* Prout,1925
- 44633) *Cucullia* (s.str.) *praecana* Eversmann,1843 (Noctuidae) Synonym(s): *praecana* Eversmann,1843
- 44634) *Cucullia* (s.str.) *propinqua* Eversmann,1842 (Noctuidae) Synonym(s): *propinqua* Eversmann,1842
- 44635) *Cucullia* (s.str.) *pullata* (Moore,1881) (Noctuidae) Synonym(s): *pullata* Moore,1881
- 44636) *Cucullia* (s.str.) *pusilla* Möschler,1883 (Noctuidae) Synonym(s): *pusilla* Möschler,1883
- 44637) *Cucullia* (s.str.) *pyrostroma* (Hampson,1906) (Noctuidae) Synonym(s): *pyrostroma* Hampson,1906
- 44638) *Cucullia* (s.str.) *resecta* Püngeler,1901 (Noctuidae) Synonym(s): *resecta* Püngeler,1901
- 44639) *Cucullia* (s.str.) *resectina* G.Ronkay & L.Ronkay,1987 (Noctuidae) Synonym(s): *resectina* G.Ronkay & L.Ronkay,1987
- 44640) *Cucullia* (s.str.) *ronkayi* Hacker & Pinker,1987 (Noctuidae) Synonym(s): *ronkayi* Hacker & Pinker,1987
- 44641) *Cucullia* (s.str.) *ruptifascia* (Hampson,1909) (Noctuidae) Synonym(s): *ruptifascia* Hampson,1909
- 44642) *Cucullia* (s.str.) *sabulosa* Staudinger,1879 (Noctuidae) Synonym(s): *sabulosa* Staudinger,1879
- 44643) *Cucullia* (s.str.) *santolinae* Rambur,1834 (Noctuidae) Synonym(s): *santolinae* Rambur,1834
- 44644) *Cucullia* (s.str.) *santolinae amaenissima* Oberthür,1918 (Noctuidae) Synonym(s): *amaenissima* Oberthür,1918; *judaorum* Strand,1915; *judaorum* Wiltshire,1948.
- 44645) *Cucullia* (s.str.) *santolinae caucasica* Sohn-Rethel,1929 (Noctuidae) Synonym(s): *caucasica* Sohn-Rethel,1929
- 44646) *Cucullia* (s.str.) *santolinae pallidicriptae* G.Ronkay & L.Ronkay,1987 (Noctuidae) Synonym(s): *pallidicriptae* G.Ronkay & L.Ronkay,1987
- 44647) *Cucullia* (s.str.) *santonici* (Hübner,[1813]) (Noctuidae) Synonym(s): *santonici* Hübner,[1813]
- 44648) *Cucullia* (s.str.) *scopariae* Dorfmeister,1853 (Noctuidae) Synonym(s): *scopariae* Dorfmeister,1853
- 44649) *Cucullia* (s.str.) *spectabilisoides* Poole,1989 (Noctuidae) Synonym(s): *spectabilisoides* Poole,1989
- 44650) *Cucullia* (s.str.) *splendida* (Stoll,1782) (Noctuidae) Synonym(s): *splendida* Stoll,1782
- 44651) *Cucullia* (s.str.) *stigmatophora* Hampson,1894 (Noctuidae) Synonym(s): *stigmatophora* Hampson,1894

- 44652) *Cucullia* (s.str.) *sublutea* Graeser, 1892 (Noctuidae) Synonym(s): *sublutea* Graeser, 1892
 44653) *Cucullia* (s.str.) *tanacetii* (Goeze, 1781) (Noctuidae) Synonym(s): *tanacetii* Goeze, 1781
 44654) *Cucullia* (s.str.) *tecca* Püngeler, 1906 (Noctuidae) Synonym(s): *tecca* Püngeler, 1906
 44655) *Cucullia* (s.str.) *terensis* R.Felder & Rogenhofer, 1874 (Noctuidae) Synonym(s): *terensis* R.Felder & Rogenhofer, 1874; *africana* Aurivillius, 1879
 44656) *Cucullia* (s.str.) *tescorum* Püngeler, 1909 (Noctuidae) Synonym(s): *tescorum* Püngeler, 1909
 44657) *Cucullia* (s.str.) *tiefi* Tshetverikov, 1956 (Noctuidae) Synonym(s): *tiefi* Tshetverikov, 1956
 44658) *Cucullia* (s.str.) *tristis* Boursin, 1934 (Noctuidae) Synonym(s): *tristis* Boursin, 1934; *amoena* Staudinger, 1900.
 44659) *Cucullia* (s.str.) *tropicarabica* Wiltshire, 1949 (Noctuidae) Synonym(s): *tropicarabica* Wiltshire, 1949
 44660) *Cucullia* (s.str.) *turkestana* G.Ronkay & L.Ronkay, 1987 (Noctuidae) Synonym(s): *turkestana* G.Ronkay & L.Ronkay, 1987
 44661) *Cucullia* (s.str.) *umbratica* (Linnaeus, 1758) (Noctuidae) Synonym(s): *umbratica* Linnaeus, 1758; *sonchi* Heinemann, 1859.
 44662) *Cucullia* (s.str.) *umbratica* *clarior* Fuchs, 1904 (Noctuidae) Synonym(s): *clarior* Fuchs, 1904
 44663) *Cucullia* (s.str.) *umbratica* *umbratica* (Linnaeus, 1758) (Noctuidae) Synonym(s): *umbratica* Linnaeus, 1758; *sonchi* Heinemann, 1859.
 44664) *Cucullia* (s.str.) *umbristriga* Alpheraky, 1892 (Noctuidae) Synonym(s): *umbristriga* Alpheraky, 1892
 44665) *Cucullia* (s.str.) *vicina* A.Bang-Haas, 1912 (Noctuidae) Synonym(s): *vicina* A.Bang-Haas, 1912
 44666) *Cucullia* (s.str.) *virgaureae* Boisduval, 1840 (Noctuidae) Synonym(s): *virgaureae* Boisduval, 1840
 44667) *Cucullia* (s.str.) *virgaureae* *virgaureae* Boisduval, 1840 (Noctuidae) Synonym(s): *virgaureae* Boisduval, 1840
 44668) *Cucullia* (s.str.) *xeranthemi* Boisduval, 1840 (Noctuidae) Synonym(s): *xeranthemi* Boisduval, 1840
 44669) *Cucullia* (s.str.) *xerophila* Ronkay & Ronkay, 1998 (Noctuidae) Synonym(s): *xerophila* Ronkay & Ronkay, 1998
 44670) *Cucullia* (s.str.) *xylophana* Boursin, 1934 (Noctuidae) Synonym(s): *xylophana* Boursin, 1934
 44671) *Cultripalpa* *lunulifera* Hampson, 1926 (Noctuidae) Synonym(s): *lunulifera* Hampson, 1926
 44672) *Cultripalpa* *partita* Guenée, 1852 (Noctuidae) Synonym(s): *partita* Guenée, 1852
 44673) *Cuneisigna* *cumamita* (Bethune-Baker, 1911) (Noctuidae) Synonym(s):
 44674) *Cuneisigna* *obstans* (Walker, 1858) (Noctuidae) Synonym(s): *obstans* Walker, 1858
 44675) *Cuneisigna* *rivulata* (Hampson, 1902) (Noctuidae) Synonym(s): *rivulata* Hampson, 1902
 44676) *Cyclodes* *omma* (Hoeven, 1840) (Noctuidae) Synonym(s): *omma* Hoeven, 1840; *replenens* Walker, 1858
 44677) *Cyclopera* *bucephalidia* (Hampson, 1902) (Noctuidae) Synonym(s): *bucephalidia* Hampson, 1902
 44678) *Cyclopera* *galactiplaga* (Hampson, 1902) (Noctuidae) Synonym(s): *galactiplaga* Hampson, 1902
 44679) *Cyclopera* *similis* (Hampson, 1902) (Noctuidae) Synonym(s): *similis* Hampson, 1902
 44680) *Cyligramma* *fluctuosa* (Drury, 1773) (Noctuidae) Synonym(s): *fluctuosa* Drury, 1773; *rudilinea* Walker, 1858
 44681) *Cyligramma* *latona* (Cramer, 1775) (Noctuidae) Synonym(s): *latona* Cramer, 1775; *troglodyta* Fabricius, 1794.
 44682) *Cyligramma* *limacina* (Guérin-Ménéville, [1832]) (Noctuidae) Synonym(s): *limacina* Guérin-Ménéville, [1832]
 44683) *Cyligramma* *magus* (Guérin-Ménéville, [1844]) (Noctuidae) Synonym(s): *magus* Guérin-Ménéville, [1844]
 44684) *Cymatophoropsis* *dubernardi* (Houlbert, 1921) (Noctuidae) Synonym(s): *dubernardi* Houlbert, 1921
 44685) *Cymatophoropsis* *expansa* (Houlbert, 1921) (Noctuidae) Synonym(s): *expansa* Houlbert, 1921
 44686) *Cymatophoropsis* *heurippa* (Druce, 1889) (Noctuidae) Synonym(s): *heurippa* Druce, 1889
 44687) *Cymatophoropsis* *sinuata* (Moore, 1879) (Noctuidae) Synonym(s): *sinuata* Moore, 1879; *confluens* Moore, 1882
 44688) *Cymatophoropsis* *trimaculata* (Bremer, 1861) (Noctuidae) Synonym(s): *trimaculata* Bremer, 1861; *formosana* Matsumura, 1927; *tripunctata* O.Bang-Haas, 1927
 44689) *Cymatophoropsis* *unca* (Houlbert, 1921) (Noctuidae) Synonym(s): *unca* Houlbert, 1921
 44690) *Cymodegma* *buxtoni* Tams, 1935 (Noctuidae) Synonym(s): *buxtoni* Tams, 1935
 44691) *Cyrebia* *adili* (Koçak, 1987) (Noctuidae) Synonym(s): *adili* Koçak, 1987
 44692) *Cyrebia* *anachoreta* (Herrich-Schäffer, [1851]) (Noctuidae) Synonym(s): *anachoreta* Herrich-Schäffer, [1851]; *niesiolowskii* Koçak, 1987
 44693) *Cyrebia* *anachoreta* *anachoreta* (Herrich-Schäffer, 1851) (Noctuidae) Synonym(s): *anachoreta* Herrich-Schäffer, [1851]; *niesiolowskii* Koçak, 1987; *taurica* Hacker, 1996
 44694) *Cyrebia* *anachoreta* *forsteri* Sheljuzhko, 1955 (Noctuidae) Synonym(s): *forsteri* Sheljuzhko, 1955
 44695) *Cyrebia* *luperinoides* Guenée, 1852 (Noctuidae) Synonym(s): *luperinoides* Guenée, 1852
 44696) *Cyrtomyia* *absita* (R.Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *absita* R.Felder & Rogenhofer, 1874; *#obsita* Hampson, 1902.
 44697) *Dactyloplusia* *hedysma* (De Joannis, 1929) (Noctuidae) Synonym(s): *hedysma* De Joannis, 1929; *scelonis* Chou & Lu, 1980
 44698) *Dactyloplusia* *impulsa* (Walker, 1865) (Noctuidae) Synonym(s): *impulsa* Walker, 1865
 44699) *Dactyloplusia* *mutans* (Walker, 1865) (Noctuidae) Synonym(s): *mutans* Walker, 1865; *hedysma* De Joannis, 1929; *celionis* Chou & Lu, 1979
 44700) *Daddala* *brevicauda* (Wileman & South, 1921) (Noctuidae) Synonym(s): *brevicauda* Wileman & South, 1921
 44701) *Daddala* *lucilla* (Butler, 1881) (Noctuidae) Synonym(s): *lucilla* Butler, 1881; *obscurata* Butler, 1881
 44702) *Daddala* *microdesma* (Prout, 1928) (Noctuidae) Synonym(s): *microdesma* Prout, 1928; *microdesma* Berio, 1958
 44703) *Daddala* *quadrisignata* Walker, 1865 (Noctuidae) Synonym(s): *quadrisignata* Walker, 1865; *replicata* R.Felder & Rogenhofer, 1874; *apicalis* Butler, 1881; *floccosa* Moore, 1882; *plana* Moore, 1882
 44704) *Daona* *lactea* Swinhoe, 1884 (Noctuidae) Synonym(s): *lactea* Swinhoe, 1884
 44705) *Daona* *mansueta* Walker, 1864 (Noctuidae) Synonym(s): *mansueta* Walker, 1864; *digramma* Walker, [1866]; *erubescens* Walker, [1866]; *scitula* Walker, 1866
 44706) *Daseuplexia* *argillosa* (Boursin, 1940) (Noctuidae) Synonym(s): *argillosa* Boursin, 1940
 44707) *Daseuplexia* *boursini* (Rungs, 1967) (Noctuidae) Synonym(s): *boursini* Rungs, 1967
 44708) *Daseuplexia* *brevipennata* Hreblay, Peregovits & L.Ronkay, 1999 (Noctuidae) Synonym(s): *brevipennata* Hreblay, Peregovits & L.Ronkay, 1999
 44709) *Daseutype* *porphyrea* Hreblay, Peregovits & L.Ronkay, 1999 (Noctuidae) Synonym(s): *porphyrea* Hreblay, Peregovits & L.Ronkay, 1999
 44710) *Dasypolia* (Auropolia) *ronkaygabori* Hreblay & L.Ronkay, 1999 (Noctuidae) Synonym(s): *ronkaygabori* Hreblay & L.Ronkay, 1999
 44711) *Dasypolia* (Cteipolia) *isotima* Püngeler, 1914 (Noctuidae) Synonym(s): *isotima* Püngeler, 1914
 44712) *Dasypolia* (Cteipolia) *sacelli* Staudinger, 1896 (Noctuidae) Synonym(s): *sacelli* Staudinger, 1896
 44713) *Dasypolia* (Dasymixis) *diva* L.Ronkay & Varga, 1990 (Noctuidae) Synonym(s): *diva* L.Ronkay & Varga, 1990
 44714) *Dasypolia* (Dasymixis) *echinata* Hreblay & L.Ronkay, 1998 (Noctuidae) Synonym(s): *echinata* Hreblay & L.Ronkay, 1998
 44715) *Dasypolia* (Dasymixis) *jumla* Hreblay & L.Ronkay, 1999 (Noctuidae) Synonym(s): *jumla* Hreblay & L.Ronkay, 1999
 44716) *Dasypolia* (Dasymixis) *leucocera* (Hampson, 1894) (Noctuidae) Synonym(s): *leucocera* Hampson, 1894
 44717) *Dasypolia* (Dasymixis) *magnifica* Hacker & Peks, 1992 (Noctuidae) Synonym(s): *magnifica* Hacker & Peks, 1992
 44718) *Dasypolia* (Dasymixis) *orogena* Hreblay & L.Ronkay, 1995 (Noctuidae) Synonym(s): *orogena* Hreblay & L.Ronkay, 1995
 44719) *Dasypolia* (Dasymixis) *tinsangla* Hreblay & L.Ronkay, 1999 (Noctuidae) Synonym(s): *tinsangla* Hreblay & L.Ronkay, 1999
 44720) *Dasypolia* (Dasymixis) *yeti* Hacker & Peks, 1992 (Noctuidae) Synonym(s): *yeti* Hacker & Peks, 1992
 44721) *Dasypolia* (Dasythorax) *anartina* (Püngeler, 1901) (Noctuidae) Synonym(s): *anartinus* Püngeler, 1901
 44722) *Dasypolia* (Dasythorax) *monotona* Gyulai & L.Ronkay, 1995 (Noctuidae) Synonym(s): *monotona* Gyulai & L.Ronkay, 1995
 44723) *Dasypolia* (Dasythorax) *poliana* (Staudinger, 1889) (Noctuidae) Synonym(s): *polianus* Staudinger, 1889
 44724) *Dasypolia* (Dasythorax) *puengeleri* Hacker & Peks, 1992 (Noctuidae) Synonym(s): *puengeleri* Hacker & Peks, 1992
 44725) *Dasypolia* (Sinipolia) *acrophila* (Hampson, 1906) (Noctuidae) Synonym(s): *acrophila* Hampson, 1906
 44726) *Dasypolia* (Sinipolia) *honeyi* L.Ronkay & Zilli, 1992 (Noctuidae) Synonym(s): *honeyi* L.Ronkay & Zilli, 1992
 44727) *Dasypolia* (Sinipolia) *lithophila* (Kapur, 1962) (Noctuidae) Synonym(s): *lithophila* Kapur, 1962
 44728) *Dasypolia* (Sinipolia) *vignai* L.Ronkay & Zilli, 1992 (Noctuidae) Synonym(s): *vignai* L.Ronkay & Zilli, 1992
 44729) *Dasypolia* (Tschetwerikovia) *eberti* Boursin, 1968 (Noctuidae) Synonym(s): *eberti* Boursin, 1968
 44730) *Dasypolia* (Tschetwerikovia) *eberti* *eucraspeda* Boursin, 1968 (Noctuidae) Synonym(s): *eucraspeda* Boursin, 1968
 44731) *Dasypolia* (Tschetwerikovia) *rbjabeti* (Bundel, 1966) (Noctuidae) Synonym(s): *rbjabeti* Bundel, 1966
 44732) *Dasypolia* (s.str.) *afghana* Boursin, 1968 (Noctuidae) Synonym(s): *afghana* Boursin, 1968
 44733) *Dasypolia* (s.str.) *akbar* Boursin, 1968 (Noctuidae) Synonym(s): *akbar* Boursin, 1968
 44734) *Dasypolia* (s.str.) *altissima* Hacker & Moberg, 1988 (Noctuidae) Synonym(s): *altissima* Hacker & Moberg, 1988
 44735) *Dasypolia* (s.str.) *atrox* Hacker & Peks, 1992 (Noctuidae) Synonym(s): *atrox* Hacker & Peks, 1992
 44736) *Dasypolia* (s.str.) *bicolor* Hreblay & L.Ronkay, 1995 (Noctuidae) Synonym(s): *bicolor* Hreblay & L.Ronkay, 1995
 44737) *Dasypolia* (s.str.) *conistroides* Hreblay & L.Ronkay, 1995 (Noctuidae) Synonym(s): *conistroides* Hreblay & L.Ronkay, 1995

- 44738) *Dasytopia* (s.str.) *delineata* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *delineata* Hreblay & L.Ronkay,1998
 44739) *Dasytopia* (s.str.) *dichroa* L.Ronkay & Varga,1985 (Noctuidae) Synonym(s): *dichroa* L.Ronkay & Varga,1985
 44740) *Dasytopia* (s.str.) *dichroa* *dichroa* L.Ronkay & Varga,1985 (Noctuidae) Synonym(s): *dichroa* L.Ronkay & Varga,1985
 44741) *Dasytopia* (s.str.) *episcopalis* Boursin,1967 (Noctuidae) Synonym(s): *episcopalis* Boursin,1967
 44742) *Dasytopia* (s.str.) *esseri* Fibiger,1993 (Noctuidae) Synonym(s): *esseri* Fibiger,1993
 44743) *Dasytopia* (s.str.) *exprimata* Staudinger,1896 (Noctuidae) Synonym(s): *exprimata* Staudinger,1896
 44744) *Dasytopia* (s.str.) *fani* Staudinger,1892 (Noctuidae) Synonym(s): *fani* Staudinger,1892; *lama* Staudinger,1896; *asiatica* Alpheraky,1897; *ogasawarae* Matsumura,1931.
 44745) *Dasytopia* (s.str.) *ferdinandi* Rühl,1892 (Noctuidae) Synonym(s): *ferdinandi* Rühl,1892
 44746) *Dasytopia* (s.str.) *ferdinandi* *ferdinandi* Rühl,1892 (Noctuidae) Synonym(s): *ferdinandi* Rühl,1892
 44747) *Dasytopia* (s.str.) *ferdinandi* *libanotica* Draudt,1933 (Noctuidae) Synonym(s): *libanotica* Draudt,1933
 44748) *Dasytopia* (s.str.) *ferdinandi* *transcaucasica* L.Ronkay & Varga,1985 (Noctuidae) Synonym(s): *transcaucasica* L.Ronkay & Varga,1985
 44749) *Dasytopia* (s.str.) *fibigeri* Hacker & Moberg,1988 (Noctuidae) Synonym(s): *fibigeri* Hacker & Moberg,1988
 44750) *Dasytopia* (s.str.) *fugitiva* Hacker & Peks,1992 (Noctuidae) Synonym(s): *fugitiva* Hacker & Peks,1992
 44751) *Dasytopia* (s.str.) *gerbillus* Alpheraky,1892 (Noctuidae) Synonym(s): *gerbillus* Alpheraky,1892
 44752) *Dasytopia* (s.str.) *grisea* Moore,1882 (Noctuidae) Synonym(s): *grisea* Moore,1882
 44753) *Dasytopia* (s.str.) *haroldi* Rungs,1950 (Noctuidae) Synonym(s): *haroldi* Rungs,1950
 44754) *Dasytopia* (s.str.) *informis* (Walker,[1857]) (Noctuidae) Synonym(s): *informis* Walker,[1857]
 44755) *Dasytopia* (s.str.) *ipaykala* L.Ronkay, Varga & Hreblay,1998 (Noctuidae) Synonym(s): *ipaykala* L.Ronkay, Varga & Hreblay,1998
 44756) *Dasytopia* (s.str.) *khangari* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *khangari* Hreblay & L.Ronkay,1999
 44757) *Dasytopia* (s.str.) *laeta* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *laeta* Hreblay & L.Ronkay,1999
 44758) *Dasytopia* (s.str.) *lama* Staudinger,1897 (Noctuidae) Synonym(s): *lama* Staudinger,1897
 44759) *Dasytopia* (s.str.) *leptographa* Hreblay & L.Ronkay,1995 (Noctuidae) Synonym(s): *leptographa* Hreblay & L.Ronkay,1995
 44760) *Dasytopia* (s.str.) *melancholica* Hacker & Peks,1992 (Noctuidae) Synonym(s): *melancholica* Hacker & Peks,1992
 44761) *Dasytopia* (s.str.) *minuta* L.Ronkay, Varga & Behounek,1991 (Noctuidae) Synonym(s): *minuta* L.Ronkay, Varga & Behounek,1991
 44762) *Dasytopia* (s.str.) *monogramma* Hreblay & L.Ronkay,1995 (Noctuidae) Synonym(s): *monogramma* Hreblay & L.Ronkay,1995
 44763) *Dasytopia* (s.str.) *nebulosa* L.Ronkay, Varga & Hreblay,1998 (Noctuidae) Synonym(s): *nebulosa* L.Ronkay, Varga & Hreblay,1998
 44764) *Dasytopia* (s.str.) *obsoleta* Hreblay & L.Ronkay,1995 (Noctuidae) Synonym(s): *obsoleta* Hreblay & L.Ronkay,1995
 44765) *Dasytopia* (s.str.) *owadai* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *owadai* Hreblay & L.Ronkay,1998
 44766) *Dasytopia* (s.str.) *peksi* Hacker,1992 (Noctuidae) Synonym(s): *peksi* Hacker,1992
 44767) *Dasytopia* (s.str.) *picurka* Hreblay & L.Ronkay,1995 (Noctuidae) Synonym(s): *picurka* Hreblay & L.Ronkay,1995
 44768) *Dasytopia* (s.str.) *psathyra* Boursin,1968 (Noctuidae) Synonym(s): *psathyra* Boursin,1968
 44769) *Dasytopia* (s.str.) *rufatrox* Hreblay & L.Ronkay,1995 (Noctuidae) Synonym(s): *rufatrox* Hreblay & L.Ronkay,1995
 44770) *Dasytopia* (s.str.) *sherpa* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *sherpa* Hreblay & L.Ronkay,1999
 44771) *Dasytopia* (s.str.) *shugnana* Varga,1982 (Noctuidae) Synonym(s): *shugnana* Varga,1982
 44772) *Dasytopia* (s.str.) *simillima* Hacker & Peks,1992 (Noctuidae) Synonym(s): *simillima* Hacker & Peks,1992
 44773) *Dasytopia* (s.str.) *templi* (Thunberg,1792) (Noctuidae) Synonym(s): *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909.
 44774) *Dasytopia* (s.str.) *templi* *anatolica* Hacker,1990 (Noctuidae) Synonym(s): *anatolica* Hacker,1990
 44775) *Dasytopia* (s.str.) *templi* *armeniaca* L.Ronkay & Varga,1985 (Noctuidae) Synonym(s): *armeniaca* L.Ronkay & Varga,1985
 44776) *Dasytopia* (s.str.) *templi* *centralasiae* Hacker,1992 (Noctuidae) Synonym(s): *centralasiae* Hacker,1992
 44777) *Dasytopia* (s.str.) *templi* *hortensis* L.Ronkay & Varga (Noctuidae) Synonym(s): *hortensis* L.Ronkay & Varga
 44778) *Dasytopia* (s.str.) *templi* *koenigi* L.Ronkay & Varga,1986 (Noctuidae) Synonym(s): *koenigi* L.Ronkay & Varga,1986
 44779) *Dasytopia* (s.str.) *templi* *templi* (Thunberg,1792) (Noctuidae) Synonym(s): *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909.
 44780) *Dasytopia* (s.str.) *templi* *vecchimontium* L.Ronkay & Varga,1985 (Noctuidae) Synonym(s): *vecchimontium* L.Ronkay & Varga,1985
 44781) *Dasytopia* (s.str.) *tsheringi* Hreblay & L.Ronkay,1995 (Noctuidae) Synonym(s): *tsheringi* Hreblay & L.Ronkay,1995
 44782) *Dasytopia* (s.str.) *ursina* Hreblay & L.Ronkay,1995 (Noctuidae) Synonym(s): *ursina* Hreblay & L.Ronkay,1995
 44783) *Dasytopia* (s.str.) *vargai* Plante,1992 (Noctuidae) Synonym(s): *vargai* Plante,1992
 44784) *Dasytopia* (s.str.) *vera* L.Ronkay & Szaboky,1995 (Noctuidae) Synonym(s): *vera* L.Ronkay & Szaboky,1995
 44785) *Dasytopia* *glaciale* Boursin,1940 (Noctuidae) Synonym(s): *glaciale* Boursin,1940
 44786) *Dasytopia* *glaux* Draudt,1934 (Noctuidae) Synonym(s): *glaux* Draudt,1934
 44787) *Dasytopia* *tibetanum* Staudinger,1896 (Noctuidae) Synonym(s): *tibetanum* Staudinger,1896
 44788) *Deinopa* *flavida* Hampson,1926 (Noctuidae) Synonym(s): *flavida* Hampson,1926
 44789) *Deltote* *bankiana* (Fabricius,1775) (Noctuidae) Synonym(s): *bankiana* Fabricius,1775; *olivana* [Denis & Schiffermüller],1775; *olivea* Hübner,[1813]; *amurula* Staudinger,1892; *albescens* Draudt,1935; *uniformis* Draudt,1935.
 44790) *Deltote* *blandula* (Guenée,1863) (Noctuidae) Synonym(s): *blandula* Guenée,1863
 44791) *Deltote* *delicatula* (Christoph,1882) (Noctuidae) Synonym(s): *delicatula* Christoph,1882
 44792) *Deltote* *iranica* (Kotzsch,1940) (Noctuidae) Synonym(s): *iranica* Kotzsch,1940
 44793) *Deltote* *mianoides* (Hampson,1893) (Noctuidae) Synonym(s): *mianoides* Hampson,1893
 44794) *Deltote* *uncula* (Clerck,1759) (Noctuidae) Synonym(s): *uncula* Clerck,1759
 44795) *Desertoplusia* *bella* (Christoph,1887) (Noctuidae) Synonym(s): *bella* Christoph,1887
 44796) *Desertoplusia* *colornata* Varga & L.Ronkay,1991 (Noctuidae) Synonym(s): *bella* auct. nec Chr.,1887; *colornata* Varga & L.Ronkay,1991; *#colornata* Hacker,1992
 44797) *Desertoplusia* *paghmana* (Wiltshire,1971) (Noctuidae) Synonym(s): *paghmana* Wiltshire,1971; *paupera* Wiltshire,1971.
 44798) *Detounda* *spurcata* Walker,1864 (Noctuidae) Synonym(s): *spurcata* Walker,1864; *acypera* Hampson,1905
 44799) *Diachrysia* *chrysis* (Linnaeus,1758) (Noctuidae) Synonym(s): *chrysis* Linnaeus,1758
 44800) *Diachrysia* *chrysis* *chrysis* (Linnaeus,1758) (Noctuidae) Synonym(s): *chrysis* Linnaeus,1758
 44801) *Diachrysia* *chrysis* *generosa* (Staudinger,1900) (Noctuidae) Synonym(s): *generosa* Staudinger,1900
 44802) *Diachrysia* *chryson* (Esper,[1789]) (Noctuidae) Synonym(s): *chryson* Esper,[1789]; *aerifera* Sowerby,1805
 44803) *Diachrysia* *nadeja* (Oberthür,1880) (Noctuidae) Synonym(s): *nadeja* Oberthür,1880
 44804) *Diachrysia* *tutti* (Kostrowicki,1961) (Noctuidae) Synonym(s): *tutti* Kostrowicki,1961
 44805) *Diachrysia* *zosimi* (Hübner,[1822]) (Noctuidae) Synonym(s): *zosimi* Hübner,[1822]
 44806) *Diadochia* *saca* Püngeler,1914 (Noctuidae) Synonym(s): *saca* Püngeler,1914
 44807) *Diadochia* *stigmatica* Wiltshire,1984 (Noctuidae) Synonym(s): *stigmatica* Wiltshire,1984
 44808) *Diadochia* *striolata* (Filipjev,1949) (Noctuidae) Synonym(s): *striolata* Filipjev,1949
 44809) *Dialithoptera* *gemmata* (Hampson,1896) (Noctuidae) Synonym(s): *gemmata* Hampson,1896
 44810) *Dialithoptera* *margarita* Laszlo, G.Ronkay & Witt,2007 (Noctuidae) Synonym(s): *margarita* Laszlo, G.Ronkay & Witt,2007
 44811) *Diaphone* *angolensis* Weymer,1901 (Noctuidae) Synonym(s): *angolensis* Weymer,1901
 44812) *Diaphone* *eumela* (Stoll,1781) (Noctuidae) Synonym(s): *eumela* Stoll,1781; *elegans* Fabricius,1787; *sylviana* Stoll,1790; *evidens* Guérin-Méneville,[1832]; *libertina* Bartel,1903; *barnsi* Prout,1921
 44813) *Diaphone* *lampra* Karsch,1894 (Noctuidae) Synonym(s): *lampra* Karsch,1894; *pyronata* Tams,1930
 44814) *Diaphone* *mossambicensis* Hopffer,1862 (Noctuidae) Synonym(s): *mossambicensis* Hopffer,1862
 44815) *Diarsia* *albipennis* (Butler,1889) (Noctuidae) Synonym(s): *albipennis* Butler,1889; *sugitanii* Matsumura,1931; *usuriensis* Matsumura,1931
 44816) *Diarsia* *basistriga* (Moore,1867) (Noctuidae) Synonym(s): *basistriga* Moore,1867; *griseithorax* Warren,1912
 44817) *Diarsia* *brunnea* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#brunnea* [Denis & Schiffermüller],1775
 44818) *Diarsia* *cerastoides* (Moore,1867) (Noctuidae) Synonym(s): *cerastoides* Moore,1867
 44819) *Diarsia* *claudia* Boursin,1963 (Noctuidae) Synonym(s): *claudia* Boursin,1963
 44820) *Diarsia* *dahlui* (Hübner,[1813]) (Noctuidae) Synonym(s): *dahlui* Hübner,[1813]
 44821) *Diarsia* *erubescens* (Butler,1880) (Noctuidae) Synonym(s): *erubescens* Butler,1880

- 44822) *Diarsia fletcheri* Boursin, 1969 (Noctuidae) Synonym(s): *fletcheri* Boursin, 1969; *afghana* Boursin, 1969; *fletcheri* Dierl, 1984
- 44823) *Diarsia florida* (Schmidt, 1859) (Noctuidae) Synonym(s): *florida* Schmidt, 1859
- 44824) *Diarsia florida perturbata* Hacker, 1987 (Noctuidae) Synonym(s): *perturbata* Hacker, 1987
- 44825) *Diarsia formosensis* (Hampson, 1909) (Noctuidae) Synonym(s): *formosensis* Hampson, 1909; *moltrechti* Boursin, 1948
- 44826) *Diarsia gaudens* (Hampson, 1905) (Noctuidae) Synonym(s): *gaudens* Hampson, 1905; *pygmaea* Boursin, 1956
- 44827) *Diarsia guadarrensis* (Boursin, 1928) (Noctuidae) Synonym(s): *guadarrensis* Boursin, 1928
- 44828) *Diarsia latimacula* Kozhantshikov, 1937 (Noctuidae) Synonym(s): *latimacula* Kozhantshikov, 1937
- 44829) *Diarsia mandarinella* (Hampson, 1903) (Noctuidae) Synonym(s): *mandarina* Leech, 1900 nec Lch., 1900; *mandarinella* Hampson, 1903
- 44830) *Diarsia mediotincta* Kozhantshikov, 1937 (Noctuidae) Synonym(s): *mediotincta* Kozhantshikov, 1937
- 44831) *Diarsia mendica* (Fabricius, 1775) (Noctuidae) Synonym(s): *mendica* Fabricius, 1775; *festiva* [Denis & Schiffermüller], 1775; *primulae* Esper, [1788]; *subrufa* Haworth, 1809; *conflua* Treitschke, 1827; *dannehli* Corti & Draudt, 1933.
- 44832) *Diarsia mendica mendica* (Fabricius, 1775) (Noctuidae) Synonym(s): *mendica* Fabricius, 1775; *festiva* [Denis & Schiffermüller], 1775; *primulae* Esper, [1788]; *subrufa* Haworth, 1809; *conflua* Treitschke, 1827; *dannehli* Corti & Draudt, 1933.
- 44833) *Diarsia mendica monochroma* Boursin, 1963 (Noctuidae) Synonym(s): *monochroma* Boursin, 1963
- 44834) *Diarsia nigrosigna* (Moore, 1881) (Noctuidae) Synonym(s): *nigrosigna* Moore, 1881; *efflorescens* Hampson, 1891; *erubescens* Hampson, 1891; *subochracea* Corti & Draudt, 1933; *postpallida* Prout, 1928
- 44835) *Diarsia nyei* Boursin, 1969 (Noctuidae) Synonym(s): *nyei* Boursin, 1969
- 44836) *Diarsia obuncula* (Hampson, 1903) (Noctuidae) Synonym(s): *obuncula* Hampson, 1903; *orphanina* Püngeler, 1906; *mutila* Corti & Draudt, 1933.
- 44837) *Diarsia orophila* Boursin, 1954 (Noctuidae) Synonym(s): *orophila* Boursin, 1954
- 44838) *Diarsia rubi* (Vieweg, 1790) (Noctuidae) Synonym(s): *rubi* Vieweg, 1790; *radica* Esper, [1790]; *bella* Borkhausen, 1792 nec Linn., 1758; *quadratum* Hübner, [1813]; *posticata* Walker, [1858].
- 44839) *Diarsia rubicilia* (Moore, 1867) (Noctuidae) Synonym(s): *rubicilia* Moore, 1867; *owgara* Bethune-Baker, 1908
- 44840) *Diarsia sicca* (Guenée, 1852) (Noctuidae) Synonym(s): *sicca* Guenée, 1852; *renalis* Moore, 1881
- 44841) *Diarsia spilosata* (W. Warren, 1912) (Noctuidae) Synonym(s): *spilosata* W. Warren, 1912
- 44842) *Diarsia stictica* (Poujade, 1887) (Noctuidae) Synonym(s): *stictica* Poujade, 1887; *viaria* Swinhoe, 1889; *semiplea* Boursin, 1954
- 44843) *Diarsia tincta* (Leech, 1900) (Noctuidae) Synonym(s): *tincta* Leech, 1900
- 44844) *Diarsia vulpina* (Moore, 1882) (Noctuidae) Synonym(s): *vulpina* Moore, 1882
- 44845) *Diarsia ypsiloidea* Hreblyay, Peregovits & L. Ronkay, 1999 (Noctuidae) Synonym(s): *ypsiloidea* Hreblyay, Peregovits & L. Ronkay, 1999
- 44846) *Diascia hayesi* Holloway, 1976 (Noctuidae) Synonym(s): *hayesi* Holloway, 1976
- 44847) *Diascia transvitta* (Moore, 1887) (Noctuidae) Synonym(s): *transvitta* Moore, 1887
- 44848) *Dicerogastra chersotoides* (Wiltshire, 1956) (Noctuidae) Synonym(s): *chersotoides* Wiltshire, 1956
- 44849) *Dicerogastra furvilinea* (Hampson, 1902) (Noctuidae) Synonym(s): *furvilinea* Hampson, 1902
- 44850) *Dicerogastra proleuca* (Hampson, 1913) (Noctuidae) Synonym(s): *proleuca* Hampson, 1913
- 44851) *Dichagyris* (Grisviga) *candelisequa* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller], 1775; *sagittifera* Hübner, [1813]; *piemonticola* Schwingenschuss, 1954; *zapateri* Schwingenschuss, 1962.
- 44852) *Dichagyris* (Grisviga) *candelisequa achaemenidica* Hacker, 1990 (Noctuidae) Synonym(s): *achaemenidica* Hacker, 1990
- 44853) *Dichagyris* (Grisviga) *candelisequa candelisequa* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller], 1775; *sagittifera* Hübner, [1813]; *piemonticola* Schwingenschuss, 1954; *zapateri* Schwingenschuss, 1962.
- 44854) *Dichagyris* (Grisviga) *candelisequa rana* (Lederer, 1853) (Noctuidae) Synonym(s): *rana* Lederer, 1853
- 44855) *Dichagyris* (Yigoga) *acutijuxta* (Boursin, 1957) (Noctuidae) Synonym(s): *acutijuxta* Boursin, 1957
- 44856) *Dichagyris* (Yigoga) *celsicola* (Bellier, 1858) (Noctuidae) Synonym(s): *celsicola* Bellier, 1858
- 44857) *Dichagyris* (Yigoga) *celsicola goateri* (Fibiger & Moberg, 1989) (Noctuidae) Synonym(s): *goateri* Fibiger & Moberg, 1989
- 44858) *Dichagyris* (Yigoga) *celsicola iranica* (Schwingenschuss, 1939) (Noctuidae) Synonym(s): *iranica* Schwingenschuss, 1939
- 44859) *Dichagyris* (Yigoga) *danilevskiyi* (Stshetkin, 1965) (Noctuidae) Synonym(s): *danilevskiyi* Stshetkin, 1965
- 44860) *Dichagyris* (Yigoga) *disturbans* (Püngeler, 1914) (Noctuidae) Synonym(s): *turbans* Hampson, 1903 nec Stgr., 1888; *disturbans* Püngeler, 1914; *mirabica* Brandt, 1941.
- 44861) *Dichagyris* (Yigoga) *eureteocles* (Boursin, 1940) (Noctuidae) Synonym(s): *eureteocles* Boursin, 1940
- 44862) *Dichagyris* (Yigoga) *exacta* (Staudinger, 1888) (Noctuidae) Synonym(s): *exacta* Staudinger, 1888
- 44863) *Dichagyris* (Yigoga) *fidelis* (Joannis, 1903) (Noctuidae) Synonym(s): *fidelis* Joannis, 1903
- 44864) *Dichagyris* (Yigoga) *flavina* (Herrich-Schäffer, [1852]) (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer, [1852]; *ochrina* Staudinger, 1898; *pretiosa* Caradja, 1931.
- 44865) *Dichagyris* (Yigoga) *flavina brunneopicta* (Corti, 1933) (Noctuidae) Synonym(s): *brunneopicta* Corti, 1933
- 44866) *Dichagyris* (Yigoga) *flavina flavina* (Herrich-Schäffer, 1852) (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer, [1852]; *ochrina* Staudinger, 1898.
- 44867) *Dichagyris* (Yigoga) *flavina xanthosemata* (Hampson, 1918) (Noctuidae) Synonym(s): *xanthosemata* Hampson, 1918
- 44868) *Dichagyris* (Yigoga) *forcipula* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller], 1775; *denticulosa* Esper, [1794]; *bornicensis* Fuchs, 1884; *helladica* Rebel, 1905; *samnitica* Dannehl, 1933; *romanoi* Berio, 1980.
- 44869) *Dichagyris* (Yigoga) *forcipula amasicola* (Koçak, 1980) (Noctuidae) Synonym(s): *amasina* Turati, 1919 nec Stgr., 1901; *amasicola* Koçak, 1980
- 44870) *Dichagyris* (Yigoga) *forcipula forcipula* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller], 1775; *denticulosa* Esper, [1794]; *bornicensis* Fuchs, 1884; *helladica* Rebel, 1905; *samnitica* Dannehl, 1933; *romanoi* Berio, 1980.
- 44871) *Dichagyris* (Yigoga) *glaucescens* (Christoph, 1887) (Noctuidae) Synonym(s): *glaucescens* Christoph, 1887
- 44872) *Dichagyris* (Yigoga) *gracilis* (F. Wagner, 1929) (Noctuidae) Synonym(s): *gracilis* F. Wagner, 1929
- 44873) *Dichagyris* (Yigoga) *gracilis etoliae* (Dufay, 1983) (Noctuidae) Synonym(s): *etoliae* Dufay, 1983
- 44874) *Dichagyris* (Yigoga) *gracilis gracilis* (F. Wagner, 1929) (Noctuidae) Synonym(s): *gracilis* F. Wagner, 1929
- 44875) *Dichagyris* (Yigoga) *hackeri* (Fibiger, 1992) (Noctuidae) Synonym(s): *hackeri* Fibiger, 1992
- 44876) *Dichagyris* (Yigoga) *hissarensis* Varga, 1996 (Noctuidae) Synonym(s): *hissarensis* Varga, 1996
- 44877) *Dichagyris* (Yigoga) *improba* (Staudinger, 1888) (Noctuidae) Synonym(s): *improba* Staudinger, 1888
- 44878) *Dichagyris* (Yigoga) *insula* Fibiger, 1997 (Noctuidae) Synonym(s): *insula* Fibiger, 1997
- 44879) *Dichagyris* (Yigoga) *iranica* (Koçak, 1980) (Noctuidae) Synonym(s): *hyrcana* Corti & Draudt, 1933 nec Stgr., 1900; *iranica* Koçak, 1980.
- 44880) *Dichagyris* (Yigoga) *latipennis* (Püngeler, 1909) (Noctuidae) Synonym(s): *latipennis* Püngeler, 1909
- 44881) *Dichagyris* (Yigoga) *latipennis latipennis* (Püngeler, 1909) (Noctuidae) Synonym(s): *latipennis* Püngeler, 1909
- 44882) *Dichagyris* (Yigoga) *latipennis occidentalis* (Hacker, [1987]) (Noctuidae) Synonym(s): *occidentalis* Hacker, [1987]
- 44883) *Dichagyris* (Yigoga) *libanicola* (Corti & Draudt, 1933) (Noctuidae) Synonym(s): *libanicola* Corti & Draudt, 1933; *libanicola* Corti, 1933
- 44884) *Dichagyris* (Yigoga) *lupinus* (Brandt, 1941) (Noctuidae) Synonym(s): *lupinus* Brandt, 1941
- 44885) *Dichagyris* (Yigoga) *lutescens* (Eversmann, 1844) (Noctuidae) Synonym(s): *lutescens* Eversmann, 1844; *dilucida* Eversmann, 1844; *leonina* Staudinger, 1877.
- 44886) *Dichagyris* (Yigoga) *macrolycos* Varga & Gyulai, 2001 (Noctuidae) Synonym(s): *macrolycos* Varga & Gyulai, 2001
- 44887) *Dichagyris* (Yigoga) *nachadira* (Brandt, 1941) (Noctuidae) Synonym(s): *nachadira* Brandt, 1941
- 44888) *Dichagyris* (Yigoga) *nachadira nachadira* (Brandt, 1941) (Noctuidae) Synonym(s): *nachadira* Brandt, 1941
- 44889) *Dichagyris* (Yigoga) *nachadira pseudorientis* (Boursin, 1952) (Noctuidae) Synonym(s): *pseudorientis* Boursin, 1952
- 44890) *Dichagyris* (Yigoga) *nekrasovi* Varga & Gyulai, 2001 (Noctuidae) Synonym(s): *nekrasovi* Varga & Gyulai, 2001
- 44891) *Dichagyris* (Yigoga) *nigrescens* (Hofner, 1888) (Noctuidae) Synonym(s): *nigrescens* Hofner, 1888
- 44892) *Dichagyris* (Yigoga) *nigrescens nigrescens* (Höfner, 1888) (Noctuidae) Synonym(s): *nigrescens* Höfner, 1888
- 44893) *Dichagyris* (Yigoga) *nigrescens robustior* (Corti & Draudt, 1933) (Noctuidae) Synonym(s): *robustior* Corti & Draudt, 1933; *obscurior* Corti & Draudt, 1933 nec Corti & Draudt, 1933; *turcicola* Koçak, 1980.
- 44894) *Dichagyris* (Yigoga) *orientis* (Alpheraky, 1882) (Noctuidae) Synonym(s): *orientis* Alpheraky, 1882; *improcera* Staudinger, 1888; *imitata* Corti & Draudt, 1933.
- 44895) *Dichagyris* (Yigoga) *orientis orientis* (Alpheraky, 1882) (Noctuidae) Synonym(s): *orientis* Alpheraky, 1882; *improcera* Staudinger, 1888; *imitata* Corti & Draudt, 1933.
- 44896) *Dichagyris* (Yigoga) *orientis pygmaea* (Hampson, 1903) (Noctuidae) Synonym(s): *pygmaea* Hampson, 1903; *caroli* Culot, 1909; *#rubra* A. Bang-Haas, 1910; *pseudosignifera* Boursin, 1942.

- 44897) *Dichagyris (Yigoga) perturbans* (Boursin,1948) (Noctuidae) Synonym(s): *perturbans* Boursin,1948
 44898) *Dichagyris (Yigoga) perturbans perirrorans* Varga, Gyulai & Miatleuski,2002 (Noctuidae) Synonym(s): *perirrorans* Varga, Gyulai & Miatleuski,2002
 44899) *Dichagyris (Yigoga) romanovi* (Christoph,1885) (Noctuidae) Synonym(s): *romanovi* Christoph,1885; *#jura Strand,1915; karsholti Fibiger,1990.*
 44900) *Dichagyris (Yigoga) serraticornis* (Staudinger,1898) (Noctuidae) Synonym(s): *serraticornis* Staudinger,1898
 44901) *Dichagyris (Yigoga) serraticornis serraticornis* (Staudinger,1898) (Noctuidae) Synonym(s): *serraticornis* Staudinger,1898
 44902) *Dichagyris (Yigoga) signifera* (Denis & Schiffermüller,1775) (Noctuidae) Synonym(s): *#signifera [Denis & Schiffermüller],1775*
 44903) *Dichagyris (Yigoga) signifera farsistana* (Brandt,1938) (Noctuidae) Synonym(s): *farsistana* Brandt,1938
 44904) *Dichagyris (Yigoga) signifera tauricola* (Corti & Draudt,1933) (Noctuidae) Synonym(s): *tauricola* Corti & Draudt,1933
 44905) *Dichagyris (Yigoga) sincera* (De Freina & Hacker,1985) (Noctuidae) Synonym(s): *sincera* De Freina & Hacker,1985.
 44906) *Dichagyris (Yigoga) soror* Fibiger,1997 (Noctuidae) Synonym(s): *soror* Fibiger,1997
 44907) *Dichagyris (Yigoga) stigmatula* (Kozhantshikov,1937) (Noctuidae) Synonym(s): *stigmatula* Kozhantshikov,1937
 44908) *Dichagyris (Yigoga) strenua* (Corti,1926) (Noctuidae) Synonym(s): *strenua* Corti,1926
 44909) *Dichagyris (Yigoga) subturbans* (Boursin,1948) (Noctuidae) Synonym(s): *subturbans* Boursin,1948
 44910) *Dichagyris (Yigoga) thylacina* Varga,1996 (Noctuidae) Synonym(s): *thylacina* Varga,1996
 44911) *Dichagyris (Yigoga) truculenta* (Lederer,1853) (Noctuidae) Synonym(s): *truculenta* Lederer,1853
 44912) *Dichagyris (Yigoga) truculenta khorassana* (Brandt,1941) (Noctuidae) Synonym(s): *khorassana* Brandt,1941
 44913) *Dichagyris (Yigoga) truculenta taftanica* (Brandt,1941) (Noctuidae) Synonym(s): *taftanica* Brandt,1941
 44914) *Dichagyris (Yigoga) truculenta toxistigma* (Hampson,1903) (Noctuidae) Synonym(s): *toxistigma* Hampson,1903
 44915) *Dichagyris (Yigoga) truculenta truculenta* (Lederer,1853) (Noctuidae) Synonym(s): *truculenta* Lederer,1853
 44916) *Dichagyris (Yigoga) unifica* (Kozhantshikov,1937) (Noctuidae) Synonym(s): *unifica* Kozhantshikov,1937
 44917) *Dichagyris (Yigoga) weigerti* Hacker & Varga,1990 (Noctuidae) Synonym(s): *weigerti* Hacker & Varga,1990
 44918) *Dichagyris (Yigoga) wiltshirei* (Boursin,1936) (Noctuidae) Synonym(s): *wiltshirei* Boursin,1936; *#wiltshirei Ebert & Hacker,2002*
 44919) *Dichagyris (Yigoga) zagroica* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *zagroica* Hacker & Ebert,2002
 44920) *Dichagyris (Yigoga) zagroica azerica* Gyulai & Varga,2006 (Noctuidae) Synonym(s): *azerica* Gyulai & Varga,2006
 44921) *Dichagyris (s.str.) achtalensis* (Kozhantshikov,1929) (Noctuidae) Synonym(s): *achtalensis* Kozhantshikov,1929
 44922) *Dichagyris (s.str.) adelfi* Fibiger, Nilsson & Svendsen,1999 (Noctuidae) Synonym(s): *adelfi* Fibiger, Nilsson & Svendsen,1999
 44923) *Dichagyris (s.str.) afghana* (Boursin,1963) (Noctuidae) Synonym(s): *afghana* Boursin,1963
 44924) *Dichagyris (s.str.) afghana afghana* (Boursin,1963) (Noctuidae) Synonym(s): *afghana* Boursin,1963
 44925) *Dichagyris (s.str.) afghana oxygrapha* Varga,1975 (Noctuidae) Synonym(s): *oxygrapha* Varga,1975
 44926) *Dichagyris (s.str.) ammxanthiodes* Varga,1975 (Noctuidae) Synonym(s): *ammxanthiodes* Varga,1975
 44927) *Dichagyris (s.str.) amoena* (Staudinger,1892) (Noctuidae) Synonym(s): *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933.
 44928) *Dichagyris (s.str.) amoena amoena* (Staudinger,1892) (Noctuidae) Synonym(s): *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933.
 44929) *Dichagyris (s.str.) anastasia* (Draudt,1936) (Noctuidae) Synonym(s): *anastasia* Draudt,1936
 44930) *Dichagyris (s.str.) apochora* Varga & Gyulai,2001 (Noctuidae) Synonym(s): *apochora* Varga & Gyulai,2001
 44931) *Dichagyris (s.str.) argentea* (Kozhantshikov,1929) (Noctuidae) Synonym(s): *argentea* Kozhantshikov,1929
 44932) *Dichagyris (s.str.) argentea acroptera* Varga,1996 (Noctuidae) Synonym(s): *acroptera* Varga,1996
 44933) *Dichagyris (s.str.) argentea argentea* (Kozhantshikov,1929) (Noctuidae) Synonym(s): *argentea* Kozhantshikov,1929
 44934) *Dichagyris (s.str.) argentea darius* (Boursin,1940) (Noctuidae) Synonym(s): *darius* Boursin,1940
 44935) *Dichagyris (s.str.) armeniaca* Kozhantshikov,1929 (Noctuidae) Synonym(s): *armeniaca* Kozhantshikov,1929; *assimilata* Kozhantshikov,1929; *striatus* Kozhantshikov,1929.
 44936) *Dichagyris (s.str.) boursini* Brandt,1941 (Noctuidae) Synonym(s): *boursini* Brandt,1941
 44937) *Dichagyris (s.str.) cataleipa* Varga,1993 (Noctuidae) Synonym(s): *cataleipa* Varga,1993
 44938) *Dichagyris (s.str.) celebrata* (Alpheraky,1897) (Noctuidae) Synonym(s): *celebrata* Alpheraky,1897
 44939) *Dichagyris (s.str.) celebrata celebrata* (Alpheraky,1897) (Noctuidae) Synonym(s): *celebrata* Alpheraky,1897
 44940) *Dichagyris (s.str.) celebrata pashtu* Varga,1996 (Noctuidae) Synonym(s): *pashtu* Varga,1996
 44941) *Dichagyris (s.str.) chrysopyga* (Boursin,1963) (Noctuidae) Synonym(s): *chrysopyga* Boursin,1963
 44942) *Dichagyris (s.str.) clara* (Staudinger,1888) (Noctuidae) Synonym(s): *clara* Staudinger,1888
 44943) *Dichagyris (s.str.) clara gobialtaica* Varga,1996 (Noctuidae) Synonym(s): *gobialtaica* Varga,1996
 44944) *Dichagyris (s.str.) contermina* (Corti,1929) (Noctuidae) Synonym(s): *contermina* Corti,1929; *wolffii* Hacker,1985.
 44945) *Dichagyris (s.str.) danilevskiyi* (Stshetkin,1965) (Noctuidae) Synonym(s): *danilevskiyi* Stshetkin,1965
 44946) *Dichagyris (s.str.) despecta* (Corti & Draudt,1933) (Noctuidae) Synonym(s): *despecta* Corti & Draudt,1933
 44947) *Dichagyris (s.str.) despecta psammoxantha* Varga,1975 (Noctuidae) Synonym(s): *psammoxantha* Varga,1975
 44948) *Dichagyris (s.str.) devota* (Christoph,1884) (Noctuidae) Synonym(s): *devota* Christoph,1884; *turana* Staudinger,1892
 44949) *Dichagyris (s.str.) devota eremica* (Amsel,1935) (Noctuidae) Synonym(s): *eremica* Amsel,1935
 44950) *Dichagyris (s.str.) duskei* Moberg & Fibiger,1990 (Noctuidae) Synonym(s): *duskei* Moberg & Fibiger,1990
 44951) *Dichagyris (s.str.) elbursica* (Draudt,1937) (Noctuidae) Synonym(s): *elbursica* Draudt,1937
 44952) *Dichagyris (s.str.) elbursica elbursica* (Draudt,1937) (Noctuidae) Synonym(s): *elbursica* Draudt,1937
 44953) *Dichagyris (s.str.) eremicola* (Standfuss,1888) (Noctuidae) Synonym(s): *eremicola* Standfuss,1888
 44954) *Dichagyris (s.str.) erubescens* (Staudinger,1892) (Noctuidae) Synonym(s): *erubescens* Staudinger,1892
 44955) *Dichagyris (s.str.) erubescens erubescens* (Staudinger,1892) (Noctuidae) Synonym(s): *erubescens* Staudinger,1892
 44956) *Dichagyris (s.str.) euteles* (Boursin,1963) (Noctuidae) Synonym(s): *euteles* Boursin,1963
 44957) *Dichagyris (s.str.) exomata* Varga,1990 (Noctuidae) Synonym(s): *exomata* Varga,1990
 44958) *Dichagyris (s.str.) forficula* (Eversmann,1851) (Noctuidae) Synonym(s): *forficula* Eversmann,1851
 44959) *Dichagyris (s.str.) fredii* (Brandt,1938) (Noctuidae) Synonym(s): *fredii* Brandt,1938
 44960) *Dichagyris (s.str.) griseotincta* (Wagner,1931) (Noctuidae) Synonym(s): *griseotincta* Wagner,1931
 44961) *Dichagyris (s.str.) griseocens* Staudinger,1879 (Noctuidae) Synonym(s): *griseocens* Staudinger,1879
 44962) *Dichagyris (s.str.) griseocens griseocens* Staudinger,1879 (Noctuidae) Synonym(s): *griseocens* Staudinger,1879
 44963) *Dichagyris (s.str.) griseocens rhodopetala* (Boursin,1963) (Noctuidae) Synonym(s): *rhodopetala* Boursin,1963
 44964) *Dichagyris (s.str.) gyulaiivani* Gyulai & Varga,2002 (Noctuidae) Synonym(s): *gyulaiivani* Gyulai & Varga,2002
 44965) *Dichagyris (s.str.) himalayensis* Turati,1933 (Noctuidae) Synonym(s): *himalayensis* Turati,1933
 44966) *Dichagyris (s.str.) humilis* (Boursin,1940) (Noctuidae) Synonym(s): *humilis* Boursin,1940
 44967) *Dichagyris (s.str.) humilis humilis* (Boursin,1940) (Noctuidae) Synonym(s): *humilis* Boursin,1940
 44968) *Dichagyris (s.str.) imperator* (A.Bang-Haas,1912) (Noctuidae) Synonym(s): *imperator* A.Bang-Haas,1912; *alcarriensis* Calle & Agenjo,1981
 44969) *Dichagyris (s.str.) jacobsoni* Kozhantshikov,1929 (Noctuidae) Synonym(s): *jacobsoni* Kozhantshikov,1929; *boursini* Brandt,1941.
 44970) *Dichagyris (s.str.) kaszabi* Varga,1973 (Noctuidae) Synonym(s): *kaszabi* Varga,1973
 44971) *Dichagyris (s.str.) kautti* Varga,1996 (Noctuidae) Synonym(s): *kautti* Varga,1996
 44972) *Dichagyris (s.str.) kirghisa* (Eversmann,1856) (Noctuidae) Synonym(s): *kirghisa* Eversmann,1856
 44973) *Dichagyris (s.str.) kongur* Varga,1996 (Noctuidae) Synonym(s): *kongur* Varga,1996
 44974) *Dichagyris (s.str.) korsak* Varga, Gyulai & Miatleuski,2002 (Noctuidae) Synonym(s): *korsak* Varga, Gyulai & Miatleuski,2002
 44975) *Dichagyris (s.str.) korshunovi* Varga,1996 (Noctuidae) Synonym(s): *korshunovi* Varga,1996
 44976) *Dichagyris (s.str.) leucographa* Varga,1990 (Noctuidae) Synonym(s): *leucographa* Varga,1990
 44977) *Dichagyris (s.str.) leucomelas* Brandt,1941 (Noctuidae) Synonym(s): *leucomelas* Brandt,1941
 44978) *Dichagyris (s.str.) leucomelas ladakhensis* Hacker & Peks,1990 (Noctuidae) Synonym(s): *ladakhensis* Hacker & Peks,1990
 44979) *Dichagyris (s.str.) lux* Fibiger & Nupponen,2002 (Noctuidae) Synonym(s): *lux* Fibiger & Nupponen,2002
 44980) *Dichagyris (s.str.) melanura* (Kollar,1846) (Noctuidae) Synonym(s): *melanura* Kollar,1846
 44981) *Dichagyris (s.str.) melanura dufayi* Moberg & Fibiger,1989 (Noctuidae) Synonym(s): *dufayi* Moberg & Fibiger,1989
 44982) *Dichagyris (s.str.) melanura hyrcanica* Boursin,1963 (Noctuidae) Synonym(s): *hyrcanica* Boursin,1963
 44983) *Dichagyris (s.str.) melanura melanura* (Kollar,1846) (Noctuidae) Synonym(s): *melanura* Kollar,1846
 44984) *Dichagyris (s.str.) melanura rhadamanthys* (Reisser,1958) (Noctuidae) Synonym(s): *rhadamanthys* Reisser,1958
 44985) *Dichagyris (s.str.) melanura roseotincta* Corti,1933 (Noctuidae) Synonym(s): *roseotincta* Corti,1933

- 44986) *Dichagyris* (s.str.) *melanura* ssp. (Noctuidae) Synonym(s):
 44987) *Dichagyris* (s.str.) *melanuroides* Kozhantshikov,1930 (Noctuidae) Synonym(s): *melanuroides* Kozhantshikov,1930
 44988) *Dichagyris* (s.str.) *multicuspis* (Eversmann,1852) (Noctuidae) Synonym(s): *multicuspis* Eversmann,1852; *spinosa* Staudinger,1877; *issykula* Staudinger,1889; *aequicuspis* Staudinger,1895; *issykula* Hampson,1903
 44989) *Dichagyris* (s.str.) *naumanni* Varga,1996 (Noctuidae) Synonym(s): *naumanni* Varga,1996
 44990) *Dichagyris* (s.str.) *nekrasovi* Varga & Gyulai,2001 (Noctuidae) Synonym(s): *nekrasovi* Varga & Gyulai,2001
 44991) *Dichagyris* (s.str.) *paisa* (Brandt,1938) (Noctuidae) Synonym(s): *paisa* Brandt,1938
 44992) *Dichagyris* (s.str.) *pfeifferi* (Corti & Draudt,1933) (Noctuidae) Synonym(s): *pfeifferi* Corti & Draudt,1933
 44993) *Dichagyris* (s.str.) *poecilopetala* (Varga,1979) (Noctuidae) Synonym(s): *poecilopetala* Varga,1979
 44994) *Dichagyris* (s.str.) *psammochroa* (Boursin,1940) (Noctuidae) Synonym(s): *psammochroa* Boursin,1940; *dichroa* Boursin,1940.
 44995) *Dichagyris* (s.str.) *psammochroa* (Boursin,1940) (Noctuidae) Synonym(s): *psammochroa* Boursin,1940; *dichroa* Boursin,1940.
 44996) *Dichagyris* (s.str.) *pudica* (Staudinger,1896) (Noctuidae) Synonym(s): *pudica* Staudinger,1896
 44997) *Dichagyris* (s.str.) *renigera* (Hübner,[1808]) (Noctuidae) Synonym(s): *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 nec Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930.
 44998) *Dichagyris* (s.str.) *renigera renigera* (Hübner,[1808]) (Noctuidae) Synonym(s): *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 nec Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930.
 44999) *Dichagyris* (s.str.) *rubidior* (Corti,1933) (Noctuidae) Synonym(s): *rubidior* Corti,1933
 45000) *Dichagyris* (s.str.) *scotographa* Varga,1990 (Noctuidae) Synonym(s): *scotographa* Varga,1990
 45001) *Dichagyris* (s.str.) *singularis* (Staudinger,1877) (Noctuidae) Synonym(s): *singularis* Staudinger,1877
 45002) *Dichagyris* (s.str.) *singularis mesopotamica* Hacker & Weigert,1986 (Noctuidae) Synonym(s): *mesopotamica* Hacker & Weigert,1986
 45003) *Dichagyris* (s.str.) *squalidior* (Staudinger,1901) (Noctuidae) Synonym(s): *squalidior* Staudinger,1901
 45004) *Dichagyris* (s.str.) *squalidior albicollaris* Kozhantshikov,1930 (Noctuidae) Synonym(s): *albicollaris* Kozhantshikov,1930
 45005) *Dichagyris* (s.str.) *squalidior damascina* (Boursin,1963) (Noctuidae) Synonym(s): *damascina* Boursin,1963
 45006) *Dichagyris* (s.str.) *squalidior squalidior* (Staudinger,1901) (Noctuidae) Synonym(s): *squalidior* Staudinger,1901
 45007) *Dichagyris* (s.str.) *squalorum* (Eversmann,1856) (Noctuidae) Synonym(s): *squalorum* Eversmann,1856
 45008) *Dichagyris* (s.str.) *squalorum squalorum* (Eversmann,1856) (Noctuidae) Synonym(s): *squalorum* Eversmann,1856
 45009) *Dichagyris* (s.str.) *stellans* (Corti & Draudt,1933) (Noctuidae) Synonym(s): *stellans* Corti & Draudt,1933
 45010) *Dichagyris* (s.str.) *stellans stellans* (Corti & Draudt,1933) (Noctuidae) Synonym(s): *stellans* Corti & Draudt,1933
 45011) *Dichagyris* (s.str.) *stenoptera* (Boursin,1963) (Noctuidae) Synonym(s): *stenoptera* Boursin,1963
 45012) *Dichagyris* (s.str.) *taftana* Brandt,1941 (Noctuidae) Synonym(s): *taftana* Brandt,1941
 45013) *Dichagyris* (s.str.) *terminicincta* (Corti & Draudt,1933) (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933.
 45014) *Dichagyris* (s.str.) *terminicincta capnista* (Boursin,1963) (Noctuidae) Synonym(s): *capnista* Boursin,1963
 45015) *Dichagyris* (s.str.) *terminicincta phaenotaenia* (Boursin,1940) (Noctuidae) Synonym(s): *phaenotaenia* Boursin,1940
 45016) *Dichagyris* (s.str.) *terminicincta terminicincta* (Corti & Draudt,1933) (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933.
 45017) *Dichagyris* (s.str.) *tyrannus* (A.Bang-Haas,1912) (Noctuidae) Synonym(s): *tyrannus* A.Bang-Haas,1912
 45018) *Dichagyris* (s.str.) *tyrannus beluchus* Brandt,1941 (Noctuidae) Synonym(s): *beluchus* Brandt,1941
 45019) *Dichagyris* (s.str.) *tyrannus tyrannus* (A.Bang-Haas,1912) (Noctuidae) Synonym(s): *tyrannus* A.Bang-Haas,1912
 45020) *Dichagyris* (s.str.) *umbrifera* (Alpheraky,1882) (Noctuidae) Synonym(s): *umbrifera* Alpheraky,1882
 45021) *Dichagyris* (s.str.) *umbrifera inumbrata* Varga, Gyulai & Miatleuski,2002 (Noctuidae) Synonym(s): *inumbrata* Varga, Gyulai & Miatleuski,2002
 45022) *Dichagyris* (s.str.) *vallesiaca* (Boisduval,[1837]) (Noctuidae) Synonym(s): *vallesiaca* Boisduval,[1837]
 45023) *Dichagyris* (s.str.) *vallesiaca crimaee* Kozhantshikov,1930 (Noctuidae) Synonym(s): *crimaee* Kozhantshikov,1930
 45024) *Dichagyris* (s.str.) *vallesiaca opulenta* Brandt,1941 (Noctuidae) Synonym(s): *opulenta* Brandt,1941
 45025) *Dichagyris* (s.str.) *vallesiaca subsqualorum* Kozhantshikov,1929 (Noctuidae) Synonym(s): *subsqualorum* Kozhantshikov,1929
 45026) *Dichagyris* (s.str.) *vallesiaca venosa* Kozhantshikov,1930 (Noctuidae) Synonym(s): *venosa* Kozhantshikov,1930
 45027) *Dichagyris* (s.str.) *verecunda* (Püngeler,1898) (Noctuidae) Synonym(s): *verecunda* Püngeler,1898
 45028) *Dichagyris* (s.str.) *verecunda psammoides* Varga,1993 (Noctuidae) Synonym(s): *psammoides* Varga,1993
 45029) *Dichagyris* (s.str.) *wilsoni* Fibiger,2002 (Noctuidae) Synonym(s): *wilsoni* Fibiger,2002
 45030) *Dichagyris* (s.str.) *zeituna* (Staudinger,1900) (Noctuidae) Synonym(s): *zeituna* Staudinger,1900; *seituna* Hampson,1903
 45031) *Dichagyris* constanti (Millière,1860) (Noctuidae) Synonym(s): *constanti* Millière,1860
 45032) *Dichagyris* humilis elvendi (Boursin,1940) (Noctuidae) Synonym(s): *elvendi* Boursin,1940
 45033) *Dichagyris* himalayensis Turati,1933 (Noctuidae) Synonym(s): *himalayensis* Turati,1933
 45034) *Dichonia aeruginea* (Hübner,[1803]) (Noctuidae) Synonym(s): *aeruginea* Hübner,[1803]; *miroleuca* Geyer,[1828]; *chioleuca* Treitschke,1835; *mesembrina* Schawerda,1913.
 45035) *Dichonia aeruginea aeruginea* (Hübner,[1808]) (Noctuidae) Synonym(s): *aeruginea* Hübner,[1803]; *miroleuca* Geyer,[1828]; *chioleuca* Treitschke,1835; *mesembrina* Schawerda,1913.
 45036) *Dichonia aeruginea tephroptila* (Warren,1910) (Noctuidae) Synonym(s): *tephroptila* Warren,1910
 45037) *Dichonia aeruginea topali* Ronkay & Varga,1986 (Noctuidae) Synonym(s): *topali* Ronkay & Varga,1986
 45038) *Dichonia convergens* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#convergens* [Denis & Schiffermüller],1775; *spicula* Esper,[1791]
 45039) *Dichonia convergens convergens* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#convergens* [Denis & Schiffermüller],1775; *spicula* Esper,[1791]
 45040) *Dichonia convergens* ssp. (Noctuidae) Synonym(s):
 45041) *Dichromia* (Ametropalpis) *mutilata* (Strand,1909) (Noctuidae) Synonym(s): *mutilata* Strand,1909; *effusa* Prout,1927; *albigata* Laporte,1991
 45042) *Dichromia* (Ametropalpis) *mutilata mutilata* (Strand,1909) (Noctuidae) Synonym(s): *mutilata* Strand,1909; *effusa* Prout,1927; *albigata* Laporte,1991
 45043) *Dichromia* (Camphypena) *erastralis* (Walker,[1866]) (Noctuidae) Synonym(s): *erastralis* Walker,[1866]; *velatipennis* Butler,1875.
 45044) *Dichromia* (Camphypena) *mesomelaena* (Hampson,1902) (Noctuidae) Synonym(s): *mesomelaena* Hampson,1902
 45045) *Dichromia* (Camphypena) *semlikiensis* (Prout,1921) (Noctuidae) Synonym(s): *semlikiensis* Prout,1921; *tolmeta* Prout,1925.
 45046) *Dichromia* *triplicalis* Walker,1859 (Noctuidae) Synonym(s): *triplicalis* Walker,1859; *mollis* Swinhoe,1891
 45047) *Dicycla* oo (Linnaeus,1758) (Noctuidae) Synonym(s): *oo* Linnaeus,1758; *ferruginago* Hübner,[1803].
 45048) *Didigua alticola* Holloway,2003 (Noctuidae) Synonym(s): *alticola* Holloway,2003
 45049) *Didigua effusa* (Swinhoe,1901) (Noctuidae) Synonym(s): *effusa* Swinhoe,1901; *exesa* W.Warren,1916
 45050) *Didigua heidwigae* Kobes,1988 (Noctuidae) Synonym(s): *heidwigae* Kobes,1988
 45051) *Didigua leucozona* (A.E.Prout,1921) (Noctuidae) Synonym(s): *leucozona* A.E.Prout,1921
 45052) *Didigua lilacina* (Hampson,1894) (Noctuidae) Synonym(s): *lilacina* Hampson,1894; *sumatrana* Roepke,1935; *cineracea* Holloway,1976
 45053) *Didigua martini* (Kobes,1997) (Noctuidae) Synonym(s): *martini* Kobes,1997
 45054) *Didigua mixticolor* W.Warren,1916 (Noctuidae) Synonym(s): *mixticolor* W.Warren,1916
 45055) *Didigua nana* Kobes,1988 (Noctuidae) Synonym(s): *nana* Kobes,1988
 45056) *Didigua nigradorsum* Holloway,2003 (Noctuidae) Synonym(s): *nigradorsum* Holloway,2003
 45057) *Didigua padanga* (Swinhoe,1916) (Noctuidae) Synonym(s): *padanga* Swinhoe,1916
 45058) *Didigua purpureoscripta* Walker,1862 (Noctuidae) Synonym(s): *purpureoscripta* Walker,1862; *chalybea* W.Warren,1916
 45059) *Didigua quadratipennis* (Walker,1862) (Noctuidae) Synonym(s): *quadratipennis* Walker,1862
 45060) *Didigua roseata* Holloway,2003 (Noctuidae) Synonym(s): *roseata* Holloway,2003
 45061) *Didigua seticornis* (Walker,1862) (Noctuidae) Synonym(s): *seticornis* Walker,1862; *mesocausta* Hampson,1905
 45062) *Didigua subterminalis* (A.E.Prout,1928) (Noctuidae) Synonym(s): *subterminalis* A.E.Prout,1928; *ochreipennis* Holloway,1976
 45063) *Didigua vexilla* (Swinhoe,1893) (Noctuidae) Synonym(s): *vexilla* Swinhoe,1893; *devittata* Strand,1917
 45064) *Didigua viridifascia* (Swinhoe,1902) (Noctuidae) Synonym(s): *viridifascia* Swinhoe,1902
 45065) *Didigua viridifusa* Kobes,1997 (Noctuidae) Synonym(s): *viridifusa* Kobes,1997
 45066) *Didigua viridipennis* (Druce,1911) (Noctuidae) Synonym(s): *viridipennis* Druce,1911
 45067) *Didiguides semifervens* (Walker,1864) (Noctuidae) Synonym(s): *semifervens* Walker,1864; *subrubra* Pagenstecher,1900; *hutapadanga* Kobes,1994

- 45068) *Dichlea diplogramma* (Hampson,1905) (Noctuidae) Synonym(s): *diplogramma* Hampson,1905
 45069) *Dichlea ducalis* (Bryk,1913) (Noctuidae) Synonym(s): *ducalis* Bryk,1913; *undicostata* W.Warren,1916
 45070) *Dichlea holohaea* (Hampson,1905) (Noctuidae) Synonym(s): *holohaea* Hampson,1905; *hollowayi* Kobes,1983
 45071) *Dichlea neotumida* Yoshimoto,1999 (Noctuidae) Synonym(s): *neotumida* Yoshimoto,1999
 45072) *Dichlea nicobarensis* (W.Warren,1916) (Noctuidae) Synonym(s): *nicobarensis* W.Warren,1916
 45073) *Dichlea philippinica* Yoshimoto,1999 (Noctuidae) Synonym(s): *philippinica* Yoshimoto,1999
 45074) *Dichlea sulawesiensis* Yoshimoto,1999 (Noctuidae) Synonym(s): *sulawesiensis* Yoshimoto,1999
 45075) *Dichlea tumida* (Hampson,1905) (Noctuidae) Synonym(s): *tumida* Hampson,1905
 45076) *Dierna strigata* (Moore,1867) (Noctuidae) Synonym(s): *strigata* Moore,1867
 45077) *Diloba caeruleocephala* (Linnaeus,1758) (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus,1758
 45078) *Diloba caeruleocephala armena* Staudinger,1871 (Noctuidae) Synonym(s): *armena* Staudinger,1871
 45079) *Diloba caeruleocephala caeruleocephala* (Linnaeus,1758) (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus,1758
 45080) *Dilophothripa alopha* Hampson,1907 (Noctuidae) Synonym(s): *alopha* Hampson,1907
 45081) *Dilophothripa chrysorrhaea* Hampson,1898 (Noctuidae) Synonym(s): *chrysorrhaea* Hampson,1898
 45082) *Dilophothripa olivia* Hampson,1905 (Noctuidae) Synonym(s): *olivia* Hampson,1905
 45083) *Dimorphinoctua cunhaensis* Viette,1952 (Noctuidae) Synonym(s): *cunhaensis* Viette,1952
 45084) *Dimorphinoctua goughensis* D.S.Fletcher,1963 (Noctuidae) Synonym(s): *goughensis* D.S.Fletcher,1963
 45085) *Dimorphinoctua pilifera* (Walker,[1857]) (Noctuidae) Synonym(s): *pilifera* Walker,[1857]
 45086) *Dinumma deponens* Walker,1858 (Noctuidae) Synonym(s): *deponens* Walker,1858; *bipunctata* Motschulsky,[1861]; *largetaui* Oberthür,1884
 45087) *Dinumma placens* Walker,1858 (Noctuidae) Synonym(s): *placens* Walker,1858; *varians* Butler,1889
 45088) *Diomea cremata* (Butler,1862) (Noctuidae) Synonym(s): *cremata* Butler,1862; *stygia* Bryk,1948
 45089) *Diomea discisigna* Sugi,1963 (Noctuidae) Synonym(s): *discisigna* Sugi,1963
 45090) *Diomea eupsema* Swinhoe,1902 (Noctuidae) Synonym(s): *eupsema* Swinhoe,1902
 45091) *Diomea fasciata* (Leech,1900) (Noctuidae) Synonym(s): *fasciata* Leech,1900
 45092) *Diomea fenella* G.S.Robinson,1969 (Noctuidae) Synonym(s): *fenella* G.S.Robinson,1969
 45093) *Diomea ferrosticta* Yoshimoto,2001 (Noctuidae) Synonym(s): *ferrosticta* Yoshimoto,2001
 45094) *Diomea insulana* Yoshimoto,2001 (Noctuidae) Synonym(s): *insulana* Yoshimoto,2001
 45095) *Diomea lignicolora* Walker,[1858] (Noctuidae) Synonym(s): *lignicolora* Walker,[1858]; *suvarnadvipae* Kobes,1983
 45096) *Diomea rotundata* Walker,[1858] (Noctuidae) Synonym(s): *rotundata* Walker,[1858]
 45097) *Diomea* sp.n. *Holloway*,2005 (Noctuidae) Synonym(s):
 45098) *Diparopsis castanea* Hampson,1902 (Noctuidae) Synonym(s): *castanea* Hampson,1902
 45099) *Diphtherocome autumnalis* (B.S.Chang,1991) (Noctuidae) Synonym(s): *autumnalis* B.S.Chang,1991
 45100) *Diphtherocome biformis* Hreblay & Kononenko,1999 (Noctuidae) Synonym(s): *biformis* Hreblay & Kononenko,1999
 45101) *Diphtherocome biformis trimaculata* Hreblay & Kononenko,1999 (Noctuidae) Synonym(s): *trimaculata* Hreblay & Kononenko,1999
 45102) *Diphtherocome bigu* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *bigu* Hreblay & L.Ronkay,1999
 45103) *Diphtherocome brevipennis* (Hampson,1909) (Noctuidae) Synonym(s): *brevipennis* Hampson,1909
 45104) *Diphtherocome bryochlora* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *bryochlora* Hreblay, Peregovits & L.Ronkay,1999
 45105) *Diphtherocome burmana* Berio,1973 (Noctuidae) Synonym(s): *burmana* Berio,1973
 45106) *Diphtherocome chloronympha* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *chloronympha* Hreblay, Peregovits & L.Ronkay,1999
 45107) *Diphtherocome chrysochlora* (Hampson,1898) (Noctuidae) Synonym(s): *chrysochlora* Hampson,1898
 45108) *Diphtherocome daliangi* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *daliangi* Hreblay & L.Ronkay,1998
 45109) *Diphtherocome discibrunnea* (Moore,1867) (Noctuidae) Synonym(s): *discibrunnea* Moore,1867; *mckeanae* Cockerell,1930; *#mckeanae* Hreblay & L.Ronkay,1999; *#mckeanae* Hreblay & Kononenko,1999
 45110) *Diphtherocome divarticulata* Hreblay & Kononenko,1999 (Noctuidae) Synonym(s): *divarticulata* Hreblay & Kononenko,1999
 45111) *Diphtherocome fasciata* (Moore,1888) (Noctuidae) Synonym(s): *fasciata* Moore,1888
 45112) *Diphtherocome hoenei* Hreblay & Kononenko,1999 (Noctuidae) Synonym(s): *hoenei* Hreblay & Kononenko,1999
 45113) *Diphtherocome hoenei hoenei* Hreblay & Kononenko,1999 (Noctuidae) Synonym(s): *hoenei* Hreblay & Kononenko,1999
 45114) *Diphtherocome hoenei likianga* Hreblay & Kononenko,1999 (Noctuidae) Synonym(s): *likianga* Hreblay & Kononenko,1999
 45115) *Diphtherocome impunctinata* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *impunctinata* Hreblay, Peregovits & L.Ronkay,1999
 45116) *Diphtherocome kuni* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *kuni* Hreblay & L.Ronkay,1999
 45117) *Diphtherocome longivalva* Hreblay & Kononenko,1999 (Noctuidae) Synonym(s): *longivalva* Hreblay & Kononenko,1999
 45118) *Diphtherocome marmorea* (Leech,1900) (Noctuidae) Synonym(s): *marmorea* Leech,1900
 45119) *Diphtherocome metaphaea* (Hampson,1909) (Noctuidae) Synonym(s): *metaphaea* Hampson,1909
 45120) *Diphtherocome mixta* Hreblay & Kononenko,1999 (Noctuidae) Synonym(s): *mixta* Hreblay & Kononenko,1999
 45121) *Diphtherocome nepalichlora* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *nepalichlora* Hreblay & L.Ronkay,1999; *#nepalichlora* Hreblay & L.Ronkay,1999
 45122) *Diphtherocome pallida* (Moore,1867) (Noctuidae) Synonym(s): *pallida* Moore,1867
 45123) *Diphtherocome pallidipennis* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *pallidipennis* Hreblay & L.Ronkay,1999
 45124) *Diphtherocome pallidula* Hreblay & Plante,1998 (Noctuidae) Synonym(s): *pallidula* Hreblay & Plante,1998
 45125) *Diphtherocome pseudovivida* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *pseudovivida* Hreblay & L.Ronkay,1999
 45126) *Diphtherocome pulchra* Wileman,1912 (Noctuidae) Synonym(s): *pulchra* Wileman,1912; *taikoshinis* Matsumura,1929
 45127) *Diphtherocome robusta* Hreblay & Kononenko,1999 (Noctuidae) Synonym(s): *robusta* Hreblay & Kononenko,1999
 45128) *Diphtherocome secreta* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *secreta* Hreblay & L.Ronkay,1999
 45129) *Diphtherocome serrata* Hreblay & Kononenko,1999 (Noctuidae) Synonym(s): *serrata* Hreblay & Kononenko,1999
 45130) *Diphtherocome thainympha* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *thainympha* Hreblay & L.Ronkay,1999
 45131) *Diphtherocome thaumasias* (Hreblay & L.Ronkay,1998) (Noctuidae) Synonym(s): *thaumasias* Hreblay & L.Ronkay,1998
 45132) *Diphtherocome verbenata* (Distant,1898) (Noctuidae) Synonym(s): *verbenata* Distant,1898
 45133) *Diphtherocome vigens* (Walker,1865) (Noctuidae) Synonym(s): *vigens* Walker,1865
 45134) *Diphtherocome viridissima* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *viridissima* Hreblay & L.Ronkay,1999
 45135) *Diphtherocome vivida* (Leech,1900) (Noctuidae) Synonym(s): *vivida* Leech,1900
 45136) *Discestra* (Cardepi) *fixseni* (Christoph,1882) (Noctuidae) Synonym(s): *fixseni* Christoph,1882
 45137) *Discestra* (Cardepi) *fixseni obscurata* Hacker,1992 (Noctuidae) Synonym(s): *obscurata* Hacker,1992
 45138) *Disepholcia caerulea* (Butler,1889) (Noctuidae) Synonym(s): *caerulea* Butler,1889
 45139) *Disticta atava* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *atava* R.Felder & Rogenhofer,1874
 45140) *Donda eurychlora* (Walker,1858) (Noctuidae) Synonym(s): *eurychlora* Walker,1858
 45141) *Donda sailendra* Kobes,1983 (Noctuidae) Synonym(s): *sailendra* Kobes,1983
 45142) *Donda striatovirens* Moore,1883 (Noctuidae) Synonym(s): *striatovirens* Moore,1883
 45143) *Dordura aliena* (Walker,1864) (Noctuidae) Synonym(s): *aliena* Walker,1864
 45144) *Drasteria aberrans* (Staudinger,1888) (Noctuidae) Synonym(s): *aberrans* Staudinger,1888
 45145) *Drasteria altivaga* (Alpheraky,[1894]) (Noctuidae) Synonym(s): *altivaga* Alpheraky,[1894]
 45146) *Drasteria austera* (John,1921) (Noctuidae) Synonym(s): *austera* John,1921
 45147) *Drasteria axuana* (Püngeler,1907) (Noctuidae) Synonym(s): *axuana* Püngeler,1907; *fumiluna* Wiltshire,1969.
 45148) *Drasteria cailino* (Lefèbvre,1827) (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827
 45149) *Drasteria cailino baigakumensis* (John,1921) (Noctuidae) Synonym(s): *baigakumensis* John,1921
 45150) *Drasteria cailino cailino* (Lefèbvre,1827) (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827
 45151) *Drasteria cailino medialba* Wiltshire,1961 (Noctuidae) Synonym(s): *medialba* Wiltshire,1961
 45152) *Drasteria cailino obscura* (Staudinger,1901) (Noctuidae) Synonym(s): *obscura* Staudinger,1901
 45153) *Drasteria catocalis* (Staudinger,1882) (Noctuidae) Synonym(s): *catocalis* Staudinger,1882; *reducta* Fernandez,1932.
 45154) *Drasteria caucasis* (Kolenati,1846) (Noctuidae) Synonym(s): *caucasis* Kolenati,1846; *astrida* Eversmann,1856; *aksuensis* Fuchs,1903.
 45155) *Drasteria chinensis* (Alpheraky,1892) (Noctuidae) Synonym(s): *chinensis* Alpheraky,1892

- 45156) *Drasteria flexuosa* (Ménétriés,1848) (Noctuidae) Synonym(s): *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
 45157) *Drasteria flexuosa caspica* (Staudinger,1901) (Noctuidae) Synonym(s): *caspica* Staudinger,1901
 45158) *Drasteria flexuosa flexuosa* (Ménétriés,1848) (Noctuidae) Synonym(s): *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
 45159) *Drasteria herzi* (Alpheraky,1895) (Noctuidae) Synonym(s): *herzi* Alpheraky,1895
 45160) *Drasteria herzi herzi* (Alpheraky,1895) (Noctuidae) Synonym(s): *herzi* Alpheraky,1895
 45161) *Drasteria herzi judaica* (Hampson,1926) (Noctuidae) Synonym(s): *judaica* Hampson,1926; *angustifasciata* Amsel,1935
 45162) *Drasteria hyblaeoides* (Moore,1878) (Noctuidae) Synonym(s): *hyblaeoides* Moore,1878
 45163) *Drasteria indecora* (John,1910) (Noctuidae) Synonym(s): *indecora* John,1910
 45164) *Drasteria kabyalaria* (A.Bang-Haas,1906) (Noctuidae) Synonym(s): *kabyalaria* A.Bang-Haas,1906
 45165) *Drasteria kabyalaria columbina* (Brandt,1941) (Noctuidae) Synonym(s): *columbina* Brandt,1941.
 45166) *Drasteria kusnezovi* (John,1910) (Noctuidae) Synonym(s): *kusnezovi* John,1910
 45167) *Drasteria langi* (Erschoff,1874) (Noctuidae) Synonym(s): *langi* Erschoff,1874
 45168) *Drasteria obscurata* (Staudinger,1882) (Noctuidae) Synonym(s): *obscurata* Staudinger,1882
 45169) *Drasteria oranensis* Rothschild,1920 (Noctuidae) Synonym(s): *oranensis* Rothschild,1920
 45170) *Drasteria oranensis arabica* Wiltshire,1990 (Noctuidae) Synonym(s): *arabica* Wiltshire,1990.
 45171) *Drasteria oranensis habibazel* Dumont,1922 (Noctuidae) Synonym(s): *habibazel* Dumont,1922
 45172) *Drasteria oranensis oranensis* Rothschild,1920 (Noctuidae) Synonym(s): *oranensis* Rothschild,1920
 45173) *Drasteria pamira* (John,1921) (Noctuidae) Synonym(s): *pamira* John,1921
 45174) *Drasteria philippina* (Austaut,1880) (Noctuidae) Synonym(s): *philippina* Austaut,1880; *aziza* Rungs,1981.
 45175) *Drasteria picta* (Christoph,1877) (Noctuidae) Synonym(s): *picta* Christoph,1877; *radapicta* Staudinger,1901.
 45176) *Drasteria rada* (Boisduval,1848) (Noctuidae) Synonym(s): *rada* Boisduval,1848; *roda* Herrich-Schäffer,1851.
 45177) *Drasteria saisani* (Staudinger,1882) (Noctuidae) Synonym(s): *saisani* Staudinger,1882; *clara* Staudinger,1895; *#zaisani* John,1910.
 45178) *Drasteria scolopax* (Alpheraky,1892) (Noctuidae) Synonym(s): *scolopax* Alpheraky,1892
 45179) *Drasteria sculpta* (Püngeler,1904) (Noctuidae) Synonym(s): *sculpta* Püngeler,1904
 45180) *Drasteria sequax* (Staudinger,1901) (Noctuidae) Synonym(s): *sequax* Staudinger,1901
 45181) *Drasteria sesquilina* (Staudinger,1888) (Noctuidae) Synonym(s): *sesquilina* Staudinger,1888; *sequax* Staudinger,1901.
 45182) *Drasteria sesquistria* (Eversmann,1854) (Noctuidae) Synonym(s): *sesquistria* Eversmann,1854
 45183) *Drasteria sinuosa* (Staudinger,1884) (Noctuidae) Synonym(s): *sinuosa* Staudinger,1884
 45184) *Drasteria tenera* (Staudinger,1877) (Noctuidae) Synonym(s): *tenera* Staudinger,1877; *antiqua* Staudinger,1889.
 45185) *Drasteria yerburyi* (Butler,1892) (Noctuidae) Synonym(s): *yerburyi* Butler,1892; *albofasciata* John,1917; *pica* Brandt,1939
 45186) *Drasteroides ellisoni* Wiltshire,1977 (Noctuidae) Synonym(s): *ellisoni* Wiltshire,1977
 45187) *Drasteroides elongata* (A.Bang-Haas,1910) (Noctuidae) Synonym(s): *elongata* A.Bang-Haas,1910
 45188) *Drasteroides eurytaenia* Wiltshire,1979 (Noctuidae) Synonym(s): *eurytaenia* Wiltshire,1979
 45189) *Drasteroides kisilkumensis* (Erschoff,1874) (Noctuidae) Synonym(s): *kisilkumensis* Erschoff,1874
 45190) *Drasteroides leprosa* (Brandt,1938) (Noctuidae) Synonym(s): *leprosa* Brandt,1938
 45191) *Drasteroides limata* (Christoph,1884) (Noctuidae) Synonym(s): *limata* Christoph,1884
 45192) *Drasteroides limata kaszabi* Wiltshire,1967 (Noctuidae) Synonym(s): *kaszabi* Wiltshire,1967
 45193) *Drasteroides limata limata* (Christoph,1884) (Noctuidae) Synonym(s): *limata* Christoph,1884
 45194) *Drasteroides limata nejdicola* Wiltshire,1967 (Noctuidae) Synonym(s): *nejdicola* Wiltshire,1967
 45195) *Drasteroides luxurians* (Wiltshire,1961) (Noctuidae) Synonym(s): *luxurians* Wiltshire,1961
 45196) *Drasteroides luxurians albinubis* Wiltshire,1971 (Noctuidae) Synonym(s): *albinubis* Wiltshire,1971
 45197) *Drasteroides luxurians luxurians* (Wiltshire,1961) (Noctuidae) Synonym(s): *luxurians* Wiltshire,1961
 45198) *Drasteroides medialis* (Hampson,1908) (Noctuidae) Synonym(s): *medialis* Hampson,1908
 45199) *Drasteroides medialis leuconephra* (Brandt,1938) (Noctuidae) Synonym(s): *leuconephra* Brandt,1938; *fuscobasalis* Brandt,1938.
 45200) *Drasteroides medialis medialis* (Hampson,1908) (Noctuidae) Synonym(s): *medialis* Hampson,1908
 45201) *Dryobotodes labecula* (Esper,[1788]) (Noctuidae) Synonym(s): *labecula* Esper,[1788]
 45202) *Dryobotodes* (Dichonoxa) *tenebrosa* (Esper,[1789]) (Noctuidae) Synonym(s): *tenebrosa* Esper,[1789]; *saportae* Duponchel,1826.
 45203) *Dryobotodes* (s.str.) *carbonis* (Wagner,1931) (Noctuidae) Synonym(s): *carbonis* Wagner,1931; *taurica* Osthelder,1933; *europaea* Pinker,1976.
 45204) *Dryobotodes* (s.str.) *contermina* (Graeser,1892) (Noctuidae) Synonym(s): *contermina* Graeser,1892
 45205) *Dryobotodes* (s.str.) *eremita* (Fabricius,1775) (Noctuidae) Synonym(s): *eremita* Fabricius,1775; *protea* [Denis & Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* Warren,1911; *#grisea* Warren,1911
 45206) *Dryobotodes* (s.str.) *lubrica* (Butler,1889) (Noctuidae) Synonym(s): *lubrica* Butler,1889
 45207) *Dryobotodes* (s.str.) *monochroma* (Esper,1790) (Noctuidae) Synonym(s): *monochroma* Esper,[1790]; *distans* Hübner,[1813]; *suberis* Duponchel,1827
 45208) *Dryobotodes* (s.str.) *servadeii* Parenzan,1982 (Noctuidae) Synonym(s): *servadeii* Parenzan,1982
 45209) *Dryobotodes himalayensis* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *himalayensis* Hreblay, Peregovits & L.Ronkay,1999
 45210) *Dryobotodes roboris* (Boisduval,1828) (Noctuidae) Synonym(s): *roboris* Boisduval,1828
 45211) *Dypterygia scabriuscula* (Linnaeus,1758) (Noctuidae) Synonym(s): *scabriuscula* Linnaeus,1758; *pinastri* Linnaeus,1761.
 45212) *Dyrzela bosca* Swinhoe,1890 (Noctuidae) Synonym(s): *bosca* Swinhoe,1890
 45213) *Dyrzela castanea* W.Warren,1913 (Noctuidae) Synonym(s): *castanea* W.Warren,1913
 45214) *Dyrzela incrassata* Walker,1858 (Noctuidae) Synonym(s): *incrassata* Walker,1858; *frontalis* Walker,1864; *parallela* Walker,1865
 45215) *Dyrzela increnulata* W.Warren,1913 (Noctuidae) Synonym(s): *increnulata* W.Warren,1913
 45216) *Dyrzela plagiata* Walker,1858 (Noctuidae) Synonym(s): *plagiata* Walker,1858; *costipannosa* Swinhoe,1890; *costiplaga* Swinhoe,1891; *perampla* W.Warren,1913
 45217) *Dyrzela squamata* W.Warren,1913 (Noctuidae) Synonym(s): *squamata* W.Warren,1913
 45218) *Dyrzela trichoptera* G.S.Robinson,1975 (Noctuidae) Synonym(s): *trichoptera* G.S.Robinson,1975
 45219) *Dyrzela tumidimacula* W.Warren,1913 (Noctuidae) Synonym(s): *tumidimacula* W.Warren,1913
 45220) *Dysaletia inanis* (Oberthür,1880) (Noctuidae) Synonym(s): *inanis* Oberthür,1880; *grandis* Staudinger,1892 *nec* Butl.,1878; *gigas* Staudinger,1901; *mesotrostina* Draudt,1950
 45221) *Dysaletia sigma* (Draudt,1950) (Noctuidae) Synonym(s): *sigma* Draudt,1950
 45222) *Dysgnathia nigropunctata* (Bethune-Baker,1906) (Noctuidae) Synonym(s): *nigropunctata* Bethune-Baker,1906
 45223) *Dysmilichia bicolor* (Chrétien,1913) (Noctuidae) Synonym(s): *bicolor* Chrétien,1913
 45224) *Dysmilichia bicyclia* (Staudinger,1888) (Noctuidae) Synonym(s): *bicyclia* Staudinger,1888
 45225) *Dysmilichia erastrioides* Brandt,1938 (Noctuidae) Synonym(s): *erastrioides* Brandt,1938
 45226) *Dysmilichia gigantea* Brandt,1941 (Noctuidae) Synonym(s): *gigantea* Brandt,1941
 45227) *Dysmilichia mira* (Brandt,1938) (Noctuidae) Synonym(s): *mira* Brandt,1938
 45228) *Dysmilichia phaulopsis* Brandt,1938 (Noctuidae) Synonym(s): *phaulopsis* Brandt,1938
 45229) *Dysmilichia pica* Wiltshire,1983 (Noctuidae) Synonym(s): *pica* Wiltshire,1983
 45230) *Dysmilichia purpurascens* Hampson,1910 (Noctuidae) Synonym(s): *purpurascens* Hampson,1910
 45231) *Earias albovenosana* Oberthür,1917 (Noctuidae) Synonym(s): *albovenosana* Oberthür,1917
 45232) *Earias amseli* Wiltshire,1961 (Noctuidae) Synonym(s): *amseli* Wiltshire,1961
 45233) *Earias biplaga* Walker,1866 (Noctuidae) Synonym(s): *biplaga* Walker,1866
 45234) *Earias chlorophyllana* Staudinger,1892 (Noctuidae) Synonym(s): *chlorophyllana* Staudinger,1892; *syrticola* Turati,1926; *watersoni* Wiltshire,1947.
 45235) *Earias clorana* (Linnaeus,1761) (Noctuidae) Synonym(s): *clorana* Linnaeus,1761; *viride* Retzius,1783
 45236) *Earias cupreoviridis* (Walker,1862) (Noctuidae) Synonym(s): *cupreoviridis* Walker,1862
 45237) *Earias divisa* Warnecke,1940 (Noctuidae) Synonym(s): *divisa* Warnecke,1940
 45238) *Earias flavida* R.Felder (Noctuidae) Synonym(s):
 45239) *Earias huegeli* Rogenhofer,1870 (Noctuidae) Synonym(s): *huegeli* Rogenhofer,1870
 45240) *Earias insulana* (Boisduval,1833) (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.
 45241) *Earias irakana* Wiltshire,1936 (Noctuidae) Synonym(s): *irakana* Wiltshire,1936

- 45242) *Earias luteolaria* Hampson, 1891 (Noctuidae) Synonym(s): *luteolaria* Hampson, 1891
 45243) *Earias mjoeberti* A.E. Prout, 1926 (Noctuidae) Synonym(s): *mjoeberti* A.E. Prout, 1926
 45244) *Earias perhuegeli* Holloway, 1977 (Noctuidae) Synonym(s): *perhuegeli* Holloway, 1977
 45245) *Earias pudicana* Staudinger, 1887 (Noctuidae) Synonym(s): *pudicana* Staudinger, 1887
 45246) *Earias rjabovi* Filipjev, 1933 (Noctuidae) Synonym(s): *rjabovi* Filipjev, 1933
 45247) *Earias roseipes* Filipjev, 1933 (Noctuidae) Synonym(s): *roseipes* Filipjev, 1933
 45248) *Earias syriacana* Bartel, 1903 (Noctuidae) Synonym(s): *syriacana* Bartel, 1903
 45249) *Earias turana* (Groum-Grshimailo, 1899) (Noctuidae) Synonym(s): *turana* Groum-Grshimailo, 1899
 45250) *Earias turana roseana* Sheljuzhko, 1926 (Noctuidae) Synonym(s): *roseana* Sheljuzhko, 1926
 45251) *Earias valentinae* Stshetkin, 1957 (Noctuidae) Synonym(s): *valentinae* Stshetkin, 1957
 45252) *Earias vernana* (Fabricius, 1787) (Noctuidae) Synonym(s): *vernana* Fabricius, 1787; *obliterata* Bartel, 1914
 45253) *Earias vittella* (Fabricius, 1794) (Noctuidae) Synonym(s): *vittella* Fabricius, 1794
 45254) *Earias waterstoni* Wiltshire, 1947 (Noctuidae) Synonym(s): *waterstoni* Wiltshire, 1947
 45255) *Eclipsea* sp. (Noctuidae) Synonym(s):
 45256) *Ecpatia dulcistriga* (Walker, 1858) (Noctuidae) Synonym(s): *dulcistriga* Walker, 1858
 45257) *Ecpatia longiqua* (Swinhoe, 1890) (Noctuidae) Synonym(s): *longiqua* Swinhoe, 1890; *#longiquava* Kononenko & Pinratana, 2005; *#longiquuva* Kononenko & Pinratana, 2005
 45258) *Ectocheila aberrans* Gaede, 1915 (Noctuidae) Synonym(s): *aberrans* Gaede, 1915
 45259) *Ectocheila albilunata* Gaede, 1915 (Noctuidae) Synonym(s): *albilunata* Gaede, 1915
 45260) *Ectocheila canina* (R. Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *canina* R. Felder & Rogenhofer, 1874
 45261) *Ectocheila flavilunata* Gaede, 1915 (Noctuidae) Synonym(s): *flavilunata* Gaede, 1915
 45262) *Ectocheila nigrilineata* Gaede, 1915 (Noctuidae) Synonym(s): *nigrilineata* Gaede, 1915
 45263) *Ectocheila turneri* Tams, 1930 (Noctuidae) Synonym(s): *turneri* Tams, 1930
 45264) *Ectolopha marginata* Hampson, 1910 (Noctuidae) Synonym(s): *marginata* Hampson, 1910
 45265) *Ectolopha viridescens* Hampson, 1902 (Noctuidae) Synonym(s): *viridescens* Hampson, 1902; *hypochlora* Gaede, 1915.
 45266) *Edessena gentiusalis* Walker, [1859] (Noctuidae) Synonym(s): *gentiusalis* Walker, [1859]; *formosensis* Strand, 1920
 45267) *Effractilis effracta* (Distant, 1898) (Noctuidae) Synonym(s): *effracta* Distant, 1898; *subtilis* Berio, 1974.
 45268) *Egira ambigua* Galsworthy, 1997 (Noctuidae) Synonym(s): *ambigua* Galsworthy, 1997
 45269) *Egira anatolica* (Hering, 1933) (Noctuidae) Synonym(s): *anatolica* Hering, 1933; *#metaxys* Boursin, 1966; *#leucomelas* Boursin, 1966
 45270) *Egira conspiciaris* (Linnaeus, 1758) (Noctuidae) Synonym(s): *conspiciaris* Linnaeus, 1758
 45271) *Egira draudti* (Hacker, 1993) (Noctuidae) Synonym(s): *draudti* Hacker, 1993
 45272) *Egira fatima* Hreblay, 1994 (Noctuidae) Synonym(s): *fatima* Hreblay, 1994
 45273) *Egira natalensis* (Butler, 1875) (Noctuidae) Synonym(s): *natalensis* Butler, 1875
 45274) *Egira ornata* Hreblay & L. Ronkay, 1999 (Noctuidae) Synonym(s): *ornata* Hreblay & L. Ronkay, 1999
 45275) *Egira papae* Hreblay & L. Ronkay, 1999 (Noctuidae) Synonym(s): *papae* Hreblay & L. Ronkay, 1999
 45276) *Egira perigraphoides* Hreblay & L. Ronkay, 1999 (Noctuidae) Synonym(s): *perigraphoides* Hreblay & L. Ronkay, 1999
 45277) *Egira phahompoki* Hreblay & L. Ronkay, 1999 (Noctuidae) Synonym(s): *phahompoki* Hreblay & L. Ronkay, 1999
 45278) *Egira servadei* Berio, 1982 (Noctuidae) Synonym(s): *servadei* Berio, 1982
 45279) *Egira subterminata* (Hampson, 1905) (Noctuidae) Synonym(s): *subterminata* Hampson, 1905
 45280) *Egira tibori* Hreblay, 1994 (Noctuidae) Synonym(s): *tibori* Hreblay, 1994
 45281) *Egnasia accingalis* Walker, [1859] (Noctuidae) Synonym(s): *accingalis* Walker, [1859]
 45282) *Egnasia bomboschi* Kobes, 1989 (Noctuidae) Synonym(s): *bomboschi* Kobes, 1989
 45283) *Egnasia conifer* Hampson, 1926 (Noctuidae) Synonym(s): *conifer* Hampson, 1926
 45284) *Egnasia ephyrodalis* Walker, [1859] (Noctuidae) Synonym(s): *ephyrodalis* Walker, [1859]
 45285) *Egnasia lioperas* Prout, 1922 (Noctuidae) Synonym(s): *lioperas* Prout, 1922
 45286) *Egnasia mopsa* (Swinhoe, 1890) (Noctuidae) Synonym(s): *mopsa* Swinhoe, 1890
 45287) *Egnasia rectilineata* Swinhoe, 1895 (Noctuidae) Synonym(s): *rectilineata* Swinhoe, 1895
 45288) *Egnasia* sp. (Noctuidae) Synonym(s):
 45289) *Egnasia sundana* Kobes, 1985 (Noctuidae) Synonym(s): *sundana* Kobes, 1985
 45290) *Egnasia tripuncta* Swinhoe, 1895 (Noctuidae) Synonym(s): *tripuncta* Swinhoe, 1895
 45291) *Egnasia vicaria* (Walker, 1866) (Noctuidae) Synonym(s): *vicaria* Walker, 1866
 45292) *Egybolis vaillantina* (Stoll, [1790]) (Noctuidae) Synonym(s): *vaillantina* Stoll, [1790]
 45293) *Eicomorpha antiqua* Staudinger, 1888 (Noctuidae) Synonym(s): *antiqua* Staudinger, 1888.
 45294) *Eicomorpha antiqua ammonitica* Hacker, 2001 (Noctuidae) Synonym(s): *ammonitica* Hacker, 2001
 45295) *Eicomorpha epipsilioides* Boursin, 1970 (Noctuidae) Synonym(s): *epipsilioides* Boursin, 1970
 45296) *Eicomorpha firyuza* Ronkay, Varga & Hreblay, 1998 (Noctuidae) Synonym(s): *firyuza* Ronkay, Varga & Hreblay, 1998
 45297) *Eicomorpha koeppeni* Alpheraky, 1894 (Noctuidae) Synonym(s): *koeppeni* Alpheraky, 1894
 45298) *Eicomorpha kurdestanica* De Freina & Hacker, 1985 (Noctuidae) Synonym(s): *kurdestanica* De Freina & Hacker, 1985
 45299) *Elaphria venustula* (Hübner, 1790) (Noctuidae) Synonym(s): *venustula* Hübner, 1790
 45300) *Eligma narcissus* (Cramer, 1775) (Noctuidae) Synonym(s): *narcissus* Cramer, 1775
 45301) *Elwesia diplostigma* Hampson, 1894 (Noctuidae) Synonym(s): *diplostigma* Hampson, 1894
 45302) *Elwesia diplostigma vasarhelyi* Hreblay, Peregovits & L. Ronkay, 1999 (Noctuidae) Synonym(s): *vasarhelyi* Hreblay, Peregovits & L. Ronkay, 1999
 45303) *Elwesia macrophthalma* Hreblay, Peregovits & L. Ronkay, 1999 (Noctuidae) Synonym(s): *macrophthalma* Hreblay, Peregovits & L. Ronkay, 1999
 45304) *Elwesia nigripalpis* W. Warren, 1911 (Noctuidae) Synonym(s): *nigripalpis* W. Warren, 1911
 45305) *Elwesia pallida* W. Warren, 1911 (Noctuidae) Synonym(s): *pallida* W. Warren, 1911
 45306) *Elwesia tarka* (Noctuidae) Synonym(s):
 45307) *Elwesia tarka sericea* Hreblay, Peregovits & L. Ronkay, 1999 (Noctuidae) Synonym(s): *sericea* Hreblay, Peregovits & L. Ronkay, 1999
 45308) *Elwesia vuquangconi* Hreblay, Peregovits & L. Ronkay, 1999 (Noctuidae) Synonym(s): *vuquangconi* Hreblay, Peregovits & L. Ronkay, 1999
 45309) *Elydna nonagrica* (Walker, 1864) (Noctuidae) Synonym(s): *nonagrica* Walker, 1864
 45310) *Elydna transversa* Walker, 1858 (Noctuidae) Synonym(s): *transversa* Walker, 1858
 45311) *Elydnodes ornata* Wileman & West, 1929 (Noctuidae) Synonym(s): *ornata* Wileman & West, 1929
 45312) *Elydnodes variegata* (Leech, 1900) (Noctuidae) Synonym(s): *variegata* Leech, 1900
 45313) *Elyptron ethiopicum* (Hampson, 1909) (Noctuidae) Synonym(s): *ethiopicum* Hampson, 1909
 45314) *Emmelia trabealis* (Scopoli, 1763) (Noctuidae) Synonym(s): *trabealis* Scopoli, 1763; *sulphuralis* Linnaeus, 1767; *sulphurea* [Denis & Schiffermüller], 1775; *lugubris* Fabricius, 1777; *histrionella* Goetze, 1783; *arlequinetta* Fourcroy, 1785; *trabeata* Borkhausen, 1790; *pardalina* Walker, 1865
 45315) *Emmelia viridisquama* (Guenée, 1852) (Noctuidae) Synonym(s): *viridisquama* Guenée, 1852
 45316) *Enargia abluta* (Hübner, [1808]) (Noctuidae) Synonym(s): *abluta* Hübner, [1808]; *imbuta* Boisduval, 1840.
 45317) *Enargia abluta* (Hübner, [1808]) (Noctuidae) Synonym(s): *abluta* Hübner, [1808]; *imbuta* Boisduval, 1840.
 45318) *Enargia abluta arenaria* (Bartel, 1903) (Noctuidae) Synonym(s): *arenaria* Bartel, 1903
 45319) *Enargia contacta* (Graeser, 1892) (Noctuidae) Synonym(s): *contacta* Graeser, 1892
 45320) *Enargia paleacea* (Esper, [1788]) (Noctuidae) Synonym(s): *paleacea* Esper, [1788].
 45321) *Enargia pinkeri* De Freina & Hacker, 1985 (Noctuidae) Synonym(s): *pinker* De Freina & Hacker, 1985
 45322) *Engusanacantha bilineata* Berio, 1941 (Noctuidae) Synonym(s): *bilineata* Berio, 1941
 45323) *Enispa albigrisea* (Warren, 1914) (Noctuidae) Synonym(s): *albigrisea* Warren, 1914
 45324) *Entomogramma fautrix* Guenée, 1852 (Noctuidae) Synonym(s): *fautrix* Guenée, 1852
 45325) *Entomogramma grisea* Wallengren, 1856 (Noctuidae) Synonym(s): *grisea* Wallengren, 1856
 45326) *Entomogramma pardus* Guenée, 1852 (Noctuidae) Synonym(s): *pardus* Guenée, 1852; *venusta* Walker, 1865; *anteponeus* Walker, 1858; *panthera* R. Felder & Rogenhofer, 1874; *pardalis* Saalmüller, 1880; *syngammata* Mabilie, 1880
 45327) *Entomogramma torsa* Guenée, 1852 (Noctuidae) Synonym(s): *torsa* Guenée, 1852; *squammicornis* R. Felder & Rogenhofer, 1874; *vanua* R. Felder & Rogenhofer, 1874

- 45328) *Eogena contaminei* (Eversmann,1847) (Noctuidae) Synonym(s): *contaminei* Eversmann,1847
 45329) *Epharmottomena albiluna* (Hampson,1899) (Noctuidae) Synonym(s): *albiluna* Hampson,1899
 45330) *Epharmottomena eremophila* (Rebel,1895) (Noctuidae) Synonym(s): *eremophila* Rebel,1895; *plumbizonata* Warren,1913; *costiplaga* Warren,1913; *lacroixi* Lucas,1914.
 45331) *Epharmottomena gelida* (Brandt,1939) (Noctuidae) Synonym(s): *gelida* Brandt,1939
 45332) *Epharmottomena gorgonula* Wiltshire,1979 (Noctuidae) Synonym(s): *gorgonula* Wiltshire,1979
 45333) *Epharmottomena leucodonta* (Hampson,1926) (Noctuidae) Synonym(s): *leucodonta* Hampson,1926; *funesta* Brandt,1939.
 45334) *Epharmottomena nana* (Staudinger,1884) (Noctuidae) Synonym(s): *nana* Staudinger,1884
 45335) *Epharmottomena nana iranica* Wiltshire,1971 (Noctuidae) Synonym(s): *iranica* Wiltshire,1971
 45336) *Epharmottomena nana nana* (Staudinger,1884) (Noctuidae) Synonym(s): *nana* Staudinger,1884
 45337) *Epharmottomena accurata* (Brandt,1939) (Noctuidae) Synonym(s): *tenera* Brandt,1939
 45338) *Epharmottomena tenera tenera* (Brandt,1939) (Noctuidae) Synonym(s): *tenera* Brandt,1939
 45339) *Epharmottomena tenera waterstoni* (Wiltshire,1949) (Noctuidae) Synonym(s): *waterstoni* Wiltshire,1949
 45340) *Epilecta linogrisea* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901.
 45341) *Epimecia ustula* (Freyer,1835) (Noctuidae) Synonym(s): *ustula* Freyer,1835
 45342) *Epimeciodes abunda* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *abunda* R.Felder & Rogenhofer,1874
 45343) *Epipsammia accurata* (Christoph,1882) (Noctuidae) Synonym(s): *accurata* Christoph,1882 0
 45344) *Epipsammia agrapha* Boursin,1960 (Noctuidae) Synonym(s): *agrapha* Boursin,1960
 45345) *Epipsammia boursini* Wiltshire,1957 (Noctuidae) Synonym(s): *boursini* Wiltshire,1957
 45346) *Epipsammia constantialis* Boursin,1960 (Noctuidae) Synonym(s): *constantialis* Boursin,1960
 45347) *Epipsammia cretacea* (Staudinger,1888) (Noctuidae) Synonym(s): *cretacea* Staudinger,1888.
 45348) *Epipsammia deserticola* Staudinger,1879 (Noctuidae) Synonym(s): *deserticola* Staudinger,1879
 45349) *Epipsammia fixseni* (Christoph,1893) (Noctuidae) Synonym(s): *fixseni* Christoph,1893
 45350) *Epipsammia mirabilis* (Staudinger,1888) (Noctuidae) Synonym(s): *mirabilis* Staudinger,1888
 45351) *Episema amasina* (Hampson,1906) (Noctuidae) Synonym(s): *amasina* Hampson,1906
 45352) *Episema didymogramma* (Boursin,1955) (Noctuidae) Synonym(s): *didymogramma* Boursin,1955
 45353) *Episema glaucina* (Esper,[1789]) (Noctuidae) Synonym(s): *glaucina* Esper,[1789]; *dentimacula* Hübner,1790; *unicolor* Duponchel,1835; *hispana* Boisduval,[1837]; *meridionalis* Calberla,1888; *abruzzorum* Dannehl,1929.
 45354) *Episema gozmanyi* Ronkay & Hacker,1985 (Noctuidae) Synonym(s): *gozmanyi* Ronkay & Hacker,1985
 45355) *Episema grueneri* Boisduval,1837 (Noctuidae) Synonym(s): *grueneri* Boisduval,1837
 45356) *Episema korsakovi* (Christoph,1885) (Noctuidae) Synonym(s): *korsakovi* Christoph,1885; *paenulata* Christoph,1885.
 45357) *Episema korsakovi korsakovi* (Christoph,1885) (Noctuidae) Synonym(s): *korsakovi* Christoph,1885; *paenulata* Christoph,1885.
 45358) *Episema korsakovi levantina* Hacker,2001 (Noctuidae) Synonym(s): *levantina* Hacker,2001
 45359) *Episema lederi* Christoph,1885 (Noctuidae) Synonym(s): *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#ledereri* Wiltshire,1937.
 45360) *Episema lemoniopsis* Hacker,2001 (Noctuidae) Synonym(s): *lemoniopsis* Hacker,2001
 45361) *Episema melanogona* (Tauscher,1809) (Noctuidae) Synonym(s): *melanogona* Tauscher,1809
 45362) *Episema minuta* Boursin & Ebert,1976 (Noctuidae) Synonym(s): *minuta* Boursin & Ebert,1976
 45363) *Episema minutoides* Ronkay, Varga & Hreblay,1998 (Noctuidae) Synonym(s): *minutoides* Ronkay, Varga & Hreblay,1998
 45364) *Episema scillae* (Chrétien,1888) (Noctuidae) Synonym(s): *scillae* Chrétien,1888
 45365) *Episema tamardayanae* Fibiger, Kravchenko, Mooser, Li & Müller,2006 (Noctuidae) Synonym(s): *tamardayanae* Fibiger, Kravchenko, Mooser, Li & Müller,2006
 45366) *Episema tersa* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *tersa* [Denis & Schiffermüller],1775; *trimacula* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1956.
 45367) *Episema ulriki* Fibiger, Kravchenko, Mooser, Li & Müller,2006 (Noctuidae) Synonym(s): *ulriki* Fibiger, Kravchenko, Mooser, Li & Müller,2006
 45368) *Episparina hieroglyphica* Holland,1894 (Noctuidae) Synonym(s): *hieroglyphica* Holland,1894
 45369) *Episparina tortuosalis* (Moore,1867) (Noctuidae) Synonym(s): *tortuosalis* Moore,1867
 45370) *Episparis exprimens* Walker,1862 (Noctuidae) Synonym(s): *exprimens* Walker,1862; *sejunctata* Walker,1866; *sejunctalis* Moore,1867; *ennomocoides* Moore,1867
 45371) *Episparis leucotessellis* Hampson,1902 (Noctuidae) Synonym(s): *leucotessellis* Hampson,1902
 45372) *Episparis penetrata* Walker,[1857] (Noctuidae) Synonym(s): *penetrata* Walker,[1857]
 45373) *Episparis* sp. (Noctuidae) Synonym(s):
 45374) *Episparis varialis* (Walker,1858) (Noctuidae) Synonym(s): *liturata* Fabricius,1787 nec Linn.,1761; *varialis* Walker,1858; *signata* Walker,1865; *davallia* R.Felder & Rogenhofer,1874
 45375) *Episparis xanthographa* Hampson,1926 (Noctuidae) Synonym(s): *xanthographa* Hampson,1926
 45376) *Episteme adulatrix* (Kollar,[1844]) (Noctuidae) Synonym(s): *adulatrix* Kollar,[1844]; *bellatrix* Westwood,1848; *affilicta* Butler,1875; *contracta* Butler,1875; *sectionotis* Butler,1875; *simplex* Butler,1875; *spilosa* Jordan,1912
 45377) *Episteme beatrix* Jordan,1909 (Noctuidae) Synonym(s): *beatrix* Jordan,1909
 45378) *Episteme bisma* (Moore,1859) (Noctuidae) Synonym(s): *bisma* Moore,1859; *lambertiana* Boisduval,1874
 45379) *Episteme connexa* (Walker,1856) (Noctuidae) Synonym(s): *connexa* Walker,1856
 45380) *Episteme conspicua* Rothschild,1896 (Noctuidae) Synonym(s): *conspicua* Rothschild,1896; *sumatrana* Rothschild,1899
 45381) *Episteme latimargo* (Hampson,1891) (Noctuidae) Synonym(s): *latimargo* Hampson,1891; *shevaroyensis* Strand,1912
 45382) *Episteme lectrix* (Linnaeus,1764) (Noctuidae) Synonym(s): *lectrix* Linnaeus,1764
 45383) *Episteme maculatrix* (Duncan & Westwood,[1841]) (Noctuidae) Synonym(s): *maculatrix* Duncan & Westwood,[1841]; *distincta* Butler,1875
 45384) *Episteme negrita* (Hampson,1894) (Noctuidae) Synonym(s): *negrita* Hampson,1894
 45385) *Episteme nigripennis* (Butler,1875) (Noctuidae) Synonym(s): *nigripennis* Butler,1875
 45386) *Episteme nipalensis* (Butler,1875) (Noctuidae) Synonym(s): *nipalensis* Butler,1875; *dives* Butler,1881; *westwoodi* Kirby,1897; *schana* Jordan,1912; *expansa* Jordan,1912
 45387) *Episteme sollicita* (Swinhoe,1902) (Noctuidae) Synonym(s): *sollicita* Swinhoe,1902
 45388) *Episteme sumbana* Rothschild,1897 (Noctuidae) Synonym(s): *sumbana* Rothschild,1897
 45389) *Episteme vetula* (Geyer,1832) (Noctuidae) Synonym(s): *vetula* Geyer,1832; *fasciatrix* Westwood,1848; *bijugata* Walker,1862; *irenea* Boisduval,1874; *communis* Butler,1875; *sollicita* Swinhoe,1902; *palavanica* Jordan,1912
 45390) *Ercheia cyllaria* (Cramer,1782) (Noctuidae) Synonym(s): *cyllaria* Cramer,1782
 45391) *Ercheia diversipennis* Walker,[1858] (Noctuidae) Synonym(s): *diversipennis* Walker,[1858]; *ambidens* R.Felder & Rogenhofer,1874; *zura* Swinhoe,1885; *zygia* Swinhoe,1885
 45392) *Ercheia kebea* Bethune-Baker,1906 (Noctuidae) Synonym(s): *kebea* Bethune-Baker,1906; *cebea* Hampson,1913; *designata* W.Warren,1914; *#nigristriata* W.Warren,1914; *albirenata* Gaede,1917
 45393) *Ercheia multilinea* Swinhoe,1902 (Noctuidae) Synonym(s): *multilinea* Swinhoe,1902; *abnormis* Swinhoe,1904
 45394) *Ercheia pulchrivena* (Walker,1864) (Noctuidae) Synonym(s): *pulchrivena* Walker,1864
 45395) *Ercheia subsignata* (Walker,1865) (Noctuidae) Synonym(s): *subsignata* Walker,1865
 45396) *Erebus albicincta* Kollar,[1844] (Noctuidae) Synonym(s): *albicincta* Kollar,[1844]
 45397) *Erebus atavisticus* (Hampson,1913) (Noctuidae) Synonym(s): *atavisticus* Hampson,1913
 45398) *Erebus caprimulgus* (Fabricius,1775) (Noctuidae) Synonym(s): *caprimulgus* Fabricius,1775; *exterior* Walker,1858; *obliterans* Walker,1858; *truncata* Moore,1877; *#rupicapra* Candez,1927
 45399) *Erebus ephesteris* (Hübner,[1823]) (Noctuidae) Synonym(s): *ephesteris* Hübner,[1823]; *laetitia* Butler,1878; *niasana* Swinhoe,1918; *malanga* Swinhoe,1918
 45400) *Erebus gemmans* (Guenée,1852) (Noctuidae) Synonym(s): *gemmans* Guenée,1852; *ophrestigmaris* Hampson,1895
 45401) *Erebus glaucopsis* (Walker,1858) (Noctuidae) Synonym(s): *glaucopsis* Walker,1858; *prunosa* Moore,1883
 45402) *Erebus hieroglyphica* (Drury,1773) (Noctuidae) Synonym(s): *hieroglyphica* Drury,1773; *ulula* Fabricius,1775; *mygdonia* Cramer,1777; *hermonia* Cramer,1777; *lunaris* Walker,1866; *celebensis* Hopffer,1874; *tenebrata* Prout,1919
 45403) *Erebus macrops* (Linnaeus,1768) (Noctuidae) Synonym(s): *macrops* Linnaeus,1768; *bubo* Fabricius,1775; *boopis* Guenée,1852; *walkeri* Butler,1875.

- 45404) *Erebus mirans* Prout, 1932 (Noctuidae) Synonym(s): *mirans* Prout, 1932
- 45405) *Erebus sumbana* (Swinhoe, 1918) (Noctuidae) Synonym(s): *Argiva ceramica* Swinhoe, 1918; *Argiva luzonica* Swinhoe, 1918.
- 45406) *Erebus walkeri* (Butler, 1875) (Noctuidae) Synonym(s): *walkeri* Butler, 1875; *valceri* Hampson, 1913.
- 45407) *Eremobastis dimorpha* (Rungs, 1948) (Noctuidae) Synonym(s): *dimorpha* Rungs, 1948; *hackeri* De Freina & Behounek, 1996
- 45408) *Eremobastis fulva* (Rothschild, 1914) (Noctuidae) Synonym(s): *fulva* Rothschild, 1914; *maribelae* Perez-Lopez & Morente-Benitez, 1996
- 45409) *Eremobastis judaica* (Staudinger, 1898) (Noctuidae) Synonym(s): *judaica* Staudinger, 1898
- 45410) *Eremobia asiatica* Draudt, 1936 (Noctuidae) Synonym(s): *asiatica* Draudt, 1936
- 45411) *Eremobia asiatica asiatica* (Draudt, 1936) (Noctuidae) Synonym(s): *asiatica* Draudt, 1936
- 45412) *Eremobia asiatica pelurica* Schwingenschuss, 1939 (Noctuidae) Synonym(s): *pelurica* Schwingenschuss, 1939
- 45413) *Eremobia deccerti* Hampson, 1908 (Noctuidae) Synonym(s): *deccerti* Hampson, 1908; *pseudotrachea* Krulikowsky, 1909.
- 45414) *Eremobia decipiens* (Alpheraky, 1895) (Noctuidae) Synonym(s): *decipiens* Alpheraky, 1895
- 45415) *Eremobia ochroleuca* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *ochroleuca* [Denis & Schiffermüller], 1775; *citrina* Donovan, 1801; *bifasciosa* Haworth, 1809.
- 45416) *Eremobia ochroleuca ochroleuca* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *ochroleuca* [Denis & Schiffermüller], 1775; *citrina* Donovan, 1801; *bifasciosa* Haworth, 1809.
- 45417) *Eremobina pabulatricula* (Brahm, 1791) (Noctuidae) Synonym(s): *pabulatricula* Brahm, 1791
- 45418) *Eremochlaena orana* (Lucas, 1848) (Noctuidae) Synonym(s): *orana* Lucas, 1848
- 45419) *Eremohadena arvicola* (Christoph, 1887) (Noctuidae) Synonym(s): *arvicola* Christoph, 1887; *banghaasi* Bytinski-Salz & Brandt, 1937
- 45420) *Eremohadena arvicola arvicola* (Christoph, 1887) (Noctuidae) Synonym(s): *arvicola* Christoph, 1887; *banghaasi* Bytinski-Salz & Brandt, 1937
- 45421) *Eremohadena arvicola korshunovi* Ronkay & Varga, 1993 (Noctuidae) Synonym(s): *korshunovi* Ronkay & Varga, 1993
- 45422) *Eremohadena arvicola rhodostola* (Boursin, 1962) (Noctuidae) Synonym(s): *rhodostola* Boursin, 1962
- 45423) *Eremopola hazara* Hacker, 1990 (Noctuidae) Synonym(s): *hazara* Hacker, 1990
- 45424) *Eremopola lenis* (Staudinger, 1892) (Noctuidae) Synonym(s): *lenis* Staudinger, 1892; *magnifica* Rothschild, 1914; *marmarides* Turati, 1924; *radoti* Boursin, 1928
- 45425) *Eremotrachea bacheri* (Püngeler, 1902) (Noctuidae) Synonym(s): *bacheri* Püngeler, 1902; *hagar* Rothschild, 1921; *sahariensis* Rothschild, 1915; *salmonia* Oberthür, 1918
- 45426) *Ericcia albangula* (Saalmüller, 1880) (Noctuidae) Synonym(s): *albangula* Saalmüller, 1880; *terrena* Mabilie, 1882; *dodo* Viette, 1975
- 45427) *Ericcia congregata* (Walker, 1858) (Noctuidae) Synonym(s): *congregata* Walker, 1858; *taedia* R. Felder & Rogenhofer, 1874; *infirma* Holland, 1894; *watsoni* Wiltshire, 1982
- 45428) *Ericcia congressa* (Walker, 1858) (Noctuidae) Synonym(s): *congressa* Walker, 1858; *sandii* Guenée, 1862
- 45429) *Ericcia eriophora* (Guenée, 1852) (Noctuidae) Synonym(s): *eriophora* Guenée, 1852; *perfidiosa* Walker, 1858; *deficiens* Walker, 1858; *apicalis* Walker, [1863]
- 45430) *Ericcia inangulata* (Guenée, 1852) (Noctuidae) Synonym(s): *inangulata* Guenée, 1852; *optativa* Walker, 1858; *optatura* Walker, 1858; *zeta* Walker, 1864; *intracta* Walker, 1864; *comitata* Walker, 1865; *umbrosa* Walker, 1869; *subcinerea* Snellen, 1880; *intextilia* Schultze, 1908; *levuensis* A. Prout, 1929; *certilinea* A. Prout, 1929
- 45431) *Ericcia leichardtii* (Koch, 1865) (Noctuidae) Synonym(s): *leichardtii* Koch, 1865
- 45432) *Ericcia pertendens* (Walker, [1858]) (Noctuidae) Synonym(s): *pertendens* Walker, [1858]; *gonioptila* Prout, 1922; *eurytaenia* Prout, 1929; *occidua* Prout, 1929; *iopolia* D.S. Fletcher, 1957
- 45433) *Ericcia sobria* Walker, [1858] (Noctuidae) Synonym(s): *sobria* Walker, [1858]; *aliena* Walker, 1858; *statina* Möschler, 1883; *pampecila* Bethune-Baker, 1914
- 45434) *Eriopygodes discalis* Brandt, 1938 (Noctuidae) Synonym(s): *discalis* Brandt, 1938
- 45435) *Eriopygodes imbecilla* (Fabricius, 1794) (Noctuidae) Synonym(s): *imbecilla* Fabricius, 1794; *alpina* Hübner, 1793; *aliena* Hübner, [1808]; *disparilis* Ochsenheimer, 1816.
- 45436) *Eriopygodes impar* (Staudinger, 1870) (Noctuidae) Synonym(s): *impar* Staudinger, 1870
- 45437) *Erizada lichenaria* Walker, 1865 (Noctuidae) Synonym(s): *lichenaria* Walker, 1865; *metarhoda* Walker, 1865; *hyperythrum* Hampson, 1894
- 45438) *Erygia apicalis* Guenée, 1852 (Noctuidae) Synonym(s): *apicalis* Guenée, 1852; *exempta* Walker, 1858; *squamiplena* Walker, 1858; *geometroides* Walker, 1865; *usta* Walker, 1865; *watanabii* Holland, 1889; *tamsi* Hulstaert, 1924
- 45439) *Erygia reflectifascia* Hampson, 1891 (Noctuidae) Synonym(s): *reflectifascia* Hampson, 1891
- 45440) *Erythrophaia eudoxia* Staudinger, 1892 (Noctuidae) Synonym(s): *eudoxia* Staudinger, 1892
- 45441) *Erythrophaia rennenkampfi* Draudt, 1935 (Noctuidae) Synonym(s): *rennenkampfi* Draudt, 1935
- 45442) *Erythrophaia suavis* (Staudinger, 1888) (Noctuidae) Synonym(s): *suavis* Staudinger, 1888
- 45443) *Erythroplusia pyropia* (Butler, 1879) (Noctuidae) Synonym(s): *pyropia* Butler, 1879; *pseudopyropia* Chou & Lu, 1978
- 45444) *Estimata alexis* Kozhantschikov, 1928 (Noctuidae) Synonym(s): *alexis* Kozhantschikov, 1928
- 45445) *Estimata cacumena* (Brandt, 1938) (Noctuidae) Synonym(s): *cacumena* Brandt, 1938
- 45446) *Estimata clavata* (Hampson, 1907) (Noctuidae) Synonym(s): *clavata* Hampson, 1907
- 45447) *Estimata dailingensis* Chen, 1984 (Noctuidae) Synonym(s): *dailingensis* Chen, 1984
- 45448) *Estimata dhaulagirii* Dierl, 1983 (Noctuidae) Synonym(s): *dhaulagirii* Dierl, 1983
- 45449) *Estimata eversti* Dierl, 1983 (Noctuidae) Synonym(s): *eversti* Dierl, 1983
- 45450) *Estimata herrichschaefferi* (Alpheraky, 1895) (Noctuidae) Synonym(s): *herrichschaefferi* Alpheraky, 1895
- 45451) *Estimata herzioides* (Corti & Draudt, 1933) (Noctuidae) Synonym(s): *herzioides* Corti & Draudt, 1933
- 45452) *Estimata magadanica* Kononenko, 1981 (Noctuidae) Synonym(s): *magadanica* Kononenko, 1981
- 45453) *Estimata militzae* (Kozhantschikov, 1937) (Noctuidae) Synonym(s): *militzae* Kozhantschikov, 1937
- 45454) *Estimata oschi* (Kozhantschikov, 1937) (Noctuidae) Synonym(s): *oschi* Kozhantschikov, 1937
- 45455) *Estimata parvula* (Alpheraky, 1897) (Noctuidae) Synonym(s): *parvula* Alpheraky, 1897
- 45456) *Estimata takkhalii* Dierl, 1983 (Noctuidae) Synonym(s): *takkhalii* Dierl, 1983
- 45457) *Estimata tibetopasma* Boursin, 1963 (Noctuidae) Synonym(s): *tibetopasma* Boursin, 1963
- 45458) *Etanna albisecta* (Hampson, 1905) (Noctuidae) Synonym(s): *basalis* Moore, 1885 nec Wlk.; *albisecta* Hampson, 1905
- 45459) *Etanna albonotata* (Hampson, 1894) (Noctuidae) Synonym(s): *albonotata* Hampson, 1894
- 45460) *Etanna basalis* Walker, 1862 (Noctuidae) Synonym(s): *basalis* Walker, 1862; *atrifasciata* Hampson, 1896; *mackwoodi* Hampson, 1902
- 45461) *Etanna binotata* (Hampson, 1912) (Noctuidae) Synonym(s): *binotata* Hampson, 1912
- 45462) *Etanna breviscula* (Walker, 1863) (Noctuidae) Synonym(s): *breviuscula* Walker, 1863; *valida* Walker, 1863; *rudis* Walker, 1865; *xyloglypta* Lucas, 1890; *nigridisca* Hampson, 1891; *floccifera* Hampson, 1894
- 45463) *Etanna brunnea* (Hampson, 1905) (Noctuidae) Synonym(s): *brunnea* Hampson, 1905; *praedulcis* Turner, 1920
- 45464) *Etanna pallibrunnea* Holloway, 2003 (Noctuidae) Synonym(s): *pallibrunnea* Holloway, 2003
- 45465) *Etanna teleoleuca* (A.E. Prout, 1922) (Noctuidae) Synonym(s): *teleoleuca* A.E. Prout, 1922
- 45466) *Etanna vailima* (Tams) (Noctuidae) Synonym(s):
- 45467) *Etanna viridifascia* Holloway, 2003 (Noctuidae) Synonym(s): *viridifascia* Holloway, 2003
- 45468) *Etanna vittalis* (Walker, 1866) (Noctuidae) Synonym(s): *vittalis* Walker, 1866
- 45469) *Ethiopica cupricolor* (Hampson, 1902) (Noctuidae) Synonym(s): *cupricolor* Hampson, 1902
- 45470) *Ethiopica polystra* Hampson, 1909 (Noctuidae) Synonym(s): *polystra* Hampson, 1909
- 45471) *Ethiopica vinosa* (Hampson, 1902) (Noctuidae) Synonym(s): *vinosa* Hampson, 1902
- 45472) *Ethioterpia lichenea* Janse, 1938 (Noctuidae) Synonym(s): *lichenea* Janse, 1938
- 45473) *Ethioterpia marmorata* Janse, 1938 (Noctuidae) Synonym(s): *marmorata* Janse, 1938
- 45474) *Ethioterpia neavei* Hampson, 1910 (Noctuidae) Synonym(s): *neavei* Hampson, 1910; *janenschi* Gaede, 1915.
- 45475) *Eublemma (Coccidiphaga) scitula* (Rambur, 1833) (Noctuidae) Synonym(s): *scitula* Rambur, 1833; *exasperata* Lederer, 1855; *gibbosa* Snellen, 1872; *futilis* Swinhoe, 1884; *cretacea* Hampson, 1893; *turatii* Berio, 2002.
- 45476) *Eublemma (Glossodice) agnella* (Brandt, 1938) (Noctuidae) Synonym(s): *agnella* Brandt, 1938
- 45477) *Eublemma (Glossodice) apicipunctalis* (Brandt, 1939) (Noctuidae) Synonym(s): *apicipunctalis* Brandt, 1939; ? *popovi* Wiltshire, 1953; *guichardi* Wiltshire, 1977.
- 45478) *Eublemma (Glossodice) ephimera* Hampson, 1910 (Noctuidae) Synonym(s): *ephimera* Hampson, 1910

- 45479) *Eublemma* (Glossodice) *gratiosa* (Eversmann,1854) (Noctuidae) Synonym(s): *gratiosa* Eversmann,1854; *epigramma* Staudinger,1889.
- 45480) *Eublemma* (Glossodice) *nelvai* (Rothschild,1920) (Noctuidae) Synonym(s): *nelvai* Rothschild,1920
- 45481) *Eublemma* (Glossodice) *polygramma* (Duponchel,1842) (Noctuidae) Synonym(s): *polygramma* Duponchel,1842; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *pudorina* Staudinger,1889; *violetta* Staudinger,1889.
- 45482) *Eublemma* (Glossodice) *pseudepistota* (Brandt,1938) (Noctuidae) Synonym(s): *pseudepistota* Brandt,1938
- 45483) *Eublemma* (Glossodice) *salangi* (Wiltshire,1961) (Noctuidae) Synonym(s): *salangi* Wiltshire,1961
- 45484) *Eublemma* (Glossodice) *semiochrea* (C.G.Krüger,1939) (Noctuidae) Synonym(s): *semiochrea* C.G.Krüger,1939
- 45485) *Eublemma* (admota-gr.) *khonoides* Wiltshire,1980 (Noctuidae) Synonym(s): *khonoides* Wiltshire,1980
- 45486) *Eublemma* (admota-gr.) *reducta* Butler,1894 (Noctuidae) Synonym(s): *reducta* Butler,1894
- 45487) *Eublemma* (albida-gr.) *albida* (Duponchel,1843) (Noctuidae) Synonym(s): *albida* Duponchel,1843; *albicans* Guenée,1852; *gueneei* Spuler,1907.
- 45488) *Eublemma* (albida-gr.) *argentifera* Hacker & Fibiger,2002 (Noctuidae) Synonym(s): *argentifera* Hacker & Fibiger,2002
- 45489) *Eublemma* (albida-gr.) *candicans* (Rambur,1858) (Noctuidae) Synonym(s): *candicans* Rambur,1858
- 45490) *Eublemma* (albida-gr.) *compuncta* (Lederer,1872) (Noctuidae) Synonym(s): *compuncta* Lederer,1872; *afrob* Brandt,1938.
- 45491) *Eublemma* (albida-gr.) *draudti* (Bytinski-Salz & Brandt,1937) (Noctuidae) Synonym(s): *draudti* Bytinski-Salz & Brandt,1937
- 45492) *Eublemma* (albida-gr.) *gratissima* (Staudinger,1892) (Noctuidae) Synonym(s): *gratissima* Staudinger,1892; *infuscata* Staudinger,1892; *peralba* Schawerda,1923.
- 45493) *Eublemma* (albida-gr.) *hansa* (Herrich-Schäffer,1851) (Noctuidae) Synonym(s): *hansa* Herrich-Schäffer,1851
- 45494) *Eublemma* (albida-gr.) *hansa hansa* (Herrich-Schäffer,1851) (Noctuidae) Synonym(s): *hansa* Herrich-Schäffer,1851
- 45495) *Eublemma* (albida-gr.) *hansa straminea* (Staudinger,1892) (Noctuidae) Synonym(s): *straminea* Staudinger,1892; *maraschensis* Osthelder,1933
- 45496) *Eublemma* (albida-gr.) *jocularis* (Christoph,1877) (Noctuidae) Synonym(s): *jocularis* Christoph,1877
- 45497) *Eublemma* (albida-gr.) *munda* (Christoph,1884) (Noctuidae) Synonym(s): *munda* Christoph,1884
- 45498) *Eublemma* (albida-gr.) *peralbida* (Turati & C.G.Krüger,1936) (Noctuidae) Synonym(s): *peralbida* Turati & C.G.Krüger,1936
- 45499) *Eublemma* (albida-gr.) *straminea* (Staudinger,1892) (Noctuidae) Synonym(s): *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933.
- 45500) *Eublemma* (baccalix-gr.) *baccalix* (Swinhoe,1886) (Noctuidae) Synonym(s): *baccalix* Swinhoe,1886; *fasciosa* Moore,1887.
- 45501) *Eublemma* (baccalix-gr.) *quadrilineata* (Moore,1881) (Noctuidae) Synonym(s): *quadrilineata* Moore,1881
- 45502) *Eublemma* (bifasciata-gr.) *alexi* Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *alexi* Fibiger & Hacker,2002
- 45503) *Eublemma* (bifasciata-gr.) *bifasciata* (Moore,1881) (Noctuidae) Synonym(s): *bifasciata* Moore,1881
- 45504) *Eublemma* (bifasciata-gr.) *odontophora* Hampson,1910 (Noctuidae) Synonym(s): *odontophora* Hampson,1910
- 45505) *Eublemma* (bulla-gr.) *afghana* (Wiltshire,1961) (Noctuidae) Synonym(s): *afghana* Wiltshire,1961
- 45506) *Eublemma* (bulla-gr.) *albivestalis* (Hampson,1910) (Noctuidae) Synonym(s): *vestalis* Staudinger,1900 nec Btl.,1886; *albivestalis* Hampson,1910
- 45507) *Eublemma* (bulla-gr.) *aliena* (C.G.Krüger,1939) (Noctuidae) Synonym(s): *aliena* C.G.Krüger,1939
- 45508) *Eublemma* (bulla-gr.) *bulla* (Swinhoe,1884) (Noctuidae) Synonym(s): *bulla* Swinhoe,1884; *tomentalis* Rebel,1948.
- 45509) *Eublemma* (bulla-gr.) *caniceps* Rebel,1917 (Noctuidae) Synonym(s): *caniceps* Rebel,1917
- 45510) *Eublemma* (bulla-gr.) *confusa* Rothschild,1920 (Noctuidae) Synonym(s): *confusa* Rothschild,1920
- 45511) *Eublemma* (bulla-gr.) *conistota* Hampson,1910 (Noctuidae) Synonym(s): *conistota* Hampson,1910
- 45512) *Eublemma* (bulla-gr.) *crocea* (Rothschild,1920) (Noctuidae) Synonym(s): *crocea* Rothschild,1920
- 45513) *Eublemma* (bulla-gr.) *deserta* (Staudinger,1900) (Noctuidae) Synonym(s): *deserta* Staudinger,1900
- 45514) *Eublemma* (bulla-gr.) *lutosa* Staudinger,1892 (Noctuidae) Synonym(s): *lutosa* Staudinger,1892; *substrigula* Staudinger,1892
- 45515) *Eublemma* (bulla-gr.) *ochricosta* Hampson,1916 (Noctuidae) Synonym(s): *ochricosta* Hampson,1916
- 45516) *Eublemma* (bulla-gr.) *pernivea* Rothschild,1920 (Noctuidae) Synonym(s): *pernivea* Rothschild,1920
- 45517) *Eublemma* (bulla-gr.) *pura* (Hübner,1813) (Noctuidae) Synonym(s): *pura* Hübner,1813
- 45518) *Eublemma* (bulla-gr.) *striantula* (Wiltshire,1961) (Noctuidae) Synonym(s): *striantula* Wiltshire,1961
- 45519) *Eublemma* (bulla-gr.) *subvenata* (Staudinger,1892) (Noctuidae) Synonym(s): *subvenata* Staudinger,1892
- 45520) *Eublemma* (bulla-gr.) *suppura* (Staudinger,1892) (Noctuidae) Synonym(s): *suppura* Staudinger,1892
- 45521) *Eublemma* (bulla-gr.) *wollastoni* (Rothschild,1901) (Noctuidae) Synonym(s): *wollastoni* Rothschild,1901
- 45522) *Eublemma* (candidana-gr.) *aureola* Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *aureola* Fibiger & Hacker,2002
- 45523) *Eublemma* (candidana-gr.) *bifasciata bifasciata* (Moore,1881) (Noctuidae) Synonym(s): *bifasciata* Moore,1881
- 45524) *Eublemma* (candidana-gr.) *candidana* (Fabricius,1794) (Noctuidae) Synonym(s): *candidana* Fabricius,1794; *minuta* Hübner,1809; *perlana* Geyer,1830; *skafioti* Herrich-Schäffer,1851; *impura* Staudinger,1871.
- 45525) *Eublemma* (candidana-gr.) *minutata* (Fabricius,1794) (Noctuidae) Synonym(s): *minutata* Fabricius,1794; *noctualis* Hübner,1796; *paula* Hübner,1809.
- 45526) *Eublemma* (candidana-gr.) *minutata albobasalis* (Spuler,1908) (Noctuidae) Synonym(s): *albobasalis* Spuler,1908
- 45527) *Eublemma* (candidana-gr.) *minutata minutata* (Fabricius,1794) (Noctuidae) Synonym(s): *minutata* Fabricius,1794; *noctualis* Hübner,1796; *paula* Hübner,1809.
- 45528) *Eublemma* (candidana-gr.) *ochreola* (Staudinger,1900) (Noctuidae) Synonym(s): *ochreola* Staudinger,1900; *thurneri* Zerny,1936.
- 45529) *Eublemma* (candidana-gr.) *seminivea* Hampson,1896 (Noctuidae) Synonym(s): *seminivea* Hampson,1896
- 45530) *Eublemma* (candidana-gr.) *taftana* (Brandt,1941) (Noctuidae) Synonym(s): *taftana* Brandt,1941
- 45531) *Eublemma* (candidana-gr.) *viridula* (Guenée,1841) (Noctuidae) Synonym(s): *viridula* Guenée,1841; *minuta* Freyer,1849; *dalmatina* Herrich-Schäffer,1851; *caprearum* Draudt,1933.
- 45532) *Eublemma* (candidana-gr.) *wagneri* (Herrich-Schäffer,1851) (Noctuidae) Synonym(s): *wagneri* Herrich-Schäffer,1851
- 45533) *Eublemma* (chlorotica-gr.) *chlorotica* (Lederer,1858) (Noctuidae) Synonym(s): *chlorotica* Lederer,1858
- 45534) *Eublemma* (chlorotica-gr.) *pseudoviridis* (Brandt,1939) (Noctuidae) Synonym(s): *pseudoviridis* Brandt,1939
- 45535) *Eublemma* (chlorotica-gr.) *viridis* (Staudinger,1888) (Noctuidae) Synonym(s): *viridis* Staudinger,1888
- 45536) *Eublemma* (cochylioides-gr.) *anachoresis* (Wallengren,1863) (Noctuidae) Synonym(s): *anachoresis* Wallengren,1863; *accedens* R.Felder & Rogenhofer,1875; *divisa* Moore,1881; *leonata* Butler,1886.
- 45537) *Eublemma* (cochylioides-gr.) *cochylioides* (Guenée,1852) (Noctuidae) Synonym(s): *cochylioides* Guenée,1852; *rosita* Guenée,1852; *phoenissa* Lederer,1855; *derogata* Walker,1858; *calida* Rebel,1894; *calida* Staudinger,1895; *confusata* Warren,1913.
- 45538) *Eublemma* (cochylioides-gr.) *roseana* (Moore,1881) (Noctuidae) Synonym(s): *roseana* Moore,1881
- 45539) *Eublemma* (debilis-gr.) *chamila* (Draudt,1936) (Noctuidae) Synonym(s): *chamila* Draudt,1936
- 45540) *Eublemma* (debilis-gr.) *debilis* (Christoph,1884) (Noctuidae) Synonym(s): *debilis* Christoph,1884
- 45541) *Eublemma* (debilis-gr.) *deleta* (Staudinger,1901) (Noctuidae) Synonym(s): *deleta* Staudinger,1901
- 45542) *Eublemma* (debilis-gr.) *deserti* (Rothschild,1909) (Noctuidae) Synonym(s): *deserti* Rothschild,1909
- 45543) *Eublemma* (debilis-gr.) *microptera* (Brandt,1939) (Noctuidae) Synonym(s): *microptera* Brandt,1939
- 45544) *Eublemma* (debilis-gr.) *murati* (Brandt,1939) (Noctuidae) Synonym(s): *murati* Brandt,1939
- 45545) *Eublemma* (debilis-gr.) *purinula* (Turati,1934) (Noctuidae) Synonym(s): *purinula* Turati,1934
- 45546) *Eublemma* (debilis-gr.) *purulenta* (Turati,1934) (Noctuidae) Synonym(s): *purulenta* Turati,1934
- 45547) *Eublemma* (ecthemata-gr.) *ecthemata* Hampson,1896 (Noctuidae) Synonym(s): *ecthemata* Hampson,1896; *spirogramma* Rebel,1912
- 45548) *Eublemma* (gayneri-gr.) *fredi* Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *fredi* Fibiger & Hacker,2002
- 45549) *Eublemma* (gayneri-gr.) *gayneri* (Rothschild,1901) (Noctuidae) Synonym(s): *gayneri* Rothschild,1901
- 45550) *Eublemma* (gayneri-gr.) *globus* Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *globus* Fibiger & Hacker,2002
- 45551) *Eublemma* (himmighoffeni-gr.) *dichroma* Rebel,1907 (Noctuidae) Synonym(s): *dichroma* Rebel,1907
- 45552) *Eublemma* (himmighoffeni-gr.) *himmighoffeni* (Millière,1867) (Noctuidae) Synonym(s): *himmighoffeni* Millière,1867
- 45553) *Eublemma* (kruegeri-gr.) *kruegeri* (Wiltshire,1970) (Noctuidae) Synonym(s): *kruegeri* Wiltshire,1970
- 45554) *Eublemma* (kruegeri-gr.) *morosa* (Wiltshire,1970) (Noctuidae) Synonym(s): *morosa* Wiltshire,1970
- 45555) *Eublemma* (kruegeri-gr.) *noctuelioides* (Wiltshire,1971) (Noctuidae) Synonym(s): *noctuelioides* Wiltshire,1971
- 45556) *Eublemma* (kruegeri-gr.) *syrtsensis* (Hampson,1910) (Noctuidae) Synonym(s): *syrtsensis* Hampson,1910
- 45557) *Eublemma* (minima-gr.) *indistincta* Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *indistincta* Fibiger & Hacker,2002
- 45558) *Eublemma* (minima-gr.) *minima* (Guenée,1852) (Noctuidae) Synonym(s): *minima* Guenée,1852; *pennula* R.Felder & Rogenhofer,1874; *carmelita* Morrison,1875; *pallida* Schaus,1904.

- 45559) *Eublemma (muscatensis-gr.) muscatensis* Wiltshire,1980 (Noctuidae) Synonym(s): *muscatensis* Wiltshire,1980
 45560) *Eublemma (muscatensis-gr.) oliva* Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *oliva* Fibiger & Hacker,2002
 45561) *Eublemma (ostrina-gr.) illota* (Christoph,1887) (Noctuidae) Synonym(s): *illota* Christoph,1887
 45562) *Eublemma (ostrina-gr.) ostrina* (Hübner,[1808]) (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsafikis,1973.
 45563) *Eublemma (ostrina-gr.) pseudostrina* Rothschild,1914 (Noctuidae) Synonym(s): *pseudostrina* Rothschild,1914
 45564) *Eublemma (ostrina-gr.) pulcherrima* Wiltshire,1982 (Noctuidae) Synonym(s): *pulcherrima* Wiltshire,1982
 45565) *Eublemma (ostrina-gr.) pulchra* (Swinhoe,1886) (Noctuidae) Synonym(s): *pulchra* Swinhoe,1886
 45566) *Eublemma (ostrina-gr.) staudingeri* (Wallengren,1875) (Noctuidae) Synonym(s): *staudingeri* Wallengren,1875; *pretoriae* Distant,1898
 45567) *Eublemma (pallidula-gr.) bistellata* (Wiltshire,1961) (Noctuidae) Synonym(s): *bistellata* Wiltshire,1961
 45568) *Eublemma (pallidula-gr.) boursini* (Bytinski-Salz & Brandt,1937) (Noctuidae) Synonym(s): *boursini* Bytinski-Salz & Brandt,1937
 45569) *Eublemma (pallidula-gr.) buettikeri* Wiltshire,1980 (Noctuidae) Synonym(s): *buettikeri* Wiltshire,1980
 45570) *Eublemma (pallidula-gr.) leucanides* (Staudinger,1889) (Noctuidae) Synonym(s): *leucanides* Staudinger,1889
 45571) *Eublemma (pallidula-gr.) nuristana* (Wiltshire,1961) (Noctuidae) Synonym(s): *nuristana* Wiltshire,1961
 45572) *Eublemma (pallidula-gr.) pallidula* (Herrich-Schäffer,1856) (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer,1856
 45573) *Eublemma (pallidula-gr.) pallidula khalifa* (Wiltshire,1961) (Noctuidae) Synonym(s): *khalifa* Wiltshire,1961
 45574) *Eublemma (pallidula-gr.) pallidula mardina* (Staudinger,1901) (Noctuidae) Synonym(s): *mardina* Staudinger,1901
 45575) *Eublemma (pallidula-gr.) pallidula nejd* (Wiltshire,1961) (Noctuidae) Synonym(s): *nejd* Wiltshire,1961
 45576) *Eublemma (pallidula-gr.) pallidula pallidula* (Herrich-Schäffer,1856) (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer,1856
 45577) *Eublemma (pallidula-gr.) pallidula squalida* (Staudinger,1879) (Noctuidae) Synonym(s): *griseola* Erschoff,1874 *nec* Feld. & Rog.,1874; *squalida* Staudinger,1879
 45578) *Eublemma (pallidula-gr.) uniformis* (Staudinger,1879) (Noctuidae) Synonym(s): *uniformis* Staudinger,1879
 45579) *Eublemma (pallidula-gr.) virginalis* (Oberthür,1881) (Noctuidae) Synonym(s): *virginalis* Oberthür,1881; *caid* Oberthür,1881; *subterminalis* Rothschild,1914
 45580) *Eublemma (parva-gr.) biparva* Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *biparva* Fibiger & Hacker,2002
 45581) *Eublemma (parva-gr.) cyrenaea* (Turati,1924) (Noctuidae) Synonym(s): *cyrenaea* Turati,1924
 45582) *Eublemma (parva-gr.) exigua* (Walker,[1858]) (Noctuidae) Synonym(s): *exigua* Walker,[1858]; *nuga* Snellen,1872; *parvula* Moore,1881.
 45583) *Eublemma (parva-gr.) gerti* Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *gerti* Fibiger & Hacker,2002
 45584) *Eublemma (parva-gr.) mesophaea* Hampson,1910 (Noctuidae) Synonym(s): *mesophaea* Hampson,1910
 45585) *Eublemma (parva-gr.) miniparva* Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *miniparva* Fibiger & Hacker,2002
 45586) *Eublemma (parva-gr.) parva* (Hübner,[1808]) (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabilille,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902.
 45587) *Eublemma (parva-gr.) parvoides* (Brandt,1939) (Noctuidae) Synonym(s): *parvoides* Brandt,1939
 45588) *Eublemma (parva-gr.) ronkayorum* Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *ronkayorum* Fibiger & Hacker,2002
 45589) *Eublemma (parva-gr.) thermobasis* Hampson,1910 (Noctuidae) Synonym(s): *thermobasis* Hampson,1910
 45590) *Eublemma (ragusana-gr.) ragusana* (Freyer,1844) (Noctuidae) Synonym(s): *ragusana* Freyer,1844; *virginea* Guenée,1852; *cinerina* Ghiliani,1854; *psilogramma* Lederer,1855; *quinquelinealis* Moore,1877; *dividens* Lucas,1892; *polygramma* Hampson,1894.
 45591) *Eublemma (rosina-gr.) amoena* (Hübner,[1803]) (Noctuidae) Synonym(s): *respersa* Hübner,1790; *amoena* Hübner,[1803]; *bithynica* Bethune-Baker,1888.
 45592) *Eublemma (rosina-gr.) caelestis* (Brandt,1938) (Noctuidae) Synonym(s): *caelestis* Brandt,1938
 45593) *Eublemma (rosina-gr.) panonica* (Freyer,1840) (Noctuidae) Synonym(s): *panonica* Freyer,1840
 45594) *Eublemma (rosina-gr.) panonica lenis* (Eversmann,1844) (Noctuidae) Synonym(s): *lenis* Eversmann,1844
 45595) *Eublemma (rosina-gr.) parallela* (Freyer,1842) (Noctuidae) Synonym(s): *parallela* Freyer,1842; *concinula* Herrich-Schäffer,1851; *#densata* Warren,1912.
 45596) *Eublemma (rosina-gr.) purpurina* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *purpurina* [Denis & Schiffermüller],1775; *secunda* Staudinger,1901.
 45597) *Eublemma (rosina-gr.) pusilla* (Eversmann,1834) (Noctuidae) Synonym(s): *pusilla* Eversmann,1834
 45598) *Eublemma (rosina-gr.) rosina* (Hübner,[1803]) (Noctuidae) Synonym(s): *rosea* Hübner,1790 *nec* Fourcroy,1785; *rosina* Hübner,[1803]; *decolorata* Wagner,1913; *sinuata* Schwingenschuss,1938.
 45599) *Eublemma (rosina-gr.) rosina rosina* (Hübner,[1803]) (Noctuidae) Synonym(s): *rosea* Hübner,1790 *nec* Fourcroy,1785; *rosina* Hübner,[1803]; *decolorata* Wagner,1913; *sinuata* Schwingenschuss,1938.
 45600) *Eublemma (siticulosa-gr.) albina* (Staudinger,1898) (Noctuidae) Synonym(s): *albina* Staudinger,1898
 45601) *Eublemma (siticulosa-gr.) leucota* Hampson,1910 (Noctuidae) Synonym(s): *leucota* Hampson,1910
 45602) *Eublemma (siticulosa-gr.) nives* (Brandt,1938) (Noctuidae) Synonym(s): *nives* Brandt,1938
 45603) *Eublemma (siticulosa-gr.) permixta* (Staudinger,1898) (Noctuidae) Synonym(s): *permixta* Staudinger,1898; *mozabitica* Rothschild,1912.
 45604) *Eublemma (siticulosa-gr.) siticulosa* (Lederer,1858) (Noctuidae) Synonym(s): *siticulosa* Lederer,1858; *rushi* Wiltshire,1961.
 45605) *Eublemma (siticulosa-gr.) taifensis* Wiltshire,1980 (Noctuidae) Synonym(s): *taifensis* Wiltshire,1980
 45606) *Eublemma abrupta* Walker (Noctuidae) Synonym(s):
 45607) *Eublemma acarodes* Swinhoe,1907 (Noctuidae) Synonym(s): *acarodes* Swinhoe,1907
 45608) *Eublemma albivena* (Hampson,1905) (Noctuidae) Synonym(s): *albivena* Hampson,1905; *pallescens* Le Cerf,1911.
 45609) *Eublemma albiivia* Hampson,1914 (Noctuidae) Synonym(s): *albiivia* Hampson,1914
 45610) *Eublemma amabilis* Moore,1884 (Noctuidae) Synonym(s): *amabilis* Moore,1884
 45611) *Eublemma amasina* (Eversmann,1842) (Noctuidae) Synonym(s): *amasina* Eversmann,1842
 45612) *Eublemma amygdrosana* Rebel,1948 (Noctuidae) Synonym(s): *amygdrosana* Rebel,1948
 45613) *Eublemma apicata* Distant,1898 (Noctuidae) Synonym(s): *apicata* Distant,1898; *acorchiona* Mabilille,1900.
 45614) *Eublemma apicimacula* (Mabilille,1880) (Noctuidae) Synonym(s): *apicimacula* Mabilille,1880; *truncata* Hampson,1905
 45615) *Eublemma apicipuncta* (Saalmüller,1891) (Noctuidae) Synonym(s): *apicipuncta* Saalmüller,1891
 45616) *Eublemma aurantiaca* Hampson,1910 (Noctuidae) Synonym(s): *aurantiaca* Hampson,1910
 45617) *Eublemma bipartita* Hampson,1902 (Noctuidae) Synonym(s): *bipartita* Hampson,1902
 45618) *Eublemma bolinia* (Hampson,1902) (Noctuidae) Synonym(s): *bolinia* Hampson,1902
 45619) *Eublemma caduca* (Christoph,1893) (Noctuidae) Synonym(s): *caduca* Christoph,1893
 45620) *Eublemma chionophlebia* Hampson,1910 (Noctuidae) Synonym(s): *albivena* Hampson,1910 *nec* Hamps.,1905; *chionophlebia* Hampson,1910.
 45621) *Eublemma comoda* Walker (Noctuidae) Synonym(s):
 45622) *Eublemma costimacula* (Saalmüller,1880) (Noctuidae) Synonym(s): *costimacula* Saalmüller,1880; *plagiopera* Hampson,1902
 45623) *Eublemma daphoena* Hampson,1910 (Noctuidae) Synonym(s): *daphoena* Hampson,1910
 45624) *Eublemma delicata* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *delicata* R.Felder & Rogenhofer,1874
 45625) *Eublemma elychrisi* (Rambur,1833) (Noctuidae) Synonym(s): *elychrisi* Rambur,1833
 45626) *Eublemma epigramma* (Staudinger,1889) (Noctuidae) Synonym(s): *epigramma* Staudinger,1889
 45627) *Eublemma eupetheica* Hampson,1910 (Noctuidae) Synonym(s): *eupetheica* Hampson,1910
 45628) *Eublemma flaviceps* Hampson,1902 (Noctuidae) Synonym(s): *flaviceps* Hampson,1902
 45629) *Eublemma flavicosta* Hampson,1910 (Noctuidae) Synonym(s): *flavicosta* Hampson,1910
 45630) *Eublemma flavida* Hampson,1902 (Noctuidae) Synonym(s): *flavida* Hampson,1902
 45631) *Eublemma flavinia* (Hampson,1902) (Noctuidae) Synonym(s): *flavinia* Hampson,1902
 45632) *Eublemma flavitermina* Hampson,1910 (Noctuidae) Synonym(s): *flavitermina* Hampson,1910
 45633) *Eublemma foedosa* (Guenée,1852) (Noctuidae) Synonym(s): *foedosa* Guenée,1852
 45634) *Eublemma fugitiva* (Christoph,1877) (Noctuidae) Synonym(s): *fugitiva* Christoph,1877
 45635) *Eublemma fulvitermina* Hampson,1910 (Noctuidae) Synonym(s): *fulvitermina* Hampson,1910
 45636) *Eublemma glaucizona* Hampson,1908 (Noctuidae) Synonym(s): *glaucizona* Hampson,1908
 45637) *Eublemma glaucochroa* Hampson,1910 (Noctuidae) Synonym(s): *glaucochroa* Hampson,1910
 45638) *Eublemma goniogramma* Hampson,1910 (Noctuidae) Synonym(s): *goniogramma* Hampson,1910

- 45639) *Eublemma griseofimbriata* Gaede,1935 (Noctuidae) Synonym(s): *griseofimbriata* Gaede,1935
 45640) *Eublemma hemichiona* Hampson,1918 (Noctuidae) Synonym(s): *hemichiona* Hampson,1918
 45641) *Eublemma himmighoffeni* (Millière,1867) (Noctuidae) Synonym(s): *himmighoffeni* Millière,1867
 45642) *Eublemma kettlewelli* Wiltshire,1988 (Noctuidae) Synonym(s): *kettlewelli* Wiltshire,1988
 45643) *Eublemma lentirosea* Hampson,1910 (Noctuidae) Synonym(s): *lentirosea* Hampson,1910
 45644) *Eublemma leucanitis* Hampson,1910 (Noctuidae) Synonym(s): *leucanitis* Hampson,1910
 45645) *Eublemma leucodiceran* Grünberg,1910 (Noctuidae) Synonym(s): *leucodiceran* Grünberg,1910
 45646) *Eublemma leucomelana* Hampson,1902 (Noctuidae) Synonym(s): *leucomelana* Hampson,1902
 45647) *Eublemma leuconeura* Hampson,1910 (Noctuidae) Synonym(s): *leuconeura* Hampson,1910
 45648) *Eublemma leucozona* Hampson,1910 (Noctuidae) Synonym(s): *leucozona* Hampson,1910
 45649) *Eublemma marmorata* Wileman & West,1929 (Noctuidae) Synonym(s): *marmorata* Wileman & West,1929
 45650) *Eublemma maxima* Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *maxima* Fibiger & Hacker,2002
 45651) *Eublemma melabasis* Hampson,1914 (Noctuidae) Synonym(s): *melabasis* Hampson,1914
 45652) *Eublemma melanodonta* Hampson,1910 (Noctuidae) Synonym(s): *melanodonta* Hampson,1910
 45653) *Eublemma miasma* (Hampson,1891) (Noctuidae) Synonym(s):
 45654) *Eublemma misturata* Hampson,1910 (Noctuidae) Synonym(s): *misturata* Hampson,1910
 45655) *Eublemma nigrivitta* Hampson,1902 (Noctuidae) Synonym(s): *nigrivitta* Hampson,1902
 45656) *Eublemma obscura* (C.G.Krüger,1939) (Noctuidae) Synonym(s): *obscura* C.G.Krüger,1939
 45657) *Eublemma ochrobasis* Hampson,1910 (Noctuidae) Synonym(s): *ochrobasis* Hampson,1910
 45658) *Eublemma olivacea* (Walker,1857) (Noctuidae) Synonym(s): *olivacea* Walker,1857
 45659) *Eublemma ornatula* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *ornatula* R.Felder & Rogenhofer,1874
 45660) *Eublemma pannonica* (Freyer,1840) (Noctuidae) Synonym(s): *panonica* Freyer,1840; *kindermannii* Boisduval,1840.
 45661) *Eublemma penicillata* Hampson,1902 (Noctuidae) Synonym(s): *penicillata* Hampson,1902
 45662) *Eublemma peralba* (Schawerda,1923) (Noctuidae) Synonym(s): *peralba* Schawerda,1923
 45663) *Eublemma plumbosa* Distant,1899 (Noctuidae) Synonym(s): *plumbosa* Distant,1899
 45664) *Eublemma porphyria* (Freyer,1845) (Noctuidae) Synonym(s):
 45665) *Eublemma postrosea* Gaede,1935 (Noctuidae) Synonym(s): *postrosea* Gaede,1935
 45666) *Eublemma postrufa* Hampson,1914 (Noctuidae) Synonym(s): *postrufa* Hampson,1914
 45667) *Eublemma pudica* (Snellen,1880) (Noctuidae) Synonym(s): *pudica* Snellen,1880
 45668) *Eublemma punctilinea* Hampson,1902 (Noctuidae) Synonym(s): *punctilinea* Hampson,1902
 45669) *Eublemma pyrastis* Hampson,1910 (Noctuidae) Synonym(s): *pyrastis* Hampson,1910
 45670) *Eublemma rivula* (Moore,1882) (Noctuidae) Synonym(s): *rivula* Moore,1882; *pusilla* Butler,1886
 45671) *Eublemma rubripuncta* (Hampson,1902) (Noctuidae) Synonym(s): *rubripuncta* Hampson,1902
 45672) *Eublemma rufimixta* Hampson,1918 (Noctuidae) Synonym(s): *rufimixta* Hampson,1918
 45673) *Eublemma rufogalactea* Holloway,1979 (Noctuidae) Synonym(s): *rufogalactea* Holloway,1979
 45674) *Eublemma rushi* (Wiltshire,1961) (Noctuidae) Synonym(s): *rushi* Wiltshire,1961
 45675) *Eublemma sabia* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *sabia* R.Felder & Rogenhofer,1874
 45676) *Eublemma seminivea* Hampson,1896 (Noctuidae) Synonym(s): *seminivea* Hampson,1896
 45677) *Eublemma sperans* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *sperans* R.Felder & Rogenhofer,1874
 45678) *Eublemma stictilinea* Hampson,1910 (Noctuidae) Synonym(s): *stictilinea* Hampson,1910
 45679) *Eublemma stygiadonta* Hampson,1910 (Noctuidae) Synonym(s): *stygiadonta* Hampson,1910
 45680) *Eublemma suppuncta* (Staudinger,1892) (Noctuidae) Synonym(s): *suppuncta* Staudinger,1892
 45681) *Eublemma therma* Hampson,1910 (Noctuidae) Synonym(s): *therma* Hampson,1910
 45682) *Eublemma thermochroa* Hampson,1910 (Noctuidae) Synonym(s): *thermochroa* Hampson,1910
 45683) *Eublemma thermosticta* Hampson,1910 (Noctuidae) Synonym(s): *thermosticta* Hampson,1910
 45684) *Eublemma titanica* Hampson,1910 (Noctuidae) Synonym(s): *titanica* Hampson,1910
 45685) *Eublemma transmittens* (Christoph,1893) (Noctuidae) Synonym(s): *transmittens* Christoph,1893
 45686) *Eublemma trigramma* Hampson,1910 (Noctuidae) Synonym(s): *trigramma* Hampson,1910
 45687) *Eublemma tritonia* (Hampson,1902) (Noctuidae) Synonym(s): *tritonia* Hampson,1902; *atristipata* Hampson,1926.
 45688) *Eublemma uninotata* Hampson,1902 (Noctuidae) Synonym(s): *uninotata* Hampson,1902
 45689) *Eublemma variochrea* Holloway,1979 (Noctuidae) Synonym(s): *variochrea* Holloway,1979
 45690) *Eublemma versicolor* Walker (Noctuidae) Synonym(s):
 45691) *Eublemma xanthocraspis* Hampson,1910 (Noctuidae) Synonym(s): *xanthocraspis* Hampson,1910
 45692) *Eublemmistis chlorozonea* Hampson,1902 (Noctuidae) Synonym(s): *chlorozonea* Hampson,1902
 45693) *Eubryopterella* sp. (Noctuidae) Synonym(s):
 45694) *Eubryopterella vaneckei* Roepke,1938 (Noctuidae) Synonym(s): *vaneckei* Roepke,1938
 45695) *Eucarta amethystina* (Hübner,[1803]) (Noctuidae) Synonym(s): *amethystina* Hübner,[1803]; *austera* Warren,1911.
 45696) *Eucarta virgo* (Treitschke,1835) (Noctuidae) Synonym(s): *virgo* Treitschke,1835; *virginalis* Bryk,1949; *griseofulgens* Kovacs,1968.
 45697) *Eucarta virgo roseonitens* (Sheljuzhko,1927) (Noctuidae) Synonym(s): *roseonitens* Sheljuzhko,1927
 45698) *Euchalcia* (Pseudochalcia) *kitchingi* Hacker & Ronkay,1992 (Noctuidae) Synonym(s): *kitchingi* Hacker & Ronkay,1992
 45699) *Euchalcia* (s.str.) *altaica* Dufay,1968 (Noctuidae) Synonym(s): *altaica* Dufay,1968
 45700) *Euchalcia* (s.str.) *annemariae* De Freina & Hacker,1985 (Noctuidae) Synonym(s): *annemariae* De Freina & Hacker,1985
 45701) *Euchalcia* (s.str.) *armeniae* Dufay,1966 (Noctuidae) Synonym(s): *armeniae* Dufay,1966; *harmininae* Hacker,1986.
 45702) *Euchalcia* (s.str.) *augusta* (Staudinger,1892) (Noctuidae) Synonym(s): *augusta* Staudinger,1892
 45703) *Euchalcia* (s.str.) *augusta augusta* (Staudinger,1892) (Noctuidae) Synonym(s): *augusta* Staudinger,1892
 45704) *Euchalcia* (s.str.) *augusta wolffi* Hacker & Ronkay,1992 (Noctuidae) Synonym(s): *wolffi* Hacker & Ronkay,1992
 45705) *Euchalcia* (s.str.) *aureolineata* Gyulai & L.Ronkay,1997 (Noctuidae) Synonym(s): *aureolineata* Gyulai & L.Ronkay,1997
 45706) *Euchalcia* (s.str.) *bactrianae* Dufay,1968 (Noctuidae) Synonym(s): *bactrianae* Dufay,1968
 45707) *Euchalcia* (s.str.) *bellieri* (Kirby,1900) (Noctuidae) Synonym(s): *uralensis* Bellier,1859 nec Ev.,1842; *bellieri* Kirby,1900; *galloi* Berio,1989.
 45708) *Euchalcia* (s.str.) *biezankoi* (Alberti,1965) (Noctuidae) Synonym(s): *biezankoi* Alberti,1965; *#bienzankoi* Hacker,[1987].
 45709) *Euchalcia* (s.str.) *biezankoi biezankoi* (Alberti,1965) (Noctuidae) Synonym(s): *biezankoi* Alberti,1965; *#bienzankoi* Hacker,[1987].
 45710) *Euchalcia* (s.str.) *biezankoi defreinae* Hacker,[1987] (Noctuidae) Synonym(s): *defreinae* Hacker,[1987].
 45711) *Euchalcia* (s.str.) *chalcophanes* Dufay,1963 (Noctuidae) Synonym(s): *chalcophanes* Dufay,1963
 45712) *Euchalcia* (s.str.) *chlorocharis* (Dufay,1961) (Noctuidae) Synonym(s): *chlorocharis* Dufay,1961
 45713) *Euchalcia* (s.str.) *consona* (Fabricius,1787) (Noctuidae) Synonym(s): *consona* Fabricius,1787
 45714) *Euchalcia* (s.str.) *cuprescens* Dufay,1966 (Noctuidae) Synonym(s): *cuprescens* Dufay,1966
 45715) *Euchalcia* (s.str.) *dorsiflava* (Standfuss,1892) (Noctuidae) Synonym(s): *dorsiflava* Standfuss,1892
 45716) *Euchalcia* (s.str.) *emichi* (Rogenhofer,1873) (Noctuidae) Synonym(s): *emichi* Rogenhofer,1873
 45717) *Euchalcia* (s.str.) *gerda* (Püngeler,1907) (Noctuidae) Synonym(s): *gerda* Püngeler,1907
 45718) *Euchalcia* (s.str.) *hedeia* Dufay,1978 (Noctuidae) Synonym(s): *hedeia* Dufay,1978; *#hedeia* Hacker,1990; *aureolineata* Ronkay & Gyulai,1997.
 45719) *Euchalcia* (s.str.) *herrichi* Staudinger,1861 (Noctuidae) Synonym(s): *herrichi* Staudinger,1861
 45720) *Euchalcia* (s.str.) *hissarica* Kljutschko,1983 (Noctuidae) Synonym(s): *hissarica* Kljutschko,1983
 45721) *Euchalcia* (s.str.) *hyrcaniae* Dufay,1963 (Noctuidae) Synonym(s): *hyrcaniae* Dufay,1963
 45722) *Euchalcia* (s.str.) *incredibilis* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *incredibilis* Hacker & Ebert,2002
 45723) *Euchalcia* (s.str.) *italica* (Staudinger,1882) (Noctuidae) Synonym(s): *italica* Staudinger,1882
 45724) *Euchalcia* (s.str.) *kautti* Hacker & Ronkay,1992 (Noctuidae) Synonym(s): *kautti* Hacker & Ronkay,1992
 45725) *Euchalcia* (s.str.) *maria* (Staudinger,1892) (Noctuidae) Synonym(s): *maria* Staudinger,1892
 45726) *Euchalcia* (s.str.) *modestoides* Poole,1989 (Noctuidae) Synonym(s): *modesta* Hübner,1787 nec Müll.,1764; *modestoides* Poole,1989
 45727) *Euchalcia* (s.str.) *olga* Kravchenko, Müller, Fibiger, Mooser & L.Ronkay,2006 (Noctuidae) Synonym(s): *olga* Kravchenko, Müller, Fibiger, Mooser & L.Ronkay,2006

- 45728) *Euchalcia* (s.str.) *paulina* (Staudinger,1892) (Noctuidae) Synonym(s): *paulina* Staudinger,1892
 45729) *Euchalcia* (s.str.) *paulina albiscripta* Hacker & Ronkay, (Noctuidae) Synonym(s): *albiscripta* Hacker & Ronkay,
 45730) *Euchalcia* (s.str.) *renardi* (Eversmann,1844) (Noctuidae) Synonym(s): *renardi* Eversmann,1844
 45731) *Euchalcia* (s.str.) *siderifera* (Eversmann,1846) (Noctuidae) Synonym(s): *siderifera* Eversmann,1846
 45732) *Euchalcia* (s.str.) *siderifera achaiae* Dufay,1968 (Noctuidae) Synonym(s): *achaiae* Dufay,1968
 45733) *Euchalcia* (s.str.) *siderifera siderifera* (Eversmann,1846) (Noctuidae) Synonym(s): *siderifera* Eversmann,1846
 45734) *Euchalcia* (s.str.) *stilpna* Dufay,1969 (Noctuidae) Synonym(s): *stilpna* Dufay,1969
 45735) *Euchalcia* (s.str.) *taurica* (Osthelder,1933) (Noctuidae) Synonym(s): *taurica* Osthelder,1933
 45736) *Euchalcia* (s.str.) *uralensis* (Eversmann,1842) (Noctuidae) Synonym(s): *uralensis* Eversmann,1842
 45737) *Euchalcia* (s.str.) *variabilis* (Piller & Mitterpacher,1783) (Noctuidae) Synonym(s): *variabilis* Piller & Mitterpacher,1783; *cuprea* Esper,1787; *illustris* Fabricius,1787
 45738) *Euchalcia* (s.str.) *variabilis fuscolivacea* Varga & Ronkay,1984 (Noctuidae) Synonym(s): *fuscolivacea* Varga & Ronkay,1984
 45739) *Euchalcia* (s.str.) *variabilis mongolica* (Staudinger & Rebel,1901) (Noctuidae) Synonym(s): *mongolica* Staudinger & Rebel,1901
 45740) *Euchalcia* (s.str.) *variabilis obscurior* (Alberti,1965) (Noctuidae) Synonym(s): *obscurior* Alberti,1965.
 45741) *Euchalcia* (s.str.) *variabilis variabilis* (Piller & Mitterbacher,1783) (Noctuidae) Synonym(s): *variabilis* Piller & Mitterpacher,1783; *cuprea* Esper,1787; *illustris* Fabricius,1787
 45742) *Euchalcia* (s.str.) *viridis* (Staudinger,1901) (Noctuidae) Synonym(s): *viridis* Staudinger,1901
 45743) *Euchalcia* (s.str.) *viridis phrygiae* Dufay,1963 (Noctuidae) Synonym(s): *phrygiae* Dufay,1963
 45744) *Euchalcia* (s.str.) *viridis viridis* (Staudinger,1901) (Noctuidae) Synonym(s): *viridis* Staudinger,1901
 45745) *Euclidia fortalitium* (Tauscher,1809) (Noctuidae) Synonym(s): *fortalitium* Tauscher,1809; *flexuosa* Eversmann,1832.
 45746) *Euclidia glyphica* (Linnaeus,1758) (Noctuidae) Synonym(s): *glyphica* Linnaeus,1758; *pratensis* Müller,1764
 45747) *Euclidia regia* Staudinger,1888 (Noctuidae) Synonym(s): *regia* Staudinger,1888
 45748) *Euclidisema alcyona* (Druce,1888) (Noctuidae) Synonym(s): *alcyona* Druce,1888
 45749) *Eudocima aurantia* (Moore,1877) (Noctuidae) Synonym(s): *aurantia* Moore,1877; *rutilus* Moore,1881
 45750) *Eudocima cajeta* (Cramer,1779) (Noctuidae) Synonym(s): *cajeta* Cramer,1779; *multiscripta* Walker,[1858]; *talboti* A.Prout,1922
 45751) *Eudocima discrepans* (Walker,1858) (Noctuidae) Synonym(s): *discrepans* Walker,1858
 45752) *Eudocima divitiosa* (Walker,1869) (Noctuidae) Synonym(s): *divitiosa* Walker,1869; *banakus* Plötz,1880; *intricatus* Butler,1892
 45753) *Eudocima homaena* (Hübner,[1823]) (Noctuidae) Synonym(s): *ancilla* Cramer,1777 nec Linn.,1767; *strigata* Donovan,1804; *homaena* Hübner,[1823]; *bilineosa* Walker,[1858]; *formosana* Okano,1964
 45754) *Eudocima hypermnestra* (Stoll,1780) (Noctuidae) Synonym(s): *hypermnestra* Stoll,1780
 45755) *Eudocima materna* (Linnaeus,1767) (Noctuidae) Synonym(s): *materna* Linnaeus,1767; *hybrida* Fabricius,1775; *apta* Walker,[1858]; *chalcogramma* Walker,1865
 45756) *Eudocima okurai* Okano,1964 (Noctuidae) Synonym(s): *okurai* Okano,1964; *suthepensis* Bänziger & Honey,1984
 45757) *Eudocima phalonia* (Linnaeus,1763) (Noctuidae) Synonym(s): *phalonia* Linnaeus,1763; *fullonia* Clerck,[1764]; *dioscoreae* Fabricius,1775; *pomona* Cramer,1776; *princeps* Guenée,1852; *obliterans* Walker,1858
 45758) *Eudocima salaminia* (Cramer,1777) (Noctuidae) Synonym(s): *salaminia* Cramer,1777
 45759) *Eudocima sikhimensis* (Butler,1895) (Noctuidae) Synonym(s): *sikhimensis* Butler,1895; *sikkimensis* Prout,1928; *abathglypta* Prout,1928
 45760) *Eugnorisma* (Metagnorisma) *depuncta* (Linnaeus,1761) (Noctuidae) Synonym(s): *depuncta* Linnaeus,1761; *meridionalis* Dannehl,1925.
 45761) *Eugnorisma* (Metagnorisma) *heuristica* Varga & Ronkay,1987 (Noctuidae) Synonym(s): *heuristica* Varga & Ronkay,1987
 45762) *Eugnorisma* (Metagnorisma) *pontica* (Staudinger,1892) (Noctuidae) Synonym(s): *pontica* Staudinger,1892
 45763) *Eugnorisma* (Metagnorisma) *pontica anis* Varga & Ronkay,1987 (Noctuidae) Synonym(s): *anis* Varga & Ronkay,1987
 45764) *Eugnorisma* (Metagnorisma) *pontica deserta* Varga & Ronkay,1987 (Noctuidae) Synonym(s): *deserta* Varga & Ronkay,1987
 45765) *Eugnorisma* (Metagnorisma) *pontica pontica* (Staudinger,1892) (Noctuidae) Synonym(s): *pontica* Staudinger,1892
 45766) *Eugnorisma* (Metagnorisma) *pontica zaghros* Varga & Ronkay,1987 (Noctuidae) Synonym(s): *zaghros* Varga & Ronkay,1987
 45767) *Eugnorisma* (Metagnorisma) *rafidain* (Boursin,1936) (Noctuidae) Synonym(s): *rafidain* Boursin,1936
 45768) *Eugnorisma* (s.str.) *asad* Boursin,1963 (Noctuidae) Synonym(s): *asad* Boursin,1963
 45769) *Eugnorisma* (s.str.) *atrabaelbops* Varga,1975 (Noctuidae) Synonym(s): *atrabaelbops* Varga,1975
 45770) *Eugnorisma* (s.str.) *chaldaica* (Boisduval,1840) (Noctuidae) Synonym(s): *chaldaica* Boisduval,1840
 45771) *Eugnorisma* (s.str.) *chaldaica buraki* Koçak,1983 (cf. Baish et al.,1998) (Noctuidae) Synonym(s): *caerulea* Wagner,1932 nec Guenée,1852; *buraki* Koçak,1983
 45772) *Eugnorisma* (s.str.) *conformis* (Swinhoe,1885) (Noctuidae) Synonym(s): *conformis* Swinhoe,1885
 45773) *Eugnorisma* (s.str.) *deleasma* Boursin,1967 (Noctuidae) Synonym(s): *deleasma* Boursin,1967
 45774) *Eugnorisma* (s.str.) *deleasma deleasma* Boursin,1967 (Noctuidae) Synonym(s): *deleasma* Boursin,1967
 45775) *Eugnorisma* (s.str.) *deleasma hissarica* Varga & L.Ronkay,1987 (Noctuidae) Synonym(s): *hissarica* Varga & L.Ronkay,1987
 45776) *Eugnorisma* (s.str.) *deleasma reducta* Boursin,1967 (Noctuidae) Synonym(s): *reducta* Boursin,1967
 45777) *Eugnorisma* (s.str.) *eminens* (Lederer,1855) (Noctuidae) Synonym(s): *eminens* Lederer,1855; *excellens* Staudinger,1867
 45778) *Eugnorisma* (s.str.) *eminens clarior* Varga,1975 (Noctuidae) Synonym(s): *clarior* Varga,1975
 45779) *Eugnorisma* (s.str.) *eminens eminens* (Lederer,1855) (Noctuidae) Synonym(s): *eminens* Lederer,1855
 45780) *Eugnorisma* (s.str.) *enargiaris* (Draudt,1936) (Noctuidae) Synonym(s): *enargiaris* Draudt,1936
 45781) *Eugnorisma* (s.str.) *gaurax* (Püngeler,1900) (Noctuidae) Synonym(s): *gaurax* Püngeler,1900
 45782) *Eugnorisma* (s.str.) *gaurax funebris* Varga & L.Ronkay,1990 (Noctuidae) Synonym(s): *funebris* Varga & L.Ronkay,1990
 45783) *Eugnorisma* (s.str.) *glareomima* Varga & Ronkay,1991 (Noctuidae) Synonym(s): *glareomima* Varga & Ronkay,1991
 45784) *Eugnorisma* (s.str.) *insignata* (Lederer,1853) (Noctuidae) Synonym(s): *insignata* Lederer,1853; *intermedia* Eversmann,1855.
 45785) *Eugnorisma* (s.str.) *insignata columbina* (Draudt,1936) (Noctuidae) Synonym(s): *columbina* Draudt,1936
 45786) *Eugnorisma* (s.str.) *insignata insignata* (Lederer,1853) (Noctuidae) Synonym(s): *insignata* Lederer,1853; *intermedia* Eversmann,1855.
 45787) *Eugnorisma* (s.str.) *insignata pallescens* (Christoph,1893) (Noctuidae) Synonym(s): *pallescens* Christoph,1893
 45788) *Eugnorisma* (s.str.) *kurdistan Hackera, Kuhna & Gross,1986* (Noctuidae) Synonym(s): *kurdistan Hackera, Kuhna & Gross,1986*
 45789) *Eugnorisma* (s.str.) *kurdistan Hackera, Kuhna & Gross,1986* (Noctuidae) Synonym(s): *kurdistan Hackera, Kuhna & Gross,1986*
 45790) *Eugnorisma* (s.str.) *kurdistan Hackera, Kuhna & Gross,1986* (Noctuidae) Synonym(s): *kurdistan Hackera, Kuhna & Gross,1986*
 45791) *Eugnorisma* (s.str.) *leuconeura* (Hampson,1918) (Noctuidae) Synonym(s): *leuconeura* Hampson,1918; *fuliginosa* Draudt,1936.
 45792) *Eugnorisma* (s.str.) *persago* Gyulai & L.Ronkay,2006 (Noctuidae) Synonym(s): *persago* Gyulai & L.Ronkay,2006
 45793) *Eugnorisma* (s.str.) *persago persago* Gyulai & L.Ronkay,2006 (Noctuidae) Synonym(s):
 45794) *Eugnorisma* (s.str.) *persago peterseni* Gyulai & L.Ronkay,2006 (Noctuidae) Synonym(s): *peterseni* Gyulai & L.Ronkay,2006
 45795) *Eugnorisma* (s.str.) *puengeleri* Varga & Ronkay,1987 (Noctuidae) Synonym(s): *puengeleri* Varga & Ronkay,1987
 45796) *Eugnorisma* (s.str.) *semiramis* (Boursin,1940) (Noctuidae) Synonym(s): *semiramis* Boursin,1940
 45797) *Eugnorisma* (s.str.) *semiramis farsica* (Boursin,1940) (Noctuidae) Synonym(s): *farsica* Boursin,1940
 45798) *Eugnorisma* (s.str.) *semiramis semiramis* (Boursin,1940) (Noctuidae) Synonym(s): *semiramis* Boursin,1940
 45799) *Eugnorisma* (s.str.) *spodia* (Püngeler,1900) (Noctuidae) Synonym(s): *spodia* Püngeler,1900
 45800) *Eugnorisma* (s.str.) *spodia psammochrea* Varga & Ronkay,1987 (Noctuidae) Synonym(s): *psammochrea* Varga & Ronkay,1987
 45801) *Eugnorisma* (s.str.) *tamerlana* (Hampson,1903) (Noctuidae) Synonym(s): *tamerlana* Hampson,1903
 45802) *Eugnorisma* (s.str.) *trigonica* (Alpheraky,1882) (Noctuidae) Synonym(s): *trigonica* Alpheraky,1882; *capnoptera* Püngeler,1898.
 45803) *Eugnorisma* (s.str.) *variago* (Staudinger,1882) (Noctuidae) Synonym(s): *variago* Staudinger,1882
 45804) *Eugnorisma* (s.str.) *variago xanthiogo* Varga & Ronkay,1987 (Noctuidae) Synonym(s): *xanthiogo* Varga & Ronkay,1987
 45805) *Eugnorisma* *arenoflvida* (Schawerda,1934) (Noctuidae) Synonym(s): *arenoflvida* Schawerda,1934
 45806) *Eugnorisma* *ignoratum* Varga & L. Ronkay,1994 (Noctuidae) Synonym(s):
 45807) *Eugraphe decussa* (Staudinger,1897) (Noctuidae) Synonym(s): *decussa* Staudinger,1897
 45808) *Eugraphe eucratides* Boursin,1957 (Noctuidae) Synonym(s): *eucratides* Boursin,1957
 45809) *Eugraphe funkei* (Püngeler,1901) (Noctuidae) Synonym(s): *funkei* Püngeler,1901; *funcei* Hampson,1903
 45810) *Eugraphe marcida* (Christoph,1893) (Noctuidae) Synonym(s): *marcida* Christoph,1893
 45811) *Eugraphe ornata* (Staudinger,1892) (Noctuidae) Synonym(s): *ornata* Staudinger,1892

- 45812) *Eugraphe sigma* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#sigma* [Denis & Schiffermüller],1775; *charactera* [Denis & Schiffermüller],1775; *ditrapezum* Esper.,[1786]; *nubila* Esper.,[1786]; *signum* Fabricius,1787; *umbra* Vieweg,1789; *signa* Hampson,1903; *terminalis* Strand,1915
- 45813) *Eugraphe suavis* (Staudinger,1896) (Noctuidae) Synonym(s): *suavis* Staudinger,1896
- 45814) *Eugraphe subrosea* (Stephens,1829) (Noctuidae) Synonym(s): *subrosea* Stephens,1829
- 45815) *Euippodes euprepes* Hampson,1926 (Noctuidae) Synonym(s): *euprepes* Hampson,1926
- 45816) *Eulocastra aethiops* (Distant,1898) (Noctuidae) Synonym(s): *aethiops* Distant,1898
- 45817) *Eulocastra alfierii* Wiltshire,1948 (Noctuidae) Synonym(s): *alfierii* Wiltshire,1948
- 45818) *Eulocastra alfierii erythra* Wiltshire,1948 (Noctuidae) Synonym(s): *erythra* Wiltshire,1948
- 45819) *Eulocastra argentifrons* (Butler,1889) (Noctuidae) Synonym(s): *argentifrons* Butler,1889
- 45820) *Eulocastra argyrostrota* Hampson,1916 (Noctuidae) Synonym(s): *argyrostrota* Hampson,1916
- 45821) *Eulocastra bryophiloides* Brandt,1938 (Noctuidae) Synonym(s): *bryophiloides* Brandt,1938
- 45822) *Eulocastra carnibasalis* Hampson,1918 (Noctuidae) Synonym(s): *carnibasalis* Hampson,1918
- 45823) *Eulocastra diaphora* (Staudinger,1879) (Noctuidae) Synonym(s): *diaphora* Staudinger,1879; *triangularis* Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898.
- 45824) *Eulocastra hypotaenia* (Wallengren,1860) (Noctuidae) Synonym(s): *hypotaenia* Wallengren,1860
- 45825) *Eulocastra insignis* (Butler,1884) (Noctuidae) Synonym(s): *insignis* Butler,1884; *rex* Wiltshire,1948.
- 45826) *Eulocastra monozona* Hampson,1910 (Noctuidae) Synonym(s): *monozona* Hampson,1910
- 45827) *Eulocastra ochrizona* (Hampson,1910) (Noctuidae) Synonym(s): *ochrizona* Hampson,1910
- 45828) *Eulocastra poliogramma* Hampson,1918 (Noctuidae) Synonym(s): *poliogramma* Hampson,1918
- 45829) *Eulocastra tamsina* Wiltshire,1948 (Noctuidae) Synonym(s): *tamsi* Brandt,1941 nec Ber.,1938; *tamsina* Wiltshire,1948.
- 45830) *Eulocastra tapina* Hampson,1910 (Noctuidae) Synonym(s): *tapina* Hampson,1910
- 45831) *Eulocastra undulata* (Snellen,1880) (Noctuidae) Synonym(s): *undulata* Snellen,1880
- 45832) *Eulymnia pulcherrima* (Hampson,1902) (Noctuidae) Synonym(s): *pulcherrima* Hampson,1902
- 45833) *Eumaenas salamina* (Cramer,[1779]) (Noctuidae) Synonym(s): *salamina* Cramer,[1779]
- 45834) *Eumichtis rubrimixta* Hampson,1906 (Noctuidae) Synonym(s): *rubrimixta* Hampson,1906
- 45835) *Euonychodes albivenata* W.Warren,1914 (Noctuidae) Synonym(s): *albivenata* W.Warren,1914
- 45836) *Euphiusa harmonica* (Hampson,1902) (Noctuidae) Synonym(s): *harmonica* Hampson,1902
- 45837) *Euplexia albiovittata* Moore,1867 (Noctuidae) Synonym(s): *albovittata* Moore,1867
- 45838) *Euplexia augens* R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): *augens* R.Felder & Rogenhofer,1874; *saldanha* R.Felder & Rogenhofer,1874
- 45839) *Euplexia catephiodes* Hampson,1908 (Noctuidae) Synonym(s): *catephiodes* Hampson,1908
- 45840) *Euplexia distorta* Moore,1881 (Noctuidae) Synonym(s): *distorta* Moore,1881
- 45841) *Euplexia jabalsabira* Hacker & Fibiger,2002 (Noctuidae) Synonym(s): *jabalsabira* Hacker & Fibiger,2002
- 45842) *Euplexia lucipara* (Linnaeus,1758) (Noctuidae) Synonym(s): *lucipara* Linnaeus,1758
- 45843) *Euplexia nyassana* Gaede,1915 (Noctuidae) Synonym(s): *nyassana* Gaede,1915
- 45844) *Euplexia pectinata* W.Warren,1888 (Noctuidae) Synonym(s): *pectinata* W.Warren,1888
- 45845) *Euplexia shoana* Laporte,1984 (Noctuidae) Synonym(s): *shoana* Laporte,1984
- 45846) *Euplexidia actinea* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *actinea* Hreblay & L.Ronkay,1999
- 45847) *Euplexidia angusta* Yoshimoto,1987 (Noctuidae) Synonym(s): *angusta* Yoshimoto,1987
- 45848) *Euplexidia benescripta* (Prout,1928) (Noctuidae) Synonym(s): *benescripta* Prout,1928
- 45849) *Euplexidia exotica* Yoshimoto,1987 (Noctuidae) Synonym(s): *exotica* Yoshimoto,1987
- 45850) *Euplexidia inextotica* Yoshimoto,1993 (Noctuidae) Synonym(s): *inextotica* Yoshimoto,1993
- 45851) *Euplexidia literata* (Moore,1882) (Noctuidae) Synonym(s): *literata* Moore,1882; *illetarata* Yoshimoto,1987
- 45852) *Euplexidia melachlora* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *melachlora* Hreblay & L.Ronkay,1999
- 45853) *Euplexidia metextotica* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *metextotica* Hreblay & L.Ronkay,1998
- 45854) *Euplexidia noctuiformis* Hampson,1896 (Noctuidae) Synonym(s): *noctuiformis* Hampson,1896
- 45855) *Euplexidia ornata* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *ornata* Hreblay & L.Ronkay,1999
- 45856) *Euplexidia pallidivirens* Yoshimoto,1987 (Noctuidae) Synonym(s): *pallidivirens* Yoshimoto,1987
- 45857) *Euplexidia periculosa* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *periculosa* Hreblay & L.Ronkay,1998
- 45858) *Euplexidia semivirens* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *semivirens* Hreblay & L.Ronkay,1998
- 45859) *Euplexidia thailandica* Yoshimoto,1987 (Noctuidae) Synonym(s): *thailandica* Yoshimoto,1987
- 45860) *Euplexidia thailandica thailandica* Yoshimoto,1987 (Noctuidae) Synonym(s): *thailandica* Yoshimoto,1987
- 45861) *Euplexidia tonkini* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *tonkini* Hreblay & L.Ronkay,1999
- 45862) *Euplexidia venosa* (Moore,1882) (Noctuidae) Synonym(s): *venosa* Moore,1882; *jiriensis* Yoshimoto,1994
- 45863) *Eupsilia delicata* Ronkay, Varga & Behounek,1991 (Noctuidae) Synonym(s): *delicata* Ronkay, Varga & Behounek,1991
- 45864) *Eupsilia transversa* (Hufnagel,1766) (Noctuidae) Synonym(s): *transversa* Hufnagel,1766
- 45865) *Eupsoropsis robertsi calida* Berio,1969 (Noctuidae) Synonym(s): *calida* Berio,1969
- 45866) *Eurablia lignea* Butler,1889 (Noctuidae) Synonym(s): *lignea* Butler,1889
- 45867) *Eurcima fullonia* (Clerck,1764) (Noctuidae) Synonym(s): *fullonia* Clerck,1764
- 45868) *Eurois occulta* (Linnaeus,1758) (Noctuidae) Synonym(s): *occulta* Linnaeus,1758; *implicata* Lefebvre,1836; *extricata* Zetterstedt,[1839]; *prolixa* Zetterstedt,[1839]; *puncticosa* Zetterstedt,[1839]; *roseovirgata* Dannehl,1929; *fumea* Corti & Draudt,1933; *tibetica* Corti & Draudt,1933
- 45869) *Eurois occulta fumea* Corti & Draudt,1933 (Noctuidae) Synonym(s): *fumea* Corti & Draudt,1933
- 45870) *Eurois occulta occulta* (Linnaeus,1758) (Noctuidae) Synonym(s): *occulta* Linnaeus,1758; *implicata* Lefebvre,1836; *extricata* Zetterstedt,[1839]; *prolixa* Zetterstedt,[1839]; *puncticosa* Zetterstedt,[1839]; *roseovirgata* Dannehl,1929.
- 45871) *Eustrotia albibasis* (Hampson,1902) (Noctuidae) Synonym(s): *albibasis* Hampson,1902
- 45872) *Eustrotia albifascia* (Walker,1865) (Noctuidae) Synonym(s): *albifascia* Walker,1865
- 45873) *Eustrotia albifissa* (Hampson,1902) (Noctuidae) Synonym(s): *albifissa* Hampson,1902
- 45874) *Eustrotia angulissima* Gaede,1935 (Noctuidae) Synonym(s): *angulissima* Gaede,1935
- 45875) *Eustrotia bella* Bethune-Baker,1911 (Noctuidae) Synonym(s): *bella* Bethune-Baker,1911
- 45876) *Eustrotia bryophilina* Hampson,1910 (Noctuidae) Synonym(s): *bryophilina* Hampson,1910
- 45877) *Eustrotia catoxantha* Hampson,1910 (Noctuidae) Synonym(s): *catoxantha* Hampson,1910
- 45878) *Eustrotia cumalineae* Bethune-Baker,1911 (Noctuidae) Synonym(s): *cumalineae* Bethune-Baker,1911
- 45879) *Eustrotia decissima* (Walker,1865) (Noctuidae) Synonym(s): *decissima* Walker,1865
- 45880) *Eustrotia genuflexa* (Hampson,1902) (Noctuidae) Synonym(s): *genuflexa* Hampson,1902
- 45881) *Eustrotia loxosema* Bethune-Baker,1911 (Noctuidae) Synonym(s): *loxosema* Bethune-Baker,1911
- 45882) *Eustrotia marginata* (Walker,1866) (Noctuidae) Synonym(s): *marginata* Walker,1866
- 45883) *Eustrotia megalena* (Mabille,1900) (Noctuidae) Synonym(s): *megalena* Mabille,1900
- 45884) *Eustrotia olivula* (Guenée,1852) (Noctuidae) Synonym(s): *olivula* Guenée,1852
- 45885) *Eustrotia ritsemae* (Snellen,1880) (Noctuidae) Synonym(s): *ritsemae* Snellen,1880
- 45886) *Eustrotia schencki* Strand,1912 (Noctuidae) Synonym(s): *schencki* Strand,1912
- 45887) *Eutelia adoratrix* (Staudinger,1892) (Noctuidae) Synonym(s): *adoratrix* Staudinger,1892
- 45888) *Eutelia adularicoides* (Mell,1943) (Noctuidae) Synonym(s): *blandiatrrix* Hampson,1912 nec Gn.,1852; *adularicoides* Mell,1943; *indica* Mell,1943 nec Mre,1867; *cantonensis* Chu & Chen,1962
- 45889) *Eutelia adularix* (Hübner,[1813]) (Noctuidae) Synonym(s): *adularix* Hübner,[1813]
- 45890) *Eutelia amatrix* Walker,1858 (Noctuidae) Synonym(s): *amatrix* Walker,1858; *exquisita* Saalmüller,1891
- 45891) *Eutelia blandiatrrix* Guenée,1852 (Noctuidae) Synonym(s): *blandiatrrix* Guenée,1852
- 45892) *Eutelia bowkeri* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *bowkeri* R.Felder & Rogenhofer,1874; *leucographa* Hampson,1905.
- 45893) *Eutelia catephiodes* (Guenée,1852) (Noctuidae) Synonym(s): *catephiodes* Guenée,1852
- 45894) *Eutelia delatrix* (Guenée,1852) (Noctuidae) Synonym(s): *delatrix* Guenée,1852
- 45895) *Eutelia discitriga* Walker,1865 (Noctuidae) Synonym(s): *discitriga* Walker,1865

- 45896) *Eutelia fasciatrix* (Semper, 1902) (Noctuidae) Synonym(s): *fasciatrix* Semper, 1902
 45897) *Eutelia favillatrioides* Poole, 1989 (Noctuidae) Synonym(s): *favillatrix* Walker, 1858 nec Gn., 1852; *favillatrioides* Poole, 1989
 45898) *Eutelia favillatrix* (Guenée, 1852) (Noctuidae) Synonym(s): *favillatrix* Guenée, 1852; *#favillatrix* Hampson, 1902.
 45899) *Eutelia fulvigrisea* Warren, 1914 (Noctuidae) Synonym(s): *fulvigrisea* Warren, 1914
 45900) *Eutelia geyeri* (R. Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *geyeri* R. Felder & Rogenhofer, 1874; *inextricata* Moore, 1882
 45901) *Eutelia gilvicolor* Mabilie, 1900 (Noctuidae) Synonym(s): *gilvicolor* Mabilie, 1900
 45902) *Eutelia glaucocyclus* Hampson, 1912 (Noctuidae) Synonym(s): *glaucocyclus* Hampson, 1912
 45903) *Eutelia grisescens* Hampson, 1916 (Noctuidae) Synonym(s): *grisescens* Hampson, 1916
 45904) *Eutelia histrio* (Saalmüller, 1880) (Noctuidae) Synonym(s): *histrio* Saalmüller, 1880; *occidentalis* Viette, 1958.
 45905) *Eutelia leighi* Hampson, 1905 (Noctuidae) Synonym(s): *leighi* Hampson, 1905
 45906) *Eutelia leucodelta* Hampson, 1905 (Noctuidae) Synonym(s): *leucodelta* Hampson, 1905
 45907) *Eutelia mima* Prout, 1925 (Noctuidae) Synonym(s): *mima* Prout, 1925; *granvillei* Wiltshire, 1980.
 45908) *Eutelia nubilosa* (Warren, 1914) (Noctuidae) Synonym(s): *nubilosa* Warren, 1914; *griseoapicata* Wileman & West, 1928
 45909) *Eutelia ocellaria* Berio, 1966 (Noctuidae) Synonym(s): *ocellaria* Berio, 1966
 45910) *Eutelia ocularis* (Saalmüller, 1891) (Noctuidae) Synonym(s): *ocularis* Saalmüller, 1891
 45911) *Eutelia polychorda* Hampson, 1902 (Noctuidae) Synonym(s): *polychorda* Hampson, 1902
 45912) *Eutelia rivata* Hampson, 1902 (Noctuidae) Synonym(s): *rivata* Hampson, 1902
 45913) *Eutelia subrubens* (Mabilie, 1890) (Noctuidae) Synonym(s): *subrubens* Mabilie, 1890; *pyrospila* Mabilie, 1893.
 45914) *Eutelia symphonica* Hampson, 1902 (Noctuidae) Synonym(s): *symphonica* Hampson, 1902
 45915) *Eutelia violescens* Hampson, 1912 (Noctuidae) Synonym(s): *violescens* Hampson, 1912
 45916) *Eutelia vulgaris* Mabilie, 1900 (Noctuidae) Synonym(s): *vulgaris* Mabilie, 1900
 45917) *Euterpiodes pienaari* (Distant, 1898) (Noctuidae) Synonym(s): *pienaari* Distant, 1898
 45918) *Eutrichopidia latina* (Donovan, 1805) (Noctuidae) Synonym(s): *latina* Donovan, 1805
 45919) *Euxoa* (Chorizagrotis) *adumbrata* (Eversmann, 1842) (Noctuidae) Synonym(s): *adumbrata* Eversmann, 1842; *polygonides* Staudinger, 1874; *variegata* Wagner, 1913; *pamiricola* Kozhantshikov, 1937.
 45920) *Euxoa* (Chorizagrotis) *adumbrata adumbrata* (Eversmann, 1842) (Noctuidae) Synonym(s): *adumbrata* Eversmann, 1842; *polygonides* Staudinger, 1874; *variegata* Wagner, 1913; *pamiricola* Kozhantshikov, 1937.
 45921) *Euxoa* (Chorizagrotis) *adumbrata friedeli* Pinker, 1980 (Noctuidae) Synonym(s): *friedeli* Pinker, 1980.
 45922) *Euxoa* (Chorizagrotis) *flavogrisea* Corti, 1932 (Noctuidae) Synonym(s): *flavogrisea* Corti, 1932
 45923) *Euxoa* (Chorizagrotis) *lidia* (Stoll, 1782) (Noctuidae) Synonym(s): *lidia* Stoll, [1782].
 45924) *Euxoa* (Chorizagrotis) *lidia lidia* (Stoll, 1782) (Noctuidae) Synonym(s): *lidia* Stoll, [1782].
 45925) *Euxoa* (Chorizagrotis) *penelope* Fibiger, 1997 (Noctuidae) Synonym(s): *penelope* Fibiger, 1997
 45926) *Euxoa* (Orosagrotis) *acuminifera* (Eversmann, 1854) (Noctuidae) Synonym(s): *acuminifera* Eversmann, 1854
 45927) *Euxoa* (Orosagrotis) *cognita* (Staudinger, 1881) (Noctuidae) Synonym(s): *cognita* Staudinger, 1881
 45928) *Euxoa* (Orosagrotis) *difficillima* (Draudt, 1937) (Noctuidae) Synonym(s): *difficillima* Draudt, 1937
 45929) *Euxoa* (Orosagrotis) *difficillima bactriana* Varga, (Noctuidae) Synonym(s):
 45930) *Euxoa* (Orosagrotis) *difficillima difficillima* (Draudt, 1937) (Noctuidae) Synonym(s): *difficillima* Draudt, 1937
 45931) *Euxoa* (Orosagrotis) *eremorealis* Varga, 1975 (Noctuidae) Synonym(s): *eremorealis* Varga, 1975
 45932) *Euxoa* (Orosagrotis) *foeda* (Lederer, 1855) (Noctuidae) Synonym(s): *foeda* Lederer, 1855; *enitens* Corti, 1926; *marmorosa* Corti, 1927; *vanensis* Draudt, 1937.
 45933) *Euxoa* (Orosagrotis) *minimoides* Corti, 1932 (Noctuidae) Synonym(s): *minimoides* Corti, 1932
 45934) *Euxoa* (Orosagrotis) *monotona* Kozhantshikov, 1929 (Noctuidae) Synonym(s): *monotona* Kozhantshikov, 1929
 45935) *Euxoa* (Orosagrotis) *naumanni* Varga, 1990 (Noctuidae) Synonym(s): *naumanni* Varga, 1990
 45936) *Euxoa* (Orosagrotis) *nomas* (Erschoff, 1874) (Noctuidae) Synonym(s): *nomas* Erschoff, 1874
 45937) *Euxoa* (Orosagrotis) *opportuna* Corti, 1932 (Noctuidae) Synonym(s): *opportuna* Corti, 1932
 45938) *Euxoa* (Orosagrotis) *rasilis* Corti, 1932 (Noctuidae) Synonym(s): *rasilis* Corti, 1932
 45939) *Euxoa* (Orosagrotis) *subconspicua* (Staudinger, 1888) (Noctuidae) Synonym(s): *subconspicua* Staudinger, 1888; *divulsa* Corti, 1932; *subvaria* Corti, 1932.
 45940) *Euxoa* (Orosagrotis) *tristis* (Staudinger, 1898) (Noctuidae) Synonym(s): *varia* Alpheraky, 1889 nec Walk., 1865; *tristis* Staudinger, 1898; *deficiens* Wagner, 1913; *distracta* Corti, 1932; *opportuna* Corti, 1932.
 45941) *Euxoa* (Orosagrotis) *triumregium* Varga, 1979 (Noctuidae) Synonym(s): *triumregium* Varga, 1979
 45942) *Euxoa* (Pleonectopoda) *culminicola* (Staudinger, 1870) (Noctuidae) Synonym(s): *culminicola* Staudinger, 1870
 45943) *Euxoa* (Pleonectopoda) *haverkampfi* (Standfuss, 1893) (Noctuidae) Synonym(s): *haverkampfi* Standfuss, 1893
 45944) *Euxoa* (Pleonectopoda) *haverkampfi continentalis* Reisser, 1935 (Noctuidae) Synonym(s): *continentalis* Reisser, 1935
 45945) *Euxoa* (Pleonectopoda) *hilaris* (Freyer, 1838) (Noctuidae) Synonym(s): *hilaris* Freyer, 1838
 45946) *Euxoa* (Pleonectopoda) *hilaris derrae* Hacker, 1985 (Noctuidae) Synonym(s): *derrae* Hacker, 1985
 45947) *Euxoa* (Pleonectopoda) *hilaris hikmeti* Koçak, 1989 (Noctuidae) Synonym(s): *hikmeti* Koçak, 1989
 45948) *Euxoa* (Pleonectopoda) *inclusa* Corti, 1931 (Noctuidae) Synonym(s): *inclusa* Corti, 1931
 45949) *Euxoa* (Pleonectopoda) *nevadensis* Corti, 1928 (Noctuidae) Synonym(s): *nevadensis* Corti, 1928
 45950) *Euxoa* (Pleonectopoda) *rjabovi* (Kozhantshikov, 1929) (Noctuidae) Synonym(s): *rjabovi* Kozhantshikov, 1929; *inclusa* Corti, 1931
 45951) *Euxoa* (s.str.) ? *goetria* (Kozhantshikov, 1929) (Noctuidae) Synonym(s): *goetria* Kozhantshikov, 1929
 45952) *Euxoa* (s.str.) *abdallah* Oberthür, 1918 (Noctuidae) Synonym(s): *abdallah* Oberthür, 1918
 45953) *Euxoa* (s.str.) *abdallah ambrosiana* Boursin, 1927 (Noctuidae) Synonym(s): *ambrosiana* Boursin, 1927
 45954) *Euxoa* (s.str.) *abualisinai* Varga & Gyulai, 2002 (Noctuidae) Synonym(s): *abualisinai* Varga & Gyulai, 2002
 45955) *Euxoa* (s.str.) *abualisinai esfahanica* Varga & Gyulai, 2002 (Noctuidae) Synonym(s): *esfahanica* Varga & Gyulai, 2002
 45956) *Euxoa* (s.str.) *acronycta* (Rebel, 1907) (Noctuidae) Synonym(s): *acronycta* Rebel, 1907
 45957) *Euxoa* (s.str.) *adjemi* Brandt, 1941 (Noctuidae) Synonym(s): *adjemi* Brandt, 1941.
 45958) *Euxoa* (s.str.) *adjemi Brandt*, 1941 (Noctuidae) Synonym(s): *adjemi* Brandt, 1941.
 45959) *Euxoa* (s.str.) *albiobis* Hampson, 1909 (Noctuidae) Synonym(s): *albiobis* Hampson, 1909
 45960) *Euxoa* (s.str.) *albioboides* Poole, 1989 (Noctuidae) Synonym(s): *albiobis* Hampson, 1920 nec Hamps., 1909; *albioboides* Poole, 1989
 45961) *Euxoa* (s.str.) *amplexa* Corti, 1931 (Noctuidae) Synonym(s): *amplexa* Corti, 1931.
 45962) *Euxoa* (s.str.) *anaemica* Draudt, 1936 (Noctuidae) Synonym(s): *anaemica* Draudt, 1936
 45963) *Euxoa* (s.str.) *anarmodia* (Staudinger, 1897) (Noctuidae) Synonym(s): *anarmodia* Staudinger, 1897; *muricolor* Rothschild, 1914; *albiobis* Hampson, 1920 (*praeocc.*); *albioboides* Poole, 1989
 45964) *Euxoa* (s.str.) *anarmodia capsensis* Chrétien, 1911 (Noctuidae) Synonym(s): *capsensis* Chrétien, 1911
 45965) *Euxoa* (s.str.) *anatolica* Draudt, 1936 (Noctuidae) Synonym(s): *anatolica* Draudt, 1936.
 45966) *Euxoa* (s.str.) *aneucta* Brandt, 1938 (Noctuidae) Synonym(s): *aneucta* Brandt, 1938
 45967) *Euxoa* (s.str.) *aneucta binaloudica* Brandt, 1941 (Noctuidae) Synonym(s): *binaloudica* Brandt, 1941
 45968) *Euxoa* (s.str.) *anthracina* Varga & Gyulai, 2001 (Noctuidae) Synonym(s): *anthracina* Varga & Gyulai, 2001
 45969) *Euxoa* (s.str.) *anthracina* Varga & Gyulai, 2001 (Noctuidae) Synonym(s): *anthracina* Varga & Gyulai, 2001
 45970) *Euxoa* (s.str.) *aquilina* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller], 1775; *fictilis* Hübner, [1813]; *unicolor* Hübner, [1813]; *petrina* Mayer, 1937.
 45971) *Euxoa* (s.str.) *aquilina actinea* Kozhantshikov, 1929 (Noctuidae) Synonym(s): *actinea* Kozhantshikov, 1929; *quassa* Corti, 1931; *terrestris* Corti, 1931; *corporea* Corti, 1931; *punctifera* Corti, 1931; *rangnowi* Corti, 1932.
 45972) *Euxoa* (s.str.) *aquilina aquilina* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller], 1775; *fictilis* Hübner, [1813]; *unicolor* Hübner, [1813]; *petrina* Mayer, 1937.
 45973) *Euxoa* (s.str.) *aquilina obeliscata* (Wagner, 1929) (Noctuidae) Synonym(s): *obeliscata* Wagner, 1929.
 45974) *Euxoa* (s.str.) *aquilina rabiosa* Corti, 1931 (Noctuidae) Synonym(s): *rabiosa* Corti, 1931
 45975) *Euxoa* (s.str.) *aquilina titschacki* Corti, 1929 (Noctuidae) Synonym(s): *titschacki* Corti, 1929; *perdistincta* Zerny, 1933.
 45976) *Euxoa* (s.str.) *basigramma* (Staudinger, 1870) (Noctuidae) Synonym(s): *basigramma* Staudinger, 1870

- 45977) *Euxoa* (s.str.) *basigramma asiaeiminoris* Koçak,1991 (Noctuidae) Synonym(s): *asiaeiminoris* Strand,1915; *asiaeiminoris* Koçak,1991
- 45978) *Euxoa* (s.str.) *basigramma basigramma* Staudinger,1870 (Noctuidae) Synonym(s): *basigramma* Staudinger,1870
- 45979) *Euxoa* (s.str.) *basigramma hyrcana* Corti,1932 (Noctuidae) Synonym(s): *hyrcana* Corti,1932.
- 45980) *Euxoa* (s.str.) *basigramma pallidior* (Wagner,1913) (Noctuidae) Synonym(s): *pallidior* Wagner,1913; *apocrypha* Corti,1932.
- 45981) *Euxoa* (s.str.) *birivia* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *birivia* [Denis & Schiffermüller],1775; *honnoratina* Donzel,1837; *cuprina* Staudinger,1900; *sudeticola* Skala,1929; *caucasica* Spuler,1908; *flavisignata* Corti,1932.
- 45982) *Euxoa* (s.str.) *bogdanovi* Erschoff,1874 (Noctuidae) Synonym(s): *bogdanovi* Erschoff,1874; *grumi* Alpheraky,1887
- 45983) *Euxoa* (s.str.) *canariensis Rebel,1902* (Noctuidae) Synonym(s): *canariensis* Rebel,1902
- 45984) *Euxoa* (s.str.) *canariensis canariensis* Rebel,1902 (Noctuidae) Synonym(s): *canariensis* Rebel,1902
- 45985) *Euxoa* (s.str.) *canariensis diamondi* Boursin,1940 (Noctuidae) Synonym(s): *diamondi* Boursin,1940
- 45986) *Euxoa* (s.str.) *canariensis mauretania* (A.Bang-Haas,1910) (Noctuidae) Synonym(s): *mauretania* A.Bang-Haas,1910
- 45987) *Euxoa* (s.str.) *capensis* Chrétien,1911 (Noctuidae) Synonym(s): *capensis* Chrétien,1911
- 45988) *Euxoa* (s.str.) *catervaria* Corti,1929 (Noctuidae) Synonym(s): *catervaria* Corti,1929
- 45989) *Euxoa* (s.str.) *cespitis* (Swinhoe,1885) (Noctuidae) Synonym(s): *cespitis* Swinhoe,1885; *praestigiosa* Brandt,1941
- 45990) *Euxoa* (s.str.) *chlorophaia* Gyulai, L.Ronkay & Varga,2001 (Noctuidae) Synonym(s): *chlorophaia* Gyulai, L.Ronkay & Varga,2001
- 45991) *Euxoa* (s.str.) *christophi* (Staudinger,1870) (Noctuidae) Synonym(s): *christophi* Staudinger,1870
- 45992) *Euxoa* (s.str.) *christophi cappadocica* (Hacker,1988) (Noctuidae) Synonym(s): *cappadocica* Hacker,1988
- 45993) *Euxoa* (s.str.) *christophi christophi* (Staudinger,1870) (Noctuidae) Synonym(s): *christophi* Staudinger,1870.
- 45994) *Euxoa* (s.str.) *comosa* Morrison,1876 (Noctuidae) Synonym(s): *comosa* Morrison,1876; *incallida* Smith,1890 nec Wlk.,1856; *lutulenta* Smith,1890; *vulpina* Smith,1895; *annir* Streckler,1898; *atropulverea* Smith,1900; *ontario* Smith,1900; *dakota* Smith,1900; *mesopotamica* A.Bang-Haas,1906; *masoni* Cockerell,1905; *latebra* Benjamin,1936; *tueotincta* McDunnough,1940; *altera* McDunnough,1940; *johnstoni* McDunnough,1946; *yildizae* Koçak,1983
- 45995) *Euxoa* (s.str.) *conifera* (Christoph,1877) (Noctuidae) Synonym(s): *conifera* Christoph,1877
- 45996) *Euxoa* (s.str.) *conspicua* (Hübner,[1824]) (Noctuidae) Synonym(s): *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *lycarum* Herrich-Schäffer,1846; *abditia* De Joannis,1891; *hindistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931.
- 45997) *Euxoa* (s.str.) *corsicola* Corti,1928 (Noctuidae) Synonym(s): *corsicola* Corti,1928
- 45998) *Euxoa* (s.str.) *cos* (Hübner,[1824]) (Noctuidae) Synonym(s): *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabille,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933.
- 45999) *Euxoa* (s.str.) *cos cos* (Hübner,[1824]) (Noctuidae) Synonym(s): *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabille,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933.
- 46000) *Euxoa* (s.str.) *crypta* (Dadd,1927) (Noctuidae) Synonym(s): *crypta* Dadd,1927
- 46001) *Euxoa* (s.str.) *currens* (Staudinger,1896) (Noctuidae) Synonym(s): *currens* Staudinger,1896
- 46002) *Euxoa* (s.str.) *cursoria* (Hufnagel,1766) (Noctuidae) Synonym(s): *cursoria* Hufnagel,1766
- 46003) *Euxoa* (s.str.) *decora* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *decora* [Denis & Schiffermüller],1775
- 46004) *Euxoa* (s.str.) *decora hackeri* Fibiger & Moberg,1990 (Noctuidae) Synonym(s): *hackeri* Fibiger & Moberg,1990
- 46005) *Euxoa* (s.str.) *decora kuruschensis* Boursin,1940 (Noctuidae) Synonym(s): *kuruschensis* Boursin,1940
- 46006) *Euxoa* (s.str.) *decora macedonica* (Thurner,1936) (Noctuidae) Synonym(s): *macedonica* Thurner,1936
- 46007) *Euxoa* (s.str.) *decora olympica* (Touleschkov,1951) (Noctuidae) Synonym(s): *olympica* Tuleschkov,1951
- 46008) *Euxoa* (s.str.) *decorans* (Staudinger,1896) (Noctuidae) Synonym(s): *subdecora* Staudinger,1895 nec Stgr.,1888; *decorans* Staudinger,1896.
- 46009) *Euxoa* (s.str.) *deserta* (Staudinger,1870) (Noctuidae) Synonym(s): *deserta* Staudinger,1870
- 46010) *Euxoa* (s.str.) *deserta deserta* (Staudinger,1870) (Noctuidae) Synonym(s): *deserta* Staudinger,1870
- 46011) *Euxoa* (s.str.) *deserta glaseri* Varga,1979 (Noctuidae) Synonym(s): *glaseri* Varga,1979
- 46012) *Euxoa* (s.str.) *deserta hamadanensis* Varga,1979 (Noctuidae) Synonym(s): *hamadanensis* Varga,1979
- 46013) *Euxoa* (s.str.) *designata* Brandt,1941 (Noctuidae) Synonym(s): *designata* Brandt,1941
- 46014) *Euxoa* (s.str.) *diaphora* Boursin,1928 (Noctuidae) Synonym(s): *diaphora* Boursin,1928; *philippsi* Corti,1928; *claricostata* Corti,1932.
- 46015) *Euxoa* (s.str.) *distaxis* Boursin,1928 (Noctuidae) Synonym(s): *distaxis* Boursin,1928
- 46016) *Euxoa* (s.str.) *distinguenda* (Lederer,1857) (Noctuidae) Synonym(s): *distinguenda* Lederer,1857.
- 46017) *Euxoa* (s.str.) *distinguenda distincta* (Staudinger,1892) (Noctuidae) Synonym(s): *distincta* Staudinger,1892; *uralensis* Corti,1926; *amplexa* Corti,1931; *akschehirensis* Corti,1932; *rumelica* Boursin,1935; *aksehirensis* Ebert & Hacker,2002
- 46018) *Euxoa* (s.str.) *distinguenda distinguenda* Lederer,1857 (Noctuidae) Synonym(s): *distinguenda* Lederer,1857.
- 46019) *Euxoa* (s.str.) *dsheiron* Brandt,1938 (Noctuidae) Synonym(s): *dsheiron* Brandt,1938.
- 46020) *Euxoa* (s.str.) *dysgrapha* Varga & Gyulai,2001 (Noctuidae) Synonym(s): *dysgrapha* Varga & Gyulai,2001
- 46021) *Euxoa* (s.str.) *ebadhadiani* Gyulai & Varga,2002 (Noctuidae) Synonym(s): *ebadhadiani* Gyulai & Varga,2002
- 46022) *Euxoa* (s.str.) *emamrezai* Varga & Gyulai,2002 (Noctuidae) Synonym(s): *emamrezai* Varga & Gyulai,2002
- 46023) *Euxoa* (s.str.) *emolliens* Warren,1909 (Noctuidae) Synonym(s): *mollis* Staudinger,1892 nec Walk.,1857; *emolliens* Warren,1909; *amplexa* Corti,1931.
- 46024) *Euxoa* (s.str.) *enixa* Püngeler,1906 (Noctuidae) Synonym(s): *enixa* Püngeler,1906
- 46025) *Euxoa* (s.str.) *eremorealis* Varga,1975 (Noctuidae) Synonym(s): *eremorealis* Varga,1975
- 46026) *Euxoa* (s.str.) *eremospersa* Gyulai & Varga,2006 (Noctuidae) Synonym(s): *eremospersa* Gyulai & Varga,2006
- 46027) *Euxoa* (s.str.) *eruta* (Hübner,[1817]) (Noctuidae) Synonym(s): *eruta* Hübner,[1817].
- 46028) *Euxoa* (s.str.) *erythrochrysa* Gyulai & L.Ronkay,2001 (Noctuidae) Synonym(s): *erythrochrysa* Gyulai & L.Ronkay,2001
- 46029) *Euxoa* (s.str.) *fallax* (Eversmann,1854) (Noctuidae) Synonym(s): *fallax* Eversmann,1854
- 46030) *Euxoa* (s.str.) *fissa* (Staudinger,1895) (Noctuidae) Synonym(s): *fissa* Staudinger,1895
- 46031) *Euxoa* (s.str.) *flavisignata* Corti,1932 (Noctuidae) Synonym(s): *flavisignata* Corti,1932
- 46032) *Euxoa* (s.str.) *glabella* (Wagner,1930) (Noctuidae) Synonym(s): *glabella* Wagner,1930
- 46033) *Euxoa* (s.str.) *glabella balcanica* Fibiger,1997 (Noctuidae) Synonym(s): *balcanica* Fibiger,1997
- 46034) *Euxoa* (s.str.) *hastifera* (Donzel,1847) (Noctuidae) Synonym(s): *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952.
- 46035) *Euxoa* (s.str.) *hastifera geghardica* Varga,1979 (Noctuidae) Synonym(s): *geghardica* Varga,1979.
- 46036) *Euxoa* (s.str.) *hastifera hastifera* (Donzel,1837) (Noctuidae) Synonym(s): *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952.
- 46037) *Euxoa* (s.str.) *hendersoni* Pinhey,1968 (Noctuidae) Synonym(s): *hendersoni* Pinhey,1968
- 46038) *Euxoa* (s.str.) *heringi* Christoph,1877 (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931.
- 46039) *Euxoa* (s.str.) *heringi heringi* (Christoph,1877) (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931.
- 46040) *Euxoa* (s.str.) *heringi maronitica* Wiltshire,1939 (Noctuidae) Synonym(s): *maronitica* Wiltshire,1939
- 46041) *Euxoa* (s.str.) *hissarica* Varga,1990 (Noctuidae) Synonym(s): *hissarica* Varga,1990
- 46042) *Euxoa* (s.str.) *homicida* (Staudinger,1900) (Noctuidae) Synonym(s): *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999.
- 46043) *Euxoa* (s.str.) *homicida homicida* (Staudinger,1900) (Noctuidae) Synonym(s): *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999.
- 46044) *Euxoa* (s.str.) *homicida schahkuhensis* (Bartel,1907) (Noctuidae) Synonym(s): *schahkuhensis* Bartel,1907
- 46045) *Euxoa* (s.str.) *homicida transcaspica* Kozhantshikov,1928 (Noctuidae) Synonym(s): *transcaspica* Kozhantshikov,1928; *catervaria* Corti,1929; *lugubris* Brandt,1941.
- 46046) *Euxoa* (s.str.) *hyperythra* Boursin,1964 (Noctuidae) Synonym(s): *hyperythra* Boursin,1964
- 46047) *Euxoa* (s.str.) *hypochlora* Boursin,1964 (Noctuidae) Synonym(s): *hypochlora* Boursin,1964
- 46048) *Euxoa* (s.str.) *hypochlora afghanica* Boursin,1964 (Noctuidae) Synonym(s): *afghanica* Boursin,1964
- 46049) *Euxoa* (s.str.) *implexa* Püngeler,1904 (Noctuidae) Synonym(s): *implexa* Püngeler,1904
- 46050) *Euxoa* (s.str.) *inexpectata* Alpheraky,1897 (Noctuidae) Synonym(s): *inexpectata* Alpheraky,1897; *expugnata* Corti,1932.

- 46051) *Euxoa* (s.str.) *intolerabilis* (Püngeler,1895) (Noctuidae) Synonym(s): *intolerabilis* Püngeler,1895; *predotae* Schawerda,1922; *arida* Corti & Draudt,1933.
- 46052) *Euxoa* (s.str.) *karschi* (Graeser,1889) (Noctuidae) Synonym(s): *karschi* Graeser,1889; *oberthueri* Leech,1900.
- 46053) *Euxoa* (s.str.) *kotzschii* Draudt,1937 (Noctuidae) Synonym(s): *kotzschii* Draudt,1937; *plumbescens* Kozhantshikov,1937
- 46054) *Euxoa* (s.str.) *leana* (Püngeler,1906) (Noctuidae) Synonym(s): *leana* Püngeler,1906
- 46055) *Euxoa* (s.str.) *luteomixta* (Wagner,1932) (Noctuidae) Synonym(s): *luteomixta* Wagner,1932
- 46056) *Euxoa* (s.str.) *malickyi* Varga,1979 (Noctuidae) Synonym(s): *malickyi* Varga,1990
- 46057) *Euxoa* (s.str.) *mandalgobi* Gyulai & Varga,1999 (Noctuidae) Synonym(s): *mandalgobi* Gyulai & Varga,1999
- 46058) *Euxoa* (s.str.) *melanochroa* Varga,1990 (Noctuidae) Synonym(s): *melanochroa* Varga,1990
- 46059) *Euxoa* (s.str.) *mendelis* Fernández,1915 (Noctuidae) Synonym(s): *mendelis* Fernández,1915
- 46060) *Euxoa* (s.str.) *obergi* Fibiger,1990 (Noctuidae) Synonym(s): *obergi* Fibiger,1990
- 46061) *Euxoa* (s.str.) *moechilla* Püngeler,1906 (Noctuidae) Synonym(s): *moechilla* Püngeler,1906
- 46062) *Euxoa* (s.str.) *montivaga* Fibiger,1997 (Noctuidae) Synonym(s): *montivaga* Fibiger,1997
- 46063) *Euxoa* (s.str.) *murzini* Varga,1990 (Noctuidae) Synonym(s): *murzini* Varga,1990
- 46064) *Euxoa* (s.str.) *mustelina* (Christoph,1877) (Noctuidae) Synonym(s): *mustelina* Christoph,1877
- 46065) *Euxoa* (s.str.) *mustelina centralis* (Staudinger,1889) (Noctuidae) Synonym(s): *centralis* Staudinger,1889; *mustaga* Corti,1932.
- 46066) *Euxoa* (s.str.) *mustelina mustelina* (Christoph,1877) (Noctuidae) Synonym(s): *mustelina* Christoph,1877
- 46067) *Euxoa* (s.str.) *naumanni* Varga,1990 (Noctuidae) Synonym(s): *naumanni* Varga,1990
- 46068) *Euxoa* (s.str.) *nigricans* (Linnaeus,1761) (Noctuidae) Synonym(s): *nigricans* Linnaeus,1761; *fumosa* [Denis & Schiffmüller],1775; *rubricans* Esper,[1788]; *dubia* Haworth,1809; *vilis*, *fuliginea* Hübner,[1813]; *carbonea* Hübner,[1823]; *ursina* Godart,1825; *rustica* Eversmann,1842; *oppidicola* Krulikowsky,1907.
- 46069) *Euxoa* (s.str.) *nigrofusca* (Esper,[1788]) (Noctuidae) Synonym(s): *tritici sensu auct. nec* Linn.,1761; *nigrofusca* Esper,[1788].
- 46070) *Euxoa* (s.str.) *obelisca* ([Denis & Schiffmüller],1775) (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffmüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* Warren,1909; *stephensii* Heyd.,1933; *salioclitana* Boursin,1934.
- 46071) *Euxoa* (s.str.) *obelisca obelisca* ([Denis & Schiffmüller],1775) (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffmüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* Warren,1909; *stephensii* Heyd.,1933; *salioclitana* Boursin,1934.
- 46072) *Euxoa* (s.str.) *ochrogaster* (Guenée,1852) (Noctuidae) Synonym(s): *ochrogaster* Guenée,1852
- 46073) *Euxoa* (s.str.) *ochrogaster rossica* (Staudinger,1881) (Noctuidae) Synonym(s): *rossica* Staudinger,1881; *sublata* Corti,1932, *derasa* Corti,1932; *yarkenda* Corti,1932; *deserticola* Kozhantshikov,1937.
- 46074) *Euxoa* (s.str.) *ononensis* (Bremer,1861) (Noctuidae) Synonym(s): *ononensis* Bremer,1861; *scaramangae* Alpheraky,1882.
- 46075) *Euxoa* (s.str.) *oranaria* (A.Bang-Haas,1906) (Noctuidae) Synonym(s): *oranaria* A.Bang-Haas,1906; *psimithiosa* Boursin,1958
- 46076) *Euxoa* (s.str.) *perierga* Brandt,1938 (Noctuidae) Synonym(s): *perierga* Brandt,1938
- 46077) *Euxoa* (s.str.) *perierga dichagyroides* Varga,1979 (Noctuidae) Synonym(s): *dichagyroides* Varga,1979
- 46078) *Euxoa* (s.str.) *perierga dolomedes* Boursin,1940 (Noctuidae) Synonym(s): *dolomedes* Boursin,1940
- 46079) *Euxoa* (s.str.) *perierga haloeremialis* Varga,1979 (Noctuidae) Synonym(s): *haloeremialis* Varga,1979
- 46080) *Euxoa* (s.str.) *perierga kendevani* Boursin,1940 (Noctuidae) Synonym(s): *kendevani* Boursin,1940
- 46081) *Euxoa* (s.str.) *perierga perierga* Brandt,1938 (Noctuidae) Synonym(s): *perierga* Brandt,1938
- 46082) *Euxoa* (s.str.) *plumbina* (Wagner,1913) (Noctuidae) Synonym(s): *plumbina* Wagner,1913
- 46083) *Euxoa* (s.str.) *powelli* (Oberthür,1912) (Noctuidae) Synonym(s): *powelli* Oberthür,1912
- 46084) *Euxoa* (s.str.) *powelli persubtilis* Corti,1929 (Noctuidae) Synonym(s): *persubtilis* Corti,1929
- 46085) *Euxoa* (s.str.) *powelli powelli* (Oberthür,1912) (Noctuidae) Synonym(s): *powelli* Oberthür,1912
- 46086) *Euxoa* (s.str.) *pronycta* Hampson,1903 (Noctuidae) Synonym(s): *pronycta* Hampson,1903
- 46087) *Euxoa* (s.str.) *psammospora* Varga & Gyulai,2001 (Noctuidae) Synonym(s): *psammospora* Varga & Gyulai,2001
- 46088) *Euxoa* (s.str.) *puengeleri* (Wagner,1913) (Noctuidae) Synonym(s): *puengeleri* Wagner,1913
- 46089) *Euxoa* (s.str.) *qaidamensis* Gyulai, L.Ronkay & Varga,2001 (Noctuidae) Synonym(s): *qaidamensis* Gyulai, L.Ronkay & Varga,2001
- 46090) *Euxoa* (s.str.) *rebeli* (Wagner,1913) (Noctuidae) Synonym(s): *rebeli* Wagner,1913
- 46091) *Euxoa* (s.str.) *recussa* (Hübner,[1817]) (Noctuidae) Synonym(s): *recussa* Hübner,[1817]; *telifera* Donzel,1837; *transsylvania* Herrich-Schäffer,[1851]; *florigera* Eversmann,1856; *latebrosa* Corti,1931.
- 46092) *Euxoa* (s.str.) *recussa ligula* (A.Bang-Haas,1910) (Noctuidae) Synonym(s): *ligula* A.Bang-Haas,1910
- 46093) *Euxoa* (s.str.) *recussa recussa* (Hübner,[1817]) (Noctuidae) Synonym(s): *recussa* Hübner,[1817]; *telifera* Donzel,1837; *transsylvania* Herrich-Schäffer,[1851]; *florigera* Eversmann,1856; *latebrosa* Corti,1931.
- 46094) *Euxoa* (s.str.) *recussa tetrastigma* (Zetterstedt,1840) (Noctuidae) Synonym(s): *tetrastigma* Zetterstedt,1840; *florigera* Eversmann,1844.
- 46095) *Euxoa* (s.str.) *robinosus* (Staudinger,[1895]) (Noctuidae) Synonym(s): *robinosus* Staudinger,[1895]; *terminalis* Rothschild,1921; *pseudoobelisca* Corti,1932; *intensor* Draudt,1936; *vinirufa* Draudt,1936.
- 46096) *Euxoa* (s.str.) *rubrior* Pinker,1980 (Noctuidae) Synonym(s): *rubrior* Pinker,1980; *kansui* Kornoşor,1989; *oezeri* Kornoşor,1989; *loedlii* Kornoşor,1989
- 46097) *Euxoa* (s.str.) *rugifrons* Mabille,1888 (Noctuidae) Synonym(s): *rugifrons* Mabille,1888; *bledi* Chrétien,1911
- 46098) *Euxoa* (s.str.) *sabuletorum* (Boisduval,1840) (Noctuidae) Synonym(s): *sabuletorum* Boisduval,1840.
- 46099) *Euxoa* (s.str.) *sayvana* Varga & L.Ronkay,1998 (Noctuidae) Synonym(s): *sayvana* Varga & L.Ronkay,1998
- 46100) *Euxoa* (s.str.) *scurrilis* Draudt,1937 (Noctuidae) Synonym(s): *scurrilis* Draudt,1937
- 46101) *Euxoa* (s.str.) *segnilis* (Duponchel,1836) (Noctuidae) Synonym(s): *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957.
- 46102) *Euxoa* (s.str.) *segnilis cortii* (Wagner,1930) (Noctuidae) Synonym(s): *cortii* Wagner,1930; *costaevittata* Wagner,1930.
- 46103) *Euxoa* (s.str.) *segnilis riphaea* (Bartel,1907) (Noctuidae) Synonym(s): *riphaea* Bartel,1907; *sparsa* Corti,1932.
- 46104) *Euxoa* (s.str.) *segnilis segnilis* (Duponchel,1836) (Noctuidae) Synonym(s): *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957.
- 46105) *Euxoa* (s.str.) *shahabbasi* Gyulai & Varga,2002 (Noctuidae) Synonym(s): *shahabbasi* Gyulai & Varga,2002; *abbasshahi* Varga & Gyulai,2002
- 46106) *Euxoa* (s.str.) *sigmata* Kozhantshikov,1928 (Noctuidae) Synonym(s): *sigmata* Kozhantshikov,1928
- 46107) *Euxoa* (s.str.) *subdecora* Hampson,1903 (Noctuidae) Synonym(s): *subdecora* Hampson,1903; *clauda* Püngeler,1906.
- 46108) *Euxoa* (s.str.) *sublata* Corti,1931 (Noctuidae) Synonym(s): *sublata* Corti,1931
- 46109) *Euxoa* (s.str.) *submelanochroa* Gyulai & Varga,2006 (Noctuidae) Synonym(s): *submelanochroa* Gyulai & Varga,2006
- 46110) *Euxoa* (s.str.) *sulcifera* (Christoph,1893) (Noctuidae) Synonym(s): *sulcifera* Christoph,1893
- 46111) *Euxoa* (s.str.) *temera* (Hübner,[1808]) (Noctuidae) Synonym(s): *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *hemispherica* Hampson,1903; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937.
- 46112) *Euxoa* (s.str.) *thomasi* Hacker & Varga,1990 (Noctuidae) Synonym(s): *thomasi* Hacker & Varga,1990
- 46113) *Euxoa* (s.str.) *triaena* Kozhantshikov,1929 (Noctuidae) Synonym(s): *triaena* Kozhantshikov,1929
- 46114) *Euxoa* (s.str.) *tritici* (Linnaeus,1761) (Noctuidae) Synonym(s): *tritici* Linnaeus,1761; *pratincta* Borkhausen,1792; *domestica* Fabricius,1794; *venosus*, *pupillatus*, *pusillus* Haworth,1803; *lineolata*, *albilinea* Haworth,1809; *privigna* Püngeler,1906.
- 46115) *Euxoa* (s.str.) *tritici tritici* (Linnaeus,1761) (Noctuidae) Synonym(s): *tritici* Linnaeus,1761; *nigrofusca* Esper,[1788]; *pratincta* Borkhausen,1792; *domestica* Fabricius,1794; *venosus*, *pupillatus*, *pusillus* Haworth,1803; *lineolata*, *albilinea* Haworth,1809; *privigna* Püngeler,1906.
- 46116) *Euxoa* (s.str.) *triumregium* Varga,1979 (Noctuidae) Synonym(s): *triumregium* Varga,1979
- 46117) *Euxoa* (s.str.) *uigurica* Gyulai, Ronkay & Varga,2001 (Noctuidae) Synonym(s): *uigurica* Gyulai, Ronkay & Varga,2001
- 46118) *Euxoa* (s.str.) *uncarpa* Kozhantshikov,1929 (Noctuidae) Synonym(s): *uncarpa* Kozhantshikov,1929
- 46119) *Euxoa* (s.str.) *urbanoides* Kozhantshikov,1937 (Noctuidae) Synonym(s): *urbanoides* Kozhantshikov,1937
- 46120) *Euxoa* (s.str.) *vartianica* Boursin,1963 (Noctuidae) Synonym(s): *vartianica* Boursin,1963
- 46121) *Euxoa* (s.str.) *vigueria* Püngeler ? (Noctuidae) Synonym(s):
- 46122) *Euxoa* (s.str.) *vitta* (Esper,[1789]) (Noctuidae) Synonym(s): *vitta* Esper,[1789]
- 46123) *Euxoa* (s.str.) *vitta hercegoviensis* (Schawerda,1938) (Noctuidae) Synonym(s): *hercegoviensis* Schawerda,1938.
- 46124) *Euxoa* (s.str.) *wagneri* Corti,1926 (Noctuidae) Synonym(s): *wagneri* Corti,1926
- 46125) *Euxoa* (s.str.) *waltharii* (Corti,1931) (Noctuidae) Synonym(s): *waltharii* Corti,1931

- 46126) *Euxoa* (s.str.) *waltharii* *waltharii* (Corti,1931) (Noctuidae) Synonym(s): *waltharii* Corti,1931
 46127) *Euxoa* (s.str.) *xanthophylla* Varga,1990 (Noctuidae) Synonym(s): *xanthophylla* Varga,1990
 46128) *Euxoa* (s.str.) *zanskariensis* Hacker & Varga,1990 (Noctuidae) Synonym(s): *zanskariensis* Hacker & Varga,1990
 46129) *Euxoa* (s.str.) *zernyi* Boursin,1944 (Noctuidae) Synonym(s): *zernyi* Boursin,1944
 46130) *Euxoothera* *bilacteata* (Berio,1962) (Noctuidae) Synonym(s): *bilacteata* Berio,1962
 46131) *Evanina* *wiltshirei* (Boursin,1957) (Noctuidae) Synonym(s): *wiltshirei* Boursin,1957
 46132) *Evisa* *schawerdae* Reisser,1930 (Noctuidae) Synonym(s): *schawerdae* Reisser,1930
 46133) *Evisa* *schawerdae* *balcanica* Hacker,1989 (Noctuidae) Synonym(s): *balcanica* Hacker,1989
 46134) *Evisa* *schawerdae* *kurdistan* Boursin,1940 (Noctuidae) Synonym(s): *kurdistan* Boursin,1940
 46135) *Evisa* *schawerdae* *reisleri* Wiltshire,1952 (Noctuidae) Synonym(s): *reisleri* Wiltshire,1952
 46136) *Evisa* *schawerdae* *syriaca* Boursin,1940 (Noctuidae) Synonym(s): *syriaca* Boursin,1940
 46137) *Evonima* *aperta* Walker,1865 (Noctuidae) Synonym(s): *aperta* Walker,1865
 46138) *Evonima* *faircloughi* Holloway,2003 (Noctuidae) Synonym(s): *faircloughi* Holloway,2003
 46139) *Evonima* *kamboranga* Holloway,2003 (Noctuidae) Synonym(s): *kamboranga* Holloway,2003
 46140) *Evonima* *maculata* Holloway,2003 (Noctuidae) Synonym(s): *maculata* Holloway,2003
 46141) *Exathetis* *strigata* (Hampson,1911) (Noctuidae) Synonym(s): *strigata* Hampson,1911
 46142) *Exophila* *rectangularis* (Hübner,[1828]) (Noctuidae) Synonym(s): *rectangularis* Hübner,[1828]
 46143) *Exophyla* *molybdea* Hampson,1926 (Noctuidae) Synonym(s): *molybdea* Hampson,1926
 46144) *Exophyla* *multistriata* Hampson,1910 (Noctuidae) Synonym(s): *multistriata* Hampson,1910
 46145) *Exophyla* *platti* Hampson,1902 (Noctuidae) Synonym(s): *platti* Hampson,1902
 46146) *Exophyla* *poliotis* (Hampson,1902) (Noctuidae) Synonym(s): *poliotis* Hampson,1902
 46147) *Exsula* *dentatrix* (Westwood,1848) (Noctuidae) Synonym(s): *dentatrix* Westwood,1848; *albomaculata* Miyake,1907; *nigradorsa* Candeze,1927
 46148) *Exsula* *dentatrix* (Westwood,1848) (Noctuidae) Synonym(s): *dentatrix* Westwood,1848
 46149) *Exsula* *victrix* (Westwood,1848) (Noctuidae) Synonym(s): *victrix* Westwood,1848; *silhetensis* Butler,1875; *tyrianthina* Butler,1875; *orientalis* Butler,1875; *burmaensis* Strand,1912
 46150) *Exsula* *victrix* (Westwood,1848) (Noctuidae) Synonym(s): *victrix* Westwood,1848; *silhetensis* Butler,1875; *tyrianthina* Butler,1875; *burmaensis* Strand,1912
 46151) *Extremoplusia* *megalo* (Hampson,1912) (Noctuidae) Synonym(s): *megalo* Hampson,1912
 46152) *Facidia* *vacillans* (Walker,1858) (Noctuidae) Synonym(s): *vacillans* Walker,1858; *nigrofusca* Walker,1865; *fenestrata* Möschler,1887; *horrida* Holland,1894; *phaeophoenicea* Hampson,1905.
 46153) *Facidia* *venosa* (Hübner) (Noctuidae) Synonym(s):
 46154) *Facidina* *semifimbria* (Walker,[1858]) (Noctuidae) Synonym(s): *semifimbria* Walker,[1858]
 46155) *Falana* *sordida* Moore,1882 (Noctuidae) Synonym(s): *sordida* Moore,1882
 46156) *Faronta* *exoul* (Walker,1856) (Noctuidae) Synonym(s): *exoul* Walker,1856
 46157) *Felinia* *filipalpis* (Walker,1858) (Noctuidae) Synonym(s): *filipalpis* Guenée,1852
 46158) *Felinia* *precedens* (Walker,1858) (Noctuidae) Synonym(s): *precedens* Walker,1858; *kebea* Bethune-Baker,1906
 46159) *Felinia* *spissa* Guenée,1852 (Noctuidae) Synonym(s): *spissa* Guenée,1852; *spissata* Guenée,1852; *decens* Walker,[1858]
 46160) *Feliniopsis* (*africana*-gr.) *africana* (Schaus & Clements,1893) (Noctuidae) Synonym(s): *africana* Schaus & Clements,1893; *leucura* Hampson,1914; *phoenicolopha* Hampson,1914.
 46161) *Feliniopsis* (*africana*-gr.) *berioi* (Viette,1963) (Noctuidae) Synonym(s): *berioi* Viette,1963
 46162) *Feliniopsis* (*africana*-gr.) *breviuscula* (Walker,1858) (Noctuidae) Synonym(s): *breviuscula* Walker,1858
 46163) *Feliniopsis* (*africana*-gr.) *dargei* (Laporte,1973) (Noctuidae) Synonym(s): *dargei* Laporte,1973
 46164) *Feliniopsis* (*africana*-gr.) *duponti* (Laporte,1974) (Noctuidae) Synonym(s): *duponti* Laporte,1974
 46165) *Feliniopsis* (*africana*-gr.) *germainae* (Laporte,1975) (Noctuidae) Synonym(s): *germainae* Laporte,1975
 46166) *Feliniopsis* (*africana*-gr.) *grisea* (Laporte,1973) (Noctuidae) Synonym(s): *grisea* Laporte,1973
 46167) *Feliniopsis* (*africana*-gr.) *subsagula* (D.S.Fletcher,1961) (Noctuidae) Synonym(s): *subsagula* D.S.Fletcher,1961
 46168) *Feliniopsis* (*africana*-gr.) *tenera* (Viette,1963) (Noctuidae) Synonym(s): *tenera* Viette,1963
 46169) *Feliniopsis* (*connivens*-gr.) *connivens* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *connivens* R.Felder & Rogenhofer,1874; *quadrisigna* Moore,1881
 46170) *Feliniopsis* (*connivens*-gr.) *connivens* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *connivens* R.Felder & Rogenhofer,1874; *quadrisigna* Moore,1881; *placida* Moore,1882.
 46171) *Feliniopsis* (*connivens*-gr.) *hospitoides* (Laporte,1979) (Noctuidae) Synonym(s): *hospitoides* Laporte,1979
 46172) *Feliniopsis* (*connivens*-gr.) *tamsi* (Berio,1974) (Noctuidae) Synonym(s): *tamsi* Berio,1974
 46173) *Feliniopsis* (*consummata*-gr.) *albarenalis* (Chang,1991) (Noctuidae) Synonym(s): *albarenalis* Chang,1991; *hyperithra* Galsworthy,1997
 46174) *Feliniopsis* (*consummata*-gr.) *consummata* (Walker,1857) (Noctuidae) Synonym(s): *consummata* Walker,1857
 46175) *Feliniopsis* (*consummata*-gr.) *hoplista* (Viette,1963) (Noctuidae) Synonym(s): *hoplista* Viette,1963
 46176) *Feliniopsis* (*consummata*-gr.) *minnecii* (Berio,1939) (Noctuidae) Synonym(s): *minnecii* Berio,1939
 46177) *Feliniopsis* (*consummata*-gr.) *septentrionalis* (Rougeot & Laporte,1983) (Noctuidae) Synonym(s): *septentrionalis* Rougeot & Laporte,1983
 46178) *Feliniopsis* (*consummata*-gr.) *spinifera* (Laporte,1991) (Noctuidae) Synonym(s): *spinifera* Laporte,1991
 46179) *Feliniopsis* (*consummata*-gr.) *theryi* (Laporte,1975) (Noctuidae) Synonym(s): *theryi* Laporte,1975
 46180) *Feliniopsis* (*consummata*-gr.) *thoracica* (Walker,1858) (Noctuidae) Synonym(s): *thoracica* Walker,1858
 46181) *Feliniopsis* (*consummata*-gr.) *tulipifera* (Saalmüller,1891) (Noctuidae) Synonym(s): *tulipifera* Saalmüller,1891; *#tulipifera* Pinhey,1975.
 46182) *Feliniopsis* (*indistans*-gr.) *indistans* (Guenée,1852) (Noctuidae) Synonym(s): *indistans* Guenée,1852; *subdistans* Guenée,1852; *asahinai* Sugi,1982
 46183) *Feliniopsis* (*niveipuncta*-gr.) *annosa* (Viette,1963) (Noctuidae) Synonym(s): *annosa* Viette,1963
 46184) *Feliniopsis* (*niveipuncta*-gr.) *ligniensi* (Laporte,1973) (Noctuidae) Synonym(s): *ligniensi* Laporte,1973
 46185) *Feliniopsis* (*niveipuncta*-gr.) *nigribarbata* (Hampson,1908) (Noctuidae) Synonym(s): *nigribarbata* Hampson,1908
 46186) *Feliniopsis* (*niveipuncta*-gr.) *niveipuncta* (Hampson,1911) (Noctuidae) Synonym(s): *niveipuncta* Hampson,1911; *subnigrata* Warren,1912
 46187) *Feliniopsis* (*niveipuncta*-gr.) *sabaea* Hacker & Fibiger,2001 (Noctuidae) Synonym(s): *sabaea* Hacker & Fibiger,2001
 46188) *Feliniopsis* (*niveipuncta*-gr.) *viettei* Hacker & Fibiger,2001 (Noctuidae) Synonym(s): *viettei* Hacker & Fibiger,2001
 46189) *Feliniopsis* (*satellit*-gr.) *apameoides* Hacker & Fibiger,2001 (Noctuidae) Synonym(s): *apameoides* Hacker & Fibiger,2001
 46190) *Feliniopsis* (*satellit*-gr.) *guenei* (Laporte,1973) (Noctuidae) Synonym(s): *guenei* Laporte,1973
 46191) *Feliniopsis* (*satellit*-gr.) *satellit* (Berio,1974) (Noctuidae) Synonym(s): *satellit* Berio,1974
 46192) *Feliniopsis* (*siderifera*-gr.) *albilineata* (Warren,1912) (Noctuidae) Synonym(s): *albilineata* Warren,1912
 46193) *Feliniopsis* (*siderifera*-gr.) *albiorbis* (Warren,1912) (Noctuidae) Synonym(s): *albiorbis* Warren,1912
 46194) *Feliniopsis* (*siderifera*-gr.) *confundens* (Walker,1857) (Noctuidae) Synonym(s): *confundens* Walker,1857
 46195) *Feliniopsis* (*siderifera*-gr.) *confusa* (Laporte,1973) (Noctuidae) Synonym(s): *confusa* Laporte,1973
 46196) *Feliniopsis* (*siderifera*-gr.) *connotata* (Warren,1912) (Noctuidae) Synonym(s): *connotata* Warren,1912
 46197) *Feliniopsis* (*siderifera*-gr.) *constellata* (Moore,1882) (Noctuidae) Synonym(s): *constellata* Moore,1882
 46198) *Feliniopsis* (*siderifera*-gr.) *distans* (Moore,1882) (Noctuidae) Synonym(s): *distans* Moore,1882
 46199) *Feliniopsis* (*siderifera*-gr.) *hyposcota* (Hampson,1911) (Noctuidae) Synonym(s): *hyposcota* Hampson,1911
 46200) *Feliniopsis* (*siderifera*-gr.) *inextricans* (Walker,1858) (Noctuidae) Synonym(s): *inextricans* Walker,1858
 46201) *Feliniopsis* (*siderifera*-gr.) *ivoriensis* (Laporte,1973) (Noctuidae) Synonym(s): *ivoriensis* Laporte,1973
 46202) *Feliniopsis* (*siderifera*-gr.) *leucostigma* (Moore,1867) (Noctuidae) Synonym(s): *leucostigma* Moore,1867; *oxydata* Hampson,1902
 46203) *Feliniopsis* (*siderifera*-gr.) *margarita* (Galsworthy,1997) (Noctuidae) Synonym(s): *margarita* Galsworthy,1997
 46204) *Feliniopsis* (*siderifera*-gr.) *medleri* (Laporte,1973) (Noctuidae) Synonym(s): *medleri* Laporte,1973
 46205) *Feliniopsis* (*siderifera*-gr.) *milloti* (Viette,1961) (Noctuidae) Synonym(s): *milloti* Viette,1961
 46206) *Feliniopsis* (*siderifera*-gr.) *nabalua* (Holloway,1976) (Noctuidae) Synonym(s): *nabalua* Holloway,1976
 46207) *Feliniopsis* (*siderifera*-gr.) *normalis* (Hampson,1914) (Noctuidae) Synonym(s): *normalis* Hampson,1914
 46208) *Feliniopsis* (*siderifera*-gr.) *opposita* (Walker,1865) (Noctuidae) Synonym(s): *opposita* Walker,1865
 46209) *Feliniopsis* (*siderifera*-gr.) *segreta* (Berio,1966) (Noctuidae) Synonym(s): *segreta* Berio,1966

- 46210) *Feliniopsis (siderifera-gr.) siderifera* (Moore,1881) (Noctuidae) Synonym(s): *siderifera* Moore,1881
 46211) *Feliniopsis (siderifera-gr.) tripunctata* (Chang,1991) (Noctuidae) Synonym(s): *tripunctata* Chang,1991
 46212) *Feliniopsis (somaliensis-gr.) somaliensis* (Laporte,1974) (Noctuidae) Synonym(s): *somaliensis* Laporte,1974
 46213) *Feliniopsis dinawa* (Bethune-Baker,1906) (Noctuidae) Synonym(s): *dinawa* Bethune-Baker,1906; *dinavana* Hampson,1908
 46214) *Feliniopsis discisignata* (Wileman & South,1920) (Noctuidae) Synonym(s): *discisignata* Wileman & South,1920
 46215) *Feliniopsis incerta* Roepke,1938 (Noctuidae) Synonym(s): *incerta* Roepke,1938
 46216) *Feliniopsis lucipara* (Wileman & West,1929) (Noctuidae) Synonym(s): *lucipara* Wileman & West,1929
 46217) *Feliniopsis luzonensis* (Wileman & South,1920) (Noctuidae) Synonym(s): *luzonensis* Wileman & South,1920
 46218) *Feliniopsis macrostigma* (Snellen,1880) (Noctuidae) Synonym(s): *macrostigma* Snellen,1880
 46219) *Feliniopsis peridela* (Wileman & West,1929) (Noctuidae) Synonym(s): *peridela* Wileman & West,1929
 46220) *Feliniopsis quadrispina* Holloway,1979 (Noctuidae) Synonym(s): *quadrispina* Holloway,1979
 46221) *Feliniopsis securifera* (Wileman & West,1929) (Noctuidae) Synonym(s): *securifera* Wileman & West,1929
 46222) *Feliniopsis talhouki* Wiltshire,1983 (Noctuidae) Synonym(s): *talhouki* Wiltshire,1983
 46223) *Feralia sauberi* (Graeser,1892) (Noctuidae) Synonym(s): *sauberi* Graeser,1892
 46224) *Fergana oreophila* Staudinger,1892 (Noctuidae) Synonym(s): *oreophila* Staudinger,1892
 46225) *Fleta belangeri* (Guérin-Méneville,1834) (Noctuidae) Synonym(s): *belangeri* Guérin-Méneville,1834
 46226) *Fleta moorei* (R.Felder & Rogenhofer,1875) (Noctuidae) Synonym(s): *moorei* R.Felder & Rogenhofer,1875
 46227) *Fodina arctioides* Walker,1865 (Noctuidae) Synonym(s): *arctioides* Walker,1865
 46228) *Fodina contigua* Wileman,1914 (Noctuidae) Synonym(s): *contigua* Wileman,1914
 46229) *Fodina cuneigera* (Butler,1889) (Noctuidae) Synonym(s): *cuneigera* Butler,1889
 46230) *Fodina embolophora* Hampson,1902 (Noctuidae) Synonym(s): *embolophora* Hampson,1902
 46231) *Fodina hypercompoides* Walker,1865 (Noctuidae) Synonym(s): *hypercompoides* Walker,1865
 46232) *Fodina oriolus* Guenée,1852 (Noctuidae) Synonym(s): *oriolus* Guenée,1852
 46233) *Fodina pallula* Guenée,1852 (Noctuidae) Synonym(s): *pallula* Guenée,1852
 46234) *Fodina stola* Guenée,1852 (Noctuidae) Synonym(s): *stola* Guenée,1852; *postmaculata* Hampson,1893
 46235) *Foveades crucialis* (R.Felder & Rogenhofer,[1874]) (Noctuidae) Synonym(s): *crucialis* R.Felder & Rogenhofer,[1874]
 46236) *Fredina esmeralda* Brandt,1939 (Noctuidae) Synonym(s): *esmeralda* Brandt,1939
 46237) *Fulvarba fulvescens* (Hampson,1910) (Noctuidae) Synonym(s): *fulvescens* Hampson,1910
 46238) *Gadirtha impingens* Walker,[1858] (Noctuidae) Synonym(s): *impingens* Walker,[1858]; *bufonia* C.Felder & R.Felder,1862; *tinctoides* Snellen,1877; *guineana* Swinhoe,1918; *buruensis* A.E.Prout,1926
 46239) *Gadirtha inexacta* Walker,[1858] (Noctuidae) Synonym(s): *inexacta* Walker,[1858]
 46240) *Gadirtha pulchra* Butler,1886 (Noctuidae) Synonym(s): *pulchra* Butler,1886; *distincta* Lucas,1892
 46241) *Galgula partita* Guenée,1852 (Noctuidae) Synonym(s): *partita* Guenée,1852
 46242) *Garella casuaria* (Wileman & West) (Noctuidae) Synonym(s):
 46243) *Garella curiosa* (Swinhoe) (Noctuidae) Synonym(s):
 46244) *Garella rotundipennis* Walker,[1863] (Noctuidae) Synonym(s): *rotundipennis* Walker,[1863]; *basisuffusa* Holloway,1976
 46245) *Garella ruficirra* (Hampson,1905) (Noctuidae) Synonym(s): *ruficirra* Hampson,1905
 46246) *Garella scoparoides* (Walker,[1863]) (Noctuidae) Synonym(s): *scoparoides* Walker,[1863]; *rufipuncta* Hampson,1896; *excurvata* A.E.Prout,1922
 46247) *Garella vernoides* Holloway,2003 (Noctuidae) Synonym(s): *vernoides* Holloway,2003
 46248) *Gelastocera castanea* (Moore,1879) (Noctuidae) Synonym(s): *castanea* Moore,1879
 46249) *Geniascota patagiata* Hampson,1926 (Noctuidae) Synonym(s): *patagiata* Hampson,1926
 46250) *Genus sp.* (Noctuidae) Synonym(s):
 46251) *Gesonia obeditalis* Walker,[1859] (Noctuidae) Synonym(s): *obeditalis* Walker,[1859]; *pansalis* Walker,[1859]; *secundalis* Walker,[1859]; *crambisata* Walker,1862; *evulsalis* Walker,[1866]; *binotata* Walker,1866; *concors* Walker,1866; *terrosa* Snellen,1872; *rubicundula* Swinhoe,1885; *nigrofusca* Swinhoe,1885; *festina* Swinhoe,1885.
 46252) *Gesonia stictigramma* Hampson,1926 (Noctuidae) Synonym(s): *stictigramma* Hampson,1926
 46253) *Gespanna pectoralis* (Walker,1864) (Noctuidae) Synonym(s): *pectoralis* Walker,1864
 46254) *Giaura dakkaki* Wiltshire,1986 (Noctuidae) Synonym(s): *dakkaki* Wiltshire,1986
 46255) *Gigantocera rectilinea* Hampson,1912 (Noctuidae) Synonym(s): *rectilinea* Hampson,1912
 46256) *Gloriana ornata* (Moore,1882) (Noctuidae) Synonym(s): *ornata* Moore,1882
 46257) *Gnamptogya diagonalis* Hampson,1910 (Noctuidae) Synonym(s): *diagonalis* Hampson,1910
 46258) *Gnamptonyx innexa* (Walker,1858) (Noctuidae) Synonym(s): *innexa* Walker,1858; *vilis* Walker,1865.
 46259) *Gnamptonyx obsoleta* Hampson,1913 (Noctuidae) Synonym(s): *obsoleta* Hampson,1913
 46260) *Gnamptonyx vilis* (Walker,1865) (Noctuidae) Synonym(s): *vilis* Walker,1865
 46261) *Godasa sidae* (Fabricius,1794) (Noctuidae) Synonym(s): *sidae* Fabricius,1794; *maculatrix* Walker,1864; *mecynoides* Mabille,1879; *orientis* Bartel,1903
 46262) *Goenycta niveiguttata* (Hampson,1902) (Noctuidae) Synonym(s): *niveiguttata* Hampson,1902
 46263) *Goniocalpe heteromorpha* Hampson,1920 (Noctuidae) Synonym(s): *heteromorpha* Hampson,1920
 46264) *Goniocalpe sericealis* (Hampson,1902) (Noctuidae) Synonym(s): *sericealis* Hampson,1902
 46265) *Goniophila excavata* (Swinhoe,1905) (Noctuidae) Synonym(s): *excavata* Swinhoe,1905
 46266) *Goniophila niphosticha* Hampson,1926 (Noctuidae) Synonym(s): *niphosticha* Hampson,1926
 46267) *Goniophila polymima* De Joannis,1929 (Noctuidae) Synonym(s): *polymima* De Joannis,1929
 46268) *Gonoglasa camptogramma* Hampson,1924 (Noctuidae) Synonym(s): *camptogramma* Hampson,1924; *#camptogramma* Kononenko & Pinratana,2005
 46269) *Gonoglasa nigripalpis* (Walker,[1863]) (Noctuidae) Synonym(s): *nigripalpis* Walker,[1863]
 46270) *Gonospileia amudarya* Weisert,1998 (Noctuidae) Synonym(s): *amudarya* Weisert,1998
 46271) *Gonospileia munita* (Hübner,[1813]) (Noctuidae) Synonym(s): *munita* Hübner,[1813]; *angulosa* Eversmann,1832.
 46272) *Gonospileia triquetra* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *triquetra* [Denis & Schiffermüller],1775; *aurantiaca* Staudinger,1881.
 46273) *Gonospileia triquetra triquetra* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *triquetra* [Denis & Schiffermüller],1775; *aurantiaca* Staudinger,1881.
 46274) *Gortyna borelii* (Pierret,1837) (Noctuidae) Synonym(s): *borelii* Pierret,1837
 46275) *Gortyna borelii lunata* Freyer,1938 (Noctuidae) Synonym(s): *lunata* Freyer,1938
 46276) *Gortyna cervago* Eversmann,1844 (Noctuidae) Synonym(s): *cervago* Eversmann,1844; *#argillago* Draudt,1936.
 46277) *Gortyna flavago* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *flavago* [Denis & Schiffermüller],1775
 46278) *Gortyna hethitica* Hacker,Kuhna & Gross,1986 (Noctuidae) Synonym(s): *hethitica* Hacker,Kuhna & Gross,1986
 46279) *Gortyna moesiaca* Herrich-Schäffer,[1849] (Noctuidae) Synonym(s): *moesiaca* Herrich-Schäffer,[1849]; *perlucida* Warren,1911.
 46280) *Gortyna moesiaca euxinia* Hacker,[1987] (Noctuidae) Synonym(s): *euxinia* Hacker,[1987]
 46281) *Gortyna osmana* Hacker & Kuhna,1986 (Noctuidae) Synonym(s): *osmana* Hacker & Kuhna,1986
 46282) *Gortyna puengeleri* (Turati,1909) (Noctuidae) Synonym(s): *puengeleri* Turati,1909
 46283) *Gortyna xanthenes* (Germar,[1842]) (Noctuidae) Synonym(s): *xanthenes* Germar,[1842]
 46284) *Gracillina prosthena* Hampson,1924 (Noctuidae) Synonym(s): *prosthena* Hampson,1924
 46285) *Gracilodes caffra* Guenée,1852 (Noctuidae) Synonym(s): *caffra* Guenée,1852
 46286) *Gracilodes nysa* Guenée,1852 (Noctuidae) Synonym(s): *nysa* Guenée,1852
 46287) *Grammodes afrocculta* Berio,1956 (Noctuidae) Synonym(s): *afrocculta* Berio,1956
 46288) *Grammodes bifasciata* (Petagna,1786) (Noctuidae) Synonym(s): *geometrica* auct.; *bifasciata* Petagna,1786; *linearis* Hübner,1790; *parallela* Cyrillo,1790; *chalcipetra* Borkhausen,1792; *parallelaris* Hübner,[1803].
 46289) *Grammodes boisdeffrii* (Oberthür,1876) (Noctuidae) Synonym(s): *boisdeffrii* Oberthür,1876
 46290) *Grammodes congenita* Walker,1858 (Noctuidae) Synonym(s): *congenita* Walker,1858
 46291) *Grammodes euclidioides* Guenée,1852 (Noctuidae) Synonym(s): *euclidioides* Guenée,1852; *dubitans* Walker,1858
 46292) *Grammodes euclidioides euclidioides* Guenée,1852 (Noctuidae) Synonym(s): *euclidioides* Guenée,1852; *dubitans* Walker,1858
 46293) *Grammodes euclidioides postfumida* Wiltshire,1970 (Noctuidae) Synonym(s): *postfumida* Wiltshire,1970
 46294) *Grammodes exclusiva* Pagenstecher,1907 (Noctuidae) Synonym(s): *exclusiva* Pagenstecher,1907

- 46295) *Grammodes geometrica* (Fabricius,1775) (Noctuidae) Synonym(s): *geometrica* Fabricius,1775; *ammonia* Cramer,1780 nec Esp.,[1794]; *orientalis* W. Warren,1913
- 46296) *Grammodes microgonia* (Hampson,1910) (Noctuidae) Synonym(s): *microgonia* Hampson,1910
- 46297) *Grammodes monodonta* Berio,1956 (Noctuidae) Synonym(s): *monodonta* Berio,1956; *somaliensis* Berio,1956
- 46298) *Grammodes oculicola* Walker (Noctuidae) Synonym(s):
- 46299) *Grammodes paerambar* Brandt,1939 (Noctuidae) Synonym(s): *paerambar* Brandt,1939
- 46300) *Grammodes stolidia* (Fabricius,1775) (Noctuidae) Synonym(s): *stolidia* Fabricius,1775; *cingularis* Hübner,[1808]; *stipida* Herrich-Schäffer,1851; *curvilinea* Walker,1869.
- 46301) *Grammoscelis leuconura* Hampson,1906 (Noctuidae) Synonym(s): *leuconura* Hampson,1906
- 46302) *Graphania atavistis* (Hampson,1902) (Noctuidae) Synonym(s): *atavistis* Hampson,1902
- 46303) *Graphantha* (Dysgraphhadena) *commoda* (Staudinger,1889) (Noctuidae) Synonym(s): *indigna* auct. nec Chr.,1887; *commoda* Staudinger,1889; *manifesta* Christoph,1893; *idumaea* Pingeler,1902; *schlumbergeri* Pingeler,1905
- 46304) *Graphiphora augur* (Fabricius,1775) (Noctuidae) Synonym(s): *augur* Fabricius,1775
- 46305) *Gripesia aprilina* (Linnaeus,1758) (Noctuidae) Synonym(s): *aprilina* Linnaeus,1758; *runica* [Denis & Schiffermüller],1775; *obscurior* Wolfsberger,1969.
- 46306) *Gripesia aprilina aprilina* (Linnaeus,1758) (Noctuidae) Synonym(s): *aprilina* Linnaeus,1758; *runica* [Denis & Schiffermüller],1775; *obscurior* Wolfsberger,1969.
- 46307) *Gripesia pinkeri* (Kobes,1973) (Noctuidae) Synonym(s): *pinkeri* Kobes,1973
- 46308) *Gripesia wegneri* Kobes & Fibiger,2003 (Noctuidae) Synonym(s): *wegneri* Kobes & Fibiger,2003
- 46309) *Gyrohypsona sterrha* Staudinger,1888 (Noctuidae) Synonym(s): *sterrha* Staudinger,1888
- 46310) *Gyrtona divitalis* Walker,1863 (Noctuidae) Synonym(s): *divitalis* Walker,1863
- 46311) *Gyrtona hopkinsi* Tams,1935 (Noctuidae) Synonym(s): *hopkinsi* Tams,1935
- 46312) *Gyrtona semicarbonalis* Walker (Noctuidae) Synonym(s):
- 46313) *Gyrtothripa erastoides* (Walker,1862) (Noctuidae) Synonym(s): *erastoides* Walker,1862
- 46314) *Gyrtothripa florida* (Walker,1862) (Noctuidae) Synonym(s): *florida* Walker,1862
- 46315) *Gyrtothripa papuana* (Hampson,1912) (Noctuidae) Synonym(s): *papuana* Hampson,1912; *semiplumbea* W. Warren,1914
- 46316) *Gyrtothripa parvipusilla* Holloway,2003 (Noctuidae) Synonym(s): *parvipusilla* Holloway,2003
- 46317) *Gyrtothripa pusilla* (Moore,1888) (Noctuidae) Synonym(s): *pusilla* Moore,1888
- 46318) *Gyrtothripa variegata* Hampson,1894 (Noctuidae) Synonym(s): *variegata* Hampson,1894
- 46319) *Hada extrita* (Staudinger,1888) (Noctuidae) Synonym(s): *extrita* Staudinger,1888
- 46320) *Hada persa* (Alpheraky,1897) (Noctuidae) Synonym(s): *persa* Alpheraky,1897
- 46321) *Hada persa armeniaca* Hacker, Huber & Kuhna,1988 (Noctuidae) Synonym(s): *armeniaca* Hacker, Huber & Kuhna,1988
- 46322) *Hada persa persa* (Alpheraky,1897) (Noctuidae) Synonym(s): *persa* Alpheraky,1897
- 46323) *Hada persa televisana* Schintlmeiser & Poltawski,1986 (Noctuidae) Synonym(s): *televisana* Schintlmeiser & Poltawski,1986
- 46324) *Hada plebeja* (Linnaeus,1761) (Noctuidae) Synonym(s): *plebeja* Linnaeus,1761; *nana* Hufnagel,1766; *dentina* [Denis & Schiff.],1775; *leucostigma* Hw.,1809; *odontides* Bsd.,1829; *latenai* Pierret,1837; *hilaris* Zetterstedt,[1839]; *reducta* Rbl. & Zerny,[1932]; *littoralis*, *gredensis*, *nevadensis*, *hawelkae* Schawerda,1938.
- 46325) *Hada plebeja sultana* (Schwingenschuss,1938) (Noctuidae) Synonym(s): *sultana* Schwingenschuss,1938
- 46326) *Hadena* (Anepia) *aberrans* (Eversmann,1856) (Noctuidae) Synonym(s): *aberrans* Eversmann,1856
- 46327) *Hadena* (Anepia) *amabilis* (Barnes & McDunnough,1918) (Noctuidae) Synonym(s): *amabilis* Barnes & McDunnough,1918
- 46328) *Hadena* (Anepia) *avempacei* (Tams,1925) (Noctuidae) Synonym(s): *avempacei* Tams,1925; *pampaninii* C.G.Krüger,1933.
- 46329) *Hadena* (Anepia) *capsularis* (Guenée,1852) (Noctuidae) Synonym(s): *capsularis* Guenée,1852
- 46330) *Hadena* (Anepia) *christophi* (Möschler,1862) (Noctuidae) Synonym(s): *christophi* Möschler,1862
- 46331) *Hadena* (Anepia) *circumvadis* (Smith,1902) (Noctuidae) Synonym(s): *circumvadis* Smith,1902
- 46332) *Hadena* (Anepia) *corrupta* (Herz,1898) (Noctuidae) Synonym(s): *corrupta* Herz,1898; *subviolacea* Matsumura,1925; *siculimima* Bryk,1949.
- 46333) *Hadena* (Anepia) *corrupta corrupta* (Herz,1898) (Noctuidae) Synonym(s): *corrupta* Herz,1898; *subviolacea* Matsumura,1925; *siculimima* Bryk,1949.
- 46334) *Hadena* (Anepia) *corrupta splendida* (Draudt,1950) (Noctuidae) Synonym(s): *splendida* Draudt,1950
- 46335) *Hadena* (Anepia) *dianthoeicioides* (Boursin,1940) (Noctuidae) Synonym(s): *dianthoeicioides* Boursin,1940
- 46336) *Hadena* (Anepia) *ectrapela* (Smith,1888) (Noctuidae) Synonym(s): *ectrapela* Smith,1888
- 46337) *Hadena* (Anepia) *esperi* Hacker,1992 (Noctuidae) Synonym(s): *esperi* Hacker,1992
- 46338) *Hadena* (Anepia) *eximia* (Staudinger,1896) (Noctuidae) Synonym(s): *eximia* Staudinger,1896
- 46339) *Hadena* (Anepia) *eximia eximia* (Staudinger,1896) (Noctuidae) Synonym(s): *eximia* Staudinger,1896
- 46340) *Hadena* (Anepia) *eximia gloriosa* (Draudt,1950) (Noctuidae) Synonym(s): *gloriosa* Draudt,1950
- 46341) *Hadena* (Anepia) *irregularis* (Hufnagel,1766) (Noctuidae) Synonym(s): *irregularis* Hufnagel,1766; *echii* Borkhausen,1792; *syngenesiae* Borkhausen,1793; *brecciaeformis* Esper,[1805].
- 46342) *Hadena* (Anepia) *minorata* (Smith,1888) (Noctuidae) Synonym(s): *minorata* Smith,1888
- 46343) *Hadena* (Anepia) *musculina* (Staudinger,1892) (Noctuidae) Synonym(s): *musculina* Staudinger,1892; *mayeri* Wagner,1931.
- 46344) *Hadena* (Anepia) *neglecta* Hacker,1992 (Noctuidae) Synonym(s): *neglecta* Hacker,1992
- 46345) *Hadena* (Anepia) *nevadae* (Draudt,1933) (Noctuidae) Synonym(s): *nevadae* Draudt,1933
- 46346) *Hadena* (Anepia) *parapamisos* Hacker,1992 (Noctuidae) Synonym(s): *parapamisos* Hacker,1992
- 46347) *Hadena* (Anepia) *perplexa* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] nec Cr.,[1779]; *carphophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850].
- 46348) *Hadena* (Anepia) *perplexa paghmana* (Brandt,1947) (Noctuidae) Synonym(s): *paghmana* Brandt,1947
- 46349) *Hadena* (Anepia) *perplexa perplexa* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] nec Cr.,[1779]; *carphophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850].
- 46350) *Hadena* (Anepia) *perplexa plantei* Hacker,1992 (Noctuidae) Synonym(s): *plantei* Hacker,1992
- 46351) *Hadena* (Anepia) *plumasatas* (Bucket & Bauer,1967) (Noctuidae) Synonym(s): *plumasatas* Bucket & Bauer,1967
- 46352) *Hadena* (Anepia) *ruetimeyeri* Boursin,1951 (Noctuidae) Synonym(s): *ruetimeyeri* Boursin,1951
- 46353) *Hadena* (Anepia) *sancta* (Staudinger,1859) (Noctuidae) Synonym(s): *sancta* Staudinger,1859
- 46354) *Hadena* (Anepia) *sancta atrifusa* Wiltshire,1986 (Noctuidae) Synonym(s): *atrifusa* Wiltshire,1986
- 46355) *Hadena* (Anepia) *sancta cypriaca* Berio,1978 (Noctuidae) Synonym(s): *cypriaca* Berio,1978
- 46356) *Hadena* (Anepia) *sancta protai* Berio,1978 (Noctuidae) Synonym(s): *protai* Berio,1978
- 46357) *Hadena* (Anepia) *sancta sancta* (Staudinger,1859) (Noctuidae) Synonym(s): *sancta* Staudinger,1859
- 46358) *Hadena* (Anepia) *sancta trisagittata* (Rothschild,1914) (Noctuidae) Synonym(s): *trisagittata* Rothschild,1914; *tripolensis* Berio,1978.
- 46359) *Hadena* (Anepia) *sancta turca* Koçak,1991 (Noctuidae) Synonym(s): *anatolica* Berio,1978 nec Reb.,1933; *turca* Koçak,1991.
- 46360) *Hadena* (Anepia) *silenes* (Hübner,[1822]) (Noctuidae) Synonym(s): *silenes* Hübner,[1822]; *sejuncta* Herrich-Schäffer,[1850].
- 46361) *Hadena* (Anepia) *silenes csorbai* Hacker,1992 (Noctuidae) Synonym(s): *csorbai* Hacker,1992
- 46362) *Hadena* (Anepia) *silenes mesopotamica* Hacker,1992 (Noctuidae) Synonym(s): *mesopotamica* Hacker,1992
- 46363) *Hadena* (Anepia) *silenes silenes* (Hübner,[1822]) (Noctuidae) Synonym(s): *silenes* Hübner,[1822]; *sejuncta* Herrich-Schäffer,[1850].
- 46364) *Hadena* (Anepia) *silenes variegata* (Wagner,1929) (Noctuidae) Synonym(s): *variegata* Wagner,1929
- 46365) *Hadena* (Anepia) *strouhali* Boursin,1955 (Noctuidae) Synonym(s): *strouhali* Boursin,1955
- 46366) *Hadena* (Anepia) *strouhali oxygrapha* Hacker & Ronkay,1992 (Noctuidae) Synonym(s): *oxygrapha* Hacker & Ronkay,1992
- 46367) *Hadena* (Anepia) *strouhali permixta* Hacker,1992 (Noctuidae) Synonym(s): *permixta* Hacker,1992
- 46368) *Hadena* (Anepia) *strouhali strouhali* Boursin,1955 (Noctuidae) Synonym(s): *strouhali* Boursin,1955
- 46369) *Hadena* (Anepia) *syriaca* (Osthelder,1933) (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *osthelderi* Draudt,1933.
- 46370) *Hadena* (Anepia) *syriaca imitaria* (Brandt,1947) (Noctuidae) Synonym(s): *imitaria* Brandt,1947
- 46371) *Hadena* (Anepia) *syriaca petroffii* (Wiltshire,1948) (Noctuidae) Synonym(s): *petroffii* Wiltshire,1948
- 46372) *Hadena* (Anepia) *syriaca podolica* (Kremsky,1937) (Noctuidae) Synonym(s): *podolica* Kremsky,1937
- 46373) *Hadena* (Anepia) *syriaca quetta* Hacker,1996 (Noctuidae) Synonym(s): *quetta* Hacker,1996
- 46374) *Hadena* (Anepia) *syriaca syriaca* (Osthelder,1933) (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *osthelderi* Draudt,1933.

- 46375) *Hadena* (*Anepia*) *wolffi* Hacker, 1992 (Noctuidae) Synonym(s): *wolffi* Hacker, 1992
- 46376) *Hadena* (*Enterpia*) *alpherakyi* Hacker, 1996 (Noctuidae) Synonym(s): *alpherakyi* Hacker, 1996
- 46377) *Hadena* (*Enterpia*) *laudeti* (Boisduval, 1840) (Noctuidae) Synonym(s): *laudeti* Boisduval, 1840
- 46378) *Hadena* (*Enterpia*) *laudeti orientis* Hacker, 1996 (Noctuidae) Synonym(s): *orientis* Hacker, 1996
- 46379) *Hadena* (*Enterpia*) *laudeti roseomarginata* Calberla, 1891 (Noctuidae) Synonym(s): *roseomarginata* Calberla, 1891; *latestrigata* Amsel, 1935.
- 46380) *Hadena* (*Enterpia*) *picturata* (Alpheraky, 1882) (Noctuidae) Synonym(s): *picturata* Alpheraky, 1882
- 46381) *Hadena* (*Enterpia*) *roseocandida* Hacker, 1996 (Noctuidae) Synonym(s): *roseocandida* Hacker, 1996
- 46382) *Hadena* (*Klappericola*) *chrysocyanea* Boursin, 1961 (Noctuidae) Synonym(s): *chrysocyanea* Boursin, 1961
- 46383) *Hadena* (*Klappericola*) *heringi* (Draudt, 1934) (Noctuidae) Synonym(s): *heringi* Draudt, 1934
- 46384) *Hadena* (*Klappericola*) *klapperichi* Boursin, 1960 (Noctuidae) Synonym(s): *klapperichi* Boursin, 1960
- 46385) *Hadena* (*Maschukia*) *lypra* (Püngeler, 1904) (Noctuidae) Synonym(s): *lypra* Püngeler, 1904
- 46386) *Hadena* (*Maschukia*) *lypra arachosia* Hacker, 1996 (Noctuidae) Synonym(s): *arachosia* Hacker, 1996
- 46387) *Hadena* (*Maschukia*) *lypra hajara* Hacker & Legrain, 1996 (Noctuidae) Synonym(s): *hajara* Hacker & Legrain, 1996
- 46388) *Hadena* (*Maschukia*) *lypra pumila* (Staudinger, 1879) (Noctuidae) Synonym(s): *lypra* Püngeler, 1904
- 46389) *Hadena* (*Maschukia*) *pumila* (Staudinger, 1879) (Noctuidae) Synonym(s): *pumila* Staudinger, 1879
- 46390) *Hadena* (*Maschukia*) *pumila phoenicea* Hacker, 1996 (Noctuidae) Synonym(s): *phoenicea* Hacker, 1996
- 46391) *Hadena* (*Maschukia*) *pumila pumila* (Staudinger, 1879) (Noctuidae) Synonym(s): *pumila* Staudinger, 1879
- 46392) *Hadena* (*Maschukia*) *scythia* Kljutschko & Hacker, 1996 (Noctuidae) Synonym(s): *scythia* Kljutschko & Hacker, 1996
- 46393) *Hadena* (*Pinkericola*) *cappadocia* Hacker, 1987 (Noctuidae) Synonym(s): *cappadocia* Hacker, 1987
- 46394) *Hadena* (*Pinkericola*) *inexpectata* Varga, 1979 (Noctuidae) Synonym(s): *inexpectata* Varga, 1979
- 46395) *Hadena* (*Pinkericola*) *inexpectata inexpectata* Varga, 1979 (Noctuidae) Synonym(s): *inexpectata* Varga, 1979
- 46396) *Hadena* (*Pinkericola*) *inexpectata kurdistanica* Hacker, 1996 (Noctuidae) Synonym(s): *kurdistanica* Hacker, 1996
- 46397) *Hadena* (*Pinkericola*) *inexpectata podlussanyi* Hacker, 1996 (Noctuidae) Synonym(s): *podlussanyi* Hacker, 1996
- 46398) *Hadena* (*Pinkericola*) *macilenta* (Brandt, 1947) (Noctuidae) Synonym(s): *macilenta* Brandt, 1947
- 46399) *Hadena* (*Pinkericola*) *pygmaea* (Boursin, 1962) (Noctuidae) Synonym(s): *pygmaea* Boursin, 1962
- 46400) *Hadena* (*Pinkericola*) *tephrochrysea* (Draudt, 1934) (Noctuidae) Synonym(s): *tephrochrysea* Draudt, 1934
- 46401) *Hadena* (*Pinkericola*) *tephroleuca* (Boisduval, 1833) (Noctuidae) Synonym(s): *tephroleuca* Boisduval, 1833
- 46402) *Hadena* (*Pinkericola*) *tephroleuca asiatica* (Wagner, 1931) (Noctuidae) Synonym(s): *asiatica* Wagner, 1931
- 46403) *Hadena* (*Pinkericola*) *tephroleuca reisseri* (Draudt, 1934) (Noctuidae) Synonym(s): *reisseri* Draudt, 1934
- 46404) *Hadena* (*Pinkericola*) *tephroleuca tephroleuca* (Boisduval, 1833) (Noctuidae) Synonym(s): *tephroleuca* Boisduval, 1833
- 46405) *Hadena* (*Pinkericola*) *vulpecula* (Brandt, 1938) (Noctuidae) Synonym(s): *vulpecula* Brandt, 1938
- 46406) *Hadena* (*Pronotestra*) *silenides* (Staudinger, 1895) (Noctuidae) Synonym(s): *silenides* Staudinger, 1895; *cinochrea* Chrétien, 1911; *pampaninii* C.G.Krüger, 1933.
- 46407) *Hadena* (s.str.(*Albimaculia*)) *adriana* (Schawerda, 1921) (Noctuidae) Synonym(s): *adriana* Schawerda, 1921
- 46408) *Hadena* (s.str.(*Albimaculia*)) *albimacula* (Borkhausen, 1792) (Noctuidae) Synonym(s): *albimacula* Borkhausen, 1792; *concinna* Hübner, [1803]; *conserta* Hübner, [1820].
- 46409) *Hadena* (s.str.(*Albimaculia*)) *albimacula albimacula* (Borkhausen, 1792) (Noctuidae) Synonym(s): *albimacula* Borkhausen, 1792; *concinna* Hübner, [1803]; *conserta* Hübner, [1820].
- 46410) *Hadena* (s.str.(*Albimaculia*)) *albimacula excelsa* Hacker, 1996 (Noctuidae) Synonym(s): *excelsa* Hacker, 1996
- 46411) *Hadena* (s.str.(*Albimaculia*)) *albimacula fantastica* Hacker & Fibiger, 1999 (Noctuidae) Synonym(s): *fantastica* Hacker & Fibiger, 1999
- 46412) *Hadena* (s.str.(*Albimaculia*)) *albimacula nivalis* Hacker, 1996 (Noctuidae) Synonym(s): *nivalis* Hacker, 1996
- 46413) *Hadena* (s.str.(*Albimaculia*)) *cavalla* Pinker, 1980 (Noctuidae) Synonym(s): *cavalla* Pinker, 1980
- 46414) *Hadena* (s.str.(*Albimaculia*)) *defreinae* Hacker, Kuhna & Gross, 1986 (Noctuidae) Synonym(s): *defreinae* Hacker, Kuhna & Gross, 1986
- 46415) *Hadena* (s.str.(*Albimaculia*)) *defreinae* Hacker, Kuhna & Gross, 1986 (Noctuidae) Synonym(s): *defreinae* Hacker, Kuhna & Gross, 1986
- 46416) *Hadena* (s.str.(*Albimaculia*)) *defreinae thoenyi* Hacker, 1996 (Noctuidae) Synonym(s): *thoenyi* Hacker, 1996
- 46417) *Hadena* (s.str.(*Albimaculia*)) *guenei* (Staudinger, 1901) (Noctuidae) Synonym(s): *guenei* Staudinger, 1901; *guenei* Hampson, 1905
- 46418) *Hadena* (s.str.(*Albimaculia*)) *guenei hostilis* (Püngeler, 1906) (Noctuidae) Synonym(s): *hostilis* Püngeler, 1906
- 46419) *Hadena* (s.str.(*Albimaculia*)) *humilis* (Christoph, 1893) (Noctuidae) Synonym(s): *humilis* Christoph, 1893; *stenoptera* Rebel, 1933.
- 46420) *Hadena* (s.str.(*Albimaculia*)) *secreta* Hacker, 1996 (Noctuidae) Synonym(s): *secreta* Hacker, 1996
- 46421) *Hadena* (s.str.(*Anatolidenae*)) *danilewskyi* Hacker, 1996 (Noctuidae) Synonym(s): *danilewskyi* Hacker, 1996
- 46422) *Hadena* (s.str.(*Anatolidenae*)) *draudti* (Brandt, 1938) (Noctuidae) Synonym(s): *draudti* Brandt, 1938
- 46423) *Hadena* (s.str.(*Anatolidenae*)) *draudti externa* Hacker, 1996 (Noctuidae) Synonym(s): *externa* Hacker, 1996
- 46424) *Hadena* (s.str.(*Anatolidenae*)) *elbursica* Hacker, 1996 (Noctuidae) Synonym(s): *elbursica* Hacker, 1996
- 46425) *Hadena* (s.str.(*Anatolidenae*)) *mesolampira* (Brandt, 1938) (Noctuidae) Synonym(s): *mesolampira* Brandt, 1938
- 46426) *Hadena* (s.str.(*Anatolidenae*)) *nebulosa* Hacker, 1996 (Noctuidae) Synonym(s): *nebulosa* Hacker, 1996
- 46427) *Hadena* (s.str.(*Anatolidenae*)) *pfeifferi* (Draudt, 1934) (Noctuidae) Synonym(s): *pfeifferi* Draudt, 1934
- 46428) *Hadena* (s.str.(*Anatolidenae*)) *pfeifferi pfeifferi* (Draudt, 1934) (Noctuidae) Synonym(s): *pfeifferi* Draudt, 1934
- 46429) *Hadena* (s.str.(*Anatolidenae*)) *pfeifferi ponticola* Hacker, 1996 (Noctuidae) Synonym(s): *ponticola* Hacker, 1996
- 46430) *Hadena* (s.str.(*Anatolidenae*)) *ronkayorum* Hacker, 1996 (Noctuidae) Synonym(s): *ronkayorum* Hacker, 1996
- 46431) *Hadena* (s.str.(*Anatolidenae*)) *staudingeri* (Wagner, 1931) (Noctuidae) Synonym(s): *staudingeri* Wagner, 1931
- 46432) *Hadena* (s.str.(*Caeshadeneae*)) *caesia* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *caesia* [Denis & Schiffermüller], 1775; *dichroma* Esp., [1790].
- 46433) *Hadena* (s.str.(*Caeshadeneae*)) *caesia bulgarica* Boursin, 1959 (Noctuidae) Synonym(s): *bulgarica* Boursin, 1959
- 46434) *Hadena* (s.str.(*Caeshadeneae*)) *caesia euxinia* Hacker, 1990 (Noctuidae) Synonym(s): *euxinia* Hacker, 1990
- 46435) *Hadena* (s.str.(*Caeshadeneae*)) *caesia xanthophoba* Schawerda, 1922 (Noctuidae) Synonym(s): *xanthophoba* Schawerda, 1922
- 46436) *Hadena* (s.str.(*Caeshadeneae*)) *vanensis* Hacker, 1996 (Noctuidae) Synonym(s): *vanensis* Hacker, 1996
- 46437) *Hadena* (s.str.(*Clarhadeneae*)) *cimelia* (Brandt, 1938) (Noctuidae) Synonym(s): *cimelia* Brandt, 1938
- 46438) *Hadena* (s.str.(*Clarhadeneae*)) *clara* (Staudinger, 1901) (Noctuidae) Synonym(s): *clara* Staudinger, 1901; *hyrcana* Draudt, 1933; *transiens* Draudt, 1938.
- 46439) *Hadena* (s.str.(*Clarhadeneae*)) *clara alpina* Boursin, 1959 (Noctuidae) Synonym(s): *alpina* Boursin, 1959
- 46440) *Hadena* (s.str.(*Clarhadeneae*)) *clara atlantis* (Draudt, 1934) (Noctuidae) Synonym(s): *atlantis* Draudt, 1934
- 46441) *Hadena* (s.str.(*Clarhadeneae*)) *clara clara* (Staudinger, 1901) (Noctuidae) Synonym(s): *clara* Staudinger, 1901; *hyrcana* Draudt, 1933; *transiens* Draudt, 1938
- 46442) *Hadena* (s.str.(*Clarhadeneae*)) *clara dujardini* Boursin, 1959 (Noctuidae) Synonym(s): *dujardini* Boursin, 1959
- 46443) *Hadena* (s.str.(*Clarhadeneae*)) *clara gladys* (Wiltshire, 1947) (Noctuidae) Synonym(s): *gladys* Wiltshire, 1947
- 46444) *Hadena* (s.str.(*Clarhadeneae*)) *clara kuruschensis* Boursin, 1959 (Noctuidae) Synonym(s): *kuruschensis* Boursin, 1959
- 46445) *Hadena* (s.str.(*Clarhadeneae*)) *clara macedonica* Boursin, 1959 (Noctuidae) Synonym(s): *macedonica* Boursin, 1959
- 46446) *Hadena* (s.str.(*Clarhadeneae*)) *clara nevadensis* (Draudt, 1934) (Noctuidae) Synonym(s): *nevadensis* Draudt, 1934
- 46447) *Hadena* (s.str.(*Clarhadeneae*)) *clara transiens* (Draudt, 1936) (Noctuidae) Synonym(s): *transiens* Draudt, 1936
- 46448) *Hadena* (s.str.(*Clarhadeneae*)) *clara weissii* (Draudt, 1934) (Noctuidae) Synonym(s): *weissii* Draudt, 1934
- 46449) *Hadena* (s.str.(*Clarhadeneae*)) *drenowski* (Rebel, 1930) (Noctuidae) Synonym(s): *drenowski* Rebel, 1930.
- 46450) *Hadena* (s.str.(*Clarhadeneae*)) *drenowski sultana* Hacker, 1996 (Noctuidae) Synonym(s): *sultana* Hacker, 1996
- 46451) *Hadena* (s.str.(*Clarhadeneae*)) *drenowskii drenowskii* (Rebel, 1930) (Noctuidae) Synonym(s): *drenowskii* Rebel, 1930.
- 46452) *Hadena* (s.str.(*Clarhadeneae*)) *drenowskii kendevari* (Schwingenschuss, 1937) (Noctuidae) Synonym(s): *kendevari* Schwingenschuss, 1937
- 46453) *Hadena* (s.str.(*Clarhadeneae*)) *drenowskii khorassana* (Brandt, 1947) (Noctuidae) Synonym(s): *chorassana* Brandt, 1947
- 46454) *Hadena* (s.str.(*Clarhadeneae*)) *drenowskii lapidea* Kljutschko & Hacker, 1996 (Noctuidae) Synonym(s): *lapidea* Kljutschko & Hacker, 1996
- 46455) *Hadena* (s.str.(*Clarhadeneae*)) *hyrcanoides* Hacker, 1996 (Noctuidae) Synonym(s): *hyrcanoides* Hacker, 1996
- 46456) *Hadena* (s.str.(*Clarhadeneae*)) *pseudoclara* Hacker, 1996 (Noctuidae) Synonym(s): *pseudoclara* Hacker, 1996
- 46457) *Hadena* (s.str.(*Clarhadeneae*)) *pseudoclara cimeloides* Hacker, 1996 (Noctuidae) Synonym(s): *cimeloides* Hacker, 1996
- 46458) *Hadena* (s.str.(*Clarhadeneae*)) *pseudoclara oleagina* Hacker, 1996 (Noctuidae) Synonym(s): *oleagina* Hacker, 1996
- 46459) *Hadena* (s.str.(*Clarhadeneae*)) *pseudoclara pseudoclara* Hacker, 1996 (Noctuidae) Synonym(s): *pseudoclara* Hacker, 1996

- 46460) *Hadena* (s.str.(*Clarhadena*)) *pumicosa* Hacker,1996 (Noctuidae) Synonym(s): *pumicosa* Hacker,1996
 46461) *Hadena* (s.str.(*Clarhadena*)) *subhyrcana* Hacker,1996 (Noctuidae) Synonym(s): *subhyrcana* Hacker,1996
 46462) *Hadena* (s.str.(*Dianthoeicia*)) *atalantica* (Hampson,1905) (Noctuidae) Synonym(s): *atalantica* Hampson,1905
 46463) *Hadena* (s.str.(*Dianthoeicia*)) *bicruris* (Hufnagel,1766) (Noctuidae) Synonym(s): *bicruris* Hufnagel,1766; *capsincoloides* Standfuss,1893.
 46464) *Hadena* (s.str.(*Dianthoeicia*)) *impressa* (Esper,[1790]) (Noctuidae) Synonym(s): *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790].
 46465) *Hadena* (s.str.(*Dianthoeicia*)) *karsholti* Hacker,1996 (Noctuidae) Synonym(s): *karsholti* Hacker,1996
 46466) *Hadena* (s.str.(*Dianthoeicia*)) *nigricata* Pinker,1969 (Noctuidae) Synonym(s): *nigricata* Pinker,1969
 46467) *Hadena* (s.str.(*Dianthoeicia*)) *zaprzagaevi* Hacker & Nekrasov,1996 (Noctuidae) Synonym(s): *zaprzagaevi* Hacker & Nekrasov,1996
 46468) *Hadena* (s.str.(*Filograna*)) *consparcatoides* (Schawerda,1928) (Noctuidae) Synonym(s): *consparcatoides* Schawerda,1928
 46469) *Hadena* (s.str.(*Filograna*)) *filograna* (Esper,[1788]) (Noctuidae) Synonym(s): *filograna* Esper,[1788]; *filigrama* auct.; *polymita* Hübner,[1803]; *xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821].
 46470) *Hadena* (s.str.(*Filograna*)) *filograna consparcata* (Freyer,1844) (Noctuidae) Synonym(s): *consparcata* Freyer,1844.
 46471) *Hadena* (s.str.(*Filograna*)) *filograna filograna* (Esper,[1788]) (Noctuidae) Synonym(s): *filograna* Esper,[1788]; *filigrama* auct.; *polymita* Hübner,[1803]; *xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821].
 46472) *Hadena* (s.str.(*Filograna*)) *filograna rungsi* (Lajonquière,1967) (Noctuidae) Synonym(s): *rungs* Lajonquière,1967
 46473) *Hadena* (s.str.(*Hadenilia*)) *nekrasovi* Hacker,1996 (Noctuidae) Synonym(s): *nekrasovi* Hacker,1996
 46474) *Hadena* (s.str.(*Hadenilia*)) *nuratina* Hacker & Kljutschko,1996 (Noctuidae) Synonym(s): *nuratina* Hacker & Kljutschko,1996
 46475) *Hadena* (s.str.(*Hadenilia*)) *wiltshirei* (Brandt,1947) (Noctuidae) Synonym(s): *wiltshirei* Brandt,1947
 46476) *Hadena* (s.str.(*Hadenilia*)) *wiltshirei peregovitsi* Hacker,1996 (Noctuidae) Synonym(s): *peregovitsi* Hacker,1996
 46477) *Hadena* (s.str.(*Hadenilia*)) *wiltshirei wiltshirei* (Brandt,1947) (Noctuidae) Synonym(s): *wiltshirei* Brandt,1947
 46478) *Hadena* (s.str.(*Hadenobilis*)) *albertii* Hacker,1996 (Noctuidae) Synonym(s): *albertii* Hacker,1996
 46479) *Hadena* (s.str.(*Hadenobilis*)) *archaica* Hacker,1996 (Noctuidae) Synonym(s): *archaica* Hacker,1996
 46480) *Hadena* (s.str.(*Hadenobilis*)) *aureomixta* (Draudt,1934) (Noctuidae) Synonym(s): *aureomixta* Draudt,1934
 46481) *Hadena* (s.str.(*Hadenobilis*)) *aureomixta aureomixta* (Draudt,1934) (Noctuidae) Synonym(s): *aureomixta* Draudt,1934
 46482) *Hadena* (s.str.(*Hadenobilis*)) *aureomixta belucha* Hacker,1996 (Noctuidae) Synonym(s): *belucha* Hacker,1996
 46483) *Hadena* (s.str.(*Hadenobilis*)) *aureomixta karamixta* Hacker,1996 (Noctuidae) Synonym(s): *karamixta* Hacker,1996
 46484) *Hadena* (s.str.(*Hadenobilis*)) *canescens* (Brandt,1947) (Noctuidae) Synonym(s): *canescens* Brandt,1947; *eberti* Boursin,1961
 46485) *Hadena* (s.str.(*Hadenobilis*)) *canescens canescens* (Brandt,1947) (Noctuidae) Synonym(s): *canescens* Brandt,1947; *eberti* Boursin,1961
 46486) *Hadena* (s.str.(*Hadenobilis*)) *canescens hunza* Hacker,1996 (Noctuidae) Synonym(s): *hunza* Hacker,1996
 46487) *Hadena* (s.str.(*Hadenobilis*)) *canescens pura* Hacker,1996 (Noctuidae) Synonym(s): *pura* Hacker,1996
 46488) *Hadena* (s.str.(*Hadenobilis*)) *chrysographa* Hacker,1996 (Noctuidae) Synonym(s): *chrysographa* Hacker,1996
 46489) *Hadena* (s.str.(*Hadenobilis*)) *finitima* Hacker,1996 (Noctuidae) Synonym(s): *finitima* Hacker,1996
 46490) *Hadena* (s.str.(*Hadenobilis*)) *germanicae* Boursin,1959 (Noctuidae) Synonym(s): *germanicae* Boursin,1959
 46491) *Hadena* (s.str.(*Hadenobilis*)) *hreblyai* Hacker,1996 (Noctuidae) Synonym(s): *hreblyai* Hacker,1996
 46492) *Hadena* (s.str.(*Hadenobilis*)) *intensa* (Boursin,1962) (Noctuidae) Synonym(s): *#intensa* Warren,1910; *intensa* Boursin,1962
 46493) *Hadena* (s.str.(*Hadenobilis*)) *karagaia* (A.Bang-Haas,1912) (Noctuidae) Synonym(s): *karagaia* A.Bang-Haas,1912
 46494) *Hadena* (s.str.(*Hadenobilis*)) *karagaia extincta* Hacker,1996 (Noctuidae) Synonym(s): *extincta* Hacker,1996
 46495) *Hadena* (s.str.(*Hadenobilis*)) *karagaia karagaia* (A.Bang-Haas,1912) (Noctuidae) Synonym(s): *karagaia* A.Bang-Haas,1912
 46496) *Hadena* (s.str.(*Hadenobilis*)) *karagaia kautti* Hacker,1996 (Noctuidae) Synonym(s): *kautti* Hacker,1996
 46497) *Hadena* (s.str.(*Hadenobilis*)) *kurajica* Hacker,1996 (Noctuidae) Synonym(s): *kurajica* Hacker,1996
 46498) *Hadena* (s.str.(*Hadenobilis*)) *melanochroa* (Staudinger,1892) (Noctuidae) Synonym(s): *melanochroa* Staudinger,1892
 46499) *Hadena* (s.str.(*Hadenobilis*)) *melanochroa melanochroa* (Staudinger,1892) (Noctuidae) Synonym(s): *melanochroa* Staudinger,1892
 46500) *Hadena* (s.str.(*Hadenobilis*)) *nobilis* Hacker,1996 (Noctuidae) Synonym(s): *nobilis* Hacker,1996
 46501) *Hadena* (s.str.(*Hadenobilis*)) *nobilis brandti* Hacker,1996 (Noctuidae) Synonym(s): *brandti* Hacker,1996
 46502) *Hadena* (s.str.(*Hadenobilis*)) *nobilis intermediana* Hacker,1996 (Noctuidae) Synonym(s): *intermediana* Hacker,1996
 46503) *Hadena* (s.str.(*Hadenobilis*)) *nobilis nobilis* Hacker,1996 (Noctuidae) Synonym(s): *nobilis* Hacker,1996
 46504) *Hadena* (s.str.(*Hadenobilis*)) *perpetua* Hacker,1996 (Noctuidae) Synonym(s): *perpetua* Hacker,1996
 46505) *Hadena* (s.str.(*Hadenobilis*)) *tristis* (Draudt,1934) (Noctuidae) Synonym(s): *tristis* Draudt,1934
 46506) *Hadena* (s.str.(*Hadenobilis*)) *tristis magna* Hacker,1996 (Noctuidae) Synonym(s): *magna* Hacker,1996
 46507) *Hadena* (s.str.(*Hadenobilis*)) *tristis tristis* (Draudt,1934) (Noctuidae) Synonym(s): *tristis* Draudt,1934
 46508) *Hadena* (s.str.(*Hadenobilis*)) *vartianica* Hacker,1996 (Noctuidae) Synonym(s): *vartianica* Hacker,1996
 46509) *Hadena* (s.str.(*Hadenobilis*)) *vulcanica* (Turati,1907) (Noctuidae) Synonym(s): *vulcanica* Turati,1907
 46510) *Hadena* (s.str.(*Hadenobilis*)) *vulcanica clarescens* (Draudt,1936) (Noctuidae) Synonym(s): *clarescens* Draudt,1936
 46511) *Hadena* (s.str.(*Hadenobilis*)) *vulcanica exspectata* Hacker,1996 (Noctuidae) Synonym(s): *exspectata* Hacker,1996
 46512) *Hadena* (s.str.(*Hadenobilis*)) *vulcanica urumovi* (Drenowski,1931) (Noctuidae) Synonym(s): *urumovi* Drenowski,1931
 46513) *Hadena* (s.str.(*Luteocincta*)) *difficilis* Hacker,1996 (Noctuidae) Synonym(s): *difficilis* Hacker,1996
 46514) *Hadena* (s.str.(*Luteocincta*)) *difficilis maracandica* Hacker,1996 (Noctuidae) Synonym(s): *maracandica* Hacker,1996
 46515) *Hadena* (s.str.(*Luteocincta*)) *femina* Hacker,1996 (Noctuidae) Synonym(s): *femina* Hacker,1996
 46516) *Hadena* (s.str.(*Luteocincta*)) *femina marmorea* Hacker,1996 (Noctuidae) Synonym(s): *marmorea* Hacker,1996
 46517) *Hadena* (s.str.(*Luteocincta*)) *hissarica* Hacker,1996 (Noctuidae) Synonym(s): *hissarica* Hacker,1996
 46518) *Hadena* (s.str.(*Luteocincta*)) *ignicola* (Warren,1910) (Noctuidae) Synonym(s): *ignicola* Warren,1910
 46519) *Hadena* (s.str.(*Luteocincta*)) *lucida* (Brandt,1938) (Noctuidae) Synonym(s): *lucida* Brandt,1938
 46520) *Hadena* (s.str.(*Luteocincta*)) *lucida hakkariensis* Hacker,1996 (Noctuidae) Synonym(s): *hakkariensis* Hacker,1996
 46521) *Hadena* (s.str.(*Luteocincta*)) *lucida lucida* (Brandt,1938) (Noctuidae) Synonym(s): *lucida* Brandt,1938
 46522) *Hadena* (s.str.(*Luteocincta*)) *luteocincta* (Rambur,1834) (Noctuidae) Synonym(s): *luteocincta* Rambur,1834; *capsophoba* Rambur,1858; *kruegeri* Turati,1908; *dubia* Turati,1911; *schawerda* Krüger,1914.
 46523) *Hadena* (s.str.(*Luteocincta*)) *luteocincta luteocincta* (Rambur,1834) (Noctuidae) Synonym(s): *luteocincta* Rambur,1834; *capsophoba* Rambur,1858; *kruegeri* Turati,1908; *dubia* Turati,1911; *schawerda* Krüger,1914.
 46524) *Hadena* (s.str.(*Luteocincta*)) *luteocincta maroccana* Hacker,1996 (Noctuidae) Synonym(s): *maroccana* Hacker,1996
 46525) *Hadena* (s.str.(*Luteocincta*)) *orihuela* Hacker,1996 (Noctuidae) Synonym(s): *orihuela* Hacker,1996
 46526) *Hadena* (s.str.(*Luteocincta*)) *persimilis* Hacker,1996 (Noctuidae) Synonym(s): *persimilis* Hacker,1996
 46527) *Hadena* (s.str.(*Luteocincta*)) *persimilis balcanica* Hacker,1996 (Noctuidae) Synonym(s): *balcanica* Hacker,1996
 46528) *Hadena* (s.str.(*Luteocincta*)) *thecaphaga* (Draudt,1937) (Noctuidae) Synonym(s): *thecaphaga* Draudt,1937
 46529) *Hadena* (s.str.(*Luteocincta*)) *thecaphaga cyanata* Hacker,1996 (Noctuidae) Synonym(s): *cyanata* Hacker,1996
 46530) *Hadena* (s.str.(*Luteocincta*)) *wehrlii* (Draudt,1934) (Noctuidae) Synonym(s): *wehrlii* Draudt,1934
 46531) *Hadena* (s.str.(*Luteocincta*)) *wehrlii frequens* Hacker,1996 (Noctuidae) Synonym(s): *frequens* Hacker,1996
 46532) *Hadena* (s.str.(*Magnifica*)) *magnifica* Hacker,1996 (Noctuidae) Synonym(s): *magnifica* Hacker,1996
 46533) *Hadena* (s.str.(*Magnoliadenia*)) *magnolii* (Boisduval,1828) (Noctuidae) Synonym(s): *magnolii* Boisduval,1828; *nummosa* Eversmann,1844.
 46534) *Hadena* (s.str.(*Magnoliadenia*)) *magnolii fabiani* Hacker,1996 (Noctuidae) Synonym(s): *fabiani* Hacker,1996
 46535) *Hadena* (s.str.(*Miselia*)) *afghana* (Brandt,1947) (Noctuidae) Synonym(s): *afghana* Brandt,1947
 46536) *Hadena* (s.str.(*Miselia*)) *caillinita* (Draudt,1934) (Noctuidae) Synonym(s): *caillinita* Draudt,1934
 46537) *Hadena* (s.str.(*Miselia*)) *compta* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908.
 46538) *Hadena* (s.str.(*Miselia*)) *compta almoravida* Hacker,1996 (Noctuidae) Synonym(s): *almoravida* Hacker,1996
 46539) *Hadena* (s.str.(*Miselia*)) *compta armeriae* (Guenée,1852) (Noctuidae) Synonym(s): *armeriae* Guenée,1852
 46540) *Hadena* (s.str.(*Miselia*)) *compta compta* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908.
 46541) *Hadena* (s.str.(*Miselia*)) *compta kashgaia* (Brandt,1947) (Noctuidae) Synonym(s): *kashgaia* Brandt,1947
 46542) *Hadena* (s.str.(*Miselia*)) *compta persica* (Schwingschuss,1938) (Noctuidae) Synonym(s): *persica* Schwingschuss,1938
 46543) *Hadena* (s.str.(*Miselia*)) *gandhara* Hacker,1996 (Noctuidae) Synonym(s): *gandhara* Hacker,1996

- 46544) *Hadena* (s.str.(Miselia)) *naumanni* Hacker,1996 (Noctuidae) Synonym(s): *naumanni* Hacker,1996
- 46545) *Hadena* (s.str.(Miselia)) *schwingenschussi* (Draudt,1934) (Noctuidae) Synonym(s): *schwingenschussi* Draudt,1934
- 46546) *Hadena* (s.str.(Miselia)) *sogdiana* Hacker,1996 (Noctuidae) Synonym(s): *sogdiana* Hacker,1996
- 46547) *Hadena* (s.str.(Miselia)) *thomasi* Hacker,1996 (Noctuidae) Synonym(s): *thomasi* Hacker,1996
- 46548) *Hadena* (s.str.(Miselia)) *thomasi nuristana* Hacker,1996 (Noctuidae) Synonym(s): *nuristana* Hacker,1996
- 46549) *Hadena* (s.str.(Miselia)) *weigerti* Hacker,1996 (Noctuidae) Synonym(s): *weigerti* Hacker,1996
- 46550) *Hadena* (s.str.(Montanohadena)) *fibigeri* Hacker,1996 (Noctuidae) Synonym(s): *fibigeri* Hacker,1996
- 46551) *Hadena* (s.str.(Montanohadena)) *montana* (Brandt,1941) (Noctuidae) Synonym(s): *montana* Brandt,1941
- 46552) *Hadena* (s.str.(Montanohadena)) *montana kruschensis* Boursin,1959 (Noctuidae) Synonym(s): *kruschensis* Boursin,1959
- 46553) *Hadena* (s.str.(Montanohadena)) *montana montana* (Brandt,1941) (Noctuidae) Synonym(s): *montana* Brandt,1941
- 46554) *Hadena* (s.str.(Montanohadena)) *praetermissa* Hacker,1996 (Noctuidae) Synonym(s): *praetermissa* Hacker,1996
- 46555) *Hadena* (s.str.(Montanohadena)) *pseudohyrcana* De Freina & Hacker,1985 (Noctuidae) Synonym(s): *pseudohyrcana* De Freina & Hacker,1985.
- 46556) *Hadena* (s.str.(Montanohadena)) *purpurea* Hacker,1996 (Noctuidae) Synonym(s): *purpurea* Hacker,1996
- 46557) *Hadena* (s.str.(Montanohadena)) *purpurea olivascens* Hacker,1996 (Noctuidae) Synonym(s): *olivascens* Hacker,1996
- 46558) *Hadena* (s.str.(Montanohadena)) *virescens* Hacker,1996 (Noctuidae) Synonym(s): *virescens* Hacker,1996
- 46559) *Hadena* (s.str.(Turkihadena)) *bactriana* Hacker,1996 (Noctuidae) Synonym(s): *bactriana* Hacker,1996
- 46560) *Hadena* (s.str.(Turkihadena)) *bactriana distalis* Hacker,1996 (Noctuidae) Synonym(s): *distalis* Hacker,1996
- 46561) *Hadena* (s.str.(Turkihadena)) *niveifera* (Hampson,1906) (Noctuidae) Synonym(s): *niveifera* Hampson,1906; *oliviae* Plante,1982.
- 46562) *Hadena* (s.str.(Turkihadena)) *rjabovi* (Idrisov,1961) (Noctuidae) Synonym(s): *rjabovi* Idrisov,1961; *occidentalis* De Freina & Hacker,1985
- 46563) *Hadena* (s.str.(Zeteolyga)) *badakhshana* Hacker,1996 (Noctuidae) Synonym(s): *badakhshana* Hacker,1996
- 46564) *Hadena* (s.str.(Zeteolyga)) *confusa* (Hufnagel,1766) (Noctuidae) Synonym(s): *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 nec Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902.
- 46565) *Hadena* (s.str.(Zeteolyga)) *confusa confusa* (Hufnagel,1766) (Noctuidae) Synonym(s): *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 nec Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902.
- 46566) *Hadena* (s.str.(Zeteolyga)) *confusa herczigi* Hacker,1996 (Noctuidae) Synonym(s): *herczigi* Hacker,1996
- 46567) *Hadena* (s.str.(Zeteolyga)) *confusa iliensis* Hacker,1996 (Noctuidae) Synonym(s): *iliensis* Hacker,1996
- 46568) *Hadena* (s.str.(Zeteolyga)) *perornata* (Draudt,1950) (Noctuidae) Synonym(s): *perornata* Draudt,1950
- 46569) *Hadena* (s.str.(Zeteolyga)) *perornata gemella* (Draudt,1950) (Noctuidae) Synonym(s): *gemella* Draudt,1950
- 46570) *Hadena* (s.str.(Zeteolyga)) *perornata perornata* (Draudt,1950) (Noctuidae) Synonym(s): *perornata* Draudt,1950
- 46571) *Hadena* (s.str.(Zeteolyga)) *pseudodealbata* Hacker,1988 (Noctuidae) Synonym(s): *pseudodealbata* Hacker,1988
- 46572) *Hadena* (s.str.(Zeteolyga)) *variolata* (Smith,1888) (Noctuidae) Synonym(s): *variolata* Smith,1888.
- 46573) *Hadena* (s.str.(Zeteolyga)) *variolata dealbata* (Staudinger,1892) (Noctuidae) Synonym(s): *dealbata* Staudinger,1892
- 46574) *Hadena* (s.str.(Zeteolyga)) *variolata kogurei* Sugi,1958 (Noctuidae) Synonym(s): *kogurei* Sugi,1958
- 46575) *Hadennia jutalis* (Walker,[1859]) (Noctuidae) Synonym(s): *jutalis* Walker,[1859]
- 46576) *Hadennia mysalis* (Walker,[1859]) (Noctuidae) Synonym(s): *mysalis* Walker,[1859]; *albinotalis* Moore,1877; *purnosa* Moore,1885; *ignicomma* Swinhoe,1890; *palpiplumalis* Owada,1987; *#brunosa* Poole,1989
- 46577) *Hadennia* sp.1 (Noctuidae) Synonym(s):
- 46578) *Hadennia* sp.2 (Noctuidae) Synonym(s):
- 46579) *Hadennia umbrina* Tams,1924 (Noctuidae) Synonym(s): *umbrina* Tams,1924
- 46580) *Haderonia alpina* Draudt,1950 (Noctuidae) Synonym(s): *alpina* Draudt,1950
- 46581) *Haderonia aplectoides* Draudt,1950 (Noctuidae) Synonym(s): *aplectoides* Draudt,1950
- 46582) *Haderonia arshanica* (Alpheraky,1882) (Noctuidae) Synonym(s): *arshanica* Alpheraky,1882
- 46583) *Haderonia chinensis* (Draudt,1950) (Noctuidae) Synonym(s): *chinensis* Draudt,1950; *shansina* Draudt,1950.
- 46584) *Haderonia culta* (Moore,1881) (Noctuidae) Synonym(s): *culta* Moore,1881; *subviolacea* Leech,1900.
- 46585) *Haderonia khorgossi* (Alpheraky,1882) (Noctuidae) Synonym(s): *khorgossi* Alpheraky,1882; *corghossi* Hampson,1905.
- 46586) *Haderonia lasiastria* (Draudt,1950) (Noctuidae) Synonym(s): *lasiastria* Draudt,1950
- 46587) *Haderonia longicornis* (Graeser,1892) (Noctuidae) Synonym(s): *longicornis* Graeser,1892
- 46588) *Haderonia lupa* (Christoph,1893) (Noctuidae) Synonym(s): *lupa* Christoph,1893; *contempta* Püngeler,1914.
- 46589) *Haderonia miserabilis* (Alpheraky,1892) (Noctuidae) Synonym(s): *miserabilis* Alpheraky,1892; *subarschanica* Staudinger,1896; *nepalensis* Boursin,1964
- 46590) *Haderonia nefasta* (Püngeler,1907) (Noctuidae) Synonym(s): *nefasta* Püngeler,1907
- 46591) *Haderonia praecipua* (Staudinger,1895) (Noctuidae) Synonym(s): *praecipua* Staudinger,1895
- 46592) *Haderonia proximoides* Wiltshire,1982 (Noctuidae) Synonym(s): *proximoides* Wiltshire,1982
- 46593) *Haderonia sublimis* (Draudt,1950) (Noctuidae) Synonym(s): *sublimis* Draudt,1950
- 46594) *Haderonia tancrei* (Graeser,1892) (Noctuidae) Synonym(s): *tancrei* Graeser,1892; *graeseri* Püngeler,1898.
- 46595) *Haderonia thermolimna* Boursin,1964 (Noctuidae) Synonym(s): *thermolimna* Boursin,1964
- 46596) *Haderonia tiefi* (Püngeler,1914) (Noctuidae) Synonym(s): *tiefi* Püngeler,1914
- 46597) *Haderonia turpis* (Staudinger,[1900]) (Noctuidae) Synonym(s): *turpis* Staudinger,[1900]
- 46598) *Hadjina arabica* Hacker & Legrain,2002 (Noctuidae) Synonym(s): *arabica* Hacker & Legrain,2002
- 46599) *Hadjina beata* (Staudinger,1896) (Noctuidae) Synonym(s): *beata* Staudinger,1896
- 46600) *Hadjina carcaroda* (Distant,1901) (Noctuidae) Synonym(s): *carcaroda* Distant,1901
- 46601) *Hadjina cinerea* Hampson,1909 (Noctuidae) Synonym(s): *cinerea* Hampson,1909
- 46602) *Hadjina cupreipennis* (Moore,1881) (Noctuidae) Synonym(s): *cupreipennis* Moore,1881
- 46603) *Hadjina eremita* (A.Bang-Haas,1912) (Noctuidae) Synonym(s): *eremita* A.Bang-Haas,1912
- 46604) *Hadjina lutosa* Staudinger,1892 (Noctuidae) Synonym(s): *lutosa* Staudinger,1892
- 46605) *Hadjina lutosa lutosa* Staudinger,1892 (Noctuidae) Synonym(s): *lutosa* Staudinger,1892
- 46606) *Hadjina lutosa subflava* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *subflava* Hacker & Ebert,2002
- 46607) *Hadjina obscura* Hampson,1918 (Noctuidae) Synonym(s): *obscura* Hampson,1918
- 46608) *Hadjina tyriobaphes* Wiltshire,1983 (Noctuidae) Synonym(s): *tyriobaphes* Wiltshire,1983
- 46609) *Hadjina wichti* (Hirschke,1904) (Noctuidae) Synonym(s): *wichti* Hirschke,1904
- 46610) *Hadula (Aglossestra) deserticola* (Hampson,1905) (Noctuidae) Synonym(s): *deserticola* Hampson,1905; *mariaeludovicæ* Lucas,1914; *affinis* Rothschild,1914.
- 46611) *Hadula (Calocestra (Dianthus)) dianthi* (Tauscher,1809) (Noctuidae) Synonym(s): *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* Wagner,1930.
- 46612) *Hadula (Calocestra (Dianthus)) dianthi dianthi* (Tauscher,1809) (Noctuidae) Synonym(s): *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* Wagner,1930.
- 46613) *Hadula (Calocestra (Dianthus)) dianthi getula* (Rungs,1942) (Noctuidae) Synonym(s): *getula* Rungs,1942
- 46614) *Hadula (Calocestra (Dianthus)) dianthi hubiesi* (Lajonquière,1969) (Noctuidae) Synonym(s): *hubiesi* Lajonquière,1969
- 46615) *Hadula (Calocestra (Dianthus)) dianthi hungarica* Wagner,1930 (Noctuidae) Synonym(s): *hungarica* Wagner,1930
- 46616) *Hadula (Calocestra (Dianthus)) dianthi lukhtanovorum* Hacker,1998 (Noctuidae) Synonym(s): *lukhtanovorum* Hacker,1998
- 46617) *Hadula (Calocestra (Dianthus)) dianthi parenzani* Hacker,1998 (Noctuidae) Synonym(s): *parenzani* Hacker,1998
- 46618) *Hadula (Calocestra (Dianthus)) nupponenorum* Hacker & Fibiger,2002 (Noctuidae) Synonym(s): *nupponenorum* Hacker & Fibiger,2002
- 46619) *Hadula (Calocestra (Furculia)) eversmanni* (Staudinger,1900) (Noctuidae) Synonym(s): *eversmanni* Staudinger,1900
- 46620) *Hadula (Calocestra (Furculia)) furcula* (Staudinger,1889) (Noctuidae) Synonym(s): *furcula* Staudinger,1889
- 46621) *Hadula (Calocestra (Furculia)) furcula furcula* (Staudinger,1889) (Noctuidae) Synonym(s): *furcula* Staudinger,1889
- 46622) *Hadula (Calocestra (Furculia)) furcula tibetica* Hacker,1998 (Noctuidae) Synonym(s): *tibetica* Hacker,1998
- 46623) *Hadula (Calocestra (Furculia)) perdentata* (Hampson,1894) (Noctuidae) Synonym(s): *perdentata* Hampson,1894
- 46624) *Hadula (Calocestra (Furculia)) perdentata bifida* (Püngeler,1902) (Noctuidae) Synonym(s): *bifida* Püngeler,1902
- 46625) *Hadula (Calocestra (Furculia)) perdentata perdentata* (Hampson,1894) (Noctuidae) Synonym(s): *perdentata* Hampson,1894

- 46626) *Hadula* (Calocestra (Furculia)) *schneideri* (Staudinger,1900) (Noctuidae) Synonym(s): *schneideri* Staudinger,1900
- 46627) *Hadula* (Calocestra (Furculia)) *schneideri herczigi* Hacker,1998 (Noctuidae) Synonym(s): *herczigi* Hacker,1998
- 46628) *Hadula* (Calocestra (Furculia)) *vargai* (Hreblay & Ronkay,1998) (Noctuidae) Synonym(s): *vargai* Hreblay & Ronkay,1998
- 46629) *Hadula* (Calocestra (Furculia)) *vargai madefacta* Hacker,1998 (Noctuidae) Synonym(s): *madefacta* Hacker,1998
- 46630) *Hadula* (Calocestra (Hadufurca)) *colletti* (Schneider,1876) (Noctuidae) Synonym(s): *colletti* Schneider,1876
- 46631) *Hadula* (Calocestra (Hadufurca)) *colletti colletti* (Schneider,1876) (Noctuidae) Synonym(s): *colletti* Schneider,1876
- 46632) *Hadula* (Calocestra (Hadufurca)) *colletti originalis* Hacker,1998 (Noctuidae) Synonym(s): *originalis* Hacker,1998
- 46633) *Hadula* (Calocestra (Hadufurca)) *farnhami* (Grote,1873) (Noctuidae) Synonym(s): *farnhami* Grote,1873
- 46634) *Hadula* (Calocestra (Hadufurca)) *farnhami palaeartica* Hacker,1998 (Noctuidae) Synonym(s): *palaeartica* Hacker,1998
- 46635) *Hadula* (Calocestra (Hadufurca)) *farnhami shandura* Hacker,1998 (Noctuidae) Synonym(s): *shandura* Hacker,1998
- 46636) *Hadula* (Calocestra (Hadufurca)) *furca* (Eversmann,1852) (Noctuidae) Synonym(s): *furca* Eversmann,1852
- 46637) *Hadula* (Calocestra (Hadufurca)) *furca furca* (Eversmann,1852) (Noctuidae) Synonym(s): *furca* Eversmann,1852
- 46638) *Hadula* (Calocestra (Hadufurca)) *hampsoni* Hacker,1998 (Noctuidae) Synonym(s): *hampsoni* Hacker,1998
- 46639) *Hadula* (Calocestra (Hadufurca)) *inperspicua* Hacker,1998 (Noctuidae) Synonym(s): *inperspicua* Hacker,1998
- 46640) *Hadula* (Calocestra (Hadufurca)) *inperspicua manschurica* Hacker,1998 (Noctuidae) Synonym(s): *manschurica* Hacker,1998
- 46641) *Hadula* (Calocestra (Hadumelanopa)) *diodonta* (Püngeler,1906) (Noctuidae) Synonym(s): *diodonta* Püngeler,1906
- 46642) *Hadula* (Calocestra (Hadumelanopa)) *hreblyi* Hacker,1998 (Noctuidae) Synonym(s): *hreblyi* Hacker,1998
- 46643) *Hadula* (Calocestra (Hadumelanopa)) *inexpecta* (Yoshimoto,1985) (Noctuidae) Synonym(s): *inexpecta* Yoshimoto,1985
- 46644) *Hadula* (Calocestra (Hadumelanopa)) *melanopa* (Thunberg,1791) (Noctuidae) Synonym(s): *melanopa* Thunberg,1791; *alpicola* Quenzel,1802; *wistroemi* Lampa,1885.
- 46645) *Hadula* (Calocestra (Hadumelanopa)) *melanopa brunnea* (Tutt,1892) (Noctuidae) Synonym(s): *brunnea* Tutt,1892
- 46646) *Hadula* (Calocestra (Hadumelanopa)) *melanopa koizumaidakeana* (Matsumura,1927) (Noctuidae) Synonym(s): *koizumaidakeana* Matsumura,1927
- 46647) *Hadula* (Calocestra (Hadumelanopa)) *melanopa laerta* (Smith,1903) (Noctuidae) Synonym(s): *laerta* Smith,1903
- 46648) *Hadula* (Calocestra (Hadumelanopa)) *melanopa nigrolunata* (Packard,1867) (Noctuidae) Synonym(s): *nigrolunata* Packard,1867
- 46649) *Hadula* (Calocestra (Hadumelanopa)) *melanopa rupestralis* (Hübner,[1799]) (Noctuidae) Synonym(s): *rupestralis* Hübner,[1799]; *vidua* Hübner,[1808]; *tristis* Hübner,[1808]; *rupestris* Hübner,[1819].
- 46650) *Hadula* (Calocestra (Hadumelanopa)) *militzae* (Kozhantshikov,1947) (Noctuidae) Synonym(s): *militzae* Kozhantshikov,1947
- 46651) *Hadula* (Calocestra (Hadumendax)) *armata* (Staudinger,1888) (Noctuidae) Synonym(s): *armata* Staudinger,1888
- 46652) *Hadula* (Calocestra (Hadumendax)) *armata balkhashensis* Hacker,1998 (Noctuidae) Synonym(s): *balkhashensis* Hacker,1998
- 46653) *Hadula* (Calocestra (Hadumendax)) *hoplites* (Staudinger,1901) (Noctuidae) Synonym(s): *hoplites* Staudinger,1901
- 46654) *Hadula* (Calocestra (Hadumendax)) *hoplites hoplites* (Staudinger,1901) (Noctuidae) Synonym(s): *hoplites* Staudinger,1901
- 46655) *Hadula* (Calocestra (Hadumendax)) *hoplites loeffleri* Reisser,1958 (Noctuidae) Synonym(s): *loeffleri* Reisser,1958
- 46656) *Hadula* (Calocestra (Hadumendax)) *isoloma* (Püngeler,1904) (Noctuidae) Synonym(s): *isoloma* Püngeler,1904
- 46657) *Hadula* (Calocestra (Hadumendax)) *mendax* (Staudinger,1879) (Noctuidae) Synonym(s): *mendax* Staudinger,1879
- 46658) *Hadula* (Calocestra (Hadumendax)) *mendax mendax* (Staudinger,1879) (Noctuidae) Synonym(s): *mendax* Staudinger,1879
- 46659) *Hadula* (Calocestra (Hadumendax)) *mendax occidentalis* Hacker,1998 (Noctuidae) Synonym(s): *occidentalis* Hacker,1998
- 46660) *Hadula* (Calocestra (Hadumendax)) *mendax phoenicica* Hacker,1998 (Noctuidae) Synonym(s): *phoenicica* Hacker,1998
- 46661) *Hadula* (Calocestra (Hadumendax)) *mendica* (Staudinger,[1895]) (Noctuidae) Synonym(s): *mendica* Staudinger,[1895].
- 46662) *Hadula* (Calocestra (Hadumendax)) *mendica mendosa* Hacker,1998 (Noctuidae) Synonym(s): *mendosa* Hacker,1998
- 46663) *Hadula* (Calocestra (Hadupugnax)) *atlantis* (Schwingschuss,1955) (Noctuidae) Synonym(s): *atlantis* Schwingschuss,1955
- 46664) *Hadula* (Calocestra (Hadupugnax)) *latemarginata* (Wiltshire,1976) (Noctuidae) Synonym(s): *latemarginata* Wiltshire,1976; *baksana* Schintlmeister & Poltawski,1986.
- 46665) *Hadula* (Calocestra (Hadupugnax)) *odontites* (Boisduval,1829) (Noctuidae) Synonym(s): *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingschuss,1926; *asturica* Agenjo,1941.
- 46666) *Hadula* (Calocestra (Hadupugnax)) *odontites boisduvali* Hacker,1998 (Noctuidae) Synonym(s): *boisduvali* Hacker,1998
- 46667) *Hadula* (Calocestra (Hadupugnax)) *odontites odontites* (Boisduval,1829) (Noctuidae) Synonym(s): *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingschuss,1926; *asturica* Agenjo,1941.
- 46668) *Hadula* (Calocestra (Hadupugnax)) *odontites turkestanica* Hacker,1998 (Noctuidae) Synonym(s): *turkestanica* Hacker,1998
- 46669) *Hadula* (Calocestra (Hadupugnax)) *pugnax* (Hübner,[1824]) (Noctuidae) Synonym(s): *pugnax* Hübner,[1824]; *treitschkii* Boisduval,1827; *petricolor* Turati,1923; *italica* Berio,1942
- 46670) *Hadula* (Calocestra (Hadupugnax)) *pugnax intermedia* Pinker,1980 (Noctuidae) Synonym(s): *intermedia* Pinker,1980
- 46671) *Hadula* (Calocestra (Hadupugnax)) *pugnax pugnax* (Hübner,[1824]) (Noctuidae) Synonym(s): *pugnax* Hübner,[1824]; *treitschkii* Boisduval,1827; *petricolor* Turati,1923; *italica* Berio,1942
- 46672) *Hadula* (Calocestra (Hadupugnax)) *schawyra* (O.Bang-Haas,1927) (Noctuidae) Synonym(s): *schawyra* O.Bang-Haas,1927
- 46673) *Hadula* (Calocestra (Hadutrifolium)) *gredosi* Laever,1977 (Noctuidae) Synonym(s): *gredosi* Laever,1977
- 46674) *Hadula* (Calocestra (Hadutrifolium)) *trifolii* (Hufnagel,1766) (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921
- 46675) *Hadula* (Calocestra (Stigmosa)) *explicata* (Sukhareva,1976) (Noctuidae) Synonym(s): *explicata* Sukhareva,1976
- 46676) *Hadula* (Calocestra (Stigmosa)) *sodae* (Boisduval,1829) (Noctuidae) Synonym(s): *sodae* Boisduval,1829; *sodae* Rambur,1829.
- 46677) *Hadula* (Calocestra (Stigmosa)) *sodae fuerteventuriensis* (Pinker & Bacallado,[1979]) (Noctuidae) Synonym(s): *fuerteventuriensis* Pinker & Bacallado,[1979]
- 46678) *Hadula* (Calocestra (Stigmosa)) *sodae rosacea* (Rothschild,1920) (Noctuidae) Synonym(s): *rosacea* Rothschild,1920; *maroccana* Rungs,1938
- 46679) *Hadula* (Calocestra (Stigmosa)) *sodae salicorniae* (Dumont,1925) (Noctuidae) Synonym(s): *salicorniae* Dumont,1925; *raselaini* Dumont,1925; *picta* Turati,1926.
- 46680) *Hadula* (Calocestra (Stigmosa)) *sodae sodae* (Boisduval,1829) (Noctuidae) Synonym(s): *sodae* Boisduval,1829; *sodae* Rambur,1829.
- 46681) *Hadula* (Calocestra (Stigmosa)) *stigmosa* (Christoph,1887) (Noctuidae) Synonym(s): *stigmosa* Christoph,1887.
- 46682) *Hadula* (Calocestra (Stigmosa)) *stigmosa atlantica* (Boursin,1936) (Noctuidae) Synonym(s): *atlantica* Boursin,1936; *corsicola* Boursin,1962; *parentii* Berio,1980; *meridionalis* Berio,1980; *vicarioi* Berio,1980
- 46683) *Hadula* (Calocestra (Stigmosa)) *stigmosa stigmosa* (Christoph,1887) (Noctuidae) Synonym(s): *stigmosa* Christoph,1887.
- 46684) *Hadula* (Cardiestra) *eremistis* (Püngeler,1904) (Noctuidae) Synonym(s): *eremistis* Püngeler,1904
- 46685) *Hadula* (Cardiestra) *eremistis avicenna* Hacker,1998 (Noctuidae) Synonym(s): *avicenna* Hacker,1998
- 46686) *Hadula* (Cardiestra) *gobideserti* (Varga,1973) (Noctuidae) Synonym(s): *gobideserti* Varga,1973
- 46687) *Hadula* (Cardiestra) *halolimna* (Gyulai & Varga,1998) (Noctuidae) Synonym(s): *halolimna* Gyulai & Varga,1998
- 46688) *Hadula* (Cardiestra) *longicucullus* Gyulai,2002 (Noctuidae) Synonym(s): *longicucullus* Gyulai,2002
- 46689) *Hadula* (Cardiestra) *parvula* Hacker,1998 (Noctuidae) Synonym(s): *parvula* Hacker,1998
- 46690) *Hadula* (Cardiestra) *vaciva* (Püngeler,1906) (Noctuidae) Synonym(s): *vaciva* Püngeler,1906
- 46691) *Hadula* (Cardiestra) *vassilini* (O.Bang-Haas,1927) (Noctuidae) Synonym(s): *vassilini* O.Bang-Haas,1927
- 46692) *Hadula* (Cardiestra) *vassilini deserta* Gyulai,2002 (Noctuidae) Synonym(s): *deserta* Gyulai,2002
- 46693) *Hadula* (Discestra) *chartaria* (Grote,1873) (Noctuidae) Synonym(s): *chartaria* Grote,1873
- 46694) *Hadula* (Ptochicestra) *osmana* Hacker,1998 (Noctuidae) Synonym(s): *osmana* Hacker,1998
- 46695) *Hadula* (Ptochicestra) *ptochica* (Püngeler,1900) (Noctuidae) Synonym(s): *ptochica* Püngeler,1900
- 46696) *Hadula* (Ptochicestra) *ptochica iranica* Gyulai,2002 (Noctuidae) Synonym(s): *iranica* Gyulai,2002
- 46697) *Hadula* (Ptochicestra) *ptochica transcaucasica* Hacker,1998 (Noctuidae) Synonym(s): *transcaucasica* Hacker,1998
- 46698) *Hadula* (Pulchrohadula) *triphaenopsis* (Oberthür,1893) (Noctuidae) Synonym(s): *triphaenopsis* Oberthür,1893; *flavescens* Hampson,1906.
- 46699) *Hadula* (s.str. (Habulorum)) *engedina* Hacker,1998 (Noctuidae) Synonym(s): *engedina* Hacker,1998
- 46700) *Hadula* (s.str. (Habulorum)) *halodeserti* Varga,1973 (Noctuidae) Synonym(s): *halodeserti* Varga,1973
- 46701) *Hadula* (s.str. (Habulorum)) *sabulorum* (Alpheraky,1882) (Noctuidae) Synonym(s): *sabulorum* Alpheraky,1882
- 46702) *Hadula* (s.str. (Habulorum)) *sabulorum distincta* (Staudinger,1889) (Noctuidae) Synonym(s): *distincta* Staudinger,1889; *leucheima* Boursin,1963

- 46703) *Hadula* (s.str. (*Habulorum*)) *sabulorum pulverata* (A.Bang-Haas,1907) (Noctuidae) Synonym(s): *pulverata* A.Bang-Haas,1907; *cinnamomoeogrisea* Rothschild,1913; *chimaera Rpthschild*,1920
- 46704) *Hadula* (s.str. (*Habulorum*)) *sabulorum rhodina* (Christoph,1893) (Noctuidae) Synonym(s): *rhodina* Christoph,1893
- 46705) *Hadula* (s.str. (*Habulorum*)) *sabulorum sabulorum* (Alpheraky,1882) (Noctuidae) Synonym(s): *sabulorum* Alpheraky,1882
- 46706) *Hadula* (s.str. (*Habulorum*)) *sabulorum segnis* (Püngeler,1906) (Noctuidae) Synonym(s): *segnis* Püngeler,1906
- 46707) *Hadula* (s.str. (*Insolita*)) *anthracina* (Hacker,1996) (Noctuidae) Synonym(s): *anthracina* Hacker,1996
- 46708) *Hadula* (s.str. (*Insolita*)) *gandhara* Hacker,1998 (Noctuidae) Synonym(s): *gandhara* Hacker,1998
- 46709) *Hadula* (s.str. (*Insolita*)) *insolita* Staudinger,1889 (Noctuidae) Synonym(s): *insolita* Staudinger,1889
- 46710) *Hadula* (s.str. (*Insolita*)) *insolita insolita* Staudinger,1889 (Noctuidae) Synonym(s): *insolita* Staudinger,1889
- 46711) *Hadula* (s.str. (*Insolita*)) *insolita uigurica* Hacker,1998 (Noctuidae) Synonym(s): *uigurica* Hacker,1998
- 46712) *Hadula* (s.str. (*Insolita*)) *insperata* Hacker,1998 (Noctuidae) Synonym(s): *insperata* Hacker,1998
- 46713) *Hadula* (s.str. (*Insolita*)) *nekrasovi* Gyulai & Varga,1998 (Noctuidae) Synonym(s): *nekrasovi* Gyulai & Varga,1998
- 46714) *Hadula* (s.str. (*Insolita*)) *orientalis* Gyulai,2002 (Noctuidae) Synonym(s): *orientalis* Gyulai,2002
- 46715) *Hadula* (s.str. (*Insolita*)) *ultramontana* Gyulai & Hacker,1998 (Noctuidae) Synonym(s): *ultramontana* Gyulai & Hacker,1998
- 46716) *Hadulipolia odiosa* (Staudinger,1895) (Noctuidae) Synonym(s): *odiosa* Staudinger,1895; *agrotiformis* Draudt,1950; *dasyptoloides* Boursin,1964.
- 46717) *Hadulomorpha picteti* (Staudinger,1882) (Noctuidae) Synonym(s): *picteti* Staudinger,1882
- 46718) *Hadulomorpha pretiosa* (Alpheraky,1892) (Noctuidae) Synonym(s): *pretiosa* Alpheraky,1892
- 46719) *Haemerusia albicomma* Ronkay, Varga & Hreblay,1998 (Noctuidae) Synonym(s): *albicomma* Ronkay, Varga & Hreblay,1998
- 46720) *Haemerusia ionochlora* Ronkay, Varga & Hreblay,1998 (Noctuidae) Synonym(s): *ionochlora* Ronkay, Varga & Hreblay,1998
- 46721) *Haemerusia renalis* (Hübner,[1813]) (Noctuidae) Synonym(s): *renalis* Hübner,[1813]
- 46722) *Hakkaria varga* (Hacker,[1987]) (Noctuidae) Synonym(s): *varga* Hacker,[1987]
- 46723) *Halochroa aequatoria* (Mabille,1879) (Noctuidae) Synonym(s): *aequatoria* Mabille,1879; *#equatoria* Gaede,1939.
- 46724) *Halochroa eudela* D.S.Fletcher,1963 (Noctuidae) Synonym(s): *eudela* D.S.Fletcher,1963
- 46725) *Hamodes lutea* (Walker,[1863]) (Noctuidae) Synonym(s): *lutea* Walker,[1863]; *amabilis* Walker,1869; *ochracea* Swinhoe,1891
- 46726) *Hamodes pendleburyi* Prout,1932 (Noctuidae) Synonym(s): *pendleburyi* Prout,1932
- 46727) *Hamodes propitia* (Boisduval,1832) (Noctuidae) Synonym(s): *propitia* Boisduval,1832
- 46728) *Harita belinda* (Butler,1879) (Noctuidae) Synonym(s): *belinda* Butler,1879; *strigifera* Warren,1913; *kashmirica* Warren,1913.
- 46729) *Harita brachyphylla* (Turner,1903) (Noctuidae) Synonym(s): *brachyphylla* Turner,1903
- 46730) *Harita confusa* (Leech,1900) (Noctuidae) Synonym(s): *confusa* Leech,1900
- 46731) *Harita demeysti* (Hulstaert,1924) (Noctuidae) Synonym(s): *demeysti* Hulstaert,1924
- 46732) *Harita irregularis* Holloway,1979 (Noctuidae) Synonym(s): *irregularis* Holloway,1979
- 46733) *Harita nebulosa* (Moore,1881) (Noctuidae) Synonym(s): *nebulosa* Moore,1881
- 46734) *Harita noodya* (Bethune-Baker,1908) (Noctuidae) Synonym(s): *noodya* Bethune-Baker,1908; *plinthopa* Bethune-Baker,1908.
- 46735) *Harita rectilinea* Moore,1882 (Noctuidae) Synonym(s): *rectilinea* Moore,1882; *ferrealis* Hampson,1893.
- 46736) *Haritalopha biparticolor* Hampson,1895 (Noctuidae) Synonym(s): *biparticolor* Hampson,1895
- 46737) *Harpagophana hilaris* (Staudinger,1895) (Noctuidae) Synonym(s): *hilaris* Staudinger,1895
- 46738) *Harutaegrapha adusta* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *adusta* Hreblay & L.Ronkay,1999
- 46739) *Harutaegrapha babai* (Sugi & Sakurai,1994) (Noctuidae) Synonym(s): *babai* Sugi & Sakurai,1994
- 46740) *Harutaegrapha bicolorata* Hreblay & Ronkay,1998 (Noctuidae) Synonym(s): *bicolorata* Hreblay & Ronkay,1998
- 46741) *Harutaegrapha brumosa* Yoshimoto,1994 (Noctuidae) Synonym(s): *brumosa* Yoshimoto,1994
- 46742) *Harutaegrapha cinerea* (Hreblay & L.Ronkay,1998) (Noctuidae) Synonym(s): *cinerea* Hreblay & L.Ronkay,1998
- 46743) *Harutaegrapha diffusa* Yoshimoto,1994 (Noctuidae) Synonym(s): *diffusa* Yoshimoto,1994
- 46744) *Harutaegrapha elphinia* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *elphinia* Hreblay & L.Ronkay,1999
- 46745) *Harutaegrapha ganeshi* Hreblay & Ronkay,1998 (Noctuidae) Synonym(s): *ganeshi* Hreblay & Ronkay,1998
- 46746) *Harutaegrapha izabella* Hreblay & Ronkay,1998 (Noctuidae) Synonym(s): *izabella* Hreblay & Ronkay,1998
- 46747) *Harutaegrapha maria* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *maria* Hreblay & L.Ronkay,1999
- 46748) *Harutaegrapha marpha* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *marpha* Hreblay & L.Ronkay,1999
- 46749) *Harutaegrapha monimalis* (Draudt,1950) (Noctuidae) Synonym(s): *monimalis* Draudt,1950
- 46750) *Harutaegrapha pinkisherpani* Hreblay & Ronkay,1998 (Noctuidae) Synonym(s): *pinkisherpani* Hreblay & Ronkay,1998
- 46751) *Harutaegrapha yangzisherpani* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *yangzisherpani* Hreblay & L.Ronkay,1999
- 46752) *Harutaegrapha yangzisherpani transformis* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *transformis* Hreblay & L.Ronkay,1999
- 46753) *Harutaegrapha yangzisherpani yangzisherpani* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *yangzisherpani* Hreblay & L.Ronkay,1999
- 46754) *Hebdomochondra synticola* Staudinger,1879 (Noctuidae) Synonym(s):
- 46755) *Hecatera bicolorata* (Hufnagel,1766) (Noctuidae) Synonym(s): *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861.
- 46756) *Hecatera cappa* (Hübner,[1809]) (Noctuidae) Synonym(s): *cappa* Hübner,[1809]
- 46757) *Hecatera corsica* (Rambur,1832) (Noctuidae) Synonym(s): *corsica* Rambur,1832
- 46758) *Hecatera digramme* (Fischer v. Waldheim,1820) (Noctuidae) Synonym(s): *digramme* Fischer v. Waldheim,1820
- 46759) *Hecatera filipjevi* (Draudt,1934) (Noctuidae) Synonym(s): *filipjevi* Draudt,1934
- 46760) *Hecatera rhodocharis* (Brandt,1938) (Noctuidae) Synonym(s): *rhodocharis* Brandt,1938
- 46761) *Hecatera rhodocharis herkia* (Wiltshire,1957) (Noctuidae) Synonym(s): *herkia* Wiltshire,1957
- 46762) *Hecatera rhodocharis rhodocharis* (Brandt,1938) (Noctuidae) Synonym(s): *rhodocharis* Brandt,1938
- 46763) *Hecatera spinaciae* (Vieweg,1790) (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysazona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schaffner,[1851]; *innocens* Staudinger,1871; *subflava* Warren,1910.
- 46764) *Hecatera weissi* (Draudt,1934) (Noctuidae) Synonym(s): *weissi* Draudt,1934
- 46765) *Hecatera weissi levantina* Hacker & Zilli,2001 (Noctuidae) Synonym(s): *levantina* Hacker & Zilli,2001
- 46766) *Hecatesia exultans* Walker,1864 (Noctuidae) Synonym(s): *exultans* Walker,1864
- 46767) *Hecatesia fenestrata* Boisduval,1829 (Noctuidae) Synonym(s): *fenestrata* Boisduval,1829
- 46768) *Hecatesia thyridion* Feisthamel,1839 (Noctuidae) Synonym(s): *thyridion* Feisthamel,1839
- 46769) *Helicoverpa armigera* (Hübner,[1808]) (Noctuidae) Synonym(s): *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacherjee & Gupta,1972.
- 46770) *Helicoverpa armigera armigera* (Hübner,[1808]) (Noctuidae) Synonym(s): *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacherjee & Gupta,1972.
- 46771) *Helicoverpa armigera commoni* Hardwick,1965 (Noctuidae) Synonym(s): *commoni* Hardwick,1965
- 46772) *Helicoverpa armigera conferta* (Walker,1857) (Noctuidae) Synonym(s): *conferta* Walker,1857
- 46773) *Helicoverpa assulta* (Guenée,1852) (Noctuidae) Synonym(s): *assulta* Guenée,1852; *separata* Walker,1857; *temperata* Walker,1857; *succinea* Moore,1881; *afra* Hardwick,1965.
- 46774) *Helicoverpa hardwicki* Matthews,1999 (Noctuidae) Synonym(s): *hardwicki* Matthews,1999
- 46775) *Helicoverpa helenae* Hardwick,1965 (Noctuidae) Synonym(s): *helenae* Hardwick,1965
- 46776) *Helicoverpa prepodes* (Common,1985) (Noctuidae) Synonym(s): *prepodes* Common,1985
- 46777) *Helicoverpa punctigera* (Wallengren,1860) (Noctuidae) Synonym(s): *punctigera* Wallengren,1860; *marmada* Swinhoe,1918
- 46778) *Helicoverpa toddi* Hardwick,1965 (Noctuidae) Synonym(s): *toddii* Hardwick,1965
- 46779) *Heliocheilus abaccheutus* Matthews,1999 (Noctuidae) Synonym(s): *abaccheutus* Matthews,1999
- 46780) *Heliocheilus aberrans* (Butler,1886) (Noctuidae) Synonym(s): *aberrans* Butler,1886
- 46781) *Heliocheilus albivenata* (Montague,1914) (Noctuidae) Synonym(s): *albivenata* Montague,1914; *stramineipicta* Strand,1924; *zorophanes* Turner,1929; *#zuropheanes* Poole,1989
- 46782) *Heliocheilus aleurota* (Lower,1902) (Noctuidae) Synonym(s): *aleurota* Lower,1902; *aleurota* Hampson,1903; *#spissata* W.Warren,1913; *cana* Turner,1943
- 46783) *Heliocheilus atrilinea* (Turner,1943) (Noctuidae) Synonym(s): *atrilinea* Turner,1943
- 46784) *Heliocheilus biocularis* (Gaede,1915) (Noctuidae) Synonym(s): *biocularis* Gaede,1915

- 46785) *Heliocheilus canusina* (Swinhoe,1901) (Noctuidae) Synonym(s): *canusina* Swinhoe,1901; *anemodes* Lower,1902; *#intacta* W.Warren,1913
- 46786) *Heliocheilus cistella* (Swinhoe,1901) (Noctuidae) Synonym(s): *cistella* Swinhoe,1901
- 46787) *Heliocheilus cladotus* (Swinhoe,1901) (Noctuidae) Synonym(s): *cladotus* Swinhoe,1901
- 46788) *Heliocheilus confertissima* (Walker,1865) (Noctuidae) Synonym(s): *confertissima* Walker,1865; *hyalosticta* Hampson,1894; *perdentata* Hampson,1903; *mekrana* Brandt,1941; *designata* Brandt,1941; *ennectica* Herbulot & Viette,1952.
- 46789) *Heliocheilus confundens* (W.Warren,1913) (Noctuidae) Synonym(s): *confundens* W.Warren,1913
- 46790) *Heliocheilus cramboides* (Guenée,1852) (Noctuidae) Synonym(s): *cramboides* Guenée,1852; *neurias* Meyrick,1902; *sumbensis* W.Warren,1913; *discolor* W.Warren,1913; *venata* W.Warren,1913; *sulphurea* W.Warren,1913; *sericea* W.Warren,1913; *capnoneura* Turner,1932; *nervosa* Turner,1943
- 46791) *Heliocheilus eodora* (Meyrick,1902) (Noctuidae) Synonym(s): *eodora* Meyrick,1902; *tenuistria* Turner,1902
- 46792) *Heliocheilus ferruginosa* (Turner,1911) (Noctuidae) Synonym(s): *ferruginosa* Turner,1911; *epigrapha* Turner,1920
- 46793) *Heliocheilus flavitincta* (Lower,1908) (Noctuidae) Synonym(s): *flavitincta* Lower,1908
- 46794) *Heliocheilus halimolimnus* Matthews,1999 (Noctuidae) Synonym(s): *halimolimnus* Matthews,1999
- 46795) *Heliocheilus ionola* (Swinhoe,1901) (Noctuidae) Synonym(s): *ionola* Swinhoe,1901
- 46796) *Heliocheilus mekrana* Brandt,1941 (Noctuidae) Synonym(s): *mekrana* Brandt,1941
- 46797) *Heliocheilus melibaphes* (Hampson,1903) (Noctuidae) Synonym(s): *melibaphes* Hampson,1903
- 46798) *Heliocheilus mesoleuca* (Lower,1902) (Noctuidae) Synonym(s): *mesoleuca* Lower,1902; *mesoleuca* Hampson,1903
- 46799) *Heliocheilus moribunda* (Guenée,1852) (Noctuidae) Synonym(s): *moribunda* Guenée,1852; *invaria* Walker,1856; *pallascens* W.Warren,1913; *arenosa* Turner,1943
- 46800) *Heliocheilus multiradiata* (Hampson,1902) (Noctuidae) Synonym(s): *multiradiata* Hampson,1902
- 46801) *Heliocheilus neurota* (Lower,1903) (Noctuidae) Synonym(s): *neurota* Lower,1903; *clathrata* W.Warren,1913; *eurythma* Turner,1915; *crocopepla* Turner,1925; *crocotoschema* Turner,1936
- 46802) *Heliocheilus pallida* (Butler,1886) (Noctuidae) Synonym(s): *pallida* Butler,1886; *osmidus* Swinhoe,1901; *albida* W.Warren,1913; *rosea* W.Warren,1913
- 46803) *Heliocheilus puncticulata* (W.Warren,1913) (Noctuidae) Synonym(s): *puncticulata* W.Warren,1913
- 46804) *Heliocheilus ranalaetensis* Matthews,1999 (Noctuidae) Synonym(s): *ranalaetensis* Matthews,1999
- 46805) *Heliocheilus rhodopolia* (Turner,1911) (Noctuidae) Synonym(s): *rhodopolia* Turner,1911
- 46806) *Heliocheilus stigmatia* (Hampson,1903) (Noctuidae) Synonym(s): *stigmatia* Hampson,1903
- 46807) *Heliocheilus thelycritus* Matthews,1999 (Noctuidae) Synonym(s): *thelycritus* Matthews,1999
- 46808) *Heliocheilus vulpinotatus* Matthews,1999 (Noctuidae) Synonym(s): *vulpinotatus* Matthews,1999
- 46809) *Heliothisma catocalina* Holland,1894 (Noctuidae) Synonym(s): *catocalina* Holland,1894; *zanzibarica* Hampson,1913.
- 46810) *Heliothisma klugii* (Boisduval,1833) (Noctuidae) Synonym(s): *klugii* Boisduval,1833; *croceipennis* Walker,1858; *rivularis* Butler,1875; *varians* Mabilie,1897; *clugi* Hampson,1913.
- 46811) *Heliothisma xanthoptera* (Hampson,1910) (Noctuidae) Synonym(s): *xanthoptera* Hampson,1910
- 46812) *Heliothobus kitti* (Schawerda,1914) (Noctuidae) Synonym(s): *kitti* Schawerda,1914; *#silbernageli* Tykac,1940
- 46813) *Heliothobus reticulata* (Goeze,1781) (Noctuidae) Synonym(s): *calcatrippae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944.
- 46814) *Heliothobus reticulata reticulata* (Goeze,1781) (Noctuidae) Synonym(s): *calcatrippae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944.
- 46815) *Heliothobus texturata* (Alpheraky,1892) (Noctuidae) Synonym(s): *texturata* Alpheraky,1892; *nepalensis* Plante,1982
- 46816) *Heliothobus texturata texturata* (Alpheraky,1892) (Noctuidae) Synonym(s): *texturata* Alpheraky,1892; *nepalensis* Plante,1982
- 46817) *Heliothobus unicolor* (Alpheraky,1889) (Noctuidae) Synonym(s): *unicolor* Alpheraky,1889
- 46818) *Heliothis (Masalia) albida* (Hampson,1905) (Noctuidae) Synonym(s): *albida* Hampson,1905; *chitinipya* Dumont,1920
- 46819) *Heliothis (Masalia) albipuncta* (Hampson,1910) (Noctuidae) Synonym(s): *albipuncta* Hampson,1910
- 46820) *Heliothis (Masalia) decorata* (Moore,1881) (Noctuidae) Synonym(s): *decorata* Moore,1881
- 46821) *Heliothis (Masalia) decorata albiseriata* (Druce,1903) (Noctuidae) Synonym(s): *albiseriata* Druce,1903
- 46822) *Heliothis (Masalia) decorata decorata* (Moore,1881) (Noctuidae) Synonym(s): *decorata* Moore,1881
- 46823) *Heliothis (Masalia) disticta* (Hampson,1902) (Noctuidae) Synonym(s): *disticta* Hampson,1902
- 46824) *Heliothis (Masalia) galathea* (Wallengren,1856) (Noctuidae) Synonym(s): *galathea* Wallengren,1856
- 46825) *Heliothis (Masalia) leucosticta* (Hampson,1902) (Noctuidae) Synonym(s): *leucosticta* Hampson,1902
- 46826) *Heliothis (Masalia) perstriata* (Hampson,1903) (Noctuidae) Synonym(s): *perstriata* Hampson,1903
- 46827) *Heliothis (Masalia) perstriata fuscotriata* (Brandt,1941) (Noctuidae) Synonym(s): *fuscotriata* Brandt,1941
- 46828) *Heliothis (Masalia) perstriata perstriata* (Hampson,1903) (Noctuidae) Synonym(s): *perstriata* Hampson,1903
- 46829) *Heliothis (Masalia) philbyi* (Brandt,1941) (Noctuidae) Synonym(s): *philbyi* Brandt,1941; *nuristana* Boursin,1960; *arabica* Boursin,1960.
- 46830) *Heliothis (Masalia) quilengesi* Seymour,1972 (Noctuidae) Synonym(s): *quilengesi* Seymour,1972
- 46831) *Heliothis (Masalia) sublimis* (Berio,1962) (Noctuidae) Synonym(s): *sublimis* Berio,1962
- 46832) *Heliothis (Masalia) transvaalica* (Distant,1902) (Noctuidae) Synonym(s): *transvaalica* Distant,1902
- 46833) *Heliothis (Masalia) uncta* (Swinhoe,1885) (Noctuidae) Synonym(s): *uncta* Swinhoe,1885
- 46834) *Heliothis charmione* (Stoll,1790) (Noctuidae) Synonym(s): *charmione* Stoll,1790; *jefferyi* Janse,1917.
- 46835) *Heliothis chilensis* (Hampson,1903) (Noctuidae) Synonym(s): *chilensis* Hampson,1903
- 46836) *Heliothis confifera* (Hampson,1913) (Noctuidae) Synonym(s): *confifera* Hampson,1913
- 46837) *Heliothis flavescens* (Janse,1917) (Noctuidae) Synonym(s): *flavescens* Janse,1917
- 46838) *Heliothis flavigera* (Hampson,1907) (Noctuidae) Synonym(s): *flavigera* Hampson,1907; *insularis* Viette,1967.
- 46839) *Heliothis fuscimaculata* (Janse,1917) (Noctuidae) Synonym(s): *fuscimaculata* Janse,1917
- 46840) *Heliothis hoarei* Matthews,1999 (Noctuidae) Synonym(s): *hoarei* Matthews,1999
- 46841) *Heliothis maritima* Graslin,1855 (Noctuidae) Synonym(s): *maritima* Graslin,1855
- 46842) *Heliothis maritima bulgarica* (Draudt,1938) (Noctuidae) Synonym(s): *bulgarica* Draudt,1938
- 46843) *Heliothis maritima centralasiae* (Draudt,1938) (Noctuidae) Synonym(s): *centralasiae* Draudt,1938
- 46844) *Heliothis nubigera* Herrich-Schäffer,[1851] (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Reithel,1929; *minutier* Thurner,1938.
- 46845) *Heliothis ononis* (Fabricius,1787) (Noctuidae) Synonym(s): *#nonis* [Denis & Schiffermüller],1775; *nonis* Fabricius,1787; *nonidis* Guenée,1852.
- 46846) *Heliothis pauliani* Viette,1959 (Noctuidae) Synonym(s): *pauliani* Viette,1959
- 46847) *Heliothis peltigera* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller],1775; *alpea* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
- 46848) *Heliothis punctifera* Walker,1857 (Noctuidae) Synonym(s): *punctifera* Walker,1857; *leucatma* Meyrick,1897; *#griseus* W.Warren,1913
- 46849) *Heliothis roseivena* (Walker,1866) (Noctuidae) Synonym(s): *roseivena* Walker,1866; *alarioides* Butler,1886
- 46850) *Heliothis scutuligera* Guenée,1852 (Noctuidae) Synonym(s): *scutuligera* Guenée,1852; *errans* Walker,1865.
- 46851) *Heliothis virescens* (Fabricius,1781) (Noctuidae) Synonym(s): *virescens* Fabricius,1781; *rhexia* Smith,1792; *subflexa* Guenée,1852; *viridescens* Walker,1856; *prasina* Walker,1856; *pyraloides* Walker,1856; *tergemina* R.Felder & Rogenhofer,1874; *distincta* Schaus,1898
- 46852) *Heliothis viriplaca* (Hufnagel,1766) (Noctuidae) Synonym(s): *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spargulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928.
- 46853) *Heliothis xanthiata* Walker,1865 (Noctuidae) Synonym(s): *xanthiata* Walker,1865
- 46854) *Hemiceratoidea hieroglyphica* (Saalmüller,1891) (Noctuidae) Synonym(s): *hieroglyphica* Saalmüller,1891; *vadoni* Viette,1976
- 46855) *Hemiceratoidea sittaca* (Karsch,1896) (Noctuidae) Synonym(s): *sittaca* Karsch,1896
- 46856) *Hemiexarnis berezskii* (Kozhantshikov,1937) (Noctuidae) Synonym(s): *berezskii* Kozhantshikov,1937
- 46857) *Hemiexarnis berezskii iuguma* (Brandt,1938) (Noctuidae) Synonym(s): *iuguma* Brandt,1938
- 46858) *Hemiexarnis moechilla* (Püngeler,1906) (Noctuidae) Synonym(s): *moechilla* Püngeler,1906; *epiphana* Boursin,1940
- 46859) *Hemiexarnis nivea* Boursin,1948 (Noctuidae) Synonym(s): *nivea* Boursin,1948
- 46860) *Hemiexarnis peperida* (Hampson,1903) (Noctuidae) Synonym(s): *peperida* Hampson,1903
- 46861) *Hemiglaea costalis* (Butler,1889) (Noctuidae) Synonym(s): *costalis* Butler,1889
- 46862) *Hemiglaea costalis leptotaenia* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *leptotaenia* Hreblay, Peregovits & L.Ronkay,1999

- 46863) *Hemiglaea ionea* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *ionea* Hreblay, Peregovits & L.Ronkay,1999
- 46864) *Hemipsectra plumipars* Hampson,1891 (Noctuidae) Synonym(s): *plumipars* Hampson,1891; *sasaphila* Sugi,1982
- 46865) *Hemituerta mahdi* (Pagenstecher,1903) (Noctuidae) Synonym(s): *mahdi* Pagenstecher,1903; *argentifascia* Fawcett,1915
- 46866) *Hemituerta nana* (Hampson,1916) (Noctuidae) Synonym(s): *nana* Hampson,1916
- 46867) *Heoegorna alboarctuata* (Bethune-Baker,1906) (Noctuidae) Synonym(s): *alboarctuata* Bethune-Baker,1906
- 46868) *Heoegorna flavicincta* Hampson,1926 (Noctuidae) Synonym(s): *flavicincta* Hampson,1926
- 46869) *Heoegorna ochrovittata* (Pagenstecher,1894) (Noctuidae) Synonym(s): *ochrovittata* Pagenstecher,1894
- 46870) *Hepatica anceps* Staudinger,1892 (Noctuidae) Synonym(s): *anceps* Staudinger,1892
- 46871) *Hepatica* sp. (Noctuidae) Synonym(s):
- 46872) *Heptapotamia eustratii* Alpheraky,1882 (Noctuidae) Synonym(s): *eustratii* Alpheraky,1882
- 46873) *Heptapotamia eustratii eustratii* Alpheraky,1882 (Noctuidae) Synonym(s): *eustratii* Alpheraky,1882
- 46874) *Heptapotamia eustratii lutea* (Hacker,Kuhna & Gross,1986) (Noctuidae) Synonym(s): *lutea* Hacker,Kuhna & Gross,1986
- 46875) *Heptapotamia eustratii mitis* (Püngeler,1906) (Noctuidae) Synonym(s): *mitis* Püngeler,1906
- 46876) *Heraclia abacata* Karsch,1892 (Noctuidae) Synonym(s): *abacata* Karsch,1892
- 46877) *Heraclia aemulatrix* (Westwood,1881) (Noctuidae) Synonym(s): *aemulatrix* Westwood,1881; *mabiliei* Bartel,1903; *suda* Jordan,1913; *campala* Kiriakoff,1976
- 46878) *Heraclia africana* (Butler,1875) (Noctuidae) Synonym(s): *africana* Butler,1875; *meretrix* Westwood,1881; *fatima* Kirby,1891
- 46879) *Heraclia atriventris* Hampson,1910 (Noctuidae) Synonym(s): *atriventris* Hampson,1910
- 46880) *Heraclia basalfasciata* Bartel,1903 (Noctuidae) Synonym(s): *basalfasciata* Bartel,1903
- 46881) *Heraclia batesi* Druce,1910 (Noctuidae) Synonym(s): *batesi* Druce,1910
- 46882) *Heraclia butleri* (Walker,1869) (Noctuidae) Synonym(s): *butleri* Walker,1869; *adulatrix* Westwood,1881 (*praeocc.*)
- 46883) *Heraclia catori* Jordan,1904 (Noctuidae) Synonym(s): *catori* Jordan,1904
- 46884) *Heraclia comaria* Druce,1910 (Noctuidae) Synonym(s): *comaria* Druce,1910
- 46885) *Heraclia durbania* (Stoneham,1964) (Noctuidae) Synonym(s): *durbania* Stoneham,1964
- 46886) *Heraclia egregia* Wichgraf,1908 (Noctuidae) Synonym(s): *egregia* Wichgraf,1908
- 46887) *Heraclia elongata* Bartel,1903 (Noctuidae) Synonym(s): *elongata* Bartel,1903
- 46888) *Heraclia flavipennis* Bartel,1903 (Noctuidae) Synonym(s): *flavipennis* Bartel,1903
- 46889) *Heraclia geryon* (Fabricius,1781) (Noctuidae) Synonym(s): *geryon* Fabricius,1781; *euphemia* Stoll,1782; *nugatrix* Westwood,1881
- 46890) *Heraclia grandis* (Druce,1880) (Noctuidae) Synonym(s): *grandis* Druce,1880
- 46891) *Heraclia hornimani* (Druce,1880) (Noctuidae) Synonym(s): *hornimani* Druce,1880; *minchini* Hampson,1910
- 46892) *Heraclia hypercompoides* Butler,1895 (Noctuidae) Synonym(s): *hypercompoides* Butler,1895
- 46893) *Heraclia indecisa* (Butler,1891) (Noctuidae) Synonym(s): *indecisa* Butler,1891
- 46894) *Heraclia karschii* (Holland,1897) (Noctuidae) Synonym(s): *karschii* Holland,1897
- 46895) *Heraclia kirbyi* (Holland,1897) (Noctuidae) Synonym(s): *kirbyi* Holland,1897
- 46896) *Heraclia limbopunctata* Strand,1909 (Noctuidae) Synonym(s): *limbopunctata* Strand,1909; *discosticta* Hampson,1910
- 46897) *Heraclia lomata* Karsch,1892 (Noctuidae) Synonym(s): *lomata* Karsch,1892
- 46898) *Heraclia longipennis* (Walker,1854) (Noctuidae) Synonym(s): *longipennis* Walker,1854
- 46899) *Heraclia maculipes* Strand,1911 (Noctuidae) Synonym(s): *maculipes* Strand,1911
- 46900) *Heraclia melanosoma* Druce,1901 (Noctuidae) Synonym(s): *melanosoma* Druce,1901
- 46901) *Heraclia monslunensis* Hampson,1901 (Noctuidae) Synonym(s): *monslunensis* Hampson,1901
- 46902) *Heraclia mozambica* (Mabille,1890) (Noctuidae) Synonym(s): *mozambica* Mabille,1890
- 46903) *Heraclia neavi* Hampson,1910 (Noctuidae) Synonym(s): *neavi* Hampson,1910
- 46904) *Heraclia niepelti* Oberthür,1911 (Noctuidae) Synonym(s): *niepelti* Oberthür,1911
- 46905) *Heraclia nigridorsa* (Mabille,1890) (Noctuidae) Synonym(s): *nigridorsa* Mabille,1890
- 46906) *Heraclia pallida* (Walker,1864) (Noctuidae) Synonym(s): *pallida* Walker,1864; *niveosparsa* Westwood,1881; *deficiens* Mabille,1891; *minerva* Weymer,1892; *longipennis* Mabille,1892 *nec* Wlk.
- 46907) *Heraclia pardalina* (Druce,1869) (Noctuidae) Synonym(s): *pardalina* Druce,1869
- 46908) *Heraclia perdix* (Druce,1888) (Noctuidae) Synonym(s): *perdix* Druce,1888; *eo* Mabille,1890; *indecisa* Butler,1891; *angustella* Strand,1912
- 46909) *Heraclia poggei* (Dewitz,1879) (Noctuidae) Synonym(s): *poggei* Dewitz,1879; *falkensteini* Dewitz,1891
- 46910) *Heraclia signata* Bartel,1903 (Noctuidae) Synonym(s): *signata* Bartel,1903
- 46911) *Heraclia superba* (Butler,1875) (Noctuidae) Synonym(s): *superba* Butler,1875; *incongruens* Butler,1878; *interniplaga* Mabille,1891; *smithii* Holland,1897; *basalfasciata* Bartel,1903; *maculipennis* Strand,1911; *maculipes* Strand,1911; *tanganyikana* Oberthür,1911; *ugandana* Jordan,1913; *albocincta* Hulstaert,1923; *littera* Hulstaert,1923
- 46912) *Heraclia terminatis* Oberthür,1911 (Noctuidae) Synonym(s): *terminatis* Oberthür,1911
- 46913) *Heraclia triseriata* Bartel,1903 (Noctuidae) Synonym(s): *triseriata* Bartel,1903
- 46914) *Heraclia zenkeri* Karsch,1895 (Noctuidae) Synonym(s): *zenkeri* Karsch,1895; *zenceri* Hampson,1901; *ochracea* Aurivillius
- 46915) *Heraclia zeodita* Niepelt,1906 (Noctuidae) Synonym(s): *zeodita* Niepelt,1906
- 46916) *Herminia grisealis* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *nemoralis* Fabricius,1775 *nec* Scop.,1763; *grisealis* [Denis & Schiffermüller],1775; *sulzeriana* Scopoli,1786; *nemorum* Fabricius,1798; *nemoratus* Haworth,1809
- 46917) *Herminia nigricaria* Osthelder,1933 (Noctuidae) Synonym(s): *nigricaria* Osthelder,1933
- 46918) *Herminia proxima* Christoph,1893 (Noctuidae) Synonym(s): *proxima* Christoph,1893
- 46919) *Herminia proxima anahita* Wiltshire,1952 (Noctuidae) Synonym(s): *anahita* Wiltshire,1952
- 46920) *Herminia proxima proxima* Christoph,1893 (Noctuidae) Synonym(s): *proxima* Christoph,1893
- 46921) *Herminia tarsicrinalis* (Knoch,1782) (Noctuidae) Synonym(s): *tarsicrinalis* Knoch,1782; *tarsicrinatus* Haworth,1809
- 46922) *Herminia tarsipennalis* Treitschke,1835 (Noctuidae) Synonym(s): *tarsipennalis* Treitschke,1835
- 46923) *Herminia tenuialis* (Rebel,1899) (Noctuidae) Synonym(s): *tenuialis* Rebel,1899
- 46924) *Hermonassa anomima* Hreblay & Plante,1996 (Noctuidae) Synonym(s): *anomima* Hreblay & Plante,1996
- 46925) *Hermonassa anthracina* Boursin,1967 (Noctuidae) Synonym(s): *anthracina* Boursin,1967
- 46926) *Hermonassa arenosa* (Butler,1881) (Noctuidae) Synonym(s): *arenosa* Butler,1881; *amurensis* Kozhantschikov,1935; *yeterofuna* Bryk,1942
- 46927) *Hermonassa aureofusa* Sugi,1995 (Noctuidae) Synonym(s): *aureofusa* Sugi,1995
- 46928) *Hermonassa bonza* (Püngeler,1900) (Noctuidae) Synonym(s): *bonza* Püngeler,1900; *bonsa* Hampson,1903
- 46929) *Hermonassa callista* Boursin,1968 (Noctuidae) Synonym(s): *callista* Boursin,1968
- 46930) *Hermonassa cecilia* Butler,1878 (Noctuidae) Synonym(s): *cecilia* Butler,1878
- 46931) *Hermonassa chagyabensis* Chen,1983 (Noctuidae) Synonym(s): *chagyabensis* Chen,1983
- 46932) *Hermonassa chersotidia* Boursin,1968 (Noctuidae) Synonym(s): *chersotidia* Boursin,1968
- 46933) *Hermonassa chlora* Boursin,1967 (Noctuidae) Synonym(s): *chlora* Boursin,1967
- 46934) *Hermonassa chryserythra* Boursin,1968 (Noctuidae) Synonym(s): *chryserythra* Boursin,1968
- 46935) *Hermonassa chuana* Chen,1993 (Noctuidae) Synonym(s): *chuana* Chen,1993
- 46936) *Hermonassa claricostata* Hreblay & Plante,1995 (Noctuidae) Synonym(s): *claricostata* Hreblay & Plante,1995
- 46937) *Hermonassa clava* (Leech,1900) (Noctuidae) Synonym(s): *clava* Leech,1900
- 46938) *Hermonassa connudata* Chen,1991 (Noctuidae) Synonym(s): *connudata* Chen,1991
- 46939) *Hermonassa consignata* Walker,1865 (Noctuidae) Synonym(s): *consignata* Walker,1865; *chalybeata* Moore,1881; *lunata* Moore,1882
- 46940) *Hermonassa corax* Sugi,1995 (Noctuidae) Synonym(s): *corax* Sugi,1995
- 46941) *Hermonassa cyanerythra* Boursin,1968 (Noctuidae) Synonym(s): *cyanerythra* Boursin,1968
- 46942) *Hermonassa cyanolepis* Boursin,1967 (Noctuidae) Synonym(s): *cyanolepis* Boursin,1967
- 46943) *Hermonassa deaurata* Sugi,1995 (Noctuidae) Synonym(s): *deaurata* Sugi,1995
- 46944) *Hermonassa diaphana* Boursin,1967 (Noctuidae) Synonym(s): *diaphana* Boursin,1967
- 46945) *Hermonassa diaphthorea* Boursin,1967 (Noctuidae) Synonym(s): *diaphthorea* Boursin,1967
- 46946) *Hermonassa dichroma* Boursin,1967 (Noctuidae) Synonym(s): *dichroma* Boursin,1967
- 46947) *Hermonassa dictyodes* Boursin,1967 (Noctuidae) Synonym(s): *dictyodes* Boursin,1967

- 46948) *Hermonassa dictyota* Boursin,1967 (Noctuidae) Synonym(s): *dictyota* Boursin,1967
 46949) *Hermonassa difficilis* (Erschoff,1887) (Noctuidae) Synonym(s): *difficilis* Erschoff,1887; *albivenata* Staudinger,1892; *alpherakii* Christoph,1893
 46950) *Hermonassa dispila* Boursin,1967 (Noctuidae) Synonym(s): *dispila* Boursin,1967
 46951) *Hermonassa divida* Hreblay & Ronkay,1998 (Noctuidae) Synonym(s): *divida* Hreblay & Ronkay,1998
 46952) *Hermonassa doiinthanon* Owada,1985 (Noctuidae) Synonym(s): *doiinthanon* Owada,1985
 46953) *Hermonassa ellenae* Boursin,1967 (Noctuidae) Synonym(s): *ellenae* Boursin,1967; *rubusta* Boursin,1970; *tapaishana* Boursin,1970
 46954) *Hermonassa emodicola* Boursin,1967 (Noctuidae) Synonym(s): *emodicola* Boursin,1967
 46955) *Hermonassa euxoides* Hreblay & Plante,1995 (Noctuidae) Synonym(s): *euxoides* Hreblay & Plante,1995
 46956) *Hermonassa expatria* Hreblay & Plante,1995 (Noctuidae) Synonym(s): *expatria* Hreblay & Plante,1995
 46957) *Hermonassa fasciata* Chen,1985 (Noctuidae) Synonym(s): *fasciata* Chen,1985
 46958) *Hermonassa felicitia* Hreblay & Plante,1995 (Noctuidae) Synonym(s): *felicitia* Hreblay & Plante,1995
 46959) *Hermonassa finitima* W.Warren,1909 (Noctuidae) Synonym(s): *finitima* W.Warren,1909
 46960) *Hermonassa formotana* Hreblay & Ronkay,1997 (Noctuidae) Synonym(s): *formotana* Hreblay & Ronkay,1997
 46961) *Hermonassa fulvescens* Chen,1985 (Noctuidae) Synonym(s): *fulvescens* Chen,1985
 46962) *Hermonassa funebris* Sugi,1995 (Noctuidae) Synonym(s): *funebris* Sugi,1995
 46963) *Hermonassa furva* W.Warren,1909 (Noctuidae) Synonym(s): *furva* W.Warren,1909
 46964) *Hermonassa gigantea* Chen,1989 (Noctuidae) Synonym(s): *gigantea* Chen,1989
 46965) *Hermonassa griseirufa* Sugi,1995 (Noctuidae) Synonym(s): *griseirufa* Sugi,1995
 46966) *Hermonassa griseisignata* Chen,1983 (Noctuidae) Synonym(s): *griseisignata* Chen,1983
 46967) *Hermonassa griseosignata* Chen,1983 (Noctuidae) Synonym(s): *griseosignata* Chen,1983
 46968) *Hermonassa hemicyclia* Plante,1994 (Noctuidae) Synonym(s): *hemicyclia* Plante,1994
 46969) *Hermonassa hoenei* Boursin,1967 (Noctuidae) Synonym(s): *hoenei* Boursin,1967
 46970) *Hermonassa hypoleuca* Boursin,1967 (Noctuidae) Synonym(s): *hypoleuca* Boursin,1967
 46971) *Hermonassa incisa* Moore,1882 (Noctuidae) Synonym(s): *incisa* Moore,1882
 46972) *Hermonassa inconstans* Wileman,1912 (Noctuidae) Synonym(s): *inconstans* Wileman,1912
 46973) *Hermonassa juncta* Chen & Yixin,1993 (Noctuidae) Synonym(s): *juncta* Chen & Yixin,1993
 46974) *Hermonassa lama* Boursin,1967 (Noctuidae) Synonym(s): *lama* Boursin,1967
 46975) *Hermonassa lanceola* (Moore,1867) (Noctuidae) Synonym(s): *lanceola* Moore,1867
 46976) *Hermonassa legraini* Plante,1994 (Noctuidae) Synonym(s): *legraini* Plante,1994
 46977) *Hermonassa lineata* W.Warren,1912 (Noctuidae) Synonym(s): *lineata* W.Warren,1912
 46978) *Hermonassa longisaccus* Sugi,1995 (Noctuidae) Synonym(s): *longisaccus* Sugi,1995
 46979) *Hermonassa macrotheca* Boursin,1968 (Noctuidae) Synonym(s): *macrotheca* Boursin,1968
 46980) *Hermonassa marginata* Hreblay & Ronkay,1998 (Noctuidae) Synonym(s): *marginata* Hreblay & Ronkay,1998
 46981) *Hermonassa marsiphiophora* Boursin,1967 (Noctuidae) Synonym(s): *marsiphiophora* Boursin,1967
 46982) *Hermonassa megaspila* Boursin,1967 (Noctuidae) Synonym(s): *megaspila* Boursin,1967
 46983) *Hermonassa melancholica* (Noctuidae) Synonym(s):
 46984) *Hermonassa nitella* Chen,1991 (Noctuidae) Synonym(s): *nitella* Chen,1991
 46985) *Hermonassa obscura* Chen,1985 (Noctuidae) Synonym(s): *obscura* Chen,1985
 46986) *Hermonassa oleographa* Hampson,1911 (Noctuidae) Synonym(s): *oleographa* Hampson,1911
 46987) *Hermonassa olivascens* Chen,1985 (Noctuidae) Synonym(s): *olivascens* Chen,1985
 46988) *Hermonassa ononensis* (Bremer,1861) (Noctuidae) Synonym(s): *ononensis* Bremer,1861
 46989) *Hermonassa opima* Chen,1991 (Noctuidae) Synonym(s): *opima* Chen,1991
 46990) *Hermonassa orbicularis* Boursin,1967 (Noctuidae) Synonym(s): *orbicularis* Boursin,1967
 46991) *Hermonassa orphnina* Boursin,1967 (Noctuidae) Synonym(s): *orphnina* Boursin,1967
 46992) *Hermonassa oxyspila* Boursin,1968 (Noctuidae) Synonym(s): *oxyspila* Boursin,1968
 46993) *Hermonassa pallidula* (Leech,1900) (Noctuidae) Synonym(s): *pallidula* Leech,1900
 46994) *Hermonassa penna* Chen,1985 (Noctuidae) Synonym(s): *penna* Chen,1985
 46995) *Hermonassa phenax* Boursin,1968 (Noctuidae) Synonym(s): *phenax* Boursin,1968
 46996) *Hermonassa planeta* Chen & Yixin,1993 (Noctuidae) Synonym(s): *planeta* Chen & Yixin,1993
 46997) *Hermonassa plantei* Hreblay & Ronkay,1997 (Noctuidae) Synonym(s): *plantei* Hreblay & Ronkay,1997
 46998) *Hermonassa psilodora* Boursin,1968 (Noctuidae) Synonym(s): *psilodora* Boursin,1968
 46999) *Hermonassa punicea* Sugi,1995 (Noctuidae) Synonym(s): *punicea* Sugi,1995
 47000) *Hermonassa pygmaea* Boursin,1967 (Noctuidae) Synonym(s): *pygmaea* Boursin,1967
 47001) *Hermonassa renifera* Chen,1991 (Noctuidae) Synonym(s): *renifera* Chen,1991
 47002) *Hermonassa reticulata* Boursin,1967 (Noctuidae) Synonym(s): *reticulata* Boursin,1967
 47003) *Hermonassa roesleri* Boursin,1967 (Noctuidae) Synonym(s): *roesleri* Boursin,1967
 47004) *Hermonassa rufa* Boursin,1968 (Noctuidae) Synonym(s): *rufa* Boursin,1968
 47005) *Hermonassa selecta* Hreblay & Plante,1995 (Noctuidae) Synonym(s): *selecta* Hreblay & Plante,1995
 47006) *Hermonassa sherpae* Sugi,1995 (Noctuidae) Synonym(s): *sherpae* Sugi,1995
 47007) *Hermonassa shizukoe* Sugi,1995 (Noctuidae) Synonym(s): *shizukoe* Sugi,1995
 47008) *Hermonassa siamensis* Owada,1985 (Noctuidae) Synonym(s): *siamensis* Owada,1985
 47009) *Hermonassa sigmuncus* Sugi,1995 (Noctuidae) Synonym(s): *sigmuncus* Sugi,1995
 47010) *Hermonassa sinuosa* Wileman,1912 (Noctuidae) Synonym(s): *sinuosa* Wileman,1912
 47011) *Hermonassa sobeyi* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *sobeyi* Hreblay, Peregovits & L.Ronkay,1999
 47012) *Hermonassa spilota* (Moore,1867) (Noctuidae) Synonym(s): *spilota* Moore,1867
 47013) *Hermonassa stigmatica* W.Warren,1912 (Noctuidae) Synonym(s): *stigmatica* W.Warren,1912
 47014) *Hermonassa tamsi* Boursin,1968 (Noctuidae) Synonym(s): *tamsi* Boursin,1968
 47015) *Hermonassa thailandica* Owada,1985 (Noctuidae) Synonym(s): *thailandica* Owada,1985
 47016) *Hermonassa thomasi* Sugi,1995 (Noctuidae) Synonym(s): *thomasi* Sugi,1995
 47017) *Hermonassa wulinga* Chen & Yixin,1991 (Noctuidae) Synonym(s): *wulinga* Chen & Yixin,1991
 47018) *Hermonassa xanthochlora* Boursin,1967 (Noctuidae) Synonym(s): *xanthochlora* Boursin,1967
 47019) *Herpeperas barnesi* Pinhey,1968 (Noctuidae) Synonym(s): *barnesi* Pinhey,1968
 47020) *Herpeperas violaris* Hampson,1926 (Noctuidae) Synonym(s): *violaris* Hampson,1926
 47021) *Hespagarista caudata* (Dewitz,1879) (Noctuidae) Synonym(s): *caudata* Dewitz,1879
 47022) *Hespagarista echione* (Boisduval,1847) (Noctuidae) Synonym(s): *echione* Boisduval,1847; *interlecta* Walker,1854; *#interjecta* Westwood,1877; *novemmaculata* Mabille,1890; *funebris* Rothschild,1896
 47023) *Heterographa fabrilis* Püngeler,1909 (Noctuidae) Synonym(s): *fabrilis* Püngeler,1909
 47024) *Heterographa puengeleri* Bartel,1904 (Noctuidae) Synonym(s): *puengeleri* Bartel,1904
 47025) *Heterographa tetrastigma* Brandt,1941 (Noctuidae) Synonym(s): *tetrastigma* Brandt,1941
 47026) *Heterographa tumulorum* Boursin,1936 (Noctuidae) Synonym(s): *tumulorum* Boursin,1936
 47027) *Heterographa zelleri* (Christoph,1877) (Noctuidae) Synonym(s): *zelleri* Christoph,1877
 47028) *Heteropalpia acrosticta* (Püngeler,1904) (Noctuidae) Synonym(s): *acrosticta* Püngeler,1904; *rosacea* Rebel,1907
 47029) *Heteropalpia cortytoides* Berio,1939 (Noctuidae) Synonym(s): *cortytoides* Berio,1939
 47030) *Heteropalpia exarata* (Mabille,1890) (Noctuidae) Synonym(s): *exarata* Mabille,1890; *lilliae* Berio,1960
 47031) *Heteropalpia vetusta* (Walker,1865) (Noctuidae) Synonym(s): *vetusta* Walker,1865; *profesta* Christoph,1887; *sacra* Staudinger,1898
 47032) *Heteropalpia witshirei* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *witshirei* Hacker & Ebert,2002
 47033) *Heterophysa dumetorum* (Geyer,1834) (Noctuidae) Synonym(s): *dumetorum* Geyer,1834
 47034) *Heterophysa dumetorum mutica* (Christoph,1885) (Noctuidae) Synonym(s): *mutica* Christoph,1885; *griseoviridis* Schwingenschuss,1937
 47035) *Heterospila fulgurea* Guenée,1852 (Noctuidae) Synonym(s): *fulgurea* Guenée,1852; *decisa* Walker,1865; *simplex* Walker,1865; *monogramma* Hampson,1926

- 47036) *Heterospila nigripalpis* (Walker, 1869) (Noctuidae) Synonym(s): *nigripalpis* Walker, 1869
 47037) *Hiaspis closteroides* Walker, [1866] (Noctuidae) Synonym(s): *closteroides* Walker, [1866]
 47038) *Hiccoda* Moore, 1882 (Noctuidae) Synonym(s):
 47039) *Hiccoda nigripalpalis* Walker, [1866] (Noctuidae) Synonym(s): *nigripalpalis* Walker, [1866]
 47040) *Hiccoda nigripalpis* (Walker, 1866) (Noctuidae) Synonym(s):
 47041) *Hiccoda roseitincta* Hampson, 1920 (Noctuidae) Synonym(s): *roseitincta* Hampson, 1920
 47042) *Hiccodes dosaroides* Moore, 1881 (Noctuidae) Synonym(s): *dosaroides* Moore, 1881
 47043) *Hiemopolia* (Pectinipolia) *distincta* (Hreblay & L.Ronkay, 1999) (Noctuidae) Synonym(s): *distincta* Hreblay & L.Ronkay, 1999
 47044) *Hiemopolia* (Pectinipolia) *indistincta* (Hreblay & L.Ronkay, 1998) (Noctuidae) Synonym(s): *indistincta* Hreblay & L.Ronkay, 1998
 47045) *Hiemopolia* (Thaipolia) *inversa* (Hreblay & L.Ronkay, 1999) (Noctuidae) Synonym(s): *inversa* Hreblay & L.Ronkay, 1999
 47046) *Hiemopolia* (Yoshimotoia) *confusa* (Wileman, 1915) (Noctuidae) Synonym(s): *confusa* Wileman, 1915
 47047) *Hiemopolia* (Yoshimotoia) *confusa confusa* (Wileman, 1915) (Noctuidae) Synonym(s): *confusa* Wileman, 1915
 47048) *Hiemopolia* (Yoshimotoia) *confusa unicolor* (Hreblay & L.Ronkay, 1998) (Noctuidae) Synonym(s): *unicolor* Hreblay & L.Ronkay, 1998
 47049) *Hiemopolia* (s.str.) *albistigma* (Hreblay & L.Ronkay, 1998) (Noctuidae) Synonym(s): *albistigma* Hreblay & L.Ronkay, 1998
 47050) *Hiemopolia* (s.str.) *bodii* (Hreblay & L.Ronkay, 1998) (Noctuidae) Synonym(s): *bodii* Hreblay & L.Ronkay, 1998
 47051) *Hiemopolia* (s.str.) *costimacula* (Yoshimoto, 1994) (Noctuidae) Synonym(s): *costimacula* Yoshimoto, 1994
 47052) *Hiemopolia* (s.str.) *criaquatica* (Hreblay & L.Ronkay, 1999) (Noctuidae) Synonym(s): *criaquatica* Hreblay & L.Ronkay, 1999
 47053) *Hiemopolia* (s.str.) *csaba* (Hreblay & L.Ronkay, 1999) (Noctuidae) Synonym(s): *csaba* Hreblay & L.Ronkay, 1999
 47054) *Hiemopolia* (s.str.) *pua* (Hreblay & L.Ronkay, 1999) (Noctuidae) Synonym(s): *pua* Hreblay & L.Ronkay, 1999
 47055) *Hillia iris* (Zetterstedt, 1839) (Noctuidae) Synonym(s):
 47056) *Himalistra arcessita* Hacker & Ronkay, 1993 (Noctuidae) Synonym(s): *arcessita* Hacker & Ronkay, 1993
 47057) *Himalistra caesia* Hreblay & Plante, 1994 (Noctuidae) Synonym(s): *caesia* Hreblay & Plante, 1994
 47058) *Himalistra delicata* (Ronkay, Varga & Behounek, 1991) (Noctuidae) Synonym(s): *delicata* Ronkay, Varga & Behounek, 1991
 47059) *Himalistra dentata* (Hampson, 1894) (Noctuidae) Synonym(s): *dentata* Hampson, 1894
 47060) *Himalistra eriophora* (Püngeler, 1901) (Noctuidae) Synonym(s): *eriophora* Püngeler, 1901
 47061) *Himalistra eriophora eriophora* (Püngeler, 1901) (Noctuidae) Synonym(s): *eriophora* Püngeler, 1901
 47062) *Himalistra eriophora perspicua* (Püngeler, 1925) (Noctuidae) Synonym(s): *perspicua* Püngeler, 1925
 47063) *Himalistra externa* Hacker & Ronkay, 1993 (Noctuidae) Synonym(s): *externa* Hacker & Ronkay, 1993
 47064) *Himalistra fusca* Hacker & Ronkay, 1993 (Noctuidae) Synonym(s): *fusca* Hacker & Ronkay, 1993
 47065) *Himalistra fusca fumata* Hreblay & Plante, 1994 (Noctuidae) Synonym(s): *fumata* Hreblay & Plante, 1994
 47066) *Himalistra jeleni* Hreblay, Peregovits & L.Ronkay, 1999 (Noctuidae) Synonym(s): *jeleni* Hreblay, Peregovits & L.Ronkay, 1999
 47067) *Himalistra nekrasovi* Hacker & Ronkay, 1993 (Noctuidae) Synonym(s): *nekrasovi* Hacker & Ronkay, 1993
 47068) *Himalistra nivea* Hreblay & Plante, 1994 (Noctuidae) Synonym(s): *nivea* Hreblay & Plante, 1994
 47069) *Himalistra tahiricola* Ronkay & Hreblay, 1994 (Noctuidae) Synonym(s): *tahiricola* Ronkay & Hreblay, 1994
 47070) *Hipoepa biasalis* (Walker, [1859]) (Noctuidae) Synonym(s): *biasalis* Walker, [1859]; *lapsalis* Walker, [1859]; *obenbergeri* Strand, 1920
 47071) *Hipoepa fractalis* (Guenée, 1854) (Noctuidae) Synonym(s): *fractalis* Guenée, 1854; *raptatalis* Walker, 1859; *invenusta* Swinhoe, 1890; *#feminina* Strand, 1919; *castanea* Rothschild, 1920; *plebejus* Rothschild, 1920
 47072) *Holocryptis erosides* (Hampson, 1902) (Noctuidae) Synonym(s): *erosides* Hampson, 1902
 47073) *Homaea clathrum* Guenée, 1852 (Noctuidae) Synonym(s):
 47074) *Homodes bracteigutta* (Walker, 1862) (Noctuidae) Synonym(s): *bracteigutta* Walker, 1862; *erizesta* Turner, 1902; *chalcocosma* Turner, 1945
 47075) *Homodes crocea* Guenée, 1852 (Noctuidae) Synonym(s): *crocea* Guenée, 1852
 47076) *Homodes iomolybda* Meyrick, 1889 (Noctuidae) Synonym(s): *iomolybda* Meyrick, 1889; *irretita* Swinhoe, 1905; *punctistriga* Bethune Baker, 1906; *molybdosticha* Turner, 1945
 47077) *Homodes perilita* Hampson, 1926 (Noctuidae) Synonym(s): *perilita* Hampson, 1926
 47078) *Hondryches phalaeniformis* (Guenée, 1852) (Noctuidae) Synonym(s): *phalaeniformis* Guenée, 1852
 47079) *Hoplarista haemaplaga* Hampson, 1910 (Noctuidae) Synonym(s): *haemaplaga* Hampson, 1910
 47080) *Hoplodrina ambigua* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller], 1775; *plantaginis* Hübner, [1813]; *uniformis* Swinhoe, 1885
 47081) *Hoplodrina ambigua ambigua* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller], 1775; *plantaginis* Hübner, [1813]; *uniformis* Swinhoe, 1885
 47082) *Hoplodrina blanda* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *blanda* [Denis & Schiffermüller], 1775; *redacta* Haworth, 1809; *taraxaci* Hübner, [1813].
 47083) *Hoplodrina blanda blanda* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *blanda* [Denis & Schiffermüller], 1775; *redacta* Haworth, 1809; *taraxaci* Hübner, [1813].
 47084) *Hoplodrina blanda robusta* Boursin, 1940 (Noctuidae) Synonym(s): *robusta* Boursin, 1940
 47085) *Hoplodrina hesperica* Dufay & Boursin, 1960 (Noctuidae) Synonym(s): *hesperica* Dufay & Boursin, 1960
 47086) *Hoplodrina levis* (Staudinger, 1888) (Noctuidae) Synonym(s): *levis* Staudinger, 1888
 47087) *Hoplodrina octogenaria* (Goeze, 1781) (Noctuidae) Synonym(s): *octogenaria* Goeze, 1781; *alsines* Brahm, 1791; *sordida* Haworth, 1809 *nec* Hübner, [1803]
 47088) *Hoplodrina pfeifferi* (Boursin, 1932) (Noctuidae) Synonym(s): *pfeifferi* Boursin, 1932.
 47089) *Hoplodrina respersa* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *respersa* [Denis & Schiffermüller], 1775; *margaritacea* Borkhausen, 1792 *nec* Vill., 1789
 47090) *Hoplodrina superstes* (Ochsenheimer, 1816) (Noctuidae) Synonym(s): *superstes* Ochsenheimer, 1816
 47091) *Hoplotarache caeruleopicta* Hampson, 1916 (Noctuidae) Synonym(s): *caeruleopicta* Hampson, 1916
 47092) *Hoplotarache caeruleopicta caeruleopicta* Hampson, 1916 (Noctuidae) Synonym(s): *caeruleopicta* Hampson, 1916
 47093) *Hoplotarache caeruleopicta hemipentha* Wiltshire, 1947 (Noctuidae) Synonym(s): *hemipentha* Wiltshire, 1947
 47094) *Hoplotarache costalis* (Walker, 1865) (Noctuidae) Synonym(s): *costalis* Walker, 1865; *binominata* Butler, 1892
 47095) *Hoplotarache dispar* (Walker, [1858]) (Noctuidae) Synonym(s): *dispar* Walker, [1858]
 47096) *Hoplotarache karachiensis* (Swinhoe, 1889) (Noctuidae) Synonym(s): *karachiensis* Swinhoe, 1889
 47097) *Hoplotarache mionides* (Hampson, 1905) (Noctuidae) Synonym(s): *mionides* Hampson, 1905
 47098) *Hoplotarache nubila* Hampson, 1910 (Noctuidae) Synonym(s): *nubila* Hampson, 1910; *ectorrida* Hampson, 1916
 47099) *Hoplotarache semialba* Hampson, 1910 (Noctuidae) Synonym(s): *semialba* Hampson, 1910
 47100) *Hoplotarache sordescens* (Staudinger, 1895) (Noctuidae) Synonym(s): *sordescens* Staudinger, 1895
 47101) *Hulodes caranea* (Cramer, [1780]) (Noctuidae) Synonym(s): *caranea* Cramer, [1780]; *carenea* Poole, 1989
 47102) *Hulodes drylla* Guenée, 1852 (Noctuidae) Synonym(s): *drylla* Guenée, 1852
 47103) *Hyalobole orthosoides* W.Warren, 1911 (Noctuidae) Synonym(s): *orthosoides* W.Warren, 1911
 47104) *Hyalobole subtropica* Hreblay, Peregovits & L.Ronkay, 1999 (Noctuidae) Synonym(s): *subtropica* Hreblay, Peregovits & L.Ronkay, 1999
 47105) *Hyamia subterminalis* Walker, [1866] (Noctuidae) Synonym(s): *subterminalis* Walker, [1866].
 47106) *Hydraecia micacea* (Esper, 1789) (Noctuidae) Synonym(s): *micacea* Esper, 1789; *cyprica* Hübner, [1803].
 47107) *Hydraecia mongoliensis* Urbahn, 1967 (Noctuidae) Synonym(s): *mongoliensis* Urbahn, 1967
 47108) *Hydraecia nordstroemi* Horke, 1952 (Noctuidae) Synonym(s): *nordstroemi* Horke, 1952
 47109) *Hydraecia osseola* (Staudinger, 1882) (Noctuidae) Synonym(s): *osseola* Staudinger, 1882
 47110) *Hydraecia petasitis* Doubleday, 1847 (Noctuidae) Synonym(s): *petasitis* Doubleday, 1847
 47111) *Hydraecia petasitis vindelica* (Freyer, 1849) (Noctuidae) Synonym(s): *vindelica* Freyer, 1849
 47112) *Hydraecia praecipua* Hacker & Nekrasov, 2001 (Noctuidae) Synonym(s): *praecipua* Hacker & Nekrasov, 2001
 47113) *Hydraecia songariae* (Alpheraky, 1882) (Noctuidae) Synonym(s): *songariae* Alpheraky, 1882
 47114) *Hydraecia terminata* Varga & L.Ronkay, 1991 (Noctuidae) Synonym(s): *terminata* Varga & L.Ronkay, 1991
 47115) *Hydraecia ultima* Holst, 1965 (Noctuidae) Synonym(s): *ultima* Holst, 1965
 47116) *Hydrillodes abavialis* (Walker, [1859]) (Noctuidae) Synonym(s): *abavialis* Walker, [1859]; *abavialis* Kononenko & Pinratana, 2005
 47117) *Hydrillodes bryophiloides* (Butler, 1876) (Noctuidae) Synonym(s): *bryophiloides* Butler, 1876

- 47118) *Hydrillodes hemusalis* (Walker,[1859]) (Noctuidae) Synonym(s): *hemusalis* Walker,[1859]; *latifascialis* Walker,[1866]; *subbasalis* Moore,1877; *nilgirialis* Hampson,1895
- 47119) *Hydrillodes lentalis* Guenée,1854 (Noctuidae) Synonym(s): *lentalis* Guenée,1854; *hemusalis* Walker,[1859]; *latifascialis* Walker,[1859]; *metisalis* Walker,[1859]; *moloalis* Walker,[1859]; *momusalis* Walker,[1859]; *basalis* Moore,1867; *submorosa* Strand,1920
- 47120) *Hydrillodes uliginosalis* Guenée,1854 (Noctuidae) Synonym(s): *uliginosalis* Guenée,1854; *cleobisalis* Walker,[1859]; *thelephusalis* Walker,[1859]; *#thelphusalis* Pinhey,1975.
- 47121) *Hydrilloides gravatalis* (Walker,1858) (Noctuidae) Synonym(s): *gravatalis* Walker,1858
- 47122) *Hydrilloides sigma* Tams,1935 (Noctuidae) Synonym(s): *sigma* Tams,1935
- 47123) *Hydrilloides surata* Meyrick,1909 (Noctuidae) Synonym(s): *surata* Meyrick,1909
- 47124) *Hypanua roseitincta* Hampson,1918 (Noctuidae) Synonym(s): *roseitincta* Hampson,1918
- 47125) *Hypanua xylina* (Distant,1898) (Noctuidae) Synonym(s): *xylina* Distant,1898
- 47126) *Hypena* (Conscitalypena) *conscitalis* Walker,[1866] (Noctuidae) Synonym(s): *conscitalis* Walker,[1866]; *semilutea* Snellen,1872; *strigatalis* Saalmüller,1880.
- 47127) *Hypena* (Jussalypena) *abyssinialis* Guenée,1854 (Noctuidae) Synonym(s): *abyssinialis* Guenée,1854; *ignotalis* Walker,[1859].
- 47128) *Hypena* (Jussalypena) *abyssinialis abyssinialis* Guenée,1854 (Noctuidae) Synonym(s): *abyssinialis* Guenée,1854; *ignotalis* Walker,[1859].
- 47129) *Hypena* (Jussalypena) *helenae* Berio,1972 (Noctuidae) Synonym(s): *helenae* Berio,1972
- 47130) *Hypena* (Jussalypena) *holophaea* Hampson,1902 (Noctuidae) Synonym(s): *holophaea* Hampson,1902
- 47131) *Hypena* (Jussalypena) *holophaea holophaea* Hampson,1902 (Noctuidae) Synonym(s): *holophaea* Hampson,1902
- 47132) *Hypena* (Jussalypena) *jussalis* Walker,[1859] (Noctuidae) Synonym(s): *jussalis* Walker,[1859]; *#juxtal* Pinhey,1975.
- 47133) *Hypena* (Jussalypena) *jussalis jussalis* Walker,[1859] (Noctuidae) Synonym(s): *jussalis* Walker,[1859]; *#juxtal* Pinhey,1975.
- 47134) *Hypena* (Jussalypena) *laceratalis* Walker,[1859] (Noctuidae) Synonym(s): *laceratalis* Walker,[1859]; *senectalis* Guenée,1862; *hemigrammalis* Mabilille,1880; *acrocompsa* Turner,1932.
- 47135) *Hypena* (Jussalypena) *laceratalis laceratalis* Walker,[1859] (Noctuidae) Synonym(s): *laceratalis* Walker,[1859]; *senectalis* Guenée,1862; *hemigrammalis* Mabilille,1880; *acrocompsa* Turner,1932.
- 47136) *Hypena* (Jussalypena) *puncticosta* Prout,1925 (Noctuidae) Synonym(s): *puncticosta* Prout,1925
- 47137) *Hypena* (Jussalypena) *puncticosta puncticosta* Prout,1925 (Noctuidae) Synonym(s): *puncticosta* Prout,1925
- 47138) *Hypena* (Ophiuche) *lividalis* (Hübner,1796) (Noctuidae) Synonym(s): *lividalis* Hübner,1796; *diagonalis* Fabricius,1794; *simplicalis* Zeller,1852; *abjurialis* Walker,[1859]; *scissalis* Walker,[1866]; ? *perna* R.Felder & Rogenhofer,1873; ? *bipartita* Smith,1900.
- 47139) *Hypena* (Ophiuche) *lividalis lividalis* (Hübner,1796) (Noctuidae) Synonym(s): *lividalis* Hübner,1796; *diagonalis* Fabricius,1794; *simplicalis* Zeller,1852; *abjurialis* Walker,[1859]; *scissalis* Walker,[1866]; ? *perna* R.Felder & Rogenhofer,1873; ? *bipartita* Smith,1900.
- 47140) *Hypena* (Ophiuche) *neoplyta* Prout,1925 (Noctuidae) Synonym(s): *neoplyta* Prout,1925; *aequabilis* Prout,1927.
- 47141) *Hypena* (Ophiuche) *neoplyta neoplyta* Prout,1925 (Noctuidae) Synonym(s): *neoplyta* Prout,1925; *aequabilis* Prout,1927.
- 47142) *Hypena* (Pseudodichromia) *laetalia* Lödl,1995 (Noctuidae) Synonym(s): *laetalia* Lödl,1995
- 47143) *Hypena* (Pseudodichromia) *laetalis* Walker,[1859] (Noctuidae) Synonym(s): *laetalis* Walker,[1859]; *hyperalis* Mabilille,1880; *ectoglaucha* Hampson,1902.
- 47144) *Hypena* (Pseudodichromia) *laetalis laetalis* Walker,[1859] (Noctuidae) Synonym(s): *laetalis* Walker,[1859]; *hyperalis* Mabilille,1880; *ectoglaucha* Hampson,1902.
- 47145) *Hypena* (Tetrastictypena) *tetrasticta* Hampson,1910 (Noctuidae) Synonym(s): *tetrasticta* Hampson,1910
- 47146) *Hypena* (Tetrastictypena) *tetrasticta tetrasticta* Hampson,1910 (Noctuidae) Synonym(s): *tetrasticta* Hampson,1910
- 47147) *Hypena* (Trichypena) *fuscalis* Saalmüller,1891 (Noctuidae) Synonym(s): *fuscalis* Saalmüller,1891
- 47148) *Hypena* (Trichypena) *fuscalis fuscalis* Saalmüller,1891 (Noctuidae) Synonym(s): *fuscalis* Saalmüller,1891
- 47149) *Hypena* (Trichypena) *melanistis* Hampson,1902 (Noctuidae) Synonym(s): *melanistis* Hampson,1902
- 47150) *Hypena* (Trichypena) *melanistis melanistis* Hampson,1902 (Noctuidae) Synonym(s): *melanistis* Hampson,1902
- 47151) *Hypena* (s.str.) *cherylae* Lödl,1995 (Noctuidae) Synonym(s): *cherylae* Lödl,1995
- 47152) *Hypena* (s.str.) *cinctipetalis* Zeller,1852 (Noctuidae) Synonym(s): *cinctipetalis* Zeller,1852
- 47153) *Hypena* (s.str.) *obacerralis* Walker,[1859] (Noctuidae) Synonym(s): *obacerralis* Walker,[1859]; *longipalpalis* Guenée,1852; *sordida* Rothschild,1921.
- 47154) *Hypena* (s.str.) *obacerralis obacerralis* Walker,[1859] (Noctuidae) Synonym(s): *obacerralis* Walker,[1859]; *longipalpalis* Guenée,1852; *sordida* Rothschild,1921.
- 47155) *Hypena* (s.str.) *obsitalis* (Hübner,[1813]) (Noctuidae) Synonym(s): *obsitalis* Hübner,[1813]
- 47156) *Hypena* (s.str.) *polycyma* Hampson,1902 (Noctuidae) Synonym(s): *polycyma* Hampson,1902
- 47157) *Hypena* (s.str.) *polycyma polycyma* Hampson,1902 (Noctuidae) Synonym(s): *polycyma* Hampson,1902
- 47158) *Hypena* (s.str.) *senialis* Guenée,1854 (Noctuidae) Synonym(s): *senialis* Guenée,1854; *potamistis* Hampson,1902.
- 47159) *Hypena* (s.str.) *senialis senialis* Guenée,1854 (Noctuidae) Synonym(s): *senialis* Guenée,1854; *potamistis* Hampson,1902.
- 47160) *Hypena* (s.str.) *strigata* (Fabricius,1798) (Noctuidae) Synonym(s): *strigatus* Fabricius,1798; *commixtalis* Zeller,1852; *fumidalis* Zeller,1852; *jussalis* Walker,[1859]; *rectivittalis* Moore,1867; *beatalis* R.Felder & Rogenhofer,[1874]; *minna* Butler,1879; *specularis* Swinhoe,1885; *vecordialis* Swinhoe,1885; *haplochrosta* Hulsart,1924
- 47161) *Hypena* (s.str.) *strigata strigata* (Fabricius,1798) (Noctuidae) Synonym(s): *strigatus* Fabricius,1798; *commixtalis* Zeller,1852; *fumidalis* Zeller,1852; *jussalis* Walker,[1859]; *rectivittalis* Moore,1867; *beatalis* R.Felder & Rogenhofer,[1874]; *minna* Butler,1879; *specularis* Swinhoe,1885; *vecordialis* Swinhoe,1885; *haplochrosta* Hulsart,1924
- 47162) *Hypena* (s.str.) *striolalis Aurivillius*,1910 (Noctuidae) Synonym(s): *striolalis Aurivillius*,1910; *reticulata* Bethune-Baker,1911.
- 47163) *Hypena* (s.str.) *striolalis striolalis Aurivillius*,1910 (Noctuidae) Synonym(s): *striolalis Aurivillius*,1910; *reticulata* Bethune-Baker,1911.
- 47164) *Hypena* (s.str.) *varialis* Walker,[1866] (Noctuidae) Synonym(s): *varialis* Walker,[1866]; *contortalis* Mabilille,1880.
- 47165) *Hypena* (s.str.) *varialis varialis* Walker,[1866] (Noctuidae) Synonym(s): *varialis* Walker,[1866]; *contortalis* Mabilille,1880.
- 47166) *Hypena* (s.str.) *vulgatalis* Walker,[1859] (Noctuidae) Synonym(s): *vulgatalis* Walker,[1859]; *palpitralis* Walker,[1859]; *dischusalis* Walker,[1866].
- 47167) *Hypena* (s.str.) *vulgatalis vulgatalis* Walker,[1859] (Noctuidae) Synonym(s): *vulgatalis* Walker,[1859]; *palpitralis* Walker,[1859]; *dischusalis* Walker,[1866].
- 47168) *Hypena amica* (Butler,1878) (Noctuidae) Synonym(s): *amica* Butler,1878
- 47169) *Hypena assimilis* Hampson,1891 (Noctuidae) Synonym(s): *assimilis* Hampson,1891
- 47170) *Hypena cidarioides* Moore,1882 (Noctuidae) Synonym(s): *cidarioides* Moore,1882
- 47171) *Hypena crassalis* (Fabricius,1787) (Noctuidae) Synonym(s): *crassalis* Fabricius,1787
- 47172) *Hypena gonospilalis* Walker,1865 (Noctuidae) Synonym(s): *gonospilalis* Walker,1865
- 47173) *Hypena iconicalis* Walker,[1859] (Noctuidae) Synonym(s): *iconicalis* Walker,[1859]; *subnotalis* Walker,[1866]; *sulalis* Walker,[1866]; *similata* Moore,1882; *herpa* Swinhoe,1901; *apicipuncta* Strand,1920; *belindana* Strand,1920; *chosokeiana* Strand,1922
- 47174) *Hypena inconspicua* Snellen,1880 (Noctuidae) Synonym(s): *inconspicua* Snellen,1880
- 47175) *Hypena indicatalis* Walker,[1859] (Noctuidae) Synonym(s): *indicatalis* Walker,[1859]; *indicatalis* Walker,[1859]; *semiculusalis* Walker,[1866]; *tortuosa* Moore,1882; *persimilis* Hampson,1891; *caliginosa* Wileman,1911
- 47176) *Hypena klapperichi* Wiltshire,1961 (Noctuidae) Synonym(s): *#klapperichi* Wiltshire,1961 (proposed conditionally!)
- 47177) *Hypena labatalis* Walker,[1859] (Noctuidae) Synonym(s): *labatalis* Walker,[1859]
- 47178) *Hypena lignalis* Walker,1866 (Noctuidae) Synonym(s): *lignalis* Walker,1866
- 47179) *Hypena longipennis* Walker,1865 (Noctuidae) Synonym(s): *longipennis* Walker,1865
- 47180) *Hypena masurialis* (Guenée,1854) (Noctuidae) Synonym(s): *masurialis* Guenée,1854
- 47181) *Hypena munitalis* Mann,1861 (Noctuidae) Synonym(s): *munitalis* Mann,1861.
- 47182) *Hypena obesalis* Treitschke,1829 (Noctuidae) Synonym(s): *obesalis* Treitschke,1829
- 47183) *Hypena obfuscalis* Hampson,1893 (Noctuidae) Synonym(s): *obfuscalis* Hampson,1893
- 47184) *Hypena opulenta* (Christoph,1877) (Noctuidae) Synonym(s): *opulenta* Christoph,1877
- 47185) *Hypena palpalis* (Hübner,1796) (Noctuidae) Synonym(s): *palpalis* Hübner,1796; *extensalis* Guenée,1854; *armenialis* Staudinger,1901.
- 47186) *Hypena perspicua* Leech,1900 (Noctuidae) Synonym(s): *perspicua* Leech,1900
- 47187) *Hypena phecomalis* Swinhoe,1905 (Noctuidae) Synonym(s): *phecomalis* Swinhoe,1905
- 47188) *Hypena proboscidalis* (Linnaeus,1758) (Noctuidae) Synonym(s): *proboscidalis* Linnaeus,1758
- 47189) *Hypena quadralis* (Walker,[1859]) (Noctuidae) Synonym(s): *quadralis* Walker,[1859]; *mollis* Swinhoe,1891
- 47190) *Hypena robustalis* Snellen,1880 (Noctuidae) Synonym(s): *robustalis* Snellen,1880; *allochroalis* Tams,1924

- 47191) *Hypena rostralis* (Linnaeus,1758) (Noctuidae) Synonym(s): *rostralis* Linnaeus,1758.
 47192) *Hypena sagitta* (Fabricius,1775) (Noctuidae) Synonym(s): *sagitta* Fabricius,1775; *orosia* Cramer,1780
 47193) *Hypena sinuosa* Wileman,1911 (Noctuidae) Synonym(s): *sinuosa* Wileman,1911
 47194) *Hypena* sp.1 (Noctuidae) Synonym(s):
 47195) *Hypena* sp.2 (Noctuidae) Synonym(s):
 47196) *Hypena* sp.3 (Noctuidae) Synonym(s):
 47197) *Hypena* sp.4 (Noctuidae) Synonym(s):
 47198) *Hypena* sp.5 (Noctuidae) Synonym(s):
 47199) *Hypena strigifascia* Moore,1882 (Noctuidae) Synonym(s): *strigifascia* Moore,1882
 47200) *Hypena trigonalis* (Guenée,1854) (Noctuidae) Synonym(s): *trigonalis* Guenée,1854; *sextalis* Walker,[1859]
 47201) *Hypena umbripennis* Moore,1882 (Noctuidae) Synonym(s): *umbripennis* Moore,1882
 47202) *Hypenodes anatolica* Schwingenschuss,1938 (Noctuidae) Synonym(s): *anatolica* Schwingenschuss,1938; *nigritalis* Ronkay,1984.
 47203) *Hypenodes humidalis* Doubleday,1850 (Noctuidae) Synonym(s): *humidalis* Doubleday,1850
 47204) *Hypenodes kalchbergi* Staudinger,1876 (Noctuidae) Synonym(s): *kalchbergi* Staudinger,1876
 47205) *Hypenodes nigritalis* Ronkay,1984 (Noctuidae) Synonym(s): *nigritalis* Ronkay,1984
 47206) *Hypenodes orientalis* Staudinger,1901 (Noctuidae) Synonym(s): *orientalis* Staudinger,1901; *nesiota* Rebel,1916.
 47207) *Hypenodes orientis* Brandt,1938 (Noctuidae) Synonym(s): *orientis* Brandt,1938
 47208) *Hypenodes taona* Tams,1935 (Noctuidae) Synonym(s): *taona* Tams,1935
 47209) *Hypercodia wheeleri* Pinhey,1968 (Noctuidae) Synonym(s): *wheeleri* Pinhey,1968
 47210) *Hyperlopha cristifera* (Walker,1865) (Noctuidae) Synonym(s): *cristifera* Walker,1865; *epops* R.Felder & Rogenhofer,1874; *irrorata* Hampson,1893
 47211) *Hyperlopha* sp. aff. *flavipennis* Holloway,1976 (Noctuidae) Synonym(s): *flavipennis* Holloway,1976
 47212) *Hypersynpoides congoensis* Berio,1954 (Noctuidae) Synonym(s): *congoensis* Berio,1954
 47213) *Hypersynpoides ochreicilia* (Hampson,1891) (Noctuidae) Synonym(s): *ochreicilia* Hampson,1891
 47214) *Hypersynpoides punctosa* (Walker,1865) (Noctuidae) Synonym(s): *punctosa* Walker,1865; *albistigma* Leech,1900; *ochreimarginalis* Strand,1919
 47215) *Hypersynpoides submarginata* (Walker,1865) (Noctuidae) Synonym(s): *submarginata* Walker,1865
 47216) *Hypersynpoides umbrosa* (Butler,1881) (Noctuidae) Synonym(s): *umbrosa* Butler,1881
 47217) *Hypeuthina fulgurita* Lederer,1855 (Noctuidae) Synonym(s): *fulgurita* Lederer,1855
 47218) *Hypeuthina numida* Oberthür,1890 (Noctuidae) Synonym(s): *numida* Oberthür,1890
 47219) *Hypobarathra icterias* (Eversmann,1843) (Noctuidae) Synonym(s): *icterias* Eversmann,1843
 47220) *Hypobarathra repetita* (Butler,1889) (Noctuidae) Synonym(s): *repetita* Butler,1889
 47221) *Hypocala andamana* Wileman,1924 (Noctuidae) Synonym(s): *lativitta* Moore,1877 nec Wlk.,1865; *andamana* Wileman,1924
 47222) *Hypocala biarcuata* Walker,1858 (Noctuidae) Synonym(s): *biarcuata* Walker,1858
 47223) *Hypocala deflorata* (Fabricius,1794) (Noctuidae) Synonym(s): *deflorata* Fabricius,1794; *australasiae* Butler,1892; *moorei* Butler,1892.
 47224) *Hypocala guttiventris* Walker,1858 (Noctuidae) Synonym(s): *guttiventris* Walker,1858; *lativitta* Walker,1865; *triphaenina* R.Felder & Rogenhofer,1874
 47225) *Hypocala rostrata* (Fabricius,1794) (Noctuidae) Synonym(s): *rostrata* Fabricius,1794; *angulipalpis* Guenée,1852; *efflorescens* Guenée,1852; *plumicornis* Guenée,1852; *genuina* Wallengren,1856; *bohemani* Wallengren,1856.
 47226) *Hypocala subsatura* Guenée,1852 (Noctuidae) Synonym(s): *subsatura* Guenée,1852; *aspera* Butler,1883; *limbata* Butler,1889; *tungusa* Graeser,1890
 47227) *Hypocala violacea* Butler,1879 (Noctuidae) Synonym(s): *violacea* Butler,1879; *clarissima* Butler,1892; *kebaea* Bethune-Baker,1906
 47228) *Hypocalamia meterythra* (Hampson,1894) (Noctuidae) Synonym(s): *meterythra* Hampson,1894
 47229) *Hypopaea fractalis* (Guenée,1854) (Noctuidae) Synonym(s): *fractalis* Guenée,1854
 47230) *Hypoperigea lunulata* Holloway,1979 (Noctuidae) Synonym(s): *lunulata* Holloway,1979
 47231) *Hypoplexia algoa* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *algoa* R.Felder & Rogenhofer,1874
 47232) *Hypoplexia conjuncta* Hampson,1908 (Noctuidae) Synonym(s): *conjuncta* Hampson,1908
 47233) *Hypoplexia externa* (Walker,1857) (Noctuidae) Synonym(s): *externa* Walker,1857
 47234) *Hypoplexia melanica* Hampson,1911 (Noctuidae) Synonym(s): *melanica* Hampson,1911
 47235) *Hypoplexia varicolor* (Warren,1914) (Noctuidae) Synonym(s): *varicolor* Warren,1914
 47236) *Hypopyra africana* (Kirby,1896) (Noctuidae) Synonym(s): *africana* Kirby,1896
 47237) *Hypopyra allardi* (Oberthür,1878) (Noctuidae) Synonym(s): *allardi* Oberthür,1878
 47238) *Hypopyra capensis* Herrich-Schäffer,[1854] (Noctuidae) Synonym(s): *capensis* Herrich-Schäffer,[1854]; *endoxantha* Hampson,1913; *occidentalis* Hampson,1913; *plumbeifusa* Hampson,1913; *pulverulenta* Hampson,1913; *hampsoni* Aurivillius,1926.
 47239) *Hypopyra carneotincta* (Hampson,1913) (Noctuidae) Synonym(s): *carneotincta* Hampson,1913
 47240) *Hypopyra fenisea* Guenée,1852 (Noctuidae) Synonym(s): *fenisea* Guenée,1852
 47241) *Hypopyra guttata* Wallengren,1856 (Noctuidae) Synonym(s): *guttata* Wallengren,1856
 47242) *Hypopyra ossigera* Guenée,1852 (Noctuidae) Synonym(s): *ossigera* Guenée,1852
 47243) *Hypopyra pudens* (Walker,1858) (Noctuidae) Synonym(s): *pudens* Walker,1858; *grandaeva* R.Felder & Rogenhofer,1874; *persimilis* Moore,1877
 47244) *Hypopyra vespertilio* (Fabricius,1787) (Noctuidae) Synonym(s): *vespertilio* Fabricius,1787; *shiva* Guenée,1852; *extricans* Walker,1858; *hypopyroides* Walker,1858; *hypopyroides* Walker,1869 nec Wlk.,1858; *signata* Walker,1869; *dulcina* R.Felder & Rogenhofer,1874; *pandia* R.Felder & Rogenhofer,1874; *distans* Moore,1882; *pallida* Moore,1883
 47245) *Hyposada hydrocampata* (Guenée,1858) (Noctuidae) Synonym(s): *hydrocampata* Guenée,1858; *posticaria* Walker,1866; *fraterculata* Moore,1888; *pallescens* Hampson,1894; *partita* Lucas,1900; *hydrocampata* Vari & Kroon,1986
 47246) *Hyposemansis albipuncta* (Wileman,1914) (Noctuidae) Synonym(s): *albipuncta* Wileman,1914
 47247) *Hyposemansis singha* (Guenée,1852) (Noctuidae) Synonym(s): *singha* Guenée,1852; *amynoides* Moore,1882; *subornata* Wileman,1914
 47248) *Hypospila bolinoides* Guenée,1852 (Noctuidae) Synonym(s): *bolinoides* Guenée,1852; *signipalpis* Walker,1858; *thermesiana* Guenée,1862; *conscia* Walker,1865; *orientalis* Leech,1900; *andamana* Swinhoe,1919; *dochmotoma* Turner,1939
 47249) *Hypospila similis* Tams,1935 (Noctuidae) Synonym(s): *similis* Tams,1935
 47250) *Hypotacha fiorii* (Noctuidae) Synonym(s):
 47251) *Hypotacha indesica* (Noctuidae) Synonym(s):
 47252) *Hypotacha isthmigera* Wiltshire,1968 (Noctuidae) Synonym(s): *isthmigera* Wiltshire,1968
 47253) *Hypotacha nigristris* (Hampson,1902) (Noctuidae) Synonym(s): *nigristris* Hampson,1902
 47254) *Hypotacha ochribasalis* (Noctuidae) Synonym(s):
 47255) *Hypotacha raffaldii* (Noctuidae) Synonym(s):
 47256) *Hypotacha retracta* (Hampson,1902) (Noctuidae) Synonym(s): *retracta* Hampson,1902
 47257) *Hypotype nigridentata* (Hampson,1902) (Noctuidae) Synonym(s): *nigridentata* Hampson,1902
 47258) *Hypotype scotomista* (Hampson,1902) (Noctuidae) Synonym(s): *scotomista* Hampson,1902
 47259) *Hyppa rectilinea* (Esper,[1788]) (Noctuidae) Synonym(s): *rectilinea* Esper,[1788]
 47260) *Hypsophila jugorum* (Erschoff,1874) (Noctuidae) Synonym(s): *jugorum* Erschoff,1874; *pamira* Staudinger,1888; *postlimbalis* Strand,1915; *medialis* Strand,1915
 47261) *Hypsophila jugorum haberhaueri* (Staudinger,1882) (Noctuidae) Synonym(s): *haberhaueri* Staudinger,1882
 47262) *Hypsophila jugorum jugorum* (Erschoff,1874) (Noctuidae) Synonym(s): *jugorum* Erschoff,1874; *pamira* Staudinger,1888; *postlimbalis* Strand,1915; *medialis* Strand,1915
 47263) *Hypsophila klapperichi* Boursin,1957 (Noctuidae) Synonym(s): *klapperichi* Boursin,1957
 47264) *Hypsophila tamerlana* Staudinger,1901 (Noctuidae) Synonym(s): *tamerlana* Staudinger,1901
 47265) *Hyssia cavernosa* (Eversmann,1852) (Noctuidae) Synonym(s): *cavernosa* Eversmann,1852
 47266) *Hyssia cavernosa cavernosa* (Eversmann,1842) (Noctuidae) Synonym(s): *cavernosa* Eversmann,1852
 47267) *Hyssia cavernosa gozmanyi* Kovacs,1968 (Noctuidae) Synonym(s): *gozmanyi* Kovacs,1968
 47268) *Hyssia pallidicosta* Hampson,1918 (Noctuidae) Synonym(s): *pallidicosta* Hampson,1918
 47269) *Iambia brunnea* Warren,1914 (Noctuidae) Synonym(s): *brunnea* Warren,1914
 47270) *Iambia inferalis* Walker,1863 (Noctuidae) Synonym(s): *inferalis* Walker,1863; *velutina* Felder,1874
 47271) *Iambia jansei* Berio,1966 (Noctuidae) Synonym(s): *jansei* Berio,1966
 47272) *Iambia melanochlora* (Hampson,1902) (Noctuidae) Synonym(s): *melanochlora* Hampson,1902; *albicula* Janse,1937

- 47273) *Iambia postpallida* Wiltshire,1977 (Noctuidae) Synonym(s): *postpallida* Wiltshire,1977
 47274) *Iambiodes nyctostola* Hampson,1918 (Noctuidae) Synonym(s): *nyctostola* Hampson,1918
 47275) *Idia auge* (Hampson,1902) (Noctuidae) Synonym(s): *auge* Hampson,1902
 47276) *Idia calvaria* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *calvaria* [Denis & Schiffermüller],1775
 47277) *Idia calvaria calvaria* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *calvaria* [Denis & Schiffermüller],1775
 47278) *Idia calvaria meridionalis* (Osthelder,1940) (Noctuidae) Synonym(s): *meridionalis* Osthelder,1940
 47279) *Idia fulvipicta* (Butler,1889) (Noctuidae) Synonym(s): *fulvipicta* Butler,1889; *modesta* Swinhoe,1890
 47280) *Idia fumosa* (Hampson,1896) (Noctuidae) Synonym(s): *fumosa* Hampson,1896
 47281) *Idia gigantalis* (Hampson,1902) (Noctuidae) Synonym(s): *gigantalis* Hampson,1902
 47282) *Idia lubricalis* (Geyer,1832) (Noctuidae) Synonym(s): *lubricalis* Geyer,1832
 47283) *Idia pulvereana* (Hampson,1902) (Noctuidae) Synonym(s): *pulvereana* Hampson,1902
 47284) *Immetalia bernsteini* (Voll.,1863) (Noctuidae) Synonym(s): *bernsteini* Voll.,1863; *josioides* Walker,1864; *xanthomelas* Boisduval,1874; *angustioplaga* Rothschild,1896
 47285) *Immetalia celebensis* Rothschild,1896 (Noctuidae) Synonym(s): *celebensis* Rothschild,1896; *heydeni* Pagenstecher,1896
 47286) *Immetalia cyanea* Rothschild,1896 (Noctuidae) Synonym(s): *cyanea* Rothschild,1896
 47287) *Immetalia diversa* Rothschild,1896 (Noctuidae) Synonym(s): *diversa* Rothschild,1896
 47288) *Immetalia eichhorni* Rothschild,1901 (Noctuidae) Synonym(s): *eichhorni* Rothschild,1901
 47289) *Immetalia longipalpis* (Kirsch,1877) (Noctuidae) Synonym(s): *longipalpis* Kirsch,1877; *tyrianthina* Butler,1879; *bruijni* Oberthür,1880; *doreyana* Swinhoe,1892; *cynapes* Druce,1895; *prochyta* Druce,1895
 47290) *Immetalia meeki* Rothschild,1896 (Noctuidae) Synonym(s): *meeki* Rothschild,1896; *huonis* Rothschild,1897; *keiana* Rothschild,1903
 47291) *Immetalia saturata* (Walker,1864) (Noctuidae) Synonym(s): *saturata* Walker,1864; *doleschalli* R.Felder & Rogenhofer,1874
 47292) *Interdelta intermedia* (Janse,1937) (Noctuidae) Synonym(s): *intermedia* Janse,1937
 47293) *Interdelta jansae* Hacker & Fibiger,2001 (Noctuidae) Synonym(s): *jansae* Hacker & Fibiger,2001
 47294) *Interdelta mediafricana* Berio,1964 (Noctuidae) Synonym(s): *mediafricana* Berio,1964
 47295) *Iontha umbrina* Doubleday,1842 (Noctuidae) Synonym(s): *umbrina* Doubleday,1842
 47296) *Ipimorpha contusa* (Freyer,1849) (Noctuidae) Synonym(s): *contusa* Freyer,1849
 47297) *Ipimorpha retusa* (Linnaeus,1761) (Noctuidae) Synonym(s): *retusa* Linnaeus,1761; *chreysoglossa* Beckwith,1794; *gracilis* Haworth,1809.
 47298) *Ipimorpha subtusa* (Fabricius,1787) (Noctuidae) Synonym(s): *#subtusa* [Denis & Schiffermüller],1775; *subtusa* Fabricius,1787.
 47299) *Iranada ornata* (Brandt,1938) (Noctuidae) Synonym(s): *ornata* Brandt,1938
 47300) *Iranada secunda* (Erschoff,1874) (Noctuidae) Synonym(s): *secunda* Erschoff,1874
 47301) *Iranada tarachoides* (Bytinski-Salz & Brandt,1937) (Noctuidae) Synonym(s): *tarachoides* Bytinski-Salz & Brandt,1937
 47302) *Iranada turcorum* (Zerny,1915) (Noctuidae) Synonym(s): *turcorum* Zerny,1915
 47303) *Iranada turcorum atrior* Wiltshire,1977 (Noctuidae) Synonym(s): *atrior* Wiltshire,1977
 47304) *Iranada turcorum turcorum* (Zerny,1915) (Noctuidae) Synonym(s): *turcorum* Zerny,1915
 47305) *Iranada venusta* (Brandt,1939) (Noctuidae) Synonym(s): *venusta* Brandt,1939
 47306) *Iranada versicolor* (Brandt,1939) (Noctuidae) Synonym(s): *versicolor* Brandt,1939
 47307) *Isadelphina vinacea* (Hampson,1902) (Noctuidae) Synonym(s): *vinacea* Hampson,1902
 47308) *Ischyja ferrifracta* (Walker,[1863]) (Noctuidae) Synonym(s): *ferrifracta* Walker,[1863]; *schlegeli* Snellen,1884; *glaucopteron* Hampson,1891
 47309) *Ischyja hagenii* (Snellen,1885) (Noctuidae) Synonym(s): *hagenii* Snellen,1885
 47310) *Ischyja hemiphaea* (Hampson,1926) (Noctuidae) Synonym(s): *hemiphaea* Hampson,1926
 47311) *Ischyja inferna* Swinhoe,1902 (Noctuidae) Synonym(s): *inferna* Swinhoe,1902; *achysis* Prout,1928
 47312) *Ischyja manlia* (Cramer,1776) (Noctuidae) Synonym(s): *manlia* Cramer,1776; *squalida* Fabricius,1787; *amboinensis* C.Felder,1862
 47313) *Ischyja* sp.n. Holloway,2005 (Noctuidae) Synonym(s):
 47314) *Isochlora affinis* (Draudt,1935) (Noctuidae) Synonym(s): *affinis* Draudt,1935
 47315) *Isochlora arctomys* (Alpheraky,1892) (Noctuidae) Synonym(s): *arctomys* Alpheraky,1892; *idia* Staudinger,[1900]
 47316) *Isochlora atra* Hreblay & Gyulai,1998 (Noctuidae) Synonym(s): *atra* Hreblay & Gyulai,1998
 47317) *Isochlora chloroptera* (Hampson,1894) (Noctuidae) Synonym(s): *chloroptera* Hampson,1894
 47318) *Isochlora dagestana* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *dagestana* Hreblay & L.Ronkay,1998
 47319) *Isochlora grumi* Alpheraky,1892 (Noctuidae) Synonym(s): *grumi* Alpheraky,1892
 47320) *Isochlora herbacea* Alpheraky,1895 (Noctuidae) Synonym(s): *herbacea* Alpheraky,1895
 47321) *Isochlora intricans* (Alpheraky,1882) (Noctuidae) Synonym(s): *intricans* Alpheraky,1882
 47322) *Isochlora leuconura* Püngeler,1904 (Noctuidae) Synonym(s): *leuconura* Püngeler,1904
 47323) *Isochlora metaphaea* Hampson,1906 (Noctuidae) Synonym(s): *metaphaea* Hampson,1906
 47324) *Isochlora minima* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *minima* Hreblay & L.Ronkay,1998
 47325) *Isochlora rubicosta* Chen,1982 (Noctuidae) Synonym(s): *rubicosta* Chen,1982
 47326) *Isochlora straminea* (Leech,1900) (Noctuidae) Synonym(s): *straminea* Leech,1900
 47327) *Isochlora vecors* Püngeler,1904 (Noctuidae) Synonym(s): *vecors* Püngeler,1904
 47328) *Isochlora viridis* Staudinger,1882 (Noctuidae) Synonym(s): *viridis* Staudinger,1882; *albivitta* Alpheraky,1892; *fuscovirens* Hampson,1894; *longivitta* Püngeler,1901; *yarkenda* A.Bang-Haas,1912.
 47329) *Isochlora viridissima* Staudinger,1882 (Noctuidae) Synonym(s): *viridissima* Staudinger,1882; *maxima* Staudinger,1888; *maculata* A.Bang-Haas,1910.
 47330) *Isochlora viridissima* Staudinger,1882 (Noctuidae) Synonym(s): *viridissima* Staudinger,1882
 47331) *Isochlora xanthiana* Staudinger,1895 (Noctuidae) Synonym(s): *xanthiana* Staudinger,1895
 47332) *Isolasia biramata* W.Warren,1912 (Noctuidae) Synonym(s): *biramata* W.Warren,1912
 47333) *Isolasia caovansungi* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *caovansungi* Hreblay, Peregovits & L.Ronkay,1999
 47334) *Isolasia chlorata* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *chlorata* Hreblay & L.Ronkay,1999
 47335) *Isolasia dilutissima* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *dilutissima* Hreblay, Peregovits & L.Ronkay,1999
 47336) *Isolasia jacktordoffi* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *jacktordoffi* Hreblay, Peregovits & L.Ronkay,1999
 47337) *Isolasia olivascens* (Moore,1882) (Noctuidae) Synonym(s): *olivascens* Moore,1882
 47338) *Isolasia viriditincta* (Hreblay & L.Ronkay,1998) (Noctuidae) Synonym(s): *viriditincta* Hreblay & L.Ronkay,1998
 47339) *Isolasia warreni* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *warreni* Hreblay & L.Ronkay,1999
 47340) *Itmaharela basalis* (Moore,1882) (Noctuidae) Synonym(s): *basalis* Moore,1882
 47341) *Janseodes melanospila* (Guenée,1852) (Noctuidae) Synonym(s): *melanospila* Guenée,1852; *huegeli* R.Felder & Rogenhofer,1874; *pallascens* Saalmüller,1880; *aenigmatica* Swinhoe,1885; *rusa* Swinhoe,1885; *melanosticta* Hampson,1891
 47342) *Janthinea divalis* Staudinger,1892 (Noctuidae) Synonym(s): *divalis* Staudinger,1892
 47343) *Janthinea friwaldskii* (Duponchel,1835) (Noctuidae) Synonym(s): *friwaldskii* Duponchel,1835; *viola* Freyer,1836; *#violacea* Staudinger,1879; *friwaldskii* Hampson,1910.
 47344) *Janthinea friwaldskii asiatica* Sheljuzhko,1955 (Noctuidae) Synonym(s): *asiatica* Sheljuzhko,1955
 47345) *Janthinea friwaldskii friwaldskii* (Duponchel,1835) (Noctuidae) Synonym(s): *friwaldskii* Duponchel,1835; *viola* Freyer,1836; *#violacea* Staudinger,1879; *friwaldskii* Hampson,1910.
 47346) *Jaxartia elinguis* Püngeler,1914 (Noctuidae) Synonym(s): *elinguis* Püngeler,1914
 47347) *Jodia croceago* (Fabricius,1787) (Noctuidae) Synonym(s): *#croceago* [Denis & Schiffermüller],1775; *croceago* Fabricius,1787; *aurantiagio* Donovan,1796; *corsica* Mabille,1868
 47348) *Jodia sericea* (Butler,1878) (Noctuidae) Synonym(s): *sericea* Butler,1878
 47349) *Karana decorata* Moore,1882 (Noctuidae) Synonym(s): *decorata* Moore,1882
 47350) *Karana gemmifera* (Walker,[1858]) (Noctuidae) Synonym(s): *gemmifera* Walker,[1858]; *similis* Moore,1888
 47351) *Karana hoenei* (O.Bang-Haas,1927) (Noctuidae) Synonym(s): *hoenei* O.Bang-Haas,1927
 47352) *Karana laetevirens* (Oberthür,1884) (Noctuidae) Synonym(s): *laetevirens* Oberthür,1884
 47353) *Karana metallica* Boursin,1970 (Noctuidae) Synonym(s): *metallica* Boursin,1970
 47354) *Karana moneta* (W.Warren,1912) (Noctuidae) Synonym(s): *moneta* W.Warren,1912
 47355) *Karana novaeguineae* (Bethune-Baker,1906) (Noctuidae) Synonym(s): *novaeguineae* Bethune-Baker,1906

- 47356) *Karana submarginata* (Warren,1912) (Noctuidae) Synonym(s): *submarginata* Warren,1912
 47357) *Karana tenuilinea* (Warren,1912) (Noctuidae) Synonym(s): *tenuilinea* Warren,1912
 47358) *Karmanica bandarabbasa* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *bandarabbasa* Hacker & Ebert,2002
 47359) *Karmanica chosroes* (Brandt,1938) (Noctuidae) Synonym(s): *chosroes* Brandt,1938
 47360) *Karmanica cyros* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *cyros* Hacker & Ebert,2002
 47361) *Karmanica magnifica* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *magnifica* Hacker & Ebert,2002
 47362) *Kisegira ebria* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *ebria* Hreblay & L.Ronkay,1999
 47363) *Kisegira euphemia* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *euphemia* Hreblay & L.Ronkay,1999
 47364) *Kisegira merkli* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *merkli* Hreblay & L.Ronkay,1999
 47365) *Kisegira nani* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *nani* Hreblay & L.Ronkay,1999
 47366) *Kisegira pallida* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *pallida* Hreblay & L.Ronkay,1999
 47367) *Kisegira penicillata* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *penicillata* Hreblay & L.Ronkay,1999
 47368) *Kisegira regina* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *regina* Hreblay & L.Ronkay,1999
 47369) *Klugeana philoxalis* Geertsema,1990 (Noctuidae) Synonym(s): *philoxalis* Geertsema,1990
 47370) *Klugeana swartlandensis* Geertsema,1990 (Noctuidae) Synonym(s): *swartlandensis* Geertsema,1990
 47371) *Kobestelia rosea* Holloway,1985 (Noctuidae) Synonym(s): *rosea* Holloway,1985
 47372) *Kocakina fidelis* (Grote,1874) (Noctuidae) Synonym(s): *fidelis* Grote,1874; *intractata* Morrison,1875
 47373) *Labanda bryochlora* Hampson,1902 (Noctuidae) Synonym(s): *bryochlora* Hampson,1902
 47374) *Labanda carinata* Holloway,2003 (Noctuidae) Synonym(s): *carinata* Holloway,2003
 47375) *Labanda ceylusalis* Walker,1859 (Noctuidae) Synonym(s): *ceylusalis* Walker,1859
 47376) *Labanda concinna* Holloway,2003 (Noctuidae) Synonym(s): *concinna* Holloway,2003
 47377) *Labanda contrastriatula* Holloway,2003 (Noctuidae) Synonym(s): *contrastriatula* Holloway,2003
 47378) *Labanda dentilinea* (Walker,1863) (Noctuidae) Synonym(s): *dentilinea* Walker,1863; *?attenuatalis* Walker,1864
 47379) *Labanda herbealis* Walker,1859 (Noctuidae) Synonym(s): *herbealis* Walker,1859
 47380) *Labanda palliviridis* Holloway,2003 (Noctuidae) Synonym(s): *palliviridis* Holloway,2003
 47381) *Labanda quadrails* Holloway,2003 (Noctuidae) Synonym(s): *quadrails* Holloway,2003
 47382) *Labanda saturalis* Walker,[1866] (Noctuidae) Synonym(s): *saturalis* Walker,[1866]; *viridialis* Moore,1867
 47383) *Labanda striatula* Holloway,2003 (Noctuidae) Synonym(s): *striatula* Holloway,2003
 47384) *Labanda umbrosa* Hampson,1912 (Noctuidae) Synonym(s): *umbrosa* Hampson,1912
 47385) *Labanda umonea* Holloway,2003 (Noctuidae) Synonym(s): *umonea* Holloway,2003
 47386) *Labanda viridumbrosa* Holloway,2003 (Noctuidae) Synonym(s): *viridumbrosa* Holloway,2003
 47387) *Lacanobia (Dianobia) altyndaghi* Gyulai & Ronkay,1999 (Noctuidae) Synonym(s): *altyndaghi* Gyulai & Ronkay,1999
 47388) *Lacanobia (Dianobia) dissimilis* (Knoch,1781) (Noctuidae) Synonym(s): *#suasa* [Denis & Schiffermüller],1775; *dissimilis* Knoch,1781; *leucographa* Esper,[1790]; *deniscanis* Haworth,1809; *permixta* Geyer,[1833]; *pavida* Boisduval,1840; *confluens* Eversmann,1844; *laeta* Reuter,1893.
 47389) *Lacanobia (Dianobia) histrio* (Goeze,1781) (Noctuidae) Synonym(s): *#contigua* [Denis & Schiffermüller],1775; *histrio* Goeze,1781; *ariae* Esper,[1786]; *spartii* Brahm,1791; *dives*, *pulchellina* Haworth,1809; *subcontigua* Eversmann,1852, etc.
 47390) *Lacanobia (Dianobia) mongolica* Behounek,1992 (Noctuidae) Synonym(s): *mongolica* Behounek,1992
 47391) *Lacanobia (Dianobia) obvia* (Eversmann,1856) (Noctuidae) Synonym(s): *obvia* Eversmann,1856
 47392) *Lacanobia (Dianobia) thalassina* (Hufnagel,1766) (Noctuidae) Synonym(s): *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813].
 47393) *Lacanobia (Diataraxia) aliena* (Hübner,[1809]) (Noctuidae) Synonym(s): *aliena* Hübner,[1809]
 47394) *Lacanobia (Diataraxia) blenna* (Hübner,[1824]) (Noctuidae) Synonym(s): *blenna* Hübner,[1824]; *peregrina* Treitschke,1825; *trimenda* Geyer,[1832]; *guenei* Bruand,1850.
 47395) *Lacanobia (Diataraxia) mista* (Staudinger,1889) (Noctuidae) Synonym(s): *mista* Staudinger,1889
 47396) *Lacanobia (Diataraxia) oleracea* (Linnaeus,1758) (Noctuidae) Synonym(s): *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essonii* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937
 47397) *Lacanobia (Diataraxia) praedita* (Hübner,[1813]) (Noctuidae) Synonym(s): *praedita* Hübner,[1813]
 47398) *Lacanobia (Diataraxia) softa* (Staudinger,1898) (Noctuidae) Synonym(s): *softa* Staudinger,1898; *luteocinnamomea* Rothschild,1920.
 47399) *Lacanobia (Diataraxia) splendens* (Hübner,[1808]) (Noctuidae) Synonym(s): *splendens* Hübner,[1808]
 47400) *Lacanobia (s.str.) w-latinum* (Hufnagel,1766) (Noctuidae) Synonym(s): *w-latinum* Hufnagel,1766; *genistae* Borkhausen,1792; *dives* Donovan,1801; *umbrosa* Bytinski-Salz & Brandt,1937; *diniensis* Heinrich,1938; *caerulescens* Schwingenschuss,1962.
 47401) *Lacera alope* (Stoll,[1780]) (Noctuidae) Synonym(s): *alope* Stoll,[1780]
 47402) *Lacera noctilio* (Fabricius,1794) (Noctuidae) Synonym(s): *noctilio* Fabricius,1794; *capella* Guenée,1852
 47403) *Lacera procellosa* Butler,1879 (Noctuidae) Synonym(s): *procellosa* Butler,1879
 47404) *Lagoptera miniacea* R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): *miniacea* R.Felder & Rogenhofer,1874
 47405) *Lamprosticta culta* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#culta* [Denis & Schiffermüller],1775
 47406) *Lamprosticta culta albescens* Hacker,1990 (Noctuidae) Synonym(s): *albescens* Hacker,1990
 47407) *Lamprosticta culta coerulea* G.Ronkay & L.Ronkay,1995 (Noctuidae) Synonym(s): *coerulea* G.Ronkay & L.Ronkay,1995
 47408) *Lamprosticta culta culta* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#culta* [Denis & Schiffermüller],1775
 47409) *Lamprosticta culta plumbitincta* G.Ronkay & L.Ronkay,1995 (Noctuidae) Synonym(s): *plumbitincta* G.Ronkay & L.Ronkay,1995
 47410) *Lamprotes c-aureum* (Knoch,1781) (Noctuidae) Synonym(s): *c-aureum* Knoch,1781; *concha* Fabricius,1787
 47411) *Lamprotes c-aureum c-aureum* (Knoch,1781) (Noctuidae) Synonym(s): *c-aureum* Knoch,1781; *concha* Fabricius,1787
 47412) *Lamprothrips scotia* (Hampson,1902) (Noctuidae) Synonym(s): *scotia* Hampson,1902
 47413) *Lanatopyga ronkaygabori* Gyulai & L.Ronkay,2002 (Noctuidae) Synonym(s): *ronkaygabori* Gyulai & L.Ronkay,2002
 47414) *Lasiestra meraca* Püngeler,1906 (Noctuidae) Synonym(s): *meraca* Püngeler,1906
 47415) *Lasiolopha saturata* (Walker,1865) (Noctuidae) Synonym(s): *saturata* Walker,1865; *olivacea* Hampson,1893
 47416) *Lasionycta calberlai* (Staudinger,1883) (Noctuidae) Synonym(s): *calberlai* Staudinger,1883
 47417) *Lasionycta draudti* (Wagner,1936) (Noctuidae) Synonym(s): *draudti* Wagner,1936
 47418) *Lasionycta hamponi* Varga,1974 (Noctuidae) Synonym(s): *hamponi* Varga,1974
 47419) *Lasionycta leucocycla* (Staudinger,1857) (Noctuidae) Synonym(s): *leucocycla* Staudinger,1857
 47420) *Lasionycta melanographa* Varga,1973 (Noctuidae) Synonym(s): *melanographa* Varga,1973
 47421) *Lasionycta orientalis* (Alpheraky,1882) (Noctuidae) Synonym(s): *orientalis* Alpheraky,1882; *uniformis* Staudinger,1896.
 47422) *Lasionycta orientalis melanographa* Varga,1973 (Noctuidae) Synonym(s): *melanographa* Varga,1973
 47423) *Lasionycta orientalis orientalis* (Alpheraky,1882) (Noctuidae) Synonym(s): *orientalis* Alpheraky,1882; *uniformis* Staudinger,1896.
 47424) *Lasionycta proxima* (Hübner,[1809]) (Noctuidae) Synonym(s): *proxima* Hübner,[1809]; *cana* Eversmann,1841; *ochrostigma* Eversmann,1842; *extensa* Eversmann,1844; *nevadensis* Reisser,1926; *noguera* De Laever,1976.
 47425) *Lasionycta skraelingia* (Herrich-Schäffer,1852) (Noctuidae) Synonym(s): *skraelingia* Herrich-Schäffer,1852
 47426) *Lasionycta staudingeri* (Aurivillius,1891) (Noctuidae) Synonym(s): *staudingeri* Aurivillius,1891
 47427) *Laspeyria flexula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *flexula* [Denis & Schiffermüller],1775
 47428) *Latipha berresoides* (Hampson,1893) (Noctuidae) Synonym(s): *berresoides* Hampson,1893
 47429) *Latipha plana* (Swinhoe,1890) (Noctuidae) Synonym(s): *plana* Swinhoe,1890; *illatioides* Hampson,1891
 47430) *Ledereragrotis multifida* (Lederer,1870) (Noctuidae) Synonym(s): *multifida* Lederer,1870; *sanctimoritzii* A.Bang-Haas,1906
 47431) *Ledereragrotis multifida multifida* (Lederer,1870) (Noctuidae) Synonym(s): *multifida* Lederer,1870; *sanctimoritzii* A.Bang-Haas,1906
 47432) *Leiometopon simyrides* Staudinger,1888 (Noctuidae) Synonym(s): *simyrides* Staudinger,1888
 47433) *Leiorhynchus argentifascia* Hampson,1902 (Noctuidae) Synonym(s): *argentifascia* Hampson,1902
 47434) *Leocyma appollinis* Guenée,1852 (Noctuidae) Synonym(s): *appollinis* Guenée,1852; *euproctisoides* Walker,1865
 47435) *Leocyma discophora* Hampson,1912 (Noctuidae) Synonym(s): *discophora* Hampson,1912
 47436) *Leoniloma convergens* Hampson,1926 (Noctuidae) Synonym(s): *convergens* Hampson,1926
 47437) *Lepidodelta stoliceraps* (Hampson,1910) (Noctuidae) Synonym(s): *phoenicraspis* Hampson,1910
 47438) *Lepidodelta stolicera* (Saalmüller,1891) (Noctuidae) Synonym(s): *stolicera* Saalmüller,1891

- 47439) *Leptotroga armstrongi* Tams,1935 (Noctuidae) Synonym(s): *armstrongi* Tams,1935
 47440) *Leucania acutangulata* (Gaede,1916) (Noctuidae) Synonym(s): *acutangulata* Gaede,1916
 47441) *Leucania amens* Guenée,1852 (Noctuidae) Synonym(s): *amens* Guenée,1852; *plana* Walker,1856
 47442) *Leucania apparata* Wallengren,1875 (Noctuidae) Synonym(s): *apparata* Wallengren,1875
 47443) *Leucania atrimacula* Hampson,1902 (Noctuidae) Synonym(s): *atrimacula* Hampson,1902
 47444) *Leucania atrinota* (Hampson,1905) (Noctuidae) Synonym(s): *atrinota* Hampson,1905
 47445) *Leucania baziya* Möschler,1883 (Noctuidae) Synonym(s): *baziya* Möschler,1883
 47446) *Leucania byssina* Swinhoe,1886 (Noctuidae) Synonym(s): *byssina* Swinhoe,1886
 47447) *Leucania canariensis* Rebel,1894 (Noctuidae) Synonym(s): *canariensis* Rebel,1894
 47448) *Leucania combinata* (Walker,[1857]) (Noctuidae) Synonym(s): *combinata* Walker,[1857]; *bicristata* Berio,1939
 47449) *Leucania comma* (Linnaeus,1761) (Noctuidae) Synonym(s): *comma* Linnaeus,1761; *turbida* Hübner,[1803]; *congener* Hübner,[1817]; *rhodocomma* Püngeler,1900; *engadinensis* Wagner,1909.
 47450) *Leucania cupreata* (Hampson,1905) (Noctuidae) Synonym(s): *cupreata* Hampson,1905
 47451) *Leucania dharmia* Moore,1881 (Noctuidae) Synonym(s): *dharmia* Moore,1881; ? *rufescens* Moore,1882
 47452) *Leucania erecta* Hreblay,1999 (Noctuidae) Synonym(s): *erecta* Hreblay,1999
 47453) *Leucania fiyu* Hreblay & Yoshimatsu,1998 (Noctuidae) Synonym(s): *fiyu* Hreblay & Yoshimatsu,1998
 47454) *Leucania hamata* Wallengren,1856 (Noctuidae) Synonym(s): *hamata* Wallengren,1856
 47455) *Leucania herrichi* Herrich-Schäffer,[1849] (Noctuidae) Synonym(s): *herrichi* Herrich-Schäffer,[1849]
 47456) *Leucania homoeoptera* (Hampson,1918) (Noctuidae) Synonym(s): *homoeoptera* Hampson,1918
 47457) *Leucania insularis* Butler,1880 (Noctuidae) Synonym(s): *insularis* Butler,1880; *albivena* Moore,1881; *irrorata* Moore,1881.
 47458) *Leucania interciliata* Hampson,1902 (Noctuidae) Synonym(s): *interciliata* Hampson,1902
 47459) *Leucania internata* Möschler,1883 (Noctuidae) Synonym(s): *internata* Möschler,1883
 47460) *Leucania irregularis* (Walker,1857) (Noctuidae) Synonym(s): *irregularis* Walker,1857; *coenosa* Snellen,1877; *abstracta* Swinhoe,1890; *sepulchralis* Lucas,1900; *scalata* W.Warren,1912; *carbo* De Joannis,1928
 47461) *Leucania joannis* Boursin & Rungs,1952 (Noctuidae) Synonym(s): *joannis* Boursin & Rungs,1952
 47462) *Leucania latericia* Holloway,1979 (Noctuidae) Synonym(s): *latericia* Holloway,1979
 47463) *Leucania lineatipes* Moore,1881 (Noctuidae) Synonym(s): *lineatipes* Moore,1881
 47464) *Leucania longipennis* (Hampson,1905) (Noctuidae) Synonym(s): *longipennis* Hampson,1905
 47465) *Leucania loreyi* (Duponchel,1827) (Noctuidae) Synonym(s): *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856.
 47466) *Leucania loreyimima* Rungs (Noctuidae) Synonym(s):
 47467) *Leucania melanostrata* (Hampson,1905) (Noctuidae) Synonym(s): *melanostrata* Hampson,1905
 47468) *Leucania melianoides* Möschler,1883 (Noctuidae) Synonym(s): *melianoides* Möschler,1883
 47469) *Leucania micropis* (Hampson,1905) (Noctuidae) Synonym(s): *micropis* Hampson,1905
 47470) *Leucania murcida* (Wallengren,1875) (Noctuidae) Synonym(s): *murcida* Wallengren,1875
 47471) *Leucania nebulosa* Hampson,1902 (Noctuidae) Synonym(s): *nebulosa* Hampson,1902
 47472) *Leucania nigrisparsa* Hampson,1902 (Noctuidae) Synonym(s): *nigrisparsa* Hampson,1902
 47473) *Leucania nigristriga* Hreblay & Legrain & Yoshimatsu,1998 (Noctuidae) Synonym(s): *nigristriga* Hreblay & Legrain & Yoshimatsu,1998
 47474) *Leucania obsoleta* (Hübner,[1803]) (Noctuidae) Synonym(s): *obsoleta* Hübner,[1803]; *insecuta* Walker,1865; *intermissa* Walker,1865; *nohirae* Matsumura,1926; *griseola* Matsumura,1926
 47475) *Leucania palaestinae* Staudinger,1897 (Noctuidae) Synonym(s): *palaestinae* Staudinger,1897; *languida* Staudinger,1897 nec Wlk.,1858; #*obscura* Heydemann et al.,1963; #*plastinae* Kornošor & Lödl,1990
 47476) *Leucania percisa* Moore,1881 (Noctuidae) Synonym(s): *percisa* Moore,1881
 47477) *Leucania persecta* (Hampson,1905) (Noctuidae) Synonym(s): *persecta* Hampson,1905
 47478) *Leucania petra* Hreblay & Yoshimatsu,1999 (Noctuidae) Synonym(s): *petra* Hreblay & Yoshimatsu,1999
 47479) *Leucania phaea* Hampson,1902 (Noctuidae) Synonym(s): *phaea* Hampson,1902; *leucosticha* Hampson,1905.
 47480) *Leucania phaeochroa* (Hampson,1905) (Noctuidae) Synonym(s): *phaeochroa* Hampson,1905
 47481) *Leucania polyrabda* (Hampson,1905) (Noctuidae) Synonym(s): *albicosta* Hampson,1902 nec Mr.,1881; *polyrabda* Hampson,1905
 47482) *Leucania propensa* (Püngeler,1906) (Noctuidae) Synonym(s): *propensa* Püngeler,1906
 47483) *Leucania pseudoformosana* G.S.Robinson,1975 (Noctuidae) Synonym(s): *pseudoformosana* G.S.Robinson,1975
 47484) *Leucania ptyonophora* (Hampson,1905) (Noctuidae) Synonym(s): *ptyonophora* Hampson,1905
 47485) *Leucania punctosa* (Treitschke,1825) (Noctuidae) Synonym(s): *punctosa* Treitschke,1825
 47486) *Leucania punctosa punctosa* (Treitschke,1825) (Noctuidae) Synonym(s): *punctosa* Treitschke,1825
 47487) *Leucania punctulata* Wallengren,1856 (Noctuidae) Synonym(s): *punctulata* Wallengren,1856
 47488) *Leucania putrescens* (Hübner,[1824]) (Noctuidae) Synonym(s): *putrescens* Hübner,[1824]; *boisduvalii* Duponchel,1827; *valletai* Boursin,1952
 47489) *Leucania quadricuspida* Wallengren,1856 (Noctuidae) Synonym(s): *quadricuspida* Wallengren,1856
 47490) *Leucania rhabdophora* Hampson,1902 (Noctuidae) Synonym(s): *rhabdophora* Hampson,1902
 47491) *Leucania roseilinea* Walker,1862 (Noctuidae) Synonym(s): *roseilinea* Walker,1862
 47492) *Leucania rubescens* (Hampson,1905) (Noctuidae) Synonym(s): *rubescens* Hampson,1905
 47493) *Leucania sarca* Hampson,1902 (Noctuidae) Synonym(s): *sarca* Hampson,1902
 47494) *Leucania scottii* Butler (Noctuidae) Synonym(s):
 47495) *Leucania sinuosa* Moore,1882 (Noctuidae) Synonym(s): *sinuosa* Moore,1882
 47496) *Leucania tacuna* R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): *tacuna* R.Felder & Rogenhofer,1874; *substituta* Wallengren,1875.
 47497) *Leucania tenebra* (Hampson,1905) (Noctuidae) Synonym(s): *tenebra* Hampson,1905
 47498) *Leucania uncinata* Gaede,1916 (Noctuidae) Synonym(s): *melianoides* Hampson,1905 (*praeocc.*); *uncinata* Gaede,1916.
 47499) *Leucania usta* Hampson,1902 (Noctuidae) Synonym(s): *usta* Hampson,1902
 47500) *Leucania ustata* (Hampson,1907) (Noctuidae) Synonym(s): *ustata* Hampson,1907
 47501) *Leucania venalba* Moore (Noctuidae) Synonym(s):
 47502) *Leucania vindhya* Hreblay & Legrain,1999 (Noctuidae) Synonym(s): *vindhya* Hreblay & Legrain,1999
 47503) *Leucania yu* Guenée,1852 (Noctuidae) Synonym(s): *yu* Guenée,1852; *exempta* Walker,1857; *costalis* Moore,1877
 47504) *Leucania zae* (Duponchel,1827) (Noctuidae) Synonym(s): *zae* Duponchel,1827; *indistincta* Christoph,1887; *putrida* Staudinger,1889; *cinerea* Lucas,1948
 47505) *Leucapamea ophiogramma* (Esper,[1794]) (Noctuidae) Synonym(s): *ophiogramma* Esper,[1794]
 47506) *Leucochlaena aenigma* Pinhey,1968 (Noctuidae) Synonym(s): *aenigma* Pinhey,1968
 47507) *Leucochlaena fallax* (Staudinger,1870) (Noctuidae) Synonym(s): *fallax* Staudinger,1870
 47508) *Leucochlaena fallax reticularis* Gyulai & L.Ronkay,1995 (Noctuidae) Synonym(s): *reticularis* Gyulai & L.Ronkay,1995
 47509) *Leucochlaena hispidus* (Geyer,1832) (Noctuidae) Synonym(s): *hispidus* Geyer,1832
 47510) *Leucochlaena hoerhammeri* (Wagner,1931) (Noctuidae) Synonym(s): *hoerhammeri* Wagner,1931
 47511) *Leucochlaena jordana* Draudt,1934 (Noctuidae) Synonym(s): *jordana* Draudt,1934
 47512) *Leucochlaena muscosa* (Staudinger,1892) (Noctuidae) Synonym(s): *muscosa* Staudinger,1892; *hirsutus* Staudinger,1892
 47513) *Leucochlaena muscosa centralasiae* Hacker,2001 (Noctuidae) Synonym(s): *centralasiae* Hacker,2001
 47514) *Leucochlaena muscosa cypraota* Hampson,1918 (Noctuidae) Synonym(s): *cypraota* Hampson,1918
 47515) *Leucochlaena muscosa hellenica* Hacker & Fibiger,2001 (Noctuidae) Synonym(s): *hellenica* Hacker & Fibiger,2001
 47516) *Leucochlaena muscosa muscosa* (Staudinger,1892) (Noctuidae) Synonym(s): *muscosa* Staudinger,1892; *hirsutus* Staudinger,1892
 47517) *Leucochlaena muscosa rasilis* Draudt,1933 (Noctuidae) Synonym(s): *rasilis* Draudt,1933
 47518) *Leucochlaena oditis* (Hübner,1822) (Noctuidae) Synonym(s): *oditis* Hübner,1822
 47519) *Leucochlaena seposita* Turati,1921 (Noctuidae) Synonym(s): *seposita* Turati,1921
 47520) *Leucochlaena turatii* (Schawerda,1931) (Noctuidae) Synonym(s): *turatii* Schawerda,1931
 47521) *Leucocosmia nonagrica* (Walker) (Noctuidae) Synonym(s):

- 47522) *Leucocosmia nonagrica* (Walker,1863) (Noctuidae) Synonym(s): *nonagrica* Walker,1863; *ceres* Butler,1886; *euthusa* Hampson,1891; *heliarcha* Meyrick,1897; *unipunctata* Bethune-Baker,1906; *nigripuncta* W. Warren,1913
- 47523) *Leucogonia amarginata* Holloway,1979 (Noctuidae) Synonym(s): *amarginata* Holloway,1979
- 47524) *Leucopardus mirabilis* Roepke,1943 (Noctuidae) Synonym(s): *mirabilis* Roepke,1943
- 47525) *Leucopardus nigrior* Holloway,1976 (Noctuidae) Synonym(s): *nigrior* Holloway,1976
- 47526) *Leucopardus semiflavum* (Kishida,1997) (Noctuidae) Synonym(s): *semiflavum* Kishida,1997
- 47527) *Leucopardus stueningi* Zolotuhin,2000 (Noctuidae) Synonym(s): *stueningi* Zolotuhin,2000
- 47528) *Leucopardus sylviae* Zolotuhin & Witt,2000 (Noctuidae) Synonym(s): *sylviae* Zolotuhin & Witt,2000
- 47529) *Leucopardus tigrinus* Hampson,1894 (Noctuidae) Synonym(s): *tigrinus* Hampson,1894
- 47530) *Leucotrachea leucomelanica* Janse,1937 (Noctuidae) Synonym(s): *leucomelanica* Janse,1937
- 47531) *Leucotrachea melanobasis* (Hampson,1902) (Noctuidae) Synonym(s): *melanobasis* Hampson,1902
- 47532) *Leucotrachea melanodonta* (Hampson,1908) (Noctuidae) Synonym(s): *melanoleuca* Hampson,1902 *nec* Hmps.,1902; *melanodonta* Hampson,1908.
- 47533) *Leucotrachea melanoleuca* (Hampson,1902) (Noctuidae) Synonym(s): *melanoleuca* Hampson,1902
- 47534) *Leucovis alba* (Rothschild,1897) (Noctuidae) Synonym(s): *alba* Rothschild,1897
- 47535) *Leumicamia graminicolens* (Butler,1878) (Noctuidae) Synonym(s): *graminicolens* Butler,1878
- 47536) *Leumicamia leucosoma* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *leucosoma* R.Felder & Rogenhofer,1874
- 47537) *Lignicida echana* Swinhoe,1905 (Noctuidae) Synonym(s): *echana* Swinhoe,1905
- 47538) *Lignicida* sp. Holloway,2005 (Noctuidae) Synonym(s):
- 47539) *Lineopalpa horsfieldi* Guenée,1852 (Noctuidae) Synonym(s): *horsfieldi* Guenée,1852; *strigocrenulata* Bethune-Baker,1906; *varians* Moore,1867
- 47540) *Lipatephia illegitima* (Wallengren,1875) (Noctuidae) Synonym(s): *illegitima* Wallengren,1875
- 47541) *Lithacodia binorbis* (Hampson,1902) (Noctuidae) Synonym(s): *binorbis* Hampson,1902
- 47542) *Lithacodia blandula* (Guenée,1863) (Noctuidae) Synonym(s): *blandula* Guenée,1863
- 47543) *Lithacodia caffristis* Hampson,1910 (Noctuidae) Synonym(s): *caffristis* Hampson,1910
- 47544) *Lithacodia normalis* Hampson,1910 (Noctuidae) Synonym(s): *normalis* Hampson,1910
- 47545) *Lithacodia varicolora* (Hampson,1902) (Noctuidae) Synonym(s): *varicolora* Hampson,1902
- 47546) *Lithomoia solidaginis* (Hübner,[1803]) (Noctuidae) Synonym(s): *solidaginis* Hübner,[1803]
- 47547) *Lithomoia solidaginis solidaginis* (Hübner,[1803]) (Noctuidae) Synonym(s): *solidaginis* Hübner,[1803]
- 47548) *Lithophane alaina* Boursin,1957 (Noctuidae) Synonym(s): *alaina* Boursin,1957
- 47549) *Lithophane consocia* (Borkhausen,1792) (Noctuidae) Synonym(s): *consocia* Borkhausen,1792; *infrica* Herrich-Schäffer,1850; *jezoensis* Matsumura,1931.
- 47550) *Lithophane dailekhi* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *dailekhi* Hreblay & L.Ronkay,1999
- 47551) *Lithophane franclemonti* Metzler,1998 (Noctuidae) Synonym(s): *franclemonti* Metzler,1998
- 47552) *Lithophane furcifera* (Hufnagel,1766) (Noctuidae) Synonym(s): *furcifera* Hufnagel,1766; *conformis* [Denis & Schiffermüller],1775.
- 47553) *Lithophane furiosa* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *furiosa* Hreblay & L.Ronkay,1999
- 47554) *Lithophane griseobrunnea* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *griseobrunnea* Hreblay & L.Ronkay,1999
- 47555) *Lithophane lamda* (Fabricius,1787) (Noctuidae) Synonym(s): *lamda* Fabricius,1787
- 47556) *Lithophane lapidea* (Hübner,[1808]) (Noctuidae) Synonym(s): *lapidea* Hübner,[1808]
- 47557) *Lithophane lapidea lapidea* Boursin,1957 (Noctuidae) Synonym(s): *cypriaca* Boursin,1957
- 47558) *Lithophane lapidea lapidea* (Hübner,[1808]) (Noctuidae) Synonym(s): *lapidea* Hübner,[1808]
- 47559) *Lithophane lapidea mouterdei* Boursin,1955 (Noctuidae) Synonym(s): *mouterdei* Boursin,1955
- 47560) *Lithophane leautieri* (Boisduval,1829) (Noctuidae) Synonym(s): *leautieri* Boisduval,1829
- 47561) *Lithophane ledereri* (Staudinger,1892) (Noctuidae) Synonym(s): *ledereri* Staudinger,1892; *discors* Staudinger,1892
- 47562) *Lithophane merckii* (Rambur,1832) (Noctuidae) Synonym(s): *merckii* Rambur,1832
- 47563) *Lithophane ornitopus* (Hufnagel,1766) (Noctuidae) Synonym(s): *ornitopus* Hufnagel,1766; *rhizolitha* [Denis & Schiffermüller],1775; *pitzalisi* Hartig,1976
- 47564) *Lithophane semibrunnea* (Haworth,1809) (Noctuidae) Synonym(s): *semibrunnea* Haworth,[1809]; *oculata* Sommer,[1824].
- 47565) *Lithophane semibrunnea semibrunnea* (Haworth,1809) (Noctuidae) Synonym(s): *semibrunnea* Haworth,[1809]; *oculata* Sommer,[1824].
- 47566) *Lithophane semibrunnea wiltshirei* Boursin,1962 (Noctuidae) Synonym(s): *wiltshirei* Boursin,1962
- 47567) *Lithophane socia* (Hufnagel,1766) (Noctuidae) Synonym(s): *socia* Hufnagel,1766
- 47568) *Lithophane violascens* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *violascens* Hreblay & L.Ronkay,1998
- 47569) *Lithophasia cyaxares* Wiltshire,1957 (Noctuidae) Synonym(s): *cyaxares* Wiltshire,1957
- 47570) *Lithophasia quadrivirgula* (Mabille,1888) (Noctuidae) Synonym(s): *quadrivirgula* Mabille,1888; *jordana* Stertz,1919.
- 47571) *Lithophasia venosula* Staudinger,1892 (Noctuidae) Synonym(s): *venosula* Staudinger,1892
- 47572) *Lithosiopsis* sp. (Noctuidae) Synonym(s):
- 47573) *Lithosiopsis torsivena* Hampson,1895 (Noctuidae) Synonym(s): *torsivena* Hampson,1895
- 47574) *Loboluscia vanderweelei* Roepke,1941 (Noctuidae) Synonym(s): *vanderweelei* Roepke,1941; *pokhara* Dufay,1973
- 47575) *Longicella luctifera* (Boisduval,1836) (Noctuidae) Synonym(s): *luctifera* Boisduval,1836
- 47576) *Longicella mollis* (Walker,1856) (Noctuidae) Synonym(s): *mollis* Walker,1856; *decipiens* Butler,1884
- 47577) *Lopharthrum comprimens* (Walker,1858) (Noctuidae) Synonym(s): *comprimens* Walker,1858; *chysenaeri* Heylaerts,1888
- 47578) *Lophocrama phoenicochlora* Hampson,1912 (Noctuidae) Synonym(s): *phoenicochlora* Hampson,1912
- 47579) *Lophocytarra argyropasta* Hampson,1918 (Noctuidae) Synonym(s): *argyropasta* Hampson,1918
- 47580) *Lophocytarra phoenicoxantha* Hampson,1914 (Noctuidae) Synonym(s): *phoenicoxantha* Hampson,1914
- 47581) *Lophomilia flaviplaga* (Warren,1912) (Noctuidae) Synonym(s): *flaviplaga* Warren,1912
- 47582) *Lophonotidia melanoleuca* Janse,1937 (Noctuidae) Synonym(s): *melanoleuca* Janse,1937
- 47583) *Lophonotidia nocturna* Hampson,1901 (Noctuidae) Synonym(s): *nocturna* Hampson,1901
- 47584) *Lophoptera acuda* (Swinhoe,1906) (Noctuidae) Synonym(s): *acuda* Swinhoe,1906; *hyalophaea* De Joannis,1928
- 47585) *Lophoptera apirtha* Swinhoe,1900 (Noctuidae) Synonym(s): *chalybea* Butler,1883 *nec* Wlk.; *apirtha* Swinhoe,1900; *plumbeola* Hampson,1912
- 47586) *Lophoptera ferrinalis* (Walker,1863) (Noctuidae) Synonym(s): *ferrinalis* Walker,1863
- 47587) *Lophoptera hemithyris* (Hampson,1905) (Noctuidae) Synonym(s): *hemithyris* Hampson,1905
- 47588) *Lophoptera huma* (Swinhoe,1903) (Noctuidae) Synonym(s): *huma* Swinhoe,1903
- 47589) *Lophoptera hypenistis* (Hampson,1905) (Noctuidae) Synonym(s): *hypenistis* Hampson,1905
- 47590) *Lophoptera illucida* (Walker,1865) (Noctuidae) Synonym(s): *illucida* Walker,1865; *abortiva* Herrich-Schäffer,[1869]
- 47591) *Lophoptera litigiosa* (Boisduval,1833) (Noctuidae) Synonym(s): *litigiosa* Boisduval,1833; *cristigera* Guenée,1852; *alutacea* R.Felder & Rogenhofer,1874; *squamulosa* Saalmüller,1880
- 47592) *Lophoptera longipennis* (Moore,1882) (Noctuidae) Synonym(s): *longipennis* Moore,1882
- 47593) *Lophoptera methyalea* (Hampson,1902) (Noctuidae) Synonym(s): *methyalea* Hampson,1902; *methyalea* Poole,1989
- 47594) *Lophoptera olivascens* (Moore,1882) (Noctuidae) Synonym(s): *olivascens* Moore,1882
- 47595) *Lophoptera purpurascens* (Bethune-Baker,1906) (Noctuidae) Synonym(s): *purpurascens* Bethune-Baker,1906; *occidentalis* Holloway,1985
- 47596) *Lophoptera purpuridis* Holloway,1985 (Noctuidae) Synonym(s): *purpuridis* Holloway,1985
- 47597) *Lophoptera quadrinotata* (Walker,1864) (Noctuidae) Synonym(s): *quadrinotata* Walker,1864; *aequilinea* Walker,1864
- 47598) *Lophoptera squammigera* Guenée,1852 (Noctuidae) Synonym(s): *squammigera* Guenée,1852; *costata* Moore,[1885]
- 47599) *Lophoptera tripartita* (Swinhoe,1902) (Noctuidae) Synonym(s): *tripartita* Swinhoe,1902
- 47600) *Lophotarsia ochroprocta* Hampson,1902 (Noctuidae) Synonym(s): *ochroprocta* Hampson,1902
- 47601) *Lophotarsia uniformis* Berio,1966 (Noctuidae) Synonym(s): *uniformis* Berio,1966
- 47602) *Lophotavia* Hampson,1926 (Noctuidae) Synonym(s): *Lophotavia* Hampson,1926
- 47603) *Lophotavia globulipes* (Walker,1865) (Noctuidae) Synonym(s): *globulipes* Walker,1865
- 47604) *Lophoterges (Fibigeres) atlas* L.Ronkay,2005 (Noctuidae) Synonym(s): *atlas* L.Ronkay,2005
- 47605) *Lophoterges (Fibigeres) hoerhammeri* (Wagner,1931) (Noctuidae) Synonym(s): *hoerhammeri* Wagner,1931
- 47606) *Lophoterges (Fibigeres) mariannae* Fibiger,2001 (Noctuidae) Synonym(s): *mariannae* Fibiger,2001
- 47607) *Lophoterges (Fibigeres) millierei* (Staudinger,1871) (Noctuidae) Synonym(s): *millierei* Staudinger,1871

- 47608) *Lophoterges (Fibigeres) millierei fibigeri G.Ronkay & L.Ronkay,1995* (Noctuidae) Synonym(s): *fibigeri G.Ronkay & L.Ronkay,1995*
 47609) *Lophoterges (Tibeterges) hoenei Draudt,1950* (Noctuidae) Synonym(s): *hoenei Draudt,1950*
 47610) *Lophoterges (Variterges) aksuensis A.Bang-Haas,1912.* (Noctuidae) Synonym(s): *aksuensis A.Bang-Haas,1912*
 47611) *Lophoterges (Variterges) centralasiae (Staudinger,1901)* (Noctuidae) Synonym(s): *centralasiae Staudinger,1901*
 47612) *Lophoterges (Variterges) radians L.Ronkay,2005* (Noctuidae) Synonym(s): *radians L.Ronkay,2005*
 47613) *Lophoterges (Variterges) varians L.Ronkay,2005* (Noctuidae) Synonym(s): *varians L.Ronkay,2005*
 47614) *Lophoterges (s.str.) fatua (Püngeler,1904)* (Noctuidae) Synonym(s): *fatua Püngeler,1904*
 47615) *Lophoterges fidia Draudt,1950* (Noctuidae) Synonym(s): *fidia Draudt,1950*
 47616) *Lophothripa vitea (Swinhoe,1885)* (Noctuidae) Synonym(s): *vitea Swinhoe,1885*
 47617) *Lophotidia brunnescens Pinhey,1968* (Noctuidae) Synonym(s): *brunnescens Pinhey,1968*
 47618) *Lophotyna albirena (Moore,1867)* (Noctuidae) Synonym(s): *albirena Moore,1867*
 47619) *Lophotyna albosignata (Moore,1881)* (Noctuidae) Synonym(s): *albosignata Moore,1881*
 47620) *Lophotyna hoenei Boursin,1956* (Noctuidae) Synonym(s): *hoenei Boursin,1956*
 47621) *Lophotyna khumbuensis Owada,1981* (Noctuidae) Synonym(s): *khumbuensis Owada,1981*
 47622) *Lophpruza semiscripta (Mabille,1893)* (Noctuidae) Synonym(s): *semiscripta Mabille,1893*
 47623) *Loxioda ochrota (Hampson,1909)* (Noctuidae) Synonym(s): *ochrota Hampson,1909*
 47624) *Loxioda similis (Moore,1882)* (Noctuidae) Synonym(s): *similis Moore,1882; ochreifascia Hampson,1891; lutealis Snellen,1894*
 47625) *Luceria ocularis (Moore,1877)* (Noctuidae) Synonym(s): *ocularis Moore,1877*
 47626) *Luperina diversa (Staudinger,1892)* (Noctuidae) Synonym(s): *diversa Staudinger,1892; indistincta Rebel,1933*
 47627) *Luperina diversa diversa (Staudinger,1892)* (Noctuidae) Synonym(s): *diversa Staudinger,1892; indistincta Rebel,1933*
 47628) *Luperina diversa terteriani Ronkay & Varga,1985* (Noctuidae) Synonym(s): *terteriani Ronkay & Varga,1985*
 47629) *Luperina dumerilii (Duponchel,1826)* (Noctuidae) Synonym(s): *dumerilii Duponchel,1826*
 47630) *Luperina dumerilii hirsuta (Wagner,1931)* (Noctuidae) Synonym(s): *hirsuta Wagner,1931*
 47631) *Luperina dumerilii sancta (Staudinger,1892)* (Noctuidae) Synonym(s): *sancta Staudinger,1892*
 47632) *Luperina grzimeki Hacker,1989* (Noctuidae) Synonym(s): *grzimeki Hacker,1989*
 47633) *Luperina imbellis (Staudinger,1888)* (Noctuidae) Synonym(s): *imbellis Staudinger,1888*
 47634) *Luperina irritaria (A.Bang-Haas,1912)* (Noctuidae) Synonym(s): *irritaria A.Bang-Haas,1912*
 47635) *Luperina koshantschikovi (Püngeler,1914)* (Noctuidae) Synonym(s): *koshantschikovi Püngeler,1914*
 47636) *Luperina koshantschikovi amplificata Hacker,1990* (Noctuidae) Synonym(s): *amplificata Hacker,1990*
 47637) *Luperina koshantschikovi koshantschikovi (Püngeler,1914)* (Noctuidae) Synonym(s): *koshantschikovi Püngeler,1914*
 47638) *Luperina kruegeri Turati,1912* (Noctuidae) Synonym(s): *kruegeri Turati,1912; siegeli Berio,[1986]*
 47639) *Luperina nickerlii (Freyer,1845)* (Noctuidae) Synonym(s): *nickerlii Freyer,1845*
 47640) *Luperina pozzii (Curo,1883)* (Noctuidae) Synonym(s): *pozzii Curo,1883*
 47641) *Luperina rjabovi (Kljutschko,1967)* (Noctuidae) Synonym(s): *rjabovi Kljutschko,1967*
 47642) *Luperina rubella (Duponchel,1835)* (Noctuidae) Synonym(s): *mediosignata Turati,1930; sericea Caradja,1932; thurneri Schawerda,1938.*
 47643) *Luperina rubella rhusia (Püngeler,1900)* (Noctuidae) Synonym(s): *rhusia Püngeler,1900*
 47644) *Luperina rubella rubella (Duponchel,1835)* (Noctuidae) Synonym(s): *mediosignata Turati,1930; sericea Caradja,1932; thurneri Schawerda,1938.*
 47645) *Luperina samni (Sohn-Rethel,1929)* (Noctuidae) Synonym(s): *samni Sohn-Rethel,1929*
 47646) *Luperina siegeli Berio,1986* (Noctuidae) Synonym(s): *siegeli Berio,1986*
 47647) *Luperina taurica (Kljutschko,1967)* (Noctuidae) Synonym(s): *taurica Kljutschko,1967*
 47648) *Luperina testacea ([Denis & Schiffermüller],1775)* (Noctuidae) Synonym(s): *testacea [Denis & Schiffermüller],1775*
 47649) *Luperina tiberina (Sohn-Rethel,1929)* (Noctuidae) Synonym(s): *tiberina Sohn-Rethel,1929*
 47650) *Luperina zollikoferi (Freyer,1836)* (Noctuidae) Synonym(s): *zollikoferi Freyer,1836*
 47651) *Lycimna polymesata Walker,1860* (Noctuidae) Synonym(s): *polymesata Walker,1860*
 47652) *Lycophorus ankarensis (Rebel,1931)* (Noctuidae) Synonym(s): *ankarensis Rebel,1931; wichgrafi Corti & Draudt,1933; #ankariensis Hacker,2001*
 47653) *Lycophorus tischendorfi (Püngeler,1915)* (Noctuidae) Synonym(s): *tischendorfi Püngeler,1915 (nec 1925!); flagrans Püngeler,1925; libanotica Corti & Draudt,1933.*
 47654) *Lycophorus villosus (Alpheraky,1887)* (Noctuidae) Synonym(s): *villosus Alpheraky,1887; benigna Corti,1926*
 47655) *Lycophotia cissigma (Ménétrières,1859)* (Noctuidae) Synonym(s): *cissigma Ménétrières,1859; umbra Staudinger,1892*
 47656) *Lycophotia erythrina (Herrich-Schäffer,1852)* (Noctuidae) Synonym(s): *erythrina Herrich-Schäffer,1852; dalmatina Wagner,1923; #vulpecula Wagner,1923; corsicina Schawerda,1931; #arcana Schawerda,1931*
 47657) *Lycophotia molothina (Esper,1789)* (Noctuidae) Synonym(s): *molothina Esper,1789; ericae Boisduval,1840; velum Germar,[1842]*
 47658) *Lycophotia molothina molothina (Esper,1789)* (Noctuidae) Synonym(s): *molothina Esper,1789; ericae Boisduval,1840; velum Germar,[1842]*
 47659) *Lycophotia molothina occidentalis (Bellier,1860)* (Noctuidae) Synonym(s): *occidentalis Bellier,1860; andalusica Schawerda,1934*
 47660) *Lycophotia porphyrea ([Denis & Schiffermüller],1775)* (Noctuidae) Synonym(s): *porphyrea [Denis & Schiffermüller],1775; lepida Esper,1786 nec Cr.,[1779]; strigula Thunberg,1788 (praeocc.); varia Villers,1789; concinna Esper,1790; picta Fabricius,1794; arnicae Fabricius,1794; ericae Donovan,1801 (praeocc.); marmorea Graslin,1863*
 47661) *Lygephila alaica Remm,1983* (Noctuidae) Synonym(s): *alaica Remm,1983*
 47662) *Lygephila angustipennis (Warren,1913)* (Noctuidae) Synonym(s): *angustipennis Warren,1913*
 47663) *Lygephila angustissima (Draudt,1950)* (Noctuidae) Synonym(s): *angustissima Draudt,1950*
 47664) *Lygephila caeca (Staudinger,1896)* (Noctuidae) Synonym(s): *caeca Staudinger,1896*
 47665) *Lygephila craccae (Fabricius,1787)* (Noctuidae) Synonym(s): *#craccae [Denis & Schiffermüller],1775; riata Rungs,1952; craccae Fabricius,1787; #craccae Hacker & Kautt,1999.*
 47666) *Lygephila craccae centralasiae (Sheljuzhko,1955)* (Noctuidae) Synonym(s): *centralasiae Sheljuzhko,1955*
 47667) *Lygephila decolor (A.Bang-Haas,1912)* (Noctuidae) Synonym(s): *decolor A.Bang-Haas,1912*
 47668) *Lygephila dorsigera (Walker,1865)* (Noctuidae) Synonym(s): *dorsigera Walker,1865; cucullata Moore,1882; orientalis Butler,1886*
 47669) *Lygephila emaculata (Graeser,1892)* (Noctuidae) Synonym(s): *emaculata Graeser,1892*
 47670) *Lygephila fereidun Wiltshire,1961* (Noctuidae) Synonym(s): *fereidun Wiltshire,1961*
 47671) *Lygephila fonti Yela & Calle,[1990]* (Noctuidae) Synonym(s): *fonti Yela & Calle,[1990]*
 47672) *Lygephila glycyrrhizae (Rambur,1866)* (Noctuidae) Synonym(s): *glycyrrhizae Rambur,1866*
 47673) *Lygephila herrerae Yela,1990* (Noctuidae) Synonym(s): *herrerae Yela,1990*
 47674) *Lygephila ichinosawana (Matsumura,1925)* (Noctuidae) Synonym(s): *ichinosawana Matsumura,1925*
 47675) *Lygephila lubrica (Freyer,1842)* (Noctuidae) Synonym(s): *lubrica Freyer,1842*
 47676) *Lygephila lubrica lubrica (Freyer,1846)* (Noctuidae) Synonym(s): *lubrica Freyer,1842*
 47677) *Lygephila lubrica lubrica (Staudinger,1901)* (Noctuidae) Synonym(s): *lubrica Staudinger,1901*
 47678) *Lygephila ludicra (Hübner,1790)* (Noctuidae) Synonym(s): *ludicra Hübner,1790*
 47679) *Lygephila lupina (Graeser,1890)* (Noctuidae) Synonym(s): *lupina Graeser,1890*
 47680) *Lygephila lusoria (Linnaeus,1758)* (Noctuidae) Synonym(s): *lusoria Linnaeus,1758*
 47681) *Lygephila lusoria amasina (Staudinger,1879)* (Noctuidae) Synonym(s): *amasina Staudinger,1879; sublutea W.Warren,1913.*
 47682) *Lygephila lusoria lusoria (Linnaeus,1758)* (Noctuidae) Synonym(s): *lusoria Linnaeus,1758*
 47683) *Lygephila mommereti (Berio,1940)* (Noctuidae) Synonym(s): *mommereti Berio,1940*
 47684) *Lygephila pallida (A.Bang-Haas,1907)* (Noctuidae) Synonym(s): *pallida A.Bang-Haas,1907*
 47685) *Lygephila pastinum (Treitschke,1826)* (Noctuidae) Synonym(s): *pastinum Treitschke,1826; dilutior Staudinger,1892.*
 47686) *Lygephila procax (Hübner,[1813])* (Noctuidae) Synonym(s): *procax Hübner,[1813]; limosa Treitschke,1826.*
 47687) *Lygephila salax (Guenée,1852)* (Noctuidae) Synonym(s): *salax Guenée,1852; immitis Walker,[1857].*
 47688) *Lygephila schachtii Behounek & Hacker,1986* (Noctuidae) Synonym(s): *schachtii Behounek & Hacker,1986*
 47689) *Lygephila stenoptera (Rebel,1907)* (Noctuidae) Synonym(s): *stenoptera Rebel,1907*
 47690) *Lygephila subpicata Wiltshire,1971* (Noctuidae) Synonym(s): *subpicata Wiltshire,1971*
 47691) *Lygephila viciae (Hübner,[1822])* (Noctuidae) Synonym(s): *viciae Hübner,[1822]; violaceogrisea Draudt,1950*
 47692) *Lygephila vicioides (Hampson,1926)* (Noctuidae) Synonym(s): *vicioides Hampson,1926*

- 47693) *Lygephila victoria* (Grote,1874) (Noctuidae) Synonym(s): *victoria* Grote,1874
 47694) *Lygephila vulcanea* (Butler,1881) (Noctuidae) Synonym(s): *vulcanea* Butler,1881
 47695) *Lygniodes ciliata* (Moore,1867) (Noctuidae) Synonym(s): *ciliata* Moore,1867; *fuscescens* Leech,1900
 47696) *Lygniodes endoleucus* (Guérin-Méneville,[1844]) (Noctuidae) Synonym(s): *endoleucus* Guérin-Méneville,[1844]
 47697) *Lygniodes hypoleuca* Guenée,1852 (Noctuidae) Synonym(s): *hypoleuca* Guenée,1852
 47698) *Lygniodes plateni* Pagenstecher,1890 (Noctuidae) Synonym(s): *plateni* Pagenstecher,1890
 47699) *Lygniodes vampyrus* (Fabricius,1794) (Noctuidae) Synonym(s): *vampyrus* Fabricius,1794; *reducens* Walker,[1858]; *disparans* Walker,1858; *e-antiqua* Hampson,1891
 47700) *Lyncestia amphix* (Cramer,1777) (Noctuidae) Synonym(s): *amphix* Cramer,1777
 47701) *Lysimelia* sp. (Noctuidae) Synonym(s):
 47702) *Macaldenia palumba* (Guenée,1852) (Noctuidae) Synonym(s): *palumba* Guenée,1852; *colligens* Walker,1865
 47703) *Macdunnoughia* (Puriphusia) *tetragona* (Walker,1857) (Noctuidae) Synonym(s): *tetragona* Walker,1857; *zayuensis* Chou & Lu,1982
 47704) *Macdunnoughia* (Sclerogenia) *jessica* (Butler,1878) (Noctuidae) Synonym(s): *jessica* Butler,1878
 47705) *Macdunnoughia confusa* (Stephens,1850) (Noctuidae) Synonym(s): *confusa* Stephens,1850; *gutta* Guenée,1852.
 47706) *Maceda mansueta* Walker,1857 (Noctuidae) Synonym(s): *mansueta* Walker,1857
 47707) *Maceda savura paniensis* Holloway,1979 (Noctuidae) Synonym(s): *paniensis* Holloway,1979
 47708) *Machaeropalpus fasciatus* Tams,1935 (Noctuidae) Synonym(s): *fasciatus* Tams,1935
 47709) *Macrochilo cribrumalis* (Hübner,1793) (Noctuidae) Synonym(s): *cribrumalis* Hübner,1793
 47710) *Malagonia acypera* (Hampson,1902) (Noctuidae) Synonym(s): *acypera* Hampson,1902
 47711) *Maliattha arefacta* (Butler,1879) (Noctuidae) Synonym(s): *arefacta* Butler,1879; *basalis* Moore,1882
 47712) *Maliattha baetica* (Swinhoe,1890) (Noctuidae) Synonym(s): *baetica* Swinhoe,1890
 47713) *Maliattha bilineata* (Hampson,1898) (Noctuidae) Synonym(s): *bilineata* Hampson,1898
 47714) *Maliattha curvilinea* W.Warren,1913 (Noctuidae) Synonym(s): *curvilinea* W.Warren,1913
 47715) *Maliattha inconcisoides* Holloway,1979 (Noctuidae) Synonym(s): *inconcisoides* Holloway,1979
 47716) *Maliattha lacteata* W.Warren,1913 (Noctuidae) Synonym(s): *lacteata* W.Warren,1913
 47717) *Maliattha marginalis* (Walker,[1863]) (Noctuidae) Synonym(s): *marginalis* Walker,[1863]; *stolasa* Swinhoe,1905
 47718) *Maliattha melanesiensis* G.S.Robinson,1975 (Noctuidae) Synonym(s): *melanesiensis* G.S.Robinson,1975
 47719) *Maliattha phaeozona* (Hampson,1910) (Noctuidae) Synonym(s): *signifera* Hampson,1900 nec Wlk.; *phaeozona* Hampson,1910
 47720) *Maliattha picata* (Butler,1889) (Noctuidae) Synonym(s): *picata* Butler,1889
 47721) *Maliattha ritsemae* Snellen,1880 (Noctuidae) Synonym(s): *ritsemae* Snellen,1880; *albofusca* Pagenstecher,1888
 47722) *Maliattha separata* Walker,1863 (Noctuidae) Synonym(s): *separata* Walker,1863; *renalis* Moore,1882
 47723) *Maliattha subterminalis* W.Warren,1913 (Noctuidae) Synonym(s): *subterminalis* W.Warren,1913
 47724) *Maliattha tegulata* (Butler,1889) (Noctuidae) Synonym(s): *tegulata* Butler,1889
 47725) *Maliattha vialis* (Moore,1882) (Noctuidae) Synonym(s): *vialis* Moore,1882; *bella* Staudinger,1888; *khasiana* W.Warren,1913; *#vialana* Strand,1917
 47726) *Mamestra brassicae* (Linnaeus,1758) (Noctuidae) Synonym(s): *brassicae* Linnaeus,1758; *omicron* Geoffroy,1785; *albidilinea* Haworth,1809; *andalusica* Staudinger,1871; *decolorata* Staudinger,1889.
 47727) *Mamestra brassicae brassicae* (Linnaeus,1758) (Noctuidae) Synonym(s): *brassicae* Linnaeus,1758; *omicron* Geoffroy,1785; *albidilinea* Haworth,1809; *andalusica* Staudinger,1871; *decolorata* Staudinger,1889.
 47728) *Manga melanodonta* (Hampson,1910) (Noctuidae) Synonym(s): *melanodonta* Hampson,1910
 47729) *Manoba allani* Holloway,2003 (Noctuidae) Synonym(s): *allani* Holloway,2003
 47730) *Manoba argentatoides* Holloway,2003 (Noctuidae) Synonym(s): *argentatoides* Holloway,2003
 47731) *Manoba briggsi* Holloway,2003 (Noctuidae) Synonym(s): *briggsi* Holloway,2003
 47732) *Manoba brunellus* (Hampson,1893) (Noctuidae) Synonym(s): *brunellus* Hampson,1893; *achromia* Hampson,1909; *corticella* Van Eecke,1926; *pseudohypena* Inoue,1982
 47733) *Manoba bulli* Holloway,2003 (Noctuidae) Synonym(s): *bulli* Holloway,2003
 47734) *Manoba carrei* Holloway,2003 (Noctuidae) Synonym(s): *carrei* Holloway,2003
 47735) *Manoba chamberlaini* Holloway,2003 (Noctuidae) Synonym(s): *chamberlaini* Holloway,2003
 47736) *Manoba chirgwini* Holloway,2003 (Noctuidae) Synonym(s): *chirgwini* Holloway,2003
 47737) *Manoba coadei* Holloway,2003 (Noctuidae) Synonym(s): *coadei* Holloway,2003
 47738) *Manoba cowleyi* Holloway,2003 (Noctuidae) Synonym(s): *cowleyi* Holloway,2003
 47739) *Manoba coxi* Holloway,2003 (Noctuidae) Synonym(s): *coxi* Holloway,2003
 47740) *Manoba gilletti* Holloway,2003 (Noctuidae) Synonym(s): *gilletti* Holloway,2003
 47741) *Manoba goodfieldi* Holloway,2003 (Noctuidae) Synonym(s): *goodfieldi* Holloway,2003
 47742) *Manoba greenwoodi* Holloway,2003 (Noctuidae) Synonym(s): *greenwoodi* Holloway,2003
 47743) *Manoba harthani* (Holloway,1976) (Noctuidae) Synonym(s): *harthani* Holloway,1976
 47744) *Manoba implens* Walker,1863 (Noctuidae) Synonym(s): *implens* Walker,1863; *junctilinea* Hampson,1901
 47745) *Manoba major* (Hampson,1891) (Noctuidae) Synonym(s): *major* Hampson,1891; *formosana* Wileman & West,1929; *caesiopennys* Inoue,1982
 47746) *Manoba marshalli* Holloway,2003 (Noctuidae) Synonym(s): *marshalli* Holloway,2003
 47747) *Manoba melanomedia* (Inoue,1991) (Noctuidae) Synonym(s): *melanomedia* Inoue,1991
 47748) *Manoba potterorum* Holloway,2003 (Noctuidae) Synonym(s): *potterorum* Holloway,2003
 47749) *Manoba punctilineata* (Hampson,1896) (Noctuidae) Synonym(s): *punctilineata* Hampson,1896
 47750) *Manoba rennicki* Holloway,2003 (Noctuidae) Synonym(s): *rennicki* Holloway,2003
 47751) *Manoba shrimptoni* Holloway,2003 (Noctuidae) Synonym(s): *shrimptoni* Holloway,2003
 47752) *Manoba suffusata* (Wileman & West,1929) (Noctuidae) Synonym(s): *suffusata* Wileman & West,1929
 47753) *Manoba tessellata* (Hampson,1896) (Noctuidae) Synonym(s): *tessellata* Hampson,1896; *marmorea* Talbot,1926
 47754) *Manoba tribei* Holloway,2003 (Noctuidae) Synonym(s): *tribei* Holloway,2003
 47755) *Marapana pulverata* (Guenée,1852) (Noctuidae) Synonym(s): *pulverata* Guenée,1852; *raralis* Walker,[1859]; *truncatalis* Walker,[1866]
 47756) *Maraschia griseascens* Osthelder,1933 (Noctuidae) Synonym(s): *griseascens* Osthelder,1933
 47757) *Maraschia griseascens caspica* (Kuznetsov,1958) (Noctuidae) Synonym(s): *caspica* Kuznetsov,1958
 47758) *Maraschia hissarensis* Varga & L.Ronkay,1991 (Noctuidae) Synonym(s): *hissarensis* Varga & L.Ronkay,1991
 47759) *Maraschia secunda* Hacker,1990 (Noctuidae) Synonym(s): *secunda* Hacker,1990
 47760) *Marathyssa albidisca* (Hampson,1905) (Noctuidae) Synonym(s): *albidisca* Hampson,1905
 47761) *Marathyssa cistellatrix* (Wallengren,1860) (Noctuidae) Synonym(s): *cistellatrix* Wallengren,1860
 47762) *Marathyssa cuneata* (Saalmüller,1891) (Noctuidae) Synonym(s): *cuneata* Saalmüller,1891
 47763) *Marca proglinata* Saalmüller,1891 (Noctuidae) Synonym(s): *proglinata* Saalmüller,1891
 47764) *Marcillada rubricosa* Walker,1865 (Noctuidae) Synonym(s): *rubricosa* Walker,1865; *hepatica* Moore,1882
 47765) *Marcipa alternata* Gaede,1939 (Noctuidae) Synonym(s): *alternata* Gaede,1939
 47766) *Marcipa cercassoni* Pelletier,1975 (Noctuidae) Synonym(s): *cercassoni* Pelletier,1975
 47767) *Marcipa heterospila* (Hampson,1910) (Noctuidae) Synonym(s): *heterospila* Hampson,1910
 47768) *Marcipa mediana* Hampson,1926 (Noctuidae) Synonym(s): *mediana* Hampson,1926
 47769) *Marcipa phaeodonta* Hampson,1926 (Noctuidae) Synonym(s): *phaeodonta* Hampson,1926
 47770) *Marcipa pyramidalis* (Hampson,1910) (Noctuidae) Synonym(s): *pyramidalis* Hampson,1910
 47771) *Margelana brunnea* Fibiger, Zahiri & Kononenko,2007 (Noctuidae) Synonym(s): *brunnea* Fibiger, Zahiri & Kononenko,2007
 47772) *Margelana flavidiator* Wagner,1831 (Noctuidae) Synonym(s): *flavidiator* Wagner,1831
 47773) *Margelana ochrea* Brandt,1941 (Noctuidae) Synonym(s): *ochrea* Brandt,1941
 47774) *Margelana pamirica* Sukhareva,1979 (Noctuidae) Synonym(s): *pamirica* Sukhareva,1979
 47775) *Margelana versicolor* Staudinger,1888 (Noctuidae) Synonym(s): *versicolor* Staudinger,1888
 47776) *Marsiphiophora calopepla* Varga & L.Ronkay,1991 (Noctuidae) Synonym(s): *calopepla* Varga & L.Ronkay,1991
 47777) *Marsiphiophora christophi* (Erschoff,1874) (Noctuidae) Synonym(s): *christophi* Erschoff,1874

- 47778) *Masca abactalis* Walker,[1859] (Noctuidae) Synonym(s): *abactalis* Walker,[1859]; *leucogastralis* Walker,[1866]; *platypoda* R.Felder & Rogenhofer,1874
- 47779) *Massaga hesperia* (Cramer,1775) (Noctuidae) Synonym(s): *hesperia* Cramer,1775; *delicia* Butler,1868; *demena* Druce,1894
- 47780) *Massaga maritona* Butler,1868 (Noctuidae) Synonym(s): *maritona* Butler,1868
- 47781) *Massaga monteirona* Butler,1874 (Noctuidae) Synonym(s): *monteirona* Butler,1874; *metallica* Mabilie,1878
- 47782) *Massaga noncoba* Kiriakoff,1974 (Noctuidae) Synonym(s): *noncoba* Kiriakoff,1974
- 47783) *Massaga tenuifascia* Hampson,1910 (Noctuidae) Synonym(s): *tenuifascia* Hampson,1910
- 47784) *Massaga virescens* Butler,1874 (Noctuidae) Synonym(s): *virescens* Butler,1874; *angustifascia* Rothschild,1896
- 47785) *Massaga xenia* Jordan,1913 (Noctuidae) Synonym(s): *xenia* Jordan,1913
- 47786) *Matopo inangulata* Hampson,1909 (Noctuidae) Synonym(s): *inangulata* Hampson,1909
- 47787) *Matopo scutulata* Janse,1917 (Noctuidae) Synonym(s): *scutulata* Janse,1917
- 47788) *Matopo typica* Distant,1898 (Noctuidae) Synonym(s): *typica* Distant,1898
- 47789) *Maurilia arcuata* (Walker,[1858]) (Noctuidae) Synonym(s): *arcuata* Walker,[1858]
- 47790) *Maurilia iconica* (Walker,1857) (Noctuidae) Synonym(s): *iconica* Walker,1857; *cervina* Walker,1866; *instabilis* Butler,1889; *bifascia* Gaede,1915; *tunicata* Swinhoe,1918; *undaira* Swinhoe,1918; *fortis* Swinhoe,1918; *dalama* Swinhoe,1919; *gilva* Swinhoe,1919; *elima* Swinhoe,1919; *iconicoides* Gaede,1938; *subiconica* Kobes,1997
- 47791) *Maurilia undaira* Swinhoe,1918 (Noctuidae) Synonym(s): *undaira* Swinhoe,1918
- 47792) *Maxera atripunctata* (Hampson,1910) (Noctuidae) Synonym(s): *atripunctata* Hampson,1910
- 47793) *Maxera brachypecten* Hampson,1926 (Noctuidae) Synonym(s): *brachypecten* Hampson,1926
- 47794) *Maxera digonata* (Hampson,1902) (Noctuidae) Synonym(s): *digonata* Hampson,1902
- 47795) *Maxera marchalii* (Boisduval,1833) (Noctuidae) Synonym(s): *marchalii* Boisduval,1833; *nigriceps* Walker,1858; *nigrifrontalis* Walker,[1859]; *kerima* R.Felder & Rogenhofer,1874; *pallidula* Butler,1875; *marmorea* Hampson,1891; *nigrocollaris* Saalmüller,1891.
- 47796) *Maxera zygia* (Wallengren,1863) (Noctuidae) Synonym(s): *zygia* Wallengren,1863; *vestispica* Wallengren,1863; *fuscescens* Walker,1865; *larvata* Walker,1865; *morosa* Walker,1865; *obumbrata* Walker,1865.
- 47797) *Mazuca elegantissima* Janse,1939 (Noctuidae) Synonym(s): *elegantissima* Janse,1939
- 47798) *Mazuca haemographa* Hampson,1910 (Noctuidae) Synonym(s): *haemographa* Hampson,1910
- 47799) *Mazuca roseistriga* D.S.Fletcher,1963 (Noctuidae) Synonym(s): *roseistriga* D.S.Fletcher,1963
- 47800) *Mazuca strigicincta* Walker,1866 (Noctuidae) Synonym(s): *strigicincta* Walker,1866; *concinula* Mabilie,1878; *liturata* Butler,1881; *hebraica* Aurivillius,1891
- 47801) *Mecistoptera* sp. (Noctuidae) Synonym(s):
- 47802) *Mecodina albobdentata* (Swinhoe,1985) (Noctuidae) Synonym(s): *albobdentata* Swinhoe,1985
- 47803) *Mecodina cyanodonta* Hampson,1902 (Noctuidae) Synonym(s): *cyanodonta* Hampson,1902
- 47804) *Mecodina hybrida* Prout,1926 (Noctuidae) Synonym(s): *hybrida* Prout,1926
- 47805) *Mecodina odontophora* (Swinhoe,1895) (Noctuidae) Synonym(s): *odontophora* Swinhoe,1895
- 47806) *Mecodina poaphiloides* Walker,1864 (Noctuidae) Synonym(s): *poaphiloides* Walker,1864
- 47807) *Mecodina praecipua* (Walker,1865) (Noctuidae) Synonym(s): *praecipua* Walker,1865; *nara* R.Felder & Rogenhofer,1874; *amboinica* Pagenstecher,1884
- 47808) *Mecodina* sp. (Noctuidae) Synonym(s):
- 47809) *Mecodina subcostalis* (Walker,1865) (Noctuidae) Synonym(s): *subcostalis* Walker,1865
- 47810) *Megalodes eximia* (Freyer,1845) (Noctuidae) Synonym(s): *eximia* Freyer,1845
- 47811) *Megalodes eximia eximia* (Freyer,1845) (Noctuidae) Synonym(s): *eximia* Freyer,1845
- 47812) *Megalodes eximia prolixa* Draudt,1933 (Noctuidae) Synonym(s): *prolixa* Draudt,1933
- 47813) *Megalodes eximia tengistana* Brandt,1938 (Noctuidae) Synonym(s): *tengistana* Brandt,1938
- 47814) *Meganephria bimaculosa* (Linnaeus,1767) (Noctuidae) Synonym(s): *bimaculosa* Linnaeus,1767; *italica* Esper,[1791]; *binubeculosa* Esper,[1804].
- 47815) *Meganephria bimaculosa bimaculosa* (Linnaeus,1767) (Noctuidae) Synonym(s): *bimaculosa* Linnaeus,1767; *italica* Esper,[1791]; *binubeculosa* Esper,[1804].
- 47816) *Meganephria bimaculosa pontica* Draudt,1936 (Noctuidae) Synonym(s): *pontica* Draudt,1936
- 47817) *Meganola albiscripta* Laszlo, G.Ronkay & Witt,2005 (Noctuidae) Synonym(s): *albiscripta* Laszlo, G.Ronkay & Witt,2005
- 47818) *Meganola albula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *albula* [Denis & Schiffermüller],1775
- 47819) *Meganola ascripta* (Hampson,1894) (Noctuidae) Synonym(s): *ascripta* Hampson,1894
- 47820) *Meganola asperalis* Villers,1789 (Noctuidae) Synonym(s): *asperalis* Villers,1789
- 47821) *Meganola calligrapha* Laszlo, G.Ronkay & Witt,2005 (Noctuidae) Synonym(s): *calligrapha* Laszlo, G.Ronkay & Witt,2005
- 47822) *Meganola cuneifera* (Walker,1862) (Noctuidae) Synonym(s): *cuneifera* Walker,1862; *ruficostata* Hampson,1896
- 47823) *Meganola gigantula* (Staudinger,1879) (Noctuidae) Synonym(s): *gigantula* Staudinger,1879
- 47824) *Meganola implicata* Laszlo, G.Ronkay & Witt,2007 (Noctuidae) Synonym(s): *implicata* Laszlo, G.Ronkay & Witt,2007
- 47825) *Meganola infuscata* (Hampson,1903) (Noctuidae) Synonym(s): *infuscata* Hampson,1903
- 47826) *Meganola latiscrypta* Laszlo, G.Ronkay & Witt,2005 (Noctuidae) Synonym(s): *latiscrypta* Laszlo, G.Ronkay & Witt,2005
- 47827) *Meganola lucia* (Van Son,1933) (Noctuidae) Synonym(s): *lucia* Van Son,1933
- 47828) *Meganola nanula* (Wiltshire,1961) (Noctuidae) Synonym(s): *nanula* Wiltshire,1961
- 47829) *Meganola ruficostata* (Hampson,1896) (Noctuidae) Synonym(s): *ruficostata* Hampson,1896
- 47830) *Meganola scripta* (Moore,1888) (Noctuidae) Synonym(s): *scripta* Moore,1888
- 47831) *Meganola scripta csoevarii* Laszlo, G.Ronkay & Witt,2007 (Noctuidae) Synonym(s): *csoevarii* Laszlo, G.Ronkay & Witt,2007
- 47832) *Meganola scriptoides* Holloway,2003 (Noctuidae) Synonym(s): *scriptoides* Holloway,2003
- 47833) *Meganola strigula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *strigula* [Denis & Schiffermüller],1775
- 47834) *Meganola subbalbis* (Zeller,1852) (Noctuidae) Synonym(s): *subbalbis* Zeller,1852
- 47835) *Meganola taurica* (Daniel,1935) (Noctuidae) Synonym(s): *taurica* Daniel,1935
- 47836) *Meganola togatalis* (Hübner,1796) (Noctuidae) Synonym(s): *togatulis* Hübner,1796
- 47837) *Meganetycia armata* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *armata* Hreblay & L.Ronkay,1998
- 47838) *Meganetycia brevicorna* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *brevicornis* Hreblay & L.Ronkay,1999
- 47839) *Meganetycia fansipana* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *fansipana* Hreblay, Peregovits & L.Ronkay,1999
- 47840) *Meganetycia forcipata* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *forcipata* Hreblay & L.Ronkay,1998
- 47841) *Meganetycia salaka* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *salaka* Hreblay & L.Ronkay,1999
- 47842) *Megathripa rufimedia* (Hampson,1905) (Noctuidae) Synonym(s): *rufimedia* Hampson,1905
- 47843) *Mekrania obliquialis* Wiltshire,1982 (Noctuidae) Synonym(s): *obliquialis* Wiltshire,1982
- 47844) *Mekrania punctalis* Brandt,1941 (Noctuidae) Synonym(s): *punctalis* Brandt,1941
- 47845) *Melanchra diaolica* Plante,1990 (Noctuidae) Synonym(s): *diaolica* Plante,1990
- 47846) *Melanchra persicariae* (Linnaeus,1761) (Noctuidae) Synonym(s): *persicariae* Linnaeus,1761; *sambuci* Hufnagel,1766; *graphica* Geoffroy,1785; *accipitrina* Esper,[1788].
- 47847) *Melanchra persicariae cypriaca* Hacker & Wimmer,1990 (Noctuidae) Synonym(s): *cypriaca* Hacker & Wimmer,1990
- 47848) *Melanchra persicariae persicariae* (Linnaeus,1761) (Noctuidae) Synonym(s): *persicariae* Linnaeus,1761; *sambuci* Hufnagel,1766; *graphica* Geoffroy,1785; *accipitrina* Esper,[1788].
- 47849) *Melanchra pisi* (Linnaeus,1758) (Noctuidae) Synonym(s): *pisi* Linnaeus,1758; *rukavaarae* Hoffmann,1893; *pardoi* Agenjo,1945.
- 47850) *Melanephia metarhabdota* Hampson,1926 (Noctuidae) Synonym(s): *metarhabdota* Hampson,1926
- 47851) *Melanephia nigrescens* (Wallengren,1856) (Noctuidae) Synonym(s): *nigrescens* Wallengren,1856; *inquieta* Walker,[1857]; *teretipalpa* Wallengren,1860; *sofala* R.Felder & Rogenhofer,1874
- 47852) *Melanephia trista* (Snellen,1872) (Noctuidae) Synonym(s): *trista* Snellen,1872; *melanophaes* Bethune-Baker,1911
- 47853) *Melanographia flexilineata* (Hampson,1898) (Noctuidae) Synonym(s): *flexilineata* Hampson,1898
- 47854) *Meliaba pelopsalis* Walker,[1859] (Noctuidae) Synonym(s): *pelopsalis* Walker,[1859]
- 47855) *Melipotis amphix* (Cramer,1777) (Noctuidae) Synonym(s): *amphix* Cramer,1777
- 47856) *Melipotis mimica* (Gaede,1939) (Noctuidae) Synonym(s): *mimica* Gaede,1939
- 47857) *Melipotis unilinea* Swinhoe,1885 (Noctuidae) Synonym(s): *unilinea* Swinhoe,1885

- 47858) *Meneptera diopis* (Hampson,1905) (Noctuidae) Synonym(s): *diopis* Hampson,1905
 47859) *Mentaxya albifrons* (Geyer,1837) (Noctuidae) Synonym(s): *albifrons* Geyer,1837; *amatura* Geyer,1837.
 47860) *Mentaxya arabica* Wiltshire,1980 (Noctuidae) Synonym(s): *arabica* Wiltshire,1980
 47861) *Mentaxya atritegula* (Hampson,1902) (Noctuidae) Synonym(s): *atritegula* Hampson,1902
 47862) *Mentaxya cumulata* (Walker,1865) (Noctuidae) Synonym(s): *cumulata* Walker,1865
 47863) *Mentaxya fletcheri* (Berio,1955) (Noctuidae) Synonym(s): *fletcheri* Berio,1955
 47864) *Mentaxya ignicollis* (Walker,1857) (Noctuidae) Synonym(s): *ignicollis* Walker,1857; *mesosema* Hampson,1911; *igneticta* Hampson,1918.
 47865) *Mentaxya indigna* (Herrich-Schäffer,[1854]) (Noctuidae) Synonym(s): *indigna* Herrich-Schäffer,[1854]
 47866) *Mentaxya muscosa* Geyer,1837 (Noctuidae) Synonym(s): *muscosa* Geyer,1837; *aeramen* R.Felder & Rogenhofer,1874.
 47867) *Mentaxya percurvata* (Berio,1955) (Noctuidae) Synonym(s): *percurvata* Berio,1955
 47868) *Mentaxya rimosa* (Guenée,1852) (Noctuidae) Synonym(s): *rimosa* Guenée,1852; *varia* Walker,1865; *decipiens* R.Felder & Rogenhofer,1874.
 47869) *Mepantandrea simia* (Saalmüller,1891) (Noctuidae) Synonym(s): *simia* Saalmüller,1891
 47870) *Mervia kuznetzovi* Daristheva,1961 (Noctuidae) Synonym(s): *kuznetzovi* Daristheva,1961
 47871) *Mesapamea* (Resapamea) *hedeni* (Graeser,1888) (Noctuidae) Synonym(s): *hedeni* Graeser,1888; *subornata* Staudinger,1896.
 47872) *Mesapamea* (Resapamea) *hedeni hedeni* (Graeser,1888) (Noctuidae) Synonym(s): *hedeni* Graeser,1888; *subornata* Staudinger,1896.
 47873) *Mesapamea* (Resapamea) *hedeni vargai* Hacker,1988 (Noctuidae) Synonym(s): *vargai* Hacker,1988
 47874) *Mesapamea* (s.str.) *calcirea* (Püngeler,1902) (Noctuidae) Synonym(s): *calcirea* Püngeler,1902
 47875) *Mesapamea* (s.str.) *didyma* (Esper,[1788]) (Noctuidae) Synonym(s): *didyma* Esper,[1788]; *secalella* Remm,1983.
 47876) *Mesapamea* (s.str.) *moderata* (Eversmann,1843) (Noctuidae) Synonym(s): *moderata* Eversmann,1843
 47877) *Mesapamea* (s.str.) *secalis* (Linnaeus,1758) (Noctuidae) Synonym(s): *secalis* Linnaeus,1758
 47878) *Mesapamea* (s.str.) *vaskeni* Varga,1979 (Noctuidae) Synonym(s): *vaskeni* Varga,1979
 47879) *Mesapamea* (s.str.) *vaskeni kazbekiana* Ronkay & Varga,1985 (Noctuidae) Synonym(s): *kazbekiana* Ronkay & Varga,1985
 47880) *Mesapamea* (s.str.) *vaskeni vaskeni* Varga,1979 (Noctuidae) Synonym(s): *vaskeni* Varga,1979
 47881) *Mesapamea* *remmi* Rezbanyai-Reser,1985 (Noctuidae) Synonym(s): *remmi* Rezbanyai-Reser,1985
 47882) *Mesogenea costimacula* Hampson,1926 (Noctuidae) Synonym(s): *costimacula* Hampson,1926
 47883) *Mesogenea persinuosa* Hampson,1910 (Noctuidae) Synonym(s): *persinuosa* Hampson,1910
 47884) *Mesogenea varians* Hampson,1902 (Noctuidae) Synonym(s): *variens* Hampson,1902
 47885) *Mesogona acetosellae* (Goeze,1781) (Noctuidae) Synonym(s): *acetosellae* [Denis & Schiffermüller],1775; *acetosellae* Goeze,1781; *vorbrotti* Wehrli,1917; *grisea* Dannehl,1929; *pallida* Dannehl,1929; *segoviensis* Calle,1982; *clarescens* Calle,1982
 47886) *Mesogona acetosellae anatolica* Fibiger & Schepler,1997 (Noctuidae) Synonym(s): *anatolica* Fibiger & Schepler,1997
 47887) *Mesogona oxalina* (Hübner,[1803]) (Noctuidae) Synonym(s): *oxalina* Hübner,[1803]
 47888) *Mesoligia algaini* Wiltshire,1983 (Noctuidae) Synonym(s): *algaini* Wiltshire,1983
 47889) *Mesoligia dubia* (Heydemann,1942) (Noctuidae) Synonym(s): *dubia* Heydemann,1942
 47890) *Mesoligia furuncula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *furuncula* [Denis & Schiffermüller],1775; *spoliaticula* [Denis & Schiffermüller],1775; *bicoloria* Villers,1789; *vinctuncula* Hübner,[1803]; *humeralis* Haworth,1809; *terminalis* Haworth,1809; *rufuncula* Haworth,1809
 47891) *Mesoligia literosa* (Haworth,[1809]) (Noctuidae) Synonym(s): *literosa* Haworth,[1809]; *erraticula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918
 47892) *Mesoligia literosa hispanica* (Heydemann,1942) (Noctuidae) Synonym(s): *hispanica* Heydemann,1942
 47893) *Mesoligia literosa kutchilou* (Brandt,1939) (Noctuidae) Synonym(s): *kutchilou* Brandt,1939
 47894) *Mesoligia literosa literosa* (Haworth,[1809]) (Noctuidae) Synonym(s): *literosa* Haworth,[1809]
 47895) *Mesoligia literosa minorasia* Rezbanyai-Reser,1998 (Noctuidae) Synonym(s): *minorasia* Rezbanyai-Reser,1998
 47896) *Mesoligia literosa onochyna* (Herrich-Schäffer,1856) (Noctuidae) Synonym(s): *onochyna* Herrich-Schäffer,1856
 47897) *Mesoligia literosa siciliana* Rezbanyai-Reser,1998 (Noctuidae) Synonym(s): *siciliana* Rezbanyai-Reser,1998
 47898) *Mesoligia literosa subarctica* (Staudinger,1898) (Noctuidae) Synonym(s): *subarctica* Staudinger,1898
 47899) *Mesoplus contrita* (Christoph,1884) (Noctuidae) Synonym(s): *contrita* Christoph,1884
 47900) *Mesoplus pachyspila* Boursin,1968 (Noctuidae) Synonym(s): *pachyspila* Boursin,1968
 47901) *Mesorhynchaglaea pacifica* Sugi,1980 (Noctuidae) Synonym(s): *pacifica* Sugi,1980
 47902) *Mesosciera picta* Hampson,1926 (Noctuidae) Synonym(s): *picta* Hampson,1926
 47903) *Mesotrosta signalis* (Treitschke,1829) (Noctuidae) Synonym(s): *signalis* Treitschke,1829
 47904) *Metachrostis dardouini* (Boisduval,1840) (Noctuidae) Synonym(s): *dardouini* Boisduval,1840
 47905) *Metachrostis dardouini dilucida* Osthelder,1933 (Noctuidae) Synonym(s): *dilucida* Osthelder,1933
 47906) *Metachrostis decora* (Walker,1869) (Noctuidae) Synonym(s): *decora* Walker,1869
 47907) *Metachrostis griseimargo* (Warren,1912) (Noctuidae) Synonym(s): *griseimargo* Warren,1912
 47908) *Metachrostis melabela* (Hampson,1910) (Noctuidae) Synonym(s): *melabela* Hampson,1910
 47909) *Metachrostis quinaria* (Moore,1881) (Noctuidae) Synonym(s): *quinaria* Moore,1881
 47910) *Metachrostis sefidi* (Brandt,1938) (Noctuidae) Synonym(s): *sefidi* Brandt,1938
 47911) *Metachrostis velocior* (Staudinger,1892) (Noctuidae) Synonym(s): *velocior* Staudinger,1892
 47912) *Metachrostis velocior deserta* (Amsel,1935) (Noctuidae) Synonym(s): *deserta* Amsel,1935
 47913) *Metachrostis velocior velocior* (Staudinger,1892) (Noctuidae) Synonym(s): *velocior* Staudinger,1892
 47914) *Metachrostis velox* (Hübner,[1813]) (Noctuidae) Synonym(s): *velox* Hübner,[1813]; *griseimargo* W.Warren,1912; *velocissima* Turati,1926; *rubescens* Schwingenschuss,1930; *vinacea* De Joannis,1931
 47915) *Metaegle gratiosa* (Staudinger,1892) (Noctuidae) Synonym(s): *gratiosa* Staudinger,1892; *iranica* Bytinski-Salz & Brandt,1937.
 47916) *Metaegle pallida* (Staudinger,1892) (Noctuidae) Synonym(s): *pallida* Staudinger,1892
 47917) *Metagarista maenas* (Herrich-Schäffer,1853) (Noctuidae) Synonym(s): *maenas* Herrich-Schäffer,1853
 47918) *Metagarista subcrocea* Wiltshire,1983 (Noctuidae) Synonym(s): *subcrocea* Wiltshire,1983
 47919) *Metagarista triphaenoides* Walker,1854 (Noctuidae) Synonym(s): *triphaenoides* Walker,1854
 47920) *Metalopha ingloria* Draudt,1933 (Noctuidae) Synonym(s): *ingloria* Draudt,1933; *splendida* Amsel,1933
 47921) *Metalopha ionodoxa* Ronkay,1990 (Noctuidae) Synonym(s): *ionodoxa* Ronkay,1990
 47922) *Metalopha ionodoxa euechalcina* Ronkay,1990 (Noctuidae) Synonym(s): *euechalcina* Ronkay,1990
 47923) *Metalopha ionodoxa ionodoxa* Ronkay,1990 (Noctuidae) Synonym(s): *ionodoxa* Ronkay,1990
 47924) *Metalopha kashmirensis* (Hampson,1894) (Noctuidae) Synonym(s): *kashmirensis* Hampson,1894
 47925) *Metalopha liturata* (Christoph,1887) (Noctuidae) Synonym(s): *liturata* Christoph,1887; *plusina* Staudinger,1892.
 47926) *Metalopha liturata liturata* (Christoph,1887) (Noctuidae) Synonym(s): *liturata* Christoph,1887; *plusina* Staudinger,1892.
 47927) *Metanola gladstonei* Van Son,1933 (Noctuidae) Synonym(s): *gladstonei* Van Son,1933
 47928) *Metanola myriostigma* Van Son,1933 (Noctuidae) Synonym(s): *myriostigma* Van Son,1933
 47929) *Metaphoenia plagifera* (Walker,1864) (Noctuidae) Synonym(s): *plagifera* Walker,1864
 47930) *Metapioplasta insocia* (Walker,[1858]) (Noctuidae) Synonym(s): *insocia* Walker,[1858]; *concinula* Walker,[1858]; *pyralina* Walker,[1858]; *simo* Wallengren,1860; *confrons* Aurivillius,1879
 47931) *Metapioplasta philbyi* Wiltshire,1988 (Noctuidae) Synonym(s): *philbyi* Wiltshire,1988
 47932) *Metapioplasta silus* Wallengren,1875 (Noctuidae) Synonym(s):
 47933) *Metlaouia oberthuerei* Culot,1910 (Noctuidae) Synonym(s): *oberthuerei* Culot,1910; *autumna* Chrétien,1911.
 47934) *Metopistis erschoffi* (Christoph,1884) (Noctuidae) Synonym(s): *erschoffi* Christoph,1884
 47935) *Metopistis picturata* (Rothschild,1909) (Noctuidae) Synonym(s): *picturata* Rothschild,1909
 47936) *Metopoceras* (Tritomoceras) *albarracina* Hampson,1918 (Noctuidae) Synonym(s): *albarracina* Hampson,1918
 47937) *Metopoceras* (Tritomoceras) *khalildja* Oberthür,1884 (Noctuidae) Synonym(s): *khalildja* Oberthür,1884
 47938) *Metopoceras* (s.str.) *delicata* (Staudinger,1898) (Noctuidae) Synonym(s): *delicata* Staudinger,1898; *gauckleri* Püngeler,1905.
 47939) *Metopoceras* (s.str.) *felicina* (Donzel,1844) (Noctuidae) Synonym(s): *felicina* Donzel,1844
 47940) *Metopoceras* (s.str.) *ioptera* Wiltshire,1977 (Noctuidae) Synonym(s): *ioptera* Wiltshire,1977
 47941) *Metopoceras* (s.str.) *omar* (Oberthür,1887) (Noctuidae) Synonym(s): *omar* Oberthür,1887
 47942) *Metopoceras* (s.str.) *omara caspica* Alpheraky,1895 (Noctuidae) Synonym(s): *caspica* Alpheraky,1895

- 47943) *Metopoceras* (s.str.) *omar felix* Standfuss, 1893 (Noctuidae) Synonym(s): *felix* Standfuss, 1893; *sacra* Staudinger, 1895.
- 47944) *Metopoceras* (s.str.) *philbyi* Wiltshire, 1980 (Noctuidae) Synonym(s): *philbyi* Wiltshire, 1980
- 47945) *Metopoceras* (s.str.) *pilleti* Boursin, 1932 (Noctuidae) Synonym(s): *pilleti* Boursin, 1932
- 47946) *Metopoceras* (s.str.) *popovi* Wiltshire, 1980 (Noctuidae) Synonym(s): *popovi* Wiltshire, 1980
- 47947) *Metopoceras* (s.str.) *solituda* (Brandt, 1938) (Noctuidae) Synonym(s): *solituda* Brandt, 1938
- 47948) *Metopoceras* (s.str.) *solituda eutchina* Rebel, 1948 (Noctuidae) Synonym(s): *eutchina* Rebel, 1948
- 47949) *Metopoceras* *Acrobyla kneuckeri gloriosa* (Rungs, 1945) (Noctuidae) Synonym(s): *gloriosa* Rungs, 1945
- 47950) *Metopodicha antherici* (Christoph, 1884) (Noctuidae) Synonym(s): *antherici* Christoph, 1884
- 47951) *Metopodicha ernesti* Draudt, 1936 (Noctuidae) Synonym(s): *ernesti* Draudt, 1936; *achaemenica* Wiltshire, 1941
- 47952) *Metopodicha longicornis* Boursin, 1957 (Noctuidae) Synonym(s): *longicornis* Boursin, 1957
- 47953) *Metoponrhis albirena* (Christoph, 1887) (Noctuidae) Synonym(s): *albirena* Christoph, 1887
- 47954) *Metoponrhis albirena albirena* (Christoph, 1887) (Noctuidae) Synonym(s): *albirena* Christoph, 1887
- 47955) *Metoponrhis fuscipars* (Hampson, 1926) (Noctuidae) Synonym(s): *fuscipars* Hampson, 1926
- 47956) *Metoponrhis albopars fuscipars* (Hampson, 1926) (Noctuidae) Synonym(s): *fuscipars* Hampson, 1926
- 47957) *Metoponrhis karakumensis* (Gerasimov, 1931) (Noctuidae) Synonym(s): *karakumensis* Gerasimov, 1931
- 47958) *Metoponrhis karakumensis karakumensis* (Gerasimov, 1931) (Noctuidae) Synonym(s): *karakumensis* Gerasimov, 1931
- 47959) *Metoponrhis karakumensis kasyi* Wiltshire, 1971 (Noctuidae) Synonym(s): *kasyi* Wiltshire, 1971
- 47960) *Metoponrhis marginata* (Hampson, 1898) (Noctuidae) Synonym(s): *marginata* Hampson, 1898
- 47961) *Metoponrhis marginata marginata* (Hampson, 1898) (Noctuidae) Synonym(s): *marginata* Hampson, 1898
- 47962) *Metoponrhis marginata remanei* Wiltshire, 1974 (Noctuidae) Synonym(s): *remanei* Wiltshire, 1974
- 47963) *Metoponrhis rungsi* Lucas, 1936 (Noctuidae) Synonym(s): *rungs* Lucas, 1936
- 47964) *Metoponrhis rungsi rungsi* Lucas, 1936 (Noctuidae) Synonym(s): *rungs* Lucas, 1936
- 47965) *Metopoplus alboflavicola* Stshetkin, 1965 (Noctuidae) Synonym(s): *alboflavicola* Stshetkin, 1965
- 47966) *Metopoplus boursini* Brandt, 1938 (Noctuidae) Synonym(s): *boursini* Brandt, 1938
- 47967) *Metopoplus excelsa* (Christoph, 1885) (Noctuidae) Synonym(s): *excelsa* Christoph, 1885
- 47968) *Miaromima aquila* (Holloway, 1982) (Noctuidae) Synonym(s): *aquila* Holloway, 1982
- 47969) *Miaromima columbina* (W. Warren, 1914) (Noctuidae) Synonym(s): *columbina* W. Warren, 1914; *zygospila* Zerny, 1916; *albiobis* Hampson, 1918
- 47970) *Miaromima cornucopia* (Hampson, 1891) (Noctuidae) Synonym(s): *cornucopia* Hampson, 1891; *ocellata* W. Warren, 1914
- 47971) *Miaromima naessigi* (Kobes, 1989) (Noctuidae) Synonym(s): *naessigi* Kobes, 1989
- 47972) *Miaromima pangolina* (Holloway, 1982) (Noctuidae) Synonym(s): *pangolina* Holloway, 1982
- 47973) *Micragrotis cinerosa* Bethune-Baker, 1911 (Noctuidae) Synonym(s): *cinerosa* Bethune-Baker, 1911
- 47974) *Micragrotis exusta* Hampson, 1903 (Noctuidae) Synonym(s): *exusta* Hampson, 1903
- 47975) *Micragrotis intendens* (Walker, 1857) (Noctuidae) Synonym(s): *intendens* Walker, 1857
- 47976) *Micragrotis interstriata* (Hampson, 1902) (Noctuidae) Synonym(s): *interstriata* Hampson, 1902
- 47977) *Micragrotis marwitzi* Gaede, 1935 (Noctuidae) Synonym(s): *marwitzi* Gaede, 1935
- 47978) *Micragrotis microstigma* Hampson, 1903 (Noctuidae) Synonym(s): *microstigma* Hampson, 1903
- 47979) *Micragrotis prosarca* Hampson, 1903 (Noctuidae) Synonym(s): *prosarca* Hampson, 1903
- 47980) *Micragrotis puncticostata* (Hampson, 1902) (Noctuidae) Synonym(s): *puncticostata* Hampson, 1902
- 47981) *Micragrotis rufescens* Hampson, 1903 (Noctuidae) Synonym(s): *rufescens* Hampson, 1903
- 47982) *Micragrotis strigibasis* (Hampson, 1902) (Noctuidae) Synonym(s): *strigibasis* Hampson, 1902
- 47983) *Micriontha decorata* (Frivaldsky, 1845) (Noctuidae) Synonym(s): *decorata* Frivaldsky, 1845
- 47984) *Micronola karsholti* Fibiger, 1997 (Noctuidae) Synonym(s): *karsholti* Fibiger, 1997
- 47985) *Micronola wadicola* Amsel, 1935 (Noctuidae) Synonym(s): *wadicola* Amsel, 1935
- 47986) *Microthripa buxtoni* Tams, 1935 (Noctuidae) Synonym(s): *buxtoni* Tams, 1935
- 47987) *Microxestis wutzdorffi* (Püngeler, 1907) (Noctuidae) Synonym(s): *wutzdorffi* Püngeler, 1907
- 47988) *Mimasura dhofarica* Wiltshire, 1984 (Noctuidae) Synonym(s): *dhofarica* Wiltshire, 1984
- 47989) *Mimasura innodata* Hampson, 1910 (Noctuidae) Synonym(s): *innodata* Hampson, 1910
- 47990) *Mimasura larseni* Wiltshire, 1984 (Noctuidae) Synonym(s): *larseni* Wiltshire, 1984
- 47991) *Mimasura quadripuncta* Hampson, 1910 (Noctuidae) Synonym(s): *quadripuncta* Hampson, 1910
- 47992) *Mimasura tripunctoides* Poole, 1989 (Noctuidae) Synonym(s): *tripuncta* Hampson, 1902 (*praeocc.*); *tripunctoides* Poole, 1989
- 47993) *Mimasura unipuncta* (Hampson, 1902) (Noctuidae) Synonym(s): *unipuncta* Hampson, 1902
- 47994) *Mimeugoa bifasciata* (Hampson, 1894) (Noctuidae) Synonym(s): *bifasciata* Hampson, 1894; *edentifascia* Hampson, 1895
- 47995) *Mimeusemia accurata* (Swinhoe, 1890) (Noctuidae) Synonym(s): *accurata* Swinhoe, 1890
- 47996) *Mimeusemia albicilia* Hampson, 1894 (Noctuidae) Synonym(s): *albicilia* Hampson, 1894
- 47997) *Mimeusemia albigutta* (Karsch, 1895) (Noctuidae) Synonym(s): *albigutta* Karsch, 1895; *geraldi* Kirby, 1896
- 47998) *Mimeusemia amanda* Kishida, 1993 (Noctuidae) Synonym(s): *amanda* Kishida, 1993
- 47999) *Mimeusemia basalis* (Walker, 1854) (Noctuidae) Synonym(s): *basalis* Walker, 1854; *hiscima* Strand, 1912
- 48000) *Mimeusemia centralis* (Rothschild, 1896) (Noctuidae) Synonym(s): *centralis* Rothschild, 1896
- 48001) *Mimeusemia ceylonica* Hampson, 1893 (Noctuidae) Synonym(s): *ceylonica* Hampson, 1893
- 48002) *Mimeusemia davidsoni* Swinhoe, 1899 (Noctuidae) Synonym(s): *davidsoni* Swinhoe, 1899
- 48003) *Mimeusemia econia* Hampson, 1900 (Noctuidae) Synonym(s): *econia* Hampson, 1900
- 48004) *Mimeusemia hainana* Jordan, 1908 (Noctuidae) Synonym(s): *hainana* Jordan, 1908
- 48005) *Mimeusemia lombokensis* Rothschild, 1897 (Noctuidae) Synonym(s): *lombokensis* Rothschild, 1897
- 48006) *Mimeusemia perakana* Rothschild, 1896 (Noctuidae) Synonym(s): *perakana* Rothschild, 1896
- 48007) *Mimeusemia persimilis* Butler, 1875 (Noctuidae) Synonym(s): *persimilis* Butler, 1875
- 48008) *Mimeusemia peshwa* Moore, 1858 (Noctuidae) Synonym(s): *peshwa* Moore, 1858; *peshwa* Hampson, 1901
- 48009) *Mimeusemia postica* (Walker, 1862) (Noctuidae) Synonym(s): *postica* Walker, 1862; *tara* Swinhoe, 1892
- 48010) *Mimeusemia proerosia* (Druce, 1893) (Noctuidae) Synonym(s): *proerosia* Druce, 1893; *vitticollis* Rothschild, 1896; *obiensis* Rothschild, 1898
- 48011) *Mimeusemia puciolia* (Druce, 1895) (Noctuidae) Synonym(s): *puciolia* Druce, 1895
- 48012) *Mimeusemia vittata* (Butler, 1875) (Noctuidae) Synonym(s): *vittata* Butler, 1875
- 48013) *Mimeusemia wilemani* Hampson, 1911 (Noctuidae) Synonym(s): *wilemani* Hampson, 1911
- 48014) *Mimleucania perstriata* Hampson, 1909 (Noctuidae) Synonym(s): *perstriata* Hampson, 1909
- 48015) *Miniods discolor* Guenée, 1852 (Noctuidae) Synonym(s): *discolor* Guenée, 1852
- 48016) *Minucia bimaculata* (Osthelder, 1933) (Noctuidae) Synonym(s): *bimaculata* Osthelder, 1933
- 48017) *Minucia bimaculata pulchrior* Wiltshire, 1957 (Noctuidae) Synonym(s): *pulchrior* Wiltshire, 1957
- 48018) *Minucia confinis* (Wallengren, 1856) (Noctuidae) Synonym(s): *confinis* Wallengren, 1856
- 48019) *Minucia finitima* (Wallengren, 1856) (Noctuidae) Synonym(s): *finitima* Wallengren, 1856
- 48020) *Minucia maculata* (Wallengren, 1856) (Noctuidae) Synonym(s): *maculata* Wallengren, 1856
- 48021) *Mionides lichenea* Hampson, 1902 (Noctuidae) Synonym(s): *lichenea* Hampson, 1902; *hichinea* Janse, 1937
- 48022) *Mitrophrys ansorgei* (Rothschild, 1897) (Noctuidae) Synonym(s): *ansorgei* Rothschild, 1897
- 48023) *Mitrophrys latreilli* (Herrich-Schäffer, [1853]) (Noctuidae) Synonym(s): *latreilli* Herrich-Schäffer, [1853]
- 48024) *Mixomelia* sp. (Noctuidae) Synonym(s):
- 48025) *Mniothripa argenteopurpurea* Gaede, 1937 (Noctuidae) Synonym(s): *argenteopurpurea* Gaede, 1937
- 48026) *Mniothripa bradleyi* D.S. Fletcher, 1957 (Noctuidae) Synonym(s): *bradleyi* D.S. Fletcher, 1957
- 48027) *Mniothripa fletcheri* Holloway, 2003 (Noctuidae) Synonym(s): *fletcheri* Holloway, 2003
- 48028) *Mniothripa lichenigera* (Hampson, 1905) (Noctuidae) Synonym(s): *lichenigera* Hampson, 1905
- 48029) *Mniothripa translucens* Holloway, 2003 (Noctuidae) Synonym(s): *translucens* Holloway, 2003
- 48030) *Mniotype adusta* (Esper, [1790]) (Noctuidae) Synonym(s): *adusta* Esper, [1790]; *duplex* Haworth, 1809; *valida* Hübner, [1813]; *vultarina* Freyer, 1832; *chardinyi* Duponchel, [1838]; *pavida* Boisduval, 1840; *baltica* Hering, 1846; *vulturina* Herrich-Schäffer, [1850]; *vicina* Alpheraky, 1882; *griseus* Standfuss, 1893; *aterrina* Costantin., 1916; *carpathica* Kaucki

- 48031) **Mniotype anilis** (Boisduval,1840) (Noctuidae) Synonym(s): *anilis* Boisduval,1840
 48032) **Mniotype aphanes** (Boursin,1960) (Noctuidae) Synonym(s): *aphanes* Boursin,1960
 48033) **Mniotype bathensis** (Lutzu,1901) (Noctuidae) Synonym(s): *bathensis* Lutzu,1901
 48034) **Mniotype buxtoni** (Rothschild,1921) (Noctuidae) Synonym(s): *buxtoni* Rothschild,1921
 48035) **Mniotype clavata** Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *clavata* Hreblay & L.Ronkay,1999
 48036) **Mniotype compitalis** (Draudt,1909) (Noctuidae) Synonym(s): *compitalis* Draudt,1909; *leptitanus* Turati,1924.
 48037) **Mniotype csanadii** Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *csanadii* Hreblay, Peregovits & L.Ronkay,1999
 48038) **Mniotype deluccai** (Berio,1976) (Noctuidae) Synonym(s): *deluccai* Berio,1976
 48039) **Mniotype fabulosa** Benedek & L.Ronkay,2002 (Noctuidae) Synonym(s): *fabulosa* Benedek & L.Ronkay,2002
 48040) **Mniotype falcifera** Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *falcifera* Hreblay & L.Ronkay,1999
 48041) **Mniotype inthanoni** Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *inthanoni* Hreblay & L.Ronkay,1999
 48042) **Mniotype inthanoni inthanoni** Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *inthanoni* Hreblay & L.Ronkay,1999
 48043) **Mniotype johanna** (Staudinger,1898) (Noctuidae) Synonym(s): *johanna* Staudinger,1898; *grisea* D.Lucas,1908
 48044) **Mniotype lama** (Staudinger,1900) (Noctuidae) Synonym(s): *lama* Staudinger,1900
 48045) **Mniotype lama dubiosa** (A.Bang-Haas,1912) (Noctuidae) Synonym(s): *dubiosa* A.Bang-Haas,1912
 48046) **Mniotype leucocyma** (Hampson,1907) (Noctuidae) Synonym(s): *leucocyma* Hampson,1907
 48047) **Mniotype mucronata** (Moore,1882) (Noctuidae) Synonym(s): *mucronata* Moore,1882
 48048) **Mniotype olivascens** (Draudt,1950) (Noctuidae) Synonym(s): *olivascens* Draudt,1950
 48049) **Mniotype solieri** (Boisduval,1840) (Noctuidae) Synonym(s): *solieri* Boisduval,1940
 48050) **Mniotype solieri solieri** (Boisduval,1840) (Noctuidae) Synonym(s): *solieri* Boisduval,1940
 48051) **Mniotype spinosa** (Chrétien,1910) (Noctuidae) Synonym(s): *spinosa* Chrétien,1910
 48052) **Mniotype timida** (Staudinger,1888) (Noctuidae) Synonym(s): *timida* Staudinger,1888
 48053) **Mniotype vartianorum** Varga,1979 (Noctuidae) Synonym(s): *vartianorum* Varga,1979
 48054) **Mniotype xylinoides** (A.Bang-Haas,1912) (Noctuidae) Synonym(s): *xylinoides* A.Bang-Haas,1912
 48055) **Mocis conveniens** (Walker,1858) (Noctuidae) Synonym(s): *conveniens* Walker,1858; *detersa* Walker,1865.
 48056) **Mocis frugalis** (Fabricius,1775) (Noctuidae) Synonym(s): *frugalis* Fabricius,1775; *lycopodia* Geyer,1837; *translata* Walker,1865.
 48057) **Mocis mayeri** (Boisduval,1833) (Noctuidae) Synonym(s): *mayeri* Boisduval,1833; *pellita* Guenée,1852; *jugalalis* Walker,1858; *mutuata* Walker,1858; *associata* Walker,1865; *diffundens* Walker,1865; *inconcisa* Walker,1865; *subaenescens* Walker,1869.
 48058) **Mocis mutuaria** (Walker,1858) (Noctuidae) Synonym(s): *mutuaria* Walker,1858; *judicans* Walker,1858; *insulsa* Wallengren,1860; *torpida* Walker,1865; *nigrimacula* Mabil,1879.
 48059) **Mocis repanda** (Noctuidae) Synonym(s):
 48060) **Mocis trifasciata** (Stephens,1830) (Noctuidae) Synonym(s): *trifasciata* Stephens,1830
 48061) **Mocis undata** (Fabricius,1775) (Noctuidae) Synonym(s): *undata* Fabricius,1775; *archesia* Cramer,1780; *vibria* Cramer,1780; *gregalis* Guenée,1852; *velata* Walker,[1863]; *bifasciata* Walker,1865.
 48062) **Molvena caledonica** Holloway,1979 (Noctuidae) Synonym(s): *caledonica* Holloway,1979
 48063) **Moma alpium** (Osbeck,1778) (Noctuidae) Synonym(s): *alpium* Osbeck,1778
 48064) **Moma burmana** (Berio,1973) (Noctuidae) Synonym(s): *burmana* Berio,1973
 48065) **Monocondica illecta** (Walker,1865) (Noctuidae) Synonym(s): *illecta* Walker,1865
 48066) **Monocondica pauperata** (Walker,1858) (Noctuidae) Synonym(s): *pauperata* Walker,1858
 48067) **Mormecia lachnogyia** Tams,1935 (Noctuidae) Synonym(s): *lachnogyia* Tams,1935
 48068) **Mormo maura** (Linnaeus,1758) (Noctuidae) Synonym(s): *maura* Linnaeus,1758; *lemur* Meinecke,1775; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cyprica* Hacker,1996
 48069) **Mosopia eudoxusalis** (Walker,[1858]) (Noctuidae) Synonym(s): *eudoxusalis* Walker,[1858]; *assiusalis* Walker,[1859]
 48070) **Mosopia megaspila** Walker,[1866] (Noctuidae) Synonym(s): *megaspila* Walker,[1866]
 48071) **Mosopia sp.1** (Noctuidae) Synonym(s):
 48072) **Mosopia sp.2** (Noctuidae) Synonym(s):
 48073) **Mudaria luteiprosa** Holloway (Noctuidae) Synonym(s):
 48074) **Mudaria major** W.Warren (Noctuidae) Synonym(s):
 48075) **Mudaria variabilis** Roepke,1916 (Noctuidae) Synonym(s): *variabilis* Roepke,1916
 48076) **Myalila typica** Strand,1909 (Noctuidae) Synonym(s): *typica* Strand,1909
 48077) **Myana sapor** Swinhoe,1884 (Noctuidae) Synonym(s): *sapor* Swinhoe,1884; *amseli* Brandt,1941.
 48078) **Mycteroplus puniceago** (Boisduval,1840) (Noctuidae) Synonym(s): *puniceago* Boisduval,1840
 48079) **Mythimna (Aletia) affinis** (Warnecke,1930) (Noctuidae) Synonym(s): *affinis* Warnecke,1930
 48080) **Mythimna (Aletia) albiradiosa** (Eversmann,1852) (Noctuidae) Synonym(s): *albiradiosa* Eversmann,1852
 48081) **Mythimna (Aletia) albiradiosa albiradiosa** (Eversmann,1852) (Noctuidae) Synonym(s): *albiradiosa* Eversmann,1852
 48082) **Mythimna (Aletia) alopecuri** (Boisduval,1840) (Noctuidae) Synonym(s): *alopecuri* Boisduval,1840; *syriaca* Osthelder,1933
 48083) **Mythimna (Aletia) andereggii** (Boisduval,1840) (Noctuidae) Synonym(s): *andereggii* Boisduval,1840
 48084) **Mythimna (Aletia) andereggii andereggii** (Boisduval,1840) (Noctuidae) Synonym(s): *andereggii* Boisduval,1840
 48085) **Mythimna (Aletia) andereggii lineata** (Eversmann,1842) (Noctuidae) Synonym(s): *lineata* Eversmann,1842
 48086) **Mythimna (Aletia) andereggii pseudocomma** (Rebel & Zerny,1931) (Noctuidae) Synonym(s): *pseudocomma* Rebel & Zerny,1931
 48087) **Mythimna (Aletia) bistrigata** (Moore,1881) (Noctuidae) Synonym(s): *bistrigata* Moore,1881; *albigatagis* Chang,1991
 48088) **Mythimna (Aletia) caelebs** (Grünberg,1910) (Noctuidae) Synonym(s): *caelebs* Grünberg,1910
 48089) **Mythimna (Aletia) citrinotata** (Hampson,1905) (Noctuidae) Synonym(s): *citrinotata* Hampson,1905; *brandti* Boursin,1963
 48090) **Mythimna (Aletia) congrua** (Hübner,[1817]) (Noctuidae) Synonym(s): *congrua* Hübner,[1817]; *amnicola* Rambur,1829.
 48091) **Mythimna (Aletia) conigera** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *conigera* [Denis & Schiffermüller],1775; *floccida* Esper,[1788].
 48092) **Mythimna (Aletia) consanguis** (Guenée,1852) (Noctuidae) Synonym(s): *consanguis* Guenée,1852
 48093) **Mythimna (Aletia) deserticola** (Bartel,1903) (Noctuidae) Synonym(s): *deserticola* Bartel,1903
 48094) **Mythimna (Aletia) distincta** (Moore,1881) (Noctuidae) Synonym(s): *distincta* Moore,1881
 48095) **Mythimna (Aletia) exanthemata** (Moore,1888) (Noctuidae) Synonym(s): *exanthemata* Moore,1888
 48096) **Mythimna (Aletia) flavostigma** (Bremer,1861) (Noctuidae) Synonym(s): *flavo-stigma* Bremer,1861; *macaria* Rebel,1916.
 48097) **Mythimna (Aletia) formosana** (Butler,1880) (Noctuidae) Synonym(s): *formosana* Butler,1880
 48098) **Mythimna (Aletia) fraterna** (Moore,1888) (Noctuidae) Synonym(s): *fraterna* Moore,1888
 48099) **Mythimna (Aletia) impura** (Hübner,[1808]) (Noctuidae) Synonym(s): *impura* Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809.
 48100) **Mythimna (Aletia) impura dungana** (Alpheraky,1882) (Noctuidae) Synonym(s): *dungana* Alpheraky,1882
 48101) **Mythimna (Aletia) impura impura** (Hübner,[1808]) (Noctuidae) Synonym(s): *impura* Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809.
 48102) **Mythimna (Aletia) inframicans** (Hampson,1893) (Noctuidae) Synonym(s): *inframicans* Hampson,1893
 48103) **Mythimna (Aletia) intertexta** (Chang,1991) (Noctuidae) Synonym(s): *intertexta* Chang,1991
 48104) **Mythimna (Aletia) intolerabilis** Hreblay,1992 (Noctuidae) Synonym(s): *intolerabilis* Hreblay,1992
 48105) **Mythimna (Aletia) l-album** (Linnaeus,1767) (Noctuidae) Synonym(s): *l-album* Linnaeus,1767; *penicillata* Moore,1881
 48106) **Mythimna (Aletia) laevusta** (Berio,1955) (Noctuidae) Synonym(s): *laevusta* Berio,1955
 48107) **Mythimna (Aletia) larseni** Wiltshire,1985 (Noctuidae) Synonym(s): *larseni* Wiltshire,1985
 48108) **Mythimna (Aletia) lineatissima** (Warren,1912) (Noctuidae) Synonym(s): *lineatissima* Warren,1912
 48109) **Mythimna (Aletia) melania** (Staudinger,1889) (Noctuidae) Synonym(s): *melania* Staudinger,1889
 48110) **Mythimna (Aletia) obscura** (Moore,1882) (Noctuidae) Synonym(s): *rudis* Moore,1881; *obscura* Moore,1882; ? *corrugata* Hampson,1894; *nepos* Leech,1900; ? *undina* Draudt,1950
 48111) **Mythimna (Aletia) octogesima** Wiltshire,1982 (Noctuidae) Synonym(s): *octogesima* Wiltshire,1982
 48112) **Mythimna (Aletia) operosa** (Saalmüller,1891) (Noctuidae) Synonym(s): *operosa* Saalmüller,1891
 48113) **Mythimna (Aletia) pallens** (Linnaeus,1758) (Noctuidae) Synonym(s): *pallens* Linnaeus,1758; *ectypa* Hübner,[1803]; *rufescens* Haworth,1803; *arcuata* Stephens,1829; *ochracea* Stephens,1829; *suffusa* Stephens,1829.

- 48114) *Mythimna (Aetia) panarista* (D.S.Fletcher,1963) (Noctuidae) Synonym(s): *panarista* D.S.Fletcher,1963
- 48115) *Mythimna (Aetia) prominens* Walker,1856 (Noctuidae) Synonym(s): *prominens* Walker,1856; *hispanica* Bellier,1863.
- 48116) *Mythimna (Aetia) proxima* (Leech,1900) (Noctuidae) Synonym(s): *proxima* Leech,1900
- 48117) *Mythimna (Aetia) pudorina* ([Denis & Schiffmüller],1775) (Noctuidae) Synonym(s): *pudorina* [Denis & Schiffmüller],1775; *impudens* Hübner,[1803].
- 48118) *Mythimna (Aetia) pyrausta* (Hampson,1913) (Noctuidae) Synonym(s): *pyrausta* Hampson,1913
- 48119) *Mythimna (Aetia) reversa* (Moore,[1885]) (Noctuidae) Synonym(s): *reversa* Moore,[1885]
- 48120) *Mythimna (Aetia) rufulosa* Wiltshire,1986 (Noctuidae) Synonym(s): *rufulosa* Wiltshire,1986
- 48121) *Mythimna (Aetia) sassanidica* (Hacker,1986) (Noctuidae) Synonym(s): *sassanidica* Hacker,1986
- 48122) *Mythimna (Aetia) scirpi* (Duponchel,1836) (Noctuidae) Synonym(s): *scirpi* Duponchel,1836; *dactylidis* Boisduval,1840; *montium* Boisduval,1840; *cyperi* Boisduval,1840; *fuscilinea* Graslin,1852; *syriaca* Osthelder,1933.
- 48123) *Mythimna (Aetia) sicala* (Treitschke,1835) (Noctuidae) Synonym(s): *sicala* Treitschke,1835; *albivena* Graslin,1852.
- 48124) *Mythimna (Aetia) straminea* (Treitschke,1825) (Noctuidae) Synonym(s): *straminea* Treitschke,1825
- 48125) *Mythimna (Aetia) tincta* (Walker,1858) (Noctuidae) Synonym(s): *tincta* Walker,1858
- 48126) *Mythimna (Aetia) umbriger*a (Saalmüller,1891) (Noctuidae) Synonym(s): *umbriger*a Saalmüller,1891
- 48127) *Mythimna (Aetia) umbriger*a palaeartica (Boursin & Rungs,1952) (Noctuidae) Synonym(s): *palaeartica* Boursin & Rungs,1952
- 48128) *Mythimna (Aetia) velutina* (Eversmann,1856) (Noctuidae) Synonym(s): *velutina* Eversmann,1846
- 48129) *Mythimna (Aetia) velutina* (Eversmann,1846) (Noctuidae) Synonym(s): *velutina* Eversmann,1846
- 48130) *Mythimna (Aetia) vitellina* (Hübner,[1808]) (Noctuidae) Synonym(s): *vitellina* Hübner,[1808]; *vitellina* Lederer,1870; *decolorata* Dannehl,1929; *saturator* Dannehl,1929; *griseocens* Dannehl,1929.
- 48131) *Mythimna (Aetia) vitellina thomasi* Hacker, Hreblay & Plante,1992 (Noctuidae) Synonym(s): *thomasi* Hacker, Hreblay & Plante,1992
- 48132) *Mythimna (Aetia) vulpecula* (Eversmann,1852) (Noctuidae) Synonym(s): *velutina* Eversmann,1846
- 48133) *Mythimna (Anapoma) riparia* (Rambur,1829) (Noctuidae) Synonym(s): *riparia* Rambur,1829
- 48134) *Mythimna (Hyphilare) abdita* Hreblay & Yoshimatsu,1998 (Noctuidae) Synonym(s): *abdita* Hreblay & Yoshimatsu,1998
- 48135) *Mythimna (Hyphilare) albipuncta* (Fabricius,1787) (Noctuidae) Synonym(s): *albipuncta* [Denis & Schiffmüller],1775; *albipuncta* (Fabricius,1787; *rufotincta* Wagner,1921.
- 48136) *Mythimna (Hyphilare) albiviata* (Hampson,1913) (Noctuidae) Synonym(s): *albipuncta* W.Warren,1912 nec [Denis & Schiff],1775; *albiviata* Hampson,1913
- 48137) *Mythimna (Hyphilare) albiviata amplia* (Calora,1966) (Noctuidae) Synonym(s): *ampia* Calora,1966
- 48138) *Mythimna (Hyphilare) albostrata* Hreblay & Yoshimatsu,1998 (Noctuidae) Synonym(s): *albostrata* Hreblay & Yoshimatsu,1998
- 48139) *Mythimna (Hyphilare) albovenosa* Hreblay,1999 (Noctuidae) Synonym(s): *albovenosa* Hreblay,1999
- 48140) *Mythimna (Hyphilare) argentata* Hreblay & Yoshimatsu,1998 (Noctuidae) Synonym(s): *argentata* Hreblay & Yoshimatsu,1998
- 48141) *Mythimna (Hyphilare) argentea* Yoshimatsu,1994 (Noctuidae) Synonym(s): *fasciata* Leech,1889 nec Mre.,1881; *argentea* Yoshimatsu,1994
- 48142) *Mythimna (Hyphilare) argentifera* Hreblay,1998 (Noctuidae) Synonym(s): *argentifera* Hreblay,1998
- 48143) *Mythimna (Hyphilare) binigrata* (W.Warren,1912) (Noctuidae) Synonym(s): *binigrata* W.Warren,1912
- 48144) *Mythimna (Hyphilare) biscornuta* Hreblay & Legrain & Yoshimatsu,1998 (Noctuidae) Synonym(s): *biscornuta* Hreblay & Legrain & Yoshimatsu,1998
- 48145) *Mythimna (Hyphilare) borneana* Yoshimatsu,1995 (Noctuidae) Synonym(s): *borneana* Yoshimatsu,1995
- 48146) *Mythimna (Hyphilare) brevia* Hreblay & Legrain,1998 (Noctuidae) Synonym(s): *brevia* Hreblay & Legrain,1998
- 48147) *Mythimna (Hyphilare) brunneicoccinea* (Calora,1966) (Noctuidae) Synonym(s): *brunneicoccinea* Calora,1966
- 48148) *Mythimna (Hyphilare) celebina* Hreblay,1998 (Noctuidae) Synonym(s): *celebina* Hreblay,1998
- 48149) *Mythimna (Hyphilare) consimilis* (Moore,1882) (Noctuidae) Synonym(s): *consimilis* Moore,1882; *lineatissima* W.Warren,1912
- 48150) *Mythimna (Hyphilare) conversa* Hreblay & Yoshimatsu,1998 (Noctuidae) Synonym(s): *conversa* Hreblay & Yoshimatsu,1998
- 48151) *Mythimna (Hyphilare) dharma* (Moore,1881) (Noctuidae) Synonym(s): *dharma* Moore,1881
- 48152) *Mythimna (Hyphilare) ferrago* (Fabricius,1787) (Noctuidae) Synonym(s): *ferrago* Fabricius,1787; *lithargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926
- 48153) *Mythimna (Hyphilare) ferrago caliginata* Hreblay,1999 (Noctuidae) Synonym(s): *caliginata* Hreblay,1999
- 48154) *Mythimna (Hyphilare) foranea* (Draudt,1950) (Noctuidae) Synonym(s): *foranea* Draudt,1950
- 48155) *Mythimna (Hyphilare) formosicola* Yoshimatsu,1994 (Noctuidae) Synonym(s): *formosicola* Yoshimatsu,1994
- 48156) *Mythimna (Hyphilare) grata* Hreblay,1996 (Noctuidae) Synonym(s): *grata* Hreblay,1996
- 48157) *Mythimna (Hyphilare) hirashimai* Yoshimatsu,1994 (Noctuidae) Synonym(s): *hirashimai* Yoshimatsu,1994
- 48158) *Mythimna (Hyphilare) honeyi* (Yoshimatsu,1990) (Noctuidae) Synonym(s): *honeyi* Yoshimatsu,1990
- 48159) *Mythimna (Hyphilare) ignifera* Hreblay,1998 (Noctuidae) Synonym(s): *ignifera* Hreblay,1998
- 48160) *Mythimna (Hyphilare) ignita* (Hampson,1905) (Noctuidae) Synonym(s): *ignita* Hampson,1905
- 48161) *Mythimna (Hyphilare) ignorata* Hreblay & Yoshimatsu,1998 (Noctuidae) Synonym(s): *ignorata* Hreblay & Yoshimatsu,1998
- 48162) *Mythimna (Hyphilare) ignota* Hreblay,1998 (Noctuidae) Synonym(s): *ignota* Hreblay,1998
- 48163) *Mythimna (Hyphilare) intermediata* (Yoshimatsu,1990) (Noctuidae) Synonym(s): *intermediata* Yoshimatsu,1990
- 48164) *Mythimna (Hyphilare) javacorna* Hreblay & Legrain,1998 (Noctuidae) Synonym(s): *javacorna* Hreblay & Legrain,1998
- 48165) *Mythimna (Hyphilare) kerala* Hreblay & Legrain,1999 (Noctuidae) Synonym(s): *kerala* Hreblay & Legrain,1999
- 48166) *Mythimna (Hyphilare) larga* Hreblay,1998 (Noctuidae) Synonym(s): *larga* Hreblay,1998
- 48167) *Mythimna (Hyphilare) lasiomera* (Hampson,1895) (Noctuidae) Synonym(s): *lasiomera* Hampson,1895; *sumatrana* Swinhoe,1915
- 48168) *Mythimna (Hyphilare) liebherri* (Yoshimatsu,1991) (Noctuidae) Synonym(s): *liebherri* Yoshimatsu,1991
- 48169) *Mythimna (Hyphilare) litoralis* (Curtis,1827) (Noctuidae) Synonym(s): *litoralis* Curtis,1827
- 48170) *Mythimna (Hyphilare) manopi* Hreblay,1998 (Noctuidae) Synonym(s): *manopi* Hreblay,1998
- 48171) *Mythimna (Hyphilare) maxima* Hreblay,1998 (Noctuidae) Synonym(s): *maxima* Hreblay,1998
- 48172) *Mythimna (Hyphilare) mediana* (Moore,1881) (Noctuidae) Synonym(s): *mediana* Moore,1881
- 48173) *Mythimna (Hyphilare) metaphaea* (Hampson,1905) (Noctuidae) Synonym(s): *metaphaea* Hampson,1905
- 48174) *Mythimna (Hyphilare) moorei* (Swinhoe,1902) (Noctuidae) Synonym(s): *moorei* Swinhoe,1902
- 48175) *Mythimna (Hyphilare) munnari* Hreblay,1999 (Noctuidae) Synonym(s): *munari* Hreblay,1999
- 48176) *Mythimna (Hyphilare) nepalina* Hreblay & Yoshimatsu,1994 (Noctuidae) Synonym(s): *nepalina* Hreblay & Yoshimatsu,1994
- 48177) *Mythimna (Hyphilare) nepos* (Leech,1900) (Noctuidae) Synonym(s): *nepos* Leech,1900; *major* Draudt,1950; *pseudaletiana* Berio,1973
- 48178) *Mythimna (Hyphilare) obscurographa* Hreblay,1999 (Noctuidae) Synonym(s): *obscurographa* Hreblay,1999
- 48179) *Mythimna (Hyphilare) perirrorata* (W.Warren,1913) (Noctuidae) Synonym(s): *perirrorata* W.Warren,1913
- 48180) *Mythimna (Hyphilare) purpurpatagis* (Chang,1991) (Noctuidae) Synonym(s): *purpurpatagis* Chang,1991
- 48181) *Mythimna (Hyphilare) quasimodo* Hreblay,1998 (Noctuidae) Synonym(s): *quasimodo* Hreblay,1998
- 48182) *Mythimna (Hyphilare) radiata* (Bremer,1861) (Noctuidae) Synonym(s): *radiata* Bremer,1861; *stellata* Hampson,1905
- 48183) *Mythimna (Hyphilare) reversa* (Moore,1884) (Noctuidae) Synonym(s): *reversa* Moore,1884
- 48184) *Mythimna (Hyphilare) reversa fortior* (W.Warren,1912) (Noctuidae) Synonym(s): *fortior* W.Warren,1912
- 48185) *Mythimna (Hyphilare) rudis* (Moore,1888) (Noctuidae) Synonym(s): *rudis* Moore,1888
- 48186) *Mythimna (Hyphilare) rusanensis* Yoshimatsu,1994 (Noctuidae) Synonym(s): *rusanensis* Yoshimatsu,1994
- 48187) *Mythimna (Hyphilare) siamensis* Hreblay,1998 (Noctuidae) Synonym(s): *siamensis* Hreblay,1998
- 48188) *Mythimna (Hyphilare) similissima* Hreblay & Yoshimatsu,1996 (Noctuidae) Synonym(s): *similissima* Hreblay & Yoshimatsu,1996
- 48189) *Mythimna (Hyphilare) simplex* (Leech,1889) (Noctuidae) Synonym(s): *simplex* Leech,1889
- 48190) *Mythimna (Hyphilare) simplex corrugata* (Hampson,1894) (Noctuidae) Synonym(s): *corrugata* Hampson,1894
- 48191) *Mythimna (Hyphilare) simplex curta* Hreblay,1998 (Noctuidae) Synonym(s): *curta* Hreblay,1998
- 48192) *Mythimna (Hyphilare) simplex incognita* Draudt,1934 (Noctuidae) Synonym(s): *impuncta* Staudinger,1892; *incognita* Draudt,1934
- 48193) *Mythimna (Hyphilare) simplex japonica* Yoshimatsu,1994 (Noctuidae) Synonym(s): *japonica* Yoshimatsu,1994
- 48194) *Mythimna (Hyphilare) simplex semiusta* (Hampson,1891) (Noctuidae) Synonym(s): *semiusta* Hampson,1891
- 48195) *Mythimna (Hyphilare) simplex simplex* (Leech,1889) (Noctuidae) Synonym(s): *simplex* Leech,1889
- 48196) *Mythimna (Hyphilare) tibetensis* Hreblay,1998 (Noctuidae) Synonym(s): *tibetensis* Hreblay,1998

- 48197) *Mythimna* (Hyphilare) *tricorna* Hreblay, Legrain & Yoshimatsu, 1998 (Noctuidae) Synonym(s): *tricorna* Hreblay, Legrain & Yoshimatsu, 1998
- 48198) *Mythimna* (Hyphilare) *undina* (Draudt, 1950) (Noctuidae) Synonym(s): *undina* Draudt, 1950
- 48199) *Mythimna* (Hyphilare) *v-album* (Hampson, 1891) (Noctuidae) Synonym(s): *v-album* Hampson, 1891
- 48200) *Mythimna* (Morphopoliana) *altiphila* Hreblay & Legrain, 1996 (Noctuidae) Synonym(s): *altiphila* Hreblay & Legrain, 1996
- 48201) *Mythimna* (Morphopoliana) *atrirtora* (Hampson, 1911) (Noctuidae) Synonym(s): *atrirtora* Hampson, 1911
- 48202) *Mythimna* (Morphopoliana) *graditornalis* Berio, 1970 (Noctuidae) Synonym(s): *graditornalis* Berio, 1970
- 48203) *Mythimna* (Morphopoliana) *languida* (Walker, 1858) (Noctuidae) Synonym(s): *consanguis* auct. nec Gn., 1852; *languida* Walker, 1858; *zachii* Bohatsch, 1880; *abbas* Bethune-Baker, 1894; *arbia* Boursin & Rungs, 1952.
- 48204) *Mythimna* (Morphopoliana) *mauritiusi* Hreblay, 1998 (Noctuidae) Synonym(s): *mauritiusi* Hreblay, 1998
- 48205) *Mythimna* (Morphopoliana) *montigena* Hreblay & Legrain, 1996 (Noctuidae) Synonym(s): *montigena* Hreblay & Legrain, 1996
- 48206) *Mythimna* (Morphopoliana) *natalensis* (Butler, 1875) (Noctuidae) Synonym(s): *natalensis* Butler, 1875
- 48207) *Mythimna* (Morphopoliana) *plantei* Hreblay & Yoshimatsu, 1996 (Noctuidae) Synonym(s): *plantei* Hreblay & Yoshimatsu, 1996
- 48208) *Mythimna* (Morphopoliana) *poliastis* (Hampson, 1902) (Noctuidae) Synonym(s): *poliastis* Hampson, 1902
- 48209) *Mythimna* (Morphopoliana) *thailandica* Hreblay, 1998 (Noctuidae) Synonym(s): *thailandica* Hreblay, 1998
- 48210) *Mythimna* (Pseudaletia) *idisana* (Franclemont, 1951) (Noctuidae) Synonym(s): *idisana* Franclemont, 1951
- 48211) *Mythimna* (Pseudaletia) *moineri* (Plante, 1993) (Noctuidae) Synonym(s): *moineri* Plante, 1993
- 48212) *Mythimna* (Pseudaletia) *pallidicosta brevipennis* (W. Warren, 1913) (Noctuidae) Synonym(s): *brevipennis* W. Warren, 1913
- 48213) *Mythimna* (Pseudaletia) *pallidicosta* (Hampson, 1894) (Noctuidae) Synonym(s): *albicosta* Moore, 1882 (praeocc.); *pallidicosta* Hampson, 1894
- 48214) *Mythimna* (Pseudaletia) *pallidicosta pallidicosta* (Hampson, 1894) (Noctuidae) Synonym(s): *albicosta* Moore, 1882 (praeocc.); *pallidicosta* Hampson, 1894
- 48215) *Mythimna* (Pseudaletia) *pallidicosta saturata* (W. Warren, 1913) (Noctuidae) Synonym(s): *saturata* W. Warren, 1913
- 48216) *Mythimna* (Pseudaletia) *separata* (Walker, 1865) (Noctuidae) Synonym(s): *separata* Walker, 1865
- 48217) *Mythimna* (Pseudaletia) *tengeri* Hreblay, 1999 (Noctuidae) Synonym(s): *tengeri* Hreblay, 1999
- 48218) *Mythimna* (Pseudaletia) *unipuncta* (Haworth, [1809]) (Noctuidae) Synonym(s): *unipuncta* Haworth, [1809]; *extranea* Guenée, 1852; *antica* Walker, 1856; *tseki* Koutsafikis, 1974.
- 48219) *Mythimna* (s.str.) *albomarginata* (Wileman & South, 1920) (Noctuidae) Synonym(s): *albomarginata* Wileman & South, 1920
- 48220) *Mythimna* (s.str.) *aurotrigoni* Hreblay, 1998 (Noctuidae) Synonym(s): *aurotrigoni* Hreblay, 1998
- 48221) *Mythimna* (s.str.) *bani* (Sugi, 1977) (Noctuidae) Synonym(s): *bani* Sugi, 1977
- 48222) *Mythimna* (s.str.) *bicolorata* (Plante, 1992) (Noctuidae) Synonym(s): *bicolorata* Plante, 1992
- 48223) *Mythimna* (s.str.) *cameroni* Hreblay & Yoshimatsu, 1998 (Noctuidae) Synonym(s): *cameroni* Hreblay & Yoshimatsu, 1998
- 48224) *Mythimna* (s.str.) *chiangmai* Hreblay & Yoshimatsu, 1998 (Noctuidae) Synonym(s): *chiangmai* Hreblay & Yoshimatsu, 1998
- 48225) *Mythimna* (s.str.) *decisissima* (Walker, 1865) (Noctuidae) Synonym(s): *decisissima* Walker, 1865
- 48226) *Mythimna* (s.str.) *denticula* (Hampson, 1893) (Noctuidae) Synonym(s): *denticula* Hampson, 1893
- 48227) *Mythimna* (s.str.) *godavariensis* (Yoshimoto, 1992) (Noctuidae) Synonym(s): *godavariensis* Yoshimoto, 1992
- 48228) *Mythimna* (s.str.) *khasiensis* Hreblay & Legrain, 1998 (Noctuidae) Synonym(s): *khasiensis* Hreblay & Legrain, 1998
- 48229) *Mythimna* (s.str.) *legraini* (Plante, 1992) (Noctuidae) Synonym(s): *legraini* Plante, 1992
- 48230) *Mythimna* (s.str.) *placida* Butler, 1878 (Noctuidae) Synonym(s): *placida* Butler, 1878
- 48231) *Mythimna* (s.str.) *stueningi* (Plante, 1992) (Noctuidae) Synonym(s): *stueningi* Plante, 1992
- 48232) *Mythimna* (s.str.) *suavina* Hreblay, 1998 (Noctuidae) Synonym(s): *suavina* Hreblay, 1998
- 48233) *Mythimna* (s.str.) *subplacida* (Sugi, 1977) (Noctuidae) Synonym(s): *subplacida* Sugi, 1977
- 48234) *Mythimna* (s.str.) *turca* (Linnaeus, 1761) (Noctuidae) Synonym(s): *turca* Linnaeus, 1761; *volupia* Hufnagel, 1766; *camuna* Turati, 1914.
- 48235) *Mythimna* *algorica* (Oberthür, 1918) (Noctuidae) Synonym(s): *algorica* Oberthür, 1918
- 48236) *Mythimna* *favicolor* (Barrett, 1896) (Noctuidae) Synonym(s): *favicolor* Barrett, 1896
- 48237) *Mythimna* *flammea* (Curtis, 1828) (Noctuidae) Synonym(s): *flammea* Curtis, 1828
- 48238) *Mythimna* *joannis arabia* (Boursin & Rungs, 1952) (Noctuidae) Synonym(s): *arabia* Boursin & Rungs, 1952
- 48239) *Mythimna* *opaca* (Staudinger, 1899) (Noctuidae) Synonym(s): *opaca* Staudinger, 1899
- 48240) *Naarda* *flavsignata* Vari, 1962 (Noctuidae) Synonym(s): *flavsignata* Vari, 1962
- 48241) *Naarda* *leucopis* Hampson, 1902 (Noctuidae) Synonym(s): *leucopis* Hampson, 1902
- 48242) *Naarda* *melanomma* Hampson, 1902 (Noctuidae) Synonym(s): *melanomma* Hampson, 1902
- 48243) *Naarda* *xanthopis* Hampson, 1902 (Noctuidae) Synonym(s): *xanthopis* Hampson, 1902
- 48244) *Nacna* *javensis* (W. Warren, 1912) (Noctuidae) Synonym(s): *javensis* W. Warren, 1912
- 48245) *Nacna* *malachistis* (Oberthür, 1880) (Noctuidae) Synonym(s): *malachistis* Oberthür, 1880
- 48246) *Nacna* *prasinaria* (Walker, 1865) (Noctuidae) Synonym(s): *prasinaria* Walker, 1865
- 48247) *Nacna* *pulchripicta* (Walker, 1865) (Noctuidae) Synonym(s): *pulchripicta* Walker, 1865
- 48248) *Nacna* *smaragdina* (Draudt, 1937) (Noctuidae) Synonym(s): *smaragdina* Draudt, 1937
- 48249) *Nacna* *splendens* (Moore, 1888) (Noctuidae) Synonym(s): *splendens* Moore, 1888
- 48250) *Nacna* *sugitanii* (Nagano, 1918) (Noctuidae) Synonym(s): *sugitanii* Nagano, 1918
- 48251) *Naenia* *typica* (Linnaeus, 1758) (Noctuidae) Synonym(s): *typica* Linnaeus, 1758; *filicis* Goetze, 1781; *venosa* Hübner, [1803]; *excusa* Esper, [1805]; *claricolor* Schawerda, 1928.
- 48252) *Naganoella* *timandra* (Alpheraky, 1897) (Noctuidae) Synonym(s): *timandra* Alpheraky, 1897; *pvilcherina* Nagano, 1918
- 48253) *Nagia* *amplificans* (Walker, 1858) (Noctuidae) Synonym(s): *amplificans* Walker, 1858
- 48254) *Nagia* *godfreyi* Tams, 1924 (Noctuidae) Synonym(s): *godfreyi* Tams, 1924
- 48255) *Nagia* *gravipes* Walker, 1858 (Noctuidae) Synonym(s): *gravipes* Walker, 1858
- 48256) *Nagia* *homotima* Tams, 1935 (Noctuidae) Synonym(s): *homotima* Tams, 1935
- 48257) *Nagia* *linteola* (Guenée, 1852) (Noctuidae) Synonym(s): *linteola* Guenée, 1852; *pilipes* Guenée, 1852; *syba* Guenée, 1852; *ecclesiastica* Butler, 1874; *leuocolis* Mabille, 1879; *accolytis* Hampson, 1926; *hieratica* Hampson, 1926; *monastica* Hampson, 1926; *proselytis* Hampson, 1926; *magaruna* De Joannis, 1932; *homotica* Tams, 1935
- 48258) *Nagia* *melipotica* Hampson, 1926 (Noctuidae) Synonym(s): *melipotica* Hampson, 1926
- 48259) *Nagia* *natalensis* (Hampson, 1902) (Noctuidae) Synonym(s): *natalensis* Hampson, 1902
- 48260) *Nagia* *sacerdotis* Hampson, 1926 (Noctuidae) Synonym(s): *sacerdotis* Hampson, 1926
- 48261) *Nagia* *subalbata* Hampson, 1926 (Noctuidae) Synonym(s): *subalbata* Hampson, 1926
- 48262) *Namangana* *adela* (Hampson, 1902) (Noctuidae) Synonym(s): *adela* Hampson, 1902
- 48263) *Namangana* *atripars* Hampson, 1909 (Noctuidae) Synonym(s): *atripars* Hampson, 1909
- 48264) *Namangana* *thyatirodes* Hampson, 1918 (Noctuidae) Synonym(s): *thyatirodes* Hampson, 1918
- 48265) *Nanaguna* *aenea* (Swinhoe, 1884) (Noctuidae) Synonym(s): *aenea* Swinhoe, 1884
- 48266) *Nanaguna* *albisepta* Hampson, 1905 (Noctuidae) Synonym(s): *albisepta* Hampson, 1905
- 48267) *Nanaguna* *breviuscula* Walker, 1863 (Noctuidae) Synonym(s): *breviuscula* Walker, 1863; *valida* Walker, 1863; *rudis* Walker, 1864; *xyloglypta* Lucas, 1890; *nigridisca* Hampson, 1891; *flocifera* Hampson, 1894
- 48268) *Nanaguna* *brunnea* Hampson, 1905 (Noctuidae) Synonym(s): *brunnea* Hampson, 1905
- 48269) *Nanaguna* *erastoides* (Walker, 1862) (Noctuidae) Synonym(s): *erastoides* Walker, 1862
- 48270) *Nanaguna* *herbida* (Walker, 1864) (Noctuidae) Synonym(s): *herbida* Walker, 1864
- 48271) *Nanaguna* *variegata* (Hampson, 1894) (Noctuidae) Synonym(s): *variegata* Hampson, 1894
- 48272) *Nanaguna* *vitalis* (Walker, 1866) (Noctuidae) Synonym(s): *vitalis* Walker, 1866
- 48273) *Narangodes* *haemorrhanta* Hampson, 1910 (Noctuidae) Synonym(s): *haemorrhanta* Hampson, 1910
- 48274) *Narangodes* *nigridiscata* (Swinhoe, 1901) (Noctuidae) Synonym(s): *nigridiscata* Swinhoe, 1901
- 48275) *Narangodes* *nudariodes* (Hampson, 1918) (Noctuidae) Synonym(s): *nudariodes* Hampson, 1918
- 48276) *Neachrostia* *kasyi* Wiltshire, 1971 (Noctuidae) Synonym(s): *kasyi* Wiltshire, 1971
- 48277) *Neachrostia* *lobbichleri* Wiltshire, 1968 (Noctuidae) Synonym(s): *lobbichleri* Wiltshire, 1968
- 48278) *Neaxestis* *acutangula* Hampson, 1902 (Noctuidae) Synonym(s): *acutangula* Hampson, 1902; *#actuangula* Hampson, 1902
- 48279) *Neaxestis* *avuncis* Wiltshire, 1984 (Noctuidae) Synonym(s): *avuncis* Wiltshire, 1984

- 48280) *Neaxestis griseata* Hampson, 1902 (Noctuidae) Synonym(s): *griseata* Hampson, 1902
 48281) *Neaxestis irrorata* (Hampson, 1910) (Noctuidae) Synonym(s): *irrorata* Hampson, 1910
 48282) *Neaxestis montivalva* Wiltshire, 1986 (Noctuidae) Synonym(s): *montivalva* Wiltshire, 1986
 48283) *Neaxestis rhoda* Hampson, 1905 (Noctuidae) Synonym(s): *rhoda* Hampson, 1905
 48284) *Negeta abbreviata* (Walker, 1862) (Noctuidae) Synonym(s): *abbreviata* Walker, 1862; *becki* Kobes, 1997
 48285) *Negeta aureata* Holloway, 2003 (Noctuidae) Synonym(s): *aureata* Holloway, 2003
 48286) *Negeta contrariata* Walker, 1862 (Noctuidae) Synonym(s): *contrariata* Walker, 1862; *signata* Walker, [1863]; *reversa* Walker, [1863]; *leucospila* Walker, 1865; *apicalis* Moore, 1887; *costalis* Gaede, 1938; *discalis* Gaede, 1938; *subterminalis* Gaede, 1938
 48287) *Negeta luminosa* (Walker, 1858) (Noctuidae) Synonym(s): *luminosa* Walker, 1858
 48288) *Negeta montanata* Holloway, 2003 (Noctuidae) Synonym(s): *montanata* Holloway, 2003
 48289) *Negeta nivea* (Hampson, 1902) (Noctuidae) Synonym(s): *nivea* Hampson, 1902
 48290) *Negeta ruficeps* (Hampson, 1902) (Noctuidae) Synonym(s): *ruficeps* Hampson, 1902
 48291) *Negeta semialba* Hampson, 1918 (Noctuidae) Synonym(s): *semialba* Hampson, 1918
 48292) *Negritothripa aureata* Holloway, 2003 (Noctuidae) Synonym(s): *aureata* Holloway, 2003
 48293) *Negritothripa confluens* (Mell, 1943) (Noctuidae) Synonym(s): *confluens* Mell, 1943
 48294) *Negritothripa hamptoni* (Wileman, 1911) (Noctuidae) Synonym(s): *hamptoni* Wileman, 1911
 48295) *Negritothripa orbifera* (Hampson, 1894) (Noctuidae) Synonym(s): *orbifera* Hampson, 1894; *confluens* Mell, 1943
 48296) *Negritothripa telisai* Holloway, 2003 (Noctuidae) Synonym(s): *telisai* Holloway, 2003
 48297) *Nekrasovia crassicornis* (Boursin, 1960) (Noctuidae) Synonym(s): *crassicornis* Boursin, 1960
 48298) *Neochrostis diplogramma* Hampson, 1902 (Noctuidae) Synonym(s): *diplogramma* Hampson, 1902
 48299) *Neocucullia albisignata* Janse, 1939 (Noctuidae) Synonym(s): *albisignata* Janse, 1939
 48300) *Neoerocera mitrula* (Guenée, 1852) (Noctuidae) Synonym(s): *mitrula* Guenée, 1852
 48301) *Neogalea esula* (Druce) (Noctuidae) Synonym(s): *esula* Druce
 48302) *Neogalea sunia* (Guenée, 1852) ? (Noctuidae) Synonym(s):
 48303) *Neostichtis nigricostata* (Hampson, 1908) (Noctuidae) Synonym(s): *nigricostata* Hampson, 1908
 48304) *Netrocercora quadrangula* (Zetterstedt, [1839]) (Noctuidae) Synonym(s): *quadrangula* Eversmann, 1844; *coraxa* Püngeler, 1898; *oblongula* Staudinger, 1901; *quadrilaga* Bartel, 1902
 48305) *Neurois atrovirens* (Walker, 1865) (Noctuidae) Synonym(s): *atrovirens* Walker, 1865
 48306) *Neurois nigroviridis* (Walker, 1865) (Noctuidae) Synonym(s): *nigroviridis* Walker, 1865
 48307) *Neurois renalba* (Moore, 1882) (Noctuidae) Synonym(s): *renalba* Moore, 1882
 48308) *Nezonecta obtusa* Varga & Ronkay, 1991 (Noctuidae) Synonym(s): *obtusa* Varga & Ronkay, 1991
 48309) *Nezonecta pusilla* (Püngeler, 1900) (Noctuidae) Synonym(s): *pusilla* Püngeler, 1900
 48310) *Nicevillea epiplemoides* Hampson, 1895 (Noctuidae) Synonym(s): *epiplemoides* Hampson, 1895
 48311) *Nigramma polionota* (Hampson, 1905) (Noctuidae) Synonym(s): *polionota* Hampson, 1905
 48312) *Nimasia brachyura* Wiltshire, 1982 (Noctuidae) Synonym(s): *brachyura* Wiltshire, 1982
 48313) *Noctua (Divaena) haywardi* (Tams, 1926) (Noctuidae) Synonym(s): *haywardi* Tams, 1926; *balcanica* Slivov, 1985
 48314) *Noctua (Euschesis) interjecta* (Hübner, [1803]) (Noctuidae) Synonym(s): *interjecta* Hübner, [1803].
 48315) *Noctua (Euschesis) interjecta interjecta* (Hübner, [1803]) (Noctuidae) Synonym(s): *interjecta* Hübner, [1803].
 48316) *Noctua (Euschesis) janthina* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *janthina* [Denis & Schiffermüller], 1775; *latimarginata* Röber, 1900.
 48317) *Noctua (Lampra) fimbriata* (Schreber, 1759) (Noctuidae) Synonym(s): *fimbriata* Schreber, 1759; *domiduca* Hufnagel, 1766; *fimbria* Linnaeus, 1767; *solani* Fabricius, 1787.
 48318) *Noctua (Lampra) tirrenica* (Biebing, Speidel & Hanigk, 1983) (Noctuidae) Synonym(s): *tirrenica* Biebing, Speidel & Hanigk, 1983
 48319) *Noctua (Latanoctua) orbona* (Hufnagel, 1766) (Noctuidae) Synonym(s): *orbona* Hufnagel, 1766; *subsequa* [Denis & Schiffermüller], 1775; *caroni* Lempke, 1964.
 48320) *Noctua (Paranoctua) carvalhoi* (Pinker, 1983) (Noctuidae) Synonym(s): *carvalhoi* Pinker, 1983
 48321) *Noctua (Paranoctua) comes* (Hübner, [1813]) (Noctuidae) Synonym(s): *orbona* Fabricius, 1787 *nec* Hufn., 1767; *comes* Hübner, [1813]; *adsequa* Treitschke, 1825; *prosequa* Treitschke, 1825; *bergensis* Sp.-Schn., 1901.
 48322) *Noctua (Paranoctua) interposita* (Hübner, 1790) (Noctuidae) Synonym(s): *interposita* Hübner, 1790; *consequa* Hübner, [1803]; *sarmata* Rambur, 1871; *nigra* Pieszczyk, 1908; *baraudi* Boursin, 1963; *lajonquierrei* Boursin, 1963; *terraccotta* Boursin, 1963
 48323) *Noctua (Paranoctua) interposita interposita* (Hübner, 1790) (Noctuidae) Synonym(s): *interposita* Hübner, 1790; *consequa* Hübner, [1803]; *sarmata* Rambur, 1871; *nigra* Pieszczyk, 1908; *baraudi* Boursin, 1963; *lajonquierrei* Boursin, 1963; *terraccotta* Boursin, 1963
 48324) *Noctua (Paranoctua) warreni* (Lödl, 1987) (Noctuidae) Synonym(s): *warreni* Lödl, 1987
 48325) *Noctua (s.str.) atlantica* (Warren, 1905) (Noctuidae) Synonym(s): *atlantica* Warren, 1905
 48326) *Noctua (s.str.) janthe* (Borkhausen, 1792) (Noctuidae) Synonym(s): *janthe* Borkhausen, 1792
 48327) *Noctua (s.str.) pronuba* (Linnaeus, 1758) (Noctuidae) Synonym(s): *pronuba* Linnaeus, 1758; *connuba* Hübner, [1822]; *innuba* Treitschke, 1825; *hoegei* Herrich-Schäffer, 1861; *nigra* Krausse, 1912 *nec* Piescz., 1908; *decolorata* Turati, 1923.
 48328) *Noctua (s.str.) tertia* Mentzer, Moberg & Fibiger, 1991 (Noctuidae) Synonym(s): *tertia* Mentzer, Moberg & Fibiger, 1991
 48329) *Nodaria acrosema* Turner, 1902 (Noctuidae) Synonym(s): *acrosema* Turner, 1902
 48330) *Nodaria brachialis* (Zeller, 1852) (Noctuidae) Synonym(s): *brachialis* Zeller, 1852
 48331) *Nodaria externalis* Guenée, 1854 (Noctuidae) Synonym(s): *externalis* Guenée, 1854
 48332) *Nodaria melaleuca* Hampson, 1902 (Noctuidae) Synonym(s): *melaleuca* Hampson, 1902
 48333) *Nodaria nodosalis* (Herrich-Schäffer, [1851]) (Noctuidae) Synonym(s): *nodosalis* Herrich-Schäffer, [1851]; *aethiopalis* Herrich-Schäffer, [1851]; *hispanalis* Guenée, 1854; *aesoposalis* Walker, [1859].
 48334) *Nola aerugula* (Hübner, 1793) (Noctuidae) Synonym(s): *aerugula* Hübner, 1793; *centonalis* Hübner, 1796; *centonana* Hübner, [1825]; *littoralis* Paux, 1901; *contrariatis* Heydemann, 1934; *trituberculana* Heslop, 1959.
 48335) *Nola argyrolepis* Hampson, 1907 (Noctuidae) Synonym(s): *argyrolepis* Hampson, 1907; *marleyi* Van Son, 1933
 48336) *Nola barbertonensis* (Van Son, 1933) (Noctuidae) Synonym(s): *barbertonensis* Van Son, 1933
 48337) *Nola bicincta* Hampson, 1905 (Noctuidae) Synonym(s): *bicincta* Hampson, 1905
 48338) *Nola bifascialis* (Walker, [1865]) (Noctuidae) Synonym(s): *bifascialis* Walker, [1865]
 48339) *Nola bitransversata* Holloway, 1979 (Noctuidae) Synonym(s): *bitransversata* Holloway, 1979
 48340) *Nola calcicola* Holloway, 2003 (Noctuidae) Synonym(s): *calcicola* Holloway, 2003
 48341) *Nola canioralis* (Walker, 1863) (Noctuidae) Synonym(s): *canioralis* Walker, 1863
 48342) *Nola chlamitulalis* (Hübner, [1813]) (Noctuidae) Synonym(s): *chlamitulalis* Hübner, [1813]
 48343) *Nola cicatricalis* (Treitschke, 1835) (Noctuidae) Synonym(s): *cicatricalis* Treitschke, 1835
 48344) *Nola classeyi* Holloway, 2003 (Noctuidae) Synonym(s): *classeyi* Holloway, 2003
 48345) *Nola confusalis* (Herrich-Schäffer, 1847) (Noctuidae) Synonym(s): *confusalis* Herrich-Schäffer, 1847; *fumosalis* Daniel, 1957.
 48346) *Nola coremata* Holloway, 2003 (Noctuidae) Synonym(s): *coremata* Holloway, 2003
 48347) *Nola cristatula* (Hübner, 1793) (Noctuidae) Synonym(s): *cristatula* Hübner, 1793; *cristulalis* Hübner, 1796; *cristulana* Hübner, [1825].
 48348) *Nola cucullatella* (Linnaeus, 1758) (Noctuidae) Synonym(s): *cucullatella* Linnaeus, 1758
 48349) *Nola dresnaya* (Warnecke, 1946) (Noctuidae) Synonym(s): *dresnaya* Warnecke, 1946
 48350) *Nola duplicilinea* (Hampson, 1900) (Noctuidae) Synonym(s): *duplicilinea* Hampson, 1900; *pseudastigma* Van Eecke, 1920; *indefinita* Roepke, 1948
 48351) *Nola erythrostigmata* Hampson, 1894 (Noctuidae) Synonym(s): *erythrostigmata* Hampson, 1894; *mediozonata* Hampson, 1896
 48352) *Nola euryzonata* (Hampson, 1900) (Noctuidae) Synonym(s): *euryzonata* Hampson, 1900
 48353) *Nola faircloughi* Holloway, 2003 (Noctuidae) Synonym(s): *faircloughi* Holloway, 2003
 48354) *Nola fasciata* (Walker, 1866) (Noctuidae) Synonym(s): *fasciata* Walker, 1866; *nigrifascia* Hampson, 1891
 48355) *Nola fisheri* Holloway, 2003 (Noctuidae) Synonym(s): *fisheri* Holloway, 2003
 48356) *Nola foviferoides* Poole, 1989 (Noctuidae) Synonym(s): *fovifera* Hampson, 1911 (*praeocc.*); *foviferoides* Poole, 1989
 48357) *Nola fraterna* (Moore, 1888) (Noctuidae) Synonym(s): *fraterna* Moore, 1888
 48358) *Nola harouni* (Wiltshire, 1951) (Noctuidae) Synonym(s): *harouni* Wiltshire, 1951; *dilmuna* Wiltshire, 1961.

- 48359) *Nola helpsi* Holloway, 2003 (Noctuidae) Synonym(s): *helpsi* Holloway, 2003
 48360) *Nola holoscota* Hampson, 1920 (Noctuidae) Synonym(s): *holoscota* Hampson, 1920
 48361) *Nola imitata* (Van Son, 1933) (Noctuidae) Synonym(s): *imitata* Van Son, 1933
 48362) *Nola insularum* (Collenette) (Noctuidae) Synonym(s):
 48363) *Nola internella* (Walker, [1865]) (Noctuidae) Synonym(s): *internella* Walker, [1865]
 48364) *Nola iridescens* (Van Son, 1933) (Noctuidae) Synonym(s): *iridescens* Van Son, 1933
 48365) *Nola jarvisi* Holloway, 2003 (Noctuidae) Synonym(s): *jarvisi* Holloway, 2003
 48366) *Nola karelica* (Tengström, 1869) (Noctuidae) Synonym(s): *karelica* Tengström, 1869
 48367) *Nola karelica tigranula* Püngeler, 1902 (Noctuidae) Synonym(s): *tigranula* Püngeler, 1902
 48368) *Nola kreuteli* (Vartian, 1963) (Noctuidae) Synonym(s): *kreuteli* Vartian, 1963
 48369) *Nola leucalea* Hampson, 1907 (Noctuidae) Synonym(s): *leucalea* Hampson, 1907
 48370) *Nola lichenosa* Robinson, 1975 (Noctuidae) Synonym(s): *lichenosa* Robinson, 1975
 48371) *Nola liparisalis* (Walker, 1865) (Noctuidae) Synonym(s): *liparisalis* Walker, 1865
 48372) *Nola lucidalis* (Walker, 1864) (Noctuidae) Synonym(s): *lucidalis* Walker, 1864; *dimidiata* Snellen, 1875; *nephodes* Hampson, 1914
 48373) *Nola major* Hampson, 1891 (Noctuidae) Synonym(s): *major* Hampson, 1891
 48374) *Nola major formosana* Wileman & West, 1929 (Noctuidae) Synonym(s): *formosana* Wileman & West, 1929
 48375) *Nola marginata* Hampson, 1895 (Noctuidae) Synonym(s): *marginata* Hampson, 1895; *umbrata* Wileman, 1916; *crustalis* Van Eecke, 1926
 48376) *Nola marshallae* Holloway, 2003 (Noctuidae) Synonym(s): *marshallae* Holloway, 2003
 48377) *Nola melanoscelsi* (Hampson, 1914) (Noctuidae) Synonym(s): *melanoscelsi* Hampson, 1914
 48378) *Nola meridionalis* Wallengren, 1875 (Noctuidae) Synonym(s): *meridionalis* Wallengren, 1875
 48379) *Nola mesomelana* (Hampson, 1900) (Noctuidae) Synonym(s): *mesomelana* Hampson, 1900; *taeniatoides* Seitz, 1913
 48380) *Nola mesoscota* Hampson, 1909 (Noctuidae) Synonym(s): *mesoscota* Hampson, 1909
 48381) *Nola mesosticta* (Hampson, 1900) (Noctuidae) Synonym(s): *mesosticta* Hampson, 1900; *celidota* Wileman & West, 1928
 48382) *Nola monofascia* Vari, Kroon & Krüger, 2002 (Noctuidae) Synonym(s): *#monofascia* Van Son, 1933; *monofascia* Vari, Kroon & Krüger, 2002
 48383) *Nola ochrolopha* (Hampson, 1911) (Noctuidae) Synonym(s): *ochrolopha* Hampson, 1911
 48384) *Nola opalina* (Walker, 1862) (Noctuidae) Synonym(s): *opalina* Walker, 1862; *basimicans* Hampson, 1894
 48385) *Nola parwana* (Ebert, 1973) (Noctuidae) Synonym(s): *parwana* Ebert, 1973
 48386) *Nola patricia* Van Son, 1933 (Noctuidae) Synonym(s): *patricia* Van Son, 1933
 48387) *Nola phaeocraspis* (Hampson, 1909) (Noctuidae) Synonym(s): *phaeocraspis* Hampson, 1909; *megasema* Hampson, 1914
 48388) *Nola poliotis* Hampson, 1907 (Noctuidae) Synonym(s): *poliotis* Hampson, 1907
 48389) *Nola praefica* Saalmüller, 1884 (Noctuidae) Synonym(s): *praefica* Saalmüller, 1884
 48390) *Nola pumila* Snellen, 1875 (Noctuidae) Synonym(s): *pumila* Snellen, 1875; *spreta* Butler, 1880; *minuta* Hampson, 1891
 48391) *Nola quadrimaculata* Heylaerts, 1892 (Noctuidae) Synonym(s): *quadrimaculata* Heylaerts, 1892
 48392) *Nola quilimanensis* Strand, 1920 (Noctuidae) Synonym(s): *quilimanensis* Strand, 1920
 48393) *Nola ronkayorum* Beshkov, 2006 (Noctuidae) Synonym(s): *ronkayorum* Beshkov, 2006
 48394) *Nola sakishimana* Inoue, 2001 (Noctuidae) Synonym(s): *sakishimana* Inoue, 2001
 48395) *Nola samoana* (Hampson) (Noctuidae) Synonym(s):
 48396) *Nola samoana* (Hampson, 1914) (Noctuidae) Synonym(s): *samoana* Hampson, 1914
 48397) *Nola sarniensis* (Van Son, 1933) (Noctuidae) Synonym(s): *sarniensis* Van Son, 1933
 48398) *Nola scabralis* (Walker, 1865) (Noctuidae) Synonym(s): *scabralis* Walker, 1865
 48399) *Nola semidolosa* (Walker, [1863]) (Noctuidae) Synonym(s): *semidolosa* Walker, [1863]; *aroa* Bethune-Baker, 1904; *murina* Rothschild, 1916
 48400) *Nola spinivesica* Holloway, 2003 (Noctuidae) Synonym(s): *spinivesica* Holloway, 2003
 48401) *Nola squalida* Staudinger, 1871 (Noctuidae) Synonym(s): *squalida* Staudinger, 1871; *musculalis* Saalmüller, 1880; *turanica* Staudinger, 1887; *fraterna* Moore, 1888; *vanhasseltii* Heylaerts, 1892; *ceylonica* Hampson, 1893; *desmotes* Turner, 1899; *parvula* Chrétien, 1913; *mesoscia* Hampson, 1914; *henrioti* Warnecke, 1937; *minima* Warnecke, 1938; *#squamosa* Zukowsky, 1941; *priesneri* Rebel, 1947
 48402) *Nola steniphona* Van Son, 1933 (Noctuidae) Synonym(s): *niphostena* Hampson, 1902 (*praeocc.*); *steniphona* Van Son, 1933
 48403) *Nola subchlamydula* Staudinger, 1870 (Noctuidae) Synonym(s): *subchlamydula* Staudinger, 1870
 48404) *Nola subchlamydula derasa* (Zerny, 1933) (Noctuidae) Synonym(s): *derasa* Zerny, 1933
 48405) *Nola swierstrai* Van Son, 1933 (Noctuidae) Synonym(s): *swierstrai* Van Son, 1933
 48406) *Nola taeniata* Snellen, 1874 (Noctuidae) Synonym(s): *taeniata* Snellen, 1874
 48407) *Nola taeniata* Snellen, 1875 (Noctuidae) Synonym(s): *taeniata* Snellen, 1875; *candida* Butler, 1879; *fragilis* Swinhoe, 1890; *mesozona* Lucas, 1890
 48408) *Nola tarrawayi* Holloway, 2003 (Noctuidae) Synonym(s): *tarrawayi* Holloway, 2003
 48409) *Nola thymula* Millière, 1867 (Noctuidae) Synonym(s): *thymula* Millière, 1867
 48410) *Nola tineoides* (Walker, [1858]) (Noctuidae) Synonym(s): *tineoides* Walker, [1858]; *partitalis* Walker, [1866]; *caffra* Wallengren, 1875
 48411) *Nola tornotis* (Meyrick, 1887) (Noctuidae) Synonym(s): *tornotis* Meyrick, 1887
 48412) *Nola transitoria* Van Son, 1933 (Noctuidae) Synonym(s): *transitoria* Van Son, 1933
 48413) *Nola transwallacea* Holloway, 2003 (Noctuidae) Synonym(s): *transwallacea* Holloway, 2003
 48414) *Nola tutulella* Zerny, 1927 (Noctuidae) Synonym(s): *tutulella* Zerny, 1927
 48415) *Nolidia carolinae* Van Son, 1933 (Noctuidae) Synonym(s): *carolinae* Van Son, 1933
 48416) *Nolidia unipuncta* Van Son, 1933 (Noctuidae) Synonym(s): *unipuncta* Van Son, 1933
 48417) *Nonagria intestata* Walker, 1856 (Noctuidae) Synonym(s): *intestata* Walker, 1856
 48418) *Nonagria puengeleri* (Schawerda, 1924) (Noctuidae) Synonym(s): *puengeleri* Schawerda, 1924; *albipuncta* O. Bang-Haas, 1927
 48419) *Nonagria puengeleri pringlei* (Wiltshire, 1958) (Noctuidae) Synonym(s): *pringlei* Wiltshire, 1958
 48420) *Nonagria puengeleri puengeleri* (Schawerda, 1924) (Noctuidae) Synonym(s): *puengeleri* Schawerda, 1924; *albipuncta* O. Bang-Haas, 1927
 48421) *Nonagria typhae* (Thunberg, 1784) (Noctuidae) Synonym(s): *typhae* Thunberg, 1784; *arundinis* Fabricius, 1787.
 48422) *Nycteola asiatica* (Krulikovsky, 1904) (Noctuidae) Synonym(s): *asiatica* Krulikovsky, 1904; *populana* Patočka, 1953; *hungarica* Kovacs, 1954.
 48423) *Nycteola canaphaea* Holloway, 2003 (Noctuidae) Synonym(s): *canaphaea* Holloway, 2003
 48424) *Nycteola canoides* Holloway, 1979 (Noctuidae) Synonym(s): *canoides* Holloway, 1979
 48425) *Nycteola columbana* (Turner, 1925) (Noctuidae) Synonym(s): *columbana* Thurner, 1925; *gallicana* Aubert, 1957; *#apicistrigata* Dufay, 1958.
 48426) *Nycteola degenerana* (Hübner, [1799]) (Noctuidae) Synonym(s): *degenerana* Hübner, [1799]
 48427) *Nycteola degenerana degenerana* (Hübner, [1799]) (Noctuidae) Synonym(s): *degenerana* Hübner, [1799]
 48428) *Nycteola degenerana eurasatica* Dufay, 1961 (Noctuidae) Synonym(s): *eurasatica* Dufay, 1961
 48429) *Nycteola eremostola* Dufay, 1961 (Noctuidae) Synonym(s): *eremostola* Dufay, 1961
 48430) *Nycteola gandzhana* Obratzov, 1954 (Noctuidae) Synonym(s): *gandzhana* Obratzov, 1954
 48431) *Nycteola indica* (R. Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *indica* R. Felder & Rogenhofer, 1874; *grisea* Hampson, 1891; *pallascens* Hampson, 1893; *strigivenata* Hampson, 1895; *atrithorax* Gaede, 1937
 48432) *Nycteola indicatana* (Walker, 1863) (Noctuidae) Synonym(s): *indicatana* Walker, 1863
 48433) *Nycteola kebea* (Bethune-Baker, 1906) (Noctuidae) Synonym(s): *kebea* Bethune-Baker, 1906
 48434) *Nycteola kuldzhana* Obratzov, 1954 (Noctuidae) Synonym(s): *kuldzhana* Obratzov, 1954
 48435) *Nycteola malachitis* (Hampson, 1912) (Noctuidae) Synonym(s): *malachitis* Hampson, 1912
 48436) *Nycteola mesoplaga* (Hampson, 1905) (Noctuidae) Synonym(s): *mesoplaga* Hampson, 1905
 48437) *Nycteola pseudoinдика* Holloway, 2003 (Noctuidae) Synonym(s): *pseudoinдика* Holloway, 2003
 48438) *Nycteola pseudonilotica* Holloway, 1979 (Noctuidae) Synonym(s): *pseudonilotica* Holloway, 1979
 48439) *Nycteola revayana* (Scopoli, 1772) (Noctuidae) Synonym(s): *revayana* Scopoli, 1772; *duplana* Fabricius, 1777; *ilicana* Fabricius, 1781; *fasciatum* Retzius, 1783; *punctana* Thunberg, 1784; *anglica* Fourcroy, 1785; *rivagana* Fabricius, 1787; *ramosana* Hübner, 1793; *undulana* Hübner, [1799]; *bifasciana* Donovan, 1801 *nec* Hbn., 1787
 48440) *Nycteola siculana* (Fuchs, 1899) (Noctuidae) Synonym(s): *siculana* Fuchs, 1899; *cuneana* Patočka, 1953; *pseudodilutana* Obratzov, 1954.
 48441) *Nycteola sinuosa* (Moore, 1888) (Noctuidae) Synonym(s): *sinuosa* Moore, 1888
 48442) *Nyctycia albivariiegata* Hreblay, Peregovits & L. Ronkay, 1999 (Noctuidae) Synonym(s): *albivariiegata* Hreblay, Peregovits & L. Ronkay, 1999
 48443) *Nyctycia attila* Hreblay & L. Ronkay, 1999 (Noctuidae) Synonym(s): *attila* Hreblay & L. Ronkay, 1999

- 48444) *Nyctycia consimilis* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *consimilis* Hreblay & L.Ronkay,1998
 48445) *Nyctycia dissimilis* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *dissimilis* Hreblay, Peregovits & L.Ronkay,1999
 48446) *Nyctycia endoi* (Owada,1983) (Noctuidae) Synonym(s): *endoi* Owada,1983
 48447) *Nyctycia endoi hiemalis* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *hiemalis* Hreblay, Peregovits & L.Ronkay,1999
 48448) *Nyctycia flavipicta* (Hampson,1894) (Noctuidae) Synonym(s): *flavipicta* Hampson,1894
 48449) *Nyctycia flavipicta zita* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *zita* Hreblay & L.Ronkay,1999
 48450) *Nyctycia ionochlora* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *ionochlora* Hreblay, Peregovits & L.Ronkay,1999
 48451) *Nyctycia karma* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *karma* Hreblay & L.Ronkay,1999
 48452) *Nyctycia laci* L.Ronkay,1990 (Noctuidae) Synonym(s): *laci* L.Ronkay,1990
 48453) *Nyctycia lama* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *lama* Hreblay & L.Ronkay,1999
 48454) *Nyctycia mesomelana* (Hampson,1902) (Noctuidae) Synonym(s): *mesomelana* Hampson,1902; *variabilis* Owada,1983
 48455) *Nyctycia mesomelana formosana* Kobayashi & Hreblay,1998 (Noctuidae) Synonym(s): *formosana* Kobayashi & Hreblay,1998
 48456) *Nyctycia nigriclava* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *nigriclava* Hreblay & L.Ronkay,1999
 48457) *Nyctycia niveifera* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *niveifera* Hreblay, Peregovits & L.Ronkay,1999
 48458) *Nyctycia nivescens* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *nivescens* Hreblay, Peregovits & L.Ronkay,1999
 48459) *Nyctycia pectinata* Draudt,1950 (Noctuidae) Synonym(s): *pectinata* Draudt,1950
 48460) *Nyctycia persimilis* (Hampson,1894) (Noctuidae) Synonym(s): *persimilis* Hampson,1894
 48461) *Nyctycia plagiogramma* Hampson,1906 (Noctuidae) Synonym(s): *plagiogramma* Hampson,1906
 48462) *Nyctycia stenoptera* (Sugi,1959) (Noctuidae) Synonym(s): *stenoptera* Sugi,1959
 48463) *Nyctycia stenoptera minori* Kobayashi,1998 (Noctuidae) Synonym(s): *minori* Kobayashi,1998
 48464) *Nyctycia stenoptera pygmaea* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *pygmaea* Hreblay & L.Ronkay,1999
 48465) *Nyctycia stenoptera violascens* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *violascens* Hreblay, Peregovits & L.Ronkay,1999
 48466) *Nyctycia szabokyi* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *szabokyi* Hreblay, Peregovits & L.Ronkay,1999
 48467) *Nyctycia vernalis* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s):
 48468) *Nyodes acatharta* (Hampson,1913) (Noctuidae) Synonym(s): *acatharta* Hampson,1913
 48469) *Nyodes lutescens* (Herrich-Schäffer,[1854]) (Noctuidae) Synonym(s): *lutescens* Herrich-Schäffer,[1854]
 48470) *Nyodes prasinodes* (Prout,1921) (Noctuidae) Synonym(s): *prasinodes* Prout,1921
 48471) *Nyodes punctata* (Gaede,1934) (Noctuidae) Synonym(s): *punctata* Gaede,1934
 48472) *Nyodes viridirufa* (Hampson,1918) (Noctuidae) Synonym(s): *viridirufa* Hampson,1918
 48473) *Nyssocnemis eversmanni* (Lederer,1853) (Noctuidae) Synonym(s): *eversmanni* Lederer,1853
 48474) *Ochrocalama xanthia* (Hampson,1905) (Noctuidae) Synonym(s): *xanthia* Hampson,1905
 48475) *Ochropleura leucogaster* (Freyer,1831) (Noctuidae) Synonym(s): *leucogaster* Freyer,1831
 48476) *Ochropleura plecta* (Linnaeus,1761) (Noctuidae) Synonym(s): *pecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucomacula* Graeser,[1889]; *uniplecta* Bryk,1942.
 48477) *Ochropleura staudingeri* (Koçak,1981) (Noctuidae) Synonym(s): *modesta* Staudinger,1895 *nec* Mr.,[1881]; *staudingeri* Koçak,1981; *modestoides* Poole,1989.
 48478) *Ochropleura vicaria* Walker,[1857] (Noctuidae) Synonym(s): *vicaria* Walker,[1857]
 48479) *Ochrotrigona triangulifera* (Hampson,1895) (Noctuidae) Synonym(s): *triangulifera* Hampson,1895
 48480) *Odice arcuinna* (Hübner,1790) (Noctuidae) Synonym(s): *arcuinna* Hübner,1790; *inamoena* Hübner,[1803].
 48481) *Odice arcuinna arcuinna* (Hübner,[1790]) (Noctuidae) Synonym(s): *arcuinna* Hübner,1790; *inamoena* Hübner,[1803].
 48482) *Odice arcuinna argillacea* (Tauscher,1809) (Noctuidae) Synonym(s): *argillacea* Tauscher,1809
 48483) *Odice blandula* (Rambur,1858) (Noctuidae) Synonym(s): *blandula* Rambur,1858
 48484) *Odice jucunda* (Hübner,[1813]) (Noctuidae) Synonym(s): *jucunda* Hübner,[1813]; *sepulcralis* Treitschke,1829
 48485) *Odice keyserlingi* (Bienert,1870) (Noctuidae) Synonym(s): *keyserlingi* Bienert,1870
 48486) *Odice kuelekana* (Staudinger,1871) (Noctuidae) Synonym(s): *kuelekana* Staudinger,1871
 48487) *Odice mukallai* Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *mukallai* Fibiger & Hacker,2002
 48488) *Odice pergrata* (Rambur,1858) (Noctuidae) Synonym(s): *pergrata* Rambur,1858
 48489) *Odice suava* (Hübner,[1813]) (Noctuidae) Synonym(s): *suava* Hübner,[1813].
 48490) *Odice suava bithynica* (Schwingenschuss,1940) (Noctuidae) Synonym(s): *bithynica* Schwingenschuss,1940.
 48491) *Odice suava suava* (Hübner,[1813]) (Noctuidae) Synonym(s): *suava* Hübner,[1813]
 48492) *Odontelia arbusculae* Sukhareva,1970 (Noctuidae) Synonym(s): *arbusculae* Sukhareva,1970
 48493) *Odontelia margiana* (Püngeler,1901) (Noctuidae) Synonym(s): *margiana* Püngeler,1901
 48494) *Odontelia ochrea* Warren,1910 (Noctuidae) Synonym(s): *ochrea* Warren,1910
 48495) *Odontelia regina* Varga & Ronkay,1991 (Noctuidae) Synonym(s): *regina* Varga & Ronkay,1991
 48496) *Odontestis ? dubiosa* (Brandt,1941) (Noctuidae) Synonym(s): *dubiosa* Brandt,1941
 48497) *Odontestis fusciconia* (Hampson,1910) (Noctuidae) Synonym(s): *fusciconia* Hampson,1910
 48498) *Odontestis murina* Wiltshire,1988 (Noctuidae) Synonym(s): *murina* Wiltshire,1988
 48499) *Odontestis striata* Hampson,1912 (Noctuidae) Synonym(s): *striata* Hampson,1912
 48500) *Odontestis conformis* Hampson,1918 (Noctuidae) Synonym(s): *conformis* Hampson,1918
 48501) *Odontestis vittigera* (Hampson,1902) (Noctuidae) Synonym(s): *vittigera* Hampson,1902
 48502) *Odontodes aleuca* Guenée,1852 (Noctuidae) Synonym(s): *aleuca* Guenée,1852; *bolinoides* Walker,1858; *subfasciata* Walker,1865; *quadrigrata* Walker,1865; *ferruginea* Walker,1869; *edemoides* Walker,1869
 48503) *Odontodes pallidifimbria* W.Warren,1916 (Noctuidae) Synonym(s): *pallidifimbria* W.Warren,1916; *eugramme* Prout,1928
 48504) *Odontodes seranensis* Prout,1922 (Noctuidae) Synonym(s): *seranensis* Prout,1922; *subfusca* Prout,1928
 48505) *Odontoretha featheri* Hampson,1916 (Noctuidae) Synonym(s): *featheri* Hampson,1916
 48506) *Oedebasis ovipennis* Hampson,1902 (Noctuidae) Synonym(s): *ovipennis* Hampson,1902
 48507) *Oederastria ectorhoda* Hampson,1902 (Noctuidae) Synonym(s): *ectorhoda* Hampson,1902
 48508) *Oederemia lithoplasta* Hampson,1908 (Noctuidae) Synonym(s): *lithoplasta* Hampson,1908
 48509) *Oederemia miltina* (Püngeler,1902) (Noctuidae) Synonym(s): *miltina* Püngeler,1902
 48510) *Oederemia octogesima* Boursin,1960 (Noctuidae) Synonym(s): *octogesima* Boursin,1960
 48511) *Oediblemma trogoptera* Hampson,1918 (Noctuidae) Synonym(s): *trogoptera* Hampson,1918
 48512) *Oedicodia griseocens* Berio,1947 (Noctuidae) Synonym(s): *griseocens* Berio,1947
 48513) *Oedicodia jarsi* Wiltshire,1984 (Noctuidae) Synonym(s): *jarsi* Wiltshire,1984
 48514) *Oedicodia melanographa* Hampson,1916 (Noctuidae) Synonym(s): *melanographa* Hampson,1916
 48515) *Oedicodia pallescens* Wiltshire,1989 (Noctuidae) Synonym(s): *pallescens* Wiltshire,1989
 48516) *Oedicodia rubrofusca* Berio,1947 (Noctuidae) Synonym(s): *rubrofusca* Berio,1947
 48517) *Oedicodia strigipennis* Hampson,1916 (Noctuidae) Synonym(s): *strigipennis* Hampson,1916
 48518) *Oedicodia violascens* Hampson,1910 (Noctuidae) Synonym(s): *violascens* Hampson,1910
 48519) *Oedicraspis subfervida* Hampson,1912 (Noctuidae) Synonym(s): *subfervida* Hampson,1912
 48520) *Ogla arcuata* (Fabricius,1787) (Noctuidae) Synonym(s): *arcuata* Fabricius,1787
 48521) *Ogla bicornuta* (Wiltshire,1984) (Noctuidae) Synonym(s): *bicornuta* Wiltshire,1984
 48522) *Ogla clearcha* (Fawcett,1916) (Noctuidae) Synonym(s): *clearcha* Fawcett,1916
 48523) *Ogla confluens* Hampson,1926 (Noctuidae) Synonym(s): *confluens* Hampson,1926
 48524) *Ogla consanguis* (Leech,1900) (Noctuidae) Synonym(s): *consanguis* Leech,1900
 48525) *Ogla cornuta* (Hampson,1902) (Noctuidae) Synonym(s): *cornuta* Hampson,1902
 48526) *Ogla costimacula* Wileman,1915 (Noctuidae) Synonym(s): *costimacula* Wileman,1915; *typica* Strand,1920
 48527) *Ogla defixa* (Walker,1862) (Noctuidae) Synonym(s): *defixa* Walker,1862
 48528) *Ogla hypenoides* (Moore,1881) (Noctuidae) Synonym(s): *hypenoides* Moore,1881; *cosmiodes* Hampson,1895; *sambawana* Swinhoe,1916
 48529) *Ogla lagusalis* Walker,[1859] (Noctuidae) Synonym(s): *lagusalis* Walker,[1859]; *notabilis* Walker,[1863]
 48530) *Ogla nana* (Walker,1869) (Noctuidae) Synonym(s): *nana* Walker,1869

- 48531) *Ogla nilotica* (Wiltshire,1977) (Noctuidae) Synonym(s): *niloticus* Wiltshire,1977
 48532) *Ogla obliquisigna* Hampson,1926 (Noctuidae) Synonym(s): *obliquisigna* Hampson,1926
 48533) *Ogla paralella* Hampson,1926 (Noctuidae) Synonym(s): *paralella* Hampson,1926
 48534) *Ogla renilinea* Gaede,1939 (Noctuidae) Synonym(s): *renilinea* Gaede,1939
 48535) *Ogla tamsi* Gaede,1939 (Noctuidae) Synonym(s): *tamsi* Gaede,1939
 48536) *Ogovia pudens* (Holland,1894) (Noctuidae) Synonym(s): *pudens* Holland,1894
 48537) *Ogovia tavetensis* Holland,1892 (Noctuidae) Synonym(s): *tavetensis* Holland,1892
 48538) *Oligia ambigua* (Walker,1858) (Noctuidae) Synonym(s): *ambigua* Walker,1858; *excicata* Wallengren,1860
 48539) *Oligia confusa* Janse,1937 (Noctuidae) Synonym(s): *confusa* Janse,1937
 48540) *Oligia dubia* (Heydemann,1942) (Noctuidae) Synonym(s): *dubia* Heydemann,1942
 48541) *Oligia fasciuncula* (Haworth,1809) (Noctuidae) Synonym(s): *fasciuncula* Haworth,1809
 48542) *Oligia instructa* (Walker,1865) (Noctuidae) Synonym(s): *instructa* Walker,1865
 48543) *Oligia intermedia* Berio,1976 (Noctuidae) Synonym(s): *intermedia* Berio,1976
 48544) *Oligia latruncula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775
 48545) *Oligia latruncula grisea* (Heydemann,1932) (Noctuidae) Synonym(s): *grisea* Heydemann,1932; *erewani* Fazekas,1984.
 48546) *Oligia latruncula latruncula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775
 48547) *Oligia pseudodubia* Rezbanyai-Reser,1997 (Noctuidae) Synonym(s): *pseudodubia* Rezbanyai-Reser,1997
 48548) *Oligia strigilis* (Linnaeus,1758) (Noctuidae) Synonym(s): *strigilis* Linnaeus,1758; *praeduncula* [Denis & Schiffermüller],1775.
 48549) *Oligia subambigua* (D.S.Fletcher,1961) (Noctuidae) Synonym(s): *subambigua* D.S.Fletcher,1961
 48550) *Oligia suleiman* Rezbanyai-Reser,1997 (Noctuidae) Synonym(s): *suleiman* Rezbanyai-Reser,1997
 48551) *Oligia turcia* Rezbanyai-Reser,1997 (Noctuidae) Synonym(s): *turcia* Rezbanyai-Reser,1997
 48552) *Oligia vandarbani* Rezbanyai-Reser,1997 (Noctuidae) Synonym(s): *vandarban* Rezbanyai-Reser,1997
 48553) *Oligia versicolor* (Borkhausen,1792) (Noctuidae) Synonym(s): *versicolor* Borkhausen,1792; *vojnitzi* Kovacs,1967; *nerminae* Koçak,1982.
 48554) *Olivenebula oberthueri* (Staudinger,1892) (Noctuidae) Synonym(s): *oberthueri* Staudinger,1892
 48555) *Olivenebula subsericata* (Herrich-Schäffer,1861) (Noctuidae) Synonym(s): *subsericata* Herrich-Schäffer,1861; *elisabethae* De Lattin,1951; *bobitsi* Beck,1996.
 48556) *Olivenebula xanthochloris* (Boisduval,1840) (Noctuidae) Synonym(s): *xanthochloris* Boisduval,1840
 48557) *Olulis megalopsis* Hampson,1926 (Noctuidae) Synonym(s): *megalopsis* Hampson,1926
 48558) *Olulis punctinctalis* Walker,1863 (Noctuidae) Synonym(s): *punctinctalis* Walker,1863
 48559) *Omia banghaasi* Stauder,1930 (Noctuidae) Synonym(s): *banghaasi* Stauder,1930
 48560) *Omia cyclopea* (Graslin,1837) (Noctuidae) Synonym(s): *cyclopea* Graslin,1837
 48561) *Omia cymbalariae* (Hübner,[1809]) (Noctuidae) Synonym(s): *cymbalariae* Hübner,[1809]
 48562) *Omia raphaeli* Kettner,2004 (Noctuidae) Synonym(s): *raphaeli* Kettner,2004
 48563) *Ommatophora fulvastra* Guenée,1852 (Noctuidae) Synonym(s): *fulvastra* Guenée,1852
 48564) *Ommatophora luminosa* (Cramer,1780) (Noctuidae) Synonym(s): *luminosa* Cramer,1780
 48565) *Omphalestra caelebs* (Grünberg,1910) (Noctuidae) Synonym(s): *caelebs* Grünberg,1910
 48566) *Omphalestra geraea* (Hampson,1907) (Noctuidae) Synonym(s): *geraea* Hampson,1907
 48567) *Omphalestra mesoglauc* (Hampson,1902) (Noctuidae) Synonym(s): *mesoglauc* Hampson,1902
 48568) *Omphalestra mesomelana* (Hampson,1902) (Noctuidae) Synonym(s): *mesomelana* Hampson,1902
 48569) *Omphaloceps daria* (Druce,1895) (Noctuidae) Synonym(s): *daria* Druce,1895
 48570) *Omphalophana anatolica* (Lederer,1857) (Noctuidae) Synonym(s): *anatolica* Lederer,1857
 48571) *Omphalophana antirrhinii* (Hübner,[1803]) (Noctuidae) Synonym(s): *antirrhinii* Hübner,[1803]
 48572) *Omphalophana antirrhinii asiatica* Osthelder,1933 (Noctuidae) Synonym(s): *asiatica* Osthelder,1933
 48573) *Omphalophana durnalayana* Osthelder,1933 (Noctuidae) Synonym(s): *durnalayana* Osthelder,1933
 48574) *Omphalophana pauli* (Staudinger,1892) (Noctuidae) Synonym(s): *pauli* Staudinger,1892; *adamantina* Blachier,1905
 48575) *Omphalophana serrata* (Treitschke,1835) (Noctuidae) Synonym(s): *serrata* Treitschke,1835
 48576) *Omphalophana serratula* (Staudinger,1888) (Noctuidae) Synonym(s): *serratula* Staudinger,1888
 48577) *Omphalophana turcomana* Ronkay, Varga & Hreblay,1998 (Noctuidae) Synonym(s): *turcomana* Ronkay, Varga & Hreblay,1998
 48578) *Omphaloscelis lunosa* (Haworth,1809) (Noctuidae) Synonym(s): *lunosa* Haworth,1809
 48579) *Oncocnemis arenbergeri* Hacker & Lödl,1989 (Noctuidae) Synonym(s): *arenbergeri* Hacker & Lödl,1989
 48580) *Oncocnemis asema* Boursin,1957 (Noctuidae) Synonym(s): *asema* Boursin,1957
 48581) *Oncocnemis beri* Gyulai & Hreblay,1992 (Noctuidae) Synonym(s): *beri* Gyulai & Hreblay,1992
 48582) *Oncocnemis campicola* Lederer,1853 (Noctuidae) Synonym(s): *campicola* Lederer,1853
 48583) *Oncocnemis confusa* (Freyer,[1839]) (Noctuidae) Synonym(s): *confusa* Freyer,[1839].
 48584) *Oncocnemis confusa persica* Ebert,1978 (Noctuidae) Synonym(s): *persica* Ebert,1978
 48585) *Oncocnemis erythropsis* Brandt,1938 (Noctuidae) Synonym(s): *erythropsis* Brandt,1938
 48586) *Oncocnemis exacta* Christoph,1887 (Noctuidae) Synonym(s): *exacta* Christoph,1887; *iranica* Schwingenschuss,1937
 48587) *Oncocnemis exacta exacta* Christoph,1887 (Noctuidae) Synonym(s): *exacta* Christoph,1887; *iranica* Schwingenschuss,1937
 48588) *Oncocnemis exacta mongolica* Staudinger,1897 (Noctuidae) Synonym(s): *mongolica* Staudinger,1897
 48589) *Oncocnemis exacta vanensis* Hreblay & Ronkay,1992 (Noctuidae) Synonym(s): *vanensis* Hreblay & Ronkay,1992
 48590) *Oncocnemis fuscipicta* Wiltshire,1976 (Noctuidae) Synonym(s): *fuscipicta* Wiltshire,1976
 48591) *Oncocnemis idioglyph* Brandt,1938 (Noctuidae) Synonym(s): *idioglyph* Brandt,1938
 48592) *Oncocnemis mixtazona* Hreblay & L.Ronkay,1992 (Noctuidae) Synonym(s): *mixtazona* Hreblay & L.Ronkay,1992
 48593) *Oncocnemis nigricula* (Eversmann,1847) (Noctuidae) Synonym(s): *nigricula* Eversmann,1847
 48594) *Oncocnemis nigricula araratica* G.Ronkay & L.Ronkay,1995 (Noctuidae) Synonym(s): *araratica* G.Ronkay & L.Ronkay,1995
 48595) *Oncocnemis nigricula eberti* Agenjo,1984 (Noctuidae) Synonym(s): *eberti* Agenjo,1984
 48596) *Oncocnemis penthina* Boursin,1963 (Noctuidae) Synonym(s): *penthina* Boursin,1963
 48597) *Oncocnemis rhodophaea* Ebert,1978 (Noctuidae) Synonym(s): *rhodophaea* Ebert,1978
 48598) *Oncocnemis senica* (Eversmann,1856) (Noctuidae) Synonym(s): *senica* Eversmann,1856; *literata* Bremer,1864; *x-signata* Staudinger,1898; *boursini* Ronkay,1988.
 48599) *Oncocnemis strioligera* Lederer,1853 (Noctuidae) Synonym(s): *strioligera* Lederer,1853
 48600) *Oncocnemis strioligera anatolica* Hacker,[1987] (Noctuidae) Synonym(s): *anatolica* Hacker,[1987]
 48601) *Oncocnemis strioligera strioligera* Lederer,1853 (Noctuidae) Synonym(s): *strioligera* Lederer,1853
 48602) *Oncocnemis x-scripta* Sugi,1986 (Noctuidae) Synonym(s): *x-scripta* Sugi,1986
 48603) *Oncotibialis flava* Janse,1938 (Noctuidae) Synonym(s): *flava* Janse,1938
 48604) *Ophisma albitermia* (Hampson,1910) (Noctuidae) Synonym(s): *albitermia* Hampson,1910
 48605) *Ophisma exuleata* Möschler,1883 (Noctuidae) Synonym(s): *exuleata* Möschler,1883
 48606) *Ophisma gravata* Guenée,1852 (Noctuidae) Synonym(s): *gravata* Guenée,1852
 48607) *Ophisma gravata pallens* (Lucas,1892) (Noctuidae) Synonym(s): *pallens* Lucas,1892
 48608) *Ophisma lunulifera* Walker,1865 (Noctuidae) Synonym(s): *lunulifera* Walker,1865
 48609) *Ophisma pallescens* (Walker,[1863]) (Noctuidae) Synonym(s): *pallescens* Walker,[1863]; *violetta* Pagenstecher,1896
 48610) *Ophiuche ferriscitalis* (Walker,1865) (Noctuidae) Synonym(s): *ferriscitalis* Walker,1865
 48611) *Ophiusa (Trichanua) dianaris* (Guenée,1852) (Noctuidae) Synonym(s): *dianaris* Guenée,1852; *tempica* Möschler,1884
 48612) *Ophiusa (Trichanua) mejanesi* (Guenée,1852) (Noctuidae) Synonym(s): *mejanesi* Guenée,1852
 48613) *Ophiusa ambigua* (Gerstaecker,1871) (Noctuidae) Synonym(s): *ambigua* Gerstaecker,1871
 48614) *Ophiusa aviceps* W.Warren,1915 (Noctuidae) Synonym(s): *aviceps* W.Warren,1915
 48615) *Ophiusa cuneilineata* W.Warren,1915 (Noctuidae) Synonym(s): *cuneilineata* W.Warren,1915
 48616) *Ophiusa curvilimes* W.Warren,1915 (Noctuidae) Synonym(s): *curvilimes* W.Warren,1915
 48617) *Ophiusa dilecta* Walker,1865 (Noctuidae) Synonym(s): *dilecta* Walker,1865

- 48618) **Ophiusa discriminans** (Walker,1858) (Noctuidae) Synonym(s): *discriminans* Walker,1858; *pygospila* Snellen,1880; *sublutea* Bethune-Baker,1906; *intacta* Hampson,1913
- 48619) **Ophiusa disjungens** (Walker,1858) (Noctuidae) Synonym(s): *disjungens* Walker,1858
- 48620) **Ophiusa disjungens indiscriminata** (Hampson,1893) (Noctuidae) Synonym(s): *indiscriminata* Hampson,1893
- 48621) **Ophiusa disjungens tongaensis** (Hampson,1913) (Noctuidae) Synonym(s): *tongaensis* Hampson,1913
- 48622) **Ophiusa finifascia** (Walker,1858) (Noctuidae) Synonym(s): *finifascia* Walker,1858; *amplior* Walker,1858; *lilaceofasciata* Pagenstecher,1907.
- 48623) **Ophiusa flexilinea** W.Warren,1915 (Noctuidae) Synonym(s): *flexilinea* W.Warren,1915
- 48624) **Ophiusa hituensis** (Pagenstecher,1884) (Noctuidae) Synonym(s): *hituensis* Pagenstecher,1884
- 48625) **Ophiusa hypoxantha** (Hampson,1918) (Noctuidae) Synonym(s): *hypoxantha* Hampson,1918
- 48626) **Ophiusa indistincta** (Moore,1882) (Noctuidae) Synonym(s): *indistincta* Moore,1882; *fervida* Butler,1883
- 48627) **Ophiusa lunaris** (Goeze,1781) (Noctuidae) Synonym(s): *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *undosa* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *chosensis* Bryk,1949.
- 48628) **Ophiusa melaconisia** Hampson,1905 (Noctuidae) Synonym(s): *melaconisia* Hampson,1905
- 48629) **Ophiusa nocturnia** Hampson,1902 (Noctuidae) Synonym(s): *nocturnia* Hampson,1902
- 48630) **Ophiusa olista** (Swinhoe,1893) (Noctuidae) Synonym(s): *olista* Swinhoe,1893
- 48631) **Ophiusa parcemacula** (Lucas,1891) (Noctuidae) Synonym(s): *parcemacula* Lucas,1891
- 48632) **Ophiusa profana** Walker,1858 (Noctuidae) Synonym(s): *profana* Walker,1858
- 48633) **Ophiusa pseudotirhaca** (Berio,1956) (Noctuidae) Synonym(s): *pseudotirhaca* Berio,1956
- 48634) **Ophiusa salita** Distant,1898 (Noctuidae) Synonym(s): *salita* Distant,1898
- 48635) **Ophiusa selenaris** (Guenée,1852) (Noctuidae) Synonym(s): *selenaris* Guenée,1852; *obhaerens* Walker,1858; *welwitschi* R.Felder & Rogenhofer,1874
- 48636) **Ophiusa stassarti** (Hacker & Legrain,2002) (Noctuidae) Synonym(s): *stassarti* Hacker & Legrain,2002
- 48637) **Ophiusa tettensis** (Hopffer,1857) (Noctuidae) Synonym(s): *tettensis* Hopffer,1857; *expedita* Walker,1858; *cameronis* Plötz,1880.
- 48638) **Ophiusa tirhaca** (Cramer,1777) (Noctuidae) Synonym(s): *tirhaca* Cramer,1777; *#tirhaea* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,1803; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978
- 48639) **Ophiusa trapezium** (Guenée,1852) (Noctuidae) Synonym(s): *trapezium* Guenée,1852; *circumferens* Walker,1865; *cognata* Walker,1865; *adusta* Moore,1882; *prunicolor* Moore,1885; *kebea* Bethune-Baker,1906
- 48640) **Ophiusa triphaenoides** (Walker,1858) (Noctuidae) Synonym(s): *triphaenoides* Walker,1858; *cuprea* Moore,1867
- 48641) **Ophiusa tumidilinea** Walker,1858 (Noctuidae) Synonym(s): *tumidilinea* Walker,1858
- 48642) **Ophiusa tumiditermina** Hampson,1910 (Noctuidae) Synonym(s): *tumiditermina* Hampson,1910; *fumida* Hampson,1913; *hampsoni* Holland,1920.
- 48643) **Ophiusa umbrilinea** Hampson,1902 (Noctuidae) Synonym(s): *umbrilinea* Hampson,1902
- 48644) **Ophiusa violascens** Hampson,1902 (Noctuidae) Synonym(s): *violascens* Hampson,1902
- 48645) **Ophiusa violisparsa** (Prout,1919) (Noctuidae) Synonym(s): *violisparsa* Prout,1919
- 48646) **Ophiusa wiskotti** (Püngeler,1902) (Noctuidae) Synonym(s): *wiskotti* Püngeler,1902; *viscotti* Hampson,1913.
- 48647) **Ophthalmis basalis** Rothschild,1896 (Noctuidae) Synonym(s): *basalis* Rothschild,1896
- 48648) **Ophthalmis cincta** (Boisduval,1874) (Noctuidae) Synonym(s): *cincta* Boisduval,1874; *zelleri* Butler,1887
- 48649) **Ophthalmis darna** (Druce,1894) (Noctuidae) Synonym(s): *darna* Druce,1894
- 48650) **Ophthalmis eriopis** (Herrich-Schäffer,1853) (Noctuidae) Synonym(s): *eriopis* Herrich-Schäffer,1853; *carminata* Rothschild,1896
- 48651) **Ophthalmis floresiana** (Rothschild,1897) (Noctuidae) Synonym(s): *floresiana* Rothschild,1897
- 48652) **Ophthalmis funebris** (Moore,1872) (Noctuidae) Synonym(s): *funebris* Moore,1872; *vithoroides* Leech,1890
- 48653) **Ophthalmis haemorrhoidalis** (Guérin-Ménéville,1832) (Noctuidae) Synonym(s): *haemorrhoidalis* Guérin-Ménéville,1832
- 48654) **Ophthalmis lincea** (Cramer,1779) (Noctuidae) Synonym(s): *lincea* Cramer,1779; *bambucina* Eschscholtz,1830; *formosa* Montr.,1856; *linceoides* Boisduval,1874; *aluensis* Butler,1887; *leucapex* Strand,1911; *biakensis* Strand,1912
- 48655) **Ophthalmis milete** (Cramer,1775) (Noctuidae) Synonym(s): *milete* Cramer,1775; *melite* Walker,1854; *mutata* Walker,1864; *fenestrata* Walker,1864; *conferta* Walker,1864; *rosenbergi* R.Felder & Rogenhofer,1874; *roeberti* Ribbe,1889
- 48656) **Ophthalmis privata** (Walker,1864) (Noctuidae) Synonym(s): *privata* Walker,1864; *pagenstecheri* Röber,1886
- 48657) **Ophthalmis proxanthia** Hampson,1901 (Noctuidae) Synonym(s): *proxanthia* Hampson,1901
- 48658) **Ophthalmis swinhoei** (Semper,1899) (Noctuidae) Synonym(s): *swinhoei* Semper,1899
- 48659) **Opigena albifurca** (Erschoff,1877) (Noctuidae) Synonym(s): *albifurca* Erschoff,1877; *costata* Staudinger,1877 nec Grt.,1876
- 48660) **Opigena huberi** Hacker,1999 (Noctuidae) Synonym(s): *huberi* Hacker,1999
- 48661) **Opigena polygona** (Fabricius,1787) (Noctuidae) Synonym(s): *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,1788; *pyramis* Borkhausen,1792.
- 48662) **Opigena polygona chersotimorpha** Ronkay & Varga,1985 (Noctuidae) Synonym(s): *chersotimorpha* Ronkay & Varga,1985
- 48663) **Opigena polygona obscurata** Sohn-Rethel,1929 (Noctuidae) Synonym(s): *obscurata* Sohn-Rethel,1929
- 48664) **Opigena polygona polygona** (Fabricius,1787) (Noctuidae) Synonym(s): *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,1788; *pyramis* Borkhausen,1792.
- 48665) **Oporophylla ustulata** Westwood,1848 (Noctuidae) Synonym(s): *ustulata* Westwood,1848; *despicillator* Guenée,1852
- 48666) **Opsya chalcoela** (Hampson,1902) (Noctuidae) Synonym(s): *chalcoela* Hampson,1902
- 48667) **Oraesia ? albescens** (Gaede,1940) (Noctuidae) Synonym(s): *albescens* Gaede,1940
- 48668) **Oraesia ? cerne** (Fawcett,1916) (Noctuidae) Synonym(s): *cerne* Fawcett,1916
- 48669) **Oraesia ? wintgensii** (Strand,1909) (Noctuidae) Synonym(s): *wintgensii* Strand,1909
- 48670) **Oraesia aeneofusa** (Hampson,1926) (Noctuidae) Synonym(s): *aeneofusa* Hampson,1926
- 48671) **Oraesia argyrolampra** (Hampson,1926) (Noctuidae) Synonym(s): *argyrolampra* Hampson,1926
- 48672) **Oraesia argyroseta** (Hampson,1926) (Noctuidae) Synonym(s): *argyroseta* Hampson,1926
- 48673) **Oraesia emarginata** (Fabricius,1794) (Noctuidae) Synonym(s): *emarginata* Fabricius,1794; *metallescens* Guenée,1852; *tentans* Walker,1858; *alliciens* Walker,1858
- 48674) **Oraesia excavata** (Butler,1878) (Noctuidae) Synonym(s): *excavata* Butler,1878
- 48675) **Oraesia glaucocheila** (Hampson,1926) (Noctuidae) Synonym(s): *glaucocheila* Hampson,1926
- 48676) **Oraesia igniceps** (Hampson,1926) (Noctuidae) Synonym(s): *igniceps* Hampson,1926
- 48677) **Oraesia provocans** Walker,1858 (Noctuidae) Synonym(s): *provocans* Walker,1858; *hartmanni* Möschler,1883; *cuprea* Saalmüller,1891
- 48678) **Oraesia rectistria** Guenée,1852 (Noctuidae) Synonym(s): *rectistria* Guenée,1852
- 48679) **Oraesia triobliqua** (Saalmüller,1880) (Noctuidae) Synonym(s): *triobliqua* Saalmüller,1880
- 48680) **Orbona fragariae** (Vieweg,1790) (Noctuidae) Synonym(s): *#brunnea* [Denis & Schiffermüller],1775; *brunnea* Goeze,1781 nec Hufnagel,1767; *lucifera* Esp.,1789; *arvensis* Gmelin,1790; *carnea* Thunberg,1792; *fragariae* Borkhausen,1792; *serotina* Ochsenheimer,1816.
- 48681) **Orectis euprepiata** Dannehl,1933 (Noctuidae) Synonym(s): *euprepiata* Dannehl,1933
- 48682) **Orectis massiliensis** (Millière,1864) (Noctuidae) Synonym(s): *massiliensis* Millière,1864; *euprepiata* Dannehl,1933.
- 48683) **Orectis proboscidata** (Herrich-Schäffer,1851) (Noctuidae) Synonym(s): *proboscidata* Herrich-Schäffer,1851; *barteli* Turati,1907.
- 48684) **Oria flavescens** (Hampson,1902) (Noctuidae) Synonym(s): *flavescens* Hampson,1902
- 48685) **Oria musculosa** (Hübner,1808) (Noctuidae) Synonym(s): *musculosa* Hübner,1808; *laeta* Alpheraky,1889.
- 48686) **Oria myodea** (Rambur,1858) (Noctuidae) Synonym(s): *myodea* Rambur,1858
- 48687) **Oroplexia garza** Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *#garza* Hreblay & L.Ronkay,1999
- 48688) **Ortapla iarbasalis** Walker,1859 (Noctuidae) Synonym(s): *iarbasalis* Walker,1859
- 48689) **Ortapla relinquenda** (Walker,1858) (Noctuidae) Synonym(s): *relinquenda* Walker,1858
- 48690) **Orthosia** (Cororthosia) *ella* (Butler,1878) (Noctuidae) Synonym(s): *ella* Butler,1878
- 48691) **Orthosia** (Dioszeghyana) *schmidtii* (Díószeghy,1935) (Noctuidae) Synonym(s): *schmidtii* Díószeghy,1935
- 48692) **Orthosia** (Dioszeghyana) *schmidtii pinkeri* Hreblay & Varga,1993 (Noctuidae) Synonym(s): *pinkeri* Hreblay & Varga,1993
- 48693) **Orthosia** (Dioszeghyana) *schmidtii schmidtii* (Díószeghy,1935) (Noctuidae) Synonym(s): *schmidtii* Díószeghy,1935
- 48694) **Orthosia** (Euchoristea) *limbata* (Butler,1879) (Noctuidae) Synonym(s): *limbata* Butler,1879
- 48695) **Orthosia** (Euchoristea) *limbata atrata* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *atrata* Hreblay & L.Ronkay,1999
- 48696) **Orthosia** (Euchoristea) *limbata himalaya* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *himalaya* Hreblay & L.Ronkay,1998

- 48697) *Orthosia (Euchoristea) limbata limbata* (Butler,1879) (Noctuidae) Synonym(s): *limbata* Butler,1879
- 48698) *Orthosia (Monima) cerasi* (Fabricius,1775) (Noctuidae) Synonym(s): *cerasi* Fabricius,1775; *stabilis* [Denis & Schiffmüller],1775; *obliqua* de Villers,1789; *junctus* Haworth,1803; *pallida* Haworth,1809; *rufannulata* Haworth,1809.
- 48699) *Orthosia (Monima) dalmatica* (Wagner,1909) (Noctuidae) Synonym(s): *dalmatica* Wagner,1909
- 48700) *Orthosia (Monima) dalmatica ivani* Gyulai (Noctuidae) Synonym(s):
- 48701) *Orthosia (Monima) imitabilis* Hreblay,1993 (Noctuidae) Synonym(s): *imitabilis* Hreblay,1993
- 48702) *Orthosia (Monima) opima* (Hübner,[1809]) (Noctuidae) Synonym(s): *opima* Hübner,[1809]
- 48703) *Orthosia (Monima) populeti* (Fabricius,1781) (Noctuidae) Synonym(s): *populeti* Fabricius,1781; *populi* Ström,1783; *subplumbeus* Haworth,1803; *intermedia* Stephens,1829; *ocularis* Freyer,1833; *tremuleti* Tetens,1876.
- 48704) *Orthosia (Monima) pulverulenta* (Esper,[1786]) (Noctuidae) Synonym(s): *#cruda* [Denis & Schiffmüller],1775; *pulverulenta* Esper,[1786]; *corticina* Villers,1789; *nanus* Haworth,[1803].
- 48705) *Orthosia (Monima) pulverulenta illustris* Hreblay,1993 (Noctuidae) Synonym(s): *illustris* Hreblay,1993
- 48706) *Orthosia (Monima) sordescens* Hreblay,1993 (Noctuidae) Synonym(s): *sordescens* Hreblay,1993
- 48707) *Orthosia (Semiophora) gothica* (Linnaeus,1758) (Noctuidae) Synonym(s): *gothica* Linnaeus,1758; *nunatrum* [Denis & Schiffmüller],1775; *gothicina* Herrich-Schäffer,[1849].
- 48708) *Orthosia (s.l.) albiceps* (Hampson,1894) (Noctuidae) Synonym(s): *albiceps* Hampson,1894
- 48709) *Orthosia (s.str.) faqiri* Hreblay & Plante,1994 (Noctuidae) Synonym(s): *faqiri* Hreblay & Plante,1994
- 48710) *Orthosia (s.str.) feda* Hreblay & Plante,1994 (Noctuidae) Synonym(s): *feda* Hreblay & Plante,1994
- 48711) *Orthosia (s.str.) incerta* (Hufnagel,1766) (Noctuidae) Synonym(s): *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffmüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 nec Hw.,1809; *pallidior* Staudinger,1901 nec Stgr.,1888
- 48712) *Orthosia (s.str.) malickyi* Hacker,1992 (Noctuidae) Synonym(s): *malickyi* Hacker,1992
- 48713) *Orthosia (s.str.) picata* (A.Bang-Haas,1912) (Noctuidae) Synonym(s): *picata* A.Bang-Haas,1912
- 48714) *Orthosia (s.str.) reshoefti* Hreblay,1994 (Noctuidae) Synonym(s): *reshoefti* Hreblay,1994
- 48715) *Orthosia cypriaca* Hacker,1996 (Noctuidae) Synonym(s): *cypriaca* Hacker,1996
- 48716) *Orthosia gracilis* (Fabricius,1787) (Noctuidae) Synonym(s): *#gracilis* [Denis & Schiffmüller],1775; *gracilis* Fabricius,1787; *lepida* Brahm,1791; *sparsus* Haworth,1803; *pallidior* Staudinger,1888.
- 48717) *Orthosia harutai* Yoshimoto,1993 (Noctuidae) Synonym(s): *harutai* Yoshimoto,1993
- 48718) *Orthosia huberti* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *huberti* Hreblay & L.Ronkay,1999
- 48719) *Orthosia macilenta* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *macilenta* Hreblay & L.Ronkay,1998
- 48720) *Orthosia malickyi* Hacker,1993 (Noctuidae) Synonym(s): *malickyi* Hacker,1993
- 48721) *Orthosia mediofusca* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *mediofusca* Hreblay & L.Ronkay,1999
- 48722) *Orthosia peregovitsi* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *peregovitsi* Hreblay & L.Ronkay,1999
- 48723) *Orthosia rubricosa* (Esper,[1786]) (Noctuidae) Synonym(s): *#miniosa* [Denis & Schiffmüller],1775; *rubricosa* Esper, [1786].
- 48724) *Oruza cariosa* (Lucas,1894) (Noctuidae) Synonym(s): *cariosa* Lucas,1894
- 48725) *Oruza kavatcha* Holloway,1979 (Noctuidae) Synonym(s): *kavatcha* Holloway,1979
- 48726) *Oruza latifera* (Walker,1869) (Noctuidae) Synonym(s): *latifera* Walker,1869
- 48727) *Oruza narabuta* Holloway,1979 (Noctuidae) Synonym(s): *narabuta* Holloway,1979
- 48728) *Osmanosizikia vulnerata* (Butler,1878) (Noctuidae) Synonym(s): *vulnerata* Butler,1878; *christophi* Staudinger,1888 nec Alph.,1888; *doerriesi* Staudinger,1892
- 48729) *Ostheldera gracilis* (Osthelder,1933) (Noctuidae) Synonym(s): *gracilis* Osthelder,1933
- 48730) *Ostheldera kondara* Varga & L.Ronkay,1991 (Noctuidae) Synonym(s): *kondara* Varga & L.Ronkay,1991
- 48731) *Ovios capensis* (Herrich-Schäffer,[1854]) (Noctuidae) Synonym(s): *capensis* Herrich-Schäffer,[1854]; *septentrionis* Hampson,1910
- 48732) *Owadaglaea barna* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *barna* Hreblay & L.Ronkay,1998
- 48733) *Owadaglaea chloromixta* Hacker & L.Ronkay,1996 (Noctuidae) Synonym(s): *chloromixta* Hacker & L.Ronkay,1996
- 48734) *Owadaglaea elongata* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *elongata* Hreblay & L.Ronkay,1998
- 48735) *Owadaglaea elongata annamica* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *annamica* Hreblay & L.Ronkay,1999
- 48736) *Owadaglaea elongata siamica* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *siamica* Hreblay & L.Ronkay,1999
- 48737) *Owadaglaea expallida* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *expallida* Hreblay & L.Ronkay,1998
- 48738) *Owadaglaea fuscipicta* Hacker & L.Ronkay,1996 (Noctuidae) Synonym(s): *fuscipicta* Hacker & L.Ronkay,1996
- 48739) *Owadaglaea fuscipicta fuscipicta* Hacker & L.Ronkay,1996 (Noctuidae) Synonym(s): *fuscipicta* Hacker & L.Ronkay,1996
- 48740) *Owadaglaea hackeri* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *hackeri* Hreblay & L.Ronkay,1998
- 48741) *Owadaglaea lucida* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *lucida* Hreblay & L.Ronkay,1998
- 48742) *Owadaglaea moorei* (Hacker & L.Ronkay,1998) (Noctuidae) Synonym(s): *moorei* Hacker & L.Ronkay,1998
- 48743) *Owadaglaea nigriclava* (Boursin,1957) (Noctuidae) Synonym(s): *nigriclava* Boursin,1957
- 48744) *Owadaglaea nigricomma* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *nigricomma* Hreblay & L.Ronkay,1998
- 48745) *Owadaglaea reticulata* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *reticulata* Hreblay, Peregovits & L.Ronkay,1999
- 48746) *Owadaglaea triangulifera* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *triangulifera* Hreblay & L.Ronkay,1998
- 48747) *Owadaglaea yoshimotoi* Hacker,1996 (Noctuidae) Synonym(s): *yoshimotoi* Hacker,1996
- 48748) *Oxaeanus brontesalis* (Walker,[1859]) (Noctuidae) Synonym(s): *brontesalis* Walker,[1859]; *sumatrensis* Walker,[1866]; *scopigeralis* Moore,1867
- 48749) *Oxaeanus picticilia* (Hampson,1896) (Noctuidae) Synonym(s): *picticilia* Hampson,1896
- 48750) *Oxicesta chamoenices* Herrich-Schäffer,1845 (Noctuidae) Synonym(s): *nervosa* Villers,1789 nec Retz.,1783; *chamoenices* Herrich-Schäffer,1845.
- 48751) *Oxicesta geographica* (Fabricius,1787) (Noctuidae) Synonym(s): *geographica* Fabricius,1787
- 48752) *Oxicesta serratae* Zerny,1927 (Noctuidae) Synonym(s): *serratae* Zerny,1927
- 48753) *Oxyodes billeti* De Joannis,1900 (Noctuidae) Synonym(s): *billeti* De Joannis,1900
- 48754) *Oxyodes scrobiculata* (Fabricius,1775) (Noctuidae) Synonym(s): *scrobiculata* Fabricius,1775; *clytia* Stoll,[1782]; *vittata* Fabricius,1794; *ochreatea* Rothschild,1915; *samoana* Tams,1935; *tanymekes* Tams,1935; *novaehebridensis* Viette,1951; *obscurior* Holloway,1979
- 48755) *Oxytripia orbiculosa* (Esper,1799) (Noctuidae) Synonym(s): *orbiculosa* Esper,1799
- 48756) *Oxytripia orbiculosa noctivolans* Pinker,1980 (Noctuidae) Synonym(s): *noctivolans* Pinker,1980
- 48757) *Oxytripia orbiculosa orbiculosa* (Esper,[1799]) (Noctuidae) Synonym(s): *orbiculosa* Esper,1799
- 48758) *Oxytripia stephania* Sutton,[1964] (Noctuidae) Synonym(s): *stephania* Sutton,[1964]; *danilevskiyi* Miljanovsky,1973.
- 48759) *Ozarba abscissa* (Walker,1858) (Noctuidae) Synonym(s): *abscissa* Walker,1858; *partita* Mabilie,1880.
- 48760) *Ozarba accincta* (Distant,1898) (Noctuidae) Synonym(s): *accincta* Distant,1898
- 48761) *Ozarba acclivis* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *acclivis* R.Felder & Rogenhofer,1874; *perssoni* Wallengren,1875.
- 48762) *Ozarba africana* Berio,1940 (Noctuidae) Synonym(s): *africana* Berio,1940
- 48763) *Ozarba alberti* Wiltshire,1994 (Noctuidae) Synonym(s): *alberti* Wiltshire,1994
- 48764) *Ozarba albimarginata* (Hampson,1896) (Noctuidae) Synonym(s): *albimarginata* Hampson,1896
- 48765) *Ozarba algaini* Wiltshire,1983 (Noctuidae) Synonym(s): *algaini* Wiltshire,1983
- 48766) *Ozarba atrifera* Hampson,1910 (Noctuidae) Synonym(s): *atrifera* Hampson,1910; *khadrafica* Wiltshire,1980.
- 48767) *Ozarba bicoloria* Gaede,1915 (Noctuidae) Synonym(s): *bicoloria* Gaede,1915
- 48768) *Ozarba binorbis* Hampson,1910 (Noctuidae) Synonym(s): *binorbis* Hampson,1910
- 48769) *Ozarba bipartita* (Hampson,1902) (Noctuidae) Synonym(s): *bipartita* Hampson,1902
- 48770) *Ozarba bisexualis* Hampson,1910 (Noctuidae) Synonym(s): *bisexualis* Hampson,1910
- 48771) *Ozarba capreolana* Rebel,1948 (Noctuidae) Synonym(s): *capreolana* Rebel,1948
- 48772) *Ozarba chionoperas* Hampson,1918 (Noctuidae) Synonym(s): *chionoperas* Hampson,1918
- 48773) *Ozarba cinerea* (Aurivillius,1879) (Noctuidae) Synonym(s): *cinerea* Aurivillius,1879
- 48774) *Ozarba consanguis* (Hampson,1902) (Noctuidae) Synonym(s): *consanguis* Hampson,1902; *marwitzi* Gaede,1916.
- 48775) *Ozarba contempta* (Walker,1858) (Noctuidae) Synonym(s): *contempta* Walker,1858
- 48776) *Ozarba corniculans* (Wallengren,1860) (Noctuidae) Synonym(s): *corniculans* Wallengren,1860; *figurata* Walker,1865.
- 48777) *Ozarba corniculantis* Berio,1950 (Noctuidae) Synonym(s): *corniculantis* Berio,1950

- 48778) *Ozarba cryptochrysea* (Hampson,1902) (Noctuidae) Synonym(s): *cryptochrysea* Hampson,1902; *centralis* Pagenstecher,1907.
 48779) *Ozarba cyanopasta* Hampson,1910 (Noctuidae) Synonym(s): *cyanopasta* Hampson,1910
 48780) *Ozarba damarensis* Berio,1940 (Noctuidae) Synonym(s): *damarensis* Berio,1940
 48781) *Ozarba debrosi* Wiltshire,1983 (Noctuidae) Synonym(s): *debrosi* Wiltshire,1983
 48782) *Ozarba densa* (Walker,1865) (Noctuidae) Synonym(s): *densa* Walker,1865
 48783) *Ozarba devylderi* Berio,1940 (Noctuidae) Synonym(s): *devylderi* Berio,1940
 48784) *Ozarba fasciata* (Wallengren,1860) (Noctuidae) Synonym(s): *fasciata* Wallengren,1860
 48785) *Ozarba festiva* Berio,1950 (Noctuidae) Synonym(s): *festiva* Berio,1950
 48786) *Ozarba flavipennis* Hampson,1910 (Noctuidae) Synonym(s): *flavipennis* Hampson,1910
 48787) *Ozarba fuscescens* Rebel,1948 (Noctuidae) Synonym(s): *fuscescens* Rebel,1948
 48788) *Ozarba gaedei* Berio,1940 (Noctuidae) Synonym(s): *gaedei* Berio,1940
 48789) *Ozarba gobabis* Berio,1940 (Noctuidae) Synonym(s): *gobabis* Berio,1940
 48790) *Ozarba heliastis* (Hampson,1902) (Noctuidae) Synonym(s): *heliastis* Hampson,1902
 48791) *Ozarba hemimelaena* Hampson,1910 (Noctuidae) Synonym(s): *hemimelaena* Hampson,1910; *transversa* Pagenstecher,1907.
 48792) *Ozarba hemiochra* Hampson,1910 (Noctuidae) Synonym(s): *hemiochra* Hampson,1910; *hemileuca* Wiltshire,1982.
 48793) *Ozarba hemipolia* Hampson,1910 (Noctuidae) Synonym(s): *hemipolia* Hampson,1910
 48794) *Ozarba hypoxantha* (Wallengren,1860) (Noctuidae) Synonym(s): *hypoxantha* Wallengren,1860; *vultuosa* Distant,1898.
 48795) *Ozarba illimitata* Warren,1914 (Noctuidae) Synonym(s): *illimitata* Warren,1914
 48796) *Ozarba inobtrusa* (Hampson,1902) (Noctuidae) Synonym(s): *inobtrusa* Hampson,1902
 48797) *Ozarba inopinata* Berio,1940 (Noctuidae) Synonym(s): *inopinata* Berio,1940
 48798) *Ozarba isocampta* Hampson,1910 (Noctuidae) Synonym(s): *isocampta* Hampson,1910
 48799) *Ozarba jansei* Berio,1940 (Noctuidae) Synonym(s): *jansei* Berio,1940
 48800) *Ozarba lascivalis* (Lederer,1855) (Noctuidae) Synonym(s): *lascivalis* Lederer,1855
 48801) *Ozarba madanda* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *madanda* R.Felder & Rogenhofer,1874; *dignata* Möschler,1883.
 48802) *Ozarba malaisei* Berio,1940 (Noctuidae) Synonym(s): *malaisei* Berio,1940
 48803) *Ozarba marabensis* Wiltshire,1980 (Noctuidae) Synonym(s): *marabensis* Wiltshire,1980
 48804) *Ozarba mesozonata* Hampson,1916 (Noctuidae) Synonym(s): *mesozonata* Hampson,1916
 48805) *Ozarba metachrysea* Hampson,1910 (Noctuidae) Synonym(s): *metachrysea* Hampson,1910
 48806) *Ozarba moldavicola* (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): *moldavicola* Herrich-Schäffer,[1851]; *euboica* Mill.,1874; *mesopotamica* Schawerda,1924.
 48807) *Ozarba moldavicola mesopotamica* Schawerda,1923 (Noctuidae) Synonym(s): *mesopotamica* Schawerda,1923
 48808) *Ozarba nigroviridis* (Hampson,1902) (Noctuidae) Synonym(s): *nigroviridis* Hampson,1902
 48809) *Ozarba nyanza* (R.Felder & Rogenhofer,[1875]) (Noctuidae) Synonym(s): *nyanza* R.Felder & Rogenhofer,[1875]
 48810) *Ozarba olimcorniculans* Berio,1940 (Noctuidae) Synonym(s): *olimcorniculans* Berio,1940
 48811) *Ozarba orthozona* (Hampson,1902) (Noctuidae) Synonym(s): *orthozona* Hampson,1902
 48812) *Ozarba perplexa* Saalmüller,1891 (Noctuidae) Synonym(s): *perplexa* Saalmüller,1891
 48813) *Ozarba persinua* Berio,1940 (Noctuidae) Synonym(s): *persinua* Berio,1940
 48814) *Ozarba phaea* (Hampson,1902) (Noctuidae) Synonym(s): *phaea* Hampson,1902
 48815) *Ozarba phaea ampullata* Wiltshire,1988 (Noctuidae) Synonym(s): *ampullata* Wiltshire,1988
 48816) *Ozarba phlebitis* Hampson,1910 (Noctuidae) Synonym(s): *phlebitis* Hampson,1910
 48817) *Ozarba punctigera* Walker,1865 (Noctuidae) Synonym(s): *punctigera* Walker,1865
 48818) *Ozarba punctithorax* Berio,1940 (Noctuidae) Synonym(s): *punctithorax* Berio,1940
 48819) *Ozarba regia* Warren,1914 (Noctuidae) Synonym(s): *regia* Warren,1914
 48820) *Ozarba sancta* (Staudinger,1900) (Noctuidae) Synonym(s): *sancta* Staudinger,1900
 48821) *Ozarba semipurpurea* (Hampson,1902) (Noctuidae) Synonym(s): *semipurpurea* Hampson,1902
 48822) *Ozarba semitorrida* Hampson,1916 (Noctuidae) Synonym(s): *semitorrida* Hampson,1916
 48823) *Ozarba separabilis* Berio,1940 (Noctuidae) Synonym(s): *separabilis* Berio,1940
 48824) *Ozarba socotrana* Hampson,1910 (Noctuidae) Synonym(s): *socotrana* Hampson,1910
 48825) *Ozarba subterminalis* Hampson,1910 (Noctuidae) Synonym(s): *subterminalis* Hampson,1910
 48826) *Ozarba subtusfimbriata* Berio,1940 (Noctuidae) Synonym(s): *subtusfimbriata* Berio,1940
 48827) *Ozarba timida* Berio,1940 (Noctuidae) Synonym(s): *timida* Berio,1940
 48828) *Ozarba varia* (Walker,1865) (Noctuidae) Synonym(s): *varia* Walker,1865; *mustelina* Wallengren,1875.
 48829) *Ozarba variabilis* Berio,1940 (Noctuidae) Synonym(s): *variabilis* Berio,1940; *elaphina* Rebel,1948.
 48830) *Paectes canescens* Tams,1935 (Noctuidae) Synonym(s): *canescens* Tams,1935
 48831) *Paectes cristatrix* (Guenée) (Noctuidae) Synonym(s):
 48832) *Paectes cristatrix* (Guenée,1852) (Noctuidae) Synonym(s): *cristatrix* Guenée,1852
 48833) *Paectes cristatrix fijiensis* Robinson,1975 (Noctuidae) Synonym(s): *fijiensis* Robinson,1975
 48834) *Paectes roseovincta* (W.Warren,1914) (Noctuidae) Synonym(s): *roseovincta* W.Warren,1914; *euphiles* Prout,1928
 48835) *Paectes subapicalis* (Walker,1857) (Noctuidae) Synonym(s): *subapicalis* Walker,1857; *recurrens* Walker,1858
 48836) *Paectes subapicalis* (Walker,[1858]) (Noctuidae) Synonym(s): *subapicalis* Walker,[1858]
 48837) *Paidia pulchra* (Trimen,1863) (Noctuidae) Synonym(s): *pulchra* Trimen,1863; *gordonii* Butler,1879
 48838) *Pamirorea eberti* L.Ronkay & Varga,1990 (Noctuidae) Synonym(s): *eberti* L.Ronkay & Varga,1990
 48839) *Pamparama abuzuhairai* (Wiltshire,1986) (Noctuidae) Synonym(s): *abuzuhairai* Wiltshire,1986
 48840) *Pamparama acuta* (Freyer,[1837]) (Noctuidae) Synonym(s): *acuta* Freyer,[1837]; *producta* Lederer,1857; *pygmaea* Staudinger,1871.
 48841) *Pamparama sinaica* (Wiltshire,1948) (Noctuidae) Synonym(s): *sinaica* Wiltshire,1948
 48842) *Panchrysia aurea* (Hübner,[1803]) (Noctuidae) Synonym(s): *deaurata* Esper,[1787] nec Goeze,1981; *chryson* Borkhausen,1792 nec Esp.,[1789]; *aurea* Hübner,[1803].
 48843) *Panchrysia v-argenteum* (Esper,[1798]) (Noctuidae) Synonym(s): *v-argenteum* Esper,[1798]; *mya* Hübner,[1821]
 48844) *Panchrysia v-argenteum dives* (Eversmann,1844) (Noctuidae) Synonym(s): *dives* Eversmann,1844
 48845) *Panchrysia v-argenteum pantheon* Varga & Ronkay,1984 (Noctuidae) Synonym(s): *pantheon* Varga & Ronkay,1984
 48846) *Panchrysia v-argenteum v-argenteum* (Esper,[1798]) (Noctuidae) Synonym(s): *v-argenteum* Esper,[1798]; *mya* Hübner,[1821]
 48847) *Pandesma anysa* Guenée,1852 (Noctuidae) Synonym(s): *anysa* Guenée,1852
 48848) *Pandesma muricolor* Berio,1966 (Noctuidae) Synonym(s): *muricolor* Berio,1966
 48849) *Pandesma quenavadi* Guenée,1852 (Noctuidae) Synonym(s): *quenavadi* Guenée,1852; *jubra* Swinhoe,1889
 48850) *Pandesma satanas* Berio,1968 (Noctuidae) Synonym(s): *satanas* Berio,1968
 48851) *Pandesma submurina* Walker,1865 (Noctuidae) Synonym(s): *submurina* Walker,1865
 48852) *Pandesma tempica* Möschler,1883 (Noctuidae) Synonym(s): *tempica* Möschler,1883
 48853) *Panemeria tenebrata* (Scopoli,1763) (Noctuidae) Synonym(s): *tenebrata* Scopoli,1763
 48854) *Panemeria tenebromorpha* Rakosy, Hentscholek & Huber,1996 (Noctuidae) Synonym(s): *tenebromorpha* Rakosy, Hentscholek & Huber,1996
 48855) *Pangrapta albiseriata* Hampson,1926 (Noctuidae) Synonym(s): *albiseriata* Hampson,1926
 48856) *Pangrapta albistigma* (Hampson,1898) (Noctuidae) Synonym(s): *albistigma* Hampson,1898
 48857) *Pangrapta griseola* Staudinger,1892 (Noctuidae) Synonym(s): *griseola* Staudinger,1892
 48858) *Pangrapta melacleptra* Hampson,1926 (Noctuidae) Synonym(s): *melacleptra* Hampson,1926
 48859) *Pangrapta metagona* (Walker,1864) (Noctuidae) Synonym(s): *metagona* Walker,1864
 48860) *Pangrapta pannosa* (Moore,1882) (Noctuidae) Synonym(s): *pannosa* Moore,1882; *duplicilinea* Hampson,1895; *griseistriga* Bethune-Baker,1906
 48861) *Pangrapta shivula* (Guenée,1852) (Noctuidae) Synonym(s): *shivula* Guenée,1852; *xylochroma* Walker,1858; *grisangula* Hampson,1893
 48862) *Pangrapta* sp.1 (Noctuidae) Synonym(s):
 48863) *Pangrapta* sp.2 (Noctuidae) Synonym(s):
 48864) *Pangrapta* sp.4 (Noctuidae) Synonym(s):
 48865) *Pangrapta* sp.n.3 Holloway,2005 (Noctuidae) Synonym(s):

- 48866) **Pangrapta talusalis** (Walker, [1859]) (Noctuidae) Synonym(s): *talusalis* Walker, [1859]
 48867) **Panolis exquisita** Draudt, 1950 (Noctuidae) Synonym(s): *variegata* Wileman, 1914 nec Stgr., 1871; *exquisita* Draudt, 1950; *variegatoides* Poole, 1989
 48868) **Panolis flammea** (Denis & Schiffermüller, 1775) (Noctuidae) Synonym(s): *flammea* [Denis & Schiffermüller], 1775
 48869) **Panolis pinicortex** Draudt, 1950 (Noctuidae) Synonym(s): *pinicortex* Draudt, 1950
 48870) **Panthea coenobita** (Esper, 1785) (Noctuidae) Synonym(s): *coenobita* Esper, 1785
 48871) **Panthea roberti** De Joannis, 1928 (Noctuidae) Synonym(s): *roberti* De Joannis, 1928
 48872) **Pantydia anderson** (R. Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *anderson* R. Felder & Rogenhofer, 1874; *andersoni* Hampson, 1902
 48873) **Pantydia metaspila** (Walker, 1858) (Noctuidae) Synonym(s): *metaspila* Walker, 1858; *pallidilinea* Walker, 1858; *moolla* Swinhoe, 1885; *sordida* Butler, 1886
 48874) **Pantydia scissa** (Walker, 1865) (Noctuidae) Synonym(s): *scissa* Walker, 1865
 48875) **Papestra biren** (Goeze, 1781) (Noctuidae) Synonym(s): *biren* Goeze, 1781; *glauca* Kleemann, 1792; *lappo* Duponchel, 1827; *aperta* Geyer, [1832]; *quadripuncta* Zetterstedt, [1839]; *poliostigma* Hampson, 1894; *tanensis* Fuchs, 1899; *paupercula* Püngeler, 1902; *frustrata* McDunnough, 1946.
 48876) **Paracentropus cyrus** (Brandt, 1938) (Noctuidae) Synonym(s): *cyrus* Brandt, 1938
 48877) **Parachalciope benitensis** (Holland, 1894) (Noctuidae) Synonym(s): *benitensis* Holland, 1894
 48878) **Parachalciope euclidicola** (Walker, 1858) (Noctuidae) Synonym(s): *euclidicola* Walker, 1858; *furcifera* Hampson, 1902
 48879) **Parachalciope mahura** (R. Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *mahura* R. Felder & Rogenhofer, 1874; *ditrigona* Hampson, 1910; *#mahura* Janse, 1917
 48880) **Paracolatristalis** (Fabricius, 1794) (Noctuidae) Synonym(s): *tristalis* Fabricius, 1794; *derivalis* Hübner, 1796.
 48881) **Paracrama dulcissima** (Walker, [1863]) (Noctuidae) Synonym(s): *dulcissima* Walker, [1863]; *rectomarginata* Hampson, 1891
 48882) **Paracrama latimargo** W. Warren, 1916 (Noctuidae) Synonym(s): *latimargo* W. Warren, 1916; *angustimargo* W. Warren, 1916
 48883) **Paracroria griseocincta** (Hampson, 1902) (Noctuidae) Synonym(s): *griseocincta* Hampson, 1902
 48884) **Paracroria major** Janse, 1938 (Noctuidae) Synonym(s):
 48885) **Paradiarsia glareosa** (Esper, 1788) (Noctuidae) Synonym(s): *glareosa* Esper, 1788; *decempunctata* Villers, 1789; *i-geminum* Duponchel, 1826
 48886) **Paradiarsia punicea** (Hübner, [1803]) (Noctuidae) Synonym(s): *punicea* Hübner, [1803]; *exustiformis* Matsumura, 1925
 48887) **Paraegle digramma** Boursin, 1961 (Noctuidae) Synonym(s): *digramma* Boursin, 1961
 48888) **Paraegle ochracea** (Erschoff, 1874) (Noctuidae) Synonym(s): *ochracea* Erschoff, 1874
 48889) **Paraegle subochracea** (Staudinger, 1892) (Noctuidae) Synonym(s): *subochracea* Staudinger, 1892
 48890) **Paraegle tessellata** Gerasimov, 1931 (Noctuidae) Synonym(s): *tessellata* Gerasimov, 1931
 48891) **Paragocera confluens** (Weymer, 1892) (Noctuidae) Synonym(s): *confluens* Weymer, 1892
 48892) **Paragria sesamiodes** Hampson, 1926 (Noctuidae) Synonym(s): *sesamiodes* Hampson, 1926
 48893) **Paralephana argyresthia** Hampson, 1926 (Noctuidae) Synonym(s): *argyresthia* Hampson, 1926
 48894) **Paralephana poliotis** Hampson, 1926 (Noctuidae) Synonym(s): *poliotis* Hampson, 1926
 48895) **Parallelia abnegans** (Walker, 1858) (Noctuidae) Synonym(s): *abnegans* Walker, 1858
 48896) **Parallelia albilinea** (Hampson, 1918) (Noctuidae) Synonym(s): *albilinea* Hampson, 1918
 48897) **Parallelia algira** (Linnaeus, 1767) (Noctuidae) Synonym(s): *algira* Linnaeus, 1767; *achatina* Sulzer, 1776; *alterna* Villers, 1789; *triangularis* Hübner, [1803] nec Thunb., 1784; *albivitta* Guenée, 1852; *festina* Walker, 1858; *europaea* Schawerda, 1912
 48898) **Parallelia angularis** (Boisduval, 1833) (Noctuidae) Synonym(s): *angularis* Boisduval, 1833
 48899) **Parallelia arctotaenia** (Guenée, 1852) (Noctuidae) Synonym(s): *arctotaenia* Guenée, 1852
 48900) **Parallelia chiliensis** (Guenée, 1852) (Noctuidae) Synonym(s): *chiliensis* Guenée, 1852
 48901) **Parallelia conjunctura** (Walker, 1858) (Noctuidae) Synonym(s): *conjunctura* Walker, 1858
 48902) **Parallelia cuneilineata** (Warren) (Noctuidae) Synonym(s):
 48903) **Parallelia derogans** (Walker, 1858) (Noctuidae) Synonym(s): *derogans* Walker, 1858
 48904) **Parallelia erectata** (Hampson, 1902) (Noctuidae) Synonym(s): *erectata* Hampson, 1902
 48905) **Parallelia lateritica** Holloway, 1979 (Noctuidae) Synonym(s): *lateritica* Holloway, 1979
 48906) **Parallelia latifascia** Warren, 1888 (Noctuidae) Synonym(s): *latifascia* Warren, 1888
 48907) **Parallelia macrorhyncha** (Hampson, 1913) (Noctuidae) Synonym(s): *macrorhyncha* Hampson, 1913
 48908) **Parallelia orbata** Berio, 1955 (Noctuidae) Synonym(s): *orbata* Berio, 1955
 48909) **Parallelia properans** (Walker, 1858) (Noctuidae) Synonym(s): *properans* Walker, 1858
 48910) **Parallelia properata** Walker, 1858 (Noctuidae) Synonym(s): *properata* Walker, 1858
 48911) **Parallelia propyrrha** (Walker, 1858) (Noctuidae) Synonym(s): *propyrrha* Walker, 1858
 48912) **Parallelia proxima** (Hampson, 1902) (Noctuidae) Synonym(s): *proxima* Hampson, 1902
 48913) **Parallelia rigidistria** (Guenée, 1852) (Noctuidae) Synonym(s): *rigidistria* Guenée, 1852; *calefasciens* Walker, 1858; *correctata* Walker, 1865
 48914) **Parallelia rogenhoferi** (Bohatsch, 1880) (Noctuidae) Synonym(s): *rogenhoferi* Bohatsch, 1880; *mirabilis* Romanoff, 1885; *triangulata* Swinhoe, 1889.
 48915) **Parallelia solomonensis** Hampson, 1913 (Noctuidae) Synonym(s): *solomonensis* Hampson, 1913
 48916) **Parallelia solomonensis bicacuminata** Holloway, 1979 (Noctuidae) Synonym(s): *bicacuminata* Holloway, 1979
 48917) **Parallelia solomonensis hebridesia** Holloway, 1979 (Noctuidae) Synonym(s): *hebridesia* Holloway, 1979
 48918) **Parallelia solomonensis papuana** Holloway, 1979 (Noctuidae) Synonym(s): *papuana* Holloway, 1979
 48919) **Parallelia solomonensis solomonensis** Hampson, 1913 (Noctuidae) Synonym(s): *solomonensis* Hampson, 1913
 48920) **Parallelia stuposa** (Fabricius, 1794) (Noctuidae) Synonym(s): *stuposa* Fabricius, 1794; *festinata* Walker, 1858; *japonibia* Bryk, 1948; *sinica* Bryk, 1948
 48921) **Parallelia torrida** (Guenée, 1852) (Noctuidae) Synonym(s): *torrida* Guenée, 1852; *albivitta* Guenée, 1852; *festina* Walker, 1858; *#zorrida* Hacker, [1987]
 48922) **Parallelia triplocyma** (Hampson, 1913) (Noctuidae) Synonym(s): *triplocyma* Hampson, 1913
 48923) **Parallelia uvarovi** Wiltshire, 1949 (Noctuidae) Synonym(s): *uvarovi* Wiltshire, 1949
 48924) **Parallelia vitiensis** (Butler, 1886) (Noctuidae) Synonym(s): *vitiensis* Butler, 1886
 48925) **Paralulula palumboides** (Hampson, 1902) (Noctuidae) Synonym(s): *palumboides* Hampson, 1902
 48926) **Paranola bipartita** Van Son, 1933 (Noctuidae) Synonym(s): *bipartita* Van Son, 1933
 48927) **Paranola nigristriga** Van Son, 1933 (Noctuidae) Synonym(s): *nigristriga* Van Son, 1933
 48928) **Paranyctycia minima** Hreblay & L. Ronkay, 1999 (Noctuidae) Synonym(s): *minima* Hreblay & L. Ronkay, 1999
 48929) **Paranyctycia miraculosa** Hreblay, Peregovits & L. Ronkay, 1999 (Noctuidae) Synonym(s): *miraculosa* Hreblay, Peregovits & L. Ronkay, 1999
 48930) **Paranyctycia orbiculosa** Hreblay & L. Ronkay, 1998 (Noctuidae) Synonym(s): *orbiculosa* Hreblay & L. Ronkay, 1998
 48931) **Paranyctycia rubiculosa** Hreblay & L. Ronkay, 1999 (Noctuidae) Synonym(s): *rubiculosa* Hreblay & L. Ronkay, 1999
 48932) **Parascotia detersa** (Staudinger, 1892) (Noctuidae) Synonym(s): *detersa* Staudinger, 1892
 48933) **Parascotia fuliginaria** (Linnaeus, 1761) (Noctuidae) Synonym(s): *fuliginaria* Linnaeus, 1761; *lunulata* Fabricius, 1775; *carbonaria* Denis & Schiffermüller, 1775; *lignaria* Fabricius, 1794
 48934) **Parascotia lorai** Agenjo, 1967 (Noctuidae) Synonym(s): *lorai* Agenjo, 1967
 48935) **Parascotia nisseni** Turati, 1905 (Noctuidae) Synonym(s): *nisseni* Turati, 1905
 48936) **Parascotia robiginosa** (Staudinger, 1892) (Noctuidae) Synonym(s): *robiginosa* Staudinger, 1892
 48937) **Parastichtis corticea** (Esper, [1800]) (Noctuidae) Synonym(s): *#ypsillon* [Denis & Schiffermüller], 1775; *ipsilon* Goeze, 1781 nec Hufn., 1766; *corticea* Esper, [1800]; *fissipuncta* Haworth, 1809; *upsilon* Curtis, 1828.
 48938) **Parastichtis corticea corticea** (Esper, [1800]) (Noctuidae) Synonym(s): *#ypsillon* [Denis & Schiffermüller], 1775; *ipsilon* Goeze, 1781 nec Hufnagel, 1766; *fissipuncta* Haworth, 1809; *upsilon* Curtis, 1828.
 48939) **Parastichtis corticea plebeja** (Staudinger, 1888) (Noctuidae) Synonym(s): *plebeja* Staudinger, 1888
 48940) **Parastichtis suspecta** (Hübner, [1817]) (Noctuidae) Synonym(s): *suspecta* Hübner, [1817]
 48941) **Paratuerta featheri** Fawcett, 1915 (Noctuidae) Synonym(s): *featheri* Fawcett, 1915
 48942) **Paratuerta featheri** Fawcett, 1915 (Noctuidae) Synonym(s): *featheri* Fawcett, 1915; *abrupta* Rothschild, 1924
 48943) **Paratuerta laminifera** (Saalmüller, 1878) (Noctuidae) Synonym(s): *laminifera* Saalmüller, 1878
 48944) **Paratuerta laminifera comorana** Viette, 1966 (Noctuidae) Synonym(s): *comorana* Viette, 1966
 48945) **Paratuerta laminifera laminifera** (Saalmüller, 1878) (Noctuidae) Synonym(s): *laminifera* Saalmüller, 1878
 48946) **Paratuerta marshalli** Hampson, 1902 (Noctuidae) Synonym(s): *marshalli* Hampson, 1902
 48947) **Paratuerta marshalli** Hampson, 1902 (Noctuidae) Synonym(s): *marshalli* Hampson, 1902
 48948) **Paratuerta undulata** Berio, 1970 (Noctuidae) Synonym(s): *undulata* Berio, 1970

- 48949) *Paraxestis rufescens* Hampson, 1902 (Noctuidae) Synonym(s): *rufescens* Hampson, 1902
 48950) *Parca africanaria* Wiltshire, 1986 (Noctuidae) Synonym(s): *africanaria* Wiltshire, 1986
 48951) *Pardasena atripuncta* Hampson, 1912 (Noctuidae) Synonym(s): *atripuncta* Hampson, 1912
 48952) *Pardasena minorella* Walker, 1866 (Noctuidae) Synonym(s): *minorella* Walker, 1866
 48953) *Pardasena punctata* Hampson, 1902 (Noctuidae) Synonym(s): *punctata* Hampson, 1902
 48954) *Pardasena punctilinea* Hampson, 1918 (Noctuidae) Synonym(s): *punctilinea* Hampson, 1918
 48955) *Pardasena virgulana* (Mabille, 1880) (Noctuidae) Synonym(s): *virgulana* Mabille, 1880
 48956) *Paradoxia graellsii* (Feisthamel, 1837) (Noctuidae) Synonym(s): *graellsii* Feisthamel, 1837; *innocens* Walker, 1858; *fimbriata* Walker, 1865
 48957) *Pareuplexia prolifera* (Walker, 1856) (Noctuidae) Synonym(s): *prolifera* Walker, 1856
 48958) *Parexarnis ala* (Staudinger, 1881) (Noctuidae) Synonym(s): *ala* Staudinger, 1881
 48959) *Parexarnis chlorophaia* (Boursin, 1940) (Noctuidae) Synonym(s): *chlorophaia* Boursin, 1940
 48960) *Parexarnis damnata* (Draudt, 1937) (Noctuidae) Synonym(s): *damnata* Draudt, 1937
 48961) *Parexarnis figulina* (Draudt, 1936) (Noctuidae) Synonym(s): *figulina* Draudt, 1936
 48962) *Parexarnis fugax* (Treitschke, 1825) (Noctuidae) Synonym(s): *fugax* Treitschke, 1825
 48963) *Parexarnis laetifica* (Staudinger, 1889) (Noctuidae) Synonym(s): *laetifica* Staudinger, 1889
 48964) *Parexarnis obsoleta* (Corti, 1933) (Noctuidae) Synonym(s): *obsoleta* Corti, 1933; *obsoleta* Corti & Draudt, 1933
 48965) *Parexarnis sollers* (Christoph, 1877) (Noctuidae) Synonym(s): *sollers* Christoph, 1877
 48966) *Parexarnis squalida* (Guenée, 1852) (Noctuidae) Synonym(s): *squalida* Guenée, 1852
 48967) *Parexarnis taurica* (Staudinger, 1879) (Noctuidae) Synonym(s): *taurica* Staudinger, 1879; *pseudosollers* Boursin, 1940
 48968) *Parexarnis violetta* (Staudinger, 1888) (Noctuidae) Synonym(s): *violetta* Staudinger, 1888
 48969) *Parolulis olivescens* (Hampson, 1907) (Noctuidae) Synonym(s): *olivescens* Hampson, 1907
 48970) *Parolulis* sp. (Noctuidae) Synonym(s):
 48971) *Paroruzia lateritia* (R. Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *lateritia* R. Felder & Rogenhofer, 1874
 48972) *Paroruzia subductata* (Walker, 1861) (Noctuidae) Synonym(s): *subductata* Walker, 1861
 48973) *Pataeta carbo* (Guenée) (Noctuidae) Synonym(s):
 48974) *Pataeta transversata* Berio, 1966 (Noctuidae) Synonym(s): *transversata* Berio, 1966
 48975) *Pechipogo flavicrinalis* Andreas, 1910 (Noctuidae) Synonym(s): *flavicrinalis* Andreas, 1910
 48976) *Pechipogo strigilata* (Linnaeus, 1758) (Noctuidae) Synonym(s): *strigilata* Linnaeus, 1758; *#barbalis* Clerck, 1759; *palpalis* Fabricius, 1775; *pectitalis* Hübner, 1796; *barbatus* Fabricius, 1798; *palpata* Haworth, 1809
 48977) *Penicillaria ethiopica* (Hampson, 1920) (Noctuidae) Synonym(s): *ethiopica* Hampson, 1920
 48978) *Penicillaria maculata* Butler, 1869 (Noctuidae) Synonym(s): *maculata* Butler, 1869
 48979) *Penicillaria maculata richardsoni* Holloway, 1979 (Noctuidae) Synonym(s): *richardsoni* Holloway, 1979
 48980) *Penicillaria nugatrix* Guenée, 1852 (Noctuidae) Synonym(s): *nugatrix* Guenée, 1852; *jacosatrix* Guenée, 1852
 48981) *Penicillaria simplex* (Walker, 1865) (Noctuidae) Synonym(s): *simplex* Walker, 1865
 48982) *Percalpe canadensis* (Bethune, 1865) (Noctuidae) Synonym(s): *canadensis* Bethune, 1865; *purpurascens* Walker, 1865; *sobria* Walker, 1865
 48983) *Perciana dentatus* (Hampson, 1894) (Noctuidae) Synonym(s): *dentatus* Hampson, 1894
 48984) *Perciana marmorea* Walker, 1865 (Noctuidae) Synonym(s): *marmorea* Walker, 1865
 48985) *Perciana* sp. (Noctuidae) Synonym(s):
 48986) *Pericyma albidens* (Walker, 1865) (Noctuidae) Synonym(s): *albidens* Walker, 1865
 48987) *Pericyma albidentaria* (Freyer, 1842) (Noctuidae) Synonym(s): *albidentaria* Freyer, 1842
 48988) *Pericyma atrifusa* (Hampson, 1902) (Noctuidae) Synonym(s): *atrifusa* Hampson, 1902
 48989) *Pericyma cafraria* (Möschler, 1883) (Noctuidae) Synonym(s): *cafraria* Möschler, 1883
 48990) *Pericyma cruegeri* (Butler, 1886) (Noctuidae) Synonym(s): *cruegeri* Butler, 1886
 48991) *Pericyma deducta* (Walker, [1858]) (Noctuidae) Synonym(s): *deducta* Walker, [1858]
 48992) *Pericyma glaucinans* (Guenée, 1852) (Noctuidae) Synonym(s): *glaucinans* Guenée, 1852; *ligilla* Guenée, 1852; *infligens* Walker, [1858]; *solita* Walker, [1858]; *antica* Walker, 1865; *validula* Walker, 1865
 48993) *Pericyma mendax* (Walker, [1858]) (Noctuidae) Synonym(s): *mendax* Walker, [1858]; *cilipes* Walker, [1858]; *delineosa* Walker, 1858; *disjuncta* Walker, 1865
 48994) *Pericyma metaleuca* Hampson, 1913 (Noctuidae) Synonym(s): *metaleuca* Hampson, 1913
 48995) *Pericyma metaleuca obscura* Wiltshire, 1980 (Noctuidae) Synonym(s): *obscura* Wiltshire, 1980
 48996) *Pericyma polygramma* Hampson, 1913 (Noctuidae) Synonym(s): *polygramma* Hampson, 1913
 48997) *Pericyma scandulata* (R. Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *scandulata* R. Felder & Rogenhofer, 1874
 48998) *Pericyma signata* Brandt, 1939 (Noctuidae) Synonym(s): *signata* Brandt, 1939
 48999) *Pericyma squalens* Lederer, 1855 (Noctuidae) Synonym(s): *squalens* Lederer, 1855
 49000) *Pericyma umbrina* (Guenée, 1852) (Noctuidae) Synonym(s): *umbrina* Guenée, 1852; *albicincta* Guenée, 1852; *hypophaea* Guenée, 1852; *plumipes* Walker, 1865; *continua* Walker, 1865
 49001) *Peridroma goughi* D.S. Fletcher, 1963 (Noctuidae) Synonym(s): *goughi* D.S. Fletcher, 1963
 49002) *Peridroma saucia* (Hübner, [1808]) (Noctuidae) Synonym(s): *saucia* Hübner, [1808]; *majuscula* Haworth, 1809; *margaritosa* Haworth, 1809; *aequa* Hübner, [1813]; *orophila* Geyer, 1837; *inermis* Harrison, 1841; *infusata* Blanchard, 1852; *stictica* Blanchard, 1852; *ambrosioides* Walker, [1857]; *impacta* Walker, [1857]; *intecta* Walker, [1857]; *angulifera* Wallengren, 1860; *ortonii* Packard, 1869; *phillipsi* Caspari, 1899; *ochronota* Hampson, 1903; *cyrnaea* Spuler, 1908; *tenebricosa* Schawerda, 1929
 49003) *Perigea illecta* Walker, 1865 (Noctuidae) Synonym(s): *illecta* Walker, 1865
 49004) *Perigrapha (Anorthoa) munda* ([Denis & Schiffmüller], 1775) (Noctuidae) Synonym(s): *#munda* [Denis & Schiffmüller], 1775
 49005) *Perigrapha (Anorthoa) rubrocineria* Hreblay & L. Ronkay, 1998 (Noctuidae) Synonym(s): *rubrocineria* Hreblay & L. Ronkay, 1998
 49006) *Perigrapha (Harutaegrapha) akos* Hreblay, 1996 (Noctuidae) Synonym(s): *akos* Hreblay, 1996
 49007) *Perigrapha (Harutaegrapha) bidui* Hreblay & Plante, 1996 (Noctuidae) Synonym(s): *bidui* Hreblay & Plante, 1996
 49008) *Perigrapha (Harutaegrapha) bidui kaghanensis* Hreblay & L. Ronkay, 1999 (Noctuidae) Synonym(s): *kaghanensis* Hreblay & L. Ronkay, 1999
 49009) *Perigrapha (Harutaegrapha) caerulea* (Yoshimoto, 1993) (Noctuidae) Synonym(s): *caerulea* Yoshimoto, 1993
 49010) *Perigrapha (Harutaegrapha) caerulea rubrigrapha* Hreblay & L. Ronkay, 1999 (Noctuidae) Synonym(s): *rubrigrapha* Hreblay & L. Ronkay, 1999
 49011) *Perigrapha (Harutaegrapha) castanea* (Yoshimoto, 1993) (Noctuidae) Synonym(s): *castanea* Yoshimoto, 1993
 49012) *Perigrapha (Harutaegrapha) castaneipennis* (Hampson, 1894) (Noctuidae) Synonym(s): *castaneipennis* Hampson, 1894
 49013) *Perigrapha (Harutaegrapha) craspedophora* Boursin, 1969 (Noctuidae) Synonym(s): *craspedophora* Boursin, 1969
 49014) *Perigrapha (Harutaegrapha) eriza* (Swinhoe, 1901) (Noctuidae) Synonym(s): *eriza* Swinhoe, 1901
 49015) *Perigrapha (Harutaegrapha) extincta* Kononenko, 1989 (Noctuidae) Synonym(s): *extincta* Kononenko, 1989
 49016) *Perigrapha (Harutaegrapha) fasciculata* (Hampson, 1894) (Noctuidae) Synonym(s): *fasciculata* Hampson, 1894
 49017) *Perigrapha (Harutaegrapha) ferrosticta* (Hampson, 1894) (Noctuidae) Synonym(s): *ferrosticta* Hampson, 1894
 49018) *Perigrapha (Harutaegrapha) hoenei* Püngeler, 1914 (Noctuidae) Synonym(s): *hoenei* Püngeler, 1914; *triangulifera* W. Warren, 1915
 49019) *Perigrapha (Harutaegrapha) kofka* Hreblay, 1996 (Noctuidae) Synonym(s): *kofka* Hreblay, 1996
 49020) *Perigrapha (Harutaegrapha) orias* Hreblay, 1996 (Noctuidae) Synonym(s): *orias* Hreblay, 1996
 49021) *Perigrapha (Harutaegrapha) orias yoshimotoi* (Hacker & Hreblay, 1996) (Noctuidae) Synonym(s): *yoshimotoi* Hacker & Hreblay, 1996
 49022) *Perigrapha (Harutaegrapha) pallida* (Yoshimoto, 1993) (Noctuidae) Synonym(s): *pallida* Yoshimoto, 1993
 49023) *Perigrapha (Harutaegrapha) rama* Hreblay & Plante, 1996 (Noctuidae) Synonym(s): *rama* Hreblay & Plante, 1996
 49024) *Perigrapha (Harutaegrapha) rubida* (Hampson, 1894) (Noctuidae) Synonym(s): *rubida* Hampson, 1894; *bipuncta* Yoshimoto, 1993
 49025) *Perigrapha (Harutaegrapha) saba* Hreblay & Plante, 1996 (Noctuidae) Synonym(s): *saba* Hreblay & Plante, 1996
 49026) *Perigrapha (Harutaegrapha) siva* Hreblay, 1996 (Noctuidae) Synonym(s): *siva* Hreblay, 1996
 49027) *Perigrapha (Harutaegrapha) yoshimotoi* (Hacker & Hreblay, 1996) (Noctuidae) Synonym(s): *yoshimotoi* Hacker & Hreblay, 1996
 49028) *Perigrapha (Opacographa (Turcographa)) mundoides* (Boursin, 1940) (Noctuidae) Synonym(s): *mundoides* Boursin, 1940
 49029) *Perigrapha (Opacographa (Turcographa)) rorida* (Frivaldsky, 1835) (Noctuidae) Synonym(s): *rorida* Frivaldsky, 1835; *ganimetae* Kornosor & Lödl, 1990

- 49030) *Perigrapha* (*Opacographa* (*Turcographa*)) *rorida rorida* (Frivaldsky,1835) (Noctuidae) Synonym(s): *rorida* Frivaldsky,1835; *ganimetae* Kornosor & Lödl,1990.
- 49031) *Perigrapha* (*Opacographa* (*Turcographa*)) *rorida sieversi* (Romanoff,1885) (Noctuidae) Synonym(s): *sieversi* Romanoff,1885
- 49032) *Perigrapha* (*Opacographa* (*Turcographa*)) *wolff* (Hacker,1986) (Noctuidae) Synonym(s): *wolff* Hacker,1986
- 49033) *Perigrapha* (*Opacographa* (s.str.)) *cilissa* Püngeler,1917 (Noctuidae) Synonym(s): *cilissa* Püngeler,1917
- 49034) *Perigrapha* (*Opacographa* (s.str.)) *draudti* Hacker,1992 (Noctuidae) Synonym(s): *draudti* Hacker,1992
- 49035) *Perigrapha* (*Opacographa* (s.str.)) *mithras* (Wiltshire,1941) (Noctuidae) Synonym(s): *mithras* Wiltshire,1941
- 49036) *Perigrapha* (*Opacographa* (s.str.)) *uniformis* Draudt,1950 (Noctuidae) Synonym(s): *uniformis* Draudt,1950
- 49037) *Perigrapha* (*Opacographa*) *sellingi* (Fibiger, Hacker & Moberg,1994) (Noctuidae) Synonym(s): *sellingi* Fibiger, Hacker & Moberg,1994
- 49038) *Perigrapha* (*Opacographa*) *wimmeri* Hacker,1996 (Noctuidae) Synonym(s): *wimmeri* Hacker,1996
- 49039) *Perigrapha* (s.str.) *annau* Varga & L.Ronkay,1991 (Noctuidae) Synonym(s): *annau* Varga & L.Ronkay,1991
- 49040) *Perigrapha* (s.str.) *asymmetrica* Varga,1990 (Noctuidae) Synonym(s): *asymmetrica* Varga,1990
- 49041) *Perigrapha* (s.str.) *centralasiae* Bartel,1906 (Noctuidae) Synonym(s): *centralasiae* Bartel,1906; *duktana* Draudt,1934
- 49042) *Perigrapha* (s.str.) *circumducta* (Lederer,1855) (Noctuidae) Synonym(s): *circumducta* Lederer,1855
- 49043) *Perigrapha* (s.str.) *heidi* Hreblay,1996 (Noctuidae) Synonym(s): *heidi* Hreblay,1996
- 49044) *Perigrapha* (s.str.) *i-cinctum* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *i-cinctum* [Denis & Schiffermüller],1775; *cincta* Fabricius,1787; *slovenica* Michieli,1966.
- 49045) *Perigrapha* (s.str.) *i-cinctum gepida* Hreblay,1996 (Noctuidae) Synonym(s): *gepida* Hreblay,1996
- 49046) *Perigrapha* (s.str.) *i-cinctum hethitica* Hacker,1992 (Noctuidae) Synonym(s): *hethitica* Hacker,1992
- 49047) *Perigrapha* (s.str.) *i-cinctum i-cinctum* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *i-cinctum* [Denis & Schiffermüller],1775; *cincta* Fabricius,1787; *slovenica* Michieli,1966.
- 49048) *Perigrapha* (s.str.) *nyctotimia* Boursin,1969 (Noctuidae) Synonym(s): *nyctotimia* Boursin,1969
- 49049) *Perigrapha* (s.str.) *scriptobella* Hreblay,1996 (Noctuidae) Synonym(s): *scriptobella* Hreblay,1996
- 49050) *Perigrapha* *gyuriani* Benedek & L.Ronkay,2001 (Noctuidae) Synonym(s): *gyuriani* Benedek & L.Ronkay,2001
- 49051) *Periphanes delphinii* (Linnaeus,1758) (Noctuidae) Synonym(s): *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903.
- 49052) *Periphanes victorina* (Sodoffsky,1849) (Noctuidae) Synonym(s): *victorina* Sodoffsky,1849
- 49053) *Periplusia cinerascens* Holland,1894 (Noctuidae) Synonym(s): *cinerascens* Holland,1894
- 49054) *Phaethothripa morena* (Swinhoe,1901) (Noctuidae) Synonym(s): *morena* Swinhoe,1901
- 49055) *Phalaenoides ardescens* (Butler,1884) (Noctuidae) Synonym(s): *ardescens* Butler,1884
- 49056) *Phalaenoides basiplaga* Rothschild,1900 (Noctuidae) Synonym(s): *basiplaga* Rothschild,1900
- 49057) *Phalaenoides glycinae* Lewin,1805 (Noctuidae) Synonym(s): *glycinae* Lewin,1805
- 49058) *Phalaenoides goldiei* (Druce,1894) (Noctuidae) Synonym(s): *goldiei* Druce,1894
- 49059) *Phalaenoides inconspicua* Rothschild,1896 (Noctuidae) Synonym(s): *inconspicua* Rothschild,1896
- 49060) *Phalaenoides kuehni* Rothschild,1900 (Noctuidae) Synonym(s): *kuehni* Rothschild,1900
- 49061) *Phalaenoides maculosus* Rothschild,1896 (Noctuidae) Synonym(s): *maculosus* Rothschild,1896
- 49062) *Phalaenoides megisto* (Boisduval,1832) (Noctuidae) Synonym(s): *megisto* Boisduval,1832; *pyraliformis* Walker,1864
- 49063) *Phalaenoides mutans* Rothschild,1901 (Noctuidae) Synonym(s): *mutans* Rothschild,1901
- 49064) *Phalaenoides neurogramma* (Meyrick,1889) (Noctuidae) Synonym(s): *neurogramma* Meyrick,1889
- 49065) *Phalaenoides polysticta* (Butler,1875) (Noctuidae) Synonym(s): *polysticta* Butler,1875
- 49066) *Phalaenoides prasinii* (Boisduval,1832) (Noctuidae) Synonym(s): *praslinii* Boisduval,1832
- 49067) *Phalaenoides resplendens* Rothschild & Jordan,1903 (Noctuidae) Synonym(s): *resplendens* Rothschild & Jordan,1903
- 49068) *Phalaenoides restricta* Rothschild,1897 (Noctuidae) Synonym(s): *restricta* Rothschild,1897
- 49069) *Phalaenoides tetrapleura* (Meyrick,1891) (Noctuidae) Synonym(s): *tetrapleura* Meyrick,1891; *albamedia* Lucas,1891; *macleayi* Swinhoe,1892
- 49070) *Phalaenoides tristifica* (Hübner,1819) (Noctuidae) Synonym(s): *tristifica* Hübner,1819; *lewini* Boisduval,1832; *ephyra* Angas,1847
- 49071) *Phalerodes cauta* (Hampson,1902) (Noctuidae) Synonym(s): *cauta* Hampson,1902
- 49072) *Phalga sinuosa* Moore,1881 (Noctuidae) Synonym(s): *sinuosa* Moore,1881; *viridinota* Swinhoe,1895
- 49073) *Phanaspa aegonalis* (Walker,1866) (Noctuidae) Synonym(s): *aegonalis* Walker,1866
- 49074) *Phanaspa derasalis* (Guenée,1854) (Noctuidae) Synonym(s): *derasalis* Guenée,1854
- 49075) *Phanaspa dilatatalis* Walker,1866 (Noctuidae) Synonym(s): *dilatatalis* Walker,1866; *dilatatalis* Hampson,1902
- 49076) *Phanaspa namaqualis* (Guenée,1854) (Noctuidae) Synonym(s): *namaqualis* Guenée,1854
- 49077) *Phleboeis petersi* (Christoph,1887) (Noctuidae) Synonym(s): *petersi* Christoph,1887
- 49078) *Phleboeis sureyae* (Rebel,1931) (Noctuidae) Synonym(s): *sureyae* Rebel,1931.
- 49079) *Phleboeis sureyae facunda* (Draudt,1938) (Noctuidae) Synonym(s): *facunda* Draudt,1938
- 49080) *Phleboeis sureyae kuhnae* (Hacker,1987) (Noctuidae) Synonym(s): *kuhnae* Hacker,1987.
- 49081) *Phleboeis sureyae sureyae* (Rebel,1931) (Noctuidae) Synonym(s): *sureyae* Rebel,1931; *facunda* Draudt,1938.
- 49082) *Phlogophora indica* Moore (Noctuidae) Synonym(s):
- 49083) *Phlogophora melanistis* (Hampson,1908) (Noctuidae) Synonym(s): *melanistis* Hampson,1908
- 49084) *Phlogophora meticulosa* (Linnaeus,1758) (Noctuidae) Synonym(s): *meticulosa* Linnaeus,1758; *lamii* Schadewald,1993
- 49085) *Phlogophora plumbeola* (Hampson,1894) (Noctuidae) Synonym(s): *plumbeola* Hampson,1894
- 49086) *Phlogophora rostrifera* (W.Warren,1912) (Noctuidae) Synonym(s): *rostrifera* W.Warren,1912
- 49087) *Phlogophora scita* (Hübner,1790) (Noctuidae) Synonym(s): *scita* Hübner,1790
- 49088) *Phlogophora szecsenyii* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *szecsenyii* Hreblay & L.Ronkay,1998
- 49089) *Phoebophilus amoenus* Staudinger,1888 (Noctuidae) Synonym(s): *amoenus* Staudinger,1888
- 49090) *Phoebophilus vaternosa* (Püngeler,1907) (Noctuidae) Synonym(s): *vaternosa* Püngeler,1907
- 49091) *Photodes brevilinea* (Fenn,1864) (Noctuidae) Synonym(s): *brevilinea* Fenn,1864
- 49092) *Photodes captiuncula* (Treitschke,1825) (Noctuidae) Synonym(s): *captiuncula* Treitschke,1825; *unica* Freyer,1858; *tincta* Kane,1895; *delattini* Varga,1970 nec Wiltshire,1953; *kasyi* Varga,1970.
- 49093) *Photodes contumax* (Püngeler,1902) (Noctuidae) Synonym(s): *contumax* Püngeler,1902
- 49094) *Photodes delattini* (Wiltshire,1953) (Noctuidae) Synonym(s): *delattini* Wiltshire,1953
- 49095) *Photodes elymi* (Treitschke,1825) (Noctuidae) Synonym(s): *elymi* Treitschke,1825.
- 49096) *Photodes elymi procera* (Staudinger,1889) (Noctuidae) Synonym(s): *procera* Staudinger,1889
- 49097) *Photodes extrema* (Hübner,1809) (Noctuidae) Synonym(s): *extrema* Hübner,1809; *concolor* Guenée,1852; *calamoxantha* Varga,1982.
- 49098) *Photodes fluxa* (Hübner,1809) (Noctuidae) Synonym(s): *fluxa* Hübner,1809
- 49099) *Photodes improba* (Staudinger,1900) (Noctuidae) Synonym(s): *improba* Staudinger,1900
- 49100) *Photodes minima* (Haworth,1809) (Noctuidae) Synonym(s): *minima* Haworth,1809; *arcuosa* Haworth,1809.
- 49101) *Photodes stigmatica* (Eversmann,1855) (Noctuidae) Synonym(s): *stigmatica* Eversmann,1855; *lagunica* Graeser,1889.
- 49102) *Photodes urbahni* (Boursin,1956) (Noctuidae) Synonym(s): *urbahni* Boursin,1956
- 49103) *Phragmatiphila insularis* (Turati,1913) (Noctuidae) Synonym(s): *insularis* Turati,1913
- 49104) *Phragmatiphila nexa* (Hübner,1808) (Noctuidae) Synonym(s): *nexa* Hübner,1808; *insularis* Turati,1913.
- 49105) *Phyllodes Boisduval*,1832 (Noctuidae) Synonym(s): *Phyllodes* Boisduval,1832; *Xenodryas* Gistel,1848
- 49106) *Phyllodes consobrina* Westwood,1848 (Noctuidae) Synonym(s): *consobrina* Westwood,1848; *perspicillator* Guenée,1852
- 49107) *Phyllodes cyndhovi* (Vollenhoven,1858) (Noctuidae) Synonym(s): *cyndhovi* Vollenhoven,1858; *semilinea* Walker,1863; *fasciata* Moore,1867
- 49108) *Phyllodes imperialis* Druce,1888 (Noctuidae) Synonym(s): *imperialis* Druce,1888
- 49109) *Phyllodes imperialis dealbata* Holloway,1979 (Noctuidae) Synonym(s): *dealbata* Holloway,1979
- 49110) *Phyllophila flavitermina* (Hampson,1902) (Noctuidae) Synonym(s): *flavitermina* Hampson,1902
- 49111) *Phyllophila griseola* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *griseola* R.Felder & Rogenhofer,1874; *leucostigmata* Hampson,1902
- 49112) *Phyllophila melacheila* (Staudinger,1896) (Noctuidae) Synonym(s): *melacheila* Staudinger,1896
- 49113) *Phyllophila obliterata* (Rambur,1833) (Noctuidae) Synonym(s): *obliterata* Rambur,1833; *wimmerii* Treitschke,1835; *recta* Eversmann,1844; *cretacea* Butler,1879; *venerica* Bryk,1949.
- 49114) *Phyllophila ornatula* (Christoph,1887) (Noctuidae) Synonym(s):

- 49115) *Phyllophila rufescens* Hampson, 1910 (Noctuidae) Synonym(s): *rufescens* Hampson, 1910
 49116) *Phyllophila torrefacta* (Distant, 1898) (Noctuidae) Synonym(s):
 49117) *Phytometra africana* (Snellen, 1872) (Noctuidae) Synonym(s): *africana* Snellen, 1872
 49118) *Phytometra carnea* (Prout, 1922) (Noctuidae) Synonym(s): *carnea* Prout, 1922
 49119) *Phytometra duplicalis* (Walker, [1866]) (Noctuidae) Synonym(s): *duplicalis* Walker, [1866]; *allecta* Schaus, 1893.
 49120) *Phytometra fragilis* (Butler, 1875) (Noctuidae) Synonym(s): *fragilis* Butler, 1875
 49121) *Phytometra haemaceps* (Hampson, 1910) (Noctuidae) Synonym(s): *haemaceps* Hampson, 1910
 49122) *Phytometra helesusalis* (Walker, [1859]) (Noctuidae) Synonym(s): *helesusalis* Walker, [1859]; *muraenula* Wallengren, 1875.
 49123) *Phytometra helirusalis* (Walker, [1859]) (Noctuidae) Synonym(s): *helirusalis* Walker, [1859].
 49124) *Phytometra hesuensis* Wiltshire, 1983 (Noctuidae) Synonym(s): *hesuensis* Wiltshire, 1983
 49125) *Phytometra hypopsamma* (Hampson, 1926) (Noctuidae) Synonym(s): *hypopsamma* Hampson, 1926
 49126) *Phytometra luna* Zerny, 1927 (Noctuidae) Synonym(s): *luna* Zerny, 1927
 49127) *Phytometra magalium* Townsend, 1958 (Noctuidae) Synonym(s): *magalium* Townsend, 1958
 49128) *Phytometra opsiphora* (Hampson, 1926) (Noctuidae) Synonym(s): *opsiphora* Hampson, 1926
 49129) *Phytometra pyralomima* Wiltshire, 1961 (Noctuidae) Synonym(s): *pyralomima* Wiltshire, 1961
 49130) *Phytometra sacraria* (R. Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *sacraria* R. Felder & Rogenhofer, 1874
 49131) *Phytometra sanctiflorentis* (Boisduval, 1834) (Noctuidae) Synonym(s): *sanctiflorentis* Boisduval, 1834
 49132) *Phytometra silona* (Schaus, 1893) (Noctuidae) Synonym(s): *silona* Schaus, 1893
 49133) *Phytometra subflavalis* (Walker, [1866]) (Noctuidae) Synonym(s): *subflavalis* Walker, [1866]; *terminalis* Mabille, 1890.
 49134) *Phytometra viridaria* (Clerck, 1759) (Noctuidae) Synonym(s): *viridaria* Clerck, 1759
 49135) *Pinacoplus didymogramma* (Erschoff, 1874) (Noctuidae) Synonym(s): *didymogramma* Erschoff, 1874
 49136) *Pinacoplus eberti* Boursin, 1968 (Noctuidae) Synonym(s): *eberti* Boursin, 1968
 49137) *Pindara illibata* (Fabricius, 1775) (Noctuidae) Synonym(s): *illibata* Fabricius, 1775; *peropaca* Hübner, [1831]; *laetabilis* Guenée, 1852
 49138) *Pindara prisca* (Walker, 1858) (Noctuidae) Synonym(s): *prisca* Walker, 1858
 49139) *Plagiograptia gertae* Holloway, 2003 (Noctuidae) Synonym(s): *gertae* Holloway, 2003
 49140) *Plagiograptia lutzii* Holloway, 2003 (Noctuidae) Synonym(s): *lutzii* Holloway, 2003
 49141) *Plagiograptia macrodonta* Hampson, 1907 (Noctuidae) Synonym(s): *macrodonta* Hampson, 1907
 49142) *Plagiograptia pseudocodensa* Holloway, 2003 (Noctuidae) Synonym(s): *pseudocodensa* Holloway, 2003
 49143) *Platyja minutipuncta* (Swinhoe, 1901) (Noctuidae) Synonym(s): *minutipuncta* Swinhoe, 1901
 49144) *Platyja suffumata* (Guenée, 1852) (Noctuidae) Synonym(s): *suffumata* Guenée, 1852
 49145) *Platyja umminia* (Cramer, 1780) (Noctuidae) Synonym(s): *umminia* Cramer, 1780; *subunita* Guenée, 1852; *drepanoides* Walker, 1858; *trajeta* Walker, 1869; *falcata* R. Felder & Rogenhofer, 1874
 49146) *Platyjonia mediorufa* (Hampson, 1894) (Noctuidae) Synonym(s): *mediorufa* Hampson, 1894
 49147) *Platyjonia sada* (Swinhoe, 1903) (Noctuidae) Synonym(s): *sada* Swinhoe, 1903
 49148) *Platysenta dolorosa* (Walker) (Noctuidae) Synonym(s):
 49149) *Platysenta illecta* (Walker) (Noctuidae) Synonym(s):
 49150) *Platysenta praesecta* (W. Warren, 1912) (Noctuidae) Synonym(s): *praesecta* W. Warren, 1912
 49151) *Platysenta viscosa* (Freyer, 1831) (Noctuidae) Synonym(s): *viscosa* Freyer, 1831; *indelicata* Turati, 1934; *europaea* Parenzan, 1980.
 49152) *Plecoptera annexa* (Distant, 1898) (Noctuidae) Synonym(s): *annexa* Distant, 1898
 49153) *Plecoptera arctinotata* (Walker, 1866) (Noctuidae) Synonym(s): *arctinotata* Walker, 1866; *biguttata* Walker, 1865.
 49154) *Plecoptera aspila* Hampson, 1903 (Noctuidae) Synonym(s): *aspila* Hampson, 1903
 49155) *Plecoptera bilinealis* (Leech, 1889) (Noctuidae) Synonym(s): *bilinealis* Leech, 1889
 49156) *Plecoptera chalciope* Strand, 1918 (Noctuidae) Synonym(s): *chalciope* Strand, 1918
 49157) *Plecoptera flava* (Bremer & Grey, 1853) (Noctuidae) Synonym(s): *flava* Bremer & Grey, 1853
 49158) *Plecoptera flaviceps* (Hampson, 1902) (Noctuidae) Synonym(s): *flaviceps* Hampson, 1902
 49159) *Plecoptera infusata* Hampson, 1910 (Noctuidae) Synonym(s): *infusata* Hampson, 1910
 49160) *Plecoptera inquinata* (Lederer, 1857) (Noctuidae) Synonym(s): *inquinata* Lederer, 1857; *pyrami* Rogenhofer, 1873; *amanica* Osthelder, 1933
 49161) *Plecoptera laniata* Hampson, 1910 (Noctuidae) Synonym(s): *laniata* Hampson, 1910
 49162) *Plecoptera melalepis* Hampson, 1910 (Noctuidae) Synonym(s): *melalepis* Hampson, 1910
 49163) *Plecoptera melanoscia* Hampson, 1910 (Noctuidae) Synonym(s): *melanoscia* Hampson, 1910
 49164) *Plecoptera misera* (Butler, 1883) (Noctuidae) Synonym(s): *misera* Butler, 1883; *tandoana* Bethune-Baker, 1911.
 49165) *Plecoptera oculata* (Moore, 1882) (Noctuidae) Synonym(s): *oculata* Moore, 1882; *junceae* Swinhoe, 1884
 49166) *Plecoptera ovaliplaga* (Warren, 1914) (Noctuidae) Synonym(s): *ovaliplaga* Warren, 1914
 49167) *Plecoptera pallidimargo* Hampson, 1926 (Noctuidae) Synonym(s): *pallidimargo* Hampson, 1926
 49168) *Plecoptera poderis* (Wallengren, 1863) (Noctuidae) Synonym(s): *poderis* Wallengren, 1863
 49169) *Plecoptera punctilineata* Hampson, 1910 (Noctuidae) Synonym(s): *punctilineata* Hampson, 1910
 49170) *Plecoptera recta* (Pagenstecher, 1886) (Noctuidae) Synonym(s): *recta* Pagenstecher, 1886; *erica* Swinhoe, 1891
 49171) *Plecoptera reflexa* Guenée, 1852 (Noctuidae) Synonym(s): *reflexa* Guenée, 1852
 49172) *Plecoptera resistens* (Walker, 1858) (Noctuidae) Synonym(s): *resistens* Walker, 1858
 49173) *Plecoptera rufirena* (Hampson, 1902) (Noctuidae) Synonym(s): *rufirena* Hampson, 1902
 49174) *Plecoptera sarcistis* Hampson, 1910 (Noctuidae) Synonym(s): *sarcistis* Hampson, 1910
 49175) *Plecoptera* sp. (Noctuidae) Synonym(s):
 49176) *Plecoptera stigmatica* (W. Warren, 1912) (Noctuidae) Synonym(s): *stigmatica* W. Warren, 1912
 49177) *Plecoptera stuhlmanni* (Pagenstecher, 1893) (Noctuidae) Synonym(s): *stuhlmanni* Pagenstecher, 1893
 49178) *Plecoptera thermozana* Hampson, 1910 (Noctuidae) Synonym(s): *thermozana* Hampson, 1910
 49179) *Plecoptera trichophora* Hampson, 1910 (Noctuidae) Synonym(s): *trichophora* Hampson, 1910
 49180) *Plecoptera tripalis* (Wallengren, 1863) (Noctuidae) Synonym(s): *tripalis* Wallengren, 1863
 49181) *Plecoptera zonaria* (Distant, 1898) (Noctuidae) Synonym(s): *zonaria* Distant, 1898
 49182) *Plecopterodes deprivata* Warren, 1914 (Noctuidae) Synonym(s): *deprivata* Warren, 1914
 49183) *Plecopterodes exigua* Gaede, 1914 (Noctuidae) Synonym(s): *exigua* Gaede, 1914
 49184) *Plecopterodes heterochroa* (Hampson, 1910) (Noctuidae) Synonym(s): *heterochroa* Hampson, 1910
 49185) *Plecopterodes lutosae* (Grünberg, 1910) (Noctuidae) Synonym(s): *lutosae* Grünberg, 1910
 49186) *Plecopterodes melliflua* (Holland, 1897) (Noctuidae) Synonym(s): *melliflua* Holland, 1897; *calida* Hampson, 1902; *punctata* Berio, 1984.
 49187) *Plecopterodes moderata* (Wallengren, 1860) (Noctuidae) Synonym(s): *moderata* Wallengren, 1860; *alypophanes* Bethune-Baker, 1911; *variabilis* Mabille, 1890.
 49188) *Plecopterodes molybdopasta* (Hampson, 1910) (Noctuidae) Synonym(s): *molybdopasta* Hampson, 1910
 49189) *Pleurona falcata* Walker, 1866 (Noctuidae) Synonym(s): *falcata* Walker, 1866
 49190) *Pleuronodes arida* (Hampson, 1902) (Noctuidae) Synonym(s): *arida* Hampson, 1902.
 49191) *Pleuronodes lepticyma* (Hampson, 1909) (Noctuidae) Synonym(s): *lepticyma* Hampson, 1909; *heptocyma* Gaede, 1940.
 49192) *Pleuronodes trogopera* (Hampson, 1910) (Noctuidae) Synonym(s): *trogopera* Hampson, 1910; *odorino* Bryk, 1915.
 49193) *Plotheia exacta* (Semper, 1900) (Noctuidae) Synonym(s): *exacta* Semper, 1900
 49194) *Plotheia viridialis* (Pagenstecher, 1888) (Noctuidae) Synonym(s): *viridialis* Pagenstecher, 1888; *cuprescens* Hampson, 1912
 49195) *Plusia festucae* (Linnaeus, 1758) (Noctuidae) Synonym(s): *festucae* Linnaeus, 1758; *aureoargentea* Retzius, 1783; *yokohamensis* Bryk, 1949; *japonibia* Bryk, 1949
 49196) *Plusia putnami* (Grote, 1873) (Noctuidae) Synonym(s): *putnami* Grote, 1873
 49197) *Plusia putnami gracilis* (Lempke, 1966) (Noctuidae) Synonym(s): *gracilis* Lempke, 1966
 49198) *Plusidia cheiranthi* (Tauscher, 1809) (Noctuidae) Synonym(s): *cheiranthi* Tauscher, 1809; *eygenia* Eversmann, 1841; *abrostoloides* Butler, 1879; *separanda* Warren, 1913.
 49199) *Plusiodonta achalcea* Hampson, 1926 (Noctuidae) Synonym(s): *achalcea* Hampson, 1926
 49200) *Plusiodonta auripicta* (Moore, 1882) (Noctuidae) Synonym(s): *auripicta* Moore, 1882

- 49201) **Plusiodonta coelonota** (Kollar,[1844]) (Noctuidae) Synonym(s): *coelonota* Kollar,[1844]; *chalytoides* Guenée,1852; *conducens* Walker,1858
- 49202) **Plusiodonta commoda** Walker,1865 (Noctuidae) Synonym(s): *commoda* Walker,1865
- 49203) **Plusiodonta natalensis** Walker,1865 (Noctuidae) Synonym(s): *natalensis* Walker,1865; *detracta* Walker,1865; *tripartita* Walker,1865; *nummaria* R.Felder & Rogenhofer,1874
- 49204) **Plusiodonta nictites** Hampson,1902 (Noctuidae) Synonym(s): *nictites* Hampson,1902
- 49205) **Plusiodonta wahlbergi** (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *wahlbergi* R.Felder & Rogenhofer,1874; *africana* Holland,1894.
- 49206) **Plusiopalpa adrasta** (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *adrasta* R.Felder & Rogenhofer,1874; *crassipalpus* Hampson,1894; *shisa* Strand,1920
- 49207) **Plusiopalpa dichora** Holland,1894 (Noctuidae) Synonym(s): *dichora* Holland,1894
- 49208) **Plusiophaes argosticta** D.S.Fletcher,1961 (Noctuidae) Synonym(s): *argosticta* D.S.Fletcher,1961
- 49209) **Plusiophaes bipuncta** (Hampson,1902) (Noctuidae) Synonym(s): *bipuncta* Hampson,1902
- 49210) **Plusiotricha fletcheri** Dufay,1972 (Noctuidae) Synonym(s): *fletcheri* Dufay,1972
- 49211) **Plusiotricha livida** Holland,1894 (Noctuidae) Synonym(s): *livida* Holland,1894
- 49212) **Poecilnola littoralis** Van Son,1933 (Noctuidae) Synonym(s): *littoralis* Van Son,1933
- 49213) **Poeta denotalis** Walker,1865 (Noctuidae) Synonym(s): *denotalis* Walker,1865
- 49214) **Poeta quadrinotata** (Walker,1865) (Noctuidae) Synonym(s): *quadrinotata* Walker,1865
- 49215) **Polia altaica** (Lederer,1855) (Noctuidae) Synonym(s): *altaica* Lederer,1855
- 49216) **Polia bombycina** (Hufnagel,1766) (Noctuidae) Synonym(s): *bombycina* Hufnagel,1766; *advena* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *nitens* Haworth,1809.
- 49217) **Polia conspicua** (A.Bang-Haas,1912) (Noctuidae) Synonym(s): *conspicua* A.Bang-Haas,1912
- 49218) **Polia enodata** (Bang-Haas,1912) (Noctuidae) Synonym(s): *enodata* Bang-Haas,1912
- 49219) **Polia hepatica** (Clerck,1759) (Noctuidae) Synonym(s): *hepatica* Clerck,1759; *socia* Hufnagel,1766; *petrificata* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *petrificosa* Hübner,[1803]; *petrolignea* Hübner,[1821]; *incognita* Butler,1885.
- 49220) **Polia lamuta** (Herz,1903) (Noctuidae) Synonym(s): *lamuta* Herz,1903
- 49221) **Polia malchani** (Draudt,1934) (Noctuidae) Synonym(s): *malchani* Draudt,1934
- 49222) **Polia nebulosa** (Hufnagel,1766) (Noctuidae) Synonym(s): *nebulosa* Hufnagel,1766; *bimaculosa* Esper,1788 *nec* Linnaeus,1767; *thapsi* Brahm,1791; *grandis* Donovan,1801; *plebeja* Hübner,[1803].
- 49223) **Polia richardsoni** (Curtis,1834) (Noctuidae) Synonym(s): *richardsoni* Curtis,1834
- 49224) **Polia sagittigera** (Hufnagel,1766) (Noctuidae) Synonym(s): *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885.
- 49225) **Polia sagittigera sagittigera** (Hufnagel,1766) (Noctuidae) Synonym(s): *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885.
- 49226) **Polia sagittigera uighur** Koçak & Kemal,2002 (Noctuidae) Synonym(s): *bombycina* Eversmann,1847 *nec* Hufn.,1766; *uighur* Koçak & Kemal,2002
- 49227) **Polia serratilinea** Ochsenheimer,1816 (Noctuidae) Synonym(s): *serratilinea* Ochsenheimer,1816; *helvetica* Schawerda,1925; *kowatschevi* Drenowski,1931; *pinkeri* Varga,1974.
- 49228) **Polia serratilinea serratilinea** (Treitschke,1825) (Noctuidae) Synonym(s): *serratilinea* Ochsenheimer,1816; *helvetica* Schawerda,1925; *kowatschevi* Drenowski,1931; *pinkeri* Varga,1974.
- 49229) **Polia serratilinea spalax** (Alpheraky,1897) (Noctuidae) Synonym(s): *spalax* Alpheraky,1897
- 49230) **Polia vespertilio** (Draudt,1934) (Noctuidae) Synonym(s): *vespertilio* Draudt,1934
- 49231) **Poliofoca gebenna** (Swinhoe,1903) (Noctuidae) Synonym(s): *gebenna* Swinhoe,1903
- 49232) **Polychrysa esmeralda** (Oberthür,1880) (Noctuidae) Synonym(s): *esmeralda* Oberthür,1880
- 49233) **Polychrysa moneta** (Fabricius,1787) (Noctuidae) Synonym(s): *moneta* Fabricius,1787; *argyritis* Esper,1787; *napelli* Villers,1789
- 49234) **Polydesma boarmoides** Guenée,1852 (Noctuidae) Synonym(s): *boarmoides* Guenée,1852; *mastrucata* R.Felder & Rogenhofer,1874
- 49235) **Polydesma sagulata** Wallengren,1875 (Noctuidae) Synonym(s): *sagulata* Wallengren,1875
- 49236) **Polydesma scriptilis** Guenée,1852 (Noctuidae) Synonym(s): *scriptilis* Guenée,1852; *otiosa* Guenée,1852; *brevipalpis* Walker,[1858];
- 49237) **Polydesma sexmaculata** Berio,1971 (Noctuidae) Synonym(s): *sexmaculata* Berio,1971
- 49238) **Polydesma umbricola** Boisduval,1833 (Noctuidae) Synonym(s): *umbricola* Boisduval,1833; *collutrix* Geyer,1837; *landula* Guenée,1852; *determinata* Wallengren,1863; *#collutrix* Hampson,1916
- 49239) **Polymixis (Bischoffia) alaschja** Hacker,1996 (Noctuidae) Synonym(s): *alaschja* Hacker,1996
- 49240) **Polymixis (Bischoffia) apora** (Staudinger,1898) (Noctuidae) Synonym(s): *apora* Staudinger,1898
- 49241) **Polymixis (Bischoffia) bischoffi** (Herrich-Schäffer,1850) (Noctuidae) Synonym(s): *bischoffi* Herrich-Schäffer,[1850]
- 49242) **Polymixis (Bischoffia) bischoffi bischoffi** (Herrich-Schäffer,1850) (Noctuidae) Synonym(s): *bischoffi* Herrich-Schäffer,[1850]
- 49243) **Polymixis (Bischoffia) culoti** (Schawerda,1921) (Noctuidae) Synonym(s): *culoti* Schawerda,1921
- 49244) **Polymixis (Bischoffia) culoti cretica** L.Ronkay & Varga,1986 (Noctuidae) Synonym(s): *cretica* L.Ronkay & Varga,1986
- 49245) **Polymixis (Bischoffia) culoti culoti** (Schawerda,1921) (Noctuidae) Synonym(s): *culoti* Schawerda,1921
- 49246) **Polymixis (Bousinixis) pamiroidia** Boursin,1968 (Noctuidae) Synonym(s): *pamiroidia* Boursin,1968
- 49247) **Polymixis (Bousinixis) polymorpha** Boursin,1960 (Noctuidae) Synonym(s): *polymorpha* Boursin,1960
- 49248) **Polymixis (Bousinixis) stictineura** Boursin,1960 (Noctuidae) Synonym(s): *stictineura* Boursin,1960
- 49249) **Polymixis (Bousinixis) zophodes** Boursin,1960 (Noctuidae) Synonym(s): *zophodes* Boursin,1960
- 49250) **Polymixis (Brandticola) dubiosa** (Brandt,1938) (Noctuidae) Synonym(s): *dubiosa* Brandt,1938
- 49251) **Polymixis (Brandticola) dubiosa dubiosa** (Brandt,1938) (Noctuidae) Synonym(s): *dubiosa* Brandt,1938
- 49252) **Polymixis (Brandticola) dubiosa roseotincta** (Brandt,1941) (Noctuidae) Synonym(s): *roseotincta* Brandt,1941
- 49253) **Polymixis (Eremophysa) acharis** (Püngeler,1901) (Noctuidae) Synonym(s): *acharis* Püngeler,1901; *intermissa* Boursin,1944.
- 49254) **Polymixis (Eremophysa) acharis acharis** (Püngeler,1901) (Noctuidae) Synonym(s): *acharis* Püngeler,1901
- 49255) **Polymixis (Eremophysa) acharis afghana** (Boursin,1963) (Noctuidae) Synonym(s): *afghana* Boursin,1963.
- 49256) **Polymixis (Eremophysa) apothaina** (Brandt,1938) (Noctuidae) Synonym(s): *apothaina* Brandt,1938
- 49257) **Polymixis (Eremophysa) apothaina apothaina** (Brandt,1938) (Noctuidae) Synonym(s): *apothaina* Brandt,1938
- 49258) **Polymixis (Eremophysa) apothaina expectata** (Hacker,1987) (Noctuidae) Synonym(s): *expectata* Hacker,[1987]
- 49259) **Polymixis (Eremophysa) apothaina laristana** (Brandt,1941) (Noctuidae) Synonym(s): *laristana* Brandt,1941
- 49260) **Polymixis (Eremophysa) argillosa** Boursin,1970 (Noctuidae) Synonym(s): *argillosa* Boursin,1970
- 49261) **Polymixis (Eremophysa) calamistis** (Hampson,1906) (Noctuidae) Synonym(s): *calamistis* Hampson,1906
- 49262) **Polymixis (Eremophysa) epiphlebs** (Turati & C.G.Krüger,1936) (Noctuidae) Synonym(s): *epiphlebs* Turati & C.G.Krüger,1936
- 49263) **Polymixis (Eremophysa) gracilis** (Brandt,1941) (Noctuidae) Synonym(s): *gracilis* Brandt,1941
- 49264) **Polymixis (Eremophysa) hedygramma** (Brandt,1941) (Noctuidae) Synonym(s): *hedygramma* Brandt,1941
- 49265) **Polymixis (Eremophysa) jabaliya** Wiltshire,1987 (Noctuidae) Synonym(s): *jabaliya* Wiltshire,1987
- 49266) **Polymixis (Eremophysa) omanensis** Boursin,1970 (Noctuidae) Synonym(s): *omanensis* Boursin,1970
- 49267) **Polymixis (Eremophysa) roehrei** Boursin,1961 (Noctuidae) Synonym(s): *roehrei* Boursin,1961
- 49268) **Polymixis (Eremophysa) scrophulariae** (Wiltshire,1952) (Noctuidae) Synonym(s): *scrophulariae* Wiltshire,1952
- 49269) **Polymixis (Eumichtis) aurora** (Turati,1924) (Noctuidae) Synonym(s): *aurora* Turati,1924; *glaisi* D.Lucas,1932
- 49270) **Polymixis (Eumichtis) aurora aegyptica** Wiltshire,1947 (Noctuidae) Synonym(s): *aegyptica* Wiltshire,1947
- 49271) **Polymixis (Eumichtis) aurora aurora** (Turati,1924) (Noctuidae) Synonym(s): *aurora* Turati,1924; *glaisi* D.Lucas,1932
- 49272) **Polymixis (Eumichtis) aurora commixta** (Rungs,1942) (Noctuidae) Synonym(s): *commixta* Rungs,1942
- 49273) **Polymixis (Eumichtis) dyssymetrica** Rungs,1967 (Noctuidae) Synonym(s): *dyssymetrica* Rungs,1967
- 49274) **Polymixis (Eumichtis) dyssymetrica dyssymetrica** Rungs,1967 (Noctuidae) Synonym(s): *dyssymetrica* Rungs,1967
- 49275) **Polymixis (Eumichtis) fiorii** (Boursin,1940) (Noctuidae) Synonym(s): *fiorii* Boursin,1940
- 49276) **Polymixis (Eumichtis) fiorii fiorii** (Boursin,1940) (Noctuidae) Synonym(s): *fiorii* Boursin,1940
- 49277) **Polymixis (Eumichtis) lea** (Staudinger,1898) (Noctuidae) Synonym(s): *lea* Staudinger,1898
- 49278) **Polymixis (Eumichtis) lichenea** (Hübner,[1813]) (Noctuidae) Synonym(s): *lichenea* Hübner,[1813]; *viridicincta* Freyer,1831; *tephra* Geyer,[1832]; *aetna* Turati,1908; *apennina* Dannehl,1929

- 49279) *Polymixis (Eumichtis) lichenea lichenea* (Hübner,[1813]) (Noctuidae) Synonym(s): *lichenea* Hübner,[1813]; *viridicincta* Freyer,1831; *tephra* Geyer,[1832]; *aetna* Turati,1908; *apennina* Dannehl,1929
- 49280) *Polymixis (Eumichtis) lichenea mirabilis* (Rungs,1940) (Noctuidae) Synonym(s): *mirabilis* Rungs,1940; *annibalella* D.Lucas,1950
- 49281) *Polymixis (Eumichtis) lichenea scillonea* (Richardson,1958) (Noctuidae) Synonym(s): *scillonea* Richardson,1958; *septentrionalis* Lempke,1954
- 49282) *Polymixis (Eumichtis) rupicola* (Turati,1924) (Noctuidae) Synonym(s): *rupicola* Turati,1924
- 49283) *Polymixis (Eumichtis) rupicola rupicola* (Turati,1924) (Noctuidae) Synonym(s): *rupicola* Turati,1924
- 49284) *Polymixis (Eumichtis) susica* (Rungs,1950) (Noctuidae) Synonym(s): *susica* Rungs,1950
- 49285) *Polymixis (Eumichtis) susica susica* (Rungs,1950) (Noctuidae) Synonym(s): *susica* Rungs,1950
- 49286) *Polymixis (Eumichtis) variabilis* (Stertz,1915) (Noctuidae) Synonym(s): *variabilis* Stertz,1915; *concolor* Oberthür,1918; *rosea* Rothschild,1920
- 49287) *Polymixis (Eumichtis) variabilis variabilis* (Stertz,1915) (Noctuidae) Synonym(s): *variabilis* Stertz,1915; *concolor* Oberthür,1918; *rosea* Rothschild,1920
- 49288) *Polymixis (Myxinia) chrysographa* (Wagner,1931) (Noctuidae) Synonym(s): *chrysographa* Wagner,1931
- 49289) *Polymixis (Myxinia) flavicincta* ([Denis & Schifferrmüller],1775) (Noctuidae) Synonym(s): *#flavicincta* [Denis & Schifferrmüller],1775; *dysodea* Esper,[1790]; *major* Esper,[1790]
- 49290) *Polymixis (Myxinia) flavicincta calvescens* (Boisduval,1840) (Noctuidae) Synonym(s): *calvescens* Boisduval,1840; *enceladaea* Turati,1909
- 49291) *Polymixis (Myxinia) flavicincta caroli* Plante,1975 (Noctuidae) Synonym(s): *caroli* Plante,1975
- 49292) *Polymixis (Myxinia) flavicincta flavicincta* ([Denis & Schifferrmüller],1775) (Noctuidae) Synonym(s): *#flavicincta* [Denis & Schifferrmüller],1775; *dysodea* Esper,[1790]; *major* Esper,[1790]
- 49293) *Polymixis (Myxinia) flavicincta lajonquierei* Boursin,1963 (Noctuidae) Synonym(s): *lajonquierei* Boursin,1963
- 49294) *Polymixis (Myxinia) flavicincta laportei* Plante,1975 (Noctuidae) Synonym(s): *laportei* Plante,1975
- 49295) *Polymixis (Myxinia) flavicincta meridionalis* (Boisduval,1840) (Noctuidae) Synonym(s): *meridionalis* Boisduval,1840
- 49296) *Polymixis (Myxinia) perchrysa* Hacker & Ronkay,1992 (Noctuidae) Synonym(s): *perchrysa* Hacker & Ronkay,1992
- 49297) *Polymixis (Myxinia) philippi* (Püngeler,1911) (Noctuidae) Synonym(s): *philippi* Püngeler,1911
- 49298) *Polymixis (Myxinia) rufocincta* (Geyer,1828) (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852.
- 49299) *Polymixis (Myxinia) rufocincta flavidior* (W.Warren,1911) (Noctuidae) Synonym(s): *flavidior* W.Warren,1911
- 49300) *Polymixis (Myxinia) rufocincta rufocincta* (Geyer,[1828]) (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852.
- 49301) *Polymixis (Myxinia) sublutea* (Turati,1909) (Noctuidae) Synonym(s): *sublutea* Turati,1909
- 49302) *Polymixis (Myxinia) sublutea sublutea* (Turati,1909) (Noctuidae) Synonym(s): *sublutea* Turati,1909
- 49303) *Polymixis (Myxinia) sublutea viettei* Plante,1975 (Noctuidae) Synonym(s): *viettei* Plante,1975
- 49304) *Polymixis (Parabrachionycha) atossa* (Wiltshire,1941) (Noctuidae) Synonym(s): *atossa* Wiltshire,1941
- 49305) *Polymixis (Parabrachionycha) atossa atossa* (Wiltshire,1941) (Noctuidae) Synonym(s): *atossa* Wiltshire,1941
- 49306) *Polymixis (Parabrachionycha) atossa derrai* Hacker,1990 (Noctuidae) Synonym(s): *derrai* Hacker,1990
- 49307) *Polymixis (Parabrachionycha) atossa limula* (Sukhareva,1978) (Noctuidae) Synonym(s): *limula* Sukhareva,1978; *centralasiae* Hacker & Behounek,1990
- 49308) *Polymixis (Parabrachionycha) malickyi* Hacker & Fibiger,1992 (Noctuidae) Synonym(s): *malickyi* Hacker & Fibiger,1992
- 49309) *Polymixis (Parabrachionycha) trisignata* (Ménétrières,1847) (Noctuidae) Synonym(s): *trisignata* Ménétrières,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924
- 49310) *Polymixis (Propolymixis) argillaceago* (Hübner,[1822]) (Noctuidae) Synonym(s): *argillaceago* Hübner,[1822]; *venusta* Boisduval,1829
- 49311) *Polymixis (Serpimixis) serpentina* (Treitschke,1825) (Noctuidae) Synonym(s): *serpentina* Treitschke,1825
- 49312) *Polymixis (Serpimixis) serpentina iatnana* Hacker,1996 (Noctuidae) Synonym(s): *iatnana* Hacker,1996
- 49313) *Polymixis (Simplitype) bousseau* (D.Lucas,1934) (Noctuidae) Synonym(s): *bousseau* D.Lucas,1934; *rhododactyla* Zerny,1934
- 49314) *Polymixis (Simplitype) bousseau bousseau* (D.Lucas,1934) (Noctuidae) Synonym(s): *bousseau* D.Lucas,1934; *rhododactyla* Zerny,1934
- 49315) *Polymixis (Simplitype) dubia* (Duponchel,1836) (Noctuidae) Synonym(s): *dubia* Duponchel,1836; *caerulescens* Boisduval,1840; *typhonias* Millièrre,1882; *randoui* Stertz,1902; *luna* Schwingenschuss,1930; *mus* Boursin,1934
- 49316) *Polymixis (Simplitype) rungsi* Plante,1975 (Noctuidae) Synonym(s): *rungs* Plante,1975
- 49317) *Polymixis (Simplitype) rungsi rungsi* Plante,1975 (Noctuidae) Synonym(s): *rungs* Plante,1975
- 49318) *Polymixis (s.str.) ancepsoides* Poole,1989 (Noctuidae) Synonym(s): *anceps* Staudinger,1898 nec *Sph.*,1850; *ancepsoides* Poole,1989
- 49319) *Polymixis (s.str.) juditha* (Staudinger,1898) (Noctuidae) Synonym(s): *juditha* Staudinger,1898
- 49320) *Polymixis (s.str.) manisadjiani* (Staudinger,1881) (Noctuidae) Synonym(s): *manisadjiani* Staudinger,1881
- 49321) *Polymixis (s.str.) manisadjiani manisadjiani* (Staudinger,1882) (Noctuidae) Synonym(s): *manisadjiani* Staudinger,1881
- 49322) *Polymixis (s.str.) manisadjiani salamis* Fibiger, Nilsson & Svendsen,1999 (Noctuidae) Synonym(s): *salamis* Fibiger, Nilsson & Svendsen,1999
- 49323) *Polymixis (s.str.) manisadjiani schwingenschussi* (Draudt,1937) (Noctuidae) Synonym(s): *schwingenschussi* Draudt,1937
- 49324) *Polymixis (s.str.) manisadjiani vardikiani* Ronkay & Varga,1986 (Noctuidae) Synonym(s): *vardikiani* Ronkay & Varga,1986; *#vardikiana* Baisch et al.,1998.
- 49325) *Polymixis (s.str.) paravarga* Ronkay,1990 (Noctuidae) Synonym(s): *paravarga* Ronkay,1990
- 49326) *Polymixis (s.str.) polymita* (Linnaeus,1761) (Noctuidae) Synonym(s): *Phalaena viridiobscura* Gz.,1781; *Noctua ridens* Hbn.,[1803]; *Polia polymita aithalodes* Dannehl,1929.
- 49327) *Polymixis (s.str.) rebecca* (Staudinger,1892) (Noctuidae) Synonym(s): *rebecca* Staudinger,1892
- 49328) *Polymixis (s.str.) rjabovi* (Boursin,1944) (Noctuidae) Synonym(s): *rjabovi* Boursin,1944
- 49329) *Polymixis (s.str.) rosinae* (Bohatsch,1909) (Noctuidae) Synonym(s): *rosinae* Bohatsch,1909; *paradisiaca* Boursin,1944
- 49330) *Polymixis (s.str.) subvenusta* (Püngeler,1906) (Noctuidae) Synonym(s): *subvenusta* Püngeler,1906
- 49331) *Polymixis (s.str.) xanthomista* (Hübner,[1819]) (Noctuidae) Synonym(s): *xanthomista* Hübner,[1819]; *nigrocincta* Treitschke,1825; *nivescens* Staudinger,1861; *nivea* Dannehl,1929
- 49332) *Polymixis (s.str.) xanthomista chehebia* Rungs,1972 (Noctuidae) Synonym(s): *chehebia* Rungs,1972
- 49333) *Polymixis (s.str.) xanthomista hadenina* Rungs,1972 (Noctuidae) Synonym(s): *hadenina* Rungs,1972
- 49334) *Polymixis (s.str.) xanthomista maftouha* Rungs,1967 (Noctuidae) Synonym(s): *maftouha* Rungs,1967
- 49335) *Polymixis (s.str.) xanthomista rmadia* Rungs,1967 (Noctuidae) Synonym(s): *rmadia* Rungs,1967
- 49336) *Polymixis (s.str.) xanthomista xanthomista* (Hübner,[1819]) (Noctuidae) Synonym(s): *xanthomista* Hübner,[1819]; *nigrocincta* Treitschke,1825; *nivescens* Staudinger,1861; *nivea* Dannehl,1929
- 49337) *Polymixis (s.str.) zagrobia* (Wiltshire,1941) (Noctuidae) Synonym(s): *zagrobia* Wiltshire,1941
- 49338) *Polymixis aphrodite* Fibiger,1997 (Noctuidae) Synonym(s): *aphrodite* Fibiger,1997
- 49339) *Polymixis calligrapha* Benedek & L.Ronkay,2002 (Noctuidae) Synonym(s): *calligrapha* Benedek & L.Ronkay,2002
- 49340) *Polymixis crinomima* (Wiltshire,1946) (Noctuidae) Synonym(s): *crinomima* Wiltshire,1946
- 49341) *Polymixis gemmea* (Treitschke,1825) (Noctuidae) Synonym(s): *gemmea* Treitschke,1825
- 49342) *Polymixis viridula* (Staudinger,1895) (Noctuidae) Synonym(s): *viridula* Staudinger,1895
- 49343) *Polyphaenis hemiphaenis* Boursin,1970 (Noctuidae) Synonym(s): *hemiphaenis* Boursin,1970
- 49344) *Polyphaenis monophaenis* Brandt,1938 (Noctuidae) Synonym(s): *monophaenis* Brandt,1938; *#unicoloris* Brandt,1938.
- 49345) *Polyphaenis propinqua* Staudinger,1895 (Noctuidae) Synonym(s): *propinqua* Staudinger,1895
- 49346) *Polyphaenis viridis* (De Villers,1789) (Noctuidae) Synonym(s): *sericata* Esper,[1787] nec ; *viridis* De Villers,1789.
- 49347) *Polypogon caffrarium* (Möschler,1883) (Noctuidae) Synonym(s): *caffrarium* Möschler,1883
- 49348) *Polypogon fractale* (Guenée,1854) (Noctuidae) Synonym(s): *fractale* Guenée,1854
- 49349) *Polypogon gryphalis* (Herrich-Schäffer,1851) (Noctuidae) Synonym(s): *gryphalis* Herrich-Schäffer,1851
- 49350) *Polypogon lunalis* (Scopoli,1763) (Noctuidae) Synonym(s): *lunalis* Scopoli,1763
- 49351) *Polypogon plumigeralis* (Hübner,[1825]) (Noctuidae) Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829.
- 49352) *Polypogon schwingenschussi* (Wagner,1937) (Noctuidae) Synonym(s): *schwingenschussi* Wagner,1937; *elbursalis* Draudt,1937.
- 49353) *Polypogon tentacularia* (Linnaeus,1758) (Noctuidae) Synonym(s): *tentacularia* Linnaeus,1758
- 49354) *Polypogon vermiculata* (Leech,1900) (Noctuidae) Synonym(s): *vermiculata* Leech,1900
- 49355) *Polypogon zelleri* (Wocke,1850) (Noctuidae) Synonym(s): *zelleri* Wocke,1850; *tarsicristalis* Herrich-Schäffer,1851.

- 49356) *Polytela cliens* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *cliens* R.Felder & Rogenhofer,1874; *orientalis* Hampson,1894; *aethiopica* Sheljuzhko,1960; *tanit* Rungs,1972
- 49357) *Polytelodes florifera* (Walker,1858) (Noctuidae) Synonym(s): *florifera* Walker,1858
- 49358) *Porcellanola chakri* Laszlo, G.Ronkay & Witt,2006 (Noctuidae) Synonym(s): *chakri* Laszlo, G.Ronkay & Witt,2006
- 49359) *Porcellanola lanna* Laszlo, G.Ronkay & Witt,2006 (Noctuidae) Synonym(s): *lanna* Laszlo, G.Ronkay & Witt,2006
- 49360) *Porcellanola minna* Laszlo, G.Ronkay & Witt,2006 (Noctuidae) Synonym(s): *minna* Laszlo, G.Ronkay & Witt,2006
- 49361) *Porcellanola sukhothai* Laszlo, G.Ronkay & Witt,2006 (Noctuidae) Synonym(s): *sukhothai* Laszlo, G.Ronkay & Witt,2006
- 49362) *Porcellanola thai* Laszlo, G.Ronkay & Witt,2006 (Noctuidae) Synonym(s): *thai* Laszlo, G.Ronkay & Witt,2006
- 49363) *Potnycytia frontieri* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *frontieri* Hreblay, Peregovits & L.Ronkay,1999
- 49364) *Powellinia boetica* (Rambur,1837) (Noctuidae) Synonym(s): *boetica* Rambur,1837
- 49365) *Powellinia carthalina* (Christoph,1893) (Noctuidae) Synonym(s): *carthalina* Christoph,1893
- 49366) *Powellinia lasserei* (Oberthür,1881) (Noctuidae) Synonym(s): *lasserei* Oberthür,1881; *sabura* Mabil,1888; *ptolemaidea* Turati,1924
- 49367) *Powellinia lasserei lasserei* (Oberthür,1881) (Noctuidae) Synonym(s): *lasserei* Oberthür,1881; *sabura* Mabil,1888; *ptolemaidea* Turati,1924
- 49368) *Powellinia lasserei unctus* (Christoph,1887) (Noctuidae) Synonym(s): *unctus* Christoph,1887
- 49369) *Powellinia margelanoides* (Boursin,1944) (Noctuidae) Synonym(s): *margelanoides* Boursin,1944
- 49370) *Powellinia pictifascia* (Hampson,1896) (Noctuidae) Synonym(s): *pictifascia* Hampson,1896
- 49371) *Powellinia pictifascia aridior* Wiltshire,1980 (Noctuidae) Synonym(s): *aridior* Wiltshire,1980
- 49372) *Powellinia pictifascia elbaensis* Rebel,1948 (Noctuidae) Synonym(s): *elbaensis* Rebel,1948
- 49373) *Powellinia pictifascia pictifascia* (Hampson,1896) (Noctuidae) Synonym(s): *pictifascia* Hampson,1896
- 49374) *Powellinia pierreti* (Bugnion,1837) (Noctuidae) Synonym(s): *pierreti* Bugnion,1837; *messouda* Oberthür,1884; *marsdeni* Bethune-Baker,1894
- 49375) *Powellinia pierreti matritensis* (Vasquez,1905) (Noctuidae) Synonym(s): *matritensis* Vasquez,1905
- 49376) *Powellinia pierreti pierreti* (Bugnion,1837) (Noctuidae) Synonym(s): *pierreti* Bugnion,1837; *messouda* Oberthür,1884; *marsdeni* Bethune-Baker,1894
- 49377) *Praestilbia armeniaca* Staudinger,1892 (Noctuidae) Synonym(s): *armeniaca* Staudinger,1892; *#designata* Bytinski-Salz,1936
- 49378) *Premusia intrahens* Walker,1858 (Noctuidae) Synonym(s): *intrahens* Walker,1858; *zibellina* R.Felder & Rogenhofer,1874; *smaragdina* Walker,1858
- 49379) *Prionofrontia erygidia* Hampson,1902 (Noctuidae) Synonym(s): *erygidia* Hampson,1902
- 49380) *Prionofrontia ochrosia* Hampson,1926 (Noctuidae) Synonym(s): *ochrosia* Hampson,1926
- 49381) *Prionofrontia strigata* Hampson,1926 (Noctuidae) Synonym(s): *strigata* Hampson,1926
- 49382) *Pristanepa platti* Hampson,1926 (Noctuidae) Synonym(s): *platti* Hampson,1926
- 49383) *Proconis abrostoloides* Hampson,1902 (Noctuidae) Synonym(s): *abrostoloides* Hampson,1902
- 49384) *Proconis arabica* Wiltshire,1949 (Noctuidae) Synonym(s): *arabica* Wiltshire,1949
- 49385) *Procrateria basifascia* Pinhey,1968 (Noctuidae) Synonym(s):
- 49386) *Procrateria noloides* Hampson,1905 (Noctuidae) Synonym(s): *noloides* Hampson,1905
- 49387) *Procrateria pterota* Hampson,1909 (Noctuidae) Synonym(s): *pterota* Hampson,1909
- 49388) *Prodotis boisdeffrii* (Oberthür,1867) (Noctuidae) Synonym(s): *boisdeffrii* Oberthür,1867
- 49389) *Prodotis boisdeffrii boisdeffrii* (Oberthür,1867) (Noctuidae) Synonym(s): *boisdeffrii* Oberthür,1867
- 49390) *Prodotis boisdeffrii palaestinensis* (Staudinger,1898) (Noctuidae) Synonym(s): *palaestinensis* Staudinger,1898
- 49391) *Progonia grisea* (Hampson,1905) (Noctuidae) Synonym(s): *grisea* Hampson,1905
- 49392) *Progonia luctuosa* (Hampson,1902) (Noctuidae) Synonym(s): *luctuosa* Hampson,1902
- 49393) *Progonia oileusalis* (Walker,1858) (Noctuidae) Synonym(s): *oileusalis* Walker,1858
- 49394) *Progonia perarcuata* (Hampson,1902) (Noctuidae) Synonym(s): *perarcuata* Hampson,1902
- 49395) *Proruaca* (Proruaca) *recurrens* (Hampson,1902) (Noctuidae) Synonym(s): *recurrens* Hampson,1902
- 49396) *Proruaca* (s.str.) *harmonica* Distant,1901 (Noctuidae) Synonym(s): *harmonica* Distant,1901
- 49397) *Prospalta spicea* (Guenée,1852) (Noctuidae) Synonym(s): *spicea* Guenée,1852; *pyrochroma* Walker,1858; *firina* Swinhoe,1885
- 49398) *Protarache melaphora* Hampson,1910 (Noctuidae) Synonym(s): *melaphora* Hampson,1910
- 49399) *Protexarnis confinis* (Staudinger,1881) (Noctuidae) Synonym(s): *confinis* Staudinger,1881; *aucta* Alpheraky,1892; *barbara* Corti & Draudt,1933; *suspica* Corti & Draudt,1933; *velifera* Corti & Draudt,1933; *anthracina* Boursin,1964.
- 49400) *Protexarnis confusa* (Alpheraky,1882) (Noctuidae) Synonym(s): *confusa* Alpheraky,1882
- 49401) *Protexarnis dormitans* Corti & Draudt,1933 (Noctuidae) Synonym(s): *dormitans* Corti & Draudt,1933
- 49402) *Protexarnis opisoleuca* (Staudinger,1881) (Noctuidae) Synonym(s): *opisoleuca* Staudinger,1881; *inermis* Corti & Draudt,1933.
- 49403) *Protexarnis paralia* Corti & Draudt,1933 (Noctuidae) Synonym(s): *paralia* Corti & Draudt,1933
- 49404) *Protexarnis persica* (Staudinger,1897) (Noctuidae) Synonym(s): *persica* Staudinger,1897
- 49405) *Protexarnis sollertina* Corti & Draudt,1933 (Noctuidae) Synonym(s): *sollertina* Corti & Draudt,1933
- 49406) *Protexarnis squalidiformis* (Corti & Draudt,1933) (Noctuidae) Synonym(s): *squalidiformis* Corti & Draudt,1933; *suspica* Corti & Draudt,1933.
- 49407) *Protexarnis subuniformis* (Corti & Draudt,1933) (Noctuidae) Synonym(s): *subuniformis* Corti & Draudt,1933; *vacillans* Corti & Draudt,1933.
- 49408) *Protexarnis vestilina* Kozhantschikov,1937 (Noctuidae) Synonym(s): *vestilina* Kozhantschikov,1937
- 49409) *Protodeltote pygarga* (Hufnagel,1766) (Noctuidae) Synonym(s): *pygarga* Hufnagel,1766
- 49410) *Protolampra sobrina* (Duponchel,[1843]) (Noctuidae) Synonym(s): *sobrina* Duponchel,[1843]; *mista* Freyer,[1844]; *lapponica* Freyer,1845; *gruneri* Guenée,1852
- 49411) *Protoschinia scutatus* (Staudinger,1895) (Noctuidae) Synonym(s): *scutatus* Staudinger,1895
- 49412) *Protoschinia scutosa* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878
- 49413) *Protoseudyra flava* (Leech,1900) (Noctuidae) Synonym(s): *flava* Leech,1900
- 49414) *Protoseudyra picta* (Hampson,1894) (Noctuidae) Synonym(s): *picta* Hampson,1894
- 49415) *Protoseudyra secunda* (Leech,1900) (Noctuidae) Synonym(s): *secunda* Leech,1900
- 49416) *Proxenus hospes* (Freyer,[1831]) (Noctuidae) Synonym(s): *hospes* Freyer,[1831]
- 49417) *Proxenus lepigone* (Möschler,1860) (Noctuidae) Synonym(s): *lepigone* Möschler,1860
- 49418) *Pseudagoma pinheyi* Kiriakoff,1975 (Noctuidae) Synonym(s): *pinheyi* Kiriakoff,1975
- 49419) *Pseudaletia separata* (Walker,1865) (Noctuidae) Synonym(s): *separata* Walker,1865
- 49420) *Pseudalypia crotchii* Edwards,1874 (Noctuidae) Synonym(s): *crotchii* Edwards,1874; *atrata* Edwards,1884
- 49421) *Pseudalypia geronimo* Barnes,1900 (Noctuidae) Synonym(s): *geronimo* Barnes,1900
- 49422) *Pseudenargia deleta* (Osthelder,1933) (Noctuidae) Synonym(s): *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938.
- 49423) *Pseudenargia regina* (Staudinger,1892) (Noctuidae) Synonym(s): *regina* Staudinger,1892
- 49424) *Pseudenargia troodosi* Svendsen, Nielsson & Fibiger,1994 (Noctuidae) Synonym(s): *troodosi* Svendsen, Nielsson & Fibiger,1994
- 49425) *Pseudenargia ulicis* (Staudinger,1859) (Noctuidae) Synonym(s): *ulicis* Staudinger,1859; *algorica* Culot,1913
- 49426) *Pseudeustrotia candidula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *candidula* [Denis & Schiffermüller],1775; *pusilla* Vieweg,1789
- 49427) *Pseudeustrotia deceptoria* (Scopoli,1763) (Noctuidae) Synonym(s): *deceptoria* Scopoli,1763; *tineodes* Hufnagel,1766; *atrata* [Denis & Schiffermüller],1775
- 49428) *Pseudoarcte melanis* (Mabille,1890) (Noctuidae) Synonym(s): *melanis* Mabille,1890
- 49429) *Pseudochalcia inconspicua* (Graeser,1892) (Noctuidae) Synonym(s): *inconspicua* Graeser,1892
- 49430) *Pseudochalcia inconspicua shugnana* (Sheljuzhko,1929) (Noctuidae) Synonym(s): *shugnana* Sheljuzhko,1929
- 49431) *Pseudocopicucullia dimorpha* (Staudinger,1897) (Noctuidae) Synonym(s): *dimorpha* Staudinger,1897
- 49432) *Pseudocopicucullia melanoglossa* (Berio,1934) (Noctuidae) Synonym(s): *melanoglossa* Berio,1934
- 49433) *Pseudocopicucullia syrtana* (Mabille,1888) (Noctuidae) Synonym(s): *syrtana* Mabille,1888
- 49434) *Pseudocopicucullia syrtana hesperidum* Rothschild,1913 (Noctuidae) Synonym(s): *hesperidum* Rothschild,1913
- 49435) *Pseudocopicucullia syrtana iranica* Brandt,1941 (Noctuidae) Synonym(s): *iranica* Brandt,1941
- 49436) *Pseudocopicucullia syrtana syrtana* (Mabille,1888) (Noctuidae) Synonym(s): *syrtana* Mabille,1888
- 49437) *Pseudogirya angulata* (Bethune-Baker,1909) (Noctuidae) Synonym(s): *angulata* Bethune-Baker,1909
- 49438) *Pseudogyrtonea hemicyclops* Hampson,1926 (Noctuidae) Synonym(s): *hemicyclops* Hampson,1926
- 49439) *Pseudohadena* (Jaxartia) *cymatodes* (Boursin,1954) (Noctuidae) Synonym(s): *cymatodes* Boursin,1954
- 49440) *Pseudohadena* (Jaxartia) *deserticola* Ronkay, Fabian & Varga,1995 (Noctuidae) Synonym(s): *deserticola* Ronkay, Fabian & Varga,1995
- 49441) *Pseudohadena* (Jaxartia) *elinguis* Püngeler,1914 (Noctuidae) Synonym(s): *elinguis* Püngeler,1914

- 49442) *Pseudohadena* (Jaxartia) *evanida* Püngeler, 1914 (Noctuidae) Synonym(s): *evanida* Püngeler, 1914
- 49443) *Pseudohadena* (Jaxartia) *evanida* psammoxantha Ronkay, Fabian & Varga, 1995 (Noctuidae) Synonym(s): *psammoxantha* Ronkay, Fabian & Varga, 1995
- 49444) *Pseudohadena* (Jaxartia) *jordana* (Staudinger, 1900) (Noctuidae) Synonym(s): *jordana* Staudinger, 1900
- 49445) *Pseudohadena* (Jaxartia) *magnitudinis* Hacker & Ebert, 2002 (Noctuidae) Synonym(s): *magnitudinis* Hacker & Ebert, 2002
- 49446) *Pseudohadena* (Jaxartia) *pseudamoena* (Boursin, 1943) (Noctuidae) Synonym(s): *pseudamoena* Boursin, 1943
- 49447) *Pseudohadena* (Jaxartia) *striolata* (Filipjev, 1949) (Noctuidae) Synonym(s): *striolata* Filipjev, 1949
- 49448) *Pseudohadena* (Pseudopseustis) *argyllostigma* Varga & L. Ronkay, 1991 (Noctuidae) Synonym(s): *argyllostigma* Varga & L. Ronkay, 1991
- 49449) *Pseudohadena* (Pseudopseustis) *crassicornis* Boursin, 1940 (Noctuidae) Synonym(s): *crassicornis* Boursin, 1940
- 49450) *Pseudohadena* (Pseudopseustis) *telleri* (Lucas, 1907) (Noctuidae) Synonym(s): *telleri* Lucas, 1907; *diacrisioides* Rothschild, 1914
- 49451) *Pseudohadena* (s.str.) *adscripta* Püngeler, 1914 (Noctuidae) Synonym(s): *adscripta* Püngeler, 1914
- 49452) *Pseudohadena* (s.str.) *armata* (Alpheraky, 1887) (Noctuidae) Synonym(s): *armata* Alpheraky, 1887
- 49453) *Pseudohadena* (s.str.) *chenopodiphaga* (Rambur, 1832) (Noctuidae) Synonym(s): *chenopodiphaga* Rambur, 1832
- 49454) *Pseudohadena* (s.str.) *coluteae* (Bienert, 1870) (Noctuidae) Synonym(s): *coluteae* Bienert, 1870
- 49455) *Pseudohadena* (s.str.) *eibinevoi* Fibiger, Kravchenko, Li, Mooser & C.G. Müller, 2006 (Noctuidae) Synonym(s): *eibinevoi* Fibiger, Kravchenko, Li, Mooser & C.G. Müller, 2006
- 49456) *Pseudohadena* (s.str.) *gnorima* (Püngeler, 1907) (Noctuidae) Synonym(s): *gnorima* Püngeler, 1907
- 49457) *Pseudohadena* (s.str.) *gnorima* *gnorima* (Püngeler, 1907) (Noctuidae) Synonym(s): *gnorima* Püngeler, 1907
- 49458) *Pseudohadena* (s.str.) *gnorima* *hololampra* Ronkay & Varga, 1989 (Noctuidae) Synonym(s): *hololampra* Ronkay & Varga, 1989
- 49459) *Pseudohadena* (s.str.) *gnorima* *peregovitsi* Ronkay & Varga, 1989 (Noctuidae) Synonym(s): *peregovitsi* Ronkay & Varga, 1989
- 49460) *Pseudohadena* (s.str.) *halimi* (Millière, 1877) (Noctuidae) Synonym(s): *halimi* Millière, 1877
- 49461) *Pseudohadena* (s.str.) *idumaea* Püngeler, 1902 (Noctuidae) Synonym(s): *idumaea* Püngeler, 1902
- 49462) *Pseudohadena* (s.str.) *immunda* (Eversmann, 1842) (Noctuidae) Synonym(s): *immunda* Eversmann, 1842
- 49463) *Pseudohadena* (s.str.) *immunis* (Staudinger, 1889) (Noctuidae) Synonym(s): *immunis* Staudinger, 1889
- 49464) *Pseudohadena* (s.str.) *immunis* *lesghica* Boursin, 1943 (Noctuidae) Synonym(s): *lesghica* Boursin, 1943
- 49465) *Pseudohadena* (s.str.) *impedita* (Christoph, 1887) (Noctuidae) Synonym(s): *impedita* Christoph, 1887
- 49466) *Pseudohadena* (s.str.) *indigna* (Christoph, 1887) (Noctuidae) Synonym(s): *indigna* Christoph, 1887; *restricta* Sukhareva, 1976.
- 49467) *Pseudohadena* (s.str.) *laciniosa* (Christoph, 1887) (Noctuidae) Synonym(s): *laciniosa* Christoph, 1887
- 49468) *Pseudohadena* (s.str.) *laciniosa* *hethitica* Ronkay & Varga, 1989 (Noctuidae) Synonym(s): *hethitica* Ronkay & Varga, 1989
- 49469) *Pseudohadena* (s.str.) *laciniosa* *laciniosa* (Christoph, 1887) (Noctuidae) Synonym(s): *laciniosa* Christoph, 1887
- 49470) *Pseudohadena* (s.str.) *mariana* Lajonquière, 1964 (Noctuidae) Synonym(s): *mariana* Lajonquière, 1964
- 49471) *Pseudohadena* (s.str.) *megaptera* Boursin, 1970 (Noctuidae) Synonym(s): *megaptera* Boursin, 1970
- 49472) *Pseudohadena* (s.str.) *minuta* Püngeler, 1900 (Noctuidae) Synonym(s): *minuta* Püngeler, 1900; *sengana* Brandt, 1941; *pseudocommoda* Boursin, 1963
- 49473) *Pseudohadena* (s.str.) *oxybela* Boursin, 1963 (Noctuidae) Synonym(s): *oxybela* Boursin, 1963
- 49474) *Pseudohadena* (s.str.) *pexa* (Staudinger, 1889) (Noctuidae) Synonym(s): *pexa* Staudinger, 1889
- 49475) *Pseudohadena* (s.str.) *presbytis* Hampson, 1910 (Noctuidae) Synonym(s): *presbytis* Hampson, 1910
- 49476) *Pseudohadena* (s.str.) *rjabovi* Boursin, 1970 (Noctuidae) Synonym(s): *rjabovi* Boursin, 1970
- 49477) *Pseudohadena* (s.str.) *roseonitens* (Oberthür, 1887) (Noctuidae) Synonym(s): *roseonitens* Oberthür, 1887
- 49478) *Pseudohadena* (s.str.) *roseotinctoides* Poole, 1989 (Noctuidae) Synonym(s): *roseotincta* Brandt, 1941 nec Tur., 1929; *roseotinctoides* Poole, 1989.
- 49479) *Pseudohadena* (s.str.) *seposita* Püngeler, 1914 (Noctuidae) Synonym(s): *seposita* Püngeler, 1914
- 49480) *Pseudohadena* (s.str.) *sergia* Püngeler, 1901 (Noctuidae) Synonym(s): *sergia* Püngeler, 1901
- 49481) *Pseudohadena* (s.str.) *siri* (Erschoff, 1874) (Noctuidae) Synonym(s): *siri* Erschoff, 1874; *adscripta* Püngeler, 1914.
- 49482) *Pseudohadena* (s.str.) *stenoptera* Boursin, 1970 (Noctuidae) Synonym(s): *stenoptera* Boursin, 1970
- 49483) *Pseudohadena* (s.str.) *xanthophanes* Boursin, 1943 (Noctuidae) Synonym(s): *xanthophanes* Boursin, 1943
- 49484) *Pseudohadena* (s.str.) *xanthophanes* *rhodocyanea* Boursin, 1963 (Noctuidae) Synonym(s): *rhodocyanea* Boursin, 1963
- 49485) *Pseudohadena* (s.str.) *xanthophanes* *weigerti* Hacker, 2001 (Noctuidae) Synonym(s): *weigerti* Hacker, 2001
- 49486) *Pseudohadena* (s.str.) *xanthophanes* *xanthophanes* Boursin, 1943 (Noctuidae) Synonym(s): *xanthophanes* Boursin, 1943
- 49487) *Pseudoips* *prasinana* (Linnaeus, 1758) (Noctuidae) Synonym(s): *prasinana* Linnaeus, 1758; *fagana* Fabricius, 1781; *sylvana* Fabricius, 1794; *britannica* Warren, 1913.
- 49488) *Pseudoligia* *similiaria* (Ménétriés, 1849) (Noctuidae) Synonym(s): *similiaria* Ménétriés, 1849
- 49489) *Pseudomathes* *volloni* (Lucas, 1907) (Noctuidae) Synonym(s): *volloni* Lucas, 1907
- 49490) *Pseudomicrodes* *ecrufa* (Hampson, 1905) (Noctuidae) Synonym(s): *ecrufa* Hampson, 1905
- 49491) *Pseudomicrodes* *fuscipars* Hampson, 1910 (Noctuidae) Synonym(s): *fuscipars* Hampson, 1910
- 49492) *Pseudomicrodes* *mediorufa* Hampson, 1910 (Noctuidae) Synonym(s): *mediorufa* Hampson, 1910
- 49493) *Pseudomicrodes* *ochrocraspis* Hampson, 1910 (Noctuidae) Synonym(s): *ochrocraspis* Hampson, 1910
- 49494) *Pseudopais* *nigrobasalis* Bartel, 1903 (Noctuidae) Synonym(s): *nigrobasalis* Bartel, 1903
- 49495) *Pseudosphetta* *fissisigna* Hampson, 1926 (Noctuidae) Synonym(s): *fissisigna* Hampson, 1926
- 49496) *Pseudoxestia* *apfelbecki* (Rebel, 1901) (Noctuidae) Synonym(s): *apfelbecki* Rebel, 1901
- 49497) *Pseudozarba* *bipartita* (Herrich-Schäffer, 1850) (Noctuidae) Synonym(s): *bipartita* Herrich-Schäffer, 1850
- 49498) *Pseudozarba* *mesozona* (Hampson, 1896) (Noctuidae) Synonym(s): *mesozona* Hampson, 1896; *mediana* Staudinger, 1898
- 49499) *Pseudozarba* *opella* (Swinhoe, 1885) (Noctuidae) Synonym(s): *opella* Swinhoe, 1885
- 49500) *Pseudozarba* *orthozona* Wiltshire, 1984 (Noctuidae) Synonym(s): *orthozona* Wiltshire, 1984
- 49501) *Psimada* *quadripennis* Walker, 1858 (Noctuidae) Synonym(s): *quadripennis* Walker, 1858
- 49502) *Pterocyphophora* *ridleyi* Hampson, 1893 (Noctuidae) Synonym(s): *ridleyi* Hampson, 1893
- 49503) *Pterogonia* *aurigutta* (Walker, 1858) (Noctuidae) Synonym(s): *aurigutta* Walker, 1858; *striatura* Moore, 1887; *irrorata* Dudgeon, 1905
- 49504) *Pterogonia* *cardinalis* Holloway, 1976 (Noctuidae) Synonym(s): *cardinalis* Holloway, 1976
- 49505) *Pterogonia* *nubes* (Hampson, 1893) (Noctuidae) Synonym(s): *nubes* Hampson, 1893; *nerissa* Swinhoe, 1902
- 49506) *Pteronycta* *adnanensis* Wiltshire, 1980 (Noctuidae) Synonym(s): *adnanensis* Wiltshire, 1980
- 49507) *Pteronycta* *fasciata* Fawcett, 1918 (Noctuidae) Synonym(s): *fasciata* Fawcett, 1918; *fasciata* Hampson, 1926 nec Fawc., 1918; *hastifera* Hering, 1926.
- 49508) *Pteronycta* *fractilinea* Pinhey, 1968 (Noctuidae) Synonym(s): *fractilinea* Pinhey, 1968
- 49509) *Pteronycta* *postalbida* Gaede, 1939 (Noctuidae) Synonym(s): *postalbida* Gaede, 1939
- 49510) *Pteronycta* *smythi* Gaede, 1939 (Noctuidae) Synonym(s): *smythi* Gaede, 1939
- 49511) *Ptisciana* *seminivea* Walker, 1865 (Noctuidae) Synonym(s): *seminivea* Walker, 1865; *lilacina* Moore, 1888
- 49512) *Ptyonota* *carissima* (Wileman & West, 1929) (Noctuidae) Synonym(s): *carissima* Wileman & West, 1929; *rudanga* Kobes, 1994
- 49513) *Ptyonota* *formosa* Hampson, 1894 (Noctuidae) Synonym(s): *formosa* Hampson, 1894
- 49514) *Ptyorhyncha* *argyrestis* Hampson, 1895 (Noctuidae) Synonym(s): *argyrestis* Hampson, 1895
- 49515) *Pulcheria* *catomelas* Alpheraky, 1887 (Noctuidae) Synonym(s): *catomelas* Alpheraky, 1887
- 49516) *Pulcheria* *cinescens* Draudt, 1934 (Noctuidae) Synonym(s): *cinescens* Draudt, 1934
- 49517) *Pyraloides* *spodia* Rebel, 1948 (Noctuidae) Synonym(s): *spodia* Rebel, 1948
- 49518) *Pyrocleptia* *cora* (Eversmann, 1837) (Noctuidae) Synonym(s): *cora* Eversmann, 1837
- 49519) *Pyrois* *cinnamomea* (Goeze, 1781) (Noctuidae) Synonym(s): *cinnamomea* Goeze, 1781
- 49520) *Pyrois* *effusa* (Boisduval, 1828) (Noctuidae) Synonym(s): *effusa* Boisduval, 1828; *sciaphila* Staudinger, 1871
- 49521) *Pyrrhia* *exprimens* (Walker, 1857) (Noctuidae) Synonym(s): *exprimens* Walker, 1857
- 49522) *Pyrrhia* *purpurina* (Esper, [1804]) (Noctuidae) Synonym(s): *purpurina* Esper, [1804].
- 49523) *Pyrrhia* *treitschkii* (Frivaldsky, 1835) (Noctuidae) Synonym(s): *treitschkii* Frivaldsky, 1835.
- 49524) *Pyrrhia* *umbra* (Hufnagel, 1766) (Noctuidae) Synonym(s): *umbra* Hufnagel, 1766; *marginata* Fabricius, 1775; *rutilago* [Denis & Schiffermüller], 1775; *conspicua* Borkhausen, 1792; *umbago* Esper, [1796]; *marginago* Haworth, 1809; *aconiti* Hölzermann, 1902.
- 49525) *Pyrrhia* *umbra* *melanura* Hreblay & L. Ronkay, 1999 (Noctuidae) Synonym(s): *melanura* Hreblay & L. Ronkay, 1999
- 49526) *Pyrrhia* *umbra* *nepalina* Hreblay & L. Ronkay, 1999 (Noctuidae) Synonym(s): *nepalina* Hreblay & L. Ronkay, 1999
- 49527) *Radara* *prunescens* (Hampson, 1902) (Noctuidae) Synonym(s): *prunescens* Hampson, 1902

- 49528) *Radara subcupralis* (Walker,[1866]) (Noctuidae) Synonym(s): *subcupralis* Walker,[1866]; *transcissa* Walker,[1866]; *obliquifasciata* Moore,1882; *frequens* Holland,1894.
- 49529) *Radara thermeola* Hampson,1926 (Noctuidae) Synonym(s): *thermeola* Hampson,1926
- 49530) *Radara vacillans* Walker,1862 (Noctuidae) Synonym(s): *vacillans* Walker,1862; *capensis* Walker,1862; *divisalis* Walker,[1866]; *transmissa* Heyden,1891.
- 49531) *Raddea sherpa* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *sherpa* Hreblay & L.Ronkay,1998
- 49532) *Ramadasa fumipennis* W.Warren,1916 (Noctuidae) Synonym(s): *fumipennis* W.Warren,1916
- 49533) *Ramadasa pavo* (Walker,1856) (Noctuidae) Synonym(s): *pavo* Walker,1856
- 49534) *Ramadasa plumbeola* W.Warren,1916 (Noctuidae) Synonym(s): *plumbeola* W.Warren,1916
- 49535) *Ramesodes divisa* (Hampson,1902) (Noctuidae) Synonym(s): *divisa* Hampson,1902
- 49536) *Ramesodes micropis* Hampson,1910 (Noctuidae) Synonym(s): *micropis* Hampson,1910
- 49537) *Raparna erubescens* (A.Bang-Haas,1910) (Noctuidae) Synonym(s): *erubescens* A.Bang-Haas,1910
- 49538) *Raparna erubescens* griseus Wiltshire,1967 (Noctuidae) Synonym(s): *griseus* Wiltshire,1967
- 49539) *Raparna horciusalis* (Walker,1859) (Noctuidae) Synonym(s): *horciusalis* Walker,1859; *tantilla* Swinhoe,1885; *unicoloris* Swinhoe,1886
- 49540) *Raparna tritonias* Hampson,1902 (Noctuidae) Synonym(s): *tritonias* Hampson,1902
- 49541) *Raphia approximata* Alpheraky,1887 (Noctuidae) Synonym(s): *approximata* Alpheraky,1887
- 49542) *Raphia hybris* (Hübner,[1813]) (Noctuidae) Synonym(s): *hybris* Hübner,[1813]
- 49543) *Recophora beata* (Staudinger,1892) (Noctuidae) Synonym(s): *beata* Staudinger,1892
- 49544) *Recophora canteneri* (Duponchel,1833) (Noctuidae) Synonym(s): *canteneri* Duponchel,1833
- 49545) *Recophora hreblayi* Hacker & L.Ronkay,2002 (Noctuidae) Synonym(s): *hreblayi* Hacker & L.Ronkay,2002
- 49546) *Rema costimacula* (Guenée,1852) (Noctuidae) Synonym(s): *costimacula* Guenée,1852; *triangulata* Walker,1865; *arvisignata* Prout,1924
- 49547) *Rema tetraspila* Walker,1865 (Noctuidae) Synonym(s): *tetraspila* Walker,1865
- 49548) *Remigia frugalis* (Noctuidae) Synonym(s):
- 49549) *Rhabdophera arefacta* (Swinhoe,1884) (Noctuidae) Synonym(s): *arefacta* Swinhoe,1884; *messrae* Staudinger,1898.
- 49550) *Rhabinopteryx subtilis* (Mabille,1888) (Noctuidae) Synonym(s): *subtilis* Mabille,1888; *renatalis* Rebel,1909 nec Obth.; *luridalis* Rebel,1911.
- 49551) *Rhabinopteryx turanica* (Erschoff,1874) (Noctuidae) Synonym(s): *turanica* Erschoff,1874
- 49552) *Rhanidophora agrippa* Druce,1899 (Noctuidae) Synonym(s): *agrippa* Druce,1899
- 49553) *Rhanidophora aurantiaca* Hampson,1902 (Noctuidae) Synonym(s): *aurantiaca* Hampson,1902
- 49554) *Rhanidophora cinctigutta* (Walker,1862) (Noctuidae) Synonym(s): *cinctigutta* Walker,1862
- 49555) *Rhanidophora enucleata* Mabille,1900 (Noctuidae) Synonym(s): *enucleata* Mabille,1900
- 49556) *Rhanidophora flavigutta* Hampson,1926 (Noctuidae) Synonym(s): *flavigutta* Hampson,1926
- 49557) *Rhanidophora odontophora* Hampson,1926 (Noctuidae) Synonym(s): *odontophora* Hampson,1926
- 49558) *Rhanidophora phedonia* (Stoll,1781) (Noctuidae) Synonym(s): *phedonia* Stoll,1781
- 49559) *Rhanidophora ridens* Hampson,1902 (Noctuidae) Synonym(s): *ridens* Hampson,1902
- 49560) *Rhesala goleta* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *goleta* R.Felder & Rogenhofer,1874
- 49561) *Rhesala grisea* (Hampson,1916) (Noctuidae) Synonym(s): *grisea* Hampson,1916
- 49562) *Rhesala imparata* Walker,1858 (Noctuidae) Synonym(s): *imparata* Walker,1858
- 49563) *Rhesala moestalis* (Walker,[1866]) (Noctuidae) Synonym(s): *moestalis* Walker,[1866]
- 49564) *Rhesala sp.1* (Noctuidae) Synonym(s):
- 49565) *Rhesala sp.2* (Noctuidae) Synonym(s):
- 49566) *Rhesala sp.3* (Noctuidae) Synonym(s):
- 49567) *Rhesala sp.4* (Noctuidae) Synonym(s):
- 49568) *Rhesalides natalensis* Hampson,1926 (Noctuidae) Synonym(s): *natalensis* Van Son,1966
- 49569) *Rhizdra lutosa* (Hübner,[1803]) (Noctuidae) Synonym(s): *lutosa* Hübner,[1803]
- 49570) *Rhizdra lutosa* lutosa (Hübner,[1803]) (Noctuidae) Synonym(s): *lutosa* Hübner,[1803]
- 49571) *Rhizdra pallidipennis* Warren,1911 (Noctuidae) Synonym(s): *pallidipennis* Warren,1911
- 49572) *Rhodochlaena botonga* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *botonga* R.Felder & Rogenhofer,1874; *perrubra* Hampson,1902
- 49573) *Rhodotarache roseofusca* W.Warren,1914 (Noctuidae) Synonym(s): *roseofusca* W.Warren,1914
- 49574) *Rhyacia (Epipsilia) boursini* (Rungs,1972) (Noctuidae) Synonym(s): *Epipsilia boursini* (Rungs,1972
- 49575) *Rhyacia (Epipsilia) cervantes* (Reisser,1935) (Noctuidae) Synonym(s): *cervantes* Reisser,1935; *gyulaipetri* Varga,1975
- 49576) *Rhyacia (Epipsilia) cervantes pseudolatens* (Zerny,1935) (Noctuidae) Synonym(s): *pseudolatens* Zerny,1935
- 49577) *Rhyacia (Epipsilia) cervantes vargai* (Fibiger,1993) (Noctuidae) Synonym(s): *vargai* Fibiger,1993
- 49578) *Rhyacia (Epipsilia) griseus* (Fabricius,1794) (Noctuidae) Synonym(s): *griseus* Fabricius,1794; *ignicola* Hübner,[1813]; *corrosa* Herrich-Schäffer,1850; *defasciata* Wendlandt,1902; *fasciata* Vorbrodt,1917; *albescens* Rohn-Rethel,1929; *coralita* Hospital,1948; *obscurata* Feichtenberger,1962; *lucida* Feichtenberger,1962
- 49579) *Rhyacia (Epipsilia) griseus septentrionalis* (Fibiger,1993) (Noctuidae) Synonym(s): *septentrionalis* Fibiger,1993
- 49580) *Rhyacia (Epipsilia) hamptoni* (A.Bang-Haas,1910) (Noctuidae) Synonym(s): *hamptoni* A.Bang-Haas,1910
- 49581) *Rhyacia (Epipsilia) latens* (Hübner,[1809]) (Noctuidae) Synonym(s): *latens* Hübner,[1809]; *murina* Freyer,1842; *latitans* Guenée,1852; *apennina* Sohn-Reithel,1929.
- 49582) *Rhyacia (Epipsilia) latens hyrcana* (Staudinger,1900) (Noctuidae) Synonym(s): *hyrcana* Staudinger,1900; *pontica* Draudt,1936.
- 49583) *Rhyacia (Epipsilia) lhasen* (Le Cerf,1932) (Noctuidae) Synonym(s): *lhasen* Le Cerf,1932
- 49584) *Rhyacia (Epipsilia) proterva* Püngeler,1904 (Noctuidae) Synonym(s): *proterva* Püngeler,1904
- 49585) *Rhyacia (s.str.) achtalensis* Kozhantschilov,1929 (Noctuidae) Synonym(s): *achtalensis* Kozhantschilov,1929
- 49586) *Rhyacia (s.str.) afghanidia* (Boursin,1968) (Noctuidae) Synonym(s): *afghanidia* Boursin,1968
- 49587) *Rhyacia (s.str.) arenacea* (Hampson,1907) (Noctuidae) Synonym(s): *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929.
- 49588) *Rhyacia (s.str.) augurides* (Rothschild,1914) (Noctuidae) Synonym(s): *augurides* Rothschild,1914; *pseudosimulans* Kozhantschikov,1929
- 49589) *Rhyacia (s.str.) caradrinoides* (Staudinger,1896) (Noctuidae) Synonym(s): *caradrinoides* Staudinger,1896; *hydrillodes* Alpheraky,1897.
- 49590) *Rhyacia (s.str.) decorata* (Staudinger,1881) (Noctuidae) Synonym(s): *decorata* Staudinger,1881
- 49591) *Rhyacia (s.str.) diplogramma* (Hampson,1903) (Noctuidae) Synonym(s): *diplogramma* Hampson,1903
- 49592) *Rhyacia (s.str.) electra* (Staudinger,1888) (Noctuidae) Synonym(s): *electra* Staudinger,1888; *thianschanica* Staudinger,[1900]; *griseoalba* Kozhantschikov,1937
- 49593) *Rhyacia (s.str.) evartianae* Varga,1990 (Noctuidae) Synonym(s): *evartianae* Varga,1990
- 49594) *Rhyacia (s.str.) fabiani* Varga,1996 (Noctuidae) Synonym(s): *fabiani* Varga,1996
- 49595) *Rhyacia (s.str.) gabori* Varga,1996 (Noctuidae) Synonym(s): *gabori* Varga,1996
- 49596) *Rhyacia (s.str.) geochroa* (Boursin,1940) (Noctuidae) Synonym(s): *geochroa* Boursin,1940
- 49597) *Rhyacia (s.str.) helvetina* (Boisduval,1833) (Noctuidae) Synonym(s): *helvetina* Boisduval,1833; *livia* Freyer,1836
- 49598) *Rhyacia (s.str.) helvetina banghaasi* Boursin,1940 (Noctuidae) Synonym(s): *gilva* A.Bang-Haas,1910 nec Donz.,1837; *banghaasi* Boursin,1940
- 49599) *Rhyacia (s.str.) helvetina deliciosa* Brandt,1938 (Noctuidae) Synonym(s): *deliciosa* Brandt,1938
- 49600) *Rhyacia (s.str.) helvetina helvetina* (Boisduval,1833) (Noctuidae) Synonym(s): *helvetina* Boisduval,1833; *livia* Freyer,1836
- 49601) *Rhyacia (s.str.) helvetina lhasen* Le Cerf,1932 (Noctuidae) Synonym(s): *lhasen* Le Cerf,1932
- 49602) *Rhyacia (s.str.) helvetina plumbina* (Wagner,1913) (Noctuidae) Synonym(s): *plumbina* Wagner,1913
- 49603) *Rhyacia (s.str.) helvetina rjabovi* Boursin,1940 (Noctuidae) Synonym(s): *rjabovi* Boursin,1940.
- 49604) *Rhyacia (s.str.) helvetina schepleri* Fibiger,1993 (Noctuidae) Synonym(s): *schepleri* Fibiger,1993
- 49605) *Rhyacia (s.str.) homichlodes* Boursin,1954 (Noctuidae) Synonym(s): *homichlodes* Boursin,1954
- 49606) *Rhyacia (s.str.) ignobilis* (Staudinger,1888) (Noctuidae) Synonym(s): *ignobilis* Staudinger,1888; *thapsina* Püngeler,1906; *asella* Püngeler,1906.
- 49607) *Rhyacia (s.str.) junonia* (Staudinger,1881) (Noctuidae) Synonym(s): *junonia* Staudinger,1881; *alaina* Staudinger,1888
- 49608) *Rhyacia (s.str.) junonia alexandrina* (Corti & Draudt,1933) (Noctuidae) Synonym(s): *alexandrina* Corti & Draudt,1933
- 49609) *Rhyacia (s.str.) junonia calamochroa* Varga,1973 (Noctuidae) Synonym(s): *calamochroa* Varga,1973
- 49610) *Rhyacia (s.str.) junonia junonia* (Staudinger,1881) (Noctuidae) Synonym(s): *junonia* Staudinger,1881; *alaina* Staudinger,1888
- 49611) *Rhyacia (s.str.) junonia schistochoa* Varga,1973 (Noctuidae) Synonym(s): *schistochoa* Varga,1973

- 49612) *Rhyacia* (s.str.) *ledereri* (Erschoff,1870) (Noctuidae) Synonym(s): *ledereri* Erschoff,1870; *mus* Alpheraky,1882; *punctinotata* Warren,1914.
 49613) *Rhyacia* (s.str.) *lucipeta* (Denis & Schiffermüller,1775) (Noctuidae) Synonym(s): *lucipeta* [Denis & Schiffermüller],1775.
 49614) *Rhyacia* (s.str.) *mansour* Le Cerf,1933 (Noctuidae) Synonym(s): *mansour* Le Cerf,1933
 49615) *Rhyacia* (s.str.) *mimouna* Le Cerf,1933 (Noctuidae) Synonym(s): *mimouna* Le Cerf,1933
 49616) *Rhyacia* (s.str.) *mirabilis* Boursin,1954 (Noctuidae) Synonym(s): *mirabilis* Boursin,1954
 49617) *Rhyacia* (s.str.) *mirabilis mirabilis* Boursin,1954 (Noctuidae) Synonym(s): *mirabilis* Boursin,1954
 49618) *Rhyacia* (s.str.) *mirabilis nepalensis* Boursin,1964 (Noctuidae) Synonym(s): *nepalensis* Boursin,1964
 49619) *Rhyacia* (s.str.) *musculus* (Staudinger,1889) (Noctuidae) Synonym(s): *musculus* Staudinger,1889; *citillus* Alpheraky,1889.
 49620) *Rhyacia* (s.str.) *nyctimerina* (Staudinger,1888) (Noctuidae) Synonym(s): *nyctimerina* Staudinger,1888; *rehnensis* Wagner,1937.
 49621) *Rhyacia* (s.str.) *nyctymerides* (O.Bang-Haas,1922) (Noctuidae) Synonym(s): *nyctymerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschhoff,1951; *alagesica* Boursin,1962
 49622) *Rhyacia* (s.str.) *nyctymerides roseoflava* (Corti,1933) (Noctuidae) Synonym(s): *roseoflava* Corti,1933
 49623) *Rhyacia* (s.str.) *oreas* (Püngeler,1904) (Noctuidae) Synonym(s): *oreas* Püngeler,1904
 49624) *Rhyacia* (s.str.) *oromys* Varga,1990 (Noctuidae) Synonym(s): *oromys* Varga,1990
 49625) *Rhyacia* (s.str.) *oxytheca* Boursin,1957 (Noctuidae) Synonym(s): *oxytheca* Boursin,1957
 49626) *Rhyacia* (s.str.) *parnassiphila* (Staudinger,1881) (Noctuidae) Synonym(s): *parnassiphila* Staudinger,1881
 49627) *Rhyacia* (s.str.) *pseudolatens* Schwingenschuss,1935 (Noctuidae) Synonym(s): *pseudolatens* Schwingenschuss,1935
 49628) *Rhyacia* (s.str.) *quadrangula* (Zetterstedt,1839) (Noctuidae) Synonym(s): *quadrangula* Zetterstedt,1839; *rava* Herrich-Schäffer,1852; *umbratus* Packard,1867; *clemens* Smith,1890; *pallidifrons* Hampson,1903
 49629) *Rhyacia* (s.str.) *reticulata* Kozhantschikov,1923 (Noctuidae) Synonym(s): *reticulata* Kozhantschikov,1923
 49630) *Rhyacia* (s.str.) *scythropa* Boursin,1963 (Noctuidae) Synonym(s): *scythropa* Boursin,1963
 49631) *Rhyacia* (s.str.) *similis* (Staudinger,1888) (Noctuidae) Synonym(s): *similis* Staudinger,1888; *polita* Alpheraky,1882; *astuta* Corti,1928.
 49632) *Rhyacia* (s.str.) *simulans* (Hufnagel,1766) (Noctuidae) Synonym(s): *simulans* Hufnagel,1766; *tristis* Fabricius,1775; *pyrophila* [Denis & Schiffermüller],1775; *radicea* Esper,[1789]; *obscurata* Staudinger,1901; *augurides* Rothschild,1914
 49633) *Rhyacia* (s.str.) *subdecora* (Staudinger,1888) (Noctuidae) Synonym(s): *subdecora* Staudinger,1888; *psammia* Püngeler,1906; *xanthopasta* Boursin,1957.
 49634) *Rhyacia* (s.str.) *subdecora xanthopasta* Boursin,1963 (Noctuidae) Synonym(s): *xanthopasta* Boursin,1963
 49635) *Rhynchaglaea discoidea* Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *discoidea* Hreblay, Peregovits & L.Ronkay,1999
 49636) *Rhynchaglaea fuscipennis* Sugi,1958 (Noctuidae) Synonym(s): *fuscipennis* Sugi,1958
 49637) *Rhynchaglaea hemixantha* Sugi,1980 (Noctuidae) Synonym(s): *hemixantha* Sugi,1980; *leucocollaris* Hreblay & L.Ronkay,1998
 49638) *Rhynchaglaea scitula* (Butler,1879) (Noctuidae) Synonym(s): *scitula* Butler,1879; *kumamotonis* Matsumura,1926; *albibasis* Draudt,1934
 49639) *Rhynchaglaea taiwana* Sugi,1980 (Noctuidae) Synonym(s): *taiwana* Sugi,1980; *shyrshana* Chang,1991
 49640) *Rhynchina abducalis* (Walker,1859) (Noctuidae) Synonym(s): *abducalis* Walker,[1859]
 49641) *Rhynchina albidula* Warren,1914 (Noctuidae) Synonym(s): *albidula* Warren,1914
 49642) *Rhynchina albiluna* Hampson,1902 (Noctuidae) Synonym(s): *albiluna* Hampson,1902
 49643) *Rhynchina albiscrita* Hampson,1916 (Noctuidae) Synonym(s): *albiscrita* Hampson,1916
 49644) *Rhynchina barbarae* Lödl,1997 (Noctuidae) Synonym(s): *barbarae* Lödl,1997
 49645) *Rhynchina canariensis* Pinker,1962 (Noctuidae) Synonym(s): *canariensis* Pinker,1962; *robusta* Pinker,1962.
 49646) *Rhynchina claudiae* Lödl,1998 (Noctuidae) Synonym(s): *claudiae* Lödl,1998
 49647) *Rhynchina columbaris* Butler,1889 (Noctuidae) Synonym(s): *columbaris* Butler,1889
 49648) *Rhynchina comias* Meyrick,1902 (Noctuidae) Synonym(s): *comias* Meyrick,1902
 49649) *Rhynchina coniodes* Vari,1962 (Noctuidae) Synonym(s): *coniodes* Vari,1962
 49650) *Rhynchina cramboidea* (Butler,1879) (Noctuidae) Synonym(s): *cramboidea* Butler,1879; *morosa* Butler,1879.
 49651) *Rhynchina crassisquamata* Hampson,1910 (Noctuidae) Synonym(s): *crassisquamata* Hampson,1910
 49652) *Rhynchina desquamata* Hampson,1920 (Noctuidae) Synonym(s): *desquamata* Hampson,1920
 49653) *Rhynchina endoleuca* Hampson,1916 (Noctuidae) Synonym(s): *endoleuca* Hampson,1916
 49654) *Rhynchina equalisella* (Walker,1863) (Noctuidae) Synonym(s): *equalisella* Walker,1863; *caesa* Distant,1898.
 49655) *Rhynchina ferreipars* Hampson,1907 (Noctuidae) Synonym(s): *ferreipars* Hampson,1907
 49656) *Rhynchina heinrichharrer* Lödl,1998 (Noctuidae) Synonym(s): *heinrichharrer* Lödl,1998
 49657) *Rhynchina herbuloti* Viette,1965 (Noctuidae) Synonym(s): *herbuloti* Viette,1965
 49658) *Rhynchina ides* Bethune-Baker,1908 (Noctuidae) Synonym(s): *ides* Bethune-Baker,1908
 49659) *Rhynchina innotata* Warren,1910 (Noctuidae) Synonym(s): *innotata* Warren,1910
 49660) *Rhynchina leucodonta* Hampson,1910 (Noctuidae) Synonym(s): *leucodonta* Hampson,1910
 49661) *Rhynchina leucogonia* Hampson,1912 (Noctuidae) Synonym(s): *leucogonia* Hampson,1912
 49662) *Rhynchina lithinata* Wileman & West,1930 (Noctuidae) Synonym(s): *lithinata* Wileman & West,1930
 49663) *Rhynchina martonhreblyi* Lödl,1999 (Noctuidae) Synonym(s): *martonhreblyi* Lödl,1999
 49664) *Rhynchina meeki* Bethune-Baker,1908 (Noctuidae) Synonym(s): *meeki* Bethune-Baker,1908
 49665) *Rhynchina michaelhaeupli* Lödl & Gaal,1998 (Noctuidae) Synonym(s): *michaelhaeupli* Lödl & Gaal,1998
 49666) *Rhynchina palidinota* Hampson,1907 (Noctuidae) Synonym(s): *palidinota* Hampson,1907
 49667) *Rhynchina paliscia* Bethune-Baker,1911 (Noctuidae) Synonym(s): *paliscia* Bethune-Baker,1911
 49668) *Rhynchina panczelosi* Lödl,2000 (Noctuidae) Synonym(s): *panczelosi* Lödl,2000
 49669) *Rhynchina perangulata* Hampson,1916 (Noctuidae) Synonym(s): *perangulata* Hampson,1916
 49670) *Rhynchina pervulgaris* Swinhoe,1885 (Noctuidae) Synonym(s): *pervulgaris* Swinhoe,1885; *xylina* Swinhoe,1886.
 49671) *Rhynchina pionaealis* Guenée,1854 (Noctuidae) Synonym(s): *pionaealis* Guenée,1854; *angustata* Butler,1889; *rivuligera* Butler,1889; *uniformis* Butler,1889.
 49672) *Rhynchina poecilopa* Vari,1962 (Noctuidae) Synonym(s): *poecilopa* Vari,1962
 49673) *Rhynchina poliopera* Hampson,1902 (Noctuidae) Synonym(s): *poliopera* Hampson,1902; *ituriensis* Prout,1921
 49674) *Rhynchina rivuligera* Butler,1889 (Noctuidae) Synonym(s): *rivuligera* Butler,1889; *angustata* Butler,1889
 49675) *Rhynchina sahariensis* Rothschild,1921 (Noctuidae) Synonym(s): *sahariensis* Rothschild,1921
 49676) *Rhynchina striga* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *striga* R.Felder & Rogenhofer,1874
 49677) *Rhynchina susannae* Lödl,1998 (Noctuidae) Synonym(s): *susannae* Lödl,1998
 49678) *Rhynchina talhamica* Wiltshire,1982 (Noctuidae) Synonym(s): *talhamica* Wiltshire,1982; *bettoni* Wiltshire,1982.
 49679) *Rhynchina talhamica* Wiltshire,1982 (Noctuidae) Synonym(s): *talhamica* Wiltshire,1982; *bettoni* Wiltshire,1982.
 49680) *Rhynchina taruensis* Butler,1898 (Noctuidae) Synonym(s): *taruensis* Butler,1898
 49681) *Rhynchina tenuipalpis* Hampson,1891 (Noctuidae) Synonym(s): *tenuipalpis* Hampson,1891
 49682) *Rhynchina tinctalis* (Zeller,1852) (Noctuidae) Synonym(s): *tinctalis* Zeller,1852; *echionalis* Walker,[1859]; *albistriga* Mabilie,1900.
 49683) *Rhynchina tripunctigera* Berio,1977 (Noctuidae) Synonym(s): *tripunctigera* Berio,1977
 49684) *Rhynchoplexia rubra* (Hampson,1894) (Noctuidae) Synonym(s): *rubra* Hampson,1894; *ferruginea* Hreblay & L.Ronkay,1998
 49685) *Rhypagla lacernaria* (Hübner,[1813]) (Noctuidae) Synonym(s): *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842
 49686) *Riadhia diehli* Wiltshire,1961 (Noctuidae) Synonym(s): *diehli* Wiltshire,1961
 49687) *Rileyiana fovea* (Treitschke,1825) (Noctuidae) Synonym(s): *fovea* Treitschke,1825
 49688) *Risoba avola* Bethune-Baker,1906 (Noctuidae) Synonym(s): *avola* Bethune-Baker,1906; *magna* Prout,1922; *ochracea* Prout,1922
 49689) *Risoba basalis* Moore,1881 (Noctuidae) Synonym(s): *basalis* Moore,1881; *#viridimargo* W.Warren,1913
 49690) *Risoba caeruleata* Holloway,2003 (Noctuidae) Synonym(s): *caeruleata* Holloway,2003
 49691) *Risoba calaina* Zerny,1916 (Noctuidae) Synonym(s): *calaina* Zerny,1916; *obliqua* Prout,1921; *#philippinensis* Prout,1921; *amabilis* Roepke,1938
 49692) *Risoba calainigrata* Holloway,2003 (Noctuidae) Synonym(s): *calainigrata* Holloway,2003
 49693) *Risoba chlora* Hampson (Noctuidae) Synonym(s):
 49694) *Risoba diplogramma* Hampson,1912 (Noctuidae) Synonym(s): *diplogramma* Hampson,1912
 49695) *Risoba diversipennis* (Walker,1858) (Noctuidae) Synonym(s): *diversipennis* Walker,1858
 49696) *Risoba glauca* Hampson,1912 (Noctuidae) Synonym(s): *glauca* Hampson,1912
 49697) *Risoba guichardi* Holloway,2003 (Noctuidae) Synonym(s): *guichardi* Holloway,2003

- 49698) *Risoba harmani* Holloway, 2003 (Noctuidae) Synonym(s): *harmani* Holloway, 2003
 49699) *Risoba jucunda* (Walker, 1862) (Noctuidae) Synonym(s): *jucunda* Walker, 1862
 49700) *Risoba martinii* Holloway, 2003 (Noctuidae) Synonym(s): *martinii* Holloway, 2003
 49701) *Risoba obscurivalis* Holloway, 2003 (Noctuidae) Synonym(s): *obscurivalis* Holloway, 2003
 49702) *Risoba obstricta* Moore, 1881 (Noctuidae) Synonym(s): *obstricta* Moore, 1881
 49703) *Risoba olivens* Bethune-Baker, 1906 (Noctuidae) Synonym(s): *olivens* Bethune-Baker, 1906
 49704) *Risoba orientalis* Holloway, 1976 (Noctuidae) Synonym(s): *orientalis* Holloway, 1976
 49705) *Risoba repugnans* (Walker, 1856) (Noctuidae) Synonym(s): *repugnans* Walker, 1856; *literata* Moore, 1881; *albistriata* Pagenstecher, 1888
 49706) *Risoba samarinda* Holloway, 2003 (Noctuidae) Synonym(s): *samarinda* Holloway, 2003
 49707) *Risoba sticticrasis* Hampson, 1912 (Noctuidae) Synonym(s): *sticticrasis* Hampson, 1912
 49708) *Risoba thalassura* Holloway, 2003 (Noctuidae) Synonym(s): *thalassura* Holloway, 2003
 49709) *Risoba vialis* Moore, 1881 (Noctuidae) Synonym(s): *vialis* Moore, 1881
 49710) *Risoba viridangulata* Holloway, 2003 (Noctuidae) Synonym(s): *viridangulata* Holloway, 2003
 49711) *Risoba walshae* Holloway, 2003 (Noctuidae) Synonym(s): *walshae* Holloway, 2003
 49712) *Rivula basalis* Hampson, 1891 (Noctuidae) Synonym(s): *basalis* Hampson, 1891
 49713) *Rivula dipterygosoma* Tams, 1935 (Noctuidae) Synonym(s): *dipterygosoma* Tams, 1935
 49714) *Rivula leucanoides* (Walker, 1863) (Noctuidae) Synonym(s): *leucanoides* Walker, 1863; *biatomea* Moore, 1883
 49715) *Rivula lophosoma* Hampson, 1926 (Noctuidae) Synonym(s): *lophosoma* Hampson, 1926
 49716) *Rivula parallella* (Hampson, 1902) (Noctuidae) Synonym(s): *parallella* Hampson, 1902
 49717) *Rivula polynesiana* Hampson, 1926 (Noctuidae) Synonym(s): *polynesiana* Hampson, 1926
 49718) *Rivula sericealis* (Scopoli, 1763) (Noctuidae) Synonym(s): *sericealis* Scopoli, 1763; *munda* Hufnagel, 1767; *lunatralis* Denis & Schiffermüller, 1775; *leeana* Fabricius, 1777; *ocellaris* Thunberg, 1784; *centralis* Villers, 1789.
 49719) *Rivula striatura* Swinhoe, 1895 (Noctuidae) Synonym(s): *striatura* Swinhoe, 1895
 49720) *Rivula tanitalis* Rebel, 1912 (Noctuidae) Synonym(s): *tanitalis* Rebel, 1912
 49721) *Rivula vicarialis* Walker, 1866 (Noctuidae) Synonym(s): *vicarialis* Walker, 1866
 49722) *Rothia agrius* (Herrich-Schäffer, 1853) (Noctuidae) Synonym(s): *agrius* Herrich-Schäffer, 1853
 49723) *Rothia aisha* (Kirby, 1891) (Noctuidae) Synonym(s): *aisha* Kirby, 1891; *catarhodia* Holland, 1898
 49724) *Rothia configua* (Walker, 1854) (Noctuidae) Synonym(s): *configua* Walker, 1854; *fabricata* Karsch, 1895
 49725) *Rothia dayremi* (Oberthür, 1909) (Noctuidae) Synonym(s): *dayremi* Oberthür, 1909
 49726) *Rothia distigma* (Mabille, 1897) (Noctuidae) Synonym(s): *distigma* Mabille, 1897
 49727) *Rothia holli* (Oberthür, 1909) (Noctuidae) Synonym(s): *holli* Oberthür, 1909
 49728) *Rothia hypopyrrha* (Butler, 1878) (Noctuidae) Synonym(s): *hypopyrrha* Butler, 1878
 49729) *Rothia lasti* Rothschild, 1896 (Noctuidae) Synonym(s): *lasti* Rothschild, 1896
 49730) *Rothia mariae* Swinhoe, 1904 (Noctuidae) Synonym(s): *mariae* Swinhoe, 1904
 49731) *Rothia micropales* Butler, 1879 (Noctuidae) Synonym(s): *micropales* Butler, 1879
 49732) *Rothia nigrescens* Rothschild, 1896 (Noctuidae) Synonym(s): *nigrescens* Rothschild, 1896
 49733) *Rothia pales* (Guérin-Ménéville, 1844) (Noctuidae) Synonym(s): *pales* Guérin-Ménéville, 1844
 49734) *Rothia panganica* Karsch, 1898 (Noctuidae) Synonym(s): *panganica* Karsch, 1898
 49735) *Rothia pedasus* (Herrich-Schäffer, 1853) (Noctuidae) Synonym(s): *pedasus* Herrich-Schäffer, 1853
 49736) *Rothia pentelia* (Druce, 1887) (Noctuidae) Synonym(s): *pentelia* Druce, 1887
 49737) *Rothia powelli* (Oberthür, 1909) (Noctuidae) Synonym(s): *powelli* Oberthür, 1909
 49738) *Rothia rhaeo* (Druce, 1894) (Noctuidae) Synonym(s): *rhaeo* Druce, 1894; *allaudi* Mabille, 1897
 49739) *Rothia simyra* Westwood, 1877 (Noctuidae) Synonym(s): *simyra* Westwood, 1877
 49740) *Rothia subterminalis* Hampson, 1911 (Noctuidae) Synonym(s): *subterminalis* Hampson, 1911
 49741) *Rothia thruppi* (Butler, 1885) (Noctuidae) Synonym(s): *thruppi* Butler, 1885
 49742) *Rothia tranquilla* (Butler, 1880) (Noctuidae) Synonym(s): *tranquilla* Butler, 1880; *epipales* Mabille, 1884
 49743) *Rothia virguncula* (Mabille, 1879) (Noctuidae) Synonym(s): *virguncula* Mabille, 1879; *metagrius* Butler, 1880
 49744) *Rothia watersi* (Butler, 1884) (Noctuidae) Synonym(s): *watersi* Butler, 1884
 49745) *Rothia westwoodi* Butler, 1879 (Noctuidae) Synonym(s): *westwoodi* Butler, 1879
 49746) *Rothia xanthopyga* (Mabille, 1890) (Noctuidae) Synonym(s): *xanthopyga* Mabille, 1890
 49747) *Rothia zea* (Herrich-Schäffer, 1853) (Noctuidae) Synonym(s): *zea* Herrich-Schäffer, 1853
 49748) *Rusicada nigratarsis xanthochroa* (Butler, 1886) (Noctuidae) Synonym(s): *xanthochroa* Butler, 1886
 49749) *Rusicada vulpina* (Butler, 1886) (Noctuidae) Synonym(s): *vulpina* Butler, 1886
 49750) *Rusina ferrosqualida* Simonyi, 1996 (Noctuidae) Synonym(s): *ferrosqualida* Simonyi, 1996
 49751) *Rusina ferruginea* (Esper, 1785) (Noctuidae) Synonym(s): *umbratica* Goeze, 1781; *ferruginea* Esper, 1785; *tenebrosa* Hübner, 1803; *phaeus* Haworth, 1803; *obsoletissima* Haworth, 1809.
 49752) *Ruttenstorferia bipartita* (Moore, 1882) (Noctuidae) Synonym(s): *bipartita* Moore, 1882
 49753) *Saalmuellerana media* (Walker, 1857) (Noctuidae) Synonym(s): *media* Walker, 1857
 49754) *Saalmuellerana schoenheiti* (Strand, 1912) (Noctuidae) Synonym(s): *schoenheiti* Strand, 1912
 49755) *Saigonita paradoxa* Kiriakoff, 1971 (Noctuidae) Synonym(s): *paradoxa* Kiriakoff, 1971
 49756) *Saragossa bergi* (Kuznetsov, 1908) (Noctuidae) Synonym(s): *bergi* Kuznetsov, 1908
 49757) *Saragossa porosa* (Eversmann, 1854) (Noctuidae) Synonym(s): *porosa* Eversmann, 1854
 49758) *Saragossa seeboldi* Staudinger, 1900 (Noctuidae) Synonym(s): *seeboldi* Staudinger, 1900
 49759) *Saragossa siccanorum* (Staudinger, 1870) (Noctuidae) Synonym(s): *siccanorum* Staudinger, 1870.
 49760) *Saragossa siccanorum albescentis* Gyulai & Varga, 2002 (Noctuidae) Synonym(s): *albescentis* Gyulai & Varga, 2002
 49761) *Saragossa siccanorum poecilographa* Varga & Ronkay, 1991 (Noctuidae) Synonym(s): *poecilographa* Varga & Ronkay, 1991
 49762) *Saragossa uralica* Hacker & Fibiger, 2002 (Noctuidae) Synonym(s): *uralica* Hacker & Fibiger, 2002
 49763) *Sarbanissa albifascia* (Walker, 1865) (Noctuidae) Synonym(s): *albifascia* Walker, 1865
 49764) *Sarbanissa bala* (Moore, 1865) (Noctuidae) Synonym(s): *bala* Moore, 1865
 49765) *Sarbanissa catacoloides* (Walker, 1862) (Noctuidae) Synonym(s): *catacoloides* Walker, 1862
 49766) *Sarbanissa dissimilis* (Swinhoe, 1890) (Noctuidae) Synonym(s): *dissimilis* Swinhoe, 1890
 49767) *Sarbanissa flavida* Leech, 1890 (Noctuidae) Synonym(s): *flavida* Leech, 1890
 49768) *Sarbanissa insocia* Walker, 1865 (Noctuidae) Synonym(s): *insocia* Walker, 1865; *catocalina* Walker, 1866; *exiguifascia* Swinhoe, 1892
 49769) *Sarbanissa interposita* Hampson, 1910 (Noctuidae) Synonym(s): *interposita* Hampson, 1910
 49770) *Sarbanissa longipennis* (Walker, 1865) (Noctuidae) Synonym(s): *longipennis* Walker, 1865
 49771) *Sarbanissa mandarina* Leech, 1890 (Noctuidae) Synonym(s): *mandarina* Leech, 1890
 49772) *Sarbanissa nepcha* (Moore, 1867) (Noctuidae) Synonym(s): *nepcha* Moore, 1867
 49773) *Sarbanissa subalba* (Leech, 1890) (Noctuidae) Synonym(s): *subalba* Leech, 1890
 49774) *Sarbanissa subflava* Moore, 1877 (Noctuidae) Synonym(s): *subflava* Moore, 1877; *jankowskii* Alpheraky, 1897
 49775) *Sarbanissa transiens* (Walker, 1856) (Noctuidae) Synonym(s): *transiens* Walker, 1856; *aegoceroides* R. Felder, 1874
 49776) *Sarbanissa tricycla* Sugi, 1993 (Noctuidae) Synonym(s): *tricycla* Sugi, 1993
 49777) *Sarbanissa venosa* (Moore, 1879) (Noctuidae) Synonym(s): *venosa* Moore, 1879
 49778) *Sarbanissa venusta* Leech, 1889 (Noctuidae) Synonym(s): *venusta* Leech, 1889
 49779) *Sarbanissa vitalis* (Jordan, 1926) (Noctuidae) Synonym(s): *vitalis* Jordan, 1926
 49780) *Sarbena hollowayi* Laszlo, Ronkay, Witt, 2004 (Noctuidae) Synonym(s): *hollowayi* Laszlo, Ronkay, Witt, 2004
 49781) *Sarbena inouei* Laszlo, Ronkay, Witt, 2004 (Noctuidae) Synonym(s): *inouei* Laszlo, Ronkay, Witt, 2004
 49782) *Sarbena ketipati* Laszlo, Ronkay, Witt, 2004 (Noctuidae) Synonym(s): *ketipati* Laszlo, Ronkay, Witt, 2004
 49783) *Sarbena lignifera* Walker, 1862 (Noctuidae) Synonym(s): *lignifera* Walker, 1862
 49784) *Sarbena sumatrana* Laszlo, Ronkay, Witt, 2004 (Noctuidae) Synonym(s): *sumatrana* Laszlo, Ronkay, Witt, 2004
 49785) *Sarbena ustipennis* (Hampson, 1895) (Noctuidae) Synonym(s): *ustipennis* Hampson, 1895

- 49786) *Sarmatia interitalis* Guenée, 1854 (Noctuidae) Synonym(s): *interitalis* Guenée, 1854; *aemusalis* Walker, 1862; *incongrualis* Walker, [1866].
- 49787) *Sarmatia talhouki* Wiltshire, 1982 (Noctuidae) Synonym(s): *talhouki* Wiltshire, 1982
- 49788) *Saroba cyanescens* Hampson, 1926 (Noctuidae) Synonym(s): *cyanescens* Hampson, 1926
- 49789) *Saroba finipalpis* (Walker, 1858) (Noctuidae) Synonym(s): *finipalpis* Walker, 1858
- 49790) *Saroba pansa* Swinhoe, 1902 (Noctuidae) Synonym(s): *pansa* Swinhoe, 1902
- 49791) *Saroba pustulifera* Walker, 1865 (Noctuidae) Synonym(s): *pustulifera* Walker, 1865
- 49792) *Sarobela litterata* (Pagenstecher, 1888) (Noctuidae) Synonym(s): *litterata* Pagenstecher, 1888; *biplagiata* Butler, 1889; *auroincta* Hampson, 1893; *spectabilis* Turner, 1936
- 49793) *Sarobides antecedens* Walker, 1864 (Noctuidae) Synonym(s): *antecedens* Walker, 1864
- 49794) *Sarobides inconclusa* Walker, [1863] (Noctuidae) Synonym(s): *inconclusa* Walker, [1863]
- 49795) *Sasunaga annularis* Kobes, 1983 (Noctuidae) Synonym(s): *annularis* Kobes, 1983
- 49796) *Sasunaga tenebrosa* (Moore, 1867) (Noctuidae) Synonym(s): *tenebrosa* Moore, 1867; *albigirata* W. Warren, 1913; *bistriga* W. Warren, 1913; *interstrigata* W. Warren, 1913; *longistriata* W. Warren, 1913; *dura* Strand, 1916; *kala* Strand, 1916
- 49797) *Savara contraria* Walker, 1862 (Noctuidae) Synonym(s): *contraria* Walker, 1862
- 49798) *Scambina roseipicta* (Druce, 1911) (Noctuidae) Synonym(s): *roseipicta* Druce, 1911
- 49799) *Schausia confluens* (Weymer, 1892) (Noctuidae) Synonym(s): *confluens* Weymer, 1892; *darocana* Druce, 1895
- 49800) *Schausia corydoni* (Rothschild, 1896) (Noctuidae) Synonym(s): *corydoni* Rothschild, 1896; *separata* Weymer, 1896
- 49801) *Schausia cosmetica* (Karsch, 1898) (Noctuidae) Synonym(s): *cosmetica* Karsch, 1898
- 49802) *Schausia costistrigata* Bethune-Baker, 1917 (Noctuidae) Synonym(s): *costistrigata* Bethune-Baker, 1917
- 49803) *Schausia dambuza* Kiriakoff, 1975 (Noctuidae) Synonym(s): *dambuza* Kiriakoff, 1975
- 49804) *Schausia daria* (Druce, 1895) (Noctuidae) Synonym(s): *daria* Druce, 1895; *triplagiata* Rothschild, 1896; *dispar* Kirby, 1896; *meraca* Karsch, 1898
- 49805) *Schausia gladiatoria* (Holland, 1893) (Noctuidae) Synonym(s): *gladiatoria* Holland, 1893
- 49806) *Schausia greenawayae* Stoneham, 1963 (Noctuidae) Synonym(s): *greenawayae* Stoneham, 1963
- 49807) *Schausia langazana* Kiriakoff, 1974 (Noctuidae) Synonym(s): *langazana* Kiriakoff, 1974
- 49808) *Schausia leona* (Schaus, 1893) (Noctuidae) Synonym(s): *leona* Schaus, 1893; *congoana* Jordan, 1908
- 49809) *Schausia mantatisi* Kiriakoff, 1975 (Noctuidae) Synonym(s): *mantatisi* Kiriakoff, 1975
- 49810) *Schausia memnonia* (Karsch, 1895) (Noctuidae) Synonym(s): *memnonia* Karsch, 1895
- 49811) *Schausia mkabi* Kiriakoff, 1974 (Noctuidae) Synonym(s): *mkabi* Kiriakoff, 1974
- 49812) *Schausia transiens* (Hampson, 1901) (Noctuidae) Synonym(s): *transiens* Hampson, 1901
- 49813) *Schausia triangularis* (Mabille, 1893) (Noctuidae) Synonym(s): *triangularis* Mabille, 1893; *astrapeus* Holland, 1893
- 49814) *Schinia cardui* (Hübner, 1790) (Noctuidae) Synonym(s): *cardui* Hübner, 1790; *purpurata* Staudinger, 1901; *majellana* Dannehl, 1933.
- 49815) *Schinia cognata* (Freyer, [1833]) (Noctuidae) Synonym(s): *cognata* Freyer, [1833]
- 49816) *Schinia imperialis* (Staudinger, 1871) (Noctuidae) Synonym(s): *imperialis* Staudinger, 1871
- 49817) *Schinia multiplex* (Draudt, 1935) (Noctuidae) Synonym(s): *multiplex* Draudt, 1935
- 49818) *Schinia purpurascens* (Tauscher, 1809) (Noctuidae) Synonym(s): *purpurascens* Tauscher, 1809; *pulchra* Eversmann, 1842
- 49819) *Schistorhynchus argentistriga* Hampson, 1898 (Noctuidae) Synonym(s): *argentistriga* Hampson, 1898
- 49820) *Schistorhynchus lobata* Prout, 1925 (Noctuidae) Synonym(s): *lobata* Prout, 1925
- 49821) *Schoeyenia arctica* Aurivillius, 1883 (Noctuidae) Synonym(s): *arctica* Aurivillius, 1883
- 49822) *Schrankia balneorum* (Alpheraky, 1880) (Noctuidae) Synonym(s): *balneorum* Alpheraky, 1880
- 49823) *Schrankia costaeirigalis* (Stephens, 1834) (Noctuidae) Synonym(s): *costaeirigalis* Stephens, 1834; *hartigi* Berio, 1991.
- 49824) *Schrankia intermediaris* Reid, 1972 (Noctuidae) Synonym(s): *intermediaris* Reid, 1972
- 49825) *Schrankia taenialis* (Hübner, [1809]) (Noctuidae) Synonym(s): *taenialis* Hübner, [1809]
- 49826) *Sciatta remota* (Druce, 1887) (Noctuidae) Synonym(s): *remota* Druce, 1887
- 49827) *Sciomesa mesoscia* (Hampson, 1918) (Noctuidae) Synonym(s): *mesoscia* Hampson, 1918
- 49828) *Sciomesa scotochroa* (Hampson, 1914) (Noctuidae) Synonym(s): *scotochroa* Hampson, 1914
- 49829) *Scleureuxia paradoxalis* (Berio, 1974) (Noctuidae) Synonym(s): *paradoxalis* Berio, 1974
- 49830) *Sclerogenia jessica* (Butler, 1878) (Noctuidae) Synonym(s): *jessica* Butler, 1878; *serena* Butler, 1879
- 49831) *Scodionyx mysticus* Staudinger, 1900 (Noctuidae) Synonym(s): *mysticus* Staudinger, 1900; *boursini* Warnecke, 1937; *balboi* C.G. Krüger, 1939; *lepinyei* Rungs, 1943.
- 49832) *Scoliopteryx aksuana* Sheljuzhko, 1955 (Noctuidae) Synonym(s): *aksuana* Sheljuzhko, 1955
- 49833) *Scoliopteryx libatrix* (Linnaeus, 1758) (Noctuidae) Synonym(s): *libatrix* Linnaeus, 1758; *salictaria* Poda, 1761; *modesta* Müller, 1764; *delicatula* Retzius, 1783; *libatrix* Havorth, 1809
- 49834) *Scotocampa crassipuncta* (Püngeler, 1905) (Noctuidae) Synonym(s): *crassipuncta* Püngeler, 1905
- 49835) *Scotocampa indigesta* Staudinger, 1888 (Noctuidae) Synonym(s): *indigesta* Staudinger, 1888
- 49836) *Scotocampa sheljuzhkoii* Gyulai & L. Ronkay, 2002 (Noctuidae) Synonym(s): *sheljuzhkoii* Gyulai & L. Ronkay, 2002
- 49837) *Scotochrosta pulla* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *#pulla* [Denis & Schiffermüller], 1775
- 49838) *Scotochrosta pulla caerulea* (Schwingenschuss, 1938) (Noctuidae) Synonym(s): *caerulea* Schwingenschuss, 1938
- 49839) *Scotochrosta pulla pulla* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *#pulla* [Denis & Schiffermüller], 1775
- 49840) *Scriptoplusia nigriluna* (Walker, 1858) (Noctuidae) Synonym(s): *nigriluna* Walker, 1858; *hokowensis* Chou & Lu, 1979; *kuznetsovi* Kljutschko, 1993
- 49841) *Scriptoplusia pulchrestigma* Behounek & Ronkay, 1994 (Noctuidae) Synonym(s): *pulchrestigma* Behounek & Ronkay, 1994
- 49842) *Scrobigeria albomarginata* (Moore, 1872) (Noctuidae) Synonym(s): *albomarginata* Moore, 1872; *fimbriata* Boisduval, 1874; *flavicincta* Boisduval, 1874; *opheltes* Druce, 1885; *candidemarginata* Poujade, 1891
- 49843) *Scrobigeria amatrix* (Westwood, 1848) (Noctuidae) Synonym(s): *amatrix* Westwood, 1848; *aruna* Moore, 1858; *chinensis* Jordan, 1907; *media* Jordan, 1912
- 49844) *Scrobigeria hesperioides* (Walker, 1862) (Noctuidae) Synonym(s): *hesperioides* Walker, 1862; *tricolor* Butler, 1875; *pulchra* Butler, 1875; *staudingeri* Oberthür, 1894
- 49845) *Scrobigeria niveifasciata* Rothschild, 1896 (Noctuidae) Synonym(s): *niveifasciata* Rothschild, 1896
- 49846) *Scrobigeria proxima* (Walker, 1854) (Noctuidae) Synonym(s): *proxima* Walker, 1854; *hesperioides* Walker, 1862; *clymene* Boisduval, 1874; *pulchra* Butler, 1875; *tricolor* Butler, 1875; *staudingeri* Oberthür, 1894
- 49847) *Scrobigeria semperi* (R. Felder & Rogenhofer, 1874) (Noctuidae) Synonym(s): *semperi* R. Felder & Rogenhofer, 1874
- 49848) *Scrobigeria vacillans* (Walker, 1864) (Noctuidae) Synonym(s): *vacillans* Walker, 1864; *eudamoides* Butler, 1875; *taeniata* Rothschild, 1903
- 49849) *Scrobigeria vulcanica* (Butler, 1875) (Noctuidae) Synonym(s): *vulcanica* Butler, 1875; *glossatrix* Westwood, 1881; *melania* De Joannis, 1900
- 49850) *Scythocentropus eberti* Hacker, 2001 (Noctuidae) Synonym(s): *eberti* Hacker, 2001
- 49851) *Scythocentropus inquinata* (Mabille, 1888) (Noctuidae) Synonym(s): *inquinata* Mabille, 1888; *mercedes* Pinker, 1974
- 49852) *Scythocentropus scripturosa* (Eversmann, 1854) (Noctuidae) Synonym(s): *scripturosa* Eversmann, 1854
- 49853) *Scythocentropus misella* (Püngeler, 1907) (Noctuidae) Synonym(s): *misella* Püngeler, 1907
- 49854) *Sedina buettneri* (Hering, 1858) (Noctuidae) Synonym(s): *buettneri* Hering, 1858
- 49855) *Selca latifascialis* Walker, 1865 (Noctuidae) Synonym(s): *latifascialis* Walker, 1865
- 49856) *Selenistis annulella* (Hampson, 1902) (Noctuidae) Synonym(s): *annulella* Hampson, 1902
- 49857) *Selenoperas caustiplaga* (Hampson, 1896) (Noctuidae) Synonym(s): *caustiplaga* Hampson, 1896; *fulviplaga* W. Warren, 1913
- 49858) *Selepa celtis* Moore, 1858 (Noctuidae) Synonym(s): *celtis* Moore, 1858
- 49859) *Selepa discigera* (Walker, 1864) (Noctuidae) Synonym(s): *discigera* Walker, 1864; *strigifera* Moore, 1885; *caniceps* Gaede, 1937; *hampsoni* Gaede, 1937; *walkeri* Gaede, 1937
- 49860) *Selepa docilis* Butler, 1881 (Noctuidae) Synonym(s): *docilis* Butler, 1881; *canofusa* Hampson, 1905
- 49861) *Selepa leucogonia* (Hampson, 1905) (Noctuidae) Synonym(s): *leucogonia* Hampson, 1905
- 49862) *Selepa molybdea* Hampson, 1912 (Noctuidae) Synonym(s): *molybdea* Hampson, 1912; *#singaporensis* Strand, 1917; *#discocellularis* Strand, 1917
- 49863) *Selepa murphyi* Holloway, 2003 (Noctuidae) Synonym(s): *murphyi* Holloway, 2003
- 49864) *Selepa nigralba* (Hampson, 1895) (Noctuidae) Synonym(s): *nigralba* Hampson, 1895
- 49865) *Selepa ocellata* Holloway, 2003 (Noctuidae) Synonym(s): *ocellata* Holloway, 2003
- 49866) *Selepa orange* Swinhoe, 1918 (Noctuidae) Synonym(s): *orange* Swinhoe, 1918
- 49867) *Selepa plumbeata* Hampson, 1912 (Noctuidae) Synonym(s): *plumbeata* Hampson, 1912

- 49868) *Selepa rufescens* Hampson, 1912 (Noctuidae) Synonym(s): *rufescens* Hampson, 1912
 49869) *Selepa transvalica* Hampson, 1912 (Noctuidae) Synonym(s): *transvalica* Hampson, 1912
 49870) *Semiothisops macariata* (Hampson, 1902) (Noctuidae) Synonym(s): *macariata* Hampson, 1902
 49871) *Sergiusia pentelia* (Druce, 1887) (Noctuidae) Synonym(s): *pentelia* Druce, 1887
 49872) *Serrodes campana* Guenée, 1852 (Noctuidae) Synonym(s): *campana* Guenée, 1852; *nigha* Guenée, 1852; *callipepla* Prout, 1929
 49873) *Serrodes flavicincta* Hampson, 1926 (Noctuidae) Synonym(s): *flavicincta* Hampson, 1926
 49874) *Serrodes partita* (Fabricius, 1775) (Noctuidae) Synonym(s): *partita* Fabricius, 1775; *inara* Cramer, [1780]; *basinigrum* Walker, 1858; *korana* R. Felder & Rogenhofer, 1874.
 49875) *Serrodes trispila* (Mabille, 1890) (Noctuidae) Synonym(s): *trispila* Mabille, 1890
 49876) *Sesamia albicolor* Janse, 1939 (Noctuidae) Synonym(s): *albicolor* Janse, 1939
 49877) *Sesamia albivena* Hampson, 1902 (Noctuidae) Synonym(s): *albivena* Hampson, 1902
 49878) *Sesamia atlantica* Boursin, 1944 (Noctuidae) Synonym(s): *atlantica* Boursin, 1944
 49879) *Sesamia botanephaga* Tams & Bowden, 1953 (Noctuidae) Synonym(s): *botanephaga* Tams & Bowden, 1953
 49880) *Sesamia calamistis* Hampson, 1910 (Noctuidae) Synonym(s): *calamistis* Hampson, 1910
 49881) *Sesamia coniota* Hampson, 1902 (Noctuidae) Synonym(s): *coniota* Hampson, 1902
 49882) *Sesamia cretica* Lederer, 1857 (Noctuidae) Synonym(s): *cretica* Lederer, 1857
 49883) *Sesamia epunctifera* Hampson, 1902 (Noctuidae) Synonym(s): *epunctifera* Hampson, 1902
 49884) *Sesamia excelsa* Laporte, 1976 (Noctuidae) Synonym(s): *excelsa* Laporte, 1976
 49885) *Sesamia geyri* (Strand, 1915) (Noctuidae) Synonym(s): *geyri* Strand, 1915
 49886) *Sesamia ilonae* Hacker, 2001 (Noctuidae) Synonym(s): *ilonae* Hacker, 2001
 49887) *Sesamia incerta* (Walker, 1856) (Noctuidae) Synonym(s): *incerta* Walker, 1856
 49888) *Sesamia inferens* (Walker, 1856) (Noctuidae) Synonym(s): *inferens* Walker, 1856; *transquilaris* Butler, 1880; *gracilis* Butler, 1880; *innocens* Butler, 1881.
 49889) *Sesamia jansci* Tams & Bowden, 1953 (Noctuidae) Synonym(s): *jansci* Tams & Bowden, 1953
 49890) *Sesamia lacteola* (Christoph, 1893) (Noctuidae) Synonym(s): *lacteola* Christoph, 1893
 49891) *Sesamia mesosticha* D.S. Fletcher, 1961 (Noctuidae) Synonym(s): *mesosticha* D.S. Fletcher, 1961
 49892) *Sesamia monodi* Rungs, 1963 (Noctuidae) Synonym(s): *monodi* Rungs, 1963
 49893) *Sesamia nonagrioides* (Lefèbvre, 1827) (Noctuidae) Synonym(s): *nonagrioides* Lefèbvre, 1827; *hesperica* Rambur, 1839; *sacchari* Wollaston, 1858; *gracilis* Rebel, 1898.
 49894) *Sesamia plagiographa* D.S. Fletcher, 1961 (Noctuidae) Synonym(s): *plagiographa* D.S. Fletcher, 1961
 49895) *Sesamia poephaga* Tams & Bowden, 1953 (Noctuidae) Synonym(s): *poephaga* Tams & Bowden, 1953
 49896) *Sesamia roseoflammata* Pinhey, 1956 (Noctuidae) Synonym(s): *roseoflammata* Pinhey, 1956
 49897) *Sesamia royi* Laporte, 1973 (Noctuidae) Synonym(s): *royi* Laporte, 1973
 49898) *Sesamia rubritincta* Hampson, 1902 (Noctuidae) Synonym(s): *rubritincta* Hampson, 1902
 49899) *Sesamia rufescens* Hampson, 1910 (Noctuidae) Synonym(s): *rufescens* Hampson, 1910
 49900) *Sesamia rungsi* Boursin, 1957 (Noctuidae) Synonym(s): *rungs* Boursin, 1957
 49901) *Sesamia sciagrapha* D.S. Fletcher, 1961 (Noctuidae) Synonym(s): *sciagrapha* D.S. Fletcher, 1961
 49902) *Sesamia simplaria* Rungs, 1962 (Noctuidae) Synonym(s): *simplaria* Rungs, 1962
 49903) *Sesamia steniptera* Hampson, 1914 (Noctuidae) Synonym(s): *steniptera* Hampson, 1914
 49904) *Sesamia stictica* Berio, 1976 (Noctuidae) Synonym(s): *stictica* Berio, 1976
 49905) *Sesamia sylvata* Janse, 1939 (Noctuidae) Synonym(s): *sylvata* Janse, 1939
 49906) *Sesamia taenioleuca* (Wallengren, 1866) (Noctuidae) Synonym(s): *taenioleuca* Wallengren, 1866
 49907) *Sesamia uniformis* (Dudgeon, 1905) (Noctuidae) Synonym(s): *uniformis* Dudgeon, 1905
 49908) *Sesamia vanharteni* Hacker & Fibiger, 2001 (Noctuidae) Synonym(s): *vanharteni* Hacker & Fibiger, 2001
 49909) *Sesamia viettei* Rungs, 1954 (Noctuidae) Synonym(s): *viettei* Rungs, 1954 MG
 49910) *Sesamia wiltshirei* Rungs, 1963 (Noctuidae) Synonym(s): *wiltshirei* Rungs, 1963
 49911) *Setoctena bothrophora* (Hampson, 1907) (Noctuidae) Synonym(s): *bothrophora* Hampson, 1907
 49912) *Setoctena dentula* (Lederer, 1870) (Noctuidae) Synonym(s): *dentula* Lederer, 1870
 49913) *Setoctena endoglaucia* (Hampson, 1910) (Noctuidae) Synonym(s): *endoglaucia* Hampson, 1910
 49914) *Setoctena ledereri* Wallengren, 1863 (Noctuidae) Synonym(s): *ledereri* Wallengren, 1863
 49915) *Setoctena piperitella* (Strand, 1909) (Noctuidae) Synonym(s): *piperitella* Strand, 1909; *carniola* Hampson, 1912.
 49916) *Setoctena stalii* Wallengren, 1863 (Noctuidae) Synonym(s): *stalii* Wallengren, 1863
 49917) *Sidemia spilogramma* (Rambur, 1871) (Noctuidae) Synonym(s): *spilogramma* Rambur, 1871
 49918) *Sidemia spodopteroidea* Hampson, 1908 (Noctuidae) Synonym(s): *spodopteroidea* Hampson, 1908
 49919) *Sideridis* (Aneda) *rivularis* (Fabricius, 1775) (Noctuidae) Synonym(s): *rivularis* Fabricius, 1775; *cucubali* [Denis & Schiffermüller], 1775; *rivosa* Ström, 1783; *behenis* Freyer, 1845.
 49920) *Sideridis* (Conisania) *arida* (Lederer, 1855) (Noctuidae) Synonym(s): *arida* Lederer, 1855
 49921) *Sideridis* (Conisania) *capsivora* (Draudt, 1933) (Noctuidae) Synonym(s): *capsivora* Draudt, 1933
 49922) *Sideridis* (Conisania) *evestigata* (Draudt, 1936) (Noctuidae) Synonym(s): *evestigata* Draudt, 1936
 49923) *Sideridis* (Conisania) *leineri* (Freyer, 1836) (Noctuidae) Synonym(s): *leineri* Freyer, 1836
 49924) *Sideridis* (Conisania) *leineri furcata* (Eversmann, 1837) (Noctuidae) Synonym(s): *furcata* Eversmann, 1837
 49925) *Sideridis* (Conisania) *poelli* (Stertz, 1915) (Noctuidae) Synonym(s): *poelli* Stertz, 1915
 49926) *Sideridis* (Conisania) *poelli ostrogovichii* Draudt, 1933 (Noctuidae) Synonym(s): *ostrogovichii* Draudt, 1933
 49927) *Sideridis* (Conisania) *renati* (Oberthür, 1890) (Noctuidae) Synonym(s): *renati* Oberthür, 1890
 49928) *Sideridis* (Conisania) *renati meszarosi* Varga, (Noctuidae) Synonym(s):
 49929) *Sideridis* (Conisania) *verhulsti* Gyulai & L. Ronkay, 1995 (Noctuidae) Synonym(s): *verhulsti* Gyulai & L. Ronkay, 1995
 49930) *Sideridis* (Conisania) *vidua* (Staudinger, 1888) (Noctuidae) Synonym(s): *vidua* Staudinger, 1888
 49931) *Sideridis* (Conisania) *xanthothrix* Boursin, 1960 (Noctuidae) Synonym(s): *xanthothrix* Boursin, 1960
 49932) *Sideridis* (Haderonidis) *costigerodes* (Poole, 1989) (Noctuidae) Synonym(s): *costigera* Moore, 1881 nec Wlk., 1858; *costigerodes* Poole, 1989
 49933) *Sideridis* (Luteohadena) *andalusica* (Staudinger, 1859) (Noctuidae) Synonym(s): *andalusica* Staudinger, 1859; *gedrensis* Schawerda, 1924.
 49934) *Sideridis* (Luteohadena) *andalusica barrettii* (Doubleday, 1864) (Noctuidae) Synonym(s): *barrettii* Doubleday, 1864
 49935) *Sideridis* (Luteohadena) *literata* (Fischer v. Waldheim, 1840) (Noctuidae) Synonym(s): *literata* Fischer v. Waldheim, 1840; *suffusa* De Freina, 1983.
 49936) *Sideridis* (Luteohadena) *literata literata* (Fischer de Waldheim, 1840) (Noctuidae) Synonym(s): *literata* Fischer v. Waldheim, 1840; *suffusa* De Freina, 1983.
 49937) *Sideridis* (Luteohadena) *literata subfusca* Hacker, 1996 (Noctuidae) Synonym(s): *subfusca* Hacker, 1996
 49938) *Sideridis* (Luteohadena) *luteago* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller], 1775; *brunneago* Esper, [1804]; *nigrescens* Wagner, 1926 (praecoc.); *ottomana* Koçak, 1990.
 49939) *Sideridis* (Luteohadena) *luteago behouneki* Freina, 1983 (Noctuidae) Synonym(s): *behouneki* Freina, 1983
 49940) *Sideridis* (Luteohadena) *luteago luteago* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller], 1775; *brunneago* Esper, [1804]; *nigrescens* Wagner, 1926 (praecoc.); *ottomana* Koçak, 1990.
 49941) *Sideridis* (Luteohadena) *luteago meridionalis* (Brandt, 1938) (Noctuidae) Synonym(s): *meridionalis* Brandt, 1938
 49942) *Sideridis* (Luteohadena) *luteago olbiena* (Geyer, [1834]) (Noctuidae) Synonym(s): *olbiena* (Geyer, [1834]; *seibelii* Fuchs, 1898; *dignensis* Turner, 1933.
 49943) *Sideridis* (Luteohadena) *zernyi* (Draudt, 1934) (Noctuidae) Synonym(s): *zernyi* Draudt, 1934
 49944) *Sideridis* (s.str.) *demotica* (Püngeler, 1902) (Noctuidae) Synonym(s): *demotica* Püngeler, 1902
 49945) *Sideridis* (s.str.) *egena* (Lederer, 1853) (Noctuidae) Synonym(s): *egena* Lederer, 1853; ? *stoliczkana* Moore, 1878
 49946) *Sideridis* (s.str.) *implexa* (Hübner, [1809]) (Noctuidae) Synonym(s): *implexa* Hübner, [1809]
 49947) *Sideridis* (s.str.) *lampra* (Schawerda, 1913) (Noctuidae) Synonym(s): *evidens* Hübner, [1808] nec Thunb., 1784; *lampra* Schawerda, 1913; *anapheles* Nye, 1975
 49948) *Sideridis* (s.str.) *peculiaris* (Staudinger, 1888) (Noctuidae) Synonym(s): *peculiaris* Staudinger, 1888
 49949) *Sideridis* (s.str.) *simplex* (Staudinger, 1889) (Noctuidae) Synonym(s): *simplex* Staudinger, 1889; *amydra* Püngeler, 1901; *roborowskii* Filipjev, 1928.
 49950) *Sideridis* (s.str.) *submarginalis* (Walker, 1869) (Noctuidae) Synonym(s): *submarginalis* Walker, 1869

- 49951) *Sideridis* (s.str.) *turbida* (Esper,[1790]) (Noctuidae) Synonym(s): *turbida* Esper,[1790]; *albicolon* Hübner,[1813]
 49952) *Siglophora bella* Butler,1892 (Noctuidae) Synonym(s): *bella* Butler,1892
 49953) *Siglophora cymographa* Hampson,1912 (Noctuidae) Synonym(s): *cymographa* Hampson,1912
 49954) *Siglophora ferreilutea* Hampson,1895 (Noctuidae) Synonym(s): *ferreilutea* Hampson,1895
 49955) *Siglophora haematica* Hampson,1905 (Noctuidae) Synonym(s): *haematica* Hampson,1905
 49956) *Siglophora haemoxantha* Zerny,1916 (Noctuidae) Synonym(s): *haemoxantha* Zerny,1916
 49957) *Siglophora hayata* Kobes,1997 (Noctuidae) Synonym(s): *hayata* Kobes,1997
 49958) *Siglophora langei* Kobes,1989 (Noctuidae) Synonym(s): *langei* Kobes,1989
 49959) *Siglophora malickyi* Kobes,1997 (Noctuidae) Synonym(s): *malickyi* Kobes,1997
 49960) *Siglophora sanguinolenta* (Moore,1888) (Noctuidae) Synonym(s): *sanguinolenta* Moore,1888
 49961) *Sigmuncus arcuata* (Hampson,1897) (Noctuidae) Synonym(s): *arcuata* Hampson,1897; *camptobasis* Hampson,1897
 49962) *Simplicia bimarginata* (Walker,[1863]) (Noctuidae) Synonym(s): *bimarginata* Walker,[1863]; *infausta* R.Felder & Rogenhofer,1874; *moorei* Swinhoe,1919
 49963) *Simplicia butesalis* Walker,[1859] (Noctuidae) Synonym(s): *butesalis* Walker,[1859]; *cinerealis* Walker,[1866]
 49964) *Simplicia caeneusalis* (Walker,[1859]) (Noctuidae) Synonym(s): *caeneusalis* Walker,[1859]; *robustalis* Walker,1866 *nec* Gn.,1854; *simulata* Moore,1882; *obiana* Swinhoe,1919; *lautokiensis* Prout,1933; *ryukyuensis* Sugi,1965; *buffetti* Holloway,1977
 49965) *Simplicia extinctalis* (Zeller,1852) (Noctuidae) Synonym(s): *extinctalis* Zeller,1852
 49966) *Simplicia inflexalis* Guenée,1854 (Noctuidae) Synonym(s): *inflexalis* Guenée,1854
 49967) *Simplicia lautokiensis* Prout,1933 (Noctuidae) Synonym(s): *lautokiensis* Prout,1933
 49968) *Simplicia marginata* (Moore,1882) (Noctuidae) Synonym(s): *marginata* Moore,1882
 49969) *Simplicia mistacalis* (Guenée,1854) (Noctuidae) Synonym(s): *mistacalis* Guenée,1854; *marginata* Moore,1882; *subterminalis* Draeseke,1928
 49970) *Simplicia rectalis* (Eversmann,1842) (Noctuidae) Synonym(s): *rectalis* Eversmann,1842
 49971) *Simplicia* sp.1 (Noctuidae) Synonym(s):
 49972) *Simplicia* sp.2 (Noctuidae) Synonym(s):
 49973) *Simplicia telamusalis* (Walker,[1859]) (Noctuidae) Synonym(s): *telamusalis* Walker,[1859]
 49974) *Simplicia xanthoma* Prout,1928 (Noctuidae) Synonym(s): *xanthoma* Prout,1928; *pseudoniphona* Sugi,1965
 49975) *Simyra albovenosa* (Goeze,1781) (Noctuidae) Synonym(s): *albovenosa* Goeze,1781; *venosa* Borkhausen,1792; *atomina* Haworth,1809.
 49976) *Simyra albovenosa albovenosa* (Goeze,1781) (Noctuidae) Synonym(s): *albovenosa* Goeze,1781
 49977) *Simyra albovenosa cretacea* (Wagner,1929) (Noctuidae) Synonym(s): *cretacea* Wagner,1929
 49978) *Simyra conspersa* (Moore,1881) (Noctuidae) Synonym(s): *conspersa* Moore,1881
 49979) *Simyra dentinosa* Freyer,1839 (Noctuidae) Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990
 49980) *Simyra nervosa* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *nervosa* [Denis & Schiffermüller],1775.
 49981) *Simyra nervosa argentacea* Herrich-Schäffer,1848 (Noctuidae) Synonym(s): *argentacea* Herrich-Schäffer,1848
 49982) *Simyra nervosa expressa* A.Bang-Haas,1912 (Noctuidae) Synonym(s): *expressa* A.Bang-Haas,1912
 49983) *Simyra nervosa lactea* Hacker & Kautt,1999 (Noctuidae) Synonym(s): *lactea* Hacker & Kautt,1999
 49984) *Simyra nervosa nervosa* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *nervosa* [Denis & Schiffermüller],1775.
 49985) *Simyra renimaculata* (Osthelder,1932) (Noctuidae) Synonym(s): *renimaculata* Osthelder,1932
 49986) *Simyra sincera* W.Warren,1914 (Noctuidae) Synonym(s): *sincera* W.Warren,1914
 49987) *Sinarella aegrota* (Butler,1879) (Noctuidae) Synonym(s): *aegrota* Butler,1879; *stigmatophora* Bryk,1948
 49988) *Sinarella discisigna* (Moore,1883) (Noctuidae) Synonym(s): *discisigna* Moore,1883
 49989) *Sinarella interrupta* (Wileman,1915) (Noctuidae) Synonym(s): *interrupta* Wileman,1915
 49990) *Singara diversalis* Walker,1865 (Noctuidae) Synonym(s): *diversalis* Walker,1865
 49991) *Sinna calospila* Walker,1865 (Noctuidae) Synonym(s): *calospila* Walker,1865; *haemacta* Snellen,1885
 49992) *Sinna floralis* Hampson,1905 (Noctuidae) Synonym(s): *floralis* Hampson,1905
 49993) *Sinna graciosa* Kononenko & Speidel,1999 (Noctuidae) Synonym(s): *graciosa* Kononenko & Speidel,1999
 49994) *Spaelotis clandestina* (Harris,1841) (Noctuidae) Synonym(s): *clandestina* Harris,1841; *unicolor* Walker,1856; *nigriceps* Walker,1865.
 49995) *Spaelotis demavendi* (F.Wagner,1937) (Noctuidae) Synonym(s): *demavendi* F.Wagner,1937
 49996) *Spaelotis deplorata* (Staudinger,1897) (Noctuidae) Synonym(s): *deplorata* Staudinger,1897; *defuncta* Staudinger,1897; *spania* Püngeler,1906
 49997) *Spaelotis dominans* (Corti & Draudt,1933) (Noctuidae) Synonym(s): *dominans* Corti & Draudt,1933
 49998) *Spaelotis ravidia* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *ravidia* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933.
 49999) *Spaelotis ravidia ravidia* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *ravidia* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933.
 50000) *Spaelotis ravidia stabulorum* (Bienert,1870) (Noctuidae) Synonym(s): *stabulorum* Bienert,1870
 50001) *Spaelotis restricta* Boursin,1968 (Noctuidae) Synonym(s): *restricta* Boursin,1968
 50002) *Spaelotis scotopsis* Boursin,1963 (Noctuidae) Synonym(s): *scotopsis* Boursin,1963
 50003) *Spaelotis senna* (Freyer,1829) (Noctuidae) Synonym(s): *senna* Freyer,1829; *senna* Geyer,[1832] *nec* Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934
 50004) *Spaelotis senna contorta* (Rebel & Zerny,[1932]) (Noctuidae) Synonym(s): *contorta* Rebel & Zerny,[1932]; *eisenbergeri* Hartig,1934; *iranica* Draudt,1938
 50005) *Spaelotis solida* (Erschoff,1870) (Noctuidae) Synonym(s): *solida* Erschoff,1870
 50006) *Spaelotis suecica* (Aurivillius,1890) (Noctuidae) Synonym(s): *suecica* Aurivillius,1890
 50007) *Spectronissa parallela* Sugi,1996 (Noctuidae) Synonym(s): *parallela* Sugi,1996
 50008) *Speia vuteria* (Stoll,1790) (Noctuidae) Synonym(s): *vuteria* Stoll,1790
 50009) *Speiredonia mutabilis* (Fabricius,1794) (Noctuidae) Synonym(s): *mutabilis* Fabricius,1794; *anops* Guenée,1852
 50010) *Speiredonia zamis* (Stoll,1790) (Noctuidae) Synonym(s): *zamis* Stoll,1790; *diops* Walker,1858; *retrahens* Walker,1858; *albifascia* Walker,1865; *conspicua* R.Felder & Rogenhofer,1874; *sumbana* Swinhoe,1918; *layardi* Hampson,1926
 50011) *Sphettia apicalis* Walker,1865 (Noctuidae) Synonym(s): *apicalis* Walker,1865; *biocellata* Moore,1879
 50012) *Sphingomorpha chlorea* (Cramer,1779) (Noctuidae) Synonym(s): *chlorea* Cramer,1779; *rapta* Fabricius,1787; *sipyla* Guenée,1852; *monteironis* Butler,1875
 50013) *Sphingomorpha marshalli* Hampson,1902 (Noctuidae) Synonym(s): *marshalli* Hampson,1902
 50014) *Sphragifera rejecta* (Fabricius,1775) (Noctuidae) Synonym(s): *rejecta* Fabricius,1775; *bimacula* Walker,1857; *stigmata* Hampson,1891; *obsolescens* W.Warren,1913
 50015) *Spirama glaucescens* (Butler,1893) (Noctuidae) Synonym(s): *glaucescens* Butler,1893
 50016) *Spirama griseisigna* (Hampson,1913) (Noctuidae) Synonym(s): *griseisigna* Hampson,1913
 50017) *Spirama helicina* (Hübner,1831) (Noctuidae) Synonym(s): *helicina* Hübner,1831; *japonica* Guenée,1852; *aegrota* Butler,1881
 50018) *Spirama inconspicua* (Herrich-Schäffer,[1854]) (Noctuidae) Synonym(s): *inconspicua* Herrich-Schäffer,[1854]
 50019) *Spirama miniata* (Wallengren,1856) (Noctuidae) Synonym(s): *miniata* Wallengren,1856
 50020) *Spirama retorta* (Clerk,1759) (Noctuidae) Synonym(s): *retorta* Clerk,1759; *spiralis* Fabricius,1775; *chimista* Kollar,[1844]; *suffumosa* Guenée,1852; *isabella* Guenée,1852; *cohaerens* Walker,1858; *martha* Butler,1878; *simplicior* Butler,1881; *jinchuena* Butler,1883; *inaequalis* Butler,1883
 50021) *Spodoptera aperturum* (Walker,1865) (Noctuidae) Synonym(s): *apertura* Walker,1865; *synstictis* Hampson,1896; *leucophlebia* Hampson,1902.
 50022) *Spodoptera cilium* Guenée,1852 (Noctuidae) Synonym(s): *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insulsa* Walker,1865; *imperviatia* Walker,1865; *retrahens* Walker,1870.
 50023) *Spodoptera exemptum* (Walker,[1857]) (Noctuidae) Synonym(s): *exempta* Walker,[1857]; *bipars* Walker,[1857]; *ingloria* Walker,1858.
 50024) *Spodoptera exiguum* (Hübner,[1808]) (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* Warren,1914; *protector* De Laever,1985.
 50025) *Spodoptera littoralis* (Boisduval,1833) (Noctuidae) Synonym(s): *littoralis* Boisduval,1833; *retina* Freyer,1845; *testaceoides* Guenée,1852; *metriodes* Bethune-Baker,1911.

- 50026) *Spodoptera liturum* (Fabricius,1775) (Noctuidae) Synonym(s): *litura* Fabricius,1775
 50027) *Spodoptera mauritium* (Boisduval,1833) (Noctuidae) Synonym(s): *mauritia* Boisduval,1833
 50028) *Spodoptera mauritium acronyctoides* Guenée,1852 (Noctuidae) Synonym(s): *acronyctoides* Guenée,1852
 50029) *Spodoptera pectens* Guenée,1852 (Noctuidae) Synonym(s): *pectens* Guenée,1852
 50030) *Spodoptera pectinicornis* (Hampson,1895) (Noctuidae) Synonym(s): *pectinicornis* Hampson,1895
 50031) *Spodoptera triturratum* (Walker,[1857]) (Noctuidae) Synonym(s): *triturrata* Walker,[1857]
 50032) *Spudaea castanea* Osthelder,1933 (Noctuidae) Synonym(s): *#castanea* Warren,1911; *castanea* Osthelder,1933; *pontica* Kljushko,1968
 50033) *Spudaea ruticilla* (Esper,[1791]) (Noctuidae) Synonym(s): *ruticilla* Esper,[1791]
 50034) *Standfussiana dalmata* (Staudinger,1901) (Noctuidae) Synonym(s): *dalmata* Staudinger,1901
 50035) *Standfussiana dalmata dalmata* (Staudinger,1901) (Noctuidae) Synonym(s): *dalmata* Staudinger,1901
 50036) *Standfussiana defessa* (Lederer,1858) (Noctuidae) Synonym(s): *defessa* Lederer,1858
 50037) *Standfussiana defessa defessa* (Lederer,1858) (Noctuidae) Synonym(s): *defessa* Lederer,1858
 50038) *Standfussiana defessa sturanyi* (Rebel,1906) (Noctuidae) Synonym(s): *Agrotis sturanyi* Rebel,1906, *Verh. zool.- bot. Ges. Wien* 56: 232. Syntypes: Kreta: Apendi Christos, 2100m.
 50039) *Standfussiana insulicola* (Turati,1919) (Noctuidae) Synonym(s): *insulicola* Turati,1919
 50040) *Standfussiana lucerneae* (Linnaeus,1758) (Noctuidae) Synonym(s): *lucernea* Linnaeus,1758
 50041) *Standfussiana lucerneae elbursica* Boursin,1963 (Noctuidae) Synonym(s): *elbursica* Boursin,1963
 50042) *Standfussiana lucerneae illyria* (Rebel & Zerny,1931) (Noctuidae) Synonym(s): *illyria* Rebel & Zerny,1931
 50043) *Standfussiana lucerneae kuruschicola* (Boursin,1940) (Noctuidae) Synonym(s): *kuruschicola* Boursin,1940
 50044) *Standfussiana lucerneae makaria* Fibiger & Nilsson,1999 (Noctuidae) Synonym(s): *makaria* Fibiger & Nilsson,1999
 50045) *Standfussiana nictymera* (Boisduval,[1837]) (Noctuidae) Synonym(s): *carriei* Boursin,1948.
 50046) *Standfussiana nictymera osmana* (Wagner,1929) (Noctuidae) Synonym(s): *osmana* Wagner,1929
 50047) *Standfussiana socors* (Corti,1925) (Noctuidae) Synonym(s): *socors* Corti,1925
 50048) *Standfussiana turbeti* (Le Cerf,1932) (Noctuidae) Synonym(s): *turbeti* Le Cerf,1932
 50049) *Standfussiana wiskotti* (Standfuss,1888) (Noctuidae) Synonym(s): *wiskotti* Standfuss,1888
 50050) *Staurophora celsia* (Linnaeus,1758) (Noctuidae) Synonym(s): *celsia* Linnaeus,1758
 50051) *Stemmaphora viola* Staudinger,1888 (Noctuidae) Synonym(s): *viola* Staudinger,1888
 50052) *Stenodrina aeschista* Boursin,1937 (Noctuidae) Synonym(s): *aeschista* Boursin,1937
 50053) *Stenodrina agramma* Brandt,1938 (Noctuidae) Synonym(s): *agramma* Brandt,1938
 50054) *Stenodrina eudiopsis* Boursin,1960 (Noctuidae) Synonym(s): *eudiopsis* Boursin,1960
 50055) *Stenodrina paupera* (Christoph,1885) (Noctuidae) Synonym(s): *paupera* Christoph,1885; *nitida* Püngeler,1914
 50056) *Stenoccia dos* (Freyer,1838) (Noctuidae) Synonym(s): *dos* Freyer,1838
 50057) *Stenopterygia monostigma* (Saalmüller,1891) (Noctuidae) Synonym(s): *monostigma* Saalmüller,1891
 50058) *Stenopterygia subcurva* (Walker,1857) (Noctuidae) Synonym(s): *subcurva* Walker,1857; *postica* Walker,1857; *calida* Walker,1862; *sikkima* Moore,1882; *monostigma* Saalmüller,1891
 50059) *Stenosomides mansoura* (Chrétien,1911) (Noctuidae) Synonym(s): *mansoura* Chrétien,1911
 50060) *Stenosomides spissilinea* Staudinger,1896 (Noctuidae) Synonym(s): *spissilinea* Staudinger,1896.
 50061) *Stenoticta grisea* Hampson,1912 (Noctuidae) Synonym(s): *grisea* Hampson,1912
 50062) *Stenoticta sibensis* Wiltshire,1977 (Noctuidae) Synonym(s): *sibensis* Wiltshire,1977
 50063) *Stictoptera antemarginata* Saalmüller,1880 (Noctuidae) Synonym(s): *antemarginata* Saalmüller,1880
 50064) *Stictoptera columba* (Walker,1856) (Noctuidae) Synonym(s): *columba* Walker,1856
 50065) *Stictoptera confluens* (Walker,[1858]) (Noctuidae) Synonym(s): *confluens* Walker,[1858]
 50066) *Stictoptera cucullioides* Guenée,1852 (Noctuidae) Synonym(s): *cucullioides* Guenée,1852; *subobliqua* Walker,[1858]; *variabilis* Moore,1882; *timesia* Swinhoe,1893
 50067) *Stictoptera describens* (Walker) (Noctuidae) Synonym(s):
 50068) *Stictoptera ferrifera* (Walker,[1863]) (Noctuidae) Synonym(s): *ferrifera* Walker,[1863]; *poliata* Swinhoe,1917; *melancholica* Prout,1922
 50069) *Stictoptera gabri* (Berio,1970) (Noctuidae) Synonym(s): *gabri* Berio,1970
 50070) *Stictoptera grisea* Moore,1867 (Noctuidae) Synonym(s): *grisea* Moore,1867; *variegata* Hampson,1912
 50071) *Stictoptera hepatica* Rebel,1915 (Noctuidae) Synonym(s): *hepatica* Rebel,1915
 50072) *Stictoptera macromma* Snellen,1880 (Noctuidae) Synonym(s): *macromma* Snellen,1880; *striata* Hampson,1894; *ochrota* Hampson,1912; *atrifera* Hampson,1912; *polysticta* Prout,1924
 50073) *Stictoptera signifera* (Walker,[1858]) (Noctuidae) Synonym(s): *signifera* Walker,[1858]; *ferromixta* Walker,[1863]; *humeralis* Walker,[1863]; *nigrilinea* Walker,[1863]; *transversa* Snellen,1877; *griseata* Hampson,1912; *poiensis* Prout,1926
 50074) *Stictoptera trajiciens* (Walker,[1858]) (Noctuidae) Synonym(s): *trajiciens* Walker,[1858]
 50075) *Stictoptera tridentifera* Holloway,1979 (Noctuidae) Synonym(s): *tridentifera* Holloway,1979
 50076) *Stigmoplusia chalcoides* (Dufay,1968) (Noctuidae) Synonym(s): *chalcoides* Dufay,1968
 50077) *Stigmoplusia paraplesia* Dufay,1972 (Noctuidae) Synonym(s): *paraplesia* Dufay,1972
 50078) *Stilbia andalusica* Staudinger,1892 (Noctuidae) Synonym(s): *andalusiaca* Staudinger,1892
 50079) *Stilbia anomala* (Haworth,1812) (Noctuidae) Synonym(s): *anomala* Haworth,1812
 50080) *Stilbia calberlae* (Failla-Tedaldi,1890) (Noctuidae) Synonym(s): *calberlae* Failla-Tedaldi,1890
 50081) *Stilbia faillae* Püngeler,1918 (Noctuidae) Synonym(s): *faillae* Püngeler,1918
 50082) *Stilbia philopalis* Graslin,1852 (Noctuidae) Synonym(s): *philopalis* Graslin,1852
 50083) *Stilbia syriaca* Staudinger,1892 (Noctuidae) Synonym(s): *syriaca* Staudinger,1892
 50084) *Stilbina hypaenides* Staudinger,1892 (Noctuidae) Synonym(s): *hypaenides* Staudinger,1892
 50085) *Stilbina olympica* Dierl & Povolny,1970 (Noctuidae) Synonym(s): *olympica* Dierl & Povolny,1970
 50086) *Stomafronta albifasciata* Hampson,1905 (Noctuidae) Synonym(s): *albifasciata* Hampson,1905
 50087) *Strongylosia semiflava* Hampson,1926 (Noctuidae) Synonym(s): *semiflava* Hampson,1926
 50088) *Sundwarda dohertyi* (Druce,1901) (Noctuidae) Synonym(s): *dohertyi* Druce,1901; *efulgida* Swinhoe,1901
 50089) *Supernola subrufa* Hampson,1918 (Noctuidae) Synonym(s): *subrufa* Hampson,1918
 50090) *Syagrana eremica* Wiltshire,1980 (Noctuidae) Synonym(s): *eremica* Wiltshire,1980
 50091) *Syiania bieti* (Oberthür,1897) (Noctuidae) Synonym(s): *bieti* Oberthür,1897
 50092) *Syiania dejeani* Oberthür,1893 (Noctuidae) Synonym(s): *dejeani* Oberthür,1893
 50093) *Syiania dubernardi* Oberthür,1893 (Noctuidae) Synonym(s): *dubernardi* Oberthür,1893
 50094) *Syiania girardeaui* Oberthür,1893 (Noctuidae) Synonym(s): *girardeaui* Oberthür,1893
 50095) *Syiania oberthueri* Alpheraky,1895 (Noctuidae) Synonym(s): *oberthueri* Alpheraky,1895
 50096) *Syanoidea schencki* Bartel,1903 (Noctuidae) Synonym(s): *schencki* Bartel,1903; *leighti* Joordan,1906; *schenci* Hampson,1920
 50097) *Sympis rufibasis* Guenée,1852 (Noctuidae) Synonym(s): *rufibasis* Guenée,1852
 50098) *Sympistis funebris* (Hübner,[1809]) (Noctuidae) Synonym(s): *funebris* Hübner,[1809]
 50099) *Sympistis heliophila* (Paykull,1793) (Noctuidae) Synonym(s): *heliophila* Paykull,1793
 50100) *Sympistis lapponica* (Thunberg,1791) (Noctuidae) Synonym(s): *lapponica* Thunberg,1791
 50101) *Sympistis nigrita* (Boisduval,1840) (Noctuidae) Synonym(s): *nigrita* Boisduval,1840
 50102) *Syncalama mimica* Hampson,1910 (Noctuidae) Synonym(s): *mimica* Hampson,1910
 50103) *Syncalama turneri* Tams,1930 (Noctuidae) Synonym(s): *turneri* Tams,1930
 50104) *Syngrapha ain* (Hochenwarth,1785) (Noctuidae) Synonym(s): *ain* Hochenwarth,1785
 50105) *Syngrapha devergans* (Hübner,[1813]) (Noctuidae) Synonym(s): *devergans* Hübner,[1813]
 50106) *Syngrapha diasema* (Boisduval,1829) (Noctuidae) Synonym(s): *diasema* Boisduval,1829
 50107) *Syngrapha interrogationis* (Linnaeus,1758) (Noctuidae) Synonym(s): *interrogationis* Linnaeus,1758; *aurosignata* Donovan,1808
 50108) *Syngrapha microgamma* (Hübner,[1823]) (Noctuidae) Synonym(s): *microgamma* Hübner,[1823]
 50109) *Syngrapha parilis* (Hübner,[1809]) (Noctuidae) Synonym(s): *parilis* Hübner,[1809]
 50110) *Syntheta nigerrima* (Guenée,1852) (Noctuidae) Synonym(s): *nigerrima* Guenée,1852

- 50111) *Synthymia exsiccata* W.Warren,1905 (Noctuidae) Synonym(s): *exsiccata* W.Warren,1905
- 50112) *Synthymia fixa* (Fabricius,1787) (Noctuidae) Synonym(s): *fixa* Fabricius,1787; *quadrifasciata* Villers,1789 nec Cl.,1759; *monogramma* Hübner,[1808]; *#diffusa* Strand,1912; *#suffusa* Strand,1912
- 50113) *Synpoides albilinea* Walker,1858 (Noctuidae) Synonym(s): *albilinea* Walker,1858
- 50114) *Synpoides chinensis* Berio,1958 (Noctuidae) Synonym(s): *chinensis* Berio,1958
- 50115) *Synpoides kirby* (Butler,1881) (Noctuidae) Synonym(s): *kirby* Butler,1881
- 50116) *Synpoides mandarina* (Leech,1900) (Noctuidae) Synonym(s): *mandarina* Leech,1900
- 50117) *Synpoides martina* R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): *martina* R.Felder & Rogenhofer,1874
- 50118) *Synpoides pannosa* (Moore,1882) (Noctuidae) Synonym(s): *pannosa* Moore,1882
- 50119) *Synpoides rholatinum* Prout,1926 (Noctuidae) Synonym(s): *rholatinum* Prout,1926
- 50120) *Tachosa acronyctoides* Walker,1869 (Noctuidae) Synonym(s): *acronyctoides* Walker,1869
- 50121) *Talhoukia feifae* Wiltshire,1986 (Noctuidae) Synonym(s): *feifae* Wiltshire,1986
- 50122) *Tamba bartelsi* Kobes,1977 (Noctuidae) Synonym(s): *bartelsi* Kobes,1977
- 50123) *Tamba bascripta* (Walker,1864) (Noctuidae) Synonym(s): *bascripta* Walker,1864; *mindoro* R.Felder & Rogenhofer,1874
- 50124) *Tamba coeoruleobasis* Kobes,1989 (Noctuidae) Synonym(s): *coeoruleobasis* Kobes,1989
- 50125) *Tamba cosmoloma* Prout,1926 (Noctuidae) Synonym(s): *cosmoloma* Prout,1926
- 50126) *Tamba decolor* (Walker,1865) (Noctuidae) Synonym(s): *decolor* Walker,1865; *submicacea* Walker,1869
- 50127) *Tamba diaphora* Prout,1932 (Noctuidae) Synonym(s): *diaphora* Prout,1932
- 50128) *Tamba dichroma* Prout,1932 (Noctuidae) Synonym(s): *dichroma* Prout,1932
- 50129) *Tamba euryodia* Prout,1932 (Noctuidae) Synonym(s): *euryodia* Prout,1932
- 50130) *Tamba griseipars* Hampson,1926 (Noctuidae) Synonym(s): *griseipars* Hampson,1926
- 50131) *Tamba igniflua* (Wileman & South,1917) (Noctuidae) Synonym(s): *igniflua* Wileman & South,1917
- 50132) *Tamba ionomera* Hampson,1926 (Noctuidae) Synonym(s): *ionomera* Hampson,1926
- 50133) *Tamba lahera* Swinhoe,1897 (Noctuidae) Synonym(s): *lahera* Swinhoe,1897
- 50134) *Tamba lala* (Swinhoe,1900) (Noctuidae) Synonym(s): *lala* Swinhoe,1900
- 50135) *Tamba mnionomera* Hampson,1926 (Noctuidae) Synonym(s): *mnionomera* Hampson,1926
- 50136) *Tamba multiplaga* (Swinhoe,1901) (Noctuidae) Synonym(s): *multiplaga* Swinhoe,1901
- 50137) *Tamba nagadeboides* (Strand,1920) (Noctuidae) Synonym(s): *nagadeboides* Strand,1920
- 50138) *Tamba nigrilineata* (Wileman,1915) (Noctuidae) Synonym(s): *nigrilineata* Wileman,1915
- 50139) *Tamba ochra* Prout,1932 (Noctuidae) Synonym(s): *ochra* Prout,1932
- 50140) *Tamba pallidiplaga* (Swinhoe,1905) (Noctuidae) Synonym(s): *pallidiplaga* Swinhoe,1905
- 50141) *Tamba reduplicalis* Walker,[1866] (Noctuidae) Synonym(s): *reduplicalis* Walker,[1866]
- 50142) *Tamba roseopurpurea* Sugi,1982 (Noctuidae) Synonym(s): *roseopurpurea* Sugi,1982
- 50143) *Tamba sidonalis* (Swinhoe,1917) (Noctuidae) Synonym(s): *sidonalis* Swinhoe,1917
- 50144) *Tamba sobana* Kobes,1989 (Noctuidae) Synonym(s): *sobana* Kobes,1989
- 50145) *Tamba sp. n.* Holloway,2005 (Noctuidae) Synonym(s):
- 50146) *Tamba taiwana* Yoshimoto,2002 (Noctuidae) Synonym(s): *taiwana* Yoshimoto,2002
- 50147) *Tamba usurpatalis* (Walker,1858) (Noctuidae) Synonym(s): *usurpatalis* Walker,1858
- 50148) *Tamba venusta* (Hampson,1898) (Noctuidae) Synonym(s): *venusta* Hampson,1898
- 50149) *Tamba vinolia* (Hampson,1895) (Noctuidae) Synonym(s): *vinolia* Hampson,1895
- 50150) *Tambana albiplaga* (W.Warren,1912) (Noctuidae) Synonym(s): *albiplaga* W.Warren,1912
- 50151) *Tambana arctoides* Speidel & Kononenko,1998 (Noctuidae) Synonym(s): *arctoides* Speidel & Kononenko,1998
- 50152) *Tambana behouneki* Speidel & Kononenko,1998 (Noctuidae) Synonym(s): *behouneki* Speidel & Kononenko,1998
- 50153) *Tambana bella* (Mell,1935) (Noctuidae) Synonym(s): *bella* Mell,1935; *chekiana* Draudt,1937; *quadrata* Berio,1973
- 50154) *Tambana burmana* (Berio,1973) (Noctuidae) Synonym(s): *burmana* Berio,1973
- 50155) *Tambana endoxantha* (Hampson,1894) (Noctuidae) Synonym(s): *endoxantha* Hampson,1894; *#entoxantha* Speidel & Kononenko,1998
- 50156) *Tambana glauca* (Hampson,1898) (Noctuidae) Synonym(s): *glauca* Hampson,1898
- 50157) *Tambana klapperichii* (Mell,1958) (Noctuidae) Synonym(s): *klapperichii* Mell,1958
- 50158) *Tambana naumanni* Speidel & Kononenko,1998 (Noctuidae) Synonym(s): *naumanni* Speidel & Kononenko,1998
- 50159) *Tambana plumbea* (Butler,1881) (Noctuidae) Synonym(s): *plumbea* Butler,1881; *ripleyi* Holland,1889
- 50160) *Tambana ronnyi* (Thöny,1996) (Noctuidae) Synonym(s): *ronnyi* Thöny,1996
- 50161) *Tambana sp.* (Noctuidae) Synonym(s):
- 50162) *Tambana subflava* (Wileman,1911) (Noctuidae) Synonym(s): *subflava* Wileman,1911; *albitessellata* Hampson,1913
- 50163) *Tambana succinta* Berio,1973 (Noctuidae) Synonym(s): *succinta* Berio,1973
- 50164) *Tambana variegata* Moore,1882 (Noctuidae) Synonym(s): *variegata* Moore,1882
- 50165) *Tamsia hieroglyphica* (Swinhoe,1902) (Noctuidae) Synonym(s): *hieroglyphica* Swinhoe,1902
- 50166) *Tamsola tarda* Wiltshire,1946 (Noctuidae) Synonym(s): *tarda* Wiltshire,1946
- 50167) *Tanocryx pinheyi* Viette,1973 (Noctuidae) Synonym(s): *pinheyi* Viette,1973
- 50168) *Tarachebia hueberi* (Erschoff,1874) (Noctuidae) Synonym(s): *hueberi* Erschoff,1874
- 50169) *Targalla albiceps* (Hampson,1894) (Noctuidae) Synonym(s): *albiceps* Hampson,1894; *picticolor* Hampson,1896; *ioda* Swinhoe,1899
- 50170) *Targalla apicifascia* (Hampson,1894) (Noctuidae) Synonym(s): *apicifascia* Hampson,1894; *mediofusca* Bethune-Baker,1906; *dinawa* Bethune-Baker,1906
- 50171) *Targalla atripars* (Hampson,1912) (Noctuidae) Synonym(s): *atripars* Hampson,1912
- 50172) *Targalla delatrix* (Guenée,1852) (Noctuidae) Synonym(s): *delatrix* Guenée,1852; *infida* Walker,[1858]; *phusioides* Walker,1865; *impleta* Walker,1865; *praetexta* R.Felder & Rogenhofer,1874; *#intda* Kononenko & Pinratana,2005
- 50173) *Targalla subocellata* (Walker,[1863]) (Noctuidae) Synonym(s): *subocellata* Walker,[1863]
- 50174) *Targalla sugii* Holloway,1985 (Noctuidae) Synonym(s): *sugii* Holloway,1985
- 50175) *Tathorhynchus camerounica* Hayes,1980 (Noctuidae) Synonym(s): *camerounica* Hayes,1980; *#camerouica* Hayes,1980
- 50176) *Tathorhynchus exsiccatus* (Lederer,1855) (Noctuidae) Synonym(s): *exsiccata* Lederer,1855; *vinctalis* Walker,[1866]; *angustiorata* Grote,1882; *#exiccata* Wiltshire,1941; *greuteri* Koutsaftikis,1973
- 50177) *Tathorhynchus exsiccatus fallax* Swinhoe,1902 (Noctuidae) Synonym(s): *fallax* Swinhoe,1902
- 50178) *Tathorhynchus homogyna* Hampson,1902 (Noctuidae) Synonym(s): *homogyna* Hampson,1902
- 50179) *Tathorhynchus homogyna malagasy* Viette,1967 (Noctuidae) Synonym(s): *malagasy* Viette,1967
- 50180) *Tathorhynchus leucobasis* Bethune-Baker,1911 (Noctuidae) Synonym(s): *leucobasis* Bethune-Baker,1911
- 50181) *Tathorhynchus nigra* (Viette,1954) (Noctuidae) Synonym(s): *nigra* Viette,1954
- 50182) *Tathorhynchus plumbea* (Distant,1898) (Noctuidae) Synonym(s): *plumbea* Distant,1898
- 50183) *Tathorhynchus troberti* (Guenée,1852) (Noctuidae) Synonym(s): *troberti* Guenée,1852
- 50184) *Tathothripa continua* (Walker,1862) (Noctuidae) Synonym(s): *continua* Walker,1862; *deflexa* Walker,1862; *inclusens* Walker,1862; *leucorrhiza* R.Felder & Rogenhofer,1875; *#subdeflexa* Strand,1917
- 50185) *Tatorinia fumipennis* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *fumipennis* R.Felder & Rogenhofer,1874; *burrowsi* Butler,1875
- 50186) *Tatrorhynchus philbyi* Wiltshire,1986 (Noctuidae) Synonym(s): *philbyi* Wiltshire,1986
- 50187) *Taveta eucosmia* Hampson,1926 (Noctuidae) Synonym(s): *eucosmia* Hampson,1926
- 50188) *Tavia instruens* Walker,1858 (Noctuidae) Synonym(s): *instruens* Walker,1858
- 50189) *Tavia latebra* Hampson,1926 (Noctuidae) Synonym(s): *latebra* Hampson,1926
- 50190) *Tavia nycterina* (Boisduval,1833) (Noctuidae) Synonym(s): *nycterina* Boisduval,1833; *instruens* Walker,1858
- 50191) *Taviodes discomma* Hampson,1926 (Noctuidae) Synonym(s): *discomma* Hampson,1926
- 50192) *Taviodes fulvescens* Hampson,1926 (Noctuidae) Synonym(s): *fulvescens* Hampson,1926
- 50193) *Taviodes subjecta* (Walker,1865) (Noctuidae) Synonym(s): *subjecta* Walker,1865
- 50194) *Tegiapa larentiodes* (Prout,1922) (Noctuidae) Synonym(s): *larentiodes* Prout,1922
- 50195) *Teinoptera culminifera* Calberla,1891 (Noctuidae) Synonym(s): *culminifera* Calberla,1891; *kraussi* Rebel,1895

- 50196) *Teinoptera gafsana* (Blachier,1905) (Noctuidae) Synonym(s): *gafsana* Blachier,1905; *gassana* Hampson,1906; *albina* A.Bang-Haas,1907; *pianii* C.G.Krüger,1933
- 50197) *Teinoptera lunaki* (Boursin,1940) (Noctuidae) Synonym(s): *lunaki* Boursin,1940
- 50198) *Teinoptera lunaki boursini* (Pinker,1945) (Noctuidae) Synonym(s): *boursini* Pinker,1945
- 50199) *Teinoptera lunaki lunaki* (Boursin,1940) (Noctuidae) Synonym(s): *lunaki* Boursin,1940
- 50200) *Teinoptera lunaki moreana* (Thurner,1967) (Noctuidae) Synonym(s): *moreana* Thurner,1967
- 50201) *Teinoptera oliva* (Staudinger,1895) (Noctuidae) Synonym(s): *oliva* Staudinger,1895
- 50202) *Teinoptera olivina* (Herrich-Schäffer,1852) (Noctuidae) Synonym(s): *olivina* Herrich-Schäffer,1852
- 50203) *Teinoptera olivina delibatica* (G.Ronkay & L.Ronkay,1995) (Noctuidae) Synonym(s): *delibatica* G.Ronkay & L.Ronkay,1995
- 50204) *Teinoptera olivina olivina* (Herrich-Schäffer,1852) (Noctuidae) Synonym(s): *olivina* Herrich-Schäffer,1852
- 50205) *Teinoptera olivina pseudoliva* (Pinker,1980) (Noctuidae) Synonym(s): *pseudoliva* Pinker,1980
- 50206) *Tephralia vausema* Hampson,1926 (Noctuidae) Synonym(s): *vausema* Hampson,1926
- 50207) *Tephriopsis divulsa* (Walker,1865) (Noctuidae) Synonym(s): *divulsa* Walker,1865
- 50208) *Tetracme truncataria* (Walker,1861) (Noctuidae) Synonym(s): *truncataria* Walker,1861
- 50209) *Thalatha argentea* Warren,1912 (Noctuidae) Synonym(s): *argentea* Warren,1912
- 50210) *Thalatha artificiosa* Turner,1936 (Noctuidae) Synonym(s): *artificiosa* Turner,1936
- 50211) *Thalatha ekeikei* (Bethune-Baker,1906) (Noctuidae) Synonym(s): *ekeikei* Bethune-Baker,1906
- 50212) *Thalatha hippolopha* Turner,1936 (Noctuidae) Synonym(s): *hippolopha* Turner,1936
- 50213) *Thalatha japonica* Sugi,1982 (Noctuidae) Synonym(s): *japonica* Sugi,1982
- 50214) *Thalatha kebeae* (Bethune-Baker,1906) (Noctuidae) Synonym(s): *kebeae* Bethune-Baker,1906; *cebeae* Hampson,1909
- 50215) *Thalatha melanophricea* Turner,1922 (Noctuidae) Synonym(s): *melanophricea* Turner,1922
- 50216) *Thalatha melanostrota* Hampson,1916 (Noctuidae) Synonym(s): *melanostrota* Hampson,1916
- 50217) *Thalatha occidens* Hampson,1911 (Noctuidae) Synonym(s): *occidens* Hampson,1911
- 50218) *Thalatha psorallina* Lower,1903 (Noctuidae) Synonym(s): *psorallina* Lower,1903
- 50219) *Thalatha sinens* (Walker,1857) (Noctuidae) Synonym(s): *sinens* Walker,1857; *ioleuca* Prout,1928
- 50220) *Thalatha sinens* (Walker,1857) (Noctuidae) Synonym(s): *sinens* Walker,1857; *accreta* W.Warren,1913
- 50221) *Thalathoides conjecturalis* (Swinhoe,1890) (Noctuidae) Synonym(s): *conjecturalis* Swinhoe,1890
- 50222) *Thalpophila matura* (Hufnagel,1766) (Noctuidae) Synonym(s): *matura* Hufnagel,1766; *texta* Esper,1787; *cytherea* Fabricius,1794; *provincialis* Culot,1912.
- 50223) *Thalpophila matura matura* (Hufnagel,1766) (Noctuidae) Synonym(s): *matura* Hufnagel,1766; *texta* Esper,1787; *cytherea* Fabricius,1794; *provincialis* Culot,1912.
- 50224) *Thalpophila vitalba* (Freyer,1834) (Noctuidae) Synonym(s): *vitalba* Freyer,1834
- 50225) *Thargelia arenicola* Stshetkin,1965 (Noctuidae) Synonym(s): *arenicola* Stshetkin,1965
- 50226) *Thargelia distincta* (Christoph,1884) (Noctuidae) Synonym(s): *distincta* Christoph,1884; *megastigma* Warren,1909.
- 50227) *Thargelia fissilis* (Christoph,1884) (Noctuidae) Synonym(s): *fissilis* Christoph,1884
- 50228) *Thargelia gigantea* Rebel,1909 (Noctuidae) Synonym(s): *gigantea* Rebel,1909; *griseola* Rothschild,1913; *grazianii* C.G.Krüger,1933.
- 50229) *Thargelia haloxyleti* Varga & L.Ronkay,1991 (Noctuidae) Synonym(s): *haloxyleti* Varga & L.Ronkay,1991
- 50230) *Thargelia leucostigma* Varga & L.Ronkay,1991 (Noctuidae) Synonym(s): *leucostigma* Varga & L.Ronkay,1991
- 50231) *Thargelia sitiens* Püngeler,1914 (Noctuidae) Synonym(s): *sitiens* Püngeler,1914
- 50232) *Thargelia spinipes* Sukhareva,1970 (Noctuidae) Synonym(s): *spinipes* Sukhareva,1970
- 50233) *Thargelia tranquilla* Sukhareva,1970 (Noctuidae) Synonym(s): *tranquilla* Sukhareva,1970
- 50234) *Thecobathra lambda* Moriuti,1963 (Noctuidae) Synonym(s): *lambda* Moriuti,1963
- 50235) *Thiacidas postica* Walker,1855 (Noctuidae) Synonym(s): *postica* Walker,1855; *cheituna* Brandt,1939
- 50236) *Tholera cespitis* (Goeze,1781) (Noctuidae) Synonym(s): *#cespitis* [Denis & Schiffermüller],1775; *cespitis* Goeze,1781; *hordei* Schrank,1801; *autumnalis* Curtis,1827; *confinis* Stephens,1829; *desylessi* Boisduval,1840; *chloris* Milliere,1883; *decolor* Sohn,1896.
- 50237) *Tholera cespitis armena* Hacker,1987 (Noctuidae) Synonym(s): *armena* Hacker,1987
- 50238) *Tholera cespitis cespitis* (Goeze,1781) (Noctuidae) Synonym(s): *#cespitis* [Denis & Schiffermüller],1775; *cespitis* Goeze,1781; *hordei* Schrank,1801; *autumnalis* Curtis,1827; *confinis* Stephens,1829; *desylessi* Boisduval,1840; *chloris* Milliere,1883; *decolor* Sohn,1896.
- 50239) *Tholera decimalis* (Poda,1761) (Noctuidae) Synonym(s): *decimalis* Poda,1761; *popularis* Fabricius,1775; *lolii* Esper,1785; *typicoides* Donovan,1811; *nervosa* Zerny,1927.
- 50240) *Tholera hiliaris* (Staudinger,1901) (Noctuidae) Synonym(s): *hiliaris* Staudinger,1901; *gracilis* Kostrowicki,1963
- 50241) *Thria decaryi* Viette,1966 (Noctuidae) Synonym(s): *decaryi* Viette,1966; *malgassica* Berio,1966
- 50242) *Thria robusta* Walker,1858 (Noctuidae) Synonym(s): *anysa* auct.; *robusta* Walker,1858; *fugitiva* Walker,1858; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
- 50243) *Throana* sp. (Noctuidae) Synonym(s):
- 50244) *Throana xyloglypta* (Lucas,1890) (Noctuidae) Synonym(s): *xyloglypta* Lucas,1890
- 50245) *Thyas arcifera* (Hampson,1913) (Noctuidae) Synonym(s): *arcifera* Hampson,1913
- 50246) *Thyas coronata* (Fabricius,1775) (Noctuidae) Synonym(s): *coronata* Fabricius,1775; *leonina* Fabricius,1775; *ancilla* Fabricius,1794; *magica* Hübner,1831; *ponderosa* Mabilie,1879
- 50247) *Thyas honesta* Hübner,1824 (Noctuidae) Synonym(s): *honesta* Hübner,1824
- 50248) *Thyas junio* (Dalman,1823) (Noctuidae) Synonym(s): *juno* Dalman,1823; *elegans* Hoeven,1840; *multicolor* Guenée,1852; *bella* Bremer & Grey,1853; *#renalis* Bryk,1948
- 50249) *Thyas miniacea* (Felder) (Noctuidae) Synonym(s):
- 50250) *Thyas miniacea regia* Lucas,1894 (Noctuidae) Synonym(s): *regia* Lucas,1894
- 50251) *Thyas miniacea rubrior* Holloway,1979 (Noctuidae) Synonym(s): *rubrior* Holloway,1979
- 50252) *Thyas parallelipeda* (Guenée,1852) (Noctuidae) Synonym(s): *parallelipeda* Guenée,1852; *saalmülleri* Mabilie,1879
- 50253) *Thyas rubricata* (Holland,1894) (Noctuidae) Synonym(s): *rubricata* Holland,1894; *daseia* Fawcett,1902; *ignicans* Hampson,1902
- 50254) *Thyatirina achatina* (Weymer,1896) (Noctuidae) Synonym(s): *achatina* Weymer,1896
- 50255) *Thyrostipa sphaeriophora* (Moore,1867) (Noctuidae) Synonym(s): *sphaeriophora* Moore,1867; *#sphaeriophora* Kononenko & Pinratana,2005
- 50256) *Thysanoplusia* (Daubeiplusia) *daubei* (Boisduval,1840) (Noctuidae) Synonym(s): *daubei* Boisduval,1840; *ciliaris* Walker,1858
- 50257) *Thysanoplusia* (Daubeiplusia) *lectula* (Walker,1858) (Noctuidae) Synonym(s): *lectula* Walker,1858; *calitura* R.Felder & Rogenhofer,1874; *longisigna* Chou & Lu,1979
- 50258) *Thysanoplusia* (s.str.) *brechlini* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *brechlini* Behounek & L.Ronkay,1999
- 50259) *Thysanoplusia* (s.str.) *cernyi* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *cernyi* Behounek & L.Ronkay,1999
- 50260) *Thysanoplusia* (s.str.) *intermixta* (W.Warren,1913) (Noctuidae) Synonym(s): *intermixta* W.Warren,1913; *brachycalcea* Hampson,1913
- 50261) *Thysanoplusia* (s.str.) *orichalcea* (Fabricius,1775) (Noctuidae) Synonym(s): *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,1813.
- 50262) *Thysanoplusia* (s.str.) *reticulata* (Moore,1882) (Noctuidae) Synonym(s): *reticulata* Moore,1882; *brevistriata* Chou & Lu,1979
- 50263) *Timora albisticta* Janse,1917 (Noctuidae) Synonym(s): *albisticta* Janse,1917
- 50264) *Timora daphoena* Hampson,1910 (Noctuidae) Synonym(s): *daphoena* Hampson,1910
- 50265) *Timora diarhoda* Hampson,1909 (Noctuidae) Synonym(s): *diarhoda* Hampson,1909
- 50266) *Tinolius eburneiguttus* Walker,1855 (Noctuidae) Synonym(s): *eburneigutta* Walker,1855
- 50267) *Tinolius hypsanus* Swinhoe,1889 (Noctuidae) Synonym(s): *hypsana* Swinhoe,1889
- 50268) *Tinolius quadrimaculatus* Walker,1865 (Noctuidae) Synonym(s): *quadrimaculata* Walker,1865
- 50269) *Tipasa nebulosella* Walker,1863 (Noctuidae) Synonym(s): *nebulosella* Walker,1863
- 50270) *Tipasa* sp. (Noctuidae) Synonym(s):
- 50271) *Tiracola aureata* Holloway,1989 (Noctuidae) Synonym(s): *aureata* Holloway,1989
- 50272) *Tiracola circularis* Holloway,1979 (Noctuidae) Synonym(s): *circularis* Holloway,1979
- 50273) *Tiracola plagiata* (Walker,1857) (Noctuidae) Synonym(s): *plagiata* Walker,1857; *#nigriclathrata* W.Warren,1915

- 50274) *Tiracola rufimargo* W.Warren,1912 (Noctuidae) Synonym(s): *rufimargo* W.Warren,1912; *#derufata* W.Warren,1915; *#albifusca* W.Warren,1915
50275) *Tiracola rufimargo samoensis* Tams,1935 (Noctuidae) Synonym(s): *samoensis* Tams,1935
50276) *Tiracola tabwemasana* Holloway,1979 (Noctuidae) Synonym(s): *tabwemasana* Holloway,1979
50277) *Tiridata samoana* (Butler,1886) (Noctuidae) Synonym(s): *samoana* Butler,1886
50278) *Tiruvaca subcostalis* (Walker,1865) (Noctuidae) Synonym(s): *subcostalis* Walker,1865
50279) *Titulcia confictella* Walker,1864 (Noctuidae) Synonym(s): *confictella* Walker,1864; *quensta* Swinhoe,1903
50280) *Titulcia eximia* Walker,1864 (Noctuidae) Synonym(s): *eximia* Walker,1864
50281) *Titulcia meterythra* Hampson,1905 (Noctuidae) Synonym(s): *meterythra* Hampson,1905
50282) *Titulcia rufimargo* Hampson,1912 (Noctuidae) Synonym(s): *rufimargo* Hampson,1912
50283) *Toana atridiscata* Pinhey,1968 (Noctuidae) Synonym(s): *atridiscata* Pinhey,1968
50284) *Toana flaviceps* Hampson,1918 (Noctuidae) Synonym(s): *flaviceps* Hampson,1918
50285) *Tochara creberrima* (Walker,1858) (Noctuidae) Synonym(s): *creberrima* Walker,1858; *pyralina* Moore,1877; *obliqua* Moore,1882; *salea* Swinhoe,1919; *gilloloensis* Swinhoe,1919
50286) *Tolna complicata* (Butler,1880) (Noctuidae) Synonym(s): *complicata* Butler,1880
50287) *Tolna demavulata* Strand,1913 (Noctuidae) Synonym(s): *demavulata* Strand,1913
50288) *Tolna limula* (Möschler,1883) (Noctuidae) Synonym(s): *limula* Möschler,1883
50289) *Tolna macrosema* Hampson,1913 (Noctuidae) Synonym(s): *macrosema* Hampson,1913
50290) *Tolna sinifera* Hampson,1913 (Noctuidae) Synonym(s): *sinifera* Hampson,1913
50291) *Tolna synpoides* (Butler,1878) (Noctuidae) Synonym(s): *synpoides* Butler,1878
50292) *Tolna variegata* (Hampson,1905) (Noctuidae) Synonym(s): *variegata* Hampson,1905
50293) *Tolpia myops* Hampson,1907 (Noctuidae) Synonym(s): *myops* Hampson,1907
50294) *Tolpia suffuscalis* (Swinhoe,1887) (Noctuidae) Synonym(s): *suffuscalis* Swinhoe,1887
50295) *Trachea atriplicis* (Linnaeus,1758) (Noctuidae) Synonym(s): *atriplicis* Linnaeus,1758
50296) *Trachea auriplena* (Walker,1857) (Noctuidae) Synonym(s): *auriplena* Walker,1857
50297) *Tracheplexia albimacula* Janse,1937 (Noctuidae) Synonym(s): *albimacula* Janse,1937
50298) *Tracheplexia amaranta* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *amaranta* R.Felder & Rogenhofer,1874
50299) *Tracheplexia lucia* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *lucia* R.Felder & Rogenhofer,1874; *occidentalis* Laporte,1973
50300) *Trichanarta fasciata* (Chen Yi & Xin,1982) (Noctuidae) Synonym(s): *fasciata* Chen Yi & Xin,1982
50301) *Trichanarta ladakensis* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *ladakensis* R.Felder & Rogenhofer,1874
50302) *Trichanarta mausi* (Püngeler,1904) (Noctuidae) Synonym(s): *mausi* Püngeler,1904
50303) *Tricheurois nigrocuprea* (Moore,1867) (Noctuidae) Synonym(s): *nigrocuprea* Moore,1867; ? *brunnea* Chen,1992
50304) *Trichopalpina zethesia* Hampson,1926 (Noctuidae) Synonym(s): *zethesia* Hampson,1926
50305) *Trichoplusia acosmia* Dufay,1972 (Noctuidae) Synonym(s): *acosmia* Dufay,1972
50306) *Trichoplusia arachnoides* (Distant,1901) (Noctuidae) Synonym(s): *arachnoides* Distant,1901
50307) *Trichoplusia asapheia* Dufay,1977 (Noctuidae) Synonym(s): *asapheia* Dufay,1977
50308) *Trichoplusia callista* Dufay,1972 (Noctuidae) Synonym(s): *callista* Dufay,1972
50309) *Trichoplusia capnista* Dufay,1972 (Noctuidae) Synonym(s): *capnista* Dufay,1972
50310) *Trichoplusia chalcadon* (Hampson,1902) (Noctuidae) Synonym(s): *chalcadon* Hampson,1902
50311) *Trichoplusia circumscripta* (Freyer,1831) (Noctuidae) Synonym(s): *circumscripta* Freyer,1831
50312) *Trichoplusia cupreomicans* (Hampson,1909) (Noctuidae) Synonym(s): *cupreomicans* Hampson,1909
50313) *Trichoplusia epicharis* Dufay,1972 (Noctuidae) Synonym(s): *epicharis* Dufay,1972
50314) *Trichoplusia exquisatella* (Strand,1916) (Noctuidae) Synonym(s): *exquisatella* Strand,1916
50315) *Trichoplusia exquisita* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *exquisita* R.Felder & Rogenhofer,1874
50316) *Trichoplusia glyceia* Dufay,1972 (Noctuidae) Synonym(s): *glyceia* Dufay,1972
50317) *Trichoplusia gorilla* (Holland,1894) (Noctuidae) Synonym(s): *gorilla* Holland,1894
50318) *Trichoplusia indicator* (Walker,[1858]) (Noctuidae) Synonym(s): *indicator* Walker,[1858]; *g-roseum* Guenée,1862.
50319) *Trichoplusia laportei* Dufay,1972 (Noctuidae) Synonym(s): *laportei* Dufay,1972
50320) *Trichoplusia molybdina* (Dufay,1968) (Noctuidae) Synonym(s): *molybdina* Dufay,1968
50321) *Trichoplusia ni* (Hübner,[1803]) (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
50322) *Trichoplusia spoliata* (Walker,[1858]) (Noctuidae) Synonym(s): *spoliata* Walker,[1858]
50323) *Trichoplusia tetrastigma* (Hampson,1910) (Noctuidae) Synonym(s): *tetrastigma* Hampson,1910
50324) *Trichoplusia vittata* (Wallengren,1856) (Noctuidae) Synonym(s): *vittata* Wallengren,1856; *transfixa* Walker,[1858]; *commidendri* Wollaston,1879.
50325) *Trichoridia albiluna* Hampson,1906 (Noctuidae) Synonym(s): *albiluna* Hampson,1906
50326) *Trichoridia canosparsa* (Hampson,1894) (Noctuidae) Synonym(s): *canosparsa* Hampson,1894
50327) *Trichoridia chengai* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *chengai* Hreblay & L.Ronkay,1998
50328) *Trichoridia cuprescens* (Hampson,1906) (Noctuidae) Synonym(s): *cuprescens* Hampson,1906
50329) *Trichoridia dentata* (Hampson,1894) (Noctuidae) Synonym(s): *dentata* Hampson,1894
50330) *Trichoridia denticula* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *denticula* Hreblay & L.Ronkay,1999
50331) *Trichoridia eristicum* (Püngeler,1906) (Noctuidae) Synonym(s): *eristicum* Püngeler,1906
50332) *Trichoridia flavicans* (Draudt,1950) (Noctuidae) Synonym(s): *flavicans* Draudt,1950
50333) *Trichoridia fuscicuprea* Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *fuscicuprea* Hreblay & L.Ronkay,1998
50334) *Trichoridia herchatra* (Swinhoe,1893) (Noctuidae) Synonym(s): *herchatra* Swinhoe,1893
50335) *Trichoridia langtangensis* Yoshimoto,1995 (Noctuidae) Synonym(s): *langtangensis* Yoshimoto,1995
50336) *Trichoridia luna* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *luna* Hreblay & L.Ronkay,1999
50337) *Trichoridia sikkimensis* (Moore,1881) (Noctuidae) Synonym(s): *sikkimensis* Moore,1881
50338) *Trichosea champa* (Moore,1879) (Noctuidae) Synonym(s): *champa* Moore,1879
50339) *Trichosea diffusa* Sugi,1986 (Noctuidae) Synonym(s): *#diffusa* W.Warren,1909; *diffusa* Sugi,1986
50340) *Trichosea funebris* Berio,1973 (Noctuidae) Synonym(s): *funebris* Berio,1973; *gerri* Thöny,1996
50341) *Trichosea ludifica* (Linnaeus,1758) (Noctuidae) Synonym(s): *ludifica* Linnaeus,1758
50342) *Trichosea mjobergi* (Prout,1926) (Noctuidae) Synonym(s): *mjobergi* Prout,1926
50343) *Trichosilia plumbea* (Alpheraky,1887) (Noctuidae) Synonym(s): *plumbea* Alpheraky,1887; *arschanica* Corti & Draudt,1933.
50344) *Trichospolas arterialis* Draudt,1936 (Noctuidae) Synonym(s): *arterialis* Draudt,1936.
50345) *Trigonodes cephise* (Cramer,1780) (Noctuidae) Synonym(s): *cephise* Cramer,1780; *maxima* Guenée,1852; *saina* Swinhoe,1918
50346) *Trigonodes exportata* Guenée,1852 (Noctuidae) Synonym(s): *exportata* Guenée,1852
50347) *Trigonodes hyppasia* (Cramer,1779) (Noctuidae) Synonym(s): *hyppasia* Cramer,1779; *deliana* Stoll,1791; *anfractuosa* Boisduval,1834; *acutata* Guenée,1852; *inacuta* Guenée,1852; *compar* Walker,[1858]
50348) *Trigonophora crassicornis* (Oberthür,1918) (Noctuidae) Synonym(s): *crassicornis* Oberthür,1918; *obscura* Rothschild,1920
50349) *Trigonophora flammea* (Esper,1785) (Noctuidae) Synonym(s): *flammea* Esper,1785; *empyrea* Hübner,[1803].
50350) *Trigonophora jodea* (Herrich-Schäffer,1850) (Noctuidae) Synonym(s): *jodea* Herrich-Schäffer,1850; *schaefferi* Oberthür,1918
50351) *Triorbis annulata* (Swinhoe,1890) (Noctuidae) Synonym(s): *annulata* Swinhoe,1890
50352) *Triorbis aureovitta* (Hampson,1902) (Noctuidae) Synonym(s): *aureovitta* Hampson,1902
50353) *Trisateles emortualis* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *emortualis* [Denis & Schiffermüller],1775
50354) *Trisernis greeni* Holloway,1977 (Noctuidae) Synonym(s): *greeni* Holloway,1977
50355) *Trisulana berenice* (Fawcett,1916) (Noctuidae) Synonym(s): *berenice* Fawcett,1916
50356) *Trisulana cerurodes* (Hampson,1916) (Noctuidae) Synonym(s): *cerurodes* Hampson,1916
50357) *Trisulana cerurodes asiriensis* Hacker & Fibiger,2002 (Noctuidae) Synonym(s): *asiriensis* Hacker & Fibiger,2002
50358) *Trisulana senex* Bethune-Baker,1911 (Noctuidae) Synonym(s): *senex* Bethune-Baker,1911
50359) *Trisuloides luteifascia* (Hampson,1894) (Noctuidae) Synonym(s): *luteifascia* Hampson,1894

- 50360) *Trisuloides sericea* Butler,1881 (Noctuidae) Synonym(s): *sericea* Butler,1881; *catocalina* Moore,1883; *pallidimacula* W.Warren,1912; *trigonoleuca* A.Prout,1922; *hawkeri* A.Prout & Talbot,1924
- 50361) *Trogocraspis durbanica* Hampson,1918 (Noctuidae) Synonym(s): *durbanica* Hampson,1918
- 50362) *Tropidamba lepraota* (Hampson,1898) (Noctuidae) Synonym(s): *lepraota* Hampson,1898; *pallidiplaga* Swinhoe,1905; *grandis* Turner,1933
- 50363) *Tuerta chrysoclora* Walker,1869 (Noctuidae) Synonym(s): *chrysoclora* Walker,1869
- 50364) *Tuerta cyanopasta* Hampson,1907 (Noctuidae) Synonym(s): *cyanopasta* Hampson,1907
- 50365) *Tuerta dispar* (Rothschild,1896) (Noctuidae) Synonym(s): *dispar* Rothschild,1896
- 50366) *Tuerta hemicycla* Hampson,1904 (Noctuidae) Synonym(s): *hemicycla* Hampson,1904
- 50367) *Tuerta insulica* Hampson,1909 (Noctuidae) Synonym(s): *insulica* Hampson,1909
- 50368) *Tuerta liturata* (Aurivillius,1892) (Noctuidae) Synonym(s): *liturata* Aurivillius,1892; *aziade* Vuill.,1892
- 50369) *Tuerta lycaon* (Druce,1897) (Noctuidae) Synonym(s): *lycaon* Druce,1897
- 50370) *Tuerta pastociana* Berio,1940 (Noctuidae) Synonym(s): *pastociana* Berio,1940
- 50371) *Tuerta platensis* (Berg,1882) (Noctuidae) Synonym(s): *platensis* Berg,1882
- 50372) *Tuerta rema* Druce,1910 (Noctuidae) Synonym(s): *rema* Druce,1910
- 50373) *Tuerta rufodiscalis* (Rothschild,1896) (Noctuidae) Synonym(s): *rufodiscalis* Rothschild,1896
- 50374) *Tuerta ruspina* Aurivillius,1909 (Noctuidae) Synonym(s): *ruspina* Aurivillius,1909
- 50375) *Tuerta sabulosa* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *sabulosa* R.Felder & Rogenhofer,1874; *noctuiiformis* Möschler,1890
- 50376) *Tuerta semyon* (Herrich-Schäffer,1853) (Noctuidae) Synonym(s): *semyron* Herrich-Schäffer,1853; *chrysospila* Walker,1866
- 50377) *Tumidifrontia castaneotincta* Hampson,1902 (Noctuidae) Synonym(s): *castaneotincta* Hampson,1902
- 50378) *Turacina ceratopyga* (Püngeler,1902) (Noctuidae) Synonym(s): *ceratopyga* Püngeler,1902
- 50379) *Turanica haeretica* (Püngeler,1902) (Noctuidae) Synonym(s): *haeretica* Püngeler,1902
- 50380) *Tyana pustulifera* Walker,1866 (Noctuidae) Synonym(s): *pustulifera* Walker,1866
- 50381) *Tycomarpes inferior* (Guenée,1852) (Noctuidae) Synonym(s): *inferior* Guenée,1852; *renisigna* Walker,1857; *inculta* Walker,1862; *contracta* Walker,1865; *ficta* Walker,1865; *servilis* Walker,1865; *submoesta* Möschler,1883
- 50382) *Tycomarpes praetermissa* (Walker,1857) (Noctuidae) Synonym(s): *praetermissa* Walker,1857; *depulsa* Walker,1857.
- 50383) *Tycracona obliqua* Moore,1882 (Noctuidae) Synonym(s): *obliqua* Moore,1882
- 50384) *Tympanistes rufimacula* W.Warren,1916 (Noctuidae) Synonym(s): *rufimacula* W.Warren,1916
- 50385) *Tyta luctuosa* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goetz,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789
- 50386) *Tytroca dispar* (Püngeler,1904) (Noctuidae) Synonym(s): *dispar* Püngeler,1904
- 50387) *Tytroca dispar dispar* (Püngeler,1904) (Noctuidae) Synonym(s): *dispar* Püngeler,1904
- 50388) *Tytroca dispar margarita* Powell & Rungs,1942 (Noctuidae) Synonym(s): *margarita* Powell & Rungs,1942
- 50389) *Tytroca dispar puengeleri* Rothschild,1915 (Noctuidae) Synonym(s): *puengeleri* Rothschild,1915; *dallonii* Le Cerf,1935; *puengeleri* Wiltshire,1970.
- 50390) *Tytroca fasciolata* (W.Warren,1905) (Noctuidae) Synonym(s): *fasciolata* W.Warren,1905
- 50391) *Tytroca fasciolata submisilis* (W.Warren,1913) (Noctuidae) Synonym(s): *submisilis* W.Warren,1913
- 50392) *Tytroca leucoptera* (Hampson,1896) (Noctuidae) Synonym(s): *leucoptera* Hampson,1896; *balnearia* Distant,1898
- 50393) *Tytroca metaxantha* (Hampson,1902) (Noctuidae) Synonym(s): *metaxantha* Hampson,1902
- 50394) *Ugia albilinea* Hampson,1926 (Noctuidae) Synonym(s): *albilinea* Hampson,1926
- 50395) *Ugia amaponda* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *amaponda* R.Felder & Rogenhofer,1874; *loxogramma* Hampson,1902; *#loxigramma* Pinhey,1975
- 50396) *Ugia disjungens* Walker,1858 (Noctuidae) Synonym(s): *disjungens* Walker,1858; *insuspecta* Glasworthy,1997
- 50397) *Ugia eugrapha* (Swinhoe,1907) (Noctuidae) Synonym(s): *eugrapha* Swinhoe,1907
- 50398) *Ugia serrilinea* Hampson,1926 (Noctuidae) Synonym(s): *serrilinea* Hampson,1926
- 50399) *Ugia sundana* Hampson,1924 (Noctuidae) Synonym(s): *sundana* Hampson,1924; *albertii* Kobes,1989
- 50400) *Ugia taeniata* (Holland,1894) (Noctuidae) Synonym(s): *taeniata* Holland,1894
- 50401) *Uighuria marki* (Hreblay & Ronkay,2000) (Noctuidae) Synonym(s): *marki* Hreblay & Ronkay,2000
- 50402) *Uighuria pulla* (Hreblay & Ronkay,2000) (Noctuidae) Synonym(s): *pulla* Hreblay & Ronkay,2000
- 50403) *Uighuria satellitia* (Hreblay & Ronkay,2000) (Noctuidae) Synonym(s): *satellitia* Hreblay & Ronkay,2000
- 50404) *Ulochlaena ferruginea* Gaede,1915 (Noctuidae) Synonym(s): *ferruginea* Gaede,1915
- 50405) *Ulochlaena fumea* (Hampson,1902) (Noctuidae) Synonym(s): *fumea* Hampson,1902
- 50406) *Ulochlaena gemmifera* Hacker,2001 (Noctuidae) Synonym(s): *gemmifera* Hacker,2001
- 50407) *Ulochlaena hirta* (Hübner,[1813]) (Noctuidae) Synonym(s): *hirta* Hübner,[1813]
- 50408) *Ulochlaena reducta* Gaede,1915 (Noctuidae) Synonym(s): *reducta* Gaede,1915
- 50409) *Ulochlaena sagittata* Gaede,1915 (Noctuidae) Synonym(s): *sagittata* Gaede,1915
- 50410) *Ulochlaena schaeferi* Gaede,1915 (Noctuidae) Synonym(s): *schaeferi* Gaede,1915
- 50411) *Ulochlaena superba* Alpheraky,1892 (Noctuidae) Synonym(s): *superba* Alpheraky,1892
- 50412) *Ulotrichopus catocala* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *catocala* R.Felder & Rogenhofer,1874; *caupona* Möschler,1884
- 50413) *Ulotrichopus glaucescens* Hampson,1913 (Noctuidae) Synonym(s): *glaucescens* Hampson,1913
- 50414) *Ulotrichopus leucopastus* Hampson,1913 (Noctuidae) Synonym(s): *leucopastus* Hampson,1913
- 50415) *Ulotrichopus lucidus* Pinhey,1968 (Noctuidae) Synonym(s): *lucidus* Pinhey,1968
- 50416) *Ulotrichopus mesoleucus* (Walker,1858) (Noctuidae) Synonym(s): *mesoleucus* Walker,1858; *tortuosus* Wallengren,1866
- 50417) *Ulotrichopus nigricans* Laporte,1973 (Noctuidae) Synonym(s): *nigricans* Laporte,1973
- 50418) *Ulotrichopus primulinus* (Hampson,1902) (Noctuidae) Synonym(s): *primulinus* Hampson,1902
- 50419) *Ulotrichopus tessmanni* Gaede,1936 (Noctuidae) Synonym(s): *tessmanni* Gaede,1936
- 50420) *Ulotrichopus tinctipennis* (Hampson,1902) (Noctuidae) Synonym(s): *tinctipennis* Hampson,1902
- 50421) *Ulotrichopus tinctipennis stertzi* (Püngeler,1907) (Noctuidae) Synonym(s): *stertzi* Püngeler,1907; *arabica* Rebel,1907.
- 50422) *Ulotrichopus tinctipennis tinctipennis* (Hampson,1902) (Noctuidae) Synonym(s): *tinctipennis* Hampson,1902.
- 50423) *Ulotrichopus variegatus* (Hampson,1902) (Noctuidae) Synonym(s): *variegatus* Hampson,1902
- 50424) *Uncula tristigmatias* (Hampson,1902) (Noctuidae) Synonym(s): *tristigmatias* Hampson,1902
- 50425) *Urbona albescens* (Moore,1882) (Noctuidae) Synonym(s): *albescens* Moore,1882
- 50426) *Urbona dentilinealis* (Moore,1877) (Noctuidae) Synonym(s): *dentilinealis* Moore,1877
- 50427) *Urbona leucophaea* (Walker,[1863]) (Noctuidae) Synonym(s): *leucophaea* Walker,[1863]
- 50428) *Urbona sublineata* Walker,1862 (Noctuidae) Synonym(s): *sublineata* Walker,1862
- 50429) *Usbeca cornuta* Püngeler,1914 (Noctuidae) Synonym(s): *cornuta* Püngeler,1914
- 50430) *Valeria carducha* (Wiltshire,1957) (Noctuidae) Synonym(s): *carducha* Wiltshire,1957
- 50431) *Valeria jaspidea* (Villers,1789) (Noctuidae) Synonym(s): *jaspidea* Villers,1789
- 50432) *Valeria kartalea* Kuhna & Schmitz,1997 (Noctuidae) Synonym(s): *kartalea* Kuhna & Schmitz,1997
- 50433) *Valeria oleagina* (Esper,[1786]) (Noctuidae) Synonym(s): *#oleagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786].
- 50434) *Valeria oleagina oleagina* (Esper,[1786]) (Noctuidae) Synonym(s): *#oleagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786].
- 50435) *Valeria oleagina syriaca* Osthelder,1933 (Noctuidae) Synonym(s): *syriaca* Osthelder,1933
- 50436) *Valeria schreieri* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *schreieri* Hacker & Ebert,2002
- 50437) *Valerietta boursini* De Freina & Hacker,1985 (Noctuidae) Synonym(s): *boursini* De Freina & Hacker,1985
- 50438) *Valerietta bulgarica* (Drenowski,1953) (Noctuidae) Synonym(s): *bulgarica* Drenowski,1953
- 50439) *Valerietta forsteri* Draudt,1938 (Noctuidae) Synonym(s): *forsteri* Draudt,1938
- 50440) *Valerietta niphopasta* (Hampson,1906) (Noctuidae) Synonym(s): *niphopasta* Hampson,1906
- 50441) *Valeriodes aurantiaca* Hreblay & Plante,1995 (Noctuidae) Synonym(s): *aurantiaca* Hreblay & Plante,1995
- 50442) *Valeriodes auroviridis* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *auroviridis* Hreblay & L.Ronkay,1999
- 50443) *Valeriodes chlorota* (Hampson,1909) (Noctuidae) Synonym(s): *chlorota* Hampson,1909; *aestivalis* Hreblay & L.Ronkay,1998
- 50444) *Valeriodes cyanelinea* (Hampson,1894) (Noctuidae) Synonym(s): *cyanelinea* Hampson,1894
- 50445) *Valeriodes heterocampa* (Moore,1882) (Noctuidae) Synonym(s): *heterocampa* Moore,1882

- 50446) *Valeriodes icamba* (Swinhoe,1893) (Noctuidae) Synonym(s): *icamba* Swinhoe,1893
50447) *Valeriodes viridinigra* (Hampson,1896) (Noctuidae) Synonym(s): *viridinigra* Hampson,1896
50448) *Vandamia lightfooti* Van Son,1933 (Noctuidae) Synonym(s): *lightfooti* Van Son,1933
50449) *Vandamia mariepi* Van Son,1933 (Noctuidae) Synonym(s): *mariepi* Van Son,1933
50450) *Vandamia typica* Van Son,1933 (Noctuidae) Synonym(s): *typica* Van Son,1933
50451) *Veia homopteroides* Walker,[1863] (Noctuidae) Synonym(s): *homopteroides* Walker,[1863]
50452) *Vestura minereusalis* (Walker,1859) (Noctuidae) Synonym(s): *minereusalis* Walker,1859; *adeba* Swinhoe,1904
50453) *Victrix (Moureaia) microglossa* (Rambur,1858) (Noctuidae) Synonym(s):
50454) *Victrix (Poliobrya) fabiani* Varga & L.Ronkay,1989 (Noctuidae) Synonym(s): *fabiani* Varga & L.Ronkay,1989
50455) *Victrix (Poliobrya) frigidalis* Varga & L.Ronkay,1991 (Noctuidae) Synonym(s): *frigidalis* Varga & L.Ronkay,1991
50456) *Victrix (Poliobrya) patula* (Püngeler,1907) (Noctuidae) Synonym(s): *patula* Püngeler,1907
50457) *Victrix (Poliobrya) umovii* (Eversmann,1846) (Noctuidae) Synonym(s): *umovii* Eversmann,1846
50458) *Victrix (Rasihia) boursini* (Draudt,1936) (Noctuidae) Synonym(s): *boursini* Draudt,1936
50459) *Victrix (Rasihia) chloroxantha* (Boursin,1957) (Noctuidae) Synonym(s): *chloroxantha* Boursin,1957
50460) *Victrix (Rasihia) commixta* (W.Warren,1909) (Noctuidae) Synonym(s): *commixta* W.Warren,1909
50461) *Victrix (Rasihia) conspersa* (Christoph,1893) (Noctuidae) Synonym(s): *conspersa* Christoph,1893; *forsteri* Brandt,1941.
50462) *Victrix (Rasihia) duelduelica* (Osthelder,1932) (Noctuidae) Synonym(s): *duelduelica* Osthelder,1932.
50463) *Victrix (Rasihia) hackeri* Varga & Ronkay,1991 (Noctuidae) Synonym(s): *hackeri* Varga & Ronkay,1991
50464) *Victrix (Rasihia) illustris* Varga & Ronkay,1991 (Noctuidae) Synonym(s): *illustris* Boursin,1969; *illustris* Varga & Ronkay,1991.
50465) *Victrix (Rasihia) klapperichi* Hacker,2001 (Noctuidae) Synonym(s): *klapperichi* Hacker,2001
50466) *Victrix (Rasihia) lichenodes* Boursin,1969 (Noctuidae) Synonym(s): *lichenodes* Boursin,1969
50467) *Victrix (Rasihia) macrosema* (Boursin,1957) (Noctuidae) Synonym(s): *macrosema* Boursin,1957
50468) *Victrix (Rasihia) marginelota* (de Joannis,1888) (Noctuidae) Synonym(s): *marginelota* de Joannis,1888
50469) *Victrix (Rasihia) sassanica* Wiltshire,1961 (Noctuidae) Synonym(s): *sassanica* Wiltshire,1961
50470) *Victrix (Rasihia) tabora* (Staudinger,1892) (Noctuidae) Synonym(s): *tabora* Staudinger,1892
50471) *Victrix (s.str.) agenjoi* (Fernández,1931) (Noctuidae) Synonym(s): *agenjoi* Fernández,1931
50472) *Victrix (s.str.) artaxias* Varga & Ronkay,1989 (Noctuidae) Synonym(s): *artaxias* Varga & Ronkay,1989
50473) *Victrix (s.str.) gracilis* (Wagner,1931) (Noctuidae) Synonym(s): *gracilis* Wagner,1931
50474) *Victrix (s.str.) karsiana* Staudinger,1879 (Noctuidae) Synonym(s): *karsiana* Staudinger,1879
50475) *Victrix (s.str.) karsiana* Staudinger,1879 (Noctuidae) Synonym(s): *karsiana* Staudinger,1879
50476) *Victrix (s.str.) karsiana lithoxys* Ronkay & Varga,1989 (Noctuidae) Synonym(s): *lithoxys* Ronkay & Varga,1989
50477) *Victrix (s.str.) pinkeri* Hacker & Lödl,1989 (Noctuidae) Synonym(s): *pinker* Hacker & Lödl,1989
50478) *Victrix* sp. (Noctuidae) Synonym(s):
50479) *Vietteania pinna* (Saalmüller,1891) (Noctuidae) Synonym(s): *pinna* Saalmüller,1891
50480) *Vietteania torrentium* (Guenée,1852) (Noctuidae) Synonym(s): *torrentium* Guenée,1852; *infima* Wallengren,1875; *parvula* Kenrick,1917; *#torretium* Poole,1989.
50481) *Westermannia araeogramma* Hampson,1905 (Noctuidae) Synonym(s): *araeogramma* Hampson,1905
50482) *Westermannia argentea* Hampson,1891 (Noctuidae) Synonym(s): *argentea* Hampson,1891
50483) *Westermannia argyropilaga* Hampson,1905 (Noctuidae) Synonym(s): *argyropilaga* Hampson,1905
50484) *Westermannia convergens* Hampson,1902 (Noctuidae) Synonym(s): *convergens* Hampson,1902
50485) *Westermannia elliptica* Bryk,1913 (Noctuidae) Synonym(s): *elliptica* Bryk,1913; *obscura* Wileman,1914; *albiceps* Matsumura,1931; *rajata* Kobes,1988
50486) *Westermannia oediplaga* Hampson,1910 (Noctuidae) Synonym(s): *oediplaga* Hampson,1910
50487) *Westermannia poupa* Holloway,1979 (Noctuidae) Synonym(s): *poupa* Holloway,1979
50488) *Westermannia roseitincta* Pinhey,1968 (Noctuidae) Synonym(s): *roseitincta* Pinhey,1968
50489) *Westermannia superba* Hübner,1823 (Noctuidae) Synonym(s): *superba* Hübner,1823; *westermanni* Guenée,1852; *gloriosa* Hampson,1912
50490) *Westermannia triangularis* Moore,1877 (Noctuidae) Synonym(s): *triangularis* Moore,1877; *sumatrana* Strand,1913
50491) *Weymeria athene* (Karsch,1892) (Noctuidae) Synonym(s): *athene* Karsch,1892
50492) *Wiltshireola disrupta* (Wiltshire,1952) (Noctuidae) Synonym(s): *disrupta* Wiltshire,1952
50493) *Wiltshireola praecipua* Hacker & Kravchenko,2001 (Noctuidae) Synonym(s): *praecipua* Hacker & Kravchenko,2001
50494) *Wittstrofia fansipani* Behounek & Speidel,2005 (Noctuidae) Synonym(s): *fansipani* Behounek & Speidel,2005
50495) *Wittstrofia flavannamica* Behounek & Speidel,2005 (Noctuidae) Synonym(s): *flavannamica* Behounek & Speidel,2005
50496) *Wittstrofia flavannamica flavannamica* Behounek & Speidel,2005 (Noctuidae) Synonym(s): *flavannamica* Behounek & Speidel,2005
50497) *Wittstrofia flavannamica nunta* Kemal, Leksawadi & Koçak,2006 (Noctuidae) Synonym(s): *nunta* Kemal, Leksawadi & Koçak,2006
50498) *Wittstrofia fukiensis* (Daniel,1955) (Noctuidae) Synonym(s): *fukiensis* Daniel,1955
50499) *Wittstrofia taroko* Speidel & Behounek,2005 (Noctuidae) Synonym(s): *taroko* Speidel & Behounek,2005
50500) *Xanthanomis fuscifrons* (Walker,[1863]) (Noctuidae) Synonym(s): *fuscifrons* Walker,[1863]
50501) *Xanthanomis* sp. (Noctuidae) Synonym(s):
50502) *Xanthia (Cirrhia) gilvago* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *gilvago* [Denis & Schiffermüller],1775.
50503) *Xanthia (Cirrhia) gilvago bathi* (Döring,1934) (Noctuidae) Synonym(s): *bathi* Döring,1934
50504) *Xanthia (Cirrhia) gilvago gilvago* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *gilvago* [Denis & Schiffermüller],1775.
50505) *Xanthia (Cirrhia) ocellaris* (Borkhausen,1792) (Noctuidae) Synonym(s): *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803].
50506) *Xanthia (Cirrhia) ocellaris ocellaris* (Borkhausen,1792) (Noctuidae) Synonym(s): *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803].
50507) *Xanthia (Tiliacea) aurago* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *aurago* [Denis & Schiffermüller],1775
50508) *Xanthia (Tiliacea) citrargo* (Linnaeus,1758) (Noctuidae) Synonym(s): *citrargo* Linnaeus,1758
50509) *Xanthia (Tiliacea) cypreago* (Hampson,1906) (Noctuidae) Synonym(s): *cypreago* Hampson,1906
50510) *Xanthia basalis* Walker,1862 (Noctuidae) Synonym(s): *basalis* Walker,1862
50511) *Xanthia glaucozona* Hreblyay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *glaucozona* Hreblyay, Peregovits & L.Ronkay,1999
50512) *Xanthia icteritia* (Hufnagel,1766) (Noctuidae) Synonym(s): *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,[1788].
50513) *Xanthia sulphurago* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *sulphurago* [Denis & Schiffermüller],1775; *ochrago* Fabricius,1791.
50514) *Xanthia togata* (Esper,1788) (Noctuidae) Synonym(s): *lutea* Ström,1783; *flavago* Fabricius,1787; *togata* Esper,1788; *rubago* Donovan,1801; *silago* Hübner,[1803].
50515) *Xanthodes albago* (Fabricius,1794) (Noctuidae) Synonym(s): *albago* Fabricius,1794; *malvae* Esper,[1796]; *stramen* Guenée,1852; *impurata* Walker,1857; *impellens* Walker,1858; *inefficiens* Walker,1858.
50516) *Xanthodes congenita* (Hampson) (Noctuidae) Synonym(s):
50517) *Xanthodes intersepta* Guenée,1852 (Noctuidae) Synonym(s): *intersepta* Guenée,1852
50518) *Xanthodes transversa* (Guenée,1852) (Noctuidae) Synonym(s): *transversa* Guenée,1852
50519) *Xanthomanthia cornelia* (Staudinger,1888) (Noctuidae) Synonym(s): *cornelia* Staudinger,1888; *honrathii* Graeser,[1889]
50520) *Xanthomera leucoglène* (Mabille,1880) (Noctuidae) Synonym(s): *leucoglène* Mabille,1880
50521) *Xanthothrix callicore* (Staudinger,1871) (Noctuidae) Synonym(s): *callicore* Staudinger,1871
50522) *Xenochroa annae* (Swinhoe,1904) (Noctuidae) Synonym(s): *annae* Swinhoe,1904
50523) *Xenochroa argentipunctata* (Holloway,1976) (Noctuidae) Synonym(s): *argentipunctata* Holloway,1976
50524) *Xenochroa argentipurpurea* (Holloway,1976) (Noctuidae) Synonym(s): *argentipurpurea* Holloway,1976
50525) *Xenochroa argentiviridis* (Holloway,1976) (Noctuidae) Synonym(s): *argentiviridis* Holloway,1976
50526) *Xenochroa balteata* (W.Warren,1912) (Noctuidae) Synonym(s): *balteata* W.Warren,1912
50527) *Xenochroa bivata* (Hampson,1905) (Noctuidae) Synonym(s): *bivata* Hampson,1905
50528) *Xenochroa calva* (W.Warren,1916) (Noctuidae) Synonym(s): *calva* W.Warren,1916; *lentilineata* Hampson,1918; *flavidirubra* Hampson,1918
50529) *Xenochroa careoides* (W.Warren,1912) (Noctuidae) Synonym(s): *careoides* W.Warren,1912; *nigrimacula* Kobes,1997
50530) *Xenochroa chlorostigma* (Hampson,1893) (Noctuidae) Synonym(s): *chlorostigma* Hampson,1893; *tumidistigma* W.Warren,1916; *#borneonis* Strand,1917; *#sikkimensis* Strand,1917

- 50531) *Xenochroa costiplaga* (Swinhoe,1893) (Noctuidae) Synonym(s): *costiplaga* Swinhoe,1893; *tarika* Swinhoe,1901; *#fakfakensis* Strand,1917; *defuscata* A.E.Prout,1922
- 50532) *Xenochroa diluta* (W.Warren,1912) (Noctuidae) Synonym(s): *diluta* W.Warren,1912; *latera* Kobes,1997
- 50533) *Xenochroa dohora* Kobes,1997 (Noctuidae) Synonym(s): *dohora* Kobes,1997
- 50534) *Xenochroa ferrinigra* (Holloway,1976) (Noctuidae) Synonym(s): *ferrinigra* Holloway,1976
- 50535) *Xenochroa ferriviridis* (Holloway,1976) (Noctuidae) Synonym(s): *ferriviridis* Holloway,1976; *ochreoviridis* Holloway,1976
- 50536) *Xenochroa fulvescens* (W.Warren,1912) (Noctuidae) Synonym(s): *fulvescens* W.Warren,1912; *obliquifascia* A.E.Prout,1928; *rubiginosa* Roepke,1935; *javana* Roepke,1935
- 50537) *Xenochroa fuscomarginata* (Hampson,1894) (Noctuidae) Synonym(s): *fuscomarginata* Hampson,1894; *nexilla* Hampson,1912; *bironga* Kobes,1997
- 50538) *Xenochroa fuscata* (A.E.Prout,1928) (Noctuidae) Synonym(s): *fuscata* A.E.Prout,1928
- 50539) *Xenochroa leucocraspis* (Hampson,1905) (Noctuidae) Synonym(s): *leucocraspis* Hampson,1905
- 50540) *Xenochroa mathilda* (Swinhoe,1904) (Noctuidae) Synonym(s): *mathilda* Swinhoe,1904
- 50541) *Xenochroa mediogrisea* (W.Warren,1912) (Noctuidae) Synonym(s): *mediogrisea* W.Warren,1912
- 50542) *Xenochroa minima* (W.Warren,1912) (Noctuidae) Synonym(s): *minima* W.Warren,1912
- 50543) *Xenochroa notodontina* R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): *notodontina* R.Felder & Rogenhofer,1874; *egens* A.E.Prout,1924
- 50544) *Xenochroa obvia* (Hampson,1912) (Noctuidae) Synonym(s): *obvia* Hampson,1912
- 50545) *Xenochroa plesiogramma* (A.E.Prout,1926) (Noctuidae) Synonym(s): *plesiogramma* A.E.Prout,1926; *zonata* Roepke,1935
- 50546) *Xenochroa pryleri* (Druce,1911) (Noctuidae) Synonym(s): *pryeri* Druce,1911
- 50547) *Xenochroa purpurea* (Hampson,1891) (Noctuidae) Synonym(s): *purpurea* Hampson,1891; *devia* Hampson,1912; *infundibulata* W.Warren,1916
- 50548) *Xenochroa purpureolineata* (Hampson,1918) (Noctuidae) Synonym(s): *purpureolineata* Hampson,1918; *aetha* A.E.Prout,1928
- 50549) *Xenochroa ronkayi* Kobes,1997 (Noctuidae) Synonym(s): *ronkayi* Kobes,1997
- 50550) *Xenochroa rubrifusa* (Hampson,1905) (Noctuidae) Synonym(s): *rubrifusa* Hampson,1905
- 50551) *Xenochroa transpurpuralis* (Holloway,1976) (Noctuidae) Synonym(s): *transpurpuralis* Holloway,1976
- 50552) *Xenochroa trilineata* (W.Warren,1912) (Noctuidae) Synonym(s): *trilineata* W.Warren,1912; *trichotmeta* A.E.Prout,1924; *ferribrunnea* Holloway,1976
- 50553) *Xenochroa verticata* (W.Warren,1916) (Noctuidae) Synonym(s): *verticata* W.Warren,1916; *padangensis* Roepke,1935
- 50554) *Xenochroa xanthia* (Hampson,1902) (Noctuidae) Synonym(s): *xanthia* Hampson,1902; *#xanthiana* Strand,1917; *xanthiana* Gaede,1937
- 50555) *Xenophysa agnostica* Varga,1990 (Noctuidae) Synonym(s): *junctimacula* Staudinger,1901 *nec* Chr.,1887; *agnostica* Varga,1990 [in Hacker,1990; 89].
- 50556) *Xenophysa argyrogramma* Varga,1985 (Noctuidae) Synonym(s): *argyrogramma* Varga,1985
- 50557) *Xenophysa boursini* Varga,1985 (Noctuidae) Synonym(s): *boursini* Varga,1985
- 50558) *Xenophysa huberi* Varga,1989 (Noctuidae) Synonym(s): *huberi* Varga,1989
- 50559) *Xenophysa junctimacula* (Christoph,1887) (Noctuidae) Synonym(s): *junctimacula* Christoph,1887; *cacumena* Brandt,1938.
- 50560) *Xenophysa junctimacula afghanorea* Varga,1975 (Noctuidae) Synonym(s): *afghanorea* Varga,1975
- 50561) *Xenophysa monastica* Boursin,1969 (Noctuidae) Synonym(s): *monastica* Boursin,1969
- 50562) *Xenophysa naumanni* Varga,1989 (Noctuidae) Synonym(s): *naumanni* Varga,1989
- 50563) *Xenophysa paradoxa* Varga,1989 (Noctuidae) Synonym(s): *paradoxa* Varga,1989
- 50564) *Xenophysa poecilogramma* Varga,1985 (Noctuidae) Synonym(s): *poecilogramma* Varga,1985
- 50565) *Xenophysa xenogramma* Boursin,1969 (Noctuidae) Synonym(s): *xenogramma* Boursin,1969
- 50566) *Xenotrachea albidisca* (Moore,1867) (Noctuidae) Synonym(s): *albidisca* Moore,1867; *nivescens* Butler,1889
- 50567) *Xenotrachea chrysochlora* (Hampson,1908) (Noctuidae) Synonym(s): *chrysochlora* Hampson,1908
- 50568) *Xestia* (Anomogyna) *alpicola* (Zetterstedt,1839) (Noctuidae) Synonym(s): *alpicola* Zetterstedt,1839; *hyperborea* Zetterstedt,1839; *aquilonaris* Zetterstedt,1839; *norvegica* Strand,1904
- 50569) *Xestia* (Anomogyna) *rhaetica* (Staudinger,1871) (Noctuidae) Synonym(s): *rhaetica* Staudinger,1871
- 50570) *Xestia* (Anomogyna) *sincera* (Herrich-Schäffer,1851) (Noctuidae) Synonym(s): *sincera* Herrich-Schäffer,1851
- 50571) *Xestia* (Anomogyna) *speciosa* (Hübner,1813) (Noctuidae) Synonym(s): *speciosa* Hübner,1813
- 50572) *Xestia* (Megasema) *ashworthii* (Doubleday,1855) (Noctuidae) Synonym(s): *ashworthii* Doubleday,1855
- 50573) *Xestia* (Megasema) *ashworthii artvina* De Freina & Hacker,1985 (Noctuidae) Synonym(s): *artvina* De Freina & Hacker,1985
- 50574) *Xestia* (Megasema) *ashworthii candelarum* (Staudinger,1871) (Noctuidae) Synonym(s): *candelarum* Staudinger,1871; *nivescens* Rebel,1907.
- 50575) *Xestia* (Megasema) *c-nigrum* (Linnaeus,1758) (Noctuidae) Synonym(s): *c-nigrum* Linnaeus,1758; *nunatrum* Esper,[1786]; *singularis* Esper,[1786]; *degenerata* Staudinger,1889; *depravata* A.Bang-Haas,1912; *kurilana* Bryk,1942; *ignorata* Eitschberger,1972.
- 50576) *Xestia* (Megasema) *ditrapezium* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#ditrapezium* [Denis & Schiffermüller],1775
- 50577) *Xestia* (Megasema) *triangulum* (Hufnagel,1766) (Noctuidae) Synonym(s): *triangulum* Hufnagel,1766; *rhomboidea* Esper,[1790].
- 50578) *Xestia* (Megasema) *triangulum ehrmanni* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *ehrmanni* Hacker & Ebert,2002
- 50579) *Xestia* (Pachnobia) *lorezi* (Staudinger,1891) (Noctuidae) Synonym(s): *lorezi* Staudinger,1891
- 50580) *Xestia* (Pachnobia) *senescens* (Staudinger,1881) (Noctuidae) Synonym(s): *senescens* Staudinger,1881; *kungessi* Alpheraky,1882; *senilis* Staudinger,1888; *cungessi* Hampson,1908
- 50581) *Xestia* (Pachnobia) *tecta* (Hübner,[1808]) (Noctuidae) Synonym(s): *tecta* Hübner,[1808]; *ampla* Hübner,[1809]; *roosta* Smith,1903; *nolens* Corti & Draudt,1933
- 50582) *Xestia* (s.str.) *agathina* (Duponchel,1827) (Noctuidae) Synonym(s): *agathina* Duponchel,1827
- 50583) *Xestia* (s.str.) *albuncula* (Eversmann,1851) (Noctuidae) Synonym(s): *albuncula* Eversmann,1851
- 50584) *Xestia* (s.str.) *atrata* (Morrison,1874) (Noctuidae) Synonym(s): *atrata* Morrison,1874
- 50585) *Xestia* (s.str.) *baja* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *baja* [Denis & Schiffermüller],1775
- 50586) *Xestia* (s.str.) *borealis* (Nordström,1933) (Noctuidae) Synonym(s): *borealis* Nordström,1933
- 50587) *Xestia* (s.str.) *brachiptera* (Kononenko,1981) (Noctuidae) Synonym(s): *brachiptera* Kononenko,1981
- 50588) *Xestia* (s.str.) *brunneopicata* (Matsumura,1925) (Noctuidae) Synonym(s): *brunneopicata* Matsumura,1925
- 50589) *Xestia* (s.str.) *castanea* (Esper,[1798]) (Noctuidae) Synonym(s): *castanea* Esper,[1798]; *neglecta* Hübner,[1803]; *cerasina* Freyer,1840; *xanthe* Woodf.,1901; *obsolescens* W.Petersen,1905; *alliatata* Hartig,1949.
- 50590) *Xestia* (s.str.) *castanea castanea* (Esper,[1798]) (Noctuidae) Synonym(s): *castanea* Esper,[1798]; *neglecta* Hübner,[1803]; *cerasina* Freyer,1840; *xanthe* Woodf.,1901; *obsolescens* W.Petersen,1905; *alliatata* Hartig,1949.
- 50591) *Xestia* (s.str.) *cohaesa* (Herrich-Schäffer,[1849]) (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,[1849]
- 50592) *Xestia* (s.str.) *collina* (Boisduval,1840) (Noctuidae) Synonym(s): *collina* Boisduval,1840; *montana* Freyer,1845; *kenteana* Staudinger,1892; *eversmanni* Petersen,1905; *peterseni* Krulikowsky,1909; *nigromaculata* Hoffmann,1917; *roeggeri* Schawerda,1919; *loebeli* Rebel,1920
- 50593) *Xestia* (s.str.) *consanguinea* (Moore,1881) (Noctuidae) Synonym(s): *consanguinea* Moore,1881
- 50594) *Xestia* (s.str.) *distensa* (Eversmann,1851) (Noctuidae) Synonym(s): *distensa* Eversmann,1851
- 50595) *Xestia* (s.str.) *dyris* (Zerny,1934) (Noctuidae) Synonym(s): *dyris* Zerny,1934
- 50596) *Xestia* (s.str.) *erschoffi* (Staudinger,1897) (Noctuidae) Synonym(s): *ledereri* Staudinger,1888 *nec* Ersch.; *erschoffi* Staudinger,1897
- 50597) *Xestia* (s.str.) *gelida* (Sparre-Schneider,1883) (Noctuidae) Synonym(s): *gelida* Sparre-Schneider,1883
- 50598) *Xestia* (s.str.) *kecskerago* Gyulai & L.Ronkay,2006 (Noctuidae) Synonym(s): *kecskerago* Gyulai & L.Ronkay,2006
- 50599) *Xestia* (s.str.) *kermesina* (Mabille,1869) (Noctuidae) Synonym(s): *kermesina* Mabille,1869
- 50600) *Xestia* (s.str.) *kollari* (Lederer,1853) (Noctuidae) Synonym(s): *kollari* Lederer,1853; *collari* Hampson,1903
- 50601) *Xestia* (s.str.) *laetabilis* (Zetterstedt,1839) (Noctuidae) Synonym(s): *laetabilis* Zetterstedt,1839
- 50602) *Xestia* (s.str.) *liquidaria* (Eversmann,1844) (Noctuidae) Synonym(s): *liquidaria* Eversmann,1844
- 50603) *Xestia* (s.str.) *lyngei* (Rebel,1923) (Noctuidae) Synonym(s): *lyngei* Rebel,1923
- 50604) *Xestia* (s.str.) *ochreago* (Hübner,[1809]) (Noctuidae) Synonym(s): *ochreago* Hübner,[1809]; *ochrojois* Hbn.,[1821]; *habichi* Rebel,1909.
- 50605) *Xestia* (s.str.) *palaestinisensis* (Kaleberg,1898) (Noctuidae) Synonym(s): *palaestinisensis* Kaleberg,1898.
- 50606) *Xestia* (s.str.) *palaestinisensis argyrea* (Boursin,1969) (Noctuidae) Synonym(s): *argyrea* Boursin,1969
- 50607) *Xestia* (s.str.) *pallidago* (Staudinger,1900) (Noctuidae) Synonym(s): *pallidago* Staudinger,1900
- 50608) *Xestia* (s.str.) *quieta* (Hübner,[1813]) (Noctuidae) Synonym(s): *quieta* Hübner,[1813]
- 50609) *Xestia* (s.str.) *rhomboidea* (Esper,[1790]) (Noctuidae) Synonym(s): *rhomboidea* Esper,[1790]; *stigmatica* Hbn.,[1813].
- 50610) *Xestia* (s.str.) *sareptana* (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936
- 50611) *Xestia* (s.str.) *sareptana sareptana* (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936

- 50612) *Xestia* (s.str.) *semiterribida* (Walker,1857) (Noctuidae) Synonym(s): *semiterribida* Walker,1857
 50613) *Xestia* (s.str.) *sexstrigata* (Haworth,1809) (Noctuidae) Synonym(s): *sexstrigata* Haworth,1809
 50614) *Xestia* (s.str.) *stigmatica* (Hübner,[1813]) (Noctuidae) Synonym(s): *stigmatica* Hübner,[1813]
 50615) *Xestia* (s.str.) *trifida* (Fischer v. Waldheim,1820) (Noctuidae) Synonym(s): *trifida* Fischer v. Waldheim,1820.
 50616) *Xestia* (s.str.) *viridiscens* (Turati,1919) (Noctuidae) Synonym(s): *viridiscens* Turati,1919
 50617) *Xestia* (s.str.) *xanthographa* (Denis & Schiffermüller,[1775]) (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller],1775; *teträgona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepidota* Constantino,1922.
 50618) *Xestia coronata* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *coronata* Hreblay & L.Ronkay,1999
 50619) *Xestia forsteri* (Boursin,1955) (Noctuidae) Synonym(s): *forsteri* Boursin,1955
 50620) *Xestia renalis* (Moore,1881) (Noctuidae) Synonym(s): *renalis* Moore,1881
 50621) *Xestia trifurcata* Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *trifurcata* Hreblay & L.Ronkay,1999
 50622) *Xylena apicimacula* Yoshimoto,1993 (Noctuidae) Synonym(s): *apicimacula* Yoshimoto,1993
 50623) *Xylena exsoleta* (Linnaeus,1758) (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787
 50624) *Xylena exsoleta exsoleta* (Linnaeus,1758) (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787
 50625) *Xylena exsoleta impudica* (Staudinger,1888) (Noctuidae) Synonym(s): *impudica* Staudinger,1888
 50626) *Xylena lunifera* W.Warren,1910 (Noctuidae) Synonym(s): *lunifera* W.Warren,1910
 50627) *Xylena lunifera lunifera* W.Warren,1910 (Noctuidae) Synonym(s): *lunifera* W.Warren,1910
 50628) *Xylena minima* Hacker,1992 (Noctuidae) Synonym(s): *minima* Hacker,1992
 50629) *Xylena nihonica* Höne,1917 (Noctuidae) Synonym(s): *nihonica* Höne,1917; *japonica* Höne,1917
 50630) *Xylena tatajiana* (Noctuidae) Synonym(s):
 50631) *Xylena tatajiana pectinicornis* (Hreblay & Ronkay,1998) (Noctuidae) Synonym(s): *pectinicornis* Hreblay & Ronkay,1998
 50632) *Xylena vetusta* (Hübner,[1813]) (Noctuidae) Synonym(s): *vetusta* Hübner,[1813]
 50633) *Xylocampa areola* (Esper,[1789]) (Noctuidae) Synonym(s): *areola* Esper,[1789]; *lithorhiza* Borkhausen,1792; *operosa* Hübner,[1808]
 50634) *Xylocampa mustapha* (Oberthür,1920) (Noctuidae) Synonym(s): *mustapha* Oberthür,1920
 50635) *Xylocampa mustapha hethitica* Kobes & Pinker,1976 (Noctuidae) Synonym(s): *hethitica* Kobes & Pinker,1976
 50636) *Xylocampa mustapha italica* Parenzan,1982 (Noctuidae) Synonym(s): *italica* Parenzan,1982
 50637) *Xylocampa mustapha mustapha* (Oberthür,1920) (Noctuidae) Synonym(s): *mustapha* Oberthür,1920
 50638) *Xylocampa mustapha srira* Rungs,1957 (Noctuidae) Synonym(s): *srira* Rungs,1957
 50639) *Xylomoia apameaoides* (Hacker,1989) (Noctuidae) Synonym(s): *apameaoides* Hacker,1989
 50640) *Xylomoia graminea* (Graeser,1889) (Noctuidae) Synonym(s):
 50641) *Xylomoia retinax* Mikkola,1998 (Noctuidae) Synonym(s): *retinax* Mikkola,1998
 50642) *Xylomoia strix* Mikkola,1980 (Noctuidae) Synonym(s):
 50643) *Yepcalphis dilectissima* (Walker,1858) (Noctuidae) Synonym(s): *dilectissima* Walker,1858
 50644) *Zalaca anticalis* Walker,[1866] (Noctuidae) Synonym(s): *anticalis* Walker,[1866]
 50645) *Zalaca snelleni* (Wallengren,1875) (Noctuidae) Synonym(s): *snelleni* Wallengren,1875
 50646) *Zanclognatha reticulatis* (Leech,1900) (Noctuidae) Synonym(s): *reticulatis* Leech,1900
 50647) *Zanclognatha* sp.1 (Noctuidae) Synonym(s):
 50648) *Zebebe falsalis* (Herrich-Schäffer,1839) (Noctuidae) Synonym(s): *falsalis* Herrich-Schäffer,1839
 50649) *Zekelita* (Ravalita) *amseli* Wiltshire,1961 (Noctuidae) Synonym(s): *amseli* Wiltshire,1961
 50650) *Zekelita* (Ravalita) *amseloides* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *amseloides* Hacker & Ebert,2002
 50651) *Zekelita* (Ravalita) *ravalis* (Herrich-Schäffer,[1852]) (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 *nec* Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941.
 50652) *Zekelita* (Rhynchodontodes) *antiqualis* (Hübner,[1809]) (Noctuidae) Synonym(s): *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *#antiquilis* Zukowsky,1941
 50653) *Zekelita* (Rhynchodontodes) *antistropa* (Vari,1962) (Noctuidae) Synonym(s): *antistropa* Vari,1962
 50654) *Zekelita* (Rhynchodontodes) *diagonalis* (Alpheraky,1882) (Noctuidae) Synonym(s): *diagonalis* Alpheraky,1882
 50655) *Zekelita* (Rhynchodontodes) *larseni* Wiltshire,1983 (Noctuidae) Synonym(s): *larseni* Wiltshire,1983
 50656) *Zekelita* (Rhynchodontodes) *mardinalis* (Staudinger,1892) (Noctuidae) Synonym(s): *mardinalis* Staudinger,1892
 50657) *Zekelita* (Rhynchodontodes) *murinaceus* Stshetkin,1965 (Noctuidae) Synonym(s): *murinaceus* Stshetkin,1965
 50658) *Zekelita* (Rhynchodontodes) *orientis* (Brandt,1938) (Noctuidae) Synonym(s): *orientis* Brandt,1938
 50659) *Zekelita* (Rhynchodontodes) *orientis richteri* Wiltshire,1961 (Noctuidae) Synonym(s): *richteri* Wiltshire,1961
 50660) *Zekelita* (Rhynchodontodes) *pallida* Draudt,1936 (Noctuidae) Synonym(s): *pallida* Draudt,1936
 50661) *Zekelita* (Rhynchodontodes) *plusioides* (Butler,1889) (Noctuidae) Synonym(s): *plusioides* Butler,1889
 50662) *Zekelita* (Rhynchodontodes) *ravulalis* (Staudinger,1879) (Noctuidae) Synonym(s): *ravulalis* Staudinger,1879
 50663) *Zekelita* (Rhynchodontodes) *ravulalis ravulalis* (Staudinger,1879) (Noctuidae) Synonym(s): *ravulalis* Staudinger,1879
 50664) *Zekelita* (Rhynchodontodes) *revolutalis* Zeller,1852 (Noctuidae) Synonym(s): *revolutalis* Zeller,1852; *angulalis* Mabille,1880; *eremialis* Swinhoe,1889 *nec* Wlk.,[1859]; *syriacalis* Staudinger,1892; *extorris* W.Warren,1913; *#pallida* Schawerda,1929; *transcaspica* Brandt,1941
 50665) *Zekelita* (Rhynchodontodes) *sagittalis* Rebel,1948 (Noctuidae) Synonym(s): *sagittalis* Rebel,1948
 50666) *Zekelita* (Rhynchodontodes) *schwingenschussi* (Wagner,1913) (Noctuidae) Synonym(s): *schwingenschussi* Wagner,1913
 50667) *Zekelita* (Rhynchodontodes) *separata* W.Warren,1913 (Noctuidae) Synonym(s): *separata* W.Warren,1913
 50668) *Zekelita* (Rhynchodontodes) *sorialis* (Püngeler,1909) (Noctuidae) Synonym(s): *sorialis* Püngeler,1909
 50669) *Zekelita* (Rhynchodontodes) *vartianae* Wiltshire,1971 (Noctuidae) Synonym(s): *vartianae* Wiltshire,1971
 50670) *Zethes brandti* Janzon,1977 (Noctuidae) Synonym(s): *nemea* Brandt,1938 (p.p.); *nemea sensu* Koçak,1977; *brandti* Janzon,1977.
 50671) *Zethes insularis* Rambur,1833 (Noctuidae) Synonym(s): *insularis* Rambur,1833
 50672) *Zethes monotonus* Wiltshire,1969 (Noctuidae) Synonym(s): *monotonus* Wiltshire,1969
 50673) *Zethes narghisa* Brandt,1938 (Noctuidae) Synonym(s): *narghisa* Brandt,1938
 50674) *Zethes nemea* Brandt,1938 (Noctuidae) Synonym(s): *nemea* Brandt,1938
 50675) *Zethes propinquus* Christoph,1885 (Noctuidae) Synonym(s): *propinquus* Christoph,1885
 50676) *Zethesides bettoni* (Butler,1898) (Noctuidae) Synonym(s): *bettoni* Butler,1898
 50677) *Zethesides hesperioides* (Guenée,1852) (Noctuidae) Synonym(s): *hesperioides* Guenée,1852
 50678) *Zonoplusia ochreatea* (Walker,1865) (Noctuidae) Synonym(s): *ochreatea* Walker,1865; *cornucopiae* Snellen,1880
 50679) *Achaera ochribasis* (Hampson,1910) (Notodontidae) Synonym(s): *ochribasis* Hampson,1910
 50680) *Acmeshachia albifasciata* (Moore,1879) (Notodontidae) Synonym(s): *albifasciata* Moore,1879
 50681) *Acmeshachia gigantea* (Elwes,1890) (Notodontidae) Synonym(s): *gigantea* Elwes,1890; ? *takamukui* Matsumura,1929
 50682) *Acasiella curvilinea* (Swinhoe,1907) (Notodontidae) Synonym(s): *curvilinea* Swinhoe,1907
 50683) *Afrocerura leonensis bifasciata* (Janse,1920) (Notodontidae) Synonym(s): *bifasciata* Janse,1920
 50684) *Afrogluphisia demas* Kiriakoff,1970 (Notodontidae) Synonym(s): *demas* Kiriakoff,1970
 50685) *Afroplitis dasychirina* (Gaede,1928) (Notodontidae) Synonym(s): *dasychirina* Gaede,1928
 50686) *Afroplitis phyllocampa* (Trimen,1909) (Notodontidae) Synonym(s): *phyllocampa* Trimen,1909
 50687) *Afroplitis pylades* (Kiriakoff,1955) (Notodontidae) Synonym(s): *pylades* Kiriakoff,1955
 50688) *Allata* (Celeia) *sikkima* (Moore,1879) (Notodontidae) Synonym(s): *sikkima* Moore,1879
 50689) *Allata* (Celeia) *violaceus Schintlmeister*,1997 (Notodontidae) Synonym(s): *violaceus* Schintlmeister,1997
 50690) *Allata* (s.str.) *argentifera* Walker,1862 (Notodontidae) Synonym(s): *argentifera* Walker,1862
 50691) *Allata* (s.str.) *benderi* Dierl,1976 (Notodontidae) Synonym(s): *benderi* Dierl,1976
 50692) *Allata racquela* Schintlmeister,1993 (Notodontidae) Synonym(s): *racquela* Schintlmeister,1993
 50693) *Allodonta tenebrosa* (Moore,1865) (Notodontidae) Synonym(s): *tenebrosa* Moore,1865
 50694) *Amphiphalaria leuconephra* Hampson,1910 (Notodontidae) Synonym(s): *leuconephra* Hampson,1910
 50695) *Amphiphalaria nigripuncta* Kiriakoff,1975 (Notodontidae) Synonym(s): *nigripuncta* Kiriakoff,1975
 50696) *Amyops ingens* Karsch,1895 (Notodontidae) Synonym(s): *ingens* Karsch,1895

- 50697) *Antheua anodonta* (Hampson,1910) (Notodontidae) Synonym(s): *anodonta* Hampson,1910
 50698) *Antheua aurifodinae* (Distant,1902) (Notodontidae) Synonym(s): *aurifodinae* Distant,1902
 50699) *Antheua aurivilliusi* Kiriakoff,1964 (Notodontidae) Synonym(s): *aurivilliusi* Kiriakoff,1964
 50700) *Antheua consanguinea* Distant,1903 (Notodontidae) Synonym(s): *consanguinea* Distant,1903
 50701) *Antheua croceipuncta* Hampson,1910 (Notodontidae) Synonym(s): *croceipuncta* Hampson,1910
 50702) *Antheua dimorpha* Janse,1920 (Notodontidae) Synonym(s): *dimorpha* Janse,1920
 50703) *Antheua encausta* (Hampson,1910) (Notodontidae) Synonym(s): *encausta* Hampson,1910
 50704) *Antheua extenuata* Walker,1869 (Notodontidae) Synonym(s): *extenuata* Walker,1869
 50705) *Antheua insignata* Gaede,1928 (Notodontidae) Synonym(s): *insignata* Gaede,1928
 50706) *Antheua mixta* Janse,1920 (Notodontidae) Synonym(s): *mixta* Janse,1920
 50707) *Antheua ornata* (Walker,1865) (Notodontidae) Synonym(s): *ornata* Walker,1865; *quisola* Strand,1912
 50708) *Antheua servula* (Drury,1773) (Notodontidae) Synonym(s): *servula* Drury,1773
 50709) *Antheua simplex* Walker,1855 (Notodontidae) Synonym(s): *simplex* Walker,1855; *ephippiata* Wallengren,1860
 50710) *Antheua tricolor* Walker,1855 (Notodontidae) Synonym(s): *tricolor* Walker,1855; *varia* Walker,1855.
 50711) *Antheua trimacula* Kiriakoff,1954 (Notodontidae) Synonym(s): *trimacula* Kiriakoff,1954
 50712) *Antheua woerdeni* (Snellen,1872) (Notodontidae) Synonym(s): *woerdeni* Snellen,1872
 50713) *Antheuella flavida* (Hampson,1910) (Notodontidae) Synonym(s): *flavida* Hampson,1910
 50714) *Antheuella incana* (Janse,1920) (Notodontidae) Synonym(s): *incana* Janse,1920
 50715) *Antheuella psolometopa* (Tams,1929) (Notodontidae) Synonym(s): *psolometopa* Tams,1929
 50716) *Anticleapa varii* Kiriakoff,1970 (Notodontidae) Synonym(s): *varii* Kiriakoff,1970
 50717) *Antiphalera bilineata* (Hampson,1896) (Notodontidae) Synonym(s): *bilineata* Hampson,1896
 50718) *Antiphalera philippoi* Schintlmeister,1997 (Notodontidae) Synonym(s): *philippoi* Schintlmeister,1997
 50719) *Antizana sparsata* Gaede,1928 (Notodontidae) Synonym(s): *sparsata* Gaede,1928
 50720) *Archigargetta viridigrisea* (Hampson,1898) (Notodontidae) Synonym(s): *viridigrisea* Hampson,1898
 50721) *Archistilbia cineracea* Kiriakoff,1954 (Notodontidae) Synonym(s): *cineracea* Kiriakoff,1954
 50722) *Archistilbia varii* Kiriakoff,1970 (Notodontidae) Synonym(s): *varii* Kiriakoff,1970
 50723) *Arciera phragmatoecioides* (Rothschild,1917) (Notodontidae) Synonym(s): *phragmatoecioides* Rothschild,1917
 50724) *Armiana argus* (Schintlmeister,1989) (Notodontidae) Synonym(s): *argus* Schintlmeister,1989
 50725) *Armiana armata* (Kiriakoff,1974) (Notodontidae) Synonym(s): *armata* Kiriakoff,1974
 50726) *Armiana aurora* (Kiriakoff,1962) (Notodontidae) Synonym(s): *aurora* Kiriakoff,1962
 50727) *Armiana dabashanica* Schintlmeister,2002 (Notodontidae) Synonym(s): *dabashanica* Schintlmeister,2002
 50728) *Armiana decurrens* (Moore,1879) (Notodontidae) Synonym(s): *decurrens* Moore,1879
 50729) *Armiana discoidalis* (Gaede,1930) (Notodontidae) Synonym(s): *discoidalis* Gaede,1930
 50730) *Armiana distinea* (Schintlmeister,1997) (Notodontidae) Synonym(s): *distinea* Schintlmeister,1997
 50731) *Armiana eustachus* (Schintlmeister,1997) (Notodontidae) Synonym(s): *eustachus* Schintlmeister,1997
 50732) *Armiana guanyin* (Schintlmeister & Fang,2001) (Notodontidae) Synonym(s): *guanyin* Schintlmeister & Fang,2001
 50733) *Armiana lativitta* Walker,1862 (Notodontidae) Synonym(s): *lativitta* Walker,1862
 50734) *Armiana longipennis* (Moore,1881) (Notodontidae) Synonym(s): *longipennis* Moore,1881
 50735) *Armiana malayana* (Schintlmeister,1994) (Notodontidae) Synonym(s): *malayana* Schintlmeister,1994
 50736) *Armiana marcellus* Schintlmeister,1997 (Notodontidae) Synonym(s): *marcellus* Schintlmeister,1997
 50737) *Armiana margarethae* (Kiriakoff,1959) (Notodontidae) Synonym(s): *margarethae* Kiriakoff,1959
 50738) *Armiana metaphaea* (Walker,1865) (Notodontidae) Synonym(s): *metaphaea* Walker,1865
 50739) *Armiana niveipicta* (Kiriakoff,1962) (Notodontidae) Synonym(s): *niveipicta* Kiriakoff,1962
 50740) *Armiana niveipicta niveipicta* (Kiriakoff,1962) (Notodontidae) Synonym(s): *niveipicta* Kiriakoff,1962
 50741) *Armiana notia* (Schintlmeister,1997) (Notodontidae) Synonym(s): *notia* Schintlmeister,1997
 50742) *Armiana nubila* (Kiriakoff,1962) (Notodontidae) Synonym(s): *nubila* Kiriakoff,1962
 50743) *Armiana ochracea* (Moore,1879) (Notodontidae) Synonym(s): *ochracea* Moore,1879
 50744) *Armiana odrana* (Schaus,1928) (Notodontidae) Synonym(s): *odrana* Schaus,1928
 50745) *Armiana ordgara* (Schaus,1928) (Notodontidae) Synonym(s): *ordgara* Schaus,1928
 50746) *Armiana pallida* Heylaerts,1891 (Notodontidae) Synonym(s): *pallida* Heylaerts,1891
 50747) *Armiana polonia* (Schintlmeister,1997) (Notodontidae) Synonym(s): *polonia* Schintlmeister,1997
 50748) *Armiana postfusca* (Kiriakoff,1962) (Notodontidae) Synonym(s): *postfusca* Kiriakoff,1962
 50749) *Armiana retrofusca* (De Joannis,1907) (Notodontidae) Synonym(s): *retrofusca* De Joannis,1907
 50750) *Armiana rogatus* Schintlmeister,1997 (Notodontidae) Synonym(s): *rogatus* Schintlmeister,1997
 50751) *Armiana sabulosa* (Kiriakoff,1962) (Notodontidae) Synonym(s): *sabulosa* Kiriakoff,1962
 50752) *Armiana sabulosa luzonica* (Schintlmeister,1993) (Notodontidae) Synonym(s): *luzonica* Schintlmeister,1993
 50753) *Armiana sabulosa sabulosa* (Kiriakoff,1962) (Notodontidae) Synonym(s): *sabulosa* Kiriakoff,1962
 50754) *Armiana sabulosa tonkina* (Schintlmeister,1997) (Notodontidae) Synonym(s): *tonkina* Schintlmeister,1997
 50755) *Armiana seacona* (Swinhoe,1916) (Notodontidae) Synonym(s): *seacona* Swinhoe,1916
 50756) *Armiana semperi* Schintlmeister,1993 (Notodontidae) Synonym(s): *semperi* Schintlmeister,1993
 50757) *Armiana sordida* (Roepke,1943) (Notodontidae) Synonym(s): *sordida* Roepke,1943
 50758) *Armiana* sp. (Notodontidae) Synonym(s):
 50759) *Armiana ubalvia* (Schaus,1928) (Notodontidae) Synonym(s): *ubalvia* Schaus,1928
 50760) *Armiana uncinata* (Semper,1902) (Notodontidae) Synonym(s): *uncinata* Semper,1902
 50761) *Atrasana excellens* (Strand,1912) (Notodontidae) Synonym(s): *excellens* Strand,1912
 50762) *Atrasana grisea* (Gaede,1928) (Notodontidae) Synonym(s): *grisea* Gaede,1928
 50763) *Atrasana nigrosignata* Kiriakoff,1975 (Notodontidae) Synonym(s): *nigrosignata* Kiriakoff,1975
 50764) *Atrasana pinheyi* Kiriakoff,1962 (Notodontidae) Synonym(s): *pinheyi* Kiriakoff,1962
 50765) *Atrasana postica* Walker,1856 (Notodontidae) Synonym(s): *postica* Walker,1856
 50766) *Atrasana rectilinea* (Gaede,1928) (Notodontidae) Synonym(s): *rectilinea* Gaede,1928
 50767) *Atrasana uncifera* (Hampson,1910) (Notodontidae) Synonym(s): *uncifera* Hampson,1910
 50768) *Baradesa lithosiodes* Moore,1883 (Notodontidae) Synonym(s): *lithosiodes* Moore,1883
 50769) *Baradesa lithosiodes gigantea* Schintlmeister,1997 (Notodontidae) Synonym(s): *gigantea* Schintlmeister,1997
 50770) *Baradesa lithosiodes lithosiodes* Moore,1883 (Notodontidae) Synonym(s): *lithosiodes* Moore,1883
 50771) *Baradesa omissa* Rothschild,1917 (Notodontidae) Synonym(s): *omissa* Rothschild,1917
 50772) *Batempa plana* Kiriakoff,1962 (Notodontidae) Synonym(s): *plana* Kiriakoff,1962
 50773) *Benbowia callista* Schintlmeister,1997 (Notodontidae) Synonym(s): *callista* Schintlmeister,1997
 50774) *Benbowia camilla* Schintlmeister,1997 (Notodontidae) Synonym(s): *camilla* Schintlmeister,1997
 50775) *Benbowia elisabethae* Dierl,1981 (Notodontidae) Synonym(s): *elisabethae* Dierl,1981
 50776) *Benbowia orientalis* Schintlmeister,1993 (Notodontidae) Synonym(s): *orientalis* Schintlmeister,1993
 50777) *Benbowia orientalis orientalis* Schintlmeister,1993 (Notodontidae) Synonym(s): *orientalis* Schintlmeister,1993
 50778) *Benbowia orientalis septentrionalis* Schintlmeister,1993 (Notodontidae) Synonym(s): *septentrionalis* Schintlmeister,1993
 50779) *Benbowia takamukuanus* (Matsumura,1925) (Notodontidae) Synonym(s): *takamukuanus* Matsumura,1925
 50780) *Benbowia virescens* (Moore,1879) (Notodontidae) Synonym(s): *virescens* Moore,1879
 50781) *Besaia (Achepydna) albifusa* (Wileman,1914) (Notodontidae) Synonym(s): *albifusa* Wileman,1914; *albibasalis* Matsumura,1929
 50782) *Besaia (Achepydna) goergneri* Schintlmeister,1989 (Notodontidae) Synonym(s): *goergneri* Schintlmeister,1989
 50783) *Besaia (Achepydna) obliqua* (Hampson,1897) (Notodontidae) Synonym(s): *obliqua* Hampson,1897
 50784) *Besaia (Achepydna) virgata* (Wileman,1914) (Notodontidae) Synonym(s): *virgata* Wileman,1914; *formosicola*
 50785) *Besaia (Curuzza) bryki* Schintlmeister,1997 (Notodontidae) Synonym(s): *bryki* Schintlmeister,1997
 50786) *Besaia (Curuzza) eburnea* (Bryk,1949) (Notodontidae) Synonym(s): *eburnea* Bryk,1949

- 50787) *Besaia* (Curuzza) *frugalis* (Leech,1898) (Notodontidae) Synonym(s): *frugalis* Leech,1898
50788) *Besaia* (Curuzza) *leechi* Schintlmeister,1997 (Notodontidae) Synonym(s): *leechi* Schintlmeister,1997
50789) *Besaia* (Curuzza) *symphorian* Schintlmeister,1997 (Notodontidae) Synonym(s): *symphorian* Schintlmeister,1997
50790) *Besaia* (Mimopydna) *anaemica* (Kiriakoff,1962) (Notodontidae) Synonym(s): *anaemica* Kiriakoff,1962
50791) *Besaia* (Mimopydna) *essa* (Swinhoe,1896) (Notodontidae) Synonym(s): *essa* Swinhoe,1896
50792) *Besaia* (Mimopydna) *insignis* (Leech,1898) (Notodontidae) Synonym(s): *insignis* Leech,1898
50793) *Besaia* (Mimopydna) *magna* Schintlmeister,1997 (Notodontidae) Synonym(s): *magna* Schintlmeister,1997
50794) *Besaia* (Mimopydna) *pallida* (Butler,1877) (Notodontidae) Synonym(s): *pallida* Butler,1877; *bansai* Bryk,1942
50795) *Besaia* (Mimopydna) *sikkima* (Moore,1879) (Notodontidae) Synonym(s): *sikkima* Moore,1879
50796) *Besaia* (Mimopydna) *sikkima kishidai* Schintlmeister,1989 (Notodontidae) Synonym(s): *kishidai* Schintlmeister,1989
50797) *Besaia* (Mimopydna) *sikkima sikkima* (Moore,1879) (Notodontidae) Synonym(s): *sikkima* Moore,1879
50798) *Besaia* (Mimopydna) *sikkima stueningi* Schintlmeister,1989 (Notodontidae) Synonym(s): *stueningi* Schintlmeister,1989
50799) *Besaia* (Ogulina) *apicalis* Kiriakoff,1962 (Notodontidae) Synonym(s): *apicalis* Kiriakoff,1962
50800) *Besaia* (Ogulina) *argentina* (Cai,1982) (Notodontidae) Synonym(s): *argentina* Cai,1982
50801) *Besaia* (Ogulina) *atrivittata* (Hampson,1900) (Notodontidae) Synonym(s): *atrivittata* Hampson,1900
50802) *Besaia* (Ogulina) *castor* (Kiriakoff,1963) (Notodontidae) Synonym(s): *castor* Kiriakoff,1963
50803) *Besaia* (Ogulina) *crenelata* (Swinhoe,1896) (Notodontidae) Synonym(s): *crenelata* Swinhoe,1896
50804) *Besaia* (Ogulina) *eupatagia* (Hampson,1893) (Notodontidae) Synonym(s): *eupatagia* Hampson,1893
50805) *Besaia* (Ogulina) *melanius* Schintlmeister,1997 (Notodontidae) Synonym(s): *melanius* Schintlmeister,1997
50806) *Besaia* (Ogulina) *plusioides* (Bryk,1949) (Notodontidae) Synonym(s): *plusioides* Bryk,1949; *pulchra* Cai,1982
50807) *Besaia* (Ogulina) *pollux* (Kiriakoff,1963) (Notodontidae) Synonym(s): *pollux* Kiriakoff,1963
50808) *Besaia* (Ogulina) *subserena sinica* (Kiriakoff,1962) (Notodontidae) Synonym(s): *sinica* Kiriakoff,1962
50809) *Besaia* (s.str.) *albidostriata* (Bryk,1949) (Notodontidae) Synonym(s): *albidostriata* Bryk,1949
50810) *Besaia* (s.str.) *argenteodivisa* (Kiriakoff,1962) (Notodontidae) Synonym(s): *argenteodivisa* Kiriakoff,1962
50811) *Besaia* (s.str.) *aurantistriga* (Kiriakoff,1962) (Notodontidae) Synonym(s): *aurantistriga* Kiriakoff,1962
50812) *Besaia* (s.str.) *brunneisticta* (Bryk,1949) (Notodontidae) Synonym(s): *brunneisticta* Bryk,1949
50813) *Besaia* (s.str.) *dives* (Kiriakoff,1962) (Notodontidae) Synonym(s): *dives* Kiriakoff,1962
50814) *Besaia* (s.str.) *goddrica* (Schaus,1928) (Notodontidae) Synonym(s): *goddrica* Schaus,1928; *simplicior* Gaede,1930
50815) *Besaia* (s.str.) *griseodivisa* (Bryk,1949) (Notodontidae) Synonym(s): *griseodivisa* Bryk,1949
50816) *Besaia* (s.str.) *inconspicua* (Wileman,1914) (Notodontidae) Synonym(s): *inconspicua* Wileman,1914
50817) *Besaia* (s.str.) *isis* Schintlmeister,1997 (Notodontidae) Synonym(s): *isis* Schintlmeister,1997
50818) *Besaia* (s.str.) *isolde* Schintlmeister,1997 (Notodontidae) Synonym(s): *isolde* Schintlmeister,1997
50819) *Besaia* (s.str.) *kolmani* Schintlmeister,1997 (Notodontidae) Synonym(s): *kolmani* Schintlmeister,1997
50820) *Besaia* (s.str.) *meo* Schintlmeister,1997 (Notodontidae) Synonym(s): *meo* Schintlmeister,1997
50821) *Besaia* (s.str.) *nebulosa* Wileman,1914 (Notodontidae) Synonym(s): *nebulosa* Wileman,1914
50822) *Besaia* (s.str.) *pyraloides* (Kiriakoff,1962) (Notodontidae) Synonym(s): *pyraloides* Kiriakoff,1962
50823) *Besaia* (s.str.) *rubiginea* (Walker,1865) (Notodontidae) Synonym(s): *rubiginea* Walker,1865
50824) *Besaia* (s.str.) *sideridis* (Kiriakoff,1962) (Notodontidae) Synonym(s): *sideridis* Kiriakoff,1962
50825) *Besaia* (s.str.) *sordida* (Wileman,1914) (Notodontidae) Synonym(s): *sordida* Wileman,1914; *suisharyonis* Strand,1915
50826) *Besaia* (s.str.) *tamurensis* Nakamura,1974 (Notodontidae) Synonym(s): *tamurensis* Nakamura,1974
50827) *Besaia* (s.str.) *tristan* Schintlmeister,1997 (Notodontidae) Synonym(s): *tristan* Schintlmeister,1997
50828) *Besaia* (s.str.) *yunnana* (Kiriakoff,1962) (Notodontidae) Synonym(s): *yunnana* Kiriakoff,1962
50829) *Besaia* (s.str.) *zoe* Schintlmeister,1997 (Notodontidae) Synonym(s): *zoe* Schintlmeister,1997
50830) *Besida* *vinvalva* Schaus,1928 (Notodontidae) Synonym(s): *vinvalva* Schaus,1928
50831) *Besida* *xylinata* Walker,1865 (Notodontidae) Synonym(s): *xylinata* Walker,1865; *#albiplaga* Gaede,1930
50832) *Betashachia* *angustipennis* Matsumura,1925 (Notodontidae) Synonym(s): *angustipennis* Matsumura,1925; *cineraria* Kiriakoff,1963
50833) *Betashachia* *angustipennis angustipennis* Matsumura,1925 (Notodontidae) Synonym(s): *angustipennis* Matsumura,1925; *cineraria* Kiriakoff,1963
50834) *Betashachia* *angustipennis tropica* Kiriakoff (Notodontidae) Synonym(s): *tropica* Kiriakoff
50835) *Betashachia* *senescens* (Kiriakoff,1963) (Notodontidae) Synonym(s): *senescens* Kiriakoff,1963
50836) *Betashachia* *substyxana* (Kiriakoff,1963) (Notodontidae) Synonym(s): *substyxana* Kiriakoff,1963
50837) *Bilulua* *strigata* Kiriakoff,1954 (Notodontidae) Synonym(s): *strigata* Kiriakoff,1954
50838) *Bireta* *dorsisuffusa* Kiriakoff,1962 (Notodontidae) Synonym(s): *dorsisuffusa* Kiriakoff,1962
50839) *Bireta* *endophaea* (Hampson,1904) (Notodontidae) Synonym(s): *endophaea* Hampson,1904
50840) *Bireta* *longivitta* Walker,1856 (Notodontidae) Synonym(s): *longivitta* Walker,1856; *xanthophila* Walker,1865
50841) *Bisolita* *rubrifascia* (Hampson,1910) (Notodontidae) Synonym(s): *rubrifascia* Hampson,1910
50842) *Bisolita* *strigata* (Aurivillius,1906) (Notodontidae) Synonym(s): *strigata* Aurivillius,1906
50843) *Blakaia* *marmorata* Kiriakoff,1967 (Notodontidae) Synonym(s): *marmorata* Kiriakoff,1967
50844) *Brykia* *horsfieldi* (Moore,1859) (Notodontidae) Synonym(s): *horsfieldi* Moore,1859
50845) *Brykia* *horsfieldi horsfieldi* (Moore,1859) (Notodontidae) Synonym(s): *horsfieldi* Moore,1859
50846) *Brykia* *horsfieldi mapalia* Schintlmeister,1997 (Notodontidae) Synonym(s): *mapalia* Schintlmeister,1997
50847) *Calyptronotum* *gualberta* (Schaus,1928) (Notodontidae) Synonym(s): *gualberta* Schaus,1928
50848) *Calyptronotum* *singapura* (Gaede,1930) (Notodontidae) Synonym(s): *singapura* Gaede,1930
50849) *Catastygne* *tristicolor* (Gaede,1928) (Notodontidae) Synonym(s): *tristicolor* Gaede,1928
50850) *Catochria* *catocoloides* Herrich-Schäffer,[1855] (Notodontidae) Synonym(s): *catocoloides* Herrich-Schäffer,[1855]
50851) *Catochria* *postflava* Kiriakoff,1955 (Notodontidae) Synonym(s): *postflava* Kiriakoff,1955
50852) *Cerasana* *anceps* Walker,1862 (Notodontidae) Synonym(s): *anceps* Walker,1862
50853) *Cerasana* *basipuncta* (Semper,1896) (Notodontidae) Synonym(s): *basipuncta* Semper,1896
50854) *Cerasana* *rubripuncta* Joannis,1900 (Notodontidae) Synonym(s): *rubripuncta* Joannis,1900; *lemeemagdaleneae* Lemee & Tams,1950
50855) *Cerura* (Neocerura) *liturata* (Walker,1855) (Notodontidae) Synonym(s): *liturata* Walker,1855
50856) *Cerura* (Neocerura) *liturata arikana* (Matsumura,1927) (Notodontidae) Synonym(s): *arikana* Matsumura,1927; *baibarana* Matsumura,1927.
50857) *Cerura* (Neocerura) *liturata liturata* (Walker,1855) (Notodontidae) Synonym(s): *liturata* Walker,1855
50858) *Cerura* (s.str.) *delavoiei* (Gaschet,1876) (Notodontidae) Synonym(s): *delavoiei* Gaschet,1876
50859) *Cerura* (s.str.) *delavoiei canariensis* Pinker,1968 (Notodontidae) Synonym(s): *canariensis* Pinker,1968
50860) *Cerura* (s.str.) *delavoiei delavoiei* (Gaschet,1876) (Notodontidae) Synonym(s): *delavoiei* Gaschet,1876
50861) *Cerura* (s.str.) *erminea* (Esper,1783) (Notodontidae) Synonym(s): *erminea* Esper,1783
50862) *Cerura* (s.str.) *erminea candida* (Staudinger,1892) (Notodontidae) Synonym(s): *candida* Staudinger,1892
50863) *Cerura* (s.str.) *erminea erminea* (Esper,1783) (Notodontidae) Synonym(s): *erminea* Esper,1783
50864) *Cerura* (s.str.) *felina* Butler,1877 (Notodontidae) Synonym(s): *felina* Butler,1877; *askolda* Oberthür,1880
50865) *Cerura* (s.str.) *himalayana* Moore,1888 (Notodontidae) Synonym(s): *himalayana* Moore,1888
50866) *Cerura* (s.str.) *iberica* (Templado & Ortiz,1966) (Notodontidae) Synonym(s): *iberica* Templado & Ortiz,1966
50867) *Cerura* (s.str.) *intermedia* (Teich,1896) (Notodontidae) Synonym(s): *intermedia* Teich,1896
50868) *Cerura* (s.str.) *meneciana* Moore,1877 (Notodontidae) Synonym(s): *meneciana* Moore,1877
50869) *Cerura* (s.str.) *meneciana birmanica* Bryk,1949 (Notodontidae) Synonym(s): *birmanica* Bryk,1949
50870) *Cerura* (s.str.) *meneciana formosana* Matsumura,1929 (Notodontidae) Synonym(s): *formosana* Matsumura,1929
50871) *Cerura* (s.str.) *meneciana meneciana* Moore,1877 (Notodontidae) Synonym(s): *meneciana* Moore,1877
50872) *Cerura* (s.str.) *przewalskii* (Alpheraky,1882) (Notodontidae) Synonym(s): *przewalskii* Alpheraky,1882
50873) *Cerura* (s.str.) *przewalskii amseli* De Lattin, Becker, Roesler,1974 (Notodontidae) Synonym(s): *amseli* De Lattin, Becker, Roesler,1974
50874) *Cerura* (s.str.) *przewalskii przewalskii* (Alpheraky,1882) (Notodontidae) Synonym(s): *przewalskii* Alpheraky,1882
50875) *Cerura* (s.str.) *roesleri* De Lattin, Becker, Bender,1974 (Notodontidae) Synonym(s): *roesleri* De Lattin, Becker, Bender,1974
50876) *Cerura* (s.str.) *vinula* (Linnaeus,1758) (Notodontidae) Synonym(s): *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939

- 50877) *Cerura* (s.str.) *vinula benderi* De Lattin, Becker, Roesler, 1974 (Notodontidae) Synonym(s): *benderi* De Lattin, Becker, Roesler, 1974
- 50878) *Cerura* (s.str.) *vinula estonica* (Huene, 1905) (Notodontidae) Synonym(s): *estonica* Huene, 1905
- 50879) *Cerura* (s.str.) *vinula irakana* (Heydemann Schulte & Remane, 1963) (Notodontidae) Synonym(s): *irakana* Heydemann Schulte & Remane, 1963
- 50880) *Cerura* (s.str.) *vinula phantoma* (Dalman, 1823) (Notodontidae) Synonym(s): *phantoma* Dalman, 1823
- 50881) *Cerura* (s.str.) *vinula vinula* (Linnaeus, 1758) (Notodontidae) Synonym(s): *vinula* Linnaeus, 1758; *minax* Hübner, [1803]; *teberdina* Kornejev, 1939
- 50882) *Cerurella natalensis* Kiriakoff, 1962 (Notodontidae) Synonym(s): *natalensis* Kiriakoff, 1962
- 50883) *Cerurina marshalli* (Hampson, 1910) (Notodontidae) Synonym(s): *marshalli* Hampson, 1910
- 50884) *Chadisa bipars* Walker, 1862 (Notodontidae) Synonym(s): *bipars* Walker, 1862
- 50885) *Chadisa bipartita* (Matsumura, 1925) (Notodontidae) Synonym(s): *bipartita* Matsumura, 1925
- 50886) *Chadisa calapana* (Semper, 1898) (Notodontidae) Synonym(s): *calapana* Semper, 1898
- 50887) *Chadisa luzonensis* Kiriakoff, 1970 (Notodontidae) Synonym(s): *luzonensis* Kiriakoff, 1970
- 50888) *Chlorocalliope calliope* (Hampson, 1910) (Notodontidae) Synonym(s): *calliope* Hampson, 1910
- 50889) *Chlorocalliope subvernalis* Kiriakoff, 1958 (Notodontidae) Synonym(s): *subvernalis* Kiriakoff, 1958
- 50890) *Chlorochadisa viridipulverea* (Gaede, 1928) (Notodontidae) Synonym(s): *viridipulverea* Gaede, 1928
- 50891) *Clostera anachoreta* (Fabricius, 1787) (Notodontidae) Synonym(s): *#anachoreta* [Denis & Schiffermüller], 1775; *anachoreta* Fabricius, 1787; *pallida* Staudinger, 1887 nec Wlk., 1855; *albidior* Pfütze, 1901; *erema* Bryk, 1942; *lundquisti* Bryk, 1942; *mahatma* Bryk, 1949
- 50892) *Clostera anastomosis* (Linnaeus, 1758) (Notodontidae) Synonym(s): *anastomosis* Linnaeus, 1758; *alticaudagrisea* Retzius, 1783; *orientalis* Fixsen, 1887; *kononis* Matsumura, 1929; *insignior* Kiriakoff, 1963
- 50893) *Clostera anastomosis anastomosis* (Linnaeus, 1758) (Notodontidae) Synonym(s): *anastomosis* Linnaeus, 1758; *alticaudagrisea* Retzius, 1783; *orientalis* Fixsen, 1887; *kononis* Matsumura, 1929; *insignior* Kiriakoff, 1963
- 50894) *Clostera anastomosis tristis* (Staudinger, 1887) (Notodontidae) Synonym(s): *tristis* Staudinger, 1887
- 50895) *Clostera angularis* (Snellen, 1895) (Notodontidae) Synonym(s): *angularis* Snellen, 1895
- 50896) *Clostera cupreata* Butler (Notodontidae) Synonym(s): *cupreata* Butler
- 50897) *Clostera curtula* (Linnaeus, 1758) (Notodontidae) Synonym(s): *curtula* Linnaeus, 1758; *albicaudaalba* Retzius, 1783
- 50898) *Clostera curtula canescens* Graeser, 1892 (Notodontidae) Synonym(s): *canescens* Graeser, 1892
- 50899) *Clostera curtula curtula* (Linnaeus, 1758) (Notodontidae) Synonym(s): *curtula* Linnaeus, 1758; *albicaudaalba* Retzius, 1783
- 50900) *Clostera distinguenda* Kiriakoff, 1962 (Notodontidae) Synonym(s): *distinguenda* Kiriakoff, 1962
- 50901) *Clostera dorsalis* (Walker, 1862) (Notodontidae) Synonym(s): *dorsalis* Walker, 1862; *geminata* Gaede, 1930
- 50902) *Clostera ferruginosa* (Gaede, 1934) (Notodontidae) Synonym(s): *ferruginosa* Gaede, 1934
- 50903) *Clostera formosa* Kiriakoff, 1962 (Notodontidae) Synonym(s): *formosa* Kiriakoff, 1962
- 50904) *Clostera fulgurita* (Walker, 1865) (Notodontidae) Synonym(s): *fulgurita* Walker, 1865
- 50905) *Clostera hildora* (Schaus, 1928) (Notodontidae) Synonym(s): *hildora* Schaus, 1928
- 50906) *Clostera lentisignata* (Hampson, 1910) (Notodontidae) Synonym(s): *lentisignata* Hampson, 1910
- 50907) *Clostera modesta* (Staudinger, 1889) (Notodontidae) Synonym(s): *modesta* Staudinger, 1889; *moderata* Graeser, 1892; *akulini* Oberthür, 1910
- 50908) *Clostera nubila* Kiriakoff, 1962 (Notodontidae) Synonym(s): *nubila* Kiriakoff, 1962
- 50909) *Clostera obscurior* (Staudinger, 1887) (Notodontidae) Synonym(s): *obscurior* Staudinger, 1887
- 50910) *Clostera pallida* (Walker, 1855) (Notodontidae) Synonym(s): *pallida* Walker, 1855; *rufa* Luh, 1947
- 50911) *Clostera pigra* (Hufnagel, 1766) (Notodontidae) Synonym(s): *pigra* Hufnagel, 1766; *reclusa* [Denis & Schiffermüller], 1775; *alticaudafurcata* Retzius, 1783; *suffusa* Stephens, 1835; *superior* Rangnow, 1935; *#flavidior* Bytinski-Salz, 1936
- 50912) *Clostera pigra pigra* (Hufnagel, 1766) (Notodontidae) Synonym(s): *pigra* Hufnagel, 1766; *reclusa* [Denis & Schiffermüller], 1775; *alticaudafurcata* Retzius, 1783; *suffusa* Stephens, 1835; *superior* Rangnow, 1935; *#flavidior* Bytinski-Salz, 1936
- 50913) *Clostera pigra staudingeri* Koçak, 1980 (Notodontidae) Synonym(s): *ferruginea* Staudinger, 1901 nec Mre, 1865; *staudingeri* Koçak, 1980
- 50914) *Clostera powelli* (Oberthür, 1915) (Notodontidae) Synonym(s): *powelli* Oberthür, 1915
- 50915) *Clostera restituta* (Walker, 1865) (Notodontidae) Synonym(s): *restituta* Walker, 1865
- 50916) *Clostera roseotincta* (Janse, 1920) (Notodontidae) Synonym(s): *roseotincta* Janse, 1920
- 50917) *Clostera semilunata* Kiriakoff, 1971 (Notodontidae) Synonym(s): *semilunata* Kiriakoff, 1971
- 50918) *Clostera violacearia* (Janse, 1920) (Notodontidae) Synonym(s): *violacearia* Janse, 1920
- 50919) *Clostera vumba* Kiriakoff, 1981 (Notodontidae) Synonym(s): *vumba* Kiriakoff, 1981
- 50920) *Cnethodonta grisescens* Staudinger, 1887 (Notodontidae) Synonym(s): *grisescens* Staudinger, 1887
- 50921) *Cnethodonta grisescens baibarana* Matsumura, 1929 (Notodontidae) Synonym(s): *baibarana* Matsumura, 1929
- 50922) *Cnethodonta grisescens grisescens* Staudinger, 1887 (Notodontidae) Synonym(s): *grisescens* Staudinger, 1887
- 50923) *Cnethodonta japonica* Sugi, 1980 (Notodontidae) Synonym(s): *japonica* Sugi, 1980
- 50924) *Cnethodonta pustulifer* (Oberthür, 1911) (Notodontidae) Synonym(s): *pustulifer* Oberthür, 1911
- 50925) *Cnethodonta pustulifer albesens* Schintlmeister, 1997 (Notodontidae) Synonym(s): *albesens* Schintlmeister, 1997
- 50926) *Cnethodonta pustulifer pustulifer* (Oberthür, 1911) (Notodontidae) Synonym(s): *pustulifer* Oberthür, 1911
- 50927) *Cophocosma nigrilinea* (Leech, 1899) (Notodontidae) Synonym(s): *nigrilinea* Leech, 1899
- 50928) *Coscodaca acharista* (West, 1932) (Notodontidae) Synonym(s): *acharista* West, 1932
- 50929) *Crambometra derelicta* Prout, 1915 (Notodontidae) Synonym(s): *derelicta* Prout, 1915
- 50930) *Crambometra gladstoni* (Janse, 1920) (Notodontidae) Synonym(s): *gladstoni* Janse, 1920
- 50931) *Crambometra vandenbergae* Kiriakoff, 1981 (Notodontidae) Synonym(s): *vandenbergae* Kiriakoff, 1981
- 50932) *Cyphanta chortochroa* Hampson, [1893] (Notodontidae) Synonym(s): *chortochroa* Hampson, [1893]
- 50933) *Cyphanta xanthochlora* Walker, 1865 (Notodontidae) Synonym(s): *xanthochlora* Walker, 1865
- 50934) *Damata dicyma* Wiltshire, 1958 (Notodontidae) Synonym(s): *dicyma* Wiltshire, 1958
- 50935) *Damata longipennis* Walker, 1855 (Notodontidae) Synonym(s): *longipennis* Walker, 1855
- 50936) *Damata longipennis formosicola* Matsumura, 1929 (Notodontidae) Synonym(s): *formosicola* Matsumura, 1929; *japona* Bryk, 1949
- 50937) *Damata longipennis longipennis* Walker, 1855 (Notodontidae) Synonym(s): *longipennis* Walker, 1855
- 50938) *Dasychirella cinderella* Kiriakoff, 1970 (Notodontidae) Synonym(s): *cinderella* Kiriakoff, 1970
- 50939) *Deinarchia agramma* (Hampson, 1910) (Notodontidae) Synonym(s): *agramma* Hampson, 1910
- 50940) *Desmeocraera analis* Kiriakoff, 1954 (Notodontidae) Synonym(s): *analis* Kiriakoff, 1954
- 50941) *Desmeocraera analis analis* Kiriakoff, 1954 (Notodontidae) Synonym(s): *analis* Kiriakoff, 1954
- 50942) *Desmeocraera analis strigata* Kiriakoff, 1968 (Notodontidae) Synonym(s): *strigata* Kiriakoff, 1968
- 50943) *Desmeocraera atribasalis* (Hampson, 1910) (Notodontidae) Synonym(s): *atribasalis* Hampson, 1910
- 50944) *Desmeocraera basalis* Distant, 1899 (Notodontidae) Synonym(s): *basalis* Distant, 1899
- 50945) *Desmeocraera canescens* Janse, 1920 (Notodontidae) Synonym(s): *canescens* Janse, 1920
- 50946) *Desmeocraera clenchi* Kiriakoff, 1958 (Notodontidae) Synonym(s): *clenchi* Kiriakoff, 1958
- 50947) *Desmeocraera congoana* Aurivillius, 1900 (Notodontidae) Synonym(s): *congoana* Aurivillius, 1900
- 50948) *Desmeocraera decorata* (Wichgraf, 1922) (Notodontidae) Synonym(s): *decorata* Wichgraf, 1922; *neavei* Tams, 1925; *lithocolla* Tams, 1932
- 50949) *Desmeocraera dorsalis* Kiriakoff, 1981 (Notodontidae) Synonym(s): *dorsalis* Kiriakoff, 1981
- 50950) *Desmeocraera falsa* (Holland, 1893) (Notodontidae) Synonym(s): *falsa* Holland, 1893
- 50951) *Desmeocraera forsteri* Kiriakoff, 1973 (Notodontidae) Synonym(s): *forsteri* Kiriakoff, 1973
- 50952) *Desmeocraera griseoviridis* Hampson, 1910 (Notodontidae) Synonym(s): *griseoviridis* Hampson, 1910
- 50953) *Desmeocraera interpellatrix* (Wallengren, 1860) (Notodontidae) Synonym(s): *interpellatrix* Wallengren, 1860
- 50954) *Desmeocraera jansei* Kiriakoff, 1958 (Notodontidae) Synonym(s): *varia* Janse, 1920 nec Wlk.; *jansei* Kiriakoff, 1958
- 50955) *Desmeocraera kiriakoffi* Thiaucourt, 1977 (Notodontidae) Synonym(s): *kiriakoffi* Thiaucourt, 1977
- 50956) *Desmeocraera latex* (Druce, 1901) (Notodontidae) Synonym(s): *latex* Druce, 1901
- 50957) *Desmeocraera leucophaea* Gaede, 1928 (Notodontidae) Synonym(s): *leucophaea* Gaede, 1928
- 50958) *Desmeocraera leucosticta* (Hampson, 1910) (Notodontidae) Synonym(s): *leucosticta* Hampson, 1910
- 50959) *Desmeocraera luteosticta* Kiriakoff, 1968 (Notodontidae) Synonym(s): *luteosticta* Kiriakoff, 1968
- 50960) *Desmeocraera mawa* Kiriakoff, 1979 (Notodontidae) Synonym(s): *mawa* Kiriakoff, 1979
- 50961) *Desmeocraera mkabi* Kiriakoff, 1979 (Notodontidae) Synonym(s): *mkabi* Kiriakoff, 1979

- 50962) *Desmeocraera* *moza* Kiriakoff,1962 (Notodontidae) Synonym(s): *moza* Kiriakoff,1962
 50963) *Desmeocraera* *nugatrix* Felder,1874 (Notodontidae) Synonym(s): *nugatrix* Felder,1874
 50964) *Desmeocraera* *octoginta* (Hampson,1910) (Notodontidae) Synonym(s): *octoginta* Hampson,1910
 50965) *Desmeocraera* *oliva* Kiriakoff,1968 (Notodontidae) Synonym(s): *oliva* Kiriakoff,1968
 50966) *Desmeocraera* *platti* Janse,1920 (Notodontidae) Synonym(s): *platti* Janse,1920
 50967) *Desmeocraera* *sincera* Kiriakoff,1958 (Notodontidae) Synonym(s): *sincera* Kiriakoff,1958
 50968) *Desmeocraera* *tanzanica* Kiriakoff,1973 (Notodontidae) Synonym(s): *tanzanica* Kiriakoff,1973
 50969) *Desmeocraera* *tripuncta* Janse,1920 (Notodontidae) Synonym(s): *tripuncta* Janse,1920
 50970) *Desmeocraera* *tripuncta kenyae* Kiriakoff,1958 (Notodontidae) Synonym(s): *kenyae* Kiriakoff,1958
 50971) *Desmeocraera* *tripuncta tripuncta* Janse,1920 (Notodontidae) Synonym(s): *tripuncta* Janse,1920
 50972) *Desmeocraera* *vernalis* Distant,1897 (Notodontidae) Synonym(s): *vernalis* Distant,1897
 50973) *Desmeocraera* *weberiana* Kiriakoff,1958 (Notodontidae) Synonym(s): *weberiana* Kiriakoff,1958
 50974) *Desmeocraera* *zombae* Kiriakoff,1958 (Notodontidae) Synonym(s): *zombae* Kiriakoff,1958
 50975) *Dicranura* *tsvetajevi* Schintlmeister & Sviridov,1986 (Notodontidae) Synonym(s): *tsvetajevi* Schintlmeister & Sviridov,1986
 50976) *Dicranura* *ulmi* (Denis & Schiffmüller,1775) (Notodontidae) Synonym(s): *ulmi* [Denis & Schiffmüller],1775; *discors* Fabricius,1798; *modica* Dannehl,1929; *istriaca* Bytinski-Salz,1939.
 50977) *Disracha* *persimilis* (Hampson,1910) (Notodontidae) Synonym(s): *persimilis* Hampson,1910
 50978) *Drapetides* *uniformis* (Swinhoe,1907) (Notodontidae) Synonym(s): *uniformis* Swinhoe,1907
 50979) *Drymonia* *dodonaea* (Denis & Schiffmüller,1775) (Notodontidae) Synonym(s): *adodonaea* [Denis & Schiffmüller],1775; *trimacula* Esper,[1785]; *lunata* Villers,1789; *pollawskii* Schintlmeister,1981; *wagneri* De Freina,1981
 50980) *Drymonia* *japonica* (Wileman,1911) (Notodontidae) Synonym(s): *japonica* Wileman,1911
 50981) *Drymonia* *moyaerii* (Ebert,1971) (Notodontidae) Synonym(s): *moyaerii* Ebert,1971
 50982) *Drymonia* *obliterata* (Esper,[1785]) (Notodontidae) Synonym(s): *obliterata* Esper,[1785]; *melagona* Borkhausen,1790; *deleta* Brahm,1790; *esmera* De Freina,1981
 50983) *Drymonia* *querna* (Fabricius,1787) (Notodontidae) Synonym(s): *querna* [Denis & Schiffmüller],1775; *querna* Fabricius,1787; *sausalica* Daniel,1968; *meridiotalica* Hartig,1970; *danieli* Hartig,1970
 50984) *Drymonia* *querna djezina* O.Bang-Haas,1937 (Notodontidae) Synonym(s): *djezina* O.Bang-Haas,1937
 50985) *Drymonia* *ruficornis* (Hufnagel,1766) (Notodontidae) Synonym(s): *ruficornis* Hufnagel,1766; *confusa* Hufnagel,1767; *chaonia* [Denis & Schiffmüller],1775; *roboris* Fabricius,1777; *ilicis* Fabricius,1793; *roboreus* Haworth,1803; *querneus* Haworth,1803; *concolor* Daniel,1939; *anadolua* De Freina,1983.
 50986) *Drymonia* *velitaris* (Hufnagel,1766) (Notodontidae) Synonym(s): *velitaris* Hufnagel,1766; *austera* [Denis & Schiffmüller],1775; *bifasciata* Villers,1789
 50987) *Drymonia* *velitaris pontica* (Rebel,1908) (Notodontidae) Synonym(s): *pontica* Rebel,1908
 50988) *Drymonia* *velitaris velitaris* (Hufnagel,1766) (Notodontidae) Synonym(s): *velitaris* Hufnagel,1766; *austera* [Denis & Schiffmüller],1775; *bifasciata* Villers,1789
 50989) *Dudusa* *intermedia* Sugi,1987 (Notodontidae) Synonym(s): *intermedia* Sugi,1987; *#intermediata* Hutacharern & Tubtim,1995
 50990) *Dudusa* *minor* Schintlmeister,1993 (Notodontidae) Synonym(s): *minor* Schintlmeister,1993
 50991) *Dudusa* *nobilis* Walker,1865 (Notodontidae) Synonym(s): *nobilis* Walker,1865; *baibarana* Matsumura,1929; *distincta* Mell,1930.
 50992) *Dudusa* *sphingiformis* Moore,1872 (Notodontidae) Synonym(s): *sphingiformis* Moore,1872; *coreana* Nakatomi,1977; *birmana* Bryk,1949; *tsushimana* Nakamura,1978
 50993) *Dudusa* *synopla* Swinhoe,1907 (Notodontidae) Synonym(s): *synopla* Swinhoe,1907; *rufobrunnea* Mell,1930; *fumosa* Matsumura,1925; *horishana* Matsumura,1929.
 50994) *Dudusa* *vethi borneensis* Roepke,1943 (Notodontidae) Synonym(s): *borneensis* Roepke,1943
 50995) *Egonciades* *basistriata* Kiriakoff,1963 (Notodontidae) Synonym(s): *basistriata* Kiriakoff,1963
 50996) *Egonciades* *discosticta* (Hampson,1900) (Notodontidae) Synonym(s): *discosticta* Hampson,1900
 50997) *Eguria* *auritracta* Moore,1865 (Notodontidae) Synonym(s): *auritracta* Moore,1865; *auritractata* Hampson,1892
 50998) *Eguria* *ornata* (Oberthür,1884) (Notodontidae) Synonym(s): *ornata* Oberthür,1884; *macrodonata* Butler,1885
 50999) *Elaphrodes* *duplex* (Gaede,1928) (Notodontidae) Synonym(s): *duplex* Gaede,1928
 51000) *Ellidia* *viridimixta* (Bremer,1861) (Notodontidae) Synonym(s): *viridimixta* Bremer,1861
 51001) *Epicerulella* *imitans* Kiriakoff,1981 (Notodontidae) Synonym(s): *imitans* Kiriakoff,1981
 51002) *Epicerura* *pergrisea* (Hampson,1910) (Notodontidae) Synonym(s): *pergrisea* Hampson,1910
 51003) *Epicerura* *steniptera* (Hampson,1910) (Notodontidae) Synonym(s): *steniptera* Hampson,1910
 51004) *Epidonta* *brunneomixta* (Mabille,1897) (Notodontidae) Synonym(s): *brunneomixta* Mabille,1897
 51005) *Epistauropus* *apiculatus* (Rothschild,1917) (Notodontidae) Synonym(s): *apiculatus* Rothschild,1917
 51006) *Euanthia* *venosa* Kiriakoff,1962 (Notodontidae) Synonym(s): *venosa* Kiriakoff,1962
 51007) *Eubreyeria* *dasychiroides* (Janse,1920) (Notodontidae) Synonym(s): *dasychiroides* Janse,1920
 51008) *Euhampsonia* *cristata* (Butler,1877) (Notodontidae) Synonym(s): *cristata* Butler,1877
 51009) *Euhampsonia* *formosana* (Matsumura,1925) (Notodontidae) Synonym(s): *formosana* Matsumura,1925
 51010) *Euhampsonia* *niveiceps* (Walker,1865) (Notodontidae) Synonym(s): *niveiceps* Walker,1865
 51011) *Euhampsonia* *serratifera* Sugi,1994 (Notodontidae) Synonym(s): *serratifera* Sugi,1994
 51012) *Euhampsonia* *sinjaevi* Schintlmeister,1997 (Notodontidae) Synonym(s): *sinjaevi* Schintlmeister,1997
 51013) *Euhampsonia* *splendida* (Oberthür,1881) (Notodontidae) Synonym(s): *splendida* Oberthür,1881; *chosennadata* Bryk,1949
 51014) *Eujansea* *afra* (Bethune-Baker,1911) (Notodontidae) Synonym(s): *afra* Bethune-Baker,1911
 51015) *Eurystaura* *brunnae* Janse,1920 (Notodontidae) Synonym(s): *brunnae* Janse,1920
 51016) *Eurystaura* *griseitincta* (Hampson,1910) (Notodontidae) Synonym(s): *griseitincta* Hampson,1910
 51017) *Eurystauridia* *iphis* Kiriakoff,1968 (Notodontidae) Synonym(s): *iphis* Kiriakoff,1968
 51018) *Eurystauridia* *medialis* (Gaede,1928) (Notodontidae) Synonym(s): *medialis* Gaede,1928
 51019) *Eurystauridia* *triangularis* (Gaede,1928) (Notodontidae) Synonym(s): *triangularis* Gaede,1928
 51020) *Eushachia* *aurata* (Moore,1879) (Notodontidae) Synonym(s): *aurata* Moore,1879
 51021) *Eushachia* *nigrofasciata* (Hampson,1892) (Notodontidae) Synonym(s): *nigrofasciata* Hampson,1892
 51022) *Eushachia* *nigrofasciata insido* Schintlmeister,1989 (Notodontidae) Synonym(s): *insido* Schintlmeister,1989
 51023) *Eushachia* *nigrofasciata nigrofasciata* (Hampson,1892) (Notodontidae) Synonym(s): *nigrofasciata* Hampson,1892
 51024) *Eutimia* *marpissa* Wallengren,1858 (Notodontidae) Synonym(s): *marpissa* Wallengren,1858
 51025) *Fentonia* *baibarana* Matsumura,1929 (Notodontidae) Synonym(s): *baibarana* Matsumura,1929
 51026) *Fentonia* *excurvata* (Hampson,1893) (Notodontidae) Synonym(s): *excurvata* Hampson,1893
 51027) *Fentonia* *subnigrescens* Kiriakoff,1963 (Notodontidae) Synonym(s): *subnigrescens* Kiriakoff,1963
 51028) *Fentonina* *exacta* Kiriakoff,1962 (Notodontidae) Synonym(s): *exacta* Kiriakoff,1962
 51029) *Fentonina* *punctum* Gaede,1928 (Notodontidae) Synonym(s): *punctum* Gaede,1928
 51030) *Formofentonia* *orbifer* (Hampson,1893) (Notodontidae) Synonym(s): *orbifer* Hampson,1893; *#orbivifera* Hutacharern & Tubtim,1995
 51031) *Formofentonia* *orbifer madena* (Schaus,1928) (Notodontidae) Synonym(s): *madena* Schaus,1928
 51032) *Formofentonia* *orbifer orbifer* (Hampson,1893) (Notodontidae) Synonym(s): *orbifer* Hampson,1893; *#orbivifera* Hutacharern & Tubtim,1995
 51033) *Formofentonia* *orbifer rotundata* Matsumura,1925 (Notodontidae) Synonym(s): *rotundata* Matsumura,1925
 51034) *Franzdaniela* *fasciata* Sugi,1992 (Notodontidae) Synonym(s): *fasciata* Sugi,1992
 51035) *Furcula* *aeruginosa* (Christoph,1873) (Notodontidae) Synonym(s): *aeruginosa* Christoph,1873
 51036) *Furcula* *bicuspis* (Borkhausen,1790) (Notodontidae) Synonym(s): *bicuspis* Borkhausen,1790; *borealis* Boisduval,1829; *infumata* Staudinger,1887; *transiens* Krulikowsky,1909
 51037) *Furcula* *bicuspis bicuspis* (Borkhausen,1790) (Notodontidae) Synonym(s): *bicuspis* Borkhausen,1790; *borealis* Boisduval,1829; *infumata* Staudinger,1887; *transiens* Krulikowsky,1909
 51038) *Furcula* *bicuspis kurilensis* (Matsumura,1929) (Notodontidae) Synonym(s): *kurilensis* Matsumura,1929

- 51039) *Furcula bifida* (Brahm,1787) (Notodontidae) Synonym(s): *hermelina* Goeze,1781 nec Gz.,1781; *bifida* Brahm,1787; *latifascia* Curtis,1827; *arcuata* Stephens,1828; *mucronata* Meigen,1830; *urocera* Boisduval,1840; *lype* Seifers,1933.
- 51040) *Furcula bifida bifida* (Brahm,1787) (Notodontidae) Synonym(s): *hermelina* Goeze,1781 nec Gz.,1781; *bifida* Brahm,1787; *latifascia* Curtis,1827; *arcuata* Stephens,1828; *mucronata* Meigen,1830; *urocera* Boisduval,1840; *lype* Seifers,1933.
- 51041) *Furcula bifida interspersa* (Rothschild,1917) (Notodontidae) Synonym(s): *interspersa* Rothschild,1917; *beida* Rungs,1956
- 51042) *Furcula furcula* (Linnaeus,1761) (Notodontidae) Synonym(s): *#furcula* Clerck,1759; *furcula* Linnaeus,1761; *salicis* Lamarck,1816; *nordlandica* Daniel,1965; *atlantica* Daniel,1965.
- 51043) *Furcula furcula ajatar* (Schilde,1874) (Notodontidae) Synonym(s): *borealis* Bohemann,1849 nec Bsd.,1829; *ajatar* Schilde,1874; *saltensis* Schöyten,1881; *pluto* Rangnow,1935; *styx* Rangnow,1935.
- 51044) *Furcula furcula forficula* (Fischer v. Waldheim,1820) (Notodontidae) Synonym(s): *forficula* Fischer v. Waldheim,1820
- 51045) *Furcula furcula furcula* (Linnaeus,1761) (Notodontidae) Synonym(s): *#furcula* Clerck,1759; *furcula* Linnaeus,1761; *salicis* Lamarck,1816; *nordlandica* Daniel,1965; *atlantica* Daniel,1965.
- 51046) *Furcula furcula fuscina* (Hübner,[1800]) (Notodontidae) Synonym(s): *fuscina* Hübner,[1800]; *salicis* Lenz,1924 nec Lamarck,1816.
- 51047) *Furcula furcula intercalaris* (Groum-Grshimailo,1899) (Notodontidae) Synonym(s): *intercalaris* Groum-Grshimailo,1899
- 51048) *Furcula furcula pulviger* (Staudinger,1901) (Notodontidae) Synonym(s): *pulviger* Staudinger,1901; *pseudobicuspis* Daniel,1938; *songuldakensis* Daniel,1938; *caucasica* Schintlmeister,1981
- 51049) *Furcula furcula sangaica* (Moore,1877) (Notodontidae) Synonym(s): *sangaica* Moore,1877; *lanigera* Butler,1877; *japonica* Grünberg,1912; *urupura* Bryk,1941.
- 51050) *Furcula interrupta* Christoph,1867 (Notodontidae) Synonym(s): *interrupta* Christoph,1867; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989.
- 51051) *Furcula interrupta clarior* (Wiltshire,1943) (Notodontidae) Synonym(s): *clarior* Wiltshire,1943
- 51052) *Furcula interrupta interrupta* Christoph,1867 (Notodontidae) Synonym(s): *interrupta* Christoph,1867; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989.
- 51053) *Furcula interrupta leucotera* (Stichel,1911) (Notodontidae) Synonym(s): *leucotera* Stichel,1911
- 51054) *Furcula interrupta syra* Groum-Grshimailo,1899 (Notodontidae) Synonym(s): *syra* Groum-Grshimailo,1899
- 51055) *Furcula nicetia* (Schaus,1928) (Notodontidae) Synonym(s): *nicetia* Schaus,1928; *malaisei* Bryk,1949
- 51056) *Furcula persica* (Gaede,1933) (Notodontidae) Synonym(s): *persica* Gaede,1933
- 51057) *Furcula petri* (Alpheraky,1882) (Notodontidae) Synonym(s): *petri* Alpheraky,1882
- 51058) *Furcula petri ludoviciae* (Püngeler,1901) (Notodontidae) Synonym(s): *ludoviciae* Püngeler,1901
- 51059) *Furcula petri ludovicior* (Gaede,1933) (Notodontidae) Synonym(s): *ludovicior* Gaede,1933
- 51060) *Furcula petri petri* (Alpheraky,1882) (Notodontidae) Synonym(s): *petri* Alpheraky,1882
- 51061) *Furcula petri terminata* (Wiltshire,1958) (Notodontidae) Synonym(s): *terminata* Wiltshire,1958
- 51062) *Furcula sibirica* (Daniel,1965) (Notodontidae) Synonym(s): *sibirica* Daniel,1965
- 51063) *Furcula turbida* (Brandt,1938) (Notodontidae) Synonym(s): *turbida* Brandt,1938
- 51064) *Furcula turbida clarior* (Wiltshire,1943) (Notodontidae) Synonym(s): *clarior* Wiltshire,1943
- 51065) *Furcula turbida turbida* (Brandt,1938) (Notodontidae) Synonym(s): *turbida* Brandt,1938
- 51066) *Galona serena* Karsch,1895 (Notodontidae) Synonym(s):
- 51067) *Gangarides dharma* Moore,1865 (Notodontidae) Synonym(s): *dharma* Moore,1865; *puerariae* Mell,1922
- 51068) *Gangarides dharma coreana* Matsumura,1924 (Notodontidae) Synonym(s): *coreana* Matsumura,1924
- 51069) *Gangarides flavescens* Schintlmeister,1997 (Notodontidae) Synonym(s): *flavescens* Schintlmeister,1997
- 51070) *Gangarides rosea* (Walker,1865) (Notodontidae) Synonym(s): *rosea* Walker,1865
- 51071) *Gangarides rufinus* Schintlmeister,1997 (Notodontidae) Synonym(s): *rufinus* Schintlmeister,1997
- 51072) *Gangarides sugii* Schintlmeister,1993 (Notodontidae) Synonym(s): *sugii* Schintlmeister,1993
- 51073) *Gangarides varden* (Swinhoe,1882) (Notodontidae) Synonym(s): *varden* Swinhoe,1882
- 51074) *Gangarides vittipalpis* (Walker,1869) (Notodontidae) Synonym(s): *vittipalpis* Walker,1869; *irregularis* Schintlmeister,1994
- 51075) *Gangaridopsis citrina* (Wileman,1911) (Notodontidae) Synonym(s): *citrina* Wileman,1911
- 51076) *Gangaridopsis dercetis* Schintlmeister,1989 (Notodontidae) Synonym(s): *dercetis* Schintlmeister,1989
- 51077) *Gargetta costigera* Walker,1865 (Notodontidae) Synonym(s): *costigera* Walker,1865
- 51078) *Gargetta divisa* Gaede,1930 (Notodontidae) Synonym(s): *divisa* Gaede,1930
- 51079) *Gargetta eucharis* Schintlmeister,1997 (Notodontidae) Synonym(s): *eucharis* Schintlmeister,1997
- 51080) *Gargetta hamponi* Schintlmeister,1981 (Notodontidae) Synonym(s): *hamponi* Schintlmeister,1981
- 51081) *Gargetta nagaensis* Hampson,1892 (Notodontidae) Synonym(s): *nagaensis* Hampson,1892; *#hagaensis* Schintlmeister,1997
- 51082) *Ginshachia bronacha* (Schaus,1928) (Notodontidae) Synonym(s): *bronacha* Schaus,1928
- 51083) *Ginshachia bronacha aritai* Nakamura,1976 (Notodontidae) Synonym(s): *aritai* Nakamura,1976
- 51084) *Ginshachia bronacha bronacha* (Schaus,1928) (Notodontidae) Synonym(s): *bronacha* Schaus,1928
- 51085) *Ginshachia gemmifera* (Moore,1877) (Notodontidae) Synonym(s): *gemmifera* Moore,1877; *elongata* Matsumura,1929
- 51086) *Ginshachia phoebe* Schintlmeister,1989 (Notodontidae) Synonym(s): *phoebe* Schintlmeister,1989
- 51087) *Ginshachia sumatrensis* (Gaede,1930) (Notodontidae) Synonym(s): *sumatrensis* Gaede,1930
- 51088) *Gluphisia crenata* (Esper,1785) (Notodontidae) Synonym(s): *crenata* Esper,1785; *rurea* Fabricius,1787; *varia* Fabricius,1794; *crenosa* Hübner,[1803]; *amurensis* Grünberg,1912
- 51089) *Gluphisia oxiana* (Djakonov,1929) (Notodontidae) Synonym(s): *oxiana* Djakonov,1929
- 51090) *Gonoclostera argentata* (Oberthür,1914) (Notodontidae) Synonym(s): *argentata* Oberthür,1914
- 51091) *Graphodonta fulva* (Kiriakoff,1962) (Notodontidae) Synonym(s): *fulva* Kiriakoff,1962
- 51092) *Hagapteryx mirabilior* (Oberthür,1911) (Notodontidae) Synonym(s): *mirabilior* Oberthür,1911
- 51093) *Hampsonia esmeralda* (Hampson,1910) (Notodontidae) Synonym(s): *Hampsonia esmeralda* Hampson,1910
- 51094) *Haplozania nigrolineata* Aurivillius,1901 (Notodontidae) Synonym(s): *nigrolineata* Aurivillius,1901
- 51095) *Harpyia longipennis* (Walker,1855) (Notodontidae) Synonym(s): *longipennis* Walker,1855; *formosicola* Matsumura,1929
- 51096) *Harpyia microsticta* (Swinhoe,1892) (Notodontidae) Synonym(s): *microsticta* Swinhoe,1892; *dicyma* Wiltshire,1958
- 51097) *Harpyia microsticta baibarana* Matsumura,1927 (Notodontidae) Synonym(s): *baibarana* Matsumura,1927
- 51098) *Harpyia microsticta microsticta* (Swinhoe,1892) (Notodontidae) Synonym(s): *microsticta* Swinhoe,1892; *dicyma* Wiltshire,1958
- 51099) *Harpyia milhauseri* (Fabricius,1775) (Notodontidae) Synonym(s): *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932
- 51100) *Harpyia powelli* (Oberthür,1912) (Notodontidae) Synonym(s): *powelli* Oberthür,1912; *occidentalis* Rungs,1973
- 51101) *Harpyia tokui* (Oberthür,1912) (Notodontidae) Synonym(s): *tokui* Oberthür,1912; *monochroma* Tshistjakov,1979
- 51102) *Harpyia umbrosa* (Staudinger,1892) (Notodontidae) Synonym(s): *umbrosa* Staudinger,1892
- 51103) *Hemifentonia mandschurica* (Oberthür,1911) (Notodontidae) Synonym(s): *mandschurica* Oberthür,1911; *fasciculata* Filipjev,1927; *styxana* Schaus,1928; *inconspicua* Kiriakoff,1963.
- 51104) *Heraia thalassina* (Hampson,1910) (Notodontidae) Synonym(s): *thalassina* Hampson,1910
- 51105) *Hexafrenum apicalis* (Kiriakoff,1974) (Notodontidae) Synonym(s): *apicalis* Kiriakoff,1974
- 51106) *Hexafrenum argillacea* (Kiriakoff,1963) (Notodontidae) Synonym(s): *argillacea* Kiriakoff,1963
- 51107) *Hexafrenum leucodera* (Staudinger,1887) (Notodontidae) Synonym(s): *leucodera* Staudinger,1887; *yamamotoi* Nakamura,1978
- 51108) *Hexafrenum macarius* Schintlmeister,1997 (Notodontidae) Synonym(s): *macarius* Schintlmeister,1997
- 51109) *Hexafrenum maculifer* Matsumura,1925 (Notodontidae) Synonym(s): *maculifer* Matsumura,1925; *basipuncta* Matsumura,1929
- 51110) *Hexafrenum maculifer kalixt* Schintlmeister,1997 (Notodontidae) Synonym(s): *kalixt* Schintlmeister,1997
- 51111) *Hexafrenum maculifer maculifer* Matsumura,1925 (Notodontidae) Synonym(s): *maculifer* Matsumura,1925; *basipuncta* Matsumura,1929
- 51112) *Hexafrenum maternalis* Schintlmeister,1993 (Notodontidae) Synonym(s): *maternalis* Schintlmeister,1993
- 51113) *Hexafrenum maternalis maternalis* Schintlmeister,1993 (Notodontidae) Synonym(s): *maternalis* Schintlmeister,1993
- 51114) *Hexafrenum maternalis pseudomaterialis* Schintlmeister,1993 (Notodontidae) Synonym(s): *pseudomaterialis* Schintlmeister,1993
- 51115) *Hexafrenum paliki* Schintlmeister,1997 (Notodontidae) Synonym(s): *paliki* Schintlmeister,1997
- 51116) *Hexafrenum pseudosikkima* Sugi,1992 (Notodontidae) Synonym(s): *pseudosikkima* Sugi,1992

- 51117) *Hexafrenum* sp. (Notodontidae) Synonym(s):
 51118) *Hexafrenum synthesina* Schintlmeister,1993 (Notodontidae) Synonym(s): *synthesina* Schintlmeister,1993
 51119) *Hexafrenum viola* Schintlmeister,1997 (Notodontidae) Synonym(s): *viola* Schintlmeister,1997
 51120) *Higena distincta* Schintlmeister,1993 (Notodontidae) Synonym(s): *distincta* Schintlmeister,1993
 51121) *Higena plumigera* Matsumura,1925 (Notodontidae) Synonym(s): *plumigera* Matsumura,1925
 51122) *Higena similis* Schintlmeister,1993 (Notodontidae) Synonym(s): *similis* Schintlmeister,1993
 51123) *Higena similis cebuensis* Schintlmeister,1993 (Notodontidae) Synonym(s): *cebuensis* Schintlmeister,1993
 51124) *Higena similis luzonensis* Schintlmeister,1993 (Notodontidae) Synonym(s): *luzonensis* Schintlmeister,1993
 51125) *Higena similis mindanaensis* Schintlmeister,1993 (Notodontidae) Synonym(s): *mindanaensis* Schintlmeister,1993
 51126) *Higena similis mindorensis* Schintlmeister,1993 (Notodontidae) Synonym(s): *mindorensis* Schintlmeister,1993
 51127) *Higena similis similis* Schintlmeister,1993 (Notodontidae) Synonym(s): *similis* Schintlmeister,1993
 51128) *Himeropteryx miraculosa* Staudinger,1887 (Notodontidae) Synonym(s): *miraculosa* Staudinger,1887; *yui* Okano,1960
 51129) *Hiradonta angustipennis* Nakatomi & Kishida,1984 (Notodontidae) Synonym(s): *angustipennis* Nakatomi & Kishida,1984
 51130) *Homocentridia picta* (Hampson,1900) (Notodontidae) Synonym(s): *picta* Hampson,1900
 51131) *Homocentridia picta alius* Schintlmeister,1997 (Notodontidae) Synonym(s): *alius* Schintlmeister,1997
 51132) *Homocentridia picta picta* (Hampson,1900) (Notodontidae) Synonym(s): *picta* Hampson,1900
 51133) *Hupodonta corticalis* Butler,1877 (Notodontidae) Synonym(s): *corticalis* Butler,1877
 51134) *Hupodonta pulcherima* (Moore,1865) (Notodontidae) Synonym(s): *pulcherima* Moore,1865
 51135) *Hyperaeschra pallida* Butler,1880 (Notodontidae) Synonym(s): *pallida* Butler,1880
 51136) *Hyperaeschrella familiaris* Schintlmeister,1993 (Notodontidae) Synonym(s): *familiaris* Schintlmeister,1993
 51137) *Hyperaeschrella kosemponica* (Strand,1916) (Notodontidae) Synonym(s): *kosemponica* Strand,1916; *costiguttatus* Matsumura,1925
 51138) *Hyperaeschrella nigribasis* (Hampson,1892) (Notodontidae) Synonym(s): *nigribasis* Hampson,1892
 51139) *Hyperaeschrella iridescens* Schintlmeister,1993 (Notodontidae) Synonym(s): *occidentalis* Schintlmeister,1993
 51140) *Induba nigrescens* Kiriakoff,1975 (Notodontidae) Synonym(s): *nigrescens* Kiriakoff,1975
 51141) *Iostaura jansei* Kiriakoff,1970 (Notodontidae) Synonym(s): *jansei* Kiriakoff,1970
 51142) *Iridoplitis iridescens* Kiriakoff,1955 (Notodontidae) Synonym(s): *iridescens* Kiriakoff,1955
 51143) *Janthinisca badia* Kiriakoff,1979 (Notodontidae) Synonym(s): *badia* Kiriakoff,1979
 51144) *Janthinisca linda* Kiriakoff,1979 (Notodontidae) Synonym(s): *linda* Kiriakoff,1979
 51145) *Jozinia leonina* Kiriakoff,1970 (Notodontidae) Synonym(s): *leonina* Kiriakoff,1970
 51146) *Kamalia amoa* (Holloway,1979) (Notodontidae) Synonym(s): *amoia* Holloway,1979
 51147) *Kamalia australis* (Scott,1865) (Notodontidae) Synonym(s): *australis* Scott,1865
 51148) *Kamalia harutai* (Sugi,1982) (Notodontidae) Synonym(s): *harutai* Sugi,1982
 51149) *Kamalia kandyia* (Moore,1883) (Notodontidae) Synonym(s): *kandyia* Moore,1883
 51150) *Kamalia kandyia ronii* (Schintlmeister,2002) (Notodontidae) Synonym(s): *ronii* Schintlmeister,2002
 51151) *Kamalia malaysiana* (Holloway,1982) (Notodontidae) Synonym(s): *malaysiana* Holloway,1982
 51152) *Kamalia malaysiana jakli* (Schintlmeister,2002) (Notodontidae) Synonym(s): *jakli* Schintlmeister,2002
 51153) *Kamalia malaysiana malaysiana* (Holloway,1982) (Notodontidae) Synonym(s): *malaysiana* Holloway,1982
 51154) *Kamalia malaysiana niasica* (Schintlmeister,1994) (Notodontidae) Synonym(s): *niasica* Schintlmeister,1994
 51155) *Kamalia malaysiana palawana* (Schintlmeister,2002) (Notodontidae) Synonym(s): *palawana* Schintlmeister,2002
 51156) *Kamalia minahassae* (Holloway,1982) (Notodontidae) Synonym(s): *minahassae* Holloway,1982
 51157) *Kamalia multipunctata* (Bethune-Baker,1904) (Notodontidae) Synonym(s): *multipunctata* Bethune-Baker,1904
 51158) *Kamalia priapus* (Schintlmeister,1997) (Notodontidae) Synonym(s): *priapus* Schintlmeister,1997
 51159) *Kamalia priapus dayongi* (Schintlmeister & Fang,2001) (Notodontidae) Synonym(s): *dayongi* Schintlmeister & Fang,2001
 51160) *Kamalia priapus priapus* (Schintlmeister,1997) (Notodontidae) Synonym(s): *priapus* Schintlmeister,1997
 51161) *Kamalia robusta* (Schintlmeister,1993) (Notodontidae) Synonym(s): *robusta* Schintlmeister,1993
 51162) *Kamalia rosea* (Schintlmeister,1993) (Notodontidae) Synonym(s): *rosea* Schintlmeister,1993
 51163) *Kamalia subrosea* (Matsumura,1927) (Notodontidae) Synonym(s): *subrosea* Matsumura,1927
 51164) *Kamalia tattakana* (Matsumura,1927) (Notodontidae) Synonym(s): *tattakana* Matsumura,1927; *magniguttata* Nakamura,1978
 51165) *Kamalia timorensis* (Kiriakoff,1970) (Notodontidae) Synonym(s): *timorensis* Kiriakoff,1970
 51166) *Khasidonta picta* (Hampson,1900) (Notodontidae) Synonym(s): *picta* Hampson,1900
 51167) *Lasioceros aroa* Bethune-Baker,1904 (Notodontidae) Synonym(s): *aroa* Bethune-Baker,1904
 51168) *Lasioceros curvaria luzonica* (Semper,1896) (Notodontidae) Synonym(s): *luzonica* Semper,1896
 51169) *Leucodonta bicoloria* ([Denis & Schiffermüller],1775) (Notodontidae) Synonym(s): *bicoloria* [Denis & Schiffermüller],1775; *tormentaria* Goeze,1781; *albida* Boisduval,1834; *teneana* Matsumura,1920; *nivalis* Matsumura,1925; *nipponica* Matsumura,1931; *citrominus* Nakamura,1978
 51170) *Leucolopha undulifera* Hampson,1896 (Notodontidae) Synonym(s): *undulifera* Hampson,1896
 51171) *Leucophalera latipennis* (Butler,1896) (Notodontidae) Synonym(s): *latipennis* Butler,1896
 51172) *Liccana argyrosticta* (Kiriakoff,1962) (Notodontidae) Synonym(s): *argyrosticta* Kiriakoff,1962
 51173) *Liccana terminicana* (Kiriakoff,1962) (Notodontidae) Synonym(s): *terminicana* Kiriakoff,1962
 51174) *Liccana terminicana substraminea* (Kiriakoff,1962) (Notodontidae) Synonym(s): *substraminea* Kiriakoff,1962
 51175) *Liccana terminicana terminicana* (Kiriakoff,1962) (Notodontidae) Synonym(s): *terminicana* Kiriakoff,1962
 51176) *Liparopsis dympha* Schaus,1928 (Notodontidae) Synonym(s): *dympha* Schaus,1928
 51177) *Liparopsis formosana* Wileman,1914 (Notodontidae) Synonym(s): *formosana* Wileman,1914
 51178) *Loda lunae* Schintlmeister,1993 (Notodontidae) Synonym(s): *lunae* Schintlmeister,1993
 51179) *Lophontosis fusca* Okano,1960 (Notodontidae) Synonym(s): *fusca* Okano,1960
 51180) *Lopiena decorata* Kiriakoff,1975 (Notodontidae) Synonym(s): *decorata* Kiriakoff,1975
 51181) *Maguila maguila* (Schaus,1928) (Notodontidae) Synonym(s): *maguila* Schaus,1928
 51182) *Medanella subterminalis* Kiriakoff,1974 (Notodontidae) Synonym(s): *subterminalis* Kiriakoff,1974
 51183) *Megaceramis lamprolepis* Hampson,1893 (Notodontidae) Synonym(s): *lamprolepis* Hampson,1893; *lamprosticta* Schintlmeister,1997
 51184) *Megashachia brunnea* Cai,1985 (Notodontidae) Synonym(s): *brunnea* Cai,1985
 51185) *Megashachia brunnea equidarum* (Bänziger,1988) (Notodontidae) Synonym(s): *equidarum* Bänziger,1988
 51186) *Megashachia fulgurifera* (Walker,1858) (Notodontidae) Synonym(s): *fulgurifera* Walker,1858; *takamukuana* Matsumura,1929.
 51187) *Mesophalera ananai* Schintlmeister,1997 (Notodontidae) Synonym(s): *ananai* Schintlmeister,1997
 51188) *Mesophalera bruno* Schintlmeister,1997 (Notodontidae) Synonym(s): *bruno* Schintlmeister,1997
 51189) *Mesophalera lundbladi* Kiriakoff,1959 (Notodontidae) Synonym(s): *lundbladi* Kiriakoff,1959
 51190) *Mesophalera philippinica* Schintlmeister,1993 (Notodontidae) Synonym(s): *philippinica* Schintlmeister,1993
 51191) *Mesophalera philippinica mindanaensis* Schintlmeister,1993 (Notodontidae) Synonym(s): *mindanaensis* Schintlmeister,1993
 51192) *Mesophalera philippinica philippinica* Schintlmeister,1993 (Notodontidae) Synonym(s): *philippinica* Schintlmeister,1993
 51193) *Mesophalera sigmatoides* Kiriakoff,1963 (Notodontidae) Synonym(s): *sigmatoides* Kiriakoff,1963
 51194) *Metaschalis disrupta* (Moore,1879) (Notodontidae) Synonym(s): *disrupta* Moore,1879
 51195) *Metacerancia jansei* Kiriakoff,1970 (Notodontidae) Synonym(s): *jansei* Kiriakoff,1970
 51196) *Metopteryx (Helga) infans* (Kiriakoff,1964) (Notodontidae) Synonym(s): *infans* Kiriakoff,1964
 51197) *Metopteryx (Metopteryx) cinerea* (Janse,1920) (Notodontidae) Synonym(s): *cinerea* Janse,1920
 51198) *Metopteryx (Metopteryx) mus* (Gaede,1928) (Notodontidae) Synonym(s): *mus* Gaede,1928
 51199) *Metopteryx (Metopteryx) rattus* (Kiriakoff,1970) (Notodontidae) Synonym(s): *rattus* Kiriakoff,1970
 51200) *Micromelalopha albifrons* Schintlmeister,1989 (Notodontidae) Synonym(s): *albifrons* Schintlmeister,1989
 51201) *Micromelalopha argentea* Schintlmeister,1993 (Notodontidae) Synonym(s): *argentea* Schintlmeister,1993
 51202) *Micromelalopha baibarana* Matsumura,1929 (Notodontidae) Synonym(s): *baibarana* Matsumura,1929
 51203) *Micromelalopha capreolus* Schintlmeister,1997 (Notodontidae) Synonym(s): *capreolus* Schintlmeister,1997
 51204) *Micromelalopha celebens palawana* Schintlmeister,1993 (Notodontidae) Synonym(s): *palawana* Schintlmeister,1993
 51205) *Micromelalopha elachista* (West,1932) (Notodontidae) Synonym(s): *elachista* West,1932

- 51206) *Micromelalopha longijuxta* Schintlmeister, 1997 (Notodontidae) Synonym(s): *longijuxta* Schintlmeister, 1997
 51207) *Micromelalopha pamina* Schintlmeister, 1993 (Notodontidae) Synonym(s): *pamina* Schintlmeister, 1993
 51208) *Micromelalopha simonovi* Schintlmeister, 1997 (Notodontidae) Synonym(s): *simonovi* Schintlmeister, 1997
 51209) *Micromelalopha undulata* (Hampson, 1891) (Notodontidae) Synonym(s): *undulata* Hampson, 1891; *afghanus* Ebert, 1968; *similis* Dierl, 1978.
 51210) *Micromelalopha vicina* Kiriakoff, 1963 (Notodontidae) Synonym(s): *vicina* Kiriakoff, 1963
 51211) *Microphalera yoshimotoi* Kishida, 1984 (Notodontidae) Synonym(s): *yoshimotoi* Kishida, 1984
 51212) *Miostauropus miodides* (Hampson, 1904) (Notodontidae) Synonym(s): *miodides* Hampson, 1904
 51213) *Miostauropus miodides caeruleus* Kiriakoff, 1963 (Notodontidae) Synonym(s): *caeruleus* Kiriakoff, 1963
 51214) *Miostauropus miodides miodides* (Hampson, 1904) (Notodontidae) Synonym(s): *miodides* Hampson, 1904
 51215) *Neodrymonia* (Epistauropus) *terminalis* (Kiriakoff, 1963) (Notodontidae) Synonym(s): *terminalis* Kiriakoff, 1963; *anmashanensis* Kishida, 1994
 51216) *Neodrymonia* (Libido) *voluptuosa* (Bryk, 1949) (Notodontidae) Synonym(s): *voluptuosa* Bryk, 1949
 51217) *Neodrymonia* (Pantherinus) *bipunctata* (Okano, 1960) (Notodontidae) Synonym(s): *bipunctata* Okano, 1960
 51218) *Neodrymonia* (Pantherinus) *bipunctata bipunctata* (Okano, 1960) (Notodontidae) Synonym(s): *bipunctata* Okano, 1960
 51219) *Neodrymonia* (Pantherinus) *bipunctata gestor* Schintlmeister, 1997 (Notodontidae) Synonym(s): *gestor* Schintlmeister, 1997
 51220) *Neodrymonia* (Pantherinus) *okanoi* Schintlmeister, 1997 (Notodontidae) Synonym(s): *okanoi* Schintlmeister, 1997
 51221) *Neodrymonia* (Polystictina) *maculata* (Moore, 1879) (Notodontidae) Synonym(s): *maculata* Moore, 1879
 51222) *Neodrymonia* (s.str.) *elisabethae* Holloway & Bender, 1985 (Notodontidae) Synonym(s): *elisabethae* Holloway & Bender, 1985
 51223) *Neodrymonia* (s.str.) *fuscus* Schintlmeister, 1997 (Notodontidae) Synonym(s): *fuscus* Schintlmeister, 1997
 51224) *Neodrymonia* (s.str.) *griseus* Schintlmeister, 1997 (Notodontidae) Synonym(s): *griseus* Schintlmeister, 1997
 51225) *Neodrymonia* (s.str.) *mendax* Schintlmeister, 1989 (Notodontidae) Synonym(s): *mendax* Schintlmeister, 1989
 51226) *Neodrymonia* (s.str.) *pseudobasalis* Schintlmeister, 1997 (Notodontidae) Synonym(s): *pseudobasalis* Schintlmeister, 1997
 51227) *Neodrymonia* (s.str.) *seriatopunctata* (Matsumura, 1925) (Notodontidae) Synonym(s): *seriatopunctata* Matsumura, 1925
 51228) *Neoharpyia pulcherrima* Brandt, 1938 (Notodontidae) Synonym(s): *pulcherrima* Brandt, 1938
 51229) *Neoharpyia pulcherrima nuristana* Wiltshire, 1958 (Notodontidae) Synonym(s): *nuristana* Wiltshire, 1958
 51230) *Neoharpyia pulcherrima pulcherrima* Brandt, 1938 (Notodontidae) Synonym(s): *pulcherrima* Brandt, 1938
 51231) *Neoharpyia verbasci* (Fabricius, 1798) (Notodontidae) Synonym(s): *verbasci* Fabricius, 1798
 51232) *Neola octofera* Holloway, 1979 (Notodontidae) Synonym(s): *octofera* Holloway, 1979
 51233) *Neola semiaurata* Walker, 1855 (Notodontidae) Synonym(s): *semiaurata* Walker, 1855
 51234) *Neopheesia fasciata* (Moore, 1888) (Notodontidae) Synonym(s): *fasciata* Moore, 1888; *formosana* Okano, 1959
 51235) *Neopheesia fasciata fasciata* (Moore, 1888) (Notodontidae) Synonym(s): *fasciata* Moore, 1888; *formosana* Okano, 1959
 51236) *Neopheesia fasciata obscura* Schintlmeister, 1993 (Notodontidae) Synonym(s): *obscura* Schintlmeister, 1993
 51237) *Nephodonta dubiosa* (Kiriakoff, 1963) (Notodontidae) Synonym(s): *dubiosa* Kiriakoff, 1963
 51238) *Nephodonta tsushimensis* Sugi, 1980 (Notodontidae) Synonym(s): *tsushimensis* Sugi, 1980
 51239) *Nerice dispar* (Cai, 1979) (Notodontidae) Synonym(s): *dispar* Cai, 1979
 51240) *Netria* sp. (Notodontidae) Synonym(s):
 51241) *Netria viridescens* Walker, 1855 (Notodontidae) Synonym(s): *viridescens* Walker, 1855
 51242) *Niganda eckweileri* Schintlmeister, 1989 (Notodontidae) Synonym(s): *eckweileri* Schintlmeister, 1989
 51243) *Niganda radialis* (Gaede, 1930) (Notodontidae) Synonym(s): *radialis* Gaede, 1930; *#radialis* Schintlmeister, 1997
 51244) *Niganda strigifascia* Moore, 1879 (Notodontidae) Synonym(s): *strigifascia* Moore, 1879; *coelestis* Kiriakoff, 1962
 51245) *Niganda strigifascia insularis* Kiriakoff, 1960 (Notodontidae) Synonym(s): *insularis* Kiriakoff, 1960
 51246) *Niganda strigifascia strigifascia* Moore, 1879 (Notodontidae) Synonym(s): *strigifascia* Moore, 1879; *coelestis* Kiriakoff, 1962
 51247) *Notocerura spiritalis* (Distant, 1899) (Notodontidae) Synonym(s): *spiritalis* Distant, 1899
 51248) *Notodonta dromedarius* (Linnaeus, 1758) (Notodontidae) Synonym(s): *dromedarius* Linnaeus, 1758; *dromedarulus* Haworth, 1803; *zebu* Donovan, 1807; *perfusca* Stephens, 1828; *frigida* Rangnow, 1932; *westfalica* Brandt, 1936; *schintlmeisteri* Witt, 1980
 51249) *Notodonta dromedarius ponticus* Witt, 1980 (Notodontidae) Synonym(s): *ponticus* Witt, 1980
 51250) *Notodonta griseotincta* Wileman, 1910 (Notodontidae) Synonym(s): *griseotincta* Wileman, 1910; *horishana* Matsumura, 1925; *mushensis* Matsumura, 1929
 51251) *Notodonta torvus* (Hübner, [1803]) (Notodontidae) Synonym(s): *tritophus* Esper, 1786 nec Denis & Schiff., 1775; *torva* Hübner, [1803]; *balsaminifera* Brahm, 1791; *simplicaria* Graef, 1881; *lappa* Rangnow, 1923; *sugitani* Matsumura, 1924; *musculus* Kiriakoff, 1963; *tarburi* Eitschberger, 1981
 51252) *Notodonta tritophus* [(Denis & Schiffermüller), 1775] (Notodontidae) Synonym(s): *#tritophus* [Denis & Schiffermüller], 1775; *phoebe* Siebert, 1790; *perfuscus* Haworth, 1803; *irfana* De Freina, 1983.
 51253) *Notodonta ziczac* (Linnaeus, 1758) (Notodontidae) Synonym(s): *ziczac* Linnaeus, 1758; *venosa* Fourcroy, 1785; *monticola* Dannehl, 1925; *lapponica* Rangnow, 1935; *dimorpha* Rangnow, 1935; *reisseri* Rungs, 1956
 51254) *Notodonta ziczac derbendica* (Daniel, 1965) (Notodontidae) Synonym(s): *derbendica* Daniel, 1965
 51255) *Notodonta ziczac gigantea* Schintlmeister, 1981 (Notodontidae) Synonym(s): *gigantea* Schintlmeister, 1981
 51256) *Notodonta ziczac pallida* Grünberg, 1912 (Notodontidae) Synonym(s): *pallida* Grünberg, 1912
 51257) *Notodonta ziczac ziczac* (Linnaeus, 1758) (Notodontidae) Synonym(s): *ziczac* Linnaeus, 1758; *venosa* Fourcroy, 1785; *monticola* Dannehl, 1925; *lapponica* Rangnow, 1935; *dimorpha* Rangnow, 1935; *reisseri* Rungs, 1956
 51258) *Notoxantha sesamiodes* Hampson, 1910 (Notodontidae) Synonym(s): *sesamiodes* Hampson, 1910
 51259) *Odontoperas heterogyna* (Hampson, 1910) (Notodontidae) Synonym(s): *heterogyna* Hampson, 1910
 51260) *Odontoperas obliquilinea* (Bethune-Baker, 1911) (Notodontidae) Synonym(s): *obliquilinea* Bethune-Baker, 1911
 51261) *Odontoperas rosacea* Kiriakoff, 1959 (Notodontidae) Synonym(s): *rosacea* Kiriakoff, 1959
 51262) *Odontosis carmelita* (Esper, [1789]) (Notodontidae) Synonym(s): *carmelita* Esper, [1789]
 51263) *Odontosis sieversii* (Ménétrières, 1856) (Notodontidae) Synonym(s): *sieversii* Ménétrières, 1856
 51264) *Odontosiana tephroxantha* (Püngeler, 1900) (Notodontidae) Synonym(s): *tephroxantha* Püngeler, 1900; *schistacea* Kiriakoff, 1963
 51265) *Omichlis diversa* Schintlmeister, 1993 (Notodontidae) Synonym(s): *diversa* Schintlmeister, 1993
 51266) *Omichlis rufotincta* Hampson, 1895 (Notodontidae) Synonym(s): *rufotincta* Hampson, 1895
 51267) *Omichlis similis* Schintlmeister, 1993 (Notodontidae) Synonym(s): *similis* Schintlmeister, 1993
 51268) *Oxoia smaragdiplena* (Walker, 1862) (Notodontidae) Synonym(s): *smaragdiplena* Walker, 1862
 51269) *Palaeostauropus obliterata* (Wileman & South, 1917) (Notodontidae) Synonym(s): *obliterata* Wileman & South, 1917
 51270) *Parachadisa atrifusa* (Hampson, 1897) (Notodontidae) Synonym(s): *atrifusa* Hampson, 1897
 51271) *Paradiastema pulvereana* Hampson, 1910 (Notodontidae) Synonym(s): *pulvereana* Hampson, 1910
 51272) *Paradyrmonia vittata* (Staudinger, 1892) (Notodontidae) Synonym(s): *vittata* Staudinger, 1892
 51273) *Paradyrmonia vittata streckfussi* (Honrath, 1892) (Notodontidae) Synonym(s): *streckfussi* Honrath, 1892
 51274) *Paradyrmonia vittata vittata* (Staudinger, 1892) (Notodontidae) Synonym(s): *vittata* Staudinger, 1892
 51275) *Paraptilodonta notabilis* Schintlmeister, 1997 (Notodontidae) Synonym(s): *notabilis* Schintlmeister, 1997
 51276) *Pararethona hierax* (Distant, 1897) (Notodontidae) Synonym(s): *hierax* Distant, 1897
 51277) *Parasinga lichenina* (Butler, 1880) (Notodontidae) Synonym(s): *lichenina* Butler, 1880
 51278) *Parasinga viridescens* Schintlmeister, 1993 (Notodontidae) Synonym(s): *viridescens* Schintlmeister, 1993
 51279) *Parastaura divisa* Gaede, 1928 (Notodontidae) Synonym(s): *divisa* Gaede, 1928
 51280) *Peratodonta gypsita* (Kiriakoff, 1968) (Notodontidae) Synonym(s): *gypsita* Kiriakoff, 1968
 51281) *Peridea aliena* (Staudinger, 1892) (Notodontidae) Synonym(s): *aliena* Staudinger, 1892; *nitobei* Matsumura, 1909
 51282) *Peridea anceps* (Goeze, 1781) (Notodontidae) Synonym(s): *anceps* Goeze, 1781; *trepida* Esper, 1786; *serrata* Thunberg, 1792; *tremula* Hübner, [1800]; *baetica* Zerny, 1927; *agenjoi* Schawerda, 1938; *mesatlantica* Rungs, 1940; *albertiana* Witt, 1974.
 51283) *Peridea basilinea* (Wileman, 1911) (Notodontidae) Synonym(s): *basilinea* Wileman, 1911
 51284) *Peridea dichroma* Kiriakoff, 1959 (Notodontidae) Synonym(s): *dichroma* Kiriakoff, 1959
 51285) *Peridea elzet* Kiriakoff, 1963 (Notodontidae) Synonym(s): *elzet* Kiriakoff, 1963
 51286) *Peridea gigantea* Butler, 1877 (Notodontidae) Synonym(s): *gigantea* Butler, 1877
 51287) *Peridea graeseri* (Staudinger, 1892) (Notodontidae) Synonym(s): *graeseri* Staudinger, 1892; *ishidae* Matsumura, 1909; *arnoldi* Oberthür, 1911
 51288) *Peridea graeseri graeseri* (Staudinger, 1892) (Notodontidae) Synonym(s): *graeseri* Staudinger, 1892; *ishidae* Matsumura, 1909; *arnoldi* Oberthür, 1911

- 51289) *Peridea graeseri* tayal Kishida,1987 (Notodontidae) Synonym(s): *tayal* Kishida,1987
 51290) *Peridea grahami* (Schaus,1928) (Notodontidae) Synonym(s): *grahami* Schaus,1928; *scutellaris* Bryk,1949
 51291) *Peridea himalayana* Kiriakoff,1974 (Notodontidae) Synonym(s): *himalayana* Kiriakoff,1974
 51292) *Peridea hoenei* Kiriakoff,1963 (Notodontidae) Synonym(s): *hoenei* Kiriakoff,1963
 51293) *Peridea interrupta* Kiriakoff,1963 (Notodontidae) Synonym(s): *interrupta* Kiriakoff,1963
 51294) *Peridea korbi* (Rebel,1918) (Notodontidae) Synonym(s): *korbi* Rebel,1918
 51295) *Peridea korbi herculeana* (Popescu-Gorj & Capuse,1963) (Notodontidae) Synonym(s): *herculeana* Popescu-Gorj & Capuse,1963; *pinkeriana* Witt,1974.
 51296) *Peridea korbi korbi* (Rebel,1918) (Notodontidae) Synonym(s): *korbi* Rebel,1918
 51297) *Peridea lativitta* (Wileman,1911) (Notodontidae) Synonym(s): *lativitta* Wileman,1911; *pacifica* Moltrecht,1914; *coreana* Matsumura,1922
 51298) *Peridea moltrechti* (Oberthür,1911) (Notodontidae) Synonym(s): *moltrechti* Oberthür,1911; *rotundata* Matsumura,1920; *kotschubeji* Sheljuzhko,1926.
 51299) *Peridea moorei* Hampson,[1893] (Notodontidae) Synonym(s): *sikkima* Moore,1879 nec Mr.,1865; *moorei* Hampson,[1893]; *ochreipennis* Nakamura,1973
 51300) *Peridea moorei moorei* Hampson,[1893] (Notodontidae) Synonym(s): *sikkima* Moore,1879 nec Mr.,1865; *moorei* Hampson,[1893]; *ochreipennis* Nakamura,1973
 51301) *Peridea murina* Kiriakoff,1974 (Notodontidae) Synonym(s): *murina* Kiriakoff,1974
 51302) *Peridea oberthueri* (Staudinger,1892) (Notodontidae) Synonym(s): *oberthueri* Staudinger,1892; *takasagoensis* Matsumura,1929
 51303) *Peridea swata* Kiriakoff,1974 (Notodontidae) Synonym(s): *swata* Kiriakoff,1974; *pseudolativitta* Dierl,1978
 51304) *Peridea witti* Schintlmeister,1997 (Notodontidae) Synonym(s): *witti* Schintlmeister,1997
 51305) *Periergos* (Hunyada) hunyada (Swinhoe,1903) (Notodontidae) Synonym(s): *hunyada* Swinhoe,1903
 51306) *Periergos* (Hunyada) septentrionalis Schintlmeister,1997 (Notodontidae) Synonym(s): *septentrionalis* Schintlmeister,1997
 51307) *Periergos* (Rosiora) aroides (Swinhoe,1896) (Notodontidae) Synonym(s): *aroides* Swinhoe,1896
 51308) *Periergos* (Rosiora) bela (Swinhoe,1894) (Notodontidae) Synonym(s): *bela* Swinhoe,1894
 51309) *Periergos* (Rosiora) rosiora Schintlmeister,1997 (Notodontidae) Synonym(s): *rosiora* Schintlmeister,1997
 51310) *Periergos* (s.str.) afonini Schintlmeister,1997 (Notodontidae) Synonym(s): *afonini* Schintlmeister,1997
 51311) *Periergos* (s.str.) beo Schintlmeister,1997 (Notodontidae) Synonym(s): *beo* Schintlmeister,1997
 51312) *Periergos* (s.str.) decertatio Schintlmeister,1997 (Notodontidae) Synonym(s): *decertatio* Schintlmeister,1997
 51313) *Periergos* (s.str.) harutai Sugi,1994 (Notodontidae) Synonym(s): *harutai* Sugi,1994
 51314) *Periergos* (s.str.) kamadena (Moore,1865) (Notodontidae) Synonym(s): *kamadena* Moore,1865; *orientalis* Kiriakoff,1959
 51315) *Periergos* (s.str.) orest Schintlmeister,1997 (Notodontidae) Synonym(s): *orest* Schintlmeister,1997
 51316) *Periergos* (s.str.) rusatus Schintlmeister,1997 (Notodontidae) Synonym(s): *rusatus* Schintlmeister,1997
 51317) *Periergos* (s.str.) testacea (Walker,1856) (Notodontidae) Synonym(s): *testacea* Walker,1856
 51318) *Periergos* dispar (Kiriakoff,1962) (Notodontidae) Synonym(s): *dispar* Kiriakoff,1962
 51319) *Periergos* magna (Matsumura,1920) (Notodontidae) Synonym(s): *magna* Matsumura,1920; *horishana* Matsumura,1925; *confusus* Kiriakoff,1962.
 51320) *Periergos* orpheus Schintlmeister,1989 (Notodontidae) Synonym(s): *orpheus* Schintlmeister,1989
 51321) *Periergos* spinosa (Holloway,1983) (Notodontidae) Synonym(s): *spinosa* Holloway,1983
 51322) *Periphalaria albicauda* (Bryk,1949) (Notodontidae) Synonym(s): *albicauda* Bryk,1949
 51323) *Periphalaria melanius* Schintlmeister,1997 (Notodontidae) Synonym(s): *melanias* Schintlmeister,1997
 51324) *Phalera acutoides* Holloway,1983 (Notodontidae) Synonym(s): *acutoides* Holloway,1983
 51325) *Phalera albocalceolata* (Bryk,1949) (Notodontidae) Synonym(s): *albocalceolata* Bryk,1949
 51326) *Phalera alpherakyi* Leech,1898 (Notodontidae) Synonym(s): *alpherakyi* Leech,1898
 51327) *Phalera argenteolepis* Schintlmeister,1997 (Notodontidae) Synonym(s): *argenteolepis* Schintlmeister,1997
 51328) *Phalera atrata* (Grünberg,1907) (Notodontidae) Synonym(s): *atrata* Grünberg,1907
 51329) *Phalera bucephala* (Linnaeus,1758) (Notodontidae) Synonym(s): *bucephala* Linnaeus,1758; *lumula* Retzius,1783 nec Hufn.,1766 non Strm,1768.
 51330) *Phalera bucephalina* Staudinger,1901 (Notodontidae) Synonym(s): *bucephalina* Staudinger,1901
 51331) *Phalera bucephaloides* (Ochsenheimer,1810) (Notodontidae) Synonym(s): *bucephaloides* Ochsenheimer,1810
 51332) *Phalera bucephaloides bucephaloides* (Ochsenheimer,1810) (Notodontidae) Synonym(s): *bucephaloides* Ochsenheimer,1810
 51333) *Phalera bucephaloides syriaca* Zerny,1933 (Notodontidae) Synonym(s): *syriaca* Zerny,1933
 51334) *Phalera combusta* (Walker,1855) (Notodontidae) Synonym(s): *combusta* Walker,1855
 51335) *Phalera cossioides* Walker,1863 (Notodontidae) Synonym(s): *cossioides* Walker,1863
 51336) *Phalera eminens* Schintlmeister,1997 (Notodontidae) Synonym(s): *eminens* Schintlmeister,1997
 51337) *Phalera erconvalda* Schaus,1928 (Notodontidae) Synonym(s): *erconvalda* Schaus,1928
 51338) *Phalera flavescens* (Bremer & Grey,1852) (Notodontidae) Synonym(s): *flavescens* Bremer & Grey,1852
 51339) *Phalera goniophora* Hampson,1910 (Notodontidae) Synonym(s): *goniophora* Hampson,1910
 51340) *Phalera grotei* Moore,1859 (Notodontidae) Synonym(s): *grotei* Moore,1859
 51341) *Phalera imitata* Druce,1896 (Notodontidae) Synonym(s): *imitata* Druce,1896
 51342) *Phalera imitata imitata* Druce,1896 (Notodontidae) Synonym(s): *imitata* Druce,1896
 51343) *Phalera lignitea* Mabille,1900 (Notodontidae) Synonym(s): *lignitea* Mabille,1900
 51344) *Phalera lydenburgi* Distant,1899 (Notodontidae) Synonym(s): *lydenburgi* Distant,1899
 51345) *Phalera mangholda* Schaus,1928 (Notodontidae) Synonym(s): *mangholda* Schaus,1928
 51346) *Phalera melantata* West,1932 (Notodontidae) Synonym(s): *melantata* West,1932
 51347) *Phalera niveomaculata* Kiriakoff,1963 (Notodontidae) Synonym(s): *niveomaculata* Kiriakoff,1963
 51348) *Phalera parivala* Moore,1859 (Notodontidae) Synonym(s): *parivala* Moore,1859
 51349) *Phalera sundana* Holloway,1982 (Notodontidae) Synonym(s): *sundana* Holloway,1982
 51350) *Phalera surigaona* Schaus,1928 (Notodontidae) Synonym(s): *surigaona* Schaus,1928
 51351) *Phalera torpida* Walker,1865 (Notodontidae) Synonym(s): *torpida* Walker,1865
 51352) *Phalero-donta inclusa* (Hampson,1910) (Notodontidae) Synonym(s): *inclusa* Hampson,1910
 51353) *Phalero-donta manleyi* (Leech,1889) (Notodontidae) Synonym(s): *manleyi* Leech,1889; *formosana* Okano,1960
 51354) *Pheosia buddista* (Püngeler,1899) (Notodontidae) Synonym(s): *buddista* Püngeler,1899; *gelupka* Gaede,1934
 51355) *Pheosia gnoma* (Fabricius,1777) (Notodontidae) Synonym(s): *gnoma* Fabricius,1777; *dictaeoides* Esper,[1789]
 51356) *Pheosia grummi* (Christoph,1885) (Notodontidae) Synonym(s): *grummi* Christoph,1885; *brandti* O.Bang-Haas,1936; *#murina* O.Bang-Haas,1936
 51357) *Pheosia jullieni* Oberthür,1911 (Notodontidae) Synonym(s): *jullieni* Oberthür,1911; *karategina* Stshetkin
 51358) *Pheosia teheranica* Daniel,1965 (Notodontidae) Synonym(s): *teheranica* Daniel,1965
 51359) *Pheosia tremula* (Linnaeus,1761) (Notodontidae) Synonym(s): *#tremula* Clerck,1759; *tremula* Linnaeus,1761; *dictaea* Linnaeus,1767; *turcica* De Freina,1979; *#turica* Schintlmeister,1989
 51360) *Pheosiopsis* (Cauphucia) optata Schintlmeister,1997 (Notodontidae) Synonym(s): *optata* Schintlmeister,1997
 51361) *Pheosiopsis* (Oligaeschnra) li Schintlmeister,1997 (Notodontidae) Synonym(s): *li* Schintlmeister,1997
 51362) *Pheosiopsis* (Schintlmeistera) lupanaria Schintlmeister,1997 (Notodontidae) Synonym(s): *lupanaria* Schintlmeister,1997
 51363) *Pheosiopsis* (Suzukiana) alishanensis Kishida,1990 (Notodontidae) Synonym(s): *alishanensis* Kishida,1990
 51364) *Pheosiopsis* (Suzukiana) cinerea (Butler,1879) (Notodontidae) Synonym(s): *cinerea* Butler,1879
 51365) *Pheosiopsis* (Suzukiana) cinerea cinerea (Butler,1879) (Notodontidae) Synonym(s): *cinerea* Butler,1879
 51366) *Pheosiopsis* (Suzukiana) cinerea formosana (Okano,1959) (Notodontidae) Synonym(s): *formosana* Okano,1959
 51367) *Pheosiopsis* (Suzukiana) gefion Schintlmeister,1997 (Notodontidae) Synonym(s): *gefion* Schintlmeister,1997
 51368) *Pheosiopsis* (Suzukiana) gerola Schintlmeister,1997 (Notodontidae) Synonym(s): *gerola* Schintlmeister,1997
 51369) *Pheosiopsis* (Suzukiana) irroration (Moore,1879) (Notodontidae) Synonym(s): *irroration* Moore,1879
 51370) *Pheosiopsis* (Suzukiana) lusciniola (Nakamura,1973) (Notodontidae) Synonym(s): *lusciniola* Nakamura,1973
 51371) *Pheosiopsis* (s.str.) dierli Sugi,1992 (Notodontidae) Synonym(s): *dierli* Dierl,1977 nec Kiriak.,1974; *dierli* Sugi,1992
 51372) *Pheosiopsis* (s.str.) gaedei Schintlmeister,1989 (Notodontidae) Synonym(s): *gaedei* Schintlmeister,1989
 51373) *Pheosiopsis* (s.str.) gilda Schintlmeister,1997 (Notodontidae) Synonym(s): *gilda* Schintlmeister,1997
 51374) *Pheosiopsis* (s.str.) norina Schintlmeister,1989 (Notodontidae) Synonym(s): *norina* Schintlmeister,1989

- 51375) *Pheosiopsis* (s.str.) *pallidogriseus* Schintlmeister, 1997 (Notodontidae) Synonym(s): *pallidogriseus* Schintlmeister, 1997
 51376) *Pheosiopsis* (s.str.) *viresco* Schintlmeister, 1997 (Notodontidae) Synonym(s): *viresco* Schintlmeister, 1997
 51377) *Phycidopsis* *albiovittata* Hampson, 1893 (Notodontidae) Synonym(s): *albiovittata* Hampson, 1893
 51378) *Phycidopsis* *philippinica* Schintlmeister, 1993 (Notodontidae) Synonym(s): *philippinica* Schintlmeister, 1993
 51379) *Phycitimorpha* *congruata* Janse, 1920 (Notodontidae) Synonym(s): *congruata* Janse, 1920
 51380) *Phycitimorpha* *stigmatica* Janse, 1920 (Notodontidae) Synonym(s): *stigmatica* Janse, 1920
 51381) *Phyllaliodes* *agramma* Hampson, 1910 (Notodontidae) Synonym(s): *agramma* Hampson, 1910
 51382) *Phyllaliodes* *poliostrotata* Hampson, 1910 (Notodontidae) Synonym(s): *poliostrotata* Hampson, 1910
 51383) *Pinheyia* *lymantrioides* Kiriakoff, 1971 (Notodontidae) Synonym(s): *lymantrioides* Kiriakoff, 1971
 51384) *Plastystaura* *glis* Kiriakoff, 1968 (Notodontidae) Synonym(s): *glis* Kiriakoff, 1968
 51385) *Plastystaura* *murina* Kiriakoff, 1965 (Notodontidae) Synonym(s): *murina* Kiriakoff, 1965
 51386) *Polelassothys* *plumitarsus* Janse, 1920 (Notodontidae) Synonym(s): *plumitarsus* Janse, 1920
 51387) *Polienus* *capillatus* (Wallengren, 1875) (Notodontidae) Synonym(s): *capillatus* Wallengren, 1875
 51388) *Polienus* *fuscatus* Janse, 1920 (Notodontidae) Synonym(s): *fuscatus* Janse, 1920
 51389) *Polienus* *nigrosparsus* Janse, 1920 (Notodontidae) Synonym(s): *nigrosparsus* Janse, 1920
 51390) *Polienus* *rubritinctus* (Hampson, 1910) (Notodontidae) Synonym(s):
 51391) *Porsica* *benderoides* Schintlmeister, 1993 (Notodontidae) Synonym(s): *benderoides* Schintlmeister, 1993
 51392) *Porsica* *curvaria* (Hampson, 1892) (Notodontidae) Synonym(s): *curvaria* Hampson, 1892
 51393) *Porsica* *ingens* Walker, 1866 (Notodontidae) Synonym(s): *ingens* Walker, 1866
 51394) *Porsica* *ingens* *ingens* Walker, 1866 (Notodontidae) Synonym(s): *ingens* Walker, 1866
 51395) *Porsica* *ingens* *inopinata* Holloway, 1983 (Notodontidae) Synonym(s): *inopinata* Holloway, 1983
 51396) *Porsica* *intermediata* Schintlmeister, 1993 (Notodontidae) Synonym(s): *intermediata* Schintlmeister, 1993
 51397) *Porsica* *punctifascia* (Hampson, 1897) (Notodontidae) Synonym(s): *punctifascia* Hampson, 1897
 51398) *Psalisodes* *atrifasciata* Hampson, 1910 (Notodontidae) Synonym(s): *atrifasciata* Hampson, 1910
 51399) *Psalisodes* *defasciata* Gaede, 1928 (Notodontidae) Synonym(s): *defasciata* Gaede, 1928
 51400) *Psalisodes* *dimorpha* Kiriakoff, 1968 (Notodontidae) Synonym(s): *dimorpha* Kiriakoff, 1968
 51401) *Psegmaphora* *tripunctata* Gaede, 1930 (Notodontidae) Synonym(s): *tripunctata* Gaede, 1930
 51402) *Pseudallata* *laticostalis* (Hampson, 1900) (Notodontidae) Synonym(s): *laticostalis* Hampson, 1900
 51403) *Pseudofontonia* (Calyptronotum) *singapura* Gaede, 1930 (Notodontidae) Synonym(s): *singapura* Gaede, 1930
 51404) *Pseudofontonia* (Disparia) *diluta* (Hampson, 1910) (Notodontidae) Synonym(s): *diluta* Hampson, 1910
 51405) *Pseudofontonia* (Disparia) *diluta abraama* (Schaus, 1928) (Notodontidae) Synonym(s): *abraama* Schaus, 1928
 51406) *Pseudofontonia* (Disparia) *diluta diluta* (Hampson, 1910) (Notodontidae) Synonym(s): *diluta* Hampson, 1910
 51407) *Pseudofontonia* (Disparia) *diluta sordida* (Wileman, 1911) (Notodontidae) Synonym(s): *sordida* Wileman, 1911
 51408) *Pseudofontonia* (Disparia) *diluta sundana* (Roepke, 1944) (Notodontidae) Synonym(s): *sundana* Roepke, 1944
 51409) *Pseudofontonia* (Disparia) *diluta variegata* (Wileman, 1910) (Notodontidae) Synonym(s): *variegata* Wileman, 1910; *formosana* Wileman, 1911
 51410) *Pseudofontonia* (Disparia) *dua* Schintlmeister, 1997 (Notodontidae) Synonym(s): *dua* Schintlmeister, 1997
 51411) *Pseudofontonia* (Disparia) *medioalbida* (Nakamura, 1973) (Notodontidae) Synonym(s): *medioalbida* Nakamura, 1973
 51412) *Pseudofontonia* (Disparia) *mediopallens* (Sugi, 1989) (Notodontidae) Synonym(s): *mediopallens* Sugi, 1989
 51413) *Pseudofontonia* (Disparia) *nigrofasciata* (Wileman, 1910) (Notodontidae) Synonym(s): *nigrofasciata* Wileman, 1910; *wilemani* Matsumura, 1925
 51414) *Pseudofontonia* (Lanna) *brechlini* Schintlmeister, 1997 (Notodontidae) Synonym(s): *brechlini* Schintlmeister, 1997
 51415) *Pseudofontonia* (Lanna) *obliquiplaga* (Moore, 1879) (Notodontidae) Synonym(s): *obliquiplaga* Moore, 1879
 51416) *Pseudofontonia* (Vietnamina) *tiga* Schintlmeister, 1997 (Notodontidae) Synonym(s): *tiga* Schintlmeister, 1997
 51417) *Pseudofontonia* (Viridifontonia) *plagiviridis* (Moore, 1879) (Notodontidae) Synonym(s): *plagiviridis* Moore, 1879; *#plagifera* Schintlmeister, 1997
 51418) *Pseudofontonia* (Viridifontonia) *plagiviridis maximum* Schintlmeister, 1997 (Notodontidae) Synonym(s): *maximum* Schintlmeister, 1997
 51419) *Pseudofontonia* (Viridifontonia) *plagiviridis plagiviridis* (Moore, 1879) (Notodontidae) Synonym(s): *plagiviridis* Moore, 1879; *#plagifera* Schintlmeister, 1997
 51420) *Pseudofontonia* (s.str.) *argentifera* (Moore, 1866) (Notodontidae) Synonym(s): *argentifera* Moore, 1866; *kezukai* Nakamura, 1973
 51421) *Pseudofontonia* (s.str.) *argentifera antilavus* Schintlmeister, 1997 (Notodontidae) Synonym(s): *antilavus* Schintlmeister, 1997
 51422) *Pseudofontonia* (s.str.) *argentifera argentifera* (Moore, 1866) (Notodontidae) Synonym(s): *argentifera* Moore, 1866; *kezukai* Nakamura, 1973
 51423) *Pseudorethona* *albicans* (Walker, 1855) (Notodontidae) Synonym(s): *albicans* Walker, 1855
 51424) *Pseudoscraucia* *africana* (Walker, 1855) (Notodontidae) Synonym(s): *africana* Walker, 1855
 51425) *Pseudosomera* *inexpecta* Schintlmeister, 1989 (Notodontidae) Synonym(s): *inexpecta* Schintlmeister, 1989
 51426) *Pseudosomera* *noctuiiformis* Bender & Steiniger, 1984 (Notodontidae) Synonym(s): *noctuiiformis* Bender & Steiniger, 1984
 51427) *Pseudostauropus* *ocularis* (Semper, 1898) (Notodontidae) Synonym(s): *ocularis* Semper, 1898
 51428) *Pseudostauropus* *plagosus* Gaede, 1930 (Notodontidae) Synonym(s): *plagosus* Gaede, 1930
 51429) *Pseudelectra* *centristicta* (Hampson, 1898) (Notodontidae) Synonym(s): *centristicta* Hampson, 1898
 51430) *Pterostoma* *palpinum* (Linnaeus, 1761) (Notodontidae) Synonym(s): *palpina* Linnaeus, 1761; *caudapiscina* Goeze, 1783; *salicis* Germar, 1812.
 51431) *Pterostoma* *palpinum ponticum* (Staudinger & Rebel, 1901) (Notodontidae) Synonym(s): *ponticum* Staudinger & Rebel, 1901
 51432) *Pterostoma* *pterostomina* (Kiriakoff, 1963) (Notodontidae) Synonym(s): *pterostomina* Kiriakoff, 1963
 51433) *Ptilodon* *autumnalis* Schintlmeister, 1997 (Notodontidae) Synonym(s): *autumnalis* Schintlmeister, 1997
 51434) *Ptilodon* *capucina* (Linnaeus, 1758) (Notodontidae) Synonym(s): *capucina* Linnaeus, 1758
 51435) *Ptilodon* *flavistigma* (Moore, 1879) (Notodontidae) Synonym(s): *flavistigma* Moore, 1879
 51436) *Ptilodon* *hoegei* (Graeser, 1892) (Notodontidae) Synonym(s): *hoegei* Graeser, 1892
 51437) *Ptilodon* *saturata* (Walker, 1865) (Notodontidae) Synonym(s): *saturata* Walker, 1865
 51438) *Ptilodontella* *cucullina* [Denis & Schiffermüller, 1775] (Notodontidae) Synonym(s): *cucullina* [Denis & Schiffermüller], 1775
 51439) *Ptilodontella* *saerdabensis* Daniel, 1938 (Notodontidae) Synonym(s): *saerdabensis* Daniel, 1938
 51440) *Ptilophora* *kashgara* Moore, 1878 (Notodontidae) Synonym(s): *kashgara* Moore, 1878
 51441) *Ptilophora* *plumigera* [Denis & Schiffermüller, 1775] (Notodontidae) Synonym(s): *#plumigera* [Denis & Schiffermüller], 1775; *variegata* Villers, 1789 *nec* Sc., 1763
 51442) *Pydnella* *griseicollis* (Kiriakoff, 1962) (Notodontidae) Synonym(s): *griseicollis* Kiriakoff, 1962
 51443) *Pydnella* *rosacea* (Hampson, 1896) (Notodontidae) Synonym(s): *rosacea* Hampson, 1896; *monticola* Roepke, 1943
 51444) *Pygaera* *timon* (Hübner, [1803]) (Notodontidae) Synonym(s): *timon* Hübner, [1803]
 51445) *Quadricalcarifera* *amamiensis* Nakatomi, 1981 (Notodontidae) Synonym(s): *amamiensis* Nakatomi, 1981
 51446) *Quadricalcarifera* *basivirens* Schintlmeister, 1993 (Notodontidae) Synonym(s): *basivirens* Schintlmeister, 1993
 51447) *Quadricalcarifera* *charistera* (West, 1932) (Notodontidae) Synonym(s): *charistera* West, 1932
 51448) *Quadricalcarifera* *charistera charistera* (West, 1932) (Notodontidae) Synonym(s): *charistera* West, 1932
 51449) *Quadricalcarifera* *charistera fraseriana* Kiriakoff (Notodontidae) Synonym(s):
 51450) *Quadricalcarifera* *charistera minima* Schintlmeister, 1997 (Notodontidae) Synonym(s): *minima* Schintlmeister, 1997
 51451) *Quadricalcarifera* *charistera rhypara* (Notodontidae) Synonym(s):
 51452) *Quadricalcarifera* *comatus* (Leech, 1898) (Notodontidae) Synonym(s): *comatus* Leech, 1898; *viridimacula* Matsumura, 1922; *consentrica* Matsumura, 1927.
 51453) *Quadricalcarifera* *cupreonitens* Kiriakoff, 1963 (Notodontidae) Synonym(s): *cupreonitens* Kiriakoff, 1963
 51454) *Quadricalcarifera* *cyanea* (Leech, 1888) (Notodontidae) Synonym(s): *cyanea* Leech, 1888; *himiko* Nakamura, 1956; *franciscana* Kiriakoff, 1963.
 51455) *Quadricalcarifera* *cyanea cyanea* (Leech, 1888) (Notodontidae) Synonym(s): *cyanea* Leech, 1888; *himiko* Nakamura, 1956; *franciscana* Kiriakoff, 1963.
 51456) *Quadricalcarifera* *cyanea izuensis* Nakamura & Kishida, 1977 (Notodontidae) Synonym(s): *izuensis* Nakamura & Kishida, 1977
 51457) *Quadricalcarifera* *defector* Schintlmeister, 1997 (Notodontidae) Synonym(s): *defector* Schintlmeister, 1997
 51458) *Quadricalcarifera* *doloka* Kiriakoff, 1967 (Notodontidae) Synonym(s): *doloka* Kiriakoff, 1967
 51459) *Quadricalcarifera* *fasciata* (Moore, 1879) (Notodontidae) Synonym(s): *fasciata* Moore, 1879; *comatus* Leech, 1898
 51460) *Quadricalcarifera* *fasciata fasciata* (Moore, 1879) (Notodontidae) Synonym(s): *fasciata* Moore, 1879; *comatus* Leech, 1898
 51461) *Quadricalcarifera* *fasciata malayana* Nakamura, 1976 (Notodontidae) Synonym(s): *malayana* Nakamura, 1976

- 51462) *Quadricalcarifera fasciata umbrosa* Matsumura, 1927 (Moore, 1879) (Notodontidae) Synonym(s): *umbrosa* Matsumura, 1927
- 51463) *Quadricalcarifera hebe* Schintlmeister, 1997 (Notodontidae) Synonym(s): *hebe* Schintlmeister, 1997
- 51464) *Quadricalcarifera hercules* Schintlmeister, 1997 (Notodontidae) Synonym(s): *hercules* Schintlmeister, 1997
- 51465) *Quadricalcarifera iole* Schintlmeister, 1997 (Notodontidae) Synonym(s): *iole* Schintlmeister, 1997
- 51466) *Quadricalcarifera jupiter* Schintlmeister, 1997 (Notodontidae) Synonym(s): *jupiter* Schintlmeister, 1997
- 51467) *Quadricalcarifera nachiensis* (Marumo, 1920) (Notodontidae) Synonym(s): *nachiensis* Marumo, 1920
- 51468) *Quadricalcarifera nigribasalis* (Wileman, 1910) (Notodontidae) Synonym(s): *nigribasalis* Wileman, 1910; *saitonis* Matsumura, 1927
- 51469) *Quadricalcarifera nigribasalis nigribasalis* (Wileman, 1910) (Notodontidae) Synonym(s): *nigribasalis* Wileman, 1910; *saitonis* Matsumura, 1927
- 51470) *Quadricalcarifera nigribasalis tropica* Kiriakoff, 1974 (Notodontidae) Synonym(s): *tropica* Kiriakoff, 1974
- 51471) *Quadricalcarifera palladina* (Schaus, 1928) (Notodontidae) Synonym(s): *palladina* Schaus, 1928
- 51472) *Quadricalcarifera pamela* Schintlmeister, 1993 (Notodontidae) Synonym(s): *pamela* Schintlmeister, 1993
- 51473) *Quadricalcarifera parcevirens* (Joannis, 1929) (Notodontidae) Synonym(s): *parcevirens* Joannis, 1929; *sporadochlorus* Joannis, 1949
- 51474) *Quadricalcarifera perdix* (Moore, 1879) (Notodontidae) Synonym(s): *perdix* Moore, 1879
- 51475) *Quadricalcarifera perdix confusa* (Wileman, 1910) (Notodontidae) Synonym(s): *confusa* Wileman, 1910; *kikuchii* Matsumura, 1927; *horishana* Matsumura, 1920.
- 51476) *Quadricalcarifera perdix perdix* (Moore, 1879) (Notodontidae) Synonym(s): *perdix* Moore, 1879
- 51477) *Quadricalcarifera pryeri* (Leech, 1889) (Notodontidae) Synonym(s): *pryeri* Leech, 1889; *lama* Oberthür, 1911; *sugitanii* Matsumura, 1920; *coreana* Matsumura, 1922
- 51478) *Quadricalcarifera punctatella* (Motschulsky, 1861) (Notodontidae) Synonym(s): *punctatella* Motschulsky, 1861; *nigromaculata* Matsumura, 1920; *nigroguttata* Matsumura, 1921
- 51479) *Quadricalcarifera scensus* Schintlmeister, 1997 (Notodontidae) Synonym(s): *scensus* Schintlmeister, 1997
- 51480) *Quadricalcarifera spitzeri* Schintlmeister, 1987 (Notodontidae) Synonym(s): *spitzeri* Schintlmeister, 1987
- 51481) *Quadricalcarifera sporadochlorus* (Bryk, 1949) (Notodontidae) Synonym(s): *sporadochlorus* Bryk, 1949; *synechochlora* Kiriakoff, 1963; *plebeja* Kiriakoff, 1963.
- 51482) *Quadricalcarifera stauropoides* Kiriakoff, 1974 (Notodontidae) Synonym(s): *stauropoides* Kiriakoff, 1974
- 51483) *Quadricalcarifera subgeneris Strand*, 1915 (Notodontidae) Synonym(s): *subgeneris* Strand, 1915
- 51484) *Quadricalcarifera subgeneris japonica* Nakatomi, 1981 (Notodontidae) Synonym(s): *japonica* Nakatomi, 1981
- 51485) *Quadricalcarifera subgeneris subgeneris Strand*, 1915 (Notodontidae) Synonym(s): *subgeneris* Strand, 1915
- 51486) *Quadricalcarifera subgriseoviridis* Kiriakoff, 1963 (Notodontidae) Synonym(s): *subgriseoviridis* Kiriakoff, 1963
- 51487) *Quadricalcarifera umbrosa* Matsumura, 1927 (Notodontidae) Synonym(s): *umbrosa* Matsumura, 1927; *okurai* Okano, 1960
- 51488) *Quadricalcarifera umbrosa hasegawai* Nakamura (Notodontidae) Synonym(s):
- 51489) *Quadricalcarifera umbrosa umbrosa* Matsumura, 1927 (Notodontidae) Synonym(s): *umbrosa* Matsumura, 1927; *okurai* Okano, 1960
- 51490) *Quadricalcarifera unicolor* Kiriakoff, 1974 (Notodontidae) Synonym(s): *unicolor* Kiriakoff, 1974
- 51491) *Quadricalcarifera viridipicta* (Wileman, 1910) (Notodontidae) Synonym(s): *viridipicta* Wileman, 1910; *marginalis* Matsumura, 1920; *kusukusuana* Matsumura, 1929; *lineata* Okano, 1960; *meridioviridis* Kiriakoff, 1963; *viridigutta* Kiriakoff, 1963; *doloka* Kiriakoff, 1967; *eusebia* Kiriakoff, 1974.
- 51492) *Quadricalcarifera witoldi* Schintlmeister, 1997 (Notodontidae) Synonym(s): *witoldi* Schintlmeister, 1997
- 51493) *Quadricalcarifera wunna* Schintlmeister, 1997 (Notodontidae) Synonym(s): *wunna* Schintlmeister, 1997
- 51494) *Quista albicostata* (Hampson, 1910) (Notodontidae) Synonym(s): *albicostata* Hampson, 1910
- 51495) *Quista cinereomixta* Kiriakoff, 1959 (Notodontidae) Synonym(s): *cinereomixta* Kiriakoff, 1959
- 51496) *Rachia cryptocephala* (Bryk, 1949) (Notodontidae) Synonym(s): *cryptocephala* Bryk, 1949
- 51497) *Rachia lineata* (Matsumura, 1925) (Notodontidae) Synonym(s): *lineata* Matsumura, 1925
- 51498) *Rachia nodyna* (Swinhoe, 1907) (Notodontidae) Synonym(s): *nodyna* Swinhoe, 1907
- 51499) *Rachia plumosa* Moore, 1892 (Notodontidae) Synonym(s): *plumosa* Moore, 1892
- 51500) *Rachia striata* Hampson, 1892 (Notodontidae) Synonym(s): *striata* Hampson, 1892
- 51501) *Rachiades albomaculata* (Okano, 1958) (Notodontidae) Synonym(s): *albomaculata* Okano, 1958
- 51502) *Rachiades danieli* Sugi, 1992 (Notodontidae) Synonym(s): *danieli* Sugi, 1992
- 51503) *Rachiades lichenicolor* (Oberthür, 1911) (Notodontidae) Synonym(s): *lichenicolor* Oberthür, 1911
- 51504) *Rachiades siamensis* Sugi, 1993 (Notodontidae) Synonym(s): *siamensis* Sugi, 1993
- 51505) *Ramesa albigstriga* Moore, 1879 (Notodontidae) Synonym(s): *albigstriga* Moore, 1879
- 51506) *Ramesa bhutanica* (Bänziger, 1988) (Notodontidae) Synonym(s): *bhutanica* Bänziger, 1988
- 51507) *Ramesa bovocolugens* (Bänziger, 1988) (Notodontidae) Synonym(s): *bovocolugens* Bänziger, 1988
- 51508) *Ramesa doisuthetica* (Bänziger, 1988) (Notodontidae) Synonym(s): *doisuthetica* Bänziger, 1988
- 51509) *Ramesa huaykacoensis* (Bänziger, 1988) (Notodontidae) Synonym(s): *huaykacoensis* Bänziger, 1988
- 51510) *Ramesa lacrimisaddicta* (Bänziger, 1989) (Notodontidae) Synonym(s): *lacrimisaddicta* Bänziger, 1989
- 51511) *Ramesa siamica* (Bänziger, 1988) (Notodontidae) Synonym(s): *siamica* Bänziger, 1988
- 51512) *Ramesa tosta* Walker, 1855 (Notodontidae) Synonym(s): *tosta* Walker, 1855
- 51513) *Rasemia dasychira* (Hampson, 1910) (Notodontidae) Synonym(s): *dasychira* Hampson, 1910
- 51514) *Rasemia euzopherodes* (Hampson, 1910) (Notodontidae) Synonym(s): *euzopherodes* Hampson, 1910
- 51515) *Rasemia macrodonta* (Hampson, 1909) (Notodontidae) Synonym(s): *macrodonta* Hampson, 1909
- 51516) *Rhegmaphila alpina* (Bellier, 1881) (Notodontidae) Synonym(s): *alpina* Bellier, 1881; *burgensis* Fernandez, 1934.
- 51517) *Rhegmaphila alpina alpina* (Bellier, 1881) (Notodontidae) Synonym(s): *alpina* Bellier, 1881; *burgensis* Fernandez, 1934.
- 51518) *Rhegmaphila alpina osmana* Friedel, 1967 (Notodontidae) Synonym(s): *osmana* Friedel, 1967
- 51519) *Rhegmaphila richelloi* Hartig, 1939 (Notodontidae) Synonym(s): *richelloi* Hartig, 1939
- 51520) *Rhenea mediata* (Walker, 1865) (Notodontidae) Synonym(s): *mediata* Walker, 1865
- 51521) *Rhenea rufescens* Kiriakoff, 1954 (Notodontidae) Synonym(s): *rufescens* Kiriakoff, 1954
- 51522) *Rheneina buceros* Kiriakoff, 1971 (Notodontidae) Synonym(s): *buceros* Kiriakoff, 1971
- 51523) *Riebeckia whittakeri* Kiriakoff, 1981 (Notodontidae) Synonym(s): *whittakeri* Kiriakoff, 1981
- 51524) *Rodneya caudata* Kiriakoff, 1967 (Notodontidae) Synonym(s): *caudata* Kiriakoff, 1967
- 51525) *Rodneya cernyi* Schintlmeister, 1993 (Notodontidae) Synonym(s): *cernyi* Schintlmeister, 1993
- 51526) *Rosama auritracta* (Moore, 1865) (Notodontidae) Synonym(s): *auritracta* Moore, 1865
- 51527) *Rosama plusioides* Moore, 1879 (Notodontidae) Synonym(s): *plusioides* Moore, 1879
- 51528) *Rosinella rosinaria* (Hampson, 1910) (Notodontidae) Synonym(s): *rosinaria* Hampson, 1910
- 51529) *Saliocteta barasamphia* Schaus, 1928 (Notodontidae) Synonym(s): *barasamphia* Schaus, 1928
- 51530) *Saliocteta deioannisi* Schintlmeister, 1997 (Notodontidae) Synonym(s): *deioannisi* Schintlmeister, 1997
- 51531) *Saliocteta fabula* Schintlmeister, 1997 (Notodontidae) Synonym(s): *fabula* Schintlmeister, 1997
- 51532) *Saliocteta nonagrioides* Walker, 1862 (Notodontidae) Synonym(s): *nonagrioides* Walker, 1862
- 51533) *Saliocteta nubila* Kiriakoff, 1962 (Notodontidae) Synonym(s): *nubila* Kiriakoff, 1962
- 51534) *Saliocteta widagdoi* Schintlmeister, 1994 (Notodontidae) Synonym(s): *widagdoi* Schintlmeister, 1994
- 51535) *Sarimaris bicolor* (Distant, 1899) (Notodontidae) Synonym(s): *bicolor* Distant, 1899
- 51536) *Sarimaris peringueyi* (Janse, 1920) (Notodontidae) Synonym(s): *peringueyi* Janse, 1920
- 51537) *Sarimaris pinheyi* Kiriakoff, 1962 (Notodontidae) Synonym(s): *pinheyi* Kiriakoff, 1962
- 51538) *Sarimaris quarta* Kiriakoff, 1962 (Notodontidae) Synonym(s): *quarta* Kiriakoff, 1962
- 51539) *Scalmicauda oneili* Janse, 1920 (Notodontidae) Synonym(s): *oneili* Janse, 1920
- 51540) *Scalmicauda tessmanni* Strand, 1911 (Notodontidae) Synonym(s): *tessmanni* Strand, 1911
- 51541) *Serancia atrifrons* Hampson, 1910 (Notodontidae) Synonym(s): *atrifrons* Hampson, 1910
- 51542) *Serancia brunnescens* Gaede, 1928 (Notodontidae) Synonym(s): *brunnescens* Gaede, 1928
- 51543) *Serancia daneili* Kiriakoff, 1962 (Notodontidae) Synonym(s): *daneili* Kiriakoff, 1962
- 51544) *Serancia discommma* Jordan, 1916 (Notodontidae) Synonym(s): *discommma* Jordan, 1916
- 51545) *Serancia elanus* Kiriakoff, 1971 (Notodontidae) Synonym(s): *elanus* Kiriakoff, 1971
- 51546) *Serancia galactoperoides* Kiriakoff, 1965 (Notodontidae) Synonym(s): *galactoperoides* Kiriakoff, 1965

- 51547) *Scrancia milvus* Kiriakoff, 1971 (Notodontidae) Synonym(s): *milvus* Kiriakoff, 1971
 51548) *Scrancia pinheyi* Kiriakoff, 1965 (Notodontidae) Synonym(s): *pinheyi* Kiriakoff, 1965
 51549) *Scrancia stictica* Hampson, 1910 (Notodontidae) Synonym(s): *stictica* Hampson, 1910
 51550) *Scrancia subscrancia* Kiriakoff, 1970 (Notodontidae) Synonym(s): *subscrancia* Kiriakoff, 1970
 51551) *Semidonta basalis* (Moore, 1865) (Notodontidae) Synonym(s): *basalis* Moore, 1865; *bidens* Oberthür, 1911
 51552) *Shachia circumscripta* (Butler, 1885) (Notodontidae) Synonym(s): *circumscripta* Butler, 1885; *subrosea* Matsumura, 1919
 51553) *Simesia balachowskyi* Kiriakoff, 1973 (Notodontidae) Synonym(s): *balachowskyi* Kiriakoff, 1973
 51554) *Simesia dasychiroides* (Butler, 1898) (Notodontidae) Synonym(s): *dasychiroides* Butler, 1898; *critobulus* Fawcett, 1916; *concolor* Janse, 1920
 51555) *Simesia olmi* (Berio, 1937) (Notodontidae) Synonym(s): *olmi* Berio, 1937
 51556) *Snellentia divaricata* (Gaede, 1930) (Notodontidae) Synonym(s): *divaricata* Gaede, 1930
 51557) *Somera virens* Dierl, 1976 (Notodontidae) Synonym(s): *virens* Dierl, 1976
 51558) *Somera virens virens* Dierl, 1976 (Notodontidae) Synonym(s): *virens* Dierl, 1976
 51559) *Somera virens watsoni* Schintlmeister, 1997 (Notodontidae) Synonym(s): *watsoni* Schintlmeister, 1997
 51560) *Somera viridifusca* Walker, 1855 (Notodontidae) Synonym(s): *viridifusca* Walker, 1855
 51561) *Somera viridifusca celebica* Schintlmeister, 1993 (Notodontidae) Synonym(s): *celebica* Schintlmeister, 1993
 51562) *Somera viridifusca luzonensis* Schintlmeister, 1993 (Notodontidae) Synonym(s): *luzonensis* Schintlmeister, 1993
 51563) *Somera viridifusca sumatrana* Schintlmeister, 1993 (Notodontidae) Synonym(s): *sumatrana* Schintlmeister, 1993
 51564) *Somera viridifusca viridifusca* Walker, 1855 (Notodontidae) Synonym(s): *viridifusca* Walker, 1855
 51565) *Spatalia argentina* [Denis & Schiffermüller], 1775 (Notodontidae) Synonym(s): *argentina* [Denis & Schiffermüller], 1775
 51566) *Spatalia dives* Oberthür, 1884 (Notodontidae) Synonym(s): *dives* Oberthür, 1884; *angustipennis* Okano, 1959
 51567) *Spatalia procne* Schintlmeister, 1989 (Notodontidae) Synonym(s): *procne* Schintlmeister, 1989
 51568) *Spatalina argentata* (Moore, 1879) (Notodontidae) Synonym(s): *argentata* Moore, 1879
 51569) *Spatalina birmalina* (Bryk, 1949) (Notodontidae) Synonym(s): *birmalina* Bryk, 1949
 51570) *Spatalina ferruginosa* (Moore, 1879) (Notodontidae) Synonym(s): *ferruginosa* Moore, 1879
 51571) *Spatalina umbrosa* (Leech, 1898) (Notodontidae) Synonym(s): *umbrosa* Leech, 1898; *desiccata* Kiriakoff, 1963
 51572) *Stauropitis briachisia* (Schaus, 1928) (Notodontidae) Synonym(s): *briachisia* Schaus, 1928
 51573) *Stauropus alternus* Walker, 1855 (Notodontidae) Synonym(s): *alternus* Walker, 1855
 51574) *Stauropus alternus alternus* Walker, 1855 (Notodontidae) Synonym(s): *alternus* Walker, 1855
 51575) *Stauropus alternus brunneus* Schintlmeister, 1991 (Notodontidae) Synonym(s): *brunneus* Schintlmeister, 1991
 51576) *Stauropus basalis* Moore, 1877 (Notodontidae) Synonym(s): *basalis* Moore, 1877; *taczanowskii* Oberthür, 1879; *mediolinea* Rothschild, 1917; *koreharpia* Bryk, 1948
 51577) *Stauropus basalis basalis* Moore, 1877 (Notodontidae) Synonym(s): *basalis* Moore, 1877; *taczanowskii* Oberthür, 1879; *mediolinea* Rothschild, 1917; *koreharpia* Bryk, 1948
 51578) *Stauropus basalis usuguronis* Matsumura, 1934 (Notodontidae) Synonym(s): *usuguronis* Matsumura, 1934
 51579) *Stauropus berberisae* Moore, 1888 (Notodontidae) Synonym(s): *berberisae* Moore, 1888; *limitaris* Ebert, 1968
 51580) *Stauropus fagi* (Linnaeus, 1758) (Notodontidae) Synonym(s): *fagi* Linnaeus, 1758
 51581) *Stauropus fagi fagi* (Linnaeus, 1758) (Notodontidae) Synonym(s): *fagi* Linnaeus, 1758
 51582) *Stauropus fagi persimilis* Butler, 1879 (Notodontidae) Synonym(s): *persimilis* Butler, 1879
 51583) *Stauropus hannemanni* Schintlmeister, 1991 (Notodontidae) Synonym(s): *hannemanni* Schintlmeister, 1991
 51584) *Stauropus hannemanni similis* Schintlmeister, 1991 (Notodontidae) Synonym(s): *similis* Schintlmeister, 1991
 51585) *Stauropus major* Van Eecke, 1929 (Notodontidae) Synonym(s): *major* Van Eecke, 1929
 51586) *Stauropus nephodes* West, 1932 (Notodontidae) Synonym(s): *nephodes* West, 1932
 51587) *Stauropus nigropunctatus* Schintlmeister, 1997 (Notodontidae) Synonym(s): *nigropunctata* Schintlmeister, 1997
 51588) *Stauropus picteti* Oberthür, 1911 (Notodontidae) Synonym(s): *picteti* Oberthür, 1911
 51589) *Stauropus sikkimensis* Moore, 1865 (Notodontidae) Synonym(s): *sikkimensis* Moore, 1865
 51590) *Stauropus sikkimensis erdmanni* Schintlmeister, 1989 (Notodontidae) Synonym(s): *erdmanni* Schintlmeister, 1989
 51591) *Stauropus sikkimensis lushmani* Okano, 1960 (Notodontidae) Synonym(s): *lushmani* Okano, 1960
 51592) *Stauropus sikkimensis sikkimensis* Moore, 1865 (Notodontidae) Synonym(s): *sikkimensis* Moore, 1865
 51593) *Stauropus teikichiana* Matsumura, 1929 (Notodontidae) Synonym(s): *teikichiana* Matsumura, 1929
 51594) *Stemmatophalera semiflava* (Hampson, 1910) (Notodontidae) Synonym(s): *semiflava* Hampson, 1910
 51595) *Stenadonta radialis* Gaede, 1930 (Notodontidae) Synonym(s): *radialis* Gaede, 1930
 51596) *Stenostaura elaphra* Wiltshire, 1982 (Notodontidae) Synonym(s): *elaphra* Wiltshire, 1982
 51597) *Stenostaura elegans* Kiriakoff, 1970 (Notodontidae) Synonym(s): *elegans* Kiriakoff, 1970
 51598) *Stenostaura impetita* (Walker, 1865) (Notodontidae) Synonym(s): *impetita* Walker, 1865
 51599) *Stenostaura malangae* (Bethune-Baker, 1911) (Notodontidae) Synonym(s): *malangae* Bethune-Baker, 1911
 51600) *Stenostaura minutissima* Kiriakoff, 1970 (Notodontidae) Synonym(s): *minutissima* Kiriakoff, 1970
 51601) *Stenostaura rhodesiae* (Kiriakoff, 1965) (Notodontidae) Synonym(s): *rhodesiae* Kiriakoff, 1965
 51602) *Stenostaura subtilis* Kiriakoff, 1970 (Notodontidae) Synonym(s): *subtilis* Kiriakoff, 1970
 51603) *Stenostaura varians* (Kiriakoff, 1962) (Notodontidae) Synonym(s): *variens* Kiriakoff, 1962
 51604) *Stigmatophorina hammamelis* Mell, 1922 (Notodontidae) Synonym(s): *hammamelis* Mell, 1922
 51605) *Subscrancia albobrunea* Kiriakoff, 1970 (Notodontidae) Synonym(s): *albobrunea* Kiriakoff, 1970
 51606) *Subscrancia nigra* (Aurivillius, 1904) (Notodontidae) Synonym(s): *nigra* Aurivillius, 1904
 51607) *Sumeria dipotamica* Tams, 1938 (Notodontidae) Synonym(s): *dipotamica* Tams, 1938
 51608) *Sumeria dipotamica dipotamica* Tams, 1938 (Notodontidae) Synonym(s): *dipotamica* Tams, 1938
 51609) *Sumeria dipotamica flavoalata* Fischer & Saldaitis, 2005 (Notodontidae) Synonym(s): *flavoalata* Fischer & Saldaitis, 2005
 51610) *Synete olivaceofusca* (Rothschild, 1917) (Notodontidae) Synonym(s): *olivaceofusca* Rothschild, 1917
 51611) *Tarsolepis elephanthorum* Bänziger, 1986 (Notodontidae) Synonym(s): *elephanthorum* Bänziger, 1986
 51612) *Tarsolepis inscius* Schintlmeister, 1997 (Notodontidae) Synonym(s): *inscius* Schintlmeister, 1997
 51613) *Tarsolepis japonica* Wileman & South, 1917 (Notodontidae) Synonym(s): *japonica* Wileman & South, 1917; *inouei* Okano, 1958
 51614) *Tarsolepis javana* Swinhoe, 1907 (Notodontidae) Synonym(s): *javana* Swinhoe, 1907
 51615) *Tarsolepis kochi* Semper, 1896 (Notodontidae) Synonym(s): *kochi* Semper, 1896
 51616) *Tarsolepis malayana* Nakamura, 1976 (Notodontidae) Synonym(s): *malayana* Nakamura, 1976
 51617) *Tarsolepis remicauda* Butler, 1872 (Notodontidae) Synonym(s): *remicauda* Butler, 1872
 51618) *Tarsolepis remicauda captura* Schintlmeister, 1997 (Notodontidae) Synonym(s): *captura* Schintlmeister, 1997
 51619) *Tarsolepis sommeri* (Hübner, 1821) (Notodontidae) Synonym(s): *sommeri* Hübner, 1821
 51620) *Tarsolepis splendida* Schintlmeister, 1993 (Notodontidae) Synonym(s): *splendida* Schintlmeister, 1993
 51621) *Tarsolepis taiwana* Wileman, 1910 (Notodontidae) Synonym(s): *taiwana* Wileman, 1910
 51622) *Teinophalera elongata* (Rothschild, 1917) (Notodontidae) Synonym(s): *elongata* Rothschild, 1917
 51623) *Teleclita cathana* (Schaus, 1928) (Notodontidae) Synonym(s): *cathana* Schaus, 1928
 51624) *Teleclita strigata* (Moore, 1879) (Notodontidae) Synonym(s): *strigata* Moore, 1879
 51625) *Teleclita sundana* Holloway, 1983 (Notodontidae) Synonym(s): *sundana* Holloway, 1983
 51626) *Tensha delineivena* (Swinhoe, 1894) (Notodontidae) Synonym(s): *delineivena* Swinhoe, 1894
 51627) *Tensha striatella* Matsumura, 1925 (Notodontidae) Synonym(s): *striatella* Matsumura, 1925
 51628) *Thaila cinerascens* Kiriakoff, 1974 (Notodontidae) Synonym(s): *cinerascens* Kiriakoff, 1974
 51629) *Togarishachia albistriga* (Moore, 1879) (Notodontidae) Synonym(s): *albistriga* Moore, 1879; *kanshireiensis* Wileman, 1914; *argentopicta* Matsumura, 1925; *sphingoides* Van Eecke, 1929
 51630) *Togaritensha curvilinea* (Wileman, 1911) (Notodontidae) Synonym(s): *curvilinea* Wileman, 1911; *acuta* Matsumura, 1929
 51631) *Torigea argentea* Schintlmeister, 1997 (Notodontidae) Synonym(s): *argentea* Schintlmeister, 1997
 51632) *Torigea argentea* Schintlmeister, 1997 (Notodontidae) Synonym(s): *aristion* Schintlmeister, 1997
 51633) *Torigea beta* Schintlmeister, 1989 (Notodontidae) Synonym(s): *beta* Schintlmeister, 1989

- 51634) *Torigea dorsisuffusa* (Kiriakoff,1962) (Notodontidae) Synonym(s): *dorsisuffusa* Kiriakoff,1962
 51635) *Torigea ereptor* Schintlmeister,1989 (Notodontidae) Synonym(s): *ereptor* Schintlmeister,1989
 51636) *Torigea formosana* Nakamura,1973 (Notodontidae) Synonym(s): *formosana* Nakamura,1973
 51637) *Torigea junctura* (Moore,1879) (Notodontidae) Synonym(s): *junctura* Moore,1879; *adjutrea* Schaus,1928.
 51638) *Torigea juncturina* (Kiriakoff,1959) (Notodontidae) Synonym(s): *juncturina* Kiriakoff,1959
 51639) *Torigea plumosa* (Leech,1889) (Notodontidae) Synonym(s): *plumosa* Leech,1889
 51640) *Torigea sinensis* (Kiriakoff,1962) (Notodontidae) Synonym(s): *sinensis* Kiriakoff,1962
 51641) *Torigea straminea* (Moore,1877) (Notodontidae) Synonym(s): *straminea* Moore,1877; *southerlandii* Holland,1889; *harakiri* Bryk,1942
 51642) *Torigea symmetricus* Schintlmeister,1997 (Notodontidae) Synonym(s): *symmetricus* Schintlmeister,1997
 51643) *Torigea theodosius* Schintlmeister,1997 (Notodontidae) Synonym(s): *theodosius* Schintlmeister,1997
 51644) *Torigea triangularis* (Kiriakoff,1962) (Notodontidae) Synonym(s): *triangularis* Kiriakoff,1962
 51645) *Trotonotus bettoni* Butler,1898 (Notodontidae) Synonym(s): *bettoni* Butler,1898
 51646) *Turnaca* (Ambadra) *fajardoi* Schintlmeister,1993 (Notodontidae) Synonym(s): *fajardoi* Schintlmeister,1993
 51647) *Turnaca* (Ambadra) *nigridorsalis* Schintlmeister,1997 (Notodontidae) Synonym(s): *nigridorsalis* Schintlmeister,1997
 51648) *Turnaca* (Ambadra) *sibena* Schintlmeister,1993 (Notodontidae) Synonym(s): *sibena* Schintlmeister,1993
 51649) *Turnaca* (Ambadra) *suriga* Schaus,1928 (Notodontidae) Synonym(s): *suriga* Schaus,1928
 51650) *Turnaca* (s.str.) *fortunatorum* Schintlmeister,1993 (Notodontidae) Synonym(s): *fortunatorum* Schintlmeister,1993
 51651) *Turnaca* (s.str.) *offula* Schintlmeister,1997 (Notodontidae) Synonym(s): *offula* Schintlmeister,1997
 51652) *Turnaca* (s.str.) *pantaena* Schaus,1928 (Notodontidae) Synonym(s): *pantaena* Schaus,1928
 51653) *Turnacoides basipuncta* Gaede,1928 (Notodontidae) Synonym(s): *basipuncta* Gaede,1928
 51654) *Ulinodes costalis* Kiriakoff,1968 (Notodontidae) Synonym(s): *costalis* Kiriakoff,1968
 51655) *Uropyia meticolodina* (Oberthür,1884) (Notodontidae) Synonym(s): *meticolodina* Oberthür,1884; *hamamelis* Mell,1931
 51656) *Vaneckia pallidifascia* (Hampson,1893) (Notodontidae) Synonym(s): *pallidifascia* Hampson,1893; *centrobrunnea* Matsumura,1927; *concentrica* Matsumura,1927
 51657) *Vaneckia pallidifascia iriomotensis* Nakatomi,1980 (Notodontidae) Synonym(s): *iriomotensis* Nakatomi,1980
 51658) *Vaneckia pallidifascia pallidifascia* (Hampson,1893) (Notodontidae) Synonym(s): *pallidifascia* Hampson,1893; *centrobrunnea* Matsumura,1927; *concentrica* Matsumura,1927
 51659) *Wilemanus hamata* (Cai,1979) (Notodontidae) Synonym(s): *hamata* Cai,1979
 51660) *Zaranga pannosa* Moore,1884 (Notodontidae) Synonym(s): *pannosa* Moore,1884; *citrinaria* Gaede,1930
 51661) *Zaranga permanga* (Butler,1881) (Notodontidae) Synonym(s): *permanga* Butler,1881; *ziozankeana* Matsumura,1909
 51662) *Zerafia drymonides* Strand,1915 (Notodontidae) Synonym(s): *drymonides* Strand,1915
 51663) *Zerafia laportei* Thiaucourt,1984 (Notodontidae) Synonym(s): *laportei* Thiaucourt,1984
 51664) *Agonopterix adpersella* (Kollar,1832) (Oecophoridae) Synonym(s): *adpersella* Kollar,1832; *athamanticella* Heinemann,1870; *amanthicella* Staudinger,1901; *sabulatella* Turati,1919; *karmeliella* Amsel,1933
 51665) *Agonopterix alpigena* (Frey,1870) (Oecophoridae) Synonym(s): *alpigena* Frey,1870; *salevensis* Frey,1880; *ragonoti* Rebel,1889
 51666) *Agonopterix alstromeriana* (Clerck,1759) (Oecophoridae) Synonym(s): *alstromeriana* Clerck,1759; *monilella* [Denis & Schiffermüller],1775; *puella* Hübner,1796; *alstroemerii* Haworth,1811; *alstroemerella* Hübner,1825; *albidella* Eversmann,1844; *alstroemerella* Doubleday,1859
 51667) *Agonopterix angelicella* (Hübner,1813) (Oecophoridae) Synonym(s): *angelicella* Hübner,1813
 51668) *Agonopterix arctica* (Strand,1902) (Oecophoridae) Synonym(s): *arctica* Strand,1902
 51669) *Agonopterix arenella* [Denis & Schiffermüller],1775 (Oecophoridae) Synonym(s): *arenella* [Denis & Schiffermüller],1775; *gilvella* Hübner,1796; *gilvosa* Haworth,1811; *immaculana* Stephens,1834
 51670) *Agonopterix assimilella* (Treitschke,1832) (Oecophoridae) Synonym(s): *assimilella* Treitschke,1832; *irrorella* Stephens,1834; *reticulatella* Bruand,1850
 51671) *Agonopterix astrantiae* (Heinemann,1870) (Oecophoridae) Synonym(s): *astrantiae* Heinemann,1870
 51672) *Agonopterix atomella* [Denis & Schiffermüller],1775 (Oecophoridae) Synonym(s): *atomella* [Denis & Schiffermüller],1775; *atomosa* Haworth,1811
 51673) *Agonopterix babaella* Amsel,1972 (Oecophoridae) Synonym(s): *babaella* Amsel,1972
 51674) *Agonopterix banatica* Georgesco,1965 (Oecophoridae) Synonym(s): *banatica* Georgesco,1965
 51675) *Agonopterix bipunctosa* (Curtis,1850) (Oecophoridae) Synonym(s): *bipunctosa* Curtis,1850
 51676) *Agonopterix broennoeensis* Strand,1920 (Oecophoridae) Synonym(s): *broennoeensis* Strand,1920
 51677) *Agonopterix budashkini* Lvovsky,1998 (Oecophoridae) Synonym(s): *budashkini* Lvovsky,1998
 51678) *Agonopterix cachtitis* (Staudinger,1859) (Oecophoridae) Synonym(s): *cachtitis* Staudinger,1859; *epicachritis* Ragonot,1895
 51679) *Agonopterix cadurciella* (Chrétien,1914) (Oecophoridae) Synonym(s): *cadurciella* Chrétien,1914
 51680) *Agonopterix capreolella* (Zeller,1839) (Oecophoridae) Synonym(s): *capreolella* Zeller,1839; *caprella* Stainton,1849
 51681) *Agonopterix carduella* (Hübner,1817) (Oecophoridae) Synonym(s): *carduella* Hübner,1817
 51682) *Agonopterix cervariella* (Constant,1885) (Oecophoridae) Synonym(s): *cervariella* Constant,1885
 51683) *Agonopterix Chiangmaiensis* Saito,1987 (Oecophoridae) Synonym(s): *Chiangmaiensis* Saito,1987
 51684) *Agonopterix chironiella* (Constant,1893) (Oecophoridae) Synonym(s): *chironiella* Constant,1893
 51685) *Agonopterix ciliella* (Stainton,1849) (Oecophoridae) Synonym(s): *ciliella* Stainton,1849; *annexella* Zeller,1868
 51686) *Agonopterix cnicella* (Treitschke,1832) (Oecophoridae) Synonym(s): *cnicella* Treitschke,1832
 51687) *Agonopterix comitella* (Lederer,1855) (Oecophoridae) Synonym(s): *comitella* Lederer,1855
 51688) *Agonopterix communis* (Meyrick,1920) (Oecophoridae) Synonym(s): *communis* Meyrick,1920
 51689) *Agonopterix compacta* (Meyrick,1914) (Oecophoridae) Synonym(s): *compacta* Meyrick,1914
 51690) *Agonopterix conterminella* (Zeller,1839) (Oecophoridae) Synonym(s): *conterminella* Zeller,1839
 51691) *Agonopterix costaemaculella* (Christoph,1882) (Oecophoridae) Synonym(s): *costaemaculella* Christoph,1882
 51692) *Agonopterix costaemaculella burmana* Lvovsky,1998 (Oecophoridae) Synonym(s): *burmana* Lvovsky,1998
 51693) *Agonopterix crassiventrella* (Rebel,1891) (Oecophoridae) Synonym(s): *crassiventrella* Rebel,1891
 51694) *Agonopterix crypsicosma* (Meyrick,1920) (Oecophoridae) Synonym(s): *crypsicosma* Meyrick,1920
 51695) *Agonopterix cuillerella* Amsel,1972 (Oecophoridae) Synonym(s): *cuillerella* Amsel,1972
 51696) *Agonopterix curvipunctosa* (Haworth,1811) (Oecophoridae) Synonym(s): *curvipunctosa* Haworth,1811; *zephyrella* Hübner,1813; *granulosella* Stainton,1854; *doubledayella* Bruand,1859; *amasina* Mann,1861.
 51697) *Agonopterix cyrniella* (Rebel,1929) (Oecophoridae) Synonym(s): *cyrniella* Rebel,1929
 51698) *Agonopterix dideganella* Amsel,1972 (Oecophoridae) Synonym(s): *dideganella* Amsel,1972
 51699) *Agonopterix doricella* (Wocke,1849) (Oecophoridae) Synonym(s): *doricella* Wocke,1849
 51700) *Agonopterix dryocrates* (Meyrick,1921) (Oecophoridae) Synonym(s): *dryocrates* Meyrick,1921
 51701) *Agonopterix dubatolovi* Lvovsky,1995 (Oecophoridae) Synonym(s): *dubatolovi* Lvovsky,1995
 51702) *Agonopterix dumitrescui* Georgesco,1965 (Oecophoridae) Synonym(s): *dumitrescui* Georgesco,1965
 51703) *Agonopterix feroella* (Chrétien,1910) (Oecophoridae) Synonym(s): *feroella* Chrétien,1910
 51704) *Agonopterix ferulae* (Zeller,1847) (Oecophoridae) Synonym(s): *ferulae* Zeller,1847; *ferulella* Herrich-Schäffer,1862
 51705) *Agonopterix fruticosella* (Walsingham,1903) (Oecophoridae) Synonym(s): *fruticosella* Walsingham,1903
 51706) *Agonopterix funebrella* Caradja,1920 (Oecophoridae) Synonym(s): *funebrella* Caradja,1920
 51707) *Agonopterix furvella* (Treitschke,1832) (Oecophoridae) Synonym(s): *furvella* Treitschke,1832
 51708) *Agonopterix glyphidopa* (Meyrick,1928) (Oecophoridae) Synonym(s): *glyphidopa* Meyrick,1928
 51709) *Agonopterix goughi* (Bradley,1958) (Oecophoridae) Synonym(s): *goughi* Bradley,1958
 51710) *Agonopterix graecella* Hannemann,1976 (Oecophoridae) Synonym(s): *graecella* Hannemann,1976
 51711) *Agonopterix grammatopa* (Meyrick,1920) (Oecophoridae) Synonym(s): *grammatopa* Meyrick,1920
 51712) *Agonopterix heracleana* (Linnaeus,1758) (Oecophoridae) Synonym(s): *heracliana* Linnaeus,1758; *punctata* Clerck,1759; *applanata* Fabricius,1777; *cerefolii* Retzius,1783; *vinalis* Villers,1789; *applanata* Fabricius,1798; *umbellella* Coquebert,1801 nec F.,1798; *heraclei* Haworth,1811; *cicutella* Hübner,1813; *heraclella* Hübner,1825; *heraclella* Zetterstedt,1839
 51713) *Agonopterix hippomarathri* (Nickerl,1864) (Oecophoridae) Synonym(s): *hippomarathri* Nickerl,1864
 51714) *Agonopterix homogenes* (Meyrick,1920) (Oecophoridae) Synonym(s): *homogenes* Meyrick,1920
 51715) *Agonopterix hypericella* (Hübner,1796) (Oecophoridae) Synonym(s): *hypericella* Hübner,1796

- 51716) *Agonopterix iliensis* (Rebel,1936) (Oecophoridae) Synonym(s): *iliensis* Rebel,1936
 51717) *Agonopterix imbutella* Christoph,1888 (Oecophoridae) Synonym(s): *imbutella* Christoph,1888
 51718) *Agonopterix inoziella* Hannemann,1959 (Oecophoridae) Synonym(s): *inoziella* Hannemann,1959
 51719) *Agonopterix irrorata* (Staudinger,1870) (Oecophoridae) Synonym(s): *irrorata* Staudinger,1870; *rubrociliella* Ragonot,1877; *anthriscella* Brown,1886
 51720) *Agonopterix kaekeritziana* (Linnaeus,1767) (Oecophoridae) Synonym(s): *kaekeritziana* Linnaeus,1767; *liturella* [Denis & Schiffermüller],1775; *hirudinella* Goeze,1783; *sparmanniana* Swederus,1787; *flavella* Hübner,1796; *bimaculella* Schrank,1802 nec Thunb.,1784; *flavosa* Haworth,1811; *montanella* Lhomme,1929.
 51721) *Agonopterix kuznetzovi* Lvovsky,1983 (Oecophoridae) Synonym(s): *kuznetzovi* Lvovsky,1983
 51722) *Agonopterix laterella* ([Denis & Schiffermüller],1775) (Oecophoridae) Synonym(s): *laterella* [Denis & Schiffermüller],1775
 51723) *Agonopterix latipennella* (Zerny,1934) (Oecophoridae) Synonym(s): *latipennella* Zerny,1934
 51724) *Agonopterix leucadensis* (Rebel,1932) (Oecophoridae) Synonym(s): *leucadensis* Rebel,1932
 51725) *Agonopterix ligusticella* (Chrétien,1908) (Oecophoridae) Synonym(s): *ligusticella* Chrétien,1908
 51726) *Agonopterix liodryas* (Meyrick,1921) (Oecophoridae) Synonym(s): *liodryas* Meyrick,1921
 51727) *Agonopterix liturosa* (Haworth,1811) (Oecophoridae) Synonym(s): *liturella* Hübner,1796 nec [Denis & Schiff.],1775; *liturosa* Haworth,1811; *huebneri* Bradley,1966
 51728) *Agonopterix melancholica* (Rebel,1917) (Oecophoridae) Synonym(s): *melancholica* Rebel,1917
 51729) *Agonopterix metamelopa* (Meyrick,1931) (Oecophoridae) Synonym(s): *metamelopa* Meyrick,1931
 51730) *Agonopterix miyanella* Amsel,1972 (Oecophoridae) Synonym(s): *miyanella* Amsel,1972
 51731) *Agonopterix multiplicella* (Erschoff,1877) (Oecophoridae) Synonym(s): *multiplicella* Erschoff,1877
 51732) *Agonopterix nanatella* (Stainton,1849) (Oecophoridae) Synonym(s): *nanatella* Stainton,1849
 51733) *Agonopterix neoxesta* (Meyrick,1918) (Oecophoridae) Synonym(s): *neoxesta* Meyrick,1918
 51734) *Agonopterix nervosa* (Haworth,1811) (Oecophoridae) Synonym(s): *nervosa* Haworth,1811; *costosa* Haworth,1811; *depunctella* Hübner,1825; *boieella* Freyer,1835; *costella* Doubleday,1859; *nervosella* Doubleday,1859; *nervosella* Bruand,1859; *costosella* Bruand,1859; *dryadoxena* Meyrick,1920; *blackmori* Busck,1922; *venosata* Kautz,1930
 51735) *Agonopterix nodiflorella* (Millière,1866) (Oecophoridae) Synonym(s): *nodiflorella* Millière,1866
 51736) *Agonopterix novaspersella* (Spuler,1910) (Oecophoridae) Synonym(s): *aspersella* Constant,1888 nec Koll.,1832; *novaspersella* Spuler,1910; *autocnista* Meyrick,1921
 51737) *Agonopterix occaecata* (Meyrick,1921) (Oecophoridae) Synonym(s): *occaeata* Meyrick,1921
 51738) *Agonopterix ocellana* (Fabricius,1775) (Oecophoridae) Synonym(s): *ocellana* Fabricius,1775; *characterella* [Denis & Schiffermüller],1775; *signella* Hübner,1796; *signana* Hübner,1796; *signosa* Haworth,1811; *characterosa* Haworth,1811; *rubrolineella* Bruand,1850; *ocellella* Doubleday,1859
 51739) *Agonopterix oinochroa* (Turati,1879) (Oecophoridae) Synonym(s): *oinochroa* Turati,1879
 51740) *Agonopterix ordubadensis* Hannemann,1959 (Oecophoridae) Synonym(s): *ordubadensis* Hannemann,1959
 51741) *Agonopterix pallorella* (Zeller,1839) (Oecophoridae) Synonym(s): *pallorella* Zeller,1839; *subpallorella* Staudinger,1871
 51742) *Agonopterix panjaella* Amsel,1972 (Oecophoridae) Synonym(s): *panjaella* Amsel,1972
 51743) *Agonopterix parilella* (Treitschke,1835) (Oecophoridae) Synonym(s): *parilella* Treitschke,1835; *humereella* Duponchel,1840
 51744) *Agonopterix pavida* (Meyrick,1913) (Oecophoridae) Synonym(s): *pavida* Meyrick,1913
 51745) *Agonopterix perstrigella* (Chrétien,1925) (Oecophoridae) Synonym(s): *perstrigella* Chrétien,1925
 51746) *Agonopterix petasitis* (Standfuss,1851) (Oecophoridae) Synonym(s): *petasitis* Standfuss,1851; *petasites* Herrich-Schäffer,1854; *theophilella* Bruand,1855; *petasitella* Herrich-Schäffer,1862; *petasitae* Heinemann,1870
 51747) *Agonopterix propinquella* (Treitschke,1835) (Oecophoridae) Synonym(s): *propinquella* Treitschke,1835
 51748) *Agonopterix pupillana* (Wocke,1887) (Oecophoridae) Synonym(s): *pupillana* Wocke,1887
 51749) *Agonopterix purpurea* (Haworth,1811) (Oecophoridae) Synonym(s): *purpurea* Haworth,1811
 51750) *Agonopterix putridella* ([Denis & Schiffermüller],1775) (Oecophoridae) Synonym(s): *putridella* [Denis & Schiffermüller],1775
 51751) *Agonopterix quadrupunctata* (Wocke,1857) (Oecophoridae) Synonym(s): *quadrupunctata* Wocke,1857
 51752) *Agonopterix ramosella* Stainton,1867 (Oecophoridae) Synonym(s): *ramosella* Stainton,1867
 51753) *Agonopterix remota* (Meyrick,1921) (Oecophoridae) Synonym(s): *remota* Meyrick,1921
 51754) *Agonopterix rimulella* (Caradja,1920) (Oecophoridae) Synonym(s): *rimulella* Caradja,1920
 51755) *Agonopterix rotundella* (Douglas,1846) (Oecophoridae) Synonym(s): *rotundella* Douglas,1846; *peloritanaella* Zeller,1847
 51756) *Agonopterix rutana* (Fabricius,1794) (Oecophoridae) Synonym(s): *rutana* Fabricius,1794; *retiferella* Zeller,1850; *griseirubidella* Bruand,1850; *rutella* Heydenreich,1851; *syriaca* Caradja,1920.
 51757) *Agonopterix salangella* Amsel,1972 (Oecophoridae) Synonym(s): *salangella* Amsel,1972
 51758) *Agonopterix scopariella* (Heinemann,1870) (Oecophoridae) Synonym(s): *scopariella* Heinemann,1870
 51759) *Agonopterix selini* (Heinemann,1870) (Oecophoridae) Synonym(s): *selini* Heinemann,1870
 51760) *Agonopterix senecionis* (Nickerl,1864) (Oecophoridae) Synonym(s): *senecionis* Nickerl,1864; *cotoneastri* Nickerl,1864; *sarracenella* Rössler,1866; *marmotella* Frey,1868
 51761) *Agonopterix seraphimella* (Chrétien,1929) (Oecophoridae) Synonym(s): *seraphimella* Chrétien,1929
 51762) *Agonopterix siamensis* Saito,1987 (Oecophoridae) Synonym(s): *siamensis* Saito,1987
 51763) *Agonopterix silerella* (Stainton,1865) (Oecophoridae) Synonym(s): *silerella* Stainton,1865
 51764) *Agonopterix squamosa* (Mann,1864) (Oecophoridae) Synonym(s): *squamosa* Mann,1864
 51765) *Agonopterix straminella* (Staudinger,1870) (Oecophoridae) Synonym(s): *straminella* Staudinger,1870
 51766) *Agonopterix subpropinquella* (Stainton,1849) (Oecophoridae) Synonym(s): *subpropinquella* Stainton,1849; *rhodochrella* Herrich-Schäffer,1854; *thoracica* Lederer,1855; *subluella* Staudinger,1859; *variabilis* Heinemann,1870; *crispella* Lhomme,1929; *amilcarella* Lucas,1951.
 51767) *Agonopterix subumbellana* Hannemann,1959 (Oecophoridae) Synonym(s): *subumbellana* Hannemann,1959
 51768) *Agonopterix thapsiella* (Zeller,1847) (Oecophoridae) Synonym(s): *thapsiella* Zeller,1847; *feruliphila* Millière,1866; *linolotella* Lhomme,1929
 51769) *Agonopterix thurneri* (Rebel,1941) (Oecophoridae) Synonym(s): *thurneri* Rebel,1941
 51770) *Agonopterix triallactis* (Meyrick,1935) (Oecophoridae) Synonym(s): *triallactis* Meyrick,1935
 51771) *Agonopterix tschorbadjewi* (Rebel,1916) (Oecophoridae) Synonym(s): *tschorbadjewi* Rebel,1916
 51772) *Agonopterix umbellana* (Fabricius,1794) (Oecophoridae) Synonym(s): *umbellana* Fabricius,1794
 51773) *Agonopterix vendettella* (Chrétien,1908) (Oecophoridae) Synonym(s): *vendettella* Chrétien,1908; *kotalella* Amsel,1972
 51774) *Agonopterix xyleuta* (Meyrick,1913) (Oecophoridae) Synonym(s): *xyleuta* Meyrick,1913
 51775) *Agonopterix yeatiana* (Fabricius,1781) (Oecophoridae) Synonym(s): *yeatiana* Fabricius,1781; *albidana* Donovan,1806; *yeatsii* Haworth,1811; *yeatseana* Stephens,1834; *ventosella* Reutti,1853; *altricornella* Mann,1855; *yeatiella* Doubleday,1859; *oglatella* Chrétien,1915
 51776) *Agroecodes comata* Meyrick,1937 (Oecophoridae) Synonym(s): *comata* Meyrick,1937
 51777) *Alabonia chapmani* Walsingham,1903 (Oecophoridae) Synonym(s): *chapmani* Walsingham,1903
 51778) *Alabonia coarctata* (Walsingham,1881) (Oecophoridae) Synonym(s): *coarctata* Walsingham,1881
 51779) *Alabonia geoffrella* (Linnaeus,1767) (Oecophoridae) Synonym(s): *geoffrella* Linnaeus,1767; *geoffreyella* Fabricius,1781; *cramerella* Cramer,1782; *geoffroyi* Haworth,1828; *gruneriella* Heydenreich,1851
 51780) *Alabonia herculeella* Walsingham,1903 (Oecophoridae) Synonym(s): *herculeella* Walsingham,1903
 51781) *Alabonia staintoniella* (Zeller,1850) (Oecophoridae) Synonym(s): *staintoniella* Zeller,1850
 51782) *Alabonia superior* Rebel,1917 (Oecophoridae) Synonym(s): *superior* Rebel,1917
 51783) *Amphipseustis disputanda* Meyrick,1921 (Oecophoridae) Synonym(s): *disputanda* Meyrick,1921
 51784) *Amphisbatis incongruella* (Stainton,1849) (Oecophoridae) Synonym(s): *incongruella* Stainton,1849
 51785) *Amselocia arabica* Povolny,1983 (Oecophoridae) Synonym(s): *arabica* Povolny,1983
 51786) *Anchinia cristalis* (Scopoli,1763) (Oecophoridae) Synonym(s): *cristalis* Scopoli,1763; *verrucella* [Denis & Schiffermüller],1775; *hepaticella* Hübner,1796; *verrucea* Haworth,1811; *cneorella* Hübner,1813
 51787) *Anchinia daphnella* ([Denis & Schiffermüller],1775) (Oecophoridae) Synonym(s): *daphnella* [Denis & Schiffermüller],1775; *rufella* Panzer,1804
 51788) *Anchinia dolomiella* Mann,1877 (Oecophoridae) Synonym(s): *dolomiella* Mann,1877
 51789) *Anchinia furculata* Meyrick,1924 (Oecophoridae) Synonym(s): *furculata* Meyrick,1924
 51790) *Anchinia grandis* Stainton,1867 (Oecophoridae) Synonym(s): *grandis* Stainton,1867
 51791) *Anchinia griseascens* Frey,1856 (Oecophoridae) Synonym(s): *griseascens* Frey,1856; *isolatella* Herrich-Schäffer,1856; *austriaca* Frey,1880

- 51792) *Anchinia laureolella* Herrich-Schäffer, 1854 (Oecophoridae) Synonym(s): *laureolella* Herrich-Schäffer, 1854
 51793) *Anchinia laureolella afghanica* Lvovsky, 1997 (Oecophoridae) Synonym(s): *afghanica* Lvovsky, 1997
 51794) *Anchinia laureolella iranica* Lvovsky, 1997 (Oecophoridae) Synonym(s): *iranica* Lvovsky, 1997
 51795) *Anchinia laureolella laureolella* Herrich-Schäffer, 1854 (Oecophoridae) Synonym(s): *laureolella* Herrich-Schäffer, 1854
 51796) *Anchinia oenochares* Meyrick, 1920 (Oecophoridae) Synonym(s): *oenochares* Meyrick, 1920
 51797) *Aplota kadeniella* (Herrich-Schäffer, 1851) (Oecophoridae) Synonym(s): *kadeniella* Herrich-Schäffer, 1851
 51798) *Aplota palpella* (Haworth, 1828) (Oecophoridae) Synonym(s): *palpella* Haworth, 1828
 51799) *Areocosma orsobela* Meyrick, 1917 (Oecophoridae) Synonym(s): *orsobela* Meyrick, 1917
 51800) *Aulotropha pentasticta* Meyrick, 1918 (Oecophoridae) Synonym(s): *pentasticta* Meyrick, 1918
 51801) *Batia decurrens* (Meyrick, 1918) (Oecophoridae) Synonym(s): *decurrens* Meyrick, 1918
 51802) *Batia inexpectella* Jäckh, 1972 (Oecophoridae) Synonym(s): *inexpectella* Jäckh, 1972
 51803) *Batia internella* Jäckh, 1972 (Oecophoridae) Synonym(s): *internella* Jäckh, 1972
 51804) *Batia lambdella* (Donovan, 1793) (Oecophoridae) Synonym(s): *lambdella* Donovan, 1793
 51805) *Batia lunaris* (Haworth, [1828]) (Oecophoridae) Synonym(s): *lunaris* Haworth, [1828]
 51806) *Batia lutosella* Jäckh, 1972 (Oecophoridae) Synonym(s): *lutosella* Jäckh, 1972
 51807) *Bisigna procerella* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *procerella* [Denis & Schiffermüller], 1775
 51808) *Borkhausenia ? cinerariella* Mann, 1859 (Oecophoridae) Synonym(s): *cinerariella* Mann, 1859
 51809) *Borkhausenia ? coeruleopicta* Christoph, 1888 (Oecophoridae) Synonym(s): *coeruleopicta* Christoph, 1888
 51810) *Borkhausenia ? haasi* Rebel, 1902 (Oecophoridae) Synonym(s): *haasi* Rebel, 1902
 51811) *Borkhausenia fuscescens* (Haworth, 1828) (Oecophoridae) Synonym(s): *fuscescens* Haworth, 1828
 51812) *Borkhausenia gredoensis* Rebel, 1937 (Oecophoridae) Synonym(s): *gredoensis* Rebel, 1937
 51813) *Borkhausenia intumescens* Meyrick, 1921 (Oecophoridae) Synonym(s): *intumescens* Meyrick, 1921
 51814) *Borkhausenia luridicomella* (Herrich-Schäffer, 1856) (Oecophoridae) Synonym(s): *luridicomella* Herrich-Schäffer, 1856
 51815) *Borkhausenia minutella* (Linnaeus, 1758) (Oecophoridae) Synonym(s): *minutella* Linnaeus, 1758
 51816) *Borkhausenia nefrax* Hodges, 1974 (Oecophoridae) Synonym(s): *nefrax* Hodges, 1974
 51817) *Borkhausenia osthelderi* Rebel, 1935 (Oecophoridae) Synonym(s): *osthelderi* Rebel, 1935
 51818) *Borkhausenia predotai* Hartig, 1936 (Oecophoridae) Synonym(s): *predotai* Hartig, 1936
 51819) *Borkhausenia trigutta* (Christoph, 1888) (Oecophoridae) Synonym(s): *trigutta* Christoph, 1888
 51820) *Briarostoma pyrrhopsamma* Meyrick, 1920 (Oecophoridae) Synonym(s): *pyrrhopsamma* Meyrick, 1920
 51821) *Buvatina iremella* Junnilainen & Nupponen, 1999 (Oecophoridae) Synonym(s): *iremella* Junnilainen & Nupponen, 1999
 51822) *Buvatina obscura* (Brandt, 1937) (Oecophoridae) Synonym(s): *obscura* Brandt, 1937
 51823) *Buvatina stroemella* (Fabricius, 1779) (Oecophoridae) Synonym(s): *stroemella* Fabricius, 1779
 51824) *Buvatina tineiformis* Leraut, 1984 (Oecophoridae) Synonym(s): *tineiformis* Leraut, 1984
 51825) *Cacochroa permixtella* (Herrich-Schäffer, [1855]) (Oecophoridae) Synonym(s): *permixtella* Herrich-Schäffer, [1855]
 51826) *Caenorycta anholochrysa* Diakonoff, 1966 (Oecophoridae) Synonym(s): *anholochrysa* Diakonoff, 1966
 51827) *Callima mikkolai* Lvovsky, 1995 (Oecophoridae) Synonym(s): *mikkolai* Lvovsky, 1995
 51828) *Carcina quercana* (Fabricius, 1775) (Oecophoridae) Synonym(s): *quercana* Fabricius, 1775
 51829) *Casmara exulta* (Meyrick, 1914) (Oecophoridae) Synonym(s): *exulta* Meyrick, 1914
 51830) *Cephalisphaira denisella* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *denisella* [Denis & Schiffermüller], 1775
 51831) *Cephalisphaira ferrugella* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *ferrugella* [Denis & Schiffermüller], 1775
 51832) *Cephalisphaira mendosella* (Zeller, 1868) (Oecophoridae) Synonym(s): *mendosella* Zeller, 1868
 51833) *Cephalisphaira sareptensis* Möschler, 1862 (Oecophoridae) Synonym(s): *sareptensis* Möschler, 1862
 51834) *Cephalisphaira sordidella* (Hübner, 1796) (Oecophoridae) Synonym(s): *sordidella* Hübner, 1796
 51835) *Cephalisphaira zernyi* (Szent-Ivány, 1942) (Oecophoridae) Synonym(s): *zernyi* Szent-Ivány, 1942
 51836) *Ceranthus apellodora* Meyrick, 1926 (Oecophoridae) Synonym(s): *apellodora* Meyrick, 1926
 51837) *Ceranthus syncrotaula* Meyrick, 1926 (Oecophoridae) Synonym(s): *syncrotaula* Meyrick, 1926
 51838) *Ceranthus thiota* Meyrick, 1918 (Oecophoridae) Synonym(s): *thiota* Meyrick, 1918
 51839) *Chalcocolona cyananthes* (Meyrick, 1911) (Oecophoridae) Synonym(s): *cyananthes* Meyrick, 1911
 51840) *Chalcocrectis agropecta* Meyrick, 1937 (Oecophoridae) Synonym(s): *agropecta* Meyrick, 1937
 51841) *Chemidolophus lavernellus* Walsingham, 1881 (Oecophoridae) Synonym(s): *lavernellus* Walsingham, 1881
 51842) *Choronoma isoxysta* Meyrick, 1926 (Oecophoridae) Synonym(s): *isoxysta* Meyrick, 1926
 51843) *Coesyra balantias* Meyrick, 1908 (Oecophoridae) Synonym(s): *balantias* Meyrick, 1908
 51844) *Coesyra campylotis* Meyrick, 1914 (Oecophoridae) Synonym(s): *campylotis* Meyrick, 1914
 51845) *Coesyra centrobola* Meyrick, 1914 (Oecophoridae) Synonym(s): *centrobola* Meyrick, 1914
 51846) *Coesyra rutilla* Meyrick, 1912 (Oecophoridae) Synonym(s): *rutilla* Meyrick, 1912
 51847) *Colchia zagulajevi* Lvovsky, 1995 (Oecophoridae) Synonym(s): *zagulajevi* Lvovsky, 1995
 51848) *Commonina haemalea* (Turner, 1916) (Oecophoridae) Synonym(s): *haemalea* Turner, 1916
 51849) *Commonina picimacula* (Turner, 1935) (Oecophoridae) Synonym(s): *picimacula* Turner, 1935
 51850) *Crassa tinctella* (Hübner, 1796) (Oecophoridae) Synonym(s): *tinctella* Hübner, 1796
 51851) *Crassa unitella* (Hübner, 1796) (Oecophoridae) Synonym(s): *unitella* Hübner, 1796
 51852) *Crossotocera wagnerella* Zerny, 1930 (Oecophoridae) Synonym(s): *wagnerella* Zerny, 1930
 51853) *Crystallogenes chalcoschista* Meyrick, 1937 (Oecophoridae) Synonym(s): *chalcoschista* Meyrick, 1937
 51854) *Dasytroma salicella* (Hübner, 1796) (Oecophoridae) Synonym(s): *salicella* Hübner, 1796; *salicis* Haworth, 1828; *rufocrintalis* Zetterstedt, 1839
 51855) *Decantha borkhausenii* (Zeller, 1839) (Oecophoridae) Synonym(s): *borkhausenii* Zeller, 1839
 51856) *Decantha iagathella* (Walsingham, 1903) (Oecophoridae) Synonym(s): *iagathella* Walsingham, 1903
 51857) *Decantha luquetiella* Vives Moreno, 1986 (Oecophoridae) Synonym(s): *luquetiella* Vives Moreno, 1986
 51858) *Denisia albimaculea* (Haworth, 1828) (Oecophoridae) Synonym(s): *albimaculea* Haworth, 1828; *albilabris* Zeller, 1850; *albimaculella* Doubleday, 1859; *albilabrella* Herrich-Schäffer, 1852; *lathoniella* Millièr, 1876; *schmidii* Saalmüller, 1881; *corsicella* Caradja, 1920
 51859) *Denisia aragonella* (Chrétien, 1903) (Oecophoridae) Synonym(s): *aragonella* Chrétien, 1903
 51860) *Denisia augustella* (Hübner, 1796) (Oecophoridae) Synonym(s): *augustella* Hübner, 1796; *augusta* Haworth, 1828; *tilicolella* Bruand, 1859
 51861) *Denisia curlettii* Lvovsky & Koster, 1996 (Oecophoridae) Synonym(s): *curlettii* Lvovsky & Koster, 1996
 51862) *Denisia fiduciella* (Rebel, 1935) (Oecophoridae) Synonym(s): *fiduciella* Rebel, 1935
 51863) *Denisia graslinella* (Staudinger, 1871) (Oecophoridae) Synonym(s): *graslinella* Staudinger, 1871
 51864) *Denisia luctuosella* (Duponchel, 1840) (Oecophoridae) Synonym(s): *luctuosella* Duponchel, 1840
 51865) *Denisia luticiliella* (Erschoff, 1877) (Oecophoridae) Synonym(s): *luticiliella* Erschoff, 1877
 51866) *Denisia muellerrutzi* (Amsel, 1939) (Oecophoridae) Synonym(s): *muellerrutzi* Amsel, 1939
 51867) *Denisia nubilosella* (Herrich-Schäffer, 1854) (Oecophoridae) Synonym(s): *nubilosella* Herrich-Schäffer, 1854
 51868) *Denisia pyrenaica* Leraut, 1989 (Oecophoridae) Synonym(s): *pyrenaica* Leraut, 1989
 51869) *Denisia ragonotella* (Constant, 1885) (Oecophoridae) Synonym(s): *ragonotella* Constant, 1885; *reducta* Walsingham, 1901
 51870) *Denisia rhaetica* (Frey, 1856) (Oecophoridae) Synonym(s): *rhaetica* Frey, 1856; *engadinella* Herrich-Schäffer, 1856
 51871) *Denisia similella* (Hübner, 1796) (Oecophoridae) Synonym(s): *similella* Hübner, 1796
 51872) *Denisia stipella* (Linnaeus, 1758) (Oecophoridae) Synonym(s): *stipella* Linnaeus, 1758; *accessella* [Denis & Schiffermüller], 1775; *sulphurella* Hübner, [1813]; *tigrella* Hübner, [1813]; *westermannella* Zetterstedt, 1839; *stipivcinella* Bruand, 1859; *haydenella* Chambers, 1877
 51873) *Denisia subaquileia* (Stainton, 1849) (Oecophoridae) Synonym(s): *subaquileia* Stainton, 1849; *subaquilella* Herrich-Schäffer, 1855; *britannicella* Herrich-Schäffer, 1855
 51874) *Depressaria absynthiella* Herrich-Schäffer, 1865 (Oecophoridae) Synonym(s): *absynthiella* Herrich-Schäffer, 1865
 51875) *Depressaria adustatella* Turati, 1927 (Oecophoridae) Synonym(s): *adustatella* Turati, 1927; *delphinias* Meyrick, 1936
 51876) *Depressaria afghanella* Amsel, 1972 (Oecophoridae) Synonym(s): *afghanella* Amsel, 1972
 51877) *Depressaria albipunctella* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *albipunctella* [Denis & Schiffermüller], 1775; *albipuncta* Haworth, 1811; *aegopodiella* Hübner, [1825]

- 51878) *Depressaria altaica* Zeller, 1854 (Oecophoridae) Synonym(s): *altaica* Zeller, 1854
 51879) *Depressaria amblyopa* Meyrick, 1921 (Oecophoridae) Synonym(s): *amblyopa* Meyrick, 1921
 51880) *Depressaria arabica* Amsel, 1972 (Oecophoridae) Synonym(s): *arabica* Amsel, 1972
 51881) *Depressaria artemisiae* Nickerl, 1864 (Oecophoridae) Synonym(s): *artemisiae* Nickerl, 1864
 51882) *Depressaria artemisiae orientella* Lvovsky, 2001 (Oecophoridae) Synonym(s): *orientella* Lvovsky, 2001
 51883) *Depressaria badiella* (Hübner, 1796) (Oecophoridae) Synonym(s): *badiella* Hübner, 1796; *badia* Haworth, 1811; *aurantiella* Tutt, 1893; *frigidella* Turati, 1919
 51884) *Depressaria beckmanni* Heinemann, 1870 (Oecophoridae) Synonym(s): *beckmanni* Heinemann, 1870
 51885) *Depressaria bupleurella* Heinemann, 1870 (Oecophoridae) Synonym(s): *bupleurella* Heinemann, 1870
 51886) *Depressaria cervicella* Herrich-Schäffer, 1854 (Oecophoridae) Synonym(s): *cervicella* Herrich-Schäffer, 1854
 51887) *Depressaria chaerophylli* Zeller, 1839 (Oecophoridae) Synonym(s): *chaerophylli* Zeller, 1839
 51888) *Depressaria chlorothorax* Meyrick, 1921 (Oecophoridae) Synonym(s): *chlorothorax* Meyrick, 1921
 51889) *Depressaria clausulata* Meyrick, 1911 (Oecophoridae) Synonym(s): *clausulata* Meyrick, 1911
 51890) *Depressaria coenosella* Zerny, 1939 (Oecophoridae) Synonym(s): *coenosella* Zerny, 1939
 51891) *Depressaria corticinella* Zeller, 1854 (Oecophoridae) Synonym(s): *corticinella* Zeller, 1854; *uhrykella* Fuchs, 1903.
 51892) *Depressaria daucella* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *daucella* [Denis & Schiffermüller], 1775; *rubricella* [Denis & Schiffermüller], 1775; *apiella* Hübner, 1796; *apiana* Haworth, 1802; *apiosa* Haworth, 1811
 51893) *Depressaria daucivorella* Ragonot, 1889 (Oecophoridae) Synonym(s): *daucivorella* Ragonot, 1889; *mesopotamica* Amsel, 1949
 51894) *Depressaria depressana* (Fabricius, 1775) (Oecophoridae) Synonym(s): *depressana* Fabricius, 1775; *anethana* Brahm, 1791; *depressella* Fabricius, 1798; *bluntii* Curtis, 1828; *collarella* Zetterstedt, 1839.
 51895) *Depressaria depressana amasiella* Staudinger, 1879 (Oecophoridae) Synonym(s): *amasiella* Staudinger, 1879.
 51896) *Depressaria despoliatella* Erschoff, 1874 (Oecophoridae) Synonym(s): *despoliatella* Erschoff, 1874
 51897) *Depressaria deverrella* Chrétien, 1915 (Oecophoridae) Synonym(s): *deverrella* Chrétien, 1915
 51898) *Depressaria discipunctella* Herrich-Schäffer, 1854 (Oecophoridae) Synonym(s): *discipunctella* Herrich-Schäffer, 1854
 51899) *Depressaria djakonovi* Lvovsky, 1981 (Oecophoridae) Synonym(s): *djakonovi* Lvovsky, 1981
 51900) *Depressaria douglasella* Stainton, 1849 (Oecophoridae) Synonym(s): *douglasella* Stainton, 1849
 51901) *Depressaria emeritella* Stainton, 1849 (Oecophoridae) Synonym(s): *emeritella* Stainton, 1849
 51902) *Depressaria erinaceella* Staudinger, 1870 (Oecophoridae) Synonym(s): *erinaceella* Staudinger, 1870; *sardonella* Rebel, 1936
 51903) *Depressaria eryngiella* Millièr, 1881 (Oecophoridae) Synonym(s): *eryngiella* Millièr, 1881; *campestrella* Chrétien, 1896; *deliciosella* Turati, 1924; *obolucha* Meyrick, 1936
 51904) *Depressaria erzurumella* Lvovsky, 1996 (Oecophoridae) Synonym(s): *erzurumella* Lvovsky, 1996
 51905) *Depressaria falkovitshi* Lvovsky, 1990 (Oecophoridae) Synonym(s): *falkovitshi* Lvovsky, 1990
 51906) *Depressaria filipjevi* Lvovsky, 1981 (Oecophoridae) Synonym(s): *filipjevi* Lvovsky, 1981
 51907) *Depressaria floridella* Mann, 1864 (Oecophoridae) Synonym(s): *floridella* Mann, 1864
 51908) *Depressaria fuscovirgatella* Heinemann, 1967 (Oecophoridae) Synonym(s): *fuscovirgatella* Heinemann, 1967; *pagmanella* Amsel, 1972
 51909) *Depressaria galinae* Lvovsky, 1990 (Oecophoridae) Synonym(s): *galinae* Lvovsky, 1990
 51910) *Depressaria gallicella* Chrétien, 1908 (Oecophoridae) Synonym(s): *gallicella* Chrétien, 1908
 51911) *Depressaria genistella* Walsingham, 1903 (Oecophoridae) Synonym(s): *genistella* Walsingham, 1903
 51912) *Depressaria golovushkini* Lvovsky, 1995 (Oecophoridae) Synonym(s): *golovushkini* Lvovsky, 1995
 51913) *Depressaria halophilella* Chrétien, 1908 (Oecophoridae) Synonym(s): *halophilella* Chrétien, 1908
 51914) *Depressaria hannemanniana* Lvovsky, 1990 (Oecophoridae) Synonym(s): *hannemanniana* Lvovsky, 1990
 51915) *Depressaria heydenii* Zeller, 1854 (Oecophoridae) Synonym(s): *heydenii* Zeller, 1854
 51916) *Depressaria hirtipalpis* Zeller, 1854 (Oecophoridae) Synonym(s): *hirtipalpis* Zeller, 1854
 51917) *Depressaria hofmanni* Stainton, 1861 (Oecophoridae) Synonym(s): *hofmanni* Stainton, 1861
 51918) *Depressaria incognitella* Hannemann, 1990 (Oecophoridae) Synonym(s): *incognitella* Hannemann, 1990
 51919) *Depressaria indecorella* Rebel, 1917 (Oecophoridae) Synonym(s): *indecorella* Rebel, 1917
 51920) *Depressaria indelibatella* Hannemann, 1971 (Oecophoridae) Synonym(s): *indelibatella* Hannemann, 1971
 51921) *Depressaria irregularis* Matsumura, 1931 (Oecophoridae) Synonym(s): *irregularis* Matsumura, 1931
 51922) *Depressaria ivinskisi* Lvovsky, 1990 (Oecophoridae) Synonym(s): *ivinskisi* Lvovsky, 1990
 51923) *Depressaria lacticapitella* Klimesch, 1942 (Oecophoridae) Synonym(s): *lacticapitella* Klimesch, 1942
 51924) *Depressaria leucocephala* Snellen, 1884 (Oecophoridae) Synonym(s): *leucocephala* Snellen, 1884
 51925) *Depressaria libanotidella* Schlager, 1849 (Oecophoridae) Synonym(s): *libanotidella* Schlager, 1849; *laserpitii* Nickerl, 1864
 51926) *Depressaria macrotrichella* Rebel, 1917 (Oecophoridae) Synonym(s): *macrotrichella* Rebel, 1917
 51927) *Depressaria manglisiella* Lvovsky, 1981 (Oecophoridae) Synonym(s): *manglisiella* Lvovsky, 1981
 51928) *Depressaria marcella* Rebel, 1901 (Oecophoridae) Synonym(s): *marcella* Rebel, 1901; *cuprinella* Walsingham, 1907; *marcidella* Walsingham, 1907; *cruenta* Meyrick, 1920; *chneuriella* Lucas, 1940
 51929) *Depressaria millefoliella* Chrétien, 1908 (Oecophoridae) Synonym(s): *millefoliella* Chrétien, 1908
 51930) *Depressaria moya* Clarke, 1947 (Oecophoridae) Synonym(s): *moya* Clarke, 1947
 51931) *Depressaria nemolella* Svensson, 1982 (Oecophoridae) Synonym(s): *nemolella* Svensson, 1982
 51932) *Depressaria obolucha* Meyrick, 1936 (Oecophoridae) Synonym(s): *obolucha* Meyrick, 1936
 51933) *Depressaria olerella* Zeller, 1854 (Oecophoridae) Synonym(s): *olerella* Zeller, 1854
 51934) *Depressaria orthobathra* Meyrick, 1918 (Oecophoridae) Synonym(s): *orthobathra* Meyrick, 1918
 51935) *Depressaria panurga* Meyrick, 1920 (Oecophoridae) Synonym(s): *panurga* Meyrick, 1920
 51936) *Depressaria pastinacella* (Duponchel, 1838) (Oecophoridae) Synonym(s): *pastinacella* Duponchel, 1838
 51937) *Depressaria pavidella* Meyrick, 1913 (Oecophoridae) Synonym(s): *pavida* Meyrick, 1913
 51938) *Depressaria peniculatella* Turati, 1922 (Oecophoridae) Synonym(s): *peniculatella* Turati, 1922
 51939) *Depressaria penteri* Rebel, 1904 (Oecophoridae) Synonym(s): *penteri* Rebel, 1904
 51940) *Depressaria peregrinella* Hannemann, 1967 (Oecophoridae) Synonym(s): *peregrinella* Hannemann, 1967
 51941) *Depressaria pimpinellae* Zeller, 1839 (Oecophoridae) Synonym(s): *pimpinellae* Zeller, 1839; *pimpinella* Duponchel, [1843]; *pimpinellula* Duponchel, [1845]; *reichlini* Heinemann, 1870
 51942) *Depressaria propicia* Meyrick, 1914 (Oecophoridae) Synonym(s): *prospicia* Meyrick, 1914
 51943) *Depressaria pulcherrimella* Stainton, 1849 (Oecophoridae) Synonym(s): *pulcherrimella* Stainton, 1849
 51944) *Depressaria radiosquamella* Walsingham, 1898 (Oecophoridae) Synonym(s): *radiosquamella* Walsingham, 1898
 51945) *Depressaria rhodochlora* Meyrick, 1923 (Oecophoridae) Synonym(s): *rhodochlora* Meyrick, 1923
 51946) *Depressaria rhodoscelis* Meyrick, 1920 (Oecophoridae) Synonym(s): *rhodoscelis* Meyrick, 1920
 51947) *Depressaria riadella* Amsel, 1972 (Oecophoridae) Synonym(s): *riadella* Amsel, 1972
 51948) *Depressaria silesiaca* Heinemann, 1870 (Oecophoridae) Synonym(s): *silesiaca* Heinemann, 1870
 51949) *Depressaria sordidatella* Tengström, 1848 (Oecophoridae) Synonym(s): *sordidatella* Tengström, 1848; *weirella* Stainton, 1849.
 51950) *Depressaria tenebricosa* Zeller, 1854 (Oecophoridae) Synonym(s): *tenebricosa* Zeller, 1854
 51951) *Depressaria ultimella* Stainton, 1849 (Oecophoridae) Synonym(s): *ultimella* Stainton, 1849
 51952) *Depressaria ululana* Rössler, 1866 (Oecophoridae) Synonym(s): *ululana* Rössler, 1866
 51953) *Depressaria velox* Staudinger, 1859 (Oecophoridae) Synonym(s): *velox* Staudinger, 1859; *tortuosella* Chrétien, 1908
 51954) *Depressaria veneficella* Zeller, 1847 (Oecophoridae) Synonym(s): *veneficella* Zeller, 1847
 51955) *Depressaria venustella* Hannemann, 1990 (Oecophoridae) Synonym(s): *venustella* Hannemann, 1990
 51956) *Depressaria xyleuta* Meyrick, 1913 (Oecophoridae) Synonym(s): *xyleuta* Meyrick, 1913
 51957) *Depressaria zelleri* Staudinger, 1879 (Oecophoridae) Synonym(s): *zelleri* Staudinger, 1879
 51958) *Deuterogonia angoonae* Saito, 1987 (Oecophoridae) Synonym(s): *angoonae* Saito, 1987
 51959) *Deuterogonia pudorina* (Wocke, 1857) (Oecophoridae) Synonym(s): *pudorina* Wocke, 1857
 51960) *Diocosma callichroa* Meyrick, 1909 (Oecophoridae) Synonym(s): *callichroa* Meyrick, 1909
 51961) *Diocosma ceramopsis* Meyrick, 1909 (Oecophoridae) Synonym(s): *ceramopsis* Meyrick, 1909

- 51962) *Diocosma eotrocha* Meyrick, 1918 (Oecophoridae) Synonym(s): *eotrocha* Meyrick, 1918
 51963) *Diocosma molybdela* Meyrick, 1917 (Oecophoridae) Synonym(s): *molybdela* Meyrick, 1917
 51964) *Diocosma obliquestrigella* (Walsingham, 1881) (Oecophoridae) Synonym(s): *obliquestrigella* Walsingham, 1881
 51965) *Diocosma tricycla* Meyrick, 1909 (Oecophoridae) Synonym(s): *tricycla* Meyrick, 1909
 51966) *Diocosma zarifa* Meyrick, 1921 (Oecophoridae) Synonym(s): *zarifa* Meyrick, 1921
 51967) *Diurnea fagella* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *#fagella* [Denis & Schiffermüller], 1775; *pilosella* Thunberg, 1788; *atomana* Brahm, 1791; *fagi* Fabricius, 1798; *disparella* Schrank, 1802; *dormoyella* Duponchel, 1838; *molckenella* Millière, 1881
 51968) *Diurnea lipsiella* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *lipsiella* [Denis & Schiffermüller], 1775; *phryganella* Hübner, 1796; *autumnalis* Fabricius, 1798; *novembris* Haworth, 1811; *phryganea* Haworth, 1811
 51969) *Doxomeres diaxantha* Meyrick, 1917 (Oecophoridae) Synonym(s): *diaxantha* Meyrick, 1917
 51970) *Endrosis psammodora* Meyrick, 1921 (Oecophoridae) Synonym(s): *psammodora* Meyrick, 1921
 51971) *Endrosis sarcitrella* (Linnaeus, 1758) (Oecophoridae) Synonym(s): *sarcitrella* Linnaeus, 1758; *luridella* Scopoli, 1763; *lacteella* [Denis & Schiffermüller], 1775; *scapulata* Fourcroy, 1785; *betulinella* Fabricius, 1787; *scapulatella* Villers, 1789; *atratus* Panzer, 1804; *sarcitea* Haworth, 1828; *kennicottella* Clemens, 1860; *subditella* Walker, 1863; *antarctica* Staudinger, 1899.
 51972) *Epicallima atrofasciella* (Lvovsky, 1988) (Oecophoridae) Synonym(s): *atrofasciella* Lvovsky, 1988
 51973) *Epicallima bruandella* (Ragonot, 1889) (Oecophoridae) Synonym(s): *bruandella* Ragonot, 1889
 51974) *Epicallima formosella* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *formosella* [Denis & Schiffermüller], 1775
 51975) *Epicallima formosella caucasica* Lvovsky, 1995 (Oecophoridae) Synonym(s): *caucasica* Lvovsky, 1995
 51976) *Epicallima icterinella* (Mann, 1867) (Oecophoridae) Synonym(s): *icterinella* Mann, 1867
 51977) *Epicallima mercedella* (Staudinger, 1859) (Oecophoridae) Synonym(s): *mercedella* Staudinger, 1859
 51978) *Epicallima parazeucta* (Meyrick) (Oecophoridae) Synonym(s): *parazeucta* Meyrick
 51979) *Epiphraetis aulica* Meyrick, 1912 (Oecophoridae) Synonym(s): *aulica* Meyrick, 1912
 51980) *Epiphraetis crocoplecta* Meyrick, 1913 (Oecophoridae) Synonym(s): *crocoplecta* Meyrick, 1913
 51981) *Epiphraetis imbellis* Meyrick, 1914 (Oecophoridae) Synonym(s): *imbellis* Meyrick, 1914
 51982) *Epiphraetis rubricata* Meyrick, 1913 (Oecophoridae) Synonym(s): *rubricata* Meyrick, 1913
 51983) *Epiphraetis sarcopa* (Meyrick, 1909) (Oecophoridae) Synonym(s): *sarcopa* Meyrick, 1909
 51984) *Epiphraetis thysanarcha* Meyrick, 1918 (Oecophoridae) Synonym(s): *thysanarcha* Meyrick, 1918
 51985) *Eratophyes amasiella* (Herrich-Schäffer, [1855]) (Oecophoridae) Synonym(s): *amasiella* Herrich-Schäffer, [1855]; *aleatrix* Diakonoff, 1975.
 51986) *Erotis hesperanthes* Meyrick, 1921 (Oecophoridae) Synonym(s): *hesperanthes* Meyrick, 1921
 51987) *Erotis* sp.: (Oecophoridae) Synonym(s):
 51988) *Esperia imitatrix* (Zeller, 1847) (Oecophoridae) Synonym(s): *imitatrix* Zeller, 1847
 51989) *Esperia intermediella* (Stainton, 1867) (Oecophoridae) Synonym(s): *intermediella* Stainton, 1867
 51990) *Esperia krueperella* (Staudinger, 1871) (Oecophoridae) Synonym(s): *krueperella* Staudinger, 1871; *ethnica* Gozmany, 1956.
 51991) *Esperia olivella* (Fabricius, 1794) (Oecophoridae) Synonym(s): *olivella* Fabricius, 1794
 51992) *Esperia sulphurella* (Fabricius, 1775) (Oecophoridae) Synonym(s): *sulphurella* Fabricius, 1775
 51993) *Eucleodora chalybeella* Walsingham, 1881 (Oecophoridae) Synonym(s): *chalybeella* Walsingham, 1881
 51994) *Eucleodora ingrata* Meyrick, 1913 (Oecophoridae) Synonym(s): *ingrata* Meyrick, 1913
 51995) *Eulechria phaeopsamma* Meyrick, 1883 (Oecophoridae) Synonym(s): *phaeopsamma* Meyrick, 1883
 51996) *Eutorna diluvialis* Meyrick, 1913 (Oecophoridae) Synonym(s): *diluvialis* Meyrick, 1913
 51997) *Exaeretia allisella* Stainton, 1849 (Oecophoridae) Synonym(s): *allisella* Stainton, 1849
 51998) *Exaeretia ciniflonella* (Lienig & Zeller, 1846) (Oecophoridae) Synonym(s): *ciniflonella* Lienig & Zeller, 1846
 51999) *Exaeretia conciliatella* (Rebel, 1892) (Oecophoridae) Synonym(s): *conciliatella* Rebel, 1892
 52000) *Exaeretia culcitella* (Herrich-Schäffer, 1854) (Oecophoridae) Synonym(s): *culcitella* Herrich-Schäffer, 1854
 52001) *Exaeretia ledereri* (Zeller, 1854) (Oecophoridae) Synonym(s): *ledereri* Zeller, 1854.
 52002) *Exaeretia lepidella* (Christoph, 1872) (Oecophoridae) Synonym(s): *lepidella* Christoph, 1872
 52003) *Exaeretia lutosella* (Herrich-Schäffer, [1854]) (Oecophoridae) Synonym(s): *lutosella* Herrich-Schäffer, [1854]
 52004) *Exaeretia mongolicella* (Christoph, 1882) (Oecophoridae) Synonym(s): *mongolicella* Christoph, 1882
 52005) *Exaeretia nigromaculata* Hannemann, 1989 (Oecophoridae) Synonym(s): *nigromaculata* Hannemann, 1989
 52006) *Exaeretia niviferella* (Christoph, 1872) (Oecophoridae) Synonym(s): *niviferella* Christoph, 1872
 52007) *Exaeretia praeustella* (Rebel, 1917) (Oecophoridae) Synonym(s): *praeustella* Rebel, 1917
 52008) *Exaeretia preisseckeri* (Rebel, 1937) (Oecophoridae) Synonym(s): *preisseckeri* Rebel, 1937
 52009) *Fabiola callipetala* Meyrick, 1921 (Oecophoridae) Synonym(s): *callipetala* Meyrick, 1921
 52010) *Fabiola pokornyi* (Nickerl, 1864) (Oecophoridae) Synonym(s): *pokornyi* Nickerl, 1864
 52011) *Fuchsia huertasi* Vives Moreno, 1995 (Oecophoridae) Synonym(s): *huertasi* Vives Moreno, 1995
 52012) *Fuchsia luteella* (Heinemann, 1870) (Oecophoridae) Synonym(s): *luteella* Heinemann, 1870
 52013) *Goidanichiana jourdheuillella* (Ragonot, 1875) (Oecophoridae) Synonym(s): *jourdheuillella* Ragonot, 1875
 52014) *Harpella eseliensis* ? Rebel, 1908 (Oecophoridae) Synonym(s): *eseliensis* Rebel, 1908
 52015) *Harpella forficella* (Scopoli, 1763) (Oecophoridae) Synonym(s): *forficella* Scopoli, 1763
 52016) *Harpella scolopistis* Meyrick, 1921 (Oecophoridae) Synonym(s): *scolopistis* Meyrick, 1921
 52017) *Hednophora pyritis* Meyrick, 1911 (Oecophoridae) Synonym(s): *pyritis* Meyrick, 1911
 52018) *Herrichia excelsella* Staudinger, 1871 (Oecophoridae) Synonym(s): *excelsella* Staudinger, 1871
 52019) *Hofmannophila pseudospretella* (Stainton, 1849) (Oecophoridae) Synonym(s): *pseudospretella* Stainton, 1849; *punctipinguinella* Bruand, 1856; *improbella* Walker, 1869
 52020) *Holoscolia berytella* Rebel, 1902 (Oecophoridae) Synonym(s): *berytella* Rebel, 1902; *monticollia* Zerny, 1934
 52021) *Holoscolia homaima* Gozmany, 1954 (Oecophoridae) Synonym(s): *homaima* Gozmany, 1954
 52022) *Holoscolia huebneri* Koçak, 1980 (Oecophoridae) Synonym(s): *forficella* Hübner, [1813] nec Thunb., 1794; *huebneri* Koçak, 1980
 52023) *Holoscolia majorella* Rebel, 1902 (Oecophoridae) Synonym(s): *majorella* Rebel, 1902
 52024) *Horridopalpus dictamnella* (Treitschke, 1835) (Oecophoridae) Synonym(s): *dictamnella* Treitschke, 1835
 52025) *Horridopalpus hystricella* (Möschler, 1860) (Oecophoridae) Synonym(s): *hystricella* Möschler, 1860
 52026) *Horridopalpus moranella* (Chrétien, 1907) (Oecophoridae) Synonym(s): *moranella* Chrétien, 1907
 52027) *Horridopalpus radiatus* (Staudinger, 1879) (Oecophoridae) Synonym(s): *radiata* Staudinger, 1879
 52028) *Hypercallia citrinalis* (Scopoli, 1763) (Oecophoridae) Synonym(s): *citrinalis* Scopoli, 1763; *christiannana* Linnaeus, 1767; *thoracella* Goeze, 1783; *thoracica* Fourcroy, 1785; *christiannella* Hübner, [1824]; *christiellerella* Hübner, [1825]; *christiennini* Zeller, 1839
 52029) *Hypercallia sincera* Meyrick, 1909 (Oecophoridae) Synonym(s): *sincera* Meyrick, 1909
 52030) *Hypercallia subreticulata* Walsingham, 1881 (Oecophoridae) Synonym(s): *subreticulata* Walsingham, 1881
 52031) *Idioglossa argodora* Meyrick, 1913 (Oecophoridae) Synonym(s): *argodora* Meyrick, 1913
 52032) *Idioglossa bigemma* Walsingham, 1881 (Oecophoridae) Synonym(s): *bigemma* Walsingham, 1881
 52033) *Idioglossa metallochrysa* Turner, 1917 (Oecophoridae) Synonym(s): *metallochrysa* Turner, 1917
 52034) *Idioglossa miraculosa* Frey & Boll, 1878 (Oecophoridae) Synonym(s): *miraculosa* Frey & Boll, 1878; *americella* Walsingham, 1882
 52035) *Idioglossa polliacola* Sugisima & Arita, 2000 (Oecophoridae) Synonym(s): *polliacola* Sugisima & Arita, 2000
 52036) *Idioglossa thailandica* Sugisima, 2004 (Oecophoridae) Synonym(s): *thailandica* Sugisima, 2004
 52037) *Idioglossa triacma* Meyrick, 1913 (Oecophoridae) Synonym(s): *triacma* Meyrick, 1913
 52038) *Idioglossa triumphalis* Meyrick, 1918 (Oecophoridae) Synonym(s): *triumphalis* Meyrick, 1918
 52039) *Irepacma lannathaiensis* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *lannathaiensis* Moriuti, Saito & Lewvanich, 1985
 52040) *Irepacma meksongseei* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *meksongseei* Moriuti, Saito & Lewvanich, 1985
 52041) *Irepacma pakiensis* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *pakiensis* Moriuti, Saito & Lewvanich, 1985
 52042) *Irepacma pingensis* Moriuti, Saito & Lewvanich, 1989 (Oecophoridae) Synonym(s): *pingensis* Moriuti, Saito & Lewvanich, 1989
 52043) *Irepacma torrida* (Meyrick, 1894) (Oecophoridae) Synonym(s): *torrida* Meyrick, 1894
 52044) *Isocrita eremasta* Meyrick, 1914 (Oecophoridae) Synonym(s): *eremasta* Meyrick, 1914
 52045) *Isocrita ithyodoxa* Meyrick, 1920 (Oecophoridae) Synonym(s): *ithyodoxa* Meyrick, 1920

- 52046) *Isocrita phlyctidopa* Meyrick, 1921 (Oecophoridae) Synonym(s): *phlyctidopa* Meyrick, 1921
 52047) *Isocrita protophanes* Meyrick, 1927 (Oecophoridae) Synonym(s): *protophanes* Meyrick, 1927
 52048) *Isocrita psalactis* Meyrick, 1912 (Oecophoridae) Synonym(s): *psalactis* Meyrick, 1912
 52049) *Isocrita stolarcha* Meyrick, 1909 (Oecophoridae) Synonym(s): *stolarcha* Meyrick, 1909
 52050) *Karwandania chimabacchella* Amsel, 1959 (Oecophoridae) Synonym(s): *chimabacchella* Amsel, 1959
 52051) *Kasyniana indistinctella* (Rebel, 1902) (Oecophoridae) Synonym(s): *indistinctella* Rebel, 1902
 52052) *Kasyniana xenias* (Meyrick, 1891) (Oecophoridae) Synonym(s): *xenias* Meyrick, 1891
 52053) *Lasiomactra acharista* Meyrick, 1921 (Oecophoridae) Synonym(s): *acharista* Meyrick, 1921
 52054) *Levipalpus hepatoriella* (Lienig & Zeller, 1846) (Oecophoridae) Synonym(s): *hepatoriella* Lienig & Zeller, 1846
 52055) *Linoclostis gonatias* Meyrick, 1908 (Oecophoridae) Synonym(s): *gonatias* Meyrick, 1908
 52056) *Luquetia abchasiella* Lvovsky, 1995 (Oecophoridae) Synonym(s): *abchasiella* Lvovsky, 1995
 52057) *Luquetia lobella* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *lobella* [Denis & Schiffermüller], 1775
 52058) *Martyrhilda eremella* Amsel, 1972 (Oecophoridae) Synonym(s): *eremella* Amsel, 1972
 52059) *Martyrhilda fuscicostella* (Christoph, 1887) (Oecophoridae) Synonym(s): *fuscicostella* Christoph, 1887
 52060) *Martyrhilda melanarcha* (Meyrick, 1913) (Oecophoridae) Synonym(s): *melanarcha* Meyrick, 1913
 52061) *Martyrhilda trimenella* (Walsingham, 1881) (Oecophoridae) Synonym(s): *trimenella* Walsingham, 1881
 52062) *Martyrtinga xeraula* (Meyrick, 1910) (Oecophoridae) Synonym(s): *xeraula* Meyrick, 1910; *kuwanii* Heinrich, 1920; *ravicapitis* Hodges, 1960
 52063) *Meloteles xanthodoxa* Meyrick, 1920 (Oecophoridae) Synonym(s): *xanthodoxa* Meyrick, 1920
 52064) *Metachanda citrodessa* (Meyrick, 1911) (Oecophoridae) Synonym(s): *citrodessa* Meyrick, 1911
 52065) *Metachanda oxtacma* Meyrick, 1928 (Oecophoridae) Synonym(s): *oxtacma* Meyrick, 1928
 52066) *Metachanda trimetropa* Meyrick, 1937 (Oecophoridae) Synonym(s): *trimetropa* Meyrick, 1937
 52067) *Metalampra caucasica* Lvovsky, 1995 (Oecophoridae) Synonym(s): *caucasica* Lvovsky, 1995
 52068) *Metalampra cinnamomea* (Zeller, 1839) (Oecophoridae) Synonym(s): *cinnamomea* Zeller, 1839
 52069) *Metalampra diminutella* (Rebel, 1931) (Oecophoridae) Synonym(s):
 52070) *Metalampra italica* Baldizzone, 1977 (Oecophoridae) Synonym(s):
 52071) *Minetia adamczewskii* (Toll, 1956) (Oecophoridae) Synonym(s): *adamczewskii* Toll, 1956
 52072) *Minetia criella* (Treitschke, 1835) (Oecophoridae) Synonym(s): *criella* Treitschke, 1835
 52073) *Minetia crinitella* Herrich-Schäffer, [1855] (Oecophoridae) Synonym(s): *crinitella* Herrich-Schäffer, [1855]
 52074) *Minetia crinitus* (Fabricius, 1798) (Oecophoridae) Synonym(s): *crinitus* Fabricius, 1798
 52075) *Minetia labiosella* (Hübner, [1810]) (Oecophoridae) Synonym(s): *labiosella* Hübner, [1810]
 52076) *Neomariania incertella* (Rebel, 1940) (Oecophoridae) Synonym(s): *incertella* Rebel, 1940
 52077) *Neomariania oecophorella* (Rebel, 1940) (Oecophoridae) Synonym(s): *oecophorella* Rebel, 1940
 52078) *Neomariania partinicensis* (Rebel, 1937) (Oecophoridae) Synonym(s): *partinicensis* Rebel, 1937
 52079) *Neomariania rebeli* (Walsingham, 1894) (Oecophoridae) Synonym(s): *rebeli* Walsingham, 1894
 52080) *Neomariania scriptella* (Rebel, 1940) (Oecophoridae) Synonym(s): *scriptella* Rebel, 1940
 52081) *Ocyphron oxyphylla* Meyrick, 1921 (Oecophoridae) Synonym(s): *oxyphylla* Meyrick, 1921
 52082) *Ocystola* Meyrick, 1885 (Oecophoridae) Synonym(s): *Ocystola* Meyrick, 1885
 52083) *Ocystola chionoxatha* Meyrick, 1931 (Oecophoridae) Synonym(s): *chionoxatha* Meyrick, 1931
 52084) *Ocystola proxena* Meyrick, 1914 (Oecophoridae) Synonym(s): *proxena* Meyrick, 1914
 52085) *Oecophora* (Oecophoreola) *kindermanni* (Herrich-Schäffer, [1852]) (Oecophoridae) Synonym(s): *kindermanni* Herrich-Schäffer, [1852]
 52086) *Oecophora* (s.str.) *bractella* (Linnaeus, 1758) (Oecophoridae) Synonym(s): *bractella* Linnaeus, 1758
 52087) *Opsigenes parastacta* Meyrick, 1918 (Oecophoridae) Synonym(s): *parastacta* Meyrick, 1918
 52088) *Orophia ammorepleura* (Meyrick, 1920) (Oecophoridae) Synonym(s): *ammoppleura* Meyrick, 1920
 52089) *Orophia castella* (Zeller, 1852) (Oecophoridae) Synonym(s): *castella* Zeller, 1852
 52090) *Orophia eariasella* (Walker, 1864) (Oecophoridae) Synonym(s): *eariasella* Walker, 1864
 52091) *Orophia hadromacha* (Meyrick, 1937) (Oecophoridae) Synonym(s): *hadromacha* Meyrick, 1937
 52092) *Orophia haeresiella* (Wallengren, 1875) (Oecophoridae) Synonym(s): *haeresiella* Wallengren, 1875
 52093) *Orophia languidula* (Meyrick, 1921) (Oecophoridae) Synonym(s): *languidula* Meyrick, 1921
 52094) *Orophia ochroxyla* (Meyrick, 1937) (Oecophoridae) Synonym(s): *ochroxyla* Meyrick, 1937
 52095) *Orophia pachystoma* (Meyrick, 1921) (Oecophoridae) Synonym(s): *pachystoma* Meyrick, 1921
 52096) *Orophia roseoflava* (Walsingham, 1881) (Oecophoridae) Synonym(s): *roseoflava* Walsingham, 1881
 52097) *Orophia straminella* (Zeller, 1852) (Oecophoridae) Synonym(s): *straminella* Zeller, 1852
 52098) *Orophia tetrasticta* (Meyrick, 1917) (Oecophoridae) Synonym(s): *tetrasticta* Meyrick, 1917
 52099) *Orophia tranquilla* (Meyrick, 1927) (Oecophoridae) Synonym(s): *tranquilla* Meyrick, 1927
 52100) *Orophia transfuga* (Meyrick, 1911) (Oecophoridae) Synonym(s): *transfuga* Meyrick, 1911
 52101) *Orophia xanthosarca* (Meyrick, 1917) (Oecophoridae) Synonym(s): *xanthosarca* Meyrick, 1917
 52102) *Orygocera recordata* Meyrick, 1921 (Oecophoridae) Synonym(s): *recordata* Meyrick, 1921
 52103) *Oxyscopa dealbata* Meyrick, 1926 (Oecophoridae) Synonym(s): *dealbata* Meyrick, 1926
 52104) *Paradeuterogonia siamica* Saito, 1989 (Oecophoridae) Synonym(s): *siamica* Saito, 1989
 52105) *Paralecta antistola* Meyrick, 1930 (Oecophoridae) Synonym(s): *antistola* Meyrick, 1930
 52106) *Parapleuris oxycrena* Meyrick, 1937 (Oecophoridae) Synonym(s): *oxycrena* Meyrick, 1937
 52107) *Periacma angkhangensis* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *angkhangensis* Moriuti, Saito & Lewvanich, 1985
 52108) *Periacma changkhanensis* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *changkhanensis* Moriuti, Saito & Lewvanich, 1985
 52109) *Periacma chlorodesma* Meyrick, 1894 (Oecophoridae) Synonym(s): *chlorodesma* Meyrick, 1894
 52110) *Periacma erewanensis* Moriuti, Saito & Lewvanich, 1987 (Oecophoridae) Synonym(s): *erewanensis* Moriuti, Saito & Lewvanich, 1987
 52111) *Periacma isanensis* Moriuti, Saito & Lewvanich, 1989 (Oecophoridae) Synonym(s): *isanensis* Moriuti, Saito & Lewvanich, 1989
 52112) *Periacma kanchaburiensis* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *kanchaburiensis* Moriuti, Saito & Lewvanich, 1985
 52113) *Periacma kunai* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *kunai* Moriuti, Saito & Lewvanich, 1985
 52114) *Periacma maekhongensis* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *maekhongensis* Moriuti, Saito & Lewvanich, 1985
 52115) *Periacma nakhonnayokensis* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *nakhonnayokensis* Moriuti, Saito & Lewvanich, 1985
 52116) *Periacma nualsriae* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *nualsriae* Moriuti, Saito & Lewvanich, 1985
 52117) *Periacma orthiodes* Meyrick, 1894 (Oecophoridae) Synonym(s): *orthiodes* Meyrick, 1894
 52118) *Periacma phrohmi* Moriuti, Saito & Lewvanich, 1987 (Oecophoridae) Synonym(s): *phrohmi* Moriuti, Saito & Lewvanich, 1987
 52119) *Periacma rumakomi* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *rumakomi* Moriuti, Saito & Lewvanich, 1985
 52120) *Periacma siamensis* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *siamensis* Moriuti, Saito & Lewvanich, 1985
 52121) *Periacma thamthanlotensis* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *thamthanlotensis* Moriuti, Saito & Lewvanich, 1985
 52122) *Periacma turbulenta* Meyrick, 1910 (Oecophoridae) Synonym(s): *turbulenta* Meyrick, 1910
 52123) *Periacma wongsirii* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *wongsirii* Moriuti, Saito & Lewvanich, 1985
 52124) *Philametris aethalopa* Meyrick, 1924 (Oecophoridae) Synonym(s): *aethalopa* Meyrick, 1924
 52125) *Philobota chalinitis* Meyrick, 1909 (Oecophoridae) Synonym(s): *chalinitis* Meyrick, 1909
 52126) *Philobota dryinota* Meyrick, 1914 (Oecophoridae) Synonym(s): *dryinota* Meyrick, 1914
 52127) *Philobota erastis* Meyrick, 1910 (Oecophoridae) Synonym(s): *erastis* Meyrick, 1910
 52128) *Philobota tectifera* Meyrick, 1909 (Oecophoridae) Synonym(s): *tectifera* Meyrick, 1909
 52129) *Philobota virgo* Walsingham, 1891 (Oecophoridae) Synonym(s): *virgo* Walsingham, 1891
 52130) *Phratriones curvisignis* Meyrick, 1926 (Oecophoridae) Synonym(s): *curvisignis* Meyrick, 1926
 52131) *Pierogenes bactrospila* Meyrick, 1917 (Oecophoridae) Synonym(s): *bactrospila* Meyrick, 1917
 52132) *Pisinidea exsuperans* Meyrick, 1920 (Oecophoridae) Synonym(s): *exsuperans* Meyrick, 1920
 52133) *Plesiosticha acida* (Meyrick, 1911) (Oecophoridae) Synonym(s): *acida* Meyrick, 1911
 52134) *Plesiosticha endocentra* (Meyrick, 1914) (Oecophoridae) Synonym(s): *endocentra* Meyrick, 1914
 52135) *Plesiosticha galactaea* (Meyrick, 1908) (Oecophoridae) Synonym(s): *galactaea* Meyrick, 1908

- 52136) *Pleurota acutella* Chrétien, 1922 (Oecophoridae) Synonym(s): *acutella* Chrétien, 1922
 52137) *Pleurota acutella dissimilella* Amsel, 1956 (Oecophoridae) Synonym(s): *dissimilella* Amsel, 1956
 52138) *Pleurota albarracina* Rebel, 1917 (Oecophoridae) Synonym(s): *albarracina* Rebel, 1917
 52139) *Pleurota algeriella* Baker, 1885 (Oecophoridae) Synonym(s): *algeriella* Baker, 1885
 52140) *Pleurota amaniella* Mann, 1873 (Oecophoridae) Synonym(s): *amaniella* Mann, 1873
 52141) *Pleurota amaurodoxa* Meyrick, 1935 (Oecophoridae) Synonym(s): *amaurodoxa* Meyrick, 1935
 52142) *Pleurota aorsella* Christoph, 1872 (Oecophoridae) Synonym(s): *aorsella* Christoph, 1872
 52143) *Pleurota arduella* Rebel, 1906 (Oecophoridae) Synonym(s): *arduella* Rebel, 1906
 52144) *Pleurota argodonta* Meyrick, 1913 (Oecophoridae) Synonym(s): *argodonta* Meyrick, 1913
 52145) *Pleurota aristella* (Linnaeus, 1767) (Oecophoridae) Synonym(s): *aristella* Linnaeus, 1767; *corniculata* Villers, 1789; *cornicella* Villers, 1789; *schlaegerella* Zeller, 1847; *argentistrigella* Mann, 1854
 52146) *Pleurota armeniella* Caradja, 1920 (Oecophoridae) Synonym(s): *armeniella* Caradja, 1920
 52147) *Pleurota bicostella* (Clerck, 1759) (Oecophoridae) Synonym(s): *bicostella* Clerck, 1759; *bipunctella* Hübner, 1793; *bicostatus* Fabricius, 1798
 52148) *Pleurota bicostella andalusica* H. Back, 1973 (Oecophoridae) Synonym(s): *andalusica* H. Back, 1973
 52149) *Pleurota bicostella aragonella* Chrétien, 1925 (Oecophoridae) Synonym(s): *aragonella* Chrétien, 1925
 52150) *Pleurota bicostella asiatica* H. Back, 1973 (Oecophoridae) Synonym(s): *asiatica* H. Back, 1973
 52151) *Pleurota bicostella bicostella* (Clerck, 1759) (Oecophoridae) Synonym(s): *bicostella* Clerck, 1759; *bipunctella* Hübner, 1793; *bicostatus* Fabricius, 1798
 52152) *Pleurota bicostella illucidella* Chrétien, 1915 (Oecophoridae) Synonym(s): *illucidella* Chrétien, 1915
 52153) *Pleurota bicostella lepigrei* Lucas, 1937 (Oecophoridae) Synonym(s): *lepigrei* Lucas, 1937
 52154) *Pleurota brevispinella* (Zeller, 1847) (Oecophoridae) Synonym(s): *brevispinella* Zeller, 1847
 52155) *Pleurota chalcensis* Rebel, 1917 (Oecophoridae) Synonym(s): *chalcensis* Rebel, 1917
 52156) *Pleurota christophi* Lvovskiy, 1993 (Oecophoridae) Synonym(s): *christophi* Lvovskiy, 1993
 52157) *Pleurota contignatella* Christoph, 1872 (Oecophoridae) Synonym(s): *contignatella* Christoph, 1872
 52158) *Pleurota contristatella* Mann, 1867 (Oecophoridae) Synonym(s): *contristatella* Mann, 1867
 52159) *Pleurota creticella* Rebel, 1916 (Oecophoridae) Synonym(s): *creticella* Rebel, 1916
 52160) *Pleurota cumaniella* Rebel, 1907 (Oecophoridae) Synonym(s): *cumaniella* Rebel, 1907
 52161) *Pleurota cyrniella* (Mann, 1855) (Oecophoridae) Synonym(s): *cyrniella* Mann, 1855
 52162) *Pleurota delatinnia* H. Back, 1973 (Oecophoridae) Synonym(s): *delatinnia* H. Back, 1973
 52163) *Pleurota dentata* Wang & Li, 2003 (Oecophoridae) Synonym(s): *dentata* Wang & Li, 2003
 52164) *Pleurota drucella* (Walsingham, 1881) (Oecophoridae) Synonym(s): *drucella* Walsingham, 1881
 52165) *Pleurota elegans* Stainton, 1867 (Oecophoridae) Synonym(s): *elegans* Stainton, 1867; *tesserapunctella* Amsel, 1933; *taepperi* Amsel, 1935
 52166) *Pleurota eremica* H. Back, 1973 (Oecophoridae) Synonym(s): *eremica* H. Back, 1973
 52167) *Pleurota ericella* (Duponchel, 1839) (Oecophoridae) Synonym(s): *ericella* Duponchel, 1839; *imitatrix* Herrich-Schäffer, 1854; *imitatricella* Herrich-Schäffer, 1862; *aenella* Lhomme, 1949
 52168) *Pleurota eximia* Lederer, 1861 (Oecophoridae) Synonym(s): *eximia* Lederer, 1861; *galaticella* Staudinger, 1880
 52169) *Pleurota filigerella* Mann, 1867 (Oecophoridae) Synonym(s): *filigerella* Mann, 1867
 52170) *Pleurota flavella* Turati, 1922 (Oecophoridae) Synonym(s): *flavella* Turati, 1922
 52171) *Pleurota flavescens* Turati, 1924 (Oecophoridae) Synonym(s): *flavescens* Turati, 1924; *margaritifera* Turati, 1924
 52172) *Pleurota gallicella* Huemer & Luquet, 1995 (Oecophoridae) Synonym(s): *gallicella* Huemer & Luquet, 1995
 52173) *Pleurota generosella* Rebel, 1900 (Oecophoridae) Synonym(s): *generosella* Rebel, 1900; *alexandrina* Meyrick, 1935
 52174) *Pleurota glitzella* (Staudinger, 1883) (Oecophoridae) Synonym(s): *glitzella* Staudinger, 1883
 52175) *Pleurota gnathella* H. Back, 1973 (Oecophoridae) Synonym(s): *gnathella* H. Back, 1973
 52176) *Pleurota goundafella* Zerny, 1935 (Oecophoridae) Synonym(s): *goundafella* Zerny, 1935
 52177) *Pleurota grisea* Amsel, 1951 (Oecophoridae) Synonym(s): *grisea* Amsel, 1951
 52178) *Pleurota hastiformis* Walsingham, 1905 (Oecophoridae) Synonym(s): *hastiformis* Walsingham, 1905
 52179) *Pleurota hebetella* Ragonot, 1889 (Oecophoridae) Synonym(s): *hebetella* Ragonot, 1889
 52180) *Pleurota honorella* (Hübner, [1813]) (Oecophoridae) Synonym(s): *honorella* Hübner, [1813]; *heydenreichella* Herrich-Schäffer, [1855]; *obsoletella* Caradja, 1920
 52181) *Pleurota indecorella* Rebel, 1917 (Oecophoridae) Synonym(s): *indecorella* Rebel, 1917
 52182) *Pleurota insignella* Zerny, 1935 (Oecophoridae) Synonym(s): *insignella* Zerny, 1935
 52183) *Pleurota irakella* Amsel, 1959 (Oecophoridae) Synonym(s): *irakella* Amsel, 1959
 52184) *Pleurota issicella* Staudinger, 1880 (Oecophoridae) Synonym(s): *issicella* Staudinger, 1880
 52185) *Pleurota kerbelella* Amsel, 1949 (Oecophoridae) Synonym(s): *kerbelella* Amsel, 1949
 52186) *Pleurota kostjuki* Lvovsky (Oecophoridae) Synonym(s):
 52187) *Pleurota largella* Lederer, 1855 (Oecophoridae) Synonym(s): *largella* Lederer, 1855
 52188) *Pleurota lineata* Toll, 1947 (Oecophoridae) Synonym(s): *lineata* Toll, 1947
 52189) *Pleurota macrosella* Rebel, 1900 (Oecophoridae) Synonym(s): *macrosella* Rebel, 1900
 52190) *Pleurota magna* H. Back, 1973 (Oecophoridae) Synonym(s): *magna* H. Back, 1973
 52191) *Pleurota malatya* H. Back, 1973 (Oecophoridae) Synonym(s): *malatya* H. Back, 1973
 52192) *Pleurota marginella* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *marginella* [Denis & Schiffermüller], 1775
 52193) *Pleurota mauretanicella* Baker, 1888 (Oecophoridae) Synonym(s): *mauretanicella* Baker, 1888
 52194) *Pleurota media* H. Back, 1973 (Oecophoridae) Synonym(s): *media* H. Back, 1973
 52195) *Pleurota metricella* (Zeller, 1847) (Oecophoridae) Synonym(s): *metricella* Zeller, 1847
 52196) *Pleurota metricella montana* H. Back, 1973 (Oecophoridae) Synonym(s): *montana* H. Back, 1973
 52197) *Pleurota metricella submetricella* Stainton, 1867 (Oecophoridae) Synonym(s): *submetricella* Stainton, 1867
 52198) *Pleurota minimella* Rebel, 1902 (Oecophoridae) Synonym(s): *minimella* Rebel, 1902
 52199) *Pleurota monotonia* Filipjev, 1930 (Oecophoridae) Synonym(s): *monotonia* Filipjev, 1930
 52200) *Pleurota montalbella* Zerny, 1934 (Oecophoridae) Synonym(s): *montalbella* Zerny, 1934
 52201) *Pleurota neotes* Walsingham, 1911 (Oecophoridae) Synonym(s): *neotes* Walsingham, 1911
 52202) *Pleurota neurograpta* Filipjev, 1930 (Oecophoridae) Synonym(s): *neurograpta* Filipjev, 1930
 52203) *Pleurota nitens* Staudinger, 1871 (Oecophoridae) Synonym(s): *nitens* Staudinger, 1871
 52204) *Pleurota nobilella* Rebel, 1900 (Oecophoridae) Synonym(s): *nobilella* Rebel, 1900
 52205) *Pleurota obtusella* Rebel, 1917 (Oecophoridae) Synonym(s): *obtusella* Rebel, 1917
 52206) *Pleurota ochreostrigella* Baker, 1885 (Oecophoridae) Synonym(s): *ochreostrigella* Baker, 1885
 52207) *Pleurota oranella* Baker, 1888 (Oecophoridae) Synonym(s): *oranella* Baker, 1888
 52208) *Pleurota pentapolitella* Turati, 1924 (Oecophoridae) Synonym(s): *pentapolitella* Turati, 1924
 52209) *Pleurota persica* H. Back, 1973 (Oecophoridae) Synonym(s): *persica* H. Back, 1973
 52210) *Pleurota planella* (Staudinger, 1859) (Oecophoridae) Synonym(s): *planella* Staudinger, 1859
 52211) *Pleurota platyrhoa* Meyrick, 1923 (Oecophoridae) Synonym(s): *platyrhoa* Meyrick, 1923
 52212) *Pleurota pleurotella* (Staudinger, 1871) (Oecophoridae) Synonym(s): *pleurotella* Staudinger, 1871
 52213) *Pleurota protasella* Staudinger, 1883 (Oecophoridae) Synonym(s): *protasella* Staudinger, 1883
 52214) *Pleurota proteella* Staudinger, 1880 (Oecophoridae) Synonym(s): *proteella* Staudinger, 1880
 52215) *Pleurota pungitiella* Herrich-Schäffer, [1854] (Oecophoridae) Synonym(s): *pungitiella* Herrich-Schäffer, [1854]
 52216) *Pleurota pyropella* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *pyropella* [Denis & Schiffermüller], 1775
 52217) *Pleurota pyropella armenica* H. Back, 1973 (Oecophoridae) Synonym(s): *armenica* H. Back, 1973
 52218) *Pleurota pyropella candia* H. Back, 1973 (Oecophoridae) Synonym(s): *candia* H. Back, 1973
 52219) *Pleurota pyropella iberica* H. Back, 1973 (Oecophoridae) Synonym(s): *iberica* H. Back, 1973
 52220) *Pleurota pyropella idalia* Meyrick, 1923 (Oecophoridae) Synonym(s): *idalia* Meyrick, 1923
 52221) *Pleurota pyropella libanotica* H. Back, 1973 (Oecophoridae) Synonym(s): *libanotica* H. Back, 1973
 52222) *Pleurota pyropella pyropella* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *pyropella* [Denis & Schiffermüller], 1775

- 52223) *Pleurota pyropella semicanella* Constant, 1884 (Oecophoridae) Synonym(s): *semicanella* Constant, 1884
 52224) *Pleurota pyropella siciliana* H. Back, 1973 (Oecophoridae) Synonym(s): *siciliana* H. Back, 1973
 52225) *Pleurota pyropella sublustrella* Mann, 1872 (Oecophoridae) Synonym(s): *sublustrella* Mann, 1872
 52226) *Pleurota sefrainella* Chrétien, 1915 (Oecophoridae) Synonym(s): *sefrainella* Chrétien, 1915
 52227) *Pleurota semiticella* Amsel, 1959 (Oecophoridae) Synonym(s): *semiticella* Amsel, 1959
 52228) *Pleurota simplex* Staudinger, 1880 (Oecophoridae) Synonym(s): *simplex* Staudinger, 1880
 52229) *Pleurota sobriella* (Staudinger, 1859) (Oecophoridae) Synonym(s): *sobriella* Staudinger, 1859
 52230) *Pleurota sparella* (Lederer, 1855) (Oecophoridae) Synonym(s): *sparella* Lederer, 1855; *karmeliella* Amsel, 1935
 52231) *Pleurota staintoniella* Baker, 1888 (Oecophoridae) Synonym(s): *staintoniella* Baker, 1888
 52232) *Pleurota sublustrella* (Mann, 1872) (Oecophoridae) Synonym(s): *sublustrella* Mann, 1872
 52233) *Pleurota subpyropella* Staudinger, 1880 (Oecophoridae) Synonym(s): *subpyropella* Staudinger, 1880
 52234) *Pleurota syriaca* Staudinger, 1880 (Oecophoridae) Synonym(s): *syriaca* Staudinger, 1880
 52235) *Pleurota syrtium* Turati, 1924 (Oecophoridae) Synonym(s): *syrtium* Turati, 1924
 52236) *Pleurota teligerella* (Staudinger, 1859) (Oecophoridae) Synonym(s): *teligerella* Staudinger, 1859
 52237) *Pleurota terreella* Turati, 1926 (Oecophoridae) Synonym(s): *terreella* Turati, 1926
 52238) *Pleurota tetrargyra* Meyrick, 1928 (Oecophoridae) Synonym(s): *tetrargyra* Meyrick, 1928
 52239) *Pleurota tingitana* H. Back, 1973 (Oecophoridae) Synonym(s): *tingitana* H. Back, 1973
 52240) *Pleurota trichomella* Turati, 1926 (Oecophoridae) Synonym(s): *trichomella* Turati, 1926; *argenterella* Turati, 1926
 52241) *Pleurota tristatella* Staudinger, 1871 (Oecophoridae) Synonym(s): *tristatella* Staudinger, 1871
 52242) *Pleurota tristictella* Seebold, 1898 (Oecophoridae) Synonym(s): *tristictella* Seebold, 1898
 52243) *Pleurota vittalba* Staudinger, 1871 (Oecophoridae) Synonym(s): *vittalba* Staudinger, 1871
 52244) *Pleurota wiltshirei* Amsel, 1949 (Oecophoridae) Synonym(s): *wiltshirei* Amsel, 1949
 52245) *Pleurota wiltshirei* ninua H. Back, 1973 (Oecophoridae) Synonym(s): *ninua* H. Back, 1973
 52246) *Pleurota wiltshirei* wiltshirei Amsel, 1949 (Oecophoridae) Synonym(s): *wiltshirei* Amsel, 1949
 52247) *Porthmologa deltophanes* Meyrick, 1918 (Oecophoridae) Synonym(s): *deltophanes* Meyrick, 1918
 52248) *Promalactis amphicopa* Meyrick, 1908 (Oecophoridae) Synonym(s): *amphicopa* Meyrick, 1908
 52249) *Promalactis balikpapan* Lvosky, 2000 (Oecophoridae) Synonym(s): *balikpapan* Lvosky, 2000
 52250) *Promalactis brevivalva* Lvosky, 2000 (Oecophoridae) Synonym(s): *brevivalva* Lvosky, 2000
 52251) *Promalactis caniceps* Lvosky, 2000 (Oecophoridae) Synonym(s): *caniceps* Lvosky, 2000
 52252) *Promalactis clinometra* Meyrick, 1908 (Oecophoridae) Synonym(s): *clinometra* Meyrick, 1908
 52253) *Promalactis diehli* Lvosky, 2000 (Oecophoridae) Synonym(s): *diehli* Lvosky, 2000
 52254) *Promalactis dierli* Lvosky, 2000 (Oecophoridae) Synonym(s): *dierli* Lvosky, 2000
 52255) *Promalactis dolokella* Lvosky, 2000 (Oecophoridae) Synonym(s): *dolokella* Lvosky, 2000
 52256) *Promalactis geometrica* Meyrick, 1913 (Oecophoridae) Synonym(s): *geometrica* Meyrick, 1913
 52257) *Promalactis hoenei* Lvosky, 2000 (Oecophoridae) Synonym(s): *hoenei* Lvosky, 2000
 52258) *Promalactis irinae* Lvosky, 2000 (Oecophoridae) Synonym(s): *irinae* Lvosky, 2000
 52259) *Promalactis jacobsoni* Lvosky, 2000 (Oecophoridae) Synonym(s): *jacobsoni* Lvosky, 2000
 52260) *Promalactis javana* Lvosky, 2000 (Oecophoridae) Synonym(s): *javana* Lvosky, 2000
 52261) *Promalactis jezonica* (Matsumura, 1931) (Oecophoridae) Synonym(s): *jezonica* Matsumura, 1931
 52262) *Promalactis jongi* Lvosky, 2000 (Oecophoridae) Synonym(s): *jongi* Lvosky, 2000
 52263) *Promalactis kalimantana* Lvosky, 2000 (Oecophoridae) Synonym(s): *kalimantana* Lvosky, 2000
 52264) *Promalactis lungtanella* Lvosky, 2000 (Oecophoridae) Synonym(s): *lungtanella* Lvosky, 2000
 52265) *Promalactis mentawirella* Lvosky, 2000 (Oecophoridae) Synonym(s): *mentawirella* Lvosky, 2000
 52266) *Promalactis merangirella* Lvosky, 2000 (Oecophoridae) Synonym(s): *merangirella* Lvosky, 2000
 52267) *Promalactis multimaculella* Lvosky, 2000 (Oecophoridae) Synonym(s): *multimaculella* Lvosky, 2000
 52268) *Promalactis nabokovi* Lvosky, 2000 (Oecophoridae) Synonym(s): *nabokovi* Lvosky, 2000
 52269) *Promalactis nataliae* Lvosky, 2000 (Oecophoridae) Synonym(s): *nataliae* Lvosky, 2000
 52270) *Promalactis naumanni* Lvosky, 2000 (Oecophoridae) Synonym(s): *naumanni* Lvosky, 2000
 52271) *Promalactis palawanella* Lvosky, 2000 (Oecophoridae) Synonym(s): *palawanella* Lvosky, 2000
 52272) *Promalactis raptitella* Lvosky, 2000 (Oecophoridae) Synonym(s): *raptitella* Lvosky, 2000
 52273) *Promalactis recurva* Meyrick, 1914 (Oecophoridae) Synonym(s): *recurva* Meyrick, 1914
 52274) *Promalactis roesleri* Lvosky, 2000 (Oecophoridae) Synonym(s): *roesleri* Lvosky, 2000
 52275) *Promalactis scalmotoma* Meyrick, 1918 (Oecophoridae) Synonym(s): *scalmotoma* Meyrick, 1918
 52276) *Promalactis semantris* (Meyrick, 1906) (Oecophoridae) Synonym(s): *semantris* Meyrick, 1906
 52277) *Promalactis* sp.: (Oecophoridae) Synonym(s):
 52278) *Promalactis sphaerograptia* Meyrick, 1937 (Oecophoridae) Synonym(s): *sphaerograptia* Meyrick, 1937
 52279) *Promalactis spintheritis* Meyrick, 1908 (Oecophoridae) Synonym(s): *spintheritis* Meyrick, 1908
 52280) *Promalactis sponsalis* Meyrick, 1920 (Oecophoridae) Synonym(s): *sponsalis* Meyrick, 1920
 52281) *Promalactis submentawirella* Lvosky, 2000 (Oecophoridae) Synonym(s): *submentawirella* Lvosky, 2000
 52282) *Promalactis sumatrana* Lvosky, 2000 (Oecophoridae) Synonym(s): *sumatrana* Lvosky, 2000
 52283) *Promalactis teleutopa* Meyrick, 1934 (Oecophoridae) Synonym(s): *teleutopa* Meyrick, 1934
 52284) *Promalactis thiasitis* Meyrick, 1908 (Oecophoridae) Synonym(s): *thiasitis* Meyrick, 1908
 52285) *Promalactis unistrianaella* Lvosky, 2000 (Oecophoridae) Synonym(s): *unistrianaella* Lvosky, 2000
 52286) *Promalactis venustella* (Christoph, 1882) (Oecophoridae) Synonym(s): *venustella* Christoph, 1882
 52287) *Promalactis veridica* Meyrick, 1913 (Oecophoridae) Synonym(s): *veridica* Meyrick, 1913
 52288) *Promalactis wegneri* Lvosky, 2000 (Oecophoridae) Synonym(s): *wegneri* Lvosky, 2000
 52289) *Protasis punctella* (Costa, [1836]) (Oecophoridae) Synonym(s): *punctella* Costa, [1846]; *monostictella* Heydenreich, 1851
 52290) *Protomacha conservata* Meyrick, 1918 (Oecophoridae) Synonym(s): *conservata* Meyrick, 1918
 52291) *Protomacha sosigona* Meyrick, 1920 (Oecophoridae) Synonym(s): *sosigona* Meyrick, 1920
 52292) *Pseudatemelia aeneella* Rebel, 1910 (Oecophoridae) Synonym(s): *aeneella* Rebel, 1910
 52293) *Pseudatemelia amparoella* Vives Moreno, 1986 (Oecophoridae) Synonym(s): *Pseudatemelia amparoella* Vives Moreno, 1986
 52294) *Pseudatemelia columnella* (Mann, 1867) (Oecophoridae) Synonym(s):
 52295) *Pseudatemelia detrimentella* (Staudinger, 1859) (Oecophoridae) Synonym(s): *detrimentella* Staudinger, 1859
 52296) *Pseudatemelia elsaе* Svensson, 1982 (Oecophoridae) Synonym(s):
 52297) *Pseudatemelia filiella* (Staudinger, 1859) (Oecophoridae) Synonym(s):
 52298) *Pseudatemelia fuscifrontella* (Constant, 1885) (Oecophoridae) Synonym(s): *fuscifrontella* Constant, 1885
 52299) *Pseudatemelia langohri* Palm, 1990 (Oecophoridae) Synonym(s): *langohri* Palm, 1990
 52300) *Pseudatemelia latipennella* (Jäckh, 1959) (Oecophoridae) Synonym(s): *latipennella* Jäckh, 1959
 52301) *Pseudatemelia lavandulae* (Mann, 1855) (Oecophoridae) Synonym(s): *lavandulae* Mann, 1855
 52302) *Pseudatemelia pallidella* Jäckh, 1972 (Oecophoridae) Synonym(s): *pallidella* Jäckh, 1972
 52303) *Pseudatemelia sordida* (Staudinger, 1879) (Oecophoridae) Synonym(s): *sordida* Staudinger, 1879
 52304) *Pseudatemelia subgilvida* (Walsingham, 1901) (Oecophoridae) Synonym(s): *subgilvida* Walsingham, 1901
 52305) *Pseudatemelia subochreella* (Doubleday, 1859) (Oecophoridae) Synonym(s): *subochreella* Doubleday, 1859
 52306) *Pseudatemelia xanthosoma* (Rebel, 1900) (Oecophoridae) Synonym(s): *xanthosoma* Rebel, 1900
 52307) *Rhoeoptera gigas* (Walsingham, 1891) (Oecophoridae) Synonym(s): *gigas* Walsingham, 1891
 52308) *Ripeacma chandratati* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *chandratati* Moriuti, Saito & Lewvanich, 1985
 52309) *Ripeacma Chiangmaiensis* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *Chiangmaiensis* Moriuti, Saito & Lewvanich, 1985
 52310) *Ripeacma nangae* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *nangae* Moriuti, Saito & Lewvanich, 1985
 52311) *Ripeacma oini* Moriuti, Saito & Lewvanich, 1987 (Oecophoridae) Synonym(s): *oini* Moriuti, Saito & Lewvanich, 1987
 52312) *Ripeacma phaulkonae* Moriuti, Saito & Lewvanich, 1987 (Oecophoridae) Synonym(s): *phaulkonae* Moriuti, Saito & Lewvanich, 1987

- 52313) *Ripeacma ruae* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *ruae* Moriuti, Saito & Lewvanich, 1985
 52314) *Ripeacma tirawati* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *tirawati* Moriuti, Saito & Lewvanich, 1985
 52315) *Ripeacma yaensis* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *yaensis* Moriuti, Saito & Lewvanich, 1985
 52316) *Ripeacma yamadai* Moriuti, Saito & Lewvanich, 1985 (Oecophoridae) Synonym(s): *yamadai* Moriuti, Saito & Lewvanich, 1985
 52317) *Saropla dryozona* Meyrick, 1913 (Oecophoridae) Synonym(s): *dryozona* Meyrick, 1913
 52318) *Schiffermuelleria helminthias* Meyrick, 1918 (Oecophoridae) Synonym(s): *helminthias* Meyrick, 1918
 52319) *Schiffermuelleria irroratella* (Staudinger, 1879) (Oecophoridae) Synonym(s): *irroratella* Staudinger, 1879
 52320) *Schiffermuelleria pedicata* Meyrick, 1918 (Oecophoridae) Synonym(s): *pedicata* Meyrick, 1918
 52321) *Schiffermuelleria schaefferella* (Linnaeus, 1758) (Oecophoridae) Synonym(s): *schaefferella* Linnaeus, 1758; *hermannella* Fabricius, 1781; *lucidula* Fourcroy, 1785.
 52322) *Schiffermuellerina grandis* (Desvignes, 1842) (Oecophoridae) Synonym(s): *grandis* Desvignes, 1842
 52323) *Selidoris deligata* (Meyrick, 1921) (Oecophoridae) Synonym(s): *deligata* Meyrick, 1921
 52324) *Semioscopis avellanella* (Hübner, 1793) (Oecophoridae) Synonym(s): *avellanella* Hübner, 1793
 52325) *Semioscopis oculella* (Thunberg, 1794) (Oecophoridae) Synonym(s): ? *alienella* [Denis & Schiffermüller, 1775; *oculella* Thunberg, 1794; *anella* Hübner, 1796 nec [Denis & Schiffer.], 1775
 52326) *Semioscopis orientella* (Rebel, 1893) (Oecophoridae) Synonym(s): *orientella* Rebel, 1893
 52327) *Semioscopis osthelderi* Rebel, 1935 (Oecophoridae) Synonym(s): *osthelderi* Rebel, 1935
 52328) *Semioscopis steinkellneriana* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *steinkellneriana* [Denis & Schiffermüller], 1775; *steinkellneri* Haworth, 1811; *steinkellnerella* Hübner, [1825]; *steinkellneriella* Guenée, 1845
 52329) *Semioscopis strigulana* (Fabricius, 1787) (Oecophoridae) Synonym(s): #*strigulana* [Denis & Schiffermüller], 1775; *strigulana* Fabricius, 1787; *avellanella* Hübner, 1793; *atomella* Thunberg, 1794 nec [Denis & Schiffer.], 1775; *consimilella* Hübner, [1825]; *strigulella* Herrich-Schäffer, 1862
 52330) *Tachystola acroxantha* (Meyrick, 1885) (Oecophoridae) Synonym(s): *acroxantha* Meyrick, 1885
 52331) *Tanyzancla diorycta* Meyrick, 1920 (Oecophoridae) Synonym(s): *diorycta* Meyrick, 1920
 52332) *Tanyzancla semistricta* Meyrick, 1920 (Oecophoridae) Synonym(s): *semistricta* Meyrick, 1920
 52333) *Telechrysis tripuncta* (Haworth, [1828]) (Oecophoridae) Synonym(s): *tripuncta* Haworth, [1828]; *tripunctella* Stephens, 1834; *scyllaella* Costa, [1836]; *trisignella* Zeller, 1839; *trimaculella* Duponchel, [1840]
 52334) *Teratopsis Walsingham*, 1881 (Oecophoridae) Synonym(s): *Teratopsis Walsingham*, 1881
 52335) *Teratopsis tunicella* Walsingham, 1881 (Oecophoridae) Synonym(s): *tunicella* Walsingham, 1881
 52336) *Thannocrana haemorrhoea* Meyrick, 1927 (Oecophoridae) Synonym(s): *haemorrhoea* Meyrick, 1927
 52337) *Thyestarcha acrogypsa* Meyrick, 1917 (Oecophoridae) Synonym(s): *acrogypsa* Meyrick, 1917
 52338) *Thyestarcha edax* Meyrick, 1912 (Oecophoridae) Synonym(s): *edax* Meyrick, 1912
 52339) *Tonica argessa* Diakonoff, [1968] (Oecophoridae) Synonym(s): *argessa* Diakonoff, [1968]
 52340) *Tonica barrowi* Bingham, 1907 (Oecophoridae) Synonym(s): *barrowi* Bingham, 1907
 52341) *Tonica terasella* Walker, 1864 (Oecophoridae) Synonym(s): *terasella* Walker, 1864
 52342) *Tubuliferodes josephinae* (Toll, 1956) (Oecophoridae) Synonym(s): *josephinae* Toll, 1956
 52343) *Tubuliferola flavifrontella* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *flavifrontella* [Denis & Schiffermüller], 1775
 52344) *Tubuliferola synchrozeella* Jäckh, 1959 (Oecophoridae) Synonym(s): *synchrozeella* Jäckh, 1959
 52345) *Urodeta hibernella* (Staudinger, 1859) (Oecophoridae) Synonym(s): *hibernella* Staudinger, 1859; *cisticolella* Stainton, 1869
 52346) *Xenophanta ecliptis* Meyrick, 1914 (Oecophoridae) Synonym(s): *ecliptis* Meyrick, 1914
 52347) *Eosopstega armigera* Puplesis & G.S.Robinson, 1999 (Opistegidae) Synonym(s): *armigera* Puplesis & G.S.Robinson, 1999
 52348) *Opstega amphimitra* Meyrick, 1913 (Opistegidae) Synonym(s): *amphimitra* Meyrick, 1913
 52349) *Opstega chalcophylla* Meyrick, 1910 (Opistegidae) Synonym(s): *chalcophylla* Meyrick, 1910
 52350) *Opstega cirrhacma* Meyrick, 1911 (Opistegidae) Synonym(s): *cirrhacma* Meyrick, 1911
 52351) *Opstega diplardis* Meyrick, 1921 (Opistegidae) Synonym(s): *diplardis* Meyrick, 1921
 52352) *Opstega granifera* Meyrick, 1913 (Opistegidae) Synonym(s): *granifera* Meyrick, 1913
 52353) *Opstega idiocoma* Meyrick, 1918 (Opistegidae) Synonym(s): *idiocoma* Meyrick, 1918
 52354) *Opstega melitardis* Meyrick, 1918 (Opistegidae) Synonym(s): *melitardis* Meyrick, 1918
 52355) *Opstega orophoxantha* Meyrick, 1921 (Opistegidae) Synonym(s): *orophoxantha* Meyrick, 1921
 52356) *Opstega pelocrossa* Meyrick, 1928 (Opistegidae) Synonym(s): *pelocrossa* Meyrick, 1928
 52357) *Opstega phaeosoma* Meyrick, 1928 (Opistegidae) Synonym(s): *phaeosoma* Meyrick, 1928
 52358) *Opstega praefusca* Meyrick, 1913 (Opistegidae) Synonym(s): *praefusca* Meyrick, 1913
 52359) *Opstega radiosa* Meyrick, 1913 (Opistegidae) Synonym(s): *radiosa* Meyrick, 1913
 52360) *Opstega salaciella* (Treitschke, 1833) (Opistegidae) Synonym(s): *salaciella* Treitschke, 1833; *reliquella* Zeller, 1848
 52361) *Opstega spatulella* Herrich-Schäffer, [1855] (Opistegidae) Synonym(s): *spatulella* Herrich-Schäffer, [1855]; *nepticulella* Bruand, 1859; *bimaculatella* Rothschild, 1912; *costantiniella* Costantini, 1923; *angulata* Gerasimov, 1930; *heringiella* Mariani, 1937
 52362) *Opstega symbolica* Meyrick, 1914 (Opistegidae) Synonym(s): *symbolica* Meyrick, 1914
 52363) *Opstega tinctoria* Meyrick, 1918 (Opistegidae) Synonym(s): *tinctoria* Meyrick, 1918
 52364) *Opstegidae* sp.: (Opistegidae) Synonym(s):
 52365) *Opstegoides argentisoma* Puplesis & G.S.Robinson, 1999 (Opistegidae) Synonym(s): *argentisoma* Puplesis & G.S.Robinson, 1999
 52366) *Opstegoides auriptera* Puplesis & G.S.Robinson, 1999 (Opistegidae) Synonym(s): *auriptera* Puplesis & G.S.Robinson, 1999
 52367) *Opstegoides cameroni* Puplesis & G.S.Robinson, 1999 (Opistegidae) Synonym(s): *cameroni* Puplesis & G.S.Robinson, 1999
 52368) *Opstegoides epistolaris* (Meyrick, 1911) (Opistegidae) Synonym(s): *epistolaris* Meyrick, 1911
 52369) *Opstegoides flavimacula* Puplesis & G.S.Robinson, 1999 (Opistegidae) Synonym(s): *flavimacula* Puplesis & G.S.Robinson, 1999
 52370) *Opstegoides gorgonea* Puplesis & G.S.Robinson, 1999 (Opistegidae) Synonym(s): *gorgonea* Puplesis & G.S.Robinson, 1999
 52371) *Opstegoides index* (Meyrick, 1922) (Opistegidae) Synonym(s): *index* Meyrick, 1922
 52372) *Opstegoides longipedicella* Puplesis & G.S.Robinson, 1999 (Opistegidae) Synonym(s): *longipedicella* Puplesis & G.S.Robinson, 1999
 52373) *Opstegoides malaysiensis* Davis, 1989 (Opistegidae) Synonym(s): *malaysiensis* Davis, 1989
 52374) *Opstegoides menthinella* (Mann, 1855) (Opistegidae) Synonym(s): *menthinella* Mann, 1855; *snelleni* Nolcken, 1882
 52375) *Opstegoides nephelozona* (Meyrick, 1915) (Opistegidae) Synonym(s): *nephelozona* Meyrick, 1915
 52376) *Opstegoides pelorrhoa* (Meyrick, 1915) (Opistegidae) Synonym(s): *pelorrhoa* Meyrick, 1915
 52377) *Opstegoides* sp. (Opistegidae) Synonym(s):
 52378) *Opstegoides* sp. (Opistegidae) Synonym(s):
 52379) *Opstegoides* sp. (Opistegidae) Synonym(s):
 52380) *Opstegoides* sp. (Opistegidae) Synonym(s):
 52381) *Opstegoides* sp. (Opistegidae) Synonym(s):
 52382) *Opstegoides spinifera* Puplesis & G.S.Robinson, 1999 (Opistegidae) Synonym(s): *spinifera* Puplesis & G.S.Robinson, 1999
 52383) *Opstegoides tetra* (Meyrick, 1907) (Opistegidae) Synonym(s): *tetra* Meyrick, 1907
 52384) *Opstegoides thailandica* Puplesis & G.S.Robinson, 1999 (Opistegidae) Synonym(s): *thailandica* Puplesis & G.S.Robinson, 1999
 52385) *Opstegoides uvida* (Meyrick, 1915) (Opistegidae) Synonym(s): *uvida* Meyrick, 1915
 52386) *Pseudopostega alleni* Puplesis & G.S.Robinson, 1999 (Opistegidae) Synonym(s): *alleni* Puplesis & G.S.Robinson, 1999
 52387) *Pseudopostega amphivittata* Puplesis & G.S.Robinson, 1999 (Opistegidae) Synonym(s): *amphivittata* Puplesis & G.S.Robinson, 1999
 52388) *Pseudopostega auritella* (Hübner, [1813]) (Opistegidae) Synonym(s): *auritella* Hübner, [1813]
 52389) *Pseudopostega bellicosa* (Meyrick, 1911) (Opistegidae) Synonym(s): *bellicosa* Meyrick, 1911
 52390) *Pseudopostega chalcoplea* (Walsingham, 1908) (Opistegidae) Synonym(s): *chalcoplea* Walsingham, 1908
 52391) *Pseudopostega clastozone* (Meyrick, 1913) (Opistegidae) Synonym(s): *clastozone* Meyrick, 1913; #*clastozoma* Davis, 1989.
 52392) *Pseudopostega crepusculella* (Zeller, 1839) (Opistegidae) Synonym(s): *crepusculella* Zeller, 1839; *hovskyi* Kozlov, 1985
 52393) *Pseudopostega epactaea* (Meyrick, 1907) (Opistegidae) Synonym(s): *epactaea* Meyrick, 1907
 52394) *Pseudopostega euryntis* (Meyrick, 1907) (Opistegidae) Synonym(s): *euryntis* Meyrick, 1907
 52395) *Pseudopostega frigida* (Meyrick, 1906) (Opistegidae) Synonym(s): *frigida* Meyrick, 1906
 52396) *Pseudopostega fungina* Puplesis & G.S.Robinson, 1999 (Opistegidae) Synonym(s): *fungina* Puplesis & G.S.Robinson, 1999

- 52397) *Pseudopostega indonesica* Puplesis & G.S.Robinson,1999 (Opotegidae) Synonym(s): *indonesica* Puplesis & G.S.Robinson,1999
- 52398) *Pseudopostega javae* Puplesis & G.S.Robinson,1999 (Opotegidae) Synonym(s): *javae* Puplesis & G.S.Robinson,1999
- 52399) *Pseudopostega machaerias* (Meyrick,1907) (Opotegidae) Synonym(s): *machaerias* Meyrick,1907
- 52400) *Pseudopostega myxodes* (Meyrick,1916) (Opotegidae) Synonym(s): *myxodes* Meyrick,1916
- 52401) *Pseudopostega nepalensis* Puplesis & G.S.Robinson,1999 (Opotegidae) Synonym(s): *nepalensis* Puplesis & G.S.Robinson,1999
- 52402) *Pseudopostega nigrimaculella* Puplesis & G.S.Robinson,1999 (Opotegidae) Synonym(s): *nigrimaculella* Puplesis & G.S.Robinson,1999
- 52403) *Pseudopostega parvilineata* Puplesis & G.S.Robinson,1999 (Opotegidae) Synonym(s): *parvilineata* Puplesis & G.S.Robinson,1999
- 52404) *Pseudopostega saturella* Puplesis & G.S.Robinson,1999 (Opotegidae) Synonym(s): *saturella* Puplesis & G.S.Robinson,1999
- 52405) *Pseudopostega similantis* Puplesis & G.S.Robinson,1999 (Opotegidae) Synonym(s): *similantis* Puplesis & G.S.Robinson,1999
- 52406) *Pseudopostega* sp. (Opotegidae) Synonym(s):
- 52407) *Pseudopostega* sp. (Opotegidae) Synonym(s):
- 52408) *Pseudopostega spilodes* (Meyrick,1915) (Opotegidae) Synonym(s): *spilodes* Meyrick,1915
- 52409) *Pseudopostega strigulata* Puplesis & G.S.Robinson,1999 (Opotegidae) Synonym(s): *strigulata* Puplesis & G.S.Robinson,1999
- 52410) *Pseudopostega subviolacea* (Meyrick,1920) (Opotegidae) Synonym(s): *subviolacea* Meyrick,1920
- 52411) *Pseudopostega sumbae* Puplesis & G.S.Robinson,1999 (Opotegidae) Synonym(s): *sumbae* Puplesis & G.S.Robinson,1999
- 52412) *Pseudopostega velifera* (Meyrick,1920) (Opotegidae) Synonym(s): *velifera* Meyrick,1920
- 52413) *Pseudopostega zelopa* (Meyrick,1905) (Opotegidae) Synonym(s): *zelopa* Meyrick,1905
- 52414) *Ogygiodes caliginosa* Issiki & Stringer,1932 (Palaeosetidae) Synonym(s): *caliginosa* Issiki & Stringer,1932
- 52415) *Ogygiodes eurata* Issiki & Stringer,1932 (Palaeosetidae) Synonym(s): *eurata* Issiki & Stringer,1932
- 52416) *Ogygiodes issikii* Davis,1995 (Palaeosetidae) Synonym(s): *issikii* Davis,1995
- 52417) *Ogygiodes luangensis* Kristensen,1995 (Palaeosetidae) Synonym(s): *luangensis* Kristensen,1995
- 52418) "Papilio" *chiansiades* Westwood,1872 (Papilionidae) Synonym(s): *chiansiades* Westwood,1872
- 52419) "Papilio" *hyppason* Cramer,1775 (Papilionidae) Synonym(s): *hyppason* Cramer,1775
- 52420) "Papilio" *hyppason rousseaudecellei* Le Moul,1933 (Papilionidae) Synonym(s): *rousseaudecellei* Le Moul,1933
- 52421) "Papilio" *rhodostictus* Butler & Druce,1874 (Papilionidae) Synonym(s): *rhodostictus* Butler & Druce,1874
- 52422) "Papilio" *torquatus* Cramer,1777 (Papilionidae) Synonym(s): *torquatus* Cramer,1777
- 52423) "Papilio" *torquatus orchamus* Boisduval,1836 (Papilionidae) Synonym(s): *orchamus* Boisduval,1836
- 52424) "Papilio" *torquatus torquatus* Cramer,1777 (Papilionidae) Synonym(s): *torquatus* Cramer,1777
- 52425) *Archon apollinaris* (Staudinger,[1892]) (Papilionidae) Synonym(s): *apollinaris* Staudinger,[1892]; *pallidior* Spuler,1892; *#mardina* Stichel,1907; *bostanchii* De Freina & Naderi,2003.
- 52426) *Archon apollinaris apollinaris* (Staudinger,[1892]) (Papilionidae) Synonym(s): *apollinaris* Staudinger,[1892]; *pallidior* Spuler,1892; *#mardina* Stichel,1907; *bostanchii* De Freina & Naderi,2003.
- 52427) *Archon apollinus* (Herbst,1798) (Papilionidae) Synonym(s): *apollinus* Herbst,1798; *pythius* Esper,1805; *thia* Hübner,1806; *annii* Ondrias, Kouts. & Douma-Petridou,1979.
- 52428) *Archon apollinus amasinus* (Staudinger,1901) (Papilionidae) Synonym(s): *amasinus* Staudinger,1901
- 52429) *Archon apollinus apollinus* (Herbst,1798) (Papilionidae) Synonym(s): *apollinus* Herbst,1798; *pythius* Esper,1805; *thia* Hübner,1806; *annii* Ondrias, Kouts. & Douma-Petridou,1979.
- 52430) *Archon apollinus armeniacus* Sheljuzhko,1925 (Papilionidae) Synonym(s): *armeniacus* Sheljuzhko,1925
- 52431) *Archon apollinus bellargus* (Staudinger,[1892]) (Papilionidae) Synonym(s): *bellargus* Staudinger,[1892]
- 52432) *Archon apollinus drusici* De Freina & Leestmans,2003 (Papilionidae) Synonym(s): *drusici* De Freina & Leestmans,2003
- 52433) *Archon apollinus forsteri* Koçak,1977 (Papilionidae) Synonym(s): *forsteri* Koçak,1977
- 52434) *Archon apollinus lichyi* Carbonell & Brevignon,1983 (Papilionidae) Synonym(s): *lichyi* Carbonell & Brevignon,1983
- 52435) *Archon apollinus nikodemusi* Stüning & Wagener,1989 (Papilionidae) Synonym(s): *nikodemusi* Stüning & Wagener,1989
- 52436) *Archon apollinus thracicus* (Buresch,1915) (Papilionidae) Synonym(s): *thracicus* Buresch,1915
- 52437) *Archon apollinus wagneri* Koçak,1976 (Papilionidae) Synonym(s): *wagneri* Koçak,1976
- 52438) *Archon apollinus wyatti* Koçak,1976 (Papilionidae) Synonym(s): *wyatti* Koçak,1976
- 52439) *Atrophaneura* (Pharmacophagus) *antenor* (Drury,[1773]) (Papilionidae) Synonym(s): *antenor* Drury,[1773]; *gehleni* Le Moul,1912; *albomaculata* Le Moul,1912; *niger* Diehl,1962.
- 52440) *Atrophaneura* (Pharmacophagus) *antenor antenor* (Drury,[1773]) (Papilionidae) Synonym(s): *antenor* Drury,[1773]; *gehleni* Le Moul,1912; *albomaculata* Le Moul,1912; *niger* Diehl,1962.
- 52441) *Atrophaneura* (s.str. (Byasa)) *adamsoni* (Grose-Smith,1886) (Papilionidae) Synonym(s): *adamsoni* Grose-Smith,1886; *minereoides* Elwes & De Nicéville,1887.
- 52442) *Atrophaneura* (s.str. (Byasa)) *adamsoni adamsoni* (Grose-Smith,1886) (Papilionidae) Synonym(s): *adamsoni* Grose-Smith,1886; *minereoides* Elwes & De Nicéville,1887.
- 52443) *Atrophaneura* (s.str. (Byasa)) *alcinous* (Klug,1836) (Papilionidae) Synonym(s): *alcinous* Klug,1836; *spathatus* Butler,1881; *haemotostictus* Butler,1881.
- 52444) *Atrophaneura* (s.str. (Byasa)) *alcinous alcinous* (Klug,1836) (Papilionidae) Synonym(s): *alcinous* Klug,1836; *spathatus* Butler,1881; *haemotostictus* Butler,1881.
- 52445) *Atrophaneura* (s.str. (Byasa)) *alcinous mausonensis* (Fruhstorfer,1901) (Papilionidae) Synonym(s): *mausonensis* Fruhstorfer,1901
- 52446) *Atrophaneura* (s.str. (Byasa)) *alcinous nana* Draeseke,1923 (homonym!) (Papilionidae) Synonym(s): *nana* Draeseke,1923 *nec* Obth.,1879 *non* Herbst,1804.
- 52447) *Atrophaneura* (s.str. (Byasa)) *alcinous tytleri* (Evans,1923) (Papilionidae) Synonym(s): *impediens* Tytler,1915 *nec* Rothschild,1895; *tytleri* Evans,1923
- 52448) *Atrophaneura* (s.str. (Byasa)) *crassipes* (Oberthür,1893) (Papilionidae) Synonym(s): *crassipes* Oberthür,1893
- 52449) *Atrophaneura* (s.str. (Byasa)) *crassipes crassipes* (Oberthür,1883) (Papilionidae) Synonym(s): *crassipes* Oberthür,1893
- 52450) *Atrophaneura* (s.str. (Byasa)) *daemonius* (Alpheraky,1895) (Papilionidae) Synonym(s): *daemonius* Alpheraky,1895; *yunnana* Mell,1938 *nec* Obth.,1907.
- 52451) *Atrophaneura* (s.str. (Byasa)) *daemonius daemonius* (Alpheraky,1895) (Papilionidae) Synonym(s): *daemonius* Alpheraky,1895; *yunnana* Mell,1938 *nec* Obth.,1907.
- 52452) *Atrophaneura* (s.str. (Byasa)) *dasarada* (Moore,1857) (Papilionidae) Synonym(s): *dasarada* Moore,1857
- 52453) *Atrophaneura* (s.str. (Byasa)) *dasarada barata* (Rothschild,1908) (Papilionidae) Synonym(s): *barata* Rothschild,1908
- 52454) *Atrophaneura* (s.str. (Byasa)) *dasarada dasarada* (Moore,1857) (Papilionidae) Synonym(s): *dasarada* Moore,1857
- 52455) *Atrophaneura* (s.str. (Byasa)) *dasarada hedistus* (Jordan,1928) (Papilionidae) Synonym(s): *hedistus* Jordan,1928
- 52456) *Atrophaneura* (s.str. (Byasa)) *dasarada melanurus* (Rothschild,1905) (Papilionidae) Synonym(s): *melanurus* Rothschild,1905
- 52457) *Atrophaneura* (s.str. (Byasa)) *dasarada ravana* (Moore,1857) (Papilionidae) Synonym(s): *ravana* Moore,1857
- 52458) *Atrophaneura* (s.str. (Byasa)) *impediens* (Rothschild,1895) (Papilionidae) Synonym(s): *impediens* Rothschild,1895; *#fatuus* Rothschild,1895
- 52459) *Atrophaneura* (s.str. (Byasa)) *impediens febanus* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *febanus* Fruhstorfer,1908; *jonasi* Rothschild,1908; *koannania* Matsumura,1908
- 52460) *Atrophaneura* (s.str. (Byasa)) *impediens impediens* (Rothschild,1895) (Papilionidae) Synonym(s): *impediens* Rothschild,1895; *#fatuus* Rothschild,1895
- 52461) *Atrophaneura* (s.str. (Byasa)) *laos* Riley & Godfrey,1921 (Papilionidae) Synonym(s): *laos* Riley & Godfrey,1921
- 52462) *Atrophaneura* (s.str. (Byasa)) *laos laos* Riley & Godfrey,1921 (Papilionidae) Synonym(s): *laos* Riley & Godfrey,1921
- 52463) *Atrophaneura* (s.str. (Byasa)) *latreillei* (Donovan,1826) (Papilionidae) Synonym(s): *latreillei* Donovan,1826; *minereus* Gray,1831.
- 52464) *Atrophaneura* (s.str. (Byasa)) *latreillei afghana* Howarth & Povolny,1973 (Papilionidae) Synonym(s): *afghana* Howarth & Povolny,1973
- 52465) *Atrophaneura* (s.str. (Byasa)) *latreillei kabrua* (Tytler,1915) (Papilionidae) Synonym(s): *kabrua* Tytler,1915; *#kabma* Sharp,1917
- 52466) *Atrophaneura* (s.str. (Byasa)) *latreillei latreillei* (Donovan,1826) (Papilionidae) Synonym(s): *latreillei* Donovan,1826; *minereus* Gray,1831.
- 52467) *Atrophaneura* (s.str. (Byasa)) *mencius* (Felder,1862) (Papilionidae) Synonym(s): *mencius* Felder,1862
- 52468) *Atrophaneura* (s.str. (Byasa)) *mencius mencius* (Felder,1862) (Papilionidae) Synonym(s): *mencius* Felder,1862
- 52469) *Atrophaneura* (s.str. (Byasa)) *mencius rhadinus* (Jordan,1928) (Papilionidae) Synonym(s): *rhadinus* Jordan,1928
- 52470) *Atrophaneura* (s.str. (Byasa)) *mencius tsinlingshani* (Rosen,1929) (Papilionidae) Synonym(s): *tsinlingshani* Rosen,1929
- 52471) *Atrophaneura* (s.str. (Byasa)) *nevilli* (Wood-Mason,1882) (Papilionidae) Synonym(s): *ravana* Oberthür,1879 *nec* Moore,1857; *nevilli* Wood-Mason,1882; *chentsong* Oberthür,1886.

- 52472) *Atrophaneura* (s.str. (Byasa)) *nevillei nevillei* (Wood-Mason,1882) (Papilionidae) Synonym(s): *ravana* Oberthür,1879 nec Moore,1857; *nevillei* Wood-Mason,1882; *chentsong* Oberthür,1886.
- 52473) *Atrophaneura* (s.str. (Byasa)) *plutonius* (Oberthür,1876) (Papilionidae) Synonym(s): *plutonius* Oberthür,1876; #*fatuus* Rothschild,1895.
- 52474) *Atrophaneura* (s.str. (Byasa)) *plutonius plutonius* (Oberthür,1876) (Papilionidae) Synonym(s): *plutonius* Oberthür,1876; #*fatuus* Rothschild,1895.
- 52475) *Atrophaneura* (s.str. (Byasa)) *polla De Nicéville,1897* (Papilionidae) Synonym(s): *polla De Nicéville,1897*
- 52476) *Atrophaneura* (s.str. (Byasa)) *polla De Nicéville,1897* (Papilionidae) Synonym(s): *polla De Nicéville,1897*
- 52477) *Atrophaneura* (s.str. (Byasa)) *polyeuctes* (Doubleday,1842) (Papilionidae) Synonym(s): *philoxenus* Gray,1831 nec Esp.,[1780]; *polyeuctes* Doubleday,1842; *hostilius* Fruhstorfer,1908 (homonym); *polymitis* Tytler,1912; *nepenthes* Ehrmann,1920
- 52478) *Atrophaneura* (s.str. (Byasa)) *polyeuctes lama* (Oberthür,1876) (Papilionidae) Synonym(s): *lama* Oberthür,1876; *roseus* Draeseke,1923 nec Oberthür,1879.
- 52479) *Atrophaneura* (s.str. (Byasa)) *polyeuctes letincius* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *philoxenus* Gray,1853 nec Esp.,[1780]; *letincius* Fruhstorfer,1908
- 52480) *Atrophaneura* (s.str. (Byasa)) *polyeuctes polyeuctes* (Doubleday,1842) (Papilionidae) Synonym(s): *philoxenus* Gray,1831 nec Esp.,[1780]; *polyeuctes* Doubleday,1842; *hostilius* Fruhstorfer,1908 (homonym); *polymitis* Tytler,1912; *nepenthes* Ehrmann,1920
- 52481) *Atrophaneura* (s.str. (Byasa)) *polyeuctes punchi* (O.Bang-Haas,1933) (Papilionidae) Synonym(s): *punchi* O.Bang-Haas,1933
- 52482) *Atrophaneura* (s.str. (Byasa)) *polyeuctes termessus* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *termessus* Fruhstorfer,1908
- 52483) *Atrophaneura* (s.str. (Losaria)) *coon* (Fabricius,1793) (Papilionidae) Synonym(s): *coon* Fabricius,1793; *hypenor* Godart,1819.
- 52484) *Atrophaneura* (s.str. (Losaria)) *coon coon* (Fabricius,1793) (Papilionidae) Synonym(s): *coon* Fabricius,1793; *hypenor* Godart,1819.
- 52485) *Atrophaneura* (s.str. (Losaria)) *coon delianus* (Fruhstorfer,1895) (Papilionidae) Synonym(s): *delianus* Fruhstorfer,1895
- 52486) *Atrophaneura* (s.str. (Losaria)) *coon doubledayi* (Wallace,1865) (Papilionidae) Synonym(s): *doubledayi* Wallace,1865; *merguia* Tytler,1939
- 52487) *Atrophaneura* (s.str. (Losaria)) *coon insperatus* (Joicey & Talbot,1921) (Papilionidae) Synonym(s): *insperatus* Joicey & Talbot,1921
- 52488) *Atrophaneura* (s.str. (Losaria)) *coon palembanganus* (Rothschild,1896) (Papilionidae) Synonym(s): *palembanganus* Rothschild,1896
- 52489) *Atrophaneura* (s.str. (Losaria)) *coon patianus* (Fruhstorfer,1898) (Papilionidae) Synonym(s): *patianus* Fruhstorfer,1898
- 52490) *Atrophaneura* (s.str. (Losaria)) *coon sambilanga* (Doherty,1886) (Papilionidae) Synonym(s): *sambilanga* Doherty,1886
- 52491) *Atrophaneura* (s.str. (Losaria)) *neptunus* (Guérin-Ménéville,[1840]) (Papilionidae) Synonym(s): *neptunus* Guérin-Ménéville,[1840]; *thetys* Guenée,1878.
- 52492) *Atrophaneura* (s.str. (Losaria)) *neptunus dacasini* Schröder,1976 (Papilionidae) Synonym(s): *dacasini* Schröder,1976
- 52493) *Atrophaneura* (s.str. (Losaria)) *neptunus doris* (Rothschild,1908) (Papilionidae) Synonym(s): *doris* Rothschild,1908
- 52494) *Atrophaneura* (s.str. (Losaria)) *neptunus fehri* (Honrath,1891) (Papilionidae) Synonym(s): *fehri* Honrath,1891
- 52495) *Atrophaneura* (s.str. (Losaria)) *neptunus matbai* Schröder & Treadaway,1990 (Papilionidae) Synonym(s): *matbai* Schröder & Treadaway,1990
- 52496) *Atrophaneura* (s.str. (Losaria)) *neptunus muadder* (Koçak & Kemal,2000) (Papilionidae) Synonym(s): *sumatrana* Hagen,[1894] (p.20); *muadder* Koçak & Kemal,2000.
- 52497) *Atrophaneura* (s.str. (Losaria)) *neptunus neptunus* (Guérin-Ménéville,[1840]) (Papilionidae) Synonym(s): *neptunus* Guérin-Ménéville,[1840]; *thetys* Guenée,1878.
- 52498) *Atrophaneura* (s.str. (Losaria)) *neptunus padanganus* (Rothschild,1908) (Papilionidae) Synonym(s): *padanganus* Rothschild,1908
- 52499) *Atrophaneura* (s.str. (Losaria)) *rhodifer* (Butler,1876) (Papilionidae) Synonym(s): *rhodifer* Butler,1876
- 52500) *Atrophaneura* (s.str. (Losaria)) *rhodifer rhodifer* (Butler,1876) (Papilionidae) Synonym(s): *rhodifer* Butler,1876
- 52501) *Atrophaneura* (s.str. (Pachliopta)) *adamas* (Zincken,1831) (Papilionidae) Synonym(s): *adamas* Zincken,1831
- 52502) *Atrophaneura* (s.str. (Pachliopta)) *adamas adamas* (Zincken,1831) (Papilionidae) Synonym(s): *adamas* Zincken,1831
- 52503) *Atrophaneura* (s.str. (Pachliopta)) *adamas agricola* Tsukada & Nishiyama,1980 (Papilionidae) Synonym(s): *agricola* Tsukada & Nishiyama,1980
- 52504) *Atrophaneura* (s.str. (Pachliopta)) *adamas antissa* (Jordan,1908) (Papilionidae) Synonym(s): *antissa* Jordan,1908
- 52505) *Atrophaneura* (s.str. (Pachliopta)) *adamas balinus* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *balinus* Fruhstorfer,1908
- 52506) *Atrophaneura* (s.str. (Pachliopta)) *adamas floresianus* (Rothschild,1908) (Papilionidae) Synonym(s): *floresianus* Rothschild,1908
- 52507) *Atrophaneura* (s.str. (Pachliopta)) *adamas lombocensis* (Rothschild,1896) (Papilionidae) Synonym(s): *lombocensis* Rothschild,1896; #*askra* Fruhstorfer,1911.
- 52508) *Atrophaneura* (s.str. (Pachliopta)) *adamas sapienta* Tsukada & Nishiyama,1980 (Papilionidae) Synonym(s): *sapienta* Tsukada & Nishiyama,1980
- 52509) *Atrophaneura* (s.str. (Pachliopta)) *antiphus* (Fabricius,1793) (Papilionidae) Synonym(s): *antiphus* Fabricius,1793
- 52510) *Atrophaneura* (s.str. (Pachliopta)) *antiphus acuta* (Druce,1873) (Papilionidae) Synonym(s): *acuta* Druce,1873; *periphus* Oberthür,1879; *poseidippus* Fruhstorfer,1911.
- 52511) *Atrophaneura* (s.str. (Pachliopta)) *antiphus anadyomene* (Toxopeus,1941) (Papilionidae) Synonym(s): *aphrodite* Kalis,1933 nec Fabr.,1787; *anadyomene* Toxopeus,1941
- 52512) *Atrophaneura* (s.str. (Pachliopta)) *antiphus antiphulus* (Fruhstorfer,1902) (Papilionidae) Synonym(s): *antiphulus* Fruhstorfer,1902
- 52513) *Atrophaneura* (s.str. (Pachliopta)) *antiphus antiphus* (Fabricius,1793) (Papilionidae) Synonym(s): *antiphus* Fabricius,1793
- 52514) *Atrophaneura* (s.str. (Pachliopta)) *antiphus elioti* (Page & Treadaway,1995) (Papilionidae) Synonym(s): *elioti* Page & Treadaway,1995
- 52515) *Atrophaneura* (s.str. (Pachliopta)) *antiphus kameiros* (Fruhstorfer,1911) (Papilionidae) Synonym(s): *kameiros* Fruhstorfer,1911
- 52516) *Atrophaneura* (s.str. (Pachliopta)) *antiphus yoshikoe* (Okano,1988) (Papilionidae) Synonym(s): *brevicauda* Staudinger,1889 nec Saund.,1869; *yoshikoe* Okano,1988.
- 52517) *Atrophaneura* (s.str. (Pachliopta)) *aristolochiae* (Fabricius,1775) (Papilionidae) Synonym(s): *aristolochiae* Fabricius,1775; *diphilus* Esper,[1793]; *thoas* Swainson,1833.
- 52518) *Atrophaneura* (s.str. (Pachliopta)) *aristolochiae adaeus* (Rothschild,1908) (Papilionidae) Synonym(s): *adaeus* Rothschild,1908
- 52519) *Atrophaneura* (s.str. (Pachliopta)) *aristolochiae aristolochiae* (Fabricius,1775) (Papilionidae) Synonym(s): *aristolochiae* Fabricius,1775; *diphilus* Esper,[1793]; *thoas* Swainson,1833.
- 52520) *Atrophaneura* (s.str. (Pachliopta)) *aristolochiae asteris* (Rothschild,1908) (Papilionidae) Synonym(s): *asteris* Rothschild,1908
- 52521) *Atrophaneura* (s.str. (Pachliopta)) *aristolochiae austrosundanus* (Rothschild,1895) (Papilionidae) Synonym(s): *austrosundanus* Rothschild,1895
- 52522) *Atrophaneura* (s.str. (Pachliopta)) *aristolochiae camorta* (Moore,1877) (Papilionidae) Synonym(s): *camorta* Moore,1877.
- 52523) *Atrophaneura* (s.str. (Pachliopta)) *aristolochiae ceylonica* (Moore,1881) (Papilionidae) Synonym(s): *ceylonicus* Moore,1881
- 52524) *Atrophaneura* (s.str. (Pachliopta)) *aristolochiae goniopeltis* (Rothschild,1908) (Papilionidae) Synonym(s): *goniopeltis* Rothschild,1908
- 52525) *Atrophaneura* (s.str. (Pachliopta)) *aristolochiae interpositus* Fruhstorfer,1904 (Papilionidae) Synonym(s): *interpositus* Fruhstorfer,1904; *formosensis* Rebel,1906
- 52526) *Atrophaneura* (s.str. (Pachliopta)) *aristolochiae kondulana* (Evans,1932) (Papilionidae) Synonym(s): *kondulana* Evans,1932
- 52527) *Atrophaneura* (s.str. (Pachliopta)) *aristolochiae sawi* (Evans,1932) (Papilionidae) Synonym(s): *sawi* Evans,1932
- 52528) *Atrophaneura* (s.str. (Pachliopta)) *atropos* (Staudinger,1888) (Papilionidae) Synonym(s): *atropos* Staudinger,1888
- 52529) *Atrophaneura* (s.str. (Pachliopta)) *atropos atropos* (Staudinger,1888) (Papilionidae) Synonym(s): *atropos* Staudinger,1888
- 52530) *Atrophaneura* (s.str. (Pachliopta)) *hector* (Linnaeus,1758) (Papilionidae) Synonym(s): *hector* Linnaeus,1758
- 52531) *Atrophaneura* (s.str. (Pachliopta)) *hector hector* (Linnaeus,1758) (Papilionidae) Synonym(s): *hector* Linnaeus,1758
- 52532) *Atrophaneura* (s.str. (Pachliopta)) *jophon* (Gray,[1853]) (Papilionidae) Synonym(s): *jophon* Gray,[1853]
- 52533) *Atrophaneura* (s.str. (Pachliopta)) *jophon jophon* (Gray,[1853]) (Papilionidae) Synonym(s): *jophon* Gray,[1853]
- 52534) *Atrophaneura* (s.str. (Pachliopta)) *kotzebuea* (Eschscholtz,1821) (Papilionidae) Synonym(s): *kotzebuea* Eschscholtz,1821; *asina* Tsukada & Nishiyama,1980.
- 52535) *Atrophaneura* (s.str. (Pachliopta)) *kotzebuea bilara* (Page & Treadaway,1995) (Papilionidae) Synonym(s): *bilara* Page & Treadaway,1995
- 52536) *Atrophaneura* (s.str. (Pachliopta)) *kotzebuea deseileus* (Fruhstorfer,1911) (Papilionidae) Synonym(s): *deseileus* Fruhstorfer,1911
- 52537) *Atrophaneura* (s.str. (Pachliopta)) *kotzebuea kotzebuea* (Eschscholtz,1821) (Papilionidae) Synonym(s): *kotzebuea* Eschscholtz,1821
- 52538) *Atrophaneura* (s.str. (Pachliopta)) *kotzebuea matacong* (Page & Treadaway,1995) (Papilionidae) Synonym(s): *matcong* Page & Treadaway,1995
- 52539) *Atrophaneura* (s.str. (Pachliopta)) *kotzebuea tindongani* (Page & Treadaway,1995) (Papilionidae) Synonym(s): #*tindongana* Page & Treadaway,1995; *tindongani* Page & Treadaway,1995
- 52540) *Atrophaneura* (s.str. (Pachliopta)) *kotzebuea treadaway* (Koçak & Kemal,2000) (Papilionidae) Synonym(s): *philippus* Semper,1891 nec Wallace,1865; *treadaway* Koçak & Kemal,2000
- 52541) *Atrophaneura* (s.str. (Pachliopta)) *leytensis* Murayama,1978 (Papilionidae) Synonym(s): *leytensis* Murayama,1978; *buraki* Koçak,1983
- 52542) *Atrophaneura* (s.str. (Pachliopta)) *leytensis leytensis* Murayama,1978 (Papilionidae) Synonym(s): *leytensis* Murayama,1978; *buraki* Koçak,1983
- 52543) *Atrophaneura* (s.str. (Pachliopta)) *liris* (Godart,[1819]) (Papilionidae) Synonym(s): *liris* Godart,[1819]

- 52544) *Atrophaneura* (s.str. (Pachliopta)) *liris damaricus* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *damaricus Fruhstorfer,1908*
 52545) *Atrophaneura* (s.str. (Pachliopta)) *liris deridderi* Neukirshen,1992 (Papilionidae) Synonym(s): *deridderi Neukirshen,1992*
 52546) *Atrophaneura* (s.str. (Pachliopta)) *liris gaetus* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *gaetus Fruhstorfer,1908; #pseudoliris Fruhstofer,1908.*
 52547) *Atrophaneura* (s.str. (Pachliopta)) *liris navigator* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *navigator Fruhstorfer,1908*
 52548) *Atrophaneura* (s.str. (Pachliopta)) *liris pallidus* (Rothschild,1895) (Papilionidae) Synonym(s): *pallidus Rothschild,1895*
 52549) *Atrophaneura* (s.str. (Pachliopta)) *liris velificatus* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *velificatus Fruhstorfer,1908*
 52550) *Atrophaneura* (s.str. (Pachliopta)) *liris wetterensis* (Rothschild,1895) (Papilionidae) Synonym(s): *wetterensis Rothschild,1895*
 52551) *Atrophaneura* (s.str. (Pachliopta)) *mariae* (Semper,1878) (Papilionidae) Synonym(s): *mariae Semper,1878*
 52552) *Atrophaneura* (s.str. (Pachliopta)) *mariae almae* (Semper,1891) (Papilionidae) Synonym(s): *almae Semper,1891*
 52553) *Atrophaneura* (s.str. (Pachliopta)) *mariae camarines* Schröder & Treadaway,1978 (Papilionidae) Synonym(s): *camarines Schröder & Treadaway,1978*
 52554) *Atrophaneura* (s.str. (Pachliopta)) *mariae mariae* (Semper,1878) (Papilionidae) Synonym(s): *mariae Semper,1878*
 52555) *Atrophaneura* (s.str. (Pachliopta)) *oreon* (Doherty,1891) (Papilionidae) Synonym(s): *oreon Doherty,1891*
 52556) *Atrophaneura* (s.str. (Pachliopta)) *oreon godmani* (Röber,1891) (Papilionidae) Synonym(s): *godmani Röber,1891*
 52557) *Atrophaneura* (s.str. (Pachliopta)) *oreon oreon* (Doherty,1891) (Papilionidae) Synonym(s): *oreon Doherty,1891*
 52558) *Atrophaneura* (s.str. (Pachliopta)) *pandiyana* (Moore,1881) (Papilionidae) Synonym(s): *pandiyana Moore,1881*
 52559) *Atrophaneura* (s.str. (Pachliopta)) *pandiyana pandiyana* (Moore,1881) (Papilionidae) Synonym(s): *pandiyana Moore,1881*
 52560) *Atrophaneura* (s.str. (Pachliopta)) *phlegon* (C.Felder & R.Felder,1864) (Papilionidae) Synonym(s): *phlegon C.Felder & R.Felder,1864*
 52561) *Atrophaneura* (s.str. (Pachliopta)) *phlegon phlegon* (C.Felder & R.Felder,1864) (Papilionidae) Synonym(s): *phlegon C.Felder & R.Felder,1864*
 52562) *Atrophaneura* (s.str. (Pachliopta)) *phlegon splendida* Schröder & Treadaway,1984 (Papilionidae) Synonym(s): *splendida Schröder & Treadaway,1984*
 52563) *Atrophaneura* (s.str. (Pachliopta)) *phlegon strandi* Bryk,1930 (Papilionidae) Synonym(s): *strandii Bryk,1930*
 52564) *Atrophaneura* (s.str. (Pachliopta)) *polydorus* (Linnaeus,1763) (Papilionidae) Synonym(s): *polydorus Linnaeus,1763*
 52565) *Atrophaneura* (s.str. (Pachliopta)) *polydorus aignanus* (Rothschild,1898) (Papilionidae) Synonym(s): *aignanus Rothschild,1898*
 52566) *Atrophaneura* (s.str. (Pachliopta)) *polydorus albosignatus* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *albosignatus Fruhstorfer,1908*
 52567) *Atrophaneura* (s.str. (Pachliopta)) *polydorus asinius* (Fruhstorfer,1904) (Papilionidae) Synonym(s): *asinus Fruhstorfer,1904*
 52568) *Atrophaneura* (s.str. (Pachliopta)) *polydorus dampierensis* (Hagen,1897) (Papilionidae) Synonym(s): *dampierensis Hagen,1897*
 52569) *Atrophaneura* (s.str. (Pachliopta)) *polydorus godartianus* (Lucas,1852) (Papilionidae) Synonym(s): *godartianus Lucas,1852; papuanus Oberthür,1879.*
 52570) *Atrophaneura* (s.str. (Pachliopta)) *polydorus humboldti* (Rothschild,1908) (Papilionidae) Synonym(s): *humboldti Rothschild,1908*
 52571) *Atrophaneura* (s.str. (Pachliopta)) *polydorus kajelanus* (Fruhstorfer,1898) (Papilionidae) Synonym(s): *kajelanus Fruhstorfer,1898*
 52572) *Atrophaneura* (s.str. (Pachliopta)) *polydorus lascarus* (Fruhstorfer,1913) (Papilionidae) Synonym(s): *lascarus Fruhstorfer,1913*
 52573) *Atrophaneura* (s.str. (Pachliopta)) *polydorus leodamas* (Wallace,1865) (Papilionidae) Synonym(s): *leodamas Wallace,1865*
 52574) *Atrophaneura* (s.str. (Pachliopta)) *polydorus manus* (Talbot,1932) (Papilionidae) Synonym(s): *manus Talbot,1932*
 52575) *Atrophaneura* (s.str. (Pachliopta)) *polydorus meforanus* (Rothschild,1908) (Papilionidae) Synonym(s): *meforanus Rothschild,1908*
 52576) *Atrophaneura* (s.str. (Pachliopta)) *polydorus naissus* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *naissus Fruhstorfer,1908*
 52577) *Atrophaneura* (s.str. (Pachliopta)) *polydorus novobritannicus* (Rothschild,1895) (Papilionidae) Synonym(s): *novobritannicus Rothschild,1895*
 52578) *Atrophaneura* (s.str. (Pachliopta)) *polydorus orinomus* (Rothschild,1908) (Papilionidae) Synonym(s): *orinomus Rothschild,1908*
 52579) *Atrophaneura* (s.str. (Pachliopta)) *polydorus polydemon* (Mathew,1887) (Papilionidae) Synonym(s): *polydemon Mathew,1887*
 52580) *Atrophaneura* (s.str. (Pachliopta)) *polydorus queenslandicus* (Rothschild,1895) (Papilionidae) Synonym(s): *queenslandicus Rothschild,1895*
 52581) *Atrophaneura* (s.str. (Pachliopta)) *polydorus septentrionalis* (Rothschild,1895) (Papilionidae) Synonym(s): *septentrionalis Rothschild,1895*
 52582) *Atrophaneura* (s.str. (Pachliopta)) *polydorus tenimberensis* (Rothschild,1895) (Papilionidae) Synonym(s): *tenimberensis Rothschild,1895*
 52583) *Atrophaneura* (s.str. (Pachliopta)) *polydorus thessalia* (Swinhoe,1893) (Papilionidae) Synonym(s): *thessalia Swinhoe,1893*
 52584) *Atrophaneura* (s.str. (Pachliopta)) *polydorus ulawaensis* (Joicey & Talbot,1918) (Papilionidae) Synonym(s): *ulawaensis Joicey & Talbot,1918*
 52585) *Atrophaneura* (s.str. (Pachliopta)) *polydorus utuanensis* (Ribbe,1898) (Papilionidae) Synonym(s): *utuanensis Ribbe,1898*
 52586) *Atrophaneura* (s.str. (Pachliopta)) *polydorus varus* Fruhstorfer,1906 (Papilionidae) Synonym(s): *varus Fruhstorfer,1906*
 52587) *Atrophaneura* (s.str. (Pachliopta)) *polydorus vulcanicus* (Rothschild,1915) (Papilionidae) Synonym(s): *vulcanicus Rothschild,1915*
 52588) *Atrophaneura* (s.str. (Pachliopta)) *polyphontes* (Boisduval,1836) (Papilionidae) Synonym(s): *polyphontes Boisduval,1836*
 52589) *Atrophaneura* (s.str. (Pachliopta)) *polyphontes aipyto* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *aipyto Fruhstorfer,1908*
 52590) *Atrophaneura* (s.str. (Pachliopta)) *polyphontes lingonus* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *lingonus Fruhstorfer,1908*
 52591) *Atrophaneura* (s.str. (Pachliopta)) *polyphontes polyphontes* (Boisduval,1836) (Papilionidae) Synonym(s): *polyphontes Boisduval,1836*
 52592) *Atrophaneura* (s.str. (Pachliopta)) *polyphontes rosea* (Oberthür,1879) (Papilionidae) Synonym(s): *rosea Oberthür,1879*
 52593) *Atrophaneura* (s.str. (Pachliopta)) *polyphontes sejanus* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *sejanus Fruhstorfer,1908*
 52594) *Atrophaneura* (s.str. (Pachliopta)) *schadenbergi* (Semper,1891) (Papilionidae) Synonym(s): *schadenbergi Semper,1891*
 52595) *Atrophaneura* (s.str. (Pachliopta)) *schadenbergi micholitzii* (Semper,1891) (Papilionidae) Synonym(s): *micholitzii Semper,1891*
 52596) *Atrophaneura* (s.str. (Pachliopta)) *schadenbergi schadenbergi* (Semper,1891) (Papilionidae) Synonym(s): *schadenbergi Semper,1891*
 52597) *Atrophaneura* (s.str. (Pangerana)) *aidoneus* (Doubleday,1845) (Papilionidae) Synonym(s): *aidoneus Doubleday,1845*
 52598) *Atrophaneura* (s.str. (Pangerana)) *aidoneus aidoneus* (Doubleday,1845) (Papilionidae) Synonym(s): *aidoneus Doubleday,1845*
 52599) *Atrophaneura* (s.str. (Pangerana)) *dixoni* Grose-Smith,1900 (Papilionidae) Synonym(s): *dixoni Grose-Smith,1900*
 52600) *Atrophaneura* (s.str. (Pangerana)) *dixoni dixoni* Grose-Smith,1900 (Papilionidae) Synonym(s): *dixoni Grose-Smith,1900*
 52601) *Atrophaneura* (s.str. (Pangerana)) *hageni* (Rogenhofer,1889) (Papilionidae) Synonym(s): *hageni Rogenhofer,1889*
 52602) *Atrophaneura* (s.str. (Pangerana)) *hageni hageni* (Rogenhofer,1889) (Papilionidae) Synonym(s): *hageni Rogenhofer,1889*
 52603) *Atrophaneura* (s.str. (Pangerana)) *horishana* (Matsumura,1910) (Papilionidae) Synonym(s): *horishana Matsumura,1910; sauteri Heyne,1913*
 52604) *Atrophaneura* (s.str. (Pangerana)) *horishanus horishanus* (Matsumura,1910) (Papilionidae) Synonym(s): *horishana Matsumura,1910; sauteri Heyne,1913*
 52605) *Atrophaneura* (s.str. (Pangerana)) *kuehni* (Honrath,1886) (Papilionidae) Synonym(s): *kuehni Honrath,1886*
 52606) *Atrophaneura* (s.str. (Pangerana)) *kuehni kuehni* (Honrath,1886) (Papilionidae) Synonym(s): *kuehni Honrath,1886*
 52607) *Atrophaneura* (s.str. (Pangerana)) *luchti* Roepke,1935 (Papilionidae) Synonym(s): *luchti Roepke,1935*
 52608) *Atrophaneura* (s.str. (Pangerana)) *luchti luchti* Roepke,1935 (Papilionidae) Synonym(s): *luchti Roepke,1935*
 52609) *Atrophaneura* (s.str. (Pangerana)) *noctis* (Hewitson,1859) (Papilionidae) Synonym(s): *noctis Hewitson,1859*
 52610) *Atrophaneura* (s.str. (Pangerana)) *noctula* (Westwood,1872) (Papilionidae) Synonym(s): *noctula Westwood,1872; strix Westwood,1872.*
 52611) *Atrophaneura* (s.str. (Pangerana)) *nox* (Swainson,[1822]) (Papilionidae) Synonym(s): *nox Swainson,[1822]; noctula Westwood,1872; strix Westwood,1872*
 52612) *Atrophaneura* (s.str. (Pangerana)) *nox banjeramasinus* (Fruhstorfer,1899) (Papilionidae) Synonym(s): *banjeramasinus Fruhstorfer,1899*
 52613) *Atrophaneura* (s.str. (Pangerana)) *nox erebus* (Wallace,1865) (Papilionidae) Synonym(s): *erebus Wallace,1865*
 52614) *Atrophaneura* (s.str. (Pangerana)) *nox henricus* (Fruhstorfer,1898) (Papilionidae) Synonym(s): *henricus Fruhstorfer,1898*
 52615) *Atrophaneura* (s.str. (Pangerana)) *nox niepeltiana* (Strand,1914) (Papilionidae) Synonym(s): *niepeltiana Strand,1914*
 52616) *Atrophaneura* (s.str. (Pangerana)) *nox nox* (Swainson,[1822]) (Papilionidae) Synonym(s): *nox Swainson,[1822]; noctula Westwood,1872; strix Westwood,1872*
 52617) *Atrophaneura* (s.str. (Pangerana)) *nox nyx* (De Nicéville,1897) (Papilionidae) Synonym(s): *nyx De Nicéville,1897*
 52618) *Atrophaneura* (s.str. (Pangerana)) *nox petronius* (Fruhstorfer,1901) (Papilionidae) Synonym(s): *petronius Fruhstorfer,1901*
 52619) *Atrophaneura* (s.str. (Pangerana)) *nox solokanus* Fruhstorfer,1902 (Papilionidae) Synonym(s): *solokanus Fruhstorfer,1902*
 52620) *Atrophaneura* (s.str. (Pangerana)) *priapus* (Boisduval,1836) (Papilionidae) Synonym(s): *priapus Boisduval,1836*
 52621) *Atrophaneura* (s.str. (Pangerana)) *priapus dilutus* (Fruhstorfer,1895) (Papilionidae) Synonym(s): *dilutus Fruhstorfer,1895*
 52622) *Atrophaneura* (s.str. (Pangerana)) *priapus priapus* (Boisduval,1836) (Papilionidae) Synonym(s): *priapus Boisduval,1836*
 52623) *Atrophaneura* (s.str. (Pangerana)) *semperi* (C.Felder & R.Felder,1861) (Papilionidae) Synonym(s): *semperi C.Felder & R.Felder,1861*
 52624) *Atrophaneura* (s.str. (Pangerana)) *semperi albofasciata* (Semper,1892) (Papilionidae) Synonym(s): *albofasciata Semper,1892; albofasciatus Staudinger,[1895].*
 52625) *Atrophaneura* (s.str. (Pangerana)) *semperi aphthonia* (Rothschild,1908) (Papilionidae) Synonym(s): *aphthonia Rothschild,1908*
 52626) *Atrophaneura* (s.str. (Pangerana)) *semperi baglantia* (Rothschild,1908) (Papilionidae) Synonym(s): *baglantia Rothschild,1908*
 52627) *Atrophaneura* (s.str. (Pangerana)) *semperi imogene* Schröder & Treadaway,1979 (Papilionidae) Synonym(s): *imogene Schröder & Treadaway,1979*

- 52628) *Atrophaneura* (s.str. (Pangerana)) *semperi lizae* Schröder & Treadaway, 1984 (Papilionidae) Synonym(s): *lizae* Schröder & Treadaway, 1984
- 52629) *Atrophaneura* (s.str. (Pangerana)) *semperi melanotus* (Staudinger, 1889) (Papilionidae) Synonym(s): *melanotus* Staudinger, 1889
- 52630) *Atrophaneura* (s.str. (Pangerana)) *semperi semperi* (C.Felder & R.Felder, 1861) (Papilionidae) Synonym(s): *semperi* C.Felder & R.Felder, 1861
- 52631) *Atrophaneura* (s.str. (Pangerana)) *semperi sorsogona* Page & Treadaway, 1990 (Papilionidae) Synonym(s): *sorsogona* Page & Treadaway, 1990
- 52632) *Atrophaneura* (s.str. (Pangerana)) *semperi supernotatus* (Rothschild, 1895) (Papilionidae) Synonym(s): *supernotatus* Rothschild, 1895
- 52633) *Atrophaneura* (s.str. (Pangerana)) *sykorax* (Grose-Smith, 1885) (Papilionidae) Synonym(s): *sykorax* Grose-Smith, 1885
- 52634) *Atrophaneura* (s.str. (Pangerana)) *sykorax carolinae* (Toxopeus, 1936) (Papilionidae) Synonym(s): *carolinae* Toxopeus, 1936; *pariwononis* Tsukada & Nishiyama, 1979
- 52635) *Atrophaneura* (s.str. (Pangerana)) *sykorax egertoni* (Distant, 1886) (Papilionidae) Synonym(s): *egertoni* Distant, 1886
- 52636) *Atrophaneura* (s.str. (Pangerana)) *sykorax sykorax* (Grose-Smith, 1885) (Papilionidae) Synonym(s): *sykorax* Grose-Smith, 1885
- 52637) *Atrophaneura* (s.str. (Pangerana)) *varuna* (White, 1842) (Papilionidae) Synonym(s): *varuna* White, 1842
- 52638) *Atrophaneura* (s.str. (Pangerana)) *varuna astorion* (Westwood, 1842) (Papilionidae) Synonym(s): *astorion* Westwood, 1842; *chara* Westwood, 1842.
- 52639) *Atrophaneura* (s.str. (Pangerana)) *varuna varuna* (White, 1842) (Papilionidae) Synonym(s): *varuna* White, 1842
- 52640) *Atrophaneura* (s.str. (Pangerana)) *zaleucus* (Hewitson, 1865) (Papilionidae) Synonym(s): *zaleucus* Hewitson, 1865
- 52641) *Atrophaneura* (s.str. (Pangerana)) *zaleucus zaleucus* (Hewitson, 1865) (Papilionidae) Synonym(s): *zaleucus* Hewitson, 1865
- 52642) *Battus archidamas* (Boisduval, 1836) (Papilionidae) Synonym(s): *archidamas* Boisduval, 1836; *lindeni* Ehrmann, 1926
- 52643) *Battus archidamas archidamas* (Boisduval, 1836) (Papilionidae) Synonym(s): *archidamas* Boisduval, 1836; *lindeni* Ehrmann, 1926
- 52644) *Battus belus* (Cramer, 1777) (Papilionidae) Synonym(s): *belus* Cramer, 1777; *numitor* Cramer, 1777; *amulius* Esper, 1784; *caburi* Kaye, 1906
- 52645) *Battus belus belemus* (Bates, 1864) (Papilionidae) Synonym(s): *belemus* Bates, 1864
- 52646) *Battus belus belus* (Cramer, 1777) (Papilionidae) Synonym(s): *belus* Cramer, 1777; *numitor* Cramer, 1777; *amulius* Esper, 1784; *caburi* Kaye, 1906
- 52647) *Battus belus cochabamba* (Weeks, 1901) (Papilionidae) Synonym(s): *cochabamba* Weeks, 1901; *chalceus* Rothschild & Jordan, 1906; *cochabambanus* Zischka, 1950
- 52648) *Battus belus varus* (Kollar, [1849]) (Papilionidae) Synonym(s): *varus* Kollar, [1849]; *heteropterus* Zikan, 1937
- 52649) *Battus crassus* (Cramer, 1777) (Papilionidae) Synonym(s): *crassus* Cramer, 1777
- 52650) *Battus crassus crassus* (Cramer, 1777) (Papilionidae) Synonym(s): *crassus* Cramer, 1777
- 52651) *Battus crassus hiruudo* (Röber, 1925) (Papilionidae) Synonym(s): *hirundo* Röber, 1925
- 52652) *Battus crassus lepidus* (C.Felder & R.Felder, 1861) (Papilionidae) Synonym(s): *lepidus* C.Felder & R.Felder, 1861
- 52653) *Battus devilliers* (Godart, 1822) (Papilionidae) Synonym(s): *devilliers* Godart, 1822
- 52654) *Battus devilliers devilliers* (Godart, 1822) (Papilionidae) Synonym(s): *devilliers* Godart, 1822
- 52655) *Battus eracon* (Godman & Salvin, 1897) (Papilionidae) Synonym(s): *eracon* Godman & Salvin, 1897
- 52656) *Battus ingenuus* (Dyar, 1907) (Papilionidae) Synonym(s): *latinus* C.Felder & R.Felder, 1861; *ingenuus* Dyar, 1907; *chrysomaculatus* Niepelt, 1915; *camposia* Schaus, 1928
- 52657) *Battus laodamas* (C.Felder & R.Felder, 1869) (Papilionidae) Synonym(s): *laodamas* C.Felder & R.Felder, 1869
- 52658) *Battus laodamas copanae* (Reakirt, 1863) (Papilionidae) Synonym(s): *copanae* Reakirt, 1863; *chrysodamas* Bates, 1864; *chrysomealus* Ehrmann, 1912
- 52659) *Battus laodamas laodamas* (C.Felder & R.Felder, 1869) (Papilionidae) Synonym(s): *laodamas* C.Felder & R.Felder, 1869
- 52660) *Battus laodamas oipas* (Godman & Salvin, 1897) (Papilionidae) Synonym(s): *procas* Godman & Salvin, 1890 *nec* Cr., 1777; *oipas* Godman & Salvin, 1897; *procas* Godman & Salvin, 1890
- 52661) *Battus laodamas rhipidius* (Rothschild & Jordan, 1906) (Papilionidae) Synonym(s): *rhipidius* Rothschild & Jordan, 1906
- 52662) *Battus lycidas* (Cramer, 1777) (Papilionidae) Synonym(s): *lycidas* Cramer, 1777; *erymanthus* Cramer, 1777; *adlatus* Niepelt, 1915
- 52663) *Battus madyes* (Doubleday, 1846) (Papilionidae) Synonym(s): *madyes* Doubleday, 1846; *#madyes* Racheli & Pariset, 1992
- 52664) *Battus madyes chlorodamas* (Guenée, 1872) (Papilionidae) Synonym(s): *chlorodamas* Guenée, 1872; *marsyas* Staudinger, 1894
- 52665) *Battus madyes lojaensis* Möhn, 1999 (Papilionidae) Synonym(s): *lojaensis* Möhn, 1999
- 52666) *Battus madyes madyes* (Doubleday, 1846) (Papilionidae) Synonym(s): *madyes* Doubleday, 1846; *#madyes* Racheli & Pariset, 1992
- 52667) *Battus madyes magnimacula* Joicey & Talbot, 1925 (Papilionidae) Synonym(s): *magnimacula* Joicey & Talbot, 1925
- 52668) *Battus madyes montebanus* (Dyar, 1913) (Papilionidae) Synonym(s): *crispus* Rothschild & Jordan, 1906 *nec* Cr., 1777; *montebanus* Dyar, 1913
- 52669) *Battus madyes philetas* (Hewitson, 1869) (Papilionidae) Synonym(s): *philetas* Hewitson, 1869; *adloni* Ehrmann, 1925; *fabius* Biedermann, 1935 *nec* Cr., 1777
- 52670) *Battus madyes plinius* (Weymer, 1890) (Papilionidae) Synonym(s): *plinius* Weymer, 1890
- 52671) *Battus madyes tucumanus* (Rothschild & Jordan, 1906) (Papilionidae) Synonym(s): *tucumanus* Rothschild & Jordan, 1906
- 52672) *Battus philenor* (Linnaeus, 1771) (Papilionidae) Synonym(s): *philenor* Linnaeus, 1771; *astinus* Drury, [1773]; *#obsoleta* Ehrmann, 1900; *wasmuthi* Weeks, 1901; *serpentariae* Fabricius, 1938; *insularis* Vazquez, 1957
- 52673) *Battus philenor corbis* (Godman & Salvin, 1890) (Papilionidae) Synonym(s): *corbis* Godman & Salvin, 1890; *acauda* Oberthür, 1879; *nezahualcayoti* Strecker, 1885
- 52674) *Battus philenor hirsutus* (Skinner, 1908) (Papilionidae) Synonym(s): *hirsutus* Skinner, 1908; *#inghami* Gunder, 1927.
- 52675) *Battus philenor orsua* (Godman & Salvin, 1890) (Papilionidae) Synonym(s): *orsua* Godman & Salvin, 1890
- 52676) *Battus philenor philenor* (Linnaeus, 1771) (Papilionidae) Synonym(s): *philenor* Linnaeus, 1771; *astinus* Drury, [1773]; *#obsoleta* Ehrmann, 1900; *#wasmuthi* Weeks, 1901.
- 52677) *Battus polydamas* (Linnaeus, 1758) (Papilionidae) Synonym(s): *polydamas* Linnaeus, 1758
- 52678) *Battus polydamas antiquus* (Rothschild & Jordan, 1906) (Papilionidae) Synonym(s): *antiquus* Rothschild & Jordan, 1906; *#antiguus* Riley, 1975
- 52679) *Battus polydamas cebriones* (Dalman, 1823) (Papilionidae) Synonym(s): *cebriones* Dalman, 1823
- 52680) *Battus polydamas christopheranus* (Hall, 1936) (Papilionidae) Synonym(s): *christopheranus* Hall, 1936
- 52681) *Battus polydamas cubensis* (Dufrane, 1946) (Papilionidae) Synonym(s): *cubensis* Dufrane, 1946
- 52682) *Battus polydamas dominicus* (Rothschild & Jordan, 1906) (Papilionidae) Synonym(s): *dominicus* Rothschild & Jordan, 1906
- 52683) *Battus polydamas grenadensis* (Hall, 1930) (Papilionidae) Synonym(s): *grenadensis* Hall, 1930
- 52684) *Battus polydamas jamaicensis* (Rothschild & Jordan, 1906) (Papilionidae) Synonym(s): *jamaicensis* Rothschild & Jordan, 1906
- 52685) *Battus polydamas lucayus* (Rothschild & Jordan, 1906) (Papilionidae) Synonym(s): *lucayus* Rothschild & Jordan, 1906.
- 52686) *Battus polydamas lucianus* (Rothschild & Jordan, 1906) (Papilionidae) Synonym(s): *lucianus* Rothschild & Jordan, 1906
- 52687) *Battus polydamas neodamas* (Lucas, 1852) (Papilionidae) Synonym(s): *neodamas* Lucas, 1852
- 52688) *Battus polydamas polycrates* (Hopffer, 1866) (Papilionidae) Synonym(s): *polycrates* Hopffer, 1866; *hypodamus* Guenée, 1872
- 52689) *Battus polydamas polydamas* (Linnaeus, 1758) (Papilionidae) Synonym(s): *polydamas* Linnaeus, 1758
- 52690) *Battus polydamas thyamus* (Rothschild & Jordan, 1906) (Papilionidae) Synonym(s): *thyamus* Rothschild & Jordan, 1906
- 52691) *Battus polydamas vincentius* (Rothschild & Jordan, 1906) (Papilionidae) Synonym(s): *vincentius* Rothschild & Jordan, 1906
- 52692) *Battus polystictus* (Butler, 1874) (Papilionidae) Synonym(s): *polystictus* Butler, 1874
- 52693) *Battus polystictus galenus* (Fruhstorfer, 1907) (Papilionidae) Synonym(s): *janira* Rothschild & Jordan, 1906 *nec* Linn., 1758; *galenus* Fruhstorfer, 1907
- 52694) *Battus polystictus polystictus* (Butler, 1874) (Papilionidae) Synonym(s): *polystictus* Butler, 1874
- 52695) *Battus streckerianus* (Honrath, 1884) (Papilionidae) Synonym(s): *streckerianus* Honrath, 1884
- 52696) *Battus streckerianus atahualpa* Racheli & Pischedda, 1987 (Papilionidae) Synonym(s): *atahualpa* Racheli & Pischedda, 1987
- 52697) *Battus streckerianus peruanus* (Fuchs, 1954) (Papilionidae) Synonym(s): *peruanus* Fuchs, 1954
- 52698) *Battus streckerianus streckerianus* (Honrath, 1884) (Papilionidae) Synonym(s): *streckerianus* Honrath, 1884; *mathani* Oberthür, 1892
- 52699) *Battus zetides* Munroe, 1971 (Papilionidae) Synonym(s): *zetes* Westwood, 147 *nec* Linn., 1758; *zetides* Munroe, 1971
- 52700) *Bhutanitis lidderdalii* Atkinson, 1873 (Papilionidae) Synonym(s): *lidderdalii* Atkinson, 1873
- 52701) *Bhutanitis lidderdalii lidderdalii* Atkinson, 1873 (Papilionidae) Synonym(s): *lidderdalii* Atkinson, 1873
- 52702) *Bhutanitis lidderdalii ocellatomaculata* Igarashi, 1979 (Papilionidae) Synonym(s): *ocellatomaculata* Igarashi, 1979
- 52703) *Bhutanitis ludlowi* Gabriel, 1942 (Papilionidae) Synonym(s): *ludlowi* Gabriel, 1942
- 52704) *Bhutanitis ludlowi ludlowi* Gabriel, 1942 (Papilionidae) Synonym(s): *ludlowi* Gabriel, 1942
- 52705) *Bhutanitis mansfieldi* (Riley, 1939) (Papilionidae) Synonym(s): *mansfieldi* Riley, 1939
- 52706) *Bhutanitis mansfieldi mansfieldi* (Riley, 1939) (Papilionidae) Synonym(s): *mansfieldi* Riley, 1939
- 52707) *Bhutanitis thaidina* (Blanchard, 1871) (Papilionidae) Synonym(s): *thaidina* Blanchard, 1871
- 52708) *Bhutanitis thaidina thaidina* (Blanchard, 1871) (Papilionidae) Synonym(s): *thaidina* Blanchard, 1871
- 52709) *Chilasa* (Agehana) *elwesi* Leech, 1889 (Papilionidae) Synonym(s): *elwesi* Leech, 1889

- 52710) *Chilasa* (Aegeana) *elwesi* *elwesi* Leech, 1889 (Papilionidae) Synonym(s): *elwesi* Leech, 1889
- 52711) *Chilasa* (Aegeana) *maraho* Shiraki & Sonan, 1934 (Papilionidae) Synonym(s): *maraho* Shiraki & Sonan, 1934
- 52712) *Chilasa* (s.str. (Cadugoides)) *agestor* (Gray, 1831) (Papilionidae) Synonym(s): *agestor* Gray, 1831
- 52713) *Chilasa* (s.str. (Cadugoides)) *agestor* *agestor* (Gray, 1831) (Papilionidae) Synonym(s): *agestor* Gray, 1831
- 52714) *Chilasa* (s.str. (Cadugoides)) *agestor* *agestorides* (Fruhstorfer, 1909) (Papilionidae) Synonym(s): *agestorides* Fruhstorfer, 1909
- 52715) *Chilasa* (s.str. (Cadugoides)) *agestor* *chiraghshahi* (Bang-Haas, 1933) (Papilionidae) Synonym(s): *chiraghshahi* Bang-Haas, 1933
- 52716) *Chilasa* (s.str. (Cadugoides)) *agestor* *cresconius* (Fruhstorfer, 1909) (Papilionidae) Synonym(s): *cresconius* Fruhstorfer, 1909
- 52717) *Chilasa* (s.str. (Cadugoides)) *agestor* *govindra* (Moore, 1864) (Papilionidae) Synonym(s): *govindra* Moore, 1864
- 52718) *Chilasa* (s.str. (Cadugoides)) *agestor* *matsumurae* (Fruhstorfer, 1908) (Papilionidae) Synonym(s): *matsumurae* Fruhstorfer, 1908; *matsumurae* Fruhstorfer, 1909; *galbanus* O.Bang-Haas, 1935
- 52719) *Chilasa* (s.str. (Cadugoides)) *agestor* *restricta* (Leech, 1893) (Papilionidae) Synonym(s): *restricta* Leech, 1893
- 52720) *Chilasa* (s.str. (Cadugoides)) *agestor* *teruyoe* Shinkai, 1996 (Papilionidae) Synonym(s): *teruyoe* Shinkai, 1996
- 52721) *Chilasa* (s.str. (Cadugoides)) *epycides* (Hewitson, 1864) (Papilionidae) Synonym(s): *epycides* Hewitson, 1864
- 52722) *Chilasa* (s.str. (Cadugoides)) *epycides* *curiatus* (Fruhstorfer, 1901) (Papilionidae) Synonym(s): *curiatus* Fruhstorfer, 1901
- 52723) *Chilasa* (s.str. (Cadugoides)) *epycides* *epycides* (Hewitson, 1864) (Papilionidae) Synonym(s): *epycides* Hewitson, 1864
- 52724) *Chilasa* (s.str. (Cadugoides)) *epycides* *hypochroa* (Jordan, 1909) (Papilionidae) Synonym(s): *hypochroa* Jordan, 1909
- 52725) *Chilasa* (s.str. (Cadugoides)) *epycides* *melanoleucus* (Ney, 1911) (Papilionidae) Synonym(s): *melanoleucus* Ney, 1911; *#pullata* Nire, 1917; *uwakurona* Matsumura, 1929; *#shirakurona* Matsumura, 1929
- 52726) *Chilasa* (s.str. (Cadugoides)) *epycides* *muhabbet* Koçak, 2005 (Papilionidae) Synonym(s): *camilla* Rousseau-Decelle, 1947 nec Linn., 1764; *muhabbet* Koçak, 2005
- 52727) *Chilasa* (s.str. (Cadugoides)) *slateri* (Hewitson, 1859) (Papilionidae) Synonym(s): *slateri* Hewitson, 1859
- 52728) *Chilasa* (s.str. (Cadugoides)) *slateri* *marginata* (Oberthür, 1893) (Papilionidae) Synonym(s): *marginata* Oberthür, 1893
- 52729) *Chilasa* (s.str. (Cadugoides)) *slateri* *perses* (De Nicéville, 1894) (Papilionidae) Synonym(s): *perses* De Nicéville, 1894 [May]; *petra* De Nicéville, 1894 [May]; *sumatrana* Hagen, 1894 [July]; *#sticheli* Tetsen, 1900.
- 52730) *Chilasa* (s.str. (Cadugoides)) *slateri* *slateri* (Hewitson, 1859) (Papilionidae) Synonym(s): *slateri* Hewitson, 1859
- 52731) *Chilasa* (s.str. (Cadugoides)) *slateri* *tavoyanus* (Butler, 1882) (Papilionidae) Synonym(s): *tavoyanus* Butler, 1882; *clarae* Marshall, 1882
- 52732) *Chilasa* (s.str. (laglaizei-gr)) *laglaizei* (Depuiset, 1877) (Papilionidae) Synonym(s): *laglaizei* Depuiset, 1877; *alcidinus* Butler, 1883.
- 52733) *Chilasa* (s.str. (laglaizei-gr)) *laglaizei* *laglaizei* (Depuiset, 1877) (Papilionidae) Synonym(s): *laglaizei* Depuiset, 1877; *alcidinus* Butler, 1883.
- 52734) *Chilasa* (s.str. (laglaizei-gr)) *moerner* (Aurivillius, 1919) (Papilionidae) Synonym(s): *moerner* Aurivillius, 1919
- 52735) *Chilasa* (s.str. (laglaizei-gr)) *moerner* *mayrhoferi* (O.Bang-Haas, 1939) (Papilionidae) Synonym(s): *mayrhoferi* O.Bang-Haas, 1939
- 52736) *Chilasa* (s.str. (laglaizei-gr)) *moerner* *moerner* (Aurivillius, 1919) (Papilionidae) Synonym(s): *moerner* Aurivillius, 1919
- 52737) *Chilasa* (s.str. (laglaizei-gr)) *toboroi* (Ribbe, 1907) (Papilionidae) Synonym(s): *toboroi* Ribbe, 1907; *tobori* Mos, 1909; *reductus* Niepelt, 1920 nec Rothschild, 1915.
- 52738) *Chilasa* (s.str. (laglaizei-gr)) *toboroi* *toboroi* (Ribbe, 1907) (Papilionidae) Synonym(s): *toboroi* Ribbe, 1907; *tobori* Mos, 1909; *reductus* Niepelt, 1920 nec Rothschild, 1915.
- 52739) *Chilasa* (s.str. (s.str.)) *clytia* (Linnaeus, 1758) (Papilionidae) Synonym(s): *clytia* Linnaeus, 1758; *dissimilis* Linnaeus, 1758.
- 52740) *Chilasa* (s.str. (s.str.)) *clytia* *clytia* (Linnaeus, 1758) (Papilionidae) Synonym(s): *clytia* Linnaeus, 1758; *dissimilis* Linnaeus, 1758.
- 52741) *Chilasa* (s.str. (s.str.)) *clytia* *cuyo* Mediciello & Hanafusa, 1994 (Papilionidae) Synonym(s): *cuyo* Mediciello & Hanafusa, 1994
- 52742) *Chilasa* (s.str. (s.str.)) *clytia* *echidna* (Boisduval, 1836) (Papilionidae) Synonym(s): *echidna* Boisduval, 1836
- 52743) *Chilasa* (s.str. (s.str.)) *clytia* *flavolimbatus* (Oberthür, 1879) (Papilionidae) Synonym(s): *flavolimbatus* Oberthür, 1879
- 52744) *Chilasa* (s.str. (s.str.)) *clytia* *lankeswara* (Moore, 1879) (Papilionidae) Synonym(s): *lankeswara* Moore, 1879
- 52745) *Chilasa* (s.str. (s.str.)) *clytia* *palephates* (Westwood, 1845) (Papilionidae) Synonym(s): *palephates* Westwood, 1845
- 52746) *Chilasa* (s.str. (s.str.)) *clytia* *palephatides* (Fruhstorfer, 1911) (Papilionidae) Synonym(s): *palephatides* Fruhstorfer, 1911; *visayensis* Okano & Okano, 1987
- 52747) *Chilasa* (s.str. (s.str.)) *clytia* *panopinus* (Staudinger, 1889) (Papilionidae) Synonym(s): *panopinus* Staudinger, 1889; *sapores* Fruhstorfer, 1911
- 52748) *Chilasa* (s.str. (s.str.)) *clytia* *takizawai* Myashita, 1980 (Papilionidae) Synonym(s): *takizawai* Myashita, 1980
- 52749) *Chilasa* (s.str. (s.str.)) *paradoxa* (Zincken, 1831) (Papilionidae) Synonym(s): *paradoxa* Zincken, 1831
- 52750) *Chilasa* (s.str. (s.str.)) *paradoxa* *aenigma* (Wallace, 1865) (Papilionidae) Synonym(s): *aenigma* Wallace, 1865
- 52751) *Chilasa* (s.str. (s.str.)) *paradoxa* *melanostoma* Jordan, 1909 (Papilionidae) Synonym(s): *melanostoma* Jordan, 1909
- 52752) *Chilasa* (s.str. (s.str.)) *paradoxa* *niasicus* (Rothschild, 1895) (Papilionidae) Synonym(s): *niasicus* Rothschild, 1895.
- 52753) *Chilasa* (s.str. (s.str.)) *paradoxa* *paradoxa* (Zincken, 1831) (Papilionidae) Synonym(s): *paradoxa* Zincken, 1831
- 52754) *Chilasa* (s.str. (s.str.)) *paradoxa* *telearchus* (Hewitson, 1852) (Papilionidae) Synonym(s): *telearchus* Hewitson, 1852
- 52755) *Chilasa* (s.str. (s.str.)) *paradoxa* *telesicles* (Felder, 1864) (Papilionidae) Synonym(s): *telesicles* Felder, 1864
- 52756) *Chilasa* (s.str. (veiovis-gr)) *carolinensis* Jumalon, 1967 (Papilionidae) Synonym(s): *carolinensis* Jumalon, 1967
- 52757) *Chilasa* (s.str. (veiovis-gr)) *carolinensis* *carolinensis* Jumalon, 1967 (Papilionidae) Synonym(s): *carolinensis* Jumalon, 1967
- 52758) *Chilasa* (s.str. (veiovis-gr)) *osmana* Jumalon, 1967 (Papilionidae) Synonym(s): *osmana* Jumalon, 1967
- 52759) *Chilasa* (s.str. (veiovis-gr)) *osmana* *osmana* Jumalon, 1967 (Papilionidae) Synonym(s): *osmana* Jumalon, 1967
- 52760) *Chilasa* (s.str. (veiovis-gr)) *veiovis* (Hewitson, 1865) (Papilionidae) Synonym(s): *veiovis* Hewitson, 1865; *samanganus* Fruhstorfer, 1901; *samangus* Martin, 1915
- 52761) *Chilasa* (s.str. (veiovis-gr)) *veiovis* *veiovis* (Hewitson, 1865) (Papilionidae) Synonym(s): *veiovis* Hewitson, 1865; *samanganus* Fruhstorfer, 1901; *samangus* Martin, 1915
- 52762) *Cressida* *cressida* (Fabricius, 1793) (Papilionidae) Synonym(s): *cressida* Fabricius, 1793
- 52763) *Cressida* *cressida* *cassandra* (Waterhouse & Lyell, 1914) (Papilionidae) Synonym(s): *cassandra* Waterhouse & Lyell, 1914
- 52764) *Cressida* *cressida* *troilus* (Butler, 1876) (Papilionidae) Synonym(s): *troilus* Butler, 1876
- 52765) *Eurytides* *callias* (Rothschild & Jordan, 1906) (Papilionidae) Synonym(s): *callias* Rothschild & Jordan, 1906
- 52766) *Eurytides* *callias* *callias* (Rothschild & Jordan, 1906) (Papilionidae) Synonym(s): *callias* Rothschild & Jordan, 1906
- 52767) *Eurytides* *celadon* (Lucas, 1852) (Papilionidae) Synonym(s): *sinon* Cramer, 1780] nec Poda, 1761; *celadon* Lucas, 1852].
- 52768) *Eurytides* *celadon* *celadon* (Lucas, 1852) (Papilionidae) Synonym(s): *sinon* Cramer, 1780] nec Poda, 1761; *celadon* Lucas, 1852].
- 52769) *Eurytides* *doliceon* *hebreus* Brown & Lamas, 1994 (Papilionidae) Synonym(s): *hebreus* Brown & Lamas, 1994
- 52770) *Eurytides* *doliceon* (Cramer, 1775) (Papilionidae) Synonym(s): *doliceon* Cramer, 1775
- 52771) *Eurytides* *doliceon* *deileon* (C.Felder & R.Felder, 1865) (Papilionidae) Synonym(s): *deileon* C.Felder & R.Felder, 1865
- 52772) *Eurytides* *marcellus* (Cramer, 1777) (Papilionidae) Synonym(s): *ajax* Linnaeus, 1758 (p.p.); *marcellus* Cramer, 1777; *telamonides* Felder & Felder, 1864; *abbotii*, *walshii* Edwards, 1872; *floridensis* Holland, 1898; *lecontei* Rothschild & Jordan, 1906; *broweri* Gunder, 1927; *carolinianus* Holland, 1931; *pricei* Field, 1936...
- 52773) *Eurytides* *marcellus* *marcellus* (Cramer, 1777) (Papilionidae) Synonym(s): *ajax* Linnaeus, 1758 (p.p.); *marcellus* Cramer, 1777; *telamonides* Felder & Felder, 1864; *abbotii*, *walshii* Edwards, 1872; *floridensis* Holland, 1898; *lecontei* Rothschild & Jordan, 1906; *broweri* Gunder, 1927; *carolinianus* Holland, 1931; *pricei* Field, 1936...
- 52774) *Eurytides* *orabilis* (Butler, 1872) (Papilionidae) Synonym(s): *orabilis* Butler, 1872
- 52775) *Eurytides* *orabilis* *isocharis* (Rothschild & Jordan, 1906) (Papilionidae) Synonym(s): *isocharis* Rothschild & Jordan, 1906
- 52776) *Eurytides* *philolaus* (Boisduval, 1836) (Papilionidae) Synonym(s): *philolaus* Boisduval, 1836; *#nigrescens* Eimer, 1889; *niger* Eimer, 1889; *felicis* Fruhstorfer, 1904; *#vazquezeeae* Beutelspacher, 1976.
- 52777) *Eurytides* *philolaus* *philolaus* (Boisduval, 1836) (Papilionidae) Synonym(s): *philolaus* Boisduval, 1836; *#nigrescens* Eimer, 1889; *niger* Eimer, 1889; *felicis* Fruhstorfer, 1904; *#vazquezeeae* Beutelspacher, 1976.
- 52778) *Eurytides* *serville* (Godart, 1824) (Papilionidae) Synonym(s): *serville* Godart, 1824
- 52779) *Eurytides* *serville* *acritus* (Rothschild & Jordan, 1906) (Papilionidae) Synonym(s): *acritus* Rothschild & Jordan, 1906
- 52780) *Eurytides* *serville* *columbus* (Kollar, 1850) (Papilionidae) Synonym(s): *columbus* Kollar, 1850
- 52781) *Graphium* (Arisbe (adamastor-gr.)) *abri* Smith & Vane-Wright, 2001 (Papilionidae) Synonym(s): *abri* Smith & Vane-Wright, 2001
- 52782) *Graphium* (Arisbe (adamastor-gr.)) *abri* *abri* Smith & Vane-Wright, 2001 (Papilionidae) Synonym(s): *abri* Smith & Vane-Wright, 2001
- 52783) *Graphium* (Arisbe (adamastor-gr.)) *adamastor* (Boisduval, 1836) (Papilionidae) Synonym(s): *adamastor* Boisduval, 1836
- 52784) *Graphium* (Arisbe (adamastor-gr.)) *adamastor* *adamastor* (Boisduval, 1836) (Papilionidae) Synonym(s): *adamastor* Boisduval, 1836

- 52785) *Graphium* (Arisbe (adamastor-gr.)) *agamedes* (Westwood,1842) (Papilionidae) Synonym(s): *agamedes* Westwood,1842
52786) *Graphium* (Arisbe (adamastor-gr.)) *agamedes agamedes* (Westwood,1842) (Papilionidae) Synonym(s): *agamedes* Westwood,1842
52787) *Graphium* (Arisbe (adamastor-gr.)) *almansor* (Honrath,1884) (Papilionidae) Synonym(s): *almansor* Honrath,1884
52788) *Graphium* (Arisbe (adamastor-gr.)) *almansor almansor* (Honrath,1884) (Papilionidae) Synonym(s): *almansor* Honrath,1884
52789) *Graphium* (Arisbe (adamastor-gr.)) *almansor birbiri* (Ungemach,1932) (Papilionidae) Synonym(s): *birbiri* Ungemach,1932
52790) *Graphium* (Arisbe (adamastor-gr.)) *almansor escherichi* (Gaede,1915) (Papilionidae) Synonym(s): *escherichi* Gaede,1915; *snowi* Gabriel,1945.
52791) *Graphium* (Arisbe (adamastor-gr.)) *almansor uganda* (Lathy,1906) (Papilionidae) Synonym(s): *uganda* Lathy,1906
52792) *Graphium* (Arisbe (adamastor-gr.)) *auriger* (Butler,1876) (Papilionidae) Synonym(s): *auriger* Butler,1876; *harpagon* Grose-Smith,1890.
52793) *Graphium* (Arisbe (adamastor-gr.)) *auriger auriger* (Butler,1876) (Papilionidae) Synonym(s): *auriger* Butler,1876; *harpagon* Grose-Smith,1890.
52794) *Graphium* (Arisbe (adamastor-gr.)) *auriger eyeni* Berger,1950 (Papilionidae) Synonym(s): *eyeni* Berger,1950
52795) *Graphium* (Arisbe (adamastor-gr.)) *aurivilliusi* (Seeldrayers,1896) (Papilionidae) Synonym(s): *aurivilliusi* Seeldrayers,1896
52796) *Graphium* (Arisbe (adamastor-gr.)) *aurivilliusi aurivilliusi* (Seeldrayers,1896) (Papilionidae) Synonym(s): *aurivilliusi* Seeldrayers,1896
52797) *Graphium* (Arisbe (adamastor-gr.)) *fulleri* (Grose-Smith,1883) (Papilionidae) Synonym(s): *fulleri* Grose-Smith,1883
52798) *Graphium* (Arisbe (adamastor-gr.)) *fulleri fulleri* (Grose-Smith,1883) (Papilionidae) Synonym(s): *fulleri* Grose-Smith,1883
52799) *Graphium* (Arisbe (adamastor-gr.)) *fulleri rileyi* Berger,1950 (Papilionidae) Synonym(s): *rileyi* Berger,1950
52800) *Graphium* (Arisbe (adamastor-gr.)) *fulleri ucalegonides* (Staudinger,1884) (Papilionidae) Synonym(s): *ucalegonides* Staudinger,1884
52801) *Graphium* (Arisbe (adamastor-gr.)) *hachei* (Dewitz,1881) (Papilionidae) Synonym(s): *hachei* Dewitz,1881
52802) *Graphium* (Arisbe (adamastor-gr.)) *hachei hachei* (Dewitz,1881) (Papilionidae) Synonym(s): *hachei* Dewitz,1881
52803) *Graphium* (Arisbe (adamastor-gr.)) *hachei moebii* (Suffert,1904) (Papilionidae) Synonym(s): *moebii* Suffert,1904
52804) *Graphium* (Arisbe (adamastor-gr.)) *kigoma* (Carcasson,1964) (Papilionidae) Synonym(s): *kigoma* Carcasson,1964
52805) *Graphium* (Arisbe (adamastor-gr.)) *kigoma kigoma* (Carcasson,1964) (Papilionidae) Synonym(s): *kigoma* Carcasson,1964
52806) *Graphium* (Arisbe (adamastor-gr.)) *olbrechtsi* Berger,1950 (Papilionidae) Synonym(s): *olbrechtsi* Berger,1950
52807) *Graphium* (Arisbe (adamastor-gr.)) *olbrechtsi olbrechtsi* Berger,1950 (Papilionidae) Synonym(s): *olbrechtsi* Berger,1950
52808) *Graphium* (Arisbe (adamastor-gr.)) *olbrechtsi tongoni* Berger,1969 (Papilionidae) Synonym(s): *tongoni* Berger,1969
52809) *Graphium* (Arisbe (adamastor-gr.)) *poggianus* (Honrath,1884) (Papilionidae) Synonym(s): *poggianus* Honrath,1884
52810) *Graphium* (Arisbe (adamastor-gr.)) *poggianus poggianus* (Honrath,1884) (Papilionidae) Synonym(s): *poggianus* Honrath,1884
52811) *Graphium* (Arisbe (adamastor-gr.)) *poggianus wranghami* Kielland,1978 (Papilionidae) Synonym(s): *wranghami* Kielland,1978
52812) *Graphium* (Arisbe (adamastor-gr.)) *schoubotzi* (Schultze,1913) (Papilionidae) Synonym(s): *odin Strand*,1910 *nec Fabricius*,1793; *schoubotzi* Schultze,1913.
52813) *Graphium* (Arisbe (adamastor-gr.)) *schoubotzi schoubotzi* (Schultze,1913) (Papilionidae) Synonym(s): *odin Strand*,1910 *nec Fabricius*,1793; *schoubotzi* Schultze,1913.
52814) *Graphium* (Arisbe (adamastor-gr.)) *simoni* (Aurivillius,1898) (Papilionidae) Synonym(s): *simoni* Aurivillius,1898
52815) *Graphium* (Arisbe (adamastor-gr.)) *simoni simoni* (Aurivillius,1898) (Papilionidae) Synonym(s): *simoni* Aurivillius,1898
52816) *Graphium* (Arisbe (adamastor-gr.)) *wcalegon* (Hewitson,1865) (Papilionidae) Synonym(s): *wcalegon* Hewitson,1865
52817) *Graphium* (Arisbe (adamastor-gr.)) *wcalegon fontainei* Berger,1981 (Papilionidae) Synonym(s): *fontainei* Berger,1981
52818) *Graphium* (Arisbe (adamastor-gr.)) *wcalegon schoutedeni* Berger,1950 (Papilionidae) Synonym(s): *schoutedeni* Berger,1950
52819) *Graphium* (Arisbe (adamastor-gr.)) *wcalegon wcalegon* (Hewitson,1865) (Papilionidae) Synonym(s): *wcalegon* Hewitson,1865
52820) *Graphium* (Arisbe (angolanus-gr.)) *angolanus* (Goeze,1779) (Papilionidae) Synonym(s): *angolanus* Goeze,1779; *corrineus Bertoloni*,1850; *anthemenes* Wallengren,1857; *lapydes Suffert*,1904; *howelli Turlin & Lequeux*,1992.
52821) *Graphium* (Arisbe (angolanus-gr.)) *angolanus angolanus* (Goeze,1779) (Papilionidae) Synonym(s): *angolanus* Goeze,1779; *corrineus Bertoloni*,1850; *anthemenes* Wallengren,1857; *lapydes Suffert*,1904; *howelli Turlin & Lequeux*,1992.
52822) *Graphium* (Arisbe (angolanus-gr.)) *angolanus baronis* (Ungemach,1932) (Papilionidae) Synonym(s): *pylades Fabricius*,1793 *nec Stoll*,[1782]; *baronis* Ungemach,1932; *calabar Hancock*,1985.
52823) *Graphium* (Arisbe (angolanus-gr.)) *endochus* (Boisduval,1836) (Papilionidae) Synonym(s): *endochus* Boisduval,1836
52824) *Graphium* (Arisbe (angolanus-gr.)) *endochus endochus* (Boisduval,1836) (Papilionidae) Synonym(s): *endochus* Boisduval,1836
52825) *Graphium* (Arisbe (angolanus-gr.)) *morania* (Angas,[1849]) (Papilionidae) Synonym(s): *morania* Angas,[1849]; *#vansoniana Storace*,1953; *#holoplaga Grei*,1986.
52826) *Graphium* (Arisbe (angolanus-gr.)) *morania morania* (Angas,[1849]) (Papilionidae) Synonym(s): *morania* Angas,[1849]; *#vansoniana Storace*,1953; *#holoplaga Grei*,1986.
52827) *Graphium* (Arisbe (angolanus-gr.)) *ridleyanus* (White,1843) (Papilionidae) Synonym(s): *ridleyanus* White,1843; *fumatus Niepelt*,1915; *fumosus* Holland,1920; *njami Röber*,1928.
52828) *Graphium* (Arisbe (angolanus-gr.)) *ridleyanus ridleyanus* (White,1843) (Papilionidae) Synonym(s): *ridleyanus* White,1843; *fumatus Niepelt*,1915; *fumosus* Holland,1920; *njami Röber*,1928.
52829) *Graphium* (Arisbe (angolanus-gr.)) *schaffgotschi* (Niepelt,1927) (Papilionidae) Synonym(s): *schaffgotschi* Niepelt,1927.
52830) *Graphium* (Arisbe (angolanus-gr.)) *schaffgotschi schaffgotschi* (Niepelt,1927) (Papilionidae) Synonym(s): *schaffgotschi* Niepelt,1927.
52831) *Graphium* (Arisbe (angolanus-gr.)) *taboranus* (Oberthür,1886) (Papilionidae) Synonym(s): *taboranus* Oberthür,1886; *nivinox Butler*,[1894].
52832) *Graphium* (Arisbe (angolanus-gr.)) *taboranus taboranus* (Oberthür,1886) (Papilionidae) Synonym(s): *taboranus* Oberthür,1886; *nivinox Butler*,[1894].
52833) *Graphium* (Arisbe (antheus-gr.)) *antheus* (Cramer,[1779]) (Papilionidae) Synonym(s): *antheus* Cramer,[1779]; *antharis Godart*,[1819]; *nyassae* Butler,1877; *lurlinus Butler*,1883; *evombaroides Eimer*,1889; *utuba Hampson*,1891; *hollandi*, *mercutius* Grose-Smith & Kirby,1894, etc.
52834) *Graphium* (Arisbe (antheus-gr.)) *antheus antheus* (Cramer,[1779]) (Papilionidae) Synonym(s): *antheus* Cramer,[1779]; *antharis Godart*,[1819]; *nyassae* Butler,1877; *lurlinus Butler*,1883; *evombaroides Eimer*,1889; *utuba Hampson*,1891; *hollandi*, *mercutius* Grose-Smith & Kirby,1894, etc.
52835) *Graphium* (Arisbe (antheus-gr.)) *colonna* (Ward,1873) (Papilionidae) Synonym(s): *colonna* Ward,1873; *tragicus Butler*,1876; *loncona Suffert*,1904.
52836) *Graphium* (Arisbe (antheus-gr.)) *colonna colonna* (Ward,1873) (Papilionidae) Synonym(s): *colonna* Ward,1873; *tragicus Butler*,1876; *loncona Suffert*,1904.
52837) *Graphium* (Arisbe (antheus-gr.)) *evombar* (Boisduval,1836) (Papilionidae) Synonym(s): *evombar* Boisduval,1836
52838) *Graphium* (Arisbe (antheus-gr.)) *evombar evombar* (Boisduval,1836) (Papilionidae) Synonym(s): *evombar* Boisduval,1836
52839) *Graphium* (Arisbe (antheus-gr.)) *evombar viossati* Collins,1997 (Papilionidae) Synonym(s): *viossati* Collins,1997
52840) *Graphium* (Arisbe (antheus-gr.)) *gudenusi* (Rebel,1911) (Papilionidae) Synonym(s): *gudenusi* Rebel,1911; *babaulti Le Cerf*,[1832].
52841) *Graphium* (Arisbe (antheus-gr.)) *gudenusi gudenusi* (Rebel,1911) (Papilionidae) Synonym(s): *gudenusi* Rebel,1911; *babaulti Le Cerf*,[1832].
52842) *Graphium* (Arisbe (antheus-gr.)) *illyris* (Hewitson,1873) (Papilionidae) Synonym(s): *illyris* Hewitson,1873.
52843) *Graphium* (Arisbe (antheus-gr.)) *illyris flavisparsus* (Fruhstorfer,1903) (Papilionidae) Synonym(s): *flavisparsus* Fruhstorfer,1903
52844) *Graphium* (Arisbe (antheus-gr.)) *illyris girardeau* Guilbot & Plantrou,1978 (Papilionidae) Synonym(s): *girardeau* Guilbot & Plantrou,1978
52845) *Graphium* (Arisbe (antheus-gr.)) *illyris hamatus* (Joicey & Talbot,1918) (Papilionidae) Synonym(s): *hamatus* Joicey & Talbot,1918
52846) *Graphium* (Arisbe (antheus-gr.)) *illyris illyris* (Hewitson,1873) (Papilionidae) Synonym(s): *illyris* Hewitson,1873.
52847) *Graphium* (Arisbe (antheus-gr.)) *junodi* (Trimen,1893) (Papilionidae) Synonym(s): *junodi* Trimen,1893
52848) *Graphium* (Arisbe (antheus-gr.)) *junodi junodi* (Trimen,1893) (Papilionidae) Synonym(s): *junodi* Trimen,1893
52849) *Graphium* (Arisbe (antheus-gr.)) *kirbyi* (Hewitson,1872) (Papilionidae) Synonym(s): *kirbyi* Hewitson,1872; *ottonis Aurivillius*,1899.
52850) *Graphium* (Arisbe (antheus-gr.)) *kirbyi kirbyi* (Hewitson,1872) (Papilionidae) Synonym(s): *kirbyi* Hewitson,1872; *ottonis Aurivillius*,1899.
52851) *Graphium* (Arisbe (antheus-gr.)) *polistratus* (Grose-Smith,1889) (Papilionidae) Synonym(s): *polistratus* Grose-Smith,1889; *sisenna Mabil*,1890; *richelmanni Weymer*,1892.
52852) *Graphium* (Arisbe (antheus-gr.)) *polistratus polistratus* (Grose-Smith,1889) (Papilionidae) Synonym(s): *polistratus* Grose-Smith,1889; *sisenna Mabil*,1890; *richelmanni Weymer*,1892.
52853) *Graphium* (Arisbe (philonoe-gr.)) *philonoe* (Ward,1873) (Papilionidae) Synonym(s): *philonoe* Ward,1873
52854) *Graphium* (Arisbe (philonoe-gr.)) *philonoe philonoe* (Ward,1873) (Papilionidae) Synonym(s): *philonoe* Ward,1873
52855) *Graphium* (Arisbe (philonoe-gr.)) *philonoe whalleyi* (Talbot,1929) (Papilionidae) Synonym(s): *whalleyi* Talbot,1929
52856) *Graphium* (Arisbe (policenes-gr.)) *biokoensis* Gauthier,1984 (Papilionidae) Synonym(s): *#intermedia Birket-Smith*,1960; *biokoensis* Gauthier,1984.
52857) *Graphium* (Arisbe (policenes-gr.)) *biokoensis biokoensis* Gauthier,1984 (Papilionidae) Synonym(s): *#intermedia Birket-Smith*,1960; *biokoensis* Gauthier,1984.
52858) *Graphium* (Arisbe (policenes-gr.)) *liponesco* (Suffert,1904) (Papilionidae) Synonym(s): *liponesco* Suffert,1904; *boolae Strand*,1909.

- 52859) **Graphium** (Arisbe (poli-cenes-gr.)) **liponesco liponesco** (Suffert,1904) (Papilionidae) Synonym(s): *liponesco* Suffert,1904; *boolae* Strand,1909.
- 52860) **Graphium** (Arisbe (poli-cenes-gr.)) **poli-cenes** (Cramer,[1775]) (Papilionidae) Synonym(s): *poli-cenes* Cramer,[1775]; *pompilius* Herbst,1788; *agapenor* Fabricius,1793; *scipio* Palisot de Beauvoir,[1805]; *polixenus* Godart,[1819]; *sudanicus* Schultze,1916; *laurentia* Le Cerf,1924; *#guineensis* Dufrene,1946; *#coussementi* Berger,1960.
- 52861) **Graphium** (Arisbe (poli-cenes-gr.)) **poli-cenes poli-cenes** (Cramer,[1775]) (Papilionidae) Synonym(s): *poli-cenes* Cramer,[1775]; *pompilius* Herbst,1788; *agapenor* Fabricius,1793; *scipio* Palisot de Beauvoir,[1805]; *polixenus* Godart,[1819]; *sudanicus* Schultze,1916; *laurentia* Le Cerf,1924; *#guineensis* Dufrene,1946; *#coussementi* Berger,1960.
- 52862) **Graphium** (Arisbe (poli-cenes-gr.)) **poli-cenes telloi** Hecq,1999 (Papilionidae) Synonym(s): *telloi* Hecq,1999
- 52863) **Graphium** (Arisbe (poli-cenes-gr.)) **poli-cenoides** (Holland,1892) (Papilionidae) Synonym(s): *poli-cenoides* Holland,1892
- 52864) **Graphium** (Arisbe (poli-cenes-gr.)) **poli-cenoides poli-cenoides** (Holland,1892) (Papilionidae) Synonym(s): *poli-cenoides* Holland,1892
- 52865) **Graphium** (Arisbe (poli-cenes-gr.)) **porthaon** (Hewitson,1865) (Papilionidae) Synonym(s): *porthaon* Hewitson,1865; *#adjectus* Thureau,1903; *vernayi* Van Son,1936.
- 52866) **Graphium** (Arisbe (poli-cenes-gr.)) **porthaon mackiei** Collins & T.Larsen,1991 (Papilionidae) Synonym(s): *mackiei* Collins & T.Larsen,1991.
- 52867) **Graphium** (Arisbe (poli-cenes-gr.)) **porthaon porthaon** (Hewitson,1865) (Papilionidae) Synonym(s): *porthaon* Hewitson,1865; *#adjectus* Thureau,1903; *vernayi* Van Son,1936.
- 52868) **Graphium** (Arisbe (poli-cenes-gr.)) **porthaon tanganyikae** Kielland,1978 (Papilionidae) Synonym(s): *tanganyikae* Kielland,1978
- 52869) **Graphium** (Arisbe (s.str.)) **cyrnus** (Boisduval,1836) (Papilionidae) Synonym(s): *cyrnus* Boisduval,1836
- 52870) **Graphium** (Arisbe (s.str.)) **cyrnus cyrnus** (Boisduval,1836) (Papilionidae) Synonym(s): *cyrnus* Boisduval,1836
- 52871) **Graphium** (Arisbe (s.str.)) **leonidas** (Fabricius,1793) (Papilionidae) Synonym(s): *similis* Cramer,1775 nec Linn.,1758; *leonidas* Fabricius,1793; *brasidas* Felder & Felder,1864; *interniplaga* Aurivillius,1899; *onidale* Suffert,1904; *umanus* Rothschild & Jordan,1905.
- 52872) **Graphium** (Arisbe (s.str.)) **leonidas leonidas** (Fabricius,1793) (Papilionidae) Synonym(s): *similis* Cramer,1775 nec Linn.,1758; *leonidas* Fabricius,1793; *brasidas* Felder & Felder,1864; *interniplaga* Aurivillius,1899; *onidale* Suffert,1904; *umanus* Rothschild & Jordan,1905.
- 52873) **Graphium** (Arisbe (s.str.)) **leonidas pelopidas** Oberthür,1879 (Papilionidae) Synonym(s): *pelopidas* Oberthür,1879; *zanzibaricus* Kielland,1990.
- 52874) **Graphium** (Arisbe (s.str.)) **leonidas santamarthae** (Joicey & Talbot,1927) (Papilionidae) Synonym(s): *santamarthae* Joicey & Talbot,1927.
- 52875) **Graphium** (Arisbe (s.str.)) **leonidas thomasi** (Le Cerf,1924) (Papilionidae) Synonym(s): *thomasi* Le Cerf,1924
- 52876) **Graphium** (Arisbe (s.str.)) **levassori** (Oberthür,1890) (Papilionidae) Synonym(s): *levassori* Oberthür,1890
- 52877) **Graphium** (Arisbe (s.str.)) **levassori levassori** (Oberthür,1890) (Papilionidae) Synonym(s): *levassori* Oberthür,1890
- 52878) **Graphium** (Arisbe (tynderaeus-gr.)) **latreillianus** (Godart,[1819]) (Papilionidae) Synonym(s): *latreillianus* Godart,[1819]
- 52879) **Graphium** (Arisbe (tynderaeus-gr.)) **latreillianus latreillianus** (Godart,[1819]) (Papilionidae) Synonym(s): *latreillianus* Godart,[1819]
- 52880) **Graphium** (Arisbe (tynderaeus-gr.)) **latreillianus theorini** (Aurivillius,1881) (Papilionidae) Synonym(s): *theorini* Aurivillius,1881
- 52881) **Graphium** (Arisbe (tynderaeus-gr.)) **tynderaeus** (Fabricius,1793) (Papilionidae) Synonym(s): *tynderaeus* Fabricius,1793
- 52882) **Graphium** (Arisbe (tynderaeus-gr.)) **tynderaeus tynderaeus** (Fabricius,1793) (Papilionidae) Synonym(s): *tynderaeus* Fabricius,1793
- 52883) **Graphium** (Pathysa (Paranticopsis)) **akikoe** Morita & Shinkai,1996 (Papilionidae) Synonym(s): *akikoe* Morita & Shinkai,1996
- 52884) **Graphium** (Pathysa (Paranticopsis)) **akikoe akikoe** Morita & Shinkai,1996 (Papilionidae) Synonym(s): *akikoe* Morita & Shinkai,1996
- 52885) **Graphium** (Pathysa (Paranticopsis)) **akikoe muhabet** Koçak,2007 (Papilionidae) Synonym(s): *phidias* Oberthür,1896 nec Linn.,1758 non Cr.,1779; *muhabet* Koçak,2007
- 52886) **Graphium** (Pathysa (Paranticopsis)) **delesserti** (Guérin-Méneville,1839) (Papilionidae) Synonym(s): *delesserti* Guérin-Méneville,1839; *laodocus* De Haan,1840; *dehaani* Wallace,1865 nec Felder,1864; *catoris* Grose-Smith,1892.
- 52887) **Graphium** (Pathysa (Paranticopsis)) **delesserti delesserti** (Guérin-Méneville,1839) (Papilionidae) Synonym(s): *delesserti* Guérin-Méneville,1839; *laodocus* De Haan,1840; *dehaani* Wallace,1865 nec Felder,1864; *catoris* Grose-Smith,1892.
- 52888) **Graphium** (Pathysa (Paranticopsis)) **delesserti hyalinus** Fruhstorfer,1901 (Papilionidae) Synonym(s): *hyalinus* Fruhstorfer,1901
- 52889) **Graphium** (Pathysa (Paranticopsis)) **delesserti palawanus** (Staudinger,1889) (Papilionidae) Synonym(s): *palawanus* Staudinger,1889
- 52890) **Graphium** (Pathysa (Paranticopsis)) **delesserti sacerdotalis** Fruhstorfer,1909 (Papilionidae) Synonym(s): *sacerdotalis* Fruhstorfer,1909
- 52891) **Graphium** (Pathysa (Paranticopsis)) **delesserti verbigenus** (Fruhstorfer,1911) (Papilionidae) Synonym(s): *verbigenus* Fruhstorfer,1911
- 52892) **Graphium** (Pathysa (Paranticopsis)) **deucalion** (Boisduval,1836) (Papilionidae) Synonym(s): *deucalion* Boisduval,1836
- 52893) **Graphium** (Pathysa (Paranticopsis)) **deucalion deucalion** (Boisduval,1836) (Papilionidae) Synonym(s): *deucalion* Boisduval,1836
- 52894) **Graphium** (Pathysa (Paranticopsis)) **deucalion felixi** (Joicey & Noakes,1915) (Papilionidae) Synonym(s): *felixi* Joicey & Noakes,1915
- 52895) **Graphium** (Pathysa (Paranticopsis)) **deucalion leucadion** (Staudinger,1884) (Papilionidae) Synonym(s): *leucadion* Staudinger,1884
- 52896) **Graphium** (Pathysa (Paranticopsis)) **ebertorum** Koçak,1983 (Papilionidae) Synonym(s): *ebertorum* Koçak,1983
- 52897) **Graphium** (Pathysa (Paranticopsis)) **ebertorum ebertorum** Koçak,1983 (Papilionidae) Synonym(s): *ebertorum* Koçak,1983
- 52898) **Graphium** (Pathysa (Paranticopsis)) **encelades** (Boisduval,1836) (Papilionidae) Synonym(s): *encelades* Boisduval,1836
- 52899) **Graphium** (Pathysa (Paranticopsis)) **encelades encelades** (Boisduval,1836) (Papilionidae) Synonym(s): *encelades* Boisduval,1836
- 52900) **Graphium** (Pathysa (Paranticopsis)) **idaeoidea** (Hewitson,1855) (Papilionidae) Synonym(s): *idaeoidea* Hewitson,1855
- 52901) **Graphium** (Pathysa (Paranticopsis)) **idaeoidea idaeoidea** (Hewitson,1855) (Papilionidae) Synonym(s): *idaeoidea* Hewitson,1855
- 52902) **Graphium** (Pathysa (Paranticopsis)) **macareus** (Godart,[1819]) (Papilionidae) Synonym(s): *macareus* Godart,[1819]
- 52903) **Graphium** (Pathysa (Paranticopsis)) **macareus albinovanus** (Fruhstorfer,1908) (Papilionidae) Synonym(s): *albinovanus* Fruhstorfer,1908
- 52904) **Graphium** (Pathysa (Paranticopsis)) **macareus burmensis** Moonen,1984 (Papilionidae) Synonym(s): *gynodes* Jordan,1909 nec Fruhst.,1907; *burmensis* Moonen,1984
- 52905) **Graphium** (Pathysa (Paranticopsis)) **macareus indicus** (Rothschild,1895) (Papilionidae) Synonym(s): *indicus* Rothschild,1895; *polynice* De Nicéville,1897.
- 52906) **Graphium** (Pathysa (Paranticopsis)) **macareus indochinensis** (Fruhstorfer,1901) (Papilionidae) Synonym(s): *indochinensis* Fruhstorfer,1901
- 52907) **Graphium** (Pathysa (Paranticopsis)) **macareus lioneli** (Fruhstorfer,1902) (Papilionidae) Synonym(s): *lioneli* Fruhstorfer,1902
- 52908) **Graphium** (Pathysa (Paranticopsis)) **macareus macareus** (Godart,[1819]) (Papilionidae) Synonym(s): *macareus* Godart,[1819]
- 52909) **Graphium** (Pathysa (Paranticopsis)) **macareus macaristus** (Grose-Smith,1887) (Papilionidae) Synonym(s): *macaristus* Grose-Smith,1887; *borneensis* Staudinger,1889.
- 52910) **Graphium** (Pathysa (Paranticopsis)) **macareus mitis** (Jordan,1909) (Papilionidae) Synonym(s): *mitis* Jordan,1909
- 52911) **Graphium** (Pathysa (Paranticopsis)) **macareus palawanicola** Koçak,1980 (Papilionidae) Synonym(s): *palawanicola* Koçak,1980
- 52912) **Graphium** (Pathysa (Paranticopsis)) **macareus perakensis** (Fruhstorfer,1899) (Papilionidae) Synonym(s): *perakensis* Fruhstorfer,1899
- 52913) **Graphium** (Pathysa (Paranticopsis)) **macareus xanthosoma** (Staudinger,1889) (Papilionidae) Synonym(s): *xanthosoma* Staudinger,1889
- 52914) **Graphium** (Pathysa (Paranticopsis)) **megarus** (Westwood,1841) (Papilionidae) Synonym(s): *megarus* Westwood,1841
- 52915) **Graphium** (Pathysa (Paranticopsis)) **megarus fleximacula** (Rothschild,1895) (Papilionidae) Synonym(s): *fleximacula* Rothschild,1895
- 52916) **Graphium** (Pathysa (Paranticopsis)) **megarus marthae** (Toxopeus,1938) (Papilionidae) Synonym(s): *marthae* Toxopeus,1938
- 52917) **Graphium** (Pathysa (Paranticopsis)) **megarus megapenthes** (Fruhstorfer,1902) (Papilionidae) Synonym(s): *megapenthes* Fruhstorfer,1902; *martinus* Fruhstorfer,1902.
- 52918) **Graphium** (Pathysa (Paranticopsis)) **megarus megarus** (Westwood,1841) (Papilionidae) Synonym(s): *megarus* Westwood,1841
- 52919) **Graphium** (Pathysa (Paranticopsis)) **megarus sagittiger** (Fruhstorfer,1901) (Papilionidae) Synonym(s): *sagittiger* Fruhstorfer,1901
- 52920) **Graphium** (Pathysa (Paranticopsis)) **megarus tiomanensis** Eliot,1978 (Papilionidae) Synonym(s): *tiomanensis* Eliot,1978
- 52921) **Graphium** (Pathysa (Paranticopsis)) **megarus tistaensis** O.Bang-Haas,1937 (Papilionidae) Synonym(s): *tistaensis* O.Bang-Haas,1937
- 52922) **Graphium** (Pathysa (Paranticopsis)) **ramaceus** (Westwood,1872) (Papilionidae) Synonym(s): *ramaceus* Westwood,1872
- 52923) **Graphium** (Pathysa (Paranticopsis)) **ramaceus interjectus** Honrath,1912 (Papilionidae) Synonym(s): *interjectus* Honrath,1912
- 52924) **Graphium** (Pathysa (Paranticopsis)) **ramaceus pendleburyi** (Corbet,1941) (Papilionidae) Synonym(s): *leucothoe* Westwood,[1844] (*praeocc.*); *dealbata* Pendlebury,1939 (*praeocc.*); *pendleburyi* Corbet,1941
- 52925) **Graphium** (Pathysa (Paranticopsis)) **ramaceus ramaceus** (Westwood,1872) (Papilionidae) Synonym(s): *ramaceus* Westwood,1872
- 52926) **Graphium** (Pathysa (Paranticopsis)) **stratocles** C.Felder & R.Felder,1861 (Papilionidae) Synonym(s): *stratocles* C.Felder & R.Felder,1861; *magicus* Staudinger,1889.
- 52927) **Graphium** (Pathysa (Paranticopsis)) **stratocles senectus** Tsukada & Nishiyama,1980 (Papilionidae) Synonym(s): *senectus* Tsukada & Nishiyama,1980
- 52928) **Graphium** (Pathysa (Paranticopsis)) **stratocles stratocles** C.Felder & R.Felder,1861 (Papilionidae) Synonym(s): *stratocles* C.Felder & R.Felder,1861; *magicus* Staudinger,1889.
- 52929) **Graphium** (Pathysa (Paranticopsis)) **stratocles stratonices** Jordan,1909 (Papilionidae) Synonym(s): *stratonices* Jordan,1909
- 52930) **Graphium** (Pathysa (Paranticopsis)) **thule** (Wallace,1865) (Papilionidae) Synonym(s): *thule* Wallace,1865; *princeps* Weyer,1902.

- 52931) *Graphium* (*Pathysa* (*Paranticopsis*)) *thule* (Wallace,1865) (*Papilionidae*) Synonym(s): *thule* Wallace,1865; *princeps* Weymer,1902.
- 52932) *Graphium* (*Pathysa* (*Paranticopsis*)) *xenocles* Doubleday,1842 (*Papilionidae*) Synonym(s): *xenocles* Doubleday,1842
- 52933) *Graphium* (*Pathysa* (*Paranticopsis*)) *xenocles* kephisos (Fruhstorfer,1902) (*Papilionidae*) Synonym(s): *kephisos* Fruhstorfer,1902
- 52934) *Graphium* (*Pathysa* (*Paranticopsis*)) *xenocles* lindos (Fruhstorfer,1901) (*Papilionidae*) Synonym(s): *lindos* Fruhstorfer,1901
- 52935) *Graphium* (*Pathysa* (*Paranticopsis*)) *xenocles* xenocles Doubleday,1842 (*Papilionidae*) Synonym(s): *xenocles* Doubleday,1842
- 52936) *Graphium* (*Pathysa* (*Paranticopsis*)) *xenocles* xenocides Fruhstorfer,1902 (*Papilionidae*) Synonym(s): *xenocides* Fruhstorfer,1902
- 52937) *Graphium* (*Pathysa* (s.str.)) *agetes* (Westwood,1843) (*Papilionidae*) Synonym(s): *agetes* Westwood,1843
- 52938) *Graphium* (*Pathysa* (s.str.)) *agetes* agetes (Westwood,1843) (*Papilionidae*) Synonym(s): *agetes* Westwood,1843
- 52939) *Graphium* (*Pathysa* (s.str.)) *agetes* insularis (Staudinger,[1895]) (*Papilionidae*) Synonym(s): *insularis* Staudinger,[1895]
- 52940) *Graphium* (*Pathysa* (s.str.)) *agetes* iponus (Fruhstorfer,1902) (*Papilionidae*) Synonym(s): *iponus* Fruhstorfer,1902
- 52941) *Graphium* (*Pathysa* (s.str.)) *agetes* kinabaluensis Fruhstorfer,1902 (*Papilionidae*) Synonym(s): *kinabaluensis* Fruhstorfer,1902
- 52942) *Graphium* (*Pathysa* (s.str.)) *androcles* (Boisduval,1836) (*Papilionidae*) Synonym(s): *androcles* Boisduval,1836
- 52943) *Graphium* (*Pathysa* (s.str.)) *androcles* androcles (Boisduval,1836) (*Papilionidae*) Synonym(s): *androcles* Boisduval,1836
- 52944) *Graphium* (*Pathysa* (s.str.)) *androcles* cleomenes (Fruhstorfer,1911) (*Papilionidae*) Synonym(s): *cleomenes* Fruhstorfer,1911
- 52945) *Graphium* (*Pathysa* (s.str.)) *antiphates* (Cramer,[1775]) (*Papilionidae*) Synonym(s): *antiphates* Cramer,[1775]
- 52946) *Graphium* (*Pathysa* (s.str.)) *antiphates* alcibiades (Fabricius,1787) (*Papilionidae*) Synonym(s): *alcibiades* Fabricius,1787
- 52947) *Graphium* (*Pathysa* (s.str.)) *antiphates* antiphates (Cramer,[1775]) (*Papilionidae*) Synonym(s): *antiphates* Cramer,[1775]
- 52948) *Graphium* (*Pathysa* (s.str.)) *antiphates* antiphonius Fruhstorfer,1902 (*Papilionidae*) Synonym(s): *antiphonius* Fruhstorfer,1902
- 52949) *Graphium* (*Pathysa* (s.str.)) *antiphates* balius (Jordan,1909) (*Papilionidae*) Synonym(s): *balius* Jordan,1909
- 52950) *Graphium* (*Pathysa* (s.str.)) *antiphates* ceylonicus (Eimer,1889) (*Papilionidae*) Synonym(s): *ceylonicus* Eimer,1889; *antiphanes* Fruhstorfer,1903.
- 52951) *Graphium* (*Pathysa* (s.str.)) *antiphates* itamputi (Butler,1885) (*Papilionidae*) Synonym(s): *itamputi* Butler,1885
- 52952) *Graphium* (*Pathysa* (s.str.)) *antiphates* kalaensis (Rothschild,1896) (*Papilionidae*) Synonym(s): *kalaensis* Rothschild,1896
- 52953) *Graphium* (*Pathysa* (s.str.)) *antiphates* naira (Moore,1903) (*Papilionidae*) Synonym(s): *naira* Moore,1903
- 52954) *Graphium* (*Pathysa* (s.str.)) *antiphates* pompilius (Fabricius,1787) (*Papilionidae*) Synonym(s): *pompilius* Fabricius,1787; *nebulosus* Butler,1881; *continentalis* Eimer,1889.
- 52955) *Graphium* (*Pathysa* (s.str.)) *antiphates* pulauensis Eliot,1983 (*Papilionidae*) Synonym(s): *insularis* Eliot,1978 (*praeocc.*); *pulauensis* Eliot,1983
- 52956) *Graphium* (*Pathysa* (s.str.)) *aristeus* (Cramer,[1782]) (*Papilionidae*) Synonym(s): *aristeus* Cramer,[1782]; *timocrates* C.Felder & R.Felder,[1865].
- 52957) *Graphium* (*Pathysa* (s.str.)) *aristeus* anticrates (Doubleday,1846) (*Papilionidae*) Synonym(s): *anticrates* Doubleday,1846
- 52958) *Graphium* (*Pathysa* (s.str.)) *aristeus* aristeus (Cramer,[1782]) (*Papilionidae*) Synonym(s): *aristeus* Cramer,[1782]; *timocrates* Felder & Felder,[1865].
- 52959) *Graphium* (*Pathysa* (s.str.)) *aristeus* hermocrates (C.Felder & R.Felder,[1865]) (*Papilionidae*) Synonym(s): *hermocrates* Felder,1864; *hermocrates* C.Felder & R.Felder,[1865]; *aristeoides* Eimer,1889; *nigricans* Eimer,1889 (p.168); *nigricans* Eimer,1889 (p.175).
- 52960) *Graphium* (*Pathysa* (s.str.)) *aristeus* parmatius (Gray,[1853]) (*Papilionidae*) Synonym(s): *parmatius* Gray,[1853]; *pherecrates* Felder & Felder,[1865]; *guineensis* Grose-Smith,1894.
- 52961) *Graphium* (*Pathysa* (s.str.)) *aristeus* paron (Godman & Salvin,1879) (*Papilionidae*) Synonym(s): *paron* Godman & Salvin,1879.
- 52962) *Graphium* (*Pathysa* (s.str.)) *decolor* (Staudinger,1888) (*Papilionidae*) Synonym(s): *decolor* Staudinger,1888; *palawanicus* Eimer,1889 *nec* Staudinger,1888.
- 52963) *Graphium* (*Pathysa* (s.str.)) *decolor* cesaella Kemal & Koçak,2005 (*Papilionidae*) Synonym(s): *atratus* Rothschild,1895 *nec* Esp.,1793; *cesaella* Kemal & Koçak,2005
- 52964) *Graphium* (*Pathysa* (s.str.)) *decolor* decolor (Staudinger,1888) (*Papilionidae*) Synonym(s): *decolor* Staudinger,1888; *palawanicus* Eimer,1889 *nec* Staudinger,1888.
- 52965) *Graphium* (*Pathysa* (s.str.)) *decolor* neozebraica Page,1987 (*Papilionidae*) Synonym(s): *neozebraica* Page,1987
- 52966) *Graphium* (*Pathysa* (s.str.)) *decolor* sibuyana Page,1987 (*Papilionidae*) Synonym(s): *sibuyana* Page,1987
- 52967) *Graphium* (*Pathysa* (s.str.)) *decolor* tigris (Semper,1893) (*Papilionidae*) Synonym(s): *tigris* Semper,1893
- 52968) *Graphium* (*Pathysa* (s.str.)) *dorcus* (De Haan,1840) (*Papilionidae*) Synonym(s): *dorcus* De Haan,1840
- 52969) *Graphium* (*Pathysa* (s.str.)) *dorcus* dorcus (De Haan,1840) (*Papilionidae*) Synonym(s): *dorcus* De Haan,1840
- 52970) *Graphium* (*Pathysa* (s.str.)) *dorcus* ventus Tsukada & Nishiyama,1980 (*Papilionidae*) Synonym(s): *ventus* Tsukada & Nishiyama,1980
- 52971) *Graphium* (*Pathysa* (s.str.)) *epaminondas* (Oberthür,1879) (*Papilionidae*) Synonym(s): *epaminondas* Oberthür,1879
- 52972) *Graphium* (*Pathysa* (s.str.)) *epaminondas* epaminondas (Oberthür,1879) (*Papilionidae*) Synonym(s): *epaminondas* Oberthür,1879
- 52973) *Graphium* (*Pathysa* (s.str.)) *euphrates* (C.Felder & R.Felder,1862) (*Papilionidae*) Synonym(s): *euphrates* C.Felder & R.Felder,1862
- 52974) *Graphium* (*Pathysa* (s.str.)) *euphrates* bohollensis Page,1987 (*Papilionidae*) Synonym(s): *bohollensis* Page,1987
- 52975) *Graphium* (*Pathysa* (s.str.)) *euphrates* buhisanus Page,1987 (*Papilionidae*) Synonym(s): *buhisanus* Page,1987
- 52976) *Graphium* (*Pathysa* (s.str.)) *euphrates* cuyoensis Medicielo & Hanafusa,1994 (*Papilionidae*) Synonym(s): *cuyoensis* Medicielo & Hanafusa,1994
- 52977) *Graphium* (*Pathysa* (s.str.)) *euphrates* domaranus Fruhstorfer,1903 (*Papilionidae*) Synonym(s): *domaranus* Fruhstorfer,1903
- 52978) *Graphium* (*Pathysa* (s.str.)) *euphrates* euphrates (C.Felder & R.Felder,1862) (*Papilionidae*) Synonym(s): *euphrates* C.Felder & R.Felder,1862
- 52979) *Graphium* (*Pathysa* (s.str.)) *euphrates* ornatus (Rothschild,1895) (*Papilionidae*) Synonym(s): *ornatus* Rothschild,1895
- 52980) *Graphium* (*Pathysa* (s.str.)) *euphratoides* Eimer,1889 (*Papilionidae*) Synonym(s): *euphratoides* Eimer,1889
- 52981) *Graphium* (*Pathysa* (s.str.)) *euphratoides* euphratoides Eimer,1889 (*Papilionidae*) Synonym(s): *euphratoides* Eimer,1889
- 52982) *Graphium* (*Pathysa* (s.str.)) *nomius* (Esper,1798) (*Papilionidae*) Synonym(s): *nomius* Esper,1798
- 52983) *Graphium* (*Pathysa* (s.str.)) *nomius* nomius (Esper,1798) (*Papilionidae*) Synonym(s): *nomius* Esper,1798
- 52984) *Graphium* (*Pathysa* (s.str.)) *nomius* swinhoei (Moore,1878) (*Papilionidae*) Synonym(s): *swinhoei* Moore,1878
- 52985) *Graphium* (*Pathysa* (s.str.)) *rhesus* (Boisduval,1836) (*Papilionidae*) Synonym(s): *rhesus* Boisduval,1836
- 52986) *Graphium* (*Pathysa* (s.str.)) *rhesus* parvimacula (Joicey & Talbot,1922) (*Papilionidae*) Synonym(s): *parvimacula* Joicey & Talbot,1922
- 52987) *Graphium* (*Pathysa* (s.str.)) *rhesus* raphia (Jordan,1909) (*Papilionidae*) Synonym(s): *raphia* Jordan,1909
- 52988) *Graphium* (*Pathysa* (s.str.)) *rhesus* rhesulus Fruhstorfer,1902 (*Papilionidae*) Synonym(s): *rhesulus* Fruhstorfer,1902
- 52989) *Graphium* (*Pathysa* (s.str.)) *rhesus* rhesus (Boisduval,1836) (*Papilionidae*) Synonym(s): *rhesus* Boisduval,1836
- 52990) *Graphium* (*Pathysa* (s.str.)) *stratiotes* Grose-Smith,1887 (*Papilionidae*) Synonym(s): *stratiotes* Grose-Smith,1887
- 52991) *Graphium* (*Pathysa* (s.str.)) *stratiotes* stratiotes Grose-Smith,1887 (*Papilionidae*) Synonym(s): *stratiotes* Grose-Smith,1887
- 52992) *Graphium* (*Pathysa* (s.str.)) *swinhoei* (Moore,1878) (*Papilionidae*) Synonym(s): *swinhoei* Moore,1878; *hainana* Chou & Gu,1994
- 52993) *Graphium* (*Pathysa* (s.str.)) *swinhoei* swinhoei (Moore,1878) (*Papilionidae*) Synonym(s): *swinhoei* Moore,1878; *hainana* Chou & Gu,1994
- 52994) *Graphium* (*Pazala* (s.str.)) *alebion* (Gray,[1853]) (*Papilionidae*) Synonym(s): *alebion* Gray,[1853]; *mariesi* Butler,1881
- 52995) *Graphium* (*Pazala* (s.str.)) *alebion* alebion (Gray,[1853]) (*Papilionidae*) Synonym(s): *alebion* Gray,[1853]; *mariesi* Butler,1881
- 52996) *Graphium* (*Pazala* (s.str.)) *alebion* timur (Ney,1911) (*Papilionidae*) Synonym(s): *timur* Ney,1911; *#timor* Draeseke,1923.
- 52997) *Graphium* (*Pazala* (s.str.)) *eurous* (Leech,1893) (*Papilionidae*) Synonym(s): *eurous* Leech,1893
- 52998) *Graphium* (*Pazala* (s.str.)) *eurous* asakurae (Matsumura,1907) (*Papilionidae*) Synonym(s): *asakurae* Matsumura,1907; *formosanus* Oberthür,1908 *nec* Rotsch.,1896; *koxinga* Wileman,1909 *nec* Fruhst.,1908
- 52999) *Graphium* (*Pazala* (s.str.)) *eurous* caschmirensis (Rothschild,1895) (*Papilionidae*) Synonym(s): *caschmirensis* Rothschild,1895; *#caschmirensis* Moore,1903.
- 53000) *Graphium* (*Pazala* (s.str.)) *eurous* chungianus (Murayama,1961) (*Papilionidae*) Synonym(s): *chungianus* Murayama,1961; *tayal* Shirozu,1961
- 53001) *Graphium* (*Pazala* (s.str.)) *eurous* eurous (Leech,1893) (*Papilionidae*) Synonym(s): *eurous* Leech,1893
- 53002) *Graphium* (*Pazala* (s.str.)) *eurous* inthanon (Katayama,1986) (*Papilionidae*) Synonym(s): *inthanon* Katayama,1986
- 53003) *Graphium* (*Pazala* (s.str.)) *eurous* sikkimica (Heron,1899) (*Papilionidae*) Synonym(s): *sikkimica* Heron,1899
- 53004) *Graphium* (*Pazala* (s.str.)) *incertus* (O.Bang-Haas,1927) (*Papilionidae*) Synonym(s): *incertus* O.Bang-Haas,1927
- 53005) *Graphium* (*Pazala* (s.str.)) *incertus* incertus (O.Bang-Haas,1927) (*Papilionidae*) Synonym(s): *incertus* O.Bang-Haas,1927
- 53006) *Graphium* (*Pazala* (s.str.)) *mandarinus* (Oberthür,1879) (*Papilionidae*) Synonym(s): *mandarinus* Oberthür,1879
- 53007) *Graphium* (*Pazala* (s.str.)) *mandarinus* mandarinus (Oberthür,1879) (*Papilionidae*) Synonym(s): *mandarinus* Oberthür,1879
- 53008) *Graphium* (*Pazala* (s.str.)) *paphus* (De Nicéville,1886) (*Papilionidae*) Synonym(s): *glycerion* Gray,1831 *nec* Borkh.,1788; *paphus* De Nicéville,1886
- 53009) *Graphium* (*Pazala* (s.str.)) *paphus* paphus (De Nicéville,1886) (*Papilionidae*) Synonym(s): *glycerion* Gray,1831 *nec* Borkh.,1788; *paphus* De Nicéville,1886
- 53010) *Graphium* (*Pazala* (s.str.)) *tamerlanus* (Oberthür,1876) (*Papilionidae*) Synonym(s): *tamerlanus* Oberthür,1876
- 53011) *Graphium* (*Pazala* (s.str.)) *tamerlanus* taliensis (O.Bang-Haas,1927) (*Papilionidae*) Synonym(s): *taliensis* O.Bang-Haas,1927

- 53012) *Graphium* (Pazala (s.str.)) *tamerlanus tamerlanus* (Oberthür,1876) (Papilionidae) Synonym(s): *tamerlanus Oberthür,1876*
- 53013) *Graphium* (s.str. (Eurypyleana)) *arycles* (Boisduval,1836) (Papilionidae) Synonym(s): *arycles Boisduval,1836; rama C.Felder,1860.*
- 53014) *Graphium* (s.str. (Eurypyleana)) *arycles aryctoideus* (Fruhstorfer,1901) (Papilionidae) Synonym(s): *aryctoideus Fruhstorfer,1901*
- 53015) *Graphium* (s.str. (Eurypyleana)) *arycles arycales* (Boisduval,1836) (Papilionidae) Synonym(s): *arycles Boisduval,1836; rama C.Felder,1860.*
- 53016) *Graphium* (s.str. (Eurypyleana)) *arycles masal Koçak & Kemal,2000* (Papilionidae) Synonym(s): *sphinx Fruhstorfer,1899 nec Fabr.,1775; masal Koçak & Kemal,2000*
- 53017) *Graphium* (s.str. (Eurypyleana)) *arycles perinthus Fruhstorfer,1915* (Papilionidae) Synonym(s): *perinthus Fruhstorfer,1915*
- 53018) *Graphium* (s.str. (Eurypyleana)) *bathycles* (Zincken,1831) (Papilionidae) Synonym(s): *bathycles Zincken,1831*
- 53019) *Graphium* (s.str. (Eurypyleana)) *bathycles bathycles* (Zincken,1831) (Papilionidae) Synonym(s): *bathycles Zincken,1831*
- 53020) *Graphium* (s.str. (Eurypyleana)) *bathycles bathycloides Honrath,1884* (Papilionidae) Synonym(s): *bathycloides Honrath,1884; manlius Fruhstorfer,1908 nec Fabricius,1798.*
- 53021) *Graphium* (s.str. (Eurypyleana)) *bathycles tereus* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *tereus Fruhstorfer,1908*
- 53022) *Graphium* (s.str. (Eurypyleana)) *chironides* (Honrath,1884) (Papilionidae) Synonym(s): *chiron Wallace,1865 nec Rott.,1775; chironides Honrath,1884; #chironicum Pinratana,1992.*
- 53023) *Graphium* (s.str. (Eurypyleana)) *chironides chironides* (Honrath,1884) (Papilionidae) Synonym(s): *chiron Wallace,1865 nec Rott.,1775; chironides Honrath,1884; #chironicum Pinratana,1992.*
- 53024) *Graphium* (s.str. (Eurypyleana)) *chironides malayanum Eliot,1982* (Papilionidae) Synonym(s): *malayanum Eliot,1982*
- 53025) *Graphium* (s.str. (Eurypyleana)) *doson* (C.Felder & R.Felder,1864) (Papilionidae) Synonym(s): *doson C.Felder & R.Felder,1864*
- 53026) *Graphium* (s.str. (Eurypyleana)) *doson actor* (Fruhstorfer,1907) (Papilionidae) Synonym(s): *axion C.Felder & R.Felder,1864 nec Boisd.,1832; actor Fruhstorfer,1907.*
- 53027) *Graphium* (s.str. (Eurypyleana)) *doson aykut Koçak & Kemal,2000* (Papilionidae) Synonym(s): *mikado Leech,1887 nec micado Pagenst.,1875; aykut Koçak & Kemal,2000.*
- 53028) *Graphium* (s.str. (Eurypyleana)) *doson cleius* (Fruhstorfer,1907) (Papilionidae) Synonym(s): *cleius Fruhstorfer,1907*
- 53029) *Graphium* (s.str. (Eurypyleana)) *doson doson* (C.Felder & R.Felder,1864) (Papilionidae) Synonym(s): *doson C.Felder & R.Felder,1864*
- 53030) *Graphium* (s.str. (Eurypyleana)) *doson eurypylides* (Staudinger,1895) (Papilionidae) Synonym(s): *eurypylides Staudinger,1895*
- 53031) *Graphium* (s.str. (Eurypyleana)) *doson evemonides* (Honrath,1884) (Papilionidae) Synonym(s): *evemonides Honrath,1884*
- 53032) *Graphium* (s.str. (Eurypyleana)) *doson gyndes Fruhstorfer,1907* (Papilionidae) Synonym(s): *gyndes Fruhstorfer,1907*
- 53033) *Graphium* (s.str. (Eurypyleana)) *doson kajanga* (Corbet,1937) (Papilionidae) Synonym(s): *kajanga Corbet,1937*
- 53034) *Graphium* (s.str. (Eurypyleana)) *doson nauta Tsukada & Nishiyama,1980* (Papilionidae) Synonym(s): *nauta Tsukada & Nishiyama,1980*
- 53035) *Graphium* (s.str. (Eurypyleana)) *doson postianus Fruhstorfer,1908* (Papilionidae) Synonym(s): *postianus Fruhstorfer,1908*
- 53036) *Graphium* (s.str. (Eurypyleana)) *doson rubroplaga* (Rothschild,1895) (Papilionidae) Synonym(s): *telephus Weymer,1885 nec Feld.,1865; rubroplaga Rothschild,1895.*
- 53037) *Graphium* (s.str. (Eurypyleana)) *doson sankapaur* (Fruhstorfer,1904) (Papilionidae) Synonym(s): *sankapaur Fruhstorfer,1904*
- 53038) *Graphium* (s.str. (Eurypyleana)) *eurypylus* (Linnaeus,1758) (Papilionidae) Synonym(s): *eurypylus Linnaeus,1758.*
- 53039) *Graphium* (s.str. (Eurypyleana)) *eurypylus acheron* (Moore,1885) (Papilionidae) Synonym(s): *acheron Moore,1885; #cheronus Fruhstorfer,1903*
- 53040) *Graphium* (s.str. (Eurypyleana)) *eurypylus aloricus* (Fruhstorfer,1909) (Papilionidae) Synonym(s): *aloricus Fruhstorfer,1909*
- 53041) *Graphium* (s.str. (Eurypyleana)) *eurypylus arctofasciatus* (Lathy,1899) (Papilionidae) Synonym(s): *arctofasciatus Lathy,1899; sulanus Fruhstorfer,1901.*
- 53042) *Graphium* (s.str. (Eurypyleana)) *eurypylus cheronus* (Fruhstorfer,1903) (Papilionidae) Synonym(s): *cheronus Fruhstorfer,1903*
- 53043) *Graphium* (s.str. (Eurypyleana)) *eurypylus eurypylus* (Linnaeus,1758) (Papilionidae) Synonym(s): *eurypylus Linnaeus,1758*
- 53044) *Graphium* (s.str. (Eurypyleana)) *eurypylus extensus* (Rothschild,1895) (Papilionidae) Synonym(s): *extensus Rothschild,1895*
- 53045) *Graphium* (s.str. (Eurypyleana)) *eurypylus gordion* (C.Felder & R.Felder,[1865]) (Papilionidae) Synonym(s): *#gordion C.Felder,1864; gordion C.Felder & R.Felder,[1865].*
- 53046) *Graphium* (s.str. (Eurypyleana)) *eurypylus insularius* (Rothschild,1896) (Papilionidae) Synonym(s): *insularius Rothschild,1896; lucius Fruhstorfer,1903; #insularis D'Abrera,1982.*
- 53047) *Graphium* (s.str. (Eurypyleana)) *eurypylus juba* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *juba Fruhstorfer,1908*
- 53048) *Graphium* (s.str. (Eurypyleana)) *eurypylus kaicola Koçak,1983* (Papilionidae) Synonym(s): *melampus Rothschild,1896 nec Fuessly,1775; kaicola Koçak,1983.*
- 53049) *Graphium* (s.str. (Eurypyleana)) *eurypylus lepidus Fruhstorfer,1904* (Papilionidae) Synonym(s): *lepidus Fruhstorfer,1904*
- 53050) *Graphium* (s.str. (Eurypyleana)) *eurypylus lycanoides* (Rothschild,1895) (Papilionidae) Synonym(s): *lycanoides Rothschild,1895*
- 53051) *Graphium* (s.str. (Eurypyleana)) *eurypylus macronius* (Jordan,1909) (Papilionidae) Synonym(s): *macronius Jordan,1909*
- 53052) *Graphium* (s.str. (Eurypyleana)) *eurypylus mecisteus Distant,1885* (Papilionidae) Synonym(s): *mecisteus Distant,1885; daton Fruhstorfer,1908*
- 53053) *Graphium* (s.str. (Eurypyleana)) *eurypylus nyctimus Waterhouse & Lyell,1914* (Papilionidae) Synonym(s): *nyctimus Waterhouse & Lyell,1914*
- 53054) *Graphium* (s.str. (Eurypyleana)) *eurypylus sallastinus* (Fruhstorfer,1903) (Papilionidae) Synonym(s): *sallastinus Fruhstorfer,1903*
- 53055) *Graphium* (s.str. (Eurypyleana)) *eurypylus sallastius* (Staudinger,1895) (Papilionidae) Synonym(s): *sallastius Staudinger,1895.*
- 53056) *Graphium* (s.str. (Eurypyleana)) *eurypylus sangirus Oberthür,1879* (Papilionidae) Synonym(s): *sangirus Oberthür,1879*
- 53057) *Graphium* (s.str. (Eurypyleana)) *eurypylus subhi Koçak & Kemal,2000* (Papilionidae) Synonym(s): *lycaon C.Felder & R.Felder,[1865] nec Kuhn,1774; subhi Koçak & Kemal,2000*
- 53058) *Graphium* (s.str. (Eurypyleana)) *eurypylus telephus* (Wallace,1865) (Papilionidae) Synonym(s): *pamphylus Felder & Felder,[1865] nec pamphilus Linnaeus,1758; telephus Wallace,1865 nec Felder & Felder,[1865].*
- 53059) *Graphium* (s.str. (Eurypyleana)) *evemon* (Boisduval,1836) (Papilionidae) Synonym(s): *evemon Boisduval,1836*
- 53060) *Graphium* (s.str. (Eurypyleana)) *evemon albociliatus* (Fruhstorfer,1901) (Papilionidae) Synonym(s): *albociliatus Fruhstorfer,1901*
- 53061) *Graphium* (s.str. (Eurypyleana)) *evemon evemon* (Boisduval,1836) (Papilionidae) Synonym(s): *evemon Boisduval,1836*
- 53062) *Graphium* (s.str. (Eurypyleana)) *evemon eventus* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *eventus Fruhstorfer,1908*
- 53063) *Graphium* (s.str. (Eurypyleana)) *evemon igneolus Fruhstorfer,1901* (Papilionidae) Synonym(s): *igneolus Fruhstorfer,1901*
- 53064) *Graphium* (s.str. (Eurypyleana)) *meyeri* (Hopffer,1874) (Papilionidae) Synonym(s): *meyeri Hopffer,1874*
- 53065) *Graphium* (s.str. (Eurypyleana)) *meyeri extremum Tsukada & Nishiyama,1980* (Papilionidae) Synonym(s): *extremum Tsukada & Nishiyama,1980*
- 53066) *Graphium* (s.str. (Eurypyleana)) *meyeri meyeri* (Hopffer,1874) (Papilionidae) Synonym(s): *meyeri Hopffer,1874*
- 53067) *Graphium* (s.str. (Eurypyleana)) *procles Grose-Smith,1887* (Papilionidae) Synonym(s): *procles Grose-Smith,1887*
- 53068) *Graphium* (s.str. (Eurypyleana)) *procles procles* (Grose-Smith,1887) (Papilionidae) Synonym(s): *procles Grose-Smith,1887*
- 53069) *Graphium* (s.str. (Eurypyleana)) *stresemanni Rothschild,1916* (Papilionidae) Synonym(s): *stresemanni Rothschild,1916*
- 53070) *Graphium* (s.str. (Eurypyleana)) *stresemanni Rothschild,1916* (Papilionidae) Synonym(s): *stresemanni Rothschild,1916*
- 53071) *Graphium* (s.str. (Macfarlaneana)) *agamemnon* (Linnaeus,1758) (Papilionidae) Synonym(s): *agamemnon Linnaeus,1758; aegisthus Linnaeus,1763; dorylas Sulzer,1776 nec [Denis & Schiffermüller],1775.*
- 53072) *Graphium* (s.str. (Macfarlaneana)) *agamemnon admiralis* (Rothschild,1915) (Papilionidae) Synonym(s): *admiralis Rothschild,1915*
- 53073) *Graphium* (s.str. (Macfarlaneana)) *agamemnon agamemnon* (Linnaeus,1758) (Papilionidae) Synonym(s): *agamemnon Linnaeus,1758; aegisthus Linnaeus,1763; dorylas Sulzer,1776 nec [Denis & Schiffermüller],1775.*
- 53074) *Graphium* (s.str. (Macfarlaneana)) *agamemnon amannisa Koçak & Kemal,2000* (Papilionidae) Synonym(s): *baweana Hagen,1896 nec Hag.,1896; aelius Fruhstorfer,1903 nec aelia Hoffmanns.,1804; amannisa Koçak & Kemal,2000.*
- 53075) *Graphium* (s.str. (Macfarlaneana)) *agamemnon anadamanica Lathy,1899* (Papilionidae) Synonym(s): *anadamanica Lathy,1899*
- 53076) *Graphium* (s.str. (Macfarlaneana)) *agamemnon argynnus* (Druce,1888) (Papilionidae) Synonym(s): *argynnus Druce,1888*
- 53077) *Graphium* (s.str. (Macfarlaneana)) *agamemnon atropictus Fruhstorfer,1904* (Papilionidae) Synonym(s): *atropictus Fruhstorfer,1904*
- 53078) *Graphium* (s.str. (Macfarlaneana)) *agamemnon comodus* (Fruhstorfer,1903) (Papilionidae) Synonym(s): *celebensis Fickert,1889 nec Wallace,1865; comodus Fruhstorfer,1903.*
- 53079) *Graphium* (s.str. (Macfarlaneana)) *agamemnon decoratus* (Rothschild,1895) (Papilionidae) Synonym(s): *decoratus Rothschild,1895*
- 53080) *Graphium* (s.str. (Macfarlaneana)) *agamemnon exilis* (Rothschild,1895) (Papilionidae) Synonym(s): *exilis Rothschild,1895*
- 53081) *Graphium* (s.str. (Macfarlaneana)) *agamemnon guttatus* (Rothschild,1895) (Papilionidae) Synonym(s): *guttatus Rothschild,1895*
- 53082) *Graphium* (s.str. (Macfarlaneana)) *agamemnon ligatus* (Rothschild,1895) (Papilionidae) Synonym(s): *ligatus Rothschild,1895; atreus Fruhstorfer,1903*
- 53083) *Graphium* (s.str. (Macfarlaneana)) *agamemnon menides* (Fruhstorfer,1904) (Papilionidae) Synonym(s): *menides Fruhstorfer,1904*

- 53084) *Graphium* (s.str. (Macfarlaneana)) *agamemnon meton Fruhstorfer, 1904* (Papilionidae) Synonym(s): *meton Fruhstorfer, 1904*
- 53085) *Graphium* (s.str. (Macfarlaneana)) *agamemnon neopommeranius (Honrath, 1887)* (Papilionidae) Synonym(s): *neopommeranius Honrath, 1887*
- 53086) *Graphium* (s.str. (Macfarlaneana)) *agamemnon obliteratus Lathy, 1899* (Papilionidae) Synonym(s): *obliteratus Lathy, 1899*
- 53087) *Graphium* (s.str. (Macfarlaneana)) *agamemnon plisthenes (C.Felder & R.Felder, 1865)* (Papilionidae) Synonym(s): *plisthenes C.Felder & R.Felder, 1865*
- 53088) *Graphium* (s.str. (Macfarlaneana)) *agamemnon pulo (Evans, 1932)* (Papilionidae) Synonym(s): *pulo Evans, 1932*
- 53089) *Graphium* (s.str. (Macfarlaneana)) *agamemnon rufopenus (Fruhstorfer, 1898)* (Papilionidae) Synonym(s): *rufopenus Fruhstorfer, 1898*
- 53090) *Graphium* (s.str. (Macfarlaneana)) *agamemnon salomonis (Rothschild, 1895)* (Papilionidae) Synonym(s): *salomonis Rothschild, 1895*
- 53091) *Graphium* (s.str. (Macfarlaneana)) *agamemnon ugiensis (Jordan, 1909)* (Papilionidae) Synonym(s): *ugiensis Jordan, 1909*
- 53092) *Graphium* (s.str. (Macfarlaneana)) *macfarlanei (Butler, 1877)* (Papilionidae) Synonym(s): *macfarlanei Butler, 1877*
- 53093) *Graphium* (s.str. (Macfarlaneana)) *macfarlanei admiralia (Rothschild, 1915)* (Papilionidae) Synonym(s): *admiralia Rothschild, 1915*
- 53094) *Graphium* (s.str. (Macfarlaneana)) *macfarlanei cestius Fruhstorfer, 1903* (Papilionidae) Synonym(s): *cestius Fruhstorfer, 1903*
- 53095) *Graphium* (s.str. (Macfarlaneana)) *macfarlanei macfarlanei (Butler, 1877)* (Papilionidae) Synonym(s): *macfarlanei Butler, 1877*
- 53096) *Graphium* (s.str. (Macfarlaneana)) *macfarlanei seminigra (Butler, 1882)* (Papilionidae) Synonym(s): *seminigra Butler, 1882; aegistiades Honrath, 1888; seminigra Rothschild, 1895.*
- 53097) *Graphium* (s.str. (Macfarlaneana)) *meeki Rothschild, 1901* (Papilionidae) Synonym(s): *meeki Rothschild, 1901*
- 53098) *Graphium* (s.str. (Macfarlaneana)) *meeki meeki Rothschild, 1901* (Papilionidae) Synonym(s): *meeki Rothschild, 1901*
- 53099) *Graphium* (s.str. (Wallaceana)) *browni (Godman & Salvin, 1879)* (Papilionidae) Synonym(s): *browni Godman & Salvin, 1879*
- 53100) *Graphium* (s.str. (Wallaceana)) *browni browni (Godman & Salvin, 1879)* (Papilionidae) Synonym(s): *browni Godman & Salvin, 1879*
- 53101) *Graphium* (s.str. (Wallaceana)) *hicetaon (Mathew, 1886)* (Papilionidae) Synonym(s): *hicetaon Mathew, 1886*
- 53102) *Graphium* (s.str. (Wallaceana)) *hicetaon hicetaon (Mathew, 1886)* (Papilionidae) Synonym(s): *hicetaon Mathew, 1886*
- 53103) *Graphium* (s.str. (Wallaceana)) *wallacei (Hewitson, 1859)* (Papilionidae) Synonym(s): *wallacei Hewitson, 1859*
- 53104) *Graphium* (s.str. (Wallaceana)) *wallacei rubrosignatus (Rothschild, 1895)* (Papilionidae) Synonym(s): *rubrosignatus Rothschild, 1895*
- 53105) *Graphium* (s.str. (Wallaceana)) *wallacei wallacei (Hewitson, 1859)* (Papilionidae) Synonym(s): *wallacei Hewitson, 1859*
- 53106) *Graphium* (s.str. (Zetides)) *cloanthus (Westwood, 1841)* (Papilionidae) Synonym(s): *cloanthus Westwood, 1841*
- 53107) *Graphium* (s.str. (Zetides)) *cloanthus cloanthus (Westwood, 1841)* (Papilionidae) Synonym(s): *cloanthus Westwood, 1841*
- 53108) *Graphium* (s.str. (Zetides)) *cloanthus kuge (Fruhstorfer, 1908)* (Papilionidae) Synonym(s): *kuge Fruhstorfer, 1908*
- 53109) *Graphium* (s.str. (Zetides)) *cloanthus nyghmat Koçak & Kemal, 2000* (Papilionidae) Synonym(s): *clymenus Leech, 1893 nec Stoll, [1782]; nyghmat Koçak & Kemal, 2000.*
- 53110) *Graphium* (s.str. (Zetides)) *codrus (Cramer, 1776)* (Papilionidae) Synonym(s): *codrus Cramer, 1776*
- 53111) *Graphium* (s.str. (Zetides)) *codrus auratus (Rothschild, 1898)* (Papilionidae) Synonym(s): *auratus Rothschild, 1898*
- 53112) *Graphium* (s.str. (Zetides)) *codrus celebensis (Wallace, 1865)* (Papilionidae) Synonym(s): *celebensis Wallace, 1865*
- 53113) *Graphium* (s.str. (Zetides)) *codrus codrus (Cramer, 1776)* (Papilionidae) Synonym(s): *codrus Cramer, 1776*
- 53114) *Graphium* (s.str. (Zetides)) *codrus gilolensis (Wallace, 1865)* (Papilionidae) Synonym(s): *gilolensis Wallace, 1865*
- 53115) *Graphium* (s.str. (Zetides)) *codrus medon (Felder, 1864)* (Papilionidae) Synonym(s): *codrus De Haan, 1840 nec Cramer, [1776]; medon Felder, 1864.*
- 53116) *Graphium* (s.str. (Zetides)) *codrus melanthus (C.Felder & R.Felder, 1862)* (Papilionidae) Synonym(s): *melanthus C.Felder & R.Felder, 1862*
- 53117) *Graphium* (s.str. (Zetides)) *codrus pisidice (Godman & Salvin, 1888)* (Papilionidae) Synonym(s): *pisidice Godman & Salvin, 1888*
- 53118) *Graphium* (s.str. (Zetides)) *codrus segonax (Godman & Salvin, 1878)* (Papilionidae) Synonym(s): *segonax Godman & Salvin, 1878*
- 53119) *Graphium* (s.str. (Zetides)) *codrus stiris (Jordan, 1909)* (Papilionidae) Synonym(s): *stiris Jordan, 1909*
- 53120) *Graphium* (s.str. (Zetides)) *codrus taloranus (Jordan, 1909)* (Papilionidae) Synonym(s): *taloranus Jordan, 1909*
- 53121) *Graphium* (s.str. (Zetides)) *codrus tenebrionis (Rothschild, 1895)* (Papilionidae) Synonym(s): *tenebrionis Rothschild, 1895*
- 53122) *Graphium* (s.str. (Zetides)) *codrus toealensis (Rothschild, 1896)* (Papilionidae) Synonym(s): *toealensis Rothschild, 1896*
- 53123) *Graphium* (s.str. (Zetides)) *codrus yayoeae Nihira & Kawamura, 1986* (Papilionidae) Synonym(s): *yayoeae Nihira & Kawamura, 1986*
- 53124) *Graphium* (s.str. (Zetides)) *empedovana Corbet, 1941* (Papilionidae) Synonym(s): *empedovana Corbet, 1941*
- 53125) *Graphium* (s.str. (Zetides)) *empedovana empedovana Corbet, 1941* (Papilionidae) Synonym(s): *empedovana Corbet, 1941*
- 53126) *Graphium* (s.str. (Zetides)) *macleyanum (Leach, 1814)* (Papilionidae) Synonym(s): *macleyanum Leach, 1814*
- 53127) *Graphium* (s.str. (Zetides)) *macleyanum insulanum Waterhouse, 1920* (Papilionidae) Synonym(s): *insulanum Waterhouse, 1920*
- 53128) *Graphium* (s.str. (Zetides)) *macleyanum macleyanum (Leach, 1814)* (Papilionidae) Synonym(s): *macleyanum Leach, 1814*
- 53129) *Graphium* (s.str. (Zetides)) *macleyanum moggana Couchman, 1965* (Papilionidae) Synonym(s): *moggana Couchman, 1965*
- 53130) *Graphium* (s.str. (Zetides)) *megasthenes (Mathew, 1889)* (Papilionidae) Synonym(s): *gelon Boisduval, 1859 nec Stoll, [1787]; megasthenes Mathew, 1889.*
- 53131) *Graphium* (s.str. (Zetides)) *megasthenes megasthenes (Mathew, 1889)* (Papilionidae) Synonym(s): *gelon Boisduval, 1859 nec Stoll, [1787]; megasthenes Mathew, 1889.*
- 53132) *Graphium* (s.str. (Zetides)) *monticolus Fruhstorfer, 1897* (Papilionidae) Synonym(s): *monticolus Fruhstorfer, 1897*
- 53133) *Graphium* (s.str. (Zetides)) *monticolus monticolus Fruhstorfer, 1897* (Papilionidae) Synonym(s): *monticolus Fruhstorfer, 1897*
- 53134) *Graphium* (s.str. (Zetides)) *saltanat Koçak & Kemal, 2000* (Papilionidae) Synonym(s): *sumatranus Hagen, [1894] nec sumatranus Hag., [1894] (p.20, 21).*
- 53135) *Graphium* (s.str. (Zetides)) *saltanat saltanat Koçak & Kemal, 2000* (Papilionidae) Synonym(s): *sumatranus Hagen, [1894] nec sumatranus Hag., [1894] (p.20, 21).*
- 53136) *Graphium* (s.str. (Zetides)) *sandawanum Yamamoto, 1977* (Papilionidae) Synonym(s): *sandawanum Yamamoto, 1977*
- 53137) *Graphium* (s.str. (Zetides)) *sandawanum joreli Nuyda, 1994* (Papilionidae) Synonym(s): *joreli Nuyda, 1994*
- 53138) *Graphium* (s.str. (Zetides)) *sandawanum sandawanum Yamamoto, 1977* (Papilionidae) Synonym(s): *sandawanum Yamamoto, 1977*
- 53139) *Graphium* (s.str. (Zetides)) *sarpedon (Linnaeus, 1758)* (Papilionidae) Synonym(s): *sarpedon Linnaeus, 1758; #helena Swainson, 1851; parsedon Westwood, 1872.*
- 53140) *Graphium* (s.str. (Zetides)) *sarpedon adonarensis (Rothschild, 1896)* (Papilionidae) Synonym(s): *adonarensis Rothschild, 1896*
- 53141) *Graphium* (s.str. (Zetides)) *sarpedon anthedon (Felder, 1864)* (Papilionidae) Synonym(s): *anthedon Felder, 1864; moluccensis Wallace, 1865.*
- 53142) *Graphium* (s.str. (Zetides)) *sarpedon cesa Koçak & Kemal, 2000* (Papilionidae) Synonym(s): *timorensis Rothschild, 1896 nec Feld., 1864; cesa Koçak & Kemal, 2000*
- 53143) *Graphium* (s.str. (Zetides)) *sarpedon choredon (Felder, 1864)* (Papilionidae) Synonym(s): *choredon Felder, 1864; messogis Fruhstorfer, 1907.*
- 53144) *Graphium* (s.str. (Zetides)) *sarpedon coelius (Fruhstorfer, 1898)* (Papilionidae) Synonym(s): *coelius Fruhstorfer, 1898; sulaensis Lathy, 1899.*
- 53145) *Graphium* (s.str. (Zetides)) *sarpedon connectens (Fruhstorfer, 1908)* (Papilionidae) Synonym(s): *connectens Fruhstorfer, 1908; surusumi Matsumura, 1910; latifascia Kato, 1926*
- 53146) *Graphium* (s.str. (Zetides)) *sarpedon crudus (Rothschild, 1898)* (Papilionidae) Synonym(s): *crudus Rothschild, 1898*
- 53147) *Graphium* (s.str. (Zetides)) *sarpedon dodingensis (Rothschild, 1896)* (Papilionidae) Synonym(s): *dodingensis Rothschild, 1896*
- 53148) *Graphium* (s.str. (Zetides)) *sarpedon impar Rothschild, 1895* (Papilionidae) Synonym(s): *impar Rothschild, 1895*
- 53149) *Graphium* (s.str. (Zetides)) *sarpedon imparilis Rothschild, 1895* (Papilionidae) Synonym(s): *imparilis Rothschild, 1895; #unparilis D'Abrera, 1971.*
- 53150) *Graphium* (s.str. (Zetides)) *sarpedon isander (Godman & Salvin, 1888)* (Papilionidae) Synonym(s): *isander Godman & Salvin, 1888*
- 53151) *Graphium* (s.str. (Zetides)) *sarpedon jugans (Rothschild, 1896)* (Papilionidae) Synonym(s): *jugans Rothschild, 1896*
- 53152) *Graphium* (s.str. (Zetides)) *sarpedon luctatius (Fruhstorfer, 1907)* (Papilionidae) Synonym(s): *luctatius Fruhstorfer, 1907*
- 53153) *Graphium* (s.str. (Zetides)) *sarpedon milon (C.Felder & R.Felder, 1865)* (Papilionidae) Synonym(s): *#milon C.Felder & R.Felder, 1864; milon C.Felder & R.Felder, 1865; milonides Wallace, 1865; milonides Honrath, 1884; citricinctus Fruhstorfer, 1898.*
- 53154) *Graphium* (s.str. (Zetides)) *sarpedon nipponus (Fruhstorfer, 1903)* (Papilionidae) Synonym(s): *nipponus Fruhstorfer, 1903*
- 53155) *Graphium* (s.str. (Zetides)) *sarpedon rufocellularis Fruhstorfer, 1905* (Papilionidae) Synonym(s): *rufocellularis Fruhstorfer, 1905*
- 53156) *Graphium* (s.str. (Zetides)) *sarpedon rufofervidus (Fruhstorfer, 1898)* (Papilionidae) Synonym(s): *rufofervidus Fruhstorfer, 1898*
- 53157) *Graphium* (s.str. (Zetides)) *sarpedon sarpedon (Linnaeus, 1758)* (Papilionidae) Synonym(s): *sarpedon Linnaeus, 1758; #helena Swainson, 1851; parsedon Westwood, 1872.*
- 53158) *Graphium* (s.str. (Zetides)) *sarpedon semifasciatus (Honrath, 1888)* (Papilionidae) Synonym(s): *semifasciatus Honrath, 1888*
- 53159) *Graphium* (s.str. (Zetides)) *sarpedon tereodon (C.Felder & R.Felder, 1865)* (Papilionidae) Synonym(s): *tereodon C.Felder & R.Felder, 1865; thermodusa Swinhoe, 1885.*
- 53160) *Graphium* (s.str. (Zetides)) *weiskei Ribbe, 1900* (Papilionidae) Synonym(s): *weiskei Ribbe, 1900*
- 53161) *Graphium* (s.str. (Zetides)) *weiskei weiskei Ribbe, 1900* (Papilionidae) Synonym(s): *weiskei Ribbe, 1900*

- 53162) *Graphium* (s.str. (mendana-gr)) *mendana* (Godman & Salvin,1888) (Papilionidae) Synonym(s): *mendana* Godman & Salvin,1888
- 53163) *Graphium* (s.str. (mendana-gr)) *mendana acous* (Ribbe,1898) (Papilionidae) Synonym(s): *acous* Ribbe,1898
- 53164) *Graphium* (s.str. (mendana-gr)) *mendana mendana* (Godman & Salvin,1888) (Papilionidae) Synonym(s): *mendana* Godman & Salvin,1888
- 53165) *Graphium* (s.str. (mendana-gr)) *mendana neyra* (Rothschild,1895) (Papilionidae) Synonym(s): *neyra* Rothschild,1895
- 53166) *Heracles andraemon* (Hübner,[1823]) (Papilionidae) Synonym(s): *andraemon* Hübner,[1823].
- 53167) *Heracles andraemon andraemon* (Hübner,[1823]) (Papilionidae) Synonym(s): *andraemon* Hübner,[1823].
- 53168) *Heracles andraemon bonhotei* (Sharpe,1900) (Papilionidae) Synonym(s): *bonhotei* Sharpe,1900.
- 53169) *Heracles androgeus* (Cramer,[1775]) (Papilionidae) Synonym(s): *androgeus* Cramer,[1775]
- 53170) *Heracles androgeus androgeus* (Cramer,[1775]) (Papilionidae) Synonym(s): *androgeus* Cramer,[1775]
- 53171) *Heracles androgeus epidaureus* (Godman & Salvin,1890) (Papilionidae) Synonym(s): *epidaureus* Godman & Salvin,1890
- 53172) *Heracles aristodemus* (Esper,1794) (Papilionidae) Synonym(s): *aristodemus* Esper,1794; *chresphontinus* Martyn,1797; *daphnis* Gray,1852 nec [Denis & Schiff],1775.
- 53173) *Heracles aristodemus aristodemus* (Esper,1794) (Papilionidae) Synonym(s): *aristodemus* Esper,1794; *chresphontinus* Martyn,1797; *daphnis* Gray,1852 nec [Denis & Schiff],1775.
- 53174) *Heracles aristodemus ponceanus* (Schaus,1911) (Papilionidae) Synonym(s): *ponceanus* Schaus,1911
- 53175) *Heracles astyalus* (Godart,[1819]) (Papilionidae) Synonym(s): *astyalus* Godart,[1819]; *lycophron* Hübner,[1823]; *mentor* Dalman,1823; *pirithous* Boisduval,1836 nec Linnaeus,1767; *oebalus* Boisduval,1836.
- 53176) *Heracles astyalus anchicayaensis* Cosntantino, Lecrom & Salazar,2002 (Papilionidae) Synonym(s): *anchicayaensis* Cosntantino, Lecrom & Salazar,2002
- 53177) *Heracles astyalus astyalus* (Godart,[1819]) (Papilionidae) Synonym(s): *astyalus* Godart,[1819]; *lycophron* Hübner,[1823]; *mentor* Dalman,1823; *pirithous* Boisduval,1836 nec Linnaeus,1767; *oebalus* Boisduval,1836.
- 53178) *Heracles astyalus hippomedon* (C.Felder & R.Felder,1859) (Papilionidae) Synonym(s): *hippomedon* C.Felder & R.Felder,1859
- 53179) *Heracles astyalus pallas* (Gray,1852) (Papilionidae) Synonym(s): *pallas* Gray,1852
- 53180) *Heracles astyalus phanias* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *phanias* Rothschild & Jordan,1906
- 53181) *Heracles chiansiades* (Westwood,1872) (Papilionidae) Synonym(s): *chiansiades* Westwood,1872
- 53182) *Heracles crespontes* (Cramer,[1777]) (Papilionidae) Synonym(s): *crespontes* Cramer,[1777]; *oxilus* Hübner,[1819]; *pennsylvanicus* Chermock,1945.
- 53183) *Heracles crespontes crespontes* (Cramer,[1777]) (Papilionidae) Synonym(s): *crespontes* Cramer,[1777]; *oxilus* Hübner,[1819]; *pennsylvanicus* Chermock,1945.
- 53184) *Heracles garleppi* (Papilionidae) Synonym(s):
- 53185) *Heracles garleppi interruptus* (Staudinger,1892) (Papilionidae) Synonym(s): *interruptus* Staudinger,1892
- 53186) *Heracles homothoas* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *homothoas* Rothschild & Jordan,1906
- 53187) *Heracles isidorus* (Papilionidae) Synonym(s):
- 53188) *Heracles isidorus flavescens* (Oberthür,1879) (Papilionidae) Synonym(s): *flavescens* Oberthür,1879; *leucostictus* Honrath,1885
- 53189) *Heracles isidorus nymphias* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *nymphias* Rothschild & Jordan,1906
- 53190) *Heracles isidorus pacificus* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *pacificus* Rothschild & Jordan,1906
- 53191) *Heracles ornythion* (Boisduval,1836) (Papilionidae) Synonym(s): *ornythion* Boisduval,1836.
- 53192) *Heracles ornythion ornythion* (Boisduval,1836) (Papilionidae) Synonym(s): *ornythion* Boisduval,1836.
- 53193) *Heracles paeon* (Boisduval,1836) (Papilionidae) Synonym(s): *paeon* Boisduval,1836
- 53194) *Heracles paeon paeon* (Boisduval,1836) (Papilionidae) Synonym(s): *paeon* Boisduval,1836
- 53195) *Heracles paeon thrason* (C.Felder & R.Felder,1865) (Papilionidae) Synonym(s): *thrason* C.Felder & R.Felder,1865
- 53196) *Heracles thoas* (Linnaeus,1771) (Papilionidae) Synonym(s): *thoas* Linnaeus,1771.
- 53197) *Heracles thoas autocles* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *autocles* Rothschild & Jordan,1906; *nealces* Rothschild & Jordan,1906.
- 53198) *Heracles thoas cyniras* (Ménétriés,1857) (Papilionidae) Synonym(s): *cyniras* Ménétriés,1857
- 53199) *Heracles thoas nealces* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *nealces* Rothschild & Jordan,1906
- 53200) *Heracles thoas oviedo* (Gundlach,1866) (Papilionidae) Synonym(s): *oviedo* Gundlach,1866; *epithoas* Oberthür,1897
- 53201) *Heracles thoas thoas* (Linnaeus,1771) (Papilionidae) Synonym(s): *thoas* Linnaeus,1771
- 53202) *Heracles torquatus* (Papilionidae) Synonym(s):
- 53203) *Heracles torquatus jeani* Brown & Lamas,1994 (Papilionidae) Synonym(s): *jeani* Brown & Lamas,1994
- 53204) *Hypermnestra helios* (Nickerl,1846) (Papilionidae) Synonym(s): *helios* Nickerl,1846; *maxima* Lang,1884; *persica* Neuburger,1900; *hyrcana* Sheljuzhko,1956.
- 53205) *Hypermnestra helios ariana* Wyatt,1961 (Papilionidae) Synonym(s): *ariana* Wyatt,1961
- 53206) *Hypermnestra helios balucha* (Moore,1906) (Papilionidae) Synonym(s): *balucha* Moore,1906
- 53207) *Hypermnestra helios bushirica* O.Bang-Haas,1938 (Papilionidae) Synonym(s): *bushirica* O.Bang-Haas,1938
- 53208) *Hypermnestra helios helios* (Nickerl,1846) (Papilionidae) Synonym(s): *helios* Nickerl,1846; *maxima* Lang,1884; *persica* Neuburger,1900; *hyrcana* Sheljuzhko,1956.
- 53209) *Iphiclides podalirius* (Oberthür,1890) (Papilionidae) Synonym(s): *podalirius* Oberthür,1890
- 53210) *Iphiclides podalirius podalirius* (Oberthür,1890) (Papilionidae) Synonym(s): *podalirius* Oberthür,1890
- 53211) *Iphiclides podalirius* (Linnaeus,1758) (Papilionidae) Synonym(s): *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926.
- 53212) *Iphiclides podalirius centralasiae* (Rosen,1929) (Papilionidae) Synonym(s): *centralasiae* Rosen,1929 nec Chr.,1887.
- 53213) *Iphiclides podalirius feisthamelii* (Duponchel,1832) (Papilionidae) Synonym(s): *feisthamelii* Duponchel,1832; *miegii* Thierry-Mieg,1889.
- 53214) *Iphiclides podalirius lotteri* (Oberthür,1879) (Papilionidae) Synonym(s): *latteri* Austaut,1879; *lotteri* Oberthür,1879; *latteri* Baker,1886.
- 53215) *Iphiclides podalirius persica* (Verity,1911) (Papilionidae) Synonym(s): *persica* Verity,[1911]
- 53216) *Iphiclides podalirius podalirius* (Linnaeus,1758) (Papilionidae) Synonym(s): *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926.
- 53217) *Iphiclides podalirius smyrnensis* (Eimer,1889) (Papilionidae) Synonym(s): *smyrnensis* Eimer,1889
- 53218) *Iphiclides podalirius virgatus* (Butler,1865) (Papilionidae) Synonym(s): *virgatus* Butler,1865
- 53219) *Lamproptera curius* (Fabricius,1787) (Papilionidae) Synonym(s): *curius* Fabricius,1787; *erycina* Godart,[1823].
- 53220) *Lamproptera curius curius* (Fabricius,1787) (Papilionidae) Synonym(s): *curius* Fabricius,1787; *erycina* Godart,[1823].
- 53221) *Lamproptera curius libelluloides* (Fruhstorfer,1898) (Papilionidae) Synonym(s): *libelluloides* Fruhstorfer,1898
- 53222) *Lamproptera curius walkeri* (Moore,1902) (Papilionidae) Synonym(s): *walkeri* Moore,1902
- 53223) *Lamproptera meges* (Zincken,1831) (Papilionidae) Synonym(s): *meges* Zincken,1831
- 53224) *Lamproptera meges decius* C.Felder & R.Felder,1862 (Papilionidae) Synonym(s): *decius* C.Felder & R.Felder,1862
- 53225) *Lamproptera meges ennius* C.Felder & R.Felder,[1865] (Papilionidae) Synonym(s): *ennius* C.Felder & R.Felder,[1865]; *akirai* Tsukada & Nishiyama,1980
- 53226) *Lamproptera meges meges* (Zincken,1831) (Papilionidae) Synonym(s): *meges* Zincken,1831
- 53227) *Lamproptera meges niasicus* (Jordan,1909) (Papilionidae) Synonym(s): *niasicus* Jordan,1909
- 53228) *Lamproptera meges pallidus* (Fruhstorfer,1909) (Papilionidae) Synonym(s): *pallidus* Fruhstorfer,1909
- 53229) *Lamproptera meges pessimus* Fruhstorfer,1909 (Papilionidae) Synonym(s): *pessimus* Fruhstorfer,1909
- 53230) *Lamproptera meges virescens* Butler,1870 (Papilionidae) Synonym(s): *virescens* Butler,1870
- 53231) *Luehdorfia japonica* Leech,1889 (Papilionidae) Synonym(s): *japonica* Leech,1889
- 53232) *Luehdorfia japonica chinensis* Leech,1889 (Papilionidae) Synonym(s): *chinensis* Leech,1889
- 53233) *Luehdorfia japonica formosana* Rothschild,1918 (Papilionidae) Synonym(s): *formosana* Rothschild,1918; *formosana* Matsumura,1929
- 53234) *Luehdorfia japonica japonica* Leech,1889 (Papilionidae) Synonym(s): *japonica* Leech,1889
- 53235) *Luehdorfia puziloi* (Erschoff,1872) (Papilionidae) Synonym(s): *puziloi* Erschoff,1872; *eximia* Crüger,1878.
- 53236) *Luehdorfia puziloi coreana* Matsumura,1927 (Papilionidae) Synonym(s): *coreana* Matsumura,1927
- 53237) *Luehdorfia puziloi puziloi* (Erschoff,1872) (Papilionidae) Synonym(s): *puziloi* Erschoff,1872; *eximia* Crüger,1878.
- 53238) *Meandrusa lachinus* (Fruhstorfer,1901) (Papilionidae) Synonym(s): *gyas* Westwood,1841 nec Cr.,[1775]; *lachinus* Fruhstorfer,1901.

- 53239) *Meandrusa lachinus lachinus* (Fruhstorfer,1901) (Papilionidae) Synonym(s): *gyas* Westwood,1841 nec Cr.,[1775]; *lachinus* Fruhstorfer,1901
- 53240) *Meandrusa payeni* (Boisduval,[1836]) (Papilionidae) Synonym(s): *payeni* Boisduval,[1836]
- 53241) *Meandrusa payeni brunei* (Fruhstorfer,1893) (Papilionidae) Synonym(s): *brunei* Fruhstorfer,1893
- 53242) *Meandrusa payeni ciminius* (Fruhstorfer,1909) (Papilionidae) Synonym(s): *ciminius* Fruhstorfer,1909
- 53243) *Meandrusa payeni evan* (Doubleday,1845) (Papilionidae) Synonym(s): *evan* Doubleday,1845.
- 53244) *Meandrusa payeni hegylus* (Jordan,1909) (Papilionidae) Synonym(s): *hegylus* Jordan,1909
- 53245) *Meandrusa payeni langsonensis* (Fruhstorfer,1901) (Papilionidae) Synonym(s): *langsonensis* Fruhstorfer,1901
- 53246) *Meandrusa payeni payeni* (Boisduval,[1836]) (Papilionidae) Synonym(s): *payeni* Boisduval,[1836]
- 53247) *Meandrusa sciron* (Leech,1890) (Papilionidae) Synonym(s): *hercules* Blanchard,1871 nec Dalm.,1823; *sciron* Leech,1890.
- 53248) *Meandrusa sciron aribbas* (Fruhstorfer,1909) (Papilionidae) Synonym(s): *aribbas* Fruhstorfer,1909
- 53249) *Meandrusa sciron nagamasai* Okano,1986 (Papilionidae) Synonym(s): *nagamasai* Okano,1986
- 53250) *Meandrusa sciron sciron* (Leech,1890) (Papilionidae) Synonym(s): *hercules* Blanchard,1871 nec Dalm.,1823; *sciron* Leech,1890.
- 53251) *Mimoides ariarathes* (Esper,1788) (Papilionidae) Synonym(s): *ariarathes* Esper,1788
- 53252) *Mimoides ariarathes gayi* (Lucas,1852) (Papilionidae) Synonym(s): *gayi* Lucas,1852
- 53253) *Mimoides ariarathes illuminatus* (Niepelt,1928) (Papilionidae) Synonym(s): *illuminatus* Niepelt,1928; *halbicans* Talbot,1928
- 53254) *Mimoides euryleon* (Hewitson,1855) (Papilionidae) Synonym(s): *euryleon* Hewitson,1855
- 53255) *Mimoides euryleon euryleon* (Hewitson,1855) (Papilionidae) Synonym(s): *euryleon* Hewitson,1855
- 53256) *Mimoides euryleon pithonius* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *pithonius* Rothschild & Jordan,1906
- 53257) *Mimoides ilus* (Fabricius,1793) (Papilionidae) Synonym(s): *ilus* Fabricius,1793
- 53258) *Mimoides ilus ilus* (Fabricius,1793) (Papilionidae) Synonym(s): *ilus* Fabricius,1793
- 53259) *Mimoides pausanias* (Hewitson,1852) (Papilionidae) Synonym(s): *pausanias* Hewitson,1852
- 53260) *Mimoides pausanias cleombrotas* (Strecker,1885) (Papilionidae) Synonym(s): *cleombrotas* Strecker,1885
- 53261) *Mimoides pausanias hermolaus* (Guenée,1872) (Papilionidae) Synonym(s): *hermolaus* Guenée,1872
- 53262) *Mimoides pausanias pausanias* (Hewitson,1852) (Papilionidae) Synonym(s): *pausanias* Hewitson,1852
- 53263) *Mimoides phaon* (Boisduval,1836) (Papilionidae) Synonym(s): *phaon* Boisduval,1836
- 53264) *Mimoides phaon therodamas* (C.Felder & R.Felder,1865) (Papilionidae) Synonym(s): *therodamas* C.Felder & R.Felder,1865
- 53265) *Mimoides xeniades* (Hewitson,1867) (Papilionidae) Synonym(s): *xeniades* Hewitson,1867
- 53266) *Mimoides xeniades halex* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *halex* Rothschild & Jordan,1906
- 53267) *Mimoides xeniades isus* (Oberthür,1880) (Papilionidae) Synonym(s): *isus* Oberthür,1880
- 53268) *Papilio* (s.str. (Alexanoria)) *alexanor* Esper,[1800] (Papilionidae) Synonym(s): *polidamas* De Prunner,1787 nec Linn.,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983.
- 53269) *Papilio* (s.str. (Alexanoria)) *alexanor alexanor* Esper,[1800] (Papilionidae) Synonym(s): *polidamas* De Prunner,1787 nec Linn.,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983.
- 53270) *Papilio* (s.str. (Alexanoria)) *alexanor atticus* Verity,[1911] (Papilionidae) Synonym(s): *atticus* Verity,[1911]
- 53271) *Papilio* (s.str. (Alexanoria)) *alexanor eitschbergeri* Bollino & Sala,1992 (Papilionidae) Synonym(s): *eitschbergeri* Bollino & Sala,1992
- 53272) *Papilio* (s.str. (Alexanoria)) *alexanor hazarajatica* Wyatt,1961 (Papilionidae) Synonym(s): *hazarajatica* Wyatt,1961
- 53273) *Papilio* (s.str. (Alexanoria)) *alexanor judaeus* Staudinger,[1894] (Papilionidae) Synonym(s): *maccabaeus* Staudinger,[1892]; *judaeus* Staudinger,1894
- 53274) *Papilio* (s.str. (Alexanoria)) *alexanor orientalis* Romanoff,1884 (Papilionidae) Synonym(s): *orientalis* Romanoff,1884
- 53275) *Papilio* (s.str. (Alexanoria)) *alexanor voldemar* Kreuzberg,1989 (Papilionidae) Synonym(s): *voldemar* Kreuzberg,1989
- 53276) *Papilio* (s.str.) *hippocrates* C.Felder & R.Felder,1864 (Papilionidae) Synonym(s): *hippocrates* C.Felder & R.Felder,1864; *micado* Pagenstecher,1875; *orientalis* Neuburger,1903 nec Roman.,1884;
- 53277) *Papilio* (s.str.) *hippocrates hippocrates* C.Felder & R.Felder,1864 (Papilionidae) Synonym(s): *hippocrates* C.Felder & R.Felder,1864; *micado* Pagenstecher,1875; *orientalis* Neuburger,1903 nec Roman.,1884;
- 53278) *Papilio* (s.str.) *hospiton* Génè,1839 (Papilionidae) Synonym(s): *hospiton* Génè,1839
- 53279) *Papilio* (s.str.) *hospiton hospiton* Génè,1839 (Papilionidae) Synonym(s): *hospiton* Génè,1839
- 53280) *Papilio* (s.str.) *machaon* Linnaeus,1758 (Papilionidae) Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858.
- 53281) *Papilio* (s.str.) *machaon aliaska* Scudder,1869 (Papilionidae) Synonym(s): *aliaska* Scudder,1869; *joannisi* Verity,1907; *petersii* Clark,1932.
- 53282) *Papilio* (s.str.) *machaon alpherakyi* O.Bang-Haas,1933 (Papilionidae) Synonym(s): *alpherakyi* O.Bang-Haas,1933
- 53283) *Papilio* (s.str.) *machaon alpicae* Seyer,1974 (Papilionidae) Synonym(s): *alpicae* Seyer,1974
- 53284) *Papilio* (s.str.) *machaon asiaticus* Ménétriès,1855 (Papilionidae) Synonym(s): *asiaticus* Ménétriès,1855; *annae* Gistel,1857; *penjabensis* Eimer,1895; *#emihippocrates* Verity,[1911]; *emihippocrates* Talbot,1939; *asiaticae* Seyer,1976
- 53285) *Papilio* (s.str.) *machaon britannicus* Seitz,1906 (Papilionidae) Synonym(s): *britannicus* Seitz,1906
- 53286) *Papilio* (s.str.) *machaon centralis* Staudinger,1886 (Papilionidae) Synonym(s): *centralis* Staudinger,1886
- 53287) *Papilio* (s.str.) *machaon chishimana* Matsumura,1928 (Papilionidae) Synonym(s): *septentrionalis* Verity,[1911] nec Roth.,1895; *chishimana* Matsumura,1928.
- 53288) *Papilio* (s.str.) *machaon emisphyrus* Verity,1919 (Papilionidae) Synonym(s): *emisphyrus* Verity,1919
- 53289) *Papilio* (s.str.) *machaon giganteus* Eller,1936 (Papilionidae) Synonym(s): *#gigantea* Verity,[1911]; *giganteus* Eller,1936; *ruettimanni* Seyer,1977.
- 53290) *Papilio* (s.str.) *machaon gorganus* Fruhstorfer,1922 (Papilionidae) Synonym(s): *gorganus* Fruhstorfer,1922
- 53291) *Papilio* (s.str.) *machaon hispanicus* Eller,1936 (Papilionidae) Synonym(s): *hispanicus* Eller,1936.
- 53292) *Papilio* (s.str.) *machaon hudsonianus* Clark,1932 (Papilionidae) Synonym(s): *hudsonianus* Clark,1932
- 53293) *Papilio* (s.str.) *machaon kamtschadalus* Alpheraky,1897 (Papilionidae) Synonym(s): *kamtschadalus* Alpheraky,1897
- 53294) *Papilio* (s.str.) *machaon kaolimachaon* Bryk,1946 (Papilionidae) Synonym(s): *kaolimachaon* Bryk,1946
- 53295) *Papilio* (s.str.) *machaon ladakensis* Moore,1886 (Papilionidae) Synonym(s): *ladakensis* Moore,1886; *chitralensis* O.Bang-Haas,1934
- 53296) *Papilio* (s.str.) *machaon machaon* Linnaeus,1758 (Papilionidae) Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858.
- 53297) *Papilio* (s.str.) *machaon mauretanicus* Eller,1936 (Papilionidae) Synonym(s): *mauretanicus* Eller,1936
- 53298) *Papilio* (s.str.) *machaon maximus* Eller,1936 (Papilionidae) Synonym(s): *maximus* Eller,1936.
- 53299) *Papilio* (s.str.) *machaon melitensis* Eller,1936 (Papilionidae) Synonym(s): *melitensis* Eller,1936
- 53300) *Papilio* (s.str.) *machaon muetingi* Seyer,1976 (Papilionidae) Synonym(s): *muetingi* Seyer,1976
- 53301) *Papilio* (s.str.) *machaon oreinus* Sheljuzhko,1919 (Papilionidae) Synonym(s): *oreinus* Sheljuzhko,1919
- 53302) *Papilio* (s.str.) *machaon orientis* Verity,[1911] (Papilionidae) Synonym(s): *orientis* Verity,[1911]
- 53303) *Papilio* (s.str.) *machaon rinpoche* Wyatt,1959 (Papilionidae) Synonym(s): *#sikkimensides* Verity,1911; *rinpoche* Wyatt,1959
- 53304) *Papilio* (s.str.) *machaon rizvangel* Koçak & Kemal,2000 (Papilionidae) Synonym(s): *#chinensis* Verity,1907; *chinensis* Eller,1936 nec Roths.,1895; *rizvangel* Koçak & Kemal,2000.
- 53305) *Papilio* (s.str.) *machaon sculda* Peschke,1934 (Papilionidae) Synonym(s): *sculda* Peschke,1934
- 53306) *Papilio* (s.str.) *machaon sikkimensis* Moore,1884 (Papilionidae) Synonym(s): *sikkimensis* Moore,1884; *montanus* Alpheraky,1897 nec Wood-Mason,1882; *everesti* N.D.Riley,1927; *hieromax* Hemming,1934.
- 53307) *Papilio* (s.str.) *machaon sphyrus* Hübner,[1823] (Papilionidae) Synonym(s): *sphyrus* Hübner,[1823]
- 53308) *Papilio* (s.str.) *machaon sylvina* Hemming,1933 (Papilionidae) Synonym(s): *sylvia* Esaki & Kano,1930 (*praeocc.*); *sylvina* Hemming,1933
- 53309) *Papilio* (s.str.) *machaon syriacus* Pfeiffer,1931 (Papilionidae) Synonym(s): *#syriacus* Verity,1905; *#cypriae* Verity,1905; *syriacus* Pfeiffer,1931; *syriacus* Eller,1936; *rustaveli* Didmanidze & Nekrutenko,1966.
- 53310) *Papilio* (s.str.) *machaon vargaianus* Seyer,1974 (Papilionidae) Synonym(s): *vargaianus* Seyer,1974
- 53311) *Papilio* (s.str.) *machaon verityi* Fruhstorfer,1907 (Papilionidae) Synonym(s): *verityi* Fruhstorfer,1907; *birmanicus* Rothschild,1908
- 53312) *Papilio* (s.str.) *machaon weidenhofferi* Seyer,1976 (Papilionidae) Synonym(s): *weidenhofferi* Seyer,1976
- 53313) *Papilio* (s.str.) *polyxenes* Fabricius,1775 (Papilionidae) Synonym(s): *polyxenes* Fabricius,1775
- 53314) *Papilio* (s.str.) *polyxenes americanus* Kollar,[1849] (Papilionidae) Synonym(s): *americanus* Kollar,[1849]
- 53315) *Papilio* (s.str.) *polyxenes asterius* Stoll,[1782] (Papilionidae) Synonym(s): *asterius* Stoll,[1782]; *ampliata* Ménétriès,1857; *asterionides* Reakirt,[1866]; *curvifascia* Skinner,1902.
- 53316) *Papilio* (s.str.) *polyxenes coloro* Wright,1906 (Papilionidae) Synonym(s): *coloro* Wright,1906

- 53317) *Papilio* (s.str.) *polyxenes polyxenes* Fabricius,1775 (Papilionidae) Synonym(s): *polyxenes* Fabricius,1775.
 53318) *Papilio* (s.str.) *saharae* Oberthür,1879 (Papilionidae) Synonym(s): *saharae* Oberthür,1879
 53319) *Papilio* (s.str.) *saharae rathjensi* Warnecke,1932 (Papilionidae) Synonym(s): *rathjensi* Warnecke,1932
 53320) *Papilio* (s.str.) *saharae saharae* Oberthür,1879 (Papilionidae) Synonym(s): *saharae* Oberthür,1879
 53321) *Papilio bairdii* Edwards,1869 (Papilionidae) Synonym(s): *bairdii* Edwards,1869
 53322) *Papilio bairdii bairdii* Edwards,1869 (Papilionidae) Synonym(s): *bairdii* Edwards,1869
 53323) *Papilio brevicauda* Saunders,1869 (Papilionidae) Synonym(s): *brevicauda* Saunders,1869; *anticostiensis* Strecker,1873.
 53324) *Papilio brevicauda bretonensis* McDunnough,1939 (Papilionidae) Synonym(s): *bretonensis* McDunnough,1939
 53325) *Papilio brevicauda brevicauda* Saunders,1869 (Papilionidae) Synonym(s): *brevicauda* Saunders,1869; *anticostiensis* Strecker,1873.
 53326) *Papilio brevicauda gaspeensis* McDunnough,1934 (Papilionidae) Synonym(s): *gaspeensis* McDunnough,1934
 53327) *Papilio garamas* (Hübner,1834) (Papilionidae) Synonym(s): *garamas* Hübner,1834
 53328) *Papilio indra* Reakirt,1866 (Papilionidae) Synonym(s): *indra* Reakirt,1866
 53329) *Papilio indra fordii* Comstock,1955 (Papilionidae) Synonym(s): *fordii* Comstock,1955
 53330) *Papilio indra indra* Reakirt,1866 (Papilionidae) Synonym(s): *indra* Reakirt,1866
 53331) *Papilio indra kaibabensis* Bauer,1955 (Papilionidae) Synonym(s): *kaibabensis* Bauer,1955
 53332) *Papilio indra martini* Emmel & Emmel,1966 (Papilionidae) Synonym(s): *martini* Emmel & Emmel,1966
 53333) *Papilio indra minori* Cross,1937 (Papilionidae) Synonym(s): *minori* Cross,1937
 53334) *Papilio indra nevadensis* Emmel & Emmel,1971 (Papilionidae) Synonym(s): *nevadensis* Emmel & Emmel,1971
 53335) *Papilio indra pergamus* Edwards,1875 (Papilionidae) Synonym(s): *pergamus* Edwards,1875
 53336) *Papilio joanae* Heitzman,[1973] (Papilionidae) Synonym(s): *joanae* Heitzman,[1973]
 53337) *Papilio joanae joanae* Heitzman,[1973] (Papilionidae) Synonym(s): *joanae* Heitzman,[1973]
 53338) *Papilio oregonius* Edwards,1876 (Papilionidae) Synonym(s): *oregonius* Edwards,1876
 53339) *Papilio oregonius dodi* McDunnough,1939 (Papilionidae) Synonym(s): *dodi* McDunnough,1939
 53340) *Papilio oregonius oregonius* Edwards,1876 (Papilionidae) Synonym(s): *oregonius* Edwards,1876
 53341) *Papilio pharnaces* Doubleday,1846 (Papilionidae) Synonym(s): *pharnaces* Doubleday,1846
 53342) *Papilio zelicaon* Lucas,1852 (Papilionidae) Synonym(s): *zelicaon* Lucas,1852; *californica* Ménétériés,1852; *doliceon* Behr,1866 nec Cr.,1775; *chloro* Wright,1905.
 53343) *Papilio zelicaon nitra* Edwards,1883 (Papilionidae) Synonym(s): *nitra* Edwards,1883
 53344) *Papilio zelicaon zelicaon* Lucas,1852 (Papilionidae) Synonym(s): *zelicaon* Lucas,1852; *californica* Ménétériés,1852; *doliceon* Behr,1866 nec Cr.,1775; *chloro* Wright,1905.
 53345) *Parides aeneas* (Linnaeus,1758) (Papilionidae) Synonym(s): *aeneas* Linnaeus,1758
 53346) *Parides aeneas bolivar* (Hewitson,1850) (Papilionidae) Synonym(s): *bolivar* Hewitson,1850
 53347) *Parides alopius* (Godman & Salvin,1890) (Papilionidae) Synonym(s): *alopi* Godman & Salvin,1890
 53348) *Parides anchises* (Linnaeus,1758) (Papilionidae) Synonym(s): *anchises* Linnaeus,1758
 53349) *Parides anchises alyattes* (C.Felder & R.Felder,1861) (Papilionidae) Synonym(s): *alyattes* C.Felder & R.Felder,1861
 53350) *Parides anchises cymochles* (Doubleday,1844) (Papilionidae) Synonym(s): *cymochles* Doubleday,1844
 53351) *Parides anchises drucei* (Butler,1874) (Papilionidae) Synonym(s): *drucei* Butler,1874; *nucalensis* Rousseau-Decelle,1943
 53352) *Parides anchises koenigi* T.Racheli,1989 (Papilionidae) Synonym(s): *koenigi* T.Racheli,1989
 53353) *Parides anchises nielsen* (Bollino & Salazar,2001) (Papilionidae) Synonym(s): *nielsen* Bollino & Salazar,2001
 53354) *Parides anchises orinocensis* (Rousseau-Decelle,1960) (Papilionidae) Synonym(s): *orinocensis* Rousseau-Decelle,1960
 53355) *Parides anchises osyris* (C.Felder & R.Felder,1861) (Papilionidae) Synonym(s): *osyris* C.Felder & R.Felder,1861
 53356) *Parides anchises serapis* (Boisduval,1836) (Papilionidae) Synonym(s): *serapis* Boisduval,1836
 53357) *Parides chabrias* (Hewitson,1852) (Papilionidae) Synonym(s): *chabrias* Hewitson,1852; *nymphas* Grose-Smith,1902
 53358) *Parides chabrias chabrias* (Hewitson,1852) (Papilionidae) Synonym(s): *chabrias* Hewitson,1852; *nymphas* Grose-Smith,1902
 53359) *Parides chabrias mithras* (Grose-Smith,1907) (Papilionidae) Synonym(s): *mithras* Grose-Smith,1907
 53360) *Parides childrenae* (Gray,1832) (Papilionidae) Synonym(s): *childrenae* Gray,1832
 53361) *Parides childrenae latifasciata* E.Krüger,1925 (Papilionidae) Synonym(s): *oedippus* Lucas,[1859] nec Fabr.,1787; *latifasciata* E.Krüger,1925
 53362) *Parides childrenae unimacula* (Joicey & Talbot,1922) (Papilionidae) Synonym(s): *unimacula* Joicey & Talbot,1922; *espinayi* Le Cerf,1923
 53363) *Parides cutorina* (Staudinger,1898) (Papilionidae) Synonym(s): *cutorina* Staudinger,1898; *dilutus* Joicey & Talbot,1922
 53364) *Parides erithalion* (Boisduval,1836) (Papilionidae) Synonym(s): *erithalion* Boisduval,1836
 53365) *Parides erithalion cauca* (Oberthür,1880) (Papilionidae) Synonym(s): *cauca* Oberthür,1880
 53366) *Parides erithalion erithalion* (Boisduval,1836) (Papilionidae) Synonym(s): *erithalion* Boisduval,1836
 53367) *Parides erithalion guillerminae* (Pischedda & Racheli,1986) (Papilionidae) Synonym(s): *guillerminae* Pischedda & Racheli,1986
 53368) *Parides erithalion keithi* Racheli,1991 (Papilionidae) Synonym(s): *keithi* Racheli,1991
 53369) *Parides erithalion kruegeri* (Niepelt,1927) (Papilionidae) Synonym(s): *kruegeri* Niepelt,1927
 53370) *Parides erithalion lacydes* (Hewitson,1861) (Papilionidae) Synonym(s): *lacydes* Hewitson,1861; *equestris* Oberthür,1879; *parvifascia* Joicey & Talbot,1924
 53371) *Parides erithalion lacydes* (Hewitson,1869) (Papilionidae) Synonym(s): *lacydes* Hewitson,1869
 53372) *Parides erithalion metae* Lecrom, Costantino & Salazar,2002 (Papilionidae) Synonym(s): *metae* Lecrom, Costantino & Salazar,2002
 53373) *Parides erithalion palmasensis* Brown,1994 (Papilionidae) Synonym(s): *palmasensis* Brown,1994
 53374) *Parides erithalion zeuxis* (Lucas,1852) (Papilionidae) Synonym(s): *zeuxis* Lucas,1852
 53375) *Parides erlases* (Gray,[1853]) (Papilionidae) Synonym(s): *erlases* Gray,[1853]
 53376) *Parides erlases keithi* T.Racheli,1991 (Papilionidae) Synonym(s): *keithi* T.Racheli,1991
 53377) *Parides eurymedes timias* (Gray,[1853]) (Papilionidae) Synonym(s): *timias* Gray,[1853]; *potone* Rothschild & Jordan,1906
 53378) *Parides eurymedes* (Stoll,[1782]) (Papilionidae) Synonym(s): *arcas* Cramer,1781 nec Dru.,1773; *eurymedes* Stoll,[1782]
 53379) *Parides eurymedes arrhipus* (Boisduval,1836) (Papilionidae) Synonym(s): *arrhipus* Boisduval,1836
 53380) *Parides eurymedes eurymedes* (Cramer,1782) (Papilionidae) Synonym(s): *eurymedes* Cramer,1782
 53381) *Parides eurymedes mycale* (Godman & Salvin,1890) (Papilionidae) Synonym(s): *mycale* Godman & Salvin,1890
 53382) *Parides iphidamas* (Fabricius,1793) (Papilionidae) Synonym(s): *iphidamas* Fabricius,1793
 53383) *Parides iphidamas ayabacensis* (Joicey & Talbot,1916) (Papilionidae) Synonym(s): *ayabacensis* Joicey & Talbot,1916
 53384) *Parides iphidamas calogyna* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *calogyna* Rothschild & Jordan,1906
 53385) *Parides iphidamas elatos* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *elatos* Rothschild & Jordan,1906
 53386) *Parides iphidamas gorgonae* (Velez & Salazar,2001) (Papilionidae) Synonym(s): *gorgonae* Velez & Salazar,2001
 53387) *Parides iphidamas phalias* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *phalias* Rothschild & Jordan,1906
 53388) *Parides klagesi* (Ehrmann,1904) (Papilionidae) Synonym(s): *klagesi* Ehrmann,1904
 53389) *Parides lysander* (Cramer,1775) (Papilionidae) Synonym(s): *lysander* Cramer,1775
 53390) *Parides lysander brissonius* (Hübner,[1819]) (Papilionidae) Synonym(s): *brissonius* Hübner,[1819]
 53391) *Parides neophilus* (Geyer,[1837]) (Papilionidae) Synonym(s): *neophilus* Geyer,[1837]
 53392) *Parides neophilus olivencius* (Bates,1861) (Papilionidae) Synonym(s): *olivencius* Bates,1861; *napoensis* Vares de Luque,1975
 53393) *Parides neophilus parianus* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *parianus* Rothschild & Jordan,1906
 53394) *Parides orellana* (Hewitson,1852) (Papilionidae) Synonym(s): *orellana* Hewitson,1852
 53395) *Parides panares* (Gray,[1853]) (Papilionidae) Synonym(s): *panares* Gray,[1853]; *lycimen* Boisduval,1870
 53396) *Parides panares erythrus* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *erythrus* Rothschild & Jordan,1906
 53397) *Parides panares paralius* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *paralius* Rothschild & Jordan,1906; *eucriptolemus* Ehrmann,1919
 53398) *Parides panares tachira* T.Racheli,1991 (Papilionidae) Synonym(s): *tachira* T.Racheli,1991
 53399) *Parides phosphorus* (Bates,1861) (Papilionidae) Synonym(s): *phosphorus* Bates,1861
 53400) *Parides phosphorus gratianus* (Hewitson,1861) (Papilionidae) Synonym(s): *gratianus* Hewitson,1861
 53401) *Parides phosphorus phosphorus* (Bates,1861) (Papilionidae) Synonym(s): *phosphorus* Bates,1861
 53402) *Parides phosphorus* ssp. (Papilionidae) Synonym(s):
 53403) *Parides phosphorus vavi* T.Racheli,1992 (Papilionidae) Synonym(s): *vavi* T.Racheli,1992

- 53404) *Parides pizzaro* (Staudinger,1884) (Papilionidae) Synonym(s): *pizzaro* Staudinger,1884
 53405) *Parides quadratus* (Staudinger,1890) (Papilionidae) Synonym(s): *quadratus* Staudinger,1890
 53406) *Parides quadratus spoliatus* (Staudinger,1898) (Papilionidae) Synonym(s): *spoliatus* Staudinger,1898
 53407) *Parides sesostris* (Cramer,1779) (Papilionidae) Synonym(s): *sesostris* Cramer,1779
 53408) *Parides sesostris sesostris* (Cramer,1779) (Papilionidae) Synonym(s): *sesostris* Cramer,1779
 53409) *Parides sesostris tarquinius* (Boisduval,1836) (Papilionidae) Synonym(s): *tarquinius* Boisduval,1836
 53410) *Parides vertumnus* (Cramer,[1782]) (Papilionidae) Synonym(s): *vertumnus* Cramer,[1782]
 53411) *Parides vertumnus bogotanus* (C.Felder & R.Felder,1864) (Papilionidae) Synonym(s): *bogotanus* C.Felder & R.Felder,1864
 53412) *Parides vertumnus pyrophanus* (Zikan,1937) (Papilionidae) Synonym(s): *pyrophanus* Zikan,1937
 53413) *Parides vertumnus vertumnus* (Cramer,[1782]) (Papilionidae) Synonym(s): *vertumnus* Cramer,[1782]
 53414) *Parnassius (Driopa) ariadne Lederer,1853* (Papilionidae) Synonym(s): *ariadne Lederer,1853; clarius Eversmann,1843 nec Hübner,[1806]*
 53415) *Parnassius (Driopa) ariadne ariadne Lederer,1853* (Papilionidae) Synonym(s): *ariadne Lederer,1853; clarius Eversmann,1843 nec Hübner,[1806]*
 53416) *Parnassius (Driopa) ariadne clarus Bryk & Eisner,1932* (Papilionidae) Synonym(s): *clarus Bryk & Eisner,1932*
 53417) *Parnassius (Driopa) eversmanni [Ménétriés],1850* (Papilionidae) Synonym(s): *eversmanni [Ménétriés],1850*
 53418) *Parnassius (Driopa) eversmanni eversmanni [Ménétriés],1850* (Papilionidae) Synonym(s): *eversmanni [Ménétriés],1850*
 53419) *Parnassius (Driopa) eversmanni felderi Bremer,1861* (Papilionidae) Synonym(s): *felderi Bremer,1861*
 53420) *Parnassius (Driopa) eversmanni lacinia Hemming,1934* (Papilionidae) Synonym(s): *lacinia Hemming,1934*
 53421) *Parnassius (Driopa) eversmanni litoreus Stichel,1907* (Papilionidae) Synonym(s): *litoreus Stichel,1907*
 53422) *Parnassius (Driopa) eversmanni meridionalis Eisner,1978* (Papilionidae) Synonym(s): *meridionalis Eisner,1978*
 53423) *Parnassius (Driopa) hoenei (Schweitzer,1912)* (Papilionidae) Synonym(s): *hoenei Schweitzer,1912*
 53424) *Parnassius (Driopa) hoenei hoenei (Schweitzer,1912)* (Papilionidae) Synonym(s): *hoenei Schweitzer,1912*
 53425) *Parnassius (Driopa) mnemosyne (Linnaeus,1758)* (Papilionidae) Synonym(s): *mnemosyne Linnaeus,1758*
 53426) *Parnassius (Driopa) mnemosyne adolphi Bryk,1911* (Papilionidae) Synonym(s): *adolphi Bryk,1911*
 53427) *Parnassius (Driopa) mnemosyne ariovistus Fruhstorfer,1911* (Papilionidae) Synonym(s): *ariovistus Fruhstorfer,1911*
 53428) *Parnassius (Driopa) mnemosyne athene Stichel,1906* (Papilionidae) Synonym(s): *athene Stichel,1906; #flavocellata Bryk & Eisner,1939*
 53429) *Parnassius (Driopa) mnemosyne bucharanus Bryk,1912* (Papilionidae) Synonym(s): *bucharanus Bryk,1912*
 53430) *Parnassius (Driopa) mnemosyne bulgarica Eisner,1936* (Papilionidae) Synonym(s): *bulgarica Eisner,1936*
 53431) *Parnassius (Driopa) mnemosyne bureschi Bryk,1921* (Papilionidae) Synonym(s): *bureschi Bryk,1921*
 53432) *Parnassius (Driopa) mnemosyne cassiensis (Siépi,1909)* (Papilionidae) Synonym(s): *cassiensis Siépi,1909*
 53433) *Parnassius (Driopa) mnemosyne caucasia Verity,[1911]* (Papilionidae) Synonym(s): *caucasia Verity,[1911]; angorae Bryk & Eisner,1931; schweigeri Eisner,1966; kocaki Eisner,1978; bithyniae Betti,1989*
 53434) *Parnassius (Driopa) mnemosyne craspedontis Fruhstorfer,1909* (Papilionidae) Synonym(s): *craspedontis Fruhstorfer,1909*
 53435) *Parnassius (Driopa) mnemosyne cupido Bryk & Eisner,1934* (Papilionidae) Synonym(s): *cupido Bryk & Eisner,1934*
 53436) *Parnassius (Driopa) mnemosyne daghestanus Bryk & Eisner,1934* (Papilionidae) Synonym(s): *daghestanus Bryk & Eisner,1934*
 53437) *Parnassius (Driopa) mnemosyne danilovi Bryk & Eisner,1934* (Papilionidae) Synonym(s): *danilovi Bryk & Eisner,1934*
 53438) *Parnassius (Driopa) mnemosyne delgrandprincipe Bryk,1912* (Papilionidae) Synonym(s): *delgrandprincipe Bryk,1912*
 53439) *Parnassius (Driopa) mnemosyne dinianus (Fruhstorfer,1908)* (Papilionidae) Synonym(s): *dinianus Fruhstorfer,1908; parmenides Fruhstorfer,1908; parvimacula Rothschild,1909; helvetica Verity,1911; excelsa Verity,1911; mixtus Fruhstorfer,1922; matuta Bryk,1922; cayollensis Dujardin,1967; hunti Dujardin,1968*
 53440) *Parnassius (Driopa) mnemosyne drenowskyi Bryk & Eisner,1934* (Papilionidae) Synonym(s): *drenowskyi Bryk & Eisner,1934*
 53441) *Parnassius (Driopa) mnemosyne elbursia Eisner,1937* (Papilionidae) Synonym(s): *elbursia Eisner,1937*
 53442) *Parnassius (Driopa) mnemosyne falsus Bryk,1912* (Papilionidae) Synonym(s): *falsus Bryk,1912*
 53443) *Parnassius (Driopa) mnemosyne farsica O.Bang-Haas,1938* (Papilionidae) Synonym(s): *farsica O.Bang-Haas,1938*
 53444) *Parnassius (Driopa) mnemosyne gallicus Bryk & Eisner,1930* (Papilionidae) Synonym(s): *gallicus Bryk & Eisner,1930; ceuzensis Eisner,1957; rencurelensis Vergely & Willien,1972*
 53445) *Parnassius (Driopa) mnemosyne gigantea Staudinger,1886* (Papilionidae) Synonym(s): *gigantea Staudinger,1886*
 53446) *Parnassius (Driopa) mnemosyne kromeri Schröder,1975* (Papilionidae) Synonym(s): *kromeri Schröder,1975*
 53447) *Parnassius (Driopa) mnemosyne leonhardiana Fruhstorfer,1917* (Papilionidae) Synonym(s): *leonhardiana Fruhstorfer,1917*
 53448) *Parnassius (Driopa) mnemosyne libanoticus Bryk,1914* (Papilionidae) Synonym(s): *#syra Verity,1911; libanoticus Bryk,1914; syra Larsen,1974*
 53449) *Parnassius (Driopa) mnemosyne mneme Bryk & Eisner,1932* (Papilionidae) Synonym(s): *mneme Bryk & Eisner,1932*
 53450) *Parnassius (Driopa) mnemosyne mnemosyne (Linnaeus,1758)* (Papilionidae) Synonym(s): *mnemosyne Linnaeus,1758*
 53451) *Parnassius (Driopa) mnemosyne montdorensis (Kolar,1943)* (Papilionidae) Synonym(s): *montdorensis Kolar,1943; vivaricus Bernardi & Viette,1961*
 53452) *Parnassius (Driopa) mnemosyne nubilosus Christoph,1873* (Papilionidae) Synonym(s): *nubilosus Christoph,1873; subnubilosus Bryk,1914; strix Bryk,1914; pseudonubilosus Bryk,1932; elisabethae Bryk & Eisner,1934; noacki Eisner,1968; urartu Betti,1989; relictelam Betti,1989; gavaruki Betti,1989*
 53453) *Parnassius (Driopa) mnemosyne orientalis Rothschild,1918* (Papilionidae) Synonym(s): *#orientalis Verity,[1911]; orientalis Rothschild,1918*
 53454) *Parnassius (Driopa) mnemosyne problematicus Bryk,1912* (Papilionidae) Synonym(s): *problematicus Bryk,1912*
 53455) *Parnassius (Driopa) mnemosyne pytanina Bryk,1923* (Papilionidae) Synonym(s): *pytanina Bryk,1923*
 53456) *Parnassius (Driopa) mnemosyne rjabovi Sheljuzhko,1935* (Papilionidae) Synonym(s): *rjabovi Sheljuzhko,1935*
 53457) *Parnassius (Driopa) mnemosyne sarafschanus Bryk & Eisner,1932* (Papilionidae) Synonym(s): *sarafschanus Bryk & Eisner,1932*
 53458) *Parnassius (Driopa) mnemosyne sheljuzhkoii Bryk,1914* (Papilionidae) Synonym(s): *sheljuzhkoii Bryk,1914*
 53459) *Parnassius (Driopa) mnemosyne tadschikistanus Bryk,1932* (Papilionidae) Synonym(s): *tadschikistanus Bryk,1932*
 53460) *Parnassius (Driopa) mnemosyne taleschensis Ebert,1975* (Papilionidae) Synonym(s): *taleschensis Ebert,1975*
 53461) *Parnassius (Driopa) mnemosyne teberdaensis Eisner,1954* (Papilionidae) Synonym(s): *teberdaensis Eisner,1954*
 53462) *Parnassius (Driopa) mnemosyne tjumensis Kreuzberg,1989* (Papilionidae) Synonym(s): *tjumensis Kreuzberg,1989*
 53463) *Parnassius (Driopa) mnemosyne tzvetajevi Eisner,1974* (Papilionidae) Synonym(s): *tzvetajevi Eisner,1974*
 53464) *Parnassius (Driopa) mnemosyne ugrjumovi Bryk,1914* (Papilionidae) Synonym(s): *ugrjumovi Bryk,1914*
 53465) *Parnassius (Driopa) mnemosyne uralka Bryk,1921* (Papilionidae) Synonym(s): *uralka Bryk,1921*
 53466) *Parnassius (Driopa) mnemosyne valentinae Sheljuzhko,1943* (Papilionidae) Synonym(s): *valentinae Sheljuzhko,1943*
 53467) *Parnassius (Driopa) mnemosyne vernetanus (Fruhstorfer,1908)* (Papilionidae) Synonym(s): *pyrenaica Verity,1907 nec Harcourt Bath,1896; vernetanus Fruhstorfer,1908; pyrenaica Turati,1908; turatii Fruhstorfer,1908; pyrenaiana Bryk,1912; republicanus Bryk & Peebles,1931; ozalensis Gomez-Bustillo et al.,1977*
 53468) *Parnassius (Driopa) mnemosyne viidaleppi Kesküla & Luig,1997* (Papilionidae) Synonym(s): *viidaleppi Kesküla & Luig,1997*
 53469) *Parnassius (Driopa) nordmanni [Ménétriés],[1850]* (Papilionidae) Synonym(s): *clarius Eversmann,1845 nec Evers.,1843; nordmanni [Ménétriés],[1850]; pataraeus Westwood,1852; minima Honrath,1885; christophi Bryk & Eisner,1932; bogosi O.Bang-Haas,1934; #fasciata Sheljuzhko,1935; #cohaerens Sheljuzhko,1935; #flavomaculata Sheljuzhko,1935*
 53470) *Parnassius (Driopa) nordmanni nordmanni [Ménétriés],[1850]* (Papilionidae) Synonym(s): *clarius Eversmann,1845 nec Evers.,1843; nordmanni [Ménétriés],[1850]; pataraeus Westwood,1852; minima Honrath,1885; christophi Bryk & Eisner,1932; bogosi O.Bang-Haas,1934; #fasciata Sheljuzhko,1935; #cohaerens Sheljuzhko,1935; #flavomaculata Sheljuzhko,1935*
 53471) *Parnassius (Driopa) nordmanni thomai De Freina,1980* (Papilionidae) Synonym(s): *thomai De Freina,1980*
 53472) *Parnassius (Driopa) orleans Oberthür,1891* (Papilionidae) Synonym(s): *orleans Oberthür,1891*
 53473) *Parnassius (Driopa) orleans augur Bryk & Eisner,1932* (Papilionidae) Synonym(s): *augur Bryk & Eisner,1932*
 53474) *Parnassius (Driopa) orleans ephesus Bryk,1938* (Papilionidae) Synonym(s): *ephebus Bryk,1938*
 53475) *Parnassius (Driopa) orleans harusphex Bryk,1943* (Papilionidae) Synonym(s): *harusphex Bryk,1943*
 53476) *Parnassius (Driopa) orleans janseni O.Bang-Haas,1938* (Papilionidae) Synonym(s): *janseni O.Bang-Haas,1938*
 53477) *Parnassius (Driopa) orleans johanna Bryk,1932* (Papilionidae) Synonym(s): *johanna Bryk,1932*
 53478) *Parnassius (Driopa) orleans lictor Bryk & Eisner,1937* (Papilionidae) Synonym(s): *lictor Bryk & Eisner,1937*
 53479) *Parnassius (Driopa) orleans nike Bryk & Eisner,1932* (Papilionidae) Synonym(s): *nike Bryk & Eisner,1932*
 53480) *Parnassius (Driopa) orleans orleans Oberthür,1891* (Papilionidae) Synonym(s): *orleans Oberthür,1891; #inipicta Bryk & Eisner,1932; #semidecora Bryk,1923; #walteri Bryk,1914; #amplisocellata Bryk & Eisner,1932; #quincunx Eisner,1957*

- 53481) *Parnassius (Driopa) orleans parthenos* Bryk,1932 (Papilionidae) Synonym(s): *parthenos* Bryk,1932; *#cleralis* Bryk,1923; *#binocularis* Bryk,1923; *#graphica* Bryk,1923; *#usurpator* Bryk,1923; *#meyeri* Bryk,1923; *#communista* Bryk,1923; *#distinguenda* Bryk,1923.
- 53482) *Parnassius (Driopa) stubbendorffii Ménétriés,1849* (Papilionidae) Synonym(s): *stubbendorffii Ménétriés,1849*
- 53483) *Parnassius (Driopa) stubbendorffii baeckeri Kotsch,1929* (Papilionidae) Synonym(s): *baeckeri Kotsch,1929*
- 53484) *Parnassius (Driopa) stubbendorffii kaoligena* Bryk,1946 (Papilionidae) Synonym(s): *kaoligena* Bryk,1946
- 53485) *Parnassius (Driopa) stubbendorffii kjoensoengensis* Bryk,1932 (Papilionidae) Synonym(s): *kjoensoengensis* Bryk,1932
- 53486) *Parnassius (Driopa) stubbendorffii kosterini Kreuzberg & Pljustsh,1992* (Papilionidae) Synonym(s): *kosterini Kreuzberg & Pljustsh,1992*
- 53487) *Parnassius (Driopa) stubbendorffii stubbendorffii Ménétriés,1849* (Papilionidae) Synonym(s): *stubbendorffii Ménétriés,1849*
- 53488) *Parnassius (Driopa) stubbendorffii typicus* Bryk,1914 (Papilionidae) Synonym(s): *typicus* Bryk,1914
- 53489) *Parnassius (Kailasius) autocrator Avinoff,1913* (Papilionidae) Synonym(s): *autocrator Avinoff,1913*
- 53490) *Parnassius (Kailasius) autocrator autocrator Avinoff,1913* (Papilionidae) Synonym(s): *autocrator Avinoff,1913*
- 53491) *Parnassius (Kailasius) charltonius Gray,[1853]* (Papilionidae) Synonym(s): *charltonius Gray,[1853]; #mendica* Bryk,1912.
- 53492) *Parnassius (Kailasius) charltonius amabilis* Bryk & Eisner,1932 (Papilionidae) Synonym(s): *amabilis* Bryk & Eisner,1932
- 53493) *Parnassius (Kailasius) charltonius bryki Haude,1912* (Papilionidae) Synonym(s): *bryki Haude,1912; #atroguttata* Bryk,1912.
- 53494) *Parnassius (Kailasius) charltonius charltonius Gray,[1853]* (Papilionidae) Synonym(s): *charltonius Gray,[1853]; #mendica* Bryk,1912.
- 53495) *Parnassius (Kailasius) charltonius corporaali* Bryk,1935 (Papilionidae) Synonym(s): *corporaali* Bryk,1935
- 53496) *Parnassius (Kailasius) charltonius deckerti Verity,[1907]* (Papilionidae) Synonym(s): *deckerti Verity,[1907]; #haudei* Bryk,1912; *#flavomaculata* Bryk,1912; *#nigrofascidecorata* Peschke,1938.
- 53497) *Parnassius (Kailasius) charltonius ducalis Boulet & Le Cerf,1912* (Papilionidae) Synonym(s): *ducalis Boulet & Le Cerf,1912; occidentalis* Bryk,1912.
- 53498) *Parnassius (Kailasius) charltonius eisnerianus* Bryk,1931 (Papilionidae) Synonym(s): *eisnerianus* Bryk,1931
- 53499) *Parnassius (Kailasius) charltonius ella* Bryk,1932 (Papilionidae) Synonym(s): *ella* Bryk,1932
- 53500) *Parnassius (Kailasius) charltonius flaugeri Eisner,1978* (Papilionidae) Synonym(s): *flaugeri Eisner,1978*
- 53501) *Parnassius (Kailasius) charltonius kabiri Eisner & Naumann,1980* (Papilionidae) Synonym(s): *kabiri Eisner & Naumann,1980*
- 53502) *Parnassius (Kailasius) charltonius ljudmillae Lesin & Kaabak,1991* (Papilionidae) Synonym(s): *ljudmillae Lesin & Kaabak,1991*
- 53503) *Parnassius (Kailasius) charltonius mistericus Kaabak, Sotshivko & Titov,1996* (Papilionidae) Synonym(s): *mistericus Kaabak, Sotshivko & Titov,1996*
- 53504) *Parnassius (Kailasius) charltonius naimus Eisner & Naumann,1980* (Papilionidae) Synonym(s): *naimus Eisner & Naumann,1980*
- 53505) *Parnassius (Kailasius) charltonius nuristanus Eisner & Naumann,1980* (Papilionidae) Synonym(s): *nuristanus Eisner & Naumann,1980*
- 53506) *Parnassius (Kailasius) charltonius otto* Bryk & Eisner,1932 (Papilionidae) Synonym(s): *otto Bryk & Eisner,1932*
- 53507) *Parnassius (Kailasius) charltonius robertjan (Eisner,1959)* (Papilionidae) Synonym(s): *robertjan Eisner,1959*
- 53508) *Parnassius (Kailasius) charltonius romanovi Groum-Grshimailo,1888* (Papilionidae) Synonym(s): *romanovi Groum-Grshimailo,1888*
- 53509) *Parnassius (Kailasius) charltonius sakai Eisner,1978* (Papilionidae) Synonym(s): *sakai Eisner,1978*
- 53510) *Parnassius (Kailasius) charltonius serenissimus* Bryk,1932 (Papilionidae) Synonym(s): *serenissimus* Bryk,1932
- 53511) *Parnassius (Kailasius) charltonius vaporosus Avinoff,1913* (Papilionidae) Synonym(s): *vaporosus Avinoff,1913*
- 53512) *Parnassius (Kailasius) charltonius voighti O.Bang-Haas,1927* (Papilionidae) Synonym(s): *voighti O.Bang-Haas,1927*
- 53513) *Parnassius (Kailasius) charltonius wernickei Kotsch,1936* (Papilionidae) Synonym(s): *wernickei Kotsch,1936*
- 53514) *Parnassius (Kailasius) davydovi Churkin,2006* (Papilionidae) Synonym(s): *davydovi Churkin,2006*
- 53515) *Parnassius (Kailasius) imperator Oberthür,1883* (Papilionidae) Synonym(s): *imperator Oberthür,1883*
- 53516) *Parnassius (Kailasius) imperator aino* Bryk,1932 (Papilionidae) Synonym(s): *aino* Bryk,1932
- 53517) *Parnassius (Kailasius) imperator augustus Fruhstorfer,1903* (Papilionidae) Synonym(s): *augustus Fruhstorfer,1903*
- 53518) *Parnassius (Kailasius) imperator cedermarki* Bryk,1943 (Papilionidae) Synonym(s): *cedermarki* Bryk,1943
- 53519) *Parnassius (Kailasius) imperator evansi* Bryk,1932 (Papilionidae) Synonym(s): *evansi* Bryk,1932
- 53520) *Parnassius (Kailasius) imperator gigas Kotsch,1932* (Papilionidae) Synonym(s): *gigas Kotsch,1932*
- 53521) *Parnassius (Kailasius) imperator imperator Oberthür,1883* (Papilionidae) Synonym(s): *imperator Oberthür,1883*
- 53522) *Parnassius (Kailasius) imperator imperatrix Alpheraky,1897* (Papilionidae) Synonym(s): *imperatrix Alpheraky,1897*
- 53523) *Parnassius (Kailasius) imperator imposantus Schulte,1991* (Papilionidae) Synonym(s): *imposantus Schulte,1991*
- 53524) *Parnassius (Kailasius) imperator irmae* Bryk,1932 (Papilionidae) Synonym(s): *irmae* Bryk,1932; *milarepa Hamada,2003*
- 53525) *Parnassius (Kailasius) imperator jiyetiani Pierrat,1990* (Papilionidae) Synonym(s): *jiyetiani Pierrat,1990*
- 53526) *Parnassius (Kailasius) imperator musageta Groum-Grshimailo,1890* (Papilionidae) Synonym(s): *musageta Groum-Grshimailo,1890*
- 53527) *Parnassius (Kailasius) imperator musetta* Bryk & Eisner,1932 (Papilionidae) Synonym(s): *musetta* Bryk & Eisner,1932
- 53528) *Parnassius (Kailasius) imperator regina* Bryk & Eisner,1932 (Papilionidae) Synonym(s): *regina* Bryk & Eisner,1932
- 53529) *Parnassius (Kailasius) imperator regulus* Bryk & Eisner,1932 (Papilionidae) Synonym(s): *regulus* Bryk & Eisner,1932
- 53530) *Parnassius (Kailasius) imperator rex O.Bang-Haas,1928* (Papilionidae) Synonym(s): *rex O.Bang-Haas,1928*
- 53531) *Parnassius (Kailasius) imperator sultan* Bryk & Eisner,1932 (Papilionidae) Synonym(s): *sultan* Bryk & Eisner,1932
- 53532) *Parnassius (Kailasius) imperator uxorius (Eisner,1966)* (Papilionidae) Synonym(s): *tyrannus Bang-Haas,1935 praeocc.; uxorius Eisner,1966*
- 53533) *Parnassius (Kailasius) imperator venustus Stichel,1906* (Papilionidae) Synonym(s): *venustus Stichel,1906*
- 53534) *Parnassius (Kailasius) inopinatus (Kotsch,1940)* (Papilionidae) Synonym(s): *inopinatus Kotsch,1940*
- 53535) *Parnassius (Kailasius) inopinatus inopinatus (Kotsch,1940)* (Papilionidae) Synonym(s): *inopinatus Kotsch,1940*
- 53536) *Parnassius (Kailasius) inopinatus muetingi Wyatt,1975* (Papilionidae) Synonym(s): *muetingi Wyatt,1975*
- 53537) *Parnassius (Kailasius) loxias loxias Püngeler,1901* (Papilionidae) Synonym(s): *loxias Püngeler,1901*
- 53538) *Parnassius (Kailasius) loxias loxias Püngeler,1901* (Papilionidae) Synonym(s): *loxias Püngeler,1901*
- 53539) *Parnassius (Kailasius) loxias raskemensis Avinoff,1916* (Papilionidae) Synonym(s): *raskemensis Avinoff,1916*
- 53540) *Parnassius (Kailasius) loxias tashkorensis Kreuzberg,1983* (Papilionidae) Synonym(s): *tashkorensis Kreuzberg,1983*
- 53541) *Parnassius (Koramius) acdestis ? liudongi Huang,1999* (Papilionidae) Synonym(s): *liudongi Huang,1999*
- 53542) *Parnassius (Koramius) acdestis Groum-Grshimailo,1890* (Papilionidae) Synonym(s): *acdestis Groum-Grshimailo,1890*
- 53543) *Parnassius (Koramius) acdestis acdestis Groum-Grshimailo,1890* (Papilionidae) Synonym(s): *acdestis Groum-Grshimailo,1890*
- 53544) *Parnassius (Koramius) acdestis carolinae Kawasaki & Helia,1996* (Papilionidae) Synonym(s): *carolinae Kawasaki & Helia,1996*
- 53545) *Parnassius (Koramius) acdestis cerevisiae Weiss & Michel,1989* (Papilionidae) Synonym(s): *cerevisiae Weiss & Michel,1989*
- 53546) *Parnassius (Koramius) acdestis charon Kocman,2004* (Papilionidae) Synonym(s): *charon Kocman,2004*
- 53547) *Parnassius (Koramius) acdestis christinae Rose,1997* (Papilionidae) Synonym(s): *christinae Rose,1997*
- 53548) *Parnassius (Koramius) acdestis cinerosus Stichel,1907* (Papilionidae) Synonym(s): *cinerosus Stichel,1907*
- 53549) *Parnassius (Koramius) acdestis felix (Eisner,1958)* (Papilionidae) Synonym(s): *felix Eisner,1958*
- 53550) *Parnassius (Koramius) acdestis fujitai Koiwaya,1993* (Papilionidae) Synonym(s): *fujitai Koiwaya,1993*
- 53551) *Parnassius (Koramius) acdestis hades* Bryk,1932 (Papilionidae) Synonym(s): *hades* Bryk,1932
- 53552) *Parnassius (Koramius) acdestis imperatoides Weiss & Michel,1989* (Papilionidae) Synonym(s): *imperatoides Weiss & Michel,1989*
- 53553) *Parnassius (Koramius) acdestis irenaeophilus* Bryk,1943 (Papilionidae) Synonym(s): *irenaeophilus* Bryk,1943
- 53554) *Parnassius (Koramius) acdestis ivetae Rose & Bieber,2005* (Papilionidae) Synonym(s): *ivetae Rose & Bieber,2005*
- 53555) *Parnassius (Koramius) acdestis kuhkai Kawasaki,1996* (Papilionidae) Synonym(s): *kuhkai Kawasaki,1996*
- 53556) *Parnassius (Koramius) acdestis ladakensis Avinoff,1916* (Papilionidae) Synonym(s): *ladakensis Avinoff,1916*
- 53557) *Parnassius (Koramius) acdestis lampidius Fruhstorfer,1903* (Papilionidae) Synonym(s): *lampidius Fruhstorfer,1903*
- 53558) *Parnassius (Koramius) acdestis lathonius* Bryk,1913 (Papilionidae) Synonym(s): *lathonius* Bryk,1913; *#excelsior Eisner,1958; cerberus Kocman,1996.*
- 53559) *Parnassius (Koramius) acdestis limitis Weiss & Michel,1989* (Papilionidae) Synonym(s): *limitis Weiss & Michel,1989*
- 53560) *Parnassius (Koramius) acdestis lux* Eisner,1969 (Papilionidae) Synonym(s): *lux Eisner,1969*
- 53561) *Parnassius (Koramius) acdestis macdonaldi Rothschild,1918; #excelsior Eisner,1958.* (Papilionidae) Synonym(s): *macdonaldi Rothschild,1918; #excelsior Eisner,1958.*
- 53562) *Parnassius (Koramius) acdestis martae Kawasaki & Helia,1996* (Papilionidae) Synonym(s): *martae Kawasaki & Helia,1996*
- 53563) *Parnassius (Koramius) acdestis midas Kocman,2003* (Papilionidae) Synonym(s): *midas Kocman,2003*
- 53564) *Parnassius (Koramius) acdestis peeblesi* Bryk,1932 (Papilionidae) Synonym(s): *peeblesi* Bryk,1932
- 53565) *Parnassius (Koramius) acdestis peschkei Eisner,1933* (Papilionidae) Synonym(s): *peschkei Eisner,1933*
- 53566) *Parnassius (Koramius) acdestis rupshuana Avinoff,1916* (Papilionidae) Synonym(s): *rupshuana Avinoff,1916*
- 53567) *Parnassius (Koramius) acdestis sugelicus Sorimachi & Morita,1993* (Papilionidae) Synonym(s): *sugelicus Sorimachi & Morita,1993*
- 53568) *Parnassius (Koramius) acdestis vogti (O.Bang-Haas,1938)* (Papilionidae) Synonym(s): *vogti O.Bang-Haas,1938*

- 53569) *Parnassius* (Koramius) *acdestis* wako Kawasaki,1996 (Papilionidae) Synonym(s): *wako* Kawasaki,1996; *ekaii* Kawasaki,1996; *yanae* Huang,1998
- 53570) *Parnassius* (Koramius) *delphius* (Eversmann,1843) (Papilionidae) Synonym(s): *delphius* Eversmann,1843
- 53571) *Parnassius* (Koramius) *delphius* *abramovi* O.Bang-Haas,1915 (Papilionidae) Synonym(s): *abramovi* O.Bang-Haas,1915; *sobolewski* Avinoff,1916.
- 53572) *Parnassius* (Koramius) *delphius* *affinis* Peschke & Eisner,1934 (Papilionidae) Synonym(s): *affinis* Peschke & Eisner,1934
- 53573) *Parnassius* (Koramius) *delphius* *albulus* Honrath,1889 (Papilionidae) Synonym(s): *albulus* Honr.,1889; *delphinus* Gr-Gr.,1890; *tancrei* Aust.,1910; *barteli* Aust.,1911; *aurelia* Aust.,1912; *juldussica*, *candidatus*, *constans*, *karaschahrica* B.-H.,1915; *sobolevskyi* Av.,1916; *hamiensis* B.-H.,1927; *mephisto* Her.,1931; *menander* Hemm.,1934; *holgae* Krbg.,1987.
- 53574) *Parnassius* (Koramius) *delphius* *cardinalina* Avinoff,1916 (Papilionidae) Synonym(s): *#cardinalina* Avinoff,1916
- 53575) *Parnassius* (Koramius) *delphius* *cardinalis* Groum-Grshimailo,1887 (Papilionidae) Synonym(s): *cardinalis* Groum-Grshimailo,1887
- 53576) *Parnassius* (Koramius) *delphius* *chitralica* Avinoff,1912 (Papilionidae) Synonym(s): *#chitralica* Verity,[1911]; *chitralica* Avinoff,1912; *chitralensis* Avinoff,1916 *nec* Moore,1902; *chitralica* Bollow,1922.
- 53577) *Parnassius* (Koramius) *delphius* *cretatus* Sheljuzhko,1914 (Papilionidae) Synonym(s): *cretatus* Sheljuzhko,1914
- 53578) *Parnassius* (Koramius) *delphius* *darvasicus* Avinoff,1916 (Papilionidae) Synonym(s): *darvasicus* Avinoff,1916
- 53579) *Parnassius* (Koramius) *delphius* *delphius* (Eversmann,1843) (Papilionidae) Synonym(s): *delphius* Eversmann,1843
- 53580) *Parnassius* (Koramius) *delphius* *djamila* (Eisner & Naumann,1980) (Papilionidae) Synonym(s): *djamila* Eisner & Naumann,1980
- 53581) *Parnassius* (Koramius) *delphius* *dolabella* Fruhstorfer,1904 (Papilionidae) Synonym(s): *dolabella* Fruhstorfer,1904
- 53582) *Parnassius* (Koramius) *delphius* *imitator* Bryk & Eisner,1932 (Papilionidae) Synonym(s): *imitator* Bryk & Eisner,1932
- 53583) *Parnassius* (Koramius) *delphius* *kafir* Avinoff,1916 (Papilionidae) Synonym(s): *kafir* Avinoff,1916
- 53584) *Parnassius* (Koramius) *delphius* *kasachstanus* O.Bang-Haas,1933 (Papilionidae) Synonym(s): *kasachstanus* O.Bang-Haas,1933
- 53585) *Parnassius* (Koramius) *delphius* *kohibaba* Clench & Shoumatoff,1956 (Papilionidae) Synonym(s): *kohibaba* Clench & Shoumatoff,1956
- 53586) *Parnassius* (Koramius) *delphius* *mamaievi* Avinoff,1916 (Papilionidae) Synonym(s): *#mamaievi* O.Bang-Haas,1915 [*quadrinomial*!]; *mamaievi* Avinoff,1916.
- 53587) *Parnassius* (Koramius) *delphius* *namanganus* Staudinger,1886 (Papilionidae) Synonym(s): *namanganus* Staudinger,1886; *namanganus* Elwes,1886.
- 53588) *Parnassius* (Koramius) *delphius* *noxinfernus* (Eisner & Naumann,1980) (Papilionidae) Synonym(s): *noxinfernus* Eisner & Naumann,1980
- 53589) *Parnassius* (Koramius) *delphius* *parangensis* Eisner,1939 (Papilionidae) Synonym(s): *parangensis* Eisner,1939
- 53590) *Parnassius* (Koramius) *delphius* *pontifex* (Bryk & Eisner,1932) (Papilionidae) Synonym(s): *pontifex* Bryk & Eisner,1932
- 53591) *Parnassius* (Koramius) *delphius* *shigarensis* O.Bang-Haas,1935 (Papilionidae) Synonym(s): *shigarensis* O.Bang-Haas,1935
- 53592) *Parnassius* (Koramius) *delphius* *workmani* Avinoff,1916 (Papilionidae) Synonym(s): *workmani* Avinoff,1916
- 53593) *Parnassius* (Koramius) *jacobsoni* Avinoff,1913 (Papilionidae) Synonym(s): *jacobsoni* Avinov,1913
- 53594) *Parnassius* (Koramius) *jacobsoni* *jacobsoni* Avinoff,1913 (Papilionidae) Synonym(s): *jacobsoni* Avinov,1913
- 53595) *Parnassius* (Koramius) *jacobsoni* *micha* (Eisner,1975) (Papilionidae) Synonym(s): *micha* Eisner,1975
- 53596) *Parnassius* (Koramius) *jacobsoni* *ruth* Kotsch,1936 (Papilionidae) Synonym(s): *ruth* Kotsch,1936; *mogul* Wyatt,1975.
- 53597) *Parnassius* (Koramius) *maximinus* Staudinger,1891 (Papilionidae) Synonym(s): *maximinus* Staudinger,1891
- 53598) *Parnassius* (Koramius) *maximinus* *legezina* Bergmann,1995 (Papilionidae) Synonym(s): *legezina* Bergmann,1995
- 53599) *Parnassius* (Koramius) *maximinus* *maximinus* Staudinger,1891 (Papilionidae) Synonym(s): *maximinus* Staudinger,1891
- 53600) *Parnassius* (Koramius) *patricius* Niepelt,1911 (Papilionidae) Synonym(s): *patricius* Niepelt,1911
- 53601) *Parnassius* (Koramius) *patricius* *exclamationis* Avinoff,1921 (Papilionidae) Synonym(s): *exclamationis* Avinoff,1921
- 53602) *Parnassius* (Koramius) *patricius* *kardakovi* Bryk & Eisner,1930 (Papilionidae) Synonym(s): *kardakovi* Bryk & Eisner,1930
- 53603) *Parnassius* (Koramius) *patricius* *luedwigi* Kreuzberg,1989 (Papilionidae) Synonym(s): *luedwigi* Kreuzberg,1989
- 53604) *Parnassius* (Koramius) *patricius* *lukhtanovi* Rose,1992 (Papilionidae) Synonym(s): *lukhtanovi* Rose,1992
- 53605) *Parnassius* (Koramius) *patricius* *patricius* Niepelt,1913 (Papilionidae) Synonym(s): *patricius* Niepelt,1911
- 53606) *Parnassius* (Koramius) *patricius* *priamus* Bryk,1914 (Papilionidae) Synonym(s): *priamus* Bryk,1914
- 53607) *Parnassius* (Koramius) *patricius* *uzyngyrus* Weiss,1979 (Papilionidae) Synonym(s): *uzyngyrus* Weiss,1979; *haugumensis* Eisner,1979.
- 53608) *Parnassius* (Koramius) *staudingeri* A.Bang-Haas,1882 (Papilionidae) Synonym(s): *staudingeri* A.Bang-Haas,1882
- 53609) *Parnassius* (Koramius) *staudingeri* *difficilis* Murzin,1989 (Papilionidae) Synonym(s): *difficilis* Murzin,1989
- 53610) *Parnassius* (Koramius) *staudingeri* *dunkeldyus* Sotshivko & Kaabak,1996 (Papilionidae) Synonym(s): *dunkeldyus* Sotshivko & Kaabak,1996
- 53611) *Parnassius* (Koramius) *staudingeri* *hissaricus* (Eisner,1968) (Papilionidae) Synonym(s): *hissaricus* Eisner,1968; *tzvetaevi* Stshetkin,1977.
- 53612) *Parnassius* (Koramius) *staudingeri* *hodja* O.Bang-Haas,1915 (Papilionidae) Synonym(s): *#hodja* Avinov,1913; *hodja* O.Bang-Haas,1915
- 53613) *Parnassius* (Koramius) *staudingeri* *inaccessibilis* Stshetkin,1979 (Papilionidae) Synonym(s): *valentinae* Stshetkin,1977 *nec* Shelj.,1943; *inaccessibilis* Stshetkin,1979.
- 53614) *Parnassius* (Koramius) *staudingeri* *maximiliani* Heinkele,2000 (Papilionidae) Synonym(s): *maximiliani* Heinkele,2000
- 53615) *Parnassius* (Koramius) *staudingeri* *mustagata* Rose,1990 (Papilionidae) Synonym(s): *mustagata* Rose,1990
- 53616) *Parnassius* (Koramius) *staudingeri* *staudingeri* A.Bang-Haas,1882 (Papilionidae) Synonym(s): *staudingeri* A.Bang-Haas,1882
- 53617) *Parnassius* (Koramius) *stenosemus* Honrath,1890 (Papilionidae) Synonym(s): *stenosemus* Honrath,1890
- 53618) *Parnassius* (Koramius) *stenosemus* *stenosemus* Honrath,1890 (Papilionidae) Synonym(s): *stenosemus* Honrath,1890
- 53619) *Parnassius* (Koramius) *stoliczkanus* C.Felder & R.Felder,[1865] (Papilionidae) Synonym(s): *stoliczkanus* C.Felder & R.Felder,[1865]; *zanskarica* O.Bang-Haas,1934.
- 53620) *Parnassius* (Koramius) *stoliczkanus* *atkinsoni* (Moore,1902) (Papilionidae) Synonym(s): *atkinsoni* Moore,1902
- 53621) *Parnassius* (Koramius) *stoliczkanus* *beate* Eisner,1939 (Papilionidae) Synonym(s): *beate* Eisner,1939
- 53622) *Parnassius* (Koramius) *stoliczkanus* *florenciae* Tytler,1926 (Papilionidae) Synonym(s): *florenciae* Tytler,1926; *kumaonensis* Riley,1926; *#florenciae* O.Bang-Haas,1927.
- 53623) *Parnassius* (Koramius) *stoliczkanus* *gracilis* Bryk & Eisner,1932 (Papilionidae) Synonym(s): *gracilis* Bryk & Eisner,1932
- 53624) *Parnassius* (Koramius) *stoliczkanus* *nicevillei* Avinoff,1916 (Papilionidae) Synonym(s): *nicevillei* Avinoff,1916
- 53625) *Parnassius* (Koramius) *stoliczkanus* *rileyi* Tytler,1926 (Papilionidae) Synonym(s): *rileyi* Tytler,1926; *tylerianus* Eisner & Bryk,1934.
- 53626) *Parnassius* (Koramius) *stoliczkanus* *spitiensis* O.Bang-Haas,1927 (Papilionidae) Synonym(s): *spitiensis* O.Bang-Haas,1927
- 53627) *Parnassius* (Koramius) *stoliczkanus* *stoliczkanus* C.Felder & R.Felder,[1865] (Papilionidae) Synonym(s): *stoliczkanus* C.Felder & R.Felder,[1865]; *zanskarica* O.Bang-Haas,1934.
- 53628) *Parnassius* (Koramius) *stoliczkanus* *tenuis* Bryk & Eisner,1932 (Papilionidae) Synonym(s): *tenuis* Bryk & Eisner,1932
- 53629) *Parnassius* (Koramius) *stoliczkanus* *thomas* Eisner,1939 (Papilionidae) Synonym(s): *thomas* Eisner,1939
- 53630) *Parnassius* (Koramius) *stoliczkanus* *zogilaica* Tytler,1926 (Papilionidae) Synonym(s): *zogilaica* Tytler,1926
- 53631) *Parnassius* (Sachaia) *arcticus* (Eisner,1968) (Papilionidae) Synonym(s): *arctica* Eisner,1968; ? *amosovi* Korshunov,1988
- 53632) *Parnassius* (Sachaia) *arcticus* *arcticus* (Eisner,1968) (Papilionidae) Synonym(s): *arctica* Eisner,1968; ? *amosovi* Korshunov,1988
- 53633) *Parnassius* (Sachaia) *boedromius* Püngeler,1901 (Papilionidae) Synonym(s): *boedromius* Püngeler,1901; *pygmaeus* A.Bang-Haas,1910; *candida* Avinov,1913; *#fermata* Bryk & Eisner,1930; *#mediolavapupillata* Eisner,1959; *#flavapupillata* Eisner,1959.
- 53634) *Parnassius* (Sachaia) *boedromius* *boedromius* Püngeler,1901 (Papilionidae) Synonym(s): *boedromius* Püngeler,1901; *pygmaeus* A.Bang-Haas,1910; *candida* Avinov,1913; *#fermata* Bryk & Eisner,1930; *#mediolavapupillata* Eisner,1959; *#flavapupillata* Eisner,1959.
- 53635) *Parnassius* (Sachaia) *boedromius* *hohlbecki* Avinoff,1913 (Papilionidae) Synonym(s): *hohlbecki* Avinov,1913
- 53636) *Parnassius* (Sachaia) *boedromius* *martiniheringi* Bryk & Eisner,1930 (Papilionidae) Synonym(s): *martiniheringi* Bryk & Eisner,1930
- 53637) *Parnassius* (Sachaia) *boedromius* *prasolovi* Kreuzberg,1986 (Papilionidae) Synonym(s): *prasolovi* Kreuzberg,1986
- 53638) *Parnassius* (Sachaia) *boedromius* *sokolovi* Kreuzberg,1989 (Papilionidae) Synonym(s): *sokolovi* Kreuzberg,1989
- 53639) *Parnassius* (Sachaia) *simo* Gray,[1853] (Papilionidae) Synonym(s): *simo* Gray,[1853]; *peteri* O.Bang-Haas,1927
- 53640) *Parnassius* (Sachaia) *simo* *aconus* Fruhstorfer,1903 (Papilionidae) Synonym(s): *aconus* Fruhstorfer,1903; *moelleri* Bingham,1907; *prominentus* Kawasaki & Heli,1996; *maedai* Sorimachi,1997
- 53641) *Parnassius* (Sachaia) *simo* *andreji* Eisner,1930 (Papilionidae) Synonym(s): *andreji* Eisner,1930; *#centripuncta* Eisner,1930; *eos* Bryk & Eisner,1934; *albifer* Eisner,1938; *dirshi* O.Bang-Haas,1938; *#rhomboides* Eisner,1959; *norikoe* Ohya,1988; *verhulsti* Kocman,1995; *kongfuzii* Kocman,1996; *yayoiiae* Shinkai,1997
- 53642) *Parnassius* (Sachaia) *simo* *avinoffi* Avinoff,1913 (Papilionidae) Synonym(s): *#avinoffi* Verity,1911; *avinoffi* Avinoff,1913; *tsuchiyaorm* Morita,1997.
- 53643) *Parnassius* (Sachaia) *simo* *bieberi* Rose & Kawasaki,1997 (Papilionidae) Synonym(s): *bieberi* Rose & Kawasaki,1997; *bainqenerdini* Huang,1998
- 53644) *Parnassius* (Sachaia) *simo* *buddenbrocki* O.Bang-Haas,1938 (Papilionidae) Synonym(s): *buddenbrocki* O.Bang-Haas,1938; *ogawai* Ohya,1987; *teiae* Shinkai,1996

- 53645) *Parnassius* (Sachaia) *simo callianthe* Sorimachi, 1991 (Papilionidae) Synonym(s): *callianthe* Sorimachi, 1991
- 53646) *Parnassius* (Sachaia) *simo colosseus* O.Bang-Haas, 1935 (Papilionidae) Synonym(s): *colosseus* O.Bang-Haas, 1935
- 53647) *Parnassius* (Sachaia) *simo confusus* O.Bang-Haas, 1927 (Papilionidae) Synonym(s): *confusus* O.Bang-Haas, 1927; *#ocelloconjuncta* Bryk & Eisner, 1932.
- 53648) *Parnassius* (Sachaia) *simo demtchokensis* Eisner, 1938 (Papilionidae) Synonym(s): *demtchokensis* Eisner, 1938
- 53649) *Parnassius* (Sachaia) *simo dirschi* O.Bang-Haas, 1938 (Papilionidae) Synonym(s): *dirschi* O.Bang-Haas, 1938
- 53650) *Parnassius* (Sachaia) *simo fickleri* Geith, 1996 (Papilionidae) Synonym(s): *fickleri* Geith, 1996; *chikae* Mikami, 1997; *tarasovi* Sorimachi, 1997; *demolensis* Kawasaki, 1998; *khamensis* Kocman, 1999
- 53651) *Parnassius* (Sachaia) *simo ganymedes* Bryk & Eisner, 1932 (Papilionidae) Synonym(s): *ganymedes* Bryk & Eisner, 1932; *#appendiciocellata* Peschke, 1938.
- 53652) *Parnassius* (Sachaia) *simo gylippos* Fruhstorfer, 1903 (Papilionidae) Synonym(s): *gylippos* Fruhstorfer, 1903
- 53653) *Parnassius* (Sachaia) *simo hilariae* Kreuzberg, 1986 (Papilionidae) Synonym(s): *hilariae* Kreuzberg, 1986
- 53654) *Parnassius* (Sachaia) *simo hingstoni* (Bryk, 1932) (Papilionidae) Synonym(s): *hingstoni* Bryk, 1932; *shishapangmanus* Kawasaki, 1998
- 53655) *Parnassius* (Sachaia) *simo koslovi* Avinoff, 1913 (Papilionidae) Synonym(s): *#koslovi* Verity, 1911; *koslovi* Avinoff, 1913; *lise* Eisner, 1959; *kazuei* Sorimachi, 1991; *kunlunensis* Weiss, 1991; *qinghaiensis* Sorimachi & Morita, 1994; *wenquanensis* Sorimachi & Morita, 1994
- 53656) *Parnassius* (Sachaia) *simo lanaki* Bryk & Eisner, 1932 (Papilionidae) Synonym(s): *lanaki* Bryk & Eisner, 1932
- 53657) *Parnassius* (Sachaia) *simo lenzi* (Bryk, 1943) (Papilionidae) Synonym(s): *lenzi* Bryk, 1943; *kangtinsis* Sorimachi, 1991
- 53658) *Parnassius* (Sachaia) *simo lorimeri* Tytler, 1926 (Papilionidae) Synonym(s): *lorimeri* Tytler, 1926
- 53659) *Parnassius* (Sachaia) *simo miroku* Inaoka & Shinkai, 1994 (Papilionidae) Synonym(s): *miroku* Inaoka & Shinkai, 1994; *yoshikoe* Morita, 1997; *chitulaensis* Kocman, 1997; *drigungtilensis* Kocman, 1999
- 53660) *Parnassius* (Sachaia) *simo nigrificatus* Kreuzberg, 1986 (Papilionidae) Synonym(s): *nigrificatus* Kreuzberg, 1986
- 53661) *Parnassius* (Sachaia) *simo qilianshanicus* Schulte, 1992 (Papilionidae) Synonym(s): *qilianshanicus* Schulte, 1992; *shinkawai* Koiwaya, 1995
- 53662) *Parnassius* (Sachaia) *simo reinigi* Bryk, 1932 (Papilionidae) Synonym(s): *reinigi* Bryk, 1932
- 53663) *Parnassius* (Sachaia) *simo saserensis* O.Bang-Haas, 1937 (Papilionidae) Synonym(s): *saserensis* O.Bang-Haas, 1937
- 53664) *Parnassius* (Sachaia) *simo simillimus* Bryk & Eisner, 1937 (Papilionidae) Synonym(s): *simillimus* Bryk & Eisner, 1937
- 53665) *Parnassius* (Sachaia) *simo simo* Gray, [1853] (Papilionidae) Synonym(s): *simo* Gray, [1853]; *peteri* O.Bang-Haas, 1927
- 53666) *Parnassius* (Sachaia) *simo simonides* Austaut, 1912 (Papilionidae) Synonym(s): *simonides* Austaut, 1912
- 53667) *Parnassius* (Sachaia) *simo simplicatus* Stichel, 1907 (Papilionidae) Synonym(s): *simplicatus* Stichel, 1907
- 53668) *Parnassius* (Sachaia) *simo tawuensis* Kocman, 2003 (Papilionidae) Synonym(s): *tawuensis* Kocman, 2003
- 53669) *Parnassius* (Sachaia) *simo yunnanensis* Kawasaki, 1998 (Papilionidae) Synonym(s): *yunnanensis* Kawasaki, 1998; *wardi* Mikami, 1998
- 53670) *Parnassius* (Sachaia) *simo zarraensis* O.Bang-Haas, 1934 (Papilionidae) Synonym(s): *zarraensis* O.Bang-Haas, 1934
- 53671) *Parnassius* (Sachaia) *simonius* Staudinger, 1889 (Papilionidae) Synonym(s): *simonius* Staudinger, 1889
- 53672) *Parnassius* (Sachaia) *simonius grayi* Avinoff, 1916 (Papilionidae) Synonym(s): *grayi* Avinoff, 1916
- 53673) *Parnassius* (Sachaia) *simonius shuvalorum* Kreuzberg & Pljush, 1992 (Papilionidae) Synonym(s): *shuvalorum* Kreuzberg & Pljush, 1992
- 53674) *Parnassius* (Sachaia) *simonius simonius* Staudinger, 1889 (Papilionidae) Synonym(s): *simonius* Staudinger, 1889
- 53675) *Parnassius* (Sachaia) *simonius simulator* Staudinger, 1889 (Papilionidae) Synonym(s): *simulator* Staudinger, 1889; *#subdiaphana* Verity, 1907; *#nigroinspersa* Verity, 1907.
- 53676) *Parnassius* (Sachaia) *simonius taldicus* Gundorov, 1991 (Papilionidae) Synonym(s): *taldicus* Gundorov, 1991
- 53677) *Parnassius* (Sachaia) *tenedius Eversmann*, 1851 (Papilionidae) Synonym(s): *tenedius* Eversmann, 1851
- 53678) *Parnassius* (Sachaia) *tenedius sceptica* Bryk & Eisner, 1932 (Papilionidae) Synonym(s): *sceptica* Bryk & Eisner, 1932
- 53679) *Parnassius* (Sachaia) *tenedius tenedius* Eversmann, 1851 (Papilionidae) Synonym(s): *tenedius* Eversmann, 1851
- 53680) *Parnassius* (Sachaia) *tenedius vulcanus* Bryk & Eisner, 1932 (Papilionidae) Synonym(s): *vulcanus* Bryk & Eisner, 1932
- 53681) *Parnassius* (Tadumia) *acco Gray*, [1853] (Papilionidae) Synonym(s): *acco* Gray, [1853]
- 53682) *Parnassius* (Tadumia) *acco acco* Gray, [1853] (Papilionidae) Synonym(s): *acco* Gray, [1853]; *transhimalayensis* Eisner, 1938; *gyanglaputsai* Huang, 1998
- 53683) *Parnassius* (Tadumia) *acco baileyi* South, 1913 (Papilionidae) Synonym(s): *baileyi* South, 1913
- 53684) *Parnassius* (Tadumia) *acco baltorana* O.Bang-Haas, 1937 (Papilionidae) Synonym(s): *baltorana* O.Bang-Haas, 1937
- 53685) *Parnassius* (Tadumia) *acco chumurtiensis* O.Bang-Haas, 1928 (Papilionidae) Synonym(s): *chumurtiensis* O.Bang-Haas, 1928; *#excelsior* Eisner, 1959.
- 53686) *Parnassius* (Tadumia) *acco gemmifer* Fruhstorfer, 1904 (Papilionidae) Synonym(s): *gemmifer* Fruhstorfer, 1904
- 53687) *Parnassius* (Tadumia) *acco hamptoni* Avinoff, 1916 (Papilionidae) Synonym(s): *hamptoni* Avinoff, 1916
- 53688) *Parnassius* (Tadumia) *acco hoareauae* Hanus & Manon, 2003 (Papilionidae) Synonym(s): *hoareauae* Hanus & Manon, 2003
- 53689) *Parnassius* (Tadumia) *acco humboldti* Pierrat & Porion, 1988 (Papilionidae) Synonym(s): *humboldti* Pierrat & Porion, 1988
- 53690) *Parnassius* (Tadumia) *acco mirabilis* O.Bang-Haas, 1927 (Papilionidae) Synonym(s): *mirabilis* O.Bang-Haas, 1927
- 53691) *Parnassius* (Tadumia) *acco przewalskii* Alpheraky, 1887 (Papilionidae) Synonym(s): *prezawalskii* Alpheraky, 1887; *makicoae* Morita, 1997
- 53692) *Parnassius* (Tadumia) *acco punctata* Tytler, 1926 (Papilionidae) Synonym(s): *punctata* Tytler, 1926
- 53693) *Parnassius* (Tadumia) *acco pundjabensis* O.Bang-Haas, 1927 (Papilionidae) Synonym(s): *pundjabensis* O.Bang-Haas, 1927
- 53694) *Parnassius* (Tadumia) *acco rosei* Schulte, 1992 (Papilionidae) Synonym(s): *rosei* Schulte, 1992
- 53695) *Parnassius* (Tadumia) *acco rothschildianus* Bryk, 1931 (Papilionidae) Synonym(s): *rothschildianus* Bryk, 1931
- 53696) *Parnassius* (Tadumia) *acco tagalangi* O.Bang-Haas, 1927 (Papilionidae) Synonym(s): *tagalangi* O.Bang-Haas, 1927
- 53697) *Parnassius* (Tadumia) *acco tulaishani* Schulte, 1992 (Papilionidae) Synonym(s): *tulaishani* Schulte, 1992
- 53698) *Parnassius* (Tadumia) *acco yvonne* (Eisner, 1959) (Papilionidae) Synonym(s): *yvonne* Eisner, 1959; *aristocratus* Kocman, 1999
- 53699) *Parnassius* (Tadumia) *cephalus Groum-Grshimailo*, 1890 (Papilionidae) Synonym(s): *cephalus* Groum-Grshimailo, 1890; *#nigricans-grundi* Eisner, 1958; *#quadripicta* Bryk & Eisner, 1934; *#quinquepicta* Bryk & Eisner, 1934; *#nigroocellata* Bryk & Eisner, 1934; *#quincunx* Eisner, 1958; *#ernestinae* Eisner, 1958.
- 53700) *Parnassius* (Tadumia) *cephalus ares* Bryk & Eisner, 1934 (Papilionidae) Synonym(s): *ares* Bryk & Eisn., 1934; *#aperta* Bryk & Eisn., 1932; *#femata* Bryk & Eisn., 1932; *#semicaeca* Bryk & Eisn., 1932; *#ampliusocellata* Bryk & Eisn., 1932; *#nigrociliata* Bryk & Eisn., 1932; *#ocelloconjuncta* Bryk & Eisn., 1932; *#tripicta* Bryk & Eisn., 1932; *#cellopora* Eisn., 1966
- 53701) *Parnassius* (Tadumia) *cephalus capitalis* Bryk & Eisner, 1935 (Papilionidae) Synonym(s): *capitalis* Bryk & Eisner, 1935
- 53702) *Parnassius* (Tadumia) *cephalus cephalus* Groum-Grshimailo, 1890 (Papilionidae) Synonym(s): *cephalus* Groum-Grshimailo, 1890; *#nigricans-grundi* Eisner, 1958; *#quadripicta* Bryk & Eisner, 1934; *#quinquepicta* Bryk & Eisner, 1934; *#nigroocellata* Bryk & Eisner, 1934; *#quincunx* Eisner, 1958; *#ernestinae* Eisner, 1958.
- 53703) *Parnassius* (Tadumia) *cephalus dalailama* Bryk, 1943 (Papilionidae) Synonym(s): *dalailama* Bryk, 1943
- 53704) *Parnassius* (Tadumia) *cephalus danielae* Rose, 1997 (Papilionidae) Synonym(s): *danielae* Rose, 1997
- 53705) *Parnassius* (Tadumia) *cephalus dengxiaoping* Weiss & Michel, 1989 (Papilionidae) Synonym(s): *dengxiaoping* Weiss & Michel, 1989; *tibetana* Sorimachi & Morita, 1994.
- 53706) *Parnassius* (Tadumia) *cephalus dominantus* Kocman, 1999 (Papilionidae) Synonym(s): *dominantus* Kocman, 1999
- 53707) *Parnassius* (Tadumia) *cephalus eierhoffi* O.Bang-Haas, 1938 (Papilionidae) Synonym(s): *eierhoffi* O.Bang-Haas, 1938
- 53708) *Parnassius* (Tadumia) *cephalus elwesi* Leech, 1893 (Papilionidae) Synonym(s): *elwesi* Leech, 1893
- 53709) *Parnassius* (Tadumia) *cephalus gehleni* Eisner, 1932 (Papilionidae) Synonym(s): *gehleni* Eisner, 1932; *#nigricans* Bryk & Eisner, 1932.
- 53710) *Parnassius* (Tadumia) *cephalus irene* Bryk & Eisner, 1937 (Papilionidae) Synonym(s): *irene* Bryk & Eisner, 1937
- 53711) *Parnassius* (Tadumia) *cephalus micheli* Weiss, 1992 (Papilionidae) Synonym(s): *micheli* Weiss, 1992
- 53712) *Parnassius* (Tadumia) *cephalus panchenlama* Kocman, 1995 (Papilionidae) Synonym(s): *panchenlama* Kocman, 1995
- 53713) *Parnassius* (Tadumia) *cephalus rileyanus* Bryk, 1932 (Papilionidae) Synonym(s): *rileyanus* Bryk, 1932
- 53714) *Parnassius* (Tadumia) *cephalus ryoukoe* Kawasaki, 1995 (Papilionidae) Synonym(s): *ryoukoe* Kawasaki, 1995
- 53715) *Parnassius* (Tadumia) *cephalus sengei* O.Bang-Haas, 1938 (Papilionidae) Synonym(s): *sengei* O.Bang-Haas, 1938
- 53716) *Parnassius* (Tadumia) *cephalus ssp.n.* (Papilionidae) Synonym(s):
- 53717) *Parnassius* (Tadumia) *cephalus weissi* Schulte, 1992 (Papilionidae) Synonym(s): *weissi* Schulte, 1992
- 53718) *Parnassius* (Tadumia) *cephalus yamantaka* Shinkai & Morita, 1995 (Papilionidae) Synonym(s): *yamantaka* Shinkai & Morita, 1995
- 53719) *Parnassius* (Tadumia) *cephalus yasuyukii* Inaoka, 1995 (Papilionidae) Synonym(s): *yasuyukii* Inaoka, 1995
- 53720) *Parnassius* (Tadumia) *hannngtoni* Avinoff, 1916 (Papilionidae) Synonym(s): *#hunnngtoni* Avinoff, 1916; *liliput* Bryk
- 53721) *Parnassius* (Tadumia) *hannngtoni hannngtoni* Avinoff, 1916 (Papilionidae) Synonym(s): *#hunnngtoni* Avinoff, 1916; *liliput* Bryk

- 53722) *Parnassius* (*Tadumia*) *hardwickei* Gray,1831 (Papilionidae) Synonym(s): *hardwickei* Gray,1831; *pundjabensis* O.Bang-Haas,1934 nec O.Bang-Haas,1927.
- 53723) *Parnassius* (*Tadumia*) *hardwickei albicans* Fruhstorfer,1898 (Papilionidae) Synonym(s): *albicans* Fruhstorfer,1898; *viridicans* Fruhstorfer,1909.
- 53724) *Parnassius* (*Tadumia*) *hardwickei baltistani* O.Bang-Haas,1934 (Papilionidae) Synonym(s): *baltistani* O.Bang-Haas,1934
- 53725) *Parnassius* (*Tadumia*) *hardwickei doubounniensis* (Eisner,1958) (Papilionidae) Synonym(s): *doubounniensis* Eisner,1958
- 53726) *Parnassius* (*Tadumia*) *hardwickei hardwickei* Gray,1831 (Papilionidae) Synonym(s): *hardwickei* Gray,1831; *pundjabensis* O.Bang-Haas,1934 nec O.Bang-Haas,1927.
- 53727) *Parnassius* (*Tadumia*) *maharaja* Avinoff,1916 (Papilionidae) Synonym(s): *maharaja* Avinoff,1916
- 53728) *Parnassius* (*Tadumia*) *maharaja erici* Hanus, Hanus & Manon,1988 (Papilionidae) Synonym(s): *erici* Hanus, Hanus & Manon,1988
- 53729) *Parnassius* (*Tadumia*) *maharaja maharaja* Avinoff,1916 (Papilionidae) Synonym(s): *maharaja* Avinoff,1916
- 53730) *Parnassius* (*Tadumia*) *szechenyii Frivaldsky*,1886 (Papilionidae) Synonym(s): *szechenyii Frivaldsky*,1886
- 53731) *Parnassius* (*Tadumia*) *szechenyii arnoldiana* O.Bang-Haas,1938 (Papilionidae) Synonym(s): *arnoldiana* O.Bang-Haas,1938
- 53732) *Parnassius* (*Tadumia*) *szechenyii elvi* Bryk,1938 (Papilionidae) Synonym(s): *elvi* Bryk,1938
- 53733) *Parnassius* (*Tadumia*) *szechenyii eros* Bryk & Eisner,1934 (Papilionidae) Synonym(s): *eros* Bryk & Eisner,1934
- 53734) *Parnassius* (*Tadumia*) *szechenyii evacaki* Schulte,1992 (Papilionidae) Synonym(s): *evacaki* Schulte,1992
- 53735) *Parnassius* (*Tadumia*) *szechenyii fenzeli* Bryk,1938 (Papilionidae) Synonym(s): *fenzeli* Bryk,1938
- 53736) *Parnassius* (*Tadumia*) *szechenyii frivaldskyi* O.Bang-Haas,1928 (Papilionidae) Synonym(s): *frivaldskyi* O.Bang-Haas,1928
- 53737) *Parnassius* (*Tadumia*) *szechenyii germanae* Austaut,1907 (Papilionidae) Synonym(s): *germanae* Austaut,1907
- 53738) *Parnassius* (*Tadumia*) *szechenyii kansuensis* Bryk & Eisner,1931 (Papilionidae) Synonym(s): *kansuensis* Bryk & Eisner,1931; *#tripicta* Bryk & Eisner,1931; *#verorubrostubmarginata* Eisner,1958; *#biexcelsior* Eisner,1958
- 53739) *Parnassius* (*Tadumia*) *szechenyii katars* Bryk,1943 (Papilionidae) Synonym(s): *katars* Bryk,1943
- 53740) *Parnassius* (*Tadumia*) *szechenyii lethe* Bryk & Eisner,1931 (Papilionidae) Synonym(s): *lethe* Bryk & Eisner,1931
- 53741) *Parnassius* (*Tadumia*) *szechenyii luminosa* O.Bang-Haas,1938 (Papilionidae) Synonym(s): *luminosa* O.Bang-Haas,1938
- 53742) *Parnassius* (*Tadumia*) *szechenyii szechenyii* Frivaldsky,1886 (Papilionidae) Synonym(s): *szechenyii* Frivaldsky,1886
- 53743) *Parnassius* (s.str.) *actius* (Eversmann,1843) (Papilionidae) Synonym(s): *actius* Eversmann,1843; *urumschiensis* Verity,[1906]; *jacovlevi* Korb,1998.
- 53744) *Parnassius* (s.str.) *actius actinobolus* Staudinger,1897 (Papilionidae) Synonym(s): *actinobolus* Staudinger,1897
- 53745) *Parnassius* (s.str.) *actius actius* (Eversmann,1843) (Papilionidae) Synonym(s): *actius* Eversmann,1843; *urumschiensis* Verity,[1906]; *jacovlevi* Korb,1998.
- 53746) *Parnassius* (s.str.) *actius ambrosius* Stichel,1892 (Papilionidae) Synonym(s): *ambrosius* Stichel,1892; *superbus* Rühl; *#femata* Bryk & Eisner,1935.
- 53747) *Parnassius* (s.str.) *actius brutus* Bryk,1914 (Papilionidae) Synonym(s): *brutus* Bryk,1914; *brutus* O.Bang-Haas,1915.
- 53748) *Parnassius* (s.str.) *actius caesar* Groum-Grshimailo,1885 (Papilionidae) Synonym(s): *caesar* Groum-Grshimailo,1885; *muzaffir* Elwes,1886.
- 53749) *Parnassius* (s.str.) *actius cassius* Bryk & Eisner,1935 (Papilionidae) Synonym(s): *cassius* Bryk & Eisner,1935
- 53750) *Parnassius* (s.str.) *actius catalina* Eisner & Peschke,1934 (Papilionidae) Synonym(s): *catalina* Eisner & Peschke,1934
- 53751) *Parnassius* (s.str.) *actius cleopatra* Bryk & Eisner,1935 (Papilionidae) Synonym(s): *cleopatra* Bryk & Eisner,1935
- 53752) *Parnassius* (s.str.) *actius dubitabilis* Rothschild,1918 (Papilionidae) Synonym(s): *#dubitabilis* Verity,1911; *dubitabilis* Rothschild,1918.
- 53753) *Parnassius* (s.str.) *actius flora* O.Bang-Haas,1915 (Papilionidae) Synonym(s): *flora* O.Bang-Haas,1915
- 53754) *Parnassius* (s.str.) *actius hussi* Eisner & Naumann,1980 (Papilionidae) Synonym(s): *hussi* Eisner & Naumann,1980
- 53755) *Parnassius* (s.str.) *actius marius* Bryk & Eisner,1935 (Papilionidae) Synonym(s): *marius* Bryk & Eisner,1935
- 53756) *Parnassius* (s.str.) *actius minutus* Verity,[1911] (Papilionidae) Synonym(s): *minutus* Verity,[1911].
- 53757) *Parnassius* (s.str.) *actius ornatus* O.Bang-Haas,1915 (Papilionidae) Synonym(s): *ornatus* O.Bang-Haas,1915; *#tripicta* O.Bang-Haas,1915.
- 53758) *Parnassius* (s.str.) *actius pseudobrutus* Bryk & Eisner,1931 (Papilionidae) Synonym(s): *pseudobrutus* Bryk & Eisner,1931
- 53759) *Parnassius* (s.str.) *actius pseudocaesar* Eisner & Sheljuzhko,1965 (Papilionidae) Synonym(s): *caesar* Staudinger,1897 nec Groum-Grshimailo,1885; *pseudocaesar* Eisner & Sheljuzhko,1965
- 53760) *Parnassius* (s.str.) *actius sulla* Bryk & Eisner,1935 (Papilionidae) Synonym(s): *sulla* Bryk & Eisner,1935
- 53761) *Parnassius* (s.str.) *actius yelyangi* O.Bang-Haas,1934 (Papilionidae) Synonym(s): *yelyangi* Bang-Haas,1934
- 53762) *Parnassius* (s.str.) *apollo* (Linnaeus,1758) (Papilionidae) Synonym(s): *apollo* Linnaeus,1758
- 53763) *Parnassius* (s.str.) *apollo adzharensis* Sheljuzhko,1924 (Papilionidae) Synonym(s): *adzharensis* Sheljuzhko,1924
- 53764) *Parnassius* (s.str.) *apollo aizpuruae* Gomez-Bustillo & Fernandez-Rubio,1971 (Papilionidae) Synonym(s): *aizpuruae* Gomez-Bustillo & Fernandez-Rubio,1971
- 53765) *Parnassius* (s.str.) *apollo albanicus* Bryk & Eisner,1939 (Papilionidae) Synonym(s): *albanicus* Bryk & Eisner,1939
- 53766) *Parnassius* (s.str.) *apollo alemanicus* Fruhstorfer,1922 (Papilionidae) Synonym(s): *alemanicus* Fruhstorfer,1922
- 53767) *Parnassius* (s.str.) *apollo alpherakyi* Krulikowsky,1906 (Papilionidae) Synonym(s): *alpherakyi* Krulikowsky,1906
- 53768) *Parnassius* (s.str.) *apollo amphytion* Fruhstorfer,1921 (Papilionidae) Synonym(s): *amphytion* Fruhstorfer,1921
- 53769) *Parnassius* (s.str.) *apollo antjesuita* Bryk,1912 (Papilionidae) Synonym(s): *antjesuita* Bryk,1912
- 53770) *Parnassius* (s.str.) *apollo apollo* (Linnaeus,1758) (Papilionidae) Synonym(s): *apollo* Linnaeus,1758
- 53771) *Parnassius* (s.str.) *apollo aragonicus* Bryk,1914 (Papilionidae) Synonym(s): *aragonicus* Bryk,1914
- 53772) *Parnassius* (s.str.) *apollo ardanzhi* Fernandez,1926 (Papilionidae) Synonym(s): *ardanzhi* Fernandez,1926
- 53773) *Parnassius* (s.str.) *apollo asturiensis* Pagenstecher,1909 (Papilionidae) Synonym(s): *asturiensis* Pagenstecher,1909
- 53774) *Parnassius* (s.str.) *apollo bartholomaeus* Stichel,1899 (Papilionidae) Synonym(s): *bartholomaeus* Stichel,1899
- 53775) *Parnassius* (s.str.) *apollo bellianus* Bryk,1935 (Papilionidae) Synonym(s): *bellianus* Bryk,1935
- 53776) *Parnassius* (s.str.) *apollo bosniensis* Stichel,1899 (Papilionidae) Synonym(s): *bosniensis* Stichel,1899
- 53777) *Parnassius* (s.str.) *apollo brittingeri* Rebel & Rogenhofer,1892 (Papilionidae) Synonym(s): *brittingeri* Rebel & Rogenhofer,1892
- 53778) *Parnassius* (s.str.) *apollo carelius* Bryk,1911 (Papilionidae) Synonym(s): *carelius* Bryk,1911
- 53779) *Parnassius* (s.str.) *apollo carpathicus* Rebel & Rogenhofer,1892 (Papilionidae) Synonym(s): *carpathicus* Rebel & Rogenhofer,1892
- 53780) *Parnassius* (s.str.) *apollo caucasicus* Pagenstecher,1912 (Papilionidae) Synonym(s): *caucasicus* Pagenstecher,1912
- 53781) *Parnassius* (s.str.) *apollo ciscaucasicus* Sheljuzhko,1924 (Papilionidae) Synonym(s): *ciscaucasicus* Sheljuzhko,1924
- 53782) *Parnassius* (s.str.) *apollo dardanus* Rebel,1913 (Papilionidae) Synonym(s): *dardanus* Rebel,1913
- 53783) *Parnassius* (s.str.) *apollo democrat* Krulikowsky,1906 (Papilionidae) Synonym(s): *democrat* Krulikowsky,1906
- 53784) *Parnassius* (s.str.) *apollo escalarae* Rothschild,1909 (Papilionidae) Synonym(s): *escalarae* Rothschild,1909
- 53785) *Parnassius* (s.str.) *apollo fennoscandicus* Bryk,1911 (Papilionidae) Synonym(s): *fennoscandicus* Bryk,1911
- 53786) *Parnassius* (s.str.) *apollo filabicus* De Sagarra,1933 (Papilionidae) Synonym(s): *filabicus* Sagarra,1933
- 53787) *Parnassius* (s.str.) *apollo finmarchicus* Rothschild,1909 (Papilionidae) Synonym(s): *finmarchicus* Rothschild,1909; *fennicus* Bryk,1911.
- 53788) *Parnassius* (s.str.) *apollo francisci* Le Cerf,1939 (Papilionidae) Synonym(s): *francisci* Le Cerf,1939
- 53789) *Parnassius* (s.str.) *apollo gadorensis* Rougeot & Capdeville,1969 (Papilionidae) Synonym(s): *gadorensis* Rougeot & Capdeville,1969
- 53790) *Parnassius* (s.str.) *apollo geminus* Schawerda,[1907] (Papilionidae) Synonym(s): *geminus* Schawerda,[1907]
- 53791) *Parnassius* (s.str.) *apollo germaniae* Rougeot & Capdeville,1972 (Papilionidae) Synonym(s): *germaniae* Rougeot & Capdeville,1972
- 53792) *Parnassius* (s.str.) *apollo graecus* Ziegler,1901 (Papilionidae) Synonym(s): *graecus* Ziegler,1901
- 53793) *Parnassius* (s.str.) *apollo graslini* Oberthür,1891 (Papilionidae) Synonym(s): *graslini* Oberthür,1891; *kashtshenkoi* Sheljuzhko,1908; *levantinus* Rothschild,1909; *auerspergi* Rebel,1911; *dubius* Bryk,1912; *araraticus* Pagenstecher,1912; *anatolicus* Pagenstecher,1912; *armenicus* Pagenstecher,1912; *peroneurus* Bryk,1914; *zarathustra* Bryk,1914; *transcaucasicus* Bryk,1914
- 53794) *Parnassius* (s.str.) *apollo hercegovinensis* Schawerda,1912 (Papilionidae) Synonym(s): *hercegovinensis* Schawerda,1912
- 53795) *Parnassius* (s.str.) *apollo hermiston* Fruhstorfer,1921 (Papilionidae) Synonym(s): *hermiston* Fruhstorfer,1921
- 53796) *Parnassius* (s.str.) *apollo hesbolus* Nordmann,1851 (Papilionidae) Synonym(s): *hesbolus* Nordmann,1851
- 53797) *Parnassius* (s.str.) *apollo hispanicus* Oberthür,1909 (Papilionidae) Synonym(s): *hispanicus* Oberthür,1909
- 53798) *Parnassius* (s.str.) *apollo laufferi* Bryk,1923 (Papilionidae) Synonym(s): *laufferi* Bryk,1923
- 53799) *Parnassius* (s.str.) *apollo lessei* Rougeot & Capdeville,1968 (Papilionidae) Synonym(s): *lessei* Rougeot & Capdeville,1968
- 53800) *Parnassius* (s.str.) *apollo liburnicus* Rebel & Rogenhofer,1892 (Papilionidae) Synonym(s): *liburnicus* Rebel & Rogenhofer,1892
- 53801) *Parnassius* (s.str.) *apollo limicola* Stichel,1906 (Papilionidae) Synonym(s): *limicola* Stichel,1906
- 53802) *Parnassius* (s.str.) *apollo lioranus* Fruhstorfer,1921 (Papilionidae) Synonym(s): *lioranus* Fruhstorfer,1921; *arvernensis* Eisner,1957.

- 53803) *Parnassius* (s.str.) *apollo lozerae* Pagenstecher, 1909 (Papilionidae) Synonym(s): *lozerae* Pagenstecher, 1909; *cebennica* Le Cerf, 1913; *aqualensis* Acheray, 1937.
- 53804) *Parnassius* (s.str.) *apollo macedonicus* Bollow, 1931 (Papilionidae) Synonym(s): *macedonicus* Bollow, 1931
- 53805) *Parnassius* (s.str.) *apollo manleyi* Wyatt, 1964 (Papilionidae) Synonym(s): *manleyi* Wyatt, 1964
- 53806) *Parnassius* (s.str.) *apollo marcianus* Pagenstecher, 1909 (Papilionidae) Synonym(s): *marcianus* Pagenstecher, 1909; *phonolithi* Bryk, 1915
- 53807) *Parnassius* (s.str.) *apollo mariae* Capdeville & Rougeot, 1969 (Papilionidae) Synonym(s): *mariae* Capdeville & Rougeot, 1969
- 53808) *Parnassius* (s.str.) *apollo marmorarius* Belling, 1930 (Papilionidae) Synonym(s): *marmorarius* Belling, 1930
- 53809) *Parnassius* (s.str.) *apollo marteni* Eisner, 1956 (Papilionidae) Synonym(s): *marteni* Eisner, 1956
- 53810) *Parnassius* (s.str.) *apollo maurilianus* Fernandez, 1926 (Papilionidae) Synonym(s): *maurilianus* Fernandez, 1926
- 53811) *Parnassius* (s.str.) *apollo meinhardi* Sheljuzhko, 1924 (Papilionidae) Synonym(s): *meinhardi* Sheljuzhko, 1924
- 53812) *Parnassius* (s.str.) *apollo melliculus* Stichel, 1906 (Papilionidae) Synonym(s): *melliculus* Stichel, 1906
- 53813) *Parnassius* (s.str.) *apollo mendolensis* Dannehl, 1925 (Papilionidae) Synonym(s): *mendolensis* Dannehl, 1925
- 53814) *Parnassius* (s.str.) *apollo meridionalis* Pagenstecher, 1909 (Papilionidae) Synonym(s): *meridionalis* Pagenstecher, 1909; *sevensis* Kesenheimer, 1920
- 53815) *Parnassius* (s.str.) *apollo mongolicus* Staudinger, 1900 (Papilionidae) Synonym(s): *mongolicus* Staudinger, 1900; *merzbacheri* Fruhstorfer, 1906; *minerva* A. Bang-Haas, 1910; *transiliensis* Eisner, 1966.
- 53816) *Parnassius* (s.str.) *apollo montanus* Stichel, 1907 (Papilionidae) Synonym(s): *montanus* Stichel, 1907
- 53817) *Parnassius* (s.str.) *apollo montebaldensis* Fruhstorfer, 1923 (Papilionidae) Synonym(s): *montebaldensis* Fruhstorfer, 1923
- 53818) *Parnassius* (s.str.) *apollo moskovitus* Bryk & Eisner, 1938 (Papilionidae) Synonym(s): *moskovitus* Bryk & Eisner, 1938
- 53819) *Parnassius* (s.str.) *apollo nevadensis* Oberthür, 1891 (Papilionidae) Synonym(s): *nevadensis* Oberthür, 1891
- 53820) *Parnassius* (s.str.) *apollo nichollae* Rougeot & Capdeville, 1972 (Papilionidae) Synonym(s): *nichollae* Rougeot & Capdeville, 1972
- 53821) *Parnassius* (s.str.) *apollo nivatus* Fruhstorfer, 1906 (Papilionidae) Synonym(s): *nivatus* Fruhstorfer, 1906; *salevianus* Bryk, 1914; *wiskotti* Fruhstorfer, 1921; *saboianus* Fruhstorfer, 1923; *subvianus* Fruhstorfer, 1923; *sequanus* Rüttimeyer, 1943; *vercorcius* Testout, 1943.
- 53822) *Parnassius* (s.str.) *apollo norvegicus* Menthe, 1912 (Papilionidae) Synonym(s): *norvegicus* Menthe, 1912
- 53823) *Parnassius* (s.str.) *apollo odriozolae* Gomez-Bustillo & Fernandez-Rubio, 1971 (Papilionidae) Synonym(s): *odriozolae* Gomez-Bustillo & Fernandez-Rubio, 1971
- 53824) *Parnassius* (s.str.) *apollo olympiacus* Kolar & Rebel, 1934 (Papilionidae) Synonym(s): *olympiacus* Kolar & Rebel, 1934
- 53825) *Parnassius* (s.str.) *apollo omotimoius* Fruhstorfer, 1921 (Papilionidae) Synonym(s): *omotimoius* Fruhstorfer, 1921
- 53826) *Parnassius* (s.str.) *apollo peyerimhoffi* Viette, 1961 (Papilionidae) Synonym(s): *peyerimhoffi* Viette, 1961
- 53827) *Parnassius* (s.str.) *apollo pozazalensis* Gomez-Bustillo & Fernandez-Rubio, 1971 (Papilionidae) Synonym(s): *pozazalensis* Gomez-Bustillo & Fernandez-Rubio, 1971
- 53828) *Parnassius* (s.str.) *apollo provincialis* Kheil, 1905 (Papilionidae) Synonym(s): *provincialis* Kheil, 1905; *leovigildus* Fruhstorfer, 1909; *australis* Testout, 1943.
- 53829) *Parnassius* (s.str.) *apollo pseudosibiricus* Bryk & Eisner, 1938 (Papilionidae) Synonym(s): *pseudosibiricus* Bryk & Eisner, 1938
- 53830) *Parnassius* (s.str.) *apollo pyrenaicus* Harcourt Bath, 1896 (Papilionidae) Synonym(s): *pyrenaicus* Harcourt Bath, 1896; *chrysophorus* Fruhstorfer, 1921; *portentus* Rüttimeyer, 1942; *ossalensis* Marquant, 1959
- 53831) *Parnassius* (s.str.) *apollo regius* Lukhtanov, 1997 (Papilionidae) Synonym(s): *regius* Lukhtanov, 1997
- 53832) *Parnassius* (s.str.) *apollo rhodopensis* Markovic, 1910 (Papilionidae) Synonym(s): *rhodopensis* Markovic, 1910
- 53833) *Parnassius* (s.str.) *apollo rivalis* Belling, 1930 (Papilionidae) Synonym(s): *rivalis* Belling, 1930
- 53834) *Parnassius* (s.str.) *apollo rubidus* Fruhstorfer, 1906 (Papilionidae) Synonym(s): *rubidus* Fruhstorfer, 1906
- 53835) *Parnassius* (s.str.) *apollo sajoticus* Bryk, 1912 (Papilionidae) Synonym(s): *sajoticus* Bryk, 1912
- 53836) *Parnassius* (s.str.) *apollo sibiricus* (Nordmann, 1851) (Papilionidae) Synonym(s): *sibiricus* Nordmann, 1851
- 53837) *Parnassius* (s.str.) *apollo siciliae* Oberthür, 1891 (Papilionidae) Synonym(s): *siciliae* Oberthür, 1891
- 53838) *Parnassius* (s.str.) *apollo suaneticus* Pachenstecher, 1910 (Papilionidae) Synonym(s): *suaneticus* Pachenstecher, 1910
- 53839) *Parnassius* (s.str.) *apollo suevicus* Pagenstecher, 1909 (Papilionidae) Synonym(s): *suevicus* Pagenstecher, 1909; *thiemo* Fruhstorfer, 1909; *hahnei* Bryk, 1939
- 53840) *Parnassius* (s.str.) *apollo tarbagataicus* Verity, 1911 (Papilionidae) Synonym(s): *tarbagataica* Verity, 1911
- 53841) *Parnassius* (s.str.) *apollo tirabzonus* Sheljuzhko, 1924 (Papilionidae) Synonym(s): *tirabzonus* Sheljuzhko, 1924
- 53842) *Parnassius* (s.str.) *apollo tridentina* Dannehl, 1925 (Papilionidae) Synonym(s): *tridentina* Dannehl, 1925
- 53843) *Parnassius* (s.str.) *apollo valesiacus* Fruhstorfer, 1906 (Papilionidae) Synonym(s): *valesiacus* Fruhstorfer, 1906; *pedemontanus* Fruhstorfer, 1909; *substitulus* Rothschild, 1909; *valdierensis* Verity, 1911; *debilis* Fruhstorfer, 1924; *anneciensis* Testout, 1947; *buehleri* Eisner, 1956; *testoutensis* Eisner, 1957.
- 53844) *Parnassius* (s.str.) *apollo venaissimus* Fruhstorfer, 1921 (Papilionidae) Synonym(s): *venaissimus* Fruhstorfer, 1921; *fabrei* Rougeot, 1990
- 53845) *Parnassius* (s.str.) *apollo victoralis* Fruhstorfer, 1921 (Papilionidae) Synonym(s): *victoralis* Fruhstorfer, 1921
- 53846) *Parnassius* (s.str.) *apollo wyatti* Rougeot & Capdeville, 1968 (Papilionidae) Synonym(s): *wyatti* Rougeot & Capdeville, 1968
- 53847) *Parnassius* (s.str.) *apollonius* (Eversmann, 1847) (Papilionidae) Synonym(s): *apollonius* Eversmann, 1847
- 53848) *Parnassius* (s.str.) *apollonius alaicus* Bryk & Eisner, 1934 (Papilionidae) Synonym(s): *alaicus* Bryk & Eisner, 1934
- 53849) *Parnassius* (s.str.) *apollonius alicae* Kreuzberg, 1989 (Papilionidae) Synonym(s): *alicae* Kreuzberg, 1989
- 53850) *Parnassius* (s.str.) *apollonius alpinus* Staudinger, 1887 (Papilionidae) Synonym(s): *alpinus* Staudinger, 1887; *aulieataensis* Bryk & Eisner, 1934.
- 53851) *Parnassius* (s.str.) *apollonius aphrodite* Bryk & Eisner, 1934 (Papilionidae) Synonym(s): *aphrodite* Bryk & Eisner, 1934
- 53852) *Parnassius* (s.str.) *apollonius apollonius* (Eversmann, 1847) (Papilionidae) Synonym(s): *apollonius* Eversmann, 1847
- 53853) *Parnassius* (s.str.) *apollonius daubi* Fruhstorfer, 1903 (Papilionidae) Synonym(s): *daubi* Fruhstorfer, 1903; *hocolloconjuncta* Bryk & Eisner, 1934.
- 53854) *Parnassius* (s.str.) *apollonius dux* Staudinger, 1901 (Papilionidae) Synonym(s): *dux* Staudinger, 1901
- 53855) *Parnassius* (s.str.) *apollonius glaucopis* Bryk & Eisner, 1934 (Papilionidae) Synonym(s): *glaucopis* Bryk & Eisner, 1934
- 53856) *Parnassius* (s.str.) *apollonius gloriosus* Fruhstorfer, 1903 (Papilionidae) Synonym(s): *gloriosus* Fruhstorfer, 1903
- 53857) *Parnassius* (s.str.) *apollonius horaki* Kreuzberg, 1989 (Papilionidae) Synonym(s): *horaki* Kreuzberg, 1989
- 53858) *Parnassius* (s.str.) *apollonius kuldshaensis* Bryk & Eisner, 1934 (Papilionidae) Synonym(s): *kuldshaensis* Bryk & Eisner, 1934
- 53859) *Parnassius* (s.str.) *apollonius narynus* Fruhstorfer, 1908 (Papilionidae) Synonym(s): *narynus* Fruhstorfer, 1908; *hynigroanalis* Bryk & Eisner, 1934.
- 53860) *Parnassius* (s.str.) *apollonius poseidon* Bryk & Eisner, 1934 (Papilionidae) Synonym(s): *poseidon* Bryk & Eisner, 1934
- 53861) *Parnassius* (s.str.) *apollonius pseudoalpinus* Bryk & Eisner, 1934 (Papilionidae) Synonym(s): *pseudoalpinus* Bryk & Eisner, 1934
- 53862) *Parnassius* (s.str.) *bremeri* Bremer, 1864 (Papilionidae) Synonym(s): *bremeri* Bremer, 1864
- 53863) *Parnassius* (s.str.) *bremeri bremeri* Bremer, 1864 (Papilionidae) Synonym(s): *bremeri* Bremer, 1864
- 53864) *Parnassius* (s.str.) *bremeri conjuncta* Staudinger, 1901 (Papilionidae) Synonym(s): *conjuncta* Staudinger, 1901; *moltrechtii* Bryk, 1914
- 53865) *Parnassius* (s.str.) *bremeri graeseri* Honrath, 1885 (Papilionidae) Synonym(s): *graeseri* Honrath, 1885
- 53866) *Parnassius* (s.str.) *bremeri hakutozanus* Matsumura, 1927 (Papilionidae) Synonym(s): *hakutozana* Matsumura, 1927
- 53867) *Parnassius* (s.str.) *bremeri jaetensis* O. Bang-Haas, 1927 (Papilionidae) Synonym(s): *jaetensis* O. Bang-Haas, 1927
- 53868) *Parnassius* (s.str.) *bremeri mandarinus* Bryk, 1913 (Papilionidae) Synonym(s): *mandarinus* Bryk, 1913
- 53869) *Parnassius* (s.str.) *bremeri orotrichonica* O. Bang-Haas, 1927 (Papilionidae) Synonym(s): *orotrichonica* O. Bang-Haas, 1927
- 53870) *Parnassius* (s.str.) *bremeri solonensis* O. Bang-Haas, 1927 (Papilionidae) Synonym(s): *solonensis* O. Bang-Haas, 1927
- 53871) *Parnassius* (s.str.) *dongalaicus* Tytler, 1926 (Papilionidae) Synonym(s): *dongalaicus* Tytler, 1926
- 53872) *Parnassius* (s.str.) *dongalaicus dongalaicus* Tytler, 1926 (Papilionidae) Synonym(s): *dongalaicus* Tytler, 1926
- 53873) *Parnassius* (s.str.) *epaphus Oberthür*, 1879 (Papilionidae) Synonym(s): *epaphus* Oberthür, 1879; *alynensis* Stichel, 1907.
- 53874) *Parnassius* (s.str.) *epaphus abruptus* O. Bang-Haas, 1927 (Papilionidae) Synonym(s): *abruptus* O. Bang-Haas, 1927
- 53875) *Parnassius* (s.str.) *epaphus beicki* Bryk & Eisner, 1936 (Papilionidae) Synonym(s): *beicki* Bryk & Eisner, 1936
- 53876) *Parnassius* (s.str.) *epaphus beresowskyi* Staudinger, 1901 (Papilionidae) Synonym(s): *beresowskyi* Staudinger, 1901
- 53877) *Parnassius* (s.str.) *epaphus boschmai* Eisner, 1964 (Papilionidae) Synonym(s): *boschmai* Eisner, 1964
- 53878) *Parnassius* (s.str.) *epaphus cachemiriensis* Oberthür, 1891 (Papilionidae) Synonym(s): *cachemiriensis* Oberthür, 1891; *huda* Peschke, 1938.
- 53879) *Parnassius* (s.str.) *epaphus epaphactius* O. Bang-Haas, 1915 (Papilionidae) Synonym(s): *epaphactius* O. Bang-Haas, 1915
- 53880) *Parnassius* (s.str.) *epaphus epaphus* Oberthür, 1879 (Papilionidae) Synonym(s): *epaphus* Oberthür, 1879; *alynensis* Stichel, 1907
- 53881) *Parnassius* (s.str.) *epaphus epichorius* Bryk, 1943 (Papilionidae) Synonym(s): *epichorius* Bryk, 1943
- 53882) *Parnassius* (s.str.) *epaphus eutsaidamensis* Eisner, 1955 (Papilionidae) Synonym(s): *eutsaidamensis* Eisner, 1955
- 53883) *Parnassius* (s.str.) *epaphus everesti* Riley, 1923 (Papilionidae) Synonym(s): *everesti* Riley, 1923

- 53884) *Parnassius* (s.str.) *epaphus gautama* Bryk & Eisner, 1937 (Papilionidae) Synonym(s): *gautama* Bryk & Eisner, 1937
 53885) *Parnassius* (s.str.) *epaphus gyaella* Eisner, 1932 (Papilionidae) Synonym(s): *gyaella* Eisner, 1932; *gyaella* Bryk & Eisner, 1937
 53886) *Parnassius* (s.str.) *epaphus hasegawai* Sugisawa, 1991 (Papilionidae) Synonym(s): *hasegawai* Sugisawa, 1991
 53887) *Parnassius* (s.str.) *epaphus hazaraensis* Bryk & Eisner, 1937 (Papilionidae) Synonym(s): *hazaraensis* Bryk & Eisner, 1937
 53888) *Parnassius* (s.str.) *epaphus heliae* Schulte, 1991 (Papilionidae) Synonym(s): *heliae* Schulte, 1991
 53889) *Parnassius* (s.str.) *epaphus himalayanus* Riley, 1923 (Papilionidae) Synonym(s): *himalayanus* Riley, 1923
 53890) *Parnassius* (s.str.) *epaphus hinducucicus* O.Bang-Haas, 1934 (Papilionidae) Synonym(s): *hinducucicus* O.Bang-Haas, 1934
 53891) *Parnassius* (s.str.) *epaphus hoeniana* Eisner, 1955 (Papilionidae) Synonym(s): *hoeniana* Eisner, 1955
 53892) *Parnassius* (s.str.) *epaphus huwei* Fruhstorfer, 1903 (Papilionidae) Synonym(s): *huwei* Fruhstorfer, 1903
 53893) *Parnassius* (s.str.) *epaphus koiwayai* Ohya & Inomata, 1988 (Papilionidae) Synonym(s): *koiwayai* Ohya & Inomata, 1988
 53894) *Parnassius* (s.str.) *epaphus kotzschii* Bryk & Eisner, 1936 (Papilionidae) Synonym(s): *kotzschii* Bryk & Eisner, 1936
 53895) *Parnassius* (s.str.) *epaphus nanchanicus* Austaut, 1889 (Papilionidae) Synonym(s): *nanchanicus* Austaut, 1889; *#nigricans* Bryk & Eisner, 1936.
 53896) *Parnassius* (s.str.) *epaphus nirius* Moore, 1902 (Papilionidae) Synonym(s): *nirius* Moore, 1902; *#exoculata* O.Bang-Haas, 1937.
 53897) *Parnassius* (s.str.) *epaphus nomionides* Schulte, 1992 (Papilionidae) Synonym(s): *nomionides* Schulte, 1992
 53898) *Parnassius* (s.str.) *epaphus nomius* Groum-Grshimailo, 1890 (Papilionidae) Synonym(s): *nomius* Groum-Grshimailo, 1890
 53899) *Parnassius* (s.str.) *epaphus phariensis* Avinoff, 1916 (Papilionidae) Synonym(s): *phariensis* Avinoff, 1916
 53900) *Parnassius* (s.str.) *epaphus pictor* Bryk & Eisner, 1932 (Papilionidae) Synonym(s): *pictor* Bryk & Eisner, 1932
 53901) *Parnassius* (s.str.) *epaphus puella* Bryk, 1934 (Papilionidae) Synonym(s): *puella* Bryk, 1934
 53902) *Parnassius* (s.str.) *epaphus puer* Bryk & Eisner, 1932 (Papilionidae) Synonym(s): *puer* Bryk & Eisner, 1932
 53903) *Parnassius* (s.str.) *epaphus rafael* Bryk, 1938 (Papilionidae) Synonym(s): *rafael* Bryk, 1938
 53904) *Parnassius* (s.str.) *epaphus rene* Eisner, 1959 (Papilionidae) Synonym(s): *rene* Eisner, 1959
 53905) *Parnassius* (s.str.) *epaphus sculptor* Bryk & Eisner, 1939 (Papilionidae) Synonym(s): *sculptor* Bryk & Eisner, 1939
 53906) *Parnassius* (s.str.) *epaphus shantana* O.Bang-Haas, 1938 (Papilionidae) Synonym(s): *shantana* O.Bang-Haas, 1938
 53907) *Parnassius* (s.str.) *epaphus shilangensis* Bryk & Eisner, 1936 (Papilionidae) Synonym(s): *shilangensis* Bryk & Eisner, 1936
 53908) *Parnassius* (s.str.) *epaphus subtilis* O.Bang-Haas, 1927 (Papilionidae) Synonym(s): *subtilis* O.Bang-Haas, 1927
 53909) *Parnassius* (s.str.) *epaphus tsaidamensis* Austaut, 1898 (Papilionidae) Synonym(s): *tsaidamensis* Austaut, 1898
 53910) *Parnassius* (s.str.) *hillensis* O.Bang-Haas, 1915 (Papilionidae) Synonym(s): *hillensis* O.Bang-Haas, 1915; *bashahrecus* O.Bang-Haas, 1915.
 53911) *Parnassius* (s.str.) *hillensis hillensis* O.Bang-Haas, 1915 (Papilionidae) Synonym(s): *hillensis* O.Bang-Haas, 1915; *bashahrecus* O.Bang-Haas, 1915.
 53912) *Parnassius* (s.str.) *honrathi* Staudinger, 1882 (Papilionidae) Synonym(s): *honrathi* Staudinger, 1882
 53913) *Parnassius* (s.str.) *honrathi afghanistanus* Eisner, 1940 (Papilionidae) Synonym(s): *afghanistanus* Eisner, 1940
 53914) *Parnassius* (s.str.) *honrathi alburnus* Stichel, 1907 (Papilionidae) Synonym(s): *alburnus* Stichel, 1907
 53915) *Parnassius* (s.str.) *honrathi ernesti* Bryk, 1932 (Papilionidae) Synonym(s): *ernesti* Bryk, 1932
 53916) *Parnassius* (s.str.) *honrathi honrathi* Staudinger, 1882 (Papilionidae) Synonym(s): *honrathi* Staudinger, 1882
 53917) *Parnassius* (s.str.) *honrathi kondarensis* Stshetkin & Stshetkin, 1988 (Papilionidae) Synonym(s): *kondarensis* Stshetkin & Stshetkin, 1988
 53918) *Parnassius* (s.str.) *honrathi pseudoalburnus* Kotzsch, 1936 (Papilionidae) Synonym(s): *pseudoalburnus* Kotzsch, 1936
 53919) *Parnassius* (s.str.) *honrathi tusovi* Stshetkin & Stshetkin, 1989 (Papilionidae) Synonym(s): *tusovi* Stshetkin & Stshetkin, 1989
 53920) *Parnassius* (s.str.) *illustris* Groum-Grshimailo, 1888 (Papilionidae) Synonym(s): *illustris* Groum-Grshimailo, 1888
 53921) *Parnassius* (s.str.) *illustris illustris* Groum-Grshimailo, 1888 (Papilionidae) Synonym(s): *illustris* Groum-Grshimailo, 1888
 53922) *Parnassius* (s.str.) *illustris kiritshenkoi* Avinoff, 1910 (Papilionidae) Synonym(s): *kiritshenkoi* Avinoff, 1910
 53923) *Parnassius* (s.str.) *infernalis* Staudinger, 1886 (Papilionidae) Synonym(s): *infernalis* Staudinger, 1886; *#pseudopatricius* Kreuzberg, 1997
 53924) *Parnassius* (s.str.) *infernalis hoareui* Hanus, 1996 (Papilionidae) Synonym(s): *hoareui* Hanus, 1996
 53925) *Parnassius* (s.str.) *infernalis hunza* Groum-Grshimailo, 1888 (Papilionidae) Synonym(s): *hunza* Groum-Grshimailo, 1888; *#shaitan* Kreuzberg, 1997
 53926) *Parnassius* (s.str.) *infernalis infernalis* Staudinger, 1886 (Papilionidae) Synonym(s): *infernalis* Staudinger, 1886; *#pseudopatricius* Kreuzberg, 1997
 53927) *Parnassius* (s.str.) *jacquemontii* Boisduval, 1836 (Papilionidae) Synonym(s): *jacquemontii* Boisduval, 1836
 53928) *Parnassius* (s.str.) *jacquemontii actinoboloides* O.Bang-Haas, 1938 (Papilionidae) Synonym(s): *actinoboloides* O.Bang-Haas, 1938
 53929) *Parnassius* (s.str.) *jacquemontii buddha* Bryk & Eisner, 1937 (Papilionidae) Synonym(s): *buddha* Bryk & Eisner, 1937
 53930) *Parnassius* (s.str.) *jacquemontii chitralensis* Moore, 1902 (Papilionidae) Synonym(s): *chitralensis* Moore, 1902
 53931) *Parnassius* (s.str.) *jacquemontii frischi* O.Bang-Haas, 1938 (Papilionidae) Synonym(s): *frischi* O.Bang-Haas, 1938
 53932) *Parnassius* (s.str.) *jacquemontii hermes* Bryk & Eisner, 1935 (Papilionidae) Synonym(s): *hermes* Bryk & Eisner, 1935
 53933) *Parnassius* (s.str.) *jacquemontii hunzaicus* Tytler, 1926 (Papilionidae) Synonym(s): *hunzaicus* Tytler, 1926
 53934) *Parnassius* (s.str.) *jacquemontii jacquemontii* Boisduval, 1836 (Papilionidae) Synonym(s): *jacquemontii* Boisduval, 1836; *rhodius* Honrath, 1882; *himalayensis* Elwes, 1886; *impunctata* Austaut, 1899; *#impunctata* Stichel, 1909; *#archonis* Bryk, 1911; *gartokensis* Bryk & Eisner, 1935
 53935) *Parnassius* (s.str.) *jacquemontii kangraensis* Bryk & Eisner, 1932 (Papilionidae) Synonym(s): *kangraensis* Bryk & Eisner, 1932
 53936) *Parnassius* (s.str.) *jacquemontii kohibabaensis* Eisner & Sakai, 1975 (Papilionidae) Synonym(s): *kohibabaensis* Eisner & Sakai, 1975
 53937) *Parnassius* (s.str.) *jacquemontii linnaea* Bryk, 1943 (Papilionidae) Synonym(s): *linnaea* Bryk, 1943
 53938) *Parnassius* (s.str.) *jacquemontii mercurius* Groum-Grshimailo, 1890 (Papilionidae) Synonym(s): *mercurius* Groum-Grshimailo, 1890
 53939) *Parnassius* (s.str.) *jacquemontii mohammad* Eisner & Naumann, 1980 (Papilionidae) Synonym(s): *mohammad* Eisner & Naumann, 1980
 53940) *Parnassius* (s.str.) *jacquemontii nuksanica* Kotzsch, 1936 (Papilionidae) Synonym(s): *nuksanica* Kotzsch, 1936
 53941) *Parnassius* (s.str.) *jacquemontii pamira* O.Bang-Haas, 1927 (Papilionidae) Synonym(s): *pamira* O.Bang-Haas, 1927
 53942) *Parnassius* (s.str.) *jacquemontii paulusi* Schulte, 1992 (Papilionidae) Synonym(s): *paulusi* Schulte, 1992
 53943) *Parnassius* (s.str.) *jacquemontii peter* Bryk & Eisner, 1935 (Papilionidae) Synonym(s): *peter* Bryk & Eisner, 1935
 53944) *Parnassius* (s.str.) *jacquemontii rubicundus* Stichel, 1906 (Papilionidae) Synonym(s): *rubicundus* Stichel, 1906
 53945) *Parnassius* (s.str.) *jacquemontii shandura* Tytler, 1926 (Papilionidae) Synonym(s): *shandura* Tytler, 1926
 53946) *Parnassius* (s.str.) *jacquemontii sikingshani* Bryk & Eisner, 1935 (Papilionidae) Synonym(s): *sikingshani* Bryk & Eisner, 1935
 53947) *Parnassius* (s.str.) *jacquemontii tatsienluica* Verity, 1906 (Papilionidae) Synonym(s): *tatsienluica* Verity, 1906
 53948) *Parnassius* (s.str.) *jacquemontii tatungi* Bryk & Eisner, 1935 (Papilionidae) Synonym(s): *tatungi* Bryk & Eisner, 1935
 53949) *Parnassius* (s.str.) *jacquemontii tibetanulus* Bryk & Eisner, 1931 (Papilionidae) Synonym(s): *tibetanulus* Bryk & Eisner, 1931
 53950) *Parnassius* (s.str.) *jacquemontii tibetanus* Rühl, 1892 (Papilionidae) Synonym(s): *tibetanus* Rühl, 1892
 53951) *Parnassius* (s.str.) *jacquemontii variabilis* Stichel, 1906 (Papilionidae) Synonym(s): *variabilis* Stichel, 1906
 53952) *Parnassius* (s.str.) *nomion* Fischer de Waldheim, 1823 (Papilionidae) Synonym(s): *nomion* Fischer de Waldheim, 1823
 53953) *Parnassius* (s.str.) *nomion americanus* O.Bang-Haas, 1927 (Papilionidae) Synonym(s): *americanus* O.Bang-Haas, 1927
 53954) *Parnassius* (s.str.) *nomion anna* Bryk, 1914 (Papilionidae) Synonym(s): *anna* Bryk, 1914
 53955) *Parnassius* (s.str.) *nomion aurora* Bang-Haas, 1937 (Papilionidae) Synonym(s): *aurora* Bang-Haas, 1937
 53956) *Parnassius* (s.str.) *nomion chosensis* Matsumura, 1927 (Papilionidae) Synonym(s): *chosensis* Matsumura, 1927
 53957) *Parnassius* (s.str.) *nomion davidis* Oberthür, 1879 (Papilionidae) Synonym(s): *davidis* Oberthür, 1879; *davidi* Bryk, 1914; *anna* Bryk, 1914.
 53958) *Parnassius* (s.str.) *nomion dis* Bryk & Eisner, 1937 (Papilionidae) Synonym(s): *dis* Bryk & Eisner, 1937
 53959) *Parnassius* (s.str.) *nomion korshunovi* Kreuzberg & Pljustsh, 1992 (Papilionidae) Synonym(s): *korshunovi* Kreuzberg & Pljustsh, 1992
 53960) *Parnassius* (s.str.) *nomion mandschuriae* Oberthür, 1891 (Papilionidae) Synonym(s): *mandschuriae* Oberthür, 1891
 53961) *Parnassius* (s.str.) *nomion nominulus* Staudinger, [1895] (Papilionidae) Synonym(s): *nominulus* Staudinger, [1895]
 53962) *Parnassius* (s.str.) *nomion nomion* Fischer de Waldheim, 1823 (Papilionidae) Synonym(s): *nomion* Fischer de Waldheim, 1823
 53963) *Parnassius* (s.str.) *nomion nomius* Groum-Grshimailo, 1890 (Papilionidae) Synonym(s): *nomius* Groum-Grshimailo, 1890
 53964) *Parnassius* (s.str.) *nomion oberthuerianus* Bryk, 1914 (Papilionidae) Synonym(s): *oberthuerianus* Bryk, 1914
 53965) *Parnassius* (s.str.) *nomion richthofeni* O.Bang-Haas, 1927 (Papilionidae) Synonym(s): *richthofeni* O.Bang-Haas, 1927
 53966) *Parnassius* (s.str.) *nomion sinensis* O.Bang-Haas, 1927 (Papilionidae) Synonym(s): *sinensis* O.Bang-Haas, 1927
 53967) *Parnassius* (s.str.) *nomion theagenes* O.Bang-Haas, 1927 (Papilionidae) Synonym(s): *theagenes* O.Bang-Haas, 1927
 53968) *Parnassius* (s.str.) *nomion titan* Fruhstorfer, 1903 (Papilionidae) Synonym(s): *titan* Fruhstorfer, 1903
 53969) *Parnassius* (s.str.) *nomion transbaicalensis* Verity, [1911] (Papilionidae) Synonym(s): *transbaicalensis* Verity, [1911]
 53970) *Parnassius* (s.str.) *nomion tschiliensis* O.Bang-Haas, 1927 (Papilionidae) Synonym(s): *tschiliensis* O.Bang-Haas, 1927
 53971) *Parnassius* (s.str.) *phoebeus* (Fabricius, 1793) (Papilionidae) Synonym(s): *phoebeus* Fabricius, 1793; *altaicus* Ménétries, 1859; *#alpestris* Verity, [1911].
 53972) *Parnassius* (s.str.) *phoebeus amalthea* Bryk & Eisner, 1935 (Papilionidae) Synonym(s): *amalthea* Bryk & Eisner, 1935

- 53973) *Parnassius* (s.str.) *phoebus apricatus* Stichel, 1906 (Papilionidae) Synonym(s): *apricatus* Stichel, 1906
- 53974) *Parnassius* (s.str.) *phoebus behri* Edwards, 1870 (Papilionidae) Synonym(s): *behri* Edwards, 1870
- 53975) *Parnassius* (s.str.) *phoebus fortuna* O.Bang-Haas, 1935 (Papilionidae) Synonym(s): *fortuna* O.Bang-Haas, 1935
- 53976) *Parnassius* (s.str.) *phoebus gazeli* Praviel, 1906 (Papilionidae) Synonym(s): *gazeli* Praviel, 1906
- 53977) *Parnassius* (s.str.) *phoebus intermedius* [Ménétriés], 1850 (Papilionidae) Synonym(s): *intermedius* [Ménétriés], 1850
- 53978) *Parnassius* (s.str.) *phoebus phoebus* (Fabricius, 1793) (Papilionidae) Synonym(s): *phoebus* Fabricius, 1793; *altaicus* Ménétriés, 1859; *#alpestris* Verity, [1911].
- 53979) *Parnassius* (s.str.) *phoebus sauricus* Lukhtanov, 1999 (Papilionidae) Synonym(s): *sauricus* Lukhtanov, 1999
- 53980) *Parnassius* (s.str.) *phoebus uralensis* Kirby, 1871 (Papilionidae) Synonym(s): *#uralensis* Ménétriés, 1859; *uralensis* Kirby, 1871.
- 53981) *Parnassius* (s.str.) *phoebus zamolodtschikovi* Belik, 1996 (Papilionidae) Synonym(s): *zamolodtschikovi* Belik, 1996
- 53982) *Parnassius* (s.str.) *rueckbeili* Deckert, 1909 (Papilionidae) Synonym(s): *rueckbeili* Deckert, 1909
- 53983) *Parnassius* (s.str.) *rueckbeili rueckbeili* Deckert, 1909 (Papilionidae) Synonym(s): *rueckbeili* Deckert, 1909
- 53984) *Parnassius* (s.str.) *sacerdos* Stichel, 1906 (Papilionidae) Synonym(s): *delius* Esper, 1804 nec Drury, 1782; *sacerdos* Stichel, 1906; *cervinicolus* Fruhstorfer, 1907; *serenus* Fruhstorfer, 1921; *eisneri* Bryk, 1929; *paradisiacus* Turati, 1932; *palamedes* Hemming, 1934; *savoienensis* Eisner, 1957
- 53985) *Parnassius* (s.str.) *sacerdos sacerdos* Stichel, 1906 (Papilionidae) Synonym(s): *delius* Esper, 1804 nec Drury, 1782; *sacerdos* Stichel, 1906; *cervinicolus* Fruhstorfer, 1907; *serenus* Fruhstorfer, 1921; *eisneri* Bryk, 1929; *paradisiacus* Turati, 1932; *palamedes* Hemming, 1934; *savoienensis* Eisner, 1957
- 53986) *Parnassius* (s.str.) *tianschanicus* Oberthür, 1879 (Papilionidae) Synonym(s): *tianschanicus* Oberthür, 1879; *discobolus* Staudinger, 1881; *discobolus* Alpheraky, 1881.
- 53987) *Parnassius* (s.str.) *tianschanicus alexander* Bryk & Eisner, 1935 (Papilionidae) Synonym(s): *alexander* Bryk & Eisner, 1935
- 53988) *Parnassius* (s.str.) *tianschanicus almaataensis* Bryk & Eisner, 1935 (Papilionidae) Synonym(s): *almaataensis* Bryk & Eisner, 1935
- 53989) *Parnassius* (s.str.) *tianschanicus astrictio* Ohya, 1987 (Papilionidae) Synonym(s): *astrictio* Ohya, 1987; *kaindyensis* Kreuzberg, 1989
- 53990) *Parnassius* (s.str.) *tianschanicus baroghila* Tytler, 1926 (Papilionidae) Synonym(s): *baroghila* Tytler, 1926
- 53991) *Parnassius* (s.str.) *tianschanicus chinganus* Kreuzberg, 1989 (Papilionidae) Synonym(s): *chinganus* Kreuzberg, 1989
- 53992) *Parnassius* (s.str.) *tianschanicus erebus* Verity, 1911 (Papilionidae) Synonym(s): *erebus* Verity, 1911
- 53993) *Parnassius* (s.str.) *tianschanicus gilgitensis* O.Bang-Haas, 1932 (Papilionidae) Synonym(s): *gilgitensis* O.Bang-Haas, 1932; *binghami* Bryk, 1934; *chitralensis* O.Bang-Haas
- 53994) *Parnassius* (s.str.) *tianschanicus griseldis* Bryk & Eisner, 1935 (Papilionidae) Synonym(s): *griseldis* Bryk & Eisner, 1935
- 53995) *Parnassius* (s.str.) *tianschanicus grumgrschimailoi* O.Bang-Haas, 1927 (Papilionidae) Synonym(s): *grumgrshimailoi* O.Bang-Haas, 1927
- 53996) *Parnassius* (s.str.) *tianschanicus haberhaueri* Bryk & Eisner, 1935 (Papilionidae) Synonym(s): *haberhaueri* Bryk & Eisner, 1935
- 53997) *Parnassius* (s.str.) *tianschanicus insignis* Staudinger, 1886 (Papilionidae) Synonym(s): *insignis* Staudinger, 1886
- 53998) *Parnassius* (s.str.) *tianschanicus maureri* Bryk & Eisner, 1935 (Papilionidae) Synonym(s): *maureri* Bryk & Eisner, 1935
- 53999) *Parnassius* (s.str.) *tianschanicus melaneus* Weiss, 1980 (Papilionidae) Synonym(s): *melaneus* Weiss, 1980
- 54000) *Parnassius* (s.str.) *tianschanicus minor* Staudinger, 1881 (Papilionidae) Synonym(s): *minor* Staudinger, 1881
- 54001) *Parnassius* (s.str.) *tianschanicus olympius* Staudinger, 1898 (Papilionidae) Synonym(s): *olympius* Staudinger, 1898
- 54002) *Parnassius* (s.str.) *tianschanicus shiva* Wyatt, 1961 (Papilionidae) Synonym(s): *shiva* Wyatt, 1961
- 54003) *Parnassius* (s.str.) *tianschanicus superba* Groum-Grshimailo, 1890 (Papilionidae) Synonym(s): *superba* Groum-Grshimailo, 1890
- 54004) *Parnassius* (s.str.) *tianschanicus thiseus* Ehrmann (Papilionidae) Synonym(s): *thiseus* Ehrmann
- 54005) *Parnassius* (s.str.) *tianschanicus tianschanicus* Oberthür, 1879 (Papilionidae) Synonym(s): *tianschanicus* Oberthür, 1879; *discobolus* Staudinger, 1881; *discobolus* Alpheraky, 1881.
- 54006) *Parnassius* (s.str.) *tianschanicus warsadjicus* Eisner & Naumann, 1980 (Papilionidae) Synonym(s): *warsadjicus* Eisner & Naumann, 1980
- 54007) *Parnassius* *clodius* Ménétriés, 1855 (Papilionidae) Synonym(s): *clodius* Ménétriés, 1855
- 54008) *Parnassius* *hide* Koiwaya, 1987 (Papilionidae) Synonym(s): *hide* Koiwaya, 1987
- 54009) *Parnassius* *hide* Koiwaya, 1987 (Papilionidae) Synonym(s): *hide* Koiwaya, 1987
- 54010) *Parnassius* *hide* petriki Kocman, 2003 (Papilionidae) Synonym(s): *petriki* Kocman, 2003
- 54011) *Parnassius* *hide* shiguti Kawasaki, 2004 (Papilionidae) Synonym(s): *shiguti* Kawasaki, 2004
- 54012) *Parnassius* *labeyriei* Weiss & Michel, 1989 (Papilionidae) Synonym(s): *labeyriei* Weiss & Michel, 1989
- 54013) *Parnassius* *labeyriei* giacomazzoi Weiss, 1991 (Papilionidae) Synonym(s): *giacomazzoi* Weiss, 1991
- 54014) *Parnassius* *labeyriei* holoydai Kocman, 2003 (Papilionidae) Synonym(s): *holoydai* Kocman, 2003
- 54015) *Parnassius* *labeyriei* kiyotakai Sugiyama, 1992 (Papilionidae) Synonym(s): *kiyotakai* Sugiyama, 1992
- 54016) *Parnassius* *labeyriei* labeyriei Weiss & Michel, 1989 (Papilionidae) Synonym(s): *labeyriei* Weiss & Michel, 1989
- 54017) *Parnassius* *smintheus* Doubleday, [1847] (Papilionidae) Synonym(s): *smintheus* Doubleday, [1847]
- 54018) *Priamides* *anchisiades* (Esper, 1788) (Papilionidae) Synonym(s): *anchisiades* Esper, 1788; *hippona* Hübner, [1819]; *archelaus* Godart, [1819]; *theramenes* C.Felder & R.Felder, 1861.
- 54019) *Priamides* *anchisiades anchisiades* (Esper, 1788) (Papilionidae) Synonym(s): *anchisiades* Esper, 1788; *hippona* Hübner, [1819]; *archelaus* Godart, [1819]; *theramenes* C.Felder & R.Felder, 1861.
- 54020) *Priamides* *anchisiades idaeus* (Fabricius, 1793) (Papilionidae) Synonym(s): *idaeus* Fabricius, 1793; *pandion* C.Felder & R.Felder, [1865].
- 54021) *Princeps* (*Druryia* (*Iterus*)) *zalmoxis* (Hewitson, 1864) (Papilionidae) Synonym(s): *zalmoxis* Hewitson, 1864; *#sufferti* Röber, 1898; *#riponi* Röber, 1898; *#cinereus* Schultze, 1913.
- 54022) *Princeps* (*Druryia* (*Iterus*)) *zalmoxis zalmoxis* (Hewitson, 1864) (Papilionidae) Synonym(s): *zalmoxis* Hewitson, 1864; *#sufferti* Röber, 1898; *#riponi* Röber, 1898; *#cinereus* Schultze, 1913.
- 54023) *Princeps* (*Druryia* (*Melindopsis*)) *rex* (Oberthür, 1886) (Papilionidae) Synonym(s): *rex* Oberthür, 1886
- 54024) *Princeps* (*Druryia* (*Melindopsis*)) *rex abyssinica* (Vane-Wright, 1995) (Papilionidae) Synonym(s): *abyssinicus* Poulton, 1926 nec Cannaviello, 1900; *abyssinica* Vane-Wright, 1995
- 54025) *Princeps* (*Druryia* (*Melindopsis*)) *rex commixtus* (Aurivillius, 1908) (Papilionidae) Synonym(s): *commixtus* Aurivillius, 1908; *#alinderi* Bryk, 1928; *#lindblomi* Bryk, 1928; *#intermediata* Bryk, 1930; *#holmi* Bryk, 1953.
- 54026) *Princeps* (*Druryia* (*Melindopsis*)) *rex franciscæ* (Carpenter, 1928) (Papilionidae) Synonym(s): *franciscæ* Carpenter, 1928.
- 54027) *Princeps* (*Druryia* (*Melindopsis*)) *rex mimeticus* (Rothschild, 1897) (Papilionidae) Synonym(s): *mimeticus* Rothschild, 1897; *barnsi* Le Cerf, 1924.
- 54028) *Princeps* (*Druryia* (*Melindopsis*)) *rex regulana* (Vane-Wright, 1995) (Papilionidae) Synonym(s): *regulus* Le Cerf, 1919 nec Stoll, [1790]; *heisneri* Bryk, 1928; *#endymion* Stoneham, 1951; *regulana* Vane-Wright, 1995.
- 54029) *Princeps* (*Druryia* (*Melindopsis*)) *rex rex* (Oberthür, 1886) (Papilionidae) Synonym(s): *rex* Oberthür, 1886
- 54030) *Princeps* (*Druryia* (*Melindopsis*)) *rex schultzei* (Aurivillius, 1904) (Papilionidae) Synonym(s): *schultzei* Aurivillius, 1904
- 54031) *Princeps* (*Druryia* (*cynorta-gr*)) *arnoldiana* (Vane-Wright, 1995) (Papilionidae) Synonym(s): *arnoldi* Poulton, 1926 nec Richelmann, 1909; *arnoldiana* Vane-Wright, 1995.
- 54032) *Princeps* (*Druryia* (*cynorta-gr*)) *arnoldiana arnoldiana* (Vane-Wright, 1995) (Papilionidae) Synonym(s): *arnoldi* Poulton, 1926 nec Richelmann, 1909; *arnoldiana* Vane-Wright, 1995.
- 54033) *Princeps* (*Druryia* (*cynorta-gr*)) *cynorta* (Fabricius, 1793) (Papilionidae) Synonym(s): *cynorta* Fabricius, 1793; *zerynthius* Boisduval, 1836; *boisduvallianus* Westwood, [1842]; *norcyta* Suffert, 1904; *peculiaris* Neave, 1904; *triptolemus* Ehrmann, 1918.
- 54034) *Princeps* (*Druryia* (*cynorta-gr*)) *cynorta cynorta* (Fabricius, 1793) (Papilionidae) Synonym(s): *cynorta* Fabricius, 1793; *zerynthius* Boisduval, 1836; *boisduvallianus* Westwood, [1842]; *norcyta* Suffert, 1904; *peculiaris* Neave, 1904; *triptolemus* Ehrmann, 1918.
- 54035) *Princeps* (*Druryia* (*cynorta-gr*)) *echerioides* (Trimen, 1868) (Papilionidae) Synonym(s): *echerioides* Trimen, 1868
- 54036) *Princeps* (*Druryia* (*cynorta-gr*)) *echerioides chirindanus* (Van Son, 1956) (Papilionidae) Synonym(s): *chirindanus* Van Son, 1956.
- 54037) *Princeps* (*Druryia* (*cynorta-gr*)) *echerioides echerioides* (Trimen, 1868) (Papilionidae) Synonym(s): *echerioides* Trimen, 1868
- 54038) *Princeps* (*Druryia* (*cynorta-gr*)) *echerioides gabrieli* (Gauthier, 1984) (Papilionidae) Synonym(s): *barnsi* Gabriel, 1945 nec Le Cerf, 1924; *gabrieli* Gauthier, 1984.
- 54039) *Princeps* (*Druryia* (*cynorta-gr*)) *echerioides homeyeri* (Plötz, 1880) (Papilionidae) Synonym(s): *homeyeri* Plötz, 1880; *neumannii* Karsch, 1895; *tanganika* Oberthür, 1897; *#subtanganika* Strand, 1916; *#zoroastrides* Strand, 1916.
- 54040) *Princeps* (*Druryia* (*cynorta-gr*)) *echerioides joiceyi* (Gabriel, 1945) (Papilionidae) Synonym(s): *joiceyi* Gabriel, 1945; *#pallidochrea* Stoneham, 1944.
- 54041) *Princeps* (*Druryia* (*cynorta-gr*)) *echerioides leucospilus* (Rothschild, 1902) (Papilionidae) Synonym(s): *leucospilus* Rothschild, 1902.
- 54042) *Princeps* (*Druryia* (*cynorta-gr*)) *echerioides nioka* Hancock, 1989 (Papilionidae) Synonym(s): *#nioka* Berger, 1974; *nioka* Hancock, 1989.
- 54043) *Princeps* (*Druryia* (*cynorta-gr*)) *echerioides nyiro* (Carcasson, 1962) (Papilionidae) Synonym(s): *nyiro* Carcasson, 1962.

- 54044) **Principes (Druryia (cynorta-gr)) echerioides oscar** (Rothschild,1902) (Papilionidae) Synonym(s): *oscar* Rothschild,1902.
- 54045) **Principes (Druryia (cynorta-gr)) echerioides pseudowertheri** Kielland,1990 (Papilionidae) Synonym(s): *pseudowertheri* Kielland,1990.
- 54046) **Principes (Druryia (cynorta-gr)) echerioides shirens** Hancock,1987 (Papilionidae) Synonym(s): *shirens* Hancock,1987.
- 54047) **Principes (Druryia (cynorta-gr)) echerioides wertheri** (Karsch,1898) (Papilionidae) Synonym(s): *wertheri* Karsch,1898; *rideschi* Suffert,1904; *rectofasciata* Kielland,1990.
- 54048) **Principes (Druryia (cynorta-gr)) fueleborni** (Karsch,1900) (Papilionidae) Synonym(s):
- 54049) **Principes (Druryia (cynorta-gr)) fueleborni atavus** (Le Cerf,1912) (Papilionidae) Synonym(s):
- 54050) **Principes (Druryia (cynorta-gr)) fueleborni fueleborni** (Karsch,1900) (Papilionidae) Synonym(s):
- 54051) **Principes (Druryia (cynorta-gr)) fueleborni rydoni** Kielland,1987 (Papilionidae) Synonym(s):
- 54052) **Principes (Druryia (cynorta-gr)) fueleborni sjoestedti** (Aurivillius,1908) (Papilionidae) Synonym(s):
- 54053) **Principes (Druryia (cynorta-gr)) jacksoni** (Sharpe,1891) (Papilionidae) Synonym(s): *jacksoni* Sharpe,1891
- 54054) **Principes (Druryia (cynorta-gr)) jacksoni hecqui** (Berger,1954) (Papilionidae) Synonym(s):
- 54055) **Principes (Druryia (cynorta-gr)) jacksoni jacksoni** (Sharpe,1891) (Papilionidae) Synonym(s): *jacksoni* Sharpe,1891
- 54056) **Principes (Druryia (cynorta-gr)) jacksoni kungwe** (Cottrell,1963) (Papilionidae) Synonym(s):
- 54057) **Principes (Druryia (cynorta-gr)) jacksoni nyika** (Cottrell,1963) (Papilionidae) Synonym(s):
- 54058) **Principes (Druryia (cynorta-gr)) jacksoni ruandana** (le Cerf,1924) (Papilionidae) Synonym(s):
- 54059) **Principes (Druryia (cynorta-gr)) plagiat** (Aurivillius,1898) (Papilionidae) Synonym(s): *plagiatus* Aurivillius,1898
- 54060) **Principes (Druryia (cynorta-gr)) plagiat** (Aurivillius,1898) (Papilionidae) Synonym(s): *plagiatus* Aurivillius,1898
- 54061) **Principes (Druryia (cynorta-gr)) zoroastres** (Druce,1878) (Papilionidae) Synonym(s): *zoroastres* Druce,1878; *preussius* Karsch,1893; *#sapponis* Strand,1914.
- 54062) **Principes (Druryia (cynorta-gr)) zoroastres zoroastres** (Druce,1878) (Papilionidae) Synonym(s): *zoroastres* Druce,1878; *preussius* Karsch,1893; *#sapponis* Strand,1914.
- 54063) **Principes (Druryia (nireus-gr)) charopus** (Westwood,[1843]) (Papilionidae) Synonym(s):
- 54064) **Principes (Druryia (nireus-gr)) charopus charopus** (Westwood,[1843]) (Papilionidae) Synonym(s):
- 54065) **Principes (Druryia (nireus-gr)) charopus montuosus** (Joicey & Talbot,1927) (Papilionidae) Synonym(s):
- 54066) **Principes (Druryia (nireus-gr)) chitondensis** Bivar de Sousa & Fernandes,1966 (Papilionidae) Synonym(s):
- 54067) **Principes (Druryia (nireus-gr)) chitondensis chitondensis** Bivar de Sousa & Fernandes,1966 (Papilionidae) Synonym(s):
- 54068) **Principes (Druryia (nireus-gr)) chrapkowskii** (Suffert,1904) (Papilionidae) Synonym(s): *chrapkowskii* Suffert,1904; *brontia* Strand,1911; *#obliterata* Dufrene,1946; *#addenda* Storace,1951.
- 54069) **Principes (Druryia (nireus-gr)) chrapkowskii chrapkowskii** (Suffert,1904) (Papilionidae) Synonym(s): *chrapkowskii* Suffert,1904; *brontia* Strand,1911; *#obliterata* Dufrene,1946; *#addenda* Storace,1951.
- 54070) **Principes (Druryia (nireus-gr)) chrapkowskoides** (Storace,1952) (Papilionidae) Synonym(s): *chrapkowskoides* Storace,1952; *#opposita* Storace,1952; *interjanas* Storace,1961.
- 54071) **Principes (Druryia (nireus-gr)) chrapkowskoides chrapkowskoides** (Storace,1952) (Papilionidae) Synonym(s): *chrapkowskoides* Storace,1952; *#opposita* Storace,1952; *interjanas* Storace,1961.
- 54072) **Principes (Druryia (nireus-gr)) chrapkowskoides nermine** (Koçak,1983) (Papilionidae) Synonym(s): *furvus* Joicey & Talbot,1926 *nec* Gz.,1779; *nermine* Koçak,1983
- 54073) **Principes (Druryia (nireus-gr)) chrapkowskoides nurettini** (Koçak,1983) (Papilionidae) Synonym(s): *bromius* Doubleday,1845 *nec* St.,[1787]; *#septentrioncola* Storace,1951; *nurettini* Koçak,1983.
- 54074) **Principes (Druryia (nireus-gr)) desmondi** (Van Someren,1939) (Papilionidae) Synonym(s): *desmondi* Van Someren,1939.
- 54075) **Principes (Druryia (nireus-gr)) desmondi desmondi** (Van Someren,1939) (Papilionidae) Synonym(s): *desmondi* Van Someren,1939.
- 54076) **Principes (Druryia (nireus-gr)) desmondi magdae** (Gifford,1961) (Papilionidae) Synonym(s): *magdae* Gifford,1961
- 54077) **Principes (Druryia (nireus-gr)) desmondi teita** (Van Someren,1960) (Papilionidae) Synonym(s): *teita* Van Someren,1960.
- 54078) **Principes (Druryia (nireus-gr)) desmondi usambaraensis** (Koçak,1980) (Papilionidae) Synonym(s): *australis* Van Someren,1960 *nec* Esper,[1781] *non* Maynard,1891; *usambaraensis* Koçak,1980.
- 54079) **Principes (Druryia (nireus-gr)) epiphorbas** (Boisduval,1833) (Papilionidae) Synonym(s): *epiphorbas* Boisduval,1833; *#hova* Le Cerf,1924; *#oriphorbas* Le Cerf,1924.
- 54080) **Principes (Druryia (nireus-gr)) epiphorbas epiphorbas** (Boisduval,1833) (Papilionidae) Synonym(s): *epiphorbas* Boisduval,1833; *#hova* Le Cerf,1924; *#oriphorbas* Le Cerf,1924.
- 54081) **Principes (Druryia (nireus-gr)) epiphorbas guyonaudi** (Turlin & Guilbot,1990) (Papilionidae) Synonym(s): *guyonaudi* Turlin & Guilbot,1990
- 54082) **Principes (Druryia (nireus-gr)) epiphorbas praedicta** (Turlin & Guilbot,1990) (Papilionidae) Synonym(s):
- 54083) **Principes (Druryia (nireus-gr)) hornimani** (Distant,1879) (Papilionidae) Synonym(s): *hornimani* Distant,1879
- 54084) **Principes (Druryia (nireus-gr)) hornimani hornimani** (Distant,1879) (Papilionidae) Synonym(s): *hornimani* Distant,1879
- 54085) **Principes (Druryia (nireus-gr)) hornimani mbulu** (Kielland,1990) (Papilionidae) Synonym(s): *mbulu* Kielland,1990
- 54086) **Principes (Druryia (nireus-gr)) hornimani mwanihan** (Kielland,1987) (Papilionidae) Synonym(s): *mwanihan* Kielland,1987.
- 54087) **Principes (Druryia (nireus-gr)) interjectana** (Vane-Wright,1995) (Papilionidae) Synonym(s): *interjecta* Van Someren,1960 *nec* Honrath,1892; *interjectana* Vane-Wright,1995
- 54088) **Principes (Druryia (nireus-gr)) interjectana interjectana** (Vane-Wright,1995) (Papilionidae) Synonym(s): *interjecta* Van Someren,1960 *nec* Honrath,1892; *interjectana* Vane-Wright,1995
- 54089) **Principes (Druryia (nireus-gr)) mackinnoni** (Sharpe,1891) (Papilionidae) Synonym(s): *mackinnoni* Sharpe,1891; *immaculatus* Suffert,1904; *bimaculatus* Suffert,1904; *#unimaculatus* Le Cerf,1924; *elgonia* Bryk,1926; *#ampliusmaculata* Krüger,1928; *#addenda* Dufrene,1953.
- 54090) **Principes (Druryia (nireus-gr)) mackinnoni benguelae** (Jordan,1908) (Papilionidae) Synonym(s): *benguelae* Jordan,1908
- 54091) **Principes (Druryia (nireus-gr)) mackinnoni isokae** (Hancock,1984) (Papilionidae) Synonym(s): *isokae* Hancock,1984
- 54092) **Principes (Druryia (nireus-gr)) mackinnoni mackinnoni** (Sharpe,1891) (Papilionidae) Synonym(s): *mackinnoni* Sharpe,1891; *immaculatus* Suffert,1904; *bimaculatus* Suffert,1904; *#unimaculatus* Le Cerf,1924; *elgonia* Bryk,1926; *#ampliusmaculata* Krüger,1928; *#addenda* Dufrene,1953.
- 54093) **Principes (Druryia (nireus-gr)) mackinnoni mpwapwana** (Kielland,1990) (Papilionidae) Synonym(s): *mpwapwana* Kielland,1990
- 54094) **Principes (Druryia (nireus-gr)) mackinnoni reductofascia** (Kielland,1990) (Papilionidae) Synonym(s): *reductofascia* Kielland,1990
- 54095) **Principes (Druryia (nireus-gr)) mackinnoni theodori** (Riley,1921) (Papilionidae) Synonym(s): *theodori* Riley,1921
- 54096) **Principes (Druryia (nireus-gr)) manlius** (Fabricius,1798) (Papilionidae) Synonym(s):
- 54097) **Principes (Druryia (nireus-gr)) manlius manlius** (Fabricius,1798) (Papilionidae) Synonym(s):
- 54098) **Principes (Druryia (nireus-gr)) microps** (Storace,1952) (Papilionidae) Synonym(s): *microps* Storace,1952
- 54099) **Principes (Druryia (nireus-gr)) microps microps** (Storace,1952) (Papilionidae) Synonym(s): *microps* Storace,1952
- 54100) **Principes (Druryia (nireus-gr)) nireus** (Linnaeus,1758) (Papilionidae) Synonym(s): *nireus* Linnaeus,1758; *erinus* Gray,[1853]; *nireoides* Braun,1932; *micronireus* Storace,1952.
- 54101) **Principes (Druryia (nireus-gr)) nireus aristophontes** (Oberthür,1897) (Papilionidae) Synonym(s):
- 54102) **Principes (Druryia (nireus-gr)) nireus lyaeus** (Doubleday,1845) (Papilionidae) Synonym(s): *lyaeus* Doubleday,1845; *aelyus* Suffert,1904; *mantitheus* Ehrmann,1920; *#callistria* Le Cerf,1927.
- 54103) **Principes (Druryia (nireus-gr)) nireus nireus** (Linnaeus,1758) (Papilionidae) Synonym(s): *nireus* Linnaeus,1758
- 54104) **Principes (Druryia (nireus-gr)) nireus pseudonireus** (C.Felder & R.Felder,[1865]) (Papilionidae) Synonym(s): *pseudonireus* C.Felder & R.Felder,[1865]
- 54105) **Principes (Druryia (nireus-gr)) oribazus** (Boisduval,1836) (Papilionidae) Synonym(s): *oribazus* Boisduval,[1836]
- 54106) **Principes (Druryia (nireus-gr)) oribazus oribazus** (Boisduval,1836) (Papilionidae) Synonym(s): *oribazus* Boisduval,[1836]
- 54107) **Principes (Druryia (nireus-gr)) phorbanta** (Linnaeus,1771) (Papilionidae) Synonym(s): *phorbanta* Linnaeus,1771; *disparilis* Boisduval,1833.
- 54108) **Principes (Druryia (nireus-gr)) phorbanta nana** (Oberthür,1879) (invalid homonym!) (Papilionidae) Synonym(s): *nana* Oberthür,1879 *nec* Herbst,1804.
- 54109) **Principes (Druryia (nireus-gr)) phorbanta phorbanta** (Linnaeus,1771) (Papilionidae) Synonym(s): *phorbanta* Linnaeus,1771; *disparilis* Boisduval,1833.
- 54110) **Principes (Druryia (nireus-gr)) sosia** (Rothschild & Jordan,1903) (Papilionidae) Synonym(s): *sosia* Rothschild & Jordan,1903
- 54111) **Principes (Druryia (nireus-gr)) sosia debilis** (Storace,1951) (Papilionidae) Synonym(s):
- 54112) **Principes (Druryia (nireus-gr)) sosia pulchra** (Berger,1950) (Papilionidae) Synonym(s): *pulchra* Berger,1950

- 54113) **Priniceps (Druryia (nireus-gr)) sosia sosia (Rothschild & Jordan,1903)** (Papilionidae) Synonym(s): *sosia Rothschild & Jordan,1903*
- 54114) **Priniceps (Druryia (nireus-gr)) thuraui (Karsch,1900)** (Papilionidae) Synonym(s):
- 54115) **Priniceps (Druryia (nireus-gr)) thuraui cyclopis (Rothschild & Jordan,1903)** (Papilionidae) Synonym(s): *cyclopis Rothschild & Jordan,1903*
- 54116) **Priniceps (Druryia (nireus-gr)) thuraui ngorongoro Hancock,1984** (Papilionidae) Synonym(s):
- 54117) **Priniceps (Druryia (nireus-gr)) thuraui occidua (Storace,1951)** (Papilionidae) Synonym(s):
- 54118) **Priniceps (Druryia (nireus-gr)) thuraui thuraui (Karsch,1900)** (Papilionidae) Synonym(s):
- 54119) **Priniceps (Druryia (nireus-gr)) ufipa (Carcasson,1961)** (Papilionidae) Synonym(s):
- 54120) **Priniceps (Druryia (nireus-gr)) ufipa ufipa (Carcasson,1961)** (Papilionidae) Synonym(s):
- 54121) **Priniceps (Druryia (s.str.)) antimachus (Drury,[1782])** (Papilionidae) Synonym(s): *antimachus Drury,[1782]*
- 54122) **Priniceps (Druryia (s.str.)) antimachus antimachus (Drury,[1782])** (Papilionidae) Synonym(s): *antimachus Drury,[1782]*
- 54123) **Priniceps (Druryia (zenobia-gr)) andronicus (Ward,1871)** (Papilionidae) Synonym(s): *andronicus Ward,1871; chionicus Karsch,1893.*
- 54124) **Priniceps (Druryia (zenobia-gr)) andronicus andronicus (Ward,1871)** (Papilionidae) Synonym(s): *andronicus Ward,1871; chionicus Karsch,1893.*
- 54125) **Priniceps (Druryia (zenobia-gr)) cyproeofila (Butler,1868)** (Papilionidae) Synonym(s):
- 54126) **Priniceps (Druryia (zenobia-gr)) cyproeofila cyproeofila (Butler,1868)** (Papilionidae) Synonym(s):
- 54127) **Priniceps (Druryia (zenobia-gr)) fernandus (Fruhstorfer,1903)** (Papilionidae) Synonym(s):
- 54128) **Priniceps (Druryia (zenobia-gr)) fernandus fernandus (Fruhstorfer,1903)** (Papilionidae) Synonym(s):
- 54129) **Priniceps (Druryia (zenobia-gr)) fernandus praecyola (Suffert,1904)** (Papilionidae) Synonym(s):
- 54130) **Priniceps (Druryia (zenobia-gr)) filaprae (Suffert,1904)** (Papilionidae) Synonym(s): *filaprae Suffert,1904; #lactifascia Le Cerf,1924.*
- 54131) **Priniceps (Druryia (zenobia-gr)) filaprae filaprae (Suffert,1904)** (Papilionidae) Synonym(s): *filaprae Suffert,1904; #lactifascia Le Cerf,1924.*
- 54132) **Priniceps (Druryia (zenobia-gr)) filaprae musolanus (Hancock,1988)** (Papilionidae) Synonym(s): *insularis Schultze,1913 nec Staudinger,1895; musolanus Hancock,1988.*
- 54133) **Priniceps (Druryia (zenobia-gr)) gallienus (Distant,1879)** (Papilionidae) Synonym(s):
- 54134) **Priniceps (Druryia (zenobia-gr)) gallienus gallienus (Distant,1879)** (Papilionidae) Synonym(s):
- 54135) **Priniceps (Druryia (zenobia-gr)) maesseni (Berger,1974)** (Papilionidae) Synonym(s): *maesseni Berger,1974*
- 54136) **Priniceps (Druryia (zenobia-gr)) maesseni maesseni (Berger,1974)** (Papilionidae) Synonym(s): *maesseni Berger,1974*
- 54137) **Priniceps (Druryia (zenobia-gr)) mechowi (Dewitz,1881)** (Papilionidae) Synonym(s): *mechowi Dewitz,1881*
- 54138) **Priniceps (Druryia (zenobia-gr)) mechowi mechowi (Dewitz,1881)** (Papilionidae) Synonym(s): *mechowi Dewitz,1881*
- 54139) **Priniceps (Druryia (zenobia-gr)) mechowi whitnalli (Neave,1904)** (Papilionidae) Synonym(s): *whitnalli Neave,1904*
- 54140) **Priniceps (Druryia (zenobia-gr)) mechowianus (Dewitz,1885)** (Papilionidae) Synonym(s): *mechowianus Dewitz,1885*
- 54141) **Priniceps (Druryia (zenobia-gr)) mechowianus mechowianus (Dewitz,1885)** (Papilionidae) Synonym(s): *mechowianus Dewitz,1885*
- 54142) **Priniceps (Druryia (zenobia-gr)) zenobia (Fabricius,1775)** (Papilionidae) Synonym(s): *zenobia Fabricius,1775; messalina Stoll,[1790]; odenatus Westwood,1872; nobicea Suffert,1904.*
- 54143) **Priniceps (Druryia (zenobia-gr)) zenobia zenobia (Fabricius,1775)** (Papilionidae) Synonym(s): *zenobia Fabricius,1775; messalina Stoll,[1790]; odenatus Westwood,1872; nobicea Suffert,1904.*
- 54144) **Priniceps (Eleppone) anactus (MacLeay,1827)** (Papilionidae) Synonym(s): *anactus MacLeay,1827*
- 54145) **Priniceps (Eleppone) anactus anactus (MacLeay,1827)** (Papilionidae) Synonym(s): *anactus MacLeay,1827*
- 54146) **Priniceps (Menelaides (Charus)) antonio (Hewitson,1875)** (Papilionidae) Synonym(s): *antonio Hewitson,1875*
- 54147) **Priniceps (Menelaides (Charus)) antonio antonio (Hewitson,1875)** (Papilionidae) Synonym(s): *antonio Hewitson,1875*
- 54148) **Priniceps (Menelaides (Charus)) antonio negrosiana Schröder & Treadaway,1991** (Papilionidae) Synonym(s): *negrosiana Schröder & Treadaway,1991*
- 54149) **Priniceps (Menelaides (Charus)) biseriatus (Rothschild,1895)** (Papilionidae) Synonym(s): *biseriatus Rothschild,1895*
- 54150) **Priniceps (Menelaides (Charus)) biseriatus biseriatus (Rothschild,1895)** (Papilionidae) Synonym(s): *biseriatus Rothschild,1895*
- 54151) **Priniceps (Menelaides (Charus)) helenus (Linnaeus,1758)** (Papilionidae) Synonym(s): *helenus Linnaeus,1758*
- 54152) **Priniceps (Menelaides (Charus)) helenus ashaverus (Staudinger)** (Papilionidae) Synonym(s): *ashaverus Staudinger*
- 54153) **Priniceps (Menelaides (Charus)) helenus boloboca (Page & Treadaway,1995)** (Papilionidae) Synonym(s): *boloboca Page & Treadaway,1995*
- 54154) **Priniceps (Menelaides (Charus)) helenus daksha (Hampson,1889)** (Papilionidae) Synonym(s): *daksha Hampson,1889*
- 54155) **Priniceps (Menelaides (Charus)) helenus enganius (Doherty,1891)** (Papilionidae) Synonym(s): *enganius Doherty,1891; neoheleus Fruhstorfer,1904*
- 54156) **Priniceps (Menelaides (Charus)) helenus fortunius (Fruhstorfer,1908)** (Papilionidae) Synonym(s): *fortunius Fruhstorfer,1908*
- 54157) **Priniceps (Menelaides (Charus)) helenus helenus (Linnaeus,1758)** (Papilionidae) Synonym(s): *helenus Linnaeus,1758*
- 54158) **Priniceps (Menelaides (Charus)) helenus jindanus (Rothschild,1908)** (Papilionidae) Synonym(s): *jindanus Rothschild,1908*
- 54159) **Priniceps (Menelaides (Charus)) helenus mangarinus (Rothschild,1908)** (Papilionidae) Synonym(s): *mangarinus Rothschild,1908*
- 54160) **Priniceps (Menelaides (Charus)) helenus mooreanus (Rothschild,1895)** (Papilionidae) Synonym(s): *mooreanus Rothschild,1895*
- 54161) **Priniceps (Menelaides (Charus)) helenus palawanicus (Staudinger,1888)** (Papilionidae) Synonym(s): *palawanicus Staudinger,1888*
- 54162) **Priniceps (Menelaides (Charus)) helenus tamboro (Rothschild,1908)** (Papilionidae) Synonym(s): *tamboro Rothschild,1908*
- 54163) **Priniceps (Menelaides (Charus)) hytaspes (C.Felder & R.Felder,1862)** (Papilionidae) Synonym(s): *hytaspes C.Felder & R.Felder,1862*
- 54164) **Priniceps (Menelaides (Charus)) hytaspes hytaspes (C.Felder & R.Felder,1862)** (Papilionidae) Synonym(s): *hytaspes C.Felder & R.Felder,1862*
- 54165) **Priniceps (Menelaides (Charus)) iswara (White,1842)** (Papilionidae) Synonym(s): *iswara White,1842*
- 54166) **Priniceps (Menelaides (Charus)) iswara araspes (C.Felder & R.Felder,1865)** (Papilionidae) Synonym(s): *araspes C.Felder & R.Felder,1865*
- 54167) **Priniceps (Menelaides (Charus)) iswara iswara (White,1842)** (Papilionidae) Synonym(s): *iswara White,1842*
- 54168) **Priniceps (Menelaides (Charus)) iswaroides (Fruhstorfer,[1898])** (Papilionidae) Synonym(s): *iswaroides Fruhstorfer,[1898]*
- 54169) **Priniceps (Menelaides (Charus)) iswaroides curtisi (Jordan,1909)** (Papilionidae) Synonym(s): *curtisi Jordan,1909*
- 54170) **Priniceps (Menelaides (Charus)) iswaroides iswaroides (Fruhstorfer,[1898])** (Papilionidae) Synonym(s): *iswaroides Fruhstorfer,[1898]*
- 54171) **Priniceps (Menelaides (Charus)) noblei (De Nicéville,1888)** (Papilionidae) Synonym(s): *noblei De Nicéville,1888; henricus Oberthür,1893.*
- 54172) **Priniceps (Menelaides (Charus)) noblei hoa (Gabriel,1945)** (Papilionidae) Synonym(s): *hoa Gabriel,1945*
- 54173) **Priniceps (Menelaides (Charus)) noblei noblei (De Nicéville,1888)** (Papilionidae) Synonym(s): *noblei De Nicéville,1888; henricus Oberthür,1893.*
- 54174) **Priniceps (Menelaides (Charus)) satsapes (C.Felder & R.Felder,1865)** (Papilionidae) Synonym(s): *satsapes C.Felder & R.Felder,1865; hecuba Wallace,1865.*
- 54175) **Priniceps (Menelaides (Charus)) satsapes satsapes (C.Felder & R.Felder,1865)** (Papilionidae) Synonym(s): *satsapes C.Felder & R.Felder,1865; hecuba Wallace,1865.*
- 54176) **Priniceps (Menelaides (Iliades)) alcmenor (C.Felder & R.Felder,[1865])** (Papilionidae) Synonym(s): *rhetenor Westwood,1841 nec Cr.,1775; icarius Westwood,1848 nec Esp.,1793; alcmenor C.Felder & R.Felder,[1865]; #alcmenor Pinratana & Eliot,1992*
- 54177) **Priniceps (Menelaides (Iliades)) alcmenor alcmenor (C.Felder & R.Felder,[1865])** (Papilionidae) Synonym(s): *rhetenor Westwood,1841 nec Cr.,1775; icarius Westwood,1848 nec Esp.,1793; alcmenor C.Felder & R.Felder,1864*
- 54178) **Priniceps (Menelaides (Iliades)) alcmenor cesa Kemal & Koçak,2005** (Papilionidae) Synonym(s): *irene Joicey & Talbot,1921 nec Dru.,[1782] non Hbn.,[1805]; cesa Kemal & Koçak,2005*
- 54179) **Priniceps (Menelaides (Iliades)) alcmenor nautes (Oberthür,1918)** (Papilionidae) Synonym(s): *nautes Oberthür,1918*
- 54180) **Priniceps (Menelaides (Iliades)) alcmenor publius (Fruhstorfer,1909)** (Papilionidae) Synonym(s): *publius Fruhstorfer,1909*
- 54181) **Priniceps (Menelaides (Iliades)) alcmenor sadirpalvan (Koçak & Kemal,2000)** (Papilionidae) Synonym(s): *matsumurae Wileman,1909 nec Fruhst.,1908; sadirpalvan Koçak & Kemal,2000.*
- 54182) **Priniceps (Menelaides (Iliades)) alcmenor seytinochi (Koçak & Kemal,2000)** (Papilionidae) Synonym(s): *nausithous Oberthür,1918 nec Bergstr.,1779; seytinochi Koçak & Kemal,2000.*
- 54183) **Priniceps (Menelaides (Iliades)) alcmenor turificator (Fruhstorfer,1909)** (Papilionidae) Synonym(s): *turificator Fruhstorfer,1909; #albolunata Fruhstorfer,1909*
- 54184) **Priniceps (Menelaides (Iliades)) ascalaphus (Boisduval,1836)** (Papilionidae) Synonym(s): *ascalaphus Boisduval,[1836]*
- 54185) **Priniceps (Menelaides (Iliades)) ascalaphus ascalaphus (Boisduval,1836)** (Papilionidae) Synonym(s): *ascalaphus Boisduval,[1836]*
- 54186) **Priniceps (Menelaides (Iliades)) ascalaphus ascalon (Staudinger,[1895])** (Papilionidae) Synonym(s): *ascalon Staudinger,[1895]*
- 54187) **Priniceps (Menelaides (Iliades)) deiphobus (Linnaeus,1758)** (Papilionidae) Synonym(s): *deiphobus Linnaeus,1758; alcandor Cramer,1776; #hypoxanthus Röber,1891.*
- 54188) **Priniceps (Menelaides (Iliades)) deiphobus deiphobus (Linnaeus,1758)** (Papilionidae) Synonym(s): *deiphobus Linnaeus,1758; alcandor Cramer,1776; #hypoxanthus Röber,1891.*

- 54189) **Priniceps (Menelaides (Iliades)) deiphontes C.Felder & R.Felder,[1865]** (Papilionidae) Synonym(s): *#deiphontes C.Felder & R.Felder,1864; deiphontes C.Felder & R.Felder,[1865]; #flavus Oberthür,1879.*
- 54190) **Priniceps (Menelaides (Iliades)) deiphontes deiphontes C.Felder & R.Felder,[1865]** (Papilionidae) Synonym(s): *#deiphontes C.Felder & R.Felder,1864; deiphontes C.Felder & R.Felder,[1865]; #flavus Oberthür,1879.*
- 54191) **Priniceps (Menelaides (Iliades)) deipylus Felder,1864** (Papilionidae) Synonym(s): *deipylus Felder,1864*
- 54192) **Priniceps (Menelaides (Iliades)) deipylus deipylus Felder,1864** (Papilionidae) Synonym(s): *deipylus Felder,1864*
- 54193) **Priniceps (Menelaides (Iliades)) forbesi (Grose-Smith,1883)** (Papilionidae) Synonym(s): *forbesi Grose-Smith,1883*
- 54194) **Priniceps (Menelaides (Iliades)) forbesi forbesi (Grose-Smith,1883)** (Papilionidae) Synonym(s): *forbesi Grose-Smith,1883*
- 54195) **Priniceps (Menelaides (Iliades)) goetheanus (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *acheron Grose-Smith,1887 nec Moore,1885; goetheanus Fruhstorfer,1902.*
- 54196) **Priniceps (Menelaides (Iliades)) goetheanus goetheanus (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *acheron Grose-Smith,1887 nec Moore,1885; goetheanus Fruhstorfer,1902.*
- 54197) **Priniceps (Menelaides (Iliades)) lampsacus (Boisduval,1836)** (Papilionidae) Synonym(s): *lampsacus Boisduval,[1836]*
- 54198) **Priniceps (Menelaides (Iliades)) lampsacus lampsacus (Boisduval,1836)** (Papilionidae) Synonym(s): *lampsacus Boisduval,[1836]*
- 54199) **Priniceps (Menelaides (Iliades)) lowi (Druce,1873)** (Papilionidae) Synonym(s): *lowi Druce,1873*
- 54200) **Priniceps (Menelaides (Iliades)) lowi lowi (Druce,1873)** (Papilionidae) Synonym(s): *lowi Druce,1873*
- 54201) **Priniceps (Menelaides (Iliades)) luzviae Schröder & Treadaway,1991** (Papilionidae) Synonym(s): *luzviae Schröder & Treadaway,1991*
- 54202) **Priniceps (Menelaides (Iliades)) luzviae luzviae Schröder & Treadaway,1991** (Papilionidae) Synonym(s): *luzviae Schröder & Treadaway,1991*
- 54203) **Priniceps (Menelaides (Iliades)) mayo (Atkinson,1873)** (Papilionidae) Synonym(s): *mayo Atkinson,1873*
- 54204) **Priniceps (Menelaides (Iliades)) mayo mayo (Atkinson,1873)** (Papilionidae) Synonym(s): *mayo Atkinson,1873*
- 54205) **Priniceps (Menelaides (Iliades)) memnon (Linnaeus,1758)** (Papilionidae) Synonym(s): *memnon Linnaeus,1758; aches Sulzer,1776; atrovénatus Goeze,1779; laomedon Cramer,1776; achiatiades Esper,1786; javanus Haase,1893; erebinus Haase,1893; aphrodite Röber,1927 nec Fabr.,1787.*
- 54206) **Priniceps (Menelaides (Iliades)) memnon agenor (Linnaeus,1758)** (Papilionidae) Synonym(s): *agenor Linnaeus,1758; androgeos Cramer,1776; alcanor Cramer,1779; mestor Hübner,1819; thunbergi Siebold,1824; phoenix Distant,1885; cilix Distant,1885 nec Godman & Salvin,1877; esperi Butler,[1879]; androgeus De Nicéville,1881; phoenix Distant,1885; cilix Distant,1885; depelchini Robbe,1892; polymnestoroides Moore,1902; vinus Fruhstorfer,1909; aurantiaca Rousseau-Decelle,1933 (homonym).*
- 54207) **Priniceps (Menelaides (Iliades)) memnon anceus (Cramer,[1782])** (Papilionidae) Synonym(s): *anceus Cramer,1782*
- 54208) **Priniceps (Menelaides (Iliades)) memnon caeruleus (Van Eecke,1914)** (Papilionidae) Synonym(s): *caeruleus Van Eecke,1914*
- 54209) **Priniceps (Menelaides (Iliades)) memnon clathratus (Rothschild,1896)** (Papilionidae) Synonym(s): *clathratus Rothschild,1896*
- 54210) **Priniceps (Menelaides (Iliades)) memnon heronus (Fruhstorfer,1929)** (Papilionidae) Synonym(s): *heronus Fruhstorfer,1929; taihokuana Matsumura,1929; #pseudolampsacus Murayama & Shimonoya,1968*
- 54211) **Priniceps (Menelaides (Iliades)) memnon memnon (Linnaeus,1758)** (Papilionidae) Synonym(s): *memnon Linnaeus,1758; aches Sulzer,1776; atrovénatus Goeze,1779; laomedon Cramer,1776; achiatiades Esper,1786; javanus Haase,1893; erebinus Haase,1893; aphrodite Röber,1927 nec Fabr.,1787.*
- 54212) **Priniceps (Menelaides (Iliades)) memnon merapu (Doherty,1891)** (Papilionidae) Synonym(s): *merapu Doherty,1891*
- 54213) **Priniceps (Menelaides (Iliades)) memnon oceani (Doherty,1891)** (Papilionidae) Synonym(s): *oceani Doherty,1891*
- 54214) **Priniceps (Menelaides (Iliades)) memnon perlucidus (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *perlucidus Fruhstorfer,1902*
- 54215) **Priniceps (Menelaides (Iliades)) memnon pryri (Rothschild,1895)** (Papilionidae) Synonym(s): *pryri Rothschild,1895*
- 54216) **Priniceps (Menelaides (Iliades)) memnon subclathratus (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *subclathratus Fruhstorfer,1902*
- 54217) **Priniceps (Menelaides (Iliades)) oenomaus (Godart,[1819])** (Papilionidae) Synonym(s): *oenomaus Godart,[1819]*
- 54218) **Priniceps (Menelaides (Iliades)) oenomaus oenomaus (Godart,[1819])** (Papilionidae) Synonym(s): *oenomaus Godart,[1819]*
- 54219) **Priniceps (Menelaides (Iliades)) oenomaus subfasciatus (Rothschild,1895)** (Papilionidae) Synonym(s): *subfasciatus Rothschild,1895*
- 54220) **Priniceps (Menelaides (Iliades)) polymnestor (Cramer,1775)** (Papilionidae) Synonym(s): *polymnestor Cramer,1775*
- 54221) **Priniceps (Menelaides (Iliades)) polymnestor parinda (Moore,1881)** (Papilionidae) Synonym(s): *parinda Moore,1881*
- 54222) **Priniceps (Menelaides (Iliades)) polymnestor polymnestor (Cramer,1775)** (Papilionidae) Synonym(s): *polymnestor Cramer,1775*
- 54223) **Priniceps (Menelaides (Iliades)) rumanzovia (Eschscholz,1821)** (Papilionidae) Synonym(s): *rumanzovia Eschscholz,1821; deiphontes Semper,1892 nec Feld.,1864; teikichianus Matsumura,1931.*
- 54224) **Priniceps (Menelaides (Iliades)) rumanzovia honorius (Fruhstorfer,1911) homonim** (Papilionidae) Synonym(s): *#eubalia Jordan,1908; honorius Fruhstorfer,1911 nec Fabricius,1793; #paya Fruhstorfer,1911; #risena Fruhstorfer,1911; #carnia Fruhstorfer,1911; sekiziz Koçak & Kemal,2000.*
- 54225) **Priniceps (Menelaides (Iliades)) rumanzovia rumanzovia (Eschscholz,1821)** (Papilionidae) Synonym(s): *rumanzovia Eschscholz,1821; teikichianus Matsumura,1931*
- 54226) **Priniceps (Menelaides (Iliades)) rumanzovia tarawakana (Page & Treadaway,1995)** (Papilionidae) Synonym(s): *tarawakana Page & Treadaway,1995*
- 54227) **Priniceps (Menelaides (Iliades)) thaiwanus (Rothschild,1898)** (Papilionidae) Synonym(s): *thaiwanus Rothschild,1898; annaeus Fruhstorfer,1908; matsumurae Wileman,1909 nec Fruhst.,1908; nautes Oberthür,1918; watanabei Matsumura,1927*
- 54228) **Priniceps (Menelaides (Iliades)) thaiwanus thaiwanus (Rothschild,1898)** (Papilionidae) Synonym(s): *thaiwanus Rothschild,1898; annaeus Fruhstorfer,1908; matsumurae Wileman,1909 nec Fruhst.,1908; nautes Oberthür,1918; watanabei Matsumura,1927*
- 54229) **Priniceps (Menelaides (Nestorides)) bridgei (Mathew,1886)** (Papilionidae) Synonym(s): *bridgei Mathew,1886*
- 54230) **Priniceps (Menelaides (Nestorides)) bridgei bridgei (Mathew,1886)** (Papilionidae) Synonym(s): *bridgei Mathew,1886*
- 54231) **Priniceps (Menelaides (Nestorides)) bridgei hecateus (Godman & Salvin,1888)** (Papilionidae) Synonym(s): *hecateus Godman & Salvin,1888*
- 54232) **Priniceps (Menelaides (Nestorides)) bridgei ortegae (Rothschild,1904)** (Papilionidae) Synonym(s): *ortegae Rothschild,1904*
- 54233) **Priniceps (Menelaides (Nestorides)) bridgei prospero (Grose-Smith,1889)** (Papilionidae) Synonym(s): *prospero Grose-Smith,1889*
- 54234) **Priniceps (Menelaides (Nestorides)) bridgei tryoni (Mathew,1889)** (Papilionidae) Synonym(s): *tryoni Mathew,1889*
- 54235) **Priniceps (Menelaides (Nestorides)) erechtheus (Donovan,1805)** (Papilionidae) Synonym(s): *aegeus Donovan,1805 nec egea Fabricius,1775; erechtheus Donovan,1805.*
- 54236) **Priniceps (Menelaides (Nestorides)) erechtheus aegatinus (Rothschild,1908)** (Papilionidae) Synonym(s): *aegatinus Rothschild,1908*
- 54237) **Priniceps (Menelaides (Nestorides)) erechtheus bandaicola (Koçak,1983)** (Papilionidae) Synonym(s): *adrasus Felder,1865 nec Stoll,1780; bandaicola Koçak,1983.*
- 54238) **Priniceps (Menelaides (Nestorides)) erechtheus erechtheus (Donovan,1805)** (Papilionidae) Synonym(s): *aegeus Donovan,1805 nec egea Fabricius,1775; erechtheus Donovan,1805.*
- 54239) **Priniceps (Menelaides (Nestorides)) erechtheus goramensis (Rothschild,1908)** (Papilionidae) Synonym(s): *goramensis Rothschild,1908*
- 54240) **Priniceps (Menelaides (Nestorides)) erechtheus keianus (Rothschild,1898)** (Papilionidae) Synonym(s): *keianus Rothschild,1898*
- 54241) **Priniceps (Menelaides (Nestorides)) erechtheus kissuanus (Rothschild,1908)** (Papilionidae) Synonym(s): *kissuanus Rothschild,1908*
- 54242) **Priniceps (Menelaides (Nestorides)) erechtheus oritas (Godman & Salvin,1879)** (Papilionidae) Synonym(s): *oritas Godman & Salvin,1879*
- 54243) **Priniceps (Menelaides (Nestorides)) erechtheus ormenus (Guérin-Méneville,1829)** (Papilionidae) Synonym(s): *ormenus Guérin-Méneville,1829*
- 54244) **Priniceps (Menelaides (Nestorides)) erechtheus othello Grose-Smith,1894** (Papilionidae) Synonym(s): *othello Grose-Smith,1894*
- 54245) **Priniceps (Menelaides (Nestorides)) erechtheus websteri Grose-Smith,1894** (Papilionidae) Synonym(s): *websteri Grose-Smith,1894*
- 54246) **Priniceps (Menelaides (Nestorides)) gambrisius (Cramer,[1777])** (Papilionidae) Synonym(s): *gambrisius Cramer,[1777]*
- 54247) **Priniceps (Menelaides (Nestorides)) gambrisius buruanus (Rothschild,1897)** (Papilionidae) Synonym(s): *buruanus Rothschild,1897*
- 54248) **Priniceps (Menelaides (Nestorides)) gambrisius gambrisius (Cramer,[1777])** (Papilionidae) Synonym(s): *gambrisius Cramer,[1777]*
- 54249) **Priniceps (Menelaides (Nestorides)) inopinatus (Butler,1883)** (Papilionidae) Synonym(s): *inopinatus Butler,1883; kosmos Fruhstorfer; inauris Fruhstorfer,1904.*
- 54250) **Priniceps (Menelaides (Nestorides)) inopinatus inopinatus (Butler,1883)** (Papilionidae) Synonym(s): *inopinatus Butler,1883; kosmos Fruhstorfer; inauris Fruhstorfer,1904.*
- 54251) **Priniceps (Menelaides (Nestorides)) tydeus (C.Felder & R.Felder,1860)** (Papilionidae) Synonym(s): *tydeus C.Felder & R.Felder,1860*
- 54252) **Priniceps (Menelaides (Nestorides)) tydeus obienseis (Rothschild,1898)** (Papilionidae) Synonym(s): *obienseis Rothschild,1898*
- 54253) **Priniceps (Menelaides (Nestorides)) tydeus tydeus (C.Felder & R.Felder,1860)** (Papilionidae) Synonym(s): *tydeus C.Felder & R.Felder,1860*
- 54254) **Priniceps (Menelaides (Nestorides)) weymeri (Niepelt,1914)** (Papilionidae) Synonym(s): *weymeri Niepelt,1914*
- 54255) **Priniceps (Menelaides (Nestorides)) weymeri weymeri (Niepelt,1914)** (Papilionidae) Synonym(s): *weymeri Niepelt,1914*
- 54256) **Priniceps (Menelaides (Sainia)) bootes (Westwood,1842)** (Papilionidae) Synonym(s): *bootes Westwood,1842.*
- 54257) **Priniceps (Menelaides (Sainia)) bootes bootes (Westwood,1842)** (Papilionidae) Synonym(s): *bootes Westwood,1842.*

- 54258) **Priniceps (Menelaides (Sainia)) bootes echo (Ehrmann,1909)** (Papilionidae) Synonym(s): *nigricans* Rothschild,1895 nec Eimer,1889 (p.168) non Eimer,1889 (p.175); *echo* Ehrmann,1909; *rubicundus* Fruhstorfer,1909; *mixta* Tytler,1915
- 54259) **Priniceps (Menelaides (Sainia)) bootes parcesquamata (Rosen,1929)** (Papilionidae) Synonym(s): *parcesquamata* Rosen,1929
- 54260) **Priniceps (Menelaides (Sainia)) demetrius (Cramer,[1782])** (Papilionidae) Synonym(s): *demetrius* Cramer,[1782]; *carpenteri* Butler,1882; *#nymphis* Fruhstorfer,1909.
- 54261) **Priniceps (Menelaides (Sainia)) demetrius demetrius (Cramer,[1782])** (Papilionidae) Synonym(s): *demetrius* Cramer,[1782]; *carpenteri* Butler,1882; *#nymphis* Fruhstorfer,1909.
- 54262) **Priniceps (Menelaides (Sainia)) demetrius lenocinius (Fruhstorfer,1909)** (Papilionidae) Synonym(s): *lenocinius* Fruhstorfer,1909
- 54263) **Priniceps (Menelaides (Sainia)) demetrius liukiensis (Fruhstorfer,1898)** (Papilionidae) Synonym(s): *liukiensis* Fruhstorfer,1898
- 54264) **Priniceps (Menelaides (Sainia)) demetrius sitalkes (Fruhstorfer,1908)** (Papilionidae) Synonym(s): *sitalkes* Fruhstorfer,1908
- 54265) **Priniceps (Menelaides (Sainia)) demolion (Cramer,[1775])** (Papilionidae) Synonym(s): *demolion* Cramer,[1775].
- 54266) **Priniceps (Menelaides (Sainia)) demolion delostenus (Rothschild,1908)** (Papilionidae) Synonym(s): *delostenus* Rothschild,1908
- 54267) **Priniceps (Menelaides (Sainia)) demolion demolion (Cramer,[1775])** (Papilionidae) Synonym(s): *demolion* Cramer,[1775].
- 54268) **Priniceps (Menelaides (Sainia)) demolion energetes (Fruhstorfer,1908)** (Papilionidae) Synonym(s): *energetes* Fruhstorfer,1908
- 54269) **Priniceps (Menelaides (Sainia)) euchenor (Guérin-Méneville,1829)** (Papilionidae) Synonym(s): *euchenor* Guérin-Méneville,1829; *axion* Boisduval,1832.
- 54270) **Priniceps (Menelaides (Sainia)) euchenor depilis (Rothschild,1895)** (Papilionidae) Synonym(s): *depilis* Rothschild,1895
- 54271) **Priniceps (Menelaides (Sainia)) euchenor euchenor (Guérin-Méneville,1829)** (Papilionidae) Synonym(s): *euchenor* Guérin-Méneville,1829; *axion* Boisduval,1832.
- 54272) **Priniceps (Menelaides (Sainia)) euchenor eutropius (Janson,1886)** (Papilionidae) Synonym(s): *eutropius* Janson,1886
- 54273) **Priniceps (Menelaides (Sainia)) euchenor godarti (Montrouzier,1856)** (Papilionidae) Synonym(s): *godarti* Montrouzier,1856
- 54274) **Priniceps (Menelaides (Sainia)) euchenor inciae (Koçak,1983)** (Papilionidae) Synonym(s): *comma* Joicey & Noakes,1915 nec Linn.,1758; *inciae* Koçak,1983.
- 54275) **Priniceps (Menelaides (Sainia)) euchenor misimanus (Rothschild,1898)** (Papilionidae) Synonym(s): *misimanus* Rothschild,1898
- 54276) **Priniceps (Menelaides (Sainia)) euchenor misolensis (Rothschild,1908)** (Papilionidae) Synonym(s): *misolensis* Rothschild,1908
- 54277) **Priniceps (Menelaides (Sainia)) euchenor naucles (Rothschild,1908)** (Papilionidae) Synonym(s): *naucles* Rothschild,1908
- 54278) **Priniceps (Menelaides (Sainia)) euchenor neohannoveranus (Rothschild,1898)** (Papilionidae) Synonym(s): *neohannoveranus* Rothschild,1898
- 54279) **Priniceps (Menelaides (Sainia)) euchenor novohibernicus (Rothschild,1896)** (Papilionidae) Synonym(s): *novohibernicus* Rothschild,1896
- 54280) **Priniceps (Menelaides (Sainia)) euchenor obsolescens (Rothschild,1895)** (Papilionidae) Synonym(s): *obsolescens* Rothschild,1895
- 54281) **Priniceps (Menelaides (Sainia)) euchenor rosselanus (Rothschild,1908)** (Papilionidae) Synonym(s): *rosselanus* Rothschild,1908
- 54282) **Priniceps (Menelaides (Sainia)) euchenor subcoerulea (Rothschild,1915)** (Papilionidae) Synonym(s): *subcoerulea* Rothschild,1915
- 54283) **Priniceps (Menelaides (Sainia)) euchenor sudestensis (Rothschild,1908)** (Papilionidae) Synonym(s): *sudestensis* Rothschild,1908
- 54284) **Priniceps (Menelaides (Sainia)) gigon (Felder,1864)** (Papilionidae) Synonym(s): *gigon* Felder,1864
- 54285) **Priniceps (Menelaides (Sainia)) gigon gigon (Felder,1864)** (Papilionidae) Synonym(s): *gigon* Felder,1864
- 54286) **Priniceps (Menelaides (Sainia)) gigon mangolinus (Fruhstorfer)** (Papilionidae) Synonym(s): *mangolinus* Fruhstorfer
- 54287) **Priniceps (Menelaides (Sainia)) gigon nerioties (Rothschild,1908)** (Papilionidae) Synonym(s): *nerioties* Rothschild,1908
- 54288) **Priniceps (Menelaides (Sainia)) janaka (Moore,1857)** (Papilionidae) Synonym(s): *janaka* Moore,1857; *sikkimensis* Wood-Mason,1882; *kala* Tytler,1915.
- 54289) **Priniceps (Menelaides (Sainia)) janaka janaka (Moore,1857)** (Papilionidae) Synonym(s): *janaka* Moore,1857; *sikkimensis* Wood-Mason,1882; *kala* Tytler,1915.
- 54290) **Priniceps (Menelaides (Sainia)) liomedon (Moore,1874)** (Papilionidae) Synonym(s): *liomedon* Moore,1874
- 54291) **Priniceps (Menelaides (Sainia)) liomedon liomedon (Moore,1874)** (Papilionidae) Synonym(s): *liomedon* Moore,1874
- 54292) **Priniceps (Menelaides (Sainia)) macilentus (Janson,1877)** (Papilionidae) Synonym(s): *macilentus* Janson,1877; *scaevola* Oberthür,1879; *tractipennis* Butler,1881; *minima* Sheljuzhko,1913 nec Fuessl.,1775.
- 54293) **Priniceps (Menelaides (Sainia)) macilentus macilentus (Janson,1877)** (Papilionidae) Synonym(s): *macilentus* Janson,1877; *scaevola* Oberthür,1879; *tractipennis* Butler,1881; *minima* Sheljuzhko,1913 nec Fuessl.,1775.
- 54294) **Priniceps (Menelaides (Sainia)) protenor (Cramer,[1782])** (Papilionidae) Synonym(s): *protenor* Cramer,[1782]
- 54295) **Priniceps (Menelaides (Sainia)) protenor amaura (Jordan,1909)** (Papilionidae) Synonym(s): *amaura* Jordan,1909
- 54296) **Priniceps (Menelaides (Sainia)) protenor euprotenor (Fruhstorfer,1908)** (Papilionidae) Synonym(s): *euprotenor* Fruhstorfer,1908; *euanthes* Fruhstorfer,1908; *#sulpitius* Jordan,1909
- 54297) **Priniceps (Menelaides (Sainia)) protenor protenor (Cramer,[1782])** (Papilionidae) Synonym(s): *protenor* Cramer,[1782]
- 54298) **Priniceps (Menelaides (Tamera)) chaon (Westwood,1845)** (Papilionidae) Synonym(s): *chaon* Westwood,1845; *dispensator* Fruhstorfer,1908; *duketius* Fruhstorfer,1908
- 54299) **Priniceps (Menelaides (Tamera)) diophantus (Grose-Smith,1883)** (Papilionidae) Synonym(s): *diophantus* Grose-Smith,1883
- 54300) **Priniceps (Menelaides (Tamera)) diophantus diophantus (Grose-Smith,1883)** (Papilionidae) Synonym(s): *diophantus* Grose-Smith,1883
- 54301) **Priniceps (Menelaides (Tamera)) dravidarum (Wood-Mason,1880)** (Papilionidae) Synonym(s):
- 54302) **Priniceps (Menelaides (Tamera)) dravidarum dravidarum (Wood-Mason,1880)** (Papilionidae) Synonym(s):
- 54303) **Priniceps (Menelaides (Tamera)) mahadeva (Moore,[1879])** (Papilionidae) Synonym(s): *mahadeva* Moore,[1879]
- 54304) **Priniceps (Menelaides (Tamera)) mahadeva mahadeva (Moore,[1879])** (Papilionidae) Synonym(s): *mahadeva* Moore,[1879]
- 54305) **Priniceps (Menelaides (Tamera)) mahadeva mehalah (Grose-Smith,1886)** (Papilionidae) Synonym(s): *mehalah* Grose-Smith,1886
- 54306) **Priniceps (Menelaides (Tamera)) mahadeva selangoranus (Fruhstorfer,1901)** (Papilionidae) Synonym(s): *selangoranus* Fruhstorfer,1901
- 54307) **Priniceps (Menelaides (Tamera)) nephelus (Boisduval,1836)** (Papilionidae) Synonym(s): *nephelus* Boisduval,1836
- 54308) **Priniceps (Menelaides (Tamera)) nephelus albolineatus (Forbes,1885)** (Papilionidae) Synonym(s): *albolineatus* Forbes,1885
- 54309) **Priniceps (Menelaides (Tamera)) nephelus annulus (Pendlebury,1936)** (Papilionidae) Synonym(s): *annulus* Pendlebury,1936; *raya* Corbet,1937
- 54310) **Priniceps (Menelaides (Tamera)) nephelus chaonulus (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *chaonulus* Fruhstorfer,1902
- 54311) **Priniceps (Menelaides (Tamera)) nephelus ducenarius (Fruhstorfer,1908)** (Papilionidae) Synonym(s): *ducenarius* Fruhstorfer,1908
- 54312) **Priniceps (Menelaides (Tamera)) nephelus nephelus (Boisduval,1836)** (Papilionidae) Synonym(s): *nephelus* Boisduval,1836
- 54313) **Priniceps (Menelaides (Tamera)) nephelus siporanus (Hagen,1898)** (Papilionidae) Synonym(s): *siporanus* Hagen,1898
- 54314) **Priniceps (Menelaides (Tamera)) nephelus sunatus (Corbet,1940)** (Papilionidae) Synonym(s): *saturnus* Guérin-Méneville,1840 (*praeocc.*); *sunatus* Corbet,1940
- 54315) **Priniceps (Menelaides (Tamera)) nephelus tellonus (Fruhstofer,1906)** (Papilionidae) Synonym(s): *tellonus* Fruhstofer,1906
- 54316) **Priniceps (Menelaides (Tamera)) nephelus uranus (Weymer,1885)** (Papilionidae) Synonym(s): *uranus* Weymer,1885
- 54317) **Priniceps (Menelaides (Tamera)) pollux (Westwood,1842)** (Papilionidae) Synonym(s): *castor* Westwood,1842 nec Esp.,1781 non Cram.,1775; *pollux* Westwood,1842
- 54318) **Priniceps (Menelaides (Tamera)) pollux dioscuros (Jordan,1909)** (Papilionidae) Synonym(s): *dioscuros* Jordan,1909
- 54319) **Priniceps (Menelaides (Tamera)) pollux formosanus Rothschild,1896** (Papilionidae) Synonym(s): *formosanus* Rothschild,1896; *gotonis* Matsumura,1908; *#apicalis* Esaki,1930; *#oiwakeana* Hirayama,1939; *#pauli* Nakahara,1941
- 54320) **Priniceps (Menelaides (Tamera)) pollux khmer (Boullet & Le Cerf,1912)** (Papilionidae) Synonym(s): *khmer* Boullet & Le Cerf,1912
- 54321) **Priniceps (Menelaides (Tamera)) pollux phanrangensis (Fruhstorfer,1901)** (Papilionidae) Synonym(s): *phanrangensis* Fruhstorfer,1901
- 54322) **Priniceps (Menelaides (Tamera)) pollux pollux (Westwood,1842)** (Papilionidae) Synonym(s): *castor* Westwood,1842 nec Esp.,1781 non Cram.,1775; *pollux* Westwood,1842
- 54323) **Priniceps (Menelaides (amynthor-gr)) amynthor (Boisduval,1859)** (Papilionidae) Synonym(s): *amynthor* Boisduval,1859 nec Herbst,1804.
- 54324) **Priniceps (Menelaides (amynthor-gr)) amynthor amphiarus (C.Felder & R.Felder,1864)** (Papilionidae) Synonym(s): *amphiarus* C.Felder & R.Felder,1864
- 54325) **Priniceps (Menelaides (amynthor-gr)) amynthor amynthor (Boisduval,1859)** (Papilionidae) Synonym(s): *amynthor* Boisduval,1859 nec Herbst,1804.
- 54326) **Priniceps (Menelaides (amynthor-gr)) amynthor cesa Koçak & Kemal,2007** (Papilionidae) Synonym(s): *ilioneus* Donovan,1805 nec J.E.Smith,1797; *cesa* Koçak & Kemal,2007
- 54327) **Priniceps (Menelaides (amynthor-gr)) schmelzti (Herrich-Schäffer,1869)** (Papilionidae) Synonym(s): *schmelzti* Herrich-Schäffer,1869
- 54328) **Priniceps (Menelaides (amynthor-gr)) schmelzti schmelzti (Herrich-Schäffer,1869)** (Papilionidae) Synonym(s): *schmelzti* Herrich-Schäffer,1869
- 54329) **Priniceps (Menelaides (fuscus-gr)) albinus (Wallace,1865)** (Papilionidae) Synonym(s): *albinus* Wallace,1865
- 54330) **Priniceps (Menelaides (fuscus-gr)) albinus albinus (Wallace,1865)** (Papilionidae) Synonym(s): *albinus* Wallace,1865
- 54331) **Priniceps (Menelaides (fuscus-gr)) albinus lesches (Godman & Salvin,1880)** (Papilionidae) Synonym(s): *lesches* Godman & Salvin,1880

- 54332) **Princeps (Menelaides (fuscus-gr)) canopus (Westwood,1842)** (Papilionidae) Synonym(s): *canopus Westwood,1842*
 54333) **Princeps (Menelaides (fuscus-gr)) canopus babberensis (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *tenimberensis Rothschild,1896 nec Roth.,1895; babberensis Fruhstorfer,1902.*
 54334) **Princeps (Menelaides (fuscus-gr)) canopus canopinus (Rothschild,1895)** (Papilionidae) Synonym(s): *canopinus Rothschild,1895*
 54335) **Princeps (Menelaides (fuscus-gr)) canopus canopus (Westwood,1842)** (Papilionidae) Synonym(s): *canopus Westwood,1842*
 54336) **Princeps (Menelaides (fuscus-gr)) canopus croton (Fruhstorfer,1904)** (Papilionidae) Synonym(s): *croton Fruhstorfer,1904*
 54337) **Princeps (Menelaides (fuscus-gr)) canopus hypsiclides (Rothschild,1894)** (Papilionidae) Synonym(s): *hypsiclides Rothschild,1894*
 54338) **Princeps (Menelaides (fuscus-gr)) canopus vollenhovii (C.Felder & R.Felder,1864)** (Papilionidae) Synonym(s): *vollenhovii C.Felder & R.Felder,1864*
 54339) **Princeps (Menelaides (fuscus-gr)) erskinei (Mathew,1886)** (Papilionidae) Synonym(s): *erskinei Mathew,1886*
 54340) **Princeps (Menelaides (fuscus-gr)) erskinei erskinei (Mathew,1886)** (Papilionidae) Synonym(s): *erskinei Mathew,1886*
 54341) **Princeps (Menelaides (fuscus-gr)) fuscus (Goeze,1779)** (Papilionidae) Synonym(s): *fuscus Goeze,1779; cinereomaculatus Goeze,1779; severus Cramer,[1782].*
 54342) **Princeps (Menelaides (fuscus-gr)) fuscus beccarii (Oberthür,1879)** (Papilionidae) Synonym(s): *beccarii Oberthür,1879*
 54343) **Princeps (Menelaides (fuscus-gr)) fuscus capaneus (Westwood,1843)** (Papilionidae) Synonym(s): *capaneus Westwood,1843*
 54344) **Princeps (Menelaides (fuscus-gr)) fuscus cilix (Godman & Salvin,1879)** (Papilionidae) Synonym(s): *cilix Godman & Salvin,1879*
 54345) **Princeps (Menelaides (fuscus-gr)) fuscus fuscus (Goeze,1779)** (Papilionidae) Synonym(s): *fuscus Goeze,1779; cinereomaculatus Goeze,1779; severus Cramer,[1782].*
 54346) **Princeps (Menelaides (fuscus-gr)) fuscus gyrei (Tennent,1999)** (Papilionidae) Synonym(s): *gyrei Tennent,1999*
 54347) **Princeps (Menelaides (fuscus-gr)) fuscus hasterti (Ribbe,1907)** (Papilionidae) Synonym(s): *hasterti Ribbe,1907*
 54348) **Princeps (Menelaides (fuscus-gr)) fuscus indicatus (Butler,1876)** (Papilionidae) Synonym(s): *indicatus Butler,1876*
 54349) **Princeps (Menelaides (fuscus-gr)) fuscus lamponius (Fruhstorfer,1904)** (Papilionidae) Synonym(s): *lamponius Fruhstorfer,1904*
 54350) **Princeps (Menelaides (fuscus-gr)) fuscus lapathus (Fruhstorfer,1904)** (Papilionidae) Synonym(s): *lapathus Fruhstorfer,1904*
 54351) **Princeps (Menelaides (fuscus-gr)) fuscus offakus (Fruhstorfer,1904)** (Papilionidae) Synonym(s): *offakus Fruhstorfer,1904*
 54352) **Princeps (Menelaides (fuscus-gr)) fuscus ombiranus (Rothschild,1898)** (Papilionidae) Synonym(s): *ombiranus Rothschild,1898*
 54353) **Princeps (Menelaides (fuscus-gr)) fuscus pertinax (Wallace,1865)** (Papilionidae) Synonym(s): *pertinax Wallace,1865*
 54354) **Princeps (Menelaides (fuscus-gr)) fuscus porrothenus (Jordan,1909)** (Papilionidae) Synonym(s): *porrothenus Jordan,1909*
 54355) **Princeps (Menelaides (fuscus-gr)) fuscus relmae (Tennent,1999)** (Papilionidae) Synonym(s): *relmae Tennent,1999*
 54356) **Princeps (Menelaides (fuscus-gr)) fuscus rotalita (Swinhoe,1893)** (Papilionidae) Synonym(s): *rotalita Swinhoe,1893*
 54357) **Princeps (Menelaides (fuscus-gr)) fuscus thomsoni (Butler,1884)** (Papilionidae) Synonym(s): *thomsoni Butler,1884*
 54358) **Princeps (Menelaides (fuscus-gr)) fuscus xenophilus (Mathew,1886)** (Papilionidae) Synonym(s): *xenophilus Mathew,1886*
 54359) **Princeps (Menelaides (fuscus-gr)) hipponous (C.Felder & R.Felder,1862)** (Papilionidae) Synonym(s): *hipponous C.Felder & R.Felder,1862*
 54360) **Princeps (Menelaides (fuscus-gr)) hipponous bazilanus (Fruhstorfer,1898)** (Papilionidae) Synonym(s): *bazilanus Fruhstorfer,1898*
 54361) **Princeps (Menelaides (fuscus-gr)) hipponous hipponous (C.Felder & R.Felder,1862)** (Papilionidae) Synonym(s): *hipponous C.Felder & R.Felder,1862*
 54362) **Princeps (Menelaides (fuscus-gr)) hipponous leptosephus (Fruhstorfer,1909)** (Papilionidae) Synonym(s): *leptosephus Fruhstorfer,1909*
 54363) **Princeps (Menelaides (fuscus-gr)) hipponous lunifer (Rothschild,1895)** (Papilionidae) Synonym(s): *lunifer Rothschild,1895*
 54364) **Princeps (Menelaides (fuscus-gr)) hypsicles (Hewitson,1868)** (Papilionidae) Synonym(s): *hypsicles Hewitson,1868*
 54365) **Princeps (Menelaides (fuscus-gr)) hypsicles hypsicles (Hewitson,1868)** (Papilionidae) Synonym(s): *hypsicles Hewitson,1868*
 54366) **Princeps (Menelaides (fuscus-gr)) nubilus (Staudinger,[1895])** (Papilionidae) Synonym(s): *nubilus Staudinger,[1895]*
 54367) **Princeps (Menelaides (fuscus-gr)) nubilus musianus (Rothschild,1899)** (Papilionidae) Synonym(s): *musianus Rothschild,1899*
 54368) **Princeps (Menelaides (fuscus-gr)) nubilus nubilus (Staudinger,[1895])** (Papilionidae) Synonym(s): *nubilus Staudinger,[1895]*
 54369) **Princeps (Menelaides (fuscus-gr)) pitmani (Elwes & De Nicéville,1886)** (Papilionidae) Synonym(s): *pitmani Elwes & De Nicéville,1886*
 54370) **Princeps (Menelaides (fuscus-gr)) pitmani pitmani (Elwes & De Nicéville,1886)** (Papilionidae) Synonym(s): *pitmani Elwes & De Nicéville,1886*
 54371) **Princeps (Menelaides (fuscus-gr)) prexaspes (C.Felder & R.Felder,1865)** (Papilionidae) Synonym(s): *prexaspes C.Felder & R.Felder,1865*
 54372) **Princeps (Menelaides (fuscus-gr)) prexaspes andamanicus (Rothschild,1908)** (Papilionidae) Synonym(s): *andamanicus Rothschild,1908; #andermanicus Pinratana & Eliot,1992*
 54373) **Princeps (Menelaides (fuscus-gr)) prexaspes prexaspes (C.Felder & R.Felder,1865)** (Papilionidae) Synonym(s): *prexaspes C.Felder & R.Felder,1865*
 54374) **Princeps (Menelaides (fuscus-gr)) ptolychus (Godman & Salvin,1888)** (Papilionidae) Synonym(s): *ptolychus Godman & Salvin,1888*
 54375) **Princeps (Menelaides (fuscus-gr)) ptolychus ptolychus (Godman & Salvin,1888)** (Papilionidae) Synonym(s): *ptolychus Godman & Salvin,1888*
 54376) **Princeps (Menelaides (fuscus-gr)) woodfordi (Godman & Salvin,1888)** (Papilionidae) Synonym(s): *woodfordi Godman & Salvin,1888*
 54377) **Princeps (Menelaides (fuscus-gr)) woodfordi ariel (Grose-Smith,1889)** (Papilionidae) Synonym(s): *ariel Grose-Smith,1889*
 54378) **Princeps (Menelaides (fuscus-gr)) woodfordi choiseuli (Rothschild,1908)** (Papilionidae) Synonym(s): *choiseuli Rothschild,1908*
 54379) **Princeps (Menelaides (fuscus-gr)) woodfordi gimblei (Tennent,1999)** (Papilionidae) Synonym(s): *gimblei Tennent,1999*
 54380) **Princeps (Menelaides (fuscus-gr)) woodfordi laarchus (Godman & Salvin,1888)** (Papilionidae) Synonym(s): *laarchus Godman & Salvin,1888*
 54381) **Princeps (Menelaides (fuscus-gr)) woodfordi mome (Tennent,1999)** (Papilionidae) Synonym(s): *mome Tennent,1999*
 54382) **Princeps (Menelaides (fuscus-gr)) woodfordi woodfordi (Godman & Salvin,1888)** (Papilionidae) Synonym(s): *woodfordi Godman & Salvin,1888*
 54383) **Princeps (Menelaides (s.str.)) alphenor (Cramer,1775)** (Papilionidae) Synonym(s): *alphenor Cramer,1775.*
 54384) **Princeps (Menelaides (s.str.)) alphenor alphenor (Cramer,1775)** (Papilionidae) Synonym(s): *alphenor Cramer,1775*
 54385) **Princeps (Menelaides (s.str.)) alphenor ledebouria (Eschscholtz,1821)** (Papilionidae) Synonym(s): *ledebouria Eschscholtz,1821; #elyros Gray,1856; horsfieldii Reakirt,1864.*
 54386) **Princeps (Menelaides (s.str.)) ambrax (Boisduval,1832)** (Papilionidae) Synonym(s): *ambrax Boisduval,1832; orophanes Boisduval,1836; ambracia Wallace,1865.*
 54387) **Princeps (Menelaides (s.str.)) ambrax ambrax (Boisduval,1832)** (Papilionidae) Synonym(s): *ambrax Boisduval,1832; orophanes Boisduval,1836; ambracia Wallace,1865.*
 54388) **Princeps (Menelaides (s.str.)) ambrax artanus (Rothschild,1908)** (Papilionidae) Synonym(s): *artanus Rothschild,1908*
 54389) **Princeps (Menelaides (s.str.)) ambrax dunali (Montrozier,1856)** (Papilionidae) Synonym(s): *dunali Montrozier,1856*
 54390) **Princeps (Menelaides (s.str.)) ambrax egipius (Miskin,1876)** (Papilionidae) Synonym(s): *egipius Miskin,1876*
 54391) **Princeps (Menelaides (s.str.)) ambrax epiurus (Wallace,1865)** (Papilionidae) Synonym(s): *epiurus Wallace,1865*
 54392) **Princeps (Menelaides (s.str.)) jordani (Fruhstorfer,1902)** (Papilionidae) Synonym(s):
 54393) **Princeps (Menelaides (s.str.)) jordani jordani (Fruhstorfer,1902)** (Papilionidae) Synonym(s):
 54394) **Princeps (Menelaides (s.str.)) phestus (Guérin-Méneville,1829)** (Papilionidae) Synonym(s): *phestus Guérin-Méneville,1829; nusaliki Ribbe,1898*
 54395) **Princeps (Menelaides (s.str.)) phestus minusculus (Bryk,1930)** (Papilionidae) Synonym(s): *#minusculus Ribbe,1898; minusculus Bryk,1930.*
 54396) **Princeps (Menelaides (s.str.)) phestus parkinsoni (Honrath,1886)** (Papilionidae) Synonym(s): *parkinsoni Honrath,1886; minor Honrath,1886 nec Esp.,1777.*
 54397) **Princeps (Menelaides (s.str.)) phestus phestus (Guérin-Méneville,1829)** (Papilionidae) Synonym(s): *phestus Guérin-Méneville,1829; nusaliki Ribbe,1898*
 54398) **Princeps (Menelaides (s.str.)) phestus reductus (Rothschild,1915)** (Papilionidae) Synonym(s): *reductus Rothschild,1915*
 54399) **Princeps (Menelaides (s.str.)) polytes (Linnaeus,1758)** (Papilionidae) Synonym(s): *polytes Linnaeus,1758; pammon Linnaeus,1758; gronovii Scopoli,1772; astyanax Fabricius,1793 (homonym); stichius Hübner,1806; hector De Haan,1840 (homonym); borealis C.Felder & R.Felder,1861; horsfieldii Reakirt,[1863]; walkerii Janson,1879; thibetanus Oberthür,1886; depicta Fruhstorfer,1908; ocha Fruhstorfer,1908; #chrysos Boullet & Le Cerf,1912; chalcas [Fabricius],1938 (homonym); abdulaziz Tung,1982; flavolineatus Chou, Yuan & Wang,2000; obscuras Chou, Yuan & Wang,2000*
 54400) **Princeps (Menelaides (s.str.)) polytes alcindor (Oberthür)** (Papilionidae) Synonym(s):
 54401) **Princeps (Menelaides (s.str.)) polytes javanus (Felder)** (Papilionidae) Synonym(s):
 54402) **Princeps (Menelaides (s.str.)) polytes liujidongi Huang,2003** (Papilionidae) Synonym(s): *liujidongi Huang,2003*
 54403) **Princeps (Menelaides (s.str.)) polytes messius (Fruhstorfer)** (Papilionidae) Synonym(s):
 54404) **Princeps (Menelaides (s.str.)) polytes nicanor (Felder)** (Papilionidae) Synonym(s):
 54405) **Princeps (Menelaides (s.str.)) polytes nikobarus (Felder)** (Papilionidae) Synonym(s):
 54406) **Princeps (Menelaides (s.str.)) polytes pasikrates (Fruhstorfer,1898)** (Papilionidae) Synonym(s): *pasikrates Fruhstorfer,1898*
 54407) **Princeps (Menelaides (s.str.)) polytes perversus (Rothschild,1909)** (Papilionidae) Synonym(s): *perversus Rothschild,1909*
 54408) **Princeps (Menelaides (s.str.)) polytes polycritus (Fruhstorfer)** (Papilionidae) Synonym(s):

- 54409) **Priniceps (Menelaides (s.str.)) polytes polytes (Linnaeus,1758)** (Papilionidae) **Synonym(s):** *polytes* Linnaeus,1758; *pammon* Linnaeus,1758; *gronovii* Scopoli,1772; *astyanax* Fabricius,1793 (homonym); *stichius* Hübner,1806; *hector* De Haan,1840 (homonym); *borealis* C.Felder & R.Felder,1861; *horsfieldii* Reakirt,[1865]; *walkerii* Janson,1879; *thibetanus* Oberthür,1886; *depicta* Fruhstorfer,1908; *ocha* Fruhstorfer,1908; *#chrysos* Boullet & Le Cerf,1912; *chalcae* [Fabricius],1938 (homonym); *abdulaziz* Tung,1982; *flavolineatus* Chou, Yuan & Wang,2000; *obscuras* Chou, Yuan & Wang,2000
- 54410) **Priniceps (Menelaides (s.str.)) polytes romulus (Cramer,[1775])** (Papilionidae) **Synonym(s):** *romulus* Cramer,1775; *cyrus* Fabricius,1793; *stichius* Hübner,1819; *sakontala* Hewitson,1852; *ceylanicus* C.Felder & R.Felder,1864; *neomelanides* Fruhstorfer,1909
- 54411) **Priniceps (Menelaides (s.str.)) polytes sotira (Jordan)** (Papilionidae) **Synonym(s):**
- 54412) **Priniceps (Menelaides (s.str.)) polytes stichioides (Evans)** (Papilionidae) **Synonym(s):**
- 54413) **Priniceps (Menelaides (s.str.)) polytes theseus (Cramer)** (Papilionidae) **Synonym(s):**
- 54414) **Priniceps (Menelaides (s.str.)) polytes timorensis (Felder)** (Papilionidae) **Synonym(s):**
- 54415) **Priniceps (Menelaides (s.str.)) polytes tucanus (Jordan)** (Papilionidae) **Synonym(s):**
- 54416) **Priniceps (Menelaides (s.str.)) polytes vigellius (Fruhstorfer)** (Papilionidae) **Synonym(s):**
- 54417) **Priniceps (Menelaides (s.str.)) sakontala (Hewitson,1852)** (Papilionidae) **Synonym(s):** *sakontala* Hewitson,1852
- 54418) **Priniceps (Menelaides (s.str.)) sakontala sakontala (Hewitson,1852)** (Papilionidae) **Synonym(s):** *sakontala* Hewitson,1852
- 54419) **Priniceps (Sinoprinceps) benguettanus (Joicey & Talbot,1923)** (Papilionidae) **Synonym(s):** *benguettanus* Joicey & Talbot,1923
- 54420) **Priniceps (Sinoprinceps) benguettanus benguettanus (Joicey & Talbot,1923)** (Papilionidae) **Synonym(s):**
- 54421) **Priniceps (Sinoprinceps) xuthus (Linnaeus,1767)** (Papilionidae) **Synonym(s):** *xuthus* Linnaeus,1767; *xuthulus* Bremer,1861
- 54422) **Priniceps (Sinoprinceps) xuthus hondoensis (Fruhstorfer,1908)** (Papilionidae) **Synonym(s):** *hondoensis* Fruhstorfer,1908
- 54423) **Priniceps (Sinoprinceps) xuthus xuthus (Linnaeus,1767)** (Papilionidae) **Synonym(s):** *xuthus* Linnaeus,1767; *xuthulus* Bremer,1861
- 54424) **Priniceps (s.str. (Achillides)) arcturus (Westwood,1842)** (Papilionidae) **Synonym(s):** *arcturus* Westwood,1842
- 54425) **Priniceps (s.str. (Achillides)) arcturus arcturus (Westwood,1842)** (Papilionidae) **Synonym(s):** *arcturus* Westwood,1842
- 54426) **Priniceps (s.str. (Achillides)) arcturus arius (Rothschild,1908)** (Papilionidae) **Synonym(s):** *arius* Rothschild,1908
- 54427) **Priniceps (s.str. (Achillides)) bianor (Cramer,[1777])** (Papilionidae) **Synonym(s):** *bianor* Cramer,[1777]
- 54428) **Priniceps (s.str. (Achillides)) bianor bianor (Cramer,[1777])** (Papilionidae) **Synonym(s):** *bianor* Cramer,[1777]
- 54429) **Priniceps (s.str. (Achillides)) bianor dehaani (Felder,1864)** (Papilionidae) **Synonym(s):** *dehaani* Felder,1864; *japonica* Butler,1866; *alliacmon* Orza,1869.
- 54430) **Priniceps (s.str. (Achillides)) bianor gladiator (Fruhstorfer,1901)** (Papilionidae) **Synonym(s):** *gladiator* Fruhstorfer,1901
- 54431) **Priniceps (s.str. (Achillides)) bianor hachijonis Matsumura** (Papilionidae) **Synonym(s):** *hachijonis* Matsumura
- 54432) **Priniceps (s.str. (Achillides)) bianor koraiveris (Bryk,1946)** (Papilionidae) **Synonym(s):** *koraiveris* Bryk,1946
- 54433) **Priniceps (s.str. (Achillides)) bianor kotoensis Sonan** (Papilionidae) **Synonym(s):**
- 54434) **Priniceps (s.str. (Achillides)) bianor mandshurica Matsumura** (Papilionidae) **Synonym(s):** *mandshurica* Matsumura
- 54435) **Priniceps (s.str. (Achillides)) bianor nakaharae (Matsumura,1929)** (Papilionidae) **Synonym(s):** *paradoxa* Nakahara,1924 *nec* Zincken,1831; *sachalinensis* Matsumura,1925 *nec* Matsumura,1911; *nakaharae* Matsumura,1929.
- 54436) **Priniceps (s.str. (Achillides)) bianor superans (Draeseke,1923)** (Papilionidae) **Synonym(s):** *superans* Draeseke,1923
- 54437) **Priniceps (s.str. (Achillides)) bianor takasago Nakahara & Esaki** (Papilionidae) **Synonym(s):** *takasago* Nakahara & Esaki
- 54438) **Priniceps (s.str. (Achillides)) chikae (Igarashi,1965)** (Papilionidae) **Synonym(s):** *chikae* Igarashi,1965
- 54439) **Priniceps (s.str. (Achillides)) chikae chikae (Igarashi,1965)** (Papilionidae) **Synonym(s):** *chikae* Igarashi,1965
- 54440) **Priniceps (s.str. (Achillides)) dialis (Leech,1893)** (Papilionidae) **Synonym(s):** *dialis* Leech,1893
- 54441) **Priniceps (s.str. (Achillides)) dialis cateleucus Rothschild** (Papilionidae) **Synonym(s):** *cateleucus* Rothschild
- 54442) **Priniceps (s.str. (Achillides)) dialis dialis (Leech,1893)** (Papilionidae) **Synonym(s):** *dialis* Leech,1893
- 54443) **Priniceps (s.str. (Achillides)) dialis doddsi (Janet,1896)** (Papilionidae) **Synonym(s):** *doddsi* Janet,1896
- 54444) **Priniceps (s.str. (Achillides)) dialis schanus (Jordan,1909)** (Papilionidae) **Synonym(s):** *schanus* Jordan,1909
- 54445) **Priniceps (s.str. (Achillides)) dialis tatsuta Murayama,1970** (Papilionidae) **Synonym(s):** *andronicus* Fruhstorfer,1909 *nec* Ward,1871; *#tatsuta* Nakahara,1941; *#neotatsuta* Murayama & Shimonoya,1963; *tatsuta* Murayama,1970; *taiwanicus* Moonen,1989; *kara* Koçak & Kemal,2000
- 54446) **Priniceps (s.str. (Achillides)) elephenor (Doubleday,1845)** (Papilionidae) **Synonym(s):** *elephenor* Doubleday,1845
- 54447) **Priniceps (s.str. (Achillides)) elephenor elephenor (Doubleday,1845)** (Papilionidae) **Synonym(s):** *elephenor* Doubleday,1845
- 54448) **Priniceps (s.str. (Achillides)) hermeli (Nuyda,1992)** (Papilionidae) **Synonym(s):** *hermeli* Nuyda,1992
- 54449) **Priniceps (s.str. (Achillides)) hermeli hermeli (Nuyda,1992)** (Papilionidae) **Synonym(s):** *hermeli* Nuyda,1992
- 54450) **Priniceps (s.str. (Achillides)) hermosanus (Rebel,1906)** (Papilionidae) **Synonym(s):** *hermosanus* Rebel,1906; *neoparis* Fruhstorfer,1908
- 54451) **Priniceps (s.str. (Achillides)) hoppo (Matsumura,1908)** (Papilionidae) **Synonym(s):** *#hopponis* Matsumura,1907; *hoppo* Matsumura,1908
- 54452) **Priniceps (s.str. (Achillides)) hoppo hoppo (Matsumura,1908)** (Papilionidae) **Synonym(s):** *#hopponis* Matsumura,1907; *hoppo* Matsumura,1908
- 54453) **Priniceps (s.str. (Achillides)) karna (Felder,1864)** (Papilionidae) **Synonym(s):** *karna* Felder,1864
- 54454) **Priniceps (s.str. (Achillides)) karna carnatus (Rothschild,1895)** (Papilionidae) **Synonym(s):** *carnatus* Rothschild,1895
- 54455) **Priniceps (s.str. (Achillides)) karna discordia De Nicéville** (Papilionidae) **Synonym(s):** *discordia* De Nicéville
- 54456) **Priniceps (s.str. (Achillides)) karna irauana (Jumalon,1975)** (Papilionidae) **Synonym(s):** *irauana* Jumalon,1975
- 54457) **Priniceps (s.str. (Achillides)) karna karna (Felder,1864)** (Papilionidae) **Synonym(s):** *karna* Felder,1864
- 54458) **Priniceps (s.str. (Achillides)) krishna (Moore,1857)** (Papilionidae) **Synonym(s):** *krishna* Moore,1857
- 54459) **Priniceps (s.str. (Achillides)) krishna charlesi (Fruhstorfer,1902)** (Papilionidae) **Synonym(s):** *charlesi* Fruhstorfer,1902
- 54460) **Priniceps (s.str. (Achillides)) krishna krishna (Moore,1857)** (Papilionidae) **Synonym(s):** *krishna* Moore,1857
- 54461) **Priniceps (s.str. (Achillides)) maacki (Ménétriés,1858)** (Papilionidae) **Synonym(s):** *maacki* Ménétriés,1858; *raddei* Bremer,1864
- 54462) **Priniceps (s.str. (Achillides)) maacki maacki (Ménétriés,1858)** (Papilionidae) **Synonym(s):** *maacki* Ménétriés,1858; *raddei* Bremer,1864
- 54463) **Priniceps (s.str. (Achillides)) maacki tutanus (Fenton,1881)** (Papilionidae) **Synonym(s):** *tutanus* Fenton,1881; *kurilensis* Matsumura,1928.
- 54464) **Priniceps (s.str. (Achillides)) paris (Linnaeus,1758)** (Papilionidae) **Synonym(s):** *paris* Linnaeus,1758
- 54465) **Priniceps (s.str. (Achillides)) paris arjuna (Horsfield,1828)** (Papilionidae) **Synonym(s):** *arjuna* Horsfield,1828
- 54466) **Priniceps (s.str. (Achillides)) paris battacorum (Rothschild,1908)** (Papilionidae) **Synonym(s):** *battacorum* Rothschild,1908
- 54467) **Priniceps (s.str. (Achillides)) paris chinensis (Rothschild,1895)** (Papilionidae) **Synonym(s):** *chinensis* Rothschild,1895
- 54468) **Priniceps (s.str. (Achillides)) paris gedeensis (Fruhstorfer,1893)** (Papilionidae) **Synonym(s):** *gedeensis* Fruhstorfer,1893
- 54469) **Priniceps (s.str. (Achillides)) paris nakaharai Shirozu,1960** (Papilionidae) **Synonym(s):** *nakaharai* Shirozu,1960
- 54470) **Priniceps (s.str. (Achillides)) paris paris (Linnaeus,1758)** (Papilionidae) **Synonym(s):** *paris* Linnaeus,1758
- 54471) **Priniceps (s.str. (Achillides)) paris tamilana (Moore,1881)** (Papilionidae) **Synonym(s):** *tamilana* Moore,1881
- 54472) **Priniceps (s.str. (Achillides)) paris tenggerensis (Fruhstorfer,1893)** (Papilionidae) **Synonym(s):** *tenggerensis* Fruhstorfer,1893
- 54473) **Priniceps (s.str. (Achillides)) polyctor (Boisduval,[1836])** (Papilionidae) **Synonym(s):** *polyctor* Boisduval,[1836]
- 54474) **Priniceps (s.str. (Achillides)) polyctor ganesa Doubleday** (Papilionidae) **Synonym(s):** *ganesa* Doubleday
- 54475) **Priniceps (s.str. (Achillides)) polyctor kotoensis Sonan,1927** (Papilionidae) **Synonym(s):** *kotoensis* Sonan,1927
- 54476) **Priniceps (s.str. (Achillides)) polyctor pinratanae Racheli & Cotton,1983** (Papilionidae) **Synonym(s):** *pinratanae* Racheli & Cotton,1983
- 54477) **Priniceps (s.str. (Achillides)) polyctor polyctor (Boisduval,[1836])** (Papilionidae) **Synonym(s):** *polyctor* Boisduval,[1836]
- 54478) **Priniceps (s.str. (Achillides)) polyctor significans (Fruhstorfer,1902)** (Papilionidae) **Synonym(s):** *significans* Fruhstorfer,1902
- 54479) **Priniceps (s.str. (Achillides)) polyctor stockleyi Gabriel,1936** (Papilionidae) **Synonym(s):** *stockleyi* Gabriel,1936
- 54480) **Priniceps (s.str. (Achillides)) polyctor thrasymedes Fruhstorfer,1909** (Papilionidae) **Synonym(s):** *formosanus* Rebel,1906 *nec* Rothschild,1896; *thrasymedes* Fruhstorfer,1909; *takasago* Nakahara & Esaki,1930; *chengkon* Chen,1974
- 54481) **Priniceps (s.str. (Achillides)) polyctor triumphator (Fruhstorfer,1902)** (Papilionidae) **Synonym(s):** *triumphator* Fruhstorfer,1902
- 54482) **Priniceps (s.str. (Achillides)) syfanius (Oberthür,1886)** (Papilionidae) **Synonym(s):** *syfanius* Oberthür,1886.
- 54483) **Priniceps (s.str. (Achillides)) syfanius syfanius (Oberthür,1886)** (Papilionidae) **Synonym(s):** *syfanius* Oberthür,1886.
- 54484) **Priniceps (s.str. (hesperus-gr)) euphranor (Trimen,1868)** (Papilionidae) **Synonym(s):** *euphranor* Trimen,1868; *moratus* Le Cerf,1924.
- 54485) **Priniceps (s.str. (hesperus-gr)) euphranor euphranor (Trimen,1868)** (Papilionidae) **Synonym(s):** *euphranor* Trimen,1868; *moratus* Le Cerf,1924.
- 54486) **Priniceps (s.str. (hesperus-gr)) hesperus (Westwood,[1843])** (Papilionidae) **Synonym(s):**
- 54487) **Priniceps (s.str. (hesperus-gr)) hesperus feae Storange,1963** (Papilionidae) **Synonym(s):**
- 54488) **Priniceps (s.str. (hesperus-gr)) hesperus hesperus (Westwood,[1843])** (Papilionidae) **Synonym(s):**
- 54489) **Priniceps (s.str. (Achillides)) hesperus sudana (Gabriel,1945)** (Papilionidae) **Synonym(s):**
- 54490) **Priniceps (s.str. (hesperus-gr)) horribilis (Butler,1874)** (Papilionidae) **Synonym(s):**

- 54491) *Princeps* (s.str. (*hesperus*-gr)) *horribilis horribilis* (Butler,1874) (Papilionidae) Synonym(s):
- 54492) *Princeps* (s.str. (*hesperus*-gr)) *nobilis* (Rogenhofer,1891) (Papilionidae) Synonym(s): *nobilis* Rogenhofer,1891 nec Cr.,1777; *pringlei* Sharpe,1894; *#mariobonaparte* Bryk,1929; *#nobilissima* Bryk,1929; *pallidus* Stoneham,1931 nec Roth.,1895; *#josetta* Smart,1976.
- 54493) *Princeps* (s.str. (*hesperus*-gr)) *nobilis crippsi* (Steneham,1936) (Papilionidae) Synonym(s):
- 54494) *Princeps* (s.str. (*hesperus*-gr)) *nobilis didingensis* (Carpenter,1928) (Papilionidae) Synonym(s):
- 54495) *Princeps* (s.str. (*hesperus*-gr)) *nobilis mpanda* Kielland,1990 (Papilionidae) Synonym(s):
- 54496) *Princeps* (s.str. (*hesperus*-gr)) *nobilis nobilis* (Rogenhofer,1891) (Papilionidae) Synonym(s): *nobilis* Rogenhofer,1891 nec Cr.,1777; *pringlei* Sharpe,1894; *#mariobonaparte* Bryk,1929; *#nobilissima* Bryk,1929; *pallidus* Stoneham,1931 nec Roth.,1895; *#josetta* Smart,1976.
- 54497) *Princeps* (s.str. (*hesperus*-gr)) *pelodurus* (Butler,1896) (Papilionidae) Synonym(s):
- 54498) *Princeps* (s.str. (*hesperus*-gr)) *pelodurus pelodurus* (Butler,1896) (Papilionidae) Synonym(s):
- 54499) *Princeps* (s.str. (*hesperus*-gr)) *pelodurus vesper* (Le Cerf,1924) (Papilionidae) Synonym(s):
- 54500) *Princeps* (s.str. (*leucotaenia*-gr)) *leucotaenia* (Rothschild,1908) (Papilionidae) Synonym(s): *leucotaenia* Rothschild,1908
- 54501) *Princeps* (s.str. (*leucotaenia*-gr)) *leucotaenia leucotaenia* (Rothschild,1908) (Papilionidae) Synonym(s): *leucotaenia* Rothschild,1908
- 54502) *Princeps* (s.str. (*menestheus*-gr)) *lormieri* (Distant,1874) (Papilionidae) Synonym(s): *lormieri* Distant,1874; *#bassana* Strand,1913; *aureus* Moreau,1917 nec Boull. & Cerf,1912; *cuvelleri* Dufrene,1946.
- 54503) *Princeps* (s.str. (*menestheus*-gr)) *lormieri lormieri* (Distant,1874) (Papilionidae) Synonym(s): *lormieri* Distant,1874; *#bassana* Strand,1913; *aureus* Moreau,1917; *cuvelleri* Dufrene,1946.
- 54504) *Princeps* (s.str. (*menestheus*-gr)) *lormieri neocrocea* (Koçak,1983) (Papilionidae) Synonym(s): *#ophidicephaloides* Stoneham,1951; *#rufopunctata* Stoneham,1951; *crocea* Storace,1955 nec *crocea* Fourcroy,1785; *neocrocea* Koçak,1983.
- 54505) *Princeps* (s.str. (*menestheus*-gr)) *lormieri semlikana* (Le Cerf,1924) (Papilionidae) Synonym(s): *semlikana* Le Cerf,1924.
- 54506) *Princeps* (s.str. (*menestheus*-gr)) *menestheus* (Drury,[1773]) (Papilionidae) Synonym(s): *menestheus* Drury,[1773]; *pygmaeus* Aurivillius,1898 nec Fabr.,1775; *#unimaculatus* Strand,1914; *#latefasciatus* Schultze,1917
- 54507) *Princeps* (s.str. (*menestheus*-gr)) *menestheus canui* (Gauthier,1984) (Papilionidae) Synonym(s): *canui* Gauthier,1984
- 54508) *Princeps* (s.str. (*menestheus*-gr)) *menestheus menestheus* (Drury,[1773]) (Papilionidae) Synonym(s): *menestheus* Drury,[1773]; *pygmaeus* Aurivillius,1898 nec Fabr.,1775; *#unimaculatus* Strand,1914; *#latefasciatus* Schultze,1917
- 54509) *Princeps* (s.str. (*menestheus*-gr)) *ophidicephalus* (Oberthür,1878) (Papilionidae) Synonym(s): *ophidicephalus* Oberthür,1878; *#ophidocephalus* le Roux,2003.
- 54510) *Princeps* (s.str. (*menestheus*-gr)) *ophidicephalus ayresi* (Van Son,1939) (Papilionidae) Synonym(s): *ayresi* Van Son,1939
- 54511) *Princeps* (s.str. (*menestheus*-gr)) *ophidicephalus chirinda* (Van Son,1939) (Papilionidae) Synonym(s): *chirinda* Van Son,1939; *#barnesi* Van Son,1939.
- 54512) *Princeps* (s.str. (*menestheus*-gr)) *ophidicephalus cottrelli* (Van Son,1966) (Papilionidae) Synonym(s): *cottrelli* Van Son,1966.
- 54513) *Princeps* (s.str. (*menestheus*-gr)) *ophidicephalus entabeni* (Van Son,1939) (Papilionidae) Synonym(s): *entabeni* Van Son,1939.
- 54514) *Princeps* (s.str. (*menestheus*-gr)) *ophidicephalus mkuwadzi* (Gifford,1961) (Papilionidae) Synonym(s): *mkuwadzi* Gifford,1961.
- 54515) *Princeps* (s.str. (*menestheus*-gr)) *ophidicephalus niassicola* (Storace,1955) (Papilionidae) Synonym(s): *niassicola* Storace,1955.
- 54516) *Princeps* (s.str. (*menestheus*-gr)) *ophidicephalus ophidicephalus* (Oberthür,1878) (Papilionidae) Synonym(s): *ophidicephalus* Oberthür,1878; *#ophidocephalus* le Roux,2003.
- 54517) *Princeps* (s.str. (*menestheus*-gr)) *ophidicephalus phalusco* (Suffert,1904) (Papilionidae) Synonym(s): *phalusco* Suffert,1904.
- 54518) *Princeps* (s.str. (*menestheus*-gr)) *ophidicephalus transvaalensis* (Van Son,1939) (Papilionidae) Synonym(s): *transvaalensis* Van Son,1939.
- 54519) *Princeps* (s.str. (*menestheus*-gr)) *ophidicephalus zuluensis* (Van Son,1939) (Papilionidae) Synonym(s): *zuluensis* Van Son,1939.
- 54520) *Princeps* (s.str. (*palinurus*-gr)) *angustatus* (Staudinger,1888) (Papilionidae) Synonym(s): *angustatus* Staudinger,1888
- 54521) *Princeps* (s.str. (*palinurus*-gr)) *angustatus angustatus* (Staudinger,1888) (Papilionidae) Synonym(s): *angustatus* Staudinger,1888
- 54522) *Princeps* (s.str. (*palinurus*-gr)) *angustatus selma* (Koçak,1996) (Papilionidae) Synonym(s): *daedalus* C.Felder & R.Felder,1861 nec Fabr.,1775; *selma* Koçak,1996
- 54523) *Princeps* (s.str. (*palinurus*-gr)) *blumei* (Boisduval,1836) (Papilionidae) Synonym(s): *blumei* Boisduval,[1836]
- 54524) *Princeps* (s.str. (*palinurus*-gr)) *blumei blumei* (Boisduval,1836) (Papilionidae) Synonym(s): *blumei* Boisduval,[1836]
- 54525) *Princeps* (s.str. (*palinurus*-gr)) *blumei fruhstorferi* (Röber,1897) (Papilionidae) Synonym(s): *fruhstorferi* Röber,1897
- 54526) *Princeps* (s.str. (*palinurus*-gr)) *buddha* (Westwood,1872) (Papilionidae) Synonym(s): *buddha* Westwood,1872
- 54527) *Princeps* (s.str. (*palinurus*-gr)) *buddha buddha* (Westwood,1872) (Papilionidae) Synonym(s): *buddha* Westwood,1872
- 54528) *Princeps* (s.str. (*palinurus*-gr)) *crino* (Fabricius,1793) (Papilionidae) Synonym(s): *crino* Fabricius,1793
- 54529) *Princeps* (s.str. (*palinurus*-gr)) *crino crino* (Fabricius,1793) (Papilionidae) Synonym(s): *crino* Fabricius,1793
- 54530) *Princeps* (s.str. (*palinurus*-gr)) *palinurus* (Fabricius,1787) (Papilionidae) Synonym(s): *palinurus* Fabricius,1787
- 54531) *Princeps* (s.str. (*palinurus*-gr)) *palinurus adventus* (Fruhstorfer,1902) (Papilionidae) Synonym(s): *adventus* Fruhstorfer,1902
- 54532) *Princeps* (s.str. (*palinurus*-gr)) *palinurus auffenbergi* (Späth,1992) (Papilionidae) Synonym(s): *auffenbergi* Späth,1992
- 54533) *Princeps* (s.str. (*palinurus*-gr)) *palinurus nymphodorus* (Fruhstorfer,1909) (Papilionidae) Synonym(s): *nymphodorus* Fruhstorfer,1909
- 54534) *Princeps* (s.str. (*palinurus*-gr)) *palinurus palinurus* (Fabricius,1787) (Papilionidae) Synonym(s): *palinurus* Fabricius,1787
- 54535) *Princeps* (s.str. (*peranthus*-gr)) *lorquinianus* Felder (Papilionidae) Synonym(s): *lorquinianus* Felder
- 54536) *Princeps* (s.str. (*peranthus*-gr)) *lorquinianus albertisi* Oberthür (Papilionidae) Synonym(s): *albertisi* Oberthür
- 54537) *Princeps* (s.str. (*peranthus*-gr)) *lorquinianus gelia* Jordan (Papilionidae) Synonym(s): *gelia* Jordan
- 54538) *Princeps* (s.str. (*peranthus*-gr)) *lorquinianus lorquinianus* Felder (Papilionidae) Synonym(s): *lorquinianus* Felder
- 54539) *Princeps* (s.str. (*peranthus*-gr)) *lorquinianus philippus* (Wallace,1865) (Papilionidae) Synonym(s): *philippus* Wallace,1865; *#philippus* D'Abbrera,1971.
- 54540) *Princeps* (s.str. (*peranthus*-gr)) *neumoegeni* (Honrath,1890) (Papilionidae) Synonym(s): *neumoegeni* Honrath,1890; *maremba* Doherty,1891.
- 54541) *Princeps* (s.str. (*peranthus*-gr)) *neumoegeni neumoegeni* (Honrath,1890) (Papilionidae) Synonym(s): *neumoegeni* Honrath,1890; *maremba* Doherty,1891.
- 54542) *Princeps* (s.str. (*peranthus*-gr)) *peranthus* (Fabricius,1787) (Papilionidae) Synonym(s): *peranthus* (Fabricius,1787
- 54543) *Princeps* (s.str. (*peranthus*-gr)) *peranthus adamantius* (C.Felder,1864) (Papilionidae) Synonym(s): *adamantius* C.Felder,1864
- 54544) *Princeps* (s.str. (*peranthus*-gr)) *peranthus bawena* (Hagen,[1894]) (Papilionidae) Synonym(s): *bawena* Hagen,[1894]
- 54545) *Princeps* (s.str. (*peranthus*-gr)) *peranthus insulicola* (Rothschild,1896) (Papilionidae) Synonym(s): *insulicola* Rothschild,1896
- 54546) *Princeps* (s.str. (*peranthus*-gr)) *peranthus intermedius* (Snellen,1890) (Papilionidae) Synonym(s): *intermedius* Snellen,1890
- 54547) *Princeps* (s.str. (*peranthus*-gr)) *peranthus peranthus* (Fabricius,1787) (Papilionidae) Synonym(s): *peranthus* Fabricius,1787
- 54548) *Princeps* (s.str. (*peranthus*-gr)) *peranthus transiens* (Fruhstorfer,[1898]) (Papilionidae) Synonym(s): *transiens* Fruhstorfer,[1898]
- 54549) *Princeps* (s.str. (*peranthus*-gr)) *pericles* (Wallace,1865) (Papilionidae) Synonym(s): *pericles* Wallace,1865
- 54550) *Princeps* (s.str. (*peranthus*-gr)) *pericles pericles* (Wallace,1865) (Papilionidae) Synonym(s): *pericles* Wallace,1865
- 54551) *Princeps* (s.str. (*phorcas*-gr)) *constantinus* (Ward,1871) (Papilionidae) Synonym(s): *constantinus* Ward,1871; *#chrysothemis* Stoneham,1931.
- 54552) *Princeps* (s.str. (*phorcas*-gr)) *constantinus constantinus* (Ward,1871) (Papilionidae) Synonym(s): *constantinus* Ward,1871; *#chrysothemis* Stoneham,1931.
- 54553) *Princeps* (s.str. (*phorcas*-gr)) *constantinus lecerfi* (Koçak,1996) (Papilionidae) Synonym(s): *alticola* Le Cerf,1924 nec Boull. & Le Cerf,1912; *monticolus* Le Cerf,1924 nec Fruhstorfer,1896; *lecerfi* Koçak,1996
- 54554) *Princeps* (s.str. (*phorcas*-gr)) *constantinus mweruanus* (Joicey & Talbot,1927) (Papilionidae) Synonym(s): *mweruanus* Joicey & Talbot,1927
- 54555) *Princeps* (s.str. (*phorcas*-gr)) *dardanus* (Brown,1776) (Papilionidae) Synonym(s): *dardanus* Brown,1776; *merope* Cramer,[1777] nec Fabr.,1775; *brutus* Fabricius,1781 nec Cramer,1779; *hippocoon* Fabricius,1793; *westermannii* Boisduval,1836; *trophonius* Westwood,1842; *dionysos* Doubleday,1846; *heimsi* Suffert,1904; *benio* Suffert,1904.
- 54556) *Princeps* (s.str. (*phorcas*-gr)) *dardanus antinorii* (Oberthür,1883) (Papilionidae) Synonym(s): *antinorii* Oberthür,1883
- 54557) *Princeps* (s.str. (*phorcas*-gr)) *dardanus byatti* (Poulton,1926) (Papilionidae) Synonym(s): *byatti* Poulton,1926
- 54558) *Princeps* (s.str. (*phorcas*-gr)) *dardanus cenea* (Stoll,[1790]) (Papilionidae) Synonym(s): *cenea* Stoll,[1790]; *rechila* Godart,[1819]; *#hippocoonies* Haase,1891; *acene* Suffert,1904; *#leighi* Poulton,1912; *#radiata* Reuss,1921; *#hypolimnides* Le Cerf,1924; *#extensiflava* Le Cerf,1924; *#sylvicola* Van Son,1949; *neocenea* Stoneham,1951; *#nigricans* Storace,1955; *#transiens* Storace,1955; *#aikenii* Van Son,1956; *#infuscata* Van Son,1956.
- 54559) *Princeps* (s.str. (*phorcas*-gr)) *dardanus dardanus* (Brown,1776) (Papilionidae) Synonym(s): *dardanus* Brown,1776; *merope* Cramer,[1777] nec Fabr.,1775; *brutus* Fabricius,1781 nec Cramer,1779; *hippocoon* Fabricius,1793; *westermannii* Boisduval,1836; *trophonius* Westwood,1842; *dionysos* Doubleday,1846; *heimsi* Suffert,1904; *benio* Suffert,1904.
- 54560) *Princeps* (s.str. (*phorcas*-gr)) *dardanus figinii* (Storace,1962) (Papilionidae) Synonym(s): *figinii* Storace,1962
- 54561) *Princeps* (s.str. (*phorcas*-gr)) *dardanus flavicornis* (Carpenter,1947) (Papilionidae) Synonym(s): *flavicornis* Carpenter,1947

- 54562) *Princeps* (s.str. (phorcas-gr)) *dardanus humbloti* (Oberthür,1888) (Papilionidae) Synonym(s): *humbloti* Oberthür,1888
- 54563) *Princeps* (s.str. (phorcas-gr)) *dardanus meriones* (C.Felder & R.Felder,[1865]) (Papilionidae) Synonym(s): *meriones* C.Felder & R.Felder,[1865]
- 54564) *Princeps* (s.str. (phorcas-gr)) *dardanus meseres* (Carpenter,1948) (Papilionidae) Synonym(s): *meseres* Carpenter,1948
- 54565) *Princeps* (s.str. (phorcas-gr)) *dardanus ochraceana* (Vane-Wright,1995) (Papilionidae) Synonym(s): *ochracea* Carpenter,1948 nec Ribbe,1897; *hataica* Storace,1955; *ochraceana* Vane-Wright,1995
- 54566) *Princeps* (s.str. (phorcas-gr)) *dardanus polytrophus* (Rothschild & Jordan,1903) (Papilionidae) Synonym(s): *polytrophus* Rothschild & Jordan,1903
- 54567) *Princeps* (s.str. (phorcas-gr)) *dardanus sulfurea* (Palisot de Beauvois,[1806]) (Papilionidae) Synonym(s): *sulfurea* Palisot de Beauvois,[1806]
- 54568) *Princeps* (s.str. (phorcas-gr)) *dardanus tibullus* (Kirby,1880) (Papilionidae) Synonym(s): *tibullus* Kirby,1880; *maculatus* Suffert,1904; *discompunctatus* Suffert,1904; *salaami* Suffert,1904; *boosi* Suffert,1904; *#trimeni* Poulton,1906; *#gomia* Strand,1911; *#lamborni* Poulton,1918; *natalica* Le Cerf,1924; *mombasicus* Stoneham,1951; *#melanoleuca* Stoneham,1951.
- 54569) *Princeps* (s.str. (phorcas-gr)) *delalandei* (Godart,[1824]) (Papilionidae) Synonym(s): *delalandei* Godart,[1824]
- 54570) *Princeps* (s.str. (phorcas-gr)) *delalandei delalandei* (Godart,[1824]) (Papilionidae) Synonym(s): *delalandei* Godart,[1824]
- 54571) *Princeps* (s.str. (phorcas-gr)) *mangoura* (Hewitson,1875) (Papilionidae) Synonym(s): *mangoura* Hewitson,1875
- 54572) *Princeps* (s.str. (phorcas-gr)) *mangoura mangoura* (Hewitson,1875) (Papilionidae) Synonym(s): *mangoura* Hewitson,1875
- 54573) *Princeps* (s.str. (phorcas-gr)) *phorcas* (Cramer,[1775]) (Papilionidae) Synonym(s): *phorcas* Cramer,[1775]
- 54574) *Princeps* (s.str. (phorcas-gr)) *phorcas ansorgei* (Rothschild,1896) (Papilionidae) Synonym(s): *ansorgei* Rothschild,1896
- 54575) *Princeps* (s.str. (phorcas-gr)) *phorcas congoanus* (Rothschild,1896) (Papilionidae) Synonym(s): *congoanus* Rothschild,1896
- 54576) *Princeps* (s.str. (phorcas-gr)) *phorcas nyikanus* (Rothschild & Jordan,1903) (Papilionidae) Synonym(s): *nyikanus* Rothschild & Jordan,1903
- 54577) *Princeps* (s.str. (phorcas-gr)) *phorcas phorcas* (Cramer,[1775]) (Papilionidae) Synonym(s): *phorcas* (Cramer,[1775])
- 54578) *Princeps* (s.str. (phorcas-gr)) *phorcas ruscoei* (Krüger,1928) (Papilionidae) Synonym(s): *ruscoei* Krüger,1928
- 54579) *Princeps* (s.str. (phorcas-gr)) *phorcas sudanicola* (Storace,1965) (Papilionidae) Synonym(s): *sudanicola* Storace,1965
- 54580) *Princeps* (s.str. (phorcas-gr)) *phorcas tenuifasciatus* (Kielland,1990) (Papilionidae) Synonym(s): *tenuifasciatus* Kielland,1990
- 54581) *Princeps* (s.str. (s.str.)) *demodocus* (Esper,[1798]) (Papilionidae) Synonym(s): *demodocus* Esper,[1798].
- 54582) *Princeps* (s.str. (s.str.)) *demodocus bennetti* (Dixey,1898) (Papilionidae) Synonym(s): *bennetti* Dixey,1898
- 54583) *Princeps* (s.str. (s.str.)) *demodocus demodocus* (Esper,[1798]) (Papilionidae) Synonym(s): *demodocus* Esper,[1798].
- 54584) *Princeps* (s.str. (s.str.)) *demoleus* (Linnaeus,1758) (Papilionidae) Synonym(s): *demoleus* Linnaeus,1758; *erithonius* Cramer,[1782]; *epius* Fabricius,1793; *sthenelus* Macleay,1826; *demoleinus* Oberthür,1879; *pictus* Fruhstorfer,1898; *#chryseis* Boullet & Le Cerf,1912; *flavosignatus* Heydemann,1954
- 54585) *Princeps* (s.str. (s.str.)) *demoleus demoleus* (Linnaeus,1758) (Papilionidae) Synonym(s): *demoleus* Linnaeus,1758; *erithonius* Cramer,[1782]; *epius* Fabricius,1793; *sthenelus* Macleay,1826; *demoleinus* Oberthür,1879; *pictus* Fruhstorfer,1898; *#chryseis* Boullet & Le Cerf,1912; *flavosignatus* Heydemann,1954
- 54586) *Princeps* (s.str. (s.str.)) *demoleus libanius* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *libanius* Fruhstorfer,1908
- 54587) *Princeps* (s.str. (s.str.)) *demoleus malayanus* (Wallace,1865) (Papilionidae) Synonym(s): *malayanus* Wallace,1865
- 54588) *Princeps* (s.str. (s.str.)) *demoleus novoguineensis* (Rothschild,1908) (Papilionidae) Synonym(s): *novoguineensis* Rothschild,1908
- 54589) *Princeps* (s.str. (s.str.)) *demoleus sthenelus* (Rothschild,1895) (Papilionidae) Synonym(s): *sthenelus* Rothschild,1895.
- 54590) *Princeps* (s.str. (s.str.)) *demoleus sthenelus* (MacLeay,1827) (Papilionidae) Synonym(s): *sthenelus* MacLeay,1827
- 54591) *Princeps* (s.str. (s.str.)) *erithonioides* (Grose-Smith,1891) (Papilionidae) Synonym(s): *erithonioides* Grose-Smith,1891
- 54592) *Princeps* (s.str. (s.str.)) *erithonioides erithonioides* (Grose-Smith,1891) (Papilionidae) Synonym(s): *erithonioides* Grose-Smith,1891
- 54593) *Princeps* (s.str. (s.str.)) *groesmithi* (Rothschild,1926) (Papilionidae) Synonym(s): *groesmithi* Rothschild,1926; *?praeses* Le Cerf,1924.
- 54594) *Princeps* (s.str. (s.str.)) *groesmithi groesmithi* (Rothschild,1926) (Papilionidae) Synonym(s): *groesmithi* Rothschild,1926; *?praeses* Le Cerf,1924.
- 54595) *Princeps* (s.str. (s.str.)) *morondanava* (Grose-Smith,1891) (Papilionidae) Synonym(s): *morondanava* Grose-Smith,1891
- 54596) *Princeps* (s.str. (s.str.)) *morondanava morondanava* (Grose-Smith,1891) (Papilionidae) Synonym(s): *morondanava* Grose-Smith,1891
- 54597) *Princeps* (s.str. (ulysses-gr)) *montrouzieri* (Boisduval,1859) (Papilionidae) Synonym(s): *montrouzieri* Boisduval,1859
- 54598) *Princeps* (s.str. (ulysses-gr)) *montrouzieri montrouzieri* (Boisduval,1859) (Papilionidae) Synonym(s): *montrouzieri* Boisduval,1859
- 54599) *Princeps* (s.str. (ulysses-gr)) *ulysses* (Linnaeus,1758) (Papilionidae) Synonym(s): *ulysses* Linnaeus,1758; *dionedes* Linnaeus,1764.
- 54600) *Princeps* (s.str. (ulysses-gr)) *ulysses ambiguus* (Rothschild,1895) (Papilionidae) Synonym(s): *ambiguus* Rothschild,1895; *marius* Fruhstorfer,1903; *kallinikos* Fruhstorfer,1903.
- 54601) *Princeps* (s.str. (ulysses-gr)) *ulysses ampelius* (Rothschild,1908) (Papilionidae) Synonym(s): *ampelius* Rothschild,1908
- 54602) *Princeps* (s.str. (ulysses-gr)) *ulysses autolycus* (C.Felder & R.Felder,[1865]) (Papilionidae) Synonym(s): *autolycus* C.Felder & R.Felder,[1865]; *penelope* Wallace,1865; *#melanotica* Hagen,1897.
- 54603) *Princeps* (s.str. (ulysses-gr)) *ulysses bepe* (Koçak & Kemal,2000) (Papilionidae) Synonym(s): *telegonus* C.Felder,1860 nec Esp.,1779; *bepe* Koçak & Kemal,2000.
- 54604) *Princeps* (s.str. (ulysses-gr)) *ulysses dohertius* (Rothschild,1898) (Papilionidae) Synonym(s): *dohertius* Rothschild,1898
- 54605) *Princeps* (s.str. (ulysses-gr)) *ulysses gabrielis* (Rothschild,1898) (Papilionidae) Synonym(s): *gabrielis* Rothschild,1898
- 54606) *Princeps* (s.str. (ulysses-gr)) *ulysses georgius* (Rothschild,1908) (Papilionidae) Synonym(s): *georgius* Rothschild,1908; *rothschildianus* Fruhstorfer,1909.
- 54607) *Princeps* (s.str. (ulysses-gr)) *ulysses irisae* (Späth,1992) (Papilionidae) Synonym(s): *irisae* Späth,1992
- 54608) *Princeps* (s.str. (ulysses-gr)) *ulysses joesa* (Butler,1869) (Papilionidae) Synonym(s): *joesa* Butler,1869
- 54609) *Princeps* (s.str. (ulysses-gr)) *ulysses melanotica* (Rothschild,1915) (Papilionidae) Synonym(s): *#melanotica* Hagen,1897; *melanotica* Rothschild,1915
- 54610) *Princeps* (s.str. (ulysses-gr)) *ulysses morotaius* (Rothschild,1908) (Papilionidae) Synonym(s): *morotaius* Rothschild,1908
- 54611) *Princeps* (s.str. (ulysses-gr)) *ulysses nigerrimus* (Ribbe,1898) (Papilionidae) Synonym(s): *nigerrimus* Ribbe,1898
- 54612) *Princeps* (s.str. (ulysses-gr)) *ulysses orsippus* (Godman & Salvin,1888) (Papilionidae) Synonym(s): *orsippus* Godman & Salvin,1888
- 54613) *Princeps* (s.str. (ulysses-gr)) *ulysses oxyartes* (Fruhstorfer,1909) (Papilionidae) Synonym(s): *oxyartes* Fruhstorfer,1909
- 54614) *Princeps* (s.str. (ulysses-gr)) *ulysses telephanes* (Fruhstorfer,1902) (Papilionidae) Synonym(s): *telemachus* Montrouzier,1856 nec Linnaeus, non Cramer,1782; *telephanes* Fruhstorfer,1902; *agasophus* Fruhstorfer,1903.
- 54615) *Princeps* (s.str. (ulysses-gr)) *ulysses ulysses* (Linnaeus,1758) (Papilionidae) Synonym(s): *ulysses* Linnaeus,1758; *dionedes* Linnaeus,1764.
- 54616) *Protesilaus glaucolaus* (Papilionidae) Synonym(s):
- 54617) *Protesilaus glaucolaus leucas* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *leucas* Rothschild & Jordan,1906
- 54618) *Protesilaus molops* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *molops* Rothschild & Jordan,1906
- 54619) *Protesilaus protesilaus* (Linnaeus,1758) (Papilionidae) Synonym(s): *protesilaus* Linnaeus,1758
- 54620) *Protesilaus protesilaus* (C.Felder & R.Felder,1864) (Papilionidae) Synonym(s): *telesilaus* C.Felder & R.Felder,1864
- 54621) *Protographium agesilaus* (Guérin & Perch,1835) (Papilionidae) Synonym(s): *agesilaus* Guérin & Perch,1835
- 54622) *Protographium agesilaus agesilaus* (Guérin & Perch,1835) (Papilionidae) Synonym(s): *agesilaus* Guérin & Perch,1835
- 54623) *Protographium agesilaus autosilaus* (Bates,1861) (Papilionidae) Synonym(s): *autosilaus* Bates,1861
- 54624) *Protographium agesilaus eimeri* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *eimeri* Rothschild & Jordan,1906
- 54625) *Protographium anaxilaus* (C.Felder & R.Felder,1865) (Papilionidae) Synonym(s): *anaxilaus* C.Felder & R.Felder,1865
- 54626) *Protographium dioxippus* (Hewitson,1855) (Papilionidae) Synonym(s): *dioxippus* Hewitson,1855
- 54627) *Protographium dioxippus dioxippus* (Hewitson,1855) (Papilionidae) Synonym(s): *dioxippus* Hewitson,1855
- 54628) *Protographium leosthenes* (Doubleday,1846) (Papilionidae) Synonym(s): *leosthenes* Doubleday,1846
- 54629) *Protographium leosthenes geimbia* Tindale (Papilionidae) Synonym(s):
- 54630) *Protographium leosthenes leosthenes* (Doubleday,1846) (Papilionidae) Synonym(s): *leosthenes* Doubleday,1846
- 54631) *Protographium leucaspis* (Godart,1819) (Papilionidae) Synonym(s): *leucaspis* Godart,1819
- 54632) *Protographium leucaspis lamidis* Brown & Lamas,1994 (Papilionidae) Synonym(s): *lamidis* Brown & Lamas,1994
- 54633) *Protographium leucaspis leucaspis* (Godart,1819) (Papilionidae) Synonym(s): *leucaspis* Godart,1819
- 54634) *Protographium thyastes* (Drury,1782) (Papilionidae) Synonym(s): *thyastes* Drury,1782; *diaphorus* Hübner,[1821]
- 54635) *Protographium thyastes panamensis* (Oberthür,1880) (Papilionidae) Synonym(s): *panamensis* Oberthür,1880
- 54636) *Pterourus* (Pyrrhosticta) *bachus* (C.Felder & R.Felder,1865) (Papilionidae) Synonym(s): *bachus* C.Felder & R.Felder,1865
- 54637) *Pterourus* (Pyrrhosticta) *bachus bachus* (C.Felder & R.Felder,1865) *Pterourus* (Pyrrhosticta) (Papilionidae) Synonym(s): *bachus* C.Felder & R.Felder,1865
- 54638) *Pterourus* (Pyrrhosticta) *bachus belsazar* (Niepelt,1908) (Papilionidae) Synonym(s): *belsazar* Niepelt,1908

- 54639) *Pterourus* (Pyrrhosticta) *birchalli* (Hewitson,1863) (Papilionidae) Synonym(s): *birchalli* Hewitson,1863
 54640) *Pterourus* (Pyrrhosticta) *cacicus* (Lucas,1852) (Papilionidae) Synonym(s): *cacicus* Lucas,1852
 54641) *Pterourus* (Pyrrhosticta) *cacicus cacicus* (Lucas,1852) (Papilionidae) Synonym(s): *cacicus* Lucas,1852
 54642) *Pterourus* (Pyrrhosticta) *cacicus nesriniae* (Koçak,1983) (Papilionidae) Synonym(s): *orientalis* Fassl,1912 nec Rom.,1884; *nesriniae* Koçak,1983
 54643) *Pterourus* (Pyrrhosticta) *cacicus upanensis* (Talbot,1929) (Papilionidae) Synonym(s): *upanensis* Talbot,1929; *ramona* Le Cerf & Biedermann,1933
 54644) *Pterourus* (Pyrrhosticta) *euterpinus* (Salvin & Godman,1868) (Papilionidae) Synonym(s): *euterpinus* Salvin & Godman,1868
 54645) *Pterourus* (Pyrrhosticta) *euterpinus euterpinus* (Salvin & Godman,1868) (Papilionidae) Synonym(s): *euterpinus* Salvin & Godman,1868
 54646) *Pterourus* (Pyrrhosticta) *menatius* (Hübner,[1819]) (Papilionidae) Synonym(s): *menatius* Hübner,[1819]
 54647) *Pterourus* (Pyrrhosticta) *menatius coelebs* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *coelebs* Rothschild & Jordan,1906
 54648) *Pterourus* (Pyrrhosticta) *menatius coroeus* (C.Felder & R.Felder,1861) (Papilionidae) Synonym(s): *coroeus* C.Felder & R.Felder,1861
 54649) *Pterourus* (Pyrrhosticta) *menatius ctesiaides* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *ctesiaides* Rothschild & Jordan,1906; *therapes* Rothschild & Jordan,1906
 54650) *Pterourus* (Pyrrhosticta) *menatius eurotas* (C.Felder & R.Felder,1862) (Papilionidae) Synonym(s): *eurotas* C.Felder & R.Felder,1862
 54651) *Pterourus* (Pyrrhosticta) *menatius menatius* (Hübner,[1819]) (Papilionidae) Synonym(s): *menatius* Hübner,[1819]
 54652) *Pterourus* (Pyrrhosticta) *menatius syndemis* (Jordan,1907) (Papilionidae) Synonym(s): *syndemis* Jordan,1907
 54653) *Pterourus* (Pyrrhosticta) *neyi* (Niepelt,1909) (Papilionidae) Synonym(s): *neyi* Niepelt,1909
 54654) *Pterourus* (Pyrrhosticta) *neyi neyi* (Niepelt,1909) (Papilionidae) Synonym(s): *neyi* Niepelt,1909
 54655) *Pterourus* (Pyrrhosticta) *warscewiczii* (Hopffer,1865) (Papilionidae) Synonym(s): *warscewiczii* Hopffer,1865
 54656) *Pterourus* (Pyrrhosticta) *warscewiczii jelskii* (Oberthür,1881) (Papilionidae) Synonym(s): *jelskii* Oberthür,1881
 54657) *Pterourus* (Pyrrhosticta) *warscewiczii warscewiczii* (Hopffer,1865) (Papilionidae) Synonym(s): *warscewiczii* Hopffer,1865
 54658) *Pterourus* (Pyrrhosticta) *zagreus* (Doubleday,1847) (Papilionidae) Synonym(s): *zagreus* Doubleday,1847
 54659) *Pterourus* (Pyrrhosticta) *zagreus chrysoxanthus* (Fruhstorfer,1915) (Papilionidae) Synonym(s): *chrysoxanthus* Fruhstorfer,1915
 54660) *Pterourus* (Pyrrhosticta) *zagreus daguanus* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *daguanus* Rothschild & Jordan,1906
 54661) *Pterourus* (Pyrrhosticta) *zagreus motilonas* (Racheli & Pisch.,1987) (Papilionidae) Synonym(s): *motilonas* Racheli & Pisch.,1987
 54662) *Pterourus* (Pyrrhosticta) *zagreus rosenbergi* (Druce,1903) (Papilionidae) Synonym(s): *rosenbergi* Druce,1903
 54663) *Pterourus* (Pyrrhosticta) *zagreus zagreus* (Doubleday,1847) (Papilionidae) Synonym(s): *zagreus* Doubleday,1847
 54664) *Pterourus* *canadensis* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *canadensis* Rothschild & Jordan,1906
 54665) *Pterourus* *canadensis arcticus* (Skinner,1906) (Papilionidae) Synonym(s): *arcticus* Skinner,1906
 54666) *Pterourus* *canadensis canadensis* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *canadensis* Rothschild & Jordan,1906
 54667) *Pterourus* *eurymedon* (Lucas,1852) (Papilionidae) Synonym(s): *eurymedon* Lucas,1852
 54668) *Pterourus* *eurymedon eurymedon* (Lucas,1852) (Papilionidae) Synonym(s): *eurymedon* Lucas,1852
 54669) *Pterourus* *glaucus* (Linnaeus,1758) (Papilionidae) Synonym(s): *glaucus* Linnaeus,1758
 54670) *Pterourus* *glaucus glaucus* (Linnaeus,1758) (Papilionidae) Synonym(s): *glaucus* Linnaeus,1758
 54671) *Pterourus* *glaucus maynardi* (Gauthier,1984) (Papilionidae) Synonym(s): *maynardi* Gauthier,1984
 54672) *Pterourus* *multicaudatus* (Kirby,1884) (Papilionidae) Synonym(s): *daunus* Boisduval,1836 nec Cr.,[1777]; *multicaudatus* Kirby,1884.
 54673) *Pterourus* *multicaudatus grandiosus* (Austin & Emmel,1998) (Papilionidae) Synonym(s): *grandiosus* Austin & Emmel,1998
 54674) *Pterourus* *multicaudatus multicaudatus* (Kirby,1884) (Papilionidae) Synonym(s): *daunus* Boisduval,1836 nec Cr.,[1777]; *multicaudatus* Kirby,1884.
 54675) *Pterourus* *multicaudatus pusillus* (Austin & Emmel,1998) (Papilionidae) Synonym(s): *pusillus* Austin & Emmel,1998
 54676) *Pterourus* *palamedes* (Drury,[1773]) (Papilionidae) Synonym(s): *palamedes* Drury,[1773]; *chalcas* Fabricius,1775; *flavomaculatus* Goeze,1779.
 54677) *Pterourus* *palamedes leontis* (Rothschild & Jordan,1906) (Papilionidae) Synonym(s): *leontis* Rothschild & Jordan,1906
 54678) *Pterourus* *palamedes palamedes* (Drury,[1773]) (Papilionidae) Synonym(s): *palamedes* Drury,[1773]; *chalcas* Fabricius,1775; *flavomaculatus* Goeze,1779.
 54679) *Pterourus* *pilumnus* (Boisduval,1836) (Papilionidae) Synonym(s): *pilumnus* Boisduval,1836
 54680) *Pterourus* *pilumnus pilumnus* (Boisduval,1836) (Papilionidae) Synonym(s): *pilumnus* Boisduval,1836
 54681) *Pterourus* *rutulus* (Lucas,1852) (Papilionidae) Synonym(s): *rutulus* Lucas,1852
 54682) *Pterourus* *rutulus ammoni* (Behrens,1887) (Papilionidae) Synonym(s): *ammoni* Behrens,1887
 54683) *Pterourus* *rutulus arizonensis* (Edwards,1883) (Papilionidae) Synonym(s): *arizonensis* Edwards,1883
 54684) *Pterourus* *rutulus rutulus* (Lucas,1852) (Papilionidae) Synonym(s): *rutulus* Lucas,1852
 54685) *Pterourus* *troilus* (Linnaeus,1758) (Papilionidae) Synonym(s): *troilus* Linnaeus,1758; *ilioneus* Smith,1797; *texanus* Ehrmann,1900; *radiatus* Strecker,1900; *anethi* Fabricius,1938.
 54686) *Pterourus* *troilus fakahatcheneensis* Gatrell,2000 (Papilionidae) Synonym(s): *fakahatcheneensis* Gatrell,2000
 54687) *Pterourus* *troilus troilus* (Linnaeus,1758) (Papilionidae) Synonym(s): *troilus* Linnaeus,1758; *ilioneus* Smith,1797; *texanus* Ehrmann,1900; *radiatus* Strecker,1900; *anethi* Fabricius,1938.
 54688) *Pterourus* *victorinus* (Doubleday,1844) (Papilionidae) Synonym(s): *victorinus* Doubleday,1844
 54689) *Pterourus* *victorinus victorinus* (Doubleday,1844) (Papilionidae) Synonym(s): *victorinus* Doubleday,1844
 54690) *Sericinus* *montela* Gray,[1853] (Papilionidae) Synonym(s): *telamon* Donovan,1798 nec Linnaeus,1758; *montela* Gray,[1853]; *fortunei* Gray,1852; *telmona* Gray,1852.
 54691) *Sericinus* *montela amurensis* Staudinger,1892 (Papilionidae) Synonym(s): *amurensis* Staudinger,1892
 54692) *Sericinus* *montela koreanus* Fixsen,1887 (Papilionidae) Synonym(s): *koreanus* Fixsen,1887; *greyi* Fixsen,1887; *eisneri* Bryk,1932.
 54693) *Sericinus* *montela melanogramma* Bryk,1946 (Papilionidae) Synonym(s): *melanogramma* Bryk,1946
 54694) *Sericinus* *montela montela* Gray,[1853] (Papilionidae) Synonym(s): *telamon* Donovan,1798 nec Linnaeus,1758; *montela* Gray,[1853]; *fortunei* Gray,1852; *telmona* Gray,1852.
 54695) *Teinopalpus* *aureus* Mell,1923 (Papilionidae) Synonym(s): *aureus* Mell,1923
 54696) *Teinopalpus* *aureus aureus* Mell,1923 (Papilionidae) Synonym(s): *aureus* Mell,1923
 54697) *Teinopalpus* *imperialis* Hope,1843 (Papilionidae) Synonym(s): *imperialis* Hope,1843
 54698) *Teinopalpus* *imperialis imperatrix* De Nicéville,1899 (Papilionidae) Synonym(s): *imperatrix* De Nicéville,1899
 54699) *Teinopalpus* *imperialis imperialis* Hope,1843 (Papilionidae) Synonym(s): *imperialis* Hope,1843
 54700) *Trogonoptera* *brookiana* (Wallace,1855) (Papilionidae) Synonym(s): *brookiana* Wallace,1855; *mollumar* D'Abrera, Doggett & Parker,1976
 54701) *Trogonoptera* *brookiana albescens* (Rothschild,1895) (Papilionidae) Synonym(s): *albescens* Rothschild,1895
 54702) *Trogonoptera* *brookiana apolloniae* Neukirschen,1992 (Papilionidae) Synonym(s): *apolloniae* Neukirschen,1992
 54703) *Trogonoptera* *brookiana brookiana* (Wallace,1855) (Papilionidae) Synonym(s): *brookiana* Wallace,1855; *mollumar* D'Abrera, Doggett & Parker,1976
 54704) *Trogonoptera* *brookiana jikoi* Kobayashi,1986 (Papilionidae) Synonym(s): *jikoi* Kobayashi,1986
 54705) *Trogonoptera* *brookiana natunensis* Rothschild,1908 (Papilionidae) Synonym(s): *natunensis* Rothschild,1908
 54706) *Trogonoptera* *brookiana trogon* (Vollenhoven,1860) (Papilionidae) Synonym(s): *trogon* Vollenhoven,1860
 54707) *Trogonoptera* *trojana* (Honrath,1886) (Papilionidae) Synonym(s): *trojana* Honrath,1886
 54708) *Trogonoptera* *trojana trojana* (Honrath,1886) (Papilionidae) Synonym(s): *trojana* Honrath,1886
 54709) *Troides* (Ornithoptera (Schoenbergia)) *chimaera* Rothschild,1904 (Papilionidae) Synonym(s): *chimaera* Rothschild,1904
 54710) *Troides* (Ornithoptera (Schoenbergia)) *chimaera chimaera* Rothschild,1904 (Papilionidae) Synonym(s): *chimaera* Rothschild,1904
 54711) *Troides* (Ornithoptera (Schoenbergia)) *goliath* Oberthür,1894 (Papilionidae) Synonym(s): *#goliath* Oberthür,1888; *goliath* Oberthür,1894.
 54712) *Troides* (Ornithoptera (Schoenbergia)) *goliath procs* Rothschild,1914 (Papilionidae) Synonym(s): *procs* Rothschild,1914
 54713) *Troides* (Ornithoptera (Schoenbergia)) *meridionalis* Rothschild,1897 (Papilionidae) Synonym(s): *meridionalis* Rothschild,1897
 54714) *Troides* (Ornithoptera (Schoenbergia)) *paradisea* (Staudinger,1893) (Papilionidae) Synonym(s): *paradisea* Staudinger,1893; *schoenbergi* Pagenstecher,1893
 54715) *Troides* (Ornithoptera (Schoenbergia)) *paradisea arfakensis* Joicey & Noakes (Papilionidae) Synonym(s):
 54716) *Troides* (Ornithoptera (Schoenbergia)) *paradisea chrysanthemum* Kobayashi & Koizawa (Papilionidae) Synonym(s):
 54717) *Troides* (Ornithoptera (Schoenbergia)) *paradisea flavescens* Rothschild,1897 (Papilionidae) Synonym(s): *flavescens* Rothschild,1897
 54718) *Troides* (Ornithoptera (Schoenbergia)) *paradisea paradisea* (Staudinger,1893) (Papilionidae) Synonym(s): *paradisea* Staudinger,1893; *schoenbergi* Pagenstecher,1893
 54719) *Troides* (Ornithoptera (Schoenbergia)) *paradisea tarungarensis* Joicey & Talbot (Papilionidae) Synonym(s):
 54720) *Troides* (Ornithoptera (Schoenbergia)) *rothschildi* Kenrick,1911 (Papilionidae) Synonym(s): *rothschildi* Kenrick,1911

- 54721) *Troides* (Ornithoptera (Schoenbergia)) *tithonus* (De Haan,1840) (Papilionidae) Synonym(s): *tithonus* De Haan,1840
 54722) *Troides* (Ornithoptera (Schoenbergia)) *tithonus* *tithonus* (De Haan,1840) (Papilionidae) Synonym(s): *tithonus* De Haan,1840
 54723) *Troides* (Ornithoptera (Schoenbergia)) *tithonus* *waigeuensis* Rothschild,1897 (Papilionidae) Synonym(s): *waigeuensis* Rothschild,1897
 54724) *Troides* (Ornithoptera (s.str.)) *aesacus* Ney,1903 (Papilionidae) Synonym(s): *aesacus* Ney,1903
 54725) *Troides* (Ornithoptera (s.str.)) *alexandrae* Rothschild,1907 (Papilionidae) Synonym(s): *alexandrae* Rothschild,1907
 54726) *Troides* (Ornithoptera (s.str.)) *allotei* Rothschild,1914 (Papilionidae) Synonym(s): *allotei* Rothschild,1914
 54727) *Troides* (Ornithoptera (s.str.)) *caelestis* Rothschild,1898 (Papilionidae) Synonym(s): *caelestis* Rothschild,1898
 54728) *Troides* (Ornithoptera (s.str.)) *croesus* (Wallace,1859) (Papilionidae) Synonym(s): *croesus* Wallace,1859
 54729) *Troides* (Ornithoptera (s.str.)) *croesus* *lydius* (C.Felder & R.Felder,1865) (Papilionidae) Synonym(s): *lydius* C.Felder & R.Felder,1865.
 54730) *Troides* (Ornithoptera (s.str.)) *croesus* *sananensis* Tsukada & Nishiyama (Papilionidae) Synonym(s):
 54731) *Troides* (Ornithoptera (s.str.)) *croesus* *toeantae* Parrott & Schmid (Papilionidae) Synonym(s):
 54732) *Troides* (Ornithoptera (s.str.)) *priamus* (Linnaeus,1758) (Papilionidae) Synonym(s): *priamus* Linnaeus,1758
 54733) *Troides* (Ornithoptera (s.str.)) *priamus* *admiralitis* (Rothschild,1915) (Papilionidae) Synonym(s): *admiralitis* Rothschild,1915
 54734) *Troides* (Ornithoptera (s.str.)) *priamus* *arruana* Felder (Papilionidae) Synonym(s):
 54735) *Troides* (Ornithoptera (s.str.)) *priamus* *bornemanni* Pagenstecher (Papilionidae) Synonym(s):
 54736) *Troides* (Ornithoptera (s.str.)) *priamus* *euphorion* (Gray,[1853]) (Papilionidae) Synonym(s): *euphorion* Gray,[1853]; *cassandra* Scott,1866; *pronomus* Semper,1878.
 54737) *Troides* (Ornithoptera (s.str.)) *priamus* *hecuba* (Röber,1891) (Papilionidae) Synonym(s): *hecuba* Röber,1891
 54738) *Troides* (Ornithoptera (s.str.)) *priamus* *miokensis* Ribbe (Papilionidae) Synonym(s):
 54739) *Troides* (Ornithoptera (s.str.)) *priamus* *poseidon* (Doubleday,1847) (Papilionidae) Synonym(s): *poseidon* Doubleday,1847; *pronomus* Gray,1852; *triton* Felder,1864; *cronius* Felder,1864; *pegasus* Felder & Felder,1864; *valentina* Vuillot,1892; *eumaeus* Rippon,1892.
 54740) *Troides* (Ornithoptera (s.str.)) *priamus* *priamus* (Linnaeus,1758) (Papilionidae) Synonym(s): *priamus* Linnaeus,1758
 54741) *Troides* (Ornithoptera (s.str.)) *richmondii* (Gray,[1853]) (Papilionidae) Synonym(s): *richmondia* Gray,[1853]
 54742) *Troides* (Ornithoptera (s.str.)) *urvillianus* (Guérin-Méneville,1829) (Papilionidae) Synonym(s): *urvilliana* Guérin-Méneville,1829; *bornemanni* Pagenstecher,1894.
 54743) *Troides* (Ornithoptera (s.str.)) *victoriae* (Gray,1856) (Papilionidae) Synonym(s): *victoriae* Gray,1856
 54744) *Troides* (Ornithoptera (s.str.)) *victoriae* *archeri* Parrott (Papilionidae) Synonym(s):
 54745) *Troides* (Ornithoptera (s.str.)) *victoriae* *epiphanae* Schmid,1970 (Papilionidae) Synonym(s):
 54746) *Troides* (Ornithoptera (s.str.)) *victoriae* *isabellae* Rothschild,1901 (Papilionidae) Synonym(s): *isabellae* Rothschild,1901
 54747) *Troides* (Ornithoptera (s.str.)) *victoriae* *reginae* (Godman & Salvin,1888) (Papilionidae) Synonym(s): *reginae* Godman & Salvin,1888
 54748) *Troides* (Ornithoptera (s.str.)) *victoriae* *regis* (Rothschild,1895) (Papilionidae) Synonym(s): *regis* Rothschild,1895.
 54749) *Troides* (Ornithoptera (s.str.)) *victoriae* *rubianus* Rothschild,1904 (Papilionidae) Synonym(s): *rubianus* Rothschild,1904
 54750) *Troides* (Ripponia) *hypolitus* (Cramer,[1775]) (Papilionidae) Synonym(s): *hypolitus* Cramer,[1775]; *antiopa* Rothschild,1908 *nec* Linn.,1758
 54751) *Troides* (Ripponia) *hypolitus* *cellularis* Rothschild,1895 (Papilionidae) Synonym(s): *celebensis* Staudinger,[1895] *nec* Wall.,1865; *cellularis* Rothschild,1895.
 54752) *Troides* (Ripponia) *hypolitus* *hypolitus* (Cramer,[1775]) (Papilionidae) Synonym(s): *hypolitus* Cramer,[1775]; *antiopa* Rothschild,1908 *nec* Linn.,1758
 54753) *Troides* (Ripponia) *hypolitus* *sulaensis* (Staudinger,[1895]) (Papilionidae) Synonym(s): *sulaensis* Staudinger,[1895]
 54754) *Troides* (s.str. (amphrysus-gr)) *amphrysus* (Cramer,[1782]) (Papilionidae) Synonym(s): *amphrysus* Cramer,[1782].
 54755) *Troides* (s.str. (amphrysus-gr)) *amphrysus* *amphrysus* (Cramer,[1782]) (Papilionidae) Synonym(s): *amphrysus* Cramer,[1782].
 54756) *Troides* (s.str. (amphrysus-gr)) *amphrysus* *flavicolis* (Druce,1873) (Papilionidae) Synonym(s): *flavicolis* Druce,1873
 54757) *Troides* (s.str. (amphrysus-gr)) *amphrysus* *niasicus* (Fruhstorfer,[1898]) (Papilionidae) Synonym(s): *niasicus* Fruhstorfer,[1898]
 54758) *Troides* (s.str. (amphrysus-gr)) *amphrysus* *ruficollis* (Butler,1879) (Papilionidae) Synonym(s): *ruficollis* Butler,1879
 54759) *Troides* (s.str. (amphrysus-gr)) *amphrysus* *vistara* Fruhstorfer,1906 (Papilionidae) Synonym(s): *vistara* Fruhstorfer,1906
 54760) *Troides* (s.str. (amphrysus-gr)) *andromache* (Staudinger,1892) (Papilionidae) Synonym(s): *andromache* Staudinger,1892
 54761) *Troides* (s.str. (amphrysus-gr)) *andromache* *andromache* Staudinger,1892 (Papilionidae) Synonym(s): *andromache* Staudinger,1892
 54762) *Troides* (s.str. (amphrysus-gr)) *andromache* *marapokensis* Fruhstorfer,1898 (Papilionidae) Synonym(s): *marapokensis* Fruhstorfer,1898
 54763) *Troides* (s.str. (amphrysus-gr)) *cuneifera* (Oberthür,1879) (Papilionidae) Synonym(s): *cuneifera* Oberthür,1879; *cuneatus* Rippon,1902
 54764) *Troides* (s.str. (amphrysus-gr)) *cuneifera* *cuneifera* (Oberthür,1879) (Papilionidae) Synonym(s): *cuneifera* Oberthür,1879; *cuneatus* Rippon,1902
 54765) *Troides* (s.str. (amphrysus-gr)) *cuneifera* *paeninsulae* (Pendlebury,1936) (Papilionidae) Synonym(s): *paeninsulae* Pendlebury,1936
 54766) *Troides* (s.str. (amphrysus-gr)) *miranda* (Butler,1869) (Papilionidae) Synonym(s): *miranda* Butler,1869
 54767) *Troides* (s.str. (amphrysus-gr)) *miranda* *miranda* (Butler,1869) (Papilionidae) Synonym(s): *miranda* Butler,1869
 54768) *Troides* (s.str. (amphrysus-gr)) *miranda* *neomiranda* Fruhstorfer,1903 (Papilionidae) Synonym(s): *neomiranda* Fruhstorfer,1903
 54769) *Troides* (s.str. (amphrysus-gr)) *ritsemae* (Snellen,1889) (Papilionidae) Synonym(s): *#cuneifera* Oberthür,1879; *ritsemae* Snellen,1889; *cuneifer* Rothschild,1895.
 54770) *Troides* (s.str. (amphrysus-gr)) *ritsemae* *ritsemae* (Snellen,1889) (Papilionidae) Synonym(s): *#cuneifera* Oberthür,1879; *ritsemae* Snellen,1889; *cuneifer* Rothschild,1895.
 54771) *Troides* (s.str. (amphrysus-gr)) *ritsemae* *sumatranus* (Hagen,1894) (Papilionidae) Synonym(s): *sumatranus* Hagen,1894
 54772) *Troides* (s.str. (s.str.)) *aeacus* (C.Felder & R.Felder,1860) (Papilionidae) Synonym(s): *aeacus* C.Felder & R.Felder,1860
 54773) *Troides* (s.str. (s.str.)) *aeacus* *aeacus* (C.Felder & R.Felder,1860) (Papilionidae) Synonym(s): *aeacus* C.Felder & R.Felder,1860
 54774) *Troides* (s.str. (s.str.)) *aeacus* *insularis* (Ney,1905) (homonim!) (Papilionidae) Synonym(s): *insularis* Ney,1905 *nec* Stgr.,[1895]
 54775) *Troides* (s.str. (s.str.)) *aeacus* *kaguya* (Nakahara & Esaki,1930) (Papilionidae) Synonym(s): *formosana* Rothschild,1899 (*praeocc.*); *kaguya* Nakahara & Esaki,1930.
 54776) *Troides* (s.str. (s.str.)) *aeacus* *thomsoni* (Bates,1875) (Papilionidae) Synonym(s): *thomsoni* Bates,1875
 54777) *Troides* (s.str. (s.str.)) *astenus* (Fabricius,1775) (Papilionidae) Synonym(s): *helenia* Linnaeus,1758 *nec* *helenus* Linn.,1758; *astenus* Fabricius,1775; *pompeus* Cramer,[1775].
 54778) *Troides* (s.str. (s.str.)) *astenus* *antileuca* Rothschild,1908 (Papilionidae) Synonym(s): *antileuca* Rothschild,1908
 54779) *Troides* (s.str. (s.str.)) *astenus* *astenus* (Fabricius,1775) (Papilionidae) Synonym(s): *helenia* Linnaeus,1758 *nec* *helenus* Linn.,1758; *astenus* Fabricius,1775; *pompeus* Cramer,1775.
 54780) *Troides* (s.str. (s.str.)) *astenus* *cerberus* (C.Felder & R.Felder,[1865]) (Papilionidae) Synonym(s): *#cerberus* C.Felder,1864; *cerberus* C.Felder & R.Felder,[1865].
 54781) *Troides* (s.str. (s.str.)) *astenus* *ferrari* Tytler (Papilionidae) Synonym(s):
 54782) *Troides* (s.str. (s.str.)) *astenus* *heliconoides* (Moore,1877) (Papilionidae) Synonym(s): *heliconoides* Moore,1877
 54783) *Troides* (s.str. (s.str.)) *astenus* *hephaestus* (C.Felder & R.Felder,[1865]) (Papilionidae) Synonym(s): *#hephaestus* Felder,1864; *hephaestus* C.Felder & R.Felder,[1865]; *leda* Wallace,1865.
 54784) *Troides* (s.str. (s.str.)) *astenus* *inopa* Rothschild (Papilionidae) Synonym(s):
 54785) *Troides* (s.str. (s.str.)) *astenus* *isara* Rothschild,1908 (Papilionidae) Synonym(s): *isara* Rothschild,1908
 54786) *Troides* (s.str. (s.str.)) *astenus* *mannus* Fruhstorfer,1908 (Papilionidae) Synonym(s): *mannus* Fruhstorfer,1908; *#maurus* D'Abbrera,1982
 54787) *Troides* (s.str. (s.str.)) *astenus* *moschylus* Fruhstorfer (Papilionidae) Synonym(s):
 54788) *Troides* (s.str. (s.str.)) *astenus* *nerides* Fruhstorfer,1906 (Papilionidae) Synonym(s): *nerides* Fruhstorfer,1906
 54789) *Troides* (s.str. (s.str.)) *astenus* *neris* (Doherty,1891) (Papilionidae) Synonym(s): *neris* Doherty,1891
 54790) *Troides* (s.str. (s.str.)) *astenus* *noeoris* Rothschild,1908 (Papilionidae) Synonym(s): *noeoris* Rothschild,1908
 54791) *Troides* (s.str. (s.str.)) *astenus* *propinquus* Rothschild,1895 (Papilionidae) Synonym(s): *propinquus* Rothschild,1895
 54792) *Troides* (s.str. (s.str.)) *astenus* *sagittatus* Fruhstorfer,1896 (Papilionidae) Synonym(s): *sagittatus* Fruhstorfer,1896
 54793) *Troides* (s.str. (s.str.)) *astenus* *spilotia* Rothschild,1908 (Papilionidae) Synonym(s): *spilotia* Rothschild,1908
 54794) *Troides* (s.str. (s.str.)) *astenus* *typhaon* Rothschild,1908 (Papilionidae) Synonym(s): *typhaon* Rothschild,1908
 54795) *Troides* (s.str. (s.str.)) *criton* (C.Felder,1860) (Papilionidae) Synonym(s): *criton* C.Felder,1860; *#oberthüri* Rothschild,1895; *#felderi* Rothschild,1895.
 54796) *Troides* (s.str. (s.str.)) *criton* *criton* (C.Felder,1860) (Papilionidae) Synonym(s): *criton* C.Felder,1860; *#oberthüri* Rothschild,1895; *#felderi* Rothschild,1895.
 54797) *Troides* (s.str. (s.str.)) *darsius* (Gray,[1853]) (Papilionidae) Synonym(s): *darsius* Gray,[1853]
 54798) *Troides* (s.str. (s.str.)) *darsius* *darsius* (Gray,[1853]) (Papilionidae) Synonym(s): *darsius* Gray,[1853]

- 54799) *Troides* (s.str. (s.str.)) *dohertyi* (Rippon,1893) (Papilionidae) Synonym(s): *dohertyi* Rippon,1893; *vordermani* Snellen,1895.
- 54800) *Troides* (s.str. (s.str.)) *dohertyi* *dohertyi* (Rippon,1893) (Papilionidae) Synonym(s): *dohertyi* Rippon,1893; *vordermani* Snellen,1895.
- 54801) *Troides* (s.str. (s.str.)) *haliphron* (Boisduval,1836) (Papilionidae) Synonym(s): *haliphron* Boisduval,[1836]; *bauermanni* Röber,1895.
- 54802) *Troides* (s.str. (s.str.)) *haliphron* *ariadne* Rothschild,1908 (Papilionidae) Synonym(s): *ariadne* Rothschild,1908
- 54803) *Troides* (s.str. (s.str.)) *haliphron* *haliphron* (Boisduval,1836) (Papilionidae) Synonym(s): *haliphron* Boisduval,[1836]; *bauermanni* Röber,1895.
- 54804) *Troides* (s.str. (s.str.)) *haliphron* *ikarus* Fruhstorfer,1904 (Papilionidae) Synonym(s): *ikarus* Fruhstorfer,1904
- 54805) *Troides* (s.str. (s.str.)) *haliphron* *iris* (Röber,1888) (Papilionidae) Synonym(s): *iris* Röber,1888
- 54806) *Troides* (s.str. (s.str.)) *haliphron* *naias* (Doherty,1891) (Papilionidae) Synonym(s): *naias* Doherty,1891
- 54807) *Troides* (s.str. (s.str.)) *haliphron* *pallens* (Oberthür,1879) (Papilionidae) Synonym(s): *pallens* Oberthür,1879
- 54808) *Troides* (s.str. (s.str.)) *haliphron* *pistor* Rothschild,1896 (Papilionidae) Synonym(s): *pistor* Rothschild,1896
- 54809) *Troides* (s.str. (s.str.)) *haliphron* *sokrates* (Staudinger,1891) (Papilionidae) Synonym(s): *sokrates* Staudinger,1891
- 54810) *Troides* (s.str. (s.str.)) *haliphron* *staudingeri* (Röber,1888) (Papilionidae) Synonym(s): *staudingeri* Röber,1888.
- 54811) *Troides* (s.str. (s.str.)) *magellanus* (C.Felder & R.Felder,1862) (Papilionidae) Synonym(s): *magellanus* C.Felder & R.Felder,1862; *apoensis* Okano & Ohkura,1978.
- 54812) *Troides* (s.str. (s.str.)) *magellanus* *magellanus* (C.Felder & R.Felder,1862) (Papilionidae) Synonym(s): *magellanus* C.Felder & R.Felder,1862; *apoensis* Okano & Ohkura,1978.
- 54813) *Troides* (s.str. (s.str.)) *minos* (Cramer,[1779]) (Papilionidae) Synonym(s): *minos* Cramer,[1779]
- 54814) *Troides* (s.str. (s.str.)) *minos* *minos* (Cramer,[1779]) (Papilionidae) Synonym(s): *minos* Cramer,[1779]
- 54815) *Troides* (s.str. (s.str.)) *oblongomaculatus* (Goeze,1779) (Papilionidae) Synonym(s): *oblongomaculatus* Goeze,1779; *amphimedon* Cramer,1779; *hellen* Godart,[1819].
- 54816) *Troides* (s.str. (s.str.)) *oblongomaculatus* *bouruensis* (Wallace,1865) (Papilionidae) Synonym(s): *bouruensis* Wallace,1865
- 54817) *Troides* (s.str. (s.str.)) *oblongomaculatus* *celebensis* (Wallace,1865) (Papilionidae) Synonym(s): *celebensis* Wallace,1865
- 54818) *Troides* (s.str. (s.str.)) *oblongomaculatus* *hanno* Fruhstorfer,1904 (Papilionidae) Synonym(s): *hanno* Fruhstorfer,1904
- 54819) *Troides* (s.str. (s.str.)) *oblongomaculatus* *oblongomaculatus* (Goeze,1779) (Papilionidae) Synonym(s): *oblongomaculatus* Goeze,1779; *amphimedon* Cramer,1779; *hellen* Godart,[1819].
- 54820) *Troides* (s.str. (s.str.)) *oblongomaculatus* *ohzui* Kobayashi & Koiwaya (Papilionidae) Synonym(s):
- 54821) *Troides* (s.str. (s.str.)) *oblongomaculatus* *papuensis* (Wallace,1865) (Papilionidae) Synonym(s): *papuensis* Wallace,1865
- 54822) *Troides* (s.str. (s.str.)) *oblongomaculatus* *thestius* Staudinger (Papilionidae) Synonym(s):
- 54823) *Troides* (s.str. (s.str.)) *platani* (Staudinger,1888) (Papilionidae) Synonym(s): *platani* Staudinger,1888
- 54824) *Troides* (s.str. (s.str.)) *platani* *platani* (Staudinger,1888) (Papilionidae) Synonym(s): *platani* Staudinger,1888
- 54825) *Troides* (s.str. (s.str.)) *plato* (Wallace,1865) (Papilionidae) Synonym(s): *plato* Wallace,1865
- 54826) *Troides* (s.str. (s.str.)) *plato* *plato* (Wallace,1865) (Papilionidae) Synonym(s): *plato* Wallace,1865
- 54827) *Troides* (s.str. (s.str.)) *prattorum* Joicey & Talbot,1922 (Papilionidae) Synonym(s): *prattorum* Joicey & Talbot,1922
- 54828) *Troides* (s.str. (s.str.)) *prattorum* *prattorum* Joicey & Talbot,1922 (Papilionidae) Synonym(s): *prattorum* Joicey & Talbot,1922
- 54829) *Troides* (s.str. (s.str.)) *rhodamanthus* (Boisduval,1836) (Papilionidae) Synonym(s): *asteneus* Eschscholtz,1821 nec Fabr.,1775; *rhodamanthus* Lucas,1835 nec Fabr.,1793; *amphrisius* Lucas,1835 nec Fabr.,1787; *rhodamanthus* Boisduval,1836; *nephereus* Gray,1856; *bazilanicus* Fruhstorfer,1908; *hesiodus* Fruhstorfer,1911; *belzanor* Fruhstorfer,1911.
- 54830) *Troides* (s.str. (s.str.)) *rhodamanthus* *rhodamanthus* (Boisduval,1836) (Papilionidae) Synonym(s): *asteneus* Eschscholtz,1821 nec Fabr.,1775; *rhodamanthus* Lucas,1835 nec Fabr.,1793; *amphrisius* Lucas,1835 nec Fabr.,1787; *rhodamanthus* Boisduval,1836; *nephereus* Gray,1856; *bazilanicus* Fruhstorfer,1908; *hesiodus* Fruhstorfer,1911; *belzanor* Fruhstorfer,1911.
- 54831) *Troides* (s.str. (s.str.)) *riedeli* (Kirsch,1885) (Papilionidae) Synonym(s): *riedeli* Kirsch,1885
- 54832) *Troides* (s.str. (s.str.)) *vandepolli* (Snellen,1890) (Papilionidae) Synonym(s): *vandepolli* Snellen,1890
- 54833) *Troides* (s.str. (s.str.)) *vandepolli* *honrathianus* (Martin,1892) (Papilionidae) Synonym(s): *honrathianus* Martin,1892
- 54834) *Troides* (s.str. (s.str.)) *vandepolli* *vandepolli* (Snellen,1890) (Papilionidae) Synonym(s): *vandepolli* Snellen,1890
- 54835) *Zerynthia* (Allancastris) *caucasica* (Lederer,1864) (Papilionidae) Synonym(s): *caucasica* Lederer,1864; *tkatshukovi* Sheljuzhko,1927; *cachetica* Sheljuzhko,1927; *#caucasica* Bernardi,1970.
- 54836) *Zerynthia* (Allancastris) *caucasica* *abanti* Koçak,1975 (Papilionidae) Synonym(s): *abanti* Koçak,1975
- 54837) *Zerynthia* (Allancastris) *caucasica* *caucasica* (Lederer,1864) (Papilionidae) Synonym(s): *caucasica* Lederer,1864; *tkatshukovi* Sheljuzhko,1927; *cachetica* Sheljuzhko,1927; *#caucasica* Bernardi,1970.
- 54838) *Zerynthia* (Allancastris) *cerisyi* (Godart,1822) (Papilionidae) Synonym(s): *cerisyi* Godart,1822; *cerisy* Godart,[1824]; *martini* Fruhst.,1906; *speciosa*, *cypria* Stichel,1907; *#destrigata* Schultz,1908; *#caeca* Shelj.,1927; *mysiniensis* Eisn. & Wag.,1974; *kocaki*, *goeksui* Kuhna,1977; *koroneii* Katt. & Kouts.,1978; *sami* Schmidt,1989.
- 54839) *Zerynthia* (Allancastris) *cerisyi* *cerisyi* (Godart,1822) (Papilionidae) Synonym(s): *cerisyi* Godart,1822; *cerisy* Godart,[1824]; *martini* Fruhst.,1906; *speciosa*, *cypria* Stichel,1907; *#destrigata* Schultz,1908; *#caeca* Shelj.,1927; *mysiniensis* Eisn. & Wag.,1974; *kocaki*, *goeksui* Kuhna,1977; *koroneii* Katt. & Kouts.,1978; *sami* Schmidt,1989.
- 54840) *Zerynthia* (Allancastris) *cerisyi* *ferdinandi* (Stichel,1907) (Papilionidae) Synonym(s): *ferdinandi* Stichel,1907
- 54841) *Zerynthia* (Allancastris) *cretica* (Rebel,1904) (Papilionidae) Synonym(s): *cretica* Rebel,1904
- 54842) *Zerynthia* (Allancastris) *cretica* *cretica* (Rebel,1904) (Papilionidae) Synonym(s): *cretica* Rebel,1904
- 54843) *Zerynthia* (Allancastris) *deyrollei* (Oberthür,1869) (Papilionidae) Synonym(s): *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagnener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927.
- 54844) *Zerynthia* (Allancastris) *deyrollei* *deyrollei* (Oberthür,1869) (Papilionidae) Synonym(s): *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagnener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927.
- 54845) *Zerynthia* (Allancastris) *louristana* (Le Cerf,1908) (Papilionidae) Synonym(s): *louristana* Le Cerf,1908; *hermanni* Stichel,1910.
- 54846) *Zerynthia* (Allancastris) *louristana* *boyrahmediensis* Blom & Eisner,1979 (Papilionidae) Synonym(s): *boyrahmediensis* Blom & Eisner,1979
- 54847) *Zerynthia* (Allancastris) *louristana* *louristana* (Le Cerf,1908) (Papilionidae) Synonym(s): *louristana* Le Cerf,1908; *hermanni* Stichel,1910.
- 54848) *Zerynthia* (s.str.) *polyxena* (Denis & Schiffermüller,1775) (Papilionidae) Synonym(s): *hypermnestra* Scopoli,1763 nec Linn.,1763; *polyxena* [Denis & Schiffermüller],1775; *hypsipyle* Fabricius,1777; *aristolochiae* Schneider,1787 nec Fabricius,1775.
- 54849) *Zerynthia* (s.str.) *polyxena* *creusa* (Meigen,1829) (Papilionidae) Synonym(s): *creusa* Meigen,1829; *meta* Meigen,1829; *cassandra* Geyer,[1830]; *dennosia* Freyer,1831; *reverdini* Fruhstorfer,1908; *deminuta* Verity,1947; *microcreusa* Verity,1947.
- 54850) *Zerynthia* (s.str.) *polyxena* *gracilis* Schultz,1908 (Papilionidae) Synonym(s): *gracilis* Schultz,1908; *tristis* De Lattin,1950; *macedonica* Eisner,1974.
- 54851) *Zerynthia* (s.str.) *polyxena* *idaensis* Eisner,1974 (Papilionidae) Synonym(s): *idaensis* Eisner,1974
- 54852) *Zerynthia* (s.str.) *polyxena* *polyxena* (Denis & Schiffermüller,1775) (Papilionidae) Synonym(s): *hypermnestra* Scopoli,1763 nec Linn.,1763; *polyxena* [Denis & Schiffermüller],1775; *hypsipyle* Fabricius,1777; *aristolochiae* Schneider,1787 nec Fabr.,1775.
- 54853) *Zerynthia* (s.str.) *polyxena* *thesto* Fruhstorfer,1908 (Papilionidae) Synonym(s): *thesto* Fruhstorfer,1908
- 54854) *Zerynthia* (s.str.) *rumina* (Linnaeus,1758) (Papilionidae) Synonym(s): *rumina* Linnaeus,1758
- 54855) *Zerynthia* (s.str.) *rumina* *australis* (Esper,[1782]) (Papilionidae) Synonym(s): *australis* Esper,[1782]; *medesicaste* Illiger,1803 nec Hoffmegg.,1804
- 54856) *Zerynthia* (s.str.) *rumina* *cantabricae* Gomez-Bustillo,1971 (Papilionidae) Synonym(s): *cantabricae* Gomez-Bustillo,1971
- 54857) *Zerynthia* (s.str.) *rumina* *ornator* Blachier,1905 (Papilionidae) Synonym(s): *ornator* Blachier,1905; *africana* Stichel,1907.
- 54858) *Zerynthia* (s.str.) *rumina* *rumina* (Linnaeus,1758) (Papilionidae) Synonym(s): *rumina* Linnaeus,1758
- 54859) *Zerynthia* (s.str.) *rumina* *tarrieri* Binagot & Lartigue,1998 (Papilionidae) Synonym(s): *tarrieri* Binagot & Lartigue,1998
- 54860) *Abaeis* *nicippe* (Cramer,1779) (Pieridae) Synonym(s): *nicippe* Cramer,1779; *#pallens* Whittaker & Stallings,1944
- 54861) *Abaeis* *nicippiformis* (Munroe,1947) (Pieridae) Synonym(s): *nicippiformis* Munroe,1947
- 54862) *Anteos* *clorinde* (Godart,[1824]) (Pieridae) Synonym(s): *clorinde* Godart,[1824]; *swainsonia* Swainson,1831; *godarti* Perty,1833; *nivifera* Fruhstorfer,1907
- 54863) *Anteos* *clorinde* (Godart,[1824]) (Pieridae) Synonym(s): *clorinde* Godart,[1824]
- 54864) *Anteos* *maerula* (Fabricius,1775) (Pieridae) Synonym(s): *maerula* Fabricius,1775
- 54865) *Anteos* *maerula* (Fabricius,1775) (Pieridae) Synonym(s): *maerula* Fabricius,1775; *lacordairei* Boisduval,1836; *gueneana* Boisduval,1836; *#flava* Röber,1909

- 54866) *Anteos menippe* (Hübner,[1818]) (Pieridae) Synonym(s): *menippe* Hübner,[1818]; *leachiana* Godart,1819; *metioche* Fruhstorfer,1907; *#calypso* Röber,1909; *#thetis* Röber,1909
- 54867) *Anthocharis belia* (Linnaeus,1767) (Pieridae) Synonym(s): *belia* Linnaeus,1767; *eupheno* Linnaeus,1767; *doue* Pierret,1835.
- 54868) *Anthocharis belia androgyne* Leech,1886 (Pieridae) Synonym(s): *androgyne* Leech,1886
- 54869) *Anthocharis belia belia* (Linnaeus,1767) (Pieridae) Synonym(s): *belia* Linnaeus,1767; *eupheno* Linnaeus,1767; *doue* Pierret,1835.
- 54870) *Anthocharis belia euphenoides* Staudinger,1869 (Pieridae) Synonym(s): *euphenoides* Staudinger,1869; *calleuphenia* Butler,1869; *andalusica* Ribbe,1910; *alpium* Verity,1926.
- 54871) *Anthocharis bieti* (Oberthür,1884) (Pieridae) Synonym(s): *bieti* Oberthür,1884
- 54872) *Anthocharis bieti bieti* (Oberthür,1884) (Pieridae) Synonym(s): *bieti* Oberthür,1884
- 54873) *Anthocharis bieti tsangpoana* (Riley,1928) (Pieridae) Synonym(s): *tsangpoana* Riley,1928
- 54874) *Anthocharis cardamines* (Linnaeus,1758) (Pieridae) Synonym(s): *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 *nec* Lederer,1852; *montivaga* Turati & Verity,1911
- 54875) *Anthocharis cardamines alexandra* (Hemming,1933) (Pieridae) Synonym(s): *orientalis* Röber,1907 (hom.); *alexandra* Hemming,1933.
- 54876) *Anthocharis cardamines cardamines* (Linnaeus,1758) (Pieridae) Synonym(s): *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 *nec* Lederer,1852; *montivaga* Turati & Verity,1911
- 54877) *Anthocharis cardamines carolinae* Back,[2006] (Pieridae) Synonym(s): *carolinae* Back,[2006]
- 54878) *Anthocharis cardamines phoenissa* Kalchberg,1895 (Pieridae) Synonym(s): *#turritis* Ochseneheimer,1816; *phoenissa* Kalchberg,1895; *#umbrosa* Culoi,1905; *ondrii* Kattulas & Koutsafikis,1978.
- 54879) *Anthocharis cardamines progressa* (Sovinsky,1905) (Pieridae) Synonym(s): *progressa* Sovinsky,1905; *sajana* Röber,1907; *sibirica* Haanus,1920.
- 54880) *Anthocharis cardamines septentrionalis* Wnukowsky,1927 (Pieridae) Synonym(s): *septentrionalis* Wnukowsky,1929
- 54881) *Anthocharis cardamines sheldoni* (Hemming,1934) (Pieridae) Synonym(s): *volgensis* Sheldon,1914 *nec* Krulikowsky,1901; *sheldoni* Hemming,1934.
- 54882) *Anthocharis cardamines thibetana* Oberthür,1886 (Pieridae) Synonym(s): *thibetana* Oberthür,1886
- 54883) *Anthocharis cethura* C.Felder & R.Felder,[1865] (Pieridae) Synonym(s): *cethura* C.Felder & R.Felder,[1865]
- 54884) *Anthocharis cethura pima* Edwards,1888 (Pieridae) Synonym(s):
- 54885) *Anthocharis damone* Boisduval,1836 (Pieridae) Synonym(s): *damone* Boisduval,1836
- 54886) *Anthocharis damone damone* Boisduval,1836 (Pieridae) Synonym(s): *damone* Boisduval,1836
- 54887) *Anthocharis damone eunomia* (Freyer,[1851]) (Pieridae) Synonym(s): *eunomia* Freyer,[1851]; *pallida* Röber,[1907]; *syra* Verity,1911; *#flavoapicata* Sheljuzhko,1925; *hollaenderi* Seyer,1980; *steinelti* Seyer,1984; *fickleri* Seyer,1985; *karbalayei* Hofmann et al,2003.
- 54888) *Anthocharis gruneri* Herrich-Schäffer,[1851] (Pieridae) Synonym(s): *gruneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907
- 54889) *Anthocharis gruneri armeniaca* Christoph,1893 (Pieridae) Synonym(s): *armeniaca* Christoph,1893
- 54890) *Anthocharis gruneri gruneri* Herrich-Schäffer,[1851] (Pieridae) Synonym(s): *gruneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907
- 54891) *Anthocharis gruneri homogena* Heyne,1895 (Pieridae) Synonym(s): *homogena* Heyne,1895
- 54892) *Anthocharis gruneri macedonica* (Buresch,1921) (Pieridae) Synonym(s): *macedonica* Buresch,1921
- 54893) *Anthocharis gruneri parnassia* Bernardi,1970 (Pieridae) Synonym(s): *parnassia* Bernardi,1970
- 54894) *Anthocharis lanceolata* Lucas,1852 (Pieridae) Synonym(s): *lanceolata* Lucas,1852
- 54895) *Anthocharis midea* (Hübner,[1809]) (Pieridae) Synonym(s): *midea* Hübner,[1809]
- 54896) *Anthocharis sara* Lucas,1852 (Pieridae) Synonym(s): *sara* Lucas,1852
- 54897) *Anthocharis sara sara* Lucas,1852 (Pieridae) Synonym(s): *sara* Lucas,1852
- 54898) *Anthocharis sara stella* Edwards,1879 (Pieridae) Synonym(s): *stella* Edwards,1879
- 54899) *Anthocharis sara thoosa* (Scudder,1878) (Pieridae) Synonym(s): *thoosa* Scudder,1878
- 54900) *Aphrissa boisduvalii* (C.Felder & R.Felder,1861) (Pieridae) Synonym(s): *boisduvalii* C.Felder & R.Felder,1861; *butleri* Scudder,1875
- 54901) *Aphrissa fluminensis* (D'Almeida,1921) (Pieridae) Synonym(s): *fluminensis* D'Almeida,1921; *etiolata* W.T.M.Forbes,1927; *palleola* J.Zikan,1940; *#discoflava* Bryk,1953
- 54902) *Aphrissa godartiana* (Swainson,1821) (Pieridae) Synonym(s): *godartiana* Swainson,1821
- 54903) *Aphrissa godartiana godartiana* (Swainson,1821) (Pieridae) Synonym(s): *godartiana* Swainson,1821
- 54904) *Aphrissa godartiana hartonia* (Butler,1870) (Pieridae) Synonym(s): *hartonia* Butler,1870
- 54905) *Aphrissa neleis* (Boisduval,1836) (Pieridae) Synonym(s): *neleis* Boisduval,1836; *#poeyae* F.M.Brown,1931
- 54906) *Aphrissa orbis* (Poey,1832) (Pieridae) Synonym(s): *orbis* Poey,1832
- 54907) *Aphrissa orbis browni* (Munroe,1947) (Pieridae) Synonym(s): *browni* Munroe,1947
- 54908) *Aphrissa orbis orbis* (Poey,1832) (Pieridae) Synonym(s): *orbis* Poey,1832
- 54909) *Aphrissa schausi* (Avinoff,1926) (Pieridae) Synonym(s): *schausi* Avinoff,1926
- 54910) *Aphrissa statira* (Cramer,1777) (Pieridae) Synonym(s): *statira* Cramer,1777; *alceone* Cramer,1777; *evadne* Godart,1819; *jada* Butler,1870; *inesa* Anken & Silva,1996
- 54911) *Aphrissa statira cubana* D'Almeida,1939 (Pieridae) Synonym(s): *cubana* D'Almeida,1939
- 54912) *Aphrissa statira floridensis* (Neumoegen,1891) (Pieridae) Synonym(s): *floridensis* Neumoegen,1891
- 54913) *Aphrissa statira hispaniolae* (Munroe,1947) (Pieridae) Synonym(s): *hispaniolae* Munroe,1947
- 54914) *Aphrissa statira statira* (Cramer,1777) (Pieridae) Synonym(s): *statira* Cramer,1777; *alceone* Cramer,1777; *evadne* Godart,1819; *jada* Butler,1870; *inesa* Anken & Silva,1996
- 54915) *Aphrissa wallacei* (C.Felder & R.Felder,1862) (Pieridae) Synonym(s): *wallacei* C.Felder & R.Felder,1862; *jaresia* Butler,1871; *isanthe* J.Zikan,1940
- 54916) *Aphrissa wallacei ssp.n.* (Pieridae) Synonym(s):
- 54917) *Aphrissa wallacei wallacei* (C.Felder & R.Felder,1862) (Pieridae) Synonym(s): *wallacei* C.Felder & R.Felder,1862; *jaresia* Butler,1871; *isanthe* J.Zikan,1940
- 54918) *Aporia* (Metaporia (Turanoporia)) *leucodice* (Eversmann,1843) (Pieridae) Synonym(s): *leucodice* Eversmann,1843; *altensis* Heyne,1895; *morosevitshae* Sheljuzhko,1907.
- 54919) *Aporia* (Metaporia (Turanoporia)) *leucodice aryana* (Wyatt & Omoto,1966) (Pieridae) Synonym(s): *aryana* Wyatt & Omoto,1966
- 54920) *Aporia* (Metaporia (Turanoporia)) *leucodice balucha* (Marschall,1882) (Pieridae) Synonym(s): *balucha* Marschall,1882
- 54921) *Aporia* (Metaporia (Turanoporia)) *leucodice illumina* (Groum-Grshimailo,1890) (Pieridae) Synonym(s): *illumina* Groum-Grshimailo,1890
- 54922) *Aporia* (Metaporia (Turanoporia)) *leucodice leucodice* (Eversmann,1843) (Pieridae) Synonym(s): *leucodice* Eversmann,1843; *altensis* Heyne,1895; *morosevitshae* Sheljuzhko,1907.
- 54923) *Aporia* (Metaporia (Turanoporia)) *leucodice sara* Evans,1932 (Pieridae) Synonym(s): *sara* Evans,1932
- 54924) *Aporia* (Metaporia (s.str.)) *agathon* (Gray,1831) (Pieridae) Synonym(s): *agathon* Gray,1831
- 54925) *Aporia* (Metaporia (s.str.)) *agathon agathon* (Gray,1831) (Pieridae) Synonym(s): *agathon* Gray,1831
- 54926) *Aporia* (Metaporia (s.str.)) *agathon phryxe* (Boisduval,1836) (Pieridae) Synonym(s): *phryxe* Boisduval,1836
- 54927) *Aporia* (Metaporia (s.str.)) *abellica* (Boisduval,1836) (Pieridae) Synonym(s): *abellica* Boisduval,1836
- 54928) *Aporia* (Metaporia (s.str.)) *abellica hesba* Evans,1912 (Pieridae) Synonym(s): *hesba* Evans,1912
- 54929) *Aporia* (Metaporia (s.str.)) *abellica abellica* (Boisduval,1836) (Pieridae) Synonym(s): *abellica* Boisduval,1836
- 54930) *Aporia* (Metaporia (s.str.)) *procris* Leech,1890 (Pieridae) Synonym(s): *procris* Leech,1890; *halisca* Oberthür,1891.
- 54931) *Aporia* (Metaporia (s.str.)) *procris procris* Leech,1890 (Pieridae) Synonym(s): *procris* Leech,1890; *halisca* Oberthür,1891.
- 54932) *Aporia* (Metaporia (s.str.)) *procris sinensis* (O.Bang-Haas,1927) (Pieridae) Synonym(s): *sinensis* O.Bang-Haas,1927
- 54933) *Aporia* (Metaporia) *soracta* Moore,1857 (Pieridae) Synonym(s): *soracta* Moore,1857; *denigrata* Fruhstorfer,1910.
- 54934) *Aporia* (Metaporia) *soracta soracta* Moore,1857 (Pieridae) Synonym(s): *soracta* Moore,1857; *denigrata* Fruhstorfer,1910.
- 54935) *Aporia* (s.str.) *crataegi* (Linnaeus,1758) (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronervosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
- 54936) *Aporia* (s.str.) *crataegi adherbal* Fruhstorfer,1910 (Pieridae) Synonym(s): *adherbal* Fruhstorfer,1910
- 54937) *Aporia* (s.str.) *crataegi atomosa* (Verity,1907) (Pieridae) Synonym(s): *atomosa* Verity,1907
- 54938) *Aporia* (s.str.) *crataegi augusta* Turati,1905 (Pieridae) Synonym(s): *augusta* Turati,1905
- 54939) *Aporia* (s.str.) *crataegi augustior* Graves,1925 (Pieridae) Synonym(s): *meridionalis* Verity,1911 *nec* Heyne,1895; *augustior* Graves,1925.
- 54940) *Aporia* (s.str.) *crataegi bazania* Fruhstorfer,1910 (Pieridae) Synonym(s): *bazania* Fruhstorfer,1910
- 54941) *Aporia* (s.str.) *crataegi colona* Krulikowsky,1909 (Pieridae) Synonym(s): *colona* Krulikowsky,1909

- 54942) *Aporia* (s.str.) *crataegi crataegi* (Linnaeus,1758) (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevovus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
- 54943) *Aporia* (s.str.) *crataegi diluta* (Verity,[1911]) (Pieridae) Synonym(s): *diluta* Verity,[1911]
- 54944) *Aporia* (s.str.) *crataegi fert Turati & Fiori,1930* (Pieridae) Synonym(s): *fert Turati & Fiori,1930*
- 54945) *Aporia* (s.str.) *crataegi hyalina Röber,1907* (Pieridae) Synonym(s): *hyalina* Röber,1907
- 54946) *Aporia* (s.str.) *crataegi iranica* Forster,1939 (Pieridae) Synonym(s): *iranica* Forster,1939
- 54947) *Aporia* (s.str.) *crataegi karavaievi Krulikowsky,1926* (Pieridae) Synonym(s): *karavaievi* Krulikowsky,1926
- 54948) *Aporia* (s.str.) *crataegi mauretania* (Oberthür,1909) (Pieridae) Synonym(s): *mauretania* Oberthür,1909
- 54949) *Aporia* (s.str.) *crataegi pazukii* Gross & Ebert,1975 (Pieridae) Synonym(s): *pazukii* Gross & Ebert,1975
- 54950) *Aporia* (s.str.) *crataegi pellucida* Röber,[1907] (Pieridae) Synonym(s): *pellucida* Röber,[1907]
- 54951) *Aporia* (s.str.) *crataegi pseudohippia* (Verity,[1911]) (Pieridae) Synonym(s): *pseudohippia* Verity,[1911]
- 54952) *Aporia* (s.str.) *crataegi rhodinea* Hofmann & Eckweiler,2001 (Pieridae) Synonym(s): *rhodinea* Hofmann & Eckweiler,2001
- 54953) *Aporia* (s.str.) *crataegi rotunda* Eitschberger,1971 (Pieridae) Synonym(s): *rotunda* Eitschberger,1971
- 54954) *Aporia* (s.str.) *crataegi rutae* Bryk,1940 (Pieridae) Synonym(s): *minor* Verity,1908; *rutae* Bryk,1940
- 54955) *Aporia* (s.str.) *crataegi sajana* (Verity,1911) (Pieridae) Synonym(s): *sajana* Verity,1911
- 54956) *Aporia* (s.str.) *crataegi sheljuzhko* Bryk,1912 (Pieridae) Synonym(s): *sheljuzhko* Bryk,1912
- 54957) *Aporia* (s.str.) *crataegi shungana* Sheljuzhko,1925 (Pieridae) Synonym(s): *shungana* Sheljuzhko,1925
- 54958) *Aporia* (s.str.) *crataegi takamukana* Matsumura,1929 (Pieridae) Synonym(s): *takamukana* Matsumura,1929
- 54959) *Aporia* (s.str.) *crataegi tianschanica* [Rühl,1893] (Pieridae) Synonym(s): *tianschanica* [Rühl,1893]; *naryana* Sheljuzhko,1910; *centralasiae* Verity,[1911].
- 54960) *Aporia* (s.str.) *crataegi transitoria* Lempke,1974 (Pieridae) Synonym(s): *transiens* Lempke,1953 nec *Alpheraky*; *transitoria* Lempke,1974
- 54961) *Aporia* (s.str.) *crataegi usurica* Kardakoff,1928 (Pieridae) Synonym(s): *usurica* Kardakoff,1928
- 54962) *Aporia* (s.str.) *crataegi zabulensis* De Freina,1974 (Pieridae) Synonym(s): *zabulensis* De Freina,1974
- 54963) *Aporia* (s.str.) *hippia Bremer,1861* (Pieridae) Synonym(s): *hippia* Bremer,1861; *crataegioides* Lucas,1865.
- 54964) *Aporia* (s.str.) *hippia hippia* Bremer,1861 (Pieridae) Synonym(s): *hippia* Bremer,1861; *crataegioides* Lucas,1865.
- 54965) *Aporia* (s.str.) *hippia kreitneri* Frivaldsky,1886 (Pieridae) Synonym(s): *kreitneri* Frivaldsky,1886
- 54966) *Aporia* (s.str.) *hippia occidentalis* O.Bang-Haas,1927 (Pieridae) Synonym(s): *occidentalis* O.Bang-Haas,1927
- 54967) *Aporia* (s.str.) *hippia thibetana* Groum-Grshimailo,1893 (Pieridae) Synonym(s): *thibetana* Groum-Grshimailo,1893.
- 54968) *Aporia* (s.str.) *intercostata* O.Bang-Haas,1927 (Pieridae) Synonym(s): *intercostata* O.Bang-Haas,1927
- 54969) *Aporia* (s.str.) *intercostata infernalis* O.Bang-Haas,1927 (Pieridae) Synonym(s): *infernalis* O.Bang-Haas,1927
- 54970) *Aporia* (s.str.) *intercostata intercostata* O.Bang-Haas,1927 (Pieridae) Synonym(s): *intercostata* O.Bang-Haas,1927
- 54971) *Aporia* (s.str.) *potanini* (Alpheraky,1892) (Pieridae) Synonym(s): *potanini* Alpheraky,1892; *alpherakyi* Verity,1907.
- 54972) *Aporia* (s.str.) *potanini potanini* (Alpheraky,1889) (Pieridae) Synonym(s): *potanini* Alpheraky,1892; *alpherakyi* Verity,1907.
- 54973) *Appias* (Catophaga) *albina* (Boisduval,1836) (Pieridae) Synonym(s): *albina* Boisduval,1836
- 54974) *Appias* (Catophaga) *albina albina* (Boisduval,1836) (Pieridae) Synonym(s): *albina* Boisduval,1836
- 54975) *Appias* (Catophaga) *albina darada* (C.Felder & R.Felder,1865) (Pieridae) Synonym(s): *darada* C.Felder & R.Felder,1865
- 54976) *Appias* (Catophaga) *albina pancheia* Fruhstorfer,1910 (Pieridae) Synonym(s): *pancheia* Fruhstorfer,1910
- 54977) *Appias* (Catophaga) *albina psyche* (C.Felder & R.Felder,1862) (Pieridae) Synonym(s): *psyche* C.Felder & R.Felder,1862; *caledonica* C.Felder & R.Felder,1865
- 54978) *Appias* (Catophaga) *albina pulverobasalis* (Joicey & Noakes,1916) (Pieridae) Synonym(s): *pulverobasalis* Joicey & Noakes,1916
- 54979) *Appias* (Catophaga) *albina semperi* Moore,1905 (Pieridae) Synonym(s): *semperi* Moore,1905
- 54980) *Appias* (Catophaga) *albina wallacei* Butler,1898 (Pieridae) Synonym(s): *wallacei* Butler,1898
- 54981) *Appias* (Catophaga) *celestina* (Boisduval,1832) (Pieridae) Synonym(s): *celestina* Boisduval,1832
- 54982) *Appias* (Catophaga) *lyncida* (Cramer,1777) (Pieridae) Synonym(s): *lyncida* Cramer,1777
- 54983) *Appias* (Catophaga) *lyncida andrea* Eschscholtz,1821 (Pieridae) Synonym(s): *andrea* Eschscholtz,1821
- 54984) *Appias* (Catophaga) *lyncida eleonora* (Boisduval,1836) (Pieridae) Synonym(s): *eleonora* Boisduval,1836
- 54985) *Appias* (Catophaga) *lyncida enaretina* Fruhstorfer,1900 (Pieridae) Synonym(s): *enaretina* Fruhstorfer,1900
- 54986) *Appias* (Catophaga) *lyncida lepidana* Fruhstorfer,1910 (Pieridae) Synonym(s): *lepidana* Fruhstorfer,1910
- 54987) *Appias* (Catophaga) *lyncida maccina* Fruhstorfer,1911 (Pieridae) Synonym(s): *maccina* Fruhstorfer,1911
- 54988) *Appias* (Catophaga) *lyncida subenarete* Schröder & Treadaway,1989 (Pieridae) Synonym(s): *subenarete* Schröder & Treadaway,1989
- 54989) *Appias* (Catophaga) *lyncida vasava* Fruhstorfer,1910 (Pieridae) Synonym(s): *vasava* Fruhstorfer,1910
- 54990) *Appias* (Catophaga) *paulina* (Cramer,[1777]) (Pieridae) Synonym(s): *paulina* Cramer,[1777]; *ega* Boisduval,1836; *#capparidis* Swainson,1851
- 54991) *Appias* (Catophaga) *paulina adamsoni* Moore,1906 (Pieridae) Synonym(s): *adamsoni* Moore,1906
- 54992) *Appias* (Catophaga) *paulina agave* (C.Felder & R.Felder,1862) (Pieridae) Synonym(s): *agave* C.Felder & R.Felder,1862
- 54993) *Appias* (Catophaga) *paulina athena* Fruhstorfer,1902 (Pieridae) Synonym(s): *athena* Fruhstorfer,1902
- 54994) *Appias* (Catophaga) *paulina cynisca* Wallace,1867 (Pieridae) Synonym(s): *cynisca* Wallace,1867; *antomae* Fruhstorfer
- 54995) *Appias* (Catophaga) *paulina distanti* Moore,1905 (Pieridae) Synonym(s): *distanti* Moore,1905
- 54996) *Appias* (Catophaga) *paulina eurosundana* Grose-Smith,1895 (Pieridae) Synonym(s): *eurosundana* Grose-Smith,1895
- 54997) *Appias* (Catophaga) *paulina falcidia* Joicey & Noakes,1916 (Pieridae) Synonym(s): *falcidia* Joicey & Noakes,1916
- 54998) *Appias* (Catophaga) *paulina nikomedeia* Fruhstorfer,1910 (Pieridae) Synonym(s): *nikomedeia* Fruhstorfer,1910
- 54999) *Appias* (Catophaga) *paulina paula* Röber,1892 (Pieridae) Synonym(s): *paula* Röber,1892
- 55000) *Appias* (Catophaga) *paulina plaethoria* Fruhstorfer,1910 (Pieridae) Synonym(s): *plaethoria* Fruhstorfer,1910
- 55001) *Appias* (Catophaga) *paulina saina* Grose-Smith,1894 (Pieridae) Synonym(s): *saina* Grose-Smith,1894
- 55002) *Appias* (Catophaga) *paulina sithonia* Fruhstorfer,1911 (Pieridae) Synonym(s): *sithonia* Fruhstorfer,1911
- 55003) *Appias* (Catophaga) *paulina terentilia* Fruhstorfer,1910 (Pieridae) Synonym(s): *terentilia* Fruhstorfer,1910
- 55004) *Appias* (Catophaga) *paulina zoe* (Vollenhoven,1865) (Pieridae) Synonym(s): *zoe* Vollenhoven,1865
- 55005) *Appias* (Glutophrissa) *drusilla* (Cramer,[1777]) (Pieridae) Synonym(s): *drusilla* Cramer,[1777]
- 55006) *Appias* (Glutophrissa) *epaphia* (Cramer,[1779]) (Pieridae) Synonym(s): *epaphia* Cramer,[1779]; *saba* Fabricius,1781; *hypatia* Drury,1782; *higinia* Godart,1819; *matuta* Doubleday,1847; *limbophora* Strand,1913; *epaphiopsis* Gaede,1916
- 55007) *Appias* (Glutophrissa) *epaphia contracta* (Butler,1888) (Pieridae) Synonym(s): *contracta* Butler,1888; *mahoboides* Holland,1896; *eurynome* Stoneham,1957
- 55008) *Appias* (Glutophrissa) *epaphia epaphia* (Cramer,[1779]) (Pieridae) Synonym(s): *epaphia* Cramer,[1779]; *saba* Fabricius,1781; *hypatia* Drury,1782; *higinia* Godart,1819; *matuta* Doubleday,1847; *limbophora* Strand,1913; *epaphiopsis* Gaede,1916
- 55009) *Appias* (Glutophrissa) *epaphia orbona* (Boisduval,1833) (Pieridae) Synonym(s): *orbona* Boisduval,1833; *malatha* Boisduval,1833; *albida* Mabilie,[1887]; *flava* Mabilie,[1887]
- 55010) *Appias* (Glutophrissa) *lasti* (Grose-Smith,1889) (Pieridae) Synonym(s): *lasti* Grose-Smith,1889
- 55011) *Appias* (Glutophrissa) *lasti lasti* (Grose-Smith,1889) (Pieridae) Synonym(s): *lasti* Grose-Smith,1889
- 55012) *Appias* (Glutophrissa) *lasti natalensis* Neustetter,1927 (Pieridae) Synonym(s): *natalensis* Neustetter,1927
- 55013) *Appias* (Glutophrissa) *perlucens* (Butler,1898) (Pieridae) Synonym(s): *perlucens* Butler,1898
- 55014) *Appias* (Glutophrissa) *perlucens perlucens* (Butler,1898) (Pieridae) Synonym(s): *perlucens* Butler,1898
- 55015) *Appias* (Glutophrissa) *phaola* (Doubleday,1847) (Pieridae) Synonym(s): *phaola* Doubleday,1847; *rhodanus* Ward,1871
- 55016) *Appias* (Glutophrissa) *phaola intermedia* (Dufrane,1948) (Pieridae) Synonym(s): *intermedia* Dufrane,1948
- 55017) *Appias* (Glutophrissa) *phaola isokani* (Grose-Smith,1889) (Pieridae) Synonym(s): *isokani* Grose-Smith,1889
- 55018) *Appias* (Glutophrissa) *phaola phaola* (Doubleday,1847) (Pieridae) Synonym(s): *phaola* Doubleday,1847; *rhodanus* Ward,1871
- 55019) *Appias* (Glutophrissa) *sabina* (C.Felder & R.Felder,[1865]) (Pieridae) Synonym(s): *sabina* C.Felder & R.Felder,[1865]; *latimarginata* Gaede,1916; *defecta* Gaede,1916
- 55020) *Appias* (Glutophrissa) *sabina comorensis* Talbot,1943 (Pieridae) Synonym(s): *comorensis* Talbot,1943
- 55021) *Appias* (Glutophrissa) *sabina confusa* (Butler,1872) (Pieridae) Synonym(s): *confusa* Butler,1872; *coniata* Butler,1879; *hecyr* Mabilie,1880; *majungana* Grose-Smith,1891
- 55022) *Appias* (Glutophrissa) *sabina dubia* Aurivillius,1899 (Pieridae) Synonym(s): *dubia* Aurivillius,1899; *phoebe* Butler,1901 nec *Feld. & Feld.*,1861; *weberi* Suffert,1904; *udei* Suffert,1904; *haendeli* Suffert,1904.

- 55023) *Appias (Glutophrissa) sabina sabina* (C.Felder & R.Felder,[1865]) (Pieridae) Synonym(s): *sabina* C.Felder & R.Felder,[1865]; *latimarginata* Gaede,1916; *defecta* Gaede,1916
- 55024) *Appias (Glutophrissa) sylvia* (Fabricius,1775) (Pieridae) Synonym(s): *sylvia* Fabricius,1775; *rhodanus* Ward,1871; *bachi* Suffert,1904; *temuifascia* Neustetter,1926
- 55025) *Appias (Glutophrissa) sylvia abyssinica* Talbot,1932 (Pieridae) Synonym(s): *abyssinica* Talbot,1932
- 55026) *Appias (Glutophrissa) sylvia nyasana* (Butler,1897) (Pieridae) Synonym(s): *nyasana* Butler,1897
- 55027) *Appias (Glutophrissa) sylvia sudanensis* Talbot,1932 (Pieridae) Synonym(s): *sudanensis* Talbot,1932
- 55028) *Appias (Glutophrissa) sylvia sylvia* (Fabricius,[1775]) (Pieridae) Synonym(s): *sylvia* Fabricius,[1775]
- 55029) *Appias (Glutophrissa) sylvia zaieriensis* Berger,1981 (Pieridae) Synonym(s): *zaieriensis* Berger,1981
- 55030) *Appias (Lade) indra* (Moore,1857) (Pieridae) Synonym(s): *indra* Moore,1857
- 55031) *Appias (Lade) indra indra* (Moore,1857) (Pieridae) Synonym(s): *indra* Moore,1857
- 55032) *Appias (Lade) indra massilia* Fruhstorfer,1910 (Pieridae) Synonym(s): *massilia* Fruhstorfer,1910
- 55033) *Appias (Lade) indra plana* Butler,1879 (Pieridae) Synonym(s): *plana* Butler,1879
- 55034) *Appias (Lade) indra thronion* Fruhstorfer,1910 (Pieridae) Synonym(s): *thronion* Fruhstorfer,1910
- 55035) *Appias (Lade) indra treadawayi* Schröder,1975 (Pieridae) Synonym(s): *treadawayi* Schröder,1975
- 55036) *Appias (Lade) lalage* (Doubleday,1842) (Pieridae) Synonym(s): *lalage* Doubleday,1842
- 55037) *Appias (Lade) lalage lalage* (Doubleday,1842) (Pieridae) Synonym(s): *lalage* Doubleday,1842
- 55038) *Appias (Lade) pandione* Geyer,1832 (Pieridae) Synonym(s): *pandione* Geyer,1832
- 55039) *Appias (Lade) pandione lagela* Moore,1879 (Pieridae) Synonym(s): *lagela* Moore,1879
- 55040) *Appias (Lade) pandione pandione* Geyer,1832 (Pieridae) Synonym(s): *pandione* Geyer,1832
- 55041) *Appias (Phrissura) aegis* C.Felder & R.Felder,1861 (Pieridae) Synonym(s): *aegis* C.Felder & R.Felder,1861
- 55042) *Appias (Phrissura) aegis aegina* Fruhstorfer,1899 (Pieridae) Synonym(s): *aegina* Fruhstorfer,1899
- 55043) *Appias (Phrissura) aegis aegis* C.Felder & R.Felder,1861 (Pieridae) Synonym(s): *aegis* Felder & Felder,1861
- 55044) *Appias (Phrissura) aegis caepia* Fruhstorfer,1910 (Pieridae) Synonym(s): *caepia* Fruhstorfer,1910
- 55045) *Appias (Phrissura) aegis illana* C.Felder & R.Felder,1862 (Pieridae) Synonym(s): *illana* C.Felder & R.Felder,1862
- 55046) *Appias (Phrissura) aegis sibatana* Schröder & Treadaway,1989 (Pieridae) Synonym(s): *sibatana* Schröder & Treadaway,1989
- 55047) *Appias (Phrissura) cynis* (Hewitson,1866) (Pieridae) Synonym(s): *cynis* Hewitson,1866
- 55048) *Appias (Phrissura) cynis suluensis* Schröder & Treadaway,1989 (Pieridae) Synonym(s): *suluensis* Schröder & Treadaway,1989
- 55049) *Appias (Tachyris) nero* (Fabricius,1793) (Pieridae) Synonym(s): *nero* Fabricius,1793
- 55050) *Appias (Tachyris) nero corazonae* Schröder & Treadaway,1989 (Pieridae) Synonym(s): *corazonae* Schröder & Treadaway,1989
- 55051) *Appias (Tachyris) nero domitia* C.Felder & R.Felder,1862 (Pieridae) Synonym(s): *domitia* C.Felder & R.Felder,1862
- 55052) *Appias (Tachyris) nero figulina* Butler,1867 (Pieridae) Synonym(s): *figulina* Butler,1867
- 55053) *Appias (Tachyris) nero fleminius* Fruhstorfer,1911 (Pieridae) Synonym(s): *fleminius* Fruhstorfer,1911
- 55054) *Appias (Tachyris) nero galba* Wallace,1867 (Pieridae) Synonym(s): *galba* Wallace,1867
- 55055) *Appias (Tachyris) nero palawanica* (Staudinger,1889) (Pieridae) Synonym(s): *palawanica* Staudinger,1889
- 55056) *Appias (Tachyris) nero ramosa* (Fruhstorfer,[1898]) (Pieridae) Synonym(s): *ramosa* Fruhstorfer,[1898]
- 55057) *Appias (Tachyris) nero soranus* Fruhstorfer,1910 (Pieridae) Synonym(s): *soranus* Fruhstorfer,1910
- 55058) *Appias (Tachyris) nero tibericus* Fruhstorfer,1910 (Pieridae) Synonym(s): *tibericus* Fruhstorfer,1910
- 55059) *Appias (Tachyris) nero zamboanga* C.Felder & R.Felder,1862 (Pieridae) Synonym(s): *zamboanga* C.Felder & R.Felder,1862
- 55060) *Appias (s.str.) cardena* Hewitson,1861 (Pieridae) Synonym(s): *cardena* Hewitson,1861
- 55061) *Appias (s.str.) cardena cardena* Hewitson,1861 (Pieridae) Synonym(s): *cardena* Hewitson,1861
- 55062) *Appias (s.str.) cardena perakana* Fruhstorfer,1902 (Pieridae) Synonym(s): *perakana* Fruhstorfer,1902
- 55063) *Appias (s.str.) lalassis* Grose-Smith,1887 (Pieridae) Synonym(s): *lalassis* Grose-Smith,1887
- 55064) *Appias (s.str.) lalassis indroides* Honrath,1889 (Pieridae) Synonym(s): *indroides* Honrath,1889
- 55065) *Appias (s.str.) lalassis lalassis* Grose-Smith,1887 (Pieridae) Synonym(s): *lalassis* Grose-Smith,1887
- 55066) *Appias (s.str.) libythea* (Fabricius,1775) (Pieridae) Synonym(s): *libythea* Fabricius,1775; *zelmira* Stoll,[1780]
- 55067) *Appias (s.str.) libythea libythea* (Fabricius,1775) (Pieridae) Synonym(s): *libythea* Fabricius,1775; *zelmira* Stoll,[1780]
- 55068) *Appias (s.str.) olferna* (Swinhoe,1890) (Pieridae) Synonym(s): *olferna* Swinhoe,1890
- 55069) *Appias (s.str.) olferna peducea* Fruhstorfer,1910 (Pieridae) Synonym(s): *peducea* Fruhstorfer,1910
- 55070) *Appias ada* (Stoll,[1781]) (Pieridae) Synonym(s): *ada* Stoll,[1781]; *caria* Waterhouse & Lyell,1914
- 55071) *Appias maria* Semper,1875 (Pieridae) Synonym(s): *maria* Semper,1875
- 55072) *Appias maria adorabilis* Fruhstorfer,1910 (Pieridae) Synonym(s): *adorabilis* Fruhstorfer,1910
- 55073) *Appias maria dolorosa* Fruhstorfer,1910 (Pieridae) Synonym(s): *dolorosa* Fruhstorfer,1910
- 55074) *Appias maria kobayashii* Nuyda & Kawamura,1989 (Pieridae) Synonym(s): *kobayashii* Nuyda & Kawamura,1989
- 55075) *Appias maria maria* Semper,1875 (Pieridae) Synonym(s): *maria* Semper,1875
- 55076) *Appias melania* (Fabricius,1775) (Pieridae) Synonym(s): *melania* Fabricius,1775; *asteria* Miskin,1889; *cerussa* Fruhstorfer,1904
- 55077) *Appias nephele* Hewitson,1861 (Pieridae) Synonym(s): *nephele* Hewitson,1861
- 55078) *Appias nephele aufidia* Fruhstorfer,1910 (Pieridae) Synonym(s): *aufidia* Fruhstorfer,1910
- 55079) *Appias nephele dilutior* (Staudinger,1889) (Pieridae) Synonym(s): *dilutior* Staudinger,1889
- 55080) *Appias nephele elis* Fruhstorfer,1910 (Pieridae) Synonym(s): *elis* Fruhstorfer,1910
- 55081) *Appias nephele hostilia* Fruhstorfer,1910 (Pieridae) Synonym(s): *hostilia* Fruhstorfer,1910
- 55082) *Appias nephele invitabilis* Fruhstorfer,1910 (Pieridae) Synonym(s): *invitabilis* Fruhstorfer,1910
- 55083) *Appias nephele leytensis* Fruhstorfer,1911 (Pieridae) Synonym(s): *leytensis* Fruhstorfer,1911
- 55084) *Appias nephele nephele* Hewitson,1861 (Pieridae) Synonym(s): *nephele* Hewitson,1861
- 55085) *Appias nephele tawitawiana* Schröder & Treadaway,1993 (Pieridae) Synonym(s): *tawitawiana* Schröder & Treadaway,1993
- 55086) *Appias phoebe* (C.Felder & R.Felder,1861) (Pieridae) Synonym(s): *phoebe* C.Felder & R.Felder,1861
- 55087) *Appias phoebe mindana* Yamamoto & Takei,1980 (Pieridae) Synonym(s): *mindana* Yamamoto & Takei,1980
- 55088) *Appias phoebe montana* Rothschild,1896 (Pieridae) Synonym(s): *montana* Rothschild,1896
- 55089) *Appias phoebe phoebe* (C.Felder & R.Felder,1861) (Pieridae) Synonym(s): *phoebe* C.Felder & R.Felder,1861
- 55090) *Appias phoebe rowelli* Schröder & Treadaway,1982 (Pieridae) Synonym(s): *rowelli* Schröder & Treadaway,1982
- 55091) *Appias phoebe zamorra* C.Felder & R.Felder,1862 (Pieridae) Synonym(s): *zamorra* C.Felder & R.Felder,1862
- 55092) *Appias remedios* Schröder & Treadaway,1980 (Pieridae) Synonym(s): *remedios* Schröder & Treadaway,1980
- 55093) *Appias waltraudae* Schröder,1977 (Pieridae) Synonym(s): *waltraudae* Schröder,1977
- 55094) *Ascia monuste* (Linnaeus,1764) (Pieridae) Synonym(s): *monuste* Linnaeus,1764
- 55095) *Baltia butleri* (Moore,1882) (Pieridae) Synonym(s): *butleri* Moore,1882
- 55096) *Baltia butleri butleri* (Moore,1882) (Pieridae) Synonym(s): *butleri* Moore,1882
- 55097) *Baltia butleri nekruutenkoi* Kreuzberg,1989 (Pieridae) Synonym(s): *nekruutenkoi* Kreuzberg,1989; *#nekruutenkoi* Kreuzberg,1989
- 55098) *Baltia butleri potanini* (Alpheraky,1888) (Pieridae) Synonym(s): *potanini* Alpheraky,1888
- 55099) *Baltia butleri sikkima* Fruhstorfer,1910 (Pieridae) Synonym(s): *sikkima* Fruhstorfer,1910
- 55100) *Baltia shawii* (Bates,1870) (Pieridae) Synonym(s): *shawii* Bates,1870; *#melanotica* O.Bang-Haas,1937.
- 55101) *Baltia shawii baitalensis* Moore,1904 (Pieridae) Synonym(s): *baitalensis* Moore,1904
- 55102) *Baltia shawii karakuli* O.Bang-Haas,1937 (Pieridae) Synonym(s): *karakuli* O.Bang-Haas,1937
- 55103) *Baltia shawii shawii* (Bates,1870) (Pieridae) Synonym(s): *shawii* Bates,1870; *#melanotica* O.Bang-Haas,1937.
- 55104) *Baltia shawii wyatti* Schulte,1989 (Pieridae) Synonym(s): *wyatti* Schulte,1989
- 55105) *Belenois albomaculatus* (Goeze,[1779]) (Pieridae) Synonym(s): *albomaculatus* Goeze,[1779]
- 55106) *Belenois albomaculatus albomaculatus* (Goeze,[1779]) (Pieridae) Synonym(s): *albomaculatus* Goeze,[1779]
- 55107) *Belenois aldbabrensis* (Holland,1896) (Pieridae) Synonym(s): *aldbabrensis* Holland,1896
- 55108) *Belenois aldbabrensis aldbabrensis* (Holland,1896) (Pieridae) Synonym(s): *aldbabrensis* Holland,1896
- 55109) *Belenois anomala* (Butler,1881) (Pieridae) Synonym(s): *anomala* Butler,1881
- 55110) *Belenois anomala anomala* (Butler,1881) (Pieridae) Synonym(s): *anomala* Butler,1881

- 55111) **Belenois antsianaka** (Ward,1870) (Pieridae) Synonym(s): *antsianaka* Ward,1870; *affinis* Mabille,1879; *ramona* Grose-Smith,1891; *drurii* Grose-Smith & Kirby,1892; *persimilis* Grose-Smith & Kirby,1892; *#aurantia* Le Cerf,1928.
- 55112) **Belenois antsianaka antsianaka** (Ward,1870) (Pieridae) Synonym(s): *antsianaka* Ward,1870; *affinis* Mabille,1879; *ramona* Grose-Smith,1891; *drurii* Grose-Smith & Kirby,1892; *persimilis* Grose-Smith & Kirby,1892; *#aurantia* Le Cerf,1928.
- 55113) **Belenois aurota** (Fabricius,1793) (Pieridae) Synonym(s): *mesentina* Cramer,[1780] *nec* Cr.,[1777]; *aurota* Fabricius,1793; *augusta* Olivier,1807; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *#iris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924.
- 55114) **Belenois aurota aurota** (Fabricius,1793) (Pieridae) Synonym(s): *mesentina* Cramer,[1780] *nec* Cr.,[1777]; *aurota* Fabricius,1793; *augusta* Olivier,1807; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *#iris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924.
- 55115) **Belenois calypso** (Drury,[1773]) (Pieridae) Synonym(s): *calypso* Drury,[1773]; *fulvoacuminatus* Goetze,1779; *nigronotatus* Goetze,1779; *nigropictus* Goetze,1779; *#lypsoca* Berger,1939; *#cretacea* Talbot,1943.
- 55116) **Belenois calypso calypso** (Drury,[1773]) (Pieridae) Synonym(s): *calypso* Drury,[1773]; *fulvoacuminatus* Goetze,1779; *nigronotatus* Goetze,1779; *nigropictus* Goetze,1779; *#lypsoca* Berger,1939; *#cretacea* Talbot,1943.
- 55117) **Belenois calypso dentigera** Butler,1888 (Pieridae) Synonym(s): *dentigera* Butler,1888; *schweinfurthi* Schultze,1914; *costimacula* Gaede,1916; *#flavida* Hulstaert,1924; *#pulchricolor* Hulstaert,1924; *tshangerensis* Dufrane,1948; *haurea* Berger,1981.
- 55118) **Belenois calypso marlieri** Berger,1981 (Pieridae) Synonym(s): *marlieri* Berger,1981
- 55119) **Belenois calypso minor** Talbot,1943 (Pieridae) Synonym(s): *minor* Talbot,1943
- 55120) **Belenois calypso shaba** Berger,1981 (Pieridae) Synonym(s): *shaba* Berger,1981
- 55121) **Belenois calypso welwitschii** Rogenhof,1890 (Pieridae) Synonym(s): *welwitschii* Rogenhof,1890; *hospitis* Weymer,1903; *ratidengi* Suffert,1904.
- 55122) **Belenois crawshayi** Butler,1894 (Pieridae) Synonym(s): *crawshayi* Butler,1894; *continentalis* Heyn,1904.
- 55123) **Belenois crawshayi crawshayi** Butler,1894 (Pieridae) Synonym(s): *crawshayi* Butler,1894; *continentalis* Heyn,1904.
- 55124) **Belenois creona** (Cramer,[1776]) (Pieridae) Synonym(s): *creona* Cramer,[1776]; *ernestius* Laporte,1831.
- 55125) **Belenois creona benadirensis** (Storace,1948) (Pieridae) Synonym(s): *benadirensis* Storace,1948
- 55126) **Belenois creona boguensis** (C.Felder & R.Felder,[1865]) (Pieridae) Synonym(s): *boguensis* C.Felder & R.Felder,[1865]
- 55127) **Belenois creona creona** (Cramer,[1776]) (Pieridae) Synonym(s): *creona* Cramer,[1776]; *ernestius* Laporte,1831.
- 55128) **Belenois creona elisa** (van Vollenhoven,1869) (Pieridae) Synonym(s): *elisa* Vollenhoven,1869; *johannae* Butler,1879.
- 55129) **Belenois creona leucogyne** (Butler,1885) (Pieridae) Synonym(s): *leucogyne* Butler,1885
- 55130) **Belenois creona prorsus** (Talbot,1943) (Pieridae) Synonym(s): *prorsus* Talbot,1943
- 55131) **Belenois creona severina** (Stoll,[1781]) (Pieridae) Synonym(s): *severina* Stoll,[1781]; *agrippina* Felder & Felder,[1865]; *infida* Butler,1888; *guarani* Köhler,1923.
- 55132) **Belenois diminuta** Butler,1894 (Pieridae) Synonym(s): *diminuta* Butler,1894; *tanganjika* Lanz,1896; *#flavilla* Talbot,1943.
- 55133) **Belenois diminuta diminuta** Butler,1894 (Pieridae) Synonym(s): *diminuta* Butler,1894; *tanganjika* Lanz,1896; *#flavilla* Talbot,1943.
- 55134) **Belenois gidica** (Godart,[1819]) (Pieridae) Synonym(s): *gidica* Godart,[1819]; *occidentis* Butler,1898; *sulphurea* Gaede,1916.
- 55135) **Belenois gidica abyssinica** (Lucas,1852) (Pieridae) Synonym(s): *abyssinica* Lucas,1852; *doubledayi* Wallengren,1857; *westwoodi* Wallengren,1857; *allica* Oberthür,1878; *pallida* Gaede,1916; *centralis* Stoneham,1957.
- 55136) **Belenois gidica gidica** (Godart,[1819]) (Pieridae) Synonym(s): *gidica* Godart,[1819]; *occidentis* Butler,1898; *sulphurea* Gaede,1916.
- 55137) **Belenois gidica hypoxantha** (Ungemach,1932) (Pieridae) Synonym(s): *hypoxantha* Ungemach,1932
- 55138) **Belenois grandidieri** (Mabille,1878) (Pieridae) Synonym(s): *grandidieri* Mabille,1878; *voeltzkowi* Karsch,1900.
- 55139) **Belenois grandidieri grandidieri** (Mabille,1878) (Pieridae) Synonym(s): *grandidieri* Mabille,1878; *voeltzkowi* Karsch,1900.
- 55140) **Belenois hedyle** (Cramer,[1777]) (Pieridae) Synonym(s): *hedyle* Cramer,[1777]; *sordidiflavicans* Goetze,1779.
- 55141) **Belenois hedyle hedyle** (Cramer,[1777]) (Pieridae) Synonym(s): *hedyle* Cramer,[1777]; *sordidiflavicans* Goetze,1779.
- 55142) **Belenois hedyle rhena** (Doubleday,1846) (Pieridae) Synonym(s): *rhena* Doubleday,1846; *#fumosa* Talbot,1943.
- 55143) **Belenois helcida** (Boisduval,1833) (Pieridae) Synonym(s): *helcida* Boisduval,1833; *albipennis* Butler,1879
- 55144) **Belenois helcida helcida** (Boisduval,1833) (Pieridae) Synonym(s): *helcida* Boisduval,1833; *albipennis* Butler,1879
- 55145) **Belenois ianthe** (Doubleday,1842) (Pieridae) Synonym(s): *ianthe* Doubleday,1842
- 55146) **Belenois ianthe ianthe** (Doubleday,1842) (Pieridae) Synonym(s): *ianthe* Doubleday,1842
- 55147) **Belenois java** (Linnaeus,1768) (Pieridae) Synonym(s): *java* Linnaeus,1768; *teutonia* Fabricius,1775; *clytie* Donovan,1805; *deiopia* Donovan,1805; *niseia* Macleay,1826; *nigrita* Joicey & Talbot,1928
- 55148) **Belenois java anita** Fruhstorfer,1903 (Pieridae) Synonym(s): *anita* Fruhstorfer,1903
- 55149) **Belenois java ina** Fruhstorfer,1910 (Pieridae) Synonym(s): *ina* Fruhstorfer,1910
- 55150) **Belenois java java** (Linnaeus,1768) (Pieridae) Synonym(s): *java* Linnaeus,1768; *teutonia* Fabricius,1775; *clytie* Donovan,1805; *deiopia* Donovan,1805; *niseia* Macleay,1826; *nigrita* Joicey & Talbot,1928
- 55151) **Belenois java micronesia** Fruhstorfer,1902 (Pieridae) Synonym(s): *micronesia* Fruhstorfer,1902; *?vitiensis* Fruhstorfer,1902
- 55152) **Belenois java peristhene** (Boisduval,1859) (Pieridae) Synonym(s): *peristhene* Boisduval,1859
- 55153) **Belenois java picata** Butler,1882 (Pieridae) Synonym(s): *picata* Butler,1882
- 55154) **Belenois larima** (Boisduval,1836) (Pieridae) Synonym(s): *larima* Boisduval,1836
- 55155) **Belenois larima larima** (Boisduval,1836) (Pieridae) Synonym(s): *larima* Boisduval,1836
- 55156) **Belenois mabella** Grose-Smith,1891 (Pieridae) Synonym(s):
- 55157) **Belenois mabella mabella** Grose-Smith,1891 (Pieridae) Synonym(s):
- 55158) **Belenois margaritacea** Sharpe,1891 (Pieridae) Synonym(s):
- 55159) **Belenois margaritacea intermedia** Kielland,1982 (Pieridae) Synonym(s):
- 55160) **Belenois margaritacea kenyensis** (Joicey & Talbot,1926) (Pieridae) Synonym(s):
- 55161) **Belenois margaritacea margaritacea** Sharpe,1891 (Pieridae) Synonym(s):
- 55162) **Belenois margaritacea plutonica** (Joicey & Talbot,1926) (Pieridae) Synonym(s):
- 55163) **Belenois ogygia** (Trimen,1883) (Pieridae) Synonym(s):
- 55164) **Belenois ogygia bongeya** Berger,1981 (Pieridae) Synonym(s):
- 55165) **Belenois ogygia ogygia** (Trimen,1883) (Pieridae) Synonym(s):
- 55166) **Belenois raffrayi** (Oberthür,1878) (Pieridae) Synonym(s):
- 55167) **Belenois raffrayi extendens** (Joicey & Talbot,1926) (Pieridae) Synonym(s):
- 55168) **Belenois raffrayi raffrayi** (Oberthür,1878) (Pieridae) Synonym(s):
- 55169) **Belenois raffrayi similis** Kielland,1978 (Pieridae) Synonym(s): *similis* Kielland,1978
- 55170) **Belenois rubrosignata** (Weymer,1901) (Pieridae) Synonym(s):
- 55171) **Belenois rubrosignata kongwana** Talbot,1943 (Pieridae) Synonym(s):
- 55172) **Belenois rubrosignata peeli** Dixey,1900 (Pieridae) Synonym(s):
- 55173) **Belenois rubrosignata rubrosignata** (Weymer,1901) (Pieridae) Synonym(s):
- 55174) **Belenois solilucis** Butler,1874 (Pieridae) Synonym(s):
- 55175) **Belenois solilucis loveni** (Aurivillius,1922) (Pieridae) Synonym(s):
- 55176) **Belenois solilucis solilucis** Butler,1874 (Pieridae) Synonym(s):
- 55177) **Belenois subeida** (C.Felder & R.Felder,[1865]) (Pieridae) Synonym(s): *subeida* C.Felder & R.Felder,[1865]; *instabilis* Butler,1888; *#demarginata* Talbot,1943
- 55178) **Belenois subeida frobeniusi** (Strand,1909) (Pieridae) Synonym(s): *frobeniusi* Strand,1909; *zoraida* Gaede,1915; *voltaensis* Talbot,1943
- 55179) **Belenois subeida hailo** (Ungemach,1932) (Pieridae) Synonym(s): *hailo* Ungemach,1932; *#ochracea* Ungemach,1932; *#hiemalis* Ungemach,1932; *hiemalis* Talbot,1943; *#auristriga* Talbot,1943
- 55180) **Belenois subeida subeida** (C.Felder & R.Felder,[1865]) (Pieridae) Synonym(s): *subeida* C.Felder & R.Felder,[1865]; *instabilis* Butler,1888; *#demarginata* Talbot,1943
- 55181) **Belenois subeida sylvander** Grose-Smith,1890 (Pieridae) Synonym(s): *sylvander* Grose-Smith,1890
- 55182) **Belenois sudanensis** Talbot,1929 (Pieridae) Synonym(s): *sudanensis* Talbot,1929
- 55183) **Belenois sudanensis katalensis** Berger,1981 (Pieridae) Synonym(s): *katalensis* Berger,1981
- 55184) **Belenois sudanensis mayumbana** Berger,1981 (Pieridae) Synonym(s): *mayumbana* Berger,1981

- 55185) *Belenois sudanensis pseudodentigera* Berger, 1981 (Pieridae) Synonym(s): *pseudodentigera* Berger, 1981
 55186) *Belenois sudanensis sudanensis* Talbot, 1929 (Pieridae) Synonym(s): *sudanensis* Talbot, 1929
 55187) *Belenois theora* (Doubleday, 1846) (Pieridae) Synonym(s): *theora* Doubleday, 1846; *paroreia* Hewitson, 1869; *sylvarum* Mabilie, 1890; *#brevimacula* Talbot, 1943
 55188) *Belenois theora laeta* (Weymer, 1903) (Pieridae) Synonym(s): *laeta* Weymer, 1903; *lortzingi* Suffert, 1904; *parvimacula* Talbot, 1943; *#laeteola* Talbot, 1943
 55189) *Belenois theora ratheo* (Suffert, 1904) (Pieridae) Synonym(s): *ratheo* Suffert, 1904; *maculata* Aurivillius, 1898; *weidholzi* Rebel, 1930; *#sulfurata* Talbot, 1943
 55190) *Belenois theora theora* (Doubleday, 1846) (Pieridae) Synonym(s): *theora* Doubleday, 1846; *paroreia* Hewitson, 1869; *sylvarum* Mabilie, 1890; *#brevimacula* Talbot, 1943
 55191) *Belenois theuszi* (Dewitz, 1889) (Pieridae) Synonym(s): *theuszi* Dewitz, 1889; *semialba* Aurivillius, 1895; *hypermaculata* Strand, 1913; *#reducta* Birket-Smith, 1960
 55192) *Belenois theuszi theuszi* (Dewitz, 1889) (Pieridae) Synonym(s): *theuszi* Dewitz, 1889; *semialba* Aurivillius, 1895; *hypermaculata* Strand, 1913; *#reducta* Birket-Smith, 1960
 55193) *Belenois thyra* (Hopffer, 1855) (Pieridae) Synonym(s): *thyra* Hopffer, 1855; *balangensis* Rebel & Rogenhofer, 1894; *obumbrata* Weymer, 1903; *alarmi* Suffert, 1904
 55194) *Belenois thyra meldolae* Butler, 1872 (Pieridae) Synonym(s): *meldolae* Butler, 1872; *rimala* Suffert, 1904; *malaria* Suffert, 1904
 55195) *Belenois thyra thyra* (Hopffer, 1855) (Pieridae) Synonym(s): *thyra* Hopffer, 1855; *balangensis* Rebel & Rogenhofer, 1894; *obumbrata* Weymer, 1903; *alarmi* Suffert, 1904
 55196) *Belenois thyra tricolor* Talbot, 1943 (Pieridae) Synonym(s): *tricolor* Talbot, 1943
 55197) *Belenois victoria* Dixey, 1915 (Pieridae) Synonym(s):
 55198) *Belenois victoria hecqui* Berger, 1953 (Pieridae) Synonym(s):
 55199) *Belenois victoria schoutedeni* Berger, 1953 (Pieridae) Synonym(s):
 55200) *Belenois victoria victoria* Dixey, 1915 (Pieridae) Synonym(s):
 55201) *Belenois zochalia* (Boisduval, 1836) (Pieridae) Synonym(s): *zochalia* Boisduval, 1836; *hyoma* Boisduval, 1836; *immaculata* Wichgraf, 1913; *pondoana* Neustetter, 1916
 55202) *Belenois zochalia agrippinides* (Holland, 1896) (Pieridae) Synonym(s): *agrippinides* Holland, 1896
 55203) *Belenois zochalia connexiva* (Joicey & Talbot, 1927) (Pieridae) Synonym(s): *connexiva* Joicey & Talbot, 1927
 55204) *Belenois zochalia galla* (Ungemach, 1932) (Pieridae) Synonym(s): *galla* Ungemach, 1932
 55205) *Belenois zochalia zochalia* (Boisduval, 1836) (Pieridae) Synonym(s): *zochalia* Boisduval, 1836; *hyoma* Boisduval, 1836; *immaculata* Wichgraf, 1913; *pondoana* Neustetter, 1916
 55206) *Calopieris eulimene* (Klug, 1829) (Pieridae) Synonym(s): *eulimene* Klug, 1829
 55207) *Calopieris eulimene eulimene* (Klug, 1829) (Pieridae) Synonym(s): *eulimene* Klug, 1829
 55208) *Catacticta affinis Röber, 1909* (Pieridae) Synonym(s): *affinis* Röber, 1909; *talboti* Joicey & Rosenberg, 1915
 55209) *Catacticta affinis affinis* Röber, 1909 (Pieridae) Synonym(s): *affinis* Röber, 1909; *talboti* Joicey & Rosenberg, 1915
 55210) *Catacticta affinis giga* F.M.Brown & Gabriel, 1939 (Pieridae) Synonym(s): *giga* F.M.Brown & Gabriel, 1939
 55211) *Catacticta albifasciata Lathy & Rosenberg, 1912* (Pieridae) Synonym(s): *albifasciata* Lathy & Rosenberg, 1912; *lubentina* Fassl, 1915
 55212) *Catacticta albifasciata albifasciata* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *albifasciata* Lathy & Rosenberg, 1912; *lubentina* Fassl, 1915
 55213) *Catacticta albifasciata rubroreducta* Reissinger, 1972 (Pieridae) Synonym(s): *rubroreducta* Reissinger, 1972
 55214) *Catacticta amastris* (Hewitson, 1874) (Pieridae) Synonym(s): *amastris* Hewitson, 1874; *niobe* Röber, 1908
 55215) *Catacticta amastris amastris* (Hewitson, 1874) (Pieridae) Synonym(s): *amastris* Hewitson, 1874; *niobe* Röber, 1908
 55216) *Catacticta amastris batesi* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *batesi* Eitschberger & T.Racheli, 1998
 55217) *Catacticta amastris dentata* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *dentata* Lathy & Rosenberg, 1912
 55218) *Catacticta amastris striata* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *striata* Eitschberger & T.Racheli, 1998
 55219) *Catacticta anaitis* (Hewitson, 1869) (Pieridae) Synonym(s): *anaitis* Hewitson, 1869
 55220) *Catacticta anaitis anaitis* (Hewitson, 1869) (Pieridae) Synonym(s): *anaitis* Hewitson, 1869
 55221) *Catacticta anaitis felicitas* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *felicitas* Eitschberger & T.Racheli, 1998
 55222) *Catacticta anaitis sordida* Butler, 1897 (Pieridae) Synonym(s): *sordida* Butler, 1897; *tanoia* F.M.Brown, 1939
 55223) *Catacticta anaitis suasella* Röber, 1908 (Pieridae) Synonym(s): *suasella* Röber, 1908
 55224) *Catacticta apaturina* Butler, 1901 (Pieridae) Synonym(s): *apaturina* Butler, 1901
 55225) *Catacticta apaturina apaturina* Butler, 1901 (Pieridae) Synonym(s): *apaturina* Butler, 1901
 55226) *Catacticta apaturina citra* F.M.Brown, 1939 (Pieridae) Synonym(s): *citra* F.M.Brown, 1939
 55227) *Catacticta apaturina subaturina* Reissinger, 1972 (Pieridae) Synonym(s): *subaturina* Reissinger, 1972
 55228) *Catacticta apaturina supaturina* Reissinger, 1972 (Pieridae) Synonym(s): *supaturina* Reissinger, 1972
 55229) *Catacticta arborardens* Reissinger, 1972 (Pieridae) Synonym(s): *arborardens* Reissinger, 1972
 55230) *Catacticta arborardens arborardens* Reissinger, 1972 (Pieridae) Synonym(s): *arborardens* Reissinger, 1972
 55231) *Catacticta aureomaculata* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *aureomaculata* Lathy & Rosenberg, 1912
 55232) *Catacticta aureomaculata aureomaculata* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *aureomaculata* Lathy & Rosenberg, 1912
 55233) *Catacticta aureomaculata gabrieli* Reissinger, 1972 (Pieridae) Synonym(s): *gabrieli* Reissinger, 1972
 55234) *Catacticta bithys* (Hübner, [1825]) (Pieridae) Synonym(s): *bithys* Hübner, [1825]; *rosenbergi* Reissinger, 1972
 55235) *Catacticta cerberus* Godman & Salvin, 1889 (Pieridae) Synonym(s): *cerberus* Godman & Salvin, 1889
 55236) *Catacticta cerberus cerberus* Godman & Salvin, 1889 (Pieridae) Synonym(s): *cerberus* Godman & Salvin, 1889
 55237) *Catacticta chelidonis* (Hopffer, 1874) (Pieridae) Synonym(s): *chelidonis* Hopffer, 1874
 55238) *Catacticta chelidonis chelidonis* (Hopffer, 1874) (Pieridae) Synonym(s): *chelidonis* Hopffer, 1874
 55239) *Catacticta chelidonis contrasta* Reissinger, 1972 (Pieridae) Synonym(s): *contrasta* Reissinger, 1972
 55240) *Catacticta chelidonis jacinta* Butler, 1901 (Pieridae) Synonym(s): *jacinta* Butler, 1901; *chelaiba* F.M.Brown, 1939; *#germainia* F.M.Brown, 1939; *#teara* F.M.Brown, 1939
 55241) *Catacticta chelidonis taminoides* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *taminoides* Eitschberger & T.Racheli, 1998
 55242) *Catacticta chrysolopha* (Kollar, 1850) (Pieridae) Synonym(s): *chrysolopha* Kollar, 1850; *spectrum* Reissinger, 1972
 55243) *Catacticta chrysolopha adamsi* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *adamsi* Eitschberger & T.Racheli, 1998
 55244) *Catacticta chrysolopha chrysolopha* (Kollar, 1850) (Pieridae) Synonym(s): *chrysolopha* Kollar, 1850; *spectrum* Reissinger, 1972
 55245) *Catacticta chrysolopha quiroza* F.M.Brown, 1939 (Pieridae) Synonym(s): *quiroza* F.M.Brown, 1939; *meleander* Reissinger, 1972
 55246) *Catacticta chrysolopha superba* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *superba* Lathy & Rosenberg, 1912; *similis* Lathy & Rosenberg, 1912
 55247) *Catacticta chrysolopha xequ* (Mengel, 1899) (Pieridae) Synonym(s): *xeque* Mengel, 1899
 55248) *Catacticta cinerea* Butler, 1897 (Pieridae) Synonym(s): *cinerea* Butler, 1897; *toppini* Sharpe, 1915; *dusca* F.M.Brown, 1939
 55249) *Catacticta cinerea ariadne* Reissinger, 1972 (Pieridae) Synonym(s): *ariadne* Reissinger, 1972; *#maxima* Reissinger, 1972; *#pasiphae* Reissinger, 1972
 55250) *Catacticta cinerea cinerea* Butler, 1897 (Pieridae) Synonym(s): *cinerea* Butler, 1897; *toppini* Sharpe, 1915; *dusca* F.M.Brown, 1939
 55251) *Catacticta cinerea coerulescens* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *coerulescens* Eitschberger & T.Racheli, 1998
 55252) *Catacticta cinerea hollandi* Avinoff, 1926 (Pieridae) Synonym(s): *hollandi* Avinoff, 1926
 55253) *Catacticta cinerea laurentina* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *laurentina* Eitschberger & T.Racheli, 1998
 55254) *Catacticta cinerea rochereau* Le Cerf, 1924 (Pieridae) Synonym(s): *rochereau* Le Cerf, 1924
 55255) *Catacticta cinerea subtituta* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *subtituta* Eitschberger & T.Racheli, 1998
 55256) *Catacticta cinerea suprema* Fassl, 1915 (Pieridae) Synonym(s): *suprema* Fassl, 1915
 55257) *Catacticta colla* (Doubleday, 1847) (Pieridae) Synonym(s): *colla* Doubleday, 1847; *#naranja* F.M.Brown & Gabriel, 1939
 55258) *Catacticta colla colla* (Doubleday, 1847) (Pieridae) Synonym(s): *colla* Doubleday, 1847; *#naranja* F.M.Brown & Gabriel, 1939
 55259) *Catacticta colla obsoleta* Reissinger, 1972 (Pieridae) Synonym(s): *#obsoleta* F.M.Brown & Goodson, 1940; *obsoleta* Reissinger, 1972
 55260) *Catacticta colla philomene* Röber, 1908 (Pieridae) Synonym(s): *philomene* Röber, 1908
 55261) *Catacticta colla punctata* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *punctata* Lathy & Rosenberg, 1912; *#hypoleuca* F.M.Brown, 1939
 55262) *Catacticta collina* F.M.Brown, 1939 (Pieridae) Synonym(s): *#collina* Röber, 1924; *#calanga* Röber, 1924; *collina* F.M.Brown, 1939; *#chelauria* F.M.Brown, 1939

- 55263) *Catacticta collina carpis* Reissinger, 1972 (Pieridae) Synonym(s): *carpis* Reissinger, 1972
 55264) *Catacticta collina collina* F.M.Brown, 1939 (Pieridae) Synonym(s): *#collina* Röber, 1924; *#calanga* Röber, 1924; *collina* F.M.Brown, 1939; *#chelaurea* F.M.Brown, 1939
 55265) *Catacticta cora* (Lucas, 1852) (Pieridae) Synonym(s): *cora* Lucas, 1852; *paradoxa* Röber, 1909
 55266) *Catacticta cora atahualpa* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *atahualpa* Eitschberger & T.Racheli, 1998
 55267) *Catacticta cora cora* (Lucas, 1852) (Pieridae) Synonym(s): *cora* Lucas, 1852; *paradoxa* Röber, 1909
 55268) *Catacticta corcyra* (C.Felder & R.Felder, 1859) (Pieridae) Synonym(s): *corcyra* C.Felder & R.Felder, 1859; *#linea* F.M.Brown, 1939
 55269) *Catacticta corcyra corcyra* (C.Felder & R.Felder, 1859) (Pieridae) Synonym(s): *corcyra* C.Felder & R.Felder, 1859; *#linea* F.M.Brown, 1939
 55270) *Catacticta corcyra staudingeri* Butler, 1897 (Pieridae) Synonym(s): *staudingeri* Butler, 1897
 55271) *Catacticta ctemene* (Hewitson, 1869) (Pieridae) Synonym(s): *ctemene* Hewitson, 1869
 55272) *Catacticta ctemene actinotis* Butler, 1872 (Pieridae) Synonym(s): *actinotis* Butler, 1872
 55273) *Catacticta ctemene alma* Hopffer, 1874 (Pieridae) Synonym(s): *alma* Hopffer, 1874; *albina* Lathy & Rosenberg, 1912; *zebra* Fruhstorfer, 1912
 55274) *Catacticta ctemene ctemene* (Hewitson, 1869) (Pieridae) Synonym(s): *ctemene* Hewitson, 1869
 55275) *Catacticta ctemene grisella* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *grisella* Eitschberger & T.Racheli, 1998
 55276) *Catacticta ctemene rubricata* Weymer, 1907 (Pieridae) Synonym(s): *rubricata* Weymer, 1907
 55277) *Catacticta ctemene strigosa* Butler, 1896 (Pieridae) Synonym(s): *strigosa* Butler, 1896
 55278) *Catacticta ctemene zebrella* Fruhstorfer, 1912 (Pieridae) Synonym(s): *zebrella* Fruhstorfer, 1912; *fuliginosa* Reissinger, 1972
 55279) *Catacticta discalba* F.M.Brown & Gabriel, 1939 (Pieridae) Synonym(s): *discalba* F.M.Brown & Gabriel, 1939
 55280) *Catacticta discalba discalba* F.M.Brown & Gabriel, 1939 (Pieridae) Synonym(s): *discalba* F.M.Brown & Gabriel, 1939
 55281) *Catacticta eurigania straminea* Butler, 1896 (Pieridae) Synonym(s): *distincta* Lathy & Rosenberg, 1912
 55282) *Catacticta distincta distincta* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *distincta* Lathy & Rosenberg, 1912
 55283) *Catacticta duida* F.M.Brown, 1932 (Pieridae) Synonym(s): *duida* F.M.Brown, 1932
 55284) *Catacticta duida duida* F.M.Brown, 1932 (Pieridae) Synonym(s): *duida* F.M.Brown, 1932
 55285) *Catacticta eurigania* (Hewitson, 1870) (Pieridae) Synonym(s): *eurigania* Hewitson, 1870
 55286) *Catacticta eurigania eurigania* (Hewitson, 1870) (Pieridae) Synonym(s): *eurigania* Hewitson, 1870
 55287) *Catacticta eurigania straminea* Butler, 1896 (Pieridae) Synonym(s): *straminea* Butler, 1896; *forbesia* F.M.Brown, 1933
 55288) *Catacticta ferra* F.M.Brown, 1939 (Pieridae) Synonym(s): *ferra* F.M.Brown, 1939; *#pastaza* F.M.Brown, 1939
 55289) *Catacticta ferra ferra* F.M.Brown, 1939 (Pieridae) Synonym(s): *ferra* F.M.Brown, 1939; *#pastaza* F.M.Brown, 1939
 55290) *Catacticta ferra ferruginea* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *ferruginea* Eitschberger & T.Racheli, 1998
 55291) *Catacticta ferra orcus* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *orcus* Eitschberger & T.Racheli, 1998
 55292) *Catacticta ferra putumayo* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *putumayo* Eitschberger & T.Racheli, 1998
 55293) *Catacticta flisa* (Herrich-Schäffer, 1854) (Pieridae) Synonym(s): *flisa* Herrich-Schäffer, 1854; *oaxaca* Beutespacher, 1984
 55294) *Catacticta flisa archoflisa* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *archoflisa* Eitschberger & T.Racheli, 1998
 55295) *Catacticta flisa arechiza* (Reakirt, 1866) (Pieridae) Synonym(s): *arechiza* Reakirt, 1866; *avinoffi* Reissinger, 1972
 55296) *Catacticta flisa briseis* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *briseis* Eitschberger & T.Racheli, 1998
 55297) *Catacticta flisa dilutior* Avinoff, 1926 (Pieridae) Synonym(s): *dilutior* Avinoff, 1926; *alcyone* Reissinger, 1972; *hermione* Reissinger, 1972
 55298) *Catacticta flisa duna* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *duna* Eitschberger & T.Racheli, 1998
 55299) *Catacticta flisa flisa* (Herrich-Schäffer, 1854) (Pieridae) Synonym(s): *flisa* Herrich-Schäffer, 1854; *oaxaca* Beutespacher, 1984
 55300) *Catacticta flisa flisandra* Reissinger, 1972 (Pieridae) Synonym(s): *flisandra* Reissinger, 1972
 55301) *Catacticta flisa flisella* Reissinger, 1972 (Pieridae) Synonym(s): *flisella* Reissinger, 1972
 55302) *Catacticta flisa flisoides* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *flisoides* Eitschberger & T.Racheli, 1998
 55303) *Catacticta flisa melanisa* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *melanisa* Eitschberger & T.Racheli, 1998
 55304) *Catacticta flisa noakesi* Joicey & Rosenberg, 1915 (Pieridae) Synonym(s): *noakesi* Joicey & Rosenberg, 1915
 55305) *Catacticta flisa postatarea* F.M.Brown, 1933 (Pieridae) Synonym(s): *postatarea* F.M.Brown, 1933
 55306) *Catacticta frontina* F.M.Brown & Gabriel, 1939 (Pieridae) Synonym(s): *frontina* F.M.Brown & Gabriel, 1939; *joiceyi* Reissinger, 1972
 55307) *Catacticta frontina frontina* F.M.Brown & Gabriel, 1939 (Pieridae) Synonym(s): *frontina* F.M.Brown & Gabriel, 1939; *joiceyi* Reissinger, 1972
 55308) *Catacticta frontina muehlei* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *muehlei* Eitschberger & T.Racheli, 1998
 55309) *Catacticta frontina zamorana* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *zamorana* Eitschberger & T.Racheli, 1998
 55310) *Catacticta fulva* Joicey & Rosenberg, 1915 (Pieridae) Synonym(s): *fulva* Joicey & Rosenberg, 1915; *ganymedes* Tessman, 1928
 55311) *Catacticta fulva fulva* Joicey & Rosenberg, 1915 (Pieridae) Synonym(s): *fulva* Joicey & Rosenberg, 1915; *ganymedes* Tessman, 1928
 55312) *Catacticta fulva kentae* F.M.Brown & Goodson, 1940 (Pieridae) Synonym(s): *kentae* F.M.Brown & Goodson, 1940
 55313) *Catacticta grisea* Joicey & Rosenberg, 1915 (Pieridae) Synonym(s): *grisea* Joicey & Rosenberg, 1915
 55314) *Catacticta grisea grisea* Joicey & Rosenberg, 1915 (Pieridae) Synonym(s): *grisea* Joicey & Rosenberg, 1915
 55315) *Catacticta hebra* (Lucas, 1852) (Pieridae) Synonym(s): *hebra* Lucas, 1852
 55316) *Catacticta hebra apollinari* Fassl, 1915 (Pieridae) Synonym(s): *apollinari* Fassl, 1915
 55317) *Catacticta hebra crowleyi* Butler, 1901 (Pieridae) Synonym(s): *crowleyi* Butler, 1901
 55318) *Catacticta hebra hebra* (Lucas, 1852) (Pieridae) Synonym(s): *hebra* Lucas, 1852
 55319) *Catacticta hebra mariae* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *mariae* Eitschberger & T.Racheli, 1998
 55320) *Catacticta hebra potamea* (C.Felder & R.Felder, 1861) (Pieridae) Synonym(s): *potamea* C.Felder & R.Felder, 1861; *angulifera* Avinoff, 1926
 55321) *Catacticta hegemon* Godman & Salvin, 1889 (Pieridae) Synonym(s): *hegemon* Godman & Salvin, 1889
 55322) *Catacticta hegemon albescens* Röber, 1924 (Pieridae) Synonym(s): *albescens* Röber, 1924
 55323) *Catacticta hegemon hegemon* Godman & Salvin, 1889 (Pieridae) Synonym(s): *hegemon* Godman & Salvin, 1889; *chiricana* Röber, 1924; *tincta* F.M.Brown, 1939
 55324) *Catacticta hegemon helle* Röber, 1924 (Pieridae) Synonym(s): *helle* Röber, 1924
 55325) *Catacticta hegemon tateae* F.M.Brown, 1939 (Pieridae) Synonym(s): *tateae* F.M.Brown, 1939
 55326) *Catacticta huancabambensis* Joicey & Rosenberg, 1915 (Pieridae) Synonym(s): *huancabambensis* Joicey & Rosenberg, 1915; *phile* Röber, 1924
 55327) *Catacticta huancabambensis bamba* Reissinger, 1972 (Pieridae) Synonym(s): *bamba* Reissinger, 1972
 55328) *Catacticta huancabambensis huancabambensis* Joicey & Rosenberg, 1915 (Pieridae) Synonym(s): *huancabambensis* Joicey & Rosenberg, 1915; *phile* Röber, 1924
 55329) *Catacticta huebneri* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *huebneri* Lathy & Rosenberg, 1912
 55330) *Catacticta incerta* (Dognin, 1888) (Pieridae) Synonym(s): *incerta* Dognin, 1888; *vapina* Butler, 1897
 55331) *Catacticta incerta concerta* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *concerta* Eitschberger & T.Racheli, 1998
 55332) *Catacticta incerta incerta* (Dognin, 1888) (Pieridae) Synonym(s): *incerta* Dognin, 1888; *vapina* Butler, 1897
 55333) *Catacticta leucophaea* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *leucophaea* Lathy & Rosenberg, 1912
 55334) *Catacticta leucophaea lathyi* Joicey & Talbot, 1918 (Pieridae) Synonym(s): *lathyi* Joicey & Talbot, 1918
 55335) *Catacticta leucophaea leucophaea* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *leucophaea* Lathy & Rosenberg, 1912
 55336) *Catacticta ludovici* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *ludovici* Eitschberger & T.Racheli, 1998
 55337) *Catacticta ludovici ludovici* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *ludovici* Eitschberger & T.Racheli, 1998
 55338) *Catacticta lycurgus* (Godman & Salvin, 1880) (Pieridae) Synonym(s): *lycurgus* Godman & Salvin, 1880
 55339) *Catacticta lycurgus lanceolata* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *lanceolata* Lathy & Rosenberg, 1912
 55340) *Catacticta lycurgus lycurgus* (Godman & Salvin, 1880) (Pieridae) Synonym(s): *lycurgus* Godman & Salvin, 1880
 55341) *Catacticta lycurgus tolima* Fassl, 1915 (Pieridae) Synonym(s): *tolima* Fassl, 1915
 55342) *Catacticta manco* (Doubleday, 1848) (Pieridae) Synonym(s): *manco* Doubleday, 1848
 55343) *Catacticta manco capae* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *capae* Eitschberger & T.Racheli, 1998
 55344) *Catacticta manco manco* (Doubleday, 1848) (Pieridae) Synonym(s): *manco* Doubleday, 1848
 55345) *Catacticta manco reissingeri* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *reissingeri* Eitschberger & T.Racheli, 1998
 55346) *Catacticta marcapita* Röber, 1909 (Pieridae) Synonym(s): *marcapita* Röber, 1909
 55347) *Catacticta marcapita marcapita* Röber, 1909 (Pieridae) Synonym(s): *marcapita* Röber, 1909
 55348) *Catacticta marcapita paucartambo* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *paucartambo* Eitschberger & T.Racheli, 1998
 55349) *Catacticta marcapita roberti* Reissinger, 1972 (Pieridae) Synonym(s): *roberti* Reissinger, 1972

- 55350) *Catacticta modesta* (Lucas,1852) (Pieridae) Synonym(s): *modesta* Lucas,1852
55351) *Catacticta modesta goodsoni* Reissinger,1972 (Pieridae) Synonym(s): *goodsoni* Reissinger,1972; *macropinava* Reissinger,1972
55352) *Catacticta modesta modesta* (Lucas,1852) (Pieridae) Synonym(s): *modesta* Lucas,1852
55353) *Catacticta nimbata Joicey & Talbot,1918* (Pieridae) Synonym(s): *nimbata* Joicey & Talbot,1918; *feldera* F.M.Brown,1939
55354) *Catacticta nimbata nimbata Joicey & Talbot,1918* (Pieridae) Synonym(s): *nimbata* Joicey & Talbot,1918; *feldera* F.M.Brown,1939
55355) *Catacticta nimbata philobata Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *philobata* Eitschberger & T.Racheli,1998
55356) *Catacticta nimbata pleione Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *pleione* Eitschberger & T.Racheli,1998
55357) *Catacticta nimbece (Boisduval,1836)* (Pieridae) Synonym(s): *nimbece* Boisduval,1836
55358) *Catacticta nimbece bryson Godman & Salvin,1889* (Pieridae) Synonym(s): *bryson* Godman & Salvin,1889
55359) *Catacticta nimbece ligata Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *ligata* Eitschberger & T.Racheli,1998
55360) *Catacticta nimbece nimbece (Boisduval,1836)* (Pieridae) Synonym(s): *nimbece* Boisduval,1836
55361) *Catacticta nimbece ochracea (Bates,1864)* (Pieridae) Synonym(s): *ochracea* Bates,1864; *bryson* Röber,1908 *nec* Godm. & Salv.,1889
55362) *Catacticta notha (Lucas,1852)* (Pieridae) Synonym(s): *notha* Lucas,1852; *nivalis* Avinoff,1926; *pieridoides* C.Felder & R.Felder,1865
55363) *Catacticta notha caucana Röber,1908* (Pieridae) Synonym(s): *caucana* Röber,1908
55364) *Catacticta notha notha (Lucas,1852)* (Pieridae) Synonym(s): *notha* Lucas,1852; *nivalis* Avinoff,1926; *pieridoides* C.Felder & R.Felder,1865
55365) *Catacticta pharnakia (Fruhstorfer,1907)* (Pieridae) Synonym(s): *pharnakia* Fruhstorfer,1907; *#archoniaoides* Röber,1908
55366) *Catacticta pharnakia pharnakia (Fruhstorfer,1907)* (Pieridae) Synonym(s): *pharnakia* Fruhstorfer,1907; *#archoniaoides* Röber,1908
55367) *Catacticta pharnakia styx Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *styx* Eitschberger & T.Racheli,1998
55368) *Catacticta philais (C.Felder & R.Felder,1865)* (Pieridae) Synonym(s): *philais* C.Felder & R.Felder,1865; *philonarche* C.Felder & R.Felder,1865; *philothina* Röber,1924; *variabilis* Röber,1924
55369) *Catacticta philais borgesii Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *borgesii* Eitschberger & T.Racheli,1998
55370) *Catacticta philais philais (C.Felder & R.Felder,1865)* (Pieridae) Synonym(s): *philais* C.Felder & R.Felder,1865; *philonarche* C.Felder & R.Felder,1865; *philothina* Röber,1924; *variabilis* Röber,1924
55371) *Catacticta philodora F.M.Brown,1939* (Pieridae) Synonym(s): *philodora* F.M.Brown,1939
55372) *Catacticta philodora maja Reissinger,1972* (Pieridae) Synonym(s): *maja* Reissinger,1972
55373) *Catacticta philodora philodora F.M.Brown,1939* (Pieridae) Synonym(s): *philodora* F.M.Brown,1939
55374) *Catacticta philodora zamora Reissinger,1972* (Pieridae) Synonym(s): *zamora* Reissinger,1972
55375) *Catacticta philone (C.Felder & R.Felder,1856)* (Pieridae) Synonym(s): *philone* C.Felder & R.Felder,1856
55376) *Catacticta philone ecuadora F.M.Brown,1939* (Pieridae) Synonym(s): *ecuadora* F.M.Brown,1939
55377) *Catacticta philone grossana F.M.Brown,1939* (Pieridae) Synonym(s): *grossana* F.M.Brown,1939
55378) *Catacticta philone patinoides Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *patinoides* Eitschberger & T.Racheli,1998
55379) *Catacticta philone philone (C.Felder & R.Felder,1856)* (Pieridae) Synonym(s): *philone* C.Felder & R.Felder,1856
55380) *Catacticta philone stabilis Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *stabilis* Eitschberger & T.Racheli,1998
55381) *Catacticta philone variabilis Röber,1924* (Pieridae) Synonym(s): *variabilis* Röber,1924
55382) *Catacticta philoscia (C.Felder & R.Felder,1861)* (Pieridae) Synonym(s): *philoscia* C.Felder & R.Felder,1861; *subtoca* Röber,1924
55383) *Catacticta philoscia incertina Röber,1924* (Pieridae) Synonym(s): *incertina* Röber,1924
55384) *Catacticta philoscia philoscia (C.Felder & R.Felder,1861)* (Pieridae) Synonym(s): *philoscia* C.Felder & R.Felder,1861; *subtoca* Röber,1924
55385) *Catacticta philothea (C.Felder & R.Felder,1865)* (Pieridae) Synonym(s): *philothea* C.Felder & R.Felder,1865
55386) *Catacticta philothea philothea (C.Felder & R.Felder,1865)* (Pieridae) Synonym(s): *philothea* C.Felder & R.Felder,1865
55387) *Catacticta pieris (Hopffer,1874)* (Pieridae) Synonym(s): *pieris* Hopffer,1874
55388) *Catacticta pieris innuba Röber,1908* (Pieridae) Synonym(s): *innuba* Röber,1908
55389) *Catacticta pieris intermedia Lathy & Rosenberg,1912* (Pieridae) Synonym(s): *intermedia* Lathy & Rosenberg,1912
55390) *Catacticta pieris pieris (Hopffer,1874)* (Pieridae) Synonym(s): *pieris* Hopffer,1874
55391) *Catacticta pinava (Doubleday,1847)* (Pieridae) Synonym(s): *pinava* Doubleday,1847; *hopfferi* Röber,1908; *obscurior* Röber,1908
55392) *Catacticta pinava lucida Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *lucida* Eitschberger & T.Racheli,1998
55393) *Catacticta pinava pinava (Doubleday,1847)* (Pieridae) Synonym(s): *pinava* Doubleday,1847; *hopfferi* Röber,1908; *obscurior* Röber,1908
55394) *Catacticta pluvius Tessman,1928* (Pieridae) Synonym(s): *pluvius* Tessman,1928
55395) *Catacticta pluvius pluvius Tessman,1928* (Pieridae) Synonym(s): *pluvius* Tessman,1928
55396) *Catacticta pluvius potameoides Reissinger,1972* (Pieridae) Synonym(s): *potameoides* Reissinger,1972
55397) *Catacticta poujadei (Dognin,1888)* (Pieridae) Synonym(s): *poujadei* Dognin,1888
55398) *Catacticta poujadei clara Röber,1909* (Pieridae) Synonym(s): *clara* Röber,1909
55399) *Catacticta poujadei eximia Röber,1909* (Pieridae) Synonym(s): *eximia* Röber,1909
55400) *Catacticta poujadei lamasi Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *lamasi* Eitschberger & T.Racheli,1998
55401) *Catacticta poujadei poujadei (Dognin,1888)* (Pieridae) Synonym(s): *poujadei* Dognin,1888
55402) *Catacticta prioneris (Hopffer,1874)* (Pieridae) Synonym(s): *prioneris* Hopffer,1874
55403) *Catacticta prioneris araguana Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *araguana* Eitschberger & T.Racheli,1998
55404) *Catacticta prioneris estancia Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *estancia* Eitschberger & T.Racheli,1998
55405) *Catacticta prioneris peruviana Joicey & Talbot,1918* (Pieridae) Synonym(s): *peruviana* Joicey & Talbot,1918
55406) *Catacticta prioneris prioneris (Hopffer,1874)* (Pieridae) Synonym(s): *prioneris* Hopffer,1874
55407) *Catacticta radiata (Kollar,1850)* (Pieridae) Synonym(s): *radiata* Kollar,1850; *hanna* Reissinger,1970
55408) *Catacticta radiata julita Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *julita* Eitschberger & T.Racheli,1998
55409) *Catacticta radiata radiata (Kollar,1850)* (Pieridae) Synonym(s): *radiata* Kollar,1850; *hanna* Reissinger,1970
55410) *Catacticta reducta Butler,1896* (Pieridae) Synonym(s): *reducta* Butler,1896; *aequatorialis* Röber,1909
55411) *Catacticta reducta boliviana Butler,1896* (Pieridae) Synonym(s): *boliviana* Butler,1896; *chelidonides* Röber,1924; *microperuviana* Reissinger,1972
55412) *Catacticta reducta butleri F.M.Brown & Gabriel,1939* (Pieridae) Synonym(s): *butleri* F.M.Brown & Gabriel,1939; *#butleria* F.M.Brown,1939
55413) *Catacticta reducta reducta Butler,1896* (Pieridae) Synonym(s): *reducta* Butler,1896; *aequatorialis* Röber,1909
55414) *Catacticta revancha Rey & Pyrcz,1996* (Pieridae) Synonym(s): *revancha* Rey & Pyrcz,1996
55415) *Catacticta revancha revancha Rey & Pyrcz,1996* (Pieridae) Synonym(s): *revancha* Rey & Pyrcz,1996
55416) *Catacticta rileyi F.M.Brown,1939* (Pieridae) Synonym(s): *rileyi* F.M.Brown,1939; *#rileyi* F.M.Brown,1939
55417) *Catacticta rileyi rileyi F.M.Brown,1939* (Pieridae) Synonym(s): *rileyi* F.M.Brown,1939; *#rileyi* F.M.Brown,1939
55418) *Catacticta rileyi tamsa Riley,1939* (Pieridae) Synonym(s): *tamsa* Riley,1939; *tamsa* Reissinger,1969
55419) *Catacticta rileyi yanganza Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *yanganza* Eitschberger & T.Racheli,1998
55420) *Catacticta rosea Joicey & Rosenberg,1915* (Pieridae) Synonym(s): *rosea* Joicey & Rosenberg,1915
55421) *Catacticta rosea rosea Joicey & Rosenberg,1915* (Pieridae) Synonym(s): *rosea* Joicey & Rosenberg,1915
55422) *Catacticta scaeva Röber,1909* (Pieridae) Synonym(s): *scaeva* Röber,1909; *pallens* Röber,1924
55423) *Catacticta scaeva restricta F.M.Brown & Goodson,1940* (Pieridae) Synonym(s): *restricta* F.M.Brown & Goodson,1940
55424) *Catacticta scaeva scaeva Röber,1909* (Pieridae) Synonym(s): *scaeva* Röber,1909; *pallens* Röber,1924
55425) *Catacticta scurra Röber,1924* (Pieridae) Synonym(s): *scurra* Röber,1924; *browni* Reissinger,1972; *confusa* Reissinger,1972
55426) *Catacticta scurra scurra Röber,1924* (Pieridae) Synonym(s): *scurra* Röber,1924; *browni* Reissinger,1972; *confusa* Reissinger,1972
55427) *Catacticta seitzii Lathy & Rosenberg,1912* (Pieridae) Synonym(s): *seitzii* Lathy & Rosenberg,1912
55428) *Catacticta seitzii blanca Reissinger,1972* (Pieridae) Synonym(s): *blanca* Reissinger,1972
55429) *Catacticta seitzii seitzii Lathy & Rosenberg,1912* (Pieridae) Synonym(s): *seitzii* Lathy & Rosenberg,1912
55430) *Catacticta seitzii zana F.M.Brown,1939* (Pieridae) Synonym(s): *zana* F.M.Brown,1939
55431) *Catacticta sella Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *sella* Eitschberger & T.Racheli,1998
55432) *Catacticta sella dognini Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *dognini* Eitschberger & T.Racheli,1998
55433) *Catacticta sella sella Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *sella* Eitschberger & T.Racheli,1998
55434) *Catacticta semiramis (Lucas,1852)* (Pieridae) Synonym(s): *semiramis* Lucas,1852
55435) *Catacticta semiramis palla F.M.Brown,1939* (Pieridae) Synonym(s): *palla* F.M.Brown,1939; *hammurabi* Reissinger,1972
55436) *Catacticta semiramis salomon Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s): *salomon* Eitschberger & T.Racheli,1998
55437) *Catacticta semiramis semiramis (Lucas,1852)* (Pieridae) Synonym(s): *semiramis* Lucas,1852

- 55438) *Catacticta sinapina* Butler, 1896 (Pieridae) Synonym(s): *sinapina* Butler, 1896
 55439) *Catacticta sinapina sinapina* Butler, 1896 (Pieridae) Synonym(s): *sinapina* Butler, 1896
 55440) *Catacticta sinapina subflava* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *subflava* Lathy & Rosenberg, 1912; *roeberi* Reissinger, 1972
 55441) *Catacticta sisamnus* (Fabricius, 1793) (Pieridae) Synonym(s): *sisamnus* Fabricius, 1793; *pitana* C.Felder & R.Felder, 1865; *flava* Röber, 1908; *flora Apollinar-Maria*, 1926
 55442) *Catacticta sisamnus bithyna* Röber, 1924 (Pieridae) Synonym(s): *bithyna* Röber, 1924
 55443) *Catacticta sisamnus lisa* Reissinger, 1969 (Pieridae) Synonym(s): *lisa* Reissinger, 1969
 55444) *Catacticta sisamnus merida* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *merida* Eitschberger & T.Racheli, 1998
 55445) *Catacticta sisamnus sisamnus* (Fabricius, 1793) (Pieridae) Synonym(s): *sisamnus* Fabricius, 1793; *pitana* C.Felder & R.Felder, 1865; *flava* Röber, 1908; *flora Apollinar-Maria*, 1926
 55446) *Catacticta sisamnus smalli* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *smalli* Eitschberger & T.Racheli, 1998
 55447) *Catacticta sisamnus telasco* (Lucas, 1852) (Pieridae) Synonym(s): *telasco* Lucas, 1852; *argolis* Röber, 1924
 55448) *Catacticta sisamnus yungaica* Forster, 1955 (Pieridae) Synonym(s): *yungaica* Forster, 1955
 55449) *Catacticta smithi* F.M.Brown & Gabriel, 1939 (Pieridae) Synonym(s): *smithi* F.M.Brown & Gabriel, 1939
 55450) *Catacticta smithi smithi* F.M.Brown & Gabriel, 1939 (Pieridae) Synonym(s): *smithi* F.M.Brown & Gabriel, 1939
 55451) *Catacticta soccorensis* Fassl, 1915 (Pieridae) Synonym(s): *soccorensis* Fassl, 1915
 55452) *Catacticta soccorensis cotopaxiensis* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *cotopaxiensis* Eitschberger & T.Racheli, 1998
 55453) *Catacticta soccorensis soccorensis* Fassl, 1915 (Pieridae) Synonym(s): *soccorensis* Fassl, 1915
 55454) *Catacticta suadela* (Hoppfer, 1874) (Pieridae) Synonym(s): *suadela* Hoppfer, 1874
 55455) *Catacticta suadela suadela* (Hoppfer, 1874) (Pieridae) Synonym(s): *suadela* Hoppfer, 1874
 55456) *Catacticta suasa* Röber, 1908 (Pieridae) Synonym(s): *suasa* Röber, 1908
 55457) *Catacticta suasa pacis* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *pacis* Eitschberger & T.Racheli, 1998
 55458) *Catacticta suasa suasa* Röber, 1908 (Pieridae) Synonym(s): *suasa* Röber, 1908
 55459) *Catacticta susiana* (Hoppfer, 1874) (Pieridae) Synonym(s): *susiana* Hoppfer, 1874; *plesseni* Röber, 1908
 55460) *Catacticta susiana acomayo* Reissinger, 1972 (Pieridae) Synonym(s): *acomayo* Reissinger, 1972
 55461) *Catacticta susiana amba* F.M.Brown, Gabriel & Goodson, 1940 (Pieridae) Synonym(s): *amba* F.M.Brown, Gabriel & Goodson, 1940
 55462) *Catacticta susiana galbinea* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *galbinea* Eitschberger & T.Racheli, 1998
 55463) *Catacticta susiana igneata* Reissinger, 1972 (Pieridae) Synonym(s): *igneata* Reissinger, 1972
 55464) *Catacticta susiana sebundoia* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *sebundoia* Eitschberger & T.Racheli, 1998
 55465) *Catacticta susiana susiana* (Hoppfer, 1874) (Pieridae) Synonym(s): *susiana* Hoppfer, 1874; *plesseni* Röber, 1908
 55466) *Catacticta susiana tamboensis* Joicey & Talbot, 1918 (Pieridae) Synonym(s): *tamboensis* Joicey & Talbot, 1918
 55467) *Catacticta teutamis* (Hewitson, 1860) (Pieridae) Synonym(s): *teutamis* Hewitson, 1860
 55468) *Catacticta teutamis epimene* (Hewitson, 1870) (Pieridae) Synonym(s): *epimene* Hewitson, 1870
 55469) *Catacticta teutamis moyobamba* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *moyobamba* Eitschberger & T.Racheli, 1998
 55470) *Catacticta teutamis teutamis* (Hewitson, 1860) (Pieridae) Synonym(s): *teutamis* Hewitson, 1860
 55471) *Catacticta teutila* (Doubleday, 1847) (Pieridae) Synonym(s): *teutila* Doubleday, 1847; *sebennica* Lucas, 1852
 55472) *Catacticta teutila eudoica* (Reakirt, 1863) (Pieridae) Synonym(s): *eudoica* Reakirt, 1863; *#flavifaciata* De La Maza, 1977; *flavifaciata* Beutelspacher, 1986
 55473) *Catacticta teutila flavomaculata* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *flavomaculata* Lathy & Rosenberg, 1912; *reneda* Fruhstorfer, 1915
 55474) *Catacticta teutila teutila* (Doubleday, 1847) (Pieridae) Synonym(s): *teutila* Doubleday, 1847; *sebennica* Lucas, 1852
 55475) *Catacticta theresa* Butler & Druce, 1874 (Pieridae) Synonym(s): *theresa* Butler & Druce, 1874
 55476) *Catacticta toca* (Doubleday, 1847) (Pieridae) Synonym(s): *toca* Doubleday, 1847
 55477) *Catacticta toca detrita* Röber, 1909 (Pieridae) Synonym(s): *detrita* Röber, 1909; *tocata* Reissinger, 1972
 55478) *Catacticta toca toca* (Doubleday, 1847) (Pieridae) Synonym(s): *toca* Doubleday, 1847
 55479) *Catacticta tomyris* (C.Felder & R.Felder, 1865) (Pieridae) Synonym(s): *tomyris* C.Felder & R.Felder, 1865
 55480) *Catacticta tomyris barbara* Reissinger, 1969 (Pieridae) Synonym(s): *barbara* Reissinger, 1969
 55481) *Catacticta tomyris myris* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *myris* Eitschberger & T.Racheli, 1998
 55482) *Catacticta tomyris subtamina* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *subtamina* Eitschberger & T.Racheli, 1998
 55483) *Catacticta tomyris subtommyris* Reissinger, 1972 (Pieridae) Synonym(s): *subtommyris* Reissinger, 1972
 55484) *Catacticta tomyris tamina* Röber, 1909 (Pieridae) Synonym(s): *tamina* Röber, 1909
 55485) *Catacticta tomyris tomyris* (C.Felder & R.Felder, 1865) (Pieridae) Synonym(s): *tomyris* C.Felder & R.Felder, 1865
 55486) *Catacticta tricolor* Butler, 1897 (Pieridae) Synonym(s): *tricolor* Butler, 1897
 55487) *Catacticta tricolor tomasi* Wojtusiak & Rey, 1999 (Pieridae) Synonym(s): *tomi* Wojtusiak & Rey, 1999
 55488) *Catacticta troezene* (C.Felder & R.Felder, 1865) (Pieridae) Synonym(s): *troezene* C.Felder & R.Felder, 1865; *zancle troezene* C.Felder & R.Felder, 1865; *latiplaga* Röber, 1924; *lactaea* Avinoff, 1926
 55489) *Catacticta troezene gelba* F.M.Brown & Gabriel, 1939 (Pieridae) Synonym(s): *gelba* F.M.Brown & Gabriel, 1939
 55490) *Catacticta troezene troezene* (C.Felder & R.Felder, 1865) (Pieridae) Synonym(s): *troezene* C.Felder & R.Felder, 1865; *zancle troezene* C.Felder & R.Felder, 1865; *latiplaga* Röber, 1924; *lactaea* Avinoff, 1926
 55491) *Catacticta troezene troezenides* Röber, 1908 (Pieridae) Synonym(s): *troezenides* Röber, 1908
 55492) *Catacticta truncata* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *truncata* Lathy & Rosenberg, 1912
 55493) *Catacticta truncata truncata* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *truncata* Lathy & Rosenberg, 1912
 55494) *Catacticta truncata xanthotaenia* Röber, 1924 (Pieridae) Synonym(s): *xanthotaenia* Röber, 1924
 55495) *Catacticta uricocheae* (C.Felder & R.Felder, 1861) (Pieridae) Synonym(s): *uricocheae* C.Felder & R.Felder, 1861; *#flava* Krüger, 1925
 55496) *Catacticta uricocheae bouvieri* Apollinar-Maria, 1926 (Pieridae) Synonym(s): *bouvieri* Apollinar-Maria, 1926
 55497) *Catacticta uricocheae inopa* Wojtusiak & Rey, 1999 (Pieridae) Synonym(s): *inopa* Wojtusiak & Rey, 1999
 55498) *Catacticta uricocheae koenigi* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *koenigi* Eitschberger & T.Racheli, 1998
 55499) *Catacticta uricocheae rodriguezi* Eitschberger & T.Racheli, 1998 (Pieridae) Synonym(s): *rodriguezi* Eitschberger & T.Racheli, 1998
 55500) *Catacticta uricocheae uricocheae* (C.Felder & R.Felder, 1861) (Pieridae) Synonym(s): *uricocheae* C.Felder & R.Felder, 1861; *#flava* Krüger, 1925
 55501) *Catacticta uricocheae vulnerata* Butler, 1897 (Pieridae) Synonym(s): *vulnerata* Butler, 1897
 55502) *Catacticta watkinsi* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *watkinsi* Lathy & Rosenberg, 1912; *zanclidoides* Röber, 1924
 55503) *Catacticta watkinsi huanco* Reissinger, 1972 (Pieridae) Synonym(s): *huanco* Reissinger, 1972
 55504) *Catacticta watkinsi suffusa* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *suffusa* Lathy & Rosenberg, 1912
 55505) *Catacticta watkinsi watkinsi* Lathy & Rosenberg, 1912 (Pieridae) Synonym(s): *watkinsi* Lathy & Rosenberg, 1912; *zanclidoides* Röber, 1924
 55506) *Catopsilia florella* (Fabricius, 1775) (Pieridae) Synonym(s): *florella* Fabricius, 1775; *pyrene* Swainson, 1821; *hyblaea* & *rhadia* Boisduval, 1836; *marshallina* Bertolini, 1850; *aleurona* Butler, 1876; *rufosparsa* Butler, 1880; *swainsoni* Westwood, 1881.
 55507) *Catopsilia florella florella* (Fabricius, 1775) (Pieridae) Synonym(s): *florella* Fabricius, 1775; *pyrene* Swainson, 1821; *hyblaea* & *rhadia* Boisduval, 1836; *marshallina* Bertolini, 1850; *aleurona* Butler, 1876; *rufosparsa* Butler, 1880; *swainsoni* Westwood, 1881.
 55508) *Catopsilia gorgophone* (Boisduval, 1836) (Pieridae) Synonym(s): *gorgophone* Boisduval, 1836; *hinda* Butler, 1870
 55509) *Catopsilia mabiliei* Neustetter, 1929 (Pieridae) Synonym(s): *mabiliei* Neustetter, 1929
 55510) *Catopsilia mabiliei mabiliei* Neustetter, 1929 (Pieridae) Synonym(s): *mabiliei* Neustetter, 1929
 55511) *Catopsilia pomona* (Fabricius, 1775) (Pieridae) Synonym(s): *pomona* Fabricius, 1775; *crocale* Cramer, [1775]; *jugurtha* Cramer, [1777]; *catilla* Cramer, 1779; *hilaria* Stoll, 1781; *lalage* Herbst, 1792; *alcmene* Fabricius, 1793; *titania* Fabricius, 1798; *jugurthina* Godart, 1819; *endeer* Boisduval, 1832; *phlegeus* Wallace, 1867; *flava* Butler, 1869; *heera* Swinhoe, 1885; *flavescens* Fruhstorfer, 1910; *latilimbata* Fruhstorfer, 1910; *celebica* Fruhstorfer, 1910; *ostentata* Fruhstorfer, 1910; *micromalayana* Fruhstorfer, 1910; *rivalis* Fruhstorfer, 1910; *crocalina* Fruhstorfer, 1910; *citronella* Fruhstorfer, 1910; *nivescens* Fruhstorfer, 1910; *perspicua* Fruhstorfer, 1910; *serrata* Fruhstorfer, 1910; *bidotata* Fruhstorfer, 1910; *siscia* Fruhstorfer, 1910; *dionysides* Fruhstorfer, 1910; *pura* Lindner, 1924; *formosana* Sonan, 1930
 55512) *Catopsilia pomona pomona* (Fabricius, 1775) (Pieridae) Synonym(s): *pomona* Fabricius, 1775; *crocale* Cramer, [1775]; *jugurtha* Cramer, [1777]; *catilla* Cramer, 1779; *hilaria* Stoll, 1781; *lalage* Herbst, 1792; *alcmene* Fabricius, 1793; *titania* Fabricius, 1798; *jugurthina* Godart, 1819; *endeer* Boisduval, 1832; *phlegeus* Wallace, 1867; *flava* Butler, 1869; *heera* Swinhoe, 1885; *flavescens* Fruhstorfer, 1910; *latilimbata* Fruhstorfer, 1910; *celebica* Fruhstorfer, 1910; *ostentata* Fruhstorfer, 1910; *micromalayana* Fruhstorfer, 1910; *rivalis* Fruhstorfer, 1910; *crocalina* Fruhstorfer, 1910; *citronella* Fruhstorfer, 1910; *nivescens*

Fruhstorfer, 1910; perspicua Fruhstorfer, 1910; serrata Fruhstorfer, 1910; bidotata Fruhstorfer, 1910; siscia Fruhstorfer, 1910; dionysiades Fruhstorfer, 1910; pura Lindner, 1924; formosana Sonan, 1930

- 55513) *Catopsilia pyranthe* (Linnaeus, 1758) (Pieridae) Synonym(s): *pyranthe Linnaeus, 1758*
- 55514) *Catopsilia pyranthe pyranthe* (Linnaeus, 1758) (Pieridae) Synonym(s): *pyranthe Linnaeus, 1758*
- 55515) *Catopsilia scylla* (Linnaeus, 1763) (Pieridae) Synonym(s): *scylla Linnaeus, 1763; etesia Hewitson, 1867*
- 55516) *Catopsilia scylla asema* Staudinger, 1885 (Pieridae) Synonym(s): *asema Staudinger, 1885*
- 55517) *Catopsilia scylla cornelia* (Fabricius, 1787) (Pieridae) Synonym(s): *cornelia Fabricius, 1787; chengkong Chen, 1974*
- 55518) *Catopsilia thauruma* (Reakirt, 1866) (Pieridae) Synonym(s): *thauruma Reakirt, 1866*
- 55519) *Catopsilia thauruma thauruma* (Reakirt, 1866) (Pieridae) Synonym(s): *thauruma Reakirt, 1866*
- 55520) *Cepora abnormis* (Wallace, 1867) (Pieridae) Synonym(s): *abnormis Wallace, 1867*
- 55521) *Cepora abnormis abnormis* (Wallace, 1867) (Pieridae) Synonym(s): *abnormis Wallace, 1867*
- 55522) *Cepora abnormis euryxantha* Honrath, 1891 (Pieridae) Synonym(s): *euryxantha Honrath, 1891*
- 55523) *Cepora aspasia* (Stoll, 1782) (Pieridae) Synonym(s): *aspasia Stoll, 1782; jael Wallace, 1867*
- 55524) *Cepora aspasia anaitis* Fruhstorfer, 1910 (Pieridae) Synonym(s): *anaitis Fruhstorfer, 1910*
- 55525) *Cepora aspasia aspasia* (Stoll, 1782) (Pieridae) Synonym(s): *aspasia Stoll, 1782*
- 55526) *Cepora aspasia aspasia Fruhstorfer, 1904* (Pieridae) Synonym(s): *aspasia Fruhstorfer, 1904*
- 55527) *Cepora aspasia emma* Vollenhoven, 1865 (Pieridae) Synonym(s): *emma Vollenhoven, 1865; thais Röber, 1927*
- 55528) *Cepora aspasia fulcinea* Fruhstorfer, 1911 (Pieridae) Synonym(s): *fulcinea Fruhstorfer, 1911*
- 55529) *Cepora aspasia hester* Vollenhoven, 1865 (Pieridae) Synonym(s): *hester Vollenhoven, 1865*
- 55530) *Cepora aspasia irma* Fruhstorfer, 1910 (Pieridae) Synonym(s): *irma Fruhstorfer, 1910*
- 55531) *Cepora aspasia olga* Eschscholtz, 1821 (Pieridae) Synonym(s): *olga Eschscholtz, 1821*
- 55532) *Cepora aspasia olgina* (Staudinger, 1889) (Pieridae) Synonym(s): *olgina Staudinger, 1889*
- 55533) *Cepora aspasia orantia* Fruhstorfer, 1910 (Pieridae) Synonym(s): *orantia Fruhstorfer, 1910*
- 55534) *Cepora aspasia phokaia* Fruhstorfer, 1910 (Pieridae) Synonym(s): *phokaia Fruhstorfer, 1910*
- 55535) *Cepora aspasia poetelia* Fruhstorfer, 1910 (Pieridae) Synonym(s): *poetelia Fruhstorfer, 1910*
- 55536) *Cepora aspasia rhemia* Fruhstorfer, 1910 (Pieridae) Synonym(s): *rhemia Fruhstorfer, 1910*
- 55537) *Cepora aspasia tol mida* Fruhstorfer, 1911 (Pieridae) Synonym(s): *tol mida Fruhstorfer, 1911*
- 55538) *Cepora aspasia zisca* Fruhstorfer, 1899 (Pieridae) Synonym(s): *zisca Fruhstorfer, 1899*
- 55539) *Cepora boisduvaliana* (C. Felder & R. Felder, 1862) (Pieridae) Synonym(s): *boisduvaliana C. Felder & R. Felder, 1862*
- 55540) *Cepora boisduvaliana balbagona* Semper, 1890 (Pieridae) Synonym(s): *balbagona Semper, 1890*
- 55541) *Cepora boisduvaliana boisduvaliana* (C. Felder & R. Felder, 1862) (Pieridae) Synonym(s): *boisduvaliana C. Felder & R. Felder, 1862*
- 55542) *Cepora boisduvaliana cebuensis* Schröder, 1977 (Pieridae) Synonym(s): *cebuensis Schröder, 1977*
- 55543) *Cepora boisduvaliana cirta* Fruhstorfer, 1910 (Pieridae) Synonym(s): *cirta Fruhstorfer, 1910*
- 55544) *Cepora boisduvaliana leytensis* M. Okano & T. Okano, 1991 (Pieridae) Synonym(s): *leytensis M. Okano & T. Okano, 1991*
- 55545) *Cepora boisduvaliana negrosensis* M. Okano & T. Okano, 1991 (Pieridae) Synonym(s): *negrosensis M. Okano & T. Okano, 1991*
- 55546) *Cepora boisduvaliana semperi* Staudinger, 1890 (Pieridae) Synonym(s): *semperi Staudinger, 1890*
- 55547) *Cepora boisduvaliana sibuyanensis* Schröder, 1977 (Pieridae) Synonym(s): *sibuyanensis Schröder, 1977*
- 55548) *Cepora iudith* (Fabricius, 1787) (Pieridae) Synonym(s): *iudith Fabricius, 1787; aspasia Stoll, [1790] nec Fabr., 1787*
- 55549) *Cepora iudith aga* Fruhstorfer, 1902 (Pieridae) Synonym(s): *aga Fruhstorfer, 1902*
- 55550) *Cepora iudith amalia* Vollenhoven, 1865 (Pieridae) Synonym(s): *amalia Vollenhoven, 1865*
- 55551) *Cepora iudith eirene* Doherty, 1891 (Pieridae) Synonym(s): *eirene Doherty, 1891*
- 55552) *Cepora iudith ethel* Doherty, 1891 (Pieridae) Synonym(s): *ethel Doherty, 1891*
- 55553) *Cepora iudith hespera* Butler, 1899 (Pieridae) Synonym(s): *hespera Butler, 1899*
- 55554) *Cepora iudith iudith* (Fabricius, 1787) (Pieridae) Synonym(s): *iudith Fabricius, 1787; aspasia Stoll, [1790] nec Fabr., 1787*
- 55555) *Cepora iudith lea* (Doubleday, 1846) (Pieridae) Synonym(s): *lea Doubleday, 1846; continentalis Röber, 1927*
- 55556) *Cepora iudith malaya* Fruhstorfer, 1899 (Pieridae) Synonym(s): *malaya Fruhstorfer, 1899*
- 55557) *Cepora iudith meridionalis* (Fruhstorfer, 1899) (Pieridae) Synonym(s): *meridionalis Fruhstorfer, 1899*
- 55558) *Cepora iudith montana* (Fruhstorfer, 1899) (Pieridae) Synonym(s): *montana Fruhstorfer, 1899*
- 55559) *Cepora iudith naomi* Wallace, 1867 (Pieridae) Synonym(s): *naomi Wallace, 1867*
- 55560) *Cepora iudith natuna* Fruhstorfer, 1899 (Pieridae) Synonym(s): *natuna Fruhstorfer, 1899*
- 55561) *Cepora iudith oberthueri* Röber, 1892 (Pieridae) Synonym(s): *oberthueri Röber, 1892*
- 55562) *Cepora iudith selma* (Weymer, 1885) (Pieridae) Synonym(s): *selma Weymer, 1885*
- 55563) *Cepora iudith siamensis* (Butler, 1899) (Pieridae) Synonym(s): *siamensis Butler, 1899; aora Pendlebury, 1933*
- 55564) *Cepora iudith talboti* Corbet, 1937 (Pieridae) Synonym(s): *talboti Corbet, 1937*
- 55565) *Cepora laeta* Hewitson, 1860 (Pieridae) Synonym(s): *laeta Hewitson, 1860*
- 55566) *Cepora nadina* Lucas, 1852 (Pieridae) Synonym(s): *nadina Lucas, 1852*
- 55567) *Cepora nadina nadina* Lucas, 1852 (Pieridae) Synonym(s): *nadina Lucas, 1852*
- 55568) *Cepora nerissa* (Fabricius, 1775) (Pieridae) Synonym(s): *nerissa Fabricius, 1775*
- 55569) *Cepora nerissa dapha* Moore, 1879 (Pieridae) Synonym(s): *dapha Moore, 1879*
- 55570) *Cepora nerissa nerissa* (Fabricius, 1775) (Pieridae) Synonym(s): *nerissa Fabricius, 1775*
- 55571) *Cepora perimale* (Donovan, 1805) (Pieridae) Synonym(s): *perimale Donovan, 1805; lanassa Boisduval, 1836; nabis Lucas, 1852; periclea Felder & Felder, 1865; narses Wallace, 1867; hartei Ribbe, 1901*
- 55572) *Cepora perimale acrisa* (Boisduval, 1859) (Pieridae) Synonym(s): *acrisa Boisduval, 1859*
- 55573) *Cepora perimale agnata* Grose-Smith, 1889 (Pieridae) Synonym(s): *agnata Grose-Smith, 1889*
- 55574) *Cepora perimale babberica* Fruhstorfer, 1903 (Pieridae) Synonym(s): *babberica Fruhstorfer, 1903*
- 55575) *Cepora perimale bolana* Fruhstorfer, 1903 (Pieridae) Synonym(s): *bolana Fruhstorfer, 1903*
- 55576) *Cepora perimale chrysopsis* Fruhstorfer, 1910 (Pieridae) Synonym(s): *chrysopsis Fruhstorfer, 1910*
- 55577) *Cepora perimale consanguis* Butler, 1883 (Pieridae) Synonym(s): *consanguis Butler, 1883*
- 55578) *Cepora perimale discolor* Mathew, 1887 (Pieridae) Synonym(s): *discolor Mathew, 1887*
- 55579) *Cepora perimale dohertyana* Grose-Smith, 1894 (Pieridae) Synonym(s): *dohertyana Grose-Smith, 1894*
- 55580) *Cepora perimale latilimbata* Butler, 1876 (Pieridae) Synonym(s): *latilimbata Butler, 1876*
- 55581) *Cepora perimale leucophorus* Grose-Smith, 1897 (Pieridae) Synonym(s): *leucophorus Grose-Smith, 1897*
- 55582) *Cepora perimale macdonaldi* (Ribbe, 1899) (Pieridae) Synonym(s): *macdonaldi Ribbe, 1899*
- 55583) *Cepora perimale maculata* Grose-Smith, 1896 (Pieridae) Synonym(s): *maculata Grose-Smith, 1896*
- 55584) *Cepora perimale mithra* Fruhstorfer, 1903 (Pieridae) Synonym(s): *mithra Fruhstorfer, 1903*
- 55585) *Cepora perimale perictione* (C. Felder & R. Felder, 1865) (Pieridae) Synonym(s): *perictione C. Felder & R. Felder, 1865*
- 55586) *Cepora perimale perimale* (Donovan, 1805) (Pieridae) Synonym(s): *perimale Donovan, 1805; lanassa Boisduval, 1836; nabis Lucas, 1852; periclea C. Felder & R. Felder, 1865; narses Wallace, 1867; hartei Ribbe, 1901*
- 55587) *Cepora perimale pityna* Fruhstorfer, 1903 (Pieridae) Synonym(s): *pityna Fruhstorfer, 1903*
- 55588) *Cepora perimale pitys* (Godart, 1819) (Pieridae) Synonym(s): *pitys Godart, 1819*
- 55589) *Cepora perimale pygmaea* Röber, 1891 (Pieridae) Synonym(s): *pygmaea Röber, 1891*
- 55590) *Cepora perimale radiata* Howarth (Pieridae) Synonym(s): *radiata Howarth*
- 55591) *Cepora perimale scyllara* (Macleay, 1826) (Pieridae) Synonym(s): *scyllara Macleay, 1826*
- 55592) *Cepora perimale wallaceana* (C. Felder & R. Felder, 1865) (Pieridae) Synonym(s): *wallaceana C. Felder & R. Felder, 1865*
- 55593) *Cepora perimale wetteri* Grose-Smith, 1898 (Pieridae) Synonym(s): *wetteri Grose-Smith, 1898*
- 55594) *Colias (Eriocolias) adelaidae* Verhulst, 1991 (Pieridae) Synonym(s): *adelaidae Verhulst, 1991*
- 55595) *Colias (Eriocolias) adelaidae adelaidae* Verhulst, 1991 (Pieridae) Synonym(s): *adelaidae Verhulst, 1991*
- 55596) *Colias (Eriocolias) adelaidae karmalana* Grieshuber, 1999 (Pieridae) Synonym(s): *karmalana Grieshuber, 1999*
- 55597) *Colias (Eriocolias) aegidii* Verhulst, 1990 (Pieridae) Synonym(s): *aegidii Verhulst, 1990*
- 55598) *Colias (Eriocolias) alpherakii* Staudinger, 1882; #*leucophryna Groum-Grshimailo, 1893.*

- 55599) *Colias* (Eriocolias) *alpherakii* aljinshana Huang & Muruyama,1992 (Pieridae) Synonym(s): *aljinshana* Huang & Muruyama,1992
- 55600) *Colias* (Eriocolias) *alpherakii* alpherakii Staudinger,1882 (Pieridae) Synonym(s): *alpherakii* Staudinger,1882; *#leucophryna* Groum-Grshimailo,1893.
- 55601) *Colias* (Eriocolias) *alpherakii* kohibaba Wyatt & Omoto,1966 (Pieridae) Synonym(s): *kohibaba* Wyatt & Omoto,1966
- 55602) *Colias* (Eriocolias) *alpherakii* pakistana Koçak,1990 (Pieridae) Synonym(s): *chitralensis* Verity,1911 nec Mre,1905; *pakistana* Koçak,1990
- 55603) *Colias* (Eriocolias) *alpherakii* roschana Groum-Grshimailo,1893 (Pieridae) Synonym(s): *roschana* Groum-Grshimailo,1893; *versa* Verity,1911.
- 55604) *Colias* (Eriocolias) *alpherakii* tashkurgonica Keskiö,1997 (Pieridae) Synonym(s): *tashkurgonica* Keskiö,1997
- 55605) *Colias* (Eriocolias) *alpherakii* usmatica Stshetkin,1990 (Pieridae) Synonym(s): *usmatica* Stshetkin,1990
- 55606) *Colias* (Eriocolias) *arida* Alpheraky,1889 (Pieridae) Synonym(s): *arida* Alpheraky,1889; *cana* Groum-Grshimailo,1890; *auritheme* Groum-Grshimailo,1890; *#eogenei* Verity,[1909]; *viridis* Verity.
- 55607) *Colias* (Eriocolias) *arida* adelaidae Verhulst,1991 (Pieridae) Synonym(s): *adelaidae* Verhulst,1991
- 55608) *Colias* (Eriocolias) *arida* arida Alpheraky,1889 (Pieridae) Synonym(s): *arida* Alpheraky,1889; *cana* Groum-Grshimailo,1890; *auritheme* Groum-Grshimailo,1890; *#eogenei* Verity,[1909]; *viridis* Verity.
- 55609) *Colias* (Eriocolias) *arida* baeckeri Kotsch,1929 (Pieridae) Synonym(s): *baeckeri* Kotsch,1929
- 55610) *Colias* (Eriocolias) *arida* cakana Rose & Schulte,1992 (Pieridae) Synonym(s): *cakana* Rose & Schulte,1992
- 55611) *Colias* (Eriocolias) *arida* muetingi Rose & Schulte,1992 (Pieridae) Synonym(s): *muetingi* Rose & Schulte,1992
- 55612) *Colias* (Eriocolias) *berylla* Fawcett,1904 (Pieridae) Synonym(s): *berylla* Fawcett,1904.
- 55613) *Colias* (Eriocolias) *berylla* berylla Fawcett,1904 (Pieridae) Synonym(s): *berylla* Fawcett,1904.
- 55614) *Colias* (Eriocolias) *berylla* pulchra Verity,[1911] (Pieridae) Synonym(s): *pulchra* Verity,[1911]
- 55615) *Colias* (Eriocolias) *christophi* Groum-Grshimailo,1885 (Pieridae) Synonym(s): *christophi* Groum-Grshimailo,1885; *helialaica* Schulte,1988.
- 55616) *Colias* (Eriocolias) *christophi* christophi Groum-Grshimailo,1885 (Pieridae) Synonym(s): *christophi* Groum-Grshimailo,1885; *helialaica* Schulte,1988.
- 55617) *Colias* (Eriocolias) *christophi* heidei Kotsch,1929 (Pieridae) Synonym(s): *heidei* Kotsch,1929
- 55618) *Colias* (Eriocolias) *christophi* kali Korb,1999 (Pieridae) Synonym(s): *kali* Korb,1999
- 55619) *Colias* (Eriocolias) *chrysotheme* (Esper,[1781]) (Pieridae) Synonym(s): *chrysotheme* Esper,[1781]
- 55620) *Colias* (Eriocolias) *chrysotheme* audre Hemming,1933 (Pieridae) Synonym(s): *sibirica* Groum-Grshimailo,1893; *#standfussi* Groum-Grshimailo,1893; *audre* Hemming,1933.
- 55621) *Colias* (Eriocolias) *chrysotheme* caspius Stichel,1911 (Pieridae) Synonym(s): *caspius* Stichel,1911
- 55622) *Colias* (Eriocolias) *chrysotheme* chrysotheme (Esper,[1781]) (Pieridae) Synonym(s): *chrysotheme* Esper,[1781]
- 55623) *Colias* (Eriocolias) *chrysotheme* schugorowi Krulikowsky,1906 (Pieridae) Synonym(s): *#schugorowi* Krulikowsky,1906; *schugorowi* Verity,[1911].
- 55624) *Colias* (Eriocolias) *cocandica* Erschoff,1874 (Pieridae) Synonym(s): *cocandica* Erschoff,1874; *#hybrida* Groum-Grshimailo,1893; *#galba* Groum-Grshimailo,1893.
- 55625) *Colias* (Eriocolias) *cocandica* cocandica Erschoff,1874 (Pieridae) Synonym(s): *cocandica* Erschoff,1874; *#hybrida* Groum-Grshimailo,1893; *#galba* Groum-Grshimailo,1893.
- 55626) *Colias* (Eriocolias) *cocandica* hinducucica Verity,[1911] (Pieridae) Synonym(s): *hinducucica* Verity,[1911]
- 55627) *Colias* (Eriocolias) *cocandica* maja Groum-Grshimailo,1890 (Pieridae) Synonym(s): *maja* Groum-Grshimailo,1897
- 55628) *Colias* (Eriocolias) *cocandica* nastoides Verity,[1911] (Pieridae) Synonym(s): *nastoides* Verity,[1911]
- 55629) *Colias* (Eriocolias) *cocandica* richthofeni O.Bang-Haas,1927 (Pieridae) Synonym(s): *richthofeni* O.Bang-Haas,1927
- 55630) *Colias* (Eriocolias) *cocandica* tamerlana Staudinger,[1897] (Pieridae) Synonym(s): *tamerlana* Staudinger,[1897]
- 55631) *Colias* (Eriocolias) *cocandica* tatarica O.Bang-Haas,1915 (Pieridae) Synonym(s): *tatarica* O.Bang-Haas,1915
- 55632) *Colias* (Eriocolias) *cocandica* tibetana Riley,1923 (Pieridae) Synonym(s): *tibetana* Riley,1923
- 55633) *Colias* (Eriocolias) *crocea* (Fourcroy,1785) (Pieridae) Synonym(s): *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893.
- 55634) *Colias* (Eriocolias) *crocea* crocea (Fourcroy,1785) (Pieridae) Synonym(s): *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893.
- 55635) *Colias* (Eriocolias) *crocea* deserticola Verity,1909 (Pieridae) Synonym(s): *deserticola* Verity,1909
- 55636) *Colias* (Eriocolias) *diva* Groum-Grshimailo,1890 (Pieridae) Synonym(s): *diva* Groum-Grshimailo,1890
- 55637) *Colias* (Eriocolias) *diva* diva Groum-Grshimailo,1890 (Pieridae) Synonym(s): *diva* Groum-Grshimailo,1890
- 55638) *Colias* (Eriocolias) *draconis* Groum-Grshimailo,1890 (Pieridae) Synonym(s): *draconis* Groum-Grshimailo,1890
- 55639) *Colias* (Eriocolias) *draconis* draconis Groum-Grshimailo,1890 (Pieridae) Synonym(s): *draconis* Groum-Grshimailo,1890
- 55640) *Colias* (Eriocolias) *dubia* Elwes,1906 (Pieridae) Synonym(s): *dubia* Elwes,1906
- 55641) *Colias* (Eriocolias) *dubia* dubia Elwes,1906 (Pieridae) Synonym(s): *dubia* Elwes,1906
- 55642) *Colias* (Eriocolias) *electo* (Linnaeus,1763) (Pieridae) Synonym(s): *electo* Linnaeus,1763; *electra* Linnaeus,1767; *palaeno* Stoll,[1781] nec Linnaeus,1761; *aurivillius* Keferstein,1883.
- 55643) *Colias* (Eriocolias) *electo* electo (Linnaeus,1763) (Pieridae) Synonym(s): *electo* Linnaeus,1763; *electra* Linnaeus,1767; *palaeno* Stoll,[1781] nec Linnaeus,1761; *aurivillius* Keferstein,1883.
- 55644) *Colias* (Eriocolias) *electo* hecate Strecker,1900 (Pieridae) Synonym(s): *hecate* Strecker,1900; *#katangae* Berger,1940; *#bunda* Berger,1940; *#elisabethae* Berger,1940.
- 55645) *Colias* (Eriocolias) *electo* manengoubensis Darge,1968 (Pieridae) Synonym(s): *manengoubensis* Darge,1968
- 55646) *Colias* (Eriocolias) *electo* meneliki Berger,1940 (Pieridae) Synonym(s): *meneliki* Berger,1940; *#bafanae* Berger,1940; *#pauper* Berger,1953; *philbyi* Berger,1953.
- 55647) *Colias* (Eriocolias) *electo* mukana Berger,1981 (Pieridae) Synonym(s): *mukana* Berger,1981
- 55648) *Colias* (Eriocolias) *electo* pseudohecate Berger,1940 (Pieridae) Synonym(s): *pseudohecate* Berger,1940
- 55649) *Colias* (Eriocolias) *elena* Gorbunov,1995 (Pieridae) Synonym(s): *elena* Gorbunov,1995
- 55650) *Colias* (Eriocolias) *elena* elena Gorbunov,1995 (Pieridae) Synonym(s): *elena* Gorbunov,1995
- 55651) *Colias* (Eriocolias) *eogene* C.Felder & R.Felder,[1865] (Pieridae) Synonym(s): *eogene* C.Felder & R.Felder,[1865]
- 55652) *Colias* (Eriocolias) *eogene* aphrodite Verity,[1909] (Pieridae) Synonym(s): *aphrodite* Verity,[1909].
- 55653) *Colias* (Eriocolias) *eogene* elissa Groum-Grshimailo,1890 (Pieridae) Synonym(s): *elissa* Groum-Grshimailo,1890; *#brunneoviridis* Verity,[1909].
- 55654) *Colias* (Eriocolias) *eogene* eogene C.Felder & R.Felder,[1865] (Pieridae) Synonym(s): *eogene* Felder & Felder,[1865]
- 55655) *Colias* (Eriocolias) *eogene* ericae Peschke,1934 (Pieridae) Synonym(s): *ericae* Peschke,1934
- 55656) *Colias* (Eriocolias) *eogene* erythas Groum-Grshimailo,1890 (Pieridae) Synonym(s): *erythas* Groum-Grshimailo,1890
- 55657) *Colias* (Eriocolias) *eogene* francesca Watkins,1927 (Pieridae) Synonym(s): *francesca* Watkins,1927
- 55658) *Colias* (Eriocolias) *eogene* shandura Evans,1926 (Pieridae) Synonym(s): *shandura* Evans,1926
- 55659) *Colias* (Eriocolias) *erschoffii* Alpheraky,1881 (Pieridae) Synonym(s): *erschoffii* Alpheraky,1881; *tancrei* Austaut,1890; *aurantiaca* Verity,1909; *aurantiacoflava* Verity,1909.
- 55660) *Colias* (Eriocolias) *erschoffii* erschoffii Alpheraky,1881 (Pieridae) Synonym(s): *erschoffii* Alpheraky,1881; *tancrei* Austaut,1890; *aurantiaca* Verity,1909; *aurantiacoflava* Verity,1909.
- 55661) *Colias* (Eriocolias) *felderi* Groum-Grshimailo,1890 (Pieridae) Synonym(s): *felderi* Groum-Grshimailo,1890
- 55662) *Colias* (Eriocolias) *felderi* felderi Groum-Grshimailo,1890 (Pieridae) Synonym(s): *felderi* Groum-Grshimailo,1890
- 55663) *Colias* (Eriocolias) *fieldii* Ménétériés,1855 (Pieridae) Synonym(s): *fieldii* Ménétériés,1855
- 55664) *Colias* (Eriocolias) *fieldii* edusina Felder,1860 (Pieridae) Synonym(s): *edusina* Felder,1860
- 55665) *Colias* (Eriocolias) *fieldii* fieldii Ménétériés,1855 (Pieridae) Synonym(s): *fieldii* Ménétériés,1855
- 55666) *Colias* (Eriocolias) *grumi* Alpheraky,1897 (Pieridae) Synonym(s): *grumi* Alpheraky,1897; *#evanescens* Verity,[1909].
- 55667) *Colias* (Eriocolias) *grumi* burchana Mracek & Schulte,1991 (Pieridae) Synonym(s): *burchana* Mracek & Schulte,1991
- 55668) *Colias* (Eriocolias) *grumi* grumi Alpheraky,1897 (Pieridae) Synonym(s): *grumi* Alpheraky,1897; *#evanescens* Verity,[1909].
- 55669) *Colias* (Eriocolias) *heos* (Herbst,1792) (Pieridae) Synonym(s): *aurora* Esper,1784 nec Cr.,1780; *heos* Herbst,1792; *chloe* Eversmann,1847; *sibirica* Lederer,1852; *semenovi* Stander,1960.
- 55670) *Colias* (Eriocolias) *heos* alpina Verity,[1911] (Pieridae) Synonym(s): *alpina* Verity,[1911]
- 55671) *Colias* (Eriocolias) *heos* decolorata Staudinger,1897 (Pieridae) Synonym(s): *decolorata* Staudinger,1897
- 55672) *Colias* (Eriocolias) *heos* heos (Herbst,1792) (Pieridae) Synonym(s): *aurora* Esper,1784 nec Cr.,1780; *heos* Herbst,1792; *chloe* Eversmann,1847; *sibirica* Lederer,1852.
- 55673) *Colias* (Eriocolias) *heos* vespera O.Bang-Haas,1927 (Pieridae) Synonym(s): *vespera* Bang-Haas,1927
- 55674) *Colias* (Eriocolias) *lada* Groum-Grshimailo,1890 (Pieridae) Synonym(s): *lada* Groum-Grshimailo,1890
- 55675) *Colias* (Eriocolias) *lada* lada Groum-Grshimailo,1890 (Pieridae) Synonym(s): *lada* Groum-Grshimailo,1890

- 55676) *Colias (Eriocolias) ladakensis* C.Felder & R.Felder,[1865] (Pieridae) Synonym(s): *ladakensis* C.Felder & R.Felder,[1865]
 55677) *Colias (Eriocolias) ladakensis ladakensis* C.Felder & R.Felder,[1865] (Pieridae) Synonym(s): *ladakensis* C.Felder & R.Felder,[1865]
 55678) *Colias (Eriocolias) leechi* Groum-Grshimailo,1893 (Pieridae) Synonym(s): *leechi* Groum-Grshimailo,1893
 55679) *Colias (Eriocolias) leechi leechi* Groum-Grshimailo,1893 (Pieridae) Synonym(s): *leechi* Groum-Grshimailo,1893
 55680) *Colias (Eriocolias) marcopolo* Groum-Grshimailo,1888 (Pieridae) Synonym(s): *marcopolo* Groum-Grshimailo,1888; #diana Schulte,1989.
 55681) *Colias (Eriocolias) marcopolo afghanipolo* Schulte,1977 (Pieridae) Synonym(s): *afghanipolo* Schulte,1977
 55682) *Colias (Eriocolias) marcopolo kushana* Wyatt & Omoto,1966 (Pieridae) Synonym(s): *kushana* Wyatt & Omoto,1966
 55683) *Colias (Eriocolias) marcopolo marcopolo* Groum-Grshimailo,1888 (Pieridae) Synonym(s): *marcopolo* Groum-Grshimailo,1888; #diana Schulte,1989.
 55684) *Colias (Eriocolias) montium* Oberthür,1886 (Pieridae) Synonym(s): *montium* Oberthür,1886
 55685) *Colias (Eriocolias) montium montium* Oberthür,1886 (Pieridae) Synonym(s): *montium* Oberthür,1886
 55686) *Colias (Eriocolias) nina* Fawcett,1904 (Pieridae) Synonym(s): *nina* Fawcett,1904
 55687) *Colias (Eriocolias) nina hingstoni* Riley,1927 (Pieridae) Synonym(s): *hingstoni* Riley,1927
 55688) *Colias (Eriocolias) nina nina* Fawcett,1904 (Pieridae) Synonym(s): *nina* Fawcett,1904
 55689) *Colias (Eriocolias) nina tsurpuana* Grieshuber,1996 (Pieridae) Synonym(s): *tsurpuana* Grieshuber,1996
 55690) *Colias (Eriocolias) regia* Groum-Grshimailo,1887 (Pieridae) Synonym(s): *regia* Groum-Grshimailo,1887
 55691) *Colias (Eriocolias) regia regia* Groum-Grshimailo,1887 (Pieridae) Synonym(s): *regia* Groum-Grshimailo,1887
 55692) *Colias (Eriocolias) romanovi* Groum-Grshimailo,1885 (Pieridae) Synonym(s): *romanovi* Groum-Grshimailo,1885
 55693) *Colias (Eriocolias) romanovi romanovi* Groum-Grshimailo,1885 (Pieridae) Synonym(s): *romanovi* Groum-Grshimailo,1885
 55694) *Colias (Eriocolias) romanovi seravschana* Lukhtanov,1999 (Pieridae) Synonym(s): *seravschana* Lukhtanov,1999
 55695) *Colias (Eriocolias) shahfuladi* Clench & Shoumatoff,1956 (Pieridae) Synonym(s): *shahfuladi* Clench & Shoumatoff,1956; #christinae Schulte,1989.
 55696) *Colias (Eriocolias) shahfuladi shahfuladi* Clench & Shoumatoff,1956 (Pieridae) Synonym(s): *shahfuladi* Clench & Shoumatoff,1956; #christinae Schulte,1989.
 55697) *Colias (Eriocolias) sieversi* Groum-Grshimailo,1887 (Pieridae) Synonym(s): *sieversi* Groum-Grshimailo,1887
 55698) *Colias (Eriocolias) sieversi sieversi* Groum-Grshimailo,1887 (Pieridae) Synonym(s): *sieversi* Groum-Grshimailo,1887
 55699) *Colias (Eriocolias) sifanica* Groum-Grshimailo,1890 (Pieridae) Synonym(s): *sifanica* Groum-Grshimailo,1890
 55700) *Colias (Eriocolias) sifanica herculeana* Bollow,1930 (Pieridae) Synonym(s): *herculeana* Bollow,1930
 55701) *Colias (Eriocolias) sifanica nebulosa* Oberthür,1894 (Pieridae) Synonym(s): *nebulosa* Oberthür,1894
 55702) *Colias (Eriocolias) sifanica sifanica* Groum-Grshimailo,1890 (Pieridae) Synonym(s): *sifanica* Groum-Grshimailo,1890
 55703) *Colias (Eriocolias) staudingeri* Alpheraky,1881 (Pieridae) Synonym(s): *staudingeri* Alpheraky,1881; alexandrina Verity,1909.
 55704) *Colias (Eriocolias) staudingeri emivittata* Verity,[1909] (Pieridae) Synonym(s): *emivittata* Verity,[1909]; flavolimbata Verity,[1909].
 55705) *Colias (Eriocolias) staudingeri maureri* Staudinger,1901 (Pieridae) Synonym(s): *maureri* Staudinger,1901
 55706) *Colias (Eriocolias) staudingeri pamira* Groum-Grshimailo,1890 (Pieridae) Synonym(s): *pamira* Groum-Grshimailo,1890
 55707) *Colias (Eriocolias) staudingeri staudingeri* Alpheraky,1881 (Pieridae) Synonym(s): *staudingeri* Alpheraky,1881; alexandrina Verity,1909.
 55708) *Colias (Eriocolias) stoliczkana* Moore,1878 (Pieridae) Synonym(s): *stoliczkana* Moore,1878
 55709) *Colias (Eriocolias) stoliczkana stoliczkana* Moore,1878 (Pieridae) Synonym(s): *stoliczkana* Moore,1878
 55710) *Colias (Eriocolias) stoliczkana wanda* Groum-Grshimailo,1890 (Pieridae) Synonym(s): *wanda* Groum-Grshimailo,1890
 55711) *Colias (Eriocolias) thisoa Ménétriés,1832* (Pieridae) Synonym(s): *thisoa Ménétriés,1832*; *helenia* Herrich-Schäffer,[1844]; *eos* Herrich-Schäffer,[1848]; #hudmilla Schulte,1989.
 55712) *Colias (Eriocolias) thisoa aeolides* Groum-Grshimailo,1890 (Pieridae) Synonym(s): *aeolides* Groum-Grshimailo,1890; *urumtsiensis* Verity,[1909]; #denticulata Verity,[1909].
 55713) *Colias (Eriocolias) thisoa irtyschensis* Lukhtanov,1999 (Pieridae) Synonym(s): *irtyschensis* Lukhtanov,1999
 55714) *Colias (Eriocolias) thisoa nikolaevi* Korshunov,1998 (Pieridae) Synonym(s): *nikolaevi* Korshunov,1998
 55715) *Colias (Eriocolias) thisoa shakuhensis* Sheljuzhko,1935 (Pieridae) Synonym(s): *shakuhensis* Sheljuzhko,1935
 55716) *Colias (Eriocolias) thisoa strandiana* Sheljuzhko,1935 (Pieridae) Synonym(s): *strandiana* Sheljuzhko,1935; *vera* Kotsch,1935; #viridis Kotsch,1935; #nigra Kotsch,1935.
 55717) *Colias (Eriocolias) thisoa thisoa Ménétriés,1832* (Pieridae) Synonym(s): *thisoa Ménétriés,1832*; *helenia* Herrich-Schäffer,[1844]; *eos* Herrich-Schäffer,[1848]; #hudmilla Schulte,1989.
 55718) *Colias (Eriocolias) thisoa urumtsiensis* Verity,1909 (Pieridae) Synonym(s): *urumtsiensis* Verity,1909
 55719) *Colias (Eriocolias) thrasibulus* Fruhstorfer,1910 (Pieridae) Synonym(s): *elwesi* Röber,1907 (nec); *thrasibulus* Fruhstorfer,1910
 55720) *Colias (Eriocolias) thrasibulus thrasibulus* Fruhstorfer,1910 (Pieridae) Synonym(s): *elwesi* Röber,1907 (nec); *thrasibulus* Fruhstorfer,1910
 55721) *Colias (Eriocolias) viluensis Ménétriés,1858* (Pieridae) Synonym(s): *viluensis* Ménétriés,1858
 55722) *Colias (Eriocolias) viluensis heliophora* Churkin & Grieshuber,2001 (Pieridae) Synonym(s):
 55723) *Colias (Eriocolias) viluensis viluensis Ménétriés,1858* (Pieridae) Synonym(s): *viluensis* Ménétriés,1858
 55724) *Colias (Eriocolias) wiskotti* Staudinger,1882 (Pieridae) Synonym(s): *wiskotti* Staudinger,1882
 55725) *Colias (Eriocolias) wiskotti aurea* Kotsch,1936 (Pieridae) Synonym(s): *aurea* Kotsch,1936
 55726) *Colias (Eriocolias) wiskotti chrysoptera* Groum-Grshimailo,1888 (Pieridae) Synonym(s): *chrysoptera* Groum-Grshimailo,1888
 55727) *Colias (Eriocolias) wiskotti hofmannorum* Eckweiler,2000 (Pieridae) Synonym(s): *hofmannorum* Eckweiler,2000
 55728) *Colias (Eriocolias) wiskotti ruckbeili* O.Bang-Haas,1927 (Pieridae) Synonym(s): *alexandra* Röber,1907 nec Edwards,1863; #rückbeili O.Bang-Haas,1927
 55729) *Colias (Eriocolias) wiskotti separata* Groum-Grshimailo,1888 (Pieridae) Synonym(s): *separata* Groum-Grshimailo,1888
 55730) *Colias (Eriocolias) wiskotti seres* Groum-Grshimailo,1890 (Pieridae) Synonym(s): *seres* Groum-Grshimailo,1890
 55731) *Colias (Eriocolias) wiskotti sweadneri* Clench & Shoumatoff,1956 (Pieridae) Synonym(s): *sweadneri* Clench & Shoumatoff,1956
 55732) *Colias (Eriocolias) wiskotti trichmirensis* Rose,2001 (Pieridae) Synonym(s): *trichmirensis* Rose,2001
 55733) *Colias (Eriocolias) wiskotti wiskotti* Staudinger,1882 (Pieridae) Synonym(s): *wiskotti* Staudinger,1882
 55734) *Colias (Eucolias) alexandra* W.H.Edwards,1863 (Pieridae) Synonym(s): *alexandra* W.H.Edwards,1863
 55735) *Colias (Eucolias) alexandra alexandra* W.H.Edwards,1863 (Pieridae) Synonym(s): *alexandra* W.H.Edwards,1863
 55736) *Colias (Eucolias) alexandra astra* W.H.Edwards,1872 (Pieridae) Synonym(s): *astraea* W.H.Edwards,1872
 55737) *Colias (Eucolias) alexandra christina* W.H.Edwards,1863 (Pieridae) Synonym(s): *christina* W.H.Edwards,1863
 55738) *Colias (Eucolias) alexandra columbiensis* Ferris,1973 (Pieridae) Synonym(s): *columbiensis* Ferris,1973
 55739) *Colias (Eucolias) alexandra harfordii* Hy.Edwards,1877 (Pieridae) Synonym(s): *harfordii* Hy.Edwards,1877; *barbara* Hy.Edwards,1877
 55740) *Colias (Eucolias) alexandra krauthii* Klots,1935 (Pieridae) Synonym(s): *krauthii* Klots,1935
 55741) *Colias (Eucolias) behrii* Edwards,1866 (Pieridae) Synonym(s): *behrii* Edwards,1866
 55742) *Colias (Eucolias) boothii* Curtis,1835 (Pieridae) Synonym(s): *boothi* Curtis,1835
 55743) *Colias (Eucolias) canadensis* Ferris,1982 (Pieridae) Synonym(s): *canadensis* Ferris,1982
 55744) *Colias (Eucolias) christina* Edwards,1863 (Pieridae) Synonym(s): *christina* Edwards,1863
 55745) *Colias (Eucolias) eurytheme* Boisduval,1852 (Pieridae) Synonym(s): *eurytheme* Boisduval,1852; *ariadne* Edwards,1870; *californiana* Menetries,1855; *keewaydin* Edwards,1869; *hybrida* Strecker,1878; *typica* Cockerell,1888; *alberta* Bowman,1942
 55746) *Colias (Eucolias) gigantea* Strecker,1900 (Pieridae) Synonym(s): *gigantea* Strecker,1900
 55747) *Colias (Eucolias) gigantea gigantea* Strecker,1900 (Pieridae) Synonym(s): *gigantea* Strecker,1900
 55748) *Colias (Eucolias) gigantea harroweri* Klots,1940 (Pieridae) Synonym(s): *harroweri* Klots,1940
 55749) *Colias (Eucolias) gigantea mayi* Chermock & Chermock,1940 (Pieridae) Synonym(s): *mayi* Chermock & Chermock,1940
 55750) *Colias (Eucolias) hecla* Lefébvre,1836 (Pieridae) Synonym(s): *hecla* Lefébvre,1836; *groenlandica* Heyne,1893
 55751) *Colias (Eucolias) hecla glacialis* MacLachan,1878 (Pieridae) Synonym(s): *glacialis* MacLachan,1878
 55752) *Colias (Eucolias) hecla hecla* Lefébvre,1836 (Pieridae) Synonym(s): *hecla* Lefébvre,1836
 55753) *Colias (Eucolias) hecla hecla* Strecker,1880 (Pieridae) Synonym(s): *hecla* Strecker,1880
 55754) *Colias (Eucolias) hecla sulitelma* Aurivillius,1890 (Pieridae) Synonym(s): *sulitelma* Aurivillius,1890
 55755) *Colias (Eucolias) hecla zamolodschikovi* Churkin & Grieshuber,2001 (Pieridae) Synonym(s): *zamolodschikovi* Churkin & Grieshuber,2001
 55756) *Colias (Eucolias) hyperborea* Groum-Grshimailo,1899 (Pieridae) Synonym(s): *hyperborea* Groum-Grshimailo,1899
 55757) *Colias (Eucolias) hyperborea hyperborea* Groum-Grshimailo,1899 (Pieridae) Synonym(s): *hyperborea* Groum-Grshimailo,1899
 55758) *Colias (Eucolias) hyperborea paradoxa* Churkin & Grieshuber,2001 (Pieridae) Synonym(s): *paradoxa* Churkin & Grieshuber,2001

- 55759) *Colias* (*Eucolias*) *hyperborea puella* Churkin & Grieshuber, 2001 (Pieridae) Synonym(s): *puella* Churkin & Grieshuber, 2001
- 55760) *Colias* (*Eucolias*) *interior* Scudder, 1862 (Pieridae) Synonym(s): *interior* Scudder, 1862
- 55761) *Colias* (*Eucolias*) *interior laurentina* Scudder, 1876 (Pieridae) Synonym(s): *laurentina* Scudder, 1876
- 55762) *Colias* (*Eucolias*) *interior vividior* Berger, 1945 (Pieridae) Synonym(s): *vividior* Berger, 1945
- 55763) *Colias* (*Eucolias*) *johanseni* (Pieridae) Synonym(s):
- 55764) *Colias* (*Eucolias*) *meadii* W.H. Edwards, 1871 (Pieridae) Synonym(s): *meadii* W.H. Edwards, 1871
- 55765) *Colias* (*Eucolias*) *meadii elis* Strecker, 1885 (Pieridae) Synonym(s): *elis* Strecker, 1885
- 55766) *Colias* (*Eucolias*) *nastes Boisduval*, 1832 (Pieridae) Synonym(s): *nastes* Boisduval, 1832
- 55767) *Colias* (*Eucolias*) *nastes aliaska* O. Bang-Haas, 1927 (Pieridae) Synonym(s): *aliaska* O. Bang-Haas, 1927
- 55768) *Colias* (*Eucolias*) *nastes cocandicides* Verity, 1911 (Pieridae) Synonym(s): *cocandicides* Verity, 1911
- 55769) *Colias* (*Eucolias*) *nastes dezhevi* Korshunov, 1995 (Pieridae) Synonym(s): *sibirica* Korshunov, 1970 nec Lederer, 1852; *dezhevi* Korshunov, 1995
- 55770) *Colias* (*Eucolias*) *nastes flinti* Churkin, Grieshuber et al., 2001 (Pieridae) Synonym(s): *flinti* Churkin, Grieshuber et al., 2001
- 55771) *Colias* (*Eucolias*) *nastes jacutica* Kurentsov, 1970 (Pieridae) Synonym(s): *jacutica* Kurentsov, 1970; *jacutica* Ferris, 1985; *jacuticola* Weiss & Mracek, 1989
- 55772) *Colias* (*Eucolias*) *nastes magadanica* Churkin, Grieshuber et al., 2001 (Pieridae) Synonym(s): *magadanica* Churkin, Grieshuber et al., 2001
- 55773) *Colias* (*Eucolias*) *nastes moina* Strecker, 1880 (Pieridae) Synonym(s): *moina* Strecker, 1880
- 55774) *Colias* (*Eucolias*) *nastes nastes* Boisduval, 1832 (Pieridae) Synonym(s): *nastes* Boisduval, 1832
- 55775) *Colias* (*Eucolias*) *nastes rossii* Guénée, 1864 (Pieridae) Synonym(s): *rossii* Guénée, 1864
- 55776) *Colias* (*Eucolias*) *nastes streckeri* Groum-Grshimailo, 1895 (Pieridae) Synonym(s): *streckeri* Groum-Grshimailo, 1895
- 55777) *Colias* (*Eucolias*) *nastes werdandi* Zetterstedt, 1840 (Pieridae) Synonym(s): *werdandi* Zetterstedt, 1840
- 55778) *Colias* (*Eucolias*) *occidentalis* Scudder, 1862 (Pieridae) Synonym(s): *occidentalis* Scudder, 1862
- 55779) *Colias* (*Eucolias*) *occidentalis chrysomelas* Hy. Edwards, 1877 (Pieridae) Synonym(s): *chrysomelas* Hy. Edwards, 1877
- 55780) *Colias* (*Eucolias*) *occidentalis pseudochristina* (Pieridae) Synonym(s):
- 55781) *Colias* (*Eucolias*) *palaeno* (Linnaeus, 1761) (Pieridae) Synonym(s): *palaeno* Linnaeus, 1761
- 55782) *Colias* (*Eucolias*) *palaeno chippewa* Edwards, 1870 (Pieridae) Synonym(s): *chippewa* Edwards, 1870
- 55783) *Colias* (*Eucolias*) *palaeno europome* (Esper, [1779]) (Pieridae) Synonym(s): *europome* Esper, [1779]
- 55784) *Colias* (*Eucolias*) *palaeno gomojunovae* Korshunov, 1996 (Pieridae) Synonym(s): *gomojunovae* Korshunov, 1996
- 55785) *Colias* (*Eucolias*) *palaeno orientalis* Staudinger, 1892 (Pieridae) Synonym(s): *orientalis* Staudinger, 1892; *#arctica* Verity, 1908; *sachalinensis* Matsumura, 1925
- 55786) *Colias* (*Eucolias*) *palaeno palaeno* (Linnaeus, 1761) (Pieridae) Synonym(s): *palaeno* Linnaeus, 1761
- 55787) *Colias* (*Eucolias*) *pelidne* Boisduval & Leconte, 1829 (Pieridae) Synonym(s): *pelidne* Boisduval & Leconte, 1829
- 55788) *Colias* (*Eucolias*) *pelidne minisini* Bean, 1895 (Pieridae) Synonym(s):
- 55789) *Colias* (*Eucolias*) *pelidne pelidne* Boisduval & Leconte, 1829 (Pieridae) Synonym(s):
- 55790) *Colias* (*Eucolias*) *pelidne skinneri* Barnes, 1897 (Pieridae) Synonym(s):
- 55791) *Colias* (*Eucolias*) *phicomone* (Esper, [1780]) (Pieridae) Synonym(s): *phicomone* Esper, [1780]
- 55792) *Colias* (*Eucolias*) *phicomone juliana* Hospital, 1948 (Pieridae) Synonym(s): *juliana* Hospital, 1948
- 55793) *Colias* (*Eucolias*) *phicomone phicomone* (Esper, [1780]) (Pieridae) Synonym(s): *phicomone* Esper, [1780]
- 55794) *Colias* (*Eucolias*) *philodice* Godart, [1819] (Pieridae) Synonym(s): *philodice* Godart, [1819]; *dorippe* Godart, [1819]; *maria* Edwards, 1884; *notatus* A. Clark & L. Clark, 1941
- 55795) *Colias* (*Eucolias*) *scudderi* Reakirt, 1865 (Pieridae) Synonym(s): *scudderi* Reakirt, 1865
- 55796) *Colias* (*Eucolias*) *scudderi ruckesi* Klots, 1937 (Pieridae) Synonym(s):
- 55797) *Colias* (*Eucolias*) *tyche* (Boeber, 1812) (Pieridae) Synonym(s): *tyche* Boeber, 1812; *melinos* Eversmann, 1847; *chloe* Eversmann, 1847
- 55798) *Colias* (*Eucolias*) *tyche herzi* Staudinger, 1901 (Pieridae) Synonym(s): *herzi* Staudinger, 1901
- 55799) *Colias* (*Eucolias*) *tyche kolosovae* Churkin et al., 2001 (Pieridae) Synonym(s): *olga* Churkin et al., 2001 nec Rom., 1882; *kolosovae* Churkin et al., 2001
- 55800) *Colias* (*Eucolias*) *tyche tyche* (Boeber, 1812) (Pieridae) Synonym(s): *tyche* Boeber, 1812; *melinos* Eversmann, 1847; *chloe* Eversmann, 1847
- 55801) *Colias* (*Neocolias*) *aurorina* Herrich-Schäffer, [1850] (Pieridae) Synonym(s): *aurorina* Herrich-Schäffer, [1850]
- 55802) *Colias* (*Neocolias*) *aurorina anna* Gerhard, 1882 (Pieridae) Synonym(s): *anna* Gerhard, 1882; *daghestanica* Verhulst, 1994
- 55803) *Colias* (*Neocolias*) *aurorina aurorina* Herrich-Schäffer, [1850] (Pieridae) Synonym(s): *aurorina* Herrich-Schäffer, [1850]
- 55804) *Colias* (*Neocolias*) *aurorina kermana* Eckweiler, 1979 (Pieridae) Synonym(s): *kermana* Eckweiler, 1979
- 55805) *Colias* (*Neocolias*) *aurorina rosei* Gross & Ebert, 1975 (Pieridae) Synonym(s): *rosei* Gross & Ebert, 1975
- 55806) *Colias* (*Neocolias*) *aurorina transcaspica* Christoph, 1887 (Pieridae) Synonym(s): *transcaspica* Christoph, 1887
- 55807) *Colias* (*Neocolias*) *caucasica* Staudinger, 1871 (Pieridae) Synonym(s): *caucasica* Staudinger, 1871; *olga* Romanoff, 1882; *anna* Gerhard, 1882.
- 55808) *Colias* (*Neocolias*) *caucasica balcanica* Rebel, 1901 (Pieridae) Synonym(s): *balcanica* Rebel, 1901
- 55809) *Colias* (*Neocolias*) *caucasica caucasica* Staudinger, 1871 (Pieridae) Synonym(s): *caucasica* Staudinger, 1871; *olga* Romanoff, 1882; *anna* Gerhard, 1882.
- 55810) *Colias* (*Neocolias*) *chlorocoma* Christoph, 1888 (Pieridae) Synonym(s): *chlorocoma* Christoph, 1888
- 55811) *Colias* (*Neocolias*) *chlorocoma aladagensis* Verhulst, 1993 (Pieridae) Synonym(s): *aladagensis* Verhulst, 1993
- 55812) *Colias* (*Neocolias*) *chlorocoma chlorocoma* Christoph, 1888 (Pieridae) Synonym(s): *chlorocoma* Christoph, 1888
- 55813) *Colias* (*Neocolias*) *chlorocoma taleshensis* Eckweiler, 2003 (Pieridae) Synonym(s): *taleshensis* Eckweiler, 2003
- 55814) *Colias* (*Neocolias*) *chlorocoma tkatschukovi* O. Bang-Haas, 1936 (Pieridae) Synonym(s): *tkatschukovi* O. Bang-Haas, 1936
- 55815) *Colias* (*Neocolias*) *chlorocoma wyatti* Häuser & Schurian, 1978 (Pieridae) Synonym(s): *wyatti* Häuser & Schurian, 1978
- 55816) *Colias* (*Neocolias*) *erate* (Esper, [1805]) (Pieridae) Synonym(s): *erate* Esper, [1805]; *afghana* O. Bang-Haas, 1927
- 55817) *Colias* (*Neocolias*) *erate edusoides* Krulikovsky, 1903 (Pieridae) Synonym(s): *edusoides* Krulikovsky, 1903
- 55818) *Colias* (*Neocolias*) *erate erate* (Esper, [1805]) (Pieridae) Synonym(s): *erate* Esper, [1805]; *afghana* O. Bang-Haas, 1927
- 55819) *Colias* (*Neocolias*) *erate formosana* Shirozu, 1955 (Pieridae) Synonym(s): *formosana* Shirozu, 1955
- 55820) *Colias* (*Neocolias*) *erate gigantea* Verity, [1911] (Pieridae) Synonym(s): *gigantea* Verity, [1911]; *#kachgarica* Verity, [1911].
- 55821) *Colias* (*Neocolias*) *erate lativitta* Moore, 1882 (Pieridae) Synonym(s): *lativitta* Moore, 1882
- 55822) *Colias* (*Neocolias*) *erate marnoana* Rogenhofer, 1884 (Pieridae) Synonym(s): *marnoana* Rogenhofer, 1884; *#kostlani* Strand, 1911; *#solilucis* Berger, 1953; *#androides* Storace, 1956.
- 55823) *Colias* (*Neocolias*) *libanotica* Lederer, 1858 (Pieridae) Synonym(s): *libanotica* Lederer, 1858
- 55824) *Colias* (*Neocolias*) *libanotica heldreichi* Staudinger, 1862 (Pieridae) Synonym(s): *heldreichi* Staudinger, 1862
- 55825) *Colias* (*Neocolias*) *libanotica libanotica* Lederer, 1858 (Pieridae) Synonym(s): *libanotica* Lederer, 1858
- 55826) *Colias* (*Neocolias*) *libanotica sovarensis* Blom, 1979 (Pieridae) Synonym(s): *sovarensis* Blom, 1979
- 55827) *Colias* (*Neocolias*) *myrmidone* (Esper, [1781]) (Pieridae) Synonym(s): *myrmidone* Esper, [1781]
- 55828) *Colias* (*Neocolias*) *myrmidone ermak* Groum-Grshimailo, 1890 (Pieridae) Synonym(s): *ermak* Groum-Grshimailo, 1890
- 55829) *Colias* (*Neocolias*) *myrmidone myrmidone* (Esper, [1781]) (Pieridae) Synonym(s): *myrmidone* Esper, [1781]
- 55830) *Colias* (*Neocolias*) *sagartia* Lederer, 1869 (Pieridae) Synonym(s): *sagartia* Lederer, 1869
- 55831) *Colias* (*Neocolias*) *sagartia sagartia* Lederer, 1869 (Pieridae) Synonym(s): *sagartia* Lederer, 1869
- 55832) *Colias* (*Scalidoneura*) *euxanthe* C. Felder & R. Felder, 1865 (Pieridae) Synonym(s): *euxanthe* C. Felder & R. Felder, 1865; *hermina* Butler, 1871
- 55833) *Colias* (*Scalidoneura*) *euxanthe euxanthe* C. Felder & R. Felder, 1865 (Pieridae) Synonym(s): *euxanthe* C. Felder & R. Felder, 1865; *hermina* Butler, 1871
- 55834) *Colias* (*Scalidoneura*) *euxanthe stuebeli* Reissinger, 1972 (Pieridae) Synonym(s): *stuebeli* Reissinger, 1972
- 55835) *Colias* (*Scalidoneura*) *flaveola alticola* Godman & Salvin, 1891 (Pieridae) Synonym(s): *dinora* Röber, 1909 nec Kirby, 1881; *alticola* Godman & Salvin, 1891
- 55836) *Colias* (*Similicolas*) *lesbia* (Fabricius, 1775) (Pieridae) Synonym(s): *lesbia* Fabricius, 1775; *dinora* Kirby, 1881
- 55837) *Colias* (s.str.) *hyale* (Linnaeus, 1758) (Pieridae) Synonym(s): *hyale* Linnaeus, 1758; *#amdensis* Verity, [1911].
- 55838) *Colias* (s.str.) *hyale altaica* Verity, [1911] (Pieridae) Synonym(s): *altaica* Verity, [1911]
- 55839) *Colias* (s.str.) *hyale hyale* (Linnaeus, 1758) (Pieridae) Synonym(s): *hyale* Linnaeus, 1758
- 55840) *Colias* (s.str.) *hyale irkutskana* Stauder, 1924 (Pieridae) Synonym(s): *irkutskana* Stauder, 1924
- 55841) *Colias* (s.str.) *sareptensis* Staudinger, 1881 (Pieridae) Synonym(s): *#sareptensis* Staudinger, 1871; *sareptensis* Staudinger, 1881.
- 55842) *Colias* (s.str.) *sareptensis alfariensis* Ribbe, 1905 (Pieridae) Synonym(s): *alfariensis* Ribbe, 1905
- 55843) *Colias* (s.str.) *sareptensis bergeri* Reissinger, 1989 (Pieridae) Synonym(s): *bergeri* Reissinger, 1989

- 55844) *Colias* (s.str.) *sareptensis fontainei* Reissinger, 1989 (Pieridae) Synonym(s): *fontainei* Reissinger, 1989
 55845) *Colias* (s.str.) *sareptensis hyrcanica* Reissinger, 1989 (Pieridae) Synonym(s): *hyrcanica* Reissinger, 1989
 55846) *Colias* (s.str.) *sareptensis kantaraica* Reissinger, 1989 (Pieridae) Synonym(s): *kantaraica* Reissinger, 1989
 55847) *Colias* (s.str.) *sareptensis magyarica* Reissinger, 1989 (Pieridae) Synonym(s): *magyarica* Reissinger, 1989
 55848) *Colias* (s.str.) *sareptensis metacalida* Reissinger, 1989 (Pieridae) Synonym(s): *metacalida* Reissinger, 1989
 55849) *Colias* (s.str.) *sareptensis paracalida* Reissinger, 1972 (Pieridae) Synonym(s): *paracalida* Reissinger, 1972
 55850) *Colias* (s.str.) *sareptensis rumilica* Reissinger, 1989 (Pieridae) Synonym(s): *rumilica* Reissinger, 1989
 55851) *Colias* (s.str.) *sareptensis saissanica* Reissinger, 1989 (Pieridae) Synonym(s): *saissanica* Reissinger, 1989
 55852) *Colias* (s.str.) *sareptensis sareptensis* Staudinger, 1881 (Pieridae) Synonym(s): *#sareptensis* Staudinger, 1871; *sareptensis* Staudinger, 1881; *remota* Reissinger, 1989.
 55853) *Colias* (s.str.) *sareptensis slavonica* Reissinger, 1989 (Pieridae) Synonym(s): *slavonica* Reissinger, 1989
 55854) *Colias* (s.str.) *sareptensis vihoriatensis* Reissinger, 1989 (Pieridae) Synonym(s): *vihoriatensis* Reissinger, 1989
 55855) *Colias alta* Staudinger, 1886 (Pieridae) Synonym(s): *alta* Staudinger, 1886
 55856) *Colias alta* Staudinger, 1886 (Pieridae) Synonym(s): *alta* Staudinger, 1886
 55857) *Colias alta grieshuberi* Korb, 2004 (Pieridae) Synonym(s): *grieshuberi* Korb, 2004
 55858) *Colias aquilonaris* Groum-Grshimailo, 1899 (Pieridae) Synonym(s): *aquilonaris* Groum-Grshimailo, 1899
 55859) *Colias aquilonaris aquilonaris* Groum-Grshimailo, 1899 (Pieridae) Synonym(s): *aquilonaris* Groum-Grshimailo, 1899
 55860) *Colias cesonia* (Stoll, [1790]) (Pieridae) Synonym(s): *cesonia* Stoll, [1790]
 55861) *Colias dimera* Doubleday, 1847 (Pieridae) Synonym(s): *dimera* Doubleday, 1847; *erythrogrammus* Kollar, 1850; *mariae* Apolinar, 1914; *fassli* Apolinar, 1914; *tolima* Fassl, 1915
 55862) *Colias eurydice* Boisduval, 1855 (Pieridae) Synonym(s): *eurydice* Boisduval, 1855
 55863) *Colias eurytheme* Boisduval, 1852 (Pieridae) Synonym(s): *eurytheme* Boisduval, 1852; *amphidusa* Boisduval, 1852; *californiana* Ménétriès, 1855; *keewaydin* W.H. Edwards, 1869; *ariadne* W.H. Edwards, 1870; *alberta* Bowman, 1942
 55864) *Colias euxanthe* C.Felder & R.Felder, 1865 (Pieridae) Synonym(s): *euxanthe* C.Felder & R.Felder, 1865
 55865) *Colias euxanthe* C.Felder & R.Felder, 1865 (Pieridae) Synonym(s): *euxanthe* C.Felder & R.Felder, 1865; *hermina* Butler, 1871
 55866) *Colias euxanthe alticola* Godman & Salvin, 1891 (Pieridae) Synonym(s): *alticola* Godman & Salvin, 1891
 55867) *Colias euxanthe euxanthe* C.Felder & R.Felder, 1865 (Pieridae) Synonym(s): *euxanthe* C.Felder & R.Felder, 1865
 55868) *Colias euxanthe euxanthe* C.Felder & R.Felder, 1865 (Pieridae) Synonym(s): *euxanthe* C.Felder & R.Felder, 1865; *hermina* Butler, 1871
 55869) *Colias euxanthe hermina* (Butler, 1871) (Pieridae) Synonym(s): *hermina* Butler, 1871
 55870) *Colias euxanthe stuebeli* Reissinger, 1972 (Pieridae) Synonym(s): *stuebeli* Reissinger, 1972; *coeneni* Berger, 1983
 55871) *Colias euxanthe stuebeli* Reissinger, 1972 (Pieridae) Synonym(s): *stuebeli* Reissinger, 1972
 55872) *Colias flaveola* Blanchard, 1852 (Pieridae) Synonym(s): *flaveola* Blanchard, 1852
 55873) *Colias flaveola blameyi* Jörgensen, 1916 (Pieridae) Synonym(s): *blameyi* Jörgensen, 1916
 55874) *Colias flaveola erika* Lamas, 1981 (Pieridae) Synonym(s): *erika* Lamas, 1981
 55875) *Colias flaveola flaveola* Blanchard, 1852 (Pieridae) Synonym(s): *flaveola* Blanchard, 1852
 55876) *Colias flaveola mendozina* Breyer, 1939 (Pieridae) Synonym(s): *mendozina* Breyer, 1939
 55877) *Colias flaveola mossi* Rothschild, 1913 (Pieridae) Synonym(s): *mossi* Rothschild, 1913
 55878) *Colias flaveola weberbaueri* Strand, 1912 (Pieridae) Synonym(s): *weberbaueri* Strand, 1912; *nigerrima* Fassl, 1915
 55879) *Colias harfordii* H. Edwards, 1877 (Pieridae) Synonym(s): *harfordii* H. Edwards, 1877; *barbara* H. Edwards, 1877
 55880) *Colias lesbia* (Fabricius, 1775) (Pieridae) Synonym(s): *lesbia* Fabricius, 1775; *pyrrhothea* Hübner, 1823; *heliceoides* Capronnier, 1874; *aquilo* Austaut, 1912
 55881) *Colias lesbia andina* Staudinger, 1894 (Pieridae) Synonym(s): *andina* Staudinger, 1894
 55882) *Colias lesbia dinora* W.F. Kirby, 1881 (Pieridae) Synonym(s): *dinora* W.F. Kirby, 1881; *meieri* Berger, 1983; *roberti* Salazar, 2002
 55883) *Colias lesbia lesbia* (Fabricius, 1775) (Pieridae) Synonym(s): *lesbia* Fabricius, 1775; *pyrrhothea* Hübner, 1823; *heliceoides* Capronnier, 1874; *aquilo* Austaut, 1912
 55884) *Colias lesbia mineira* J.Zikan, 1940 (Pieridae) Synonym(s): *mineira* J.Zikan, 1940
 55885) *Colias lesbia vauthierii* Guérin-Ménéville, [1830] (Pieridae) Synonym(s): *vauthierii* Guérin-Ménéville, [1830]; *rutilans* Boisduval, 1836; *cunninghami* Butler, 1881; *minuscule* Butler, 1881; *antarctica* Staudinger, 1899; *arena* Staudinger, 1899; *#m, cans* Breyer, 1939; *ljungneri* Bryk, 1944
 55886) *Colias lesbia verhulstii* Berger, 1983 (Pieridae) Synonym(s): *verhulstii* Berger, 1983; *#aurantiaca* Berger, 1983
 55887) *Colias mongola* Alpheraky, 1897 (Pieridae) Synonym(s): *mongola* Alpheraky, 1897; *sidonia* Weiss, 1968.
 55888) *Colias mongola mongola* Alpheraky, 1897 (Pieridae) Synonym(s): *mongola* Alpheraky, 1897; *sidonia* Weiss, 1968.
 55889) *Colias mongola ukokana* Korb & Yakovlev, 2000 (Pieridae) Synonym(s): *ukokana* Korb & Yakovlev, 2000
 55890) *Colias philodice* Godart, 1819 (Pieridae) Synonym(s): *palaeno* Cramer, 1775 nec Linn., 1761; *?notatus* Megerle, 1803; *philodice* Godart, 1819; *dorippe* Godart, 1819; *anthyle* Hübner, 1823; *#alba* Strecker, 1878; *maria* W.H. Edwards, 1885; *suffusa* Cockerell, 1889; *nigridice* Scudder, 1889; *miscidice* Scudder, 1889; *pallidice* Scudder, 1889; *luteitincta* Wolcott, 1893; *albinic* Skinner, 1898; *melanic* Skinner, 1898; *nigrina* Strecker, 1900; *#alba* Röber, 1909; *#nigrofasciata* Reiff, 1917 nec Gr.-Grsh., 1884; etc.
 55891) *Colias philodice guatemalena* Röber, 1909 (Pieridae) Synonym(s): *guatemalena* Röber, 1909
 55892) *Colias philodice philodice* Godart, 1819 (Pieridae) Synonym(s): *palaeno* Cramer, 1775 nec Linn., 1761; *?notatus* Megerle, 1803; *philodice* Godart, 1819; *dorippe* Godart, 1819; *anthyle* Hübner, 1823; *#alba* Strecker, 1878; *maria* W.H. Edwards, 1885; *suffusa* Cockerell, 1889; *nigridice* Scudder, 1889; *miscidice* Scudder, 1889; *pallidice* Scudder, 1889; *luteitincta* Wolcott, 1893; *albinic* Skinner, 1898; *melanic* Skinner, 1898; *nigrina* Strecker, 1900; *#alba* Röber, 1909; *#nigrofasciata* Reiff, 1917 nec Gr.-Grsh., 1884; etc.
 55893) *Colias poliographus* Motschulsky, 1860 (Pieridae) Synonym(s): *poliographus* Motschulsky, 1860
 55894) *Colias poliographus inversa* Alpheraky, 1881 (Pieridae) Synonym(s): *#inversa* Alpheraky, 1881
 55895) *Colias poliographus poliographus* Motschulsky, 1860 (Pieridae) Synonym(s): *poliographus* Motschulsky, 1860
 55896) *Colias ponteni* Wallengren, 1860 (Pieridae) Synonym(s): *ponteni* Wallengren, 1860; *imperialis* Butler, 1871
 55897) *Colotis* (Cuneacolis) *agoye* (Wallengren, 1857) (Pieridae) Synonym(s): *agoye* Wallengren, 1857; *eosphorus* Trimen, 1863
 55898) *Colotis* (Cuneacolis) *agoye* (Wallengren, 1857) (Pieridae) Synonym(s): *agoye* Wallengren, 1857; *eosphorus* Trimen, 1863
 55899) *Colotis* (Cuneacolis) *agoye bowkeri* (Trimen, 1883) (Pieridae) Synonym(s): *bowkeri* Trimen, 1883
 55900) *Colotis* (Cuneacolis) *agoye zephyrus* (Marschall, 1897) (Pieridae) Synonym(s): *zephyrus* Marschall, 1897
 55901) *Colotis* (Teracolis) *eris* (Klug, 1829) (Pieridae) Synonym(s): *eris* Klug, 1829; *fatma* Felder & Felder, [1865]; *abyssinicus* Butler, 1876; *maimouna* Kirby, 1880; *opalescens* Butler, 1886; *johnstoni* Butler, 1886; *punctigera* Lanz, 1896; *teitensis* Sharpe, 1898; *erioides* Strand, 1912; *#chlorinos* Talbot, 1939; *damara* Talbot, 1939; *#continua* Storace, 1948.
 55902) *Colotis* (Teracolis) *eris contractus* Gabriel, 1954 (Pieridae) Synonym(s): *contractus* Gabriel, 1954
 55903) *Colotis* (Teracolis) *eris eris* (Klug, 1829) (Pieridae) Synonym(s): *eris* Klug, 1829; *fatma* Felder & Felder, [1865]; *abyssinicus* Butler, 1876; *maimouna* Kirby, 1880; *opalescens* Butler, 1886; *johnstoni* Butler, 1886; *punctigera* Lanz, 1896; *teitensis* Sharpe, 1898; *erioides* Strand, 1912; *#chlorinos* Talbot, 1939; *damara* Talbot, 1939; *#continua* Storace, 1948.
 55904) *Colotis* (Teracolis) *subfasciatus* (Swainson, 1833) (Pieridae) Synonym(s): *subfasciatus* Swainson, 1833; *bohemani* Wallengren, 1857; *ganymedes* Trautman, 1927.
 55905) *Colotis* (Teracolis) *subfasciatus ducissa* (Dognin, 1819) (Pieridae) Synonym(s): *ducissa* Dognin, 1819; *sulfuratus* Karsch, 1898; *vreuricki* Dufrane, 1947.
 55906) *Colotis* (Teracolis) *subfasciatus subfasciatus* (Swainson, 1833) (Pieridae) Synonym(s): *subfasciatus* Swainson, 1833; *bohemani* Wallengren, 1857; *ganymedes* Trautman, 1927.
 55907) *Colotis* (s.str.) *amatus* (Fabricius, 1775) (Pieridae) Synonym(s): *amatus* Fabricius, 1775
 55908) *Colotis* (s.str.) *amatus amatus* (Fabricius, 1775) (Pieridae) Synonym(s): *amatus* Fabricius, 1775
 55909) *Colotis* (s.str.) *amatus calais* (Cramer, [1775]) (Pieridae) Synonym(s): *calais* Cramer, [1775]; *dynamede* Klug, 1829; *#pallida* Stoneham, 1939.
 55910) *Colotis* (s.str.) *amatus crowleyi* (Sharpe, 1898) (Pieridae) Synonym(s): *crowleyi* Sharpe, 1898
 55911) *Colotis* (s.str.) *amatus williami* Henning & Henning, 1994 (Pieridae) Synonym(s): *williami* Henning & Henning, 1994
 55912) *Colotis* (s.str.) *antevippe* (Boisduval, 1836) (Pieridae) Synonym(s): *antevippe* Boisduval, 1836; *carteri* Butler, 1882.
 55913) *Colotis* (s.str.) *antevippe antevippe* (Boisduval, 1836) (Pieridae) Synonym(s): *antevippe* Boisduval, 1836; *carteri* Butler, 1882.

- 55914) **Colotis (s.str.) antevippe gavis (Wallengren,1857)** (Pieridae) Synonym(s): *achine* Stoll,1781 nec Scop.,1763; *gavis* Wallengren,1857; *harmonides* Butler,1876; *ithonus* Butler,1876; *hippocrene* Butler,1876; *ignifer* Butler,1876; *simplex* Butler,1876; *hyperides* Butler,1876; *hero* Butler,1876; *trimeni* Butler,1876; *damarensis* Aurivillius, 1879; *fumidus* Swinhoe,1884; *haevernicki* Staudinger,1885; *luederitzi* Suffert,1904; *subgavis* Dufrane,1947.
- 55915) **Colotis (s.str.) antevippe zera (Lucas,1852)** (Pieridae) Synonym(s): *zera* Lucas,1852; *helle* Butler,1876; *subvenosus* Butler,1883; *laura* Sharpe,1890; *#sulphurea* Rebel,1914, etc.
- 55916) **Colotis (s.str.) aurigineus (Butler,1883)** (Pieridae) Synonym(s): *aurigineus* Butler,1883; *venustus* Butler,1888; *ansorgei* Marshall,1897; *#aurora* Stoneham,1957 nec Cr.,[1780]; *#ithonus* Stoneham,1957.
- 55917) **Colotis (s.str.) auxo auxo (Butler,1883)** (Pieridae) Synonym(s): *aurigineus* Butler,1883; *venustus* Butler,1888; *ansorgei* Marshall,1897; *#aurora* Stoneham,1957 nec Cr.,[1780]; *#ithonus* Stoneham,1957.
- 55918) **Colotis (s.str.) aurora (Cramer,[1780])** (Pieridae) Synonym(s): *eucharis* Fabricius,1775; nec Dru.,[1773]; *aurora* Cramer,[1780].
- 55919) **Colotis (s.str.) aurora aurora (Cramer,[1780])** (Pieridae) Synonym(s): *eucharis* Fabricius,1775 nec Dru.,[1773]; *aurora* Cramer,[1780].
- 55920) **Colotis (s.str.) aurora evarne (Klug,1829)** (Pieridae) Synonym(s): *evarne* Klug,1829; *citreus* Butler,1876; *xanthevarne* Butler,1876; *philippsi* Butler,1886; *#sharpei* Aurivillius,1910; *#extrema* Niepelt,1937; *#butleri* Stoneham,1939; *#mambrui* Stoneham,1939; *#xanthecolus* Stoneham,1939; *#albescens* Stoneham,1939; *harrarensis* Dufrane,1947; *#maureli* Dufrane,1947.
- 55921) **Colotis (s.str.) auxo (Lucas,1852)** (Pieridae) Synonym(s): *auxo* Lucas,1852; *topha* Wallengren,1860; *keiskamma* Trimen,1862; *syrtinus* Butler,1876; *vulnerata* Staudinger,1885; *#intensa* Stoneham,1939; *#reducta* Stoneham,1939.
- 55922) **Colotis (s.str.) auxo auxo (Lucas,1852)** (Pieridae) Synonym(s): *auxo* Lucas,1852; *topha* Wallengren,1860; *keiskamma* Trimen,1862; *syrtinus* Butler,1876; *vulnerata* Staudinger,1885; *#intensa* Stoneham,1939; *#reducta* Stoneham,1939.
- 55923) **Colotis (s.str.) celimene (Lucas,1852)** (Pieridae) Synonym(s): *celimene* Lucas,1852
- 55924) **Colotis (s.str.) celimene amina (Hewitson,1866)** (Pieridae) Synonym(s): *amina* Hewitson,1866
- 55925) **Colotis (s.str.) celimene angusi Rothschild,1921** (Pieridae) Synonym(s): *angusi* Rothschild,1921
- 55926) **Colotis (s.str.) celimene celimene (Lucas,1852)** (Pieridae) Synonym(s): *celimene* Lucas,1852
- 55927) **Colotis (s.str.) celimene pholoe (Wallengren,1860)** (Pieridae) Synonym(s): *pholoe* Wallengren,1860; *phaenon* Trimen,1863
- 55928) **Colotis (s.str.) celimene praeclarus (Butler,1886)** (Pieridae) Synonym(s): *praeclarus* Butler,1886
- 55929) **Colotis (s.str.) celimene sudanicus (Aurivillius,1905)** (Pieridae) Synonym(s): *sudanicus* Aurivillius,1905
- 55930) **Colotis (s.str.) chrysonome (Klug,1829)** (Pieridae) Synonym(s): *chrysonome* Klug,1829; *gaudens* Butler,1876; *arenicolens* Butler,1884; *helvolus* Butler,1888; *cosmas* Hulstaert,1924; *meinertzhageni* Riley,1934; *soenensis* Kruger,1939; *patrizii* Storace,1949.
- 55931) **Colotis (s.str.) chrysonome chrysonome (Klug,1829)** (Pieridae) Synonym(s): *chrysonome* Klug,1829; *gaudens* Butler,1876; *arenicolens* Butler,1884; *helvolus* Butler,1888; *cosmas* Hulstaert,1924; *meinertzhageni* Riley,1934; *soenensis* Kruger,1939; *patrizii* Storace,1949.
- 55932) **Colotis (s.str.) दौर (Klug,1829)** (Pieridae) Synonym(s): *daura* Klug,1829; *yerburi* Swinhoe,1884; *swinhoei* Butler,1885.
- 55933) **Colotis (s.str.) दौर दौर (Klug,1829)** (Pieridae) Synonym(s): *daura* Klug,1829; *yerburi* Swinhoe,1884; *swinhoei* Butler,1885.
- 55934) **Colotis (s.str.) दौर jacksoni (Sharpe,1890)** (Pieridae) Synonym(s): *jacksoni* Sharpe,1890.
- 55935) **Colotis (s.str.) दौर stygius (C.Felder & R.Felder,1865)** (Pieridae) Synonym(s): *stygius* C.Felder & R.Felder,1865; *dalila* C.Felder & R.Felder,1865; *odysseus* Swinhoe,1884; *thruppi* Butler,1886.
- 55936) **Colotis (s.str.) dissociatus (Butler,1897)** (Pieridae) Synonym(s): *dissociatus* Butler,1897.
- 55937) **Colotis (s.str.) dissociatus dissociatus (Butler,1897)** (Pieridae) Synonym(s): *dissociatus* Butler,1897.
- 55938) **Colotis (s.str.) doubledayi (Hopffer,1862)** (Pieridae) Synonym(s): *doubledayi* Hopffer,1862; *hewitsoni* Kirby,1871; *angolanus* Talbot,1929.
- 55939) **Colotis (s.str.) doubledayi doubledayi (Hopffer,1862)** (Pieridae) Synonym(s): *doubledayi* Hopffer,1862; *hewitsoni* Kirby,1871; *angolanus* Talbot,1929.
- 55940) **Colotis (s.str.) eborea (Stoll,[1781])** (Pieridae) Synonym(s): *danae* Fabricius,1775 nec Hufn.,1766; *eborea* Stoll,[1781].
- 55941) **Colotis (s.str.) eborea annae (Wallengren,1857)** (Pieridae) Synonym(s): *annae* Wallengren,1857; *cinerascens* Butler,1873; *wallengreni* Butler,1876; *confusa* Westwood,1889.
- 55942) **Colotis (s.str.) eborea dulcis (Butler,1876)** (Pieridae) Synonym(s): *dulcis* Butler,1876; *dirus* Butler,1876; *eboreides* Butler,1876; *subroseus* Swinhoe,1884; *immaculatus* Swinhoe,1884; *alberta* Swinhoe,1890.
- 55943) **Colotis (s.str.) eborea eborea (Stoll,[1781])** (Pieridae) Synonym(s): *danae* Fabricius,1775 nec Hufn.,1766; *eborea* Stoll,[1781].
- 55944) **Colotis (s.str.) eborea eupompe (Klug,1829)** (Pieridae) Synonym(s): *eupompe* Klug,1829; *theopompe* Felder & Felder,[1865]; *anteupompe* Felder & Felder,[1865]; *dedecora* Felder & Felder,[1865]; *#pulchra* Ungemach,1932; *#depurpurata* Ungemach,1932; *#pallidus* Ungemach,1932; *#benadirensis* Storace,1949.
- 55945) **Colotis (s.str.) eborea pseudacaste (Butler,1876)** (Pieridae) Synonym(s): *pseudacaste* Butler,1876; *phoenius* Butler,1876; *miles* Butler,1883.
- 55946) **Colotis (s.str.) eborea walkeri (Butler,1884)** (Pieridae) Synonym(s): *walkeri* Butler,1884
- 55947) **Colotis (s.str.) elgonensis (Sharpe,1891)** (Pieridae) Synonym(s): *elgonensis* Sharpe,1891; *helena* Grose-Smith,1898; *#masabae* Stoneham,1957.
- 55948) **Colotis (s.str.) elgonensis basilewskyi Berger,1956** (Pieridae) Synonym(s): *basilewskyi* Berger,1956
- 55949) **Colotis (s.str.) elgonensis elgonensis (Sharpe,1891)** (Pieridae) Synonym(s): *elgonensis* Sharpe,1891; *helena* Grose-Smith,1898; *#masabae* Stoneham,1957.
- 55950) **Colotis (s.str.) elgonensis glaunigi (Schultze,1909)** (Pieridae) Synonym(s): *glaunigi* Schultze,1909
- 55951) **Colotis (s.str.) elgonensis kenia Talbot,1939** (Pieridae) Synonym(s): *kenia* Talbot,1939
- 55952) **Colotis (s.str.) elgonensis nobilis Carcasson,1961** (Pieridae) Synonym(s): *nobilis* Carcasson,1961
- 55953) **Colotis (s.str.) ephyia (Klug,1829)** (Pieridae) Synonym(s): *ephyia* Klug,1829
- 55954) **Colotis (s.str.) ephyia ephyia (Klug,1829)** (Pieridae) Synonym(s): *ephyia* Klug,1829
- 55955) **Colotis (s.str.) erone (Angas,1849)** (Pieridae) Synonym(s): *erone* Angas,1849; *speciosa* Wallengren,1857; *jobina* Butler,1869; *#albidus* Aurivillius,1910; *#millari* Van Son,1949.
- 55956) **Colotis (s.str.) erone erone (Angas,1849)** (Pieridae) Synonym(s): *erone* Angas,1849; *speciosa* Wallengren,1857; *jobina* Butler,1869; *#albidus* Aurivillius,1910; *#millari* Van Son,1949.
- 55957) **Colotis (s.str.) etrida (Boisduval,1836)** (Pieridae) Synonym(s): *etrida* Boisduval,1836; *bimbura* Butler,1876; *casimirus* Butler,1876; *farrinus* Butler,1876; *pernotatus* Butler; *purus* Butler,1876.
- 55958) **Colotis (s.str.) etrida etrida (Boisduval,1836)** (Pieridae) Synonym(s): *etrida* Boisduval,1836; *bimbura* Butler,1876; *casimirus* Butler,1876; *farrinus* Butler,1876; *pernotatus* Butler; *purus* Butler,1876.
- 55959) **Colotis (s.str.) euippe (Linnaeus,1758)** (Pieridae) Synonym(s): *euippe* Linnaeus,1758; *arithusa* Drury,[1773]; *rhexia* Fabricius,1775; *hanna* Herbst,1792; *amytis* Godart,1819; *cebrene* Boisduval,1836; *ocale* Boisduval,1836; *eurygone* Lucas,1852; *loandicus* Butler,1872; *suffusus* Butler,1876; *angolensis* Butler,1876.
- 55960) **Colotis (s.str.) euippe complexivus (Butler,1886)** (Pieridae) Synonym(s): *complexivus* Butler,1886; *pyrrhothorpes* Butler,1894.
- 55961) **Colotis (s.str.) euippe euippe (Linnaeus,1758)** (Pieridae) Synonym(s): *euippe* Linnaeus,1758; *arithusa* Drury,[1773]; *rhexia* Fabricius,1775; *hanna* Herbst,1792; *amytis* Godart,1819; *cebrene* Boisduval,1836; *ocale* Boisduval,1836; *eurygone* Lucas,1852; *loandicus* Butler,1872; *suffusus* Butler,1876; *angolensis* Butler,1876.
- 55962) **Colotis (s.str.) euippe exole (Reiche,[1850])** (Pieridae) Synonym(s): *exole* Reiche,[1850]; *epigone* Felder & Felder,[1865]; *microcale* Butler,1876.
- 55963) **Colotis (s.str.) euippe mediatu Talbot,1939** (Pieridae) Synonym(s): *mediatus* Talbot,1939; *paradoxa* Dufrane,1947.
- 55964) **Colotis (s.str.) euippe mirei Bernardi,1960** (Pieridae) Synonym(s): *mirei* Bernardi,1960
- 55965) **Colotis (s.str.) euippe omphale (Godart,[1819])** (Pieridae) Synonym(s): *omphale* Godart,[1819]; *theogone* Boisduval,1836; *procne* Wallengren,1857; *acte* Felder & Felder,1865; *omphaloides* Butler,1876; *hybridus* Butler,1876; *pseudocale* Butler,1876.
- 55966) **Colotis (s.str.) eunomus (Hopffer,1855)** (Pieridae) Synonym(s): *eunomus* Hopffer,1855; *chromiferus* Rothschild,1894.
- 55967) **Colotis (s.str.) eunomus eunomus (Hopffer,1855)** (Pieridae) Synonym(s): *eunomus* Hopffer,1855; *chromiferus* Rothschild,1894.
- 55968) **Colotis (s.str.) eunomus flotowi (Suffert,1904)** (Pieridae) Synonym(s): *flotowi* Suffert,1904
- 55969) **Colotis (s.str.) evagore (Klug,1829)** (Pieridae) Synonym(s): *evagore* Klug,1829; *saxeus* Swinhoe,1884
- 55970) **Colotis (s.str.) evagore antigone (Boisduval,1836)** (Pieridae) Synonym(s): *antigone* Boisduval,1836; *phlegetonia* Boisduval,1836; *delphine* Boisduval,1836; *eione* Boisduval,1836; *isaura* Lucas,1852; *heuglini* Felder & Felder,1859; *demagore* Felder & Felder,1865; *interruptus* Butler,1872; *flaminia* Butler,1876; *lycoris* Butler,1876; *lyaeus* Butler,1876; *friga* Butler,1876; *galathinus* Butler,1876; *gelasius* Butler,1876; *pseudetrida* Westwood,1881; *ramaquabana* Westwood,1881; *coniger* Butler,1882; *minans* Butler,1882; *xanthus* Swinhoe,1884; *jamesi* Butler,1886; *comptus* Butler,1888; *bifasciatus* Sharpe,1890; *emini* Butler,1891; *metagone* Holland,1896; *#contrastata* Talbot,1939; *#decolor* Talbot,1939; *#luvia* Talbot,1939; *#bianca* Talbot,1939; *#uva* Talbot,1939; *#xanthodes* Talbot,1939; *#nuba* Talbot,1942; *muansa* Talbot,1942; *mashona* Talbot,1942.
- 55971) **Colotis (s.str.) evagore evagore (Klug,1829)** (Pieridae) Synonym(s): *evagore* Klug,1829; *saxeus* Swinhoe,1884
- 55972) **Colotis (s.str.) evagore niveus (Butler,1881)** (Pieridae) Synonym(s): *niveus* Butler,1881; *candidus* Butler,1881.

- 55973) *Colotis* (s.str.) *evagore nouna* (Lucas,1849) (Pieridae) *Synonym(s): nouna Lucas,1849*
- 55974) *Colotis* (s.str.) *evanthe* (Boisduval,1836) (Pieridae) *Synonym(s): evanthe Boisduval,1836; ena Mabilite,1879; lecithosoides Oberthür,1920; #joannisi Dufrane,1947; #drueti Dufrane,1947.*
- 55975) *Colotis* (s.str.) *evanthe evanthe* (Boisduval,1836) (Pieridae) *Synonym(s): evanthe Boisduval,1836; ena Mabilite,1879; lecithosoides Oberthür,1920; #joannisi Dufrane,1947; #drueti Dufrane,1947.*
- 55976) *Colotis* (s.str.) *evanthides* (Holland,1896) (Pieridae) *Synonym(s): evanthides Holland,1896*
- 55977) *Colotis* (s.str.) *evanthides evanthides* (Holland,1896) (Pieridae) *Synonym(s): evanthides Holland,1896*
- 55978) *Colotis* (s.str.) *eveninus* (Wallengren,1857) (Pieridae) *Synonym(s): eveninus Wallengren,1857; deidamia Wallengren,1857; deidamioides Aurivillius,1879; inornata Westwood,1881; corda Möschler,1884; #lerichei Van Son,1959.*
- 55979) *Colotis* (s.str.) *eveninus casta* (Gerstaecker,1871) (Pieridae) *Synonym(s): casta Gerstaecker,1871; sipylus Swinhoe,1884.*
- 55980) *Colotis* (s.str.) *eveninus eveninus* (Wallengren,1857) (Pieridae) *Synonym(s): eveninus Wallengren,1857; deidamia Wallengren,1857; deidamioides Aurivillius,1879; inornata Westwood,1881; corda Möschler,1884; #lerichei Van Son,1959.*
- 55981) *Colotis* (s.str.) *eveninus xantholeucus* (Sharpe,1904) (Pieridae) *Synonym(s): xantholeucus Sharpe,1904; confusus Le Doux,1929; #ledoux Talbot,1939.*
- 55982) *Colotis* (s.str.) *faustus* (Olivier,[1804]) (Pieridae) *Synonym(s): fausta Olivier,[1804]; faustina Felder & Felder,[1865].*
- 55983) *Colotis* (s.str.) *faustus faustus* (C.Felder & R.Felder,[1865]) (Pieridae) *Synonym(s): faustina C.Felder & R.Felder,1865*
- 55984) *Colotis* (s.str.) *faustus faustus* (Olivier,[1804]) (Pieridae) *Synonym(s): fausta Olivier,[1804].*
- 55985) *Colotis* (s.str.) *faustus mijurteinus* Carpenter,1951 (Pieridae) *Synonym(s): somalica Carpenter & Jackson,1950 nec Stor.,1948; mijurteina Carpenter,1951*
- 55986) *Colotis* (s.str.) *faustus vi* (Swinhoe,1884) (Pieridae) *Synonym(s): vi Swinhoe,1884; #immaculata Röber,1907.*
- 55987) *Colotis* (s.str.) *guenei* (Mabille,1877) (Pieridae) *Synonym(s): guenei Mabille,1877; siga Mabille,1882.*
- 55988) *Colotis* (s.str.) *guenei guenei* (Mabille,1877) (Pieridae) *Synonym(s): guenei Mabille,1877; siga Mabille,1882.*
- 55989) *Colotis* (s.str.) *halimede* (Klug,1829) (Pieridae) *Synonym(s): halimede Klug,1829; coelestis Swinhoe,1884; #swinhoei Rothschild,1921*
- 55990) *Colotis* (s.str.) *halimede acaste* (Klug,1829) (Pieridae) *Synonym(s): acaste Klug,1829; polycaste Boisduval,1836; leo Butler,1865.*
- 55991) *Colotis* (s.str.) *halimede australis* Talbot,1939 (Pieridae) *Synonym(s): australis Talbot,1939.*
- 55992) *Colotis* (s.str.) *halimede halimede* (Klug,1829) (Pieridae) *Synonym(s): halimede Klug,1829; coelestis Swinhoe,1884; #swinhoei Rothschild,1921*
- 55993) *Colotis* (s.str.) *halimede restrictus* Talbot,1939 (Pieridae) *Synonym(s): restrictus Talbot,1939; aurivillii Rothschild,1921 nec Suff.,1904; maxima Talbot,1939.*
- 55994) *Colotis* (s.str.) *hetaera* (Gerstaecker,1871) (Pieridae) *Synonym(s): hetaera Gerstaecker,1871; puniceus Butler,1888; foliaceus Butler,1894.*
- 55995) *Colotis* (s.str.) *hetaera ankoleensis* Stoneham,1940 (Pieridae) *Synonym(s): ankoleensis Stoneham,1940*
- 55996) *Colotis* (s.str.) *hetaera aspasius* (Ungemach,1932) (Pieridae) *Synonym(s): aspasius Ungemach,1932*
- 55997) *Colotis* (s.str.) *hetaera hetaera* (Gerstaecker,1871) (Pieridae) *Synonym(s): hetaera Gerstaecker,1871; puniceus Butler,1888; foliaceus Butler,1894.*
- 55998) *Colotis* (s.str.) *hetaera lorti* (Sharpe,1896) (Pieridae) *Synonym(s): lorti Sharpe,1896; ludoviciae Butler,1897.*
- 55999) *Colotis* (s.str.) *hildebrandti* (Staudinger,1885) (Pieridae) *Synonym(s): hildebrandti Staudinger,1885; callidia Grose-Smith,1886; clara Suffert,1904; blanca Suffert,1904; lanzi Bartel,1905.*
- 56000) *Colotis* (s.str.) *hildebrandti hildebrandti* (Staudinger,1885) (Pieridae) *Synonym(s): hildebrandti Staudinger,1885; callidia Grose-Smith,1886; clara Suffert,1904; blanca Suffert,1904; lanzi Bartel,1905.*
- 56001) *Colotis* (s.str.) *ione* (Godart,[1819]) (Pieridae) *Synonym(s): ione Godart,[1819]; phlegyas Butler,1865; coligenes Butler,1867; jalone Butler,1869; buxtoni Butler,1876; imperator Butler,1876; natalensis Staudinger,1885; bacchus Butler,1888; mrogoroana Vuillot,1891; bettoni Butler,1898; difficilis Sharpe,1900; schuberti Suffert,1904; hydrophobus Suffert,1904; aurivillii Suffert,1904.*
- 56002) *Colotis* (s.str.) *ione ione* (Godart,[1819]) (Pieridae) *Synonym(s): ione Godart,[1819]; phlegyas Butler,1865; coligenes Butler,1867; jalone Butler,1869; buxtoni Butler,1876; imperator Butler,1876; natalensis Staudinger,1885; bacchus Butler,1888; mrogoroana Vuillot,1891; bettoni Butler,1898; difficilis Sharpe,1900; schuberti Suffert,1904; hydrophobus Suffert,1904; aurivillii Suffert,1904.*
- 56003) *Colotis* (s.str.) *lais* (Butler,1876) (Pieridae) *Synonym(s): lais Butler,1876; #felthami Van Son,1949.*
- 56004) *Colotis* (s.str.) *lais lais* (Butler,1876) (Pieridae) *Synonym(s): lais Butler,1876; #felthami Van Son,1949.*
- 56005) *Colotis* (s.str.) *liagore* (Klug,1829) (Pieridae) *Synonym(s): liagore Klug,1829; #liagoroides Rothschild,1921; #desertorum Talbot,1939.*
- 56006) *Colotis* (s.str.) *liagore liagore* (Klug,1829) (Pieridae) *Synonym(s): liagore Klug,1829; #liagoroides Rothschild,1921; #desertorum Talbot,1939.*
- 56007) *Colotis* (s.str.) *mananhari* (Ward,1870) (Pieridae) *Synonym(s): mananhari Ward,1870; flavida Mabille,1877; nothus Mabille,[1885].*
- 56008) *Colotis* (s.str.) *mananhari mananhari* (Ward,1870) (Pieridae) *Synonym(s): mananhari Ward,1870; flavida Mabille,1877; nothus Mabille,[1885].*
- 56009) *Colotis* (s.str.) *pallene* (Hopffer,1855) (Pieridae) *Synonym(s): pallene Hopffer,1855; halyattes Butler,1876; cinctus Butler,1883; infumatus Butler,1896; wissmanni Suffert,1904; seineri Strand,1909; #hachinoides Le Doux,1929; #meinickei Le Doux,1929; #pallida Le Doux,1929; #simplicoides Le Doux,1929; #absurda Van Son,1949.*
- 56010) *Colotis* (s.str.) *pallene pallene* (Hopffer,1855) (Pieridae) *Synonym(s): pallene Hopffer,1855; halyattes Butler,1876; cinctus Butler,1883; infumatus Butler,1896; wissmanni Suffert,1904; seineri Strand,1909; #hachinoides Le Doux,1929; #meinickei Le Doux,1929; #pallida Le Doux,1929; #simplicoides Le Doux,1929; #absurda Van Son,1949.*
- 56011) *Colotis* (s.str.) *phisadius* (Godart,[1819]) (Pieridae) *Synonym(s): phisadia Godart,[1819]; arne Klug,1829; philumene Mabille,1880.*
- 56012) *Colotis* (s.str.) *phisadius ocellatus* (Butler,1886) (Pieridae) *Synonym(s): ocellatus Butler,1886*
- 56013) *Colotis* (s.str.) *phisadius palaestinensis* (Staudinger,[1898]) (Pieridae) *Synonym(s): palaestinensis Staudinger,[1898]*
- 56014) *Colotis* (s.str.) *phisadius phisadius* (Godart,[1819]) (Pieridae) *Synonym(s): phisadia Godart,[1819]; arne Klug,1829; philumene Mabille,1880.*
- 56015) *Colotis* (s.str.) *phisadius rothschildi* (Sharpe,1898) (Pieridae) *Synonym(s): rothschildi Sharpe,1898; #albus Aurivillius,1910; #ochraceus Aurivillius,1910.*
- 56016) *Colotis* (s.str.) *phisadius somalicus* Storace,1948 (Pieridae) *Synonym(s): somalica Storace,1948; #punctata Storace,1948; #pallida Storace,1948 nec Le Doux,1929.*
- 56017) *Colotis* (s.str.) *phisadius vagus* D'Abrera,1980 (Pieridae) *Synonym(s): #vagus Rileu,1920; vagus D'Abrera,1980*
- 56018) *Colotis* (s.str.) *pleione* (Klug,1829) (Pieridae) *Synonym(s): pleione Klug,1829; miriam Felder & Felder,1865; chrysomelis Butler,1874; eucheria Mabille,1880; #ethys Röber,[1907].*
- 56019) *Colotis* (s.str.) *pleione heliocaustus* (Butler,1885) (Pieridae) *Synonym(s): heliocaustus Butler,1885; eos Le Cerf,1924; antinorii Storace,1956.*
- 56020) *Colotis* (s.str.) *pleione nilus* Talbot,1942 (Pieridae) *Synonym(s): nilus Talbot,1942*
- 56021) *Colotis* (s.str.) *pleione pleione* (Klug,1829) (Pieridae) *Synonym(s): pleione Klug,1829; miriam Felder & Felder,1865; chrysomelis Butler,1874; eucheria Mabille,1880; #ethys Röber,[1907].*
- 56022) *Colotis* (s.str.) *protomedius* (Klug,1829) (Pieridae) *Synonym(s): protomedia Klug,1829; #microps Storace,1956.*
- 56023) *Colotis* (s.str.) *protomedius protomedius* (Klug,1829) (Pieridae) *Synonym(s): protomedia Klug,1829; #microps Storace,1956.*
- 56024) *Colotis* (s.str.) *protractus* (Butler,1876) (Pieridae) *Synonym(s): protractus Butler,1876; semiramis Groum-Grshimailo,1902*
- 56025) *Colotis* (s.str.) *protractus protractus* (Butler,1876) (Pieridae) *Synonym(s): protractus Butler,1876; semiramis Groum-Grshimailo,1902*
- 56026) *Colotis* (s.str.) *reginus* (Trimmen,1863) (Pieridae) *Synonym(s): reginus Trimmen,1863; anax Grose-Smith,1889; eliza Sharpe,1890; louisa Suffert,1904; #flavimacula Aurivillius,1910.*
- 56027) *Colotis* (s.str.) *rogersi* (Dixey,1915) (Pieridae) *Synonym(s): rogersi Dixey,1915*
- 56028) *Colotis* (s.str.) *rogersi rogersi* (Dixey,1915) (Pieridae) *Synonym(s): rogersi Dixey,1915*
- 56029) *Colotis* (s.str.) *ungemachi* (Le Cerf,1922) (Pieridae) *Synonym(s): ungemachi Le Cerf,1922*
- 56030) *Colotis* (s.str.) *ungemachi ungemachi* (Le Cerf,1922) (Pieridae) *Synonym(s): ungemachi Le Cerf,1922*
- 56031) *Colotis* (s.str.) *venosus* (Staudinger,1885) (Pieridae) *Synonym(s): venosus Staudinger,1885; #lactea Talbot,1939.*
- 56032) *Colotis* (s.str.) *venosus venosus* (Staudinger,1885) (Pieridae) *Synonym(s): venosus Staudinger,1885; #lactea Talbot,1939.*
- 56033) *Colotis* (s.str.) *vesta* (Reiche,[1850]) (Pieridae) *Synonym(s): vesta Reiche,[1850]; #ops Talbot,1942.*
- 56034) *Colotis* (s.str.) *vesta amelius* (Lucas,1852) (Pieridae) *Synonym(s): amelius Lucas,1852; armitagei Dudgeon,1916; #insignis Rothschild,1921.*
- 56035) *Colotis* (s.str.) *vesta argillaceus* (Butler,1877) (Pieridae) *Synonym(s): argillaceus Butler,1877; #pluvius Talbot,1939.*
- 56036) *Colotis* (s.str.) *vesta catachrysops* (Butler,1878) (Pieridae) *Synonym(s): catachrysops Butler,1878*
- 56037) *Colotis* (s.str.) *vesta hanningtoni* (Butler,1883) (Pieridae) *Synonym(s): hanningtoni Butler,1883; bipartitus Rothschild,1894; #nigrescens Le Doux,1929; #kitigi Stoneham,1939; #ilia Stoneham,1957.*
- 56038) *Colotis* (s.str.) *vesta mutans* (Butler,1877) (Pieridae) *Synonym(s): mutans Butler,1877; #arida Talbot,1939.*
- 56039) *Colotis* (s.str.) *vesta princeps* Talbot,1939 (Pieridae) *Synonym(s): princeps Talbot,1939*
- 56040) *Colotis* (s.str.) *vesta rhodesinus* (Butler,1894) (Pieridae) *Synonym(s): rhodesinus Butler,1894*

- 56041) *Colotis* (s.str.) *vesta valledus* (Lucas,1852) (Pieridae) Synonym(s): *valledus* Lucas,1852
56042) *Colotis* (s.str.) *vesta vesta* (Reiche,[1850]) (Pieridae) Synonym(s): *vesta Reiche*,[1850]; #*ops* Talbot,1942.
56043) *Colotis* (s.str.) *vestalis* (Butler,1876) (Pieridae) Synonym(s): *vestalis* Butler,1876; *puellaris* Butler,1876; *ochreipennis* Butler,1876; *intermissus* Butler,1883; *rosus* Swinhoe,1884; *peelus* Swinhoe,1884; *dubius* Swinhoe,1884.
56044) *Colotis* (s.str.) *vestalis castalis* (Staudinger,1885) (Pieridae) Synonym(s): *castalis* Staudinger,1885; #*ignicans* Aurivillius,1910; #*pallida* Niepelt,1937 *nec* Le Doux,1929; #*diminuta* Talbot,1939; #*sabulosa* Talbot,1939.
56045) *Colotis* (s.str.) *vestalis nadir* Gross & Ebert,1975 (Pieridae) Synonym(s): *nadir* Gross & Ebert,1975
56046) *Colotis* (s.str.) *vestalis vestalis* (Butler,1876) (Pieridae) Synonym(s): *vestalis* Butler,1876; *puellaris* Butler,1876; *ochreipennis* Butler,1876; *intermissus* Butler,1883; *rosus* Swinhoe,1884; *peelus* Swinhoe,1884; *dubius* Swinhoe,1884.
56047) *Colotis* (s.str.) *zoe* (Grandidier,1867) (Pieridae) Synonym(s): *zoe* Grandidier,1867
56048) *Colotis* (s.str.) *zoe zoe* (Grandidier,1867) (Pieridae) Synonym(s): *zoe* Grandidier,1867
56049) *Delias* (albertisi-gr.) *albertisi* Oberthür,1880 (Pieridae) Synonym(s): *albertisi* Oberthür,1880
56050) *Delias* (albertisi-gr.) *albertisi albertisi* Oberthür,1880 (Pieridae) Synonym(s): *albertisi* Oberthür,1880
56051) *Delias* (albertisi-gr.) *albertisi albiplaga* Joicey & Talbot,1922 (Pieridae) Synonym(s): *albiplaga* Joicey & Talbot,1922
56052) *Delias* (albertisi-gr.) *albertisi discoides* Talbot,1937 (Pieridae) Synonym(s): *discoides* Talbot,1937
56053) *Delias* (albertisi-gr.) *albertisi putih* Mastrigt,1995 (Pieridae) Synonym(s): *putih* Mastrigt,1995
56054) *Delias* (albertisi-gr.) *albertisi tamamistsui* Morita,1996 (Pieridae) Synonym(s): *tamamistsui* Morita,1996
56055) *Delias* (albertisi-gr.) *discus Honrath*,1886 (Pieridae) Synonym(s): *discus* Honrath,1886
56056) *Delias* (albertisi-gr.) *discus apodiscus* Roepke,1955 (Pieridae) Synonym(s): *apodiscus* Roepke,1955
56057) *Delias* (albertisi-gr.) *discus discus* Honrath,1886 (Pieridae) Synonym(s): *discus* Honrath,1886
56058) *Delias* (albertisi-gr.) *discus larseni* Luck & Gehlen,1911 (Pieridae) Synonym(s): *larseni* Luck & Gehlen,1911
56059) *Delias* (albertisi-gr.) *discus neyi* Ribbe,1901 (Pieridae) Synonym(s): *neyi* Ribbe,1901
56060) *Delias* (belisama-gr.) *aganippe* (Donovan,1805) (Pieridae) Synonym(s): *aganippe* Donovan,1805
56061) *Delias* (belisama-gr.) *aganippe aganippe* (Donovan,1805) (Pieridae) Synonym(s): *aganippe* Donovan,1805
56062) *Delias* (belisama-gr.) *apoensis* Talbot,1928 (Pieridae) Synonym(s): *apoensis* Talbot,1928
56063) *Delias* (belisama-gr.) *apoensis apoensis* Talbot,1928 (Pieridae) Synonym(s): *apoensis* Talbot,1928
56064) *Delias* (belisama-gr.) *apoensis maizurui* Yagashita & Nakano,1993 (Pieridae) Synonym(s): *maizurui* Yagashita & Nakano,1993
56065) *Delias* (belisama-gr.) *aruna* (Boisduval,1832) (Pieridae) Synonym(s): *aruna* Boisduval,1832; *bajura* Boisduval,1832
56066) *Delias* (belisama-gr.) *aruna arovana* Fruhstorfer,1913 (Pieridae) Synonym(s): *arovana* Fruhstorfer,1913
56067) *Delias* (belisama-gr.) *aruna aruna* (Boisduval,1832) (Pieridae) Synonym(s): *aruna* Boisduval,1832; *bajura* Boisduval,1832
56068) *Delias* (belisama-gr.) *aruna inferna* Butler,1913 (Pieridae) Synonym(s): *inferna* Butler,1913
56069) *Delias* (belisama-gr.) *aruna irma* Fruhstorfer,1907 (Pieridae) Synonym(s): *irma* Fruhstorfer,1907; *madala* Fruhstorfer,1907
56070) *Delias* (belisama-gr.) *aruna rana* Swinhoe,1916 (Pieridae) Synonym(s): *rana* Swinhoe,1916
56071) *Delias* (belisama-gr.) *aruna rona* Rothschild,1898 (Pieridae) Synonym(s): *rona* Rothschild,1898
56072) *Delias* (belisama-gr.) *aruna sarera* Yagishita,1994 (Pieridae) Synonym(s): *sarera* Yagishita,1994
56073) *Delias* (belisama-gr.) *aruna seriata* Fruhstorfer,1907 (Pieridae) Synonym(s): *seriata* Fruhstorfer,1907
56074) *Delias* (belisama-gr.) *aurantiaca* Doherty,1891 (Pieridae) Synonym(s): *aurantiaca* Doherty,1891
56075) *Delias* (belisama-gr.) *aurantiaca aurantiaca* Doherty,1891 (Pieridae) Synonym(s): *aurantiaca* Doherty,1891
56076) *Delias* (belisama-gr.) *belisama* (Cramer,[1779]) (Pieridae) Synonym(s): *belisama* Cramer,[1779]; *sthenobaea* Boisduval,1836; *erubescens* Staudinger,1891; *angaja* Fruhstorfer,1910; *atisha* Fruhstorfer,1910.
56077) *Delias* (belisama-gr.) *belisama balina* Fruhstorfer,1908 (Pieridae) Synonym(s): *balina* Fruhstorfer,1908
56078) *Delias* (belisama-gr.) *belisama belisama* (Cramer,[1779]) (Pieridae) Synonym(s): *belisama* Cramer,[1779]; *sthenobaea* Boisduval,1836; *erubescens* Staudinger,1891; *angaja* Fruhstorfer,1910; *atisha* Fruhstorfer,1910.
56079) *Delias* (belisama-gr.) *belisama glauce* Butler,1865 (Pieridae) Synonym(s): *glauce* Butler,1865
56080) *Delias* (belisama-gr.) *belisama nakula* Grose-Smith & Kirby,1888 (Pieridae) Synonym(s): *nakula* Grose-Smith & Kirby,1888; *vestalina* Staudinger,1891; *auratilis* Fruhstorfer,1910.
56081) *Delias* (belisama-gr.) *descombesi* (Boisduval,1836) (Pieridae) Synonym(s): *descombesi* Boisduval,1836
56082) *Delias* (belisama-gr.) *descombesi descombesi* (Boisduval,1836) (Pieridae) Synonym(s): *descombesi* Boisduval,1836
56083) *Delias* (belisama-gr.) *descombesi eranthos* Fruhstorfer,1905 (Pieridae) Synonym(s): *eranthos* Fruhstorfer,1905
56084) *Delias* (belisama-gr.) *descombesi leucacantha* Fruhstorfer,1910 (Pieridae) Synonym(s): *leucacantha* Fruhstorfer,1910; *semialba* Parsons,1948
56085) *Delias* (belisama-gr.) *diaphana* Semper,1878 (Pieridae) Synonym(s): *diaphana* Semper,1878
56086) *Delias* (belisama-gr.) *diaphana basilisae* Schröder & Treadaway,1983 (Pieridae) Synonym(s):
56087) *Delias* (belisama-gr.) *diaphana diaphana* Semper,1878 (Pieridae) Synonym(s): *diaphana* Semper,1878
56088) *Delias* (belisama-gr.) *diaphana morishitai* Nakano,1993 (Pieridae) Synonym(s): *morishitai* Nakano,1993
56089) *Delias* (belisama-gr.) *diaphana sakagutii* Tsukada & Nishiyama,1980 (Pieridae) Synonym(s): *sakagutii* Tsukada & Nishiyama,1980
56090) *Delias* (belisama-gr.) *diaphana yatai* Nakano,1993 (Pieridae) Synonym(s): *yatai* Nakano,1993
56091) *Delias* (belisama-gr.) *ellipsis Joannis*,1901 (Pieridae) Synonym(s): *ellipsis* Joannis,1901
56092) *Delias* (belisama-gr.) *ellipsis ellipsis* Joannis,1901 (Pieridae) Synonym(s): *ellipsis* Joannis,1901
56093) *Delias* (belisama-gr.) *eumolpe* Grose-Smith,1889 (Pieridae) Synonym(s): *eumolpe* Grose-Smith,1889; *philomela* Röber,1919
56094) *Delias* (belisama-gr.) *eumolpe eumolpe* Grose-Smith,1889 (Pieridae) Synonym(s): *eumolpe* Grose-Smith,1889; *philomela* Röber,1919
56095) *Delias* (belisama-gr.) *eumolpe masaeae* Yagishita,1993 (Pieridae) Synonym(s): *masaeae* Yagishita,1993
56096) *Delias* (belisama-gr.) *harpalyce* (Donovan,1805) (Pieridae) Synonym(s): *harpalyce* Donovan,1805; *lewini* Thon,1828; #*adina* Couchman,1954
56097) *Delias* (belisama-gr.) *harpalyce harpalyce* (Donovan,1805) (Pieridae) Synonym(s): *harpalyce* Donovan,1805; *lewini* Thon,1828; #*adina* Couchman,1954
56098) *Delias* (belisama-gr.) *levicki* Rothschild,1927 (Pieridae) Synonym(s): *levicki* Rothschild,1927
56099) *Delias* (belisama-gr.) *levicki borromeoi* Schröder & Treadaway,1984 (Pieridae) Synonym(s): *borromeoi* Schröder & Treadaway,1984
56100) *Delias* (belisama-gr.) *levicki hokamae* Nakano,1995 (Pieridae) Synonym(s): *hokamae* Nakano,1995
56101) *Delias* (belisama-gr.) *levicki justini* Samusawa & Kawamura,1988 (Pieridae) Synonym(s): *justini* Samusawa & Kawamura,1988
56102) *Delias* (belisama-gr.) *levicki levicki* Rothschild,1927 (Pieridae) Synonym(s): *levicki* Rothschild,1927
56103) *Delias* (belisama-gr.) *levicki mandaya* Yamamoto & Takei,1982 (Pieridae) Synonym(s): *mandaya* Yamamoto & Takei,1982
56104) *Delias* (belisama-gr.) *madetes Godman & Salvin*,1878 (Pieridae) Synonym(s): *madetes* Godman & Salvin,1878
56105) *Delias* (belisama-gr.) *madetes honrathi* Mitis,1893 (Pieridae) Synonym(s): *honrathi* Mitis,1893
56106) *Delias* (belisama-gr.) *madetes madetes* Godman & Salvin,1878 (Pieridae) Synonym(s): *madetes* Godman & Salvin,1878
56107) *Delias* (belisama-gr.) *madetes neohannoverana* Rothschild,1915 (Pieridae) Synonym(s): *neohannoverana* Rothschild,1915
56108) *Delias* (belisama-gr.) *oraia Doherty*,1891 (Pieridae) Synonym(s): *oraia* Doherty,1891; *vasumitra* Fruhstorfer,1910
56109) *Delias* (belisama-gr.) *oraia adonarensis* Rothschild,1925 (Pieridae) Synonym(s): *adonarensis* Rothschild,1925
56110) *Delias* (belisama-gr.) *oraia bratana* Kalis,1941 (Pieridae) Synonym(s): *bratana* Kalis,1941; *trig* D'Abbrera,1982
56111) *Delias* (belisama-gr.) *oraia lydia* Fruhstorfer,1907 (Pieridae) Synonym(s): *lydia* Fruhstorfer,1907
56112) *Delias* (belisama-gr.) *oraia oraia* Doherty,1891 (Pieridae) Synonym(s): *oraia* Doherty,1891; *vasumitra* Fruhstorfer,1910
56113) *Delias* (belisama-gr.) *oraia solorensis* Yagishita & Nakano,1993 (Pieridae) Synonym(s): *solorensis* Yagishita & Nakano,1993
56114) *Delias* (belisama-gr.) *splendida* Rothschild,1894 (Pieridae) Synonym(s): *splendida* Rothschild,1894
56115) *Delias* (belisama-gr.) *splendida splendida* Rothschild,1894 (Pieridae) Synonym(s): *splendida* Rothschild,1894
56116) *Delias* (belisama-gr.) *zebuda* Hewitson,1862 (Pieridae) Synonym(s): *zebuda* Hewitson,1862
56117) *Delias* (belisama-gr.) *zebuda zebuda* Hewitson,1862 (Pieridae) Synonym(s): *zebuda* Hewitson,1862
56118) *Delias* (belladonna-gr.) *belladonna* (Fabricius,1793) (Pieridae) Synonym(s): *belladonna* Fabricius,1793
56119) *Delias* (belladonna-gr.) *belladonna belladonna* (Fabricius,1793) (Pieridae) Synonym(s): *belladonna* Fabricius,1793
56120) *Delias* (belladonna-gr.) *belladonna burmana* Evans,1926 (Pieridae) Synonym(s): *burmana* Evans,1926
56121) *Delias* (belladonna-gr.) *belladonna chrysorrhoea* Snellen,1865 (Pieridae) Synonym(s): *chrysorrhoea* Snellen,1865
56122) *Delias* (belladonna-gr.) *belladonna dempoensis* Yagishita,1993 (Pieridae) Synonym(s): *dempoensis* Yagishita,1993
56123) *Delias* (belladonna-gr.) *belladonna endoi* Yagishita,1993 (Pieridae) Synonym(s): *endoi* Yagishita,1993

- 56124) *Delias* (belladonna-gr.) *belladonna hedybia* Jordan,1925 (Pieridae) Synonym(s): *hedybia* Jordan,1925
56125) *Delias* (belladonna-gr.) *belladonna horsfieldii* (Gray,1831) (Pieridae) Synonym(s): *horsfieldii* Gray,1831; *hearseyi* Butler,1885; *surya* Mitis,1893
56126) *Delias* (belladonna-gr.) *belladonna ithiela* (Butler,1869) (Pieridae) Synonym(s): *ithiela* Butler,1869
56127) *Delias* (belladonna-gr.) *belladonna kwangtungensis* Talbot,1928 (Pieridae) Synonym(s): *kwangtungensis* Talbot,1928; *pekiangensis* Mell,1943
56128) *Delias* (belladonna-gr.) *belladonna lugens* Jordan,1925 (Pieridae) Synonym(s): *lugens* Jordan,1925
56129) *Delias* (belladonna-gr.) *belladonna malayana* Pendlebury,1933 (Pieridae) Synonym(s): *malayana* Pendlebury,1933
56130) *Delias* (belladonna-gr.) *belladonna yukaee* Nakano,1993 (Pieridae) Synonym(s): *yukaee* Nakano,1993
56131) *Delias* (belladonna-gr.) *belladonna zelima* Mitis,1893 (Pieridae) Synonym(s): *zelima* Mitis,1893
56132) *Delias* (belladonna-gr.) *berinda* Moore,1872 (Pieridae) Synonym(s): *berinda* Moore,1872
56133) *Delias* (belladonna-gr.) *berinda adelma* Mitis,1893 (Pieridae) Synonym(s): *adelma* Mitis,1893
56134) *Delias* (belladonna-gr.) *berinda berinda* Moore,1872 (Pieridae) Synonym(s): *berinda* Moore,1872
56135) *Delias* (belladonna-gr.) *berinda boylae* Butler,1885 (Pieridae) Synonym(s): *boylae* Butler,1885; *amarantha* Mitis,1893
56136) *Delias* (belladonna-gr.) *berinda cooperi* Tytler,1939 (Pieridae) Synonym(s): *cooperi* Tytler,1939
56137) *Delias* (belladonna-gr.) *berinda yedanula* Fruhstorfer,1910 (Pieridae) Synonym(s): *yedanula* Fruhstorfer,1910
56138) *Delias* (belladonna-gr.) *blanca C.Felder & R.Felder,1862* (Pieridae) Synonym(s): *blanca C.Felder & R.Felder,1862*
56139) *Delias* (belladonna-gr.) *blanca apameica* Fruhstorfer,1910 (Pieridae) Synonym(s): *apameica* Fruhstorfer,1910
56140) *Delias* (belladonna-gr.) *blanca blanca C.Felder & R.Felder,1862* (Pieridae) Synonym(s): *blanca C.Felder & R.Felder,1862*
56141) *Delias* (belladonna-gr.) *blanca capcoi* Jumalon,1975 (Pieridae) Synonym(s): *capcoi* Jumalon,1975
56142) *Delias* (belladonna-gr.) *blanca nausicaa* Fruhstorfer,1899 (Pieridae) Synonym(s): *nausicaa* Fruhstorfer,1899
56143) *Delias* (belladonna-gr.) *blanca uichancoi* Jumalon,1975 (Pieridae) Synonym(s): *uichancoi* Jumalon,1975
56144) *Delias* (belladonna-gr.) *lativitta* Leech,1893 (Pieridae) Synonym(s): *lativitta* Leech,1893; *shaanxiensis* Chou,2001
56145) *Delias* (belladonna-gr.) *lativitta formosana* Matsumura,1909 (Pieridae) Synonym(s): *formosana* Matsumura,1909
56146) *Delias* (belladonna-gr.) *lativitta lativitta* Leech,1893 (Pieridae) Synonym(s): *lativitta* Leech,1893; *shaanxiensis* Chou,2001
56147) *Delias* (belladonna-gr.) *lativitta naga* Tytler,1939 (Pieridae) Synonym(s): *naga* Tytler,1939
56148) *Delias* (belladonna-gr.) *lativitta parva* Talbot,1937 (Pieridae) Synonym(s): *parva* Talbot,1937
56149) *Delias* (belladonna-gr.) *lativitta tai* Toshino,1999 (Pieridae) Synonym(s): *tai* Toshino,1999
56150) *Delias* (belladonna-gr.) *lativitta tongi* Mell,1939 (Pieridae) Synonym(s): *tongi* Mell,1939
56151) *Delias* (belladonna-gr.) *lativitta yunnana* Talbot,1937 (Pieridae) Synonym(s): *yunnana* Talbot,1937
56152) *Delias* (belladonna-gr.) *patrua* Leech,1890 (Pieridae) Synonym(s): *patrua* Leech,1890
56153) *Delias* (belladonna-gr.) *patrua patrua* Leech,1890 (Pieridae) Synonym(s): *patrua* Leech,1890
56154) *Delias* (belladonna-gr.) *patrua shan* Talbot,1937 (Pieridae) Synonym(s): *shan* Talbot,1937
56155) *Delias* (belladonna-gr.) *sanaca* Moore,1857 (Pieridae) Synonym(s): *sanaca* Moore,1857; *flavalba* Marshall,1882; *confusa* Talbot,1928
56156) *Delias* (belladonna-gr.) *sanaca atsukoe* Nakano,1993 (Pieridae) Synonym(s): *atsukoe* Nakano,1993
56157) *Delias* (belladonna-gr.) *sanaca bhutya* Talbot,1937 (Pieridae) Synonym(s): *bhutya* Talbot,1937
56158) *Delias* (belladonna-gr.) *sanaca oreas* Talbot,1928 (Pieridae) Synonym(s): *oreas* Talbot,1928
56159) *Delias* (belladonna-gr.) *sanaca perspicua* Fruhstorfer,1911 (Pieridae) Synonym(s): *perspicua* Fruhstorfer,1911
56160) *Delias* (belladonna-gr.) *sanaca sanaca* Moore,1857 (Pieridae) Synonym(s): *sanaca* Moore,1857; *flavalba* Marshall,1882; *confusa* Talbot,1928
56161) *Delias* (belladonna-gr.) *subnubila* Leech,1893 (Pieridae) Synonym(s): *subnubila* Leech,1893
56162) *Delias* (belladonna-gr.) *subnubila conspicua* Mell,1943 (Pieridae) Synonym(s): *conspicua* Mell,1943
56163) *Delias* (belladonna-gr.) *subnubila subnubila* Leech,1893 (Pieridae) Synonym(s): *subnubila* Leech,1893
56164) *Delias* (belladonna-gr.) *surpresa* Martin,1913 (Pieridae) Synonym(s): *surpresa* Martin,1913
56165) *Delias* (belladonna-gr.) *surpresa sorpresa* Martin,1913 (Pieridae) Synonym(s): *surpresa* Martin,1913
56166) *Delias* (belladonna-gr.) *wilemani* Jordan,1925 (Pieridae) Synonym(s): *wilemani* Jordan,1925
56167) *Delias* (belladonna-gr.) *wilemani wilemani* Jordan,1925 (Pieridae) Synonym(s): *wilemani* Jordan,1925
56168) *Delias* (bornemanni-gr.) *bornemanni Ribbe*,1900 (Pieridae) Synonym(s): *bornemanni Ribbe*,1900
56169) *Delias* (bornemanni-gr.) *bornemanni bornemanni Ribbe*,1900 (Pieridae) Synonym(s): *bornemanni Ribbe*,1900
56170) *Delias* (bornemanni-gr.) *caroli Kenrick*,1909 (Pieridae) Synonym(s): *caroli Kenrick*,1909; *#flava Joicey & Noakes*,1915
56171) *Delias* (bornemanni-gr.) *caroli caroli Kenrick*,1909 (Pieridae) Synonym(s): *caroli Kenrick*,1909; *#flava Joicey & Noakes*,1915
56172) *Delias* (bornemanni-gr.) *caroli wandammenensae* Sharp,1918 (Pieridae) Synonym(s): *wandammenensae* Sharp,1918
56173) *Delias* (bornemanni-gr.) *castaneus Kenrick*,1909 (Pieridae) Synonym(s): *castaneus Kenrick*,1909
56174) *Delias* (bornemanni-gr.) *castaneus castaneus Kenrick*,1909 (Pieridae) Synonym(s): *castaneus Kenrick*,1909
56175) *Delias* (bornemanni-gr.) *nais* Jordan,1911 (Pieridae) Synonym(s): *nais* Jordan,1911
56176) *Delias* (bornemanni-gr.) *nais aegle Joicey & Talbot*,1922 (Pieridae) Synonym(s): *aegle Joicey & Talbot*,1922
56177) *Delias* (bornemanni-gr.) *nais denigrata Joicey & Talbot*,1927 (Pieridae) Synonym(s): *denigrata Joicey & Talbot*,1927
56178) *Delias* (bornemanni-gr.) *nais entima* Jordan,1930 (Pieridae) Synonym(s): *entima* Jordan,1930
56179) *Delias* (bornemanni-gr.) *nais holophaea Roepke*,1955 (Pieridae) Synonym(s): *holophaea Roepke*,1955
56180) *Delias* (bornemanni-gr.) *nais keysseri Rothschild*,1925 (Pieridae) Synonym(s): *keysseri Rothschild*,1925
56181) *Delias* (bornemanni-gr.) *nais maprikensis Yagishita*,1993 (Pieridae) Synonym(s): *maprikensis Yagishita*,1993
56182) *Delias* (bornemanni-gr.) *nais murayamai Yagishita*,1993 (Pieridae) Synonym(s): *murayamai Yagishita*,1993
56183) *Delias* (bornemanni-gr.) *nais nais* Jordan,1911 (Pieridae) Synonym(s): *nais* Jordan,1911
56184) *Delias* (bornemanni-gr.) *nais rubrina Van Eecke*,1915 (Pieridae) Synonym(s): *rubrina Van Eecke*,1915
56185) *Delias* (bornemanni-gr.) *pratti Kenrick*,1909 (Pieridae) Synonym(s): *pratti Kenrick*,1909
56186) *Delias* (bornemanni-gr.) *pratti pratti Kenrick*,1909 (Pieridae) Synonym(s): *pratti Kenrick*,1909
56187) *Delias* (bornemanni-gr.) *zebra Roepke*,1955 (Pieridae) Synonym(s): *zebra Roepke*,1955; *#reducta Roepke*,1955 *nec Rothschild*,1915.
56188) *Delias* (bornemanni-gr.) *zebra takanarii Yagishita*,1993 (Pieridae) Synonym(s): *takanarii Yagishita*,1993
56189) *Delias* (bornemanni-gr.) *zebra zebra Roepke*,1955 (Pieridae) Synonym(s): *zebra Roepke*,1955; *#reducta Roepke*,1955 *nec Rothschild*,1915.
56190) *Delias* (brandti-gr.) *brandti C.Müller*,2001 (Pieridae) Synonym(s): *brandti C.Müller*,2001
56191) *Delias* (brandti-gr.) *brandti brandti C.Müller*,2001 (Pieridae) Synonym(s): *brandti C.Müller*,2001
56192) *Delias* (chrysomelaena-gr.) *caliban Grose-Smith*,1897 (Pieridae) Synonym(s): *caliban Grose-Smith*,1897
56193) *Delias* (chrysomelaena-gr.) *caliban caliban Grose-Smith*,1897 (Pieridae) Synonym(s): *caliban Grose-Smith*,1897
56194) *Delias* (chrysomelaena-gr.) *caliban satibona Rothschild*,1915 (Pieridae) Synonym(s): *satibona Rothschild*,1915
56195) *Delias* (chrysomelaena-gr.) *chrysomelaena Snellen*,1866 (Pieridae) Synonym(s): *chrysomelaena Snellen*,1866
56196) *Delias* (chrysomelaena-gr.) *chrysomelaena chrysomelaena Snellen*,1866 (Pieridae) Synonym(s): *chrysomelaena Snellen*,1866
56197) *Delias* (chrysomelaena-gr.) *chrysomelaena prodigialis Fruhstorfer*,1911 (Pieridae) Synonym(s): *prodigialis Fruhstorfer*,1911
56198) *Delias* (chrysomelaena-gr.) *ladas Grose-Smith*,1894 (Pieridae) Synonym(s): *ladas Grose-Smith*,1894
56199) *Delias* (chrysomelaena-gr.) *ladas fakfakensis Yagishita*,2003 (Pieridae) Synonym(s): *fakfakensis Yagishita*,2003
56200) *Delias* (chrysomelaena-gr.) *ladas ladas Grose-Smith*,1894 (Pieridae) Synonym(s): *ladas Grose-Smith*,1894
56201) *Delias* (chrysomelaena-gr.) *ladas levis Joicey & Talbot*,1922 (Pieridae) Synonym(s): *levis Joicey & Talbot*,1922
56202) *Delias* (chrysomelaena-gr.) *ladas waigeuensis Joicey & Talbot*,1917 (Pieridae) Synonym(s): *waigeuensis Joicey & Talbot*,1917
56203) *Delias* (chrysomelaena-gr.) *ladas wamenaensis Morita*,1991 (Pieridae) Synonym(s): *wamenaensis Morita*,1991
56204) *Delias* (chrysomelaena-gr.) *ladas yapenensis Yagishita*,1998 (Pieridae) Synonym(s): *yapenensis Yagishita*,1998
56205) *Delias* (chrysomelaena-gr.) *talboti Joicey & Noakes*,1915 (Pieridae) Synonym(s): *talboti Joicey & Noakes*,1915
56206) *Delias* (chrysomelaena-gr.) *talboti talboti Joicey & Noakes*,1915 (Pieridae) Synonym(s): *talboti Joicey & Noakes*,1915
56207) *Delias* (chrysomelaena-gr.) *totila Heller*,1896 (Pieridae) Synonym(s): *totila Heller*,1896
56208) *Delias* (chrysomelaena-gr.) *totila totila Heller*,1896 (Pieridae) Synonym(s): *totila Heller*,1896
56209) *Delias* (clathrata-gr.) *autumnalis Roepke*,1955 (Pieridae) Synonym(s): *autumnalis Roepke*,1955
56210) *Delias* (clathrata-gr.) *autumnalis autumnalis Roepke*,1955 (Pieridae) Synonym(s): *autumnalis Roepke*,1955
56211) *Delias* (clathrata-gr.) *autumnalis hiberna Mastrigt*,2000 (Pieridae) Synonym(s): *hiberna Mastrigt*,2000
56212) *Delias* (clathrata-gr.) *autumnalis michiae Nakano*,1994 (Pieridae) Synonym(s): *michiae Nakano*,1994; *reissingeri Mastrigt*,1996
56213) *Delias* (clathrata-gr.) *bobaga Mastrigt*,1990 (Pieridae) Synonym(s): *bobaga Mastrigt*,1990

- 56214) *Delias* (clathrata-gr.) *bobaga bobaga* Mastrigt,1990 (Pieridae) Synonym(s): *bobaga* Mastrigt,1990
- 56215) *Delias* (clathrata-gr.) *bobaga homeyo* Mastrigt,1996 (Pieridae) Synonym(s): *homeyo* Mastrigt,1996
- 56216) *Delias* (clathrata-gr.) *catocausta* Jordan,1911 (Pieridae) Synonym(s): *catocausta* Jordan,1911
- 56217) *Delias* (clathrata-gr.) *catocausta catocausta* Jordan,1911 (Pieridae) Synonym(s): *catocausta* Jordan,1911; *nigerrima* Roepke,1955
- 56218) *Delias* (clathrata-gr.) *catocausta eefi* Mastrigt,1990 (Pieridae) Synonym(s): *eefi* Mastrigt,1990
- 56219) *Delias* (clathrata-gr.) *clathrata* Rothschild,1904 (Pieridae) Synonym(s): *clathrata* Rothschild,1904
- 56220) *Delias* (clathrata-gr.) *clathrata clathrata* Rothschild,1904 (Pieridae) Synonym(s): *clathrata* Rothschild,1904
- 56221) *Delias* (clathrata-gr.) *clathrata limata* Jordan,1930 (Pieridae) Synonym(s): *limata* Jordan,1930
- 56222) *Delias* (clathrata-gr.) *elongatus* Kenrick,1911 (Pieridae) Synonym(s): *elongatus* Kenrick,1911
- 56223) *Delias* (clathrata-gr.) *elongatus elongatus* Kenrick,1911 (Pieridae) Synonym(s): *elongatus* Kenrick,1911
- 56224) *Delias* (clathrata-gr.) *felis* Lachlan,2000 (Pieridae) Synonym(s): *felis* Lachlan,2000
- 56225) *Delias* (clathrata-gr.) *felis felis* Lachlan,2000 (Pieridae) Synonym(s): *felis* Lachlan,2000
- 56226) *Delias* (clathrata-gr.) *fioretti* Mastrigt,1996 (Pieridae) Synonym(s): *fioretti* Mastrigt,1996
- 56227) *Delias* (clathrata-gr.) *fioretti fioretti* Mastrigt,1996 (Pieridae) Synonym(s): *fioretti* Mastrigt,1996
- 56228) *Delias* (clathrata-gr.) *hemianops* Gerrits & Mastrigt,1993 (Pieridae) Synonym(s): *hemianops* Gerrits & Mastrigt,1993
- 56229) *Delias* (clathrata-gr.) *hemianops hemianops* Gerrits & Mastrigt,1993 (Pieridae) Synonym(s): *hemianops* Gerrits & Mastrigt,1993
- 56230) *Delias* (clathrata-gr.) *hiemalis* Roepke,1955 (Pieridae) Synonym(s): *hiemalis* Roepke,1955
- 56231) *Delias* (clathrata-gr.) *hiemalis flabella* Mastrigt,1996 (Pieridae) Synonym(s): *flabella* Mastrigt,1996
- 56232) *Delias* (clathrata-gr.) *hiemalis hiemalis* Roepke,1955 (Pieridae) Synonym(s): *hiemalis* Roepke,1955
- 56233) *Delias* (clathrata-gr.) *hiemalis labbei* Mastrigt,2000 (Pieridae) Synonym(s): *labbei* Mastrigt,2000
- 56234) *Delias* (clathrata-gr.) *hiemalis nemangkawi* Mastrigt,2000 (Pieridae) Synonym(s): *nemangkawi* Mastrigt,2000
- 56235) *Delias* (clathrata-gr.) *inexpectata* Rothschild,1915 (Pieridae) Synonym(s): *inexpectata* Rothschild,1915
- 56236) *Delias* (clathrata-gr.) *inexpectata inexpectata* Rothschild,1915 (Pieridae) Synonym(s): *inexpectata* Rothschild,1915
- 56237) *Delias* (clathrata-gr.) *klossi* Rothschild,1915 (Pieridae) Synonym(s): *klossi* Rothschild,1915
- 56238) *Delias* (clathrata-gr.) *klossi chrysanthemum* Roepke,1955 (Pieridae) Synonym(s): *chrysanthemum* Roepke,1955
- 56239) *Delias* (clathrata-gr.) *klossi gome* Mastrigt,2000 (Pieridae) Synonym(s): *gome* Mastrigt,2000
- 56240) *Delias* (clathrata-gr.) *klossi klossi* Rothschild,1915 (Pieridae) Synonym(s): *klossi* Rothschild,1915
- 56241) *Delias* (clathrata-gr.) *klossi okse* Mastrigt,2000 (Pieridae) Synonym(s): *okse* Mastrigt,2000
- 56242) *Delias* (clathrata-gr.) *mariae Joicey & Talbot,1916* (Pieridae) Synonym(s): *mariae Joicey & Talbot,1916*
- 56243) *Delias* (clathrata-gr.) *mariae boschmai* Roepke,1955 (Pieridae) Synonym(s): *boschmai* Roepke,1955
- 56244) *Delias* (clathrata-gr.) *mariae mariae Joicey & Talbot,1916* (Pieridae) Synonym(s): *mariae Joicey & Talbot,1916*
- 56245) *Delias* (clathrata-gr.) *mariae menoensis Joicey & Talbot,1922* (Pieridae) Synonym(s): *menoensis Joicey & Talbot,1922*
- 56246) *Delias* (clathrata-gr.) *mira* Rothschild & Jordan,1904 (Pieridae) Synonym(s): *mira* Rothschild & Jordan,1904
- 56247) *Delias* (clathrata-gr.) *mira excelsa* Jordan,1930 (Pieridae) Synonym(s): *excelsa* Jordan,1930
- 56248) *Delias* (clathrata-gr.) *mira mavrodii Tusov & Churkin,1998* (Pieridae) Synonym(s): *mavrodii Tusov & Churkin,1998*
- 56249) *Delias* (clathrata-gr.) *mira mira* Rothschild & Jordan,1904 (Pieridae) Synonym(s): *mira* Rothschild & Jordan,1904
- 56250) *Delias* (clathrata-gr.) *mira reversa* Rothschild,1925 (Pieridae) Synonym(s): *reversa* Rothschild,1925
- 56251) *Delias* (clathrata-gr.) *nakanokeikoe Yagishita,1993* (Pieridae) Synonym(s): *nakanokeikoe Yagishita,1993*
- 56252) *Delias* (clathrata-gr.) *nakanokeikoe jali* Mastrigt,1995 (Pieridae) Synonym(s): *jali* Mastrigt,1995
- 56253) *Delias* (clathrata-gr.) *nakanokeikoe nakanokeikoe Yagishita,1993* (Pieridae) Synonym(s): *nakanokeikoe Yagishita,1993*
- 56254) *Delias* (clathrata-gr.) *neeltje Gerrits & Mastrigt,1993* (Pieridae) Synonym(s): *neeltje Gerrits & Mastrigt,1993; sakumai Yagishita,1993*
- 56255) *Delias* (clathrata-gr.) *neeltje neeltje Gerrits & Mastrigt,1993* (Pieridae) Synonym(s): *neeltje Gerrits & Mastrigt,1993; sakumai Yagishita,1993*
- 56256) *Delias* (clathrata-gr.) *pellos* Lachlan,2000 (Pieridae) Synonym(s): *pellos* Lachlan,2000
- 56257) *Delias* (clathrata-gr.) *pellos pellos* Lachlan,2000 (Pieridae) Synonym(s): *pellos* Lachlan,2000
- 56258) *Delias* (clathrata-gr.) *roepkei* Sanford & Bennett,1955 (Pieridae) Synonym(s): *roepkei* Sanford & Bennett,1955
- 56259) *Delias* (clathrata-gr.) *roepkei cieko* Arima,1996 (Pieridae) Synonym(s): *cieko* Arima,1996
- 56260) *Delias* (clathrata-gr.) *roepkei roepkei* Sanford & Bennett,1955 (Pieridae) Synonym(s): *roepkei* Sanford & Bennett,1955
- 56261) *Delias* (clathrata-gr.) *sawyeri* Mastrigt,2000 (Pieridae) Synonym(s): *sawyeri* Mastrigt,2000
- 56262) *Delias* (clathrata-gr.) *sawyeri sawyeri* Mastrigt,2000 (Pieridae) Synonym(s): *sawyeri* Mastrigt,2000
- 56263) *Delias* (clathrata-gr.) *sigit* Mastrigt,1990 (Pieridae) Synonym(s): *sigit* Mastrigt,1990
- 56264) *Delias* (clathrata-gr.) *sigit sigit* Mastrigt,1990 (Pieridae) Synonym(s): *sigit* Mastrigt,1990
- 56265) *Delias* (clathrata-gr.) *walshae* Roepke,1955 (Pieridae) Synonym(s): *walshae* Roepke,1955
- 56266) *Delias* (clathrata-gr.) *walshae ilu* Mastrigt,2000 (Pieridae) Synonym(s): *ilu* Mastrigt,2000
- 56267) *Delias* (clathrata-gr.) *walshae sanaeae* Sakuma,1999 (Pieridae) Synonym(s): *sanaeae* Sakuma,1999
- 56268) *Delias* (clathrata-gr.) *walshae walshae* Roepke,1955 (Pieridae) Synonym(s): *walshae* Roepke,1955
- 56269) *Delias* (cuningputi-gr.) *angabungana* Talbot,1928 (Pieridae) Synonym(s): *angabungana* Talbot,1928
- 56270) *Delias* (cuningputi-gr.) *angabungana angabungana* Talbot,1928 (Pieridae) Synonym(s): *angabungana* Talbot,1928
- 56271) *Delias* (cuningputi-gr.) *angiensis* Talbot,1928 (Pieridae) Synonym(s): *angiensis* Talbot,1928
- 56272) *Delias* (cuningputi-gr.) *angiensis angensis* Talbot,1928 (Pieridae) Synonym(s): *angiensis* Talbot,1928
- 56273) *Delias* (cuningputi-gr.) *approximata* Joicey & Talbot,1922 (Pieridae) Synonym(s): *approximata* Joicey & Talbot,1922; *#rectimargo* Joicey & Talbot,1922
- 56274) *Delias* (cuningputi-gr.) *approximata approximata* Joicey & Talbot,1922 (Pieridae) Synonym(s): *approximata* Joicey & Talbot,1922; *#rectimargo* Joicey & Talbot,1922
- 56275) *Delias* (cuningputi-gr.) *aroae* Ribbe,1900 (Pieridae) Synonym(s): *aroae* Ribbe,1900
- 56276) *Delias* (cuningputi-gr.) *aroae aroae* Ribbe,1900 (Pieridae) Synonym(s): *aroae* Ribbe,1900
- 56277) *Delias* (cuningputi-gr.) *balimensis* Roepke,1955 (Pieridae) Synonym(s): *balimensis* Roepke,1955
- 56278) *Delias* (cuningputi-gr.) *balimensis balimensis* Roepke,1955 (Pieridae) Synonym(s): *balimensis* Roepke,1955
- 56279) *Delias* (cuningputi-gr.) *binniensis* (Pieridae) Synonym(s):
- 56280) *Delias* (cuningputi-gr.) *binniensis binniensis* (Pieridae) Synonym(s):
- 56281) *Delias* (cuningputi-gr.) *chimbu* Orr & Sibatani,1987 (Pieridae) Synonym(s): *chimbu* Orr & Sibatani,1987
- 56282) *Delias* (cuningputi-gr.) *chimbu chimbu* Orr & Sibatani,1987 (Pieridae) Synonym(s): *chimbu* Orr & Sibatani,1987
- 56283) *Delias* (cuningputi-gr.) *citrona* Joicey & Talbot,1922 (Pieridae) Synonym(s): *citrona* Joicey & Talbot,1922
- 56284) *Delias* (cuningputi-gr.) *citrona citrona* Joicey & Talbot,1922 (Pieridae) Synonym(s): *citrona* Joicey & Talbot,1922
- 56285) *Delias* (cuningputi-gr.) *cuningputi* Ribbe,1901 (Pieridae) Synonym(s): *cuningputi* Ribbe,1901; *aemula* Jordan,1930; *festone* Schmitt,1992
- 56286) *Delias* (cuningputi-gr.) *cuningputi* Ribbe,1901 (Pieridae) Synonym(s): *cuningputi* Ribbe,1901; *aemula* Jordan,1930; *festone* Schmitt,1992
- 56287) *Delias* (cuningputi-gr.) *daniensis* Mastrigt,2003 (Pieridae) Synonym(s): *daniensis* Mastrigt,2003
- 56288) *Delias* (cuningputi-gr.) *daniensis daniensis* Mastrigt,2003 (Pieridae) Synonym(s): *daniensis* Mastrigt,2003
- 56289) *Delias* (cuningputi-gr.) *dortheysi* Mastrigt,2002 (Pieridae) Synonym(s): *dortheysi* Mastrigt,2002
- 56290) *Delias* (cuningputi-gr.) *dortheysi dortheysi* Mastrigt,2002 (Pieridae) Synonym(s): *dortheysi* Mastrigt,2002
- 56291) *Delias* (cuningputi-gr.) *endela* Jordan,1930 (Pieridae) Synonym(s): *endela* Jordan,1930
- 56292) *Delias* (cuningputi-gr.) *endela endela* Jordan,1930 (Pieridae) Synonym(s): *endela* Jordan,1930
- 56293) *Delias* (cuningputi-gr.) *fascelis* Jordan,1911 (Pieridae) Synonym(s): *fascelis* Jordan,1911; *sagawaorum* Morita,1996
- 56294) *Delias* (cuningputi-gr.) *fascelis amungme* Mastrigt,1996 (Pieridae) Synonym(s): *roepkei* Schmitt,1992 *nec* Sanford & Bennett,1955; *amungme* Mastrigt,1996
- 56295) *Delias* (cuningputi-gr.) *fascelis cartieri* Lachlan,2000 (Pieridae) Synonym(s): *cartieri* Lachlan,2000
- 56296) *Delias* (cuningputi-gr.) *fascelis fascelis* Jordan,1911 (Pieridae) Synonym(s): *fascelis* Jordan,1911; *sagawaorum* Morita,1996
- 56297) *Delias* (cuningputi-gr.) *fascelis ibelana* Roepke,1955 (Pieridae) Synonym(s): *ibelana* Roepke,1955
- 56298) *Delias* (cuningputi-gr.) *fascelis korupun* Mastrigt,1996 (Pieridae) Synonym(s): *korupun* Mastrigt,1996
- 56299) *Delias* (cuningputi-gr.) *fascelis paniaia* Schmitt,1992 (Pieridae) Synonym(s): *paniaia* Schmitt,1992
- 56300) *Delias* (cuningputi-gr.) *flavissima* Orr & Sibatani,1985 (Pieridae) Synonym(s): *flavissima* Orr & Sibatani,1985

- 56301) *Delias* (cuningputi-gr.) *flavissima flavissima* Orr & Sibatani,1985 (Pieridae) Synonym(s): *flavissima* Orr & Sibatani,1985
 56302) *Delias* (cuningputi-gr.) *flavissima giselae* Schmitt,1992 (Pieridae) Synonym(s): *giselae* Schmitt,1992
 56303) *Delias* (cuningputi-gr.) *hyperapproximata Rothschild,1925* (Pieridae) Synonym(s): *hyperapproximata Rothschild,1925*
 56304) *Delias* (cuningputi-gr.) *hyperapproximata hyperapproximata Rothschild,1925* (Pieridae) Synonym(s): *hyperapproximata Rothschild,1925*
 56305) *Delias* (cuningputi-gr.) *imitator Kenrick,1911* (Pieridae) Synonym(s): *imitator Kenrick,1911*
 56306) *Delias* (cuningputi-gr.) *imitator imitator Kenrick,1911* (Pieridae) Synonym(s): *imitator Kenrick,1911*
 56307) *Delias* (cuningputi-gr.) *inopinata Lachlan,2000* (Pieridae) Synonym(s): *inopinata Lachlan,2000*
 56308) *Delias* (cuningputi-gr.) *inopinata inopinata Lachlan,2000* (Pieridae) Synonym(s): *inopinata Lachlan,2000*
 56309) *Delias* (cuningputi-gr.) *inopinata orri Mastrigt,2003* (Pieridae) Synonym(s): *orri Mastrigt,2003*
 56310) *Delias* (cuningputi-gr.) *jordani Kenrick,1909* (Pieridae) Synonym(s): *jordani Kenrick,1909*
 56311) *Delias* (cuningputi-gr.) *jordani Jordani Kenrick,1909* (Pieridae) Synonym(s): *jordani Kenrick,1909*
 56312) *Delias* (cuningputi-gr.) *kenricki Talbot,1937* (Pieridae) Synonym(s): *kenricki Talbot,1937*
 56313) *Delias* (cuningputi-gr.) *kenricki kenricki Talbot,1937* (Pieridae) Synonym(s): *kenricki Talbot,1937*
 56314) *Delias* (cuningputi-gr.) *konokono Orr & Sibatani,1987* (Pieridae) Synonym(s): *konokono Orr & Sibatani,1987*
 56315) *Delias* (cuningputi-gr.) *konokono konokono Orr & Sibatani,1987* (Pieridae) Synonym(s): *konokono Orr & Sibatani,1987*
 56316) *Delias* (cuningputi-gr.) *oktanglap Mastrigt,1990* (Pieridae) Synonym(s): *oktanglap Mastrigt,1990*
 56317) *Delias* (cuningputi-gr.) *oktanglap oktanglap Mastrigt,1990* (Pieridae) Synonym(s): *oktanglap Mastrigt,1990*
 56318) *Delias* (cuningputi-gr.) *pheres Jordan,1911* (Pieridae) Synonym(s): *pheres Jordan,1911; rectimargo Joicey & Talbot,1922*
 56319) *Delias* (cuningputi-gr.) *pheres pheres Jordan,1911* (Pieridae) Synonym(s): *pheres Jordan,1911; rectimargo Joicey & Talbot,1922*
 56320) *Delias* (cuningputi-gr.) *subapicalis Orr & Sibatani,1985* (Pieridae) Synonym(s): *subapicalis Orr & Sibatani,1985*
 56321) *Delias* (cuningputi-gr.) *subapicalis sibatani Mastrigt,2003* (Pieridae) Synonym(s): *sibatani Mastrigt,2003*
 56322) *Delias* (cuningputi-gr.) *subapicalis subapicalis Orr & Sibatani,1985* (Pieridae) Synonym(s): *subapicalis Orr & Sibatani,1985*
 56323) *Delias* (cuningputi-gr.) *yabensis Joicey & Talbot,1922* (Pieridae) Synonym(s): *yabensis Joicey & Talbot,1922; brevifascia Joicey & Talbot,1922*
 56324) *Delias* (cuningputi-gr.) *yabensis yabensis Joicey & Talbot,1922* (Pieridae) Synonym(s): *yabensis Joicey & Talbot,1922; brevifascia Joicey & Talbot,1922*
 56325) *Delias* (dorimene-gr.) *agostina (Hewitson,1852)* (Pieridae) Synonym(s): *agostina Hewitson,1852*
 56326) *Delias* (dorimene-gr.) *agostina agostina (Hewitson,1852)* (Pieridae) Synonym(s): *agostina Hewitson,1852*
 56327) *Delias* (dorimene-gr.) *agostina annamitica Fruhstorfer,1901* (Pieridae) Synonym(s): *annamitica Fruhstorfer,1901*
 56328) *Delias* (dorimene-gr.) *agostina johnsoni Corbet,1933* (Pieridae) Synonym(s): *johnsoni Corbet,1933*
 56329) *Delias* (dorimene-gr.) *agostina orita Fruhstorfer,1910* (Pieridae) Synonym(s): *orita Fruhstorfer,1910*
 56330) *Delias* (dorimene-gr.) *apatela Joicey & Talbot,1923* (Pieridae) Synonym(s): *apatela Joicey & Talbot,1923*
 56331) *Delias* (dorimene-gr.) *apatela apatela Joicey & Talbot,1923* (Pieridae) Synonym(s): *apatela Joicey & Talbot,1923*
 56332) *Delias* (dorimene-gr.) *baracasa Semper,1890* (Pieridae) Synonym(s): *baracasa Semper,1890*
 56333) *Delias* (dorimene-gr.) *baracasa baracasa Semper,1890* (Pieridae) Synonym(s): *baracasa Semper,1890*
 56334) *Delias* (dorimene-gr.) *baracasa benguetana Inomata,1979* (Pieridae) Synonym(s): *benguetana Inomata,1979*
 56335) *Delias* (dorimene-gr.) *baracasa cathara Grose-Smith,1893* (Pieridae) Synonym(s): *cathara Grose-Smith,1893*
 56336) *Delias* (dorimene-gr.) *baracasa danala De Nicéville,1893* (Pieridae) Synonym(s): *danala De Nicéville,1893; karo Hagen,1894*
 56337) *Delias* (dorimene-gr.) *baracasa dives De Nicéville,1897* (Pieridae) Synonym(s): *dives De Nicéville,1897*
 56338) *Delias* (dorimene-gr.) *baracasa kalimantana Yagishita,1993* (Pieridae) Synonym(s): *kalimantana Yagishita,1993*
 56339) *Delias* (dorimene-gr.) *biaka Joicey & Noakes,1915* (Pieridae) Synonym(s): *biaka Joicey & Noakes,1915*
 56340) *Delias* (dorimene-gr.) *biaka biaka Joicey & Noakes,1915* (Pieridae) Synonym(s): *biaka Joicey & Noakes,1915*
 56341) *Delias* (dorimene-gr.) *dorimene (Cramer,[1782])* (Pieridae) Synonym(s): *dorimene Cramer,[1782]*
 56342) *Delias* (dorimene-gr.) *dorimene avenda Fruhstorfer,1912* (Pieridae) Synonym(s): *avenda Fruhstorfer,1912*
 56343) *Delias* (dorimene-gr.) *dorimene dorimene (Cramer,[1782])* (Pieridae) Synonym(s): *dorimene Cramer,[1782]*
 56344) *Delias* (dorimene-gr.) *dorylaea Felder,1865* (Pieridae) Synonym(s): *dorylaea Felder,1865*
 56345) *Delias* (dorimene-gr.) *dorylaea dorylaea Felder,1865* (Pieridae) Synonym(s): *dorylaea Felder,1865*
 56346) *Delias* (dorimene-gr.) *dumasi Rothschild,1925* (Pieridae) Synonym(s): *dumasi Rothschild,1925*
 56347) *Delias* (dorimene-gr.) *dumasi dumasi Rothschild,1925* (Pieridae) Synonym(s): *dumasi Rothschild,1925*
 56348) *Delias* (dorimene-gr.) *echidna Hewitson,1861* (Pieridae) Synonym(s): *echidna Hewitson,1861*
 56349) *Delias* (dorimene-gr.) *echidna ambonensis Talbot,1928* (Pieridae) Synonym(s): *ambonensis Talbot,1928*
 56350) *Delias* (dorimene-gr.) *echidna echidna Hewitson,1861* (Pieridae) Synonym(s): *echidna Hewitson,1861*
 56351) *Delias* (dorimene-gr.) *gabia (Boisduval,1832)* (Pieridae) Synonym(s): *gabia Boisduval,1832*
 56352) *Delias* (dorimene-gr.) *gabia aurantimacula Joicey & Talbot,1922* (Pieridae) Synonym(s): *aurantimacula Joicey & Talbot,1922*
 56353) *Delias* (dorimene-gr.) *gabia bantina Fruhstorfer,1910* (Pieridae) Synonym(s): *bantina Fruhstorfer,1910*
 56354) *Delias* (dorimene-gr.) *gabia callistrate Grose-Smith,1897* (Pieridae) Synonym(s): *callistrate Grose-Smith,1897*
 56355) *Delias* (dorimene-gr.) *gabia felsina Fruhstorfer,1910* (Pieridae) Synonym(s): *felsina Fruhstorfer,1910*
 56356) *Delias* (dorimene-gr.) *gabia gabia (Boisduval,1832)* (Pieridae) Synonym(s): *gabia Boisduval,1832*
 56357) *Delias* (dorimene-gr.) *gabia marinda Hulst,1924* (Pieridae) Synonym(s): *marinda Hulst,1924*
 56358) *Delias* (dorimene-gr.) *gabia masinessa Fruhstorfer,1913* (Pieridae) Synonym(s): *masinessa Fruhstorfer,1913*
 56359) *Delias* (dorimene-gr.) *gabia naokoae Nakano,1995* (Pieridae) Synonym(s): *naokoae Nakano,1995*
 56360) *Delias* (dorimene-gr.) *gabia zarate Grose-Smith,1900* (Pieridae) Synonym(s): *zarate Grose-Smith,1900*
 56361) *Delias* (dorimene-gr.) *hippodamia Wallace,1867* (Pieridae) Synonym(s): *hippodamia Wallace,1867*
 56362) *Delias* (dorimene-gr.) *hippodamia hippodamia Wallace,1867* (Pieridae) Synonym(s): *hippodamia Wallace,1867*
 56363) *Delias* (dorimene-gr.) *kazueae Kitahara,1986* (Pieridae) Synonym(s): *kazueae Kitahara,1986*
 56364) *Delias* (dorimene-gr.) *kazueae kazueae Kitahara,1986* (Pieridae) Synonym(s): *kazueae Kitahara,1986*
 56365) *Delias* (dorimene-gr.) *mavroneria Fruhstofer,1914* (Pieridae) Synonym(s): *mavroneria Fruhstofer,1914; omissa Rothschild,1915*
 56366) *Delias* (dorimene-gr.) *mavroneria flavidior Rothschild,1916* (Pieridae) Synonym(s): *flavidior Rothschild,1916*
 56367) *Delias* (dorimene-gr.) *mavroneria mavroneria Fruhstofer,1914* (Pieridae) Synonym(s): *mavroneria Fruhstofer,1914; omissa Rothschild,1915*
 56368) *Delias* (dorimene-gr.) *melusina Staudinger,1891* (Pieridae) Synonym(s): *melusina Staudinger,1891*
 56369) *Delias* (dorimene-gr.) *melusina melusina Staudinger,1891* (Pieridae) Synonym(s): *melusina Staudinger,1891*
 56370) *Delias* (dorimene-gr.) *narses Heller,1896* (Pieridae) Synonym(s): *narses Heller,1896*
 56371) *Delias* (dorimene-gr.) *narses narses Heller,1896* (Pieridae) Synonym(s): *narses Heller,1896*
 56372) *Delias* (dorimene-gr.) *rothschildi Holland,1900* (Pieridae) Synonym(s): *rothschildi Holland,1900*
 56373) *Delias* (dorimene-gr.) *rothschildi ariela Niepelt,1921* (Pieridae) Synonym(s): *ariela Niepelt,1921*
 56374) *Delias* (dorimene-gr.) *rothschildi rothschildi Holland,1900* (Pieridae) Synonym(s): *rothschildi Holland,1900*
 56375) *Delias* (dorimene-gr.) *schuppi Talbot,1928* (Pieridae) Synonym(s): *schuppi Talbot,1928*
 56376) *Delias* (dorimene-gr.) *schuppi schuppi Talbot,1928* (Pieridae) Synonym(s): *schuppi Talbot,1928*
 56377) *Delias* (dorimene-gr.) *subviridis Joicey & Talbot,1922* (Pieridae) Synonym(s): *subviridis Joicey & Talbot,1922*
 56378) *Delias* (dorimene-gr.) *subviridis subviridis Joicey & Talbot,1922* (Pieridae) Synonym(s): *subviridis Joicey & Talbot,1922*
 56379) *Delias* (eichhorni-gr.) *antara Roepke,1955* (Pieridae) Synonym(s): *antara Roepke,1955*
 56380) *Delias* (eichhorni-gr.) *antara antara Roepke,1955* (Pieridae) Synonym(s): *antara Roepke,1955*
 56381) *Delias* (eichhorni-gr.) *antara solana Morinaka & Nakazawa,1997* (Pieridae) Synonym(s): *solana Morinaka & Nakazawa,1997*
 56382) *Delias* (eichhorni-gr.) *carstenziana Rothschild,1916* (Pieridae) Synonym(s): *carstenziana Rothschild,1916*
 56383) *Delias* (eichhorni-gr.) *carstenziana alcornis Roepke,1955* (Pieridae) Synonym(s): *alcornis Roepke,1955*
 56384) *Delias* (eichhorni-gr.) *carstenziana carstenziana Rothschild,1916* (Pieridae) Synonym(s): *carstenziana Rothschild,1916*
 56385) *Delias* (eichhorni-gr.) *carstenziana inexpecta Morinaka & Nakazawa,1999* (Pieridae) Synonym(s): *inexpecta Morinaka & Nakazawa,1999; starensis Lachlan,2000*
 56386) *Delias* (eichhorni-gr.) *catisa Jordan,1912* (Pieridae) Synonym(s): *catisa Jordan,1912*
 56387) *Delias* (eichhorni-gr.) *catisa aurostriga Roepke,1955* (Pieridae) Synonym(s): *aurostriga Roepke,1955*
 56388) *Delias* (eichhorni-gr.) *catisa catisa Jordan,1912* (Pieridae) Synonym(s): *catisa Jordan,1912*

- 56389) *Delias* (eichhorni-gr.) *catisa morinakai* Yagishita, 1993 (Pieridae) Synonym(s): *morinakai* Yagishita, 1993
 56390) *Delias* (eichhorni-gr.) *catisa sumbole* Mastrigt, 2001 (Pieridae) Synonym(s): *sumbole* Mastrigt, 2001
 56391) *Delias* (eichhorni-gr.) *catisa wisseliana* Roepke, 1955 (Pieridae) Synonym(s): *wisseliana* Roepke, 1955
 56392) *Delias* (eichhorni-gr.) *eichhorni Rothschild & Jordan*, 1904 (Pieridae) Synonym(s): *eichhorni Rothschild & Jordan*, 1904
 56393) *Delias* (eichhorni-gr.) *eichhorni Rothschild & Jordan*, 1904 (Pieridae) Synonym(s): *eichhorni Rothschild & Jordan*, 1904
 56394) *Delias* (eichhorni-gr.) *eichhorni hagenensis* Morinaka, Mastrigt & Sibatani, 1993 (Pieridae) Synonym(s): *hagenensis* Morinaka, Mastrigt & Sibatani, 1993
 56395) *Delias* (eichhorni-gr.) *eichhorni kerowagi* Morinaka, Mastrigt & Sibatani, 1993 (Pieridae) Synonym(s): *kerowagi* Morinaka, Mastrigt & Sibatani, 1993
 56396) *Delias* (eichhorni-gr.) *frater* Jordan, 1911 (Pieridae) Synonym(s): *frater* Jordan, 1911
 56397) *Delias* (eichhorni-gr.) *frater far* Schröder & Treadaway, 1982 (Pieridae) Synonym(s): *far* Schröder & Treadaway, 1982
 56398) *Delias* (eichhorni-gr.) *frater* Jordan, 1911 (Pieridae) Synonym(s): *frater* Jordan, 1911
 56399) *Delias* (eichhorni-gr.) *frater soror* Toxopeus, 1944 (Pieridae) Synonym(s): *soror* Toxopeus, 1944
 56400) *Delias* (eichhorni-gr.) *germana* Roepke, 1955 (Pieridae) Synonym(s): *germana* Roepke, 1955
 56401) *Delias* (eichhorni-gr.) *germana germana* Roepke, 1955 (Pieridae) Synonym(s): *germana* Roepke, 1955
 56402) *Delias* (eichhorni-gr.) *germana heliophora* Roepke, 1955 (Pieridae) Synonym(s): *heliophora* Roepke, 1955
 56403) *Delias* (eichhorni-gr.) *gilliardi* Sanford & Bennett, 1955 (Pieridae) Synonym(s): *gilliardi Sanford & Bennett*, 1955
 56404) *Delias* (eichhorni-gr.) *gilliardi gilliardi* Sanford & Bennett, 1955 (Pieridae) Synonym(s): *gilliardi Sanford & Bennett*, 1955
 56405) *Delias* (eichhorni-gr.) *hallstromi* Sanford & Bennett, 1955 (Pieridae) Synonym(s): *hallstromi Sanford & Bennett*, 1955
 56406) *Delias* (eichhorni-gr.) *hallstromi hallstromi* Sanford & Bennett, 1955 (Pieridae) Synonym(s): *hallstromi Sanford & Bennett*, 1955
 56407) *Delias* (eichhorni-gr.) *leucobalia* Jordan, 1911 (Pieridae) Synonym(s): *leucobalia* Jordan, 1911
 56408) *Delias* (eichhorni-gr.) *leucobalia distincta* Rothschild, 1915 (Pieridae) Synonym(s): *distincta* Rothschild, 1915
 56409) *Delias* (eichhorni-gr.) *leucobalia ericetorum* Roepke, 1955 (Pieridae) Synonym(s): *ericetorum* Roepke, 1955
 56410) *Delias* (eichhorni-gr.) *leucobalia leucobalia* Jordan, 1911 (Pieridae) Synonym(s): *leucobalia* Jordan, 1911
 56411) *Delias* (eichhorni-gr.) *muellerensis* Morinaka & Nakazawa, 1999 (Pieridae) Synonym(s): *muellerensis* Morinaka & Nakazawa, 1999
 56412) *Delias* (eichhorni-gr.) *muellerensis muellerensis* Morinaka & Nakazawa, 1999 (Pieridae) Synonym(s): *muellerensis* Morinaka & Nakazawa, 1999
 56413) *Delias* (eichhorni-gr.) *muliensis* Morinaka, Mastrigt & Sibatani, 1991 (Pieridae) Synonym(s): *muliensis* Morinaka, Mastrigt & Sibatani, 1991
 56414) *Delias* (eichhorni-gr.) *muliensis muliensis* Morinaka, Mastrigt & Sibatani, 1991 (Pieridae) Synonym(s): *muliensis* Morinaka, Mastrigt & Sibatani, 1991
 56415) *Delias* (eichhorni-gr.) *toxopei* Roepke, 1955 (Pieridae) Synonym(s): *toxopei* Roepke, 1955
 56416) *Delias* (eichhorni-gr.) *toxopei morosa* Roepke, 1955 (Pieridae) Synonym(s): *morosa* Roepke, 1955
 56417) *Delias* (eichhorni-gr.) *toxopei nipsan* Mastrigt, 1995 (Pieridae) Synonym(s): *nipsan* Mastrigt, 1995
 56418) *Delias* (eichhorni-gr.) *toxopei toxopei* Roepke, 1955 (Pieridae) Synonym(s): *toxopei* Roepke, 1955
 56419) *Delias* (eichhorni-gr.) *toxopei uranoi* Yagishita, 1993 (Pieridae) Synonym(s): *uranoi* Yagishita, 1993
 56420) *Delias* (georgina-gr.) *battana* Fruhstorfer, 1896 (Pieridae) Synonym(s): *battana* Fruhstorfer, 1896; *auricoma* Fruhstorfer, 1911; *#defasciata* Niepelt, 1920
 56421) *Delias* (georgina-gr.) *battana ariae* Nakano, 1993 (Pieridae) Synonym(s): *ariae* Nakano, 1993
 56422) *Delias* (georgina-gr.) *battana battana* Fruhstorfer, 1896 (Pieridae) Synonym(s): *battana* Fruhstorfer, 1896; *auricoma* Fruhstorfer, 1911; *#defasciata* Niepelt, 1920
 56423) *Delias* (georgina-gr.) *cinerascens* Mitis, 1893 (Pieridae) Synonym(s): *cinerascens* Mitis, 1893
 56424) *Delias* (georgina-gr.) *cinerascens cinerascens* Mitis, 1893 (Pieridae) Synonym(s): *cinerascens* Mitis, 1893
 56425) *Delias* (georgina-gr.) *cinerascens naomii* Yagishita, 1997 (Pieridae) Synonym(s): *naomii* Yagishita, 1997
 56426) *Delias* (georgina-gr.) *cinerascens nishikawai* Yagishita, 1993 (Pieridae) Synonym(s): *nishikawai* Yagishita, 1993
 56427) *Delias* (georgina-gr.) *cinerascens uedai* Nakano, 1993 (Pieridae) Synonym(s): *uedai* Nakano, 1993
 56428) *Delias* (georgina-gr.) *ganymedes* Okumoto, 1981 (Pieridae) Synonym(s): *ganymedes* Okumoto, 1981
 56429) *Delias* (georgina-gr.) *ganymedes filarorum* Nihira & Kawamura, 1987 (Pieridae) Synonym(s): *filarorum* Nihira & Kawamura, 1987
 56430) *Delias* (georgina-gr.) *ganymedes ganymedes* Okumoto, 1981 (Pieridae) Synonym(s): *ganymedes* Okumoto, 1981
 56431) *Delias* (georgina-gr.) *ganymedes halconensis* Nakano & Yagashita, 1993 (Pieridae) Synonym(s): *halconensis* Nakano & Yagashita, 1993
 56432) *Delias* (georgina-gr.) *georgina* C.Felder & R.Felder, 1861 (Pieridae) Synonym(s): *georgina* C.Felder & R.Felder, 1861
 56433) *Delias* (georgina-gr.) *georgina georgina* C.Felder & R.Felder, 1861 (Pieridae) Synonym(s): *georgina* C.Felder & R.Felder, 1861
 56434) *Delias* (georgina-gr.) *magsadana* (Pieridae) Synonym(s):
 56435) *Delias* (georgina-gr.) *magsadana magsadana* (Pieridae) Synonym(s):
 56436) *Delias* (georgina-gr.) *nuydaorum* Schröder, 1975 (Pieridae) Synonym(s): *nuydaorum* Schröder, 1975
 56437) *Delias* (georgina-gr.) *nuydaorum almae* Schröder & Treadaway, 2005 (Pieridae) Synonym(s): *almae* Schröder & Treadaway, 2005
 56438) *Delias* (georgina-gr.) *nuydaorum nuydaorum* Schröder, 1975 (Pieridae) Synonym(s): *nuydaorum* Schröder, 1975
 56439) *Delias* (georgina-gr.) *nuydaorum tagai* Yagishita & Morita, 1996 (Pieridae) Synonym(s): *tagai* Yagishita & Morita, 1996
 56440) *Delias* (georgina-gr.) *orphne* Wallace, 1867 (Pieridae) Synonym(s): *orphne* Wallace, 1867
 56441) *Delias* (georgina-gr.) *orphne keda* Talbot, 1937 (Pieridae) Synonym(s): *keda* Talbot, 1937
 56442) *Delias* (georgina-gr.) *orphne orphne* Wallace, 1867 (Pieridae) Synonym(s): *orphne* Wallace, 1867
 56443) *Delias* (georgina-gr.) *orphne tahananica* Rothschild, 1925 (Pieridae) Synonym(s): *tahananica* Rothschild, 1925
 56444) *Delias* (georgina-gr.) *orphne zenobia* Pendlebury, 1937 (Pieridae) Synonym(s): *zenobia* Pendlebury, 1937
 56445) *Delias* (georgina-gr.) *paoaiensis* Nihira & Kawamura, 1987 (Pieridae) Synonym(s): *paoaiensis* Nihira & Kawamura, 1987
 56446) *Delias* (georgina-gr.) *paoaiensis paoaiensis* Nihira & Kawamura, 1987 (Pieridae) Synonym(s): *paoaiensis* Nihira & Kawamura, 1987
 56447) *Delias* (georgina-gr.) *schoenigi* Schröder, 1977 (Pieridae) Synonym(s): *schoenigi* Schröder, 1977
 56448) *Delias* (georgina-gr.) *schoenigi hermelii* Samusawa & Kawamura, 1988 (Pieridae) Synonym(s): *hermelii* Samusawa & Kawamura, 1988
 56449) *Delias* (georgina-gr.) *schoenigi malindangeana* Nakano & Yagashita, 1993 (Pieridae) Synonym(s): *malindangeana* Nakano & Yagashita, 1993
 56450) *Delias* (georgina-gr.) *schoenigi pasiana* Yagashita, 1993 (Pieridae) Synonym(s): *pasiana* Yagashita, 1993
 56451) *Delias* (georgina-gr.) *schoenigi samusawai* Yagishita & Morita, 1996 (Pieridae) Synonym(s): *samusawai* Yagishita & Morita, 1996
 56452) *Delias* (georgina-gr.) *schoenigi schoenigi* Schröder, 1977 (Pieridae) Synonym(s): *schoenigi* Schröder, 1977
 56453) *Delias* (georgina-gr.) *shirozui* Yata, 1981 (Pieridae) Synonym(s): *shirozui* Yata, 1981
 56454) *Delias* (georgina-gr.) *shirozui shirozui* Yata, 1981 (Pieridae) Synonym(s): *shirozui* Yata, 1981
 56455) *Delias* (georgina-gr.) *simanabum* Hagen, 1894 (Pieridae) Synonym(s): *simanabum* Hagen, 1894
 56456) *Delias* (georgina-gr.) *simanabum simanabum* Hagen, 1894 (Pieridae) Synonym(s): *simanabum* Hagen, 1894
 56457) *Delias* (georgina-gr.) *vietnamensis* Monastyrskii & Devyatkin, 2000 (Pieridae) Synonym(s): *vietnamensis* Monastyrskii & Devyatkin, 2000
 56458) *Delias* (georgina-gr.) *vietnamensis vietnamensis* Monastyrskii & Devyatkin, 2000 (Pieridae) Synonym(s): *vietnamensis* Monastyrskii & Devyatkin, 2000
 56459) *Delias* (geraldina-gr.) *abrophora* Roepke, 1955 (Pieridae) Synonym(s): *abrophora* Roepke, 1955
 56460) *Delias* (geraldina-gr.) *abrophora abrophora* Roepke, 1955 (Pieridae) Synonym(s): *abrophora* Roepke, 1955
 56461) *Delias* (geraldina-gr.) *abrophora bugebu* Mastrigt, 1995 (Pieridae) Synonym(s): *bugebu* Mastrigt, 1995
 56462) *Delias* (geraldina-gr.) *abrophora okbibab* Mastrigt, 1995 (Pieridae) Synonym(s): *okbibab* Mastrigt, 1995
 56463) *Delias* (geraldina-gr.) *anjae* Schröder, 1977 (Pieridae) Synonym(s): *anjae* Schröder, 1977
 56464) *Delias* (geraldina-gr.) *anjae anjae* Schröder, 1977 (Pieridae) Synonym(s): *anjae* Schröder, 1977
 56465) *Delias* (geraldina-gr.) *argentata* Roepke, 1955 (Pieridae) Synonym(s): *argentata* Roepke, 1955; *#anguinea* Roepke, 1955; *#destrigata* Mastrigt, 1995
 56466) *Delias* (geraldina-gr.) *argentata argentata* Roepke, 1955 (Pieridae) Synonym(s): *argentata* Roepke, 1955; *#anguinea* Roepke, 1955; *#destrigata* Mastrigt, 1995
 56467) *Delias* (geraldina-gr.) *argentata clutus* Yagishita, 1993 (Pieridae) Synonym(s): *clutus* Yagishita, 1993
 56468) *Delias* (geraldina-gr.) *cyclosticha* Roepke, 1955 (Pieridae) Synonym(s): *cyclosticha* Roepke, 1955
 56469) *Delias* (geraldina-gr.) *cyclosticha cyclosticha* Roepke, 1955 (Pieridae) Synonym(s): *cyclosticha* Roepke, 1955
 56470) *Delias* (geraldina-gr.) *eudiabolus* Rothschild, 1915 (Pieridae) Synonym(s): *eudiabolus* Rothschild, 1915
 56471) *Delias* (geraldina-gr.) *eudiabolus eudiabolus* Rothschild, 1915 (Pieridae) Synonym(s): *eudiabolus* Rothschild, 1915
 56472) *Delias* (geraldina-gr.) *geraldina* Grose-Smith, 1894 (Pieridae) Synonym(s): *geraldina* Grose-Smith, 1894; *weiskei* Ribbe, 1900 (homonym).
 56473) *Delias* (geraldina-gr.) *geraldina emilia* Rothschild & Jordan, 1904 (Pieridae) Synonym(s): *emilia* Rothschild & Jordan, 1904
 56474) *Delias* (geraldina-gr.) *geraldina geraldina* Grose-Smith, 1894 (Pieridae) Synonym(s): *geraldina* Grose-Smith, 1894; *weiskei* Ribbe, 1900 (homonym).
 56475) *Delias* (geraldina-gr.) *geraldina masakoae* Nakano, 1998 (Pieridae) Synonym(s): *masakoae* Nakano, 1998

- 56476) *Delias* (geraldina-gr.) *geraldina* onin Yagishita,1993 (Pieridae) Synonym(s): *onin* Yagishita,1993
- 56477) *Delias* (geraldina-gr.) *geraldina sidera* Roepke,1955 (Pieridae) Synonym(s): *sidera* Roepke,1955; *#flavescens* Roepke,1955
- 56478) *Delias* (geraldina-gr.) *geraldina vanechoudi* Roepke,1955 (Pieridae) Synonym(s): *vanechoudi* Roepke,1955
- 56479) *Delias* (geraldina-gr.) *geraldina vogelcopensis* Yagishita,1990 (Pieridae) Synonym(s): *vogelcopensis* Yagishita,1990
- 56480) *Delias* (geraldina-gr.) *heroni* Kenrick,1909 (Pieridae) Synonym(s): *heroni* Kenrick,1909; *#albooculatus* Joicey & Noakes,1915
- 56481) *Delias* (geraldina-gr.) *heroni heroni* Kenrick,1909 (Pieridae) Synonym(s): *heroni* Kenrick,1909; *#albooculatus* Joicey & Noakes,1915
- 56482) *Delias* (geraldina-gr.) *hikarui* Yagishita,1993 (Pieridae) Synonym(s): *hikarui* Yagishita,1993
- 56483) *Delias* (geraldina-gr.) *hikarui hikarui* Yagishita,1993 (Pieridae) Synonym(s): *hikarui* Yagishita,1993
- 56484) *Delias* (geraldina-gr.) *hypomelas Rothschild & Jordan*,1907 (Pieridae) Synonym(s): *hypomelas Rothschild & Jordan*,1907
- 56485) *Delias* (geraldina-gr.) *hypomelas conversa* Jordan,1911 (Pieridae) Synonym(s): *conversa* Jordan,1911
- 56486) *Delias* (geraldina-gr.) *hypomelas hypomelas Rothschild & Jordan*,1907 (Pieridae) Synonym(s): *hypomelas Rothschild & Jordan*,1907
- 56487) *Delias* (geraldina-gr.) *hypomelas lieftincki* Roepke,1955 (Pieridae) Synonym(s): *lieftincki* Roepke,1955
- 56488) *Delias* (geraldina-gr.) *hypomelas rawlinsoni* Talbot,1928 (Pieridae) Synonym(s): *rawlinsoni* Talbot,1928
- 56489) *Delias* (geraldina-gr.) *hypomelas rubrostriata Joicey & Talbot*,1922 (Pieridae) Synonym(s): *rubrostriata* Joicey & Talbot,1922
- 56490) *Delias* (geraldina-gr.) *itamputi* Ribbe,1900 (Pieridae) Synonym(s): *itamputi* Ribbe,1900
- 56491) *Delias* (geraldina-gr.) *itamputi itamputi* Ribbe,1900 (Pieridae) Synonym(s): *itamputi* Ribbe,1900
- 56492) *Delias* (geraldina-gr.) *langda* Mastrigt,1992 (Pieridae) Synonym(s): *langda* Mastrigt,1992
- 56493) *Delias* (geraldina-gr.) *langda langda* Mastrigt,1992 (Pieridae) Synonym(s): *langda* Mastrigt,1992
- 56494) *Delias* (geraldina-gr.) *lecerfi* Joicey & Talbot,1922 (Pieridae) Synonym(s): *lecerfi* Joicey & Talbot,1922
- 56495) *Delias* (geraldina-gr.) *lecerfi lecerfi* Joicey & Talbot,1922 (Pieridae) Synonym(s): *lecerfi* Joicey & Talbot,1922
- 56496) *Delias* (geraldina-gr.) *microsticha microsticha Rothschild & Jordan*,1904 (Pieridae) Synonym(s): *microsticha Rothschild & Jordan*,1904; *albifascia* Talbot,1928
- 56497) *Delias* (geraldina-gr.) *microsticha Rothschild & Jordan*,1904 (Pieridae) Synonym(s): *microsticha Rothschild & Jordan*,1904; *albifascia* Talbot,1928
- 56498) *Delias* (geraldina-gr.) *microsticha flavopicta* Jordan,1911 (Pieridae) Synonym(s): *flavopicta* Jordan,1911
- 56499) *Delias* (geraldina-gr.) *microsticha serratula* Toxopeus,1955 (Pieridae) Synonym(s): *serratula* Toxopeus,1955
- 56500) *Delias* (geraldina-gr.) *nigropunctata* Joicey & Noakes,1915 (Pieridae) Synonym(s): *nigropunctata* Joicey & Noakes,1915
- 56501) *Delias* (geraldina-gr.) *nigropunctata nigropunctata* Joicey & Noakes,1915 (Pieridae) Synonym(s): *nigropunctata* Joicey & Noakes,1915
- 56502) *Delias* (geraldina-gr.) *rileyi* Joicey & Talbot,1922 (Pieridae) Synonym(s): *rileyi* Joicey & Talbot,1922
- 56503) *Delias* (geraldina-gr.) *rileyi extremus* Tusov & Churkin,1998 (Pieridae) Synonym(s): *extremus* Tusov & Churkin,1998
- 56504) *Delias* (geraldina-gr.) *rileyi nishizawai* Mastrigt & Sibatani,1991 (Pieridae) Synonym(s): *nishizawai* Mastrigt & Sibatani,1991
- 56505) *Delias* (geraldina-gr.) *rileyi rileyi* Joicey & Talbot,1922 (Pieridae) Synonym(s): *rileyi* Joicey & Talbot,1922
- 56506) *Delias* (geraldina-gr.) *rileyi yofona* Schröder & Treadaway,1982 (Pieridae) Synonym(s): *yofona* Schröder & Treadaway,1982
- 56507) *Delias* (geraldina-gr.) *sagessa* Fruhstorfer,1910 (Pieridae) Synonym(s): *sagessa* Fruhstorfer,1910; *dives* Rothschild,1914 nec De Nicéville,1897.
- 56508) *Delias* (geraldina-gr.) *sagessa sagessa* Fruhstorfer,1910 (Pieridae) Synonym(s): *sagessa* Fruhstorfer,1910; *dives* Rothschild,1914 nec De Nicéville,1897.
- 56509) *Delias* (geraldina-gr.) *sagessa straatmani* Schröder,1977 (Pieridae) Synonym(s): *straatmani* Schröder,1977
- 56510) *Delias* (geraldina-gr.) *sinak* Mastrigt,1990 (Pieridae) Synonym(s): *sinak* Mastrigt,1990
- 56511) *Delias* (geraldina-gr.) *sinak* *sinak* Mastrigt,1990 (Pieridae) Synonym(s): *sinak* Mastrigt,1990
- 56512) *Delias* (geraldina-gr.) *sphenodiscus* Roepke,1955 (Pieridae) Synonym(s): *sphenodiscus* Roepke,1955
- 56513) *Delias* (geraldina-gr.) *sphenodiscus sphenodiscus* Roepke,1955 (Pieridae) Synonym(s): *sphenodiscus* Roepke,1955
- 56514) *Delias* (geraldina-gr.) *takashi* (Pieridae) Synonym(s):
- 56515) *Delias* (geraldina-gr.) *takashi takashi* (Pieridae) Synonym(s):
- 56516) *Delias* (geraldina-gr.) *thompsoni* Joicey & Talbot,1916 (Pieridae) Synonym(s): *thompsoni* Joicey & Talbot,1916
- 56517) *Delias* (geraldina-gr.) *thompsoni thompsoni* Joicey & Talbot,1916 (Pieridae) Synonym(s): *thompsoni* Joicey & Talbot,1916
- 56518) *Delias* (hyparete-gr.) *hyparete* (Linnaeus,1758) (Pieridae) Synonym(s): *hyparete* Linnaeus,1758
- 56519) *Delias* (hyparete-gr.) *hyparete aurago* Snellen,1890 (Pieridae) Synonym(s): *aurago* Snellen,1890
- 56520) *Delias* (hyparete-gr.) *hyparete despoliata* Fruhstorfer,1910 (Pieridae) Synonym(s): *despoliata* Fruhstorfer,1910
- 56521) *Delias* (hyparete-gr.) *hyparete diva* Fruhstorfer,1899 (Pieridae) Synonym(s): *diva* Fruhstorfer,1899
- 56522) *Delias* (hyparete-gr.) *hyparete domorana* Fruhstorfer,1911 (Pieridae) Synonym(s): *domorana* Fruhstorfer,1911
- 56523) *Delias* (hyparete-gr.) *hyparete ethire* Doherty,1886 (Pieridae) Synonym(s): *ethire* Doherty,1886
- 56524) *Delias* (hyparete-gr.) *hyparete haemorrhea* Snellen,1865 (Pieridae) Synonym(s): *haemorrhea* Snellen,1865
- 56525) *Delias* (hyparete-gr.) *hyparete hierta* (Hübner,1818) (Pieridae) Synonym(s): *hierta* Hübner,1818
- 56526) *Delias* (hyparete-gr.) *hyparete hyparete* (Linnaeus,1758) (Pieridae) Synonym(s): *hyparete* Linnaeus,1758
- 56527) *Delias* (hyparete-gr.) *hyparete hypopelia* Hagen,1898 (Pieridae) Synonym(s): *hypopelia* Hagen,1898
- 56528) *Delias* (hyparete-gr.) *hyparete indica* Wallace,1867 (Pieridae) Synonym(s): *indica* Wallace,1867
- 56529) *Delias* (hyparete-gr.) *hyparete isawae* Nakano,1987 (Pieridae) Synonym(s): *isawae* Nakano,1987
- 56530) *Delias* (hyparete-gr.) *hyparete itohi* Nakano,1993 (Pieridae) Synonym(s): *itohi* Nakano,1993
- 56531) *Delias* (hyparete-gr.) *hyparete jakata* Fruhstorfer,1906 (Pieridae) Synonym(s): *jakata* Fruhstorfer,1906
- 56532) *Delias* (hyparete-gr.) *hyparete lucina* Distant & Pryer,1887 (Pieridae) Synonym(s): *lucina* Distant & Pryer,1887
- 56533) *Delias* (hyparete-gr.) *hyparete luzonensis* C.Felder & R.Felder,1862 (Pieridae) Synonym(s): *luzonensis* C.Felder & R.Felder,1862
- 56534) *Delias* (hyparete-gr.) *hyparete melville* Yagashita,1993 (Pieridae) Synonym(s): *melville* Yagashita,1993
- 56535) *Delias* (hyparete-gr.) *hyparete metarete* Butler,1879 (Pieridae) Synonym(s): *metarete* Butler,1879
- 56536) *Delias* (hyparete-gr.) *hyparete mindanaensis* Mitis,1893 (Pieridae) Synonym(s): *mindanaensis* Mitis,1893
- 56537) *Delias* (hyparete-gr.) *hyparete niasana* Kheil,1884 (Pieridae) Synonym(s): *niasana* Kheil,1884
- 56538) *Delias* (hyparete-gr.) *hyparete palawanica* Staudinger,1889 (Pieridae) Synonym(s): *palawanica* Staudinger,1889
- 56539) *Delias* (hyparete-gr.) *timorensis* (Boisduval,1836) (Pieridae) Synonym(s): *timorensis* Boisduval,1836
- 56540) *Delias* (hyparete-gr.) *timorensis ardesiaca* Rothschild,1915 (Pieridae) Synonym(s): *ardesiaca* Rothschild,1915
- 56541) *Delias* (hyparete-gr.) *timorensis babberica* Talbot,1939 (Pieridae) Synonym(s): *babberica* Talbot,1939
- 56542) *Delias* (hyparete-gr.) *timorensis gardineri* Fruhstorfer,1904 (Pieridae) Synonym(s): *gardineri* Fruhstorfer,1904
- 56543) *Delias* (hyparete-gr.) *timorensis moaensis* Rothschild,1915 (Pieridae) Synonym(s): *moaensis* Rothschild,1915; *lettinensis* Röber,1927
- 56544) *Delias* (hyparete-gr.) *timorensis romaensis* Rothschild,1915 (Pieridae) Synonym(s): *romaensis* Rothschild,1915
- 56545) *Delias* (hyparete-gr.) *timorensis timorensis* (Boisduval,1836) (Pieridae) Synonym(s): *timorensis* Boisduval,1836
- 56546) *Delias* (hyparete-gr.) *timorensis vishnu* Moore,1858 (Pieridae) Synonym(s): *vishnu* Moore,1858
- 56547) *Delias* (iltis-gr.) *arabuana* Roepke,1955 (Pieridae) Synonym(s): *arabuana* Roepke,1955; *asawaorum* Morita,1996
- 56548) *Delias* (iltis-gr.) *arabuana arabuana* Roepke,1955 (Pieridae) Synonym(s): *arabuana* Roepke,1955; *asawaorum* Morita,1996
- 56549) *Delias* (iltis-gr.) *arabuana modioensis* Mastrigt,1989 (Pieridae) Synonym(s): *modioensis* Mastrigt,1989
- 56550) *Delias* (iltis-gr.) *awongkor* Mastrigt,1989 (Pieridae) Synonym(s): *awongkor* Mastrigt,1989
- 56551) *Delias* (iltis-gr.) *awongkor awongkor* Mastrigt,1989 (Pieridae) Synonym(s): *awongkor* Mastrigt,1989
- 56552) *Delias* (iltis-gr.) *awongkor hindenburgensis* Lachlan,2000 (Pieridae) Synonym(s): *hindenburgensis* Lachlan,2000
- 56553) *Delias* (iltis-gr.) *bakeri* Kenrick,1909 (Pieridae) Synonym(s): *bakeri* Kenrick,1909
- 56554) *Delias* (iltis-gr.) *bakeri bakeri* Kenrick,1909 (Pieridae) Synonym(s): *bakeri* Kenrick,1909
- 56555) *Delias* (iltis-gr.) *callista* Jordan,1911 (Pieridae) Synonym(s): *callista* Jordan,1911
- 56556) *Delias* (iltis-gr.) *callista callipareia* Roepke,1955 (Pieridae) Synonym(s): *callipareia* Roepke,1955
- 56557) *Delias* (iltis-gr.) *callista callipulchra* Gerrits & Mastrigt,1992 (Pieridae) Synonym(s): *callipulchra* Gerrits & Mastrigt,1992
- 56558) *Delias* (iltis-gr.) *callista callista* Jordan,1911 (Pieridae) Synonym(s): *callista* Jordan,1911
- 56559) *Delias* (iltis-gr.) *callista miyashitai* Yagishita,1993 (Pieridae) Synonym(s): *miyashitai* Yagishita,1993
- 56560) *Delias* (iltis-gr.) *callista porquiaensis* Yagishita,1993 (Pieridae) Synonym(s): *porquiaensis* Yagishita,1993
- 56561) *Delias* (iltis-gr.) *flavistriga* Roepke,1955 (Pieridae) Synonym(s): *flavistriga* Roepke,1955
- 56562) *Delias* (iltis-gr.) *flavistriga flavistriga* Roepke,1955 (Pieridae) Synonym(s): *flavistriga* Roepke,1955
- 56563) *Delias* (iltis-gr.) *flavistriga ilagaensis* Mastrigt,1989 (Pieridae) Synonym(s): *ilagaensis* Mastrigt,1989
- 56564) *Delias* (iltis-gr.) *flavistriga shouan* Yagishita,1993 (Pieridae) Synonym(s): *shouan* Yagishita,1993

- 56565) *Delias* (iltis-gr.) *iltis* Ribbe, 1900 (Pieridae) Synonym(s): *iltis* Ribbe, 1900
- 56566) *Delias* (iltis-gr.) *iltis* *iltis* Ribbe, 1900 (Pieridae) Synonym(s): *iltis* Ribbe, 1900
- 56567) *Delias* (iltis-gr.) *iltis* *leucotera* Talbot, 1937 (Pieridae) Synonym(s): *leucotera* Talbot, 1937; *pseudoltis* Okano, 1989
- 56568) *Delias* (iltis-gr.) *iltis* *sibil* Mastrigt, 1995 (Pieridae) Synonym(s): *sibil* Mastrigt, 1995; *bultemensis* Lachlan, 2000
- 56569) *Delias* (iltis-gr.) *luctuosa* *kuning* Jordan, 1911 (Pieridae) Synonym(s): *luctuosa* Jordan, 1911
- 56570) *Delias* (iltis-gr.) *luctuosa* *archboldi* Roepke, 1955 (Pieridae) Synonym(s): *archboldi* Roepke, 1955; *butyracea* Roepke, 1955
- 56571) *Delias* (iltis-gr.) *luctuosa* *gottsi* Gerrits & Mastrigt, 1992 (Pieridae) Synonym(s): *gottsi* Gerrits & Mastrigt, 1992
- 56572) *Delias* (iltis-gr.) *luctuosa* *kuning* Mastrigt, 1990 (Pieridae) Synonym(s): *kuning* Mastrigt, 1990
- 56573) *Delias* (iltis-gr.) *luctuosa* *luctuosa* Jordan, 1911 (Pieridae) Synonym(s): *luctuosa* Jordan, 1911
- 56574) *Delias* (iltis-gr.) *luctuosa* *magoda* Gerrits & Yagishita, 2000 (Pieridae) Synonym(s): *magoda* Gerrits & Yagishita, 2000
- 56575) *Delias* (iltis-gr.) *luctuosa* *mizukamii* Okano, 1989 (Pieridae) Synonym(s): *mizukamii* Okano, 1989
- 56576) *Delias* (iltis-gr.) *luctuosa* *versicolor* Lachlan, 2000 (Pieridae) Synonym(s): *versicolor* Lachlan, 2000
- 56577) *Delias* (iltis-gr.) *luteola* Roepke, 1955 (Pieridae) Synonym(s): *luteola* Roepke, 1955
- 56578) *Delias* (iltis-gr.) *luteola* *luteola* Roepke, 1955 (Pieridae) Synonym(s): *luteola* Roepke, 1955
- 56579) *Delias* (iltis-gr.) *mesoblema* Jordan, 1912 (Pieridae) Synonym(s): *mesoblema* Jordan, 1912
- 56580) *Delias* (iltis-gr.) *mesoblema* *mesoblema* Jordan, 1912 (Pieridae) Synonym(s): *mesoblema* Jordan, 1912
- 56581) *Delias* (iltis-gr.) *raymondi* *raymondi* Schröder & Treadaway, 1982 (Pieridae) Synonym(s): *raymondi* Schröder & Treadaway, 1982
- 56582) *Delias* (iltis-gr.) *raymondi* *ogawai* Morita, 1996 (Pieridae) Synonym(s): *ogawai* Morita, 1996
- 56583) *Delias* (iltis-gr.) *raymondi* *raymondi* Schröder & Treadaway, 1982 (Pieridae) Synonym(s): *raymondi* Schröder & Treadaway, 1982
- 56584) *Delias* (iltis-gr.) *raymondi* *shirahatai* Morita, 1996 (Pieridae) Synonym(s): *shirahatai* Morita, 1996
- 56585) *Delias* (isse-gr.) *alberti* Rothschild, 1904 (Pieridae) Synonym(s): *alberti* Rothschild, 1904
- 56586) *Delias* (isse-gr.) *alberti* *alberti* Rothschild, 1904 (Pieridae) Synonym(s): *alberti* Rothschild, 1904
- 56587) *Delias* (isse-gr.) *alberti* *guava* Arora, 1983 (Pieridae) Synonym(s): *guava* Arora, 1983
- 56588) *Delias* (isse-gr.) *alberti* *tetamba* Arora, 1983 (Pieridae) Synonym(s): *tetamba* Arora, 1983
- 56589) *Delias* (isse-gr.) *bosnikiana* Joicey & Noakes, 1915 (Pieridae) Synonym(s): *bosnikiana* Joicey & Noakes, 1915
- 56590) *Delias* (isse-gr.) *bosnikiana* *bosnikiana* Joicey & Noakes, 1915 (Pieridae) Synonym(s): *bosnikiana* Joicey & Noakes, 1915
- 56591) *Delias* (isse-gr.) *candida* Vollenhoven, 1865 (Pieridae) Synonym(s): *candida* Vollenhoven, 1865; *teuthrania* Fruhstorfer, 1913
- 56592) *Delias* (isse-gr.) *candida* *candida* Vollenhoven, 1865 (Pieridae) Synonym(s): *candida* Vollenhoven, 1865; *teuthrania* Fruhstorfer, 1913
- 56593) *Delias* (isse-gr.) *candida* *herodias* Vollenhoven, 1865 (Pieridae) Synonym(s): *herodias* Vollenhoven, 1865
- 56594) *Delias* (isse-gr.) *candida* *morotaiensis* Morita, 1993 (Pieridae) Synonym(s): *morotaiensis* Morita, 1993
- 56595) *Delias* (isse-gr.) *ennia* Wallace, 1867 (Pieridae) Synonym(s): *ennia* Wallace, 1867; *#angustana* Strand, 1914.
- 56596) *Delias* (isse-gr.) *ennia* *ennia* Wallace, 1867 (Pieridae) Synonym(s): *ennia* Wallace, 1867; *#angustana* Strand, 1914.
- 56597) *Delias* (isse-gr.) *ennia* *iere* Grose-Smith, 1900 (Pieridae) Synonym(s): *iere* Grose-Smith, 1900
- 56598) *Delias* (isse-gr.) *ennia* *jobiana* Oberthür, 1884 (Pieridae) Synonym(s): *jobiana* Oberthür, 1884
- 56599) *Delias* (isse-gr.) *ennia* *limbata* Rothschild, 1915 (Pieridae) Synonym(s): *limbata* Rothschild, 1915
- 56600) *Delias* (isse-gr.) *ennia* *multicolor* Joicey & Noakes, 1915 (Pieridae) Synonym(s): *multicolor* Joicey & Noakes, 1915
- 56601) *Delias* (isse-gr.) *ennia* *mysolensis* Rothschild, 1915 (Pieridae) Synonym(s): *mysolensis* Rothschild, 1915
- 56602) *Delias* (isse-gr.) *ennia* *nigridius* Miskin, 1884 (Pieridae) Synonym(s): *nigridius* Miskin, 1884
- 56603) *Delias* (isse-gr.) *ennia* *oetakwensis* Rothschild, 1915 (Pieridae) Synonym(s): *oetakwensis* Rothschild, 1915
- 56604) *Delias* (isse-gr.) *ennia* *saturata* Rothschild, 1915 (Pieridae) Synonym(s): *saturata* Rothschild, 1915
- 56605) *Delias* (isse-gr.) *ennia* *tindalii* Joicey & Talbot, 1927 (Pieridae) Synonym(s): *dorothea* Tindale, 1923 (homonym); *tindalii* Joicey & Talbot, 1927
- 56606) *Delias* (isse-gr.) *ennia* *xelianthe* Grose-Smith, 1900 (Pieridae) Synonym(s): *xelianthe* Grose-Smith, 1900
- 56607) *Delias* (isse-gr.) *isse* (Cramer, 1775) (Pieridae) Synonym(s): *isse* Cramer, 1775; *bicolor* Gmelin, 1790
- 56608) *Delias* (isse-gr.) *isse* *echo* Wallace, 1867 (Pieridae) Synonym(s): *echo* Wallace, 1867
- 56609) *Delias* (isse-gr.) *isse* *isse* (Cramer, 1775) (Pieridae) Synonym(s): *isse* Cramer, 1775; *bicolor* Gmelin, 1790
- 56610) *Delias* (isse-gr.) *lytaea* Godman & Salvin, 1878 (Pieridae) Synonym(s): *lytaea* Godman & Salvin, 1878
- 56611) *Delias* (isse-gr.) *lytaea* *lytaea* Godman & Salvin, 1878 (Pieridae) Synonym(s): *lytaea* Godman & Salvin, 1878
- 56612) *Delias* (isse-gr.) *lytaea* *smithi* Talbot, 1928 (Pieridae) Synonym(s): *georgiana* Grose-Smith, 1895 (homonym); *smithi* Talbot, 1928.
- 56613) *Delias* (isse-gr.) *parenna* Roepke, 1955 (Pieridae) Synonym(s): *parenna* Roepke, 1955
- 56614) *Delias* (isse-gr.) *parenna* *parenna* Roepke, 1955 (Pieridae) Synonym(s): *parenna* Roepke, 1955
- 56615) *Delias* (isse-gr.) *sacha* Grose-Smith, 1895 (Pieridae) Synonym(s): *sacha* Grose-Smith, 1895
- 56616) *Delias* (isse-gr.) *sacha* *gilolensis* Rothschild, 1925 (Pieridae) Synonym(s): *gilolensis* Rothschild, 1925
- 56617) *Delias* (isse-gr.) *sacha* *sacha* Grose-Smith, 1895 (Pieridae) Synonym(s): *sacha* Grose-Smith, 1895
- 56618) *Delias* (kummeri-gr.) *akrikensis* (Pieridae) Synonym(s):
- 56619) *Delias* (kummeri-gr.) *akrikensis* *akrikensis* (Pieridae) Synonym(s):
- 56620) *Delias* (kummeri-gr.) *alepa* Jordan, 1911 (Pieridae) Synonym(s): *alepa* Jordan, 1911
- 56621) *Delias* (kummeri-gr.) *alepa* *alepa* Jordan, 1911 (Pieridae) Synonym(s): *alepa* Jordan, 1911
- 56622) *Delias* (kummeri-gr.) *alepa* *kunupiensis* Joicey & Talbot, 1922 (Pieridae) Synonym(s): *kunupiensis* Joicey & Talbot, 1922
- 56623) *Delias* (kummeri-gr.) *alepa* *orthobasis* Roepke, 1955 (Pieridae) Synonym(s): *orthobasis* Roepke, 1955
- 56624) *Delias* (kummeri-gr.) *bothwelli* Kenrick, 1909 (Pieridae) Synonym(s): *bothwelli* Kenrick, 1909
- 56625) *Delias* (kummeri-gr.) *bothwelli* *bothwelli* Kenrick, 1909 (Pieridae) Synonym(s): *bothwelli* Kenrick, 1909
- 56626) *Delias* (kummeri-gr.) *dixeyi* Kenrick, 1909 (Pieridae) Synonym(s): *dixeyi* Kenrick, 1909
- 56627) *Delias* (kummeri-gr.) *dixeyi* *dixeyi* Kenrick, 1909 (Pieridae) Synonym(s): *dixeyi* Kenrick, 1909
- 56628) *Delias* (kummeri-gr.) *isocharis* Rothschild & Jordan, 1907 (Pieridae) Synonym(s): *isocharis* Rothschild & Jordan, 1907
- 56629) *Delias* (kummeri-gr.) *isocharis* *isocharis* Rothschild & Jordan, 1907 (Pieridae) Synonym(s): *isocharis* Rothschild & Jordan, 1907
- 56630) *Delias* (kummeri-gr.) *isocharis* *latiapicalis* Joicey & Talbot, 1922 (Pieridae) Synonym(s): *latiapicalis* Joicey & Talbot, 1922
- 56631) *Delias* (kummeri-gr.) *kummeri* Ribbe, 1900 (Pieridae) Synonym(s): *kummeri* Ribbe, 1900
- 56632) *Delias* (kummeri-gr.) *kummeri* *athena* Yagishita, 2003 (Pieridae) Synonym(s): *athena* Yagishita, 2003
- 56633) *Delias* (kummeri-gr.) *kummeri* *chiekoe* Nakano, 1995 (Pieridae) Synonym(s): *chiekoe* Nakano, 1995
- 56634) *Delias* (kummeri-gr.) *kummeri* *fumosa* Roepke, 1955 (Pieridae) Synonym(s): *fumosa* Roepke, 1955
- 56635) *Delias* (kummeri-gr.) *kummeri* *highlandensis* Yagishita, 1993 (Pieridae) Synonym(s): *highlandensis* Yagishita, 1993
- 56636) *Delias* (kummeri-gr.) *kummeri* *kummeri* Ribbe, 1900 (Pieridae) Synonym(s): *kummeri* Ribbe, 1900
- 56637) *Delias* (kummeri-gr.) *kummeri* *rouffaer* Yagishita, 1993 (Pieridae) Synonym(s): *rouffaer* Yagishita, 1993
- 56638) *Delias* (kummeri-gr.) *kummeri* *similis* Talbot, 1928 (Pieridae) Synonym(s): *similis* Talbot, 1928
- 56639) *Delias* (kummeri-gr.) *ligata* Jordan, 1904 (Pieridae) Synonym(s): *ligata* Jordan, 1904
- 56640) *Delias* (kummeri-gr.) *ligata* *dealbata* Talbot, 1928 (Pieridae) Synonym(s): *dealbata* Talbot, 1928
- 56641) *Delias* (kummeri-gr.) *ligata* *interpolata* Roepke, 1955 (Pieridae) Synonym(s): *interpolata* Roepke, 1955
- 56642) *Delias* (kummeri-gr.) *ligata* *ligata* Jordan, 1904 (Pieridae) Synonym(s): *ligata* Jordan, 1904
- 56643) *Delias* (kummeri-gr.) *ligata* *weylensis* Joicey & Talbot, 1922 (Pieridae) Synonym(s): *weylensis* Joicey & Talbot, 1922
- 56644) *Delias* (kummeri-gr.) *strix* Yagishita, 1993 (Pieridae) Synonym(s): *strix* Yagishita, 1993
- 56645) *Delias* (kummeri-gr.) *strix* *enarotali* (Pieridae) Synonym(s): *enarotali* ; *paniaia* Roepke, 1955
- 56646) *Delias* (kummeri-gr.) *strix* *strix* Yagishita, 1993 (Pieridae) Synonym(s): *strix* Yagishita, 1993
- 56647) *Delias* (niepelti-gr.) *anamesa* Bennett, 1956 (Pieridae) Synonym(s): *anamesa* Bennett, 1956
- 56648) *Delias* (niepelti-gr.) *anamesa* *anamesa* Bennett, 1956 (Pieridae) Synonym(s): *anamesa* Bennett, 1956
- 56649) *Delias* (niepelti-gr.) *meeki* Rothschild & Jordan, 1904 (Pieridae) Synonym(s): *meeki* Rothschild & Jordan, 1904
- 56650) *Delias* (niepelti-gr.) *meeki* *albimarginata* Talbot, 1929 (Pieridae) Synonym(s): *albimarginata* Talbot, 1929
- 56651) *Delias* (niepelti-gr.) *meeki* *arfakensis* Joicey & Talbot, 1922 (Pieridae) Synonym(s): *arfakensis* Joicey & Talbot, 1922
- 56652) *Delias* (niepelti-gr.) *meeki* *hypochrysis* Roepke, 1955 (Pieridae) Synonym(s): *hypochrysis* Roepke, 1955
- 56653) *Delias* (niepelti-gr.) *meeki* *hypoxantha* Roepke, 1955 (Pieridae) Synonym(s): *hypoxantha* Roepke, 1955
- 56654) *Delias* (niepelti-gr.) *meeki* *meeki* Rothschild & Jordan, 1904 (Pieridae) Synonym(s): *meeki* Rothschild & Jordan, 1904

- 56655) *Delias* (niepelti-gr.) meeki neagra Jordan,1911 (Pieridae) Synonym(s): *neagra* Jordan,1911
 56656) *Delias* (niepelti-gr.) meeki septentrionalis Rothschild,1924 (Pieridae) Synonym(s): *septentrionalis* Rothschild,1924
 56657) *Delias* (niepelti-gr.) niepelti Ribbe,1900 (Pieridae) Synonym(s): *niepelti* Ribbe,1900
 56658) *Delias* (niepelti-gr.) niepelti henki Yagishita,1997 (Pieridae) Synonym(s): *henki* Yagishita,1997
 56659) *Delias* (niepelti-gr.) niepelti niepelti Ribbe,1900 (Pieridae) Synonym(s): *niepelti* Ribbe,1900
 56660) *Delias* (nigrina-gr.) buruana Rothschild,1899 (Pieridae) Synonym(s): *buruana* Rothschild,1899
 56661) *Delias* (nigrina-gr.) buruana buruana Rothschild,1899 (Pieridae) Synonym(s): *buruana* Rothschild,1899
 56662) *Delias* (nigrina-gr.) dohertyi Oberthür,1894 (Pieridae) Synonym(s): *dohertyi* Oberthür,1894
 56663) *Delias* (nigrina-gr.) dohertyi dohertyi Oberthür,1894 (Pieridae) Synonym(s): *dohertyi* Oberthür,1894
 56664) *Delias* (nigrina-gr.) dohertyi knowlei Joicey & Noakes,1915 (Pieridae) Synonym(s): *knowlei* Joicey & Noakes,1915
 56665) *Delias* (nigrina-gr.) duris Hewitson,1861 (Pieridae) Synonym(s): *duris* Hewitson,1861
 56666) *Delias* (nigrina-gr.) duris duris Hewitson,1861 (Pieridae) Synonym(s): *duris* Hewitson,1861
 56667) *Delias* (nigrina-gr.) eximia Rothschild,1925 (Pieridae) Synonym(s): *eximia* Rothschild,1925
 56668) *Delias* (nigrina-gr.) eximia eximia Rothschild,1925 (Pieridae) Synonym(s): *eximia* Rothschild,1925
 56669) *Delias* (nigrina-gr.) funerea Rothschild,1894 (Pieridae) Synonym(s): *funerea* Rothschild,1894
 56670) *Delias* (nigrina-gr.) funerea funerea Rothschild,1894 (Pieridae) Synonym(s): *funerea* Rothschild,1894
 56671) *Delias* (nigrina-gr.) funerea okko Nakano,1986 (Pieridae) Synonym(s): *okko* Nakano,1986
 56672) *Delias* (nigrina-gr.) joiceyi Talbot,1920 (Pieridae) Synonym(s): *joyceyi* Talbot,1920
 56673) *Delias* (nigrina-gr.) joiceyi joiceyi Talbot,1920 (Pieridae) Synonym(s): *joyceyi* Talbot,1920
 56674) *Delias* (nigrina-gr.) messalina Arora,1983 (Pieridae) Synonym(s): *messalina* Arora,1983
 56675) *Delias* (nigrina-gr.) messalina lizae C.Müller,1999 (Pieridae) Synonym(s): *lizae* C.Müller,1999
 56676) *Delias* (nigrina-gr.) messalina messalina Arora,1983 (Pieridae) Synonym(s): *messalina* Arora,1983
 56677) *Delias* (nigrina-gr.) messalina orientalis Arora,1983 (Pieridae) Synonym(s): *orientalis* Arora,1983
 56678) *Delias* (nigrina-gr.) messalina vigasa Parsons,1989 (Pieridae) Synonym(s): *vigasa* Parsons,1989; *naokomoritae* Morita,1995
 56679) *Delias* (nigrina-gr.) nigrina (Fabricius,1775) (Pieridae) Synonym(s): *nigrina* Fabricius,1775
 56680) *Delias* (nigrina-gr.) nigrina nigrina (Fabricius,1775) (Pieridae) Synonym(s): *nigrina* Fabricius,1775
 56681) *Delias* (nigrina-gr.) ornytion Godman & Salvin,1881 (Pieridae) Synonym(s): *ornytion* Godman & Salvin,1881; *katharina* Ribbe,1900
 56682) *Delias* (nigrina-gr.) ornytion ornytion Godman & Salvin,1881 (Pieridae) Synonym(s): *ornytion* Godman & Salvin,1881; *katharina* Ribbe,1900
 56683) *Delias* (nigrina-gr.) ornytion persephone Staudinger,1894 (Pieridae) Synonym(s): *persephone* Staudinger,1894
 56684) *Delias* (nigrina-gr.) ornytion rosselana Joicey & Talbot,1916 (Pieridae) Synonym(s): *rosselana* Joicey & Talbot,1916
 56685) *Delias* (nigrina-gr.) prouti Joicey & Talbot,1923 (Pieridae) Synonym(s): *prouti* Joicey & Talbot,1923
 56686) *Delias* (nigrina-gr.) prouti prouti Joicey & Talbot,1923 (Pieridae) Synonym(s): *prouti* Joicey & Talbot,1923
 56687) *Delias* (nigrina-gr.) shunichii Morita,1996 (Pieridae) Synonym(s): *shunichii* Morita,1996
 56688) *Delias* (nigrina-gr.) shunichii shunichii Morita,1996 (Pieridae) Synonym(s): *shunichii* Morita,1996
 56689) *Delias* (nigrina-gr.) wollastoni Rothschild,1916 (Pieridae) Synonym(s): *wollastoni* Rothschild,1916
 56690) *Delias* (nigrina-gr.) wollastoni abmisibilensis Mastrigt,1990 (Pieridae) Synonym(s): *abmisibilensis* Mastrigt,1990
 56691) *Delias* (nigrina-gr.) wollastoni bryophila Roepke,1955 (Pieridae) Synonym(s): *bryophila* Roepke,1955
 56692) *Delias* (nigrina-gr.) wollastoni wollastoni Rothschild,1916 (Pieridae) Synonym(s): *wollastoni* Rothschild,1916
 56693) *Delias* (nysa-gr.) akikoe Morita,2001 (Pieridae) Synonym(s): *akikoe* Morita,2001
 56694) *Delias* (nysa-gr.) akikoe akikoe Morita,2001 (Pieridae) Synonym(s): *akikoe* Morita,2001
 56695) *Delias* (nysa-gr.) dice Snellen,1863 (Pieridae) Synonym(s): *dice* Snellen,1863
 56696) *Delias* (nysa-gr.) dice dice Snellen,1863 (Pieridae) Synonym(s): *dice* Snellen,1863
 56697) *Delias* (nysa-gr.) dice fulvoflava Rothschild,1915 (Pieridae) Synonym(s): *fulvoflava* Rothschild,1915
 56698) *Delias* (nysa-gr.) dice latimarginata Joicey & Talbot,1925 (Pieridae) Synonym(s): *latimarginata* Joicey & Talbot,1925
 56699) *Delias* (nysa-gr.) dice mitisana Strand,1916 (Pieridae) Synonym(s): *dorothea* Mitis,1893 (homonym); *mitisana* Strand,1916; *#leucana* Strand,1916; *#pictula* Strand,1916; *latoclavata* Van Eecke,1924.
 56700) *Delias* (nysa-gr.) dice rectifascia Talbot,1928 (Pieridae) Synonym(s): *rectifascia* Talbot,1928
 56701) *Delias* (nysa-gr.) dice samarai Joicey & Talbot,1925 (Pieridae) Synonym(s): *samarai* Joicey & Talbot,1925
 56702) *Delias* (nysa-gr.) enniana Oberthür,1880 (Pieridae) Synonym(s): *enniana* Oberthür,1880; *kapaura* Joicey & Talbot,1916.
 56703) *Delias* (nysa-gr.) enniana contracta Talbot,1929 (Pieridae) Synonym(s): *contracta* Talbot,1929
 56704) *Delias* (nysa-gr.) enniana eceicei Joicey & Talbot,1916 (Pieridae) Synonym(s): *eceicei* Joicey & Talbot,1916
 56705) *Delias* (nysa-gr.) enniana enniana Oberthür,1880 (Pieridae) Synonym(s): *enniana* Oberthür,1880; *kapaura* Joicey & Talbot,1916.
 56706) *Delias* (nysa-gr.) enniana hidehitoi (Pieridae) Synonym(s): *hidehitoi*
 56707) *Delias* (nysa-gr.) enniana majoripuncta Joicey & Talbot,1922 (Pieridae) Synonym(s): *majoripuncta* Joicey & Talbot,1922
 56708) *Delias* (nysa-gr.) enniana obsoleta Rothschild,1915 (Pieridae) Synonym(s): *obsoleta* Rothschild,1915
 56709) *Delias* (nysa-gr.) enniana reducta Rothschild,1915 (Pieridae) Synonym(s): *reducta* Rothschild,1915
 56710) *Delias* (nysa-gr.) eschatia Joicey & Talbot,1923 (Pieridae) Synonym(s): *eschatia* Joicey & Talbot,1923
 56711) *Delias* (nysa-gr.) eschatia eschatia Joicey & Talbot,1923 (Pieridae) Synonym(s): *eschatia* Joicey & Talbot,1923
 56712) *Delias* (nysa-gr.) fruhstorferi Honrath,1891 (Pieridae) Synonym(s): *fruhstorferi* Honrath,1891
 56713) *Delias* (nysa-gr.) fruhstorferi fruhstorferi Honrath,1891 (Pieridae) Synonym(s): *fruhstorferi* Honrath,1891
 56714) *Delias* (nysa-gr.) fruhstorferi takakoe Sakuma & Morita,1995 (Pieridae) Synonym(s): *takakoe* Sakuma & Morita,1995
 56715) *Delias* (nysa-gr.) hempeli Dannatt,1904 (Pieridae) Synonym(s): *hempeli* Dannatt,1904
 56716) *Delias* (nysa-gr.) hempeli hempeli Dannatt,1904 (Pieridae) Synonym(s): *hempeli* Dannatt,1904
 56717) *Delias* (nysa-gr.) hempeli miekoe Morita,1995 (Pieridae) Synonym(s): *miekoe* Morita,1995
 56718) *Delias* (nysa-gr.) lemoulti Talbot,1931 (Pieridae) Synonym(s): *lemoulti* Talbot,1931
 56719) *Delias* (nysa-gr.) lemoulti lemoulti Talbot,1931 (Pieridae) Synonym(s): *lemoulti* Talbot,1931
 56720) *Delias* (nysa-gr.) manuelensis Talbot,1920 (Pieridae) Synonym(s): *manuelensis* Talbot,1920
 56721) *Delias* (nysa-gr.) manuelensis brooksi Joicey & Talbot,1925 (Pieridae) Synonym(s): *brooksi* Joicey & Talbot,1925
 56722) *Delias* (nysa-gr.) manuelensis manuelensis Talbot,1920 (Pieridae) Synonym(s): *manuelensis* Talbot,1920
 56723) *Delias* (nysa-gr.) maudei Joicey & Talbot,1915 (Pieridae) Synonym(s): *maudei* Joicey & Talbot,1915
 56724) *Delias* (nysa-gr.) maudei maudei Joicey & Talbot,1915 (Pieridae) Synonym(s): *maudei* Joicey & Talbot,1915
 56725) *Delias* (nysa-gr.) momea (Boisduval,1836) (Pieridae) Synonym(s): *momea* Boisduval,1836
 56726) *Delias* (nysa-gr.) momea hageni Rogenhofer,1892 (Pieridae) Synonym(s): *hageni* Rogenhofer,1892
 56727) *Delias* (nysa-gr.) momea huphinoides Joicey & Talbot,1936 (Pieridae) Synonym(s): *huphinoides* Joicey & Talbot,1936; *datames* De Nicéville,1893
 56728) *Delias* (nysa-gr.) momea ikuyoae Nakano,1993 (Pieridae) Synonym(s): *ikuyoae* Nakano,1993
 56729) *Delias* (nysa-gr.) momea momea (Boisduval,1836) (Pieridae) Synonym(s): *momea* Boisduval,1836
 56730) *Delias* (nysa-gr.) momea sumiae Nakano,1993 (Pieridae) Synonym(s): *sumiae* Nakano,1993
 56731) *Delias* (nysa-gr.) nysa (Fabricius,1775) (Pieridae) Synonym(s): *nysa* Fabricius,1775; *endora* Donovan,1805
 56732) *Delias* (nysa-gr.) nysa caledonica Nieuwenhuis & Howarth,1969 (Pieridae) Synonym(s): *caledonica* Nieuwenhuis & Howarth,1969
 56733) *Delias* (nysa-gr.) nysa nivira Waterhouse & Lyell,1914 (Pieridae) Synonym(s): *nivira* Waterhouse & Lyell,1914
 56734) *Delias* (nysa-gr.) nysa nysa (Fabricius,1775) (Pieridae) Synonym(s): *nysa* Fabricius,1775; *endora* Donovan,1805
 56735) *Delias* (nysa-gr.) nysa santo Talbot,1937 (Pieridae) Synonym(s): *santo* Talbot,1937
 56736) *Delias* (nysa-gr.) pulla Talbot,1937 (Pieridae) Synonym(s): *pulla* Talbot,1937
 56737) *Delias* (nysa-gr.) pulla nimivinye Mastrigt,2001 (Pieridae) Synonym(s): *nimivinye* Mastrigt,2001
 56738) *Delias* (nysa-gr.) pulla pulla Talbot,1937 (Pieridae) Synonym(s): *pulla* Talbot,1937
 56739) *Delias* (nysa-gr.) ribbei Röber,1886 (Pieridae) Synonym(s): *ribbei* Röber,1886
 56740) *Delias* (nysa-gr.) ribbei connectens Talbot,1929 (Pieridae) Synonym(s): *connectens* Talbot,1929
 56741) *Delias* (nysa-gr.) ribbei ribbei Röber,1886 (Pieridae) Synonym(s): *ribbei* Röber,1886
 56742) *Delias* (nysa-gr.) ribbei takakoe Nakano & Kawai,1997 (Pieridae) Synonym(s): *takakoe* Nakano & Kawai,1997
 56743) *Delias* (nysa-gr.) vidua Joicey & Talbot,1922 (Pieridae) Synonym(s): *vidua* Joicey & Talbot,1922

- 56744) *Delias* (nysa-gr.) *vidua vidua* Joicey & Talbot, 1922 (Pieridae) Synonym(s): *vidua Joicey & Talbot, 1922*
- 56745) *Delias* (pasithoe-gr.) *acalis* (Godart, [1819]) (Pieridae) Synonym(s): *thysbe Cramer, [1779]* (homonym); *acalis Godart, [1819]*; *flavivestis Choe et al., 2001.*
- 56746) *Delias* (pasithoe-gr.) *acalis acalis* (Godart, [1819]) (Pieridae) Synonym(s): *thysbe Cramer, [1779]* (homonym); *acalis Godart, [1819]*; *flavivestis Choe et al., 2001.*
- 56747) *Delias* (pasithoe-gr.) *acalis inomatai* Nakano, 1993 (Pieridae) Synonym(s): *inomatai Nakano, 1993*
- 56748) *Delias* (pasithoe-gr.) *acalis kandha* Doherty, 1886 (Pieridae) Synonym(s): *kandha Doherty, 1886*
- 56749) *Delias* (pasithoe-gr.) *acalis perakana* Talbot, 1928 (Pieridae) Synonym(s): *perakana Talbot, 1928*
- 56750) *Delias* (pasithoe-gr.) *acalis pyramus* Wallace, 1867 (Pieridae) Synonym(s): *pyramus Wallace, 1867*
- 56751) *Delias* (pasithoe-gr.) *acalis shinkaii* Morita, 1998 (Pieridae) Synonym(s): *shinkaii Morita, 1998*
- 56752) *Delias* (pasithoe-gr.) *benasu* Martin, 1912 (Pieridae) Synonym(s): *benasu Martin, 1912*
- 56753) *Delias* (pasithoe-gr.) *benasu benasu* Martin, 1912 (Pieridae) Synonym(s): *benasu Martin, 1912*
- 56754) *Delias* (pasithoe-gr.) *crithoe* (Boisduval, 1836) (Pieridae) Synonym(s): *crithoe Boisduval, 1836*; *fastona Fruhstorfer, 1910*; *funesta Fruhstorfer, 1910.*
- 56755) *Delias* (pasithoe-gr.) *crithoe bromo* Fruhstorfer, 1893 (Pieridae) Synonym(s): *bromo Fruhstorfer, 1893*
- 56756) *Delias* (pasithoe-gr.) *crithoe centralis* Toxopeus, 1949 (Pieridae) Synonym(s): *centralis Toxopeus, 1949*
- 56757) *Delias* (pasithoe-gr.) *crithoe cherima* Toxopeus, 1949 (Pieridae) Synonym(s): *cherima Toxopeus, 1949*
- 56758) *Delias* (pasithoe-gr.) *crithoe chrysendeta* Fruhstorfer, 1910 (Pieridae) Synonym(s): *chrysendeta Fruhstorfer, 1910*
- 56759) *Delias* (pasithoe-gr.) *crithoe crithoe* (Boisduval, 1836) (Pieridae) Synonym(s): *crithoe Boisduval, 1836*; *fastona Fruhstorfer, 1910*; *funesta Fruhstorfer, 1910.*
- 56760) *Delias* (pasithoe-gr.) *crithoe dymas* De Nicéville, 1894 (Pieridae) Synonym(s): *dymas De Nicéville, 1894*
- 56761) *Delias* (pasithoe-gr.) *crithoe perextensa* Toxopeus, 1950 (Pieridae) Synonym(s): *perextensa Toxopeus, 1950*
- 56762) *Delias* (pasithoe-gr.) *crithoe radiata* Toxopeus, 1949 (Pieridae) Synonym(s): *radiata Toxopeus, 1949*
- 56763) *Delias* (pasithoe-gr.) *crithoe tobohana* Rogenhofer, 1893 (Pieridae) Synonym(s): *tobohana Rogenhofer, 1893*; *decerto De Nicéville, 1893.*
- 56764) *Delias* (pasithoe-gr.) *crithoe villia* Fruhstorfer, 1910 (Pieridae) Synonym(s): *villia Fruhstorfer, 1910*
- 56765) *Delias* (pasithoe-gr.) *henningia* (Eschscholtz, 1821) (Pieridae) Synonym(s): *henningia Eschscholtz, 1821*; *lucerna Butler, 1869*; *hemera Fruhstorfer, 1910*
- 56766) *Delias* (pasithoe-gr.) *henningia camotana* Fruhstorfer, 1910 (Pieridae) Synonym(s): *camotana Fruhstorfer, 1910*
- 56767) *Delias* (pasithoe-gr.) *henningia henningia* (Eschscholtz, 1821) (Pieridae) Synonym(s): *henningia Eschscholtz, 1821*; *lucerna Butler, 1869*; *hemera Fruhstorfer, 1910*
- 56768) *Delias* (pasithoe-gr.) *henningia ochreopicta* Butler, 1869 (Pieridae) Synonym(s): *ochreopicta Butler, 1869*
- 56769) *Delias* (pasithoe-gr.) *henningia palawana* Tagishita, 1993 (Pieridae) Synonym(s): *palawana Tagishita, 1993*
- 56770) *Delias* (pasithoe-gr.) *henningia pandemia* Wallace, 1867 (Pieridae) Synonym(s): *pandemia Wallace, 1867*
- 56771) *Delias* (pasithoe-gr.) *henningia romblonensis* Nakano & Yagashita, 1993 (Pieridae) Synonym(s): *romblonensis Nakano & Yagashita, 1993*
- 56772) *Delias* (pasithoe-gr.) *henningia voconia* Fruhstorfer, 1910 (Pieridae) Synonym(s): *voconia Fruhstorfer, 1910*
- 56773) *Delias* (pasithoe-gr.) *hidecoae* Nakano, 1993 (Pieridae) Synonym(s): *hidecoae Nakano, 1993*
- 56774) *Delias* (pasithoe-gr.) *hidecoae hidecoae* Nakano, 1993 (Pieridae) Synonym(s): *hidecoae Nakano, 1993*
- 56775) *Delias* (pasithoe-gr.) *ninus* (Wallace, 1867) (Pieridae) Synonym(s): *ninus Wallace, 1867*
- 56776) *Delias* (pasithoe-gr.) *ninus alluviorum* Fruhstorfer, 1905 (Pieridae) Synonym(s): *alluviorum Fruhstorfer, 1905*
- 56777) *Delias* (pasithoe-gr.) *ninus babai* Yagishita, 1997 (Pieridae) Synonym(s): *babai Yagishita, 1997*
- 56778) *Delias* (pasithoe-gr.) *ninus grisea* Fruhstorfer, [1898] (Pieridae) Synonym(s): *grisea Fruhstorfer, [1898]*
- 56779) *Delias* (pasithoe-gr.) *ninus ninus* (Wallace, 1867) (Pieridae) Synonym(s): *ninus Wallace, 1867*
- 56780) *Delias* (pasithoe-gr.) *ninus parthenia* Staudinger, 1892 (Pieridae) Synonym(s): *parthenia Staudinger, 1892*
- 56781) *Delias* (pasithoe-gr.) *ninus saranensis* Yagishita, 1993 (Pieridae) Synonym(s): *saranensis Yagishita, 1993*
- 56782) *Delias* (pasithoe-gr.) *ninus shoujii* Yagishita, 1993 (Pieridae) Synonym(s): *shoujii Yagishita, 1993*
- 56783) *Delias* (pasithoe-gr.) *ottonia* Semper, 1890 (Pieridae) Synonym(s): *ottonia Semper, 1890*
- 56784) *Delias* (pasithoe-gr.) *ottonia ottonia* Semper, 1890 (Pieridae) Synonym(s): *ottonia Semper, 1890*
- 56785) *Delias* (pasithoe-gr.) *ottonia surigaoensis* Yagishita & Morita, 1996 (Pieridae) Synonym(s): *surigaoensis Yagishita & Morita, 1996*
- 56786) *Delias* (pasithoe-gr.) *pasithoe* (Linnaeus, 1758) (Pieridae) Synonym(s): *pasithoe Linnaeus, 1758*; *aglaia Linnaeus, 1758 nec Linn., 1758*; *lucina Butler, 1869*; *basialba Chou, 2001.*
- 56787) *Delias* (pasithoe-gr.) *pasithoe angustifascia* Rothschild, 1915 (Pieridae) Synonym(s): *angustifascia Rothschild, 1915*
- 56788) *Delias* (pasithoe-gr.) *pasithoe balabaca* Fruhstorfer, 1911 (Pieridae) Synonym(s): *balabaca Fruhstorfer, 1911*
- 56789) *Delias* (pasithoe-gr.) *pasithoe beata* Fruhstorfer, 1905 (Pieridae) Synonym(s): *beata Fruhstorfer, 1905*
- 56790) *Delias* (pasithoe-gr.) *pasithoe curasena* Fruhstorfer, 1908 (Pieridae) Synonym(s): *curasena Fruhstorfer, 1908*
- 56791) *Delias* (pasithoe-gr.) *pasithoe cyrania* Fruhstorfer, 1913 (Pieridae) Synonym(s): *cyrania Fruhstorfer, 1913*
- 56792) *Delias* (pasithoe-gr.) *pasithoe dione* (Drury, [1773]) (Pieridae) Synonym(s): *dione Drury, [1773]*
- 56793) *Delias* (pasithoe-gr.) *pasithoe egialea* (Cramer, [1777]) (Pieridae) Synonym(s): *egialea Cramer, [1777]*; *fusconiger Goeze, 1779*; *albipictus Goerze, 1779*; *apriate Hübner, [1819]*; *tyche Hübner, [1819]*.
- 56794) *Delias* (pasithoe-gr.) *pasithoe goda* Fruhstorfer, 1905 (Pieridae) Synonym(s): *goda Fruhstorfer, 1905*; *elisa Röber, 1919*; *flavifascia Joicey & Talbot, 1924.*
- 56795) *Delias* (pasithoe-gr.) *pasithoe grisea* Fruhstorfer, 1897 (Pieridae) Synonym(s): *grisea Fruhstorfer, 1897*
- 56796) *Delias* (pasithoe-gr.) *pasithoe hitomaro* Nakano, 1993 (Pieridae) Synonym(s): *hitomaro Nakano, 1993*
- 56797) *Delias* (pasithoe-gr.) *pasithoe horracki* Joicey & Talbot, 1916 (Pieridae) Synonym(s): *horracki Joicey & Talbot, 1916*
- 56798) *Delias* (pasithoe-gr.) *pasithoe mera* Talbot, 1928 (Pieridae) Synonym(s): *mera Talbot, 1928*
- 56799) *Delias* (pasithoe-gr.) *pasithoe nigrescens* Talbot, 1928 (Pieridae) Synonym(s): *nigrescens Talbot, 1928*
- 56800) *Delias* (pasithoe-gr.) *pasithoe pandecta* Staudinger, 1889 (Pieridae) Synonym(s): *pandecta Staudinger, 1889*
- 56801) *Delias* (pasithoe-gr.) *pasithoe parthenope* Wallace, 1867 (Pieridae) Synonym(s): *parthenope Wallace, 1867*; *distanti Staudinger, 1869*
- 56802) *Delias* (pasithoe-gr.) *pasithoe pasithoe* (Linnaeus, 1758) (Pieridae) Synonym(s): *pasithoe Linnaeus, 1758*; *aglaia Linnaeus, 1758 nec Linnaeus, 1758*; *lucina Butler, 1869*; *basialba Chou, 2001.*
- 56803) *Delias* (pasithoe-gr.) *pasithoe porsenna* (Cramer, 1775) (Pieridae) Synonym(s): *porsenna Cramer, 1775*
- 56804) *Delias* (pasithoe-gr.) *pasithoe premo* Tsukada, 1987 (Pieridae) Synonym(s): *premo Tsukada, 1987*
- 56805) *Delias* (pasithoe-gr.) *pasithoe siamensis* Talbot, 1928 (Pieridae) Synonym(s): *siamensis Talbot, 1928*
- 56806) *Delias* (pasithoe-gr.) *pasithoe silviae* Jakusch, 2003 (Pieridae) Synonym(s): *silviae Jakusch, 2003*
- 56807) *Delias* (pasithoe-gr.) *pasithoe tabitoi* Nakano, 1993 (Pieridae) Synonym(s): *tabitoi Nakano, 1993*
- 56808) *Delias* (pasithoe-gr.) *pasithoe takasugii* Nakano, 1993 (Pieridae) Synonym(s): *takasugii Nakano, 1993*
- 56809) *Delias* (pasithoe-gr.) *pasithoe thyra* Fruhstorfer, 1895 (Pieridae) Synonym(s): *thyra Fruhstorfer, 1895*; *tonkiniana Fruhstorfer, 1905*; *#addenda Dufrane, 1947*; *#fasciata Dufrane, 1947 nec Rothschild, 1894.*
- 56810) *Delias* (pasithoe-gr.) *pasithoe trigrilites* Talbot, 1928 (Pieridae) Synonym(s): *trigrilites Talbot, 1928*
- 56811) *Delias* (pasithoe-gr.) *pasithoe yakamochii* Nakano, 1993 (Pieridae) Synonym(s): *yakamochii Nakano, 1993*
- 56812) *Delias* (pasithoe-gr.) *pasithoe yoshidai* Nakano & Morita, 1993 (Pieridae) Synonym(s): *yoshidai Nakano & Morita, 1993*
- 56813) *Delias* (pasithoe-gr.) *woodi* Talbot, 1928 (Pieridae) Synonym(s): *woodi Talbot, 1928*
- 56814) *Delias* (pasithoe-gr.) *woodi colini* Schröder, 1977 (Pieridae) Synonym(s): *colini Schröder, 1977*
- 56815) *Delias* (pasithoe-gr.) *woodi tболи* Schröder & Treadaway, 1984 (Pieridae) Synonym(s): *tболи Schröder & Treadaway, 1984*
- 56816) *Delias* (pasithoe-gr.) *woodi woodi* Talbot, 1928 (Pieridae) Synonym(s): *woodi Talbot, 1928*
- 56817) *Delias* (singhapura-gr.) *agoranis* Grose-Smith, 1887 (Pieridae) Synonym(s): *agoranis Grose-Smith, 1887*
- 56818) *Delias* (singhapura-gr.) *agoranis agoranis* Grose-Smith, 1887 (Pieridae) Synonym(s): *agoranis Grose-Smith, 1887*
- 56819) *Delias* (singhapura-gr.) *kuehni* Honrath, 1886 (Pieridae) Synonym(s): *kuehni Honrath, 1886*
- 56820) *Delias* (singhapura-gr.) *kuehni kuehni* Honrath, 1886 (Pieridae) Synonym(s): *kuehni Honrath, 1886*
- 56821) *Delias* (singhapura-gr.) *kuehni prinsi* Martin, 1912 (Pieridae) Synonym(s): *prinsi Martin, 1912*
- 56822) *Delias* (singhapura-gr.) *kuehni sulana* Staudinger, 1894 (Pieridae) Synonym(s): *sulana Staudinger, 1894*
- 56823) *Delias* (singhapura-gr.) *kuehni yoshimiae* Yagishita, 1989 (Pieridae) Synonym(s): *yoshimiae Yagishita, 1989*
- 56824) *Delias* (singhapura-gr.) *singhapura* Wallace, 1867 (Pieridae) Synonym(s): *singhapura Wallace, 1867*

- 56825) *Delias* (singhapura-gr.) *singhapura acuta* Rothschild,1915 (Pieridae) Synonym(s): *acuta* Rothschild,1915
56826) *Delias* (singhapura-gr.) *singhapura indistincta* Fruhstorfer,[1898] (Pieridae) Synonym(s): *indistincta* Fruhstorfer,[1898]
56827) *Delias* (singhapura-gr.) *singhapura simeuluensis* Kotaki,1992 (Pieridae) Synonym(s): *simeuluensis* Kotaki,1992
56828) *Delias* (singhapura-gr.) *singhapura singhapura* Wallace,1867 (Pieridae) Synonym(s): *singhapura* Wallace,1867
56829) *Delias* (singhapura-gr.) *singhapura tsukadai* Nakano,1993 (Pieridae) Synonym(s): *tsukadai* Nakano,1993
56830) *Delias* (singhapura-gr.) *singhapura yusukei* Nakano,1988 (Pieridae) Synonym(s): *yusukei* Nakano,1988
56831) *Delias* (singhapura-gr.) *themis* (Hewitson,1861) (Pieridae) Synonym(s): *themis* Hewitson,1861
56832) *Delias* (singhapura-gr.) *themis kawamurai* Nakano,1993 (Pieridae) Synonym(s): *kawamurai* Nakano,1993
56833) *Delias* (singhapura-gr.) *themis mihoe* Nakano,1993 (Pieridae) Synonym(s): *mihoe* Nakano,1993
56834) *Delias* (singhapura-gr.) *themis soteira* Fruhstorfer,1910 (Pieridae) Synonym(s): *soteira* Fruhstorfer,1910
56835) *Delias* (singhapura-gr.) *themis themis* (Hewitson,1861) (Pieridae) Synonym(s): *themis* Hewitson,1861
56836) *Delias* (singhapura-gr.) *themis yuii* Nakano,1993 (Pieridae) Synonym(s): *yuii* Nakano,1993
56837) *Delias* (stresemanni-gr.) *schmassmanni* Joicey & Talbot,1923 (Pieridae) Synonym(s): *schmassmanni* Joicey & Talbot,1923
56838) *Delias* (stresemanni-gr.) *schmassmanni schmassmanni* Joicey & Talbot,1923 (Pieridae) Synonym(s): *schmassmanni* Joicey & Talbot,1923
56839) *Delias* (stresemanni-gr.) *stresemanni Rothschild,1915* (Pieridae) Synonym(s): *stresemanni* Rothschild,1915
56840) *Delias* (stresemanni-gr.) *stresemanni stresemanni* Rothschild,1915 (Pieridae) Synonym(s): *stresemanni* Rothschild,1915
56841) *Delias* (stresemanni-gr.) *waterstradti Rothschild,1915* (Pieridae) Synonym(s): *waterstradti* Rothschild,1915
56842) *Delias* (stresemanni-gr.) *waterstradti cameriae* Morita,1989 (Pieridae) Synonym(s): *cameriae* Morita,1989
56843) *Delias* (stresemanni-gr.) *waterstradti jini* Nakano,1995 (Pieridae) Synonym(s): *jini* Nakano,1995
56844) *Delias* (stresemanni-gr.) *waterstradti waterstradti* Rothschild,1915 (Pieridae) Synonym(s): *waterstradti* Rothschild,1915
56845) *Delias* (weiskei-gr.) *callima Rothschild & Jordan,1905* (Pieridae) Synonym(s): *callima* Rothschild & Jordan,1905
56846) *Delias* (weiskei-gr.) *callima ayamae* Sakuma,1996 (Pieridae) Synonym(s): *ayamae* Sakuma,1996
56847) *Delias* (weiskei-gr.) *callima callima Rothschild & Jordan,1905* (Pieridae) Synonym(s): *callima* Rothschild & Jordan,1905
56848) *Delias* (weiskei-gr.) *callima satura* Jordan,1930 (Pieridae) Synonym(s): *satura* Jordan,1930
56849) *Delias* (weiskei-gr.) *campbelli Joicey & Talbot,1922* (Pieridae) Synonym(s): *campbelli* Joicey & Talbot,1922
56850) *Delias* (weiskei-gr.) *campbelli campbelli* Joicey & Talbot,1922 (Pieridae) Synonym(s): *campbelli* Joicey & Talbot,1922
56851) *Delias* (weiskei-gr.) *campbelli cyclops* Mastrigt,1995 (Pieridae) Synonym(s): *cyclops* Mastrigt,1995
56852) *Delias* (weiskei-gr.) *campbelli dentatus* Yagishita,1993 (Pieridae) Synonym(s): *dentatus* Yagishita,1993
56853) *Delias* (weiskei-gr.) *campbelli microlueca* Roepke,1955 (Pieridae) Synonym(s): *microlueca* Roepke,1955
56854) *Delias* (weiskei-gr.) *hapalina* Jordan,1911 (Pieridae) Synonym(s): *hapalina* Jordan,1911
56855) *Delias* (weiskei-gr.) *hapalina adnexa* Roepke,1955 (Pieridae) Synonym(s): *adnexa* Roepke,1955
56856) *Delias* (weiskei-gr.) *hapalina amoena* Roepke,1955 (Pieridae) Synonym(s): *amoena* Roepke,1955; *adjuncta* Roepke,1955
56857) *Delias* (weiskei-gr.) *hapalina hapalina* Jordan,1911 (Pieridae) Synonym(s): *hapalina* Jordan,1911
56858) *Delias* (weiskei-gr.) *hapalina kerowagiensis* Yagishita,1993 (Pieridae) Synonym(s): *kerowagiensis* Yagishita,1993
56859) *Delias* (weiskei-gr.) *hapalina owenstanleyi Schröder & Treadaway,1994* (Pieridae) Synonym(s): *owenstanleyi* Schröder & Treadaway,1994
56860) *Delias* (weiskei-gr.) *leucias* Jordan,1911 (Pieridae) Synonym(s): *leucias* Jordan,1911; *lutescens* Roepke,1955; *#rubropulvata* Mastrigt,2003
56861) *Delias* (weiskei-gr.) *leucias huonensis* Talbot,1928 (Pieridae) Synonym(s): *huonensis* Talbot,1928
56862) *Delias* (weiskei-gr.) *leucias leucias* Jordan,1911 (Pieridae) Synonym(s): *leucias* Jordan,1911; *lutescens* Roepke,1955; *#rubropulvata* Mastrigt,2003
56863) *Delias* (weiskei-gr.) *marguerita Joicey & Talbot,1922* (Pieridae) Synonym(s): *marguerita* Joicey & Talbot,1922
56864) *Delias* (weiskei-gr.) *marguerita marguerita* Joicey & Talbot,1922 (Pieridae) Synonym(s): *marguerita* Joicey & Talbot,1922
56865) *Delias* (weiskei-gr.) *nieuwenhuisi* Mastrigt,1990 (Pieridae) Synonym(s): *nieuwenhuisi* Mastrigt,1990
56866) *Delias* (weiskei-gr.) *nieuwenhuisi nieuwenhuisi* Mastrigt,1990 (Pieridae) Synonym(s): *nieuwenhuisi* Mastrigt,1990
56867) *Delias* (weiskei-gr.) *nieuwenhuisi poponga* Mastrigt,1990 (Pieridae) Synonym(s): *poponga* Mastrigt,1990
56868) *Delias* (weiskei-gr.) *phippi Joicey & Talbot,1922* (Pieridae) Synonym(s): *phippi* Joicey & Talbot,1922
56869) *Delias* (weiskei-gr.) *phippi mulia* Gerrits & Mastrigt,1993 (Pieridae) Synonym(s): *mulia* Gerrits & Mastrigt,1993
56870) *Delias* (weiskei-gr.) *phippi phippi* Joicey & Talbot,1922 (Pieridae) Synonym(s): *phippi* Joicey & Talbot,1922
56871) *Delias* (weiskei-gr.) *phippi wisseli* Roepke,1955 (Pieridae) Synonym(s): *wisseli* Roepke,1955
56872) *Delias* (weiskei-gr.) *pseudomarguerita* Gerrits & Mastrigt,1992 (Pieridae) Synonym(s): *pseudomarguerita* Gerrits & Mastrigt,1992
56873) *Delias* (weiskei-gr.) *pseudomarguerita pseudomarguerita* Gerrits & Mastrigt,1992 (Pieridae) Synonym(s): *pseudomarguerita* Gerrits & Mastrigt,1992
56874) *Delias* (weiskei-gr.) *rosamontana* Roepke,1955 (Pieridae) Synonym(s): *rosamontana* Roepke,1955
56875) *Delias* (weiskei-gr.) *rosamontana osadai* Yagishita,1993 (Pieridae) Synonym(s): *osadai* Yagishita,1993
56876) *Delias* (weiskei-gr.) *rosamontana rosamontana* Roepke,1955 (Pieridae) Synonym(s): *rosamontana* Roepke,1955
56877) *Delias* (weiskei-gr.) *rosamontana tanakaorum* Morita,1996 (Pieridae) Synonym(s): *tanakaorum* Morita,1996
56878) *Delias* (weiskei-gr.) *telefominensis* Yagishita,1993 (Pieridae) Synonym(s): *telefominensis* Yagishita,1993
56879) *Delias* (weiskei-gr.) *telefominensis telefominensis* Yagishita,1993 (Pieridae) Synonym(s): *telefominensis* Yagishita,1993
56880) *Delias* (weiskei-gr.) *tessei Joicey & Talbot,1916* (Pieridae) Synonym(s): *tessei* Joicey & Talbot,1916
56881) *Delias* (weiskei-gr.) *tessei conspectirubra* Joicey & Talbot,1922 (Pieridae) Synonym(s): *conspectirubra* Joicey & Talbot,1922
56882) *Delias* (weiskei-gr.) *tessei tessei* Joicey & Talbot,1916 (Pieridae) Synonym(s): *tessei* Joicey & Talbot,1916
56883) *Delias* (weiskei-gr.) *virgo Gerrits & Mastrigt,1993* (Pieridae) Synonym(s): *virgo* Gerrits & Mastrigt,1993; *mastrigti* Yagishita,1993
56884) *Delias* (weiskei-gr.) *virgo virgo* Gerrits & Mastrigt,1993 (Pieridae) Synonym(s): *virgo* Gerrits & Mastrigt,1993; *mastrigti* Yagishita,1993
56885) *Delias* (weiskei-gr.) *weiskei Ribbe,1900* (Pieridae) Synonym(s): *weiskei* Ribbe,1900
56886) *Delias* (weiskei-gr.) *weiskei sayuriae* Okano,1989 (Pieridae) Synonym(s): *sayuriae* Okano,1989
56887) *Delias* (weiskei-gr.) *weiskei weiskei* Ribbe,1900 (Pieridae) Synonym(s): *weiskei* Ribbe,1900
56888) *Delias argenthona* (Fabricius,1793) (Pieridae) Synonym(s): *argenthona* Fabricius,1793; *protocharis* Boisduval,1836; *fragalactea* Butler,1896; *seminigra* Fruhstorfer,1910.
56889) *Delias argenthona argenthona* (Fabricius,1793) (Pieridae) Synonym(s): *argenthona* Fabricius,1793; *protocharis* Boisduval,1836; *fragalactea* Butler,1896; *seminigra* Fruhstorfer,1910.
56890) *Delias argenthona insularis* Rothschild,1925 (Pieridae) Synonym(s): *insularis* Rothschild,1925
56891) *Delias bagoe* (Boisduval,1832) (Pieridae) Synonym(s): *bagoe* Boisduval,1832; *eurygania* Godman & Salvin,1878; *nausana* Fruhstorfer,1905
56892) *Delias bagoe bagoe* (Boisduval,1832) (Pieridae) Synonym(s): *bagoe* Boisduval,1832; *eurygania* Godman & Salvin,1878; *nausana* Fruhstorfer,1905
56893) *Delias bagoe restricta* Rothschild,1925 (Pieridae) Synonym(s): *restricta* Rothschild,1925
56894) *Delias caeneus* (Linnaeus,1758) (Pieridae) Synonym(s): *caeneus* Linnaeus,1758; *discors* Gmelin,1790; *antonoe* Herbst,1792 (homonym); *plexaris* Donovan,1805; *anthyparete* Hübner,[1819]; *philyra* Godart,[1819].
56895) *Delias caeneus caeneus* (Linnaeus,1758) (Pieridae) Synonym(s): *caeneus* Linnaeus,1758; *discors* Gmelin,1790; *antonoe* Herbst,1792 (homonym); *plexaris* Donovan,1805; *anthyparete* Hübner,[1819]; *philyra* Godart,[1819].
56896) *Delias caeneus philotis* Wallace,1867 (Pieridae) Synonym(s): *philotis* Wallace,1867
56897) *Delias doylei* Sanford & Bennett,1955 (Pieridae) Synonym(s): *doylei* Sanford & Bennett,1955
56898) *Delias doylei doylei* Sanford & Bennett,1955 (Pieridae) Synonym(s): *doylei* Sanford & Bennett,1955
56899) *Delias edela* Fruhstorfer,1910 (Pieridae) Synonym(s): *edela* Fruhstorfer,1910
56900) *Delias edela edela* Fruhstorfer,1910 (Pieridae) Synonym(s): *edela* Fruhstorfer,1910
56901) *Delias eileenae* Joicey & Talbot,1926 (Pieridae) Synonym(s): *dohertyi* Rothschild,1894 nec Oberthür,1894; *eileenae* Joicey & Talbot,1926
56902) *Delias eileenae eileenae* Joicey & Talbot,1926 (Pieridae) Synonym(s): *dohertyi* Rothschild,1894 nec Oberthür,1894; *eileenae* Joicey & Talbot,1926
56903) *Delias eucharis* (Drury,[1773]) (Pieridae) Synonym(s): *eucharis* Drury,[1773]; *hyparete* Fabricius,1775 nec Linnaeus,1758; *epicharis* Godart,[1819]; *septentrionalis* Röber,1938 nec Rothschild,1924.
56904) *Delias eucharis eucharis* (Drury,[1773]) (Pieridae) Synonym(s): *eucharis* Drury,[1773]; *hyparete* Fabricius,1775 nec Linnaeus,1758; *epicharis* Godart,[1819]; *septentrionalis* Röber,1938 nec Rothschild,1924.
56905) *Delias euphemia* Grose-Smith,1894 (Pieridae) Synonym(s): *euphemia* Grose-Smith,1894
56906) *Delias euphemia euphemia* Grose-Smith,1894 (Pieridae) Synonym(s): *euphemia* Grose-Smith,1894
56907) *Delias fasciata* Rothschild,1894 (Pieridae) Synonym(s): *fasciata* Rothschild,1894
56908) *Delias fasciata fasciata* Rothschild,1894 (Pieridae) Synonym(s): *fasciata* Rothschild,1894

- 56909) *Delias mitisi* Staudinger, 1894 (Pieridae) Synonym(s): *mitisi* Staudinger, 1894
 56910) *Delias mitisi banggaiensis* Talbot, 1928 (Pieridae) Synonym(s): *banggaiensis* Talbot, 1928
 56911) *Delias mitisi mitisi* Staudinger, 1894 (Pieridae) Synonym(s): *mitisi* Staudinger, 1894
 56912) *Delias mysis* (Fabricius, 1775) (Pieridae) Synonym(s): *mysis* Fabricius, 1775
 56913) *Delias mysis adelphoe* Talbot, 1939 (Pieridae) Synonym(s): *adelphoe* Talbot, 1939
 56914) *Delias mysis aestiva* Butler, 1897 (Pieridae) Synonym(s): *aestiva* Butler, 1897
 56915) *Delias mysis aruensis* Mitis, 1893 (Pieridae) Synonym(s): *aruensis* Mitis, 1893
 56916) *Delias mysis cruentata* Butler, 1865 (Pieridae) Synonym(s): *cruentata* Butler, 1865
 56917) *Delias mysis goodenovii* Rothschild, 1915 (Pieridae) Synonym(s): *goodenovii* Rothschild, 1915
 56918) *Delias mysis hideyoae* Nakado, 1995 (Pieridae) Synonym(s): *hideyoae* Nakado, 1995
 56919) *Delias mysis lara* (Boisduval, 1836) (Pieridae) Synonym(s): *lara* Boisduval, 1836
 56920) *Delias mysis maforensis* Rothschild, 1915 (Pieridae) Synonym(s): *maforensis* Rothschild, 1915
 56921) *Delias mysis maga* Grose-Smith, 1897 (Pieridae) Synonym(s): *maga* Grose-Smith, 1897
 56922) *Delias mysis mysis* (Fabricius, 1775) (Pieridae) Synonym(s): *mysis* Fabricius, 1775
 56923) *Delias mysis nemea* Fruhstorfer, 1910 (Pieridae) Synonym(s): *nemea* Fruhstorfer, 1910
 56924) *Delias mysis onca* Fruhstorfer, 1910 (Pieridae) Synonym(s): *onca* Fruhstorfer, 1910
 56925) *Delias mysis rosselliana* Rothschild, 1915 (Pieridae) Synonym(s): *rosselliana* Rothschild, 1915
 56926) *Delias mysis waterhousei* Talbot, 1937 (Pieridae) Synonym(s): *waterhousei* Talbot, 1937
 56927) *Delias periboea* (Godart, 1819) (Pieridae) Synonym(s): *periboea* Godart, 1819
 56928) *Delias periboea alorensis* Fruhstorfer, 1896 (Pieridae) Synonym(s): *alorensis* Fruhstorfer, 1896
 56929) *Delias periboea atakei* Nakano, 1993 (Pieridae) Synonym(s): *atakei* Nakano, 1993
 56930) *Delias periboea floresiana* Roepke, 1955 (Pieridae) Synonym(s): *floresiana* Roepke, 1955
 56931) *Delias periboea livia* Fruhstorfer, 1896 (Pieridae) Synonym(s): *livia* Fruhstorfer, 1896
 56932) *Delias periboea pagenstecheri* Fruhstorfer, 1896 (Pieridae) Synonym(s): *pagenstecheri* Fruhstorfer, 1896
 56933) *Delias periboea periboea* (Godart, 1819) (Pieridae) Synonym(s): *periboea* Godart, 1819
 56934) *Delias periboea wallacei* Rothschild, 1892 (Pieridae) Synonym(s): *wallacei* Rothschild, 1892
 56935) *Delias poecila* Snellen, 1865 (Pieridae) Synonym(s): *poecila* Snellen, 1865
 56936) *Delias poecila makikoeae* Yagishita, 1993 (Pieridae) Synonym(s): *makikoeae* Yagishita, 1993
 56937) *Delias poecila poecila* Snellen, 1865 (Pieridae) Synonym(s): *poecila* Snellen, 1865
 56938) *Delias rosenbergi* Snellen, 1865 (Pieridae) Synonym(s): *rosenbergi* Snellen, 1865; *lorquini* Felder & Felder, 1865
 56939) *Delias rosenbergi chrysoleuca* Mitis, 1893 (Pieridae) Synonym(s): *chrysoleuca* Mitis, 1893; *catamelas* Staudinger, 1891
 56940) *Delias rosenbergi munaensis* Nakano, 1988 (Pieridae) Synonym(s): *munaensis* Nakano, 1988
 56941) *Delias rosenbergi rosenbergi* Snellen, 1865 (Pieridae) Synonym(s): *rosenbergi* Snellen, 1865; *lorquini* Felder & Felder, 1865
 56942) *Delias rosenbergi saleyerana* Rothschild, 1915 (Pieridae) Synonym(s): *saleyerana* Rothschild, 1915
 56943) *Delias salvini* Butler, 1882 (Pieridae) Synonym(s): *salvini* Butler, 1882
 56944) *Delias salvini salvini* Butler, 1882 (Pieridae) Synonym(s): *salvini* Butler, 1882
 56945) *Delias sambawana* Rothschild, 1894 (Pieridae) Synonym(s): *sambawana* Rothschild, 1894
 56946) *Delias sambawana boejanana* Kalis, 1941 (Pieridae) Synonym(s): *boejanana* Kalis, 1941
 56947) *Delias sambawana everetti* Rothschild, 1925 (Pieridae) Synonym(s): *everetti* Rothschild, 1925
 56948) *Delias sambawana kenta* Nakano, 1991 (Pieridae) Synonym(s): *kenta* Nakano, 1991
 56949) *Delias sambawana minerva* Fruhstorfer, 1896 (Pieridae) Synonym(s): *minerva* Fruhstorfer, 1896
 56950) *Delias sambawana sambawana* Rothschild, 1894 (Pieridae) Synonym(s): *sambawana* Rothschild, 1894
 56951) *Delias sanaca* (Moore, 1857) (Pieridae) Synonym(s): *sanaca* Moore, 1857
 56952) *Delias sanaca sanaca* (Moore, 1857) (Pieridae) Synonym(s): *sanaca* Moore, 1857
 56953) *Delias schoenbergi* Rothschild, 1895 (Pieridae) Synonym(s): *schoenbergi* Rothschild, 1895
 56954) *Delias schoenbergi choiseuli* Rothschild, 1904 (Pieridae) Synonym(s): *choiseuli* Rothschild, 1904
 56955) *Delias schoenbergi isabellae* Rothschild, 1901 (Pieridae) Synonym(s): *isabellae* Rothschild, 1901
 56956) *Delias schoenbergi schoenbergi* Rothschild, 1895 (Pieridae) Synonym(s): *schoenbergi* Rothschild, 1895
 56957) *Dercas verhuelli* (Hoeven, 1839) (Pieridae) Synonym(s): *verhuelli* Hoeven, 1839
 56958) *Dercas verhuelli doubledayi* Moore, 1905 (Pieridae) Synonym(s): *doubledayi* Moore, 1905; *menandrus* Fruhstorfer, 1910
 56959) *Dercas verhuelli naganum* Tytler, 1939 (Pieridae) Synonym(s): *naganum* Tytler, 1939
 56960) *Dercas verhuelli pallidus* Fruhstorfer, 1910 (Pieridae) Synonym(s): *pallidus* Fruhstorfer, 1910; *parva* Evans, 1924
 56961) *Dercas verhuelli shania* Tytler, 1939 (Pieridae) Synonym(s): *shania* Tytler, 1939
 56962) *Dismorphia altis* Fassl, 1910 (Pieridae) Synonym(s): *altis* Fassl, 1910
 56963) *Dismorphia altis altis* Fassl, 1910 (Pieridae) Synonym(s): *altis* Fassl, 1910
 56964) *Dismorphia altis ssp.n.* (Pieridae) Synonym(s):
 56965) *Dismorphia amphione* (Cramer, [1779]) (Pieridae) Synonym(s): *amphione* Cramer, [1779]; *#amphione* Cramer, [1780]
 56966) *Dismorphia amphione amphione* (Cramer, [1779]) (Pieridae) Synonym(s): *amphione* Cramer, [1779]; *#amphione* Cramer, [1780]
 56967) *Dismorphia amphione astynome* (Dalman, 1823) (Pieridae) Synonym(s): *astynome* Dalman, 1823; *polymela* Geyer, 1832; *paulistana* Fruhstorfer, 1912; *#donia* Fruhstorfer, 1912; *#cellularis* L.Martin, [1923]; *chloronome* Avinoff, 1926; *#hatwardii* Breyer, 1939
 56968) *Dismorphia amphione beroe* (Lucas, 1852) (Pieridae) Synonym(s): *beroe* Lucas, 1852; *arsinoe* C.Felder & R.Felder, 1865
 56969) *Dismorphia amphione broomeae* Butler, 1899 (Pieridae) Synonym(s): *broomeae* Butler, 1899; *astynomides* Röber, 1909; *robinsoni* Schaus, 1927
 56970) *Dismorphia amphione daguana* Bargmann, 1929 (Pieridae) Synonym(s): *daguana* Bargmann, 1929
 56971) *Dismorphia amphione discrepans* Butler, 1896 (Pieridae) Synonym(s): *discrepans* Butler, 1896; *#amphionides* L.Martin, [1923]
 56972) *Dismorphia amphione egaena* (H.W.Bates, 1861) (Pieridae) Synonym(s): *egaena* H.W.Bates, 1861
 56973) *Dismorphia amphione isolda* Llorente, 1984 (Pieridae) Synonym(s): *isolda* Llorente, 1984
 56974) *Dismorphia amphione lupita* Lamas, 1979 (Pieridae) Synonym(s): *lupita* Lamas, 1979
 56975) *Dismorphia amphione meridionalis* Röber, 1909 (Pieridae) Synonym(s): *meridionalis* Röber, 1909
 56976) *Dismorphia amphione praxinoe* (Doubleday, 1844) (Pieridae) Synonym(s): *praxinoe* Doubleday, 1844; *amphitheia* C.Felder & R.Felder, 1865; *arsinoides* Staudinger, 1884
 56977) *Dismorphia amphione rhomboidea* Butler, 1896 (Pieridae) Synonym(s): *rhomboidea* Butler, 1896
 56978) *Dismorphia amphione ssp.n.* (Pieridae) Synonym(s):
 56979) *Dismorphia amphione ssp.n.* (Pieridae) Synonym(s):
 56980) *Dismorphia arcadia* (C.Felder & R.Felder, 1862) (Pieridae) Synonym(s): *arcadia* C.Felder & R.Felder, 1862; *idonia* Hewitson, 1869; *#melanoptera* Apolinar, 1926
 56981) *Dismorphia arcadia arcadia* (C.Felder & R.Felder, 1862) (Pieridae) Synonym(s): *arcadia* C.Felder & R.Felder, 1862; *idonia* Hewitson, 1869; *#melanoptera* Apolinar, 1926
 56982) *Dismorphia arcadia hippotas* (Hewitson, 1875) (Pieridae) Synonym(s): *hippotas* Hewitson, 1875
 56983) *Dismorphia arcadia lucilla* Butler, 1899 (Pieridae) Synonym(s): *lucilla* Butler, 1899
 56984) *Dismorphia arcadia medorina* (Hewitson, 1875) (Pieridae) Synonym(s): *medorina* Hewitson, 1875
 56985) *Dismorphia arcadia ssp.n.* (Pieridae) Synonym(s):
 56986) *Dismorphia arcadia ssp.n.* (Pieridae) Synonym(s):
 56987) *Dismorphia astyocha* Hübner, [1831] (Pieridae) Synonym(s): *astyocha* Hübner, [1831]; *perrensis* Gosse, 1880
 56988) *Dismorphia boliviana* Forster, 1955 (Pieridae) Synonym(s): *boliviana* Forster, 1955
 56989) *Dismorphia crisia* (Drury, [1782]) (Pieridae) Synonym(s): *crisia* Drury, [1782]; *critomedia* Geyer, 1832; *rotruda* Zikan, 1940; *flavella* Zikan, 1940; *interrupta* Zikan, 1940 *nec* Talb., 1932
 56990) *Dismorphia crisia alvarezii* J.Maza & R.G.Maza, 1984 (Pieridae) Synonym(s): *alvarezii* J.Maza & R.G.Maza, 1984
 56991) *Dismorphia crisia crisia* (Drury, [1782]) (Pieridae) Synonym(s): *crisia* Drury, [1782]; *critomedia* Geyer, 1832; *rotruda* Zikan, 1940; *flavella* Zikan, 1940; *interrupta* Zikan, 1940 *nec* Talb., 1932
 56992) *Dismorphia crisia foedora* (Lucas, 1852) (Pieridae) Synonym(s): *foedora* Lucas, 1852

- 56993) *Dismorphia crisia interrupta* Talbot, 1932 (Pieridae) Synonym(s): *#interrupta* R.Krüger, 1929; *interrupta* Talbot, 1932
- 56994) *Dismorphia crisia lubina* Butler, 1872 (Pieridae) Synonym(s): *lubina* Butler, 1872; *lubina* Butler & Druce, 1872
- 56995) *Dismorphia crisia neblina* Reissinger, 1970 (Pieridae) Synonym(s): *neblina* Reissinger, 1970
- 56996) *Dismorphia crisia roraimae* A.Hall, 1939 (Pieridae) Synonym(s): *roraimae* A.Hall, 1939
- 56997) *Dismorphia crisia saltensis* Breyer, 1939 (Pieridae) Synonym(s): *saltensis* Breyer, 1939; *interrupta* Zischka, 1951 nec Talb., 1932
- 56998) *Dismorphia crisia* ssp.n. (Pieridae) Synonym(s):
- 56999) *Dismorphia crisia* ssp.n. (Pieridae) Synonym(s):
- 57000) *Dismorphia crisia steinhauseri* J.Maza & R.G.Maza, 1984 (Pieridae) Synonym(s): *steinhauseri* J.Maza & R.G.Maza, 1984
- 57001) *Dismorphia crisia tolimensis* Fassl, 1915 (Pieridae) Synonym(s): *tolimensis* Fassl, 1915
- 57002) *Dismorphia crisia virgo* (H.W.Bates, 1864) (Pieridae) Synonym(s): *virgo* H.W.Bates, 1864; *#candida* Vazquez, 1949
- 57003) *Dismorphia cubana* (Herrich-Schäffer, 1862) (Pieridae) Synonym(s): *cubana* Herrich-Schäffer, 1862
- 57004) *Dismorphia eunoe* (Doubleday, 1844) (Pieridae) Synonym(s): *eunoe* Doubleday, 1844; *euryope* Lucas, 1852
- 57005) *Dismorphia eunoe chamula* Llorente & Luis, 1988 (Pieridae) Synonym(s): *chamula* Llorente & Luis, 1988
- 57006) *Dismorphia eunoe desine* (Hewitson, 1869) (Pieridae) Synonym(s): *desine* Hewitson, 1869; *deione* Hewitson, [1870]; *hagaresa* Butler, 1872
- 57007) *Dismorphia eunoe eunoe* (Doubleday, 1844) (Pieridae) Synonym(s): *eunoe* Doubleday, 1844; *euryope* Lucas, 1852
- 57008) *Dismorphia eunoe popoluca* Llorente & Luis, 1988 (Pieridae) Synonym(s): *popoluca* Llorente & Luis, 1988
- 57009) *Dismorphia eunoe* ssp.n. (Pieridae) Synonym(s):
- 57010) *Dismorphia eunoe* ssp.n. (Pieridae) Synonym(s):
- 57011) *Dismorphia hyposticta* (C.Felder & R.Felder, 1861) (Pieridae) Synonym(s): *hyposticta* C.Felder & R.Felder, 1861
- 57012) *Dismorphia hyposticta hyposticta* (C.Felder & R.Felder, 1861) (Pieridae) Synonym(s): *hyposticta* C.Felder & R.Felder, 1861
- 57013) *Dismorphia hyposticta manuelita* Fassl, 1910 (Pieridae) Synonym(s): *manuelita* Fassl, 1910
- 57014) *Dismorphia hyposticta* ssp.n. (Pieridae) Synonym(s):
- 57015) *Dismorphia hyposticta* ssp.n. (Pieridae) Synonym(s):
- 57016) *Dismorphia laja* (Cramer, [1779]) (Pieridae) Synonym(s): *laja* Cramer, [1779]
- 57017) *Dismorphia laja carthesis* (Hewitson, 1869) (Pieridae) Synonym(s): *carthesis* Hewitson, 1869
- 57018) *Dismorphia laja jurua* Röber, 1924 (Pieridae) Synonym(s): *jurua* Röber, 1924
- 57019) *Dismorphia laja koenigi* Baumann & Reissinger, 1969 (Pieridae) Synonym(s): *koenigi* Baumann & Reissinger, 1969
- 57020) *Dismorphia laja laja* (Cramer, [1779]) (Pieridae) Synonym(s): *laja* Cramer, [1779]
- 57021) *Dismorphia laja lysianax* (Hewitson, [1860]) (Pieridae) Synonym(s): *lysianax* Hewitson, [1860]
- 57022) *Dismorphia laja spectabilis* Avinoff, 1926 (Pieridae) Synonym(s): *spectabilis* Avinoff, 1926
- 57023) *Dismorphia laja* ssp.n. (Pieridae) Synonym(s):
- 57024) *Dismorphia laja tapajona* (H.W.Bates, 1861) (Pieridae) Synonym(s): *tapajona* H.W.Bates, 1861; *mechanitina* Röber, 1924
- 57025) *Dismorphia laja tricolor* Grose-Smith & W.F.Kirby, 1897 (Pieridae) Synonym(s): *tricolor* Grose-Smith & W.F.Kirby, 1897
- 57026) *Dismorphia lelex* (Hewitson, 1869) (Pieridae) Synonym(s): *lelex* Hewitson, 1869; *wernerii* M.Hering, 1926
- 57027) *Dismorphia lelex lelex* (Hewitson, 1869) (Pieridae) Synonym(s): *lelex* Hewitson, 1869; *wernerii* M.Hering, 1926
- 57028) *Dismorphia lelex* ssp.n. (Pieridae) Synonym(s):
- 57029) *Dismorphia lewyi* (Lucas, 1852) (Pieridae) Synonym(s): *lewyi* Lucas, 1852
- 57030) *Dismorphia lewyi boliviensis* Röber, 1909 (Pieridae) Synonym(s): *boliviensis* Röber, 1909
- 57031) *Dismorphia lewyi dolorita* Fassl, 1910 (Pieridae) Synonym(s): *dolorita* Fassl, 1910
- 57032) *Dismorphia lewyi leonora* (Hewitson, 1869) (Pieridae) Synonym(s): *leonora* Hewitson, 1869; *macasana* Strand, 1912
- 57033) *Dismorphia lewyi lewyi* (Lucas, 1852) (Pieridae) Synonym(s): *lewyi* Lucas, 1852
- 57034) *Dismorphia lewyi nasua* (C.Felder & R.Felder, 1861) (Pieridae) Synonym(s): *nasua* C.Felder & R.Felder, 1861; *kadenii* C.Felder & R.Felder, 1861
- 57035) *Dismorphia lewyi* ssp.n. (Pieridae) Synonym(s):
- 57036) *Dismorphia lua* (Hewitson, 1869) (Pieridae) Synonym(s): *lua* Hewitson, 1869
- 57037) *Dismorphia lua costaricensis* (Schaus, 1913) (Pieridae) Synonym(s): *costaricensis* Schaus, 1913
- 57038) *Dismorphia lua garleppi* Staudinger, 1894 (Pieridae) Synonym(s): *garleppi* Staudinger, 1894
- 57039) *Dismorphia lua idae* Fassl, 1910 (Pieridae) Synonym(s): *idae* Fassl, 1910
- 57040) *Dismorphia lua lua* (Hewitson, 1869) (Pieridae) Synonym(s): *lua* Hewitson, 1869
- 57041) *Dismorphia lua* ssp.n. (Pieridae) Synonym(s):
- 57042) *Dismorphia lycosura* (Hewitson, [1860]) (Pieridae) Synonym(s): *lycosura* Hewitson, [1860]; *schausii* Dognin, 1891; *ecuadorensis* Niepelt, [1914]
- 57043) *Dismorphia lycosura lycosura* (Hewitson, [1860]) (Pieridae) Synonym(s): *lycosura* Hewitson, [1860]; *schausii* Dognin, 1891; *ecuadorensis* Niepelt, [1914]
- 57044) *Dismorphia lycosura* ssp.n. (Pieridae) Synonym(s):
- 57045) *Dismorphia lygdamis* (Hewitson, 1869) (Pieridae) Synonym(s): *lygdamis* Hewitson, 1869
- 57046) *Dismorphia lygdamis doris* Baumann & Reissinger, 1969 (Pieridae) Synonym(s): *doris* Baumann & Reissinger, 1969
- 57047) *Dismorphia lygdamis lygdamis* (Hewitson, 1869) (Pieridae) Synonym(s): *lygdamis* Hewitson, 1869
- 57048) *Dismorphia lygdamis* ssp.n. (Pieridae) Synonym(s):
- 57049) *Dismorphia lysis* (Hewitson, 1869) (Pieridae) Synonym(s): *lysis* Hewitson, 1869
- 57050) *Dismorphia lysis lysis* (Hewitson, 1869) (Pieridae) Synonym(s): *lysis* Hewitson, 1869
- 57051) *Dismorphia lysis peruana* Röber, 1909 (Pieridae) Synonym(s): *peruana* Röber, 1909
- 57052) *Dismorphia lysis* ssp.n. (Pieridae) Synonym(s):
- 57053) *Dismorphia medora* (Doubleday, 1844) (Pieridae) Synonym(s): *medora* Doubleday, 1844; *casta* Kollar, 1850
- 57054) *Dismorphia medora medora* (Doubleday, 1844) (Pieridae) Synonym(s): *medora* Doubleday, 1844; *casta* Kollar, 1850
- 57055) *Dismorphia medora* ssp.n. (Pieridae) Synonym(s):
- 57056) *Dismorphia medora* ssp.n. (Pieridae) Synonym(s):
- 57057) *Dismorphia medora* ssp.n. (Pieridae) Synonym(s):
- 57058) *Dismorphia medorilla* (Hewitson, 1877) (Pieridae) Synonym(s): *medorilla* Hewitson, 1877
- 57059) *Dismorphia medorilla buchtieni* Fassl, 1915 (Pieridae) Synonym(s): *buchtieni* Fassl, 1915
- 57060) *Dismorphia medorilla medorilla* (Hewitson, 1877) (Pieridae) Synonym(s): *medorilla* Hewitson, 1877
- 57061) *Dismorphia medorilla* ssp.n. (Pieridae) Synonym(s):
- 57062) *Dismorphia melia* (Godart, [1824]) (Pieridae) Synonym(s): *melia* Godart, [1824]; *eumara* Doubleday, 1848; *acraeoides* Hewitson, 1851; *thalia* F.Müller, 1876; *mimetica* Staudinger, 1884
- 57063) *Dismorphia melia melia* (Godart, [1824]) (Pieridae) Synonym(s): *melia* Godart, [1824]; *eumara* Doubleday, 1848; *acraeoides* Hewitson, 1851; *thalia* F.Müller, 1876; *mimetica* Staudinger, 1884
- 57064) *Dismorphia mirandola* (Hewitson, 1878) (Pieridae) Synonym(s): *mirandola* Hewitson, 1878
- 57065) *Dismorphia mirandola discoloria* Weymer, 1891 (Pieridae) Synonym(s): *discoloria* Weymer, 1891; *#cauca* Röber, 1909; *#negrita* Fassl, 1910
- 57066) *Dismorphia mirandola mirandola* (Hewitson, 1878) (Pieridae) Synonym(s): *mirandola* Hewitson, 1878
- 57067) *Dismorphia mirandola* ssp.n. (Pieridae) Synonym(s):
- 57068) *Dismorphia n.sp. Lamas* (Pieridae) Synonym(s):
- 57069) *Dismorphia niepelti* Weymer, 1909 (Pieridae) Synonym(s): *niepelti* Weymer, 1909; *stammi* Baumann & Reissinger, 1969
- 57070) *Dismorphia niepelti niepelti* Weymer, 1909 (Pieridae) Synonym(s): *niepelti* Weymer, 1909; *stammi* Baumann & Reissinger, 1969
- 57071) *Dismorphia pseudolewyi* Forster, 1955 (Pieridae) Synonym(s): *pseudolewyi* Forster, 1955
- 57072) *Dismorphia pseudolewyi pseudolewyi* Forster, 1955 (Pieridae) Synonym(s): *pseudolewyi* Forster, 1955
- 57073) *Dismorphia spio* (Godart, [1819]) (Pieridae) Synonym(s): *spio* Godart, [1819]; *#virago* Avinoff, 1926
- 57074) *Dismorphia spio spio* (Godart, [1819]) (Pieridae) Synonym(s): *spio* Godart, [1819]; *#virago* Avinoff, 1926
- 57075) *Dismorphia teresa* (Hewitson, 1869) (Pieridae) Synonym(s): *teresa* Hewitson, 1869; *praxidice* Hewitson, 1870
- 57076) *Dismorphia teresa teresa* (Hewitson, 1869) (Pieridae) Synonym(s): *teresa* Hewitson, 1869; *praxidice* Hewitson, 1870
- 57077) *Dismorphia thermesia* (Godart, [1819]) (Pieridae) Synonym(s): *thermesia* Godart, [1819]; *margaritacea* L.Martin, [1923]
- 57078) *Dismorphia thermesia* ssp.n. (Pieridae) Synonym(s):
- 57079) *Dismorphia thermesia* ssp.n. (Pieridae) Synonym(s):
- 57080) *Dismorphia thermesia thermesia* (Godart, [1819]) (Pieridae) Synonym(s): *thermesia* Godart, [1819]; *margaritacea* L.Martin, [1923]

- 57081) *Dismorphia thermesina* (Hopffer,1874) (Pieridae) Synonym(s): *thermesina* Hopffer,1874
57082) *Dismorphia thermesina pimpla* (Hopffer,1874) (Pieridae) Synonym(s): *pimpla* Hopffer,1874
57083) *Dismorphia thermesina thermesina* (Hopffer,1874) (Pieridae) Synonym(s): *thermesina* Hopffer,1874
57084) *Dismorphia theucharila* (Doubleday,1848) (Pieridae) Synonym(s): *theucharila* Doubleday,1848
57085) *Dismorphia theucharila argochloe* (H.W.Bates,1861) (Pieridae) Synonym(s): *argochloe* H.W.Bates,1861; *staudingeri* Forster,1955
57086) *Dismorphia theucharila avonia* (Hewitson,1867) (Pieridae) Synonym(s): *avonia* Hewitson,1867; *leuconia* Butler,1899; *limonea* Butler,1899; *pallida* Röber,1909; *ithomiella* Röber,1909; *columbiana* M.Hering,1925
57087) *Dismorphia theucharila fortunata* (Lucas,1854) (Pieridae) Synonym(s): *fortunata* Lucas,1854; *antherize* Hewitson,[1858]; *ribbei* Godman & Salvin,1878; *alterata* Butler,1899
57088) *Dismorphia theucharila leuconoe* (H.W.Bates,1861) (Pieridae) Synonym(s): *leuconoe* H.W.Bates,1861; *erythro* H.W.Bates,1861; *melanoe* H.W.Bates,1861; *melanoides* Röber,1909; *pellucida* Röber,1924
57089) *Dismorphia theucharila lysinoe* (Hewitson,[1853]) (Pieridae) Synonym(s): *lysinoe* Hewitson,[1853]; *flammula* Butler,1899; *fervida* Butler,1899; *batesi* Röber,1909; *lysandra* Avinoff,1926; *yurupari* J.Zikan,1940; *yuruti* J.Zikan,1940; *massai* J.Zikan,1941; *godoleva* J.Zikan,1941; *hoodoleva* J.Zikan,1941
57090) *Dismorphia theucharila lysinoides* Staudinger,1884 (Pieridae) Synonym(s): *lysinoe* Staudinger,1884
57091) *Dismorphia theucharila siloe* (Hewitson,[1858]) (Pieridae) Synonym(s): *siloe* Hewitson,[1858]; *nella* Butler,1896
57092) *Dismorphia theucharila theonoe* (Hewitson,[1853]) (Pieridae) Synonym(s): *theonoe* Hewitson,[1853]
57093) *Dismorphia theucharila theucharila* (Doubleday,1848) (Pieridae) Synonym(s): *theucharila* Doubleday,1848
57094) *Dismorphia theucharila vitrea* E.Krüger,1925 (Pieridae) Synonym(s): *clio* Cramer,1779 nec Linn.,1758; *vitrea* E.Krüger,1925; *melanina* Avinoff,1926
57095) *Dismorphia theucharila xanthone* Röber,1924 (Pieridae) Synonym(s): *xanthone* Röber,1924
57096) *Dismorphia zaela* (Hewitson,[1858]) (Pieridae) Synonym(s): *zaela* Hewitson,[1858]
57097) *Dismorphia zaela abilene* (Hewitson,[1872]) (Pieridae) Synonym(s): *abilene* Hewitson,[1872]; *ines* Röber,1909
57098) *Dismorphia zaela oreas* (Salvin,1871) (Pieridae) Synonym(s): *oreas* Salvin,1871
57099) *Dismorphia zaela ssp.n.* (Pieridae) Synonym(s):
57100) *Dismorphia zaela zaela* (Hewitson,[1858]) (Pieridae) Synonym(s): *zaela* Hewitson,[1858]
57101) *Dismorphia zathoe* (Hewitson,[1858]) (Pieridae) Synonym(s): *zathoe* Hewitson,[1858]; *albimacula* Röber,1924
57102) *Dismorphia zathoe core* (C.Felder & R.Felder,1861) (Pieridae) Synonym(s): *core* C.Felder & R.Felder,1861
57103) *Dismorphia zathoe demeter* Röber,1909 (Pieridae) Synonym(s): *demeter* Röber,1909
57104) *Dismorphia zathoe othoe* (Hewitson,1867) (Pieridae) Synonym(s): *othoe* Hewitson,1867
57105) *Dismorphia zathoe pallidula* Butler & Druce,1874 (Pieridae) Synonym(s): *pallidula* Butler & Druce,1874
57106) *Dismorphia zathoe proserpina* Grose-Smith & W.F.Kirby,1897 (Pieridae) Synonym(s): *proserpina* Grose-Smith & W.F.Kirby,1897
57107) *Dismorphia zathoe zathoe* (Hewitson,[1858]) (Pieridae) Synonym(s): *zathoe* Hewitson,[1858]; *albimacula* Röber,1924
57108) *Dixeia capricornus* (Ward,1871) (Pieridae) Synonym(s): *capricornus* Ward,1871; *adultera* Plötz,1880; *nusprica* Suffert,1904.
57109) *Dixeia capricornus capricornus* (Ward,1871) (Pieridae) Synonym(s): *capricornus* Ward,1871; *adultera* Plötz,1880; *nusprica* Suffert,1904.
57110) *Dixeia capricornus falkensteinii* (Dewitz,1879) (Pieridae) Synonym(s): *falkensteinii* Dewitz,1879; *lindnerii* Dewitz,1879.
57111) *Dixeia cebron* (Ward,1871) (Pieridae) Synonym(s): *cebron* Ward,1871.
57112) *Dixeia cebron cebron* (Ward,1871) (Pieridae) Synonym(s): *cebron* Ward,1871.
57113) *Dixeia charina* (Boisduval,1836) (Pieridae) Synonym(s): *charina* Boisduval,1836; *anactorie* Doubleday,1842.
57114) *Dixeia charina charina* (Boisduval,1836) (Pieridae) Synonym(s): *charina* Boisduval,1836; *anactorie* Doubleday,1842.
57115) *Dixeia charina damera* (Suffert,1904) (Pieridae) Synonym(s): *damera* Suffert,1904; *anali* Suffert,1904
57116) *Dixeia charina liliana* (Grose-Smith,1889) (Pieridae) Synonym(s): *liliana* Grose-Smith,1889; *nigropunctata* Sharpe,1890; *gerda* Grose-Smith & Kirby,1893.
57117) *Dixeia charina narena* (Grose-Smith,1898) (Pieridae) Synonym(s): *narena* Grose-Smith,1898; *lambertoni* Le Cerf,1921
57118) *Dixeia charina pulverulenta* (Dixey,1929) (Pieridae) Synonym(s): *pulverulenta* Dixey,1929
57119) *Dixeia charina septentrionalis* Bernardi,1958 (Pieridae) Synonym(s): *septentrionalis* Bernardi,1958
57120) *Dixeia charina simana* (Hopffer,1855) (Pieridae) Synonym(s): *simana* Hopffer,1855
57121) *Dixeia dixeyi* (Neave,1904) (Pieridae) Synonym(s): *dixeyi* Neave,1904; *yambo* Ungemach,1932; *minuta* Ungemach,1932.
57122) *Dixeia dixeyi dixeyi* (Neave,1904) (Pieridae) Synonym(s): *dixeyi* Neave,1904; *yambo* Ungemach,1932; *minuta* Ungemach,1932.
57123) *Dixeia doxo* (Godart,[1819]) (Pieridae) Synonym(s): *doxo* Godart,[1819]; *voltaensis* Talbot,1929.
57124) *Dixeia doxo alberta* Grünberg,1911 (Pieridae) Synonym(s): *alberta* Grünberg,1911
57125) *Dixeia doxo costata* Talbot,1943 (Pieridae) Synonym(s): *costata* Talbot,1943
57126) *Dixeia doxo doxo* (Godart,[1819]) (Pieridae) Synonym(s): *doxo* Godart,[1819]; *voltaensis* Talbot,1929.
57127) *Dixeia doxo parva* Talbot,1943 (Pieridae) Synonym(s): *parva* Talbot,1943
57128) *Dixeia doxo venatus* (Butler,1871) (Pieridae) Synonym(s): *venatus* Butler,1871
57129) *Dixeia leucophanes* Vari,1976 (Pieridae) Synonym(s): *leucophanes* Vari,1976
57130) *Dixeia leucophanes leucophanes* Vari,1976 (Pieridae) Synonym(s): *leucophanes* Vari,1976
57131) *Dixeia orbona* (Geyer,[1837]) (Pieridae) Synonym(s): *orbona* Geyer,[1837]
57132) *Dixeia orbona orbona* (Geyer,[1837]) (Pieridae) Synonym(s): *orbona* Geyer,[1837]
57133) *Dixeia orbona vidua* (Butler,1900) (Pieridae) Synonym(s): *vidua* Butler,1900; *abyssinbia* Strand,1911; *griseovenata* Neustetter,1927.
57134) *Dixeia pigea* (Boisduval,1836) (Pieridae) Synonym(s): *pigea* Boisduval,1836; *alba* Wallengren,1857; *inana* Butler,1870; *rubrobasalis* Lanz,1896; *caffraria* Lanz,1896; *nitida* Aurivillius,1898; *saalmülleri* Aurivillius,1898; *astarte* Butler,1900; *kueckeni* Suffert,1904; *wagneri* Suffert,1904; *elia* Strand,1912; *leplaei* Hulstaert,1924.
57135) *Dixeia pigea pigea* (Boisduval,1836) (Pieridae) Synonym(s): *pigea* Boisduval,1836; *alba* Wallengren,1857; *inana* Butler,1870; *rubrobasalis* Lanz,1896; *caffraria* Lanz,1896; *nitida* Aurivillius,1898; *saalmülleri* Aurivillius,1898; *astarte* Butler,1900; *kueckeni* Suffert,1904; *wagneri* Suffert,1904; *elia* Strand,1912; *leplaei* Hulstaert,1924.
57136) *Dixeia piscicollis* Pinhey,1972 (Pieridae) Synonym(s): *piscicollis* Pinhey,1972
57137) *Dixeia piscicollis piscicollis* Pinhey,1972 (Pieridae) Synonym(s): *piscicollis* Pinhey,1972
57138) *Dixeia spilleri* (Spiller,1884) (Pieridae) Synonym(s): *spilleri* Spiller,1884; *gallenga* Grose-Smith,1887
57139) *Dixeia spilleri spilleri* (Spiller,1884) (Pieridae) Synonym(s): *spilleri* Spiller,1884; *gallenga* Grose-Smith,1887
57140) *Elodina andropis* Butler,1876 (Pieridae) Synonym(s): *andropis* Butler,1876
57141) *Elodina angulipennis* (Lucas,1852) (Pieridae) Synonym(s): *angulipennis* Lucas,1852; *pallene* Hewitson,1853; *#nivea* Felder,1862
57142) *Elodina anticyra* Fruhstorfer,[1910] (Pieridae) Synonym(s): *anticyra* Fruhstorfer,[1910]
57143) *Elodina argyphus* Grose-Smith,1890 (Pieridae) Synonym(s): *argyphus* Grose-Smith,1890
57144) *Elodina biaka* Joicey & Noakes,1915 (Pieridae) Synonym(s): *biaka* Joicey & Noakes,1915
57145) *Elodina claudia* De Baar & Hancock,1993 (Pieridae) Synonym(s): *claudia* De Baar & Hancock,1993
57146) *Elodina effeminata* Fruhstorfer,[1910] (Pieridae) Synonym(s): *effeminata* Fruhstorfer,[1910]
57147) *Elodina egnatia* (Godart,1819) (Pieridae) Synonym(s): *egnatia* Godart,1819
57148) *Elodina egnatia bouruensis* Wallace,1865 (Pieridae) Synonym(s): *bouruensis* Wallace,1865
57149) *Elodina egnatia egnatia* (Godart,1819) (Pieridae) Synonym(s): *egnatia* Godart,1819
57150) *Elodina hypatia* Felder,1865 (Pieridae) Synonym(s): *hypatia* Felder,1865
57151) *Elodina hypatia hypatia* (Felder,1865) (Pieridae) Synonym(s): *hypatia* Felder,1865
57152) *Elodina hypatia mullericula* Fruhstorfer (Pieridae) Synonym(s): *mullericula* Fruhstorfer
57153) *Elodina hypatia passarga* Fruhstorfer (Pieridae) Synonym(s): *passarga* Fruhstorfer
57154) *Elodina hypatia sada* Fruhstorfer,1910 (Pieridae) Synonym(s): *sada* Fruhstorfer,1910
57155) *Elodina invisibilis* Fruhstorfer,1910 (Pieridae) Synonym(s): *invisibilis* Fruhstorfer,1910
57156) *Elodina namatia* Fruhstorfer,[1910] (Pieridae) Synonym(s): *namatia* Fruhstorfer,[1910]
57157) *Elodina padusa* (Hewitson,1853) (Pieridae) Synonym(s): *#nivea* Swinson,1851; *padusa* Hewitson,1853; *quadrata* Butler,1873
57158) *Elodina parthia* (Hewitson,1853) (Pieridae) Synonym(s): *parthia* Hewitson,1853
57159) *Elodina perdita* Miskin,1889 (Pieridae) Synonym(s): *perdita* Miskin,1889
57160) *Elodina perdita perdita* Miskin,1889 (Pieridae) Synonym(s): *perdita* Miskin,1889
57161) *Elodina primularis* Butler,1882 (Pieridae) Synonym(s): *primularis* Butler,1882; *incisa* Fruhstorfer,1910

- 57162) *Elodina primumalis citrinalis* Grose-Smith (Pieridae) Synonym(s): *citrinalis* Grose-Smith
 57163) *Elodina primumalis primumalis* Butler,1882 (Pieridae) Synonym(s): *PG Nlr*
 57164) *Elodina pseudanops* Butler,1882 (Pieridae) Synonym(s): *pseudanops* Butler,1882
 57165) *Elodina queenslandica* De Baar & Hancock,1993 (Pieridae) Synonym(s): *queenslandica* De Baar & Hancock,1993; *kuranda* De Baar & Hancock,1993
 57166) *Elodina signata* Wallace,1865 (Pieridae) Synonym(s): *signata* Wallace,1865
 57167) *Elodina tongura* Tindale,1923 (Pieridae) Synonym(s): *tongura* Tindale,1923
 57168) *Elodina umbratica* Grose-Smith,1889 (Pieridae) Synonym(s): *umbratica* Grose-Smith,1889
 57169) *Elodina walkerii* Butler,1898 (Pieridae) Synonym(s): *walkerii* Butler,1898; *baudiniana* Butler,1898
 57170) *Enantia albania* (H.W.Bates,1864) (Pieridae) Synonym(s): *albania* H.W.Bates,1864; *mita* Reakirt,[1867]; *#immaculata* C.C.Hofmann,1940
 57171) *Enantia albania albania* (H.W.Bates,1864) (Pieridae) Synonym(s): *albania* H.W.Bates,1864; *mita* Reakirt,[1867]; *#immaculata* C.C.Hofmann,1940
 57172) *Enantia albania amalia* (Staudinger,1884) (Pieridae) Synonym(s): *amalia* Staudinger,1884
 57173) *Enantia albania* ssp.n. (Pieridae) Synonym(s):
 57174) *Enantia aloikea* Brévignon,1993 (Pieridae) Synonym(s): *aloikea* Brévignon,1993
 57175) *Enantia citrinella* (C.Felder & R.Felder,1861) (Pieridae) Synonym(s): *citrinella* C.Felder & R.Felder,1861; *flavia* C.Felder & R.Felder,1861
 57176) *Enantia citrinella citrinella* (C.Felder & R.Felder,1861) (Pieridae) Synonym(s): *citrinella* C.Felder & R.Felder,1861; *flavia* C.Felder & R.Felder,1861
 57177) *Enantia citrinella* ssp.n. (Pieridae) Synonym(s):
 57178) *Enantia citrinella* ssp.n. (Pieridae) Synonym(s):
 57179) *Enantia citrinella* ssp.n. (Pieridae) Synonym(s):
 57180) *Enantia clarissa* (Weymer,1895) (Pieridae) Synonym(s): *clarissa* Weymer,1895; *#albida* Röber,1909; *johnstonei* Romieux,1927; *liberata* d'Almeida,1934; *#simulatrix* d'Almeida,1934; *#variabilis* d'Almeida,1934
 57181) *Enantia clarissa clarissa* (Weymer,1895) (Pieridae) Synonym(s): *clarissa* Weymer,1895; *#albida* Röber,1909; *johnstonei* Romieux,1927; *liberata* d'Almeida,1934; *#simulatrix* d'Almeida,1934; *#variabilis* d'Almeida,1934
 57182) *Enantia jethys* (Boisduval,1836) (Pieridae) Synonym(s): *jethys* Boisduval,1836; *cornelia* C.Felder & R.Felder,1865
 57183) *Enantia jethys jethys* (Boisduval,1836) (Pieridae) Synonym(s): *jethys* Boisduval,1836; *cornelia* C.Felder & R.Felder,1865
 57184) *Enantia limnorina* (C.Felder & R.Felder,1865) (Pieridae) Synonym(s): *limnorina* C.Felder & R.Felder,1865; *dissimulata* d'Almeida,1931; *aenigma* d'Almeida,1931; *hoffmanni* d'Almeida,1934
 57185) *Enantia limnorina limnorina* (C.Felder & R.Felder,1865) (Pieridae) Synonym(s): *limnorina* C.Felder & R.Felder,1865; *dissimulata* d'Almeida,1931; *aenigma* d'Almeida,1931; *hoffmanni* d'Almeida,1934
 57186) *Enantia lina* (Herbst,1792) (Pieridae) Synonym(s): *lina* Herbst,1792
 57187) *Enantia lina acutipennis* Butler,1896 (Pieridae) Synonym(s): *acutipennis* Butler,1896
 57188) *Enantia lina aphrodite* (C.Felder & R.Felder,1865) (Pieridae) Synonym(s): *aphrodite* C.Felder & R.Felder,1865; *cretacea* Grose-Smith & W.F.Kirby,1897
 57189) *Enantia lina galanthis* (H.W.Bates,1861) (Pieridae) Synonym(s): *galanthis* H.W.Bates,1861; *#carnosa* Baumann & Reissinger,1969; *eva* Reissinger,1970; *elongata* Reissinger,1970
 57190) *Enantia lina lina* (Herbst,1792) (Pieridae) Synonym(s): *lina* Herbst,1792
 57191) *Enantia lina marion* Godman & Salvin,1889 (Pieridae) Synonym(s): *marion* Godman & Salvin,1889
 57192) *Enantia lina mercenaria* (C.Felder & R.Felder,1861) (Pieridae) Synonym(s): *mercenaria* C.Felder & R.Felder,1861; *ilerasi* Apolinar,1926
 57193) *Enantia lina psamathe* (Fabricius,1793) (Pieridae) Synonym(s): *psamathe* Fabricius,1793; *isodrita* Boisduval,1836; *dilis* Boisduval,1836; *#kollari* Doubleday,1847; *kollari* Lucas,1852; *kollari* Reakirt,1865; *#disjuncta* Röber,1909; *delia* Schweizer & Kay,1941; *#joannisi* Dufrane,1947
 57194) *Enantia lina* ssp.n. (Pieridae) Synonym(s):
 57195) *Enantia lina* ssp.n. (Pieridae) Synonym(s):
 57196) *Enantia lina versicolora* (Fruhstorfer,1912) (Pieridae) Synonym(s): *versicolora* Fruhstorfer,1912; *#carnosa* Fruhstorfer,1912
 57197) *Enantia lina virna* Lamas,2003 (Pieridae) Synonym(s): *hoffmanni* Llorente,1984 nec d'Alm.,1934; *virna* Lamas,2003
 57198) *Enantia mazai* Llorente,1984 (Pieridae) Synonym(s): *mazai* Llorente,1984
 57199) *Enantia mazai diazi* Llorente,1984 (Pieridae) Synonym(s): *diazi* Llorente,1984
 57200) *Enantia mazai mazai* Llorente,1984 (Pieridae) Synonym(s): *mazai* Llorente,1984
 57201) *Enantia melite* (Linnaeus,1763) (Pieridae) Synonym(s): *melite* Linnaeus,1763; *?heteroclitia* Linnaeus,1763; *licinia* Cramer,1777; *phronima* Fabricius,1793
 57202) *Enantia melite linealis* (Prüffer,1922) (Pieridae) Synonym(s): *linealis* Prüffer,1922; *#juncta* Dufrane,1947; *zischkai* Baumann & Reissinger,1969
 57203) *Enantia melite melite* (Linnaeus,1763) (Pieridae) Synonym(s): *melite* Linnaeus,1763; *?heteroclitia* Linnaeus,1763; *licinia* Cramer,1777; *phronima* Fabricius,1793
 57204) *Enantia melite* ssp.n. (Pieridae) Synonym(s):
 57205) *Enantia melite theugensis* (Doubleday,1848) (Pieridae) Synonym(s): *theugensis* Doubleday,1848; *#immaculata* Zischka,1951; *#flavimaculata* Zischka,1951; *continuescens* Zischka,1951
 57206) *Eronia cleodora* Hübner,[1823] (Pieridae) Synonym(s): *cleodora* Hübner,[1823]; *erxia* Hewitson,1867
 57207) *Eronia cleodora cleodora* Hübner,[1823] (Pieridae) Synonym(s): *cleodora* Hübner,[1823]; *erxia* Hewitson,1867
 57208) *Eronia cleodora dilatata* Butler,1888 (Pieridae) Synonym(s): *dilatata* Butler,1888; *latimarginata* Weymer,1892
 57209) *Eronia leda* (Boisduval,1847) (Pieridae) Synonym(s): *leda* Boisduval,1847; *tekoukoule* Guérin-Méneville,1849; *wahlbergi* Wallengren,1857; *trimeni* Oberthür,1878; *cygnophila* Suffert,1904; *inargyrata* Gaede,1916
 57210) *Eronia leda leda* (Boisduval,1847) (Pieridae) Synonym(s): *leda* Boisduval,1847; *tekoukoule* Guérin-Méneville,1849; *wahlbergi* Wallengren,1857; *trimeni* Oberthür,1878; *cygnophila* Suffert,1904; *inargyrata* Gaede,1916
 57211) *Euchloe (Elphinstonia) bazae* Fabiano,1993 (Pieridae) Synonym(s): *bazae* Fabiano,1993
 57212) *Euchloe (Elphinstonia) bazae bazae* Fabiano,1993 (Pieridae) Synonym(s): *bazae* Fabiano,1993
 57213) *Euchloe (Elphinstonia) bazae iberiae* Back, Olivares, Leestmans,2005 (Pieridae) Synonym(s): *iberiae* Back, Olivares, Leestmans,2005
 57214) *Euchloe (Elphinstonia) charlonia* (Donzel,1842) (Pieridae) Synonym(s): *charlonia* Donzel,1842; *elizabethae* Hemming,1932
 57215) *Euchloe (Elphinstonia) charlonia charlonia* (Donzel,1842) (Pieridae) Synonym(s): *charlonia* Donzel,1842; *elizabethae* Hemming,1932
 57216) *Euchloe (Elphinstonia) lessei* Bernardi,1957 (Pieridae) Synonym(s): *lessei* Bernardi,1957
 57217) *Euchloe (Elphinstonia) lessei lessei* Bernardi,1957 (Pieridae) Synonym(s): *lessei* Bernardi,1957
 57218) *Euchloe (Elphinstonia) lessei qohrudicus* Back & Leestmans,2001 (Pieridae) Synonym(s): *qohrudicus* Back & Leestmans,2001
 57219) *Euchloe (Elphinstonia) lessei zagrosicus* Leestmans & Back,1992 (Pieridae) Synonym(s): *zagrosicus* Leestmans & Back,1992
 57220) *Euchloe (Elphinstonia) lucilla* Butler,1886 (Pieridae) Synonym(s): *lucilla* Butler,1886; *#lucillides* Verity,[1911].
 57221) *Euchloe (Elphinstonia) lucilla doveri* Evans,1932 (Pieridae) Synonym(s): *doveri* Evans,1932
 57222) *Euchloe (Elphinstonia) lucilla lucilla* Butler,1886 (Pieridae) Synonym(s): *lucilla* Butler,1886; *#lucillides* Verity,[1911].
 57223) *Euchloe (Elphinstonia) lucilla pila* Evans,1932 (Pieridae) Synonym(s): *pila* Evans,1932
 57224) *Euchloe (Elphinstonia) penia* (Freyer,[1852]) (Pieridae) Synonym(s): *penia* Freyer,[1852]; *mesopotamica* Baker,1889.
 57225) *Euchloe (Elphinstonia) penia penia* (Freyer,[1852]) (Pieridae) Synonym(s): *penia* Freyer,[1852]; *mesopotamica* Baker,1889.
 57226) *Euchloe (Elphinstonia) penia taleschicus* Back & Leestmans,2001 (Pieridae) Synonym(s): *taleschicus* Back & Leestmans,2001; *#taleschicus* Back & Leestmans,2001.
 57227) *Euchloe (Elphinstonia) penia thessalica* Mezger,1936 (Pieridae) Synonym(s): *thessalica* Mezger,1936
 57228) *Euchloe (Elphinstonia) tomyris* Christoph,1884 (Pieridae) Synonym(s): *tomyris* Christoph,1884
 57229) *Euchloe (Elphinstonia) tomyris tomyris* Christoph,1884 (Pieridae) Synonym(s): *tomyris* Christoph,1884
 57230) *Euchloe (Elphinstonia) transcaspica* (Staudinger,[1892]) (Pieridae) Synonym(s): *transcaspica* Staudinger,[1892]
 57231) *Euchloe (Elphinstonia) transcaspica amseli* Gross & Ebert,1975 (Pieridae) Synonym(s): *amseli* Gross & Ebert,1975
 57232) *Euchloe (Elphinstonia) transcaspica transcaspica* (Staudinger,[1892]) (Pieridae) Synonym(s): *transcaspica* Staudinger,[1892]
 57233) *Euchloe (Elphinstonia) ziyani* Leestmans & Back,2001 (Pieridae) Synonym(s): *ziyani* Leestmans & Back,2001
 57234) *Euchloe (Elphinstonia) ziyani ziyani* Leestmans & Back,2001 (Pieridae) Synonym(s): *ziyani* Leestmans & Back,2001
 57235) *Euchloe (s.str.) aegyptiaca* Verity,[1911] (Pieridae) Synonym(s): *aegyptiaca* Verity,[1911]
 57236) *Euchloe (s.str.) aegyptiaca aegyptiaca* Verity,[1911] (Pieridae) Synonym(s): *aegyptiaca* Verity,[1911]
 57237) *Euchloe (s.str.) ausonia* (Hübner,[1804]) (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].
 57238) *Euchloe (s.str.) ausonia ausonia* (Hübner,[1804]) (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].

- 57239) *Euchloe* (s.str.) *ausonia dubatolovi* Korshunov,1995 (Pieridae) Synonym(s): *dubatolovi* Korshunov,1995
 57240) *Euchloe* (s.str.) *ausonia kruegeri* Turati,1905 (Pieridae) Synonym(s): *kruegeri* Turati,1905; *trinacriae* Turati,1905.
 57241) *Euchloe* (s.str.) *ausonia pulverata* (Christoph,1884) (Pieridae) Synonym(s): *pulverata* Christoph,1884
 57242) *Euchloe* (s.str.) *ausonia taurica* Röber,[1907] (Pieridae) Synonym(s): *belia* Cramer,[1782] nec Linn.,1767; *simplonia* Freyer,1829 nec Boisd.,1828; *#philippi* Rudolph,1906; *#taurica* Röber,[1907]; *melisande* Fruhstorfer,1908; *#graeca* Verity,[1909]; *#persica* Verity,[1909]; *#originalis* Rothschild,1917; *verityi* Riley,1921; *kastellorisi* Katt. & Koutsafikis,1978
 57243) *Euchloe* (s.str.) *ausonia volgensis* Krulikowsky,1897 (Pieridae) Synonym(s): *volgensis* Krulikowsky,1897; *uralensis* Bartel,1902; *pfaffi* Trautman,1927.
 57244) *Euchloe* (s.str.) *belemia* (Esper,[1800]) (Pieridae) Synonym(s): *belemia* Esper,[1800]; *glaucæ* Freyer,[1848]
 57245) *Euchloe* (s.str.) *belemia abyssinica* Riley,1928 (Pieridae) Synonym(s): *abyssinica* Riley,1928
 57246) *Euchloe* (s.str.) *belemia belemia* (Esper,[1800]) (Pieridae) Synonym(s): *belemia* Esper,[1800]; *glaucæ* Freyer,[1848].
 57247) *Euchloe* (s.str.) *belemia desertorum* Turati,1905 (Pieridae) Synonym(s): *desertorum* Turati,1905
 57248) *Euchloe* (s.str.) *belemia distincta* Röber,[1907] (Pieridae) Synonym(s): *#distincta* Röber,[1907]
 57249) *Euchloe* (s.str.) *belemia eversi* Stamm,1963 (Pieridae) Synonym(s): *eversi* Stamm,1963
 57250) *Euchloe* (s.str.) *belemia hesperidum* Rothschild,1913 (Pieridae) Synonym(s): *hesperidum* Rothschild,1913
 57251) *Euchloe* (s.str.) *belemia palaestinensis* Röber,[1907] (Pieridae) Synonym(s): *#palaestinensis* Röber,[1907]; *moslemi* Seyer,1988.
 57252) *Euchloe* (s.str.) *crameri* Butler,1869 (Pieridae) Synonym(s): *crameri* Butler,1869
 57253) *Euchloe* (s.str.) *crameri crameri* Butler,1869 (Pieridae) Synonym(s): *crameri* Butler,1869
 57254) *Euchloe* (s.str.) *crameri esperi* Kirby,1871 (Pieridae) Synonym(s): *esperi* Kirby,1871; *matutia* Turati,1905.
 57255) *Euchloe* (s.str.) *crameri lybica* Turati,1917 (Pieridae) Synonym(s): *lybica* Turati,1917; *syrtica* Turati,1924.
 57256) *Euchloe* (s.str.) *crameri mauretanica* Röber,[1907] (Pieridae) Synonym(s): *#mauretanica* Röber,[1907]
 57257) *Euchloe* (s.str.) *crameri melanochloros* Röber,[1907] (Pieridae) Synonym(s): *#melanochloros* Röber,[1907]; *algorica* Oberthür,1909; *paravicini* Stauder,1915.
 57258) *Euchloe* (s.str.) *creusa* (Doubleday & Hewitson,1847) (Pieridae) Synonym(s): *creusa* Doubleday & Hewitson,1847
 57259) *Euchloe* (s.str.) *creusa creusa* (Doubleday & Hewitson,1847) (Pieridae) Synonym(s): *creusa* Doubleday & Hewitson,1847
 57260) *Euchloe* (s.str.) *creusa kurentzovi* Beljaev,1986 (Pieridae) Synonym(s): *kurentzovi* Beljaev,1986
 57261) *Euchloe* (s.str.) *creusa nemoralis* Beljaev,1986 (Pieridae) Synonym(s): *nemoralis* Beljaev,1986
 57262) *Euchloe* (s.str.) *creusa orientalis* (Bremer,1864) (Pieridae) Synonym(s): *orientalis* Bremer,1864; *emorientalis* Verity,1911.
 57263) *Euchloe* (s.str.) *daphalis* (Moore,1865) (Pieridae) Synonym(s): *daphalis* Moore,1865
 57264) *Euchloe* (s.str.) *daphalis daphalis* (Moore,1865) (Pieridae) Synonym(s): *daphalis* Moore,1865
 57265) *Euchloe* (s.str.) *falloui* (Allard,1867) (Pieridae) Synonym(s): *falloui* Allard,1867; *seitzi* Röber,1907; *lucida* Sheljuzhko,1914; *choumovitschi* Schneur,1935.
 57266) *Euchloe* (s.str.) *falloui fairuzae* Tarrier,1996 (Pieridae) Synonym(s): *fairuzae* Tarrier,1996
 57267) *Euchloe* (s.str.) *falloui falloui* (Allard,1867) (Pieridae) Synonym(s): *falloui* Allard,1867; *seitzi* Röber,1907; *lucida* Sheljuzhko,1914; *choumovitschi* Schneur,1935.
 57268) *Euchloe* (s.str.) *falloui saudi* T.Larsen,1983 (Pieridae) Synonym(s): *saudi* T.Larsen,1983
 57269) *Euchloe* (s.str.) *insularis* (Staudinger,1861) (Pieridae) Synonym(s): *insularis* Staudinger,1861
 57270) *Euchloe* (s.str.) *insularis insularis* (Staudinger,1861) (Pieridae) Synonym(s): *insularis* Staudinger,1861
 57271) *Euchloe* (s.str.) *naina kozhantshikov*,1923 (Pieridae) Synonym(s): *naina* Kozhantshikov,1923
 57272) *Euchloe* (s.str.) *naina irina* Dubatolov & Kosterin,1994 (Pieridae) Synonym(s): *irina* Dubatolov & Kosterin,1994
 57273) *Euchloe* (s.str.) *naina kusnezovi* Korshunov,1995 (Pieridae) Synonym(s): *kusnezovi* Korshunov,1995
 57274) *Euchloe* (s.str.) *naina naina* Kozhantshikov,1923 (Pieridae) Synonym(s): *naina* Kozhantshikov,1923
 57275) *Euchloe* (s.str.) *simplonia* (Freyer,1829) (Pieridae) Synonym(s): *belia* Stoll,1782 nec Linnaeus,1767; *simplonia* Freyer,1829; *crameri* Butler,1869; *esperi* Kirby,1871; *flavidior* Butler,1903; *oberthueri* Verity,1908; *occidentalis* Verity,1908.
 57276) *Euchloe* (s.str.) *simplonia oberthueri* Manley & Allcard,1970 (Pieridae) Synonym(s): *#oberthueri* Verity,[1908]; *oberthueri* Manley & Allcard,1970.
 57277) *Euchloe* (s.str.) *simplonia simplonia* (Freyer,1829) (Pieridae) Synonym(s): *belia* Stoll,1782 nec Linnaeus,1767; *simplonia* Freyer,1829; *crameri* Butler,1869; *esperi* Kirby,1871; *flavidior* Butler,1903; *oberthueri* Verity,1908; *occidentalis* Verity,1908.
 57278) *Euchloe* (s.str.) *tagis* (Hübner,[1804]) (Pieridae) Synonym(s): *tagis* Hübner,[1804]
 57279) *Euchloe* (s.str.) *tagis atlasica* (Rungs,1950) (Pieridae) Synonym(s): *atlasica* Rungs,1950
 57280) *Euchloe* (s.str.) *tagis bellezina* (Boisduval,1829) (Pieridae) Synonym(s): *bellezina* Boisduval,1829
 57281) *Euchloe* (s.str.) *tagis calvensis* Casini,1993 (Pieridae) Synonym(s): *calvensis* Casini,1993
 57282) *Euchloe* (s.str.) *tagis davidi* Torrez Mendez & Verdugo Paez,1985 (Pieridae) Synonym(s): *davidi* Torrez Mendez & Verdugo Paez,1985
 57283) *Euchloe* (s.str.) *tagis granadensis* (Ribbe,1910) (Pieridae) Synonym(s): *granadensis* Ribbe,1910
 57284) *Euchloe* (s.str.) *tagis pechi* (Staudinger,1885) (Pieridae) Synonym(s): *pechi* Staudinger,1885
 57285) *Euchloe* (s.str.) *tagis piemonti* Back,2001 (Pieridae) Synonym(s): *piemonti* Back,2001
 57286) *Euchloe* (s.str.) *tagis reisseri* (Back & Reissinger,1989) (Pieridae) Synonym(s): *reisseri* Back & Reissinger,1989
 57287) *Euchloe* (s.str.) *tagis tagis* (Hübner,[1804]) (Pieridae) Synonym(s): *tagis* Hübner,[1804]
 57288) *Euchloe* *ausonides* (Lucas,1852) (Pieridae) Synonym(s): *ausonides* Lucas,1852; *ogilvia* Back,1990
 57289) *Euchloe* *creusa* (Doubleday,[1847]) (Pieridae) Synonym(s): *creusa* Doubleday,[1847]
 57290) *Euchloe* *guaymasensis* (Pieridae) Synonym(s):
 57291) *Euchloe* *hyantis* (Edwards,1871) (Pieridae) Synonym(s): *hyantis* Edwards,1871
 57292) *Euchloe* *hyantis hyantis* (Edwards,1871) (Pieridae) Synonym(s): *hyantis* Edwards,1871
 57293) *Euchloe* *hyantis lotta* Beutenmüller,1898 (Pieridae) Synonym(s): *lotta* Beutenmüller,1898
 57294) *Euchloe* *olympia* (Edwards,1871) (Pieridae) Synonym(s): *olympia* Edwards,1871
 57295) *Eurema* (Terias) *alitha* (C.Felder & R.Felder,1862) (Pieridae) Synonym(s): *alitha* C.Felder & R.Felder,1862; *invida* Butler,1883
 57296) *Eurema* (Terias) *alitha alitha* (C.Felder & R.Felder,1862) (Pieridae) Synonym(s): *alitha* C.Felder & R.Felder,1862; *invida* Butler,1883
 57297) *Eurema* (Terias) *alitha bazilana* (Fruhstorfer,1910) (Pieridae) Synonym(s): *bazilana* Fruhstorfer,1910
 57298) *Eurema* (Terias) *alitha djampeana* (Fruhstorfer,1908) (Pieridae) Synonym(s): *djampeana* Fruhstorfer,1908
 57299) *Eurema* (Terias) *alitha eskaii* Shirozu,1953 (Pieridae) Synonym(s): *eskaii* Shirozu,1953
 57300) *Eurema* (Terias) *alitha garama* (Fruhstorfer,1910) (Pieridae) Synonym(s): *garama* Fruhstorfer,1910
 57301) *Eurema* (Terias) *alitha jalendra* (Fruhstorfer,1910) (Pieridae) Synonym(s): *jalendra* Fruhstorfer,1910
 57302) *Eurema* (Terias) *alitha leytensis* (Fruhstorfer,1910) (Pieridae) Synonym(s): *leytensis* Fruhstorfer,1910
 57303) *Eurema* (Terias) *alitha lorquini* (C.Felder & R.Felder,1865) (Pieridae) Synonym(s): *lorquini* C.Felder & R.Felder,1865
 57304) *Eurema* (Terias) *alitha samarana* (Fruhstorfer,1910) (Pieridae) Synonym(s): *samarana* Fruhstorfer,1910
 57305) *Eurema* (Terias) *alitha sangira* (Fruhstorfer,1910) (Pieridae) Synonym(s): *sangira* Fruhstorfer,1910
 57306) *Eurema* (Terias) *alitha ssp.* (Pieridae) Synonym(s):
 57307) *Eurema* (Terias) *alitha zita* (C.Felder & R.Felder,1865) (Pieridae) Synonym(s): *zita* C.Felder & R.Felder,1865
 57308) *Eurema* (Terias) *blanda* (Boisduval,1836) (Pieridae) Synonym(s): *blanda* Boisduval,1836
 57309) *Eurema* (Terias) *blanda anios* (Fruhstorfer,1910) (Pieridae) Synonym(s): *anios* Fruhstorfer,1910
 57310) *Eurema* (Terias) *blanda arsakia* (Fruhstorfer,1910) (Pieridae) Synonym(s): *arsakia* Fruhstorfer,1910; *aphaia* Fruhstorfer,1910
 57311) *Eurema* (Terias) *blanda biformis* (Butler,1884) (Pieridae) Synonym(s): *biformis* Butler,1884; *cungata* Fruhstorfer,1910; *depicta* Fruhstorfer,1910
 57312) *Eurema* (Terias) *blanda blanda* (Boisduval,1836) (Pieridae) Synonym(s): *blanda* Boisduval,1836
 57313) *Eurema* (Terias) *blanda cantideva* (Fruhstorfer,1910) (Pieridae) Synonym(s): *cantideva* Fruhstorfer,1910
 57314) *Eurema* (Terias) *blanda cungata* (Fruhstorfer,1910) (Pieridae) Synonym(s): *cungata* Fruhstorfer,1910
 57315) *Eurema* (Terias) *blanda davidsoni* (Moore,1906) (Pieridae) Synonym(s): *davidsoni* Moore,1906
 57316) *Eurema* (Terias) *blanda grisea* (Evans,1932) (Pieridae) Synonym(s): *grisea* Evans,1932
 57317) *Eurema* (Terias) *blanda hylama* Corbet & Pendlebury,1932 (Pieridae) Synonym(s): *hylama* Corbet & Pendlebury,1932
 57318) *Eurema* (Terias) *blanda indecisa* (Butler,1898) (Pieridae) Synonym(s): *indecisa* Butler,1898; *salegos* Fruhstorfer,1910
 57319) *Eurema* (Terias) *blanda laratensis* (Butler,1883) (Pieridae) Synonym(s): *laratensis* Butler,1883; *dosithaea* Hulstaert,1923
 57320) *Eurema* (Terias) *blanda mensia* (Fruhstorfer,1910) (Pieridae) Synonym(s): *mensia* Fruhstorfer,1910
 57321) *Eurema* (Terias) *blanda moorei* (Butler,1886) (Pieridae) Synonym(s): *moorei* Butler,1886

- 57322) *Eurema (Terias) blanda natuna* (Fruhstorfer,1910) (Pieridae) Synonym(s): *natuna Fruhstorfer,1910*
 57323) *Eurema (Terias) blanda norbana* (Fruhstorfer,1910) (Pieridae) Synonym(s): *norbana Fruhstorfer,1910*
 57324) *Eurema (Terias) blanda odinia* (Fruhstorfer,1910) (Pieridae) Synonym(s): *odinia Fruhstorfer,1910*
 57325) *Eurema (Terias) blanda rileyi* Corbet & Pendlebury,1932 (Pieridae) Synonym(s): *rileyi Corbet & Pendlebury,1932*
 57326) *Eurema (Terias) blanda roepstorffi* (Moore,1906) (Pieridae) Synonym(s): *roepstorffi Moore,1906*
 57327) *Eurema (Terias) blanda rotundalis* (Moore,1881) (Pieridae) Synonym(s): *citrina Moore nec Poey,1851; rotundalis Moore,1881; uniformis Moore,1881; templetoni Butler,1886; #citrinaria Fruhstorfer,1910*
 57328) *Eurema (Terias) blanda sanapati* (Fruhstorfer,1910) (Pieridae) Synonym(s): *sanapati Fruhstorfer,1910*
 57329) *Eurema (Terias) blanda saraha* (Fruhstorfer,1912) (Pieridae) Synonym(s): *saraha Fruhstorfer,1912*
 57330) *Eurema (Terias) blanda silhetana* (Wallace,1867) (Pieridae) Synonym(s): *silhetana Wallace,1867; heliophila Butler,1883; grandis Moore,1906*
 57331) *Eurema (Terias) blanda snelleni* (Moore,1906) (Pieridae) Synonym(s): *snelleni Moore,1906*
 57332) *Eurema (Terias) blanda vallivolans* (Butler,1883) (Pieridae) Synonym(s): *vallivolans Butler,1883*
 57333) *Eurema (Terias) blanda visellia* (Fruhstorfer,1910) (Pieridae) Synonym(s): *visellia Fruhstorfer,1910*
 57334) *Eurema (Terias) blanda wuwulana* (Fruhstorfer,1912) (Pieridae) Synonym(s): *wuwulana Fruhstorfer,1912*
 57335) *Eurema (Terias) celebensis* (Wallace,1867) (Pieridae) Synonym(s): *celebensis Wallace,1867; toalarum Fruhstorfer,1910*
 57336) *Eurema (Terias) celebensis celebensis* (Wallace,1867) (Pieridae) Synonym(s): *celebensis Wallace,1867; toalarum Fruhstorfer,1910*
 57337) *Eurema (Terias) celebensis exophthalma* (Fruhstorfer,1910) (Pieridae) Synonym(s): *exophthalma Fruhstorfer,1910; poetelia Fruhstorfer,1910*
 57338) *Eurema (Terias) floricola* (Boisduval,1833) (Pieridae) Synonym(s): *floricola Boisduval,1833*
 57339) *Eurema (Terias) floricola aldabrensis* (Bernardi,1968) (Pieridae) Synonym(s): *aldabrensis Bernardi,1968*
 57340) *Eurema (Terias) floricola anjuana* (Butler,1879) (Pieridae) Synonym(s): *anjuana Butler,1879*
 57341) *Eurema (Terias) floricola ceres* (Butler,1886) (Pieridae) Synonym(s): *ceres Butler,1886*
 57342) *Eurema (Terias) floricola floricola* (Boisduval,1833) (Pieridae) Synonym(s): *floricola Boisduval,1833*
 57343) *Eurema (Terias) floricola nivea* (Berger,1981) (Pieridae) Synonym(s): *nivea Berger,1981*
 57344) *Eurema (Terias) hapale* (Mabille,1882) (Pieridae) Synonym(s): *hapale Mabille,1882*
 57345) *Eurema (Terias) hapale hapale* (Mabille,1882) (Pieridae) Synonym(s): *hapale Mabille,1882*
 57346) *Eurema (Terias) hecabe* (Linnaeus,1758) (Pieridae) Synonym(s): *hecabe Linnaeus,1758; luzonensis Linnaeus,1764*
 57347) *Eurema (Terias) hecabe amplexa* (Butler,1887) (Pieridae) Synonym(s): *amplexa Butler,1887*
 57348) *Eurema (Terias) hecabe anemone* (C.Felder,1862) (Pieridae) Synonym(s): *anemone C.Felder,1862*
 57349) *Eurema (Terias) hecabe asanga* (Fruhstorfer,1910) (Pieridae) Synonym(s): *asanga Fruhstorfer,1910*
 57350) *Eurema (Terias) hecabe bandana* (Fruhstorfer,1910) (Pieridae) Synonym(s): *bandana Fruhstorfer,1910*
 57351) *Eurema (Terias) hecabe biformis* Butler,1884 (Pieridae) Synonym(s): *biformis Butler,1884*
 57352) *Eurema (Terias) hecabe blairiana* (Moore,1906) (Pieridae) Synonym(s): *blairiana Moore,1906; andamana Moore,1906*
 57353) *Eurema (Terias) hecabe borneensis* (Fruhstorfer,1910) (Pieridae) Synonym(s): *borneensis Fruhstorfer,1910*
 57354) *Eurema (Terias) hecabe brevicostalis* Butler,1898 (Pieridae) Synonym(s): *brevicostalis Butler,1898; photophila Butler,1884*
 57355) *Eurema (Terias) hecabe chemys* (Fruhstorfer,1910) (Pieridae) Synonym(s): *chemys Fruhstorfer,1910*
 57356) *Eurema (Terias) hecabe contubernalis* (Moore,1886) (Pieridae) Synonym(s): *contubernalis Moore,1886; patruelis Moore,1886; fraterna Moore,1886; merguiana Moore,1886; kana Moore,1886; lacteola Distant,1886; #sarinoides Fruhstorfer,1910*
 57357) *Eurema (Terias) hecabe dentyris* (Fruhstorfer,1910) (Pieridae) Synonym(s): *dentyris Fruhstorfer,1910*
 57358) *Eurema (Terias) hecabe diversa* (Wallace,1867) (Pieridae) Synonym(s): *diversa Wallace,1867*
 57359) *Eurema (Terias) hecabe enganica* (Fruhstorfer,1910) (Pieridae) Synonym(s): *enganica Fruhstorfer,1910*
 57360) *Eurema (Terias) hecabe fimbriata* (Wallace,1867) (Pieridae) Synonym(s): *fimbriata Wallace,1867; irregularis Moore,1882; excavata Moore,1882; purreea Moore,1882; apicalis Moore,1882*
 57361) *Eurema (Terias) hecabe hecabe* (Linnaeus,1758) (Pieridae) Synonym(s): *hecabe Linnaeus,1758; luzonensis Linnaeus,1764*
 57362) *Eurema (Terias) hecabe hobsoni* (Butler,1880) (Pieridae) Synonym(s): *hobsoni Butler,1880; unduligera Butler,1880; paroena Strand,1922*
 57363) *Eurema (Terias) hecabe jalendra* (Fruhstorfer,1910) (Pieridae) Synonym(s): *jalendra Fruhstorfer,1910*
 57364) *Eurema (Terias) hecabe kalidupa* (Fruhstorfer,1910) (Pieridae) Synonym(s): *kalidupa Fruhstorfer,1910*
 57365) *Eurema (Terias) hecabe kerawara Ribbe,1898* (Pieridae) Synonym(s): *kerawara Ribbe,1898; magna Ribbe,1898*
 57366) *Eurema (Terias) hecabe latilimbata* (Butler,1886) (Pieridae) Synonym(s): *latilimbata Butler,1886; bidens Butler,1886; semifusca Butler,1886*
 57367) *Eurema (Terias) hecabe latimargo* Hopffer,1874 (Pieridae) Synonym(s): *latimargo Hopffer,1874; anguligera Butler,1886; accentifera Martin,1920*
 57368) *Eurema (Terias) hecabe locana* (Fruhstorfer,1910) (Pieridae) Synonym(s): *locana Fruhstorfer,1910; yaksha Fruhstorfer,1910*
 57369) *Eurema (Terias) hecabe magna* (Ribbe,1898) (Pieridae) Synonym(s): *magna Ribbe,1898*
 57370) *Eurema (Terias) hecabe mandarina* (L'Orza,1869) (Pieridae) Synonym(s): *mandarina l'Orza,1869; mariesi Butler,1880; connexiva Butler,1880; hybrida Butler,1880*
 57371) *Eurema (Terias) hecabe maroensis* (Butler,1883) (Pieridae) Synonym(s): *maroensis Butler,1883; brevicostalis Butler,1898; dendera Fruhstorfer,1910*
 57372) *Eurema (Terias) hecabe nicobariensis* (C.Felder,1862) (Pieridae) Synonym(s): *nicobariensis C.Felder,1862*
 57373) *Eurema (Terias) hecabe nivaria* (Fruhstorfer,1910) (Pieridae) Synonym(s): *nivaria Fruhstorfer,1910*
 57374) *Eurema (Terias) hecabe novacaledoniae* Corbet & Pendlebury,1932 (Pieridae) Synonym(s): *novacaledoniae Corbet & Pendlebury,1932*
 57375) *Eurema (Terias) hecabe octa* (Fruhstorfer,1910) (Pieridae) Synonym(s): *octa Fruhstorfer,1910*
 57376) *Eurema (Terias) hecabe phoebus* (Butler,1886) (Pieridae) Synonym(s): *phoebus Butler,1886*
 57377) *Eurema (Terias) hecabe photophila* (Butler,1884) (Pieridae) Synonym(s): *photophila Butler,1884*
 57378) *Eurema (Terias) hecabe pylos* (Fruhstorfer,1910) (Pieridae) Synonym(s): *pylos Fruhstorfer,1910; sulaensis Joicey & Talbot,1922*
 57379) *Eurema (Terias) hecabe sankapura* (Fruhstorfer,1910) (Pieridae) Synonym(s): *sankapura Fruhstorfer,1910*
 57380) *Eurema (Terias) hecabe satelitica* (Fruhstorfer,1910) (Pieridae) Synonym(s): *satelitica Fruhstorfer,1910*
 57381) *Eurema (Terias) hecabe simulata* (Moore,1881) (Pieridae) Synonym(s): *simulata Moore,1881; asphodelus Butler,1883; aesiope Butler,1883 nec Ménét.; narcissus Butler,1883; curiosa Swinhoe,1884; swinhoei Butler,1888*
 57382) *Eurema (Terias) hecabe sinda* (Fruhstorfer,1910) (Pieridae) Synonym(s): *sinda Fruhstorfer,1910; nesos Fruhstorfer,1910; sophrona Fruhstorfer,1910*
 57383) *Eurema (Terias) hecabe sintica* (Fruhstorfer,1910) (Pieridae) Synonym(s): *sintica Fruhstorfer,1910*
 57384) *Eurema (Terias) hecabe solifera* (Butler,1875) (Pieridae) Synonym(s): *solifera Butler,1875; bisinuata Butler,1876; chalcomiaeta Butler,1879; dentilimbata Butler,1879; bewsheri Butler,1879; leonis Butler,1886; orientis Butler,1888; aethiopica Trimen,1889; butleri Trimen,1889*
 57385) *Eurema (Terias) hecabe subdecorata* (Moore,1878) (Pieridae) Synonym(s): *subdecorata Moore,1878; arcuata Moore,1878; attenuata Moore,1878*
 57386) *Eurema (Terias) hecabe sulphurata* (Butler,1875) (Pieridae) Synonym(s): *sulphurata Butler,1875; hebridina Butler,1875; pumilaris Butler,1875; varieta Butler,1875; sinapina Butler,1877; lifuana Butler,1877; inanata Butler,1877; aprica Butler,1883*
 57387) *Eurema (Terias) hecabe tamiathis* Fruhstorfer,1910 (Pieridae) Synonym(s): *tamiathis Fruhstorfer,1910*
 57388) *Eurema (Terias) irena Corbet & Pendlebury,1932* (Pieridae) Synonym(s): *irena Corbet & Pendlebury,1932*
 57389) *Eurema (Terias) irena irena* Corbet & Pendlebury,1932 (Pieridae) Synonym(s): *irena Corbet & Pendlebury,1932*
 57390) *Eurema (Terias) senegalensis* (Boisduval,1836) (Pieridae) Synonym(s): *senegalensis Boisduval,1836*
 57391) *Eurema (Terias) senegalensis senegalensis* (Boisduval,1836) (Pieridae) Synonym(s): *senegalensis Boisduval,1836*
 57392) *Eurema (Terias) tominia* (Vollenhoven,1865) (Pieridae) Synonym(s): *tominia Vollenhoven,1865; tondana C.Felder & R.Felder,1865; zamida Fruhstorfer,1908; battana Fruhstorfer,1910; toradja Fruhstorfer,1910*
 57393) *Eurema (Terias) tominia arsia* (Fruhstorfer,1910) (Pieridae) Synonym(s): *arsia Fruhstorfer,1910*
 57394) *Eurema (Terias) tominia faunia* (Fruhstorfer,1910) (Pieridae) Synonym(s): *faunia Fruhstorfer,1910*
 57395) *Eurema (Terias) tominia halesa* (Fruhstorfer,1910) (Pieridae) Synonym(s): *halesa Fruhstorfer,1910*
 57396) *Eurema (Terias) tominia mangolina* (Fruhstorfer,1910) (Pieridae) Synonym(s): *mangolina Fruhstorfer,1910*
 57397) *Eurema (Terias) tominia talissa* (Westwood,1888) (Pieridae) Synonym(s): *talissa Westwood,1888*
 57398) *Eurema (Terias) tominia theristra* (Fruhstorfer,1911) (Pieridae) Synonym(s): *theristra Fruhstorfer,1911*
 57399) *Eurema (Terias) tominia tominia* (Vollenhoven,1865) (Pieridae) Synonym(s): *tominia Vollenhoven,1865; tondana C.Felder & R.Felder,1865; zamida Fruhstorfer,1908; battana Fruhstorfer,1910; toradja Fruhstorfer,1910*
 57400) *Eurema (Terias) upembana* (Berger,1981) (Pieridae) Synonym(s): *upembana Berger,1981*
 57401) *Eurema (s.str.) brigitta* (Stoll,[1780]) (Pieridae) Synonym(s): *brigitta Stoll,[1780]; libythea Fabricius,1798*
 57402) *Eurema (s.str.) brigitta baguioensis* Schröder,Treadaway & Nuyda,1990 (Pieridae) Synonym(s): *baguioensis Schröder,Treadaway & Nuyda,1990*

- 57403) *Eurema* (s.str.) *brigitta brigitta* (Stoll,[1780]) (Pieridae) Synonym(s): *brigitta* Stoll,[1780]; *libythea* Fabricius,1798
- 57404) *Eurema* (s.str.) *brigitta dionysia* (Hulstaert,1923) (Pieridae) Synonym(s): *dionysia* Hulstaert,1923
- 57405) *Eurema* (s.str.) *brigitta drona* (Horsfield,1829) (Pieridae) Synonym(s): *drona* Horsfield,1829; *herlina* Fruhstorfer,1910
- 57406) *Eurema* (s.str.) *brigitta fruhstorferi* (Moore,1906) (Pieridae) Synonym(s): *fruhstorferi* Moore,1906
- 57407) *Eurema* (s.str.) *brigitta hainana* (Moore,1906) (Pieridae) Synonym(s): *hainana* Moore,1906
- 57408) *Eurema* (s.str.) *brigitta ina* Eliot,1956 (Pieridae) Synonym(s): *ina* Eliot,1956
- 57409) *Eurema* (s.str.) *brigitta lerna* (C.Felder,1860) (Pieridae) Synonym(s): *lerna* C.Felder,1860
- 57410) *Eurema* (s.str.) *brigitta pulchella* (Boisduval,1833) (Pieridae) Synonym(s): *pulchella* Boisduval,1833
- 57411) *Eurema* (s.str.) *brigitta punctatissima* (Matsumura,1909) (Pieridae) Synonym(s): *punctatissima* Matsumura,1909; *dorothea* Nakahara,1922
- 57412) *Eurema* (s.str.) *brigitta roberto* Schröder, Treadaway & Nuyda,1990 (Pieridae) Synonym(s): *roberto* Schröder, Treadaway & Nuyda,1990
- 57413) *Eurema* (s.str.) *brigitta rubella* (Wallace,1867) (Pieridae) Synonym(s): *rubella* Wallace,1867
- 57414) *Eurema* (s.str.) *brigitta sachikoi* Treadaway & Nuyda,1990 (Pieridae) Synonym(s): *sachikoi* Treadaway & Nuyda,1990
- 57415) *Eurema* (s.str.) *brigitta senna* (C.Felder & R.Felder,1865) (Pieridae) Synonym(s): *senna* C.Felder & R.Felder,1865
- 57416) *Eurema* (s.str.) *brigitta siquijorana* Schröder, Treadaway & Nuyda,1990 (Pieridae) Synonym(s): *siquijorana* Schröder, Treadaway & Nuyda,1990
- 57417) *Eurema* (s.str.) *brigitta zoraide* (C.Felder & R.Felder,1865) (Pieridae) Synonym(s): *zoraide* C.Felder & R.Felder,1865; *australis* Wallace,1867
- 57418) *Eurema* (s.str.) *candida* (Cramer,[1780]) (Pieridae) Synonym(s): *candida* Cramer,[1780]; *exalbesces* Jurriaanse,1926
- 57419) *Eurema* (s.str.) *candida candida* (Cramer,[1780]) (Pieridae) Synonym(s): *candida* Cramer,[1780]; *exalbesces* Jurriaanse,1926
- 57420) *Eurema* (s.str.) *candida dindymene* (Fruhstorfer,1910) (Pieridae) Synonym(s): *dindymene* Fruhstorfer,1910
- 57421) *Eurema* (s.str.) *candida goramensis* (Fruhstorfer,1910) (Pieridae) Synonym(s): *goramensis* Fruhstorfer,1910
- 57422) *Eurema* (s.str.) *candida libera* (Fruhstorfer,1910) (Pieridae) Synonym(s): *libera* Fruhstorfer,1910
- 57423) *Eurema* (s.str.) *candida micromalayana* (Fruhstorfer,1910) (Pieridae) Synonym(s): *micromalayana* Fruhstorfer,1910
- 57424) *Eurema* (s.str.) *candida octogesa* (Fruhstorfer,1910) (Pieridae) Synonym(s): *octogesa* Fruhstorfer,1910; *biakensis* Joicey & Talbot,1917
- 57425) *Eurema* (s.str.) *candida papuana* (Butler,1898) (Pieridae) Synonym(s): *papuana* Butler,1898
- 57426) *Eurema* (s.str.) *candida puella* (Boisduval,1832) (Pieridae) Synonym(s): *puella* Boisduval,1832
- 57427) *Eurema* (s.str.) *candida talboti* (Hulstaert,1923) (Pieridae) Synonym(s): *talboti* Hulstaert,1923
- 57428) *Eurema* (s.str.) *candida virgo* (Wallace,1867) (Pieridae) Synonym(s): *virgo* Wallace,1867
- 57429) *Eurema* (s.str.) *candida woodfordi* (Butler,1898) (Pieridae) Synonym(s): *woodfordi* Butler,1898; *salamonis* Butler,1898
- 57430) *Eurema* (s.str.) *candida xanthomelaena* (Godman & Salvin,1879) (Pieridae) Synonym(s): *xanthomelaena* Godman & Salvin,1879
- 57431) *Eurema* (s.str.) *desjardinsii* (Boisduval,1833) (Pieridae) Synonym(s): *desjardinsii* Boisduval,1833
- 57432) *Eurema* (s.str.) *desjardinsii desjardinsii* (Boisduval,1833) (Pieridae) Synonym(s): *desjardinsii* Boisduval,1833
- 57433) *Eurema* (s.str.) *desjardinsii marshalli* (Butler,1898) (Pieridae) Synonym(s): *marshalli* Butler,1898
- 57434) *Eurema* (s.str.) *laeta* (Boisduval,1836) (Pieridae) Synonym(s): *laeta* Boisduval,1836; *sana* Butler,1877; *lineata* Miskin,1889
- 57435) *Eurema* (s.str.) *laeta apatosa* (Hulstaert,1923) (Pieridae) Synonym(s): *apatosa* Hulstaert,1923
- 57436) *Eurema* (s.str.) *laeta herla* (McLeay,1826) (Pieridae) Synonym(s): *herla* McLeay,1826; *sana* Butler,1877; *lineata* Miskin,1889;
- 57437) *Eurema* (s.str.) *laeta josepha* (Hulstaert,1924) (Pieridae) Synonym(s): *josepha* Hulstaert,1924
- 57438) *Eurema* (s.str.) *laeta laeta* (Boisduval,1836) (Pieridae) Synonym(s): *laeta* Boisduval,1836; *sana* Butler,1877; *lineata* Miskin,1889
- 57439) *Eurema* (s.str.) *laeta semperi* (Moore,1906) (Pieridae) Synonym(s): *semperi* Moore,1906
- 57440) *Eurema* (s.str.) *laeta sikkima* Corbet & Pendlebury,1932 (Pieridae) Synonym(s): *sikkima* Corbet & Pendlebury,1932
- 57441) *Eurema* (s.str.) *mandarinula* (Holland,1892) (Pieridae) Synonym(s): *mandarinula* Holland,1892
- 57442) *Eurema* (s.str.) *mandarinula mandarinula* (Holland,1892) (Pieridae) Synonym(s): *mandarinula* Holland,1892
- 57443) *Eurema* (s.str.) *regularis* (Butler,1876) (Pieridae) Synonym(s): *regularis* Butler,1876
- 57444) *Eurema* (s.str.) *regularis regularis* (Butler,1876) (Pieridae) Synonym(s): *regularis* Butler,1876
- 57445) *Eurema* *ada* (Distant & Pryer,1887) (Pieridae) Synonym(s): *ada* Distant & Pryer,1887
- 57446) *Eurema* *ada ada* (Distant & Pryer,1887) (Pieridae) Synonym(s): *ada* Distant & Pryer,1887
- 57447) *Eurema* *ada iona* Talbot,1939 (Pieridae) Synonym(s): *iona* Talbot,1939
- 57448) *Eurema* *ada toba* (De Nicéville,1895) (Pieridae) Synonym(s): *toba* De Nicéville,1895
- 57449) *Eurema* *ada varga* (Fruhstorfer,1910) (Pieridae) Synonym(s): *varga* Fruhstorfer,1910
- 57450) *Eurema* *adamsi* (Lathy,1898) (Pieridae) Synonym(s): *adamsi* Lathy,1898
- 57451) *Eurema* *agave* (Cramer,1775) (Pieridae) Synonym(s): *agave* Cramer,1775; *jodutta* Hübner,[1819]; *mana* Boisduval,1836
- 57452) *Eurema* *agave agave* (Cramer,1775) (Pieridae) Synonym(s): *agave* Cramer,1775; *jodutta* Hübner,[1819]; *mana* Boisduval,1836
- 57453) *Eurema* *agave millerorum* Llorente & Luis,1987 (Pieridae) Synonym(s): *millerorum* Llorente & Luis,1987
- 57454) *Eurema* *agave pallida* (Chavannes,1850) (Pieridae) Synonym(s): *pallida* Chavannes,1850; *sinoides* Boisduval,1874
- 57455) *Eurema* *albula* (Cramer,1775) (Pieridae) Synonym(s): *albula* Cramer,1775; *cassiae* Sepp,[1844] nec Linn.,1758; *clara* H.W.Bates,1861; *tapeina* H.W.Bates,1861; *melacheila* Möschler,1877
- 57456) *Eurema* *albula albula* (Cramer,1775) (Pieridae) Synonym(s): *albula* Cramer,1775; *cassiae* Sepp,[1844] nec Linn.,1758; *clara* H.W.Bates,1861; *tapeina* H.W.Bates,1861; *melacheila* Möschler,1877
- 57457) *Eurema* *albula celata* (R.Felder,1869) (Pieridae) Synonym(s): *celata* R.Felder,1869; *leucilla* R.Felder,1869
- 57458) *Eurema* *albula espinosae* (Fernandez,1928) (Pieridae) Synonym(s): *espinosae* Fernandez,1928; *espinosai* Lamas,1999
- 57459) *Eurema* *albula marginella* (C.Felder & R.Felder,1867) (Pieridae) Synonym(s): *marginella* C.Felder & R.Felder,1867
- 57460) *Eurema* *albula sinoe* (Godart,1819) (Pieridae) Synonym(s): *sinoe* Godart,1819
- 57461) *Eurema* *albula totora* Lamas,1981 (Pieridae) Synonym(s): *totora* Lamas,1981
- 57462) *Eurema* *amelia* (Poey,[1852]) (Pieridae) Synonym(s): *amelia* Poey,[1852]
- 57463) *Eurema* *andersoni* (Moore,1886) (Pieridae) Synonym(s): *andersoni* Moore,1886
- 57464) *Eurema* *andersoni anamba* Corbet & Pendlebury,1932 (Pieridae) Synonym(s): *anamba* Corbet & Pendlebury,1932
- 57465) *Eurema* *andersoni andersoni* (Moore,1886) (Pieridae) Synonym(s): *andersoni* Moore,1886
- 57466) *Eurema* *andersoni evansi* Corbet & Pendlebury,1932 (Pieridae) Synonym(s): *evansi* Corbet & Pendlebury,1932
- 57467) *Eurema* *andersoni godana* (Fruhstorfer,1910) (Pieridae) Synonym(s): *godana* Fruhstorfer,1910
- 57468) *Eurema* *andersoni jordani* Corbet & Pendlebury,1932 (Pieridae) Synonym(s): *jordani* Corbet & Pendlebury,1932
- 57469) *Eurema* *andersoni ormistoni* (Watkins,1925) (Pieridae) Synonym(s): *ormistoni* Watkins,1925
- 57470) *Eurema* *andersoni prabha* (Fruhstorfer,1910) (Pieridae) Synonym(s): *prabha* Fruhstorfer,1910
- 57471) *Eurema* *andersoni udana* (Fruhstorfer,1910) (Pieridae) Synonym(s): *udana* Fruhstorfer,1910
- 57472) *Eurema* *boisduvaliana* (C.Felder & R.Felder,1865) (Pieridae) Synonym(s): *boisduvaliana* C.Felder & R.Felder,1865; *ingrata* R.Felder,1869
- 57473) *Eurema* *daira* (Godart,1819) (Pieridae) Synonym(s): *delia* Cramer,1780 nec [Denis & Schiff.],1775; *daira* Godart,1819; *demoditas* Hübner,[1819]; *jucunda* Boisduval & Le Conte,[1830]; *lemnia* C.Felder & R.Felder,1865
- 57474) *Eurema* *dina* (Pieridae) Synonym(s):
- 57475) *Eurema* *herla* (MacLeay,1926) (Pieridae) Synonym(s): *herla* MacLeay,1926; *sinta* Wallace,1867; *hespera* Butler,1886; *immaculata* Miskin,1889
- 57476) *Eurema* *hiurai* Shirozu & Yata,1977 (Pieridae) Synonym(s): *hiurai* Shirozu & Yata,1977
- 57477) *Eurema* *hiurai admiranda* Morishita,1981 (Pieridae) Synonym(s): *admiranda* Morishita,1981
- 57478) *Eurema* *lacteola* Distant,1886 (Pieridae) Synonym(s): *lacteola* Distant,1886
- 57479) *Eurema* *lisa* (Boisduval & Le Conte,[1830]) (Pieridae) Synonym(s): *lisa* Boisduval & Le Conte,[1830]; *clappii* Maynard,1891
- 57480) *Eurema* *lombokiana* (Fruhstorfer,1897) (Pieridae) Synonym(s): *lombokiana* Fruhstorfer,1897
- 57481) *Eurema* *lombokiana lombokiana* (Fruhstorfer,1897) (Pieridae) Synonym(s): *lombokiana* Fruhstorfer,1897
- 57482) *Eurema* *messalina* (Fabricius,1787) (Pieridae) Synonym(s): *messalina* Fabricius,1787; *bulaea* Boisduval,1836; *gnathene* Boisduval,1836; *iradia* Poey,[1852]; *blakei* Maynard,1891
- 57483) *Eurema* *mexicana* (Boisduval,1836) (Pieridae) Synonym(s): *mexicana* Boisduval,1836; *damaris* C.Felder & R.Felder,1865; *depuiseti* Boisduval,1870; *biedermanni* Ehrmann,1925
- 57484) *Eurema* *nicippe* (Cramer,[1779]) (Pieridae) Synonym(s): *nicippe* Cramer,[1779]; *flava* Strecker,1878; *dammersi* Gunder,1930; *callae* Field,1936
- 57485) *Eurema* *nise* (Cramer,1775) (Pieridae) Synonym(s): *nise* Cramer,1775; *neda* Godart,1819
- 57486) *Eurema* *novapallida* Yata,1992 (Pieridae) Synonym(s): *pallida* Shirozu & Yata,1982 nec Chavann.,1850; *novapallida* Yata,1992
- 57487) *Eurema* *novapallida novapallida* Yata,1992 (Pieridae) Synonym(s): *pallida* Shirozu & Yata,1982 nec Chavann.,1850; *novapallida* Yata,1992

- 57488) *Eurema proterpia* (Fabricius,1775) (Pieridae) Synonym(s): *proterpia* Fabricius,1775; *gundlachia* Poey,[1853]; *longicauda* H.W.Bates,1864; *watsonia* Klotz,1923; *morleyi* Coxey,1932
- 57489) *Eurema puella* (Boisduval,1832) (Pieridae) Synonym(s): *puella* Boisduval,1832; *virgo* Wallace,1867
- 57490) *Eurema salome* (C.Felder & R.Felder,1861) (Pieridae) Synonym(s): *salome* C.Felder & R.Felder,1861; *saba* Bryk,1953
- 57491) *Eurema sari* (Horsfield,1829) (Pieridae) Synonym(s): *sari* Horsfield,1829
- 57492) *Eurema sari obucula* (Fruhstorfer,1910) (Pieridae) Synonym(s): *obucula* Fruhstorfer,1910
- 57493) *Eurema sari sari* (Horsfield,1829) (Pieridae) Synonym(s): *sari* Horsfield,1829
- 57494) *Eurema sari sodalis* Moore,1886 (Pieridae) Synonym(s): *sodalis* Moore,1886
- 57495) *Eurema sari thyreus* (Fruhstorfer,1910) (Pieridae) Synonym(s): *thyreus* Fruhstorfer,1910
- 57496) *Eurema sarilata* (Semper,1891) (Pieridae) Synonym(s): *sarilata* Semper,1891; *crinatha* Fruhstorfer,1910
- 57497) *Eurema sarilata aquila* Shirozou & Yata,1982 (Pieridae) Synonym(s): *aquila* Shirozou & Yata,1982
- 57498) *Eurema sarilata bohollensis* M.Okano & T.Okano,1990 (Pieridae) Synonym(s): *bohollensis* M.Okano & T.Okano,1990
- 57499) *Eurema sarilata dayani* Schröder, Treadaway & Nuyda,1990 (Pieridae) Synonym(s): *dayani* Schröder, Treadaway & Nuyda,1990
- 57500) *Eurema sarilata mindorana* (Butler,1898) (Pieridae) Synonym(s): *mindorana* Butler,1898
- 57501) *Eurema sarilata perplexa* Shirozou & Yata,1982 (Pieridae) Synonym(s): *perplexa* Shirozou & Yata,1982
- 57502) *Eurema sarilata risa* Morishita,1981 (Pieridae) Synonym(s): *risa* Morishita,1981
- 57503) *Eurema sarilata rosario* Schröder, Treadaway & Nuyda,1990 (Pieridae) Synonym(s): *rosario* Schröder, Treadaway & Nuyda,1990
- 57504) *Eurema sarilata sarilata* (Semper,1891) (Pieridae) Synonym(s): *sarilata* Semper,1891; *crinatha* Fruhstorfer,1910
- 57505) *Eurema sarilata sibuyanensis* Yata & Treadaway,1982 (Pieridae) Synonym(s): *sibuyanensis* Yata & Treadaway,1982
- 57506) *Eurema simulatrix* Staudinger,1891 (Pieridae) Synonym(s): *simulatrix* Staudinger,1891
- 57507) *Eurema simulatrix inouei* Shirozu & Yata,1982 (Pieridae) Synonym(s): *inouei* Shirozu & Yata,1982
- 57508) *Eurema simulatrix kolli* Corbet & Pendlebury,1932 (Pieridae) Synonym(s): *kolli* Corbet & Pendlebury,1932; *#javanica* Corbet & Pendlebury,1932
- 57509) *Eurema simulatrix prinsae* Morishita,1973 (Pieridae) Synonym(s): *prinsae* Morishita,1973
- 57510) *Eurema simulatrix simulatrix* Staudinger,1891 (Pieridae) Synonym(s): *simulatrix* Staudinger,1891
- 57511) *Eurema simulatrix tecmessa* (De Nicéville,1894) (Pieridae) Synonym(s): *tecmessa* De Nicéville,1894; *#stockleyi* Corbet & Pendlebury,1932
- 57512) *Eurema smilax* (Donovan,1805) (Pieridae) Synonym(s): *smilax* Donovan,1805; *ingana* Wallace,1867; *parvula* Herrich-Schäffer,1869; *varius* Miskin,1889; *casta* Lucas,1892
- 57513) *Eurema smilax smilax* (Donovan,1805) (Pieridae) Synonym(s): *smilax* Donovan,1805; *ingana* Wallace,1867; *parvula* Herrich-Schäffer,1869; *varius* Miskin,1889; *casta* Lucas,1892
- 57514) *Eurema tilaha* (Horsfield,1829) (Pieridae) Synonym(s): *tilaha* Horsfield,1829
- 57515) *Eurema tilaha gradiens* (Butler,1886) (Pieridae) Synonym(s): *gradiens* Butler,1886
- 57516) *Eurema tilaha lamperti* (Fruhstorfer,1912) (Pieridae) Synonym(s): *lamperti* Fruhstorfer,1912
- 57517) *Eurema tilaha myria* (Fruhstorfer,1913) (Pieridae) Synonym(s): *myria* Fruhstorfer,1913
- 57518) *Eurema tilaha nicevillei* (Butler,1898) (Pieridae) Synonym(s): *nicevillei* Butler,1898
- 57519) *Eurema tilaha tilaha* (Horsfield,1829) (Pieridae) Synonym(s): *tilaha* Horsfield,1829; *eumide* C.Felder & R.Felder,1865
- 57520) *Gandaca butyrosa* (Butler,1875) (Pieridae) Synonym(s): *butyrosa* Butler,1875
- 57521) *Gandaca butyrosa butyrosa* (Butler,1875) (Pieridae) Synonym(s): *butyrosa* Butler,1875
- 57522) *Gandaca butyrosa samanga* Fruhstorfer,1910 (Pieridae) Synonym(s): *samanga* Fruhstorfer,1910
- 57523) *Gandaca harina* (Horsfield,1829) (Pieridae) Synonym(s): *harina* Horsfield,1829
- 57524) *Gandaca harina aiguna* Fruhstorfer,1910 (Pieridae) Synonym(s): *aiguna* Fruhstorfer,1910
- 57525) *Gandaca harina aora* Moulton,1923 (Pieridae) Synonym(s): *aora* Moulton,1923
- 57526) *Gandaca harina assamica* Moore,[1906] (Pieridae) Synonym(s): *assamica* Moore,[1906]
- 57527) *Gandaca harina auriflua* Fruhstorfer,1898 (Pieridae) Synonym(s): *auriflua* Fruhstorfer,1898
- 57528) *Gandaca harina burmana* Moore,[1906] (Pieridae) Synonym(s): *burmana* Moore,[1906]
- 57529) *Gandaca harina distant* Moore,[1906] (Pieridae) Synonym(s): *distant* Moore,[1906]
- 57530) *Gandaca harina elis* Fruhstorfer,1910 (Pieridae) Synonym(s): *elis* Fruhstorfer,1910
- 57531) *Gandaca harina formosana* (Moore,1877) (Pieridae) Synonym(s): *formosana* Moore,1877; *andamana* Moore,[1906]
- 57532) *Gandaca harina gardineri* Fruhstorfer,1910 (Pieridae) Synonym(s): *gardineri* Fruhstorfer,1910
- 57533) *Gandaca harina harina* (Horsfield,1829) (Pieridae) Synonym(s): *harina* Horsfield,1829
- 57534) *Gandaca harina mindanaensis* Fruhstorfer,1910 (Pieridae) Synonym(s): *mindanaensis* Fruhstorfer,1910
- 57535) *Gandaca harina palawanica* Fruhstorfer,1910 (Pieridae) Synonym(s): *palawanica* Fruhstorfer,1910
- 57536) *Ganyra howarthii* (Pieridae) Synonym(s):
- 57537) *Ganyra josephina* (Godart,[1819]) (Pieridae) Synonym(s): *josephina* Godart,[1819]
- 57538) *Gideona lucasi* (Grandidier,1867) (Pieridae) Synonym(s): *lucasi* Grandidier,1867
- 57539) *Gideona lucasi lucasi* (Grandidier,1867) (Pieridae) Synonym(s): *lucasi* Grandidier,1867
- 57540) *Gonepteryx* (Isogonepteryx) *cleobule* (Hübner,[1825]) (Pieridae) Synonym(s): *cleobule* Hübner,[1825]
- 57541) *Gonepteryx* (Isogonepteryx) *cleobule cleobule* (Hübner,[1825]) (Pieridae) Synonym(s): *cleobule* Hübner,[1825]
- 57542) *Gonepteryx* (Isogonepteryx) *cleobule eversi* Rehnelt,1974 (Pieridae) Synonym(s): *eversi* Rehnelt,1974
- 57543) *Gonepteryx* (Isogonepteryx) *cleopatra* (Linnaeus,1767) (Pieridae) Synonym(s): *cleopatra* Linnaeus,1767; *balearica* Bubacek,1920.
- 57544) *Gonepteryx* (Isogonepteryx) *cleopatra cleopatra* (Linnaeus,1767) (Pieridae) Synonym(s): *cleopatra* Linnaeus,1767; *balearica* Bubacek,1920.
- 57545) *Gonepteryx* (Isogonepteryx) *cleopatra fiorii* Turati & Fiori,1930 (Pieridae) Synonym(s): *fiorii* Turati & Fiori,1930
- 57546) *Gonepteryx* (Isogonepteryx) *cleopatra italica* (Gerhardt,1882) (Pieridae) Synonym(s): *italica* Gerhardt,1882; *massiliensis* Foulquier,1899; *dalmatica* Verity,1911; *insularis* Verity,1911; *europaeus* Verity,1913.
- 57547) *Gonepteryx* (Isogonepteryx) *cleopatra mauretania* Röber,[1907] (Pieridae) Synonym(s): *mauretania* Röber,[1907]
- 57548) *Gonepteryx* (Isogonepteryx) *cleopatra petronella* De Freina,1977 (Pieridae) Synonym(s): *petronella* De Freina,1977
- 57549) *Gonepteryx* (Isogonepteryx) *cleopatra rosei* Gross,1973 (Pieridae) Synonym(s): *rosei* Gross,1973
- 57550) *Gonepteryx* (Isogonepteryx) *cleopatra taurica* (Staudinger,1881) (Pieridae) Synonym(s): *taurica* Staudinger,1881; *palmeta* Turati,1921.
- 57551) *Gonepteryx* (Isogonepteryx) *maderensis* Felder,1862 (Pieridae) Synonym(s): *maderensis* Felder,1862
- 57552) *Gonepteryx* (Isogonepteryx) *maderensis maderensis* Felder,1862 (Pieridae) Synonym(s): *maderensis* Felder,1862
- 57553) *Gonepteryx* (Isogonepteryx) *palmae* Stamm,1963 (Pieridae) Synonym(s): *palmae* Stamm,1963
- 57554) *Gonepteryx* (Isogonepteryx) *palmae palmae* Stamm,1963 (Pieridae) Synonym(s): *palmae* Stamm,1963
- 57555) *Gonepteryx* (s.str.) *amintha* (Blanchard,1871) (Pieridae) Synonym(s): *amintha* Blanchard,1871
- 57556) *Gonepteryx* (s.str.) *amintha formosana* (Fruhstorfer,1908) (Pieridae) Synonym(s): *formosana* Fruhstorfer,1908; *meiyuanus* Murayama & Shimonoya,1963
- 57557) *Gonepteryx* (s.str.) *aspasia* (Ménétriés,1859) (Pieridae) Synonym(s): *aspasia* Ménétriés,1859; *acuminata* Matsumura,1929.
- 57558) *Gonepteryx* (s.str.) *aspasia aspasia* (Ménétriés,1859) (Pieridae) Synonym(s): *aspasia* Ménétriés,1859; *acuminata* Matsumura,1929.
- 57559) *Gonepteryx* (s.str.) *aspasia kansuensis* (Murayama,1965) (Pieridae) Synonym(s): *kansuensis* Murayama,1965
- 57560) *Gonepteryx* (s.str.) *chitralensis* (Moore,1905) (Pieridae) Synonym(s): *chitralensis* Moore,1905
- 57561) *Gonepteryx* (s.str.) *chitralensis chitralensis* (Moore,1905) (Pieridae) Synonym(s): *chitralensis* Moore,1905
- 57562) *Gonepteryx* (s.str.) *farinosa* (Zeller,1847) (Pieridae) Synonym(s): *farinosa* Zeller,1847
- 57563) *Gonepteryx* (s.str.) *farinosa farinosa* (Zeller,1847) (Pieridae) Synonym(s): *farinosa* Zeller,1847
- 57564) *Gonepteryx* (s.str.) *farinosa meridiiorana* De Freina,1983 (Pieridae) Synonym(s): *meridiiorana* De Freina,1983
- 57565) *Gonepteryx* (s.str.) *farinosa turcirana* De Freina,1983 (Pieridae) Synonym(s): *turcirana* De Freina,1983
- 57566) *Gonepteryx* (s.str.) *mahaguru* (Gistel,1857) (Pieridae) Synonym(s): *mahaguru* Gistel,1857; *zaneka* Moore,1865.
- 57567) *Gonepteryx* (s.str.) *mahaguru mahaguru* (Gistel,1857) (Pieridae) Synonym(s): *mahaguru* Gistel,1857; *zaneka* Moore,1865.
- 57568) *Gonepteryx* (s.str.) *maxima* (Butler,1885) (Pieridae) Synonym(s): *maxima* Butler,1885
- 57569) *Gonepteryx* (s.str.) *maxima amurensis* (Graeser,1888) (Pieridae) Synonym(s): *amurensis* Graeser,1888
- 57570) *Gonepteryx* (s.str.) *maxima major* Kudrna,1975 (Pieridae) Synonym(s): *#major* Verity,1909; *major* Kudrna,1975.
- 57571) *Gonepteryx* (s.str.) *maxima maxima* (Butler,1885) (Pieridae) Synonym(s): *maxima* Butler,1885
- 57572) *Gonepteryx* (s.str.) *maxima ssp.n.* (Pieridae) Synonym(s): *ssp.n. sensu* Kudrna,1975: 19.

- 57573) *Gonepteryx* (s.str.) *ramni* (Linnaeus,1758) (Pieridae) Synonym(s): *ramni* Linnaeus,1758; *gravesi* Huggins,1956.
 57574) *Gonepteryx* (s.str.) *ramni kurdistan* De Freina,1990 (Pieridae) Synonym(s): *kurdistan* De Freina,1990
 57575) *Gonepteryx* (s.str.) *ramni meridionalis* Röber,1907 (Pieridae) Synonym(s): *meridionalis* Röber,1907
 57576) *Gonepteryx* (s.str.) *ramni miljanowskii* Nekrutenko,1966 (Pieridae) Synonym(s): *miljanowskii* Nekrutenko,1966
 57577) *Gonepteryx* (s.str.) *ramni nana* Wnukowsky,1935 (Pieridae) Synonym(s): *nana* Wnukowsky,1935
 57578) *Gonepteryx* (s.str.) *ramni nepalensis* Doubleday,1847 (Pieridae) Synonym(s): *nepalensis* Doubleday,1847; *gilgitica* Tytler,1926; *#sulphurea* Peschke,1934.
 57579) *Gonepteryx* (s.str.) *ramni ramni* (Linnaeus,1758) (Pieridae) Synonym(s): *ramni* Linnaeus,1758; *gravesi* Huggins,1956.
 57580) *Gonepteryx* (s.str.) *ramni tianshanica* Nekrutenko,1970 (Pieridae) Synonym(s): *tianshanica* Nekrutenko,1970
 57581) *Gonepteryx* (s.str.) *ramni transiens* Verity,1913 (Pieridae) Synonym(s): *transiens* Verity,1913
 57582) *Gonepteryx* (s.str.) *ramni taiwana* Paravicini,1913 (Pieridae) Synonym(s): *taiwana* Paravicini,1913
 57583) *Hebomoia glaucippe* (Linnaeus,1758) (Pieridae) Synonym(s): *glaucippe* Linnaeus,1758
 57584) *Hebomoia glaucippe anaxandra* Fruhstorfer,1910 (Pieridae) Synonym(s): *anaxandra* Fruhstorfer,1910
 57585) *Hebomoia glaucippe anomala* Pendlebury,1939 (Pieridae) Synonym(s): *anomala* Pendlebury,1939
 57586) *Hebomoia glaucippe aturia* Fruhstorfer,1910 (Pieridae) Synonym(s): *aturia* Fruhstorfer,1910
 57587) *Hebomoia glaucippe aurantiaca* Fruhstorfer,1903 (Pieridae) Synonym(s): *aurantiaca* Fruhstorfer,1903
 57588) *Hebomoia glaucippe australis* Butler,1898 (Pieridae) Synonym(s): *australis* Butler,1898
 57589) *Hebomoia glaucippe boholensis* Fruhstorfer,1911 (Pieridae) Synonym(s): *boholensis* Fruhstorfer,1911
 57590) *Hebomoia glaucippe borneensis* Wallace,1863 (Pieridae) Synonym(s): *borneensis* Wallace,1863
 57591) *Hebomoia glaucippe cebuensis* M.Okano & T.Okano,1994 (Pieridae) Synonym(s): *cebuensis* M.Okano & T.Okano,1994
 57592) *Hebomoia glaucippe celebensis* Wallace,1863 (Pieridae) Synonym(s): *celebensis* Wallace,1863
 57593) *Hebomoia glaucippe ceylonica* Fruhstorfer,1907 (Pieridae) Synonym(s): *ceylonica* Fruhstorfer,1907
 57594) *Hebomoia glaucippe cunonica* Fruhstorfer,1907 (Pieridae) Synonym(s): *cunonica* Fruhstorfer,1907
 57595) *Hebomoia glaucippe domoranensis* Fruhstorfer,1911 (Pieridae) Synonym(s): *domoranensis* Fruhstorfer,1911
 57596) *Hebomoia glaucippe erinna* Fruhstorfer,1910 (Pieridae) Synonym(s): *erinna* Fruhstorfer,1910
 57597) *Hebomoia glaucippe felderi* Vollenhoven (Pieridae) Synonym(s):
 57598) *Hebomoia glaucippe flavomarginata* Pagenstecher (Pieridae) Synonym(s):
 57599) *Hebomoia glaucippe formosana* Fruhstorfer,1908 (Pieridae) Synonym(s): *formosana* Fruhstorfer,1908
 57600) *Hebomoia glaucippe glaucippe* (Linnaeus,1758) (Pieridae) Synonym(s): *glaucippe* Linnaeus,1758
 57601) *Hebomoia glaucippe iliaca* Fruhstorfer,1911 (Pieridae) Synonym(s): *iliaca* Fruhstorfer,1911
 57602) *Hebomoia glaucippe javanensis* Wallace,1863 (Pieridae) Synonym(s): *javanensis* Wallace,1863
 57603) *Hebomoia glaucippe lombokiana* Butler,1898 (Pieridae) Synonym(s): *lombokiana* Butler,1898
 57604) *Hebomoia glaucippe mindorensis* Fruhstorfer,1911 (Pieridae) Synonym(s): *mindorensis* Fruhstorfer,1911
 57605) *Hebomoia glaucippe palawensis* Fruhstorfer,1907 (Pieridae) Synonym(s): *palawensis* Fruhstorfer,1907
 57606) *Hebomoia glaucippe philippensis* Wallace,1863 (Pieridae) Synonym(s): *philippensis* Wallace,1863
 57607) *Hebomoia glaucippe reducta* Fruhstorfer,1907 (Pieridae) Synonym(s): *reducta* Fruhstorfer,1907
 57608) *Hebomoia glaucippe roepstorffii* Wood-Mason (Pieridae) Synonym(s):
 57609) *Hebomoia glaucippe sulaensis* Fruhstorfer,1907 (Pieridae) Synonym(s): *sulaensis* Fruhstorfer,1907
 57610) *Hebomoia glaucippe sulphurea* Wallace,1863 (Pieridae) Synonym(s): *sulphurea* Wallace,1863
 57611) *Hebomoia glaucippe sumatrana* Hagen (Pieridae) Synonym(s):
 57612) *Hebomoia glaucippe theia* Nishimura,1987 (Pieridae) Synonym(s): *theia* Nishimura,1987
 57613) *Hebomoia glaucippe timorensis* Wallace,1863 (Pieridae) Synonym(s): *timorensis* Wallace,1863
 57614) *Hebomoia glaucippe vossi* Maitland (Pieridae) Synonym(s):
 57615) *Hebomoia leucippe* (Cramer) (Pieridae) Synonym(s):
 57616) *Hebomoia leucippe daemonis* Fruhstorfer,1907 (Pieridae) Synonym(s): *daemonis* Fruhstorfer,1907
 57617) *Hebomoia leucippe leucippe* (Cramer) (Pieridae) Synonym(s):
 57618) *Hebomoia leucippe leucogynia* Wallace,1863 (Pieridae) Synonym(s): *leucogynia* Wallace,1863
 57619) *Ixias clarki* Avinoff,1925 (Pieridae) Synonym(s): *clarki* Avinoff,1925
 57620) *Ixias kuehni* Röber,1892 (Pieridae) Synonym(s): *kuehni* Röber,1892
 57621) *Ixias marianne* (Cramer,[1779]) (Pieridae) Synonym(s): *marianne* Cramer,[1779]; *bebryce* Hübner,[1819]; *agniverna* Moore,1877; *depalpura* Butler,1883; *meridionalis* Swinhoe,1885; *cumballa* Swinhoe,1885
 57622) *Ixias pyrene* (Linnaeus,1764) (Pieridae) Synonym(s): *pyrene* Linnaeus,1764; *aeonippe* Cramer,[1779]
 57623) *Ixias pyrene alticola* Pendlebury,1933 (Pieridae) Synonym(s): *alticola* Pendlebury,1933
 57624) *Ixias pyrene annamitica* Fruhstorfer,1910 (Pieridae) Synonym(s): *annamitica* Fruhstorfer,1910
 57625) *Ixias pyrene birdi* Distant,1883 (Pieridae) Synonym(s): *birdi* Distant,1883
 57626) *Ixias pyrene insignis* Butler,1879 (Pieridae) Synonym(s): *insignis* Butler,1879; *reducta* Paravicini,1913; *intermedia* Paravicini,1913
 57627) *Ixias pyrene pyrene* (Linnaeus,1764) (Pieridae) Synonym(s): *pyrene* Linnaeus,1764; *aeonippe* Cramer,[1779]
 57628) *Ixias pyrene satadra* Moore,1877 (Pieridae) Synonym(s): *satadra* Moore,1877; *kausala* Moore,1877; *pygmaea* Moore,1882; *dharmae* Butler,1877; *watti* Butler,1880.
 57629) *Ixias pyrene verna* Druce,1874 (Pieridae) Synonym(s): *verna* Druce,1874
 57630) *Ixias reinwardtii* (Vollenhoven,1860) (Pieridae) Synonym(s): *reinwardtii* Vollenhoven,1860
 57631) *Ixias vollenhovii* (Wallace,1867) (Pieridae) Synonym(s): *vollenhovii* Wallace,1867; *venatrix* Wallace,1867
 57632) *Kricogonia lyside* (Pieridae) Synonym(s):
 57633) *Leptidea amurensis* (Ménétriés,1858) (Pieridae) Synonym(s): *amurensis* Ménétriés,1858
 57634) *Leptidea amurensis amurensis* (Ménétriés,1858) (Pieridae) Synonym(s): *amurensis* Ménétriés,1858
 57635) *Leptidea amurensis emisinapis* Verity,1911 (Pieridae) Synonym(s): *emisinapis* Verity,1911
 57636) *Leptidea amurensis jacutia* Gorbunov & Korshunov,1995 (Pieridae) Synonym(s): *jacutia* Gorbunov & Korshunov,1995
 57637) *Leptidea duponcheli* (Staudinger,1871) (Pieridae) Synonym(s): *duponcheli* Staudinger,1871; *#duponcheli* Nazari,2003
 57638) *Leptidea duponcheli aestiva* (Staudinger,1878) (Pieridae) Synonym(s): *aestiva* Staudinger,1878; *lorkovici* Pfeiffer,1932; *fragilis* Verity,1937; *marmorae* Graves,1938; *#secunda* Graves,1938; *vartiani* Gross & Ebert,1975; *escalerae* Gross & Ebert,1975
 57639) *Leptidea duponcheli duponcheli* (Staudinger,1871) (Pieridae) Synonym(s): *duponcheli* Staudinger,1871; *#duponcheli* Nazari,2003
 57640) *Leptidea duponcheli xanthochroa* Verity,1911 (Pieridae) Synonym(s): *xanthochroa* Verity,1911
 57641) *Leptidea morsei* (Fenton,1881) (Pieridae) Synonym(s): *morsei* Fenton,1882
 57642) *Leptidea morsei major* Lorkovic,1927 (Pieridae) Synonym(s): *#major* Grund,1905; *#morseides* Verity,[1911]; *major* Lorkovic,1927
 57643) *Leptidea morsei morsei* Fenton,1881 (Pieridae) Synonym(s): *morsei* Fenton,1881
 57644) *Leptidea reali* Reissinger,1989 (Pieridae) Synonym(s): *lorkovicii* Reissinger,1988 nec Pfeiffer,1932; *reali* Reissinger,1989.
 57645) *Leptidea reali reali* Reissinger,1989 (Pieridae) Synonym(s): *lorkovicii* Reissinger,1988 nec Pfeiffer,1932; *reali* Reissinger,1989.
 57646) *Leptidea sinapis* (Linnaeus,1758) (Pieridae) Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *lotti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiarius* Stauder,1914; *negrescens* Verity,1919; *patunae* Stauder,1922; *lathyrica* Verity,1952.
 57647) *Leptidea sinapis corsica* Verity,1911 (Pieridae) Synonym(s): *corsica* Verity,1911
 57648) *Leptidea sinapis diniensis* (Boisduval,1840) (Pieridae) Synonym(s): *diniensis* Boisduval,1839.
 57649) *Leptidea sinapis koraicola* Bryk,1946 (Pieridae) Synonym(s): *koraicola* Bryk,1946
 57650) *Leptidea sinapis melanoinspersa* Verity,[1911] (Pieridae) Synonym(s): *melanoinspersa* Verity,[1911]
 57651) *Leptidea sinapis sinapis* (Linnaeus,1758) (Pieridae) Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *lotti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiarius* Stauder,1914; *negrescens* Verity,1919; *patunae* Stauder,1922; *lathyrica* Verity,1952.
 57652) *Leptosia alcesta* (Stoll,[1781]) (Pieridae) Synonym(s): *alcesta* Stoll,[1781]; *narica* Fabricius,1793; *cephus* Ehrmann,1894.
 57653) *Leptosia alcesta alcesta* (Stoll,[1781]) (Pieridae) Synonym(s): *alcesta* Stoll,[1781]; *narica* Fabricius,1793; *cephus* Ehrmann,1894.
 57654) *Leptosia alcesta inalcesta* Bernardi,1959 (Pieridae) Synonym(s): *inalcesta* Bernardi,1959

- 57655) *Leptosia alcesta pseudonupta* Bernardi,1959 (Pieridae) Synonym(s): *pseudonupta* Bernardi,1959
 57656) *Leptosia alcesta pseudonuptilla* Bernardi,1959 (Pieridae) Synonym(s): *pseudonuptilla* Bernardi,1959
 57657) *Leptosia alcesta sylvicola* (Boisduval,1833) (Pieridae) Synonym(s): *sylvicola* Boisduval,1833
 57658) *Leptosia empeda* (Godart,[1819]) (Pieridae) Synonym(s): *medusa* Cramer,[1777] nec [Den. & Schiff.],1775; *dorothea* Fabricius,1793 nec Cr.,[1779]; *empeda* Godart,[1819].
 57659) *Leptosia empeda empeda* (Godart,[1819]) (Pieridae) Synonym(s): *medusa* Cramer,[1777] nec [Den. & Schiff.],1775; *dorothea* Fabricius,1793 nec Cr.,[1779]; *empeda* Godart,[1819].
 57660) *Leptosia hybrida* Bernardi,1952 (Pieridae) Synonym(s): *hybrida* Bernardi,1952
 57661) *Leptosia hybrida hybrida* Bernardi,1952 (Pieridae) Synonym(s): *hybrida* Bernardi,1952
 57662) *Leptosia hybrida somereni* Bernardi,1959 (Pieridae) Synonym(s): *somereni* Bernardi,1959
 57663) *Leptosia marginea* (Mabille,1890) (Pieridae) Synonym(s): *marginea* Mabille,1890
 57664) *Leptosia marginea marginea* (Mabille,1890) (Pieridae) Synonym(s): *marginea* Mabille,1890
 57665) *Leptosia nina* (Fabricius,1793) (Pieridae) Synonym(s): *nina* Fabricius,1793; *comma* Fruhstorfer,1902
 57666) *Leptosia nina aebutia* Fruhstorfer,1910 (Pieridae) Synonym(s): *aebutia* Fruhstorfer,1910
 57667) *Leptosia nina asukae* Nihira & Kawamura,1986 (Pieridae) Synonym(s): *asukae* Nihira & Kawamura,1986
 57668) *Leptosia nina chlorographa* Hübner (Pieridae) Synonym(s):
 57669) *Leptosia nina dione* Wallace,1867 (Pieridae) Synonym(s): *dione* Wallace,1867
 57670) *Leptosia nina fumigata* Fruhstorfer,1902 (Pieridae) Synonym(s): *fumigata* Fruhstorfer,1902
 57671) *Leptosia nina georgi* Fruhstorfer,1910 (Pieridae) Synonym(s): *georgi* Fruhstorfer,1910
 57672) *Leptosia nina lignea* Vollenhoven (Pieridae) Synonym(s): *lignea* Vollenhoven
 57673) *Leptosia nina malayana* Fruhstorfer,1910 (Pieridae) Synonym(s): *malayana* Fruhstorfer,1910
 57674) *Leptosia nina nicobarica* Doherty (Pieridae) Synonym(s): *nicobarica* Doherty
 57675) *Leptosia nina nina* (Fabricius,1793) (Pieridae) Synonym(s): *nina* Fabricius,1793; *comma* Fruhstorfer,1902
 57676) *Leptosia nina niobe* (Wallace,1866) (Pieridae) Synonym(s): *niobe* Wallace,1866
 57677) *Leptosia nina terentia* Fruhstorfer,1910 (Pieridae) Synonym(s): *terentia* Fruhstorfer,1910
 57678) *Leptosia nupta* (Butler,1873) (Pieridae) Synonym(s): *nupta* Butler,1873
 57679) *Leptosia nupta nupta* (Butler,1873) (Pieridae) Synonym(s): *nupta* Butler,1873
 57680) *Leptosia nupta viettei* Bernardi,1959 (Pieridae) Synonym(s): *viettei* Bernardi,1959
 57681) *Leptosia wigginsi* (Dixey,1915) (Pieridae) Synonym(s): *wigginsi* Dixey,1915; *uganda* Neustetter,1927.
 57682) *Leptosia wigginsi pseudalcesta* Bernardi,1964 (Pieridae) Synonym(s): *pseudalcesta* Bernardi,1964
 57683) *Leptosia wigginsi wigginsi* (Dixey,1915) (Pieridae) Synonym(s): *wigginsi* Dixey,1915; *uganda* Neustetter,1927.
 57684) *Leuciacria acuta* Rothschild & Jordan,1905 (Pieridae) Synonym(s): *acuta* Rothschild & Jordan,1905
 57685) *Lieinix christa* (Reissinger,1970) (Pieridae) Synonym(s): *christa* Reissinger,1970
 57686) *Lieinix christa christa* (Reissinger,1970) (Pieridae) Synonym(s): *christa* Reissinger,1970
 57687) *Lieinix cinerascens* (Salvin,1871) (Pieridae) Synonym(s): *cinerascens* Salvin,1871; *poasina* Schaus,1913
 57688) *Lieinix cinerascens cinerascens* (Salvin,1871) (Pieridae) Synonym(s): *cinerascens* Salvin,1871; *poasina* Schaus,1913
 57689) *Lieinix lala* (Godman & Salvin,1889) (Pieridae) Synonym(s): *lala* Godman & Salvin,1889
 57690) *Lieinix lala lala* (Godman & Salvin,1889) (Pieridae) Synonym(s): *lala* Godman & Salvin,1889
 57691) *Lieinix lala turrenti* J.Maza & R.G.Maza,1984 (Pieridae) Synonym(s): *turrenti* J.Maza & R.G.Maza,1984
 57692) *Lieinix neblina* J.Maza & R.G.Maza,1984 (Pieridae) Synonym(s): *neblina* J.Maza & R.G.Maza,1984
 57693) *Lieinix neblina neblina* J.Maza & R.G.Maza,1984 (Pieridae) Synonym(s): *neblina* J.Maza & R.G.Maza,1984
 57694) *Lieinix nemesis* (Latreille,[1813]) (Pieridae) Synonym(s): *nemesis* Latreille,[1813]
 57695) *Lieinix nemesis atthis* (Doubleday,1842) (Pieridae) Synonym(s): *atthis* Doubleday,1842; *megaera* Lamas,1979
 57696) *Lieinix nemesis nayaritensis* Llorente,1984 (Pieridae) Synonym(s): *nayaritensis* Llorente,1984
 57697) *Lieinix nemesis nemesis* (Latreille,[1813]) (Pieridae) Synonym(s): *nemesis* Latreille,[1813]
 57698) *Lieinix viridifascia* (Butler,1872) (Pieridae) Synonym(s): *viridifascia* Butler,1872
 57699) *Lieinix viridifascia viridifascia* (Butler,1872) (Pieridae) Synonym(s): *viridifascia* Butler,1872
 57700) *Mesapia peloria* (Hewitson,[1853]) (Pieridae) Synonym(s): *peloria* Hewitson,[1853]
 57701) *Mesapia peloria peloria* (Hewitson,[1853]) (Pieridae) Synonym(s): *peloria* Hewitson,[1853]
 57702) *Microzegrus pyrothoe* (Eversmann,1832) (Pieridae) Synonym(s): *pyrothoe* Eversmann,1832
 57703) *Microzegrus pyrothoe pyrothoe* (Eversmann,1832) (Pieridae) Synonym(s): *pyrothoe* Eversmann,1832
 57704) *Moschoneura pinthous* (Linnaeus,1758) (Pieridae) Synonym(s): *pinthous* Linnaeus,1758; *eumelia* Cramer,1780; *vocula* Stoll,1781; #*vocala* Stoll,1782; *enodia* Godart,1819
 57705) *Moschoneura pinthous amelina* (Hopffer,1874) (Pieridae) Synonym(s): *amelina* Hopffer,1874
 57706) *Moschoneura pinthous cyra* (Doubleday,1844) (Pieridae) Synonym(s): *cyra* Doubleday,1844
 57707) *Moschoneura pinthous ela* (Hewitson,1877) (Pieridae) Synonym(s): *ela* Hewitson,1877
 57708) *Moschoneura pinthous ithomia* (Hewitson,1867) (Pieridae) Synonym(s): *ithomia* Hewitson,1867; *theaphina* Butler,1899; *douglasina* Bryk,1953
 57709) *Moschoneura pinthous methymna* (Godart,1819) (Pieridae) Synonym(s): *methymna* Godart,1819
 57710) *Moschoneura pinthous pinthous* (Linnaeus,1758) (Pieridae) Synonym(s): *pinthous* Linnaeus,1758; *eumelia* Cramer,1780; *vocula* Stoll,1781; #*vocala* Stoll,1782; *enodia* Godart,1819
 57711) *Moschoneura pinthous proxima* (Röber,1924) (Pieridae) Synonym(s): *proxima* Röber,1924; *gracilis* Avinoff,1926; #*obscura* Meier-Ramel,1928
 57712) *Moschoneura pinthous ssp.n.* (Pieridae) Synonym(s):
 57713) *Moschoneura pinthous ssp.n.* (Pieridae) Synonym(s):
 57714) *Moschoneura pinthous ssp.n.* (Pieridae) Synonym(s):
 57715) *Moschoneura pinthous ssp.n.* (Pieridae) Synonym(s):
 57716) *Moschoneura pinthous ssp.n.* (Pieridae) Synonym(s):
 57717) *Moschoneura pinthous ssp.n.* (Pieridae) Synonym(s):
 57718) *Mylothris agathina* (Cramer,[1779]) (Pieridae) Synonym(s): *agathina* Cramer,[1779]; *xantholeuca* Hübner,[1819]
 57719) *Mylothris agathina agathina* (Cramer,[1779]) (Pieridae) Synonym(s): *agathina* Cramer,[1779]; *xantholeuca* Hübner,[1819]
 57720) *Mylothris agathina richlora* Suffert,1904 (Pieridae) Synonym(s): *richlora* Suffert,1904; *intermedia* Aurivillius,1910
 57721) *Mylothris alberici* Dufrane,1940 (Pieridae) Synonym(s): *alberici* Dufrane,1940; *marginea* Jackson,1956
 57722) *Mylothris alberici alberici* Dufrane,1940 (Pieridae) Synonym(s): *alberici* Dufrane,1940; *marginea* Jackson,1956
 57723) *Mylothris alcuana* Grünberg,1910 (Pieridae) Synonym(s): *alcuana* Grünberg,1910
 57724) *Mylothris alcuana alcuana* Grünberg,1910 (Pieridae) Synonym(s): *alcuana* Grünberg,1910
 57725) *Mylothris alcuana binza* Berger,1981 (Pieridae) Synonym(s): *binza* Berger,1981
 57726) *Mylothris alcuana shaba* Berger,1981 (Pieridae) Synonym(s): *shaba* Berger,1981
 57727) *Mylothris arabicus* Gabriel,1954 (Pieridae) Synonym(s): *arabicus* Gabriel,1954
 57728) *Mylothris arabicus arabicus* Gabriel,1954 (Pieridae) Synonym(s): *arabicus* Gabriel,1954
 57729) *Mylothris asphodelus* Butler,1888 (Pieridae) Synonym(s): *asphodelus* Butler,1888
 57730) *Mylothris asphodelus asphodelus* Butler,1888 (Pieridae) Synonym(s): *asphodelus* Butler,1888
 57731) *Mylothris atewa* Berger,1980 (Pieridae) Synonym(s): *atewa* Berger,1980
 57732) *Mylothris atewa atewa* Berger,1980 (Pieridae) Synonym(s): *atewa* Berger,1980
 57733) *Mylothris basalis* Aurivillius,1907 (Pieridae) Synonym(s): *basalis* Aurivillius,1907
 57734) *Mylothris basalis basalis* Aurivillius,1907 (Pieridae) Synonym(s): *basalis* Aurivillius,1907
 57735) *Mylothris bernice* (Hewitson,1866) (Pieridae) Synonym(s): *bernice* Hewitson,1866; #*pallascens* Gaede,1916
 57736) *Mylothris bernice albescens* Berger,1981 (Pieridae) Synonym(s): *albescens* Berger,1981
 57737) *Mylothris bernice berenices* Holland,1896 (Pieridae) Synonym(s): *berenices* Holland,1896
 57738) *Mylothris bernice bernice* (Hewitson,1866) (Pieridae) Synonym(s): *bernice* Hewitson,1866; #*pallascens* Gaede,1916
 57739) *Mylothris bernice nigrovenosa* Berger,1981 (Pieridae) Synonym(s): *nigrovenosa* Berger,1981
 57740) *Mylothris bernice overlaeti* Berger,1981 (Pieridae) Synonym(s): *overlaeti* Berger,1981

- 57741) *Mylothris carcassoni* Van Son,1948 (Pieridae) Synonym(s): *carcassoni* Van Son,1948
57742) *Mylothris carcassoni carcassoni* Van Son,1948 (Pieridae) Synonym(s): *carcassoni* Van Son,1948
57743) *Mylothris celisi* (Berger,1981) (Pieridae) Synonym(s): *celisi* Berger,1981
57744) *Mylothris celisi celisi* (Berger,1981) (Pieridae) Synonym(s): *celisi* Berger,1981
57745) *Mylothris chloris* (Fabricius,1775) (Pieridae) Synonym(s): *chloris* Fabricius,1775; *thermophyle* Cramer,[1779]; *analys* Aurivillius,1907; #*nox* Talbot,1944; #*wansoni* Dufrene,1947
57746) *Mylothris chloris chloris* (Fabricius,1775) (Pieridae) Synonym(s): *chloris* Fabricius,1775; *thermophyle* Cramer,[1779]; *analys* Aurivillius,1907; #*nox* Talbot,1944; #*wansoni* Dufrene,1947
57747) *Mylothris chloris clarissa* Butler,1888 (Pieridae) Synonym(s): *clarissa* Butler,1888; *wintoniana* Sharpe,1891; *afraorientalis* Stoneham,1937
57748) *Mylothris citrina* Aurivillius,1898 (Pieridae) Synonym(s): *citrina* Aurivillius,1898
57749) *Mylothris citrina citrina* Aurivillius,1898 (Pieridae) Synonym(s): *citrina* Aurivillius,1898
57750) *Mylothris citrina holochroma* Talbot,1944 (Pieridae) Synonym(s): *holochroma* Talbot,1944
57751) *Mylothris citrina orientalis* Talbot,1946 (Pieridae) Synonym(s): *orientalis* Talbot,1946
57752) *Mylothris continua* Talbot,1944 (Pieridae) Synonym(s): *continua* Talbot,1944
57753) *Mylothris continua continua* Talbot,1944 (Pieridae) Synonym(s): *continua* Talbot,1944
57754) *Mylothris continua maxima* Berger,1981 (Pieridae) Synonym(s): *maxima* Berger,1981
57755) *Mylothris crawshayi* Butler,1896 (Pieridae) Synonym(s): *crawshayi* Butler,1896
57756) *Mylothris crawshayi bunduki* Berger,1980 (Pieridae) Synonym(s): *bunduki* Berger,1980
57757) *Mylothris crawshayi crawshayi* Butler,1896 (Pieridae) Synonym(s): *crawshayi* Butler,1896
57758) *Mylothris croceus* Butler,1896 (Pieridae) Synonym(s): *croceus* Butler,1896
57759) *Mylothris croceus croceus* Butler,1896 (Pieridae) Synonym(s): *croceus* Butler,1896
57760) *Mylothris croceus ituriensis* Berger,1981 (Pieridae) Synonym(s): *ituriensis* Berger,1981
57761) *Mylothris elodina* Talbot,1944 (Pieridae) Synonym(s): *elodina* Talbot,1944
57762) *Mylothris elodina diva* Berger,1954 (Pieridae) Synonym(s): *diva* Berger,1954
57763) *Mylothris elodina elodina* Talbot,1944 (Pieridae) Synonym(s): *elodina* Talbot,1944
57764) *Mylothris elodina pelenge* Berger,1981 (Pieridae) Synonym(s): *pelenge* Berger,1981
57765) *Mylothris erlangeri* Pagenstecher,1902 (Pieridae) Synonym(s): *erlangeri* Pagenstecher,1902
57766) *Mylothris erlangeri erlangeri* Pagenstecher,1902 (Pieridae) Synonym(s): *erlangeri* Pagenstecher,1902
57767) *Mylothris ertli* Suffert,1904 (Pieridae) Synonym(s): *ertli* Suffert,1904
57768) *Mylothris ertli ertli* Suffert,1904 (Pieridae) Synonym(s): *ertli* Suffert,1904
57769) *Mylothris flaviana* Grose-Smith,1898 (Pieridae) Synonym(s): *flaviana* Grose-Smith,1898
57770) *Mylothris flaviana flaviana* Grose-Smith,1898 (Pieridae) Synonym(s): *flaviana* Grose-Smith,1898
57771) *Mylothris flaviana interposita* Joicey & Talbot,1921 (Pieridae) Synonym(s): *interposita* Joicey & Talbot,1921
57772) *Mylothris hilara* (Karsch,1892) (Pieridae) Synonym(s): *hilara* Karsch,1892
57773) *Mylothris hilara furvus* Bernardi,1953 (Pieridae) Synonym(s): *furvus* Bernardi,1953
57774) *Mylothris hilara goma* Berger,1981 (Pieridae) Synonym(s): *goma* Berger,1981
57775) *Mylothris hilara hilara* (Karsch,1892) (Pieridae) Synonym(s): *hilara* Karsch,1892
57776) *Mylothris humbloti* (Oberthür,1888) (Pieridae) Synonym(s): *humbloti* Oberthür,1888
57777) *Mylothris humbloti humbloti* (Oberthür,1888) (Pieridae) Synonym(s): *humbloti* Oberthür,1888
57778) *Mylothris jacksoni* Sharpe,1891 (Pieridae) Synonym(s): *jacksoni* Sharpe,1891; *neumanni* Sharpe,1896; *striata* Aurivillius,1910; #*insignis* Talbot,1944; #*hyacinth* Stoneham,1957
57779) *Mylothris jacksoni jacksoni* Sharpe,1891 (Pieridae) Synonym(s): *jacksoni* Sharpe,1891; *neumanni* Sharpe,1896; *striata* Aurivillius,1910; #*insignis* Talbot,1944; #*hyacinth* Stoneham,1957
57780) *Mylothris jacksoni knutsoni* Aurivillius,1891 (Pieridae) Synonym(s): *knutsoni* Aurivillius,1891
57781) *Mylothris kiellandi* Berger,1985 (Pieridae) Synonym(s): *kiellandi* Berger,1985
57782) *Mylothris kiellandi kiellandi* Berger,1985 (Pieridae) Synonym(s): *kiellandi* Berger,1985
57783) *Mylothris kilimensis* Kielland 1990 (Pieridae) Synonym(s): *kilimensis* Kielland 1990
57784) *Mylothris kilimensis kilimensis* Kielland 1990 (Pieridae) Synonym(s): *kilimensis* Kielland 1990
57785) *Mylothris kilimensis rondonis* Kielland,1990 (Pieridae) Synonym(s): *rondonis* Kielland,1990
57786) *Mylothris kiwuensis* Grünberg,1910 (Pieridae) Synonym(s): *kiwuensis* Grünberg,1910; *flavicosta* Rebel,1914; *muanensis* Dufrene,1948
57787) *Mylothris kiwuensis katera* Berger,1979 (Pieridae) Synonym(s): *katera* Berger,1979
57788) *Mylothris kiwuensis kiwuensis* Grünberg,1910 (Pieridae) Synonym(s): *kiwuensis* Grünberg,1910; *flavicosta* Rebel,1914; *muanensis* Dufrene,1948
57789) *Mylothris kiwuensis marielouisae* Berger,1979 (Pieridae) Synonym(s): *marielouisae* Berger,1979
57790) *Mylothris leonora* Krüger,1928 (Pieridae) Synonym(s): *leonora* Krüger,1928; #*bondwa* Berger,1985
57791) *Mylothris leonora leonora* Krüger,1928 (Pieridae) Synonym(s): *leonora* Krüger,1928; #*bondwa* Berger,1985
57792) *Mylothris mafuga* Berger,1981 (Pieridae) Synonym(s): *mafuga* Berger,1981
57793) *Mylothris mafuga mafuga* Berger,1981 (Pieridae) Synonym(s): *mafuga* Berger,1981
57794) *Mylothris mavunda* Hancock & Heath,1985 (Pieridae) Synonym(s): *mavunda* Hancock & Heath,1985
57795) *Mylothris mavunda mavunda* Hancock & Heath,1985 (Pieridae) Synonym(s): *mavunda* Hancock & Heath,1985
57796) *Mylothris mortoni* Blachier,1912 (Pieridae) Synonym(s): *mortoni* Blachier,1912
57797) *Mylothris mortoni balkis* Ungemach,1932 (Pieridae) Synonym(s): *balkis* Ungemach,1932
57798) *Mylothris mortoni mortoni* Blachier,1912 (Pieridae) Synonym(s): *mortoni* Blachier,1912
57799) *Mylothris ngaziya* (Oberthür,1888) (Pieridae) Synonym(s): *ngaziya* Oberthür,1888; #*albunea* Talbot,1944
57800) *Mylothris ngaziya ngaziya* (Oberthür,1888) (Pieridae) Synonym(s): *ngaziya* Oberthür,1888; #*albunea* Talbot,1944
57801) *Mylothris nubila* (Möschler,1884) (Pieridae) Synonym(s): *nubila* Möschler,1884
57802) *Mylothris nubila canescens* Joicey & Talbot,1922 (Pieridae) Synonym(s): *canescens* Joicey & Talbot,1922; *pernaria* Hulstaert,1924; #*nivescens* Berger,1954
57803) *Mylothris nubila fontainei* Berger,1952 (Pieridae) Synonym(s): *fontainei* Berger,1952
57804) *Mylothris nubila nubila* (Möschler,1884) (Pieridae) Synonym(s): *nubila* Möschler,1884
57805) *Mylothris nubila somereni* Talbot,1946 (Pieridae) Synonym(s): *somereni* Talbot,1946
57806) *Mylothris ochracea* Aurivillius,1895 (Pieridae) Synonym(s): *ochracea* Aurivillius,1895
57807) *Mylothris ochracea ochracea* Aurivillius,1895 (Pieridae) Synonym(s): *ochracea* Aurivillius,1895
57808) *Mylothris ochrea* Berger,1981 (Pieridae) Synonym(s): *ochrea* Berger,1981
57809) *Mylothris ochrea ochrea* Berger,1981 (Pieridae) Synonym(s): *ochrea* Berger,1981
57810) *Mylothris phileris* (Boisduval,1833) (Pieridae) Synonym(s): *phileris* Boisduval,1833; *thinaga* Suffert,1904; *aurata* Oberthür,1923; #*flavescens* Oberthür,1923
57811) *Mylothris phileris phileris* (Boisduval,1833) (Pieridae) Synonym(s): *phileris* Boisduval,1833; *thinaga* Suffert,1904; *aurata* Oberthür,1923; #*flavescens* Oberthür,1923
57812) *Mylothris pluviata* Berger,1980 (Pieridae) Synonym(s): *pluviata* Talbot,1944; *pluviata* Berger,1980
57813) *Mylothris pluviata pluviata* Berger,1980 (Pieridae) Synonym(s): *pluviata* Talbot,1944; *pluviata* Berger,1980
57814) *Mylothris polychroma* Berger,1981 (Pieridae) Synonym(s): *polychroma* Berger,1981
57815) *Mylothris polychroma polychroma* Berger,1981 (Pieridae) Synonym(s): *polychroma* Berger,1981
57816) *Mylothris poppea* (Cramer,[1777]) (Pieridae) Synonym(s): *poppea* Cramer,[1777]; *dubia* Aurivillius,1907
57817) *Mylothris poppea poppea* (Cramer,[1777]) (Pieridae) Synonym(s): *poppea* Cramer,[1777]; *dubia* Aurivillius,1907
57818) *Mylothris rembina* (Plötz,1880) (Pieridae) Synonym(s): *rembina* Plötz,1880; *subfusa* Crowley,1890; *camerunica* Aurivillius,1891; #*infuscata* Bartel,1905; #*fusca* Bartel,1905; *aneria* Hulstaert,1924; #*arctata* Talbot,1944; #*semifusca* Talbot,1944
57819) *Mylothris rembina rembina* (Plötz,1880) (Pieridae) Synonym(s): *rembina* Plötz,1880; *subfusa* Crowley,1890; *camerunica* Aurivillius,1891; #*infuscata* Bartel,1905; #*fusca* Bartel,1905; *aneria* Hulstaert,1924; #*arctata* Talbot,1944; #*semifusca* Talbot,1944
57820) *Mylothris rhodope* (Fabricius,1775) (Pieridae) Synonym(s): *rhodope* Fabricius,1775; *eudoxia* Boisduval,1836; *jaopura* Karsch,1893; *beethoveni* Suffert,1904; *caspi* Suffert,1904; *fernandina* Schultze,1914; *semiflava* Schultze,1914; *semiflava* Schultze,1914

- 57821) *Mylothris rhodope rhodope* (Fabricius,1775) (Pieridae) Synonym(s): *rhodope* Fabricius,1775; *eudoxia* Boisduval,1836; *jaopura* Karsch,1893; *beethoveni* Suffert,1904; *caspi* Suffert,1904; *fermandina* Schultze,1914; *semiflava* Schultze,1914; *semiflava* Schultze,1914
- 57822) *Mylothris ruandana* Strand,1909 (Pieridae) Synonym(s): *ruandana* Strand,1909
- 57823) *Mylothris ruandana ruandana* Strand,1909 (Pieridae) Synonym(s): *ruandana* Strand,1909
- 57824) *Mylothris rubricosta* (Mabille,1890) (Pieridae) Synonym(s): *rubricosta* Mabille,1890; *mackenziana* Sharpe,1891; *berenicides* Holland,1896; *sulphureincta* Strand,1909; *attenuata* Talbot,1944; *#fuscescens* Talbot,1944; *#aethra* Stoneham,1957
- 57825) *Mylothris rubricosta pulchra* Berger,1981 (Pieridae) Synonym(s): *pulchra* Berger,1981
- 57826) *Mylothris rubricosta rubricosta* (Mabille,1890) (Pieridae) Synonym(s): *rubricosta* Mabille,1890; *mackenziana* Sharpe,1891; *berenicides* Holland,1896; *sulphureincta* Strand,1909; *attenuata* Talbot,1944; *#fuscescens* Talbot,1944; *#aethra* Stoneham,1957
- 57827) *Mylothris rueppellii* (Koch,1865) (Pieridae) Synonym(s): *rueppellii* Koch,1865; *#kaffana* Riley,1921
- 57828) *Mylothris rueppellii rueppellii* (Koch,1865) (Pieridae) Synonym(s): *haemus* Trimen,1879
- 57829) *Mylothris rueppellii josi* T.Larsen,1986 (Pieridae) Synonym(s): *josi* T.Larsen,1986
- 57830) *Mylothris rueppellii rhodesiana* Riley,1921 (Pieridae) Synonym(s): *rhodesiana* Riley,1921; *#pallidior* Hulstaert,1924
- 57831) *Mylothris rueppellii rueppellii* (Koch,1865) (Pieridae) Synonym(s): *rueppellii* Koch,1865; *#kaffana* Riley,1921
- 57832) *Mylothris rueppellii septentrionalis* Carpenter,1928 (Pieridae) Synonym(s): *septentrionalis* Carpenter,1928
- 57833) *Mylothris rueppellii tirikensis* Neave,1904 (Pieridae) Synonym(s): *tirikensis* Neave,1904; *#kikuyuensis* Bartel,1905; *#kenia* Riley,1921; *#aspilota* Hulstaert,1924
- 57834) *Mylothris sagala* Grose-Smith,1886 (Pieridae) Synonym(s): *sagala* Grose-Smith,1886; *narcissus* Butler,1888; *cephisus* Talbot,1946
- 57835) *Mylothris sagala albissima* Talbot,1944 (Pieridae) Synonym(s): *albissima* Talbot,1944
- 57836) *Mylothris sagala dentatus* Butler,1896 (Pieridae) Synonym(s): *dentatus* Butler,1896; *dulcis* Thureau,1903; *aequimargo* Thureau,1903
- 57837) *Mylothris sagala mahale* Kielland,1990 (Pieridae) Synonym(s): *mahale* Kielland,1990
- 57838) *Mylothris sagala mayenceae* Berger,1987 (Pieridae) Synonym(s): *mayenceae* Berger,1987
- 57839) *Mylothris sagala nagichota* Talbot,1944 (Pieridae) Synonym(s): *nagichota* Talbot,1944
- 57840) *Mylothris sagala oldeanensis* Kielland,1990 (Pieridae) Synonym(s): *oldeanensis* Kielland,1990
- 57841) *Mylothris sagala sagala* Grose-Smith,1886 (Pieridae) Synonym(s): *sagala* Grose-Smith,1886; *narcissus* Butler,1888; *cephisus* Talbot,1946
- 57842) *Mylothris sagala sagitta* Clifton,1980 (Pieridae) Synonym(s): *sagitta* Clifton,1980
- 57843) *Mylothris sagala seminigra* D'Abrera,1980 (Pieridae) Synonym(s): *#seminigra* Talbot,1944; *seminigra* D'Abrera,1980; *seminigra* Berger,1980
- 57844) *Mylothris sagala swaynei* Butler,1899 (Pieridae) Synonym(s): *swaynei* Butler,1899
- 57845) *Mylothris sagala umtaliana* D'Abrera,1980 (Pieridae) Synonym(s): *#umtaliana* Van Son,1949; *umtaliana* D'Abrera,1980
- 57846) *Mylothris schoutedeni* Berger,1952 (Pieridae) Synonym(s): *schoutedeni* Berger,1952
- 57847) *Mylothris schoutedeni schoutedeni* Berger,1952 (Pieridae) Synonym(s): *schoutedeni* Berger,1952
- 57848) *Mylothris schumanni* Suffert,1904 (Pieridae) Synonym(s): *schumanni* Suffert,1904
- 57849) *Mylothris schumanni schumanni* Suffert,1904 (Pieridae) Synonym(s): *schumanni* Suffert,1904
- 57850) *Mylothris schumanni uniformis* Talbot,1944 (Pieridae) Synonym(s): *uniformis* Talbot,1944
- 57851) *Mylothris schumanni zairensis* Berger,1981 (Pieridae) Synonym(s): *zairensis* Berger,1981; *#immaculata* Berger,1981
- 57852) *Mylothris similis* Lathy,1906 (Pieridae) Synonym(s): *similis* Lathy,1906
- 57853) *Mylothris similis dollmani* Riley,1921 (Pieridae) Synonym(s): *dollmani* Riley,1921; *#flavida* Riley,1921
- 57854) *Mylothris similis noel* Talbot,1944 (Pieridae) Synonym(s): *noel* Talbot,1944
- 57855) *Mylothris similis similis* Lathy,1906 (Pieridae) Synonym(s): *similis* Lathy,1906
- 57856) *Mylothris sjoestedti* Aurivillius,1895 (Pieridae) Synonym(s): *sjoestedti* Aurivillius,1895
- 57857) *Mylothris sjoestedti hecqi* Berger,1952 (Pieridae) Synonym(s): *hecqi* Berger,1952
- 57858) *Mylothris sjoestedti sjoestedti* Aurivillius,1895 (Pieridae) Synonym(s): *sjoestedti* Aurivillius,1895
- 57859) *Mylothris smithii* (Mabille,1879) (Pieridae) Synonym(s): *smithii* Mabille,1879
- 57860) *Mylothris smithii smithii* (Mabille,1879) (Pieridae) Synonym(s): *smithii* Mabille,1879
- 57861) *Mylothris spica* (Möschler,1884) (Pieridae) Synonym(s): *spica* Möschler,1884
- 57862) *Mylothris spica gabela* Berger,1979 (Pieridae) Synonym(s): *gabela* Berger,1979
- 57863) *Mylothris spica spica* (Möschler,1884) (Pieridae) Synonym(s): *spica* Möschler,1884
- 57864) *Mylothris splendens* Le Cerf,1927 (Pieridae) Synonym(s): *splendens* Le Cerf,1927; *audeoudi* Riley,1930
- 57865) *Mylothris splendens splendens* Le Cerf,1927 (Pieridae) Synonym(s): *splendens* Le Cerf,1927; *audeoudi* Riley,1930
- 57866) *Mylothris sulphurea* Aurivillius,1895 (Pieridae) Synonym(s): *sulphurea* Aurivillius,1895; *primulina* Butler,1897; *dimidiata* Aurivillius,1898; *solilucis* Schultze,1914; *aurantiaca* Rebel,1914
- 57867) *Mylothris sulphurea sulphurea* Aurivillius,1895 (Pieridae) Synonym(s): *sulphurea* Aurivillius,1895; *primulina* Butler,1897; *dimidiata* Aurivillius,1898; *solilucis* Schultze,1914; *aurantiaca* Rebel,1914
- 57868) *Mylothris superbus* Kielland,1985 (Pieridae) Synonym(s): *superbus* Kielland,1985
- 57869) *Mylothris superbus superbus* Kielland,1985 (Pieridae) Synonym(s): *superbus* Kielland,1985
- 57870) *Mylothris talboti* Berger,1980 (Pieridae) Synonym(s): *talboti* Berger,1980
- 57871) *Mylothris talboti talboti* Berger,1980 (Pieridae) Synonym(s): *talboti* Berger,1980
- 57872) *Mylothris trimenia* (Butler,1869) (Pieridae) Synonym(s): *trimenia* Butler,1869
- 57873) *Mylothris trimenia trimenia* (Butler,1869) (Pieridae) Synonym(s): *trimenia* Butler,1869
- 57874) *Mylothris yulei* Butler,1897 (Pieridae) Synonym(s): *yulei* Butler,1897; *sulphurascens* Berger,1954
- 57875) *Mylothris yulei amhara* Ungemach,1932 (Pieridae) Synonym(s): *amhara* Ungemach,1932
- 57876) *Mylothris yulei bansoana* Talbot,1944 (Pieridae) Synonym(s): *bansoana* Talbot,1944
- 57877) *Mylothris yulei latimargo* Joicey & Talbot,1921 (Pieridae) Synonym(s): *latimargo* Joicey & Talbot,1921
- 57878) *Mylothris yulei yulei* Butler,1897 (Pieridae) Synonym(s): *yulei* Butler,1897; *sulphurascens* Berger,1954
- 57879) *Nathalis iole* (Pieridae) Synonym(s):
- 57880) *Neophasia menapia* (C.Felder & R.Felder,1859) (Pieridae) Synonym(s): *menapia* C.Felder & R.Felder,1859
- 57881) *Neophasia terlootii* Behr,1869 (Pieridae) Synonym(s): *terlootii* Behr,1869
- 57882) *Nepheronia argia* (Fabricius,1775) (Pieridae) Synonym(s): *argia* Fabricius,1775; *cassiopea* Cramer,[1779]; *idotea* Boisduval,1836; *virescens* Suffert,1904; *castelaini* Schouteden,1912; *hollandi* Fox,1963.
- 57883) *Nepheronia argia argia* (Fabricius,1775) (Pieridae) Synonym(s): *argia* Fabricius,1775; *cassiopea* Cramer,[1779]; *idotea* Boisduval,1836; *virescens* Suffert,1904; *castelaini* Schouteden,1912; *hollandi* Fox,1963.
- 57884) *Nepheronia argia argolisia* (Stoneham,1957) (Pieridae) Synonym(s): *argolisia* Stoneham,1957
- 57885) *Nepheronia argia mhondana* (Suffert,1904) (Pieridae) Synonym(s): *mhondana* Suffert,1904; *giara* Suffert,1904; *usambara* Aurivillius,1907.
- 57886) *Nepheronia argia varia* (Trimen,1864) (Pieridae) Synonym(s): *varia* Trimen,1864; *aurora* Suffert,1904; *#oraria* Van Son,1949; *#hemicrocea* Van Son,1949.
- 57887) *Nepheronia buquetii* (Boisduval,1836) (Pieridae) Synonym(s): *buquetii* Boisduval,1836; *mossambicensis* Hopffer,1862; *arabica* Hopffer,1862; *capensis* Hopffer,1862; *zelinda* Ward,1873; *adam* Suffert,1904.
- 57888) *Nepheronia buquetii buehanani* (Rothschild,1921) (Pieridae) Synonym(s): *buehanani* Rothschild,1921
- 57889) *Nepheronia buquetii buquetii* (Boisduval,1836) (Pieridae) Synonym(s): *buquetii* Boisduval,1836; *mossambicensis* Hopffer,1862; *arabica* Hopffer,1862; *capensis* Hopffer,1862; *zelinda* Ward,1873; *adam* Suffert,1904.
- 57890) *Nepheronia buquetii pauliana* Bernardi,1958 (Pieridae) Synonym(s): *pauliana* Bernardi,1958
- 57891) *Nepheronia pharis* (Boisduval,1836) (Pieridae) Synonym(s): *pharis* Boisduval,1836; *chione* Doubleday,1844
- 57892) *Nepheronia pharis pharis* (Boisduval,1836) (Pieridae) Synonym(s): *pharis* Boisduval,1836; *chione* Doubleday,1844
- 57893) *Nepheronia pharis silvanus* (Stoneham,1957) (Pieridae) Synonym(s): *silvanus* Stoneham,1957
- 57894) *Nepheronia thalassina* (Boisduval,1836) (Pieridae) Synonym(s): *thalassina* Boisduval,1836
- 57895) *Nepheronia thalassina sinalata* (Suffert,1904) (Pieridae) Synonym(s): *sinalata* Suffert,1904
- 57896) *Nepheronia thalassina thalassina* (Boisduval,1836) (Pieridae) Synonym(s): *thalassina* Boisduval,1836
- 57897) *Nepheronia thalassina verulanus* (Ward,1871) (Pieridae) Synonym(s): *verulanus* Ward,1871; *#uniformata* Dufrene,1945.
- 57898) *Paramideia scolymus* (Butler,[1866]) (Pieridae) Synonym(s): *scolymus* Butler,[1866]; *#discalis* Bryk,1946.
- 57899) *Paramideia scolymus mandschurica* (Bollow,1930) (Pieridae) Synonym(s): *mandschurica* Bollow,1930

- 57900) *Paramidea scolymus scolymus* (Butler,[1866]) (Pieridae) Synonym(s): *scolymus* Butler,[1866]; *#discalis* Bryk,1946.
 57901) *Pareronia anais* (Lesson,1837) (Pieridae) Synonym(s): *anais* Lesson,1837; *#lutea* Eliot,1978
 57902) *Pareronia anais anais* (Lesson,1837) (Pieridae) Synonym(s): *anais* Lesson,1837; *#lutea* Eliot,1978
 57903) *Pareronia argolis* (Felder,1860) (Pieridae) Synonym(s): *argolis* Felder,1860
 57904) *Pareronia argolis argolina* Fruhstorfer,1910 (Pieridae) Synonym(s): *argolina* Fruhstorfer,1910
 57905) *Pareronia argolis argolis* (Felder,1860) (Pieridae) Synonym(s): *argolis* Felder,1860
 57906) *Pareronia avatar* Moore,1857 (Pieridae) Synonym(s): *avatar* Moore,1857
 57907) *Pareronia boebers Eschscholtz*,1821 (Pieridae) Synonym(s): *boebers Eschscholtz*,1821
 57908) *Pareronia boebers arsamota* Fruhstorfer,1910 (Pieridae) Synonym(s): *arsamota* Fruhstorfer,1910
 57909) *Pareronia boebers bazilana* Fruhstorfer,1900 (Pieridae) Synonym(s): *bazilana* Fruhstorfer,1900
 57910) *Pareronia boebers boebers Eschscholtz*,1821 (Pieridae) Synonym(s): *boebers Eschscholtz*,1821
 57911) *Pareronia boebers elaitia* Fruhstorfer,1910 (Pieridae) Synonym(s): *elaitia* Fruhstorfer,1910
 57912) *Pareronia boebers joloana* Fruhstorfer,1911 (Pieridae) Synonym(s): *joloana* Fruhstorfer,1911
 57913) *Pareronia boebers mutya* Treadaway & Nuyda,1994 (Pieridae) Synonym(s): *mutya* Treadaway & Nuyda,1994
 57914) *Pareronia boebers trinobantes* Fruhstorfer,1911 (Pieridae) Synonym(s): *trinobantes* Fruhstorfer,1911
 57915) *Pareronia ceylanica* C.Felder & R.Felder,1865 (Pieridae) Synonym(s): *ceylanica* C.Felder & R.Felder,1865
 57916) *Pareronia ceylanica ceylanica* C.Felder & R.Felder,1865 (Pieridae) Synonym(s): *ceylanica* C.Felder & R.Felder,1865
 57917) *Pareronia ceylanica naraka* Moore,1877 (Pieridae) Synonym(s): *naraka* Moore,1877
 57918) *Pareronia ceylanica pingasa* Moore,1872 (Pieridae) Synonym(s): *pingasa* Moore,1872
 57919) *Pareronia chinki* (Joicey & Noakes,1915) (Pieridae) Synonym(s): *chinki* Joicey & Noakes,1915
 57920) *Pareronia chinki chinki* (Joicey & Noakes,1915) (Pieridae) Synonym(s): *chinki* Joicey & Noakes,1915
 57921) *Pareronia jobaea* (Boisduval,1832) (Pieridae) Synonym(s): *jobaea* Boisduval,1832
 57922) *Pareronia jobaea aeboja* Fruhstorfer,1910 (Pieridae) Synonym(s): *aeboja* Fruhstorfer,1910
 57923) *Pareronia jobaea elsa* Fruhstorfer,1910 (Pieridae) Synonym(s): *elsa* Fruhstorfer,1910
 57924) *Pareronia jobaea jobaea* (Boisduval,1832) (Pieridae) Synonym(s): *jobaea* Boisduval,1832
 57925) *Pareronia jobaea luceria* Fruhstorfer,1910 (Pieridae) Synonym(s): *luceria* Fruhstorfer,1910
 57926) *Pareronia jobaea obiana* Fruhstorfer,1910 (Pieridae) Synonym(s): *obiana* Fruhstorfer,1910
 57927) *Pareronia nishiyamai* Yata,1981 (Pieridae) Synonym(s): *nishiyamai* Yata,1981
 57928) *Pareronia paravator* Bingham,1907 (Pieridae) Synonym(s): *paravator* Bingham,1907
 57929) *Pareronia phocaea* C.Felder & R.Felder,1861 (Pieridae) Synonym(s): *phocaea* C.Felder & R.Felder,1861
 57930) *Pareronia phocaea ariamena* Fruhstorfer,1910 (Pieridae) Synonym(s): *ariamena* Fruhstorfer,1910
 57931) *Pareronia phocaea phocaea* C.Felder & R.Felder,1861 (Pieridae) Synonym(s): *phocaea* C.Felder & R.Felder,1861
 57932) *Pareronia tritaea* C.Felder,1859 (Pieridae) Synonym(s): *tritaea* C.Felder,1859
 57933) *Pareronia tritaea bargylia* Fruhstorfer,1910 (Pieridae) Synonym(s): *bargylia* Fruhstorfer,1910
 57934) *Pareronia tritaea bilinearis* Fruhstorfer,1910 (Pieridae) Synonym(s): *bilinearis* Fruhstorfer,1910
 57935) *Pareronia tritaea hermocinia* Fruhstorfer,1910 (Pieridae) Synonym(s): *hermocinia* Fruhstorfer,1910
 57936) *Pareronia tritaea octaviae* Snellen (Pieridae) Synonym(s): *octaviae* Snellen
 57937) *Pareronia tritaea tritaea* C.Felder,1859 (Pieridae) Synonym(s): *tritaea* C.Felder,1859
 57938) *Pareronia valeria* (Cramer,[1776]) (Pieridae) Synonym(s): *valeria* Cramer,[1776]
 57939) *Pareronia valeria baweanica* Fruhstorfer,1910 (Pieridae) Synonym(s): *baweanica* Fruhstorfer,1910
 57940) *Pareronia valeria calliparga* Fruhstorfer,1910 (Pieridae) Synonym(s): *calliparga* Fruhstorfer,1910
 57941) *Pareronia valeria gulussa* Fruhstorfer,1910 (Pieridae) Synonym(s): *gulussa* Fruhstorfer,1910
 57942) *Pareronia valeria hippia* (Fabricius) (Pieridae) Synonym(s): *hippia* Fabricius
 57943) *Pareronia valeria kangeana* Fruhstorfer,1903 (Pieridae) Synonym(s): *kangeana* Fruhstorfer,1903
 57944) *Pareronia valeria lutescens* (Butler,1879) (Pieridae) Synonym(s): *lutescens* Butler,1879
 57945) *Pareronia valeria niasica* Fruhstorfer,1900 (Pieridae) Synonym(s): *niasica* Fruhstorfer,1900
 57946) *Pareronia valeria palawana* Fruhstorfer,1900 (Pieridae) Synonym(s): *palawana* Fruhstorfer,1900
 57947) *Pareronia valeria persides* Fruhstorfer,1910 (Pieridae) Synonym(s): *persides* Fruhstorfer,1910
 57948) *Pareronia valeria sumbawana* Fruhstorfer,1900 (Pieridae) Synonym(s): *sumbawana* Fruhstorfer,1900
 57949) *Pareronia valeria sundana* Fruhstorfer,1897 (Pieridae) Synonym(s): *sundana* Fruhstorfer,1897
 57950) *Pareronia valeria tryphena* Fruhstorfer,1900 (Pieridae) Synonym(s): *tryphena* Fruhstorfer,1900
 57951) *Pareronia valeria valeria* (Cramer,[1776]) (Pieridae) Synonym(s): *valeria* Cramer,[1776]
 57952) *Pareronia valeria valeriana* Schröder & Treadaway,1991 (Pieridae) Synonym(s): *valeriana* Schröder & Treadaway,1991
 57953) *Patia cordillera* (C.Felder & R.Felder,1862) (Pieridae) Synonym(s): *cordillera* C.Felder & R.Felder,1862
 57954) *Patia cordillera cordillera* (C.Felder & R.Felder,1862) (Pieridae) Synonym(s): *cordillera* C.Felder & R.Felder,1862
 57955) *Patia cordillera larunda* (Hewitson,1869) (Pieridae) Synonym(s): *larunda* Hewitson,1869
 57956) *Patia cordillera soroma* (Butler,1872) (Pieridae) Synonym(s): *soroma* Butler,1872; *myris* Godman & Salvin,1889
 57957) *Patia cordillera thecla* (Bargmann,1929) (Pieridae) Synonym(s): *herica* Bargmann,1929; *thecla* Bargmann,1929
 57958) *Patia orise* (Boisduval,1836) (Pieridae) Synonym(s): *orise* Boisduval,1836
 57959) *Patia orise denigrata* (Rosenberg & Talbot,1914) (Pieridae) Synonym(s): *denigrata* Rosenberg & Talbot,1914; *interposita* Talbot,1929
 57960) *Patia orise orise* (Boisduval,1836) (Pieridae) Synonym(s): *orise* Boisduval,1836
 57961) *Patia rhetes* (Hewitson,[1857]) (Pieridae) Synonym(s): *rhetes* Hewitson,[1857]; *hewitsonii* W.F.Kirby,1881
 57962) *Patia rhetes rhetes* (Hewitson,[1857]) (Pieridae) Synonym(s): *rhetes* Hewitson,[1857]; *hewitsonii* W.F.Kirby,1881
 57963) *Phoebis agarithe* (Boisduval,1836) (Pieridae) Synonym(s): *agarithe* Boisduval,1836; *#albarithe* F.M.Brown,1929
 57964) *Phoebis agarithe agarithe* (Boisduval,1836) (Pieridae) Synonym(s): *agarithe* Boisduval,1836; *#albarithe* F.M.Brown,1929
 57965) *Phoebis agarithe antillia* F.M.Brown,1929 (Pieridae) Synonym(s): *antillia* F.M.Brown,1929
 57966) *Phoebis agarithe fischeri* (H.Edwards,1883) (Pieridae) Synonym(s): *fischeri* H.Edwards,1883
 57967) *Phoebis agarithe maxima* (Neumoegen,1891) (Pieridae) Synonym(s): *maxima* Neumoegen,1891; *floridensis* Röber,1909 nec Neum.,1891
 57968) *Phoebis agarithe pupillata* Dillon,1947 (Pieridae) Synonym(s): *pupillata* Dillon,1947
 57969) *Phoebis agarithe tumbesiana* Lamas,1981 (Pieridae) Synonym(s): *tumbesiana* Lamas,1981
 57970) *Phoebis argante* (Fabricius,1775) (Pieridae) Synonym(s): *argante* Fabricius,1775; *cipris* Cramer,1777; *volcanica* Perry,1811; *cypris* Hübner,[1819]; *cnidia* Godart,1819; *aurantia* Larranaga,1923
 57971) *Phoebis argante argante* (Fabricius,1775) (Pieridae) Synonym(s): *argante* Fabricius,1775; *cipris* Cramer,1777; *volcanica* Perry,1811; *cypris* Hübner,[1819]; *cnidia* Godart,1819; *aurantia* Larranaga,1923
 57972) *Phoebis argante chinchia* Lamas,1976 (Pieridae) Synonym(s): *chinchia* Lamas,1976
 57973) *Phoebis argante comstocki* Avinoff,1944 (Pieridae) Synonym(s): *comstocki* Avinoff,1944
 57974) *Phoebis argante larra* (Fabricius,1798) (Pieridae) Synonym(s): *hersilia* Cramer,1777 nec Fabr.,1777; *larra* Fabricius,1798; *xanthe* Sepp,[1847] nec [Denis & Schiff],1775
 57975) *Phoebis argante martini* W.P.Comstock,1944 (Pieridae) Synonym(s): *martini* W.P.Comstock,1944
 57976) *Phoebis argante minuscula* (Butler,1869) (Pieridae) Synonym(s): *minuscula* Butler,1869; *forax* Butler,1871
 57977) *Phoebis argante rotata* (Butler,1869) (Pieridae) Synonym(s): *rotata* Butler,1869; *#adela* F.M.Brown,1929
 57978) *Phoebis argante ssp.n.* (Pieridae) Synonym(s):
 57979) *Phoebis avellaneda* (Herrich-Schäffer,1865) (Pieridae) Synonym(s): *avellaneda* Herrich-Schäffer,1865; *solstitia* Butler,1869; *salvatori* Calzadilla,1973
 57980) *Phoebis bourkei* (Dixey,1933) (Pieridae) Synonym(s): *bourkei* Dixey,1933; *tatei* F.M.Brown,1933
 57981) *Phoebis neocryptis* (Hübner,[1823]) (Pieridae) Synonym(s): *cipris* Fabricius,1793 nec Cr.,1777; *neocryptis* Hübner,[1823]; *bracteolata* Butler,1865; *irrigata* Bulter,1870
 57982) *Phoebis neocryptis neocryptis* (Hübner,[1823]) (Pieridae) Synonym(s): *cipris* Fabricius,1793 nec Cr.,1777; *neocryptis* Hübner,[1823]; *bracteolata* Butler,1865; *irrigata* Butler,1870
 57983) *Phoebis neocryptis rurina* (C.Felder & R.Felder,1861) (Pieridae) Synonym(s): *rurina* C.Felder & R.Felder,1861
 57984) *Phoebis neocryptis virgo* (Butler,1870) (Pieridae) Synonym(s): *virgo* Butler,1870

- 57985) *Phoebis neocypris* (Pieridae) Synonym(s):
 57986) *Phoebis orbis* (Pieridae) Synonym(s):
 57987) *Phoebis philea* (Linnaeus,1763) (Pieridae) Synonym(s): *philea* Linnaeus,1763
 57988) *Phoebis philea huebneri* Fruhstorfer,1907 (Pieridae) Synonym(s): *thalestris* Hübner,[1823] nec Ill.,1801; *huebneri* Fruhstorfer,1907
 57989) *Phoebis philea philea* (Linnaeus,1763) (Pieridae) Synonym(s): *philea* Linnaeus,1763
 57990) *Phoebis philea thalestris* (Illiger,1801) (Pieridae) Synonym(s): *thalestris* Illiger,1801
 57991) *Phoebis sennae* (Linnaeus,1758) (Pieridae) Synonym(s): *sennae* Linnaeus,1758; *ebulae* Linnaeus,1767; *drya* Fabricius,1775; *pallida* Cockerell,1889
 57992) *Phoebis sennae amphitrite* (Feisthamel,1839) (Pieridae) Synonym(s): *amphitrite* Feisthamel,1839
 57993) *Phoebis sennae marcellina* (Cramer,1777) (Pieridae) Synonym(s): *marcellina* Cramer,1777; *hyperici* Sepp,[1832]; *rhadia* Boisduval,1836; *yamana* Reakirt,1863; *schausi* Oberthür,1912
 57994) *Phoebis sennae sennae* (Linnaeus,1758) (Pieridae) Synonym(s): *sennae* Linnaeus,1758; *ebulae* Linnaeus,1767; *drya* Fabricius,1775; *pallida* Cockerell,1889
 57995) *Phoebis statira* (Pieridae) Synonym(s):
 57996) *Piercolias coropunae* (Dyar,1913) (Pieridae) Synonym(s): *coropunae* Dyar,1913
 57997) *Piercolias forsteri* Field & Herrera,1977 (Pieridae) Synonym(s): *forsteri* Field & Herrera,1977
 57998) *Piercolias huanaco* (Staudinger,1894) (Pieridae) Synonym(s): *huanaco* Staudinger,1894
 57999) *Pieris* (Artogeia) *ajaka* Moore,1865 (Pieridae) Synonym(s): *ajaka* Moore,1865
 58000) *Pieris* (Artogeia) *ajaka* *ajaka* Moore,1865 (Pieridae) Synonym(s): *ajaka* Moore,1865
 58001) *Pieris* (Artogeia) *angelika* Eitschberger,1981 (Pieridae) Synonym(s): *angelika* Eitschberger,1981
 58002) *Pieris* (Artogeia) *banghaasi* *Sheljuzhko*,1910 (Pieridae) Synonym(s): *#narina* Verity,1908 [infrasubspecific name]; *banghaasi* *Sheljuzhko*,1910
 58003) *Pieris* (Artogeia) *banghaasi* *banghaasi* *Sheljuzhko*,1910 (Pieridae) Synonym(s): *#narina* Verity,1908 [infrasubspecific name]; *banghaasi* *Sheljuzhko*,1910
 58004) *Pieris* (Artogeia) *banghaasi* *kirgizskana* (Korb,2001) (Pieridae) Synonym(s): *kirgizskana* Korb,2001
 58005) *Pieris* (Artogeia) *bowdeni* Eitschberger,[1984] (Pieridae) Synonym(s): *bowdeni* Eitschberger,[1984]
 58006) *Pieris* (Artogeia) *bowdeni* *bowdeni* Eitschberger,1984 (Pieridae) Synonym(s): *bowdeni* Eitschberger,[1984]
 58007) *Pieris* (Artogeia) *bryoniae* (Hübner,[1804]) (Pieridae) Synonym(s): *bryoniae* Hübner,[1804]; *neobryoniae* Miller,1933; *wolfsbergeri* Eitschberger,[1984]; *debroisi* Eitschberger,[1984] (cf. *Leraut*,1997).
 58008) *Pieris* (Artogeia) *bryoniae* *bryoniae* (Hübner,[1804]) (Pieridae) Synonym(s): *bryoniae* Hübner,[1804]; *neobryoniae* Miller,1933; *wolfsbergeri* Eitschberger,[1984]; *debroisi* Eitschberger,[1984] (cf. *Leraut*,1997).
 58009) *Pieris* (Artogeia) *bryoniae* *debroisi* Eitschberger,1986 (Pieridae) Synonym(s): *debroisi* Eitschberger,1986
 58010) *Pieris* (Artogeia) *bryoniae* *goergneri* Eitschberger,1986 (Pieridae) Synonym(s): *goergneri* Eitschberger,1986
 58011) *Pieris* (Artogeia) *bryoniae* *heptapotamica* Krulikowsky,1904 (Pieridae) Synonym(s): *heptapotamica* Krulikowsky,1904; *bryonides* *Sheljuzhko*,1910
 58012) *Pieris* (Artogeia) *bryoniae* *lappona* Rangnow,1935 (Pieridae) Synonym(s): *lappona* Rangnow,1935; *bicolorata* Petersen,1947.
 58013) *Pieris* (Artogeia) *bryoniae* *sheljuzhkoi* Eitschberger,1984 (Pieridae) Synonym(s): *sheljuzhkoi* Eitschberger,1984
 58014) *Pieris* (Artogeia) *bryoniae* *turcica* Eitschberger & Hesselbarth,1977 (Pieridae) Synonym(s): *turcica* Eitschberger & Hesselbarth,1977
 58015) *Pieris* (Artogeia) *canidia* (Sparrman,1768) (Pieridae) Synonym(s): *canidia* Sparrman,1768
 58016) *Pieris* (Artogeia) *canidia* *canidia* (Sparrman,1768) (Pieridae) Synonym(s): *canidia* Sparrman,1768
 58017) *Pieris* (Artogeia) *canidia* *indica* Evans,1926 (Pieridae) Synonym(s): *indica* Evans,1926
 58018) *Pieris* (Artogeia) *canidia* *kaolicola* Bryk,1946 (Pieridae) Synonym(s): *kaolicola* Bryk,1946
 58019) *Pieris* (Artogeia) *canidia* *palaeartica* Staudinger,1886 (Pieridae) Synonym(s): *palaeartica* Staudinger,1886
 58020) *Pieris* (Artogeia) *dubernardi* Oberthür,1884 (Pieridae) Synonym(s): *dubernardi* Oberthür,1884
 58021) *Pieris* (Artogeia) *dubernardi* *chumbiensis* (De Nicéville,1897) (Pieridae) Synonym(s): *chumbiensis* De Nicéville,1897
 58022) *Pieris* (Artogeia) *dubernardi* *dubernardi* Oberthür,1884 (Pieridae) Synonym(s): *dubernardi* Oberthür,1884
 58023) *Pieris* (Artogeia) *dubernardi* *koslovi* (Alpheraky,1897) (Pieridae) Synonym(s): *koslovi* Alpheraky,1897
 58024) *Pieris* (Artogeia) *dulcinea* Butler,1882 (Pieridae) Synonym(s): *dulcinea* Butler,1882; *sichotensis* Kurentzov,1941; *sulphurea* *Sheljuzhko*,1961.
 58025) *Pieris* (Artogeia) *dulcinea* *dulcinea* Butler,1882 (Pieridae) Synonym(s): *dulcinea* Butler,1882; *sichotensis* Kurentzov,1941; *sulphurea* *Sheljuzhko*,1961.
 58026) *Pieris* (Artogeia) *dulcinea* *pseudonapi* Verity,1911 (Pieridae) Synonym(s): *pseudonapi* Verity,1911
 58027) *Pieris* (Artogeia) *dulcinea* *saghalensis* Nakahara,1926 (Pieridae) Synonym(s): *saghalensis* Nakahara,1926
 58028) *Pieris* (Artogeia) *ergane* (Geyer,[1828]) (Pieridae) Synonym(s): *ergane* Geyer,[1828]; *narcaea* Freyer,[1828].
 58029) *Pieris* (Artogeia) *ergane* *detersa* Verity,[1908] (Pieridae) Synonym(s): *detersa* Verity,[1908]; *elbursina* Bytinski-Salz & Brandt,1937
 58030) *Pieris* (Artogeia) *ergane* *ergane* (Geyer,[1828]) (Pieridae) Synonym(s): *ergane* Geyer,[1828]; *narcaea* Freyer,[1828].
 58031) *Pieris* (Artogeia) *ergane* *gallia* Mezger,1932 (Pieridae) Synonym(s): *gallia* Mezger,1932
 58032) *Pieris* (Artogeia) *ergane* *lucieni* Dujardin,1951 (Pieridae) Synonym(s): *lucieni* Dujardin,1951; *carmelae* Domenech & Torres,1979.
 58033) *Pieris* (Artogeia) *euorientis* Verity,[1908] (Pieridae) Synonym(s): *euorientis* Verity,[1908]
 58034) *Pieris* (Artogeia) *euorientis* *euorientis* Verity,[1908] (Pieridae) Synonym(s): *euorientis* Verity,[1908]
 58035) *Pieris* (Artogeia) *krueperi* Staudinger,1860 (Pieridae) Synonym(s): *krueperi* Staudinger,1860
 58036) *Pieris* (Artogeia) *krueperi* *krueperi* Staudinger,1860 (Pieridae) Synonym(s): *krueperi* Staudinger,1860; *syra* Verity,[1911].
 58037) *Pieris* (Artogeia) *krueperi* *prisca* Staudinger,1886 (Pieridae) Synonym(s): *prisca* Staudinger,1886
 58038) *Pieris* (Artogeia) *leucosoma* Schawerda,1905 (Pieridae) Synonym(s): *leucosoma* Schawerda,1905; *#vaga* Schawerda,1905
 58039) *Pieris* (Artogeia) *leucosoma* *aybars* Kemal & Koçak,2007 (Pieridae) Synonym(s): *aybars* Kemal & Koçak,2007
 58040) *Pieris* (Artogeia) *leucosoma* *leucosoma* Schawerda,1905 (Pieridae) Synonym(s): *leucosoma* Schawerda,1905; *#vaga* Schawerda,1905
 58041) *Pieris* (Artogeia) *mahometana* Groum-Grshimailo,1888 (Pieridae) Synonym(s): *mahometana* Groum-Grshimailo,1888
 58042) *Pieris* (Artogeia) *mahometana* *mahometana* Groum-Grshimailo,1888 (Pieridae) Synonym(s): *mahometana* Groum-Grshimailo,1888
 58043) *Pieris* (Artogeia) *mannii* (Mayer,1851) (Pieridae) Synonym(s): *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973.
 58044) *Pieris* (Artogeia) *mannii* *alpigena* Verity,1911 (Pieridae) Synonym(s): *alpigena* Verity,1911
 58045) *Pieris* (Artogeia) *mannii* *andegava* Delahaye,1910 (Pieridae) Synonym(s): *andegava* Delahaye,1910
 58046) *Pieris* (Artogeia) *mannii* *haroldi* Wyatt,1952 (Pieridae) Synonym(s): *haroldi* Wyatt,1952
 58047) *Pieris* (Artogeia) *mannii* *hethaea* Pfeiffer,1931 (Pieridae) Synonym(s): *hethaea* Pfeiffer,1931
 58048) *Pieris* (Artogeia) *mannii* *mannii* (Mayer,1851) (Pieridae) Synonym(s): *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973.
 58049) *Pieris* (Artogeia) *mannii* *reskovitsi* Gozmany,1968 (Pieridae) Synonym(s): *reskovitsi* Gozmany,1968
 58050) *Pieris* (Artogeia) *mannii* *roberti* Eitschberger & Steiniger,1973 (Pieridae) Synonym(s): *roberti* Eitschberger & Steiniger,1973
 58051) *Pieris* (Artogeia) *mannii* *rossii* Stefanelli,1900 (Pieridae) Synonym(s): *rossii* Stefanelli,1900
 58052) *Pieris* (Artogeia) *mannii* *todaroana* Pincitore-Marott,1879 (Pieridae) Synonym(s): *todaroana* Pincitore-Marott,1879
 58053) *Pieris* (Artogeia) *marginalis* Scudder,1861 (Pieridae) Synonym(s): *marginalis* Scudder,1861; *pallida* Scudder,1861
 58054) *Pieris* (Artogeia) *marginalis* *browni* Eitschberger,[1984] (Pieridae) Synonym(s): *browni* Eitschberger,[1984]
 58055) *Pieris* (Artogeia) *marginalis* *guppyi* Eitschberger,[1984] (Pieridae) Synonym(s): *guppyi* Eitschberger,[1984]
 58056) *Pieris* (Artogeia) *marginalis* *hulda* Edwards,1869 (Pieridae) Synonym(s): *hulda* Edwards,1869
 58057) *Pieris* (Artogeia) *marginalis* *macdunnoughi* Remington,1954 (Pieridae) Synonym(s): *pseudonapi* Barnes & McDunnough,1916 nec Vrt.,1911; *macdunnoughi* Remington,1954
 58058) *Pieris* (Artogeia) *marginalis* *marginalis* Scudder,1861 (Pieridae) Synonym(s): *marginalis* Scudder,1861; *pallida* Scudder,1861
 58059) *Pieris* (Artogeia) *marginalis* *meckya* Eitschberger,[1984] (Pieridae) Synonym(s): *meckya* Eitschberger,[1984]
 58060) *Pieris* (Artogeia) *marginalis* *mogollon* Burdick,1942 (Pieridae) Synonym(s): *mogollon* Burdick,1942
 58061) *Pieris* (Artogeia) *marginalis* *pallidissima* Barnes & McDunnough,1916 (Pieridae) Synonym(s): *pallidissima* Barnes & McDunnough,1916
 58062) *Pieris* (Artogeia) *marginalis* *reicheli* Eitschberger,[1984] (Pieridae) Synonym(s): *reicheli* Eitschberger,[1984]
 58063) *Pieris* (Artogeia) *marginalis* *shapiro* Eitschberger,[1984] (Pieridae) Synonym(s): *shapiro* Eitschberger,[1984]
 58064) *Pieris* (Artogeia) *marginalis* *tremblayi* Eitschberger,[1984] (Pieridae) Synonym(s): *tremblayi* Eitschberger,[1984]
 58065) *Pieris* (Artogeia) *melaina* Röber,1907 (Pieridae) Synonym(s): *melaina* Röber,1907; *montanus* Verity,1908
 58066) *Pieris* (Artogeia) *melaina* *melaina* Röber,1907 (Pieridae) Synonym(s): *melaina* Röber,1907; *montanus* Verity,1908

- 58067) **Pieris (Artogeia) melete Ménéttriés,1857** (Pieridae) Synonym(s): *melete Ménéttriés,1857*
- 58068) **Pieris (Artogeia) melete chaohsienica Bryk,1946** (Pieridae) Synonym(s): *chaohsienica Bryk,1946*
- 58069) **Pieris (Artogeia) melete melete Ménéttriés,1857** (Pieridae) Synonym(s): *melete Ménéttriés,1857*
- 58070) **Pieris (Artogeia) melete orientis Oberthür,1880** (Pieridae) Synonym(s): *orientis Oberthür,1880; erutae Poujade,1880; transiens Verity,1908; amuri Sheljuzhko,1960.*
- 58071) **Pieris (Artogeia) napi (Linnaeus,1758)** (Pieridae) Synonym(s): *napi Linn.,1758; napaeae Esper,[1804]; dubiosa Röber,1907; napoleon Eitschb.,1990*
- 58072) **Pieris (Artogeia) napi atlantis Oberthür,1925** (Pieridae) Synonym(s): *atlantis Oberthür,1925*
- 58073) **Pieris (Artogeia) napi meridionalis Heyne,[1895]** (Pieridae) Synonym(s): *meridionalis Heyne,[1895]*
- 58074) **Pieris (Artogeia) napi muchei Eitschberger,[1984]** (Pieridae) Synonym(s): *muchei Eitschberger,[1984]*
- 58075) **Pieris (Artogeia) napi napi (Linnaeus,1758)** (Pieridae) Synonym(s): *napi Linn.,1758; napaeae Esper,[1804]; dubiosa Röber,1907; napoleon Eitschb.,1990*
- 58076) **Pieris (Artogeia) napi napoleon Eitschberger,1989** (Pieridae) Synonym(s): *napoleon Eitschberger,1989*
- 58077) **Pieris (Artogeia) napi oleracea Harris,1929** (Pieridae) Synonym(s): *oleracea Harris,1929*
- 58078) **Pieris (Artogeia) napi orientis Oberthür,1880** (Pieridae) Synonym(s): *orientis Oberthür,1880*
- 58079) **Pieris (Artogeia) napi septentrionalis Verity,1916** (Pieridae) Synonym(s): *septentrionalis Verity,1916.*
- 58080) **Pieris (Artogeia) napi sifanica Groum-Grshimailo,1895** (Pieridae) Synonym(s): *sifanica Groum-Grshimailo,1895*
- 58081) **Pieris (Artogeia) nesis Fruhstorfer,1909** (Pieridae) Synonym(s): *nesis Fruhstorfer,1909*
- 58082) **Pieris (Artogeia) nesis nesis Fruhstorfer,1909** (Pieridae) Synonym(s): *nesis Fruhstorfer,1909*
- 58083) **Pieris (Artogeia) ochsenheimeri Staudinger,1886** (Pieridae) Synonym(s): *ochsenheimeri Staudinger,1886*
- 58084) **Pieris (Artogeia) ochsenheimeri ochsenheimeri Staudinger,1886** (Pieridae) Synonym(s): *ochsenheimeri Staudinger,1886*
- 58085) **Pieris (Artogeia) persis Verity,1922** (Pieridae) Synonym(s): *persis Verity,1922; higginsii Bowden,1961.*
- 58086) **Pieris (Artogeia) persis persis Verity,1922** (Pieridae) Synonym(s): *persis Verity,1922; higginsii Bowden,1961.*
- 58087) **Pieris (Artogeia) pseudorapae Verity,1908** (Pieridae) Synonym(s): *pseudorapae Verity,1908*
- 58088) **Pieris (Artogeia) pseudorapae balcana Lorkovic,1968** (Pieridae) Synonym(s): *#canidiaformis Drenowsky,1910; balcana Lorkovic,1968; canidiaformis Higgins & Riley,1973 (cf. Kudrna,1977: 63-64).*
- 58089) **Pieris (Artogeia) pseudorapae mazandarana Eitschberger,1986** (Pieridae) Synonym(s): *mazandarana Eitschberger,1986*
- 58090) **Pieris (Artogeia) pseudorapae pseudorapae Verity,1908** (Pieridae) Synonym(s): *pseudorapae Verity,1908*
- 58091) **Pieris (Artogeia) pseudorapae suffusa Sheljuzhko,1931** (Pieridae) Synonym(s): *suffusa Sheljuzhko,1931*
- 58092) **Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) Synonym(s): *rapae Linnaeus,1758; nelo Bergsträßer,1780; metra Stephens,1827; alpica Rossi,1929.*
- 58093) **Pieris (Artogeia) rapae crucivora Boisduval,1836** (Pieridae) Synonym(s): *crucivora Boisduval,1836*
- 58094) **Pieris (Artogeia) rapae debilis Alpheraky,1889** (Pieridae) Synonym(s): *debilis Alpheraky,1889; similis Krulikowsky,1890*
- 58095) **Pieris (Artogeia) rapae mauritanica Verity,1908** (Pieridae) Synonym(s): *mauritanica Verity,1908*
- 58096) **Pieris (Artogeia) rapae meleager Hemming,1934** (Pieridae) Synonym(s): *iranica Le Cerf,1913 nec Bien.,1870; meleager Hemming,1934*
- 58097) **Pieris (Artogeia) rapae orientalis Oberthür,1880** (Pieridae) Synonym(s): *orientalis Oberthür,1880; mandschurica Speyer,1882*
- 58098) **Pieris (Artogeia) rapae rapae (Linnaeus,1758)** (Pieridae) Synonym(s): *rapae Linnaeus,1758; nelo Bergsträßer,1780; metra Stephens,1827; alpica Rossi,1929; pulvereae Verity,[1911].*
- 58099) **Pieris (Artogeia) rapae transcaucasica Stauder,1925** (Pieridae) Synonym(s): *transcaucasica Stauder,1925*
- 58100) **Pieris (Artogeia) segonzaci Le Cerf,1923** (Pieridae) Synonym(s): *segonzaci Le Cerf,1923; #deflava Le Cerf,1923*
- 58101) **Pieris (Artogeia) segonzaci segonzaci Le Cerf,1923** (Pieridae) Synonym(s): *segonzaci Le Cerf,1923; #deflava Le Cerf,1923*
- 58102) **Pieris (Artogeia) tadjika Groum-Grshimailo,1888** (Pieridae) Synonym(s): *tadjika Groum-Grshimailo,1888*
- 58103) **Pieris (Artogeia) tadjika tadjika Groum-Grshimailo,1888** (Pieridae) Synonym(s): *tadjika Groum-Grshimailo,1888*
- 58104) **Pieris (Artogeia) tomariana Matsumura,1928** (Pieridae) Synonym(s): *tomariana Matsumura,1928; kurilica Bryk,1942.*
- 58105) **Pieris (Artogeia) virginienensis Edwards,1870** (Pieridae) Synonym(s): *virginienensis Edwards,1870*
- 58106) **Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae Linnaeus,1758; chariclea Stephens,1827; #venata Verity,1908; cyniphia Turati,1924.*
- 58107) **Pieris (s.str.) brassicae brassicae (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae Linnaeus,1758; chariclea Stephens,1827;#venata Verity,1908; cyniphia Turati,1924.*
- 58108) **Pieris (s.str.) brassicae nepalensis Doubleday,1846** (Pieridae) Synonym(s): *nepalensis Doubleday,1846; nepalense Moore,1882.*
- 58109) **Pieris (s.str.) brassicae ottonis Röber,1907** (Pieridae) Synonym(s): *brassicoides Staudinger,1901 nec Guér.-Méneville,1849; ottonis Röber,1907; scientalis Kocak,1998*
- 58110) **Pieris (s.str.) brassicae sikkimensis** (Pieridae) Synonym(s):
- 58111) **Pieris (s.str.) brassicoides Guérin-Méneville,1849** (Pieridae) Synonym(s): *brassicoides Guérin-Méneville,1849; #hodsoni Carpenter,1935; #ragazzii Storce,1956; bogalei Rougeot,1980*
- 58112) **Pieris (s.str.) brassicoides brassicoides Guérin-Méneville,1849** (Pieridae) Synonym(s): *brassicoides Guérin-Méneville,1849; #hodsoni Carpenter,1935; #ragazzii Storce,1956; bogalei Rougeot,1980*
- 58113) **Pieris (s.str.) brassicoides marghanita Hemming,1941** (Pieridae) Synonym(s): *meridionalis Joicey & Talbot,1922 nec Heyn.,[1895]; marghanita Hemming,1941*
- 58114) **Pieris (s.str.) cheiranthi (Hübner,[1808])** (Pieridae) Synonym(s): *cheiranthi Hübner,[1808]*
- 58115) **Pieris (s.str.) cheiranthi azorensis Rebel,1917** (Pieridae) Synonym(s): *azorensis Rebel,1917*
- 58116) **Pieris (s.str.) cheiranthi cheiranthi (Hübner,[1808])** (Pieridae) Synonym(s): *cheiranthi Hübner,[1808]*
- 58117) **Pieris (s.str.) cheiranthi wollastoni Butler,1886** (Pieridae) Synonym(s): *wollastoni Butler,1886*
- 58118) **Pieris (s.str.) deota (De Nicéville,1884)** (Pieridae) Synonym(s): *deota De Nicéville,1884; roborowskii Alpheraky,1887*
- 58119) **Pieris (s.str.) deota deota (De Nicéville,1884)** (Pieridae) Synonym(s): *deota De Nicéville,1884; roborowskii Alpheraky,1887*
- 58120) **Pieris (s.str.) eitschbergeri Lukhtanov,1996** (Pieridae) Synonym(s): *eitschbergeri Lukhtanov,1996*
- 58121) **Pieris (s.str.) eitschbergeri eitschbergeri Lukhtanov,1996** (Pieridae) Synonym(s): *eitschbergeri Lukhtanov,1996*
- 58122) **Pinacopteryx eriphia (Godart,[1819])** (Pieridae) Synonym(s): *eriphia Godart,[1819]; nyassae Lang,1896*
- 58123) **Pinacopteryx eriphia eriphia (Godart,[1819])** (Pieridae) Synonym(s): *eriphia Godart,[1819]; nyassae Lang,1896*
- 58124) **Pinacopteryx eriphia mabillei (Aurivillius,[1898])** (Pieridae) Synonym(s): *mabillei Aurivillius,[1898]*
- 58125) **Pinacopteryx eriphia melanarge (Butler,1886)** (Pieridae) Synonym(s): *melanarge Butler,1886; iterata Butler,1888*
- 58126) **Pinacopteryx eriphia tritogenia (Klug,1829)** (Pieridae) Synonym(s): *tritogenia Klug,1829; lacteipennis Butler,1876; straminea Aurivillius,1904*
- 58127) **Pinacopteryx eriphia wittei Berger,1940** (Pieridae) Synonym(s): *wittei Berger,1940*
- 58128) **Pontia beckerii (Edwards,1871)** (Pieridae) Synonym(s): *beckerii Edwards,1871*
- 58129) **Pontia callidice (Hübner,[1800])** (Pieridae) Synonym(s): *callidice Hübner,[1800]; callidice Esper,[1803].*
- 58130) **Pontia callidice amaryllis Hemming,1933** (Pieridae) Synonym(s): *orientalis Alpheraky,1881 nec Obth.,1880; amaryllis Hemming,1933.*
- 58131) **Pontia callidice amdensis (Verity,[1911])** (Pieridae) Synonym(s): *amdensis Verity,[1911]*
- 58132) **Pontia callidice callidice (Hübner,[1800])** (Pieridae) Synonym(s): *callidice Hübner,[1800]; callidice Esper,[1803].*
- 58133) **Pontia callidice chrysidice (Herrich-Schäffer,[1844])** (Pieridae) Synonym(s): *chrysidice Herrich-Schäffer,[1844]*
- 58134) **Pontia callidice duplati Bernardi,1965** (Pieridae) Synonym(s): *duplati Bernardi,1965*
- 58135) **Pontia callidice hazara (Wyatt,1961)** (Pieridae) Synonym(s): *hazara Wyatt,1961*
- 58136) **Pontia callidice kalora (Moore,1865)** (Pieridae) Synonym(s): *kalora Moore,1865*
- 58137) **Pontia callidice libanotica Bernardi,1965** (Pieridae) Synonym(s): *libanotica Bernardi,1965*
- 58138) **Pontia chloridice (Hübner,[1813])** (Pieridae) Synonym(s): *russiae Esper,[1784] nec russiae Esper,[1783]; chloridice Hübner,[1813]; #aestuosa Staudinger,1901; albidice Staudinger,1901 nec Oberthür,1881.*
- 58139) **Pontia chloridice chloridice (Hübner,[1813])** (Pieridae) Synonym(s): *russiae Esper,[1784] nec russiae Esper,[1783]; chloridice Hübner,[1813]; #aestuosa Staudinger,1901; albidice Staudinger,1901 nec Oberthür,1881.*
- 58140) **Pontia daplidice (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice Linnaeus,1758; belemida Geyer,[1832]; albidice Oberthür,1881; iberidice Bryk,1940.*
- 58141) **Pontia daplidice aethiops (Joannis & Verity,1912)** (Pieridae) Synonym(s): *aethiops Joannis & Verity,1912*
- 58142) **Pontia daplidice daplidice (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice Linnaeus,1758; belemida Geyer,[1832]; albidice Oberthür,1881; iberidice Bryk,1940.*

- 58143) *Pontia daplidice iberidice* Bryk,1940 (Pieridae) Synonym(s): *iberidice* Bryk,1940
 58144) *Pontia daplidice moorei* (Röber,1907) (Pieridae) Synonym(s): *moorei* Röber,1907
 58145) *Pontia distorta* (Butler,1886) (Pieridae) Synonym(s): *distorta* Butler,1886
 58146) *Pontia distorta distorta* (Butler,1886) (Pieridae) Synonym(s): *distorta* Butler,1886
 58147) *Pontia edusa* (Fabricius,1777) (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908].
 58148) *Pontia edusa edusa* (Fabricius,1777) (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1870; *#nitida* Verity,[1908].
 58149) *Pontia glauconome* Klug,1829 (Pieridae) Synonym(s): *glauconome* Klug,1829
 58150) *Pontia glauconome glauconome* Klug,1829 (Pieridae) Synonym(s): *glauconome* Klug,1829
 58151) *Pontia glauconome iranica* (Bienert,1870) (Pieridae) Synonym(s): *iranica* Bienert,1870; *vipasa* Moore,1872
 58152) *Pontia helice* (Linnaeus,1764) (Pieridae) Synonym(s): *helice* Linnaeus,1764; *hellice* Linnaeus,1767; *raphani* Esper,[1783]
 58153) *Pontia helice helice* (Linnaeus,1764) (Pieridae) Synonym(s): *helice* Linnaeus,1764; *hellice* Linnaeus,1767; *raphani* Esper,[1783]
 58154) *Pontia helice johnstonii* (Crowley,1887) (Pieridae) Synonym(s): *johnstonii* Crowley,1887
 58155) *Pontia occidentalis* (Reakirt,1866) (Pieridae) Synonym(s): *occidentalis* Reakirt,1866
 58156) *Pontia protodice* (Boisduval & Leconte,1829) (Pieridae) Synonym(s): *protodice* Boisduval & Leconte,1829
 58157) *Pontia sherpae* Epstein,1979 (Pieridae) Synonym(s): *sherpae* Epstein,1979
 58158) *Pontia sherpae sherpae* Epstein,1979 (Pieridae) Synonym(s): *sherpae* Epstein,1979
 58159) *Pontia sisymbrii* (Boisduval,1852) (Pieridae) Synonym(s): *sisymbrii* Boisduval,1852
 58160) *Prestonia clarki* Schaus,1920 (Pieridae) Synonym(s): *clarki* Schaus,1920; *#semimaculata* Maza,1975
 58161) *Prioneris philonome* (Boisduval,1836) (Pieridae) Synonym(s): *philonome* Boisduval,1836
 58162) *Prioneris philonome clemathe* (Doubleday,1846) (Pieridae) Synonym(s): *clemathe* Doubleday,1846
 58163) *Prioneris philonome philonome* (Boisduval,1836) (Pieridae) Synonym(s): *philonome* Boisduval,1836
 58164) *Prioneris thestylis* (Doubleday,1842) (Pieridae) Synonym(s): *thestylis* Doubleday,1842; *seta* Moore,1857; *watsoni* Hewitson,1868; *jugurtha* Fruhstorfer,1910.
 58165) *Prioneris thestylis thestylis* (Doubleday,1842) (Pieridae) Synonym(s): *thestylis* Doubleday,1842; *seta* Moore,1857; *watsoni* Hewitson,1868; *jugurtha* Fruhstorfer,1910.
 58166) *Pseudopieris nehemia* (Boisduval,1836) (Pieridae) Synonym(s): *nehemia* Boisduval,1836; *cydno* Doubleday,1842
 58167) *Pseudopieris nehemia aequatorialis* (C.Felder & R.Felder,1861) (Pieridae) Synonym(s): *aequatorialis* C.Felder & R.Felder,1861; *penia* Hoppfer,1874
 58168) *Pseudopieris nehemia francisca* Lamas,1979 (Pieridae) Synonym(s): *francisca* Lamas,1979
 58169) *Pseudopieris nehemia irma* Lamas,1979 (Pieridae) Synonym(s): *irma* Lamas,1979
 58170) *Pseudopieris nehemia limbalis* Röber,1924 (Pieridae) Synonym(s): *limbalis* Röber,1924
 58171) *Pseudopieris nehemia luisa* Lamas,1979 (Pieridae) Synonym(s): *luisa* Lamas,1979
 58172) *Pseudopieris nehemia melania* Lamas,1985 (Pieridae) Synonym(s): *melania* Lamas,1985
 58173) *Pseudopieris nehemia nehemia* (Boisduval,1836) (Pieridae) Synonym(s): *nehemia* Boisduval,1836; *cydno* Doubleday,1842
 58174) *Pseudopieris nehemia prasina* Hayward,1949 (Pieridae) Synonym(s): *prasina* Hayward,1949
 58175) *Pseudopieris nehemia ssp.n.* (Pieridae) Synonym(s):
 58176) *Pseudopieris nehemia ssp.n.* (Pieridae) Synonym(s):
 58177) *Pseudopieris nehemia ssp.n.* (Pieridae) Synonym(s):
 58178) *Pseudopieris viridula* (C.Felder & R.Felder,1861) (Pieridae) Synonym(s): *viridula* C.Felder & R.Felder,1861
 58179) *Pseudopieris viridula mimaripa* De Marmels, Clavijo & Chacin,2003 (Pieridae) Synonym(s): *mimaripa* De Marmels, Clavijo & Chacin,2003
 58180) *Pseudopieris viridula ssp.n.* (Pieridae) Synonym(s):
 58181) *Pseudopieris viridula ssp.n.* (Pieridae) Synonym(s):
 58182) *Pseudopieris viridula viridula* (C.Felder & R.Felder,1861) (Pieridae) Synonym(s): *viridula* C.Felder & R.Felder,1861
 58183) *Pseudopontia paradoxa* (C.Felder & R.Felder,1869) (Pieridae) Synonym(s): *paradoxa* C.Felder & R.Felder,1869; *calabarica* Plötz,1870.
 58184) *Pseudopontia paradoxa australis* Dixey,1923 (Pieridae) Synonym(s): *australis* Dixey,1923; *#siccana* Pinhey,1962.
 58185) *Pseudopontia paradoxa paradoxa* (C.Felder & R.Felder,1869) (Pieridae) Synonym(s): *paradoxa* C.Felder & R.Felder,1869; *calabarica* Plötz,1870.
 58186) *Pyrisitia chamberlaini* (Butler,1898) (Pieridae) Synonym(s): *chamberlaini* Butler,1898; *banksi* Clench,1942
 58187) *Pyrisitia chamberlaini chamberlaini* (Butler,1898) (Pieridae) Synonym(s): *chamberlaini* Butler,1898; *banksi* Clench,1942
 58188) *Pyrisitia chamberlaini clenchi* (L.D.Miller & Simon & Harvey,1992) (Pieridae) Synonym(s): *clenchi* L.D.Miller & Simon & Harvey,1992
 58189) *Pyrisitia chamberlaini inaguanae* (Munroe,1950) (Pieridae) Synonym(s): *inaguanae* Munroe,1950
 58190) *Pyrisitia chamberlaini mariguanae* (M.Bates,1934) (Pieridae) Synonym(s): *mariguanae* M.Bates,1934
 58191) *Pyrisitia dina* (Poey,1832) (Pieridae) Synonym(s): *dina* Poey,1832; *citrina* Poey,[1852]
 58192) *Pyrisitia dina dina* (Poey,1832) (Pieridae) Synonym(s): *dina* Poey,1832; *citrina* Poey,[1852]
 58193) *Pyrisitia dina helios* (M.Bates,1934) (Pieridae) Synonym(s): *helios* M.Bates,1934
 58194) *Pyrisitia dina mayobanex* (M.Bates,1939) (Pieridae) Synonym(s): *mayobanex* M.Bates,1939
 58195) *Pyrisitia dina parvumbra* (Kaye,1925) (Pieridae) Synonym(s): *parvumbra* Kaye,1925
 58196) *Pyrisitia dina westwoodi* (Boisduval,1836) (Pieridae) Synonym(s): *westwoodi* Boisduval,1836; *calceolaria* Butler & Druce,1872
 58197) *Pyrisitia euterpiiformis* (Munroe,1947) (Pieridae) Synonym(s): *euterpiiformis* Munroe,1947
 58198) *Pyrisitia leuce* (Boisduval,1836) (Pieridae) Synonym(s): *leuce* Boisduval,1836; *sanguinea* Laranaga,1923; *riograndensis* D'Almeida,1934
 58199) *Pyrisitia leuce antillarum* (A.Hall,1936) (Pieridae) Synonym(s): *antillarum* A.Hall,1936; *sanjuanensis* F.E.Watson,1938
 58200) *Pyrisitia leuce athalia* C.Felder & R.Felder,1865 (Pieridae) Synonym(s): *athalia* C.Felder & R.Felder,1865; *diodina* Butler,1865; *pseudoleuce* D'Almeida,1934
 58201) *Pyrisitia leuce circumcincta* (H.W.Bates,1861) (Pieridae) Synonym(s): *circumcincta* H.W.Bates,1861
 58202) *Pyrisitia leuce flavilla* (H.W.Bates,1861) (Pieridae) Synonym(s): *flavilla* H.W.Bates,1861; *hahneli* Staudinger,1884
 58203) *Pyrisitia leuce leuce* (Boisduval,1836) (Pieridae) Synonym(s): *leuce* Boisduval,1836; *sanguinea* Laranaga,1923; *riograndensis* D'Almeida,1934
 58204) *Pyrisitia leuce memulus* (Butler,1871) (Pieridae) Synonym(s): *memulus* Butler,1871
 58205) *Pyrisitia lisa* (Boisduval & Le Conte,[1830]) (Pieridae) Synonym(s): *lisa* Boisduval & Le Conte,[1830]; *#alba* Strecker,1878; *clappi* Maynard,1891; *#immaculata* Whittaker & Stallings,1944
 58206) *Pyrisitia lisa centralis* (Herrich-Schäffer,1865) (Pieridae) Synonym(s): *centralis* Herrich-Schäffer,1865
 58207) *Pyrisitia lisa euterpe* (Ménétrières,1832) (Pieridae) Synonym(s): *euterpe* Ménétrières,1832; *stygula* Boisduval,1836; *sulphurina* Poey,[1852]; *pauperata* D'Almeida,1934
 58208) *Pyrisitia lisa lisa* (Boisduval & Le Conte,[1830]) (Pieridae) Synonym(s): *lisa* Boisduval & Le Conte,[1830]; *#alba* Strecker,1878; *clappi* Maynard,1891; *#immaculata* Whittaker & Stallings,1944
 58209) *Pyrisitia messalina* (Fabricius,1787) (Pieridae) Synonym(s): *messalina* Fabricius,1787; *bulaea* Boisduval,1836; *gnathene* Boisduval,1836; *iradia* Poey,[1852]; *blakei* Maynard,1891
 58210) *Pyrisitia nise* (Cramer,1775) (Pieridae) Synonym(s): *nise* Cramer,1775; *neda* Godart,1819
 58211) *Pyrisitia nise floscula* (A.G.Weeks,1901) (Pieridae) Synonym(s): *floscula* A.G.Weeks,1901; *frieda* Baumann & Reissinger,1969
 58212) *Pyrisitia nise laeae* (Herrich-Schäffer,1862) (Pieridae) Synonym(s): *laeae* Herrich-Schäffer,1862; *#ricardi* Torre & Alayo,1953
 58213) *Pyrisitia nise nelphe* (R.Felder,1869) (Pieridae) Synonym(s): *nelphe* R.Felder,1869; *venustula* Staudinger,1876; *linda* W.H.Edwards,1884
 58214) *Pyrisitia nise nise* (Cramer,1775) (Pieridae) Synonym(s): *nise* Cramer,1775; *neda* Godart,1819
 58215) *Pyrisitia nise ssp.n.* (Pieridae) Synonym(s):
 58216) *Pyrisitia nise stygma* (Boisduval,1836) (Pieridae) Synonym(s): *stygma* Boisduval,1836; *sulla* Weymer,1890; *porteri* D'Almeida,1930; *joannisi* Dufrene,1947
 58217) *Pyrisitia nise tenella* (Boisduval,1836) (Pieridae) Synonym(s): *tenella* Boisduval,1836; *nisella* C.Felder,1862; *perimede* Prittwitz,1865; *lepidula* D'Almeida,1921
 58218) *Pyrisitia portoricensis* (Dewitz,1877) (Pieridae) Synonym(s): *portoricensis* Dewitz,1877; *tenera* Avinoff,1926
 58219) *Pyrisitia proterpia* (Fabricius,1775) (Pieridae) Synonym(s): *proterpia* Fabricius,1775; *gundlachia* Poey,[1853]; *longicauda* H.W.Bates,1864; *watsonia* Kloos,1923; *morleyi* Coxey,1932
 58220) *Pyrisitia pyro* (Godart,1819) (Pieridae) Synonym(s): *pyro* Godart,1819; *hyona* Ménétrières,1832
 58221) *Pyrisitia venusta* (Boisduval,1836) (Pieridae) Synonym(s): *venusta* Boisduval,1836; *limbia* C.Felder & R.Felder,1861; *diosa* Möschler,1883

- 58222) *Pyrisitia venusta aequatorialis* (C.Felder & R.Felder,1861) (Pieridae) Synonym(s): *aequatorialis* C.Felder & R.Felder,1861
 58223) *Pyrisitia venusta emanona* (Dillon,1947) (Pieridae) Synonym(s): *emanona* Dillon,1947
 58224) *Pyrisitia venusta venusta* (Boisduval,1836) (Pieridae) Synonym(s): *venusta* Boisduval,1836; *limbia* C.Felder & R.Felder,1861; *diosa* Möschler,1883
 58225) *Rhabdodryas trite* (Linnaeus,1758) (Pieridae) Synonym(s): *trite* Linnaeus,1758; *#tralba* F.M.Brown,1929
 58226) *Rhabdodryas trite banksi* (Breyer,1939) (Pieridae) Synonym(s): *banksi* Breyer,1939; *chryseida* J.Zikan,1940; *#ismene* J.Zikan,1940
 58227) *Rhabdodryas trite* ssp.n. (Pieridae) Synonym(s):
 58228) *Rhabdodryas trite trite* (Linnaeus,1758) (Pieridae) Synonym(s): *trite* Linnaeus,1758; *#tralba* F.M.Brown,1929
 58229) *Rhabdodryas trite watsoni* (F.M.Brown,1929) (Pieridae) Synonym(s): *watsoni* F.M.Brown,1929
 58230) *Saetara cyclinna* (Hewitson,1868) (Pieridae) Synonym(s): *cyclinna* Hewitson,1868
 58231) *Saetara cyclinna chryselectra* Fruhstorfer,1910 (Pieridae) Synonym(s): *chryselectra* Fruhstorfer,1910
 58232) *Saetara cyclinna cyclinna* (Hewitson,1868) (Pieridae) Synonym(s): *cyclinna* Hewitson,1868
 58233) *Saetara giscon* Grose-Smith,1895 (Pieridae) Synonym(s): *giscon* Grose-Smith,1895
 58234) *Saetara liberia* (Cramer,1779) (Pieridae) Synonym(s): *liberia* Cramer,1779
 58235) *Saetara liberia chrysoberylla* Fruhstorfer,1910 (Pieridae) Synonym(s): *chrysoberylla* Fruhstorfer,1910
 58236) *Saetara liberia distant* Butler,1898 (Pieridae) Synonym(s): *distant* Butler,1898
 58237) *Saetara liberia liberia* (Cramer,1779) (Pieridae) Synonym(s): *liberia* Cramer,1779
 58238) *Saetara liberia obina* Fruhstorfer,1904 (Pieridae) Synonym(s): *obina* Fruhstorfer,1904
 58239) *Saetara panda* (Godart,[1819]) (Pieridae) Synonym(s): *panda* Godart,[1819]
 58240) *Saetara panda distant* Butler,1898 (Pieridae) Synonym(s): *distant* Butler,1898
 58241) *Saetara panda erebina* Fruhstorfer,1900 (Pieridae) Synonym(s): *erebina* Fruhstorfer,1900
 58242) *Saetara panda hostilia* Fruhstorfer,1910 (Pieridae) Synonym(s): *hostilia* Fruhstorfer,1910
 58243) *Saetara panda martia* Fruhstorfer,1910 (Pieridae) Synonym(s): *martia* Fruhstorfer,1910
 58244) *Saetara panda nargosa* Fruhstorfer,1913 (Pieridae) Synonym(s): *nargosa* Fruhstorfer,1913
 58245) *Saetara panda nathalia* C.Felder & R.Felder,1862 (Pieridae) Synonym(s): *nathalia* C.Felder & R.Felder,1862
 58246) *Zegris eupheme* (Esper,[1804]) (Pieridae) Synonym(s): *eupheme* Esper,[1804]; *erithoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851].
 58247) *Zegris eupheme dyla* Peile,1921 (Pieridae) Synonym(s): *dyla* Peile,1921
 58248) *Zegris eupheme eupheme* (Esper,[1804]) (Pieridae) Synonym(s): *eupheme* Esper,[1804]; *erithoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851].
 58249) *Zegris eupheme larseni* Pittaway,1985 (Pieridae) Synonym(s): *larseni* Pittaway,1985
 58250) *Zegris eupheme marocana* Bernardi,1950 (Pieridae) Synonym(s): *marocana* Bernardi,1950
 58251) *Zegris eupheme menestho* (Ménétriés,1832) (Pieridae) Synonym(s): *menestho* Ménétriés,1832; *harandi* Back, Karbalaye, Leestmans, Hofmann,2005
 58252) *Zegris eupheme meridionalis* (Lederer,1852) (Pieridae) Synonym(s): *meridionalis* Lederer,1852
 58253) *Zegris eupheme sulphurea* O.Bang-Haas,1927 (Pieridae) Synonym(s): *sulphurea* O.Bang-Haas,1927
 58254) *Zegris eupheme tigris* Riley,1921 (Pieridae) Synonym(s): *tigris* Riley,1921
 58255) *Zegris eupheme uarda* Hemming,1929 (Pieridae) Synonym(s): *uarda* Hemming,1929
 58256) *Zegris fausti Christoph*,1877 (Pieridae) Synonym(s): *fausti* Christoph,1877; *#decolorata* Verity,1908.
 58257) *Zegris fausti fausti* Christoph,1877 (Pieridae) Synonym(s): *fausti* Christoph,1877; *#decolorata* Verity,1908.
 58258) *Zegris fausti lucullus* Wyatt,1961 (Pieridae) Synonym(s): *lucullus* Wyatt,1961
 58259) *Zerene cesonia* (Stoll,1790) (Pieridae) Synonym(s): *cesonia* Stoll,1790; *philippa* Fabricius,1793; *rosa* M'Neill,1899; *rosea* Röber,1909; *centralamericana* Röber,1909; *deserticola* Salazar,2002
 58260) *Zerene cesonia cesonia* (Stoll,1790) (Pieridae) Synonym(s): *cesonia* Stoll,1790; *philippa* Fabricius,1793; *rosa* M'Neill,1899; *rosea* Röber,1909; *centralamericana* Röber,1909; *deserticola* Salazar,2002
 58261) *Zerene cesonia cynops* (Butler,1873) (Pieridae) Synonym(s): *cynops* Butler,1873
 58262) *Zerene cesonia inca* (Tessmann,1928) (Pieridae) Synonym(s): *inca* Tessmann,1928
 58263) *Zerene cesonia limonella* Lamas,1981 (Pieridae) Synonym(s): *limonella* Lamas,1981
 58264) *Zerene cesonia therapis* (C.Felder & R.Felder,1861) (Pieridae) Synonym(s): *therapis* C.Felder & R.Felder,1861; *cerbera* C.Felder & R.Felder,1861
 58265) *Zerene eurydice* (Boisduval,1855) (Pieridae) Synonym(s): *eurydice* Boisduval,1855; *lorquini* Boisduval,1855; *wosnesenskii* Ménétriés,1855; *helenia* Reakirt,1863; *amorphae* H.Edwards,[1877]; *bernardino* W.H.Edwards,1887
 58266) *Prodidactis mystica* (Meyrick,1918) (Prodidactidae) Synonym(s): *mystica* Meyrick,1918
 58267) *Lampronia aeneella* (Heinemann,1870) (Prodoxidae) Synonym(s): *aeneella* Heinemann,1870
 58268) *Lampronia aeripennella* (Rebel,1889) (Prodoxidae) Synonym(s): *aeripennella* Rebel,1889
 58269) *Lampronia altaica* Zagulajev,1992 (Prodoxidae) Synonym(s): *altaica* Zagulajev,1992
 58270) *Lampronia argillella* (Zeller,1851) (Prodoxidae) Synonym(s): *argillella* Zeller,1851
 58271) *Lampronia capitella* (Clerck,1759) (Prodoxidae) Synonym(s): *capitella* Clerck,1759
 58272) *Lampronia corticella* (Linnaeus,1758) (Prodoxidae) Synonym(s): *corticella* Linnaeus,1758; *rubiella* Bjerkander,1781.
 58273) *Lampronia flavimitrella* (Hübner,[1817]) (Prodoxidae) Synonym(s): *flavimitrella* Hübner,[1817]
 58274) *Lampronia fuscata* (Tengström,1848) (Prodoxidae) Synonym(s): *fuscata* Tengström,1848
 58275) *Lampronia intermediella* (Heinemann,1870) (Prodoxidae) Synonym(s): *intermediella* Heinemann,1870
 58276) *Lampronia koernerella* (Zeller,1839) (Prodoxidae) Synonym(s): *koernerella* Zeller,1839; *albicostella* Duponchel,[1845]
 58277) *Lampronia luzella* (Hübner,[1817]) (Prodoxidae) Synonym(s): *luzella* Hübner,[1817]
 58278) *Lampronia morosa* Zeller,1852 (Prodoxidae) Synonym(s): *morosa* Zeller,1852
 58279) *Lampronia novempunctata* Nielsen,1982 (Prodoxidae) Synonym(s): *novempunctata* Nielsen,1982
 58280) *Lampronia provectella* (Heyden,1865) (Prodoxidae) Synonym(s): *provectella* Heyden,1865
 58281) *Lampronia psychidella* (Millière,1854) (Prodoxidae) Synonym(s): *psychidella* Millière,1854
 58282) *Lampronia pubicornis* (Haworth,1828) (Prodoxidae) Synonym(s): *pubicornis* Haworth,1828
 58283) *Lampronia quinquepunctata* Nielsen,1982 (Prodoxidae) Synonym(s): *quinquepunctata* Nielsen,1982
 58284) *Lampronia redimitella* (Lienig & Zeller,1846) (Prodoxidae) Synonym(s): *redimitella* Lienig & Zeller,1846
 58285) *Lampronia rupella* ([Denis & Schiffermüller],1775) (Prodoxidae) Synonym(s): *rupella* [Denis & Schiffermüller],1775
 58286) *Lampronia splendella* (Heinemann,1870) (Prodoxidae) Synonym(s): *splendella* Heinemann,1870
 58287) *Lampronia standfussiella* Zeller,1852 (Prodoxidae) Synonym(s): *standfussiella* Zeller,1852
 58288) *Lampronia stangei* Rebel,1903 (Prodoxidae) Synonym(s): *stangei* Rebel,1903
 58289) *Vespina slovaciella* Zagulajev & Tokár,1990 (Prodoxidae) Synonym(s): *slovaciella* Zagulajev & Tokár,1990
 58290) *Prototheora biserrata* Davis,1996 (Prototheoridae) Synonym(s): *biserrata* Davis,1996
 58291) *Prototheora cooperi* Janse,1942 (Prototheoridae) Synonym(s): *cooperi* Janse,1942
 58292) *Prototheora corvifera* (Meyrick,1920) (Prototheoridae) Synonym(s): *corvifera* Meyrick,1920
 58293) *Prototheora drackensbergae* Davis,1996 (Prototheoridae) Synonym(s): *drackensbergae* Davis,1996
 58294) *Prototheora geniculata* Davis,1996 (Prototheoridae) Synonym(s): *geniculata* Davis,1996
 58295) *Prototheora merga* Davis,1996 (Prototheoridae) Synonym(s): *merga* Davis,1996
 58296) *Prototheora monoglossa* Meyrick,1924 (Prototheoridae) Synonym(s): *monoglossa* Meyrick,1924
 58297) *Prototheora parachlora* (Meyrick,1919) (Prototheoridae) Synonym(s): *parachlora* Meyrick,1919
 58298) *Prototheora petrosema* Meyrick,1917 (Prototheoridae) Synonym(s): *petrosema* Meyrick,1917
 58299) *Prototheora petrosema* Meyrick,1917 (Prototheoridae) Synonym(s): *petrosema* Meyrick,1917
 58300) *Prototheora quadricornis* Meyrick,1920 (Prototheoridae) Synonym(s): *quadricornis* Meyrick,1920
 58301) *Prototheora serruligera* Meyrick,1920 (Prototheoridae) Synonym(s): *serruligera* Meyrick,1920
 58302) *Acanthoecia larminati* (Heylaerts,1904) (Psychidae) Synonym(s): *larminati* Heylaerts,1904; *#laminati* Robinson et al.,1994
 58303) *Acanthopsyche atra* (Linnaeus,1767) (Psychidae) Synonym(s): *atra* Linnaeus,1767; *stigmatella* Zetterstedt,1839; *opacella* Herrich-Schäffer,1846.
 58304) *Acanthopsyche bipars* (Walker,1865) (Psychidae) Synonym(s): *bipars* Walker,1865
 58305) *Acanthopsyche bipars weyersi* (Heylaerts,1885) (Psychidae) Synonym(s): *weyersi* Heylaerts,1885
 58306) *Acanthopsyche cabrerai* (Rebel,1894) (Psychidae) Synonym(s): *cabrerai* Rebel,1894
 58307) *Acanthopsyche cabrerai palmensis* Van Regteren Altena,1949 (Psychidae) Synonym(s): *palmensis* Van Regteren Altena,1949
 58308) *Acanthopsyche desertella* Kozhantshikov,1956 (Psychidae) Synonym(s): *desertella* Kozhantshikov,1956

- 58309) *Acanthopsyche ecksteini* (Lederer, 1855) (Psychidae) Synonym(s): *ecksteini* Lederer, 1855; *erksteiniella* Bruand, 1858.
- 58310) *Acanthopsyche hamptoni* (Bethune-Baker, 1894) (Psychidae) Synonym(s): *hamptoni* Bethune-Baker, 1894
- 58311) *Acanthopsyche incana* Kozhantschikov, 1956 (Psychidae) Synonym(s): *incana* Kozhantschikov, 1956
- 58312) *Acanthopsyche meridionalis* C.G.Krüger, 1939 (Psychidae) Synonym(s): *meridionalis* C.G.Krüger, 1939
- 58313) *Acanthopsyche minima* Hampson, 1900 (Psychidae) Synonym(s): *minima* Hampson, 1900
- 58314) *Acanthopsyche muralis* Hättenschwiler, 2004 (Psychidae) Synonym(s): *muralis* Hättenschwiler, 2004
- 58315) *Acanthopsyche siederi* Szöcs, 1961 (Psychidae) Synonym(s): *siederi* Szöcs, 1961
- 58316) *Acanthopsyche uralensis* (Freyer, 1852) (Psychidae) Synonym(s): *uralensis* Freyer, 1852
- 58317) *Acanthopsyche uralensis demissa* (Lederer, 1863) (Psychidae) Synonym(s): *demissa* Lederer, 1863
- 58318) *Acanthopsyche zelleri* (Mann, 1855) (Psychidae) Synonym(s): *zelleri* Mann, 1855
- 58319) *Acanthopsyche zernyi* Bourgogne, 1954 (Psychidae) Synonym(s): *zernyi* Bourgogne, 1954
- 58320) *Acentra subvestalis* (Wehrli, 1933) (Psychidae) Synonym(s): *subvestalis* Wehrli, 1933
- 58321) *Acentra vestalis* (Staudinger, 1871) (Psychidae) Synonym(s): *vestalis* Staudinger, 1871
- 58322) *Amatissa albitarsia* Hampson, 1910 (Psychidae) Synonym(s): *albitarsia* Hampson, 1910
- 58323) *Amicta cabrerai* (Rebel, 1894) (Psychidae) Synonym(s): *cabrerai* Rebel, 1894
- 58324) *Amicta caliginosa* C.G.Krüger, 1939 (Psychidae) Synonym(s): *caliginosa* C.G.Krüger, 1939
- 58325) *Amicta jordana* (Staudinger, 1899) (Psychidae) Synonym(s): *jordana* Staudinger, 1899
- 58326) *Amicta mauretana* (Rothschild, 1913) (Psychidae) Synonym(s): *mauretana* Rothschild, 1913
- 58327) *Amicta mauretana mauretana* (Rothschild, 1913) (Psychidae) Synonym(s): *mauretana* Rothschild, 1913
- 58328) *Amicta murina* (Klug, 1832) (Psychidae) Synonym(s): *murina* Klug, 1832
- 58329) *Amicta murina falkneri* Koçak, 1980 (Psychidae) Synonym(s): *albescens* Staudinger, 1900 nec Obth., 1883; *falkneri* Koçak, 1980
- 58330) *Amicta murina murina* (Klug, 1832) (Psychidae) Synonym(s): *murina* Klug, 1832
- 58331) *Amicta quadrangularis* (Christoph, 1873) (Psychidae) Synonym(s): *quadrangularis* Christoph, 1873; *nigrescens* Staudinger, 1899
- 58332) *Apterona crenulella* (Bruand, 1853) (Psychidae) Synonym(s): *crenulella* Bruand, 1853
- 58333) *Apterona gracilis* (Speyer, 1886) (Psychidae) Synonym(s): *gracilis* Speyer, 1886
- 58334) *Apterona helicella* (Herrich-Schäffer, 1846) (Psychidae) Synonym(s): *helicella* Herrich-Schäffer, 1846
- 58335) *Apterona helicoidella* (Vallot, 1827) (Psychidae) Synonym(s): *helicoidella* Vallot, 1827; *resedella* Vallot, 1843; *helix* Siebold, [1851].
- 58336) *Apterona nylanderii* (Wehrli, 1927) (Psychidae) Synonym(s): *nylanderii* Wehrli, 1927
- 58337) *Apterona orientalis* Kozhantschikov, 1956 (Psychidae) Synonym(s): *orientalis* Kozhantschikov, 1956
- 58338) *Apterona pusilla* (Speyer, 1886) (Psychidae) Synonym(s): *pusilla* Speyer, 1886
- 58339) *Apterona stauderi* Wehrli, 1923 (Psychidae) Synonym(s): *stauderi* Wehrli, 1923
- 58340) *Auchmophila kordofensis* Rebel, 1907 (Psychidae) Synonym(s): *kordofensis* Rebel, 1907
- 58341) *Bacotia claustralla* (Bruand, 1845) (Psychidae) Synonym(s): *claustralla* Bruand, 1845
- 58342) *Bambalina consorta* (Templeton, 1847) (Psychidae) Synonym(s): *consorta* Templeton, 1847
- 58343) *Banksia conspurcatella* (Zeller, 1850) (Psychidae) Synonym(s): *conspurcatella* Zeller, 1850
- 58344) *Banksia defoliella* (Constant, 1895) (Psychidae) Synonym(s): *defoliella* Constant, 1895
- 58345) *Banksia douglasii* (Stainton, 1854) (Psychidae) Synonym(s): *douglasii* Stainton, 1854
- 58346) *Banksia montanella* (Walsingham, 1899) (Psychidae) Synonym(s): *montanella* Walsingham, 1899
- 58347) *Banksia pallida* (Staudinger, 1879) (Psychidae) Synonym(s): *pallida* Staudinger, 1879
- 58348) *Bijugis apistella* (Rebel, 1917) (Psychidae) Synonym(s): *apistella* Rebel, 1917
- 58349) *Bijugis bombycella* [(Denis & Schiffermüller), 1775] (Psychidae) Synonym(s): *bombycella* [Denis & Schiffermüller], 1775
- 58350) *Bijugis pectinella* [(Denis & Schiffermüller), 1775] (Psychidae) Synonym(s): *pectinella* [Denis & Schiffermüller], 1775
- 58351) *Bijugis sikkimensis* Heylaerts, 1890 (Psychidae) Synonym(s): *sikkimensis* Heylaerts, 1890
- 58352) *Bijugis songarica* Kozhantschikov, 1956 (Psychidae) Synonym(s): *songarica* Kozhantschikov, 1956
- 58353) *Bijugis subgrisea* Kozhantschikov, 1956 (Psychidae) Synonym(s): *subgrisea* Kozhantschikov, 1956
- 58354) *Brachycyttarus fasciatus* Dierl, 1971 (Psychidae) Synonym(s): *fasciatus* Dierl, 1971
- 58355) *Brachycyttarus griseus* De Joannis, 1929 (Psychidae) Synonym(s): *griseus* De Joannis, 1929
- 58356) *Brevantennia adriatica* (Rebel, 1919) (Psychidae) Synonym(s): *adriatica* Rebel, 1919
- 58357) *Brevantennia pinkeri* Sieder, 1964 (Psychidae) Synonym(s): *pinkeri* Sieder, 1964
- 58358) *Brevantennia reliqua* Sieder, 1953 (Psychidae) Synonym(s): *reliqua* Sieder, 1953
- 58359) *Brevantennia siederii* (Sauter, 1954) (Psychidae) Synonym(s): *siederii* Sauter, 1954
- 58360) *Brevantennia styriaca* Meier, 1957 (Psychidae) Synonym(s): *styriaca* Meier, 1957
- 58361) *Brevantennia triglavensis* (Rebel, 1919) (Psychidae) Synonym(s): *triglavensis* Rebel, 1919
- 58362) *Bruandia comitella* (Bruand, 1853) (Psychidae) Synonym(s): *comitella* Bruand, 1853
- 58363) *Bruandia elongatella* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *elongatella* Kozhantschikov, 1956
- 58364) *Bruandia norvegica* (Schöyen, 1880) (Psychidae) Synonym(s): *norvegica* Schöyen, 1880
- 58365) *Bruandia raiblenensis* (Mann, 1870) (Psychidae) Synonym(s): *raiblenensis* Mann, 1870
- 58366) *Bruandia reticulatella* (Bruand, 1853) (Psychidae) Synonym(s): *reticulatella* Bruand, 1853
- 58367) *Canephora acuta* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *acuta* Kozhantschikov, 1956
- 58368) *Canephora acutipennis* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *acutipennis* Kozhantschikov, 1956
- 58369) *Canephora armena* (Heylaerts, 1885) (Psychidae) Synonym(s): *armena* Heylaerts, 1885
- 58370) *Canephora borealis* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *borealis* Kozhantschikov, 1956
- 58371) *Canephora caucasica* (A.Bang-Haas, 1912) (Psychidae) Synonym(s): *caucasica* A.Bang-Haas, 1912; *subgrisea* Kozhantschikov, 1956.
- 58372) *Canephora demarchata* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *demarchata* Kozhantschikov, 1956
- 58373) *Canephora eganai* (Agenjo, 1962) (Psychidae) Synonym(s): *eganai* Agenjo, 1962
- 58374) *Canephora eldarica* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *eldarica* Kozhantschikov, 1956
- 58375) *Canephora febratta* (Boyer de Fonscolombe, 1835) (Psychidae) Synonym(s): *febratta* Boyer de Fonscolombe, 1835
- 58376) *Canephora heptapotamica* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *heptapotamica* Kozhantschikov, 1956
- 58377) *Canephora hirsuta* (Poda, 1761) (Psychidae) Synonym(s): *hirsuta* Poda, 1761; *dubia* Scopoli, 1763; *unicolor* Hufnagel, 1766; *xylophorum* Pallas, 1767; *vestita* Fabricius, 1775; *fasciculifera* Fourcroy, 1785; *quercus* Schrank, 1802; *vestitella* Hübner, [1825]; *asiatica* Staudinger, 1887.
- 58378) *Canephora iliensis* Wehrli, 1933 (Psychidae) Synonym(s): *iliensis* Wehrli, 1933
- 58379) *Canephora inquinata* (Lederer, 1858) (Psychidae) Synonym(s): *inquinata* Lederer, 1858
- 58380) *Canephora jordana* (Staudinger, 1899) (Psychidae) Synonym(s): *jordana* Staudinger, 1899
- 58381) *Canephora leoi* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *leoi* Kozhantschikov, 1956
- 58382) *Canephora lutea* (Staudinger, 1871) (Psychidae) Synonym(s): *lutea* Staudinger, 1871
- 58383) *Canephora minuta* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *minuta* Kozhantschikov, 1956
- 58384) *Canephora nigripilosa* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *nigripilosa* Kozhantschikov, 1956
- 58385) *Canephora nivellei* (Oberthür, 1922) (Psychidae) Synonym(s): *nivellei* Oberthür, 1922
- 58386) *Canephora orophila* (Wehrli, 1928) (Psychidae) Synonym(s): *orophila* Wehrli, 1928
- 58387) *Canephora plotnikovi* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *plotnikovi* Kozhantschikov, 1956
- 58388) *Canephora senex* (Staudinger, 1871) (Psychidae) Synonym(s): *senex* Staudinger, 1871
- 58389) *Canephora shahkuhensis* (Heylaerts, 1885) (Psychidae) Synonym(s): *shahkuhensis* Heylaerts, 1885
- 58390) *Canephora simulans* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *simulans* Kozhantschikov, 1956
- 58391) *Canephora* sp.? (Psychidae) Synonym(s):
- 58392) *Canephora squamopilosa* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *squamopilosa* Kozhantschikov, 1956
- 58393) *Canephora staudingeri* (Heylaerts, 1889) (Psychidae) Synonym(s): *staudingeri* Heylaerts, 1889; *staudingeri* Heylaerts, 1889
- 58394) *Canephora subgrisea* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *subgrisea* Kozhantschikov, 1956
- 58395) *Canephora taurica* (Wehrli, 1932) (Psychidae) Synonym(s): *taurica* Wehrli, 1932
- 58396) *Canephora tedaldii* (Heylaerts, 1881) (Psychidae) Synonym(s): *tedaldii* Heylaerts, 1881
- 58397) *Canephora theodori* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *theodori* Kozhantschikov, 1956

- 58398) *Canephora unicolorata* (Kozhantschikov,1956) (Psychidae) Synonym(s): *unicolorata* Kozhantschikov,1956
 58399) *Canephora villosa* (Brandt,1938) (Psychidae) Synonym(s): *villosa* Brandt,1938
 58400) *Canephora villosella* (Ochsenheimer,1810) (Psychidae) Synonym(s): *villosella* Ochsenheimer,1810
 58401) *Canephora villosella quadratica* (De Freina,1983) (Psychidae) Synonym(s): *quadratica* De Freina,1983.
 58402) *Canephora villosella villosella* (Ochsenheimer,1810) (Psychidae) Synonym(s): *villosella* Ochsenheimer,1810
 58403) *Chalioides ferevitrea* De Joannis,1929 (Psychidae) Synonym(s): *ferevitrea* De Joannis,1929
 58404) *Chalioides vitrea* Swinhoe,1892 (Psychidae) Synonym(s): *vitrea* Swinhoe,1892
 58405) *Cre mastopsycha pendula* De Joannis,1929 (Psychidae) Synonym(s): *pendula* De Joannis,1929
 58406) *Cryptothoelea fuscescens* (Snellen,1879) (Psychidae) Synonym(s): *fuscescens* Snellen,1879
 58407) *Cryptothoelea leonina* (Tams,1924) (Psychidae) Synonym(s): *leonina* Tams,1924
 58408) *Dahlica achajensis* (Sieder,1966) (Psychidae) Synonym(s): *achajensis* Sieder,1966
 58409) *Dahlica argenterae* (Wehrli,1924) (Psychidae) Synonym(s): *argenterae* Wehrli,1924
 58410) *Dahlica caspari* Herrmann,1984 (Psychidae) Synonym(s): *caspari* Herrmann,1984
 58411) *Dahlica charlottae* (Meier,1957) (Psychidae) Synonym(s): *charlottae* Meier,1957
 58412) *Dahlica colchica* (Kozlov,1985) (Psychidae) Synonym(s): *colchica* Kozlov,1985
 58413) *Dahlica dorotheae* Herrmann,1981 (Psychidae) Synonym(s): *dorotheae* Herrmann,1981
 58414) *Dahlica fennicella* (Suomalainen,1980) (Psychidae) Synonym(s): *fennicella* Suomalainen,1980
 58415) *Dahlica fumosella* (Heinemann,1870) (Psychidae) Synonym(s): *fumosella* Heinemann,1870
 58416) *Dahlica generosensis* (Sauter,1954) (Psychidae) Synonym(s): *generosensis* Sauter,1954
 58417) *Dahlica goppensteinensis* (Sauter,1954) (Psychidae) Synonym(s): *goppensteinensis* Sauter,1954
 58418) *Dahlica inconspicuella* (Stainton,1843) (Psychidae) Synonym(s): *inconspicuella* Stainton,1843
 58419) *Dahlica klimeschi* (Sieder,1953) (Psychidae) Synonym(s): *klimeschi* Sieder,1953
 58420) *Dahlica larella* (Chrétien,1906) (Psychidae) Synonym(s): *larella* Chrétien,1906
 58421) *Dahlica leoi* (Dierl,1970) (Psychidae) Synonym(s): *leoi* Dierl,1970
 58422) *Dahlica lichenella* (Linnaeus,1761) (Psychidae) Synonym(s): *lichenella* Linnaeus,1761
 58423) *Dahlica marmorella* Herrmann,1988 (Psychidae) Synonym(s): *marmorella* Herrmann,1988
 58424) *Dahlica nickerlii* (Heinemann,1870) (Psychidae) Synonym(s): *nickerlii* Heinemann,1870
 58425) *Dahlica pseudoachajensis* (Stengel,1990) (Psychidae) Synonym(s): *pseudoachajensis* Stengel,1990
 58426) *Dahlica rebeli* (Wehrli,1924) (Psychidae) Synonym(s): *rebeli* Wehrli,1924
 58427) *Dahlica rianella* Hättenschwiler,1981 (Psychidae) Synonym(s): *rianella* Hättenschwiler,1981
 58428) *Dahlica sauteri* (Hättenschwiler,1977) (Psychidae) Synonym(s): *sauteri* Hättenschwiler,1977
 58429) *Dahlica seileri* (Sauter,1954) (Psychidae) Synonym(s): *seileri* Sauter,1954
 58430) *Dahlica siculella* (Rebel,1919) (Psychidae) Synonym(s): *siculella* Rebel,1919
 58431) *Dahlica simplonica* (Hättenschwiler,1977) (Psychidae) Synonym(s): *simplonica* Hättenschwiler,1977
 58432) *Dahlica ticinensis* (Hättenschwiler,1977) (Psychidae) Synonym(s): *ticinensis* Hättenschwiler,1977
 58433) *Dahlica triquetrella* (Hübner,1813) (Psychidae) Synonym(s): *triquetrella* Hübner,1813
 58434) *Dahlica vaudella* Hättenschwiler,1990 (Psychidae) Synonym(s): *vaudella* Hättenschwiler,1990
 58435) *Dahlica wagneri* (Gozmany,1952) (Psychidae) Synonym(s): *wagneri* Gozmany,1952
 58436) *Dahlica wehrlii* (Müller-Rutz,1928) (Psychidae) Synonym(s): *wehrlii* Müller-Rutz,1928
 58437) *Dahlica wockei* (Heinemann,1870) (Psychidae) Synonym(s): *wockei* Heinemann,1870
 58438) *Dappula tertia* (Templeton,1847) (Psychidae) Synonym(s): *tertia* Templeton,1847; *templetonii* Westwood,1854
 58439) *Dasaratha canarensis* Hampson (Psychidae) Synonym(s): *canarensis* Hampson
 58440) *Dasaratha himalayana* Moore,1888 (Psychidae) Synonym(s): *himalayana* Moore,1888
 58441) *Degia imparata* Walker,1862 (Psychidae) Synonym(s): *imparata* Walker,1862; *immodica* Meyrick,1936; *lepta* West,1932
 58442) *Diplodoma adpersella* Heinemann,1870 (Psychidae) Synonym(s): *adpersella* Heinemann,1870
 58443) *Diplodoma adzharia* Zagulajev,1985 (Psychidae) Synonym(s): *adzharia* Zagulajev,1985
 58444) *Diplodoma caucasica* Zagulajev,1985 (Psychidae) Synonym(s): *caucasica* Zagulajev,1985
 58445) *Diplodoma kasachstanica* Zagulyaev,1987 (Psychidae) Synonym(s): *kasachstanica* Zagulyaev,1987
 58446) *Diplodoma laichartingella* (Goeze,1783) (Psychidae) Synonym(s): *laichartingella* Goeze,1783; *herminata* Fourcroy,1785; *herminatella* Villers,1789; *marginepunctella* Stephens,1835; *siderella* Zeller,1839.
 58447) *Diplodoma taurica* Zagulajev,1985 (Psychidae) Synonym(s): *taurica* Zagulajev,1985
 58448) *Dissoctena albidella* Rebel,1902 (Psychidae) Synonym(s): *albidella* Rebel,1902
 58449) *Dissoctena granigerella* Staudinger,1859 (Psychidae) Synonym(s): *granigerella* Staudinger,1859
 58450) *Dissoctenioides schwingenschussi* Rebel,1934 (Psychidae) Synonym(s):
 58451) *Eochorica balcanica* (Rebel,1919) (Psychidae) Synonym(s): *balcanica* Rebel,1919; *troughti* Amsel,1955
 58452) *Eosolenobia grisea* Filipjev,1924 (Psychidae) Synonym(s): *grisea* Filipjev,1924
 58453) *Eosolenobia manni* (Zeller,1852) (Psychidae) Synonym(s): *manni* Zeller,1852
 58454) *Eosolenobia suifunella* (Christoph,1881) (Psychidae) Synonym(s): *suifunella* Christoph,1881
 58455) *Eosolenobia zuchari* Dierl,1984 (Psychidae) Synonym(s): *zuchari* Dierl,1984
 58456) *Eotaleporia lusitaniella* (Amsel,1955) (Psychidae) Synonym(s):
 58457) *Epichnopteryx albofasciata* O.Bang-Haas,1927 (Psychidae) Synonym(s): *albofasciata* O.Bang-Haas,1927
 58458) *Epichnopteryx alpina* Heylaerts,1900 (Psychidae) Synonym(s): *alpina* Heylaerts,1900
 58459) *Epichnopteryx ardua* Mann,1867 (Psychidae) Synonym(s): *ardua* Mann,1867
 58460) *Epichnopteryx crimaean* Kozhantschikov,1956 (Psychidae) Synonym(s): *crimaean* Kozhantschikov,1956
 58461) *Epichnopteryx heringi* Heinemann,1859 (Psychidae) Synonym(s): *heringi* Heinemann,1859
 58462) *Epichnopteryx kovacsi* Sieder,1955 (Psychidae) Synonym(s): *kovacsi* Sieder,1955
 58463) *Epichnopteryx montana* Heylaerts,1900 (Psychidae) Synonym(s): *montana* Heylaerts,1900
 58464) *Epichnopteryx montanella* Heylaerts,1900 (Psychidae) Synonym(s): *montanella* Heylaerts,1900
 58465) *Epichnopteryx plumella* ([Denis & Schiffermüller],1775) (Psychidae) Synonym(s): *plumella* [Denis & Schiffermüller],1775; *pulla* Esper,[1785]
 58466) *Epichnopteryx pontbrillantella* (Bruand,1858) (Psychidae) Synonym(s): *pontbrillantella* Bruand,1858
 58467) *Epichnopteryx sieboldi* (Reutti,1853) (Psychidae) Synonym(s): *sieboldi* Reutti,1853
 58468) *Eudissoctena atlanticella* (Chrétien) (Psychidae) Synonym(s):
 58469) *Eudissoctena maurella* Rebel,1934 (Psychidae) Synonym(s): *maurella* Rebel,1934
 58470) *Eudissoctena minimella* Rebel (Psychidae) Synonym(s):
 58471) *Eudissoctena minorella* Rebel (Psychidae) Synonym(s):
 58472) *Eudissoctena paulusella* (Caradja) (Psychidae) Synonym(s):
 58473) *Eumasia libanotica* Zagulyaev,1995 (Psychidae) Synonym(s): *libanotica* Zagulyaev,1995
 58474) *Eumasia parietariella* (Heydenreich,1851) (Psychidae) Synonym(s): *parietariella* Heydenreich,1851; *crepusculella* Müller-Rutz,1920.
 58475) *Eumasia syriaca* (Caradja,1920) (Psychidae) Synonym(s): *syriaca* Caradja,1920
 58476) *Eumelasina ardua* Kozhantschikov,1956 (Psychidae) Synonym(s): *ardua* Kozhantschikov,1956
 58477) *Eumelasina arguta* Kozhantschikov,1956 (Psychidae) Synonym(s): *arguta* Kozhantschikov,1956
 58478) *Eumelasina multivenosa* (Kozhantschikov,1956) (Psychidae) Synonym(s): *multivenosa* Kozhantschikov,1956
 58479) *Eumelasina pliginskii* Kozhantschikov,1956 (Psychidae) Synonym(s): *pliginskii* Kozhantschikov,1956
 58480) *Eumeta cervina* (Druce,1888) (Psychidae) Synonym(s): *cervina* Druce,1888
 58481) *Eumeta minuscula* Butler,1881 (Psychidae) Synonym(s): *minuscula* Butler,1881
 58482) *Eumeta variegata* (Snellen,1879) (Psychidae) Synonym(s): *variegata* Snellen,1879; *layardii* Moore,1881; *pryeri* Leech,1888; *sikkima* Moore,1891; *wallacei* Swinhoe,1892
 58483) *Eurukuttarus decemvena* Hampson,1892 (Psychidae) Synonym(s): *decemvena* Hampson,1892
 58484) *Eurukuttarus laniata* (Hampson,1905) (Psychidae) Synonym(s): *laniata* Hampson,1905
 58485) *Eurukuttarus melanostola* (Hampson,1896) (Psychidae) Synonym(s): *melanostola* Hampson,1896

- 58486) *Eurukuttarus nigra* (Hampson,1893) (Psychidae) Synonym(s): *nigra* Hampson,1893
 58487) *Eurukuttarus pileatus* Hampson,1891 (Psychidae) Synonym(s): *pileatus* Hampson,1891
 58488) *Eurukuttarus takahashii* (Sonan,1935) (Psychidae) Synonym(s): *takahashii* Sonan,1935
 58489) *Heliopsychidea graecella* (Millière,1866) (Psychidae) Synonym(s): *graecella* Millière,1866
 58490) *Kalliesia irana* Sobczyk,2004 (Psychidae) Synonym(s): *irana* Sobczyk,2004
 58491) *Kophene butleri* Heylaerts,1886 (Psychidae) Synonym(s): *butleri* Heylaerts,1886
 58492) *Kophene cuprea* Moore,1879 (Psychidae) Synonym(s): *cuprea* Moore,1879
 58493) *Kophene minor* Moore,1879 (Psychidae) Synonym(s): *minor* Moore,1879
 58494) *Kophene snelleni* Heylaerts,1890 (Psychidae) Synonym(s): *snelleni* Heylaerts,1890
 58495) *Kotochalia junodi* (Heylaert,1890) (Psychidae) Synonym(s): *junodi* Heylaert,1890
 58496) *Lepidosciptera dellabeffai* (Hartig,1936) (Psychidae) Synonym(s): *dellabeffai* Hartig,1936
 58497) *Lepidosciptera hirsutella* ([Denis & Schiffermüller],1775) (Psychidae) Synonym(s): *hirsutella* [Denis & Schiffermüller],1775
 58498) *Lepidosciptera plumistrella* (Hübner,1793) (Psychidae) Synonym(s): *plumistrella* Hübner,1793
 58499) *Lepidosciptera turatii* (Hartig,1936) (Psychidae) Synonym(s): *turatii* Hartig,1936
 58500) *Loebelia crassicornis* (Staudinger,1870) (Psychidae) Synonym(s): *crassicornis* Staudinger,1870
 58501) *Luffia ferchaultella* (Stephens,1850) (Psychidae) Synonym(s): *ferchaultella* Stephens,1850
 58502) *Luffia lapidella* (Goeze,1783) (Psychidae) Synonym(s): *lapidella* Goeze,1783
 58503) *Luffia rebeli* Walsingham,1908 (Psychidae) Synonym(s): *rebeli* Walsingham,1908
 58504) *Mahasena andamana* Moore,1877 (Psychidae) Synonym(s): *andamana* Moore,1877
 58505) *Mahasena corbetti* Tams,1928 (Psychidae) Synonym(s): *corbetti* Tams,1928
 58506) *Mahasena graminivora* Hampson,1895 (Psychidae) Synonym(s): *graminivora* Hampson,1895
 58507) *Mahasena hockingi* Moore,1888 (Psychidae) Synonym(s): *hockingi* Moore,1888; *theivora* Dudgeon,1905
 58508) *Mahasena kotoensis* Sonan,1935 (Psychidae) Synonym(s): *kotoensis* Sonan,1935
 58509) *Mahasena nitobei* Matsumura,1931 (Psychidae) Synonym(s): *nitobei* Matsumura,1931
 58510) *Mahasena oolona* Sonan,1935 (Psychidae) Synonym(s): *oolona* Sonan,1935
 58511) *Mahasena poliotricha* Hampson,1910 (Psychidae) Synonym(s): *poliotricha* Hampson,1910
 58512) *Megalophanes brachycornis* (Kozhantshikov,1956) (Psychidae) Synonym(s): *brachycornis* Kozhantshikov,1956
 58513) *Megalophanes hamptoni* (Bethune-Baker,1894) (Psychidae) Synonym(s): *hamptoni* Bethune-Baker,1894
 58514) *Megalophanes nigrimanus* (Walker,1870) (Psychidae) Synonym(s): *nigrimanus* Walker,1870
 58515) *Megalophanes stettinensis* (Hering,1846) (Psychidae) Synonym(s): *stettinensis* Hering,1846
 58516) *Megalophanes turatii* (Staudinger,1877) (Psychidae) Synonym(s): *turatii* Staudinger,1877
 58517) *Megalophanes viciella* ([Denis & Schiffermüller],1775) (Psychidae) Synonym(s): *viciella* [Denis & Schiffermüller],1775; *orientalis* Dierl,1977.
 58518) *Mekla deficiens* (Walker,1862) (Psychidae) Synonym(s): *deficiens* Walker,1862; ? *holmesi* Watt & Mann,1898
 58519) *Melasina christenseni* Hättenschwiler,1990 (Psychidae) Synonym(s): *christenseni* Hättenschwiler,1990
 58520) *Melasina ciliaris* (Ochsenheimer,1810) (Psychidae) Synonym(s): *ciliaris* Ochsenheimer,1810; *lugubris* Hübner,[1808] *nec* Fabricius,1777; *aequalis* Osthelder,1938
 58521) *Melasina korbi* Rebel,1906 (Psychidae) Synonym(s): *korbi* Rebel,1906
 58522) *Melasina kuljaensis* Caradja,1920 (Psychidae) Synonym(s): *kuljaensis* Caradja,1920
 58523) *Melasina punctata* (Herrich-Schäffer,[1855]) (Psychidae) Synonym(s): *punctata* Herrich-Schäffer,[1855]
 58524) *Metisa aethiops* (Hampson,1910) (Psychidae) Synonym(s): *aethiops* Hampson,1910; *fumosa* Janse,1919
 58525) *Metisa atra* De Joannis,1929 (Psychidae) Synonym(s): *atra* De Joannis,1929
 58526) *Metisa canarensis* Hampson (Psychidae) Synonym(s):
 58527) *Metisa canifrons* Hampson,1895 (Psychidae) Synonym(s): *canifrons* Hampson,1895
 58528) *Metisa griseoalba* (Bourgogne,1937) (Psychidae) Synonym(s): *griseoalba* Bourgogne,1937
 58529) *Metisa heylaertsi* (Junod,1898) (Psychidae) Synonym(s): *heylaertsi* Junod,1898
 58530) *Metisa himalayana* (Moore,1888) (Psychidae) Synonym(s): *himalayana* Moore,1888
 58531) *Metisa hypoleuca* (Hampson,1896) (Psychidae) Synonym(s): *hypoleuca* Hampson,1896
 58532) *Metisa jansei* Bourgogne,1973 (Psychidae) Synonym(s): *jansei* Bourgogne,1973
 58533) *Metisa moorei* (Heylaerts,1890) (Psychidae) Synonym(s): *moorei* Heylaerts,1890
 58534) *Metisa nainiagini* David,1964 (Psychidae) Synonym(s): *nainiagini* David,1964
 58535) *Metisa plana* Walker,1855 (Psychidae) Synonym(s): *plana* Walker,1855
 58536) *Metisa saccharivora* (Sonan,1935) (Psychidae) Synonym(s): *saccharivora* Sonan,1935
 58537) *Montanima karavankensis* (Höfner,1888) (Psychidae) Synonym(s): *karavankensis* Höfner,1888
 58538) *Montanima predotae* (Sieder,1949) (Psychidae) Synonym(s): *predotae* Sieder,1949
 58539) *Montanima venetiana* Meier,1964 (Psychidae) Synonym(s): *venetiana* Meier,1964
 58540) *Muhabbetina katani* (Das,1956) (Psychidae) Synonym(s): *katani* Das,1956
 58541) *Muhabbetina rhabdophora* (Hampson,1893) (Psychidae) Synonym(s): *rhabdophora* Hampson,1893
 58542) *Narycia astrella* (Herrich-Schäffer,1851) (Psychidae) Synonym(s): *astrella* Herrich-Schäffer,1851
 58543) *Narycia duplicella* (Goeze,1783) (Psychidae) Synonym(s): *duplicella* Goeze,1783; *monilifera* Geoffroy,1785.
 58544) *Narycia infernalis* Herrmann,1986 (Psychidae) Synonym(s): *infernalis* Herrmann,1986
 58545) *Neocoloneura fragilis* (Barnes & McDunnough,1916) (Psychidae) Synonym(s): *fragilis* Barnes & McDunnough,1916
 58546) *Oiketicus tertius* Templeton,1847 (Psychidae) Synonym(s): *tertius* Templeton,1847; *templetonii* Westwood,1854
 58547) *Oreopsyche desertorum* Turati,1927 (Psychidae) Synonym(s): *desertorum* Turati,1927
 58548) *Oreopsyche tenella* (Speyer,1862) (Psychidae) Synonym(s): *tenella* Speyer,1862; *zermattensis* Frey,1880
 58549) *Oreopsyche vorbrodtella* (Wehrli,1920) (Psychidae) Synonym(s): *vorbrodtella* Wehrli,1920
 58550) *Pagodiella hekmeyeri* (Heylaerts,1885) (Psychidae) Synonym(s): *hekmeyeri* Heylaerts,1885
 58551) *Paranarchia albomaculatella* Saigusa,1961 (Psychidae) Synonym(s): *albomaculatella* Saigusa,1961
 58552) *Peloponnesia culminella* Sieder,1961 (Psychidae) Synonym(s): *culminella* Sieder,1961
 58553) *Peloponnesia glaphyrella* (Rebel,1906) (Psychidae) Synonym(s): *glaphyrella* Rebel,1906; *megaspiliella* Sieder,1959.
 58554) *Penestoglossa dardoinella* (Millière,1863) (Psychidae) Synonym(s): *dardoinella* Millière,1863; *latiorella* Mann,1873; *incerta* Millière,1876; *symmatetica* Meyrick,1938
 58555) *Penestoglossa marocanella* (Lucas,1933) (Psychidae) Synonym(s): *marocanella* Lucas,1933; *mauretanica* Rebel,1940.
 58556) *Penestoglossa pyrenaella* Herrmann,2006 (Psychidae) Synonym(s): *pyrenaella* Herrmann,2006
 58557) *Penestoglossa tauricella* Rebel,1935 (Psychidae) Synonym(s): *tauricella* Rebel,1935
 58558) *Phalacropterix apiformis* (Rossi,1790) (Psychidae) Synonym(s): *apiformis* Rossi,1790; *fucella* Hübner,[1810]; *apiformella* Bruand,1853
 58559) *Phalacropterix bruandi* (Lederer,1855) (Psychidae) Synonym(s): *bruandi* Lederer,1855
 58560) *Phalacropterix calberlae* (Heylaerts,1890) (Psychidae) Synonym(s): *calberlae* Heylaerts,1890
 58561) *Phalacropterix graminifera* (Fourcroy,1785) (Psychidae) Synonym(s): *graminifera* Fourcroy,1785; *millieriella* Lederer,1853; *constancella* Bruand,1853
 58562) *Phalacropterix graslinella* (Boisduval,1852) (Psychidae) Synonym(s): *graslinella* Boisduval,1852; *atribombycella* Bruand,1853
 58563) *Phalacropterix praecellens* (Staudinger,1870) (Psychidae) Synonym(s): *praecellens* Staudinger,1870
 58564) *Placodoma oasella* Chrétien,1915 (Psychidae) Synonym(s): *oasella* Chrétien,1915
 58565) *Placodoma palaestinella* (Rebel,1902) (Psychidae) Synonym(s): *palaestinella* Rebel,1902
 58566) *Placodoma ragonoti* (Rebel,1901) (Psychidae) Synonym(s): *ragonoti* Rebel,1901
 58567) *Postsolenobia banatica* (Hering,1922) (Psychidae) Synonym(s): *banatica* Hering,1922
 58568) *Postsolenobia juliella* (Rebel,1919) (Psychidae) Synonym(s): *juliella* Rebel,1919
 58569) *Postsolenobia thomanni* (Rebel,1936) (Psychidae) Synonym(s): *thomanni* Rebel,1936
 58570) *Praesolenobia clathrella* (Fischer v. Röslerstamm,1837) (Psychidae) Synonym(s): *clathrella* Fischer v. Röslerstamm,1837
 58571) *Praesolenobia desertella* (Rebel,1919) (Psychidae) Synonym(s): *desertella* Rebel,1919
 58572) *Proutia betulina* (Zeller,1839) (Psychidae) Synonym(s): *betulina* Zeller,1839; *salicicolella* Bruand,1853; *rouasti* Heylaerts,1879; *eppingella* Tutt,1900.
 58573) *Proutia breviserrata* Sieder,1963 (Psychidae) Synonym(s): *breviserrata* Sieder,1963

- 58574) *Proutia rotunda* Suomalainen, 1990 (Psychidae) Synonym(s): *rotunda* Suomalainen, 1990
 58575) *Pseudobankesia alpestris* (Heinemann, 1870) (Psychidae) Synonym(s): *alpestris* Heinemann, 1870
 58576) *Pseudobankesia arahova* Stengel, 1990 (Psychidae) Synonym(s): *arahova* Stengel, 1990
 58577) *Pseudobankesia casaella* Hättenschwiler, 1994 (Psychidae) Synonym(s): *casaella* Hättenschwiler, 1994
 58578) *Pseudobankesia caucasica* (Kozhantschikov, 1956) (Psychidae) Synonym(s): *caucasica* Kozhantschikov, 1956
 58579) *Pseudobankesia contractella* Hättenschwiler, 1994 (Psychidae) Synonym(s): *contractella* Hättenschwiler, 1994
 58580) *Pseudobankesia darwini* Stengel, 1990 (Psychidae) Synonym(s): *darwini* Stengel, 1990
 58581) *Pseudobankesia dioszeghyi* (Rebel, 1938) (Psychidae) Synonym(s): *dioszeghyi* Rebel, 1938
 58582) *Pseudobankesia gramatella* (Lhomme, 1938) (Psychidae) Synonym(s): *gramatella* Lhomme, 1938
 58583) *Pseudobankesia macedoniella* (Rebel, 1919) (Psychidae) Synonym(s): *macedoniella* Rebel, 1919
 58584) *Pseudobankesia vernella* (Constant, 1899) (Psychidae) Synonym(s): *vernella* Constant, 1899
 58585) *Pseudofumea umbrosella* Rebel, 1934 (Psychidae) Synonym(s): *umbrosella* Rebel, 1934
 58586) *Psyche casta* (Pallas, 1767) (Psychidae) Synonym(s): *casta* Pallas, 1767; *nitidella* Hübner, 1793; *germanica* Chapman, 1900; *minor* Chapman, 1900; *bowserella* Chapman, 1900; *mitterdella* Chapman, 1900; *niphonica* Hori, 1926; *ussuriensis* Kozhantschikov, 1956.
 58587) *Psyche caucasica* (Solyanikov, 1991) (Psychidae) Synonym(s): *caucasica* Solyanikov, 1991
 58588) *Psyche crassiorella* (Bruand, [1851]) (Psychidae) Synonym(s): *crassiorella* Bruand, [1851]; *intermediella* Bruand, 1853; *affinis* Reutti, 1853; *subflavella* Milliere, 1876; *ciliella* Chapman, 1900; *danieli* Siedler, 1958.
 58589) *Psyche ghilarovi* (Solyanikov, 1991) (Psychidae) Synonym(s): *ghilarovi* Solyanikov, 1991
 58590) *Psyche libanotica* (Zerny, 1933) (Psychidae) Synonym(s): *libanotica* Zerny, 1933
 58591) *Psyche pyrenaea* (Bourgogne, 1961) (Psychidae) Synonym(s): *pyrenaea* Bourgogne, 1961; *occidentalis* Bourgogne, 1961
 58592) *Psyche rasseyi* (Siedler, 1975) (Psychidae) Synonym(s): *rasseyi* Siedler, 1975
 58593) *Psyche samoana* (Tams, 1935) (Psychidae) Synonym(s): *samoana* Tams, 1935
 58594) *Psyche syriaca* (Rebel, 1917) (Psychidae) Synonym(s): *syriaca* Rebel, 1917; *sorrentina* Wehrli, 1933
 58595) *Psyche taiwana* (Wileman & South, 1917) (Psychidae) Synonym(s): *taiwana* Wileman & South, 1917
 58596) *Psyche talgarica* (Solyanikov, 1991) (Psychidae) Synonym(s): *talgarica* Solyanikov, 1991
 58597) *Psyche tshatkalica* (Solyanikov, 1991) (Psychidae) Synonym(s): *tshatkalica* Solyanikov, 1991
 58598) *Psychidea balcanica* (Wehrli, 1933) (Psychidae) Synonym(s): *balcanica* Wehrli, 1933
 58599) *Psychidea nudella* (Ochsenheimer, 1810) (Psychidae) Synonym(s): *nudella* Ochsenheimer, 1810
 58600) *Psychidopsis alpherakii* (Heylaerts, 1881) (Psychidae) Synonym(s): *alpherakii* Heylaerts, 1881
 58601) *Psychidopsis flavescens* (Heylaerts, 1881) (Psychidae) Synonym(s): *flavescens* Heylaerts, 1881
 58602) *Psychidopsis flavescens flavescens* (Heylaerts, 1881) (Psychidae) Synonym(s): *flavescens* Heylaerts, 1881
 58603) *Psychidopsis flavescens kuldshaensis* (Heylaerts, 1881) (Psychidae) Synonym(s): *kuldshaensis* Heylaerts, 1881
 58604) *Pteroma alternata* Dyar, 1912 (Psychidae) Synonym(s): *alternata* Dyar, 1912
 58605) *Pteroma dealbata* Dierl, 1971 (Psychidae) Synonym(s): *dealbata* Dierl, 1971
 58606) *Pteroma langkawiensis* De Freina, 1993 (Psychidae) Synonym(s): *langkawiensis* De Freina, 1993
 58607) *Pteroma nipae* (Bourgogne, 1937) (Psychidae) Synonym(s): *nipae* Bourgogne, 1937
 58608) *Pteroma pendula* (De Joannis, 1929) (Psychidae) Synonym(s): *pendula* De Joannis, 1929
 58609) *Pteroma plagiophleps* Hampson, 1892 (Psychidae) Synonym(s): *plagiophleps* Hampson, 1892
 58610) *Ptilimicta erythropyga* Kozhantschikov, 1956 (Psychidae) Synonym(s): *erythropyga* Kozhantschikov, 1956
 58611) *Ptilocephala* (Bourgognia) *colossa* (A. Bang-Haas, 1907) (Psychidae) Synonym(s): *colossa* A. Bang-Haas, 1907
 58612) *Ptilocephala* (Bourgognia) *leschenaulti* (Staudinger, 1860) (Psychidae) Synonym(s): *leschenaulti* Staudinger, 1860; *nigricans* Staudinger, 1871
 58613) *Ptilocephala* (Bourgognia) *lessei* (Bourgogne, 1954) (Psychidae) Synonym(s): *lessei* Bourgogne, 1954
 58614) *Ptilocephala* (Bourgognia) *matthesi* (Bourgogne, 1954) (Psychidae) Synonym(s): *matthesi* Bourgogne, 1954
 58615) *Ptilocephala* (Bourgognia) *melanura* (Bourgogne, 1954) (Psychidae) Synonym(s): *melanura* Bourgogne, 1954
 58616) *Ptilocephala* (Bourgognia) *silphella* (Millière, 1871) (Psychidae) Synonym(s): *silphella* Millière, 1871
 58617) *Ptilocephala* (Deuterohyalina) *albida* (Esper, [1786]) (Psychidae) Synonym(s): *albida* Esper, [1786]
 58618) *Ptilocephala* (Deuterohyalina) *biroi* (Rebel, 1909) (Psychidae) Synonym(s): *biroi* Rebel, 1909
 58619) *Ptilocephala* (Deuterohyalina) *desertorum* (Turati, 1927) (Psychidae) Synonym(s): *desertorum* Turati, 1927
 58620) *Ptilocephala* (Deuterohyalina) *kahri* (Lederer, 1857) (Psychidae) Synonym(s): *kahri* Lederer, 1857
 58621) *Ptilocephala* (Deuterohyalina) *malvinella* (Millière, 1858) (Psychidae) Synonym(s): *malvinella* Millière, 1858
 58622) *Ptilocephala* (Deuterohyalina) *pyrenaella* (Herrich-Schäffer, 1852) (Psychidae) Synonym(s): *pyrenaella* Herrich-Schäffer, 1852
 58623) *Ptilocephala* (Deuterohyalina) *vesubiella* (Millière, 1872) (Psychidae) Synonym(s): *vesubiella* Millière, 1872
 58624) *Ptilocephala* (Deuterohyalina) *wockei* (Standfuss, 1882) (Psychidae) Synonym(s): *wockei* Standfuss, 1882
 58625) *Ptilocephala* (gr.4) *plumifera* (Ochsenheimer, 1810) (Psychidae) Synonym(s): *plumifera* Ochsenheimer, 1810; *mediterranea* Lederer, 1853.
 58626) *Ptilocephala* (gr.4) *triaena* (Bourgogne, 1940) (Psychidae) Synonym(s): *triaena* Bourgogne, 1940
 58627) *Ptilocephala* (s.str.) *agrostidis* (Schränk, 1802) (Psychidae) Synonym(s): *agrostidis* Schrank, 1802
 58628) *Ptilocephala* (s.str.) *ardanazi* (Agenjo, 1954) (Psychidae) Synonym(s): *ardanazi* Agenjo, 1954
 58629) *Ptilocephala* (s.str.) *fulminella* (Millière, 1865) (Psychidae) Synonym(s): *fulminella* Millière, 1865
 58630) *Ptilocephala* (s.str.) *moncaunella* (Chapman, 1903) (Psychidae) Synonym(s): *moncaunella* Chapman, 1903
 58631) *Ptilocephala* (s.str.) *monteiroi* (Bourgogne, 1953) (Psychidae) Synonym(s): *monteiroi* Bourgogne, 1953
 58632) *Ptilocephala* (s.str.) *muscella* ([Denis & Schiffermüller], 1775) (Psychidae) Synonym(s): *muscella* [Denis & Schiffermüller], 1775
 58633) *Ptilocephala* (s.str.) *sichelilla* (Bruand, 1858) (Psychidae) Synonym(s): *sichelilla* Bruand, 1858
 58634) *Ptilocephala* *pieae* Hättenschwiler, 1996 (Psychidae) Synonym(s): *pieae* Hättenschwiler, 1996
 58635) *Pygmaetinea crisostomella* Amsel, 1957 (Psychidae) Synonym(s): *crisostomella* Amsel, 1957
 58636) *Rebelia bavarica* Wehrli, 1926 (Psychidae) Synonym(s): *bavarica* Wehrli, 1926
 58637) *Rebelia ferruginans* Rebel, 1937 (Psychidae) Synonym(s): *ferruginans* Rebel, 1937
 58638) *Rebelia herrichiella* Strand, 1912 (Psychidae) Synonym(s): *herrichiella* Strand, 1912
 58639) *Rebelia kruegeri* Turati, 1914 (Psychidae) Synonym(s): *kruegeri* Turati, 1914
 58640) *Rebelia macedonica* Pinker, 1956 (Psychidae) Synonym(s): *macedonica* Pinker, 1956
 58641) *Rebelia majorella* Rebel, 1910 (Psychidae) Synonym(s): *majorella* Rebel, 1910
 58642) *Rebelia nocturnella* (Alpheraky, 1876) (Psychidae) Synonym(s): *nocturnella* Alpheraky, 1876
 58643) *Rebelia perlucida* (Bruand, 1853) (Psychidae) Synonym(s): *perlucida* Bruand, 1853
 58644) *Rebelia sapho* (Millière, 1864) (Psychidae) Synonym(s): *sapho* Millière, 1864
 58645) *Rebelia styriaca* Rebel, 1937 (Psychidae) Synonym(s): *styriaca* Rebel, 1937
 58646) *Rebelia surientella* (Bruand, 1858) (Psychidae) Synonym(s): *surientella* Bruand, 1858; *suriens* Bruand, 1859
 58647) *Rebelia thomanni* Rebel, 1937 (Psychidae) Synonym(s): *thomanni* Rebel, 1937
 58648) *Reisseronia arnscheidi* Weidlich, 2006 (Psychidae) Synonym(s): *arnscheidi* Weidlich, 2006
 58649) *Reisseronia flavociliella* (Mann, 1864) (Psychidae) Synonym(s): *flavociliella* Mann, 1864
 58650) *Reisseronia gertrudae* Sieder, 1962 (Psychidae) Synonym(s): *gertrudae* Sieder, 1962
 58651) *Reisseronia hofmanni* (Heylaerts, 1879) (Psychidae) Synonym(s): *hofmanni* Heylaerts, 1879
 58652) *Reisseronia magna* Hättenschwiler, 1982 (Psychidae) Synonym(s): *magna* Hättenschwiler, 1982
 58653) *Reisseronia nigrociliella* (Rebel, 1934) (Psychidae) Synonym(s): *nigrociliella* Rebel, 1934
 58654) *Reisseronia pusillella* (Rebel, 1941) (Psychidae) Synonym(s): *pusillella* Rebel, 1941
 58655) *Reisseronia staudingeri* (Heylaerts, 1879) (Psychidae) Synonym(s): *staudingeri* Heylaerts, 1879
 58656) *Reisseronia tarnierella* (Bruand, 1853) (Psychidae) Synonym(s): *tarnierella* Bruand, 1853; *myrmidonella* Bruand, 1853
 58657) *Sciopetris amseli* Sieder, 1959 (Psychidae) Synonym(s): *amseli* Sieder, 1959
 58658) *Sciopetris hartigi* Sieder, 1976 (Psychidae) Synonym(s): *hartigi* Sieder, 1976
 58659) *Sciopetris karsholti* Hättenschwiler, 1996 (Psychidae) Synonym(s): *#karsholti* Hättenschwiler, 1996
 58660) *Sciopetris melitensis* Rebel, 1919 (Psychidae) Synonym(s): *melitensis* Rebel, 1919
 58661) *Sciopetris pretiosa* (Stainton, 1872) (Psychidae) Synonym(s): *pretiosa* Stainton, 1872

- 58662) *Sciopetris technica* Meyrick, 1891 (Psychidae) Synonym(s): *technica* Meyrick, 1891
 58663) *Siederia alpicolella* (Rebel, 1919) (Psychidae) Synonym(s): *alpicolella* Rebel, 1919; *saxatilis* Siedler, 1954; *meieri* Siedler, 1955
 58664) *Siederia listerella* (Linnaeus, 1758) (Psychidae) Synonym(s): *listerella* Linnaeus, 1758; *cembrella* Linnaeus, 1761; *cembrae* Haworth, 1811; *listeri* Haworth, 1828; *cembralis* Guenée, 1854.
 58665) *Siederia meierella* (Siedler, 1956) (Psychidae) Synonym(s): *meierella* Siedler, 1956
 58666) *Siederia pineti* (Zeller, 1852) (Psychidae) Synonym(s): *pineti* Zeller, 1852; *pinetella* Herrich-Schäffer, 1855
 58667) *Siederia rupicolella* (Sauter, 1954) (Psychidae) Synonym(s): *rupicolella* Sauter, 1954
 58668) *Solemasia araxella* Zagulyaev, 1995 (Psychidae) Synonym(s): *araxella* Zagulyaev, 1995
 58669) *Sterrhopterix fusca* (Haworth, 1809) (Psychidae) Synonym(s): *fusca* Haworth, 1809; *calvella* Ochsenheimer, 1810; *fuscella* Meigen, 1832; *gozmanyi* Kovacs, 1953
 58670) *Sterrhopterix standfussi* (Wocke, 1851) (Psychidae) Synonym(s): *standfussi* Wocke, 1851
 58671) *Stichobasis helcinoides* (Heylaerts, 1879) (Psychidae) Synonym(s): *helcinoides* Heylaerts, 1879
 58672) *Stichobasis mima* Bourgogne, 1939 (Psychidae) Synonym(s): *mima* Bourgogne, 1939
 58673) *Taleporia autumnella* Rebel, 1919 (Psychidae) Synonym(s): *autumnella* Rebel, 1919
 58674) *Taleporia borealis* Wocke, 1862 (Psychidae) Synonym(s): *borealis* Wocke, 1862
 58675) *Taleporia improvisella* Staudinger, 1859 (Psychidae) Synonym(s): *improvisella* Staudinger, 1859
 58676) *Taleporia politella* (Ochsenheimer, 1816) (Psychidae) Synonym(s): *politella* Ochsenheimer, 1816; *lefevriella* Duponchel, 1842; *minorella* Duponchel, 1842
 58677) *Taleporia pseudoimprovisella* Freina & Witt, 1984 (Psychidae) Synonym(s): *pseudoimprovisella* Freina & Witt, 1984
 58678) *Taleporia tubulosa* (Retzius, 1783) (Psychidae) Synonym(s): *tubulosa* Retzius, 1783; *pseudobombycella* Hübner, 1796; *glabrella* Ochsenheimer, 1816; *tessellae* Haworth, 1828; *tesserella* Stephens, 1829; *anderreggella* Duponchel, 1842; *guenei* Zeller, 1852; *hirta* Bartosova & Duskova, 1958
 58679) *Urobarba arabica* (Wiltshire, 1949) (Psychidae) Synonym(s): *arabica* Wiltshire, 1949
 58680) *Urobarba exacta* (De Joannis, 1929) (Psychidae) Synonym(s): *exacta* De Joannis, 1929
 58681) *Urobarba longicauda* (W. Warren, 1888) (Psychidae) Synonym(s): *longicauda* W. Warren, 1888
 58682) *Whittleia retiella* (Newman, 1847) (Psychidae) Synonym(s): *retiella* Newman, 1847
 58683) *Whittleia schwingenschussi* Rebel, 1910 (Psychidae) Synonym(s): *schwingenschussi* Rebel, 1910
 58684) *Whittleia undulella* (Fischer v. Röslerstamm, 1837) (Psychidae) Synonym(s): *undulella* Fischer v. Röslerstamm, 1837
 58685) *Anathyrus macroxyla* Meyrick, 1920 (Pterolonchidae) Synonym(s): *macroxyla* Meyrick, 1920
 58686) *Kruegerius terebratus* (Meyrick, 1924) (Pterolonchidae) Synonym(s): *terebratus* Meyrick, 1924
 58687) *Pterolonche* (Agenjii) *lutescentella* Chrétien, 1922 (Pterolonchidae) Synonym(s): *lutescentella* Chrétien, 1922
 58688) *Pterolonche* (Gomezbustillus) *kurdistanella* Amsel, 1959 (Pterolonchidae) Synonym(s): *kurdistanella* Amsel, 1959
 58689) *Pterolonche* (Gomezbustillus) *pulverulenta* Zeller, 1847 (Pterolonchidae) Synonym(s): *pulverulenta* Zeller, 1847
 58690) *Pterolonche* (Gomezbustillus) *traugottolseniella* Vives Moreno, 1986 (Pterolonchidae) Synonym(s): *traugottolseniella* Vives Moreno, 1986
 58691) *Pterolonche* (Gomezbustillus) *vallettae* Amsel, 1955 (Pterolonchidae) Synonym(s): *vallettae* Amsel, 1955
 58692) *Pterolonche* (s.str.) *albescens* Zeller, 1847 (Pterolonchidae) Synonym(s): *albescens* Zeller, 1847
 58693) *Pterolonche* (s.str.) *inspersa* Staudinger, 1859 (Pterolonchidae) Synonym(s): *inspersa* Staudinger, 1859
 58694) *Adaina gentilis* Meyrick, 1911 (Pterophoridae) Synonym(s): *gentilis* Meyrick, 1911
 58695) *Adaina microdactyla* (Hübner, [1813]) (Pterophoridae) Synonym(s): *microdactyla* Hübner, [1813]; *carphodactylus* Stephens, 1834; *subflavescens* Meyrick, 1930; *montivola* Meyrick, 1937.
 58696) *Adaina periarga* Meyrick, 1913 (Pterophoridae) Synonym(s): *periarga* Meyrick, 1913
 58697) *Adaina propria* Meyrick, 1921 (Pterophoridae) Synonym(s): *propria* Meyrick, 1921
 58698) *Agdistis* (Adenistis) *adenensis* Amsel, 1961 (Pterophoridae) Synonym(s): *adenensis* Amsel, 1961
 58699) *Agdistis* (Adenistis) *asthenes* Bigot, 1970 (Pterophoridae) Synonym(s): *asthenes* Bigot, 1970
 58700) *Agdistis* (Adenistis) *bellissima* Arenberger, 1975 (Pterophoridae) Synonym(s): *bellissima* Arenberger, 1975
 58701) *Agdistis* (Adenistis) *caradjai* Arenberger, 1975 (Pterophoridae) Synonym(s): *caradjai* Arenberger, 1975; *dagestanica* Zagulyaev & Filippova, 1976.
 58702) *Agdistis* (Adenistis) *falkovitshi* Zagulyaev, 1986 (Pterophoridae) Synonym(s): *falkovitshi* Zagulyaev, 1986
 58703) *Agdistis* (Adenistis) *minima* Walsingham, 1900 (Pterophoridae) Synonym(s): *minima* Walsingham, 1900
 58704) *Agdistis* (Adenistis) *olei* Arenberger, 1976 (Pterophoridae) Synonym(s): *olei* Arenberger, 1976
 58705) *Agdistis* (Adenistis) *pseudocanariensis* Arenberger, 1973 (Pterophoridae) Synonym(s): *pseudocanariensis* Arenberger, 1973.
 58706) *Agdistis* (Adenistis) *rubasiensis* Zagulyaev, 1985 (Pterophoridae) Synonym(s): *rubasiensis* Zagulyaev, 1985
 58707) *Agdistis* (Adenistis) *sissia* Arenberger, 1987 (Pterophoridae) Synonym(s): *sissia* Arenberger, 1987
 58708) *Agdistis* (Frankistis) *bifurcatus* Agenjo, 1952 (Pterophoridae) Synonym(s): *bifurcatus* Agenjo, 1952
 58709) *Agdistis* (Frankistis) *bigoti* Arenberger, 1976 (Pterophoridae) Synonym(s): *bigoti* Arenberger, 1976
 58710) *Agdistis* (Frankistis) *espuuae* Arenberger, 1978 (Pterophoridae) Synonym(s): *espuuae* Arenberger, 1978.
 58711) *Agdistis* (Frankistis) *frankeniae* (Zeller, 1847) (Pterophoridae) Synonym(s): *frankeniae* Zeller, 1847; *lerinsis* Millière, 1876; *bahrlutia* Amsel, 1955; *tondeuri* Bigot, 1963; *rupestris* Bigot, 1974; *rjabovi* Zagulyaev & Filippova, 1976; *kulunda* Ustjuzhanin, 1991.
 58712) *Agdistis* (Frankistis) *gittia* Arenberger, 1988 (Pterophoridae) Synonym(s): *gittia* Arenberger, 1988
 58713) *Agdistis* (Frankistis) *glaseri* Arenberger, 1978 (Pterophoridae) Synonym(s): *glaseri* Arenberger, 1978.
 58714) *Agdistis* (Frankistis) *halodelta* Meyrick, 1925 (Pterophoridae) Synonym(s): *halodelta* Meyrick, 1925; *lippensi* Amsel, 1955
 58715) *Agdistis* (Frankistis) *maghrebi* Arenberger, 1976 (Pterophoridae) Synonym(s): *maghrebi* Arenberger, 1976
 58716) *Agdistis* (Frankistis) *manicata* Staudinger, 1859 (Pterophoridae) Synonym(s): *manicata* Staudinger, 1859; *gigas* Turati, 1924; *lutescens* Turati, 1927; *tunesiella* Amsel, 1955; *fiorii* Bigot, 1960.
 58717) *Agdistis* (Frankistis) *mevlaniella* Arenberger, 1972 (Pterophoridae) Synonym(s): *mevlaniella* Arenberger, 1972
 58718) *Agdistis* (Frankistis) *paralia* (Zeller, 1847) (Pterophoridae) Synonym(s): *paralia* Zeller, 1847
 58719) *Agdistis* (Frankistis) *sphinx* Walsingham, 1907 (Pterophoridae) Synonym(s): *sphinx* Walsingham, 1907
 58720) *Agdistis* (Frankistis) *symmetrica* Amsel, 1955 (Pterophoridae) Synonym(s): *symmetrica* Amsel, 1955
 58721) *Agdistis* (Frankistis) *turkestanica* Zagulyaev, 1990 (Pterophoridae) Synonym(s): *turkestanica* Zagulyaev, 1990
 58722) *Agdistis* (Meridistis) *bennetii* (Curtis, 1833) (Pterophoridae) Synonym(s): *bennetii* Curtis, 1833
 58723) *Agdistis* (Meridistis) *delicatulella* Chrétien, 1917 (Pterophoridae) Synonym(s): *delicatulella* Chrétien, 1917.
 58724) *Agdistis* (Meridistis) *intermedia* Caradja, 1920 (Pterophoridae) Synonym(s): *intermedia* Caradja, 1920; *hungarica* Amsel, 1955.
 58725) *Agdistis* (Meridistis) *meridionalis* (Zeller, 1847) (Pterophoridae) Synonym(s): *meridionalis* Zeller, 1847; *staticis* Millière, 1875; *portlandica* Tutt, 1906; *clivicola* Meyrick, 1920; *tyrrhenica* Amsel, 1952; *prolai* Hartig, 1953.
 58726) *Agdistis* (Meridistis) *singula* Arenberger, 1995 (Pterophoridae) Synonym(s): *singula* Arenberger, 1995
 58727) *Agdistis* (Pardistis) *betica* Arenberger, 1978 (Pterophoridae) Synonym(s): *betica* Arenberger, 1978.
 58728) *Agdistis* (Pardistis) *hakimah* Arenberger, 1985 (Pterophoridae) Synonym(s): *hakimah* Arenberger, 1985
 58729) *Agdistis* (Pardistis) *hartigi* Arenberger, 1973 (Pterophoridae) Synonym(s): *hartigi* Arenberger, 1973.
 58730) *Agdistis* (Pardistis) *insidiatrix* Meyrick, 1936 (Pterophoridae) Synonym(s): *insidiatrix* Meyrick, 1936
 58731) *Agdistis* (Pardistis) *parvella* Amsel, 1958 (Pterophoridae) Synonym(s): *parvella* Amsel, 1958
 58732) *Agdistis* (Pardistis) *tenera* Arenberger, 1976 (Pterophoridae) Synonym(s): *tenera* Arenberger, 1976
 58733) *Agdistis* (Tamaristis) *arabica* Amsel, 1958 (Pterophoridae) Synonym(s): *arabica* Amsel, 1958
 58734) *Agdistis* (Tamaristis) *flavissima* Caradja, 1920 (Pterophoridae) Synonym(s): *flavissima* Caradja, 1920
 58735) *Agdistis* (Tamaristis) *ingens* Christoph, 1887 (Pterophoridae) Synonym(s): *ingens* Christoph, 1887.
 58736) *Agdistis* (Tamaristis) *tamaricis* (Zeller, 1847) (Pterophoridae) Synonym(s): *tamaricis* Zeller, 1847; *bagdadiensis* Amsel, 1949; *xinjiangsis* Qin & Zheng, 1997.
 58737) *Agdistis* (s.str.) *adactyla* (Hübner, [1819]) (Pterophoridae) Synonym(s): *adactyla* Hübner, [1819]; *huebneri* Curtis, 1834; *delphinensella* Bruand, 1858; *shaanxisis* Qin & Zheng, 1997.
 58738) *Agdistis* (s.str.) *cypriota* Arenberger, 1983 (Pterophoridae) Synonym(s): *cypriota* Arenberger, 1983
 58739) *Agdistis* (s.str.) *heydeni* (Zeller, 1852) (Pterophoridae) Synonym(s): *heydeni* Zeller, 1852; *canariensis* Rebel, 1896; *excurata* Meyrick, 1920.
 58740) *Agdistis* (s.str.) *karabachica* Zagulyaev, 1990 (Pterophoridae) Synonym(s): *karabachica* Zagulyaev, 1990
 58741) *Agdistis* (s.str.) *karakalensis* Zagulyaev, 1990 (Pterophoridae) Synonym(s): *karakalensis* Zagulyaev, 1990
 58742) *Agdistis* (s.str.) *melitensis* Amsel, 1954 (Pterophoridae) Synonym(s): *melitensis* Amsel, 1954.

- 58743) *Agdistis* (s.str.) *nanodes* Meyrick, 1906 (Pterophoridae) Synonym(s): *nanodes* Meyrick, 1906; *sindicola* Amsel, 1968; *debilis* Bigot, 1968.
- 58744) *Agdistis* (s.str.) *neglecta* Arenberger, 1976 (Pterophoridae) Synonym(s): *frankeniae* sensu Bigot, 1960; *neglecta* Arenberger, 1976;
- 58745) *Agdistis* (s.str.) *nigra* Amsel, 1955 (Pterophoridae) Synonym(s): *nigra* Amsel, 1955
- 58746) *Agdistis* (s.str.) *obstinata* Meyrick, 1920 (Pterophoridae) Synonym(s): *obstinata* Meyrick, 1920
- 58747) *Agdistis* (s.str.) *protai* Arenberger, 1973 (Pterophoridae) Synonym(s): *protai* Arenberger, 1973
- 58748) *Agdistis* (s.str.) *pygmaea* Amsel, 1955 (Pterophoridae) Synonym(s): *minima* Amsel, 1954 nec Wals., 1900; *pygmaea* Amsel, 1955
- 58749) *Agdistis* (s.str.) *salsolae* Walsingham, 1908 (Pterophoridae) Synonym(s): *salsolae* Walsingham, 1908
- 58750) *Agdistis* (s.str.) *santahelenae* Wollaston, 1879 (Pterophoridae) Synonym(s): *santahelenae* Wollaston, 1879
- 58751) *Agdistis* (s.str.) *satanas* Millière, 1876 (Pterophoridae) Synonym(s): *satanas* Millière, 1876; *nanus* Turati, 1924; *pseudosatanas* Amsel, 1952.
- 58752) *Agdistis* *arenbergeri* Gielis, 1986 (Pterophoridae) Synonym(s): *arenbergeri* Gielis, 1986
- 58753) *Agdistis* *cathae* Arenberger, 1999 (Pterophoridae) Synonym(s): *cathae* Arenberger, 1999
- 58754) *Agdistis* *clara* Arenberger, 1986 (Pterophoridae) Synonym(s): *clara* Arenberger, 1986
- 58755) *Agdistis* *cretifera* Meyrick, 1909 (Pterophoridae) Synonym(s): *cretifera* Meyrick, 1909
- 58756) *Agdistis* *criocephala* Meyrick, 1909 (Pterophoridae) Synonym(s): *criocephala* Meyrick, 1909
- 58757) *Agdistis* *dentalis* Arenberger, 1986 (Pterophoridae) Synonym(s): *dentalis* Arenberger, 1986
- 58758) *Agdistis* *dimetra* Meyrick, 1924 (Pterophoridae) Synonym(s): *dimetra* Meyrick, 1924
- 58759) *Agdistis* *infumata* Meyrick, 1912 (Pterophoridae) Synonym(s): *infumata* Meyrick, 1912
- 58760) *Agdistis* *lomholdti* Gielis, 1990 (Pterophoridae) Synonym(s): *lomholdti* Gielis, 1990
- 58761) *Agdistis* *malitiosa* Meyrick, 1909 (Pterophoridae) Synonym(s): *malitiosa* Meyrick, 1909
- 58762) *Agdistis* *malleana* Arenberger, 1988 (Pterophoridae) Synonym(s): *malleana* Arenberger, 1988
- 58763) *Agdistis* *namibiana* Arenberger, 1988 (Pterophoridae) Synonym(s): *namibiana* Arenberger, 1988
- 58764) *Agdistis* *pala* Arenberger, 1986 (Pterophoridae) Synonym(s): *pala* Arenberger, 1986
- 58765) *Agdistis* *piccolo* Gielis, 1990 (Pterophoridae) Synonym(s): *piccolo* Gielis, 1990
- 58766) *Agdistis* *pustulalis* Walker, 1864 (Pterophoridae) Synonym(s): *pustulalis* Walker, 1864
- 58767) *Agdistis* *reciprocans* Meyrick, 1924 (Pterophoridae) Synonym(s): *reciprocans* Meyrick, 1924
- 58768) *Agdistis* *rjabovi* Zagulyaev & Filippova, 1976 (Pterophoridae) Synonym(s): *rjabovi* Zagulyaev & Filippova, 1976
- 58769) *Agdistis* *spinosa* Arenberger, 1986 (Pterophoridae) Synonym(s): *spinosa* Arenberger, 1986
- 58770) *Agdistis* *tihamae* Arenberger, 1999 (Pterophoridae) Synonym(s): *tihamae* Arenberger, 1999
- 58771) *Agdistis* *unguica* Arenberger, 1988 (Pterophoridae) Synonym(s): *unguica* Arenberger, 1988
- 58772) *Agdistis* *urmijensis* Zagulyaev, 1995 (Pterophoridae) Synonym(s): *urmijensis* Zagulyaev, 1995
- 58773) *Agdistis* *yemenica* Arenberger, 1999 (Pterophoridae) Synonym(s): *yemenica* Arenberger, 1999
- 58774) *Amblyptilia* *acanthadactyla* (Hübner, [1813]) (Pterophoridae) Synonym(s): *acanthadactyla* Hübner, [1813]; *odontodactyla* Charpentier, 1821; *calaminthae* Frey, 1886; *tetralicella* Hofmann, 1895.
- 58775) *Amblyptilia* *direptalis* (Walker, 1864) (Pterophoridae) Synonym(s): *direptalis* Walker, 1864
- 58776) *Amblyptilia* *punctidactyla* (Haworth, 1811) (Pterophoridae) Synonym(s): *punctidactyla* Haworth, 1811; *cosmodactyla* Hübner, [1819]; *ulodactyla* Zetterstedt, 1839; *stachydalis* Frey, 1870; *nivea* Bankes, 1906; *moerens* Snellen, 1884; *jezoensis* Matsumura, 1931; *bella* Yano, 1963.
- 58777) *Buckleria* *paludum* (Zeller, 1839) (Pterophoridae) Synonym(s): *paludum* Zeller, 1839; *paludidactylus* Bruand, 1859; *paludicola* Flethcer, 1907; *dolichos* Matsumura, 1931.
- 58778) *Buszkoiana* *capnodactyla* (Zeller, 1841) (Pterophoridae) Synonym(s): *capnodactylus* Zeller, 1841
- 58779) *Calyciphora* *acarnella* (Walsingham, 1898) (Pterophoridae) Synonym(s): *acarnella* Walsingham, 1898
- 58780) *Calyciphora* *adamas* (Constant, 1895) (Pterophoridae) Synonym(s): *adamas* Constant, 1895
- 58781) *Calyciphora* *golestanica* Alipanah & Ustjuzhanin, 2005 (Pterophoridae) Synonym(s): *golestanica* Alipanah & Ustjuzhanin, 2005
- 58782) *Calyciphora* *homiodactyla* (Kasy, 1960) (Pterophoridae) Synonym(s): *homiodactyla* Kasy, 1960
- 58783) *Calyciphora* *maraschella* Zagulyaev, 1986 (Pterophoridae) Synonym(s): *maraschella* Zagulyaev, 1986
- 58784) *Calyciphora* *nephelodactyla* (Eversmann, 1844) (Pterophoridae) Synonym(s): *nephelodactyla* Eversmann, 1844; *apollina* Millière, 1882; *extensa* Zagulyaev, 1986.
- 58785) *Calyciphora* *sesamitis* (Meyrick, 1905) (Pterophoridae) Synonym(s): *sesamitis* Meyrick, 1905
- 58786) *Calyciphora* *xanthodactyla* (Treitschke, 1833) (Pterophoridae) Synonym(s): *xanthodactyla* Treitschke, 1833
- 58787) *Calyciphora* *xerodactyla* (Zeller, 1841) (Pterophoridae) Synonym(s): *xerodactyla* Zeller, 1841; *sicula* Fuchs, 1901.
- 58788) *Capperia* *agadirensis* Arenberger, 2002 (Pterophoridae) Synonym(s): *agadirensis* Arenberger, 2002
- 58789) *Capperia* *bonneui* Bigot, 1987 (Pterophoridae) Synonym(s): *bonneui* Bigot, 1987
- 58790) *Capperia* *britanniodactyla* (Gregson, 1869) (Pterophoridae) Synonym(s): *britanniodactyla* Gregson, 1869; *teucii* Jordan, 1869.
- 58791) *Capperia* *celeusi* (Frey, 1886) (Pterophoridae) Synonym(s): *celeusi* Frey, 1886; *interciscus* Meyrick, 1930; *belutschistanella* Amsel, 1959; *karakalensis* Gibeaux, 1997.
- 58792) *Capperia* *fletcheri* Adamczewski, 1951 (Pterophoridae) Synonym(s): *fletcheri* Adamczewski, 1951
- 58793) *Capperia* *fusca* (Hofmann, 1898) (Pterophoridae) Synonym(s): *fusca* Hofmann, 1898; *marrubii* Adamczewski, 1951
- 58794) *Capperia* *hellenica* Adamczewski, 1951 (Pterophoridae) Synonym(s): *hellenica* Adamczewski, 1951
- 58795) *Capperia* *jozana* (Matsumura, 1931) (Pterophoridae) Synonym(s): *jozana* Matsumura, 1931
- 58796) *Capperia* *lorana* (Fuchs, 1895) (Pterophoridae) Synonym(s): *loranus* Fuchs, 1895; *sequanensis* Gibeaux, 1990
- 58797) *Capperia* *maratonica* Adamczewski, 1951 (Pterophoridae) Synonym(s): *maratonica* Adamczewski, 1951
- 58798) *Capperia* *marginella* (Zeller, 1847) (Pterophoridae) Synonym(s): *marginella* Zeller, 1847
- 58799) *Capperia* *polonica* Adamczewski, 1951 (Pterophoridae) Synonym(s): *polonica* Adamczewski, 1951
- 58800) *Capperia* *salanga* Arenberger, 1995 (Pterophoridae) Synonym(s): *salanga* Arenberger, 1995
- 58801) *Capperia* *sequanensis* Gibeaux, 1991 (Pterophoridae) Synonym(s): *sequanensis* Gibeaux, 1991
- 58802) *Capperia* *taurica* Zagulyaev, 1987 (Pterophoridae) Synonym(s): *taurica* Zagulyaev, 1987; *irkutica* Arenberger, 1989.
- 58803) *Capperia* *trichodactyla* [(Denis & Schiffermüller), 1775] (Pterophoridae) Synonym(s): *trichodactyla* [Denis & Schiffermüller], 1775; *leonuri* Stange, 1882; *affinis* Müller-Rutz, 1933.
- 58804) *Capperia* *washbourni* Adamczewski, 1951 (Pterophoridae) Synonym(s): *washbourni* Adamczewski, 1951
- 58805) *Capperia* *zelleri* Adamczewski, 1951 (Pterophoridae) Synonym(s): *zelleri* Adamczewski, 1951
- 58806) *Cnaemidophorus* *rhododactylus* (Fabricius, 1787) (Pterophoridae) Synonym(s): *rhododactyla* [Denis & Schiffermüller], 1775; *rhododactylus* Fabricius, 1787; *koreana* Matsumura, 1931.
- 58807) *Cosmoclostis* *auxileuca* (Meyrick, 1908) (Pterophoridae) Synonym(s): *auxileuca* Meyrick, 1908
- 58808) *Cosmoclostis* *brachybela* T.B.Fletcher, 1947 (Pterophoridae) Synonym(s): *brachybela* T.B.Fletcher, 1947; *pesseuta* Janse, 1917
- 58809) *Cosmoclostis* *pesseuta* Meyrick, 1906 (Pterophoridae) Synonym(s): *pesseuta* Meyrick, 1906; *premnicola* T.B.Fletcher, 1932.
- 58810) *Crombruggia* *distans* (Zeller, 1847) (Pterophoridae) Synonym(s): *distans* Zeller, 1847; *tristidactyla* Bruand, 1858; *geodactylus* Fuchs, 1903; *lactuca* Fletcher, 1920; *clarisignis* Myerick, 1924; *buvati* Bigot & Picard, 1988; *pravieli* Bigot & Picard, 1989; *gibeauxi* Bigot et al., 1990; *supplementum* Gibeaux, 1997.
- 58811) *Crombruggia* *kollari* (Stainton, 1851) (Pterophoridae) Synonym(s): *kollari* Stainton, 1851
- 58812) *Crombruggia* *laeta* (Zeller, 1847) (Pterophoridae) Synonym(s): *laetus* Zeller, 1847; *loetidactyla* Bruand, 1858; *andryalae* Millière, 1863; *andryaladactylus* Millière, 1863; *lantoscans* Millière, 1882.
- 58813) *Crombruggia* *propedistans* (Bigot & Picard, 1988) (Pterophoridae) Synonym(s): *propedistans* Bigot & Picard, 1988
- 58814) *Crombruggia* *reichli* Arenberger, 1998 (Pterophoridae) Synonym(s): *reichli* Arenberger, 1998
- 58815) *Crombruggia* *tristis* (Zeller, 1839) (Pterophoridae) Synonym(s): *tristis* Zeller, 1839; *tristidactyla* Bruand, 1858; *adamczewskii* Bigot & Picard, 1988.
- 58816) *Crombruggia* *wahlbergi* (Zeller, 1851) (Pterophoridae) Synonym(s): *wahlbergi* Zeller, 1851; *rutilalis* Walker, 1864; *pyrrhodes* Meyrick, 1889.
- 58817) *Deuterocopus* *albipunctatus* T.B.Fletcher, 1910 (Pterophoridae) Synonym(s): *albipunctatus* T.B.Fletcher, 1910
- 58818) *Deuterocopus* *melanotus* Fletcher, 1910 (Pterophoridae) Synonym(s): *melanotus* Fletcher, 1910
- 58819) *Deuterocopus* *melanotus* T.B.Fletcher, 1910 (Pterophoridae) Synonym(s): *melanotus* T.B.Fletcher, 1910; *lophopteryx* T.B.Fletcher, 1910.
- 58820) *Deuterocopus* *planeta* Meyrick, 1907 (Pterophoridae) Synonym(s): *planeta* Meyrick, 1907
- 58821) *Deuterocopus* *planetus* Meyrick, 1908 (Pterophoridae) Synonym(s): *planetus* Meyrick, 1908
- 58822) *Deuterocopus* *sokotranus* Rebel, 1907 (Pterophoridae) Synonym(s): *sokotranus* Rebel, 1907; *viticola* Meyrick, 1911; *triannulatus* Meyrick, 1913.

- 58823) *Diacrotricha fasciola* Zeller, 1852 (Pterophoridae) Synonym(s): *fasciola* Zeller, 1852
 58824) *Diacrotricha lanceata* (Arenberger, 1985) (Pterophoridae) Synonym(s): *lanceata* Arenberger, 1985
 58825) *Emmeline amseli* (Bigot, 1967) (Pterophoridae) Synonym(s): *amseli* Bigot, 1967
 58826) *Emmeline argoteles* (Meyrick, 1922) (Pterophoridae) Synonym(s): *argoteles* Meyrick, 1922; *jezonicus* Matsumura, 1931; *komabensis* Matsumura, 1931; *menoko* Matsumura, 1931; *yanagawanus* Matsumura, 1931.
 58827) *Emmeline bigoti* Gibeaux, 1990 (Pterophoridae) Synonym(s): *bigoti* Gibeaux, 1990
 58828) *Emmeline monodactyla* (Linnaeus, 1758) (Pterophoridae) Synonym(s): *monodactyla* Linnaeus, 1758; *sibiricus* Caradja, 1920.
 58829) *Emmeline pseudojezonica* Derra, 1987 (Pterophoridae) Synonym(s): *pseudojezonica* Derra, 1987
 58830) *Exelastis crepuscularis* (Meyrick, 1909) (Pterophoridae) Synonym(s): *crepuscularis* Meyrick, 1909
 58831) *Exelastis pavidus* (Meyrick, 1908) (Pterophoridae) Synonym(s): *pavidus* Meyrick, 1908
 58832) *Exelastis tenax* (Meyrick, 1913) (Pterophoridae) Synonym(s): *tenax* Meyrick, 1913
 58833) *Fuscoptilia emarginata* (Snellen, 1884) (Pterophoridae) Synonym(s): *emarginata* Snellen, 1884; *nakanensis* Matsumura, 1931; *sapporensis* Matsumura, 1931.
 58834) *Fuscoptilia hoenei* Arenberger, 1999 (Pterophoridae) Synonym(s): *hoenei* Arenberger, 1999
 58835) *Fuscoptilia jarosi* Arenberger, 1991 (Pterophoridae) Synonym(s): *jarosi* Arenberger, 1991
 58836) *Fuscoptilia sinuata* (Qin & Zheng, 1997) (Pterophoridae) Synonym(s): *sinuata* Qin & Zheng, 1997
 58837) *Geina didactyla* (Linnaeus, 1758) (Pterophoridae) Synonym(s): *didactyla* Linnaeus, 1758; *brunneodactyla* Millière, 1854.
 58838) *Gypsochares baptodactylus* (Zeller, 1850) (Pterophoridae) Synonym(s): *baptodactylus* Zeller, 1850; *dactylographa* Turati, 1927.
 58839) *Gypsochares bigoti* Gibeaux & Nel, 1989 (Pterophoridae) Synonym(s): *bigoti* Gibeaux & Nel, 1989
 58840) *Gypsochares catharotes* (Meyrick, 1908) (Pterophoridae) Synonym(s): *catharotes* Meyrick, 1908
 58841) *Gypsochares kukti* Arenberger, 1990 (Pterophoridae) Synonym(s): *kukti* Arenberger, 1990
 58842) *Gypsochares nielswolffi* Gielis & Arenberger, 1992 (Pterophoridae) Synonym(s): *nielswolffi* Gielis & Arenberger, 1992
 58843) *Hellinsia acuminata* (Meyrick, 1920) (Pterophoridae) Synonym(s): *acuminata* Meyrick, 1920
 58844) *Hellinsia adumbrata* (Walsingham, 1881) (Pterophoridae) Synonym(s): *adumbrata* Walsingham, 1881
 58845) *Hellinsia aegyptiaca* (Rebel, 1914) (Pterophoridae) Synonym(s): *aegyptiaca* Rebel, 1914
 58846) *Hellinsia albidactyla* (Yano, 1963) (Pterophoridae) Synonym(s): *albidactyla* Yano, 1963
 58847) *Hellinsia ambitiosa* (Meyrick, 1911) (Pterophoridae) Synonym(s): *ambitiosa* Meyrick, 1911
 58848) *Hellinsia ammonias* (Meyrick, 1909) (Pterophoridae) Synonym(s): *ammonias* Meyrick, 1909
 58849) *Hellinsia aruna* (Arenberger, 1991) (Pterophoridae) Synonym(s): *aruna* Arenberger, 1991
 58850) *Hellinsia bhutanensis* Arenberger, 1995 (Pterophoridae) Synonym(s): *bhutanensis* Arenberger, 1995
 58851) *Hellinsia callida* (Meyrick, 1913) (Pterophoridae) Synonym(s): *callida* Meyrick, 1913
 58852) *Hellinsia carphodactyla* (Hübner, [1813]) (Pterophoridae) Synonym(s): *carphodactylus* Hübner, [1813]; *citridactylus* Stephens, 1834; *infirma* Heydenreich, 1851; *buphthalmi* Hofmann, 1898; *inulaevorus* Gibeaux, 1989; *alpinus* Gibeaux & Picard, 1992
 58853) *Hellinsia chrysocomae* (Ragonot, 1875) (Pterophoridae) Synonym(s): *chrysocomae* Ragonot, 1875; *bowesi* Whalley, 1960; *gozmanyi* Bigot, 1970.
 58854) *Hellinsia colubrata* (Meyrick, 1909) (Pterophoridae) Synonym(s): *colubrata* Meyrick, 1909
 58855) *Hellinsia distincta* (Herrich-Schäffer, 1855) (Pterophoridae) Synonym(s): *distinctus* Herrich-Schäffer, 1855; *sibiricus* Caradja, 1921; *zermattensis* Müller-Rutz, 1930; *acutus* Yano, 1963.
 58856) *Hellinsia excors* (Meyrick, 1930) (Pterophoridae) Synonym(s): *excors* Meyrick, 1930
 58857) *Hellinsia fletcheri* Arenberger, 1992 (Pterophoridae) Synonym(s): *fletcheri* Arenberger, 1992
 58858) *Hellinsia fufurosa* (Meyrick, 1911) (Pterophoridae) Synonym(s): *fufurosa* Meyrick, 1911
 58859) *Hellinsia fuscomarginata* Arenberger, 1991 (Pterophoridae) Synonym(s): *fuscomarginata* Arenberger, 1991
 58860) *Hellinsia gypsotes* (Meyrick, 1936) (Pterophoridae) Synonym(s): *gypsotes* Meyrick, 1936
 58861) *Hellinsia harpactes* (Meyrick, 1908) (Pterophoridae) Synonym(s): *harpactes* Meyrick, 1908
 58862) *Hellinsia illuta* (Meyrick, 1917) (Pterophoridae) Synonym(s): *illuta* Meyrick, 1917
 58863) *Hellinsia improba* (Meyrick, 1934) (Pterophoridae) Synonym(s): *improba* Meyrick, 1934
 58864) *Hellinsia innocens* (Snellen, 1884) (Pterophoridae) Synonym(s): *innocens* Snellen, 1884
 58865) *Hellinsia inulae* (Zeller, 1852) (Pterophoridae) Synonym(s): *inulae* Zeller, 1852; *coniodactylus* Staudinger, 1859; *alpinus* Gibeaux & Picard, 1992.
 58866) *Hellinsia inulaevora* (Gibeaux, 1989) (Pterophoridae) Synonym(s): *inulaevora* Gibeaux, 1989
 58867) *Hellinsia invidiosa* (Meyrick, 1911) (Pterophoridae) Synonym(s): *invidiosa* Meyrick, 1911
 58868) *Hellinsia ishiyamana* (Matsumura, 1931) (Pterophoridae) Synonym(s): *ishiyamana* Matsumura, 1931
 58869) *Hellinsia kuwayamai* (Matsumura, 1931) (Pterophoridae) Synonym(s): *kuwayamai* Matsumura, 1931
 58870) *Hellinsia laciniata* Arenberger, 1991 (Pterophoridae) Synonym(s): *laciniata* Arenberger, 1991
 58871) *Hellinsia lacteola* (Yano, 1963) (Pterophoridae) Synonym(s): *lacteola* Yano, 1963
 58872) *Hellinsia lienigiana* (Zeller, 1852) (Pterophoridae) Synonym(s): *lienigianus* Zeller, 1852; *melinodactylus* Herrich-Schäffer, 1855; *scarodactylus* Becker, 1861; *serindibanus* Moore, 1886; *victorianus* Strand, 1913; *catharodactylus* Caradja, 1920; *hirosakianus* Matsumura, 1931; *muturui* Yano, 1963.
 58873) *Hellinsia mongolica* (Zagulyaev & Pentschukowskaja, 1972) (Pterophoridae) Synonym(s): *mongolicus* Zagulyaev & Pentschukowskaja, 1972
 58874) *Hellinsia nigridactyla* (Yano, 1961) (Pterophoridae) Synonym(s): *nigridactyla* Yano, 1961
 58875) *Hellinsia orchatias* (Meyrick, 1908) (Pterophoridae) Synonym(s): *orchatias* Meyrick, 1908
 58876) *Hellinsia osteodactylus* (Zeller, 1841) (Pterophoridae) Synonym(s): *microdactyla* Zetterstedt, 1839 nec Hübner, [1813]; *osteodactylus* Zeller, 1841; *trimmatodactylus* Christoph, 1872; *cinerariae* Millière, 1874; *chrysocomae* Ragonot, 1875; *korbi* Caradja, 1920; *turbidellus* Caradja, 1920; *sophonistes* Meyrick, 1938.
 58877) *Hellinsia pacifica* (Meyrick, 1911) (Pterophoridae) Synonym(s): *pacifica* Meyrick, 1911
 58878) *Hellinsia pectodactyla* (Staudinger, 1859) (Pterophoridae) Synonym(s): *pectodactylus* Staudinger, 1859; *angustus* Walsingham, 1880; *stramineus* Walsingham, 1880; *melanoschisma* Walsingham, 1908.
 58879) *Hellinsia procontias* (Meyrick, 1908) (Pterophoridae) Synonym(s): *procontias* Meyrick, 1908
 58880) *Hellinsia pura* (Meyrick, 1913) (Pterophoridae) Synonym(s): *pura* Meyrick, 1913
 58881) *Hellinsia scholastica* (Meyrick, 1924) (Pterophoridae) Synonym(s): *scholastica* Meyrick, 1924
 58882) *Hellinsia serpens* (Meyrick, 1909) (Pterophoridae) Synonym(s): *serpens* Meyrick, 1909
 58883) *Hellinsia sichuana* Arenberger, 1992 (Pterophoridae) Synonym(s): *sichuana* Arenberger, 1992
 58884) *Hellinsia sordidata* (Meyrick, 1912) (Pterophoridae) Synonym(s): *sordidata* Meyrick, 1912
 58885) *Hellinsia sphenites* (Meyrick, 1913) (Pterophoridae) Synonym(s): *sphenites* Meyrick, 1913
 58886) *Hellinsia subnotata* (Walker, 1875) (Pterophoridae) Synonym(s): *subnotata* Walker, 1875
 58887) *Hellinsia tephradactyla* (Hübner, [1813]) (Pterophoridae) Synonym(s): *tephradactylus* Hübner, [1813]; *inframaculella* Bruand, 1850.
 58888) *Hellinsia timida* (Meyrick, 1908) (Pterophoridae) Synonym(s): *timida* Meyrick, 1908
 58889) *Hellinsia triadias* (Meyrick, 1908) (Pterophoridae) Synonym(s): *triadias* Meyrick, 1908
 58890) *Hellinsia tripunctata* (Walsingham, 1881) (Pterophoridae) Synonym(s): *tripunctata* Walsingham, 1881; *laqueata* Meyrick, 1913.
 58891) *Hellinsia wrangeliensis* (Zagulyaev, 1985) (Pterophoridae) Synonym(s): *wrangeliensis* Zagulyaev, 1985
 58892) *Hepalastis pumilio* (Zeller, 1873) (Pterophoridae) Synonym(s): *pumilio* Zeller, 1873
 58893) *Intercapperia scindia* Arenberger, 1988 (Pterophoridae) Synonym(s): *scindia* Arenberger, 1988
 58894) *Lantanophaga pusillidactyla* (Walker, 1864) (Pterophoridae) Synonym(s): *pusillidactyla* Walker, 1864; *brevipennis* Zeller, 1864; *technidion* Zeller, 1877; *hemimetra* Meyrick, 1886; *lantana* Busck, 1914; *lantana* dactyla Amsel, 1951.
 58895) *Macrotinactis stenodactylus* (T.B. Fletcher, 1911) (Pterophoridae) Synonym(s): *stenodactylus* T.B. Fletcher, 1911
 58896) *Marasmarcha asiatica* (Rebel, 1902) (Pterophoridae) Synonym(s): *asiatica* Rebel, 1902
 58897) *Marasmarcha bonaespei* (Walsingham, 1881) (Pterophoridae) Synonym(s): *bonaespei* Walsingham, 1881
 58898) *Marasmarcha cinnamomea* (Staudinger, 1870) (Pterophoridae) Synonym(s): *cinnamomea* Staudinger, 1870; *glycyrrhizae* Zagulyaev, 1969.
 58899) *Marasmarcha ehrenbergiana* Zeller, 1841 (Pterophoridae) Synonym(s): *ehrenbergiana* Zeller, 1841; *decolorum* Caradja, 1920.
 58900) *Marasmarcha glycyrrhizavora* Zheng & Qin, 1997 (Pterophoridae) Synonym(s): *glycyrrhizavora* Zheng & Qin, 1997
 58901) *Marasmarcha leucocrossa* Meyrick, 1936 (Pterophoridae) Synonym(s): *leucocrossa* Meyrick, 1936
 58902) *Marasmarcha lunaedactyla* (Haworth, [1811]) (Pterophoridae) Synonym(s): *lunaedactyla* Haworth, [1811]; *phaeodactyla* Hübner, [1813]; *agrorum* Herrich-Schäffer, 1855; *fauna* Millière, 1876; *altaica* Krulikowsky, 1906; *tutodactyla* Chapman, 1906

- 58903) *Marasmarcha oxydactyla* (Staudinger,1859) (Pterophoridae) Synonym(s): *oxydactyla* Staudinger,1859; *wulschlegeli* Müller-Rutz,1914
 58904) *Marasmarcha rhypodactyla* (Staudinger,1871) (Pterophoridae) Synonym(s): *rhypodactyla* Staudinger,1871; *uralski* Caradja,1920.
 58905) *Marasmarcha sisyrodes* Meyrick,1921 (Pterophoridae) Synonym(s): *sisyrodes* Meyrick,1921
 58906) *Marasmarcha spinosa* Meyrick,1925 (Pterophoridae) Synonym(s): *spinosa* Meyrick,1925
 58907) *Marasmarcha verax* (Meyrick,1909) (Pterophoridae) Synonym(s): *verax* Meyrick,1909
 58908) *Marasmarcha colossa* Caradja,1920 (Pterophoridae) Synonym(s): *colossa* Caradja,1920
 58909) *Megalorhipida angusta* Arenberger,2002 (Pterophoridae) Synonym(s): *angusta* Arenberger,2002
 58910) *Megalorhipida fissa* Arenberger,2002 (Pterophoridae) Synonym(s): *fissa* Arenberger,2002
 58911) *Megalorhipida leptomeris* (Meyrick,1886) (Pterophoridae) Synonym(s): *leptomeris* Meyrick,1886
 58912) *Megalorhipida leucodactyla* (Fabricius,1794) (Pterophoridae) Synonym(s): *leucodactylus* Fabricius,1794; *defectalis* Walker,1864; *congrualis* Walker,1864; *oxydactyla* Walker,1864; *hawaiiensis* Butler,1881; *ochrodactyla* Fish,1881; *centetes* Meyrick,1886; *composchares* Meyrick,1886; *ralumensis* Pagenstecher,1900; *derelictus* Meyrick,1926; *palaestinensis* Amsel,1935
 58913) *Megalorhipida subtilis* (Rebel,1907) (Pterophoridae) Synonym(s): *subtilis* Rebel,1907
 58914) *Merrifieldia alaica* (Caradja,1920) (Pterophoridae) Synonym(s): *alaica* Caradja,1920
 58915) *Merrifieldia baliodactyla* (Zeller,1841) (Pterophoridae) Synonym(s): *baliodactyla* Zeller,1841; *tridactylus* Stephens,1834; *daliiodactylus* Bruand,1850; *meridionalis* Staudinger,1880.
 58916) *Merrifieldia brandti* (Arenberger,1981) (Pterophoridae) Synonym(s): *brandti* Arenberger,1981
 58917) *Merrifieldia bystropoginis* (Walsingham,1908) (Pterophoridae) Synonym(s): *bystropoginis* Walsingham,1908
 58918) *Merrifieldia calcaria* (Lederer,1870) (Pterophoridae) Synonym(s): *calcaria* Lederer,1870
 58919) *Merrifieldia cana* Arenberger,1990 (Pterophoridae) Synonym(s): *cana* Arenberger,1990
 58920) *Merrifieldia caspia* (Lederer,1870) (Pterophoridae) Synonym(s): *caspia* Lederer,1870
 58921) *Merrifieldia chordodactyla* (Staudinger,1859) (Pterophoridae) Synonym(s): *chordodactyla* Staudinger,1859
 58922) *Merrifieldia deprinsi* Arenberger,1990 (Pterophoridae) Synonym(s): *deprinsi* Arenberger,1990
 58923) *Merrifieldia diwani* (Arenberger,1981) (Pterophoridae) Synonym(s): *diwani* Arenberger,1981
 58924) *Merrifieldia farsii* (Arenberger,1981) (Pterophoridae) Synonym(s): *farsii* Arenberger,1981
 58925) *Merrifieldia garrigae* (Bigot & Picard,1989) (Pterophoridae) Synonym(s): *garrigae* Bigot & Picard,1989
 58926) *Merrifieldia hedemanni* (Rebel,1896) (Pterophoridae) Synonym(s): *hedemanni* Rebel,1896
 58927) *Merrifieldia icterodactyla* (Mann,1855) (Pterophoridae) Synonym(s): *icterodactyla* Mann,1855
 58928) *Merrifieldia leucodactyla* [Denis & Schiffermüller,1775] (Pterophoridae) Synonym(s): *#leucodactyla* [Denis & Schiffermüller],1775; *theiodactyla* Hübner,[1825]; *wernickei* Wocke,1897; *fitzi* Rebel,1912; *flavella* Chrétien,1923; *dryogramma* Meyrick,1930.
 58929) *Merrifieldia lyrae* (Arenberger,1983) (Pterophoridae) Synonym(s): *lyrae* Arenberger,1983
 58930) *Merrifieldia malacodactyla* (Zeller,1847) (Pterophoridae) Synonym(s): *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubius* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993
 58931) *Merrifieldia menthae* (Chrétien,1925) (Pterophoridae) Synonym(s): *menthae* Chrétien,1925
 58932) *Merrifieldia moulinieri* Nel,1991 (Pterophoridae) Synonym(s): *moulinieri* Nel,1991
 58933) *Merrifieldia neli* Bigot & Picard,1989 (Pterophoridae) Synonym(s): *neli* Bigot & Picard,1989
 58934) *Merrifieldia particiliata* (Walsingham,1908) (Pterophoridae) Synonym(s): *particiliata* Walsingham,1908
 58935) *Merrifieldia phlomidactyla* (Wasserthal,1970) (Pterophoridae) Synonym(s): *phlomidactyla* Wasserthal,1970
 58936) *Merrifieldia probolias* (Meyrick,1891) (Pterophoridae) Synonym(s): *probolias* Meyrick,1891
 58937) *Merrifieldia rayatella* (Amsel,1959) (Pterophoridae) Synonym(s): *rayatella* Amsel,1959
 58938) *Merrifieldia semiodactyla* (Mann,1855) (Pterophoridae) Synonym(s): *semiodactyla* Mann,1855
 58939) *Merrifieldia spicidactyla* (Chrétien,1923) (Pterophoridae) Synonym(s): *spicidactyla* Chrétien,1923
 58940) *Merrifieldia tridactyla* (Linnaeus,1758) (Pterophoridae) Synonym(s): *tridactyla* Linnaeus,1758; *tetradactyla* Linnaeus,1758; *niveidactylus* Stephens,1829; *fuscolimbatus* Duponchel,1844; *exilidactyla* Buszko,1975.
 58941) *Ochyrotica connexiva* (Walsingham,1891) (Pterophoridae) Synonym(s): *connexiva* Walsingham,1891
 58942) *Ochyrotica yanoi* Arenberger,1988 (Pterophoridae) Synonym(s): *yanoi* Arenberger,1988
 58943) *Oidaematophorus buphthalmi* (Hofmann,1898) (Pterophoridae) Synonym(s): *buphthalmi* Hofmann,1898
 58944) *Oidaematophorus cinerariae* (Millière,1874) (Pterophoridae) Synonym(s): *cinerariae* Millière,1874
 58945) *Oidaematophorus coniodactylus* (Staudinger,1859) (Pterophoridae) Synonym(s): *coniodactylus* Staudinger,1859.
 58946) *Oidaematophorus constanti* (Ragonot,1876) (Pterophoridae) Synonym(s): *constanti* Ragonot,1876
 58947) *Oidaematophorus didactylites* (Ström,1783) (Pterophoridae) Synonym(s): *didactylites* Ström,1783; *scarodactyla* Hübner,[1813]; *icarodactyla* Treitschke,1833; *catharodactylus* Caradja,1921.
 58948) *Oidaematophorus giganteus* (Mann,1855) (Pterophoridae) Synonym(s): *giganteus* Mann,1855
 58949) *Oidaematophorus iwatensis* (Matsumura,1931) (Pterophoridae) Synonym(s): *iwatensis* Matsumura,1931
 58950) *Oidaematophorus lithodactylus* (Treitschke,1833) (Pterophoridae) Synonym(s): *lithodactylus* Treitschke,1833; *septodactylus* Treitschke,1833; *similidactylus* Dale,1834; *lithoxylodactylus* Duponchel,[1840].
 58951) *Oidaematophorus minutella* Li,2002 (Pterophoridae) Synonym(s): *minutella* Li,2002
 58952) *Oidaematophorus rogenhoferi* (Mann,1871) (Pterophoridae) Synonym(s): *rogenhoferi* Mann,1871
 58953) *Oidaematophorus rubifusca* Li,2002 (Pterophoridae) Synonym(s): *rubifusca* Li,2002
 58954) *Oidaematophorus vafradactylus* Svensson,1966 (Pterophoridae) Synonym(s): *vafradactylus* Svensson,1966
 58955) *Oxyptilus caryornis* Meyrick,1935 (Pterophoridae) Synonym(s): *caryornis* Meyrick,1935
 58956) *Oxyptilus chrysodactylus* [Denis & Schiffermüller,1775] (Pterophoridae) Synonym(s): *chrysodactylus* [Denis & Schiffermüller],1775; *hieracii* Zeller,1841; *hieracidactyla* Bruand,1858; *perunovi* Ustjuchanin,1996.
 58957) *Oxyptilus ericetorum* (Zeller,1844) (Pterophoridae) Synonym(s): *ericetorum* Zeller,1844; *ericetidactyla* Bruand,1859.
 58958) *Oxyptilus erythrodactylus* T.B.Fletcher,1911 (Pterophoridae) Synonym(s): *erythrodactylus* T.B.Fletcher,1911
 58959) *Oxyptilus esuriens* Meyrick,1932 (Pterophoridae) Synonym(s): *esuriens* Meyrick,1932
 58960) *Oxyptilus gibeauxi* Bigot, Nel & Picard,1990 (Pterophoridae) Synonym(s): *gibeauxi* Bigot, Nel & Picard,1990
 58961) *Oxyptilus jaeckhi* Bigot & Picard,1992 (Pterophoridae) Synonym(s): *jaeckhi* Bigot & Picard,1992
 58962) *Oxyptilus mycetes* Meyrick,1914 (Pterophoridae) Synonym(s): *mycetes* Meyrick,1914
 58963) *Oxyptilus parvidactylus* (Haworth,[1811]) (Pterophoridae) Synonym(s): *parvidactylus* Haworth,[1811]; *microdactylus* Samouelle,1819; *obscurus* Zeller,1841; *hemididactylus* Selys-Longchamps,1845; *dentellus* Zeller,1852; *obscuridactyla* Bruand,1859; *hofmannseggii* Möschler,1866; *maroccanensis* Amsel,1956.
 58964) *Oxyptilus pilosellae* (Zeller,1841) (Pterophoridae) Synonym(s): *pilosellae* Zeller,1841; *pilosellidactyla* Bruand,1859; *bohemanni* Wallengren,1862.
 58965) *Oxyptilus regulus* Meyrick,1906 (Pterophoridae) Synonym(s): *regulus* Meyrick,1906
 58966) *Oxyptilus secutor* Meyrick,1911 (Pterophoridae) Synonym(s): *secutor* Meyrick,1911
 58967) *Oxyptilus variegatus* Meyrick,1920 (Pterophoridae) Synonym(s): *variegatus* Meyrick,1920
 58968) *Oxyptilus vibrans* Meyrick,1921 (Pterophoridae) Synonym(s): *vibrans* Meyrick,1921
 58969) *Oxyptilus zhengi* Hao, Li & Wang,2002 (Pterophoridae) Synonym(s): *zhengi* Hao, Li & Wang,2002
 58970) *Paracapperia anatolica* (Caradja,1920) (Pterophoridae) Synonym(s): *anatolica* Caradja,1920.
 58971) *Paraplatyptilia carelica* (Zagulajev,1983) (Pterophoridae) Synonym(s): *carelica* Zagulajev,1983
 58972) *Paraplatyptilia gajii* (Zagulyaev,1983) (Pterophoridae) Synonym(s): *gajii* Zagulyaev,1983
 58973) *Paraplatyptilia metzneri* (Zeller,1841) (Pterophoridae) Synonym(s): *metzneri* Zeller,1841; *bolli* Frey,1856.
 58974) *Paraplatyptilia sahlbergi* (Poppius,1906) (Pterophoridae) Synonym(s): *sahlbergi* Poppius,1906
 58975) *Platyptilia ainonis* Matsumura,1931 (Pterophoridae) Synonym(s): *ainonis* Matsumura,1931
 58976) *Platyptilia amblydectis* Meyrick,1932 (Pterophoridae) Synonym(s): *amblydectis* Meyrick,1932
 58977) *Platyptilia amphilogia* Meyrick,1909 (Pterophoridae) Synonym(s): *amphilogia* Meyrick,1909
 58978) *Platyptilia armeniaca* Zagulyaev,1984 (Pterophoridae) Synonym(s): *armeniaca* Zagulyaev,1984
 58979) *Platyptilia bullifera* Meyrick,1918 (Pterophoridae) Synonym(s): *bullifera* Meyrick,1918

- 58980) *Platytília calodactyla* [(Denis & Schiffermüller),1775] (Pterophoridae) Synonym(s): *calodactyla* [Denis & Schiffermüller],1775; *petradactyla* Hübner,[1819]; *zetterstedtii* Zeller,1841; *taeniadactylus* South,1882; *doronicella* Fuchs,1902; *leucorrhincha* Meyrick,1902.
- 58981) *Platytília carduidactyla* (Riley,1869) (Pterophoridae) Synonym(s): *carduidactyla* Riley,1869
- 58982) *Platytília chondrodactyla* Caradja,1920 (Pterophoridae) Synonym(s): *chondrodactyla* Caradja,1920
- 58983) *Platytília chosokeiella* Strand,1822 (Pterophoridae) Synonym(s): *chosokeiella* Strand,1822
- 58984) *Platytília cinnamomea* Staudinger,1870 (Pterophoridae) Synonym(s): *cinnamomea* Staudinger,1870
- 58985) *Platytília citroleura* Meyrick,1907 (Pterophoridae) Synonym(s): *citroleura* Meyrick,1907
- 58986) *Platytília corniculata* Meyrick,1913 (Pterophoridae) Synonym(s): *corniculata* Meyrick,1913
- 58987) *Platytília daemonica* Meyrick,1932 (Pterophoridae) Synonym(s): *daemonica* Meyrick,1932
- 58988) *Platytília diversicilia* Filipjev,1931 (Pterophoridae) Synonym(s): *diversicilia* Filipjev,1931
- 58989) *Platytília empedota* Meyrick,1908 (Pterophoridae) Synonym(s): *empedota* Meyrick,1908
- 58990) *Platytília farfarella* Zeller,1867 (Pterophoridae) Synonym(s): *farfarella* Zeller,1867; *gonodactyla* Hori,1934 nec [Denis & Schiffermüller],1775.
- 58991) *Platytília gonodactyla* [(Denis & Schiffermüller),1775] (Pterophoridae) Synonym(s): *gonodactyla* [Denis & Schiffermüller],1775; *megalodactyla* [Denis & Schiffermüller],1775; *diptera* Sulzer,1776; *trigonodactyla* Haworth,1811; *farfara* Gregson,1885; *albidior* Caradja,1920.
- 58992) *Platytília iberica* Rebel,1935 (Pterophoridae) Synonym(s): *iberica* Rebel,1935
- 58993) *Platytília implacata* Meyrick,1932 (Pterophoridae) Synonym(s): *implacata* Meyrick,1932
- 58994) *Platytília irakella* Amsel,1959 (Pterophoridae) Synonym(s): *irakella* Amsel,1959
- 58995) *Platytília isodactylus* (Zeller,1852) (Pterophoridae) Synonym(s): *isodactylus* Zeller,1852
- 58996) *Platytília locharcha* Meyrick,1924 (Pterophoridae) Synonym(s): *locharcha* Meyrick,1924
- 58997) *Platytília macornis* Meyrick,1930 (Pterophoridae) Synonym(s): *macornis* Meyrick,1930; *kerzhneri* Zaguljaev & Pentschukowskaja,1972.
- 58998) *Platytília maligna* Meyrick,1913 (Pterophoridae) Synonym(s): *maligna* Meyrick,1913
- 58999) *Platytília manchurica* Buszko,1977 (Pterophoridae) Synonym(s): *manchurica* Buszko,1977
- 59000) *Platytília miantodactylus* (Zeller,1841) (Pterophoridae) Synonym(s): *miantodactylus* Zeller,1841
- 59001) *Platytília molopias* Meyrick,1906 (Pterophoridae) Synonym(s): *molopias* Meyrick,1906; *benitensis* Strand,1912
- 59002) *Platytília monophaea* Meyrick,1920 (Pterophoridae) Synonym(s): *monophaea* Meyrick,1920; *monophaea* Meyrick,1932
- 59003) *Platytília nemoralis* (Zeller,1841) (Pterophoridae) Synonym(s): *nemoralis* Zeller,1841; *nemoralidactyla* Bruand,1859; *graafti* Zeller,1873; *sinuosa* Yano,1960.
- 59004) *Platytília odiosa* Meyrick,1912 (Pterophoridae) Synonym(s): *odiosa* Meyrick,1912
- 59005) *Platytília pallidactyla* (Haworth,1811) (Pterophoridae) Synonym(s): *pallidactyla* Haworth,1811; *marginidactylus* Fitch,1854; *nebulaedactylus* Fitch,1854; *bertrami* Rössler,1864; *bischoffi* Zeller,1867; *cervinidactylus* Packard,1873; *adustus* Walsingham,1880; *chapmani* Tutt,1896; *sachalinensis* Matsumura,1931.
- 59006) *Platytília patriarcha* Meyrick,1912 (Pterophoridae) Synonym(s): *patriarcha* Meyrick,1912
- 59007) *Platytília periaeta* Meyrick,1910 (Pterophoridae) Synonym(s): *periaeta* Meyrick,1910
- 59008) *Platytília resoluta* Meyrick,1937 (Pterophoridae) Synonym(s): *resoluta* Meyrick,1937
- 59009) *Platytília sabia* (R.Felder & Rogenhofer,1875) (Pterophoridae) Synonym(s): *sabia* R.Felder & Rogenhofer,1875; *africae* Walsingham,1881.
- 59010) *Platytília sedata* Meyrick,1932 (Pterophoridae) Synonym(s): *sedata* Meyrick,1932
- 59011) *Platytília suigensis* Matsumura,1931 (Pterophoridae) Synonym(s): *suigensis* Matsumura,1931
- 59012) *Platytília tesseradactyla* (Linnaeus,1761) (Pterophoridae) Synonym(s): *tesseradactyla* Linnaeus,1761; *fischeri* Zeller,1841; *hibernica* Tutt,1906.
- 59013) *Platytília tetradactyla* (Linnaeus,1758) (Pterophoridae) Synonym(s): *tetradactyla* Linnaeus,1758
- 59014) *Platytília ussuriensis* Caradja,1920 (Pterophoridae) Synonym(s): *ussuriensis* Caradja,1920
- 59015) *Platytília vesta* (Ustjuzhanin,1996) (Pterophoridae) Synonym(s): *vesta* Ustjuzhanin,1996
- 59016) *Porritia galactodactyla* [(Denis & Schiffermüller),1775] (Pterophoridae) Synonym(s): *galactodactyla* [Denis & Schiffermüller],1775; *albodactylus* Fabricius,1794.
- 59017) *Porritia imbecilla* (Meyrick,1925) (Pterophoridae) Synonym(s): *imbecilla* Meyrick,1925
- 59018) *Procapperia amira* Arenberger,1988 (Pterophoridae) Synonym(s): *amira* Arenberger,1988
- 59019) *Procapperia hackeri* Arenberger,2002 (Pterophoridae) Synonym(s): *hackeri* Arenberger,2002
- 59020) *Procapperia kuldshaensis* (Rebel,1914) (Pterophoridae) Synonym(s): *kuldshaensis* Rebel,1914; *asiatica* Zaguljaev,1986.
- 59021) *Procapperia linariae* (Chrétien,1922) (Pterophoridae) Synonym(s): *linariae* Chrétien,1922; *croatica* Adamczewski,1951.
- 59022) *Procapperia maculata* (Constant,1865) (Pterophoridae) Synonym(s): *maculata* Constant,1865; *croatica* Adamczewski,1951.
- 59023) *Procapperia orientalis* Arenberger,1988 (Pterophoridae) Synonym(s): *orientalis* Arenberger,1988
- 59024) *Procapperia pelecynes* (Meyrick,1908) (Pterophoridae) Synonym(s): *pelecynes* Meyrick,1908
- 59025) *Pselnophorus astragalotes* Meyrick,1890 (Pterophoridae) Synonym(s): *astragalotes* Meyrick,1890
- 59026) *Pselnophorus heterodactylus* (Müller,1764) (Pterophoridae) Synonym(s): *heterodactylus* Müller,1764; *brachydactylus* Kollar,1832; *aetodactylus* Duponchel,1840.
- 59027) *Pselnophorus japonicus* Marumo,1923 (Pterophoridae) Synonym(s): *japonicus* Marumo,1923; *hirayamai* Matsumura,1931.
- 59028) *Pselnophorus pachyceros* Meyrick,1921 (Pterophoridae) Synonym(s): *pachyceros* Meyrick,1921
- 59029) *Pselnophorus poggei* (Mann,1862) (Pterophoridae) Synonym(s): *poggei* Mann,1862; *minutus* Alpheraky,1876; *borzhomi* Zaguljaev,1987.
- 59030) *Pselnophorus vilis* (Butler,1881) (Pterophoridae) Synonym(s): *vilis* Butler,1881; *amurensis* Christoph,1882.
- 59031) *Pseudoxyptila tectonica* (Meyrick,1914) (Pterophoridae) Synonym(s): *tectonica* Meyrick,1914
- 59032) *Pterophorus albidus* (Zeller,1852) (Pterophoridae) Synonym(s): *albidus* Zeller,1852; *endogramma* Meyrick,1922; *suffiata* Yano,1963.
- 59033) *Pterophorus candidalis* (Walker,1864) (Pterophoridae) Synonym(s): *candidalis* Walker,1864
- 59034) *Pterophorus caspius* Lederer,1870 (Pterophoridae) Synonym(s): *caspius* Lederer,1870
- 59035) *Pterophorus dallastai* Gielis,1991 (Pterophoridae) Synonym(s): *dallastai* Gielis,1991
- 59036) *Pterophorus djebeli* Arenberger,1981 (Pterophoridae) Synonym(s): *djebeli* Arenberger,1981
- 59037) *Pterophorus elaeopus* (Meyrick,1908) (Pterophoridae) Synonym(s): *elaopus* Meyrick,1908
- 59038) *Pterophorus endophaeus* Meyrick,1930 (Pterophoridae) Synonym(s): *endophaeus* Meyrick,1930
- 59039) *Pterophorus flavus* Arenberger,1991 (Pterophoridae) Synonym(s): *flavus* Arenberger,1991
- 59040) *Pterophorus indocta* (Meyrick,1913) (Pterophoridae) Synonym(s): *indocta* Meyrick,1913
- 59041) *Pterophorus ischnodactylus* (Treitschke,1835) (Pterophoridae) Synonym(s): *ischnodactyla* Treitschke,1835; *actinodactyla* Chrétien,1891; *eburnella* Amsel,1968.
- 59042) *Pterophorus lacteipennis* (Walker,1864) (Pterophoridae) Synonym(s): *lacteipennis* Walker,1864; *similalis* Walker,1864; *malacensis* Zeller,1877.
- 59043) *Pterophorus leucadactylus* (Walker,1864) (Pterophoridae) Synonym(s): *leucadactylus* Walker,1864
- 59044) *Pterophorus melanopodus* (T.B.Fletcher,1907) (Pterophoridae) Synonym(s): *melanopodus* T.B.Fletcher,1907
- 59045) *Pterophorus molanensis* Li,2002 (Pterophoridae) Synonym(s): *molanensis* Li,2002
- 59046) *Pterophorus nigropunctatus* Arenberger,1989 (Pterophoridae) Synonym(s): *nigropunctatus* Arenberger,1989
- 59047) *Pterophorus niveodactylus* (Pagenstecher,1900) (Pterophoridae) Synonym(s): *niveodactyla* Pagenstecher,1900; *nivea* Snellen,1907.
- 59048) *Pterophorus pentadactylus* (Linnaeus,1758) (Pterophoridae) Synonym(s): *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880.
- 59049) *Pterophorus rhyparias* (Meyrick,1908) (Pterophoridae) Synonym(s): *rhyparias* Meyrick,1908; *centrocrates* Meyrick,1933
- 59050) *Pterophorus subalternans* (Lederer,1869) (Pterophoridae) Synonym(s): *subalternans* Lederer,1869
- 59051) *Pterophorus taklamakanus* Arenberger,1995 (Pterophoridae) Synonym(s): *taklamakanus* Arenberger,1995
- 59052) *Pterophorus terrenus* Meyrick,1936 (Pterophoridae) Synonym(s): *terrenus* Meyrick,1936
- 59053) *Pterophorus volgensis* (Möschler,1862) (Pterophoridae) Synonym(s): *volgensis* Möschler,1862
- 59054) *Puerphorus olbiadactylus* (Millière,1859) (Pterophoridae) Synonym(s): *olbiadactylus* Millière,1859; *hemiargus* Meyrick,1908; *dactilograpa* Turati,1927.
- 59055) *Sphenarches anisodactylus* (Walker,1864) (Pterophoridae) Synonym(s): *anisodactyla* Walker,1864; *diffusalis* Walker,1864; *direptalis* Walker,1864; *synphrys* Meyrick,1886; *croesus* Strand,1913.
- 59056) *Sphenarches caffer* (Zeller,1852) (Pterophoridae) Synonym(s): *caffer* Zeller,1852; *walkeri* Walsingham,1881.
- 59057) *Sphenarches zanclistes* (Meyrick,1905) (Pterophoridae) Synonym(s): *zanclistes* Meyrick,1905

- 59058) *Stangeia siceliota* (Zeller,1847) (Pterophoridae) Synonym(s): *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858.
- 59059) *Stangeia xerodes* (Meyrick,1886) (Pterophoridae) Synonym(s): *xerodes* Meyrick,1886; *esakii* Hori,1936; *dryites* Meyrick,1936.
- 59060) *Stenodacma iranella* Amsel,1959 (Pterophoridae) Synonym(s): *iranella* Amsel,1959
- 59061) *Stenodacma pyrrhodes* (Meyrick,1889) (Pterophoridae) Synonym(s): *pyrrhodes* Meyrick,1889; *kinbane* Matsumura,1931.
- 59062) *Stenodacma wahlbergi* (Zeller,1851) (Pterophoridae) Synonym(s): *wahlbergi* Zeller,1851; *rutilalis* Walker,1864.
- 59063) *Stenoptilia admiranda* Yano,1963 (Pterophoridae) Synonym(s): *admiranda* Yano,1963
- 59064) *Stenoptilia alpinalis* Burmann,1954 (Pterophoridae) Synonym(s): *alpinalis* Burmann,1954
- 59065) *Stenoptilia amseli* Arenberger,1990 (Pterophoridae) Synonym(s): *amseli* Arenberger,1990
- 59066) *Stenoptilia annadactyla* Sutter,1988 (Pterophoridae) Synonym(s): *annadactyla* Sutter,1988; *annckana* Gibeaux,1989.
- 59067) *Stenoptilia arida* (Zeller,1847) (Pterophoridae) Synonym(s): *arida* Zeller,1847; *oxyactis* Meyrick,1921; *elkefi* Arenberger,1984.
- 59068) *Stenoptilia arvenicus* Peyerimhoff,1875 (Pterophoridae) Synonym(s): *arvenicus* Peyerimhoff,1875; *grandis* Chapman,1908
- 59069) *Stenoptilia bigoti* Gibeaux,1986 (Pterophoridae) Synonym(s): *bigoti* Gibeaux,1986
- 59070) *Stenoptilia bipunctidactyla* (Scopoli,1763) (Pterophoridae) Synonym(s): *bipunctidactyla* Scopoli,1763; *#pallida* Tutt,1906; *arida* Caradja,1920 *nec* Zell.,1847.
- 59071) *Stenoptilia brigantiensis* Nel & Gibeaux,1992 (Pterophoridae) Synonym(s): *brigantiensis* Nel & Gibeaux,1992
- 59072) *Stenoptilia buvati* Nel & Gibeaux,1992 (Pterophoridae) Synonym(s): *buvati* Nel & Gibeaux,1992
- 59073) *Stenoptilia caroli* Arenberger,1988 (Pterophoridae) Synonym(s): *caroli* Arenberger,1988
- 59074) *Stenoptilia cebennica* Nel & Gibeaux,1991 (Pterophoridae) Synonym(s): *cebennica* Nel & Gibeaux,1991
- 59075) *Stenoptilia cerdanica* Nel & Gibeaux,1991 (Pterophoridae) Synonym(s): *cerdanica* Nel & Gibeaux,1991
- 59076) *Stenoptilia coprodactyla* (Stainton,1851) (Pterophoridae) Synonym(s): *coprodactyla* Stainton,1851; *zalocrossa* Meyrick,1907.
- 59077) *Stenoptilia cyrnea* Nel,1991 (Pterophoridae) Synonym(s): *cyrnea* Nel,1991
- 59078) *Stenoptilia eborinodactyla* Zagulajev,1986 (Pterophoridae) Synonym(s): *eborinodactyla* Zagulajev,1986
- 59079) *Stenoptilia elkefi* Arenberger,1984 (Pterophoridae) Synonym(s): *elkefi* Arenberger,1984
- 59080) *Stenoptilia gibeauxi* Nel,1989 (Pterophoridae) Synonym(s): *gibeauxi* Nel,1989
- 59081) *Stenoptilia graphodactyla* (Treitschke,1833) (Pterophoridae) Synonym(s): *graphodactyla* Treitschke,1833.
- 59082) *Stenoptilia gratiolae* Gibeaux & Nel,1990 (Pterophoridae) Synonym(s): *gratiolae* Gibeaux & Nel,1990
- 59083) *Stenoptilia griseocens* Schawerda,1933 (Pterophoridae) Synonym(s): *griseocens* Schawerda,1933
- 59084) *Stenoptilia hahni* Arenberger,1989 (Pterophoridae) Synonym(s): *hahni* Arenberger,1989
- 59085) *Stenoptilia himachala* Arenberger,1999 (Pterophoridae) Synonym(s): *himachala* Arenberger,1999
- 59086) *Stenoptilia islandicus* (Staudinger,1857) (Pterophoridae) Synonym(s): *islandicus* Staudinger,1857
- 59087) *Stenoptilia jactica* Ustjuzhanin,1996 (Pterophoridae) Synonym(s): *jactica* Ustjuzhanin,1996
- 59088) *Stenoptilia latistriga* Rebel,1916 (Pterophoridae) Synonym(s): *latistriga* Rebel,1916
- 59089) *Stenoptilia leuconephes* Meyrick,1886 (Pterophoridae) Synonym(s): *leuconephes* Meyrick,1886
- 59090) *Stenoptilia longalis* (Walker,1864) (Pterophoridae) Synonym(s): *longalis* Walker,1864
- 59091) *Stenoptilia lucasi* Arenberger,1990 (Pterophoridae) Synonym(s): *lucasi* Arenberger,1990
- 59092) *Stenoptilia luteocinerea* (Snellen,1884) (Pterophoridae) Synonym(s): *luteocinerea* Snellen,1884
- 59093) *Stenoptilia lutescens* (Herrich-Schäffer,1855) (Pterophoridae) Synonym(s): *lutescens* Herrich-Schäffer,1855; *arvernica* Peyerimhoff,1875; *grandis* Chapman,1908.
- 59094) *Stenoptilia mannii* (Zeller,1852) (Pterophoridae) Synonym(s): *mannii* Zeller,1852; *megalochroa* Meyrick,1930.
- 59095) *Stenoptilia mercantourica* Nel & Gibeaux,1991 (Pterophoridae) Synonym(s): *mercantourica* Nel & Gibeaux,1991
- 59096) *Stenoptilia millieridactyla* (Bruand,1861) (Pterophoridae) Synonym(s): *millieridactyla* Bruand,1861; *saxifragae* T.B.Fletcher,1940.
- 59097) *Stenoptilia mimula* Gibeaux,1985 (Pterophoridae) Synonym(s): *mimula* Gibeaux,1985
- 59098) *Stenoptilia nepetellae* Bigot & Picard,1983 (Pterophoridae) Synonym(s): *nepetellae* Bigot & Picard,1983
- 59099) *Stenoptilia nolckenii* (Tengström,1869) (Pterophoridae) Synonym(s): *nolckenii* Tengström,1869
- 59100) *Stenoptilia parnasia* Arenberger,1986 (Pterophoridae) Synonym(s): *parnasia* Arenberger,1986
- 59101) *Stenoptilia pelidnodactyla* (Stein,1837) (Pterophoridae) Synonym(s): *pelidnodactyla* Stein,1837
- 59102) *Stenoptilia petraea* Meyrick,1907 (Pterophoridae) Synonym(s): *petraea* Meyrick,1907
- 59103) *Stenoptilia plagiodactyla* (Stainton,1851) (Pterophoridae) Synonym(s): *plagiodactyla* Stainton,1851
- 59104) *Stenoptilia platanodes* Meyrick,1914 (Pterophoridae) Synonym(s): *platanodes* Meyrick,1914
- 59105) *Stenoptilia pneumonanthes* (Büttner,1880) (Pterophoridae) Synonym(s): *pneumonantes* Büttner,1880; *nelorum* Gibeaux,1989; *arenbergeri* Gibeaux,1990.
- 59106) *Stenoptilia pterodactyla* (Linnaeus,1761) (Pterophoridae) Synonym(s): *pterodactyla* Linnaeus,1761; *#pallida* Tutt,1906
- 59107) *Stenoptilia reisseri* Rebel,1935 (Pterophoridae) Synonym(s): *reisseri* Rebel,1935
- 59108) *Stenoptilia sanaa* Arenberger,1999 (Pterophoridae) Synonym(s): *sanaa* Arenberger,1999
- 59109) *Stenoptilia scabioidactyla* (Gregson,1869) (Pterophoridae) Synonym(s): *scabioidactyla* Gregson,1869
- 59110) *Stenoptilia serotina* (Zeller,1852) (Pterophoridae) Synonym(s): *serotina* Zeller,1852; *picardi* Gibeaux,1986.
- 59111) *Stenoptilia stenodactyla* Turati & Fiori,1930 (Pterophoridae) Synonym(s): *stenodactyla* Turati & Fiori,1930
- 59112) *Stenoptilia stigmatodactyla* (Zeller,1852) (Pterophoridae) Synonym(s): *stigmatodactyla* Zeller,1852
- 59113) *Stenoptilia stigmatoides* Sutter & Skyva,1992 (Pterophoridae) Synonym(s): *stigmatoides* Sutter & Skyva,1992
- 59114) *Stenoptilia succisae* Gibeaux & Nel,1991 (Pterophoridae) Synonym(s): *succisae* Gibeaux & Nel,1991
- 59115) *Stenoptilia tourlani* Gibeaux,1993 (Pterophoridae) Synonym(s): *tourlani* Gibeaux,1993
- 59116) *Stenoptilia tyropiasta* Meyrick,1932 (Pterophoridae) Synonym(s): *tyropiasta* Meyrick,1932
- 59117) *Stenoptilia veronicae* Karvonen,1932 (Pterophoridae) Synonym(s): *veronicae* Karvonen,1932
- 59118) *Stenoptilia wagneri* Zerny,1939 (Pterophoridae) Synonym(s): *wagneri* Zerny,1939
- 59119) *Stenoptilia zophodactyla* (Duponchel,1838) (Pterophoridae) Synonym(s): *zophodactyla* Duponchel,1838; *loewii* Zeller,1847; *oreodactyla* Bruand,1850; *loividactyla* Bruand,1859; *canalis* Walker,1864; *semicostatus* Zeller,1873.
- 59120) *Stenoptilodes taprobanes* (R.Felder & Rogenhofer,1875) (Pterophoridae) Synonym(s): *taprobanes* R.Felder & Rogenhofer,1875; *brachymorpha* Meyrick,1888; *seeboldi* Hofmann,1898; *crenulata* Barnes & McDunnough,1913; *phaenicodactyla* Chrétien,1915; *terlizii* Turati,1926; *zavattarii* Hartig,1953; *legrandi* Bigot,1962.
- 59121) *Tabulaephorus afghanus* (Arenberger,1981) (Pterophoridae) Synonym(s): *afghanus* Arenberger,1981
- 59122) *Tabulaephorus decipiens* (Lederer,1870) (Pterophoridae) Synonym(s): *decipiens* Lederer,1870
- 59123) *Tabulaephorus djebeli* (Arenberger,1981) (Pterophoridae) Synonym(s): *djebeli* Arenberger,1981
- 59124) *Tabulaephorus hissaricus* (Zagulyaev,1986) (Pterophoridae) Synonym(s): *hissaricus* Zagulyaev,1986
- 59125) *Tabulaephorus marptys* (Christoph,1872) (Pterophoridae) Synonym(s): *marptys* Christoph,1872; *kaszabi* Bigot,1967.
- 59126) *Tabulaephorus narynus* Arenberger,1993 (Pterophoridae) Synonym(s): *narynus* Arenberger,1993
- 59127) *Tabulaephorus parthicus* (Lederer,1870) (Pterophoridae) Synonym(s): *parthicus* Lederer,1870
- 59128) *Tabulaephorus punctinervis* (Constant,1885) (Pterophoridae) Synonym(s): *punctinervis* Constant,1885
- 59129) *Tabulaephorus thomasi* Arenberger,1993 (Pterophoridae) Synonym(s): *thomasi* Arenberger,1993
- 59130) *Tabulaephorus tyrrenica* (Amsel,1954) (Pterophoridae) Synonym(s): *tyrrenica* Amsel,1954
- 59131) *Tabulaephorus ussuriensis* (Caradja,1920) (Pterophoridae) Synonym(s): *ussuriensis* Caradja,1920
- 59132) *Tetraschalis arachnodes* Meyrick,1887 (Pterophoridae) Synonym(s): *arachnodes* Meyrick,1887
- 59133) *Tetraschalis cretalis* (Meyrick,1908) (Pterophoridae) Synonym(s): *cretalis* Meyrick,1908; *kiiensis* Matsumura,1931.
- 59134) *Tetraschalis ischnites* Meyrick,1908 (Pterophoridae) Synonym(s): *ischnites* Meyrick,1908
- 59135) *Tetraschalis mikado* (Hori,1933) (Pterophoridae) Synonym(s): *mikado* Hori,1933
- 59136) *Tetraschalis ochrias* Meyrick,1908 (Pterophoridae) Synonym(s): *ochrias* Meyrick,1908
- 59137) *Titanoptilus patellatus* Meyrick,1913 (Pterophoridae) Synonym(s): *patellatus* Meyrick,1913
- 59138) *Trichoptilus animosus* Meyrick,1921 (Pterophoridae) Synonym(s): *animosus* Meyrick,1921
- 59139) *Trichoptilus bidens* Meyrick,1930 (Pterophoridae) Synonym(s): *bidens* Meyrick,1930
- 59140) *Trichoptilus cryphias* Meyrick,1912 (Pterophoridae) Synonym(s): *cryphias* Meyrick,1912

- 59141) *Trichoptilus festus* Meyrick, 1920 (Pterophoridae) Synonym(s): *festus* Meyrick, 1920
 59142) *Trichoptilus maceratus* Meyrick, 1909 (Pterophoridae) Synonym(s): *maceratus* Meyrick, 1909
 59143) *Trichoptilus negotiosus* Meyrick, 1926 (Pterophoridae) Synonym(s): *negotiosus* Meyrick, 1926
 59144) *Trichoptilus pelias* Meyrick, 1908 (Pterophoridae) Synonym(s): *pelias* Meyrick, 1908
 59145) *Trichoptilus regalis* (T.B.Fletcher, 1909) (Pterophoridae) Synonym(s): *regalis* T.B.Fletcher, 1909; *chordites* Meyrick, 1913.
 59146) *Trichoptilus varius* Meyrick, 1909 (Pterophoridae) Synonym(s): *varius* Meyrick, 1909
 59147) *Trichoptilus viduus* Meyrick, 1917 (Pterophoridae) Synonym(s): *viduus* Meyrick, 1917
 59148) *Trichoptilus vivax* Meyrick, 1909 (Pterophoridae) Synonym(s): *vivax* Meyrick, 1909
 59149) *Wheeleria elbursi* (Arenberger, 1981) (Pterophoridae) Synonym(s): *elbursi* Arenberger, 1981
 59150) *Wheeleria ivae* (Kasy, 1960) (Pterophoridae) Synonym(s): *ivae* Kasy, 1960
 59151) *Wheeleria kabuli* (Arenberger, 1981) (Pterophoridae) Synonym(s): *kabuli* Arenberger, 1981
 59152) *Wheeleria kasachstanica* Arenberger, 1995 (Pterophoridae) Synonym(s): *kasachstanica* Arenberger, 1995
 59153) *Wheeleria leptosamma* (Meyrick, 1925) (Pterophoridae) Synonym(s): *leptosamma* Meyrick, 1925
 59154) *Wheeleria lyrae* (Arenberger, 1983) (Pterophoridae) Synonym(s): *lyrae* Arenberger, 1983
 59155) *Wheeleria obsoleta* (Zeller, 1841) (Pterophoridae) Synonym(s): *obsoleta* Zeller, 1841; *confusa* Herrich-Schäffer, 1855; *marrubii* Wasserthal, 1970.
 59156) *Wheeleria parviflorella* (Arenberger, 1981) (Pterophoridae) Synonym(s): *parviflorella* Arenberger, 1981
 59157) *Wheeleria phlomidis* (Staudinger, 1871) (Pterophoridae) Synonym(s): *phlomidis* Staudinger, 1871
 59158) *Wheeleria raphiodactyla* (Rebel, 1901) (Pterophoridae) Synonym(s): *raphiodactyla* Rebel, 1901
 59159) *Wheeleria sobeidae* (Arenberger, 1981) (Pterophoridae) Synonym(s): *sobeidae* Arenberger, 1981
 59160) *Wheeleria spilodactyla* (Curtis, 1827) (Pterophoridae) Synonym(s): *spilodactyla* Curtis, 1827; *marrubii* Heydenreich, 1851.
 59161) "*Cryptoblades*" *ferrealis* Lower, 1902 (Pyalidae) Synonym(s): *ferrealis* Lower, 1902
 59162) "*Cymoriza*" *gigantalis* Janse, 1924 (Pyalidae) Synonym(s): *gigantalis* Janse, 1924
 59163) "*Cymoriza*" *isorrhoea* Meyrick, 1936 (Pyalidae) Synonym(s): *isorrhoea* Meyrick, 1936
 59164) "*Cymoriza*" *paroalis* Schaus, 1906 (Pyalidae) Synonym(s): *paroalis* Schaus, 1906
 59165) "*Epicrocis*" *mesembrina* (Meyrick, 1887) (Pyalidae) Synonym(s): *mesembrina* Meyrick, 1887
 59166) "*Epicrocis*" *poliochyta* (Turner, 1924) (Pyalidae) Synonym(s): *poliochyta* Turner, 1924
 59167) "*Masthala*" *favillalella* Walker, 1864 (Pyalidae) Synonym(s): *favillalella* Walker, 1864
 59168) "*Pempelia*" *oculiferella* (Meyrick, 1879) (Pyalidae) Synonym(s): *oculiferella* Meyrick, 1879
 59169) "*Pyrausta*" *funeralis* Zerny, 1914 (Pyalidae) Synonym(s): *funeralis* Zerny, 1914
 59170) "*Salebria*" *eucometis* (Meyrick, 1882) (Pyalidae) Synonym(s): *eucometis* Meyrick, 1882; *squamicornis* Butler, 1886; *arenosa* Butler, 1886; *holozona* Lower, 1903
 59171) *Abachausia grisea* Balinsky, 1994 (Pyalidae) Synonym(s): *grisea* Balinsky, 1994
 59172) *Abachausia grisea grisea* Balinsky, 1994 (Pyalidae) Synonym(s): *grisea* Balinsky, 1994
 59173) *Abareia amaurodes* (Turner, 1947) (Pyalidae) Synonym(s): *amaurodes* Turner, 1947
 59174) *Abotheta pteridonoma* Turner, 1914 (Pyalidae) Synonym(s): *pteridonoma* Turner, 1914
 59175) *Acara impunctella* Sauber, 1900 (Pyalidae) Synonym(s): *impunctella* Sauber, 1900
 59176) *Acara morosella* Walker, 1863 (Pyalidae) Synonym(s): *morosella* Walker, 1863; *maximella* Walker, 1866
 59177) *Acentria ephemerella* [(Denis & Schiffermüller), 1775] (Pyalidae) Synonym(s): *ephemerella* [Denis & Schiffermüller], 1775
 59178) *Acentria nivea* Olivier, 1791 (Pyalidae) Synonym(s): *nivea* Olivier, 1791
 59179) *Achroia grisella* (Fabricius, 1794) (Pyalidae) Synonym(s): *grisella* Fabricius, 1794; *aluearia* Fabricius, 1798; *cinereola* Hübner, [1803]; *alvea* Haworth, 1811; *alveariella* Guenée, 1845; *anticella* Walker, 1863; *obscurivittella* Ragonot, 1901; #major Dufrane, 1930.
 59180) *Achroia innotata* Walker, 1864 (Pyalidae) Synonym(s): *innotata* Walker, 1864
 59181) *Achyra affinitalis* (Lederer, 1863) (Pyalidae) Synonym(s): *affinitalis* Lederer, 1863; *ustalis* Walker, [1866]; *turbidalis* Walker, [1866]; *sordida* Butler, 1886
 59182) *Achyra bifidalis* (Fabricius, 1794) (Pyalidae) Synonym(s): *bifidalis* Fabricius, 1794; *inornatalis* Walker, [1866]; *evanidalis* Berg, 1875; *obsoletalis* Berg, 1875; *orbitalis* Hampson, 1899 nec Feld., 1875; *stolidalis* Schaus, 1940
 59183) *Achyra brasiliensis* (Capps, 1967) (Pyalidae) Synonym(s): *brasiliensis* Capps, 1967
 59184) *Achyra cafferalis* (Hampson, 1910) (Pyalidae) Synonym(s): *cafferalis* Hampson, 1910
 59185) *Achyra coelatalis* (Walker, 1859) (Pyalidae) Synonym(s): *coelatalis* Walker, 1859
 59186) *Achyra eneanalis* (Schaus, 1923) (Pyalidae) Synonym(s): *eneanalis* Schaus, 1923
 59187) *Achyra llaguenalis* Munroe, 1978 (Pyalidae) Synonym(s): *llaguenalis* Munroe, 1978
 59188) *Achyra massalis* (Walker, 1859) (Pyalidae) Synonym(s): *massalis* Walker, 1859
 59189) *Achyra murcialis* (Ragonot, 1895) (Pyalidae) Synonym(s): *murcialis* Ragonot, 1895
 59190) *Achyra nigrirrenalis* (Hampson, 1913) (Pyalidae) Synonym(s): *nigrirrenalis* Hampson, 1913
 59191) *Achyra nudalis* (Hübner, 1796) (Pyalidae) Synonym(s): *nudalis* Hübner, 1796; *interpunctalis* Hübner, 1796; *unipunctalis* Duponchel, 1831; *bipunctalis* Duponchel, 1831; *pauciferalis* Walker, 1865; *nodalis* Gundlach, 1891; *ochromorpha* Lower, 1901
 59192) *Achyra occidentalis* (Packard, 1873) (Pyalidae) Synonym(s): *occidentalis* Packard, 1873
 59193) *Achyra ochrofascialis* (Christoph, 1882) (Pyalidae) Synonym(s): *ochrofascialis* Christoph, 1882; *ochrifascialis* Wiltshire, 1957.
 59194) *Achyra piuralis* (Capps, 1967) (Pyalidae) Synonym(s): *piuralis* Capps, 1967
 59195) *Achyra protealis* (W. Warren, 1892) (Pyalidae) Synonym(s): *protealis* W. Warren, 1892
 59196) *Achyra rantalis* (Guenée, 1854) (Pyalidae) Synonym(s): *rantalis* Guenée, 1854; *siriusalis* Walker, 1859; *murcialis* Walker, 1859; *nestusalis* Walker, 1859; *diotemealis* Walker, 1859; *crinisalis* Walker, 1859; *intractella* Walker, 1863; *crinitalis* Lederer, 1863; *posticata* Grote & C.T. Robinson, 1867; *subfulvalis* Herrich-Schäffer, 1871; *communis* Grote, 1876; *nodalis* Gundlach, 1881; *viscendalis* Möschler, 1890; *collucidalis* Möschler, 1890; #visendalis Hampson, 1899; *caffrei* Flint & Malloch, 1920
 59197) *Achyra serrulata* (Turner, 1932) (Pyalidae) Synonym(s): *serrulata* Turner, 1932
 59198) *Achyra similalis* (Guenée, 1854) (Pyalidae) Synonym(s): *similalis* Guenée, 1854; *ferruginea* W. Warren, 1892; *garalis* Schaus, 1906
 59199) *Achyra ustrinalis* (Christoph, 1877) (Pyalidae) Synonym(s): *ustrinalis* Christoph, 1877
 59200) *Acicys cladaropa* Turner, 1911 (Pyalidae) Synonym(s): *cladaropa* Turner, 1911
 59201) *Acigona aculeata* (Hampson, 1903) (Pyalidae) Synonym(s): *aculeata* Hampson, 1903
 59202) *Acigona forsteri* Bleszynski, 1965 (Pyalidae) Synonym(s): *forsteri* Bleszynski, 1965
 59203) *Acolastodes oenotripta* Meyrick, 1934 (Pyalidae) Synonym(s): *oenotripta* Meyrick, 1934
 59204) *Acrobasis africanella* Balinsky, 1994 (Pyalidae) Synonym(s): *africanella* Balinsky, 1994
 59205) *Acrobasis africanella africanella* Balinsky, 1994 (Pyalidae) Synonym(s): *africanella* Balinsky, 1994
 59206) *Acrobasis alexandra* Roesler & Küppers, 1981 (Pyalidae) Synonym(s): *alexandra* Roesler & Küppers, 1981
 59207) *Acrobasis atrisquamella* Ragonot, 1887 (Pyalidae) Synonym(s): *atrisquamella* Ragonot, 1887; *nigrisquamella* Amsel, 1953
 59208) *Acrobasis bithynella* Zeller, 1848 (Pyalidae) Synonym(s): *bithynella* Zeller, 1848; *minuscule* Turati, 1930; *witteella* Roesler, 1969.
 59209) *Acrobasis bithynella bithynella* Zeller, 1848 (Pyalidae) Synonym(s): *bithynella* Zeller, 1848; *minuscule* Turati, 1930; *witteella* Roesler, 1969.
 59210) *Acrobasis bithynella obliterella* Staudinger, 1859 (Pyalidae) Synonym(s): *obliterella* Staudinger, 1859; *rubidella* Ragonot, 1887; *rufella* Turati, 1913; *sublutea* Turati, 1913; *plumbatella* Turati, 1913; *turatii* Schawerda, 1921; *noctiptera* Schawerda, 1937.
 59211) *Acrobasis centunculella* (Mann, 1859) (Pyalidae) Synonym(s): *centunculella* Mann, 1859
 59212) *Acrobasis consociella* (Hübner, [1813]) (Pyalidae) Synonym(s): *consociella* Hübner, [1813]; *consocialis* Hübner, [1825]; *tumidella* Duponchel, 1836; *oberthueri* Lucas, 1914.
 59213) *Acrobasis consociella consociella* (Hübner, [1813]) (Pyalidae) Synonym(s): *consociella* Hübner, [1813]; *consocialis* Hübner, [1825]; *tumidella* Duponchel, 1836; *oberthueri* Lucas, 1914.
 59214) *Acrobasis consociella jessica* Roesler, 1988 (Pyalidae) Synonym(s): *jessica* Roesler, 1988
 59215) *Acrobasis consociella nuragha* Roesler, 1988 (Pyalidae) Synonym(s): *nuragha* Roesler, 1988
 59216) *Acrobasis cymindella* (Ragonot, 1893) (Pyalidae) Synonym(s): *cymindella* Ragonot, 1893
 59217) *Acrobasis dharma* Roesler & Küppers, 1981 (Pyalidae) Synonym(s): *dharma* Roesler & Küppers, 1981
 59218) *Acrobasis diversicolor* Ragonot, 1893 (Pyalidae) Synonym(s): *diversicolor* Ragonot, 1893
 59219) *Acrobasis epaxia* (Turner, 1947) (Pyalidae) Synonym(s): *epaxia* Turner, 1947

- 59220) *Acrobasis ereboscopa* (Lower,1903) (Pyalidae) Synonym(s): *ereboscopa* Lower,1903
 59221) *Acrobasis eva* Roesler & Küppers,1981 (Pyalidae) Synonym(s): *eva* Roesler & Küppers,1981
 59222) *Acrobasis glauella* Staudinger,1859 (Pyalidae) Synonym(s): *glauella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1910.
 59223) *Acrobasis glauella glareella* Turati,1926 (Pyalidae) Synonym(s): *glareella* Turati,1926; *burmanni* Roesler,1969
 59224) *Acrobasis glauella glauella* Staudinger,1859 (Pyalidae) Synonym(s): *glauella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1916.
 59225) *Acrobasis glauella medea* Roesler,1988 (Pyalidae) Synonym(s): *medea* Roesler,1988
 59226) *Acrobasis klimeschi* Roesler,1978 (Pyalidae) Synonym(s): *klimeschi* Roesler,1978
 59227) *Acrobasis mienshani* Caradja,1939 (Pyalidae) Synonym(s): *mienshani* Caradja,1939
 59228) *Acrobasis mniaropis* (Turner,1904) (Pyalidae) Synonym(s): *mniaropis* Turner,1904
 59229) *Acrobasis modisequa* Meyrick,1934 (Pyalidae) Synonym(s): *modisequa* Meyrick,1934
 59230) *Acrobasis nigribasalis* Amsel,1953 (Pyalidae) Synonym(s): *nigribasalis* Amsel,1953
 59231) *Acrobasis obliqua* (Zeller,1847) (Pyalidae) Synonym(s): *obliqua* Zeller,1847; *cinerascens* Turati,1927.
 59232) *Acrobasis obliqua clusinella* Zeller,1848 (Pyalidae) Synonym(s): *clusinella* Zeller,1848; *glycerella* Staudinger,1859; *cistella* Milliere,1859; *youngi* Rothschild,1925.
 59233) *Acrobasis obliqua malombra* Roesler,1988 (Pyalidae) Synonym(s): *malombra* Roesler,1988
 59234) *Acrobasis obliqua obliqua* (Zeller,1847) (Pyalidae) Synonym(s): *obliqua* Zeller,1847; *cinerascens* Turati,1927.
 59235) *Acrobasis obrutella* (Christoph,1881) (Pyalidae) Synonym(s): *obrutella* Christoph,1881
 59236) *Acrobasis obtusella* (Hübner,1796) (Pyalidae) Synonym(s): *obtusella* Hübner,1796; *obtusella* Haworth,1811; *obtusalis* Hübner,[1825].
 59237) *Acrobasis obtusella obtusella* (Hübner,1796) (Pyalidae) Synonym(s): *obtusella* Hübner,1796; *obtusella* Haworth,1811; *obtusalis* Hübner,[1825].
 59238) *Acrobasis obtusella ottomana* Caradja,1916 (Pyalidae) Synonym(s): *ottomana* Caradja,1916
 59239) *Acrobasis olivialis* (Hampson,1896) (Pyalidae) Synonym(s): *olivialis* Hampson,1896
 59240) *Acrobasis porphyrella* (Duponchel,1836) (Pyalidae) Synonym(s): *porphyrella* Duponchel,1836
 59241) *Acrobasis pumilella* Rebel,1927 (Pyalidae) Synonym(s): *pumilella* Rebel,1927
 59242) *Acrobasis ramosella* Walker,1866 (Pyalidae) Synonym(s): *ramosella* Walker,1866
 59243) *Acrobasis regina* Roesler & Küppers,1981 (Pyalidae) Synonym(s): *regina* Roesler & Küppers,1981
 59244) *Acrobasis romanella* (Millière,1870) (Pyalidae) Synonym(s): *romanella* Millière,1870; *singularis* Staudinger,1876; *guilhemella* Lucas,1909; *predotai* Hartig,1941.
 59245) *Acrobasis rufilimbis* (Wileman,1911) (Pyalidae) Synonym(s): *rufilimbis* Wileman,1911
 59246) *Acrobasis sodalella* Zeller,1848 (Pyalidae) Synonym(s): *sodalella* Zeller,1848
 59247) *Acrobasis susanna* Roesler & Küppers,1981 (Pyalidae) Synonym(s): *susanna* Roesler & Küppers,1981
 59248) *Acrobasis zacharias* Roesler,1988 (Pyalidae) Synonym(s): *zacharias* Roesler,1988
 59249) *Acrobasisopsis* ? *mabilleella* (Lucas) (Pyalidae) Synonym(s): *mabilleella* Lucas
 59250) *Acropentias aureus* (Butler,1890) (Pyalidae) Synonym(s): *aureus* Butler,1890
 59251) *Actenia achromalis* Hampson,1906 (Pyalidae) Synonym(s): *achromalis* Hampson,1906
 59252) *Actenia beatalis* Kalchberg,1897 (Pyalidae) Synonym(s): *beatialis* Kalchberg,1897
 59253) *Actenia borgialis* (Duponchel,1832) (Pyalidae) Synonym(s): *borgialis* Duponchel,1832
 59254) *Actenia brunnealis* (Treitschke,1829) (Pyalidae) Synonym(s): *brunnealis* Treitschke,1829; *phaealis* Hampson,1900.
 59255) *Actenia gredalis* Zerny,1935 (Pyalidae) Synonym(s): *gredalis* Zerny,1935
 59256) *Actenia honestalis* (Treitschke,1829) (Pyalidae) Synonym(s): *honestalis* Treitschke,1829
 59257) *Actenia obliquisignalis* Hampson,1906 (Pyalidae) Synonym(s): *obliquisignalis* Hampson,1906
 59258) *Actenia persica* Amsel,1949 (Pyalidae) Synonym(s): *persica* Amsel,1949
 59259) *Actenia rhodesialis* Hampson,1906 (Pyalidae) Synonym(s): *rhodesialis* Hampson,1906
 59260) *Actenopsis kurdistanella* Amsel,1959 (Pyalidae) Synonym(s): *kurdistanella* Amsel,1959; *#unicolorella* Amsel,1961.
 59261) *Addyme ferrorubella* (Walker,1864) (Pyalidae) Synonym(s): *ferrorubella* Walker,1864; *pyrrhoptera* Lower,1896; *ardentella* Hampson,1901
 59262) *Addyme inductalis* (Walker,1863) (Pyalidae) Synonym(s): *inductalis* Walker,1863
 59263) *Addyme werkodara* Roesler & Küppers,1979 (Pyalidae) Synonym(s): *werkodara* Roesler & Küppers,1979
 59264) *Adelpherupa aethiopicus* Maes,2004 (Pyalidae) Synonym(s): *aethiopicus* Maes,2004
 59265) *Adelpherupa albescens* Hampson,1919 (Pyalidae) Synonym(s): *albescens* Hampson,1919
 59266) *Adelpherupa costipunctalis* Maes,2004 (Pyalidae) Synonym(s): *costipunctalis* Maes,2004; *#costipunctalis* Maes,2004
 59267) *Adelpherupa elongalis* Maes,2004 (Pyalidae) Synonym(s): *elongalis* Maes,2004
 59268) *Adelpherupa flavescens* Hampson,1919 (Pyalidae) Synonym(s): *flavescens* Hampson,1919; *aurantiacus* Rothschild,1926
 59269) *Adelpherupa lialuensis* Maes,2004 (Pyalidae) Synonym(s): *lialuensis* Maes,2004
 59270) *Adelpherupa pontica* Maes,2004 (Pyalidae) Synonym(s): *pontica* Maes,2004
 59271) *Adelpherupa terreus* (Zeller,1877) (Pyalidae) Synonym(s): *terreus* Zeller,1877
 59272) *Adelpherupa typicota* (Meyrick,1933) (Pyalidae) Synonym(s): *typicota* Meyrick,1933; *gymnastica* Meyrick,1934
 59273) *Adoxobotys cacidus* (Dyar,1918) (Pyalidae) Synonym(s): *cacidus* Dyar,1918
 59274) *Adoxobotys cristobalis* Munroe,1978 (Pyalidae) Synonym(s): *cristobalis* Munroe,1978
 59275) *Adoxobotys discordalis* (Dyar,1914) (Pyalidae) Synonym(s): *discordalis* Dyar,1914
 59276) *Aediodina quaternalis* (Lederer,1863) (Pyalidae) Synonym(s): *quaternalis* Lederer,1863
 59277) *Aeglotis argentalis* (Christoph,1887) (Pyalidae) Synonym(s): *argentalis* Christoph,1887
 59278) *Aeschremon belutschistanalis* Amsel,1959 (Pyalidae) Synonym(s): *belutschistanalis* Amsel,1959
 59279) *Aeschremon conchylialis* (Christoph,1872) (Pyalidae) Synonym(s): *conchylialis* Christoph,1872
 59280) *Aeschremon disparalis* Herrich-Schäffer,[1855] (Pyalidae) Synonym(s): *disparalis* Herrich-Schäffer,[1855]; *#indistinctalis* Amsel,1961
 59281) *Aeschremon tenalis* Amsel,1961 (Pyalidae) Synonym(s): *tenalis* Amsel,1961
 59282) *Aethaloessa calidalis* (Guenée,1854) (Pyalidae) Synonym(s): *calidalis* Guenée,1854; *octavialis* Walker,1859; *fulvidalis* Wallengren,1860; *secutalis* Walker,[1866]; *witalis* R.Felder & Rogenhofer,1875; *aurantiaca* Hampson,1912
 59283) *Aethaloessa calidalis calidalis* (Guenée,1854) (Pyalidae) Synonym(s): *calidalis* Guenée,1854; *octavialis* Walker,1859; *fulvidalis* Wallengren,1860; *secutalis* Walker,[1866]; *witalis* R.Felder & Rogenhofer,1875; *aurantiaca* Hampson,1912
 59284) *Aethaloessa calidalis tiphalis* (Walker,1859) (Pyalidae) Synonym(s): *tiphalis* Walker,1859; *fulvidalis* Wallengren,1860; *witalis* R.Felder & Rogenhofer,1874; *aurantiaca* Hampson,1912
 59285) *Aethaloessa floridalis* (Zeller,1852) (Pyalidae) Synonym(s): *floridalis* Zeller,1852; *merionealis* Walker,1859.
 59286) *Aethaloessa rufula* Whalley,1961 (Pyalidae) Synonym(s): *rufula* Whalley,1961
 59287) *Aetholix flavibasis* (Guenée,1854) (Pyalidae) Synonym(s): *flavibasis* Guenée,1854; *cingalesa* Hampson,1893
 59288) *Afromyelois communis* Balinsky,1991 (Pyalidae) Synonym(s): *communis* Balinsky,1991
 59289) *Afromyelois communis communis* Balinsky,1991 (Pyalidae) Synonym(s): *communis* Balinsky,1991
 59290) *Afromylea natalica* Balinsky,1994 (Pyalidae) Synonym(s): *natalica* Balinsky,1994
 59291) *Afromylea natalica natalica* Balinsky,1994 (Pyalidae) Synonym(s): *natalica* Balinsky,1994
 59292) *Afropsipyla pictella* Balinsky,1994 (Pyalidae) Synonym(s): *pictella* Balinsky,1994
 59293) *Afropsipyla pictella pictella* Balinsky,1994 (Pyalidae) Synonym(s): *pictella* Balinsky,1994
 59294) *Afropsipyla similis* Balinsky,1994 (Pyalidae) Synonym(s): *similis* Balinsky,1994
 59295) *Afropsipyla similis similis* Balinsky,1994 (Pyalidae) Synonym(s): *similis* Balinsky,1994
 59296) *Afroscoptaria australis* Nuss,2003 (Pyalidae) Synonym(s): *australis* Nuss,2003
 59297) *Afroscoptaria contemptalis* (Walker,[1866]) (Pyalidae) Synonym(s): *contemptalis* Walker,[1866]
 59298) *Agassiziella albidivisa* (W.Warren,1896) (Pyalidae) Synonym(s): *albidivisa* W.Warren,1896
 59299) *Agassiziella angulipennis* (Hampson,1891) (Pyalidae) Synonym(s): *angulipennis* Hampson,1891; *angulipenne* Hampson,1896
 59300) *Agassiziella fuscifusale* (Hampson,1893) (Pyalidae) Synonym(s): *fuscifusale* Hampson,1893
 59301) *Agassiziella picalis* (Guenée,1854) (Pyalidae) Synonym(s): *picalis* Guenée,1854; *picalis* Hampson,1893
 59302) *Agastophanes zophoxysta* Turner,1937 (Pyalidae) Synonym(s): *zophoxysta* Turner,1937
 59303) *Agathodes caliginosalis* Snellen,1895 (Pyalidae) Synonym(s): *caliginosalis* Snellen,1895
 59304) *Agathodes incoloralis* (Hampson,1918) (Pyalidae) Synonym(s): *incoloralis* Hampson,1918

- 59305) *Agathodes modicalis* Guenée, 1854 (Pyrilidae) Synonym(s): *modicalis* Guenée, 1854; *integralis* Walker, 1865
 59306) *Agathodes musivalis* Guenée, 1854 (Pyrilidae) Synonym(s): *musivalis* Guenée, 1854; *chrysalis* Hampson, 1908
 59307) *Agathodes ostentalis* (Geyer, 1838) (Pyrilidae) Synonym(s): *ostentalis* Geyer, 1838
 59308) *Agathodes paliscia* Turner, 1908 (Pyrilidae) Synonym(s): *paliscia* Turner, 1908
 59309) *Agathodes rebeli* Tams, 1935 (Pyrilidae) Synonym(s): *rebeli* Tams, 1935
 59310) *Agdistopsis sinhalae* (T.B.Fletcher, 1909) (Pyrilidae) Synonym(s): *sinhalae* T.B.Fletcher, 1909
 59311) *Aglossa asiatica* Erschoff, 1871 (Pyrilidae) Synonym(s): *asiatica* Erschoff, 1871
 59312) *Aglossa basalis* Walker, 1866 (Pyrilidae) Synonym(s): *basalis* Walker, 1866; *apertalis* Walker, 1866
 59313) *Aglossa brabanti* Ragonot, 1884 (Pyrilidae) Synonym(s): *brabanti* Ragonot, 1884
 59314) *Aglossa caprealis* (Hübner, [1809]) (Pyrilidae) Synonym(s): *caprealis* Hübner, [1809]; *capreolatus* Haworth, 1809; *aenalis* Costa, 1836; *domalis* Guenée, 1854; *incultella* Walker, 1866; *enthealis* Hulst, 1886; *#cuprealis* Kalchberg, 1897
 59315) *Aglossa dimidiata* (Haworth, 1809) (Pyrilidae) Synonym(s): *dimidiata* Haworth, 1809
 59316) *Aglossa ferrealis* Hampson, 1906 (Pyrilidae) Synonym(s): *ferrealis* Hampson, 1906
 59317) *Aglossa formosa* Butler, 1875 (Pyrilidae) Synonym(s): *formosa* Butler, 1875
 59318) *Aglossa fuliginosalis* (Zerny, 1927) (Pyrilidae) Synonym(s): *fuliginosalis* Zerny, 1927
 59319) *Aglossa inconspicua* Butler, 1875 (Pyrilidae) Synonym(s): *inconspicua* Butler, 1875
 59320) *Aglossa incultalis* Zeller, 1852 (Pyrilidae) Synonym(s): *incultalis* Zeller, 1852
 59321) *Aglossa infuscalis* Hampson, 1906 (Pyrilidae) Synonym(s): *infuscalis* Hampson, 1906
 59322) *Aglossa ocellaris* Lederer, 1863 (Pyrilidae) Synonym(s): *ocellaris* Lederer, 1863; *ocelliferalis* Hampson, 1906; *circozyga* Meyrick, 1937
 59323) *Aglossa oranalís* (Zerny, 1914) (Pyrilidae) Synonym(s): *oralis* Zerny, 1914
 59324) *Aglossa phaealis* Hampson, 1906 (Pyrilidae) Synonym(s): *phaealis* Hampson, 1906
 59325) *Aglossa pinguinalis* (Linnaeus, 1758) (Pyrilidae) Synonym(s): *pinguinalis* Linnaeus, 1758; *marmorella* Geoffroy, 1785; *marmoratella* Villers, 1789; *pinguiculatus* Haworth, 1809; *pinguinatus* Haworth, 1809; *guicciardi* Constantino, 1922
 59326) *Aglossa rhodalis* Hampson, 1906 (Pyrilidae) Synonym(s): *rhodalis* Hampson, 1906
 59327) *Aglossa signicostalis* Staudinger, 1871 (Pyrilidae) Synonym(s): *signicostalis* Staudinger, 1871
 59328) *Aglossa sternalis* R.Felder & Rogenhofer, 1875 (Pyrilidae) Synonym(s): *sternalis* R.Felder & Rogenhofer, 1875
 59329) *Aglossa suppunctalis* De Joannis, 1927 (Pyrilidae) Synonym(s): *suppunctalis* De Joannis, 1927
 59330) *Aglossa thermochroa* Hampson, 1916 (Pyrilidae) Synonym(s): *thermochroa* Hampson, 1916
 59331) *Aglossodes prionophoralis* Ragonot, 1891 (Pyrilidae) Synonym(s): *prionophoralis* Ragonot, 1891; *natalensis* Janse, 1922
 59332) *Agrioglypta deliciosa* Walker, 1859 (Pyrilidae) Synonym(s): *deliciosa* Walker, 1859
 59333) *Agrioglypta eurytusalis* (Walker, 1859) (Pyrilidae) Synonym(s): *eurytusalis* Walker, 1859; *opalalis* Hampson, 1891; *episcopalis* Meyrick, 1938
 59334) *Agrioglypta excelsalis* (Walker, [1866]) (Pyrilidae) Synonym(s): *excelsalis* Walker, [1866]
 59335) *Agrioglypta itysalis* (Walker, 1859) (Pyrilidae) Synonym(s): *itysalis* Walker, 1859; *piepersialis* Snellen, [1880]; *malayana* Butler, 1880
 59336) *Agrioglypta zelimalis* (Walker, 1859) (Pyrilidae) Synonym(s): *zelimalis* Walker, 1859; *nyctalis* Snellen, [1880]
 59337) *Agriophila aeneociliella* (Eversmann, 1844) (Pyrilidae) Synonym(s): *aeneociliella* Eversmann, 1844; *quadridellus* Lederer, 1853; *bivittellus* Wileman, 1911; *trifidalis* Wileman, 1911
 59338) *Agriophila argentistrigella* (Ragonot, 1888) (Pyrilidae) Synonym(s): *argentistrigella* Ragonot, 1888; *lybistridellus* Turati, 1924; *nebrodellus* Zerny, 1914; *monica* Bleszynski, 1956; *bipunctellus* Lucas, 1956
 59339) *Agriophila argentistrigella argentistrigella* (Ragonot, 1888) (Pyrilidae) Synonym(s): *argentistrigella* Ragonot, 1888; *lybistridellus* Turati, 1924; *nebrodellus* Zerny, 1914; *monica* Bleszynski, 1956; *bipunctellus* Lucas, 1956
 59340) *Agriophila argentistrigella osceella* (Hampson, 1900) (Pyrilidae) Synonym(s): *osceella* Hampson, 1900
 59341) *Agriophila atlantica* (Wollaston, 1858) (Pyrilidae) Synonym(s): *atlantica* Wollaston, 1858
 59342) *Agriophila beieri* Bleszynski, 1955 (Pyrilidae) Synonym(s): *beieri* Bleszynski, 1955
 59343) *Agriophila biarmica* (Tengström, 1865) (Pyrilidae) Synonym(s): *biarmica* Tengström, 1865; *illatella* Fuchs, 1902; *alpina* Bleszynski, 1957
 59344) *Agriophila bleszynskiella* Amsel, 1961 (Pyrilidae) Synonym(s): *bleszynskiella* Amsel, 1961
 59345) *Agriophila brionella* (Zerny, 1914) (Pyrilidae) Synonym(s): *brioniella* Zerny, 1914; *#subbrioniella* Amsel, 1959
 59346) *Agriophila cyrenaicella* (Ragonot, 1887) (Pyrilidae) Synonym(s): *cyrenaicella* Ragonot, 1887; *alexandriensis* Bethune-Baker, 1894; *permixtellus* Kalchberg, 1897
 59347) *Agriophila dalmatinella* (Hampson, 1900) (Pyrilidae) Synonym(s): *dalmatinella* Hampson, 1900
 59348) *Agriophila deliella* (Hübner, [1813]) (Pyrilidae) Synonym(s): *deliella* Hübner, [1813]; *delialis* Hübner, [1825]
 59349) *Agriophila deliella asiatica* Bleszynski, 1965 (Pyrilidae) Synonym(s): *#asiatica* Caradja, 1910; *asiatica* Bleszynski, 1965
 59350) *Agriophila deliella deliella* (Hübner, [1813]) (Pyrilidae) Synonym(s): *deliella* Hübner, [1813]; *delialis* Hübner, [1825]
 59351) *Agriophila deliella hispanodeliella* Bleszynski, 1959 (Pyrilidae) Synonym(s): *hispanodeliella* Bleszynski, 1959
 59352) *Agriophila geniculea* (Haworth, [1811]) (Pyrilidae) Synonym(s): *geniculea* Haworth, [1811]; *imistella* Hübner, [1813]; *angulatellus* Duponchel, 1836; *suspectellus* Zeller, 1839
 59353) *Agriophila geniculea andalusella* (Caradja, 1910) (Pyrilidae) Synonym(s): *andalusella* Caradja, 1910
 59354) *Agriophila geniculea geniculea* (Haworth, [1811]) (Pyrilidae) Synonym(s): *geniculea* Haworth, [1811]; *imistella* Hübner, [1813]; *angulatellus* Duponchel, 1836; *suspectellus* Zeller, 1839
 59355) *Agriophila hungarica* (Schmidt, 1909) (Pyrilidae) Synonym(s): *hungarica* Schmidt, 1909
 59356) *Agriophila impurella* (Hampson, 1896) (Pyrilidae) Synonym(s): *impurella* Hampson, 1896
 59357) *Agriophila indivisella* (Turati & Zanon, 1922) (Pyrilidae) Synonym(s): *indivisella* Turati & Zanon, 1922
 59358) *Agriophila inquinatella* ([Denis & Schiffmüller], 1775) (Pyrilidae) Synonym(s): *inquinatella* [Denis & Schiffmüller], 1775; ? *arbustella* Schrank, 1802; *nevadensis* Caradja, 1910
 59359) *Agriophila inquinatella elbursella* (Zerny, 1939) (Pyrilidae) Synonym(s): *elbursellus* Zerny, 1939
 59360) *Agriophila inquinatella inquinatella* ([Denis & Schiffmüller], 1775) (Pyrilidae) Synonym(s): *inquinatella* [Denis & Schiffmüller], 1775; ? *arbustella* Schrank, 1802; *nevadensis* Caradja, 1910
 59361) *Agriophila latistria* (Haworth, [1811]) (Pyrilidae) Synonym(s): *latistria* Haworth, [1811]; *gueneellus* Duponchel, 1836; *monotaeniellus* Herrich-Schäffer, [1852]; *vectifer* Zeller, 1863; *vallicolella* Costa, 1885
 59362) *Agriophila melike* Kemal & Koçak, 2004 (Pyrilidae) Synonym(s): *asiatica* Ganév & Hacker, 1984 nec Blesz., 1965; *melike* Kemal & Koçak, 2004
 59363) *Agriophila microselasella* Bleszynski, 1959 (Pyrilidae) Synonym(s): *microselasella* Bleszynski, 1959
 59364) *Agriophila paleatella* (Zeller, 1847) (Pyrilidae) Synonym(s): *paleatellus* Zeller, 1847
 59365) *Agriophila poliella* (Treitschke, 1832) (Pyrilidae) Synonym(s): *poliella* Treitschke, 1832
 59366) *Agriophila reisseri* Bleszynski, 1965 (Pyrilidae) Synonym(s): *reisseri* Bleszynski, 1965
 59367) *Agriophila satakei* Okano, 1962 (Pyrilidae) Synonym(s): *satakei* Okano, 1962
 59368) *Agriophila selasella* (Hübner, [1813]) (Pyrilidae) Synonym(s): *selasella* Hübner, [1813]; *obtusellus* Stephens, 1834
 59369) *Agriophila straminella* ([Denis & Schiffmüller], 1775) (Pyrilidae) Synonym(s): *straminella* [Denis & Schiffmüller], 1775 *marginella* Stephens, 1834
 59370) *Agriophila tersellus* (Lederer, 1855) (Pyrilidae) Synonym(s): *tersellus* Lederer, 1855; *graphellus* Constant, 1884; *hungaricus* Schmidt, 1909; *austellus* Chrétien, 1913; *uniformellus* Caradja, 1918; *chneouri* Lucas, 1942
 59371) *Agriophila tolli* (Bleszynski, 1952) (Pyrilidae) Synonym(s): *tollii* Bleszynski, 1952
 59372) *Agriophila trabeatella* (Herrich-Schäffer, [1848]) (Pyrilidae) Synonym(s): *trabeatellus* Herrich-Schäffer, [1848]; *divisellus* Joannis, 1888
 59373) *Agriophila trabeatella canariensis* (Rebel, 1892) (Pyrilidae) Synonym(s): *canariensis* Rebel, 1892
 59374) *Agriophila trabeatella trabeatella* (Herrich-Schäffer, [1848]) (Pyrilidae) Synonym(s): *trabeatellus* Herrich-Schäffer, [1848]; *divisellus* Joannis, 1888
 59375) *Agriophila tristella* ([Denis & Schiffmüller], 1775) (Pyrilidae) Synonym(s): *tristella* [Denis & Schiffmüller], 1775; *ferruginella* Thunberg, 1788; *paleella* Hübner, 1796; *aquilella* Hübner, 1796; *moerens* Fabricius, 1798; *fuscineella* Schrank, 1802; *fuscineellus* Stephens, 1834; *ribbeellus* Caradja, 1910; *discistrigatus* Hampson, 1919
 59376) *Agriophila tristella pseudotristella* (Zerny, 1943) (Pyrilidae) Synonym(s): *pseudotristella* Zerny, 1943
 59377) *Agriophila tristella tristella* ([Denis & Schiffmüller], 1775) (Pyrilidae) Synonym(s): *tristella* [Denis & Schiffmüller], 1775; *ferruginella* Thunberg, 1788; *paleella* Hübner, 1796; *aquilella* Hübner, 1796; *moerens* Fabricius, 1798; *fuscineella* Schrank, 1802; *fuscineellus* Stephens, 1834; *ribbeellus* Caradja, 1910; *discistrigatus* Hampson, 1919
 59378) *Agriophila vasilevi* Ganév, 1983 (Pyrilidae) Synonym(s): *vasilevi* Ganév, 1983

- 59379) *Agriphiloides longipalpellus* Bleszynski, 1965 (Pyralidae) Synonym(s): *longipalpellus* Bleszynski, 1965
 59380) *Agrotera amathealis* (Walker, 1859) (Pyralidae) Synonym(s): *amathealis* Walker, 1859; *ornatalis* Walker, [1866]
 59381) *Agrotera basinotata* Hampson, 1891 (Pyralidae) Synonym(s): *basinotata* Hampson, 1891
 59382) *Agrotera citrina* Hampson, 1898 (Pyralidae) Synonym(s): *citrina* Hampson, 1898
 59383) *Agrotera discinotata* Swinhoe, 1894 (Pyralidae) Synonym(s): *discinotata* Swinhoe, 1894
 59384) *Agrotera effertalis* Walker, 1859 (Pyralidae) Synonym(s): *effertalis* Walker, 1859
 59385) *Agrotera fumosa* Hampson, 1898 (Pyralidae) Synonym(s): *fumosa* Hampson, 1898
 59386) *Agrotera glycyphanes* Turner, 1913 (Pyralidae) Synonym(s): *glycyphanes* Turner, 1913
 59387) *Agrotera ignepicta* Hampson, 1898 (Pyralidae) Synonym(s): *ignepicta* Hampson, 1898
 59388) *Agrotera leucostola* Hampson, 1896 (Pyralidae) Synonym(s): *leucostola* Hampson, 1896
 59389) *Agrotera nemoralis* (Scopoli, 1763) (Pyralidae) Synonym(s): *nemoralis* Scopoli, 1763
 59390) *Agrotera ornata* Wileman & South, 1917 (Pyralidae) Synonym(s): *ornata* Wileman & South, 1917
 59391) *Agrotera pictalis* (W. Warren, 1896) (Pyralidae) Synonym(s): *pictalis* W. Warren, 1896
 59392) *Agrotera scissalis* Walker, 1865 (Pyralidae) Synonym(s): *scissalis* Walker, 1865
 59393) *Algedonia* (s.str.) *luctualis* (Hübner, 1793) (Pyralidae) Synonym(s): *luctualis* Hübner, 1793
 59394) *Alisa amseli* Ganév & Hacker, 1984 (Pyralidae) Synonym(s): *amseli* Ganév & Hacker, 1984
 59395) *Alophia combustella* (Herrich-Schäffer, [1855]) (Pyralidae) Synonym(s): *combustella* Herrich-Schäffer, [1855]; *incinerella* Caradja, 1910.
 59396) *Alphacrambus prodontellus* (Hampson, 1919) (Pyralidae) Synonym(s): *prodontellus* Hampson, 1919
 59397) *Alphacrambus prodontellus prodontellus* (Hampson, 1919) (Pyralidae) Synonym(s): *prodontellus* Hampson, 1919
 59398) *Alphacrambus razowskii* (Bleszynski, 1961) (Pyralidae) Synonym(s): *razowskii* Bleszynski, 1961
 59399) *Alphacrambus razowskii razowskii* (Bleszynski, 1961) (Pyralidae) Synonym(s): *razowskii* Bleszynski, 1961
 59400) *Amaurophanes stigmatosalis* (Herrich-Schäffer, [1848]) (Pyralidae) Synonym(s): *stigmatosalis* Herrich-Schäffer, [1848]
 59401) *Ambetilia crucifera* Balinsky, 1994 (Pyralidae) Synonym(s): *crucifera* Balinsky, 1994
 59402) *Ambia albiflavalis* Hampson, 1917 (Pyralidae) Synonym(s): *albiflavalis* Hampson, 1917
 59403) *Ambia albitescellalis* Hampson, 1906 (Pyralidae) Synonym(s): *albitescellalis* Hampson, 1906
 59404) *Ambia albobasalis* Caradja, 1933 (Pyralidae) Synonym(s): *albobasalis* Caradja, 1933
 59405) *Ambia albomaculalis* (Hampson, 1897) (Pyralidae) Synonym(s): *albomaculalis* Hampson, 1897
 59406) *Ambia amoyalis* Caradja, 1925 (Pyralidae) Synonym(s): *amoyalis* Caradja, 1925
 59407) *Ambia argentistriata* Hampson, 1917 (Pyralidae) Synonym(s): *argentistriata* Hampson, 1917
 59408) *Ambia argyractalis* Schaus, 1912 (Pyralidae) Synonym(s): *argyractalis* Schaus, 1912
 59409) *Ambia arnoulalis* Schaus, 1924 (Pyralidae) Synonym(s): *arnoulalis* Schaus, 1924
 59410) *Ambia asaphalis* Schaus, 1924 (Pyralidae) Synonym(s): *asaphalis* Schaus, 1924
 59411) *Ambia atristrigalis* Hampson, 1897 (Pyralidae) Synonym(s): *atristrigalis* Hampson, 1897
 59412) *Ambia aulacophora* Hampson, 1897 (Pyralidae) Synonym(s): *aulacophora* Hampson, 1897
 59413) *Ambia bolusalis* (Walker, 1859) (Pyralidae) Synonym(s): *bolusalis* Walker, 1859
 59414) *Ambia caerulea* Hampson, 1893 (Pyralidae) Synonym(s): *caerulea* Hampson, 1893; *cyanealis* Hampson, 1903
 59415) *Ambia cantiusalis* Schaus, 1924 (Pyralidae) Synonym(s): *cantiusalis* Schaus, 1924
 59416) *Ambia cataclystalis* Hampson, 1897 (Pyralidae) Synonym(s): *cataclystalis* Hampson, 1897
 59417) *Ambia chalcichroalis* Hampson, 1906 (Pyralidae) Synonym(s): *chalcichroalis* Hampson, 1906
 59418) *Ambia cilianalis* Schaus, 1924 (Pyralidae) Synonym(s): *cilianalis* Schaus, 1924
 59419) *Ambia colonalis* (Bremer, 1864) (Pyralidae) Synonym(s): *colonalis* Bremer, 1864; *locuples* Butler, 1889; *dives* Butler, 1889
 59420) *Ambia complicata* Warren, 1896 (Pyralidae) Synonym(s): *complicata* Warren, 1896
 59421) *Ambia cymophoralis* Hampson, 1917 (Pyralidae) Synonym(s): *cymophoralis* Hampson, 1917
 59422) *Ambia damescalis* (Guenée, 1854) (Pyralidae) Synonym(s): *damescalis* Guenée, 1854; *bocusalis* Walker, 1859
 59423) *Ambia debalis* (Druce, 1896) (Pyralidae) Synonym(s): *debalis* Druce, 1896
 59424) *Ambia dendalis* (Druce, 1896) (Pyralidae) Synonym(s): *dendalis* Druce, 1896
 59425) *Ambia dohrni* E. Hering, 1903 (Pyralidae) Synonym(s): *dohrni* E. Hering, 1903
 59426) *Ambia elphegalis* Schaus, 1924 (Pyralidae) Synonym(s): *elphegalis* Schaus, 1924
 59427) *Ambia enallassalis* Dyar, 1914 (Pyralidae) Synonym(s): *enallassalis* Dyar, 1914
 59428) *Ambia enantialis* Dyar, 1914 (Pyralidae) Synonym(s): *enantialis* Dyar, 1914
 59429) *Ambia enarexalis* Dyar, 1914 (Pyralidae) Synonym(s): *enarexalis* Dyar, 1914
 59430) *Ambia endophthalma* Meyrick, 1894 (Pyralidae) Synonym(s): *endophthalma* Meyrick, 1894
 59431) *Ambia flavalis* Warren, 1889 (Pyralidae) Synonym(s): *flavalis* Warren, 1889
 59432) *Ambia fovecosta* Dyar, 1914 (Pyralidae) Synonym(s): *fovecosta* Dyar, 1914
 59433) *Ambia fulvalis* Dyar, 1914 (Pyralidae) Synonym(s): *fulvalis* Dyar, 1914
 59434) *Ambia fulvicolor* Hampson, 1917 (Pyralidae) Synonym(s): *fulvicolor* Hampson, 1917
 59435) *Ambia fulvitinctalis* Hampson, 1897 (Pyralidae) Synonym(s): *fulvitinctalis* Hampson, 1897
 59436) *Ambia fulvobasalis* (Snellen, 1880) (Pyralidae) Synonym(s): *fulvobasalis* Snellen, 1880
 59437) *Ambia fuscalis* Hampson, 1906 (Pyralidae) Synonym(s): *fuscalis* Hampson, 1906
 59438) *Ambia fuscalis* Dyar, 1914 (Pyralidae) Synonym(s): *fuscalis* Dyar, 1914
 59439) *Ambia hemigrammalis* Hampson, 1917 (Pyralidae) Synonym(s): *hemigrammalis* Hampson, 1917
 59440) *Ambia heptopalis* Hampson, 1908 (Pyralidae) Synonym(s): *heptopalis* Hampson, 1908
 59441) *Ambia iambealis* (Walker, 1859) (Pyralidae) Synonym(s): *iambealis* Walker, 1859; *fulvalis* Hampson, 1893; *#iambesalis* Hampson, 1897; *albiblavicalis* Warren, 1906
 59442) *Ambia interstrigalis* Hampson, 1897 (Pyralidae) Synonym(s): *interstrigalis* Hampson, 1897
 59443) *Ambia intortalis* Schaus, 1912 (Pyralidae) Synonym(s): *intortalis* Schaus, 1912
 59444) *Ambia iriusalis* (Walker, 1859) (Pyralidae) Synonym(s): *iriusalis* Walker, 1859; *irialis* Meyrick, 1894
 59445) *Ambia jonesalis* (Schaus, 1906) (Pyralidae) Synonym(s): *jonesalis* Schaus, 1906
 59446) *Ambia klossi* Rothschild, 1915 (Pyralidae) Synonym(s): *klossi* Rothschild, 1915
 59447) *Ambia leucochrysa* Meyrick, 1894 (Pyralidae) Synonym(s): *leucochrysa* Meyrick, 1894
 59448) *Ambia leucocymalis* Hampson, 1906 (Pyralidae) Synonym(s): *leucocymalis* Hampson, 1906
 59449) *Ambia leucoplaca* Meyrick, 1897 (Pyralidae) Synonym(s): *leucoplaca* Meyrick, 1897
 59450) *Ambia leucostictalis* Hampson, 1895 (Pyralidae) Synonym(s): *leucostictalis* Hampson, 1895
 59451) *Ambia lipocosmalis* (Snellen, 1900) (Pyralidae) Synonym(s): *lipocosmalis* Snellen, 1900
 59452) *Ambia lobophoralis* Hampson, 1896 (Pyralidae) Synonym(s): *lobophoralis* Hampson, 1896
 59453) *Ambia magnificalis* Swinhoe, 1895 (Pyralidae) Synonym(s): *magnificalis* Swinhoe, 1895; *interruptalis* Warren, 1896
 59454) *Ambia marconalis* Schaus, 1924 (Pyralidae) Synonym(s): *marconalis* Schaus, 1924
 59455) *Ambia marginalis* Moore, 1887 (Pyralidae) Synonym(s): *marginalis* Moore, 1887; *albicomma* Swinhoe, 1894; *fulvalis* Warren, 1896 nec Hamps., 1893
 59456) *Ambia melanalis* Hampson, 1906 (Pyralidae) Synonym(s): *melanalis* Hampson, 1906
 59457) *Ambia melanistis* Hampson, 1917 (Pyralidae) Synonym(s): *melanistis* Hampson, 1917
 59458) *Ambia mesoscotalis* Hampson, 1906 (Pyralidae) Synonym(s): *mesoscotalis* Hampson, 1906
 59459) *Ambia metalophota* (Hampson, 1897) (Pyralidae) Synonym(s): *metalophota* Hampson, 1897
 59460) *Ambia niveiplagalis* Hampson, 1917 (Pyralidae) Synonym(s): *niveiplagalis* Hampson, 1917
 59461) *Ambia novaguineensis* Kenrick, 1912 (Pyralidae) Synonym(s): *novaguineensis* Kenrick, 1912
 59462) *Ambia obliquistriga* Rothschild, 1915 (Pyralidae) Synonym(s): *obliquistriga* Rothschild, 1915
 59463) *Ambia oedizonalis* Hampson, 1906 (Pyralidae) Synonym(s): *oedizonalis* Hampson, 1906
 59464) *Ambia oligalis* Hampson, 1906 (Pyralidae) Synonym(s): *oligalis* Hampson, 1906
 59465) *Ambia paiginodesalis* Dyar, 1914 (Pyralidae) Synonym(s): *paiginodesalis* Dyar, 1914
 59466) *Ambia palliolatalis* Swinhoe, 1890 (Pyralidae) Synonym(s): *palliolatalis* Swinhoe, 1890; *#palliototalis* Hampson, 1897
 59467) *Ambia parachrysis* Meyrick, 1935 (Pyralidae) Synonym(s): *parachrysis* Meyrick, 1935

- 59468) *Ambia pedionoma* West,1931 (Pyralidae) Synonym(s): *pedionoma* West,1931
 59469) *Ambia perornatalis* Schaus,1912 (Pyralidae) Synonym(s): *perornatalis* Schaus,1912
 59470) *Ambia phaeochroalis* Hampson,1906 (Pyralidae) Synonym(s): *phaeochroalis* Hampson,1906
 59471) *Ambia phaeomerialis* Hampson,1917 (Pyralidae) Synonym(s): *phaeomerialis* Hampson,1917
 59472) *Ambia phaeozonalis* Hampson,1906 (Pyralidae) Synonym(s): *phaeozonalis* Hampson,1906
 59473) *Ambia picalis* Hampson,1897 (Pyralidae) Synonym(s): *picalis* Hampson,1897
 59474) *Ambia poritialis* (Walker,1859) (Pyralidae) Synonym(s): *poritialis* Walker,1859
 59475) *Ambia ptolycusalis* Walker,1859 (Pyralidae) Synonym(s): *ptolycusalis* Walker,1859; *eromenalis* Snellen,1880; *parallelalis* Sauber,1902
 59476) *Ambia punctimarginata* Rothschild,1915 (Pyralidae) Synonym(s): *punctimarginata* Rothschild,1915
 59477) *Ambia rhabdotalis* Hampson,1897 (Pyralidae) Synonym(s): *rhabdotalis* Hampson,1897
 59478) *Ambia rothschildi* Klima,1937 (Pyralidae) Synonym(s): *marginalis* Rothschild,1915 nec Mre.,1887; *rothschildi* Klima,1937
 59479) *Ambia rufitincta* Hampson,1917 (Pyralidae) Synonym(s): *rufitincta* Hampson,1917
 59480) *Ambia schistochoeta* Tams,1935 (Pyralidae) Synonym(s): *schistochoeta* Tams,1935
 59481) *Ambia semifascialis* Warren,1896 (Pyralidae) Synonym(s): *semifascialis* Warren,1896
 59482) *Ambia semilunalis* Hampson,1897 (Pyralidae) Synonym(s): *semilunalis* Hampson,1897
 59483) *Ambia striatalis* Dyar,1906 (Pyralidae) Synonym(s): *striatalis* Dyar,1906
 59484) *Ambia sufetulodes* Hampson,1917 (Pyralidae) Synonym(s): *sufetulodes* Hampson,1917
 59485) *Ambia symphorasalis* Schaus,1924 (Pyralidae) Synonym(s): *symphorasalis* Schaus,1924
 59486) *Ambia tendicularis* Rebel,1915 (Pyralidae) Synonym(s): *tendicularis* Rebel,1915
 59487) *Ambia tenebrosalis* Hampson,1896 (Pyralidae) Synonym(s): *tenebrosalis* Hampson,1896
 59488) *Ambia tenella* Hampson,1897 (Pyralidae) Synonym(s): *tenella* Hampson,1897
 59489) *Ambia thyridialis* (Lederer,1855) (Pyralidae) Synonym(s): *thyridialis* Lederer,1855
 59490) *Ambia tigridalis* Hampson,1897 (Pyralidae) Synonym(s): *tigridalis* Hampson,1897
 59491) *Ambia trichostylalis* Hampson,1897 (Pyralidae) Synonym(s): *trichostylalis* Hampson,1897
 59492) *Ambia vagilinealis* Hampson,1906 (Pyralidae) Synonym(s): *vagilinealis* Hampson,1906
 59493) *Ambia xantholeuca* Hampson,1896 (Pyralidae) Synonym(s): *xantholeuca* Hampson,1896
 59494) *Ambluncus nervosellus* Amsel,1953 (Pyralidae) Synonym(s): *nervosellus* Amsel,1953
 59495) *Amechedia herlina* Roesler,1989 (Pyralidae) Synonym(s): *herlina* Roesler,1989
 59496) *Amechedia pagmanella* Amsel,1961 (Pyralidae) Synonym(s): *pagmanella* Amsel,1961
 59497) *Amechedia pascha* Roesler,1989 (Pyralidae) Synonym(s): *pascha* Roesler,1989
 59498) *Ammatucha piti* Roesler,1983 (Pyralidae) Synonym(s): *piti* Roesler,1983
 59499) *Ammatucha porisada* (Roesler & Küppers,1979) (Pyralidae) Synonym(s): *porisada* Roesler & Küppers,1979
 59500) *Ammatucha semiirrorella* (Hampson,1896) (Pyralidae) Synonym(s): *semiirrorella* Hampson,1896; *lathria* Turner,1922
 59501) *Amphiderita prospila* Turner,1925 (Pyralidae) Synonym(s): *prospila* Turner,1925
 59502) *Amphithrix sublineatella* (Staudinger,1859) (Pyralidae) Synonym(s): *sublineatella* Staudinger,1859
 59503) *Amselia heringi* (Amsel,1935) (Pyralidae) Synonym(s): *heringi* Amsel,1935
 59504) *Amselia leucozonellus* (Hampson,1896) (Pyralidae) Synonym(s): *leucozonellus* Hampson,1896
 59505) *Anaclastis apicistrigellus* (Meyrick,1879) (Pyralidae) Synonym(s): *apicistrigellus* Meyrick,1879
 59506) *Analcina penticha* Turner,1911 (Pyralidae) Synonym(s): *penticha* Turner,1911
 59507) *Analthes semitritalis* Lederer,1863 (Pyralidae) Synonym(s): *semitritalis* Lederer,1863
 59508) *Analyta albicillalis* Lederer,1863 (Pyralidae) Synonym(s): *albicillalis* Lederer,1863
 59509) *Analyta calligrammalis* Mabille,1879 (Pyralidae) Synonym(s): *calligrammalis* Mabille,1879
 59510) *Analyta melanopalis* (Guenée,1854) (Pyralidae) Synonym(s): *melanopalis* Guenée,1854; *auxialis* Swinhoe,1886
 59511) *Anania ademonalis* (Walker,1859) (Pyralidae) Synonym(s): *ademonalis* Walker,1859
 59512) *Anania antigastridia* (Hampson,1899) (Pyralidae) Synonym(s): *antigastridia* Hampson,1899
 59513) *Anania arenacea* (W.Warren,1892) (Pyralidae) Synonym(s): *arenacea* W.Warren,1892
 59514) *Anania aurea* (Butler,1875) (Pyralidae) Synonym(s): *aurea* Butler,1875
 59515) *Anania caudatella* (Dyar,1913) (Pyralidae) Synonym(s): *caudatella* Dyar,1913
 59516) *Anania epanthisma* (Dyar,1914) (Pyralidae) Synonym(s): *epanthisma* Dyar,1914
 59517) *Anania federalis* (Capps,1967) (Pyralidae) Synonym(s): *federalis* Capps,1967
 59518) *Anania ferruginealis* (W.Warren,1892) (Pyralidae) Synonym(s): *ferruginealis* W.Warren,1892
 59519) *Anania funebris* (Ström,1768) (Pyralidae) Synonym(s): *funebris* Ström,1768; *octomaculata* Linnaeus,1771; *funeraria* Müller,1764; *atralis* Fabricius,1775; *guttalis* [Denis & Schiffermüller],1775; *octomaculalis* Treitschke,1828.
 59520) *Anania hyalactis* (Dognin,1905) (Pyralidae) Synonym(s): *hyalactis* Dognin,1905
 59521) *Anania inclusalis* (Walker,1866) (Pyralidae) Synonym(s): *inclusalis* Walker,1866; *fuscocillalis* Snellen,1875
 59522) *Anania intinctalis* (Dyar,1920) (Pyralidae) Synonym(s): *intinctalis* Dyar,1920
 59523) *Anania labeculalis* (Hulst,1886) (Pyralidae) Synonym(s): *labeculalis* Hulst,1886
 59524) *Anania ledereri* (Amsel,1956) (Pyralidae) Synonym(s): *ledereri* Amsel,1956
 59525) *Anania leucocraspia* (Hampson,1899) (Pyralidae) Synonym(s): *leucocraspia* Hampson,1899
 59526) *Anania lysanderalis* (Walker,1859) (Pyralidae) Synonym(s): *lysanderalis* Walker,1859
 59527) *Anania melastictalis* (Hampson,1913) (Pyralidae) Synonym(s): *melastictalis* Hampson,1913
 59528) *Anania nerissalis* (Walker,1859) (Pyralidae) Synonym(s): *nerissalis* Walker,1859; *nocmonalis* Walker,1859; *paolinalis* W.Warren,1892
 59529) *Anania nullalis* (Guenée,1854) (Pyralidae) Synonym(s): *nullalis* Guenée,1854
 59530) *Anania otiosalis* (Lederer,1863) (Pyralidae) Synonym(s): *otiosalis* Lederer,1863
 59531) *Anania trichoglossa* (Meyrick,1936) (Pyralidae) Synonym(s): *trichoglossa* Meyrick,1936
 59532) *Anania verbascata* (Fabricius,1787) (Pyralidae) Synonym(s): *verbascalis* [Denis & Schiffermüller],1775; *verbascata* Fabricius,1787; *parvalis* Osthelder,1934.
 59533) *Anarpia incertalis* (Duponchel,1832) (Pyralidae) Synonym(s): *incertalis* Duponchel,1832; *pyrenaecalis* Duponchel,1842; *incertella* Duponchel,[1845]; *pyrenaecella* Duponchel,[1845]; *pyrenaecalis* Guenée,1846
 59534) *Anarpia incertalis incertalis* (Duponchel,1832) (Pyralidae) Synonym(s): *incertalis* Duponchel,1832; *pyrenaecalis* Duponchel,1842; *incertella* Duponchel,[1845]; *pyrenaecella* Duponchel,[1845]; *pyrenaecalis* Guenée,1846
 59535) *Anarpia incertalis phycophanes* (Meyrick,1937) (Pyralidae) Synonym(s): *phycophanes* Meyrick,1937
 59536) *Anarpia incertalis rupestris* (Meyrick,1937) (Pyralidae) Synonym(s): *rupestris* Meyrick,1937
 59537) *Anarpia iranella* (Zerny,1939) (Pyralidae) Synonym(s): *iranella* Zerny,1939; *alvandella* Amsel,1961
 59538) *Anartula confusa* Wileman & South,1917 (Pyralidae) Synonym(s): *confusa* Wileman & South,1917
 59539) *Anassodes mesozonalis* (Hampson,1917) (Pyralidae) Synonym(s): *mesozonalis* Hampson,1917
 59540) *Anchylobela acidnias* (Turner,1904) (Pyralidae) Synonym(s): *acidnias* Turner,1904
 59541) *Anchylobela dyseimata* (Turner,1913) (Pyralidae) Synonym(s): *dyseimata* Turner,1913; *acrophaea* Turner,1913
 59542) *Anchylobela haplodes* Turner,1947 (Pyralidae) Synonym(s): *haplodes* Turner,1947
 59543) *Anchylobela holophaea* (Turner,1905) (Pyralidae) Synonym(s): *holophaea* Turner,1905
 59544) *Anchylobela nitens* (Butler,1886) (Pyralidae) Synonym(s): *nitens* Butler,1886
 59545) *Anchylobela phaulodes* (Turner,1947) (Pyralidae) Synonym(s): *phaulodes* Turner,1947
 59546) *Ancylodes ilella* ? Swinhoe,1884 (Pyralidae) Synonym(s): *ilella* Swinhoe,1884
 59547) *Ancylodes lapsalis* (Walker,1859) (Pyralidae) Synonym(s): *lapsalis* Walker,1859
 59548) *Ancylodes pallens* Ragonot,1887 (Pyralidae) Synonym(s): *pallens* Ragonot,1887; *lactealis* Rothschild,1915; *banghaasiella* Caradja,1917; *#fuscella* Amsel,1958.
 59549) *Ancylodes penicillata* Turner,1905 (Pyralidae) Synonym(s): *penicillata* Turner,1905
 59550) *Ancylolomia agraphella* Hampson,1919 (Pyralidae) Synonym(s): *agrappella* Hampson,1919
 59551) *Ancylolomia albicostalis* Hampson,1919 (Pyralidae) Synonym(s): *albicostalis* Hampson,1919
 59552) *Ancylolomia arabella* Bleszynski,1965 (Pyralidae) Synonym(s): *arabella* Bleszynski,1965

- 59553) *Ancylolomia argentata* Moore, 1886 (Pyralidae) Synonym(s): *argentata* Moore, 1886
 59554) *Ancylolomia argentovittata* Aurivillius, 1910 (Pyralidae) Synonym(s): *argentovittata* Aurivillius, 1910
 59555) *Ancylolomia atrifasciata* Hampson, 1919 (Pyralidae) Synonym(s): *atrifasciata* Hampson, 1919
 59556) *Ancylolomia auripaleella* Marion, 1954 (Pyralidae) Synonym(s): *auripaleella* Marion, 1954
 59557) *Ancylolomia basistriga* Moore, 1886 (Pyralidae) Synonym(s): *basistriga* Moore, 1886
 59558) *Ancylolomia bituberosella* Amsel, 1959 (Pyralidae) Synonym(s): *bituberosella* Amsel, 1959; *#bituberosella* Bleszynski, 1965
 59559) *Ancylolomia caffra* Zeller, 1877 (Pyralidae) Synonym(s): *caffra* Zeller, 1877
 59560) *Ancylolomia caffra caffra* Zeller, 1877 (Pyralidae) Synonym(s): *caffra* Zeller, 1877
 59561) *Ancylolomia capensis* Zeller, 1852 (Pyralidae) Synonym(s): *capensis* Zeller, 1852; *chrysolinealis* Fawcett, 1917; *cinerifusa* Joannis, 1927
 59562) *Ancylolomia capensis capensis* Zeller, 1852 (Pyralidae) Synonym(s): *capensis* Zeller, 1852; *chrysolinealis* Fawcett, 1917; *cinerifusa* Joannis, 1927
 59563) *Ancylolomia castaneata* Hampson, 1919 (Pyralidae) Synonym(s): *castaneata* Hampson, 1919
 59564) *Ancylolomia castaneata castaneata* Hampson, 1919 (Pyralidae) Synonym(s): *castaneata* Hampson, 1919
 59565) *Ancylolomia cervicella* Bleszynski, 1970 (Pyralidae) Synonym(s): *cervicella* Bleszynski, 1970
 59566) *Ancylolomia chrysargyria* Hampson, 1919 (Pyralidae) Synonym(s): *chrysargyria* Hampson, 1919
 59567) *Ancylolomia chrysographella* (Kollar, [1844]) (Pyralidae) Synonym(s): *chrysographella* Kollar, [1844]; *responsella* Walker, 1863; *xylinnella* Walker, 1863; *basistriga* Moore, 1886; *cassimella* Swinhoe, 1886; *#basistriga* Bleszynski & Collins, 1962.
 59568) *Ancylolomia confusella* Turati, 1929 (Pyralidae) Synonym(s): *confusella* Turati, 1929
 59569) *Ancylolomia croesus* Hampson, 1919 (Pyralidae) Synonym(s): *croesus* Hampson, 1919
 59570) *Ancylolomia disparalis* (Hübner, [1825]) (Pyralidae) Synonym(s): *disparella* Hübner, [1813] nec Schr., 1802; *disparalis* Hübner, [1825]; *contritellus* Zeller, 1847; *hipponella* Ragonot, 1888; *rabatella* Lucas, 1937; *griseella* Amsel, 1951; *powelli* Lucas, 1954.
 59571) *Ancylolomia dives* Hampson, 1919 (Pyralidae) Synonym(s): *dives* Hampson, 1919
 59572) *Ancylolomia drosogramma* Meyrick, 1936 (Pyralidae) Synonym(s): *drosogramma* Meyrick, 1936
 59573) *Ancylolomia elongata* Lucas, 1917 (Pyralidae) Synonym(s): *elongata* Lucas, 1917; *nigrilinea* Joannis, 1923; *maroccana* Amsel, 1951.
 59574) *Ancylolomia endophaealis* Hampson, 1910 (Pyralidae) Synonym(s): *endophaealis* Hampson, 1910
 59575) *Ancylolomia felderella* Bleszynski, 1970 (Pyralidae) Synonym(s): *felderella* Bleszynski, 1970
 59576) *Ancylolomia fulvitinctalis* Hampson, 1919 (Pyralidae) Synonym(s): *fulvitinctalis* Hampson, 1919
 59577) *Ancylolomia gracilis* Fawcett, 1917 (Pyralidae) Synonym(s): *gracilis* Fawcett, 1917
 59578) *Ancylolomia gracilis gracilis* Fawcett, 1917 (Pyralidae) Synonym(s): *gracilis* Fawcett, 1917
 59579) *Ancylolomia gracilis stenochta* Meyrick, 1934 (Pyralidae) Synonym(s): *stenochta* Meyrick, 1934
 59580) *Ancylolomia holochrea* Hampson, 1919 (Pyralidae) Synonym(s): *holochrea* Hampson, 1919
 59581) *Ancylolomia indica* R. Felder & Rogenhofer, 1875 (Pyralidae) Synonym(s): *indica* R. Felder & Rogenhofer, 1875
 59582) *Ancylolomia inornata* Staudinger, 1870 (Pyralidae) Synonym(s): *inornata* Staudinger, 1870; *anaryrella* Chrétien, 1896; *malacellus* Mabilie, 1906; *confusella* Turati, 1929; *rabatellus* Lucas, 1939.
 59583) *Ancylolomia intricata* Bleszynski, 1970 (Pyralidae) Synonym(s): *intricata* Bleszynski, 1970
 59584) *Ancylolomia irrorata* Hampson, 1919 (Pyralidae) Synonym(s): *irrorata* Hampson, 1919
 59585) *Ancylolomia japonica* Zeller, 1877 (Pyralidae) Synonym(s): *japonica* Zeller, 1877
 59586) *Ancylolomia kuznetzovi* Bleszynski, 1965 (Pyralidae) Synonym(s): *kuznetzovi* Bleszynski, 1965
 59587) *Ancylolomia laverna* Bleszynski, 1970 (Pyralidae) Synonym(s): *laverna* Bleszynski, 1970
 59588) *Ancylolomia lentifascialis* Hampson, 1919 (Pyralidae) Synonym(s): *lentifascialis* Hampson, 1919
 59589) *Ancylolomia lentifascialis lentifascialis* Hampson, 1919 (Pyralidae) Synonym(s): *lentifascialis* Hampson, 1919
 59590) *Ancylolomia likiangella* Bleszynski, 1970 (Pyralidae) Synonym(s): *likiangella* Bleszynski, 1970
 59591) *Ancylolomia locupletella* (Kollar, [1844]) (Pyralidae) Synonym(s): *locupletella* Kollar, [1844]
 59592) *Ancylolomia melanella* Hampson, 1919 (Pyralidae) Synonym(s): *melanella* Hampson, 1919
 59593) *Ancylolomia melanothoracica* Hampson, 1919 (Pyralidae) Synonym(s): *melanothoracica* Hampson, 1919
 59594) *Ancylolomia micropalpella* Amsel, 1951 (Pyralidae) Synonym(s): *micropalpella* Amsel, 1951
 59595) *Ancylolomia minutella* Turati, 1926 (Pyralidae) Synonym(s): *minutella* Turati, 1926
 59596) *Ancylolomia mirabilis* Wallengren, 1876 (Pyralidae) Synonym(s): *mirabilis* Wallengren, 1876
 59597) *Ancylolomia mirabilis mirabilis* Wallengren, 1876 (Pyralidae) Synonym(s): *mirabilis* Wallengren, 1876
 59598) *Ancylolomia obscurella* Joannis, 1927 (Pyralidae) Synonym(s): *obscurella* Joannis, 1927
 59599) *Ancylolomia ophiralis* Hampson, 1919 (Pyralidae) Synonym(s): *ophiralis* Hampson, 1919
 59600) *Ancylolomia orchidea* Bleszynski, 1970 (Pyralidae) Synonym(s): *orchidea* Bleszynski, 1970
 59601) *Ancylolomia palpella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *palpella* [Denis & Schiffermüller], 1775; *sovinskii* Krulikovskiy, 1909; *syriaca* Rebel, 1911; *gracilella* Caradja, 1916; *mesopotamica* Rebel, 1918; *affinis* Rothschild, 1921.
 59602) *Ancylolomia palpella gracilella* Caradja, 1916 (Pyralidae) Synonym(s): *gracilella* Caradja, 1916
 59603) *Ancylolomia paraetoniella* Turati, 1924 (Pyralidae) Synonym(s): *paraetoniella* Turati, 1924
 59604) *Ancylolomia pectinatella* (Zeller, 1847) (Pyralidae) Synonym(s): *pectinatellus* Zeller, 1847
 59605) *Ancylolomia pectinifera* Hampson, 1910 (Pyralidae) Synonym(s): *pectinifera* Hampson, 1910
 59606) *Ancylolomia pectinifera pectinifera* Hampson, 1910 (Pyralidae) Synonym(s): *pectinifera* Hampson, 1910
 59607) *Ancylolomia perfasciata* Hampson, 1919 (Pyralidae) Synonym(s): *perfasciata* Hampson, 1919
 59608) *Ancylolomia planicosta* Martin, 1953 (Pyralidae) Synonym(s): *planicosta* Martin, 1953
 59609) *Ancylolomia prepiella* Hampson, 1919 (Pyralidae) Synonym(s): *prepiella* Hampson, 1919
 59610) *Ancylolomia prepiella prepiella* Hampson, 1919 (Pyralidae) Synonym(s): *prepiella* Hampson, 1919
 59611) *Ancylolomia punctistrigella* (Mabilie, 1880) (Pyralidae) Synonym(s): *punctistrigella* Mabilie, 1880
 59612) *Ancylolomia rabatella* Lucas, 1937 (Pyralidae) Synonym(s): *rabatella* Lucas, 1937
 59613) *Ancylolomia rotaxella* Bleszynski, 1965 (Pyralidae) Synonym(s): *rotaxella* Bleszynski, 1965
 59614) *Ancylolomia sansibarica* Zeller, 1877 (Pyralidae) Synonym(s): *sansibarica* Zeller, 1877
 59615) *Ancylolomia saundersiella* Zeller, 1863 (Pyralidae) Synonym(s): *saundersiella* Zeller, 1863; *biplagella* Moore, 1872; *obstitella* Swinhoe, 1885
 59616) *Ancylolomia simplella* Joannis, 1913 (Pyralidae) Synonym(s): *simplella* Joannis, 1913
 59617) *Ancylolomia simplella simplella* Joannis, 1913 (Pyralidae) Synonym(s): *simplella* Joannis, 1913
 59618) *Ancylolomia taprobanensis* Zeller, 1877 (Pyralidae) Synonym(s): *taprobanensis* Zeller, 1877
 59619) *Ancylolomia taprobanensis chrysanthema* Bleszynski, 1970 (Pyralidae) Synonym(s): *chrysanthema* Bleszynski, 1970
 59620) *Ancylolomia taprobanensis javae* Bleszynski, 1970 (Pyralidae) Synonym(s): *javae* Bleszynski, 1970
 59621) *Ancylolomia taprobanensis taprobanensis* Zeller, 1877 (Pyralidae) Synonym(s): *taprobanensis* Zeller, 1877
 59622) *Ancylolomia tentaculella* (Hübner, 1796) (Pyralidae) Synonym(s): *tentaculella* Hübner, 1796; *irakella* Amsel, 1949.
 59623) *Ancylolomia tripolitella* Rebel, 1909 (Pyralidae) Synonym(s): *tripolitella* Rebel, 1909
 59624) *Ancylolomia uniformella* Hampson, 1896 (Pyralidae) Synonym(s): *uniformella* Hampson, 1896
 59625) *Ancylolomia westwoodi* Zeller, 1863 (Pyralidae) Synonym(s): *westwoodi* Zeller, 1863
 59626) *Ancylolomia westwoodi bituberosella* Amsel, 1959 (Pyralidae) Synonym(s): *bituberosella* Amsel, 1959
 59627) *Ancylolomia westwoodi westwoodi* Zeller, 1863 (Pyralidae) Synonym(s): *westwoodi* Zeller, 1863
 59628) *Ancylosis* (Cabotia) *arianella* Roesler, 1973 (Pyralidae) Synonym(s): *arianella* Roesler, 1973
 59629) *Ancylosis* (Cabotia) *fronticornella* Roesler, 1973 (Pyralidae) Synonym(s): *fronticornella* Roesler, 1973
 59630) *Ancylosis* (Cabotia) *lacteicostella* (Ragonot, 1887) (Pyralidae) Synonym(s): *lacteicostella* Ragonot, 1887; *fulvobasella* Ragonot, 1887; *aegyptiacella* Ragonot, 1901; *spatzi* Rothschild, 1915.
 59631) *Ancylosis* (Cabotia) *leucocephala* (Staudinger, 1879) (Pyralidae) Synonym(s): *leucocephala* Staudinger, 1879
 59632) *Ancylosis* (Cabotia) *oblitella* (Zeller, 1848) (Pyralidae) Synonym(s): *oblitella* Zeller, 1848; *homographis* Hampson, 1930; *ischnopsis* Meyrick, 1937; *major* Lucas, 1948; *ochraella* Lucas, 1948; *boitella* Lucas, 1950; *calaritella* Amsel, 1951; *indistinctella* Lucas, 1955.
 59633) *Ancylosis* (Heterographis) *acrobasella* (Rebel, 1927) (Pyralidae) Synonym(s): *acrobasella* Rebel, 1927; *talhouki* Amsel, 1958.
 59634) *Ancylosis* (Heterographis) *aeola* Balinsky, 1987 (Pyralidae) Synonym(s): *aeola* Balinsky, 1987
 59635) *Ancylosis* (Heterographis) *aeola aeola* Balinsky, 1987 (Pyralidae) Synonym(s): *aeola* Balinsky, 1987

- 59636) *Ancylosis* (*Heterographis*) *albicosta* (Staudinger,1870) (Pyralidae) Synonym(s): *albicosta* Staudinger,1870; *delimitella* Ragonot,1887; *niveicostella* Ragonot,1901.
- 59637) *Ancylosis* (*Heterographis*) *bohemani* (Zeller,1852) (Pyralidae) Synonym(s): *bohemani* Zeller,1852
- 59638) *Ancylosis* (*Heterographis*) *claudatella* (Lederer,1858) (Pyralidae) Synonym(s): *claudatella* Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890.
- 59639) *Ancylosis* (*Heterographis*) *canella* Roesler,1973 (Pyralidae) Synonym(s): *canella* Roesler,1973
- 59640) *Ancylosis* (*Heterographis*) *canella canella* Roesler,1973 (Pyralidae) Synonym(s): *canella* Roesler,1973
- 59641) *Ancylosis* (*Heterographis*) *canella kasyella* Roesler,1973 (Pyralidae) Synonym(s): *kasyella* Roesler,1973
- 59642) *Ancylosis* (*Heterographis*) *convergens* (Erschoff,1874) (Pyralidae) Synonym(s): *convergens* Erschoff,1874; *dideganella* Roesler,1973.
- 59643) *Ancylosis* (*Heterographis*) *convexella* (Lederer,1855) (Pyralidae) Synonym(s): *convexella* Lederer,1855; *albiciella* Staudinger,1859; *favorinella* Zeller,1867
- 59644) *Ancylosis* (*Heterographis*) *costistrigella* (Ragonot,1890) (Pyralidae) Synonym(s): *costistrigella* Ragonot,1890
- 59645) *Ancylosis* (*Heterographis*) *detersella* (Hampson,1926) (Pyralidae) Synonym(s): *detersella* Hampson,1926
- 59646) *Ancylosis* (*Heterographis*) *dideganella* Roesler,1973 (Pyralidae) Synonym(s): *dideganella* Roesler,1973
- 59647) *Ancylosis* (*Heterographis*) *euclastella* (Ragonot,1887) (Pyralidae) Synonym(s): *euclastella* Ragonot,1887
- 59648) *Ancylosis* (*Heterographis*) *eurhoda* Balinsky,1989 (Pyralidae) Synonym(s): *eurhoda* Balinsky,1989
- 59649) *Ancylosis* (*Heterographis*) *eurhoda eurhoda* Balinsky,1989 (Pyralidae) Synonym(s): *eurhoda* Balinsky,1989
- 59650) *Ancylosis* (*Heterographis*) *externella* Roesler,1971 (Pyralidae) Synonym(s): *externella* Roesler,1971
- 59651) *Ancylosis* (*Heterographis*) *faustinella* (Zeller,1867) (Pyralidae) Synonym(s): *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabille,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952.
- 59652) *Ancylosis* (*Heterographis*) *geminella* (Amsel,1961) (Pyralidae) Synonym(s): *geminella* Amsel,1961
- 59653) *Ancylosis* (*Heterographis*) *glaphyria* Balinsky,1987 (Pyralidae) Synonym(s): *glaphyria* Balinsky,1987
- 59654) *Ancylosis* (*Heterographis*) *glaphyria glaphyria* Balinsky,1987 (Pyralidae) Synonym(s): *glaphyria* Balinsky,1987
- 59655) *Ancylosis* (*Heterographis*) *gracilella* Ragonot,1887 (Pyralidae) Synonym(s): *gracilella* Ragonot,1887; *subclaudatella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistina* Turati,1924; *dowsoniella* Richards & Thomson,1932.
- 59656) *Ancylosis* (*Heterographis*) *griseomixtella* (Ragonot,1887) (Pyralidae) Synonym(s): *griseomixtella* Ragonot,1887
- 59657) *Ancylosis* (*Heterographis*) *harmoniella* (Ragonot,1887) (Pyralidae) Synonym(s): *harmoniella* Ragonot,1887; *ochrotaeniella* Ragonot,1887; *fulminantella* Turati,1922; *rosalbella* Turati,1930; *diffusella* Turati,1930; *incanella* Turati,1930.
- 59658) *Ancylosis* (*Heterographis*) *hecestella* Roesler,1970 (Pyralidae) Synonym(s): *hecestella* Roesler,1970
- 59659) *Ancylosis* (*Heterographis*) *hellenica* (Staudinger,1870) (Pyralidae) Synonym(s): *hellenica* Staudinger,1870; *deliciosella* Caradja,1910.
- 59660) *Ancylosis* (*Heterographis*) *hosanna* Roesler,1970 (Pyralidae) Synonym(s): *hosanna* Roesler,1970
- 59661) *Ancylosis* (*Heterographis*) *interjectella* (Ragonot,1888) (Pyralidae) Synonym(s): *interjectella* Ragonot,1888
- 59662) *Ancylosis* (*Heterographis*) *karachiella* (Amsel,1968) (Pyralidae) Synonym(s): *karachiella* Amsel,1968
- 59663) *Ancylosis* (*Heterographis*) *kazerunella* Roesler,1973 (Pyralidae) Synonym(s): *kazerunella* Roesler,1973
- 59664) *Ancylosis* (*Heterographis*) *muliebris* (Meyrick,1937) (Pyralidae) Synonym(s): *muliebris* Meyrick,1937; *macedonica* Schawerda,1937.
- 59665) *Ancylosis* (*Heterographis*) *namibiella* Balinsky,1987 (Pyralidae) Synonym(s): *namibiella* Balinsky,1987
- 59666) *Ancylosis* (*Heterographis*) *namibiella namibiella* Balinsky,1987 (Pyralidae) Synonym(s): *namibiella* Balinsky,1987
- 59667) *Ancylosis* (*Heterographis*) *nervosella* (Zerny,1914) (Pyralidae) Synonym(s): *nervosella* Zerny,1914; *transcasiella* Amsel,1958.
- 59668) *Ancylosis* (*Heterographis*) *nervosella bajanlegella* Roesler,1970 (Pyralidae) Synonym(s): *bajanlegella* Roesler,1970
- 59669) *Ancylosis* (*Heterographis*) *nervosella nervosella* (Zerny,1914) (Pyralidae) Synonym(s): *nervosella* Zerny,1914; *transcasiella* Amsel,1958.
- 59670) *Ancylosis* (*Heterographis*) *nigripunctella* (Staudinger,1879) (Pyralidae) Synonym(s): *nigripunctella* Staudinger,1879; *wockeella* Ragonot,1887; *carnibasalis* Hampson,1896.
- 59671) *Ancylosis* (*Heterographis*) *nigronevella* Roesler,1970 (Pyralidae) Synonym(s): *nigronevella* Roesler,1970
- 59672) *Ancylosis* (*Heterographis*) *niphicosta* Roesler,1970 (Pyralidae) Synonym(s): *niphicosta* Roesler,1970
- 59673) *Ancylosis* (*Heterographis*) *nubeculella* (Ragonot,1887) (Pyralidae) Synonym(s): *nubeculella* Ragonot,1887
- 59674) *Ancylosis* (*Heterographis*) *ocellella* (Hampson,1901) (Pyralidae) Synonym(s): *ocellella* Hampson,1901
- 59675) *Ancylosis* (*Heterographis*) *ochracea* (Staudinger,1870) (Pyralidae) Synonym(s): *ochracea* Staudinger,1870
- 59676) *Ancylosis* (*Heterographis*) *pallida* (Staudinger,1870) (Pyralidae) Synonym(s): *pallida* Staudinger,1870
- 59677) *Ancylosis* (*Heterographis*) *pectinatella* Ragonot,1887 (Pyralidae) Synonym(s): *pectinatella* Ragonot,1887
- 59678) *Ancylosis* (*Heterographis*) *platynephes* Joannis,1927 (Pyralidae) Synonym(s): *platynephes* Joannis,1927
- 59679) *Ancylosis* (*Heterographis*) *plumbatella* (Ragonot,1888) (Pyralidae) Synonym(s): *plumbatella* Ragonot,1888
- 59680) *Ancylosis* (*Heterographis*) *pseudocandidatella* (Amsel,1935) (Pyralidae) Synonym(s): *pseudocandidatella* Amsel,1935
- 59681) *Ancylosis* (*Heterographis*) *pyrethrella* (Herrich-Schäffer,1860) (Pyralidae) Synonym(s): *pyrethrella* Herrich-Schäffer,1860; *strictella* Mann,1861; *ignibasella* Ragonot,1887; *inflammata* Ragonot,1901; *trilineata* Amsel,1961.
- 59682) *Ancylosis* (*Heterographis*) *rhodochrella* (Herrich-Schäffer,1855) (Pyralidae) Synonym(s): *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961.
- 59683) *Ancylosis* (*Heterographis*) *roscidella* (Eversmann,1844) (Pyralidae) Synonym(s): *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* Warren,1888; *bartelevella* Caradja,1910; *benderella* Amsel,1961.
- 59684) *Ancylosis* (*Heterographis*) *rufociliella* Ragonot,1888 (Pyralidae) Synonym(s): *rufociliella* Ragonot,1888
- 59685) *Ancylosis* (*Heterographis*) *rufomixtella* (Zerny,1914) (Pyralidae) Synonym(s): *rufomixtella* Zerny,1914
- 59686) *Ancylosis* (*Heterographis*) *sabulosella* (Staudinger,1879) (Pyralidae) Synonym(s): *sabulosella* Staudinger,1879; *decolorella* Ragonot,1901.
- 59687) *Ancylosis* (*Heterographis*) *samaritanella* (Zeller,1867) (Pyralidae) Synonym(s): *samaritanella* Zeller,1867; *urbicella* Erschoff,1874; *biligulella* Ragonot,1887; *flavescentella* Chrétien,1910; *diminutella* Chrétien,1910; *cinnamomeifascia* Rothschild,1915; *lacroixella* Lucas,1939; *brevipalpella* Amsel,1954.
- 59688) *Ancylosis* (*Heterographis*) *similis* Balinsky,1987 (Pyralidae) Synonym(s): *similis* Balinsky,1987
- 59689) *Ancylosis* (*Heterographis*) *similis similis* Balinsky,1987 (Pyralidae) Synonym(s): *similis* Balinsky,1987
- 59690) *Ancylosis* (*Heterographis*) *smeczella* Roesler,1973 (Pyralidae) Synonym(s): *smeczella* Roesler,1973
- 59691) *Ancylosis* (*Heterographis*) *subpyrethrella* (Ragonot,1888) (Pyralidae) Synonym(s): *subpyrethrella* Ragonot,1888
- 59692) *Ancylosis* (*Heterographis*) *syrtella* (Ragonot,1887) (Pyralidae) Synonym(s): *syrtella* Ragonot,1887; *costalbella* Amsel,1954.
- 59693) *Ancylosis* (*Heterographis*) *terpnella* (Roesler,1965) (Pyralidae) Synonym(s): *terpnella* Roesler,1965
- 59694) *Ancylosis* (*Heterographis*) *trilineatella* (Hampson,1896) (Pyralidae) Synonym(s): *trilineatella* Hampson,1896
- 59695) *Ancylosis* (*Heterographis*) *umbrilimbella* (Ragonot,1901) (Pyralidae) Synonym(s): *umbrilimbella* Ragonot,1901; *holella* Lucas,1909; *thirtiella* Lucas,1937; *sfaxella* Lucas,1949; *concavella* Amsel,1949.
- 59696) *Ancylosis* (*Heterographis*) *ustocapitella* (Hampson,1901) (Pyralidae) Synonym(s): *ustocapitella* Hampson,1901
- 59697) *Ancylosis* (*Heterographis*) *xylina* (Staudinger,1870) (Pyralidae) Synonym(s): *xylina* Staudinger,1870; *sablonella* Rothschild,1915; *molochinella* Zerny,1929.
- 59698) *Ancylosis* (*Syria*) *ancylodella* Roesler,1973 (Pyralidae) Synonym(s): *ancylodella* Roesler,1973
- 59699) *Ancylosis* (*Syria*) *arenosella* (Staudinger,1859) (Pyralidae) Synonym(s): *arenosella* Staudinger,1859; *angusta* Staudinger,1870; *arenicola* Ragonot,1901; *variabilis* Rothschild,1913; *invalidella* Turati,1930; *hederalis* Amsel,1935; *michaela* Lucas,1939; *subflavella* Lucas,1946; *trifasciatella* Lucas,1948; *buckwelli* Lucas,1954.
- 59700) *Ancylosis* (*Syria*) *biflexella* (Lederer,1855) (Pyralidae) Synonym(s): *biflexella* Lederer,1855; *pilosella* Zeller,1867; *brabantella* Lucas,1907; *similis* Rothschild,1915; *medicinalis* Rothschild,1921; *latakiella* Amsel,1952; *fuscella* Amsel,1961.
- 59701) *Ancylosis* (*Syria*) *citrinella* (Ragonot,1887) (Pyralidae) Synonym(s): *citrinella* Ragonot,1887; *agrophella* Ragonot,1901
- 59702) *Ancylosis* (*Syria*) *limoniella* (Chrétien,1911) (Pyralidae) Synonym(s): *limoniella* Chrétien,1911; *eremita* Gozmany,1951.
- 59703) *Ancylosis* (*Syria*) *obscuripunctella* Roesler,1973 (Pyralidae) Synonym(s): *nigripunctella* Amsel,1949 nec Stgr.,1879; *obscuripunctella* Roesler,1973.
- 59704) *Ancylosis* (*Syria*) *sulcatella* (Christoph,1877) (Pyralidae) Synonym(s): *sulcatella* Christoph,1877
- 59705) *Ancylosis* (*Syria*) *sulcatella sulcatella* Christoph,1877 (Pyralidae) Synonym(s): *sulcatella* Christoph,1877
- 59706) *Ancylosis* (*Syria*) *sulcatella venosella* (Lucas,1908) (Pyralidae) Synonym(s): *venosella* Lucas,1908
- 59707) *Ancylosis* (*Syria*) *transcaspica* (Amsel,1955) (Pyralidae) Synonym(s): *transcaspica* Amsel,1955

- 59708) *Ancylosis* (s.str.) *albidella* Ragonot,1888 (Pyralidae) Synonym(s): *albidella* Ragonot,1888
- 59709) *Ancylosis* (s.str.) *anarchica* Roesler,1970 (Pyralidae) Synonym(s): *anarchica* Roesler,1970
- 59710) *Ancylosis* (s.str.) *anguinosella* Zeller,1848 (Pyralidae) Synonym(s): *anguinosella* Zeller,1848; *ledereriella* Herrich-Schäffer,1852.
- 59711) *Ancylosis* (s.str.) *arenaceella* Amsel,1968 (Pyralidae) Synonym(s): *arenaceella* Amsel,1968
- 59712) *Ancylosis* (s.str.) *atrisparsella* (Hampson,1901) (Pyralidae) Synonym(s): *atrisparsella* Hampson,1901; *#atrisparsella* Balinsky,1994
- 59713) *Ancylosis* (s.str.) *boursinella* Roesler,1970 (Pyralidae) Synonym(s): *boursinella* Roesler,1970
- 59714) *Ancylosis* (s.str.) *brunneonervella* Roesler,1970 (Pyralidae) Synonym(s): *brunneonervella* Roesler,1970
- 59715) *Ancylosis* (s.str.) *capensis* Ragonot,1888 (Pyralidae) Synonym(s): *capensis* Ragonot,1888
- 59716) *Ancylosis* (s.str.) *cinnamomella* (Duponchel,1836) (Pyralidae) Synonym(s): *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauyrella* Rag.,1887; *byzaeceniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924.
- 59717) *Ancylosis* (s.str.) *cinnamomella bichordella* (Ragonot,1887) (Pyralidae) Synonym(s): *bichordella* Ragonot,1887; *lividella* Ragonot,1887; *flammella* Ragonot,1887; *cephella* Ragonot,1901; *ciliciella* Caradja,1910; *nigrella* Caradja,1916; *persicoella* Amsel,1951; *ormuzdella* Amsel,1954; *ecbataniella* Amsel,1961.
- 59718) *Ancylosis* (s.str.) *cinnamomella cinnamomella* (Duponchel,1836) (Pyralidae) Synonym(s): *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauyrella* Rag.,1887; *byzaeceniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924.
- 59719) *Ancylosis* (s.str.) *cinnamomella nigrorubella* Roesler,1970 (Pyralidae) Synonym(s): *nigrorubella* Roesler,1970
- 59720) *Ancylosis* (s.str.) *dryadella* (Ragonot,1887) (Pyralidae) Synonym(s): *dryadella* Ragonot,1887; *sefidella* Amsel,1951.
- 59721) *Ancylosis* (s.str.) *dumetella* (Ragonot,1887) (Pyralidae) Synonym(s): *dumetella* Ragonot,1887; *albinotella* Ragonot,1887; *alvandella* Amsel,1961.
- 59722) *Ancylosis* (s.str.) *eugraphella* Balinsky,1987 (Pyralidae) Synonym(s): *eugraphella* Balinsky,1987
- 59723) *Ancylosis* (s.str.) *eugraphella eugraphella* Balinsky,1987 (Pyralidae) Synonym(s): *eugraphella* Balinsky,1987
- 59724) *Ancylosis* (s.str.) *ianthemis* (Meyrick,1887) (Pyralidae) Synonym(s): *ianthemis* Meyrick,1887; *epiterpes* Turner,1904
- 59725) *Ancylosis* (s.str.) *imitella* Hampson,1901 (Pyralidae) Synonym(s): *imitella* Hampson,1901
- 59726) *Ancylosis* (s.str.) *inangulella* Warren,1914 (Pyralidae) Synonym(s): *inangulella* Warren,1914
- 59727) *Ancylosis* (s.str.) *iranella* Ragonot,1887 (Pyralidae) Synonym(s): *iranella* Ragonot,1887; *turaniella* Ragonot,1887.
- 59728) *Ancylosis* (s.str.) *luederitzella* Balinsky,1989 (Pyralidae) Synonym(s): *luederitzella* Balinsky,1989
- 59729) *Ancylosis* (s.str.) *luederitzella luederitzella* Balinsky,1989 (Pyralidae) Synonym(s): *luederitzella* Balinsky,1989
- 59730) *Ancylosis* (s.str.) *maculifera* Staudinger,1870 (Pyralidae) Synonym(s): *maculifera* Staudinger,1870; *ifraneella* Lucas,1954.
- 59731) *Ancylosis* (s.str.) *maculifera maculifera* Staudinger,1870 (Pyralidae) Synonym(s): *maculifera* Staudinger,1870; *ifraneella* Lucas,1954.
- 59732) *Ancylosis* (s.str.) *maculifera signosella* Ragonot,1887 (Pyralidae) Synonym(s): *signosella* Ragonot,1887; *formosae* Strand,1922; *longipennella* Caradja,1937.
- 59733) *Ancylosis* (s.str.) *melanophlebia* Balinsky,1989 (Pyralidae) Synonym(s): *melanophlebia* Balinsky,1989
- 59734) *Ancylosis* (s.str.) *melanophlebia melanophlebia* Balinsky,1989 (Pyralidae) Synonym(s): *melanophlebia* Balinsky,1989
- 59735) *Ancylosis* (s.str.) *mongoliella* Roesler,1970 (Pyralidae) Synonym(s): *mongoliella* Roesler,1970
- 59736) *Ancylosis* (s.str.) *montana* Balinsky,1989 (Pyralidae) Synonym(s): *montana* Balinsky,1989
- 59737) *Ancylosis* (s.str.) *montana montana* Balinsky,1989 (Pyralidae) Synonym(s): *montana* Balinsky,1989
- 59738) *Ancylosis* (s.str.) *obscorella* Balinsky,1989 (Pyralidae) Synonym(s): *obscorella* Balinsky,1989
- 59739) *Ancylosis* (s.str.) *obscorella obscorella* Balinsky,1989 (Pyralidae) Synonym(s): *obscorella* Balinsky,1989
- 59740) *Ancylosis* (s.str.) *ochricostella* Ragonot,1887 (Pyralidae) Synonym(s): *ochricostella* Ragonot,1887
- 59741) *Ancylosis* (s.str.) *perfervida* Balinsky,1989 (Pyralidae) Synonym(s): *perfervida* Balinsky,1989
- 59742) *Ancylosis* (s.str.) *perfervida perfervida* Balinsky,1989 (Pyralidae) Synonym(s): *perfervida* Balinsky,1989
- 59743) *Ancylosis* (s.str.) *rufifasciella* (Hampson,1901) (Pyralidae) Synonym(s): *rufifasciella* Hampson,1901
- 59744) *Ancylosis* (s.str.) *sareptella* (Herrich-Schäffer,1860) (Pyralidae) Synonym(s): *sareptella* Herrich-Schäffer,1860; *barbella* Lederer,1863.
- 59745) *Ancylosis* (s.str.) *sareptella gulbaharensis* Roesler,1973 (Pyralidae) Synonym(s): *gulbaharensis* Roesler,1973
- 59746) *Ancylosis* (s.str.) *soederbomi* (Caradja,1934) (Pyralidae) Synonym(s): *soederbomi* Caradja,1934
- 59747) *Ancylosis* (s.str.) *syriopsisidis* Roesler,1970 (Pyralidae) Synonym(s): *syriopsisidis* Roesler,1970
- 59748) *Ancylosis* (s.str.) *thiosticha* Turner,1947 (Pyralidae) Synonym(s): *thiosticha* Turner,1947
- 59749) *Ancylosis* (s.str.) *tripunctella* Roesler,1973 (Pyralidae) Synonym(s): *tripunctella* Roesler,1973
- 59750) *Ancylosis* (s.str.) *turaniella* Ragonot,1887 (Pyralidae) Synonym(s): *turaniella* Ragonot,1887
- 59751) *Ancylosis* (s.str.) *uncinatella* (Ragonot,1890) (Pyralidae) Synonym(s): *uncinatella* Ragonot,1890; *navasi* De Joannis,1907.
- 59752) *Ancylusoma* *substratellum* (Christoph,1877) (Pyralidae) Synonym(s): *substratella* Christoph,1877
- 59753) *Anemosa* *exanthes* (Meyrick,1885) (Pyralidae) Synonym(s): *exanthes* Meyrick,1885
- 59754) *Anemosa* *isadasalis* Walker,1859 (Pyralidae) Synonym(s): *isadasalis* Walker,1859
- 59755) *Anephoteryx* *designella* Amsel,1955 (Pyralidae) Synonym(s): *designella* Amsel,1955
- 59756) *Anerastia* *dubia* Gerasimov,1929 (Pyralidae) Synonym(s): *dubia* Gerasimov,1929
- 59757) *Anerastia* *flaveolella* Ragonot,1887 (Pyralidae) Synonym(s): *flaveolella* Ragonot,1887
- 59758) *Anerastia* *incarnata* Staudinger,1879 (Pyralidae) Synonym(s): *incarnata* Staudinger,1879
- 59759) *Anerastia* *kafirella* Hartig,1937 (Pyralidae) Synonym(s): *kafirella* Hartig,1937
- 59760) *Anerastia* *lotella* (Hübner,[1813]) (Pyralidae) Synonym(s): *lotella* Hübner,[1813]
- 59761) *Anerastia* *metallactis* Meyrick,1887 (Pyralidae) Synonym(s): *metallactis* Meyrick,1887
- 59762) *Anerastia* *stramineipennis* Strand,1919 (Pyralidae) Synonym(s): *stramineipennis* Strand,1919
- 59763) *Anerosoma* *apicipunctella* (Caradja,1925) (Pyralidae) Synonym(s): *apicipunctella* Caradja,1925
- 59764) *Anexophana* *robinsonalis* Viette,1960 (Pyralidae) Synonym(s): *robinsonalis* Viette,1960
- 59765) *Angustalius* *ditaeniellus* Marion,1954 (Pyralidae) Synonym(s): *ditaeniellus* Marion,1954
- 59766) *Angustalius* *malacelloides* (Bleszynski,1955) (Pyralidae) Synonym(s): *malacelloides* Bleszynski,1955
- 59767) *Angustalius* *malacelloides javaicus* (Bleszynski,1955) (Pyralidae) Synonym(s): *malacelloides* Bleszynski,1955
- 59768) *Angustalius* *malacellus* (Duponchel,1836) (Pyralidae) Synonym(s): *malacellus* Duponchel,1836
- 59769) *Angustalius* *malacellus hapaliscus* (Zeller,1852) (Pyralidae) Synonym(s): *hapaliscus* Zeller,1852; *concinellus* Walker,1863
- 59770) *Anobostira* *discimacula* Hampson,1917 (Pyralidae) Synonym(s): *discimacula* Hampson,1917
- 59771) *Anobostira* *punctilimbalis* (Ragonot,1891) (Pyralidae) Synonym(s): *punctilimbalis* Ragonot,1891; *signaticosta* De Joannis,1927
- 59772) *Anomocrambus* *homerus* Bleszynski,1961 (Pyralidae) Synonym(s): *homerus* Bleszynski,1961
- 59773) *Anomocrambus* *homerus homerus* Bleszynski,1961 (Pyralidae) Synonym(s): *homerus* Bleszynski,1961
- 59774) *Anonaepestis* *bengalella* Ragonot,1894 (Pyralidae) Synonym(s): *bengalella* Ragonot,1894
- 59775) *Anonaepestis* *tamsi* Bradley,1965 (Pyralidae) Synonym(s): *tamsi* Bradley,1965
- 59776) *Anoristia* *umbrifasciella* Ragonot,1887 (Pyralidae) Synonym(s): *umbrifasciella* Ragonot,1887; *conchyliaella* Ragonot,1887.
- 59777) *Anthophilopsis* *baphialis* (Staudinger,1870) (Pyralidae) Synonym(s): *baphialis* Staudinger,1870; *#baphiale* Caradja,1917.
- 59778) *Anthophilopsis* *moeschleri* (Christoph,1862) (Pyralidae) Synonym(s): *moeschleri* Christoph,1862
- 59779) *Anthophilopsis* *uniforma* Amsel (Pyralidae) Synonym(s): *uniforma* Amsel
- 59780) *Antigastra* *catalaunalis* (Duponchel,1833) (Pyralidae) Synonym(s): *catalaunalis* Duponchel,1833; *venosalis* Walker,[1866]; *#sionensis* Caradja,1929
- 59781) *Antigastra* *morysalis* (Walker,1859) (Pyralidae) Synonym(s): *morysalis* Walker,1859
- 59782) *Anydraula* *glycerialis* (Walker,1859) (Pyralidae) Synonym(s): *glycerialis* Walker,1859
- 59783) *Anydraula* *pericampa* (Turner,1915) (Pyralidae) Synonym(s): *pericampa* Turner,1915
- 59784) *Aphomia* *argenticia* Whalley,1964 (Pyralidae) Synonym(s): *argenticia* Whalley,1964
- 59785) *Aphomia* *aurora* (Snellen,1875) (Pyralidae) Synonym(s): *aurora* Snellen,1875
- 59786) *Aphomia* *baryptera* (Lower,1901) (Pyralidae) Synonym(s): *baryptera* Lower,1901
- 59787) *Aphomia* *caffralis* Hampson,1917 (Pyralidae) Synonym(s): *caffralis* Hampson,1917
- 59788) *Aphomia* *caffralis caffralis* Hampson,1917 (Pyralidae) Synonym(s): *caffralis* Hampson,1917
- 59789) *Aphomia* *curvicostellus* (Zerny,1914) (Pyralidae) Synonym(s): *curvicostellus* Zerny,1914
- 59790) *Aphomia* *distictella* Hampson,1917 (Pyralidae) Synonym(s): *distictella* Hampson,1917

- 59791) *Aphomia distictella distictella* Hampson, 1917 (Pyralidae) Synonym(s): *distictella* Hampson, 1917
 59792) *Aphomia erumpens* Lucas, 1898 (Pyralidae) Synonym(s): *erumpens* Lucas, 1898
 59793) *Aphomia foedella* (Zeller, 1839) (Pyralidae) Synonym(s): *foedella* Zeller, 1839
 59794) *Aphomia grisea* Turati, 1913 (Pyralidae) Synonym(s): *grisea* Turati, 1913
 59795) *Aphomia homochroa* (Turner, 1905) (Pyralidae) Synonym(s): *homochroa* Turner, 1905
 59796) *Aphomia murciellus* (Zerny, 1914) (Pyralidae) Synonym(s): *murciellus* Zerny, 1914
 59797) *Aphomia murina* (Wallengren, 1875) (Pyralidae) Synonym(s): *murina* Wallengren, 1875
 59798) *Aphomia opticogramma* (Meyrick, 1936) (Pyralidae) Synonym(s): *opticogramma* Meyrick, 1936
 59799) *Aphomia pimelodes* Meyrick, 1936 (Pyralidae) Synonym(s): *pimelodes* Meyrick, 1936
 59800) *Aphomia poliocyma* Turner, 1937 (Pyralidae) Synonym(s): *policyma* Turner, 1937
 59801) *Aphomia sociella* (Linnaeus, 1758) (Pyralidae) Synonym(s): *sociella* Linnaeus, 1758; *colonella* Linnaeus, 1758; *tribunella* [Denis & Schiffmüller], 1775; *viridella* Goeze, 1783; *inaequalis* Villers, 1789; *socia* Fabricius, 1798; *bipunctana* Curtis, 1828; *asiatica* Caradja, 1916; *pedemontana*, *eritrella* Della Beffa, 1941.
 59802) *Aphomia unicolor* (Staudinger, 1880) (Pyralidae) Synonym(s): *unicolor* Staudinger, 1880
 59803) *Aphomia zelleri* (Joannis, 1932) (Pyralidae) Synonym(s): *zelleri* Joannis, 1932
 59804) *Aphrophantis velifera* Meyrick, 1933 (Pyralidae) Synonym(s): *velifera* Meyrick, 1933; *tridentata* Meyrick, 1934
 59805) *Aphyletes nigrisparsella* (Ragonot, 1887) (Pyralidae) Synonym(s): *nigrisparsella* Ragonot, 1887
 59806) *Aphytoceros hollandiae* Munroe, 1968 (Pyralidae) Synonym(s): *hollandiae* Munroe, 1968
 59807) *Aphytoceros lucusalis* (Walker, 1859) (Pyralidae) Synonym(s): *lucusalis* Walker, 1859; *histrionalis* Lederer, 1863
 59808) *Apoblepta epicharis* Turner, 1911 (Pyralidae) Synonym(s): *epicharis* Turner, 1911
 59809) *Apomyelois bicolorata* Balinsky, 1991 (Pyralidae) Synonym(s): *bicolorata* Balinsky, 1991
 59810) *Apomyelois bicolorata bicolorata* Balinsky, 1991 (Pyralidae) Synonym(s): *bicolorata* Balinsky, 1991
 59811) *Apomyelois bistriatella* (Hulst, 1887) (Pyralidae) Synonym(s): *bistriatella* Hulst, 1887
 59812) *Apomyelois ceratoniae* (Zeller, 1839) (Pyralidae) Synonym(s): *ceratoniae* Zeller, 1839; *ceratoniella* Fischer Röslerstamm, 1839; *pryerella* Vaughan, 1870; *tuerckheimiella* Sorhagen, 1881; *dentilinnella* Hampson, 1896; *psarella* Hampson, 1903; *rivularis* Warren & Rothschild, 1905; *oporedestella* Dyar, 1911; *phoenicis* Durrant, 1915; *durandi* Lucas, 1950
 59813) *Apomyelois cognata* (Staudinger, 1871) (Pyralidae) Synonym(s): *cognata* Staudinger, 1871
 59814) *Apomyelois demawendella* (Zerny, 1939) (Pyralidae) Synonym(s): *demawendella* Zerny, 1939
 59815) *Apomyelois ehrendorferi* (Malicky & Roesler, 1970) (Pyralidae) Synonym(s): *ehrendorferi* Malicky & Roesler, 1970
 59816) *Apomyelois schaeuffelella* Amsel, 1959 (Pyralidae) Synonym(s): *schaeuffelella* Amsel, 1959
 59817) *Apomyelois warna* Roesler & Küppers, 1981 (Pyralidae) Synonym(s): *warna* Roesler & Küppers, 1981
 59818) *Aponia Munroe*, 1964 (Pyralidae) Synonym(s): *Aponia* Munroe, 1964
 59819) *Aponia aponianalis* (Druce, 1899) (Pyralidae) Synonym(s): *aponianalis* Druce, 1899
 59820) *Aponia insularis* Munroe, 1964 (Pyralidae) Synonym(s): *insularis* Munroe, 1964
 59821) *Aponia itzalis* Munroe, 1964 (Pyralidae) Synonym(s): *itzalis* Munroe, 1964
 59822) *Aponia major* Munroe, 1964 (Pyralidae) Synonym(s): *major* Munroe, 1964
 59823) *Aponia minnithalis* (Druce, 1895) (Pyralidae) Synonym(s): *minnithalis* Druce, 1895
 59824) *Aporocosmus lamprodeta* (Meyrick, 1886) (Pyralidae) Synonym(s): *lamprodeta* Meyrick, 1886; *bracteatus* Butler, 1886; *argyresthalis* Hampson, 1913
 59825) *Aporodes ? pygmaealis* Amsel, 1961 (Pyralidae) Synonym(s): *pygmaealis* Amsel, 1961
 59826) *Aporodes floralis* (Hübner, [1809]) (Pyralidae) Synonym(s): *floralis* Hübner, [1809]; *grisealis* Caradja, 1917.
 59827) *Aporodes nepticalis* Hofmann, [1898] (Pyralidae) Synonym(s): *nepticalis* Hofmann, [1898]
 59828) *Aproceratia rheetogramma* (Meyrick, 1937) (Pyralidae) Synonym(s): *rheetogramma* Meyrick, 1937
 59829) *Apurausta persicalis* Amsel, 1951 (Pyralidae) Synonym(s): *persicalis* Amsel, 1951
 59830) *Araecomorpha diplopa* (Lower, 1903) (Pyralidae) Synonym(s): *diplopa* Lower, 1903; *atmota* Turner, 1908; *elaphra* Turner, 1915
 59831) *Araecomorpha limnophila* Turner, 1937 (Pyralidae) Synonym(s): *limnophila* Turner, 1937
 59832) *Araeopaschia demotis* (Meyrick, 1887) (Pyralidae) Synonym(s): *demotis* Meyrick, 1887
 59833) *Araeopaschia normalis* (Hampson, 1906) (Pyralidae) Synonym(s): *normalis* Hampson, 1906
 59834) *Araeopaschia rufescentalis* Hampson, 1906 (Pyralidae) Synonym(s): *rufescentalis* Hampson, 1906
 59835) *Archernis callixantha* Meyrick, 1886 (Pyralidae) Synonym(s): *callixantha* Meyrick, 1886; *aereoflavialis* Warren, 1896
 59836) *Archernis flavidalis* Hampson, 1908 (Pyralidae) Synonym(s): *flavidalis* Hampson, 1908
 59837) *Archiephestia adpiscinella* (Chrétien, 1911) (Pyralidae) Synonym(s): *adpiscinella* Chrétien, 1911; *pholeacola* Dumont, 1932; *menonoma* Schmidt, 1934; *murciella* Amsel, 1955
 59838) *Archigalleria proavittella* (Rebel, 1882) (Pyralidae) Synonym(s): *proavittella* Rebel, 1882; *teneriffella* Caradja, 1916; *#teneriffella* Rebel, 1917
 59839) *Arcola malloi* (Pastrana, 1961) (Pyralidae) Synonym(s): *malloi* Pastrana, 1961
 59840) *Ardekania farsella* Amsel, 1951 (Pyralidae) Synonym(s): *farsella* Amsel, 1951
 59841) *Ardekanopsis griseella* Amsel (Pyralidae) Synonym(s):
 59842) *Ardjuna ariana* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *ariana* Roesler & Küppers, 1979
 59843) *Ardjuna kresna* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *kresna* Roesler & Küppers, 1979
 59844) *Arenipses sabella* Hampson, 1901 (Pyralidae) Synonym(s): *sabella* Hampson, 1901
 59845) *Arenochroa flavalis* (Fernald, 1894) (Pyralidae) Synonym(s): *flavalis* Fernald, 1894; *unipunctalis* Walker, 1928
 59846) *Arescoptera idiotypa* Turner, 1911 (Pyralidae) Synonym(s): *idiotypa* Turner, 1911
 59847) *Argentochiloides meridionalis* Bassi, 1999 (Pyralidae) Synonym(s): *meridionalis* Bassi, 1999
 59848) *Argentochiloides xanthodorsellus* Bleszysnski, 1961 (Pyralidae) Synonym(s): *xanthodorsellus* Bleszysnski, 1961
 59849) *Argyrectis accra* (Strand, 1912) (Pyralidae) Synonym(s): *accra* Strand, 1912
 59850) *Argyrectis aclistalis* Dyar, 1914 (Pyralidae) Synonym(s): *aclistalis* Dyar, 1914
 59851) *Argyrectis aequalis* (Walker, 1859) (Pyralidae) Synonym(s): *aealis* Walker, 1859; *gemmiferalis* Lederer, 1863
 59852) *Argyrectis aeglesalis* Walker, 1859 (Pyralidae) Synonym(s): *aeglesalis* Walker, 1859
 59853) *Argyrectis aengusalis* Schaus, 1924 (Pyralidae) Synonym(s): *aengusalis* Schaus, 1924
 59854) *Argyrectis albibasalis* Schaus, 1912 (Pyralidae) Synonym(s): *albibasalis* Schaus, 1912
 59855) *Argyrectis albipunctalis* (Hampson, 1897) (Pyralidae) Synonym(s): *albipunctalis* Hampson, 1897
 59856) *Argyrectis albulalis* Hampson, 1906 (Pyralidae) Synonym(s): *albulalis* Hampson, 1906
 59857) *Argyrectis alemundalis* Schaus, 1924 (Pyralidae) Synonym(s): *alemundalis* Schaus, 1924
 59858) *Argyrectis alvealis* (R. Felder & Rogenhofer, 1874) (Pyralidae) Synonym(s): *alvealis* R. Felder & Rogenhofer, 1874
 59859) *Argyrectis amethystina* Schaus, 1912 (Pyralidae) Synonym(s): *amethystina* Schaus, 1912
 59860) *Argyrectis annulalis* (Guenée, 1854) (Pyralidae) Synonym(s): *annulalis* Guenée, 1854
 59861) *Argyrectis argentilinealis* Hampson, 1897 (Pyralidae) Synonym(s): *argentilinealis* Hampson, 1897
 59862) *Argyrectis argyrophora* Hampson, 1917 (Pyralidae) Synonym(s): *argyrophora* Hampson, 1917
 59863) *Argyrectis aroalis* Schaus, 1924 (Pyralidae) Synonym(s): *aroalis* Schaus, 1924
 59864) *Argyrectis auspicatalis* Schaus, 1912 (Pyralidae) Synonym(s): *auspicatalis* Schaus, 1912
 59865) *Argyrectis axis* (Hampson, 1895) (Pyralidae) Synonym(s): *axis* Hampson, 1895
 59866) *Argyrectis aztecalis* Schaus, 1924 (Pyralidae) Synonym(s): *aztecalis* Schaus, 1924
 59867) *Argyrectis benezetalis* Schaus, 1924 (Pyralidae) Synonym(s): *benezetalis* Schaus, 1924
 59868) *Argyrectis brunneodora* Dyar, 1914 (Pyralidae) Synonym(s): *brunneodora* Dyar, 1914
 59869) *Argyrectis brunneosuffusa* Hampson, 1917 (Pyralidae) Synonym(s): *brunneosuffusa* Hampson, 1917
 59870) *Argyrectis cabimalis* Dyar, 1914 (Pyralidae) Synonym(s): *cabimalis* Dyar, 1914
 59871) *Argyrectis caesalis* (Walker, 1859) (Pyralidae) Synonym(s): *caesalis* Walker, 1859
 59872) *Argyrectis callista* Forbes, 1922 (Pyralidae) Synonym(s): *callista* Forbes, 1922
 59873) *Argyrectis capensis* Hampson, 1906 (Pyralidae) Synonym(s): *capensis* Hampson, 1906
 59874) *Argyrectis castusalis* Schaus, 1924 (Pyralidae) Synonym(s): *castusalis* Schaus, 1924
 59875) *Argyrectis catenalis* (Guenée, 1854) (Pyralidae) Synonym(s): *catenalis* Guenée, 1854

- 59876) *Argyraethis cathanalis* Schaus, 1924 (Pyrilidae) Synonym(s): *cathanalis* Schaus, 1924
 59877) *Argyraethis chalcistis* Dognin, 1910 (Pyrilidae) Synonym(s): *chalcistis* Dognin, 1910
 59878) *Argyraethis chejalalis* Schaus, 1924 (Pyrilidae) Synonym(s): *chejalalis* Schaus, 1924
 59879) *Argyraethis chrysopalis* Hampson, 1906 (Pyrilidae) Synonym(s): *opulentalis* Druce, 1896 nec Led., 1863 (p.p.); *chrysopalis* Hampson, 1906
 59880) *Argyraethis cineralis* Schaus, 1906 (Pyrilidae) Synonym(s): *cineralis* Schaus, 1906
 59881) *Argyraethis climacusalis* Schaus, 1924 (Pyrilidae) Synonym(s): *climacusalis* Schaus, 1924
 59882) *Argyraethis coloralis* (Guenée, 1854) (Pyrilidae) Synonym(s): *coloralis* Guenée, 1854
 59883) *Argyraethis conallalis* Schaus, 1924 (Pyrilidae) Synonym(s): *conallalis* Schaus, 1924
 59884) *Argyraethis constellalis* (Hampson, 1897) (Pyrilidae) Synonym(s): *constellalis* Hampson, 1897
 59885) *Argyraethis cuprescens* Hampson, 1917 (Pyrilidae) Synonym(s): *cuprescens* Hampson, 1917
 59886) *Argyraethis cyloialis* Schaus, 1906 (Pyrilidae) Synonym(s): *cyloialis* Schaus, 1906
 59887) *Argyraethis danaealis* Hampson, 1906 (Pyrilidae) Synonym(s): *opulentalis* Druce, 1896 nec Led., 1863; *danaealis* Hampson, 1906
 59888) *Argyraethis decoralis* Dognin, 1905 (Pyrilidae) Synonym(s): *decoralis* Dognin, 1905
 59889) *Argyraethis dodalis* Schaus, 1924 (Pyrilidae) Synonym(s): *dodalis* Schaus, 1924
 59890) *Argyraethis dualalis* Gaede, 1916 (Pyrilidae) Synonym(s): *dualalis* Gaede, 1916
 59891) *Argyraethis esperanzalis* Schaus, 1924 (Pyrilidae) Synonym(s): *esperanzalis* Schaus, 1924
 59892) *Argyraethis euruxantha* Meyrick, 1936 (Pyrilidae) Synonym(s): *euruxantha* Meyrick, 1936
 59893) *Argyraethis flavivittalis* Hampson, 1917 (Pyrilidae) Synonym(s): *flavivittalis* Hampson, 1917
 59894) *Argyraethis fulvicinctalis* (Hampson, 1897) (Pyrilidae) Synonym(s): *fulvicinctalis* Hampson, 1897
 59895) *Argyraethis gontranalis* Schaus, 1924 (Pyrilidae) Synonym(s): *gontranalis* Schaus, 1924
 59896) *Argyraethis gordianalis* Schaus, 1924 (Pyrilidae) Synonym(s): *gordianalis* Schaus, 1924
 59897) *Argyraethis gratalis* (Walker, 1865) (Pyrilidae) Synonym(s): *gratalis* Walker, 1865; *cerrusalis* R. Felder & Rogenhofer, 1874
 59898) *Argyraethis guadarensis* Schaus, 1906 (Pyrilidae) Synonym(s): *guadarensis* Schaus, 1906
 59899) *Argyraethis hamiferalis* Hampson, 1906 (Pyrilidae) Synonym(s): *hamiferalis* Hampson, 1906 nec Walker, 1859
 59900) *Argyraethis harpalis* (Snellen, 1901) (Pyrilidae) Synonym(s): *harpalis* Snellen, 1901
 59901) *Argyraethis herminialis* Schaus, 1906 (Pyrilidae) Synonym(s): *herminialis* Schaus, 1906
 59902) *Argyraethis iasusalis* (Walker, 1859) (Pyrilidae) Synonym(s): *iasusalis* Walker, 1859; *phoxopteralis* Snellen, 1901
 59903) *Argyraethis inaurata* (Cramer, 1782) (Pyrilidae) Synonym(s): *inaurata* Cramer, 1782
 59904) *Argyraethis insulalis* (Walker, 1862) (Pyrilidae) Synonym(s): *insulalis* Walker, 1862
 59905) *Argyraethis jalapalis* Schaus, 1906 (Pyrilidae) Synonym(s): *jalapalis* Schaus, 1906; *orizabalis* Schaus, 1906
 59906) *Argyraethis lanceolalis* (Hampson, 1897) (Pyrilidae) Synonym(s): *lanceolalis* Hampson, 1897
 59907) *Argyraethis laurentialis* Schaus, 1924 (Pyrilidae) Synonym(s): *laurentialis* Schaus, 1924
 59908) *Argyraethis leucistis* Dognin, 1906 (Pyrilidae) Synonym(s): *leucistis* Dognin, 1906
 59909) *Argyraethis leucogonialis* Hampson, 1906 (Pyrilidae) Synonym(s): *cerrussalis* Druce, 1896 nec Feld. & Rog., 1874; *leucogonialis* Hampson, 1906
 59910) *Argyraethis leucostola* Hampson, 1917 (Pyrilidae) Synonym(s): *leucostola* Hampson, 1917
 59911) *Argyraethis leucostrialis* Hampson, 1906 (Pyrilidae) Synonym(s): *leucostrialis* Hampson, 1906
 59912) *Argyraethis liconalis* Dyar, 1914 (Pyrilidae) Synonym(s): *liconalis* Dyar, 1914
 59913) *Argyraethis lithocharis* Meyrick, 1936 (Pyrilidae) Synonym(s): *lithocharis* Meyrick, 1936
 59914) *Argyraethis lithorma* Meyrick, 1936 (Pyrilidae) Synonym(s): *lithorma* Meyrick, 1936
 59915) *Argyraethis lophosomal* Hampson, 1906 (Pyrilidae) Synonym(s): *lophosomal* Hampson, 1906
 59916) *Argyraethis lucianalis* Schaus, 1924 (Pyrilidae) Synonym(s): *lucianalis* Schaus, 1924
 59917) *Argyraethis lulesalis* Schaus, 1924 (Pyrilidae) Synonym(s): *lulesalis* Schaus, 1924
 59918) *Argyraethis maguilalis* Schaus, 1924 (Pyrilidae) Synonym(s): *maguilalis* Schaus, 1924
 59919) *Argyraethis malayalis* Hampson, 1906 (Pyrilidae) Synonym(s): *malayalis* Hampson, 1906
 59920) *Argyraethis malcusalis* Schaus, 1924 (Pyrilidae) Synonym(s): *malcusalis* Schaus, 1924
 59921) *Argyraethis maronialis* Schaus, 1924 (Pyrilidae) Synonym(s): *maronialis* Schaus, 1924
 59922) *Argyraethis melanograpta* Hampson, 1917 (Pyrilidae) Synonym(s): *melanograpta* Hampson, 1917
 59923) *Argyraethis metazonalis* Hampson, 1906 (Pyrilidae) Synonym(s): *metazonalis* Hampson, 1906
 59924) *Argyraethis micropalis* Hampson, 1906 (Pyrilidae) Synonym(s): *micropalis* Hampson, 1906
 59925) *Argyraethis mignonalis* Dyar, 1914 (Pyrilidae) Synonym(s): *mignonalis* Dyar, 1914
 59926) *Argyraethis mimicalis* Hampson, 1917 (Pyrilidae) Synonym(s): *mimicalis* Hampson, 1917
 59927) *Argyraethis multipicta* (Dyar, 1914) (Pyrilidae) Synonym(s): *multipicta* Dyar, 1914
 59928) *Argyraethis nandinalis* Hampson, 1906 (Pyrilidae) Synonym(s): *nandinalis* Hampson, 1906
 59929) *Argyraethis necomalis* Dyar, 1914 (Pyrilidae) Synonym(s): *necomalis* Dyar, 1914
 59930) *Argyraethis nigerialis* Hampson, 1906 (Pyrilidae) Synonym(s): *nigerialis* Hampson, 1906
 59931) *Argyraethis nigrifusalis* Dognin, 1911 (Pyrilidae) Synonym(s): *nigrifusalis* Dognin, 1911
 59932) *Argyraethis niphoplagal* Hampson, 1897 (Pyrilidae) Synonym(s): *niphoplagal* Hampson, 1897
 59933) *Argyraethis nitens* Schaus, 1912 (Pyrilidae) Synonym(s): *nitens* Schaus, 1912
 59934) *Argyraethis nyasalis* Hampson, 1917 (Pyrilidae) Synonym(s): *nyasalis* Hampson, 1917
 59935) *Argyraethis nymphulalis* Hampson, 1906 (Pyrilidae) Synonym(s): *nymphulalis* Hampson, 1906
 59936) *Argyraethis odoalis* Schaus, 1924 (Pyrilidae) Synonym(s): *Schaus*, 1924
 59937) *Argyraethis pantheralis* (Walker, 1859) (Pyrilidae) Synonym(s): *pantheralis* Walker, 1859
 59938) *Argyraethis parthenodalis* Hampson, 1906 (Pyrilidae) Synonym(s): *parthenodalis* Hampson, 1906
 59939) *Argyraethis parvissimalis* Schaus, 1912 (Pyrilidae) Synonym(s): *parvissimalis* Schaus, 1912
 59940) *Argyraethis pavonialis* (Hampson, 1897) (Pyrilidae) Synonym(s): *pavonialis* Hampson, 1897
 59941) *Argyraethis pentopalis* Hampson, 1906 (Pyrilidae) Synonym(s): *pentopalis* Hampson, 1906
 59942) *Argyraethis periopis* Hampson, 1910 (Pyrilidae) Synonym(s): *periopis* Hampson, 1910
 59943) *Argyraethis pervenustalis* (Hampson, 1897) (Pyrilidae) Synonym(s): *pervenustalis* Hampson, 1897
 59944) *Argyraethis phaeopastalis* Hampson, 1917 (Pyrilidae) Synonym(s): *phaeopastalis* Hampson, 1917
 59945) *Argyraethis plusialis* (Herrich-Schäffer, 1871) (Pyrilidae) Synonym(s): *plusialis* Herrich-Schäffer, 1871
 59946) *Argyraethis premalis* (Druce, 1896) (Pyrilidae) Synonym(s): *premalis* Druce, 1896
 59947) *Argyraethis productalis* Hampson, 1917 (Pyrilidae) Synonym(s): *productalis* Hampson, 1917
 59948) *Argyraethis psalmoidalis* Schaus, 1924 (Pyrilidae) Synonym(s): *psalmoidalis* Schaus, 1924
 59949) *Argyraethis puralis* Schaus, 1912 (Pyrilidae) Synonym(s): *puralis* Schaus, 1912
 59950) *Argyraethis pyropalis* (Guenée, 1854) (Pyrilidae) Synonym(s): *pyropalis* Guenée, 1854
 59951) *Argyraethis rinconadalis* Schaus, 1924 (Pyrilidae) Synonym(s): *rinconadalis* Schaus, 1924
 59952) *Argyraethis sambesica* (Strand, 1909) (Pyrilidae) Synonym(s): *sambesica* Strand, 1909
 59953) *Argyraethis samealis* (R. Felder & Rogenhofer, 1874) (Pyrilidae) Synonym(s): *samealis* R. Felder & Rogenhofer, 1874
 59954) *Argyraethis schistopalis* Hampson, 1906 (Pyrilidae) Synonym(s): *schistopalis* Hampson, 1906
 59955) *Argyraethis schwarzs* Schaus, 1924 (Pyrilidae) Synonym(s): *schwarzalis* Schaus, 1924
 59956) *Argyraethis serapionalis* Schaus, 1924 (Pyrilidae) Synonym(s): *serapionalis* Schaus, 1924
 59957) *Argyraethis sinitalis* Schaus, 1906 (Pyrilidae) Synonym(s): *sinitalis* Schaus, 1906
 59958) *Argyraethis subornata* (Hampson, 1897) (Pyrilidae) Synonym(s): *subornata* Hampson, 1897
 59959) *Argyraethis superciliaris* (Hampson, 1897) (Pyrilidae) Synonym(s): *superciliaris* Hampson, 1897
 59960) *Argyraethis symphonalis* (Dyar, 1914) (Pyrilidae) Synonym(s): *symphonalis* Dyar, 1914
 59961) *Argyraethis tamanalis* Schaus, 1924 (Pyrilidae) Synonym(s): *tamanalis* Schaus, 1924
 59962) *Argyraethis tapajosalis* Schaus, 1924 (Pyrilidae) Synonym(s): *tapajosalis* Schaus, 1924
 59963) *Argyraethis tessimalis* Dyar, 1926 (Pyrilidae) Synonym(s): *tessimalis* Dyar, 1926
 59964) *Argyraethis tetropalis* Hampson, 1906 (Pyrilidae) Synonym(s): *tetropalis* Hampson, 1906
 59965) *Argyraethis trespasalis* Dyar, 1926 (Pyrilidae) Synonym(s): *trespasalis* Dyar, 1926

- 59966) *Argyrectis triopalis* Hampson,1906 (Pyralidae) Synonym(s): *triopalis* Hampson,1906
 59967) *Argyrectis tristalis* Schaus,1912 (Pyralidae) Synonym(s): *tristalis* Schaus,1912
 59968) *Argyrectis triumphalis* Schaus,1912 (Pyralidae) Synonym(s): *triumphalis* Schaus,1912
 59969) *Argyrectis ulfridalis* Schaus,1924 (Pyralidae) Synonym(s): *ulfridalis* Schaus,1924
 59970) *Argyrectis valstanalis* Schaus,1924 (Pyralidae) Synonym(s): *valstanalis* Schaus,1924
 59971) *Argyrectis volcanalis* Schaus,1912 (Pyralidae) Synonym(s): *volcanalis* Schaus,1912
 59972) *Argyrectis zamoralis* Schaus,1924 (Pyralidae) Synonym(s): *zamoralis* Schaus,1924
 59973) *Argyria antonialis* Schaus,1922 (Pyralidae) Synonym(s): *antonialis* Schaus,1922
 59974) *Argyria argentana* (Martyn,1797) (Pyralidae) Synonym(s): *argentana* Martyn,1797; *nummulalis* Hübner,1818; *subaenescens* Walker,1863; *fuscipes* Zeller,1863
 59975) *Argyria argentisparsalis* Hampson,1896 (Pyralidae) Synonym(s): *argentisparsalis* Hampson,1896
 59976) *Argyria argyrodia* Dyar,1914 (Pyralidae) Synonym(s): *argyrodia* Dyar,1914
 59977) *Argyria auratella* (Clemens,1860) (Pyralidae) Synonym(s): *auratella* Clemens,1860; *pulchella* Walker,1863
 59978) *Argyria centrifugens* Dyar,1914 (Pyralidae) Synonym(s): *centrifugens* Dyar,1914
 59979) *Argyria consortalis* Dyar,1909 (Pyralidae) Synonym(s): *consortalis* Dyar,1909
 59980) *Argyria critica* Forbes,1920 (Pyralidae) Synonym(s): *critica* Forbes,1920
 59981) *Argyria croceicinctella* (Walker,1863) (Pyralidae) Synonym(s): *croceicinctella* Walker,1863; *tingurialis* Dyar,1913
 59982) *Argyria croceivittella* (Walker,1863) (Pyralidae) Synonym(s): *croceivittella* Walker,1863
 59983) *Argyria diplomachalis* Dyar,1914 (Pyralidae) Synonym(s): *diplomachalis* Dyar,1914
 59984) *Argyria divisella* Walker,1866 (Pyralidae) Synonym(s): *divisella* Walker,1866
 59985) *Argyria duplicilinea* Hampson,1919 (Pyralidae) Synonym(s): *duplicilinea* Hampson,1919
 59986) *Argyria eromenalis* Hampson,1919 (Pyralidae) Synonym(s): *eromenalis* Hampson,1919
 59987) *Argyria examinalis* (Meyrick,1931) (Pyralidae) Synonym(s): *examinalis* Meyrick,1931
 59988) *Argyria furvicornis* Zeller,1877 (Pyralidae) Synonym(s): *furvicornis* Zeller,1877
 59989) *Argyria gonogramma* Dyar,1915 (Pyralidae) Synonym(s): *gonogramma* Dyar,1915
 59990) *Argyria hannemanni* Bleszynski,1960 (Pyralidae) Synonym(s): *hannemanni* Bleszynski,1960
 59991) *Argyria heringi* Bleszynski,1960 (Pyralidae) Synonym(s): *heringi* Bleszynski,1960
 59992) *Argyria holocrassa* Meyrick,1902 (Pyralidae) Synonym(s): *holocrassa* Meyrick,1902
 59993) *Argyria insons* R.Felder & Rogenhofer,1875 (Pyralidae) Synonym(s): *insons* R.Felder & Rogenhofer,1875
 59994) *Argyria interruptella* Walker,1866 (Pyralidae) Synonym(s): *interruptella* Walker,1866; *inficella* Walker,1866; *obliquella* Zeller,1877; *candida* Butler,1881
 59995) *Argyria kadenii* Zeller,1863 (Pyralidae) Synonym(s): *kadenii* Zeller,1863
 59996) *Argyria lacteella* (Fabricius,1794) (Pyralidae) Synonym(s): *lacteella* Fabricius,1794; *albana* Fabricius,1798
 59997) *Argyria lucidella* (Zeller,1839) (Pyralidae) Synonym(s): *lucidella* Zeller,1839
 59998) *Argyria lusella* (Zeller,1863) (Pyralidae) Synonym(s): *lusella* Zeller,1863
 59999) *Argyria marginepunctalis* (Hampson,1896) (Pyralidae) Synonym(s): *marginepunctalis* Hampson,1896
 60000) *Argyria mesodonta* Zeller,1877 (Pyralidae) Synonym(s): *mesodonta* Zeller,1877
 60001) *Argyria mesodonta mesodonta* Zeller,1877 (Pyralidae) Synonym(s): *mesodonta* Zeller,1877
 60002) *Argyria mesodonta submesodonta* Bleszynski,1960 (Pyralidae) Synonym(s): *submesodonta* Bleszynski,1960
 60003) *Argyria mesogramma* Dyar,1914 (Pyralidae) Synonym(s): *mesogramma* Dyar,1914
 60004) *Argyria mesozonalis* Hampson,1919 (Pyralidae) Synonym(s): *mesozonalis* Hampson,1919
 60005) *Argyria nivalis* (Drury,1773) (Pyralidae) Synonym(s): *nivalis* Drury,1773; *argentata* Emmons,1854; *michrochysella* Walker,1863.
 60006) *Argyria nivalis fimbrialis* Dyar,1914 (Pyralidae) Synonym(s): *fimbrialis* Dyar,1914
 60007) *Argyria nivalis nivalis* (Drury,1773) (Pyralidae) Synonym(s): *nivalis* Drury,1773; *argentata* Emmons,1854; *michrochysella* Walker,1863.
 60008) *Argyria opposita* Zeller,1877 (Pyralidae) Synonym(s): *opposita* Zeller,1877
 60009) *Argyria oxytoma* Meyrick,1932 (Pyralidae) Synonym(s): *oxytoma* Meyrick,1932
 60010) *Argyria plumbeolinealis* (Hampson,1896) (Pyralidae) Synonym(s): *plumbeolinealis* Hampson,1896
 60011) *Argyria polyniphas* Meyrick,1932 (Pyralidae) Synonym(s): *polyniphas* Meyrick,1932
 60012) *Argyria pontiella* Zeller,1877 (Pyralidae) Synonym(s): *pontiella* Zeller,1877
 60013) *Argyria pusillalis* (Hübner,1818) (Pyralidae) Synonym(s): *pusillalis* Hübner,1818; *abronalis* Walker,1859
 60014) *Argyria pusillalis multifacta* Dyar,1914 (Pyralidae) Synonym(s): *multifacta* Dyar,1914
 60015) *Argyria pusillalis pusillalis* (Hübner,1818) (Pyralidae) Synonym(s): *pusillalis* Hübner,1818; *abronalis* Walker,1859
 60016) *Argyria quevedella* Schaus,1922 (Pyralidae) Synonym(s): *quevedella* Schaus,1922
 60017) *Argyria rileyella* Dyar,1914 (Pyralidae) Synonym(s): *rileyella* Dyar,1914
 60018) *Argyria rufisignella* (Zeller,1872) (Pyralidae) Synonym(s): *rufisignella* Zeller,1872; *#rufisignalis* Schaus,1940
 60019) *Argyria schausella* Dyar,1914 (Pyralidae) Synonym(s): *schausella* Dyar,1914
 60020) *Argyria senatoria* Meyrick,1932 (Pyralidae) Synonym(s): *senatoria* Meyrick,1932
 60021) *Argyria sordipes* Zeller,1877 (Pyralidae) Synonym(s): *sordipes* Zeller,1877
 60022) *Argyria strophaea* Meyrick,1905 (Pyralidae) Synonym(s): *strophaea* Meyrick,1905
 60023) *Argyria subtilis* Felder,1874 (Pyralidae) Synonym(s): *subtilis* Felder,1874
 60024) *Argyria supposita* Dyar,1914 (Pyralidae) Synonym(s): *supposita* Dyar,1914
 60025) *Argyria tenuistrigella* Schaus,1922 (Pyralidae) Synonym(s): *tenuistrigella* Schaus,1922
 60026) *Argyria vesta* Bleszynski,1962 (Pyralidae) Synonym(s): *obliquella* Dyar,1914 nec Zeller,1877; *vesta* Bleszynski,1962.
 60027) *Argyria vestalis* Butler,1878 (Pyralidae) Synonym(s): *vestalis* Butler,1878
 60028) *Argyria xanthoguma* Dyar,1914 (Pyralidae) Synonym(s): *xanthoguma* Dyar,1914
 60029) *Argyria xiphotoma* Meyrick,1938 (Pyralidae) Synonym(s): *xiphotoma* Meyrick,1938
 60030) *Argyrorhabda leucomera* Hampson,1926 (Pyralidae) Synonym(s): *leucomera* Hampson,1926
 60031) *Argyrorhabda leucomera leucomera* Hampson,1926 (Pyralidae) Synonym(s): *leucomera* Hampson,1926
 60032) *Arimania komaroffi* (Ragonot,1888) (Pyralidae) Synonym(s): *komaroffi* Ragonot,1888; *amanella* Zerny,1934; *diplocapna* Meyrick,1937
 60033) *Arippara disticha* (Turner,1904) (Pyralidae) Synonym(s): *disticha* Turner,1904
 60034) *Arippara indicator* Walker (Pyralidae) Synonym(s):
 60035) *Arnia nervosalis* Guenée,1849 (Pyralidae) Synonym(s): *nervosalis* Guenée,1849
 60036) *Arsissa afghana* (Hartig,1937) (Pyralidae) Synonym(s): *afghana* Hartig,1937; *dimorphella* Amsel,1970.
 60037) *Arsissa aksuella* (Caradja,1910) (Pyralidae) Synonym(s): *aksuella* Caradja,1910
 60038) *Arsissa divaricella* (Ragonot,1887) (Pyralidae) Synonym(s): *divaricella* Ragonot,1887; *#aurantiacella* Caradja,1910; *velocella* Toll,1948; *firusella* Amsel,1961.
 60039) *Arsissa habershaueri* (Ragonot,1893) (Pyralidae) Synonym(s): *habershaueri* Ragonot,1893
 60040) *Arsissa leucomixtella* (Ragonot,1887) (Pyralidae) Synonym(s): *leucomixtella* Ragonot,1887; *bicornutella* Amsel,1961.
 60041) *Arsissa milka* Roesler,1990 (Pyralidae) Synonym(s): *milka* Roesler,1990
 60042) *Arsissa miridella* (Ragonot,1893) (Pyralidae) Synonym(s): *miridella* Ragonot,1893; *pallorella* Amsel,1961; *#incertella* Amsel,1970.
 60043) *Arsissa pempeliella* (Zerny,1936) (Pyralidae) Synonym(s): *pempeliella* Zerny,1936
 60044) *Arsissa pupillatella* (Ragonot,1887) (Pyralidae) Synonym(s): *pupillatella* Ragonot,1887
 60045) *Arsissa ramosella* (Herrich-Schäffer,[1855]) (Pyralidae) Synonym(s): *ramosella* Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939.
 60046) *Arsissa transvaalica* Balinsky,1991 (Pyralidae) Synonym(s): *transvaalica* Balinsky,1991
 60047) *Arsissa transvaalica transvaalica* Balinsky,1991 (Pyralidae) Synonym(s): *transvaalica* Balinsky,1991
 60048) *Arthroschista hilaralis* (Walker,1859) (Pyralidae) Synonym(s): *hilaralis* Walker,1859; *aguosalis* Snellen,[1880]
 60049) *Arxama atralis* (Hampson,1897) (Pyralidae) Synonym(s): *atralis* Hampson,1897
 60050) *Arxama cretacealis* Hampson,1906 (Pyralidae) Synonym(s): *cretacealis* Hampson,1906
 60051) *Arxama cretacealis* Hampson,1906 (Pyralidae) Synonym(s): *cretacealis* Hampson,1906

- 60052) *Arxama monetalis* (Snellen,1880) (Pyralidae) Synonym(s): *monetalis* Snellen,1880
60053) *Arxama ochrocealis* Hampson,1906 (Pyralidae) Synonym(s): *ochrocealis* Hampson,1906
60054) *Arxama subcervinalis* Walker,1865 (Pyralidae) Synonym(s): *subcervinalis* Walker,1865
60055) *Asalebria* (Exophora) *alida* Roesler,1988 (Pyralidae) Synonym(s): *alida* Roesler,1988
60056) *Asalebria* (Exophora) *exasperata* (Staudinger,1879) (Pyralidae) Synonym(s): *exasperata* Staudinger,1879
60057) *Asalebria* (Exophora) *florella* (Mann,1862) (Pyralidae) Synonym(s): *florella* Mann,1862
60058) *Asalebria* (Exophora) *florella chicanensis* (Staudinger,1870) (Pyralidae) Synonym(s): *chicanensis* Staudinger,1870
60059) *Asalebria* (Exophora) *florella florella* (Mann,1862) (Pyralidae) Synonym(s): *florella* Mann,1862
60060) *Asalebria* (Exophora) *florella joesti* (Amsel,1953) (Pyralidae) Synonym(s): *joesti* Amsel,1953
60061) *Asalebria* (Exophora) *florella syriella* (Amsel,1953) (Pyralidae) Synonym(s): *syriella* Amsel,1953
60062) *Asalebria* (Exophora) *florella vartianae* (Roesler,1969) (Pyralidae) Synonym(s): *vartianae* Roesler,1969
60063) *Asalebria* (Exophora) *rascala* Roesler,1988 (Pyralidae) Synonym(s): *rascala* Roesler,1988
60064) *Asalebria* (Exophora) *tutulla* Roesler,1988 (Pyralidae) Synonym(s): *tutulla* Roesler,1988
60065) *Asalebria* (s.str.) *amphipyrrha* (Meyrick,1937) (Pyralidae) Synonym(s): *amphipyrrha* Meyrick,1937
60066) *Asalebria* (s.str.) *argyrophanes* (Meyrick,1937) (Pyralidae) Synonym(s): *argyrophanes* Meyrick,1937
60067) *Asalebria* (s.str.) *pseudoflorella* (Schmidt,1934) (Pyralidae) Synonym(s): *pseudoflorella* Schmidt,1934
60068) *Asalebria* (s.str.) *venustella* (Ragonot,1887) (Pyralidae) Synonym(s): *venustella* Ragonot,1887; *hilearella* Caradja,1916; *palella* Caradja,1916
60069) *Asarta aethiopa* (Duponchel,1836) (Pyralidae) Synonym(s): *aethiopa* Duponchel,1836; *helveticella* Zeller,1839; *majella* Constantini,1922.
60070) *Asarta albarracinella* Leraut & Luquet,1991 (Pyralidae) Synonym(s): *albarracinella* Leraut & Luquet,1991
60071) *Asarta alpicolella* (Zeller,1839) (Pyralidae) Synonym(s): *alpicolella* Zeller,1839
60072) *Asarta alticola* (Hampson,1930) (Pyralidae) Synonym(s): *alticola* Hampson,1930
60073) *Asarta ciliciella* Staudinger,1879 (Pyralidae) Synonym(s): *ciliciella* Staudinger,1879
60074) *Asarta firusella* Amsel,1961 (Pyralidae) Synonym(s): *firusella* Amsel,1961
60075) *Asarta fuliginosa* (Turner,1941) (Pyralidae) Synonym(s): *fuliginosa* Turner,1941
60076) *Asarta kotschi* Hartig,1937 (Pyralidae) Synonym(s): *kotschi* Hartig,1937
60077) *Asarta nigrella* Hampson,1903 (Pyralidae) Synonym(s): *nigrella* Hampson,1903; *korbi* Caradja,1910; *pyrenaica* Hampson,1929.
60078) *Asartodes monspesulalis* (Duponchel,1834) (Pyralidae) Synonym(s): *monspesulalis* Duponchel,1834
60079) *Asartodes zapateri* (Ragonot,1882) (Pyralidae) Synonym(s): *zapateri* Ragonot,1882; *nigrella* Hampson,1903; *korbi* Caradja,1910; *pyrenaica* Hampson,1929.
60080) *Asclerobia flavitinctella* (Ragonot,1863) (Pyralidae) Synonym(s): *flavitinctella* Ragonot,1863
60081) *Aspithroides minuta* Balinsky,1994 (Pyralidae) Synonym(s): *minuta* Balinsky,1994
60082) *Aspithroides minuta minuta* Balinsky,1994 (Pyralidae) Synonym(s): *minuta* Balinsky,1994
60083) *Assara albicostalis* Walker,1863 (Pyralidae) Synonym(s): *albicostalis* Walker,1863; *subterebrellum* Snellen,1880; *niveicostella* Hampson,1896.
60084) *Assara aterpes* (Turner,1913) (Pyralidae) Synonym(s): *aterpes* Turner,1913
60085) *Assara cataxutha* (Turner,1947) (Pyralidae) Synonym(s): *cataxutha* Turner,1947
60086) *Assara chionopleura* (Turner,1947) (Pyralidae) Synonym(s): *chionopleura* Turner,1947
60087) *Assara conicolella* (Constant,1884) (Pyralidae) Synonym(s): *conicolella* Constant,1884
60088) *Assara nigrella* (Caradja,1926) (Pyralidae) Synonym(s): *nigrella* Caradja,1926; *albicostella* Inoue,1959.
60089) *Assara formosana* Yoshiyasu,1991 (Pyralidae) Synonym(s): *formosana* Yoshiyasu,1991
60090) *Assara hoenella* Roesler,1965 (Pyralidae) Synonym(s): *hoenella* Roesler,1965
60091) *Assara holophragma* (Meyrick,1887) (Pyralidae) Synonym(s): *holophragma* Meyrick,1887; *epigrammella* Ragonot,1893
60092) *Assara incredibilis* Roesler,1973 (Pyralidae) Synonym(s): *incredibilis* Roesler,1973
60093) *Assara korbi* (Caradja,1910) (Pyralidae) Synonym(s): *korbi* Caradja,1910
60094) *Assara leucarma* (Meyrick,1879) (Pyralidae) Synonym(s): *leucarma* Meyrick,1879
60095) *Assara melanomita* (Turner,1947) (Pyralidae) Synonym(s): *melanomita* Turner,1947
60096) *Assara microdoxa* (Meyrick,1846) (Pyralidae) Synonym(s): *microdoxa* Meyrick,1846; *leptoptila* Turner,1947
60097) *Assara odontosema* (Turner,1913) (Pyralidae) Synonym(s): *odontosema* Turner,1913
60098) *Assara pinivora* (Meyrick,1933) (Pyralidae) Synonym(s): *pinivora* Meyrick,1933
60099) *Assara proleuca* (Lower,1903) (Pyralidae) Synonym(s): *proleuca* Lower,1903; *hemichionea* Turner,1913
60100) *Assara quadriguttella* (Walker,1866) (Pyralidae) Synonym(s): *quadriguttella* Walker,1866
60101) *Assara semifictile* (Turner,1913) (Pyralidae) Synonym(s): *semifictile* Turner,1913
60102) *Assara seminivale* (Turner,1904) (Pyralidae) Synonym(s): *seminivale* Turner,1904
60103) *Assara seminivalis* (Turner,1904) (Pyralidae) Synonym(s): *seminivalis* Turner,1904
60104) *Assara subarcuella* (Meyrick,1879) (Pyralidae) Synonym(s): *subarcuella* Meyrick,1879
60105) *Assara terebrella* (Zincken,1818) (Pyralidae) Synonym(s): *terebrella* Zincken,1818
60106) *Assara turciella* Roesler,1973 (Pyralidae) Synonym(s): *turciella* Roesler,1973
60107) *Astrapometis saburalis* (Walker,1859) (Pyralidae) Synonym(s): *saburalis* Walker,1859
60108) *Ategumia adipalis* (Lederer,1863) (Pyralidae) Synonym(s): *adipalis* Lederer,1863; *notatalis* Walker,[1866]; *cuprinalis* Moore,1877
60109) *Atelocentra chloraspis* Meyrick,1884 (Pyralidae) Synonym(s): *chloraspis* Meyrick,1884
60110) *Atralata albofascialis* (Treitschke,1829) (Pyralidae) Synonym(s): *albofascialis* Treitschke,1829
60111) *Atritis achima* Roesler,1987 (Pyralidae) Synonym(s): *achima* Roesler,1987
60112) *Atritis aranka* Roesler,1987 (Pyralidae) Synonym(s): *aranka* Roesler,1987
60113) *Auchmophoba tynnota* Turner,1913 (Pyralidae) Synonym(s): *tynnota* Turner,1913
60114) *Audeoudia grisella* Joannis,1927 (Pyralidae) Synonym(s): *grisella* Joannis,1927
60115) *Aulacoptera fuscinervalis* Swinhoe,1905 (Pyralidae) Synonym(s): *fuscinervalis* Swinhoe,1905
60116) *Aurana actiosella* Walker,1863 (Pyralidae) Synonym(s): *actiosella* Walker,1863; *lentalis* Swinhoe,1885
60117) *Aurana vinaceella* (Inoue,1963) (Pyralidae) Synonym(s): *vinaceella* Inoue,1963
60118) *Aureoceramboides apollo* Bleszynski,1961 (Pyralidae) Synonym(s): *apollo* Bleszynski,1961
60119) *Aurotalis nigrisquamalis* (Hampson,1919) (Pyralidae) Synonym(s): *nigrisquamalis* Hampson,1919
60120) *Aurotalis similis* Bassi,1999 (Pyralidae) Synonym(s): *similis* Bassi,1999
60121) *Austropaschia porrigens* Hampson,1916 (Pyralidae) Synonym(s): *porrigens* Hampson,1916
60122) *Autarotis euryala* Meyrick,1886 (Pyralidae) Synonym(s): *euryala* Meyrick,1886
60123) *Autarotis mivellus* (Meyrick,1879) (Pyralidae) Synonym(s): *mivellus* Meyrick,1879
60124) *Autarotis polioleuca* (Turner,1911) (Pyralidae) Synonym(s): *polioleuca* Turner,1911
60125) *Authaeretes exaereta* Tams,1935 (Pyralidae) Synonym(s):
60126) *Autocharis albiplaga* (Hampson,1913) (Pyralidae) Synonym(s): *albiplaga* Hampson,1913
60127) *Autocharis fessalis* (Swinhoe,1886) (Pyralidae) Synonym(s): *fessalis* Swinhoe,1886
60128) *Autocharis hedyphaes* (Turner,1913) (Pyralidae) Synonym(s): *hedyphaes* Turner,1913
60129) *Autocharis jacobalis* (Marion & Viette,1956) (Pyralidae) Synonym(s): *jacobalis* Marion & Viette,1956
60130) *Autocharis miltosoma* (Turner,1937) (Pyralidae) Synonym(s): *miltosoma* Turner,1937
60131) *Autocharis mimetica* (Lower,1903) (Pyralidae) Synonym(s): *mimetica* (Lower,1903
60132) *Autocharis sarobialis* Amsel,1970 (Pyralidae) Synonym(s): *sarobialis* Amsel,1970
60133) *Autocharis sinualis* (Hampson,1899) (Pyralidae) Synonym(s): *sinualis* Hampson,1899
60134) *Auxacia bilineella* (Ragonot,1887) (Pyralidae) Synonym(s): *bilineella* Ragonot,1887
60135) *Auxolophotis ioxanthias* Meyrick,1933 (Pyralidae) Synonym(s): *ioxanthias* Meyrick,1933
60136) *Axiocrita cataphanes* Turner,1913 (Pyralidae) Synonym(s): *cataphanes* Turner,1913
60137) *Azanicola adspersa* Balinsky,1991 (Pyralidae) Synonym(s): *adspersa* Balinsky,1991
60138) *Azanicola adspersa adspersa* Balinsky,1991 (Pyralidae) Synonym(s): *adspersa* Balinsky,1991
60139) *Bacotoma camillusalis* (Walker,1859) (Pyralidae) Synonym(s): *camillusalis* Walker,1859
60140) *Baeoptila ellipes* Tams,1935 (Pyralidae) Synonym(s): *ellipes* Tams,1935

- 60141) *Baeoptila leptorrhoda* (Turner,1908) (Pyrilidae) Synonym(s): *leptorrhoda* Turner,1908
 60142) *Baeoptila oculus* (Hampson,1897) (Pyrilidae) Synonym(s): *oculus* Hampson,1897; *stictochroa* Turner,1915
 60143) *Baeoptila selenias* Turner,1908 (Pyrilidae) Synonym(s): *selenias* Turner,1908
 60144) *Bahiria defecta* Balinsky,1994 (Pyrilidae) Synonym(s): *defecta* Balinsky,1994
 60145) *Bahiria defecta defecta* Balinsky,1994 (Pyrilidae) Synonym(s): *defecta* Balinsky,1994
 60146) *Bahiria durbanica* Balinsky,1994 (Pyrilidae) Synonym(s): *durbanica* Balinsky,1994
 60147) *Bahiria durbanica durbanica* Balinsky,1994 (Pyrilidae) Synonym(s): *durbanica* Balinsky,1994
 60148) *Bahiria flavicosta* Balinsky,1994 (Pyrilidae) Synonym(s): *flavicosta* Balinsky,1994
 60149) *Bahiria flavicosta flavicosta* Balinsky,1994 (Pyrilidae) Synonym(s): *flavicosta* Balinsky,1994
 60150) *Bahiria latevalvata* Balinsky,1994 (Pyrilidae) Synonym(s): *latevalvata* Balinsky,1994
 60151) *Bahiria latevalvata latevalvata* Balinsky,1994 (Pyrilidae) Synonym(s): *latevalvata* Balinsky,1994
 60152) *Bahiria macrognatha* Balinsky,1994 (Pyrilidae) Synonym(s): *macrognatha* Balinsky,1994
 60153) *Bahiria macrognatha macrognatha* Balinsky,1994 (Pyrilidae) Synonym(s): *macrognatha* Balinsky,1994
 60154) *Bahiria magna* Balinsky,1994 (Pyrilidae) Synonym(s): *magna* Balinsky,1994
 60155) *Bahiria magna magna* Balinsky,1994 (Pyrilidae) Synonym(s): *magna* Balinsky,1994
 60156) *Bahiria similis* Balinsky,1994 (Pyrilidae) Synonym(s): *similis* Balinsky,1994
 60157) *Bahiria similis similis* Balinsky,1994 (Pyrilidae) Synonym(s): *similis* Balinsky,1994
 60158) *Bahiria ximenianata* Balinsky,1994 (Pyrilidae) Synonym(s): *ximenianata* Balinsky,1994
 60159) *Bahiria ximenianata ximenianata* Balinsky,1994 (Pyrilidae) Synonym(s): *ximenianata* Balinsky,1994
 60160) *Balaenifrons homopteridia* Hampson,1896 (Pyrilidae) Synonym(s): *homopteridia* Hampson,1896
 60161) *Balanomis encyclia* Meyrick,1887 (Pyrilidae) Synonym(s): *encyclia* Meyrick,1887
 60162) *Banepa atkinsoni* Moore,1888 (Pyrilidae) Synonym(s): *atkinsoni* Moore,1888
 60163) *Bapara agasta* (Turner,1911) (Pyrilidae) Synonym(s): *agasta* Turner,1911
 60164) *Barbifrontia hemileucella* Hampson,1901 (Pyrilidae) Synonym(s): *hemileucella* Hampson,1901; *niphostibes* Turner,1904
 60165) *Bassikynsna jansei* (Bassi,1999) (Pyrilidae) Synonym(s): *jansei* Bassi,1999
 60166) *Batiana remotella* Walker,1866 (Pyrilidae) Synonym(s): *remotella* Walker,1866
 60167) *Bazaria gilvella* (Ragonot,1887) (Pyrilidae) Synonym(s): *gilvella* Ragonot,1887
 60168) *Bazaria gilvella gilvella* (Ragonot,1887) (Pyrilidae) Synonym(s): *gilvella* Ragonot,1887
 60169) *Bazaria gilvella oasella* (Caradja,1910) (Pyrilidae) Synonym(s): *oasella* Caradja,1910; *fusella* Chrétien,1913; *anabasella* Chrétien,1917.
 60170) *Bazaria kuranella* (Amsel,1970) (Pyrilidae) Synonym(s): *kuranella* Amsel,1970
 60171) *Bazaria leucochrella* (Herrich-Schäffer,[1855]) (Pyrilidae) Synonym(s): *leucochrella* Herrich-Schäffer,[1855].
 60172) *Bazaria lixivella* (Erschoff,1874) (Pyrilidae) Synonym(s): *lixiviella* Erschoff,1874; *trilineella* Ragonot,1887; *palaestinensis* Amsel,1935.
 60173) *Bazaria nomiella* (Ragonot,1887) (Pyrilidae) Synonym(s): *nomiella* Ragonot,1887; *atrisparsella* Ragonot,1887.
 60174) *Bazaria pempeliella* Ragonot,1893 (Pyrilidae) Synonym(s): *pempeliella* Ragonot,1893; *ochriplaga* Rebel,1909; *djiroftella* Amsel,1959; *afghanella* Amsel,1970
 60175) *Bazaria polichomriella* (Amsel,1970) (Pyrilidae) Synonym(s): *polichomriella* Amsel,1970
 60176) *Bazaria ruscionella* Ragonot,1888 (Pyrilidae) Synonym(s): *ruscionella* Ragonot,1888; *semirosella* Chrétien,1911.
 60177) *Bazaria sieversi* (Christoph,1877) (Pyrilidae) Synonym(s): *sieversi* Christoph,1877
 60178) *Bazaria turensis* Ragonot,1887 (Pyrilidae) Synonym(s): *turensis* Ragonot,1887
 60179) *Belutchistiana squamalis* Amsel,1951 (Pyrilidae) Synonym(s): *squamalis* Amsel,1951
 60180) *Benderia talhouki* Amsel,1949 (Pyrilidae) Synonym(s): *talhouki* Amsel,1949
 60181) *Bepea pyraustalis* (Strand,1918) (Pyrilidae) Synonym(s): *pyraustalis* Strand,1918
 60182) *Bepea tranquillalis* (Lederer,1863) (Pyrilidae) Synonym(s): *tranquillalis* Lederer,1863; *affinis* Rothschild,1916
 60183) *Berastagia dissolutella* (Snellen,1880) (Pyrilidae) Synonym(s): *dissolutella* Snellen,1880
 60184) *Biafra concinnella* Ragonot,1888 (Pyrilidae) Synonym(s): *concinnella* Ragonot,1888; *rhodinella* Ragonot,1888; *pyromerella* Hampson,1918; *taxiarcha* Meyrick,1935; *haemocharis* Meyrick,1937
 60185) *Biafra separatella* Ragonot,1888 (Pyrilidae) Synonym(s): *separatella* Ragonot,1888; *pallidicosta* Hampson,1896; *vectiferella* Ragonot,1901
 60186) *Bissetia berthella* (Dyar,1911) (Pyrilidae) Synonym(s): *berthella* Dyar,1911
 60187) *Bissetia leucomeralis* (Hampson,1919) (Pyrilidae) Synonym(s): *leucomeralis* Hampson,1919
 60188) *Bissetia poliella* (Hampson,1919) (Pyrilidae) Synonym(s): *poliella* Hampson,1919
 60189) *Bissetia steniella* (Hampson,1899) (Pyrilidae) Synonym(s): *steniellus* Hampson,1899; *griseoradians* De Joannis,1930; *trypetes* Bisset,1939
 60190) *Bissetia subfumalis* (Hampson,1896) (Pyrilidae) Synonym(s): *subfumalis* Hampson,1896
 60191) *Bissetia tauomma* Kapur,1950 (Pyrilidae) Synonym(s): *tauomma* Kapur,1950
 60192) *Blepharomastix insolitalis* (Walker,1862) (Pyrilidae) Synonym(s): *insolitalis* Walker,1862
 60193) *Blepharucha zaide* (Stoll,[1790]) (Pyrilidae) Synonym(s): *zaide* Stoll,[1790]; *cruralis* Zeller,1852; *dilaceratalis* Walker,1865
 60194) *Bocchoris acamasalis* (Walker,1859) (Pyrilidae) Synonym(s): *acamasalis* Walker,1859
 60195) *Bocchoris aptalis* (Walker,1865) (Pyrilidae) Synonym(s): *aptalis* Walker,1865
 60196) *Bocchoris artificialis* (Lederer,1863) (Pyrilidae) Synonym(s): *artificialis* Lederer,1863; *inscitalis* Walker,[1866]; *abstrusalis* Moore,1882
 60197) *Bocchoris bleusei* (Oberthür,1887) (Pyrilidae) Synonym(s): *bleusei* Oberthür,1887
 60198) *Bocchoris inspersalis* (Zeller,1852) (Pyrilidae) Synonym(s): *inspersalis* Zeller,1852; *afflictalis* Guenée,1854; *bootanalis* Walker,1865; *stellalis* Butler,1879; *pusaensis* Bhattacherjee,1973
 60199) *Bocchoris nuclealis* Joannis,1927 (Pyrilidae) Synonym(s): *nuclealis* Joannis,1927
 60200) *Bocchoris onychinalis* (Guenée,1854) (Pyrilidae) Synonym(s): *onychinalis* Guenée,1854; *astomalis* R.Felder & Rogenhofer,1875; *braurealis* Walker,1859
 60201) *Bocchoris telphusalis* (Walker,1859) (Pyrilidae) Synonym(s): *telphusalis* Walker,1859
 60202) *Bocchoris tenera* Butler (Pyrilidae) Synonym(s): *tenera* Butler
 60203) *Boeotarcha divisa* (Lucas,1894) (Pyrilidae) Synonym(s): *divisa* Lucas,1894
 60204) *Boeotarcha martinalis* (Walker,1859) (Pyrilidae) Synonym(s): *martinalis* Walker,1859
 60205) *Boeotarcha taenialis* (Snellen,1880) (Pyrilidae) Synonym(s): *taenialis* Snellen,1880
 60206) *Boreophila badakschanalis* Amsel,1970 (Pyrilidae) Synonym(s): *badakschanalis* Amsel,1970
 60207) *Boreophila ephippialis* (Zetterstedt,1839) (Pyrilidae) Synonym(s): *ephippialis* Zetterstedt,1839
 60208) *Boreophila manualis* (Geyer,[1832]) (Pyrilidae) Synonym(s): *manualis* Geyer,[1832]
 60209) *Bostra albilineata* Warren,1891 (Pyrilidae) Synonym(s): *albilineata* Warren,1891
 60210) *Bostra atomalis* Amsel (Pyrilidae) Synonym(s): *atomalis* Amsel
 60211) *Bostra bifascialis* Amsel,1950 (Pyrilidae) Synonym(s): *bifascialis* Amsel,1950
 60212) *Bostra carnicolor* Warren,1914 (Pyrilidae) Synonym(s): *carnicolor* Warren,1914
 60213) *Bostra coenochroa* Hampson,1917 (Pyrilidae) Synonym(s): *coenochroa* Hampson,1917
 60214) *Bostra comealis* Amsel,1951 (Pyrilidae) Synonym(s): *comealis* Amsel,1951
 60215) *Bostra conflualis* Hampson,1906 (Pyrilidae) Synonym(s): *conflualis* Hampson,1906
 60216) *Bostra conspualis* Warren,1911 (Pyrilidae) Synonym(s): *conspualis* Warren,1911
 60217) *Bostra dipectinialis* Hampson,1906 (Pyrilidae) Synonym(s): *dipectinialis* Hampson,1906
 60218) *Bostra exustalis* (Guenée,1854) (Pyrilidae) Synonym(s): *exustalis* Guenée,1854
 60219) *Bostra farsalis* Amsel,1950 (Pyrilidae) Synonym(s): *farsalis* Amsel,1950
 60220) *Bostra ferrealis* Hampson,1906 (Pyrilidae) Synonym(s): *ferrealis* Hampson,1906
 60221) *Bostra flavicostalis* Warren,1914 (Pyrilidae) Synonym(s): *flavicostalis* Warren,1914
 60222) *Bostra fumosa* De Joannis,1927 (Pyrilidae) Synonym(s): *fumosa* De Joannis,1927
 60223) *Bostra fuscella* Amsel,1959 (Pyrilidae) Synonym(s): *fuscella* Amsel,1959
 60224) *Bostra glaucalis* Hampson,1906 (Pyrilidae) Synonym(s): *glaucalis* Hampson,1906
 60225) *Bostra indicator* (Walker,1864) (Pyrilidae) Synonym(s): *indicator* Walker,1864
 60226) *Bostra kirmanialis* Amsel,1961 (Pyrilidae) Synonym(s): *kirmanialis* Amsel,1961

- 60227) *Bostra laristanalis* Amsel, 1961 (Pyrilidae) Synonym(s): *laristanalis* Amsel, 1961
 60228) *Bostra lateritialis* (Guenée, 1854) (Pyrilidae) Synonym(s): *lateritialis* Guenée, 1854
 60229) *Bostra luteocostalis* Amsel, 1950 (Pyrilidae) Synonym(s): *luteocostalis* Amsel, 1950
 60230) *Bostra maculilinea* Hampson, 1917 (Pyrilidae) Synonym(s): *maculilinea* Hampson, 1917
 60231) *Bostra marginalis* Rothschild, 1921 (Pyrilidae) Synonym(s): *marginalis* Rothschild, 1921
 60232) *Bostra minimalis* Amsel, 1949 (Pyrilidae) Synonym(s): *minimalis* Amsel, 1949
 60233) *Bostra mucidalis* (Guenée, 1854) (Pyrilidae) Synonym(s): *mucidalis* Guenée, 1854
 60234) *Bostra noctuina* Butler, 1875 (Pyrilidae) Synonym(s): *noctuina* Butler, 1875
 60235) *Bostra pallidicolor* Hampson, 1917 (Pyrilidae) Synonym(s): *pallidicolor* Hampson, 1917
 60236) *Bostra pallidifrons* Hampson, 1917 (Pyrilidae) Synonym(s): *pallidifrons* Hampson, 1917
 60237) *Bostra perrubida* Hampson, 1910 (Pyrilidae) Synonym(s): *perrubida* Hampson, 1910
 60238) *Bostra pseudospaniella* Amsel, 1951 (Pyrilidae) Synonym(s): *pseudospaniella* Amsel, 1951
 60239) *Bostra puncticostalis* Hampson, 1898 (Pyrilidae) Synonym(s): *puncticostalis* Hampson, 1898
 60240) *Bostra pyroxantha* Hampson, 1906 (Pyrilidae) Synonym(s): *pyroxantha* Hampson, 1906
 60241) *Bostra rufimarginalis* Hampson, 1906 (Pyrilidae) Synonym(s): *rufimarginalis* Hampson, 1906
 60242) *Bostra sentalis* Hampson, 1906 (Pyrilidae) Synonym(s): *sentalis* Hampson, 1906
 60243) *Bostra shirazalis* Amsel, 1961 (Pyrilidae) Synonym(s): *shirazalis* Amsel, 1961
 60244) *Bostra tenebralis* Hampson, 1906 (Pyrilidae) Synonym(s): *tenebralis* Hampson, 1906
 60245) *Bostra tripartita* Warren, 1897 (Pyrilidae) Synonym(s): *tripartita* Warren, 1897
 60246) *Bostra vetustalis* (Zeller, 1852) (Pyrilidae) Synonym(s): *vetustalis* Zeller, 1852
 60247) *Bostra xanthorhodalis* Hampson, 1906 (Pyrilidae) Synonym(s): *xanthorhodalis* Hampson, 1906
 60248) *Botyodes asialis* Guenée, 1854 (Pyrilidae) Synonym(s): *asialis* Guenée, 1854; *#iliputalis* Strand, 1913
 60249) *Botyodes borneensis* Munroe, 1960 (Pyrilidae) Synonym(s): *borneensis* Munroe, 1960
 60250) *Botyodes caldusalis* (Walker, 1859) (Pyrilidae) Synonym(s): *caldusalis* Walker, 1859
 60251) *Botyodes crocopteralis* Hampson, 1898 (Pyrilidae) Synonym(s): *crocopteralis* Hampson, 1898
 60252) *Botyodes principalis* Leech, 1889 (Pyrilidae) Synonym(s): *principalis* Leech, 1889
 60253) *Bradina aaronalis* Schaus, 1924 (Pyrilidae) Synonym(s): *aaronalis* Schaus, 1924
 60254) *Bradina acropila* (Meyrick, 1886) (Pyrilidae) Synonym(s): *acropila* Meyrick, 1886
 60255) *Bradina admixtalis* (Walker, 1859) (Pyrilidae) Synonym(s): *admixtalis* Walker, 1859; *panaeusalis* Walker, 1859; *tabidalis* Lederer, 1863; *sodalis* Lederer, 1863; *leptogastralis* Walker, [1866]; *avunculus* Saalmüller, 1880; *pallidalis* W. Warren, 1896
 60256) *Bradina atopalis* (Walker, 1859) (Pyrilidae) Synonym(s): *atopalis* Walker, 1859; *damasalis* Walker, 1859
 60257) *Bradina ceramica* Rothschild, 1915 (Pyrilidae) Synonym(s): *ceramica* Rothschild, 1915
 60258) *Bradina chlorionalis* Tams, 1935 (Pyrilidae) Synonym(s): *chlorionalis* Tams, 1935
 60259) *Bradina diagonalis* Guenée, 1854 (Pyrilidae) Synonym(s): *diagonalis* Guenée, 1854
 60260) *Bradina erilitoides* Strand, 1919 (Pyrilidae) Synonym(s): *erilitoides* Strand, 1919
 60261) *Bradina leptolopha* Tams, 1935 (Pyrilidae) Synonym(s): *leptolopha* Tams, 1935
 60262) *Bradina leucura* Hampson, 1897 (Pyrilidae) Synonym(s): *leucura* Hampson, 1897
 60263) *Bradina mannusalis* (Walker, 1859) (Pyrilidae) Synonym(s): *mannusalis* Walker, 1859
 60264) *Bradina melanoperas* Hampson, 1896 (Pyrilidae) Synonym(s): *melanoperas* Hampson, 1896
 60265) *Bradina modestalis* (Lederer, 1863) (Pyrilidae) Synonym(s): *modestalis* Lederer, 1863
 60266) *Bradina neuralis* Hampson, 1907 (Pyrilidae) Synonym(s): *neuralis* Hampson, 1907
 60267) *Bradina parbattoides* Tams, 1935 (Pyrilidae) Synonym(s): *parbattoides* Tams, 1935
 60268) *Bradina pycnolopha* Tams, 1935 (Pyrilidae) Synonym(s): *pycnolopha* Tams, 1935
 60269) *Bradina semnopa* (Meyrick, 1886) (Pyrilidae) Synonym(s): *seemnopa* Meyrick, 1886
 60270) *Bradyrrhoa cantenerella* (Duponchel, 1837) (Pyrilidae) Synonym(s): *cantenerella* Duponchel, 1837; *ravella* Heydenreich, 1851; *subflavella* Ragonot, 1887; *sardicolella* Schawerda, 1936; *variegatella* Lucas, 1948; *brunneella* Lucas, 1955
 60271) *Bradyrrhoa confiniella* Zeller, 1848 (Pyrilidae) Synonym(s): *confiniella* Zeller, 1848; *remotella* Mann, 1867; *nubigerella* Ragonot, 1893; *ifraneella* Lucas, 1956; *ebertella* Roesler, 1969
 60272) *Bradyrrhoa gilveolella* (Treitschke, 1833) (Pyrilidae) Synonym(s): *gilveolella* Treitschke, 1833
 60273) *Bradyrrhoa luteola* (La Harpe, 1860) (Pyrilidae) Synonym(s): *luteola* La Harpe, 1860
 60274) *Bradyrrhoa marianella* Ragonot, 1887 (Pyrilidae) Synonym(s): *marianella* Ragonot, 1887; *andryalella* Chrétien, 1911; *lyratella* Chrétien, 1926
 60275) *Bradyrrhoa mesobaphella* Ragonot, 1888 (Pyrilidae) Synonym(s): *mesobaphella* Ragonot, 1888
 60276) *Bradyrrhoa trapezella* (Duponchel, 1836) (Pyrilidae) Synonym(s): *trapezella* Duponchel, 1836; *cinerella* Duponchel, 1836; *saxeella* Zeller, 1848; *chalconiella* Herrisch-Schäffer, 1851; *seniella* Staudinger, 1879; *petryi* Schawerda, 1933.
 60277) *Bradyrrhoa trapezella ochrospilella* Rebel, 1892 (Pyrilidae) Synonym(s): *ochrospilella* Rebel, 1892
 60278) *Bradyrrhoa trapezella trapezella* (Duponchel, 1836) (Pyrilidae) Synonym(s): *trapezella* Duponchel, 1836; *cinerella* Duponchel, 1836; *saxeella* Zeller, 1848; *chalconiella* Herrisch-Schäffer, 1851; *seniella* Staudinger, 1879; *petryi* Schawerda, 1933.
 60279) *Brevicella emarginata* Kenrick, 1912 (Pyrilidae) Synonym(s): *emarginata* Kenrick, 1912
 60280) *Brihaspa atrostigmella* Moore, 1868 (Pyrilidae) Synonym(s): *atrostigmella* Moore, 1868
 60281) *Brihaspa bisangulata* Hampson, 1896 (Pyrilidae) Synonym(s): *bisangulata* Hampson, 1896
 60282) *Brihaspa chrysostoma* (Zeller, 1852) (Pyrilidae) Synonym(s): *chrysostoma* Zeller, 1852; *nigropunctella* Pagenstecher, 1893
 60283) *Burmanna marmorella* (South, 1901) (Pyrilidae) Synonym(s): *marmorella* South, 1901
 60284) *Cabotella inconspicua* Balinsky, 1994 (Pyrilidae) Synonym(s): *inconspicua* Balinsky, 1994
 60285) *Cabotella inconspicua inconspicua* Balinsky, 1994 (Pyrilidae) Synonym(s): *inconspicua* Balinsky, 1994
 60286) *Cactoblastis cactorum* (Berg, 1885) (Pyrilidae) Synonym(s): *cactorum* Berg, 1885
 60287) *Cactoblastis doddii* Heinrich, 1939 (Pyrilidae) Synonym(s): *doddii* Heinrich, 1939
 60288) *Cadarena sinuata* (Fabricius, 1781) (Pyrilidae) Synonym(s): *sinuata* Fabricius, 1781; *marginata* Stoll, 1782 nec Linn., 1758; *#pudoraria* Hübner, [1826]; *marginalis* Guenée, 1854
 60289) *Cadra abstersella* (Zeller, 1847) (Pyrilidae) Synonym(s): *abstersella* Zeller, 1847; *liguriella* Amsel, 1954.
 60290) *Cadra acuta* Horak, 1994 (Pyrilidae) Synonym(s): *acuta* Horak, 1994
 60291) *Cadra amselella* Roesler, 1965 (Pyrilidae) Synonym(s): *amselella* Roesler, 1965
 60292) *Cadra calidella* (Guenée, 1845) (Pyrilidae) Synonym(s): *calidella* Guenée, 1845; *#ficella* Douglas, 1851; *xanthotricha* Staudinger, 1859.
 60293) *Cadra cautella* (Walker, 1863) (Pyrilidae) Synonym(s): *cautella* Walker, 1863; *defectella* Walker, 1864; *desuetella* Walker, 1866; *passulella* Barrett, 1875; *formosella* Wileman & South, 1918; *rotundatella* Turati, 1930; *pelopis* Turner, 1947; *irakella* Amsel, 1959
 60294) *Cadra corniculata* Horak, 1994 (Pyrilidae) Synonym(s): *corniculata* Horak, 1994
 60295) *Cadra delatiniella* Roesler, 1965 (Pyrilidae) Synonym(s): *delatiniella* Roesler, 1965
 60296) *Cadra figulilella* (Gregson, 1871) (Pyrilidae) Synonym(s): *figulilella* Gregson, 1871; *milleri* Zeller, 1876; *gypsella* Ragonot, 1887; *venosella* Turati, 1926; *ernestiniella* Turati, 1927; *#halfaella* Roesler, 1965.
 60297) *Cadra furcatella* (Herrich-Schäffer, [1849]) (Pyrilidae) Synonym(s): *furcatella* Herrich-Schäffer, [1849]
 60298) *Cadra furcatella afflatella* (Mann, 1855) (Pyrilidae) Synonym(s): *afflatella* Mann, 1855
 60299) *Cadra furcatella albidella* Roesler, 1964 (Pyrilidae) Synonym(s): *albidella* Roesler, 1964
 60300) *Cadra furcatella asiatica* Roesler, 1965 (Pyrilidae) Synonym(s): *asiatica* Roesler, 1965
 60301) *Cadra furcatella baptella* (Ragonot, 1887) (Pyrilidae) Synonym(s): *baptella* Ragonot, 1887; *zosteriella* Ragonot, 1887; *interfusella* Ragonot, 1901.
 60302) *Cadra furcatella calonella* (Ragonot, 1888) (Pyrilidae) Synonym(s): *calonella* Ragonot, 1888; *buckwelli* Lucas, 1954
 60303) *Cadra furcatella furcatella* (Herrich-Schäffer, [1849]) (Pyrilidae) Synonym(s): *furcatella* Herrich-Schäffer, [1849]; *reductella* Mann, 1864; *inductella* Staudinger, 1879; *irroratella* Ragonot, 1887; *constrictella* Caradja, 1929; *zenggiella* Amsel, 1955.
 60304) *Cadra glycyphloeas* (Meyrick, 1935) (Pyrilidae) Synonym(s): *glycyphloeas* Meyrick, 1935
 60305) *Cadra perfasciata* Horak, 1994 (Pyrilidae) Synonym(s): *perfasciata* Horak, 1994
 60306) *Cadra reniformis* Horak, 1994 (Pyrilidae) Synonym(s): *reniformis* Horak, 1994
 60307) *Cadra rugosa* Horak, 1994 (Pyrilidae) Synonym(s): *rugosa* Horak, 1994

- 60308) *Caffrocrambus alcibiades* Bleszynski, 1961 (Pyralidae) Synonym(s): *alcibiades* Bleszynski, 1961
60309) *Caffrocrambus alcibiades* Bleszynski, 1961 (Pyralidae) Synonym(s): *alcibiades* Bleszynski, 1961
60310) *Caffrocrambus chalcimerus* (Hampson, 1919) (Pyralidae) Synonym(s): *chalcimerus* Hampson, 1919
60311) *Caffrocrambus chalcimerus* *chalcimerus* (Hampson, 1919) (Pyralidae) Synonym(s): *chalcimerus* Hampson, 1919
60312) *Caffrocrambus decolorelloides* Bleszynski, 1970 (Pyralidae) Synonym(s): *decolorelloides* Bleszynski, 1970
60313) *Caffrocrambus decolorellus* (Walker, 1866) (Pyralidae) Synonym(s): *decolorellus* Walker, 1866
60314) *Caffrocrambus dichotomellus* (Hampson, 1919) (Pyralidae) Synonym(s): *dichotomellus* Hampson, 1919
60315) *Caffrocrambus dichotomellus* *dichotomellus* (Hampson, 1919) (Pyralidae) Synonym(s): *dichotomellus* Hampson, 1919
60316) *Caffrocrambus leucofascialis* (Janse, 1922) (Pyralidae) Synonym(s): *leucofascialis* Janse, 1922
60317) *Caffrocrambus ochreus* Bleszynski, 1970 (Pyralidae) Synonym(s): *ochreus* Bleszynski, 1970
60318) *Caffrocrambus sordidella* (Marion, 1957) (Pyralidae) Synonym(s): *sordidella* Marion, 1957
60319) *Caffrocrambus sordidellus* (Marion, 1957) (Pyralidae) Synonym(s): *sordidellus* Marion, 1957
60320) *Caffrocrambus undilineatus* (Hampson, 1919) (Pyralidae) Synonym(s): *undilineatus* Hampson, 1919
60321) *Caina deletella* Ragonot, 1893 (Pyralidae) Synonym(s): *deletella* Ragonot, 1893
60322) *Caina inanitella* (Ragonot, 1888) (Pyralidae) Synonym(s): *inanitella* Ragonot, 1888
60323) *Calamochrous acutellus* (Eversmann, 1842) (Pyralidae) Synonym(s): *acutellus* Eversmann, 1842; *acutalis* Guenée, 1854
60324) *Calamochrous chilonalis* Lederer, 1863 (Pyralidae) Synonym(s): *chilonalis* Lederer, 1863
60325) *Calamochrous flavimarginalis* Hampson, 1913 (Pyralidae) Synonym(s): *flavimarginalis* Hampson, 1913
60326) *Calamochrous pallidalis* Hampson, 1900 (Pyralidae) Synonym(s): *pallidalis* Hampson, 1900
60327) *Calamochrous pyraustalis* Strand, 1918 (Pyralidae) Synonym(s): *pyraustalis* Strand, 1918
60328) *Calamochrous tranquillalis* (Lederer, 1863) (Pyralidae) Synonym(s): *tranquillalis* Lederer, 1863
60329) *Calamoschoena stictalis* Hampson, 1919 (Pyralidae) Synonym(s): *stictalis* Hampson, 1919
60330) *Calamotropa pulverivena* Hampson, 1918 (Pyralidae) Synonym(s): *pulverivena* Hampson, 1918
60331) *Calamotropa abjectella* Snellen, 1872 (Pyralidae) Synonym(s): *abjectella* Snellen, 1872
60332) *Calamotropa aeneiciliella* (Joannis, 1930) (Pyralidae) Synonym(s): *aeneiciliella* Joannis, 1930
60333) *Calamotropa agryppina* Bleszynski, 1961 (Pyralidae) Synonym(s): *agryppina* Bleszynski, 1961
60334) *Calamotropa albidalis* (Hampson, 1919) (Pyralidae) Synonym(s): *albidalis* Hampson, 1919
60335) *Calamotropa albitrigella* (Hampson, 1896) (Pyralidae) Synonym(s): *albitrigella* Hampson, 1896
60336) *Calamotropa alcesta* Bleszynski, 1961 (Pyralidae) Synonym(s): *alcesta* Bleszynski, 1961
60337) *Calamotropa anticella* (Walker, 1866) (Pyralidae) Synonym(s): *anticellus* Walker, 1866
60338) *Calamotropa anticella* *anticella* (Walker, 1866) (Pyralidae) Synonym(s): *anticellus* Walker, 1866
60339) *Calamotropa arachnophaga* (Strand, 1918) (Pyralidae) Synonym(s): *arachnophaga* Strand, 1918
60340) *Calamotropa argenteociliella* Pagenstecher, 1893 (Pyralidae) Synonym(s): *argenteociliella* Pagenstecher, 1893
60341) *Calamotropa argenticilia* (Hampson, 1896) (Pyralidae) Synonym(s): *argenticilia* Hampson, 1896
60342) *Calamotropa argenticilia* *argenticilia* (Hampson, 1896) (Pyralidae) Synonym(s): *argenticilia* Hampson, 1896
60343) *Calamotropa argyrostola* (Hampson, 1919) (Pyralidae) Synonym(s): *argyrostola* Hampson, 1919
60344) *Calamotropa argyrostola* *argyrostola* (Hampson, 1919) (Pyralidae) Synonym(s): *argyrostola* Hampson, 1919
60345) *Calamotropa athena* Bleszynski, 1961 (Pyralidae) Synonym(s): *athena* Bleszynski, 1961
60346) *Calamotropa atkinsoni* (Zeller, 1863) (Pyralidae) Synonym(s): *atkinsoni* Zeller, 1863; *fuscicostella* Snellen, 1880; *holodryas* Meyrick, 1933
60347) *Calamotropa atkinsoni* *atkinsoni* (Zeller, 1863) (Pyralidae) Synonym(s): *atkinsoni* Zeller, 1863; *fuscicostella* Snellen, 1880; *holodryas* Meyrick, 1933
60348) *Calamotropa atkinsoni* *malaica* Bleszynski, 1961 (Pyralidae) Synonym(s): *malaica* Bleszynski, 1961
60349) *Calamotropa aureliella* (Fischer v. Röslerstamm, [1841]) (Pyralidae) Synonym(s): *aureliella* Fischer v. Röslerstamm, [1841]; *fulvineata* Okano, 1958.
60350) *Calamotropa aureliella* *kikuchii* Okano, 1960 (Pyralidae) Synonym(s): *kikuchii* Okano, 1960
60351) *Calamotropa aureliella* *korbi* (Caradja, 1910) (Pyralidae) Synonym(s): *korbi* Caradja, 1910
60352) *Calamotropa azumai* Bleszynski, 1960 (Pyralidae) Synonym(s): *azumai* Bleszynski, 1960
60353) *Calamotropa baibarella* (Shibuya, 1928) (Pyralidae) Synonym(s): *baibarella* Shibuya, 1928; *sattleri* Bleszynski, 1961
60354) *Calamotropa bicornutella* Bleszynski, 1961 (Pyralidae) Synonym(s): *bicornutella* Bleszynski, 1961
60355) *Calamotropa bradleyi* Bleszynski, 1960 (Pyralidae) Synonym(s): *bradleyi* Bleszynski, 1960
60356) *Calamotropa brevilinea* (South, 1901) (Pyralidae) Synonym(s): *brevilinea* South, 1901
60357) *Calamotropa brevistrigella* (Caradja, 1932) (Pyralidae) Synonym(s): *brevistrigella* Caradja, 1932
60358) *Calamotropa caesella* (Walker, 1863) (Pyralidae) Synonym(s): *caesella* Walker, 1863; *famulella* Walker, 1866
60359) *Calamotropa caesella* *caesella* (Walker, 1863) (Pyralidae) Synonym(s): *caesella* Walker, 1863; *famulella* Walker, 1866
60360) *Calamotropa cleopatra* Bleszynski, 1961 (Pyralidae) Synonym(s): *cleopatra* Bleszynski, 1961
60361) *Calamotropa corticella* (Hampson, 1899) (Pyralidae) Synonym(s): *corticella* Hampson, 1899
60362) *Calamotropa danutae* Bleszynski, 1961 (Pyralidae) Synonym(s): *danutae* Bleszynski, 1961
60363) *Calamotropa delatalis* (Walker, 1863) (Pyralidae) Synonym(s): *delatalis* Walker, 1863
60364) *Calamotropa diakonoffi* Bleszynski, 1961 (Pyralidae) Synonym(s): *diakonoffi* Bleszynski, 1961
60365) *Calamotropa diakonoffi* *diakonoffi* Bleszynski, 1961 (Pyralidae) Synonym(s): *diakonoffi* Bleszynski, 1961
60366) *Calamotropa dielota* Meyrick, 1886 (Pyralidae) Synonym(s): *dielota* Meyrick, 1886
60367) *Calamotropa diodonta* (Hampson, 1919) (Pyralidae) Synonym(s): *diodonta* Hampson, 1919
60368) *Calamotropa discella* (Walker, 1863) (Pyralidae) Synonym(s): *discella* Walker, 1863; *mesoscia* Hampson, 1919
60369) *Calamotropa endopolia* (Hampson, 1912) (Pyralidae) Synonym(s): *endopolia* Hampson, 1912
60370) *Calamotropa formosella* Bleszynski, 1961 (Pyralidae) Synonym(s): *formosella* Bleszynski, 1961
60371) *Calamotropa franki* (Caradja, 1931) (Pyralidae) Synonym(s): *franki* Caradja, 1931
60372) *Calamotropa fulvifusalis* (Hampson, 1900) (Pyralidae) Synonym(s): *fulvifusalis* Hampson, 1900; *shibuyae* Matsumura, 1927; *asagirii* Okano, 1959.
60373) *Calamotropa fuscicostella* Snellen, 1880 (Pyralidae) Synonym(s): *fuscicostella* Snellen, 1880
60374) *Calamotropa fuscilineatella* (Lucas, 1938) (Pyralidae) Synonym(s): *fuscilineatella* Lucas, 1938
60375) *Calamotropa fuscivittalis* (Hampson, 1900) (Pyralidae) Synonym(s): *fuscivittalis* Hampson, 1900
60376) *Calamotropa hackeri* Ganev, 1985 (Pyralidae) Synonym(s): *hackeri* Ganev, 1985
60377) *Calamotropa haplora* (Turner, 1911) (Pyralidae) Synonym(s): *haplorus* Turner, 1911
60378) *Calamotropa heliocausta* (Wallengren, 1876) (Pyralidae) Synonym(s): *heliocausta* Wallengren, 1876
60379) *Calamotropa heliocausta* *heliocausta* (Wallengren, 1876) (Pyralidae) Synonym(s): *heliocausta* Wallengren, 1876
60380) *Calamotropa hierichuntica* Zeller, 1867 (Pyralidae) Synonym(s): *hierichuntica* Zeller, 1867; *orontella* Ragonot, 1895; *leucaniellus* Zerny, 1914.
60381) *Calamotropa indica* Bleszynski, 1961 (Pyralidae) Synonym(s): *indica* Bleszynski, 1961
60382) *Calamotropa janusella* Bleszynski, 1961 (Pyralidae) Synonym(s): *janusella* Bleszynski, 1961
60383) *Calamotropa janusella* *janusella* Bleszynski, 1961 (Pyralidae) Synonym(s): *janusella* Bleszynski, 1961
60384) *Calamotropa javaica* Bleszynski, 1961 (Pyralidae) Synonym(s): *javaica* Bleszynski, 1961
60385) *Calamotropa josettae* Bleszynski, 1961 (Pyralidae) Synonym(s): *josettae* Bleszynski, 1961
60386) *Calamotropa joskealla* Bleszynski, 1961 (Pyralidae) Synonym(s): *joskealla* Bleszynski, 1961
60387) *Calamotropa kuchleini* Bleszynski, 1961 (Pyralidae) Synonym(s): *kuchleini* Bleszynski, 1961
60388) *Calamotropa latella* (Snellen, 1890) (Pyralidae) Synonym(s): *latella* Snellen, 1890
60389) *Calamotropa lattini* Bleszynski, 1961 (Pyralidae) Synonym(s): *lattini* Bleszynski, 1961
60390) *Calamotropa leptogrammella* (Meyrick, 1879) (Pyralidae) Synonym(s): *leptogrammellus* Meyrick, 1879; *crossospila* Turner, 1947
60391) *Calamotropa lupatus* (Meyrick, 1932) (Pyralidae) Synonym(s): *lupatus* Meyrick, 1932
60392) *Calamotropa martini* Bleszynski, 1961 (Pyralidae) Synonym(s): *martini* Bleszynski, 1961
60393) *Calamotropa megalopunctata* Bleszynski, 1961 (Pyralidae) Synonym(s): *megalopunctata* Bleszynski, 1961
60394) *Calamotropa megalopunctata* *megalopunctata* Bleszynski, 1961 (Pyralidae) Synonym(s): *megalopunctata* Bleszynski, 1961
60395) *Calamotropa melanosticta* (Hampson, 1896) (Pyralidae) Synonym(s): *melanostictus* Hampson, 1896
60396) *Calamotropa melanosticta* *melanosticta* (Hampson, 1896) (Pyralidae) Synonym(s): *melanostictus* Hampson, 1896
60397) *Calamotropa melli* (Caradja & Meyrick, 1933) (Pyralidae) Synonym(s): *melli* Caradja & Meyrick, 1933

- 60398) *Calamotropha mesostrigalis* (Hampson,1919) (Pyralidae) Synonym(s): *mesostrigalis* Hampson,1919
60399) *Calamotropha mimosa* Bleszynski,1961 (Pyralidae) Synonym(s): *mimosa* Bleszynski,1961
60400) *Calamotropha neurigrammalis* (Hampson,1912) (Pyralidae) Synonym(s): *neurigrammalis* Hampson,1912
60401) *Calamotropha nigripunctella* (Leech,1889) (Pyralidae) Synonym(s): *nigripunctella* Leech,1889; *hoenei* Caradja & Meyrick,1935.
60402) *Calamotropha niveicostella* (Hampson,1919) (Pyralidae) Synonym(s): *niveicostella* Hampson,1919
60403) *Calamotropha obliterans* (Walker,1863) (Pyralidae) Synonym(s): *obliterans* Walker,1863; *condidifer* Walker,1863; *#candifer* Hampson,1896
60404) *Calamotropha ocularis* (Snellen,1893) (Pyralidae) Synonym(s): *ocularis* Snellen,1893
60405) *Calamotropha ocularis ocularis* (Snellen,1893) (Pyralidae) Synonym(s): *ocularis* Snellen,1893
60406) *Calamotropha okanoi* Bleszynski,1961 (Pyralidae) Synonym(s): *okanoi* Bleszynski,1961
60407) *Calamotropha paludella* (Hübner,[1824]) (Pyralidae) Synonym(s): *paludella* Hübner,[1824]; *obtusellus* Stainton,1856; *paramattellus* Meyrick,1879; *carpherus* Hampson,1898; *nivellus* Rebel,1914; *calamosus* Hampson,1919; *durandi* Lucas,1931; *typhivorus* Meyrick,1932; *#digitatus* Osthelder,1937; *afghanistanica* Bleszynski,1959.
60408) *Calamotropha psaltrias* (Meyrick,1933) (Pyralidae) Synonym(s): *psaltrias* Meyrick,1933
60409) *Calamotropha pseudodielota* Bleszynski,1961 (Pyralidae) Synonym(s): *pseudodielota* Bleszynski,1961
60410) *Calamotropha punctivenella* (Hampson,1896) (Pyralidae) Synonym(s): *punctivenella* Hampson,1896
60411) *Calamotropha punctivenella punctivenella* (Hampson,1896) (Pyralidae) Synonym(s): *punctivenella* Hampson,1896
60412) *Calamotropha purella* (Leech,1889) (Pyralidae) Synonym(s): *purella* Leech,1889; *flaviguttellus* Wileman & South,1917; *chionostola* Hampson,1919; *angulatus* Shibuya,1928; *inouei* Bleszynski,1959
60413) *Calamotropha purella aurifusalis* (Caradja,1927) (Pyralidae) Synonym(s): *aurifusalis* Caradja,1927
60414) *Calamotropha robustella* Snellen,1872 (Pyralidae) Synonym(s): *robustella* Snellen,1872
60415) *Calamotropha saturnella* Bleszynski,1961 (Pyralidae) Synonym(s): *saturnella* Bleszynski,1961
60416) *Calamotropha schoenmanni* Bleszynski,1961 (Pyralidae) Synonym(s): *schoenmanni* Bleszynski,1961
60417) *Calamotropha schwarzi* Bleszynski,1961 (Pyralidae) Synonym(s): *schwarzi* Bleszynski,1961
60418) *Calamotropha shichito* (Marumo,1931) (Pyralidae) Synonym(s): *shichito* Marumo,1931; *subfamulella* Caradja & Meyrick,1936.
60419) *Calamotropha sienkiewiczi* Bleszynski,1961 (Pyralidae) Synonym(s): *sienkiewiczi* Bleszynski,1961
60420) *Calamotropha* sp. (Pyralidae) Synonym(s):
60421) *Calamotropha stachi* Bleszynski,1961 (Pyralidae) Synonym(s): *stachi* Bleszynski,1961
60422) *Calamotropha subalcesta* Bleszynski,1961 (Pyralidae) Synonym(s): *subalcesta* Bleszynski,1961
60423) *Calamotropha subdiodonta* Bleszynski,1961 (Pyralidae) Synonym(s): *subdiodonta* Bleszynski,1961
60424) *Calamotropha subfamulella* (Caradja & Meyrick,1936) (Pyralidae) Synonym(s): *subfamulella* Caradja & Meyrick,1936
60425) *Calamotropha subterminella* (Wileman & South,1917) (Pyralidae) Synonym(s): *subterminella* Wileman & South,1917
60426) *Calamotropha sumatraella* Bleszynski,1961 (Pyralidae) Synonym(s): *sumatraella* Bleszynski,1961
60427) *Calamotropha tonsalis* (Walker,1863) (Pyralidae) Synonym(s): *tonsalis* Walker,1863
60428) *Calamotropha torpidella* (Zeller,1852) (Pyralidae) Synonym(s): *torpidella* Zeller,1852
60429) *Calamotropha toxophora* (Joannis,1927) (Pyralidae) Synonym(s): *toxophorus* Joannis,1927
60430) *Calamotropha tripartita* (Hampson,1919) (Pyralidae) Synonym(s): *tripartitus* Hampson,1919
60431) *Calamotropha tripartita tripartita* (Hampson,1919) (Pyralidae) Synonym(s): *tripartitus* Hampson,1919
60432) *Calamotropha unicolorella* (Zeller,1863) (Pyralidae) Synonym(s): *unicolorellus* Zeller,1863; *abbreviatellus* Walker,1866
60433) *Calamotropha unicolorella unicolorella* (Zeller,1863) (Pyralidae) Synonym(s): *unicolorellus* Zeller,1863; *abbreviatellus* Walker,1866
60434) *Calamotropha venera* Bleszynski,1961 (Pyralidae) Synonym(s): *venera* Bleszynski,1961
60435) *Calamotropha venera venera* Bleszynski,1961 (Pyralidae) Synonym(s): *venera* Bleszynski,1961
60436) *Calamotropha wallengreni* Bleszynski,1961 (Pyralidae) Synonym(s): *wallengreni* Bleszynski,1961
60437) *Calamotropha wallengreni wallengreni* Bleszynski,1961 (Pyralidae) Synonym(s): *wallengreni* Bleszynski,1961
60438) *Calamotropha xanthypa* Bleszynski,1961 (Pyralidae) Synonym(s): *xanthypa* Bleszynski,1961
60439) *Calamotropha xanthypa xanthypa* Bleszynski,1961 (Pyralidae) Synonym(s): *xanthypa* Bleszynski,1961
60440) *Calamotropha yamanakai* Inoue,1958 (Pyralidae) Synonym(s): *yamanakai* Inoue,1958
60441) *Calamotropodes grisella* Janse,1922 (Pyralidae) Synonym(s): *grisella* Janse,1922
60442) *Calguia aspicella* (Ragonot,1889) (Pyralidae) Synonym(s): *aspicella* Ragonot,1889
60443) *Calguia defiguralis* Walker,1863 (Pyralidae) Synonym(s): *defiguralis* Walker,1863; *auritipalpus* Moore,[1886]; *palpella* Ragonot,1888; *bistriella* Pagenstecher,1900; *crocogastra* Meyrick,1934
60444) *Calguia deltophora* (Lower,1903) (Pyralidae) Synonym(s): *deltophora* Lower,1903; *leucomilta* Lower,1903
60445) *Calguia garuda* Roesler & Küppers,1979 (Pyralidae) Synonym(s): *garuda* Roesler & Küppers,1979
60446) *Calguia hapalanthes* (Meyrick,1932) (Pyralidae) Synonym(s): *hapalanthes* Meyrick,1932
60447) *Callionyma sarcodes* Meyrick,1883 (Pyralidae) Synonym(s): *sarcodes* Meyrick,1883
60448) *Calomacalla metachryseis* (Hampson,1906) (Pyralidae) Synonym(s): *metachryseis* Hampson,1906
60449) *Camptomastix hisbonalis* (Walker,1859) (Pyralidae) Synonym(s): *hisbonalis* Walker,1859; *pacalis* Leech,1889; *longipalpis* Butler,1889; *areolifera* Strand,1918
60450) *Candiope joannisella* Ragonot,1888 (Pyralidae) Synonym(s): *joannisella* Ragonot,1888
60451) *Candiope sahariensis* (Rothschild,1921) (Pyralidae) Synonym(s): *sahariensis* Rothschild,1921; *pseudodiscomaculella* Amsel,1935
60452) *Candiope syntaractis* (Turner,1904) (Pyralidae) Synonym(s): *syntaractis* Turner,1904
60453) *Candiopella dukei* Balinsky,1994 (Pyralidae) Synonym(s): *dukei* Balinsky,1994
60454) *Candiopella dukei dukei* Balinsky,1994 (Pyralidae) Synonym(s): *dukei* Balinsky,1994
60455) *Cangetta ammochroa* Turner,1915 (Pyralidae) Synonym(s): *ammochroa* Turner,1915
60456) *Cangetta aurantiaca* Hampson,1906 (Pyralidae) Synonym(s): *aurantiaca* Hampson,1906; *crocoptila* Turner,1937
60457) *Cangetta haematera* (Turner,1937) (Pyralidae) Synonym(s): *haematera* Turner,1937
60458) *Cangetta hartoghialis* (Snellen,1872) (Pyralidae) Synonym(s): *hartoghialis* Snellen,1872; *rectilinea* Moore,[1886]; *griseolalis* Hampson,1893
60459) *Cangetta tridentalis* (Snellen,1872) (Pyralidae) Synonym(s): *tridentalis* Snellen,1872
60460) *Canipsa poliochyta* (Turner,1904) (Pyralidae) Synonym(s): *poliochyta* Turner,1904
60461) *Cantheleamima excisa* Balinsky,1994 (Pyralidae) Synonym(s): *excisa* Balinsky,1994
60462) *Cantheleamima excisa excisa* Balinsky,1994 (Pyralidae) Synonym(s): *excisa* Balinsky,1994
60463) *Canuza acmias* Meyrick,1897 (Pyralidae) Synonym(s): *acmias* Meyrick,1897
60464) *Canuza euspilella* Walker,1866 (Pyralidae) Synonym(s): *euspilella* Walker,1866; *mirabilella* Meyrick,1878
60465) *Caprinia conchylalis* (Guenée) (Pyralidae) Synonym(s):
60466) *Caprinia felderi* Lederer,1863 (Pyralidae) Synonym(s): *felderi* Lederer,1863
60467) *Cardamyla carinentalis* Walker,1859 (Pyralidae) Synonym(s): *carinentalis* Walker,1859
60468) *Cardamyla didymalis* Walker,1859 (Pyralidae) Synonym(s): *didymalis* Walker,1859; *#arctandalis* Lucas,1890.
60469) *Cardamyla eurycroca* Turner,1937 (Pyralidae) Synonym(s): *eurycroca* Turner,1937
60470) *Cardamyla hercophora* (Meyrick,1884) (Pyralidae) Synonym(s): *hercophora* Meyrick,1884
60471) *Cataclysta amboinalis* Hampson,1917 (Pyralidae) Synonym(s): *amboinalis* Hampson,1917
60472) *Cataclysta angulata* Moore,1885 (Pyralidae) Synonym(s): *angulata* Moore,1885
60473) *Cataclysta anicitalis* Schaus,1924 (Pyralidae) Synonym(s): *anicitalis* Schaus,1924
60474) *Cataclysta argyrochrysalis* Mabille,1900 (Pyralidae) Synonym(s): *argyrochrysalis* Mabille,1900
60475) *Cataclysta argyrolepta* Dyar,1914 (Pyralidae) Synonym(s): *argyrolepta* Dyar,1914
60476) *Cataclysta atriterminalis* Hampson,1917 (Pyralidae) Synonym(s): *atriterminalis* Hampson,1917
60477) *Cataclysta autobella* Dyar,1914 (Pyralidae) Synonym(s): *autobella* Dyar,1914
60478) *Cataclysta azadasalis* Schaus,1924 (Pyralidae) Synonym(s): *azadasalis* Schaus,1924
60479) *Cataclysta bijonalis* Dyar,1914 (Pyralidae) Synonym(s): *bijonalis* Dyar,1914
60480) *Cataclysta blandialis* (Walker,1859) (Pyralidae) Synonym(s): *blandialis* Walker,1859; *patnalis* R.Felder & Rogenhofer,1875; *stipalis* Snellen,1880; *cuneifera* Moore,1885; *junctalis* Hampson,1891; *nigritalis* Hampson,1893; *mesorpha* Meyrick,1894; *xanthbathra* Meyrick,1894; *perirorata* Hampson,1917; *#bombayensis* Klima,1937

- 60481) *Cataclysta bronachalis* Schaus,1924 (Pyrilidae) Synonym(s): *bronachalis* Schaus,1924
60482) *Cataclysta callichromalis* Mabilie,1878 (Pyrilidae) Synonym(s): *callichromalis* Mabilie,1878
60483) *Cataclysta camptozonele* (Hampson,1897) (Pyrilidae) Synonym(s): *camptozonele* Hampson,1897
60484) *Cataclysta cancellalis* (Dyar,1917) (Pyrilidae) Synonym(s): *cancellalis* Dyar,1917
60485) *Cataclysta chalcitis* R.Felder & Rogenhofer,1874 (Pyrilidae) Synonym(s): *chalcitis* R.Felder & Rogenhofer,1874
60486) *Cataclysta chionostola* Hampson,1917 (Pyrilidae) Synonym(s): *chionostola* Hampson,1917
60487) *Cataclysta claudialis* Walker,1869 (Pyrilidae) Synonym(s): *claudialis* Walker,1869
60488) *Cataclysta complicatalis* Dyar,1914 (Pyrilidae) Synonym(s): *complicatalis* Dyar,1914
60489) *Cataclysta croesusalis* Walker,1859 (Pyrilidae) Synonym(s): *croesusalis* Walker,1859; *trigonalis* Swinhoe,1895
60490) *Cataclysta croesusalis angustalis* Caradja,1925 (Pyrilidae) Synonym(s): *angustalis* Caradja,1925
60491) *Cataclysta cyanolitha* Meyrick,1886 (Pyrilidae) Synonym(s): *cyanolitha* Meyrick,1886
60492) *Cataclysta dasymalis* Dyar,1926 (Pyrilidae) Synonym(s): *dasymalis* Dyar,1926
60493) *Cataclysta dialitha* Dyar,1914 (Pyrilidae) Synonym(s): *dialitha* Dyar,1914
60494) *Cataclysta divusalis* Walker,1865 (Pyrilidae) Synonym(s): *divusalis* Walker,1865
60495) *Cataclysta drususalis* Walker,1859 (Pyrilidae) Synonym(s): *drususalis* Walker,1859; *drusialis* Lederer,1863
60496) *Cataclysta euclidialis* Hampson,1906 (Pyrilidae) Synonym(s): *euclidialis* Hampson,1906
60497) *Cataclysta eumalis* Druce,1896 (Pyrilidae) Synonym(s): *eumalis* Druce,1896
60498) *Cataclysta fuscalis* Hampson,1893 (Pyrilidae) Synonym(s): *fuscalis* Hampson,1893; *nyctopis* Meyrick,1894
60499) *Cataclysta glycsalis* Dyar,1914 (Pyrilidae) Synonym(s): *glycsalis* Dyar,1914
60500) *Cataclysta guenealis* (Snellen,1875) (Pyrilidae) Synonym(s): *guenealis* Snellen,1875; *guenealis* Hampson,1897; *trilinealis* Warren,1899
60501) *Cataclysta hexalitha* Meyrick,1886 (Pyrilidae) Synonym(s): *hexalitha* Meyrick,1886
60502) *Cataclysta ilialis* Walker,1859 (Pyrilidae) Synonym(s): *ilialis* Walker,1859
60503) *Cataclysta imitabilis* (Dyar,1917) (Pyrilidae) Synonym(s): *imitabilis* Dyar,1917
60504) *Cataclysta iolepta* Dyar,1914 (Pyrilidae) Synonym(s): *iolepta* Dyar,1914
60505) *Cataclysta lampetialis* Walker,1859 (Pyrilidae) Synonym(s): *lampetialis* Walker,1859
60506) *Cataclysta lemnata* (Linnaeus,1758) (Pyrilidae) Synonym(s): *lemnata* Linnaeus,1758; *lemnalis* [Denis & Schiffmüller],1775; *uliginata* Fabricius,1794; *confirmata* Krulikowsky,1909; *brunneospersa* Osthelder,1935.
60507) *Cataclysta lerioi* Strand,1914 (Pyrilidae) Synonym(s): *lerioi* Strand,1914
60508) *Cataclysta magnificalis* (Hübner,1796) (Pyrilidae) Synonym(s): *magnificalis* Hübner,1796; *lamialis* Walker,1859; *heliopalis* Clemens,1860; *helopalis* Hampson,1897
60509) *Cataclysta mangholdalis* Schaus,1924 (Pyrilidae) Synonym(s): *mangholdalis* Schaus,1924
60510) *Cataclysta marginipuncta* Turner,1937 (Pyrilidae) Synonym(s): *marginipuncta* Turner,1937
60511) *Cataclysta medicinalis* Grote,1881 (Pyrilidae) Synonym(s): *medicinalis* Grote,1881; *claudialis* Dyar,1906
60512) *Cataclysta melanolitha* (Turner,1908) (Pyrilidae) Synonym(s): *melanolitha* Turner,1908
60513) *Cataclysta melaternalis* Hampson,1906 (Pyrilidae) Synonym(s): *melaternalis* Hampson,1906
60514) *Cataclysta meropalis* (Walker,1859) (Pyrilidae) Synonym(s): *meropalis* Walker,1859; *actoralis* Walker,1859
60515) *Cataclysta metastictalis* (Hampson,1917) (Pyrilidae) Synonym(s): *metastictalis* Hampson,1917
60516) *Cataclysta midas* Butler,1881 (Pyrilidae) Synonym(s): *midas* Butler,1881
60517) *Cataclysta minimalis* Herrich-Schäffer,1871 (Pyrilidae) Synonym(s): *minimalis* Herrich-Schäffer,1871
60518) *Cataclysta miralis* Möschler,1896 (Pyrilidae) Synonym(s): *miralis* Möschler,1896
60519) *Cataclysta moniligeralis* (Lederer,1863) (Pyrilidae) Synonym(s): *moniligeralis* Lederer,1863
60520) *Cataclysta nigristriata* Hampson,1917 (Pyrilidae) Synonym(s): *nigristriata* Hampson,1917
60521) *Cataclysta nyasalis* Hampson,1917 (Pyrilidae) Synonym(s): *nyasalis* Hampson,1917
60522) *Cataclysta obliquifascia* Hampson,1917 (Pyrilidae) Synonym(s): *obliquifascia* Hampson,1917
60523) *Cataclysta opulentalis* Lederer,1863 (Pyrilidae) Synonym(s): *opulentalis* Lederer,1863; *divisalis* Walker,1865
60524) *Cataclysta peraltalis* Schaus,1912 (Pyrilidae) Synonym(s): *peraltalis* Schaus,1912
60525) *Cataclysta perirrorata* Hampson,1917 (Pyrilidae) Synonym(s): *perirrorata* Hampson,1917
60526) *Cataclysta phocosalis* Schaus,1924 (Pyrilidae) Synonym(s): *phocosalis* Schaus,1924
60527) *Cataclysta polyrrapha* Turner,1937 (Pyrilidae) Synonym(s): *polyrrapha* Turner,1937
60528) *Cataclysta pomperialis* Druce,1896 (Pyrilidae) Synonym(s): *pomperialis* Druce,1896
60529) *Cataclysta psathyrodes* Turner,1908 (Pyrilidae) Synonym(s): *psathyrodes* Turner,1908
60530) *Cataclysta pulcherialis* Druce,1896 (Pyrilidae) Synonym(s): *pulcherialis* Druce,1896
60531) *Cataclysta pusillalis* Saalmüller,1879 (Pyrilidae) Synonym(s): *pusillalis* Saalmüller,1879
60532) *Cataclysta romanalis* Druce,1896 (Pyrilidae) Synonym(s): *romanalis* Druce,1896
60533) *Cataclysta scalaris* Schaus,1906 (Pyrilidae) Synonym(s): *scalaris* Schaus,1906
60534) *Cataclysta schaefferalis* (Dyar,1906) (Pyrilidae) Synonym(s): *schaefferalis* Dyar,1906
60535) *Cataclysta sumptuosalis* Möschler,1890 (Pyrilidae) Synonym(s): *sumptuosalis* Möschler,1890
60536) *Cataclysta tamsi* Klima,1937 (Pyrilidae) Synonym(s): *dialitha* Tams,1935 nec Dy.,1914; *tamsi* Klima,1937
60537) *Cataclysta tessellalis* Hampson,1897 (Pyrilidae) Synonym(s): *tessellalis* Hampson,1897
60538) *Cataclysta trimacula* Hampson,1891 (Pyrilidae) Synonym(s): *trimacula* Hampson,1891
60539) *Cataclysta tripunctalis* Snellen,1872 (Pyrilidae) Synonym(s): *tripunctalis* Snellen,1872
60540) *Cataclysta unilinealis* Dyar,1914 (Pyrilidae) Synonym(s): *unilinealis* Dyar,1914
60541) *Cataclysta vacuolata* Dyar,1914 (Pyrilidae) Synonym(s): *vacuolata* Dyar,1914
60542) *Cataclysta zelota* Dyar,1914 (Pyrilidae) Synonym(s): *zelota* Dyar,1914
60543) *Catagela adoceta* Common,1960 (Pyrilidae) Synonym(s): *adoceta* Common,1960
60544) *Catalaodes malgassialis* Viette,1953 (Pyrilidae) Synonym(s): *malgassialis* Viette,1953
60545) *Catamola funerea* (Walker,1863) (Pyrilidae) Synonym(s): *funerea* Walker,1863
60546) *Catamola xanthomelalis* (Walker,1863) (Pyrilidae) Synonym(s): *xanthomelalis* Walker,1863
60547) *Catancyla brunnea* Hampson,1919 (Pyrilidae) Synonym(s): *brunnea* Hampson,1919
60548) *Cataonia erubescens* (Christoph,1877) (Pyrilidae) Synonym(s): *erubescens* Christoph,1877; *monocerialis* Ragonot,1891.
60549) *Cataonia mauritanica* Amsel,1953 (Pyrilidae) Synonym(s): *mauritanica* Amsel,1953
60550) *Catapsephis apicipuncta* Hampson,1898 (Pyrilidae) Synonym(s): *apicipuncta* Hampson,1898
60551) *Catastia acraspedella* (Staudinger,1879) (Pyrilidae) Synonym(s): *acraspedella* Staudinger,1879
60552) *Catastia kistrandella* Opheim,1963 (Pyrilidae) Synonym(s): *kistrandella* Opheim,1963
60553) *Catastia marginea* ([Denis & Schiffmüller],1775) (Pyrilidae) Synonym(s): *marginea* [Denis & Schiffmüller],1775.
60554) *Catharia pyrenaealis* (Duponchel,[1843]) (Pyrilidae) Synonym(s): *pyrenaealis* Duponchel,1843
60555) *Catharia simplionalis* (Heydenreich,1851) (Pyrilidae) Synonym(s): *simplionalis* Heydenreich,1851
60556) *Catharylla contiguella* Zeller,1863 (Pyrilidae) Synonym(s): *contiguella* Zeller,1863
60557) *Catharylla interrupta* Zeller,1866 (Pyrilidae) Synonym(s): *interrupta* Zeller,1866
60558) *Cathalia edidiehla* Roesler & Küppers,1981 (Pyrilidae) Synonym(s): *edidiehla* Roesler & Küppers,1981
60559) *Cathalia fulvella* Ragonot,1888 (Pyrilidae) Synonym(s): *fulvella* Ragonot,1888; *erythrina* Hampson,1896; *rufimarginella* Pagenstecher,1900; *clytopa* Turner,1947.
60560) *Cathalia gisela* Roesler & Küppers,1981 (Pyrilidae) Synonym(s): *gisela* Roesler & Küppers,1981
60561) *Cathalia palliostalis* (Walker,1863) (Pyrilidae) Synonym(s): *palliostalis* Walker,1863
60562) *Cathalia palliostella* Roesler & Küppers,1981 (Pyrilidae) Synonym(s): *palliostella* Roesler & Küppers,1981
60563) *Catoptria acutangulella* (Herrich-Schäffer,[1847]) (Pyrilidae) Synonym(s): *acutangulella* Herrich-Schäffer,[1847]; *macedonica* Osthelder,1951.
60564) *Catoptria aetnella* (Zerny,1943) (Pyrilidae) Synonym(s): *aetnella* Zerny,1943
60565) *Catoptria algeriensis* (Müller-Rutz,1931) (Pyrilidae) Synonym(s): *algeriensis* Müller-Rutz,1931
60566) *Catoptria amathusia* Bleszynski,1965 (Pyrilidae) Synonym(s): *amathusia* Bleszynski,1965
60567) *Catoptria aurora* Bleszynski,1965 (Pyrilidae) Synonym(s): *aurora* Bleszynski,1965

- 60568) *Catoptria bartella* (Barnes & McDunnough, 1918) (Pyralidae) Synonym(s): *bartella* Barnes & McDunnough, 1918
 60569) *Catoptria biformella* (Rebel, 1893) (Pyralidae) Synonym(s): *biformellus* Rebel, 1893
 60570) *Catoptria bolivari* (Agenjo, 1947) (Pyralidae) Synonym(s): *bolivari* Agenjo, 1947
 60571) *Catoptria brachyrhabda* (Hampson, 1906) (Pyralidae) Synonym(s): *brachyrhabda* Hampson, 1906
 60572) *Catoptria caucasica* (Alpheraky, 1878) (Pyralidae) Synonym(s): *caucasica* Alpheraky, 1878
 60573) *Catoptria ciliciella* (Rebel, 1893) (Pyralidae) Synonym(s): *ciliciellus* Rebel, 1893; *#siliciellus* Ganev, 1996.
 60574) *Catoptria colchicella* (Lederer, 1870) (Pyralidae) Synonym(s): *colchicellus* Lederer, 1870
 60575) *Catoptria combinella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *combinella* [Denis & Schiffermüller], 1775; *simphonellus* Duponchel, 1836.
 60576) *Catoptria conchella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *conchella* [Denis & Schiffermüller], 1775; *stentziellus* Treitschke, 1835.
 60577) *Catoptria confusella* (Staudinger, 1881) (Pyralidae) Synonym(s): *confusellus* Staudinger, 1881
 60578) *Catoptria corsicella* (Duponchel, 1836) (Pyralidae) Synonym(s): *corsicellus* Duponchel, 1836
 60579) *Catoptria dagestanica* Bleszynski, 1965 (Pyralidae) Synonym(s): *dagestanica* Bleszynski, 1965
 60580) *Catoptria digitella* (Herrich-Schäffer, [1849]) (Pyralidae) Synonym(s): *digitellus* Herrich-Schäffer, [1849]; *petrosellus* Joannis, 1915; *hospitalis* Agenjo, 1952
 60581) *Catoptria dimorphella* (Staudinger, 1881) (Pyralidae) Synonym(s): *dimorphellus* Staudinger, 1881; *haywardi* Rebel, 1939; *wolfti* Ganev & Hacker, 1984
 60582) *Catoptria domaviella* (Rebel, 1904) (Pyralidae) Synonym(s): *domaviellus* Rebel, 1904
 60583) *Catoptria europaeica* Bleszynski, 1965 (Pyralidae) Synonym(s): *europaeica* Bleszynski, 1965
 60584) *Catoptria falsella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *falsella* [Denis & Schiffermüller], 1775; *abruptella* Thunberg, 1794; *persephone* Bleszynski, 1956.
 60585) *Catoptria falsella falsella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *falsella* [Denis & Schiffermüller], 1775; *abruptella* Thunberg, 1794; *persephone* Bleszynski, 1956.
 60586) *Catoptria falsella neutrella* (Turati, 1911) (Pyralidae) Synonym(s): *neutrella* Turati, 1911
 60587) *Catoptria fenestratella* (Caradja, 1928) (Pyralidae) Synonym(s): *fenestratella* Caradja, 1928
 60588) *Catoptria fibigeri* Ganev, 1987 (Pyralidae) Synonym(s): *fibigeri* Ganev, 1987
 60589) *Catoptria fulgidella* (Hübner, [1813]) (Pyralidae) Synonym(s): *fulgidella* Hübner, [1813]
 60590) *Catoptria furcatella* (Zetterstedt, 1839) (Pyralidae) Synonym(s): *furcatellus* Zetterstedt, 1839; *radioellus* Herrich-Schäffer, [1848]; *lapponicellus* Duponchel, 1844.
 60591) *Catoptria furciferalis* (Hampson, 1900) (Pyralidae) Synonym(s): *furciferalis* Hampson, 1900
 60592) *Catoptria gozmanyi* Bleszynski, 1956 (Pyralidae) Synonym(s): *gozmanyi* Bleszynski, 1956
 60593) *Catoptria harutai* Okano, 1958 (Pyralidae) Synonym(s): *harutai* Okano, 1958
 60594) *Catoptria hilarella* (Caradja, 1925) (Pyralidae) Synonym(s): *hilarellus* Caradja, 1925
 60595) *Catoptria hokusaii* Bleszynski, 1965 (Pyralidae) Synonym(s): *hokusaii* Bleszynski, 1965
 60596) *Catoptria hyalodiscella* (Caradja, 1927) (Pyralidae) Synonym(s): *hyalodiscella* Caradja, 1927
 60597) *Catoptria incertella* (Herrich-Schäffer, [1852]) (Pyralidae) Synonym(s): *incertellus* Herrich-Schäffer, [1852]
 60598) *Catoptria inouella* Bleszynski, 1965 (Pyralidae) Synonym(s): *inouella* Bleszynski, 1965
 60599) *Catoptria intermediella* (Müller-Rutz, 1920) (Pyralidae) Synonym(s): *intermediellus* Müller-Rutz, 1920
 60600) *Catoptria kasyi* Bleszynski, 1960 (Pyralidae) Synonym(s): *kasyi* Bleszynski, 1960
 60601) *Catoptria laevigatella* (Lederer, 1870) (Pyralidae) Synonym(s): *laevigatellus* Lederer, 1870; *semicanella* Fuchs, 1903.
 60602) *Catoptria languidella* (Zeller, 1863) (Pyralidae) Synonym(s): *languidellus* Zeller, 1863
 60603) *Catoptria latiradiella* (Walker, 1863) (Pyralidae) Synonym(s): *latiradiella* Walker, 1863
 60604) *Catoptria lithargyrella* (Hübner, 1796) (Pyralidae) Synonym(s): *lithargyrella* Hübner, 1796
 60605) *Catoptria lolotiella* (Caradja, 1927) (Pyralidae) Synonym(s): *lolotiella* Caradja, 1927
 60606) *Catoptria luctiferella* (Hübner, [1813]) (Pyralidae) Synonym(s): *luctiferella* Hübner, [1813]; *luctiferalis* Hübner, [1825]; *luctuella* Herrich-Schäffer, [1855].
 60607) *Catoptria maculalis* (Zetterstedt, 1839) (Pyralidae) Synonym(s): *maculalis* Zetterstedt, 1839; *cacuminellus* Zeller, 1850.
 60608) *Catoptria majorella* (Drenowski, 1925) (Pyralidae) Synonym(s): *majorellus* Drenowski, 1925
 60609) *Catoptria margaritella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *margaritella* [Denis & Schiffermüller], 1775; *montanicella* Bleszynski, 1948
 60610) *Catoptria mediofasciella* (Zerny, 1914) (Pyralidae) Synonym(s): *mediofasciella* Zerny, 1914
 60611) *Catoptria mienshani* Bleszynski, 1965 (Pyralidae) Synonym(s): *mienshani* Bleszynski, 1965
 60612) *Catoptria montivaga* (Inoue, 1955) (Pyralidae) Synonym(s): *montivaga* Inoue, 1955
 60613) *Catoptria munroella* Bleszynski, 1965 (Pyralidae) Synonym(s): *munroella* Bleszynski, 1965
 60614) *Catoptria myella* (Hübner, 1796) (Pyralidae) Synonym(s): *myella* Hübner, 1796; *epimyellus* Joannis, 1935; *mellinella* De Lattin, 1951.
 60615) *Catoptria mytilella* (Hübner, [1805]) (Pyralidae) Synonym(s): *mytilella* Hübner, [1805]; *vilarrubiae* Agenjo, 1954.
 60616) *Catoptria mytilella hermesi* Ganev, 1987 (Pyralidae) Synonym(s): *hermesi* Ganev, 1987
 60617) *Catoptria nana* Okano, 1959 (Pyralidae) Synonym(s): *nana* Okano, 1959
 60618) *Catoptria olympica* Ganev, 1983 (Pyralidae) Synonym(s): *olympica* Ganev, 1983
 60619) *Catoptria oregonica* (Grote, 1880) (Pyralidae) Synonym(s): *oregonica* Grote, 1880
 60620) *Catoptria orientella* (Herrich-Schäffer, [1850]) (Pyralidae) Synonym(s): *orientellus* Herrich-Schäffer, [1850]
 60621) *Catoptria orobiella* Huemer & Tarmann, 1994 (Pyralidae) Synonym(s): *orobiella* Huemer & Tarmann, 1994
 60622) *Catoptria osthelderi* (Lattin, 1950) (Pyralidae) Synonym(s): *osthelderi* Lattin, 1950
 60623) *Catoptria pandora* Bleszynski, 1965 (Pyralidae) Synonym(s): *pandora* Bleszynski, 1965
 60624) *Catoptria pauperella* (Treitschke, 1832) (Pyralidae) Synonym(s): *pauperellus* Treitschke, 1832
 60625) *Catoptria permiaca* (Petersen, 1924) (Pyralidae) Synonym(s): *permiacus* Petersen, 1924; *antipatinellus* Inoue, 1955.
 60626) *Catoptria permutatella* (Herrich-Schäffer, [1848]) (Pyralidae) Synonym(s): *permutatellus* Herrich-Schäffer, [1848]; *hercyniae* Heinemann, 1854; *uralensis* Petersen, 1924.
 60627) *Catoptria permutatella kaisilai* (De Lattin, 1951) (Pyralidae) Synonym(s): *kaisilai* De Lattin, 1951
 60628) *Catoptria permutatella permutatella* (Herrich-Schäffer, [1848]) (Pyralidae) Synonym(s): *permutatellus* Herrich-Schäffer, [1848]; *hercyniae* Heinemann, 1854; *uralensis* Petersen, 1924.
 60629) *Catoptria petrificella* (Hübner, 1796) (Pyralidae) Synonym(s): *petrificella* Hübner, 1796; *coulonellus* Duponchel, 1836; *taeniellus* Zeller, 1839.
 60630) *Catoptria pfeifferi* (Osthelder, 1938) (Pyralidae) Synonym(s): *pfeifferi* Osthelder, 1938
 60631) *Catoptria pinella* (Linnaeus, 1758) (Pyralidae) Synonym(s): *pinella* Linnaeus, 1758; *virginella* Scopoli, 1763.
 60632) *Catoptria pinella albarracinella* (Agenjo, 1954) (Pyralidae) Synonym(s): *albarracinella* Agenjo, 1954
 60633) *Catoptria pinella algeriella* (Lucas, 1932) (Pyralidae) Synonym(s): *algeriella* Lucas, 1932
 60634) *Catoptria pinella pinella* (Linnaeus, 1758) (Pyralidae) Synonym(s): *pinella* Linnaeus, 1758; *virginella* Scopoli, 1763.
 60635) *Catoptria pinella siciliella* Bleszynski, 1965 (Pyralidae) Synonym(s): *siciliella* Bleszynski, 1965
 60636) *Catoptria pinella telekiella* (Schmidt, 1930) (Pyralidae) Synonym(s): *telekiella* Schmidt, 1930
 60637) *Catoptria profluxella* (Christoph, 1887) (Pyralidae) Synonym(s): *profluxella* Christoph, 1887; *pseudociliciella* Bleszynski, 1957.
 60638) *Catoptria pyramidella* (Treitschke, 1832) (Pyralidae) Synonym(s): *pyramidellus* Treitschke, 1832; *cuneellus* Treitschke, 1835; *adamantellus* Guenée, 1845.
 60639) *Catoptria radiella* (Hübner, [1813]) (Pyralidae) Synonym(s): *radiella* Hübner, [1813]; *tristrigellus* Ragonot, 1875; *radialis* Hübner, [1825]; *atricella* Bleszynski, 1955; *mouterdella* Marion, 1962.
 60640) *Catoptria satakei* (Okano, 1962) (Pyralidae) Synonym(s): *satakei* Okano, 1962
 60641) *Catoptria spatulella* (Turati, 1919) (Pyralidae) Synonym(s): *spatulellus* Turati, 1919
 60642) *Catoptria spatulelloides* Bleszynski, 1965 (Pyralidae) Synonym(s): *spatulelloides* Bleszynski, 1965
 60643) *Catoptria speculalis* (Hübner, [1825]) (Pyralidae) Synonym(s): *speculalis* Hübner, [1825]; *catoptrellus* Zeller, 1863.
 60644) *Catoptria spodiella* (Rebel, 1916) (Pyralidae) Synonym(s): *spodiella* Rebel, 1916; *plumbellus* Caradja, 1933.
 60645) *Catoptria staudingeri* (Zeller, 1863) (Pyralidae) Synonym(s): *staudingeri* Zeller, 1863; *cuneolellus* Chrétien, 1898.
 60646) *Catoptria submontivaga* Bleszynski, 1965 (Pyralidae) Synonym(s): *submontivaga* Bleszynski, 1965
 60647) *Catoptria tibetica* Bleszynski, 1965 (Pyralidae) Synonym(s): *tibetica* Bleszynski, 1965

- 60648) *Catoptria trichostoma* (Christoph,1858) (Pyalidae) Synonym(s): *trichostomus* Christoph,1858
60649) *Catoptria verella* (Zincken,1817) (Pyalidae) Synonym(s): *verellus* Zincken,1817; *radiolana* Eversmann,1844.
60650) *Catoptria viridiana* Bleszynski,1965 (Pyalidae) Synonym(s): *viridiana* Bleszynski,1965
60651) *Catoptria witimella* Bleszynski,1965 (Pyalidae) Synonym(s): *witimella* Bleszynski,1965
60652) *Catoptria xerxes* (Sauber,1904) (Pyalidae) Synonym(s): *xerxes* Sauber,1904
60653) *Catoptria zermattensis* (Frey,1870) (Pyalidae) Synonym(s): *zermattensis* Frey,1870; *muellerrutzi* Wehrli,1924.
60654) *Caustella phoenicias* Hampson,1930 (Pyalidae) Synonym(s): *phoenicias* Hampson,1930
60655) *Cavipalpia argentilavella* (Hampson,1901) (Pyalidae) Synonym(s): *argentilavella* Hampson,1901; *hemicallista* Lower,1902
60656) *Cavipalpia translucidella* Ragonot,1893 (Pyalidae) Synonym(s): *translucidella* Ragonot,1893
60657) *Centropseustis astrapora* Meyrick,1890 (Pyalidae) Synonym(s): *astrapora* Meyrick,1890
60658) *Ceratarcha umbrosa* Swinhoe,1894 (Pyalidae) Synonym(s): *umbrosa* Swinhoe,1894
60659) *Ceratothalama argosema* Meyrick,1932 (Pyalidae) Synonym(s):
60660) *Ceroprepes fartakensis* (Rebel,1903) (Pyalidae) Synonym(s): *fartakensis* Rebel,1903
60661) *Ceroprepes naga* Roesler & Küppers,1979 (Pyalidae) Synonym(s): *naga* Roesler & Küppers,1979
60662) *Ceroprepes patriciella* Zeller,1867 (Pyalidae) Synonym(s): *patriciella* Zeller,1867
60663) *Ceroprepes proximalis* Walker (Pyalidae) Synonym(s):
60664) *Ceroprepes walterzeissi* Roesler,1983 (Pyalidae) Synonym(s): *walterzeissi* Roesler,1983
60665) *Ceuthalea umtalensis* Balinsky,1994 (Pyalidae) Synonym(s): *umtalensis* Balinsky,1994
60666) *Ceuthalea umtalensis umtalensis* Balinsky,1994 (Pyalidae) Synonym(s): *umtalensis* Balinsky,1994
60667) *Ceuthobotys penai* Munroe,1978 (Pyalidae) Synonym(s): *penai* Munroe,1978
60668) *Ceutholopha isidis* (Zeller,1867) (Pyalidae) Synonym(s): *isis* Zeller,1867; *aequalisella* Lucas,1948; *paralleloloneata* Lucas,1950.
60669) *Ceutholopha petalocosma* (Meyrick,1882) (Pyalidae) Synonym(s): *petalocosma* Meyrick,1882; *atimeta* Meyrick,1882; *sophronica* Turner,1904
60670) *Chabula acamasalis* (Walker,1859) (Pyalidae) Synonym(s): *acamasalis* Walker,1859; *perspicualis* Walker,[1866]; *flexissimalis* Walker,[1866]; *strangulalis* Snellen,1880.
60671) *Chalcidoptera emissalis* (Walker,[1866]) (Pyalidae) Synonym(s): *emissalis* Walker,[1866]; *crinipes* R.Felder & Rogenhofer,1875; *rubra* Butler,1887; *pyrrhocoma* Meyrick,1894
60672) *Chalcidoptera thermographa* Hampson,1912 (Pyalidae) Synonym(s): *rufilinealis* Hampson,1910; *thermographa* Hampson,1912
60673) *Charltona actinialis* Hampson,1919 (Pyalidae) Synonym(s): *actinialis* Hampson,1919
60674) *Charltona albimixtalis* Hampson,1919 (Pyalidae) Synonym(s): *albimixtalis* Hampson,1919; *villiersi* Marion,1957.
60675) *Charltona argyrastis* Hampson,1919 (Pyalidae) Synonym(s): *argyrastis* Hampson,1919
60676) *Charltona atrifascialis* Hampson,1919 (Pyalidae) Synonym(s): *atrifascialis* Hampson,1919
60677) *Charltona bivittellus* (Moore,1872) (Pyalidae) Synonym(s): *bivittellus* Moore,1872
60678) *Charltona cervinellus* (Moore,1872) (Pyalidae) Synonym(s): *cervinellus* Moore,1872; *interruptellus* Moore,1872
60679) *Charltona chrysopasta* Hampson,1910 (Pyalidae) Synonym(s): *chrysopasta* Hampson,1910
60680) *Charltona chrysopasta chrysopasta* Hampson,1910 (Pyalidae) Synonym(s): *chrysopasta* Hampson,1910
60681) *Charltona consociellus* (Walker,1863) (Pyalidae) Synonym(s): *consociellus* Walker,1863
60682) *Charltona cramboides* (Walker,1864) (Pyalidae) Synonym(s): *cramboides* Walker,1864
60683) *Charltona desistalis* (Walker,1863) (Pyalidae) Synonym(s): *desistalis* Walker,1863
60684) *Charltona diatraeella* (Hampson,1896) (Pyalidae) Synonym(s): *diatraeella* Hampson,1896
60685) *Charltona endothermalis* Hampson,1919 (Pyalidae) Synonym(s): *endothermalis* Hampson,1919
60686) *Charltona fusca* Hampson,1903 (Pyalidae) Synonym(s): *fusca* Hampson,1903
60687) *Charltona inconspicuellus* (Moore,1872) (Pyalidae) Synonym(s): *inconspicuellus* Moore,1872
60688) *Charltona interstitialis* Hampson,1919 (Pyalidae) Synonym(s): *interstitialis* Hampson,1919
60689) *Charltona kala* Swinhoe,1885 (Pyalidae) Synonym(s): *kala* Swinhoe,1885
60690) *Charltona laminata* Hampson,1896 (Pyalidae) Synonym(s): *laminata* Hampson,1896
60691) *Charltona ortellus* (Swinhoe,1886) (Pyalidae) Synonym(s): *ortellus* Swinhoe,1886
60692) *Charltona plurivittalis* Hampson,1910 (Pyalidae) Synonym(s): *plurivittalis* Hampson,1910
60693) *Charltona rufalis* Hampson,1919 (Pyalidae) Synonym(s): *rufalis* Hampson,1919
60694) *Charltona synaula* Meyrick,1933 (Pyalidae) Synonym(s): *synaula* Meyrick,1933
60695) *Charltona trichialis* (Hampson,1903) (Pyalidae) Synonym(s): *trichialis* Hampson,1903
60696) *Charltona tritonella* (Hampson,1898) (Pyalidae) Synonym(s): *tritonella* Hampson,1898
60697) *Charltona tritonella tritonella* (Hampson,1898) (Pyalidae) Synonym(s): *tritonella* Hampson,1898
60698) *Charltona villiersi* Marion,1957 (Pyalidae) Synonym(s): *villiersi* Marion,1957
60699) *Charltoniada acrocapha* (Turner,1911) (Pyalidae) Synonym(s): *acrocapha* Turner,1911; *difficilis* Strand,1919; *apicenotatus* Hampson,1919; *decorata* De Joannis,1930
60700) *Charltoniada apicella* (Hampson,1896) (Pyalidae) Synonym(s): *apicella* Hampson,1896; *decorata* De Joannis,1930
60701) *Chilo agamemnon* Bleszynski,1962 (Pyalidae) Synonym(s): *agamemnon* Bleszynski,1962
60702) *Chilo albigarginalis* Hampson,1919 (Pyalidae) Synonym(s): *albigarginalis* Hampson,1919
60703) *Chilo aleniellus* (Strand,1913) (Pyalidae) Synonym(s): *aleniella* Strand,1913
60704) *Chilo alfoldellus* Schaus,1922 (Pyalidae) Synonym(s): *alfoldellus* Schaus,1922
60705) *Chilo aracalis* Schaus,1934 (Pyalidae) Synonym(s): *aracalis* Schaus,1934
60706) *Chilo argentosus* Snellen,1893 (Pyalidae) Synonym(s): *argentosus* Snellen,1893
60707) *Chilo argyrolepius* (Hampson,1919) (Pyalidae) Synonym(s): *argyrolepia* Hampson,1919
60708) *Chilo argyropasta* Hampson,1919 (Pyalidae) Synonym(s): *argyropasta* Hampson,1919; *argentsparsalis* Hampson,1919
60709) *Chilo argyropasta argyropasta* Hampson,1919 (Pyalidae) Synonym(s): *argyropasta* Hampson,1919; *argentsparsalis* Hampson,1919
60710) *Chilo argyropasta fuscata* (Janse,1922) (Pyalidae) Synonym(s): *fuscata* Janse,1922; *pallidifascia* Janse,1922
60711) *Chilo argyrostolus* Hampson,1919 (Pyalidae) Synonym(s): *argyrostola* Hampson,1919
60712) *Chilo bandra* (Kapur,1950) (Pyalidae) Synonym(s): *bandra* Kapur,1950
60713) *Chilo batri* (T.B.Fletcher,1927) (Pyalidae) Synonym(s): *batri* T.B.Fletcher,1927
60714) *Chilo bostralis* (Hampson,1919) (Pyalidae) Synonym(s): *bostralis* Hampson,1919
60715) *Chilo ceylonicus* Hampson,1896 (Pyalidae) Synonym(s): *ceylonica* Hampson,1896
60716) *Chilo chabilalis* Schaus,1934 (Pyalidae) Synonym(s): *chabilalis* Schaus,1934
60717) *Chilo chiriquitensis* (Zeller,1877) (Pyalidae) Synonym(s): *chiriquitensis* Zeller,1877; *adelphilia* Dyar,1925
60718) *Chilo christophi* Bleszynski,1965 (Pyalidae) Synonym(s): *christophi* Bleszynski,1965
60719) *Chilo cinnamomellus* Berg,1875 (Pyalidae) Synonym(s): *cinnamomellus* Berg,1875
60720) *Chilo costifusalis* (Hampson,1919) (Pyalidae) Synonym(s): *costifusalis* Hampson,1919
60721) *Chilo crypsimetallus* (Turner,1911) (Pyalidae) Synonym(s): *crypsimetalla* Turner,1911; *ochrileucalis* Hampson,1919; *crossostichus* Turner,1922
60722) *Chilo cynedradellus* Schaus,1922 (Pyalidae) Synonym(s): *cynedradellus* Schaus,1922
60723) *Chilo demotellus* Walker,1866 (Pyalidae) Synonym(s): *demotellus* Walker,1866
60724) *Chilo diffusilineus* (Joannis,1927) (Pyalidae) Synonym(s): *diffusilinea* Joannis,1927
60725) *Chilo diletantellus* Dyar,1912 (Pyalidae) Synonym(s): *diletantellus* Dyar,1912
60726) *Chilo duomita* Dyar,1912 (Pyalidae) Synonym(s): *duomita* Dyar,1912
60727) *Chilo fernandalis* Dyar & Heinrich,1927 (Pyalidae) Synonym(s): *fernandalis* Dyar & Heinrich,1927
60728) *Chilo gildasellus* Schaus,1924 (Pyalidae) Synonym(s): *gildasellus* Schaus,1924
60729) *Chilo heracleus* Zeller,1877 (Pyalidae) Synonym(s): *heracleus* Zeller,1877
60730) *Chilo hexhex* (Dyar,1925) (Pyalidae) Synonym(s): *hexhex* Dyar,1925
60731) *Chilo hyrax* Bleszynski,1965 (Pyalidae) Synonym(s): *hyrax* Bleszynski,1965
60732) *Chilo hyrax hyrax* Bleszynski,1965 (Pyalidae) Synonym(s): *hyrax* Bleszynski,1965
60733) *Chilo ikri* (T.B.Fletcher,1927) (Pyalidae) Synonym(s): *ikri* T.B.Fletcher,1927

- 60734) *Chilo infuscatellus* Snellen,1891 (Pyralidae) Synonym(s): *infuscatellus* Snellen,1891; *sticticraspis* Hampson,1919; *coniorta* Hampson,1919; *calamina* Hampson,1919; *shariinensis* Eguchi,1933; *tadzhikiellus* Gerasimov,1949.
- 60735) *Chilo ingloriellus* Möschler,1881 (Pyralidae) Synonym(s): *ingloriellus* Möschler,1881
- 60736) *Chilo irrectellus* Möschler,1881 (Pyralidae) Synonym(s): *irrectellus* Möschler,1881
- 60737) *Chilo izouensis* Okano,1962 (Pyralidae) Synonym(s): *izouensis* Okano,1962
- 60738) *Chilo kanra* T.B.Fletcher,1928 (Pyralidae) Synonym(s): *kanra* T.B.Fletcher,1928
- 60739) *Chilo lativittalis* Dognin,1910 (Pyralidae) Synonym(s): *lativittalis* Dognin,1910; *latmiadelis* Dognin,1923
- 60740) *Chilo loftini* Dyar,1917 (Pyralidae) Synonym(s): *loftini* Dyar,1917
- 60741) *Chilo louisiadalis* (Hampson,1919) (Pyralidae) Synonym(s): *louisiadalis* Hampson,1919
- 60742) *Chilo luniferalis* Hampson,1896 (Pyralidae) Synonym(s): *luniferalis* Hampson,1896
- 60743) *Chilo luteellus* (Motschulsky,1866) (Pyralidae) Synonym(s): *lutellus* Motschulsky,1860 nec [Denis & Schiff],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941.
- 60744) *Chilo maculalis* Predota,1934 (Pyralidae) Synonym(s): *maculalis* Predota,1934
- 60745) *Chilo marcellus* Schaus,1913 (Pyralidae) Synonym(s): *marcella* Schaus,1913
- 60746) *Chilo matanzalis* Schaus,1922 (Pyralidae) Synonym(s): *matanzalis* Schaus,1922
- 60747) *Chilo mesoplalagalis* (Hampson,1919) (Pyralidae) Synonym(s): *mesoplalagalis* Hampson,1919
- 60748) *Chilo morbidellus* Dyar,1913 (Pyralidae) Synonym(s): *morbidellus* Dyar,1913
- 60749) *Chilo opinionellus* Dyar,1917 (Pyralidae) Synonym(s): *opinionellus* Dyar,1917
- 60750) *Chilo orichalcociliellus* (Strand,1911) (Pyralidae) Synonym(s): *orichalcociliella* Strand,1911
- 60751) *Chilo partellus* (Swinhoe,1885) (Pyralidae) Synonym(s): *zonellus* Swinhoe,1884 nec Zeller,1847; *partellus* Swinhoe,1885; *lutulentalis* Tams,1932
- 60752) *Chilo perfusalis* (Hampson,1919) (Pyralidae) Synonym(s): *perfusalis* Hampson,1919
- 60753) *Chilo phaeosemus* Martin,1958 (Pyralidae) Synonym(s): *phaeosema* Martin,1958
- 60754) *Chilo phragmitellus* (Hübner,[1810]) (Pyralidae) Synonym(s): *phragmitellus* Hübner,[1810]; *rhombea* Haworth,[1811].
- 60755) *Chilo plejadellus* Zincken,1821 (Pyralidae) Synonym(s): *plejadellus* Zincken,1821
- 60756) *Chilo powelli* Lucas,1943 (Pyralidae) Synonym(s): *powelli* Lucas,1943
- 60757) *Chilo prophylactes* Meyrick,1934 (Pyralidae) Synonym(s): *prophylactes* Meyrick,1934
- 60758) *Chilo psammathis* (Hampson,1919) (Pyralidae) Synonym(s): *psammathis* Hampson,1919
- 60759) *Chilo pulveratus* (Wileman & South,1917) (Pyralidae) Synonym(s): *pulverata* Wileman & South,1917
- 60760) *Chilo pulverosellus* Ragonot,1895 (Pyralidae) Synonym(s): *pulverosellus* Ragonot,1895; *brevipalpellus* Zerny,1914; *fernandezi* Joannis,1932; *lemarchandellus* Lucas,1945.
- 60761) *Chilo pulverulentus* Warren (Pyralidae) Synonym(s):
- 60762) *Chilo puritellus* Kearfott,1908 (Pyralidae) Synonym(s): *puritellus* Kearfott,1908
- 60763) *Chilo recalvus* Wallengren,1876 (Pyralidae) Synonym(s): *recalvus* Wallengren,1876
- 60764) *Chilo recalvus recalvus* Wallengren,1876 (Pyralidae) Synonym(s): *recalvus* Wallengren,1876
- 60765) *Chilo saccharicola* T.B.Fletcher,1928 (Pyralidae) Synonym(s): *saccharicola* T.B.Fletcher,1928
- 60766) *Chilo semivittalis* Dognin,1907 (Pyralidae) Synonym(s): *semivittalis* Dognin,1907
- 60767) *Chilo simplex* (Butler,1880) (Pyralidae) Synonym(s): *simplex* Butler,1880; *zonellus* Swinhoe,1884; *partellus* Swinhoe,1885
- 60768) *Chilo spatiosellus* Möschler,1881 (Pyralidae) Synonym(s): *spatiosellus* Möschler,1881
- 60769) *Chilo subbivittalis* (Gaede,1917) (Pyralidae) Synonym(s): *subbivittalis* Gaede,1917
- 60770) *Chilo suppressalis* Walker,1863 (Pyralidae) Synonym(s): *suppressalis* Walker,1863; *oryzae* T.B.Fletcher,1928.
- 60771) *Chilo surinamellus* Möschler,1881 (Pyralidae) Synonym(s): *surinamellus* Möschler,1881
- 60772) *Chilo terrenellus* Pagenstecher,1900 (Pyralidae) Synonym(s): *terrenellus* Pagenstecher,1900
- 60773) *Chilo torquatellus* De Joannis,1930 (Pyralidae) Synonym(s): *torquatellus* De Joannis,1930
- 60774) *Chilo tumidicostalis* (Hampson,1919) (Pyralidae) Synonym(s): *tumidicostalis* Hampson,1919; *gemininotalis* Hampson,1919
- 60775) *Chilo venatellus* Schaus,1922 (Pyralidae) Synonym(s): *venatella* Schaus,1922
- 60776) *Chilo virgosa* Hering,1903 (Pyralidae) Synonym(s): *virgosa* Hering,1903
- 60777) *Chilo williami* (De Joannis,1927) (Pyralidae) Synonym(s): *williami* De Joannis,1927
- 60778) *Chilo xingu* Bleszynski,1962 (Pyralidae) Synonym(s): *truncatellus* Schaus,1922 nec Zett.,1839; *xingu* Bleszynski,1962
- 60779) *Chilochroma albicostalis* (Hampson,1913) (Pyralidae) Synonym(s): *albicostalis* Hampson,1913; *govinalis* Schaus,1933
- 60780) *Chilochroma interlinealis* (Dyar,1917) (Pyralidae) Synonym(s): *interlinealis* Dyar,1917; *calamochrella* Amsel,1956
- 60781) *Chilochroma tucumana* Munroe,1964 (Pyralidae) Synonym(s): *tucumana* Munroe,1964
- 60782) *Chilochroma yucatana* Munroe,1964 (Pyralidae) Synonym(s): *yucatana* Munroe,1964
- 60783) *Chilocorsia punctinotalis* (Dognin,1905) (Pyralidae) Synonym(s): *punctinotalis* Dognin,1905
- 60784) *Chilopionea postcuneifera* Munroe,1964 (Pyralidae) Synonym(s): *postcuneifera* Munroe,1964
- 60785) *Chilotraea auricilius* (Dudgeon,1905) (Pyralidae) Synonym(s): *auricilius* Dudgeon,1905
- 60786) *Chilotraea polychrysus* (Meyrick,1932) (Pyralidae) Synonym(s): *polychrysa* Meyrick,1932
- 60787) *Chionobosca actinopis* Turner,1911 (Pyralidae) Synonym(s): *actinopis* Turner,1911
- 60788) *Chloauges brunneomarginalis* (Kenrick,1907) (Pyralidae) Synonym(s): *brunneomarginalis* Kenrick,1907
- 60789) *Chloauges woodfordii* Butler,1885 (Pyralidae) Synonym(s): *woodfordii* Butler,1885
- 60790) *Christophia baliella* (Ragonot,1888) (Pyralidae) Synonym(s): *baliella* Ragonot,1888
- 60791) *Christophia callipterella* (Ragonot,1887) (Pyralidae) Synonym(s): *callipterella* Ragonot,1887
- 60792) *Christophia ectypella* (Ragonot,1888) (Pyralidae) Synonym(s): *ectypella* Ragonot,1888
- 60793) *Christophia granulella* (Zerny,1914) (Pyralidae) Synonym(s): *granulella* Zerny,1914
- 60794) *Christophia interruptella* (Ragonot,1887) (Pyralidae) Synonym(s): *interruptella* Ragonot,1887
- 60795) *Christophia litterella* Ragonot,1887 (Pyralidae) Synonym(s): *litterella* Ragonot,1887
- 60796) *Chrysocatharylla fusca* Bassi,1999 (Pyralidae) Synonym(s): *fusca* Bassi,1999
- 60797) *Chrysocatharylla lucasi* (Pyralidae) Synonym(s):
- 60798) *Chrysocatharylla lucasi bathurstella* Bassi,1999 (Pyralidae) Synonym(s): *bathurstella* Bassi,1999
- 60799) *Chrysocatharylla oenescentella* (Hampson,1896) (Pyralidae) Synonym(s): *oenescentellus* Hampson,1896
- 60800) *Chrysocatharylla oenescentella oenescentella* (Hampson,1896) (Pyralidae) Synonym(s): *oenescentellus* Hampson,1896
- 60801) *Chrysocrambus brutiellus* Bassi,1985 (Pyralidae) Synonym(s): *brutiellus* Bassi,1985
- 60802) *Chrysocrambus chrysonuchelloides* (Rothschild,1925) (Pyralidae) Synonym(s): *chrysonuchelloides* Rothschild,1925; *maghrebellus* Marion,1950.
- 60803) *Chrysocrambus craterellus* (Scopoli,1763) (Pyralidae) Synonym(s): *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958.
- 60804) *Chrysocrambus craterellus defessellus* (Toll,1947) (Pyralidae) Synonym(s): *defessellus* Toll,1947
- 60805) *Chrysocrambus craterellus libani* Bleszynski,1958 (Pyralidae) Synonym(s): *libani* Bleszynski,1958
- 60806) *Chrysocrambus dentuellus* (Pierce & Metcalfe,1938) (Pyralidae) Synonym(s): *dentuellus* Pierce & Metcalfe,1938
- 60807) *Chrysocrambus kobelti* (Saalmüller,1885) (Pyralidae) Synonym(s): *kobelti* Saalmüller,1885; *tingitanellus* Chrétien,1922.
- 60808) *Chrysocrambus lambessellus* (Caradja,1910) (Pyralidae) Synonym(s): *lambessellus* Caradja,1910; *ambustellus* Müller-Rutz,1931; *marioni* Whalley,1960.
- 60809) *Chrysocrambus linetellus* (Fabricius,1781) (Pyralidae) Synonym(s): *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960.
- 60810) *Chrysocrambus linetellus caspicus* (Caradja,1910) (Pyralidae) Synonym(s): *caspicus* Caradja,1910
- 60811) *Chrysocrambus linetellus linetellus* (Fabricius,1781) (Pyralidae) Synonym(s): *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960.
- 60812) *Chrysocrambus linetellus pseudocraterellus* Bleszynski,1958 (Pyralidae) Synonym(s): *pseudocraterellus* Bleszynski,1958; *bleszynskii* Amsel,1959.
- 60813) *Chrysocrambus major* Bleszynski,1965 (Pyralidae) Synonym(s): *#major* Müller-Rutz,1931; *major* Bleszynski,1965.
- 60814) *Chrysocrambus mauretanicus* (Müller-Rutz,1931) (Pyralidae) Synonym(s): *mauretanicus* Müller-Rutz,1931

- 60815) *Chrysocrambus sardiniellus* (Turati,1911) (Pyrilidae) Synonym(s): *sardiniellus* Turati,1911; *cornutellus* Pierce & Metcalfe,1938; *danutae* Bleszynski,1958.
- 60816) *Chrysocrambus similimellus* (Müller-Rutz,1931) (Pyrilidae) Synonym(s): *similimellus* Müller-Rutz,1931; *humbrosellus* Müller-Rutz,1931.
- 60817) *Chrysocrambus syriellus* (Zerny,1934) (Pyrilidae) Synonym(s): *syriellus* Zerny,1934
- 60818) *Chrysoteuchia argentistriella* (Leech,1889) (Pyrilidae) Synonym(s): *argentistriella* Leech,1889
- 60819) *Chrysoteuchia atosignata* (Zeller,1877) (Pyrilidae) Synonym(s): *atosignata* Zeller,1877; *niveirostralis* Caradja,1925.
- 60820) *Chrysoteuchia culmella* (Linnaeus,1758) (Pyrilidae) Synonym(s): *culmella* Linnaeus,1758; *strigella* Fabricius,1781; *hortuella* Hübner,1796; *cespitella* Hübner,1796; *caricetalis* Hübner,[1825]; *#hortellus* Zerny,1914; *#brunnea* Dufrene,1942.
- 60821) *Chrysoteuchia culmella culmella* (Linnaeus,1758) (Pyrilidae) Synonym(s): *culmella* Linnaeus,1758; *strigella* Fabricius,1781; *hortuella* Hübner,1796; *cespitella* Hübner,1796; *caricetalis* Hübner,[1825]; *#brunnea* Dufrene,1942.
- 60822) *Chrysoteuchia culmella montanella* (Stephens,1834) (Pyrilidae) Synonym(s): *montanella* Stephens,1834; *hortibius* Strand,1920.
- 60823) *Chrysoteuchia culmella sebdoui* (Bleszynski,1962) (Pyrilidae) Synonym(s): *sebdoui* Bleszynski,1962
- 60824) *Chrysoteuchia culmella uralella* (Krulikowsky,1909) (Pyrilidae) Synonym(s): *uralella* Krulikowsky,1909
- 60825) *Chrysoteuchia culmella ussuriella* (Bleszynski,1962) (Pyrilidae) Synonym(s): *ussuriella* Bleszynski,1962
- 60826) *Chrysoteuchia daisetsuzana* (Matsumura,1927) (Pyrilidae) Synonym(s): *daisetsuzana* Matsumura,1927
- 60827) *Chrysoteuchia diplogramma* (Zeller,1863) (Pyrilidae) Synonym(s): *diplogramma* Zeller,1863; *textellus* Christoph,1881.
- 60828) *Chrysoteuchia disasterella* (Bleszynski,1965) (Pyrilidae) Synonym(s): *disasterella* Bleszynski,1965
- 60829) *Chrysoteuchia distinctella* (Leech,1889) (Pyrilidae) Synonym(s): *distinctella* Leech,1889
- 60830) *Chrysoteuchia dividella* (Snellen,1890) (Pyrilidae) Synonym(s): *dividella* Snellen,1890
- 60831) *Chrysoteuchia fractella* (South,1901) (Pyrilidae) Synonym(s): *fractella* South,1901
- 60832) *Chrysoteuchia fuliginosella* (South,1901) (Pyrilidae) Synonym(s): *fuliginosella* South,1901
- 60833) *Chrysoteuchia funebrella* (Caradja,1937) (Pyrilidae) Synonym(s): *funebrella* Caradja,1937
- 60834) *Chrysoteuchia gonoxes* (Bleszynski,1962) (Pyrilidae) Synonym(s): *gonoxes* Bleszynski,1962
- 60835) *Chrysoteuchia gregorella* (Bleszynski,1965) (Pyrilidae) Synonym(s): *gregorella* Bleszynski,1965
- 60836) *Chrysoteuchia hyalodiscella* (Caradja,1927) (Pyrilidae) Synonym(s): *hyalodiscella* Caradja,1927
- 60837) *Chrysoteuchia lolotiella* (Caradja,1927) (Pyrilidae) Synonym(s): *lolotiella* Caradja,1927
- 60838) *Chrysoteuchia mandschurica* (Christoph,1881) (Pyrilidae) Synonym(s): *mandschurica* Christoph,1881
- 60839) *Chrysoteuchia moriokensis* (Okano,1958) (Pyrilidae) Synonym(s): *moriokensis* Okano,1958
- 60840) *Chrysoteuchia picturatella* (South,1901) (Pyrilidae) Synonym(s): *picturatella* South,1901
- 60841) *Chrysoteuchia porcelanella* (Motschulsky,1860) (Pyrilidae) Synonym(s): *porcelanella* Motschulsky,1860; *vigens* Butler,1879; *fucateilus* Christoph,1881.
- 60842) *Chrysoteuchia pseudodiplogramma* (Okano,1962) (Pyrilidae) Synonym(s): *pseudodiplogramma* Okano,1962
- 60843) *Chrysoteuchia pyraustoides* (Erschoff,1877) (Pyrilidae) Synonym(s): *pyraustoides* Erschoff,1877
- 60844) *Chrysoteuchia yuennanella* (Caradja,1937) (Pyrilidae) Synonym(s): *yuennanella* Caradja,1937
- 60845) *Chrysothyridia invertalis* (Snellen,1877) (Pyrilidae) Synonym(s): *invertalis* Snellen,1877
- 60846) *Circobotys malaisei* Munroe & Mutuura,1970 (Pyrilidae) Synonym(s): *malaisei* Munroe & Mutuura,1970
- 60847) *Circobotys nycterina* Butler,1879 (Pyrilidae) Synonym(s): *nycterina* Butler,1879
- 60848) *Circobotys occulitinea* (Walker,1863) (Pyrilidae) Synonym(s): *occulitinea* Walker,1863; *petrosarca* Lower,1903; *apocrypha* Turner,1908
- 60849) *Cirrhochrista annulifera* Hampson,1919 (Pyrilidae) Synonym(s): *annulifera* Hampson,1919
- 60850) *Cirrhochrista arcusalis* (Walker,1859) (Pyrilidae) Synonym(s): *arcusalis* Walker,1859; *rauma* Swinhoe,1900
- 60851) *Cirrhochrista argentiplaga* Warren,1897 (Pyrilidae) Synonym(s): *argentiplaga* Warren,1897
- 60852) *Cirrhochrista bracteolalis* Hampson,1893 (Pyrilidae) Synonym(s): *bracteolalis* Hampson,1893
- 60853) *Cirrhochrista brizoalis* (Walker,1859) (Pyrilidae) Synonym(s): *brizoalis* Walker,1859
- 60854) *Cirrhochrista cacaonalis* Swinhoe,1900 (Pyrilidae) Synonym(s): *cacaonalis* Swinhoe,1900
- 60855) *Cirrhochrista cyclophora* Lower,1903 (Pyrilidae) Synonym(s): *cyclophora* Lower,1903
- 60856) *Cirrhochrista fumipalpis* R.Felder & Rogenhofer,1875 (Pyrilidae) Synonym(s): *fumipalpis* R.Felder & Rogenhofer,1875
- 60857) *Cirrhochrista grabczewskiyi* Hering,1903 (Pyrilidae) Synonym(s): *grabczewskiyi* Hering,1903; *conjuncta* Gaede,1917; *convoluta* Hampson,1919
- 60858) *Cirrhochrista kosemponialis* Strand,1919 (Pyrilidae) Synonym(s): *kosemponialis* Strand,1919
- 60859) *Cirrhochrista pulchellalis* Lederer,1863 (Pyrilidae) Synonym(s): *pulchellalis* Lederer,1863; *aetherialis* Hampson
- 60860) *Cirrhochrista punctulata* Hampson,1896 (Pyrilidae) Synonym(s): *punctulata* Hampson,1896
- 60861) *Cirrhochrista semibrunnea* Hampson,1896 (Pyrilidae) Synonym(s): *semibrunnea* Hampson,1896
- 60862) *Cissachroa callischema* Turner,1937 (Pyrilidae) Synonym(s): *callischema* Turner,1937
- 60863) *Citripestis eutraphera* (Meyrick,1933) (Pyrilidae) Synonym(s): *eutraphera* Meyrick,1933
- 60864) *Citripestis sagittiferella* (Moore,1891) (Pyrilidae) Synonym(s): *sagittiferella* Moore,1891
- 60865) *Classeyia argyrodonata* (Hampson,1910) (Pyrilidae) Synonym(s): *argyrodonata* Hampson,1910; *diplophanes* Meyrick,1933
- 60866) *Classeyia argyrodonata argyrodonata* (Hampson,1910) (Pyrilidae) Synonym(s): *argyrodonata* Hampson,1910; *diplophanes* Meyrick,1933
- 60867) *Classeyia bicuspidalis* (Hampson,1919) (Pyrilidae) Synonym(s): *bicuspidalis* Hampson,1919
- 60868) *Classeyia interstrialis* (Hampson,1896) (Pyrilidae) Synonym(s): *interstrialis* Hampson,1896
- 60869) *Classeyia niveifascialis* (Hampson,1896) (Pyrilidae) Synonym(s): *niveifascialis* Hampson,1896
- 60870) *Classeyia placydioni* Bleszynski,1960 (Pyrilidae) Synonym(s): *placydioni* Bleszynski,1960
- 60871) *Classeyia preissneri* Bleszynski,1964 (Pyrilidae) Synonym(s): *preissneri* Bleszynski,1964
- 60872) *Classeyia quadricuspis* (Hampson,1910) (Pyrilidae) Synonym(s): *quadricuspis* Hampson,1910
- 60873) *Classeyia sinuosellus* (South,1901) (Pyrilidae) Synonym(s): *sinuosellus* South,1901
- 60874) *Classeyia trichelites* (Meyrick,1936) (Pyrilidae) Synonym(s): *trichelites* Meyrick,1936
- 60875) *Cleptotyphodes dufayi* Minet,1983 (Pyrilidae) Synonym(s): *dufayi* Minet,1983
- 60876) *Clupeosoma astrigalis* Hampson,1917 (Pyrilidae) Synonym(s): *astrigalis* Hampson,1917
- 60877) *Clupeosoma lampira* Tams,1935 (Pyrilidae) Synonym(s): *lampira* Tams,1935
- 60878) *Clupeosoma pellucidalis* Snellen,1880 (Pyrilidae) Synonym(s): *pellucidalis* Snellen,1880; *subrufalis* Rothschild,1915
- 60879) *Clupeosoma photina* Tams,1935 (Pyrilidae) Synonym(s): *photina* Tams,1935
- 60880) *Cnaphalocrocis araealis* (Hampson,1912) (Pyrilidae) Synonym(s): *araealis* Hampson,1912
- 60881) *Cnaphalocrocis bilinealis* (Hampson,1891) (Pyrilidae) Synonym(s): *bilinealis* Hampson,1891
- 60882) *Cnaphalocrocis hexagona* (Lower,1903) (Pyrilidae) Synonym(s): *hexagona* Lower,1903
- 60883) *Cnaphalocrocis loxodesma* (Turner,1915) (Pyrilidae) Synonym(s): *loxodesma* Turner,1915
- 60884) *Cnaphalocrocis medinalis* (Guenée,1854) (Pyrilidae) Synonym(s): *medinalis* Guenée,1854; *nurscialis* Walker,1859
- 60885) *Cnaphalocrocis patnalis* Bradley,1981 (Pyrilidae) Synonym(s): *patnalis* Bradley,1981
- 60886) *Cnaphalocrocis poeyalis* (Boisduval,1833) (Pyrilidae) Synonym(s): *poeyalis* Boisduval,1833; *venitialis* Walker,1859; *marisalis* Walker,1859; *cicatricosa* Lederer,1863; *rectistrigosa* Snellen,1872; *minutalis* Mabille,1880; *hampsoni* Rothschild,1921
- 60887) *Cnaphalocrocis suspicalis* (Walker,1859) (Pyrilidae) Synonym(s): *suspicalis* Walker,1859; *convectalis* Walker,[1866]; *bifurcalis* Snellen,1880.
- 60888) *Coelobathra ochromorpha* (Lower,1902) (Pyrilidae) Synonym(s): *ochromorpha* Lower,1902; *eurcines* Turner,1908; *thelcteria* Turner,1913
- 60889) *Coenodomus aglossalis* (Warren,1896) (Pyrilidae) Synonym(s): *aglossalis* Warren,1896
- 60890) *Coenodomus cornucalis* (Kenrick,1907) (Pyrilidae) Synonym(s): *cornucalis* Kenrick,1907
- 60891) *Coenodomus dudgeoni* Hampson,1896 (Pyrilidae) Synonym(s): *dudgeoni* Hampson,1896
- 60892) *Coenodomus fumosalis* Hampson,1903 (Pyrilidae) Synonym(s): *fumosalis* Hampson,1903
- 60893) *Coenodomus hampsoni* West,1931 (Pyrilidae) Synonym(s): *hampsoni* West,1931
- 60894) *Coenodomus hockingi* Walsingham,1888 (Pyrilidae) Synonym(s): *hockingi* Walsingham,1888; *singularis* Neumoegen,1893; *anomala* Aurivillius,1894
- 60895) *Coenodomus melanochlora* (Hampson,1916) (Pyrilidae) Synonym(s): *melanochlora* Hampson,1916
- 60896) *Coenodomus rotundinidus* (Hampson,1887) (Pyrilidae) Synonym(s): *rotundinidus* Hampson,1887
- 60897) *Coenodomus rubescens* (Hampson,1903) (Pyrilidae) Synonym(s): *rubescens* Hampson,1903
- 60898) *Coenodomus schausi* (West,1931) (Pyrilidae) Synonym(s): *schausi* West,1931
- 60899) *Coenodomus trichasema* (Hampson,1916) (Pyrilidae) Synonym(s): *trichasema* Hampson,1916

- 60900) *Coleothrix crassitibiella* Ragonot,1888 (Pyralidae) Synonym(s): *crassitibiella* Ragonot,1888
60901) *Coleothrix swinhoella* (Ragonot,1893) (Pyralidae) Synonym(s): *swinhoella* Ragonot,1893
60902) *Cometura lirisalis* (Walker,1859) (Pyralidae) Synonym(s): *lirisalis* Walker,1859
60903) *Commotria albinervella* Hampson,1918 (Pyralidae) Synonym(s): *albinervella* Hampson,1918
60904) *Commotria albistria* Janse,1922 (Pyralidae) Synonym(s): *albistria* Janse,1922
60905) *Commotria castaneipars* Hampson,1918 (Pyralidae) Synonym(s): *castaneipars* Hampson,1918
60906) *Commotria enervella* Hampson,1918 (Pyralidae) Synonym(s): *enervella* Hampson,1918
60907) *Commotria leucosparsalis* Janse,1922 (Pyralidae) Synonym(s): *leucosparsalis* Janse,1922
60908) *Commotria phlebicella* Hampson,1918 (Pyralidae) Synonym(s): *phlebicella* Hampson,1918
60909) *Commotria rhodoneura* Hampson,1918 (Pyralidae) Synonym(s): *rhodoneura* Hampson,1918
60910) *Commotria ruficolor* Janse,1922 (Pyralidae) Synonym(s): *ruficolor* Janse,1922
60911) *Comorta plinthina* (Turner,1905) (Pyralidae) Synonym(s): *plinthina* Turner,1905
60912) *Comorta zophopleura* (Turner,1904) (Pyralidae) Synonym(s): *zophopleura* Turner,1904
60913) *Conchylodes (Zebraptera) erinalis* (Walker,1859) (Pyralidae) Synonym(s): *argentalis* Cramer,1782 nec Fabr.,1781; *erinalis* Walker,1859; *magicalis* R.Felder & Rogenhofer,1875
60914) *Conchylodes (Zebraptera) nolkenialis* (Snellen,1875) (Pyralidae) Synonym(s): *nolkenialis* Snellen,1875
60915) *Conchylodes (Zebraptera) ovulalis* (Guenée,1854) (Pyralidae) Synonym(s): *ovulalis* Guenée,1854
60916) *Conchylodes (Zebraptera) platinalis* Guenée,1854 (Pyralidae) Synonym(s): *platinalis* Guenée,1854; *erminea* R.Felder & Rogenhofer,1875
60917) *Conchylodes (Zebraptera) salamisalis* Druce,1895 (Pyralidae) Synonym(s): *salamisalis* Druce,1895
60918) *Conchylodes (Zebraptera) zebra* (Sepp,1850) (Pyralidae) Synonym(s): *zebra* Sepp,1850; *striginalis* Guenée,1854
60919) *Conchylodes (s.str.) diphteralis* (Geyer,1832) (Pyralidae) Synonym(s): *diphteralis* Geyer,1832
60920) *Conchylodes aquaticalis* (Guenée,1854) (Pyralidae) Synonym(s): *aquaticalis* Guenée,1854; *lacrinesalis* Walker,1859
60921) *Conchylodes arcifera* Hampson,1912 (Pyralidae) Synonym(s): *arcifera* Hampson,1912
60922) *Conchylodes bryophilalis* Hampson,1899 (Pyralidae) Synonym(s): *bryophilalis* Hampson,1899
60923) *Conchylodes concinnalis* Hampson,1898 (Pyralidae) Synonym(s): *concinnalis* Hampson,1898
60924) *Conchylodes gammaphora* Hampson,1912 (Pyralidae) Synonym(s): *gammaphora* Hampson,1912
60925) *Conchylodes hebraealis* Guenée,1854 (Pyralidae) Synonym(s): *hebraealis* Guenée,1854
60926) *Conchylodes hedonialis* (Walker,1859) (Pyralidae) Synonym(s): *hedonialis* Walker,1859
60927) *Conchylodes intricata* Hampson,1912 (Pyralidae) Synonym(s): *intricata* Hampson,1912
60928) *Conchylodes nissenalis* (Schaus,1924) (Pyralidae) Synonym(s): *nissenalis* Schaus,1924
60929) *Conchylodes stictiperalis* Hampson,1912 (Pyralidae) Synonym(s): *stictiperalis* Hampson,1912
60930) *Conchylodes terminipuncta* Hampson,1912 (Pyralidae) Synonym(s): *terminipuncta* Hampson,1912
60931) *Conchylodes vincentalis* Schaus,1924 (Pyralidae) Synonym(s): *vincentalis* Schaus,1924
60932) *Coniesta aculeata* (Hampson,1903) (Pyralidae) Synonym(s): *aculeata* Hampson,1903
60933) *Coniesta albipennella* (Hampson,1895) (Pyralidae) Synonym(s): *albipennella* Hampson,1895
60934) *Coniesta araealis* (Hampson,1912) (Pyralidae) Synonym(s): *araealis* Hampson,1912
60935) *Coniesta belgaumensis* Kapur,1950 (Pyralidae) Synonym(s): *belgaumensis* Kapur,1950
60936) *Coniesta diaperalis* (Hampson,1919) (Pyralidae) Synonym(s): *diaperalis* Hampson,1919
60937) *Coniesta flavalis* (Hampson,1919) (Pyralidae) Synonym(s): *flavalis* Hampson,1919
60938) *Coniesta hamponi* Kapur,1950 (Pyralidae) Synonym(s): *hamponi* Kapur,1950
60939) *Coniesta lunilinealis* (Hampson,1919) (Pyralidae) Synonym(s): *lunilinealis* Hampson,1919
60940) *Coniesta rufulalis* (Hampson,1919) (Pyralidae) Synonym(s): *rufulalis* Hampson,1919
60941) *Coniesta strigulalis* (Hampson,1895) (Pyralidae) Synonym(s): *strigulalis* Hampson,1895
60942) *Conobathra atelogramma* (Meyrick,1937) (Pyralidae) Synonym(s): *atelogramma* Meyrick,1937
60943) *Conobathra bifidella* (Leech,1889) (Pyralidae) Synonym(s): *bifidella* Leech,1889; *sacrothorax* Meyrick,1937
60944) *Conobathra birgitella* Roesler,1975 (Pyralidae) Synonym(s): *birgitella* Roesler,1975
60945) *Conobathra celticola* (Staudinger,1879) (Pyralidae) Synonym(s): *celticola* Staudinger,1879
60946) *Conobathra corethropus* (Turner,1904) (Pyralidae) Synonym(s): *corethropus* Turner,1904
60947) *Conobathra encaustella* (Ragonot,1893) (Pyralidae) Synonym(s): *encaustella* Ragonot,1893; *confluella* Caradja,1916
60948) *Conobathra ferruginella* (Wileman,1911) (Pyralidae) Synonym(s): *ferruginella* Wileman,1911; *decolorata* Caradja,1938
60949) *Conobathra frankella* Roesler,1975 (Pyralidae) Synonym(s): *frankella* Roesler,1975
60950) *Conobathra hemichlaena* (Meyrick,1887) (Pyralidae) Synonym(s): *hemichlaena* Meyrick,1887
60951) *Conobathra rubifrons* (Ragonot,1881) (Pyralidae) Synonym(s): *rubifrons* Ragonot,1881; *bellulella* Ragonot,1893; *rufofusellus* Caradja,1931
60952) *Conobathra quarcella* Roesler,1987 (Pyralidae) Synonym(s): *quarcella* Roesler,1987
60953) *Conobathra repandana* (Fabricius,1798) (Pyralidae) Synonym(s): *repandana* Fabricius,1798; *tumidella* Zinken,1818; *zelleri* Ragonot,1888.
60954) *Conobathra rufizonella* (Ragonot,1887) (Pyralidae) Synonym(s): *rufizonella* Ragonot,1887; *rubiginella* Inoue,1982
60955) *Conobathra sirani* Roesler & Küppers,1981 (Pyralidae) Synonym(s): *sirani* Roesler & Küppers,1981
60956) *Conobathra squalidella* (Christoph,1881) (Pyralidae) Synonym(s): *squalidella* Christoph,1881; *tokiella* Ragonot,1893; *trigonalis* Wileman,1911
60957) *Conobathra subflavella* (Inoue,1982) (Pyralidae) Synonym(s): *subflavella* Inoue,1982
60958) *Conobathra tricolorella* Inoue,1982 (Pyralidae) Synonym(s): *tricolorella* Inoue,1982
60959) *Conobathra tumidana* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *tumidana* [Denis & Schiffermüller],1775; *tumidalis* Hübner,[1825]; *rubrotibiella* Fischer v. Roeslerstamm,1839.
60960) *Conobathra tumidana gilva* Roesler,1987 (Pyralidae) Synonym(s): *gilva* Roesler,1987
60961) *Conobathra tumidana sarda* Roesler,1987 (Pyralidae) Synonym(s): *sarda* Roesler,1987
60962) *Conobathra xanthogramma* (Staudinger,1870) (Pyralidae) Synonym(s): *xanthogramma* Staudinger,1870; *zizyphella* Rebel,1914; *pumilella* Rebel,1926; *arenella* Dufrene,1955.
60963) *Conobathra xanthogramma jordanella* (Amsel,1935) (Pyralidae) Synonym(s): *jordanella* Amsel,1935
60964) *Conocrambus ammoplocus* (Turner,1922) (Pyralidae) Synonym(s): *ammoplocus* Turner,1922
60965) *Conocrambus atrimictellus* Hampson,1919 (Pyralidae) Synonym(s): *atrimictellus* Hampson,1919
60966) *Conocrambus dileucellus* (Hampson,1896) (Pyralidae) Synonym(s): *dileucellus* Hampson,1896
60967) *Conocrambus medioradiellus* (Hampson,1919) (Pyralidae) Synonym(s): *medioradiellus* Hampson,1919
60968) *Conocrambus xuthochroa* (Turner,1947) (Pyralidae) Synonym(s): *xuthochroa* Turner,1947
60969) *Conogethes diminutiva* W.Warren,1896 (Pyralidae) Synonym(s): *diminutiva* W.Warren,1896
60970) *Conogethes ersealis* (Walker,1859) (Pyralidae) Synonym(s): *ersealis* Walker,1859
60971) *Conogethes haemactalis* Snellen,1890 (Pyralidae) Synonym(s): *haemactalis* Snellen,1890; *nubifera* T.P.Lucas,1900
60972) *Conogethes pluto* (Butler,1887) (Pyralidae) Synonym(s): *pluto* Butler,1887
60973) *Conogethes punctiferalis* (Guenée,1854) (Pyralidae) Synonym(s): *punctiferalis* Guenée,1854; *detracta* Walker,1859; *nicippealis* Walker,1859; *guttatalis* Walker,[1866]
60974) *Conogethes semifascialis* (Walker,[1866]) (Pyralidae) Synonym(s): *semifascialis* Walker,[1866]; *nigralis* W.Warren,1896; *jubata* T.P.Lucas,1900
60975) *Conogethes tharsalea* (Meyrick,1887) (Pyralidae) Synonym(s): *tharsalea* Meyrick,1887
60976) *Conotalis aurantifascia* (Hampson,1896) (Pyralidae) Synonym(s): *aurantifascia* Hampson,1896
60977) *Conotalis nigrisquamalis* Hampson,1919 (Pyralidae) Synonym(s): *nigrisquamalis* Hampson,1919
60978) *Conotalis nigrisquamalis nigrisquamalis* Hampson,1919 (Pyralidae) Synonym(s): *nigrisquamalis* Hampson,1919
60979) *Conotalis nigroradians* (Mabille,1899) (Pyralidae) Synonym(s): *nigroradians* Mabille,1899
60980) *Copamyntis ceroprepia* (Hampson,1901) (Pyralidae) Synonym(s): *ceroprepia* Hampson,1901
60981) *Copamyntis leptocoma* (Meyrick,1879) (Pyralidae) Synonym(s): *infusella* Meyrick,1879; *bipartella* Hampson,1896
60982) *Copamyntis leptocoma* (Turner,1904) (Pyralidae) Synonym(s): *leptocoma* Turner,1904; *poliocrana* Lower,1905
60983) *Copamyntis obliquifasciella* (Hampson,1896) (Pyralidae) Synonym(s): *obliquifasciella* Hampson,1896
60984) *Copamyntis prays* (Turner,1947) (Pyralidae) Synonym(s): *prays* Turner,1947
60985) *Copamyntis spodoptila* (Turner,1913) (Pyralidae) Synonym(s): *spodoptila* Turner,1913

- 60986) *Coptobasis lunalis* (Guenée,1854) (Pyralidae) Synonym(s): *lunalis* Guenée,1854; *thyasalis* Walker,1859; *contigualis* Walker,[1866].
- 60987) *Corcyra cephalonica* (Stainton,1866) (Pyralidae) Synonym(s): *cephalonica* Stainton,1866; *oeconomellus* Mann,1872; *translineella* Hampson,1901; *theobromae* Dyar,1913; *lineata* Legrand,1965
- 60988) *Cornifrons albidiscalis* Hampson,1916 (Pyralidae) Synonym(s): *albidiscalis* Hampson,1916
- 60989) *Cornifrons ulceratalis* Lederer,1858 (Pyralidae) Synonym(s): *ulceratalis* Lederer,1858; *seriziatialis* Oberthür,1876
- 60990) *Corynophora argentifascia* (Hampson,1919) (Pyralidae) Synonym(s): *argentifascia* Hampson,1919
- 60991) *Corynophora lativittalis* (Walker,1863) (Pyralidae) Synonym(s): *lativittalis* Walker,1863; *halterellus* Zeller,1863
- 60992) *Corynophora torrentellus* (Meyrick,1879) (Pyralidae) Synonym(s): *torrentellus* Meyrick,1879
- 60993) *Cosmethella major* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *major* Munroe & Shaffer,1980
- 60994) *Cosmethella minor* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *minor* Munroe & Shaffer,1980
- 60995) *Cosmethella unipictinalis* (Hampson,1906) (Pyralidae) Synonym(s): *unipictinalis* Hampson,1906
- 60996) *Cotachena aluensis* (Butler,1887) (Pyralidae) Synonym(s): *aluensis* Butler,1887; *fenestralis* Warren,1895
- 60997) *Cotachena alysoni* Whalley,1961 (Pyralidae) Synonym(s): *alysoni* Whalley,1961
- 60998) *Cotachena fuscimarginalis* Hampson,1916 (Pyralidae) Synonym(s): *fuscimarginalis* Hampson,1916
- 60999) *Cotachena hicana* (Turner,1915) (Pyralidae) Synonym(s): *hicana* Turner,1915
- 61000) *Cotachena histicralis* (Walker,1859) (Pyralidae) Synonym(s): *histicralis* Walker,1859; *trinitata* Butler,1887; *peratilis* Warren,1896; *orientalis* Rothschild,1915.
- 61001) *Cotachena pubescens* (Warren,1892) (Pyralidae) Synonym(s): *pubescens* Warren,1892
- 61002) *Crambidiatraea castrensis* (Dyar & Heinrich,1927) (Pyralidae) Synonym(s): *castrensis* Dyar & Heinrich,1927
- 61003) *Crambidiatraea cayenella* (Dyar & Heinrich,1927) (Pyralidae) Synonym(s): *cayenella* Dyar & Heinrich,1927; *anathericola* Dyar & Heinrich,1927.
- 61004) *Crambidiatraea enteriana* (Box,1931) (Pyralidae) Synonym(s): *enteriana* Box,1931
- 61005) *Crambidiatraea strigipennella* (Dyar,1911) (Pyralidae) Synonym(s): *strigipennella* Dyar,1911
- 61006) *Crambixen phoeostrigellus* (Hampson,1903) (Pyralidae) Synonym(s): *phoeostrigellus* Hampson,1903
- 61007) *Crambixen zarathustra* Bleszynski,1965 (Pyralidae) Synonym(s): *zarathustra* Bleszynski,1965
- 61008) *Crambostenia angustifimbrialis* Swinhoe,1890 (Pyralidae) Synonym(s): *angustifimbrialis* Swinhoe,1890
- 61009) *Crambus abditus* Philpott,1924 (Pyralidae) Synonym(s): *abditus* Philpott,1924
- 61010) *Crambus acyperas* Hampson,1919 (Pyralidae) Synonym(s): *acyperas* Hampson,1919
- 61011) *Crambus aethonellus* Meyrick,1882 (Pyralidae) Synonym(s): *aethonellus* Meyrick,1882
- 61012) *Crambus agitatellus* Clemens,1860 (Pyralidae) Synonym(s): *agitellus* Clemens,1860; *saltuellus* Zeller,1863.
- 61013) *Crambus agnesiellus* Dyar,1914 (Pyralidae) Synonym(s): *agnesiellus* Dyar,1914
- 61014) *Crambus ainslieellus* Klots,1942 (Pyralidae) Synonym(s): *ainslieellus* Klots,1942
- 61015) *Crambus albellus* Clemens,1860 (Pyralidae) Synonym(s): *albellus* Clemens,1860
- 61016) *Crambus albifrons* Schaus,1914 (Pyralidae) Synonym(s): *albifrons* Schaus,1914
- 61017) *Crambus albilineellus* Fernald,1893 (Pyralidae) Synonym(s): *albilineellus* Fernald,1893
- 61018) *Crambus albiradialis* Hampson,1919 (Pyralidae) Synonym(s): *albiradialis* Hampson,1919
- 61019) *Crambus alboclavellus* Zeller,1863 (Pyralidae) Synonym(s): *alboclavellus* Zeller,1863
- 61020) *Crambus alienellus* (Germar & Kauffuss,1817) (Pyralidae) Synonym(s): *alienellus* Germar & Kauffuss,1817; *zinckenellus* Sodoffsky,1830; *tigurinellus* Duponchel,1836; *ocellellus* Zetterstedt,1840.
- 61021) *Crambus alienellus labradoriensis* Christoph,1858 (Pyralidae) Synonym(s): *labradoriensis* Christoph,1858
- 61022) *Crambus angulatus* Barnes & McDunnough,1918 (Pyralidae) Synonym(s): *angulatus* Barnes & McDunnough,1918; *diegonellus* Dyar,1923
- 61023) *Crambus angustatellus* Maassen,1890 (Pyralidae) Synonym(s): *angustatellus* Maassen,1890
- 61024) *Crambus angustexon* Bleszynski,1962 (Pyralidae) Synonym(s): *angustexon* Bleszynski,1962
- 61025) *Crambus angustipennis* (Zeller,1877) (Pyralidae) Synonym(s): *angustipennis* Zeller,1877; *leucanialis* Butler,1877
- 61026) *Crambus antimorus* Meyrick,1901 (Pyralidae) Synonym(s): *antimorus* Meyrick,1901
- 61027) *Crambus apicellus* Zeller,1863 (Pyralidae) Synonym(s): *apicellus* Zeller,1863
- 61028) *Crambus apselias* Meyrick,1907 (Pyralidae) Synonym(s): *apselias* Meyrick,1907
- 61029) *Crambus arachnophagus* Strand,1919 (Pyralidae) Synonym(s): *arachnophagus* Strand,1919
- 61030) *Crambus archimedes* Bleszynski,1961 (Pyralidae) Synonym(s): *archimedes* Bleszynski,1961
- 61031) *Crambus archimedes archimedes* Bleszynski,1961 (Pyralidae) Synonym(s): *archimedes* Bleszynski,1961
- 61032) *Crambus argentilineellus* Hampson,1896 (Pyralidae) Synonym(s): *argentilineellus* Hampson,1896
- 61033) *Crambus argentistriellus* Leech,1889 (Pyralidae) Synonym(s): *argentistriellus* Leech,1889
- 61034) *Crambus argyrophorus* Butler,1878 (Pyralidae) Synonym(s): *argyrophorus* Butler,1878
- 61035) *Crambus aristophanes* Bleszynski,1961 (Pyralidae) Synonym(s): *aristophanes* Bleszynski,1961
- 61036) *Crambus athamas* Bleszynski,1961 (Pyralidae) Synonym(s): *athamas* Bleszynski,1961
- 61037) *Crambus atratellus* Hampson,1919 (Pyralidae) Synonym(s): *atratellus* Hampson,1919
- 61038) *Crambus atristrigellus* Hampson,1919 (Pyralidae) Synonym(s): *atristrigellus* Hampson,1919
- 61039) *Crambus atosignatus* Zeller,1877 (Pyralidae) Synonym(s): *atosignatus* Zeller,1877; *niveirostralis* Caradja,1925; *atosignellus* Caradja,1938; *#niveirostellus* Caradja,1938
- 61040) *Crambus aulistes* Meyrick,1909 (Pyralidae) Synonym(s): *aulistes* Meyrick,1909
- 61041) *Crambus aurantilineellus* Hampson,1896 (Pyralidae) Synonym(s): *aurantilineellus* Hampson,1896
- 61042) *Crambus auronivellus* Fryer,1912 (Pyralidae) Synonym(s): *auronivellus* Fryer,1912
- 61043) *Crambus autotaxellus* Dyar,1914 (Pyralidae) Synonym(s): *autotaxellus* Dyar,1914
- 61044) *Crambus awemellus* McDunnough,1921 (Pyralidae) Synonym(s): *awemellus* McDunnough,1921
- 61045) *Crambus bellissimus* Bleszynski,1961 (Pyralidae) Synonym(s): *bellissimus* Bleszynski,1961
- 61046) *Crambus bellissimus bellissimus* Bleszynski,1961 (Pyralidae) Synonym(s): *bellissimus* Bleszynski,1961
- 61047) *Crambus bidens* Zeller,1872 (Pyralidae) Synonym(s): *bidens* Zeller,1872
- 61048) *Crambus bidentellus* Hampson,1919 (Pyralidae) Synonym(s): *bidentellus* Hampson,1919
- 61049) *Crambus biguttellus* Forbes,1920 (Pyralidae) Synonym(s): *biguttellus* Forbes,1920
- 61050) *Crambus bilineatus* Okano,1958 (Pyralidae) Synonym(s): *bilineatus* Okano,1958
- 61051) *Crambus bipartellus* South,1901 (Pyralidae) Synonym(s): *bipartellus* South,1901
- 61052) *Crambus bipartellus* South,1901 (Pyralidae) Synonym(s): *bipartellus* South,1901
- 61053) *Crambus bizonellus* Hampson,1896 (Pyralidae) Synonym(s): *bizonellus* Hampson,1896
- 61054) *Crambus bolterellus* Fernald,1887 (Pyralidae) Synonym(s): *bolterellus* Fernald,1887
- 61055) *Crambus boninellus* Shibuya,1929 (Pyralidae) Synonym(s): *boninellus* Shibuya,1929
- 61056) *Crambus brachiiferus* Hampson,1919 (Pyralidae) Synonym(s): *brachiiferus* Hampson,1919
- 61057) *Crambus brachyrabda* Hampson,1906 (Pyralidae) Synonym(s): *brachyrabda* Hampson,1906
- 61058) *Crambus braunellus* Klots,1940 (Pyralidae) Synonym(s): *braunellus* Klots,1940
- 61059) *Crambus brunneisquamatus* Hampson,1919 (Pyralidae) Synonym(s): *brunneisquamatus* Hampson,1919
- 61060) *Crambus calamellus* Hampson,1919 (Pyralidae) Synonym(s): *calamellus* Hampson,1919
- 61061) *Crambus caliginosellus* Clemens,1860 (Pyralidae) Synonym(s): *caliginosellus* Clemens,1860
- 61062) *Crambus caligula* Bleszynski,1961 (Pyralidae) Synonym(s): *caligula* Bleszynski,1961
- 61063) *Crambus callirhous* Meyrick,1882 (Pyralidae) Synonym(s): *callirhous* Meyrick,1882
- 61064) *Crambus carolinellus* Haimbach,1915 (Pyralidae) Synonym(s): *carolinellus* Haimbach,1915
- 61065) *Crambus cervinellus* Zeller,1863 (Pyralidae) Synonym(s): *cervinellus* Zeller,1863
- 61066) *Crambus chalcostomus* Dyar,1916 (Pyralidae) Synonym(s): *chalcostomus* Dyar,1916
- 61067) *Crambus chillanellus* Hampson,1919 (Pyralidae) Synonym(s): *chillanellus* Hampson,1919
- 61068) *Crambus chillanicus* (Butler,1883) (Pyralidae) Synonym(s): *chillanicus* Butler,1883
- 61069) *Crambus chiloidellus* Barnes & McDunnough,1913 (Pyralidae) Synonym(s): *chiloidellus* Barnes & McDunnough,1913
- 61070) *Crambus chrysoporellus* Hampson,1895 (Pyralidae) Synonym(s): *chrysoporellus* Hampson,1895
- 61071) *Crambus cinereus* Hampson,1919 (Pyralidae) Synonym(s): *cinereus* Hampson,1919

- 61072) *Crambus claviger* Staudinger, 1899 (Pyralidae) Synonym(s): *claviger* Staudinger, 1899
- 61073) *Crambus coccophthorus* Bleszynski, 1962 (Pyralidae) Synonym(s): *coccophthorus* Bleszynski, 1962
- 61074) *Crambus cockleellus* Kearfott, 1908 (Pyralidae) Synonym(s): *cockleellus* Kearfott, 1908
- 61075) *Crambus coloradellus* Fernald, 1893 (Pyralidae) Synonym(s): *coloradellus* Fernald, 1893
- 61076) *Crambus conopias* Meyrick, 1907 (Pyralidae) Synonym(s): *conopias* Meyrick, 1907
- 61077) *Crambus cormieri* Bleszynski, 1961 (Pyralidae) Synonym(s): *cormieri* Bleszynski, 1961
- 61078) *Crambus corrupta* (Butler, 1877) (Pyralidae) Synonym(s): *corrupta* Butler, 1877
- 61079) *Crambus corylana* Clarke, 1936 (Pyralidae) Synonym(s): *corylana* Clarke, 1936
- 61080) *Crambus coryolanus* Bleszynski, 1961 (Pyralidae) Synonym(s): *coryolanus* Bleszynski, 1961
- 61081) *Crambus craeneus* Meyrick, 1885 (Pyralidae) Synonym(s): *craeneus* Meyrick, 1885
- 61082) *Crambus cuprescens* Hampson, 1919 (Pyralidae) Synonym(s): *cuprescens* Hampson, 1919
- 61083) *Crambus curtellus* Walker, 1863 (Pyralidae) Synonym(s): *curtellus* Walker, 1863
- 61084) *Crambus cyclopius* Meyrick, 1882 (Pyralidae) Synonym(s): *cyclopius* Meyrick, 1882
- 61085) *Crambus cypridalis* Hulst, 1866 (Pyralidae) Synonym(s): *cypridalis* Hulst, 1866
- 61086) *Crambus cyrilellus* Klotz, 1942 (Pyralidae) Synonym(s): *cyrilellus* Klotz, 1942
- 61087) *Crambus daeckellus* Haimbach, 1907 (Pyralidae) Synonym(s): *daeckellus* Haimbach, 1907
- 61088) *Crambus daisetsuzana* Matsumura, 1927 (Pyralidae) Synonym(s): *daisetsuzana* Matsumura, 1927
- 61089) *Crambus damotellus* Schaus, 1922 (Pyralidae) Synonym(s): *damotellus* Schaus, 1922
- 61090) *Crambus decorellus* (Zincken, 1821) (Pyralidae) Synonym(s): *decorellus* Zincken, 1821
- 61091) *Crambus delineatellus* Hampson, 1896 (Pyralidae) Synonym(s): *delineatellus* Hampson, 1896
- 61092) *Crambus detomatellus* Möschler, 1890 (Pyralidae) Synonym(s): *detomatellus* Möschler, 1890
- 61093) *Crambus dianiapha* Lower, 1902 (Pyralidae) Synonym(s): *dianiapha* Lower, 1902
- 61094) *Crambus dianiphalis* Hampson, 1908 (Pyralidae) Synonym(s): *dianiphalis* Hampson, 1908
- 61095) *Crambus diarhabdellus* Hampson, 1919 (Pyralidae) Synonym(s): *diarhabdellus* Hampson, 1919
- 61096) *Crambus diascia* Hampson, 1919 (Pyralidae) Synonym(s): *diascia* Hampson, 1919
- 61097) *Crambus dicrenellus* Meyrick, 1882 (Pyralidae) Synonym(s): *dicrenellus* Meyrick, 1882
- 61098) *Crambus dielota* (Meyrick, 1886) (Pyralidae) Synonym(s):
- 61099) *Crambus digrammellus* Hampson, 1919 (Pyralidae) Synonym(s): *digrammellus* Hampson, 1919
- 61100) *Crambus diplogrammus* Zeller, 1863 (Pyralidae) Synonym(s): *diplogrammus* Zeller, 1863
- 61101) *Crambus diplorrhous* Meyrick, 1885 (Pyralidae) Synonym(s): *diplorrhous* Meyrick, 1885
- 61102) *Crambus dirutellus* Walker, 1866 (Pyralidae) Synonym(s): *dirutellus* Walker, 1866
- 61103) *Crambus discludellus* Möschler, 1890 (Pyralidae) Synonym(s): *discludellus* Möschler, 1890
- 61104) *Crambus dissectus* Grote, 1880 (Pyralidae) Synonym(s): *dissectus* Grote, 1880
- 61105) *Crambus distictellus* Hampson, 1919 (Pyralidae) Synonym(s): *distictellus* Hampson, 1919
- 61106) *Crambus dividellus* Snellen, 1890 (Pyralidae) Synonym(s): *dividellus* Snellen, 1890
- 61107) *Crambus domingellus* Schaus, 1922 (Pyralidae) Synonym(s): *domingellus* Schaus, 1922
- 61108) *Crambus dukinfieldiellus* Schaus, 1922 (Pyralidae) Synonym(s): *dukinfieldiellus* Schaus, 1922
- 61109) *Crambus edredellus* Schaus, 1922 (Pyralidae) Synonym(s): *edredellus* Schaus, 1922
- 61110) *Crambus elegans* Clemens, 1860 (Pyralidae) Synonym(s): *elegans* Clemens, 1860; *terminellus* Zeller, 1863.
- 61111) *Crambus ellipticellus* Hampson, 1919 (Pyralidae) Synonym(s): *ellipticellus* Hampson, 1919
- 61112) *Crambus ellipticellus ellipticellus* Hampson, 1919 (Pyralidae) Synonym(s): *ellipticellus* Hampson, 1919
- 61113) *Crambus elongatus* Hampson, 1919 (Pyralidae) Synonym(s): *elongatus* Hampson, 1919
- 61114) *Crambus elphegellus* Schaus, 1922 (Pyralidae) Synonym(s): *elphegellus* Schaus, 1922
- 61115) *Crambus encophorus* Meyrick, 1885 (Pyralidae) Synonym(s): *encophorus* Meyrick, 1885
- 61116) *Crambus endoxantha* Hampson, 1919 (Pyralidae) Synonym(s): *endoxantha* Hampson, 1919
- 61117) *Crambus endoxantha endoxantha* Hampson, 1919 (Pyralidae) Synonym(s): *endoxantha* Hampson, 1919
- 61118) *Crambus ephorus* Meyrick, 1885 (Pyralidae) Synonym(s): *ephorus* Meyrick, 1885
- 61119) *Crambus ericellus* (Hübner, [1813]) (Pyralidae) Synonym(s): *ericellus* Hübner, [1813]
- 61120) *Crambus euryptides* Bleszynski, 1961 (Pyralidae) Synonym(s): *euryptides* Bleszynski, 1961
- 61121) *Crambus euryptellus* Berg, 1877 (Pyralidae) Synonym(s): *euryptellus* Berg, 1877
- 61122) *Crambus expansellus* Zeller, 1877 (Pyralidae) Synonym(s): *expansellus* Zeller, 1877
- 61123) *Crambus falcarius* Zeller, 1872 (Pyralidae) Synonym(s): *falcarius* Zeller, 1872
- 61124) *Crambus falklandicellus* Hampson, 1896 (Pyralidae) Synonym(s): *falklandicellus* Hampson, 1896
- 61125) *Crambus faunellus* Dyar, 1911 (Pyralidae) Synonym(s): *faunellus* Dyar, 1911
- 61126) *Crambus fernandesellus* Hampson, 1896 (Pyralidae) Synonym(s): *fernandesellus* Hampson, 1896
- 61127) *Crambus fissiradiellus* Walker, 1863 (Pyralidae) Synonym(s): *fissiradiellus* Walker, 1863
- 61128) *Crambus flaviguttellus* Wileman & South, 1917 (Pyralidae) Synonym(s): *flaviguttellus* Wileman & South, 1917
- 61129) *Crambus flexuosellus* Doubleday, 1843 (Pyralidae) Synonym(s): *flexuosellus* Doubleday, 1843
- 61130) *Crambus fractellus* South, 1901 (Pyralidae) Synonym(s): *fractellus* South, 1901
- 61131) *Crambus fugitivellus* Hudson, 1951 (Pyralidae) Synonym(s): *fugitivellus* Hudson, 1951
- 61132) *Crambus fuliginosellus* South, 1901 (Pyralidae) Synonym(s): *fuliginosellus* South, 1901
- 61133) *Crambus fulvinitellus* Hampson, 1919 (Pyralidae) Synonym(s): *fulvinitellus* Hampson, 1919
- 61134) *Crambus funebrellus* Caradja & Meyrick, 1937 (Pyralidae) Synonym(s): *funebrellus* Caradja & Meyrick, 1937
- 61135) *Crambus gausapalis* Hulst, 1886 (Pyralidae) Synonym(s): *gausapalis* Hulst, 1886
- 61136) *Crambus geminatellus* Zeller, 1863 (Pyralidae) Synonym(s): *geminatellus* Zeller, 1863
- 61137) *Crambus gestatellus* Möschler, 1890 (Pyralidae) Synonym(s): *gestatellus* Möschler, 1890
- 61138) *Crambus girardellus* Clemens, 1860 (Pyralidae) Synonym(s): *girardellus* Clemens, 1860
- 61139) *Crambus gonoxes* Bleszynski, 1962 (Pyralidae) Synonym(s): *gonoxes* Bleszynski, 1962
- 61140) *Crambus grisectinctellus* Hampson, 1896 (Pyralidae) Synonym(s): *grisectinctellus* Hampson, 1896
- 61141) *Crambus guerini* Bleszynski, 1961 (Pyralidae) Synonym(s): *guerini* Bleszynski, 1961
- 61142) *Crambus hamellus* (Thunberg, 1788) (Pyralidae) Synonym(s): *hamellus* Thunberg, 1788; *baccaestrius* Haworth, [1811]; *ensigerellus* Hübner, [1813].
- 61143) *Crambus hamellus carpenterellus* Packard, 1873 (Pyralidae) Synonym(s): *carpenterellus* Packard, 1873
- 61144) *Crambus hamellus hamellus* (Thunberg, 1788) (Pyralidae) Synonym(s): *hamellus* Thunberg, 1788; *baccaestrius* Haworth, [1811]; *ensigerellus* Hübner, [1813].
- 61145) *Crambus hamponi* Bleszynski, 1961 (Pyralidae) Synonym(s): *mediofasciellus* Hampson, 1919 nec Zny., 1914; *hamponi* Bleszynski, 1961.
- 61146) *Crambus haplotomus* Meyrick, 1882 (Pyralidae) Synonym(s): *haplotomus* Meyrick, 1882
- 61147) *Crambus harpipterus* Dyar, 1916 (Pyralidae) Synonym(s): *harpipterus* Dyar, 1916
- 61148) *Crambus harpophorus* Meyrick, 1882 (Pyralidae) Synonym(s): *harpophorus* Meyrick, 1882
- 61149) *Crambus hastifer* Staudinger, 1899 (Pyralidae) Synonym(s): *hastifer* Staudinger, 1899
- 61150) *Crambus hayachinensis* Okano, 1957 (Pyralidae) Synonym(s): *hayachinensis* Okano, 1957
- 61151) *Crambus haytiellus* (Zincken, 1821) (Pyralidae) Synonym(s): *haytiellus* Zincken, 1821
- 61152) *Crambus heliotes* Meyrick, 1888 (Pyralidae) Synonym(s): *heliotes* Meyrick, 1888
- 61153) *Crambus hemileucalis* Hampson, 1896 (Pyralidae) Synonym(s): *hemileucalis* Hampson, 1896
- 61154) *Crambus hemiochrellus* Zeller, 1877 (Pyralidae) Synonym(s): *hemiochrellus* Zeller, 1877
- 61155) *Crambus hemixanthellus* Hampson, 1896 (Pyralidae) Synonym(s): *hemixanthellus* Hampson, 1896
- 61156) *Crambus heringiellus* Herrich-Schäffer, [1848] (Pyralidae) Synonym(s): *heringiellus* Herrich-Schäffer, [1848]; *hemigiellus* Hampson, 1896.
- 61157) *Crambus heterantes* Meyrick, 1901 (Pyralidae) Synonym(s): *heterantes* Meyrick, 1901

- 61158) *Crambus heteraulus* Meyrick, 1905 (Pyralidae) Synonym(s): *heteraulus* Meyrick, 1905
 61159) *Crambus horistes* Meyrick, 1902 (Pyralidae) Synonym(s): *horistes* Meyrick, 1902
 61160) *Crambus hulstellus* Fernald, 1885 (Pyralidae) Synonym(s): *hulstellus* Fernald, 1885
 61161) *Crambus humidellus* Zeller, 1877 (Pyralidae) Synonym(s): *humidellus* Zeller, 1877; *yokohamae* Butler, 1879; *splendidellus* Christoph, 1881.
 61162) *Crambus hyacinthus* Bleszynski, 1877 (Pyralidae) Synonym(s): *hyacinthus* Bleszynski, 1877
 61163) *Crambus icarus* Bleszynski, 1961 (Pyralidae) Synonym(s): *icarus* Bleszynski, 1961
 61164) *Crambus immunellus* Zeller, 1872 (Pyralidae) Synonym(s): *immunellus* Zeller, 1872
 61165) *Crambus immunellus minor* Forbes, 1920 (Pyralidae) Synonym(s): *minor* Forbes, 1920
 61166) *Crambus intangens* Dyar, 1914 (Pyralidae) Synonym(s): *intangens* Dyar, 1914
 61167) *Crambus intermedius* Kearfott, 1908 (Pyralidae) Synonym(s): *intermedius* Kearfott, 1908
 61168) *Crambus isochytus* Meyrick, 1888 (Pyralidae) Synonym(s): *isochytus* Meyrick, 1888
 61169) *Crambus issiki* Matsumura, 1925 (Pyralidae) Synonym(s): *issiki* Matsumura, 1925
 61170) *Crambus johnsoni* Klots, 1942 (Pyralidae) Synonym(s): *johnsoni* Klots, 1942
 61171) *Crambus kumatakellus* Shibuya, 1928 (Pyralidae) Synonym(s): *kumatakellus* Shibuya, 1928
 61172) *Crambus kuzakaiensis* Okano, 1960 (Pyralidae) Synonym(s): *kuzakaiensis* Okano, 1960
 61173) *Crambus lacteella* Janse, 1922 (Pyralidae) Synonym(s): *lacteella* Janse, 1922
 61174) *Crambus lacteella lacteella* Janse, 1922 (Pyralidae) Synonym(s): *lacteella* Janse, 1922
 61175) *Crambus laqueatellus* Clemens, 1860 (Pyralidae) Synonym(s): *laqueatellus* Clemens, 1860; *semifusellus* Walker, 1863
 61176) *Crambus lascaellus* Druce, 1896 (Pyralidae) Synonym(s): *lascaellus* Druce, 1896
 61177) *Crambus lathoniellus* (Zincken, 1817) (Pyralidae) Synonym(s): *nemorellus* Hübner, [1813] *nec* Thunb., 1788; *lathoniellus* Zincken, 1817; *angustellus* Stephens, 1834; *alfacarellus* Staudinger, 1859; *altivolens* Schawerda, 1913; *marpurgensis* Strand, 1920.
 61178) *Crambus leachellus* Zincken, 1818 (Pyralidae) Synonym(s): *leachellus* Zincken, 1818; *hastiferellus* Walker, 1863.
 61179) *Crambus leachellus rickseckerellus* Klots, 1940 (Pyralidae) Synonym(s): *rickseckerellus* Klots, 1940
 61180) *Crambus lectus* Philpott, 1929 (Pyralidae) Synonym(s): *lectus* Philpott, 1929
 61181) *Crambus leucofascialis* Janse, 1922 (Pyralidae) Synonym(s): *leucofascialis* Janse, 1922
 61182) *Crambus leuconotus* Zeller, 1882 (Pyralidae) Synonym(s): *leuconotus* Zeller, 1882
 61183) *Crambus leucorhabdon* Hampson, 1919 (Pyralidae) Synonym(s): *leucorhabdon* Hampson, 1919
 61184) *Crambus leucoschalis* Hampson, 1898 (Pyralidae) Synonym(s): *leucoschalis* Hampson, 1898; *infradentatus* Hampson, 1919
 61185) *Crambus leucoschalis leucoschalis* Hampson, 1898 (Pyralidae) Synonym(s): *leucoschalis* Hampson, 1898; *infradentatus* Hampson, 1919
 61186) *Crambus ligonellus* Zeller, 1882 (Pyralidae) Synonym(s): *ligonellus* Zeller, 1882
 61187) *Crambus linearellus* Zeller, 1863 (Pyralidae) Synonym(s): *linearellus* Zeller, 1863
 61188) *Crambus luridus* Hudson, 1923 (Pyralidae) Synonym(s): *luridus* Hudson, 1923
 61189) *Crambus lybistidellus* Turati, 1924 (Pyralidae) Synonym(s): *lybistidellus* Turati, 1924
 61190) *Crambus lyonsellus* Haimbach, 1915 (Pyralidae) Synonym(s): *lyonsellus* Haimbach, 1915
 61191) *Crambus magnificus* Bleszynski, 1956 (Pyralidae) Synonym(s): *magnificus* Bleszynski, 1956
 61192) *Crambus melanolepis* Hampson, 1919 (Pyralidae) Synonym(s): *melanolepis* Hampson, 1919
 61193) *Crambus melchiellus* Druce, 1896 (Pyralidae) Synonym(s): *melchiellus* Druce, 1896
 61194) *Crambus melitastes* Meyrick, 1909 (Pyralidae) Synonym(s): *melitastes* Meyrick, 1909
 61195) *Crambus meretricella* Schaus, 1913 (Pyralidae) Synonym(s): *meretricella* Schaus, 1913
 61196) *Crambus meristes* Meyrick, 1919 (Pyralidae) Synonym(s): *meristes* Meyrick, 1919; *#meritus* Philpott, 1929
 61197) *Crambus mesombrellus* Hampson, 1919 (Pyralidae) Synonym(s): *mesombrellus* Hampson, 1919
 61198) *Crambus meus* Strand, 1919 (Pyralidae) Synonym(s): *meus* Strand, 1919
 61199) *Crambus micralis* Hampson, 1919 (Pyralidae) Synonym(s): *micralis* Hampson, 1919
 61200) *Crambus microstrigatus* Hampson, 1919 (Pyralidae) Synonym(s): *microstrigatus* Hampson, 1919
 61201) *Crambus midas* Bleszynski, 1961 (Pyralidae) Synonym(s): *midas* Bleszynski, 1961
 61202) *Crambus minuellus* Walker, 1863 (Pyralidae) Synonym(s): *minuellus* Walker, 1863
 61203) *Crambus moeschleralis* Schaus (Pyralidae) Synonym(s): *moeschleralis* Schaus
 61204) *Crambus monochromellus* Herrich-Schäffer, [1852] (Pyralidae) Synonym(s): *monochromellus* Herrich-Schäffer, [1852]; *rostellus* Laharpe, 1855.
 61205) *Crambus monostictus* Hampson, 1919 (Pyralidae) Synonym(s): *monostictus* Hampson, 1919
 61206) *Crambus multiniellus* Fernald, 1887 (Pyralidae) Synonym(s): *multiniellus* Fernald, 1887
 61207) *Crambus multiradiellus* Hampson, 1896 (Pyralidae) Synonym(s): *multiradiellus* Hampson, 1896
 61208) *Crambus murellus* Dyar, 1904 (Pyralidae) Synonym(s): *murellus* Dyar, 1904
 61209) *Crambus murinellus* Zeller, 1863 (Pyralidae) Synonym(s): *murinellus* Zeller, 1863
 61210) *Crambus narcissus* Bleszynski, 1961 (Pyralidae) Synonym(s): *narcissus* Bleszynski, 1961
 61211) *Crambus nephelestictus* De Joannis, 1922 (Pyralidae) Synonym(s): *nephelestictus* De Joannis, 1922
 61212) *Crambus nephretete* Bleszynski, 1961 (Pyralidae) Synonym(s): *nephretete* Bleszynski, 1961
 61213) *Crambus nergaellus* Druce, 1896 (Pyralidae) Synonym(s): *nergaellus* Druce, 1896
 61214) *Crambus neurellus* Hampson, 1919 (Pyralidae) Synonym(s): *neurellus* Hampson, 1919
 61215) *Crambus nevadellus* Kearfott, 1908 (Pyralidae) Synonym(s): *nevadellus* Kearfott, 1908
 61216) *Crambus nigriscriptellus* South, 1901 (Pyralidae) Synonym(s): *nigriscriptellus* South, 1901; *achilles* Bleszynski, 1961
 61217) *Crambus nigrivariialis* Gaede, 1916 (Pyralidae) Synonym(s): *nigrivariialis* Gaede, 1916
 61218) *Crambus niitakaensis* Marumo, 1936 (Pyralidae) Synonym(s): *niitakaensis* Marumo, 1936
 61219) *Crambus nitens* Turati, 1930 (Pyralidae) Synonym(s): *nitens* Turati, 1930
 61220) *Crambus nivellus* (Kollar, [1844]) (Pyralidae) Synonym(s): *nivellus* Kollar, [1844]; *todarius* Butler, 1883; *aurivittatus* Moore, 1888.
 61221) *Crambus nolckeniellus* Zeller, 1872 (Pyralidae) Synonym(s): *nolckeniellus* Zeller, 1872
 61222) *Crambus obscurefaciellus* Joannis, 1927 (Pyralidae) Synonym(s): *obscurfaciellus* Joannis, 1927
 61223) *Crambus obstructus* Meyrick, 1911 (Pyralidae) Synonym(s): *obstructus* Meyrick, 1911
 61224) *Crambus occidentalis* Grote, 1880 (Pyralidae) Synonym(s): *occidentalis* Grote, 1880; *agricolellus* Dyar, 1923
 61225) *Crambus offectalis* Hulst, 1886 (Pyralidae) Synonym(s): *offectalis* Hulst, 1886
 61226) *Crambus oncobolus* Meyrick, 1885 (Pyralidae) Synonym(s): *oncobolus* Meyrick, 1885; *#oncolobus* Hampson, 1896
 61227) *Crambus oppositus* Philpott, 1915 (Pyralidae) Synonym(s): *oppositus* Philpott, 1915
 61228) *Crambus ornatus* Philpott, 1927 (Pyralidae) Synonym(s): *ornatus* Philpott, 1927
 61229) *Crambus oslarellus* Haimbach, 1908 (Pyralidae) Synonym(s): *oslarellus* Haimbach, 1908
 61230) *Crambus ovidius* Bleszynski, 1961 (Pyralidae) Synonym(s): *ovidius* Bleszynski, 1961
 61231) *Crambus palustrellus* Ragonot, 1876 (Pyralidae) Synonym(s): *palustrellus* Ragonot, 1876
 61232) *Crambus paralycticus* Meyrick, 1932 (Pyralidae) Synonym(s): *paralycticus* Meyrick, 1932
 61233) *Crambus paraxenus* Meyrick, 1885 (Pyralidae) Synonym(s): *paraxenus* Meyrick, 1885
 61234) *Crambus pascuella* (Linnaeus, 1758) (Pyralidae) Synonym(s): *pascuella* Linnaeus, 1758; *scirpellus* Laharpe, 1864; *fumipalpella* Mann, 1871; *acutulellus* Chrétien, 1896.
 61235) *Crambus patulellus* Walker, 1863 (Pyralidae) Synonym(s): *patulellus* Walker, 1863
 61236) *Crambus pavidellus* Schaus, 1913 (Pyralidae) Synonym(s): *pavidellus* Schaus, 1913
 61237) *Crambus pedias* Meyrick, 1885 (Pyralidae) Synonym(s): *pedias* Meyrick, 1885
 61238) *Crambus perdentellus* Hampson, 1919 (Pyralidae) Synonym(s): *perdentellus* Hampson, 1919
 61239) *Crambus perlellus* (Scopoli, 1763) (Pyralidae) Synonym(s): *perlellus* Scopoli, 1763; *dealbellus* Thunberg, 1788; *warringtonellus* Stainton, 1849.
 61240) *Crambus perlellus aurellus* Zerny, 1914 (Pyralidae) Synonym(s): *aurellus* Zerny, 1914
 61241) *Crambus perlellus cupriacellus* Zerny, 1914 (Pyralidae) Synonym(s): *cupriacellus* Zerny, 1914
 61242) *Crambus perlellus flavonitellus* Zerny, 1935 (Pyralidae) Synonym(s): *flavonitellus* Zerny, 1935; *#auratus* Lucas, 1956.
 61243) *Crambus perlellus hachimantaiensis* Okano, 1957 (Pyralidae) Synonym(s): *hachimantaiensis* Okano, 1957
 61244) *Crambus perlellus innotatellus* (Walker, 1863) (Pyralidae) Synonym(s): *innotatellus* Walker, 1863; *sericinellus* Zeller, 1863; *inornatellus* Clemens, 1864
 61245) *Crambus perlellus kirinellus* Bleszynski, 1965 (Pyralidae) Synonym(s): *kirinellus* Bleszynski, 1965

- 61246) *Crambus perlellus nigerrimus* Caradja, 1917 (Pyralidae) Synonym(s): *nigerrimus* Caradja, 1917
61247) *Crambus perlellus pamiri* Bleszynski, 1959 (Pyralidae) Synonym(s): *pamiri* Bleszynski, 1959
61248) *Crambus perlellus perlellus* (Scopoli, 1763) (Pyralidae) Synonym(s): *perlellus* Scopoli, 1763; *dealbellus* Thunberg, 1788; *warringtonellus* Stainton, 1849.
61249) *Crambus perlellus pseudorostellus* Müller-Rutz, 1923 (Pyralidae) Synonym(s): *pseudorostellus* Müller-Rutz, 1923
61250) *Crambus perspicuus* Walker, 1870 (Pyralidae) Synonym(s): *perspicuus* Walker, 1870
61251) *Crambus phaeostrigellus* Hampson, 1903 (Pyralidae) Synonym(s): *phaeostrigellus* Hampson, 1903
61252) *Crambus polingi* Kearfott, 1908 (Pyralidae) Synonym(s): *polingi* Kearfott, 1908
61253) *Crambus porcellanellus* Motschulsky, 1866 (Pyralidae) Synonym(s): *porcellanellus* Motschulsky, 1866
61254) *Crambus praefectellus* (Zincken, 1821) (Pyralidae) Synonym(s): *praefectellus* Zincken, 1821
61255) *Crambus pratellus* (Linnaeus, 1758) (Pyralidae) Synonym(s): *pratellus* Linnaeus, 1758; *dumetellus* Hübner, [1813]; *saltalis* Hübner, [1825].
61256) *Crambus profanellus* Walker, 1866 (Pyralidae) Synonym(s): *profanellus* Walker, 1866
61257) *Crambus promethaeus* Bleszynski, 1961 (Pyralidae) Synonym(s): *promethaeus* Bleszynski, 1961
61258) *Crambus pseudargyrophorus* Okano, 1960 (Pyralidae) Synonym(s): *pseudargyrophorus* Okano, 1960
61259) *Crambus psychellus* Maassen, 1890 (Pyralidae) Synonym(s): *psychellus* Maassen, 1890
61260) *Crambus pulchellus* Zeller, 1863 (Pyralidae) Synonym(s): *pulchellus* Zeller, 1863
61261) *Crambus pulverulentellus* Zeller, 1872 (Pyralidae) Synonym(s): *pulverulentellus* Zeller, 1872
61262) *Crambus punctellus* Hudson, 1951 (Pyralidae) Synonym(s): *punctellus* Hudson, 1951
61263) *Crambus pusionellus* Zeller, 1863 (Pyralidae) Synonym(s): *pusionellus* Zeller, 1863; *pustulella* Walker, 1866
61264) *Crambus pythagoras* Bleszynski, 1961 (Pyralidae) Synonym(s): *pythagoras* Bleszynski, 1961
61265) *Crambus quadrinotellus* Zeller, 1877 (Pyralidae) Synonym(s): *quadrinotellus* Zeller, 1877
61266) *Crambus quinquareatus* Zeller, 1877 (Pyralidae) Synonym(s): *quinquareatus* Zeller, 1877
61267) *Crambus racabellus* Druce, 1896 (Pyralidae) Synonym(s): *racabellus* Druce, 1896
61268) *Crambus radicellus* Hampson, 1896 (Pyralidae) Synonym(s): *radicellus* Hampson, 1896
61269) *Crambus ramosellus* Doubleday, 1843 (Pyralidae) Synonym(s): *ramosellus* Doubleday, 1843; *rangona* R. Felder & Rogenhofer, 1875
61270) *Crambus reductus* Janse, 1922 (Pyralidae) Synonym(s): *reductus* Janse, 1922
61271) *Crambus reductus reductus* Janse, 1922 (Pyralidae) Synonym(s): *reductus* Janse, 1922
61272) *Crambus retusellus* Schaus, 1913 (Pyralidae) Synonym(s): *retusellus* Schaus, 1913
61273) *Crambus rotarellus* Dyar, 1927 (Pyralidae) Synonym(s): *rotarellus* Dyar, 1927
61274) *Crambus ruptifascia* Hampson, 1919 (Pyralidae) Synonym(s): *ruptifascia* Hampson, 1919
61275) *Crambus sakayehammanus* Matsumura, 1925 (Pyralidae) Synonym(s): *sakayehammanus* Matsumura, 1925
61276) *Crambus sanfordellus* Klots, 1942 (Pyralidae) Synonym(s): *sanfordellus* Klots, 1942
61277) *Crambus santiagellus* Schaus, 1922 (Pyralidae) Synonym(s): *santiagellus* Schaus, 1922
61278) *Crambus sargentellus* Klots, 1942 (Pyralidae) Synonym(s): *sargentellus* Klots, 1942
61279) *Crambus saristes* Meyrick, 1909 (Pyralidae) Synonym(s): *saristes* Meyrick, 1909
61280) *Crambus satrapellus* (Zincken, 1821) (Pyralidae) Synonym(s): *satrapellus* Zincken, 1821; *aculeilellus* Walker, 1863; *elegantellus* Walker, 1863.
61281) *Crambus satrapellus aureorufus* Hampson, 1919 (Pyralidae) Synonym(s): *aureorufus* Hampson, 1919
61282) *Crambus schedias* Meyrick, 1911 (Pyralidae) Synonym(s): *schedias* Meyrick, 1911
61283) *Crambus scitellus* Philpott, 1926 (Pyralidae) Synonym(s): *scitellus* Philpott, 1926
61284) *Crambus scoticus* Westwood, 1849 (Pyralidae) Synonym(s): *scoticus* Westwood, 1849; *uliginosellus* Zeller, 1850; *#infuscatellus* Caradja, 1910
61285) *Crambus scutatus* Philpott, 1917 (Pyralidae) Synonym(s): *scutatus* Philpott, 1917
61286) *Crambus sebrus* Bleszynski, 1961 (Pyralidae) Synonym(s): *sebrus* Bleszynski, 1961
61287) *Crambus sectitermina* Hampson, 1910 (Pyralidae) Synonym(s): *sectitermina* Hampson, 1910
61288) *Crambus sericina* Zeller, 1882 (Pyralidae) Synonym(s): *sericina* Zeller, 1882
61289) *Crambus seychelellus* T.B. Fletcher, 1910 (Pyralidae) Synonym(s): *seychelellus* T.B. Fletcher, 1910; *emmerzellus* Joannis, 1915
61290) *Crambus sibiricus* Alpheraky, 1897 (Pyralidae) Synonym(s): *sibiricus* Alpheraky, 1897
61291) *Crambus silvellus* (Hübner, [1813]) (Pyralidae) Synonym(s): *silvellus* Hübner, [1813]; *adippellus* Zincken, 1817; *#adippalis* Hübner, [1825].
61292) *Crambus simplex* (Butler, 1877) (Pyralidae) Synonym(s): *simplex* Butler, 1877
61293) *Crambus sinaolellus* Schaus, 1922 (Pyralidae) Synonym(s): *sinaolellus* Schaus, 1922
61294) *Crambus sinicolellus* Caradja, 1926 (Pyralidae) Synonym(s): *sinicolellus* Caradja, 1926
61295) *Crambus siriellus* Meyrick, 1882 (Pyralidae) Synonym(s): *siriellus* Meyrick, 1882
61296) *Crambus sjoestedti* Aurivillius, 1910 (Pyralidae) Synonym(s): *sjoestedti* Aurivillius, 1910
61297) *Crambus sonobei* Marumo, 1936 (Pyralidae) Synonym(s): *sonobei* Marumo, 1936
61298) *Crambus sophistes* Meyrick, 1905 (Pyralidae) Synonym(s): *sophistes* Meyrick, 1905
61299) *Crambus sophronellus* Meyrick, 1885 (Pyralidae) Synonym(s): *sophronellus* Meyrick, 1885
61300) *Crambus sparsellus* Walker, 1866 (Pyralidae) Synonym(s): *sparsellus* Walker, 1866
61301) *Crambus sparsellus sparsellus* Walker, 1866 (Pyralidae) Synonym(s): *sparsellus* Walker, 1866
61302) *Crambus sperryellus* Klots, 1940 (Pyralidae) Synonym(s): *sperryellus* Klots, 1940
61303) *Crambus spiculellus* Zeller, 1877 (Pyralidae) Synonym(s): *spiculellus* Zeller, 1877
61304) *Crambus stilatus* Zeller, 1877 (Pyralidae) Synonym(s): *stilatus* Zeller, 1877
61305) *Crambus straminellus* Hampson, 1896 (Pyralidae) Synonym(s): *straminellus* Hampson, 1896
61306) *Crambus subaequalis* Zeller, 1877 (Pyralidae) Synonym(s): *subaequalis* Zeller, 1877
61307) *Crambus sublicellus* Zeller, 1863 (Pyralidae) Synonym(s): *sublicellus* Zeller, 1863
61308) *Crambus subterminellus* Wileman & South, 1917 (Pyralidae) Synonym(s): *subterminellus* Wileman & South, 1917
61309) *Crambus subtillellus* Zeller, 1863 (Pyralidae) Synonym(s): *subtilellus* Zeller, 1863
61310) *Crambus sudanicola* Strand, 1920 (Pyralidae) Synonym(s): *sudanicola* Strand, 1920
61311) *Crambus tactellus* Dyar, 1914 (Pyralidae) Synonym(s): *tactellus* Dyar, 1914
61312) *Crambus tenuistrigatus* Zeller, 1882 (Pyralidae) Synonym(s): *tenuistrigatus* Zeller, 1882
61313) *Crambus tenuistrigus* Hampson, 1898 (Pyralidae) Synonym(s): *tenuistrigus* Hampson, 1898
61314) *Crambus tenuistrigus tenuistrigus* Hampson, 1898 (Pyralidae) Synonym(s): *tenuistrigus* Hampson, 1898
61315) *Crambus tessellatus* Hampson, 1919 (Pyralidae) Synonym(s): *tessellatus* Hampson, 1919
61316) *Crambus themistocles* Bleszynski, 1961 (Pyralidae) Synonym(s): *themistocles* Bleszynski, 1961
61317) *Crambus themistocles themistocles* Bleszynski, 1961 (Pyralidae) Synonym(s): *themistocles* Bleszynski, 1961
61318) *Crambus thersites* Bleszynski, 1961 (Pyralidae) Synonym(s): *thersites* Bleszynski, 1961
61319) *Crambus tomanaellus* Marumo, 1936 (Pyralidae) Synonym(s): *tomanaellus* Marumo, 1936
61320) *Crambus topiarius* Zeller, 1866 (Pyralidae) Synonym(s): *topiarius* Zeller, 1866; *#toparius* Hampson, 1896; *vachelellus* Kearfott, 1903
61321) *Crambus trichusalis* Hulst, 1886 (Pyralidae) Synonym(s): *trichusalis* Hulst, 1886
61322) *Crambus tripsacas* Dyar, 1921 (Pyralidae) Synonym(s): *tripsacas* Dyar, 1921
61323) *Crambus tuhualis* R. Felder & Rogenhofer, 1875 (Pyralidae) Synonym(s): *tuhualis* R. Felder & Rogenhofer, 1875
61324) *Crambus turbatellus* (Walker, 1863) (Pyralidae) Synonym(s): *turbatella* Walker, 1863; *bipunctellus* Zeller, 1863
61325) *Crambus tutillus* McDunnough, 1921 (Pyralidae) Synonym(s): *tutillus* McDunnough, 1921
61326) *Crambus undilineatus* Hampson, 1919 (Pyralidae) Synonym(s): *undilineatus* Hampson, 1919
61327) *Crambus undilineatus undilineatus* Hampson, 1919 (Pyralidae) Synonym(s): *undilineatus* Hampson, 1919
61328) *Crambus unistriatellus* Packard, 1868 (Pyralidae) Synonym(s): *unistriatellus* Packard, 1868; *exesus* Grote, 1880
61329) *Crambus vagistrigellus* Joannis, 1913 (Pyralidae) Synonym(s): *vagistrigellus* De Joannis, 1913
61330) *Crambus venalbellus* Joannis, 1922 (Pyralidae) Synonym(s): *venalbellus* De Joannis, 1922
61331) *Crambus viettellus* Bleszynski, 1959 (Pyralidae) Synonym(s): *reductus* Viette, 1959 nec Jns., 1922; *viettellus* Bleszynski, 1959.
61332) *Crambus violescentellus* Hampson, 1896 (Pyralidae) Synonym(s): *violescentellus* Hampson, 1896
61333) *Crambus violettae* Bleszynski, 1962 (Pyralidae) Synonym(s): *minimellus* Hampson, 1919 nec Robins., 1871; *violettae* Bleszynski, 1962
61334) *Crambus virgatellus* Wileman, 1911 (Pyralidae) Synonym(s): *virgatellus* Wileman, 1911; *coreanus* Shibuya, 1927

- 61335) *Crambus vittellus* Doubleday, 1843 (Pyralidae) Synonym(s): *vittellus* Doubleday, 1843; *nexalis* Walker, 1863; *transcissalis* Walker, 1863; *bissectellus* Zeller, 1863; *incrassatellus* Zeller, 1863; *validus* Butler, 1877
- 61336) *Crambus vittiterminellus* Hampson, 1919 (Pyralidae) Synonym(s): *vittiterminellus* Hampson, 1919
- 61337) *Crambus vulgaris* Butler, 1877 (Pyralidae) Synonym(s): *vulgaris* Butler, 1877
- 61338) *Crambus watsonellus* Klots, 1942 (Pyralidae) Synonym(s): *watsonellus* Klots, 1942
- 61339) *Crambus whalleyi* Bleszynski, 1960 (Pyralidae) Synonym(s): *whalleyi* Bleszynski, 1960
- 61340) *Crambus whitmerellus* Klots, 1942 (Pyralidae) Synonym(s): *whitmerellus* Klots, 1942
- 61341) *Crambus whitmerellus browni* Klots, 1942 (Pyralidae) Synonym(s): *browni* Klots, 1942
- 61342) *Crambus xanthogrammus* Meyrick, 1882 (Pyralidae) Synonym(s): *xanthogrammus* Meyrick, 1882
- 61343) *Crambus xebus* Bleszynski, 1962 (Pyralidae) Synonym(s): *uniformella* Janse, 1922 nec Car., 1910; *xebus* Bleszynski, 1962
- 61344) *Crambus xiphiellus* Zeller, 1872 (Pyralidae) Synonym(s): *xiphiellus* Zeller, 1872
- 61345) *Crambus youngellus* Kearfott, 1908 (Pyralidae) Synonym(s): *youngellus* Kearfott, 1908
- 61346) *Crambus yuennanellus* Caradja & Meyrick, 1937 (Pyralidae) Synonym(s): *yuennanellus* Caradja & Meyrick, 1937
- 61347) *Crambus zebus* Bleszynski, 1962 (Pyralidae) Synonym(s): *zebus* Bleszynski, 1962
- 61348) *Crambus zebus zebus* Bleszynski, 1962 (Pyralidae) Synonym(s): *zebus* Bleszynski, 1962
- 61349) *Crambus zeellus* Fernald, 1885 (Pyralidae) Synonym(s): *zeellus* Fernald, 1885; *refotalis* Hulst, 1886
- 61350) *Cremnophila flaviciliella* (Herrich-Schäffer, 1855) (Pyralidae) Synonym(s): *flaviciliella* Herrich-Schäffer, 1855
- 61351) *Cremnophila pyraustella* Zerny, 1914 (Pyralidae) Synonym(s): *pyraustella* Zerny, 1914
- 61352) *Cremnophila sedakovella* (Eversmann, 1851) (Pyralidae) Synonym(s): *sedakovella* Eversmann, 1851
- 61353) *Creobota apodectum* (Turner, 1904) (Pyralidae) Synonym(s): *apodectum* Turner, 1904
- 61354) *Creobota grossipunctella* (Ragonot, 1888) (Pyralidae) Synonym(s): *grossipunctella* Ragonot, 1888; *coccophthora* Turner, 1931
- 61355) *Criophthona anerasmia* (Turner, 1913) (Pyralidae) Synonym(s): *anerasmia* Turner, 1913
- 61356) *Criophthona aridalis* Hampson, 1913 (Pyralidae) Synonym(s): *aridalis* Hampson, 1913
- 61357) *Criophthona baliocrossa* (Turner, 1913) (Pyralidae) Synonym(s): *baliocrossa* Turner, 1913
- 61358) *Criophthona celidota* (Turner, 1913) (Pyralidae) Synonym(s): *celidota* Turner, 1913
- 61359) *Criophthona ecista* (Turner, 1913) (Pyralidae) Synonym(s): *ecista* Turner, 1913
- 61360) *Criophthona finitima* Meyrick, 1884 (Pyralidae) Synonym(s): *finitima* Meyrick, 1884
- 61361) *Criophthona haliaphra* Meyrick, 1884 (Pyralidae) Synonym(s): *haliaphra* Meyrick, 1884
- 61362) *Criophthona sabulosalis* Hampson, 1910 (Pyralidae) Synonym(s): *sabulosalis* Hampson, 1910
- 61363) *Criophthona trileuca* Lower, 1903 (Pyralidae) Synonym(s): *trileuca* Lower, 1903
- 61364) *Critonia phaeoneura* Hampson, 1918 (Pyralidae) Synonym(s): *phaeoneura* Hampson, 1918
- 61365) *Crocalia aglossalis* Ragonot, 1892 (Pyralidae) Synonym(s): *aglossalis* Ragonot, 1892; *latidorsalis* Turati, 1929; *exsculpta* Meyrick, 1937
- 61366) *Crociodolomia luteolalis* Hampson, 1893 (Pyralidae) Synonym(s): *luteolalis* Hampson, 1893
- 61367) *Crociodolomia pavonana* (Fabricius, 1794) (Pyralidae) Synonym(s): *pavonana* Fabricius, 1794; *binotalis* Zeller, 1852; *comalis* Guenée, 1854; *incomalis* Guenée, 1854; *quadripunctata* Shiraki, 1913; *dentalis* Amsel, 1951
- 61368) *Crociodolomia suffusalis* (Hampson, 1891) (Pyralidae) Synonym(s): *suffusalis* Hampson, 1891; *illustris* Lucas, 1892; *sinensis* Caradja, 1925
- 61369) *Crociodophora evenoralis* (Walker, 1859) (Pyralidae) Synonym(s): *evenoralis* Walker, 1859
- 61370) *Crociodophora flaviciliata* Hampson, 1910 (Pyralidae) Synonym(s): *flaviciliata* Hampson, 1910
- 61371) *Crociodophora habisalis* (Walker, 1859) (Pyralidae) Synonym(s): *habisalis* Walker, 1859
- 61372) *Crociodophora limbalis* Moore (Pyralidae) Synonym(s):
- 61373) *Crociodophora nectariphila* Strand, 1918 (Pyralidae) Synonym(s): *nectariphila* Strand, 1918
- 61374) *Crociodophora pallida* (Moore, 1888) (Pyralidae) Synonym(s): *pallida* Moore, 1888
- 61375) *Crociodophora rufitinctalis* Hampson, 1918 (Pyralidae) Synonym(s): *rufitinctalis* Hampson, 1918
- 61376) *Crocodydora cinigerella* (Walker, 1866) (Pyralidae) Synonym(s): *cinigerella* Walker, 1866; *stenopterella* Meyrick, 1879
- 61377) *Crypsitya ceadesalis* (Walker, 1859) (Pyralidae) Synonym(s): *ceadesalis* Walker, 1859
- 61378) *Crypsitya coclesalis* (Walker, 1859) (Pyralidae) Synonym(s): *coclesalis* Walker, 1859; *itemalesalis* Walker, 1859; *strenualis* Walker, [1866]; *interfusalis* Walker, [1866]; *lacrymalis* Leech, 1889
- 61379) *Crypsitya ruficostalis* (Hampson, 1918) (Pyralidae) Synonym(s): *ruficostalis* Hampson, 1918
- 61380) *Cryptadia xuthobela* Turner, 1913 (Pyralidae) Synonym(s): *xuthobela* Turner, 1913; *homophaea* Turner, 1947; *paucinotata* Turner, 1947
- 61381) *Cryptarthra* sp.A (Pyralidae) Synonym(s):
- 61382) *Cryptoblades adoceta* Turner, 1904 (Pyralidae) Synonym(s): *adoceta* Turner, 1904
- 61383) *Cryptoblades albocostalis* (Lucas, 1892) (Pyralidae) Synonym(s): *albocostalis* Lucas, 1892; *halbicostalis* Turner, 1947
- 61384) *Cryptoblades albitarsis* Turner, 1913 (Pyralidae) Synonym(s): *albitarsis* Turner, 1913
- 61385) *Cryptoblades angustipennella* Ragonot, 1888 (Pyralidae) Synonym(s): *angustipennella* Ragonot, 1888
- 61386) *Cryptoblades bataka* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *bataka* Roesler & Küppers, 1979
- 61387) *Cryptoblades bistriga* (Haworth, 1811) (Pyralidae) Synonym(s): *bistriga* Haworth, 1811
- 61388) *Cryptoblades decima* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *decima* Roesler & Küppers, 1979
- 61389) *Cryptoblades elaeothrepta* Tams, 1935 (Pyralidae) Synonym(s): *elaeothrepta* Tams, 1935
- 61390) *Cryptoblades ephestialis* Hampson, 1903 (Pyralidae) Synonym(s): *ephestialis* Hampson, 1903
- 61391) *Cryptoblades euraphella* (Meyrick, 1879) (Pyralidae) Synonym(s): *euraphella* Meyrick, 1879
- 61392) *Cryptoblades gnidiella* (Millière, 1867) (Pyralidae) Synonym(s): *gnidiella* Millière, 1867
- 61393) *Cryptoblades hanuman* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *hanuman* Roesler & Küppers, 1979
- 61394) *Cryptoblades hemigypsa* Turner, 1913 (Pyralidae) Synonym(s): *hemigypsa* Turner, 1913; *vagella* sensu Ironside, 1970
- 61395) *Cryptoblades kueppersi* Roesler, 1983 (Pyralidae) Synonym(s): *kueppersi* Roesler, 1983
- 61396) *Cryptoblades laricana* Mutuura, 1959 (Pyralidae) Synonym(s): *laricana* Mutuura, 1959
- 61397) *Cryptoblades loxiella* Ragonot, 1887 (Pyralidae) Synonym(s): *loxiella* Ragonot, 1887
- 61398) *Cryptoblades petrucki* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *petrucki* Roesler & Küppers, 1979
- 61399) *Cryptoblades plagioleuca* Turner, 1904 (Pyralidae) Synonym(s): *plagioleuca* Turner, 1904; *centroleuca* Lower, 1905; *ardescens* Meyrick, 1929
- 61400) *Cryptoblades poliella* (Lower, 1905) (Pyralidae) Synonym(s): *poliella* Lower, 1905
- 61401) *Cryptoblades proleucella* Hampson, 1896 (Pyralidae) Synonym(s): *proleucella* Hampson, 1896
- 61402) *Cryptoblades sita* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *sita* Roesler & Küppers, 1979
- 61403) *Cryptoblades spodopetina* Tams, 1935 (Pyralidae) Synonym(s): *spodopetina* Tams, 1935
- 61404) *Cryptoblades sudasa* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *sudasa* Roesler & Küppers, 1979
- 61405) *Cryptoblades tiga* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *tiga* Roesler & Küppers, 1979
- 61406) *Cryptoblades trabeata* Meyrick, 1932 (Pyralidae) Synonym(s): *trabeata* Meyrick, 1932
- 61407) *Cryptomyelois glaucobasis* (Lower, 1903) (Pyralidae) Synonym(s): *glaucobasis* Lower, 1903
- 61408) *Cryptomyelois irmhilda* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *irmhilda* Roesler & Küppers, 1979
- 61409) *Cryptophycita deflanderella* (Ragonot, 1893) (Pyralidae) Synonym(s): *deflanderella* Ragonot, 1893
- 61410) *Cryptophycita excelsa* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *excelsa* Roesler & Küppers, 1979
- 61411) *Cryptozophara euzopherella* (Ragonot, 1889) (Pyralidae) Synonym(s): *euzopherella* Ragonot, 1889
- 61412) *Ctenarthra khorgosalis* Ragonot, 1891 (Pyralidae) Synonym(s): *khorgosalis* Ragonot, 1891
- 61413) *Ctenomedes neuractis* Meyrick, 1935 (Pyralidae) Synonym(s): *neuractis* Meyrick, 1935
- 61414) *Ctenomedes* sp.A (Pyralidae) Synonym(s):
- 61415) *Ctenomeristis almella* (Meyrick, 1879) (Pyralidae) Synonym(s): *almella* Meyrick, 1879
- 61416) *Ctenomeristis kaltenbachii* Roesler, 1983 (Pyralidae) Synonym(s): *kaltenbachii* Roesler, 1983
- 61417) *Ctenomeristis subfuscella* (Hampson, 1901) (Pyralidae) Synonym(s): *subfuscella* Hampson, 1901
- 61418) *Ctenomeristis vojnitzi* Roesler, 1983 (Pyralidae) Synonym(s): *vojnitzi* Roesler, 1983
- 61419) *Culladia achroella* (Mabille, 1899) (Pyralidae) Synonym(s): *achroella* Mabille, 1899
- 61420) *Culladia admigratella* (Walker, 1863) (Pyralidae) Synonym(s): *admigratella* Walker, 1863; *caesella* Walker, 1863; *hastiferalis* Walker, [1866].
- 61421) *Culladia albimedialis* Hampson, 1919 (Pyralidae) Synonym(s): *albimedialis* Hampson, 1919

- 61422) *Culladia argentimaculatis* (Hampson,1919) (Pyralidae) Synonym(s): *argentimaculatis* Hampson,1919
61423) *Culladia assamella* Bleszynski,1970 (Pyralidae) Synonym(s): *assamella* Bleszynski,1970
61424) *Culladia belliferens* Dyar,1914 (Pyralidae) Synonym(s): *belliferens* Dyar,1914
61425) *Culladia castrella* Schaus,1922 (Pyralidae) Synonym(s): *castrella* Schaus,1922
61426) *Culladia cuneiferella* (Walker,1863) (Pyralidae) Synonym(s): *cuneiferellus* Walker,1863
61427) *Culladia dentilinealis* Hampson,1919 (Pyralidae) Synonym(s): *dentilinealis* Hampson,1919
61428) *Culladia elgonella* Bleszynski,1970 (Pyralidae) Synonym(s): *elgonella* Bleszynski,1970
61429) *Culladia eucosmella* Dyar,1914 (Pyralidae) Synonym(s): *eucosmella* Dyar,1914; *argyriplagalis* Hampson,1919
61430) *Culladia evae* Bleszynski,1970 (Pyralidae) Synonym(s): *evae* Bleszynski,1970
61431) *Culladia franscescella* Schaus,1922 (Pyralidae) Synonym(s): *franscescella* Schaus,1922
61432) *Culladia habanella* Schaus,1922 (Pyralidae) Synonym(s): *habanella* Schaus,1922
61433) *Culladia hanna* Bleszynski,1970 (Pyralidae) Synonym(s): *hanna* Bleszynski,1970
61434) *Culladia inconspicuella* (Snellen,1872) (Pyralidae) Synonym(s): *inconspicuella* Snellen,1872; *troglydetyella* Snellen,1872
61435) *Culladia miria* Bleszynski,1970 (Pyralidae) Synonym(s): *miria* Bleszynski,1970
61436) *Culladia niphosella* Hampson,1908 (Pyralidae) Synonym(s): *niphosella* Hampson,1908
61437) *Culladia paralytica* (Meyrick,1932) (Pyralidae) Synonym(s): *paralytica* Meyrick,1932
61438) *Culladia pentaspila* (Zeller,1877) (Pyralidae) Synonym(s): *pentaspila* Zeller,1877
61439) *Culladia serranella* Bleszynski,1970 (Pyralidae) Synonym(s): *serranella* Bleszynski,1970
61440) *Culladia suffusella* Hampson,1896 (Pyralidae) Synonym(s): *suffusella* Hampson,1896
61441) *Culladia tonkinella* Bleszynski,1970 (Pyralidae) Synonym(s): *tonkinella* Bleszynski,1970
61442) *Culladia troglodytella* (Snellen,1872) (Pyralidae) Synonym(s): *troglydetyella* Snellen,1872
61443) *Culladiella* *generosa* (Meyrick,1936) (Pyralidae) Synonym(s): *generosa* Meyrick,1936
61444) *Culladiella sinuimargo* (Hampson,1919) (Pyralidae) Synonym(s): *sinuimargo* Hampson,1919
61445) *Culladiella sinuimargo sinuimargo* (Hampson,1919) (Pyralidae) Synonym(s): *sinuimargo* Hampson,1919
61446) *Culladiella subsinuimargo* Bleszynski,1970 (Pyralidae) Synonym(s): *subsinuimargo* Bleszynski,1970
61447) *Cunibertoides nigripatagiata* Balinsky,1991 (Pyralidae) Synonym(s): *nigripatagiata* Balinsky,1991
61448) *Cunibertoides nigripatagiata nigripatagiata* Balinsky,1991 (Pyralidae) Synonym(s): *nigripatagiata* Balinsky,1991
61449) *Curena caustopa* (Turner,1905) (Pyralidae) Synonym(s): *caustopa* Turner,1905; *indistinctalis* Rothschild,1916
61450) *Curena costipunctata* Shibuya,1928 (Pyralidae) Synonym(s): *costipunctata* Shibuya,1928
61451) *Curena externalis* Walker,1866] (Pyralidae) Synonym(s): *externalis* Walker,1866]; *cacaalis* Lucas,1891
61452) *Cybalomia fractilinealis* (Christoph,1873) (Pyralidae) Synonym(s): *fractilinealis* Christoph,1873
61453) *Cybalomia fulvomixtalis* Zerny,1914 (Pyralidae) Synonym(s): *fulvomixtalis* Zerny,1914
61454) *Cybalomia haplogramma* Meyrick,1936 (Pyralidae) Synonym(s): *haplogramma* Meyrick,1936
61455) *Cybalomia lutosalis* (Mann,1862) (Pyralidae) Synonym(s): *lutosalis* Mann,1862
61456) *Cybalomia pentadalis* (Lederer,1855) (Pyralidae) Synonym(s): *pentadalis* Lederer,1855
61457) *Cybalomia pulverosalis* Hampson (Pyralidae) Synonym(s):
61458) *Cybalomia rivasalis* Vaughan (Pyralidae) Synonym(s):
61459) *Cybalomia squamosa* (Hampson,1913) (Pyralidae) Synonym(s): *squamosa* Hampson,1913
61460) *Cybalomia triplacogramma* Meyrick,1937 (Pyralidae) Synonym(s): *triplacogramma* Meyrick,1937
61461) *Cydalima diaphanalis* (Walker,1866)] (Pyralidae) Synonym(s): *diaphanalis* Walker,1866]; *margaronialis* Walker,1866]; *plumifera* Butler,1882
61462) *Cydalima fuscinervalis* (Snellen,1895) (Pyralidae) Synonym(s): *fuscinervalis* Snellen,1895
61463) *Cydalima laticostalis* (Guenée,1854) (Pyralidae) Synonym(s): *laticostalis* Guenée,1854; *nitidicostalis* Guenée,1854; *leodicealis* Guenée,1859.
61464) *Cymoriza hoenei* Caradja,1933 (Pyralidae) Synonym(s): *hoenei* Caradja,1933
61465) *Cymoriza interruptalis* (Wileman & South,1917) (Pyralidae) Synonym(s): *interruptalis* Wileman & South,1917
61466) *Cymoriza inthanonensis* Yoshiyasu,1985 (Pyralidae) Synonym(s): *inthanonensis* Yoshiyasu,1985
61467) *Cymoriza irrectalis* Guenée,1854 (Pyralidae) Synonym(s): *irrectalis* Guenée,1854
61468) *Cymoriza taiwanalis* Shibuya,1928 (Pyralidae) Synonym(s): *taiwanalis* Shibuya,1928
61469) *Cymoriza ustalis* (Walker,1865) (Pyralidae) Synonym(s): *ustalis* Walker,1865; *fascialis* Warren,1896
61470) *Cynaeda dentalis* [(Denis & Schiffermüller),1775] (Pyralidae) Synonym(s): *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959
61471) *Cynaeda dentalis dentalis* [(Denis & Schiffermüller),1775] (Pyralidae) Synonym(s): *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959
61472) *Cynaeda forsteri* De Lattin,1951 (Pyralidae) Synonym(s): *forsteri* De Lattin,1951
61473) *Cynaeda forsteri forsteri* De Lattin,1951 (Pyralidae) Synonym(s): *forsteri* De Lattin,1951
61474) *Cynaeda furiosa* Hampson,1900 (Pyralidae) Synonym(s): *furiosa* Hampson,1900
61475) *Cynaeda furiosa amseli* De Lattin,1959 (Pyralidae) Synonym(s): *amseli* De Lattin,1959
61476) *Cynaeda furiosa furiosa* Hampson,1900 (Pyralidae) Synonym(s): *furiosa* Hampson,1900
61477) *Cynaeda gigantea* (Wocke,1871) (Pyralidae) Synonym(s): *gigantea* Wocke,1871
61478) *Cynaeda gigantea gigantea* (Wocke,1871) (Pyralidae) Synonym(s): *gigantea* Wocke,1871
61479) *Cynaeda gigantea hilarrella* Schawerda,1921 (Pyralidae) Synonym(s): *hilarrella* Schawerda,1921; *mendicalis* De Lattin,1951
61480) *Cypholomia amphiala* Meyrick,1934 (Pyralidae) Synonym(s): *amphiala* Meyrick,1934
61481) *Cypholomia crypsibela* Meyrick,1934 (Pyralidae) Synonym(s): *crypsibela* Meyrick,1934
61482) *Cypholomia leptodeta* Meyrick,1933 (Pyralidae) Synonym(s): *leptodeta* Meyrick,1933
61483) *Cyrtogramme melagnyalis* (Agassiz,1978) (Pyralidae) Synonym(s): *melagnyalis* Agassiz,1978
61484) *Cyrtogramme turbata* (Butler,1881) (Pyralidae) Synonym(s): *turbata* Butler,1881
61485) *Daria coenosella* Ragonot,1888 (Pyralidae) Synonym(s): *coenosella* Ragonot,1888; *tshetverikovi* Kusnesov,1908.
61486) *Dasyscopa homogenes* Meyrick,1894 (Pyralidae) Synonym(s): *homogenes* Meyrick,1894; *planilinearis* Warren,1896
61487) *Dasyscopa polysemalis* Hampson,1897 (Pyralidae) Synonym(s): *polysemalis* Hampson,1897
61488) *Dattinia affinis* Rothschild,1921 (Pyralidae) Synonym(s): *affinis* Rothschild,1921
61489) *Dattinia albicornis* Rebel,1914 (Pyralidae) Synonym(s): *albicornis* Rebel,1914
61490) *Dattinia anceschii* Turati,1926 (Pyralidae) Synonym(s): *anceschii* Turati,1926
61491) *Dattinia argentalis* Hampson,1900 (Pyralidae) Synonym(s): *argentalis* Hampson,1900
61492) *Dattinia aurora* Fawcett,1916 (Pyralidae) Synonym(s): *aurora* Fawcett,1916
61493) *Dattinia benderalis* (Amsel,1949) (Pyralidae) Synonym(s): *benderalis* Amsel,1949
61494) *Dattinia bertazzii* Turati,1926 (Pyralidae) Synonym(s): *bertazzii* Turati,1926
61495) *Dattinia brandti* (Amsel,1949) (Pyralidae) Synonym(s): *brandti* Amsel,1949
61496) *Dattinia caidalis* Hampson,1900 (Pyralidae) Synonym(s): *caidalis* Hampson,1900
61497) *Dattinia canifusalis* Hampson,1900 (Pyralidae) Synonym(s): *canifusalis* Hampson,1900
61498) *Dattinia colchicaloides* Amsel,1949 (Pyralidae) Synonym(s): *colchicaloides* Amsel,1949
61499) *Dattinia conformalis* Amsel,1949 (Pyralidae) Synonym(s): *conformalis* Amsel,1949
61500) *Dattinia hyrcanalis* Amsel,1951 (Pyralidae) Synonym(s): *hyrcanalis* Amsel,1951
61501) *Dattinia indistinctalis* (Amsel,1949) (Pyralidae) Synonym(s): *indistinctalis* Amsel,1949
61502) *Dattinia infascialis* (Amsel,1949) (Pyralidae) Synonym(s): *infascialis* Amsel,1949; *baloutchistanalis* Amsel,1951
61503) *Dattinia ingrata* (Butler,1881) (Pyralidae) Synonym(s): *ingrata* Butler,1881
61504) *Dattinia iranalis* Amsel,1949 (Pyralidae) Synonym(s): *iranalis* Amsel,1949
61505) *Dattinia jordanalis* Rebel,1903 (Pyralidae) Synonym(s): *jordanalis* Rebel,1903
61506) *Dattinia lobaris* Chrétien,1915 (Pyralidae) Synonym(s): *lobaris* Chrétien,1915
61507) *Dattinia lobaris fredii* Amsel,1949 (Pyralidae) Synonym(s): *fredii* Amsel,1949
61508) *Dattinia mavromoustakisi* Rebel,1928 (Pyralidae) Synonym(s): *mavromoustakisi* Rebel,1928

- 61509) *Dattinia metasialis* (Amsel,1953) (Pyralidae) Synonym(s): *metasialis* Amsel,1953
61510) *Dattinia mimicalis* Amsel,1951 (Pyralidae) Synonym(s): *mimicalis* Amsel,1951
61511) *Dattinia mystica* Amsel,1977 (Pyralidae) Synonym(s): *mystica* Amsel,1977
61512) *Dattinia noctua* Falkovitsh,1976 (Pyralidae) Synonym(s): *noctua* Falkovitsh,1976
61513) *Dattinia opsima* Falkovitsh,1976 (Pyralidae) Synonym(s): *opsima* Falkovitsh,1976
61514) *Dattinia ornata* Druce,1902 (Pyralidae) Synonym(s): *ornata* Druce,1902
61515) *Dattinia orphna* Falkovitsh,1976 (Pyralidae) Synonym(s): *orphna* Falkovitsh,1976
61516) *Dattinia oxodontalis* Hampson,1900 (Pyralidae) Synonym(s): *oxodontalis* Hampson,1900
61517) *Dattinia pallidicarnea* (Warren,1914) (Pyralidae) Synonym(s): *pallidicarnea* Warren,1914
61518) *Dattinia persinualis* Hampson,1900 (Pyralidae) Synonym(s): *persinualis* Hampson,1900
61519) *Dattinia phaeagonalis* (Hampson,1906) (Pyralidae) Synonym(s): *phaeagonalis* Hampson,1906
61520) *Dattinia pineai* Rougeot,1977 (Pyralidae) Synonym(s): *pineai* Rougeot,1977
61521) *Dattinia poliopastalis* Hampson,1900 (Pyralidae) Synonym(s): *poliopastalis* Hampson,1900
61522) *Dattinia povolnyi* Amsel,1975 (Pyralidae) Synonym(s): *povolnyi* Amsel,1975
61523) *Dattinia proximalis* (Christoph,1882) (Pyralidae) Synonym(s): *proximalis* Christoph,1882
61524) *Dattinia rara* (Amsel,1935) (Pyralidae) Synonym(s): *rara* Amsel,1935
61525) *Dattinia rectangula* Amsel,1949 (Pyralidae) Synonym(s): *rectangula* Amsel,1949
61526) *Dattinia sardzealis* Amsel,1951 (Pyralidae) Synonym(s): *sardzealis* Amsel,1951
61527) *Dattinia semirosealis* (Walker,1865) (Pyralidae) Synonym(s): *semirosealis* Walker,1865
61528) *Dattinia sinaica* (Rebel,1903) (Pyralidae) Synonym(s): *sinaica* Rebel,1903; *debskii* Rebel,1912
61529) *Dattinia staudingeri* (Ragonot,1891) (Pyralidae) Synonym(s): *staudingeri* Ragonot,1891
61530) *Dattinia strictalis* (Amsel,1949) (Pyralidae) Synonym(s): *strictalis* Amsel,1949
61531) *Dattinia subargentalis* (Amsel,1949) (Pyralidae) Synonym(s): *subargentalis* Amsel,1949
61532) *Dattinia syrtalis* (Ragonot,1887) (Pyralidae) Synonym(s): *syrtalis* Ragonot,1887
61533) *Dattinia variabilis* (Zerny,1930) (Pyralidae) Synonym(s): *variabilis* Zerny,1930
61534) *Dattinia vulgaris* Butler,1881 (Pyralidae) Synonym(s): *vulgaris* Butler,1881
61535) *Dattinia wiltshirei* Amsel,1949 (Pyralidae) Synonym(s): *wiltshirei* Amsel,1949
61536) *Daulia afralis* Walker,1859 (Pyralidae) Synonym(s): *afralis* Walker,1859; *argentoalis* Swinhoe,1890
61537) *Daulia argyrophoralis* Hampson,1907 (Pyralidae) Synonym(s): *argyrophoralis* Hampson,1907
61538) *Daulia argyrostrotalis* Hampson,1912 (Pyralidae) Synonym(s): *argyrostrotalis* Hampson,1912
61539) *Daulia aurtantialis* Hampson,1896 (Pyralidae) Synonym(s): *aurantialis* Hampson,1896
61540) *Daulia auripilumbea* (Warren,1914) (Pyralidae) Synonym(s): *auripilumbea* Warren,1914
61541) *Daulia subaurealis* (Walker,1865) (Pyralidae) Synonym(s): *subaurealis* Walker,1865
61542) *Dausara amethysta* Butler,1877 (Pyralidae) Synonym(s): *amethysta* Butler,1877
61543) *Dausara chiangmai* Yoshiyasu,1995 (Pyralidae) Synonym(s): *chiangmai* Yoshiyasu,1995
61544) *Dausara latiterminalis* Yoshiyasu,1995 (Pyralidae) Synonym(s): *latiterminalis* Yoshiyasu,1995
61545) *Deanolis albizonalis* Hampson,1903 (Pyralidae) Synonym(s): *albizonalis* Hampson,1903
61546) *Deanolis sublimbalis* Snellen,1899 (Pyralidae) Synonym(s): *sublimbalis* Snellen,1899
61547) *Deba surrectalis* (Walker,1865) (Pyralidae) Synonym(s): *surrectalis* Walker,1865
61548) *Decticogaster depalpalis* (Strand,1919) (Pyralidae) Synonym(s): *depalpalis* Strand,1919
61549) *Decticogaster janapalis* (Walker,1859) (Pyralidae) Synonym(s): *janapalis* Walker,1859
61550) *Dectocera pseudolimbella* Ragonot,1887 (Pyralidae) Synonym(s): *pseudolimbella* Ragonot,1887
61551) *Dejoannisia pallidella* (Joannis,1927) (Pyralidae) Synonym(s): *pallidella* Joannis,1927
61552) *Delopteris basalis* Janse,1922 (Pyralidae) Synonym(s): *basalis* Janse,1922
61553) *Deltobotys brachypteralis* (Hampson,1913) (Pyralidae) Synonym(s): *brachypteralis* Hampson,1913; *lunilinealis* Hampson,1918; *#levilinealis* Amsel,1956
61554) *Deltobotys citrodoxa* (Meyrick,1936) (Pyralidae) Synonym(s): *citrodoxa* Meyrick,1936
61555) *Deltobotys galba* Munroe,1964 (Pyralidae) Synonym(s): *galba* Munroe,1964
61556) *Dentifovea fulvifascialis* (Christoph,1887) (Pyralidae) Synonym(s): *fulvifascialis* Christoph,1887
61557) *Dentitegumia* (Uyghuria) *classica* Roesler,1989 (Pyralidae) Synonym(s): *classica* Roesler,1989
61558) *Dentitegumia afghanella* Amsel,1970 (Pyralidae) Synonym(s): *afghanella* Amsel,1970
61559) *Dentitegumia dhana* Roesler,1989 (Pyralidae) Synonym(s): *dhana* Roesler,1989
61560) *Dentitegumia nigigranella* (Ragonot,1890) (Pyralidae) Synonym(s): *nigigranella* Ragonot,1890; *comeella* Amsel,1961.
61561) *Dentitegumia sirjana* Roesler,1989 (Pyralidae) Synonym(s): *sirjana* Roesler,1989
61562) *Desmia discrepans* (Butler,1887) (Pyralidae) Synonym(s): *discrepans* Butler,1887
61563) *Deuterarcha xanthomela* Meyrick,1884 (Pyralidae) Synonym(s): *xanthomela* Meyrick,1884; *insignis* Butler,1886
61564) *Deuterolia nipis* Dyar,1914 (Pyralidae) Synonym(s): *nipis* Dyar,1914
61565) *Deuterophya grisealis* Hampson,1917 (Pyralidae) Synonym(s): *grisealis* Hampson,1917
61566) *Diadexia anchylocrossa* Turner,1924 (Pyralidae) Synonym(s): *anchylocrossa* Turner,1924
61567) *Diadexia argyropasta* Turner,1911 (Pyralidae) Synonym(s): *argyropasta* Turner,1911
61568) *Diadexia parodes* Turner,1905 (Pyralidae) Synonym(s): *parodes* Turner,1905
61569) *Dialepta micropolia* Turner,1913 (Pyralidae) Synonym(s): *micropolia* Turner,1913
61570) *Diaphania albianalis* (Hampson,1918) (Pyralidae) Synonym(s): *albianalis* Hampson,1918
61571) *Diaphania albicincta* (Hampson,1899) (Pyralidae) Synonym(s): *albicincta* Hampson,1899
61572) *Diaphania argealis* (Walker,1859) (Pyralidae) Synonym(s): *argealis* Walker,1859
61573) *Diaphania arguta* (Lederer,1863) (Pyralidae) Synonym(s): *arguta* Lederer,1863
61574) *Diaphania aroalis* (Schaus,1920) (Pyralidae) Synonym(s): *aroalis* Schaus,1920
61575) *Diaphania beckeri* Clavijo & Munroe,1996 (Pyralidae) Synonym(s): *beckeri* Clavijo & Munroe,1996
61576) *Diaphania clavata* (Hampson,1912) (Pyralidae) Synonym(s): *clavata* Hampson,1912
61577) *Diaphania contractalis* (Dognin,1903) (Pyralidae) Synonym(s): *contractalis* Dognin,1903
61578) *Diaphania culminalis* (Schaus,1924) (Pyralidae) Synonym(s): *culminalis* Schaus,1924
61579) *Diaphania elegans* (Möschler,1890) (Pyralidae) Synonym(s): *elegans* Möschler,1890
61580) *Diaphania eumeusalis* (Walker,1859) (Pyralidae) Synonym(s): *eumeusalis* Walker,1859
61581) *Diaphania euryzonalis* (Hampson,1912) (Pyralidae) Synonym(s): *euryzonalis* Hampson,1912
61582) *Diaphania exclusalis* (Walker,1866) (Pyralidae) Synonym(s): *exclusalis* Walker,1866
61583) *Diaphania fuligalis* (Schaus,1912) (Pyralidae) Synonym(s): *fuligalis* Schaus,1912
61584) *Diaphania fumosalis* (Guenée,1854) (Pyralidae) Synonym(s): *fumosalis* Guenée,1854
61585) *Diaphania fuscicaudalis* (Möschler,1881) (Pyralidae) Synonym(s): *fuscicaudalis* Möschler,1881
61586) *Diaphania guenalis* (Snellen,1875) (Pyralidae) Synonym(s): *guenalis* Snellen,1875
61587) *Diaphania hemicitralis* (Hampson,1912) (Pyralidae) Synonym(s): *hemicitralis* Hampson,1912
61588) *Diaphania hyalinata* (Linnaeus,1767) (Pyralidae) Synonym(s): *hyalinata* Linnaeus,1767
61589) *Diaphania indica* (Saunders,1851) (Pyralidae) Synonym(s): *indica* Saunders,1851; *capensis* Zeller,1852; *gazoralis* Guenée,1854; *zygaenalis* Guenée,1854; *curcubitalis* Guenée,1862; *intermedialis* Dognin,1904.
61590) *Diaphania infirmalis* (Guenée,1854) (Pyralidae) Synonym(s): *infirmalis* Guenée,1854
61591) *Diaphania latilimbalis* (Guenée,1854) (Pyralidae) Synonym(s): *latilimbalis* Guenée,1854
61592) *Diaphania lucidalis* (Hübner,1823) (Pyralidae) Synonym(s): *lucidalis* Hübner,1823
61593) *Diaphania magdalenae* (Hampson,1899) (Pyralidae) Synonym(s): *magdalenae* Hampson,1899
61594) *Diaphania mirabilis* (Druce,1902) (Pyralidae) Synonym(s): *mirabilis* Druce,1902
61595) *Diaphania monothyrallis* (Hampson,1918) (Pyralidae) Synonym(s): *monothyrallis* Hampson,1918
61596) *Diaphania nigriclialis* (Schaus,1912) (Pyralidae) Synonym(s): *nigriclialis* Schaus,1912

- 61597) *Diaphania nitidalis* (Cramer,1781) (Pyralidae) Synonym(s): *nitidalis* Cramer,1781
61598) *Diaphania oeditornalis* (Hampson,1912) (Pyralidae) Synonym(s): *oeditornalis* Hampson,1912
61599) *Diaphania oleosalis* (Snellen,1875) (Pyralidae) Synonym(s): *oleosalis* Snellen,1875
61600) *Diaphania orthozonalis* (Hampson,1912) (Pyralidae) Synonym(s): *orthozonalis* Hampson,1912
61601) *Diaphania plumbidorsalis* (Guenée,1854) (Pyralidae) Synonym(s): *plumbidorsalis* Guenée,1854
61602) *Diaphania praxialis* (Druce,1895) (Pyralidae) Synonym(s): *praxialis* Druce,1895
61603) *Diaphania purpurea* (Hampson,1912) (Pyralidae) Synonym(s): *purpurea* Hampson,1912
61604) *Diaphania subtilalis* Amsel,1954 (Pyralidae) Synonym(s): *subtilalis* Amsel,1954
61605) *Diaphania superalis* (Guenée,1854) (Pyralidae) Synonym(s): *superalis* Guenée,1854
61606) *Diaphania taenialis* (Dognin,1905) (Pyralidae) Synonym(s): *taenialis* Dognin,1905
61607) *Diaphania translucidalis* (Guenée,1854) (Pyralidae) Synonym(s): *translucidalis* Guenée,1854
61608) *Diasemia accalis* (Walker,1859) (Pyralidae) Synonym(s): *accalis* Walker,1859; *spilonotalis* Snellen,[1880]
61609) *Diasemia calcaralis* Strand,1918 (Pyralidae) Synonym(s): *calcaralis* Strand,1918
61610) *Diasemia completalis* Walker,[1866] (Pyralidae) Synonym(s): *completalis* Walker,[1866]
61611) *Diasemia disjunctalis* (Zeller,1852) (Pyralidae) Synonym(s): *disjunctalis* Zeller,1852
61612) *Diasemia impulsalis* (Pyralidae) Synonym(s):
61613) *Diasemia impulsalis taiwanalis* Shibuya,1928 (Pyralidae) Synonym(s): *taiwanalis* Shibuya,1928
61614) *Diasemia lepidoneuralis* Strand,1918 (Pyralidae) Synonym(s): *lepidoneuralis* Strand,1918
61615) *Diasemia monostigma* Hampson,1913 (Pyralidae) Synonym(s): *monostigma* Hampson,1913
61616) *Diasemia reticularis* (Linnaeus,1761) (Pyralidae) Synonym(s): *reticularis* Linnaeus,1761; *litterata* Scopoli,1763
61617) *Diasemia trigonalis* Hampson,1913 (Pyralidae) Synonym(s): *trigonalis* Hampson,1913
61618) *Diasemiopsis ramburialis* (Duponchel,1831) (Pyralidae) Synonym(s): *ramburialis* Duponchel,1831; *melaleucalis* Walker,1859; *reconditalis* Walker,[1866]; *leucophaealis* Walker,[1866].
61619) *Diastictis incisalis* (Snellen,1880) (Pyralidae) Synonym(s): *incisalis* Snellen,1880
61620) *Diastictis tenera* (Butler,1883) (Pyralidae) Synonym(s): *tenera* Butler,1883
61621) *Diathrausta brevifascialis* (Wileman,1911) (Pyralidae) Synonym(s): *brevifascialis* Wileman,1911
61622) *Diathrausta lypera* Tams,1935 (Pyralidae) Synonym(s):
61623) *Diathrausta ochreipennis* (Butler,1886) (Pyralidae) Synonym(s): *ochreipennis* Butler,1886
61624) *Diathrausta picata* (Butler,1889) (Pyralidae) Synonym(s): *picata* Butler,1889
61625) *Diathrausta profundalis* Lederer,1863 (Pyralidae) Synonym(s): *profundalis* Lederer,1863
61626) *Diatraea albicrinella* Box,1931 (Pyralidae) Synonym(s): *albicrinella* Box,1931
61627) *Diatraea andina* Box,1951 (Pyralidae) Synonym(s): *andina* Box,1951
61628) *Diatraea argentina* Box,1931 (Pyralidae) Synonym(s): *argentina* Box,1931
61629) *Diatraea balboana* Box,1956 (Pyralidae) Synonym(s): *balboana* Box,1956
61630) *Diatraea bellifactella* Dyar,1911 (Pyralidae) Synonym(s): *bellifactella* Dyar,1911
61631) *Diatraea brucei* Hulst,1895 (Pyralidae) Synonym(s): *brucei* Hulst,1895
61632) *Diatraea brunescens* Box,1931 (Pyralidae) Synonym(s): *brunescens* Box,1931; *incertella* Box,1931
61633) *Diatraea busckella* Dyar & Heinrich,1927 (Pyralidae) Synonym(s): *busckella* Dyar & Heinrich,1927; *#falconiensis* Box,1951; *#setariaeoides* Box,1951
61634) *Diatraea busckella setariae* Box,1951 (Pyralidae) Synonym(s): *setariae* Box,1951
61635) *Diatraea colombiana* Box,1956 (Pyralidae) Synonym(s): *colombiana* Box,1956
61636) *Diatraea considerata* (Heinrich,1931) (Pyralidae) Synonym(s): *considerata* Heinrich,1931
61637) *Diatraea crambidoides* (Grote,1880) (Pyralidae) Synonym(s): *crambidoides* Grote,1880; *zeacolella* Dyar,1911; *tripsacicola* Dyar,1921
61638) *Diatraea dyari* Box,1930 (Pyralidae) Synonym(s): *dyari* Box,1930
61639) *Diatraea evanescens* Dyar,1917 (Pyralidae) Synonym(s): *evanescens* Dyar,1917; *sobrinialis* Schaus,1922
61640) *Diatraea flavipennella* Box,1931 (Pyralidae) Synonym(s): *flavipennella* Box,1931
61641) *Diatraea fuscella* Schaus,1922 (Pyralidae) Synonym(s): *fuscella* Schaus,1922
61642) *Diatraea gaga* Dyar,1922 (Pyralidae) Synonym(s): *gaga* Dyar,1922; *solipsa* Dyar,1915
61643) *Diatraea guapilella* (Schaus,1913) (Pyralidae) Synonym(s): *guapilella* Schaus,1913
61644) *Diatraea guatemalella* Schaus,1922 (Pyralidae) Synonym(s): *guatemalella* Schaus,1922
61645) *Diatraea idalis* Fernald,1896 (Pyralidae) Synonym(s): *idalis* Fernald,1896
61646) *Diatraea impersonatella* (Walker,1863) (Pyralidae) Synonym(s): *impersonatella* Walker,1863; *moorella* Dyar & Heinrich,1927
61647) *Diatraea indigenella* Dyar & Heinrich,1927 (Pyralidae) Synonym(s): *indigenella* Dyar & Heinrich,1927
61648) *Diatraea instructella* Dyar,1911 (Pyralidae) Synonym(s): *instructella* Dyar,1911
61649) *Diatraea lentistrialis* Hampson,1919 (Pyralidae) Synonym(s): *lentistrialis* Hampson,1919
61650) *Diatraea lisetta* (Dyar,1909) (Pyralidae) Synonym(s): *lisetta* Dyar,1909; *cancellaris* Dyar,1914; *adulcia* Dyar,1916.
61651) *Diatraea luteella* Box,1931 (Pyralidae) Synonym(s): *luteella* Box,1931
61652) *Diatraea magnifactella* Dyar,1911 (Pyralidae) Synonym(s): *magnifactella* Dyar,1911
61653) *Diatraea maritima* Box,1935 (Pyralidae) Synonym(s): *maritima* Box,1935
61654) *Diatraea maronialis* Schaus,1922 (Pyralidae) Synonym(s): *maronialis* Schaus,1922
61655) *Diatraea minimifacta* Dyar,1911 (Pyralidae) Synonym(s): *minimifacta* Dyar,1911
61656) *Diatraea morobe* Dyar,1917 (Pyralidae) Synonym(s): *morobe* Dyar,1917
61657) *Diatraea myersi* Box,1935 (Pyralidae) Synonym(s): *myersi* Box,1935
61658) *Diatraea obliquialis* Hampson,1919 (Pyralidae) Synonym(s): *obliquialis* Hampson,1919
61659) *Diatraea pedibarbata* Dyar,1911 (Pyralidae) Synonym(s): *pedibarbata* Dyar,1911
61660) *Diatraea pittieri* Box,1951 (Pyralidae) Synonym(s): *pittieri* Box,1951
61661) *Diatraea postlineella* Schaus,1922 (Pyralidae) Synonym(s): *postlineella* Schaus,1922
61662) *Diatraea ragonoti* Box,1948 (Pyralidae) Synonym(s): *ragonoti* Box,1948
61663) *Diatraea saccharalis* (Fabricius,1794) (Pyralidae) Synonym(s): *saccharalis* Fabricius,1794; *sacchari* Fabricius,1798; *leucaniellus* Walker,1863; *lineosellus* Walker,1863; *obliteratellus* Zeller,1863; *grenadensis* Dyar,1911; *continens* Dyar,1911; *#brasiliensis* Van Gorkum & De Waal,1913; *crambidoides* Holloway & Loftin,1919; *incomparella* Dyar & Heinrich,1927
61664) *Diatraea savannorum* Box,1935 (Pyralidae) Synonym(s): *savannorum* Box,1935
61665) *Diatraea silvicola* Box,1951 (Pyralidae) Synonym(s): *silvicola* Box,1951
61666) *Diatraea suffusella* Box,1931 (Pyralidae) Synonym(s): *suffusella* Box,1931
61667) *Diatraea tabernella* Dyar,1911 (Pyralidae) Synonym(s): *tabernella* Dyar,1911
61668) *Diatraea umbrialis* Schaus,1922 (Pyralidae) Synonym(s): *umbrialis* Schaus,1922
61669) *Diatraea venosalis* (Dyar,1917) (Pyralidae) Synonym(s): *venosalis* Dyar,1917
61670) *Diatraea veracruzana* Box,1956 (Pyralidae) Synonym(s): *veracruzana* Box,1956
61671) *Dichocrocis chlorophanta* (Butler,1878) (Pyralidae) Synonym(s): *chlorophanta* Butler,1878
61672) *Dichocrocis clytusalis* (Walker,1859) (Pyralidae) Synonym(s): *clytusalis* Walker,1859
61673) *Dichocrocis erixantha* (Meyrick,1886) (Pyralidae) Synonym(s): *erixantha* Meyrick,1886
61674) *Dichocrocis leptalis* Hampson,1903 (Pyralidae) Synonym(s): *leptalis* Hampson,1903
61675) *Dichocrocis megillalis* Walker,1859 (Pyralidae) Synonym(s): *megillalis* Walker,1859
61676) *Dichocrocis punctiferalis* (Guenée,1854) (Pyralidae) Synonym(s): *punctiferalis* Guenée,1854; *detracta* Walker,1859; *nicippealis* Walker,1859; *guttatalis* Walker,[1866].
61677) *Dichocrocis surusalis* (Walker,1859) (Pyralidae) Synonym(s): *surusalis* Walker,1859
61678) *Didia subramosella* Ragonot,1893 (Pyralidae) Synonym(s): *subramosella* Ragonot,1893; *#subsamosella* Balinsky,1994
61679) *Didymotoma aurotinctalis* (Hampson,1898) (Pyralidae) Synonym(s): *aurotinctalis* Hampson,1898
61680) *Dilacinia badialis* Amsel,1961 (Pyralidae) Synonym(s): *badialis* Amsel,1961
61681) *Dinopleura lineata* Turner,1941 (Pyralidae) Synonym(s): *lineata* Turner,1941
61682) *Dioryctria abietella* (Fabricius,1787) (Pyralidae) Synonym(s): *#abietella* [Denis & Schiffermüller],1775; *abietella* Fabricius,1787

- 61683) *Dioryctria aulloi* Barbey, 1930 (Pyralidae) Synonym(s): *aulloi* Barbey, 1930
 61684) *Dioryctria mendacella* (Staudinger, 1859) (Pyralidae) Synonym(s): *mendacella* Staudinger, 1859
 61685) *Dioryctria pineae* (Staudinger, 1859) (Pyralidae) Synonym(s): *pineae* Staudinger, 1859
 61686) *Dioryctria rubella* Hampson, 1901 (Pyralidae) Synonym(s): *rubella* Hampson, 1901
 61687) *Dioryctria schuetzeella* Fuchs, 1899 (Pyralidae) Synonym(s): *schuetzeella* Fuchs, 1899
 61688) *Dioryctria simplicella* Heinemann, 1863 (Pyralidae) Synonym(s): *simplicella* Heinemann, 1863; *mutatella* Fuchs, 1903.
 61689) *Dioryctria sylvestrella* (Ratzeburg, 1840) (Pyralidae) Synonym(s): *sylvestrella* Ratzeburg, 1840; *splendidella* sensu auct.
 61690) *Dipha aphidivora* (Meyrick, 1934) (Pyralidae) Synonym(s): *aphidivora* Meyrick, 1934
 61691) *Dipleurina lacustrata* (Panzer, 1804) (Pyralidae) Synonym(s): *crataegella* sensu Hübner, 1796 nec Linn., 1767; *lacustrata* Panzer, 1804; *pusilla* Westwood, 1845.
 61692) *Dipleurina lacustrata lacustrata* (Panzer, 1804) (Pyralidae) Synonym(s): *crataegella* sensu Hübner, 1796 nec Linn., 1767; *lacustrata* Panzer, 1804; *pusilla* Westwood, 1845.
 61693) *Dipleurina lacustrata persica* Leraut, 1984 (Pyralidae) Synonym(s): *persica* Leraut, 1984
 61694) *Dipleurinodes phaeopalpia* (Hampson, 1917) (Pyralidae) Synonym(s): *phaeopalpia* Hampson, 1917
 61695) *Diploseustis perieresalis* (Walker, 1859) (Pyralidae) Synonym(s): *perieresalis* Walker, 1859; *minima* Butler, 1881; *nana* W. Warren, 1896
 61696) *Diploseustis prophetica* Meyrick, 1884 (Pyralidae) Synonym(s): *prophetica* Meyrick, 1884; *eucosmeta* Turner, 1939
 61697) *Diploschistis stygiocrena* Meyrick, 1937 (Pyralidae) Synonym(s): *stygiocrena* Meyrick, 1937
 61698) *Diplotalis metallescens* Hampson, 1919 (Pyralidae) Synonym(s): *metallescens* Hampson, 1919
 61699) *Diptychophora adpersella* Snellen, 1893 (Pyralidae) Synonym(s): *adpersella* Snellen, 1893
 61700) *Diptychophora aeolocnemis* Meyrick, 1931 (Pyralidae) Synonym(s): *aeolocnemis* Meyrick, 1931
 61701) *Diptychophora aganarcha* Meyrick, 1933 (Pyralidae) Synonym(s): *aganarcha* Meyrick, 1933
 61702) *Diptychophora albilinealis* Hampson, 1896 (Pyralidae) Synonym(s): *albilinealis* Hampson, 1896
 61703) *Diptychophora amydra* Tams, 1935 (Pyralidae) Synonym(s): *amydra* Tams, 1935
 61704) *Diptychophora argenticilia* Hampson, 1919 (Pyralidae) Synonym(s): *argenticilia* Hampson, 1919
 61705) *Diptychophora auriscriptella* (Walker, 1864) (Pyralidae) Synonym(s): *auriscriptella* Walker, 1864
 61706) *Diptychophora azanalis* (Walker, 1859) (Pyralidae) Synonym(s): *azanalis* Walker, 1859; *parvalis* Walker, 1865; *kuhlweini* Zeller, 1866
 61707) *Diptychophora bathrogramma* Meyrick, 1933 (Pyralidae) Synonym(s): *bathrogramma* Meyrick, 1933
 61708) *Diptychophora bipunctella* (Walker, 1866) (Pyralidae) Synonym(s): *bipunctella* Walker, 1866
 61709) *Diptychophora calliptera* Tams, 1935 (Pyralidae) Synonym(s): *calliptera* Tams, 1935
 61710) *Diptychophora chrysochyta* Meyrick, 1882 (Pyralidae) Synonym(s): *chrysochyta* Meyrick, 1882; *#chrysochyta* Hampson, 1896
 61711) *Diptychophora cnemoptila* Meyrick, 1931 (Pyralidae) Synonym(s): *cnemoptila* Meyrick, 1931
 61712) *Diptychophora dialitha* Tams, 1935 (Pyralidae) Synonym(s): *dialitha* Tams, 1935
 61713) *Diptychophora elaina* Meyrick, 1882 (Pyralidae) Synonym(s): *elaina* Meyrick, 1882
 61714) *Diptychophora epiphaea* Meyrick, 1885 (Pyralidae) Synonym(s): *epiphaea* Meyrick, 1885
 61715) *Diptychophora equestris* Meyrick, 1931 (Pyralidae) Synonym(s): *equestris* Meyrick, 1931
 61716) *Diptychophora euzonella* Hampson, 1896 (Pyralidae) Synonym(s): *euzonella* Hampson, 1896
 61717) *Diptychophora excitata* Meyrick, 1931 (Pyralidae) Synonym(s): *excitata* Meyrick, 1931
 61718) *Diptychophora felix* Meyrick, 1931 (Pyralidae) Synonym(s): *felix* Meyrick, 1931
 61719) *Diptychophora fuscobasella* Snellen, 1900 (Pyralidae) Synonym(s): *fuscobasella* Snellen, 1900
 61720) *Diptychophora griseolalis* Hampson, 1896 (Pyralidae) Synonym(s): *griseolalis* Hampson, 1896
 61721) *Diptychophora harmonica* Meyrick, 1888 (Pyralidae) Synonym(s): *harmonica* Meyrick, 1888
 61722) *Diptychophora helioctypa* Meyrick, 1882 (Pyralidae) Synonym(s): *helioctypa* Meyrick, 1882
 61723) *Diptychophora herstanella* Schaus, 1922 (Pyralidae) Synonym(s): *herstanella* Schaus, 1922
 61724) *Diptychophora holanthes* Meyrick, 1885 (Pyralidae) Synonym(s): *holanthes* Meyrick, 1885
 61725) *Diptychophora immitis* Meyrick, 1931 (Pyralidae) Synonym(s): *immitis* Meyrick, 1931
 61726) *Diptychophora interruptus* (R. Felder & Rogenhofer, 1875) (Pyralidae) Synonym(s): *interruptus* R. Felder & Rogenhofer, 1875
 61727) *Diptychophora kuphitincta* Lucas, 1898 (Pyralidae) Synonym(s): *kuphitincta* Lucas, 1898
 61728) *Diptychophora lepidella* (Walker, 1866) (Pyralidae) Synonym(s): *lepidella* Walker, 1866; *gracilis* R. Felder & Rogenhofer, 1875
 61729) *Diptychophora leucanthus* Meyrick, 1931 (Pyralidae) Synonym(s): *leucanthus* Meyrick, 1931
 61730) *Diptychophora leucoxantha* Meyrick, 1882 (Pyralidae) Synonym(s): *leucoxantha* Meyrick, 1882
 61731) *Diptychophora melistoma* Meyrick, 1931 (Pyralidae) Synonym(s): *melistoma* Meyrick, 1931
 61732) *Diptychophora melli* Caradja & Meyrick, 1933 (Pyralidae) Synonym(s): *melli* Caradja & Meyrick, 1933
 61733) *Diptychophora metallifera* (Butler, 1877) (Pyralidae) Synonym(s): *metallifera* Butler, 1877
 61734) *Diptychophora microdora* Meyrick, 1905 (Pyralidae) Synonym(s): *microdora* Meyrick, 1905
 61735) *Diptychophora minimalis* Hampson, 1919 (Pyralidae) Synonym(s): *minimalis* Hampson, 1919
 61736) *Diptychophora minutalis* Hampson, 1893 (Pyralidae) Synonym(s): *minutalis* Hampson, 1893; *#minutella* Hampson, 1896
 61737) *Diptychophora mitis* Meyrick, 1931 (Pyralidae) Synonym(s): *mitis* Meyrick, 1931
 61738) *Diptychophora muscella* Fryer, 1912 (Pyralidae) Synonym(s): *muscella* Fryer, 1912
 61739) *Diptychophora nymphocharis* Meyrick, 1932 (Pyralidae) Synonym(s): *nymphocharis* Meyrick, 1932
 61740) *Diptychophora ochrophanes* Meyrick, 1931 (Pyralidae) Synonym(s): *ochrophanes* Meyrick, 1931
 61741) *Diptychophora octavianella* Zeller, 1877 (Pyralidae) Synonym(s): *octavianella* Zeller, 1877
 61742) *Diptychophora parorma* Meyrick, 1925 (Pyralidae) Synonym(s): *parorma* Meyrick, 1925
 61743) *Diptychophora penetrata* Meyrick, 1933 (Pyralidae) Synonym(s): *penetrata* Meyrick, 1933
 61744) *Diptychophora pictella* Schaus, 1922 (Pyralidae) Synonym(s): *pictella* Schaus, 1922
 61745) *Diptychophora planetopa* Meyrick, 1923 (Pyralidae) Synonym(s): *planetopa* Meyrick, 1923
 61746) *Diptychophora praemialis* Meyrick, 1931 (Pyralidae) Synonym(s): *praemialis* Meyrick, 1931
 61747) *Diptychophora pyrsophanes* Meyrick, 1882 (Pyralidae) Synonym(s): *pyrsophanes* Meyrick, 1882
 61748) *Diptychophora rusticula* Meyrick, 1931 (Pyralidae) Synonym(s): *rusticula* Meyrick, 1931
 61749) *Diptychophora selenaea* Meyrick, 1885 (Pyralidae) Synonym(s): *selenaea* Meyrick, 1885
 61750) *Diptychophora sericophthalma* Meyrick, 1933 (Pyralidae) Synonym(s): *sericophthalma* Meyrick, 1933
 61751) *Diptychophora smithi* Druce, 1896 (Pyralidae) Synonym(s): *smithi* Druce, 1896
 61752) *Diptychophora straminella* Zeller, 1877 (Pyralidae) Synonym(s): *straminella* Zeller, 1877; *#straminiella* Hampson, 1896
 61753) *Diptychophora taphrophracta* Meyrick, 1934 (Pyralidae) Synonym(s): *taphrophracta* Meyrick, 1934
 61754) *Diptychophora tripunctata* (Moore, 1888) (Pyralidae) Synonym(s): *tripunctata* Moore, 1888
 61755) *Diptychophora tyriochrysa* Meyrick, 1933 (Pyralidae) Synonym(s): *tyriochrysa* Meyrick, 1933 0
 61756) *Diptychophora xanthogramma* Meyrick, 1931 (Pyralidae) Synonym(s): *xanthogramma* Meyrick, 1931
 61757) *Discofrontia normella* Hampson, 1901 (Pyralidae) Synonym(s): *normella* Hampson, 1901
 61758) *Discothyris ferruginata* (Moore, 1888) (Pyralidae) Synonym(s): *ferruginata* Moore, 1888
 61759) *Ditrachyptera verruciferella* (Ragonot, 1888) (Pyralidae) Synonym(s): *verruciferella* Ragonot, 1888
 61760) *Doddiana analamalis* Viette, 1960 (Pyralidae) Synonym(s): *analamalis* Viette, 1960
 61761) *Doddiana callizona* (Lower, 1896) (Pyralidae) Synonym(s): *callizona* Lower, 1896
 61762) *Doddiana cyanifusalis* Marion, 1955 (Pyralidae) Synonym(s): *cyanifusalis* Marion, 1955
 61763) *Dolicharthria bruguieralis* (Duponchel, 1833) (Pyralidae) Synonym(s): *bruguieralis* Duponchel, 1833; *coniotalis* Hampson, 1903; *similalis* Rothschild, 1915
 61764) *Dolicharthria concoloralis* (Oberthür, 1876) (Pyralidae) Synonym(s): *concoloralis* Oberthür, 1876
 61765) *Dolicharthria desertalis* (Hampson, 1907) (Pyralidae) Synonym(s): *desertalis* Hampson, 1907
 61766) *Dolicharthria lanceolalis* (Guenée, 1854) (Pyralidae) Synonym(s): *lanceolalis* Guenée, 1854; *eanesalis* Walker, 1859; *#lanceolalis* Wallengren, 1872
 61767) *Dolicharthria metasialis* (Rebel, 1916) (Pyralidae) Synonym(s): *metasialis* Rebel, 1916
 61768) *Dolicharthria paediusalis* (Walker, 1859) (Pyralidae) Synonym(s): *paediusalis* Walker, 1859; *poediusalis* Hampson, 1897
 61769) *Dolicharthria punctalis* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *punctalis* [Denis & Schiffermüller], 1775

- 61770) *Dolicharthria signatalis* (Zeller,1852) (Pyralidae) Synonym(s): *signatalis* Zeller,1852
61771) *Dolichobela celidograptus* Turner,1932 (Pyralidae) Synonym(s): *celidograptus* Turner,1932
61772) *Doloessa castanella* (Hampson,1896) (Pyralidae) Synonym(s): *castanella* Hampson,1896
61773) *Doloessa hilaropis* (Meyrick,1897) (Pyralidae) Synonym(s): *hilaropis* Meyrick,1897; *ypsilon* Rothschild,1916
61774) *Doloessa ochrociliella* (Ragonot,1893) (Pyralidae) Synonym(s): *ochrociliella* Ragonot,1893; *plumbolineella* Hampson,1901
61775) *Doloessa viridis* Zeller,1848 (Pyralidae) Synonym(s): *viridis* Zeller,1848; *figurana* Walker,1863; *ornata* Wileman,1910; *phthorogramma* Meyrick,1938
61776) *Donacula dodatellus* (Walker,1864) (Pyralidae) Synonym(s): *dodatellus* Walker,1864
61777) *Donacula ignitalis* (Hampson,1919) (Pyralidae) Synonym(s): *ignitalis* Hampson,1919
61778) *Donacula mucronella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *mucronella* [Denis & Schiffermüller],1775
61779) *Donacula phaeopastalis* (Hampson,1919) (Pyralidae) Synonym(s): *phaeopastalis* Hampson,1919
61780) *Donacula rufalis* (Hampson,1919) (Pyralidae) Synonym(s): *rufalis* Hampson,1919
61781) *Donacoscaptes validus* Zeller,1877 (Pyralidae) Synonym(s): *validus* Zeller,1877
61782) *Doththa mesenterialis* Walker,1859 (Pyralidae) Synonym(s): *mesenterialis* Walker,1859
61783) *Doththa plinthopa* (Meyrick,1886) (Pyralidae) Synonym(s): *plinthopa* Meyrick,1886
61784) *Dracaenura adela* Tams,1935 (Pyralidae) Synonym(s): *adela* Tams,1935
61785) *Dracaenura agramma* Meyrick,1886 (Pyralidae) Synonym(s): *agramma* Meyrick,1886
61786) *Dracaenura horochroa* Meyrick,1886 (Pyralidae) Synonym(s): *horochroa* Meyrick,1886
61787) *Drasa cashmirensis* (Hampson,1919) (Pyralidae) Synonym(s): *cashmirensis* Hampson,1919
61788) *Drosophantis caeruleata* (Hampson,1893) (Pyralidae) Synonym(s): *caeruleata* Hampson,1893; *cyanealis* Hampson,1903; *corusca* Meyrick,1935
61789) *Duponchelia caudalis* Oberthür,1888 (Pyralidae) Synonym(s): *caudalis* Oberthür,1888
61790) *Duponchelia fovealis* (Zeller,1847) (Pyralidae) Synonym(s): *fovealis* Zeller,1847; *canuialis* Millière,1869; *griseata* Butler,1875; *uniflexalis* Mabille,1880
61791) *Duponchelia fumidalis* Turati,1934 (Pyralidae) Synonym(s): *fumidalis* Turati,1934
61792) *Duzulla subhyalinalis* (Hampson,1900) (Pyralidae) Synonym(s): *subhyalinalis* Hampson,1900
61793) *Dysallacta luzonica* Sauber,1902 (Pyralidae) Synonym(s): *luzonica* Sauber,1902
61794) *Dysallacta megalopa* (Meyrick,1889) (Pyralidae) Synonym(s): *megalopa* Meyrick,1889; *ocellalis* Kenrick,1907; *ocellifera* Turner,1937
61795) *Dysallacta mesozona* (Lower,1901) (Pyralidae) Synonym(s): *mesozona* Lower,1901
61796) *Dysallacta negatalis* (Walker,1859) (Pyralidae) Synonym(s): *negatalis* Walker,1859; *monesusalis* Walker,1859; *phanasalis* Walker,1859
61797) *Dysphylia viridella* Ragonot,1888 (Pyralidae) Synonym(s): *viridella* Ragonot,1888; *viridis* Saalmüller,1891
61798) *Ebulea crocealis* (Hübner,1796) (Pyralidae) Synonym(s): *crocealis* Hübner,1796
61799) *Ebulea epicroca* (Lower,1903) (Pyralidae) Synonym(s): *epicroca* Lower,1903
61800) *Ebulea perflavalis* (Hampson,1913) (Pyralidae) Synonym(s): *perflavalis* Hampson,1913
61801) *Ebulea testacealis* (Zeller,1847) (Pyralidae) Synonym(s): *testacealis* Zeller,1847
61802) *Ecbatania alvandella* Amsel,1961 (Pyralidae) Synonym(s): *alvandella* Amsel,1961
61803) *Ecbatania holopyrrhella* (Ragonot,1888) (Pyralidae) Synonym(s): *holopyrrhella* Ragonot,1888
61804) *Ecbatania steineri* (Amsel,1970) (Pyralidae) Synonym(s): *steineri* Amsel,1970
61805) *Ecbetodes psephenias* Turner,1904 (Pyralidae) Synonym(s): *psephenias* Turner,1904; *arrhythmopis* Turner,1947
61806) *Eccopsis effractella* Zeller,1848 (Pyralidae) Synonym(s): *effractella* Zeller,1848
61807) *Eclipsioda anthomera* (Lower,1896) (Pyralidae) Synonym(s): *anthomera* Lower,1896
61808) *Eclipsioda crypsixantha* Meyrick,1884 (Pyralidae) Synonym(s): *crypsixantha* Meyrick,1884
61809) *Eclipsioda homora* Turner,1908 (Pyralidae) Synonym(s): *homora* Turner,1908
61810) *Eclipsioda schizodesma* (Lower,1899) (Pyralidae) Synonym(s): *schizodesma* Lower,1899
61811) *Eclipsioda semigilva* Turner,1922 (Pyralidae) Synonym(s): *semigilva* Turner,1922
61812) *Ecnomoneura sphaerotropha* Turner,1942 (Pyralidae) Synonym(s): *sphaerotropha* Turner,1942
61813) *Ecpyrrhorrhoe diffusalis* (Guenée,1854) (Pyralidae) Synonym(s): *diffusalis* Guenée,1854; *tenuialis* Mann,1862.
61814) *Ecpyrrhorrhoe rubiginalis* (Hübner,1796) (Pyralidae) Synonym(s): *rubiginalis* Hübner,1796
61815) *Ecpyrrhorrhoe rubiginalis microlimbialis* Amsel,1959 (Pyralidae) Synonym(s): *microlimbialis* Amsel,1959
61816) *Ectadiosoma straminea* (Lucas,1892) (Pyralidae) Synonym(s): *straminea* Lucas,1892; *geminalis* Hampson,1913; *pleurocapna* Turner,1937
61817) *Elachypteryx callidryas* Turner,1922 (Pyralidae) Synonym(s): *callidryas* Turner,1922
61818) *Elachypteryx erebenna* Turner,1908 (Pyralidae) Synonym(s): *erebenna* Turner,1908
61819) *Eldana saccharina* Walker,1855 (Pyralidae) Synonym(s): *saccharina* Walker,1855; *conipyga* Strand,1913
61820) *Elegia fallax* (Staudinger,1881) (Pyralidae) Synonym(s): *fallax* Staudinger,1881; *atrifasciella* Ragonot,1887; *nigribasella* Ragonot,1895; *iozona* Meyrick,1937; *elegiella* Amsel,1953.
61821) *Elegia inconspicua* (Ragonot,1888) (Pyralidae) Synonym(s): *inconspicua* Ragonot,1888; *fuscadorsella* Ragonot,1888; *insulsella* Ragonot,1893
61822) *Elegia similella* (Zincken,1818) (Pyralidae) Synonym(s): *similella* Zincken,1818
61823) *Elethya minerva* Bleszynski,1965 (Pyralidae) Synonym(s): *minerva* Bleszynski,1965
61824) *Elethya subscissa* (Christoph,1877) (Pyralidae) Synonym(s): *subscissa* Christoph,1877; *#subcissa* Rebel,1901
61825) *Elethya taishanensis* (Caradja & Meyrick,1936) (Pyralidae) Synonym(s): *taishanensis* Caradja & Meyrick,1936
61826) *Eleusina homoeosomella* Hampson,1901 (Pyralidae) Synonym(s): *homoeosomella* Hampson,1901
61827) *Elisabethinia cosmia* Ghesquière,1942 (Pyralidae) Synonym(s): *cosmia* Ghesquière,1942
61828) *Eloeidiphilus adustalis* (Hampson,1917) (Pyralidae) Synonym(s): *adustalis* Hampson,1917; *aliberti* Praviel,1938
61829) *Elophila africalis* (Hampson,1906) (Pyralidae) Synonym(s): *africalis* Hampson,1906
61830) *Elophila aristodora* (Turner,1908) (Pyralidae) Synonym(s): *aristodora* Turner,1908
61831) *Elophila circealis* (Walker,1859) (Pyralidae) Synonym(s): *circealis* Walker,1859
61832) *Elophila diffualis* (Snellen,1880) (Pyralidae) Synonym(s): *diffualis* Snellen,1880; *enixalis* Swinhoe,1885; *linealis* Moore,1888; *nigralbalis* Caradja,1925; *osculatrix* Meyrick,1933
61833) *Elophila hederalis* Amsel,1935 (Pyralidae) Synonym(s): *hederalis* Amsel,1935; *auralis* Osthelder,1935
61834) *Elophila manilensis* (Hampson,1911) (Pyralidae) Synonym(s): *manilensis* Hampson,1911
61835) *Elophila melagnyalis* (Agassiz,1978) (Pyralidae) Synonym(s): *melagnyalis* Agassiz,1978
61836) *Elophila nigralbalis* (Caradja,1925) (Pyralidae) Synonym(s): *nigralbalis* Caradja,1925
61837) *Elophila nymphaeata* (Linnaeus,1758) (Pyralidae) Synonym(s): *nymphaeata* Linnaeus,1758; *potamogata* Linnaeus,1758; *rivulata* Scopoli,1763; *nymphaealis* [Denis & Schiffermüller],1775; *potamogalis* [Denis & Schiffermüller],1775; *obscuralis* Selys-Longchamps,1845; *potamogetalis* Reutti,1898
61838) *Elophila responsalis* (Walker,1866) (Pyralidae) Synonym(s): *responsalis* Walker,1866; *marmorea* Meyrick,1885
61839) *Elophila rivulalis* (Duponchel,1834) (Pyralidae) Synonym(s): *rivulalis* Duponchel,1834; *#rivularis* Klima,1937
61840) *Ematheudes convexus* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *convexus* J.C.Shaffer,1998
61841) *Ematheudes crassinotellus* Ragonot,1888 (Pyralidae) Synonym(s): *crassinotellus* Ragonot,1888
61842) *Ematheudes crenulatus* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *crenulatus* J.C.Shaffer,1998
61843) *Ematheudes dewittei* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *dewittei* J.C.Shaffer,1998
61844) *Ematheudes elysium* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *elysium* J.C.Shaffer,1998
61845) *Ematheudes erectus* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *erectus* J.C.Shaffer,1998
61846) *Ematheudes forficatus* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *forficatus* J.C.Shaffer,1998
61847) *Ematheudes hamatus* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *hamatus* J.C.Shaffer,1998
61848) *Ematheudes hispidus* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *hispidus* J.C.Shaffer,1998
61849) *Ematheudes kenyaensis* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *kenyaensis* J.C.Shaffer,1998
61850) *Ematheudes lusingensis* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *lusingensis* J.C.Shaffer,1998
61851) *Ematheudes maculescens* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *maculescens* J.C.Shaffer,1998
61852) *Ematheudes megacantha* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *megacantha* J.C.Shaffer,1998
61853) *Ematheudes michaelshafferi* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *michaelshafferi* J.C.Shaffer,1998
61854) *Ematheudes miostictus* (Hampson,1918) (Pyralidae) Synonym(s): *miostictus* Hampson,1918
61855) *Ematheudes natalensis* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *natalensis* J.C.Shaffer,1998
61856) *Ematheudes neonepsia* Martin,1956 (Pyralidae) Synonym(s): *neonepsia* Martin,1956; *#neonepsia* Maes,2002

- 61857) *Ematheudes neurias* (Hampson,1918) (Pyralidae) Synonym(s): *neurias* Hampson,1918; *erythrograptus* Hampson,1918
61858) *Ematheudes nigropunctata* (Legrand,1965) (Pyralidae) Synonym(s): *nigropunctata* Legrand,1965
61859) *Ematheudes paleatellus* Ragonot,1888 (Pyralidae) Synonym(s): *paleatellus* Ragonot,1888
61860) *Ematheudes persicella* (Amsel,1961) (Pyralidae) Synonym(s): *persicella* Amsel,1961
61861) *Ematheudes pollex* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *pollex* J.C.Shaffer,1998
61862) *Ematheudes pseudopunctellus* Ragonot,1888 (Pyralidae) Synonym(s): *pseudopunctella* Ragonot,1888
61863) *Ematheudes punctellus* (Treitschke,1833) (Pyralidae) Synonym(s): *punctella* Treitschke,1833
61864) *Ematheudes quintuplex* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *quintuplex* J.C.Shaffer,1998
61865) *Ematheudes rhizolineata* (Bradley,1980) (Pyralidae) Synonym(s): *rhizolineata* Bradley,1980
61866) *Ematheudes rhodochrous* (Hampson,1918) (Pyralidae) Synonym(s): *rhodochrous* Hampson,1918; *brunneicostellus* Hampson,1918; *sarcoidus* Hampson,1918; *venatellus* Hampson,1918; *aulacodes* Meyrick,1933.
61867) *Ematheudes setigera* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *setigera* J.C.Shaffer,1998; #*setiger* Maes,2002
61868) *Ematheudes sinuosus* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *sinuosus* J.C.Shaffer,1998
61869) *Ematheudes stramineus* Snellen,1872 (Pyralidae) Synonym(s): *stramineus* Snellen,1872; *lentistrigalis* Hampson,1909
61870) *Ematheudes strictus* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *strictus* J.C.Shaffer,1998
61871) *Ematheudes togoensis* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *togoensis* J.C.Shaffer,1998
61872) *Ematheudes toxalis* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *toxalis* J.C.Shaffer,1998
61873) *Ematheudes triangularis* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *triangularis* J.C.Shaffer,1998; #*triangularis* Maes,2002
61874) *Ematheudes trimaculosus* J.C.Shaffer,1998 (Pyralidae) Synonym(s): *trimaculosus* J.C.Shaffer,1998
61875) *Ematheudes tunesiellus* Ragonot,1892 (Pyralidae) Synonym(s): *tunesiella* Ragonot,1892
61876) *Ematheudes varicellus* Ragonot,1887 (Pyralidae) Synonym(s): *varicellus* Ragonot,1887
61877) *Ematheudes vitellinellus* Ragonot,1887 (Pyralidae) Synonym(s): *vitellinella* Ragonot,1887; #*vitellinella* Amsel,1949.
61878) *Emmalocera anerastica* (Snellen,1880) (Pyralidae) Synonym(s): *anerastica* Snellen,1880
61879) *Emmalocera apotomella* (Meyrick,1879) (Pyralidae) Synonym(s): *apotomella* Meyrick,1879
61880) *Emmalocera approximella* (Hampson,1918) (Pyralidae) Synonym(s): *approximella* Hampson,1918
61881) *Emmalocera biseriella* (Hampson,1901) (Pyralidae) Synonym(s): *biseriella* Hampson,1901; *xiphimella* Lower,1903; *pleurosticha* Turner,1904; #*xiphomela* Turner,1947
61882) *Emmalocera callirrhoda* (Turner,1904) (Pyralidae) Synonym(s): *callirrhoda* Turner,1904
61883) *Emmalocera ctenucha* (Turner,1913) (Pyralidae) Synonym(s): *ctenucha* Turner,1913
61884) *Emmalocera dimochla* (Turner,1947) (Pyralidae) Synonym(s): *dimochla* Turner,1947
61885) *Emmalocera distictella* (Hampson,1918) (Pyralidae) Synonym(s): *distictella* Hampson,1918
61886) *Emmalocera eremochroa* (Hampson,1918) (Pyralidae) Synonym(s): *eremochroa* Hampson,1918
61887) *Emmalocera eurysticha* (Turner,1904) (Pyralidae) Synonym(s): *eurysticha* Turner,1904
61888) *Emmalocera euryzona* (Meyrick,1887) (Pyralidae) Synonym(s): *euryzona* Meyrick,1887
61889) *Emmalocera haploschema* (Turner,1904) (Pyralidae) Synonym(s): *haploschema* Turner,1904
61890) *Emmalocera holochra* (Turner,1904) (Pyralidae) Synonym(s): *holochra* Turner,1904
61891) *Emmalocera icasmopis* (Turner,1904) (Pyralidae) Synonym(s): *icasmopis* Turner,1904
61892) *Emmalocera laminella* Hampson,1901 (Pyralidae) Synonym(s):
61893) *Emmalocera laropis* (Turner,1913) (Pyralidae) Synonym(s): *laropis* Turner,1913
61894) *Emmalocera latilimbella* (Ragonot,1890) (Pyralidae) Synonym(s): *latilimbella* Ragonot,1890
61895) *Emmalocera leucocincta* (Walker,1863) (Pyralidae) Synonym(s): *leucocincta* Walker,1863
61896) *Emmalocera leucopleura* (Hampson,1918) (Pyralidae) Synonym(s):
61897) *Emmalocera leucosarca* Meyrick,1937 (Pyralidae) Synonym(s): *leucosarca* Meyrick,1937
61898) *Emmalocera longiramella* (Hampson,1901) (Pyralidae) Synonym(s): *longiramella* Hampson,1901
61899) *Emmalocera lucidicostella* Ragonot,1888 (Pyralidae) Synonym(s): *lucidicostella* Ragonot,1888
61900) *Emmalocera macrorrhynca* (Turner,1923) (Pyralidae) Synonym(s): *macrorrhynca* (Turner,1923
61901) *Emmalocera marcida* (Turner,1923) (Pyralidae) Synonym(s): *marcida* Turner,1923
61902) *Emmalocera minoralis* (Turner,1903) (Pyralidae) Synonym(s): *minoralis* Turner,1903
61903) *Emmalocera monochromella* Ragonot,1888 (Pyralidae) Synonym(s): *monochromella* Ragonot,1888
61904) *Emmalocera neotomella* (Meyrick,1879) (Pyralidae) Synonym(s): *neotomella* Meyrick,1879
61905) *Emmalocera niphopleura* (Turner,1913) (Pyralidae) Synonym(s): *niphopleura* Turner,1913
61906) *Emmalocera niphosema* (Turner,1913) (Pyralidae) Synonym(s): *niphosema* Turner,1913
61907) *Emmalocera pelochroa* (Turner,1947) (Pyralidae) Synonym(s): *pelochroa* Turner,1947
61908) *Emmalocera platymocla* (Turner,1947) (Pyralidae) Synonym(s): *platymocla* Turner,1947
61909) *Emmalocera pleurochorda* (Turner,1913) (Pyralidae) Synonym(s): *pleurochorda* Turner,1913
61910) *Emmalocera radiatella* Hampson,1901 (Pyralidae) Synonym(s): *radiatella* Hampson,1901; *achrosta* Turner,1904
61911) *Emmalocera rhabdota* (Turner,1904) (Pyralidae) Synonym(s): *rhabdota* Turner,1904
61912) *Emmalocera rhodoessa* (Turner,1904) (Pyralidae) Synonym(s): *rhodoessa* Turner,1904
61913) *Emmalocera stereosticha* (Turner,1905) (Pyralidae) Synonym(s): *stereosticha* Turner,1905
61914) *Emmalocera syssema* (Turner,1913) (Pyralidae) Synonym(s): *syssema* Turner,1913
61915) *Emmalocera thiomocla* (Turner,1947) (Pyralidae) Synonym(s): *thiomocla* Turner,1947
61916) *Emmalocera transecta* (Turner,1947) (Pyralidae) Synonym(s): *transecta* Turner,1947
61917) *Emmalocera umbricostella* Ragonot,1888 (Pyralidae) Synonym(s): *umbricostella* Ragonot,1888
61918) *Emmalocera unitella* Joannis,1927 (Pyralidae) Synonym(s):
61919) *Emphylica xanthocrossa* Turner,1913 (Pyralidae) Synonym(s): *xanthocrossa* Turner,1913
61920) *Emporia melanobasis* Balinsky,1991 (Pyralidae) Synonym(s): *melanobasis* Balinsky,1991
61921) *Emprepes belutschistanalis* Amsel,1961 (Pyralidae) Synonym(s): *belutschistanalis* Amsel,1961
61922) *Emprepes chirazalis* Amsel,1949 (Pyralidae) Synonym(s): *chirazalis* Amsel,1949
61923) *Emprepes eoa* (Meyrick,1936) (Pyralidae) Synonym(s): *eo*a Meyrick,1936
61924) *Emprepes flavomarginalis* (Amsel,1951) (Pyralidae) Synonym(s): *flavomarginalis* Amsel,1951
61925) *Emprepes mirabilis* Amsel,1959 (Pyralidae) Synonym(s): *mirabilis* Amsel,1959
61926) *Emprepes palealis* Amsel,1949 (Pyralidae) Synonym(s): *palealis* Amsel,1949; *comealis* Amsel,1951
61927) *Emprepes pudicalis* (Duponchel,1832) (Pyralidae) Synonym(s): *pudicalis* Duponchel,1832; #*pudicale* Caradja,1917.
61928) *Emprepes russulalis* (Christoph,1877) (Pyralidae) Synonym(s): *russulalis* Christoph,1877; *baryscia* Meyrick,1937
61929) *Enchocnemidia squamopedalis* (Guenée,1854) (Pyralidae) Synonym(s): *squamopedalis* Guenée,1854
61930) *Enchocnemidia vertumnalis* (Guenée,1854) (Pyralidae) Synonym(s): *vertumnalis* Guenée,1854
61931) *Encryphodes aenictopa* Turner,1913 (Pyralidae) Synonym(s): *aenictopa* Turner,1913
61932) *Encryphodes ethiopella* Balinsky,1991 (Pyralidae) Synonym(s): *ethiopella* Balinsky,1991
61933) *Endocrossis caldusalis* (Walker,1859) (Pyralidae) Synonym(s): *caldusalis* Walker,1859
61934) *Endocrossis flavibasalis* (Moore,1867) (Pyralidae) Synonym(s): *flavibasalis* Moore,1867
61935) *Endocrossis quinqueaculalis* Sauber,1902 (Pyralidae) Synonym(s): *quinqueaculalis* Sauber,1902
61936) *Endolasia melanodes* (Hampson,1930) (Pyralidae) Synonym(s): *melanodes* Hampson,1930
61937) *Endolasia melanoleuca* Hampson,1896 (Pyralidae) Synonym(s): *melanoleuca* Hampson,1896
61938) *Endolasia transvaalica* Hampson,1926 (Pyralidae) Synonym(s): *transvaalica* Hampson,1926
61939) *Endolasia transvaalica transvaalica* Hampson,1926 (Pyralidae) Synonym(s): *transvaalica* Hampson,1926
61940) *Endosimilis stilbealis* (Walker,1859) (Pyralidae) Synonym(s): *stilbealis* Walker,1859; *heliopa* Meyrick,1884; *pyrocaustalis* Lower,1903
61941) *Endotricha admirabilis* Kirpichnikova,2003 (Pyralidae) Synonym(s): *admirabilis* Kirpichnikova,2003
61942) *Endotricha albicilia* Hampson,1891 (Pyralidae) Synonym(s): *albicilia* Hampson,1891
61943) *Endotricha anpingia* Strand,1919 (Pyralidae) Synonym(s): *anpingia* Strand,1919
61944) *Endotricha approximatis* Snellen,1895 (Pyralidae) Synonym(s): *approximatis* Snellen,1895; *xanthorhodal* Hampson,1916; *periphaea* Turner,1937

- 61945) *Endotricha chionocosma* Turner, 1904 (Pyralidae) Synonym(s): *chionocosma* Turner, 1904
 61946) *Endotricha consobrinialis* Zeller, 1852 (Pyralidae) Synonym(s): *consobrinialis* Zeller, 1852; *brunnea* Warren, 1897; *dissimulans* Warren, 1897; *jordana* Hampson, 1900.
 61947) *Endotricha consocia* (Butler, 1879) (Pyralidae) Synonym(s): *consocia* Butler, 1879
 61948) *Endotricha costaemaculalis* Christoph, 1881 (Pyralidae) Synonym(s): *costaemaculalis* Christoph, 1881
 61949) *Endotricha costaemaculalis costaemaculalis* Christoph, 1881 (Pyralidae) Synonym(s): *costaemaculalis* Christoph, 1881
 61950) *Endotricha costaemaculalis formosensis* Hampson, 1916 (Pyralidae) Synonym(s): *formosensis* Hampson, 1916
 61951) *Endotricha costaemaculalis fuscifusalis* Hampson, 1896 (Pyralidae) Synonym(s): *fuscifusalis* Hampson, 1896
 61952) *Endotricha decessalis* Walker, 1859 (Pyralidae) Synonym(s): *decessalis* Walker, 1859
 61953) *Endotricha dispergens* Lucas, 1891 (Pyralidae) Synonym(s): *dispergens* Lucas, 1891
 61954) *Endotricha flavifusalis* W. Warren, 1891 (Pyralidae) Synonym(s): *dumalis* Wang & Li, 2005
 61955) *Endotricha ellisoni* Whalley, 1963 (Pyralidae) Synonym(s): *ellisoni* Whalley, 1963
 61956) *Endotricha erythralis* Mabille, 1900 (Pyralidae) Synonym(s): *erythralis* Mabille, 1900; *rosellita* Ghesquière, 1942
 61957) *Endotricha eugnethis* Turner, 1932 (Pyralidae) Synonym(s): *eugnethis* Turner, 1932
 61958) *Endotricha eximia* Whalley, 1963 (Pyralidae) Synonym(s): *eximia* Whalley, 1963
 61959) *Endotricha flammealis* (Denis & Schiffermüller, 1775) (Pyralidae) Synonym(s): *flammealis* [Denis & Schiffermüller], 1775; *carnealis* De Lattin, 1951.
 61960) *Endotricha flavifusalis* W. Warren, 1891 (Pyralidae) Synonym(s): *flavifusalis* W. Warren, 1891
 61961) *Endotricha fuscobasalis* Ragonot, 1891 (Pyralidae) Synonym(s): *fuscobasalis* Ragonot, 1891
 61962) *Endotricha hemicausta* Turner, 1904 (Pyralidae) Synonym(s): *hemicausta* Turner, 1904
 61963) *Endotricha hoenei* Whalley, 1963 (Pyralidae) Synonym(s): *hoenei* Whalley, 1963
 61964) *Endotricha hypogrammalis* Hampson, 1906 (Pyralidae) Synonym(s): *hypogrammalis* Hampson, 1906
 61965) *Endotricha icelusalis* (Walker, 1859) (Pyralidae) Synonym(s): *icelusalis* Walker, 1859
 61966) *Endotricha ignealis* Guenée, 1854 (Pyralidae) Synonym(s): *ignealis* Guenée, 1854; *docilisalis* Walker, 1859; *aethopa* Meyrick, 1884
 61967) *Endotricha inouei* Yoshiyasu, 1987 (Pyralidae) Synonym(s): *inouei* Yoshiyasu, 1987
 61968) *Endotricha khaoyaiensis* Yoshiyasu, 1989 (Pyralidae) Synonym(s): *khaoyaiensis* Yoshiyasu, 1989
 61969) *Endotricha kuznetsovi* Whalley, 1963 (Pyralidae) Synonym(s): *kuznetsovi* Whalley, 1963
 61970) *Endotricha lobibasalis* Hampson, 1906 (Pyralidae) Synonym(s): *lobibasalis* Hampson, 1906
 61971) *Endotricha lunulata* Wang & Li, 2005 (Pyralidae) Synonym(s): *lunulata* Wang & Li, 2005
 61972) *Endotricha luteobasalis* Caradja, 1935 (Pyralidae) Synonym(s): *luteobasalis* Caradja, 1935
 61973) *Endotricha luteogrisalis* Hampson, 1896 (Pyralidae) Synonym(s): *luteogrisalis* Hampson, 1896
 61974) *Endotricha medogana* Wang & Li, 2005 (Pyralidae) Synonym(s): *medogana* Wang & Li, 2005
 61975) *Endotricha melanchroa* Turner, 1911 (Pyralidae) Synonym(s): *melanchroa* Turner, 1911; *sareochroa* Hampson, 1916.
 61976) *Endotricha melanobasis* Hampson, 1916 (Pyralidae) Synonym(s): *melanobasis* Hampson, 1916
 61977) *Endotricha mesenterialis* (Walker, 1859) (Pyralidae) Synonym(s): *mesenterialis* Walker, 1859; *suffusalis* Walker, 1859; *obscura* Butler, 1886; *eoidalis* Snellen, 1895
 61978) *Endotricha metacuralis* Hampson, 1916 (Pyralidae) Synonym(s): *metacuralis* Hampson, 1916
 61979) *Endotricha nicobaralis* Hampson, 1906 (Pyralidae) Synonym(s): *nicobaralis* Hampson, 1906
 61980) *Endotricha nigra* Wang & Li, 2005 (Pyralidae) Synonym(s): *nigra* Wang & Li, 2005
 61981) *Endotricha nigromaculata* Whalley, 1963 (Pyralidae) Synonym(s): *nigromaculata* Whalley, 1963
 61982) *Endotricha occidentalis* Hampson, 1916 (Pyralidae) Synonym(s): *occidentalis* Hampson, 1916
 61983) *Endotricha olivacealis* (Bremer, 1864) (Pyralidae) Synonym(s): *olivacealis* Bremer, 1864
 61984) *Endotricha orthotis* Meyrick, 1894 (Pyralidae) Synonym(s): *orthotis* Meyrick, 1894
 61985) *Endotricha portialis* Walker, 1859 (Pyralidae) Synonym(s): *portialis* Walker, 1859
 61986) *Endotricha psammitis* Turner, 1904 (Pyralidae) Synonym(s): *psammitis* Turner, 1904; *lignitalis* Hampson, 1916.
 61987) *Endotricha pulchella* Hampson, 1916 (Pyralidae) Synonym(s): *pulchella* Hampson, 1916
 61988) *Endotricha puncticostalis* (Walker, [1866]) (Pyralidae) Synonym(s): *puncticostalis* Walker, [1866]; *ustalis* Snellen, 1880; *listeri* Butler, 1888
 61989) *Endotricha punicea* Whalley, 1963 (Pyralidae) Synonym(s): *punicea* Whalley, 1963
 61990) *Endotricha purpurata* Wang & Li, 2005 (Pyralidae) Synonym(s): *purpurata* Wang & Li, 2005
 61991) *Endotricha pyrosalis* Guenée, 1854 (Pyralidae) Synonym(s): *pyrosalis* Guenée, 1854; *sabirusalis* Walker, 1859; *albifimbrialis* Walker, [1866]; *auroralis* Walker, [1866]; *robinia* Butler, 1882.
 61992) *Endotricha pyrrhocosma* Turner, 1911 (Pyralidae) Synonym(s): *pyrrhocosma* Turner, 1911
 61993) *Endotricha ragonoti* Christoph, 1893 (Pyralidae) Synonym(s): *ragonoti* Christoph, 1893
 61994) *Endotricha ruminalis* (Walker, 1859) (Pyralidae) Synonym(s): *ruminalis* Walker, 1859; *ibycusalis* Walker, 1859; *symphonialis* Hampson, 1893
 61995) *Endotricha sasakawai* Yoshiyasu, 1989 (Pyralidae) Synonym(s): *sasakawai* Yoshiyasu, 1989
 61996) *Endotricha similata* (Moore, 1888) (Pyralidae) Synonym(s): *similata* Moore, 1888
 61997) *Endotricha simipunicea* Wang & Li, 2005 (Pyralidae) Synonym(s): *simipunicea* Wang & Li, 2005
 61998) *Endotricha theonalis* (Walker, 1859) (Pyralidae) Synonym(s): *theonalis* Walker, 1859
 61999) *Endotricha theonalis* (Walker, 1859) (Pyralidae) Synonym(s): *theonalis* Walker, 1859
 62000) *Endotricha valentis* Kirpichnikova, 2003 (Pyralidae) Synonym(s): *valentis* Kirpichnikova, 2003
 62001) *Ennomosia geometridalis* Amsel, 1956 (Pyralidae) Synonym(s): *geometridalis* Amsel, 1956
 62002) *Eodiatraea amazonica* (Box, 1931) (Pyralidae) Synonym(s): *amazonica* Box, 1931
 62003) *Eodiatraea annemonella* (Dyar, 1911) (Pyralidae) Synonym(s): *annemonella* Dyar, 1911
 62004) *Eodiatraea centrellus* (Möschler, 1883) (Pyralidae) Synonym(s): *sacchari* Sepp, 1848 nec Guild., 1828; *centrellus* Möschler, 1883; *canella* Hampson, 1895.
 62005) *Eodiatraea rufescens* (Box, 1931) (Pyralidae) Synonym(s): *rufescens* Box, 1931
 62006) *Eoophyla argyrialis* (Hampson, 1897) (Pyralidae) Synonym(s): *argyrialis* Hampson, 1897
 62007) *Eoophyla aureolalis* (Snellen, 1876) (Pyralidae) Synonym(s): *aureolalis* Snellen, 1876
 62008) *Eoophyla basilissa* (Meyrick, 1894) (Pyralidae) Synonym(s): *basilissa* Meyrick, 1894
 62009) *Eoophyla bicoloris* Speidel, 2003 (Pyralidae) Synonym(s): *bicoloris* Speidel, 2003
 62010) *Eoophyla callilithalis* Speidel, 2003 (Pyralidae) Synonym(s): *callilithalis* Speidel, 2003
 62011) *Eoophyla ceratucha* (Meyrick, 1894) (Pyralidae) Synonym(s): *ceratucha* Meyrick, 1894; *falcatalis* Snellen, 1901
 62012) *Eoophyla cernyi* Speidel, 2003 (Pyralidae) Synonym(s): *cernyi* Speidel, 2003
 62013) *Eoophyla cervinalis* Speidel, 2003 (Pyralidae) Synonym(s): *cervinalis* Speidel, 2003
 62014) *Eoophyla clasnaumanni* Speidel & Mey, 2005 (Pyralidae) Synonym(s): *clasnaumanni* Speidel & Mey, 2005
 62015) *Eoophyla conjunctalis* (Wileman & South, 1917) (Pyralidae) Synonym(s): *conjunctalis* Wileman & South, 1917
 62016) *Eoophyla discalis* (Hampson, 1906) (Pyralidae) Synonym(s): *discalis* Hampson, 1906
 62017) *Eoophyla flavifascialis* (Hampson, 1917) (Pyralidae) Synonym(s): *flavifascialis* Hampson, 1917
 62018) *Eoophyla fontis* Speidel, 2003 (Pyralidae) Synonym(s): *fontis* Speidel, 2003
 62019) *Eoophyla gibbosalis* (Guenée, 1854) (Pyralidae) Synonym(s): *gibbosalis* Guenée, 1854
 62020) *Eoophyla idiotis* (Meyrick, 1894) (Pyralidae) Synonym(s): *idiotis* Meyrick, 1894
 62021) *Eoophyla inouei* Yoshiyasu, 1979 (Pyralidae) Synonym(s): *inouei* Yoshiyasu, 1979
 62022) *Eoophyla leytenis* Speidel, 2003 (Pyralidae) Synonym(s): *leytenis* Speidel, 2003
 62023) *Eoophyla litoralis* Speidel, 2003 (Pyralidae) Synonym(s): *litoralis* Speidel, 2003
 62024) *Eoophyla longiplagiialis* (Hampson, 1917) (Pyralidae) Synonym(s): *longiplagiialis* Hampson, 1917
 62025) *Eoophyla melanops* (Hampson, 1896) (Pyralidae) Synonym(s): *melanops* Hampson, 1896
 62026) *Eoophyla metridora* (Meyrick, 1897) (Pyralidae) Synonym(s): *metridora* Meyrick, 1897
 62027) *Eoophyla montanalis* Speidel, 2003 (Pyralidae) Synonym(s): *montanalis* Speidel, 2003
 62028) *Eoophyla myanmarica* Mey & Speidel, 2005 (Pyralidae) Synonym(s): *myanmarica* Mey & Speidel, 2005
 62029) *Eoophyla napoleoni* Speidel, 2003 (Pyralidae) Synonym(s): *napoleoni* Speidel, 2003
 62030) *Eoophyla naumanni* Speidel, 2003 (Pyralidae) Synonym(s): *naumanni* Speidel, 2003
 62031) *Eoophyla nigripilosa* Yoshiyasu, 1987 (Pyralidae) Synonym(s): *nigripilosa* Yoshiyasu, 1987

- 62032) *Eoophyla nussi* Speidel, 2003 (Pyralidae) Synonym(s): *nussi* Speidel, 2003
- 62033) *Eoophyla ochripicta* (Moore, 1889) (Pyralidae) Synonym(s): *ochripicta* Moore, 1889
- 62034) *Eoophyla pulchralis* Speidel, 2003 (Pyralidae) Synonym(s): *pulchralis* Speidel, 2003
- 62035) *Eoophyla quezonensis* Speidel, 2003 (Pyralidae) Synonym(s): *quezonensis* Speidel, 2003
- 62036) *Eoophyla quinqualis* (Snellen, 1892) (Pyralidae) Synonym(s): *quinqualis* Snellen, 1892
- 62037) *Eoophyla richteri* Speidel, 2003 (Pyralidae) Synonym(s): *richteri* Speidel, 2003
- 62038) *Eoophyla samaritai* Speidel, 2003 (Pyralidae) Synonym(s): *samaritai* Speidel, 2003
- 62039) *Eoophyla schintlmeisteri* Speidel, 2003 (Pyralidae) Synonym(s): *schintlmeisteri* Speidel, 2003
- 62040) *Eoophyla sejunctalis* (Snellen, 1876) (Pyralidae) Synonym(s): *sejunctalis* Snellen, 1876; *delicate* Moore, 1887
- 62041) *Eoophyla simplicialis* (Snellen, 1876) (Pyralidae) Synonym(s): *simplicialis* Snellen, 1876
- 62042) *Eoophyla sinensis* (Hampson, 1897) (Pyralidae) Synonym(s): *sinensis* Hampson, 1897
- 62043) *Eoophyla snelleni* Semper, 1902 (Pyralidae) Synonym(s): *snelleni* Semper, 1902
- 62044) *Eoophyla stresemanni* (Rothschild, 1915) (Pyralidae) Synonym(s): *stresemanni* Rothschild, 1915
- 62045) *Eoophyla thaiensis* Yoshiyasu, 1987 (Pyralidae) Synonym(s): *thaiensis* Yoshiyasu, 1987
- 62046) *Eoophyla trichostylalis* (Hampson, 1897) (Pyralidae) Synonym(s): *trichostylalis* Hampson, 1897
- 62047) *Eoophyla wollastoni* (Rothschild, 1915) (Pyralidae) Synonym(s): *wollastoni* Rothschild, 1915
- 62048) *Eoophyla yeni* Speidel, 2003 (Pyralidae) Synonym(s): *yeni* Speidel, 2003
- 62049) *Eoparargyractis florldalis* Lange, 1956 (Pyralidae) Synonym(s): *florldalis* Lange, 1956
- 62050) *Eoparargyractis irrortalis* (Dyar, 1917) (Pyralidae) Synonym(s): *irrortalis* Dyar, 1917
- 62051) *Eoparargyractis plevie* (Dyar, 1917) (Pyralidae) Synonym(s): *plevie* Dyar, 1917
- 62052) *Epactotena octogenalis* (Lederer, 1863) (Pyralidae) Synonym(s): *octogenalis* Lederer, 1863.
- 62053) *Epascestria argyrostacta* (Hampson, 1910) (Pyralidae) Synonym(s): *argyrostacta* Hampson, 1910
- 62054) *Epascestria croesualis* (Hampson, 1913) (Pyralidae) Synonym(s): *croesualis* Hampson, 1913
- 62055) *Epascestria distictalis* (Hampson, 1913) (Pyralidae) Synonym(s): *distictalis* Hampson, 1913
- 62056) *Epascestria euprepialis* (Hampson, 1913) (Pyralidae) Synonym(s): *euprepialis* Hampson, 1913; *iotaenialis* Gaede, 1917
- 62057) *Epascestria microdotalis* (Hampson, 1913) (Pyralidae) Synonym(s): *microdotalis* Hampson, 1913
- 62058) *Epascestria peltaloides* (Rebel, 1932) (Pyralidae) Synonym(s): *peltaloides* Rebel, 1932
- 62059) *Epascestria pictalis* (Hampson, 1913) (Pyralidae) Synonym(s): *pictalis* Hampson, 1913
- 62060) *Epascestria pustulalis* (Hübner, [1823]) (Pyralidae) Synonym(s): *pustulalis* Hübner, [1823]; *orientalis* Caradja, 1917.
- 62061) *Ephedrophila algerialis* (Hampson, 1900) (Pyralidae) Synonym(s): *algerialis* Hampson, 1900
- 62062) *Ephedrophila jordanalis* (Rebel, 1902) (Pyralidae) Synonym(s): *jordanalis* Rebel, 1902; *constantialis* Hampson, 1906.
- 62063) *Ephedrophila lucasi* (Mabille, 1907) (Pyralidae) Synonym(s): *lucasi* Mabille, 1907
- 62064) *Ephelis ? robustalis* Amsel, 1970 (Pyralidae) Synonym(s): *#robustalis* Amsel, 1970
- 62065) *Ephelis cruentalis* (Geyer, [1832]) (Pyralidae) Synonym(s): *cruentalis* Geyer, [1832]
- 62066) *Ephestia* (Anagasta) *abnormalella* (Ragonot, 1887) (Pyralidae) Synonym(s): *abnormalella* Ragonot, 1887; *alpitopis* Meyrick, 1937.
- 62067) *Ephestia* (Anagasta) *cypriusella* Roesler, 1965 (Pyralidae) Synonym(s): *cypriusella* Roesler, 1965
- 62068) *Ephestia* (Anagasta) *gilvella* Roesler, 1970 (Pyralidae) Synonym(s): *gilvella* Roesler, 1970
- 62069) *Ephestia* (Anagasta) *kuehniella* Zeller, 1879 (Pyralidae) Synonym(s): *kuehniella* Zeller, 1879; *fuscofasciella* Ragonot, 1887; *gitoniella* Druce, 1896; *lunella* Noel, 1904; *ischnomorpha* Meyrick, 1931; *#kuehniella* Hutacharern & Tubtim, 1995
- 62070) *Ephestia* (Anagasta) *welseriella* (Zeller, 1848) (Pyralidae) Synonym(s): *welseriella* Zeller, 1848; *modestella* Lederer, 1863; *tephriella* Lederer, 1870; *rhenanella* Fuchs, 1877; *suffusella* Ragonot, 1901; *immodestella* Rebel, 1916; *superbella* Lucas, 1954; *capricola* Hampson, 1927.
- 62071) *Ephestia* (s.str.) *cahiritella* Zeller, 1867 (Pyralidae) Synonym(s): *cahiritella* Zeller, 1867
- 62072) *Ephestia* (s.str.) *disparella* Hampson, 1901 (Pyralidae) Synonym(s): *disparella* Hampson, 1901; *rectifasciella* Turati, 1913; *semicostella* Turati, 1934.
- 62073) *Ephestia* (s.str.) *elutella* (Hübner, 1796) (Pyralidae) Synonym(s): *elutella* Hübner, 1796; *semirufa* Haworth, 1811; *rufa* Haworth, 1811; *angusta* Haworth, 1811; *sericarium* Scott, 1859; *roxburghii* Gregson, 1873; *infumatella* Ragonot, 1887; *affusella* Ragonot, 1888; *icosiella* Ragonot, 1888; *amarella* Dyar, 1904; *pteroisella* Roesler, 1965
- 62074) *Ephestia* (s.str.) *inquietella* Zerny, 1932 (Pyralidae) Synonym(s): *inquietella* Zerny, 1932
- 62075) *Ephestia* (s.str.) *mistralella* (Millière, 1874) (Pyralidae) Synonym(s): *mistralella* Millière, 1874; *moebiusi* Rebel, 1906; *metoenella* Zerny, 1927.
- 62076) *Ephestia* (s.str.) *parasitella* Staudinger, 1859 (Pyralidae) Synonym(s): *parasitella* Staudinger, 1859; *bimaculella* Lucas, 1955.
- 62077) *Ephestia* (s.str.) *parasitella parasitella* Staudinger, 1859 (Pyralidae) Synonym(s): *parasitella* Staudinger, 1859; *bimaculella* Lucas, 1955.
- 62078) *Ephestia* (s.str.) *parasitella unicolorella* Staudinger, 1881 (Pyralidae) Synonym(s): *unicolorella* Staudinger, 1881; *personata* Gerasimov, 1930; *intermediella* Amsel, 1961.
- 62079) *Ephestiopsis bipunctalis* (Hampson, 1896) (Pyralidae) Synonym(s): *bipunctalis* Hampson, 1896
- 62080) *Ephestiopsis brahma* Roesler & Küppers, 1981 (Pyralidae) Synonym(s): *brahma* Roesler & Küppers, 1981
- 62081) *Ephestiopsis oenobarella* (Meyrick, 1879) (Pyralidae) Synonym(s): *oenobarella* Meyrick, 1879
- 62082) *Ephestiopsis shiva* Roesler & Küppers, 1981 (Pyralidae) Synonym(s): *shiva* Roesler & Küppers, 1981
- 62083) *Ephestiopsis vishnu* Roesler & Küppers, 1981 (Pyralidae) Synonym(s): *vishnu* Roesler & Küppers, 1981
- 62084) *Ephormotris octopis* Meyrick, 1933 (Pyralidae) Synonym(s): *octopis* Meyrick, 1933
- 62085) *Epichalcia amasiella* Roesler, 1969 (Pyralidae) Synonym(s): *amasiella* Roesler, 1969
- 62086) *Epichilo irroralis* (Hampson, 1919) (Pyralidae) Synonym(s): *irroralis* Hampson, 1919
- 62087) *Epichilo parvulus* Ragonot, 1888 (Pyralidae) Synonym(s): *parvulus* Ragonot, 1888
- 62088) *Epichilo vartianae* Bleszynski, 1965 (Pyralidae) Synonym(s): *vartianae* Bleszynski, 1965
- 62089) *Epicorsia avilalis* Amsel, 1954 (Pyralidae) Synonym(s): *avilalis* Amsel, 1954
- 62090) *Epicorsia catarinalis* Munroe, 1958 (Pyralidae) Synonym(s): *catarinalis* Munroe, 1958
- 62091) *Epicorsia cerata* (Fabricius, 1795) (Pyralidae) Synonym(s): *cerata* Fabricius, 1795
- 62092) *Epicorsia chiapalis* Munroe, 1958 (Pyralidae) Synonym(s): *chiapalis* Munroe, 1958
- 62093) *Epicorsia chicalis* Munroe, 1978 (Pyralidae) Synonym(s): *chicalis* Munroe, 1978
- 62094) *Epicorsia lucialis* Munroe, 1958 (Pyralidae) Synonym(s): *lucialis* Munroe, 1958
- 62095) *Epicorsia lucialis baezalis* Munroe, 1958 (Pyralidae) Synonym(s): *baezalis* Munroe, 1958
- 62096) *Epicorsia lucialis lucialis* Munroe, 1958 (Pyralidae) Synonym(s): *lucialis* Munroe, 1958
- 62097) *Epicorsia mellinalis* Hübner, 1818 (Pyralidae) Synonym(s): *mellinalis* Hübner, 1818
- 62098) *Epicorsia oedipodalis* (Guenée, 1854) (Pyralidae) Synonym(s): *oedipodalis* Guenée, 1854; *butyrosa* Butler, 1878
- 62099) *Epicorsia parambalis* Munroe, 1958 (Pyralidae) Synonym(s): *parambalis* Munroe, 1958
- 62100) *Epicrocis abbreviata* (Balinsky, 1994) (Pyralidae) Synonym(s): *abbreviata* Balinsky, 1994
- 62101) *Epicrocis abbreviata abbreviata* (Balinsky, 1994) (Pyralidae) Synonym(s): *abbreviata* Balinsky, 1994
- 62102) *Epicrocis africana* (Janse, 1942) (Pyralidae) Synonym(s): *africana* Janse, 1942
- 62103) *Epicrocis africana africana* (Janse, 1942) (Pyralidae) Synonym(s): *africana* Janse, 1942
- 62104) *Epicrocis africanella* (Ragonot, 1888) (Pyralidae) Synonym(s): *africanella* Ragonot, 1888
- 62105) *Epicrocis africanella africanella* (Ragonot, 1888) (Pyralidae) Synonym(s): *africanella* Ragonot, 1888
- 62106) *Epicrocis albigeralis* (Walker, 1865) (Pyralidae) Synonym(s): *albigeralis* Walker, 1865; *varii* Balinsky, 1991
- 62107) *Epicrocis ancylosiformis* (Balinsky, 1994) (Pyralidae) Synonym(s): *ancylosiformis* Balinsky, 1994
- 62108) *Epicrocis ancylosiformis ancylosiformis* (Balinsky, 1994) (Pyralidae) Synonym(s): *ancylosiformis* Balinsky, 1994
- 62109) *Epicrocis arcana* (Balinsky, 1994) (Pyralidae) Synonym(s): *arcana* Balinsky, 1994
- 62110) *Epicrocis arcana arcana* (Balinsky, 1994) (Pyralidae) Synonym(s): *arcana* Balinsky, 1994
- 62111) *Epicrocis brevipalata* (Balinsky, 1994) (Pyralidae) Synonym(s): *brevipalata* Balinsky, 1994
- 62112) *Epicrocis brevipalata brevipalata* (Balinsky, 1994) (Pyralidae) Synonym(s): *brevipalata* Balinsky, 1994
- 62113) *Epicrocis complicata* (Balinsky, 1994) (Pyralidae) Synonym(s): *complicata* Balinsky, 1994
- 62114) *Epicrocis complicata complicata* (Balinsky, 1994) (Pyralidae) Synonym(s): *complicata* Balinsky, 1994
- 62115) *Epicrocis coriaccelloides* (Balinsky, 1994) (Pyralidae) Synonym(s): *coriaccelloides* Balinsky, 1994
- 62116) *Epicrocis coriaccelloides coriaccelloides* (Balinsky, 1994) (Pyralidae) Synonym(s): *coriaccelloides* Balinsky, 1994

- 62117) *Epicrocis crassa* (Balinsky,1994) (Pyalidae) Synonym(s): *crassa* Balinsky,1994
 62118) *Epicrocis crassa crassa* (Balinsky,1994) (Pyalidae) Synonym(s): *crassa* Balinsky,1994
 62119) *Epicrocis ferrealis* (Hampson,1898) (Pyalidae) Synonym(s): *ferrealis* Hampson,1898
 62120) *Epicrocis ferrealis ferrealis* (Hampson,1898) (Pyalidae) Synonym(s): *ferrealis* Hampson,1898
 62121) *Epicrocis flavicosta* (Balinsky,1994) (Pyalidae) Synonym(s): *flavicosta* Balinsky,1994
 62122) *Epicrocis flavicosta flavicosta* (Balinsky,1994) (Pyalidae) Synonym(s): *flavicosta* Balinsky,1994
 62123) *Epicrocis furcilinea* (Balinsky,1994) (Pyalidae) Synonym(s): *furcilinea* Balinsky,1994
 62124) *Epicrocis furcilinea furcilinea* (Balinsky,1994) (Pyalidae) Synonym(s): *furcilinea* Balinsky,1994
 62125) *Epicrocis gracilis* (Balinsky,1994) (Pyalidae) Synonym(s): *gracilis* Balinsky,1994
 62126) *Epicrocis gracilis gracilis* (Balinsky,1994) (Pyalidae) Synonym(s): *gracilis* Balinsky,1994
 62127) *Epicrocis holophaea* (Hampson,1926) (Pyalidae) Synonym(s): *holophaea* Hampson,1926
 62128) *Epicrocis imitans* (Balinsky,1994) (Pyalidae) Synonym(s): *imitans* Balinsky,1994
 62129) *Epicrocis imitans imitans* (Balinsky,1994) (Pyalidae) Synonym(s): *imitans* Balinsky,1994
 62130) *Epicrocis insolita* (Balinsky,1994) (Pyalidae) Synonym(s): *insolita* Balinsky,1994
 62131) *Epicrocis insolita insolita* (Balinsky,1994) (Pyalidae) Synonym(s): *insolita* Balinsky,1994
 62132) *Epicrocis intermedia* (Balinsky,1994) (Pyalidae) Synonym(s): *intermedia* Balinsky,1994
 62133) *Epicrocis intermedia intermedia* (Balinsky,1994) (Pyalidae) Synonym(s): *intermedia* Balinsky,1994
 62134) *Epicrocis laticostella* (Ragonot,1888) (Pyalidae) Synonym(s): *laticostella* Ragonot,1888
 62135) *Epicrocis laticostella laticostella* (Ragonot,1888) (Pyalidae) Synonym(s): *laticostella* Ragonot,1888
 62136) *Epicrocis metallopa* (Lower,1898) (Pyalidae) Synonym(s): *metallopa* Lower,1898
 62137) *Epicrocis nigricans* (Ragonot,1888) (Pyalidae) Synonym(s): *nigricans* Ragonot,1888
 62138) *Epicrocis nigricans nigricans* (Ragonot,1888) (Pyalidae) Synonym(s): *nigricans* Ragonot,1888
 62139) *Epicrocis nigrilinea* (Joannis,1927) (Pyalidae) Synonym(s): *nigrilinea* Joannis,1927
 62140) *Epicrocis nigrinella* (Balinsky,1994) (Pyalidae) Synonym(s): *nigrinella* Balinsky,1994
 62141) *Epicrocis nigrinella nigrinella* (Balinsky,1994) (Pyalidae) Synonym(s): *nigrinella* Balinsky,1994
 62142) *Epicrocis noncapillata* (Balinsky,1994) (Pyalidae) Synonym(s): *noncapillata* Balinsky,1994
 62143) *Epicrocis noncapillata noncapillata* (Balinsky,1994) (Pyalidae) Synonym(s): *noncapillata* Balinsky,1994
 62144) *Epicrocis ornata* (Balinsky,1994) (Pyalidae) Synonym(s): *ornata* Balinsky,1994
 62145) *Epicrocis ornata ornata* (Balinsky,1994) (Pyalidae) Synonym(s): *ornata* Balinsky,1994
 62146) *Epicrocis ornatella* (Balinsky,1994) (Pyalidae) Synonym(s): *ornatella* Balinsky,1994
 62147) *Epicrocis ornatella ornatella* (Balinsky,1994) (Pyalidae) Synonym(s): *ornatella* Balinsky,1994
 62148) *Epicrocis piliferella* (Ragonot,1888) (Pyalidae) Synonym(s): *piliferella* Ragonot,1888
 62149) *Epicrocis plumbifasciata* (Balinsky,1994) (Pyalidae) Synonym(s): *plumbifasciata* Balinsky,1994
 62150) *Epicrocis plumbifasciata plumbifasciata* (Balinsky,1994) (Pyalidae) Synonym(s): *plumbifasciata* Balinsky,1994
 62151) *Epicrocis pseudonatalensis* (Balinsky,1994) (Pyalidae) Synonym(s): *pseudonatalensis* Balinsky,1994
 62152) *Epicrocis pseudonatalensis pseudonatalensis* (Balinsky,1994) (Pyalidae) Synonym(s): *pseudonatalensis* Balinsky,1994
 62153) *Epicrocis punctata* (Balinsky,1994) (Pyalidae) Synonym(s): *punctata* Balinsky,1994
 62154) *Epicrocis punctata punctata* (Balinsky,1994) (Pyalidae) Synonym(s): *punctata* Balinsky,1994
 62155) *Epicrocis sacculata* (Balinsky,1994) (Pyalidae) Synonym(s): *sacculata* Balinsky,1994
 62156) *Epicrocis sacculata sacculata* (Balinsky,1994) (Pyalidae) Synonym(s): *sacculata* Balinsky,1994
 62157) *Epicrocis saturatella* (Mabille,1879) (Pyalidae) Synonym(s): *saturatella* Mabille,1879
 62158) *Epicrocis siderella* (Ragonot,1888) (Pyalidae) Synonym(s): *siderella* Ragonot,1888
 62159) *Epicrocis spiculata* (Balinsky,1994) (Pyalidae) Synonym(s): *spiculata* Balinsky,1994
 62160) *Epicrocis spiculata spiculata* (Balinsky,1994) (Pyalidae) Synonym(s): *spiculata* Balinsky,1994
 62161) *Epicrocis stibiella* (Snellen,1872) (Pyalidae) Synonym(s): *stibiella* Snellen,1872
 62162) *Epicrocis striaticosta* (Joannis,1927) (Pyalidae) Synonym(s): *striaticosta* Joannis,1927
 62163) *Epicrocis vansoni* (Balinsky,1994) (Pyalidae) Synonym(s): *vansoni* Balinsky,1994
 62164) *Epicrocis vansoni vansoni* (Balinsky,1994) (Pyalidae) Synonym(s): *vansoni* Balinsky,1994
 62165) *Epicrocis vicinella* (Joannis,1927) (Pyalidae) Synonym(s): *vicinella* Joannis,1927
 62166) *Epidauria discella* Ragonot,1901 (Pyalidae) Synonym(s): *discella* Ragonot,1901
 62167) *Epidauria phoeniciella* Ragonot,1895 (Pyalidae) Synonym(s): *phoeniciella* Ragonot,1895
 62168) *Epidauria strigosa* (Staudinger,1879) (Pyalidae) Synonym(s): *strigosa* Staudinger,1879
 62169) *Epidauria transversariella* (Zeller,1848) (Pyalidae) Synonym(s): *transversariella* Zeller,1848
 62170) *Epiecia externella* Walker,1866 (Pyalidae) Synonym(s): *externella* Walker,1866
 62171) *Epiepischnia keredjella* Amsel,1953 (Pyalidae) Synonym(s): *keredjella* Amsel,1953
 62172) *Epiepischnia pseudodydella* Amsel,1953 (Pyalidae) Synonym(s): *pseudodydella* Amsel,1953
 62173) *Epilepia melanobasis* (Hampson,1906) (Pyalidae) Synonym(s): *melanobasis* Hampson,1906
 62174) *Epilepia melanobrunnea* (Janse,1922) (Pyalidae) Synonym(s): *melanobrunnea* Janse,1922
 62175) *Epilepia melanosparsalis* (Janse,1922) (Pyalidae) Synonym(s): *melanosparsalis* Janse,1922; *confusa* Janse,1922
 62176) *Epimetasia abbasalis* Amsel,1974 (Pyalidae) Synonym(s): *abbasalis* Amsel,1974
 62177) *Epimetasia albalis* Amsel,1959 (Pyalidae) Synonym(s): *albalis* Amsel,1959
 62178) *Epimetasia gregori* Amsel,1970 (Pyalidae) Synonym(s): *gregori* Amsel,1970
 62179) *Epimetasia gregori gregori* Amsel,1970 (Pyalidae) Synonym(s): *gregori* Amsel,1970
 62180) *Epimetasia gregori gulbaharalis* Amsel,1970 (Pyalidae) Synonym(s): *gulbaharalis* Amsel,1970
 62181) *Epimetasia gregori panjaoalis* Amsel,1970 (Pyalidae) Synonym(s): *panjaoalis* Amsel,1970
 62182) *Epimetasia monotona* (Amsel,1953) (Pyalidae) Synonym(s): *monotona* Amsel,1953
 62183) *Epimetasia vestalis* (Ragonot,1894) (Pyalidae) Synonym(s): *vestalis* Ragonot,1894; *rubrilinealis* Zerny,1939.
 62184) *Epina alleni* (Fernald,1888) (Pyalidae) Synonym(s): *alleni* Fernald,1888
 62185) *Epina dichromella* Walker,1866 (Pyalidae) Synonym(s): *dichromella* Walker,1866; *differentialis* Fernald,1888
 62186) *Epipagis miltochristalis* (Hampson,1896) (Pyalidae) Synonym(s): *miltochristalis* Hampson,1896
 62187) *Epipagis roseocinctalis* (Hampson,1913) (Pyalidae) Synonym(s): *roseocinctalis* Hampson,1913
 62188) *Epipagis setinalis* Hampson,1918 (Pyalidae) Synonym(s): *setinalis* Hampson,1918
 62189) *Epiparthia constituta* Roesler,1989 (Pyalidae) Synonym(s): *constituta* Roesler,1989.
 62190) *Epiparthia dattinella* (Ragonot,1887) (Pyalidae) Synonym(s): *dattinella* Ragonot,1887; *hampsoniella* Lucas,1909; *dilutalis* Rothschild,1913.
 62191) *Epiparthia rebeli* Roesler,1989 (Pyalidae) Synonym(s): *rebeli* Roesler,1989
 62192) *Epiparthia simplicialis* (Rothschild,1921) (Pyalidae) Synonym(s): *simplicialis* Rothschild,1921; *pallens* Amsel,1935.
 62193) *Epiparthia vasta* Amsel,1935 (Pyalidae) Synonym(s): *vasta* Amsel,1935
 62194) *Epischnia adultella* (Zeller,1848) (Pyalidae) Synonym(s): *adultella* Zeller,1848
 62195) *Epischnia albella* Amsel,1953 (Pyalidae) Synonym(s): *albella* Amsel,1953
 62196) *Epischnia alfacarella* Amsel,1953 (Pyalidae) Synonym(s): *alfacarella* Amsel,1953
 62197) *Epischnia ampliata* Heinemann,1864 (Pyalidae) Synonym(s): *ampliata* Heinemann,1864
 62198) *Epischnia asteris* Staudinger,1870 (Pyalidae) Synonym(s): *asteris* Staudinger,1870
 62199) *Epischnia asteriscella* (Millière,1873) (Pyalidae) Synonym(s): *asteriscella* Millière,1873
 62200) *Epischnia banksiella* Richardson,1888 (Pyalidae) Synonym(s): *banksiella* Richardson,1888
 62201) *Epischnia castillella* Ragonot,1894 (Pyalidae) Synonym(s): *castillella* Ragonot,1894
 62202) *Epischnia christophori* Ragonot,1887 (Pyalidae) Synonym(s): *christophori* Ragonot,1887; *christophori* Noack,1960.
 62203) *Epischnia cretaciella* Mann,1869 (Pyalidae) Synonym(s): *cretaciella* Mann,1869; *demartinella* Turati,1922.
 62204) *Epischnia cuculliella* Ragonot,1887 (Pyalidae) Synonym(s): *cuculliella* Ragonot,1887
 62205) *Epischnia glyphella* Ragonot,1887 (Pyalidae) Synonym(s): *glyphella* Ragonot,1887
 62206) *Epischnia illotella* Zeller,1839 (Pyalidae) Synonym(s): *illotella* Zeller,1839

- 62207) *Epischnia leucoloma* (Herrich-Schäffer,[1849]) (Pyralidae) Synonym(s): *leucoloma* Herrich-Schäffer,[1849]
 62208) *Epischnia leucomixtella* Ragonot,1887 (Pyralidae) Synonym(s): *leucomixtella* Ragonot,1887
 62209) *Epischnia masticella* Ragonot,1887 (Pyralidae) Synonym(s): *masticella* Ragonot,1887
 62210) *Epischnia mongolica* Amsel,1953 (Pyralidae) Synonym(s): *mongolica* Amsel,1953
 62211) *Epischnia muscidella* Ragonot,1887 (Pyralidae) Synonym(s): *muscidella* Ragonot,1887
 62212) *Epischnia parvella* Amsel,1953 (Pyralidae) Synonym(s): *parvella* Amsel,1953
 62213) *Epischnia peroni* Agenjo,1948 (Pyralidae) Synonym(s): *peroni* Agenjo,1948
 62214) *Epischnia plumbella* Ragonot,1887 (Pyralidae) Synonym(s): *plumbella* Ragonot,1887
 62215) *Epischnia prodromella* (Hübner,[1799]) (Pyralidae) Synonym(s): *prodromella* Hübner,[1799]
 62216) *Epischnia soritella* Lederer,1858 (Pyralidae) Synonym(s): *soritella* Lederer,1858
 62217) *Epischnia stenopterella* Rebel,1910 (Pyralidae) Synonym(s): *stenopterella* Rebel,1910
 62218) *Epischnopsis nervosella* (Ragonot,1887) (Pyralidae) Synonym(s): *nervosella* Ragonot,1887
 62219) *Epischnopsis nervosella binaloudella* Amsel,1953 (Pyralidae) Synonym(s): *binaloudella* Amsel,1953
 62220) *Epischnopsis nervosella libanoticella* Amsel,1953 (Pyralidae) Synonym(s): *masticella auct nec Rag.*; *libanoticella* Amsel,1953
 62221) *Epischnopsis oculatella* (Ragonot,1887) (Pyralidae) Synonym(s): *oculatella* Ragonot,1887
 62222) *Episcythrastis tabidella* (Mann,1864) (Pyralidae) Synonym(s): *tabidella* Mann,1864; *griseella* Ragonot,1887; *constanti* Ragonot,1893; *heringi* Hartig,1938; *demavendella* Zerny,1939
 62223) *Episcythrastis tetricella* (Denis & Schiffermüller,[1775]) (Pyralidae) Synonym(s): *tetricella* [Denis & Schiffermüller],1775; *tetrix* Fabricius,1798; *chrysorrhoeella* Zincken,1818; *plumbaginella* Eversmann,1844; *amurensis* Ragonot,1887; *alternella* Lewin,1942
 62224) *Episindris albimaculalis* Ragonot,1891 (Pyralidae) Synonym(s): *albimaculalis* Ragonot,1891
 62225) *Epizonora speciosalis* (Christoph,1885) (Pyralidae) Synonym(s): *speciosalis* Christoph,1885
 62226) *Eporidia palliventralis* (Snellen,1880) (Pyralidae) Synonym(s): *palliventralis* Snellen,1880
 62227) *Eranistis pandora* Meyrick,1909 (Pyralidae) Synonym(s): *pandora* Meyrick,1909
 62228) *Erecta scotialis* Hampson,1912 (Pyralidae) Synonym(s): *scotialis* Hampson,1912
 62229) *Eremographa sebasmia* (Meyrick,1887) (Pyralidae) Synonym(s): *sebasmia* (Meyrick,1887)
 62230) *Eristena bifurcalis* (Pryer,1877) (Pyralidae) Synonym(s): *bifurcalis* Pryer,1877
 62231) *Eristena excisalis* (Snellen,1900) (Pyralidae) Synonym(s): *excisalis* Snellen,1900; *javanica* Strand,1914
 62232) *Eristena fulva* Yoshiyasu,1987 (Pyralidae) Synonym(s): *fulva* Yoshiyasu,1987
 62233) *Eristena gregaria* Yoshiyasu,1984 (Pyralidae) Synonym(s): *gregaria* Yoshiyasu,1984
 62234) *Eristena grisealis* Rothschild,1915 (Pyralidae) Synonym(s): *grisealis* Rothschild,1915
 62235) *Eristena marginalis* (Rothschild,1916) (Pyralidae) Synonym(s): *marginalis* Rothschild,1916
 62236) *Eristena muralis* W.Warren,1896 (Pyralidae) Synonym(s): *muralis* W.Warren,1896
 62237) *Eristena oligostigmatis* Hampson,1906 (Pyralidae) Synonym(s): *oligostigmatis* Hampson,1906
 62238) *Eristena parvalis* (Moore,1877) (Pyralidae) Synonym(s): *parvalis* Moore,1877
 62239) *Eristena postalbalis* Hampson,1891 (Pyralidae) Synonym(s): *postalbalis* Hampson,1891
 62240) *Eristena pulchellalis* (Hampson,1893) (Pyralidae) Synonym(s): *pulchellalis* Hampson,1893
 62241) *Eristena pumila* Yoshiyasu,1987 (Pyralidae) Synonym(s): *pumila* Yoshiyasu,1987
 62242) *Eristena samaritai* Speidel,2003 (Pyralidae) Synonym(s): *samaritai* Speidel,2003
 62243) *Eristena shafferi* Murphy,1989 (Pyralidae) Synonym(s): *shafferi* Murphy,1989
 62244) *Eristena straminealis* Hampson,1903 (Pyralidae) Synonym(s): *straminealis* Hampson,1903
 62245) *Eristena tanongchiti* Yoshiyasu,1984 (Pyralidae) Synonym(s): *tanongchiti* Yoshiyasu,1984
 62246) *Eristena tenebrifera* Hampson,1917 (Pyralidae) Synonym(s): *tenebrifera* Hampson,1917
 62247) *Eristena tetralitha* Hampson,1917 (Pyralidae) Synonym(s): *tetralitha* Hampson,1917
 62248) *Eristena thalassalis* Murphy,1989 (Pyralidae) Synonym(s): *thalassalis* Murphy,1989
 62249) *Eristena trigonalis* Hampson,1906 (Pyralidae) Synonym(s): *trigonalis* Hampson,1906
 62250) *Ernophthora milicha* Turner,1931 (Pyralidae) Synonym(s): *milicha* Turner,1931
 62251) *Ernophthora phoenicias* Meyrick,1887 (Pyralidae) Synonym(s): *phoenicias* Meyrick,1887; *actiosoides* Hampson,1896
 62252) *Ernophthora schematica* (Turner,1947) (Pyralidae) Synonym(s): *schematica* Turner,1947
 62253) *Erpis macularis* Walker,1863 (Pyralidae) Synonym(s): *macularis* Walker,1863
 62254) *Erupa argentescens* Hampson,1896 (Pyralidae) Synonym(s): *argentescens* Hampson,1896
 62255) *Erupa argenteolinea* Druce,1910 (Pyralidae) Synonym(s): *argenteolinea* Druce,1910
 62256) *Erupa bilineatella* (Walker,1866) (Pyralidae) Synonym(s): *bilineatella* Walker,1866
 62257) *Erupa chiloides* Walker,1864 (Pyralidae) Synonym(s): *chiloides* Walker,1864
 62258) *Erupa chilopsisina* Schaus,1922 (Pyralidae) Synonym(s): *chilopsisina* Schaus,1922
 62259) *Erupa clanca* Druce,1900 (Pyralidae) Synonym(s): *clanca* Druce,1900
 62260) *Erupa congruella* (Walker,1866) (Pyralidae) Synonym(s): *congruella* Walker,1866; *virgatus* R.Felder & Rogenhofer,1875
 62261) *Erupa digrammica* Hampson,1919 (Pyralidae) Synonym(s): *digrammica* Hampson,1919
 62262) *Erupa discordella* Schaus,1913 (Pyralidae) Synonym(s): *discordella* Schaus,1913
 62263) *Erupa eambardella* (Schaus,1922) (Pyralidae) Synonym(s): *eambardella* Schaus,1922
 62264) *Erupa evanidella* Schaus,1913 (Pyralidae) Synonym(s): *evanidella* Schaus,1913
 62265) *Erupa gigantea* Druce,1900 (Pyralidae) Synonym(s): *gigantea* Druce,1900
 62266) *Erupa gyges* Druce,1900 (Pyralidae) Synonym(s): *gyges* Druce,1900
 62267) *Erupa herstanella* (Schaus,1922) (Pyralidae) Synonym(s): *herstanella* Schaus,1922
 62268) *Erupa huarmella* Schaus,1922 (Pyralidae) Synonym(s): *huarmellus* Schaus,1922
 62269) *Erupa impunctella* Schaus,1922 (Pyralidae) Synonym(s): *impunctella* Schaus,1922
 62270) *Erupa incoloralis* Dyar,1914 (Pyralidae) Synonym(s): *incoloralis* Dyar,1914
 62271) *Erupa invidella* Schaus,1913 (Pyralidae) Synonym(s): *invidella* Schaus,1913
 62272) *Erupa lactealis* Hampson,1896 (Pyralidae) Synonym(s): *lactealis* Hampson,1896
 62273) *Erupa luceria* Druce,1902 (Pyralidae) Synonym(s): *luceria* Druce,1902
 62274) *Erupa nampa* Schaus,1929 (Pyralidae) Synonym(s): *nampa* Schaus,1929
 62275) *Erupa nigrescentella* Hampson,1896 (Pyralidae) Synonym(s): *nigrescentella* Hampson,1896
 62276) *Erupa olorana* Schaus,1934 (Pyralidae) Synonym(s): *olorana* Schaus,1934
 62277) *Erupa parnahyba* Schaus,1934 (Pyralidae) Synonym(s): *parnahyba* Schaus,1934
 62278) *Erupa patara* Druce,1902 (Pyralidae) Synonym(s): *patara* Druce,1902
 62279) *Erupa plumbealis* Hampson,1919 (Pyralidae) Synonym(s): *plumbealis* Hampson,1919
 62280) *Erupa pravella* Schaus,1913 (Pyralidae) Synonym(s): *pravella* Schaus,1913
 62281) *Erupa prodigealis* (Zeller,1877) (Pyralidae) Synonym(s): *prodigealis* Zeller,1877
 62282) *Erupa puncticillialis* Hampson,1919 (Pyralidae) Synonym(s): *puncticillialis* Hampson,1919
 62283) *Erupa rhaetia* Druce,1900 (Pyralidae) Synonym(s): *rhaetia* Druce,1900
 62284) *Erupa ruptilineella* Hampson,1896 (Pyralidae) Synonym(s): *ruptilineella* Hampson,1896
 62285) *Erupa schoenobina* Hampson,1919 (Pyralidae) Synonym(s): *schoenobina* Hampson,1919
 62286) *Erupa similis* Druce,1899 (Pyralidae) Synonym(s): *similis* Druce,1899
 62287) *Erupa somenella* Schaus,1922 (Pyralidae) Synonym(s): *somenella* Schaus,1922
 62288) *Erupa titana* Druce,1910 (Pyralidae) Synonym(s): *titana* Druce,1910
 62289) *Erupa titianalis* R.Felder & Rogenhofer,1875 (Pyralidae) Synonym(s): *titianalis* R.Felder & Rogenhofer,1875
 62290) *Eschata aida* Bleszynski,1970 (Pyralidae) Synonym(s): *aida* Bleszynski,1970
 62291) *Eschata chrysargyria* (Walker,[1866]) (Pyralidae) Synonym(s): *chrysargyria* Walker,[1866]; *argentata* Moore,1888; *radiata* Swinhoe,1906
 62292) *Eschata conspurcata* Moore,1888 (Pyralidae) Synonym(s): *conspurcata* Moore,1888
 62293) *Eschata diplophanes* Meyrick,1933 (Pyralidae) Synonym(s): *diplophanes* Meyrick,1933
 62294) *Eschata gelida* Walker,1856 (Pyralidae) Synonym(s): *gelida* Walker,1856

- 62295) *Eschata himalaica* Bleszynski, 1965 (Pyralidae) Synonym(s): *himalaica* Bleszynski, 1965
 62296) *Eschata irrorata* Hampson, 1919 (Pyralidae) Synonym(s): *irrorata* Hampson, 1919
 62297) *Eschata isabella* Bleszynski, 1965 (Pyralidae) Synonym(s): *isabella* Bleszynski, 1965
 62298) *Eschata melanocera* Hampson, 1896 (Pyralidae) Synonym(s): *melanocera* Hampson, 1896
 62299) *Eschata miranda* Bleszynski, 1965 (Pyralidae) Synonym(s): *miranda* Bleszynski, 1965
 62300) *Eschata ochreipes* Hampson, 1891 (Pyralidae) Synonym(s): *ochreipes* Hampson, 1891
 62301) *Eschata percandida* Swinhoe, 1890 (Pyralidae) Synonym(s): *percandida* Swinhoe, 1890
 62302) *Eschata rembrandti* Bleszynski, 1970 (Pyralidae) Synonym(s): *rembrandti* Bleszynski, 1970
 62303) *Eschata rifici* Bleszynski, 1965 (Pyralidae) Synonym(s): *rifici* Bleszynski, 1965
 62304) *Eschata rococo* Bleszynski, 1970 (Pyralidae) Synonym(s): *rococo* Bleszynski, 1970
 62305) *Eschata shafferella* Bleszynski, 1965 (Pyralidae) Synonym(s): *shafferella* Bleszynski, 1965
 62306) *Eschata smithi* Bleszynski, 1970 (Pyralidae) Synonym(s): *smithi* Bleszynski, 1970
 62307) *Eschata xanthocera* Hampson, 1896 (Pyralidae) Synonym(s): *xanthocera* Hampson, 1896
 62308) *Eschata xanthorhyncha* Hampson, 1896 (Pyralidae) Synonym(s): *xanthorhyncha* Hampson, 1896
 62309) *Essina atribasalis* Ragonot, 1891 (Pyralidae) Synonym(s): *atribasalis* Ragonot, 1891
 62310) *Etiella behrii* (Zeller, 1848) (Pyralidae) Synonym(s): *behrii* Zeller, 1848; *subaurella* Walker, 1866; *consociella* Walker, 1866; *ochristrigella* Ragonot, 1888
 62311) *Etiella chrysoporella* Meyrick, 1879 (Pyralidae) Synonym(s): *chrysoporella* Meyrick, 1879
 62312) *Etiella furella* Strand, 1919 (Pyralidae) Synonym(s): *furella* Strand, 1919
 62313) *Etiella grisea* Hampson, 1903 (Pyralidae) Synonym(s): *grisea* Hampson, 1903; *drososcia* Meyrick, 1929.
 62314) *Etiella hobsoni* (Butler, 1881) (Pyralidae) Synonym(s): *hobsoni* Butler, 1881; *melanella* Hampson, 1901.
 62315) *Etiella scitivittalis* (Walker, 1863) (Pyralidae) Synonym(s): *scitivittalis* Walker, 1863; *sincerella* Meyrick, 1879.
 62316) *Etiella walsinghamella* Ragonot, 1888 (Pyralidae) Synonym(s): *walsinghamella* Ragonot, 1888; *flavofasciella* Inoue, 1959
 62317) *Etiella zinckenella* (Treitschke, 1832) (Pyralidae) Synonym(s): *margiella* Fabricius, 1781 nec Den. & Schiff., 1775; *zinckenella* Treitschke, 1832; *etiella* Treitschke, 1835; *majorellus* Costa, 1836; *colonnellus* Costa, 1836; *dymnusalis* Walker, 1859; *heraldella* Guenée, 1862; *anticalis* Walker, 1863; *indicatalis* Walker, 1863; *hastiferella* Walker, 1866; *decepiens* Staudinger, 1870; *spartiella* Rondani, 1876; *sabulinus* Butler, 1879; *madagascariensis* Saalmüller, 1880; *schisticolor* Zeller, 1881; *villosella* Hulst, 1887; *rubribasella* Hulst, 1890; *#etiella* Pinhey, 1975.
 62318) *Euageta dianipha* (Lower, 1902) (Pyralidae) Synonym(s): *dianipha* Lower, 1902; *albimedialis* Hampson, 1919; *arestodes* Turner, 1947
 62319) *Eucampyla dealbatella* (Erschoff, 1874) (Pyralidae) Synonym(s): *dealbatella* Erschoff, 1874; *staminella* Christoph, 1877; *nervulatella* Turati, 1926; *kerbelella* Amsel, 1949; *gigantella* Roesler, 1965.
 62320) *Eucampyla etherella* Meyrick, 1882 (Pyralidae) Synonym(s): *etherella* Meyrick, 1882; *inexplorata* Meyrick, 1929
 62321) *Eucarpia anomala* Balinsky, 1994 (Pyralidae) Synonym(s): *anomala* Balinsky, 1994
 62322) *Eucarpia anomala anomala* Balinsky, 1994 (Pyralidae) Synonym(s): *anomala* Balinsky, 1994
 62323) *Eucarpia hemityrella* (De Joannis, 1927) (Pyralidae) Synonym(s): *hemityrella* De Joannis, 1927
 62324) *Eucarpia leucomera* (Hampson, 1926) (Pyralidae) Synonym(s): *leucomera* Hampson, 1926
 62325) *Eucarpia vinetella* (Fabricius, 1787) (Pyralidae) Synonym(s): *vinetella* Fabricius, 1787; *vinetorum* Fabricius, 1798; *vinetalis* Hübner, [1825].
 62326) *Eucarpia vinetella roseostriatella* (Caradja, 1939) (Pyralidae) Synonym(s): *roseostriatella* Caradja, 1939
 62327) *Eucarpia vinetella solinfecta* Roesler, 1993 (Pyralidae) Synonym(s): *solinfecta* Roesler, 1993
 62328) *Eucarpia vinetella vinetella* (Fabricius, 1787) (Pyralidae) Synonym(s): *vinetella* Fabricius, 1787; *vinetorum* Fabricius, 1798; *vinetalis* Hübner, [1825].
 62329) *Euchromius anapiellus* (Zeller, 1847) (Pyralidae) Synonym(s): *anapiellus* Zeller, 1847
 62330) *Euchromius aris* Schouten, 1988 (Pyralidae) Synonym(s): *aris* Schouten, 1988
 62331) *Euchromius bellus* (Hübner, 1796) (Pyralidae) Synonym(s): *bella* Hübner, 1796; *bellalis* Hübner, [1825].
 62332) *Euchromius bleszynskiellus* Popescu-Gorj, 1964 (Pyralidae) Synonym(s): *bleszynskiellus* Popescu-Gorj, 1964
 62333) *Euchromius brunnealis* (Hampson, 1919) (Pyralidae) Synonym(s): *brunnealis* Hampson, 1919
 62334) *Euchromius cambridgei* (Zeller, 1867) (Pyralidae) Synonym(s): *cambridgei* Zeller, 1867; *luciella* Chrétien, 1907; *prototypa* Meyrick, 1935; *congruentella* Amsel, 1958; *szijartoi* Gozmany, 1959; *ilkui* Gozmany, 1959.
 62335) *Euchromius cochlearellus* (Amsel, 1949) (Pyralidae) Synonym(s): *cochlearella* Amsel, 1949
 62336) *Euchromius cornus* Schouten, 1990 (Pyralidae) Synonym(s): *cornus* Schouten, 1990
 62337) *Euchromius delicatalis* (Hampson, 1919) (Pyralidae) Synonym(s): *delicatalis* Hampson, 1919
 62338) *Euchromius diatraealis* (Dyar, 1910) (Pyralidae) Synonym(s): *diatraealis* Dyar, 1910
 62339) *Euchromius discopis* (Hampson, 1919) (Pyralidae) Synonym(s): *discopis* Hampson, 1919
 62340) *Euchromius discopis discopis* (Hampson, 1919) (Pyralidae) Synonym(s): *discopis* Hampson, 1919
 62341) *Euchromius donum* Schouten, 1988 (Pyralidae) Synonym(s): *donum* Schouten, 1988
 62342) *Euchromius erum* Schouten, 1988 (Pyralidae) Synonym(s): *erum* Schouten, 1988
 62343) *Euchromius geminus* Schouten, 1988 (Pyralidae) Synonym(s): *geminus* Schouten, 1988
 62344) *Euchromius gnathosellus* Schouten, 1988 (Pyralidae) Synonym(s): *gnathosellus* Schouten, 1988
 62345) *Euchromius gozmanyi* Bleszynski, 1961 (Pyralidae) Synonym(s): *gozmanyi* Bleszynski, 1961
 62346) *Euchromius gratiosellus* (Caradja, 1910) (Pyralidae) Synonym(s): *gratiosella* Caradja, 1910
 62347) *Euchromius hamptoni* (Rothschild, 1921) (Pyralidae) Synonym(s): *hamptoni* Rothschild, 1921
 62348) *Euchromius jaxartellus* (Erschoff, 1874) (Pyralidae) Synonym(s): *jaxartella* Erschoff, 1874
 62349) *Euchromius karsholti* Ganev, 1987 (Pyralidae) Synonym(s): *karsholti* Ganev, 1987
 62350) *Euchromius keredjellus* (Amsel, 1949) (Pyralidae) Synonym(s): *keredjella* Amsel, 1949
 62351) *Euchromius klimeschi* Bleszynski, 1961 (Pyralidae) Synonym(s): *klimeschi* Bleszynski, 1961
 62352) *Euchromius klimeschi klimeschi* Bleszynski, 1961 (Pyralidae) Synonym(s): *klimeschi* Bleszynski, 1961
 62353) *Euchromius labellum* Schouten, 1988 (Pyralidae) Synonym(s): *labellum* Schouten, 1988
 62354) *Euchromius locustus* Schouten, 1988 (Pyralidae) Synonym(s): *locustus* Schouten, 1988
 62355) *Euchromius malekalis* Amsel, 1961 (Pyralidae) Synonym(s): *malekalis* Amsel, 1961
 62356) *Euchromius matador* Bleszynski, 1966 (Pyralidae) Synonym(s): *matador* Bleszynski, 1966
 62357) *Euchromius micralis* (Hampson, 1919) (Pyralidae) Synonym(s): *micralis* Hampson, 1919
 62358) *Euchromius mouchai* Bleszynski, 1961 (Pyralidae) Synonym(s): *mouchai* Bleszynski, 1961
 62359) *Euchromius mythus* Bleszynski, 1970 (Pyralidae) Synonym(s): *mythus* Bleszynski, 1970
 62360) *Euchromius nigrobasalis* Schouten, 1988 (Pyralidae) Synonym(s): *nigrobasalis* Schouten, 1988
 62361) *Euchromius nivalis* (Caradja, 1937) (Pyralidae) Synonym(s): *nivalis* Caradja, 1937
 62362) *Euchromius ocellus* (Haworth, [1811]) (Pyralidae) Synonym(s): *ocellea* Haworth, [1811]; *cyrilli* Costa, 1832; *fumiculella* Treitschke, 1832; *texana* Robinson, 1870; *gigantea* Turati, 1924; *quadrii* Ahmad, Zaidi & Kamaluddin, 1982
 62363) *Euchromius pavonialis* (Hampson, 1896) (Pyralidae) Synonym(s): *pavonialis* Hampson, 1896
 62364) *Euchromius pulverosus* (Christoph, 1887) (Pyralidae) Synonym(s): *pulverosa* Christoph, 1887
 62365) *Euchromius pygmaea* Hering, 1903 (Pyralidae) Synonym(s): *pygmaea* Hering, 1903
 62366) *Euchromius ramburiellus* (Duponchel, 1836) (Pyralidae) Synonym(s): *ramburiellus* Duponchel, 1836; *zonellus* Zeller, 1847; *luteella* Caradja, 1910; *#ramburellus* Rothschild, 1924; *islamella* Amsel, 1949.
 62367) *Euchromius rayatellus* (Amsel, 1949) (Pyralidae) Synonym(s): *rayatella* Amsel, 1949
 62368) *Euchromius roxanus* Bleszynski, 1965 (Pyralidae) Synonym(s): *roxanus* Bleszynski, 1965
 62369) *Euchromius scobiolae* Bleszynski, 1965 (Pyralidae) Synonym(s): *scobiolae* Bleszynski, 1965
 62370) *Euchromius siuxellus* Ganev & Hacker, 1986 (Pyralidae) Synonym(s): *siuxellus* Ganev & Hacker, 1986
 62371) *Euchromius subcambridgei* Bleszynski, 1965 (Pyralidae) Synonym(s): *subcambridgei* Bleszynski, 1965
 62372) *Euchromius sudanellus* Bleszynski, 1965 (Pyralidae) Synonym(s): *sudanellus* Bleszynski, 1965
 62373) *Euchromius superbellus* (Zeller, 1849) (Pyralidae) Synonym(s): *superbellus* Zeller, 1849; *wockeella* Zeller, 1863; *cypriusella* Amsel, 1958.
 62374) *Euchromius tanalis* Schouten, 1988 (Pyralidae) Synonym(s): *tanalis* Schouten, 1988
 62375) *Euchromius viettei* Bleszynski, 1961 (Pyralidae) Synonym(s): *viettei* Bleszynski, 1961
 62376) *Euchromius vinculellus* (Zeller, 1847) (Pyralidae) Synonym(s): *vinculellus* Zeller, 1847; *corsicalis* Hampson, 1919; *joiceyella* Schmidt, 1934; *bahrutella* Amsel, 1949.

- 62377) *Euchromius zagulajevi* Bleszynski, 1965 (Pyralidae) Synonym(s): *zagulajevi* Bleszynski, 1965
 62378) *Euchromius zephyrus* Bleszynski, 1962 (Pyralidae) Synonym(s): *zephyrus* Bleszynski, 1962
 62379) *Euclasta (Proteuclasta) bacescui* Popescu-Gorj & Constantinescu, 1977 (Pyralidae) Synonym(s): *bacescui* Popescu-Gorj & Constantinescu, 1977
 62380) *Euclasta (Proteuclasta) insularis* Viette, 1958 (Pyralidae) Synonym(s): *insularis* Viette, 1958
 62381) *Euclasta (Proteuclasta) mirabilis* Amsel, 1949 (Pyralidae) Synonym(s): *mirabilis* Amsel, 1949
 62382) *Euclasta (Proteuclasta) mirabilis pinheyi* Popescu-Gorj & Constantinescu, 1977 (Pyralidae) Synonym(s): *pinheyi* Popescu-Gorj & Constantinescu, 1977
 62383) *Euclasta (Proteuclasta) pauli* Popescu-Gorj & Constantinescu, 1973 (Pyralidae) Synonym(s): *pauli* Popescu-Gorj & Constantinescu, 1973
 62384) *Euclasta (Proteuclasta) stoetznerei* (Caradja, 1927) (Pyralidae) Synonym(s): *stoetznerei* Caradja, 1927
 62385) *Euclasta (Proteuclasta) warreni* Distant, 1892 (Pyralidae) Synonym(s): *warreni* Distant, 1892; *hiracopsis* Meyrick, 1933
 62386) *Euclasta (s.str.) amseli* Popescu-Gorj & Constantinescu, 1973 (Pyralidae) Synonym(s): *amseli* Popescu-Gorj & Constantinescu, 1973
 62387) *Euclasta (s.str.) defamatalis* (Walker, 1859) (Pyralidae) Synonym(s): *defamatalis* Walker, 1859
 62388) *Euclasta (s.str.) filigeralis* Lederer, 1863 (Pyralidae) Synonym(s): *filigeralis* Lederer, 1863
 62389) *Euclasta (s.str.) gigantalis* Viette, 1957 (Pyralidae) Synonym(s): *gigantalis* Viette, 1957; *whalleyi* Popescu-Gorj & Constantinescu, 1973
 62390) *Euclasta (s.str.) maceratalis* Lederer, 1863 (Pyralidae) Synonym(s): *maceratalis* Lederer, 1863
 62391) *Euclasta (s.str.) montalbani* Popescu-Gorj & Constantinescu, 1977 (Pyralidae) Synonym(s): *montalbani* Popescu-Gorj & Constantinescu, 1977
 62392) *Euclasta (s.str.) sokotrensis* Popescu-Gorj & Constantinescu, 1977 (Pyralidae) Synonym(s): *sokotrensis* Popescu-Gorj & Constantinescu, 1977
 62393) *Euclasta (s.str.) splendidalis* (Herrich-Schäffer, [1848]) (Pyralidae) Synonym(s): *splendidalis* Herrich-Schäffer, [1848]
 62394) *Euclasta (s.str.) varii* Popescu-Gorj & Constantinescu, 1973 (Pyralidae) Synonym(s): *varii* Popescu-Gorj & Constantinescu, 1973
 62395) *Euctenospila casta* Warren, 1892 (Pyralidae) Synonym(s): *casta* Warren, 1892
 62396) *Eudaimonisma batchelorella* Lucas, 1902 (Pyralidae) Synonym(s): *batchelorella* Lucas, 1902
 62397) *Eudonia aequalis* Kyrki & Svensson, 1986 (Pyralidae) Synonym(s): *aequalis* Kyrki & Svensson, 1986
 62398) *Eudonia alpina* (Curtis, 1850) (Pyralidae) Synonym(s): *alpina* Curtis, 1850
 62399) *Eudonia angustea* (Curtis, 1827) (Pyralidae) Synonym(s): *angustea* Curtis, 1827
 62400) *Eudonia antiquella* (Zetterstedt, [1839]) (Pyralidae) Synonym(s): *antiquella* Zetterstedt, [1839]
 62401) *Eudonia delunella* (Stainton, 1849) (Pyralidae) Synonym(s): *resinea* auct.; *delunella* Stainton, 1849; *vandalabella* Herrich-Schäffer, 1851; *vandalialis* Herrich-Schäffer, 1862; *pernigralis* Turati, 1923
 62402) *Eudonia delunella amicola* Leraut, 1981 (Pyralidae) Synonym(s): *amicula* Leraut, 1981
 62403) *Eudonia delunella delunella* (Stainton, 1849) (Pyralidae) Synonym(s): *resinea* auct.; *delunella* Stainton, 1849; *vandalabella* Herrich-Schäffer, 1851; *vandalialis* Herrich-Schäffer, 1862; *pernigralis* Turati, 1923
 62404) *Eudonia delunella orientalis* (Alpheraky, 1878) (Pyralidae) Synonym(s): *orientalis* Alpheraky, 1878
 62405) *Eudonia gracilineata* Nuss, 2000 (Pyralidae) Synonym(s): *gracilineata* Nuss, 2000
 62406) *Eudonia laetella* (Zeller, 1846) (Pyralidae) Synonym(s): *laetella* Zeller, 1846
 62407) *Eudonia liebmanni* (Petty, 1904) (Pyralidae) Synonym(s): *liebmanni* Petty, 1904
 62408) *Eudonia liebmanni* (Petty, 1904) (Pyralidae) Synonym(s): *liebmanni* Petty, 1904
 62409) *Eudonia lineola* (Curtis, 1827) (Pyralidae) Synonym(s): *lineola* Curtis, 1827
 62410) *Eudonia lineola lineola* (Curtis, 1827) (Pyralidae) Synonym(s): *lineola* Curtis, 1827
 62411) *Eudonia lineola virescens* (Rebel, 1896) (Pyralidae) Synonym(s): *virescens* Rebel, 1896; *rungsii* Amsel, 1952
 62412) *Eudonia mercurella* (Linnaeus, 1758) (Pyralidae) Synonym(s): *mercurella* Linnaeus, 1758; *mercurii* Fabricius, 1798; *mercurea* Haworth, 1811; *mercurealis* Hübner, [1825]; *portlandica* Westwood, 1845; *frequentella* Stainton, 1849; *concinella* Curtis, 1850; *frequentalis* Herrich-Schäffer, 1862
 62413) *Eudonia mercurella mercurella* (Linnaeus, 1758) (Pyralidae) Synonym(s): *mercurella* Linnaeus, 1758; *mercurii* Fabricius, 1798; *mercurea* Haworth, 1811; *mercurealis* Hübner, [1825]; *portlandica* Westwood, 1845; *frequentella* Stainton, 1849; *concinella* Curtis, 1850; *frequentalis* Herrich-Schäffer, 1862
 62414) *Eudonia mercurella puella* Leraut, 1982 (Pyralidae) Synonym(s): *puella* Leraut, 1982
 62415) *Eudonia murana* (Curtis, 1827) (Pyralidae) Synonym(s): *murana* Curtis, 1827; *muralis* Doubleday, 1850; *delphinatalis* Guenée, 1854; *muranelle* La Harpe, 1855; *pseudomurana* Müller-Rutz, 1925
 62416) *Eudonia murana derrai* Leraut, 1982 (Pyralidae) Synonym(s): *derrai* Leraut, 1982
 62417) *Eudonia murana murana* (Curtis, 1827) (Pyralidae) Synonym(s): *murana* Curtis, 1827; *muralis* Doubleday, 1850; *delphinatalis* Guenée, 1854; *muranelle* La Harpe, 1855; *pseudomurana* Müller-Rutz, 1925
 62418) *Eudonia murana tuoniana* Hofmann, 1893 (Pyralidae) Synonym(s): *tuoniana* Hofmann, 1893; *ranica* Strand, 1920
 62419) *Eudonia obsoleta* (Staudinger, 1879) (Pyralidae) Synonym(s): *obsoleta* Staudinger, 1879
 62420) *Eudonia petrophila* (Standfuss, 1848) (Pyralidae) Synonym(s): *petrophila* Standfuss, 1848; *vesuntialis* Guenée, 1854
 62421) *Eudonia petrophila balcanica* (Rebel, 1917) (Pyralidae) Synonym(s): *balcanica* Rebel, 1917
 62422) *Eudonia petrophila confusella* (La Harpe, 1863) (Pyralidae) Synonym(s): *confusella* La Harpe, 1863; *amissella* Millière, 1864
 62423) *Eudonia petrophila petrophila* (Standfuss, 1848) (Pyralidae) Synonym(s): *petrophila* Standfuss, 1848; *vesuntialis* Guenée, 1854
 62424) *Eudonia petrophila reali* Leraut, 1984 (Pyralidae) Synonym(s): *reali* Leraut, 1984
 62425) *Eudonia phaeoleuca* (Zeller, 1846) (Pyralidae) Synonym(s): *phaeoleuca* Zeller, 1846; *sciaphilella* La Harpe, 1855; *bielialis* Rougemont, 1904; *gratiella* Turati, 1914
 62426) *Eudonia phaeoleuca brosi* Leraut, 1982 (Pyralidae) Synonym(s): *brosi* Leraut, 1982
 62427) *Eudonia phaeoleuca fuscella* (Turati, 1914) (Pyralidae) Synonym(s): *fuscella* Turati, 1914
 62428) *Eudonia phaeoleuca nevadensis* (Zerny, 1927) (Pyralidae) Synonym(s): *nevadensis* Zerny, 1927
 62429) *Eudonia phaeoleuca phaeoleuca* (Zeller, 1846) (Pyralidae) Synonym(s): *phaeoleuca* Zeller, 1846; *sciaphilella* La Harpe, 1855; *bielialis* Rougemont, 1904; *gratiella* Turati, 1914
 62430) *Eudonia phaeoleuca sororcula* Leraut, 1982 (Pyralidae) Synonym(s): *sororcula* Leraut, 1982
 62431) *Eudonia piroformis* (Amsel, 1949) (Pyralidae) Synonym(s): *piroformis* Amsel, 1949
 62432) *Eudonia polyphaealis* Hampson, 1907 (Pyralidae) Synonym(s): *polyphaealis* Hampson, 1907
 62433) *Eudonia senecaensis* Huemer & Leraut, 1993 (Pyralidae) Synonym(s): *senecaensis* Huemer & Leraut, 1993
 62434) *Eudonia speideli* Leraut, 1982 (Pyralidae) Synonym(s): *speideli* Leraut, 1982
 62435) *Eudonia sudetica* (Zeller, 1839) (Pyralidae) Synonym(s): *sudetica* Zeller, 1839; *livonica* Zeller, 1846; *luzialis* Guenée, 1854
 62436) *Eudonia truncicolella* (Stainton, 1849) (Pyralidae) Synonym(s): *truncicolella* Stainton, 1849; *pallida* Banks, 1895 *nec* Curt., 1827; #minor Dufrane, 1960; #fusca Dufrane, 1960
 62437) *Eudonia vallesialis* (Duponchel, 1832) (Pyralidae) Synonym(s): *vallesialis* Duponchel, 1832
 62438) *Euferaldia argenteonervella* Hulst, 1900 (Pyralidae) Synonym(s): *argenteonervella* Hulst, 1900
 62439) *Euferaldia cadarella* (Druce, 1896) (Pyralidae) Synonym(s): *cadarella* Druce, 1896
 62440) *Euferaldia micralis* Hampson, 1919 (Pyralidae) Synonym(s): *micralis* Hampson, 1919
 62441) *Euferaldia misgabella* (Druce, 1896) (Pyralidae) Synonym(s): *misgabella* Druce, 1896
 62442) *Euferaldia panamella* Schaus, 1922 (Pyralidae) Synonym(s): *panamella* Schaus, 1922
 62443) *Eugauria albidentata* (Hampson, 1897) (Pyralidae) Synonym(s): *albidentata* Hampson, 1897; *compactalis* Snellen, 1901
 62444) *Euglyphis procopia* (Cramer, 1782) (Pyralidae) Synonym(s): *procopia* Cramer, 1782
 62445) *Eulophota bipars* Joannis, 1927 (Pyralidae) Synonym(s): *bipars* Joannis, 1927
 62446) *Eulophota caustella* (Hampson, 1901) (Pyralidae) Synonym(s): *caustella* Hampson, 1901
 62447) *Eulophota floridella* Joannis, 1927 (Pyralidae) Synonym(s): *floridella* Joannis, 1927
 62448) *Eulophota pretoriella* Joannis, 1927 (Pyralidae) Synonym(s): *pretoriella* Joannis, 1927
 62449) *Eulophota simplex* Joannis, 1927 (Pyralidae) Synonym(s): *simplex* Joannis, 1927
 62450) *Eulophota zonata* Hampson, 1926 (Pyralidae) Synonym(s): *zonata* Hampson, 1926
 62451) *Euparolia nipimidalis* Dyar, 1914 (Pyralidae) Synonym(s): *nipimidalis* Dyar, 1914
 62452) *Eurhodope* (Eurhobasis) *aeneella* (Zerny, 1914) (Pyralidae) Synonym(s): *aeneella* Zerny, 1914
 62453) *Eurhodope* (Eurhobasis) *cinerea* (Staudinger, 1879) (Pyralidae) Synonym(s): *cinerea* Staudinger, 1879
 62454) *Eurhodope* (Eurhobasis) *lutescentella* (Caradja, 1916) (Pyralidae) Synonym(s): *lutescentella* Caradja, 1916
 62455) *Eurhodope* (s.str.) *basella* Shibuya, 1928 (Pyralidae) Synonym(s): *basella* Shibuya, 1928

- 62456) *Eurhodope* (s.str.) *bellulella* Ragonot,1893 (Pyrilidae) Synonym(s): *bellulella* Ragonot,1893
- 62457) *Eurhodope* (s.str.) *cirrigerella* (Zincken,1818) (Pyrilidae) Synonym(s): *cirrigerella* Zincken,1818; *infuscata* Staudinger,1879
- 62458) *Eurhodope* (s.str.) *concinialis* (Christoph,1882) (Pyrilidae) Synonym(s): *concinialis* Christoph,1882; *fulgidella* Predota,1934; *bella* Amsel,1954
- 62459) *Eurhodope* (s.str.) *confusella* (Walker,1866) (Pyrilidae) Synonym(s): *confusella* Walker,1866
- 62460) *Eurhodope* (s.str.) *cruentella* (Duponchel,1843) (Pyrilidae) Synonym(s): *cruentella* Duponchel,1843; *alba* Caradja,1916
- 62461) *Eurhodope* (s.str.) *hyrcanella* (Amsel,1953) (Pyrilidae) Synonym(s): *hyrcanella* Amsel,1953
- 62462) *Eurhodope* (s.str.) *incensella* (Staudinger,1859) (Pyrilidae) Synonym(s): *incensella* Staudinger,1859; *flavella* Amsel,1954
- 62463) *Eurhodope* (s.str.) *incompta* (Zeller,1847) (Pyrilidae) Synonym(s): *incompta* Zeller,1847
- 62464) *Eurhodope* (s.str.) *infixella* (Walker,1866) (Pyrilidae) Synonym(s): *infixella* Walker,1866
- 62465) *Eurhodope* (s.str.) *karenkolla* Shibuya,1928 (Pyrilidae) Synonym(s): *karenkolla* Shibuya,1928
- 62466) *Eurhodope* (s.str.) *maydina* Roesler,1988 (Pyrilidae) Synonym(s): *maydina* Roesler,1988
- 62467) *Eurhodope* (s.str.) *millierella* (Ragonot,1893) (Pyrilidae) Synonym(s): *millierella* Ragonot,1893
- 62468) *Eurhodope* (s.str.) *mira* Amsel,1953 (Pyrilidae) Synonym(s): *mira* Amsel,1953
- 62469) *Eurhodope* (s.str.) *monogrammos* (Zeller,1867) (Pyrilidae) Synonym(s): *monogrammos* Zeller,1867; *buxtoni* Rothschild,1921; *homochromella* Amsel,1961; *melanella* Roesler,1969
- 62470) *Eurhodope* (s.str.) *notulella* (Ragonot,1888) (Pyrilidae) Synonym(s): *notulella* Ragonot,1888
- 62471) *Eurhodope* (s.str.) *nyctosia* Balinsky,1991 (Pyrilidae) Synonym(s): *nyctosia* Balinsky,1991
- 62472) *Eurhodope* (s.str.) *ohkunii* Shibuya,1928 (Pyrilidae) Synonym(s): *ohkunii* Shibuya,1928
- 62473) *Eurhodope* (s.str.) *ortneri* Hartig,1938 (Pyrilidae) Synonym(s): *ortneri* Hartig,1938
- 62474) *Eurhodope* (s.str.) *rosella* (Scopoli,1763) (Pyrilidae) Synonym(s): *rosella* Scopoli,1763; *pudoralis* Denis & Schiffermüller,1775; *pudorella* Hübner,1796; *pudorana* Frölich,1828
- 62475) *Eurhodope* (s.str.) *sielmannella* Roesler,1969 (Pyrilidae) Synonym(s): *sielmannella* Roesler,1969
- 62476) *Eurhythmia* *argypha* (Turner,1913) (Pyrilidae) Synonym(s): *argypha* Turner,1913
- 62477) *Eurhythmia* *callopepla* (Turner,1913) (Pyrilidae) Synonym(s): *callopepla* Turner,1913
- 62478) *Eurhythmia* *cataxia* (Turner,1913) (Pyrilidae) Synonym(s): *cataxia* Turner,1913
- 62479) *Eurhythmia* *epargyra* (Turner,1913) (Pyrilidae) Synonym(s): *epargyra* Turner,1913
- 62480) *Eurhythmia* *latifasciella* Turner,1904 (Pyrilidae) Synonym(s): *latifasciella* Turner,1904; *latifasciella* Hampson,1919.
- 62481) *Eurhythmia* *polyzelota* (Turner,1913) (Pyrilidae) Synonym(s): *polyzelota* Turner,1913
- 62482) *Eurhythmia* *xuthospila* (Turner,1913) (Pyrilidae) Synonym(s): *xuthospila* Turner,1913
- 62483) *Eurrhpara* *hortulata* (Linnaeus,1758) (Pyrilidae) Synonym(s): *hortulata* Linnaeus,1758; *urticata* Linnaeus,1761; *urticalis* [Denis & Schiffermüller],1775; *flavicauda* Retzius,1783; *hortulana* Fourcroy,1785.
- 62484) *Eurrhparodes* *bracteolalis* (Zeller,1852) (Pyrilidae) Synonym(s): *bracteolalis* Zeller,1852; *plumbalis* Guenée,1854; *accessalis* Walker,1859; *stibialis* Snellen,1880; *#mambarelis* Strand,1920
- 62485) *Eurrhparodes* *contortalis* (Hampson,1900) (Pyrilidae) Synonym(s): *contortalis* Hampson,1900
- 62486) *Eurrhparodes* *nymphulalis* Strand,1918 (Pyrilidae) Synonym(s): *nymphulalis* Strand,1918
- 62487) *Eurrhparodes* *tricoloralis* (Zeller,1852) (Pyrilidae) Synonym(s): *tricoloralis* Zeller,1852; *abnegatalis* Walker,1859; *confusalis* Warren,1896; *#tricoloralis* Klima,1939
- 62488) *Eurrhyps* *cacuminalis* (Eversmann,1843) (Pyrilidae) Synonym(s): *cacuminalis* Eversmann,1843
- 62489) *Eurrhyps* *elbursana* (Amsel,1961) (Pyrilidae) Synonym(s): *elbursana* Amsel,1961
- 62490) *Eurrhyps* *guttulalis* (Herrich-Schäffer,1848) (Pyrilidae) Synonym(s): *guttulalis* Herrich-Schäffer,1848
- 62491) *Eurrhyps* *pollinalis* [(Denis & Schiffermüller),1775] (Pyrilidae) Synonym(s): *pollinalis* [Denis & Schiffermüller],1775; *bigutta* Esper,[1791]; *melissalis* Walker,1859; *flavinotalis* Grote,1881; *#obcaecatalis* Leraut & Luquet,1985
- 62492) *Eurrhyps* *pollinalis* *filialis* (Zerny,1934) (Pyrilidae) Synonym(s): *filialis* Zerny,1934
- 62493) *Eurrhyps* *sartalis* (Hübner,[1813]) (Pyrilidae) Synonym(s): *sartalis* Hübner,[1813].
- 62494) *Eurybela* *scotopis* Turner,1908 (Pyrilidae) Synonym(s): *scotopis* Turner,1908
- 62495) *Eurybela* *trophoessa* (Turner,1908) (Pyrilidae) Synonym(s): *trophoessa* Turner,1908
- 62496) *Eurycreon* *imperialis* Sauber,1902 (Pyrilidae) Synonym(s): *imperialis* Sauber,1902
- 62497) *Eusabena* *miltchristalis* (Hampson,1896) (Pyrilidae) Synonym(s): *miltchristalis* Hampson,1896; *equicalcaralis* Strand,1918
- 62498) *Eusabena* *monotictalis* (Hampson,1899) (Pyrilidae) Synonym(s): *monotictalis* Hampson,1899
- 62499) *Eusabena* *paraphragma* (Meyrick,1889) (Pyrilidae) Synonym(s): *paraphragma* Meyrick,1889; *xanthialis* Hampson,1898
- 62500) *Eutrichodes* *oenoealis* (Walker,1859) (Pyrilidae) Synonym(s): *oenoealis* Walker,1859
- 62501) *Euzophera* (Cymbalorissa) *fuliginosella* (Heinemann,1865) (Pyrilidae) Synonym(s): *fuliginosella* Heinemann,1865; *polyxenella* Millièr,1872.
- 62502) *Euzophera* (Quadremipista) *ultimella* Roesler,1973 (Pyrilidae) Synonym(s): *ultimella* Roesler,1973
- 62503) *Euzophera* (s.str.) *afflictella* Ragonot,1887 (Pyrilidae) Synonym(s): *afflictella* Ragonot,1887; *aethaloneuria* Filipjev,1924.
- 62504) *Euzophera* (s.str.) *albicostalis* Hampson,1903 (Pyrilidae) Synonym(s): *albicostalis* Hampson,1903; *albicostalis* Amsel,1949; *#albocostalis* Wiltshire,1957
- 62505) *Euzophera* (s.str.) *albipunctella* Ragonot,1887 (Pyrilidae) Synonym(s): *albipunctella* Ragonot,1887
- 62506) *Euzophera* (s.str.) *alpherakyella* Ragonot,1887 (Pyrilidae) Synonym(s): *alpherakyella* Ragonot,1887
- 62507) *Euzophera* (s.str.) *atuntsealis* Roesler,1973 (Pyrilidae) Synonym(s): *atuntsealis* Roesler,1973
- 62508) *Euzophera* (s.str.) *batangensis* Caradja,1939 (Pyrilidae) Synonym(s): *batangensis* Caradja,1939
- 62509) *Euzophera* (s.str.) *bigella* (Zeller,1848) (Pyrilidae) Synonym(s): *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1891; *angulella* Chrétien,1922; *renulella* Constantini,1922
- 62510) *Euzophera* (s.str.) *cinerosella* (Zeller,1839) (Pyrilidae) Synonym(s): *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimelella* Zerny,1934.
- 62511) *Euzophera* (s.str.) *cinerosella* *cinerosella* (Zeller,1839) (Pyrilidae) Synonym(s): *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimelella* Zerny,1934.
- 62512) *Euzophera* (s.str.) *cinerosella* *politella* Ragonot,1887 (Pyrilidae) Synonym(s): *politella* Ragonot,1887
- 62513) *Euzophera* (s.str.) *cocciphaga* Hampson,1908 (Pyrilidae) Synonym(s): *cocciphaga* Hampson,1908
- 62514) *Euzophera* (s.str.) *colon* (Christoph,1881) (Pyrilidae) Synonym(s): *colon* Christoph,1881
- 62515) *Euzophera* (s.str.) *comeella* Roesler,1973 (Pyrilidae) Synonym(s): *comeella* Roesler,1973
- 62516) *Euzophera* (s.str.) *conquassata* Roesler,1970 (Pyrilidae) Synonym(s): *conquassata* Roesler,1970
- 62517) *Euzophera* (s.str.) *cornutella* (Roesler,1965) (Pyrilidae) Synonym(s): *cornutella* Roesler,1965
- 62518) *Euzophera* (s.str.) *costivittella* Ragonot,1887 (Pyrilidae) Synonym(s): *costivittella* Ragonot,1887
- 62519) *Euzophera* (s.str.) *crassinatha* Balinsky,1994 (Pyrilidae) Synonym(s): *crassinatha* Balinsky,1994
- 62520) *Euzophera* (s.str.) *crassinatha* *crassinatha* Balinsky,1994 (Pyrilidae) Synonym(s): *crassinatha* Balinsky,1994
- 62521) *Euzophera* (s.str.) *crinita* Balinsky,1994 (Pyrilidae) Synonym(s): *crinita* Balinsky,1994
- 62522) *Euzophera* (s.str.) *crinita* *crinita* Balinsky,1994 (Pyrilidae) Synonym(s): *crinita* Balinsky,1994
- 62523) *Euzophera* (s.str.) *cullinannesis* (Balinsky,1991) (Pyrilidae) Synonym(s): *cullinannesis* Balinsky,1991
- 62524) *Euzophera* (s.str.) *derbendicola* Roesler,1973 (Pyrilidae) Synonym(s): *derbendicola* Roesler,1973
- 62525) *Euzophera* (s.str.) *diminutella* Ragonot,1901 (Pyrilidae) Synonym(s): *diminutella* Ragonot,1901
- 62526) *Euzophera* (s.str.) *eburnella* Amsel,1954 (Pyrilidae) Synonym(s): *eburnella* Amsel,1954
- 62527) *Euzophera* (s.str.) *empistocles* Roesler,1969 (Pyrilidae) Synonym(s): *empistocles* Roesler,1969
- 62528) *Euzophera* (s.str.) *empistocles* Roesler,1969 (Pyrilidae) Synonym(s): *empistocles* Roesler,1969
- 62529) *Euzophera* (s.str.) *eureka* Roesler,1970 (Pyrilidae) Synonym(s): *eureka* Roesler,1970
- 62530) *Euzophera* (s.str.) *fibigerella* Asselbergs,1997 (Pyrilidae) Synonym(s): *fibigerella* Asselbergs,1997
- 62531) *Euzophera* (s.str.) *flagella* (Lederer,1869) (Pyrilidae) Synonym(s): *flagella* Lederer,1869
- 62532) *Euzophera* (s.str.) *flavicosta* Turner,1947 (Pyrilidae) Synonym(s): *flavicosta* Turner,1947
- 62533) *Euzophera* (s.str.) *formosella* (Rebel,1910) (Pyrilidae) Synonym(s): *formosella* Rebel,1910
- 62534) *Euzophera* (s.str.) *fractilineella* Roesler,1969 (Pyrilidae) Synonym(s): *fractilineella* Roesler,1969
- 62535) *Euzophera* (s.str.) *gobiella* Roesler,1970 (Pyrilidae) Synonym(s): *gobiella* Roesler,1970

- 62536) *Euzophera* (s.str.) *hemileuca Joannis, 1927* (Pyralidae) Synonym(s): *hemileuca Joannis, 1927*
 62537) *Euzophera* (s.str.) *hudeibella Roesler, 1973* (Pyralidae) Synonym(s): *hudeibella Roesler, 1973*
 62538) *Euzophera* (s.str.) *imperfectella Ragonot, 1895* (Pyralidae) Synonym(s): *imperfectella Ragonot, 1895; xylomorpha Meyrick, 1937.*
 62539) *Euzophera* (s.str.) *kabulella Roesler, 1973* (Pyralidae) Synonym(s): *kabulella Roesler, 1973*
 62540) *Euzophera* (s.str.) *lactiflora Meyrick, 1937* (Pyralidae) Synonym(s): *lactiflora Meyrick, 1937*
 62541) *Euzophera* (s.str.) *luculentella Ragonot, 1888* (Pyralidae) Synonym(s): *luculentella Ragonot, 1888*
 62542) *Euzophera* (s.str.) *lunulella (Costa, 1836)* (Pyralidae) Synonym(s): *lunulella Costa, 1836; corcyrella Herrich-Schäffer, 1851.*
 62543) *Euzophera* (s.str.) *lunulella lunulella (Costa, 1836)* (Pyralidae) Synonym(s): *lunulella Costa, 1836; corcyrella Herrich-Schäffer, 1851.*
 62544) *Euzophera* (s.str.) *lunulella trigeminata Warren & Rothschild, 1905* (Pyralidae) Synonym(s): *trigeminata Warren & Rothschild, 1905; orientella Amsel, 1954.*
 62545) *Euzophera* (s.str.) *mienshani Caradja, 1939* (Pyralidae) Synonym(s): *mienshani Caradja, 1939*
 62546) *Euzophera* (s.str.) *minima Balinsky, 1994* (Pyralidae) Synonym(s): *minima Balinsky, 1994*
 62547) *Euzophera* (s.str.) *minima minima Balinsky, 1994* (Pyralidae) Synonym(s): *minima Balinsky, 1994*
 62548) *Euzophera* (s.str.) *neomeniella Ragonot, 1888* (Pyralidae) Synonym(s): *neomeniella Ragonot, 1888*
 62549) *Euzophera* (s.str.) *nessebarella Soffner, 1962* (Pyralidae) Synonym(s): *nessebarella Soffner, 1962*
 62550) *Euzophera* (s.str.) *osseatella (Treitschke, 1832)* (Pyralidae) Synonym(s): *osseatella Treitschke, 1832; arcuatella Ragonot, 1901.*
 62551) *Euzophera* (s.str.) *paghmanicola Roesler, 1973* (Pyralidae) Synonym(s): *paghmanicola Roesler, 1973*
 62552) *Euzophera* (s.str.) *perticella Ragonot, 1888* (Pyralidae) Synonym(s): *perticella Ragonot, 1888; nilghirisella Ragonot, 1901.*
 62553) *Euzophera* (s.str.) *pinguis (Haworth, [1811])* (Pyralidae) Synonym(s): *pinguis Haworth, [1811]; fischeri Zeller, 1846; splendidella Herrich-Schäffer, 1848.*
 62554) *Euzophera* (s.str.) *pinguis concolorella Ragonot, 1892* (Pyralidae) Synonym(s): *concolorella Ragonot, 1892; nelliella Ragonot, 1894.*
 62555) *Euzophera* (s.str.) *pinguis pinguis (Haworth, [1811])* (Pyralidae) Synonym(s): *pinguis Haworth, [1811]; fischeri Zeller, 1846; splendidella Herrich-Schäffer, 1848.*
 62556) *Euzophera* (s.str.) *pulchella Ragonot, 1887* (Pyralidae) Synonym(s): *pulchella Ragonot, 1887; xylomorpha Meyrick, 1937*
 62557) *Euzophera* (s.str.) *rubricetella (Herrich-Schäffer, 1855)* (Pyralidae) Synonym(s): *rubricetella Herrich-Schäffer, [1856]*
 62558) *Euzophera* (s.str.) *sordidella Chrétien, 1911* (Pyralidae) Synonym(s): *sordidella Chrétien, 1911*
 62559) *Euzophera* (s.str.) *specula Joannis, 1927* (Pyralidae) Synonym(s): *specula Joannis, 1927*
 62560) *Euzophera* (s.str.) *stramentella Ragonot, 1888* (Pyralidae) Synonym(s): *stramentella Ragonot, 1888*
 62561) *Euzophera* (s.str.) *subcibrella Ragonot, 1887* (Pyralidae) Synonym(s): *subcibrella Ragonot, 1887; mercatrix Meyrick, 1937; marginepunctella Amsel, 1959.*
 62562) *Euzophera* (s.str.) *subnitidella Ragonot, 1887* (Pyralidae) Synonym(s): *subnitidella Ragonot, 1887; striatella Ragonot, 1901.*
 62563) *Euzophera* (s.str.) *subterebrella Snellen, 1880* (Pyralidae) Synonym(s): *subterebrella Snellen, 1880*
 62564) *Euzophera* (s.str.) *termivelata Balinsky, 1994* (Pyralidae) Synonym(s): *termivelata Balinsky, 1994*
 62565) *Euzophera* (s.str.) *termivelata termivelata Balinsky, 1994* (Pyralidae) Synonym(s): *termivelata Balinsky, 1994*
 62566) *Euzophera* (s.str.) *tetragramma (Rebel, 1910)* (Pyralidae) Synonym(s): *tetragramma Rebel, 1910*
 62567) *Euzophera* (s.str.) *turdella Roesler, 1973* (Pyralidae) Synonym(s): *turdella Roesler, 1973*
 62568) *Euzophera* (s.str.) *umbrosella (Staudinger, 1879)* (Pyralidae) Synonym(s): *umbrosella Staudinger, 1879; albobivella Ragonot, 1887; depauperatella Ragonot, 1901.*
 62569) *Euzophera* (s.str.) *villora (R. Felder & Rogenhofer, 1875)* (Pyralidae) Synonym(s): *villora R. Felder & Rogenhofer, 1875; decaamyrriylas Viette, 1953*
 62570) *Euzopherodes albicans Hampson, 1899* (Pyralidae) Synonym(s): *albicans Hampson, 1899*
 62571) *Euzopherodes allocrossa Lower, 1903* (Pyralidae) Synonym(s): *allocrossa Lower, 1903; concinella Turner, 1947*
 62572) *Euzopherodes capicola Balinsky, 1994* (Pyralidae) Synonym(s): *capicola Balinsky, 1994*
 62573) *Euzopherodes capicola capicola Balinsky, 1994* (Pyralidae) Synonym(s): *capicola Balinsky, 1994*
 62574) *Euzopherodes charlottae (Rebel, 1914)* (Pyralidae) Synonym(s): *charlottae Rebel, 1914; nigrolineella Zerny, 1936.*
 62575) *Euzopherodes ephestialis Hampson, 1903* (Pyralidae) Synonym(s): *ephestialis Hampson, 1903*
 62576) *Euzopherodes homocapna Turner, 1947* (Pyralidae) Synonym(s): *homocapna Turner, 1947*
 62577) *Euzopherodes lecerfi (Schmidt, 1934)* (Pyralidae) Synonym(s): *lecerfi Schmidt, 1934*
 62578) *Euzopherodes lutisignella (Mann, 1869)* (Pyralidae) Synonym(s): *lutisignella Mann, 1869; leonhardi Rebel, 1910; scipionella Turati, 1924; battella Turati, 1924.*
 62579) *Euzopherodes lutisignella liturosella (Erschoff, 1874)* (Pyralidae) Synonym(s): *liturosella Erschoff, 1874*
 62580) *Euzopherodes lutisignella lutisignella (Mann, 1869)* (Pyralidae) Synonym(s): *lutisignella Mann, 1869; leonhardi Rebel, 1910; scipionella Turati, 1924; battella Turati, 1924.*
 62581) *Euzopherodes oberlae Roesler, 1973* (Pyralidae) Synonym(s): *oberlae Roesler, 1973*
 62582) *Euzopherodes proleucalis Hampson, 1908* (Pyralidae) Synonym(s): *proleucalis Hampson, 1908; sinensis Caradja, 1927.*
 62583) *Euzopherodes pusilla (Mabille, 1906)* (Pyralidae) Synonym(s): *pusilla Mabille, 1906; cinnamomea Rothschild, 1915; keltella Amsel, 1935.*
 62584) *Euzopherodes sudanicola Roesler, 1973* (Pyralidae) Synonym(s): *sudanicola Roesler, 1973*
 62585) *Euzopherodes vapidella (Mann, 1857)* (Pyralidae) Synonym(s): *vapidella Mann, 1857; tenebrosa Zeller, 1867; lutescentella Chrétien, 1911; xylobrunnea Amsel, 1951.*
 62586) *Euzopherodes vapidella maroccella (Roesler, 1965)* (Pyralidae) Synonym(s): *maroccella Roesler, 1965.*
 62587) *Euzopherodes vapidella vapidella (Mann, 1857)* (Pyralidae) Synonym(s): *vapidella Mann, 1857; tenebrosa Zeller, 1867; lutescentella Chrétien, 1911; xylobrunnea Amsel, 1951.*
 62588) *Evergestis aenealis ([Denis & Schiffermüller], 1775)* (Pyralidae) Synonym(s): *aenealis [Denis & Schiffermüller], 1775; furvalis Hübner, 1796; rufimitralis Hübner, 1796; nigralis Schrank, 1802; mitralis Hübner, [1825]*
 62589) *Evergestis aenealis dimorphalis Osthelder, 1938* (Pyralidae) Synonym(s): *dimorphalis Osthelder, 1938*
 62590) *Evergestis affinis Amsel, 1951* (Pyralidae) Synonym(s): *affinis Amsel, 1951*
 62591) *Evergestis africalis (Guenée, 1854)* (Pyralidae) Synonym(s): *africalis Guenée, 1854*
 62592) *Evergestis anartalis (Staudinger, 1892)* (Pyralidae) Synonym(s): *anartalis Staudinger, 1892.*
 62593) *Evergestis arcuatalis (Hampson, 1900)* (Pyralidae) Synonym(s): *arcuatalis Hampson, 1900*
 62594) *Evergestis bamianalis Amsel, 1970* (Pyralidae) Synonym(s): *bamianalis Amsel, 1970*
 62595) *Evergestis bifascialis (Guenée, 1849)* (Pyralidae) Synonym(s): *bifascialis Guenée, 1849*
 62596) *Evergestis blandalis (Guenée, 1854)* (Pyralidae) Synonym(s): *blandalis Guenée, 1854*
 62597) *Evergestis boursini Amsel, 1938* (Pyralidae) Synonym(s): *boursini Amsel, 1938*
 62598) *Evergestis caesialis Herrich-Schäffer, [1855]* (Pyralidae) Synonym(s): *caesialis Herrich-Schäffer, [1855]*
 62599) *Evergestis caesialis comealis Amsel, 1961* (Pyralidae) Synonym(s): *comealis Amsel, 1961*
 62600) *Evergestis desertalis (Hübner, [1813])* (Pyralidae) Synonym(s): *desertalis Hübner, [1813]; avicennae Tams, 1925.*
 62601) *Evergestis dilutalis (Herrich-Schäffer, [1848])* (Pyralidae) Synonym(s): *dilutalis Herrich-Schäffer, [1848]*
 62602) *Evergestis dusmeti Agenjo, 1955* (Pyralidae) Synonym(s): *dusmeti Agenjo, 1955*
 62603) *Evergestis elbursalis Amsel, 1961* (Pyralidae) Synonym(s): *elbursalis Amsel, 1961*
 62604) *Evergestis extimalis (Scopoli, 1763)* (Pyralidae) Synonym(s): *extimalis Scopoli, 1763; margaritalis [Denis & Schiffermüller], 1775; flavofusca Retzius, 1783; mediella Goetz, 1783; intermediata Fourcroy, 1785; erucalis Hübner, 1796*
 62605) *Evergestis flavifuscalis Rebel, 1903* (Pyralidae) Synonym(s): *flavifuscalis Rebel, 1903*
 62606) *Evergestis forficatalis (Linnaeus, 1758)* (Pyralidae) Synonym(s): *forficatalis Linnaeus, 1758; trivialis Scopoli, 1763; forficatus Fabricius, 1798; sodalis Butler, 1878*
 62607) *Evergestis frumentalis (Linnaeus, 1761)* (Pyralidae) Synonym(s): *frumentalis Linnaeus, 1761*
 62608) *Evergestis frumentalis asiaticalis (Ragonot, 1894)* (Pyralidae) Synonym(s): *asiaticalis Ragonot, 1894*
 62609) *Evergestis frumentalis frumentalis (Linnaeus, 1761)* (Pyralidae) Synonym(s): *frumentalis Linnaeus, 1761*
 62610) *Evergestis griseostriatalis Sauber, 1899* (Pyralidae) Synonym(s): *griseostriatalis Sauber, 1899*
 62611) *Evergestis grummi (Christoph, 1885)* (Pyralidae) Synonym(s): *grummi Christoph, 1885; paragrummy Amsel, 1951*
 62612) *Evergestis hazara Amsel, 1970* (Pyralidae) Synonym(s): *hazara Amsel, 1970*
 62613) *Evergestis heliacalis Zerny, 1914* (Pyralidae) Synonym(s): *heliacalis Zerny, 1914*
 62614) *Evergestis hyrcanalis Amsel, 1961* (Pyralidae) Synonym(s): *hyrcanalis Amsel, 1961*

- 62615) *Evergestis infirmalis* (Staudinger,1870) (Pyralidae) Synonym(s): *infirmalis* Staudinger,1870; *helenalis* Staudinger,1870
- 62616) *Evergestis isatidialis* (Duponchel,1833) (Pyralidae) Synonym(s): *isatidialis* Duponchel,1833
- 62617) *Evergestis kukunorensis* Sauber,1899 (Pyralidae) Synonym(s): *kukunorensis* Sauber,1899
- 62618) *Evergestis laristanalis* Amsel,1961 (Pyralidae) Synonym(s): *laristanalis* Amsel,1961
- 62619) *Evergestis lichenalis* Hampson,1900 (Pyralidae) Synonym(s): *lichenalis* Hampson,1900
- 62620) *Evergestis limbata* (Linnaeus,1767) (Pyralidae) Synonym(s): *limbata* Linnaeus,1767; *praetextalis* Hübner,[1825]; *limbalis* Hübner,[1825]
- 62621) *Evergestis limbata delimbata* Osthelder,1940 (Pyralidae) Synonym(s): *delimbata* Osthelder,1940
- 62622) *Evergestis lupalis* Zerny,1928 (Pyralidae) Synonym(s): *lupalis* Zerny,1928
- 62623) *Evergestis manglisalis* Erschoff,1877 (Pyralidae) Synonym(s): *manglisalis* Erschoff,1877
- 62624) *Evergestis merceti* Agenjo,1933 (Pyralidae) Synonym(s): *mercetii* Agenjo,1933
- 62625) *Evergestis mimounalis* (Oberthür,1922) (Pyralidae) Synonym(s): *mimounalis* Oberthür,1922
- 62626) *Evergestis mundalis* (Guenée,1854) (Pyralidae) Synonym(s): *mundalis* Guenée,1854
- 62627) *Evergestis nomadalis* Lederer,1871 (Pyralidae) Synonym(s): *nomadalis* Lederer,1871
- 62628) *Evergestis pechi* (Baker,1885) (Pyralidae) Synonym(s): *pechi* Baker,1885; *renatalis* Oberthür,1887
- 62629) *Evergestis obsoletalis afghanalis* Amsel,1970 (Pyralidae) Synonym(s): *afghanalis* Amsel,1970
- 62630) *Evergestis obsoletalis obsoletalis* Filipjev,1931 (Pyralidae) Synonym(s): *obsoletalis* Filipjev,1931
- 62631) *Evergestis orientalis* (Eversmann,1851) (Pyralidae) Synonym(s): *orientalis* Eversmann,1851
- 62632) *Evergestis paghmanalis* Amsel,1970 (Pyralidae) Synonym(s): *paghmanalis* Amsel,1970
- 62633) *Evergestis pallidata* (Hufnagel,1767) (Pyralidae) Synonym(s): *pallidata* Hufnagel,1767; *straminalis* Hübner,1793; *stramentalis* Hübner,[1825]
- 62634) *Evergestis pechi* (Baker,1885) (Pyralidae) Synonym(s): *pechi* Baker,1885; *renatalis* Oberthür,1887
- 62635) *Evergestis perobliquialis* Hampson,1906 (Pyralidae) Synonym(s): *perobliquialis* Hampson,1906
- 62636) *Evergestis petasalis* Zerny,1939 (Pyralidae) Synonym(s): *petasalis* Zerny,1939
- 62637) *Evergestis plumbofascialis* (Ragonot,1894) (Pyralidae) Synonym(s): *plumbofascialis* Ragonot,1894
- 62638) *Evergestis politalis* [Denis & Schiffermüller,1775] (Pyralidae) Synonym(s): *politalis* [Denis & Schiffermüller],1775; *pictoralis* Fabricius,1794; *bicoloralis* La Harpe,1861; *maroccana* Lucas,1955
- 62639) *Evergestis russulatalis* (Hampson,1900) (Pyralidae) Synonym(s): *russulatalis* Hampson,1900
- 62640) *Evergestis segetalis* (Herrich-Schäffer,1851) (Pyralidae) Synonym(s): *segetalis* Herrich-Schäffer,1851
- 62641) *Evergestis serratalis* (Staudinger,1870) (Pyralidae) Synonym(s): *serratalis* Staudinger,1870
- 62642) *Evergestis shirazalis* Amsel,1953 (Pyralidae) Synonym(s): *shirazalis* Amsel,1953
- 62643) *Evergestis sophialis* (Fabricius,1787) (Pyralidae) Synonym(s): *sophialis* Fabricius,1787; *variegalis* Fabricius,1787; *sophiae* Fabricius,1798
- 62644) *Evergestis sorhageni* (Sauber,1899) (Pyralidae) Synonym(s): *sorhageni* Sauber,1899; *obsoleta* Sauber,1899
- 62645) *Evergestis spiniferalis* (Staudinger,1900) (Pyralidae) Synonym(s): *spiniferalis* Staudinger,[1900]
- 62646) *Evergestis subfuscalis* (Staudinger,1870) (Pyralidae) Synonym(s): *subfuscalis* Staudinger,1870
- 62647) *Evergestis subfuscalis pallidalis* Zerny,1934 (Pyralidae) Synonym(s): *pallidalis* Zerny,1934
- 62648) *Evergestis tenuiscriptalis* Rebel,1903 (Pyralidae) Synonym(s): *tenuiscriptalis* Rebel,1903
- 62649) *Evergestis umbrosalis* (Fischer v. Röslerstamm,[1842]) (Pyralidae) Synonym(s): *umbrosalis* Fischer v. Röslerstamm,[1842]
- 62650) *Evergestis vagabundalis* (Christoph,1887) (Pyralidae) Synonym(s): *vagabundalis* Christoph,1887
- 62651) *Exeristis asynopta* Tams,1935 (Pyralidae) Synonym(s): *asynopta* Tams,1935
- 62652) *Exeristis catharia* Tams,1935 (Pyralidae) Synonym(s): *catharia* Tams,1935
- 62653) *Exeristis pollostata* Tams,1935 (Pyralidae) Synonym(s): *pollostata* Tams,1935
- 62654) *Exsilirarcha graminea* Salmon & Bradley,1956 (Pyralidae) Synonym(s): *graminea* Salmon & Bradley,1956
- 62655) *Faveria albilinea* (Joannis,1927) (Pyralidae) Synonym(s): *albilinea* Joannis,1927
- 62656) *Faveria dasyptera* (Lower,1903) (Pyralidae) Synonym(s): *dasyptera* Lower,1903
- 62657) *Faveria dionysia* (Zeller,1846) (Pyralidae) Synonym(s): *dionysia* Zeller,1846; *terrella* Ragonot,1888; *isoxyla* Meyrick,1937
- 62658) *Faveria dubia* (Balinsky,1994) (Pyralidae) Synonym(s): *dubia* Balinsky,1994
- 62659) *Faveria dubia dubia* (Balinsky,1994) (Pyralidae) Synonym(s): *dubia* Balinsky,1994
- 62660) *Faveria fusca* (Balinsky,1994) (Pyralidae) Synonym(s): *fusca* Balinsky,1994
- 62661) *Faveria fusca fusca* (Balinsky,1994) (Pyralidae) Synonym(s): *fusca* Balinsky,1994
- 62662) *Faveria ignicephalis* (Balinsky,1994) (Pyralidae) Synonym(s): *ignicephalis* Balinsky,1994
- 62663) *Faveria ignicephalis ignicephalis* (Balinsky,1994) (Pyralidae) Synonym(s): *ignicephalis* Balinsky,1994
- 62664) *Faveria laiasalis* Walker,1859 (Pyralidae) Synonym(s): *laiasalis* Walker,1859; *sublignalis* Walker,1863; *patulalis* Walker,1863; *stirigiferella* Meyrick,1879; *rufitinctella* Meyrick,1879; *epichrypha* Turner,1904.
- 62665) *Faveria leucophaeella* (Zeller,1867) (Pyralidae) Synonym(s): *leucophaeella* Zeller,1867; *hyemalis* Butler,1880; *atrata* Ragonot,1888; *siderella* Ragonot,1888; *pernigerella* Ragonot,1889.
- 62666) *Faveria majoralis* (Hampson,1896) (Pyralidae) Synonym(s): *majoralis* Hampson,1896
- 62667) *Faveria minima* (Balinsky,1994) (Pyralidae) Synonym(s): *minima* Balinsky,1994
- 62668) *Faveria minima minima* (Balinsky,1994) (Pyralidae) Synonym(s): *minima* Balinsky,1994
- 62669) *Faveria minuscula* (Balinsky,1994) (Pyralidae) Synonym(s): *minuscula* Balinsky,1994
- 62670) *Faveria minuscula minuscula* (Balinsky,1994) (Pyralidae) Synonym(s): *minuscula* Balinsky,1994
- 62671) *Faveria nigroanalis* (Amsel,1959) (Pyralidae) Synonym(s): *nigroanalis* Amsel,1959
- 62672) *Faveria nonceracanthia* (Balinsky,1994) (Pyralidae) Synonym(s): *nonceracanthia* Balinsky,1994
- 62673) *Faveria nonceracanthia nonceracanthia* (Balinsky,1994) (Pyralidae) Synonym(s): *nonceracanthia* Balinsky,1994
- 62674) *Faveria o-nigra* (Balinsky,1994) (Pyralidae) Synonym(s): *o-nigrum* Balinsky,1994; *onigra* Vari et al.,2002
- 62675) *Faveria o-nigra o-nigra* (Balinsky,1994) (Pyralidae) Synonym(s): *o-nigrum* Balinsky,1994; *onigra* Vari et al.,2002
- 62676) *Faveria oppositalis* (Walker,1863) (Pyralidae) Synonym(s): *oppositalis* Walker,1863; *caliginosella* Meyrick,1879
- 62677) *Faveria poliostrata* (Balinsky,1994) (Pyralidae) Synonym(s): *poliostrata* Balinsky,1994
- 62678) *Faveria poliostrata poliostrata* (Balinsky,1994) (Pyralidae) Synonym(s): *poliostrata* Balinsky,1994
- 62679) *Faveria pseudovasta* (Amsel) (Pyralidae) Synonym(s):
- 62680) *Faveria sindella* (Ragonot,1893) (Pyralidae) Synonym(s): *sindella* Ragonot,1893
- 62681) *Faveria tchahabarella* (Amsel,1950) (Pyralidae) Synonym(s): *tchahabarella* Amsel,1950
- 62682) *Faveria tchourouma* (Amsel,1961) (Pyralidae) Synonym(s): *tchourouma* Amsel,1961
- 62683) *Faveria tenebralis* (Hampson,1896) (Pyralidae) Synonym(s): *tenebralis* Hampson,1896
- 62684) *Faveria tephrosella* (Amsel,1959) (Pyralidae) Synonym(s): *tephrosella* Amsel,1959
- 62685) *Faveria tritalis* (Walker,1863) (Pyralidae) Synonym(s): *tritalis* Walker,1863; *cygnosellus* Walker,1866; *vulgatella* Meyrick,1879; *cnephaeella* Meyrick,1879
- 62686) *Fernandocrambus baeckstroemi* Aurivillius,1922 (Pyralidae) Synonym(s): *bäckströmi* Aurivillius,1922.
- 62687) *Fernandocrambus brunneus* Aurivillius,1922 (Pyralidae) Synonym(s): *brunneus* Aurivillius,1922
- 62688) *Fernandocrambus fuscus* Aurivillius,1922 (Pyralidae) Synonym(s): *fuscus* Aurivillius,1922
- 62689) *Filodes costivitalis* Guenée,1854 (Pyralidae) Synonym(s): *costivitalis* Guenée,1854; *productalis* Hampson,1899
- 62690) *Filodes fulvibasis* Hampson,1898 (Pyralidae) Synonym(s): *fulvibasis* Hampson,1898
- 62691) *Filodes fulvidorsalis* (Hübner,1832) (Pyralidae) Synonym(s): *fulvidorsalis* Hübner,1832
- 62692) *Flabellobasis capensis* (Hampson,1901) (Pyralidae) Synonym(s): *capensis* Hampson,1901
- 62693) *Flabellobasis montana* Balinsky,1991 (Pyralidae) Synonym(s): *montana* Balinsky,1991
- 62694) *Flavocrambus aridellus* (South,1901) (Pyralidae) Synonym(s): *aridellus* South,1901
- 62695) *Flavocrambus melaneurus* (Hampson,1919) (Pyralidae) Synonym(s): *melaneurus* Hampson,1919
- 62696) *Flavocrambus picassensis* Bleszynski,1965 (Pyralidae) Synonym(s): *picassensis* Bleszynski,1965
- 62697) *Flavocrambus striatellus* (Leech,1889) (Pyralidae) Synonym(s): *striatellus* Leech,1889
- 62698) *Fossifrontia leuconeurella* Hampson,1901 (Pyralidae) Synonym(s): *leuconeurella* Hampson,1901
- 62699) *Fregenia prolai* Hartig,1947 (Pyralidae) Synonym(s): *prolai* Hartig,1947

- 62700) *Friedlanderia cicatricella* (Hübner,[1824]) (Pyralidae) Synonym(s): *cicatricella* Hübner,[1824]; *strigellus* Treitschke,1833; *treitschkeella* Freyer,1836 nec Sodoffsky,1830.
- 62701) *Friedlanderia phaeochorda* (Turner,1911) (Pyralidae) Synonym(s): *phaeochorda* Turner,1911; *strigatellus* Hampson,1919
- 62702) *Gaana asperella* (Ragonot,1893) (Pyralidae) Synonym(s): *asperella* Ragonot,1893
- 62703) *Gaana basiferella* Walker,1866 (Pyralidae) Synonym(s): *basiferella* Walker,1866
- 62704) *Gaana kurma* (Roesler & Küppers,1981) (Pyralidae) Synonym(s): *kurma* Roesler & Küppers,1981
- 62705) *Gaana matsya* (Roesler & Küppers,1981) (Pyralidae) Synonym(s): *matsya* Roesler & Küppers,1981
- 62706) *Gaana mesophaea* (Hampson,1930) (Pyralidae) Synonym(s): *mesophaea* Hampson,1930
- 62707) *Gaana minima* Balinsky,1994 (Pyralidae) Synonym(s): *minima* Balinsky,1994
- 62708) *Gaana narasinha* (Roesler & Küppers,1981) (Pyralidae) Synonym(s): *narasinha* Roesler & Küppers,1981
- 62709) *Gaana nigralbella* (Hampson,1899) (Pyralidae) Synonym(s): *nigralbella* Hampson,1899
- 62710) *Gaana quatra* Balinsky,1994 (Pyralidae) Synonym(s): *quatra* Balinsky,1994
- 62711) *Gaana vama* (Roesler & Küppers,1981) (Pyralidae) Synonym(s): *vama* Roesler & Küppers,1981
- 62712) *Gaana varaha* (Roesler & Küppers,1981) (Pyralidae) Synonym(s): *varaha* Roesler & Küppers,1981
- 62713) *Gaana viridella* (Ragonot) (Pyralidae) Synonym(s): *viridella* Ragonot
- 62714) *Gadira acerella* Walker,1866 (Pyralidae) Synonym(s): *acerella* Walker,1866; *mehanga* R.Felder & Rogenhofer,1875
- 62715) *Gadira petraula* (Meyrick,1882) (Pyralidae) Synonym(s): *petraula* Meyrick,1882
- 62716) *Galleria mellonella* (Linnaeus,1758) (Pyralidae) Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheella* Dufrene,1930.
- 62717) *Galleristhenia biangularis* (Turner,1941) (Pyralidae) Synonym(s): *biangularis* Turner,1941
- 62718) *Galleristhenia idioptila* (Turner,1915) (Pyralidae) Synonym(s): *idioptila* Turner,1915
- 62719) *Galleristhenia mellonidiella* Hampson,1917 (Pyralidae) Synonym(s): *mellonidiella* Hampson,1917
- 62720) *Galleristhenia sporadica* (Turner,1947) (Pyralidae) Synonym(s): *sporadica* Turner,1947
- 62721) *Gargela apicalis* (Pagenstecher,1900) (Pyralidae) Synonym(s): *apicalis* Pagenstecher,1900
- 62722) *Gargela arcualis* Hampson,1906 (Pyralidae) Synonym(s): *arcualis* Hampson,1906
- 62723) *Gargela chrysis* (Meyrick,1897) (Pyralidae) Synonym(s): *chrysis* Meyrick,1897
- 62724) *Gargela cuprealis* Hampson,1906 (Pyralidae) Synonym(s): *cuprealis* Hampson,1906
- 62725) *Gargela niphostola* Hampson,1917 (Pyralidae) Synonym(s): *niphostola* Hampson,1917
- 62726) *Gargela obliquivitta* Hampson,1917 (Pyralidae) Synonym(s): *obliquivitta* Hampson,1917
- 62727) *Gargela renatusalis* (Walker,1859) (Pyralidae) Synonym(s): *renatusalis* Walker,1859; *subpurella* Walker,1864; *ermineus* Moore,1864; *erminea* Meyrick,1887; *crambidalis* Snellen,1893; *renatalis* Meyrick,1894
- 62728) *Gargela trilinealis* (Hampson,1897) (Pyralidae) Synonym(s): *trilinealis* Hampson,1897
- 62729) *Gargela xanthocasis* (Meyrick,1897) (Pyralidae) Synonym(s): *xanthocasis* Meyrick,1897
- 62730) *Gauna aegusalis* (Walker,1858) (Pyralidae) Synonym(s): *aegusalis* Walker,1858; *subferralis* Walker,[1866].
- 62731) *Gauna endotrichalis* W.Warren,1895 (Pyralidae) Synonym(s): *endotrichalis* W.Warren,1895
- 62732) *Gauna flavibasalis* (Hampson,1906) (Pyralidae) Synonym(s): *flavibasalis* Hampson,1906; *hemicneca* Turner,1911
- 62733) *Gauna mediolineata* Hampson,1903 (Pyralidae) Synonym(s): *mediolineata* Hampson,1903
- 62734) *Gauna phaealis* (Hampson,1906) (Pyralidae) Synonym(s): *phaealis* Hampson,1906; *heterozyga* Turner,1937
- 62735) *Gesneria centuriella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *centuriella* [Denis & Schiffermüller],1775; *centurionalis* Hübner,[1825]; *numeralis* Zetterstedt,[1839]; *quadratella* Zetterstedt,[1839]; *centurialis* Guenée,1854; *obscura* Caradja,1919
- 62736) *Getulia fulviplagella* Hampson,1901 (Pyralidae) Synonym(s): *fulviplagella* Hampson,1901
- 62737) *Getulia fulviplagella fulviplagella* Hampson,1901 (Pyralidae) Synonym(s): *fulviplagella* Hampson,1901
- 62738) *Getulia institella* Ragonot,1888 (Pyralidae) Synonym(s): *institella* Ragonot,1888
- 62739) *Getulia institella institella* Ragonot,1888 (Pyralidae) Synonym(s): *institella* Ragonot,1888
- 62740) *Getulia maculosa* Balinsky,1994 (Pyralidae) Synonym(s): *maculosa* Balinsky,1994
- 62741) *Getulia maculosa maculosa* Balinsky,1994 (Pyralidae) Synonym(s): *maculosa* Balinsky,1994
- 62742) *Getulia semifuscella* Ragonot,1893 (Pyralidae) Synonym(s): *semifuscella* Ragonot,1893
- 62743) *Getulia semifuscella semifuscella* Ragonot,1893 (Pyralidae) Synonym(s): *semifuscella* Ragonot,1893
- 62744) *Ghesquierellana hirtusalis* (Walker,1859) (Pyralidae) Synonym(s): *hirtusalis* Walker,1859; *pallas* Meyrick,1936; *#hirsutalis* Pinhey,1975
- 62745) *Glaucocallis alypophanes* (Turner,1904) (Pyralidae) Synonym(s): *alypophanes* Turner,1904; *diargema* Turner,1905
- 62746) *Glaucocallis bilinealis* (Amsel,1961) (Pyralidae) Synonym(s): *bilinealis* Amsel,1961
- 62747) *Glaucocallis bilinealis bilinealis* (Amsel,1961) (Pyralidae) Synonym(s): *bilinealis* Amsel,1961
- 62748) *Glaucocallis copernici* Blezyski,1965 (Pyralidae) Synonym(s): *copernici* Blezyski,1965
- 62749) *Glaucocallis dilatella* (Meyrick,1879) (Pyralidae) Synonym(s): *dilatella* Meyrick,1879
- 62750) *Glaucocallis electra* Blezyski,1965 (Pyralidae) Synonym(s): *electra* Blezyski,1965
- 62751) *Glaucocallis euchromiella* (Ragonot,1895) (Pyralidae) Synonym(s): *euchromiella* Ragonot,1895; *sinualis* Hampson,1900; *rebeli* Osthelder,1941.
- 62752) *Glaucocallis exsectella* (Christoph,1881) (Pyralidae) Synonym(s): *exsectella* Christoph,1881; *japonica* Inoue,1955.
- 62753) *Glaucocallis melistoma* (Meyrick,1931) (Pyralidae) Synonym(s): *melistoma* Meyrick,1931
- 62754) *Glaucocallis microxantha* (Meyrick,1897) (Pyralidae) Synonym(s): *microxantha* Meyrick,1897
- 62755) *Glaucocallis molydocrossa* (Turner,1904) (Pyralidae) Synonym(s): *molydocrossa* Turner,1904; *microcyma* Meyrick,1931
- 62756) *Glaucocallis moriokensis* (Okano,1962) (Pyralidae) Synonym(s): *moriokensis* Okano,1962
- 62757) *Glaucocallis mutuurella* Blezyski,1965 (Pyralidae) Synonym(s): *mutuurella* Blezyski,1965
- 62758) *Glaucocallis natalensis* Hampson,1919 (Pyralidae) Synonym(s): *natalensis* Hampson,1919
- 62759) *Glaucocallis ochracealis* (Walker,[1866]) (Pyralidae) Synonym(s): *ochracealis* Walker,[1866]; *praematurella* Meyrick,1879
- 62760) *Glaucocallis omeishani* Blezyski,1965 (Pyralidae) Synonym(s): *omeishani* Blezyski,1965
- 62761) *Glaucocallis parthenie* Blezyski,1965 (Pyralidae) Synonym(s): *parthenie* Blezyski,1965
- 62762) *Glaucocallis pogonias* (Turner,1911) (Pyralidae) Synonym(s): *pogonias* Turner,1911
- 62763) *Glaucocallis queenslandensis* (Gaskin,1975) (Pyralidae) Synonym(s): *queenslandensis* Gaskin,1975
- 62764) *Glaucocallis ramona* Blezyski,1965 (Pyralidae) Synonym(s): *ramona* Blezyski,1965
- 62765) *Glaucocallis rosanna* Blezyski,1965 (Pyralidae) Synonym(s): *rosanna* Blezyski,1965
- 62766) *Glaucocallis rosannoides* Blezyski,1965 (Pyralidae) Synonym(s): *rosannoides* Blezyski,1965
- 62767) *Glaucocallis rosannoides rosannoides* Blezyski,1965 (Pyralidae) Synonym(s): *rosannoides* Blezyski,1965
- 62768) *Glaucocallis senekai* (Ganev,1987) (Pyralidae) Synonym(s): *senekai* Ganev,1987
- 62769) *Glaucocallis stenura* (Turner,1904) (Pyralidae) Synonym(s): *stenura* Turner,1904
- 62770) *Glaucocallis subalbilinealis* Blezyski,1965 (Pyralidae) Synonym(s): *subalbilinealis* Blezyski,1965
- 62771) *Glaucocallis subnatalensis* (Blezyski,1970) (Pyralidae) Synonym(s): *subnatalensis* Blezyski,1970
- 62772) *Glaucocallis taphrophracta* (Meyrick,1934) (Pyralidae) Synonym(s): *taphrophracta* Meyrick,1934
- 62773) *Glaucocallis torva* (Lucas,1898) (Pyralidae) Synonym(s): *torva* Lucas,1898; *dialeuca* Turner,1904; *leucogramma* Turner,1913
- 62774) *Glaucocallis tripunctata* (Moore,1888) (Pyralidae) Synonym(s): *tripunctata* Moore,1888
- 62775) *Glaucocallis vermeeri* Blezyski,1965 (Pyralidae) Synonym(s): *vermeeri* Blezyski,1965
- 62776) *Glaucocallis deductalis* (Walker,1859) (Pyralidae) Synonym(s): *deductalis* Walker,1859; *ausonialis* Snellen,1890; *fuscescens* Warren,1892; *murinus* Rothschild,1915; *kosempionalis* Strand,1918
- 62777) *Glycythyma chrysorycta* (Meyrick,1884) (Pyralidae) Synonym(s): *chrysorycta* Meyrick,1884; *contingens* Moore,1885
- 62778) *Glycythyma leonina* (Butler,1886) (Pyralidae) Synonym(s): *leonina* Butler,1886
- 62779) *Glycythyma thymedes* Turner,1908 (Pyralidae) Synonym(s): *thymedes* Turner,1908
- 62780) *Glycythyma xanthoscota* (Lower,1903) (Pyralidae) Synonym(s): *xanthoscota* Lower,1903
- 62781) *Glyphodes actorionalis* Walker,1859 (Pyralidae) Synonym(s): *actorionalis* Walker,1859
- 62782) *Glyphodes amicalis* (Swinhoe,1904) (Pyralidae) Synonym(s): *amicalis* Swinhoe,1904; *bipindalis* Strand,1912; *ephypnias* Meyrick,1933
- 62783) *Glyphodes amphipeda* (Meyrick,1939) (Pyralidae) Synonym(s): *amphipeda* Meyrick,1939
- 62784) *Glyphodes aniferalis* Hampson,1909 (Pyralidae) Synonym(s): *aniferalis* Hampson,1909

- 62785) *Glyphodes apiospila* (Turner,1922) (Pyralidae) Synonym(s): *apiospila* Turner,1922
 62786) *Glyphodes aurantivittalis* Munroe,1960 (Pyralidae) Synonym(s): *aurantivittalis* Munroe,1960
 62787) *Glyphodes basifascialis* Hampson,1898 (Pyralidae) Synonym(s): *basifascialis* Hampson,1898
 62788) *Glyphodes bicolor* (Swainson,[1821]) (Pyralidae) Synonym(s): *bicolor* Swainson,[1821]; *perspicillalis* Zeller,1852; *diurnalis* Guenée,1854; *parvalis* Walker,[1866]
 62789) *Glyphodes bitriangularis* Gaede,1917 (Pyralidae) Synonym(s): *bitriangularis* Gaede,1917
 62790) *Glyphodes bivitalis* Guenée,1854 (Pyralidae) Synonym(s): *bivitalis* Guenée,1854; *alitalis* Hulst,1886
 62791) *Glyphodes caesalis* Walker,1859 (Pyralidae) Synonym(s): *caesalis* Walker,1859
 62792) *Glyphodes callipona* (Turner,1908) (Pyralidae) Synonym(s): *callipona* Turner,1908
 62793) *Glyphodes canthusalis* Walker,1859 (Pyralidae) Synonym(s): *canthusalis* Walker,1859; *luciferalis* Walker,[1866]; *lora* Walker,1866; *spectandalis* Snellen,1895
 62794) *Glyphodes chrysalis* (Stoll,1790) (Pyralidae) Synonym(s): *chrysalis* Stoll,1790; *ectargyalis* Hampson,1898; *pentaphragma* Meyrick,1936
 62795) *Glyphodes conclusalis* Walker,[1866] (Pyralidae) Synonym(s): *conclusalis* Walker,[1866]
 62796) *Glyphodes conjunctalis* Walker,[1866] (Pyralidae) Synonym(s): *conjunctalis* Walker,[1866]; *ledereri* Butler,1884
 62797) *Glyphodes cosmarcha* Meyrick,1887 (Pyralidae) Synonym(s): *cosmarcha* Meyrick,1887
 62798) *Glyphodes doleschali* Lederer,1863 (Pyralidae) Synonym(s): *doleschali* Lederer,1863
 62799) *Glyphodes flavizonalis* Hampson,1898 (Pyralidae) Synonym(s): *flavizonalis* Hampson,1898
 62800) *Glyphodes margaritaria* (Clerck,1764) (Pyralidae) Synonym(s): *margaritaria* Clerck,1764; *lineata* Lucas,1894
 62801) *Glyphodes microta* Meyrick,1889 (Pyralidae) Synonym(s): *microta* Meyrick,1889
 62802) *Glyphodes multilinealis* Kenrick,1907 (Pyralidae) Synonym(s): *multilinealis* Kenrick,1907
 62803) *Glyphodes onychinalis* (Guenée,1854) (Pyralidae) Synonym(s): *onychinalis* Guenée,1854; *braurealis* Walker,1859; *astomalis* R.Felder & Rogenhofer,1875
 62804) *Glyphodes perpectalis* Walker (Pyralidae) Synonym(s):
 62805) *Glyphodes praefulgida* Hering,1903 (Pyralidae) Synonym(s): *praefulgida* Hering,1903
 62806) *Glyphodes principalis* Walker,1865 (Pyralidae) Synonym(s): *principalis* Walker,1865
 62807) *Glyphodes pulverulentalis* Hampson,1896 (Pyralidae) Synonym(s): *pulverulentalis* Hampson,1896
 62808) *Glyphodes pyloalis* Walker,1859 (Pyralidae) Synonym(s): *pyloalis* Walker,1859; *sylpharis* Butler,1878
 62809) *Glyphodes schafferorum* Viette,1987 (Pyralidae) Synonym(s): *schafferorum* Viette,1987
 62810) *Glyphodes stotalis* Guenée,1854 (Pyralidae) Synonym(s): *stotalis* Guenée,1854; *substotalis* Snellen,1899
 62811) *Glyphodes zangisalis* (Walker) (Pyralidae) Synonym(s): *zangisalis* Walker
 62812) *Glyptoteles leucacrinella* Zeller,1848 (Pyralidae) Synonym(s): *leucacrinella* Zeller,1848; *macra* Staudinger,1870.
 62813) *Goniophyetis lactealis* Hampson,1916 (Pyralidae) Synonym(s): *lactealis* Hampson,1916
 62814) *Goniorhynchus butyrosa* (Butler,1879) (Pyralidae) Synonym(s): *butyrosa* Butler,1879
 62815) *Gonodiscus australiensis* Hampson,1898 (Pyralidae) Synonym(s): *australensis* Hampson,1898
 62816) *Gozmanyia crassa* (Amsel,1935) (Pyralidae) Synonym(s): *crassa* Amsel,1935
 62817) *Grammiphlebia striata* (Druce,1902) (Pyralidae) Synonym(s): *striata* Druce,1902
 62818) *Guastica garengi* Roesler & Küppers,1979 (Pyralidae) Synonym(s): *garengi* Roesler & Küppers,1979
 62819) *Guastica semilutea* Walker,1863 (Pyralidae) Synonym(s): *semilutea* Walker,1863
 62820) *Guastica* sp.A (Pyralidae) Synonym(s):
 62821) *Guayana junctor* (Heinrich,1956) (Pyralidae) Synonym(s): *junctor* Heinrich,1956
 62822) *Gunungia rimba* Roesler & Küppers,1979 (Pyralidae) Synonym(s): *rimba* Roesler & Küppers,1979
 62823) *Gunungodes ilsa* Roesler & Küppers,1981 (Pyralidae) Synonym(s): *ilsa* Roesler & Küppers,1981
 62824) *Gymnancyla* (Dentinodia) *craticulella* (Ragonot,1887) (Pyralidae) Synonym(s): *craticulella* Ragonot,1887; *erschoffi* Ragonot,1887.
 62825) *Gymnancyla* (Spermatophthora) *hornigii* (Lederer,1852) (Pyralidae) Synonym(s): *hornigii* Lederer,1852; *#hornigi* Hannemann,1964.
 62826) *Gymnancyla* (s.str.) *barbatella* Erschoff,1874 (Pyralidae) Synonym(s): *barbatella* Erschoff,1874; *gobiella* Caradja,1916.
 62827) *Gymnancyla* (s.str.) *canella* (Denis & Schiffermüller,1775) (Pyralidae) Synonym(s): *canella* [Denis & Schiffermüller],1775; *depositella* Zincken,1818; *canellaris* Hübner,[1825].
 62828) *Gymnancyla* (s.str.) *sfakesella* Chrétien,1911 (Pyralidae) Synonym(s): *sfakesella* Chrétien,1911; *merkalana* Lucas,1937; *candida* Gozmany,1960.
 62829) *Gyrtona cyclogramma* (Hampson,1896) (Pyralidae) Synonym(s): *cyclogramma* Hampson,1896
 62830) *Gyrtona oppositalis* (Walker,1863) (Pyralidae) Synonym(s): *oppositalis* Walker,1863
 62831) *Hafisia lundbladi* Amsel,1950 (Pyralidae) Synonym(s): *lundbladi* Amsel,1950
 62832) *Hahncappia alpinensis* (Capps,1967) (Pyralidae) Synonym(s): *alpinensis* Capps,1967
 62833) *Hahncappia autocratoralis* (Dyar,1912) (Pyralidae) Synonym(s): *autocratoralis* Dyar,1912
 62834) *Hahncappia cayugalis* (Capps,1967) (Pyralidae) Synonym(s): *cayugalis* Capps,1967
 62835) *Hahncappia chiapasalis* (Capps,1967) (Pyralidae) Synonym(s): *chiapasalis* Capps,1967
 62836) *Hahncappia cochisensis* (Capps,1967) (Pyralidae) Synonym(s): *cochisensis* Capps,1967
 62837) *Hahncappia coloradensis* (Grote & C.T.Robinson,1867) (Pyralidae) Synonym(s): *coloradensis* Grote & C.T.Robinson,1867
 62838) *Hahncappia conisphora* (Hampson,1913) (Pyralidae) Synonym(s): *conisphora* Hampson,1913
 62839) *Hahncappia conisphoralis* (Capps,1967) (Pyralidae) Synonym(s): *conisphoralis* Capps,1967
 62840) *Hahncappia corozalis* (Capps,1967) (Pyralidae) Synonym(s): *corozalis* Capps,1967
 62841) *Hahncappia cynoalis* (Druce,1895) (Pyralidae) Synonym(s): *cynoalis* Druce,1895
 62842) *Hahncappia ecuadoralis* (Capps,1967) (Pyralidae) Synonym(s): *ecuadoralis* Capps,1967
 62843) *Hahncappia entephrialis* (Schaus,1912) (Pyralidae) Synonym(s): *entephrialis* Schaus,1912
 62844) *Hahncappia fordii* (Capps,1967) (Pyralidae) Synonym(s): *fordii* Capps,1967
 62845) *Hahncappia huachuensis* (Capps,1967) (Pyralidae) Synonym(s): *huachuensis* Capps,1967
 62846) *Hahncappia jacalensis* (Capps,1967) (Pyralidae) Synonym(s): *jacalensis* Capps,1967
 62847) *Hahncappia jaliscalis* (Capps,1967) (Pyralidae) Synonym(s): *jaliscalis* Capps,1967
 62848) *Hahncappia jaralis* (Schaus,1920) (Pyralidae) Synonym(s): *jaralis* Schaus,1920
 62849) *Hahncappia lautalis* (Lederer,1863) (Pyralidae) Synonym(s): *lautalis* Lederer,1863; *fallalis* Schaus,1924
 62850) *Hahncappia macrospinalis* (Amsel,1956) (Pyralidae) Synonym(s): *macrospinalis* Amsel,1956
 62851) *Hahncappia mancalis* (Lederer,1863) (Pyralidae) Synonym(s): *mancalis* Lederer,1863
 62852) *Hahncappia mancaloides* (Amsel,1956) (Pyralidae) Synonym(s): *mancaloides* Amsel,1956
 62853) *Hahncappia marculenta* (Grote & C.T.Robinson,1867) (Pyralidae) Synonym(s): *marculenta* Grote & C.T.Robinson,1867
 62854) *Hahncappia marialis* (Capps,1967) (Pyralidae) Synonym(s): *marialis* Capps,1967
 62855) *Hahncappia mellinialis* (Druce,1899) (Pyralidae) Synonym(s): *mellinialis* Druce,1899; *phrixalis* Dyar,1914
 62856) *Hahncappia neotropialis* (Capps,1967) (Pyralidae) Synonym(s): *neotropialis* Capps,1967
 62857) *Hahncappia nigripes* (Schaus,1920) (Pyralidae) Synonym(s): *nigripes* Schaus,1920
 62858) *Hahncappia pergivalis* (Hulst,1886) (Pyralidae) Synonym(s): *pergivalis* Hulst,1886
 62859) *Hahncappia potosiensis* (Capps,1967) (Pyralidae) Synonym(s): *potosiensis* Capps,1967
 62860) *Hahncappia praxitalis* (Druce,1895) (Pyralidae) Synonym(s): *praxitalis* Druce,1895
 62861) *Hahncappia pseudoblitalis* (Capps,1967) (Pyralidae) Synonym(s): *pseudoblitalis* Capps,1967
 62862) *Hahncappia purulhalis* (Capps,1967) (Pyralidae) Synonym(s): *purulhalis* Capps,1967
 62863) *Hahncappia ramsdenalis* (Schaus,1920) (Pyralidae) Synonym(s): *ramsdenalis* Schaus,1920
 62864) *Hahncappia sacculalis* (Amsel,1956) (Pyralidae) Synonym(s): *sacculalis* Amsel,1956
 62865) *Hahncappia spinalis* (Amsel,1956) (Pyralidae) Synonym(s): *spinalis* Amsel,1956
 62866) *Hahncappia straminea* (Hampson,1913) (Pyralidae) Synonym(s): *straminea* Hampson,1913; *venadialis* Capps,1967
 62867) *Hahncappia suarezalis* Munroe,1978 (Pyralidae) Synonym(s): *suarzalis* Munroe,1978
 62868) *Hahncappia volcanensis* (Capps,1967) (Pyralidae) Synonym(s): *volcanensis* Capps,1967
 62869) *Hahncappia yucatanalis* (Capps,1967) (Pyralidae) Synonym(s): *yucatanalis* Capps,1967
 62870) *Haimbachia aculeata* (Hampson,1903) (Pyralidae) Synonym(s): *aculeata* Hampson,1903

- 62871) *Haimbachia albiceps* (Hampson,1919) (Pyralidae) Synonym(s): *albiceps* Hampson,1919; *metaphaealis* Hampson,1919
62872) *Haimbachia albiceps albiceps* (Hampson,1919) (Pyralidae) Synonym(s): *albiceps* Hampson,1919; *metaphaealis* Hampson,1919
62873) *Haimbachia albipennella* (Hampson,1896) (Pyralidae) Synonym(s): *albipennella* Hampson,1896
62874) *Haimbachia albivenalis* (Hampson,1919) (Pyralidae) Synonym(s): *albivenalis* Hampson,1919
62875) *Haimbachia araealis* (Hampson,1912) (Pyralidae) Synonym(s): *araealis* Hampson,1912
62876) *Haimbachia arenalis* (Hampson,1919) (Pyralidae) Synonym(s): *arenalis* Hampson,1919
62877) *Haimbachia atrisparsalis* (Hampson,1919) (Pyralidae) Synonym(s): *atriparsalis* Hampson,1919
62878) *Haimbachia calamistis* (Hampson,1919) (Pyralidae) Synonym(s): *calamistis* Hampson,1919
62879) *Haimbachia carnealis* (Hampson,1919) (Pyralidae) Synonym(s): *carnealis* Hampson,1919
62880) *Haimbachia densella* (Zeller,1882) (Pyralidae) Synonym(s): *densella* Zeller,1882; *multilineatella* Hulst,1887
62881) *Haimbachia diaperalis* (Hampson,1919) (Pyralidae) Synonym(s): *diaperalis* Hampson,1919
62882) *Haimbachia discalis* Dyar & Heinrich,1927 (Pyralidae) Synonym(s): *discalis* Dyar & Heinrich,1927
62883) *Haimbachia donzella* (Schaus,1922) (Pyralidae) Synonym(s): *donzella* Schaus,1922
62884) *Haimbachia calamistis* Schaus,1922 (Pyralidae) Synonym(s): *dumptalis* Schaus,1922
62885) *Haimbachia flavalis* (Hampson,1919) (Pyralidae) Synonym(s): *flavalis* Hampson,1919
62886) *Haimbachia flavilinealis* (Hampson,1919) (Pyralidae) Synonym(s): *flavilinealis* Hampson,1919
62887) *Haimbachia fulvescens* Hampson,1919 (Pyralidae) Synonym(s): *fulvescens* Hampson,1919
62888) *Haimbachia fuscicilia* (Hampson,1910) (Pyralidae) Synonym(s): *fuscicilia* Hampson,1910
62889) *Haimbachia gloriella* Schaus,1922 (Pyralidae) Synonym(s): *gloriella* Schaus,1922
62890) *Haimbachia hamponi* (Kapur,1950) (Pyralidae) Synonym(s): *hamponi* Kapur,1950
62891) *Haimbachia ignefusalis* (Hampson,1919) (Pyralidae) Synonym(s): *ignefusalis* Hampson,1919
62892) *Haimbachia ignitalis* (Hampson,1896) (Pyralidae) Synonym(s): *ignitalis* Hampson,1896
62893) *Haimbachia infusella* (Walker,1863) (Pyralidae) Synonym(s): *infusella* Walker,1863; *comparella* R.Felder & Rogenhofer,1875
62894) *Haimbachia interlineata* (Zeller,1882) (Pyralidae) Synonym(s): *interlineata* Zeller,1882
62895) *Haimbachia leptigrammalis* (Hampson,1919) (Pyralidae) Synonym(s): *leptigrammalis* Hampson,1919
62896) *Haimbachia leucocraspis* (Hampson,1919) (Pyralidae) Synonym(s): *leucocraspis* Hampson,1919
62897) *Haimbachia leucopleuralis* (Mabille,1899) (Pyralidae) Synonym(s): *leucopleuralis* Mabille,1899
62898) *Haimbachia lunilinealis* (Hampson,1919) (Pyralidae) Synonym(s): *lunilinealis* Hampson,1919
62899) *Haimbachia maroniella* Dyar & Heinrich,1927 (Pyralidae) Synonym(s): *maroniella* Dyar & Heinrich,1927
62900) *Haimbachia mlanjella* (Bleszynski,1961) (Pyralidae) Synonym(s): *undilinealis* Hampson,1919 (p.p.); *mlanjella* Bleszynski,1961.
62901) *Haimbachia multipunctella* (Kearfott,1908) (Pyralidae) Synonym(s): *multipunctella* Kearfott,1908
62902) *Haimbachia obliquilineella* (Hampson,1896) (Pyralidae) Synonym(s): *obliquilineella* Hampson,1896
62903) *Haimbachia obliquistrialis* (Hampson,1919) (Pyralidae) Synonym(s): *obliquistrialis* Hampson,1919
62904) *Haimbachia paranella* (Schaus,1922) (Pyralidae) Synonym(s): *paranella* Schaus,1922
62905) *Haimbachia phlebitalis* (Hampson,1919) (Pyralidae) Synonym(s): *phlebitalis* Hampson,1919
62906) *Haimbachia pinosa* (Zeller,1882) (Pyralidae) Synonym(s): *pinosa* Zeller,1882
62907) *Haimbachia placidella* (Haimbach,1907) (Pyralidae) Synonym(s): *placidella* Haimbach,1907
62908) *Haimbachia prestonella* Schaus,1922 (Pyralidae) Synonym(s): *prestonella* Schaus,1922
62909) *Haimbachia proalbivenalis* (Bleszynski,1961) (Pyralidae) Synonym(s): *albivenalis* Hampson,1919 nec Hamps.,1919; *proalbivenalis* Bleszynski,1961
62910) *Haimbachia proalbivenalis belgaumensis* (Kapur,1950) (Pyralidae) Synonym(s): *belgaumensis* Kapur,1950
62911) *Haimbachia proalbivenalis proalbivenalis* (Bleszynski,1961) (Pyralidae) Synonym(s): *albivenalis* Hampson,1919 nec Hamps.,1919; *proalbivenalis* Bleszynski,1961
62912) *Haimbachia proaraealis* (Bleszynski,1961) (Pyralidae) Synonym(s): *araealis* Hampson,1919 nec Hamps,1912; *proaraealis* Bleszynski,1961
62913) *Haimbachia proaraealis proaraealis* (Bleszynski,1961) (Pyralidae) Synonym(s): *araealis* Hampson,1919 nec Hamps,1912; *proaraealis* Bleszynski,1961
62914) *Haimbachia purpurealis* (Hampson,1896) (Pyralidae) Synonym(s): *purpurealis* Hampson,1896
62915) *Haimbachia quiriguella* Schaus,1922 (Pyralidae) Synonym(s): *quiriguella* Schaus,1922
62916) *Haimbachia roseiceps* (Hampson,1896) (Pyralidae) Synonym(s): *roseiceps* Hampson,1896
62917) *Haimbachia ruffifusalis* (Hampson,1919) (Pyralidae) Synonym(s): *ruffifusalis* Hampson,1919
62918) *Haimbachia rufistrigalis* (Hampson,1919) (Pyralidae) Synonym(s): *rufistrigalis* Hampson,1919
62919) *Haimbachia rufulalis* (Hampson,1919) (Pyralidae) Synonym(s): *rufulalis* Hampson,1919
62920) *Haimbachia squamulella* (Zeller,1882) (Pyralidae) Synonym(s): *squamulella* Zeller,1882
62921) *Haimbachia strigulalis* (Hampson,1896) (Pyralidae) Synonym(s): *strigulalis* Hampson,1896; *cantoniellus* Caradja,1926; *cantoniellus* Wu,1938
62922) *Haimbachia subterminalis* (Hampson,1919) (Pyralidae) Synonym(s): *subterminalis* Hampson,1919
62923) *Haimbachia unipunctalis* (Hampson,1919) (Pyralidae) Synonym(s): *unipunctalis* Hampson,1919
62924) *Haimbachia unipunctalis unipunctalis* (Hampson,1919) (Pyralidae) Synonym(s): *unipunctalis* Hampson,1919
62925) *Haimbachia unipunctella* (Bleszynski,1961) (Pyralidae) Synonym(s): *unipunctalis* Hampson,1919 nec Hamps,1919; *unipunctella* Bleszynski,1961
62926) *Hannemannia tacapella* (Ragonot,1887) (Pyralidae) Synonym(s): *tacapella* Ragonot,1887
62927) *Hansreisseria gilvscens* (Rebel,1917) (Pyralidae) Synonym(s): *gilvscens* Rebel,1917
62928) *Haritalodes derogata* (Fabricius,1775) (Pyralidae) Synonym(s): *derogata* Fabricius,1775; *multilinealis* Guenée,1854; *salomealis* Walker,1859; *otysalis* Walker,1859; *basipunctalis* Bremer,1864; *anuligeralis* Walker,1866; *obliquialis* Lucas,1898
62929) *Harraria rufipicta* Hampson,1930 (Pyralidae) Synonym(s): *rufipicta* Hampson,1930
62930) *Hednota acotophora* (Meyrick,1882) (Pyralidae) Synonym(s): *acotophora* Meyrick,1882
62931) *Hednota ancylosticha* Koch,1966 (Pyralidae) Synonym(s): *ancylosticha* Koch,1966
62932) *Hednota argyrocles* (Meyrick,1882) (Pyralidae) Synonym(s): *argyrocles* Meyrick,1882; *argyrocles* Hampson,1896
62933) *Hednota asterias* Meyrick,1887 (Pyralidae) Synonym(s): *asterias* Meyrick,1887
62934) *Hednota aurantiacus* (Meyrick,1879) (Pyralidae) Synonym(s): *aurantiacus* Meyrick,1879
62935) *Hednota bathrotricha* (Lower,1902) (Pyralidae) Synonym(s): *bathrotricha* Lower,1902
62936) *Hednota bifractellus* (Walker,1863) (Pyralidae) Synonym(s): *bifractellus* Walker,1863
62937) *Hednota bivittella* (Donovan,1805) (Pyralidae) Synonym(s): *vittella* Sveredus,1787 nec Linnaeus,1758; *bivittella* Donovan,1805; *trivittatus* Zeller,1863
62938) *Hednota cotylophora* (Turner,1942) (Pyralidae) Synonym(s): *cotylophora* Turner,1942
62939) *Hednota crypsichroa* Lower,1893 (Pyralidae) Synonym(s): *crypsichroa* Lower,1893; *discihunaris* Hampson,1919
62940) *Hednota cyclosema* (Lower,1896) (Pyralidae) Synonym(s): *cyclosema* Lower,1896
62941) *Hednota demissalis* (Walker,1863) (Pyralidae) Synonym(s): *demissalis* Walker,1863
62942) *Hednota diacentra* (Meyrick,1897) (Pyralidae) Synonym(s): *diacentra* Meyrick,1897
62943) *Hednota diargyra* (Turner,1925) (Pyralidae) Synonym(s): *diargyra* Turner,1925
62944) *Hednota dichospila* (Turner,1937) (Pyralidae) Synonym(s): *dichospila* Turner,1937
62945) *Hednota empheres* Koch,1966 (Pyralidae) Synonym(s): *empheres* Koch,1966
62946) *Hednota enchias* (Meyrick,1897) (Pyralidae) Synonym(s): *enchias* Meyrick,1897
62947) *Hednota eremenopa* (Lower,1903) (Pyralidae) Synonym(s): *eremenopa* Lower,1903
62948) *Hednota grammella* (Zeller,1863) (Pyralidae) Synonym(s): *grammellus* Zeller,1863; *enneagrammos* Meyrick,1879
62949) *Hednota hagnodes* (Turner,1942) (Pyralidae) Synonym(s): *hagnodes* Turner,1942
62950) *Hednota haplotypa* (Turner,1904) (Pyralidae) Synonym(s): *haplotypa* Turner,1904
62951) *Hednota hoplitella* (Meyrick,1879) (Pyralidae) Synonym(s): *hoplitellus* Meyrick,1879
62952) *Hednota icelomorpha* (Turner,1906) (Pyralidae) Synonym(s): *icelomorpha* Turner,1906
62953) *Hednota impletella* (Walker,1863) (Pyralidae) Synonym(s): *impletellus* Walker,1863
62954) *Hednota invalidella* (Meyrick,1879) (Pyralidae) Synonym(s): *invalidellus* Meyrick,1879; *eucraspeda* Turner,1904
62955) *Hednota koojanensis* Koch,1966 (Pyralidae) Synonym(s): *koojanensis* Koch,1966
62956) *Hednota leucophthalma* (Meyrick,1882) (Pyralidae) Synonym(s): *leucophthalma* Meyrick,1882
62957) *Hednota longipalpella* (Meyrick,1879) (Pyralidae) Synonym(s): *longipalpella* Meyrick,1879
62958) *Hednota macroura* (Lower,1902) (Pyralidae) Synonym(s): *macroura* Lower,1902

- 62959) *Hednota megalarcha* (Meyrick, 1885) (Pyralidae) Synonym(s): *megalarcha* Meyrick, 1885
 62960) *Hednota mesochra* (Lower, 1896) (Pyralidae) Synonym(s): *mesochra* Lower, 1896
 62961) *Hednota ocypetes* Meyrick, 1936 (Pyralidae) Synonym(s): *ocypetes* Meyrick, 1936
 62962) *Hednota odontoides* Koch, 1966 (Pyralidae) Synonym(s): *odontoides* Koch, 1966
 62963) *Hednota opulentella* (Zeller, 1863) (Pyralidae) Synonym(s): *opulentellus* Zeller, 1863; *#opulentus* Hampson, 1896
 62964) *Hednota orthotpa* (Turner, 1904) (Pyralidae) Synonym(s): *orthotpa* Turner, 1904
 62965) *Hednota panselenella* (Meyrick, 1882) (Pyralidae) Synonym(s): *panselenella* Meyrick, 1882
 62966) *Hednota panteucha* (Meyrick, 1885) (Pyralidae) Synonym(s): *panteucha* Meyrick, 1885
 62967) *Hednota pedionoma* (Meyrick, 1885) (Pyralidae) Synonym(s): *pedionoma* Meyrick, 1885; *bilunaris* Hampson, 1913
 62968) *Hednota peripeuces* (Turner, 1942) (Pyralidae) Synonym(s): *peripeuces* Turner, 1942
 62969) *Hednota perlatalis* (Walker, 1863) (Pyralidae) Synonym(s): *perlatalis* Walker, 1863
 62970) *Hednota pleniferelus* (Walker, 1863) (Pyralidae) Synonym(s): *pleniferelus* Walker, 1863; *aurosus* R. Felder & Rogenhofer, 1875
 62971) *Hednota polyargyra* (Turner, 1913) (Pyralidae) Synonym(s): *polyargyra* Turner, 1913
 62972) *Hednota recurvella* (Walker, 1863) (Pyralidae) Synonym(s): *recurvellus* Walker, 1863
 62973) *Hednota relatalis* (Walker, 1863) (Pyralidae) Synonym(s): *relatalis* Walker, 1863; *argroneurus* Zeller, 1863; *radialis* Hampson, 1919
 62974) *Hednota stenipteralis* (Lower, 1903) (Pyralidae) Synonym(s): *stenipteralis* Lower, 1903
 62975) *Hednota tenuilineata* Koch, 1966 (Pyralidae) Synonym(s): *tenuilineata* Koch, 1966
 62976) *Hednota thologramma* Meyrick, 1836 (Pyralidae) Synonym(s): *thologramma* Meyrick, 1836
 62977) *Hednota toxotis* Meyrick, 1887 (Pyralidae) Synonym(s): *toxotis* Meyrick, 1887; *#toxotes* Hampson, 1896
 62978) *Hednota trissomochla* (Turner, 1911) (Pyralidae) Synonym(s): *trissomochla* Turner, 1911
 62979) *Hednota urithrepta* (Turner, 1925) (Pyralidae) Synonym(s): *urithrepta* Turner, 1925; *#urithrepa* Bleszynski & Collins, 1962
 62980) *Hednota xiphosema* (Turner, 1904) (Pyralidae) Synonym(s): *xiphosema* Turner, 1904
 62981) *Hednota xylophaea* Meyrick, 1887 (Pyralidae) Synonym(s): *xylophaea* Meyrick, 1887
 62982) *Hednotodes callicroa* Lower, 1893 (Pyralidae) Synonym(s): *callicroa* Lower, 1893
 62983) *Hednotodes metaxantha* (Hampson, 1918) (Pyralidae) Synonym(s): *metaxantha* Hampson, 1918
 62984) *Hedyleptopsis flava* Munroe, 1960 (Pyralidae) Synonym(s): *flava* Munroe, 1960
 62985) *Helenoscopia helenensis* (Wollaston, 1879) (Pyralidae) Synonym(s): *helenensis* Wollaston, 1879
 62986) *Helenoscopia lucidalis* (Walker, 1875) (Pyralidae) Synonym(s): *lucidalis* Walker, 1875; *lusalidis* Hampson, 1897
 62987) *Helenoscopia nigrilis* (Walker, 1875) (Pyralidae) Synonym(s): *nigrilis* Walker, 1875; *similis* Wollaston, 1879
 62988) *Helenoscopia scintillalis* (Wollaston, 1879) (Pyralidae) Synonym(s): *scintillalis* Wollaston, 1879
 62989) *Helenoscopia transversalis* (Wollaston, 1879) (Pyralidae) Synonym(s): *transversalis* Wollaston, 1879
 62990) *Heliothela aterrima* Turner, 1937 (Pyralidae) Synonym(s): *aterrima* Turner, 1937
 62991) *Heliothela didymospila* Turner, 1915 (Pyralidae) Synonym(s): *didymospila* Turner, 1915
 62992) *Heliothela floricola* Turner, 1913 (Pyralidae) Synonym(s): *floricola* Turner, 1913
 62993) *Heliothela praefulvescens* (Walker, 1863) (Pyralidae) Synonym(s): *ophideresana* Walker, 1863; *pusilla* Butler, 1889; *kruegeri* Turati, 1926
 62994) *Heliothela oreias* Turner, 1915 (Pyralidae) Synonym(s): *oreias* Turner, 1915
 62995) *Heliothela paracentra* (Meyrick, 1887) (Pyralidae) Synonym(s): *paracentra* Meyrick, 1887
 62996) *Heliothela praegalliensis* Frey, 1880 (Pyralidae) Synonym(s): *praegalliensis* Frey, 1880
 62997) *Heliothela wulfeniana* (Scopoli, 1763) (Pyralidae) Synonym(s): *wulfeniana* Scopoli, 1763; *atralis* Hübner, 1788 nec Fabr., 1775; *coerulealis* Caradja, 1917; *huebneri* Koçak, 1980.
 62998) *Hellula ablactalis* (Walker, 1859) (Pyralidae) Synonym(s): *ablactalis* Walker, 1859
 62999) *Hellula afghanalis* (Amsel, 1970) (Pyralidae) Synonym(s): *afghanalis* Amsel, 1970
 63000) *Hellula hydralis* Guenée, 1854 (Pyralidae) Synonym(s): *hydralis* Guenée, 1854; *crissusalis* Walker, 1859; *optatusalis* Walker, 1859; *subtrigonalis* Walker, [1866].
 63001) *Hellula khorassanalis* (Amsel, 1950) (Pyralidae) Synonym(s): *khorrassanalis* Amsel, 1950
 63002) *Hellula paghmanalis* (Amsel, 1970) (Pyralidae) Synonym(s): *paghmanalis* Amsel, 1970
 63003) *Hellula praefulvalis* (Amsel, 1970) (Pyralidae) Synonym(s): *praefulvalis* Amsel, 1970
 63004) *Hellula undalis* (Fabricius, 1781) (Pyralidae) Synonym(s): *undalis* Fabricius, 1781; *lunulalis* Costa, 1836; *alconalis* Walker, 1859; *exemptalis* Walker, [1866]; *geyri* Rothschild, 1915; *occidentalis* De Joannis, 1930; *reniculus* Pajni & Rose, 1977
 63005) *Helonastes acetrus* Common, 1960 (Pyralidae) Synonym(s): *acetrus* Common, 1960
 63006) *Helvibotys freemani* Munroe, 1976 (Pyralidae) Synonym(s): *freemani* Munroe, 1976
 63007) *Helvibotys helvialis* (Walker, 1859) (Pyralidae) Synonym(s): *helvialis* Walker, 1859; *thycsalis* Walker, 1859; *apertalis* Walker, [1866]; *citrina* Grote & C.T. Robinson, 1867; *harpalis* Herrich-Schäffer, 1871
 63008) *Helvibotys pseudohelvialis* (Capps, 1967) (Pyralidae) Synonym(s): *pseudohelvialis* Capps, 1967
 63009) *Helvibotys pucilla* (Druce, 1895) (Pyralidae) Synonym(s): *pucilla* Druce, 1895; *subcostalis* Dyar, 1912
 63010) *Helvibotys sinaloensis* (Capps, 1967) (Pyralidae) Synonym(s): *sinaloensis* Capps, 1967
 63011) *Heminomistis flagellalis* (Hampson, 1906) (Pyralidae) Synonym(s): *flagellalis* Hampson, 1906
 63012) *Hemiplatytes epia* (Dyar, 1912) (Pyralidae) Synonym(s): *epia* Dyar, 1912; *damon* Barnes & McDunnough, 1918
 63013) *Hemiplatytes prosenes* (Dyar, 1912) (Pyralidae) Synonym(s): *prosenes* Dyar, 1912
 63014) *Hemiptocha agraphella* Dognin, 1905 (Pyralidae) Synonym(s): *agraphella* Dognin, 1905
 63015) *Hemiscopis cinerea* Warren, 1892 (Pyralidae) Synonym(s): *cinerea* Warren, 1892
 63016) *Hemiscopis lophopedalis* Joannis, 1927 (Pyralidae) Synonym(s): *lophopedalis* Joannis, 1927
 63017) *Hemiscopis sanguinea* Bänziger, 1987 (Pyralidae) Synonym(s): *sanguinea* Bänziger, 1987
 63018) *Hemiscopis suffusalis* (Walker, 1865) (Pyralidae) Synonym(s): *suffusalis* Walker, 1865
 63019) *Hemiscopis violacea* (Lucas, 1892) (Pyralidae) Synonym(s): *violacea* Lucas, 1892; *nyctopa* Turner, 1908
 63020) *Hendecasis apicefulva* Hampson, 1916 (Pyralidae) Synonym(s): *apicefulva* Hampson, 1916
 63021) *Hendecasis duplifascialis* (Hampson, 1891) (Pyralidae) Synonym(s): *duplifascialis* Hampson, 1891
 63022) *Hendecasis melalophalis* Hampson, 1906 (Pyralidae) Synonym(s): *melalophalis* Hampson, 1906
 63023) *Heortia dominalis* Lederer, 1863 (Pyralidae) Synonym(s): *dominalis* Lederer, 1863
 63024) *Heortia vitessoides* (Moore, [1885]) (Pyralidae) Synonym(s): *vitessoides* Moore, [1885]; *#vitissoides* Hutacharern & Tuhtim, 1995
 63025) *Heosphora ablepta* (Turner, 1913) (Pyralidae) Synonym(s): *ablepta* Turner, 1913
 63026) *Heosphora achromatella* (Hampson, 1918) (Pyralidae) Synonym(s): *achromatella* Hampson, 1918
 63027) *Heosphora anaemopsis* (Turner, 1913) (Pyralidae) Synonym(s): *anaemopsis* Turner, 1913
 63028) *Heosphora baliora* (Turner, 1913) (Pyralidae) Synonym(s): *baliora* Turner, 1913
 63029) *Heosphora colobela* (Turner, 1947) (Pyralidae) Synonym(s): *colobela* Turner, 1947
 63030) *Heosphora desertella* (Hampson, 1918) (Pyralidae) Synonym(s): *desertella* Hampson, 1918
 63031) *Heosphora enervella* (Hampson, 1901) (Pyralidae) Synonym(s): *enervella* Hampson, 1901
 63032) *Heosphora erasmia* (Turner, 1913) (Pyralidae) Synonym(s): *erasmia* Turner, 1913
 63033) *Heosphora grammivena* (Hampson, 1918) (Pyralidae) Synonym(s): *grammivena* Hampson, 1918
 63034) *Heosphora leuconura* (Turner, 1913) (Pyralidae) Synonym(s): *leuconura* Turner, 1913
 63035) *Heosphora minimella* (Hampson, 1901) (Pyralidae) Synonym(s): *minimella* Hampson, 1901
 63036) *Heosphora neurica* (Turner, 1913) (Pyralidae) Synonym(s): *neurica* Turner, 1913
 63037) *Heosphora psamathella* (Meyrick, 1879) (Pyralidae) Synonym(s): *psamathella* Meyrick, 1879
 63038) *Heosphora ramuloseella* Ragonot, 1895 (Pyralidae) Synonym(s): *ramuloseella* Ragonot, 1895
 63039) *Heosphora rhodochros* (Turner, 1947) (Pyralidae) Synonym(s): *rhodochros* Turner, 1947
 63040) *Heosphora tanybela* (Turner, 1947) (Pyralidae) Synonym(s): *tanybela* Turner, 1947
 63041) *Heosphora virginella* (Meyrick, 1879) (Pyralidae) Synonym(s): *virginella* Meyrick, 1879
 63042) *Heosphora xylodes* (Turner, 1947) (Pyralidae) Synonym(s): *xylodes* Turner, 1947
 63043) *Herculia albifimbrialis* Hampson, 1896 (Pyralidae) Synonym(s): *albifimbrialis* Hampson, 1896
 63044) *Herculia anpingialis* (Strand, 1919) (Pyralidae) Synonym(s): *anpingialis* Strand, 1919

- 63045) *Herculia caesalis* (Zeller,1852) (Pyralidae) Synonym(s): *caesalis* Zeller,1852
 63046) *Herculia castanealis* Shibuya,1928 (Pyralidae) Synonym(s): *castanealis* Shibuya,1928
 63047) *Herculia cineraleis* De Joannis,1927 (Pyralidae) Synonym(s): *cineraleis* De Joannis,1927
 63048) *Herculia griseobrunnea* Hampson,1917 (Pyralidae) Synonym(s): *griseobrunnea* Hampson,1917
 63049) *Herculia ignefimbrialis* Hampson,1906 (Pyralidae) Synonym(s): *ignefimbrialis* Hampson,1906
 63050) *Herculia imbecilis* (Moore,1885) (Pyralidae) Synonym(s): *imbecilis* Moore,1885
 63051) *Herculia jezoensis* Shibuya,1928 (Pyralidae) Synonym(s): *jezoensis* Shibuya,1928
 63052) *Herculia lacteocilia* Hampson,1917 (Pyralidae) Synonym(s): *lacteocilia* Hampson,1917
 63053) *Herculia nanalis* Wileman,1911 (Pyralidae) Synonym(s): *nanalis* Wileman,1911
 63054) *Herculia nigrivitta* (Walker,1863) (Pyralidae) Synonym(s): *nigrivitta* Walker,1863; *fuscicosta* Walker,1863; *costigeralis* Walker,[1866]; *fuscicostalis* Snellen,1880; *obstans* Meyrick,1936
 63055) *Herculia pelasgalis* (Walker,1859) (Pyralidae) Synonym(s): *pelasgalis* Walker,1859
 63056) *Herculia roseotincta* Hampson,1917 (Pyralidae) Synonym(s): *roseotincta* Hampson,1917
 63057) *Herculia rudis* (Moore,1888) (Pyralidae) Synonym(s): *rudis* Moore,1888
 63058) *Herculia sokutsensis* Strand,1919 (Pyralidae) Synonym(s): *sokutsensis* Strand,1919
 63059) *Herculia suffusalis* (Walker,1865) (Pyralidae) Synonym(s): *suffusalis* Walker,1865
 63060) *Herculia taiwanalis* Shibuya,1928 (Pyralidae) Synonym(s): *taiwanalis* Shibuya,1928
 63061) *Herculia tenuis* (Butler,1880) (Pyralidae) Synonym(s): *tenuis* Butler,1880; *rhodocryptalis* Cotes & Swinhoe,1889
 63062) *Hercynodes miegii* Ragonot,1895 (Pyralidae) Synonym(s): *miegii* Ragonot,1895
 63063) *Herpetogramma cynaralis* (Walker,1859) (Pyralidae) Synonym(s): *cynaralis* Walker,1859; *quadriguttalis* Walker,[1866]; *marginalis* Moore,1886; *epitrota* Meyrick,1887
 63064) *Herpetogramma dilatipes* (Walker,[1866]) (Pyralidae) Synonym(s): *dilatipes* Walker,[1866]; *deformis* Warren,1896
 63065) *Herpetogramma exculta* (Lucas,1892) (Pyralidae) Synonym(s): *exculta* Lucas,1892
 63066) *Herpetogramma fascinalis* (Amsel,1950) (Pyralidae) Synonym(s): *fascinalis* Amsel,1950
 63067) *Herpetogramma hipponalis* (Walker,1859) (Pyralidae) Synonym(s): *hipponalis* Walker,1859; *pigresalis* Walker,1859; *systematica* Meyrick,1932
 63068) *Herpetogramma holophaea* (Hampson,1898) (Pyralidae) Synonym(s): *holophaea* Hampson,1898
 63069) *Herpetogramma licarsisalis* (Walker,1859) (Pyralidae) Synonym(s): *licarsisalis* Walker,1859; *pharaxalis* Walker,1859; *immundalis* Walker,[1866]; *fumidalis* Walker,[1866]; *serotinalis* Joannis,1889
 63070) *Herpetogramma mutualis* (Zeller,1852) (Pyralidae) Synonym(s): *mutualis* Zeller,1852; *#mictualis* Zeller,1852
 63071) *Herpetogramma ottonalis* (Semper,1902) (Pyralidae) Synonym(s): *ottonalis* Semper,1902
 63072) *Herpetogramma phaeopteralis* (Guenée,1854) (Pyralidae) Synonym(s): *phaeopteralis* Guenée,1854; *vecordalis* Guenée,1854; *vestalis* Walker,1859; *triarialis* Walker,1859; *ostreusalis* Walker,1859; *neloalis* Walker,1859; *abstrusalis* Walker,1859; *additalis* Walker,1862; *plebejalis* Lederer,1863; *cellatalis* Walker,1866; *tridentalis* Snellen,1872; *communalis* Snellen,1875; *intricatalis* Möschler,1890; *#phoeopteralis* Hampson,1896; *#phaeopteralis* Viette,1957
 63073) *Herpetogramma piasusalis* (Walker,1859) (Pyralidae) Synonym(s): *piasusalis* Walker,1859
 63074) *Herpetogramma platycapna* (Meyrick,1897) (Pyralidae) Synonym(s): *platycapna* Meyrick,1897
 63075) *Herpetogramma stultalis* (Walker,1859) (Pyralidae) Synonym(s): *stultalis* Walker,1859; *basistrigalis* Walker,[1866]; *retractalis* Walker,[1866]
 63076) *Herpetogramma submarginalis* (Swinhoe,1901) (Pyralidae) Synonym(s): *submarginalis* Swinhoe,1901
 63077) *Herpetogramma zophosticta* (Turner,1915) (Pyralidae) Synonym(s): *zophosticta* Turner,1915
 63078) *Heterochrosis holophaea* Hampson,1926 (Pyralidae) Synonym(s): *holophaea* Hampson,1926
 63079) *Heterochrosis holophaea holophaea* Hampson,1926 (Pyralidae) Synonym(s): *holophaea* Hampson,1926
 63080) *Heterochrosis molybdophora* (Lower,1903) (Pyralidae) Synonym(s): *molybdophora* Lower,1903; *mediolinea* Turner,1947
 63081) *Heterochrosis oligochrodes* Hampson,1926 (Pyralidae) Synonym(s): *oligochrodes* Hampson,1926
 63082) *Heterochrosis oligochrodes oligochrodes* Hampson,1926 (Pyralidae) Synonym(s): *oligochrodes* Hampson,1926
 63083) *Heterocnephis incisalis* Snellen,1899 (Pyralidae) Synonym(s): *incisalis* Snellen,1899
 63084) *Heteromicta aegidia* (Meyrick,1887) (Pyralidae) Synonym(s): *aegidia* Meyrick,1887
 63085) *Heteromicta alypeta* Turner,1911 (Pyralidae) Synonym(s): *alypeta* Turner,1911
 63086) *Heteromicta leucospila* (Lower,1907) (Pyralidae) Synonym(s): *leucospila* Lower,1907
 63087) *Heteromicta melanomochla* (Hampson,1917) (Pyralidae) Synonym(s): *melanomochla* Hampson,1917
 63088) *Heteromicta myrmecophila* (Turner,1905) (Pyralidae) Synonym(s): *myrmecophila* Turner,1905; *myrmecophila* Turner,1913
 63089) *Heteromicta nigricostella* Hampson,1901 (Pyralidae) Synonym(s): *nigricostella* Hampson,1901; *microsora* Turner,1924
 63090) *Heteromicta ochraceella* Hampson,1901 (Pyralidae) Synonym(s): *ochraceella* Hampson,1901
 63091) *Heteromicta pachytera* (Meyrick,1880) (Pyralidae) Synonym(s): *pachytera* Meyrick,1880
 63092) *Heteromicta phloeomima* Turner,1911 (Pyralidae) Synonym(s): *phloeomima* Turner,1911
 63093) *Heteromicta poeodes* Turner,1905 (Pyralidae) Synonym(s): *poeodes* Turner,1905
 63094) *Heteromicta polioctola* Turner,1904 (Pyralidae) Synonym(s): *polioctola* Turner,1904
 63095) *Heteromicta sordidella* (Walker,1866) (Pyralidae) Synonym(s): *sordidella* Walker,1866
 63096) *Heteromicta tripartitella* (Meyrick,1880) (Pyralidae) Synonym(s): *tripartitella* Meyrick,1880; *leptochlora* Turner,1913
 63097) *Hobohmia paradoxa* Balinsky,1994 (Pyralidae) Synonym(s): *paradoxa* Balinsky,1994
 63098) *Hobohmia paradoxa paradoxa* Balinsky,1994 (Pyralidae) Synonym(s): *paradoxa* Balinsky,1994
 63099) *Hoeneodes sinensis* (Caradja,1937) (Pyralidae) Synonym(s): *sinensis* Caradja,1937
 63100) *Homoeosoma* (Anhomoeosoma) *nimbella* (Duponchel,1837) (Pyralidae) Synonym(s): *nimbella* Duponchel,1837; *homoeosomella* Zerny,1926; *snellenella* Benick,1930
 63101) *Homoeosoma* (Ectohomoeosoma) *kasyellum* Roesler,1965 (Pyralidae) Synonym(s): *kasyellum* Roesler,1965
 63102) *Homoeosoma* (s.str.) *achrocellum* Ragonot,1887 (Pyralidae) Synonym(s): *achrocella* Ragonot,1887; *microsignella* Amsel,1961.
 63103) *Homoeosoma* (s.str.) *albicosta* (Turner,1947) (Pyralidae) Synonym(s): *albicosta* Turner,1947
 63104) *Homoeosoma* (s.str.) *albostrigellum* Roesler,1966 (Pyralidae) Synonym(s): *albostrigellum* Roesler,1966
 63105) *Homoeosoma* (s.str.) *atechna* (Turner,1947) (Pyralidae) Synonym(s): *atechna* Turner,1947
 63106) *Homoeosoma* (s.str.) *botydellum* Ragonot,1888 (Pyralidae) Synonym(s): *botydellum* Ragonot,1888
 63107) *Homoeosoma* (s.str.) *calcellum* Ragonot,1887 (Pyralidae) Synonym(s): *calcella* Ragonot,1887
 63108) *Homoeosoma* (s.str.) *candefactum* Ragonot,1887 (Pyralidae) Synonym(s): *candefactum* Ragonot,1887
 63109) *Homoeosoma* (s.str.) *capitanellum* Chrétien,1911 (Pyralidae) Synonym(s): *capitanellum* Chrétien,1911; *eminentella* Turati,1924; *litorella* Amsel,1935
 63110) *Homoeosoma* (s.str.) *caradjaellum* Roesler,1965 (Pyralidae) Synonym(s): *caradjaellum* Roesler,1965
 63111) *Homoeosoma* (s.str.) *centrosticha* Turner,1947 (Pyralidae) Synonym(s): *centrosticha* Turner,1947
 63112) *Homoeosoma* (s.str.) *contractum* (Turner,1947) (Pyralidae) Synonym(s): *contracta* Turner,1947
 63113) *Homoeosoma* (s.str.) *ephestidellum* Hampson,1896 (Pyralidae) Synonym(s): *ephestidella* Hampson,1896
 63114) *Homoeosoma* (s.str.) *fornacellum* (Meyrick,1879) (Pyralidae) Synonym(s): *fornacella* Meyrick,1879
 63115) *Homoeosoma* (s.str.) *gravosellum* Roesler,1965 (Pyralidae) Synonym(s): *gravosellum* Roesler,1965
 63116) *Homoeosoma* (s.str.) *heidellum* Roesler,1967 (Pyralidae) Synonym(s): *heidellum* Roesler,1967
 63117) *Homoeosoma* (s.str.) *incognitellum* Roesler,1965 (Pyralidae) Synonym(s): *incognitellum* Roesler,1965
 63118) *Homoeosoma* (s.str.) *inustella* Ragonot,1884 (Pyralidae) Synonym(s): *inustella* Ragonot,1884; *compsitella* Rebel,1914.
 63119) *Homoeosoma* (s.str.) *ischnopa* (Turner,1947) (Pyralidae) Synonym(s): *ischnopa* Turner,1947
 63120) *Homoeosoma* (s.str.) *largellum* Caradja,1937 (Pyralidae) Synonym(s): *largella* Caradja,1937
 63121) *Homoeosoma* (s.str.) *lechriosema* Turner,1947 (Pyralidae) Synonym(s): *lechriosema* Turner,1947
 63122) *Homoeosoma* (s.str.) *masaiense* Balinsky,1991 (Pyralidae) Synonym(s): *#masaiensis* Hampson; *masaiense* Balinsky,1991; *#massaicum* Balinsky,1991; *#massaiensis* Balinsky,1991
 63123) *Homoeosoma* (s.str.) *nebulellum* (Denis & Schiffermüller,1775) (Pyralidae) Synonym(s): *nebulella* [Denis & Schiffermüller],1775; *nebulula* Haworth,1811; *muscerdalis* Hübner,[1813].
 63124) *Homoeosoma* (s.str.) *nevadellum* Roesler,1965 (Pyralidae) Synonym(s): *nevadellum* Roesler,1965
 63125) *Homoeosoma* (s.str.) *obatricostellum* Ragonot,1887 (Pyralidae) Synonym(s): *obatricostellum* Ragonot,1887
 63126) *Homoeosoma* (s.str.) *pelostictum* Turner,1947 (Pyralidae) Synonym(s): *pelosticta* Turner,1947; *ochropasta* Turner,1947

- 63127) *Homoeosoma* (s.str.) *phaulopa* (Turner,1947) (Pyrilidae) Synonym(s): *phaulopa* Turner,1947
63128) *Homoeosoma* (s.str.) *punctistrigellum* Ragonot,1888 (Pyrilidae) Synonym(s): *punctistrigellum* Ragonot,1888
63129) *Homoeosoma* (s.str.) *quinquepunctellum* (Warren,1914) (Pyrilidae) Synonym(s): *quinquepunctellum* Warren,1914
63130) *Homoeosoma* (s.str.) *scopulellum* Ragonot,1888 (Pyrilidae) Synonym(s): *scopulellum* Ragonot,1888
63131) *Homoeosoma* (s.str.) *sinuellum* (Fabricius,1794) (Pyrilidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
63132) *Homoeosoma* (s.str.) *sinuellum* *pallescens* Roesler,1965 (Pyrilidae) Synonym(s): *pallescens* Roesler,1965
63133) *Homoeosoma* (s.str.) *sinuellum* *sinuellum* (Fabricius,1794) (Pyrilidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
63134) *Homoeosoma* (s.str.) *soaltheirellum* Roesler,1965 (Pyrilidae) Synonym(s): *soaltheirellum* Roesler,1965.
63135) *Homoeosoma* (s.str.) *stenopis* Turner,1904 (Pyrilidae) Synonym(s): *stenopis* Turner,1904
63136) *Homoeosoma* (s.str.) *stenotea* Hampson,1926 (Pyrilidae) Synonym(s): *stenotea* Hampson,1926
63137) *Homoeosoma* (s.str.) *stenoteum* Hampson,1926 (Pyrilidae) Synonym(s): *stenoteum* Hampson,1926
63138) *Homoeosoma* (s.str.) *subalbatellum* (Mann,1864) (Pyrilidae) Synonym(s): *subalbatella* Mann,1864
63139) *Homoeosoma* (s.str.) *terminellum* Ragonot,1901 (Pyrilidae) Synonym(s): *terminellum* Ragonot,1901
63140) *Homoeosoma* (s.str.) *vagellum* Zeller,1848 (Pyrilidae) Synonym(s): *vagella* Zeller,1848
63141) *Hoploscopa* *astrapias* Meyrick,1886 (Pyrilidae) Synonym(s): *astrapias* Meyrick,1886
63142) *Hoploscopa* *astrapias* *anamesa* Tams,1935 (Pyrilidae) Synonym(s): *anamesa* Tams,1935
63143) *Hoploscopa* *astrapias* *astrapias* Meyrick,1886 (Pyrilidae) Synonym(s): *astrapias* Meyrick,1886
63144) *Hoploscopa* *astrapias* *nauticorum* Tams,1935 (Pyrilidae) Synonym(s): *nauticorum* Tams,1935
63145) *Hornigia* *sauberi* Semper,1900 (Pyrilidae) Synonym(s): *sauberi* Semper,1900
63146) *Hosidia* *ochrineurella* Hampson,1901 (Pyrilidae) Synonym(s): *ochrineurella* Hampson,1901
63147) *Hvidoes* *laticostalis* (Guénée,1854) (Pyrilidae) Synonym(s): *laticostalis* Guénée,1854
63148) *Hyalea* *africalis* Hampson,1912 (Pyrilidae) Synonym(s): *africalis* Hampson,1912
63149) *Hyalea* *boliviensis* Dognin,1905 (Pyrilidae) Synonym(s): *boliviensis* Dognin,1905; *carusalis* Schaus,1920
63150) *Hyalea* *dividalis* (Geyer,1832) (Pyrilidae) Synonym(s): *dividalis* Geyer,1832
63151) *Hyalea* *pallidalis* Hampson,1899 (Pyrilidae) Synonym(s): *pallidalis* Hampson,1899
63152) *Hyalea* *succinalis* Guénée,1854 (Pyrilidae) Synonym(s): *succinalis* Guénée,1854
63153) *Hyalobathra* *aequalis* (Lederer,1863) (Pyrilidae) Synonym(s): *aequalis* Lederer,1863
63154) *Hyalobathra* *archeleuca* Meyrick,1885 (Pyrilidae) Synonym(s): *archeleuca* Meyrick,1885
63155) *Hyalobathra* *brevialis* (Walker,1859) (Pyrilidae) Synonym(s): *brevialis* Walker,1859; *divisalis* Lederer,1863; *eximialis* Walker,[1866]; *pactolina* Meyrick,1887
63156) *Hyalobathra* *charopalis* Swinhoe,1907 (Pyrilidae) Synonym(s): *charopalis* Swinhoe,1907
63157) *Hyalobathra* *coenostotalis* (Snellen,1890) (Pyrilidae) Synonym(s): *coenostotalis* Snellen,1890
63158) *Hyalobathra* *illectalis* (Walker,1859) (Pyrilidae) Synonym(s): *illectalis* Walker,1859; *niveicitalis* Snellen,1880; *albifimbrialis* Snellen,1880; *unicolor* Warren,1895
63159) *Hyalobathra* *metallogramma* Meyrick,1934 (Pyrilidae) Synonym(s): *metallogramma* Meyrick,1934
63160) *Hyalobathra* *minialis* (Warren,1895) (Pyrilidae) Synonym(s): *minialis* Warren,1895
63161) *Hyalobathra* *miniosalis* (Guenée,1854) (Pyrilidae) Synonym(s): *miniosalis* Guénée,1854; *europalis* Walker,1859; *orseisalis* Walker,1859; *rhodoplecta* Turner,1937
63162) *Hyalobathra* *paupellalis* Lederer,1863 (Pyrilidae) Synonym(s): *paupellalis* Lederer,1863
63163) *Hyalobathra* *retinalis* (Saalmüller,1879) (Pyrilidae) Synonym(s): *retinalis* Saalmüller,1879; *argentifilalis* Hampson,1908
63164) *Hyalobathra* *undulinea* (Hampson,1891) (Pyrilidae) Synonym(s): *undulinea* Hampson,1891
63165) *Hyalobathra* *wilderi* Tams,1935 (Pyrilidae) Synonym(s): *wilderi* Tams,1935
63166) *Hydaspia* *dorsipunctella* Ragonot,1888 (Pyrilidae) Synonym(s): *dorsipunctella* Ragonot,1888
63167) *Hydriris* *chalybitis* Meyrick,1885 (Pyrilidae) Synonym(s): *chalybitis* Meyrick,1885
63168) *Hydriris* *ornatalis* (Duponchel,1832) (Pyrilidae) Synonym(s): *ornatalis* Duponchel,1832; *saturnalis* Treitschke,1835; *deciusalis* Walker,1859; *invenustalis* Walker,[1866]; *fraterna* Butler,1875; *pulchellalis* Mabilie,1880 nec Mill.,1873; *bifascialis* Heeger,1938; *orientalis* Yamanaka,1972
63169) *Hydrorybia* *polusalis* (Walker,1859) (Pyrilidae) Synonym(s): *polusalis* Walker,1859
63170) *Hygraula* *nitens* (Butler,1880) (Pyrilidae) Synonym(s): *nitens* Butler,1880
63171) *Hygraula* *pelochyta* (Turner,1937) (Pyrilidae) Synonym(s): *pelochyta* Turner,1937
63172) *Hylebatis* *scintillifera* Turner,1908 (Pyrilidae) Synonym(s): *scintillifera* Turner,1908
63173) *Hymenia* *perspectalis* (Hübner,1796) (Pyrilidae) Synonym(s): *perspectalis* Hübner,1796; *primordialis* Zeller,1852; *exportalis* Guénée,1854; *rhinthonalis* Walker,1859; *phrasiusalis* Walker,1859; *spilotalis* Saalmüller,1880
63174) *Hymenoptychis* *dentilinealis* Snellen,1880 (Pyrilidae) Synonym(s): *dentilinealis* Snellen,1880
63175) *Hymenoptychis* *sordida* Zeller,1852 (Pyrilidae) Synonym(s): *sordida* Zeller,1852; *tipuliformis* Walker,1863; *pterophoralis* Walker,[1866]
63176) *Hypargyria* *impecuniosa* Joannis,1927 (Pyrilidae) Synonym(s): *impecuniosa* Joannis,1927
63177) *Hypargyria* *metalliferella* Ragonot,1888 (Pyrilidae) Synonym(s): *metalliferella* Ragonot,1888; *#metalliferella* Pinhey,1975
63178) *Hyperlais* *argillacealis* (Zeller,1847) (Pyrilidae) Synonym(s): *argillacealis* Zeller,1847
63179) *Hyperlais* *benderalis* Amsel,1960 (Pyrilidae) Synonym(s): *benderalis* Amsel,1960
63180) *Hyperlais* *cruzae* (Agenjo,1953) (Pyrilidae) Synonym(s): *cruzae* Agenjo,1953
63181) *Hyperlais* *dulcinalis* (Treitschke,1835) (Pyrilidae) Synonym(s): *dulcinalis* Treitschke,1835
63182) *Hyperlais* *glyceralis* (Staudinger,1859) (Pyrilidae) Synonym(s): *glyceralis* Staudinger,1859
63183) *Hyperlais* *nemausalis* (Duponchel,1834) (Pyrilidae) Synonym(s): *nemausalis* Duponchel,1834
63184) *Hyperlais* *rivasalis* (Vazquez,1905) (Pyrilidae) Synonym(s): *rivasalis* Vazquez,1905
63185) *Hyperlais* *siccalis* (Guenée,1854) (Pyrilidae) Synonym(s): *siccalis* Guénée,1854
63186) *Hyphantidium* *albicostale* (Walker,1863) (Pyrilidae) Synonym(s): *albicostale* Walker,1863
63187) *Hypiasta* *argyrogramma* Hampson,1919 (Pyrilidae) Synonym(s): *argyrogramma* Hampson,1919
63188) *Hypiasta* *flavirufalis* Hampson,1919 (Pyrilidae) Synonym(s): *flavirufalis* Hampson,1919
63189) *Hypochalcia* *ahenella* ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *ahenella* [Denis & Schiffermüller],1775; *aeneella* Hübner,1796; *obscuratus* Haworth,1809; *tetrix* Haworth,1811; *ahenalis* Hübner,[1825]; *rubiginella* Treitschke,1833; *bistrigella* Duponchel,1836; *luridella* Schläger,1845; *caucasica* Ragonot,1893; *lugubrella* Hering,1924
63190) *Hypochalcia* *balcanica* Ragonot,1887 (Pyrilidae) Synonym(s): *balcanica* Ragonot,1887
63191) *Hypochalcia* *bruandella* (Guenée,1845) (Pyrilidae) Synonym(s): *bruandella* Guénée,1845; *affiniella* Zeller,1848; *burgundiella* Ragonot,1893
63192) *Hypochalcia* *decorella* (Hübner,[1810]) (Pyrilidae) Synonym(s): *decorella* Hübner,[1810]; *indecoralis* Hübner,[1825].
63193) *Hypochalcia* *dignella* (Hübner,1796) (Pyrilidae) Synonym(s): *dignella* Hübner,1796; *dignalis* Hübner,[1825]
63194) *Hypochalcia* *disjunctella* Zeller,1848 (Pyrilidae) Synonym(s): *disjunctella* Zeller,1848; *disjunctella* Herrich-Schäffer,1849
63195) *Hypochalcia* *fasciatella* Staudinger,1881 (Pyrilidae) Synonym(s): *fasciatella* Staudinger,1881
63196) *Hypochalcia* *fuliginella* (Duponchel,1836) (Pyrilidae) Synonym(s): *fuliginella* Duponchel,1836; *ghilianii* Staudinger,1871
63197) *Hypochalcia* *griseoaenella* Ragonot,1887 (Pyrilidae) Synonym(s): *griseoaenella* Ragonot,1887
63198) *Hypochalcia* *hepaticella* Ragonot,1887 (Pyrilidae) Synonym(s): *hepaticella* Ragonot,1887
63199) *Hypochalcia* *lignella* (Hübner,1796) (Pyrilidae) Synonym(s): *lignella* Hübner,1796; *lignalis* Hübner,[1825]; *melanella* Treitschke,1832; *bruneoviolaceella* Bruand,1850; *delineata* Filipjev,1927
63200) *Hypochalcia* *longobardella* Ragonot,1887 (Pyrilidae) Synonym(s): *longobardella* Ragonot,1887
63201) *Hypochalcia* *orbipunctella* Ragonot,1887 (Pyrilidae) Synonym(s): *orbipunctella* Ragonot,1887
63202) *Hypochalcia* *propinquella* (Eversmann,1842) (Pyrilidae) Synonym(s): *propinquella* Eversmann,1842
63203) *Hypochalcia* *rayatella* Amsel,1959 (Pyrilidae) Synonym(s): *rayatella* Amsel,1959
63204) *Hypochalcia* *robustella* Toll,1938 (Pyrilidae) Synonym(s): *robustella* Toll,1938
63205) *Hypochalcia* *subrubiginella* Ragonot,1887 (Pyrilidae) Synonym(s): *subrubiginella* Ragonot,1887
63206) *Hypodaria* *myelosisiformis* (Hartig,1937) (Pyrilidae) Synonym(s): *myelosisiformis* Hartig,1937; *makranella* Amsel,1959.

- 63207) *Hypolophota amydrastis* Turner, 1904 (Pyralidae) Synonym(s): *amydrastis* Turner, 1904; *macromorpha* Lower, 1907
- 63208) *Hypolophota oodes* Turner, 1904 (Pyralidae) Synonym(s): *oodes* Turner, 1904; *crpsimera* Lower, 1907
- 63209) *Hyporatasia allotriella* (Herrich-Schäffer, 1855) (Pyralidae) Synonym(s): *allotriella* Herrich-Schäffer, 1855
- 63210) *Hypotia aglossalis* (Hampson, 1906) (Pyralidae) Synonym(s): *aglossalis* Hampson, 1906
- 63211) *Hypotia bleusei* Oberthür, 1888 (Pyralidae) Synonym(s): *bleusei* Oberthür, 1888
- 63212) *Hypotia bolinalis* (Walker, 1859) (Pyralidae) Synonym(s): *bolinalis* Walker, 1859; *achatina* R. Felder & Rogenhofer, 1875
- 63213) *Hypotia colchicalis* (Herrich-Schäffer, [1855]) (Pyralidae) Synonym(s): *colchicalis* Herrich-Schäffer, [1855]; *numidalis* Hampson, 1900.
- 63214) *Hypotia concatenalis* Lederer, 1858 (Pyralidae) Synonym(s): *concatenalis* Lederer, 1858
- 63215) *Hypotia corticalis* [Denis & Schiffermüller], 1775 (Pyralidae) Synonym(s): *corticalis* [Denis & Schiffermüller], 1775
- 63216) *Hypotia dinteri* Grünberg, 1910 (Pyralidae) Synonym(s): *dinteri* Grünberg, 1910
- 63217) *Hypotia fuscisectalis* Hampson, 1900 (Pyralidae) Synonym(s): *fuscisectalis* Hampson, 1900
- 63218) *Hypotia griseascens* (Warren, 1914) (Pyralidae) Synonym(s): *griseascens* Warren, 1914
- 63219) *Hypotia infulalis* Lederer, 1858 (Pyralidae) Synonym(s): *infulalis* Lederer, 1858
- 63220) *Hypotia mesopotamica* (Amsel, 1955) (Pyralidae) Synonym(s): *mesopotamica* Amsel, 1955
- 63221) *Hypotia numidalis* Hampson, 1900 (Pyralidae) Synonym(s): *numidalis* Hampson, 1900
- 63222) *Hypotia philornis* Meyrick, 1937 (Pyralidae) Synonym(s): *philornis* Meyrick, 1937
- 63223) *Hypsipyla albipartalis* (Hampson, 1910) (Pyralidae) Synonym(s): *albipartalis* Hampson, 1910
- 63224) *Hypsipyla debilis* Caradja, 1933 (Pyralidae) Synonym(s): *debilis* Caradja, 1933
- 63225) *Hypsipyla dorsimacula* Schaus, 1913 (Pyralidae) Synonym(s): *dorsimacula* Schaus, 1913
- 63226) *Hypsipyla elachistalis* Hampson, 1903 (Pyralidae) Synonym(s): *elachistalis* Hampson, 1903
- 63227) *Hypsipyla ereboneura* Meyrick, 1939 (Pyralidae) Synonym(s): *ereboneura* Meyrick, 1939
- 63228) *Hypsipyla ferrealis* (Hampson, 1929) (Pyralidae) Synonym(s): *ferrealis* Hampson, 1929
- 63229) *Hypsipyla formosana* Shiraki, 1912 (Pyralidae) Synonym(s): *formosana* Shiraki, 1912
- 63230) *Hypsipyla fulviatella* Schaus, 1913 (Pyralidae) Synonym(s): *fulviatella* Schaus, 1913
- 63231) *Hypsipyla grandella* (Zeller, 1848) (Pyralidae) Synonym(s): *grandella* Zeller, 1848; *cnabella* Dyar, 1914
- 63232) *Hypsipyla robusta* (Moore, [1886]) (Pyralidae) Synonym(s): *robusta* Moore, [1886]; *pagodella* Ragonot, 1888; *terebrans* Olliff, 1890; *scabriusculella* Ragonot, 1893
- 63233) *Hypsipyla rotundipex* Hampson, 1903 (Pyralidae) Synonym(s): *rotundipex* Hampson, 1903
- 63234) *Hypsipyla swezeyi* Tams, 1935 (Pyralidae) Synonym(s): *swezeyi* Tams, 1935
- 63235) *Hypopygia costalis* (Fabricius, 1775) (Pyralidae) Synonym(s): *costalis* Fabricius, 1775; *#lugens* Rebel, 1903; *syriaca* Zerny, 1914; *lugens* Caradja, 1917.
- 63236) *Hypopygia flavamaculata* Shaffer et al., 1996 (Pyralidae) Synonym(s): *laticilialis* Rothschild, 1916 nec Ragonot, 1891; *flavamaculata* Shaffer et al., 1996
- 63237) *Hypopygia mauritalis* (Boisduval, 1833) (Pyralidae) Synonym(s): *mauritalis* Boisduval, 1833; *lucillalis* Walker, 1859; *regalis* Walker, 1866 nec Denis & Schiff., 1775; *ducalis* Walker, 1866; *crobulus* Lucas, 1891; *laticilialis* Ragonot, 1891; *#atralis* Caradja, 1932; *pfeifferi* Amsel, 1954
- 63238) *Hypopygia polycyclophora* Hampson, 1916 (Pyralidae) Synonym(s): *polycyclophora* Hampson, 1916
- 63239) *Hypopygia postflava* (Hampson, 1893) (Pyralidae) Synonym(s): *postflava* Hampson, 1893
- 63240) *Hypopygia sanguinalis* W. Warren, 1897 (Pyralidae) Synonym(s): *sanguinalis* W. Warren, 1897
- 63241) *Hypotropa adumbratella* Ragonot, 1888 (Pyralidae) Synonym(s): *adumbratella* Ragonot, 1888
- 63242) *Hypotropa chionorhabda* Hampson, 1918 (Pyralidae) Synonym(s): *chionorhabda* Hampson, 1918
- 63243) *Hypotropa contrastella* (Ragonot, 1888) (Pyralidae) Synonym(s): *contrastella* Ragonot, 1888
- 63244) *Hypotropa formosalis* Strand, 1919 (Pyralidae) Synonym(s): *formosalis* Strand, 1919
- 63245) *Hypotropa graptophlebia* Hampson, 1918 (Pyralidae) Synonym(s): *graptophlebia* Hampson, 1918
- 63246) *Hypotropa grassa* Strand, 1919 (Pyralidae) Synonym(s): *grassa* Strand, 1919
- 63247) *Hypotropa ichorella* (Lederer, 1855) (Pyralidae) Synonym(s): *ichorella* Lederer, 1855
- 63248) *Hypotropa infumata* Ragonot, 1901 (Pyralidae) Synonym(s): *infumata* Ragonot, 1901
- 63249) *Hypotropa leucophlebiella* (Ragonot, 1888) (Pyralidae) Synonym(s): *leucophlebiella* Ragonot, 1888
- 63250) *Hypotropa limbella* Zeller, 1848 (Pyralidae) Synonym(s): *limbella* Zeller, 1848
- 63251) *Hypotropa makulanella* Joannis, 1927 (Pyralidae) Synonym(s): *makulanella* Joannis, 1927
- 63252) *Hypotropa ochricostella* Hampson, 1918 (Pyralidae) Synonym(s): *ochricostella* Hampson, 1918
- 63253) *Hypotropa paucipunctella* Ragonot, 1895 (Pyralidae) Synonym(s): *paucipunctella* Ragonot, 1895
- 63254) *Hypotropa polyactinia* (Hampson, 1901) (Pyralidae) Synonym(s): *polyactinia* Hampson, 1901
- 63255) *Hypotropa rhodochroella* Hampson, 1918 (Pyralidae) Synonym(s): *rhodochroella* Hampson, 1918
- 63256) *Hypotropa sabulella* (Zeller, 1852) (Pyralidae) Synonym(s): *sabulella* Zeller, 1852
- 63257) *Hypotropa subcostella* Hampson, 1918 (Pyralidae) Synonym(s): *subcostella* Hampson, 1918
- 63258) *Hypotropa syriacella* Ragonot, 1888 (Pyralidae) Synonym(s): *syriacella* Ragonot, 1888
- 63259) *Hypotropa tripartalis* Hampson, 1918 (Pyralidae) Synonym(s): *tripartalis* Hampson, 1918
- 63260) *Hypotropa unipunctella* Ragonot, 1888 (Pyralidae) Synonym(s): *unipunctella* Ragonot, 1888
- 63261) *Hypotropa vulneratella* (Zeller, 1847) (Pyralidae) Synonym(s): *vulneratella* Zeller, 1847; *roseistrigella* Ragonot, 1901.
- 63262) *Iangaigheria conisella* (Hampson, 1926) (Pyralidae) Synonym(s): *conisella* Hampson, 1926
- 63263) *Iangaigheria conisella* (Hampson, 1926) (Pyralidae) Synonym(s): *conisella* Hampson, 1926
- 63264) *Iangaigheria heterotypa* (Balinsky, 1994) (Pyralidae) Synonym(s): *heterotypa* Balinsky, 1994
- 63265) *Iangaigheria heterotypa heterotypa* (Balinsky, 1994) (Pyralidae) Synonym(s): *heterotypa* Balinsky, 1994
- 63266) *Iangaigheria hypolepias* (De Joannis, 1927) (Pyralidae) Synonym(s): *hypolepias* De Joannis, 1927
- 63267) *Iangaigheria hypolepias hypolepias* (De Joannis, 1927) (Pyralidae) Synonym(s): *hypolepias* De Joannis, 1927
- 63268) *Iangaigheria jansei* (Balinsky, 1994) (Pyralidae) Synonym(s): *jansei* Balinsky, 1994
- 63269) *Iangaigheria jansei jansei* (Balinsky, 1994) (Pyralidae) Synonym(s): *jansei* Balinsky, 1994
- 63270) *Iangaigheria poliopasta* (Balinsky, 1994) (Pyralidae) Synonym(s): *poliopasta* Balinsky, 1994
- 63271) *Iangaigheria poliopasta poliopasta* (Balinsky, 1994) (Pyralidae) Synonym(s): *poliopasta* Balinsky, 1994
- 63272) *Iangaigheria semiales* (Balinsky, 1994) (Pyralidae) Synonym(s): *semiales* Balinsky, 1994
- 63273) *Iangaigheria semiales semiales* (Balinsky, 1994) (Pyralidae) Synonym(s): *semiales* Balinsky, 1994
- 63274) *Ilithya festivella* (Zeller, 1848) (Pyralidae) Synonym(s): *festivella* Zeller, 1848
- 63275) *Ilithya hilarella* (Ragonot, 1888) (Pyralidae) Synonym(s): *hilarella* Ragonot, 1888
- 63276) *Ilithya lateritalis* (Walker, 1863) (Pyralidae) Synonym(s): *lateritalis* Walker, 1863
- 63277) *Ilithya oegnusalis* (Walker, 1859) (Pyralidae) Synonym(s): *oegnusalis* Walker, 1859
- 63278) *Ilithya stibiella* (Snellen, 1872) (Pyralidae) Synonym(s): *stibiella* Snellen, 1872
- 63279) *Ilithya taiwanensis* Shibuya, 1928 (Pyralidae) Synonym(s): *taiwanensis* Shibuya, 1928
- 63280) *Indomalaya flabellifera* (Hampson, 1896) (Pyralidae) Synonym(s): *flabellifera* Hampson, 1896
- 63281) *Indomalaya melanella* Roesler, 1983 (Pyralidae) Synonym(s): *melanella* Roesler, 1983
- 63282) *Indomyrtae euchmodes* (Turner, 1905) (Pyralidae) Synonym(s): *euchmodes* Turner, 1905; *anaxia* Turner, 1947
- 63283) *Indomyrtae eugraphella* (Ragonot, 1888) (Pyralidae) Synonym(s): *eugraphella* Ragonot, 1888
- 63284) *Indomyrtae kalmasapada* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *kalmasapada* Roesler & Küppers, 1979
- 63285) *Indomyrtae sutasoma* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *sutasoma* Roesler & Küppers, 1979
- 63286) *Ingridiola conchyliella* Ragonot, 1887 (Pyralidae) Synonym(s): *conchyliella* Ragonot, 1887
- 63287) *Iranarpia albalis* (Amsel, 1961) (Pyralidae) Synonym(s): *albalis* Amsel, 1961
- 63288) *Iranarpia silacealis* (Amsel, 1951) (Pyralidae) Synonym(s): *silacealis* Amsel, 1951
- 63289) *Iraniodes bilinealis* Amsel, 1961 (Pyralidae) Synonym(s): *bilinealis* Amsel, 1961
- 63290) *Isauria dilucidella* (Duponchel, 1836) (Pyralidae) Synonym(s): *dilucidella* Duponchel, 1836; *ilignella* Zeller, 1839; *laternella* Eversmann, 1844; *crepusculella* Lederer, 1870; *incredibilis* Staudinger, 1879; *subsortitella* Ragonot, 1887; *satanella* Ragonot, 1887; *odontella* Ragonot, 1893; *ledereri* Ragonot, 1893; *cuencella* Caradja, 1916; *gabalitella* Chrétien, 1931; *griseascens* Lucas, 1950; *parvella* Amsel, 1951; *shahidanella* Amsel, 1970
- 63291) *Isauria kuldgensis* Ragonot, 1887 (Pyralidae) Synonym(s): *kuldgensis* Ragonot, 1887
- 63292) *Ischnurges bagoasalis* Druce, 1899 (Pyralidae) Synonym(s): *bagoasalis* Druce, 1899

- 63293) *Ischnurges gratosialis* (Walker,1859) (Pyralidae) Synonym(s): *gratosialis* Walker,1859
63294) *Ischnurges illustralis* Lederer,1863 (Pyralidae) Synonym(s): *illustralis* Lederer,1863; *autolitha* Meyrick,1886
63295) *Ischnurges lancinalis* (Guenée,1854) (Pyralidae) Synonym(s): *lancinalis* Guenée,1854; *expeditalis* Lederer,1863
63296) *Ischnurges octoguttalis* (R.Felder & Rogenhofer,1874) (Pyralidae) Synonym(s): *octoguttalis* R.Felder & Rogenhofer,1874
63297) *Ischnurges rhodographalis* Hampson,1913 (Pyralidae) Synonym(s): *rhodographalis* Hampson,1913
63298) *Isocentris charopalis* Swinhoe,1907 (Pyralidae) Synonym(s): *charopalis* Swinhoe,1907
63299) *Isocentris filalis* (Guenée,1854) (Pyralidae) Synonym(s): *filalis* Guenée,1854; *rhodophilalis* Walker,[1866]; *amoenalis* Walker,[1866]; *dives* Butler,1870
63300) *Isocentris phoenicozona* Hampson,1896 (Pyralidae) Synonym(s): *phoenicozona* Hampson,1896
63301) *Jacutscia strigata* Hampson,1930 (Pyralidae) Synonym(s): *strigata* Hampson,1930
63302) *Japonichilo bleszynskii* Okano,1962 (Pyralidae) Synonym(s): *bleszynskii* Okano,1962
63303) *Japonicrambus bilineatus* (Okano,1957) (Pyralidae) Synonym(s): *bilineatus* Okano,1957
63304) *Japonicrambus ishizukai* Okano,1962 (Pyralidae) Synonym(s): *ishizukai* Okano,1962
63305) *Juania annulata* Aurivillius,1922 (Pyralidae) Synonym(s): *annulata* Aurivillius,1922
63306) *Kasania arundinalis* (Eversmann,1842) (Pyralidae) Synonym(s): *arundinalis* Eversmann,1842
63307) *Kasyapa khasa* Roesler & Küppers,1981 (Pyralidae) Synonym(s): *khasa* Roesler & Küppers,1981
63308) *Kasyapa medana* Roesler & Küppers,1981 (Pyralidae) Synonym(s): *medana* Roesler & Küppers,1981
63309) *Katja mira* Amsel,1951 (Pyralidae) Synonym(s): *mira* Amsel,1951
63310) *Kaurava destarata* Roesler & Küppers,1981 (Pyralidae) Synonym(s): *destarata* Roesler & Küppers,1981
63311) *Kaurava rufimarginella* (Hampson,1896) (Pyralidae) Synonym(s): *rufimarginella* Hampson,1896
63312) *Keradere lepidella* (Ragonot,1887) (Pyralidae) Synonym(s): *lepidella* Ragonot,1887
63313) *Keradere tengstroemiella* (Erschoff,1874) (Pyralidae) Synonym(s): *tengstroemiella* Erschoff,1874; *noctivaga* Staudinger,1879.
63314) *Kerbela monotona* Amsel,1949 (Pyralidae) Synonym(s): *monotona* Amsel,1949
63315) *Kerbela turcomanica* (Christoph,1877) (Pyralidae) Synonym(s): *turcomanica* Christoph,1877
63316) *Ketambeia venustella* (Hampson,1896) (Pyralidae) Synonym(s): *venustella* Hampson,1896
63317) *Khorassania compositella* (Treitschke,1835) (Pyralidae) Synonym(s): *compositella* Treitschke,1835; *murinella* Heinemann,1865; *senescens* Heinemann,1865; *kalischella* Staudinger,1870; *iconiensis* Caradja,1910.
63318) *Khorassania gracilis* (Rothschild,1921) (Pyralidae) Synonym(s): *gracilis* Rothschild,1921
63319) *Khorassania hartigi* Amsel,1951 (Pyralidae) Synonym(s): *hartigi* Amsel,1951
63320) *Khorassania imitella* (Ragonot,1893) (Pyralidae) Synonym(s): *imitella* Ragonot,1893
63321) *Khorassania incongruella* (W.Warren,1914) (Pyralidae) Synonym(s): *incongruella* W.Warren,1914
63322) *Khorassania marocana* (Lucas,1954) (Pyralidae) Synonym(s): *marocana* Lucas,1954
63323) *Khuzistania richteri* Amsel,1959 (Pyralidae) Synonym(s): *richteri* Amsel,1959
63324) *Kivia longisacculata* Balinsky,1994 (Pyralidae) Synonym(s): *longisacculata* Balinsky,1994
63325) *Kivia longisacculata longisacculata* Balinsky,1994 (Pyralidae) Synonym(s): *longisacculata* Balinsky,1994
63326) *Klimeschiola philetella* (Rebel,1916) (Pyralidae) Synonym(s): *philetella* Rebel,1916
63327) *Kobesia lutzii* Roesler,1983 (Pyralidae) Synonym(s): *lutzii* Roesler,1983
63328) *Krombia belutschistanalis* Amsel,1961 (Pyralidae) Synonym(s): *belutschistanalis* Amsel,1961
63329) *Krombia djergiralis* Chrétien,1911 (Pyralidae) Synonym(s): *djergiralis* Chrétien,1911
63330) *Krombia harralis* Chrétien,1911 (Pyralidae) Synonym(s): *harralis* Chrétien,1911
63331) *Krombia minimella* Amsel,1961 (Pyralidae) Synonym(s): *minimella* Amsel,1961
63332) *Krombia pulchella* Amsel,1949 (Pyralidae) Synonym(s): *pulchella* Amsel,1949
63333) *Krombia pulchella farsella* Amsel,1961 (Pyralidae) Synonym(s): *farsella* Amsel,1961
63334) *Krombia pulchella pulchella* Amsel,1949 (Pyralidae) Synonym(s): *pulchella* Amsel,1949
63335) *Krombia venturalis* Luquet & Minet,1982 (Pyralidae) Synonym(s): *venturalis* Luquet & Minet,1982
63336) *Krombia zarcinella* Lucas,1909 (Pyralidae) Synonym(s): *zarcinella* Lucas,1909
63337) *Kupea electilis* Philpott,1930 (Pyralidae) Synonym(s): *electilis* Philpott,1930
63338) *Lacalma albirufalis* (Hampson,1916) (Pyralidae) Synonym(s): *albirufalis* Hampson,1916; *diaprepes* Turner,1925
63339) *Lacalma ferrealis* (Hampson,1906) (Pyralidae) Synonym(s): *ferrealis* Hampson,1906
63340) *Lacalma mniomima* (Turner,1913) (Pyralidae) Synonym(s): *mniomima* Turner,1913
63341) *Lacalma papuensis* (Warren,1891) (Pyralidae) Synonym(s): *papuensis* Warren,1891
63342) *Lacalma poryphryealis* (Kenrick,1907) (Pyralidae) Synonym(s): *poryphryealis* Kenrick,1907
63343) *Laetilia hebraica* Joannis,1927 (Pyralidae) Synonym(s): *hebraica* Joannis,1927
63344) *Laetilia loxogramma* (Staudinger,1870) (Pyralidae) Synonym(s): *loxogramma* Staudinger,1870.
63345) *Lamacha tortricalis* (Walker,[1866]) (Pyralidae) Synonym(s): *tortricalis* Walker,[1866]
63346) *Lambaesia caradjae* Rebel,1903 (Pyralidae) Synonym(s): *caradjae* Rebel,1903
63347) *Lambaesia fumosella* (Ragonot,1887) (Pyralidae) Synonym(s): *fumosella* Ragonot,1887; *noctileucella* Ragonot,1887.
63348) *Lambaesia pistrinariella* (Ragonot,1887) (Pyralidae) Synonym(s): *pistrinariella* Ragonot,1887; *acomptella* Ragonot,1888
63349) *Lambaesia pyraustella* (Zerny,1914) (Pyralidae) Synonym(s): *pyraustella* Zerny,1914
63350) *Lambaesia straminella* (Zerny,1914) (Pyralidae) Synonym(s): *straminella* Zerny,1914; *alphaltopis* Meyrick,1937.
63351) *Lamida buruensis* Janse,1931 (Pyralidae) Synonym(s): *buruensis* Janse,1931
63352) *Lamida mediobarbalis* Hampson,1916 (Pyralidae) Synonym(s): *mediobarbalis* Hampson,1916
63353) *Lamida moncusalis* Walker,1858 (Pyralidae) Synonym(s): *moncusalis* Walker,1858; *penicillata* Walker,1863; *obscura* Moore,1888; *inimica* Snellen,1890.
63354) *Lamida perdentalis* Kenrick (Pyralidae) Synonym(s): *perdentalis* Kenrick
63355) *Lamida sordidalis* Hampson,1916 (Pyralidae) Synonym(s): *sordidalis* Hampson,1916
63356) *Lamoria adaptella* (Walker,1863) (Pyralidae) Synonym(s): *adaptella* Walker,1863; *planalis* Walker,1863; *foedella* Walker,1866; *fusconervella* Ragonot,1888; *anella* Hampson,1896 nec Denis & Schiffermüller,[1775].
63357) *Lamoria anella* (Denis & Schiffermüller),1775 (Pyralidae) Synonym(s): *anella* [Denis & Schiffermüller],1775
63358) *Lamoria attamasca* Whalley,1964 (Pyralidae) Synonym(s): *attamasca* Whalley,1964
63359) *Lamoria brevinaevella* Zerny,1934 (Pyralidae) Synonym(s): *brevinaevella* Zerny,1934
63360) *Lamoria caffrella* (Ragonot,1888) (Pyralidae) Synonym(s): *caffrella* Ragonot,1888
63361) *Lamoria caffrella caffrella* (Ragonot,1888) (Pyralidae) Synonym(s): *caffrella* Ragonot,1888
63362) *Lamoria eumeces* (Turner,1913) (Pyralidae) Synonym(s): *eumeces* Turner,1913
63363) *Lamoria exiguata* Whalley,1864 (Pyralidae) Synonym(s): *exiguata* Whalley,1864
63364) *Lamoria idiolepidia* Turner,1922 (Pyralidae) Synonym(s): *idiolepidia* Turner,1922
63365) *Lamoria imbella* (Walker,1864) (Pyralidae) Synonym(s): *imbella* Walker,1864; *obsurella* Saalmüller,1880
63366) *Lamoria imbella imbella* (Walker,1864) (Pyralidae) Synonym(s): *imbella* Walker,1864; *obsurella* Saalmüller,1880
63367) *Lamoria inostentalis* (Walker,1863) (Pyralidae) Synonym(s): *inostentalis* Walker,1863
63368) *Lamoria jordanis* Ragonot,1901 (Pyralidae) Synonym(s): *jordanis* Ragonot,1901
63369) *Lamoria medianalis* Hampson,1917 (Pyralidae) Synonym(s): *medianalis* Hampson,1917
63370) *Lamoria oenochroa* Turner,1905 (Pyralidae) Synonym(s): *oenochroa* Turner,1905
63371) *Lamoria pachylepidella* Hampson,1901 (Pyralidae) Synonym(s): *pachylepidella* Hampson,1901
63372) *Lamoria pallens* Whalley,1964 (Pyralidae) Synonym(s): *pallens* Whalley,1964
63373) *Lamoria ruficostella* Ragonot,1888 (Pyralidae) Synonym(s): *ruficostella* Ragonot,1888
63374) *Lamoria surrufa* Whalley,1964 (Pyralidae) Synonym(s): *surrufa* Whalley,1964
63375) *Lamprophaia ablactalis* (Walker,1859) (Pyralidae) Synonym(s): *ablactalis* Walker,1859; *murinalis* Pagenstecher,1885
63376) *Lamprophaia albifimbrialis* (Walker,[1866]) (Pyralidae) Synonym(s): *albifimbrialis* Walker,[1866]
63377) *Lamprosema bianoralis* (Walker,1859) (Pyralidae) Synonym(s): *bianoralis* Walker,1859
63378) *Lamprosema biformis* (Butler,1889) (Pyralidae) Synonym(s): *biformis* Butler,1889
63379) *Lamprosema chagosalis* (Fletcher,1911) (Pyralidae) Synonym(s): *chagosalis* Fletcher,1911

- 63380) *Lamprosema charesalis* (Walker, 1859) (Pyralidae) Synonym(s): *charesalis* Walker, 1859
63381) *Lamprosema chysorycta* (Meyrick, 1884) (Pyralidae) Synonym(s): *chysorycta* Meyrick, 1884
63382) *Lamprosema commixta* (Butler, 1879) (Pyralidae) Synonym(s): *commixta* Butler, 1879
63383) *Lamprosema diaphanalis* Schaus, 1920 (Pyralidae) Synonym(s): *diaphanalis* Schaus, 1920
63384) *Lamprosema hottentota* Hampson, 1918 (Pyralidae) Synonym(s): *hottentota* Hampson, 1918
63385) *Lamprosema indicata* (Fabricius, 1775) (Pyralidae) Synonym(s): *indicata* Fabricius, 1775; *vulgalis* Guenée, 1854; *sabalis* Walker, 1859; *moeliusalis* Walker, 1859; *reductalis* Walker, 1865; *connexalis* Walker, [1866]; *dolosalis* Möschler, 1881; *dnopheralis* Mabille, 1900; *lionmetalalis* Legrand, 1965
63386) *Lamprosema karenkonalis* Shibuya, 1928 (Pyralidae) Synonym(s): *karenkonalis* Shibuya, 1928
63387) *Lamprosema ommatalis* (Hampson, 1912) (Pyralidae) Synonym(s): *ommatalis* Hampson, 1912
63388) *Lamprosema tristrialis* (Bremer, 1864) (Pyralidae) Synonym(s): *tristrialis* Bremer, 1864
63389) *Laodamia affinis* Balinsky, 1994 (Pyralidae) Synonym(s): *affinis* Balinsky, 1994
63390) *Laodamia affinis affinis* Balinsky, 1994 (Pyralidae) Synonym(s): *affinis* Balinsky, 1994
63391) *Laodamia dubia* Balinsky, 1994 (Pyralidae) Synonym(s): *dubia* Balinsky, 1994
63392) *Laodamia dubia dubia* Balinsky, 1994 (Pyralidae) Synonym(s): *dubia* Balinsky, 1994
63393) *Laodamia faecella* (Zeller, 1839) (Pyralidae) Synonym(s): *faecella* Zeller, 1839
63394) *Laodamia glaucocephalis* Balinsky, 1994 (Pyralidae) Synonym(s): *glaucocephalis* Balinsky, 1994
63395) *Laodamia glaucocephalis glaucocephalis* Balinsky, 1994 (Pyralidae) Synonym(s): *glaucocephalis* Balinsky, 1994
63396) *Laodamia grisella* Balinsky, 1994 (Pyralidae) Synonym(s): *grisella* Balinsky, 1994
63397) *Laodamia grisella grisella* Balinsky, 1994 (Pyralidae) Synonym(s): *grisella* Balinsky, 1994
63398) *Laodamia homotipa* Balinsky, 1994 (Pyralidae) Synonym(s): *homotipa* Balinsky, 1994
63399) *Laodamia homotipa homotipa* Balinsky, 1994 (Pyralidae) Synonym(s): *homotipa* Balinsky, 1994
63400) *Laodamia horrens* Balinsky, 1994 (Pyralidae) Synonym(s): *horrens* Balinsky, 1994
63401) *Laodamia horrens horrens* Balinsky, 1994 (Pyralidae) Synonym(s): *horrens* Balinsky, 1994
63402) *Laodamia hortensis* Balinsky, 1994 (Pyralidae) Synonym(s): *hortensis* Balinsky, 1994
63403) *Laodamia hortensis hortensis* Balinsky, 1994 (Pyralidae) Synonym(s): *hortensis* Balinsky, 1994
63404) *Laodamia inermis* Balinsky, 1994 (Pyralidae) Synonym(s): *inermis* Balinsky, 1994
63405) *Laodamia inermis inermis* Balinsky, 1994 (Pyralidae) Synonym(s): *inermis* Balinsky, 1994
63406) *Laodamia injucunda* Balinsky, 1994 (Pyralidae) Synonym(s): *injucunda* Balinsky, 1994
63407) *Laodamia injucunda injucunda* Balinsky, 1994 (Pyralidae) Synonym(s): *injucunda* Balinsky, 1994
63408) *Laodamia karkloofensis* Balinsky, 1994 (Pyralidae) Synonym(s): *karkloofensis* Balinsky, 1994
63409) *Laodamia karkloofensis karkloofensis* Balinsky, 1994 (Pyralidae) Synonym(s): *karkloofensis* Balinsky, 1994
63410) *Laodamia lugubris* Balinsky, 1994 (Pyralidae) Synonym(s): *lugubris* Balinsky, 1994
63411) *Laodamia lugubris lugubris* Balinsky, 1994 (Pyralidae) Synonym(s): *lugubris* Balinsky, 1994
63412) *Laodamia natalensis* (Ragonot, 1888) (Pyralidae) Synonym(s): *natalensis* Ragonot, 1888
63413) *Laodamia natalensis natalensis* (Ragonot, 1888) (Pyralidae) Synonym(s): *natalensis* Ragonot, 1888
63414) *Laodamia nigerrima* Balinsky, 1994 (Pyralidae) Synonym(s): *nigerrima* Balinsky, 1994
63415) *Laodamia nigerrima nigerrima* Balinsky, 1994 (Pyralidae) Synonym(s): *nigerrima* Balinsky, 1994
63416) *Laodamia nonplagella* Balinsky, 1994 (Pyralidae) Synonym(s): *nonplagella* Balinsky, 1994
63417) *Laodamia nonplagella nonplagella* Balinsky, 1994 (Pyralidae) Synonym(s): *nonplagella* Balinsky, 1994
63418) *Laodamia ochreomelanella* (Ragonot, 1888) (Pyralidae) Synonym(s): *ochreomelanella* Ragonot, 1888
63419) *Laodamia ochreomelanella ochreomelanella* (Ragonot, 1888) (Pyralidae) Synonym(s): *ochreomelanella* Ragonot, 1888
63420) *Laodamia polygraphella* Joannis, 1927 (Pyralidae) Synonym(s): *polygraphella* Joannis, 1927; *stictoglauella* Hampson, 1930
63421) *Laodamia polygraphella polygraphella* Joannis, 1927 (Pyralidae) Synonym(s): *polygraphella* Joannis, 1927; *stictoglauella* Hampson, 1930
63422) *Laodamia pulchra* Balinsky, 1994 (Pyralidae) Synonym(s): *pulchra* Balinsky, 1994
63423) *Laodamia pulchra pulchra* Balinsky, 1994 (Pyralidae) Synonym(s): *pulchra* Balinsky, 1994
63424) *Laodamia salisburyensis* Balinsky, 1994 (Pyralidae) Synonym(s): *salisburyensis* Balinsky, 1994
63425) *Laodamia salisburyensis salisburyensis* Balinsky, 1994 (Pyralidae) Synonym(s): *salisburyensis* Balinsky, 1994
63426) *Laodamia sarniensis* Balinsky, 1994 (Pyralidae) Synonym(s): *sarniensis* Balinsky, 1994
63427) *Laodamia sarniensis sarniensis* Balinsky, 1994 (Pyralidae) Synonym(s): *sarniensis* Balinsky, 1994
63428) *Laodamia similis* Balinsky, 1994 (Pyralidae) Synonym(s): *similis* Balinsky, 1994
63429) *Laodamia similis similis* Balinsky, 1994 (Pyralidae) Synonym(s): *similis* Balinsky, 1994
63430) *Laodamia spiculata* Balinsky, 1994 (Pyralidae) Synonym(s): *spiculata* Balinsky, 1994
63431) *Laodamia spiculata spiculata* Balinsky, 1994 (Pyralidae) Synonym(s): *spiculata* Balinsky, 1994
63432) *Laodamia spissa* Balinsky, 1994 (Pyralidae) Synonym(s): *spissa* Balinsky, 1994
63433) *Laodamia spissa spissa* Balinsky, 1994 (Pyralidae) Synonym(s): *spissa* Balinsky, 1994
63434) *Laodamia squamata* Balinsky, 1994 (Pyralidae) Synonym(s): *squamata* Balinsky, 1994
63435) *Laodamia squamata squamata* Balinsky, 1994 (Pyralidae) Synonym(s): *squamata* Balinsky, 1994
63436) *Laodamia zoetendalensis* Balinsky, 1994 (Pyralidae) Synonym(s): *zoetendalensis* Balinsky, 1994
63437) *Laodamia zoetendalensis zoetendalensis* Balinsky, 1994 (Pyralidae) Synonym(s): *zoetendalensis* Balinsky, 1994
63438) *Laristania sardzella* Amsel, 1951 (Pyralidae) Synonym(s): *sardzella* Amsel, 1951
63439) *Larodryas haplocala* Turner, 1922 (Pyralidae) Synonym(s): *haplocala* Turner, 1922
63440) *Lasiosticha antelia* (Meyrick, 1885) (Pyralidae) Synonym(s): *antelia* Meyrick, 1885
63441) *Lasiosticha canilinea* (Meyrick, 1879) (Pyralidae) Synonym(s): *canilinea* Meyrick, 1879
63442) *Lasiosticha microcosma* Lower, 1893 (Pyralidae) Synonym(s): *microcosma* Lower, 1893
63443) *Lasiosticha opimella* (Meyrick, 1879) (Pyralidae) Synonym(s): *opimella* Meyrick, 1879
63444) *Lasiosticha thermochroa* (Lower, 1896) (Pyralidae) Synonym(s): *thermochroa* Lower, 1896
63445) *Latagognoma dacryodes* Tams, 1935 (Pyralidae) Synonym(s): *dacryodes* Tams, 1935
63446) *Leechia sinuosalis* South, 1901 (Pyralidae) Synonym(s): *sinuosalis* South, 1901
63447) *Leonardo davincii* Bleszynski, 1965 (Pyralidae) Synonym(s): *davincii* Bleszynski, 1965
63448) *Lepidogma jordanalis* Rebel, 1902 (Pyralidae) Synonym(s): *jordanalis* Rebel, 1902
63449) *Lepidogma melanobasis* Hampson, 1906 (Pyralidae) Synonym(s): *melanobasis* Hampson, 1906
63450) *Lepidogma melanolopha* Hampson, 1912 ? (Pyralidae) Synonym(s): *melanolopha* Hampson, 1912
63451) *Lepidogma rubricalis* Hampson, 1906 (Pyralidae) Synonym(s): *rubricalis* Hampson, 1906
63452) *Lepidogma rufescens* Hampson, 1896 (Pyralidae) Synonym(s): *rufescens* Hampson, 1896
63453) *Lepidogma tamaricalis* (Mann, 1873) (Pyralidae) Synonym(s): *tamaricalis* Mann, 1873; *obatalis* Christoph, 1876; *vafera* Swinhoe, 1884
63454) *Lepidogma tripartita* Wileman & South, 1917 (Pyralidae) Synonym(s): *tripartita* Wileman & South, 1917
63455) *Lepidoneura grisealis* Hampson, 1900 (Pyralidae) Synonym(s): *grisealis* Hampson, 1900
63456) *Lepidoneura longipalpis* (Swinhoe, 1894) (Pyralidae) Synonym(s): *longipalpis* Swinhoe, 1894
63457) *Leptarchis intervaccatalis* (Christoph, 1877) (Pyralidae) Synonym(s): *intervaccatalis* Christoph, 1877; *psologramma* Meyrick, 1937
63458) *Leucargyra puralis* Hampson, 1896 (Pyralidae) Synonym(s): *puralis* Hampson, 1896
63459) *Leucargyra xanthiceps* Hampson, 1910 (Pyralidae) Synonym(s): *xanthiceps* Hampson, 1910
63460) *Leucinodes apicalis* Hampson, 1896 (Pyralidae) Synonym(s): *apicalis* Hampson, 1896
63461) *Leucinodes insolitalis* Walker, 1862 (Pyralidae) Synonym(s): *insolitalis* Walker, 1862
63462) *Leucinodes orbonalis* Guenée, 1854 (Pyralidae) Synonym(s): *orbonalis* Guenée, 1854
63463) *Leucinodes translucidalis* Gaede, 1917 (Pyralidae) Synonym(s): *translucidalis* Gaede, 1917
63464) *Leucinodes vagans* (Tutt, 1890) (Pyralidae) Synonym(s): *vagans* Tutt, 1890; *longipalpis* Warren, 1892
63465) *Leucoides fuscicostalis* Hampson, 1893 (Pyralidae) Synonym(s): *fuscicostalis* Hampson, 1893
63466) *Leucophotis pulchra* Butler, 1886 (Pyralidae) Synonym(s): *pulchra* Butler, 1886
63467) *Leviantenna ferox* Balinsky, 1994 (Pyralidae) Synonym(s): *ferox* Balinsky, 1994
63468) *Limbobotys foochowensis* Munroe & Mutuura, 1970 (Pyralidae) Synonym(s): *foochowensis* Munroe & Mutuura, 1970

- 63469) *Limbototys hainanensis* Munroe & Mutuura, 1970 (Pyralidae) Synonym(s): *hainanensis* Munroe & Mutuura, 1970
 63470) *Lioprosopa adenocera* (Turner, 1923) (Pyralidae) Synonym(s): *adenocera* Turner, 1923
 63471) *Lioprosopa albivena* (Turner, 1947) (Pyralidae) Synonym(s): *albivena* Turner, 1947
 63472) *Lioprosopa amictodes* (Turner, 1947) (Pyralidae) Synonym(s): *amictodes* Turner, 1947
 63473) *Lioprosopa argosticha* (Turner, 1913) (Pyralidae) Synonym(s): *argosticha* Turner, 1913
 63474) *Lioprosopa haploa* Turner, 1947 (Pyralidae) Synonym(s): *haploa* Turner, 1947
 63475) *Lioprosopa microrrhoda* (Turner, 1923) (Pyralidae) Synonym(s): *microrrhoda* Turner, 1923
 63476) *Lioprosopa neuricella* (Hampson, 1918) (Pyralidae) Synonym(s): *neuricella* Hampson, 1918
 63477) *Lioprosopa polioistica* Turner, 1947 (Pyralidae) Synonym(s): *polioistica* Turner, 1947
 63478) *Lioprosopa rhadinodes* Turner, 1947 (Pyralidae) Synonym(s): *rhadinodes* Turner, 1947
 63479) *Lioprosopa rhanthista* Turner, 1947 (Pyralidae) Synonym(s): *rhanthista* Turner, 1947
 63480) *Lioprosopa rhodobaphella* (Ragonot, 1888) (Pyralidae) Synonym(s): *rhodobaphella* Ragonot, 1888; *chlorogramma* Meyrick, 1889; *clepsiphronica* Turner, 1947
 63481) *Lioprosopa rhodosticha* (Turner, 1904) (Pyralidae) Synonym(s): *rhodosticha* Turner, 1904
 63482) *Lipararchis aspilus* (Turner, 1915) (Pyralidae) Synonym(s): *aspilus* Turner, 1915
 63483) *Lipararchis tranquillalis* (Lederer, 1863) (Pyralidae) Synonym(s): *tranquillalis* Lederer, 1863; *affinis* Rothschild, 1915
 63484) *Lista ficki* Christoph, 1881 (Pyralidae) Synonym(s): *ficki* Christoph, 1881
 63485) *Lixa* sp.A (Pyralidae) Synonym(s):
 63486) *Locastra ardua* Swinhoe, 1902 (Pyralidae) Synonym(s): *ardua* Swinhoe, 1902
 63487) *Locastra crassipennis* (Walker, 1857) (Pyralidae) Synonym(s): *crassipennis* Walker, 1857
 63488) *Locastra muscosalis* (Walker, [1866]) (Pyralidae) Synonym(s): *muscosalis* Walker, [1866]
 63489) *Lodiana anerastica* (Snellen, 1879) (Pyralidae) Synonym(s): *anerastica* Snellen, 1879
 63490) *Lophothoracia omphalella* Hampson, 1901 (Pyralidae) Synonym(s): *omphalella* Hampson, 1901
 63491) *Lophothoracia orthozona* (Lower, 1903) (Pyralidae) Synonym(s): *orthozona* Lower, 1903
 63492) *Loryma athalialis* (Walker, 1859) (Pyralidae) Synonym(s): *athalialis* Walker, 1859; *cultralis* Snellen, 1872; *milloti* Viette, 1949
 63493) *Loryma recusata* (Walker, [1863]) (Pyralidae) Synonym(s): *recusata* Walker, [1863]; *venosella* Walker, 1866; *philornis* Meyrick, 1937
 63494) *Loryma sentiusalis* Walker, 1859 (Pyralidae) Synonym(s): *sentiusalis* Walker, 1859
 63495) *Lorymodes digonialis* (Hampson, 1906) (Pyralidae) Synonym(s): *digonialis* Hampson, 1906; *#diagonalis* Hampson, 1917
 63496) *Lorymodes stenopteralis* Hampson, 1917 (Pyralidae) Synonym(s): *stenopteralis* Hampson, 1917
 63497) *Loxmaionia megale* Schaus, 1913 (Pyralidae) Synonym(s): *megale* Schaus, 1913
 63498) *Loxocrambus awemensis* McDunnough, 1929 (Pyralidae) Synonym(s): *awemensis* McDunnough, 1929
 63499) *Loxocrambus canellus* Forbes, 1920 (Pyralidae) Synonym(s): *canellus* Forbes, 1920
 63500) *Loxocrambus mohaviellus* Forbes, 1920 (Pyralidae) Synonym(s): *mohaviellus* Forbes, 1920
 63501) *Loxomorpha amseli* Munroe, 1995 (Pyralidae) Synonym(s): *citrinalis* Amsel, 1956 nec Möschl., 1890; *amseli* Munroe, 1995
 63502) *Loxomorpha cambogialis* (Guenée, 1854) (Pyralidae) Synonym(s): *cambogialis* Guenée, 1854; *lucilla* Butler, 1878; *citrinalis* Möschler, 1890
 63503) *Loxomorpha flavidissimalis* (Grote, 1878) (Pyralidae) Synonym(s): *flavidissimalis* Grote, 1878
 63504) *Loxophantis pretoriella* Bleszynski, 1970 (Pyralidae) Synonym(s): *pretoriella* Bleszynski, 1970
 63505) *Loxophantis triplecta* Meyrick, 1935 (Pyralidae) Synonym(s): *triplecta* Meyrick, 1935
 63506) *Loxostege aemulalis* (Dognin, 1905) (Pyralidae) Synonym(s): *aemulalis* Dognin, 1905
 63507) *Loxostege aeruginalis* (Hübner, 1796) (Pyralidae) Synonym(s): *aeruginalis* Hübner, 1796
 63508) *Loxostege albicerialis* (Grote, 1878) (Pyralidae) Synonym(s): *albicerialis* Grote, 1878
 63509) *Loxostege albifascialis* (Hampson, 1896) (Pyralidae) Synonym(s): *albifascialis* Hampson, 1896
 63510) *Loxostege allectalis* (Grote, 1877) (Pyralidae) Synonym(s): *allectalis* Grote, 1877; *perplexalis* Fernald, 1885
 63511) *Loxostege anartalis* (Grote, 1877) (Pyralidae) Synonym(s): *anartalis* Grote, 1877
 63512) *Loxostege anartalis albertalis* (Barnes & McDunnough, 1918) (Pyralidae) Synonym(s): *albertalis* Barnes & McDunnough, 1918
 63513) *Loxostege anartalis anartalis* (Grote, 1877) (Pyralidae) Synonym(s): *anartalis* Grote, 1877
 63514) *Loxostege anartalis lulualis* (Hulst, 1886) (Pyralidae) Synonym(s): *lulualis* Hulst, 1886
 63515) *Loxostege anartalis rainierensis* Munroe, 1976 (Pyralidae) Synonym(s): *rainierensis* Munroe, 1976
 63516) *Loxostege anartalis saxicolalis* (Barnes & McDunnough, 1918) (Pyralidae) Synonym(s): *saxicolalis* Barnes & McDunnough, 1918
 63517) *Loxostege annaphialis* (Grote, 1881) (Pyralidae) Synonym(s): *annaphialis* Grote, 1881
 63518) *Loxostege anpingialis* (Strand, 1918) (Pyralidae) Synonym(s): *anpingialis* Strand, 1918
 63519) *Loxostege argyrostacha* (Hampson, 1910) (Pyralidae) Synonym(s): *argyrostacha* Hampson, 1910
 63520) *Loxostege asopialis* (Snellen, 1875) (Pyralidae) Synonym(s): *asopialis* Snellen, 1875
 63521) *Loxostege aurantiacalis* (W. Warren, 1889) (Pyralidae) Synonym(s): *aurantiacalis* W. Warren, 1889
 63522) *Loxostege aureodiscalis* Hampson, 1918 (Pyralidae) Synonym(s): *aureodiscalis* Hampson, 1918; *umbriifera* Turner, 1937
 63523) *Loxostege baccatalis* Hulst, 1892 (Pyralidae) Synonym(s): *baccatalis* Hulst, 1892
 63524) *Loxostege badakshanalisis* (Amsel, 1970) (Pyralidae) Synonym(s): *badakshanalisis* Amsel, 1970
 63525) *Loxostege bashgualis* Amsel, 1970 (Pyralidae) Synonym(s): *bashgualis* Amsel, 1970
 63526) *Loxostege beatilis* (R. Felder & Rogenhofer, [1875]) (Pyralidae) Synonym(s): *beatilis* R. Felder & Rogenhofer, [1875]
 63527) *Loxostege bilinea* (Bethune-Baker, 1894) (Pyralidae) Synonym(s): *bilinea* Bethune-Baker, 1894
 63528) *Loxostege boursini* (Lucas, 1937) (Pyralidae) Synonym(s): *boursini* Lucas, 1937
 63529) *Loxostege brevivittalis* (Hampson, 1896) (Pyralidae) Synonym(s): *brevivittalis* Hampson, 1896
 63530) *Loxostege brunneitincta* Munroe, 1976 (Pyralidae) Synonym(s): *brunneitincta* Munroe, 1976
 63531) *Loxostege calliaspis* (Meyrick, 1884) (Pyralidae) Synonym(s): *calliaspis* Meyrick, 1884
 63532) *Loxostege callipeda* Meyrick, 1936 (Pyralidae) Synonym(s): *callipeda* Meyrick, 1936
 63533) *Loxostege caradjana* (Popescu-Gorj, 1991) (Pyralidae) Synonym(s): *caradjana* Popescu-Gorj, 1991
 63534) *Loxostege cereralis* (Zeller, 1872) (Pyralidae) Synonym(s): *cereralis* Zeller, 1872
 63535) *Loxostege chrysitis* (Turner, 1941) (Pyralidae) Synonym(s): *chrysitis* Turner, 1941
 63536) *Loxostege clarissalis* (Schaus, 1920) (Pyralidae) Synonym(s): *clarissalis* Schaus, 1920
 63537) *Loxostege clathralis* (Hübner, [1813]) (Pyralidae) Synonym(s): *clathralis* (Hübner, [1813]); *comptalis* Lederer, 1855 nec Frr., [1848]; *#nivalis* Caradja, 1916
 63538) *Loxostege clathralis aksualis* Caradja, 1916 (Pyralidae) Synonym(s): *aksualis* Caradja, 1916
 63539) *Loxostege clethroides* Lower, 1918 (Pyralidae) Synonym(s): *clethroides* Lower, 1918
 63540) *Loxostege commixtalis* (Walker, 1865) (Pyralidae) Synonym(s): *commixtalis* Walker, 1865; *indotatellus* Walker, 1866; *septentrionalis* Tengström, 1869
 63541) *Loxostege comptalis* (Freyer, [1848]) (Pyralidae) Synonym(s): *comptalis* Freyer, [1848]
 63542) *Loxostege confusalis* (South, 1901) (Pyralidae) Synonym(s): *confusalis* South, 1901
 63543) *Loxostege crocalis* (Hampson, 1891) (Pyralidae) Synonym(s): *crocalis* Hampson, 1891
 63544) *Loxostege crocanthes* (Lower, 1896) (Pyralidae) Synonym(s): *crocanthes* Lower, 1896; *chrysalis* Hampson, 1913
 63545) *Loxostege croesusalis* (Hampson, 1913) (Pyralidae) Synonym(s): *croesusalis* Hampson, 1913
 63546) *Loxostege cupreicostalis* (Dyar, 1913) (Pyralidae) Synonym(s): *cupreicostalis* Dyar, 1913
 63547) *Loxostege damergouensis* Rothschild, 1921 (Pyralidae) Synonym(s): *damergouensis* Rothschild, 1921
 63548) *Loxostege darwinialis* (Sauber, 1904) (Pyralidae) Synonym(s): *darwinialis* Sauber, 1904
 63549) *Loxostege decaryalis* Marion & Viette, 1956 (Pyralidae) Synonym(s): *decaryalis* Marion & Viette, 1956
 63550) *Loxostege delibatica* Szent-Ivány & Uhrik-Mesáros, 1942 (Pyralidae) Synonym(s): *sulphuralis* Hübner, [1813] nec Thunb., 1784; *delibatica* Szent-Ivány & Uhrik-Mesáros, 1942; *huebneri* Koçak, 1980
 63551) *Loxostege diaphana* (Caradja, 1934) (Pyralidae) Synonym(s): *diaphana* Caradja, 1934
 63552) *Loxostege dilutalis* (Herrich-Schäffer, 1849) (Pyralidae) Synonym(s): *dilutalis* Herrich-Schäffer, 1849
 63553) *Loxostege diplochrysa* (Meyrick, 1884) (Pyralidae) Synonym(s): *diplochrysa* Meyrick, 1884
 63554) *Loxostege distictalis* Hampson, 1913 (Pyralidae) Synonym(s): *distictalis* Hampson, 1913
 63555) *Loxostege egregialis* Munroe, 1976 (Pyralidae) Synonym(s): *egregialis* Munroe, 1976

- 63556) *Loxostege elutalis* Zerny, 1914 (Pyralidae) Synonym(s): *elutalis* Zerny, 1914
 63557) *Loxostege emiralis* (Oberthür, 1888) (Pyralidae) Synonym(s): *emiralis* Oberthür, 1888
 63558) *Loxostege ephippialis* (Zetterstedt, [1839]) (Pyralidae) Synonym(s): *ephippialis* Zetterstedt, [1839]; *dubitaria* Zetterstedt, [1839]; *frigidalis* Guenée, 1854; *scandinavalis* Guenée, 1854
 63559) *Loxostege epichrysa* (Meyrick, 1884) (Pyralidae) Synonym(s): *epichrysa* Meyrick, 1884
 63560) *Loxostege euprepialis* (Hampson, 1913) (Pyralidae) Synonym(s): *euprepialis* Hampson, 1913
 63561) *Loxostege eurychrysa* (Meyrick, 1884) (Pyralidae) Synonym(s): *eurychrysa* Meyrick, 1884
 63562) *Loxostege eversmanni* (Staudinger, 1892) (Pyralidae) Synonym(s): *eversmanni* Staudinger, 1892; *bicoloralis* W. Warren, 1892
 63563) *Loxostege farsalis* Amsel, 1950 (Pyralidae) Synonym(s): *farsalis* Amsel, 1950
 63564) *Loxostege flavinigris* (Hampson, 1910) (Pyralidae) Synonym(s): *flavinigris* Hampson, 1910
 63565) *Loxostege flavivenalis* (Hampson, 1913) (Pyralidae) Synonym(s): *flavivenalis* Hampson, 1913; *osthelderi* Schawerda, 1932.
 63566) *Loxostege floridalis* Barnes & McDunnough, 1913 (Pyralidae) Synonym(s): *floridalis* Barnes & McDunnough, 1913
 63567) *Loxostege formosibia* Strand, 1918 (Pyralidae) Synonym(s): *formosibia* Strand, 1918
 63568) *Loxostege foveifotalis* (Hampson, 1900) (Pyralidae) Synonym(s): *foveifotalis* Hampson, 1900
 63569) *Loxostege frustalis* (Zeller, 1852) (Pyralidae) Synonym(s): *frustalis* Zeller, 1852; *leucostictalis* Zeller, 1852
 63570) *Loxostege fuscivenalis* (Schaus, 1920) (Pyralidae) Synonym(s): *fuscivenalis* Schaus, 1920
 63571) *Loxostege galbula* (R. Felder & Rogenhofer, 1875) (Pyralidae) Synonym(s): *galbula* R. Felder & Rogenhofer, 1875
 63572) *Loxostege heliosalis* (Hampson, 1912) (Pyralidae) Synonym(s): *heliosalis* Hampson, 1912
 63573) *Loxostege illustris* (Dognin, 1905) (Pyralidae) Synonym(s): *illustris* Dognin, 1905
 63574) *Loxostege immerens* (Harvey, 1875) (Pyralidae) Synonym(s): *immerens* Harvey, 1875; *triumphalis* Grote, 1902
 63575) *Loxostege impeditalis* (Maassen, 1890) (Pyralidae) Synonym(s): *impeditalis* Maassen, 1890
 63576) *Loxostege indentalis* (Grote, 1883) (Pyralidae) Synonym(s): *indentalis* Grote, 1883
 63577) *Loxostege kearfottalis* Walter, 1928 (Pyralidae) Synonym(s): *kearfottalis* Walter, 1928
 63578) *Loxostege lacunalis* (Zeller, 1852) (Pyralidae) Synonym(s): *lacunalis* Zeller, 1852; *fulvalis* W. Warren, 1892; *xanthalis* Fawcett, 1916
 63579) *Loxostege malekalis* Amsel, 1950 (Pyralidae) Synonym(s): *malekalis* Amsel, 1950
 63580) *Loxostege massalis* (Walker, 1859) (Pyralidae) Synonym(s): *massalis* Walker, 1859; *fredi* Amsel, 1961
 63581) *Loxostege minimalis* Amsel, 1956 (Pyralidae) Synonym(s): *minimalis* Amsel, 1956
 63582) *Loxostege mira* Amsel, 1951 (Pyralidae) Synonym(s): *mira* Amsel, 1951
 63583) *Loxostege mucosalis* (Herrich-Schäffer, [1848]) (Pyralidae) Synonym(s): *mucosalis* Herrich-Schäffer, [1848]
 63584) *Loxostege oberthuralis* Fernald, 1894 (Pyralidae) Synonym(s): *oberthuralis* Fernald, 1894
 63585) *Loxostege oblinalis* (R. Felder & Rogenhofer, 1875) (Pyralidae) Synonym(s): *oblinalis* R. Felder & Rogenhofer, 1875
 63586) *Loxostege offumalis* (Hulst, 1886) (Pyralidae) Synonym(s): *offumalis* Hulst, 1886
 63587) *Loxostege peltalis* (Eversmann, 1842) (Pyralidae) Synonym(s): *peltalis* Eversmann, 1842
 63588) *Loxostege perticalis* (R. Felder & Rogenhofer, 1875) (Pyralidae) Synonym(s): *perticalis* R. Felder & Rogenhofer, 1875
 63589) *Loxostege phaeoneuralis* (Hampson, 1900) (Pyralidae) Synonym(s): *phaeoneuralis* Hampson, 1900
 63590) *Loxostege plumbatalis* (Zeller, 1852) (Pyralidae) Synonym(s): *plumbatalis* Zeller, 1852; *ferriscriptalis* Walker, 1865; *plumbofascialis* Lederer, 1863
 63591) *Loxostege quaeastoralis* (Barnes & McDunnough, 1914) (Pyralidae) Synonym(s): *quaeastoralis* Barnes & McDunnough, 1914
 63592) *Loxostege rhabdalis* (Hampson, 1900) (Pyralidae) Synonym(s): *rhabdalis* Hampson, 1900
 63593) *Loxostege scalaris* (Christoph, 1877) (Pyralidae) Synonym(s): *scalaris* Christoph, 1877
 63594) *Loxostege scutalis* (Hübner, [1813]) (Pyralidae) Synonym(s): *scutalis* Hübner, [1813]
 63595) *Loxostege straminealis* (Hampson, 1900) (Pyralidae) Synonym(s): *straminealis* Hampson, 1900
 63596) *Loxostege subcuprea* (Dognin, 1906) (Pyralidae) Synonym(s): *subcuprea* Dognin, 1906
 63597) *Loxostege tessellalis* (Guenée, 1854) (Pyralidae) Synonym(s): *tessellalis* Guenée, 1854
 63598) *Loxostege turbidalis* (Treitschke, 1829) (Pyralidae) Synonym(s): *turbidalis* Treitschke, 1829
 63599) *Loxostege typhonalis* Barnes & McDunnough, 1914 (Pyralidae) Synonym(s): *typhonalis* Barnes & McDunnough, 1914
 63600) *Loxostege unicoloralis* (Barnes & McDunnough, 1914) (Pyralidae) Synonym(s): *unicoloralis* Barnes & McDunnough, 1914
 63601) *Loxostege venustalis* (Cramer, [1782]) (Pyralidae) Synonym(s): *venustalis* Cramer, [1782]; *divulsalis* Zeller, 1852; *testula* Hübner, [1833]; *jucundalis* Walker, 1865
 63602) *Loxostege virescalis* (Guenée, 1854) (Pyralidae) Synonym(s): *virescalis* Guenée, 1854
 63603) *Loxostege wagneri* Zerny, 1929 (Pyralidae) Synonym(s): *wagneri* Zerny, 1929
 63604) *Luma albifascialis* Hampson, 1897 (Pyralidae) Synonym(s): *albifascialis* Hampson, 1897
 63605) *Luma anticalis* Walker, 1863 (Pyralidae) Synonym(s): *anticalis* Walker, 1863
 63606) *Luma flavalis* Hampson, 1893 (Pyralidae) Synonym(s): *flavalis* Hampson, 1893
 63607) *Luma flavimarginalis* Hampson, 1907 (Pyralidae) Synonym(s): *flavimarginalis* Hampson, 1907; *#flavimarginalia* Henning, 1992
 63608) *Luma holoxantha* Hampson, 1907 (Pyralidae) Synonym(s): *holoxantha* Hampson, 1907
 63609) *Luma longidentalis* Hampson, 1903 (Pyralidae) Synonym(s): *longidentalis* Hampson, 1903
 63610) *Luma macropsalis* Hampson, 1897 (Pyralidae) Synonym(s): *macropsalis* Hampson, 1897
 63611) *Luma ornatalis* (Leech, 1899) (Pyralidae) Synonym(s): *ornatalis* Leech, 1899
 63612) *Luma trilinealis* (Walker, 1865) (Pyralidae) Synonym(s): *trilinealis* Walker, 1865
 63613) *Luma trimaculata* Hampson, 1897 (Pyralidae) Synonym(s): *trimaculata* Hampson, 1897
 63614) *Luma tyranthus* Meyrick, 1897 (Pyralidae) Synonym(s): *tyranthus* Meyrick, 1897
 63615) *Lygropia anaemicalis* Hampson, 1912 (Pyralidae) Synonym(s): *anaemicalis* Hampson, 1912
 63616) *Lygropia atrinervalis* Hampson, 1910 (Pyralidae) Synonym(s): *atrinervalis* Hampson, 1910
 63617) *Lygropia nigricornis* Hampson, 1898 (Pyralidae) Synonym(s): *nigricornis* Hampson, 1898
 63618) *Lygropia pogonodes* Hampson, 1912 (Pyralidae) Synonym(s): *pogonodes* Hampson, 1912
 63619) *Lygropia straminea* Hampson, 1912 (Pyralidae) Synonym(s): *straminea* Hampson, 1912
 63620) *Lygropia syleptalis* Strand, 1918 (Pyralidae) Synonym(s): *syleptalis* Strand, 1918
 63621) *Lygropia tetraspilalis* Hampson, 1912 (Pyralidae) Synonym(s): *tetraspilalis* Hampson, 1912
 63622) *Lygropia unicoloralis* (Guenée, 1854) (Pyralidae) Synonym(s): *unicoloralis* Guenée, 1854
 63623) *Lymphia chalybella* (Eversmann, 1844) (Pyralidae) Synonym(s): *chalybella* Eversmann, 1844
 63624) *Mabira elaphantophila* Bänziger, 1985 (Pyralidae) Synonym(s): *elaphantophila* Bänziger, 1985
 63625) *Mabira eryxalis* (Walker, 1859) (Pyralidae) Synonym(s): *eryxalis* Walker, 1859; *velatalis* Snellen, 1892; *crocobaphes* Turner, 1937
 63626) *Mabira haematophaga* Bänziger, 1985 (Pyralidae) Synonym(s): *haematophaga* Bänziger, 1985
 63627) *Mabira lacriphaga* Bänziger, 1985 (Pyralidae) Synonym(s): *lacriphaga* Bänziger, 1985
 63628) *Mabira nigriscripta* Swinhoe (Pyralidae) Synonym(s):
 63629) *Macalla albifurcalis* Hampson, 1916 (Pyralidae) Synonym(s): *albifurcalis* Hampson, 1916
 63630) *Macalla albifusa* Hampson, 1896 (Pyralidae) Synonym(s): *albifusa* Hampson, 1896
 63631) *Macalla baibarana* Shibuya, 1928 (Pyralidae) Synonym(s): *baibarana* Shibuya, 1928
 63632) *Macalla cupreotincta* Janse, 1922 (Pyralidae) Synonym(s): *cupreotincta* Janse, 1922
 63633) *Macalla cuproviridalis* Moore, 1867 (Pyralidae) Synonym(s): *cuproviridalis* Moore, 1867
 63634) *Macalla derogatella* Walker, 1863 (Pyralidae) Synonym(s): *derogatella* Walker, 1863; *orbiculifer* Moore, 1888; *nubilosa* Moore, 1888
 63635) *Macalla dimidialis* Snellen, 1890 (Pyralidae) Synonym(s): *dimidialis* Snellen, 1890
 63636) *Macalla exrufescens* Hampson, 1896 (Pyralidae) Synonym(s): *exrufescens* Hampson, 1896
 63637) *Macalla fasciculata* Hampson, 1906 (Pyralidae) Synonym(s): *fasciculata* Hampson, 1906
 63638) *Macalla margarita* (Butler, 1879) (Pyralidae) Synonym(s): *margarita* Butler, 1879; *lativitta* Moore, 1888; *conjuncta* Warren, 1895; *rufitinctalis* Warren, 1895.
 63639) *Macalla nubilosa* (Moore, 1888) (Pyralidae) Synonym(s): *nubilosa* Moore, 1888
 63640) *Macalla obliquilineata* Shibuya, 1928 (Pyralidae) Synonym(s): *obliquilineata* Shibuya, 1928
 63641) *Macalla parvula* Hampson, 1896 (Pyralidae) Synonym(s): *parvula* Hampson, 1896; *soudanensis* Rothschild, 1921
 63642) *Macalla scoporhyncha* Hampson, 1896 (Pyralidae) Synonym(s): *scoporhyncha* Hampson, 1896

- 63643) *Macalla validalis* (Walker, 1865) (Pyralidae) Synonym(s): *validalis* Walker, 1865; *minor* Moore, 1888; *fumosalis* Warren, 1895
- 63644) *Macaretaera hesperis* Meyrick, 1886 (Pyralidae) Synonym(s): *hesperis* Meyrick, 1886; *delicata* Swinhoe, 1894; *trichroma* Turner, 1937
- 63645) *Macna camiguina* Semper, 1902 (Pyralidae) Synonym(s): *camiguina* Semper, 1902
- 63646) *Macna coelocrossa* (Turner, 1911) (Pyralidae) Synonym(s): *coelocrossa* Turner, 1911
- 63647) *Macna minanga* Semper, 1902 (Pyralidae) Synonym(s): *minanga* Semper, 1902
- 63648) *Macna oppositalis* (Walker, [1866]) (Pyralidae) Synonym(s): *oppositalis* Walker, [1866]; *xanthochloralis* Walker, [1866]; *cinnamomealis* Snellen, 1894
- 63649) *Macna platychoralis* Walker, [1866] (Pyralidae) Synonym(s): *platychoralis* Walker, [1866]
- 63650) *Macna pomalis* Walker (Pyralidae) Synonym(s): *pomalis* Walker
- 63651) *Macrobelia phaeophasma* Turner, 1939 (Pyralidae) Synonym(s): *phaeophasma* Turner, 1939
- 63652) *Macrochilo ambiguellus* (Snellen, 1890) (Pyralidae) Synonym(s): *ambiguellus* Snellen, 1890; *notata* Swinhoe, 1891
- 63653) *Macroctenia leucographalis* (Hampson, 1900) (Pyralidae) Synonym(s): *leucographalis* Hampson, 1900
- 63654) *Macrovalva quadrievata* Balinsky, 1994 (Pyralidae) Synonym(s): *quadrievata* Balinsky, 1994
- 63655) *Macrovalva quadrievata quadrievata* Balinsky, 1994 (Pyralidae) Synonym(s): *quadrievata* Balinsky, 1994
- 63656) *Magiria imparella* Zeller, 1867 (Pyralidae) Synonym(s): *imparella* Zeller, 1867; *seminigra* Lucas, 1892
- 63657) *Magiriamorpha superpalpia* Balinsky, 1994 (Pyralidae) Synonym(s): *superpalpia* Balinsky, 1994
- 63658) *Magiriamorpha superpalpia superpalpia* Balinsky, 1994 (Pyralidae) Synonym(s): *superpalpia* Balinsky, 1994
- 63659) *Makrania belutschistanella* Amsel, 1959 (Pyralidae) Synonym(s): *belutschistanella* Amsel, 1959
- 63660) *Mampava bipunctella* Ragonot, 1888 (Pyralidae) Synonym(s): *bipunctella* Ragonot, 1888
- 63661) *Mampava rhodoneura* (Turner, 1905) (Pyralidae) Synonym(s): *rhodoneura* Turner, 1905
- 63662) *Marasmia euryterminalis* Hampson, 1917 (Pyralidae) Synonym(s): *euryterminalis* Hampson, 1917
- 63663) *Marasmia exigua* (Butler) (Pyralidae) Synonym(s):
- 63664) *Marasmia pauperalis* Strand, 1918 (Pyralidae) Synonym(s): *pauperalis* Strand, 1918
- 63665) *Marasmia poyealis* (Boisduval, 1833) (Pyralidae) Synonym(s): *poyealis* Boisduval, 1833; *marisalis* Walker, 1859; *ruralis* Walker, 1859; *venialis* Walker, 1859; *cicatricosa* Lederer, 1863; *rectistrigosa* Snellen, 1872; *minutalis* Mabil, 1880; *mimica* Warren, 1896; *hampsoni* Rothschild, 1921
- 63666) *Marasmia trapezalis* (Guenée, 1854) (Pyralidae) Synonym(s): *trapezalis* Guenée, 1854; *suspicalis* Walker, 1859; *creonalis* Walker, 1859; *neoclesalis* Walker, 1859; *convectalis* Walker, 1866; *bifurcalis* Snellen, 1880; *perinephes* Meyrick, 1886; *andresi* Rebel, 1912
- 63667) *Marasmia trebusalis* (Walker, 1859) (Pyralidae) Synonym(s): *trebusalis* Walker, 1859
- 63668) *Mardinia ferrealis* (Hampson, 1900) (Pyralidae) Synonym(s): *ferrealis* Hampson, 1900
- 63669) *Mardinia ossalis* (Staudinger, 1879) (Pyralidae) Synonym(s): *ossalis* Staudinger, 1879
- 63670) *Margaretania superba* Amsel, 1961 (Pyralidae) Synonym(s): *superba* Amsel, 1961
- 63671) *Margaritia commixtalis* (Walker, 1866) (Pyralidae) Synonym(s): *commixtalis* Walker, 1866
- 63672) *Margaritia sticticalis* (Linnaeus, 1761) (Pyralidae) Synonym(s): *lupulina* Clerk, 1759 *nec* Linn., 1758; *sticticalis* Linnaeus, 1761; *miana* Müller, 1764; *sylvata* Panzer, 1804; *tetragonalis* Haworth, 1811
- 63673) *Margarochroma fuscalis* Hampson, 1907 (Pyralidae) Synonym(s): *fuscalis* Hampson, 1907
- 63674) *Margarochroma pictalis* W. Warren, 1896 (Pyralidae) Synonym(s): *pictalis* W. Warren, 1896
- 63675) *Margarosticha argyrograpta* Hampson, 1917 (Pyralidae) Synonym(s): *argyrograpta* Hampson, 1917
- 63676) *Margarosticha australis* R. Felder & Rogenhofer, 1874 (Pyralidae) Synonym(s): *australis* R. Felder & Rogenhofer, 1874
- 63677) *Margarosticha bimaculalis* Snellen, 1880 (Pyralidae) Synonym(s): *bimaculalis* Snellen, 1880
- 63678) *Margarosticha euprepialis* Hampson, 1917 (Pyralidae) Synonym(s): *euprepialis* Hampson, 1917
- 63679) *Margarosticha gaudialis* Hampson, 1917 (Pyralidae) Synonym(s): *gaudialis* Hampson, 1917
- 63680) *Margarosticha leucozonalis* Hampson, 1892 (Pyralidae) Synonym(s): *leucozonalis* Hampson, 1892
- 63681) *Margarosticha nigrescens* Speidel, 2003 (Pyralidae) Synonym(s): *nigrescens* Speidel, 2003
- 63682) *Margarosticha plumbealis* Kenrick, 1912 (Pyralidae) Synonym(s): *plumbealis* Kenrick, 1912
- 63683) *Margarosticha pulcherrimalis* Lederer, 1863 (Pyralidae) Synonym(s): *pulcherrimalis* Lederer, 1863
- 63684) *Margarosticha repetitalis* (Warren, 1896) (Pyralidae) Synonym(s): *repetitalis* Warren, 1896
- 63685) *Margarosticha sphenotis* Meyrick, 1885 (Pyralidae) Synonym(s): *sphenotis* Meyrick, 1885
- 63686) *Maruca amboinalis* (R. Felder & Rogenhofer, 1874) (Pyralidae) Synonym(s): *amboinalis* R. Felder & Rogenhofer, 1874; *hambionalis* Hutacharern & Tubtim, 1995
- 63687) *Maruca vitrata* (Fabricius, 1787) (Pyralidae) Synonym(s): *vitrata* Fabricius, 1787; *testulalis* Geyer, [1837]; *aquatilis* Guérin-Mèneville, [1832]; *bifeneustalis* Mabil, 1880; *simialalis* Snellen, 1892; *nigroapicalis* De Joannis, 1930.
- 63688) *Marwitzia dichocrocis* (Hampson, 1913) (Pyralidae) Synonym(s): *dichocrocis* Hampson, 1913
- 63689) *Marwitzia polytidzalis* (Hampson, 1918) (Pyralidae) Synonym(s): *polytidzalis* Hampson, 1918
- 63690) *Massepha absolutalis* Walker, 1859 (Pyralidae) Synonym(s): *absolutalis* Walker, 1859; *pollutalis* Snellen, 1880; *marginalis* Swinhoe, 1906
- 63691) *Massepha ambialis* Hampson, 1903 (Pyralidae) Synonym(s): *ambialis* Hampson, 1903
- 63692) *Massepha bengalensis* Moore, 1877 (Pyralidae) Synonym(s): *bengalensis* Moore, 1877
- 63693) *Massepha carbonalis* Warren, 1896 (Pyralidae) Synonym(s): *carbonalis* Warren, 1896
- 63694) *Massepha cuprescens* Hampson, 1912 (Pyralidae) Synonym(s): *cuprescens* Hampson, 1912
- 63695) *Massepha entephiadii* Hampson, 1898 (Pyralidae) Synonym(s): *entephiadii* Hampson, 1898
- 63696) *Massepha flavimaculata* Gaede, 1917 (Pyralidae) Synonym(s): *flavimaculata* Gaede, 1917
- 63697) *Massepha fulvalis* Hampson, 1898 (Pyralidae) Synonym(s): *fulvalis* Hampson, 1898
- 63698) *Massepha gracilis* Hampson, 1898 (Pyralidae) Synonym(s): *gracilis* Hampson, 1898
- 63699) *Massepha grammalis* Guenée, 1854 (Pyralidae) Synonym(s): *grammalis* Guenée, 1854; *asiusalis* Walker, 1859; *romalis* Druce, 1896
- 63700) *Massepha grisealis* Hampson, 1912 (Pyralidae) Synonym(s): *grisealis* Hampson, 1912
- 63701) *Massepha longipennis* Hampson, 1912 (Pyralidae) Synonym(s): *longipennis* Hampson, 1912
- 63702) *Massepha lupa* (Druce, 1899) (Pyralidae) Synonym(s): *lupa* Druce, 1899
- 63703) *Massepha phoenicobapta* Hampson, 1898 (Pyralidae) Synonym(s): *phoenicobapta* Hampson, 1898
- 63704) *Massepha rectangularis* Caradja, 1934 (Pyralidae) Synonym(s): *rectangularis* Caradja, 1934
- 63705) *Massepha rufescens* Hampson, 1912 (Pyralidae) Synonym(s): *rufescens* Hampson, 1912
- 63706) *Massepha syngamoides* Hampson, 1912 (Pyralidae) Synonym(s): *syngamoides* Hampson, 1912
- 63707) *Massepha talboti* Caradja, 1927 (Pyralidae) Synonym(s): *talboti* Caradja, 1927
- 63708) *Massepha tessmanni* Gaede, 1917 (Pyralidae) Synonym(s): *tessmanni* Gaede, 1917
- 63709) *Mecistophylla agramma* (Lower, 1903) (Pyralidae) Synonym(s): *agramma* Lower, 1903
- 63710) *Mecistophylla amechanica* Turner, 1941 (Pyralidae) Synonym(s): *amechanica* Turner, 1941
- 63711) *Mecistophylla asthenitis* (Turner, 1904) (Pyralidae) Synonym(s): *asthenitis* Turner, 1904
- 63712) *Mecistophylla disema* (Lower, 1905) (Pyralidae) Synonym(s): *disema* Lower, 1905
- 63713) *Mecistophylla ebenopasta* (Turner, 1904) (Pyralidae) Synonym(s): *ebenopasta* Turner, 1904
- 63714) *Mecistophylla psara* Turner, 1937 (Pyralidae) Synonym(s): *psara* Turner, 1937
- 63715) *Mecistophylla spodoptera* (Lower, 1907) (Pyralidae) Synonym(s): *spodoptera* Lower, 1907
- 63716) *Mecistophylla stenopepla* (Turner, 1904) (Pyralidae) Synonym(s): *stenopepla* Turner, 1904
- 63717) *Mecyna albalis* Amsel, 1961 (Pyralidae) Synonym(s): *albalis* Amsel, 1961
- 63718) *Mecyna amasialis* (Staudinger, 1879) (Pyralidae) Synonym(s): *amasialis* Staudinger, 1879
- 63719) *Mecyna andalusica* (Staudinger, 1879) (Pyralidae) Synonym(s): *andalusica* Staudinger, 1879
- 63720) *Mecyna asinalis* (Hübner, [1819]) (Pyralidae) Synonym(s): *asinalis* Hübner, [1819]
- 63721) *Mecyna auralis* (Peyerimhoff, 1872) (Pyralidae) Synonym(s): *auralis* Peyerimhoff, 1872
- 63722) *Mecyna babalis* Amsel, 1970 (Pyralidae) Synonym(s): *babalis* Amsel, 1970
- 63723) *Mecyna bandiamiralis* Amsel, 1970 (Pyralidae) Synonym(s): *bandiamiralis* Amsel, 1970
- 63724) *Mecyna biternalis* (Mann, 1862) (Pyralidae) Synonym(s): *biternalis* Mann, 1862
- 63725) *Mecyna diniasalis* (Walker, 1859) (Pyralidae) Synonym(s): *diniasalis* Walker, 1859
- 63726) *Mecyna flavalis* [Denis & Schiffermüller, 1775] (Pyralidae) Synonym(s): *flavalis* [Denis & Schiffermüller], 1775.
- 63727) *Mecyna grisealis* Amsel, 1961 (Pyralidae) Synonym(s): *grisealis* Amsel, 1961

- 63728) *Mecyna indistinctalis* Amsel, 1961 (Pyralidae) Synonym(s): *indistinctalis* Amsel, 1961
 63729) *Mecyna lutealis* (Duponchel, 1833) (Pyralidae) Synonym(s): *lutealis* Duponchel, 1833
 63730) *Mecyna lutulentalis* (Lederer, 1858) (Pyralidae) Synonym(s): *lutulentalis* Lederer, 1858
 63731) *Mecyna marcidalis* (Fuchs, 1879) (Pyralidae) Synonym(s): *marcidalis* Fuchs, 1879
 63732) *Mecyna marioni* Amsel (Pyralidae) Synonym(s): *marioni* Amsel
 63733) *Mecyna pontica* (Staudinger, 1879) (Pyralidae) Synonym(s): *pontica* Staudinger, 1879; *levilinealis* Amsel, 1942.
 63734) *Mecyna salangalis* Amsel, 1970 (Pyralidae) Synonym(s): *salangalis* Amsel, 1970
 63735) *Mecyna sefidalis* (Amsel, 1950) (Pyralidae) Synonym(s): *sefidalis* Amsel, 1950
 63736) *Mecyna subsequalis* (Herrich-Schäffer, 1851) (Pyralidae) Synonym(s): *subsequalis* Herrich-Schäffer, 1851; *consequens* Meyrick, 1932.
 63737) *Mecyna trinalis* ([Denis & Schiffmüller], 1775) (Pyralidae) Synonym(s): *trinalis* [Denis & Schiffmüller], 1775
 63738) *Medaniaria adiacritis* (Turner, 1904) (Pyralidae) Synonym(s): *adiacritis* Turner, 1904
 63739) *Megasis alpherakii* Ragonot, 1887 (Pyralidae) Synonym(s): *alpherakii* Ragonot, 1887
 63740) *Megasis barrettae* Hampson, 1901 (Pyralidae) Synonym(s): *barrettae* Hampson, 1901
 63741) *Megasis hyrcanella* Ragonot, 1893 (Pyralidae) Synonym(s): *hyrcanella* Ragonot, 1893
 63742) *Megasis libanoticella* Zerny, 1934 (Pyralidae) Synonym(s): *libanoticella* Zerny, 1934; *#libanotidella* Osthelder, 1934.
 63743) *Megasis mimeticella* (Staudinger, 1879) (Pyralidae) Synonym(s): *mimeticella* Staudinger, 1879; *tolli* Amsel, 1953.
 63744) *Megasis mimeticella maritimella* Caradja, 1910 (Pyralidae) Synonym(s): *maritimella* Caradja, 1910
 63745) *Megasis mimeticella mimeticella* (Staudinger, 1879) (Pyralidae) Synonym(s): *mimeticella* Staudinger, 1879; *tolli* Amsel, 1953.
 63746) *Megasis rippertella* (Zeller, 1839) (Pyralidae) Synonym(s): *rippertella* Zeller, 1839
 63747) *Megasis rippertella lesurella* Lucas, 1932 (Pyralidae) Synonym(s): *lesurella* Lucas, 1932; *bourgognella* Lucas, 1942.
 63748) *Megasis rippertella rippertella* (Zeller, 1839) (Pyralidae) Synonym(s): *rippertella* Zeller, 1839
 63749) *Megasis safedella* Amsel, 1970 (Pyralidae) Synonym(s): *safedella* Amsel, 1970
 63750) *Melanalis flavalis* (Hampson, 1917) (Pyralidae) Synonym(s): *flavalis* Hampson, 1917
 63751) *Melanalis perfusca* Hampson, 1906 (Pyralidae) Synonym(s): *perfusca* Hampson, 1906
 63752) *Melanastia bicolor* Hampson, 1930 (Pyralidae) Synonym(s): *bicolor* Hampson, 1930
 63753) *Melathrix melanochreella* (Ragonot, 1887) (Pyralidae) Synonym(s): *melanochreella* Ragonot, 1887
 63754) *Melathrix praetextella* (Christoph, 1877) (Pyralidae) Synonym(s): *praetextella* Christoph, 1877
 63755) *Melitara dentata* (Grote, 1876) (Pyralidae) Synonym(s): *dentata* Grote, 1876; *doddalis* Dyar, 1925; *bollii sensu* Dodd, 1927
 63756) *Melitara prodenialis* Walker, 1863 (Pyralidae) Synonym(s): *prodenialis* Walker, 1863; *bollii* Zeller, 1872
 63757) *Merangiria sieburgi* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *sieburgi* Roesler & Küppers, 1979
 63758) *Meridiophila fascialis* (Hübner, 1796) (Pyralidae) Synonym(s): *fascialis* Hübner, 1796
 63759) *Meroctena staintonii* Lederer, 1863 (Pyralidae) Synonym(s): *staintonii* Lederer, 1863; *sirioxantha* Meyrick, 1886
 63760) *Meroctena tullalis* Walker, 1859 (Pyralidae) Synonym(s): *tullalis* Walker, 1859
 63761) *Merodictya marmorata* (Lucas, 1892) (Pyralidae) Synonym(s): *marmorata* Lucas, 1892; *subtessellalis* W. Warren, 1896
 63762) *Merotoma dairalis* (Walker, 1859) (Pyralidae) Synonym(s): *dairalis* Walker, 1859
 63763) *Merulempista cingillella* (Zeller, 1846) (Pyralidae) Synonym(s): *cingillella* Zeller, 1846; *verruculella* Ragonot, 1887.
 63764) *Mesciniadia aenicta* (Turner, 1913) (Pyralidae) Synonym(s): *aenicta* Turner, 1913
 63765) *Mesciniadia infractalis* (Walker, 1864) (Pyralidae) Synonym(s): *infractalis* Walker, 1864
 63766) *Mesciniadia otophila* (Turner, 1913) (Pyralidae) Synonym(s): *otophila* Turner, 1913
 63767) *Mesocrambus canariensis* Ganev, 1987 (Pyralidae) Synonym(s): *canariensis* Ganev, 1987
 63768) *Mesocrambus candidellus* (Herrich-Schäffer, [1848]) (Pyralidae) Synonym(s): *candidellus* Herrich-Schäffer, [1848]; *#candiellus* Bleszynski, 1965.
 63769) *Mesocrambus tamsi* Bleszynski, 1960 (Pyralidae) Synonym(s): *tamsi* Bleszynski, 1960
 63770) *Mesodiphebia rhodesiana* Janse, 1922 (Pyralidae) Synonym(s): *rhodesiana* Janse, 1922
 63771) *Mesolia albimaculalis* Hampson, 1919 (Pyralidae) Synonym(s): *albimaculalis* Hampson, 1919
 63772) *Mesolia baboquivariella* (Kearfott, 1907) (Pyralidae) Synonym(s): *baboquivariella* Kearfott, 1907
 63773) *Mesolia bipunctella* Wileman & South, 1918 (Pyralidae) Synonym(s): *bipunctella* Wileman & South, 1918; *erotica* Strand, 1918
 63774) *Mesolia diaphoralis* Hampson, 1919 (Pyralidae) Synonym(s): *diaphoralis* Hampson, 1919
 63775) *Mesolia huachucaella* Kearfott, 1908 (Pyralidae) Synonym(s): *huachucaella* Kearfott, 1908
 63776) *Mesolia incertella* (Zincken, 1821) (Pyralidae) Synonym(s): *incertella* Zincken, 1821; *olivella* Grote, 1882
 63777) *Mesolia jamaicensis* Hampson, 1919 (Pyralidae) Synonym(s): *jamaicensis* Hampson, 1919
 63778) *Mesolia margistrigella* Hampson, 1899 (Pyralidae) Synonym(s): *margistrigella* Hampson, 1899
 63779) *Mesolia microdotalis* (Hampson, 1919) (Pyralidae) Synonym(s): *microdotalis* Hampson, 1919
 63780) *Mesolia monodella* Marion, 1957 (Pyralidae) Synonym(s): *monodella* Marion, 1957
 63781) *Mesolia oraculella* Kearfott, 1908 (Pyralidae) Synonym(s): *oraculella* Kearfott, 1908
 63782) *Mesolia pandavella* Ragonot, 1888 (Pyralidae) Synonym(s): *pandavella* Ragonot, 1888
 63783) *Mesolia pelopa* (Turner, 1947) (Pyralidae) Synonym(s): *pelopa* Turner, 1947
 63784) *Mesolia plurimella* (Walker, 1863) (Pyralidae) Synonym(s): *plurimella* Walker, 1863
 63785) *Mesolia presidialis* Hampson, 1919 (Pyralidae) Synonym(s): *presidialis* Hampson, 1919
 63786) *Mesolia rectilineella* Hampson, 1899 (Pyralidae) Synonym(s): *rectilineella* Hampson, 1899
 63787) *Mesolia scythrastis* (Turner, 1904) (Pyralidae) Synonym(s): *scythrastis* Turner, 1904
 63788) *Mesolia tenebrella* Hampson, 1896 (Pyralidae) Synonym(s): *tenebrella* Hampson, 1896
 63789) *Mesolia uniformella* Janse, 1922 (Pyralidae) Synonym(s): *uniformella* Janse, 1922
 63790) *Mesolia uniformella uniformella* Janse, 1922 (Pyralidae) Synonym(s): *uniformella* Janse, 1922
 63791) *Mestolobes abnormis* (Butler, 1882) (Pyralidae) Synonym(s): *abnormis* Butler, 1882; *aeone* Butler, 1882
 63792) *Mestolobes acleropa* Meyrick, 1935 (Pyralidae) Synonym(s): *acleropa* Meyrick, 1935
 63793) *Mestolobes amethystias* Meyrick, 1899 (Pyralidae) Synonym(s): *amethystias* Meyrick, 1899
 63794) *Mestolobes antichora* Meyrick, 1901 (Pyralidae) Synonym(s): *antichora* Meyrick, 1901
 63795) *Mestolobes aphrias* Meyrick, 1899 (Pyralidae) Synonym(s): *aphrias* Meyrick, 1899
 63796) *Mestolobes arctura* Meyrick, 1899 (Pyralidae) Synonym(s): *arctura* Meyrick, 1899
 63797) *Mestolobes autodoxa* Meyrick, 1899 (Pyralidae) Synonym(s): *autodoxa* Meyrick, 1899
 63798) *Mestolobes banausa* Meyrick, 1899 (Pyralidae) Synonym(s): *banausa* Meyrick, 1899
 63799) *Mestolobes chimonias* Meyrick, 1899 (Pyralidae) Synonym(s): *chimonias* Meyrick, 1899
 63800) *Mestolobes chlorolychna* Meyrick, 1899 (Pyralidae) Synonym(s): *chlorolychna* Meyrick, 1899
 63801) *Mestolobes chrysomolybda* Meyrick, 1899 (Pyralidae) Synonym(s): *chrysomolybda* Meyrick, 1899; *crpsichrysa* Meyrick, 1899
 63802) *Mestolobes chrysomolybdoides* Swezey, 1920 (Pyralidae) Synonym(s): *chrysomolybdoides* Swezey, 1920
 63803) *Mestolobes droseropa* Meyrick, 1899 (Pyralidae) Synonym(s): *droseropa* Meyrick, 1899
 63804) *Mestolobes epidelta* Meyrick, 1899 (Pyralidae) Synonym(s): *epidelta* Meyrick, 1899
 63805) *Mestolobes erinnys* Meyrick, 1899 (Pyralidae) Synonym(s): *erinnys* Meyrick, 1899; *#erinnys* Klima, 1937
 63806) *Mestolobes eurylyca* Meyrick, 1899 (Pyralidae) Synonym(s): *eurylyca* Meyrick, 1899
 63807) *Mestolobes homalopa* Meyrick, 1899 (Pyralidae) Synonym(s): *homalopa* Meyrick, 1899
 63808) *Mestolobes iochrysa* Meyrick, 1899 (Pyralidae) Synonym(s): *iochrysa* Meyrick, 1899
 63809) *Mestolobes isoterma* Meyrick, 1935 (Pyralidae) Synonym(s): *isoterma* Meyrick, 1935
 63810) *Mestolobes mesacma* Meyrick, 1899 (Pyralidae) Synonym(s): *mesacma* Meyrick, 1899
 63811) *Mestolobes minuscula* (Butler, 1881) (Pyralidae) Synonym(s): *minuscula* Butler, 1881; *simaethina* Butler, 1882
 63812) *Mestolobes ochrias* Meyrick, 1899 (Pyralidae) Synonym(s): *ochrias* Meyrick, 1899
 63813) *Mestolobes ombrias* Meyrick, 1899 (Pyralidae) Synonym(s): *ombrias* Meyrick, 1899
 63814) *Mestolobes orthrias* Meyrick, 1899 (Pyralidae) Synonym(s): *orthrias* Meyrick, 1899
 63815) *Mestolobes perixantha* Meyrick, 1899 (Pyralidae) Synonym(s): *perixantha* Meyrick, 1899
 63816) *Mestolobes pessias* Meyrick, 1899 (Pyralidae) Synonym(s): *pessias* Meyrick, 1899
 63817) *Mestolobes pragmatica* Meyrick, 1899 (Pyralidae) Synonym(s): *pragmatica* Meyrick, 1899

- 63818) *Mestolobes procellaris* Meyrick, 1935 (Pyralidae) Synonym(s): *procellaris* Meyrick, 1935
 63819) *Mestolobes pyropa* (Meyrick, 1899) (Pyralidae) Synonym(s): *pyropa* Meyrick, 1899
 63820) *Mestolobes quadrifascia* (Swezey, 1934) (Pyralidae) Synonym(s): *quadrifascia* Swezey, 1934
 63821) *Mestolobes quadrifasciata* Swezey, 1920 (Pyralidae) Synonym(s): *quadrifasciata* Swezey, 1920
 63822) *Mestolobes scleropsis* Meyrick, 1899 (Pyralidae) Synonym(s): *scleropsis* Meyrick, 1899
 63823) *Mestolobes semiochrea* Butler, 1882 (Pyralidae) Synonym(s): *semiochrea* Butler, 1882
 63824) *Mestolobes sicaria* Meyrick, 1904 (Pyralidae) Synonym(s): *sicaria* Meyrick, 1904
 63825) *Mestolobes sirina* Meyrick, 1899 (Pyralidae) Synonym(s): *sirina* Meyrick, 1899
 63826) *Mestolobes xanthoscia* Meyrick, 1899 (Pyralidae) Synonym(s): *xanthoscia* Meyrick, 1899
 63827) *Metacysta tetrommata* Hampson, 1906 (Pyralidae) Synonym(s): *tetrommata* Hampson, 1906
 63828) *Metacrambus carectellus* (Zeller, 1847) (Pyralidae) Synonym(s): *carectellus* Zeller, 1847; *lugdunellus* Millière, 1868; *truncatellus* Caradja, 1916.
 63829) *Metacrambus jugaraicae* Bleszynski, 1965 (Pyralidae) Synonym(s): *jugaraicae* Bleszynski, 1965
 63830) *Metacrambus kurdistanellus* (Amsel, 1959) (Pyralidae) Synonym(s): *kurdistanellus* Amsel, 1959
 63831) *Metacrambus kurdistanelus* (Amsel, 1959) (Pyralidae) Synonym(s): *kurdistanellus* Amsel, 1959
 63832) *Metacrambus marabut* Bleszynski, 1965 (Pyralidae) Synonym(s): *marabut* Bleszynski, 1965
 63833) *Metacrambus pallidellus* (Duponchel, 1836) (Pyralidae) Synonym(s): *pallidellus* Duponchel, 1836; *grammiculellus* Lucas, 1849; *catalauniellus* Herrich-Schäffer, [1852]; *oxybiellus* Millière, 1872; *cuencaelis* Hampson, 1900.
 63834) *Metacrambus salahinellus* (Chrétien, 1917) (Pyralidae) Synonym(s): *salahinellus* Chrétien, 1917; ? *nitens* Turati, 1930; *mendizabali* Agenjo, 1952
 63835) *Metacraterea perirreorella* Hampson, 1918 (Pyralidae) Synonym(s): *perirreorella* Hampson, 1918
 63836) *Metaeuchromius circe* Bleszynski, 1965 (Pyralidae) Synonym(s): *circe* Bleszynski, 1965
 63837) *Metaeuchromius yuennanensis* (Caradja, 1937) (Pyralidae) Synonym(s): *yuennanensis* Caradja, 1937
 63838) *Metaeuchromius yuennanensis yuennanensis* (Caradja, 1937) (Pyralidae) Synonym(s): *yuennanensis* Caradja, 1937
 63839) *Metaeuchromius yusufeliensis* Nuss & Speidel, 1999 (Pyralidae) Synonym(s): *yusufeliensis* Nuss & Speidel, 1999
 63840) *Metallarcha achoeusalis* (Walker, 1859) (Pyralidae) Synonym(s): *achoeusalis* Walker, 1859
 63841) *Metallarcha aureodiscalis* (Hampson, 1918) (Pyralidae) Synonym(s): *aureodiscalis* Hampson, 1918; *umbrifera* Turner, 1937
 63842) *Metallarcha beatialis* (R.Felder & Rogenhofer, 1875) (Pyralidae) Synonym(s): *beatialis* R.Felder & Rogenhofer, 1875; *goudii* Lower, 1902; *thioriscia* Lower, 1918; *clethodes* Lower, 1918
 63843) *Metallarcha calliaspis* Meyrick, 1884 (Pyralidae) Synonym(s): *calliaspis* Meyrick, 1884
 63844) *Metallarcha chrysitis* Turner, 1941 (Pyralidae) Synonym(s): *chrysitis* Turner, 1941
 63845) *Metallarcha crocanthes* Lower, 1896 (Pyralidae) Synonym(s): *crocanthes* Lower, 1896; *chrysalis* Hampson, 1913
 63846) *Metallarcha diplochrysa* Meyrick, 1884 (Pyralidae) Synonym(s): *diplochrysa* Meyrick, 1884
 63847) *Metallarcha epichrysa* Meyrick, 1884 (Pyralidae) Synonym(s): *epichrysa* Meyrick, 1884
 63848) *Metallarcha erromena* (Turner, 1908) (Pyralidae) Synonym(s): *erromena* Turner, 1908
 63849) *Metallarcha eurychrysa* Meyrick, 1884 (Pyralidae) Synonym(s): *eurychrysa* Meyrick, 1884
 63850) *Metallarcha leucodetis* Lower, 1899 (Pyralidae) Synonym(s): *leucodetis* Lower, 1899
 63851) *Metallarcha phaenolis* Turner, 1913 (Pyralidae) Synonym(s): *phaenolis* Turner, 1913
 63852) *Metallarcha pseliota* Meyrick, 1887 (Pyralidae) Synonym(s): *pseliota* Meyrick, 1887
 63853) *Metallarcha tetraplaca* Meyrick, 1887 (Pyralidae) Synonym(s): *tetraplaca* Meyrick, 1887; *grammetalla* Lower, 1915
 63854) *Metallarcha thiophara* Turner, 1917 (Pyralidae) Synonym(s): *thiophara* Turner, 1917
 63855) *Metallarcha zygoesema* Lower, 1897 (Pyralidae) Synonym(s): *zygoesema* Lower, 1897
 63856) *Metallosticha aignerii* (Amsel, 1935) (Pyralidae) Synonym(s): *aignerii* Amsel, 1935
 63857) *Metallosticha argyrogrammos* (Zeller, 1847) (Pyralidae) Synonym(s): *argyrogrammos* Zeller, 1847
 63858) *Metallosticha pamphaes* (Turner, 1904) (Pyralidae) Synonym(s): *pamphaes* Turner, 1904; *metallica* Lower, 1905; *callilampetes* Turner, 1946
 63859) *Metallostichodes bicolorella* (Heinemann, 1864) (Pyralidae) Synonym(s): *bicolorella* Heinemann, 1864
 63860) *Metallostichodes nigrocyanaella* (Constant, 1865) (Pyralidae) Synonym(s): *nigrocyanaella* Constant, 1865; *chalcocyanaella* Staudinger & Wocke, 1871.
 63861) *Metallostichodes nigrocyanaella nigrocyanaella* (Constant, 1865) (Pyralidae) Synonym(s): *nigrocyanaella* Constant, 1865; *chalcocyanaella* Staudinger & Wocke, 1871.
 63862) *Metallostichodes nigrocyanaella reisserella* Roesler, 1969 (Pyralidae) Synonym(s): *reisserella* Roesler, 1969
 63863) *Metallostichodes vinaceella* (Ragonot, 1895) (Pyralidae) Synonym(s): *vinaceella* Ragonot, 1895
 63864) *Metasia (Clasperia) cuencaelis* Ragonot, 1894 (Pyralidae) Synonym(s): *cuencaelis* Ragonot, 1894
 63865) *Metasia (Clasperia) cyrnealis* Schawerda, 1926 (Pyralidae) Synonym(s): *cyrnealis* Schawerda, 1926
 63866) *Metasia (Clasperia) ophialis* (Treitschke, 1829) (Pyralidae) Synonym(s): *ophialis* Treitschke, 1829; *parvalis* Caradja, 1917.
 63867) *Metasia (Hystrixia) younesalis* Chrétien, 1915 (Pyralidae) Synonym(s): *younesalis* Chrétien, 1915
 63868) *Metasia (s.str.) acharis* Meyrick, 1889 (Pyralidae) Synonym(s): *acharis* Meyrick, 1889
 63869) *Metasia (s.str.) achroa* (Lower, 1903) (Pyralidae) Synonym(s): *achroa* Lower, 1903
 63870) *Metasia (s.str.) albicostalis* Hampson (Pyralidae) Synonym(s):
 63871) *Metasia (s.str.) alvandalis* Amsel, 1961 (Pyralidae) Synonym(s): *alvandalis* Amsel, 1961
 63872) *Metasia (s.str.) aphrarcha* (Meyrick, 1887) (Pyralidae) Synonym(s): *aphrarcha* Meyrick, 1887
 63873) *Metasia (s.str.) arida* Hampson, 1913 (Pyralidae) Synonym(s): *arida* Hampson, 1913
 63874) *Metasia (s.str.) asymmetrica* Amsel, 1970 (Pyralidae) Synonym(s): *asymmetrica* Amsel, 1970
 63875) *Metasia (s.str.) ateloxantha* (Meyrick, 1887) (Pyralidae) Synonym(s): *ateloxantha* Meyrick, 1887
 63876) *Metasia (s.str.) belutschistanalis* Amsel, 1961 (Pyralidae) Synonym(s): *belutschistanalis* Amsel, 1961
 63877) *Metasia (s.str.) capnochroa* (Meyrick, 1884) (Pyralidae) Synonym(s): *capnochroa* Meyrick, 1884
 63878) *Metasia (s.str.) carnealis* (Treitschke, 1829) (Pyralidae) Synonym(s): *carnealis* Treitschke, 1829
 63879) *Metasia (s.str.) celaenophaes* (Turner, 1913) (Pyralidae) Synonym(s): *celaenophaes* Turner, 1913
 63880) *Metasia (s.str.) coniotalis* Hampson, 1903 (Pyralidae) Synonym(s): *coniotalis* Hampson, 1903
 63881) *Metasia (s.str.) continualis* Amsel, 1961 (Pyralidae) Synonym(s): *continualis* Amsel, 1961
 63882) *Metasia (s.str.) corsicalis* (Duponchel, 1833) (Pyralidae) Synonym(s): *corsicalis* Duponchel, 1833
 63883) *Metasia (s.str.) delotypa* (Turner, 1913) (Pyralidae) Synonym(s): *delotypa* Turner, 1913
 63884) *Metasia (s.str.) dicealis* (Walker, 1959) (Pyralidae) Synonym(s): *dicealis* Walker, 1959
 63885) *Metasia (s.str.) ectodontalis* Lower, 1903 (Pyralidae) Synonym(s): *ectodontalis* Lower, 1903
 63886) *Metasia (s.str.) eremialis* Hampson, 1913 (Pyralidae) Synonym(s): *eremialis* Hampson, 1913
 63887) *Metasia (s.str.) familiaris* (Meyrick, 1884) (Pyralidae) Synonym(s): *familiaris* Meyrick, 1884
 63888) *Metasia (s.str.) farsalis* Amsel, 1961 (Pyralidae) Synonym(s): *farsalis* Amsel, 1961
 63889) *Metasia (s.str.) harmonia* (Meyrick, 1887) (Pyralidae) Synonym(s): *harmonia* Meyrick, 1887
 63890) *Metasia (s.str.) hemicirca* (Meyrick, 1887) (Pyralidae) Synonym(s): *hemicirca* Meyrick, 1887
 63891) *Metasia (s.str.) holoxanthia* Hampson, 1899 (Pyralidae) Synonym(s): *holoxanthia* Hampson, 1899
 63892) *Metasia (s.str.) homogama* (Meyrick, 1887) (Pyralidae) Synonym(s): *homogama* Meyrick, 1887
 63893) *Metasia (s.str.) homophaea* (Meyrick, 1885) (Pyralidae) Synonym(s): *homophaea* Meyrick, 1885
 63894) *Metasia (s.str.) hymenalis* Guenée, 1854 (Pyralidae) Synonym(s): *hymenalis* Guenée, 1854
 63895) *Metasia (s.str.) ibericalis* Ragonot, 1894 (Pyralidae) Synonym(s): *ibericalis* Ragonot, 1894
 63896) *Metasia (s.str.) inustalis* Ragonot, 1894 (Pyralidae) Synonym(s): *inustalis* Ragonot, 1894
 63897) *Metasia (s.str.) kasyi* Amsel, 1970 (Pyralidae) Synonym(s): *kasyi* Amsel, 1970
 63898) *Metasia (s.str.) kurdistanalis* Amsel, 1961 (Pyralidae) Synonym(s): *kurdistanalis* Amsel, 1961
 63899) *Metasia (s.str.) laristanalis* Amsel, 1961 (Pyralidae) Synonym(s): *laristanalis* Amsel, 1961
 63900) *Metasia (s.str.) liophaea* (Meyrick, 1887) (Pyralidae) Synonym(s): *liophaea* Meyrick, 1887
 63901) *Metasia (s.str.) mendicilis* (Staudinger, 1879) (Pyralidae) Synonym(s): *mendicilis* Staudinger, 1879
 63902) *Metasia (s.str.) mimicalis* Amsel, 1970 (Pyralidae) Synonym(s): *mimicalis* Amsel, 1970
 63903) *Metasia (s.str.) minimalis* Amsel, 1970 (Pyralidae) Synonym(s): *minimalis* Amsel, 1970
 63904) *Metasia (s.str.) ochrochoa* (Meyrick, 1887) (Pyralidae) Synonym(s): *ochrochoa* Meyrick, 1887; *galbina* Turner, 1913

- 63905) *Metasia* (s.str.) *olbienalis* Guenée, 1854 (Pyralidae) Synonym(s): *olbienalis* Guenée, 1854
63906) *Metasia* (s.str.) *orphanopis* Turner, 1915 (Pyralidae) Synonym(s): *orphanopis* Turner, 1915
63907) *Metasia* (s.str.) *pagmanalis* Amsel, 1961 (Pyralidae) Synonym(s): *pagmanalis* Amsel, 1961
63908) *Metasia* (s.str.) *pharisalis* (Walker, 1859) (Pyralidae) Synonym(s): *pharisalis* Walker, 1859; *segestusalis* Walker, 1859
63909) *Metasia* (s.str.) *phragmatias* Lower, 1903 (Pyralidae) Synonym(s): *phragmatias* Lower, 1903; *diplophragma* Turner, 1908
63910) *Metasia* (s.str.) *polytima* Turner, 1908 (Pyralidae) Synonym(s): *polytima* Turner, 1908
63911) *Metasia* (s.str.) *profanalis* (Walker, 1865) (Pyralidae) Synonym(s): *profanalis* Walker, 1865
63912) *Metasia* (s.str.) *rosealis* Ragonot, 1895 (Pyralidae) Synonym(s): *rosealis* Ragonot, 1895
63913) *Metasia* (s.str.) *sefidalis* Amsel, 1961 (Pyralidae) Synonym(s): *sefidalis* Amsel, 1961
63914) *Metasia* (s.str.) *sinuifera* Hampson, 1913 (Pyralidae) Synonym(s): *sinuifera* Hampson, 1913
63915) *Metasia* (s.str.) *spilocrossa* (Turner, 1913) (Pyralidae) Synonym(s): *spilocrossa* Turner, 1913
63916) *Metasia* (s.str.) *strangalota* (Meyrick, 1887) (Pyralidae) Synonym(s): *strangalota* Meyrick, 1887
63917) *Metasia* (s.str.) *subtilialis* Caradja, 1917 (Pyralidae) Synonym(s): *subtilialis* Caradja, 1917
63918) *Metasia* (s.str.) *zoppophanes* (Hübner, [1823]) (Pyralidae) Synonym(s): *suppandalis* Hübner, [1823]
63919) *Metasia* (s.str.) *tampiusalis* Walker (Pyralidae) Synonym(s): *tampiusalis* Walker
63920) *Metasia* (s.str.) *tiasalis* (Walker, 1859) (Pyralidae) Synonym(s): *tiasalis* Walker, 1859; *microchrysalis* Walker, [1866]; *truncitornalis* Hampson, 1918
63921) *Metasia* (s.str.) *triplex* (Turner, 1913) (Pyralidae) Synonym(s): *triplex* Turner, 1913
63922) *Metasia* (s.str.) *typhodes* Turner, 1908 (Pyralidae) Synonym(s): *typhodes* Turner, 1908
63923) *Metasia* (s.str.) *virginalis* Ragonot, 1894 (Pyralidae) Synonym(s): *virginalis* Ragonot, 1894; *fulvilinealis* Hampson, 1900; *virginalis* Osthelder, 1934; *phthoneropsis* Meyrick, 1937
63924) *Metasia* (s.str.) *xenogama* (Meyrick, 1884) (Pyralidae) Synonym(s): *xenogama* Meyrick, 1884
63925) *Metasia* (s.str.) *zinckenialis* Hampson, 1899 (Pyralidae) Synonym(s): *zinckenialis* Hampson, 1899
63926) *Metasia* (s.str.) *zophophanes* (Turner, 1937) (Pyralidae) Synonym(s): *zophophanes* Turner, 1937
63927) *Metaxmeste* *cinerealis* (Della Beffa, 1942) (Pyralidae) Synonym(s): *cinerealis* Della Beffa, 1942
63928) *Metaxmeste* *phrygialis* (Hübner, 1796) (Pyralidae) Synonym(s): *phrygialis* Hübner, 1796
63929) *Metaxmeste* *schrankiana* (Hochenwarth, 1785) (Pyralidae) Synonym(s): *schrankiana* Hochenwarth, 1785
63930) *Metaxmeste* *sericatalis* (Herrich-Schäffer, [1848]) (Pyralidae) Synonym(s): *sericatalis* Herrich-Schäffer, [1848]
63931) *Metocca* *foedalis* (Guenée, 1854) (Pyralidae) Synonym(s): *foedalis* Guenée, 1854; *tenellalis* Guenée, 1854; *leucothoalis* Walker, 1859; *spilomelalis* Walker, 1859; *oethonalis* Walker, 1859; *scitalis* Lederer, 1863; *epispila* Meyrick, 1886; *pseudofaedalis* Strand, 1913; *cantonalis* Caradja, 1925
63932) *Metoccis* *carnifex* (Coquerel, 1855) (Pyralidae) Synonym(s): *carnifex* Coquerel, 1855; *lepidocerella* Mabilis, 1880
63933) *Meyriccia* *latro* (Zeller, 1873) (Pyralidae) Synonym(s): *latro* Zeller, 1873
63934) *Meyrickiella* *homosema* (Meyrick, 1887) (Pyralidae) Synonym(s): *homosema* Meyrick, 1887
63935) *Michaeliodes* *friesei* Roesler, 1970 (Pyralidae) Synonym(s): *friesei* Roesler, 1970
63936) *Micraglossa* *aenealis* Hampson, 1897 (Pyralidae) Synonym(s): *aenealis* Hampson, 1897
63937) *Micraglossa* *convatalalis* Klunder, 1912 (Pyralidae) Synonym(s): *convatalalis* Klunder, 1912
63938) *Micraglossa* *cupritincta* Hampson, 1917 (Pyralidae) Synonym(s): *cupritincta* Hampson, 1917
63939) *Micraglossa* *distictalis* Hampson, 1908 (Pyralidae) Synonym(s): *distictalis* Hampson, 1908
63940) *Micraglossa* *flavidalis* Hampson, 1907 (Pyralidae) Synonym(s): *flavidalis* Hampson, 1907
63941) *Micraglossa* *philippinensis* Hampson, 1917 (Pyralidae) Synonym(s): *philippinensis* Hampson, 1917
63942) *Micraglossa* *scoparialis* Warren, 1891 (Pyralidae) Synonym(s): *scoparialis* Warren, 1891
63943) *Microchilo* *fulvizonellus* (Hampson, 1896) (Pyralidae) Synonym(s): *fulvizonella* Hampson, 1896; *trizona* Meyrick, 1931
63944) *Microchilo* *gelastis* (Meyrick, 1887) (Pyralidae) Synonym(s): *gelastis* Meyrick, 1887; *isodeta* Turner, 1904
63945) *Microchilo* *inexpectellus* Bleszynski, 1965 (Pyralidae) Synonym(s): *inexpectellus* Bleszynski, 1965
63946) *Microchilo* *inouei* Okano, 1962 (Pyralidae) Synonym(s): *inouei* Okano, 1962
63947) *Microcrambus* *psythiella* (Schaus, 1913) (Pyralidae) Synonym(s): *psythiella* Schaus, 1913
63948) *Microphysetica* *ambialis* (Schaus, 1924) (Pyralidae) Synonym(s): *ambialis* Schaus, 1924
63949) *Microphysetica* *hermesalis* (Walker, 1859) (Pyralidae) Synonym(s): *hermesalis* Walker, 1859; *nymphulalis* Hampson, 1906; *phigelos* Dyar, 1922; *sinuosalis* Amsel, 1956
63950) *Microphysetica* *peperita* Hampson, 1917 (Pyralidae) Synonym(s): *peperita* Hampson, 1917
63951) *Microphysetica* *rufitincta* (Hampson, 1917) (Pyralidae) Synonym(s): *rufitincta* Hampson, 1917
63952) *Microstega* *acutangulata* (Swinhoe, 1901) (Pyralidae) Synonym(s): *acutangulata* Swinhoe, 1901
63953) *Microstega* *aureolalis* (Lederer, 1863) (Pyralidae) Synonym(s): *aureolalis* Lederer, 1863; *ochrealis* Moore, 1877
63954) *Microstega* *contractalis* (Warren, 1896) (Pyralidae) Synonym(s): *contractalis* Warren, 1896
63955) *Microstega* *homocolorum* Bänziger, 1995 (Pyralidae) Synonym(s): *homocolorum* Bänziger, 1995
63956) *Microstega* *praepetalis* (Lederer, 1869) (Pyralidae) Synonym(s): *praepetalis* Lederer, 1869; *haemopsamma* Meyrick, 1937
63957) *Microthrix* *epimetalla* Turner, 1911 (Pyralidae) Synonym(s): *epimetalla* Turner, 1911; *ecbleta* Turner, 1915
63958) *Microthrix* *inconspicuellae* Ragonot, 1888 (Pyralidae) Synonym(s): *inconspicuellae* Ragonot, 1888
63959) *Microthrix* *inconspicuellae* *inconspicuellae* Ragonot, 1888 (Pyralidae) Synonym(s): *inconspicuellae* Ragonot, 1888
63960) *Microthrix* *miserabilis* Strand, 1919 (Pyralidae) Synonym(s): *miserabilis* Strand, 1919
63961) *Miliberta* *gnathilata* Balinsky, 1994 (Pyralidae) Synonym(s): *gnathilata* Balinsky, 1994
63962) *Miliberta* *gnathilata* *gnathilata* Balinsky, 1994 (Pyralidae) Synonym(s): *gnathilata* Balinsky, 1994
63963) *Mimaglossa* *amuaropis* (Turner, 1926) (Pyralidae) Synonym(s): *amuaropis* Turner, 1926
63964) *Mimaglossa* *crypterythra* (Turner, 1904) (Pyralidae) Synonym(s): *crypterythra* Turner, 1904
63965) *Mimaglossa* *habitalis* (Guenée, 1854) (Pyralidae) Synonym(s): *habitalis* Guenée, 1854; *cervinalis* Walker, 1862; *revulsa* Warren, 1891
63966) *Mimaglossa* *nauplialis* (Walker, 1859) (Pyralidae) Synonym(s): *nauplialis* Walker, 1859; *porphyralis* Walker, [1866]; *subcultella* Walker, 1869.
63967) *Mimaglossa* *zophera* (Turner, 1904) (Pyralidae) Synonym(s): *zophera* Turner, 1904; *mixtiroalis* Hampson, 1906.
63968) *Mimorista* *pulchellalis* Dyar, 1922 (Pyralidae) Synonym(s): *pulchellalis* Dyar, 1922
63969) *Mimudea* *aenealis* (Hampson, 1913) (Pyralidae) Synonym(s): *aenealis* Hampson, 1913
63970) *Mimudea* *affinialis* (Zerny, 1914) (Pyralidae) Synonym(s): *affinialis* Zerny, 1914
63971) *Mimudea* *aksuensis* (Caradja, 1928) (Pyralidae) Synonym(s): *aksuensis* Caradja, 1928
63972) *Mimudea* *albifimbrialis* (Walker, 1865) (Pyralidae) Synonym(s): *albifimbrialis* Walker, 1865
63973) *Mimudea* *albiflua* (Hampson, 1913) (Pyralidae) Synonym(s): *albiflua* Hampson, 1913
63974) *Mimudea* *albiluna* (Hampson, 1913) (Pyralidae) Synonym(s): *albiluna* Hampson, 1913
63975) *Mimudea* *auratalis* (W. Warren, 1895) (Pyralidae) Synonym(s): *auratalis* W. Warren, 1895
63976) *Mimudea* *bipunctalis* (Herrich-Schäffer, 1851) (Pyralidae) Synonym(s): *bipunctalis* Herrich-Schäffer, 1851; *dispunctalis* Guenée, 1854
63977) *Mimudea* *brevialis* (Walker, 1859) (Pyralidae) Synonym(s): *brevialis* Walker, 1859
63978) *Mimudea* *brunnealis* (Dognin, 1912) (Pyralidae) Synonym(s): *brunnealis* Dognin, 1912
63979) *Mimudea* *chalcitalis* (Hampson, 1913) (Pyralidae) Synonym(s): *chalcitalis* Hampson, 1913
63980) *Mimudea* *chalcoclora* (Hampson, 1916) (Pyralidae) Synonym(s): *chalcoclora* Hampson, 1916
63981) *Mimudea* *confinalis* (Lederer, 1858) (Pyralidae) Synonym(s): *confinalis* Lederer, 1858; *gracialis* Staudinger, 1870
63982) *Mimudea* *conquisitalis* (Guenée, 1849) (Pyralidae) Synonym(s): *conquisitalis* Guenée, 1849
63983) *Mimudea* *cyanalis* (La Harpe, 1855) (Pyralidae) Synonym(s): *cyanalis* La Harpe, 1855
63984) *Mimudea* *decrepitalis* (Herrich-Schäffer, [1848]) (Pyralidae) Synonym(s): *decrepitalis* Herrich-Schäffer, [1848]
63985) *Mimudea* *dichorda* (Hampson, 1913) (Pyralidae) Synonym(s): *dichorda* Hampson, 1913
63986) *Mimudea* *distictalis* (Hampson, 1913) (Pyralidae) Synonym(s): *distictalis* Hampson, 1913
63987) *Mimudea* *dithyralis* Dognin, 1910 (Pyralidae) Synonym(s): *dithyralis* Dognin, 1910
63988) *Mimudea* *elutalis* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *elutalis* [Denis & Schiffermüller], 1775; *albidalis* Hübner, 1796
63989) *Mimudea* *endotrichialis* (Hampson, 1918) (Pyralidae) Synonym(s): *endotrichialis* Hampson, 1918
63990) *Mimudea* *flavinotata* W. Warren, 1892 (Pyralidae) Synonym(s): *flavinotata* W. Warren, 1892
63991) *Mimudea* *flavofimbriata* (Moore, 1888) (Pyralidae) Synonym(s): *flavofimbriata* Moore, 1888

- 63992) *Mimudea hyalopunctalis* Dognin,1910 (Pyrilidae) Synonym(s): *hyalopunctalis* Dognin,1910
63993) *Mimudea infuscalis* (Zeller,1852) (Pyrilidae) Synonym(s): *infuscalis* Zeller,1852
63994) *Mimudea institalis* (Hübner,[1819]) (Pyrilidae) Synonym(s): ? *focorum* Fourcroy,1785; *institalis* Hübner,[1819]; *rutana* Vallot,1829; *ferreralis* Duponchel,1833
63995) *Mimudea languidalis* (Eversmann,1842) (Pyrilidae) Synonym(s): *languidalis* Eversmann,1842
63996) *Mimudea leucopeplalis* (Hampson,1900) (Pyrilidae) Synonym(s): *leucopeplalis* Hampson,1900
63997) *Mimudea lividalis* Dognin,1905 (Pyrilidae) Synonym(s): *lividalis* Dognin,1905
63998) *Mimudea lutealis* (Hübner,[1809]) (Pyrilidae) Synonym(s): *lutealis* Hübner,[1809]; *pascualis* Lienig & Zeller,1846; *aetialis* Stephens,1850; *aetialis* Guenée,1854
63999) *Mimudea minnehaha* (Pryer,1877) (Pyrilidae) Synonym(s): *minnehaha* Pryer,1877
64000) *Mimudea muscosalis* (Hampson,1913) (Pyrilidae) Synonym(s): *muscosalis* Hampson,1913
64001) *Mimudea nea* (Strand,1918) (Pyrilidae) Synonym(s): *nea* Strand,1918
64002) *Mimudea nebulalis* (Hübner,1796) (Pyrilidae) Synonym(s): *nebulalis* Hübner,1796; *squalidalis* Hübner,[1809]; *pratalis* Zeller,1841
64003) *Mimudea obfuscalis* (Dognin,1905) (Pyrilidae) Synonym(s): *obfuscalis* Dognin,1905
64004) *Mimudea obvialis* (Hampson,1913) (Pyrilidae) Synonym(s): *obvialis* Hampson,1913
64005) *Mimudea olivialis* W.Warren,1892 (Pyrilidae) Synonym(s): *olivialis* W.Warren,1892
64006) *Mimudea pectinalis* (Hampson,1913) (Pyrilidae) Synonym(s): *pectinalis* Hampson,1913
64007) *Mimudea perfervidalis* (Hampson,1900) (Pyrilidae) Synonym(s): *perfervidalis* Hampson,1900
64008) *Mimudea polioistolalis* (Hampson,1918) (Pyrilidae) Synonym(s): *polioistolalis* Hampson,1918
64009) *Mimudea pyraustiformis* (Toll,1947) (Pyrilidae) Synonym(s): *pyraustiformis* Toll,1947
64010) *Mimudea quadrimaculalis* Dognin,1908 (Pyrilidae) Synonym(s): *quadrimaculalis* Dognin,1908
64011) *Mimudea rocinalis* (Dognin,1897) (Pyrilidae) Synonym(s): *rocinalis* Dognin,1897
64012) *Mimudea russispersalis* (Zerny,1914) (Pyrilidae) Synonym(s): *russispersalis* Zerny,1914
64013) *Mimudea scorialis* (Zeller,1847) (Pyrilidae) Synonym(s): *scorialis* Zeller,1847
64014) *Mimudea silvalis* (De Joannis,1891) (Pyrilidae) Synonym(s): *silvalis* De Joannis,1891
64015) *Mimudea stigmatalis* (Wileman,1911) (Pyrilidae) Synonym(s): *stigmatalis* Wileman,1911
64016) *Mimudea tisasalis* (Druce,1899) (Pyrilidae) Synonym(s): *tisasalis* Druce,1899
64017) *Mimudea trilampas* Dognin,1912 (Pyrilidae) Synonym(s): *trilampas* Dognin,1912
64018) *Mimudea tristigmatalis* (Hampson,1918) (Pyrilidae) Synonym(s): *tristigmatalis* Hampson,1918
64019) *Miraxis klotsi* Bleszynski,1962 (Pyrilidae) Synonym(s): *klotsi* Bleszynski,1962
64020) *Mittonia hamptoni* (Distant,1897) (Pyrilidae) Synonym(s): *hamptoni* Distant,1897
64021) *Miyakea expansa* (Butler,1881) (Pyrilidae) Synonym(s): *expansa* Butler,1881; *raddeella* Caradja,1910
64022) *Mnesixena pectinalis* (Herrich-Schäffer,1838) (Pyrilidae) Synonym(s): *pectinalis* Herrich-Schäffer,1838
64023) *Mnesixena pectinalis jordanalis* (Rebel,1903) (Pyrilidae) Synonym(s): *jordanalis* Rebel,1903
64024) *Mnesixena pectinalis pectinalis* (Herrich-Schäffer,1838) (Pyrilidae) Synonym(s): *pectinalis* Herrich-Schäffer,1838
64025) *Modestia bipunctella* (Wileman & South,1917) (Pyrilidae) Synonym(s): *bipunctella* Wileman & South,1917
64026) *Modestia szetschwanella* (Caradja,1931) (Pyrilidae) Synonym(s): *modestellus* Caradja,1927 nec Barn. & McDunn.,1918; *szetschwanella* Caradja,1931
64027) *Monocoptera cemetalliscens* Hampson,1898 (Pyrilidae) Synonym(s): *cemetalliscens* Hampson,1898
64028) *Mucialla fuscilimbis* Snellen,1900 (Pyrilidae) Synonym(s): *fuscilimbis* Snellen,1900
64029) *Munroeodes australis* Munroe,1964 (Pyrilidae) Synonym(s): *australis* Munroe,1964
64030) *Munroeodes delavalis* (Möschler,1881) (Pyrilidae) Synonym(s): *delavalis* Möschler,1881; *guianae* Munroe,1964
64031) *Munroeodes thalesalis* (Walker,1859) (Pyrilidae) Synonym(s): *thalesalis* Walker,1859
64032) *Munroeodes transparentalis* (Amsel,1956) (Pyrilidae) Synonym(s): *transparentalis* Amsel,1956
64033) *Musotima acclralis* (Walker,1859) (Pyrilidae) Synonym(s): *acclralis* Walker,1859
64034) *Musotima acrias* Meyrick,1884 (Pyrilidae) Synonym(s): *acrias* Meyrick,1884
64035) *Musotima aduncalis* (R.Felder & Rogenhofer,1874) (Pyrilidae) Synonym(s): *aduncalis* R.Felder & Rogenhofer,1874
64036) *Musotima callidryas* Turner,1922 (Pyrilidae) Synonym(s): *callidryas* Turner,1922
64037) *Musotima decoralis* Snellen,1901 (Pyrilidae) Synonym(s): *decoralis* Snellen,1901
64038) *Musotima francki* Caradja,1927 (Pyrilidae) Synonym(s): *francki* Caradja,1927
64039) *Musotima fuscalis* Snellen,1901 (Pyrilidae) Synonym(s): *fuscalis* Snellen,1901
64040) *Musotima fuscidiscalis* Hampson,1897 (Pyrilidae) Synonym(s): *fuscidiscalis* Hampson,1897
64041) *Musotima incrustalis* Snellen,1894 (Pyrilidae) Synonym(s): *incrustalis* Snellen,1894
64042) *Musotima instrumentalis* (Swinhoe,1894) (Pyrilidae) Synonym(s): *instrumentalis* Swinhoe,1894
64043) *Musotima leucomma* (Hampson,1917) (Pyrilidae) Synonym(s): *leucomma* Hampson,1917
64044) *Musotima nitidalis* (Walker,[1886]) (Pyrilidae) Synonym(s): *nitidalis* Walker,[1886]; *timaralis* R.Felder & Rogenhofer,1875
64045) *Musotima nubilalis* South,1901 (Pyrilidae) Synonym(s): *nubilalis* South,1901
64046) *Musotima ochropteralis* (Guenée,1854) (Pyrilidae) Synonym(s): *ochropteralis* Guenée,1854
64047) *Musotima pudica* (Lucas,1894) (Pyrilidae) Synonym(s): *pudica* Lucas,1894; *persinualis* Hampson,1897
64048) *Musotima puffalis* (Hampson,1893) (Pyrilidae) Synonym(s): *suffusalis* (Hampson,1893)
64049) *Mussidia melanoneura* Ragonot,1893 (Pyrilidae) Synonym(s): *melanoneura* Ragonot,1893
64050) *Mussidia nigrivenella* Ragonot,1888 (Pyrilidae) Synonym(s): *nigrivenella* Ragonot,1888
64051) *Mussidia pectinicornella* (Hampson,1896) (Pyrilidae) Synonym(s): *pectinicornella* Hampson,1896
64052) *Mutuuraia impunctata* (Warren,1897) (Pyrilidae) Synonym(s): *impunctata* Warren,1897
64053) *Mutuuraia myssippusalis* (Walker,1859) (Pyrilidae) Synonym(s): *myssippusalis* Walker,1859; *humilalis* Lederer,1863
64054) *Mutuuraia oberthuri* (Turati,1913) (Pyrilidae) Synonym(s): *oberthuri* Turati,1913
64055) *Mutuuraia pistoralis* (Zerny,1934) (Pyrilidae) Synonym(s): *pistoralis* Zerny,1934
64056) *Mutuuraia terrealis* (Treitschke,1829) (Pyrilidae) Synonym(s): *terrealis* Treitschke,1829
64057) *Myelobia atrosarsella* (Walker,1863) (Pyrilidae) Synonym(s): *atrosarsella* Walker,1863
64058) *Myelobia bimaculata* (Box,1931) (Pyrilidae) Synonym(s): *bimaculata* Box,1931
64059) *Myelobia biumbata* (Schaus,1922) (Pyrilidae) Synonym(s): *biumbata* Schaus,1922
64060) *Myelobia castrella* (Schaus,1922) (Pyrilidae) Synonym(s): *castrella* Schaus,1922
64061) *Myelobia decolorata* Herrich-Schäffer,1858 (Pyrilidae) Synonym(s): *decolorata* Herrich-Schäffer,1858
64062) *Myelobia dorsipunctella* (Schaus,1922) (Pyrilidae) Synonym(s): *dorsipunctella* Schaus,1922
64063) *Myelobia endothermalis* (Hampson,1919) (Pyrilidae) Synonym(s): *endothermalis* Hampson,1919
64064) *Myelobia heinrichi* (Box,1931) (Pyrilidae) Synonym(s): *heinrichi* Box,1931
64065) *Myelobia incanella* (Hampson,1896) (Pyrilidae) Synonym(s): *incanella* Hampson,1896
64066) *Myelobia lanceolatus* (Zeller,1882) (Pyrilidae) Synonym(s): *lanceolatus* Zeller,1882
64067) *Myelobia murina* Herrich-Schäffer,1858 (Pyrilidae) Synonym(s): *murina* Herrich-Schäffer,1858
64068) *Myelobia nabalalis* (Schaus,1934) (Pyrilidae) Synonym(s): *nabalalis* Schaus,1934
64069) *Myelobia nigristigmella* (Hampson,1896) (Pyrilidae) Synonym(s): *nigristigmella* Hampson,1896
64070) *Myelobia palaeceae* Herrich-Schäffer,1858 (Pyrilidae) Synonym(s): *palaeceae* Herrich-Schäffer,1858
64071) *Myelobia peruanella* (Schaus,1922) (Pyrilidae) Synonym(s): *peruanella* Schaus,1922
64072) *Myelobia pustulata* Herrich-Schäffer,1858 (Pyrilidae) Synonym(s): *pustulata* Herrich-Schäffer,1858
64073) *Myelobia smerintha* (Hübner,1821) (Pyrilidae) Synonym(s): *smerintha* Hübner,1821
64074) *Myelobia smerintha alba* (Köhler,1924) (Pyrilidae) Synonym(s): *alba* Köhler,1924
64075) *Myelobia spectabilis* (R.Felder & Rogenhofer,1875) (Pyrilidae) Synonym(s): *spectabilis* R.Felder & Rogenhofer,1875
64076) *Myelobia squamata* (Hampson,1919) (Pyrilidae) Synonym(s): *squamata* Hampson,1919
64077) *Myelobia systrapegus* (Dyar,1913) (Pyrilidae) Synonym(s): *systrapegus* Dyar,1913
64078) *Myelobia vinasella* (Schaus,1913) (Pyrilidae) Synonym(s): *vinasella* Schaus,1913
64079) *Myelobia xanthoterma* (Hampson,1919) (Pyrilidae) Synonym(s): *xanthoterma* Hampson,1919

- 64080) *Myelobia zeuzeroides* (Walker, 1865) (Pyralidae) Synonym(s): *zeuzeroides* Walker, 1865
 64081) *Myelodes flavimargo* Hampson, 1930 (Pyralidae) Synonym(s): *flavimargo* Hampson, 1930
 64082) *Myelodes flavimargo flavimargo* Hampson, 1930 (Pyralidae) Synonym(s): *flavimargo* Hampson, 1930
 64083) *Myelodes jansei* Hampson, 1930 (Pyralidae) Synonym(s): *jansei* Hampson, 1930
 64084) *Myelodes jansei jansei* Hampson, 1930 (Pyralidae) Synonym(s): *jansei* Hampson, 1930
 64085) *Myelois* (Gnathogutta) *circumdatella* Lederer, 1858 (Pyralidae) Synonym(s): *circumdatella* Lederer, 1858; *ottoella* Schawerda, 1924
 64086) *Myelois* (Gnathogutta) *heratella* Amsel, 1970 (Pyralidae) Synonym(s): *heratella* Amsel, 1970
 64087) *Myelois* (Gnathogutta) *luticornella* (Ragonot, 1887) (Pyralidae) Synonym(s): *luticornella* Ragonot, 1887
 64088) *Myelois* (Gnathogutta) *osseella* (Ragonot, 1887) (Pyralidae) Synonym(s): *osseella* Ragonot, 1887
 64089) *Myelois* (Gnathogutta) *osseella afghanella* Amsel, 1970 (Pyralidae) Synonym(s): *afghanella* Amsel, 1970
 64090) *Myelois* (Gnathogutta) *pluripunctella* (Ragonot, 1887) (Pyralidae) Synonym(s): *pluripunctella* Ragonot, 1887
 64091) *Myelois* (Gnathogutta) *pluripunctella paucipunctella* Zerny, 1939 (Pyralidae) Synonym(s): *paucipunctella* Zerny, 1939
 64092) *Myelois* (Gnathogutta) *pumicosa* Lederer, 1855 (Pyralidae) Synonym(s): *pumicosa* Lederer, 1855
 64093) *Myelois* (Gnathogutta) *umbratella* (Treitschke, 1832) (Pyralidae) Synonym(s): *umbratella* Treitschke, 1832; *ossicolor* Ragonot, 1893; *unipunctella* Chrétien, 1911
 64094) *Myelois* (s.str.) ? *marginipunctella* Amsel, 1959 (Pyralidae) Synonym(s): *marginipunctella* Amsel, 1959
 64095) *Myelois* (s.str.) *atelogramma* Meyrick, 1937 (Pyralidae) Synonym(s): *atelogramma* Meyrick, 1937
 64096) *Myelois* (s.str.) *circumvoluta* (Fourcroy, 1785) (Pyralidae) Synonym(s): *circumvoluta* Fourcroy, 1785; *circumvolutella* Villers, 1789; *cribrella* Hübner, 1796; *carhdui* Haworth, 1811; *medullalis* Hübner, [1825]; *pallium* Vallot, 1829; *gilvescentella* Fuchs, 1903; *britannicella* Amsel, 1951; *impunctata* Hartig, 1952; *nigrapeza* Hartig, 1952
 64097) *Myelois* (s.str.) *conformella* Amsel, 1951 (Pyralidae) Synonym(s): *conformella* Amsel, 1951
 64098) *Myelois* (s.str.) *constans* Amsel, 1951 (Pyralidae) Synonym(s): *constans* Amsel, 1951
 64099) *Myelois* (s.str.) *cribratella* Zeller, 1847 (Pyralidae) Synonym(s): *cribratella* Zeller, 1847; *pallipedella* Ragonot, 1893
 64100) *Myelois* (s.str.) *fuscicostella* Mann, 1861 (Pyralidae) Synonym(s): *fuscicostella* Mann, 1861
 64101) *Myelois* (s.str.) *hispanicella* (Herrich-Schäffer, 1855) (Pyralidae) Synonym(s): *hispanicella* Herrich-Schäffer, 1855; *rhizobiella* Staudinger, 1859
 64102) *Myelois* (s.str.) *margaritella* Turati, 1930 (Pyralidae) Synonym(s): *margaritella* Turati, 1930
 64103) *Myelois* (s.str.) *micropunctella* Amsel, 1951 (Pyralidae) Synonym(s): *micropunctella* Amsel, 1951
 64104) *Myelois* (s.str.) *multiflorella* Ragonot, 1887 (Pyralidae) Synonym(s): *multiflorella* Ragonot, 1887; *multiflorella* Zerny, 1939.
 64105) *Myelois* (s.str.) *nigripalpella* Christoph, 1887 (Pyralidae) Synonym(s): *nigripalpella* Christoph, 1887
 64106) *Myelois* (s.str.) *quadripunctella* Zerny, 1914 (Pyralidae) Synonym(s): *quadripunctella* Zerny, 1914
 64107) *Myelois* (s.str.) *staudingerella* Ragonot, 1887 (Pyralidae) Synonym(s): *staudingerella* Ragonot, 1887
 64108) *Myelois* (s.str.) *synclina* Meyrick, 1937 (Pyralidae) Synonym(s): *synclina* Meyrick, 1937
 64109) *Myeloisiphana* *afghana* Hartig, 1937 (Pyralidae) Synonym(s): *afghana* Hartig, 1937
 64110) *Myriostephes asphycta* (Turner, 1915) (Pyralidae) Synonym(s): *asphycta* Turner, 1915
 64111) *Myriostephes crocoba* Turner, 1908 (Pyralidae) Synonym(s): *crocoba* Turner, 1908
 64112) *Myriostephes haplodes* (Meyrick, 1887) (Pyralidae) Synonym(s): *haplodes* Meyrick, 1887
 64113) *Myriostephes leucostictalis* (Hampson, 1899) (Pyralidae) Synonym(s): *leucostictalis* Hampson, 1899
 64114) *Myriostephes matura* Meyrick, 1884 (Pyralidae) Synonym(s): *matura* Meyrick, 1884; *crocophara* Turner, 1915
 64115) *Myriostephes rubriceps* (Hampson, 1903) (Pyralidae) Synonym(s): *rubriceps* Hampson, 1903
 64116) *Myrllaea albistrigata* (Staudinger, 1881) (Pyralidae) Synonym(s): *albistrigata* Staudinger, 1881
 64117) *Myrllaea epischniella* (Staudinger, 1879) (Pyralidae) Synonym(s): *epischniella* Staudinger, 1879
 64118) *Myrllaea kurdistan* Amsel, 1959 (Pyralidae) Synonym(s): *kurdistan* Amsel, 1959
 64119) *Myrllaea marmorata* (Alpheraky, 1877) (Pyralidae) Synonym(s): *marmorata* Alpheraky, 1877
 64120) *Myrllaea mimicalis* (Amsel, 1950) (Pyralidae) Synonym(s): *mimicalis* Amsel, 1950
 64121) *Myrllaea nigrosquamalis* (Amsel, 1950) (Pyralidae) Synonym(s): *nigrosquamalis* Amsel, 1950
 64122) *Myrllaea pittonii* (Amsel, 1950) (Pyralidae) Synonym(s): *pittonii* Amsel, 1950
 64123) *Myrmidonistis hoplora* Meyrick, 1887 (Pyralidae) Synonym(s): *hoplora* Meyrick, 1887
 64124) *Nacoleia alincia* Turner, 1908 (Pyralidae) Synonym(s): *alincia* Turner, 1908
 64125) *Nacoleia amphicedalis* (Walker, 1859) (Pyralidae) Synonym(s): *amphicedalis* Walker, 1859; *bilunatalis* Walker, [1866]
 64126) *Nacoleia charesalis* (Walker, 1859) (Pyralidae) Synonym(s): *charesalis* Walker, 1859; *molusalis* Walker, 1859; *vetusalis* Strand, 1918; *argillitis* Turner, 1937; *delhommealis* Legrand, 1965
 64127) *Nacoleia dienal* (Guenée, 1854) (Pyralidae) Synonym(s): *dienalis* Guenée, 1854
 64128) *Nacoleia glageropta* Turner, 1908 (Pyralidae) Synonym(s): *glageropta* Turner, 1908
 64129) *Nacoleia megaspilalis* Hampson, 1912 (Pyralidae) Synonym(s): *megaspilalis* Hampson, 1912; *leucophrys* Turner, 1926
 64130) *Nacoleia mesochlora* (Meyrick, 1884) (Pyralidae) Synonym(s): *mesochlora* Meyrick, 1884; *annuligera* Butler, 1886
 64131) *Nacoleia obliquialis* Hampson, 1898 (Pyralidae) Synonym(s): *obliquialis* Hampson, 1898
 64132) *Nacoleia octasema* (Meyrick, 1886) (Pyralidae) Synonym(s): *octasema* Meyrick, 1886
 64133) *Nacoleia oncophragma* Turner, 1908 (Pyralidae) Synonym(s): *oncophragma* Turner, 1908
 64134) *Nacoleia parapsephis* (Meyrick, 1887) (Pyralidae) Synonym(s): *parapsephis* Meyrick, 1887
 64135) *Nacoleia rhoecalis* (Walker, 1859) (Pyralidae) Synonym(s): *rhoecalis* Walker, 1859; *murcusalis* Walker, 1859; *hypsidesalis* Walker, 1859; *irruptalis* Walker, [1866]; *sordidalis* Walker, [1866]; *distrectalis* Walker, 1869.
 64136) *Nacoleia syngenia* Turner, 1913 (Pyralidae) Synonym(s): *syngenia* Turner, 1913
 64137) *Nakurubia sacculata* Balinsky, 1994 (Pyralidae) Synonym(s): *sacculata* Balinsky, 1994
 64138) *Nakurubia sacculata sacculata* Balinsky, 1994 (Pyralidae) Synonym(s): *sacculata* Balinsky, 1994
 64139) *Namangania laetalis* (Hampson, 1900) (Pyralidae) Synonym(s): *laetalis* Hampson, 1900
 64140) *Namibicola simplex* Balinsky, 1994 (Pyralidae) Synonym(s): *simplex* Balinsky, 1994
 64141) *Namibicola simplex simplex* Balinsky, 1994 (Pyralidae) Synonym(s): *simplex* Balinsky, 1994
 64142) *Namibicola splendida* Balinsky, 1991 (Pyralidae) Synonym(s): *splendida* Balinsky, 1991
 64143) *Namibicola splendida splendida* Balinsky, 1991 (Pyralidae) Synonym(s): *splendida* Balinsky, 1991
 64144) *Namibiopsis punctata* Balinsky, 1994 (Pyralidae) Synonym(s): *punctata* Balinsky, 1994
 64145) *Namibiopsis punctata punctata* Balinsky, 1994 (Pyralidae) Synonym(s): *punctata* Balinsky, 1994
 64146) *Nascia ciliaris* (Hübner, 1796) (Pyralidae) Synonym(s): *ciliaris* Hübner, 1796
 64147) *Nascia ciliaris christophi* Munroe & Mutuura, 1968 (Pyralidae) Synonym(s): *christophi* Munroe & Mutuura, 1968
 64148) *Nascia ciliaris ciliaris* (Hübner, 1796) (Pyralidae) Synonym(s): *ciliaris* Hübner, 1796
 64149) *Nascia ciliaris kumatai* Munroe & Mutuura, 1968 (Pyralidae) Synonym(s): *kumatai* Munroe & Mutuura, 1968
 64150) *Nausinoe argyrosticta* (Hampson, 1910) (Pyralidae) Synonym(s): *argyrosticta* Hampson, 1910
 64151) *Nausinoe capensis* (Walker, [1866]) (Pyralidae) Synonym(s): *capensis* Walker, [1866]
 64152) *Nausinoe euroalis* Swinhoe, 1889 (Pyralidae) Synonym(s): *euroalis* Swinhoe, 1889
 64153) *Nausinoe geometralis* (Guenée, 1854) (Pyralidae) Synonym(s): *geometralis* Guenée, 1854; *geometricalis* Lederer, 1863
 64154) *Nausinoe globulipedalis* (Walker, [1866]) (Pyralidae) Synonym(s): *globulipedalis* Walker, [1866]; *columalis* Snellen, 1880
 64155) *Nausinoe perspectata* (Fabricius, 1775) (Pyralidae) Synonym(s): *perspectata* Fabricius, 1775; *perpectata* Hutacharn & Tuitim, 1995
 64156) *Nausinoe piabilis* (Wallengren, 1875) (Pyralidae) Synonym(s): *piabilis* Wallengren, 1875
 64157) *Nausinoe pueritia* (Cramer, [1780]) (Pyralidae) Synonym(s): *pueritia* Cramer, [1780]
 64158) *Nausinoe quadrinalis* (Guenée, 1854) (Pyralidae) Synonym(s): *quadrinalis* Guenée, 1854; *flavibrunnea* Hampson, 1898
 64159) *Navasota leuconeurella* Hampson, 1918 (Pyralidae) Synonym(s): *leuconeurella* Hampson, 1918
 64160) *Neargyractis slossonalis* (Dyar, 1906) (Pyralidae) Synonym(s): *slossonalis* Dyar, 1906
 64161) *Neargyria argyraspis* (Meyrick, 1876) (Pyralidae) Synonym(s): *argyraspis* Meyrick, 1876
 64162) *Neargyria persimilis* Hampson, 1919 (Pyralidae) Synonym(s): *persimilis* Hampson, 1919
 64163) *Neargyrioides aglaopis* (Turner, 1911) (Pyralidae) Synonym(s): *aglaopis* Turner, 1911
 64164) *Nechilo macrogona* (Lower, 1902) (Pyralidae) Synonym(s): *macrogona* Lower, 1902; *oxyprora* Turner, 1904

- 64165) *Neerupa argyrosticta* Hampson, 1919 (Pyralidae) Synonym(s): *argyrosticta* Hampson, 1919
 64166) *Neerupa benepunctalis* Hampson, 1919 (Pyralidae) Synonym(s): *benepunctalis* Hampson, 1919
 64167) *Neobostra ferruginalis* Hampson, 1906 (Pyralidae) Synonym(s): *ferruginalis* Hampson, 1906
 64168) *Neocrambus wolfschlaegeri* (Schawerda, 1937) (Pyralidae) Synonym(s): *wolfschlaegeri* Schawerda, 1937
 64169) *Neopicrosia claudiusalis* (Walker, 1859) (Pyralidae) Synonym(s): *claudiusalis* Walker, 1859; *fulviflavialis* Hampson, 1918
 64170) *Neopicrosia confusa* Munroe, 1964 (Pyralidae) Synonym(s): *confusa* Munroe, 1964
 64171) *Neopicrosia daucalis* Munroe, 1964 (Pyralidae) Synonym(s): *daucalis* Munroe, 1964
 64172) *Neopicrosia furvulalis* (Munroe, 1978) (Pyralidae) Synonym(s): *furvulalis* Hampson, 1913 nec Ev., 1842; *furvulalis* Munroe, 1978
 64173) *Neopicrosia fuscalis* Munroe, 1978 (Pyralidae) Synonym(s): *fuscalis* Munroe, 1978
 64174) *Neopicrosia submundalis* (Dognin, 1905) (Pyralidae) Synonym(s): *submundalis* Dognin, 1905
 64175) *Neopicrosia tuisalis* (Schaus, 1912) (Pyralidae) Synonym(s): *tuisalis* Schaus, 1912
 64176) *Neohelviotys arizonensis* (Capps, 1967) (Pyralidae) Synonym(s): *arizonensis* Capps, 1967
 64177) *Neohelviotys boliviensis* (Capps, 1967) (Pyralidae) Synonym(s): *boliviensis* Capps, 1967
 64178) *Neohelviotys nayaritensis* (Capps, 1967) (Pyralidae) Synonym(s): *nayaritensis* Capps, 1967
 64179) *Neohelviotys neohelvalis* (Capps, 1967) (Pyralidae) Synonym(s): *neohelvalis* Capps, 1967
 64180) *Neohelviotys oxalis* (Clarke, 1965) (Pyralidae) Synonym(s): *oxalis* Clarke, 1965
 64181) *Neohelviotys pelotasalis* (Capps, 1967) (Pyralidae) Synonym(s): *pelotasalis* Capps, 1967
 64182) *Neohelviotys polingi* (Capps, 1967) (Pyralidae) Synonym(s): *polingi* Capps, 1967
 64183) *Neohelviotys saltensis* (Capps, 1967) (Pyralidae) Synonym(s): *saltensis* Capps, 1967
 64184) *Neopaschia flavociliata* Janse, 1922 (Pyralidae) Synonym(s): *flavociliata* Janse, 1922; *flavociliata* Vari & Kroon, 1986
 64185) *Neopodiasia mixtalis* (Walker, 1863) (Pyralidae) Synonym(s): *mixtalis* Walker, 1863; *atrisquamalis* Hampson, 1900; *columbinellus* South, 1901; *trimarginipunctus* Filipjev, 1927.
 64186) *Neoschoenobia cautodes* Turner, 1937 (Pyralidae) Synonym(s): *cautodes* Turner, 1937
 64187) *Neostege holoxantha* Hampson, 1910 (Pyralidae) Synonym(s): *holoxantha* Hampson, 1910
 64188) *Nephelobotys nephelitalis* (Hampson, 1913) (Pyralidae) Synonym(s): *nephelitalis* Hampson, 1913
 64189) *Nephopterix angustella* (Hübner, 1796) (Pyralidae) Synonym(s): *angustella* Hübner, 1796; *angusta* Haworth, 1811; *gracilalis* Hübner, [1825].
 64190) *Nephopterix apotomella* (Meyrick, 1886) (Pyralidae) Synonym(s): *apotomella* Meyrick, 1886
 64191) *Nephopterix ardekanella* Amsel, 1951 (Pyralidae) Synonym(s): *ardekanella* Amsel, 1951
 64192) *Nephopterix capnoessa* (Turner, 1904) (Pyralidae) Synonym(s): *capnoessa* Turner, 1904
 64193) *Nephopterix caradrinella* Ragonot, 1893 (Pyralidae) Synonym(s): *caradrinella* Ragonot, 1893
 64194) *Nephopterix ceratistes* Tams, 1935 (Pyralidae) Synonym(s): *ceratistes* Tams, 1935
 64195) *Nephopterix chryserythra* Lower, 1902 (Pyralidae) Synonym(s): *chryserythra* Lower, 1902
 64196) *Nephopterix cleopatrella* Ragonot, 1887 (Pyralidae) Synonym(s): *cleopatrella* Ragonot, 1887
 64197) *Nephopterix cometella* Joannis, 1927 (Pyralidae) Synonym(s): *cometella* Joannis, 1927
 64198) *Nephopterix cornutella* Amsel, 1951 (Pyralidae) Synonym(s): *cornutella* Amsel, 1951
 64199) *Nephopterix divisella* (Duponchel, 1842) (Pyralidae) Synonym(s): *divisella* Duponchel, 1842; *albiricella* Herrich-Schäffer, 1849; *euphorbiella* Zeller, 1846; *sardzeella* Amsel, 1961.
 64200) *Nephopterix emussitatella* Ragonot, 1893 (Pyralidae) Synonym(s): *emussitatella* Ragonot, 1893
 64201) *Nephopterix eustatica* Meyrick, 1937 (Pyralidae) Synonym(s): *eustatica* Meyrick, 1937
 64202) *Nephopterix gregella* Eversmann, 1844 (Pyralidae) Synonym(s): *gregella* Eversmann, 1844
 64203) *Nephopterix griseofusa* (Wileman & South, 1919) (Pyralidae) Synonym(s): *griseofusa* Wileman & South, 1919
 64204) *Nephopterix habrostola* Lower, 1905 (Pyralidae) Synonym(s): *habrostola* Lower, 1905
 64205) *Nephopterix hemibaphes* (Turner, 1904) (Pyralidae) Synonym(s): *hemibaphes* Turner, 1904
 64206) *Nephopterix hyemalis* Butler, 1880 (Pyralidae) Synonym(s): *hyemalis* Butler, 1880
 64207) *Nephopterix kosemponella* Strand, 1919 (Pyralidae) Synonym(s): *kosemponella* Strand, 1919
 64208) *Nephopterix macrocirtensis* Amsel, 1953 (Pyralidae) Synonym(s): *macrocirtensis* Amsel, 1953
 64209) *Nephopterix melanostyla* (Meyrick, 1879) (Pyralidae) Synonym(s): *melanostyla* Meyrick, 1879; *flaveotincta* Lucas, 1893
 64210) *Nephopterix melanotaeniella* Ragonot, 1888 (Pyralidae) Synonym(s): *melanotaeniella* Ragonot, 1888; *amasiella* Caradja, 1910.
 64211) *Nephopterix minimella* Amsel, 1953 (Pyralidae) Synonym(s): *minimella* Amsel, 1953
 64212) *Nephopterix oxybiella* Amsel, 1950 (Pyralidae) Synonym(s): *oxybiella* Amsel, 1950
 64213) *Nephopterix placoxantha* (Lower, 1898) (Pyralidae) Synonym(s): *placoxantha* Lower, 1898
 64214) *Nephopterix quilimanella* Pagenstecher, 1893 (Pyralidae) Synonym(s): *quilimanella* Pagenstecher, 1893
 64215) *Nephopterix rectangulella* Amsel, 1950 (Pyralidae) Synonym(s): *rectangulella* Amsel, 1950
 64216) *Nephopterix rudostratella* Pagenstecher, 1893 (Pyralidae) Synonym(s): *rudostratella* Pagenstecher, 1893
 64217) *Nephopterix thermalopha* Lower, 1903 (Pyralidae) Synonym(s): *thermalopha* Lower, 1903
 64218) *Nephopterix variella* Walker, 1866 (Pyralidae) Synonym(s): *variella* Walker, 1866
 64219) *Nevrina procopia* (Stoll, 1781) (Pyralidae) Synonym(s): *procopia* Stoll, 1781
 64220) *Niethammeriodes diremptella* (Ragonot, 1887) (Pyralidae) Synonym(s): *diremptella* Ragonot, 1887; *praestanella* Lucas, 1946
 64221) *Niethammeriodes ustella* (Ragonot, 1887) (Pyralidae) Synonym(s): *ustella* Ragonot, 1887
 64222) *Niphadoses elachia* Common, 1960 (Pyralidae) Synonym(s): *elachia* Common, 1960
 64223) *Niphadoses hoplites* Common, 1960 (Pyralidae) Synonym(s): *hoplites* Common, 1960
 64224) *Niphadoses palleucus* Common, 1960 (Pyralidae) Synonym(s): *palleucus* Common, 1960
 64225) *Niphograptus albiguttalis* (Warren, 1889) (Pyralidae) Synonym(s): *albiguttalis* Warren, 1889
 64226) *Niphopyralis albida* Hampson, 1893 (Pyralidae) Synonym(s): *albida* Hampson, 1893; *suffidalis* Swinhoe, 1895
 64227) *Niphopyralis chionosis* Hampson, 1919 (Pyralidae) Synonym(s): *chionosis* Hampson, 1919
 64228) *Niphopyralis contaminata* Hampson, 1893 (Pyralidae) Synonym(s): *contaminata* Hampson, 1893
 64229) *Niphopyralis nivalis* Hampson, 1893 (Pyralidae) Synonym(s): *nivalis* Hampson, 1893
 64230) *Niphostola micans* Hampson, 1896 (Pyralidae) Synonym(s): *micans* Hampson, 1896
 64231) *Niphostola punctata* Hampson, 1896 (Pyralidae) Synonym(s): *punctata* Hampson, 1896
 64232) *Noctuella annuliferalis* Hampson, 1918 (Pyralidae) Synonym(s): *annuliferalis* Hampson, 1918
 64233) *Noctuella escherichi* Hofmann, [1898] (Pyralidae) Synonym(s): *escherichi* Hofmann, [1898]
 64234) *Noctuella mardinalis* Staudinger, 1892 (Pyralidae) Synonym(s): *mardinalis* Staudinger, 1892
 64235) *Noctuella rebeli* Amsel, 1935 (Pyralidae) Synonym(s): *rebeli* Amsel, 1935
 64236) *Noctuella superba* (Freyer, [1844]) (Pyralidae) Synonym(s): *superba* Freyer, [1844]
 64237) *Noctuella vespertalis* Herrich-Schäffer, [1855] (Pyralidae) Synonym(s): *vespertalis* Herrich-Schäffer, [1855]; *gilvalis* Zerny, 1914.
 64238) *Noctuella yaminalis* (Oberthür, 1888) (Pyralidae) Synonym(s): *yaminalis* Oberthür, 1888
 64239) *Nomophila africana* Munroe, 1973 (Pyralidae) Synonym(s): *africana* Munroe, 1973
 64240) *Nomophila brevispinalis* Munroe, 1973 (Pyralidae) Synonym(s): *brevispinalis* Munroe, 1973
 64241) *Nomophila corticalis* (Walker, 1869) (Pyralidae) Synonym(s): *corticalis* Walker, 1869; *australica* Munroe, 1973
 64242) *Nomophila incognita* Viette, 1959 (Pyralidae) Synonym(s): *incognita* Viette, 1959
 64243) *Nomophila nearctica* Munroe, 1973 (Pyralidae) Synonym(s): *nearctica* Munroe, 1973
 64244) *Nomophila noctuella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *noctuella* [Denis & Schiffermüller], 1775
 64245) *Nonambesa cartera* (West, 1931) (Pyralidae) Synonym(s): *cartera* West, 1931
 64246) *Nonambesa* sp.A (Pyralidae) Synonym(s):
 64247) *Nonphycita lineata* Balinsky, 1994 (Pyralidae) Synonym(s): *lineata* Balinsky, 1994
 64248) *Nonphycita lineata lineata* Balinsky, 1994 (Pyralidae) Synonym(s): *lineata* Balinsky, 1994
 64249) *Noorda apiensis* Rebel, 1915 (Pyralidae) Synonym(s): *apiensis* Rebel, 1915
 64250) *Noorda blitealis* Walker, 1859 (Pyralidae) Synonym(s): *blitealis* Walker, 1859; *subjectalis* Walker, [1866]; *holocrossa* Meyrick, 1902
 64251) *Noorda fessalis* Swinhoe, 1886 (Pyralidae) Synonym(s): *fessalis* Swinhoe, 1886; *amethystina* Swinhoe, 1894
 64252) *Noorda ignealis* Hampson, 1899 (Pyralidae) Synonym(s): *ignealis* Hampson, 1899

- 64253) *Noorda moringae* Tams, 1938 (Pyralidae) Synonym(s): *moringae* Tams, 1938
 64254) *Nosophora dispilalis* Hampson, 1896 (Pyralidae) Synonym(s): *chironalis sensu Lederer, 1863; dispilalis* Hampson, 1896
 64255) *Nosophora fulvalis* Hampson, 1896 (Pyralidae) Synonym(s): *fulvalis* Hampson, 1896
 64256) *Nosophora hypsalis* (Walker, [1866]) (Pyralidae) Synonym(s): *hypsalis* Walker, [1866]
 64257) *Nosophora semitritalis* (Lederer, 1863) (Pyralidae) Synonym(s): *semitritalis* Lederer, 1863
 64258) *Nosophora semitritalis orbicularis* Shibuya, 1928 (Pyralidae) Synonym(s): *orbicularis* Shibuya, 1928
 64259) *Nosophora taihokualis* Strand, 1918 (Pyralidae) Synonym(s): *taihokualis* Strand, 1918
 64260) *Notarcha aurolinealis* (Walker, 1859) (Pyralidae) Synonym(s): *aurolinealis* Walker, 1859; *faustalis* Lederer, 1863; *amaenalis* Walker, [1866]; *delicatalis* Hampson, 1891
 64261) *Notarcha cassusalis* (Walker, 1859) (Pyralidae) Synonym(s): *cassusalis* Walker, 1859; *cassalis* Meyrick, 1884
 64262) *Notarcha chrysoplasta* Meyrick, 1884 (Pyralidae) Synonym(s): *chrysoplasta* Meyrick, 1884; *chryselectra* Lower, 1903
 64263) *Notarcha muscerdalis* (Zeller, 1852) (Pyralidae) Synonym(s): *muscerdalis* Zeller, 1852
 64264) *Notarcha obrinusalis* (Walker, 1859) (Pyralidae) Synonym(s): *obrinusalis* Walker, 1859; *trigalis* Lederer, 1863; *graphicalis* Swinhoe, 1886; *nigripunctalis* Fawcett, 1916; *#generalis* Caradja, 1932
 64265) *Notarcha polytimeta* (Turner, 1915) (Pyralidae) Synonym(s): *polytimeta* Turner, 1915
 64266) *Notarcha quaternalis* (Zeller, 1852) (Pyralidae) Synonym(s): *quaternalis* Zeller, 1852
 64267) *Notarcha szentivanyi* (Munroe, 1968) (Pyralidae) Synonym(s): *szentivanyi* Munroe, 1968
 64268) *Notarcha temeratalis* (Zeller, 1852) (Pyralidae) Synonym(s): *temeratalis* Zeller, 1852
 64269) *Notocrambus cuprealis* (Hampson, 1907) (Pyralidae) Synonym(s): *cuprealis* Hampson, 1907
 64270) *Notocrambus holomelas* Turner, 1922 (Pyralidae) Synonym(s): *holomelas* Turner, 1922
 64271) *Novocrambus propygmæus* Bleszynski, 1962 (Pyralidae) Synonym(s): *pygmæus* Zeller, 1882 nec Stph., 1834; *propygmæus* Bleszynski, 1962
 64272) *Numonia epicrociella* (Strand, 1919) (Pyralidae) Synonym(s): *epicrociella* Strand, 1919
 64273) *Nyctegretis cullianensis* Balinsky, 1991 (Pyralidae) Synonym(s): *cullianensis* Balinsky, 1991
 64274) *Nyctegretis cullianensis cullianensis* Balinsky, 1991 (Pyralidae) Synonym(s): *cullianensis* Balinsky, 1991
 64275) *Nyctegretis inclinella* Ragonot, 1888 (Pyralidae) Synonym(s): *inclinella* Ragonot, 1888
 64276) *Nyctegretis leonina* (Hampson, 1930) (Pyralidae) Synonym(s): *leonina* Hampson, 1930
 64277) *Nyctegretis lineana* (Scopoli, 1786) (Pyralidae) Synonym(s): *lineana* Scopoli, 1786; *achatinella* Hübner, [1824].
 64278) *Nyctegretis ruminella* Harpe, 1860 (Pyralidae) Synonym(s): *ruminella* Harpe, 1860
 64279) *Nyctegretis triangulella* Ragonot, 1901 (Pyralidae) Synonym(s): *triangulella* Ragonot, 1901; *griseella* Caradja, 1910; *impossibilella* Roesler, 1969.
 64280) *Nyctereutica asbolopsis* Turner, 1904 (Pyralidae) Synonym(s): *asbolopsis* Turner, 1904
 64281) *Nyctereutica capnopis* (Meyrick, 1885) (Pyralidae) Synonym(s): *capnopis* Meyrick, 1885
 64282) *Nyctereutica elassota* (Meyrick, 1884) (Pyralidae) Synonym(s): *elassota* Meyrick, 1884
 64283) *Nyctereutica melanophorella* (Walker, 1868) (Pyralidae) Synonym(s): *melanophorella* Walker, 1868
 64284) *Nyctereutica tephrophanes* (Turner, 1937) (Pyralidae) Synonym(s): *tephrophanes* Turner, 1937
 64285) *Nyctereutica tornotis* (Meyrick, 1887) (Pyralidae) Synonym(s): *tornotis* Meyrick, 1887
 64286) *Nyctereutica tympanophora* (Turner, 1904) (Pyralidae) Synonym(s): *tympanophora* Turner, 1904
 64287) *Nyctiplanes polyptenthes* Turner, 1937 (Pyralidae) Synonym(s): *polyptenthes* Turner, 1937
 64288) *Nymphicula acuminatalis* Snellen, 1880 (Pyralidae) Synonym(s): *acuminatalis* Snellen, 1880
 64289) *Nymphicula albibasalis* Yoshiyasu, 1980 (Pyralidae) Synonym(s): *albibasalis* Yoshiyasu, 1980
 64290) *Nymphicula albidorsalis* Speidel, 1998 (Pyralidae) Synonym(s): *albidorsalis* Speidel, 1998
 64291) *Nymphicula atriterminalis* (Hampson, 1917) (Pyralidae) Synonym(s): *atriterminalis* Hampson, 1917
 64292) *Nymphicula banauensis* Speidel, 2003 (Pyralidae) Synonym(s): *banauensis* Speidel, 2003
 64293) *Nymphicula blandialis* (Walker, 1859) (Pyralidae) Synonym(s): *blandialis* Walker, 1859; *cuneifera* Moore, [1885]
 64294) *Nymphicula bombayensis* (Swinhoe & Cotes, 1889) (Pyralidae) Synonym(s): *bombayensis* Swinhoe & Cotes, 1889
 64295) *Nymphicula drususalis* (Walker, 1859) (Pyralidae) Synonym(s): *drususalis* Walker, 1859
 64296) *Nymphicula eberti* Speidel, 1998 (Pyralidae) Synonym(s): *eberti* Speidel, 1998
 64297) *Nymphicula infuscatalis* Snellen, 1880 (Pyralidae) Synonym(s): *infuscatalis* Snellen, 1880
 64298) *Nymphicula junctalis* (Hampson, 1891) (Pyralidae) Synonym(s): *junctalis* Hampson, 1891
 64299) *Nymphicula luzonensis* Yoshiyasu, 1997 (Pyralidae) Synonym(s): *luzonensis* Yoshiyasu, 1997
 64300) *Nymphicula manilensis* Sauber, 1902 (Pyralidae) Synonym(s): *manilensis* Sauber, 1902
 64301) *Nymphicula mesorhpha* (Meyrick, 1894) (Pyralidae) Synonym(s): *mesorhpha* Meyrick, 1894; *minuta* Yoshiyasu, 1980
 64302) *Nymphicula meyi* Speidel, 1998 (Pyralidae) Synonym(s): *meyi* Speidel, 1998
 64303) *Nymphicula mindorensis* Speidel, 2003 (Pyralidae) Synonym(s): *mindorensis* Speidel, 2003
 64304) *Nymphicula morimotoi* Yoshiyasu, 1997 (Pyralidae) Synonym(s): *morimotoi* Yoshiyasu, 1997
 64305) *Nymphicula negrosensis* Speidel, 2003 (Pyralidae) Synonym(s): *negrosensis* Speidel, 2003
 64306) *Nymphicula nigristriata* (Hampson, 1917) (Pyralidae) Synonym(s): *nigristriata* Hampson, 1917
 64307) *Nymphicula nigritalis* (Hampson, 1893) (Pyralidae) Synonym(s): *nigritalis* Hampson, 1893
 64308) *Nymphicula nigrolunalis* Speidel, 1998 (Pyralidae) Synonym(s): *nigrolunalis* Speidel, 1998
 64309) *Nymphicula patnalis* (R.Felder & Rogenhofer, 1874) (Pyralidae) Synonym(s): *patnalis* R.Felder & Rogenhofer, 1874
 64310) *Nymphicula queenslandica* (Hampson, 1917) (Pyralidae) Synonym(s): *queenslandica* Hampson, 1917
 64311) *Nymphicula saigusai* Yoshiyasu, 1980 (Pyralidae) Synonym(s): *saigusai* Yoshiyasu, 1980
 64312) *Nymphicula samarensis* Speidel, 2003 (Pyralidae) Synonym(s): *samarensis* Speidel, 2003
 64313) *Nymphicula stipalis* Snellen, [1880] (Pyralidae) Synonym(s): *stipalis* Snellen, [1880]
 64314) *Nymphicula trimaculata* (Hampson, 1891) (Pyralidae) Synonym(s): *trimaculata* Hampson, 1891
 64315) *Nymphicula tripunctata* Yoshiyasu, 1987 (Pyralidae) Synonym(s): *tripunctata* Yoshiyasu, 1987
 64316) *Nymphicula xanthobathra* (Meyrick, 1894) (Pyralidae) Synonym(s): *xanthobathra* Meyrick, 1894
 64317) *Nymphicula zambalensis* Speidel, 2003 (Pyralidae) Synonym(s): *zambalensis* Speidel, 2003
 64318) *Nymphula abrotalis* (Walker, 1859) (Pyralidae) Synonym(s): *abrotalis* Walker, 1859
 64319) *Nymphula adiantalis* (Walker, 1859) (Pyralidae) Synonym(s): *adiantalis* Walker, 1859
 64320) *Nymphula aetalis* (Walker, 1859) (Pyralidae) Synonym(s): *aetalis* Walker, 1859; *lotalis* R.Felder & Rogenhofer, 1874
 64321) *Nymphula algiralis* (Lucas, 1849) (Pyralidae) Synonym(s): *algiralis* Lucas, 1849
 64322) *Nymphula allionealis* (Walker, 1859) (Pyralidae) Synonym(s): *allionealis* Walker, 1859; *itealis* Walker, 1859; *cretacealis* Lederer, 1863; *plenilinealis* Grote, 1897
 64323) *Nymphula aristodera* Turner, 1908 (Pyralidae) Synonym(s): *aristodera* Turner, 1908
 64324) *Nymphula australis* (Hulst, 1885) (Pyralidae) Synonym(s): *australis* Hulst, 1885
 64325) *Nymphula avertinalis* Schaus, 1924 (Pyralidae) Synonym(s): *avertinalis* Schaus, 1924
 64326) *Nymphula badiusalis* (Walker, 1859) (Pyralidae) Synonym(s): *badiusalis* Walker, 1859; *curviferalis* Walker, 1865; *albalis* Robinson, 1869
 64327) *Nymphula bifurcalis* (Wileman, 1911) (Pyralidae) Synonym(s): *bifurcalis* Wileman, 1911
 64328) *Nymphula camalis* Quaintance, 1898 (Pyralidae) Synonym(s): *camalis* Quaintance, 1898
 64329) *Nymphula circealis* (Walker, 1859) (Pyralidae) Synonym(s): *circealis* Walker, 1859
 64330) *Nymphula coenosalis* (Snellen, 1895) (Pyralidae) Synonym(s): *coenosalis* Snellen, 1895
 64331) *Nymphula cunealis* (Snellen, 1880) (Pyralidae) Synonym(s): *cunealis* Snellen, 1880
 64332) *Nymphula definitalis* Strand, 1919 (Pyralidae) Synonym(s): *definitalis* Strand, 1919
 64333) *Nymphula depunctalis* (Guenée, 1854) (Pyralidae) Synonym(s): *depunctalis* Guenée, 1854; *decussalis* Walker, 1859; *vestigialis* Snellen, 1880; *dianalis* Schaus, 1905
 64334) *Nymphula effrenatalis* Berg, 1876 (Pyralidae) Synonym(s): *effrenatalis* Berg, 1876
 64335) *Nymphula ekthlipis* (Grote, 1876) (Pyralidae) Synonym(s): *ekthlipis* Grote, 1876
 64336) *Nymphula endoralis* (Walker, 1859) (Pyralidae) Synonym(s): *endoralis* Walker, 1859; *distinctalis* Snellen, 1875
 64337) *Nymphula expatrialis* Hampson, 1906 (Pyralidae) Synonym(s): *expatrialis* Hampson, 1906
 64338) *Nymphula fengwhanal* (Pryer, 1877) (Pyralidae) Synonym(s): *fengwhanal* Pryer, 1877

- 64339) *Nymphula filigeralis* (Walker, 1865) (Pyrilidae) Synonym(s): *filigeralis* Walker, 1865
 64340) *Nymphula flavialis* Schaus, 1902 (Pyrilidae) Synonym(s): *flavialis* Schaus, 1902
 64341) *Nymphula flavicostalis* Hampson, 1917 (Pyrilidae) Synonym(s): *flavicostalis* Hampson, 1917
 64342) *Nymphula foederalis* (Guenée, 1854) (Pyrilidae) Synonym(s): *foederalis* Guenée, 1854 *tenellalis* Guenée, 1854; *leucothoalis* Walker, 1859; *oethonalis* Walker, 1859; *scitalis* Lederer, 1863; *solitarius* Walker, 1865; *episila* Meyrick, 1886; *cantonalis* Caradja, 1925
 64343) *Nymphula franciscalis* Schaus, 1906 (Pyrilidae) Synonym(s): *franciscalis* Schaus, 1906
 64344) *Nymphula fregonalis* Snellen, 1880 (Pyrilidae) Synonym(s): *fregonalis* Snellen, 1880
 64345) *Nymphula fulguralis* Caradja, 1934 (Pyrilidae) Synonym(s): *fulguralis* Caradja, 1934
 64346) *Nymphula fusalis* Hampson, 1896 (Pyrilidae) Synonym(s): *fusalis* Hampson, 1896
 64347) *Nymphula fuscicostalis* Hampson, 1906 (Pyrilidae) Synonym(s): *fuscicostalis* Hampson, 1906
 64348) *Nymphula graphicalis* Hampson, 1917 (Pyrilidae) Synonym(s): *graphicalis* Hampson, 1917
 64349) *Nymphula grisealis* Hampson, 1912 (Pyrilidae) Synonym(s): *grisealis* Hampson, 1912
 64350) *Nymphula gurgitalis* (Lederer, 1863) (Pyrilidae) Synonym(s): *gurgitalis* Lederer, 1863; *modestalis* Lederer, 1863
 64351) *Nymphula gyralis* (Hulst, 1886) (Pyrilidae) Synonym(s): *gyralis* Hulst, 1886; *dentilinea* Hampson, 1897
 64352) *Nymphula hamponi* (South, 1901) (Pyrilidae) Synonym(s): *hamponi* South, 1901
 64353) *Nymphula hermeasalis* (Walker, 1859) (Pyrilidae) Synonym(s): *hermeasalis* Walker, 1859
 64354) *Nymphula hydrothionalis* (Snellen, 1875) (Pyrilidae) Synonym(s): *hydrothionalis* Snellen, 1875
 64355) *Nymphula icciusalis* (Walker, 1859) (Pyrilidae) Synonym(s): *icciusalis* Walker, 1859; *faulalis* Walker, 1859; *formosalis* Clemens, 1860; *genualis* Lederer, 1863; *pacalis* Grote, 1881
 64356) *Nymphula impuralis* (R. Felder & Rogenhofer, 1874) (Pyrilidae) Synonym(s): *impuralis* R. Felder & Rogenhofer, 1874
 64357) *Nymphula incurvalis* South, 1901 (Pyrilidae) Synonym(s): *incurvalis* South, 1901
 64358) *Nymphula indomitalis* Berg, 1876 (Pyrilidae) Synonym(s): *indomitalis* Berg, 1876
 64359) *Nymphula infirmalis* (Möschler, 1886) (Pyrilidae) Synonym(s): *infirmalis* Möschler, 1886
 64360) *Nymphula interruptalis* (Pryer, 1877) (Pyrilidae) Synonym(s): *interruptalis* Pryer, 1877
 64361) *Nymphula interruptalis separatalis* (Leech, 1889) (Pyrilidae) Synonym(s): *separatalis* Leech, 1889
 64362) *Nymphula leucoplagalis* Hampson, 1917 (Pyrilidae) Synonym(s): *leucoplagalis* Druce, 1895 *nec* Wlk., 1859; *leucoplagalis* Hampson, 1917
 64363) *Nymphula leucostola* Hampson, 1906 (Pyrilidae) Synonym(s): *leucostola* Hampson, 1906
 64364) *Nymphula litanal* (Walker, 1859) (Pyrilidae) Synonym(s): *litanalis* Walker, 1859; *stenialis* Warren, 1891; *titanalis* Hampson, 1897
 64365) *Nymphula luteivittalis* Mabille, 1880 (Pyrilidae) Synonym(s): *luteivittalis* Mabille, 1880
 64366) *Nymphula maculalis* (Clemens, 1860) (Pyrilidae) Synonym(s): *maculalis* Clemens, 1860; *seminivella* Walker, 1866; *dispar* Grote, 1880; *#foeminalis* Dyar, 1906; *#masculinalis* Dyar, 1906
 64367) *Nymphula manilensis* Hampson, 1917 (Pyrilidae) Synonym(s): *manilensis* Hampson, 1917
 64368) *Nymphula metastictalis* Hampson, 1917 (Pyrilidae) Synonym(s): *metastictalis* Hampson, 1917
 64369) *Nymphula minimalis* (Saalmüller, 1879) (Pyrilidae) Synonym(s): *minimalis* Saalmüller, 1879
 64370) *Nymphula minoralis* Mabille, 1881 (Pyrilidae) Synonym(s): *minoralis* Mabille, 1881
 64371) *Nymphula nebulosalis* Fernald, 1887 (Pyrilidae) Synonym(s): *nebulosalis* Fernald, 1887
 64372) *Nymphula nigra* W. Warren, 1896 (Pyrilidae) Synonym(s): *nigra* W. Warren, 1896
 64373) *Nymphula nigrolinealis* Pryer, 1877 (Pyrilidae) Synonym(s): *nigrolinealis* Pryer, 1877
 64374) *Nymphula nigrolinealis sordidior* Rothschild, 1921 (Pyrilidae) Synonym(s): *sordidior* Rothschild, 1921
 64375) *Nymphula nitidulata* (Hufnagel, 1767) (Pyrilidae) Synonym(s): *nitidulata* Hufnagel, 1767; *stagnata* Donovan, 1806; *stagnalis* Guenée, 1854; *corculina* Butler, 1879; *distinctialis* Ragonot, 1894
 64376) *Nymphula nomophilalis* Dyar, 1906 (Pyrilidae) Synonym(s): *nomophilalis* Dyar, 1906
 64377) *Nymphula obliteralis* (Walker, 1859) (Pyrilidae) Synonym(s): *obliteralis* Walker, 1859; *obscuralis* Möschler, 1881; *proprialis* Fernald, 1888
 64378) *Nymphula obscuralis* (Grote, 1881) (Pyrilidae) Synonym(s): *obscuralis* Grote, 1881
 64379) *Nymphula ophiaula* Meyrick, 1936 (Pyrilidae) Synonym(s): *ophiaula* Meyrick, 1936
 64380) *Nymphula orientalis* Filipjev, 1934 (Pyrilidae) Synonym(s): *orientalis* Filipjev, 1934
 64381) *Nymphula pampenealis* Dyar, 1924 (Pyrilidae) Synonym(s): *pampenealis* Dyar, 1924
 64382) *Nymphula paulalis* Schaus, 1906 (Pyrilidae) Synonym(s): *paulalis* Schaus, 1906
 64383) *Nymphula perialis* Hampson, 1897 (Pyrilidae) Synonym(s): *perialis* Hampson, 1897
 64384) *Nymphula pleonaxalis* Hampson, 1897 (Pyrilidae) Synonym(s): *pleonaxalis* Hampson, 1897
 64385) *Nymphula plumbefusalis* Hampson, 1917 (Pyrilidae) Synonym(s): *plumbefusalis* Hampson, 1917
 64386) *Nymphula polystictalis* Hampson, 1906 (Pyrilidae) Synonym(s): *polystictalis* Hampson, 1906
 64387) *Nymphula pseudofoederalis* Strand, 1912 (Pyrilidae) Synonym(s): *pseudofoederalis* Strand, 1912
 64388) *Nymphula pudica* (Lucas, 1893) (Pyrilidae) Synonym(s): *pudica* Lucas, 1893
 64389) *Nymphula seminealis* (Walker, 1859) (Pyrilidae) Synonym(s): *seminealis* Walker, 1859; *tedyscongalis* Clemens, 1860; *semineale* Hampson, 1897; *juncealis* Fernald, 1902
 64390) *Nymphula seriopunctalis* Hampson, 1897 (Pyrilidae) Synonym(s): *seriopunctalis* Hampson, 1897
 64391) *Nymphula serrilinealis* Barnes & Benjamin, 1924 (Pyrilidae) Synonym(s): *serrilinealis* Barnes & Benjamin, 1924
 64392) *Nymphula simplalis* Snellen, 1896 (Pyrilidae) Synonym(s): *simplalis* Snellen, 1896
 64393) *Nymphula sinicalis* Hampson, 1897 (Pyrilidae) Synonym(s): *sinicalis* Hampson, 1897
 64394) *Nymphula spilomelalis* (Walker, 1859) (Pyrilidae) Synonym(s): *spilomelalis* Walker, 1859
 64395) *Nymphula stenoides* (Butler, 1882) (Pyrilidae) Synonym(s): *stenoides* Butler, 1882
 64396) *Nymphula takamukai* Shibuya, 1929 (Pyrilidae) Synonym(s): *takamukai* Shibuya, 1929
 64397) *Nymphula terranea* Rothschild, 1915 (Pyrilidae) Synonym(s): *terranea* Rothschild, 1915
 64398) *Nymphula turbata* (Butler, 1881) (Pyrilidae) Synonym(s): *turbata* Butler, 1881; *floralis* Leech, 1889; *sultschana* Ragonot, 1894
 64399) *Nymphula unguicalis* Snellen, 1880 (Pyrilidae) Synonym(s): *unguicalis* Snellen, 1880
 64400) *Nymphula ussuriensis* Rebel, 1910 (Pyrilidae) Synonym(s): *ussuriensis* Rebel, 1910; *munakatae* Matsumura, 1920
 64401) *Nymphula uxorialis* Strand, 1919 (Pyrilidae) Synonym(s): *uxorialis* Strand, 1919
 64402) *Nymphula vitrinalis* (R. Felder & Rogenhofer, 1874) (Pyrilidae) Synonym(s): *vitrinalis* R. Felder & Rogenhofer, 1874
 64403) *Nymphula vittalis* (Bremer, 1864) (Pyrilidae) Synonym(s): *vittalis* Bremer, 1864; *regularis* Pryer, 1877
 64404) *Nymphula vittatalis* (Dyar, 1906) (Pyrilidae) Synonym(s): *vittatalis* Dyar, 1906
 64405) *Nymphulosis arcanella* Amsel, 1959 (Pyrilidae) Synonym(s): *arcanella* Amsel, 1959
 64406) *Obtusipalpis pardalis* Hampson, 1896 (Pyrilidae) Synonym(s): *pardalis* Hampson, 1896
 64407) *Occidentalia comptulatalis* (Hulst, 1886) (Pyrilidae) Synonym(s): *comptulatalis* Hulst, 1886
 64408) *Ocrasa acerasta* (Turner, 1904) (Pyrilidae) Synonym(s): *acerasta* Turner, 1904
 64409) *Ocrasa albidalis* Walker, [1866] (Pyrilidae) Synonym(s): *albidalis* Walker, [1866]; *rhodocryptalis* Walker, [1866]
 64410) *Ocrasa chytriodes* (Turner, 1911) (Pyrilidae) Synonym(s): *chytriodes* Turner, 1911
 64411) *Ocrasa decoloralis* (Lederer, 1863) (Pyrilidae) Synonym(s): *decoloralis* Lederer, 1863
 64412) *Ocrasa nonusalis* Walker, 1859 (Pyrilidae) Synonym(s): *nonusalis* Walker, 1859
 64413) *Ocrasa repetita* (Butler, 1887) (Pyrilidae) Synonym(s): *repetita* Butler, 1887
 64414) *Ocrisia robinella* (Millière, 1865) (Pyrilidae) Synonym(s): *robinella* Millière, 1865
 64415) *Ocrisiodes alphetopis* (Meyrick, 1937) (Pyrilidae) Synonym(s): *alphetopis* Meyrick, 1937
 64416) *Ocrisiodes antiopa* Roesler, 1988 (Pyrilidae) Synonym(s): *antiopa* Roesler, 1988
 64417) *Ocrisiodes atmologa* (Meyrick, 1937) (Pyrilidae) Synonym(s): *atmologa* Meyrick, 1937
 64418) *Ocrisiodes babaella* (Amsel, 1970) (Pyrilidae) Synonym(s): *babaella* Amsel, 1970
 64419) *Ocrisiodes bamella* (Amsel, 1958) (Pyrilidae) Synonym(s): *bamella* Amsel, 1958
 64420) *Ocrisiodes dispergella* (Ragonot, 1887) (Pyrilidae) Synonym(s): *dispergella* Ragonot, 1887
 64421) *Ocrisiodes minimella* (Amsel, 1970) (Pyrilidae) Synonym(s): *minimella* Amsel, 1970
 64422) *Ocrisiodes occulta* Roesler, 1990 (Pyrilidae) Synonym(s): *occulta* Roesler, 1990
 64423) *Ocrisiodes polptychella* (Ragonot, 1887) (Pyrilidae) Synonym(s): *polptychella* Ragonot, 1887; *pristophorella* Amsel, 1951.

- 64424) *Ocrisiodes ruptifasciella* (Ragonot,1887) (Pyralidae) Synonym(s): *ruptifasciella* Ragonot,1887; *chirazalis* Amsel,1950
64425) *Ocrisiodes senganelle* (Amsel,1961) (Pyralidae) Synonym(s): *senganelle* Amsel,1961; *arghandabella* Amsel,1970.
64426) *Ocrisiodes sesamella* Roesler,1988 (Pyralidae) Synonym(s): *sesamella* Roesler,1988
64427) *Ocrisiodes taftanella* (Amsel,1950) (Pyralidae) Synonym(s): *taftanella* Amsel,1950
64428) *Odontarthria tropica* Roesler,1983 (Pyralidae) Synonym(s): *tropica* Roesler,1983
64429) *Odontia leucopsumis* (Hampson,1919) (Pyralidae) Synonym(s): *leucopsumis* Hampson,1919
64430) *Odontopaschia cecnomia* Turner,1913 (Pyralidae) Synonym(s): *ecnomia* Turner,1913
64431) *Odontopaschia stephanuchra* Tams,1935 (Pyralidae) Synonym(s):
64432) *Oenobotys glirialis* (Herrich-Schäffer,1871) (Pyralidae) Synonym(s): *glirialis* Herrich-Schäffer,1871; *#glorialis* Wolcott,1924
64433) *Oenobotys invinacealis* Ferguson,1991 (Pyralidae) Synonym(s): *invinacealis* Ferguson,1991
64434) *Oenobotys pantoppidani* (Hedemann,1894) (Pyralidae) Synonym(s): *pantoppidani* Hedemann,1894; *pantoppidani* Hedemann,1895; *desistalis* McDunnough,1939 nec *Wlk.*,1862
64435) *Oenobotys texanalis* Munroe & A.Blanchard,1976 (Pyralidae) Synonym(s): *texanalis* Munroe & A.Blanchard,1976
64436) *Oenobotys vinotinctalis* (Hampson,1895) (Pyralidae) Synonym(s): *vinotinctalis* Hampson,1895
64437) *Oenogenes congrualis* (Walker,[1866]) (Pyralidae) Synonym(s): *congrualis* Walker,[1866]
64438) *Oenogenes fugalus* (R.Felder & Rogenhofer,1875) (Pyralidae) Synonym(s): *fugalus* R.Felder & Rogenhofer,1875
64439) *Ogilvia pulverealis* (Hampson,1899) (Pyralidae) Synonym(s): *pulverealis* Hampson,1899
64440) *Oligochroides nigrutella* Strand,1909 (Pyralidae) Synonym(s): *nigrutella* Strand,1909
64441) *Oligostigma adjunctalis* Snellen,1895 (Pyralidae) Synonym(s): *adjunctalis* Snellen,1895
64442) *Oligostigma albifuscalis* Hampson,1906 (Pyralidae) Synonym(s): *albifuscalis* Hampson,1906
64443) *Oligostigma alicialis* Hampson,1906 (Pyralidae) Synonym(s): *alicialis* Hampson,1906
64444) *Oligostigma andeolalis* Schaus,1924 (Pyralidae) Synonym(s): *andeolalis* Schaus,1924
64445) *Oligostigma andreusialis* Hampson,1912 (Pyralidae) Synonym(s): *andreusialis* Hampson,1912
64446) *Oligostigma angustalis* Sauber,1902 (Pyralidae) Synonym(s): *angustalis* Sauber,1902
64447) *Oligostigma araeale* Hampson,1897 (Pyralidae) Synonym(s): *araeale* Hampson,1897
64448) *Oligostigma argylineale* Hampson,1897 (Pyralidae) Synonym(s): *argylineale* Hampson,1897
64449) *Oligostigma argyrotoxis* Pagenstecher,1886 (Pyralidae) Synonym(s): *argyrotoxis* Pagenstecher,1886
64450) *Oligostigma auropunctalis* Hampson,1903 (Pyralidae) Synonym(s): *auropunctalis* Hampson,1903; *javanica* Strand,1914
64451) *Oligostigma barbararcha* Meyrick,1932 (Pyralidae) Synonym(s): *barbararcha* Meyrick,1932
64452) *Oligostigma bifurcalis* (Pryer,1877) (Pyralidae) Synonym(s): *bifurcalis* Pryer,1877; *bifurcale* Hampson,196; *szechuanalis* Caradja,1935
64453) *Oligostigma bipunctalis* Hampson,1906 (Pyralidae) Synonym(s): *bipunctalis* Hampson,1906
64454) *Oligostigma camptoteles* Hampson,1906 (Pyralidae) Synonym(s): *camptoteles* Hampson,1906
64455) *Oligostigma camptozonale* Hampson,1897 (Pyralidae) Synonym(s): *camptozonale* Hampson,1897
64456) *Oligostigma candidalis* Pagenstecher,1886 (Pyralidae) Synonym(s): *candidalis* Pagenstecher,1886
64457) *Oligostigma centrimacula* Hampson,1917 (Pyralidae) Synonym(s): *centrimacula* Hampson,1917
64458) *Oligostigma chrysota* (Meyrick,1886) (Pyralidae) Synonym(s): *chrysota* Meyrick,1886
64459) *Oligostigma chrysozonalis* Hampson,1912 (Pyralidae) Synonym(s): *chrysozonalis* Hampson,1912
64460) *Oligostigma conspurcatalis* (Warren,1896) (Pyralidae) Synonym(s): *conspurcatalis* Warren,1896; *conspurcatale* Hampson,1896
64461) *Oligostigma cryptalis* (Druce,1896) (Pyralidae) Synonym(s): *cryptalis* Druce,1896; *cryptale* Hampson,1897
64462) *Oligostigma dianale* Hampson,1893 (Pyralidae) Synonym(s): *dianale* Hampson,1893
64463) *Oligostigma discalis* Hampson,1906 (Pyralidae) Synonym(s): *discalis* Hampson,1906
64464) *Oligostigma dominulalis* (Walker,1865) (Pyralidae) Synonym(s): *dominulalis* Walker,1865; *dominulale* Hampson,1897
64465) *Oligostigma ducalis* Schaus,1906 (Pyralidae) Synonym(s): *ducalis* Schaus,1906
64466) *Oligostigma ectogonalis* Hampson,1906 (Pyralidae) Synonym(s): *ectogonalis* Hampson,1906
64467) *Oligostigma electralis* Dyar,1914 (Pyralidae) Synonym(s): *electralis* Dyar,1914
64468) *Oligostigma excisa* Swinhoe,1901 (Pyralidae) Synonym(s): *excisa* Swinhoe,1901
64469) *Oligostigma excisalis* Snellen,1901 (Pyralidae) Synonym(s): *excisalis* Snellen,1901
64470) *Oligostigma exhibitalis* Walker,1862 (Pyralidae) Synonym(s): *exhibitalis* Walker,1862; *exhibitale* Hampson,1897
64471) *Oligostigma flavibasalis* Hampson,1917 (Pyralidae) Synonym(s): *flavibasalis* Hampson,1917
64472) *Oligostigma flavimarginalis* Warren,1889 (Pyralidae) Synonym(s): *flavimarginalis* Warren,1889; *flavimarginale* Hampson,1897
64473) *Oligostigma flavipictalis* Hampson,1917 (Pyralidae) Synonym(s): *flavipictalis* Hampson,1917
64474) *Oligostigma fulvicolor* Hampson,1917 (Pyralidae) Synonym(s): *fulvicolor* Hampson,1917
64475) *Oligostigma fumibasale* Hampson,1896 (Pyralidae) Synonym(s): *fumbasale* Hampson,1896
64476) *Oligostigma grisealis* Hampson,1906 (Pyralidae) Synonym(s): *grisealis* Hampson,1906
64477) *Oligostigma hapilista* (Swinhoe,1892) (Pyralidae) Synonym(s): *hapilista* Swinhoe,1892; *albidivisa* Warren,1896
64478) *Oligostigma hemicyrtis* Meyrick,1897 (Pyralidae) Synonym(s): *hemicyrtis* Meyrick,1897
64479) *Oligostigma insectalis* Pryer,1877 (Pyralidae) Synonym(s): *insectalis* Pryer,1877; *insectale* Hampson,1897
64480) *Oligostigma irisalis* (Walker,1859) (Pyralidae) Synonym(s): *irisalis* Walker,1859; *irisale* Hampson,1897
64481) *Oligostigma juncealis* Guenée,1854 (Pyralidae) Synonym(s): *juncealis* Guenée,1854; *junceale* Hampson,1897
64482) *Oligostigma kwangtungialis* Caradja,1925 (Pyralidae) Synonym(s): *kwangtungialis* Caradja,1925
64483) *Oligostigma leucomma* Hampson,1917 (Pyralidae) Synonym(s): *leucomma* Hampson,1917
64484) *Oligostigma melanotalis* Hampson,1906 (Pyralidae) Synonym(s): *melanotalis* Hampson,1906
64485) *Oligostigma minutalis* Caradja,1925 (Pyralidae) Synonym(s): *minutalis* Caradja,1925
64486) *Oligostigma mollialis* Schaus,1912 (Pyralidae) Synonym(s): *mollialis* Schaus,1912
64487) *Oligostigma niveinotatum* Hampson,1893 (Pyralidae) Synonym(s): *niveinotatum* Hampson,1893
64488) *Oligostigma odrianalis* Schaus,1924 (Pyralidae) Synonym(s): *odrianalis* Schaus,1924
64489) *Oligostigma ornata* (Moore,1885) (Pyralidae) Synonym(s): *ornata* Moore,1885; *ornatum* Hampson,1893
64490) *Oligostigma orphninalis* Pagenstecher,1886 (Pyralidae) Synonym(s): *orphninalis* Pagenstecher,1886
64491) *Oligostigma orthoteles* Meyrick,1894 (Pyralidae) Synonym(s): *orthoteles* Meyrick,1894
64492) *Oligostigma palleuca* Hampson,1896 (Pyralidae) Synonym(s): *palleuca* Hampson,1896
64493) *Oligostigma parvalis* Moore,1877 (Pyralidae) Synonym(s): *parvalis* Moore,1877; *parvale* Hampson,1896
64494) *Oligostigma peruviansis* Hampson,1917 (Pyralidae) Synonym(s): *peruviansis* Hampson,1917
64495) *Oligostigma phaedralis* (Walker,1859) (Pyralidae) Synonym(s): *phaedralis* Walker,1859; *phaedrale* Hampson,1897
64496) *Oligostigma picalis* (Guenée,1854) (Pyralidae) Synonym(s): *picalis* Guenée,1854; *picale* Hampson,1893
64497) *Oligostigma piperitalis* Hampson,1917 (Pyralidae) Synonym(s): *piperitalis* Hampson,1917
64498) *Oligostigma polydectalis* (Walker,1859) (Pyralidae) Synonym(s): *polydectalis* Walker,1859; *polydectale* Hampson,1897
64499) *Oligostigma praestabilis* Pagenstecher,1886 (Pyralidae) Synonym(s): *praestabilis* Pagenstecher,1886
64500) *Oligostigma profusalis* Schaus,1912 (Pyralidae) Synonym(s): *profusalis* Schaus,1912
64501) *Oligostigma purifacalis* Dyar,1914 (Pyralidae) Synonym(s): *purifacalis* Dyar,1914
64502) *Oligostigma quinquinalis* Snellen,1892 (Pyralidae) Synonym(s): *quinquinalis* Snellen,1892
64503) *Oligostigma rufiterminalis* Hampson,1917 (Pyralidae) Synonym(s): *rufiterminalis* Hampson,1917
64504) *Oligostigma sanguinsecta* Swinhoe,1901 (Pyralidae) Synonym(s): *sanguinsecta* Swinhoe,1901
64505) *Oligostigma semimarginalis* Dyar,1914 (Pyralidae) Synonym(s): *semimarginalis* Dyar,1914
64506) *Oligostigma syagrusalis* (Walker,1859) (Pyralidae) Synonym(s): *syagrusalis* Walker,1859; *melanodes* Meyrick,1894; *syagrusale* Hampson,1897
64507) *Oligostigma tigrinalis* Dyar,1914 (Pyralidae) Synonym(s): *tigrinalis* Dyar,1914
64508) *Oligostigma tripletales* Hampson,1897 (Pyralidae) Synonym(s): *tripletales* Hampson,1897
64509) *Olycella junctolineella* (Hulst,1900) (Pyralidae) Synonym(s): *junctolineella* Hulst,1900
64510) *Omiodes albiciliialis* (Schaus,1912) (Pyralidae) Synonym(s): *albiciliialis* Schaus,1912
64511) *Omiodes albicinctalis* (Hampson,1904) (Pyralidae) Synonym(s): *albicinctalis* Hampson,1904
64512) *Omiodes alboanalis* Amsel,1956 (Pyralidae) Synonym(s): *alboanalis* Amsel,1956

- 64513) *Omiodes anchoritalis* (Dyar,1912) (Pyrilidae) Synonym(s): *anchoritalis* Dyar,1912
64514) *Omiodes anxiferalis* (Schaus,1912) (Pyrilidae) Synonym(s): *anxiferalis* Schaus,1912
64515) *Omiodes argentigulalis* (Schaus,1912) (Pyrilidae) Synonym(s): *argentigulalis* Schaus,1912; *#argentigulalis* Sharp,1913
64516) *Omiodes basalticis* (Lederer,1863) (Pyrilidae) Synonym(s): *basalticis* Lederer,1863; *amplipennis* Butler,1882.
64517) *Omiodes capillalis* (Guenée,1854) (Pyrilidae) Synonym(s): *capillalis* Guenée,1854; *productalis* Hampson,1899
64518) *Omiodes cayennalis* (Schaus,1920) (Pyrilidae) Synonym(s): *cayennalis* Schaus,1920
64519) *Omiodes cervalis* Amsel,1956 (Pyrilidae) Synonym(s): *cervalis* Amsel,1956
64520) *Omiodes chrysampyx* (Turner,1908) (Pyrilidae) Synonym(s): *chrysampyx* Turner,1908
64521) *Omiodes confusalis* (Dognin,1905) (Pyrilidae) Synonym(s): *confusalis* Dognin,1905
64522) *Omiodes croceiceps* (Walker,[1866]) (Pyrilidae) Synonym(s): *croceiceps* Walker,[1866]
64523) *Omiodes cunicularis* Guenée,1854 (Pyrilidae) Synonym(s): *cunicularis* Guenée,1854; *leporalis* Guenée,1854
64524) *Omiodes cuprealis* (Moore,1877) (Pyrilidae) Synonym(s): *cuprealis* Moore,1877
64525) *Omiodes diemenalis* (Guenée,1854) (Pyrilidae) Synonym(s): *diemenalis* Guenée,1854; *absistalis* Walker,1859; *lydialis* Walker,1859; *ustalis* Lederer,1863; *incertalis* Walker,[1866]; *pyraustalis* Snellen,[1880].
64526) *Omiodes disciiridescens* (Hampson,1918) (Pyrilidae) Synonym(s): *disciiridescens* Hampson,1918
64527) *Omiodes dispilotalis* (Walker,[1866]) (Pyrilidae) Synonym(s): *dispilotalis* Walker,[1866]; *pallicalis* Snellen,1880; *licitor* Meyrick,1887
64528) *Omiodes duplicata* (Kaye,1922) (Pyrilidae) Synonym(s): *duplicata* Kaye,1922
64529) *Omiodes fuliginalis* (Walker,[1866]) (Pyrilidae) Synonym(s): *fuliginalis* Walker,[1866]
64530) *Omiodes fulvicauda* (Hampson,1899) (Pyrilidae) Synonym(s): *fulvicauda* Hampson,1899
64531) *Omiodes gazalis* (Schaus,1912) (Pyrilidae) Synonym(s): *gazalis* Schaus,1912
64532) *Omiodes grandis* (Druce,1902) (Pyrilidae) Synonym(s): *grandis* Druce,1902
64533) *Omiodes granulata* (W.Warren,1896) (Pyrilidae) Synonym(s): *granulata* W.Warren,1896
64534) *Omiodes humeralis* Guenée,1854 (Pyrilidae) Synonym(s): *humeralis* Guenée,1854; *peleusalis* Walker,1859; *gnomalis* Walker,1859
64535) *Omiodes hypoxantha* (Dognin,1904) (Pyrilidae) Synonym(s): *hypoxantha* Dognin,1904
64536) *Omiodes indicata* (Fabricius,1775) (Pyrilidae) Synonym(s): *indicata* Fabricius,1775; *vulgaris* Guenée,1854; *sabalis* Walker,1859; *moelialis* Walker,1859; *comexalis* Walker,[1866]; *reductalis* Walker,[1866]; *dolosalis* Möschler,1881; *fortificalis* Möschler,1890; *#pigralis* Dognin,1909
64537) *Omiodes insolotalis* Möschler,1890 (Pyrilidae) Synonym(s): *insolotalis* Möschler,1890
64538) *Omiodes lenticurvalis* (Hampson,1912) (Pyrilidae) Synonym(s): *lenticurvalis* Hampson,1912
64539) *Omiodes martini* Amsel,1956 (Pyrilidae) Synonym(s): *martini* Amsel,1956
64540) *Omiodes martyralis* (Lederer,1863) (Pyrilidae) Synonym(s): *martyralis* Lederer,1863; *vulpina* Meyrick,1936
64541) *Omiodes metricalis* (Möschler,1881) (Pyrilidae) Synonym(s): *metricalis* Möschler,1881
64542) *Omiodes mostella* (Dyar,1912) (Pyrilidae) Synonym(s): *mostella* Dyar,1912
64543) *Omiodes nigriscripta* (W.Warren,1896) (Pyrilidae) Synonym(s): *nigriscripta* W.Warren,1896; *fuscicilia* Hampson,1912; *assimilis* Rothschild,1915; *#rufior* Strand,1917
64544) *Omiodes nitida* (Hampson,1912) (Pyrilidae) Synonym(s): *nitida* Hampson,1912
64545) *Omiodes noctescens* (Moore,1888) (Pyrilidae) Synonym(s): *noctescens* Moore,1888
64546) *Omiodes ochrosoma* R.Felder & Rogenhofer,1875 (Pyrilidae) Synonym(s): *ochrosoma* R.Felder & Rogenhofer,1875
64547) *Omiodes odontosticta* (Hampson,1898) (Pyrilidae) Synonym(s): *odontosticta* Hampson,1898
64548) *Omiodes origoalis* (Walker,1859) (Pyrilidae) Synonym(s): *origoalis* Walker,1859; *palliventralis* Snellen,1880.
64549) *Omiodes poeonalis* (Walker,1859) (Pyrilidae) Synonym(s): *poeonalis* Walker,1859; *halmusalis* Walker,1859; *bianoralis* Walker,1859; *praeteritalis* Walker,[1866]; *minoralis* Walker,[1866]; *misera* Butler,1879; *korndoerferi* Snellen,[1880].
64550) *Omiodes poliochroa* (Hampson,1917) (Pyrilidae) Synonym(s): *poliochroa* Hampson,1917
64551) *Omiodes rufescens* (Hampson,1912) (Pyrilidae) Synonym(s): *rufescens* Hampson,1912; *miamialis* Dyar,1917
64552) *Omiodes seminitidalis* (Schaus,1912) (Pyrilidae) Synonym(s): *seminitidalis* Schaus,1912
64553) *Omiodes simialis* Guenée,1854 (Pyrilidae) Synonym(s): *simialis* Guenée,1854; *jasonalis* Walker,1859; *orontesalis* Walker,1859; *eruptalis* Lederer,1863
64554) *Omiodes* sp. (Pyrilidae) Synonym(s):
64555) *Omiodes spoliatalis* (Lederer,1863) (Pyrilidae) Synonym(s): *spoliatalis* Lederer,1863
64556) *Omiodes stigmosalis* (W.Warren,1912) (Pyrilidae) Synonym(s): *stigmosalis* W.Warren,1912; *exogrammalis* Dyar,1914
64557) *Omiodes surrectalis* (Walker,[1866]) (Pyrilidae) Synonym(s): *surrectalis* Walker,[1866]
64558) *Omiodes unialis* (Guenée,1854) (Pyrilidae) Synonym(s): *unialis* Guenée,1854
64559) *Omiodes xanthodysana* (Dyar,1914) (Pyrilidae) Synonym(s): *xanthodysana* Dyar,1914
64560) *Omphaloma accersita* Swinhoe,1894 (Pyrilidae) Synonym(s): *accersita* Swinhoe,1894
64561) *Omphaloptera completalis* Dognin,1904 (Pyrilidae) Synonym(s): *completalis* Dognin,1904
64562) *Omphaloptera randalis* Druce,1896 (Pyrilidae) Synonym(s): *randalis* Druce,1896
64563) *Omphaloptera stigmatalis* Dognin,1904 (Pyrilidae) Synonym(s): *stigmatalis* Dognin,1904
64564) *Omphaloptera virginalis* Dognin,1904 (Pyrilidae) Synonym(s): *virginalis* Dognin,1904
64565) *Omphis anastomosalis* (Guenée,1854) (Pyrilidae) Synonym(s): *anastomosalis* Guenée,1854
64566) *Omphis brunnetalis* Dyar,1912 (Pyrilidae) Synonym(s): *brunnetalis* Dyar,1912
64567) *Omphis caustalis* Hampson,1913 (Pyrilidae) Synonym(s): *caustalis* Hampson,1913
64568) *Omphis fuscidentalis* (Hampson,1895) (Pyrilidae) Synonym(s): *fuscidentalis* Hampson,1895
64569) *Omphis illisalis* (Walker,1859) (Pyrilidae) Synonym(s): *illisalis* Walker,1859
64570) *Omphis ingens* Hampson,1918 (Pyrilidae) Synonym(s): *ingens* Hampson,1918
64571) *Omphis leucostolalis* Hampson,1918 (Pyrilidae) Synonym(s): *leucostolalis* Hampson,1918
64572) *Omphis machinalis* (R.Felder & Rogenhofer,1875) (Pyrilidae) Synonym(s): *machinalis* R.Felder & Rogenhofer,1875
64573) *Omphis repetitalis* Snellen,1890 (Pyrilidae) Synonym(s): *repetitalis* Snellen,1890
64574) *Omphis robusta* Janse,1928 (Pyrilidae) Synonym(s): *robusta* Janse,1928
64575) *Omphis vaovao* Viette,1973 (Pyrilidae) Synonym(s): *vaovao* Viette,1973
64576) *Omphis variegata* Kenrick,1912 (Pyrilidae) Synonym(s): *variegata* Kenrick,1912
64577) *Oncocera bibasella* (Joannis,1927) (Pyrilidae) Synonym(s): *bibasella* Joannis,1927
64578) *Oncocera floridana* (Joannis,1927) (Pyrilidae) Synonym(s): *floridana* Joannis,1927
64579) *Oncocera leucosticta* (Joannis,1927) (Pyrilidae) Synonym(s): *leucosticta* Joannis,1927
64580) *Oncocera ochreomeanella* (Ragonot,1888) (Pyrilidae) Synonym(s): *ochreomeanella* Ragonot,1888; *#ochreomeanella* Balinsky,1994
64581) *Oncocera semirubella* (Scopoli,1763) (Pyrilidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goeze,1783 nec Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916
64582) *Oncocera semirubella carnella* (Linnaeus,1763) (Pyrilidae) Synonym(s): *carnella* Linnaeus,1763; *carnea* Fabricius,1798; *carnealis* Hübner,[1825]; *mediterranea* Roesler,1980
64583) *Oncocera semirubella semirubella* (Scopoli,1763) (Pyrilidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goeze,1783 nec Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916
64584) *Oncolabis formosae* (Strand,1922) (Pyrilidae) Synonym(s): *formosae* Strand,1922
64585) *Opsibotys fuscalis* (Denis & Schiffermüller,1775) (Pyrilidae) Synonym(s): *fuscalis* [Denis & Schiffermüller],1775
64586) *Oreana alpestralis* (Fabricius,1787) (Pyrilidae) Synonym(s): *alpestralis* Fabricius,1787
64587) *Oreana anderegialis* (Herrich-Schäffer,1851) (Pyrilidae) Synonym(s): *anderegialis* Herrich-Schäffer,1851
64588) *Oreana helvetica* (Herrich-Schäffer,1851) (Pyrilidae) Synonym(s): *helvetica* Herrich-Schäffer,1851
64589) *Oreana lugubralis* (Lederer,1857) (Pyrilidae) Synonym(s): *lugubralis* Lederer,1857
64590) *Oreana ventosalis* Chrétien,1911 (Pyrilidae) Synonym(s): *ventosalis* Chrétien,1911
64591) *Orocrambus caesius* Philpott,1926 (Pyrilidae) Synonym(s): *caesius* Philpott,1926
64592) *Orocrambus catacaustus* (Meyrick,1885) (Pyrilidae) Synonym(s): *catacaustus* Meyrick,1885
64593) *Orocrambus clarkei* Philpott,1930 (Pyrilidae) Synonym(s): *clarkei* Philpott,1930
64594) *Orocrambus cultus* Philpott,1917 (Pyrilidae) Synonym(s): *cultus* Philpott,1917
64595) *Orocrambus machaeristes* Meyrick,1905 (Pyrilidae) Synonym(s): *machaeristes* Meyrick,1905

- 64596) *Orocrambus melampetrus* Purdie, 1884 (Pyralidae) Synonym(s): *melampetrus* Purdie, 1884
 64597) *Orocrambus mylites* Meyrick, 1888 (Pyralidae) Synonym(s): *mylites* Meyrick, 1888
 64598) *Orocrambus scorparioides* Philpott, 1914 (Pyralidae) Synonym(s): *scorparioides* Philpott, 1914
 64599) *Orocrambus subilis* Philpott, 1912 (Pyralidae) Synonym(s): *subilis* Philpott, 1912
 64600) *Orocrambus thymastes* Meyrick, 1901 (Pyralidae) Synonym(s): *thymastes* Meyrick, 1901
 64601) *Orocrambus tritonellus* (Meyrick, 1885) (Pyralidae) Synonym(s): *tritonellus* Meyrick, 1885
 64602) *Orocrambus ventosus* Meyrick, 1920 (Pyralidae) Synonym(s): *ventosus* Meyrick, 1920
 64603) *Orphanostigma abruptalis* (Walker, 1859) (Pyralidae) Synonym(s): *abruptalis* Walker, 1859; *dotatalis* Walker, [1866]; *suffectalis* Walker, [1866]
 64604) *Orphanostigma angustale* Hampson, 1893 (Pyralidae) Synonym(s): *angustale* Hampson, 1893; *xanthalis* Hampson, 1898
 64605) *Orphanostigma perfulvalis* (Hampson, 1899) (Pyralidae) Synonym(s): *perfulvalis* Hampson, 1899
 64606) *Orphnophanes albisignalis* Hampson, 1896 (Pyralidae) Synonym(s): *albisignalis* Hampson, 1896
 64607) *Orphnophanes euceralis* (Walker, 1859) (Pyralidae) Synonym(s): *euceralis* Walker, 1859; *productalis* Lederer, 1863; *euceralis* Meyrick, 1894; *eucercalis* Hampson, 1896
 64608) *Orphnophanes laevis* (Warren, 1896) (Pyralidae) Synonym(s): *laevis* Warren, 1896
 64609) *Orphnophanes strigatalis* Pagenstecher, 1900 (Pyralidae) Synonym(s): *strigatalis* Pagenstecher, 1900
 64610) *Orphnophanes thoasalis* (Walker, 1859) (Pyralidae) Synonym(s): *thoasalis* Walker, 1859
 64611) *Orthaga amphimelas* (Turner, 1913) (Pyralidae) Synonym(s): *amphimelas* Turner, 1913
 64612) *Orthaga centralis* Wileman & South, 1919 (Pyralidae) Synonym(s): *centralis* Wileman & South, 1919
 64613) *Orthaga chloanthes* (Turner, 1913) (Pyralidae) Synonym(s): *chloanthes* Turner, 1913
 64614) *Orthaga edetalis* Strand, 1919 (Pyralidae) Synonym(s): *edetalis* Strand, 1919
 64615) *Orthaga euadrusalis* Walker, 1858 (Pyralidae) Synonym(s): *euadrusalis* Walker, 1858
 64616) *Orthaga exvinacea* (Hampson, 1891) (Pyralidae) Synonym(s): *exvinacea* Hampson, 1891
 64617) *Orthaga lithochroa* Hampson, 1916 (Pyralidae) Synonym(s): *lithochroa* Hampson, 1916
 64618) *Orthaga phaeopteralis* Lower, 1902 (Pyralidae) Synonym(s): *phaeopteralis* Lower, 1902; *curturalis* Kenrick, 1907
 64619) *Orthaga picta* (Warren, 1895) (Pyralidae) Synonym(s): *picta* Warren, 1895; *percnodes* Turner, 1905
 64620) *Orthaga polyscia* (Turner, 1913) (Pyralidae) Synonym(s): *polyscia* Turner, 1913
 64621) *Orthaga rubridiscalis* Hampson, 1906 (Pyralidae) Synonym(s): *rubridiscalis* Hampson, 1906
 64622) *Orthaga seminivea* (Warren, 1895) (Pyralidae) Synonym(s): *seminivea* Warren, 1895
 64623) *Orthaga thyrissalis* (Walker, 1858) (Pyralidae) Synonym(s): *thyrissalis* Walker, 1858; *nigricalis* Walker, 1862
 64624) *Ortholepis betulae* (Goeze, 1778) (Pyralidae) Synonym(s): *betulae* Goeze, 1778
 64625) *Ortholepis cretaciella* Joannis, 1927 (Pyralidae) Synonym(s): *cretaciella* Joannis, 1927
 64626) *Ortholepis polyodonta* Balinsky, 1991 (Pyralidae) Synonym(s): *polyodonta* Balinsky, 1991
 64627) *Ortholepis pyrobasis* Balinsky, 1991 (Pyralidae) Synonym(s): *pyrobasis* Balinsky, 1991
 64628) *Ortholepis rectilineella* (Ragonot, 1888) (Pyralidae) Synonym(s): *rectilineella* Ragonot, 1888
 64629) *Ortholepis subgenistella* (Hampson, 1901) (Pyralidae) Synonym(s): *subgenistella* Hampson, 1901
 64630) *Ortholepis unguinata* Balinsky, 1994 (Pyralidae) Synonym(s): *unguinata* Balinsky, 1994
 64631) *Ortholepis vacciniella* (Lienig & Zeller, 1847) (Pyralidae) Synonym(s): *vacciniella* Lienig & Zeller, 1847
 64632) *Orthomecyna albicaudata* Butler, 1883 (Pyralidae) Synonym(s): *albicaudata* Butler, 1883
 64633) *Orthomecyna alloptila* Meyrick, 1899 (Pyralidae) Synonym(s): *alloptila* Meyrick, 1899
 64634) *Orthomecyna amphilaee* Meyrick, 1899 (Pyralidae) Synonym(s): *amphilaee* Meyrick, 1899
 64635) *Orthomecyna aphanopsis* Meyrick, 1899 (Pyralidae) Synonym(s): *aphanopsis* Meyrick, 1899
 64636) *Orthomecyna chrysophanes* Meyrick, 1899 (Pyralidae) Synonym(s): *chrysophanes* Meyrick, 1899
 64637) *Orthomecyna crossias* Meyrick, 1899 (Pyralidae) Synonym(s): *crossias* Meyrick, 1899
 64638) *Orthomecyna cupreipennis* Butler, 1883 (Pyralidae) Synonym(s): *cupreipennis* Butler, 1883
 64639) *Orthomecyna epicausta* Meyrick, 1899 (Pyralidae) Synonym(s): *epicausta* Meyrick, 1899
 64640) *Orthomecyna exigua* (Butler, 1879) (Pyralidae) Synonym(s): *exigua* Butler, 1879
 64641) *Orthomecyna heterodryas* Meyrick, 1899 (Pyralidae) Synonym(s): *heterodryas* Meyrick, 1899
 64642) *Orthomecyna mesochasma* Meyrick, 1899 (Pyralidae) Synonym(s): *mesochasma* Meyrick, 1899
 64643) *Orthomecyna metalycia* Meyrick, 1899 (Pyralidae) Synonym(s): *metalycia* Meyrick, 1899
 64644) *Orthomecyna phaeophanes* Meyrick, 1899 (Pyralidae) Synonym(s): *phaeophanes* Meyrick, 1899
 64645) *Orthomecyna picrodes* Meyrick, 1899 (Pyralidae) Synonym(s): *picrodes* Meyrick, 1899
 64646) *Orthopygia almanalis* (Rebel, 1917) (Pyralidae) Synonym(s): *almanalis* Rebel, 1917
 64647) *Orthopygia fulvociliialis* Duponchel, 1834 (Pyralidae) Synonym(s): *fulvociliialis* Duponchel, 1834
 64648) *Orthopygia glaucinalis* (Linnaeus, 1758) (Pyralidae) Synonym(s): *glaucinalis* Linnaeus, 1758
 64649) *Orthopygia incarnatalis* Zeller, 1847 (Pyralidae) Synonym(s): *incarnatalis* Zeller, 1847
 64650) *Orthopygia rubidalis* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *rubidalis* [Denis & Schiffermüller], 1775
 64651) *Orthoraphis metasticta* Hampson, 1898 (Pyralidae) Synonym(s): *metasticta* Hampson, 1898
 64652) *Orthoraphis obfuscatata* Hampson (Pyralidae) Synonym(s): *obfuscatata* Hampson
 64653) *Orthospila orissusalis* (Walker, 1859) (Pyralidae) Synonym(s): *orissusalis* Walker, 1859; *nigrilinealis* Walker, [1866]; *tigrina* Moore, 1886; *demeter* Snellen, 1890; *compsogramma* Meyrick, 1894
 64654) *Orybina flaviplaga* (Walker, 1863) (Pyralidae) Synonym(s): *flaviplaga* Walker, 1863
 64655) *Orybina plangonalis* (Walker, 1859) (Pyralidae) Synonym(s): *plangonalis* Walker, 1859
 64656) *Oryctocera aurocupralis* Ragonot, 1891 (Pyralidae) Synonym(s): *aurocupralis* Ragonot, 1891
 64657) *Osiriaca ptousalis* (Walker, 1859) (Pyralidae) Synonym(s): *ptousalis* Walker, 1859; *inturbidalis* Walker, [1866]; *aurea* Lucas, 1898.
 64658) *Ostrinia appositalis* (Lederer, 1858) (Pyralidae) Synonym(s): *appositalis* Lederer, 1858
 64659) *Ostrinia avarialis* Amsel, 1970 (Pyralidae) Synonym(s): *avarialis* Amsel, 1970
 64660) *Ostrinia dorsivittata* (Moore, 1888) (Pyralidae) Synonym(s): *dorsivittata* Moore, 1888
 64661) *Ostrinia erythralis* (Hampson, 1913) (Pyralidae) Synonym(s): *erythralis* Hampson, 1913; *endochlora* Meyrick, 1935; *incensa* Meyrick, 1937.
 64662) *Ostrinia furnacalis* (Guenée, 1854) (Pyralidae) Synonym(s): *furnacalis* Guenée, 1854; *damoalis* Walker, 1859; *salentialis* Snellen, 1880; *kodzukalis* Matsumura, 1897; *polygoni* Dyar, 1905; *vastatrix* Schultze, 1908
 64663) *Ostrinia kasmirica* (Moore, 1888) (Pyralidae) Synonym(s): *kasmirica* Moore, 1888
 64664) *Ostrinia kasmirica eurasiatrica* Mutuura & Munroe, 1970 (Pyralidae) Synonym(s): *eurasiatica* Mutuura & Munroe, 1970
 64665) *Ostrinia kasmirica kasmirica* (Moore, 1888) (Pyralidae) Synonym(s): *kasmirica* Moore, 1888.
 64666) *Ostrinia kurentzovi* Mutuura & Munroe, 1970 (Pyralidae) Synonym(s): *kurentzovi* Mutuura & Munroe, 1970
 64667) *Ostrinia latipennis* (Warren, 1892) (Pyralidae) Synonym(s): *latipennis* Warren, 1892; *appendiculata* Filipjev, 1927; *albula* Mutuura, 1954.
 64668) *Ostrinia marginalis* (Walker, 1865) (Pyralidae) Synonym(s): *marginalis* Walker, 1865; *stenopteralis* Grote, 1878.
 64669) *Ostrinia narynensis* Mutuura & Munroe, 1970 (Pyralidae) Synonym(s): *narynensis* Mutuura & Munroe, 1970
 64670) *Ostrinia nubilalis* (Hübner, 1796) (Pyralidae) Synonym(s): *nubilalis* Hübner, 1796; *silacealis* Hübner, 1796.
 64671) *Ostrinia nubilalis mauretanicus* Mutuura & Munroe, 1970 (Pyralidae) Synonym(s): *mauretanicus* Mutuura & Munroe, 1970
 64672) *Ostrinia nubilalis nubilalis* (Hübner, 1796) (Pyralidae) Synonym(s): *nubilalis* Hübner, 1796; *silacealis* Hübner, 1796.
 64673) *Ostrinia obumbratalis* (Lederer, 1863) (Pyralidae) Synonym(s): *obumbratalis* Lederer, 1863; *obliteralis* Walker, 1865; *ainsliei* Heinrich, 1919.
 64674) *Ostrinia orientalis* Mutuura & Munroe, 1970 (Pyralidae) Synonym(s): *orientalis* Mutuura & Munroe, 1970
 64675) *Ostrinia orientalis kurilensis* Mutuura & Munroe, 1970 (Pyralidae) Synonym(s): *kurilensis* Mutuura & Munroe, 1970
 64676) *Ostrinia orientalis orientalis* Mutuura & Munroe, 1970 (Pyralidae) Synonym(s): *orientalis* Mutuura & Munroe, 1970
 64677) *Ostrinia orientalis ussuriensis* Mutuura & Munroe, 1970 (Pyralidae) Synonym(s): *ussuriensis* Mutuura & Munroe, 1970
 64678) *Ostrinia ovalipennis* Ohno, 2003 (Pyralidae) Synonym(s): *ovalipennis* Ohno, 2003
 64679) *Ostrinia palustralis* (Hübner, 1796) (Pyralidae) Synonym(s): *palustralis* Hübner, 1796; *carneola* Esper, 1796.
 64680) *Ostrinia palustralis baikalensis* Mutuura & Munroe, 1970 (Pyralidae) Synonym(s): *baikalensis* Mutuura & Munroe, 1970
 64681) *Ostrinia palustralis eversmanni* (Caradja, 1916) (Pyralidae) Synonym(s): *eversmanni* Caradja, 1916
 64682) *Ostrinia palustralis memnialis* (Walker, 1859) (Pyralidae) Synonym(s): *memnialis* Walker, 1859; *infascialis* Caradja, 1925

- 64683) *Ostrinia palustralis palustralis* (Hübner,1796) (Pyralidae) Synonym(s): *palustralis* Hübner,1796; *carneola* Esper,1796.
- 64684) *Ostrinia palustralis radialis* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *amuralis* Caradja,1916 *nec* Rebel,1907; *radialis* Mutuura & Munroe,1970
- 64685) *Ostrinia palustralis* ssp.n.? (Pyralidae) Synonym(s):
- 64686) *Ostrinia penitalis* (Grote,1876) (Pyralidae) Synonym(s): *penitalis* Grote,1876; *nelumbialis* Smith,1890; *pyraustalis* Dyar,1925.
- 64687) *Ostrinia penitalis brasiliensis* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *brasiliensis* Mutuura & Munroe,1970
- 64688) *Ostrinia penitalis penitalis* (Grote,1876) (Pyralidae) Synonym(s): *penitalis* Grote,1876; *nelumbialis* Smith,1890; *pyraustalis* Dyar,1925.
- 64689) *Ostrinia penitalis rubrifusa* (Hampson,1913) (Pyralidae) Synonym(s): *rubrifusa* Hampson,1913
- 64690) *Ostrinia peregrinalis* (Eversmann,1852) (Pyralidae) Synonym(s): *peregrinalis* Eversmann,1852; *limitalis* Christoph,1881
- 64691) *Ostrinia persica* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *persica* Mutuura & Munroe,1970
- 64692) *Ostrinia putzfangensis* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *putzfangensis* Mutuura & Munroe,1970
- 64693) *Ostrinia quadripunctalis* [(Denis & Schiffermüller),1775] (Pyralidae) Synonym(s): *quadripunctalis* [Denis & Schiffermüller],1775
- 64694) *Ostrinia sanguinalis* (Warren,1892) (Pyralidae) Synonym(s): *sanguinalis* Warren,1892
- 64695) *Ostrinia scapularis cathayensis* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *cathayensis* Mutuura & Munroe,1970
- 64696) *Ostrinia sanguinalis sanguinalis* (Warren,1892) (Pyralidae) Synonym(s): *sanguinalis* Warren,1892
- 64697) *Ostrinia scapularis* (Walker,1859) (Pyralidae) Synonym(s): *scapularis* Walker,1859
- 64698) *Ostrinia scapularis assamensis* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *assamensis* Mutuura & Munroe,1970
- 64699) *Ostrinia scapularis pasifica* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *pasifica* Mutuura & Munroe,1970
- 64700) *Ostrinia scapularis perpasifica* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *perpasifica* Mutuura & Munroe,1970
- 64701) *Ostrinia scapularis rossica* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *rossica* Mutuura & Munroe,1970
- 64702) *Ostrinia scapularis scapularis* (Walker,1859) (Pyralidae) Synonym(s): *scapularis* Walker,1859
- 64703) *Ostrinia scapularis subpasifica* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *subpasifica* Mutuura & Munroe,1970
- 64704) *Ostrinia zaguliaevi* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *zaguliaevi* Mutuura & Munroe,1970
- 64705) *Ostrinia zaguliaevi honshuensis* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *honshuensis* Mutuura & Munroe,1970
- 64706) *Ostrinia zaguliaevi kyushuensis* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *kyushuensis* Mutuura & Munroe,1970
- 64707) *Ostrinia zaguliaevi ryukyuensis* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *ryukyuensis* Mutuura & Munroe,1970
- 64708) *Ostrinia zaguliaevi tienmuensis* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *tienmuensis* Mutuura & Munroe,1970
- 64709) *Ostrinia zaguliaevi zaguliaevi* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *zaguliaevi* Mutuura & Munroe,1970
- 64710) *Ostrinia zealis* (Guenée,1854) (Pyralidae) Synonym(s): *zealis* Guenée,1854
- 64711) *Ostrinia zealis bipatialis* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *bipatialis* Mutuura & Munroe,1970
- 64712) *Ostrinia zealis centralis* Mutuura & Munroe,1970 (Pyralidae) Synonym(s): *centralis* Mutuura & Munroe,1970
- 64713) *Ostrinia zealis holoxuthalis* (Hampson,1913) (Pyralidae) Synonym(s): *holoxuthalis* Hampson,1913
- 64714) *Ostrinia zealis varialis* (Bremer,1864) (Pyralidae) Synonym(s): *varialis* Bremer,1864
- 64715) *Ostrinia zealis zealis* (Guenée,1854) (Pyralidae) Synonym(s): *zealis* Guenée,1854
- 64716) *Otiophora clavifera* (Hampson,1899) (Pyralidae) Synonym(s): *clavifera* Hampson,1899
- 64717) *Otiophora leucotypa* (Lower,1903) (Pyralidae) Synonym(s): *leucotypa* Lower,1903
- 64718) *Otiophora leucura* (Lower,1903) (Pyralidae) Synonym(s): *leucura* Lower,1903
- 64719) *Oxybia transversella* (Duponchel,1836) (Pyralidae) Synonym(s): *transversella* Duponchel,1836; *bituminella* Millière,1870; *panorminella* Caradja,1928.
- 64720) *Oxydisia hyperythrella* Hampson,1901 (Pyralidae) Synonym(s): *hyperythrella* Hampson,1901
- 64721) *Pachymorpha subductellus* Möschler,1890 (Pyralidae) Synonym(s): *subductellus* Möschler,1890
- 64722) *Pachynoa circularis* Sauber,1902 (Pyralidae) Synonym(s): *circularis* Sauber,1902
- 64723) *Pachynoa grossalis* (Guenée,1854) (Pyralidae) Synonym(s): *grossalis* Guenée,1854
- 64724) *Pachynoa ledereri* Snellen,1892 (Pyralidae) Synonym(s): *ledereri* Snellen,1892
- 64725) *Pachynoa thoosalis* (Walker,1859) (Pyralidae) Synonym(s): *thoosalis* Walker,1859
- 64726) *Pachynoa xanthochyta* (Turner,1933) (Pyralidae) Synonym(s): *xanthochyta* Turner,1933
- 64727) *Pagyda amphisalis* (Walker,1859) (Pyralidae) Synonym(s): *amphisalis* Walker,1859
- 64728) *Pagyda arbiter* (Butler,1879) (Pyralidae) Synonym(s): *arbiter* Butler,1879
- 64729) *Pagyda auroralis* (Moore,1888) (Pyralidae) Synonym(s): *auroralis* Moore,1888
- 64730) *Pagyda botysalis* (Snellen,1880) (Pyralidae) Synonym(s): *botysalis* Snellen,1880; *aurantialis* Hampson,1893
- 64731) *Pagyda butydis* (Snellen,1880) (Pyralidae) Synonym(s): *butydis* Snellen,1880
- 64732) *Pagyda lustralis* Snellen,1890 (Pyralidae) Synonym(s): *lustralis* Snellen,1890
- 64733) *Pagyda nebulosa* Wileman & South,1917 (Pyralidae) Synonym(s): *nebulosa* Wileman & South,1917
- 64734) *Pagyda perlustralis* Rebel,1915 (Pyralidae) Synonym(s): *perlustralis* Rebel,1915
- 64735) *Pagyda quinqueleata* Hering,1903 (Pyralidae) Synonym(s): *quinqueleata* Hering,1903
- 64736) *Pagyda salvais* Walker,1859 (Pyralidae) Synonym(s): *salvais* Walker,1859
- 64737) *Pagyda schaliphora* Hampson,1898 (Pyralidae) Synonym(s): *schaliphora* Hampson,1898
- 64738) *Pagyda tenuivittalis* (Turati,1934) (Pyralidae) Synonym(s): *tenuivittalis* Turati,1934
- 64739) *Paliga damastesalis* (Walker,1859) (Pyralidae) Synonym(s): *damastesalis* Walker,1859
- 64740) *Paliga ignealis* (Walker,1866) (Pyralidae) Synonym(s): *ignealis* Walker,1866; *subsuronalis* Pagenstecher,1900
- 64741) *Paliga machaeralis* (Walker,1859) (Pyralidae) Synonym(s): *machaeralis* Walker,1859; *egenalis* Lederer,1863; *suavalis* Walker,1865; *rufipicta* Butler,1880; *Jimbriata* Moore,1886; *albicostalis* Swinhoe,1890; *fuscicostalis* Swinhoe,1894
- 64742) *Paliga mandronalis* (Walker,1859) (Pyralidae) Synonym(s): *mandronalis* Walker,1859
- 64743) *Paliga quadrigalis* (Hering,1901) (Pyralidae) Synonym(s): *quadrigalis* Hering,1901
- 64744) *Paliga rubicundalis* W.Warren,1896 (Pyralidae) Synonym(s): *rubicundalis* W.Warren,1896
- 64745) *Palmitia massialis* (Duponchel,1832) (Pyralidae) Synonym(s): *massialis* Duponchel,1832; *taurica* Rebel,1910.
- 64746) *Palpita actorionalis* (Walker,1859) (Pyralidae) Synonym(s): *actorionalis* Walker,1859; *jovialis* R.Felder & Rogenhofer,1875; *zelleri* Lederer,1863
- 64747) *Palpita amphitritalis* (Guenée,1854) (Pyralidae) Synonym(s): *amphitritalis* Guenée,1854
- 64748) *Palpita annulata* (Fabricius,1794) (Pyralidae) Synonym(s): *annulata* Fabricius,1794; *celsalis* Walker,1859; *partialis* Lederer,1863; *ardealis* R.Felder & Rogenhofer,1875; *inuitata* Butler,1879.
- 64749) *Palpita annulifer* Inoue,1996 (Pyralidae) Synonym(s): *annulifer* Inoue,1996
- 64750) *Palpita atrisquamalis* (Hampson,1912) (Pyralidae) Synonym(s): *gracilalis* Hulst,1886 *nec* H.-S.,1871; *atrisquamalis* Hampson,1912
- 64751) *Palpita bonjongalis* (Plötz,1880) (Pyralidae) Synonym(s): *bonjongalis* Plötz,1880
- 64752) *Palpita brasiliensis* Munroe,1959 (Pyralidae) Synonym(s): *brasiliensis* Munroe,1959
- 64753) *Palpita buxtoni* Tams,1935 (Pyralidae) Synonym(s): *buxtoni* Tams,1935
- 64754) *Palpita candidalis* (Dognin,1904) (Pyralidae) Synonym(s): *candidalis* Dognin,1904
- 64755) *Palpita canthusalis* (Walker,1859) (Pyralidae) Synonym(s): *canthusalis* Walker,1859
- 64756) *Palpita citrina* (Druce,1902) (Pyralidae) Synonym(s): *citrina* Druce,1902
- 64757) *Palpita cleralis* (Walker,1865) (Pyralidae) Synonym(s): *cleralis* Walker,1865; *intactalis* Walker,1866]
- 64758) *Palpita confinis* (Hampson,1898) (Pyralidae) Synonym(s): *confinis* Hampson,1898
- 64759) *Palpita cramerialis* (Guenée,1854) (Pyralidae) Synonym(s): *cramerialis* Guenée,1854.
- 64760) *Palpita crithealis* (Walker,1859) (Pyralidae) Synonym(s): *crithealis* Walker,1859
- 64761) *Palpita deliciosa* (Butler,1887) (Pyralidae) Synonym(s): *deliciosa* Butler,1887
- 64762) *Palpita diplocyema* (Hampson,1912) (Pyralidae) Synonym(s): *diplocyema* Hampson,1912
- 64763) *Palpita elealis* (Walker,1859) (Pyralidae) Synonym(s): *elealis* Walker,1859; *rogenhoferi* Lederer,1863; *peridromella* Mabilie,1881; *angustumargo* Warren,1914
- 64764) *Palpita eribotalis* (Walker,1859) (Pyralidae) Synonym(s): *eribotalis* Walker,1859
- 64765) *Palpita estebanalis* (Schaus,1920) (Pyralidae) Synonym(s): *estebanalis* Schaus,1920
- 64766) *Palpita eurytusalis* (Walker,1859) (Pyralidae) Synonym(s): *eurytusalis* Walker,1859

- 64767) *Palpita flegia* (Cramer,1777) (Pyrilidae) Synonym(s): *flegia* Cramer,1777; *virginalis* Hübner,[1825]; *flegialis* Poey,1832; *villosalis* Zeller,1852; *flegialis* Guenée,1854; *phantasmalis* Guenée,1854
- 64768) *Palpita forficifera* Munroe,1959 (Pyrilidae) Synonym(s): *forficifera* Munroe,1959
- 64769) *Palpita freemanalis* Munroe,1952 (Pyrilidae) Synonym(s): *freemanalis* Munroe,1952
- 64770) *Palpita glauculalis* (Guenée,1854) (Pyrilidae) Synonym(s): *glauculalis* Guenée,1854
- 64771) *Palpita hyaloptila* (Turner,1915) (Pyrilidae) Synonym(s): *hyaloptila* Turner,1915
- 64772) *Palpita illibalis* (Hübner,1818) (Pyrilidae) Synonym(s): *illibalis* Hübner,1818; *euphaesalis* Walker,1859; *subjectalis* Lederer,1863
- 64773) *Palpita isoscelalis* (Guenée,1854) (Pyrilidae) Synonym(s): *isoscelalis* Guenée,1854
- 64774) *Palpita isoscelalis gourbeyrensis* Munroe,1959 (Pyrilidae) Synonym(s): *gourbeyrensis* Munroe,1959
- 64775) *Palpita isoscelalis isoscelalis* (Guenée,1854) (Pyrilidae) Synonym(s): *isoscelalis* Guenée,1854
- 64776) *Palpita jairusalis* (Walker,1859) (Pyrilidae) Synonym(s): *jairusalis* Walker,1859
- 64777) *Palpita juvenalis* (Rebel,1915) (Pyrilidae) Synonym(s): *juvenalis* Rebel,1915
- 64778) *Palpita kimballi* Munroe,1959 (Pyrilidae) Synonym(s): *kimballi* Munroe,1959
- 64779) *Palpita limbata* (Butler,1886) (Pyrilidae) Synonym(s): *limbata* Butler,1886
- 64780) *Palpita lobisignalis* (Hampson,1918) (Pyrilidae) Synonym(s): *lobisignalis* Hampson,1918
- 64781) *Palpita marinata* (Fabricius,1794) (Pyrilidae) Synonym(s): *marinata* Fabricius,1794
- 64782) *Palpita metallata* (Fabricius,1781) (Pyrilidae) Synonym(s): *metallata* Fabricius,1781; *picticaudalis* Hampson,1908
- 64783) *Palpita multilinealis* (Kenrick,1907) (Pyrilidae) Synonym(s): *multilinealis* Kenrick,1907
- 64784) *Palpita mysteris* (Meyrick,1886) (Pyrilidae) Synonym(s): *mysteris* Meyrick,1886
- 64785) *Palpita negatalis* (Walker,1859) (Pyrilidae) Synonym(s): *negatalis* Walker,1859
- 64786) *Palpita nigropunctalis* (Bremer,1864) (Pyrilidae) Synonym(s): *nigropunctalis* Bremer,1864
- 64787) *Palpita oceanitis* (Meyrick,1886) (Pyrilidae) Synonym(s): *oceanitis* Meyrick,1886
- 64788) *Palpita persimilis* Munroe,1959 (Pyrilidae) Synonym(s): *persimilis* Munroe,1959
- 64789) *Palpita pfeifferae* (Lederer,1863) (Pyrilidae) Synonym(s): *pfeifferae* Lederer,1863
- 64790) *Palpita pratti* (Janse,1924) (Pyrilidae) Synonym(s): *pratti* Janse,1924
- 64791) *Palpita prolusalis* (Walker,1859) (Pyrilidae) Synonym(s): *prolausalis* Walker,1859
- 64792) *Palpita pryeri formosana* Shibuya,1928 (Pyrilidae) Synonym(s): *formosana* Shibuya,1928
- 64793) *Palpita punctalis* (W.Warren,1896) (Pyrilidae) Synonym(s): *punctalis* W.Warren,1896
- 64794) *Palpita pyloalis* (Walker,1859) (Pyrilidae) Synonym(s): *pyloalis* Walker,1859
- 64795) *Palpita quadristigmatis* (Guenée,1854) (Pyrilidae) Synonym(s): *quadristigmatis* Guenée,1854
- 64796) *Palpita samoana* Swinhoe,1906 (Pyrilidae) Synonym(s): *samoana* Swinhoe,1906
- 64797) *Palpita sternocraspis* (Butler,1898) (Pyrilidae) Synonym(s): *sternocraspis* Butler,1898
- 64798) *Palpita subjectalis* (Lederer,1863) (Pyrilidae) Synonym(s): *subjectalis* Lederer,1863; *#subjectalis* Zimmerman,1958
- 64799) *Palpita testalis* (Fabricius,1794) (Pyrilidae) Synonym(s): *testalis* Fabricius,1794
- 64800) *Palpita travassosi* Munroe,1959 (Pyrilidae) Synonym(s): *travassosi* Munroe,1959
- 64801) *Palpita trifurcata* Munroe,1959 (Pyrilidae) Synonym(s): *trifurcata* Munroe,1959
- 64802) *Palpita unionalis* (Hübner,1796) (Pyrilidae) Synonym(s): *unionalis* Hübner,1796; *quinquepunctalis* Boisduval,1833; *transvisalis* Guenée,1854; *septempunctalis* Mabilie,1880
- 64803) *Palpita venatalis* (Schaus,1920) (Pyrilidae) Synonym(s): *venatalis* Schaus,1920
- 64804) *Palpita viettei* Munroe,1959 (Pyrilidae) Synonym(s): *viettei* Munroe,1959
- 64805) *Palpita virginalis* (Rebel,1915) (Pyrilidae) Synonym(s): *virginalis* Rebel,1915
- 64806) *Palpita viriditinctalis* (Hampson,1918) (Pyrilidae) Synonym(s): *viriditinctalis* Hampson,1918
- 64807) *Palpita warrenalis* Swinhoe,1894 (Pyrilidae) Synonym(s): *warrenalis* Swinhoe,1894
- 64808) *Palpita xanthyalinalis* (Hampson,1899) (Pyrilidae) Synonym(s): *xanthyalinalis* Hampson,1899
- 64809) *Palpusopsis roseella* Amsel,1959 (Pyrilidae) Synonym(s): *roseella* Amsel,1959
- 64810) *Panotima copidosema* Meyrick,1934 (Pyrilidae) Synonym(s): *copidosema* Meyrick,1934
- 64811) *Panstegia aerealis* (Hübner,1793) (Pyrilidae) Synonym(s): *aerealis* Hübner,1793; *unicolor* Rebel,1917.
- 64812) *Panstegia aerealis aerealis* (Hübner,1793) (Pyrilidae) Synonym(s): *aerealis* Hübner,1793; *unicolor* Rebel,1917.
- 64813) *Panstegia aerealis afghanalis* Amsel,1970 (Pyrilidae) Synonym(s): *afghanalis* Amsel,1970
- 64814) *Panstegia aerealis cinnamomalis* (Zerny,1914) (Pyrilidae) Synonym(s): *cinnamomalis* Zerny,1914
- 64815) *Panstegia aerealis glaucalis* (Zerny,1914) (Pyrilidae) Synonym(s): *glaucalis* Zerny,1914
- 64816) *Panstegia babalis* Amsel,1970 (Pyrilidae) Synonym(s): *babalis* Amsel,1970
- 64817) *Panstegia limbopunctalis* (Herrich-Schäffer,[1849]) (Pyrilidae) Synonym(s): *limbopunctalis* Herrich-Schäffer,[1849]
- 64818) *Panstegia limbopunctalis dissolutalis* (Staudinger,1879) (Pyrilidae) Synonym(s): *dissolutalis* Staudinger,1879
- 64819) *Panstegia meciti* Koçak,1987 (Pyrilidae) Synonym(s): *meciti* Koçak,1987
- 64820) *Paracataclysta fuscalis* (Hampson,1893) (Pyrilidae) Synonym(s): *fuscalis* Hampson,1893; *nyctopis* Meyrick,1894
- 64821) *Paracme racilialis* (Walker,1859) (Pyrilidae) Synonym(s): *racilialis* Walker,1859
- 64822) *Paracorsia ? rudalis* (Zerny,1939) (Pyrilidae) Synonym(s): *rudalis* Zerny,1939
- 64823) *Paracorsia repandalis* [(Denis & Schiffermüller),1775] (Pyrilidae) Synonym(s): *repandalis* [Denis & Schiffermüller],1775
- 64824) *Paractenia atrisparsalis* Hampson,1906 (Pyrilidae) Synonym(s): *atriparsalis* Hampson,1906
- 64825) *Paractenia phaeomesalis* Hampson,1906 (Pyrilidae) Synonym(s): *phaeomesalis* Hampson,1906
- 64826) *Paractenia thermalis* Hampson,1906 (Pyrilidae) Synonym(s): *thermalis* Hampson,1906
- 64827) *Paracymoriza albalis* Yoshiyasu,1987 (Pyrilidae) Synonym(s): *albalis* Yoshiyasu,1987
- 64828) *Paracymoriza albifascialis* (Hampson,1891) (Pyrilidae) Synonym(s): *albifascialis* Hampson,1891
- 64829) *Paracymoriza argenteolineata* Speidel,2003 (Pyrilidae) Synonym(s): *argenteolineata* Speidel,2003
- 64830) *Paracymoriza aurantialis* (Swinhoe,1895) (Pyrilidae) Synonym(s): *aurantialis* Swinhoe,1895
- 64831) *Paracymoriza bleszynskialis* Roesler & Speidel,1981 (Pyrilidae) Synonym(s): *bleszynskialis* Roesler & Speidel,1981
- 64832) *Paracymoriza exovalis* (Snellen,1882) (Pyrilidae) Synonym(s): *exovalis* Snellen,1882
- 64833) *Paracymoriza fuliginosa* Speidel,2003 (Pyrilidae) Synonym(s): *fuliginosa* Speidel,2003
- 64834) *Paracymoriza inextricata* (Moore,1887) (Pyrilidae) Synonym(s): *inextricata* Moore,1887
- 64835) *Paracymoriza nigrella* Speidel,2003 (Pyrilidae) Synonym(s): *nigrella* Speidel,2003
- 64836) *Paracymoriza vagalis* (Walker,1865) (Pyrilidae) Synonym(s): *vagalis* Walker,1865
- 64837) *Paracymoriza yuennanensis* (Caradja,1937) (Pyrilidae) Synonym(s): *yuennanensis* Caradja,1937
- 64838) *Paradiseguayana rufitinctalis* (Hampson,1930) (Pyrilidae) Synonym(s): *rufitinctalis* Hampson,1930
- 64839) *Praemporia monotona* Amsel,1951 (Pyrilidae) Synonym(s): *monotona* Amsel,1951
- 64840) *Paralaodamia angustata* Balinsky,1994 (Pyrilidae) Synonym(s): *angustata* Balinsky,1994
- 64841) *Paralaodamia angustata angustata* Balinsky,1994 (Pyrilidae) Synonym(s): *angustata* Balinsky,1994
- 64842) *Paralaodamia difficilis* Balinsky,1994 (Pyrilidae) Synonym(s): *difficilis* Balinsky,1994
- 64843) *Paralaodamia difficilis difficilis* Balinsky,1994 (Pyrilidae) Synonym(s): *difficilis* Balinsky,1994
- 64844) *Paralaodamia fraudulenta* Balinsky,1994 (Pyrilidae) Synonym(s): *fraudulenta* Balinsky,1994
- 64845) *Paralaodamia fraudulenta fraudulenta* Balinsky,1994 (Pyrilidae) Synonym(s): *fraudulenta* Balinsky,1994
- 64846) *Paralaodamia grapholithella* (Ragonot,1888) (Pyrilidae) Synonym(s): *grapholithella* Ragonot,1888
- 64847) *Paralaodamia grapholithella grapholithella* (Ragonot,1888) (Pyrilidae) Synonym(s): *grapholithella* Ragonot,1888
- 64848) *Paralaodamia haploa* Balinsky,1994 (Pyrilidae) Synonym(s): *haploa* Balinsky,1994
- 64849) *Paralaodamia haploa haploa* Balinsky,1994 (Pyrilidae) Synonym(s): *haploa* Balinsky,1994
- 64850) *Paralaodamia modesta* Balinsky,1994 (Pyrilidae) Synonym(s): *modesta* Balinsky,1994
- 64851) *Paralaodamia modesta modesta* Balinsky,1994 (Pyrilidae) Synonym(s): *modesta* Balinsky,1994
- 64852) *Paralaodamia penicillifera* Balinsky,1994 (Pyrilidae) Synonym(s): *penicillifera* Balinsky,1994
- 64853) *Paralaodamia penicillifera penicillifera* Balinsky,1994 (Pyrilidae) Synonym(s): *penicillifera* Balinsky,1994
- 64854) *Paralaodamia pretoriensis* Balinsky,1994 (Pyrilidae) Synonym(s): *pretoriensis* Balinsky,1994

- 64855) *Paralaodamia pretoriensis pretoriensis* Balinsky,1994 (Pyrilidae) Synonym(s): *pretoriensis* Balinsky,1994
 64856) *Paralaodamia rivulella* (Ragonot,1888) (Pyrilidae) Synonym(s): *rivulella* Ragonot,1888
 64857) *Paralaodamia rivulella rivulella* (Ragonot,1888) (Pyrilidae) Synonym(s): *rivulella* Ragonot,1888
 64858) *Paralaodamia scalaris* (Joannis,1927) (Pyrilidae) Synonym(s): *scalaris* Joannis,1927
 64859) *Paralaodamia serrata* Balinsky,1994 (Pyrilidae) Synonym(s): *serrata* Balinsky,1994
 64860) *Paralaodamia subdivisella* (Ragonot,1893) (Pyrilidae) Synonym(s): *subdivisella* Ragonot,1893
 64861) *Paralaodamia subdivisella subdivisella* (Ragonot,1893) (Pyrilidae) Synonym(s): *subdivisella* Ragonot,1893
 64862) *Paralaodamia subligaculata* Balinsky,1994 (Pyrilidae) Synonym(s): *subligaculata* Balinsky,1994
 64863) *Paralaodamia subligaculata subligaculata* Balinsky,1994 (Pyrilidae) Synonym(s): *subligaculata* Balinsky,1994
 64864) *Paralaodamia transvaalica* Balinsky,1994 (Pyrilidae) Synonym(s): *transvaalica* Balinsky,1994
 64865) *Paralaodamia transvaalica transvaalica* Balinsky,1994 (Pyrilidae) Synonym(s): *transvaalica* Balinsky,1994
 64866) *Paralipsa exacta* Whalley,1962 (Pyrilidae) Synonym(s): *exacta* Whalley,1962
 64867) *Paralipsa gularis* (Zeller,1877) (Pyrilidae) Synonym(s): *gularis* Zeller,1877; *modesta* Butler,1879; *tenebrosus* Butler,1879
 64868) *Paramaxillaria amatrrix* (Zerny,1927) (Pyrilidae) Synonym(s): *amatrrix* Zerny,1927
 64869) *Paramaxillaria meretrix* (Staudinger,1879) (Pyrilidae) Synonym(s): *meretrix* Staudinger,1879; *trifurcata* Turati,1930.
 64870) *Parambia cedroalis* Schaus,1924 (Pyrilidae) Synonym(s): *cedroalis* Schaus,1924
 64871) *Parambia glenealis* Dyar,1914 (Pyrilidae) Synonym(s): *glenealis* Dyar,1914
 64872) *Parambia gnomosynalis* Dyar,1914 (Pyrilidae) Synonym(s): *gnomosynalis* Dyar,1914
 64873) *Paramecyna dimorphalis* Amsel,1961 (Pyrilidae) Synonym(s): *dimorphalis* Amsel,1961
 64874) *Parancyla argyrothysana* Hampson,1919 (Pyrilidae) Synonym(s): *argyrothysana* Hampson,1919
 64875) *Paranephothrix adelphella* (Fischer v. Röslerstamm,[1836]) (Pyrilidae) Synonym(s): *adelphella* Fischer v. Röslerstamm,[1836]; *barteli* Caradja,1910.
 64876) *Paranephothrix barteli* (Caradja,1910) (Pyrilidae) Synonym(s): *barteli* Caradja,1910
 64877) *Paraphomia natalensis* Hampson,1901 (Pyrilidae) Synonym(s): *natalensis* Hampson,1901
 64878) *Paraphomia natalensis natalensis* Hampson,1901 (Pyrilidae) Synonym(s): *natalensis* Hampson,1901
 64879) *Paraplatytes eberti* Bleszynski,1965 (Pyrilidae) Synonym(s): *eberti* Bleszynski,1965
 64880) *Parapoxyn affinalis* (Guenée,1854) (Pyrilidae) Synonym(s): *affinalis* Guenée,1854; *incommoda* Butler,1881; *fuscomarginata* Bethune-Baker,1894; *#alaicalis* Caradja,1916
 64881) *Parapoxyn andalusica* Speidel,1982 (Pyrilidae) Synonym(s): *andalusica* Speidel,1982
 64882) *Parapoxyn bilinealis* (Snellen,1876) (Pyrilidae) Synonym(s): *bilinealis* Snellen,1876; *bilineale* Hampson,1896
 64883) *Parapoxyn crisonalis* (Walker,1859) (Pyrilidae) Synonym(s): *crisonalis* Walker,1859; *hebraicalis* Snellen,1880; *myina* Meyrick,1885; *incurvalis* South,1901; *takamukui* Shibuya,1929
 64884) *Parapoxyn dentizonalis* (Hampson,1897) (Pyrilidae) Synonym(s): *dentizonalis* Hampson,1897
 64885) *Parapoxyn diminutalis* Snellen,1880 (Pyrilidae) Synonym(s): *diminutalis* Snellen,1880; *dicentra* Meyrick,1885; *pallida* Butler,1886
 64886) *Parapoxyn discoloralis* (Walker,[1866]) (Pyrilidae) Synonym(s): *discoloralis* Walker,[1866]
 64887) *Parapoxyn epimochla* (Turner,1908) (Pyrilidae) Synonym(s): *epimochla* Turner,1908
 64888) *Parapoxyn euryscia* (Meyrick,1885) (Pyrilidae) Synonym(s): *euryscia* Meyrick,1885; *oxygramma* Turner,1908
 64889) *Parapoxyn fluctuosalis* (Zeller,1852) (Pyrilidae) Synonym(s): *fluctuosalis* Zeller,1852; *linealis* Guenée,1854; *chrysippusalis* Walker,1859; *obitalis* Walker,1859; *curta* Butler,1879; *luteivittalis* Mabille,1880; *crystalis* Wood-Mason,1885.
 64890) *Parapoxyn leucographa* Speidel,2003 (Pyrilidae) Synonym(s): *leucographa* Speidel,2003
 64891) *Parapoxyn longialata* Yoshiyasu,1983 (Pyrilidae) Synonym(s): *longialata* Yoshiyasu,1983
 64892) *Parapoxyn medusalis* (Walker,1859) (Pyrilidae) Synonym(s): *medusalis* Walker,1859; *dianalis* Schaus,1906
 64893) *Parapoxyn nivalis* (Denis & Schiffermüller,1775) (Pyrilidae) Synonym(s): *nivalis* [Denis & Schiffermüller],1775; *candidata* Fabricius,1787; *nivealis* Hübner,1796
 64894) *Parapoxyn polydectalis* (Walker,1859) (Pyrilidae) Synonym(s): *polydectalis* Walker,1859.
 64895) *Parapoxyn pycnarmonides* Speidel,2003 (Pyrilidae) Synonym(s): *pycnarmonides* Speidel,2003
 64896) *Parapoxyn sinuosa* (Lucas,1892) (Pyrilidae) Synonym(s): *sinuosa* Lucas,1892
 64897) *Parapoxyn stagnalis* (Zeller,1852) (Pyrilidae) Synonym(s): *stagnalis* Zeller,1852; *depunctalis* Guenée,1852; *decussalis* Walker,1859; *vestigialis* Snellen,1880; *hillii* Tepper,1890
 64898) *Parapoxyn stratiotata* (Linnaeus,1758) (Pyrilidae) Synonym(s): *stratiotata* Linnaeus,1758; *paludata* Fabricius,1794; *amanica* Osthelder,1935
 64899) *Parapoxyn tenebrosus* (Lower,1902) (Pyrilidae) Synonym(s): *tenebrosus* Lower,1902
 64900) *Parapoxyn tullialis* (Walker,1859) (Pyrilidae) Synonym(s): *tullialis* Walker,1859
 64901) *Parapoxyn villidalis* (Walker,1859) (Pyrilidae) Synonym(s): *villidalis* Walker,1859; *sacadasalis* Walker,1859; *unilinealis* Snellen,1876; *villidale* Hampson,1896
 64902) *Parapoxyn votalis* (Walker,1859) (Pyrilidae) Synonym(s): *votalis* Walker,1859
 64903) *Pararotruda nesiotica* (Rebel,1911) (Pyrilidae) Synonym(s): *nesiotica* Rebel,1911
 64904) *Parasarama cuproviridialis* (Moore,1867) (Pyrilidae) Synonym(s): *cuproviridialis* Moore,1867
 64905) *Parasedia benderella* Amsel,1950 (Pyrilidae) Synonym(s): *benderella* Amsel,1950
 64906) *Parasedia comeella* (Amsel,1951) (Pyrilidae) Synonym(s): *comeella* Amsel,1951
 64907) *Parasedia khorassanella* (Amsel,1950) (Pyrilidae) Synonym(s): *chorassanella* Amsel,1950
 64908) *Paratalanta cultralis* (Staudinger,1867) (Pyrilidae) Synonym(s): *cultralis* Staudinger,1867
 64909) *Paratalanta hyalinis* (Hübner,1796) (Pyrilidae) Synonym(s): *hyalinis* Hübner,1796
 64910) *Paratalanta pandalis* (Hübner,[1825]) (Pyrilidae) Synonym(s): *pandalis* Hübner,[1825]
 64911) *Paratalanta ussuriensis* (Bremer,1864) (Pyrilidae) Synonym(s): *ussuriensis* Bremer,1864
 64912) *Paratraea obliquivalis* (Hampson,1918) (Pyrilidae) Synonym(s): *obliquivalis* Hampson,1918; *griseifasciata* Hampson,1919; *#griseifascia* Bleszynski,1962.
 64913) *Paratraea obliquivalis obliquivalis* (Hampson,1918) (Pyrilidae) Synonym(s): *obliquivalis* Hampson,1918; *griseifasciata* Hampson,1919; *#griseifascia* Bleszynski,1962.
 64914) *Paratraea plumbipicta* Hampson,1919 (Pyrilidae) Synonym(s): *plumbipicta* Hampson,1919
 64915) *Paratraea plumbipicta plumbipicta* Hampson,1919 (Pyrilidae) Synonym(s): *plumbipicta* Hampson,1919
 64916) *Parbattia vialis* Moore,1888 (Pyrilidae) Synonym(s): *vialis* Moore,1888
 64917) *Pardomima amyntusalis* (Walker,1859) (Pyrilidae) Synonym(s): *amyntusalis* Walker,1859; *critheisalis* Walker,1859; *semizebralis* Walker,[1866]; *tabidialis* Snellen,1879
 64918) *Pardomima callixantha* E.L.Martin,1955 (Pyrilidae) Synonym(s): *callixantha* E.L.Martin,1955
 64919) *Pardomima distortana* (Strand,1913) (Pyrilidae) Synonym(s): *distortana* Strand,1913; *hampsoniana* Strand,1922
 64920) *Pardomima furcirenalis* (Hampson,1918) (Pyrilidae) Synonym(s): *furcirenalis* Hampson,1918; *#fuscirenalis* Klima,1939
 64921) *Pardomima phalarota* (Meyrick,1933) (Pyrilidae) Synonym(s): *phalarota* Meyrick,1933
 64922) *Pardomima pompusalis* (Walker,1859) (Pyrilidae) Synonym(s): *pompusalis* Walker,1859
 64923) *Pardomima zanclophora* E.L.Martin,1955 (Pyrilidae) Synonym(s): *zanclophora* E.L.Martin,1955
 64924) *Paremathuedes crista* J.C.Shaffer,1997 (Pyrilidae) Synonym(s): *crista* J.C.Shaffer,1997
 64925) *Paremathuedes diacanthus* J.C.Shaffer,1997 (Pyrilidae) Synonym(s): *diacanthus* J.C.Shaffer,1997
 64926) *Paremathuedes dionyx* J.C.Shaffer,1997 (Pyrilidae) Synonym(s): *dionyx* J.C.Shaffer,1997
 64927) *Paremathuedes hamulus* J.C.Shaffer,1997 (Pyrilidae) Synonym(s): *hamulus* J.C.Shaffer,1997
 64928) *Paremathuedes immaculatus* J.C.Shaffer,1997 (Pyrilidae) Synonym(s): *immaculatus* J.C.Shaffer,1997
 64929) *Paremathuedes interpunctellus* (Hampson,1918) (Pyrilidae) Synonym(s): *interpunctellus* Hampson,1918
 64930) *Paremathuedes onyx* J.C.Shaffer,1997 (Pyrilidae) Synonym(s): *onyx* J.C.Shaffer,1997
 64931) *Paremathuedes polystictellus* (Hampson,1918) (Pyrilidae) Synonym(s): *polystictellus* Hampson,1918; *rufimediis* Hampson,1918
 64932) *Paremathuedes roseotinctus* (Janse,1922) (Pyrilidae) Synonym(s): *roseotinctus* Janse,1922
 64933) *Paremathuedes simplex* (Janse,1922) (Pyrilidae) Synonym(s): *simplex* Janse,1922
 64934) *Paremathuedes tenuis* J.C.Shaffer,1997 (Pyrilidae) Synonym(s): *tenuis* J.C.Shaffer,1997
 64935) *Parerupa africana* (Aurivillius,1910) (Pyrilidae) Synonym(s): *africana* Aurivillius,1910; *diagonalis* Hampson,1919

- 64936) *Parerupa bipunctalis* Hampson, 1919 (Pyrilidae) Synonym(s): *bipunctalis* Hampson, 1919
 64937) *Parerupa dicticalis* Hampson, 1919 (Pyrilidae) Synonym(s): *dicticalis* Hampson, 1919
 64938) *Parerupa incerta* (Sjöstedt, 1926) (Pyrilidae) Synonym(s): *incerta* Sjöstedt, 1926
 64939) *Parerupa undilinealis* (Hampson, 1919) (Pyrilidae) Synonym(s): *undilinealis* Hampson, 1919
 64940) *Parotis aditialis* (Walker, 1859) (Pyrilidae) Synonym(s): *aditialis* Walker, 1859
 64941) *Parotis baldersalis* (Walker, 1859) (Pyrilidae) Synonym(s): *baldersalis* Walker, 1859
 64942) *Parotis incurvata* (Warren, 1896) (Pyrilidae) Synonym(s): *incurvata* Warren, 1896
 64943) *Parotis invernalis* (Joannis, 1927) (Pyrilidae) Synonym(s): *invernalis* Joannis, 1927
 64944) *Parotis marginata* (Hampson, 1893) (Pyrilidae) Synonym(s): *marginata* Hampson, 1893
 64945) *Parotis marinata* (Fabricius, 1794) (Pyrilidae) Synonym(s): *marinata* Fabricius, 1794; *psittacalis* Hübner, [1825]; *maliferalis* Walker, [1866]; *planalis* Warren, 1896; *advena* Hering, 1901
 64946) *Parotis pomonalis* (Guenée, 1854) (Pyrilidae) Synonym(s): *pomonalis* Guenée, 1854
 64947) *Parotis prasinialis* (Saalmüller, 1880) (Pyrilidae) Synonym(s): *prasinialis* Saalmüller, 1880; *tritonalis* Snellen, 1895
 64948) *Parotis prasinophila* (Hampson, 1912) (Pyrilidae) Synonym(s): *prasinophila* Hampson, 1912
 64949) *Parotis punctiferalis* (Walker, [1866]) (Pyrilidae) Synonym(s): *punctiferalis* Walker, [1866]
 64950) *Parotis pyritalis* (Hampson, 1912) (Pyrilidae) Synonym(s): *pyritalis* Hampson, 1912
 64951) *Parotis squamopedalis* (Guenée, 1854) (Pyrilidae) Synonym(s): *squamopedalis* Guenée, 1854
 64952) *Parotis suralis* (Lederer, 1863) (Pyrilidae) Synonym(s): *suralis* Lederer, 1863; *woodfordii* Butler, 1885
 64953) *Parotis vernalis* (Hampson, 1912) (Pyrilidae) Synonym(s): *vernalis* Hampson, 1912
 64954) *Parotis zambesalis* (Walker, 1865) (Pyrilidae) Synonym(s): *zambesalis* Walker, 1865; *zambesialis* Pagenstecher, 1907
 64955) *Paroxyptera filiella* (Saalmüller, 1880) (Pyrilidae) Synonym(s): *filiella* Saalmüller, 1880
 64956) *Parramatta ensiferella* (Meyrick, 1879) (Pyrilidae) Synonym(s): *ensiferella* Meyrick, 1879; *araeosticha* Turner, 1913
 64957) *Parramatta taliella* (Hampson, 1901) (Pyrilidae) Synonym(s): *taliella* Hampson, 1901
 64958) *Parthenodes aequivocalis* (W. Warren, 1896) (Pyrilidae) Synonym(s): *aequivocalis* W. Warren, 1896
 64959) *Parthenodes africalis* Hampson, 1906 (Pyrilidae) Synonym(s): *africalis* Hampson, 1906
 64960) *Parthenodes albiceps* Hampson, 1917 (Pyrilidae) Synonym(s): *albiceps* Hampson, 1917
 64961) *Parthenodes albifascialis* Hampson, 1893 (Pyrilidae) Synonym(s): *albifascialis* Hampson, 1893
 64962) *Parthenodes angularis* Hampson, 1897 (Pyrilidae) Synonym(s): *angularis* Hampson, 1897
 64963) *Parthenodes aurantialis* Swinhoe, 1895 (Pyrilidae) Synonym(s): *aurantialis* Swinhoe, 1895
 64964) *Parthenodes berthalis* Schaus, 1906 (Pyrilidae) Synonym(s): *berthalis* Schaus, 1906
 64965) *Parthenodes briocusalis* Schaus, 1924 (Pyrilidae) Synonym(s): *briocusalis* Schaus, 1924
 64966) *Parthenodes caepiosalis* (Walker, 1859) (Pyrilidae) Synonym(s): *caepiosalis* Walker, 1859
 64967) *Parthenodes chalcialis* Hampson, 1906 (Pyrilidae) Synonym(s): *chalcialis* Hampson, 1906
 64968) *Parthenodes dabiussalis* Schaus, 1924 (Pyrilidae) Synonym(s): *dabiussalis* Schaus, 1924
 64969) *Parthenodes distinctalis taiwanalis* Wileman & South, 1917 (Pyrilidae) Synonym(s): *taiwanalis* Wileman & South, 1917
 64970) *Parthenodes ectargyralis* (Hampson, 1897) (Pyrilidae) Synonym(s): *ectargyralis* Hampson, 1897
 64971) *Parthenodes ectopalis* Hampson, 1906 (Pyrilidae) Synonym(s): *ectopalis* Hampson, 1906
 64972) *Parthenodes eugethes* Tams, 1935 (Pyrilidae) Synonym(s): *eugethes* Tams, 1935
 64973) *Parthenodes exsolvalis* (Snellen, 1880) (Pyrilidae) Synonym(s): *exsolvalis* Snellen, 1880
 64974) *Parthenodes flavicaput* Snellen, 1900 (Pyrilidae) Synonym(s): *flavicaput* Snellen, 1900
 64975) *Parthenodes gangeticalis* Lederer, 1863 (Pyrilidae) Synonym(s): *gangeticalis* Lederer, 1863
 64976) *Parthenodes gualbertalis* Schaus, 1924 (Pyrilidae) Synonym(s): *gualbertalis* Schaus, 1924
 64977) *Parthenodes hydrocampalis* Guenée, 1854 (Pyrilidae) Synonym(s): *hydrocampalis* Guenée, 1854
 64978) *Parthenodes immanis* Hampson, 1906 (Pyrilidae) Synonym(s): *immanis* Hampson, 1906
 64979) *Parthenodes incultalis* Schaus, 1912 (Pyrilidae) Synonym(s): *incultalis* Schaus, 1912
 64980) *Parthenodes inextricata* Moore, 1887 (Pyrilidae) Synonym(s): *inextricata* Moore, 1887
 64981) *Parthenodes latifascialis* (Warren, 1896) (Pyrilidae) Synonym(s): *latifascialis* Warren, 1896
 64982) *Parthenodes loricatalis* (Lederer, 1863) (Pyrilidae) Synonym(s): *loricatalis* Lederer, 1863
 64983) *Parthenodes mediocinctalis* Hampson, 1897 (Pyrilidae) Synonym(s): *mediocinctalis* Hampson, 1897
 64984) *Parthenodes melanicalis* Hampson, 1917 (Pyrilidae) Synonym(s): *melanicalis* Hampson, 1917
 64985) *Parthenodes mesoleucalis* Hampson, 1917 (Pyrilidae) Synonym(s): *mesoleucalis* Hampson, 1917
 64986) *Parthenodes nigriplaga* (Swinhoe, 1894) (Pyrilidae) Synonym(s): *nigriplaga* Swinhoe, 1894
 64987) *Parthenodes nymphulalis* Hampson, 1906 (Pyrilidae) Synonym(s): *nymphulalis* Hampson, 1906
 64988) *Parthenodes olivalis* Hampson, 1891 (Pyrilidae) Synonym(s): *olivalis* Hampson, 1891; *dentifascialis* Hampson, 1891
 64989) *Parthenodes oxygona* Meyrick, 1894 (Pyrilidae) Synonym(s): *oxygona* Meyrick, 1894
 64990) *Parthenodes pallidalis* South, 1901 (Pyrilidae) Synonym(s): *pallidalis* South, 1901
 64991) *Parthenodes parallelalis* (Saubert, 1902) (Pyrilidae) Synonym(s): *parallelalis* Sauber, 1902
 64992) *Parthenodes paralleloidalis* Klima, 1937 (Pyrilidae) Synonym(s): *parallelalis* Hampson, 1917 nec Saub., 1902; *paralleloidalis* Klima, 1937
 64993) *Parthenodes phlegetonalis* (Snellen, 1895) (Pyrilidae) Synonym(s): *phlegetonalis* Snellen, 1895
 64994) *Parthenodes prodigalis* (Leech, 1889) (Pyrilidae) Synonym(s): *prodigalis* Leech, 1889; *cataclystalis* Strand, 1919
 64995) *Parthenodes rectangularis* Kenrick, 1907 (Pyrilidae) Synonym(s): *rectangularis* Kenrick, 1907
 64996) *Parthenodes rivularis* Moore, 1887 (Pyrilidae) Synonym(s): *rivularis* Moore, 1887; *exsolvalis* Snellen, 1895 nec 1880
 64997) *Parthenodes rufalis* Hampson, 1917 (Pyrilidae) Synonym(s): *rufalis* Hampson, 1917
 64998) *Parthenodes scotalis* Hampson, 1906 (Pyrilidae) Synonym(s): *scotalis* Hampson, 1906
 64999) *Parthenodes stellata* W. Warren, 1896 (Pyrilidae) Synonym(s): *stellata* W. Warren, 1896
 65000) *Parthenodes triangularis* South, 1901 (Pyrilidae) Synonym(s): *triangularis* South, 1901
 65001) *Parthenodes upupalis* (Guenée, 1863) (Pyrilidae) Synonym(s): *upupalis* Guenée, 1863
 65002) *Parthenodes vagalis* (Walker, 1865) (Pyrilidae) Synonym(s): *vagalis* Walker, 1865
 65003) *Parthia christophorella* Ragonot, 1887 (Pyrilidae) Synonym(s): *christophorella* Ragonot, 1887
 65004) *Parthia venosella* (Moore, 1878) (Pyrilidae) Synonym(s): *venosella* Moore, 1878
 65005) *Paschiodes mesoleucalis* Hampson, 1913 (Pyrilidae) Synonym(s): *mesoleucalis* Hampson, 1913; *trichroa* Meyrick, 1934; *bekaledjae* Rougeot, 1977
 65006) *Patagoniodes farinaria* (Turner, 1904) (Pyrilidae) Synonym(s): *farinaria* Turner, 1904
 65007) *Patagoniodes hoenei* Roesler, 1969 (Pyrilidae) Synonym(s): *hoenei* Roesler, 1969
 65008) *Patagoniodes popescugorji* Roesler, 1969 (Pyrilidae) Synonym(s): *popescugorji* Roesler, 1969
 65009) *Patania aedilis* (Meyrick, 1887) (Pyrilidae) Synonym(s): *aedilis* Meyrick, 1887; *excurvalis* Warren, 1896
 65010) *Patissa atricostalis* Hampson, 1919 (Pyrilidae) Synonym(s): *atricostalis* Hampson, 1919
 65011) *Patissa burmanalis* (Swinhoe, 1890) (Pyrilidae) Synonym(s): *burmanalis* Swinhoe, 1890
 65012) *Patissa curvilinealis* Hampson, 1896 (Pyrilidae) Synonym(s): *curvilinealis* Hampson, 1896
 65013) *Patissa erythrozonalis* Hampson, 1896 (Pyrilidae) Synonym(s): *erythrozonalis* Hampson, 1896
 65014) *Patissa frontalis* (Walker, 1865) (Pyrilidae) Synonym(s): *frontalis* Walker, 1865
 65015) *Patissa fulvosparsa* (Butler, 1881) (Pyrilidae) Synonym(s): *fulvosparsa* Butler, 1881; *candidulalis* Swinhoe, 1885; *tortualis* Snellen, 1893; *chlorosema* Meyrick, 1894
 65016) *Patissa geminalis* Hampson, 1919 (Pyrilidae) Synonym(s): *geminalis* Hampson, 1919
 65017) *Patissa lactealis* R. Felder & Rogenhofer, 1875 (Pyrilidae) Synonym(s): *lactealis* R. Felder & Rogenhofer, 1875
 65018) *Patissa latifuscalis* Hampson, 1896 (Pyrilidae) Synonym(s): *latifuscalis* Hampson, 1896
 65019) *Patissa luteifrons* Hampson, 1896 (Pyrilidae) Synonym(s): *luteifrons* Hampson, 1896
 65020) *Patissa nigropunctata* Wileman & South, 1918 (Pyrilidae) Synonym(s): *nigropunctata* Wileman & South, 1918
 65021) *Patissa pentamita* (Turner, 1911) (Pyrilidae) Synonym(s): *pentamita* Turner, 1911
 65022) *Patissa pulvereana* (Hampson, 1919) (Pyrilidae) Synonym(s): *pulvereana* Hampson, 1919
 65023) *Patissa rubrilinealis* Hampson, 1919 (Pyrilidae) Synonym(s): *rubrilinealis* Hampson, 1919

- 65024) *Patissa stenopteralis* Hampson, 1919 (Pyralidae) Synonym(s): *stenopteralis* Hampson, 1919; *haplosticha* Turner, 1937
- 65025) *Patissa taiwanalis* Shibuya, 1928 (Pyralidae) Synonym(s): *taiwanalis* Shibuya, 1928
- 65026) *Patissa tintctalis* (Hampson, 1919) (Pyralidae) Synonym(s): *tintctalis* Hampson, 1919; *#catoxodes* Turner, 1911
- 65027) *Patissa virginea* (Zeller, 1852) (Pyralidae) Synonym(s): *virginea* Zeller, 1852; *multivagellus* Swinhoe, 1886.
- 65028) *Patissa xanthoperas* Hampson, 1895 (Pyralidae) Synonym(s): *xanthoperas* Hampson, 1895
- 65029) *Patna eboricostella* Ragonot, 1888 (Pyralidae) Synonym(s): *eboricostella* Ragonot, 1888
- 65030) *Patna miserabilis* Strand, 1919 (Pyralidae) Synonym(s): *miserabilis* Strand, 1919
- 65031) *Pediasia alaica* (Rebel, 1907) (Pyralidae) Synonym(s): *alaica* Rebel, 1907; *#atrella* Caradja, 1910
- 65032) *Pediasia alcmena* Bleszynski, 1965 (Pyralidae) Synonym(s): *alcmena* Bleszynski, 1965
- 65033) *Pediasia altaica* (Staudinger, 1899) (Pyralidae) Synonym(s): *altaica* Staudinger, 1899
- 65034) *Pediasia amandusella* Bleszynski, 1969 (Pyralidae) Synonym(s): *amandusella* Bleszynski, 1969
- 65035) *Pediasia angulilinea* (Warren, 1914) (Pyralidae) Synonym(s): *angulilinea* Warren, 1914
- 65036) *Pediasia aridalis* (Hampson, 1900) (Pyralidae) Synonym(s): *aridalis* Hampson, 1900
- 65037) *Pediasia aridella* (Thunberg, 1788) (Pyralidae) Synonym(s): *aridella* Thunberg, 1788; *salinellus* Tutt, 1887.
- 65038) *Pediasia aridella aridella* (Thunberg, 1788) (Pyralidae) Synonym(s): *aridella* Thunberg, 1788; *salinellus* Tutt, 1887.
- 65039) *Pediasia aridella caradjaella* (Rebel, 1907) (Pyralidae) Synonym(s): *caradjaella* Rebel, 1907; *nepos* Rothschild, 1911; *monotonus* Filipjev, 1927; *ludovicellus* Marion, 1952.
- 65040) *Pediasia aridella edmontella* (McDunnough, 1923) (Pyralidae) Synonym(s): *edmontella* McDunnough, 1923
- 65041) *Pediasia aridelloides* Bleszynski, 1965 (Pyralidae) Synonym(s): *aridelloides* Bleszynski, 1965
- 65042) *Pediasia batangensis* (Caradja, 1939) (Pyralidae) Synonym(s): *batangensis* Caradja, 1939
- 65043) *Pediasia bolivarella* (Schmidt, 1930) (Pyralidae) Synonym(s): *bolivarellus* Schmidt, 1930
- 65044) *Pediasia browerella* (Klots, 1942) (Pyralidae) Synonym(s): *browerella* Klots, 1942
- 65045) *Pediasia browerella browerella* (Klots, 1942) (Pyralidae) Synonym(s): *browerella* Klots, 1942
- 65046) *Pediasia browerella katahdini* (Klots, 1942) (Pyralidae) Synonym(s): *katahdini* Klots, 1942
- 65047) *Pediasia cistites* (Meyrick, 1934) (Pyralidae) Synonym(s): *cistites* Meyrick, 1934
- 65048) *Pediasia fascinelina* (Hübner, 1796) (Pyralidae) Synonym(s): *contaminella* Hübner, 1796; *squalidalis* Hübner, [1825]; *cantiellus* Tutt, 1886.
- 65049) *Pediasia desertella* (Lederer, 1855) (Pyralidae) Synonym(s): *desertellus* Lederer, 1855
- 65050) *Pediasia dorsipunctella* (Kearfott, 1908) (Pyralidae) Synonym(s): *dorsipunctella* Kearfott, 1908
- 65051) *Pediasia dorsipunctella dorsipunctella* (Kearfott, 1908) (Pyralidae) Synonym(s): *dorsipunctella* Kearfott, 1908
- 65052) *Pediasia ematheudella* (Joannis, 1927) (Pyralidae) Synonym(s): *ematheudellus* Joannis, 1927; *marionella* Bleszynski, 1963
- 65053) *Pediasia epineura* (Meyrick, 1883) (Pyralidae) Synonym(s): *ramosellus* Zeller, 1863 nec Doubl., 1843; *epineurus* Meyrick, 1883.
- 65054) *Pediasia fascinelina* (Hübner, [1813]) (Pyralidae) Synonym(s): *fascinelina* Hübner, [1813]; *treitschkeella* Sodoffsky, 1830
- 65055) *Pediasia figuratella* (Walker, 1866) (Pyralidae) Synonym(s): *figuratellus* Walker, 1866
- 65056) *Pediasia figuratella figuratella* (Walker, 1866) (Pyralidae) Synonym(s): *figuratellus* Walker, 1866
- 65057) *Pediasia fulvitinctella* (Hampson, 1896) (Pyralidae) Synonym(s): *fulvitinctellus* Hampson, 1896
- 65058) *Pediasia fulvitinctella fulvitinctella* (Hampson, 1896) (Pyralidae) Synonym(s): *fulvitinctellus* Hampson, 1896
- 65059) *Pediasia hispanica* Bleszynski, 1956 (Pyralidae) Synonym(s): *hispanica* Bleszynski, 1956
- 65060) *Pediasia huebneri* Bleszynski, 1954 (Pyralidae) Synonym(s): *huebneri* Bleszynski, 1954
- 65061) *Pediasia jecondica* Bleszynski, 1965 (Pyralidae) Synonym(s): *jecondica* Bleszynski, 1965
- 65062) *Pediasia jucundella* (Herrich-Schäffer, [1847]) (Pyralidae) Synonym(s): *jucundellus* Herrich-Schäffer, [1847]; *festivellus* Herrich-Schäffer, [1847]; *saisanella* Bleszynski, 1954; *adamczewskii* Bleszynski, 1954; *sareptella* Bleszynski, 1954.
- 65063) *Pediasia kuldjaensis* (Caradja, 1916) (Pyralidae) Synonym(s): *#uniformellus* Caradja, 1910; *kuldjaensis* Caradja, 1916; *soffneri* Bleszynski, 1954.
- 65064) *Pediasia kuldjaensis kuldjaensis* (Caradja, 1916) (Pyralidae) Synonym(s): *#uniformellus* Caradja, 1910; *kuldjaensis* Caradja, 1916; *soffneri* Bleszynski, 1954.
- 65065) *Pediasia laciniella* (Grote, 1880) (Pyralidae) Synonym(s): *laciniella* Grote, 1880
- 65066) *Pediasia ledereri* Bleszynski, 1954 (Pyralidae) Synonym(s): *ledereri* Bleszynski, 1954
- 65067) *Pediasia lucrecia* Bleszynski, 1969 (Pyralidae) Synonym(s): *lucrecia* Bleszynski, 1969
- 65068) *Pediasia luteella* (Denis & Schiffermüller, [1775]) (Pyralidae) Synonym(s): *luteella* [Denis & Schiffermüller], 1775; *exoletella* [Denis & Schiffermüller], 1775; *exoletella* Hübner, 1796; *ochrella* Hübner, 1796; *kindermannii* Zeller, 1863; *uhryki* Rothschild, 1911.
- 65069) *Pediasia luteolella* (Clemens, 1860) (Pyralidae) Synonym(s): *luteolella* Clemens, 1860; *duplicatus* Grote, 1880; *ulae* Cockerell, 1888; *holochrellus* Fernald, 1896
- 65070) *Pediasia matricella* (Treitschke, 1832) (Pyralidae) Synonym(s): *matricella* Treitschke, 1832; *obscura* Caradja, 1931
- 65071) *Pediasia matricella matricella* (Treitschke, 1832) (Pyralidae) Synonym(s): *matricella* Treitschke, 1832; *obscura* Caradja, 1931
- 65072) *Pediasia matricella stenopterella* (Amsel, 1949) (Pyralidae) Synonym(s): *stenopterella* Amsel, 1949
- 65073) *Pediasia melanerges* (Hampson, 1919) (Pyralidae) Synonym(s): *melanerges* Hampson, 1919
- 65074) *Pediasia modestella* (Barnes & McDunnough, 1918) (Pyralidae) Synonym(s): *modestella* Barnes & McDunnough, 1918
- 65075) *Pediasia mutabilis* (Clemens, 1860) (Pyralidae) Synonym(s): *mutabilis* Clemens, 1860; *fuscicostella* Zeller, 1863
- 65076) *Pediasia nephelosticta* (Joannis, 1927) (Pyralidae) Synonym(s): *nephelosticta* Joannis, 1927
- 65077) *Pediasia niobe* Bleszynski, 1962 (Pyralidae) Synonym(s): *niobe* Bleszynski, 1962
- 65078) *Pediasia numidella* (Rebel, 1903) (Pyralidae) Synonym(s): *numidella* Rebel, 1903
- 65079) *Pediasia ochristrigella* (Hampson, 1896) (Pyralidae) Synonym(s): *ochristrigella* Hampson, 1896; *dumontellus* Hartig, 1953.
- 65080) *Pediasia palmitiella* (Chrétien, 1915) (Pyralidae) Synonym(s): *palmitiella* Chrétien, 1915
- 65081) *Pediasia pectinicornis* (Rebel, 1910) (Pyralidae) Synonym(s): *pectinicornis* Rebel, 1910
- 65082) *Pediasia pedriolella* (Duponchel, 1836) (Pyralidae) Synonym(s): *pedriolellus* Duponchel, 1836; *spuriella* Geyer, [1836].
- 65083) *Pediasia persella* (Toll, 1947) (Pyralidae) Synonym(s): *persella* Toll, 1947
- 65084) *Pediasia phrygia* Fazekas, 1990 (Pyralidae) Synonym(s): *phrygius* Fazekas, 1990
- 65085) *Pediasia pseudopersella* Bleszynski, 1959 (Pyralidae) Synonym(s): *pseudopersella* Bleszynski, 1959
- 65086) *Pediasia pudibundella* (Herrich-Schäffer, [1852]) (Pyralidae) Synonym(s): *pudibundellus* (Herrich-Schäffer, [1852])
- 65087) *Pediasia radicivitta* (Filipjev, 1927) (Pyralidae) Synonym(s): *radicivitta* Filipjev, 1927
- 65088) *Pediasia ramesita* Bleszynski, 1965 (Pyralidae) Synonym(s): *ramesita* Bleszynski, 1965
- 65089) *Pediasia ribbeella* (Caradja, 1910) (Pyralidae) Synonym(s): *ribbeellus* Caradja, 1910; *escalerellus* Schmidt, 1933.
- 65090) *Pediasia sajanella* (Caradja, 1925) (Pyralidae) Synonym(s): *sajanella* Caradja, 1925
- 65091) *Pediasia serraticornis* (Hampson, 1900) (Pyralidae) Synonym(s): *serraticornis* Hampson, 1900
- 65092) *Pediasia siculella* (Duponchel, 1836) (Pyralidae) Synonym(s): *siculella* Duponchel, 1836; *suldesertellus* Chrétien, 1922; *mariaeludovicae* Lucas, 1935.
- 65093) *Pediasia simiensis* Bleszynski, 1961 (Pyralidae) Synonym(s): *simiensis* Bleszynski, 1961
- 65094) *Pediasia simiensis simiensis* Bleszynski, 1961 (Pyralidae) Synonym(s): *simiensis* Bleszynski, 1961
- 65095) *Pediasia simpliciella* (Kearfott, 1908) (Pyralidae) Synonym(s): *simpliciella* Kearfott, 1908
- 65096) *Pediasia steppicolella* (Zerny, 1914) (Pyralidae) Synonym(s): *steppicolellus* Zerny, 1914
- 65097) *Pediasia subepineura* Bleszynski, 1954 (Pyralidae) Synonym(s): *subepineura* Bleszynski, 1954
- 65098) *Pediasia subflavella* (Duponchel, 1836) (Pyralidae) Synonym(s): *subflavellus* Duponchel, 1836
- 65099) *Pediasia trisecta* (Walker, 1856) (Pyralidae) Synonym(s): *trisecta* Walker, 1856
- 65100) *Pediasia truncatella* (Zetterstedt, 1839) (Pyralidae) Synonym(s): *truncatellus* Zetterstedt, 1839; *lienigiellus* Zeller, 1843; *abtrusellus* Walker, 1863; *rufinalis* Walker, 1865.
- 65101) *Pediasia walkeri* Bleszynski, 1962 (Pyralidae) Synonym(s): *walkeri* Bleszynski, 1962
- 65102) *Pediasia yangtseella* (Caradja, 1939) (Pyralidae) Synonym(s): *yangtseella* Caradja, 1939
- 65103) *Pediasia zellerella* (Staudinger, 1899) (Pyralidae) Synonym(s): *zellerella* (Staudinger, 1899)
- 65104) *Pelena bimaculalis* Shibuya, 1928 (Pyralidae) Synonym(s): *bimaculalis* Shibuya, 1928
- 65105) *Pelena obscuralis* (Swinhoe, 1895) (Pyralidae) Synonym(s): *obscuralis* Swinhoe, 1895
- 65106) *Pelena photias* (Meyrick, 1894) (Pyralidae) Synonym(s): *photias* Meyrick, 1894
- 65107) *Pelena sericea* (Butler, 1879) (Pyralidae) Synonym(s): *sericea* Butler, 1879

- 65108) *Pelena unicolor* Moore, 1886 (Pyralidae) Synonym(s): *unicolor* Moore, 1886
 65109) *Pelinopsis pachyzanchloides* Dognin, 1905 (Pyralidae) Synonym(s): *pachyzanchloides* Dognin, 1905
 65110) *Pempelia acrobassella* (Amsel, 1950) (Pyralidae) Synonym(s): *acrobassella* Amsel, 1950
 65111) *Pempelia albicostella* (Amsel, 1951) (Pyralidae) Synonym(s): *albicostella* Amsel, 1951
 65112) *Pempelia albifasciella* (Hartig, 1937) (Pyralidae) Synonym(s): *albifasciella* Hartig, 1937
 65113) *Pempelia alpigenella* (Duponchel, 1836) (Pyralidae) Synonym(s): *alpigenella* Duponchel, 1836; *wagnerella* Freyer, 1845
 65114) *Pempelia alpigenella persica* (Osthelder, 1938) (Pyralidae) Synonym(s): *persica* Osthelder, 1938
 65115) *Pempelia ambustiella* Ragonot, 1887 (Pyralidae) Synonym(s): *ambustiella* Ragonot, 1887
 65116) *Pempelia amoenella* (Zeller, 1848) (Pyralidae) Synonym(s): *amoenella* Zeller, 1848
 65117) *Pempelia anerastica* (Snellen, 1880) (Pyralidae) Synonym(s): *anerastica* Snellen, 1880
 65118) *Pempelia apicella* (Joannis, 1927) (Pyralidae) Synonym(s): *apicella* Joannis, 1927
 65119) *Pempelia argillaceella* (Osthelder, 1934) (Pyralidae) Synonym(s): *argillaceella* Osthelder, 1934
 65120) *Pempelia arimanella* (Amsel, 1951) ? (Pyralidae) Synonym(s): *arimanella* Amsel, 1951
 65121) *Pempelia atritiorrella* Zerny, 1914 (Pyralidae) Synonym(s): *atritiorrella* Zerny, 1914
 65122) *Pempelia aurivilliella* (Ragonot, 1888) (Pyralidae) Synonym(s): *aurivilliella* Ragonot, 1888
 65123) *Pempelia brephiella* (Staudinger, 1879) (Pyralidae) Synonym(s): *brephiella* Staudinger, 1879; *farinosella* Caradja, 1910.
 65124) *Pempelia caspiella* (Amsel, 1959) (Pyralidae) Synonym(s): *caspiella* Amsel, 1959
 65125) *Pempelia cirtensis* Ragonot, 1890 (Pyralidae) Synonym(s): *cirtensis* Ragonot, 1890
 65126) *Pempelia cirtensis cirtensis* Ragonot, 1890 (Pyralidae) Synonym(s): *cirtensis* Ragonot, 1890
 65127) *Pempelia cirtensis commagensis* (Osthelder, 1940) (Pyralidae) Synonym(s): *commagensis* Osthelder, 1940
 65128) *Pempelia coremetella* Amsel (Pyralidae) Synonym(s): *coremetella* Amsel
 65129) *Pempelia coriacella* (Ragonot, 1888) (Pyralidae) Synonym(s): *coriacella* Ragonot, 1888
 65130) *Pempelia decentella* ? (Ragonot, 1887) (Pyralidae) Synonym(s): *decentella* Ragonot, 1887
 65131) *Pempelia diffusa* Staudinger, 1881 (Pyralidae) Synonym(s): *diffusa* Staudinger, 1881
 65132) *Pempelia formosa* (Haworth, [1811]) (Pyralidae) Synonym(s): *formosa* Haworth, [1811]; *perfluella* Zincken, 1818; *dibaphiella* Geyer, [1836]; *dubiella* Duponchel, 1836; *formosella* Doubleday, 1859.
 65133) *Pempelia geminella* (Eversmann, 1844) (Pyralidae) Synonym(s): *geminella* Eversmann, 1844
 65134) *Pempelia genistella* (Duponchel, 1836) (Pyralidae) Synonym(s): *genistella* Duponchel, 1836; *albariella* Zeller, 1839.
 65135) *Pempelia gracilis* Rothschild (Pyralidae) Synonym(s): *gracilis* Rothschild
 65136) *Pempelia hispanella* Staudinger, 1859 (Pyralidae) Synonym(s): *hispanella* Staudinger, 1859
 65137) *Pempelia interniplagella* (Ragonot, 1888) (Pyralidae) Synonym(s): *interniplagella* Ragonot, 1888
 65138) *Pempelia intricatella* Ragonot, 1887 (Pyralidae) Synonym(s): *intricatella* Ragonot, 1887
 65139) *Pempelia johannella* (Caradja, 1917) (Pyralidae) Synonym(s): *johannella* Caradja, 1917
 65140) *Pempelia kuschella* Zerny, 1914 (Pyralidae) Synonym(s): *kuschella* Zerny, 1914
 65141) *Pempelia laetella* Zerny, 1914 (Pyralidae) Synonym(s): *laetella* Zerny, 1914
 65142) *Pempelia morosalis* (Saalmüller, 1880) (Pyralidae) Synonym(s): *morosalis* Saalmüller, 1880
 65143) *Pempelia numidella* Ragonot, 1890 (Pyralidae) Synonym(s): *numidella* Ragonot, 1890
 65144) *Pempelia obductella* Zeller, 1839 (Pyralidae) Synonym(s): *obductella* Zeller, 1839
 65145) *Pempelia obductella claricosta* (Osthelder, 1938) (Pyralidae) Synonym(s): *claricosta* Osthelder, 1938
 65146) *Pempelia obductella infernalis* (Osthelder, 1938) (Pyralidae) Synonym(s): *infernalis* Osthelder, 1938
 65147) *Pempelia obliquifasciella* Zerny, 1914 (Pyralidae) Synonym(s): *obliquifasciella* Zerny, 1914
 65148) *Pempelia obscurella* (Osthelder, 1934) (Pyralidae) Synonym(s): *obscurella* Osthelder, 1934
 65149) *Pempelia orcella* Ragonot, 1887 (Pyralidae) Synonym(s): *orcella* Ragonot, 1887
 65150) *Pempelia palumbella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *palumbella* [Denis & Schiffermüller], 1775
 65151) *Pempelia placidella* (Zerny, 1929) (Pyralidae) Synonym(s): *placidella* Zerny, 1929
 65152) *Pempelia romanoffella* (Ragonot, 1887) (Pyralidae) Synonym(s): *romanoffella* Ragonot, 1887
 65153) *Pempelia rosella* Zerny, 1914 (Pyralidae) Synonym(s): *rosella* Zerny, 1914
 65154) *Pempelia semiusta* Hampson (Pyralidae) Synonym(s): *semiusta* Hampson; *semiflava* Rebel
 65155) *Pempelia serratella* (Ragonot, 1893) (Pyralidae) Synonym(s): *serratella* Ragonot, 1893
 65156) *Pempelia sordida* Staudinger, 1879 (Pyralidae) Synonym(s): *sordida* Staudinger, 1879
 65157) *Pempelia thymiella* Zeller, 1846 (Pyralidae) Synonym(s): *thymiella* Zeller, 1846
 65158) *Pempelia tshahabarella* (Amsel, 1950) (Pyralidae) Synonym(s): *tshahabarella* Amsel, 1950
 65159) *Pempelia turturella* Zeller, 1848 (Pyralidae) Synonym(s): *turturella* Zeller, 1848
 65160) *Pempeliella alibotuschella* (Drenowski, 1932) (Pyralidae) Synonym(s): *alibotuschella* Drenowski, 1932
 65161) *Pempeliella ardosiella* (Ragonot, 1887) (Pyralidae) Synonym(s): *ardosiella* Ragonot, 1887
 65162) *Pempeliella aurorella* (Christoph, 1867) (Pyralidae) Synonym(s): *aurorella* Christoph, 1867
 65163) *Pempeliella boeticella* (Ragonot, 1887) (Pyralidae) Synonym(s): *boeticella* Ragonot, 1887
 65164) *Pempeliella cortella* (Constant, 1884) (Pyralidae) Synonym(s): *cortella* Constant, 1884
 65165) *Pempeliella dilutella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *dilutella* [Denis & Schiffermüller], 1775; *magna* Amsel, 1953
 65166) *Pempeliella enderleini* (Rebel, 1934) (Pyralidae) Synonym(s): *enderleini* Rebel, 1934
 65167) *Pempeliella italogallicella* (Millière, 1882) (Pyralidae) Synonym(s): *italogallicella* Millière, 1882
 65168) *Pempeliella macedoniella* (Ragonot, 1887) (Pyralidae) Synonym(s): *macedoniella* Ragonot, 1887
 65169) *Pempeliella malacella* (Staudinger, 1870) (Pyralidae) Synonym(s): *malacella* Staudinger, 1870; *gracilis* Rebel, 1926.
 65170) *Pempeliella ornatella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *ornatella* [Denis & Schiffermüller], 1775; *gigantella* Amsel, 1932; *aixella* Lucas, 1938.
 65171) *Pempeliella ornatella fraternella* (Ragonot, 1887) (Pyralidae) Synonym(s): *fraternella* Ragonot, 1887
 65172) *Pempeliella ornatella ornatella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *ornatella* [Denis & Schiffermüller], 1775; *gigantella* Amsel, 1932; *aixella* Lucas, 1938.
 65173) *Pempeliella sororculella* (Ragonot, 1887) (Pyralidae) Synonym(s): *sororculella* Ragonot, 1887.
 65174) *Pempeliella sororiella* (Zeller, 1839) (Pyralidae) Synonym(s): *sororiella* Zeller, 1839
 65175) *Pempeliella sororiella iranella* Roesler, 1969 (Pyralidae) Synonym(s): *iranella* Roesler, 1969
 65176) *Pempeliella subornatella* (Duponchel, 1836) (Pyralidae) Synonym(s): *subornatella* Duponchel, 1836
 65177) *Perimeceta niphospila* (Turner, 1932) (Pyralidae) Synonym(s): *niphospila* Turner, 1932
 65178) *Perimeceta niphotypa* Turner, 1915 (Pyralidae) Synonym(s): *niphotypa* Turner, 1915
 65179) *Perinephela lancealis* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *lancealis* [Denis & Schiffermüller], 1775; *glabralis* Fabricius, 1794; *palustrata* Fabricius, 1794; *longalis* Haworth, 1811
 65180) *Perinephela lancealis bergmanni* Munroe & Mutuura, 1968 (Pyralidae) Synonym(s): *bergmanni* Munroe & Mutuura, 1968
 65181) *Perinephela lancealis honshuensis* Munroe & Mutuura, 1968 (Pyralidae) Synonym(s): *honshuensis* Munroe & Mutuura, 1968
 65182) *Perinephela lancealis lancealis* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *lancealis* [Denis & Schiffermüller], 1775
 65183) *Perinephela lancealis pryleri* Munroe & Mutuura, 1968 (Pyralidae) Synonym(s): *pryeri* Munroe & Mutuura, 1968
 65184) *Perinephela lancealis sinensis* Munroe & Mutuura, 1968 (Pyralidae) Synonym(s): *sinensis* Munroe & Mutuura, 1968
 65185) *Perinephela lancealis taiwanensis* Munroe & Mutuura, 1968 (Pyralidae) Synonym(s): *taiwanensis* Munroe & Mutuura, 1968
 65186) *Perispasta caeculalis* Zeller, 1875 (Pyralidae) Synonym(s): *caeculalis* Zeller, 1875; *immixtalis* Grote, 1881
 65187) *Perisseretma orthotis* (Meyrick, 1894) (Pyralidae) Synonym(s): *orthotis* Meyrick, 1894; *microphylla* Turner, 1937
 65188) *Perisyntrocha anialis* (Walker, 1859) (Pyralidae) Synonym(s): *anialis* Walker, 1859; *alienalis* Walker, 1865; *circumdatalis* Walker, 1865; *cuneolalis* Snellen, 1880; *picata* Butler, 1882
 65189) *Perisyntrocha flavalis* Hampson, 1917 (Pyralidae) Synonym(s): *flavalis* Hampson, 1917
 65190) *Perisyntrocha ossealis* Hampson, 1896 (Pyralidae) Synonym(s): *ossealis* Hampson, 1896
 65191) *Perisyntrocha suffusa* Kenrick, 1912 (Pyralidae) Synonym(s): *suffusa* Kenrick, 1912
 65192) *Persioptera aglaopa* (Meyrick, 1887) (Pyralidae) Synonym(s): *aglaopa* Meyrick, 1887

- 65193) *Persicoptera baryptera* (Lower,1905) (Pyalidae) Synonym(s): *baryptera* Lower,1905; *psoloptera* Turner,1932
- 65194) *Persicoptera callimochla* (Turner,1913) (Pyalidae) Synonym(s): *callimochla* Turner,1913
- 65195) *Persicoptera compsope* (Meyrick,1887) (Pyalidae) Synonym(s): *compsope* Meyrick,1887
- 65196) *Persicoptera desmotoma* (Lower,1903) (Pyalidae) Synonym(s): *desmotoma* Lower,1903
- 65197) *Persicoptera dinosticha* (Turner,1937) (Pyalidae) Synonym(s): *dinosticha* Turner,1937
- 65198) *Persicoptera iochyta* (Turner,1911) (Pyalidae) Synonym(s): *iochyta* Turner,1911
- 65199) *Persicoptera pulchrinalis* (Guenée,1854) (Pyalidae) Synonym(s): *pulchrinalis* Guenée,1854; *gavialis* Walker,[1866]
- 65200) *Persicoptera scioides* (Turner,1932) (Pyalidae) Synonym(s): *scioides* Turner,1932
- 65201) *Petrophila avernalis* (Grote,1878) (Pyalidae) Synonym(s): *avernalis* Grote,1878; *confusalis* Barnes & McDunnough,1913 *nec* Wlk.,1866
- 65202) *Petrophila bifascialis* (Robinson,1869) (Pyalidae) Synonym(s): *bifascialis* Robinson,1869; *kearfottalis* Dyar,1906
- 65203) *Petrophila canadensis* (Munroe,1972) (Pyalidae) Synonym(s): *canadensis* Munroe,1972
- 65204) *Petrophila cappsi* Lange,1956 (Pyalidae) Synonym(s): *cappsi* Lange,1956
- 65205) *Petrophila confusalis* (Walker,1866) (Pyalidae) Synonym(s): *confusalis* Walker,1866; *truckeealis* Dyar,1917
- 65206) *Petrophila cronialis* (Druce,1896) (Pyalidae) Synonym(s): *cronialis* Druce,1896
- 65207) *Petrophila daemonalis* (Dyar,1908) (Pyalidae) Synonym(s): *daemonalis* Dyar,1908
- 65208) *Petrophila drumalis* (Dyar,1906) (Pyalidae) Synonym(s): *drumalis* Dyar,1906
- 65209) *Petrophila fulcalis* (Clemens,1860) (Pyalidae) Synonym(s): *fulcalis* Clemens,1860; *angulatalis* Lederer,1863
- 65210) *Petrophila hodgesi* (Munroe,1972) (Pyalidae) Synonym(s): *hodgesi* (Munroe,1972)
- 65211) *Petrophila jaliscalis* (Schaus,1906) (Pyalidae) Synonym(s): *jaliscalis* Schaus,1906; *satanalis* Dyar,1917
- 65212) *Petrophila kearfottalis* (Barnes & McDunnough,1917) (Pyalidae) Synonym(s): *kearfottalis* Barnes & McDunnough,1917
- 65213) *Petrophila longipennis* (Hampson,1906) (Pyalidae) Synonym(s): *longipennis* Hampson,1906
- 65214) *Petrophila santafaelis* (Heppner,1976) (Pyalidae) Synonym(s): *santafaelis* Heppner,1976
- 65215) *Phanomorpha acrocampa* Turner,1915 (Pyalidae) Synonym(s): *acrocampa* Turner,1915
- 65216) *Phanomorpha dapsilis* (Turner,1908) (Pyalidae) Synonym(s): *dapsilis* Turner,1908
- 65217) *Phanomorpha drosera* (Meyrick,1887) (Pyalidae) Synonym(s): *drosera* Meyrick,1887
- 65218) *Phanomorpha icelomorpha* (Turner,1908) (Pyalidae) Synonym(s): *icelomorpha* Turner,1908
- 65219) *Phanomorpha marmaropa* (Meyrick,1889) (Pyalidae) Synonym(s): *marmaropa* Meyrick,1889
- 65220) *Phanomorpha meliphryta* (Turner,1908) (Pyalidae) Synonym(s): *meliphryta* Turner,1908
- 65221) *Phanomorpha orthogramma* (Lower,1902) (Pyalidae) Synonym(s): *orthogramma* Lower,1902; *leucoxantha* Turner,1937
- 65222) *Phanomorpha panmicta* (Turner,1908) (Pyalidae) Synonym(s): *panmicta* Turner,1908
- 65223) *Phanomorpha persumptana* (Walker,1863) (Pyalidae) Synonym(s): *persumptana* Walker,1863
- 65224) *Phenacodes aleuropha* (Lower,1903) (Pyalidae) Synonym(s): *aleuropha* Lower,1903
- 65225) *Phenacodes vegetata* (Lucas,1901) (Pyalidae) Synonym(s): *vegetata* Lucas,1901
- 65226) *Phlyctaenia acutalis* (Dognin,1905) (Pyalidae) Synonym(s): *acutalis* Dognin,1905
- 65227) *Phlyctaenia adiposalis* (Dognin,1910) (Pyalidae) Synonym(s): *adiposalis* Dognin,1910
- 65228) *Phlyctaenia bifossata* (Hampson,1918) (Pyalidae) Synonym(s): *bifossata* Hampson,1918
- 65229) *Phlyctaenia cervicalis* (W.Warren,1892) (Pyalidae) Synonym(s): *cervicalis* W.Warren,1892
- 65230) *Phlyctaenia contentalis* (Schaus,1912) (Pyalidae) Synonym(s): *contentalis* Schaus,1912
- 65231) *Phlyctaenia coronata* (Hufnagel,1767) (Pyalidae) Synonym(s): *coronata* Hufnagel,1767; *sambucalis* [Denis & Schiffermüller],1775; *aureomaculata* Goeze,1781; *sambuci* Retzius,1783; *sambucata* Fabricius,1787.
- 65232) *Phlyctaenia coronata tertialis* (Guenée,1854) (Pyalidae) Synonym(s): *tertialis* Guenée,1854; *plectilis* Grote & C.T.Robinson,1867; *syringicola* Packard,1870
- 65233) *Phlyctaenia desistalis* (Walker,1862) (Pyalidae) Synonym(s): *desistalis* Walker,1862
- 65234) *Phlyctaenia flavipartalis* (Hampson,1918) (Pyalidae) Synonym(s): *flavipartalis* Hampson,1918
- 65235) *Phlyctaenia foveifera* (Hampson,1913) (Pyalidae) Synonym(s): *foveifera* Hampson,1913
- 65236) *Phlyctaenia glaucostigmatis* (Hampson,1918) (Pyalidae) Synonym(s): *glaucostigmatis* Hampson,1918
- 65237) *Phlyctaenia ieralis* (Kaye,1925) (Pyalidae) Synonym(s): *ieralis* Kaye,1925
- 65238) *Phlyctaenia leuschneri* Munroe,1976 (Pyalidae) Synonym(s): *leuschneri* Munroe,1976
- 65239) *Phlyctaenia lobibasis* (Hampson,1918) (Pyalidae) Synonym(s): *lobibasis* Hampson,1918
- 65240) *Phlyctaenia lutealis* (W.Warren,1892) (Pyalidae) Synonym(s): *lutealis* W.Warren,1892
- 65241) *Phlyctaenia monospila* (Hampson,1913) (Pyalidae) Synonym(s): *monospila* Hampson,1913
- 65242) *Phlyctaenia perlucidalis* (Hübner,[1809]) (Pyalidae) Synonym(s): *perlucidalis* Hübner,[1809]
- 65243) *Phlyctaenia stachydalis* (Germar,1821) (Pyalidae) Synonym(s): *stachydalis* Germar,1821
- 65244) *Phlyctaenia subochrealis* (Dognin,1905) (Pyalidae) Synonym(s): *subochrealis* Dognin,1905
- 65245) *Phlyctaenia teinopalpia* (Hampson,1913) (Pyalidae) Synonym(s): *teinopalpia* Hampson,1913
- 65246) *Phlyctaenia tripartalis* (Hampson,1899) (Pyalidae) Synonym(s): *tripartalis* Hampson,1899
- 65247) *Phlyctaenomorpha afghanalis* Amsel,1970 (Pyalidae) Synonym(s): *afghanalis* Amsel,1970
- 65248) *Phlyctaenomorpha sinuosalis* (le Cerf,1910) (Pyalidae) Synonym(s): *sinuosalis* le Cerf,1909; *platyphaea* Meyrick,1937.
- 65249) *Phostria albescentalis* Hampson,1918 (Pyalidae) Synonym(s): *albescentalis* Hampson,1918
- 65250) *Phostria analis* (Snellen,1880) (Pyalidae) Synonym(s): *analis* Snellen,1880
- 65251) *Phostria noctescens* (Moore,1888) (Pyalidae) Synonym(s): *noctescens* Moore,1888
- 65252) *Phostria obscurata* (Moore,1886) (Pyalidae) Synonym(s): *obscurata* Moore,1886
- 65253) *Phostria oconnori* Tams,1935 (Pyalidae) Synonym(s): *oconnori* Tams,1935
- 65254) *Phycita ardekanella* Amsel,1950 (Pyalidae) Synonym(s): *ardekanella* Amsel,1950
- 65255) *Phycita atrisquamella* (Hampson,1901) (Pyalidae) Synonym(s): *atrisquamella* Hampson,1901
- 65256) *Phycita attenuata* Balinsky,1994 (Pyalidae) Synonym(s): *attenuata* Balinsky,1994
- 65257) *Phycita attenuata attenuata* Balinsky,1994 (Pyalidae) Synonym(s): *attenuata* Balinsky,1994
- 65258) *Phycita balutschistanella* Amsel,1950 (Pyalidae) Synonym(s): *balutschistanella* Amsel,1950
- 65259) *Phycita cirrhodelta* (Meyrick,1933) (Pyalidae) Synonym(s): *cirrhodelta* Meyrick,1933
- 65260) *Phycita clientella* (Zeller,1867) (Pyalidae) Synonym(s): *clientella* Zeller,1867
- 65261) *Phycita comeella* Amsel,1950 (Pyalidae) Synonym(s): *comeella* Amsel,1950
- 65262) *Phycita coronatella* (Guenée,1845) (Pyalidae) Synonym(s): *coronatella* Guenée,1845
- 65263) *Phycita dentilinella* Hampson,1896 (Pyalidae) Synonym(s): *dentilinella* Hampson,1896
- 65264) *Phycita diaphana* (Staudinger,1870) (Pyalidae) Synonym(s): *diaphana* Staudinger,1870
- 65265) *Phycita eremica* Amsel,1935 (Pyalidae) Synonym(s): *eremica* Amsel,1935; *aciculata* Meyrick
- 65266) *Phycita erichbaueri* Roesler,1983 (Pyalidae) Synonym(s): *erichbaueri* Roesler,1983
- 65267) *Phycita eulepidella* Hampson,1896 (Pyalidae) Synonym(s): *eulepidella* Hampson,1896; *jasmiphaga* Hampson,1896; *recondita* Turner,1904; *similis* Whalley,1962
- 65268) *Phycita exaggerata* Balinsky,1994 (Pyalidae) Synonym(s): *exaggerata* Balinsky,1994
- 65269) *Phycita exaggerata exaggerata* Balinsky,1994 (Pyalidae) Synonym(s): *exaggerata* Balinsky,1994
- 65270) *Phycita formosella* (Wileman & South,1918) (Pyalidae) Synonym(s): *formosella* Wileman & South,1918
- 65271) *Phycita kurdistanella* Amsel,1953 (Pyalidae) Synonym(s): *kurdistanella* Amsel,1953
- 65272) *Phycita lugubris* Balinsky,1994 (Pyalidae) Synonym(s): *lugubris* Balinsky,1994
- 65273) *Phycita lugubris lugubris* Balinsky,1994 (Pyalidae) Synonym(s): *lugubris* Balinsky,1994
- 65274) *Phycita macrodontella* (Ragonot,1887) (Pyalidae) Synonym(s): *macrodontella* Ragonot,1887; *burkhunella* Ragonot,1888; *pallidesignata* Toll,1948.
- 65275) *Phycita meliella* (Mann,1864) (Pyalidae) Synonym(s): *meliella* Mann,1864
- 65276) *Phycita metzneri* (Zeller,1846) (Pyalidae) Synonym(s): *metzneri* Zeller,1846
- 65277) *Phycita mianella* Amsel,1950 (Pyalidae) Synonym(s): *mianella* Amsel,1950
- 65278) *Phycita michaeli* Roesler & Küppers,1979 (Pyalidae) Synonym(s): *michaeli* Roesler & Küppers,1979
- 65279) *Phycita nagardja* Roesler & Küppers,1979 (Pyalidae) Synonym(s): *nagardja* Roesler & Küppers,1979

- 65280) *Phycita nephodeella* Ragonot, 1887 (Pyralidae) Synonym(s): *nephodeella* Ragonot, 1887
 65281) *Phycita nodicornella* (Ragonot, 1888) (Pyralidae) Synonym(s): *nodicornella* Ragonot, 1888
 65282) *Phycita pedisignella* Ragonot, 1887 (Pyralidae) Synonym(s): *pedisignella* Ragonot, 1887
 65283) *Phycita poteriella* (Zeller, 1846) (Pyralidae) Synonym(s): *poteriella* Zeller, 1846
 65284) *Phycita randensis* Balinsky, 1994 (Pyralidae) Synonym(s): *randensis* Balinsky, 1994
 65285) *Phycita randensis randensis* Balinsky, 1994 (Pyralidae) Synonym(s): *randensis* Balinsky, 1994
 65286) *Phycita rhapta* (Turner, 1947) (Pyralidae) Synonym(s): *rhapta* Turner, 1947
 65287) *Phycita rimini* Roesler, 1983 (Pyralidae) Synonym(s): *rimini* Roesler, 1983
 65288) *Phycita roborella* (Denis & Schiffermüller, 1775) (Pyralidae) Synonym(s): *#roborella* [Denis & Schiffermüller, 1775; *spissicella* Fabricius, 1777; *spissicornis* Fabricius, 1798; *roboralis* Hübner, 1825].
 65289) *Phycita singularis* Balinsky, 1994 (Pyralidae) Synonym(s): *singularis* Balinsky, 1994
 65290) *Phycita singularis singularis* Balinsky, 1994 (Pyralidae) Synonym(s): *singularis* Balinsky, 1994
 65291) *Phycita spiculata* Balinsky, 1994 (Pyralidae) Synonym(s): *spiculata* Balinsky, 1994
 65292) *Phycita spiculata spiculata* Balinsky, 1994 (Pyralidae) Synonym(s): *spiculata* Balinsky, 1994
 65293) *Phycita spissoterminalis* Balinsky, 1994 (Pyralidae) Synonym(s): *spissoterminalis* Balinsky, 1994
 65294) *Phycita spissoterminalis spissoterminalis* Balinsky, 1994 (Pyralidae) Synonym(s): *spissoterminalis* Balinsky, 1994
 65295) *Phycita strigata* (Staudinger, 1879) (Pyralidae) Synonym(s): *strigata* Staudinger, 1879
 65296) *Phycita supenditata* Balinsky, 1994 (Pyralidae) Synonym(s): *supenditata* Balinsky, 1994
 65297) *Phycita taftanella* Amsel, 1950 (Pyralidae) Synonym(s): *taftanella* Amsel, 1950
 65298) *Phycita taiwanella* (Wileman & South, 1919) (Pyralidae) Synonym(s): *taiwanella* Wileman & South, 1919
 65299) *Phycita torrenti* Agenjo, 1962 (Pyralidae) Synonym(s): *torrenti* Agenjo, 1962
 65300) *Phycita trachystola* Turner, 1904 (Pyralidae) Synonym(s): *trachystola* Turner, 1904
 65301) *Phycita vauy* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *vauy* Roesler & Küppers, 1979
 65302) *Phycita venalbella* (Joannis, 1927) (Pyralidae) Synonym(s): *venalbella* Joannis, 1927
 65303) *Phycitodes albatella* (Ragonot, 1887) (Pyralidae) Synonym(s): *albatella* Ragonot, 1887
 65304) *Phycitodes albatella albatella* (Ragonot, 1887) (Pyralidae) Synonym(s): *albatella* Ragonot, 1887; *parvum* Gerasimov, 1930.
 65305) *Phycitodes albatella dierli* Roesler, 1970 (Pyralidae) Synonym(s): *dierli* Roesler, 1970
 65306) *Phycitodes albatella pseudonimbella* (Bentick, 1937) (Pyralidae) Synonym(s): *pseudonimbella* Bentick, 1937
 65307) *Phycitodes albatella ussuriella* (Roesler, 1965) (Pyralidae) Synonym(s): *ussuriella* Roesler, 1965
 65308) *Phycitodes albobittella* (Ragonot, 1888) (Pyralidae) Synonym(s): *albobittella* Ragonot, 1888; *costalbella* Amsel, 1953.
 65309) *Phycitodes bicolor* Roesler, 1970 (Pyralidae) Synonym(s): *bicolor* Roesler, 1970
 65310) *Phycitodes binaevella* (Hübner, 1813) (Pyralidae) Synonym(s): *binaevella* Hübner, 1813].
 65311) *Phycitodes binaevella binaevella* (Hübner, 1813) (Pyralidae) Synonym(s): *binaevella* Hübner, 1813].
 65312) *Phycitodes binaevella iranella* (Roesler, 1965) (Pyralidae) Synonym(s): *iranella* Roesler, 1965
 65313) *Phycitodes binaevella petrella* (Herrich-Schäffer, 1849) (Pyralidae) Synonym(s): *petrella* Herrich-Schäffer, 1849
 65314) *Phycitodes binaevella sardiniella* (Roesler, 1965) (Pyralidae) Synonym(s): *sardiniella* Roesler, 1965
 65315) *Phycitodes binaevella siciliella* (Zerny, 1914) (Pyralidae) Synonym(s): *siciliella* Zerny, 1914
 65316) *Phycitodes binaevella unitella* (Staudinger, 1879) (Pyralidae) Synonym(s): *unitella* Staudinger, 1879; *ciliciella* Caradja, 1910; *pinguinella* Zerny, 1934.
 65317) *Phycitodes binaloudella* (Amsel, 1961) (Pyralidae) Synonym(s): *binaloudella* Amsel, 1961
 65318) *Phycitodes carlinella* (Heinemann, 1865) (Pyralidae) Synonym(s): *carlinella* Heinemann, 1865; *cretacella* Rössler, 1866; *maritima* Tengström, 1870; *senecionis* Vaughan, 1870; *caniusella* Ragonot, 1901
 65319) *Phycitodes carlinella arenicola* (Chrétien, 1911) (Pyralidae) Synonym(s): *arenicola* Chrétien, 1911
 65320) *Phycitodes carlinella carlinella* (Heinemann, 1865) (Pyralidae) Synonym(s): *carlinella* Heinemann, 1865; *cretacella* Rössler, 1866; *maritima* Tengström, 1870; *senecionis* Vaughan, 1870; *caniusella* Ragonot, 1901
 65321) *Phycitodes carlinella osteella* (Ragonot, 1887) (Pyralidae) Synonym(s): *osteella* Ragonot, 1887
 65322) *Phycitodes crassipunctella* (Caradja, 1928) (Pyralidae) Synonym(s): *crassipunctella* Caradja, 1928
 65323) *Phycitodes cupronigrella* (Caradja, 1925) (Pyralidae) Synonym(s): *cupronigrella* Caradja, 1925
 65324) *Phycitodes delineata* (Lucas, 1892) (Pyralidae) Synonym(s): *delineata* Lucas, 1892
 65325) *Phycitodes inquitatella* (Ragonot, 1887) (Pyralidae) Synonym(s): *inquitatella* Ragonot, 1887
 65326) *Phycitodes inquitatella amseli* (Roesler, 1965) (Pyralidae) Synonym(s): *amseli* Roesler, 1965
 65327) *Phycitodes inquitatella canariella* (Rebel, 1892) (Pyralidae) Synonym(s): *canariella* Rebel, 1892
 65328) *Phycitodes inquitatella exustella* (Ragonot, 1888) (Pyralidae) Synonym(s): *exustella* Ragonot, 1888
 65329) *Phycitodes inquitatella inquitatella* (Ragonot, 1887) (Pyralidae) Synonym(s): *inquitatella* Ragonot, 1887
 65330) *Phycitodes inquitatella ravenella* (Pierce, 1937) (Pyralidae) Synonym(s): *ravenella* Pierce, 1937
 65331) *Phycitodes lacteella* (Rothschild, 1915) (Pyralidae) Synonym(s): *lacteella* Rothschild, 1915; *viattella* Roesler, 1965.
 65332) *Phycitodes lacteella bentinckella* (Pierce, 1937) (Pyralidae) Synonym(s): *bentinckella* Pierce, 1937
 65333) *Phycitodes lacteella delattini* (Roesler, 1965) (Pyralidae) Synonym(s): *delattini* Roesler, 1965
 65334) *Phycitodes lacteella lacteella* (Rothschild, 1915) (Pyralidae) Synonym(s): *lacteella* Rothschild, 1915; *viattella* Roesler, 1965.
 65335) *Phycitodes lacteella madoniella* (Roesler, 1965) (Pyralidae) Synonym(s): *madoniella* Roesler, 1965
 65336) *Phycitodes lacteella nuristanica* (Roesler, 1970) (Pyralidae) Synonym(s): *nuristanica* Roesler, 1970
 65337) *Phycitodes lacteella orientalis* (Roesler, 1970) (Pyralidae) Synonym(s): *orientalis* Roesler, 1970
 65338) *Phycitodes lacteella santornella* (Roesler, 1965) (Pyralidae) Synonym(s): *santornella* Roesler, 1965
 65339) *Phycitodes lacteella zinianella* (Amsel, 1961) (Pyralidae) Synonym(s): *zinianella* Amsel, 1961
 65340) *Phycitodes langtanella* (Roesler, 1969) (Pyralidae) Synonym(s): *langtanella* Roesler, 1969
 65341) *Phycitodes longivittella* (Caradja, 1939) (Pyralidae) Synonym(s): *longivittella* Caradja, 1939
 65342) *Phycitodes melanosticta* (Lower, 1903) (Pyralidae) Synonym(s): *melanosticta* Lower, 1903
 65343) *Phycitodes nepalensis* Roesler, 1970 (Pyralidae) Synonym(s): *nepalensis* Roesler, 1970
 65344) *Phycitodes nigrilimbella* (Ragonot, 1887) (Pyralidae) Synonym(s): *nigrilimbella* Ragonot, 1887
 65345) *Phycitodes nipponella* (Ragonot, 1901) (Pyralidae) Synonym(s): *nipponella* Ragonot, 1901; *osakiella* Ragonot, 1901; *matsumurella* Shibuya, 1927.
 65346) *Phycitodes pagodiella* Roesler, 1970 (Pyralidae) Synonym(s): *pagodiella* Roesler, 1970
 65347) *Phycitodes popescugorji* (Roesler, 1967) (Pyralidae) Synonym(s): *popescugorji* Roesler, 1967
 65348) *Phycitodes reisseri* (Roesler, 1967) (Pyralidae) Synonym(s): *reisseri* Roesler, 1967
 65349) *Phycitodes saxicola* (Vaughan, 1870) (Pyralidae) Synonym(s): *saxicola* Vaughan, 1870
 65350) *Phycitodes saxicola griseopunctata* (Lucas, 1956) (Pyralidae) Synonym(s): *griseopunctata* Lucas, 1956; *teneriffella* Roesler, 1965.
 65351) *Phycitodes saxicola saxicola* (Vaughan, 1870) (Pyralidae) Synonym(s): *saxicola* Vaughan, 1870
 65352) *Phycitodes saxicola subbinaevella* (Ragonot, 1888) (Pyralidae) Synonym(s): *subbinaevella* Ragonot, 1888; *comeella* Amsel, 1961.
 65353) *Phycitodes saxicola valletae* (Amsel, 1951) (Pyralidae) Synonym(s): *valletae* Amsel, 1951
 65354) *Phycitodes strassbergeri* (Roesler, 1967) (Pyralidae) Synonym(s): *strassbergeri* Roesler, 1967
 65355) *Phycitodes subcretacella* (Ragonot, 1901) (Pyralidae) Synonym(s): *subcretacella* Ragonot, 1901
 65356) *Phycitodes subolivacella* (Ragonot, 1901) (Pyralidae) Synonym(s): *subolivacella* Ragonot, 1901
 65357) *Phycitodes tenella* (Amsel, 1935) (Pyralidae) Synonym(s): *tenella* Amsel, 1935
 65358) *Phycitodes triangulella* (Ragonot, 1901) (Pyralidae) Synonym(s): *triangulella* Ragonot, 1901
 65359) *Phycitophila obscurita* Balinsky, 1994 (Pyralidae) Synonym(s): *obscurita* Balinsky, 1994
 65360) *Phycitophila obscurita obscurita* Balinsky, 1994 (Pyralidae) Synonym(s): *obscurita* Balinsky, 1994
 65361) *Phycitopsis insulata* Balinsky, 1994 (Pyralidae) Synonym(s): *insulata* Balinsky, 1994
 65362) *Phycitopsis insulata insulata* Balinsky, 1994 (Pyralidae) Synonym(s): *insulata* Balinsky, 1994
 65363) *Physematia defloralis* (Strand, 1919) (Pyralidae) Synonym(s): *defloralis* Strand, 1919
 65364) *Picrogama semifoedalis* (Walker, 1866) (Pyralidae) Synonym(s): *semifoedalis* Walker, 1866; *complanata* R. Felder & Rogenhofer, 1875; *anticosma* Meyrick, 1897.
 65365) *Piesmopoda notandella* Ragonot, 1893 (Pyralidae) Synonym(s): *notandella* Ragonot, 1893

- 65366) *Pileotocera aegimiusalis* (Walker, 1859) (Pyralidae) Synonym(s): *aegimiusalis* Walker, 1859
 65367) *Pileotocera albescens* Rebel, 1915 (Pyralidae) Synonym(s): *albescens* Rebel, 1915
 65368) *Pileotocera albimixtal* Hampson, 1917 (Pyralidae) Synonym(s): *albimixtal* Hampson, 1917
 65369) *Pileotocera chlorura* (Meyrick, 1887) (Pyralidae) Synonym(s): *chlorura* Meyrick, 1887; *melanauges* Turner, 1913
 65370) *Pileotocera cyclopsila* (Meyrick, 1886) (Pyralidae) Synonym(s): *cyclopsila* Meyrick, 1886
 65371) *Pileotocera elongalis* (Warren, 1896) (Pyralidae) Synonym(s): *elongalis* Warren, 1896
 65372) *Pileotocera flavalis* Hampson, 1917 (Pyralidae) Synonym(s): *flavalis* Hampson, 1917
 65373) *Pileotocera hemiphaealis* (Hampson, 1907) (Pyralidae) Synonym(s): *hemiphaealis* Hampson, 1907
 65374) *Pileotocera macroperalis* Hampson, 1897 (Pyralidae) Synonym(s): *macroperalis* Hampson, 1897
 65375) *Pileotocera meekii* (Lucas, 1894) (Pyralidae) Synonym(s): *meekii* Lucas, 1894; *vestigialis* W. Warren, 1896; *javanalis* Snellen, 1900
 65376) *Pileotocera opacalis* Rebel, 1927 (Pyralidae) Synonym(s): *opacalis* Rebel, 1927
 65377) *Pileotocera rechingeri* Tams, 1935 (Pyralidae) Synonym(s): *rechingeri* Tams, 1935
 65378) *Pileotocera signiferalis* (Wallengren, 1860) (Pyralidae) Synonym(s): *signiferalis* Wallengren, 1860; *barbicornis* R. Felder & Rogenhofer, 1875; *mirabilis* Butler, 1884; *nigrescens* Butler, 1884
 65379) *Pileotocera steffany* Tams, 1935 (Pyralidae) Synonym(s): *steffany* Tams, 1935
 65380) *Pileotocera vestigialis* (Warren, 1896) (Pyralidae) Synonym(s): *vestigialis* Warren, 1896
 65381) *Pileotocera xanthosoma* (Meyrick, 1886) (Pyralidae) Synonym(s): *xanthosoma* Meyrick, 1886
 65382) *Pilocrocis barcalis* (Walker, 1859) (Pyralidae) Synonym(s): *barcalis* Walker, 1859
 65383) *Pilocrocis dichochrochialis* Hampson, 1912 (Pyralidae) Synonym(s): *dichochrochialis* Hampson, 1912; *usticinctalis* Hampson, 1912; *euryatma* Meyrick, 1934
 65384) *Pilocrocis glaucitalis* Hampson, 1912 (Pyralidae) Synonym(s): *glaucitalis* Hampson, 1912
 65385) *Pilocrocis melastictalis* Hampson, 1912 (Pyralidae) Synonym(s): *melastictalis* Hampson, 1912
 65386) *Pilocrocis patagialis* Hampson, 1909 (Pyralidae) Synonym(s): *patagialis* Hampson, 1909
 65387) *Pilocrocis pterygodia* Hampson, 1912 (Pyralidae) Synonym(s): *pterygodia* Hampson, 1912
 65388) *Pima boisduvaliella* (Guenée, 1845) (Pyralidae) Synonym(s): *boisduvaliella* Guenée, 1845
 65389) *Pima difficilis* Joannis, 1927 (Pyralidae) Synonym(s): *difficilis* Joannis, 1927
 65390) *Pima flavidorsella* Joannis, 1927 (Pyralidae) Synonym(s): *flavidorsella* Joannis, 1927
 65391) *Pima trifidella* (Zerny, 1914) (Pyralidae) Synonym(s): *trifidella* Zerny, 1914
 65392) *Pinacia fulvidorsalis* (Hübner, 1832) (Pyralidae) Synonym(s): *fulvidorsalis* Hübner, 1832
 65393) *Pionea praepandalis* (Snellen, 1890) (Pyralidae) Synonym(s): *praepandalis* Snellen, 1890
 65394) *Pitacanda spilosomoides* Moore, 1886 (Pyralidae) Synonym(s): *spilosomoides* Moore, 1886
 65395) *Pithyllis ornata* Grünberg, 1910 (Pyralidae) Synonym(s): *ornata* Grünberg, 1910
 65396) *Plagoa cerostomella* (Ragonot, 1888) (Pyralidae) Synonym(s): *cerostomella* Ragonot, 1888; *†cerastomella* Balinsky, 1994
 65397) *Plagoa zambeziella* (Hampson, 1901) (Pyralidae) Synonym(s): *zambeziella* Hampson, 1901
 65398) *Platytes acerata* Dyar, 1917 (Pyralidae) Synonym(s): *acerata* Dyar, 1917
 65399) *Platytes acroperalis* Hampson, 1908 (Pyralidae) Synonym(s): *acroperalis* Hampson, 1908
 65400) *Platytes aenigmatica* Heinrich, 1931 (Pyralidae) Synonym(s): *aenigmatica* Heinrich, 1931
 65401) *Platytes alpinella* (Hübner, [1813]) (Pyralidae) Synonym(s): *alpinella* Hübner, [1813]; *alpicolalis* Hübner, [1825]
 65402) *Platytes argyrotricha* Hampson, 1908 (Pyralidae) Synonym(s): *argyrotricha* Hampson, 1908
 65403) *Platytes arimatheella* Schaus, 1922 (Pyralidae) Synonym(s): *arimatheella* Schaus, 1922
 65404) *Platytes atlantivolella* Zerny, 1935 (Pyralidae) Synonym(s): *atlantivolella* Zerny, 1935
 65405) *Platytes bipunctella* Lucas, 1956 (Pyralidae) Synonym(s): *bipunctella* Lucas, 1956
 65406) *Platytes cerussella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *cerussella* [Denis & Schiffermüller], 1775; *quadrella* [Denis & Schiffermüller], 1775; *barbella* Hübner, 1796; *auriferella* Hübner, 1796; *pygmaeus* Stephens, 1834.
 65407) *Platytes damienella* Schaus, 1922 (Pyralidae) Synonym(s): *damienella* Schaus, 1922
 65408) *Platytes dinephelalis* Dyar, 1917 (Pyralidae) Synonym(s): *dinephelalis* Dyar, 1917
 65409) *Platytes fuscivenalis* Hampson, 1896 (Pyralidae) Synonym(s): *fuscivenalis* Hampson, 1896
 65410) *Platytes ictericalis* Swinhoe, 1885 (Pyralidae) Synonym(s): *ictericalis* Swinhoe, 1885
 65411) *Platytes ornatella* (Leech, 1889) (Pyralidae) Synonym(s): *ornatella* Leech, 1889; *acaudatula* Filipjev, 1927.
 65412) *Platytes panalope* Dyar, 1917 (Pyralidae) Synonym(s): *panalope* Dyar, 1917
 65413) *Platytes platysticha* (Turner, 1939) (Pyralidae) Synonym(s): *platysticha* Turner, 1939
 65414) *Platytes poliopepla* Lower, 1905 (Pyralidae) Synonym(s): *poliopepla* Lower, 1905
 65415) *Platytes polyactinella* Hampson, 1896 (Pyralidae) Synonym(s): *polyactinella* Hampson, 1896
 65416) *Platytes punctilineella* Barnes & McDunnough, 1913 (Pyralidae) Synonym(s): *punctilineella* Barnes & McDunnough, 1913
 65417) *Platytes strigatalis* (Hampson, 1900) (Pyralidae) Synonym(s): *strigatalis* Hampson, 1900
 65418) *Platytes vobisne* Dyar, 1920 (Pyralidae) Synonym(s): *vobisne* Dyar, 1920
 65419) *Platytes zarcinella* Lucas, 1909 (Pyralidae) Synonym(s): *zarcinella* Lucas, 1909
 65420) *Pleuroptia aegrotalis* (Zeller, 1852) (Pyralidae) Synonym(s): *aegrotalis* Zeller, 1852
 65421) *Pleuroptia balteata* (Fabricius, 1798) (Pyralidae) Synonym(s): *balteata* Fabricius, 1798; *crocealis* Duponchel, 1831; *aurantiacalis* Fischer v. Roeslerstamm, 1840; *accipitralis* Walker, [1866]; *aurea* Butler, 1879; *fraterna* Moore, 1886; *evergestialis* Strand, 1918.
 65422) *Pleuroptia emmetris* (Turner, 1915) (Pyralidae) Synonym(s): *emmetris* Turner, 1915
 65423) *Pleuroptia iopasalis* (Walker, 1859) (Pyralidae) Synonym(s): *iopasalis* Walker, 1859
 65424) *Pleuroptia nigriflava* Swinhoe, 1894 (Pyralidae) Synonym(s): *nigriflava* Swinhoe, 1894
 65425) *Pleuroptia paleacalis* (Guenée, 1854) (Pyralidae) Synonym(s): *paleacalis* Guenée, 1854
 65426) *Pleuroptia ruralis* (Scopoli, 1763) (Pyralidae) Synonym(s): *ruralis* Scopoli, 1763
 65427) *Pleuroptia symphonodes* (Turner, 1913) (Pyralidae) Synonym(s): *symphonodes* Turner, 1913
 65428) *Pleuroptia tenuis* (W. Warren, 1896) (Pyralidae) Synonym(s): *tenuis* W. Warren, 1896; *crocophanes* Lower, 1902; *irregularis* Rothschild, 1915
 65429) *Pleuroptia ultimalis* (Walker, 1859) (Pyralidae) Synonym(s): *ultimalis* Walker, 1859
 65430) *Plodia interpunctella* (Hübner, [1813]) (Pyralidae) Synonym(s): *interpunctella* Hübner, [1813]; *interpunctalis* Hübner, [1825]; *zeae* Fitch, 1856; *castaneella* Reutti, 1898; *latercula* Hampson, 1901; *glycinivora* Matsumura, 1917; *glycinivorella* Matsumura, 1932.
 65431) *Pogononeura hirticostella* Ragonot, 1888 (Pyralidae) Synonym(s): *hirticostella* Ragonot, 1888
 65432) *Pogonotrophus wahlbergi* Zeller, 1852 (Pyralidae) Synonym(s): *wahlbergi* Zeller, 1852
 65433) *Pogonotrophus tancrei* Sauber, 1899 (Pyralidae) Synonym(s): *tancrei* Sauber, 1899
 65434) *Polioptasia brachypalpia* Hampson, 1916 (Pyralidae) Synonym(s): *brachypalpia* Hampson, 1916
 65435) *Polioptasia lithochlora* (Lower, 1896) (Pyralidae) Synonym(s): *lithochlora* Lower, 1896; *prionosticha* Turner, 1925
 65436) *Polioptasia phycitimorpha* Janse, 1922 (Pyralidae) Synonym(s): *phycitimorpha* Janse, 1922
 65437) *Polopeustis altensis* (Wocke, 1862) (Pyralidae) Synonym(s): *altensis* Wocke, 1862
 65438) *Polycampsus longinasus* Warren, 1896 (Pyralidae) Synonym(s): *longinasus* Warren, 1896
 65439) *Polygrammodes pectinicornalis* (Guenée, 1854) (Pyralidae) Synonym(s): *pectinicornalis* Guenée, 1854
 65440) *Polygrammodes phyllophila* (Butler, 1878) (Pyralidae) Synonym(s): *phyllophila* Butler, 1878
 65441) *Polygrammodes sabelialis* (Guenée, 1854) (Pyralidae) Synonym(s): *sabelialis* Guenée, 1854
 65442) *Polygrammodes thoosalis* (Walker, 1859) (Pyralidae) Synonym(s): *thoosalis* Walker, 1859
 65443) *Polyocha anomalella* Janse, 1922 (Pyralidae) Synonym(s): *anomalella* Janse, 1922
 65444) *Polyocha cremoricosta* Ragonot, 1895 (Pyralidae) Synonym(s): *cremoricosta* Ragonot, 1895
 65445) *Polyocha plinthochroa* Hampson, 1918 (Pyralidae) Synonym(s): *plinthochroa* Hampson, 1918
 65446) *Polyocha rhodesiae* Strand, 1909 (Pyralidae) Synonym(s): *rhodesiae* Strand, 1909
 65447) *Polyocha sanguinariella* (Zeller, 1848) (Pyralidae) Synonym(s): *sanguinariella* Zeller, 1848
 65448) *Polyocha venosa* (Zeller, 1847) (Pyralidae) Synonym(s): *venosa* Zeller, 1847
 65449) *Polyochodes stipella* Chrétien, 1911 (Pyralidae) Synonym(s): *stipella* Chrétien, 1911
 65450) *Polyterpnus polyrrhoda* Turner, 1932 (Pyralidae) Synonym(s): *polyrrhoda* Turner, 1932
 65451) *Polythripa annulifera* (Walker, 1865) (Pyralidae) Synonym(s): *annulifera* Walker, 1865

- 65452) *Polythlipta divaricata* Moore, 1886 (Pyralidae) Synonym(s): *divaricata* Moore, 1886
 65453) *Polythlipta macralis* Lederer, 1863 (Pyralidae) Synonym(s): *macralis* Lederer, 1863
 65454) *Postemmalocera cuprella* (Caradja, 1925) (Pyralidae) Synonym(s): *cuprella* Caradja, 1925
 65455) *Postemmalocera palaeartella* (Turati, 1917) (Pyralidae) Synonym(s): *palaeartella* Turati, 1917
 65456) *Potamomusa aquilonia* Yoshiyasu, 1985 (Pyralidae) Synonym(s): *aquilonia* Yoshiyasu, 1985
 65457) *Praeepischnia iranella* Amsel, 1953 (Pyralidae) Synonym(s): *iranella* Amsel, 1953
 65458) *Praeepischnia lydella* (Lederer, 1865) (Pyralidae) Synonym(s): *lydella* Lederer, 1865; *gypsocrates* Meyrick, 1937
 65459) *Praeepischnia nevadensis* (Rebel, 1910) (Pyralidae) Synonym(s): *nevadensis* Rebel, 1910
 65460) *Praeepischnia taftanella* Amsel, 1953 (Pyralidae) Synonym(s): *taftanella* Amsel, 1953
 65461) *Praekatja pagmanalis* Amsel, 1961 (Pyralidae) Synonym(s): *pagmanalis* Amsel, 1961
 65462) *Pramadea fraterna* (Moore, 1885) (Pyralidae) Synonym(s): *fraterna* Moore, 1885
 65463) *Pramadea ridopalis* (Swinhoe, 1892) (Pyralidae) Synonym(s): *ridopalis* Swinhoe, 1892
 65464) *Pramadea textalis* (Lederer, 1863) (Pyralidae) Synonym(s): *textalis* Lederer, 1863
 65465) *Prasinoxena metaleuca* Hampson, 1912 (Pyralidae) Synonym(s): *metaleuca* Hampson, 1912
 65466) *Prenesta anaemicalis* (Hampson, 1912) (Pyralidae) Synonym(s): *anaemicalis* Hampson, 1912
 65467) *Prenesta evippealis* (Walker, 1859) (Pyralidae) Synonym(s): *evippealis* Walker, 1859; *phryganurus* R. Felder & Rogenhofer, 1875; *auropurpuralis* Dognin, 1910
 65468) *Prenesta fenestrinalis* (Guenée, 1854) (Pyralidae) Synonym(s): *fenestrinalis* Guenée, 1854
 65469) *Prenesta fulvirufalis* (Hampson, 1917) (Pyralidae) Synonym(s): *fulvirufalis* Hampson, 1917
 65470) *Prenesta ignefactalis* (Möschler, 1886) (Pyralidae) Synonym(s): *ignefactalis* Möschler, 1886
 65471) *Prenesta iphicalis* (Walker, 1859) (Pyralidae) Synonym(s): *iphicalis* Walker, 1859
 65472) *Prenesta latifascialis* (Snellen, 1875) (Pyralidae) Synonym(s): *latifascialis* Snellen, 1875
 65473) *Prenesta luciferalis* (Möschler, 1881) (Pyralidae) Synonym(s): *luciferalis* Möschler, 1881
 65474) *Prenesta nysalis* (Walker, 1859) (Pyralidae) Synonym(s): *nysalis* Walker, 1859
 65475) *Prenesta ornamentalis* (Möschler, 1881) (Pyralidae) Synonym(s): *ornamentalis* Möschler, 1881
 65476) *Prenesta philinoralis* (Walker, 1859) (Pyralidae) Synonym(s): *philinoralis* Walker, 1859; *gealis* Walker, 1859; *philenorialis* Hampson, 1899
 65477) *Prenesta prosopaealis* (Walker, 1859) (Pyralidae) Synonym(s): *prosopaealis* Walker, 1859
 65478) *Prenesta protenorialis* (Walker, 1859) (Pyralidae) Synonym(s): *protenorialis* Walker, 1859
 65479) *Prenesta quadrifenestralis* (Herrich-Schäffer, 1871) (Pyralidae) Synonym(s): *quadrifenestralis* Herrich-Schäffer, 1871
 65480) *Prenesta rubralis* (Hampson, 1899) (Pyralidae) Synonym(s): *rubralis* Hampson, 1899
 65481) *Prenesta scyllalis* (Walker, 1859) (Pyralidae) Synonym(s): *scyllalis* Walker, 1859; *turnusalis* Walker, 1859; *delicatalis* Lederer, 1863; *fabialis* Snellen, 1875
 65482) *Prenesta sunialis* Snellen, 1875 (Pyralidae) Synonym(s): *sunialis* Snellen, 1875
 65483) *Pretoria audeoudi* De Joannis, 1927 (Pyralidae) Synonym(s): *audeoudi* De Joannis, 1927
 65484) *Pretoria hutchinsoni* Ragonot, 1893 (Pyralidae) Synonym(s): *hutchinsoni* Ragonot, 1893
 65485) *Pretoria hutchinsoni hutchinsoni* Ragonot, 1893 (Pyralidae) Synonym(s): *hutchinsoni* Ragonot, 1893
 65486) *Pretoria nigribasis* Balinsky, 1994 (Pyralidae) Synonym(s): *nigribasis* Balinsky, 1994
 65487) *Prionapteron tenebrellum* (Hampson, 1896) (Pyralidae) Synonym(s): *tenebrellum* Hampson, 1896; *sinensis* Hampson, 1919.
 65488) *Prionapteryx achatina* Zeller, 1863 (Pyralidae) Synonym(s): *achatina* Zeller, 1863
 65489) *Prionapteryx albescens* (Hampson, 1919) (Pyralidae) Synonym(s): *albescens* Hampson, 1919
 65490) *Prionapteryx albiceps* (Hampson, 1919) (Pyralidae) Synonym(s): *albiceps* Hampson, 1919
 65491) *Prionapteryx albiceps albiceps* (Hampson, 1919) (Pyralidae) Synonym(s): *albiceps* Hampson, 1919
 65492) *Prionapteryx albicostalis* (Hampson, 1919) (Pyralidae) Synonym(s): *albicostalis* Hampson, 1919
 65493) *Prionapteryx albimaculalis* (Hampson, 1919) (Pyralidae) Synonym(s): *albimaculalis* Hampson, 1919
 65494) *Prionapteryx albimaculalis albimaculalis* (Hampson, 1919) (Pyralidae) Synonym(s): *albimaculalis* Hampson, 1919
 65495) *Prionapteryx albipennis* (Butler, 1886) (Pyralidae) Synonym(s): *albipennis* Butler, 1886
 65496) *Prionapteryx albipunctella* Marion, 1957 (Pyralidae) Synonym(s): *albipunctella* Marion, 1957
 65497) *Prionapteryx albirenella* (Walker, 1866) (Pyralidae) Synonym(s): *albirenella* Walker, 1866
 65498) *Prionapteryx albirufalis* Hampson, 1919 (Pyralidae) Synonym(s): *albirufalis* Hampson, 1919
 65499) *Prionapteryx albigistigma* (Wileman & South, 1918) (Pyralidae) Synonym(s): *albigistigma* Wileman & South, 1918
 65500) *Prionapteryx albofascialis* (Hampson, 1919) (Pyralidae) Synonym(s): *albofascialis* Hampson, 1919
 65501) *Prionapteryx albofascialis albofascialis* (Hampson, 1919) (Pyralidae) Synonym(s): *albofascialis* Hampson, 1919
 65502) *Prionapteryx alternalis* Maes, 2002 (Pyralidae) Synonym(s): *africalis* Hampson, 1919 nec Hamps., 1896; *alternalis* Maes, 2002
 65503) *Prionapteryx alternalis alternalis* Maes, 2002 (Pyralidae) Synonym(s): *africalis* Hampson, 1919 nec Hamps., 1896; *alternalis* Maes, 2002
 65504) *Prionapteryx arenalis* (Hampson, 1919) (Pyralidae) Synonym(s): *arenalis* Hampson, 1919
 65505) *Prionapteryx argentescens* (Hampson, 1919) (Pyralidae) Synonym(s): *argentescens* Hampson, 1919
 65506) *Prionapteryx argentescens argentescens* (Hampson, 1919) (Pyralidae) Synonym(s): *argentescens* Hampson, 1919
 65507) *Prionapteryx bergii* Zeller, 1877 (Pyralidae) Synonym(s): *bergii* Zeller, 1877
 65508) *Prionapteryx brevivittalis* Hampson, 1919 (Pyralidae) Synonym(s): *brevivittalis* Hampson, 1919
 65509) *Prionapteryx brevivittalis brevivittalis* Hampson, 1919 (Pyralidae) Synonym(s): *brevivittalis* Hampson, 1919
 65510) *Prionapteryx cuneolalis* (Hulst, 1886) (Pyralidae) Synonym(s): *cuneolalis* Hulst, 1886
 65511) *Prionapteryx delicatella* Caradja, 1927 (Pyralidae) Synonym(s): *delicatella* Caradja, 1927
 65512) *Prionapteryx diaplecta* (Meyrick, 1936) (Pyralidae) Synonym(s): *diaplecta* Meyrick, 1936
 65513) *Prionapteryx diffusilinea* (Hampson, 1919) (Pyralidae) Synonym(s): *diffusilinea* Hampson, 1919; *xylochroa* Turner, 1947
 65514) *Prionapteryx elongata* Zeller, 1877 (Pyralidae) Synonym(s): *elongata* Zeller, 1877
 65515) *Prionapteryx eugraphis* (Walker, 1863) (Pyralidae) Synonym(s): *eugraphis* Walker, 1863
 65516) *Prionapteryx flavipars* (Hampson, 1919) (Pyralidae) Synonym(s): *flavipars* Hampson, 1919
 65517) *Prionapteryx flavipars flavipars* (Hampson, 1919) (Pyralidae) Synonym(s): *flavipars* Hampson, 1919
 65518) *Prionapteryx fuscicella* (Swinhoe, 1895) (Pyralidae) Synonym(s): *fuscicella* Swinhoe, 1895
 65519) *Prionapteryx hedyscopa* (Lower, 1905) (Pyralidae) Synonym(s): *hedyscopa* Lower, 1905
 65520) *Prionapteryx indentella* (Kearfott, 1908) (Pyralidae) Synonym(s): *indentella* Kearfott, 1908
 65521) *Prionapteryx marmorellus* South, 1901 (Pyralidae) Synonym(s): *marmorellus* South, 1901
 65522) *Prionapteryx mesozonalis* Hampson, 1919 (Pyralidae) Synonym(s): *mesozonalis* Hampson, 1919
 65523) *Prionapteryx molybdella* (Hampson, 1919) (Pyralidae) Synonym(s): *molybdella* Hampson, 1919
 65524) *Prionapteryx molybdella molybdella* (Hampson, 1919) (Pyralidae) Synonym(s): *molybdella* Hampson, 1919
 65525) *Prionapteryx nebulifera* Stephens, 1834 (Pyralidae) Synonym(s): *nebulifera* Stephens, 1834
 65526) *Prionapteryx nephalia* Meyrick, 1936 (Pyralidae) Synonym(s): *nephalia* Meyrick, 1936
 65527) *Prionapteryx ochrifasciata* (Hampson, 1919) (Pyralidae) Synonym(s): *ochrifasciata* Hampson, 1919
 65528) *Prionapteryx phaeomesa* (Hampson, 1919) (Pyralidae) Synonym(s): *phaeomesa* Hampson, 1919
 65529) *Prionapteryx plumbealis* (Hampson, 1919) (Pyralidae) Synonym(s): *plumbealis* Hampson, 1919
 65530) *Prionapteryx plumbealis plumbealis* (Hampson, 1919) (Pyralidae) Synonym(s): *plumbealis* Hampson, 1919
 65531) *Prionapteryx rubricalis* Hampson, 1919 (Pyralidae) Synonym(s): *rubricalis* Hampson, 1919
 65532) *Prionapteryx rubrifusalis* (Hampson, 1919) (Pyralidae) Synonym(s): *rubrifusalis* Hampson, 1919
 65533) *Prionapteryx rufistrigalis* (Fawcett, 1917) (Pyralidae) Synonym(s): *rufistrigalis* Fawcett, 1917
 65534) *Prionapteryx santella* (Kearfott, 1908) (Pyralidae) Synonym(s): *santella* Kearfott, 1908
 65535) *Prionapteryx scitulella* (Walker, 1866) (Pyralidae) Synonym(s): *scitulella* Walker, 1866
 65536) *Prionapteryx selenalis* (Hampson, 1919) (Pyralidae) Synonym(s): *selenalis* Hampson, 1919
 65537) *Prionapteryx selenalis selenalis* (Hampson, 1919) (Pyralidae) Synonym(s): *selenalis* Hampson, 1919
 65538) *Prionapteryx serpentella* Kearfott, 1908 (Pyralidae) Synonym(s): *serpentella* Kearfott, 1908
 65539) *Prionapteryx sinensis* Hampson, 1919 (Pyralidae) Synonym(s): *sinensis* Hampson, 1919
 65540) *Prionapteryx spasmatia* Meyrick, 1936 (Pyralidae) Synonym(s): *spasmatia* Meyrick, 1936

- 65541) *Prionapteryx taishanensis* Caradja,1937 (Pyralidae) Synonym(s): *taishanensis* Caradja,1937
65542) *Prionapteryx termia* (Meyrick,1885) (Pyralidae) Synonym(s): *termia* Meyrick,1885
65543) *Prionapteryx texturella* Zeller,1877 (Pyralidae) Synonym(s): *texturella* Zeller,1877
65544) *Prionapteryx yavapai* Kearfott,1908 (Pyralidae) Synonym(s): *yavapai* Kearfott,1908
65545) *Prionotalis africanellus* (Strand,1909) (Pyralidae) Synonym(s): *africanellus* Strand,1909
65546) *Prionotalis balia* (Tams,1932) (Pyralidae) Synonym(s): *balia* Tams,1932; *phacodes* Meyrick,1934
65547) *Prionotalis peracutella* Hampson,1919 (Pyralidae) Synonym(s): *peracutella* Hampson,1919
65548) *Pristathria akbarella* (Ragonot,1888) (Pyralidae) Synonym(s): *akbarella* Ragonot,1888
65549) *Pristathria mundalis* (Walker,1863) (Pyralidae) Synonym(s): *mundalis* Walker,1863
65550) *Pristocerella deltagrammella* (Ragonot,1888) (Pyralidae) Synonym(s): *deltagrammella* Ragonot,1888
65551) *Pristocerella solskyi* (Christoph,1877) (Pyralidae) Synonym(s): *solskyi* Christoph,1877; *ochroleucella* Staudinger,1879; *bivittella* Christoph,1887.
65552) *Proancylolus argenticostata* Balinsky,1991 (Pyralidae) Synonym(s): *argenticostata* Balinsky,1991
65553) *Proancylolus argenticostata argenticostata* Balinsky,1991 (Pyralidae) Synonym(s): *argenticostata* Balinsky,1991
65554) *Proceras indicus* Kapur,1950 (Pyralidae) Synonym(s): *indicus* Kapur,1950
65555) *Proceras sacchariphagus* (Bojer,1856) (Pyralidae) Synonym(s): *sacchariphagus* Bojer,1856; *saccharellus* Guenée,1862; *mauriciellus* Walker,1863; *striatalis* Snellen,1891.
65556) *Proceras venosatus* (Walker,1863) (Pyralidae) Synonym(s): *venosatus* Walker,1863; *stramineella* Caradja,1926.
65557) *Proceratia caesariella* Ragonot,1901 (Pyralidae) Synonym(s): *caesariella* Ragonot,1901
65558) *Proceratia fulvostrigella* (Eversmann,1844) (Pyralidae) Synonym(s): *fulvostrigella* Eversmann,1844; *fronticornella* Herrich-Schäffer,1860.
65559) *Prochoristis calamochroa* (Hampson,1919) (Pyralidae) Synonym(s):
65560) *Prochoristis capparidis* (Christoph,1876) (Pyralidae) Synonym(s): *capparidis* Christoph,1876.
65561) *Prochoristis rupicapralis* (Lederer,1855) (Pyralidae) Synonym(s): *rupicapralis* Lederer,1855
65562) *Procunea siderea* Hampson,1930 (Pyralidae) Synonym(s): *siderea* Hampson,1930; *lutzi* Roesler,1983
65563) *Productalius tritaeniellus* Marion,1954 (Pyralidae) Synonym(s): *tritaeniellus* Marion,1954
65564) *Prolais elbursalis* Amsel,1961 (Pyralidae) Synonym(s): *elbursalis* Amsel,1961
65565) *Promylaea pyropa* Meyrick,1899 (Pyralidae) Synonym(s): *pyropa* Meyrick,1899
65566) *Promylaea quadrifascia* Swezey,1912 (Pyralidae) Synonym(s): *quadrifascia* Swezey,1912
65567) *Proedema incisalis* (Walker,[1866]) (Pyralidae) Synonym(s): *incisalis* Walker,[1866]; *#incisalis* Robinson, Tuck & Schaffer,1994
65568) *Propachys nigrivena* Walker,1863 (Pyralidae) Synonym(s): *nigrivena* Walker,1863
65569) *Prophantis adusta* Inoue,1986 (Pyralidae) Synonym(s): *adusta* Inoue,1986
65570) *Prophantis androstigmata* (Hampson,1918) (Pyralidae) Synonym(s): *androstigmata* Hampson,1918
65571) *Prophantis octoguttalis* (R.Felder & Rogenhofer,1875) (Pyralidae) Synonym(s): *octoguttalis* R.Felder & Rogenhofer,1875; *stenopalis* Mabilie,1880; *cofferlia* Bordage,1897; *#octogutale* Hampson,1899
65572) *Prophantis smaragdina* (Butler,1875) (Pyralidae) Synonym(s): *smaragdina* Butler,1875
65573) *Prophatiasia platycerella* Ragonot,1887 (Pyralidae) Synonym(s): *platycerella* Ragonot,1887
65574) *Prophatiasia rosa* Joannis,1927 (Pyralidae) Synonym(s): *rosa* Joannis,1927
65575) *Prophatiasia sphalmatella* Hampson,1918 (Pyralidae) Synonym(s): *sphalmatella* Hampson,1918
65576) *Prorodes mimica* Swinhoe,1894 (Pyralidae) Synonym(s): *mimica* Swinhoe,1894; *triparalis* Warren,1896; *albipunctata* Warren,1896.
65577) *Prorophora (Epischidia) afghanella* Roesler,1973 (Pyralidae) Synonym(s): *afghanella* Roesler,1973
65578) *Prorophora (Epischidia) albunculella* (Staudinger,1879) (Pyralidae) Synonym(s): *albunculella* Staudinger,1879; *rhectogramma* Meyrick,1937.
65579) *Prorophora (Epischidia) eberti* (Amsel,1959) (Pyralidae) Synonym(s): *eberti* Amsel,1959
65580) *Prorophora (Epischidia) senganella* (Amsel,1951) (Pyralidae) Synonym(s): *senganella* Amsel,1951; *richteri* Amsel,1959.
65581) *Prorophora (Reisserempista) mongolica* Roesler,1970 (Pyralidae) Synonym(s): *mongolica* Roesler,1970
65582) *Prorophora (s.str.) albidogilvella* Roesler,1970 (Pyralidae) Synonym(s): *albidogilvella* Roesler,1970
65583) *Prorophora (s.str.) curvibasella* Ragonot,1887 (Pyralidae) Synonym(s): *curvibasella* Ragonot,1887
65584) *Prorophora (s.str.) sacculicornella* Roesler,1970 (Pyralidae) Synonym(s): *sacculicornella* Roesler,1970
65585) *Prosaris pulverea* Hampson,1906 (Pyralidae) Synonym(s): *pulverea* Hampson,1906
65586) *Prosaris rufalis* Hampson,1906 (Pyralidae) Synonym(s): *rufalis* Hampson,1906
65587) *Prosthenia xyloryctella* Hampson,1917 (Pyralidae) Synonym(s): *xyloryctella* Hampson,1917; *peridiota* Turner,1922
65588) *Protepicorsia agraptalis* (Dognin,1903) (Pyralidae) Synonym(s): *agraptilis* Dognin,1903
65589) *Protepicorsia albipennis* (Dognin,1903) (Pyralidae) Synonym(s): *albipennis* Dognin,1903
65590) *Protepicorsia bicolor* Munroe,1964 (Pyralidae) Synonym(s): *bicolor* Munroe,1964
65591) *Protepicorsia costalis* (Dognin,1903) (Pyralidae) Synonym(s): *costalis* Dognin,1903
65592) *Protepicorsia ectoxanthia* (Hampson,1899) (Pyralidae) Synonym(s): *ectoxanthia* Hampson,1899
65593) *Protepicorsia flavidalis* (Hampson,1913) (Pyralidae) Synonym(s): *flavidalis* Hampson,1913; *melanosoma* Hampson,1918
65594) *Protepicorsia latimarginalis* Munroe,1964 (Pyralidae) Synonym(s): *latimarginalis* Munroe,1964
65595) *Protepicorsia maculifera* Munroe,1964 (Pyralidae) Synonym(s): *maculifera* Munroe,1964
65596) *Protepicorsia magnifovealis* (Hampson,1918) (Pyralidae) Synonym(s): *magnifovealis* Hampson,1918
65597) *Protepicorsia pozuzoa* Munroe,1964 (Pyralidae) Synonym(s): *pozuzoa* Munroe,1964
65598) *Protepicorsia quincemila* Munroe,1978 (Pyralidae) Synonym(s): *quincemila* Munroe,1978
65599) *Protepicorsia sordida* Munroe,1978 (Pyralidae) Synonym(s): *sordida* Munroe,1978
65600) *Protepicorsia thyriphora* (Hampson,1899) (Pyralidae) Synonym(s): *thyriphora* Hampson,1899
65601) *Protoetiella bipunctella* Inoue,1959 (Pyralidae) Synonym(s): *bipunctella* Inoue,1959
65602) *Protoetiella cryptadia* (Turner,1913) (Pyralidae) Synonym(s): *cryptadia* Turner,1913
65603) *Protoetiella venustella* (Hampson,1896) (Pyralidae) Synonym(s): *venustella* Hampson,1896
65604) *Protonoceras argocephala* (Lower,1903) (Pyralidae) Synonym(s): *argocephala* Lower,1903; *metriodes* Turner,1908
65605) *Protonoceras capitalis* (Fabricius,1794) (Pyralidae) Synonym(s): *capitalis* Fabricius,1794
65606) *Protonoceras eucosma* (Turner,1908) (Pyralidae) Synonym(s): *eucosma* Turner,1908
65607) *Protonoceras leucocosma* (Turner,1908) (Pyralidae) Synonym(s): *leucocosma* Turner,1908
65608) *Protonoceras mitis* (Turner,1937) (Pyralidae) Synonym(s): *mitis* Turner,1937
65609) *Protyparcha scaphodes* Meyrick,1909 (Pyralidae) Synonym(s): *scaphodes* Meyrick,1909
65610) *Psammotis orientalis* Munroe & Mutuura,1968 (Pyralidae) Synonym(s): *orientalis* Munroe & Mutuura,1968
65611) *Psammotis pulveralis* (Hübner,1796) (Pyralidae) Synonym(s): *pulveralis* Hübner,1796
65612) *Psammotis spissalis* (Guenée,1854) (Pyralidae) Synonym(s): *spissalis* Guenée,1854
65613) *Psammotis turkestanica* Munroe & Mutuura,1968 (Pyralidae) Synonym(s): *turkestanica* Munroe & Mutuura,1968
65614) *Psara apreia* (Hampson,1913) (Pyralidae) Synonym(s): *aprepia* Hampson,1913
65615) *Psara atritermina* (Hampson,1913) (Pyralidae) Synonym(s): *atritermina* Hampson,1913
65616) *Psara basalis* (Walker,[1866]) (Pyralidae) Synonym(s): *basalis* Walker,[1866]; *inanitalis* Lederer,1863
65617) *Psara cynaralis* (Walker,1859) (Pyralidae) Synonym(s): *cynaralis* Walker,1859
65618) *Psara dilatitipes* (Walker,[1866]) (Pyralidae) Synonym(s): *dilatitipes* Walker,[1866]
65619) *Psara dorcalis* (Guenée,1863) (Pyralidae) Synonym(s): *dorcalis* Guenée,1863; *grisealis* Kenrick,1917
65620) *Psara elongalis* (Warren,1892) (Pyralidae) Synonym(s): *elongalis* Warren,1892
65621) *Psara hipponalis* (Walker,1859) (Pyralidae) Synonym(s): *hipponalis* Walker,1859
65622) *Psara mimetocalis* (Hering,1901) (Pyralidae) Synonym(s): *mimetocalis* Hering,1901
65623) *Psara pallidalis* (Hampson,1913) (Pyralidae) Synonym(s): *pallidalis* Hampson,1913; *aethiopica* Strand,1916
65624) *Psara stultalis* (Walker,1859) (Pyralidae) Synonym(s): *stultalis* Walker,1859
65625) *Psara subalbescens* (Swinhoe,1894) (Pyralidae) Synonym(s): *subalbescens* Swinhoe,1894
65626) *Psara taiwanalis* Shibuya,1928 (Pyralidae) Synonym(s): *taiwanalis* Shibuya,1928
65627) *Pseudarenipes insularum* Speidel & Schmitz,1991 (Pyralidae) Synonym(s): *insularum* Speidel & Schmitz,1991

- 65628) *Pseudargyria interruptella* (Walker,1866) (Pyralidae) Synonym(s): *interruptella* Walker,1866; *inficella* Walker,1866; *obliquella* Zeller,1877; *candida* Butler,1881; *centralis* Suzuki,1915.
- 65629) *Pseudargyria marginepunctalis* (Hampson,1896) (Pyralidae) Synonym(s): *marginepunctalis* Hampson,1896
- 65630) *Pseudargyria paralela* (Zeller,1867) (Pyralidae) Synonym(s): *paralela* Zeller,1867
- 65631) *Pseudargyria parallellus* Zeller,1867 (Pyralidae) Synonym(s): *parallellus* Zeller,1867
- 65632) *Pseudepicorsia boliviensis* Munroe,1964 (Pyralidae) Synonym(s): *boliviensis* Munroe,1964
- 65633) *Pseudepicorsia flavidensalis* (W.Warren,1889) (Pyralidae) Synonym(s): *flavidensalis* W.Warren,1889; *thermicruralis* Hampson,1899
- 65634) *Pseudepicorsia septentrionis* Munroe,1964 (Pyralidae) Synonym(s): *septentrionis* Munroe,1964
- 65635) *Pseudepicorsia trispinalis* (Amsel,1956) (Pyralidae) Synonym(s): *trispinalis* Amsel,1956
- 65636) *Pseudeuchromius lata* (Staudinger,1870) (Pyralidae) Synonym(s): *lata* Staudinger,1870
- 65637) *Pseudobissetia terrestris* (Christoph,1885) (Pyralidae) Synonym(s): *terrestris* Christoph,1885; *hypenalis* Rebel,1910; *tozeurellus* Lucas,1911
- 65638) *Pseudobissetia ustalis* (Hampson,1919) (Pyralidae) Synonym(s): *ustalis* Hampson,1919
- 65639) *Pseudocadra cuprotaeniella* (Christoph,1881) (Pyralidae) Synonym(s): *cuprotaeniella* Christoph,1881
- 65640) *Pseudocadra exiguella* Roesler,1965 (Pyralidae) Synonym(s): *exiguella* Roesler,1965
- 65641) *Pseudocadra micronella* (Inoue,1959) (Pyralidae) Synonym(s): *micronella* Inoue,1959
- 65642) *Pseudocadra obscura* Roesler,1965 (Pyralidae) Synonym(s): *obscura* Roesler,1965
- 65643) *Pseudocatharylla agraphella* (Hampson,1919) (Pyralidae) Synonym(s): *agraphellus* Hampson,1919
- 65644) *Pseudocatharylla albiceps* (Hampson,1912) (Pyralidae) Synonym(s): *albiceps* Hampson,1912
- 65645) *Pseudocatharylla albivena* (Okano,1960) (Pyralidae) Synonym(s): *albivena* Okano,1960
- 65646) *Pseudocatharylla angolica* Bleszynski,1964 (Pyralidae) Synonym(s): *angolica* Bleszynski,1964
- 65647) *Pseudocatharylla antiopa* Bleszynski,1964 (Pyralidae) Synonym(s): *antiopa* Bleszynski,1964
- 65648) *Pseudocatharylla auricinctalis* (Walker,1863) (Pyralidae) Synonym(s): *auricinctalis* Walker,1863; *argenticilia* Hampson,1919
- 65649) *Pseudocatharylla auricinctalis* (Walker,1863) (Pyralidae) Synonym(s): *auricinctalis* Walker,1863; *argenticilia* Hampson,1919
- 65650) *Pseudocatharylla aurifimbriella* (Hampson,1896) (Pyralidae) Synonym(s): *aurifimbriellus* Hampson,1896; *mandarinellus* Caradja,1925.
- 65651) *Pseudocatharylla bifasciella* (Snellen,1893) (Pyralidae) Synonym(s): *bifasciella* Snellen,1893
- 65652) *Pseudocatharylla calypso* Bassi,1999 (Pyralidae) Synonym(s): *calypso* Bassi,1999
- 65653) *Pseudocatharylla chalcipera* (Hampson,1896) (Pyralidae) Synonym(s): *chalciperus* Hampson,1896
- 65654) *Pseudocatharylla chalcipera* (Hampson,1896) (Pyralidae) Synonym(s): *chalciperus* Hampson,1896
- 65655) *Pseudocatharylla chionopepla* (Hampson,1919) (Pyralidae) Synonym(s): *chionostola* Hampson,1919 *nec* Hamps.,1919; *chionopepla* Hampson,1919.
- 65656) *Pseudocatharylla duplicella* (Hampson,1896) (Pyralidae) Synonym(s): *duplicella* Hampson,1896; *anpingiellus* Strand,1918; *distinctellus* Hampson,1919.
- 65657) *Pseudocatharylla flavipedella* (Zeller,1852) (Pyralidae) Synonym(s): *flavipedellus* Zeller,1852
- 65658) *Pseudocatharylla flavipedella* (Zeller,1852) (Pyralidae) Synonym(s): *flavipedellus* Zeller,1852
- 65659) *Pseudocatharylla inclralis* (Walker,1863) (Pyralidae) Synonym(s): *inclralis* Walker,1863; *brachypterellus* Walker,1866; *flavoflabellus* Caradja,1925; *albivena* Okano,1960.
- 65660) *Pseudocatharylla infixella* (Walker,1863) (Pyralidae) Synonym(s): *infixella* Walker,1863; *anpingicola* Strand,1918; ? *impurella* Wileman & South,1918.
- 65661) *Pseudocatharylla innotalis* (Hampson,1919) (Pyralidae) Synonym(s): *innotalis* Hampson,1919
- 65662) *Pseudocatharylla mea* (Strand,1918) (Pyralidae) Synonym(s): *meus* Strand,1918
- 65663) *Pseudocatharylla mikengella* Bleszynski,1964 (Pyralidae) Synonym(s): *mikengella* Bleszynski,1964; *submikengella* Bleszynski,1964
- 65664) *Pseudocatharylla nigricosta* (Hampson,1891) (Pyralidae) Synonym(s): *nigricosta* Hampson,1891
- 65665) *Pseudocatharylla nigrociella* (Zeller,1863) (Pyralidae) Synonym(s): *nigrociella* Zeller,1863; *#nigriciella* Hampson,1896.
- 65666) *Pseudocatharylla peralbella* (Hampson,1919) (Pyralidae) Synonym(s): *peralbellus* Hampson,1919
- 65667) *Pseudocatharylla peralbella* (Hampson,1919) (Pyralidae) Synonym(s): *peralbellus* Hampson,1919
- 65668) *Pseudocatharylla photoleuca* (Lower,1903) (Pyralidae) Synonym(s): *photoleuca* Lower,1903
- 65669) *Pseudocatharylla polyxena* Bleszynski,1964 (Pyralidae) Synonym(s): *polyxena* Bleszynski,1964
- 65670) *Pseudocatharylla simplex* (Zeller,1877) (Pyralidae) Synonym(s): *simplex* Zeller,1877; *immaturellus* Christoph,1881.
- 65671) *Pseudocatharylla xantholeuca* (Meyrick,1933) (Pyralidae) Synonym(s): *xantholeuca* Meyrick,1933
- 65672) *Pseudocatharylla xymentha* Bleszynski,1964 (Pyralidae) Synonym(s): *xymentha* Bleszynski,1964
- 65673) *Pseudocera trissosticha* (Turner,1932) (Pyralidae) Synonym(s): *trissosticha* Turner,1932
- 65674) *Pseudoceroprepes piratis* (Meyrick,1887) (Pyralidae) Synonym(s): *piratis* Meyrick,1887
- 65675) *Pseudoclasseyia sinuosella* (South,1901) (Pyralidae) Synonym(s): *sinuosella* South,1901
- 65676) *Pseudodavara haemaphoralis* (Hampson,1908) (Pyralidae) Synonym(s): *haemaphoralis* Hampson,1908
- 65677) *Pseudodavara* sp.A (Pyralidae) Synonym(s):
- 65678) *Pseudogetulia luminosa* Balinsky,1994 (Pyralidae) Synonym(s): *luminosa* Balinsky,1994
- 65679) *Pseudogetulia luminosa* Balinsky,1994 (Pyralidae) Synonym(s): *luminosa* Balinsky,1994
- 65680) *Pseudographis dermatina* Balinsky,1989 (Pyralidae) Synonym(s): *dermatina* Balinsky,1989
- 65681) *Pseudographis mesosema* Balinsky,1989 (Pyralidae) Synonym(s): *mesosema* Balinsky,1989
- 65682) *Pseudographis* sp. (Pyralidae) Synonym(s):
- 65683) *Pseudolithosia schausi* Hampson,1907 (Pyralidae) Synonym(s): *schausi* Hampson,1907
- 65684) *Pseudomegasis gabalitelletta* Chrétien,1931 (Pyralidae) Synonym(s): *gabalitelletta* Chrétien,1931
- 65685) *Pseudometachilo diatraeellus* (Hampson,1896) (Pyralidae) Synonym(s): *diatraeellus* Hampson,1896; *distictellus* Hampson,1896
- 65686) *Pseudonoorda ecthaemata* (Hampson,1913) (Pyralidae) Synonym(s): *ecthaemata* Hampson,1913
- 65687) *Pseudonoorda hemileuca* (Turner,1933) (Pyralidae) Synonym(s): *hemileuca* Turner,1933
- 65688) *Pseudonoorda metalloma* (Lower,1903) (Pyralidae) Synonym(s): *metalloma* Lower,1903
- 65689) *Pseudonoorda nigropunctalis* (Hampson,1899) (Pyralidae) Synonym(s): *nigropunctalis* Hampson,1899
- 65690) *Pseudonoorda rubricostalis* (Hampson,1910) (Pyralidae) Synonym(s): *rubricostalis* Hampson,1910
- 65691) *Pseudophycita deformella* (Möschler,1866) (Pyralidae) Synonym(s): *deformella* Möschler,1866
- 65692) *Pseudopyrausta acutangulalis* (Snellen,1875) (Pyralidae) Synonym(s): *acutangulalis* Snellen,1875
- 65693) *Pseudopyrausta craftialis* (Dyar,1914) (Pyralidae) Synonym(s): *craftialis* Dyar,1914
- 65694) *Pseudopyrausta cubanalis* (Schaus,1920) (Pyralidae) Synonym(s): *cubanalis* Schaus,1920
- 65695) *Pseudopyrausta marginalis* (Dyar,1914) (Pyralidae) Synonym(s): *marginalis* Dyar,1914
- 65696) *Pseudopyrausta minima* (Hedemann,1894) (Pyralidae) Synonym(s): *minima* Hedemann,1894
- 65697) *Pseudopyrausta santatalis* (Barnes & McDunnough,1914) (Pyralidae) Synonym(s): *santatalis* Barnes & McDunnough,1914
- 65698) *Pseudoschoenobius opalescalis* (Hulst,1866) (Pyralidae) Synonym(s): *opalescalis* Hulst,1866; *saganella* Hulst,1870; *griseosparsa* Hampson,1896
- 65699) *Pseudosyria gracilis* Rebel,1927 (Pyralidae) Synonym(s): *gracilis* Rebel,1927
- 65700) *Psorosa africana* Balinsky,1991 (Pyralidae) Synonym(s): *africana* Balinsky,1991
- 65701) *Psorosa albunculella* Ragonot,1901 (Pyralidae) Synonym(s): *albunculella* Ragonot,1901
- 65702) *Psorosa dahliella* (Treitschke,1832) (Pyralidae) Synonym(s): *dahliella* Treitschke,1832; *bivitella* Duponchel,1836.
- 65703) *Psorosa flammealis* (Hampson,1899) (Pyralidae) Synonym(s): *flammealis* Hampson,1899
- 65704) *Psorosa flavifasciella* Hampson,1901 (Pyralidae) Synonym(s): *flavifasciella* Hampson,1901
- 65705) *Psorosa lacteomarginata* (Costa,1888) (Pyralidae) Synonym(s): *lacteomarginata* Costa,1888
- 65706) *Psorosa maraschella* Caradja,1910 (Pyralidae) Synonym(s): *maraschella* Caradja,1910
- 65707) *Psorosa mechedella* Amsel,1953 (Pyralidae) Synonym(s): *mechedella* Amsel,1953
- 65708) *Psorosa myrmidonella* Ragonot,1901 (Pyralidae) Synonym(s): *myrmidonella* Ragonot,1901
- 65709) *Psorosa nucleolella* (Möschler,1866) (Pyralidae) Synonym(s): *nucleolella* Möschler,1866; *clarella* Caradja,1910; *#luteostrigella* Caradja,1910; *mediterranea* Amsel,1953.
- 65710) *Psorosa ochrifasciella* Ragonot,1887 (Pyralidae) Synonym(s): *ochrifasciella* Ragonot,1887
- 65711) *Psorosa tergestella* Ragonot,1901 (Pyralidae) Synonym(s): *tergestella* Ragonot,1901
- 65712) *Psorosodes dalakiella* Amsel,1953 (Pyralidae) Synonym(s): *dalakiella* Amsel,1953
- 65713) *Psorozophera hitama* Roesler & Küppers,1979 (Pyralidae) Synonym(s): *hitama* Roesler & Küppers,1979
- 65714) *Pterothixidia ancyrensis* Amsel,1953 (Pyralidae) Synonym(s): *ancyrensis* Amsel,1953

- 65715) *Pterothrixidia caucasiella* (Ragonot,1888) (Pyralidae) Synonym(s): *caucasiella* Ragonot,1888
 65716) *Pterothrixidia contectella* (Zeller,1848) (Pyralidae) Synonym(s): *contectella* Zeller,1848
 65717) *Pterothrixidia fimbriatella* (Zeller,1848) (Pyralidae) Synonym(s): *fimbriatella* Zeller,1848
 65718) *Pterothrixidia fordii* Amsel,1953 (Pyralidae) Synonym(s): *fordii* Amsel,1953
 65719) *Pterothrixidia fordii rava* Amsel,1953 (Pyralidae) Synonym(s): *rava* Amsel,1953
 65720) *Pterothrixidia impurella* (Duponchel,1836) (Pyralidae) Synonym(s): *impurella* Duponchel,1836
 65721) *Pterothrixidia orientella* (Ragonot,1893) (Pyralidae) Synonym(s): *orientella* Ragonot,1893
 65722) *Pterothrixidia osmanella* Amsel,1953 (Pyralidae) Synonym(s): *osmanella* Amsel,1953
 65723) *Pterothrixidia rufella* (Duponchel,1836) (Pyralidae) Synonym(s): *rufella* Duponchel,1836; *squalidella* Eversmann,1842; *luridatella* Zeller,1848; *infuscatella* Herrich-Schäffer,1849; *tauricella* Wocke,1871; *corsicella* Ragonot,1893.
 65724) *Ptochostola asaphes* Turner,1937 (Pyralidae) Synonym(s): *asaphes* Turner,1937
 65725) *Ptochostola incanella* (Zeller,1877) (Pyralidae) Synonym(s): *incanella* Zeller,1877
 65726) *Ptochostola metascotiella* Hampson,1919 (Pyralidae) Synonym(s): *metascotiella* Hampson,1919
 65727) *Ptochostola microphaeellus* (Walker,1866) (Pyralidae) Synonym(s): *microphaeellus* Walker,1866; *dimidiellus* Meyrick,1879
 65728) *Ptychopseustis amoenella* (Snellen,1880) (Pyralidae) Synonym(s): *amoenella* Snellen,1880
 65729) *Ptychopseustis eutacta* (Turner,1908) (Pyralidae) Synonym(s): *eutacta* Turner,1908
 65730) *Ptychopseustis molybdogramma* (Hampson,1919) (Pyralidae) Synonym(s): *molybdogramma* Hampson,1919
 65731) *Ptyobathra artisquamella* (Hampson,1901) (Pyralidae) Synonym(s): *artisquamella* Hampson,1901
 65732) *Ptyobathra hades* (Lower,1903) (Pyralidae) Synonym(s): *hades* Lower,1903
 65733) *Ptyobathra hypolepidota* Turner,1905 (Pyralidae) Synonym(s): *hypolepidota* Turner,1905
 65734) *Ptyobathra polia* Tams,1935 (Pyralidae) Synonym(s):
 65735) *Ptyomaxia amuara* (Lower,1902) (Pyralidae) Synonym(s): *amuara* Lower,1902
 65736) *Ptyomaxia metasarca* (Lower,1903) (Pyralidae) Synonym(s): *metasarca* Lower,1903
 65737) *Ptyomaxia syntaractis* (Turner,1904) (Pyralidae) Synonym(s): *syntaractis* Turner,1904; *obenbergeri* Strand,1918
 65738) *Ptyomaxia trigonogramma* (Turner,1947) (Pyralidae) Synonym(s): *trigonogramma* Turner,1947
 65739) *Ptyonocera atrifusella* Hampson,1901 (Pyralidae) Synonym(s): *atrifusella* Hampson,1901
 65740) *Ptyonocera proteroleuca* Meyrick,1937 (Pyralidae) Synonym(s): *proteroleuca* Meyrick,1937
 65741) *Puriella problematica* Strand,1918 (Pyralidae) Synonym(s): *problematica* Strand,1918
 65742) *Pycnarmon abraxalis* (Walker,1866) (Pyralidae) Synonym(s): *abraxalis* Walker,1866
 65743) *Pycnarmon aeriferalis* (Moore,1877) (Pyralidae) Synonym(s): *aeriferalis* Moore,1877
 65744) *Pycnarmon albivittale* (Hampson,1912) (Pyralidae) Synonym(s): *albivittale* Hampson,1912
 65745) *Pycnarmon aripaenalis* (Hampson,1898) (Pyralidae) Synonym(s): *aripaenalis* Hampson,1898
 65746) *Pycnarmon cribratum* (Fabricius,1794) (Pyralidae) Synonym(s): *cribrata* Fabricius,1794; *caberale* Guenée,1854; *abdicalis* Walker,1859; *coryciale* Snellen,1880; *privale* Snellen,1890; *frenulale* Strand,1918.
 65747) *Pycnarmon decipiens* Munroe,1958 (Pyralidae) Synonym(s): *decipiens* Munroe,1958
 65748) *Pycnarmon diaphanum* (Cramer,1779) (Pyralidae) Synonym(s): *diaphana* Cramer,1779
 65749) *Pycnarmon jaguaralis* (Guenée,1854) (Pyralidae) Synonym(s): *jaguaralis* Guenée,1854
 65750) *Pycnarmon jaguaralis papualis* Munroe,1958 (Pyralidae) Synonym(s): *papualis* Munroe,1958
 65751) *Pycnarmon marginalis* (Snellen,1890) (Pyralidae) Synonym(s): *marginalis* Snellen,1890
 65752) *Pycnarmon meritalis* (Walker,1859) (Pyralidae) Synonym(s): *meritalis* Walker,1859; *plexippusalis* Walker,1859; *baptalis* Snellen,1880; *annulata* Warren,1896
 65753) *Pycnarmon pantheratum* (Butler,1898) (Pyralidae) Synonym(s): *pantherata* Butler,1898
 65754) *Pycnarmon virgatalis* (Moore,1867) (Pyralidae) Synonym(s): *virgatalis* Moore,1867
 65755) *Pygospila bivittalis* Walker,1866 (Pyralidae) Synonym(s): *bivittalis* Walker,1866; *vellerialis* Snellen,1891; *#bivittalis* Hampson,1898
 65756) *Pygospila hyalotypa* Turner,1908 (Pyralidae) Synonym(s): *hyalotypa* Turner,1908
 65757) *Pygospila tyres* (Cramer,1780) (Pyralidae) Synonym(s): *tyres* Cramer,1780; *thyralis* Hübner,1825; *#tyresalis* Guenée,1852; *#tyridia* Strand,1920.
 65758) *Pyla fusca* (Haworth,1811) (Pyralidae) Synonym(s): *fusca* Haworth,1811
 65759) *Pylamorpha albida* Balinsky,1994 (Pyralidae) Synonym(s): *albida* Balinsky,1994
 65760) *Pylamorpha albida albida* Balinsky,1994 (Pyralidae) Synonym(s): *albida* Balinsky,1994
 65761) *Pylamorpha cristata* Balinsky,1994 (Pyralidae) Synonym(s): *cristata* Balinsky,1994
 65762) *Pylamorpha cristata cristata* Balinsky,1994 (Pyralidae) Synonym(s): *cristata* Balinsky,1994
 65763) *Pyralestes ragusai* Turati,1922 (Pyralidae) Synonym(s): *ragusai* Turati,1922
 65764) *Pyralis albilautalis* Warren,1891 (Pyralidae) Synonym(s): *albilautalis* Warren,1891
 65765) *Pyralis biblisalis* (Walker,1859) (Pyralidae) Synonym(s): *biblisalis* Walker,1859
 65766) *Pyralis caustica* (Meyrick,1884) (Pyralidae) Synonym(s): *caustica* Meyrick,1884
 65767) *Pyralis costinotalis* Hampson,1917 (Pyralidae) Synonym(s): *costinotalis* Hampson,1917
 65768) *Pyralis dentibasalis* Warren,1914 (Pyralidae) Synonym(s): *dentibasalis* Warren,1914
 65769) *Pyralis effulgens* Warren,1914 (Pyralidae) Synonym(s): *effulgens* Warren,1914
 65770) *Pyralis farinalis* (Linnaeus,1758) (Pyralidae) Synonym(s): *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794.
 65771) *Pyralis flavirubralis* Hampson,1917 (Pyralidae) Synonym(s): *flavirubralis* Hampson,1917
 65772) *Pyralis fumipennis* Butler,1889 (Pyralidae) Synonym(s): *fumipennis* Butler,1889
 65773) *Pyralis galactalis* Hampson,1916 (Pyralidae) Synonym(s): *galactalis* Hampson,1916
 65774) *Pyralis imperialis* Caradja,1917 (Pyralidae) Synonym(s): *imperialis* Caradja,1917
 65775) *Pyralis juengeri* Amsel,1953 (Pyralidae) Synonym(s): *juengeri* Amsel,1953
 65776) *Pyralis kacheticalis* Christoph,1893 (Pyralidae) Synonym(s): *kacheticalis* Christoph,1893
 65777) *Pyralis lienigialis* (Zeller,1843) (Pyralidae) Synonym(s): *lienigialis* Zeller,1843
 65778) *Pyralis manihotalis* Guenée,1854 (Pyralidae) Synonym(s): *manihotalis* Guenée,1854; *vetusalis* Walker,1859; *gerontesalis* Walker,1859; *laudatella* Walker,1863; *despectalis* Walker,1866; *miseralis* Walker,1866; *achatina* Butler,1877; *haematinalis* Saalmüller,1880; *centripunctalis* Gaede,1916; *pupalis* Strand,1919; *composbathra* Meyrick,1932.
 65779) *Pyralis narynensis* Zerny,1914 (Pyralidae) Synonym(s): *perversalis sensu auct. nec Herr.-Schäff.*,1849; *narynensis* Zerny,1914; *#narynsensis* Amsel,1961
 65780) *Pyralis perversalis* Herrich-Schäffer,1849 (Pyralidae) Synonym(s): *perversalis* Herrich-Schäffer,1849; *transcaspica* Rebel,1903; *#transcaspia* Speidel,1996.
 65781) *Pyralis pictalis* (Curtis,1834) (Pyralidae) Synonym(s): *pictalis* Curtis,1834; *pronoecalis* Walker,1863; *elachia* Butler,1879.
 65782) *Pyralis prepialis* Hampson,1903 (Pyralidae) Synonym(s): *prepialis* Hampson,1903
 65783) *Pyralis proboscidalis* (Strand,1919) (Pyralidae) Synonym(s): *proboscidalis* Strand,1919
 65784) *Pyralis regalis* [Denis & Schiffermüller],1775 (Pyralidae) Synonym(s): *regalis* [Denis & Schiffermüller],1775
 65785) *Pyralis rubellalis* Zeller,1852 (Pyralidae) Synonym(s): *rubellalis* Zeller,1852
 65786) *Pyralis secretalis* Wallengren,1875 (Pyralidae) Synonym(s): *secretalis* Wallengren,1875
 65787) *Pyralis taihorinalis* Shibuya,1928 (Pyralidae) Synonym(s): *taihorinalis* Shibuya,1928
 65788) *Pyrasia gutturalis* (Staudinger,1879) (Pyralidae) Synonym(s): *gutturalis* Staudinger,1879
 65789) *Pyrausta (Haematia) castalis* Treitschke,1829 (Pyralidae) Synonym(s): *castalis* Treitschke,1829
 65790) *Pyrausta (Haematia) cingulata* (Linnaeus,1758) (Pyralidae) Synonym(s): *cingulata* Linnaeus,1758; *aethiopata* Scopoli,1763; *cingulalis* [Denis & Schiffermüller],1775; *eremitica* Fourcroy,1785; *vittalis* La Harpe,1864; *apenninalis* Costantini,1923
 65791) *Pyrausta (Haematia) despicata* (Scopoli,1763) (Pyralidae) Synonym(s): *despicata* Scopoli,1763; *cespitis* [Denis & Schiffermüller],1775.
 65792) *Pyrausta (Haematia) pellicalis* (Staudinger,1871) (Pyralidae) Synonym(s): *pellicalis* Staudinger,1871
 65793) *Pyrausta (Haematia) perkeo* Amsel,1970 (Pyralidae) Synonym(s): *perkeo* Amsel,1970
 65794) *Pyrausta (Haematia) rectefascialis* Toll,1936 (Pyralidae) Synonym(s): *rectefascialis* Toll,1936
 65795) *Pyrausta (Haematia) sanguinalis* (Linnaeus,1767) (Pyralidae) Synonym(s): *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,1819]

- 65796) *Pyrausta (Haematia) taftanalis* Amsel, 1961 (Pyralidae) Synonym(s): *taftanalis* Amsel, 1961
 65797) *Pyrausta (Haematia) virginalis* (Duponchel, 1832) (Pyralidae) Synonym(s): *virginalis* Duponchel, 1832; *auroralis* Zeller, 1847; *neglectalis* Caradja, 1916
 65798) *Pyrausta (Haematia) virginalis arianalis* Amsel, 1970 (Pyralidae) Synonym(s): *arianalis* Amsel, 1970
 65799) *Pyrausta (s.str.) acontialis* (Staudinger, 1859) (Pyralidae) Synonym(s): *acontialis* Staudinger, 1859
 65800) *Pyrausta (s.str.) amatalis* Rebel, 1903 (Pyralidae) Synonym(s): *amatalis* Rebel, 1903
 65801) *Pyrausta (s.str.) aurata* (Scopoli, 1763) (Pyralidae) Synonym(s): *aurata* Scopoli, 1763; *punicealis* [Denis & Schiffermüller], 1775; *niepoldalis* Lederer, 1863
 65802) *Pyrausta (s.str.) austa* Strand, 1918 (Pyralidae) Synonym(s): *austa* Strand, 1918
 65803) *Pyrausta (s.str.) baibarensis* Shibuya, 1928 (Pyralidae) Synonym(s): *baibarensis* Shibuya, 1928
 65804) *Pyrausta (s.str.) celatalis* (Walker, 1859) (Pyralidae) Synonym(s): *celatalis* Walker, 1859
 65805) *Pyrausta (s.str.) coclesalis* (Walker, 1859) (Pyralidae) Synonym(s): *coclesalis* Walker, 1859
 65806) *Pyrausta (s.str.) coracinalis* Leraut, 1982 (Pyralidae) Synonym(s): *coracinalis* Leraut, 1982
 65807) *Pyrausta (s.str.) cuprinalis* Ragonot, 1895 (Pyralidae) Synonym(s): *cuprinalis* Ragonot, 1895
 65808) *Pyrausta (s.str.) deductalis* (Walker, 1859) (Pyralidae) Synonym(s): *deductalis* Walker, 1859
 65809) *Pyrausta (s.str.) ecteinalis* (Hampson, 1900) (Pyralidae) Synonym(s): *ecteinalis* Hampson, 1900
 65810) *Pyrausta (s.str.) falcatalis* (Guenée, 1854) (Pyralidae) Synonym(s): *falcatalis* Guenée, 1854; *coecilialis* Walker, 1859; *flegialis* Walker, 1859; *noraxalis* Walker, 1859; *ocellusalis* Walker, 1859; *palopealis* Walker, 1859; *probalis* Walker, 1859; *catenalis* Walker, [1866]; *concatenalis* Walker, [1866]; *juncturalis* Walker, [1866]; *tauricalis* Caradja, 1917
 65811) *Pyrausta (s.str.) gracilis* (Butler, 1879) (Pyralidae) Synonym(s): *gracilis* Butler, 1879
 65812) *Pyrausta (s.str.) hoozana* Strand, 1918 (Pyralidae) Synonym(s): *hoozana* Strand, 1918
 65813) *Pyrausta (s.str.) hyalodiscalis* (Warren, 1895) (Pyralidae) Synonym(s): *hyalodiscalis* Warren, 1895
 65814) *Pyrausta (s.str.) ignealis* (Hampson, 1899) (Pyralidae) Synonym(s): *ignealis* Hampson, 1899; *pyrsodes* Turner, 1937
 65815) *Pyrausta (s.str.) inciae* Koçak, 1982 (Pyralidae) Synonym(s): *meridionalis* Staudinger, 1880 nec Wcke, 1871; *inciae* Koçak, 1982.
 65816) *Pyrausta (s.str.) incoloralis* (Guenée, 1854) (Pyralidae) Synonym(s): *incoloralis* Guenée, 1854; *ruficostalis* Lederer, 1855; *melonalis* Walker, 1859; *nitetisalis* Walker, 1859; *albidalis* Walker, [1866]; *putrescens* Meyrick, 1934
 65817) *Pyrausta (s.str.) issykkulensis* (Saubert, 1899) (Pyralidae) Synonym(s): *issykkulensis* Sauber, 1899
 65818) *Pyrausta (s.str.) kukunorensis* (Saubert, 1899) (Pyralidae) Synonym(s): *kukunorensis* Sauber, 1899
 65819) *Pyrausta (s.str.) ledereri* (Staudinger, 1870) (Pyralidae) Synonym(s): *ledereri* Staudinger, 1870
 65820) *Pyrausta (s.str.) machoerolis* (Walker, 1859) (Pyralidae) Synonym(s): *machoerolis* Walker, 1859
 65821) *Pyrausta (s.str.) masculina* Strand, 1918 (Pyralidae) Synonym(s): *masculina* Strand, 1918
 65822) *Pyrausta (s.str.) nigrata* (Scopoli, 1763) (Pyralidae) Synonym(s): *nigrata* Scopoli, 1763; *podaella* Fabricius, 1781; *funigera* Fourcroy, 1785; *anguinalis* Hübner, 1796; *fascialis* Schrank, 1802 nec Hbn., 1796
 65823) *Pyrausta (s.str.) obfuscata* (Scopoli, 1763) (Pyralidae) Synonym(s): *obfuscata* Scopoli, 1763; *fuscobellula* Goeze, 1783; *bimaculosa* Fourcroy, 1785; *rubralis* Villers, 1789; *pygmaealis* Duponchel, 1833; *fucatalis* Treitschke, 1835; *atrosanguinalis* Eversmann, 1842
 65824) *Pyrausta (s.str.) obliquata* (Moore, 1888) (Pyralidae) Synonym(s): *obliquata* Moore, 1888
 65825) *Pyrausta (s.str.) oenochrois* (Meyrick, 1889) (Pyralidae) Synonym(s): *oenochrois* Meyrick, 1889
 65826) *Pyrausta (s.str.) orbitalis* (R.Felder & Rogenhofer, 1875) (Pyralidae) Synonym(s): *orbitalis* R.Felder & Rogenhofer, 1875
 65827) *Pyrausta (s.str.) ostrinalis* (Hübner, 1796) (Pyralidae) Synonym(s): *ostrinalis* Staudinger, 1833; *puralis* La Harpe, 1864
 65828) *Pyrausta (s.str.) pachyceralis* Hampson, 1900 (Pyralidae) Synonym(s): *pachyceralis* Hampson, 1900
 65829) *Pyrausta (s.str.) pata* Strand, 1918 (Pyralidae) Synonym(s): *pata* Strand, 1918
 65830) *Pyrausta (s.str.) pauperalis* (Staudinger, 1879) (Pyralidae) Synonym(s): *pauperalis* Staudinger, 1879
 65831) *Pyrausta (s.str.) pavidalis* Zerny, 1934 (Pyralidae) Synonym(s): *pavidalis* Zerny, 1934
 65832) *Pyrausta (s.str.) perfervidalis* Hampson, 1913 (Pyralidae) Synonym(s): *perfervidalis* Hampson, 1913; *prostygialis* Hampson, 1913
 65833) *Pyrausta (s.str.) porphyralis* [Denis & Schiffermüller], 1775 (Pyralidae) Synonym(s): *porphyralis* [Denis & Schiffermüller], 1775
 65834) *Pyrausta (s.str.) purpuralis* (Linnaeus, 1758) (Pyralidae) Synonym(s): *purpuralis* Linnaeus, 1758; *inflammata* Scopoli, 1763; *purpuraria* Latreille, [1803]; *confundalis* Zetterstedt, 1839; *chermesinalis* Guenée, 1854; *melanalis* Caradja, 1916
 65835) *Pyrausta (s.str.) rectifascialis* (Saubert, 1899) (Pyralidae) Synonym(s): *rectifascialis* Sauber, 1899
 65836) *Pyrausta (s.str.) rubellalis* (Snellen, 1890) (Pyralidae) Synonym(s): *rubellalis* Snellen, 1890
 65837) *Pyrausta (s.str.) rubricundalis* (Warren, 1896) (Pyralidae) Synonym(s): *rubricundalis* Warren, 1896
 65838) *Pyrausta (s.str.) rueckbeili* (Saubert, 1899) (Pyralidae) Synonym(s): *rueckbeili* Sauber, 1899
 65839) *Pyrausta (s.str.) sericealis* (Wileman & South, 1917) (Pyralidae) Synonym(s): *sericealis* Wileman & South, 1917
 65840) *Pyrausta (s.str.) tapa* Strand, 1918 (Pyralidae) Synonym(s): *tapa* Strand, 1918
 65841) *Pyrausta (s.str.) testalis* (Fabricius, 1794) (Pyralidae) Synonym(s): *testalis* Fabricius, 1794
 65842) *Pyrausta (s.str.) tithonialis* (Zeller, 1872) (Pyralidae) Synonym(s): *tithonialis* Zeller, 1872; *dotalis* Christoph, 1881.
 65843) *Pyrausta (s.str.) trimaculalis* (Staudinger, 1867) (Pyralidae) Synonym(s): *trimaculalis* Staudinger, 1867
 65844) *Pyrausta (s.str.) vicinalis* South, 1901 (Pyralidae) Synonym(s): *vicinalis* South, 1901
 65845) *Pyrausta (s.str.) zeitunalis* Caradja, 1917 (Pyralidae) Synonym(s): *zeitunalis* Caradja, 1917
 65846) *Pyrausta admensalis* (Walker, 1859) (Pyralidae) Synonym(s): *admensalis* Walker, 1859
 65847) *Pyrausta adsocialis* (Zeller, 1852) (Pyralidae) Synonym(s): *adsocialis* Zeller, 1852
 65848) *Pyrausta albialis* (Walker, 1859) (Pyralidae) Synonym(s): *albialis* Walker, 1859
 65849) *Pyrausta amboinalis* (Pagenstecher, 1884) (Pyralidae) Synonym(s): *amboinalis* Pagenstecher, 1884
 65850) *Pyrausta apicalis* (Hampson, 1913) (Pyralidae) Synonym(s): *apicalis* Hampson, 1913
 65851) *Pyrausta atricinctalis* Hampson, 1913 (Pyralidae) Synonym(s): *atricinctalis* Hampson, 1913
 65852) *Pyrausta binalis* (Zeller, 1852) (Pyralidae) Synonym(s): *binalis* Zeller, 1852
 65853) *Pyrausta cinnamomealis* (Wallengren, 1860) (Pyralidae) Synonym(s): *cinnamomealis* Wallengren, 1860
 65854) *Pyrausta diatoma* Hampson, 1913 (Pyralidae) Synonym(s): *diatoma* Hampson, 1913; *rubritinctalis* Hampson, 1916
 65855) *Pyrausta diniasalis* (Walker, 1859) (Pyralidae) Synonym(s): *diniasalis* Walker, 1859
 65856) *Pyrausta gazalis* Hampson, 1913 (Pyralidae) Synonym(s): *gazalis* Hampson, 1913
 65857) *Pyrausta gemmiferalis* (Zeller, 1852) (Pyralidae) Synonym(s): *gemmiferalis* Zeller, 1852
 65858) *Pyrausta haematidialis* Hampson, 1913 (Pyralidae) Synonym(s): *haematidialis* Hampson, 1913
 65859) *Pyrausta haematidea* Hampson, 1913 (Pyralidae) Synonym(s): *haematidea* Hampson, 1913
 65860) *Pyrausta laristanalis* Amsel, 1961 (Pyralidae) Synonym(s): *laristanalis* Amsel, 1961
 65861) *Pyrausta lithosialis* Hampson, 1899 (Pyralidae) Synonym(s): *lithosialis* Hampson, 1899
 65862) *Pyrausta olesialis* (Walker, 1859) (Pyralidae) Synonym(s): *olesialis* Walker, 1859
 65863) *Pyrausta panopealis* (Walker, 1859) (Pyralidae) Synonym(s): *panopealis* Walker, 1859
 65864) *Pyrausta procillusalis* (Walker, 1859) (Pyralidae) Synonym(s): *procillusalis* Walker, 1859; *flavissimalis* Walker, 1865
 65865) *Pyrausta ruficincta* Hampson, 1913 (Pyralidae) Synonym(s): *ruficincta* Hampson, 1913
 65866) *Pyrausta rufinalis* (R.Felder & Rogenhofer, 1875) (Pyralidae) Synonym(s): *rufinalis* R.Felder & Rogenhofer, 1875
 65867) *Pyrausta semilimbialis* Mabille, 1900 (Pyralidae) Synonym(s): *semilimbialis* Mabille, 1900
 65868) *Pyrausta shirazalis* Amsel, 1961 (Pyralidae) Synonym(s): *shirazalis* Amsel, 1961
 65869) *Pyrausta* sp. (Pyralidae) Synonym(s):
 65870) *Pyrausta testalis* (Fabricius, 1794) (Pyralidae) Synonym(s): *testalis* Fabricius, 1794
 65871) *Pyrausta tetraplagialis* Hampson, 1898 (Pyralidae) Synonym(s): *tetraplagialis* Hampson, 1898
 65872) *Pyraustimorpha inexpectata* Koçak & Seven, 1995 (Pyralidae) Synonym(s): *inexpectata* Koçak & Seven, 1995
 65873) *Quasiexuperius rhodesianus* Balinsky, 1994 (Pyralidae) Synonym(s): *rhodesianus* Balinsky, 1994
 65874) *Quasiexuperius rhodesianus rhodesianus* Balinsky, 1994 (Pyralidae) Synonym(s): *rhodesianus* Balinsky, 1994
 65875) *Quasipuer infamella* Roesler, 1973 (Pyralidae) Synonym(s): *infamella* Roesler, 1973
 65876) *Ralpharia nubicella* (Zerny, 1917) (Pyralidae) Synonym(s): *nubicella* Zerny, 1917
 65877) *Rambutanea* sp.A (Pyralidae) Synonym(s):
 65878) *Rambutanea udjana* Roesler & Küppers, 1979 (Pyralidae) Synonym(s): *udjana* Roesler & Küppers, 1979

- 65879) *Ramila acciusalis* Walker, 1859 (Pyrilidae) Synonym(s): *acciusalis* Walker, 1859
 65880) *Ramila argentifimbrialis* Swinhoe, 1890 (Pyrilidae) Synonym(s): *argentifimbrialis* Swinhoe, 1890; *angustifimbrialis* Robinson, Tuck & Schaffer, 1994
 65881) *Ramila marginella* Moore, 1867 (Pyrilidae) Synonym(s): *marginella* Moore, 1867
 65882) *Ramila ruficostalis* Hampson, 1893 (Pyrilidae) Synonym(s): *ruficostalis* Hampson, 1893
 65883) *Ramosignathos inconspicuella* Balinsky, 1994 (Pyrilidae) Synonym(s): *inconspicuella* Balinsky, 1994
 65884) *Ramosignathos inconspicuella inconspicuella* Balinsky, 1994 (Pyrilidae) Synonym(s): *inconspicuella* Balinsky, 1994
 65885) *Raphimetopus ablutellus* (Zeller, 1839) (Pyrilidae) Synonym(s): *ablutellus* Zeller, 1839; *stigmatellus* Ragonot, 1888; *buxtoni* Rothschild, 1921
 65886) *Raphimetopus incarnatella* (Ragonot, 1887) (Pyrilidae) Synonym(s): *incarnatella* Ragonot, 1887
 65887) *Raphimetopus nitidicostella* (Ragonot, 1887) (Pyrilidae) Synonym(s): *nitidicostella* Ragonot, 1887
 65888) *Raphiptera argillacaeella* (Packard, 1868) (Pyrilidae) Synonym(s): *argillacaeella* Packard, 1868; *argillaceus* Hampson, 1896
 65889) *Raphiptera minimella* Robinson, 1871 (Pyrilidae) Synonym(s): *minimella* Robinson, 1871
 65890) *Rasputinka expallidella* Ragonot, 1887 (Pyrilidae) Synonym(s): *expallidella* Ragonot, 1887
 65891) *Ratasa alienalis* (Eversmann, 1844) (Pyrilidae) Synonym(s): *noctualis* Eversmann, 1852 nec Hübner, 1796; *alienalis* Eversmann, 1844.
 65892) *Rehimena auritincta* (Butler, 1886) (Pyrilidae) Synonym(s): *auritincta* Butler, 1886; *xanthias* Turner, 1913
 65893) *Rehimena cissophora* (Turner, 1908) (Pyrilidae) Synonym(s): *cissophora* Turner, 1908; *chlorotypa* Turner, 1941
 65894) *Rehimena leptophaea* (Turner, 1913) (Pyrilidae) Synonym(s): *leptophaea* Turner, 1913
 65895) *Rehimena phrynealis* (Walker, 1859) (Pyrilidae) Synonym(s): *phrynealis* Walker, 1859
 65896) *Rehimena surusalis* (Walker, 1859) (Pyrilidae) Synonym(s): *surusalis* Walker, 1859; *subjunctalis* Walker, [1866]; *triferalis* Walker, [1866]; *semifascialis* Snellen, 1880
 65897) *Remanephycis sudanella* Roesler, 1989 (Pyrilidae) Synonym(s): *sudanella* Roesler, 1989
 65898) *Repetekiodes acervella* (Erschoff, 1874) (Pyrilidae) Synonym(s): *acervella* Erschoff, 1874; *kuschella* Zerny, 1914; *senganella* Amsel, 1954.
 65899) *Repetekiodes acervella acervella* (Erschoff, 1874) (Pyrilidae) Synonym(s): *acervella* Erschoff, 1874; *kuschella* Zerny, 1914; *senganella* Amsel, 1954.
 65900) *Repetekiodes acervella kraussi* (Rebel, 1903) (Pyrilidae) Synonym(s): *kraussi* Rebel, 1903; *umbriferella* Mabille, 1906; *biformis* Rothschild, 1915; *fasciferella* Dumont, 1928; *nigrifasciella* Dumont, 1928; *lepigrella* Dumont, 1948.
 65901) *Repetekiodes gozmanyi* (Amsel, 1955) (Pyrilidae) Synonym(s): *gozmanyi* Amsel, 1955
 65902) *Reskovitsia alborivulalis* (Eversmann, 1843) (Pyrilidae) Synonym(s): *alborivulalis* Eversmann, 1843
 65903) *Rhectothyris rosea* (Warren, 1896) (Pyrilidae) Synonym(s): *rosea* Warren, 1896
 65904) *Rhimpalea trogusalis* (Walker, 1859) (Pyrilidae) Synonym(s): *trogusalis* Walker, 1859
 65905) *Rhimpalea lindusalis* (Walker, 1859) (Pyrilidae) Synonym(s): *lindusalis* Walker, 1859
 65906) *Rhimphalea sceletalis* Lederer, 1863 (Pyrilidae) Synonym(s): *sceletalis* Lederer, 1863; *aenone* Butler, 1886
 65907) *Rhimphaliodes macrostigma* Hampson, 1893 (Pyrilidae) Synonym(s): *macrostigma* Hampson, 1893; *cyclotypa* Turner, 1937
 65908) *Rhinaphe apotomella* (Meyrick, 1879) (Pyrilidae) Synonym(s): *apotomella* Meyrick, 1879
 65909) *Rhinaphe castanealis* Hampson, 1912 (Pyrilidae) Synonym(s): *castanealis* Hampson, 1912
 65910) *Rhinaphe flavescentella* (Hampson, 1901) (Pyrilidae) Synonym(s): *flavescentella* Hampson, 1901
 65911) *Rhinaphe flavodorsalis* Janse, 1922 (Pyrilidae) Synonym(s): *flavodorsalis* Janse, 1922
 65912) *Rhinaphe lutosa* Janse, 1922 (Pyrilidae) Synonym(s): *lutosa* Janse, 1922
 65913) *Rhinaphe nigricostalis* (Walker, 1863) (Pyrilidae) Synonym(s): *nigricostalis* Walker, 1863
 65914) *Rhinaphe scripta* Joannis, 1927 (Pyrilidae) Synonym(s): *scripta* Joannis, 1927
 65915) *Rhinaphe seeboldi* (Ragonot, 1894) (Pyrilidae) Synonym(s): *seeboldi* Ragonot, 1894
 65916) *Rhinaphe virginella* (Meyrick, 1879) (Pyrilidae) Synonym(s): *virginella* Meyrick, 1879
 65917) *Rhodochrysa superbella* Hampson, 1901 (Pyrilidae) Synonym(s): *superbella* Hampson, 1901
 65918) *Rhodophaea* (?) *taftanella* Amsel, 1950 (Pyrilidae) Synonym(s): *taftanella* Amsel, 1950
 65919) *Rhynchopaschia melanolopha* Hampson, 1906 (Pyrilidae) Synonym(s): *melanolopha* Hampson, 1906
 65920) *Rhynchopaschia reducta* Janse, 1931 (Pyrilidae) Synonym(s): *reducta* Janse, 1931
 65921) *Rotrudosoma parvillum* Roesler, 1964 (Pyrilidae) Synonym(s): *parvillum* Roesler, 1964
 65922) *Sacada albiocularis* Hampson, 1917 (Pyrilidae) Synonym(s): *albiocularis* Hampson, 1917
 65923) *Sacada albizziae* Tams, 1941 (Pyrilidae) Synonym(s): *albizziae* Tams, 1941
 65924) *Sacada amoyalis* Caradja, 1932 (Pyrilidae) Synonym(s): *amoyalis* Caradja, 1932
 65925) *Sacada approximans* (Leech, 1888) (Pyrilidae) Synonym(s): *approximans* Leech, 1888
 65926) *Sacada confutsealis* Caradja, 1925 (Pyrilidae) Synonym(s): *confutsealis* Caradja, 1925
 65927) *Sacada constrictalis* (Ragonot, 1891) (Pyrilidae) Synonym(s): *constrictalis* Ragonot, 1891
 65928) *Sacada contigua* South, 1901 (Pyrilidae) Synonym(s): *contigua* South, 1901
 65929) *Sacada decora* Walker, 1862 (Pyrilidae) Synonym(s): *decora* Walker, 1862
 65930) *Sacada discincta* (Moore, 1866) (Pyrilidae) Synonym(s): *discincta* Moore, 1866
 65931) *Sacada erythropis* Hampson, 1917 (Pyrilidae) Synonym(s): *erythropis* Hampson, 1917
 65932) *Sacada fasciata* (Butler, 1878) (Pyrilidae) Synonym(s): *fasciata* Butler, 1878; *miraculosa* Snellen, 1885
 65933) *Sacada flexuosa* (Snellen, 1890) (Pyrilidae) Synonym(s): *flexuosa* Snellen, 1890; *inflammalis* Ragonot, 1891
 65934) *Sacada giovanettae* Marion, 1957 (Pyrilidae) Synonym(s): *giovanettae* Marion, 1957
 65935) *Sacada hoenei* Caradja, 1937 (Pyrilidae) Synonym(s): *hoenei* Caradja, 1937
 65936) *Sacada madegassalis* Viette, 1960 (Pyrilidae) Synonym(s): *madegassalis* Viette, 1960
 65937) *Sacada metaxantha* Hampson, 1906 (Pyrilidae) Synonym(s): *metaxantha* Hampson, 1906
 65938) *Sacada misakiensis* (Shibuya, 1928) (Pyrilidae) Synonym(s): *misakiensis* Shibuya, 1928
 65939) *Sacada nicopaea* Tams, 1941 (Pyrilidae) Synonym(s): *nicopaea* Tams, 1941
 65940) *Sacada nigripuncta* Hampson, 1906 (Pyrilidae) Synonym(s): *nigripuncta* Hampson, 1906
 65941) *Sacada nyasana* Hampson, 1917 (Pyrilidae) Synonym(s): *nyasana* Hampson, 1917
 65942) *Sacada olivina* De Joannis, 1929 (Pyrilidae) Synonym(s): *olivina* De Joannis, 1929
 65943) *Sacada pallescens* Hampson, 1896 (Pyrilidae) Synonym(s): *pallescens* Hampson, 1896
 65944) *Sacada papuana* Hampson, 1917 (Pyrilidae) Synonym(s): *papuana* Hampson, 1917
 65945) *Sacada peltobathra* Meyrick, 1938 (Pyrilidae) Synonym(s): *peltobathra* Meyrick, 1938
 65946) *Sacada prasinialis* Hampson, 1906 (Pyrilidae) Synonym(s): *prasinialis* Hampson, 1906
 65947) *Sacada pusilla* M. Hering, 1901 (Pyrilidae) Synonym(s): *pusilla* M. Hering, 1901
 65948) *Sacada pyraliformis* (Moore, 1879) (Pyrilidae) Synonym(s): *pyraliformis* Moore, 1879
 65949) *Sacada ragonotalis* Snellen, 1892 (Pyrilidae) Synonym(s): *ragonotalis* Snellen, 1892
 65950) *Sacada rhodinalis* Hampson, 1916 (Pyrilidae) Synonym(s): *rhodinalis* Hampson, 1916
 65951) *Sacada rhyacophila* Ghesquière, 1942 (Pyrilidae) Synonym(s): *rhyacophila* Ghesquière, 1942
 65952) *Sacada rosealis* Hampson, 1916 (Pyrilidae) Synonym(s): *rosealis* Hampson, 1916
 65953) *Sacada rubralis* Holland, 1900 (Pyrilidae) Synonym(s): *rubralis* Holland, 1900
 65954) *Sacada rufina* Hampson, 1896 (Pyrilidae) Synonym(s): *rufina* Hampson, 1896
 65955) *Sacada sikkima* (Moore, 1879) (Pyrilidae) Synonym(s): *sikkima* Moore, 1879
 65956) *Sacada szetschwanalis* Caradja, 1927 (Pyrilidae) Synonym(s): *szetschwanalis* Caradja, 1927
 65957) *Sacada testacea* Roepke, 1943 (Pyrilidae) Synonym(s): *testacea* Roepke, 1943
 65958) *Sacada tonsealis* Roepke, 1938 (Pyrilidae) Synonym(s): *tonsealis* Roepke, 1938
 65959) *Sacada unilinealis* Hampson, 1896 (Pyrilidae) Synonym(s): *unilinealis* Hampson, 1896
 65960) *Sacada viridalis* Hampson, 1917 (Pyrilidae) Synonym(s): *viridalis* Hampson, 1917
 65961) *Salbia haemorrhoidalis* Guenée, 1854 (Pyrilidae) Synonym(s): *haemorrhoidalis* Guenée, 1854; *dircealis* Walker, 1859; *futilalis* Barnes & McDunnough, 1914
 65962) *Salebriopsis albicilla* (Herrich-Schäffer, 1849) (Pyrilidae) Synonym(s): *albicilla* Herrich-Schäffer, 1849
 65963) *Salinaria diffusella* (Christoph, 1872) (Pyrilidae) Synonym(s): *diffusella* Christoph, 1872
 65964) *Salma albifurcalis* Hampson, 1916 (Pyrilidae) Synonym(s): *albifurcalis* Hampson, 1916
 65965) *Salma apicalis* (Kenrick, 1907) (Pyrilidae) Synonym(s): *apicalis* Kenrick, 1907; *polypamma* Turner, 1937

- 65966) *Salma basiochra* (Turner,1937) (Pyralidae) Synonym(s): *basiochra* Turner,1937
 65967) *Salma cholica* (Meyrick,1884) (Pyralidae) Synonym(s): *cholica* Meyrick,1884; *cinerascens* Warren,1884; *lygropa* Turner,1905
 65968) *Salma cletolis* (Turner,1905) (Pyralidae) Synonym(s): *cletolis* Turner,1905
 65969) *Salma ebenina* (Turner,1904) (Pyralidae) Synonym(s): *ebenina* Turner,1904
 65970) *Salma eupepla* (Meyrick,1915) (Pyralidae) Synonym(s): *eupepla* Meyrick,1915
 65971) *Salma galeata* (Hampson,1906) (Pyralidae) Synonym(s): *galeata* Hampson,1906
 65972) *Salma glyceropa* (Turner,1937) (Pyralidae) Synonym(s): *glyceropa* (Turner,1937
 65973) *Salma hicanodes* (Turner,1937) (Pyralidae) Synonym(s): *hicanodes* Turner,1937
 65974) *Salma marmorea* (Warren,1891) (Pyralidae) Synonym(s): *marmorea* Warren,1891
 65975) *Salma mnesibrya* (Meyrick,1884) (Pyralidae) Synonym(s): *mnesibrya* Meyrick,1884
 65976) *Salma nephelodes* (Turner,1933) (Pyralidae) Synonym(s): *nephelodes* Turner,1933
 65977) *Salma nubilalis* (Hampson,1893) (Pyralidae) Synonym(s): *nubilalis* Hampson,1893
 65978) *Salma peloscia* (Meyrick,1913) (Pyralidae) Synonym(s): *peloscia* Meyrick,1913
 65979) *Salma pentabela* (Turner,1915) (Pyralidae) Synonym(s): *pentabela* Turner,1915
 65980) *Salma peratophaea* (Turner,1937) (Pyralidae) Synonym(s): *peratophaea* Turner,1937
 65981) *Salma poliophanes* (Turner,1913) (Pyralidae) Synonym(s): *poliophanes* Turner,1913
 65982) *Salma pyrastis* (Meyrick,1887) (Pyralidae) Synonym(s): *pyrastis* Meyrick,1887
 65983) *Salma recurvalis* Walker,1863 (Pyralidae) Synonym(s): *recurvalis* Walker,1863; *rubiginosa* Walker,1865; *melanospilellus* Walker,1866; *crypsaula* Meyrick,1887
 65984) *Salma streptomela* (Lower,1896) (Pyralidae) Synonym(s): *streptomela* Lower,1896; *triglochis* Turner,1903
 65985) *Salma tholoessa* (Meyrick,1926) (Pyralidae) Synonym(s): *tholoessa* Meyrick,1926
 65986) *Saluria albicostella* Janse,1922 (Pyralidae) Synonym(s): *albicostella* Janse,1922
 65987) *Saluria albivenella* (Ragonot,1888) (Pyralidae) Synonym(s): *albivenella* Ragonot,1888
 65988) *Saluria chehirella* Zerny,1929 (Pyralidae) Synonym(s): *chehirella* Zerny,1929.
 65989) *Saluria claricostella* (Ragonot,1888) (Pyralidae) Synonym(s): *claricostella* Ragonot,1888
 65990) *Saluria devylderii* (Ragonot,1888) (Pyralidae) Synonym(s): *devylderii* Ragonot,1888
 65991) *Saluria inficita* (Walker,1863) (Pyralidae) Synonym(s): *inficita* Walker,1863
 65992) *Saluria macrella* (Ragonot,1888) (Pyralidae) Synonym(s): *macrella* Ragonot,1888
 65993) *Saluria maculivittella* Ragonot,1887 (Pyralidae) Synonym(s): *maculivittella* Ragonot,1887; *armeniella* Ragonot,1888.
 65994) *Saluria mesomelanella* Hampson,1918 (Pyralidae) Synonym(s): *mesomelanella* Hampson,1918
 65995) *Saluria nimbelloides* Joannis,1927 (Pyralidae) Synonym(s): *nimbelloides* Joannis,1927
 65996) *Saluria pretoriae* Janse,1922 (Pyralidae) Synonym(s): *pretoriae* Janse,1922
 65997) *Saluria pulverata* Janse,1922 (Pyralidae) Synonym(s): *pulverata* Janse,1922
 65998) *Saluria pulverosa* Hampson (Pyralidae) Synonym(s): *pulverosa* Hampson
 65999) *Saluria rhodophaea* Hampson,1918 (Pyralidae) Synonym(s): *rhodophaea* Hampson,1918
 66000) *Saluria rosella* (Hampson,1896) (Pyralidae) Synonym(s): *rosella* Hampson,1896
 66001) *Saluria sepicostella* (Ragonot,1888) (Pyralidae) Synonym(s): *sepicostella* Ragonot,1888
 66002) *Saluria stictophora* Hampson,1918 (Pyralidae) Synonym(s): *stictophora* Hampson,1918
 66003) *Saluria subcarnella* (Ragonot,1888) (Pyralidae) Synonym(s): *subcarnella* Ragonot,1888
 66004) *Saluria tripartitella* Ragonot,1901 (Pyralidae) Synonym(s): *tripartitella* Ragonot,1901; *#tripartella* Hampson,1918
 66005) *Samaria inconspicuellla* Balinsky,1994 (Pyralidae) Synonym(s): *inconspicuellla* Balinsky,1994
 66006) *Samaria indentella* Ragonot,1893 (Pyralidae) Synonym(s): *indentella* Ragonot,1893
 66007) *Samea multiplicalis* (Guenée,1854) (Pyralidae) Synonym(s): *multiplicalis* Guenée,1854; *nicaeusalis* Walker,1859; *discessalis* Walker,1866
 66008) *Sameodes cancellalis* (Zeller,1852) (Pyralidae) Synonym(s): *cancellalis* Zeller,1852; *pipeleisalis* Walker,1859; *lepidalis* Walker,1859; *sidealis* Walker,1859; *meridionalis* Walker,[1866]; *trithyalis* Snellen,1880
 66009) *Sameodes iolealis* (Walker,1859) (Pyralidae) Synonym(s): *iolealis* Walker,1859
 66010) *Sandrabatis crassiella* Ragonot,1893 (Pyralidae) Synonym(s): *crassiella* Ragonot,1893
 66011) *Sarabotys cupreicostalis* (Dyar,1913) (Pyralidae) Synonym(s): *cupreicostalis* Dyar,1913
 66012) *Sarabotys ferriterminalis* Munroe,1964 (Pyralidae) Synonym(s): *ferriterminalis* Munroe,1964
 66013) *Saucrobotys futilalis* (Lederer,1863) (Pyralidae) Synonym(s): *futilalis* Lederer,1863; *erectalis* Grote,1876
 66014) *Saucrobotys futilalis futilalis* (Lederer,1863) (Pyralidae) Synonym(s): *futilalis* Lederer,1863; *erectalis* Grote,1876
 66015) *Saucrobotys futilalis inconcinnalis* (Lederer,1863) (Pyralidae) Synonym(s): *inconcinnalis* Lederer,1863; *crocotalis* Grote,1881; *festalis* Hust,1886
 66016) *Sceliodes cordalis* (Doubleday,1843) (Pyralidae) Synonym(s): *cordalis* Doubleday,1843; *mucidalis* Guenée,1854; *wxtensalis* Walker,[1866]; *osbistalis* Snellen,1880
 66017) *Sceliodes laisalis* (Walker,1859) (Pyralidae) Synonym(s): *laisalis* Walker,1859
 66018) *Scenedra decoratalis* (Walker,[1866]) (Pyralidae) Synonym(s): *decoratalis* Walker,[1866]; *contentalis* Walker,[1866]
 66019) *Scenidiopsis chionozyga* (Lower,1903) (Pyralidae) Synonym(s): *chionozyga* Lower,1903
 66020) *Scenoploca petraula* Meyrick,1882 (Pyralidae) Synonym(s): *petraula* Meyrick,1882
 66021) *Schoenobius adjurellus* Walker,1863 (Pyralidae) Synonym(s): *adjurellus* Walker,1863; *brunescens* Moore,1888
 66022) *Schoenobius alpherakyi* Staudinger,1874 (Pyralidae) Synonym(s): *alpherakyi* Staudinger,1874
 66023) *Schoenobius attenuatus* Hampson,1919 (Pyralidae) Synonym(s): *attenuatus* Hampson,1919
 66024) *Schoenobius auristrigellus* Hampson,1896 (Pyralidae) Synonym(s): *auristrigellus* Hampson,1896
 66025) *Schoenobius caminarius* Zeller,1852 (Pyralidae) Synonym(s): *caminarius* Zeller,1852
 66026) *Schoenobius costalis* Moore,1887 (Pyralidae) Synonym(s): *costalis* Moore,1887
 66027) *Schoenobius dodatellus* Walker,1864 (Pyralidae) Synonym(s): *dodatellus* Walker,1864; *aditellus* Walker,1864.
 66028) *Schoenobius forficellus* (Thunberg,1794) (Pyralidae) Synonym(s): *forficella* Thunberg,1794; *consortellus* Hübner,1796; *lanceolellus* Hübner,1810; *consorta* Haworth,1811; *hirtus* Haworth,1811; *lanceolalis* Hübner,[1825]
 66029) *Schoenobius gigantellus* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *gigantella* [Denis & Schiffermüller],1775
 66030) *Schoenobius immeritalis* Walker,1859 (Pyralidae) Synonym(s): *immeritalis* Walker,1859; *decursella* Walker,1863
 66031) *Schoenobius incertellus* (Walker,1863) (Pyralidae) Synonym(s): *incertellus* Walker,1863
 66032) *Schoenobius minutellus* Zeller,1863 (Pyralidae) Synonym(s): *minutellus* Zeller,1863
 66033) *Schoenobius niloticus* Zeller,1867 (Pyralidae) Synonym(s): *niloticus* Zeller,1867
 66034) *Schoenobius ochraceellus* Snellen,1880 (Pyralidae) Synonym(s): *ochraceellus* Snellen,1880
 66035) *Schoenobius punctellus* Zeller,1863 (Pyralidae) Synonym(s): *punctellus* Zeller,1863; *bipunctifer* Walker,1863; *gratiosellus* Walker,1864.
 66036) *Schoenobius* sp. (Pyralidae) Synonym(s):
 66037) *Sciota (Ciliocerodes) belutschistanella* (Amsel,1961) (Pyralidae) Synonym(s): *belutschistanella* Amsel,1961
 66038) *Sciota (Ciliocerodes) coenulentella* (Zeller,1846) (Pyralidae) Synonym(s): *coenulentella* Zeller,1846
 66039) *Sciota (Clasperopsis) fumella* (Eversmann,1844) (Pyralidae) Synonym(s): *fumella* Eversmann,1844
 66040) *Sciota (Clasperopsis) hartigi* (Roesler,1974) (Pyralidae) Synonym(s): *hartigi* Roesler,1974
 66041) *Sciota (Clasperopsis) lucipetella* (Jalava,1978) (Pyralidae) Synonym(s): *lucipetella* Jalava,1978
 66042) *Sciota (s.str.) ferruginella* (Zerny,1914) (Pyralidae) Synonym(s): *ferruginella* Zerny,1914
 66043) *Sciota (s.str.) hostilis* (Stephens,1834) (Pyralidae) Synonym(s): *hostilis* Stephens,1834
 66044) *Sciota (s.str.) hostilis betuleti* (Gozmany,1953) (Pyralidae) Synonym(s): *betuleti* Gozmany,1953
 66045) *Sciota (s.str.) hostilis hostilis* (Stephens,1834) (Pyralidae) Synonym(s): *hostilis* Stephens,1834
 66046) *Sciota (s.str.) imperialella* (Ragonot,1887) (Pyralidae) Synonym(s): *imperialella* Ragonot,1887
 66047) *Sciota (s.str.) insignella* (Mann,1862) (Pyralidae) Synonym(s): *insignella* Mann,1862
 66048) *Sciota (s.str.) rhenella* (Zincken,1818) (Pyralidae) Synonym(s): *rhenella* Zincken,1818
 66049) *Sciota (s.str.) rhenella laetifica* (Ragonot,1893) (Pyralidae) Synonym(s): *laetifica* Ragonot,1893
 66050) *Sciota (s.str.) rhenella rhenella* (Zincken,1818) (Pyralidae) Synonym(s): *rhenella* Zincken,1818
 66051) *Scirpophaga auristrigella* (Hampson,1895) (Pyralidae) Synonym(s): *auristrigella* Hampson,1895

- 66052) *Scirpophaga aurivena* (Hampson,1903) (Pyralidae) Synonym(s): *aurivena* Hampson,1903
 66053) *Scirpophaga bradleyi* Lewvanich,1981 (Pyralidae) Synonym(s): *bradleyi* Lewvanich,1981
 66054) *Scirpophaga brunnescens* (Moore,1888) (Pyralidae) Synonym(s): *brunnescens* Moore,1888
 66055) *Scirpophaga excerptalis* (Walker,1863) (Pyralidae) Synonym(s): *excerptalis* Walker,1863; *monostigma* Zeller,1863; *butyrota* Meyrick,1889; *intacta* Snellen,1890; *rhodoproctalis* Hampson,1919.
 66056) *Scirpophaga fusciflua* Hampson,1893 (Pyralidae) Synonym(s): *fusciflua* Hampson,1893
 66057) *Scirpophaga gilviberbis* Zeller,1863 (Pyralidae) Synonym(s): *gilviberbis* Zeller,1863
 66058) *Scirpophaga gotoi* Lewvanich,1981 (Pyralidae) Synonym(s): *gotoi* Lewvanich,1981
 66059) *Scirpophaga imparellus* (Meyrick,1878) (Pyralidae) Synonym(s): *imparellus* Meyrick,1878
 66060) *Scirpophaga incertulas* (Walker,1863) (Pyralidae) Synonym(s): *incertulas* Walker,1863; *?admotella* Walker,1863; *punctellus* Zeller,1863; *minutellus* Zeller,1863; *bipunctifera* Walker,1863; *gratiosellus* Walker,1864; *#ncertulas* Hutacharem & Tubtim,1995.
 66061) *Scirpophaga innotata* (Walker,1863) (Pyralidae) Synonym(s): *innotata* Walker,1863; *sericea* Snellen,1880
 66062) *Scirpophaga khasis* Lewvanich,1981 (Pyralidae) Synonym(s): *khasis* Lewvanich,1981
 66063) *Scirpophaga kumatai* Lewvanich,1981 (Pyralidae) Synonym(s): *kumatai* Lewvanich,1981
 66064) *Scirpophaga magnella* De Joannis,1929 (Pyralidae) Synonym(s): *magnella* De Joannis,1929.
 66065) *Scirpophaga marginepunctella* Joannis,1927 (Pyralidae) Synonym(s): *marginepunctella* Joannis,1927
 66066) *Scirpophaga melanostigmus* (Turner,1922) (Pyralidae) Synonym(s): *melanostigmus* Turner,1922
 66067) *Scirpophaga nepalensis* Lewvanich,1981 (Pyralidae) Synonym(s): *nepalensis* Lewvanich,1981
 66068) *Scirpophaga nivella* (Fabricius,1794) (Pyralidae) Synonym(s): *nivella* Fabricius,1794; *chrysorrhoea* Zeller,1863; *auriflua* Zeller,1863; *brunnescens* Moore,1888; *celidias* Meyrick,1894; *euclastalis* Strand,1918.
 66069) *Scirpophaga occidentella* (Walker,1863) (Pyralidae) Synonym(s): *occidentella* Walker,1863
 66070) *Scirpophaga ochroleuca* Meyrick,1882 (Pyralidae) Synonym(s): *ochroleuca* Meyrick,1882
 66071) *Scirpophaga perena* Common,1960 (Pyralidae) Synonym(s): *perena* Common,1960
 66072) *Scirpophaga phaedima* Common,1960 (Pyralidae) Synonym(s): *phaedima* Common,1960
 66073) *Scirpophaga praelata* (Scopoli,1763) (Pyralidae) Synonym(s): *praelata* Scopoli,1763; *dubia* Rossi,1790; *latidactyla* Hübner,1790; *phantasmatalis* Hübner,[1825]; *alba* Hübner,[1828]; *#grisea* Guenée,1845; *#cinerea* Zeller,1863; *linnochares* Common,1960.
 66074) *Scirpophaga tongyai* Lewvanich,1981 (Pyralidae) Synonym(s): *tongyai* Lewvanich,1981
 66075) *Scirpophaga virginia* Schultze,1908 (Pyralidae) Synonym(s): *virginia* Schultze,1908
 66076) *Scirpophaga whalleyi* Lewvanich,1981 (Pyralidae) Synonym(s): *whalleyi* Lewvanich,1981
 66077) *Scirpophaga xantharrenes* Common,1960 (Pyralidae) Synonym(s): *xantharrenes* Common,1960
 66078) *Scirpophaga xanthogastrella* (Walker,1863) (Pyralidae) Synonym(s): *xanthogastrella* Walker,1863; *costalis* Moore,1886.
 66079) *Scirpophaga xanthopygata* Schawerda,1922 (Pyralidae) Synonym(s): *xanthopygata* Schawerda,1922
 66080) *Sclerobiodes persica* Amsel,1951 (Pyralidae) Synonym(s): *persica* Amsel,1951
 66081) *Sclerocona acutella* (Eversmann,1842) (Pyralidae) Synonym(s): *acutella* Eversmann,1842; *acutalis* Guenée,1854; *tincticostellus* Walker,1863; *sinensellus* Walker,1863
 66082) *Scoparia absconditalis* Christoph,1887 (Pyralidae) Synonym(s): *absconditalis* Christoph,1887
 66083) *Scoparia acharis* Meyrick,1885 (Pyralidae) Synonym(s): *acharis* Meyrick,1885
 66084) *Scoparia acompa* Meyrick,1885 (Pyralidae) Synonym(s): *acompa* Meyrick,1885
 66085) *Scoparia acropola* Meyrick,1884 (Pyralidae) Synonym(s): *acropola* Meyrick,1884
 66086) *Scoparia actias* Meyrick,1899 (Pyralidae) Synonym(s): *actias* Meyrick,1899
 66087) *Scoparia acuminatella* Stainton,1859 (Pyralidae) Synonym(s): *acuminatella* Stainton,1859
 66088) *Scoparia aeolias* Meyrick,1899 (Pyralidae) Synonym(s): *aeolias* Meyrick,1899
 66089) *Scoparia aequipennalis* Warren,1905 (Pyralidae) Synonym(s): *aequipennalis* Warren,1905
 66090) *Scoparia albertalis* Dyar,1929 (Pyralidae) Synonym(s): *albertalis* Dyar,1929
 66091) *Scoparia albifusalis* Hampson,1907 (Pyralidae) Synonym(s): *albifusalis* Hampson,1907
 66092) *Scoparia albiguttata* Druce,1899 (Pyralidae) Synonym(s): *albiguttata* Druce,1899
 66093) *Scoparia alialis* Barnes & McDunnough,1912 (Pyralidae) Synonym(s): *aliialis* Barnes & McDunnough,1912
 66094) *Scoparia allicola* Meyrick,1935 (Pyralidae) Synonym(s): *allicola* Meyrick,1935
 66095) *Scoparia alopecias* Meyrick,1901 (Pyralidae) Synonym(s): *alopecias* Meyrick,1901
 66096) *Scoparia ambigualis* (Treitschke,1829) (Pyralidae) Synonym(s): *ambigualis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#aeniatella* Teich,1889; *#crossi* Banks,1909
 66097) *Scoparia ambigualis* (Treitschke,1829) (Pyralidae) Synonym(s): *ambigualis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#aeniatella* Teich,1889; *#crossi* Banks,1909
 66098) *Scoparia ambigualis nigra* Hamfelt,1917 (Pyralidae) Synonym(s): *nigra* Hamfelt,1917; *kwangtungialis* Caradja,1925
 66099) *Scoparia amphicypella* Meyrick,1899 (Pyralidae) Synonym(s): *amphicypella* Meyrick,1899
 66100) *Scoparia anadonta* Dyar,1918 (Pyralidae) Synonym(s): *anadonta* Dyar,1918
 66101) *Scoparia anagantis* Dyar,1918 (Pyralidae) Synonym(s): *anagantis* Dyar,1918
 66102) *Scoparia anaplecta* Meyrick,1884 (Pyralidae) Synonym(s): *anaplecta* Meyrick,1884
 66103) *Scoparia ancipitella* (Laharpe,1855) (Pyralidae) Synonym(s): *ancipitella* Laharpe,1855; *ulmella* Knaggs,1867; *conspicualis* Hodgkinson,1881
 66104) *Scoparia animosa* Meyrick,1904 (Pyralidae) Synonym(s): *animosa* Meyrick,1904
 66105) *Scoparia anisophragma* Lower,1901 (Pyralidae) Synonym(s): *anisophragma* Lower,1901
 66106) *Scoparia antarcticalis* Staudinger,1898 (Pyralidae) Synonym(s): *antarcticalis* Staudinger,1898
 66107) *Scoparia anthracias* Meyrick,1884 (Pyralidae) Synonym(s): *anthracias* Meyrick,1884
 66108) *Scoparia antimacha* Meyrick,1899 (Pyralidae) Synonym(s): *antimacha* Meyrick,1899
 66109) *Scoparia apheles* Meyrick,1885 (Pyralidae) Synonym(s): *apheles* Meyrick,1885
 66110) *Scoparia aphrodes* Meyrick,1884 (Pyralidae) Synonym(s): *aphrodes* Meyrick,1884
 66111) *Scoparia arcta* Lucas,1898 (Pyralidae) Synonym(s): *arcta* Lucas,1898
 66112) *Scoparia argolina* (Lower,1902) (Pyralidae) Synonym(s): *argolina* Lower,1902
 66113) *Scoparia asaleuta* Meyrick,1907 (Pyralidae) Synonym(s): *asaleuta* Meyrick,1907
 66114) *Scoparia aspidota* (Meyrick,1885) (Pyralidae) Synonym(s): *aspidota* Meyrick,1885
 66115) *Scoparia asterisca* (Meyrick,1885) (Pyralidae) Synonym(s): *asterisca* Meyrick,1885; *asterica* Hampson,1897
 66116) *Scoparia astragalota* (Meyrick,1885) (Pyralidae) Synonym(s): *astragalota* Meyrick,1885
 66117) *Scoparia atmogramma* Meyrick,1915 (Pyralidae) Synonym(s): *atmogramma* Meyrick,1915
 66118) *Scoparia atricuprea* Hampson,1917 (Pyralidae) Synonym(s): *atricuprea* Hampson,1917
 66119) *Scoparia atropicta* Hampson,1897 (Pyralidae) Synonym(s): *atropicta* Hampson,1897
 66120) *Scoparia augastis* Meyrick,1907 (Pyralidae) Synonym(s): *augastis* Meyrick,1907
 66121) *Scoparia australialis* Guenée,1854 (Pyralidae) Synonym(s): *australialis* Guenée,1854
 66122) *Scoparia australiensis* (Hampson,1898) (Pyralidae) Synonym(s): *australiensis* Hampson,1898
 66123) *Scoparia autochroa* Meyrick,1907 (Pyralidae) Synonym(s): *autochroa* Meyrick,1907
 66124) *Scoparia autumnna* Philpott,1927 (Pyralidae) Synonym(s): *autumnna* Philpott,1927
 66125) *Scoparia axena* Meyrick,1885 (Pyralidae) Synonym(s): *axena* Meyrick,1885
 66126) *Scoparia axiolecta* Turner,1922 (Pyralidae) Synonym(s): *axiolecta* Turner,1922
 66127) *Scoparia balanopsis* Meyrick,1899 (Pyralidae) Synonym(s): *balanopsis* Meyrick,1899
 66128) *Scoparia barbipennis* Hampson,1897 (Pyralidae) Synonym(s): *barbipennis* Hampson,1897
 66129) *Scoparia basalis* Walker,1859 (Pyralidae) Synonym(s): *basalis* Walker,1859; *biplagiatis* Walker,1865; *libella* Grote,1878; *bronzalis* Barnes & McDunnough,1922; *cervalis* McDunnough,1927
 66130) *Scoparia basistrigalis* Knaggs,1866 (Pyralidae) Synonym(s): *basistrigalis* Knaggs,1866; *signella* Teich,1889; *bifascialis* Turati,1923
 66131) *Scoparia basistrigalis basistrigalis* Knaggs,1866 (Pyralidae) Synonym(s): *basistrigalis* Knaggs,1866; *signella* Teich,1889; *bifascialis* Turati,1923
 66132) *Scoparia basistrigalis sosia* Leraut,1982 (Pyralidae) Synonym(s): *sosia* Leraut,1982
 66133) *Scoparia benigna* Meyrick,1910 (Pyralidae) Synonym(s): *benigna* Meyrick,1910

- 66134) *Scoparia biscutella* Zeller, 1872 (Pyralidae) Synonym(s): *biscutella* Zeller, 1872; *albifrons* Druce, 1896
- 66135) *Scoparia bisinualis* Hudson, 1928 (Pyralidae) Synonym(s): *bisinualis* Hudson, 1928
- 66136) *Scoparia bucolica* Meyrick, 1899 (Pyralidae) Synonym(s): *bucolica* Meyrick, 1899
- 66137) *Scoparia caliginosa* Philpott, 1918 (Pyralidae) Synonym(s): *caliginosa* Philpott, 1918
- 66138) *Scoparia canicostalis* Hampson, 1896 (Pyralidae) Synonym(s): *canicostalis* Hampson, 1896
- 66139) *Scoparia catactis* Meyrick, 1904 (Pyralidae) Synonym(s): *catactis* Meyrick, 1904
- 66140) *Scoparia cataxesta* Meyrick, 1885 (Pyralidae) Synonym(s): *cataxesta* Meyrick, 1885
- 66141) *Scoparia ceramica* Warren, 1891 (Pyralidae) Synonym(s): *ceramica* Warren, 1891
- 66142) *Scoparia chalara* Meyrick, 1901 (Pyralidae) Synonym(s): *chalara* Meyrick, 1901
- 66143) *Scoparia chalicodes* Meyrick, 1885 (Pyralidae) Synonym(s): *chalicodes* Meyrick, 1885
- 66144) *Scoparia characta* Meyrick, 1885 (Pyralidae) Synonym(s): *characta* Meyrick, 1885
- 66145) *Scoparia charopoea* Turner, 1908 (Pyralidae) Synonym(s): *charopoea* Turner, 1908
- 66146) *Scoparia chiasta* Meyrick, 1884 (Pyralidae) Synonym(s): *chiasta* Meyrick, 1884
- 66147) *Scoparia chimeria* Meyrick, 1885 (Pyralidae) Synonym(s): *chimeria* Meyrick, 1885
- 66148) *Scoparia chlamydotia* Meyrick, 1885 (Pyralidae) Synonym(s): *chlamydotia* Meyrick, 1885
- 66149) *Scoparia chordactis* Meyrick, 1887 (Pyralidae) Synonym(s): *chordactis* Meyrick, 1887
- 66150) *Scoparia choristis* Meyrick, 1907 (Pyralidae) Synonym(s): *choristis* Meyrick, 1907
- 66151) *Scoparia chrysomicta* Meyrick, 1929 (Pyralidae) Synonym(s): *chrysomicta* Meyrick, 1929
- 66152) *Scoparia chrysopetra* Meyrick, 1929 (Pyralidae) Synonym(s): *chrysopetra* Meyrick, 1929
- 66153) *Scoparia cinefacta* Philpott, 1926 (Pyralidae) Synonym(s): *cinefacta* Philpott, 1926
- 66154) *Scoparia cinereomedia* Dyar, 1904 (Pyralidae) Synonym(s): *cinereomedia* Dyar, 1904
- 66155) *Scoparia citrochroa* (Turner, 1908) (Pyralidae) Synonym(s): *citrochroa* (Turner, 1908)
- 66156) *Scoparia citrococma* Meyrick, 1929 (Pyralidae) Synonym(s): *citrococma* Meyrick, 1929
- 66157) *Scoparia clavata* Philpott, 1912 (Pyralidae) Synonym(s): *clavata* Philpott, 1912
- 66158) *Scoparia cleodoris* (Walker, 1859) (Pyralidae) Synonym(s): *cleodoris* Walker, 1859
- 66159) *Scoparia clerica* Meyrick, 1929 (Pyralidae) Synonym(s): *clerica* Meyrick, 1929
- 66160) *Scoparia clonodes* Meyrick, 1899 (Pyralidae) Synonym(s): *clonodes* Meyrick, 1899
- 66161) *Scoparia coecimaculalis* Warren, 1905 (Pyralidae) Synonym(s): *coecimaculalis* Warren, 1905
- 66162) *Scoparia coeruleotincta* Hampson, 1917 (Pyralidae) Synonym(s): *coeruleotincta* Hampson, 1917
- 66163) *Scoparia colpota* Meyrick, 1888 (Pyralidae) Synonym(s): *colpota* Meyrick, 1888
- 66164) *Scoparia commercialis* Meyrick, 1929 (Pyralidae) Synonym(s): *commercialis* Meyrick, 1929
- 66165) *Scoparia commortalis* Dyar, 1921 (Pyralidae) Synonym(s): *commortalis* Dyar, 1921
- 66166) *Scoparia congestalis* Walker, 1859 (Pyralidae) Synonym(s): *congestalis* Walker, 1859
- 66167) *Scoparia conicella* (Laharpe, 1863) (Pyralidae) Synonym(s): *conicella* Laharpe, 1863
- 66168) *Scoparia contempta* (Turner, 1927) (Pyralidae) Synonym(s): *contempta* Turner, 1927
- 66169) *Scoparia contexta* Philpott, 1931 (Pyralidae) Synonym(s): *contexta* Philpott, 1931
- 66170) *Scoparia crassiuscula* Dyar, 1929 (Pyralidae) Synonym(s): *crassiuscula* Dyar, 1929
- 66171) *Scoparia crataea* Meyrick, 1899 (Pyralidae) Synonym(s): *crataea* Meyrick, 1899
- 66172) *Scoparia critica* Meyrick, 1885 (Pyralidae) Synonym(s): *critica* Meyrick, 1885
- 66173) *Scoparia crocalis* Hampson, 1903 (Pyralidae) Synonym(s): *crocalis* Hampson, 1903
- 66174) *Scoparia crocospila* Turner, 1922 (Pyralidae) Synonym(s): *crocospila* Turner, 1922
- 66175) *Scoparia crucigera* Gerasimov, 1930 (Pyralidae) Synonym(s): *crucigera* Gerasimov, 1930
- 66176) *Scoparia cryerodes* Meyrick, 1899 (Pyralidae) Synonym(s): *cryerodes* Meyrick, 1899
- 66177) *Scoparia crypserythra* (Lower, 1901) (Pyralidae) Synonym(s): *crypserythra* Lower, 1901
- 66178) *Scoparia crypsinoa* Meyrick, 1885 (Pyralidae) Synonym(s): *crypsinoa* Meyrick, 1885; *agana* Meyrick, 1912
- 66179) *Scoparia cyameuta* (Meyrick, 1885) (Pyralidae) Synonym(s): *cyameuta* Meyrick, 1885
- 66180) *Scoparia cyclophora* Dyar, 1918 (Pyralidae) Synonym(s): *cyclophora* Dyar, 1918
- 66181) *Scoparia cymatias* Meyrick, 1885 (Pyralidae) Synonym(s): *cymatias* Meyrick, 1885
- 66182) *Scoparia cyptastis* Meyrick, 1909 (Pyralidae) Synonym(s): *cyptastis* Meyrick, 1909
- 66183) *Scoparia dactyliopa* Meyrick, 1899 (Pyralidae) Synonym(s): *dactyliopa* Meyrick, 1899
- 66184) *Scoparia declivis* Philpott, 1918 (Pyralidae) Synonym(s): *declivis* Philpott, 1918
- 66185) *Scoparia delicatalis* Walker, 1865 (Pyralidae) Synonym(s): *delicatalis* Walker, 1865
- 66186) *Scoparia deliniens* T.P. Lucas, 1898 (Pyralidae) Synonym(s): *deliniens* T.P. Lucas, 1898
- 66187) *Scoparia delphusa* Druce, 1896 (Pyralidae) Synonym(s): *delphusa* Druce, 1896; *smithi* Druce, 1896; *sabura* Druce, 1896; *flexuosa* Dyar, 1918
- 66188) *Scoparia deltophora* Meyrick, 1885 (Pyralidae) Synonym(s): *deltophora* Meyrick, 1885
- 66189) *Scoparia demodes* Meyrick, 1888 (Pyralidae) Synonym(s): *demodes* Meyrick, 1888
- 66190) *Scoparia denigata* Dyar, 1929 (Pyralidae) Synonym(s): *denigata* Dyar, 1929
- 66191) *Scoparia dicteella* Rebel, 1916 (Pyralidae) Synonym(s): *dicteella* Rebel, 1916
- 66192) *Scoparia dinodes* Meyrick, 1885 (Pyralidae) Synonym(s): *dinodes* Meyrick, 1885
- 66193) *Scoparia diphtheralis* Walker, 1865 (Pyralidae) Synonym(s): *diphtheralis* Walker, 1865
- 66194) *Scoparia dispersa* Butler, 1883 (Pyralidae) Synonym(s): *dispersa* Butler, 1883
- 66195) *Scoparia dochmia* Meyrick, 1905 (Pyralidae) Synonym(s): *dochmia* Meyrick, 1905
- 66196) *Scoparia dryphactis* Meyrick, 1911 (Pyralidae) Synonym(s): *dryphactis* Meyrick, 1911
- 66197) *Scoparia dulcis* Joannis, 1932 (Pyralidae) Synonym(s): *dulcis* Joannis, 1932
- 66198) *Scoparia echo* Dyar, 1929 (Pyralidae) Synonym(s): *echo* Dyar, 1929
- 66199) *Scoparia ejuncida* (Knaggs, 1867) (Pyralidae) Synonym(s): *ejuncida* Knaggs, 1867
- 66200) *Scoparia elaphra* Meyrick, 1885 (Pyralidae) Synonym(s): *elaphra* Meyrick, 1885
- 66201) *Scoparia emmetropis* Turner, 1915 (Pyralidae) Synonym(s): *emmetropis* Turner, 1915
- 66202) *Scoparia empeda* Meyrick, 1899 (Pyralidae) Synonym(s): *empeda* Meyrick, 1899
- 66203) *Scoparia encapna* Meyrick, 1888 (Pyralidae) Synonym(s): *encapna* Meyrick, 1888
- 66204) *Scoparia epicomia* Meyrick, 1885 (Pyralidae) Synonym(s): *epicomia* Meyrick, 1885
- 66205) *Scoparia epicremna* Meyrick, 1885 (Pyralidae) Synonym(s): *epicremna* Meyrick, 1885
- 66206) *Scoparia epicryma* Meyrick, 1884 (Pyralidae) Synonym(s): *epicryma* Meyrick, 1884
- 66207) *Scoparia epigypsa* Lower, 1905 (Pyralidae) Synonym(s): *epigypsa* Lower, 1905
- 66208) *Scoparia epimystis* Meyrick, 1899 (Pyralidae) Synonym(s): *epimystis* Meyrick, 1899
- 66209) *Scoparia erebochalca* Meyrick, 1899 (Pyralidae) Synonym(s): *erebochalca* Meyrick, 1899
- 66210) *Scoparia eremitis* Meyrick, 1884 (Pyralidae) Synonym(s): *eremitis* Meyrick, 1884
- 66211) *Scoparia ergatis* Meyrick, 1885 (Pyralidae) Synonym(s): *ergatis* Meyrick, 1885
- 66212) *Scoparia erythroneura* (Turner, 1937) (Pyralidae) Synonym(s): *erythroneura* Turner, 1937
- 66213) *Scoparia eumeles* Meyrick, 1884 (Pyralidae) Synonym(s): *eumeles* Meyrick, 1884
- 66214) *Scoparia eutacta* Turner, 1931 (Pyralidae) Synonym(s): *eutacta* Turner, 1931
- 66215) *Scoparia excursalis* Dyar, 1929 (Pyralidae) Synonym(s): *excursalis* Dyar, 1929
- 66216) *Scoparia exhibitalis* Walker, 1865 (Pyralidae) Synonym(s): *exhibitalis* Walker, 1865
- 66217) *Scoparia exilis* Knaggs, 1867 (Pyralidae) Synonym(s): *exilis* Knaggs, 1867
- 66218) *Scoparia expallidalis* Dyar, 1906 (Pyralidae) Synonym(s): *expallidalis* Dyar, 1906
- 66219) *Scoparia exterminata* Meyrick, 1929 (Pyralidae) Synonym(s): *exterminata* Meyrick, 1929
- 66220) *Scoparia extincta* Dyar, 1921 (Pyralidae) Synonym(s): *extincta* Dyar, 1921
- 66221) *Scoparia falsa* Philpott, 1924 (Pyralidae) Synonym(s): *falsa* Philpott, 1924
- 66222) *Scoparia famularis* Philpott, 1930 (Pyralidae) Synonym(s): *famularis* Philpott, 1930
- 66223) *Scoparia favilliferella* (Walker, 1866) (Pyralidae) Synonym(s): *favilliferella* Walker, 1866; *encausta* Meyrick, 1884.

- 66224) *Scoparia feredayi* Knaggs, 1867 (Pyralidae) Synonym(s): *feredayi* Knaggs, 1867; *moanalisi* R. Felder & Rogenhofer, 1875
 66225) *Scoparia fimbriata* Philpott, 1917 (Pyralidae) Synonym(s): *fimbriata* Philpott, 1917
 66226) *Scoparia formosa* Butler, 1881 (Pyralidae) Synonym(s): *formosa* Butler, 1881
 66227) *Scoparia fragosa* Meyrick, 1909 (Pyralidae) Synonym(s): *fragosa* Meyrick, 1909
 66228) *Scoparia frigida* Butler, 1881 (Pyralidae) Synonym(s): *frigida* Butler, 1881
 66229) *Scoparia fulvosignalis* Snellen, 1880 (Pyralidae) Synonym(s): *fulvosignalis* Snellen, 1880
 66230) *Scoparia fumata* Philpott, 1915 (Pyralidae) Synonym(s): *fumata* Philpott, 1915
 66231) *Scoparia galactalis* Hudson, 1913 (Pyralidae) Synonym(s): *galactalis* Hudson, 1913
 66232) *Scoparia gallica* Peyerimhoff, 1873 (Pyralidae) Synonym(s): *gallica* Peyerimhoff, 1873; *talboti* Schmidt, 1934; *ancipitalis* Zerny, 1935
 66233) *Scoparia geraea* Meyrick, 1899 (Pyralidae) Synonym(s): *geraea* Meyrick, 1899
 66234) *Scoparia gethosyna* Turner, 1922 (Pyralidae) Synonym(s): *gethosyna* Turner, 1922
 66235) *Scoparia gilvescens* Rebel, 1917 (Pyralidae) Synonym(s): *gilvescens* Rebel, 1917
 66236) *Scoparia glauculalis* Hampson, 1897 (Pyralidae) Synonym(s): *glauculalis* Hampson, 1897
 66237) *Scoparia gomphota* Meyrick, 1884 (Pyralidae) Synonym(s): *gomphota* Meyrick, 1884
 66238) *Scoparia gonodecta* Meyrick, 1904 (Pyralidae) Synonym(s): *mesoleuca* Meyrick, 1899 nec Meyr., 1888; *gonodecta* Meyrick, 1904
 66239) *Scoparia gracilis* Philpott, 1924 (Pyralidae) Synonym(s): *gracilis* Philpott, 1924
 66240) *Scoparia gymnopsis* Meyrick, 1899 (Pyralidae) Synonym(s): *gymnopsis* Meyrick, 1899
 66241) *Scoparia gyrotoma* Meyrick, 1909 (Pyralidae) Synonym(s): *gyrotoma* Meyrick, 1909; *repercuta* Philpott, 1929
 66242) *Scoparia halirrhoa* Meyrick, 1899 (Pyralidae) Synonym(s): *halirrhoa* Meyrick, 1899
 66243) *Scoparia halmaea* Meyrick, 1899 (Pyralidae) Synonym(s): *halmaea* Meyrick, 1899
 66244) *Scoparia halopis* Meyrick, 1909 (Pyralidae) Synonym(s): *halopis* Meyrick, 1909
 66245) *Scoparia harpalea* (Meyrick, 1885) (Pyralidae) Synonym(s): *harpalea* Meyrick, 1885
 66246) *Scoparia hawaiiensis* Butler, 1881 (Pyralidae) Synonym(s): *hawaiiensis* Butler, 1881
 66247) *Scoparia hemicycla* Meyrick, 1885 (Pyralidae) Synonym(s): *hemicycla* Meyrick, 1885
 66248) *Scoparia hemiplaca* Meyrick, 1889 (Pyralidae) Synonym(s): *hemiplaca* Meyrick, 1889
 66249) *Scoparia homala* Meyrick, 1884 (Pyralidae) Synonym(s): *homala* Meyrick, 1884
 66250) *Scoparia hypoxantha* Lower, 1896 (Pyralidae) Synonym(s): *hypoxantha* Lower, 1896
 66251) *Scoparia ianthes* Meyrick, 1899 (Pyralidae) Synonym(s): *ianthes* Meyrick, 1899
 66252) *Scoparia ichinosawana* Matsumura, 1925 (Pyralidae) Synonym(s): *ichinosawana* Matsumura, 1925
 66253) *Scoparia idiogama* Meyrick, 1935 (Pyralidae) Synonym(s): *idiogama* Meyrick, 1935
 66254) *Scoparia illota* Philpott, 1919 (Pyralidae) Synonym(s): *illota* Philpott, 1919
 66255) *Scoparia imparilis* Dyar, 1929 (Pyralidae) Synonym(s): *imparilis* Dyar, 1929
 66256) *Scoparia indistinctalis* (Walker, 1863) (Pyralidae) Synonym(s): *indistinctalis* Walker, 1863; *rakaiensis* Knaggs, 1867
 66257) *Scoparia inexistata* Dyar, 1929 (Pyralidae) Synonym(s): *inexistata* Dyar, 1929
 66258) *Scoparia ingratella* (Zeller, 1846) (Pyralidae) Synonym(s): *? majalis* Scopoli, 1763; *ingratella* Zeller, 1846; *ingratalis* Herrich-Schäffer, 1853; *sibirica* Lederer, 1853; *octavianella* Mann, 1859; *catalonica* Leraut, 1982
 66259) *Scoparia interlinealis* Warren, 1905 (Pyralidae) Synonym(s): *interlinealis* Warren, 1905; *pallidimarginalis* Warren, 1905
 66260) *Scoparia ischnias* Meyrick, 1888 (Pyralidae) Synonym(s): *ischnias* Meyrick, 1888
 66261) *Scoparia ischnoptera* Turner, 1922 (Pyralidae) Synonym(s): *ischnoptera* Turner, 1922
 66262) *Scoparia isochroalis* Hampson, 1907 (Pyralidae) Synonym(s): *isochroalis* Hampson, 1907
 66263) *Scoparia isoplaca* Meyrick, 1904 (Pyralidae) Synonym(s): *isoplaca* Meyrick, 1904
 66264) *Scoparia ithyntis* Turner, 1922 (Pyralidae) Synonym(s): *ithyntis* Turner, 1922
 66265) *Scoparia jonesalis* Dyar, 1915 (Pyralidae) Synonym(s): *jonesalis* Dyar, 1915
 66266) *Scoparia jucunda* Butler, 1881 (Pyralidae) Synonym(s): *jucunda* Butler, 1881
 66267) *Scoparia legionaria* Philpott, 1928 (Pyralidae) Synonym(s): *legionaria* Philpott, 1928
 66268) *Scoparia legnota* (Meyrick, 1885) (Pyralidae) Synonym(s): *legnota* Meyrick, 1885
 66269) *Scoparia leptalea* Meyrick, 1885 (Pyralidae) Synonym(s): *leptalea* Meyrick, 1885; *leptophaea* Meyrick, 1902
 66270) *Scoparia leucogramma* (Meyrick, 1885) (Pyralidae) Synonym(s): *leucogramma* Meyrick, 1885
 66271) *Scoparia leucomela* Lower, 1893 (Pyralidae) Synonym(s): *leucomela* Lower, 1893
 66272) *Scoparia leuconota* Lower, 1902 (Pyralidae) Synonym(s): *leuconota* Lower, 1902
 66273) *Scoparia leucopeplalis* (Hampson, 1900) (Pyralidae) Synonym(s): *leucopeplalis* Hampson, 1900
 66274) *Scoparia leucophthalma* Dyar, 1929 (Pyralidae) Synonym(s): *leucophthalma* Dyar, 1929
 66275) *Scoparia lichenopa* Lower, 1897 (Pyralidae) Synonym(s): *lichenopa* Lower, 1897
 66276) *Scoparia limatula* Philpott, 1930 (Pyralidae) Synonym(s): *limatula* Philpott, 1930
 66277) *Scoparia locularis* Meyrick, 1912 (Pyralidae) Synonym(s): *locularis* Meyrick, 1912
 66278) *Scoparia longipennis* Zeller, 1872 (Pyralidae) Synonym(s): *longipennis* Zeller, 1872
 66279) *Scoparia loxocentra* Meyrick, 1899 (Pyralidae) Synonym(s): *loxocentra* Meyrick, 1899
 66280) *Scoparia lugubralis* Walker, 1865 (Pyralidae) Synonym(s): *lugubralis* Walker, 1865
 66281) *Scoparia luminatrix* Meyrick, 1919 (Pyralidae) Synonym(s): *luminatrix* Meyrick, 1919
 66282) *Scoparia luteolaris* (Scopoli, 1772) (Pyralidae) Synonym(s): *luteolaris* Scopoli, 1772; *ochrealis* [Denis & Schiffermüller], 1775; *simplicella* Laharpe, 1861; *cremealis* Zerny, 1934.
 66283) *Scoparia luteolaris albescentalis* (Hampson, 1900) (Pyralidae) Synonym(s): *albescentalis* Hampson, 1900
 66284) *Scoparia luteolaris luteolaris* (Scopoli, 1772) (Pyralidae) Synonym(s): *luteolaris* Scopoli, 1772; *ochrealis* [Denis & Schiffermüller], 1775; *simplicella* Laharpe, 1861; *cremealis* Zerny, 1934.
 66285) *Scoparia luteusalis* Hampson, 1907 (Pyralidae) Synonym(s): *luteusalis* Hampson, 1907; *versicolorella* Rebel, 1940.
 66286) *Scoparia lychnophanes* Meyrick, 1927 (Pyralidae) Synonym(s): *lychnophanes* Meyrick, 1927
 66287) *Scoparia lycopodiae* Swezey, 1910 (Pyralidae) Synonym(s): *lycopodiae* Swezey, 1910
 66288) *Scoparia macrophanes* Meyrick, 1888 (Pyralidae) Synonym(s): *macrophanes* Meyrick, 1888
 66289) *Scoparia mandschurica* Christoph, 1881 (Pyralidae) Synonym(s): *mandschurica* Christoph, 1881
 66290) *Scoparia manganeutis* Meyrick, 1885 (Pyralidae) Synonym(s): *manganeutis* Meyrick, 1885
 66291) *Scoparia manifestella* (Herrich-Schäffer, 1848) (Pyralidae) Synonym(s): *manifestella* Herrich-Schäffer, 1848; *fasciata* Turati, 1919; *ticinensis* Müller-Rutz, 1920; *laserella* Thurner, 1958; *marioni* Viette, 1965
 66292) *Scoparia manifestella balcanica* Leraut, 1984 (Pyralidae) Synonym(s): *balcanica* Leraut, 1984
 66293) *Scoparia manifestella italica* Turati, 1919 (Pyralidae) Synonym(s): *italica* Turati, 1919; *meridionalis* Klimesch, 1951
 66294) *Scoparia manifestella manifestella* (Herrich-Schäffer, 1848) (Pyralidae) Synonym(s): *manifestella* Herrich-Schäffer, 1848; *fasciata* Turati, 1919; *ticinensis* Müller-Rutz, 1920; *laserella* Thurner, 1958; *marioni* Viette, 1965
 66295) *Scoparia marmarias* Meyrick, 1899 (Pyralidae) Synonym(s): *marmarias* Meyrick, 1899
 66296) *Scoparia medinella* Snellen, 1890 (Pyralidae) Synonym(s): *medinella* Snellen, 1890
 66297) *Scoparia mediorufalis* Hampson, 1896 (Pyralidae) Synonym(s): *mediorufalis* Hampson, 1896
 66298) *Scoparia melanaegis* Meyrick, 1885 (Pyralidae) Synonym(s): *melanaegis* Meyrick, 1885
 66299) *Scoparia melanocephala* Meyrick, 1899 (Pyralidae) Synonym(s): *melanocephala* Meyrick, 1899
 66300) *Scoparia melanographa* Hampson, 1907 (Pyralidae) Synonym(s): *melanographa* Hampson, 1907
 66301) *Scoparia melanopsis* Meyrick, 1888 (Pyralidae) Synonym(s): *melanopsis* Meyrick, 1888
 66302) *Scoparia melanoxantha* Turner, 1922 (Pyralidae) Synonym(s): *melanoxantha* Turner, 1922
 66303) *Scoparia meliturga* Meyrick, 1905 (Pyralidae) Synonym(s): *meliturga* Meyrick, 1905
 66304) *Scoparia mellichlora* Meyrick, 1899 (Pyralidae) Synonym(s): *mellichlora* Meyrick, 1899
 66305) *Scoparia meristis* Meyrick, 1899 (Pyralidae) Synonym(s): *meristis* Meyrick, 1899
 66306) *Scoparia mesogramma* Lower, 1900 (Pyralidae) Synonym(s): *mesogramma* Lower, 1900
 66307) *Scoparia mesoleuca* Meyrick, 1888 (Pyralidae) Synonym(s): *mesoleuca* Meyrick, 1888
 66308) *Scoparia metacrossa* Hampson, 1917 (Pyralidae) Synonym(s): *metacrossa* Hampson, 1917

- 66309) *Scoparia metaleucalis* Hampson, 1907 (Pyralidae) Synonym(s): *metaleucalis* Hampson, 1907
 66310) *Scoparia meyrickii* (Butler, 1882) (Pyralidae) Synonym(s): *meyrickii* Butler, 1882
 66311) *Scoparia miantis* Meyrick, 1899 (Pyralidae) Synonym(s): *miantis* Meyrick, 1899
 66312) *Scoparia microdentalis* Hampson, 1907 (Pyralidae) Synonym(s): *microdentalis* Hampson, 1907
 66313) *Scoparia microphthalma* Meyrick, 1885 (Pyralidae) Synonym(s): *microphthalma* Meyrick, 1885
 66314) *Scoparia minualis* Walker, 1865 (Pyralidae) Synonym(s): *minualis* Walker, 1865
 66315) *Scoparia minusculalis* Walker, 1865 (Pyralidae) Synonym(s): *minusculalis* Walker, 1865
 66316) *Scoparia molliculella* Dyar, 1929 (Pyralidae) Synonym(s): *molliculella* Dyar, 1929
 66317) *Scoparia mollifera* Meyrick, 1926 (Pyralidae) Synonym(s): *mollifera* Meyrick, 1926
 66318) *Scoparia multifacies* Dyar, 1929 (Pyralidae) Synonym(s): *multifacies* Dyar, 1929
 66319) *Scoparia murificalis* Walker, 1859 (Pyralidae) Synonym(s): *murificalis* Walker, 1859; *truncicolella* Butler, 1899 nec Sitt., 1849
 66320) *Scoparia nectarias* Meyrick, 1899 (Pyralidae) Synonym(s): *nectarias* Meyrick, 1899
 66321) *Scoparia nectarioides* Swezey, 1912 (Pyralidae) Synonym(s): *nectarioides* Swezey, 1912
 66322) *Scoparia nephelitis* (Meyrick, 1887) (Pyralidae) Synonym(s): *nephelitis* Meyrick, 1887
 66323) *Scoparia niphetodes* Turner, 1931 (Pyralidae) Synonym(s): *niphedodes* Turner, 1931
 66324) *Scoparia niphosphora* (Meyrick, 1885) (Pyralidae) Synonym(s): *niphosphora* Meyrick, 1885
 66325) *Scoparia nomeutis* Meyrick, 1885 (Pyralidae) Synonym(s): *nomeutis* Meyrick, 1885
 66326) *Scoparia nominatalis* Hulst, 1886 (Pyralidae) Synonym(s): *nominatalis* Hulst, 1886; *spaldingalis* Barnes & McDunnough, 1912
 66327) *Scoparia normalis* Dyar, 1904 (Pyralidae) Synonym(s): *normalis* Dyar, 1904
 66328) *Scoparia nugalalis* Snellen, 1880 (Pyralidae) Synonym(s): *nugalalis* Snellen, 1880
 66329) *Scoparia nyctombra* Meyrick, 1899 (Pyralidae) Synonym(s): *nyctombra* Meyrick, 1899
 66330) *Scoparia objurgalis* Guenée, 1854 (Pyralidae) Synonym(s): *objurgalis* Guenée, 1854
 66331) *Scoparia obsoleta* Staudinger, 1879 (Pyralidae) Synonym(s): *obsoleta* Staudinger, 1879; *berytella* Rebel, 1911; *syriaca* Caradja, 1917; *coprista* Meyrick, 1936; *unicornutella* Amsel, 1958
 66332) *Scoparia ochratalis* Hampson, 1903 (Pyralidae) Synonym(s): *ochratalis* Hampson, 1903
 66333) *Scoparia ochrophora* Turner, 1915 (Pyralidae) Synonym(s): *ochrophora* Turner, 1915
 66334) *Scoparia octophora* Meyrick, 1885 (Pyralidae) Synonym(s): *octophora* Meyrick, 1885
 66335) *Scoparia oculata* Philpott, 1927 (Pyralidae) Synonym(s): *oculata* Philpott, 1927
 66336) *Scoparia oenopis* Meyrick, 1899 (Pyralidae) Synonym(s): *oenopis* Meyrick, 1899
 66337) *Scoparia officialis* Meyrick, 1929 (Pyralidae) Synonym(s): *officialis* Meyrick, 1929
 66338) *Scoparia olivaris* Hampson, 1891 (Pyralidae) Synonym(s): *olivaris* Hampson, 1891
 66339) *Scoparia ombrodes* Meyrick, 1888 (Pyralidae) Synonym(s): *ombrodes* Meyrick, 1888
 66340) *Scoparia omichlopi* Meyrick, 1899 (Pyralidae) Synonym(s): *omichlopi* Meyrick, 1899
 66341) *Scoparia opostactis* Meyrick, 1929 (Pyralidae) Synonym(s): *opostactis* Meyrick, 1929
 66342) *Scoparia oreas* Meyrick, 1885 (Pyralidae) Synonym(s): *oreas* Meyrick, 1885
 66343) *Scoparia organea* Meyrick, 1901 (Pyralidae) Synonym(s): *organea* Meyrick, 1901
 66344) *Scoparia orthoria* Meyrick, 1899 (Pyralidae) Synonym(s): *orthoria* Meyrick, 1899
 66345) *Scoparia oxycampyla* (Turner, 1937) (Pyralidae) Synonym(s): *oxycampyla* Turner, 1937
 66346) *Scoparia oxygona* Meyrick, 1897 (Pyralidae) Synonym(s): *oxygona* Meyrick, 1897
 66347) *Scoparia oxythyma* Meyrick, 1899 (Pyralidae) Synonym(s): *oxythyma* Meyrick, 1899
 66348) *Scoparia pachyerga* Meyrick, 1927 (Pyralidae) Synonym(s): *pachyerga* Meyrick, 1927
 66349) *Scoparia pachysema* Meyrick, 1888 (Pyralidae) Synonym(s): *pachysema* Meyrick, 1888
 66350) *Scoparia pacificalis* Dyar, 1921 (Pyralidae) Synonym(s): *pacificalis* Dyar, 1921; *alaskalis* Barnes & Benjamin, 1922
 66351) *Scoparia pallidula* Philpott, 1928 (Pyralidae) Synonym(s): *pallidula* Philpott, 1928
 66352) *Scoparia paltomacha* Meyrick, 1885 (Pyralidae) Synonym(s): *paltomacha* Meyrick, 1885
 66353) *Scoparia panopla* Meyrick, 1885 (Pyralidae) Synonym(s): *panopla* Meyrick, 1885
 66354) *Scoparia parachalca* Meyrick, 1901 (Pyralidae) Synonym(s): *parachalca* Meyrick, 1901
 66355) *Scoparia parachlora* Meyrick, 1899 (Pyralidae) Synonym(s): *parachlora* Meyrick, 1899
 66356) *Scoparia paracycla* (Lower, 1902) (Pyralidae) Synonym(s): *paracycla* Lower, 1902
 66357) *Scoparia parca* Philpott, 1928 (Pyralidae) Synonym(s): *parca* Philpott, 1928
 66358) *Scoparia parmifera* Meyrick, 1909 (Pyralidae) Synonym(s): *parmifera* Meyrick, 1909
 66359) *Scoparia pascoella* Philpott, 1920 (Pyralidae) Synonym(s): *pascoella* Philpott, 1920
 66360) *Scoparia passalota* Meyrick, 1899 (Pyralidae) Synonym(s): *passalota* Meyrick, 1899
 66361) *Scoparia pediopola* (Turner, 1937) (Pyralidae) Synonym(s): *pediopola* Turner, 1937
 66362) *Scoparia pentaspila* Meyrick, 1899 (Pyralidae) Synonym(s): *pentaspila* Meyrick, 1899
 66363) *Scoparia penumbra* Dyar, 1906 (Pyralidae) Synonym(s): *penumbra* Dyar, 1906
 66364) *Scoparia perierga* Meyrick, 1884 (Pyralidae) Synonym(s): *perierga* Meyrick, 1884
 66365) *Scoparia periphanes* Meyrick, 1885 (Pyralidae) Synonym(s): *periphanes* Meyrick, 1885
 66366) *Scoparia peronetis* Meyrick, 1899 (Pyralidae) Synonym(s): *peronetis* Meyrick, 1899
 66367) *Scoparia perplexella* (Zeller, 1839) (Pyralidae) Synonym(s): *perplexella* Zeller, 1839; *perplexalis* Guenée, 1854
 66368) *Scoparia perplexella dufayi* Leraut, 1982 (Pyralidae) Synonym(s): *dufayi* Leraut, 1982
 66369) *Scoparia perplexella perplexella* (Zeller, 1839) (Pyralidae) Synonym(s): *perplexella* Zeller, 1839; *perplexalis* Guenée, 1854
 66370) *Scoparia petrina* (Meyrick, 1885) (Pyralidae) Synonym(s): *petrina* Meyrick, 1885
 66371) *Scoparia phaealis* Hampson, 1903 (Pyralidae) Synonym(s): *phaealis* Hampson, 1903
 66372) *Scoparia phalerias* Meyrick, 1905 (Pyralidae) Synonym(s): *phalerias* Meyrick, 1905
 66373) *Scoparia philerga* Meyrick, 1885 (Pyralidae) Synonym(s): *philerga* Meyrick, 1885
 66374) *Scoparia philetaera* Meyrick, 1885 (Pyralidae) Synonym(s): *philetaera* Meyrick, 1885
 66375) *Scoparia philonephes* (Meyrick, 1885) (Pyralidae) Synonym(s): *philonephes* Meyrick, 1885
 66376) *Scoparia philorhpha* Meyrick, 1929 (Pyralidae) Synonym(s): *philorhpha* Meyrick, 1929
 66377) *Scoparia phycitinalis* Dyar, 1929 (Pyralidae) Synonym(s): *phycitinalis* Dyar, 1929
 66378) *Scoparia plagiotis* Meyrick, 1887 (Pyralidae) Synonym(s): *plagiotis* Meyrick, 1887
 66379) *Scoparia platymera* Lower, 1905 (Pyralidae) Synonym(s): *platymera* Lower, 1905
 66380) *Scoparia platyscia* Meyrick, 1899 (Pyralidae) Synonym(s): *platyscia* Meyrick, 1899
 66381) *Scoparia poliophaealis* Hampson, 1907 (Pyralidae) Synonym(s): *poliophaealis* Hampson, 1907
 66382) *Scoparia pongalis* R. Felder & Rogenhofer, 1875 (Pyralidae) Synonym(s): *pongalis* R. Felder & Rogenhofer, 1875
 66383) *Scoparia probolaea* Meyrick, 1899 (Pyralidae) Synonym(s): *probolaea* Meyrick, 1899
 66384) *Scoparia promiscua* Wileman & South, 1919 (Pyralidae) Synonym(s): *promiscua* Wileman & South, 1919
 66385) *Scoparia protorthra* Meyrick, 1885 (Pyralidae) Synonym(s): *protorthra* Meyrick, 1885
 66386) *Scoparia psammitis* Meyrick, 1885 (Pyralidae) Synonym(s): *psammitis* Meyrick, 1885
 66387) *Scoparia psednopa* Meyrick, 1929 (Pyralidae) Synonym(s): *psednopa* Meyrick, 1929
 66388) *Scoparia pulveralis* Snellen, 1890 (Pyralidae) Synonym(s): *pulveralis* Snellen, 1890
 66389) *Scoparia pura* Philpott, 1924 (Pyralidae) Synonym(s): *pura* Philpott, 1924
 66390) *Scoparia pusilla* Dyar, 1914 (Pyralidae) Synonym(s): *pusilla* Dyar, 1914
 66391) *Scoparia pyralella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *pyralella* [Denis & Schiffermüller], 1775; *arundinata* Thunberg, 1792; *dubitalis* Hübner, 1796; *dubita* Haworth, 1811; *pyralea* Haworth, 1811; *dubitiellus* Zincken, 1817; *tristrigella* Stephens, 1834; *pyralalis* Guenée, 1854; *purbeckensis* Banks, 1889; *australis* Müller-Rutz, 1920; *vesubiella* Marion, 1976
 66392) *Scoparia pyrseutis* Meyrick, 1904 (Pyralidae) Synonym(s): *pyrseutis* Meyrick, 1904
 66393) *Scoparia quaeatoria* Meyrick, 1929 (Pyralidae) Synonym(s): *quaeatoria* Meyrick, 1929
 66394) *Scoparia ragonoti* (Butler, 1883) (Pyralidae) Synonym(s): *ragonoti* Butler, 1883
 66395) *Scoparia rectilinea* Zeller, 1874 (Pyralidae) Synonym(s): *rectilinea* Zeller, 1874; *refugalis* Hulst, 1886

- 66396) *Scoparia religiosa* Meyrick, 1904 (Pylalidae) Synonym(s): *religiosa* Meyrick, 1904
 66397) *Scoparia resinodes* Joannis, 1932 (Pylalidae) Synonym(s): *resinodes* Joannis, 1932
 66398) *Scoparia rhombias* Meyrick, 1899 (Pylalidae) Synonym(s): *rhombias* Meyrick, 1899
 66399) *Scoparia rigidalis* Barnes & McDunnough, 1912 (Pylalidae) Synonym(s): *rigidalis* Barnes & McDunnough, 1912
 66400) *Scoparia rotuella* (R.Felder & Rogenhofer, 1875) (Pylalidae) Synonym(s): *rotuella* R.Felder & Rogenhofer, 1875
 66401) *Scoparia rufostigma* Hampson, 1891 (Pylalidae) Synonym(s): *rufostigma* Hampson, 1891
 66402) *Scoparia sabulosella* (Walker, 1863) (Pylalidae) Synonym(s): *sabulosella* Walker, 1863
 66403) *Scoparia sachalinensis* Matsumura, 1925 (Pylalidae) Synonym(s): *sachalinensis* Matsumura, 1925
 66404) *Scoparia saerdabella* Osthelder, 1938 (Pylalidae) Synonym(s): *saerdabella* Osthelder, 1938; *hyrcanella* Toll, 1948
 66405) *Scoparia schwarzsali* Dyar, 1906 (Pylalidae) Synonym(s): *schwarzsali* Dyar, 1906
 66406) *Scoparia scripta* Philpott, 1918 (Pylalidae) Synonym(s): *scripta* Philpott, 1918
 66407) *Scoparia semiamplalis* Warren, 1905 (Pylalidae) Synonym(s): *semiamplalis* Warren, 1905
 66408) *Scoparia sideraspis* Meyrick, 1905 (Pylalidae) Synonym(s): *sideraspis* Meyrick, 1905
 66409) *Scoparia siderina* Meyrick, 1899 (Pylalidae) Synonym(s): *siderina* Meyrick, 1899
 66410) *Scoparia sinuata* Philpott, 1930 (Pylalidae) Synonym(s): *sinuata* Philpott, 1930
 66411) *Scoparia spectacularis* Meyrick, 1929 (Pylalidae) Synonym(s): *spectacularis* Meyrick, 1929
 66412) *Scoparia spelaea* Meyrick, 1884 (Pylalidae) Synonym(s): *spelaea* Meyrick, 1884; *pusilla* Rosenstock, 1885
 66413) *Scoparia staudingeri* (Mabille, 1869) (Pylalidae) Synonym(s): *staudingeri* Mabille, 1869; *nevadalis* Caradja, 1917; *fuscularis* Amsel, 1936
 66414) *Scoparia stenopa* Lower, 1905 (Pylalidae) Synonym(s): *stenopa* Lower, 1905
 66415) *Scoparia stenota* Wollaston, 1858 (Pylalidae) Synonym(s): *stenota* Wollaston, 1858; *decorella* Stainton, 1859
 66416) *Scoparia stereostigma* Dyar, 1918 (Pylalidae) Synonym(s): *stereostigma* Dyar, 1918
 66417) *Scoparia steropaea* Meyrick, 1885 (Pylalidae) Synonym(s): *steropaea* Meyrick, 1885
 66418) *Scoparia straminealis* Hampson, 1903 (Pylalidae) Synonym(s): *straminealis* Hampson, 1903
 66419) *Scoparia striatalis* (Hampson, 1907) (Pylalidae) Synonym(s): *striatalis* Hampson, 1907
 66420) *Scoparia strigalis* Dyar, 1906 (Pylalidae) Synonym(s): *strigalis* Dyar, 1906
 66421) *Scoparia strigigramma* Hampson, 1917 (Pylalidae) Synonym(s): *strigigramma* Hampson, 1917
 66422) *Scoparia struthias* Meyrick, 1899 (Pylalidae) Synonym(s): *struthias* Meyrick, 1899
 66423) *Scoparia stötzneri* Caradja, 1927 (Pylalidae) Synonym(s): *stötzneri* Caradja, 1927
 66424) *Scoparia subditella* (Walker, 1866) (Pylalidae) Synonym(s): *subditella* Walker, 1866
 66425) *Scoparia subfusca* Haworth, [1811] (Pylalidae) Synonym(s): *subfusca* Haworth, [1811]; *gracella* Stainton, 1849; *subfuscalis* Guenée, 1854; *scotica* White, 1872; *cembrae* auct. nec Haworth, 1811; *cembrae* auct. nec Gn., 1854; *#sugfusca* Leraut, 1984
 66426) *Scoparia subfusca anatolica* Caradja, 1917 (Pylalidae) Synonym(s): *anatolica* Caradja, 1917
 66427) *Scoparia subfusca bicornutella* Amsel, 1953 (Pylalidae) Synonym(s): *bicornutella* Amsel, 1953
 66428) *Scoparia subfusca subfusca* Haworth, [1811] (Pylalidae) Synonym(s): *subfusca* Haworth, [1811]; *gracella* Stainton, 1849; *subfuscalis* Guenée, 1854; *scotica* White, 1872; *cembrae* auct. nec Haworth, 1811; *cembrae* auct. nec Gn., 1854; *#sugfusca* Leraut, 1984
 66429) *Scoparia subfusca zelleri* (Wocke, 1855) (Pylalidae) Synonym(s): *zelleri* Wocke, 1855; *pfeifferi* Marion, 1960
 66430) *Scoparia subita* (Philpott, 1911) (Pylalidae) Synonym(s): *subita* Philpott, 1911
 66431) *Scoparia submarginalis* Walker, 1863 (Pylalidae) Synonym(s): *submarginalis* Walker, 1863
 66432) *Scoparia submedinella* Caradja, 1927 (Pylalidae) Synonym(s): *submedinella* Caradja, 1927
 66433) *Scoparia subtersa* Dyar, 1929 (Pylalidae) Synonym(s): *subtersa* Dyar, 1929
 66434) *Scoparia susanae* Lower, 1900 (Pylalidae) Synonym(s): *susanae* Lower, 1900
 66435) *Scoparia sylvestris* Clarke, 1928 (Pylalidae) Synonym(s): *sylvestris* Clarke, 1928
 66436) *Scoparia synapta* Meyrick, 1884 (Pylalidae) Synonym(s): *synapta* Meyrick, 1884
 66437) *Scoparia syntaracta* Meyrick, 1884 (Pylalidae) Synonym(s): *syntaracta* Meyrick, 1884
 66438) *Scoparia tafirella* Chrétien, 1908 (Pylalidae) Synonym(s): *tafirella* Chrétien, 1908
 66439) *Scoparia talboti* Schmidt, 1934 (Pylalidae) Synonym(s): *talboti* Schmidt, 1934
 66440) *Scoparia tersella* Zeller, 1872 (Pylalidae) Synonym(s): *tersella* Zeller, 1872
 66441) *Scoparia tetracycla* Meyrick, 1885 (Pylalidae) Synonym(s): *tetracycla* Meyrick, 1885
 66442) *Scoparia tetranesa* Meyrick, 1899 (Pylalidae) Synonym(s): *tetranesa* Meyrick, 1899
 66443) *Scoparia thalamias* Meyrick, 1899 (Pylalidae) Synonym(s): *thalamias* Meyrick, 1899
 66444) *Scoparia threnodes* Meyrick, 1887 (Pylalidae) Synonym(s): *threnodes* Meyrick, 1887
 66445) *Scoparia thyellopis* Meyrick, 1899 (Pylalidae) Synonym(s): *thyellopis* Meyrick, 1899
 66446) *Scoparia thyridias* Meyrick, 1905 (Pylalidae) Synonym(s): *thyridias* Meyrick, 1905
 66447) *Scoparia thyropania* Meyrick, 1932 (Pylalidae) Synonym(s): *thyropania* Meyrick, 1932
 66448) *Scoparia torniplagalalis* Dyar, 1906 (Pylalidae) Synonym(s): *torniplagalalis* Dyar, 1906
 66449) *Scoparia torodes* Meyrick, 1901 (Pylalidae) Synonym(s): *torodes* Meyrick, 1901
 66450) *Scoparia trapezophora* Meyrick, 1885 (Pylalidae) Synonym(s): *trapezophora* Meyrick, 1885
 66451) *Scoparia triacma* Meyrick, 1899 (Pylalidae) Synonym(s): *triacma* Meyrick, 1899
 66452) *Scoparia tricitra* Meyrick, 1930 (Pylalidae) Synonym(s): *tricitra* Meyrick, 1930
 66453) *Scoparia triclera* Meyrick, 1905 (Pylalidae) Synonym(s): *triclera* Meyrick, 1905
 66454) *Scoparia tricolor* Zeller, 1872 (Pylalidae) Synonym(s): *tricolor* Zeller, 1872
 66455) *Scoparia tricoloralis* Dyar, 1904 (Pylalidae) Synonym(s): *tricoloralis* Dyar, 1904; *rufitinctalis* Hampson, 1907
 66456) *Scoparia triscelis* Meyrick, 1909 (Pylalidae) Synonym(s): *triscelis* Meyrick, 1909
 66457) *Scoparia tristicta* Turner, 1922 (Pylalidae) Synonym(s): *tristicta* Turner, 1922
 66458) *Scoparia tritocirra* Turner, 1918 (Pylalidae) Synonym(s): *tritocirra* Turner, 1918
 66459) *Scoparia trivirgata* (R.Felder & Rogenhofer, 1875) (Pylalidae) Synonym(s): *trivirgata* R.Felder & Rogenhofer, 1875
 66460) *Scoparia truncatalis* McDunnough, 1922 (Pylalidae) Synonym(s): *truncatalis* McDunnough, 1922
 66461) *Scoparia tuicana* Clarke, 1926 (Pylalidae) Synonym(s): *tuicana* Clarke, 1926
 66462) *Scoparia turneri* Philpott, 1928 (Pylalidae) Synonym(s): *turneri* Philpott, 1928
 66463) *Scoparia tyraula* Meyrick, 1899 (Pylalidae) Synonym(s): *tyraula* Meyrick, 1899
 66464) *Scoparia ulmaya* Dyar, 1929 (Pylalidae) Synonym(s): *ulmaya* Dyar, 1929
 66465) *Scoparia ustimacula* R.Felder & Rogenhofer, 1875 (Pylalidae) Synonym(s): *ustimacula* R.Felder & Rogenhofer, 1875; *confifera* Butler, 1879
 66466) *Scoparia ustiramis* Meyrick, 1931 (Pylalidae) Synonym(s): *ustiramis* Meyrick, 1931
 66467) *Scoparia venosa* Butler, 1881 (Pylalidae) Synonym(s): *venosa* Butler, 1881
 66468) *Scoparia vinasalis* Dyar, 1929 (Pylalidae) Synonym(s): *vinasalis* Dyar, 1929
 66469) *Scoparia vinotinctalis* Hampson, 1896 (Pylalidae) Synonym(s): *vinotinctalis* Hampson, 1896
 66470) *Scoparia vulpecula* Meyrick, 1896 (Pylalidae) Synonym(s): *vulpecula* Meyrick, 1896
 66471) *Scoparia wollastoni* Bethune-Baker, 1894 (Pylalidae) Synonym(s): *wollastoni* Bethune-Baker, 1894
 66472) *Scoparia x-signata* Filipjev, 1927 (Pylalidae) Synonym(s): *x-signata* Filipjev, 1927
 66473) *Scoparia xanthomelas* Joannis, 1929 (Pylalidae) Synonym(s): *xanthomelas* Joannis, 1929
 66474) *Scoparia xysmatias* Meyrick, 1907 (Pylalidae) Synonym(s): *xysmatias* Meyrick, 1907
 66475) *Scoparia yearda* Dyar, 1929 (Pylalidae) Synonym(s): *yearda* Dyar, 1929
 66476) *Scoparia zophochlaena* Meyrick, 1923 (Pylalidae) Synonym(s): *zophochlaena* Meyrick, 1923
 66477) *Scoparia zophochlora* Meyrick, 1899 (Pylalidae) Synonym(s): *zophochlora* Meyrick, 1899
 66478) *Scotomera tacapealis* (Ragonot, 1891) (Pylalidae) Synonym(s): *tacapealis* Ragonot, 1891
 66479) *Scotomera tristis* Butler, 1881 (Pylalidae) Synonym(s): *tristis* Butler, 1881
 66480) *Scotomerodes syriacalis* Ragonot, 1895 (Pylalidae) Synonym(s): *syriacalis* Ragonot, 1895
 66481) *Scotomerodes syriacalis oranalis* Zerny (Pylalidae) Synonym(s):
 66482) *Sebrus absconditus* Bassi, 1995 (Pylalidae) Synonym(s): *absconditus* Bassi, 1995
 66483) *Sebrus amandus* Bleszynski, 1970 (Pylalidae) Synonym(s): *amandus* Bleszynski, 1970

- 66484) *Sebrus pseudosparsellus* (Bleszynski,1961) (Pyralidae) Synonym(s): *pseudosparsellus* Bleszynski,1961; #*pseudoparsellus* Bleszynski & Collins,1962
66485) *Sedenia achroa* Lower,1902 (Pyralidae) Synonym(s): *achroa* Lower,1902; *leucopepla* Turner,1905
66486) *Sedenia aspasta* Meyrick,1887 (Pyralidae) Synonym(s): *aspasta* Meyrick,1887
66487) *Sedenia atacta* (Turner,1942) (Pyralidae) Synonym(s): *atacta* Turner,1942
66488) *Sedenia cervicalis* Guenée,1854 (Pyralidae) Synonym(s): *cervicalis* Guenée,1854; *itonusalis* Walker,1859; *pictoalis* Walker,1859
66489) *Sedenia erythrura* Lower,1893 (Pyralidae) Synonym(s): *erythrura* Lower,1893
66490) *Sedenia leucogramma* Turner,1937 (Pyralidae) Synonym(s): *leucogramma* Turner,1937
66491) *Sedenia mesochorda* Turner,1917 (Pyralidae) Synonym(s): *mesochorda* Turner,1917
66492) *Sedenia polydesma* Lower,1900 (Pyralidae) Synonym(s): *polydesma* Lower,1900
66493) *Sedenia rupalis* Guenée,1854 (Pyralidae) Synonym(s): *rupalis* Guenée,1854
66494) *Sedenia xeroscopa* Lower,1900 (Pyralidae) Synonym(s): *xeroscopa* Lower,1900
66495) *Seeboldia korgosella* Ragonot,1887 (Pyralidae) Synonym(s): *korgosella* Ragonot,1887; *uralskella* Caradja,1910.
66496) *Seeboldia korgosella korgosella* Ragonot,1887 (Pyralidae) Synonym(s): *korgosella* Ragonot,1887; *uralskella* Caradja,1910.
66497) *Seeboldia fusciorhella* Zerny,1927 (Pyralidae) Synonym(s): *occidentella* Zerny,1927
66498) *Sefidia clasperella* Asselbergs,1994 (Pyralidae) Synonym(s): *clasperella* Asselbergs,1994
66499) *Sefidia persica* Amsel,1950 (Pyralidae) Synonym(s): *persica* Amsel,1950
66500) *Selagia argyrella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *argyrella* ([Denis & Schiffermüller],1775; *janthinella* Hübner,[1813].
66501) *Selagia argyrella argyrella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *argyrella* ([Denis & Schiffermüller],1775; *janthinella* Hübner,[1813].
66502) *Selagia argyrella declaratella* Zerny,1927 (Pyralidae) Synonym(s): *declaratella* Zerny,1927
66503) *Selagia argyrella saltuella* Mann,1862 (Pyralidae) Synonym(s): *saltuella* Mann,1862
66504) *Selagia dissimilella* Ragonot,1887 (Pyralidae) Synonym(s): *dissimilella* Ragonot,1887
66505) *Selagia fusciorubra* Riel,1928 (Pyralidae) Synonym(s): *fusciorubra* Riel,1928
66506) *Selagia jolanelle* Schmidt,1934 (Pyralidae) Synonym(s): *jolanelle* Schmidt,1934
66507) *Selagia spadicella* (Hübner,1796) (Pyralidae) Synonym(s): *spadicella* Hübner,1796
66508) *Selagia subochrella* (Herrich-Schäffer,1849) (Pyralidae) Synonym(s): *subochrella* Herrich-Schäffer,1849
66509) *Selagia uralensis* Rebel,1910 (Pyralidae) Synonym(s): *uralensis* Rebel,1910
66510) *Selagia zernyi* Toll,1942 (Pyralidae) Synonym(s): *zernyi* Toll,1942
66511) *Seleucia karsholti* Vives Moreno,1995 (Pyralidae) Synonym(s): *karsholti* Vives Moreno,1995
66512) *Seleucia pectinella* (Chrétien,1911) (Pyralidae) Synonym(s): *pectinella* Chrétien,1911
66513) *Seleucia semiroseella* Ragonot,1887 (Pyralidae) Synonym(s): *semiroseella* Ragonot,1887
66514) *Sematoneura africana* Balinsky,1994 (Pyralidae) Synonym(s): *africana* Balinsky,1994
66515) *Sematoneura africana africana* Balinsky,1994 (Pyralidae) Synonym(s): *africana* Balinsky,1994
66516) *Semioceros gratalis* (Lederer,1863) (Pyralidae) Synonym(s): *gratalis* Lederer,1863
66517) *Semniomima anubisalis* (Schaus,1934) (Pyralidae) Synonym(s): *anubisalis* Schaus,1934
66518) *Semniomima astrigalis* (Dognin,1906) (Pyralidae) Synonym(s): *astrigalis* Dognin,1906
66519) *Semniomima auranticeps* (Hampson,1913) (Pyralidae) Synonym(s): *auranticeps* Hampson,1913
66520) *Semniomima clarissalis* (Schaus,1920) (Pyralidae) Synonym(s): *clarissalis* Schaus,1920
66521) *Semniomima flavipes* (Burmeister,1878) (Pyralidae) Synonym(s): *flavipes* Burmeister,1878
66522) *Semniomima fuscivenalis* (Schaus,1920) (Pyralidae) Synonym(s): *fuscivenalis* Schaus,1920
66523) *Semniomima josialis* (Hampson,1918) (Pyralidae) Synonym(s): *josialis* Hampson,1918
66524) *Semniomima ligatalis* (Druce,1895) (Pyralidae) Synonym(s): *ligatalis* Druce,1895
66525) *Semniomima mediana* Schaus,1904 (Pyralidae) Synonym(s): *mediana* Schaus,1904
66526) *Semniomima mesozonalis* (Hampson,1913) (Pyralidae) Synonym(s): *mesozonalis* Hampson,1913
66527) *Semniomima peruensis* (Capps,1967) (Pyralidae) Synonym(s): *peruensis* Capps,1967
66528) *Semniomima polypaetalis* (Schaus,1920) (Pyralidae) Synonym(s): *polypaetalis* Schaus,1920
66529) *Semniomima polystrigalis* (Hampson,1898) (Pyralidae) Synonym(s): *polystrigalis* Hampson,1898
66530) *Semniomima puella* (Walker,1856) (Pyralidae) Synonym(s): *puella* Walker,1856
66531) *Semniomima tristigalis* (Hampson,1913) (Pyralidae) Synonym(s): *tristigalis* Hampson,1913
66532) *Sempronia stygella* Ragonot,1888 (Pyralidae) Synonym(s): *stygella* Ragonot,1888
66533) *Sengania rüchmekorfi* Amsel,1951 (Pyralidae) Synonym(s): *rüchmekorfi* Amsel,1951
66534) *Sericocrambus stylatus* Wallengren,1868 (Pyralidae) Synonym(s): *stylatus* Wallengren,1868
66535) *Sericophylla nivalis* Turner,1937 (Pyralidae) Synonym(s): *nivalis* Turner,1937
66536) *Sericoplaga externalis* W.Warren,1892 (Pyralidae) Synonym(s): *externalis* W.Warren,1892; *macluriae* C.V.Riley,1893
66537) *Serrulacera serraticornella* (Zeller,1839) (Pyralidae) Synonym(s): *serraticornella* Zeller,1839; *gregella* Eversmann,1844.
66538) *Shebania grandis* Balinsky,1991 (Pyralidae) Synonym(s): *grandis* Balinsky,1991
66539) *Shebania grandis grandis* Balinsky,1991 (Pyralidae) Synonym(s): *grandis* Balinsky,1991
66540) *Shebania maculata* Balinsky,1991 (Pyralidae) Synonym(s): *maculata* Balinsky,1991
66541) *Shebania maculata maculata* Balinsky,1991 (Pyralidae) Synonym(s): *maculata* Balinsky,1991
66542) *Siamusotima aranea* Solis & Yen,2005 (Pyralidae) Synonym(s): *aranea* Solis & Yen,2005
66543) *Sindris magnifica* Jordan,1904 (Pyralidae) Synonym(s): *magnifica* Jordan,1904
66544) *Sindris sganzini* Boisduval,1833 (Pyralidae) Synonym(s): *sganzini* Boisduval,1833; #*sganzilla* Guenée,1852
66545) *Singhaliella simplicipalpis* (Strand,1920) (Pyralidae) Synonym(s): *simplicipalpis* Strand,1920
66546) *Sisyrophora pfeifferae* Lederer,1863 (Pyralidae) Synonym(s): *pfeifferae* Lederer,1863; *elwestialis* Snellen,1890
66547) *Sitochroa aureolalis* (Hulst,1886) (Pyralidae) Synonym(s): *aureolalis* Hulst,1886; *cyralis* Druce,1895
66548) *Sitochroa concoloralis* (Lederer,1857) (Pyralidae) Synonym(s): *concoloralis* Lederer,1857
66549) *Sitochroa dasconalis* (Walker,1859) (Pyralidae) Synonym(s): *dasconalis* Walker,1859
66550) *Sitochroa palealis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): ? *flaveolata* Hufnagel,1767; *palealis* [Denis & Schiffermüller],1775; *stigmatalis* Villers,1789; *selenalis* Hübner,[1819]
66551) *Sitochroa verticalis* (Linnaeus,1758) (Pyralidae) Synonym(s): *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829
66552) *Sparagmia melliculalis* Lederer,1863 (Pyralidae) Synonym(s): *melliculalis* Lederer,1863
66553) *Spatulipalpia effosella* Ragonot,1893 (Pyralidae) Synonym(s): *effosella* Ragonot,1893
66554) *Spatulipalpia macropalpa* Roesler & Küppers,1979 (Pyralidae) Synonym(s): *macropalpa* Roesler & Küppers,1979
66555) *Spatulipalpia monstrosa* Balinsky,1994 (Pyralidae) Synonym(s): *monstrosa* Balinsky,1994
66556) *Spatulipalpia palliostalis* (Walker,1863) (Pyralidae) Synonym(s): *palliostalis* Walker,1863
66557) *Spatulipalpia shiva* Roesler & Küppers,1979 (Pyralidae) Synonym(s): *shiva* Roesler & Küppers,1979
66558) *Spatulipalpia* sp.A (Pyralidae) Synonym(s):
66559) *Spectrotrota fimbrialis* Warren,1891 (Pyralidae) Synonym(s): *fimbrialis* Warren,1891
66560) *Sphaerodetis psammoleuca* Meyrick,1933 (Pyralidae) Synonym(s): *psammoleuca* Meyrick,1933
66561) *Sphinctocera crassisquama* W.Warren,1897 (Pyralidae) Synonym(s): *crassisquama* W.Warren,1897
66562) *Sphinctocera crassisquama crassisquama* W.Warren,1897 (Pyralidae) Synonym(s): *crassisquama* W.Warren,1897
66563) *Spoladea recurvalis* (Fabricius,1775) (Pyralidae) Synonym(s): *recurvalis* Fabricius,1775; *fascialis* Cramer,[1782]; *recurvella* Zincken,1818; *diffascialis* Hübner,[1825]; *albifacialis* Boisduval,1833; *animalis* Guenée,1854; *exodias* Meyrick,1904; *formosana* Shiraki,1913.
66564) *Stanempista schawerdae* (Zerny,1927) (Pyralidae) Synonym(s): *schawerdae* Zerny,1927
66565) *Statina albivenella* Janse,1922 (Pyralidae) Synonym(s): *albivenella* Janse,1922
66566) *Staudingera (Homoeograptia) bulganella* (Roesler,1970) (Pyralidae) Synonym(s): *bulganella* Roesler,1970
66567) *Staudingera (Homoeograptia) spectrifasciella* (Ragonot,1887) (Pyralidae) Synonym(s): *spectrifasciella* Ragonot,1887
66568) *Staudingera* (s.str.) *ancylopsisidis* Roesler,1970 (Pyralidae) Synonym(s): *ancylopsisidis* Roesler,1970
66569) *Staudingera* (s.str.) *aspilatella* (Ragonot,1887) (Pyralidae) Synonym(s): *aspilatella* Ragonot,1887; *simplicella* Chrétien,1910; *calligonella* Dumont,1926.

- 66570) *Staudingeria* (s.str.) *bicolorella* Roesler,1973 (Pyralidae) Synonym(s): *bicolorella* Roesler,1973
66571) *Staudingeria* (s.str.) *brunneella* Chrétien,1911 (Pyralidae) Synonym(s): *brunneella* Chrétien,1911
66572) *Staudingeria* (s.str.) *calcariella* Ragonot,1901 (Pyralidae) Synonym(s): *calcariella* Ragonot,1901
66573) *Staudingeria* (s.str.) *deserticola* (Staudinger,1870) (Pyralidae) Synonym(s): *deserticola* Staudinger,1870
66574) *Staudingeria* (s.str.) *eremicola* (Amsel,1935) (Pyralidae) Synonym(s): *eremicola* Amsel,1935; *#nigricella* Amsel,1959.
66575) *Staudingeria* (s.str.) *fuscovenella* (Ragonot,1887) (Pyralidae) Synonym(s): *fuscovenella* Ragonot,1887
66576) *Staudingeria* (s.str.) *gozmanyella* Roesler,1970 (Pyralidae) Synonym(s): *gozmanyella* Roesler,1970
66577) *Staudingeria* (s.str.) *holophaella* Rebel,1903 (Pyralidae) Synonym(s): *holophaella* Rebel,1903; *desertella* Lucas,1909; *holophaeella* Caradja,1910; *obscurior* Caradja,1910; *calcariellina* Rothschild,1913; *griseolella* Rothschild,1915.
66578) *Staudingeria* (s.str.) *kaszabi* Roesler,1970 (Pyralidae) Synonym(s): *kaszabi* Roesler,1970
66579) *Staudingeria* (s.str.) *khuzistanella* Amsel,1959 (Pyralidae) Synonym(s): *khuzistanella* Amsel,1959
66580) *Staudingeria* (s.str.) *khuzistanella benderella* Amsel,1961 (Pyralidae) Synonym(s): *benderella* Amsel,1961
66581) *Staudingeria* (s.str.) *magnifica* (Butler,1875) (Pyralidae) Synonym(s): *magnifica* Butler,1875
66582) *Staudingeria* (s.str.) *mimeugraphella* Balinsky,1989 (Pyralidae) Synonym(s): *mimeugraphella* Balinsky,1989
66583) *Staudingeria* (s.str.) *minimella* Lucas,1911 (Pyralidae) Synonym(s): *minimella* Lucas,1911
66584) *Staudingeria* (s.str.) *monella* Roesler,1973 (Pyralidae) Synonym(s): *monella* Roesler,1973
66585) *Staudingeria* (s.str.) *morbosella* (Staudinger,1879) (Pyralidae) Synonym(s): *morbosella* Staudinger,1879; *inderskyella* Caradja,1910; *cinnamomella* Rothschild,1915.
66586) *Staudingeria* (s.str.) *myosella* Ragonot,1901 (Pyralidae) Synonym(s): *myosella* Ragonot,1901
66587) *Staudingeria* (s.str.) *pamira* Filipjev,1931 (Pyralidae) Synonym(s): *pamira* Filipjev,1931
66588) *Staudingeria* (s.str.) *partitella* Ragonot,1887 (Pyralidae) Synonym(s): *partitella* Ragonot,1887; *adustella* Ragonot,1887; *fractifasciella* Ragonot,1890; *kebililla* Lucas,1909; *combustella* Chrétien,1910.
66589) *Staudingeria* (s.str.) *persicella* Amsel,1961 (Pyralidae) Synonym(s): *persicella* Amsel,1961
66590) *Staudingeria* (s.str.) *psammicola* Roesler,1970 (Pyralidae) Synonym(s): *psammicola* Roesler,1970
66591) *Staudingeria* (s.str.) *reginella* Roesler,1970 (Pyralidae) Synonym(s): *reginella* Roesler,1970
66592) *Staudingeria* (s.str.) *rubrocolorella* Roesler,1970 (Pyralidae) Synonym(s): *rubrocolorella* Roesler,1970
66593) *Staudingeria* (s.str.) *rufulella* Hartig,1936 (Pyralidae) Synonym(s): *rufulella* Hartig,1936
66594) *Staudingeria* (s.str.) *steppicola* (Caradja,1937) (Pyralidae) Synonym(s): *steppicola* Caradja,1937
66595) *Staudingeria* (s.str.) *suboblitella* (Ragonot,1888) (Pyralidae) Synonym(s): *suboblitella* Ragonot,1888; *unipunctella* Hampson,1896; *battella* Turati,1924.
66596) *Staudingeria* (s.str.) *unicolorella* Roesler,1970 (Pyralidae) Synonym(s): *unicolorella* Roesler,1970
66597) *Staudingeria* (s.str.) *versicolorella* Ragonot,1887 (Pyralidae) Synonym(s): *versicolorella* Ragonot,1887
66598) *Staudingeria* (s.str.) *yerburi* (Butler,1884) (Pyralidae) Synonym(s): *yerburi* Butler,1884; *labeculella* Ragonot,1887; *innotalis* Hampson,1899; *costalbella* Mabille,1906; *rubronervella* Mabille,1906; *pallidicostella* Chrétien,1910; *pruinosa* Chrétien,1911; *vinosparsella* Turati,1924; *ruehli* Gozmany,1959; *khuzistanella* Amsel,1959; *benderella* Amsel,1961
66599) *Stegothyris* *diagonalis* (Guenée,1854) (Pyralidae) Synonym(s): *diagonalis* Guenée,1854
66600) *Stegothyris* *fascicularis* (Zeller,1852) (Pyralidae) Synonym(s): *fascicularis* Zeller,1852
66601) *Stemmatophora* *bicincta* Joannis,1927 (Pyralidae) Synonym(s): *bicincta* Joannis,1927
66602) *Stemmatophora* *bicoloralis* (Leech,1889) (Pyralidae) Synonym(s): *bicoloralis* Leech,1889
66603) *Stemmatophora* *caesarealis* Ragonot,1891 (Pyralidae) Synonym(s): *caesarealis* Ragonot,1891
66604) *Stemmatophora* *centralis* Shibuya,1928 (Pyralidae) Synonym(s): *centralis* Shibuya,1928
66605) *Stemmatophora* *chloralis* Hampson,1927 (Pyralidae) Synonym(s): *chloralis* Hampson,1927
66606) *Stemmatophora* *combustalis* (Fischer v. Röslerstamm,[1842]) (Pyralidae) Synonym(s): *combustalis* Fischer v. Röslerstamm,[1842].
66607) *Stemmatophora* *depressalis* Walker,1862 (Pyralidae) Synonym(s): *depressalis* Walker,1862
66608) *Stemmatophora* *erebalis* Hampson,1917 (Pyralidae) Synonym(s): *erebalis* Hampson,1917
66609) *Stemmatophora* *flavicaput* Shibuya,1928 (Pyralidae) Synonym(s): *flavicaput* Shibuya,1928
66610) *Stemmatophora* *flavirubralis* Warren,1891 (Pyralidae) Synonym(s): *flavirubralis* Warren,1891
66611) *Stemmatophora* *fusciobasalis* (Snellen,1880) (Pyralidae) Synonym(s): *fusciobasalis* Snellen,1880
66612) *Stemmatophora* *gadesalis* (Ragonot,1882) (Pyralidae) Synonym(s): *gadesalis* Ragonot,1882
66613) *Stemmatophora* *hemicyclalis* Hampson,1917 (Pyralidae) Synonym(s): *hemicyclalis* Hampson,1917
66614) *Stemmatophora* *mushana* Shibuya,1928 (Pyralidae) Synonym(s): *mushana* Shibuya,1928
66615) *Stemmatophora* *oleagina* Warren,1891 (Pyralidae) Synonym(s): *oleagina* Warren,1891
66616) *Stemmatophora* *perrubralis* Hampson,1917 (Pyralidae) Synonym(s): *perrubralis* Hampson,1917
66617) *Stemmatophora* *schwingenschussi* Zerny,1939 (Pyralidae) Synonym(s): *schwingenschussi* Zerny,1939
66618) *Stemmatophora* *subustalis* Lederer,1853 (Pyralidae) Synonym(s): *subustalis* Lederer,1853
66619) *Stemmatophora* *vulpecalis* Ragonot,1891 (Pyralidae) Synonym(s): *vulpecalis* Ragonot,1891
66620) *Stemmatophora* *xanthozonalis* Hampson,1906 (Pyralidae) Synonym(s): *xanthozonalis* Hampson,1906
66621) *Stemorrhages* *amphitritalis* (Guenée,1854) (Pyralidae) Synonym(s): *amphitritalis* Guenée,1854; *amphitritalis* Walker,[1866] nec Guenée,1854.
66622) *Stemorrhages* *marthesiusalis* (Walker,1859) (Pyralidae) Synonym(s): *marthesiusalis* Walker,1859; *tritonias* Meyrick,1887; *neris* Meyrick,1887
66623) *Stemorrhages* *sericea* (Drury,1773) (Pyralidae) Synonym(s): *sericea* Drury,1773; *polita* Cramer,1779; *laterata* Fabricius,1794; *congradalis* Hübner,[1825]; *thalassinalis* Boisduval,1833; *beryllalis* Guenée,1854; *sericeolalis* Guenée,1863; *#beryllalis* Hampson,1898
66624) *Stenachroia* *elongella* Hampson,1898 (Pyralidae) Synonym(s): *elongella* Hampson,1898
66625) *Stenia* *charonialis* (Walker,[1866]) (Pyralidae) Synonym(s): *charonialis* Walker,[1866]
66626) *Stenia* *nigriscripta* (Swinhoe,1895) (Pyralidae) Synonym(s): *nigriscripta* Swinhoe,1895
66627) *Stenia* *spodinopa* (Meyrick,1894) (Pyralidae) Synonym(s): *spodinopa* Meyrick,1894
66628) *Stereobela* *leucomera* Turner,1905 (Pyralidae) Synonym(s): *leucomera* Turner,1905
66629) *Stericta* *aeruginosa* Lucas,1894 (Pyralidae) Synonym(s): *aeruginosa* Lucas,1894
66630) *Stericta* *atribasalis* Warren,1895 (Pyralidae) Synonym(s): *atribasalis* Warren,1895; *leucodesma* Lower,1896.
66631) *Stericta* *bryomima* (Turner,1913) (Pyralidae) Synonym(s): *bryomima* Turner,1913
66632) *Stericta* *carbonalis* (Guenée,1854) (Pyralidae) Synonym(s): *carbonalis* Guenée,1854; *costigeralis* Walker,1862; *gelechiella* Walker,1866; *inuncta* Lucas,1898
66633) *Stericta* *chlorophoea* (Turner,1913) (Pyralidae) Synonym(s): *chlorophoea* Turner,1913
66634) *Stericta* *concisella* (Walker,1866) (Pyralidae) Synonym(s): *concisella* Walker,1866; *rubroviridis* W.Warren,1895; *phaeopasta* Turner,1918.
66635) *Stericta* *divitalis* (Guenée,1854) (Pyralidae) Synonym(s): *divitalis* Guenée,1854
66636) *Stericta* *dochmoscia* (Turner,1905) (Pyralidae) Synonym(s): *dochmoscia* Turner,1905; *loxophaea* Turner,1937
66637) *Stericta* *haraldusalis* (Walker,1850) (Pyralidae) Synonym(s): *haraldusalis* Walker,1850
66638) *Stericta* *inconcisa* (Walker,1863) (Pyralidae) Synonym(s): *inconcisa* Walker,1863
66639) *Stericta* *mediovialis* (Hampson,1916) (Pyralidae) Synonym(s): *mediovialis* Hampson,1916
66640) *Stericta* *olivacea* (W.Warren,1891) (Pyralidae) Synonym(s): *olivacea* W.Warren,1891
66641) *Stericta* *orchidivora* (Turner,1904) (Pyralidae) Synonym(s): *orchidivora* Turner,1904
66642) *Stericta* *philobrya* (Turner,1937) (Pyralidae) Synonym(s): *philobrya* Turner,1937
66643) *Stericta* *prasina* W.Warren,1895 (Pyralidae) Synonym(s): *prasina* W.Warren,1895; *mnariaris* Turner,1905; *elaea* Hampson,1906; *chrysoclinalis* Hampson,1916.
66644) *Stiphrometasia* *monialis* (Erschoff,1871) (Pyralidae) Synonym(s): *monialis* Erschoff,1871
66645) *Stiphrometasia* *sancta* (Hampson,1900) (Pyralidae) Synonym(s): *sancta* Hampson,1900; *alba* Caradja,1917.
66646) *Strepsinoma* *albimaculalis* Rothschild,1915 (Pyralidae) Synonym(s): *albimaculalis* Rothschild,1915
66647) *Strepsinoma* *albiplagiatis* Rothschild,1915 (Pyralidae) Synonym(s): *albiplagiatis* Rothschild,1915
66648) *Strepsinoma* *amaura* Meyrick,1897 (Pyralidae) Synonym(s): *amaura* Meyrick,1897
66649) *Strepsinoma* *aulacodoidalis* Rothschild,1915 (Pyralidae) Synonym(s): *aulacodoidalis* Rothschild,1915
66650) *Strepsinoma* *croesusalis* (Walker,1859) (Pyralidae) Synonym(s): *croesusalis* Walker,1859; *trigonalis* Swinhoe,1895
66651) *Strepsinoma* *ectopalis* Hampson,1897 (Pyralidae) Synonym(s): *ectopalis* Hampson,1897

- 66652) *Strepsinoma foveata* Turner, 1937 (Pyrilidae) Synonym(s): *foveata* Turner, 1937
 66653) *Strepsinoma fuliginosa* Rothschild, 1915 (Pyrilidae) Synonym(s): *fuliginosa* Rothschild, 1915
 66654) *Strepsinoma grisealis* Rothschild, 1915 (Pyrilidae) Synonym(s): *grisealis* Rothschild, 1915
 66655) *Strepsinoma hapilistalis* (Strand, 1919) (Pyrilidae) Synonym(s): *hapilistalis* Strand, 1919
 66656) *Strepsinoma sphenactis* Meyrick, 1897 (Pyrilidae) Synonym(s): *sphenactis* Meyrick, 1897
 66657) *Styphlolepis agenor* Turner, 1915 (Pyrilidae) Synonym(s): *agenor* Turner, 1915
 66658) *Styphlolepis delopasta* Turner, 1942 (Pyrilidae) Synonym(s): *delopasta* Turner, 1942
 66659) *Styphlolepis erythrocosma* Turner, 1942 (Pyrilidae) Synonym(s): *erythrocosma* Turner, 1942
 66660) *Styphlolepis hypermegas* Turner, 1922 (Pyrilidae) Synonym(s): *hypermegas* Turner, 1922
 66661) *Styphlolepis leucosticta* Hampson, 1919 (Pyrilidae) Synonym(s): *leucosticta* Hampson, 1919
 66662) *Styphlolepis squamosalis* Hampson, 1896 (Pyrilidae) Synonym(s): *squamosalis* Hampson, 1896; *peribarys* Turner, 1922
 66663) *Styphlorachis mesophaea* Hampson, 1930 (Pyrilidae) Synonym(s): *mesophaea* Hampson, 1930
 66664) *Styphlorachis mesophaea mesophaea* Hampson, 1930 (Pyrilidae) Synonym(s): *mesophaea* Hampson, 1930
 66665) *Styxon ciniferalis* (Caradja, 1925) (Pyrilidae) Synonym(s): *ciniferalis* Caradja, 1925
 66666) *Succadana dilaticornis* (Walker, 1863) (Pyrilidae) Synonym(s): *dilaticornis* Walker, 1863
 66667) *Succadana falkneri* Roesler, 1983 (Pyrilidae) Synonym(s): *falkneri* Roesler, 1983
 66668) *Sudaniola remanella* Roesler, 1973 (Pyrilidae) Synonym(s): *remanella* Roesler, 1973
 66669) *Sufetula alychnopa* Turner, 1908 (Pyrilidae) Synonym(s): *alychnopa* Turner, 1908
 66670) *Sufetula chagosalis* (Fletcher, 1911) (Pyrilidae) Synonym(s): *chagosalis* Fletcher, 1911
 66671) *Sufetula choreutalis* (Snellen, 1880) (Pyrilidae) Synonym(s): *choreutalis* Snellen, 1880
 66672) *Sufetula hemiophthalma* (Meyrick, 1884) (Pyrilidae) Synonym(s): *hemiophthalma* Meyrick, 1884; *minuscule* Turner, 1937
 66673) *Sufetula macropalpia* Hampson, 1898 (Pyrilidae) Synonym(s): *macropalpia* Hampson, 1898
 66674) *Sufetula rectifascialis* Hampson, 1896 (Pyrilidae) Synonym(s): *rectifascialis* Hampson, 1896
 66675) *Sufetula sunidesalis* Walker, 1859 (Pyrilidae) Synonym(s): *sunidesalis* Walker, 1859; *albicans* Walker, 1863; *flexalis* Walker, 1863; *choreutalis* Snellen, 1880.
 66676) *Sultania lophotalis* (Hampson, 1900) (Pyrilidae) Synonym(s): *lophotalis* Hampson, 1900
 66677) *Surattha allostigmata* Rothschild, 1921 (Pyrilidae) Synonym(s): *allostigmata* Rothschild, 1921
 66678) *Surattha amselella* Bleszynski, 1965 (Pyrilidae) Synonym(s): *amselella* Bleszynski, 1965
 66679) *Surattha endoleuca* Hampson, 1919 (Pyrilidae) Synonym(s): *endoleuca* Hampson, 1919
 66680) *Surattha invectalis* (Walker, 1863) (Pyrilidae) Synonym(s): *invectalis* Walker, 1863; *thysbesalis* Walker, 1863
 66681) *Surattha lancerotella* (Rebel, 1892) (Pyrilidae) Synonym(s): *lancerotella* Rebel, 1892
 66682) *Surattha margherita* Bleszynski, 1965 (Pyrilidae) Synonym(s): *margherita* Bleszynski, 1965
 66683) *Surattha moghrebana* (D. Lucas, 1954) (Pyrilidae) Synonym(s): *moghrebana* D. Lucas, 1954
 66684) *Surattha nigrifascialis* (Walker, 1865) (Pyrilidae) Synonym(s): *nigrifascialis* Walker, 1865; *albirenella* Walker, 1866
 66685) *Surattha obeliscota* Meyrick, 1936 (Pyrilidae) Synonym(s): *obeliscota* Meyrick, 1936
 66686) *Surattha soudanensis* (Hampson, 1919) (Pyrilidae) Synonym(s): *soudanensis* Hampson, 1919
 66687) *Surattha soudanensis* Hampson, 1909 (Pyrilidae) Synonym(s): *soudanensis* Hampson, 1909
 66688) *Surattha soudanensis soudanensis* (Hampson, 1919) (Pyrilidae) Synonym(s): *soudanensis* Hampson, 1919
 66689) *Surattha strioliger* (Rothschild, 1913) (Pyrilidae) Synonym(s): *strioliger* Rothschild, 1913; *stroblei* Amsel, 1953
 66690) *Susia designella* (Amsel, 1955) (Pyrilidae) Synonym(s): *designella* Amsel, 1955
 66691) *Susia uberalis* (Swinhoe, 1884) (Pyrilidae) Synonym(s): *uberalis* Swinhoe, 1884; *bahrainalis* Amsel, 1968.
 66692) *Susia uberalis desertella* (Caradja, 1910) (Pyrilidae) Synonym(s): *desertella* Caradja, 1910; *fulvofasciata* Rothschild, 1915; *sahariensis* Rothschild, 1921; *#obscura* Turati, 1930; *cyrenaika* Turati, 1930.
 66693) *Susia uberalis discomaculella* Ragonot, 1888 (Pyrilidae) Synonym(s): *discomaculella* Ragonot, 1888
 66694) *Susia uberalis uberalis* (Swinhoe, 1884) (Pyrilidae) Synonym(s): *uberalis* Swinhoe, 1884; *bahrainalis* Amsel, 1968.
 66695) *Susumia daisensis* Shibuya, 1929 (Pyrilidae) Synonym(s): *daisensis* Shibuya, 1929
 66696) *Susumia exigua* (Butler, 1879) (Pyrilidae) Synonym(s): *exigua* Butler, 1879
 66697) *Susumia nawae* (Matsumura, 1920) (Pyrilidae) Synonym(s): *nawae* Matsumura, 1920; *admixtalis* Matsumura, 1920
 66698) *Sybrida discinota* Moore, 1866 (Pyrilidae) Synonym(s): *discinota* Moore, 1866
 66699) *Sybrida inordinata* Walker, [1866] (Pyrilidae) Synonym(s): *inordinata* Walker, [1866]
 66700) *Syllepte ageneta* Turner, 1908 (Pyrilidae) Synonym(s): *ageneta* Turner, 1908
 66701) *Syllepte butlerii* (Dewitz, 1881) (Pyrilidae) Synonym(s): *butlerii* Dewitz, 1881; *butleri* Klima, 1939
 66702) *Syllepte chalybifascia* Hampson, 1896 (Pyrilidae) Synonym(s): *chalybifascia* Hampson, 1896
 66703) *Syllepte commotes* Tams, 1935 (Pyrilidae) Synonym(s): *commotes* Tams, 1935
 66704) *Syllepte costalis* (Moore, 1888) (Pyrilidae) Synonym(s): *costalis* Moore, 1888
 66705) *Syllepte crotonalis* (Walker, 1859) (Pyrilidae) Synonym(s): *crotonalis* Walker, 1859
 66706) *Syllepte dificiens* (Moore, 1887) (Pyrilidae) Synonym(s): *dificiens* Moore, 1887
 66707) *Syllepte dissipatalis* (Lederer, 1863) (Pyrilidae) Synonym(s): *dissipatalis* Lederer, 1863
 66708) *Syllepte eriopisalis* (Walker, 1859) (Pyrilidae) Synonym(s): *eriopisalis* Walker, 1859; *atrigenalis* Warren, 1896
 66709) *Syllepte euryterminalis* Hampson, 1918 (Pyrilidae) Synonym(s): *euryterminalis* Hampson, 1918
 66710) *Syllepte haryoalis* Strand, 1918 (Pyrilidae) Synonym(s): *haryoalis* Strand, 1918
 66711) *Syllepte imbutalis taihokualis* Strand, 1918 (Pyrilidae) Synonym(s): *taihokualis* Strand, 1918
 66712) *Syllepte inferior* Hampson, 1898 (Pyrilidae) Synonym(s): *inferior* Hampson, 1898
 66713) *Syllepte iopasalis leopardalis* (Moore, 1888) (Pyrilidae) Synonym(s): *leopardalis* Moore, 1888
 66714) *Syllepte iophanes* (Meyrick, 1894) (Pyrilidae) Synonym(s): *iophanes* Meyrick, 1894
 66715) *Syllepte iridescens* (M. Hering, 1901) (Pyrilidae) Synonym(s): *iridescens* M. Hering, 1901
 66716) *Syllepte jopasalis* (Walker, 1859) (Pyrilidae) Synonym(s): *jopasalis* Walker, 1859
 66717) *Syllepte karenkonis* Shibuya, 1928 (Pyrilidae) Synonym(s): *karenkonis* Shibuya, 1928
 66718) *Syllepte leucodontia* Hampson, 1898 (Pyrilidae) Synonym(s): *leucodontia* Hampson, 1898; *limata* Lucas, 1898
 66719) *Syllepte luctuosalis* (Guenée, 1854) (Pyrilidae) Synonym(s): *luctuosalis* Guenée, 1854
 66720) *Syllepte lulalis* Strand, 1918 (Pyrilidae) Synonym(s): *lulalis* Strand, 1918
 66721) *Syllepte lulalis* (Guenée, 1854) (Pyrilidae) Synonym(s): *lulalis* Guenée, 1854
 66722) *Syllepte magna* (Butler, 1879) (Pyrilidae) Synonym(s): *magna* Butler, 1879
 66723) *Syllepte mesoleucalis* Hampson, 1898 (Pyrilidae) Synonym(s): *mesoleucalis* Hampson, 1898
 66724) *Syllepte multilinealis* (Guenée, 1854) (Pyrilidae) Synonym(s): *multilinealis* Guenée, 1854
 66725) *Syllepte mundalis* South, 1901 (Pyrilidae) Synonym(s): *mundalis* South, 1901
 66726) *Syllepte mysialis* (Walker, 1859) (Pyrilidae) Synonym(s): *mysialis* Walker, 1859; *#mysissalis* Hampson, 1899
 66727) *Syllepte nasonalis* Hampson, 1898 (Pyrilidae) Synonym(s): *nasonalis* Hampson, 1898
 66728) *Syllepte nigriscritpalis* (Warren, 1896) (Pyrilidae) Synonym(s): *nigriscritpalis* Warren, 1896; *paucinotalis* Warren, 1896
 66729) *Syllepte ochrotozona* Hampson, 1898 (Pyrilidae) Synonym(s): *ochrotozona* Hampson, 1898
 66730) *Syllepte orbiferalis* Hampson, 1898 (Pyrilidae) Synonym(s): *orbiferalis* Hampson, 1898
 66731) *Syllepte ovalis* (Walker, 1859) (Pyrilidae) Synonym(s): *ovalis* Walker, 1859; *cinnamomalis* Saalmüller, 1880
 66732) *Syllepte patagialis* (Zeller, 1852) (Pyrilidae) Synonym(s): *patagialis* Zeller, 1852; *pataginalis* Lederer, 1863; *undulalis* Pagenstecher, 1907
 66733) *Syllepte phaeopleura* Turner, 1922 (Pyrilidae) Synonym(s): *phaeopleura* Turner, 1922
 66734) *Syllepte phricosticha* Turner, 1908 (Pyrilidae) Synonym(s): *phricosticha* Turner, 1908
 66735) *Syllepte placophaea* Turner, 1915 (Pyrilidae) Synonym(s): *placophaea* Turner, 1915
 66736) *Syllepte plumifera* Hampson, 1898 (Pyrilidae) Synonym(s): *plumifera* Hampson, 1898
 66737) *Syllepte polycymalis* Hampson, 1912 (Pyrilidae) Synonym(s): *polycymalis* Hampson, 1912
 66738) *Syllepte polydonta* Hampson, 1898 (Pyrilidae) Synonym(s): *polydonta* Hampson, 1898
 66739) *Syllepte purpurascens* Hampson, 1899 (Pyrilidae) Synonym(s): *purpurascens* Hampson, 1899

- 66740) *Syllepte quadrimaculalis* (Kollar,1844) (Pyrilidae) Synonym(s): *quadrimaculalis* Kollar,1844
66741) *Syllepte ridopalis* (Swinhoe,1892) (Pyrilidae) Synonym(s): *ridopalis* Swinhoe,1892
66742) *Syllepte rogationis* Hampson,1918 (Pyrilidae) Synonym(s): *rogationis* Hampson,1918
66743) *Syllepte rubricetalis* (Snellen,1880) (Pyrilidae) Synonym(s): *rubricetalis* Snellen,1880
66744) *Syllepte sabinusalis* (Walker,1859) (Pyrilidae) Synonym(s): *sabinusalis* Walker,1859
66745) *Syllepte sellalis* (Guenée,1854) (Pyrilidae) Synonym(s): *sellalis* Guenée,1854
66746) *Syllepte straminea* (Butler,1875) (Pyrilidae) Synonym(s): *straminea* Butler,1875
66747) *Syllepte subaenescens* (Warren,1896) (Pyrilidae) Synonym(s): *subaenescens* Warren,1896
66748) *Syllepte taiwanalis* Shibuya,1928 (Pyrilidae) Synonym(s): *taiwanalis* Shibuya,1928
66749) *Syllepte tenebrosalis* (Warren,1896) (Pyrilidae) Synonym(s): *tenebrosalis* Warren,1896
66750) *Syllepte trachelota* Turner,1913 (Pyrilidae) Synonym(s): *trachelota* Turner,1913
66751) *Syllepte tricolor* (Butler,1879) (Pyrilidae) Synonym(s): *tricolor* Butler,1879
66752) *Syllepte trifidialis* Hampson,1908 (Pyrilidae) Synonym(s): *trifidialis* Hampson,1908
66753) *Syllepte ultimialis* (Walker,1859) (Pyrilidae) Synonym(s): *ultimialis* Walker,1859
66754) *Syllepte xylocraspis* Hampson,1912 (Pyrilidae) Synonym(s): *xylocraspis* Hampson,1912
66755) *Symmoracma minoralis* (Snellen,1880) (Pyrilidae) Synonym(s): *minoralis* Snellen,1880; *spodinopa* Meyrick,1894; *fuliginosa* Rothschild,1916; *spodinopella* Strand,1919
66756) *Symphonia albioculalis* Hampson,1906 (Pyrilidae) Synonym(s): *albioculalis* Hampson,1906
66757) *Symphonia leucostictalis* Hampson,1906 (Pyrilidae) Synonym(s): *leucostictalis* Hampson,1906
66758) *Symphonia multipictalis* Hampson,1896 (Pyrilidae) Synonym(s): *multipictalis* Hampson,1896
66759) *Symphonia synophanoses* Klunder,1913 (Pyrilidae) Synonym(s): *synophanoses* Klunder,1913
66760) *Symphonia trivitalis* (Warren,1895) (Pyrilidae) Synonym(s): *trivitalis* Warren,1895; *fenestralis* Warren,1896
66761) *Symphonitis monospila* (Lower,1902) (Pyrilidae) Synonym(s): *monospila* Lower,1902
66762) *Synaphe antennalis* (Fabricius,1794) (Pyrilidae) Synonym(s): *antennalis* Fabricius,1794; *connectalis* Hübner,1796
66763) *Synaphe armenialis* (Lederer,1870) (Pyrilidae) Synonym(s): *armenialis* Lederer,1870
66764) *Synaphe asiatica* Obratzov,1952 (Pyrilidae) Synonym(s): *asiatica* Obratzov,1952
66765) *Synaphe berytalis* Ragonot,1888 (Pyrilidae) Synonym(s): *berytalis* Ragonot,1888
66766) *Synaphe bombycalis* ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917.
66767) *Synaphe bombycalis* bombycalis ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917.
66768) *Synaphe bombycalis* evermanni (Obratzov,1952) (Pyrilidae) Synonym(s): *evermanni* Obratzov,1952
66769) *Synaphe bombycalis* provincialis (Duponchel,1832) (Pyrilidae) Synonym(s): *provincialis* Duponchel,1832; *sepialis* Caradja,1925.
66770) *Synaphe chellalalis* (Hampson,1900) (Pyrilidae) Synonym(s): *chellalalis* Hampson,1900
66771) *Synaphe chellalalis* chellalalis (Hampson,1900) (Pyrilidae) Synonym(s): *chellalalis* Hampson,1900
66772) *Synaphe asiatica* praedotalis (Zerny,1927) (Pyrilidae) Synonym(s): *praedotalis* Zerny,1927; *montarcensis* Dufrane,1955.
66773) *Synaphe consecratalis* (Lederer,1855) (Pyrilidae) Synonym(s): *consecratalis* Lederer,1855
66774) *Synaphe diffidialis* (Guenée,1854) (Pyrilidae) Synonym(s): *diffidialis* Guenée,1854; *castillalis* Guenée,1854; *joannisi* Dufrane,1955.
66775) *Synaphe interjunctalis* (Guenée,1849) (Pyrilidae) Synonym(s): *interjunctalis* Guenée,1849
66776) *Synaphe lorquinalis* (Guenée,1854) (Pyrilidae) Synonym(s): *lorquinalis* Guenée,1854
66777) *Synaphe moldavica* (Esper,[1789]) (Pyrilidae) Synonym(s): *moldavica* Esper,[1789]; *schmidt* Hartig,1941.
66778) *Synaphe moldavica* aberralis (Guenée,1854) (Pyrilidae) Synonym(s): *aberralis* Guenée,1854
66779) *Synaphe moldavica* moldavica (Esper,[1789]) (Pyrilidae) Synonym(s): *moldavica* Esper,[1789]; *schmidt* Hartig,1941.
66780) *Synaphe moldavica* netricalis (Hübner,[1813]) (Pyrilidae) Synonym(s): *netricalis* Hübner,[1813]; *palermitalis* Guenée,1854; *italicalis* Hartig,1941; *bertoncinii* Hartig,1941.
66781) *Synaphe morbidalis* (Guenée,1849) (Pyrilidae) Synonym(s): *morbidalis* Guenée,1849
66782) *Synaphe morbidalis* isthmicalis (Lederer,1858) (Pyrilidae) Synonym(s): *isthmicalis* Lederer,1858; *bipunctalis* Hampson,1906.
66783) *Synaphe morbidalis* morbidalis (Guenée,1849) (Pyrilidae) Synonym(s): *morbidalis* Guenée,1849
66784) *Synaphe oculatalis* (Ragonot,1885) (Pyrilidae) Synonym(s): *oculatalis* Ragonot,1885
66785) *Synaphe punctalis* (Fabricius,1775) (Pyrilidae) Synonym(s): *punctalis* Fabricius,1775; *angustalis* [Denis & Schiffermüller],1775.
66786) *Synaphe punctalis* modestalis (Rebel,1910) (Pyrilidae) Synonym(s): *modestalis* Rebel,1910
66787) *Synaphe styphlotricha* Hampson,1906 (Pyrilidae) Synonym(s): *styphlotricha* Hampson,1906
66788) *Synaphe syriaca* (Rebel,1903) (Pyrilidae) Synonym(s): *syriaca* Rebel,1903
66789) *Synaphe unifascialis* (Amsel,1961) (Pyrilidae) Synonym(s): *unifascialis* Amsel,1961
66790) *Synaphe uxorialis* (Lederer,1858) (Pyrilidae) Synonym(s): *uxorialis* Lederer,1858
66791) *Synaphe uxorialis* nuptalis (Rebel,1903) (Pyrilidae) Synonym(s): *nuptalis* Rebel,1903
66792) *Synaphe uxorialis* uxorialis (Lederer,1858) (Pyrilidae) Synonym(s): *uxorialis* Lederer,1858
66793) *Synclera* ? interruptalis Amsel,1950 (Pyrilidae) Synonym(s): *interruptalis* Amsel,1950
66794) *Synclera chlorophasma* (Butler,1878) (Pyrilidae) Synonym(s): *chlorophasma* Butler,1878; *praelatalis* Möschler,1886
66795) *Synclera himachalensis* Pajni & Rose,1978 (Pyrilidae) Synonym(s): *himachalensis* Pajni & Rose,1978
66796) *Synclera jarbusalis* (Walker,1859) (Pyrilidae) Synonym(s): *jarbusalis* Walker,1859; *cottalis* Walker,1859
66797) *Synclera subtessellalis* (Walker,1865) (Pyrilidae) Synonym(s): *subtessellalis* Walker,1865
66798) *Synclera traducalis* (Zeller,1852) (Pyrilidae) Synonym(s): *traducalis* Zeller,1852; *retinalis* Lederer,1857; *univocalis* Walker,1859; *achatinalis* Guenée,1862
66799) *Syngamia abruptalis* (Walker,1859) (Pyrilidae) Synonym(s): *abruptalis* Walker,1859
66800) *Syngamia falsidicalis* (Walker,1859) (Pyrilidae) Synonym(s): *falsidicalis* Walker,1859
66801) *Syngamia fervidalis* (Zeller,1852) (Pyrilidae) Synonym(s): *fervidalis* Zeller,1852; *biblisalis* Walker,1859
66802) *Syngamia floridalis* (Zeller,1852) (Pyrilidae) Synonym(s): *floridalis* Zeller,1852
66803) *Syngamia latimarginalis* (Walker,1859) (Pyrilidae) Synonym(s): *latimarginalis* Walker,1859; *jucundalis* Lederer,1863; *versicolor* Warren,1896
66804) *Syngamia viciusalis* (Walker,1859) (Pyrilidae) Synonym(s): *viciusalis* Walker,1859
66805) *Synoria antiquella* (Herrich-Schäffer,[1855]) (Pyrilidae) Synonym(s): *antiquella* Herrich-Schäffer,[1855]
66806) *Synoria euglyphella* Ragonot,1888 (Pyrilidae) Synonym(s): *euglyphella* Ragonot,1888
66807) *Syntonarcha iriastis* Meyrick,1890 (Pyrilidae) Synonym(s): *iriastis* Meyrick,1890
66808) *Syntonarcha vulnerata* Lucas,1894 (Pyrilidae) Synonym(s): *vulnerata* Lucas,1894
66809) *Syntypica aleurodes* Turner,1905 (Pyrilidae) Synonym(s): *aleurodes* Turner,1905
66810) *Syntypica phaeochiton* (Turner,1947) (Pyrilidae) Synonym(s): *phaeochiton* Turner,1947; *pachyzancla* Turner,1947; *euryleuca* Turner,1947; *pastopleura* Turner,1947.
66811) *Syntypica stereochorda* (Turner,1947) (Pyrilidae) Synonym(s): *stereochorda* Turner,1947
66812) *Syrianarpia faunieralis* Gianti,2005 (Pyrilidae) Synonym(s): *faunieralis* Gianti,2005
66813) *Syrianarpia kasyi* Leraut,1984 (Pyrilidae) Synonym(s): *kasyi* Leraut,1984
66814) *Syrianarpia osthelderi* Leraut,1982 (Pyrilidae) Synonym(s): *osthelderi* Leraut,1982
66815) *Syrianarpia osthelderi* fuscella Leraut,1982 (Pyrilidae) Synonym(s): *fuscella* Leraut,1982
66816) *Syrianarpia osthelderi* osthelderi Leraut,1982 (Pyrilidae) Synonym(s): *osthelderi* Leraut,1982
66817) *Tabidia inconsequens* (Warren,1896) (Pyrilidae) Synonym(s): *inconsequens* Warren,1896
66818) *Tabidia insanalis* Snellen,1880 (Pyrilidae) Synonym(s): *insanalis* Snellen,1880; *stenioides* Butler,1882; *felix* Butler,1887; *strigatalis* Pagenstecher,1900; *marmarodes* Turner,1937
66819) *Tabidia truncatalis* Hampson,1898 (Pyrilidae) Synonym(s): *truncatalis* Hampson,1898
66820) *Taftania oxycyma* (Meyrick,1937) (Pyrilidae) Synonym(s): *oxycyma* Meyrick,1937
66821) *Taiwanastrapotemis kikuchii* Shibuya,1928 (Pyrilidae) Synonym(s): *kikuchii* Shibuya,1928
66822) *Talanga advenalis* (Snellen,1895) (Pyrilidae) Synonym(s): *advenalis* Snellen,1895
66823) *Talanga iridomelaena* Munroe,1968 (Pyrilidae) Synonym(s): *iridomelaena* Munroe,1968

- 66824) *Talanga lucretila* (Swinhoe,1901) (Pyralidae) Synonym(s): *lucretila* Swinhoe,1901
66825) *Talanga magnificalis* (Kenrick,1912) (Pyralidae) Synonym(s): *magnificalis* Kenrick,1912
66826) *Talanga nubilosa* Munroe,1968 (Pyralidae) Synonym(s): *nubilosa* Munroe,1968
66827) *Talanga nympha* (Butler,1880) (Pyralidae) Synonym(s): *nympha* Butler,1880
66828) *Talanga pallidimargo* (De Joannis,1930) (Pyralidae) Synonym(s): *pallidimargo* De Joannis,1930
66829) *Talanga quadristigmalis* (Kenrick,1907) (Pyralidae) Synonym(s): *quadristigmalis* Kenrick,1907
66830) *Talanga sabacusalis* (Walker,1859) (Pyralidae) Synonym(s): *sabacusalis* Walker,1859; *dilectalis* Snellen,1895
66831) *Talanga sexpunctalis* (Moore,1877) (Pyralidae) Synonym(s): *sexpunctalis* Moore,1877
66832) *Talanga talangalis* (Hampson,1898) (Pyralidae) Synonym(s): *talangalis* Hampson,1898
66833) *Talanga tolnunialis* (Walker,1859) (Pyralidae) Synonym(s): *tolunialis* Walker,1859
66834) *Talanga tolnunialis major* Rothschild,1915 (Pyralidae) Synonym(s): *major* Rothschild,1915
66835) *Talanga vagilinea* Hampson,1912 (Pyralidae) Synonym(s): *vagilinea* Hampson,1912; *crucifera* Rothschild,1916
66836) *Talis afghanella* Bleszynski,1965 (Pyralidae) Synonym(s): *afghanella* Bleszynski,1965
66837) *Talis afra* (Bethune-Baker,1894) (Pyralidae) Synonym(s): *afra* Bethune-Baker,1894
66838) *Talis arenella* Ragonot,1887 (Pyralidae) Synonym(s): *arenella* Ragonot,1887
66839) *Talis chamylella* Staudinger,[1900] (Pyralidae) Synonym(s): *chamylella* Staudinger,[1900]
66840) *Talis dilatilis* Christoph,1887 (Pyralidae) Synonym(s): *dilatilis* Christoph,1887
66841) *Talis gigantalis* Filipjev & Djakonov,1924 (Pyralidae) Synonym(s): *gigantalis* Filipjev & Djakonov,1924
66842) *Talis griseescens* Filipjev & Djakonov,1924 (Pyralidae) Synonym(s): *griseescens* Filipjev & Djakonov,1924
66843) *Talis menetriesi* Hampson,1900 (Pyralidae) Synonym(s): *menetriesi* Hampson,1900
66844) *Talis mongolica* Bleszynski,1965 (Pyralidae) Synonym(s): *mongolica* Bleszynski,1965
66845) *Talis pallidalis* Hampson,1900 (Pyralidae) Synonym(s): *pallidalis* Hampson,1900
66846) *Talis plenostria* Filipjev,1925 (Pyralidae) Synonym(s): *plenostria* Filipjev,1925
66847) *Talis pulcherrima* Staudinger,1870 (Pyralidae) Synonym(s): *pulcherrimus* Staudinger,1870; *plenostria* Filipjev,1925.
66848) *Talis quercella* [(Denis & Schiffermüller),1775] (Pyralidae) Synonym(s): *#quercella* [Denis & Schiffermüller],1775; *noctuella* Hübner,1796; *neglectella* Hübner,[1824].
66849) *Talis quercella iranica* Amsel,1949 (Pyralidae) Synonym(s): *iranica* Amsel,1949
66850) *Talis quercella pallidella* Caradja,1916 (Pyralidae) Synonym(s): *pallidella* Caradja,1916
66851) *Talis quercella quercella* [(Denis & Schiffermüller),1775] (Pyralidae) Synonym(s): *#quercella* [Denis & Schiffermüller],1775; *noctuella* Hübner,1796; *neglectella* Hübner,[1824].
66852) *Talis quercella suadella* Chrétien,1910 (Pyralidae) Synonym(s): *suaedella* Chrétien,1910; *occidentalis* Amsel,1949.
66853) *Talis renatae* Ganev & Hacker,1984 (Pyralidae) Synonym(s): *renatae* Ganev & Hacker,1984
66854) *Talis wockei* Filipjev,1929 (Pyralidae) Synonym(s): *wockeii* Filipjev,1929; *#taiskanensis* Caradja,1938; *kansualis* Caradja,1935.
66855) *Tamraca torridalis* (Lederer,1863) (Pyralidae) Synonym(s): *torridalis* Lederer,1863
66856) *Tamsica floricolens* (Butler,1883) (Pyralidae) Synonym(s): *floricolens* Butler,1883
66857) *Tamsica gerelea* (Meyrick,1899) (Pyralidae) Synonym(s): *gerelea* Meyrick,1899
66858) *Tamsica homodora* (Meyrick,1899) (Pyralidae) Synonym(s): *homodora* Meyrick,1899
66859) *Tamsica hyacinthina* (Meyrick,1899) (Pyralidae) Synonym(s): *hyacinthina* Meyrick,1899
66860) *Tamsica hydrophila* (Butler,1882) (Pyralidae) Synonym(s): *hydrophila* Butler,1882
66861) *Tamsica oxyptera* (Meyrick,1888) (Pyralidae) Synonym(s): *oxyptera* Meyrick,1888
66862) *Tanaobela chrysoclora* Turner,1915 (Pyralidae) Synonym(s): *chrysoclora* Turner,1915
66863) *Tanyethira* sp.A (Pyralidae) Synonym(s):
66864) *Tasenia nigromaculalis* Snellen,1901 (Pyralidae) Synonym(s): *nigromaculalis* Snellen,1901
66865) *Tatobotys biannulalis* (Walker,[1866]) (Pyralidae) Synonym(s): *biannulalis* Walker,[1866]; *picrogramma* Meyrick,1886
66866) *Tatobotys janapalis* (Walker,1859) (Pyralidae) Synonym(s): *janapalis* Walker,1859; *lirisalis* Walker,1859; *bistrigulalis* Walker,[1866]; *cunealis* Walker,[1866]; *argillacea* Butler,1880; *ceramochra* Meyrick,1885; *gemella* Moore,1888.
66867) *Taurometopa haematographa* (Hampson,1917) (Pyralidae) Synonym(s): *haematographa* Hampson,1917
66868) *Taurometopa phoenicozona* (Hampson,1917) (Pyralidae) Synonym(s): *phoenicozona* Hampson,1917
66869) *Tauroscopa callixutha* Turner,1925 (Pyralidae) Synonym(s): *callixutha* Turner,1925
66870) *Tauroscopa eximia* Salmon,1946 (Pyralidae) Synonym(s): *eximia* Salmon,1946
66871) *Tauroscopa gorgopis* Meyrick,1888 (Pyralidae) Synonym(s): *gorgopis* Meyrick,1888
66872) *Tauroscopa howesi* Philpott,1930 (Pyralidae) Synonym(s): *howesi* Philpott,1930
66873) *Tauroscopa lachnaea* (Turner,1939) (Pyralidae) Synonym(s): *lachnaea* Turner,1939
66874) *Tauroscopa nebulosa* Philpott,1930 (Pyralidae) Synonym(s): *nebulosa* Philpott,1930
66875) *Tauroscopa notabilis* Philpott,1923 (Pyralidae) Synonym(s): *notabilis* Philpott,1923
66876) *Tauroscopa trapezitis* Meyrick,1905 (Pyralidae) Synonym(s): *trapezitis* Meyrick,1905
66877) *Tawhitia glaucophanes* (Meyrick,1907) (Pyralidae) Synonym(s): *glaucophanes* Meyrick,1907
66878) *Tawhitia leonina* Philpott,1931 (Pyralidae) Synonym(s): *leonina* Philpott,1931
66879) *Tawhitia pentadactylus* (Zeller,1863) (Pyralidae) Synonym(s): *pentadactylus* Zeller,1863; *claviferella* Walker,1866; *strigosa* Butler,1877
66880) *Tegostoma albizonalis* Hampson,1900 (Pyralidae) Synonym(s): *albizonalis* Hampson,1900.
66881) *Tegostoma bipartalis* Hampson,1896 (Pyralidae) Synonym(s): *bipartalis* Hampson,1896
66882) *Tegostoma comparalis* (Hübner,1796) (Pyralidae) Synonym(s): *comparalis* Hübner,1796; *ramalis* Hübner,1796; *tenebrosalis* Walker,1865; *#comparale* Caradja,1917.
66883) *Tegostoma confluentalis* Hampson,1913 (Pyralidae) Synonym(s): *confluentalis* Hampson,1913; *ahwazalis* Amsel,1949.
66884) *Tegostoma florilegarium* (Guenée,1854) (Pyralidae) Synonym(s): *florilegarium* Guenée,1854
66885) *Tegostoma marginalis* Amsel,1961 (Pyralidae) Synonym(s): *marginalis* Amsel,1961
66886) *Tegostoma mineti* Moreno,2001 (Pyralidae) Synonym(s): *mineti* Moreno,2001
66887) *Tegostoma mossulalis* Amsel,1949 (Pyralidae) Synonym(s): *mossulalis* Amsel,1949
66888) *Tegostoma paralis* Hampson,1900 (Pyralidae) Synonym(s): *paralis* Hampson,1900
66889) *Tegostoma perlepidalis* (Guenée,1854) (Pyralidae) Synonym(s): *#lepidalis* Herrich-Schäffer,[1851]; *perlepidalis* Guenée,1854; *lepidalis* Herrich-Schäffer,[1855]; *#lepidale* Caradja,1917.
66890) *Tegostoma perlepidalis apurpurealis* Amsel,1970 (Pyralidae) Synonym(s): *apurpurealis* Amsel,1970
66891) *Tegostoma quadridentale* Zerny,1914 (Pyralidae) Synonym(s): *quadridentale* Zerny,1914
66892) *Tegostoma raptilineale* Zerny,1914 (Pyralidae) Synonym(s): *ruptilineale* Zerny,1914
66893) *Tegostoma sarobiella* Amsel,1970 (Pyralidae) Synonym(s): *sarobiella* Amsel,1970
66894) *Tegostoma stangei* Zerny,1916 (Pyralidae) Synonym(s): *stangei* Zerny,1916
66895) *Tegostoma subditalis* Zeller,1852 (Pyralidae) Synonym(s): *subditalis* Zeller,1852
66896) *Tegostoma subterminalis* (Hampson,1918) (Pyralidae) Synonym(s): *subterminalis* Hampson,1918
66897) *Tegostoma uniforma* Amsel,1951 (Pyralidae) Synonym(s): *uniforma* Amsel,1951
66898) *Tegulifera audeoudi* De Joannis,1927 (Pyralidae) Synonym(s): *audeoudi* De Joannis,1927
66899) *Tegulifera bostralis* Hampson,1917 (Pyralidae) Synonym(s): *bostralis* Hampson,1917
66900) *Tegulifera erythroplepia* (Hampson,1916) (Pyralidae) Synonym(s): *erythroplepia* Hampson,1916
66901) *Tegulifera holothermalis* Hampson,1906 (Pyralidae) Synonym(s): *holothermalis* Hampson,1906
66902) *Tegulifera oblunata* (Warren,1897) (Pyralidae) Synonym(s): *oblunata* Warren,1897
66903) *Tegulifera obovalis* Hampson,1917 (Pyralidae) Synonym(s): *obovalis* Hampson,1917
66904) *Tegulifera ochrealis* Hampson,1917 (Pyralidae) Synonym(s): *ochrealis* Hampson,1917
66905) *Tegulifera rubicundalis* Saalmüller,1880 (Pyralidae) Synonym(s): *rubicundalis* Saalmüller,1880
66906) *Tegulifera zonalis* (Warren,1897) (Pyralidae) Synonym(s): *zonalis* Warren,1897
66907) *Tehama bonifatella* (Hulst,1887) (Pyralidae) Synonym(s): *inornatellus* Walker,1863; *bonifatella* Hulst,1887
66908) *Tehama bonifatella* (Hulst,1887) (Pyralidae) Synonym(s): *bonifatella* Hulst,1887; *inornatellus* Walker,1863 [nom. obl.]; *nevadellus* Kearfott,1908.

- 66909) *Tephros anpingicola* Strand, 1919 (Pyralidae) Synonym(s): *anpingicola* Strand, 1919
 66910) *Tephros burkhunella* (Ragonot, 1888) (Pyralidae) Synonym(s): *burkhunella* Ragonot, 1888
 66911) *Tephros cyriella* (Erschoff, 1874) (Pyralidae) Synonym(s): *cyriella* Erschoff, 1874
 66912) *Tephros cyriella ochreella* Ragonot, 1893 (Pyralidae) Synonym(s): *ochreella* Ragonot, 1893
 66913) *Tephros diversella* Amsel, 1950 (Pyralidae) Synonym(s): *diversella* Amsel, 1950
 66914) *Tephros stenopterella* Amsel, 1949 (Pyralidae) Synonym(s): *stenopterella* Amsel, 1949
 66915) *Tephros verrucella* (Ragonot, 1887) (Pyralidae) Synonym(s): *verrucella* Ragonot, 1887; *verruculella* Amsel, 1959
 66916) *Tephroniopsis geometridalis* Amsel, 1961 (Pyralidae) Synonym(s): *geometridalis* Amsel, 1961
 66917) *Terastia egialealis* Walker, 1859 (Pyralidae) Synonym(s): *egialealis* Walker, 1859
 66918) *Terastia margaritis* (R. Felder & Rogenhofer, 1875) (Pyralidae) Synonym(s): *margaritis* R. Felder & Rogenhofer, 1875
 66919) *Terastia meticolosalis* Guenée, 1854 (Pyralidae) Synonym(s): *meticolosalis* Guenée, 1854; *quadratalis* Walker, 1865; *coeligenalis* Hulst, 1886
 66920) *Terastia subjectalis* Lederer, 1863 (Pyralidae) Synonym(s): *subjectalis* Lederer, 1863; *quadratalis* Walker, [1866]
 66921) *Teratauxa paradoxa* (E. Hering, 1901) (Pyralidae) Synonym(s): *paradoxa* E. Hering, 1901
 66922) *Teratauxa paradoxa* Hering, 1901 (Pyralidae) Synonym(s): *paradoxa* Hering, 1901
 66923) *Termioptycha eucarta* (R. Felder & Rogenhofer, 1875) (Pyralidae) Synonym(s): *eucarta* R. Felder & Rogenhofer, 1875; *cyanopa* Meyrick, 1889; *erasta* Turner, 1913
 66924) *Tetrernia terminitis* Meyrick, 1890 (Pyralidae) Synonym(s): *terminitis* Meyrick, 1890
 66925) *Tetridia caletoralis* (Walker, 1859) (Pyralidae) Synonym(s): *caletoralis* Walker, 1859; *interrupta* Rothschild, 1915
 66926) *Tetridia vinacealis* (Moore, 1877) (Pyralidae) Synonym(s): *vinacealis* Moore, 1877
 66927) *Thagora castanella* Hampson, 1896 (Pyralidae) Synonym(s): *castanella* Hampson, 1896
 66928) *Thagora figurana* Walker, 1863 (Pyralidae) Synonym(s): *figurana* Walker, 1863
 66929) *Thalamarchis chalcorma* Meyrick, 1897 (Pyralidae) Synonym(s): *chalcorma* Meyrick, 1897
 66930) *Thaumatoopsis actuellus* Barnes & McDunnough, 1918 (Pyralidae) Synonym(s): *actuellus* Barnes & McDunnough, 1918
 66931) *Thaumatoopsis atomosella* (Kearfott, 1908) (Pyralidae) Synonym(s): *atomosella* Kearfott, 1908
 66932) *Thaumatoopsis crenulatella* Kearfott, 1908 (Pyralidae) Synonym(s): *crenulatella* Kearfott, 1908
 66933) *Thaumatoopsis daeckella* Kearfott, 1903 (Pyralidae) Synonym(s): *daeckella* Kearfott, 1903
 66934) *Thaumatoopsis dimidiatella* (Grote, 1883) (Pyralidae) Synonym(s): *dimidiatella* Grote, 1883
 66935) *Thaumatoopsis edonis* (Grote, 1880) (Pyralidae) Synonym(s): *edonis* Grote, 1880
 66936) *Thaumatoopsis fernaldella* Kearfott, 1905 (Pyralidae) Synonym(s): *fernaldella* Kearfott, 1905
 66937) *Thaumatoopsis fieldella* Barnes & McDunnough, 1913 (Pyralidae) Synonym(s): *fieldella* Barnes & McDunnough, 1913
 66938) *Thaumatoopsis gibsonella* Kearfott, 1908 (Pyralidae) Synonym(s): *gibsonella* Kearfott, 1908
 66939) *Thaumatoopsis idion* Dyar, 1919 (Pyralidae) Synonym(s): *idion* Dyar, 1919
 66940) *Thaumatoopsis lagunella* Dyar, 1912 (Pyralidae) Synonym(s): *lagunella* Dyar, 1912
 66941) *Thaumatoopsis magnifica* (Fernald, 1891) (Pyralidae) Synonym(s): *magnifica* Fernald, 1891
 66942) *Thaumatoopsis nortella* Kearfott, 1905 (Pyralidae) Synonym(s): *nortella* Kearfott, 1905
 66943) *Thaumatoopsis pectinifer* (Zeller, 1877) (Pyralidae) Synonym(s): *pectinifer* Zeller, 1877
 66944) *Thaumatoopsis pexella* (Zeller, 1863) (Pyralidae) Synonym(s): *pexella* Zeller, 1863; *macropterella* Zeller, 1863; *longipalpus* Morrison, 1874; *coloradella* Kearfott, 1908
 66945) *Thaumatoopsis repanda* (Grote, 1880) (Pyralidae) Synonym(s): *repanda* Grote, 1880
 66946) *Thaumatoopsis solutella* (Zeller, 1863) (Pyralidae) Synonym(s): *solutella* Zeller, 1863
 66947) *Thaumatoopsis striatella* Fernald, 1896 (Pyralidae) Synonym(s): *striatella* Fernald, 1896
 66948) *Theila distributa* (Lucas, 1898) (Pyralidae) Synonym(s): *distributa* Lucas, 1898
 66949) *Theila hirsuta* Semper, 1902 (Pyralidae) Synonym(s): *hirsuta* Semper, 1902
 66950) *Theila metallosticha* (Turner, 1938) (Pyralidae) Synonym(s): *metallosticha* Turner, 1938; *metallosticha* Turner, 1942 nec Turner, 1938.
 66951) *Theila siennata* (Warren, 1896) (Pyralidae) Synonym(s): *siennata* Warren, 1896
 66952) *Theila triplaga* (Lower, 1903) (Pyralidae) Synonym(s): *triplaga* Lower, 1903
 66953) *Therapne fuscolimbalis* (Ragonot, 1888) (Pyralidae) Synonym(s): *fuscolimbalis* Ragonot, 1888
 66954) *Therapne obsoletalis* (Mann, 1864) (Pyralidae) Synonym(s): *obsoletalis* Mann, 1864
 66955) *Therapne obsoletalis palaestinis* Amsel (Pyralidae) Synonym(s):
 66956) *Thesaurica argentifera* (Hampson, 1913) (Pyralidae) Synonym(s): *argentifera* Hampson, 1913
 66957) *Thiallela dolokensis* Roesler & Küppers, 1981 (Pyralidae) Synonym(s): *dolokensis* Roesler & Küppers, 1981
 66958) *Thiallela eduardi* Roesler & Küppers, 1981 (Pyralidae) Synonym(s): *eduardi* Roesler & Küppers, 1981
 66959) *Thiallela escigera* (Meyrick, 1932) (Pyralidae) Synonym(s): *escigera* Meyrick, 1932
 66960) *Thiallela ligeralis* (Walker, 1863) (Pyralidae) Synonym(s): *ligeralis* Walker, 1863
 66961) *Thisanotia chrysonuchella* (Scopoli, 1763) (Pyralidae) Synonym(s): *chrysonuchella* Scopoli, 1763; *gramella* Fabricius, 1781; *campella* Hübner, 1793; *dilutor* Alpheraky, 1877.
 66962) *Thisanotia chrysonuchella chrysonuchella* (Scopoli, 1763) (Pyralidae) Synonym(s): *chrysonuchella* Scopoli, 1763; *gramella* Fabricius, 1781; *campella* Hübner, 1793; *dilutor* Alpheraky, 1877.
 66963) *Thisanotia chrysonuchella dilutalis* (Caradja, 1916) (Pyralidae) Synonym(s): *dilutalis* Caradja, 1916
 66964) *Thliptoceras anthropophilum* Bänziger, 1987 (Pyralidae) Synonym(s): *anthropophilum* Bänziger, 1987
 66965) *Thliptoceras lacriphagum* Bänziger, 1987 (Pyralidae) Synonym(s): *lacriphagum* Bänziger, 1987
 66966) *Thliptoceras neotropicalis* Schaus, 1912 (Pyralidae) Synonym(s): *neotropicalis* Schaus, 1912
 66967) *Thliptoceras octoguttalis* (R. Felder & Rogenhofer, 1875) (Pyralidae) Synonym(s): *octoguttalis* R. Felder & Rogenhofer, 1875
 66968) *Thliptoceras polygrammodes* Hampson, 1899 (Pyralidae) Synonym(s): *polygrammodes* Hampson, 1899
 66969) *Thliptoceras shafferi* Bänziger, 1987 (Pyralidae) Synonym(s): *shafferi* Bänziger, 1987
 66970) *Thliptoceras umoremsugente* Bänziger, 1987 (Pyralidae) Synonym(s): *umoremsugente* Bänziger, 1987
 66971) *Thliptoceras variabilis* Swinhoe, 1890 (Pyralidae) Synonym(s): *variabilis* Swinhoe, 1890
 66972) *Thopeutis diffusifascius* (Hampson, 1919) (Pyralidae) Synonym(s): *diffusifascius* Hampson, 1919
 66973) *Thopeutis forbesellus* (Fernald, 1896) (Pyralidae) Synonym(s): *forbesellus* Fernald, 1896
 66974) *Thopeutis galleriellus* (Ragonot, 1892) (Pyralidae) Synonym(s): *galleriellus* Ragonot, 1892; *canicostalis* Hampson, 1896; *unicolor* De Joannis, 1910; *submedianalis* Hampson, 1919; *buxtoni* Rothschild, 1921; *chretienellus* Dumont, 1930; *maculalis* Predota, 1934; *hederalis* Amsel, 1935.
 66975) *Thopeutis respersalis* (Hübner, 1818) (Pyralidae) Synonym(s): *respersalis* Hübner, 1818
 66976) *Thopeutis xylinalis* (Hampson, 1896) (Pyralidae) Synonym(s): *xylinalis* Hampson, 1896
 66977) *Thospia crassipalpella* Ragonot, 1888 (Pyralidae) Synonym(s): *crassipalpella* Ragonot, 1888
 66978) *Thospia feminella* Roesler, 1973 (Pyralidae) Synonym(s): *feminella* Roesler, 1973
 66979) *Thospia permixtella* Ragonot, 1888 (Pyralidae) Synonym(s): *permixtella* Ragonot, 1888
 66980) *Thospia trifasciella* (Ragonot, 1887) (Pyralidae) Synonym(s): *trifasciella* Ragonot, 1887; *alborivulella* Ragonot, 1888.
 66981) *Threnosia agraphes* Turner, 1940 (Pyralidae) Synonym(s): *agraphes* Turner, 1940
 66982) *Threnosia heminephes* (Meyrick, 1886) (Pyralidae) Synonym(s): *heminephes* Meyrick, 1886
 66983) *Threnosia hypopolia* Turner, 1940 (Pyralidae) Synonym(s): *hypopolia* Turner, 1940
 66984) *Threnosia myochroa* Turner, 1940 (Pyralidae) Synonym(s): *myochroa* Turner, 1940
 66985) *Thylacoptila auchmodes* (Turner, 1905) (Pyralidae) Synonym(s): *auchmodes* Turner, 1905
 66986) *Thylacoptila gonylasia* Tams, 1935 (Pyralidae) Synonym(s): *gonylasia* Tams, 1935
 66987) *Thylacoptila paurosema* Meyrick, 1885 (Pyralidae) Synonym(s): *paurosema* Meyrick, 1885; *maculella* Ragonot, 1888
 66988) *Thylacoptila* sp.A (Pyralidae) Synonym(s):
 66989) *Thyridiphora furia* (Swinhoe, 1884) (Pyralidae) Synonym(s): *furia* Swinhoe, 1884; *fenestrata* Warren, 1888; *grisea* Amsel, 1968.
 66990) *Thyridiphora gilva* Turner, 1926 (Pyralidae) Synonym(s): *gilva* Turner, 1926
 66991) *Thysanoidma octalis* Hampson, 1891 (Pyralidae) Synonym(s): *octalis* Hampson, 1891
 66992) *Tipanaea patulella* Walker, 1863 (Pyralidae) Synonym(s): *patulella* Walker, 1863; *exsanguis* Meyrick, 1882
 66993) *Tirathaba catharopta* (Turner, 1937) (Pyralidae) Synonym(s): *catharopta* Turner, 1937

- 66994) *Tirathaba cissinobaphes* (Turner,1906) (Pyralidae) Synonym(s): *cissinobaphes* Turner,1906; *astericta* Turner,1937
66995) *Tirathaba leucostictalis* (Lower,1903) (Pyralidae) Synonym(s): *leucostictalis* Lower,1903
66996) *Tirathaba monoleuca* (Lower,1894) (Pyralidae) Synonym(s): *monoleuca* Lower,1894
66997) *Tirathaba mundella* Walker (Pyralidae) Synonym(s):
66998) *Tirathaba parasiticus* (Lucas,1898) (Pyralidae) Synonym(s): *parasiticus* Lucas,1898; *hepialivora* Hampson,1901
66999) *Tirathaba pseudocomplana* Hampson,1917 (Pyralidae) Synonym(s): *pseudocomplana* Hampson,1917
67000) *Tirathaba psolopasta* (Turner,1913) (Pyralidae) Synonym(s): *psolopasta* Turner,1913
67001) *Tirathaba rufivena* (Walker,1864) (Pyralidae) Synonym(s): *rufivena* Walker,1864; *rufovenalis* Snellen,1880; *acrocausta* Meyrick,1897; *fuscolimbis* Snellen,1900; *ignivena* Hampson,1917; *distorta* Turner,1937.
67002) *Tirathaba rutilinea* (Walker,1866) (Pyralidae) Synonym(s): *rutilinea* Walker,1866; *chlorosema* Lower,1903
67003) *Tirathaba semifoedalis* (Walker,1865) (Pyralidae) Synonym(s): *semifoedalis* Walker,1865
67004) *Tirathaba trichogramma* (Meyrick,1886) (Pyralidae) Synonym(s): *trichogramma* Meyrick,1886
67005) *Tirathaba unicolora* (Hampson,1896) (Pyralidae) Synonym(s): *unicolora* Hampson,1896
67006) *Tirathaba xuthoptera* (Turner,1937) (Pyralidae) Synonym(s): *xuthoptera* Turner,1937
67007) *Titanio angustipennis* Zerny,1914 (Pyralidae) Synonym(s): *angustipennis* Zerny,1914
67008) *Titanio caradjae* (Rebel,1902) (Pyralidae) Synonym(s): *caradjae* Rebel,1902
67009) *Titanio hyrcanella* Amsel,1950 (Pyralidae) Synonym(s): *hyrcanella* Amsel,1950
67010) *Titanio inconspicualis* Zerny,1914 (Pyralidae) Synonym(s): *inconspicualis* Zerny,1914
67011) *Titanio modestalis* (Christoph,1877) (Pyralidae) Synonym(s): *modestalis* Christoph,1877
67012) *Titanio nanalis* (Christoph,1888) (Pyralidae) Synonym(s): *nanalis* Christoph,1888; *obscura* W.Warren,1892; *staudingeri* Bethune-Baker,1893
67013) *Titanio nawaralis* Amsel,1970 (Pyralidae) Synonym(s): *nawaralis* Amsel,1970
67014) *Titanio nissalis* Amsel,1951 (Pyralidae) Synonym(s): *nissalis* Amsel,1951
67015) *Titanio normalis* (Hübner,1796) (Pyralidae) Synonym(s): *normalis* Hübner,1796; *ancyrensis* Hofmann,[1898].
67016) *Titanio safedalis* Amsel,1970 (Pyralidae) Synonym(s): *safedalis* Amsel,1970
67017) *Titanio sarekandalis* Amsel,1970 (Pyralidae) Synonym(s): *sarekandalis* Amsel,1970
67018) *Titanio schivalis* Amsel,1970 (Pyralidae) Synonym(s): *schivalis* Amsel,1970
67019) *Titanio tarraconensis* Leraut & Luquet,1982 (Pyralidae) Synonym(s): *tarraconensis* Leraut & Luquet,1982
67020) *Titanio venustalis* (Lederer,1855) (Pyralidae) Synonym(s): *venustalis* Lederer,1855
67021) *Titanio venustalis originalis* (Herrich-Schäffer,1860) (Pyralidae) Synonym(s): *originalis* Herrich-Schäffer,1860
67022) *Titanoceros cataxantha* Meyrick,1884 (Pyralidae) Synonym(s): *cataxantha* Meyrick,1884
67023) *Titanoceros heliodryas* Meyrick,1833 (Pyralidae) Synonym(s): *heliodryas* Meyrick,1833
67024) *Titanoceros thermoptera* (Lower,1903) (Pyralidae) Synonym(s): *thermoptera* Lower,1903
67025) *Toccolosida bilinealis* Snellen,1892 (Pyralidae) Synonym(s): *bilinealis* Snellen,1892
67026) *Toccolosida rubriceps* Walker,1863 (Pyralidae) Synonym(s): *rubriceps* Walker,1863
67027) *Torqueola hypolampra* Turner,1915 (Pyralidae) Synonym(s): *hypolampra* Turner,1915
67028) *Torqueola monophaes* (Lower,1902) (Pyralidae) Synonym(s): *monophaes* Lower,1902
67029) *Tortriculladia reseda* (Hampson,1919) (Pyralidae) Synonym(s): *#mignonette* Dyar,1914; *reseda* Hampson,1919
67030) *Toxobotys boveyi* Bänziger,1987 (Pyralidae) Synonym(s): *boveyi* Bänziger,1987
67031) *Toxobotys praestans* Munroe & Mutuura,1968 (Pyralidae) Synonym(s): *praestans* Munroe & Mutuura,1968
67032) *Trachycera acrobassella* (Rebel,1915) (Pyralidae) Synonym(s): *acrobassella* Rebel,1915
67033) *Trachycera advenella* (Zincken,1818) (Pyralidae) Synonym(s): *advenella* Zincken,1818; *rhenella* Stephens,1834; *consociella* Duponchel,1836; *recurvella* Guenée,1845
67034) *Trachycera baharaca* Roesler,1987 (Pyralidae) Synonym(s): *baharaca* Roesler,1987
67035) *Trachycera bouchirella* (Amsel,1951) (Pyralidae) Synonym(s): *bouchirella* Amsel,1951
67036) *Trachycera cantonella* (Caradja,1925) (Pyralidae) Synonym(s): *cantonella* Caradja,1925; *griseotincta* Caradja,1938
67037) *Trachycera curvella* (Ragonot,1893) (Pyralidae) Synonym(s): *curvella* Ragonot,1893
67038) *Trachycera dichromella* (Ragonot,1893) (Pyralidae) Synonym(s): *dichromella* Ragonot,1893
67039) *Trachycera dulcella* (Zeller,1848) (Pyralidae) Synonym(s): *dulcella* Zeller,1848
67040) *Trachycera dulcella anatolica* (Caradja,1910) (Pyralidae) Synonym(s): *anatolica* Caradja,1910; *suberastricella* Rothschild,1921; *persella* Zerny,1939
67041) *Trachycera dulcella dulcella* (Zeller,1848) (Pyralidae) Synonym(s): *dulcella* Zeller,1848
67042) *Trachycera eburnella* (Amsel,1953) (Pyralidae) Synonym(s): *eburnella* Amsel,1953
67043) *Trachycera erastriella* (Ragonot,1887) (Pyralidae) Synonym(s): *erastriella* Ragonot,1887; *semistrigella* Mabille,1908; *lella* Chrétien,1911
67044) *Trachycera farsella* (Amsel,1950) (Pyralidae) Synonym(s): *farsella* Amsel,1950
67045) *Trachycera getuliella* (Zerny,1914) (Pyralidae) Synonym(s): *getuliella* Zerny,1914
67046) *Trachycera hemiargyralis* (Hampson,1908) (Pyralidae) Synonym(s): *hemiargyralis* Hampson,1908
67047) *Trachycera hollandella* (Ragonot,1893) (Pyralidae) Synonym(s): *hollandella* Ragonot,1893; *scabrilineella* Ragonot,1893
67048) *Trachycera injunctella* (Christoph,1881) (Pyralidae) Synonym(s): *injunctella* Christoph,1881; *yuennanella* Caradja,1937
67049) *Trachycera khachella* (Amsel,1950) (Pyralidae) Synonym(s): *khachella* Amsel,1950
67050) *Trachycera legatea* (Haworth,[1811]) (Pyralidae) Synonym(s): *legatea* Haworth,[1811]; *legatella* Hübner,1796 nec [Den. & Schiff.],1775; *legatalis* Hübner,[1825]
67051) *Trachycera legatea naumanni* (Roesler,1969) (Pyralidae) Synonym(s): *naumanni* Roesler,1969
67052) *Trachycera lienpingialis* (Caradja,1925) (Pyralidae) Synonym(s): *lienpingialis* Caradja,1925
67053) *Trachycera marmorea* (Haworth,[1811]) (Pyralidae) Synonym(s): *marmorea* Haworth,[1811]; *epelydella* Zeller,1839; *marmorella* Doubleday,1859
67054) *Trachycera marmorea lugens* (Staudinger,1881) (Pyralidae) Synonym(s): *lugens* Staudinger,1881
67055) *Trachycera minorella* (Caradja,1910) (Pyralidae) Synonym(s): *minorella* Caradja,1910
67056) *Trachycera mirabiella* (Toll,1948) (Pyralidae) Synonym(s): *mirabiella* Toll,1948; *senganella* Amsel,1950
67057) *Trachycera mirabilella* (Toll,1948) (Pyralidae) Synonym(s): *mirabilella* Toll,1948; *senganella* Amsel,1950
67058) *Trachycera nigrisquamella* (Ragonot,1887) (Pyralidae) Synonym(s): *nigrisquamella* Ragonot,1887
67059) *Trachycera niveicinctella* (Ragonot,1887) (Pyralidae) Synonym(s): *niveicinctella* Ragonot,1887; *iranalis* Amsel,1950
67060) *Trachycera paradichromella* (Yamanaka,1980) (Pyralidae) Synonym(s): *paradichromella* Yamanaka,1980
67061) *Trachycera persicella* (Amsel,1951) (Pyralidae) Synonym(s): *persicella* Amsel,1951
67062) *Trachycera persicella pagmanalis* (Amsel,1961) (Pyralidae) Synonym(s): *pagmanalis* Amsel,1961
67063) *Trachycera persicella persicella* (Amsel,1951) (Pyralidae) Synonym(s): *persicella* Amsel,1951
67064) *Trachycera praefectella* (Zerny,1936) (Pyralidae) Synonym(s): *praefectella* Zerny,1936; *chirazella* Amsel,1951
67065) *Trachycera pseudodichromella* (Yamanaka,1980) (Pyralidae) Synonym(s): *pseudodichromella* Yamanaka,1980
67066) *Trachycera pyrivorella* (Matsumura,1899) (Pyralidae) Synonym(s): *pyrivorella* Matsumura,1899; *pauperculella* Wileman,1911; *pyrivora* Gerasimov,1926
67067) *Trachycera suavella* (Zincken,1818) (Pyralidae) Synonym(s): *suavella* Zincken,1818; *fascia* Stephens,1829; *porphyrea* Stephens,1834; *supposita* Heinrich,1940
67068) *Trachycera zamantha* Roesler,1987 (Pyralidae) Synonym(s): *zamantha* Roesler,1987
67069) *Trachylepidia fructicassella* Ragonot,1887 (Pyralidae) Synonym(s): *fructicassella* Ragonot,1887
67070) *Trachylepidia fructicassella fructicassella* Ragonot,1887 (Pyralidae) Synonym(s): *fructicassella* Ragonot,1887
67071) *Trachypteryx acanthotecta* (Rebel,1927) (Pyralidae) Synonym(s): *acanthotecta* Rebel,1927; *tibestiensis* Herbulot & Viette,1952
67072) *Trachypteryx albisecta* Hampson,1926 (Pyralidae) Synonym(s): *albisecta* Hampson,1926
67073) *Trachypteryx heterogramma* Hampson,1926 (Pyralidae) Synonym(s): *heterogramma* Hampson,1926
67074) *Trachypteryx magella* (Zeller,1848) (Pyralidae) Synonym(s): *magella* Zeller,1848
67075) *Trachypteryx rhodoxantha* Hampson,1926 (Pyralidae) Synonym(s): *rhodoxantha* Hampson,1926
67076) *Trachypteryx rubripictella* Hampson,1901 (Pyralidae) Synonym(s): *rubripictella* Hampson,1901
67077) *Trachypteryx victoriola* Balinsky,1991 (Pyralidae) Synonym(s): *victoriola* Balinsky,1991
67078) *Trachypteryx victoriola victoriola* Balinsky,1991 (Pyralidae) Synonym(s): *victoriola* Balinsky,1991

- 67079) *Tragonitis capensis* Hampson, 1901 (Pyrilidae) Synonym(s): *capensis* Hampson, 1901
 67080) *Tragonitis cristella* (Hübner, 1796) (Pyrilidae) Synonym(s): *cristella* Hübner, 1796; *cristalis* Hübner, [1825].
 67081) *Trebania flavifrontalis* (Leech, 1889) (Pyrilidae) Synonym(s): *flavifrontalis* Leech, 1889
 67082) *Tretopteryx pertusalis* (Geyer, [1832]) (Pyrilidae) Synonym(s): *pertusalis* Geyer, [1832]
 67083) *Trichoceraea semperi* Sauber, 1902 (Pyrilidae) Synonym(s): *semperi* Sauber, 1902
 67084) *Trichophyetis cretacea* Butler (Pyrilidae) Synonym(s): *cretacea* Butler
 67085) *Trichophyetis crocoplaga* Lower, 1903 (Pyrilidae) Synonym(s): *crocoplaga* Lower, 1903
 67086) *Trichophyetis flavimargo* (Warren, 1897) (Pyrilidae) Synonym(s): *flavimargo* Warren, 1897
 67087) *Trichophyetis fulvifusalis* Lower, 1903 (Pyrilidae) Synonym(s): *fulvifusalis* Lower, 1903
 67088) *Trichophyetis metamelalis* Hampson, 1899 (Pyrilidae) Synonym(s): *metamelalis* Hampson, 1899
 67089) *Trichophyetis neophyla* Meyrick, 1884 (Pyrilidae) Synonym(s): *neophyla* Meyrick, 1884
 67090) *Trichophyetis nigriscalis* W. Warren, 1895 (Pyrilidae) Synonym(s): *nigriscalis* W. Warren, 1895
 67091) *Trichophyetis poliochyta* Turner, 1911 (Pyrilidae) Synonym(s): *poliochyta* Turner, 1911
 67092) *Trichophyetis whitei* Rebel, 1906 (Pyrilidae) Synonym(s): *whitei* Rebel, 1906
 67093) *Trigonobela nebridopepla* Turner, 1915 (Pyrilidae) Synonym(s): *nebridopepla* Turner, 1915
 67094) *Trigonobela perfenestrata* (Butler, 1882) (Pyrilidae) Synonym(s): *perfenestrata* Butler, 1882
 67095) *Trigonoorda gavisalis* (Walker, 1869) (Pyrilidae) Synonym(s): *gavisalis* Walker, 1869; *rhodochrysa* Meyrick, 1885
 67096) *Trigonoorda psarochroa* (Turner, 1908) (Pyrilidae) Synonym(s): *psarochroa* Turner, 1908
 67097) *Trigonoorda rhodea* (Lower, 1905) (Pyrilidae) Synonym(s): *rhodea* Lower, 1905
 67098) *Trigonoorda rhodopa* (Turner, 1908) (Pyrilidae) Synonym(s): *rhodopa* Turner, 1908
 67099) *Trigonoorda trygoda* (Meyrick, 1897) (Pyrilidae) Synonym(s): *trygoda* Meyrick, 1897
 67100) *Trigonuncus euergetalis* Amsel, 1953 (Pyrilidae) Synonym(s): *euergetalis* Amsel, 1953; *hevergetalis* Wiltshire, 1957.
 67101) *Trigonuncus inglorialis* (Hampson, 1900) (Pyrilidae) Synonym(s): *inglorialis* Hampson, 1900
 67102) *Trigonuncus nissalis* Amsel, 1950 (Pyrilidae) Synonym(s): *nissalis* Amsel, 1950
 67103) *Trigonuncus pagmanalis* Amsel, 1970 (Pyrilidae) Synonym(s): *pagmanalis* Amsel, 1970
 67104) *Trigonuncus sarobialis* Amsel, 1970 (Pyrilidae) Synonym(s): *sarobialis* Amsel, 1970
 67105) *Trigonuncus similis* Amsel, 1970 (Pyrilidae) Synonym(s): *similis* Amsel, 1970
 67106) *Triphassa marshalli* (Hampson, 1906) (Pyrilidae) Synonym(s): *marshalli* Hampson, 1906
 67107) *Triphassa stalactis* Hübner, 1818 (Pyrilidae) Synonym(s): *stalactis* Hübner, 1818; *guttalis* Walker, 1866; *stalactitis* Hampson, 1896.
 67108) *Trisidis bisignata* Walker, 1863 (Pyrilidae) Synonym(s): *bisignata* Walker, 1863
 67109) *Trissonca crocotoxa* Meyrick, 1937 (Pyrilidae) Synonym(s): *crocotoxa* Meyrick, 1937
 67110) *Trissonca mesactella* (Meyrick, 1879) (Pyrilidae) Synonym(s): *mesactella* Meyrick, 1879
 67111) *Trissonca muliebris* Meyrick, 1937 (Pyrilidae) Synonym(s): *muliebris* Meyrick, 1937
 67112) *Trissonca oblitella* (Zeller, 1848) (Pyrilidae) Synonym(s): *oblitella* Zeller, 1848; *ischnopsis* Meyrick, 1937
 67113) *Trissonca polycapna* Meyrick, 1937 (Pyrilidae) Synonym(s): *polycapna* Meyrick, 1937
 67114) *Triuncidia eupalusalis* (Walker, 1859) (Pyrilidae) Synonym(s): *eupalusalis* Walker, 1859
 67115) *Triuncidia ossealis* (Hampson, 1899) (Pyrilidae) Synonym(s): *ossealis* Hampson, 1899
 67116) *Trychnocrana abdivita* Turner, 1925 (Pyrilidae) Synonym(s): *abdivita* Turner, 1925
 67117) *Trychnocrana mixoleuca* (Turner, 1904) (Pyrilidae) Synonym(s): *mixoleuca* Turner, 1904
 67118) *Tucumania tapiacola* Dyar, 1925 (Pyrilidae) Synonym(s): *tapiacola* Dyar, 1925
 67119) *Tulaya margelana* (Bethune-Baker, 1893) (Pyrilidae) Synonym(s): *margelana* Bethune-Baker, 1893
 67120) *Tulaya staudingeri* (Bethune-Baker, 1893) (Pyrilidae) Synonym(s): *staudingeri* Bethune-Baker, 1893
 67121) *Tulla exonoma* (Meyrick, 1899) (Pyrilidae) Synonym(s): *exonoma* Meyrick, 1899
 67122) *Turania pentodonalis* (Erschoff, 1874) (Pyrilidae) Synonym(s): *pentodonalis* Erschoff, 1874
 67123) *Tylochares cosmiella* (Meyrick, 1879) (Pyrilidae) Synonym(s): *cosmiella* Meyrick, 1879
 67124) *Tylochares endophaga* Turner, 1947 (Pyrilidae) Synonym(s): *endophaga* Turner, 1947
 67125) *Tylochares eremonoma* Turner, 1913 (Pyrilidae) Synonym(s): *eremonoma* Turner, 1913
 67126) *Tylochares goniosticha* Turner, 1915 (Pyrilidae) Synonym(s): *goniosticha* Turner, 1915
 67127) *Tylochares gypsotipa* Turner, 1947 (Pyrilidae) Synonym(s): *gypsotipa* Turner, 1947
 67128) *Tylochares melanodes* (Hampson, 1930) (Pyrilidae) Synonym(s): *melanodes* Hampson, 1930
 67129) *Tylochares szeptucha* Turner, 1904 (Pyrilidae) Synonym(s): *szeptucha* Turner, 1904
 67130) *Tyndis dentilinealis* Hampson, 1906 (Pyrilidae) Synonym(s): *dentilinealis* Hampson, 1906
 67131) *Tyndis proteanalis* Hampson, 1906 (Pyrilidae) Synonym(s): *proteanalis* Hampson, 1906
 67132) *Tyndis rubrovittata* Grünberg, 1910 (Pyrilidae) Synonym(s): *rubrovittata* Grünberg, 1910
 67133) *Tyspanodes celebensis* Munroe, 1960 (Pyrilidae) Synonym(s): *celebensis* Munroe, 1960
 67134) *Tyspanodes creaghi* Hampson, 1898 (Pyrilidae) Synonym(s): *creaghi* Hampson, 1898; *strigatalis* Rothschild, 1915
 67135) *Tyspanodes hemileucalis* (Hampson, 1897) (Pyrilidae) Synonym(s): *hemileucalis* Hampson, 1897
 67136) *Tyspanodes hypsalis* W. Warren, 1891 (Pyrilidae) Synonym(s): *hypsalis* W. Warren, 1891
 67137) *Tyspanodes linealis* (Moore, 1867) (Pyrilidae) Synonym(s): *linealis* Moore, 1867
 67138) *Tyspanodes metachrysalis* Lower, 1903 (Pyrilidae) Synonym(s): *metachrysalis* Lower, 1903; *phaeosticha* Turner, 1913
 67139) *Tyspanodes nigrolinealis* (Moore, 1867) (Pyrilidae) Synonym(s): *nigrolinealis* Moore, 1867
 67140) *Tyspanodes striata* (Butler, 1879) (Pyrilidae) Synonym(s): *striata* Butler, 1879
 67141) *Ubidia amochla* Turner, 1922 (Pyrilidae) Synonym(s): *amochla* Turner, 1922
 67142) *Ubidia hetaerica* Turner, 1911 (Pyrilidae) Synonym(s): *hetaerica* Turner, 1911
 67143) *Ubidia holomochla* Turner, 1904 (Pyrilidae) Synonym(s): *holomochla* Turner, 1904
 67144) *Ubidia ramostreillus* Walker, 1863 (Pyrilidae) Synonym(s): *ramostreillus* Walker, 1863; *receptalis* Walker, 1863; *schistellus* Meyrick, 1879
 67145) *Udea absolutalis* (Dyar, 1913) (Pyrilidae) Synonym(s): *absolutalis* Dyar, 1913
 67146) *Udea accolalis* (Zeller, 1867) (Pyrilidae) Synonym(s): *accolalis* Zeller, 1867
 67147) *Udea albescensalis* (Hampson, 1900) (Pyrilidae) Synonym(s): *albescensalis* Hampson, 1900
 67148) *Udea albipunctalis* Dognin, 1905 (Pyrilidae) Synonym(s): *albipunctalis* Dognin, 1905
 67149) *Udea alpinalis* ([Denis & Schiffermüller], 1775) (Pyrilidae) Synonym(s): *alpinalis* [Denis & Schiffermüller], 1775
 67150) *Udea amitina* (Butler, 1883) (Pyrilidae) Synonym(s): *amitina* Butler, 1883
 67151) *Udea angustalis* (Dognin, 1905) (Pyrilidae) Synonym(s): *angustalis* Dognin, 1905; *nigristriatalis* Hampson, 1918
 67152) *Udea annectans* Munroe, 1974 (Pyrilidae) Synonym(s): *annectans* Munroe, 1974
 67153) *Udea ardekanalis* Amsel, 1961 (Pyrilidae) Synonym(s): *ardekanalis* Amsel, 1961
 67154) *Udea asychanalis* (Druce, 1899) (Pyrilidae) Synonym(s): *asychanalis* Druce, 1899
 67155) *Udea austriacalis* (Herrich-Schäffer, 1851) (Pyrilidae) Synonym(s): *austriacalis* Herrich-Schäffer, 1851; *donzelalis* Guenée, 1854; *sororialis* Heyden, 1860; *nitidalis* Heinemann, 1865
 67156) *Udea austriacalis altaica* (Zerny, 1914) (Pyrilidae) Synonym(s): *altaica* Zerny, 1914
 67157) *Udea austriacalis austriacalis* (Herrich-Schäffer, 1851) (Pyrilidae) Synonym(s): *austriacalis* Herrich-Schäffer, 1851; *donzelalis* Guenée, 1854; *sororialis* Heyden, 1860; *nitidalis* Heinemann, 1865
 67158) *Udea austriacalis juldusalis* (Zerny, 1914) (Pyrilidae) Synonym(s): *juldusalis* Zerny, 1914
 67159) *Udea austriacalis plumbalis* (Zerny, 1914) (Pyrilidae) Synonym(s): *plumbalis* Zerny, 1914
 67160) *Udea autoclesalis* (Walker, 1859) (Pyrilidae) Synonym(s): *autoclesalis* Walker, 1859
 67161) *Udea berberalis* (Barnes & McDunnough, 1918) (Pyrilidae) Synonym(s): *berberalis* Barnes & McDunnough, 1918
 67162) *Udea binoculalis* (Hampson, 1904) (Pyrilidae) Synonym(s): *binoculalis* Hampson, 1904
 67163) *Udea capsifera* (Meyrick, 1933) (Pyrilidae) Synonym(s): *capsifera* Meyrick, 1933
 67164) *Udea carniolica* Huemer & Tarmann, 1989 (Pyrilidae) Synonym(s): *carniolica* Huemer & Tarmann, 1989
 67165) *Udea cinerea* (Butler, 1883) (Pyrilidae) Synonym(s): *cinerea* Butler, 1883
 67166) *Udea coranialis* Munroe, 1967 (Pyrilidae) Synonym(s): *coranialis* Munroe, 1967

- 67167) *Udea costalis* (Eversmann,1852) (Pyralidae) Synonym(s): *costalis* Eversmann,1852
67168) *Udea costiplaga* (Dognin,1913) (Pyralidae) Synonym(s): *costiplaga* Dognin,1913
67169) *Udea crambialis* (Druce,1899) (Pyralidae) Synonym(s): *crambialis* Druce,1899
67170) *Udea decoripennis* Munroe,1967 (Pyralidae) Synonym(s): *decoripennis* Munroe,1967
67171) *Udea detersalis* (Walker,1866) (Pyralidae) Synonym(s): *detersalis* Walker,1866
67172) *Udea diopsalis* (Hampson,1913) (Pyralidae) Synonym(s): *diopsalis* Hampson,1913; *nigerrimaculata* Strand,1917
67173) *Udea ferrugalis* (Hübner,1796) (Pyralidae) Synonym(s): *ferruginalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879
67174) *Udea fimbriatralis* (Duponchel,1834) (Pyralidae) Synonym(s): *fimbriatralis* Duponchel,1834
67175) *Udea fulvalis* (Hübner,1809) (Pyralidae) Synonym(s): *fulvalis* Hübner,1809; *pronoidalis* Staudinger,1879
67176) *Udea fumipennis* (W.Warren,1892) (Pyralidae) Synonym(s): *fumipennis* W.Warren,1892
67177) *Udea fuscularis* (Hampson,1899) (Pyralidae) Synonym(s): *fuscularis* Hampson,1899
67178) *Udea fuscularis impunctalis* Dognin,1912 (Pyralidae) Synonym(s): *impunctalis* Dognin,1912
67179) *Udea gigantalis* Dognin,1912 (Pyralidae) Synonym(s): *gigantalis* Dognin,1912
67180) *Udea hageni* Viette,1952 (Pyralidae) Synonym(s): *hageni* Viette,1952
67181) *Udea hamalis* (Thunberg,1788) (Pyralidae) Synonym(s): *hamalis* Thunberg,1788; *nyctemeralis* Hübner,1809
67182) *Udea helviusalis* (Walker,1859) (Pyralidae) Synonym(s): *helviusalis* Walker,1859; *itylusalis* Walker,1859; *fuscipalpalis* Walker,1859; *bogotalis* Walker,1866; *bogotanella* Walker,1866
67183) *Udea hyalistis* (Lower,1902) (Pyralidae) Synonym(s): *hyalistis* Lower,1902; *diplosticta* Turner,1908
67184) *Udea ialis* (Walker,1859) (Pyralidae) Synonym(s): *ialis* Walker,1859
67185) *Udea illineatalis* (Dognin,1904) (Pyralidae) Synonym(s): *illineatalis* Dognin,1904
67186) *Udea indistincta* (Butler,1883) (Pyralidae) Synonym(s): *indistincta* Butler,1883
67187) *Udea inhospitalis* W.Warren,1892 (Pyralidae) Synonym(s): *inhospitalis* W.Warren,1892
67188) *Udea inquinatalis* (Lienig & Zeller,1846) (Pyralidae) Synonym(s): *inquinatalis* Lienig & Zeller,1846; *glacialis* Packard,1867; *albinis* Della Beffa,1942
67189) *Udea lagunalis* (Schaus,1913) (Pyralidae) Synonym(s): *lagunalis* Schaus,1913
67190) *Udea lenta* (Meyrick,1936) (Pyralidae) Synonym(s): *lenta* Meyrick,1936
67191) *Udea martialis* (Guenée,1854) (Pyralidae) Synonym(s): *martialis* Guenée,1854
67192) *Udea maurinalis* (Curtis,1934) (Pyralidae) Synonym(s): *maurinalis* Curtis,1934
67193) *Udea mechedalis* (Amsel,1950) (Pyralidae) Synonym(s): *mechedalis* Amsel,1950
67194) *Udea melanephra* (Hampson,1913) (Pyralidae) Synonym(s): *melanephra* Hampson,1913
67195) *Udea melanosticta* (Butler,1883) (Pyralidae) Synonym(s): *melanosticta* Butler,1883
67196) *Udea montanalis* (Schaus,1912) (Pyralidae) Synonym(s): *montanalis* Schaus,1912
67197) *Udea muralis* (Fischer v. Röslerstamm,1842) (Pyralidae) Synonym(s): *muralis* Fischer v. Röslerstamm,1842
67198) *Udea nollalis* (R.Felder & Rogenhofer,1875) (Pyralidae) Synonym(s): *nollalis* R.Felder & Rogenhofer,1875
67199) *Udea nomophilodes* (Hampson,1913) (Pyralidae) Synonym(s): *nomophilodes* Hampson,1913
67200) *Udea numeralis* (Hübner,1796) (Pyralidae) Synonym(s): *numeralis* Hübner,1796; *simplicella* La Harpe,1861
67201) *Udea ochropera* (Hampson,1913) (Pyralidae) Synonym(s): *ochropera* Hampson,1913
67202) *Udea octodentalis* (Hulst,1886) (Pyralidae) Synonym(s): *octosignalis* Hulst,1886; *straminea* W.Warren,1892
67203) *Udea olivalis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *olivalis* [Denis & Schiffermüller],1775; *umbralis* Hübner,1796
67204) *Udea phaealis* (Hampson,1899) (Pyralidae) Synonym(s): *phaealis* Hampson,1899
67205) *Udea poasalis* (Schaus,1912) (Pyralidae) Synonym(s): *poasalis* Schaus,1912
67206) *Udea profundalis* (Packard,1873) (Pyralidae) Synonym(s): *profundalis* Packard,1873
67207) *Udea prunalis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *#prunalis* [Denis & Schiffermüller],1775; *nivealis* Fabricius,1781; *ferruginalis* Villers,1789 nec Fabr.,1781
67208) *Udea punoalis* Munroe,1967 (Pyralidae) Synonym(s): *punoalis* Munroe,1967
67209) *Udea ragonoti* (Butler,1883) (Pyralidae) Synonym(s): *ragonoti* Butler,1883
67210) *Udea rhododendronalis* (Duponchel,1834) (Pyralidae) Synonym(s): *rhododendronalis* Duponchel,1834; *ventosalis* Leraut,1996; *luquetalis* Leraut,1996
67211) *Udea rubigalis* (Guenée,1854) (Pyralidae) Synonym(s): *rubigalis* Guenée,1854; *oblunalis* Lederer,1863; *harveyana* Grote,1877
67212) *Udea rusticalis* (Barnes & McDunnough,1914) (Pyralidae) Synonym(s): *rusticalis* Barnes & McDunnough,1914
67213) *Udea sabulosalis* W.Warren,1892 (Pyralidae) Synonym(s): *sabulosalis* W.Warren,1892
67214) *Udea secernalis* (Möschler,1890) (Pyralidae) Synonym(s): *secernalis* Möschler,1890
67215) *Udea secticostalis* (Hampson,1913) (Pyralidae) Synonym(s): *secticostalis* Hampson,1913
67216) *Udea sobrinialis* (Guenée,1854) (Pyralidae) Synonym(s): *sobrinialis* Guenée,1854
67217) *Udea soratalis* Munroe,1967 (Pyralidae) Synonym(s): *soratalis* Munroe,1967
67218) *Udea suralis* (Schaus,1933) (Pyralidae) Synonym(s): *suralis* Schaus,1933
67219) *Udea tenoalis* Munroe,1974 (Pyralidae) Synonym(s): *tenoalis* Munroe,1974
67220) *Udea tetragramma* (Clarke,1965) (Pyralidae) Synonym(s): *tetragramma* Clarke,1965
67221) *Udea thoonalis* (Walker,1859) (Pyralidae) Synonym(s): *thoonalis* Walker,1859
67222) *Udea turmalis* (Grote,1881) (Pyralidae) Synonym(s): *turmalis* Grote,1881
67223) *Udea turmalis griseor* Munroe,1966 (Pyralidae) Synonym(s): *griseor* Munroe,1966
67224) *Udea turmalis turmalis* (Grote,1881) (Pyralidae) Synonym(s): *turmalis* Grote,1881
67225) *Udea uliginosalis* (Stephens,1834) (Pyralidae) Synonym(s): *uliginosalis* Stephens,1834; *monticolalis* La Harpe,1855
67226) *Udea umbriiferalis* (Hampson,1918) (Pyralidae) Synonym(s): *umbriiferalis* Hampson,1918
67227) *Udea vacunalis* (Grote,1881) (Pyralidae) Synonym(s): *vacunalis* Grote,1881; *galactalis* Dyar,1925
67228) *Udea vestalis* (Hampson,1900) (Pyralidae) Synonym(s): *vestalis* Hampson,1900
67229) *Udea viridalis* (Dognin,1904) (Pyralidae) Synonym(s): *viridalis* Dognin,1904
67230) *Udea zernyi* (Klima,1939) (Pyralidae) Synonym(s): *zernyi* Klima,1939
67231) *Uinta oreadella* Hulst,1888 (Pyralidae) Synonym(s): *oreadella* Hulst,1888
67232) *Ulopeza conigeralis* Zeller,1852 (Pyralidae) Synonym(s): *conigeralis* Zeller,1852; *latiferalis* Walker,1865; *trigonalis* Walker,1869; *trigonalis* Mabilie,1890
67233) *Ulopeza denticularis* Hampson,1912 (Pyralidae) Synonym(s): *denticularis* Hampson,1912
67234) *Ulophora flavinia* Balinsky,1994 (Pyralidae) Synonym(s): *flavinia* Balinsky,1994
67235) *Ulophora flavinia flavinia* Balinsky,1994 (Pyralidae) Synonym(s): *flavinia* Balinsky,1994
67236) *Ulotricha egregialis* (Herrich-Schäffer,1838) (Pyralidae) Synonym(s): *egregialis* Herrich-Schäffer,1838
67237) *Unadillides distichella* (Meyrick,1878) (Pyralidae) Synonym(s): *distichella* Meyrick,1878; *stichosema* Turner,1913
67238) *Unadophanes apatelia* (Turner,1905) (Pyralidae) Synonym(s): *apatelia* Turner,1905
67239) *Unadophanes atecmarta* (Turner,1913) (Pyralidae) Synonym(s): *atecmarta* Turner,1913
67240) *Unadophanes trissomita* (Turner,1913) (Pyralidae) Synonym(s): *trissomita* Turner,1913
67241) *Uncinus discostriella* Amsel,1961 (Pyralidae) Synonym(s): *discostriella* Amsel,1961; *#gulbaharensis* Amsel,1970.
67242) *Uncinus hypogryphellus* Amsel,1951 (Pyralidae) Synonym(s): *hypogryphellus* Amsel,1951
67243) *Urbania lophopterella* Hampson,1901 (Pyralidae) Synonym(s): *lophopterella* Hampson,1901
67244) *Uresiphita insulicola* (Turner,1918) (Pyralidae) Synonym(s): *insulicola* Turner,1918
67245) *Uresiphita ornithopteralis* (Guenée,1854) (Pyralidae) Synonym(s): *ornithopteralis* Guenée,1854
67246) *Uresiphita polygonalis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *polygonalis* [Denis & Schiffermüller],1775; *#limbalis* [Denis & Schiffermüller],1775; *gibvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971
67247) *Uresiphita reversalis* (Guenée,1854) (Pyralidae) Synonym(s): *reversalis* Guenée,1854; *hilaralis* Herrich-Schäffer,1871; *deprivalis* Druce,1895 nec Wlk.,1859
67248) *Usingeriessa brunnildalis* (Dyar,1906) (Pyralidae) Synonym(s): *brunnildalis* Dyar,1906
67249) *Usingeriessa onyxalis* (Hampson,1897) (Pyralidae) Synonym(s): *onyxalis* Hampson,1897

- 67250) *Uthinia albisignalis* (Hampson,1896) (Pyralidae) Synonym(s): *albisignalis* Hampson,1896; *albostrigalis* Snellen,1898
67251) *Valdovecaria bradyrhoella* Zerny,1927 (Pyralidae) Synonym(s): *bradyrhoella* Zerny,1927
67252) *Valva pseudodiscomaculella* (Amsel,1935) (Pyralidae) Synonym(s): *pseudodiscomaculella* Amsel,1935; *candiopella* Amsel,1961
67253) *Vaxi jonesella* (Dyar,1913) (Pyralidae) Synonym(s): *jonesella* Dyar,1913
67254) *Vaxi obliqua* (Hampson,1919) (Pyralidae) Synonym(s): *obliqua* Hampson,1919
67255) *Veldticola irrorella* Hampson,1930 (Pyralidae) Synonym(s): *irrorella* Hampson,1930
67256) *Veldticola irrorella irrorella* Hampson,1930 (Pyralidae) Synonym(s): *irrorella* Hampson,1930
67257) *Veldticola megista* Hampson,1930 (Pyralidae) Synonym(s): *megista* Hampson,1930
67258) *Veldticola megista megista* Hampson,1930 (Pyralidae) Synonym(s): *megista* Hampson,1930
67259) *Veldticola nebulosella* Hampson,1930 (Pyralidae) Synonym(s): *nebulosella* Hampson,1930
67260) *Veldticola nebulosella nebulosella* Hampson,1930 (Pyralidae) Synonym(s): *nebulosella* Hampson,1930
67261) *Veldticola persinuella* Hampson,1930 (Pyralidae) Synonym(s): *persinuella* Hampson,1930
67262) *Veldticola persinuella persinuella* Hampson,1930 (Pyralidae) Synonym(s): *persinuella* Hampson,1930
67263) *Veldticola striatella* Hampson,1930 (Pyralidae) Synonym(s): *striatella* Hampson,1930
67264) *Veldticola striatella striatella* Hampson,1930 (Pyralidae) Synonym(s): *striatella* Hampson,1930
67265) *Veronese distinctellus* (Leech,1889) (Pyralidae) Synonym(s): *distinctellus* Leech,1889
67266) *Vietcia terstrigella* (Christoph,1877) (Pyralidae) Synonym(s): *terstrigella* Christoph,1877
67267) *Vietessa margaritalis* (Hampson,1910) (Pyralidae) Synonym(s): *margaritalis* Hampson,1910
67268) *Vinicia digrammella* (Meyrick,1879) (Pyralidae) Synonym(s): *digrammella* Meyrick,1879; *gypsopa* Meyrick,1883
67269) *Vinicia guttella* (Snellen,1882) (Pyralidae) Synonym(s): *guttella* Snellen,1882
67270) *Vinicia macrota* (Meyrick,1887) (Pyralidae) Synonym(s): *macrota* Meyrick,1887
67271) *Vitessa (griseata-gr.) brandti* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *brandti* Munroe & Shaffer,1980
67272) *Vitessa (griseata-gr.) griseata* Kenrick,1907 (Pyralidae) Synonym(s): *griseata* Kenrick,1907
67273) *Vitessa (griseata-gr.) nobilis* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *nobilis* Munroe & Shaffer,1980
67274) *Vitessa (griseata-gr.) talboti* (Janse,1924) (Pyralidae) Synonym(s): *talboti* Janse,1924
67275) *Vitessa (hemiallactis-gr.) barretti* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *barretti* Munroe & Shaffer,1980
67276) *Vitessa (hemiallactis-gr.) cristobalensis* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *cristobalensis* Munroe & Shaffer,1980
67277) *Vitessa (hemiallactis-gr.) glaucoptera* Hampson,1906 (Pyralidae) Synonym(s): *glaucoptera* Hampson,1906
67278) *Vitessa (hemiallactis-gr.) hemiallactis* Meyrick,1887 (Pyralidae) Synonym(s): *hemiallactis* Meyrick,1887
67279) *Vitessa (hemiallactis-gr.) hemiallactis admiralitatis* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *admiralitatis* Munroe & Shaffer,1980
67280) *Vitessa (hemiallactis-gr.) hemiallactis hemiallactis* Meyrick,1887 (Pyralidae) Synonym(s): *hemiallactis* Meyrick,1887
67281) *Vitessa (hemiallactis-gr.) hemiallactis lustrans* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *lustrans* Munroe & Shaffer,1980
67282) *Vitessa (hemiallactis-gr.) hemiallactis moluccana* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *moluccana* Munroe & Shaffer,1980
67283) *Vitessa (hemiallactis-gr.) intermedia* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *intermedia* Munroe & Shaffer,1980
67284) *Vitessa (hemiallactis-gr.) ternatica* Lederer,1863 (Pyralidae) Synonym(s): *ternatica* Lederer,1863; *sarumensis* Holland,1900
67285) *Vitessa (hieratica-gr.) hieratica* Swinhoe,1900 (Pyralidae) Synonym(s): *hieratica* Swinhoe,1900
67286) *Vitessa (plumosa-gr.) plumosa* Hampson,1896 (Pyralidae) Synonym(s): *plumosa* Hampson,1896
67287) *Vitessa (plumosa-gr.) plumosa* plumosa Hampson,1896 (Pyralidae) Synonym(s): *plumosa* Hampson,1896
67288) *Vitessa (plumosa-gr.) plumosa salayerensis* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *salayerensis* Munroe & Shaffer,1980
67289) *Vitessa (pyraliata-gr.) gemina* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *gemina* Munroe & Shaffer,1980
67290) *Vitessa (pyraliata-gr.) kolakalis* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *kolakalis* Munroe & Shaffer,1980
67291) *Vitessa (pyraliata-gr.) muluana* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *muluana* Munroe & Shaffer,1980
67292) *Vitessa (pyraliata-gr.) nicobarica* Hampson,1896 (Pyralidae) Synonym(s): *nicobarica* Hampson,1896
67293) *Vitessa (pyraliata-gr.) pyraliata* Walker,1864 (Pyralidae) Synonym(s): *pyraliata* Walker,1864
67294) *Vitessa (pyraliata-gr.) pyraliata latialbata* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *latialbata* Munroe & Shaffer,1980
67295) *Vitessa (pyraliata-gr.) pyraliata pyraliata* Walker,1864 (Pyralidae) Synonym(s): *pyraliata* Walker,1864
67296) *Vitessa (pyraliata-gr.) pyraliata triangulifera* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *triangulifera* Munroe & Shaffer,1980
67297) *Vitessa (pyraliata-gr.) splendida* Schultze,1908 (Pyralidae) Synonym(s): *splendida* Schultze,1908
67298) *Vitessa (pyraliata-gr.) sulaensis* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *sulaensis* Munroe & Shaffer,1980
67299) *Vitessa (stettina-gr.) hollandi* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *hollandi* Munroe & Shaffer,1980
67300) *Vitessa (stettina-gr.) hollandi hollandi* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *hollandi* Munroe & Shaffer,1980
67301) *Vitessa (stettina-gr.) hollandi wallacealis* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *wallacealis* Munroe & Shaffer,1980
67302) *Vitessa (stettina-gr.) philippina* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *philippina* Munroe & Shaffer,1980
67303) *Vitessa (stettina-gr.) stettina* Swinhoe,1906 (Pyralidae) Synonym(s): *stettina* Swinhoe,1906
67304) *Vitessa (suradeva-gr.) suradeva* Moore,[1860] (Pyralidae) Synonym(s): *suradeva* Moore,[1860]
67305) *Vitessa (suradeva-gr.) suradeva* ramam Moore,1885 (Pyralidae) Synonym(s): *rama* Moore,1885
67306) *Vitessa (suradeva-gr.) suradeva* suradeva Moore,[1860] (Pyralidae) Synonym(s): *suradeva* Moore,[1860]; *formosa* R.Felder & Rogenhofer,1874
67307) *Vitessa (suradeva-gr.) teleroma* Swinhoe,1906 (Pyralidae) Synonym(s): *teleroma* Swinhoe,1906
67308) *Vitessa (zemire-gr.) cyanea* Hampson,1906 (Pyralidae) Synonym(s): *cyanea* Hampson,1906
67309) *Vitessa (zemire-gr.) cyanea ceramensis* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *ceramensis* Munroe & Shaffer,1980
67310) *Vitessa (zemire-gr.) cyanea* cyanea Hampson,1906 (Pyralidae) Synonym(s): *cyanea* Hampson,1906
67311) *Vitessa (zemire-gr.) tamsi* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *tamsi* Munroe & Shaffer,1980
67312) *Vitessa (zemire-gr.) vitalis* Hampson,1906 (Pyralidae) Synonym(s): *vitalis* Hampson,1906
67313) *Vitessa (zemire-gr.) zemire* (Stoll,[1781]) (Pyralidae) Synonym(s): *zemire* Stoll,[1781]; #*zemira* Lederer,1863; #*zalmira* Hampson,1906; *temerata* Swinhoe,1906; *nephritica* Munroe & Shaffer,1980; *coronis* Munroe & Shaffer,1980; *novaebritanniae* Munroe & Shaffer,1980; *solomonis* Munroe & Shaffer,1980; *cheesmanae* Munroe & Shaffer,1980
67314) *Vitessa (zemire-gr.) zemire cheesmanae* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *cheesmanae* Munroe & Shaffer,1980
67315) *Vitessa (zemire-gr.) zemire coronis* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *coronis* Munroe & Shaffer,1980
67316) *Vitessa (zemire-gr.) zemire expansa* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *expansa* Munroe & Shaffer,1980
67317) *Vitessa (zemire-gr.) zemire nephritica* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *nephritica* Munroe & Shaffer,1980
67318) *Vitessa (zemire-gr.) zemire novobritanniae* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *novobritanniae* Munroe & Shaffer,1980
67319) *Vitessa (zemire-gr.) zemire solomonis* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *solomonis* Munroe & Shaffer,1980
67320) *Vitessa (zemire-gr.) zemire temerata* Swinhoe,1906 (Pyralidae) Synonym(s): *temerata* Swinhoe,1906
67321) *Vitessa (zemire-gr.) zemire zemire* (Stoll,[1781]) (Pyralidae) Synonym(s): *zemire* Stoll,[1781]; #*zemira* Lederer,1863; #*zalmira* Hampson,1906; *temerata* Swinhoe,1906; *nephritica* Munroe & Shaffer,1980; *coronis* Munroe & Shaffer,1980; *novaebritanniae* Munroe & Shaffer,1980; *solomonis* Munroe & Shaffer,1980; *cheesmanae* Munroe & Shaffer,1980
67322) *Vitessa gritschoerae* Buchsbaum,2000 (Pyralidae) Synonym(s): *gritschoerae* Buchsbaum,2000
67323) *Vitessidia diaphana* Rothschild & Jordan,1905 (Pyralidae) Synonym(s): *diaphana* Rothschild & Jordan,1905
67324) *Vitessidia geometrina* Munroe & Shaffer,1980 (Pyralidae) Synonym(s): *geometrina* Munroe & Shaffer,1980
67325) *Vittabotys mediomaculalis* Munroe & Mutuura,1970 (Pyralidae) Synonym(s): *mediomaculalis* Munroe & Mutuura,1970
67326) *Vitula biviella* (Zeller,1848) (Pyralidae) Synonym(s): *biviella* Zeller,1848
67327) *Vitula bombylicoella* (Amsel,1955) (Pyralidae) Synonym(s): *bombylicoella* Amsel,1955
67328) *Vitula edmandsii* (Packard,1865) (Pyralidae) Synonym(s): *edmandsii* Packard,1865
67329) *Voliba asphyctopa* Turner,1908 (Pyralidae) Synonym(s): *asphyctopa* Turner,1908
67330) *Voliba leptomorpha* Turner,1908 (Pyralidae) Synonym(s): *leptomorpha* Turner,1908; *dactyliota* Turner,1908
67331) *Voliba psammoessa* Turner,1908 (Pyralidae) Synonym(s): *psammoessa* Turner,1908
67332) *Voliba pycnosticta* Turner,1908 (Pyralidae) Synonym(s): *pycnosticta* Turner,1908
67333) *Voliba scoparialis* (Walker,[1886]) (Pyralidae) Synonym(s): *scoparialis* Walker,[1886]
67334) *Volobilis biplaga* Walker,1863 (Pyralidae) Synonym(s): *biplaga* Walker,1863
67335) *Volobilis biplaga taiwanella* Shibuya,1928 (Pyralidae) Synonym(s): *taiwanella* Shibuya,1928

- 67336) *Volobilis chloropterella* (Hampson,1896) (Pyralidae) Synonym(s): *chloropterella* Hampson,1896
 67337) *Volobilis ochridorsalis* (Wileman & South,1919) (Pyralidae) Synonym(s): *ochridorsalis* Wileman & South,1919
 67338) *Volobilis* sp.A (Pyralidae) Synonym(s):
 67339) *Witlesia pallida* (Curtis,1827) (Pyralidae) Synonym(s): *pallida* Curtis,1827
 67340) *Xanthocrambus argentarius* (Staudinger,1867) (Pyralidae) Synonym(s): *argentarius* Staudinger,1867
 67341) *Xanthocrambus caducellus* (Müller-Rutz,1909) (Pyralidae) Synonym(s): *caducellus* Müller-Rutz,1909; *occidentellus* Caradja,1910.
 67342) *Xanthocrambus delicatellus* (Zeller,1863) (Pyralidae) Synonym(s): *delicatellus* Zeller,1863; *amseli* Hartig & Amsel,1951.
 67343) *Xanthocrambus lucellus* (Herrich-Schäffer,[1848]) (Pyralidae) Synonym(s): *lucellus* Herrich-Schäffer,[1848]; *#atrx Galvagni,1909; magna Caradja,1926*
 67344) *Xanthocrambus saxonellus* (Zincken,1821) (Pyralidae) Synonym(s): *saxonellus* Zincken,1821; *chrysellus* Treitschke,1832; *carentellus* Christoph,1888
 67345) *Xanthocrambus watsoni* Bleszynski,1960 (Pyralidae) Synonym(s): *watsoni* Bleszynski,1960
 67346) *Xanthomelaena schematias* (Meyrick,1894) (Pyralidae) Synonym(s): *schematias* Meyrick,1894
 67347) *Xanthopsamma aurantialis* Munroe & Mutuura,1968 (Pyralidae) Synonym(s): *aurantialis* Munroe & Mutuura,1968
 67348) *Xanthopsamma youboialis* Munroe & Mutuura,1968 (Pyralidae) Synonym(s): *youboialis* Munroe & Mutuura,1968
 67349) *Xanthostege plana* (Grote,1883) (Pyralidae) Synonym(s): *plana* Grote,1883
 67350) *Xanthostege roseiterminalis* (Barnes & McDunnough,1914) (Pyralidae) Synonym(s): *roseiterminalis* Barnes & McDunnough,1914
 67351) *Xenomilia humeralis* W.Warren,1896 (Pyralidae) Synonym(s): *humeralis* W.Warren,1896
 67352) *Xubida cayugella* Schaus,1922 (Pyralidae) Synonym(s): *cayugella* Schaus,1922
 67353) *Xubida circumvagans* (Dyar,1922) (Pyralidae) Synonym(s): *circumvagans* Dyar,1922
 67354) *Xubida cretaceipars* (Dyar,1914) (Pyralidae) Synonym(s): *cretaceipars* Dyar,1914
 67355) *Xubida delinqualis* (Dyar,1914) (Pyralidae) Synonym(s): *delinqualis* Dyar,1914
 67356) *Xubida dentilineatella* (Barnes & McDunnough,1913) (Pyralidae) Synonym(s): *dentilineatella* Barnes & McDunnough,1913
 67357) *Xubida dentilineella* Schaus,1922 (Pyralidae) Synonym(s): *dentilineella* Schaus,1922
 67358) *Xubida infusellus* (Walker,1863) (Pyralidae) Synonym(s): *infusellus* Walker,1863; *comparellus* R.Felder & Rogenhofer,1875; *surinamellus* Möschler,1881; *ignitalis* Hampson,1895; *caryugella* Schaus,1922
 67359) *Xubida minorella* Schaus,1922 (Pyralidae) Synonym(s): *minorella* Schaus,1922
 67360) *Xubida monodisa* (Dyar,1914) (Pyralidae) Synonym(s): *monodisa* Dyar,1914
 67361) *Xubida narinella* Schaus,1922 (Pyralidae) Synonym(s): *narinella* Schaus,1922
 67362) *Xubida neogynaecella* (Dyar,1914) (Pyralidae) Synonym(s): *neogynaecella* Dyar,1914
 67363) *Xubida rutubella* (Schaus,1913) (Pyralidae) Synonym(s): *rutubella* Schaus,1913
 67364) *Xubida strictalis* (Dyar,1914) (Pyralidae) Synonym(s): *strictalis* Dyar,1914
 67365) *Xubida thyonella* (Schaus,1913) (Pyralidae) Synonym(s): *thyonella* Schaus,1913
 67366) *Xubida venadialis* Schaus,1922 (Pyralidae) Synonym(s): *venadialis* Schaus,1922
 67367) *Yoshiyasu yasudai* (Yoshiyasu,1985) (Pyralidae) Synonym(s): *yasudai* Yoshiyasu,1985
 67368) *Zacatecas ankasokellus* (Viette,1960) (Pyralidae) Synonym(s): *ankasokellus* Viette,1960
 67369) *Zagiridia noctualis* Hampson,1897 (Pyralidae) Synonym(s): *noctualis* Hampson,1897; *rufalis* Hampson,1917
 67370) *Zeadiatraea grandiosella* (Dyar,1911) (Pyralidae) Synonym(s): *grandiosella* Dyar,1911
 67371) *Zeadiatraea lineolata* (Walker,1856) (Pyralidae) Synonym(s): *lineolata* Walker,1856; *culminicolella* Zeller,1863; *neuricella* Zeller,1863; *angustella* Dyar,1911; *pallidostriata* Dyar,1911
 67372) *Zeadiatraea muellerella* (Dyar & Heinrich,1927) (Pyralidae) Synonym(s): *muellerella* Dyar & Heinrich,1927
 67373) *Zeadiatraea schausella* (Dyar & Heinrich,1927) (Pyralidae) Synonym(s): *schausella* Dyar & Heinrich,1927
 67374) *Zebronia phenice* (Cramer,[1780]) (Pyralidae) Synonym(s): *phenice* Cramer,[1780]; *perspicalis* Hübner,[1811]; *foederalis* Hübner,[1825]; *podalirialis* Guenée,1854; *lathurusalis* Walker,1859; *trivialis* Mabille,1880; *imparivirgatis* Mabille,1881; *#podaliavialis* Hampson,1897; *#podalivalis* Klima,1937; *#podalivalis* Pi
 67375) *Zitha allutalis* (Zeller,1852) (Pyralidae) Synonym(s): *allutalis* Zeller,1852; *cleoalis* Walker,1859; *harpialis* Walker,1859; *rubiginalis* Walker,1863; *#illutalis* Janse,1917
 67376) *Zitha ignalis* (Guenée,1854) (Pyralidae) Synonym(s): *ignalis* Guenée,1854
 67377) *Zitha laminalis* (Guenée,1854) (Pyralidae) Synonym(s): *laminalis* Guenée,1854
 67378) *Zitha punicealis* Walker,[1866] (Pyralidae) Synonym(s): *punicealis* Walker,[1866]
 67379) *Zitha subcupralis* (Zeller,1852) (Pyralidae) Synonym(s): *subcupralis* Zeller,1852
 67380) *Zitha subochracea* Warren,1897 (Pyralidae) Synonym(s): *subochracea* Warren,1897
 67381) *Zonora concatenalis* (Lederer,1858) (Pyralidae) Synonym(s): *concatenalis* Lederer,1858
 67382) *Zonora opiparalis* Swinhoe,1890 (Pyralidae) Synonym(s): *opiparalis* Swinhoe,1890
 67383) *Zonora rufimarginalis* (Hampson,1896) (Pyralidae) Synonym(s): *rufimarginalis* Hampson,1896
 67384) *Zophodia ebeniella* (Ragonot,1888) (Pyralidae) Synonym(s): *ebeniella* Ragonot,1888
 67385) *Zophodia grossulariella* (Hübner,[1809]) (Pyralidae) Synonym(s): *convolutella* Hübner,1796 nec [Denis & Schiffermüller],1775; *grossulariella* Hübner,[1809]; *rectella* Guenée,1845.
 67386) *Zophodia lignea* Joannis,1927 (Pyralidae) Synonym(s): *lignea* Joannis,1927
 67387) *Zophodia robineau* Leraut,1996 (Pyralidae) Synonym(s): *robineau* Leraut,1996
 67388) *Zophodiodes leucocostella* Ragonot,1887 (Pyralidae) Synonym(s): *leucocostella* Ragonot,1887
 67389) *Zovax whiteheadi* (Wollaston,1879) (Pyralidae) Synonym(s): *whiteheadi* Wollaston,1879
 67390) *Callosiope banghaasi* M.Hering,1925 (Ratardidae) Synonym(s): *banghaasi* M.Hering,1925
 67391) *Ratarda flavimargo* M.Hering,1925 (Ratardidae) Synonym(s): *flavimargo* M.Hering,1925
 67392) *Ratarda formosana* (Matsumura,1921) (Ratardidae) Synonym(s): *formosana* Matsumura,1921
 67393) *Ratarda furvivestita* Hampson (Ratardidae) Synonym(s):
 67394) *Ratarda guttifera* M.Hering,1925 (Ratardidae) Synonym(s): *guttifera* M.Hering,1925
 67395) *Ratarda javanica* Roepke,1937 (Ratardidae) Synonym(s): *javanica* Roepke,1937
 67396) *Ratarda marmorata* Moore,1879 (Ratardidae) Synonym(s): *marmorata* Moore,1879
 67397) *Ratarda melanoxantha* M.Hering,1925 (Ratardidae) Synonym(s): *melanoxantha* M.Hering,1925
 67398) *Ratarda mora* M.Hering,1925 (Ratardidae) Synonym(s): *mora* M.Hering,1925
 67399) *Ratarda tertia* Strand,1916 (Ratardidae) Synonym(s): *tertia* Strand,1916; *monstrosa* Strand,1916
 67400) *Abisara abnormis* Moore,1883 (Riodinidae) Synonym(s): *abnormis* Moore,1883
 67401) *Abisara bifasciata* Moore,1877 (Riodinidae) Synonym(s): *bifasciata* Moore,1877
 67402) *Abisara bifasciata angulata* Moore,1879 (Riodinidae) Synonym(s): *angulata* Moore,1879
 67403) *Abisara bifasciata bifasciata* Moore,1877 (Riodinidae) Synonym(s): *bifasciata* Moore,1877
 67404) *Abisara bifasciata suffusa* Moore,1882 (Riodinidae) Synonym(s): *suffusa* Moore,1882
 67405) *Abisara burnii* De Nicéville,1895 (Riodinidae) Synonym(s): *burnii* De Nicéville,1895
 67406) *Abisara burnii burnii* De Nicéville,1895 (Riodinidae) Synonym(s): *burnii* De Nicéville,1895
 67407) *Abisara echerius* (Stoll,[1790]) (Riodinidae) Synonym(s): *echerius* Stoll,[1790]
 67408) *Abisara echerius bazilensis* Fruhstorfer,1900 (Riodinidae) Synonym(s): *bazilensis* Fruhstorfer,1900
 67409) *Abisara echerius cavana* Schröder & Treadaway,1995 (Riodinidae) Synonym(s): *cavana* Schröder & Treadaway,1995
 67410) *Abisara echerius echerius* (Stoll,[1790]) (Riodinidae) Synonym(s): *echerius* Stoll,[1790]
 67411) *Abisara echerius laura* Fruhstorfer,1904 (Riodinidae) Synonym(s): *laura* Fruhstorfer,1904
 67412) *Abisara echerius paionea* Fruhstorfer,1914 (Riodinidae) Synonym(s): *paionea* Fruhstorfer,1914
 67413) *Abisara echerius palawana* Staudinger,1889 (Riodinidae) Synonym(s): *palawana* Staudinger,1889
 67414) *Abisara echerius panayensis* Medicielo & Hanafusa,1994 (Riodinidae) Synonym(s): *panayensis* Medicielo & Hanafusa,1994
 67415) *Abisara echerius similima* Schröder & Treadaway,1995 (Riodinidae) Synonym(s): *similima* Schröder & Treadaway,1995
 67416) *Abisara freda* Bennett,1957 (Riodinidae) Synonym(s): *freda* Bennett,1957
 67417) *Abisara fylla* Doubleday & Hewitson,1851 (Riodinidae) Synonym(s): *fylla* Doubleday & Hewitson,1851
 67418) *Abisara geza* Fruhstorfer,1904 (Riodinidae) Synonym(s): *geza* Fruhstorfer,1904

- 67419) *Abisara geza geza Fruhstorfer, 1904* (Riodinidae) Synonym(s): *geza Fruhstorfer, 1904*
67420) *Abisara geza litavicus Fruhstorfer, 1912* (Riodinidae) Synonym(s): *litavicus Fruhstorfer, 1912*
67421) *Abisara kausambi C.Felder & R.Felder, 1860* (Riodinidae) Synonym(s): *kausambi C.Felder & R.Felder, 1860*
67422) *Abisara kausambi aja Fruhstorfer, 1904* (Riodinidae) Synonym(s): *aja Fruhstorfer, 1904*
67423) *Abisara kausambi kausambi C.Felder & R.Felder, 1860* (Riodinidae) Synonym(s): *kausambi C.Felder & R.Felder, 1860*
67424) *Abisara mindanaensis Semper, 1892* (Riodinidae) Synonym(s): *mindanaensis Semper, 1892*
67425) *Abisara mindanaensis boholensis M.Okano & T.Okano, 1993* (Riodinidae) Synonym(s): *boholensis M.Okano & T.Okano, 1993*
67426) *Abisara mindanaensis canlaonensis Medicielo & Hanafusa, 1994* (Riodinidae) Synonym(s): *canlaonensis Medicielo & Hanafusa, 1994*
67427) *Abisara mindanaensis cudaca Fruhstorfer, 1914* (Riodinidae) Synonym(s): *cudaca Fruhstorfer, 1914*
67428) *Abisara mindanaensis mindanaensis Semper, 1892* (Riodinidae) Synonym(s): *mindanaensis Semper, 1892*
67429) *Abisara saturata mudita Fruhstorfer, 1914* (Riodinidae) Synonym(s): *mudita Fruhstorfer, 1914*
67430) *Abisara neophron Hewitson, 1861* (Riodinidae) Synonym(s): *neophron Hewitson, 1861*
67431) *Abisara neophron chelina Fruhstorfer, 1904* (Riodinidae) Synonym(s): *chelina Fruhstorfer, 1904*
67432) *Abisara neophron neophron Hewitson, 1861* (Riodinidae) Synonym(s): *neophron Hewitson, 1861*
67433) *Abisara saturata Moore, 1878* (Riodinidae) Synonym(s): *saturata Moore, 1878*
67434) *Abisara saturata corbeti Bennett, 1950* (Riodinidae) Synonym(s): *corbeti Bennett, 1950*
67435) *Abisara saturata kausambioides De Nicéville, 1896* (Riodinidae) Synonym(s): *kausambioides De Nicéville, 1896*
67436) *Abisara saturata maya Bennett, 1950* (Riodinidae) Synonym(s): *maya Bennett, 1950*
67437) *Abisara saturata meta Fruhstorfer, 1904* (Riodinidae) Synonym(s): *meta Fruhstorfer, 1904; siamensis Fruhstorfer, 1904*
67438) *Abisara saturata saturata Moore, 1878* (Riodinidae) Synonym(s): *saturata Moore, 1878*
67439) *Abisara savitri C.Felder & R.Felder, 1860* (Riodinidae) Synonym(s): *savitri C.Felder & R.Felder, 1860*
67440) *Abisara savitri savitri C.Felder & R.Felder, 1860* (Riodinidae) Synonym(s): *savitri C.Felder & R.Felder, 1860*
67441) *Apodemia hepburni* (Riodinidae) Synonym(s):
67442) *Apodemia mormo* (Riodinidae) Synonym(s):
67443) *Apodemia mormo duryi* (Riodinidae) Synonym(s):
67444) *Apodemia mormo mejicanus* (Riodinidae) Synonym(s):
67445) *Apodemia mormo virgulti* (Riodinidae) Synonym(s):
67446) *Apodemia multiplaga* (Riodinidae) Synonym(s):
67447) *Apodemia nais* (Riodinidae) Synonym(s):
67448) *Apodemia nais chisosensis* (Riodinidae) Synonym(s):
67449) *Apodemia nais nais* (Riodinidae) Synonym(s):
67450) *Apodemia palmeri* (Riodinidae) Synonym(s):
67451) *Apodemia phyciodoides* (Riodinidae) Synonym(s):
67452) *Apodemia walkeri* (Riodinidae) Synonym(s):
67453) *Calephelis arizonensis* (Riodinidae) Synonym(s):
67454) *Calephelis mutica* (Riodinidae) Synonym(s):
67455) *Calephelis nemesis* (Riodinidae) Synonym(s):
67456) *Calephelis perditalis* (Riodinidae) Synonym(s):
67457) *Calephelis rawsoni* (Riodinidae) Synonym(s):
67458) *Calephelis rawsoni freemani* (Riodinidae) Synonym(s):
67459) *Calephelis rawsoni rawsoni* (Riodinidae) Synonym(s):
67460) *Calephelis virginensis* (Riodinidae) Synonym(s):
67461) *Calephelis wrighti* (Riodinidae) Synonym(s):
67462) *Caria ino* (Riodinidae) Synonym(s):
67463) *Dodona adonira Hewitson, 1866* (Riodinidae) Synonym(s): *adonira Hewitson, 1866*
67464) *Dodona adonira adonira Hewitson, 1866* (Riodinidae) Synonym(s): *adonira Hewitson, 1866*
67465) *Dodona deodata Hewitson, 1876* (Riodinidae) Synonym(s): *deodata Hewitson, 1876*
67466) *Dodona deodata aponata Semper, 1889* (Riodinidae) Synonym(s): *aponata Semper, 1889*
67467) *Dodona deodata deodata Hewitson, 1876* (Riodinidae) Synonym(s): *deodata Hewitson, 1876*
67468) *Dodona deodata malindangensis Schröder & Treadaway, 1988* (Riodinidae) Synonym(s): *malindangensis Schröder & Treadaway, 1988*
67469) *Dodona deodata ohtsukai Hayashi, 1984* (Riodinidae) Synonym(s): *ohtsukai Hayashi, 1984*
67470) *Dodona deodata sakaii Hayashi, 1976* (Riodinidae) Synonym(s): *sakaii Hayashi, 1976*
67471) *Dodona deodata treadawayi Hanafusa, 1989* (Riodinidae) Synonym(s): *treadawayi Hanafusa, 1989*
67472) *Dodona dipoea Hewitson, 1866* (Riodinidae) Synonym(s): *dipoea Hewitson, 1866*
67473) *Dodona dipoea dipoea Hewitson, 1866* (Riodinidae) Synonym(s): *dipoea Hewitson, 1866*
67474) *Dodona dipoea dracon De Nicéville, 1897* (Riodinidae) Synonym(s): *dracon De Nicéville, 1897*
67475) *Dodona dipoea nostia Fruhstorfer, 1912* (Riodinidae) Synonym(s): *nostia Fruhstorfer, 1912*
67476) *Dodona durga (Kollar, [1844])* (Riodinidae) Synonym(s): *durga Kollar, [1844]*
67477) *Dodona durga durga (Kollar, [1844])* (Riodinidae) Synonym(s): *durga Kollar, [1844]*
67478) *Dodona egeon (Westwood, [1851])* (Riodinidae) Synonym(s): *egeon Westwood, [1851]*
67479) *Dodona egeon egeon (Westwood, [1851])* (Riodinidae) Synonym(s): *egeon Westwood, [1851]*
67480) *Dodona eugenes Bates, 1867* (Riodinidae) Synonym(s): *eugenes Bates, 1867*
67481) *Dodona eugenes eugenes Bates, 1867* (Riodinidae) Synonym(s): *eugenes Bates, 1867*
67482) *Dodona eugenes venox Fruhstorfer, 1908* (Riodinidae) Synonym(s): *venox Fruhstorfer, 1908*
67483) *Dodona ouida Moore, 1866* (Riodinidae) Synonym(s): *ouida Moore, 1866*
67484) *Dodona ouida ouida Moore, 1866* (Riodinidae) Synonym(s): *ouida Moore, 1866*
67485) *Emesis ares* (Riodinidae) Synonym(s):
67486) *Emesis emesia* (Riodinidae) Synonym(s):
67487) *Emesis tenedia* (Riodinidae) Synonym(s):
67488) *Emesis zela* (Riodinidae) Synonym(s):
67489) *Hamearis lucina (Linnaeus, 1758)* (Riodinidae) Synonym(s): *lucina Linnaeus, 1758*
67490) *Hamearis lucina lucina (Linnaeus, 1758)* (Riodinidae) Synonym(s): *lucina Linnaeus, 1758*
67491) *Lasaia maria* (Riodinidae) Synonym(s):
67492) *Lasaia sula* (Riodinidae) Synonym(s):
67493) *Laxita thuisto (Hewitson, 1861)* (Riodinidae) Synonym(s): *thuisto Hewitson, 1861*
67494) *Laxita thuisto sawaja Fruhstorfer, 1904* (Riodinidae) Synonym(s): *sawaja Fruhstorfer, 1904*
67495) *Laxita thuisto thuisto (Hewitson, 1861)* (Riodinidae) Synonym(s): *thuisto Hewitson, 1861*
67496) *Melanis pixe* (Riodinidae) Synonym(s):
67497) *Paralaxita damajanti (C.Felder & R.Felder, 1860)* (Riodinidae) Synonym(s): *damajanti C.Felder & R.Felder, 1860*
67498) *Paralaxita damajanti damajanti (C.Felder & R.Felder, 1860)* (Riodinidae) Synonym(s): *damajanti C.Felder & R.Felder, 1860*
67499) *Paralaxita orphna (Boisduval, 1836)* (Riodinidae) Synonym(s): *orphna Boisduval, 1836*
67500) *Paralaxita orphna laocoon (De Nicéville, 1894)* (Riodinidae) Synonym(s): *laocoon De Nicéville, 1894*
67501) *Paralaxita orphna orphna (Boisduval, 1836)* (Riodinidae) Synonym(s): *orphna Boisduval, 1836*
67502) *Paralaxita telesia (Hewitson, 1861)* (Riodinidae) Synonym(s): *telesia Hewitson, 1861*
67503) *Paralaxita telesia bouletti (Fruhstorfer, 1914)* (Riodinidae) Synonym(s): *bouletti Fruhstorfer, 1914*
67504) *Paralaxita telesia lyclene (De Nicéville, 1894)* (Riodinidae) Synonym(s): *lyclene De Nicéville, 1894*
67505) *Paralaxita telesia telesia (Hewitson, 1861)* (Riodinidae) Synonym(s): *telesia Hewitson, 1861*
67506) *Polycaena carmelita Oberthür, 1909* (Riodinidae) Synonym(s): *carmelita Oberthür, 1909*
67507) *Polycaena carmelita carmelita Oberthür, 1909* (Riodinidae) Synonym(s): *carmelita Oberthür, 1909*
67508) *Polycaena lama Leech, 1893* (Riodinidae) Synonym(s): *lama Leech, 1893*

- 67509) *Polycæna lama lama* Leech,1893 (Riodinidae) Synonym(s): *lama* Leech,1893
 67510) *Polycæna lua* Groum-Grshimailo,1890 (Riodinidae) Synonym(s): *lua* Groum-Grshimailo,1891
 67511) *Polycæna lua lua* Groum-Grshimailo,1890 (Riodinidae) Synonym(s): *lua* Groum-Grshimailo,1890
 67512) *Polycæna matuta* Leech,1893 (Riodinidae) Synonym(s): *matuta* Leech,1893
 67513) *Polycæna matuta matuta* Leech,1893 (Riodinidae) Synonym(s): *matuta* Leech,1893
 67514) *Polycæna princeps* Oberthür,1887 (Riodinidae) Synonym(s): *princeps* Oberthür,1887
 67515) *Polycæna princeps princeps* (Oberthür,1887) (Riodinidae) Synonym(s): *princeps* Oberthür,1887
 67516) *Polycæna tamerlana* Staudinger,1886 (Riodinidae) Synonym(s): *tamerlana* Staudinger,1886
 67517) *Polycæna tamerlana attila* Gaede,1930 (Riodinidae) Synonym(s): *attila* Gaede,1930
 67518) *Polycæna tamerlana helcha* Gaede,1930 (Riodinidae) Synonym(s): *helcha* Gaede,1930
 67519) *Polycæna tamerlana tamerlana* Staudinger,1886 (Riodinidae) Synonym(s): *tamerlana* Staudinger,1886
 67520) *Polycæna tamerlana timur* Staudinger,1886 (Riodinidae) Synonym(s): *timur* Staudinger,1886
 67521) *Stiboges nymphidia* Butler,1876 (Riodinidae) Synonym(s): *nymphidia* Butler,1876
 67522) *Stiboges nymphidia nymphidia* Butler,1876 (Riodinidae) Synonym(s): *nymphidia* Butler,1876
 67523) *Stiboges nymphidia* ssp. (Riodinidae) Synonym(s):
 67524) *Taxila haquinus* (Fabricius,1793) (Riodinidae) Synonym(s): *haquinus* Fabricius,1793
 67525) *Taxila haquinus berthae* Fruhstorfer,1904 (Riodinidae) Synonym(s): *berthae* Fruhstorfer,1904
 67526) *Taxila haquinus fasciata* Moore,1878 (Riodinidae) Synonym(s): *fasciata* Moore,1878
 67527) *Taxila haquinus haquinus* (Fabricius,1793) (Riodinidae) Synonym(s): *haquinus* Fabricius,1793
 67528) *Taxila haquinus palawanicus* Staudinger,1889 (Riodinidae) Synonym(s): *palawanicus* Staudinger,1889
 67529) *Zemerops emesoides* C.Felder & R.Felder,1860 (Riodinidae) Synonym(s): *emesoides* C.Felder & R.Felder,1860
 67530) *Zemerops phlegyas* (Cramer,[1780]) (Riodinidae) Synonym(s): *phlegyas* Cramer,[1780]
 67531) *Zemerops phlegyas albipunctatus* Butler,1874 (Riodinidae) Synonym(s): *albipunctatus* Butler,1874
 67532) *Zemerops phlegyas allica* (Fabricius,1787) (Riodinidae) Synonym(s): *allica* Fabricius,1787
 67533) *Zemerops phlegyas confucius* Moore (Riodinidae) Synonym(s):
 67534) *Zemerops phlegyas hondai* Hayashi,1976 (Riodinidae) Synonym(s): *hondai* Hayashi,1976
 67535) *Zemerops phlegyas indicus* Fruhstorfer,[1898] (Riodinidae) Synonym(s): *indicus* Fruhstorfer,[1898]
 67536) *Zemerops phlegyas phlegyas* (Cramer,[1780]) (Riodinidae) Synonym(s): *phlegyas* Cramer,[1780]
 67537) *Zemerops phlegyas retarius* Grose-Smith (Riodinidae) Synonym(s):
 67538) *Zemerops phlegyas sparsus* Fruhstorfer,[1898] (Riodinidae) Synonym(s): *sparsus* Fruhstorfer,[1898]
 67539) *Agriothera doipakia* Moriuti,1987 (Roeslerstammiidae) Synonym(s): *doipakia* Moriuti,1987
 67540) *Agriothera inthanonensis* Moriuti,1984 (Roeslerstammiidae) Synonym(s): *inthanonensis* Moriuti,1984
 67541) *Agriothera melanacma* Meyrick,1907 (Roeslerstammiidae) Synonym(s): *melanacma* Meyrick,1907
 67542) *Agriothera* sp.: (Roeslerstammiidae) Synonym(s):
 67543) *Roeslerstammia erxlebelli* (Fabricius,1787) (Roeslerstammiidae) Synonym(s): *erxlebelli* Fabricius,1787
 67544) *Roeslerstammia pronubella* ([Denis & Schiffermüller],1775) (Roeslerstammiidae) Synonym(s): *pronubella* [Denis & Schiffermüller],1775
 67545) *Telethera blepharacma* Meyrick,1913 (Roeslerstammiidae) Synonym(s): *blepharacma* Meyrick,1913
 67546) *Telethera formosa* Moriuti,1978 (Roeslerstammiidae) Synonym(s): *formosa* Moriuti,1978
 67547) *Telethera inthawichayanoni* Moriuti,1987 (Roeslerstammiidae) Synonym(s): *inthawichayanoni* Moriuti,1987
 67548) *Telethera karsholti* Moriuti,1987 (Roeslerstammiidae) Synonym(s): *karsholti* Moriuti,1987
 67549) *Actias austalovietnama* Brechlin,2000 (Saturniidae) Synonym(s): *austalovietnama* Brechlin,2000
 67550) *Actias chapae* (Mell,1950) (Saturniidae) Synonym(s): *chapae* Mell,1950
 67551) *Actias dubernardi* (Oberthür,1897) (Saturniidae) Synonym(s): *dubernardi* Oberthür,1897
 67552) *Actias groenendaeli* Roepke,1954 (Saturniidae) Synonym(s): *groenendaeli* Roepke,1954
 67553) *Actias ignescens* Moore,1877 (Saturniidae) Synonym(s): *ignescens* Moore,1877
 67554) *Actias isabellae* (Graells,1849) (Saturniidae) Synonym(s): *isabellae* Graells,1849
 67555) *Actias isabellae galliaegloria* (Oberthür,1922) (Saturniidae) Synonym(s): *galliaegloria* Oberthür,1922
 67556) *Actias isabellae isabellae* (Graells,1849) (Saturniidae) Synonym(s): *isabellae* Graells,1849
 67557) *Actias isabellae paradisea* (Marten,1955) (Saturniidae) Synonym(s): *paradisea* Marten,1955
 67558) *Actias isis* (Sonthonnax,[1897]) (Saturniidae) Synonym(s): *isis* Westwood,1849; *isis* Sonthonnax,[1897]; *lathona* Rothschild & Jordan,1901; *#cotei* Testout,1945
 67559) *Actias laotiana* Testout,1936 (Saturniidae) Synonym(s): *laotiana* Testout,1936
 67560) *Actias luna* (Linnaeus,1758) (Saturniidae) Synonym(s): *luna* Linnaeus,1758
 67561) *Actias luna luna* (Linnaeus,1758) (Saturniidae) Synonym(s): *luna* Linnaeus,1758
 67562) *Actias maenas* Doubleday,1847 (Saturniidae) Synonym(s): *maenas* Doubleday,1847
 67563) *Actias maenas diana* Maassen,[1872] (Saturniidae) Synonym(s): *diana* Maassen,[1872]; *saja* Van Eecke,1913; *recta* Bouvier,1928
 67564) *Actias maenas maenas* Doubleday,1847 (Saturniidae) Synonym(s): *maenas* Doubleday,1847; *leto* Doubleday,1848
 67565) *Actias philippinica* Nässig & Treadaway,1997 (Saturniidae) Synonym(s): *philippinica* Nässig & Treadaway,1997
 67566) *Actias philippinica bulbosa* Nässig & Treadaway,1997 (Saturniidae) Synonym(s): *bulbosa* Nässig & Treadaway,1997
 67567) *Actias philippinica philippinica* Nässig & Treadaway,1997 (Saturniidae) Synonym(s): *philippinica* Nässig & Treadaway,1997
 67568) *Actias rhodopneuma* Röber,1925 (Saturniidae) Synonym(s): *rhodopneuma* Röber,1925
 67569) *Actias rhodopneuma rhodopneuma* Röber,1925 (Saturniidae) Synonym(s): *rhodopneuma* Röber,1925
 67570) *Actias rosenbergii* (Kaup,1895) [status doubtful (Nässig,1994)] (Saturniidae) Synonym(s): *rosenbergii* Kaup,1895; *rieli* Testout,1942
 67571) *Actias selene* (Hübner,1806) (Saturniidae) Synonym(s): *selene* Hübner,1806; *#dianae* Hutton,1846
 67572) *Actias selene brevijuxta* Nässig & Treadaway,1997 (Saturniidae) Synonym(s): *brevijuxta* Nässig & Treadaway,1997
 67573) *Actias selene selene* (Hübner,1806) (Saturniidae) Synonym(s): *selene* Hübner,1806; *#dianae* Hutton,1846
 67574) *Actias sinensis* (Walker,1855) (Saturniidae) Synonym(s): *sinensis* Walker,1855
 67575) *Aglaia tau* (Linnaeus,1758) (Saturniidae) Synonym(s): *tau* Linnaeus,1758; *cerretanica* Rougeot,1965; *spaniolissima* Gomez-Bustillo & Gomez de Aizpuru,1980; *eumense* Gomez-Bustillo & Fernandez Vidal,1980
 67576) *Antheraea (Antheraeopsis) castanea* Jordan,1910 (Saturniidae) Synonym(s): *castanea* Jordan,1910
 67577) *Antheraea (Antheraeopsis) paniki* Nässig & Treadaway,1998 (Saturniidae) Synonym(s): *paniki* Nässig & Treadaway,1998
 67578) *Antheraea (Antheraeopsis) paniki paniki* Nässig & Treadaway,1998 (Saturniidae) Synonym(s): *paniki* Nässig & Treadaway,1998
 67579) *Antheraea (Antheraeopsis) paniki sahi* Nässig & Treadaway,1998 (Saturniidae) Synonym(s): *sahi* Nässig & Treadaway,1998
 67580) *Antheraea (s.str.) assamensis* Helfer,1837 (Saturniidae) Synonym(s): *assamensis* Helfer,1837
 67581) *Antheraea (s.str.) assamensis assamensis* Helfer,1837 (Saturniidae) Synonym(s): *assamensis* Helfer,1837
 67582) *Antheraea (s.str.) frithi* Moore,1858 (Saturniidae) Synonym(s): *frithi* Moore,1858
 67583) *Antheraea (s.str.) frithi frithi* Moore,1858 (Saturniidae) Synonym(s): *frithi* Moore,1858
 67584) *Antheraea (s.str.) frithi pedunculata* Bouvier,1936 (Saturniidae) Synonym(s): *pedunculata* Bouvier,1936
 67585) *Antheraea (s.str.) gschwandneri* Niepelt,1918 (Saturniidae) Synonym(s): *gschwandneri* Niepelt,1918
 67586) *Antheraea (s.str.) gschwandneri zwicki* Nässig & Treadaway,1998 (Saturniidae) Synonym(s): *zwicki* Nässig & Treadaway,1998
 67587) *Antheraea (s.str.) gulata* Nässig & Treadaway,1998 (Saturniidae) Synonym(s): *gulata* Nässig & Treadaway,1998
 67588) *Antheraea (s.str.) halconensis* Paukstadt & Brosch,1996 (Saturniidae) Synonym(s): *halconensis* Paukstadt & Brosch,1996
 67589) *Antheraea (s.str.) helferi* Moore,1858 (Saturniidae) Synonym(s): *helferi* Moore,1858
 67590) *Antheraea (s.str.) helferi borneensis* Moore,1858 (Saturniidae) Synonym(s): *borneensis* Moore,1858
 67591) *Antheraea (s.str.) helferi helferi* Moore,1858 (Saturniidae) Synonym(s): *helferi* Moore,1858
 67592) *Antheraea (s.str.) larissa* (Westwood,1847) (Saturniidae) Synonym(s): *larissa* Westwood,1847; *ridlyi* Moore,1892; *delegata* Swinhoe,1883
 67593) *Antheraea (s.str.) larissa larissa* (Westwood,1847) (Saturniidae) Synonym(s): *larissa* Westwood,1847; *ridlyi* Moore,1892; *delegata* Swinhoe,1883
 67594) *Antheraea (s.str.) larissa mindoroensis* Brosch & Paukstadt,1996 (Saturniidae) Synonym(s): *mindoroensis* Brosch & Paukstadt,1996
 67595) *Antheraea (s.str.) larissa philippinica* Treadaway & Nässig,1997 (Saturniidae) Synonym(s): *philippinica* Treadaway & Nässig,1997
 67596) *Antheraea (s.str.) larissoides* Bouvier,1928 (Saturniidae) Synonym(s): *larissoides* Bouvier,1928

- 67597) *Antheraea* (s.str.) *myanmarensis* U.Paukstadt, L.H.Paukstadt & U.Brosch, 1998 (Saturniidae) Synonym(s): *myanmarensis* U.Paukstadt, L.H.Paukstadt & U.Brosch, 1998
- 67598) *Antheraea* (s.str.) *pernyi* (Guérin-Méneville, 1855) (Saturniidae) Synonym(s): *pernyi* Guérin-Méneville, 1855
- 67599) *Antheraea* (s.str.) *platessa* Rothschild, 1903 (Saturniidae) Synonym(s): *platessa* Rothschild, 1903
- 67600) *Antheraea* (s.str.) *rosieri* (Toxopeus, 1940) (Saturniidae) Synonym(s): *rosieri* Toxopeus, 1940
- 67601) *Antheraea* (s.str.) *rosieri imeldae* Nässig & Treadaway, 1998 (Saturniidae) Synonym(s): *imeldae* Nässig & Treadaway, 1998
- 67602) *Antheraea* (s.str.) *rosieri rosieri* (Toxopeus, 1940) (Saturniidae) Synonym(s): *rosieri* Toxopeus, 1940
- 67603) *Antheraea* (s.str.) *roylii* Moore, 1859 (Saturniidae) Synonym(s): *roylii* Moore, 1859; *roylei* Moore, [1860]
- 67604) *Antheraea* (s.str.) *roylii roylii* Moore, 1859 (Saturniidae) Synonym(s): *roylii* Moore, 1859; *roylei* Moore, [1860]
- 67605) *Antheraea* (s.str.) *semperi* C.Felder & R.Felder, 1861 (Saturniidae) Synonym(s): *semperi* C.Felder & R.Felder, 1861
- 67606) *Antheraea* (s.str.) *semperi noeli* Nässig & Treadaway, 1998 (Saturniidae) Synonym(s): *noeli* Nässig & Treadaway, 1998
- 67607) *Antheraea* (s.str.) *semperi semperi* C.Felder & R.Felder, 1861 (Saturniidae) Synonym(s): *semperi* C.Felder & R.Felder, 1861
- 67608) *Antheraea* (s.str.) *steinkeorum* U.Paukstadt, L.H.Paukstadt & U.Brosch, 1999 (Saturniidae) Synonym(s): *steinkeorum* U.Paukstadt, L.H.Paukstadt & U.Brosch, 1999
- 67609) *Antheraea* (s.str.) *ulrichbroschi* U.Paukstadt, L.H.Paukstadt, 1999 (Saturniidae) Synonym(s): *ulrichbroschi* U.Paukstadt, L.H.Paukstadt, 1999
- 67610) *Antheraea* (s.str.) *yamamai* (Guérin-Méneville, 1861) (Saturniidae) Synonym(s): *yamamai* Guérin-Méneville, 1861
- 67611) *Antistathoptera daltonae* Tams, 1935 (Saturniidae) Synonym(s): *daltonae* Tams, 1935
- 67612) *Antistathoptera daltonae rectangulata* Pinhey, 1968 (Saturniidae) Synonym(s): *rectangulata* Pinhey, 1968
- 67613) *Archeoattacus edwardsii* (White, 1859) (Saturniidae) Synonym(s): *edwardsii* White, 1859; *malayanus* Kurosawa & Kishida, [1985]
- 67614) *Archeoattacus edwardsii edwardsii* (White, 1859) (Saturniidae) Synonym(s): *edwardsii* White, 1859; *malayanus* Kurosawa & Kishida, [1985]
- 67615) *Archeoattacus staudingeri* (Rothschild, 1895) (Saturniidae) Synonym(s): *staudingeri* Rothschild, 1895
- 67616) *Argema mimosae* (Boisduval, 1847) (Saturniidae) Synonym(s): *mimosae* Boisduval, 1847; *elucidata* Grünberg, 1910; *occidentalis* Gschwandner, 1923; *bouvieri* Ghesquière, 1934
- 67617) *Argema sinensis* (Walker, 1855) (Saturniidae) Synonym(s): *sinensis* Walker, 1855
- 67618) *Argema sinensis heterogyna* (Mell, 1914) (Saturniidae) Synonym(s): *heterogyna* Mell, 1914
- 67619) *Argema sinensis sinensis* (Walker, 1855) (Saturniidae) Synonym(s): *sinensis* Walker, 1855
- 67620) *Athletes gigas* (Sonthonnax, 1904) (Saturniidae) Synonym(s): *gigas* Sonthonnax, 1904; *steindachneri* Rebel, 1904
- 67621) *Athletes semialba* (Sonthonnax, 1904) (Saturniidae) Synonym(s): *semialba* Sonthonnax, 1904
- 67622) *Attacus atlas* (Linnaeus, 1758) (Saturniidae) Synonym(s): *atlas* Linnaeus, 1758
- 67623) *Attacus caesar* Maassen, 1873 (Saturniidae) Synonym(s): *caesar* Maassen, 1873; *imperator* Kirby, 1892
- 67624) *Attacus lemairei* Peigler, 1985 (Saturniidae) Synonym(s): *lemairei* Peigler, 1985
- 67625) *Attacus lemairei lemairei* Peigler, 1985 (Saturniidae) Synonym(s): *lemairei* Peigler, 1985
- 67626) *Attacus lorquini* C.Felder & R.Felder, 1861 (Saturniidae) Synonym(s): *lorquini* C.Felder & R.Felder, 1861
- 67627) *Attacus paraliae* Peigler, 1985 (Saturniidae) Synonym(s): *paraliae* Peigler, 1985
- 67628) *Attacus paraliae paraliae* Peigler, 1985 (Saturniidae) Synonym(s): *paraliae* Peigler, 1985
- 67629) *Aurivillius fuscus* (Rothschild, 1895) (Saturniidae) Synonym(s): *fuscus* Rothschild, 1895; *divaricatus* Bouvier, 1927
- 67630) *Bunaea alcinoe* (Stoll, 1780) (Saturniidae) Synonym(s): *alcinoe* Stoll, 1780; *caffraria* Stoll, 1790; *caffra* Hübner, 1819; *nyctalops* Wallengren, 1858; *punctigera* Wallengren, 1860; *tricolor* Rothschild, 1895; *alcinoina* Oberthür, 1910; *barbertoniana* Oberthür, 1910; *debeeri* Oberthür, 1910; *durbania* Oberthür, 1910; *nubica* Jordan, 1910; *albercini* Dufrane, 1953; *katangensis* Dufrane, 1953; *atlantica* Dufrane, 1953.
- 67631) *Bunaeopsis annabellae* Lemaire & Rougeot, 1975 (Saturniidae) Synonym(s): *annabellae* Lemaire & Rougeot, 1975
- 67632) *Bunaeopsis arabella* (Aurivillius, 1893) (Saturniidae) Synonym(s): *arabella* Aurivillius, 1893
- 67633) *Bunaeopsis bomfordi* Pinhey, 1962 (Saturniidae) Synonym(s): *bomfordi* Pinhey, 1962
- 67634) *Bunaeopsis hersilia* (Westwood, 1849) (Saturniidae) Synonym(s): *hersilia* Westwood, 1849; *dido* Maassen & Weymer, 1881; *rendalli* Rothschild, 1896; *ansorgei* Rothschild, 1898; *fenestratula* Strand, 1911; *elisa* Wichgraf, 1914; *schoenheiti* Wichgraf, 1914; *hersilioides* Fleury, 1924; *rendalliana* Gaede, 1927; *nigericola* Strand, 1929.
- 67635) *Bunaeopsis jacksoni* (Jordan, 1908) (Saturniidae) Synonym(s): *jacksoni* Jordan, 1908; *oenopa* Grünberg, 1910; *rosea* Bouvier, 1927; *carabella* Strand, 1929; *observabilis* Darge, 1993
- 67636) *Bunaeopsis oubie* (Guérin-Méneville, 1847) (Saturniidae) Synonym(s): *oubie* Guérin-Méneville, 1847; *zaddachii* Dewitz, 1879; *aethiopica* Le Cerf, 1911; *argillosa* Le Cerf, 1911; *ferruginea* Bouvier, 1927; *lutea* Bouvier, 1927; *tanganyikae* Schüsser, 1933; *afraorientalis* Stoneham, 1959
- 67637) *Bunaeopsis princeps* (Le Cerf, 1918) (Saturniidae) Synonym(s): *princeps* Le Cerf, 1918; *callichroma* Le Cerf, 1918
- 67638) *Cinabra hyperbius* (Westwood, 1881) (Saturniidae) Synonym(s): *hyperbius* Westwood, 1881; *bracteata* Distant, 1897; *gaedei* Schüsser, 1933
- 67639) *Cricula andrei* Jordan (Saturniidae) Synonym(s):
- 67640) *Cricula jordani* Bryk, 1944 (Saturniidae) Synonym(s): *jordani* Bryk, 1944
- 67641) *Cricula jordani jordani* Bryk, 1944 (Saturniidae) Synonym(s): *jordani* Bryk, 1944
- 67642) *Cricula luzonica* Jordan, 1909 (Saturniidae) Synonym(s): *luzonica* Jordan, 1909
- 67643) *Cricula luzonica kareli* Nässig & Treadaway, 1997 (Saturniidae) Synonym(s): *kareli* Nässig & Treadaway, 1997
- 67644) *Cricula luzonica leyteana* Nässig & Treadaway, 1997 (Saturniidae) Synonym(s): *leyteana* Nässig & Treadaway, 1997
- 67645) *Cricula luzonica luzonica* Jordan, 1909 (Saturniidae) Synonym(s): *luzonica* Jordan, 1909
- 67646) *Cricula mindanaensis* Nässig & Treadaway, 1997 (Saturniidae) Synonym(s): *mindanaensis* Nässig & Treadaway, 1997
- 67647) *Cricula mindanaensis mindanaensis* Nässig & Treadaway, 1997 (Saturniidae) Synonym(s): *mindanaensis* Nässig & Treadaway, 1997
- 67648) *Cricula trifenestrata* (Helfer, 1837) (Saturniidae) Synonym(s): *trifenestrata* Helfer, 1837
- 67649) *Cricula trifenestrata treadawayi* Nässig, 1989 (Saturniidae) Synonym(s): *treadawayi* Nässig, 1989
- 67650) *Cricula trifenestrata trifenestrata* (Helfer, 1837) (Saturniidae) Synonym(s): *trifenestrata* Helfer, 1837
- 67651) *Cricula vietnam* Brechlin, Nässig & Naumann, 1999 (Saturniidae) Synonym(s): *vietnam* Brechlin, Nässig & Naumann, 1999
- 67652) *Decachorda aspersa* Bouvier, 1927 (Saturniidae) Synonym(s): *aspersa* Bouvier, 1927
- 67653) *Decachorda aspersa orientalis* Bouvier, 1930 (Saturniidae) Synonym(s): *orientalis* Bouvier, 1930
- 67654) *Decachorda fulvia* (Druce, 1886) (Saturniidae) Synonym(s): *fulvia* Druce, 1886
- 67655) *Decachorda pomona* (Weymer, 1892) (Saturniidae) Synonym(s): *pomona* Weymer, 1892
- 67656) *Decachorda rosea* Aurivillius, 1898 (Saturniidae) Synonym(s): *rosea* Aurivillius, 1898
- 67657) *Eochroa trimenii* Felder, 1874 (Saturniidae) Synonym(s): *trimenii* Felder, 1874
- 67658) *Epiphora baubini* (Saturniidae) Synonym(s):
- 67659) *Epiphora baubini damarensis* Schultze, 1913 (Saturniidae) Synonym(s): *damarensis* Schultze, 1913
- 67660) *Epiphora manowensis* (Gschwandner, 1923) (Saturniidae) Synonym(s): *manowensis* Gschwandner, 1923; *brunnea* Bouvier, 1930; *nubilosa* Testout, 1938
- 67661) *Epiphora mythimnia* (Westwood, 1849) (Saturniidae) Synonym(s): *mythimnia* Westwood, 1849; *scribonia* Wallengren, 1860.
- 67662) *Goodia kuntzei* (Dewitz, 1881) (Saturniidae) Synonym(s): *kuntzei* Dewitz, 1881; *ansorgei* Kirby, 1896; *ochracea* Aurivillius, 1901
- 67663) *Gynanisa ata* Strand, 1911 (Saturniidae) Synonym(s): *ata* Strand, 1911; *daula* Tams, 1930
- 67664) *Gynanisa maja* (Klug, 1836) (Saturniidae) Synonym(s): *maja* Klug, 1836; *isis* Duncan & Westwood, 1841; *tata* Wallengren, 1860; *macromaja* Strand, 1920; *nigra* Bouvier, 1927
- 67665) *Hemileuca conwayae* Peigler, 1985 (Saturniidae) Synonym(s): *conwayae* Peigler, 1985
- 67666) *Heniocha apollonia* (Cramer, 1779) (Saturniidae) Synonym(s): *apollonia* Cramer, 1779; *divisa* Bryk, 1939
- 67667) *Heniocha apollonia apollonia* (Cramer, 1779) (Saturniidae) Synonym(s): *apollonia* Cramer, 1779; *divisa* Bryk, 1939
- 67668) *Heniocha apollonia flavida* (Butler, 1877) (Saturniidae) Synonym(s): *flavida* Butler, 1877; *lindti* Grünberg, 1910; *apollina* Gaede, 1927
- 67669) *Heniocha apollonia terpsichorina* (Westwood, 1881) (Saturniidae) Synonym(s): *terpsichorina* Westwood, 1881
- 67670) *Heniocha distincta* Bryk, 1939 (Saturniidae) Synonym(s): *distincta* Bryk, 1939
- 67671) *Heniocha dyops* (Maassen, 1872) (Saturniidae) Synonym(s): *dyops* Maassen, 1872; *bioculata* Aurivillius, 1879
- 67672) *Heniocha marnois* (Rogenhofer, 1891) (Saturniidae) Synonym(s): *marnois* Rogenhofer, 1891
- 67673) *Holocerina agomensis* (Karsch, 1896) (Saturniidae) Synonym(s): *agomensis* Karsch, 1896; *angomensis* Pinhey, 1972
- 67674) *Holocerina angulata* (Aurivillius, 1893) (Saturniidae) Synonym(s): *angulata* Aurivillius, 1893; *bistricta* Strand, 1911; *guineensis* Strand, 1912; *micropteryx* Hering, 1949
- 67675) *Holocerina rhodesiensis* (Janse, 1918) (Saturniidae) Synonym(s): *rhodesiensis* Janse, 1918

- 67676) *Holocerina smilax* (Westwood,1849) (Saturniidae) Synonym(s): *smilax* Westwood,1849
- 67677) *Imbrasia (Gonimbrasia) affinis* (Bouvier,1926) (Saturniidae) Synonym(s): *affinis* Bouvier,1926
- 67678) *Imbrasia (Gonimbrasia) anna* (Maassen & Weyding,1885) (Saturniidae) Synonym(s): *anna* Maassen & Weyding,1885
- 67679) *Imbrasia (Gonimbrasia) belina* (Westwood,1849) (Saturniidae) Synonym(s): *belina* Westwood,1849; *junodi* Oberthür,1910; *annulata* Bouvier,1936
- 67680) *Imbrasia (Gonimbrasia) bubo* (Bouvier,1930) (Saturniidae) Synonym(s): *bubo* Bouvier,1930; *clarki* Geertsema,1971
- 67681) *Imbrasia (Gonimbrasia) carnigiei* (Janse,1918) (Saturniidae) Synonym(s): *carnigiei* Janse,1918
- 67682) *Imbrasia (Gonimbrasia) cytherea* (Fabricius,1775) (Saturniidae) Synonym(s): *cytherea* Fabricius,1775; *capensis* Stool,1780; *pauper* Bouvier,1926; *unicolor* Bouvier,1926
- 67683) *Imbrasia (Gonimbrasia) gueinzii* (Staudinger,1872) (Saturniidae) Synonym(s): *gueinzii* Staudinger,1872
- 67684) *Imbrasia (Gonimbrasia) macrothyris* (Rotschild,1906) (Saturniidae) Synonym(s): *macrothyris* Rotschild,1906; *regalis* Rebel,1906; *heroum* Oberthür,1910
- 67685) *Imbrasia (Gonimbrasia) perscitus* (Darge,1992) (Saturniidae) Synonym(s): *perscitus* Darge,1992; *herbuloti* Darge,1992
- 67686) *Imbrasia (Gonimbrasia) rectilineata* (Sonthonnax,1899) (Saturniidae) Synonym(s): *rectilineata* Sonthonnax,1899
- 67687) *Imbrasia (Gonimbrasia) tyrreha* (Cramer,1775) (Saturniidae) Synonym(s): *tyrreha* Cramer,1775; *rubra* Bouvier,1936
- 67688) *Imbrasia (Gonimbrasia) wahlbergii* (Boisduval,1847) (Saturniidae) Synonym(s): *wahlbergii* Boisduval,1847; *ochracea* Rebel,1917
- 67689) *Imbrasia (Gonimbrasia) zambesina* (Walker,1865) (Saturniidae) Synonym(s): *zambesina* Walker,1865; *zambesia* Feldwer,1874; *said* Oberthür,1878; *barcas* Maassen & Weymer,1881; *ringleri* Wichgraf,1906; *rectilinea* Oberthür,1910; *zanguebarica* Oberthür,1910.
- 67690) *Imbrasia* (s.str.) *ertli* Rebel,1904 (Saturniidae) Synonym(s): *ertli* Rebel,1904
- 67691) *Imbrasia* (s.str.) *forda* (Westwood,1849) (Saturniidae) Synonym(s): *forda* Westwood,1849; *patens* Boisduval,1847; *semicaeca* Walker,1855; *invenusta* Wallengren,1858; *cervina* Westwood,1881; *similis* Distant,1897
- 67692) *Lemaireia inexpectata* Nässig,1996 (Saturniidae) Synonym(s): *inexpectata* Nässig,1996
- 67693) *Lemaireia luteopeplus* (Nässig & Holloway,1988) (Saturniidae) Synonym(s): *luteopeplus* Nässig & Holloway,1988
- 67694) *Lemaireia luteopeplus aureopeplus* (Nässig & Holloway,1988) (Saturniidae) Synonym(s): *aureopeplus* Nässig & Holloway,1988
- 67695) *Lemaireia luteopeplus luteopeplus* (Nässig & Holloway,1988) (Saturniidae) Synonym(s): *luteopeplus* Nässig & Holloway,1988
- 67696) *Lemaireia schintlmeisteri* (Nässig & Lampe,1989) (Saturniidae) Synonym(s): *schintlmeisteri* Nässig & Lampe,1989
- 67697) *Lobobunaea angasana* (Westwood,1849) (Saturniidae) Synonym(s): *angasana* Westwood,1849; *saturnus* Maassen & Weyding,1885; *tanganicae* Sonthonnax,1899; *weymeri* Aurivillius,1910
- 67698) *Lobobunaea phaedusa* (Saturniidae) Synonym(s):
- 67699) *Lobobunaea phaedusa falcatissima* Rougeot,1962 (Saturniidae) Synonym(s): *falcatissima* Rougeot,1962; *flamulata* Navatte,1978
- 67700) *Loepa anthera* Jordan,1911 (Saturniidae) Synonym(s): *anthera* Jordan,1911
- 67701) *Loepa diversiocellata* Bryk,1944 (Saturniidae) Synonym(s): *diversiocellata* Bryk,1944
- 67702) *Loepa kuangtungensis* Mell,1938 (Saturniidae) Synonym(s): *kuangtungensis* Mell,1938
- 67703) *Loepa mindanaensis* Schüssler,1933 (Saturniidae) Synonym(s): *mindanaensis* Schüssler,1933
- 67704) *Loepa miranda* Moore,1865 (Saturniidae) Synonym(s): *miranda* Moore,1865
- 67705) *Loepa nigropupillata* Nässig & Holloway,1988 (Saturniidae) Synonym(s): *nigropupillata* Nässig & Holloway,1988
- 67706) *Loepa palawana* Nässig & Holloway,1997 (Saturniidae) Synonym(s): *palawana* Nässig & Holloway,1997
- 67707) *Loepa roseomarginata* Brechlin,1997 (Saturniidae) Synonym(s): *roseomarginata* Brechlin,1997
- 67708) *Loepa sikkima* Moore,1865 (Saturniidae) Synonym(s): *sikkima* Moore,1865
- 67709) *Loepa sikkima javanica* (Saturniidae) Synonym(s):
- 67710) *Loepa sikkima sikkima* Moore,1865 (Saturniidae) Synonym(s): *sikkima* Moore,1865
- 67711) *Ludia corticea* Jordan,1922 (Saturniidae) Synonym(s): *corticea* Jordan,1922
- 67712) *Ludia delegorguei* (Boisduval,1847) (Saturniidae) Synonym(s): *delegorguei* Boisduval,1847; *vetusta* Strand,1911
- 67713) *Ludia goniata* (Rothschild,1907) (Saturniidae) Synonym(s): *goniata* Rothschild,1907
- 67714) *Ludia limbobrunnea* (Saturniidae) Synonym(s):
- 67715) *Ludia limbobrunnea monroei* Jordan,1938 (Saturniidae) Synonym(s): *monroei* Jordan,1938
- 67716) *Maltagorea auricolor* (Mabille,1879) (Saturniidae) Synonym(s): *auricolor* Mabille,1879
- 67717) *Maltagorea fuscicolar* (Mabille,1879) (Saturniidae) Synonym(s): *fuscicolar* Mabille,1879
- 67718) *Melanocera dargei* Terral,1991 (Saturniidae) Synonym(s): *dargei* Terral,1991; *emmanuellae* Rougeot,[1992]
- 67719) *Melanocera menippe* (Westwood,1849) (Saturniidae) Synonym(s): *menippe* Westwood,1849; *habenichti* Wichgraf,1911; *transiens* Wichgraf,1911
- 67720) *Micragone ansorgei* (Rothschild,1907) (Saturniidae) Synonym(s): *ansorgei* Rothschild,1907
- 67721) *Micragone ansorgei bilineata* (Rothschild,1907) (Saturniidae) Synonym(s): *bilineata* Rothschild,1907
- 67722) *Micragone cana* (Aurivillius,1893) (Saturniidae) Synonym(s): *cana* Aurivillius,1893; *junodi* Oberthür,1910
- 67723) *Micragone cana cana* (Aurivillius,1893) (Saturniidae) Synonym(s): *cana* Aurivillius,1893; *junodi* Oberthür,1910
- 67724) *Micragone nubifera* Bouvier,1936 (Saturniidae) Synonym(s): *nubifera* Bouvier,1936
- 67725) *Orthogoniopitulum adiegetum* Karsch,1893 (Saturniidae) Synonym(s): *adiegetum* Karsch,1893
- 67726) *Orthogoniopitulum adiegetum dollmani* Jordan,1922 (Saturniidae) Synonym(s): *dollmani* Jordan,1922
- 67727) *Orthogoniopitulum incanum* (Sonthonnax,1899) (Saturniidae) Synonym(s): *incanum* Sonthonnax,1899; *pancratium* Weymer,1903; *septiguttatum* Weymer,1909
- 67728) *Pselaphelia flavivitta* (Walker,1862) (Saturniidae) Synonym(s): *flavivitta* Walker,1862; *dentifera* Maassen & Weyding,1885; *conspersa* Aurivillius,1893
- 67729) *Pseudantheraea discrepans* (Butler,1878) (Saturniidae) Synonym(s): *discrepans* Butler,1878
- 67730) *Pseudaphelia apollinaris* (Boisduval,1847) (Saturniidae) Synonym(s): *apollinaris* Boisduval,1847; *balanoal* Guérin-Méneville,1847; *palaeacea* Herrich-Schäffer,1855
- 67731) *Pseudimbrasia deyrollei* (Thomson,1858) (Saturniidae) Synonym(s): *deyrollei* Thomson,1858; *senegalensis* Kirby,1892; *congolensis* Oberthür,1910; *intermedia* Strand,1911; *gerresheimi* Strand,1911
- 67732) *Pseudobunaea irius* (Fabricius,1793) (Saturniidae) Synonym(s): *irius* Fabricius,1793; *epithyrena* Maassen & Weyding,1885; *melinde* Maassen & Weyding,1885; *natalensis* Aurivillius,1893; *pallens* Sonthonnax,1899; *inornata* Sonthonnax,1899; *redlichi* Weymer,1901; *patruelis* Distant,1903; *meloui* Riel,1910; *cremeri* Oberthür,1919; *bispecularis* Aurivillius,1925; *immaculata* Bouvier,1930; *bruneli* Rougeot,1974
- 67733) *Pseudobunaea tyrreha* (Westwood,1849) (Saturniidae) Synonym(s): *tyrreha* Westwood,1849
- 67734) *Rhodinia newara* Moore,1872 (Saturniidae) Synonym(s): *newara* Moore,1872
- 67735) *Rohaniella pygmaea* (Maassen & Weyding,1885) (Saturniidae) Synonym(s): *pygmaea* Maassen & Weyding,1885; *pygela* Druce,1886
- 67736) *Salassa fansipana* Brechlin,1997 (Saturniidae) Synonym(s): *fansipana* Brechlin,1997
- 67737) *Salassa iris* Jordan,1910 (Saturniidae) Synonym(s): *iris* Jordan,1910
- 67738) *Salassa lemai* Le Mout,1933 (Saturniidae) Synonym(s): *lemai* Le Mout,1933
- 67739) *Salassa lola* (Westwood,1847) (Saturniidae) Synonym(s): *lola* Westwood,1847
- 67740) *Salassa lola katschinica* Bryk,1944 (Saturniidae) Synonym(s): *katschinica* Bryk,1944
- 67741) *Salassa lola lola* (Westwood,1847) (Saturniidae) Synonym(s): *lola* Westwood,1847
- 67742) *Salassa megasticta* Swinhoe,1894 (Saturniidae) Synonym(s): *megasticta* Swinhoe,1894; *#megasticta* Nässig,1994
- 67743) *Salassa olivacea* (Oberthür,1890) (Saturniidae) Synonym(s): *olivacea* Oberthür,1890
- 67744) *Salassa royi* (Elwes,1887) (Saturniidae) Synonym(s): *royi* Elwes,1887
- 67745) *Salassa thespis* (Leech,1890) (Saturniidae) Synonym(s): *thespis* Leech,1890; *mesosa* Jordan,1910; *episcopalis* Kaiser,1920; *excellens* Bryk,1944; *melanops* Bryk,1944
- 67746) *Salassa tonkiniana* Le Mout,1933 (Saturniidae) Synonym(s): *tonkiniana* Le Mout,1933
- 67747) *Samia canningi* (Hutton,1860) (Saturniidae) Synonym(s): *canningi* Hutton,1860
- 67748) *Samia cynthia* (Drury,1773) (Saturniidae) Synonym(s): *cynthia* Drury,1773; *parisiensis* Clemens,1899
- 67749) *Samia insularis* (Vollenhoven,1862) (Saturniidae) Synonym(s): *insularis* Vollenhoven,1862
- 67750) *Samia kohlli* Naumann & Peigler,2001 (Saturniidae) Synonym(s): *kohlli* Naumann & Peigler,2001
- 67751) *Samia luzonica* (Watson,1914) (Saturniidae) Synonym(s): *luzonica* Watson,1914; *mindanaensis* Rebel,1924; *#manillensis* Bouvier,1927.
- 67752) *Samia treadawayi* Naumann,1998 (Saturniidae) Synonym(s): *treadawayi* Naumann,1998
- 67753) *Saturnia (Agapema) anona Ottolengui*,1903 (Saturniidae) Synonym(s): *anona* Ottolengui,1903
- 67754) *Saturnia (Agapema) dentifasciata* (Lemaire,1973) (Saturniidae) Synonym(s): *dentifasciata* Lemaire,1973

- 67755) *Saturnia (Agapema) dyari* (Cockerell,1914) (Saturniidae) Synonym(s): *dyari* Cockerell,1914
 67756) *Saturnia (Agapema) galbina* Clemens,1860 (Saturniidae) Synonym(s): *galbina* Clemens,1860; *solita* Ferguson,1972
 67757) *Saturnia (Agapema) homogena* (Dyar,1908) (Saturniidae) Synonym(s): *homogena* Dyar,1908
 67758) *Saturnia (Agapema) pelora* Rindge,1961 (Saturniidae) Synonym(s): *pelora* Rindge,1961
 67759) *Saturnia (Agapema) platensis* (Peigler & Kendall,1993) (Saturniidae) Synonym(s): *platensis* Peigler & Kendall,1993
 67760) *Saturnia (Calosaturnia) albofasciata* (Johnson,1938) (Saturniidae) Synonym(s): *albofasciata* Johnson,1938
 67761) *Saturnia (Calosaturnia) mendocino* Behrens,1876 (Saturniidae) Synonym(s): *mendocino* Behrens,1876
 67762) *Saturnia (Calosaturnia) walterorum* (Hogue & Johnson,1958) (Saturniidae) Synonym(s): *meridionalis* Johnson,1940 *nec* Bouv.,1936 *non* Calb.,1897; *walterorum* Hogue & Johnson,1958
 67763) *Saturnia (Heraea) cephalariae* Romanoff,1885 (Saturniidae) Synonym(s): *cephalariae* Romanoff,1885
 67764) *Saturnia (Heraea) pavonia* (Linnaeus,1758) (Saturniidae) Synonym(s): *pavonia* Linnaeus,1758; *pavoniella* Scopoli,1763; *carpini* Denis & Schiffermüller,1775; *pavunculus* Retzius,1783
 67765) *Saturnia (Heraea) spini* ([Denis & Schiffermüller],1775) (Saturniidae) Synonym(s): *#spini* [Denis & Schiffermüller],1775
 67766) *Saturnia (Heraea) spini spini* ([Denis & Schiffermüller],1775) (Saturniidae) Synonym(s): *#spini* [Denis & Schiffermüller],1775
 67767) *Saturnia (Neoris) codyi* Peigler,1996 (Saturniidae) Synonym(s): *codyi* Peigler,1996
 67768) *Saturnia (Neoris) codyi codyi* Peigler,1996 (Saturniidae) Synonym(s): *codyi* Peigler,1996
 67769) *Saturnia (Neoris) huttoni* Moore,1862 (Saturniidae) Synonym(s): *huttoni* Moore,1862
 67770) *Saturnia (Neoris) huttoni huttoni* Moore,1862 (Saturniidae) Synonym(s): *huttoni* Moore,1862
 67771) *Saturnia (Neoris) huttoni schencki* Staudinger,1881 (Saturniidae) Synonym(s): *schencki* Staudinger,1881
 67772) *Saturnia (Neoris) naessigi* (De Freina,1992) (Saturniidae) Synonym(s): *naessigi* De Freina,1992
 67773) *Saturnia (Neoris) naessigi naessigi* (De Freina,1992) (Saturniidae) Synonym(s): *naessigi* De Freina,1992
 67774) *Saturnia (Neoris) shadulla* (Moore,1872) (Saturniidae) Synonym(s): *shadulla* Moore,1872; *svenihedini* M.Hering,1936; *alatauca* O.Bang-Haas,1937
 67775) *Saturnia (Neoris) shadulla galeropa* Püngeler,1900 (Saturniidae) Synonym(s): *galeropa* Püngeler,1900
 67776) *Saturnia (Neoris) shadulla shadulla* (Moore,1872) (Saturniidae) Synonym(s): *shadulla* Moore,1872; *svenihedini* M.Hering,1936; *alatauca* O.Bang-Haas,1937
 67777) *Saturnia (Perisomena) caecigena* (Kupido,1825) (Saturniidae) Synonym(s): *caecigena* Kupido,1825; *unicolor* Schultz,1910; *wiskotti* Niepelt,1914; *derosata* Schawerda,1914; *transcaucasica* O.Bang-Haas,1927; *parviocellata* Friedel,1968
 67778) *Saturnia (Rinaca) anna* Moore,1865 (Saturniidae) Synonym(s): *anna* Moore,1865; *?bieti* Oberthür,1886
 67779) *Saturnia (Rinaca) boisduvali* Eversmann,1846 (Saturniidae) Synonym(s): *boisduvali* Eversmann,1846; *chinensis* Rebel,[1926]; *meridionalis* Bouvier,1936; *meridionalis* Mell,1939 *nec* Bouv.,1936; *kansuensis* Mell,1939; *intermediula* Bryk,1948
 67780) *Saturnia (Rinaca) boisduvali boisduvali* Eversmann,1846 (Saturniidae) Synonym(s):
 67781) *Saturnia (Rinaca) boisduvali fallax* Jordan,1913 (Saturniidae) Synonym(s): *fallax* Jordan,1913
 67782) *Saturnia (Rinaca) cachara* (Moore,1872) (Saturniidae) Synonym(s): *cachara* Moore,1872; *microcaligula* Nässig,1994
 67783) *Saturnia (Rinaca) grotei* Moore,1859 (Saturniidae) Synonym(s): *grotei* Moore,1859
 67784) *Saturnia (Rinaca) heinrichi* (Lemaire,1976) (Saturniidae) Synonym(s): *heinrichi* Lemaire,1976
 67785) *Saturnia (Rinaca) japonica* (Moore,1872) (Saturniidae) Synonym(s): *japonica* Moore,1872; *castanea* Swinhoe,1892; *regina* Staudinger,1901; *arisana* Shiraki,1913; *manonis* Matsumura,1926
 67786) *Saturnia (Rinaca) jonasi* (Butler,1877) (Saturniidae) Synonym(s): *jonasi* Butler,1877
 67787) *Saturnia (Rinaca) jonasi fukudai* (Sonan,1937) (Saturniidae) Synonym(s): *fukudai* Sonan,1937
 67788) *Saturnia (Rinaca) jonasi jonasi* (Butler,1877) (Saturniidae) Synonym(s): *jonasi* Butler,1877
 67789) *Saturnia (Rinaca) lindia* Moore,1865 (Saturniidae) Synonym(s): *lindia* Moore,1865
 67790) *Saturnia (Rinaca) lindia bonita* Jordan,1911 (Saturniidae) Synonym(s): *bonita* Jordan,1911
 67791) *Saturnia (Rinaca) lindia hockingii* Moore,1888 (Saturniidae) Synonym(s): *hockingii* Moore,1888
 67792) *Saturnia (Rinaca) lindia lindia* Moore,1865 (Saturniidae) Synonym(s): *lindia* Moore,1865
 67793) *Saturnia (Rinaca) lindia sillemi* Bouvier,1935 (Saturniidae) Synonym(s): *sillemi* Bouvier,1935
 67794) *Saturnia (Rinaca) microcaligula* Nässig,1994 (Saturniidae) Synonym(s): *microcaligula* Nässig,1994
 67795) *Saturnia (Rinaca) naumanni* Brechlin,2001 (Saturniidae) Synonym(s): *naumanni* Brechlin,2001
 67796) *Saturnia (Rinaca) simla* Westwood,1847 (Saturniidae) Synonym(s): *simla* Westwood,1847; *oberthueri* Watson,1919; *fracki* Watson,1919; *jaintiensis* Watson,1927
 67797) *Saturnia (Rinaca) thibeta* Westwood,1853 (Saturniidae) Synonym(s): *thibeta* Westwood,1853; *bonhourei* Le Moult,1933; *okurai* Okano,1960; *arctica* Yang,1978
 67798) *Saturnia (Rinaca) thibeta extensa* Butler,1881 (Saturniidae) Synonym(s): *extensa* Butler,1881
 67799) *Saturnia (Rinaca) thibeta thibeta* Westwood,1853 (Saturniidae) Synonym(s): *thibeta* Westwood,1853; *bonhourei* Le Moult,1933; *okurai* Okano,1960; *arctica* Yang,1978
 67800) *Saturnia (Rinaca) witti* Brechlin,1997 (Saturniidae) Synonym(s): *witti* Brechlin,1997
 67801) *Saturnia (Rinaca) zuleika* Hope,1843 (Saturniidae) Synonym(s): *zuleika* Hope,1843; *#orites* Jordan,1911; *#hampsoni* Schiessler,1933; *lesoudieri* Le Moult,1933; *malaisei* Bryk,1944
 67802) *Saturnia* (s.str.) *atlantica* Lucas,1848 (Saturniidae) Synonym(s): *atlantica* Lucas,1848
 67803) *Saturnia* (s.str.) *cameronensis* Lemaire,1979 (Saturniidae) Synonym(s): *cameronensis* Lemaire,1979
 67804) *Saturnia* (s.str.) *pinratanai* Lampe,1989 (Saturniidae) Synonym(s): *pinratanai* Lampe,1989
 67805) *Saturnia* (s.str.) *pyretorum* Westwood,1847 (Saturniidae) Synonym(s): *pyretorum* Westwood,1847; *cidosa* Moore,1865; *pearsoni* Watson,1911; *luctifera* Jordan,1913; *cognata* Jordan,1913; *roseata* De Joannis,1929; *tonkinensis* Bouvier,1936
 67806) *Saturnia* (s.str.) *pyri* ([Denis & Schiffermüller],1775) (Saturniidae) Synonym(s): *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980
 67807) *Saturnia* (s.str.) *pyri ilvana* Tauber,1969 (Saturniidae) Synonym(s): *ilvana* Tauber,1969
 67808) *Saturnia* (s.str.) *pyri pyri* ([Denis & Schiffermüller],1775) (Saturniidae) Synonym(s): *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980
 67809) *Sinobirma malaisei* (Bryk,1944) (Saturniidae) Synonym(s): *malaisei* Bryk,1944
 67810) *Solus parvifenestratus* Bryk,1944 (Saturniidae) Synonym(s): *parvifenestratus* Bryk,1944
 67811) *Solus parvifenestratus parvifenestratus* Bryk,1944 (Saturniidae) Synonym(s): *parvifenestratus* Bryk,1944
 67812) *Solus parvifenestratus sinjaevi* Nässig,1994 (Saturniidae) Synonym(s): *sinjaevi* Nässig,1994
 67813) *Tagoropsis flavinata* (Walker,1865) (Saturniidae) Synonym(s): *flavinata* Walker,1865; *natalensis* R.Felder,1874
 67814) *Tagoropsis hanningtoni* (Butler,1883) (Saturniidae) Synonym(s): *hanningtoni* Butler,1883; *juncta* Strand,1911; *songeana* Strand,1911; *nzoiana* Stoneham,1933
 67815) *Urota sinope* (Westwood,1849) (Saturniidae) Synonym(s): *sinope* Westwood,1849; *conjuncta* Bouvier,1930
 67816) *Usta tersichore* (Maassen & Weyding,1885) (Saturniidae) Synonym(s): *tersichore* Maassen & Weyding,1885; *subangulata* Bouvier,1930; *grantae* Terral & Lequeux,1991; *alba* Terral & Lequeux,1991
 67817) *Usta wallengrenii* (C.Felder & R.Felder,1859) (Saturniidae) Synonym(s): *wallengrenii* C.Felder & R.Felder,1859; *biplaga* Rebel,1912
 67818) *Vegetia dewitzi* (Maassen & Weyding,1885) (Saturniidae) Synonym(s): *dewitzi* Maassen & Weyding,1885
 67819) *Vegetia ducalis* Jordan,1922 (Saturniidae) Synonym(s): *ducalis* Jordan,1922
 67820) *Vegetia grimmia* (Geyer,[1831]) (Saturniidae) Synonym(s): *grimmia* Geyer,[1831]
 67821) "Pararge" *thibetanus* Oberthür (Satyridae) Synonym(s):
 67822) "Pararge" *thibetanus evrardi* O.Bang-Haas,1933 (Satyridae) Synonym(s): *evrardi* O.Bang-Haas,1933
 67823) "Pararge" *thibetanus thibetanus* Oberthür (Satyridae) Synonym(s):
 67824) *Acrophtalmia albofasciata* Uemura & Yamaguchi,1982 (Satyridae) Synonym(s): *albofasciata* Uemura & Yamaguchi,1982
 67825) *Acrophtalmia artemis* C.Felder & R.Felder,1861 (Satyridae) Synonym(s): *artemis* C.Felder & R.Felder,1861
 67826) *Acrophtalmia artemis artemis* C.Felder & R.Felder,1861 (Satyridae) Synonym(s): *artemis* C.Felder & R.Felder,1861
 67827) *Acrophtalmia artemis misarte* Semper,1892 (Satyridae) Synonym(s): *misarte* Semper,1892
 67828) *Acrophtalmia leto* Semper,1887 (Satyridae) Synonym(s): *leto* Semper,1887
 67829) *Acrophtalmia leto leto* Semper,1887 (Satyridae) Synonym(s): *leto* Semper,1887

- 67830) *Acrophtalmia leto leytenis* Uémura & Yamaguchi, 1982 (Satyridae) Synonym(s): *leytenis* Uémura & Yamaguchi, 1982
 67831) *Acrophtalmia leto ochine* Semper, 1887 (Satyridae) Synonym(s): *ochine* Semper, 1887
 67832) *Acrophtalmia luzonica* Uémura, 1992 (Satyridae) Synonym(s): *luzonica* Uémura, 1992
 67833) *Acrophtalmia yamashitai* Uémura & Yamaguchi, 1982 (Satyridae) Synonym(s): *yamashitai* Uémura & Yamaguchi, 1982
 67834) *Admiratio paradoxa* (Mabille, [1880]) (Satyridae) Synonym(s): *paradoxa* Mabille, [1880]
 67835) *Admiratio paradoxa paradoxa* (Mabille, [1880]) (Satyridae) Synonym(s): *paradoxa* Mabille, [1880]
 67836) *Aeropetes tulbaghia* (Linnaeus, 1764) (Satyridae) Synonym(s): *tulbaghia* Linnaeus, 1764.
 67837) *Aeropetes tulbaghia tulbaghia* (Linnaeus, 1764) (Satyridae) Synonym(s): *tulbaghia* Linnaeus, 1764.
 67838) *Aphantopus hyperantus* (Linnaeus, 1758) (Satyridae) Synonym(s): *hyperantus* Linnaeus, 1758; *arete* Müller, 1764; *vidua* Müller, 1764; *tristan* Retzius, 1783; *sajanus* O. Bang-Haas, 1906.
 67839) *Aphantopus hyperantus hyperantus* (Linnaeus, 1758) (Satyridae) Synonym(s): *hyperantus* Linnaeus, 1758; *arete* Müller, 1764; *vidua* Müller, 1764; *tristan* Retzius, 1783; *sajanus* O. Bang-Haas, 1906.
 67840) *Aphysoneura pigmentaria* Karsch, 1894 (Satyridae) Synonym(s): *pigmentaria* Karsch, 1894
 67841) *Aphysoneura pigmentaria kanga* Kielland, 1989 (Satyridae) Synonym(s): *kanga* Kielland, 1989
 67842) *Aphysoneura pigmentaria latilimba* Le Cerf, 1919 (Satyridae) Synonym(s): *latilimba* Le Cerf, 1919
 67843) *Aphysoneura pigmentaria mbulu* Kielland, 1989 (Satyridae) Synonym(s): *mbulu* Kielland, 1989
 67844) *Aphysoneura pigmentaria obnubila* Riley, 1923 (Satyridae) Synonym(s): *obnubila* Riley, 1923
 67845) *Aphysoneura pigmentaria pigmentaria* Karsch, 1894 (Satyridae) Synonym(s): *pigmentaria* Karsch, 1894
 67846) *Aphysoneura pigmentaria pringlei* (Sharpe, 1894) (Satyridae) Synonym(s): *pringlei* Sharpe, 1894; *kenyae* Le Cerf, 1919
 67847) *Aphysoneura pigmentaria semilatilimba* Kielland, 1989 (Satyridae) Synonym(s): *semilatilimba* Kielland, 1989
 67848) *Aphysoneura pigmentaria seminigra* Kielland, 1985 (Satyridae) Synonym(s): *seminigra* Kielland, 1985
 67849) *Aphysoneura pigmentaria songeana* Kielland, 1989 (Satyridae) Synonym(s): *songeana* Kielland, 1989
 67850) *Aphysoneura pigmentaria zungwa* Kielland, 1989 (Satyridae) Synonym(s): *zungwa* Kielland, 1989
 67851) *Aphysoneura pigmentaria vumba* Kielland, 1989 (Satyridae) Synonym(s): *vumba* Kielland, 1989
 67852) *Aphysoneura scapulifascia Joicey & Talbot, 1922* (Satyridae) Synonym(s): *scapulifascia* Joicey & Talbot, 1922
 67853) *Aphysoneura scapulifascia collinsi* Kielland, 1989 (Satyridae) Synonym(s): *collinsi* Kielland, 1989
 67854) *Aphysoneura scapulifascia kigeziae* Kielland, 1989 (Satyridae) Synonym(s): *kigeziae* Kielland, 1989
 67855) *Aphysoneura scapulifascia occidentalis* Joicey & Talbot, 1924 (Satyridae) Synonym(s): *occidentalis* Joicey & Talbot, 1924
 67856) *Aphysoneura scapulifascia scapulifascia* Joicey & Talbot, 1922 (Satyridae) Synonym(s): *scapulifascia* Joicey & Talbot, 1922
 67857) *Aphysoneura scapulifascia zairensis* Kielland, 1989 (Satyridae) Synonym(s): *zairensis* Kielland, 1989
 67858) *Arethusana arethusana* ([Denis & Schiffermüller], 1775) (Satyridae) Synonym(s): *arethusana* [Denis & Schiffermüller], 1775; *erythia* Hübner, 1805; *pontica* Heyne, [1895]; *sultana* Wagner, 1929; *hakkarica* Koçak, 1975 (sensu Hesselbarth et al., 1995: 917).
 67859) *Arethusana arethusana arethusana* ([Denis & Schiffermüller], 1775) (Satyridae) Synonym(s): *arethusana* [Denis & Schiffermüller], 1775; *erythia* Hübner, 1805; *pontica* Heyne, [1895]; *sultana* Wagner, 1929; *hakkarica* Koçak, 1975 (sensu Hesselbarth et al., 1995: 917).
 67860) *Arethusana arethusana ganda* (Fruhstorfer, 1909) (Satyridae) Synonym(s): *ganda* Fruhstorfer, 1909; *variegata* Verity, 1911; *pulchravariegata* Verity, 1929; *claramaritima* Verity, 1929; *albinothellensis* Varin, 1938; *allobrogicus* Varin, 1953; *calcephila* Varin, 1953; *cerdanica* Varin, 1953; *victoris* Gomez-Bust., 1971; *albovenata* Agenjo, 1973.
 67861) *Arethusana arethusana heptapotamica* (Stauder, 1924) (Satyridae) Synonym(s): *heptapotamica* Stauder, 1924
 67862) *Arethusana arethusana strumata* (Buresch, 1918) (Satyridae) Synonym(s): *strumata* Buresch, 1918
 67863) *Arethusana arethusana sultana* (Wagner, 1929) (Satyridae) Synonym(s): *sultana* Wagner, 1929
 67864) *Arethusana boabdil* (Rambur, [1839]) (Satyridae) Synonym(s): *boabdil* Rambur, [1839]
 67865) *Arethusana boabdil aksouali* (Wyatt, 1952) (Satyridae) Synonym(s): *aksouali* Wyatt, 1952
 67866) *Arethusana boabdil boabdil* (Rambur, [1839]) (Satyridae) Synonym(s): *boabdil* Rambur, [1839]
 67867) *Arethusana boabdil dentata* (Staudinger, 1871) (Satyridae) Synonym(s): *dentata* Staudinger, 1871
 67868) *Argentina inconstans* South, 1913 (Satyridae) Synonym(s): *inconstans* South, 1913
 67869) *Argentina inconstans inconstans* South, 1913 (Satyridae) Synonym(s): *inconstans* South, 1913
 67870) *Argentina irma* Evans, 1923 (Satyridae) Synonym(s): *irma* Evans, 1923
 67871) *Argentina irma irma* Evans, 1923 (Satyridae) Synonym(s): *irma* Evans, 1923
 67872) *Argentina karta* Riley, 1923 (Satyridae) Synonym(s): *karta* Riley, 1923
 67873) *Argentina karta karta* Riley, 1923 (Satyridae) Synonym(s): *karta* Riley, 1923
 67874) *Argentina nitida* Riley, 1923 (Satyridae) Synonym(s): *nitida* Riley, 1923
 67875) *Argentina nitida nitida* Riley, 1923 (Satyridae) Synonym(s): *nitida* Riley, 1923
 67876) *Argentina phantasta* Goltz, 1938 (Satyridae) Synonym(s): *phantasta* Goltz, 1938
 67877) *Argentina phantasta phantasta* Goltz, 1938 (Satyridae) Synonym(s): *phantasta* Goltz, 1938
 67878) *Argentina pomena* (Evans, 1915) (Satyridae) Synonym(s): *pomena* Evans, 1915
 67879) *Argentina pomena pomena* (Evans, 1915) (Satyridae) Synonym(s): *pomena* Evans, 1915
 67880) *Argentina waltoni* (Elwes, 1906) (Satyridae) Synonym(s): *waltoni* Elwes, 1906
 67881) *Argentina waltoni waltoni* (Elwes, 1906) (Satyridae) Synonym(s): *waltoni* Elwes, 1906
 67882) *Aulocera brahminus* (Blanchard, [1844]) (Satyridae) Synonym(s): *brahminus* Blanchard, [1844]
 67883) *Aulocera brahminus brahminoides* Moore, 1892 (Satyridae) Synonym(s): *brahminoides* Moore, 1892
 67884) *Aulocera brahminus brahminus* (Blanchard, [1844]) (Satyridae) Synonym(s): *brahminus* Blanchard, [1844]
 67885) *Aulocera brahminus dokwana* Evans, 1923 (Satyridae) Synonym(s): *dokwana* Evans, 1923
 67886) *Aulocera brahminus tsukadai* Sakai, 1978 (Satyridae) Synonym(s): *tsukadai* Sakai, 1978
 67887) *Aulocera padma* (Kollar, [1844]) (Satyridae) Synonym(s): *padma* Kollar, [1844]
 67888) *Aulocera padma burnettii* Evans, 1932 (Satyridae) Synonym(s): *burnettii* Evans, 1932
 67889) *Aulocera padma chumbica* Moore, 1892 (Satyridae) Synonym(s): *chumbica* Moore, 1892
 67890) *Aulocera padma fulva* Evans, 1923 (Satyridae) Synonym(s): *fulva* Evans, 1923
 67891) *Aulocera padma grandis* Tytler, 1926 (Satyridae) Synonym(s): *grandis* Tytler, 1926
 67892) *Aulocera padma japroa* Tytler, 1939 (Satyridae) Synonym(s): *japroa* Tytler, 1939
 67893) *Aulocera padma loha* Doherty, 1886 (Satyridae) Synonym(s): *loha* Doherty, 1886
 67894) *Aulocera padma padma* (Kollar, [1844]) (Satyridae) Synonym(s): *padma* Kollar, [1844]
 67895) *Aulocera padma thawgawa* Tytler, 1939 (Satyridae) Synonym(s): *thawgawa* Tytler, 1939
 67896) *Aulocera saraswati* (Kollar, [1844]) (Satyridae) Synonym(s): *saraswati* Kollar, [1844]; *dehradunensis* Strand, 1918
 67897) *Aulocera saraswati saraswati* (Kollar, [1844]) (Satyridae) Synonym(s): *saraswati* Kollar, [1844]
 67898) *Aulocera swaha* (Kollar, [1844]) (Satyridae) Synonym(s): *swaha* Kollar, [1844]
 67899) *Aulocera swaha garuna* Fruhstorfer, 1911 (Satyridae) Synonym(s): *garuna* Fruhstorfer, 1911
 67900) *Aulocera swaha gilgitica* Tytler, 1926 (Satyridae) Synonym(s): *gilgitica* Tytler, 1926
 67901) *Aulocera swaha parthicola* Clench & Shoumatoff, 1956 (Satyridae) Synonym(s): *parthicola* Clench & Shoumatoff, 1956
 67902) *Aulocera swaha swaha* (Kollar, [1844]) (Satyridae) Synonym(s): *swaha* Kollar, [1844]
 67903) *Aulocera swaha tellula* (Fruhstorfer, 1911) (Satyridae) Synonym(s): *tellula* Fruhstorfer, 1911; *kurrama* Evans, 1923
 67904) *Aulocera sybillina* (Oberthür, 1890) (Satyridae) Synonym(s): *sybillina* Oberthür, 1890
 67905) *Aulocera sybillina bianor* (Groum-Grshimailo, 1890) (Satyridae) Synonym(s): *bianor* Groum-Grshimailo, 1890
 67906) *Aulocera sybillina sybillina* (Oberthür, 1890) (Satyridae) Synonym(s): *sybillina* Oberthür, 1890
 67907) *Berberia abdelkader* (Pierret, 1837) (Satyridae) Synonym(s): *abdelkader* Pierret, 1837
 67908) *Berberia abdelkader abdelkader* (Pierret, 1837) (Satyridae) Synonym(s): *abdelkader* Pierret, 1837
 67909) *Berberia abdelkader marteni* (Chneour, 1935) (Satyridae) Synonym(s): *marteni* Chneour, 1935
 67910) *Berberia abdelkader taghzefti* (Wyatt, 1952) (Satyridae) Synonym(s): *taghzefti* Wyatt, 1952
 67911) *Berberia lambessanus* (Staudinger, 1901) (Satyridae) Synonym(s): *lambessanus* Staudinger, 1901
 67912) *Berberia lambessanus lambessanus* (Staudinger, 1901) (Satyridae) Synonym(s): *lambessanus* Staudinger, 1901
 67913) *Bicyclus abnormis* (Dudgeon, 1909) (Satyridae) Synonym(s): *abnormis* Dudgeon, 1909

- 67914) **Bicyclus abnormis abnormis (Dudgeon,1909)** (Satyridae) Synonym(s): *abnormis* Dudgeon,1909
67915) **Bicyclus albocincta (Rebel,1914)** (Satyridae) Synonym(s): *albocincta* Rebel,1914
67916) **Bicyclus albocincta albocincta (Rebel,1914)** (Satyridae) Synonym(s): *albocincta* Rebel,1914
67917) **Bicyclus alboplagia (Rebel,1914)** (Satyridae) Synonym(s): *alboplagia* Rebel,1914
67918) **Bicyclus alboplagia alboplagia (Rebel,1914)** (Satyridae) Synonym(s): *alboplagia* Rebel,1914
67919) **Bicyclus analis (Aurivillius,1895)** (Satyridae) Synonym(s): *analis* Aurivillius,1895
67920) **Bicyclus analis analis (Aurivillius,1895)** (Satyridae) Synonym(s): *analis* Aurivillius,1895
67921) **Bicyclus angulosa (Butler,1868)** (Satyridae) Synonym(s): *angulosa* Butler,1868; *houyi* Gaede,1915; *langi* Holland,1920; *chapini* Holland,1920; *orientis* Ungemach,1932
67922) **Bicyclus angulosa angulosa (Butler,1868)** (Satyridae) Synonym(s): *angulosa* Butler,1868; *houyi* Gaede,1915; *langi* Holland,1920; *chapini* Holland,1920; *orientis* Ungemach,1932
67923) **Bicyclus angulosa selousi (Trimen,1895)** (Satyridae) Synonym(s): *selousi* Trimen,1895; *#barnsi* Van Son,1955; *#simulans* Overlaet,1955
67924) **Bicyclus anisops (Karsch,1892)** (Satyridae) Synonym(s): *anisops* Karsch,1892; *#albopupillata* Strand,1913
67925) **Bicyclus anisops anisops (Karsch,1892)** (Satyridae) Synonym(s): *anisops* Karsch,1892; *#albopupillata* Strand,1913
67926) **Bicyclus anynana (Butler,1879)** (Satyridae) Synonym(s): *anynana* Butler,1879; *vicaria* Thurnau,1903; *neglecta* Thurnau,1903
67927) **Bicyclus anynana centralis Condamin,1968** (Satyridae) Synonym(s): *centralis* Condamin,1968
67928) **Bicyclus anynana socotrana (Butler,1881)** (Satyridae) Synonym(s): *socotrana* Butler,1881
67929) **Bicyclus auricruda (Butler,1868)** (Satyridae) Synonym(s): *auricruda* Butler,1868
67930) **Bicyclus auricruda auricruda (Butler,1868)** (Satyridae) Synonym(s): *auricruda* Butler,1868
67931) **Bicyclus auricruda fulgida Fox,1963** (Satyridae) Synonym(s): *#parvoocellata* Grünberg,1911; *fulgida* Fox,1963
67932) **Bicyclus aurivillii (Butler,1896)** (Satyridae) Synonym(s): *aurivillii* Butler,1896
67933) **Bicyclus aurivillii aurivillii (Butler,1896)** (Satyridae) Synonym(s): *aurivillii* Butler,1896
67934) **Bicyclus aurivillii kivuensis (Joicey & Talbot,1924)** (Satyridae) Synonym(s): *kivuensis* Joicey & Talbot,1924; *birungae* Aurivillius,1925
67935) **Bicyclus buea (Strand,1912)** (Satyridae) Synonym(s): *buea* Strand,1912; *benitonis* Strand,1913; *mildbraedi* Gaede,1915
67936) **Bicyclus buea buea (Strand,1912)** (Satyridae) Synonym(s): *buea* Strand,1912; *benitonis* Strand,1913; *mildbraedi* Gaede,1915
67937) **Bicyclus campina (Aurivillius,1901)** (Satyridae) Synonym(s): *campina* Aurivillius,1901; *goetzi* Thurnau,1903; *fuellborni* Bartel,1905
67938) **Bicyclus campina campina (Aurivillius,1901)** (Satyridae) Synonym(s): *campina* Aurivillius,1901; *goetzi* Thurnau,1903; *fuellborni* Bartel,1905
67939) **Bicyclus campina carcassoni Condamin,1963** (Satyridae) Synonym(s): *carcassoni* Condamin,1963
67940) **Bicyclus campina ocelligera (Strand,1910)** (Satyridae) Synonym(s): *ocelligera* Strand,1910; *subapicalis* Aurivillius,1910
67941) **Bicyclus campus (Karsch,1893)** (Satyridae) Synonym(s): *campus* Karsch,1893; *baumanni* Karsch,1894; *olivia* Grünberg,1911
67942) **Bicyclus campus campus (Karsch,1893)** (Satyridae) Synonym(s): *campus* Karsch,1893; *baumanni* Karsch,1894; *olivia* Grünberg,1911
67943) **Bicyclus condamini Van Son,1963** (Satyridae) Synonym(s): *condamini* Van Son,1963
67944) **Bicyclus condamini condamini Van Son,1963** (Satyridae) Synonym(s): *condamini* Van Son,1963
67945) **Bicyclus cooksoni (Druce,1905)** (Satyridae) Synonym(s): *cooksoni* Druce,1905; *#latior* Riley,1921
67946) **Bicyclus cooksoni cooksoni (Druce,1905)** (Satyridae) Synonym(s): *cooksoni* Druce,1905; *#latior* Riley,1921
67947) **Bicyclus cottrelli (Van Son,1952)** (Satyridae) Synonym(s): *cottrelli* Van Son,1952; *harti* Van Son,1952; *#pluvia* Van Son,1962
67948) **Bicyclus cottrelli cottrelli (Van Son,1952)** (Satyridae) Synonym(s): *cottrelli* Van Son,1952; *harti* Van Son,1952; *#pluvia* Van Son,1962
67949) **Bicyclus danckelmani (Rogenhofer,1891)** (Satyridae) Synonym(s): *danckelmani* Rogenhofer,1891; *#daresa* Strand,1910; *#deannulata* Strand,1910
67950) **Bicyclus danckelmani danckelmani (Rogenhofer,1891)** (Satyridae) Synonym(s): *danckelmani* Rogenhofer,1891; *#daresa* Strand,1910; *#deannulata* Strand,1910
67951) **Bicyclus dekeyseri (Condamin,1958)** (Satyridae) Synonym(s): *dekeyseri* Condamin,1958
67952) **Bicyclus dekeyseri dekeyseri (Condamin,1958)** (Satyridae) Synonym(s): *dekeyseri* Condamin,1958
67953) **Bicyclus dentata (Sharpe,1898)** (Satyridae) Synonym(s): *dentata* Sharpe,1898; *fluviatilis* Grose-Smith,1898
67954) **Bicyclus dentata dentata (Sharpe,1898)** (Satyridae) Synonym(s): *dentata* Sharpe,1898; *fluviatilis* Grose-Smith,1898
67955) **Bicyclus dorothea (Cramer,1779)** (Satyridae) Synonym(s): *dorothea* Cramer,1779; *melusina* Fabricius,1787; *miriam* Fabricius,1793; *raesaces* Hewitson,1866
67956) **Bicyclus dorothea concolor Condamin & Fox,1964** (Satyridae) Synonym(s): *concolor* Condamin & Fox,1964
67957) **Bicyclus dorothea dorothea (Cramer,1779)** (Satyridae) Synonym(s): *dorothea* Cramer,1779; *melusina* Fabricius,1787; *miriam* Fabricius,1793; *raesaces* Hewitson,1866
67958) **Bicyclus dubia (Aurivillius,1893)** (Satyridae) Synonym(s): *dubia* Aurivillius,1893
67959) **Bicyclus dubia dubia (Aurivillius,1893)** (Satyridae) Synonym(s): *dubia* Aurivillius,1893
67960) **Bicyclus ena (Hewitson,1877)** (Satyridae) Synonym(s): *ena* Hewitson,1877; *#kigonserae* Aurivillius,1911
67961) **Bicyclus ena ena (Hewitson,1877)** (Satyridae) Synonym(s): *ena* Hewitson,1877; *#kigonserae* Aurivillius,1911
67962) **Bicyclus ephorus Weymer,1892** (Satyridae) Synonym(s): *ephorus* Weymer,1892
67963) **Bicyclus ephorus bergeri Condamin,1965** (Satyridae) Synonym(s): *bergeri* Condamin,1965
67964) **Bicyclus ephorus ephorus Weymer,1892** (Satyridae) Synonym(s): *ephorus* Weymer,1892
67965) **Bicyclus evadne (Cramer,1779)** (Satyridae) Synonym(s): *evadne* Cramer,1779; *servatius* Godart,1824
67966) **Bicyclus evadne elionias (Hewitson,1866)** (Satyridae) Synonym(s): *elionias* Hewitson,1866; *noblemairei* Janet,1894; *subignobilis* Strand,1913; *alberici* Dufrene,1945
67967) **Bicyclus evadne evadne (Cramer,1779)** (Satyridae) Synonym(s): *evadne* Cramer,1779; *servatius* Godart,1824
67968) **Bicyclus feae (Aurivillius,1910)** (Satyridae) Synonym(s): *feae* Aurivillius,1910
67969) **Bicyclus feae feae (Aurivillius,1910)** (Satyridae) Synonym(s): *feae* Aurivillius,1910
67970) **Bicyclus funebris (Guérin-Méneville,1844)** (Satyridae) Synonym(s): *funebris* Guérin-Méneville,1844; *nebulosa* C.Felder & R.Felder,1867; *saga* Butler,1868; *agrophis* Karsch,1893; *rhanidostroma* Karsch,1893; *#agrophides* Strand,1912
67971) **Bicyclus funebris funebris (Guérin-Méneville,1844)** (Satyridae) Synonym(s): *funebris* Guérin-Méneville,1844; *nebulosa* C.Felder & R.Felder,1867; *saga* Butler,1868; *agrophis* Karsch,1893; *rhanidostroma* Karsch,1893; *#agrophides* Strand,1912
67972) **Bicyclus golo (Aurivillius,1893)** (Satyridae) Synonym(s): *golo* Aurivillius,1893; *violascens* Aurivillius,1898; *obliterata* Grünberg,1911; *goloides* Strand,1913
67973) **Bicyclus golo golo (Aurivillius,1893)** (Satyridae) Synonym(s): *golo* Aurivillius,1893; *violascens* Aurivillius,1898; *obliterata* Grünberg,1911; *goloides* Strand,1913
67974) **Bicyclus graueri (Rebel,1914)** (Satyridae) Synonym(s): *graueri* Rebel,1914
67975) **Bicyclus graueri graueri (Rebel,1914)** (Satyridae) Synonym(s): *graueri* Rebel,1914
67976) **Bicyclus hewitsoni (Doutet,1861)** (Satyridae) Synonym(s): *hewitsoni* Doumet,1861; *nanodes* Grose-Smith,1890; *bicolor* Bartel,1905; *subocellatus* Bartel,1905; *owassae* Schultz,1914; *nyongensis* Birket-Smith,1960
67977) **Bicyclus hewitsoni hewitsoni (Doutet,1861)** (Satyridae) Synonym(s): *hewitsoni* Doumet,1861; *nanodes* Grose-Smith,1890; *bicolor* Bartel,1905; *subocellatus* Bartel,1905; *owassae* Schultz,1914; *nyongensis* Birket-Smith,1960
67978) **Bicyclus howarthi Condamin,1963** (Satyridae) Synonym(s): *howarthi* Condamin,1963
67979) **Bicyclus howarthi howarthi Condamin,1963** (Satyridae) Synonym(s): *howarthi* Condamin,1963
67980) **Bicyclus hyperanthus (Bethune-Baker,1908)** (Satyridae) Synonym(s): *hypanthus* Bethune-Baker,1908
67981) **Bicyclus hyperanthus hyperanthus (Bethune-Baker,1908)** (Satyridae) Synonym(s): *hypanthus* Bethune-Baker,1908
67982) **Bicyclus iccius (Hewitson,1865)** (Satyridae) Synonym(s): *iccius* Hewitson,1865; *#transiens* Bartel,1905
67983) **Bicyclus iccius iccius (Hewitson,1865)** (Satyridae) Synonym(s): *iccius* Hewitson,1865; *#transiens* Bartel,1905
67984) **Bicyclus ignobilis (Butler,1870)** (Satyridae) Synonym(s): *ignobilis* Butler,1870
67985) **Bicyclus ignobilis acutus Condamin,1965** (Satyridae) Synonym(s): *acutus* Condamin,1965
67986) **Bicyclus ignobilis eurini Condamin & Fox,1963** (Satyridae) Synonym(s): *eurini* Condamin & Fox,1963
67987) **Bicyclus ignobilis ignobilis (Butler,1870)** (Satyridae) Synonym(s): *ignobilis* Butler,1870
67988) **Bicyclus istaris (Plötz,1880)** (Satyridae) Synonym(s): *istaris* Plötz,1880; *rhanidostroma* Karsch,1893; *brunnea* Jackson,1951
67989) **Bicyclus istaris istaris (Plötz,1880)** (Satyridae) Synonym(s): *istaris* Plötz,1880; *rhanidostroma* Karsch,1893; *brunnea* Jackson,1951
67990) **Bicyclus italicus (Hewitson,1865)** (Satyridae) Synonym(s): *italus* Hewitson,1865; *massalia* Plötz,1880
67991) **Bicyclus italicus italicus (Hewitson,1865)** (Satyridae) Synonym(s): *italus* Hewitson,1865; *massalia* Plötz,1880

- 67992) *Bicyclus jefferyi* Fox, 1963 (Satyridae) Synonym(s): *#punctifera Strand, 1909; #addenda Dufrane, 1945; jefferyi Fox, 1963*
- 67993) *Bicyclus jefferyi jefferyi* Fox, 1963 (Satyridae) Synonym(s): *#punctifera Strand, 1909; #addenda Dufrane, 1945; jefferyi Fox, 1963*
- 67994) *Bicyclus kenia* (Rogenhofer, 1891) (Satyridae) Synonym(s): *kenia Rogenhofer, 1891; inocellata Gaede, 1915*
- 67995) *Bicyclus kenia kenia* (Rogenhofer, 1891) (Satyridae) Synonym(s): *kenia Rogenhofer, 1891; inocellata Gaede, 1915*
- 67996) *Bicyclus kiellandi* Condamin, 1986 (Satyridae) Synonym(s): *kiellandi Condamin, 1986*
- 67997) *Bicyclus kiellandi kiellandi* Condamin, 1986 (Satyridae) Synonym(s): *kiellandi Condamin, 1986*
- 67998) *Bicyclus lamani* (Aurivillius, 1900) (Satyridae) Synonym(s): *lamani Aurivillius, 1900*
- 67999) *Bicyclus lamani lamani* (Aurivillius, 1900) (Satyridae) Synonym(s): *lamani Aurivillius, 1900*
- 68000) *Bicyclus madetes* (Hewitson, 1874) (Satyridae) Synonym(s): *madetes Hewitson, 1874; nuwa Plötz, 1880; erysichton Ehrmann, 1894*
- 68001) *Bicyclus madetes carola* D'Abrera, 1980 (Satyridae) Synonym(s): *carola D'Abrera, 1980*
- 68002) *Bicyclus madetes madetes* (Hewitson, 1874) (Satyridae) Synonym(s): *madetes Hewitson, 1874; nuwa Plötz, 1880; erysichton Ehrmann, 1894*
- 68003) *Bicyclus maesseni* Condamin, 1970 (Satyridae) Synonym(s): *maesseni Condamin, 1970*
- 68004) *Bicyclus maesseni maesseni* Condamin, 1970 (Satyridae) Synonym(s): *maesseni Condamin, 1970*
- 68005) *Bicyclus mandanes* Hewitson, 1873 (Satyridae) Synonym(s): *mandanes Hewitson, 1873; graphidhabra Karsch, 1893*
- 68006) *Bicyclus mandanes mandanes* Hewitson, 1873 (Satyridae) Synonym(s): *mandanes Hewitson, 1873; graphidhabra Karsch, 1893*
- 68007) *Bicyclus matuta* (Karsch, 1894) (Satyridae) Synonym(s): *matuta Karsch, 1894; eleutheria Rebel, 1911*
- 68008) *Bicyclus matuta idjwiensis* Condamin, 1965 (Satyridae) Synonym(s): *idjwiensis Condamin, 1965*
- 68009) *Bicyclus matuta matuta* (Karsch, 1894) (Satyridae) Synonym(s): *matuta Karsch, 1894; eleutheria Rebel, 1911*
- 68010) *Bicyclus medontias* (Hewitson, 1873) (Satyridae) Synonym(s): *medontias Hewitson, 1873; vala Plötz, 1880; #microphthalma Rebel, 1914; obsoletus Holland, 1920*
- 68011) *Bicyclus medontias medontias* (Hewitson, 1873) (Satyridae) Synonym(s): *medontias Hewitson, 1873; vala Plötz, 1880; #microphthalma Rebel, 1914; obsoletus Holland, 1920*
- 68012) *Bicyclus mesogena* (Karsch, 1894) (Satyridae) Synonym(s): *mesogena Karsch, 1894; mesogenina Grünberg, 1911; mohangensis Dufrane, 1945*
- 68013) *Bicyclus mesogena mesogena* (Karsch, 1894) (Satyridae) Synonym(s): *mesogena Karsch, 1894; mesogenina Grünberg, 1911; mohangensis Dufrane, 1945*
- 68014) *Bicyclus mesogena ugandae* (Riley, 1926) (Satyridae) Synonym(s): *ugandae Riley, 1926*
- 68015) *Bicyclus milyas* (Hewitson, 1864) (Satyridae) Synonym(s): *milyas Hewitson, 1864; desolata Butler, 1876; leptoglena Karsch, 1893*
- 68016) *Bicyclus milyas milyas* (Hewitson, 1864) (Satyridae) Synonym(s): *milyas Hewitson, 1864; desolata Butler, 1876; leptoglena Karsch, 1893*
- 68017) *Bicyclus mollitia* (Karsch, 1895) (Satyridae) Synonym(s): *mollitia Karsch, 1895; ansorgei Sharpe, 1896*
- 68018) *Bicyclus mollitia mollitia* (Karsch, 1895) (Satyridae) Synonym(s): *mollitia Karsch, 1895; ansorgei Sharpe, 1896*
- 68019) *Bicyclus moyses* Condamin & Fox, 1964 (Satyridae) Synonym(s): *moyses Condamin & Fox, 1964*
- 68020) *Bicyclus moyses moyses* Condamin & Fox, 1964 (Satyridae) Synonym(s): *moyses Condamin & Fox, 1964*
- 68021) *Bicyclus noctetis* Condamin & Fox, 1965 (Satyridae) Synonym(s): *noctetis Condamin & Fox, 1965*
- 68022) *Bicyclus noctetis noctetis* Condamin & Fox, 1965 (Satyridae) Synonym(s): *noctetis Condamin & Fox, 1965*
- 68023) *Bicyclus neustetteri* (Rebel, 1914) (Satyridae) Synonym(s): *neustetteri Rebel, 1914*
- 68024) *Bicyclus neustetteri neustetteri* (Rebel, 1914) (Satyridae) Synonym(s): *neustetteri Rebel, 1914*
- 68025) *Bicyclus nobilis* (Aurivillius, 1893) (Satyridae) Synonym(s): *nobilis Aurivillius, 1893*
- 68026) *Bicyclus nobilis nobilis* (Aurivillius, 1893) (Satyridae) Synonym(s): *nobilis Aurivillius, 1893*
- 68027) *Bicyclus pavonis* (Butler, 1876) (Satyridae) Synonym(s): *pavonis Butler, 1876*
- 68028) *Bicyclus pavonis pavonis* (Butler, 1876) (Satyridae) Synonym(s): *pavonis Butler, 1876*
- 68029) *Bicyclus persimilis* (Joicey & Talbot, 1921) (Satyridae) Synonym(s): *persimilis Joicey & Talbot, 1921*
- 68030) *Bicyclus persimilis persimilis* (Joicey & Talbot, 1921) (Satyridae) Synonym(s): *persimilis Joicey & Talbot, 1921*
- 68031) *Bicyclus procora* (Karsch, 1893) (Satyridae) Synonym(s): *procora Karsch, 1893; benina Grünberg, 1911; makomensis Strand, 1913*
- 68032) *Bicyclus procora procora* (Karsch, 1893) (Satyridae) Synonym(s): *procora Karsch, 1893; benina Grünberg, 1911; makomensis Strand, 1913*
- 68033) *Bicyclus rhacotis* (Hewitson, 1866) (Satyridae) Synonym(s): *rhacotis Hewitson, 1866*
- 68034) *Bicyclus rhacotis rhacotis* (Hewitson, 1866) (Satyridae) Synonym(s): *rhacotis Hewitson, 1866*
- 68035) *Bicyclus rileyi* Condamin, 1961 (Satyridae) Synonym(s): *rileyi Condamin, 1961*
- 68036) *Bicyclus rileyi rileyi* Condamin, 1961 (Satyridae) Synonym(s): *rileyi Condamin, 1961*
- 68037) *Bicyclus safitza* (Westwood, [1850]) (Satyridae) Synonym(s): *delila Fabricius, 1793 nec Fabr., 1775; safitza Westwood, [1850]; eusirus Hopffer, 1855; evenus Hopffer, 1855; injusta Wallengren, 1857; caffra Wallengren, 1857; #semicoeca Strand, 1910*
- 68038) *Bicyclus safitza aethiops* (Rothschild & Jordan, 1905) (Satyridae) Synonym(s): *aethiops Rothschild & Jordan, 1905; #velutina Ungemach, 1932*
- 68039) *Bicyclus safitza safitza* (Westwood, [1850]) (Satyridae) Synonym(s): *delila Fabricius, 1793 nec Fabr., 1775; safitza Westwood, [1850]; eusirus Hopffer, 1855; evenus Hopffer, 1855; injusta Wallengren, 1857; caffra Wallengren, 1857; #semicoeca Strand, 1910*
- 68040) *Bicyclus sambulos* (Hewitson, 1877) (Satyridae) Synonym(s): *sambulos Hewitson, 1877*
- 68041) *Bicyclus sambulos cyaneus* Condamin, 1961 (Satyridae) Synonym(s): *cyaneus Condamin, 1961*
- 68042) *Bicyclus sambulos sambulos* (Hewitson, 1877) (Satyridae) Synonym(s): *sambulos Hewitson, 1877*
- 68043) *Bicyclus sambulos unicolor* Condamin, 1970 (Satyridae) Synonym(s): *unicolor Condamin, 1970*
- 68044) *Bicyclus sanaos* (Hewitson, 1866) (Satyridae) Synonym(s): *sanaos Hewitson, 1866; hintzi Strand, 1912; bibundensis Strand, 1913; completa Gaede, 1915*
- 68045) *Bicyclus sanaos melas* Condamin, 1965 (Satyridae) Synonym(s): *#viette Condamin, 1961; melas Condamin, 1965*
- 68046) *Bicyclus sanaos sanaos* (Hewitson, 1866) (Satyridae) Synonym(s): *sanaos Hewitson, 1866; hintzi Strand, 1912; bibundensis Strand, 1913; completa Gaede, 1915*
- 68047) *Bicyclus sandace* (Hewitson, 1877) (Satyridae) Synonym(s): *sandace Hewitson, 1877*
- 68048) *Bicyclus sandace sandace* (Hewitson, 1877) (Satyridae) Synonym(s): *sandace Hewitson, 1877*
- 68049) *Bicyclus sangmelinae* Condamin, 1963 (Satyridae) Synonym(s): *sangmelinae Condamin, 1963*
- 68050) *Bicyclus sangmelinae sangmelinae* Condamin, 1963 (Satyridae) Synonym(s): *sangmelinae Condamin, 1963*
- 68051) *Bicyclus saussurei* (Dewitz, 1879) (Satyridae) Synonym(s): *saussurei Dewitz, 1879*
- 68052) *Bicyclus saussurei angustus* Condamin, 1970 (Satyridae) Synonym(s): *angustus Condamin, 1970*
- 68053) *Bicyclus saussurei camerunia* (Strand, 1914) (Satyridae) Synonym(s): *camerunia Strand, 1914*
- 68054) *Bicyclus saussurei saussurei* (Dewitz, 1879) (Satyridae) Synonym(s): *saussurei Dewitz, 1879*
- 68055) *Bicyclus sciathis* (Hewitson, 1866) (Satyridae) Synonym(s): *sciathis Hewitson, 1866*
- 68056) *Bicyclus sciathis sciathis* (Hewitson, 1866) (Satyridae) Synonym(s): *sciathis Hewitson, 1866*
- 68057) *Bicyclus sebetus* (Hewitson, 1877) (Satyridae) Synonym(s): *sebetus Hewitson, 1877; una Plötz, 1880; kochi Grünberg, 1910*
- 68058) *Bicyclus sebetus sebetus* (Hewitson, 1877) (Satyridae) Synonym(s): *sebetus Hewitson, 1877; una Plötz, 1880; kochi Grünberg, 1910*
- 68059) *Bicyclus similis* Condamin, 1963 (Satyridae) Synonym(s): *similis Condamin, 1963*
- 68060) *Bicyclus similis similis* Condamin, 1963 (Satyridae) Synonym(s): *similis Condamin, 1963*
- 68061) *Bicyclus simulacris* Kielland, 1990 (Satyridae) Synonym(s): *simulacris Kielland, 1990*
- 68062) *Bicyclus simulacris septentrionalis* Kielland, 1990 (Satyridae) Synonym(s): *septentrionalis Kielland, 1990*
- 68063) *Bicyclus simulacris simulacris* Kielland, 1990 (Satyridae) Synonym(s): *simulacris Kielland, 1990*
- 68064) *Bicyclus smithi* (Aurivillius, 1898) (Satyridae) Synonym(s): *smithi Aurivillius, 1898; ansorgei Aurivillius, 1898 nec Shrp., 1896; nandina Ansonge, 1899; obscura Aurivillius, 1901; campides Strand, 1912*
- 68065) *Bicyclus smithi eurypterus* Condamin, 1965 (Satyridae) Synonym(s): *eurypterus Condamin, 1965*
- 68066) *Bicyclus smithi fernandina* (Schultze, 1914) (Satyridae) Synonym(s): *fernandina Schultze, 1914; poensis Condamin, 1963*
- 68067) *Bicyclus smithi smithi* (Aurivillius, 1898) (Satyridae) Synonym(s): *smithi Aurivillius, 1898; ansorgei Aurivillius, 1898 nec Shrp., 1896; nandina Ansonge, 1899; obscura Aurivillius, 1901; campides Strand, 1912*
- 68068) *Bicyclus sophrosyne* (Plötz, 1880) (Satyridae) Synonym(s): *sophrosyne Plötz, 1880; ploetzi Bartel, 1905; #decemoculi Birket-Smith, 1960*
- 68069) *Bicyclus sophrosyne overlaeti* Condamin, 1965 (Satyridae) Synonym(s): *overlaeti Condamin, 1965*
- 68070) *Bicyclus sophrosyne sophrosyne* (Plötz, 1880) (Satyridae) Synonym(s): *sophrosyne Plötz, 1880; ploetzi Bartel, 1905; #decemoculi Birket-Smith, 1960*
- 68071) *Bicyclus suffusa* (Riley, 1921) (Satyridae) Synonym(s): *suffusa Riley, 1921*
- 68072) *Bicyclus suffusa ituriensis* Condamin, 1970 (Satyridae) Synonym(s): *ituriensis Condamin, 1970*
- 68073) *Bicyclus suffusa suffusa* (Riley, 1921) (Satyridae) Synonym(s): *suffusa Riley, 1921*
- 68074) *Bicyclus sweadneri* Fox, 1963 (Satyridae) Synonym(s): *sweadneri Fox, 1963*

- 68075) *Bicyclus sweadneri sweadneri* Fox,1963 (Satyridae) Synonym(s): *sweadneri* Fox,1963
 68076) *Bicyclus sylvicolus Condamin,1965* (Satyridae) Synonym(s): *#sylvicolus Condamin,1961; sylvicolus Condamin,1965*
 68077) *Bicyclus sylvicolus sylvicolus Condamin,1965* (Satyridae) Synonym(s): *#sylvicolus Condamin,1961; sylvicolus Condamin,1965*
 68078) *Bicyclus taenias* (Hewitson,1877) (Satyridae) Synonym(s): *taenias* Hewitson,1877; *gerda* Plötz,1880; *#pujoli Condamin,1961*
 68079) *Bicyclus taenias taenias* (Hewitson,1877) (Satyridae) Synonym(s): *taenias* Hewitson,1877; *gerda* Plötz,1880; *#pujoli Condamin,1961*
 68080) *Bicyclus tanzanicus Condamin,1986* (Satyridae) Synonym(s): *tanzanicus Condamin,1986*
 68081) *Bicyclus tanzanicus tanzanicus Condamin,1986* (Satyridae) Synonym(s): *tanzanicus Condamin,1986*
 68082) *Bicyclus technatis* (Hewitson,1877) (Satyridae) Synonym(s): *technatis* Hewitson,1877
 68083) *Bicyclus technatis technatis* (Hewitson,1877) (Satyridae) Synonym(s): *technatis* Hewitson,1877
 68084) *Bicyclus trilophus* (Rebel,1914) (Satyridae) Synonym(s): *trilophus* Rebel,1914; *schoetedeni Overlaet,1954*
 68085) *Bicyclus trilophus jacksoni Condamin,1961* (Satyridae) Synonym(s): *jacksoni Condamin,1961*
 68086) *Bicyclus trilophus trilophus* (Rebel,1914) (Satyridae) Synonym(s): *trilophus* Rebel,1914; *schoetedeni Overlaet,1954*
 68087) *Bicyclus uniformis* (Bethune-Baker,1908) (Satyridae) Synonym(s): *uniformis* Bethune-Baker,1908; *ribbei Neustetter,1916*
 68088) *Bicyclus uniformis uniformis* (Bethune-Baker,1908) (Satyridae) Synonym(s): *uniformis* Bethune-Baker,1908; *ribbei Neustetter,1916*
 68089) *Bicyclus uzungwensis Kielland,1990* (Satyridae) Synonym(s): *uzungwensis Kielland,1990*
 68090) *Bicyclus uzungwensis granti Kielland,1990* (Satyridae) Synonym(s): *granti Kielland,1990*
 68091) *Bicyclus uzungwensis uzungwensis Kielland,1990* (Satyridae) Synonym(s): *uzungwensis Kielland,1990*
 68092) *Bicyclus vansoni Condamin,1965* (Satyridae) Synonym(s): *vansoni Condamin,1965*
 68093) *Bicyclus vansoni vansoni Condamin,1965* (Satyridae) Synonym(s): *vansoni Condamin,1965*
 68094) *Bicyclus vulgaris* (Butler,1868) (Satyridae) Synonym(s): *vulgaris* Butler,1868; *tolosa* Plötz,1880
 68095) *Bicyclus vulgaris vulgaris* (Butler,1868) (Satyridae) Synonym(s): *vulgaris* Butler,1868; *tolosa* Plötz,1880
 68096) *Bicyclus xeneas* (Hewitson,1866) (Satyridae) Synonym(s): *xeneas* Hewitson,1866; *phalanthus Staudinger,1887; phalanthoides Strand,1913*
 68097) *Bicyclus xeneas occidentalis Condamin,1965* (Satyridae) Synonym(s): *occidentalis Condamin,1965*
 68098) *Bicyclus xeneas xeneas* (Hewitson,1866) (Satyridae) Synonym(s): *xeneas* Hewitson,1866; *phalanthus Staudinger,1887; phalanthoides Strand,1913*
 68099) *Bicyclus xeneoides Condamin,1961* (Satyridae) Synonym(s): *xeneoides Condamin,1961*
 68100) *Bicyclus xeneoides xeneoides Condamin,1961* (Satyridae) Synonym(s): *xeneoides Condamin,1961*
 68101) *Bicyclus zinebi* (Butler,1869) (Satyridae) Synonym(s): *zinebi* Butler,1869
 68102) *Bicyclus zinebi zinebi* (Butler,1869) (Satyridae) Synonym(s): *zinebi* Butler,1869
 68103) *Boeberia parmenio* (Boeber,1809) (Satyridae) Synonym(s): *parmenio* Boeber,1809; *alpina* Elwes,1899.
 68104) *Boeberia parmenio parmenio* (Boeber,1809) (Satyridae) Synonym(s): *parmenio* Boeber,1809; *alpina* Elwes,1899.
 68105) *Brintesia circe* (Fabricius,1775) (Satyridae) Synonym(s): *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga Fruhstorfer,1909; venefica Fruhstorfer,1909; gabalae Gaillard,1959; maladetae Varin,1962.*
 68106) *Brintesia circe circe* (Fabricius,1775) (Satyridae) Synonym(s): *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga Fruhstorfer,1909; venefica Fruhstorfer,1909; gabalae Gaillard,1959; maladetae Varin,1962.*
 68107) *Brintesia circe hispanica* (Spuler,1908) (Satyridae) Synonym(s): *hispanica* Spuler,1908
 68108) *Brintesia circe teleuda* (Fruhstorfer,1917) (Satyridae) Synonym(s): *teleuda* Fruhstorfer,1917
 68109) *Calinaga buddha* Moore,1857 (Satyridae) Synonym(s): *buddha* Moore,1857
 68110) *Calinaga buddha buddha* Moore,1857 (Satyridae) Synonym(s): *buddha* Moore,1857
 68111) *Calinaga lhatso* Oberthür,1893 (Satyridae) Synonym(s): *lhatso* Oberthür,1893
 68112) *Calinaga lhatso lhatso* Oberthür,1893 (Satyridae) Synonym(s): *lhatso* Oberthür,1893
 68113) *Callerebia annada* (Moore,1857) (Satyridae) Synonym(s): *annada* Moore,1857
 68114) *Callerebia annada annada* (Moore,1857) (Satyridae) Synonym(s): *annada* Moore,1857
 68115) *Callerebia annada orixa* Moore,1872 (Satyridae) Synonym(s): *orixa* Moore,1872
 68116) *Callerebia baileyi* South,1913 (Satyridae) Synonym(s): *baileyi* South,1913
 68117) *Callerebia baileyi baileyi* South,1913 (Satyridae) Synonym(s): *baileyi* South,1913
 68118) *Callerebia caeca* Watkins,1925 (Satyridae) Synonym(s): *caeca* Watkins,1925
 68119) *Callerebia caeca caeca* Watkins,1925 (Satyridae) Synonym(s): *caeca* Watkins,1925
 68120) *Callerebia daksha* Moore,1874 (Satyridae) Synonym(s): *daksha* Moore,1874
 68121) *Callerebia daksha daksha* Moore,1874 (Satyridae) Synonym(s): *daksha* Moore,1874
 68122) *Callerebia narasingha* Moore,1858 (Satyridae) Synonym(s): *narasingha* Moore,1858
 68123) *Callerebia narasingha dohertyi* Evans,1923 (Satyridae) Synonym(s): *dohertyi* Evans,1923
 68124) *Callerebia narasingha narasingha* Moore,1858 (Satyridae) Synonym(s): *narasingha* Moore,1858
 68125) *Callerebia nirmala* (Moore,1865) (Satyridae) Synonym(s): *nirmala* Moore,1865
 68126) *Callerebia nirmala kala* (Evans,1923) (Satyridae) Synonym(s): *kala* Evans,1923
 68127) *Callerebia nirmala materta* Fruhstorfer,1916 (Satyridae) Synonym(s): *materta* Fruhstorfer,1916; *reducta* Evans,1923.
 68128) *Callerebia nirmala nirmala* (Moore,1865) (Satyridae) Synonym(s): *nirmala* Moore,1865
 68129) *Callerebia nirmala scandina* Fruhstorfer,1916 (Satyridae) Synonym(s): *scandina* Fruhstorfer,1916
 68130) *Callerebia polyphemus* Oberthür,1877 (Satyridae) Synonym(s): *polyphemus* Oberthür,1877
 68131) *Callerebia polyphemus polyphemus* Oberthür,1877 (Satyridae) Synonym(s): *polyphemus* Oberthür,1877
 68132) *Callerebia scanda* (Kollar,[1844]) (Satyridae) Synonym(s): *scanda* Kollar,[1844]
 68133) *Callerebia scanda scanda* (Kollar,[1844]) (Satyridae) Synonym(s): *scanda* Kollar,[1844]
 68134) *Callerebia tsirava* Evans,1915 (Satyridae) Synonym(s): *tsirava* Evans,1915
 68135) *Callerebia tsirava tsirava* Evans,1915 (Satyridae) Synonym(s): *tsirava* Evans,1915
 68136) *Cassionympha cassius* (Godart,[1824]) (Satyridae) Synonym(s): *cassius* Godart,[1824]; *hyperbioides Wallengren,1857*
 68137) *Cassionympha cassius cassius* (Godart,[1824]) (Satyridae) Synonym(s): *cassius* Godart,[1824]; *hyperbioides Wallengren,1857*
 68138) *Cercyonis meadii* (Satyridae) Synonym(s):
 68139) *Cercyonis oetus* (Satyridae) Synonym(s):
 68140) *Cercyonis pegala* (Satyridae) Synonym(s):
 68141) *Cercyonis sthenele* (Satyridae) Synonym(s):
 68142) *Chazara* (Neochazara) *anthe* (Hoffmannsegg,1804) (Satyridae) Synonym(s): *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe Ochsenheimer,1807.*
 68143) *Chazara* (Neochazara) *anthe anthe* (Hoffmannsegg,1804) (Satyridae) Synonym(s): *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe Ochsenheimer,1807.*
 68144) *Chazara* (Neochazara) *anthe hanifa* (Boisduval,1848) (Satyridae) Synonym(s): *hanifa* Boisduval,1848; *hanifa Herrich-Schäffer,1850; transiens Zerny,1932.*
 68145) *Chazara* (Neochazara) *anthe pseudoenervata* Lukhtanov,1999 (Satyridae) Synonym(s): *pseudoenervata* Lukhtanov,1999
 68146) *Chazara* (Neochazara) *anthe pseudohanifa* (Gross & Ebert,1975) (Satyridae) Synonym(s): *pseudohanifa* Gross & Ebert,1975
 68147) *Chazara* (Neochazara) *enervata* (Staudinger,1881) (Satyridae) Synonym(s): *enervata* Staudinger,1881; *analoga* Alpheraky,1881; *ochracea Heyne,[1894].*
 68148) *Chazara* (Neochazara) *enervata enervata* (Staudinger,1881) (Satyridae) Synonym(s): *enervata* Staudinger,1881; *analoga* Alpheraky,1881; *ochracea Heyne,[1894].*
 68149) *Chazara* (Neochazara) *heydenreichi* (Lederer,1853) (Satyridae) Synonym(s): *heydenreichi* Lederer,1853; *karasagina Holik,1949.*
 68150) *Chazara* (Neochazara) *heydenreichi hegesander* (Fruhstorfer,1907) (Satyridae) Synonym(s): *hegesander* Fruhstorfer,1907
 68151) *Chazara* (Neochazara) *heydenreichi heydenreichi* (Lederer,1853) (Satyridae) Synonym(s): *heydenreichi* Lederer,1853; *karasagina Holik,1949.*
 68152) *Chazara* (Neochazara) *heydenreichi kullmanni* (Wyatt & Omoto,1966) (Satyridae) Synonym(s): *kullmanni* Wyatt & Omoto,1966
 68153) *Chazara* (Neochazara) *heydenreichi shandura* (Marschall,1882) (Satyridae) Synonym(s): *shandura* Marschall,1882
 68154) *Chazara* (Neochazara) *prieuri* (Pierret,1837) (Satyridae) Synonym(s): *prieuri* Pierret,1837
 68155) *Chazara* (Neochazara) *prieuri iberica* (Oberthür,1907) (Satyridae) Synonym(s): *iberica* Oberthür,1907
 68156) *Chazara* (Neochazara) *prieuri kebira* (Wyatt,1952) (Satyridae) Synonym(s): *kebira* Wyatt,1952
 68157) *Chazara* (Neochazara) *prieuri prieuri* (Pierret,1837) (Satyridae) Synonym(s): *prieuri* Pierret,1837

- 68158) *Chazara* (s.str.) *bischoffi* (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): *bischoffi* Herrich-Schäffer,[1846]
68159) *Chazara* (s.str.) *bischoffi bischoffi* (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): *bischoffi* Herrich-Schäffer,[1846]
68160) *Chazara* (s.str.) *briseis* (Linnaeus,1764) (Satyridae) Synonym(s): *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958.
68161) *Chazara* (s.str.) *briseis briseis* (Linnaeus,1764) (Satyridae) Synonym(s): *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958.
68162) *Chazara* (s.str.) *briseis fergana* (Staudinger,1886) (Satyridae) Synonym(s): *fergana* Staudinger,1886; *turanica* Staudinger,[1894].
68163) *Chazara* (s.str.) *briseis hyrcana* (Staudinger,1886) (Satyridae) Synonym(s): *hyrcana* Staudinger,1886
68164) *Chazara* (s.str.) *briseis ianthe* (Pallas,1771) (Satyridae) Synonym(s): *ianthe* Pallas,1771; *meridionalis sensu auct. nec Stgr.*,1886.
68165) *Chazara* (s.str.) *briseis larnacana* (Oberthür,1909) (Satyridae) Synonym(s): *larnacana* Oberthür,1909.
68166) *Chazara* (s.str.) *briseis major* (Oberthür,1876) (Satyridae) Synonym(s): *major* Oberthür,1876
68167) *Chazara* (s.str.) *briseis maracandica* (Staudinger,1886) (Satyridae) Synonym(s): *maracandica* Staudinger,1886
68168) *Chazara* (s.str.) *briseis martinae* Leraut,1990 (Satyridae) Synonym(s): *martinae* Leraut,1990
68169) *Chazara* (s.str.) *briseis pirata* (Esper,[1789]) (Satyridae) Synonym(s): *pirata* Esper,[1789]; *meridionalis* Staudinger,1886; *magna* Staudinger,[1894]; *#uniozellata* Strand,1909; *armena* Jachontov,1912; *fergana sensu Hofmann*,1898; *latiusalba* Verity,1937; *hyperleuca* Verity,1937; *falkneri* Gross & Ebert,1975.
68170) *Chazara* (s.str.) *briseis pyrenaeorum* (Verity,1927) (Satyridae) Synonym(s): *pyrenaeorum* Verity,1927; *peimica* Varin,1958.
68171) *Chazara* (s.str.) *briseis zhdanko* Koçak & Kemal,2000 (Satyridae) Synonym(s): *magna sensu auct. nec Stgr.*,[1894]; *fergana sensu Wagner*,1913 *nec Stgr.*,1886.
68172) *Chazara* (s.str.) *egina* (Staudinger,[1892]) (Satyridae) Synonym(s): *egina* Staudinger,[1892]; *aisha* Rose,1986.
68173) *Chazara* (s.str.) *egina egin* (Staudinger,[1892]) (Satyridae) Synonym(s): *egina* Staudinger,[1892]; *aisha* Rose,1986.
68174) *Chazara* (s.str.) *egina mortezai* Carbonell & Leestmans,2000 (Satyridae) Synonym(s): *mortezai* Carbonell & Leestmans,2000
68175) *Chazara* (s.str.) *kaufmanni* (Erschoff,1874) (Satyridae) Synonym(s): *kaufmanni* Erschoff,1874
68176) *Chazara* (s.str.) *kaufmanni kaufmanni* (Erschoff,1874) (Satyridae) Synonym(s): *kaufmanni* Erschoff,1874
68177) *Chazara* (s.str.) *kaufmanni obscurior* (Staudinger,1887) (Satyridae) Synonym(s): *obscurior* Staudinger,1887
68178) *Chazara* (s.str.) *rangontavica* Shchetkin,1981 (Satyridae) Synonym(s): *rangontavica* Shchetkin,1981
68179) *Chazara* (s.str.) *rangontavica rangontavica* Shchetkin,1981 (Satyridae) Synonym(s): *rangontavica* Shchetkin,1981
68180) *Chazara* (s.str.) *sartha* (Staudinger,1886) (Satyridae) Synonym(s): *sartha* Staudinger,1886
68181) *Chazara* (s.str.) *sartha eitschbergeri* Lukhtanov,1999 (Satyridae) Synonym(s): *eitschbergeri* Lukhtanov,1999
68182) *Chazara* (s.str.) *sartha gultschensis* (Groum-Grshimailo,1888) (Satyridae) Synonym(s): *gultschensis* Groum-Grshimailo,1888
68183) *Chazara* (s.str.) *sartha sartha* (Staudinger,1886) (Satyridae) Synonym(s): *sartha* Staudinger,1886
68184) *Chazara* (s.str.) *sieversi* (Christoph,1885) (Satyridae) Synonym(s): *sieversi* Christoph,1885
68185) *Chazara* (s.str.) *staudingeri* (A.Bang-Haas,1882) (Satyridae) Synonym(s): *staudingeri* A.Bang-Haas,1882
68186) *Chazara* (s.str.) *staudingeri staudingeri* (A.Bang-Haas,1882) (Satyridae) Synonym(s): *staudingeri* A.Bang-Haas,1882
68187) *Chazara* (s.str.) *staudingeri tadjika* (Groum-Grshimailo,1890) (Satyridae) Synonym(s): *tadjika* Groum-Grshimailo,1890
68188) *Coelites epiminthia* Westwood,1851 (Satyridae) Synonym(s): *epiminthia* Westwood,1851
68189) *Coelites epiminthia epiminthia* Westwood,1851 (Satyridae) Synonym(s): *epiminthia* Westwood,1851
68190) *Coelites euptychioides* C.Felder & R.Felder,[1867] (Satyridae) Synonym(s): *euptychioides* C.Felder & R.Felder,[1867]
68191) *Coelites euptychioides euptychioides* C.Felder & R.Felder,[1867] (Satyridae) Synonym(s): *euptychioides* C.Felder & R.Felder,[1867]
68192) *Coelites euptychioides humilis* Butler,1867 (Satyridae) Synonym(s): *humilis* Butler,1867
68193) *Coelites nothis* Westwood,1850 (Satyridae) Synonym(s): *nothis* Westwood,1850
68194) *Coelites nothis nothis* Westwood,1850 (Satyridae) Synonym(s): *nothis* Westwood,1850
68195) *Coenonympha* (Lyela) *amirica* Wyatt,1961 (Satyridae) Synonym(s): *amirica* Wyatt,1961
68196) *Coenonympha* (Lyela) *amirica amirica* Wyatt,1961 (Satyridae) Synonym(s): *amirica* Wyatt,1961
68197) *Coenonympha* (Lyela) *myops* (Staudinger,1881) (Satyridae) Synonym(s): *myops* Staudinger,1881
68198) *Coenonympha* (Lyela) *myops babatagi* Tchikolovetz (Satyridae) Synonym(s): *babatagi* Tchikolovetz
68199) *Coenonympha* (Lyela) *myops macmahoni* Swinhoe,1908 (Satyridae) Synonym(s): *macmahoni* Swinhoe,1908
68200) *Coenonympha* (Lyela) *myops mangystavica* Lukhtanov,1994 (Satyridae) Synonym(s): *mangystavica* Lukhtanov,1994
68201) *Coenonympha* (Lyela) *myops myops* (Staudinger,1881) (Satyridae) Synonym(s): *myops* Staudinger,1881
68202) *Coenonympha* (Lyela) *myops plyushtchi* Tchikolovetz (Satyridae) Synonym(s): *plyushtchi* Tchikolovetz
68203) *Coenonympha* (Lyela) *myops tekkensis* (Staudinger,1886) (Satyridae) Synonym(s): *tekkensis* Staudinger,1886
68204) *Coenonympha* (dorus) *austauti* Oberthür,1881 (Satyridae) Synonym(s): *austauti* Oberthür,1881
68205) *Coenonympha* (dorus) *austauti austauti* Oberthür,1881 (Satyridae) Synonym(s): *austauti* Oberthür,1881
68206) *Coenonympha* (dorus) *dorus* (Esper,[1782]) (Satyridae) Synonym(s): *dorus* Esper,[1782]; *lizetta* Stoll,1784; *hanibal* Herbst,1796; *dorion* Hübner,[1800]; *macrophthalma* Verity,1953.
68207) *Coenonympha* (dorus) *dorus aquilonia* Higgins,1969 (Satyridae) Synonym(s): *aquilonia* Higgins,1969
68208) *Coenonympha* (dorus) *dorus bieli* Staudinger,1901 (Satyridae) Synonym(s): *bieli* Staudinger,1901
68209) *Coenonympha* (dorus) *dorus cantabrica* Agenjo,1953 (Satyridae) Synonym(s): *cantabrica* Agenjo,1953
68210) *Coenonympha* (dorus) *dorus dorus* (Esper,[1782]) (Satyridae) Synonym(s): *dorus* Esper,[1782]; *lizetta* Stoll,1784; *hanibal* Herbst,1796; *dorion* Hübner,[1800]; *macrophthalma* Verity,1953.
68211) *Coenonympha* (dorus) *dorus marteni* Taymans,1994 (Satyridae) Synonym(s): *marteni* Taymans,1994
68212) *Coenonympha* (dorus) *dorus mathewi* Tutt,1904 (Satyridae) Synonym(s): *mathewi* Tutt,1904
68213) *Coenonympha* (dorus) *dorus microphthalma* Oberthür,1910 (Satyridae) Synonym(s): *microphthalma* Oberthür,1910
68214) *Coenonympha* (dorus) *dorus purpurinatta* Gomez-Bustillo,1973 (Satyridae) Synonym(s): *purpurinatta* Gomez-Bustillo,1973
68215) *Coenonympha* (dorus) *fettigii* Oberthür,1874 (Satyridae) Synonym(s): *fettigii* Oberthür,1874
68216) *Coenonympha* (dorus) *fettigii fettigii* Oberthür,1874 (Satyridae) Synonym(s): *fettigii* Oberthür,1874
68217) *Coenonympha* (dorus) *fettigii inframaculata* Oberthür,1922 (Satyridae) Synonym(s): *inframaculata* Oberthür,1922
68218) *Coenonympha* (dorus) *fettigii nicholasi* Rothschild,1925 (Satyridae) Synonym(s): *nicholasi* Rothschild,1925
68219) *Coenonympha* (gardetta) *darwiniana* Staudinger,1871 (Satyridae) Synonym(s): *darwiniana* Staudinger,1871; *macromma* Turati & Verity,1911; *maesta* Verity,1927; *philedarwiniana* Verity,1927; *pseudodarwiniana* Verity,1927; *cephalidarwiniana* Verity,1927.
68220) *Coenonympha* (gardetta) *darwiniana darwiniana* Staudinger,1871 (Satyridae) Synonym(s): *darwiniana* Staudinger,1871; *macromma* Turati & Verity,1911; *maesta* Verity,1927; *philedarwiniana* Verity,1927; *pseudodarwiniana* Verity,1927; *cephalidarwiniana* Verity,1927.
68221) *Coenonympha* (gardetta) *gardetta* (De Prunner,1798) (Satyridae) Synonym(s): *gardetta* De Prunner,1798
68222) *Coenonympha* (gardetta) *gardetta gardetta* (De Prunner,1798) (Satyridae) Synonym(s): *gardetta* De Prunner,1798
68223) *Coenonympha* (gardetta) *gardetta lecerfi* Oberthür,1949 (Satyridae) Synonym(s): *lecerfi* Oberthür,1949
68224) *Coenonympha* (gardetta) *gardetta macrophthalma* Galvagni,1906 (Satyridae) Synonym(s): *macrophthalma* Galvagni,1906
68225) *Coenonympha* (gardetta) *orientalis* Rebel,1910 (Satyridae) Synonym(s): *orientalis* Rebel,1910; *skypetarum* Rebel & Zerny,1931; *katarae* Coutsis,1922
68226) *Coenonympha* (s.str.) *amaryllis* (Stoll,[1782]) (Satyridae) Synonym(s): *amaryllis* Stoll,[1782]; *xinjiangensis* Chou & Huang
68227) *Coenonympha* (s.str.) *amaryllis accrescens* Staudinger,1901 (Satyridae) Synonym(s): *accrescens* Staudinger,1901
68228) *Coenonympha* (s.str.) *amaryllis amaryllis* (Stoll,[1782]) (Satyridae) Synonym(s): *amaryllis* Stoll,[1782]; *xinjiangensis* Chou & Huang
68229) *Coenonympha* (s.str.) *amaryllis borisovi* Korshunov & Ivonine,1996 (Satyridae) Synonym(s): *borisovi* Korshunov & Ivonine,1996
68230) *Coenonympha* (s.str.) *arcania* (Linnaeus,1761) (Satyridae) Synonym(s): *arcania* Linnaeus,1761; *amytas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *trumpans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935.
68231) *Coenonympha* (s.str.) *arcania arcania* (Linnaeus,1761) (Satyridae) Synonym(s): *arcania* Linnaeus,1761; *amytas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *trumpans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935.
68232) *Coenonympha* (s.str.) *arcania balestrei* Fruhstorfer,1910 (Satyridae) Synonym(s): *balestrei* Fruhstorfer,1910
68233) *Coenonympha* (s.str.) *arcania clorinda* De Sagarra,1924 (Satyridae) Synonym(s): *clorinda* De Sagarra,1924
68234) *Coenonympha* (s.str.) *arcanioides* (Pierret,1837) (Satyridae) Synonym(s): *arcanioides* Pierret,1837
68235) *Coenonympha* (s.str.) *arcanioides arcanioides* (Pierret,1837) (Satyridae) Synonym(s): *arcanioides* Pierret,1837

- 68236) *Coenonympha* (s.str.) *corinna* (Hübner,[1804]) (Satyridae) Synonym(s): *corinna* Hübner,[1804]; *norax* Bonelli,1826.
- 68237) *Coenonympha* (s.str.) *corinna corinna* (Hübner,[1804]) (Satyridae) Synonym(s): *corinna* Hübner,[1804]; *norax* Bonelli,1826.
- 68238) *Coenonympha* (s.str.) *elbana* Staudinger,1901 (Satyridae) Synonym(s): *elbana* Staudinger,1901
- 68239) *Coenonympha* (s.str.) *elbana elbana* Staudinger,1901 (Satyridae) Synonym(s): *elbana* Staudinger,1901
- 68240) *Coenonympha* (s.str.) *glycerion* (Borkhausen,1788) (Satyridae) Synonym(s): *iphis* [Denis & Schiffermüller],1775 *nec* Dru.,1773; *amyntas auctorum*; *glycerion* Borkhausen,1788; *hero Fabricius*,1793 *nec* Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901.
- 68241) *Coenonympha* (s.str.) *glycerion alta* Sheljuzhko,1937 (Satyridae) Synonym(s): *alta* Sheljuzhko,1937
- 68242) *Coenonympha* (s.str.) *glycerion glycerion* (Borkhausen,1788) (Satyridae) Synonym(s): *iphis* [Denis & Schiffermüller],1775 *nec* Dru.,1773; *amyntas auctorum*; *glycerion* Borkhausen,1788; *hero Fabricius*,1793 *nec* Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901.
- 68243) *Coenonympha* (s.str.) *glycerion iphicles* Staudinger,1892 (Satyridae) Synonym(s): *iphicles* Staudinger,1892; *heroides* Christoph,1893
- 68244) *Coenonympha* (s.str.) *glycerion iphina* Staudinger,1892 (Satyridae) Synonym(s): *iphina* Staudinger,1892
- 68245) *Coenonympha* (s.str.) *glycerion korshunovi* Nekrutenko,1978 (Satyridae) Synonym(s): *korshunovi* Nekrutenko,1978
- 68246) *Coenonympha* (s.str.) *glycerion pseudoamyntas* De Sagarra,1931 (Satyridae) Synonym(s): *pseudoamyntas* Sagarra,1931
- 68247) *Coenonympha* (s.str.) *haydenii* (Edwards,1872) (Satyridae) Synonym(s): *haydenii* Edwards,1872
- 68248) *Coenonympha* (s.str.) *hero* (Linnaeus,1761) (Satyridae) Synonym(s): *hero* Linnaeus,1761; *sabaeus* Fabricius,1775.
- 68249) *Coenonympha* (s.str.) *hero coreana* Matsumura,1929 (Satyridae) Synonym(s): *coreana* Matsumura,1929; *hcatenata* Bryk,1946
- 68250) *Coenonympha* (s.str.) *hero hero* (Linnaeus,1761) (Satyridae) Synonym(s): *hero* Linnaeus,1761; *sabaeus* Fabricius,1775.
- 68251) *Coenonympha* (s.str.) *hero perseis* Lederer,1853 (Satyridae) Synonym(s): *perseis* Lederer,1853; *sibirica* Fuchs,1899.
- 68252) *Coenonympha* (s.str.) *iphioides* Staudinger,1870 (Satyridae) Synonym(s): *iphioides* Staudinger,1870
- 68253) *Coenonympha* (s.str.) *iphioides iphioides* Staudinger,1870 (Satyridae) Synonym(s): *iphioides* Staudinger,1870
- 68254) *Coenonympha* (s.str.) *iphioides pearsoni* Romei,1927 (Satyridae) Synonym(s): *pearsoni* Romei,1927
- 68255) *Coenonympha* (s.str.) *iphioides trevincae* Wyatt,1952 (Satyridae) Synonym(s): *trevincae* Wyatt,1952
- 68256) *Coenonympha* (s.str.) *leander* (Fabricius,1787) (Satyridae) Synonym(s): *#leander* Esper,[1784]; *leander* Fabricius,1787
- 68257) *Coenonympha* (s.str.) *leander dierli* Koçak,1977 (Satyridae) Synonym(s): *dierli* Koçak,1977
- 68258) *Coenonympha* (s.str.) *leander iranica* Schwingenschuss,1939 (Satyridae) Synonym(s): *iranica* Schwingenschuss,1939
- 68259) *Coenonympha* (s.str.) *leander leander* (Fabricius,1787) (Satyridae) Synonym(s): *#leander* Esper,[1784]; *leander* Fabricius,1787
- 68260) *Coenonympha* (s.str.) *leander transcaspica* Gross & Ebert,1975 (Satyridae) Synonym(s): *transcaspica* Gross & Ebert,1975
- 68261) *Coenonympha* (s.str.) *leander wageneri* Gross & Ebert,1975 (Satyridae) Synonym(s): *wageneri* Gross & Ebert,1975
- 68262) *Coenonympha* (s.str.) *mahometana* Alpheraky,1881 (Satyridae) Synonym(s): *mahometana* Alpheraky,1881; ?*decolorata* Wagner,1913.
- 68263) *Coenonympha* (s.str.) *mahometana acela* Hanus,1996 (Satyridae) Synonym(s): *acela* Hanus,1996
- 68264) *Coenonympha* (s.str.) *mahometana mahometana* Alpheraky,1881 (Satyridae) Synonym(s): *mahometana* Alpheraky,1881; ?*decolorata* Wagner,1913.
- 68265) *Coenonympha* (s.str.) *mangeri* O.Bang-Haas,1927 (Satyridae) Synonym(s): *mangeri* O.Bang-Haas,1927
- 68266) *Coenonympha* (s.str.) *mangeri mangeri* O.Bang-Haas,1927 (Satyridae) Synonym(s): *mangeri* O.Bang-Haas,1927
- 68267) *Coenonympha* (s.str.) *mongolica* Alpheraky,1881 (Satyridae) Synonym(s): *mongolica* Alpheraky,1881
- 68268) *Coenonympha* (s.str.) *mongolica mongolica* Alpheraky,1881 (Satyridae) Synonym(s): *mongolica* Alpheraky,1881
- 68269) *Coenonympha* (s.str.) *nolcken* Erschoff,1874 (Satyridae) Synonym(s): *nolcken* Erschoff,1874
- 68270) *Coenonympha* (s.str.) *nolcken* Erschoff,1874 (Satyridae) Synonym(s): *nolcken* Erschoff,1874
- 68271) *Coenonympha* (s.str.) *oedippus* (Fabricius,1787) (Satyridae) Synonym(s): *oedippus* Fabricius,1787; *oedippe* Borkhausen,1789; *burdigalensis* Pionneau,1937; *herbuloti* Varin,1952; *sebrica* Varin,1952; *aquitana* Varin,1952; *rhodanica* Varin,1964; *senonica* Varin,1966.
- 68272) *Coenonympha* (s.str.) *oedippus amurensis* Heyne,[1894] (Satyridae) Synonym(s): *amurensis* Heyne,[1894]
- 68273) *Coenonympha* (s.str.) *oedippus annulifer* Butler,1877 (Satyridae) Synonym(s): *annulifer* Butler,1877; *amurensis* Heyne,[1894]; *miris* Heyne,[1894].
- 68274) *Coenonympha* (s.str.) *oedippus hungarica* Rebel,1900 (Satyridae) Synonym(s): *hungarica* Rebel,1900
- 68275) *Coenonympha* (s.str.) *oedippus magna* Heyne,[1894] (Satyridae) Synonym(s): *magna* Heyne,[1894]
- 68276) *Coenonympha* (s.str.) *oedippus oedippus* (Fabricius,1787) (Satyridae) Synonym(s): *oedippus* Fabricius,1787; *oedippe* Borkhausen,1789; *burdigalensis* Pionneau,1937; *herbuloti* Varin,1952; *sebrica* Varin,1952; *aquitana* Varin,1952; *rhodanica* Varin,1964; *senonica* Varin,1966.
- 68277) *Coenonympha* (s.str.) *oedippus steni* Bryk,1946 (Satyridae) Synonym(s): *steni* Bryk,1946
- 68278) *Coenonympha* (s.str.) *pamphilus* (Linnaeus,1758) (Satyridae) Synonym(s): *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950
- 68279) *Coenonympha* (s.str.) *pamphilus ferghana* Stauder,1924 (Satyridae) Synonym(s): *ferghana* Stauder,1924
- 68280) *Coenonympha* (s.str.) *pamphilus lyllus* (Esper,[1805]) (Satyridae) Synonym(s): *lyllus* Esper,[1805].
- 68281) *Coenonympha* (s.str.) *pamphilus pamphilus* (Linnaeus,1758) (Satyridae) Synonym(s): *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950
- 68282) *Coenonympha* (s.str.) *rhodopensis* Elwes,1900 (Satyridae) Synonym(s): *rhodopensis* Elwes,1900
- 68283) *Coenonympha* (s.str.) *rhodopensis rhodopensis* Elwes,1900 (Satyridae) Synonym(s): *rhodopensis* Elwes,1900
- 68284) *Coenonympha* (s.str.) *saadi* (Kollar,[1849]) (Satyridae) Synonym(s): *saadi* Kollar,[1849]; *iphias* Eversmann,1851.
- 68285) *Coenonympha* (s.str.) *saadi iphias* (Eversmann,1851) (Satyridae) Synonym(s): *iphias* Eversmann,1851; *mesopotamica* Staudinger,[1894]
- 68286) *Coenonympha* (s.str.) *saadi saadi* (Kollar,[1849]) (Satyridae) Synonym(s): *saadi* Kollar,[1849]
- 68287) *Coenonympha* (s.str.) *semenovi* Alpheraky,1887 (Satyridae) Synonym(s): *semenovi* Alpheraky,1887; *obscura* Alpheraky,1897 *nec* Rhl.,1895
- 68288) *Coenonympha* (s.str.) *sinica* Alpheraky,1888 (Satyridae) Synonym(s): *sinica* Alpheraky,1888; *tydeus* Leech,1891
- 68289) *Coenonympha* (s.str.) *sinica sinica* Alpheraky,1888 (Satyridae) Synonym(s): *sinica* Alpheraky,1888; *tydeus* Leech,1891
- 68290) *Coenonympha* (s.str.) *sunbecca* (Eversmann,1843) (Satyridae) Synonym(s): *sunbecca* Eversmann,1843
- 68291) *Coenonympha* (s.str.) *sunbecca alexandra* Heyne,[1894] (Satyridae) Synonym(s): *alexandra* Heyne,[1894]
- 68292) *Coenonympha* (s.str.) *sunbecca sunbecca* (Eversmann,1843) (Satyridae) Synonym(s): *sunbecca* Eversmann,1843
- 68293) *Coenonympha* (s.str.) *symphita* Lederer,1870 (Satyridae) Synonym(s): *symphita* Lederer,1870; *karsiana* Sheljuzhko,1919
- 68294) *Coenonympha* (s.str.) *symphita symphita* Lederer,1870 (Satyridae) Synonym(s): *symphita* Lederer,1870; *karsiana* Sheljuzhko,1919
- 68295) *Coenonympha* (s.str.) *symphita tiphonides* Staudinger,1901 (Satyridae) Synonym(s): *tiphonides* Staudinger,1901
- 68296) *Coenonympha* (s.str.) *thyrsis* (Freyer,[1845]) (Satyridae) Synonym(s): *thyrsis* Freyer,[1845]
- 68297) *Coenonympha* (s.str.) *thyrsis thyrsis* (Freyer,[1845]) (Satyridae) Synonym(s): *thyrsis* Freyer,[1845]
- 68298) *Coenonympha* (s.str.) *tullia* (Müller,1764) (Satyridae) Synonym(s): *tullia* Müller,1764; *isis* Thunberg & Becklin,1791.
- 68299) *Coenonympha* (s.str.) *tullia ampelos* (Edwards,1871) (Satyridae) Synonym(s): *ampelos* Edwards,1871
- 68300) *Coenonympha* (s.str.) *tullia bosniae* Davenport,1941 (Satyridae) Synonym(s): *bosniae* Davenport,1941
- 68301) *Coenonympha* (s.str.) *tullia caeca* Staudinger,1886 (Satyridae) Synonym(s): *caeca* Staudinger,1886
- 68302) *Coenonympha* (s.str.) *tullia californica* Westwood,1851 (Satyridae) Synonym(s): *california* Westwood,1851
- 68303) *Coenonympha* (s.str.) *tullia chatiparae* Sheljuzhko,1937 (Satyridae) Synonym(s): *chatiparae* Sheljuzhko,1937
- 68304) *Coenonympha* (s.str.) *tullia davus* (Fabricius,1777) (Satyridae) Synonym(s): *davus* Fabricius,1777; *philoxenus* Esper,1782; *rothliebi* Staudinger,1861 *nec* Herrich-Schäffer,1851.
- 68305) *Coenonympha* (s.str.) *tullia demophile* (Freyer,[1844]) (Satyridae) Synonym(s): *demophile* Freyer,[1844]
- 68306) *Coenonympha* (s.str.) *tullia fermana* Fruhstorfer,1908 (Satyridae) Synonym(s): *fermana* Fruhstorfer,1908
- 68307) *Coenonympha* (s.str.) *tullia fridolini* Kuznetsov,1941 (Satyridae) Synonym(s): *fridolini* Kuznetsov,1941; *minimus* Sedych,1977.
- 68308) *Coenonympha* (s.str.) *tullia heptopotamica* Sheljuzhko,1929 (Satyridae) Synonym(s): *subcaeca* sensu Wagner,1913; *#eupompus* Stauder,1924; *heptopotamica* Sheljuzhko,1929.
- 68309) *Coenonympha* (s.str.) *tullia inornata* Edwards,1861 (Satyridae) Synonym(s): *inornata* Edwards,1861
- 68310) *Coenonympha* (s.str.) *tullia italica* Verity,1915 (Satyridae) Synonym(s): *italica* Verity,1915
- 68311) *Coenonympha* (s.str.) *tullia nipisiquit* McDunnough,1939 (Satyridae) Synonym(s): *nipisiquit* McDunnough,1939
- 68312) *Coenonympha* (s.str.) *tullia occupata* Rebel,1903 (Satyridae) Synonym(s): *occupata* Rebel,1903
- 68313) *Coenonympha* (s.str.) *tullia ochracea* Edwards,1861 (Satyridae) Synonym(s): *ochracea* Edwards,1861
- 68314) *Coenonympha* (s.str.) *tullia rothliebi* Herrich-Schäffer,1851 (Satyridae) Synonym(s): *rothliebi* Herrich-Schäffer,1851
- 68315) *Coenonympha* (s.str.) *tullia scotica* Staudinger,1901 (Satyridae) Synonym(s): *scotica* Staudinger,1901

- 68316) *Coenonympha* (s.str.) *tullia subcaeca* Heyne,[1895] (Satyridae) Synonym(s): *subcaeca* Heyne,[1895]; *ehwesi* Davenport,1941
- 68317) *Coenonympha* (s.str.) *tullia tiphon* (Rottemburg,1775) (Satyridae) Synonym(s): *tiphon* Rottemburg,1775
- 68318) *Coenonympha* (s.str.) *tullia tshonkurtshakus Korb,1999* (Satyridae) Synonym(s): *tshonkurtshakus* Korb,1999
- 68319) *Coenonympha* (s.str.) *tullia tullia* (Müller,1764) (Satyridae) Synonym(s): *tullia* Müller,1764; *isis* Thunberg & Becklin,1791.
- 68320) *Coenonympha* (s.str.) *tullia viluensis Ménétériés,1859* (Satyridae) Synonym(s): *viluensis* Ménétériés,1859; *grisescens* Christoph,1893.
- 68321) *Coenonympha* (s.str.) *vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68322) *Coenonympha* (s.str.) *vaucheri annoceuri* Wyatt,1952 (Satyridae) Synonym(s): *annoceuri* Wyatt,1952
- 68323) *Coenonympha* (s.str.) *vaucheri beraberensis* Lay & Rose,1979 (Satyridae) Synonym(s): *beraberensis* Lay & Rose,1979
- 68324) *Coenonympha* (s.str.) *vaucheri rifensis* Weiss,1978 (Satyridae) Synonym(s): *rifensis* Weiss,1978
- 68325) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68326) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68327) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68328) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68329) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68330) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68331) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68332) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68333) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68334) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68335) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68336) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68337) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68338) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68339) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68340) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68341) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68342) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68343) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68344) *Coenonympha* (s.str.) *vaucheri vaucheri Blachier,1905* (Satyridae) Synonym(s): *vaucheri* Blachier,1905
- 68345) *Cyllopsis pertepida* (Satyridae) Synonym(s):
- 68346) *Cyllopsis pyracmon* (Satyridae) Synonym(s):
- 68347) *Cyllopsis pyracmon henschawi* (Satyridae) Synonym(s):
- 68348) *Cyllopsis pyracmon pyracmon* (Satyridae) Synonym(s):
- 68349) *Dallacha hyagriva* (Moore,1857) (Satyridae) Synonym(s): *hyagriva* Moore,1857
- 68350) *Dallacha hyagriva hyagriva* Moore,1857 (Satyridae) Synonym(s): *hyagriva* Moore,1857
- 68351) *Dingana alaedeus Henning & Henning,1984* (Satyridae) Synonym(s): *alaedeus* Henning & Henning,1984
- 68352) *Dingana alaedeus alaedeus* Henning & Henning,1984 (Satyridae) Synonym(s): *alaedeus* Henning & Henning,1984
- 68353) *Dingana bowkeri* (Trimen,1870) (Satyridae) Synonym(s): *bowkeri* Trimen,1870
- 68354) *Dingana bowkeri bella* Van Son,1955 (Satyridae) Synonym(s): *bella* Van Son,1955
- 68355) *Dingana bowkeri bowkeri* (Trimen,1870) (Satyridae) Synonym(s): *ZA Nta KZu Kkf Fs Tva Lpo LS*
- 68356) *Dingana bowkeri clarki* Van Son,1955 (Satyridae) Synonym(s): *clarki* Van Son,1955
- 68357) *Dingana dingana* (Trimen,1873) (Satyridae) Synonym(s): *dingana* Trimen,1873
- 68358) *Dingana dingana clara* (Van Son,1940) (Satyridae) Synonym(s): *clara* Van Son,1940
- 68359) *Dingana dingana dingana* (Trimen,1873) (Satyridae) Synonym(s): *dingana* Trimen,1873
- 68360) *Dira clytus* (Linnaeus,1764) (Satyridae) Synonym(s): *clytus* Linnaeus,1764; *tisiphone* Rottemburg,1775.
- 68361) *Dira clytus clytus* (Linnaeus,1764) (Satyridae) Synonym(s): *clytus* Linnaeus,1764; *tisiphone* Rottemburg,1775.
- 68362) *Dira clytus eurina* Quickelberge,1978 (Satyridae) Synonym(s): *eurina* Quickelberge,1978
- 68363) *Dira jansei* (Swiestra,1909) (Satyridae) Synonym(s): *jansei* Swiestra,1909
- 68364) *Dira jansei jansei* (Swiestra,1909) (Satyridae) Synonym(s): *jansei* Swiestra,1909
- 68365) *Dira oxylus* (Trimen,1881) (Satyridae) Synonym(s): *oxylus* Trimen,1881
- 68366) *Dira oxylus oxylus* (Trimen,1881) (Satyridae) Synonym(s): *oxylus* Trimen,1881
- 68367) *Dira swanepoeli* (Van Son,1939) (Satyridae) Synonym(s): *swanepoeli* Van Son,1939
- 68368) *Dira swanepoeli isolata* Van Son,1955 (Satyridae) Synonym(s): *isolata* Van Son,1955
- 68369) *Dira swanepoeli swanepoeli* (Van Son,1939) (Satyridae) Synonym(s): *swanepoeli* Van Son,1939
- 68370) *Elymnias bammakoo* (Westwood,[1851]) (Satyridae) Synonym(s): *phegea* Fabricius,1793 nec Bkh.,1788; *bammakoo* Westwood,[1851]; *intermedia* Aurivillius,1898; *#angustata* Bartel,1905; *hybrida* Niepelt,1915; *lise* Hemming,1960
- 68371) *Elymnias bammakoo bammakoo* (Westwood,[1851]) (Satyridae) Synonym(s): *phegea* Fabricius,1793 nec Bkh.,1788; *bammakoo* Westwood,[1851]; *intermedia* Aurivillius,1898; *#angustata* Bartel,1905; *hybrida* Niepelt,1915; *lise* Hemming,1960
- 68372) *Elymnias bammakoo rattrayi* Sharpe,1902 (Satyridae) Synonym(s): *rattrayi* Sharpe,1902; *ugandae* Grünberg,1908
- 68373) *Elymnias beza* Hewitson,1877 (Satyridae) Synonym(s): *beza* Hewitson,1877
- 68374) *Elymnias beza beza* Hewitson,1877 (Satyridae) Synonym(s): *beza* Hewitson,1877
- 68375) *Elymnias beza samarana Schröder & Treadaway,1980* (Satyridae) Synonym(s): *samarana* Schröder & Treadaway,1980
- 68376) *Elymnias casiphone* Geyer,[1837] (Satyridae) Synonym(s): *casiphone* Geyer,[1837]
- 68377) *Elymnias casiphone alumna* Fruhstorfer,1907 (Satyridae) Synonym(s): *alumna* Fruhstorfer,1907
- 68378) *Elymnias casiphone casiphone* Geyer,[1837] (Satyridae) Synonym(s): *casiphone* Geyer,[1837]
- 68379) *Elymnias casiphone djilantik* Martin (Satyridae) Synonym(s): *djilantik* Martin
- 68380) *Elymnias casiphone praetextata* Fruhstorfer,1896 (Satyridae) Synonym(s): *praetextata* Fruhstorfer,1896
- 68381) *Elymnias casiphone saueri* Distant,1882 (Satyridae) Synonym(s): *saueri* Distant,1882
- 68382) *Elymnias casiphonides* Semper,1892 (Satyridae) Synonym(s): *casiphonides* Semper,1892
- 68383) *Elymnias casiphonides casiphonides* Semper,1892 (Satyridae) Synonym(s): *casiphonides* Semper,1892
- 68384) *Elymnias casiphonides sanrafaela* Schröder & Treadaway,1980 (Satyridae) Synonym(s): *sanrafaela* Schröder & Treadaway,1980
- 68385) *Elymnias congruens* Semper,1887 (Satyridae) Synonym(s): *congruens* Semper,1887
- 68386) *Elymnias congruens congruens* Semper,1887 (Satyridae) Synonym(s): *congruens* Semper,1887
- 68387) *Elymnias congruens endida* Fruhstorfer,1911 (Satyridae) Synonym(s): *endida* Fruhstorfer,1911
- 68388) *Elymnias congruens jekei* Schröder & Treadaway,1989 (Satyridae) Synonym(s): *jekei* Schröder & Treadaway,1989
- 68389) *Elymnias congruens phaios* Fruhstorfer,1907 (Satyridae) Synonym(s): *phaios* Fruhstorfer,1907
- 68390) *Elymnias congruens photinus* Fruhstorfer,1907 (Satyridae) Synonym(s): *photinus* Fruhstorfer,1907
- 68391) *Elymnias congruens rafaela* Fruhstorfer,1907 (Satyridae) Synonym(s): *rafaela* Fruhstorfer,1907
- 68392) *Elymnias congruens salipi* Schröder & Treadaway,1989 (Satyridae) Synonym(s): *salipi* Schröder & Treadaway,1989
- 68393) *Elymnias congruens subcongruens* Semper,1892 (Satyridae) Synonym(s): *subcongruens* Semper,1892
- 68394) *Elymnias dara* Distant & Pryer,1887 (Satyridae) Synonym(s): *dara* Distant & Pryer,1887
- 68395) *Elymnias dara albofasciata* Staudinger,1889 (Satyridae) Synonym(s): *albofasciata* Staudinger,1889
- 68396) *Elymnias dara daedalio* De Nicéville,1890 (Satyridae) Synonym(s): *daedalio* De Nicéville,1890
- 68397) *Elymnias dara dara* Distant & Pryer,1887 (Satyridae) Synonym(s): *dara* Distant & Pryer,1887
- 68398) *Elymnias esaca* (Westwood,[1851]) (Satyridae) Synonym(s): *esaca* Westwood,[1851]; *godferyi* Distant,1883; *esacoides* Nicéville,[1893]
- 68399) *Elymnias esaca andersonii* Moore,1886 (Satyridae) Synonym(s): *andersonii* Moore,1886; *oberthueri* Fruhstorfer,1902
- 68400) *Elymnias esaca borneensis* Wallace,1869 (Satyridae) Synonym(s): *borneensis* Wallace,1869
- 68401) *Elymnias esaca egialina* (C.Felder & R.Felder,1863) (Satyridae) Synonym(s): *egialina* C.Felder & R.Felder,1863
- 68402) *Elymnias esaca esaca* (Westwood,[1851]) (Satyridae) Synonym(s): *esaca* Westwood,[1851]; *godferyi* Distant,1883; *esacoides* Nicéville,[1893]
- 68403) *Elymnias esaca georgi* Fruhstorfer,1907 (Satyridae) Synonym(s): *georgi* Fruhstorfer,1907

- 68404) *Elymnias esaca leontina* Fruhstorfer, 1899 (Satyridae) Synonym(s): *leontina* Fruhstorfer, 1899
 68405) *Elymnias esaca maheswara* Fruhstorfer (Satyridae) Synonym(s): *maheswara* Fruhstorfer
 68406) *Elymnias esaca pseudodelias* Fruhstorfer, 1907 (Satyridae) Synonym(s): *pseudodelias* Fruhstorfer, 1907
 68407) *Elymnias esaca taeniola* Fruhstorfer, 1907 (Satyridae) Synonym(s): *taeniola* Fruhstorfer, 1907
 68408) *Elymnias harterti* Honrath, 1889 (Satyridae) Synonym(s): *harterti* Honrath, 1889
 68409) *Elymnias harterti harterti* Honrath, 1889 (Satyridae) Synonym(s): *harterti* Honrath, 1889
 68410) *Elymnias hewitsoni* Wallace, 1869 (Satyridae) Synonym(s): *hewitsoni* Wallace, 1869
 68411) *Elymnias hewitsoni hewitsoni* Wallace, 1869 (Satyridae) Synonym(s): *hewitsoni* Wallace, 1869
 68412) *Elymnias hewitsoni meliophila* Fruhstorfer, 1899 (Satyridae) Synonym(s): *meliophila* Fruhstorfer, 1899
 68413) *Elymnias hypermnestra* (Linnaeus, 1763) (Satyridae) Synonym(s): *hypermnestra* Linnaeus, 1763
 68414) *Elymnias hypermnestra agina* Fruhstorfer, [1902] (Satyridae) Synonym(s): *agina* Fruhstorfer, [1902]; *beatrice* Fruhstorfer, [1902]; *ornamenta* Fruhstorfer, 1907
 68415) *Elymnias hypermnestra discrepans* Distant, 1882 (Satyridae) Synonym(s): *discrepans* Distant, 1882
 68416) *Elymnias hypermnestra hypermnestra* (Linnaeus, 1763) (Satyridae) Synonym(s): *hypermnestra* Linnaeus, 1763
 68417) *Elymnias hypermnestra meridionalis* Fruhstorfer, 1902 (Satyridae) Synonym(s): *meridionalis* Fruhstorfer, 1902; *violetta* Fruhstorfer, 1902
 68418) *Elymnias hypermnestra nimota* Corbet, 1937 (Satyridae) Synonym(s): *nimota* Corbet, 1937
 68419) *Elymnias hypermnestra tinctoria* Moore, [1879] (Satyridae) Synonym(s): *tinctoria* Moore, [1879]; *epixantha* Fruhstorfer, 1907
 68420) *Elymnias hypermnestra tonkiniana* Fruhstorfer, 1902 (Satyridae) Synonym(s): *tonkiniana* Fruhstorfer, 1902
 68421) *Elymnias hypermnestra undularis* (Drury, [1773]) (Satyridae) Synonym(s): *undularis* Drury, [1773]; *protogenia* Cramer, 1777; *jynx* Hübner, 1818
 68422) *Elymnias kanekoi* Tsukada & Nishiyama, 1980 (Satyridae) Synonym(s): *kanekoi* Tsukada & Nishiyama, 1980
 68423) *Elymnias kochi* Semper, 1887 (Satyridae) Synonym(s): *kochi* Semper, 1887
 68424) *Elymnias kuenstleri* Honrath, [1885] (Satyridae) Synonym(s): *kuenstleri* Honrath, [1885]
 68425) *Elymnias kuenstleri kuenstleri* Honrath, [1885] (Satyridae) Synonym(s): *kuenstleri* Honrath, [1885]
 68426) *Elymnias luteofasciata* Okubo, 1980 (Satyridae) Synonym(s): *luteofasciata* Okubo, 1980
 68427) *Elymnias malelas* (Hewitson, 1863) (Satyridae) Synonym(s): *malelas* Hewitson, 1863
 68428) *Elymnias malelas ivena* Fruhstorfer, 1911 (Satyridae) Synonym(s): *ivena* Fruhstorfer, 1911
 68429) *Elymnias malelas malelas* (Hewitson, 1863) (Satyridae) Synonym(s): *malelas* Hewitson, 1863
 68430) *Elymnias melias* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *melias* C.Felder & R.Felder, 1863
 68431) *Elymnias melias malis* Semper, 1887 (Satyridae) Synonym(s): *malis* Semper, 1887
 68432) *Elymnias melias melias* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *melias* C.Felder & R.Felder, 1863
 68433) *Elymnias nesaea* (Linnaeus, 1764) (Satyridae) Synonym(s): *nesaea* Linnaeus, 1764
 68434) *Elymnias nesaea apelles* Fruhstorfer, 1902 (Satyridae) Synonym(s): *apelles* Fruhstorfer, 1902
 68435) *Elymnias nesaea lioneli* Fruhstorfer, 1907 (Satyridae) Synonym(s): *lioneli* Fruhstorfer, 1907
 68436) *Elymnias nesaea nesaea* (Linnaeus, 1764) (Satyridae) Synonym(s): *nesaea* Linnaeus, 1764
 68437) *Elymnias nesaea tawicola* Schröder & Treadaway, 1989 (Satyridae) Synonym(s): *tawicola* Schröder & Treadaway, 1989
 68438) *Elymnias nesaea timandra* Wallace, 1869 (Satyridae) Synonym(s): *timandra* Wallace, 1869
 68439) *Elymnias obnubila* Marshall & De Nicéville, 1890 (Satyridae) Synonym(s): *obnubila* Marshall & De Nicéville, 1890
 68440) *Elymnias obnubila obnubila* Marshall & De Nicéville, 1890 (Satyridae) Synonym(s): *obnubila* Marshall & De Nicéville, 1890
 68441) *Elymnias panthera* (Fabricius, 1787) (Satyridae) Synonym(s): *panthera* Fabricius, 1787; *lutescens* Butler, 1867
 68442) *Elymnias panthera panthera* (Fabricius, 1787) (Satyridae) Synonym(s): *panthera* Fabricius, 1787; *lutescens* Butler, 1867
 68443) *Elymnias panthera suluana* Fruhstorfer, 1899 (Satyridae) Synonym(s): *suluana* Fruhstorfer, 1899
 68444) *Elymnias panthera tiomanica* Eliot, 1978 (Satyridae) Synonym(s): *tiomanica* Eliot, 1978
 68445) *Elymnias parce* Staudinger, 1889 (Satyridae) Synonym(s): *parce* Staudinger, 1889
 68446) *Elymnias patna* Westwood, 1851 (Satyridae) Synonym(s): *patna* Westwood, 1851
 68447) *Elymnias patna patna* Westwood, 1851 (Satyridae) Synonym(s): *patna* Westwood, 1851
 68448) *Elymnias patna patnoides* Moore, 1893 (Satyridae) Synonym(s): *patnoides* Moore, 1893
 68449) *Elymnias patna stictica* Fruhstorfer, 1901 (Satyridae) Synonym(s): *stictica* Fruhstorfer, 1901
 68450) *Elymnias penanga* Westwood, 1851 (Satyridae) Synonym(s): *penanga* Westwood, 1851
 68451) *Elymnias penanga chelensis* De Nicéville, 1890 (Satyridae) Synonym(s): *chelensis* De Nicéville, 1890
 68452) *Elymnias penanga penanga* Westwood, 1851 (Satyridae) Synonym(s): *penanga* Westwood, 1851
 68453) *Elymnias sansoni* Jumalon, 1975 (Satyridae) Synonym(s): *sansoni* Jumalon, 1975
 68454) *Elymnias vasudeva* (Moore, 1857) (Satyridae) Synonym(s): *vasudeva* Moore, 1857
 68455) *Elymnias vasudeva burmensis* Moore, 1893 (Satyridae) Synonym(s): *burmensis* Moore, 1893
 68456) *Elymnias vasudeva vasudeva* (Moore, 1857) (Satyridae) Synonym(s): *vasudeva* Moore, 1857
 68457) *Enodia anthedon* (Satyridae) Synonym(s):
 68458) *Enodia creola* (Satyridae) Synonym(s):
 68459) *Enodia portlandia* (Satyridae) Synonym(s):
 68460) *Erebia aethiopella* (Hoffmannsegg, 1806) (Satyridae) Synonym(s): *aethiopella* Hoffmannsegg, 1806; *gorgophone* Bellier, 1863; *mediterranea* Warren, 1933; *cottiensis* Dujardin, 1945.
 68461) *Erebia aethiopella aethiopella* (Hoffmannsegg, 1806) (Satyridae) Synonym(s): *aethiopella* Hoffmannsegg, 1806; *gorgophone* Bellier, 1863; *mediterranea* Warren, 1933; *cottiensis* Dujardin, 1945.
 68462) *Erebia aethiops* (Esper, [1777]) (Satyridae) Synonym(s): *aethiops* Esper, [1777]; *ligea* Poda, 1761 nec Linnaeus, 1758; *medea* Denis & Schiff., 1775; *blandina* Fabricius, 1787; *media* Hübner, 1799; *caledonia* Verity, 1911; *altivaga* Fruhstorfer, 1917; *sapaudia* Fruhstorfer, 1917; *peneplana* Berger, 1936.
 68463) *Erebia aethiops aethiops* (Esper, [1777]) (Satyridae) Synonym(s): *aethiops* Esper, [1777]; *ligea* Poda, 1761 nec Linnaeus, 1758; *medea* Denis & Schiff., 1775; *blandina* Fabricius, 1787; *media* Hübner, 1799; *caledonia* Verity, 1911; *altivaga* Fruhstorfer, 1917; *sapaudia* Fruhstorfer, 1917; *peneplana* Berger, 1936.
 68464) *Erebia aethiops melusina* Herrich-Schäffer, [1847] (Satyridae) Synonym(s): *melusina* Herrich-Schäffer, [1847]
 68465) *Erebia aethiops uralensis* Goltz, 1930 (Satyridae) Synonym(s): *uralensis* Goltz, 1930
 68466) *Erebia ajanensis* Ménétériés, 1857 (Satyridae) Synonym(s): *ajanensis* Ménétériés, 1857.
 68467) *Erebia ajanensis ajanensis* Ménétériés, 1857 (Satyridae) Synonym(s): *ajanensis* Ménétériés, 1857.
 68468) *Erebia ajanensis arsenjevi* Kurentsov, 1950 (Satyridae) Synonym(s): *arsenjevi* Kurentsov, 1950
 68469) *Erebia ajanensis kosterini* Gorbunov, Korshunov & Dubatolov, 1995 (Satyridae) Synonym(s): *kosterini* Gorbunov, Korshunov & Dubatolov, 1995
 68470) *Erebia alberganus* (De Prunner, 1798) (Satyridae) Synonym(s): *alberganus* De Prunner, 1798; *themistocles* Locke, 1801 nec Fabricius, 1793; *ceto* Hübner, [1804]; *frenus* Fruhstorfer, 1911.
 68471) *Erebia alberganus alberganus* (De Prunner, 1798) (Satyridae) Synonym(s): *alberganus* De Prunner, 1798; *themistocles* Locke, 1801 nec Fabricius, 1793; *ceto* Hübner, [1804]; *frenus* Fruhstorfer, 1911.
 68472) *Erebia alberganus phorcys* (Freyer, 1836) (Satyridae) Synonym(s): *phorcys* Freyer, 1836; *ceto* Geyer, [1837] nec Hübner.
 68473) *Erebia alcmena* Groum-Grshimailo, 1890 (Satyridae) Synonym(s): *alcmena* Groum-Grshimailo, 1890; *#alcmena* O.Bang-Haas, 1933
 68474) *Erebia alcmena alcmena* Groum-Grshimailo, 1890 (Satyridae) Synonym(s): *alcmena* Groum-Grshimailo, 1890; *#alcmena* O.Bang-Haas, 1933
 68475) *Erebia alcmena minschani* O.Bang-Haas, 1933 (Satyridae) Synonym(s): *minschani* O.Bang-Haas, 1933
 68476) *Erebia alcmena veldmani* Kotsch, 1929 (Satyridae) Synonym(s): *veldmani* Kotsch, 1929
 68477) *Erebia anyuica* Kurenzov, 1966 (Satyridae) Synonym(s): *anyuica* Kurenzov, 1966
 68478) *Erebia anyuica anyuica* Kurenzov, 1966 (Satyridae) Synonym(s): *anyuica* Kurenzov, 1966
 68479) *Erebia arvernensis Oberthür, 1908* (Satyridae) Synonym(s): *arvernensis* Oberthür, 1908
 68480) *Erebia arvernensis aquitania* Fruhstorfer, 1909 (Satyridae) Synonym(s): *#tusca* Verity, 1913; *aquitania* Fruhstorfer, 1909; *maritima* Testout, 1946.
 68481) *Erebia arvernensis arvernensis* Oberthür, 1908 (Satyridae) Synonym(s): *arvernensis* Oberthür, 1908
 68482) *Erebia arvernensis carmenta* Fruhstorfer, 1909 (Satyridae) Synonym(s): *carmenta* Fruhstorfer, 1909; *pseudomurina* De Lesse, 1957; *pseudocarmenta* De Lesse, 1957;
 68483) *Erebia arvernensis murina* Warren, 1936 (Satyridae) Synonym(s): *#murina* Reverdin, 1909; *murina* Warren, 1936
 68484) *Erebia brimo* (Boeber, 1809) (Satyridae) Synonym(s): *maurisius* sensu Lukhtanov & Lukhtanov, 1994 nec Esper, [1803]; *brimo* Boeber, 1809.

- 68485) *Erebia brimo brimo* (Boeber,1809) (Satyridae) Synonym(s): *maurisius sensu Lukhtanov & Lukhtanov,1994 nec Esper,[1803]; brimo Boeber,1809.*
- 68486) *Erebia brimo elwesi* Staudinger,1901 (Satyridae) Synonym(s): *elwesi Staudinger,1901*
- 68487) *Erebia calcaria* Lorkovic,1949 (Satyridae) Synonym(s): *calcaria Lorkovic,1949*
- 68488) *Erebia calcaria calcaria* Lorkovic,1949 (Satyridae) Synonym(s): *calcaria Lorkovic,1949*
- 68489) *Erebia callias* (Satyridae) Synonym(s):
- 68490) *Erebia callias* Edwards,1871 (Satyridae) Synonym(s): *callias Edwards,1871*
- 68491) *Erebia callias altajana* Staudinger,1901 (Satyridae) Synonym(s): *altajana Staudinger,1901*
- 68492) *Erebia callias callias* Edwards,1871 (Satyridae) Synonym(s): *callias Edwards,1871*
- 68493) *Erebia callias sibirica* Staudinger,1881 (Satyridae) Synonym(s): *sibirica Staudinger,1881*
- 68494) *Erebia cassioides* (Reiner & Hochenwarth,1792) (Satyridae) Synonym(s): *cassioides Reiner & Hochenwarth,1792; cleo Hübner,1799; neleus Freyer,1833; #galvagnii Hellweger,1914.*
- 68495) *Erebia cassioides buronica* Hospital,1948 (Satyridae) Synonym(s): *buronica Hospital,1948*
- 68496) *Erebia cassioides cassioides* (Reiner & Hochenwarth,1792) (Satyridae) Synonym(s): *cassioides Reiner & Hochenwarth,1792; cleo Hübner,1799; neleus Freyer,1833; #galvagnii Hellweger,1914.*
- 68497) *Erebia cassioides kinoshitai* Beschkov,1996 (Satyridae) Synonym(s): *kinoshitai Beschkov,1996*
- 68498) *Erebia christi* Rätzer,1890 (Satyridae) Synonym(s): *christi Rätzer,1890*
- 68499) *Erebia christi christi* Rätzer,1890 (Satyridae) Synonym(s): *christi Rätzer,1890*
- 68500) *Erebia claudina* (Borkhausen,1788) (Satyridae) Synonym(s): *claudina Borkhausen,1788*
- 68501) *Erebia claudina claudina* (Borkhausen,1788) (Satyridae) Synonym(s): *claudina Borkhausen,1788*
- 68502) *Erebia cyclopius* (Eversmann,1844) (Satyridae) Synonym(s): *cyclopius Eversmann,1844*
- 68503) *Erebia cyclopius cyclopius* (Eversmann,1844) (Satyridae) Synonym(s): *cyclopius Eversmann,1844*
- 68504) *Erebia dabanensis* Erschoff,1871 (Satyridae) Synonym(s): *dabanensis Erschoff,1871; tundra Staudinger,1887.*
- 68505) *Erebia dabanensis dabanensis* Erschoff,1871 (Satyridae) Synonym(s): *dabanensis Erschoff,1871; tundra Staudinger,1887.*
- 68506) *Erebia dabanensis olshvangi* Gorbunov,1995 (Satyridae) Synonym(s): *olshvangi Gorbunov,1995*
- 68507) *Erebia disa* (Thunberg,1791) (Satyridae) Synonym(s): *disa Thunberg,1791*
- 68508) *Erebia disa disa* (Thunberg,1791) (Satyridae) Synonym(s): *disa Thunberg,1791*
- 68509) *Erebia discoidalis* (Kirby,1837) (Satyridae) Synonym(s): *discoidalis Kirby,1837*
- 68510) *Erebia discoidalis lena* Christoph,1889 (Satyridae) Synonym(s): *lena Christoph,1889*
- 68511) *Erebia edda* Ménétériès,1851 (Satyridae) Synonym(s): *edda Ménétériès,1851*
- 68512) *Erebia edda edda* Ménétériès,1851 (Satyridae) Synonym(s): *edda Ménétériès,1851*
- 68513) *Erebia embla* (Thunberg,1791) (Satyridae) Synonym(s): *embla Thunberg,1791*
- 68514) *Erebia embla dissimulata* Warren,1931 (Satyridae) Synonym(s): *dissimulata Warren,1931*
- 68515) *Erebia embla embla* (Thunberg,1791) (Satyridae) Synonym(s): *embla Thunberg,1791*
- 68516) *Erebia embla succulenta* Alpheraky,1897 (Satyridae) Synonym(s): *succulenta Alpheraky,1897*
- 68517) *Erebia epiphron* (Knoch,1783) (Satyridae) Synonym(s): *epiphron Knoch,1783; egea Borkhausen,1788 nec Fabricius,1775; ianthé Hübner,[1800] nec Pallas,1771.*
- 68518) *Erebia epiphron aetheria* (Esper,[1805]) (Satyridae) Synonym(s): *aetheria Esper,[1805]*
- 68519) *Erebia epiphron cebennica* Leraut,1980 (Satyridae) Synonym(s): *cebennica De Lesse,1947; cebennica Leraut,1980.*
- 68520) *Erebia epiphron epiphron* (Knoch,1783) (Satyridae) Synonym(s): *epiphron Knoch,1783; egea Borkhausen,1788 nec Fabricius,1775; ianthé Hübner,[1800] nec Pallas,1771.*
- 68521) *Erebia epiphron fauveaui* De Lesse,1947 (Satyridae) Synonym(s): *fauveaui De Lesse,1947*
- 68522) *Erebia epiphron mackeri* Fuchs,1914 (Satyridae) Synonym(s): *mackeri Fuchs,1914*
- 68523) *Erebia epiphron mixta* De Lesse,1951 (Satyridae) Synonym(s): *mixta De Lesse,1951; fauveaui Higgins & Riley,1970.*
- 68524) *Erebia epiphron mnemon* (Haworth,1812) (Satyridae) Synonym(s): *mnemon Haworth,1812*
- 68525) *Erebia epiphron pyrenaica* Herrich-Schäffer,1851 (Satyridae) Synonym(s): *pyrenaica Herrich-Schäffer,1851*
- 68526) *Erebia epiphron valdeonica* Hospital,1948 (Satyridae) Synonym(s): *valdeonica Hospital,1948*
- 68527) *Erebia epipsodea* (Satyridae) Synonym(s):
- 68528) *Erebia epistygne* (Hübner,[1824]) (Satyridae) Synonym(s): *epistygne Hübner,[1824]*
- 68529) *Erebia epistygne epistygne* (Hübner,[1824]) (Satyridae) Synonym(s): *epistygne Hübner,[1824]*
- 68530) *Erebia epistygne viriathus* Sheldon,1913 (Satyridae) Synonym(s): *viriathus Sheldon,1913*
- 68531) *Erebia erinna* Staudinger,1894 (Satyridae) Synonym(s): *erinna Staudinger,1894*
- 68532) *Erebia erinna erinna* Staudinger,1894 (Satyridae) Synonym(s): *erinna Staudinger,1894*
- 68533) *Erebia eriphyle* (Freyer,1836) (Satyridae) Synonym(s): *eriphyle Freyer,1836; intermedia Frey,1886; #reducta Vorbrodt,1911; #nigra Goltz,1930.*
- 68534) *Erebia eriphyle eriphyle* (Freyer,1836) (Satyridae) Synonym(s): *eriphyle Freyer,1836; intermedia Frey,1886; #reducta Vorbrodt,1911; #nigra Goltz,1930.*
- 68535) *Erebia eriphyle tristis* Herrich-Schäffer,[1848] (Satyridae) Synonym(s): *tristis Herrich-Schäffer,[1848]; moerens Westwood,1851.*
- 68536) *Erebia euryale* (Esper,[1805]) (Satyridae) Synonym(s): *euryale Esper,[1805]; philomela sensu Hübner,[1805]; adyte Hübner,1822, isarica Heyne,[1895]; tramelana Reverdin,1918.*
- 68537) *Erebia euryale arctica* Poppius,1906 (Satyridae) Synonym(s): *arctica Poppius,1906; boreomontanum Sedykh,1977.*
- 68538) *Erebia euryale euryale* (Esper,[1805]) (Satyridae) Synonym(s): *euryale Esper,[1805]; philomela sensu Hübner,[1805]; adyte Hübner,1822, isarica Heyne,[1895]; tramelana Reverdin,1918.*
- 68539) *Erebia euryale euryaloides* Tengström,1869 (Satyridae) Synonym(s): *euryaloides Tengström,1869; uralensis Goltz,1930.*
- 68540) *Erebia euryale flaveoides* Korshunov & Tatarinov,1996 (Satyridae) Synonym(s): *flaveoides Korshunov & Tatarinov,1996*
- 68541) *Erebia euryale iremelica* Korshunov,1995 (Satyridae) Synonym(s): *iremelica Korshunov,1995*
- 68542) *Erebia euryale ocellaris* Staudinger,1871 (Satyridae) Synonym(s): *#ocellaris Staudinger,1861; ocellaris Staudinger,1871*
- 68543) *Erebia euryale phoreta* Fruhstorfer,1918 (Satyridae) Synonym(s): *phoreta Fruhstorfer,1918; antevortes Verity,1927; pyrenaecola Goltz,1930.*
- 68544) *Erebia euryale symmia* Fruhstorfer,1909 (Satyridae) Synonym(s): *symmia Fruhstorfer,1909*
- 68545) *Erebia fasciata* Butler,1868 (Satyridae) Synonym(s): *fasciata Butler,1868*
- 68546) *Erebia fasciata fasciata* Butler,1868 (Satyridae) Synonym(s): *fasciata Butler,1868*
- 68547) *Erebia fasciata semo* Groum-Grshimailo,1899 (Satyridae) Synonym(s): *semo Groum-Grshimailo,1899*
- 68548) *Erebia flavofasciata* Heyne,[1895] (Satyridae) Synonym(s): *flavofasciata Heyne,[1895]*
- 68549) *Erebia flavofasciata flavofasciata* Heyne,[1895] (Satyridae) Synonym(s): *flavofasciata Heyne,[1895]*
- 68550) *Erebia fletcheri* Elwes,1899 (Satyridae) Synonym(s): *fletcheri Elwes,1899*
- 68551) *Erebia fletcheri chorymensis* Korshunov,1995 (Satyridae) Synonym(s): *chorymensis Korshunov,1995*
- 68552) *Erebia fletcheri fletcheri* Elwes,1899 (Satyridae) Synonym(s): *fletcheri Elwes,1899*
- 68553) *Erebia gorge* (Hübner,[1804]) (Satyridae) Synonym(s): *gorge Hübner,[1804]; gorgone Herrich-Schäffer,1846 nec Boisduval,1833*
- 68554) *Erebia gorge albanica* Rebel,1917 (Satyridae) Synonym(s): *albanica Rebel,1917*
- 68555) *Erebia gorge erynis* (Esper,[1805]) (Satyridae) Synonym(s): *erynis Esper,[1805]*
- 68556) *Erebia gorge gigantea* Oberthür,1884 (Satyridae) Synonym(s): *gigantea Oberthür,1884*
- 68557) *Erebia gorge gorge* (Hübner,[1804]) (Satyridae) Synonym(s): *gorge Hübner,[1804]; gorgone Herrich-Schäffer,1846 nec Boisduval,1833*
- 68558) *Erebia gorge hercegovinensis* Rebel,1904 (Satyridae) Synonym(s): *hercegovinensis Rebel,1904*
- 68559) *Erebia gorge pirinica* Buresch,1918 (Satyridae) Synonym(s): *pirinica Buresch,1918*
- 68560) *Erebia gorge ramondi* Rondou,1902 (Satyridae) Synonym(s): *ramondi Rondou,1902*
- 68561) *Erebia gorge triopes* Speyer,1865 (Satyridae) Synonym(s): *triopes Speyer,1865*
- 68562) *Erebia gorgone* Boisduval,1833 (Satyridae) Synonym(s): *gorgone Boisduval,1833*
- 68563) *Erebia gorgone gorgone* Boisduval,1833 (Satyridae) Synonym(s): *gorgone Boisduval,1833*
- 68564) *Erebia graucasica* Jachontov,1909 (Satyridae) Synonym(s): *graucasica Jachontov,1909; caucasica Korshunov, Antonova & Kotshetova,1984.*
- 68565) *Erebia graucasica graucasica* Jachontov,1909 (Satyridae) Synonym(s): *graucasica Jachontov,1909; caucasica Korshunov, Antonova & Kotshetova,1984.*
- 68566) *Erebia graucasica savalanica* De Lesse,1956 (Satyridae) Synonym(s): *savalanica De Lesse,1956*

- 68567) *Erebia graucasica transcaucasica* Warren,1950 (Satyridae) Synonym(s): *transcaucasica* Warren,1950
 68568) *Erebia haberhaueri* Staudinger,1881 (Satyridae) Synonym(s): *haberhaueri* Staudinger,1881
 68569) *Erebia haberhaueri haberhaueri* Staudinger,1881 (Satyridae) Synonym(s): *haberhaueri* Staudinger,1881
 68570) *Erebia hewitsonii* Lederer,1864 (Satyridae) Synonym(s): *hewitsonii* Lederer,1864
 68571) *Erebia hewitsonii hewitsonii* Lederer,1864 (Satyridae) Synonym(s): *hewitsonii* Lederer,1864
 68572) *Erebia hispania* Butler,1868 (Satyridae) Synonym(s): *hispania* Butler,1868
 68573) *Erebia hispania hispania* Butler,1868 (Satyridae) Synonym(s): *hispania* Butler,1868
 68574) *Erebia hispania rondoui* Oberthür,1908 (Satyridae) Synonym(s): *rondoui* Oberthür,1908
 68575) *Erebia iranica Groum-Grshimailo*,1895 (Satyridae) Synonym(s): *iranica* Groum-Grshimailo,1895
 68576) *Erebia iranica dromulus* Staudinger,1901 (Satyridae) Synonym(s): *dromulus* Staudinger,1901
 68577) *Erebia iranica iranica Groum-Grshimailo*,1895 (Satyridae) Synonym(s): *iranica* Groum-Grshimailo,1895
 68578) *Erebia iranica sheljuzhkoii* Warren,1935 (Satyridae) Synonym(s): *sheljuzhkoii* Warren,1935
 68579) *Erebia jennisensis* Trybom,1877 (Satyridae) Synonym(s): *jennisensis* Trybom,1877; *velox* Herz,1898; *minima* Goltz,1930; *fasciola* Warren,1931.
 68580) *Erebia jennisensis jennisensis* Trybom,1877 (Satyridae) Synonym(s): *jennisensis* Trybom,1877; *velox* Herz,1898; *minima* Goltz,1930; *fasciola* Warren,1931.
 68581) *Erebia kalmuka* Alpheraky,1881 (Satyridae) Synonym(s): *kalmuka* Alpheraky,1881
 68582) *Erebia kalmuka kalmuka* Alpheraky,1881 (Satyridae) Synonym(s): *kalmuka* Alpheraky,1881
 68583) *Erebia kefersteinii* (Eversmann,1851) (Satyridae) Synonym(s): *kefersteinii* Eversmann,1851
 68584) *Erebia kefersteinii kefersteinii* (Eversmann,1851) (Satyridae) Synonym(s): *kefersteinii* Eversmann,1851
 68585) *Erebia kefersteinii kholsunica* Lukhtanov,1990 (Satyridae) Synonym(s): *kholsunica* Lukhtanov,1990
 68586) *Erebia kindermanni* Staudinger,1881 (Satyridae) Synonym(s): *kindermanni* Staudinger,1881
 68587) *Erebia kindermanni kindermanni* Staudinger,1881 (Satyridae) Synonym(s): *kindermanni* Staudinger,1881
 68588) *Erebia kindermanni sarytavica* Lukhtanov,1990 (Satyridae) Synonym(s): *sarytavica* Lukhtanov,1990
 68589) *Erebia kozhantshikovi* (Satyridae) Synonym(s):
 68590) *Erebia lefebvrei* (Boisduval,1828) (Satyridae) Synonym(s): *lefebvrei* Boisduval,1828
 68591) *Erebia lefebvrei astur* Oberthür,1884 (Satyridae) Synonym(s): *astur* Oberthür,1884; *intermedia* Oberthür,1884.
 68592) *Erebia lefebvrei lefebvrei* (Boisduval,1828) (Satyridae) Synonym(s): *lefebvrei* Boisduval,1828
 68593) *Erebia lefebvrei pyrenaica* Oberthür,1884 (Satyridae) Synonym(s): *pyrenaica* Oberthür,1884; *myrtaea* Fruhstorfer,1918.
 68594) *Erebia ligea* (Linnaeus,1758) (Satyridae) Synonym(s): *ligea* Linnaeus,1758; *alexis* Retzius,1783 *nec* Poda,1761; *permagna* Fruhstorfer,1909; *carthusianorum* Fruhstorfer,1909.
 68595) *Erebia ligea carthusianorum* Fruhstorfer,1917 (Satyridae) Synonym(s): *carthusianorum* Fruhstorfer,1917.
 68596) *Erebia ligea dovensis* Strand,1902 (Satyridae) Synonym(s): *dovensis* Strand,1902
 68597) *Erebia ligea eumonia* Ménétriés,1858 (Satyridae) Synonym(s): *eumonia* Ménétriés,1858; *takanonis* Doi,1919; *koreana* Matsumura,1928; *hakutozana* Matsumura,1928; *kamtschadalis* Goltz,1932.
 68598) *Erebia ligea herculeana* Warren,1931 (Satyridae) Synonym(s): *herculeana* Warren,1931
 68599) *Erebia ligea kamensis* Krulikowsky,1909 (Satyridae) Synonym(s): *kamensis* Krulikowsky,1909
 68600) *Erebia ligea ligea* (Linnaeus,1758) (Satyridae) Synonym(s): *ligea* Linnaeus,1758; *alexis* Retzius,1783 *nec* Poda,1761; *permagna* Fruhstorfer,1909.
 68601) *Erebia ligea takanonis* Matsumura,1909 (Satyridae) Synonym(s): *takanonis* Matsumura,1909
 68602) *Erebia mackinleyensis* Gunder,1932 (Satyridae) Synonym(s): *mackinleyensis* Gunder,1932
 68603) *Erebia mackinleyensis mackinleyensis* Gunder,1932 (Satyridae) Synonym(s): *mackinleyensis* Gunder,1932
 68604) *Erebia mackinleyensis ola* Korshunov,1995 (Satyridae) Synonym(s): *ola* Korshunov,1995
 68605) *Erebia magdalena* Strecker,1880 (Satyridae) Synonym(s): *magdalena* Strecker,1880
 68606) *Erebia magdalena hilchie* Koçak & Kemal,2007 (Satyridae) Synonym(s): *saxicola* Hilchie,1990 *nec* Obth.,1876; *hilchie* Koçak & Kemal,2007
 68607) *Erebia magdalena magdalena* Strecker,1880 (Satyridae) Synonym(s): *magdalena* Strecker,1880
 68608) *Erebia mancinus* (Doubleday,1849) (Satyridae) Synonym(s): *mancinus* Doubleday,1849
 68609) *Erebia manto* [(Denis & Schiffermüller),1775] (Satyridae) Synonym(s): *manto* [Denis & Schiffermüller],1775; *erina* Fabricius,1787; *pyrrha* sensu Fabricius,1787, *atratus* Esper,1793; *maccabaeus* Herbst,1796.
 68610) *Erebia manto constans* Eiffinger,1908 (Satyridae) Synonym(s): *constans* Eiffinger,1908; *gavarniensis* Warren,1913; *gnathene* Fruhstorfer,1920.
 68611) *Erebia manto manto* [(Denis & Schiffermüller),1775] (Satyridae) Synonym(s): *manto* [Denis & Schiffermüller],1775; *erina* Fabricius,1787; *pyrrha* sensu Fabricius,1787, *atratus* Esper,1793; *maccabaeus* Herbst,1796.
 68612) *Erebia manto mantoides* (Esper,1805) (Satyridae) Synonym(s): *mantoides* Esper,1805; *bubastis* Meisner,1818.
 68613) *Erebia manto osmanica* Schawerda,1909 (Satyridae) Synonym(s): *osmanica* Schawerda,1909
 68614) *Erebia manto pyrrhula* Frey,1880 (Satyridae) Synonym(s): *pyrrhula* Frey,1880
 68615) *Erebia manto trajanus* Hormuzaki,1895 (Satyridae) Synonym(s): *trajanus* Hormuzaki,1895
 68616) *Erebia manto vogesiaca* Christ,1882 (Satyridae) Synonym(s): *vogesiacae* Christ,1882
 68617) *Erebia medusa* [(Denis & Schiffermüller),1775] (Satyridae) Synonym(s): *medusa* [Denis & Schiffermüller],1775
 68618) *Erebia medusa brigobanna* Fruhstorfer,1917 (Satyridae) Synonym(s): *brigobanna* Fruhstorfer,1917; *charila* Fruhstorfer,1917.
 68619) *Erebia medusa chatiparae* Sheljuzhko,1937 (Satyridae) Synonym(s): *chatiparae* Sheljuzhko,1937
 68620) *Erebia medusa euphrasia* Fruhstorfer,1917 (Satyridae) Synonym(s): *euphrasia* Fruhstorfer,1917
 68621) *Erebia medusa hippomedusa* (Ochsenheimer,1820) (Satyridae) Synonym(s): *hippomedusa* Ochsenheimer,1820
 68622) *Erebia medusa hyperappennina* Turati,1919 (Satyridae) Synonym(s): *hyperappennina* Turati,1919
 68623) *Erebia medusa medusa* [(Denis & Schiffermüller),1775] (Satyridae) Synonym(s): *medusa* [Denis & Schiffermüller],1775
 68624) *Erebia medusa transiens* Heyne,[1895] (Satyridae) Synonym(s): *transiens* Heyne,[1895]
 68625) *Erebia melampus* (Fuessly,1775) (Satyridae) Synonym(s): *melampus* Fuessly,1775
 68626) *Erebia melampus melampus* (Fuessly,1775) (Satyridae) Synonym(s): *melampus* Fuessly,1775
 68627) *Erebia melancholica* Herrich-Schäffer,[1846] (Satyridae) Synonym(s): *melancholica* Herrich-Schäffer,[1846]; *promethea* Tschetverikov,1937.
 68628) *Erebia melancholica melancholica* Herrich-Schäffer,[1846] (Satyridae) Synonym(s): *melancholica* Herrich-Schäffer,[1846]; *promethea* Tschetverikov,1937.
 68629) *Erebia melanops* Christoph,1889 (Satyridae) Synonym(s): *melanops* Christoph,1889; *alexandra* sensu Wagner,1913.
 68630) *Erebia melanops melanops* Christoph,1889 (Satyridae) Synonym(s): *melanops* Christoph,1889; *alexandra* sensu Wagner,1913.
 68631) *Erebia melas* (Herbst,1796) (Satyridae) Synonym(s): *melas* Herbst,1796
 68632) *Erebia melas leonhardi* Fruhstorfer,1918 (Satyridae) Synonym(s): *leonhardi* Fruhstorfer,1918
 68633) *Erebia melas melas* (Herbst,1796) (Satyridae) Synonym(s): *melas* Herbst,1796
 68634) *Erebia meolans* (De Prunner,1798) (Satyridae) Synonym(s): *meolans* De Prunner,1798; *cubei* Fruhstorfer,1909; *calaritas* Fruhstorfer,1917.
 68635) *Erebia meolans almada* Fruhstorfer,1918 (Satyridae) Synonym(s): *almada* Fruhstorfer,1918
 68636) *Erebia meolans bejarensis* Chapman,1902 (Satyridae) Synonym(s): *bejarensis* Chapman,1902; *hispanica* Chapman,1903 *nec* Gumpfenberg,1888 *non* Heyne,[1895]; *penalrae* Chapman,1904; *algernon* Fruhstorfer,1918.
 68637) *Erebia meolans ejulvensis* Aistleitner,1983 (Satyridae) Synonym(s): *ejulvensis* Aistleitner,1983
 68638) *Erebia meolans gavarnica* Oberthür,1909 (Satyridae) Synonym(s): *gavarnica* Oberthür,1909; *ruehli* Fruhstorfer,1909; *zagazia* Fruhstorfer,1917.
 68639) *Erebia meolans meolans* (De Prunner,1798) (Satyridae) Synonym(s): *meolans* De Prunner,1798; *cubei* Fruhstorfer,1909; *calaritas* Fruhstorfer,1917.
 68640) *Erebia meolans posidonia* Fruhstorfer,1911 (Satyridae) Synonym(s): *posidonia* Fruhstorfer,1911
 68641) *Erebia meolans stygne* (Ochsenheimer,1807) (Satyridae) Synonym(s): *aethiops* Herbst,1796 *nec* Esper,1777; *pirene* Hübner,1800 *nec* Linnaeus,1764; *stygne* Ochsenheimer,1807; *praerutilia* Fruhstorfer,1909; *charea* Fruhstorfer,1911; *posidonia* Fruhstorfer,1911; *guttata* Goltz,1914; *altivolans* Verity,1935.
 68642) *Erebia meolans tetrica* Verity,1923 (Satyridae) Synonym(s): *tetrica* Verity,1923
 68643) *Erebia meolans valesiaca* Elwes,1898 (Satyridae) Synonym(s): *valesiaca* Elwes,1898
 68644) *Erebia meta* Staudinger,1886 (Satyridae) Synonym(s): *meta* Staudinger,1886; *gertha* Staudinger,1886; *mopsos* Staudinger,1886.
 68645) *Erebia meta alexandra* Staudinger,1887 (Satyridae) Synonym(s): *alexandra* Staudinger,1887
 68646) *Erebia meta issyka* Staudinger,1887 (Satyridae) Synonym(s): *issyka* Staudinger,1887
 68647) *Erebia meta meta* Staudinger,1886 (Satyridae) Synonym(s): *meta* Staudinger,1886; *gertha* Staudinger,1886; *mopsos* Staudinger,1886.
 68648) *Erebia mnestra* (Hübner,[1804]) (Satyridae) Synonym(s): *Erebia mnestra* Hübner,[1804]

- 68649) *Erebia mnestra mnestra* (Hübner,[1804]) (Satyridae) Synonym(s): *mnestra* Hübner,[1804]
 68650) *Erebia montana* (De Prunner,1798) (Satyridae) Synonym(s): *montana* De Prunner,1798; *homole* Fruhstorfer,1918
 68651) *Erebia montana goante* (Esper,[1805]) (Satyridae) Synonym(s): *goante* Esper,[1805]
 68652) *Erebia montana montana* (De Prunner,1798) (Satyridae) Synonym(s): *montana* De Prunner,1798; *homole* Fruhstorfer,1918
 68653) *Erebia montana vandellii* Casini,1995 (Satyridae) Synonym(s): *vandellii* Casini,1995
 68654) *Erebia neoridas* (Boisduval,1828) (Satyridae) Synonym(s): *neoridas* Boisduval,1828; *margarita* Oberthür,1896; *nicochares* Fruhstorfer,1920; *epineoridas* Turati,1923; *lozerica* Warren,1932; *pyrenaensis* Stetter-Stättermayer,1933; *ina* Ross & Arnscheid,1977.
 68655) *Erebia neoridas neoridas* (Boisduval,1828) (Satyridae) Synonym(s): *neoridas* Boisduval,1828; *margarita* Oberthür,1896; *nicochares* Fruhstorfer,1920; *epineoridas* Turati,1923; *lozerica* Warren,1932; *pyrenaensis* Stetter-Stättermayer,1933; *ina* Ross & Arnscheid,1977.
 68656) *Erebia neoridas sibyllina* Verity,1915 (Satyridae) Synonym(s): *sibyllina* Verity,1915
 68657) *Erebia neoridas veldmani* Kotsch,1929 (Satyridae) Synonym(s): *veldmani* Kotsch,1929
 68658) *Erebia neriene* (Boeber,1809) (Satyridae) Synonym(s): *neriene* Boeber,1809; *sedakovii* Eversmann,1847; *sajanensis* Warren,1931.
 68659) *Erebia neriene neriene* (Boeber,1809) (Satyridae) Synonym(s): *neriene* Boeber,1809; *sedakovii* Eversmann,1847; *sajanensis* Warren,1931.
 68660) *Erebia niponica* Janson,1877 (Satyridae) Synonym(s): *niponica* Janson,1877
 68661) *Erebia niponica chosensis* Matsumura,1928 (Satyridae) Synonym(s): *chosensis* Matsumura,1928; *#hypertelica* Bryk,1946
 68662) *Erebia niponica niponica* Janson,1877 (Satyridae) Synonym(s): *niponica* Janson,1877
 68663) *Erebia nivalis Lorkovic & De Lesse,1954* (Satyridae) Synonym(s): *nivalis* Lorkovic & De Lesse,1954
 68664) *Erebia nivalis nivalis* Lorkovic & De Lesse,1954 (Satyridae) Synonym(s): *nivalis* Lorkovic & De Lesse,1954
 68665) *Erebia occulta Roos & Kimmich,1983* (Satyridae) Synonym(s): *occulta* Roos & Kimmich,1983; *phellea* Philip & Troubridge,1983
 68666) *Erebia occulta occulta* Roos & Kimmich,1983 (Satyridae) Synonym(s): *occulta* Roos & Kimmich,1983; *phellea* Philip & Troubridge,1983
 68667) *Erebia occulta sokhondinka* Dubatolov & Zintshenko,1995 (Satyridae) Synonym(s): *sokhondinka* Dubatolov & Zintshenko,1995
 68668) *Erebia ocnus* (Eversmann,1843) (Satyridae) Synonym(s): *ocnus* Eversmann,1843
 68669) *Erebia ocnus ocnus* (Eversmann,1843) (Satyridae) Synonym(s): *ocnus* Eversmann,1843
 68670) *Erebia oeme* (Hübner,[1804]) (Satyridae) Synonym(s): *oeme* Hübner,[1804]
 68671) *Erebia oeme lugens* Staudinger,1901 (Satyridae) Synonym(s): *caecilia* Esper,1805 *nec* Hübner,1800; *lugens* Staudinger,1901
 68672) *Erebia oeme oeme* (Hübner,[1804]) (Satyridae) Synonym(s): *oeme* Hübner,[1804]
 68673) *Erebia oeme pacula* Fruhstorfer,1910 (Satyridae) Synonym(s): *pacula* Fruhstorfer,1910; *tanita* Fruhstorfer,1917; *lugina* Fruhstorfer,1917; *nila* Fruhstorfer,1917; *seliza* Fruhstorfer,1917; *clisura* Fruhstorfer,1917.
 68674) *Erebia oeme spodia* Staudinger,1871 (Satyridae) Synonym(s): *spodia* Staudinger,1871
 68675) *Erebia orientalis* Elwes,1900 (Satyridae) Synonym(s): *orientalis* Elwes,1900
 68676) *Erebia orientalis infernalis* Varga,1972 (Satyridae) Synonym(s): *infernalis* Varga,1972
 68677) *Erebia orientalis orientalis* Elwes,1900 (Satyridae) Synonym(s): *orientalis* Elwes,1900
 68678) *Erebia ottomana* Herrich-Schäffer,[1847] (Satyridae) Synonym(s): *ottomana* Herrich-Schäffer,[1847]
 68679) *Erebia ottomana balcanica* Rebel,1903 (Satyridae) Synonym(s): *balcanica* Rebel,1903; *tardenota* Praviel,1941.
 68680) *Erebia ottomana bulgarica* Drenovsky,1930 (Satyridae) Synonym(s): *bulgarica* Drenovsky,1930
 68681) *Erebia ottomana drenovskyi* Varga,1977 (Satyridae) Synonym(s): *drenovskyi* Varga,1977
 68682) *Erebia ottomana lorkoviciana* Varga,1977 (Satyridae) Synonym(s): *lorkoviciana* Varga,1977
 68683) *Erebia ottomana macedonica* Buresch,1918 (Satyridae) Synonym(s): *macedonica* Buresch,1918
 68684) *Erebia ottomana ottomana* Herrich-Schäffer,[1847] (Satyridae) Synonym(s): *ottomana* Herrich-Schäffer,[1847]
 68685) *Erebia ottomana tardenota* Praviel,1941 (Satyridae) Synonym(s): *tardenota* Praviel,1941
 68686) *Erebia palatica* Chapman,1905 (Satyridae) Synonym(s): *palarica* Chapman,1905
 68687) *Erebia palatica palatica* Chapman,1905 (Satyridae) Synonym(s): *palarica* Chapman,1905
 68688) *Erebia pandrose* (Borkhausen,1788) (Satyridae) Synonym(s): *castor* Esper,1781 *nec* Cramer,1775; *pandrose* Borkhausen,1788; *zilia* Borkhausen,1789; *baucis* Schrank,1801; *hungarus* Latreille,1803; *asiorientalis* Goltz,1937.
 68689) *Erebia pandrose ambicolorata* Varga,1972 (Satyridae) Synonym(s): *ambicolorata* Varga,1972
 68690) *Erebia pandrose cibiniaca* Warren,1936 (Satyridae) Synonym(s): *#cibiniaca* Dannehl,1927; *cibiniaca* Warren,1936
 68691) *Erebia pandrose infraclara* Verity,1953 (Satyridae) Synonym(s): *infraclara* Verity,1953
 68692) *Erebia pandrose lappona* (Thunberg & Becklin,1791) (Satyridae) Synonym(s): *lappona* Thunberg & Becklin,1791
 68693) *Erebia pandrose marmolata* Warren,1936 (Satyridae) Synonym(s): *#marmolata* Dannehl,1927; *marmolata* Warren,1936.
 68694) *Erebia pandrose pandrose* (Borkhausen,1788) (Satyridae) Synonym(s): *castor* Esper,1781 *nec* Cramer,1775; *pandrose* Borkhausen,1788; *zilia* Borkhausen,1789; *baucis* Schrank,1801; *hungarus* Latreille,1803; *asiorientalis* Goltz,1937.
 68695) *Erebia pandrose roberti* Peschke,1920 (Satyridae) Synonym(s): *roberti* Peschke,1920
 68696) *Erebia pandrose yernikensis* Korshunov,1995 (Satyridae) Synonym(s): *yernikensis* Korshunov,1995
 68697) *Erebia pawlowskyi* Ménétriés,1858 (Satyridae) Synonym(s): *pawlowskyi* Ménétriés,1858
 68698) *Erebia pawlowskyi pawlowskyi* Ménétriés,1858 (Satyridae) Synonym(s): *pawlowskyi* Ménétriés,1858
 68699) *Erebia pawlowskyi sajana* Staudinger,1894 (Satyridae) Synonym(s): *sajana* Staudinger,1894
 68700) *Erebia pharte* (Hübner,[1804]) (Satyridae) Synonym(s): *pharte* Hübner,[1804]; *phartina* Staudinger,1894; *thynias* Fruhstorfer,1911; *pellene* Fruhstorfer,1917.
 68701) *Erebia pharte eupompa* Fruhstorfer,1918 (Satyridae) Synonym(s): *eupompa* Fruhstorfer,1918
 68702) *Erebia pharte pharte* (Hübner,[1804]) (Satyridae) Synonym(s): *pharte* Hübner,[1804]; *phartina* Staudinger,1894; *thynias* Fruhstorfer,1911; *pellene* Fruhstorfer,1917.
 68703) *Erebia pluto* (De Prunner,1798) (Satyridae) Synonym(s): *morio* Giorna,1791 *nec* Scopoli,1763; *pluto* De Prunner,1798; *belzebub* Costa,1839; *duponcheli* Oberthür,1897.
 68704) *Erebia pluto alecto* (Hübner,[1804]) (Satyridae) Synonym(s): *alecto* Hübner,[1804]
 68705) *Erebia pluto anteborus* Fruhstorfer,1918 (Satyridae) Synonym(s): *anteborus* Fruhstorfer,1918; *anthracites* ruhstorfer,1918.
 68706) *Erebia pluto nicholli* Oberthür,1896 (Satyridae) Synonym(s): *nicholli* Oberthür,1896
 68707) *Erebia pluto oreas* Warren,1933 (Satyridae) Synonym(s): *glacialis* Esper,[1804] *nec* Moll,1785; *oreas* Warren,1933
 68708) *Erebia pluto pluto* (De Prunner,1798) (Satyridae) Synonym(s): *morio* Giorna,1791 *nec* Scopoli,1763; *pluto* De Prunner,1798; *belzebub* Costa,1839; *duponcheli* Oberthür,1897.
 68709) *Erebia polaris* Staudinger,1861 (Satyridae) Synonym(s): *polaris* Staudinger,1861
 68710) *Erebia polaris polaris* Staudinger,1861 (Satyridae) Synonym(s): *polaris* Staudinger,1861
 68711) *Erebia polaris uralensis* Staudinger,1861 (Satyridae) Synonym(s): *uralensis* Staudinger,1861
 68712) *Erebia progne* Groum-Grshimailo,1890 (Satyridae) Synonym(s): *progne* Groum-Grshimailo,1890; *samodurovi* Tschikolovez,1992.
 68713) *Erebia progne progne* Groum-Grshimailo,1890 (Satyridae) Synonym(s): *progne* Groum-Grshimailo,1890; *samodurovi* Tschikolovez,1992.
 68714) *Erebia pronoe* (Esper,[1780]) (Satyridae) Synonym(s): *arachne* [Denis & Schiffermüller],1775 *nec* Cr.,1775; *pyrrha* [Denis & Schiffermüller],1775 *nec* Linnaeus,1758; *pronoe* Esper,[1780]; *psathura* Fruhstorfer,1920.
 68715) *Erebia pronoe fruhstorferi* Warren,1933 (Satyridae) Synonym(s): *fruhstorferi* Warren,1933
 68716) *Erebia pronoe gardeina* Schawerda,1924 (Satyridae) Synonym(s): *gardeina* Schawerda,1924
 68717) *Erebia pronoe glottis* Fruhstorfer,1920 (Satyridae) Synonym(s): *glottis* Fruhstorfer,1920
 68718) *Erebia pronoe pronoe* (Esper,[1780]) (Satyridae) Synonym(s): *arachne* [Denis & Schiffermüller],1775 *nec* Cr.,1775; *pyrrha* [Denis & Schiffermüller],1775 *nec* Linnaeus,1758; *pronoe* Esper,[1780]; *psathura* Fruhstorfer,1920.
 68719) *Erebia pronoe psathura* Fruhstorfer,1920 (Satyridae) Synonym(s): *psathura* Fruhstorfer,1920
 68720) *Erebia pronoe tarcenta* Fruhstorfer,1920 (Satyridae) Synonym(s): *tarcenta* Fruhstorfer,1920; *altissima* Goltz,1930.
 68721) *Erebia pronoe varia* Warren,1932 (Satyridae) Synonym(s): *varia* Warren,1932
 68722) *Erebia pronoe vergy* (Ochsenheimer,1807) (Satyridae) Synonym(s): *pitho* Hübner,1804 *nec* Linnaeus,1764; *persephone* Esper,1805 *nec* Fabricius,1793; *vergy* Ochsenheimer,1807.
 68723) *Erebia pronoe zulines* Fruhstorfer,1920 (Satyridae) Synonym(s): *zulines* Fruhstorfer,1920
 68724) *Erebia radians* Staudinger,1886 (Satyridae) Synonym(s): *radians* Staudinger,1886; *usgentensis* Staudinger,[1894].
 68725) *Erebia radians radians* Staudinger,1886 (Satyridae) Synonym(s): *radians* Staudinger,1886
 68726) *Erebia radians sokolovi* Lukhtanov,1990 (Satyridae) Synonym(s): *sokolovi* Lukhtanov,1990

- 68727) *Erebia rhodopensis* Nicholl,1900 (Satyridae) Synonym(s): *rhodopensis* Nicholl,1900
68728) *Erebia rhodopensis rhodopensis* Nicholl,1900 (Satyridae) Synonym(s): *rhodopensis* Nicholl,1900
68729) *Erebia rondoui* Oberthür,1908 (Satyridae) Synonym(s): *rondoui* Oberthür,1908
68730) *Erebia rondoui goya Fruhstorfer,1909* (Satyridae) Synonym(s): *goya Fruhstorfer,1909*
68731) *Erebia rondoui rondoui Oberthür,1908* (Satyridae) Synonym(s): *rondoui Oberthür,1908*
68732) *Erebia rossii* (Curtis,1834) (Satyridae) Synonym(s): *rossii* Curtis,1834
68733) *Erebia rossii ero Bremer,1861* (Satyridae) Synonym(s): *ero Bremer,1861*
68734) *Erebia rossii rossii* (Curtis,1834) (Satyridae) Synonym(s): *rossii* Curtis,1834
68735) *Erebia rossii subarctica Korshunov,1996* (Satyridae) Synonym(s): *subarctica* Korshunov,1996
68736) *Erebia scipio* Boisduval,1832 (Satyridae) Synonym(s): *scipio* Boisduval,1832
68737) *Erebia scipio scipio Boisduval,1832* (Satyridae) Synonym(s): *scipio Boisduval,1832*
68738) *Erebia semo Groum-Grshimailo,1899* (Satyridae) Synonym(s): *semo Groum-Grshimailo,1899*
68739) *Erebia semo semo Groum-Grshimailo,1899* (Satyridae) Synonym(s): *semo Groum-Grshimailo,1899*
68740) *Erebia serotina Descimon & De Lesse,1954* (Satyridae) Synonym(s): *serotina* Descimon & De Lesse,1954 (According to Leraut (1997), the rank of species is maintained provisionally for this probable hybrid, until its true status is established beyond doubt).
68741) *Erebia serotina serotina Descimon & De Lesse,1954* (Satyridae) Synonym(s): *serotina* Descimon & De Lesse,1954 (According to Leraut (1997), the rank of species is maintained provisionally for this probable hybrid, until its true status is established beyond doubt).
68742) *Erebia sibo Alpheraky,1881* (Satyridae) Synonym(s): *sibo Alpheraky,1881; mongolica* Erschoff,1888
68743) *Erebia sibo sibo Alpheraky,1881* (Satyridae) Synonym(s): *sibo Alpheraky,1881; mongolica* Erschoff,1888
68744) *Erebia sthenno Graslin,1850* (Satyridae) Synonym(s): *sthenno* Graslin,1850
68745) *Erebia sthenno sthenno Graslin,1850* (Satyridae) Synonym(s): *sthenno* Graslin,1850
68746) *Erebia stirijs* (Godart,[1824]) (Satyridae) Synonym(s): *stirijs* Godart,[1824]; *nerine* Freyer,1831
68747) *Erebia stirijs morula Speyer,1865* (Satyridae) Synonym(s): *morula* Speyer,1865
68748) *Erebia stirijs stirijs* (Godart,[1824]) (Satyridae) Synonym(s): *stirijs* Godart,[1824]; *nerine* Freyer,1831
68749) *Erebia stubbendorffii Ménétries,1846* (Satyridae) Synonym(s): *stubbendorffii* Ménétries,1846; *connexa* Warren,1930.
68750) *Erebia stubbendorffii stubbendorffii Ménétries,1846* (Satyridae) Synonym(s): *stubbendorffii* Ménétries,1846; *connexa* Warren,1930.
68751) *Erebia styx* (Freyer,1834) (Satyridae) Synonym(s): *styx* Freyer,1834
68752) *Erebia styx styx* (Freyer,1834) (Satyridae) Synonym(s): *styx* Freyer,1834
68753) *Erebia styx trentae Lorkovic,1952* (Satyridae) Synonym(s): *trentae* Lorkovic,1952
68754) *Erebia styx triglites Fruhstorfer,1918* (Satyridae) Synonym(s): *triglites* Fruhstorfer,1918
68755) *Erebia sudetica Staudinger,1861* (Satyridae) Synonym(s): *sudetica* Staudinger,1861
68756) *Erebia sudetica belledonnae Cupedo,1996* (Satyridae) Synonym(s): *belledonnae* Cupedo,1996
68757) *Erebia sudetica lioranus Warren,1961* (Satyridae) Synonym(s): *#lioranus* De Lesse,1947; *lioranus* Warren,1961
68758) *Erebia sudetica sudetica Staudinger,1861* (Satyridae) Synonym(s): *sudetica* Staudinger,1861
68759) *Erebia theano* (Satyridae) Synonym(s):
68760) *Erebia theano* (Tauscher,1806) (Satyridae) Synonym(s): *thano* Tauscher,1806
68761) *Erebia theano approximata Warren,1936* (Satyridae) Synonym(s): *#approximata* Warren,1930; *#approximata* Warren,1936.
68762) *Erebia theano shoria Korshunov & Ivonin,1995* (Satyridae) Synonym(s): *shoria* Korshunov & Ivonin,1995
68763) *Erebia theano theano* (Tauscher,1806) (Satyridae) Synonym(s): *thano* Tauscher,1806
68764) *Erebia theano tshungunovi Korshunov & Ivonin,1995* (Satyridae) Synonym(s): *tshungunovi* Korshunov & Ivonin,1995
68765) *Erebia tianschanica Alpheraky,[1894]* (Satyridae) Synonym(s): *tianschanica* Alpheraky,[1894]
68766) *Erebia tianschanica tianschanica Alpheraky,[1894]* (Satyridae) Synonym(s): *tianschanica* Alpheraky,[1894]
68767) *Erebia triaria* (De Prunner,1798) (Satyridae) Synonym(s): *triaria* De Prunner,1798; *bonellii* Hübner,[1826]; *venaissina* Fruhstorfer,1917.
68768) *Erebia triaria eurykleia Fruhstorfer,1910* (Satyridae) Synonym(s): *eurykleia* Fruhstorfer,1910
68769) *Erebia triaria evias* (Godart,1823) (Satyridae) Synonym(s): *evias* Godart,1823; *pyrenaica* Oberthür,1909 *nec* Herrich-Schäffer,1851; *ottonis* Fruhstorfer,1909.
68770) *Erebia triaria granjana Oberthür,1909* (Satyridae) Synonym(s): *granjana* Oberthür,1909
68771) *Erebia triaria letincia Fruhstorfer,1910* (Satyridae) Synonym(s): *letincia* Fruhstorfer,1910
68772) *Erebia triaria rebeli Warren,1932* (Satyridae) Synonym(s): *orientalis* Rebel,1914 *nec* Elwes,1900; *rebeli* Warren,1932.
68773) *Erebia triaria triaria* (De Prunner,1798) (Satyridae) Synonym(s): *triaria* De Prunner,1798; *bonellii* Hübner,[1826]; *venaissina* Fruhstorfer,1917.
68774) *Erebia triaria venaissina Fruhstorfer,1917* (Satyridae) Synonym(s): *venaissina* Fruhstorfer,1917
68775) *Erebia turanica Erschoff,1877* (Satyridae) Synonym(s): *turanica* Erschoff,1877
68776) *Erebia turanica grumi Lukhtanov,1994* (Satyridae) Synonym(s): *grumi* Lukhtanov,1994; *tristis* Groum-Grshimailo,1893 *nec* Herrich-Schäffer,1848 *non* Bremer,1861.
68777) *Erebia turanica jucunda Püngeler,1903* (Satyridae) Synonym(s): *jucunda* Püngeler,1903
68778) *Erebia turanica laeta Staudinger,1881* (Satyridae) Synonym(s): *laeta* Staudinger,1881
68779) *Erebia turanica susamyr Lukhtanov,1999* (Satyridae) Synonym(s): *susamyr* Lukhtanov,1999
68780) *Erebia turanica turanica Erschoff,1877* (Satyridae) Synonym(s): *turanica* Erschoff,1877
68781) *Erebia tyndarus* (Esper,[1781]) (Satyridae) Synonym(s): *tyndarus* Esper,[1781]
68782) *Erebia tyndarus tyndarus* (Esper,[1781]) (Satyridae) Synonym(s): *tyndarus* Esper,[1781]
68783) *Erebia vidleri* (Satyridae) Synonym(s):
68784) *Erebia wanga Bremer,1864* (Satyridae) Synonym(s): *wanga* Bremer,1864
68785) *Erebia wanga wanga Bremer,1864* (Satyridae) Synonym(s): *wanga* Bremer,1864
68786) *Erebia zapateri Oberthür,1875* (Satyridae) Synonym(s): *zapateri* Oberthür,1875
68787) *Erebia zapateri zapateri Oberthür,1875* (Satyridae) Synonym(s): *zapateri* Oberthür,1875
68788) *Erites angularis* Moore,1879 (Satyridae) Synonym(s): *angularis* Moore,1879
68789) *Erites angularis angularis* Moore,1879 (Satyridae) Synonym(s): *angularis* Moore,1879
68790) *Erites angularis sumatrana Martin* (Satyridae) Synonym(s): *sumatrana* Martin
68791) *Erites argentina* Butler,1868 (Satyridae) Synonym(s): *argentina* Butler,1868
68792) *Erites argentina argentina* Butler,1868 (Satyridae) Synonym(s): *argentina* Butler,1868
68793) *Erites argentina delia Martin,1909* (Satyridae) Synonym(s): *delia* Martin
68794) *Erites argentina fruhstorferi Martin* (Satyridae) Synonym(s): *fruhstorferi* Martin
68795) *Erites argentina ines Fruhstorfer,1903* (Satyridae) Synonym(s): *ines* Fruhstorfer,1903
68796) *Erites argentina ochreana Staudinger,1889* (Satyridae) Synonym(s): *ochreana* Staudinger,1889
68797) *Erites elegans* Butler,1868 (Satyridae) Synonym(s): *elegans* Butler,1868
68798) *Erites elegans distincta Martin* (Satyridae) Synonym(s): *distincta* Martin
68799) *Erites falcipennis* Wood-Mason & Nicéville,1886 (Satyridae) Synonym(s): *falcipennis* Wood-Mason & Nicéville,1886
68800) *Erites falcipennis ssp.n.* (Satyridae) Synonym(s):
68801) *Erites medura* Horsfield,1829 (Satyridae) Synonym(s): *medura* Horsfield,1829
68802) *Erites medura medura* Horsfield,1829 (Satyridae) Synonym(s): *medura* Horsfield,1829
68803) *Erites medura rotundata De Nicéville,1893* (Satyridae) Synonym(s): *rotundata* De Nicéville,1893
68804) *Erites medura russelli Eliot* (Satyridae) Synonym(s): *russelli* Eliot
68805) *Esperarge* (Marginarge) *eversmanni* (Eversmann,1847) (Satyridae) Synonym(s): *eversmanni* Eversmann,1847
68806) *Esperarge* (Marginarge) *eversmanni cashmirensis* (Moore,1874) (Satyridae) Synonym(s): *cashmirensis* Moore,1874
68807) *Esperarge* (Marginarge) *eversmanni evdokimovi Korb,2005* (Satyridae) Synonym(s): *evdokimovi* Korb,2005
68808) *Esperarge* (Marginarge) *eversmanni eversmanni* (Eversmann,1847) (Satyridae) Synonym(s): *eversmanni* Eversmann,1847
68809) *Esperarge* (Marginarge) *eversmanni shiva* (Wyatt,1961) (Satyridae) Synonym(s): *shiva* Wyatt,1961
68810) *Esperarge* (Marginarge) *eversmanni unicolor* (Groum-Grshimailo,1893) (Satyridae) Synonym(s): *unicolor* Groum-Grshimailo,1893
68811) *Esperarge* (s.str.) *clymene* (Fabricius,1787) (Satyridae) Synonym(s): *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819].

- 68812) **Esperarge (s.str.) clymene clymene (Fabricius,1787)** (Satyridae) Synonym(s): *#clymene Esper,[1783]; clymene Fabricius,1787; boroeas Latreille,1803; synclimene Hübner,[1819]*.
- 68813) **Esperarge (s.str.) clymene lecerfi (Koçak,1980)** (Satyridae) Synonym(s): *alticola Le Cerf,1913 nec Vrty.,1911; lecerfi Koçak,1980*.
- 68814) **Esperarge (s.str.) clymene roxandra (Boisduval,1848)** (Satyridae) Synonym(s): *roxandra Boisduval,1848; roxandra Herrich-Schäffer,[1850]; caucasica Nordmann,1851*.
- 68815) **Esperarge (s.str.) clymene valentinae (Miller,1923)** (Satyridae) Synonym(s): *valentinae Miller,1923; tkatshukovi Sheljuzhko,1925*.
- 68816) **Ethope diademoides Moore,1879** (Satyridae) Synonym(s): *diademoides Moore,1879*
- 68817) **Ethope diademoides diademoides Moore,1879** (Satyridae) Synonym(s): *diademoides Moore,1879*
- 68818) **Ethope diademoides hislopi Corbet,1948** (Satyridae) Synonym(s): *hislopi Corbet,1948*
- 68819) **Ethope henrici Holland,1887** (Satyridae) Synonym(s): *henrici Holland,1887*
- 68820) **Ethope himachala (Moore,1858)** (Satyridae) Synonym(s): *himachala Moore,1858*
- 68821) **Ethope noirei (Janet,1896)** (Satyridae) Synonym(s): *noirei Janet,1896*
- 68822) **Eugrumia discalis (South,1913)** (Satyridae) Synonym(s): *discalis South,1913*
- 68823) **Eugrumia herse (Groum-Grshimailo,1890)** (Satyridae) Synonym(s): *herse Groum-Grshimailo,1890*
- 68824) **Eugrumia herse herse (Groum-Grshimailo,1890)** (Satyridae) Synonym(s): *herse Groum-Grshimailo,1890*
- 68825) **Eugrumia koenigi (Goltz,1938)** (Satyridae) Synonym(s): *koenigi Goltz,1938*
- 68826) **Gnophodes betsimena (Boisduval,1833)** (Satyridae) Synonym(s): *betsimena Boisduval,1833*
- 68827) **Gnophodes betsimena betsimena (Boisduval,1833)** (Satyridae) Synonym(s): *betsimena Boisduval,1833*
- 68828) **Gnophodes betsimena diversa (Butler,1880)** (Satyridae) Synonym(s): *diversa Butler,1880*
- 68829) **Gnophodes betsimena parmeno (Doubleday,[1849])** (Satyridae) Synonym(s): *parmeno Doubleday,[1849]; #dubiosa Aurivillius,1911*
- 68830) **Gnophodes chelys (Fabricius,1793)** (Satyridae) Synonym(s): *chelys Fabricius,1793; pythia Fabricius,1793; morpena Westwood,[1851]; harpa Karsch,1893; #iris Bartel,1905; minchini Heron,1909; #magniplaga Heron,1909; elucidata Grünberg,1910*
- 68831) **Gnophodes chelys chelys (Fabricius,1793)** (Satyridae) Synonym(s): *chelys Fabricius,1793; pythia Fabricius,1793; morpena Westwood,[1851]; harpa Karsch,1893; #iris Bartel,1905; minchini Heron,1909; #magniplaga Heron,1909; elucidata Grünberg,1910*
- 68832) **Gnophodes grogani Sharpe,1901** (Satyridae) Synonym(s): *grogani Sharpe,1901*
- 68833) **Gnophodes grogani grogani Sharpe,1901** (Satyridae) Synonym(s): *grogani Sharpe,1901*
- 68834) **Gyrocheilus patrobas (Hewitson,1862)** (Satyridae) Synonym(s): *patrobas Hewitson,1862*
- 68835) **Hallelesis asochis (Hewitson,1866)** (Satyridae) Synonym(s): *asochis Hewitson,1866*
- 68836) **Hallelesis asochis asochis (Hewitson,1866)** (Satyridae) Synonym(s): *asochis Hewitson,1866*
- 68837) **Hallelesis asochis congoensis (Joicey & Talbot,1921)** (Satyridae) Synonym(s): *#triocelligera Strand,1914; #kamitugensis Dufrane,1945; congoensis Joicey & Talbot,1921*
- 68838) **Hallelesis halyma (Fabricius,1793)** (Satyridae) Synonym(s): *halyma Fabricius,1793; macrones Hewitson,1873*
- 68839) **Henotesia aberrans Paulian,1951** (Satyridae) Synonym(s): *aberrans Paulian,1951*
- 68840) **Henotesia aberrans aberrans Paulian,1951** (Satyridae) Synonym(s): *aberrans Paulian,1951*
- 68841) **Henotesia anceps (Oberthür,1916)** (Satyridae) Synonym(s): *anceps Oberthür,1916*
- 68842) **Henotesia anceps anceps (Oberthür,1916)** (Satyridae) Synonym(s): *anceps Oberthür,1916*
- 68843) **Henotesia anganavo (Ward,1871)** (Satyridae) Synonym(s): *anganavo Ward,1871; andravahana Mabille,1878; wardii Butler,1879; difficilis Mabille,1880; #marmorata Aurivillius,1911; macrophthalma Oberthür,1916*
- 68844) **Henotesia anganavo anganavo (Ward,1871)** (Satyridae) Synonym(s): *anganavo Ward,1871; andravahana Mabille,1878; wardii Butler,1879; difficilis Mabille,1880; #marmorata Aurivillius,1911; macrophthalma Oberthür,1916*
- 68845) **Henotesia angulifascia (Butler,1879)** (Satyridae) Synonym(s): *angulifascia Butler,1879; butleri Mabille,1880*
- 68846) **Henotesia angulifascia angulifascia (Butler,1879)** (Satyridae) Synonym(s): *angulifascia Butler,1879; butleri Mabille,1880*
- 68847) **Henotesia ankaratra (Ward,1870)** (Satyridae) Synonym(s): *ankaratra Ward,1870; sakalava Saalmüller,1878; loucoubensis Saalmüller,1878*
- 68848) **Henotesia ankaratra ankaratra (Ward,1870)** (Satyridae) Synonym(s): *ankaratra Ward,1870; sakalava Saalmüller,1878; loucoubensis Saalmüller,1878*
- 68849) **Henotesia ankova (Ward,1870)** (Satyridae) Synonym(s): *ankova Ward,1870*
- 68850) **Henotesia ankova ankova (Ward,1870)** (Satyridae) Synonym(s): *ankova Ward,1870*
- 68851) **Henotesia ankovana (Oberthür,1916)** (Satyridae) Synonym(s): *ankovana Oberthür,1916*
- 68852) **Henotesia ankovana ankovana (Oberthür,1916)** (Satyridae) Synonym(s): *ankovana Oberthür,1916*
- 68853) **Henotesia antsianakana (Oberthür,1916)** (Satyridae) Synonym(s): *antsianakana Oberthür,1916*
- 68854) **Henotesia antsianakana antsianakana (Oberthür,1916)** (Satyridae) Synonym(s): *antsianakana Oberthür,1916*
- 68855) **Henotesia avelona (Ward,1870)** (Satyridae) Synonym(s): *avelona Ward,1870*
- 68856) **Henotesia avelona avelona (Ward,1870)** (Satyridae) Synonym(s): *avelona Ward,1870*
- 68857) **Henotesia benedicta Paulian,1951** (Satyridae) Synonym(s): *benedicta Paulian,1951*
- 68858) **Henotesia benedicta benedicta Paulian,1951** (Satyridae) Synonym(s): *benedicta Paulian,1951*
- 68859) **Henotesia bicristata (Mabille,1878)** (Satyridae) Synonym(s): *bicristata Mabille,1878*
- 68860) **Henotesia bicristata bicristata (Mabille,1878)** (Satyridae) Synonym(s): *bicristata Mabille,1878*
- 68861) **Henotesia borbonica (Oberthür,1916)** (Satyridae) Synonym(s): *borbonica Oberthür,1916*
- 68862) **Henotesia borbonica borbonica (Oberthür,1916)** (Satyridae) Synonym(s): *borbonica Oberthür,1916*
- 68863) **Henotesia centralis Aurivillius,1903** (Satyridae) Synonym(s): *centralis Aurivillius,1903; haroldi Druce,1905*
- 68864) **Henotesia centralis centralis Aurivillius,1903** (Satyridae) Synonym(s): *centralis Aurivillius,1903; haroldi Druce,1905*
- 68865) **Henotesia comorana (Oberthür,1916)** (Satyridae) Synonym(s): *comorana Oberthür,1916*
- 68866) **Henotesia comorana comorana (Oberthür,1916)** (Satyridae) Synonym(s): *comorana Oberthür,1916*
- 68867) **Henotesia comorensis (Oberthür,1916)** (Satyridae) Synonym(s): *comorensis Oberthür,1916*
- 68868) **Henotesia comorensis comorensis (Oberthür,1916)** (Satyridae) Synonym(s): *comorensis Oberthür,1916*
- 68869) **Henotesia cowani (Butler,1880)** (Satyridae) Synonym(s): *cowani Butler,1880*
- 68870) **Henotesia cowani cowani (Butler,1880)** (Satyridae) Synonym(s): *cowani Butler,1880*
- 68871) **Henotesia curvatula (Oberthür,1916)** (Satyridae) Synonym(s): *curvatula Oberthür,1916*
- 68872) **Henotesia curvatula curvatula (Oberthür,1916)** (Satyridae) Synonym(s): *curvatula Oberthür,1916*
- 68873) **Henotesia eliasis (Hewitson,1866)** (Satyridae) Synonym(s): *eliasis Hewitson,1866*
- 68874) **Henotesia eliasis eliasis (Hewitson,1866)** (Satyridae) Synonym(s): *eliasis Hewitson,1866*
- 68875) **Henotesia elisi (Karsch,1893)** (Satyridae) Synonym(s): *elisi Karsch,1893; evanida Thureau,1903*
- 68876) **Henotesia elisi elisi (Karsch,1893)** (Satyridae) Synonym(s): *elisi Karsch,1893; evanida Thureau,1903*
- 68877) **Henotesia elisi uluguru Kielland,1990** (Satyridae) Synonym(s): *uluguru Kielland,1990*
- 68878) **Henotesia erebina (Oberthür,1916)** (Satyridae) Synonym(s): *erebina Oberthür,1916*
- 68879) **Henotesia erebina erebina (Oberthür,1916)** (Satyridae) Synonym(s): *erebina Oberthür,1916*
- 68880) **Henotesia exocellata (Mabille,1880)** (Satyridae) Synonym(s): *exocellata Mabille,1880*
- 68881) **Henotesia exocellata exocellata (Mabille,1880)** (Satyridae) Synonym(s): *exocellata Mabille,1880*
- 68882) **Henotesia fuliginosa (Mabille,1878)** (Satyridae) Synonym(s): *fuliginosa Mabille,1878*
- 68883) **Henotesia fuliginosa fuliginosa (Mabille,1878)** (Satyridae) Synonym(s): *fuliginosa Mabille,1878*
- 68884) **Henotesia grandis (Oberthür,1916)** (Satyridae) Synonym(s): *grandis Oberthür,1916*
- 68885) **Henotesia grandis grandis (Oberthür,1916)** (Satyridae) Synonym(s): *grandis Oberthür,1916*
- 68886) **Henotesia houlbertiana (Oberthür,1923)** (Satyridae) Synonym(s): *houlbertiana Oberthür,1923*
- 68887) **Henotesia houlbertiana houlbertiana (Oberthür,1923)** (Satyridae) Synonym(s): *houlbertiana Oberthür,1923*
- 68888) **Henotesia iboina (Ward,1870)** (Satyridae) Synonym(s): *iboina Ward,1870; fitensis Oberthür,1916*
- 68889) **Henotesia iboina iboina (Ward,1870)** (Satyridae) Synonym(s): *iboina Ward,1870; fitensis Oberthür,1916*
- 68890) **Henotesia laeta (Oberthür,1916)** (Satyridae) Synonym(s): *laeta Oberthür,1916*
- 68891) **Henotesia laeta laeta (Oberthür,1916)** (Satyridae) Synonym(s): *laeta Oberthür,1916*
- 68892) **Henotesia laetifica (Oberthür,1916)** (Satyridae) Synonym(s): *laetifica Oberthür,1916*
- 68893) **Henotesia laetifica laetifica (Oberthür,1916)** (Satyridae) Synonym(s): *laetifica Oberthür,1916*
- 68894) **Henotesia maeva (Mabille,1878)** (Satyridae) Synonym(s): *maeva Mabille,1878*

- 68895) *Henotesia maeva maeva* (Mabille,1878) (Satyridae) Synonym(s): *maeva Mabille,1878*
68896) *Henotesia mayottensis* (Oberthür,1916) (Satyridae) Synonym(s): *mayottensis Oberthür,1916*
68897) *Henotesia mayottensis mayottensis* (Oberthür,1916) (Satyridae) Synonym(s): *mayottensis Oberthür,1916*
68898) *Henotesia menamena* (Mabille,1877) (Satyridae) Synonym(s): *menamena Mabille,1877*
68899) *Henotesia menamena menamena* (Mabille,1877) (Satyridae) Synonym(s): *menamena Mabille,1877*
68900) *Henotesia narcissus* (Fabricius,1798) (Satyridae) Synonym(s): *narcissus Fabricius,1798*
68901) *Henotesia narcissus fraterna* (Butler,1868) (Satyridae) Synonym(s): *fraterna Butler,1868; evanescens Saalmüller,1884*
68902) *Henotesia narcissus narcissus* (Fabricius,1798) (Satyridae) Synonym(s): *narcissus Fabricius,1798*
68903) *Henotesia obscura* Oberthür,1916 (Satyridae) Synonym(s): *obscura Oberthür,1916*
68904) *Henotesia obscura obscura* Oberthür,1916 (Satyridae) Synonym(s): *obscura Oberthür,1916*
68905) *Henotesia ochracea* Lathy,1906 (Satyridae) Synonym(s): *ochracea Lathy,1906; wellmanni Weymer,1908; #semiochracea Talbot,1932*
68906) *Henotesia ochracea ochracea* Lathy,1906 (Satyridae) Synonym(s): *ochracea Lathy,1906; wellmanni Weymer,1908; #semiochracea Talbot,1932*
68907) *Henotesia oxypteron* (Oberthür,1916) (Satyridae) Synonym(s): *oxypteron Oberthür,1916*
68908) *Henotesia oxypteron oxypteron* (Oberthür,1916) (Satyridae) Synonym(s): *oxypteron Oberthür,1916*
68909) *Henotesia pallida* (Oberthür,1916) (Satyridae) Synonym(s): *pallida Oberthür,1916*
68910) *Henotesia pallida pallida* (Oberthür,1916) (Satyridae) Synonym(s): *pallida Oberthür,1916*
68911) *Henotesia parva* (Butler,1879) (Satyridae) Synonym(s): *parva Butler,1879; irrorata Mabille,1880*
68912) *Henotesia parva parva* (Butler,1879) (Satyridae) Synonym(s): *parva Butler,1879; irrorata Mabille,1880*
68913) *Henotesia parvidens* (Mabille,1880) (Satyridae) Synonym(s): *parvidens Mabille,1880*
68914) *Henotesia parvidens parvidens* (Mabille,1880) (Satyridae) Synonym(s): *parvidens Mabille,1880*
68915) *Henotesia pauper* (Oberthür,1916) (Satyridae) Synonym(s): *pauper Oberthür,1916*
68916) *Henotesia pauper pauper* (Oberthür,1916) (Satyridae) Synonym(s): *pauper Oberthür,1916*
68917) *Henotesia peitho* (Plötz,1880) (Satyridae) Synonym(s): *peitho Plötz,1880; decira Plötz,1880; nigrescens Bethune-Baker,1908*
68918) *Henotesia peitho peitho* (Plötz,1880) (Satyridae) Synonym(s): *peitho Plötz,1880; decira Plötz,1880; nigrescens Bethune-Baker,1908*
68919) *Henotesia perspicua* (Trimen,1873) (Satyridae) Synonym(s): *perspicua Trimen,1873; maevius Staudinger,1887; #submaevius Strand,1910; #amanica Strand,1910*
68920) *Henotesia perspicua perspicua* (Trimen,1873) (Satyridae) Synonym(s): *perspicua Trimen,1873; maevius Staudinger,1887; #submaevius Strand,1910; #amanica Strand,1910*
68921) *Henotesia phaea* (Karsch,1894) (Satyridae) Synonym(s): *phaea Karsch,1894*
68922) *Henotesia phaea katangensis* Overlaet,1955 (Satyridae) Synonym(s): *katangensis Overlaet,1955; #albata Overlaet,1955*
68923) *Henotesia phaea phaea* (Karsch,1894) (Satyridae) Synonym(s): *phaea Karsch,1894*
68924) *Henotesia sabas* (Oberthür,1923) (Satyridae) Synonym(s): *sabas Oberthür,1923*
68925) *Henotesia sabas sabas* (Oberthür,1923) (Satyridae) Synonym(s): *sabas Oberthür,1923*
68926) *Henotesia simonsii* (Butler,1877) (Satyridae) Synonym(s): *simonsii Butler,1877; birsha Hewitson,1877; victorina Westwood,1881; lacus thurau,1903; #subolivacea Overlaet,1955*
68927) *Henotesia simonsii simonsii* (Butler,1877) (Satyridae) Synonym(s): *simonsii Butler,1877; birsha Hewitson,1877; victorina Westwood,1881; lacus thurau,1903; #subolivacea Overlaet,1955*
68928) *Henotesia strato* (Mabille,1878) (Satyridae) Synonym(s): *strato Mabille,1878*
68929) *Henotesia strato strato* (Mabille,1878) (Satyridae) Synonym(s): *strato Mabille,1878*
68930) *Henotesia strigula* (Mabille,1877) (Satyridae) Synonym(s): *strigula Mabille,1877*
68931) *Henotesia strigula strigula* (Mabille,1877) (Satyridae) Synonym(s): *strigula Mabille,1877*
68932) *Henotesia subsimilis* (Butler,1879) (Satyridae) Synonym(s): *subsimilis Butler,1879*
68933) *Henotesia subsimilis subsimilis* (Butler,1879) (Satyridae) Synonym(s): *subsimilis Butler,1879*
68934) *Henotesia teratia* (Karsch,1894) (Satyridae) Synonym(s): *teratia Karsch,1894*
68935) *Henotesia teratia teratia* (Karsch,1894) (Satyridae) Synonym(s): *teratia Karsch,1894*
68936) *Henotesia turbans* (Oberthür,1916) (Satyridae) Synonym(s): *turbans Oberthür,1916*
68937) *Henotesia turbans turbans* (Oberthür,1916) (Satyridae) Synonym(s): *turbans Oberthür,1916*
68938) *Henotesia turbata* (Butler,1880) (Satyridae) Synonym(s): *turbata Butler,1880; ornata Oberthür,1916*
68939) *Henotesia turbata turbata* (Butler,1880) (Satyridae) Synonym(s): *turbata Butler,1880; ornata Oberthür,1916*
68940) *Henotesia ubenica* Thurau,1903 (Satyridae) Synonym(s): *ubenica Thurau,1903; #unicinata Thurau,1903*
68941) *Henotesia ubenica mahale* Kielland,1990 (Satyridae) Synonym(s): *mahale Kielland,1990*
68942) *Henotesia ubenica ubenica* Thurau,1903 (Satyridae) Synonym(s): *ubenica Thurau,1903; #unicinata Thurau,1903*
68943) *Henotesia ubenica ugandica* Kielland,1990 (Satyridae) Synonym(s): *ugandica Kielland,1990*
68944) *Henotesia ubenica uzungwa* Kielland,1990 (Satyridae) Synonym(s): *uzungwa Kielland,1990*
68945) *Henotesia undulans* (Oberthür,1916) (Satyridae) Synonym(s): *undulans Oberthür,1916*
68946) *Henotesia undulans undulans* (Oberthür,1916) (Satyridae) Synonym(s): *undulans Oberthür,1916*
68947) *Henotesia undulata* (Oberthür,1916) (Satyridae) Synonym(s): *undulata Oberthür,1916*
68948) *Henotesia undulata undulata* (Oberthür,1916) (Satyridae) Synonym(s): *undulata Oberthür,1916*
68949) *Henotesia undulosa* Oberthür,1916 (Satyridae) Synonym(s): *undulosa Oberthür,1916; luctuosa Oberthür,1916*
68950) *Henotesia undulosa undulosa* (Oberthür,1916) (Satyridae) Synonym(s): *undulosa Oberthür,1916; luctuosa Oberthür,1916*
68951) *Henotesia uniformis* (Oberthür,1916) (Satyridae) Synonym(s): *uniformis Oberthür,1916*
68952) *Henotesia uniformis uniformis* (Oberthür,1916) (Satyridae) Synonym(s): *uniformis Oberthür,1916*
68953) *Henotesia vola* (Ward,1870) (Satyridae) Synonym(s): *vola Ward,1870*
68954) *Henotesia vola vola* (Ward,1870) (Satyridae) Synonym(s): *vola Ward,1870*
68955) *Henotesia wardiana* (Oberthür,1916) (Satyridae) Synonym(s): *wardiana Oberthür,1916*
68956) *Henotesia wardiana wardiana* (Oberthür,1916) (Satyridae) Synonym(s): *wardiana Oberthür,1916*
68957) *Hermeuptychia hermes* (Fabricius,1775) (Satyridae) Synonym(s): *hermes Fabricius,1775; canthe Hübner,[1811]*
68958) *Hermeuptychia sosybius* (Fabricius,1793) (Satyridae) Synonym(s): *sosybius Fabricius,1793*
68959) *Heteropsis antsianakana* Oberthür,1916 (Satyridae) Synonym(s): *antsianakana Oberthür,1916*
68960) *Heteropsis antsianakana antsianakana* Oberthür,1916 (Satyridae) Synonym(s): *antsianakana Oberthür,1916*
68961) *Heteropsis drepana* Westwood,[1850] (Satyridae) Synonym(s): *drepana Westwood,[1850]*
68962) *Heteropsis drepana drepana* Westwood,[1850] (Satyridae) Synonym(s): *drepana Westwood,[1850]*
68963) *Hipparchia* (Euhipparchia) *stulta* (Staudinger,1882) (Satyridae) Synonym(s): *stulta Staudinger,1882*
68964) *Hipparchia* (Euhipparchia) *stulta stulta* (Staudinger,1882) (Satyridae) Synonym(s): *stulta Staudinger,1882*
68965) *Hipparchia* (Neohipparchia) *fatua* (Freyer,1844) (Satyridae) Synonym(s): *fatua Freyer,1844; sichaea Lederer,1857; insularis Turati,1929; elineata Verity,1937; infracastanea Verity,1938; kosswigi De Lattin,1950.*
68966) *Hipparchia* (Neohipparchia) *fatua dagi* Korshunov & Krasilnikova,1990 (Satyridae) Synonym(s): *dagi Korshunov & Krasilnikova,1990*
68967) *Hipparchia* (Neohipparchia) *fatua fatua* (Freyer,1844) (Satyridae) Synonym(s): *fatua Freyer,1844; sichaea Lederer,1857; insularis Turati,1929; elineata Verity,1937; infracastanea Verity,1938; kosswigi De Lattin,1950.*
68968) *Hipparchia* (Neohipparchia) *fatua persicana* (Verity,1937) (Satyridae) Synonym(s): *persicana Verity,1937; klapperichi Gross & Ebert,1975.*
68969) *Hipparchia* (Neohipparchia) *fatua sichaea* (Lederer,1857) (Satyridae) Synonym(s): *sichaea Lederer,1857*
68970) *Hipparchia* (Neohipparchia) *hansii* (Austaut,1879) (Satyridae) Synonym(s): *hansii Austaut,1879; montana Austaut,1905; holli Oberthür,1909; powelli Oberthür,1910; columbati Oberthür,1922; belouini Oberthür,1922; chpakowskyi Chneour,1942.*
68971) *Hipparchia* (Neohipparchia) *hansii colombati* (Oberthür,1921) (Satyridae) Synonym(s): *colombati Oberthür,1921*
68972) *Hipparchia* (Neohipparchia) *hansii edithae* Tarrier,1996 (Satyridae) Synonym(s): *edithae Tarrier,1996*
68973) *Hipparchia* (Neohipparchia) *hansii hansii* (Austaut,1879) (Satyridae) Synonym(s): *hansii Austaut,1879; montana Austaut,1905; holli Oberthür,1909; powelli Oberthür,1910; columbati Oberthür,1922; belouini Oberthür,1922; chpakowskyi Chneour,1942.*
68974) *Hipparchia* (Neohipparchia) *hansii tansleyi* Tarrier,1995 (Satyridae) Synonym(s): *tansleyi Tarrier,1995*
68975) *Hipparchia* (Neohipparchia) *parisatis* (Kollar,[1849]) (Satyridae) Synonym(s): *parisatis Kollar,[1849]; macrophthalmus Eversmann,1851; malatinus Heyne,1894; ismail Gross & Ebert,1975; huochenensis Huang & Zhou,2000.*

- 68976) *Hipparchia* (*Neohipparchia*) *parisatis parisatis* (Kollar,[1849]) (Satyridae) Synonym(s): *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail* Gross & Ebert,1975; *huochenensis* Huang & Zhou,2000.
- 68977) *Hipparchia* (*Neohipparchia*) *parisatis parsis* (Le Cerf,1913) (Satyridae) Synonym(s): *paris* Le Cerf,1913
- 68978) *Hipparchia* (*Neohipparchia*) *parisatis shiva* (Le Cerf,1913) (Satyridae) Synonym(s): *shiva* Le Cerf,1913
- 68979) *Hipparchia* (*Parahipparchia*) *statalinus* (Hufnagel,1766) (Satyridae) Synonym(s): *statalinus* Hufnagel,1766; *fauna* Sulzer,1776 nec Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 nec Denis & Schiff.,1775; *allionii* Hübner,1826, etc.
- 68980) *Hipparchia* (*Neohipparchia*) *statalinus anaxarchus* (Fruhstorfer,1909) (Satyridae) Synonym(s): *anaxarchus* Fruhstorfer,1909
- 68981) *Hipparchia* (*Neohipparchia*) *statalinus bierica* Le Charles,1953 (Satyridae) Synonym(s): *bierica* Le Charles,1953
- 68982) *Hipparchia* (*Neohipparchia*) *statalinus burgeffi* (Forster,1951) (Satyridae) Synonym(s): *burgeffi* Forster,1951
- 68983) *Hipparchia* (*Neohipparchia*) *statalinus martianii* (Herrich-Schäffer,[1844]) (Satyridae) Synonym(s): *martianii* Herrich-Schäffer,[1844]; *fatuae* fromis Verity,1919.
- 68984) *Hipparchia* (*Neohipparchia*) *statalinus minutula* (Verity,1938) (Satyridae) Synonym(s): *minutula* Verity,1938.
- 68985) *Hipparchia* (*Neohipparchia*) *statalinus statilinus* (Hufnagel,1766) (Satyridae) Synonym(s): *statalinus* Hufnagel,1766; *fauna* Sulzer,1776 nec Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 nec Denis & Schiff.,1775; *allionii* Hübner,1826, etc.
- 68986) *Hipparchia* (*Neohipparchia*) *statalinus sylvicola* (Austaut,1880) (Satyridae) Synonym(s): *sylvicola* Austaut,1880; *rungs* Varin,1952.
- 68987) *Hipparchia* (*Neohipparchia*) *statalinus vanicola* (De Lattin,1950) (Satyridae) Synonym(s): *vanicola* De Lattin,1950
- 68988) *Hipparchia* (*Parahipparchia*) *aristaeus* (Bonelli,1826) (Satyridae) Synonym(s): *aristaeus* Bonelli,1826; *sardoa* Spuler,1908; *rautheri* Krause,1912; *ichnusa* Hemming,1931; *algorica* auct.
- 68989) *Hipparchia* (*Parahipparchia*) *aristaeus algericus* (Oberthür,1876) (Satyridae) Synonym(s): *algericus* Oberthür,1876
- 68990) *Hipparchia* (*Parahipparchia*) *aristaeus aristaeus* (Bonelli,1826) (Satyridae) Synonym(s): *aristaeus* Bonelli,1826; *sardoa* Spuler,1908; *rautheri* Krause,1912; *ichnusa* Hemming,1931; *algorica* auct.
- 68991) *Hipparchia* (*Parahipparchia*) *aristaeus blachieri* Fruhstorfer,1908 (Satyridae) Synonym(s): *blachieri* Fruhstorfer,1908; *siciliana* Oberthür,1915.
- 68992) *Hipparchia* (*Parahipparchia*) *aristaeus senthes* (Fruhstorfer,1908) (Satyridae) Synonym(s): *senthes* Fruhstorfer,1908.
- 68993) *Hipparchia* (*Parahipparchia*) *azorina* (Strecker,1899) (Satyridae) Synonym(s): *azorina* Strecker,1899
- 68994) *Hipparchia* (*Parahipparchia*) *azorina azorina* (Strecker,1899) (Satyridae) Synonym(s): *azorina* Strecker,1899
- 68995) *Hipparchia* (*Parahipparchia*) *azorina barbara* Sousa,1985 (Satyridae) Synonym(s): *barbara* Sousa,1985
- 68996) *Hipparchia* (*Parahipparchia*) *azorina jorgense* Oehmig,1983 (Satyridae) Synonym(s): *jorgense* Oehmig,1983
- 68997) *Hipparchia* (*Parahipparchia*) *azorina ohshimai* (Esaki,1936) (Satyridae) Synonym(s): *ohshimai* Esaki,1936
- 68998) *Hipparchia* (*Parahipparchia*) *christenseni* Kudrna,1977 (Satyridae) Synonym(s): *christenseni* Kudrna,1977
- 68999) *Hipparchia* (*Parahipparchia*) *christenseni christenseni* Kudrna,1977 (Satyridae) Synonym(s): *christenseni* Kudrna,1977
- 69000) *Hipparchia* (*Parahipparchia*) *cretica* (Rebel,1916) (Satyridae) Synonym(s): *cretica* Rebel,1916
- 69001) *Hipparchia* (*Parahipparchia*) *cretica cretica* (Rebel,1916) (Satyridae) Synonym(s): *cretica* Rebel,1916
- 69002) *Hipparchia* (*Parahipparchia*) *cypriensis* (Holik,1949) (Satyridae) Synonym(s): *cypriensis* Holik,1949
- 69003) *Hipparchia* (*Parahipparchia*) *cypriensis cypriensis* (Holik,1949) (Satyridae) Synonym(s): *cypriensis* Holik,1949
- 69004) *Hipparchia* (*Parahipparchia*) *leighebi* (Kudrna,1976) (Satyridae) Synonym(s): *leighebi* Kudrna,1976
- 69005) *Hipparchia* (*Parahipparchia*) *leighebi leighebi* (Kudrna,1976) (Satyridae) Synonym(s): *leighebi* Kudrna,1976
- 69006) *Hipparchia* (*Parahipparchia*) *maderensis* (Baker,1891) (Satyridae) Synonym(s): *maderensis* Baker,1891
- 69007) *Hipparchia* (*Parahipparchia*) *maderensis maderensis* (Baker,1891) (Satyridae) Synonym(s): *maderensis* Baker,1891
- 69008) *Hipparchia* (*Parahipparchia*) *mersina* (Staudinger,1871) (Satyridae) Synonym(s): *mersina* Staudinger,1871; *malickyi* Kudrna,1977.
- 69009) *Hipparchia* (*Parahipparchia*) *mersina mersina* (Staudinger,1871) (Satyridae) Synonym(s): *mersina* Staudinger,1871; *malickyi* Kudrna,1977.
- 69010) *Hipparchia* (*Parahipparchia*) *miguelensis* (Le Cerf,1935) (Satyridae) Synonym(s): *miguelensis* Le Cerf,1935
- 69011) *Hipparchia* (*Parahipparchia*) *miguelensis miguelensis* (Le Cerf,1935) (Satyridae) Synonym(s): *miguelensis* Le Cerf,1935
- 69012) *Hipparchia* (*Parahipparchia*) *neapolitana* (Stauder,1921) (Satyridae) Synonym(s): *neapolitana* Stauder,1921
- 69013) *Hipparchia* (*Parahipparchia*) *neapolitana neapolitana* (Stauder,1921) (Satyridae) Synonym(s): *neapolitana* Stauder,1921
- 69014) *Hipparchia* (*Parahipparchia*) *neomiris* (Godart,1822) (Satyridae) Synonym(s): *neomiris* Godart,1822; *marmorae* Hübner,[1826]; *jolaus* Bonelli,1826; *saengeri* Krause,1912; *bipicta* Verity,1916.
- 69015) *Hipparchia* (*Parahipparchia*) *neomiris neomiris* (Godart,1822) (Satyridae) Synonym(s): *neomiris* Godart,1822; *marmorae* Hübner,[1826]; *jolaus* Bonelli,1826; *saengeri* Krause,1912; *bipicta* Verity,1916.
- 69016) *Hipparchia* (*Parahipparchia*) *occidentalis* Sousa,1982 (Satyridae) Synonym(s): *occidentalis* Sousa,1982
- 69017) *Hipparchia* (*Parahipparchia*) *occidentalis minima* Sousa,1985 (Satyridae) Synonym(s): *minima* Sousa,1985
- 69018) *Hipparchia* (*Parahipparchia*) *occidentalis occidentalis* Sousa,1982 (Satyridae) Synonym(s): *occidentalis* Sousa,1982
- 69019) *Hipparchia* (*Parahipparchia*) *pellucida* (Stauder,1924) (Satyridae) Synonym(s): *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976.
- 69020) *Hipparchia* (*Parahipparchia*) *pellucida pellucida* (Stauder,1924) (Satyridae) Synonym(s): *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976.
- 69021) *Hipparchia* (*Parahipparchia*) *sbordonii* Kudrna,1984 (Satyridae) Synonym(s): *sbordonii* Kudrna,1984
- 69022) *Hipparchia* (*Parahipparchia*) *sbordonii sbordonii* Kudrna,1984 (Satyridae) Synonym(s): *sbordonii* Kudrna,1984
- 69023) *Hipparchia* (*Parahipparchia*) *semele* (Linnaeus,1758) (Satyridae) Synonym(s): *semele* Linnaeus,1758; *danae* Hufnagel,1766; *vulgaris* Zeller,1847; *anopenopterus* Lambrichs,1875; *diffusa* Butler,1880; *scota* Verity,1911; *tristis* Wahlgren,1913; *angliae* Verity,1924; *anglorum* Verity,1924; *thyone* Thompson,1944; *clarensis* Lattin,1952, etc.
- 69024) *Hipparchia* (*Parahipparchia*) *semele cadmus* (Fruhstorfer,1908) (Satyridae) Synonym(s): *cadmus* Fruhstorfer,1908; *teres* Fruhstorfer,1908; *subcinericea* Ribbe,1909; *blachieroides* Stauder,1921; *neapolitana* Stauder,1921; *polydorus* Stauder,1922; *apenninigena* Verity,1923; *paeninsulitaliae* Verity,1924; *martire* Sagarra,1930.
- 69025) *Hipparchia* (*Parahipparchia*) *semele semele* (Linnaeus,1758) (Satyridae) Synonym(s): *semele* Linnaeus,1758; *danae* Hufnagel,1766; *vulgaris* Zeller,1847; *anopenopterus* Lambrichs,1875; *diffusa* Butler,1880; *teres* Fruhst.,1908; *subcinericea* Ribbe,1909; *scota* Verity,1911; *tristis* Wahlgren,1913; *polydorus* Stauder,1922; *angliae* Verity,1924, etc.
- 69026) *Hipparchia* (*Parahipparchia*) *semele subcinericea* (Ribbe,1910) (Satyridae) Synonym(s): *subcinericea* Ribbe,1910
- 69027) *Hipparchia* (*Parahipparchia*) *semele wilkinsoni* Kudrna,1977 (Satyridae) Synonym(s): *wilkinsoni* Kudrna,1977
- 69028) *Hipparchia* (*Parahipparchia*) *turcmenica* (Heydemann,1942) (Satyridae) Synonym(s): *turcmenica* Heydemann,1942
- 69029) *Hipparchia* (*Parahipparchia*) *turcmenica turcmenica* (Heydemann,1942) (Satyridae) Synonym(s): *turcmenica* Heydemann,1942
- 69030) *Hipparchia* (*Parahipparchia*) *volgensis* (Mazochin-Porshnjakov,1952) (Satyridae) Synonym(s): *volgensis* Mazochin-Porshnjakov,1952
- 69031) *Hipparchia* (*Parahipparchia*) *volgensis delattini* Kudrna,1975 (Satyridae) Synonym(s): *delattini* Kudrna,1975; *muelleri* Kudrna,1975.
- 69032) *Hipparchia* (*Parahipparchia*) *volgensis volgensis* (Mazochin-Porshnjakov,1952) (Satyridae) Synonym(s): *volgensis* Mazochin-Porshnjakov,1952
- 69033) *Hipparchia* (*Pseudotergumia*) *bacchus* (Higgins,1967) (Satyridae) Synonym(s): *bacchus* Higgins,1967
- 69034) *Hipparchia* (*Pseudotergumia*) *bacchus bacchus* (Higgins,1967) (Satyridae) Synonym(s): *bacchus* Higgins,1967
- 69035) *Hipparchia* (*Pseudotergumia*) *fidia* (Linnaeus,1767) (Satyridae) Synonym(s): *fidia* Linnaeus,1767; *paleia* Fruhstorfer,1908; *velleia* Fruhstorfer,1908; *minor* Oberthür,1909; *hebitis* Rothschild,1917; *minerva* Hemming,1934; *kandarica* Varin,1953; *benimguldi* Varin,1953; *splendum* Varin,1958; *balearica* Perceval,1975; *arseniae* Gomez-Bust.,1977.
- 69036) *Hipparchia* (*Pseudotergumia*) *fidia albovenosa* (Austaut,1885) (Satyridae) Synonym(s): *albovenosa* Austaut,1885
- 69037) *Hipparchia* (*Pseudotergumia*) *fidia fidia* (Linnaeus,1767) (Satyridae) Synonym(s): *fidia* Linnaeus,1767
- 69038) *Hipparchia* (*Pseudotergumia*) *gomera* (Higgins,1967) (Satyridae) Synonym(s): *gomera* Higgins,1967
- 69039) *Hipparchia* (*Pseudotergumia*) *gomera gomera* (Higgins,1967) (Satyridae) Synonym(s): *gomera* Higgins,1967
- 69040) *Hipparchia* (*Pseudotergumia*) *pisidice* (Klug,1832) (Satyridae) Synonym(s): *pisidice* Klug,1832
- 69041) *Hipparchia* (*Pseudotergumia*) *pisidice pisidice* (Klug,1832) (Satyridae) Synonym(s): *pisidice* Klug,1832
- 69042) *Hipparchia* (*Pseudotergumia*) *tewfiki* (Wiltshire,1949) (Satyridae) Synonym(s): *tewfiki* Wiltshire,1949
- 69043) *Hipparchia* (*Pseudotergumia*) *tewfiki tewfiki* (Wiltshire,1949) (Satyridae) Synonym(s): *tewfiki* Wiltshire,1949
- 69044) *Hipparchia* (*Pseudotergumia*) *tilosi* (Manil,1984) (Satyridae) Synonym(s): *tilosi* Manil,1984
- 69045) *Hipparchia* (*Pseudotergumia*) *tilosi tilosi* (Manil,1984) (Satyridae) Synonym(s): *tilosi* Manil,1984
- 69046) *Hipparchia* (*Pseudotergumia*) *wyssii* (Christ,1889) (Satyridae) Synonym(s): *wyssii* Christ,1889
- 69047) *Hipparchia* (*Pseudotergumia*) *wyssii tamadabae* (Owen & Smith,1992) (Satyridae) Synonym(s): *tamadabae* Owen & Smith,1992

- 69048) **Hipparchia** (*Pseudotergumia*) **wyssii** **wyssii** (Christ,1889) (Satyridae) Synonym(s): *wyssii* Christ,1889
- 69049) **Hipparchia** (s.str.) **alcyone** ([Denis & Schiffermüller],1775) (Satyridae) Synonym(s): *alcyone* [Denis & Schiffermüller],1775; *jurtina* Hufnagel,1766 *nec* Linnaeus,1758; *hermione* Linnaeus,1767 *nec* Linnaeus,1764; *aelia* Hoffmannsegg,1804; *odilo* Fruhstorfer,1908; *sogdiana* Fruhstorfer,1910; *caeca* Hannemann,1931, #*faronica* Varin,1963.
- 69050) **Hipparchia** (s.str.) **alcyone** **alcyone** ([Denis & Schiffermüller],1775) (Satyridae) Synonym(s): *alcyone* [Denis & Schiffermüller],1775; *jurtina* Hufnagel,1766 *nec* Linnaeus,1758; *hermione* Linnaeus,1767 *nec* Linnaeus,1764; *aelia* Hoffmannsegg,1804; *odilo* Fruhstorfer,1908; *sogdiana* Fruhstorfer,1910; *caeca* Hannemann,1931, #*faronica* Varin,1963.
- 69051) **Hipparchia** (s.str.) **alcyone** **caroli** (Rothschild,1933) (Satyridae) Synonym(s): *maroccana* Oberthür,1920 *nec* Meade-Waldo,1906; *caroli* Rothschild,1933 [June]; *natasha* Hemming,1933 [December].
- 69052) **Hipparchia** (s.str.) **alcyone** **pyrenaea** (Oberthür,1894) (Satyridae) Synonym(s): *pyrenaea* Oberthür,1894; *pyrenaica* Ribbe,1909.
- 69053) **Hipparchia** (s.str.) **alcyone** **vandalusica** (Oberthür,1894) (Satyridae) Synonym(s): *vandalusica* Oberthür,1894; #*vernetensis* Oberthür,1894; *vipsania* Fruhstorfer,1908; *murciana* Ribbe,1909; *ibarrae* Agenjo,1961; *graellsii* Agenjo,1961; *ochrea* Agenjo,1961; *pardoi* Agenjo,1961.
- 69054) **Hipparchia** (s.str.) **autonoe** (Esper,[1783]) (Satyridae) Synonym(s): *autonoe* Esper,[1783]; *sibirica* Staudinger,1861; *extrema* Alpheraky,1889; *chinensis* Seok,1937.
- 69055) **Hipparchia** (s.str.) **autonoe** **autonoe** (Esper,[1783]) (Satyridae) Synonym(s): *autonoe* Esper,[1783]; *sibirica* Staudinger,1861; *extrema* Alpheraky,1889; *chinensis* Seok,1937.
- 69056) **Hipparchia** (s.str.) **autonoe** **celaeno** (Leech,1892) (Satyridae) Synonym(s): *celaeno* Leech,1892
- 69057) **Hipparchia** (s.str.) **autonoe** **maxima** (O.Bang-Haas,1933) (Satyridae) Synonym(s): *maxima* O.Bang-Haas,1933; *manchurica* Minoura,1941.
- 69058) **Hipparchia** (s.str.) **autonoe** **orchomenus** (Fruhstorfer,1911) (Satyridae) Synonym(s): *orchomenus* Fruhstorfer,1911
- 69059) **Hipparchia** (s.str.) **autonoe** **zezonis** (Seok,1934) (Satyridae) Synonym(s): *zezonis* Seok,1934
- 69060) **Hipparchia** (s.str.) **ellena** (Oberthür,1894) (Satyridae) Synonym(s): *ellena* Oberthür,1894
- 69061) **Hipparchia** (s.str.) **ellena** **ellena** (Oberthür,1894) (Satyridae) Synonym(s): *ellena* Oberthür,1894
- 69062) **Hipparchia** (s.str.) **fagi** (Scopoli,1763) (Satyridae) Synonym(s): *fagi* Scopoli,1763; *hermione* Linnaeus,1764; *silene* Fourcroy,1785; *orpnia* Fruhstorfer,1908; *sigurdrija* Fruhstorfer,1908; *aturia* Fruhstorfer,1910; *albifera* Fruhstorfer,1910; *alcyoniformis* Verity,1911; *sicula* Schwingenschuß,1942; *fixiensis* Varin,1963.
- 69063) **Hipparchia** (s.str.) **fagi** **fagi** (Scopoli,1763) (Satyridae) Synonym(s): *fagi* Scopoli,1763; *hermione* Linnaeus,1764; *silene* Fourcroy,1785; *orpnia* Fruhstorfer,1908; *sigurdrija* Fruhstorfer,1908; *aturia* Fruhstorfer,1910; *albifera* Fruhstorfer,1910; *alcyoniformis* Verity,1911; *sicula* Schwingenschuß,1942; *fixiensis* Varin,1963.
- 69064) **Hipparchia** (s.str.) **fagi** **tetrica** (Fruhstorfer,1907) (Satyridae) Synonym(s): *tetrica* Fruhstorfer,1907
- 69065) **Hipparchia** (s.str.) **genava** (Fruhstorfer,1908) (Satyridae) Synonym(s): *genava* Fruhstorfer,1908; *vivilo* Fruhstorfer,1908; *latevittata* Verity,1911; *remota* Verity,1911; *elysika* Varin,1958; *sigurdrija sensu* Varin,1963 (cf. Leraut,1990, Ent. gall. 2(1): 8-19).
- 69066) **Hipparchia** (s.str.) **genava** **genava** (Fruhstorfer,1908) (Satyridae) Synonym(s): *genava* Fruhstorfer,1908; *vivilo* Fruhstorfer,1908; *latevittata* Verity,1911; *remota* Verity,1911; *elysika* Varin,1958; *sigurdrija sensu* Varin,1963 (cf. Leraut,1990, Ent. gall. 2(1): 8-19).
- 69067) **Hipparchia** (s.str.) **syriaca** (Staudinger,1871) (Satyridae) Synonym(s): *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959.
- 69068) **Hipparchia** (s.str.) **syriaca** **cypriaca** (Staudinger,1878) (Satyridae) Synonym(s): *cypriaca* Staudinger,1878
- 69069) **Hipparchia** (s.str.) **syriaca** **ghigii** Turati,1929 (Satyridae) Synonym(s): *ghigii* Turati,1929
- 69070) **Hipparchia** (s.str.) **syriaca** **syriaca** (Staudinger,1871) (Satyridae) Synonym(s): *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959.
- 69071) **Houlbertia** **andrivola** (Mabille,1877) (Satyridae) Synonym(s): *andrivola* Mabille,1877
- 69072) **Houlbertia** **andrivola** **andrivola** (Mabille,1877) (Satyridae) Synonym(s): *andrivola* Mabille,1877
- 69073) **Houlbertia** **cingulina** (Mabille,1880) (Satyridae) Synonym(s): *cingulina* Mabille,1880
- 69074) **Houlbertia** **cingulina** **cingulina** (Mabille,1880) (Satyridae) Synonym(s): *cingulina* Mabille,1880
- 69075) **Houlbertia** **erebennis** Oberthür,1916 (Satyridae) Synonym(s): *erebennis* Oberthür,1916
- 69076) **Houlbertia** **erebennis** **erebennis** Oberthür,1916 (Satyridae) Synonym(s): *erebennis* Oberthür,1916
- 69077) **Houlbertia** **masikora** (Mabille,1877) (Satyridae) Synonym(s): *masikora* Mabille,1877
- 69078) **Houlbertia** **masikora** **masikora** (Mabille,1877) (Satyridae) Synonym(s): *masikora* Mabille,1877
- 69079) **Houlbertia** **narova** (Mabille,1877) (Satyridae) Synonym(s): *narova* Mabille,1877
- 69080) **Houlbertia** **narova** **narova** (Mabille,1877) (Satyridae) Synonym(s): *narova* Mabille,1877
- 69081) **Houlbertia** **passandava** (Ward,1871) (Satyridae) Synonym(s): *passandava* Ward,1871
- 69082) **Houlbertia** **passandava** **passandava** (Ward,1871) (Satyridae) Synonym(s): *passandava* Ward,1871
- 69083) **Houlbertia** **perdita** (Butler,1878) (Satyridae) Synonym(s): *perdita* Butler,1878
- 69084) **Houlbertia** **perdita** **perdita** (Butler,1878) (Satyridae) Synonym(s): *perdita* Butler,1878
- 69085) **Houlbertia** **wardii** (Mabille,1877) (Satyridae) Synonym(s): *wardii* Mabille,1877
- 69086) **Houlbertia** **wardii** **wardii** (Mabille,1877) (Satyridae) Synonym(s): *wardii* Mabille,1877
- 69087) **Hyponephele** (s.str. (Caspinephele)) **dysdora** (Lederer,1869) (Satyridae) Synonym(s): *dysdora* Lederer,1869; # *dystora* Eckweiler & Hofmann,1980.
- 69088) **Hyponephele** (s.str. (Caspinephele)) **dysdora** **dysdora** (Lederer,1869) (Satyridae) Synonym(s): *dysdora* Lederer,1869; # *dystora* Eckweiler & Hofmann,1980.
- 69089) **Hyponephele** (s.str. (Caspinephele)) **dysdora** **dysdorina** (Heyne,[1894]) (Satyridae) Synonym(s): *dysdorina* Heyne,[1894]; #*dysdora* Wagner,1913.
- 69090) **Hyponephele** (s.str. (Caspinephele)) **dysdora** **iparkhan** Koçak & Kemal,2001 (Satyridae) Synonym(s): *dysdorina sensu* Samodurov et al., 1996 *nec* Heyn,[1894]; *iparkhan* Koçak & Kemal,2001.
- 69091) **Hyponephele** (s.str. (Caspinephele)) **murzini** Dubatolov,1989 (Satyridae) Synonym(s): *murzini* Dubatolov,1989
- 69092) **Hyponephele** (s.str. (Caspinephele)) **murzini** **murzini** Dubatolov,1989 (Satyridae) Synonym(s): *murzini* Dubatolov,1989
- 69093) **Hyponephele** (s.str. (Caspinephele)) **prasolovi** Lukhtanov,1990 (Satyridae) Synonym(s): *prasolovi* Lukhtanov,1990
- 69094) **Hyponephele** (s.str. (Caspinephele)) **prasolovi** **prasolovi** Lukhtanov,1990 (Satyridae) Synonym(s): *prasolovi* Lukhtanov,1990
- 69095) **Hyponephele** (s.str. (Caspinephele)) **tristis** (Groum-Grshimailo,1893) (Satyridae) Synonym(s): *tristis* Groum-Grshimailo,1893; *leontyi* Shchetkin,1979.
- 69096) **Hyponephele** (s.str. (Caspinephele)) **tristis** **tristis** (Groum-Grshimailo,1893) (Satyridae) Synonym(s): *tristis* Groum-Grshimailo,1893; *leontyi* Shchetkin,1979.
- 69097) **Hyponephele** (s.str. (Caspinephele)) **tristis** **tshikolovetsi** Samodurov,1996 (Satyridae) Synonym(s): *tshikolovetsi* Samodurov,1996
- 69098) **Hyponephele** (s.str. (Coenonephele)) **coenonympha** (C.Felder & R.Felder,[1867]) (Satyridae) Synonym(s): *coenonympha* C.Felder & R.Felder,[1867]
- 69099) **Hyponephele** (s.str. (Coenonephele)) **coenonympha** **coenonympha** (C.Felder & R.Felder,[1867]) (Satyridae) Synonym(s): *coenonympha* C.Felder & R.Felder,[1867]
- 69100) **Hyponephele** (s.str. (Ereminphele)) **capella** (Christoph,1877) (Satyridae) Synonym(s): *capella* Christoph,1877
- 69101) **Hyponephele** (s.str. (Ereminphele)) **capella** **capella** (Christoph,1877) (Satyridae) Synonym(s): *capella* Christoph,1877
- 69102) **Hyponephele** (s.str. (Ereminphele)) **capella** **dena** Skala,2003 (Satyridae) Synonym(s): *dena* Skala,2003
- 69103) **Hyponephele** (s.str. (Ereminphele)) **capella** **eitschbergeri** Kesküla,1998 (Satyridae) Synonym(s): *eitschbergeri* Kesküla,1998
- 69104) **Hyponephele** (s.str. (Ereminphele)) **capella** **grossi** Wyatt & Omoto,1966 (Satyridae) Synonym(s): *grossi* Wyatt & Omoto,1966
- 69105) **Hyponephele** (s.str. (Ereminphele)) **capella** **jezail** Clench & Shoumatoff,1956 (Satyridae) Synonym(s): *jezail* Clench & Shoumatoff,1956
- 69106) **Hyponephele** (s.str. (Ereminphele)) **capella** **shivacola** Wyatt,1961 (Satyridae) Synonym(s): *shivacola* Wyatt,1961
- 69107) **Hyponephele** (s.str. (Ereminphele)) **fusca** (Stshetkin,1960) (Satyridae) Synonym(s): *fusca* Stshetkin,1960
- 69108) **Hyponephele** (s.str. (Ereminphele)) **fusca** **fusca** (Stshetkin,1960) (Satyridae) Synonym(s): *fusca* Stshetkin,1960
- 69109) **Hyponephele** (s.str. (Ereminphele)) **huebneri** Koçak,1980 (Satyridae) Synonym(s): *narica* Hübner,[1813] *nec* Fabricius,1793; *huebneri* Koçak,1980
- 69110) **Hyponephele** (s.str. (Ereminphele)) **huebneri** **huebneri** Koçak,1980 (Satyridae) Synonym(s): *narica* Hübner,[1813] *nec* Fabricius,1793; *huebneri* Koçak,1980
- 69111) **Hyponephele** (s.str. (Ereminphele)) **huebneri** **iliensis** Lukhtanov,1999 (Satyridae) Synonym(s): *iliensis* Lukhtanov,1999
- 69112) **Hyponephele** (s.str. (Ereminphele)) **naricina** (Staudinger,1870) (Satyridae) Synonym(s): *naricina* Staudinger,1870
- 69113) **Hyponephele** (s.str. (Ereminphele)) **naricina** **naricina** (Staudinger,1870) (Satyridae) Synonym(s): *naricina* Staudinger,1870
- 69114) **Hyponephele** (s.str. (Ereminphele)) **naricoides** Gross,1977 (Satyridae) Synonym(s): *naricoides* Gross,1977
- 69115) **Hyponephele** (s.str. (Ereminphele)) **naricoides** **naricoides** Gross,1977 (Satyridae) Synonym(s): *naricoides* Gross,1977
- 69116) **Hyponephele** (s.str. (Iranonephele)) **amaradae** (Lederer,1869) (Satyridae) Synonym(s): *amaradae* Lederer,1869

- 69117) *Hyponephele* (s.str. *Iranonephele*) *amardaea* (Lederer, 1869) (Satyridae) Synonym(s): *amardaea* Lederer, 1869
- 69118) *Hyponephele* (s.str. *Iranonephele*) *fortambeka* Samodurov, 1996 (Satyridae) Synonym(s): *fortambeka* Samodurov, 1996
- 69119) *Hyponephele* (s.str. *Iranonephele*) *fortambeka fortambeka* Samodurov, 1996 (Satyridae) Synonym(s): *fortambeka* Samodurov, 1996
- 69120) *Hyponephele* (s.str. *Iranonephele*) *glasunovi* (Groum-Grshimailo, 1893) (Satyridae) Synonym(s): *glasunovi* Groum-Grshimailo, 1893
- 69121) *Hyponephele* (s.str. *Iranonephele*) *glasunovi glasunovi* (Groum-Grshimailo, 1893) (Satyridae) Synonym(s): *glasunovi* Groum-Grshimailo, 1893
- 69122) *Hyponephele* (s.str. *Iranonephele*) *glasunovi magna* Samodurov, 1996 (Satyridae) Synonym(s): *magna* Samodurov, 1996
- 69123) *Hyponephele* (s.str. *Iranonephele*) *glasunovi namangana* Lukhtanov, 1996 (Satyridae) Synonym(s): *namangana* Lukhtanov, 1996
- 69124) *Hyponephele* (s.str. *Iranonephele*) *glasunovi naryna* Lukhtanov, 1996 (Satyridae) Synonym(s): *naryna* Lukhtanov, 1996
- 69125) *Hyponephele* (s.str. *Iranonephele*) *hilaris* (Staudinger, 1886) (Satyridae) Synonym(s): *hilaris* Staudinger, 1886
- 69126) *Hyponephele* (s.str. *Iranonephele*) *hilaris bori* (Herz, 1900) (Satyridae) Synonym(s): *bori* Herz, 1900
- 69127) *Hyponephele* (s.str. *Iranonephele*) *hilaris djalali* Wyatt & Omoto, 1966 (Satyridae) Synonym(s): *djalali* Wyatt & Omoto, 1966
- 69128) *Hyponephele* (s.str. *Iranonephele*) *hilaris hilaris* (Staudinger, 1886) (Satyridae) Synonym(s): *hilaris* Staudinger, 1886
- 69129) *Hyponephele* (s.str. *Iranonephele*) *hilaris pallida* Samodurov, 2000 (Satyridae) Synonym(s): *pallida* Samodurov, 2000
- 69130) *Hyponephele* (s.str. *Iranonephele*) *hilaris shahnawazi* Wyatt & Omoto, 1966 (Satyridae) Synonym(s): *shahnawazi* Wyatt & Omoto, 1966
- 69131) *Hyponephele* (s.str. *Iranonephele*) *hilaris tsvetajevi* Samodurov, 1996 (Satyridae) Synonym(s): *tsvetajevi* Samodurov, 1996
- 69132) *Hyponephele* (s.str. *Iranonephele*) *kocaki* Eckweiler, 1978 (Satyridae) Synonym(s): *kocaki* Eckweiler, 1978
- 69133) *Hyponephele* (s.str. *Iranonephele*) *kocaki kocaki* Eckweiler, 1978 (Satyridae) Synonym(s): *kocaki* Eckweiler, 1978
- 69134) *Hyponephele* (s.str. *Iranonephele*) *kocaki melesina* Weiss & Skala, 2000 (Satyridae) Synonym(s): *melesina* Weiss & Skala, 2000
- 69135) *Hyponephele* (s.str. *Iranonephele*) *naubidensis* (Erschoff, 1874) (Satyridae) Synonym(s): *naubidensis* Erschoff, 1874
- 69136) *Hyponephele* (s.str. *Iranonephele*) *naubidensis decorata* Sheljuzhko, 1919 (Satyridae) Synonym(s): *decorata* Sheljuzhko, 1919
- 69137) *Hyponephele* (s.str. *Iranonephele*) *naubidensis naubidensis* (Erschoff, 1874) (Satyridae) Synonym(s): *naubidensis* Erschoff, 1874
- 69138) *Hyponephele* (s.str. *Iranonephele*) *perplexa* Wyatt & Omoto, 1966 (Satyridae) Synonym(s): *perplexa* Wyatt & Omoto, 1966
- 69139) *Hyponephele* (s.str. *Iranonephele*) *perplexa eisneri* Sakai, 1978 (Satyridae) Synonym(s): *eisneri* Sakai, 1978
- 69140) *Hyponephele* (s.str. *Iranonephele*) *perplexa perplexa* Wyatt & Omoto, 1966 (Satyridae) Synonym(s): *perplexa* Wyatt & Omoto, 1966
- 69141) *Hyponephele* (s.str. *Iranonephele*) *perplexa transalaica* Lukhtanov, 1996 (Satyridae) Synonym(s): *transalaica* Lukhtanov, 1996
- 69142) *Hyponephele* (s.str. *Orientinephele*) *carbonelli* Lukhtanov, 1995 (Satyridae) Synonym(s): *carbonelli* Lukhtanov, 1995
- 69143) *Hyponephele* (s.str. *Orientinephele*) *carbonelli carbonelli* Lukhtanov, 1995 (Satyridae) Synonym(s): *carbonelli* Lukhtanov, 1995
- 69144) *Hyponephele* (s.str. *Orientinephele*) *difficilis* Clench & Shoumatoff, 1956 (Satyridae) Synonym(s): *difficilis* Clench & Shoumatoff, 1956
- 69145) *Hyponephele* (s.str. *Orientinephele*) *difficilis difficilis* Clench & Shoumatoff, 1956 (Satyridae) Synonym(s): *difficilis* Clench & Shoumatoff, 1956
- 69146) *Hyponephele* (s.str. *Orientinephele*) *kashmirensis* (Heyne, [1894]) (Satyridae) Synonym(s): *kashmirensis* Heyne, [1894]
- 69147) *Hyponephele* (s.str. *Orientinephele*) *kashmirensis kashmirensis* (Heyne, [1894]) (Satyridae) Synonym(s): *kashmirensis* Heyne, [1894]
- 69148) *Hyponephele* (s.str. *Orientinephele*) *mussitans* Clench & Shoumatoff, 1956 (Satyridae) Synonym(s): *mussitans* Clench & Shoumatoff, 1956
- 69149) *Hyponephele* (s.str. *Orientinephele*) *mussitans bala* Wyatt & Omoto, 1966 (Satyridae) Synonym(s): *bala* Wyatt & Omoto, 1966
- 69150) *Hyponephele* (s.str. *Orientinephele*) *mussitans mussitans* Clench & Shoumatoff, 1956 (Satyridae) Synonym(s): *mussitans* Clench & Shoumatoff, 1956
- 69151) *Hyponephele* (s.str. *Orientinephele*) *mussitans pseudomussitans* Wyatt & Omoto, 1966 (Satyridae) Synonym(s): *pseudomussitans* Wyatt & Omoto, 1966
- 69152) *Hyponephele* (s.str. *Orientinephele*) *pulchella* (C.Felder & R.Felder, [1867]) (Satyridae) Synonym(s): *pulchella* C.Felder & R.Felder, [1867]
- 69153) *Hyponephele* (s.str. *Orientinephele*) *pulchella pulchella* (C.Felder & R.Felder, [1867]) (Satyridae) Synonym(s): *pulchella* C.Felder & R.Felder, [1867]
- 69154) *Hyponephele* (s.str. *Orientinephele*) *pulchra* (C.Felder & R.Felder, [1867]) (Satyridae) Synonym(s): *pulchra* C.Felder & R.Felder, [1867]
- 69155) *Hyponephele* (s.str. *Orientinephele*) *pulchra astorica* (Tytler, 1926) (Satyridae) Synonym(s): *astorica* Tytler, 1926
- 69156) *Hyponephele* (s.str. *Orientinephele*) *pulchra baroghila* (Tytler, 1926) (Satyridae) Synonym(s): *baroghila* Tytler, 1926
- 69157) *Hyponephele* (s.str. *Orientinephele*) *pulchra neoza* (Lang, 1868) (Satyridae) Synonym(s): *neoza* Lang, 1868
- 69158) *Hyponephele* (s.str. *Orientinephele*) *pulchra pulchra* (C.Felder & R.Felder, [1867]) (Satyridae) Synonym(s): *pulchra* C.Felder & R.Felder, [1867]
- 69159) *Hyponephele* (s.str. *Orientinephele*) *pulchra sylvia* (Hemming, 1933) (Satyridae) Synonym(s): *chitralica* Tytler, 1926 nec Evans, 1923; *sylvia* Hemming, 1933.
- 69160) *Hyponephele* (s.str. *Tengrinephele*) *cadusia* (Lederer, 1869) (Satyridae) Synonym(s): *cadusia* Lederer, 1869
- 69161) *Hyponephele* (s.str. *Tengrinephele*) *cadusia brandti* Gross & Ebert, 1975 (Satyridae) Synonym(s): *brandti* Gross & Ebert, 1975
- 69162) *Hyponephele* (s.str. *Tengrinephele*) *cadusia cadusia* (Lederer, 1869) (Satyridae) Synonym(s): *cadusia* Lederer, 1869
- 69163) *Hyponephele* (s.str. *Tengrinephele*) *cadusia mansura* Skala, 2003 (Satyridae) Synonym(s): *mansura* Skala, 2003
- 69164) *Hyponephele* (s.str. *Tengrinephele*) *cadusia nourii* Skala, 2003 (Satyridae) Synonym(s): *nourii* Skala, 2003
- 69165) *Hyponephele* (s.str. *Tengrinephele*) *cadusia zerneca* Skala, 2003 (Satyridae) Synonym(s): *zerneca* Skala, 2003
- 69166) *Hyponephele* (s.str. *Tengrinephele*) *cadusina* (Staudinger, 1881) (Satyridae) Synonym(s): *cadusina* Staudinger, 1881
- 69167) *Hyponephele* (s.str. *Tengrinephele*) *cadusina cadusina* (Staudinger, 1881) (Satyridae) Synonym(s): *cadusina* Staudinger, 1881
- 69168) *Hyponephele* (s.str. *Tengrinephele*) *cadusina gurkini* Korshunov, 1995 (Satyridae) Synonym(s): *gurkini* Korshunov, 1995
- 69169) *Hyponephele* (s.str. *Tengrinephele*) *kirghisa* (Alpheraky, 1881) (Satyridae) Synonym(s): *kirghisa* Alpheraky, 1881; *chamyla* Staudinger, [1900]; *#chamila* Wagner, 1913; *terskeana* Lukhtanov, 1994.
- 69170) *Hyponephele* (s.str. *Tengrinephele*) *kirghisa kirghisa* (Alpheraky, 1881) (Satyridae) Synonym(s): *kirghisa* Alpheraky, 1881; *chamyla* Staudinger, [1900]; *#chamila* Wagner, 1913; *terskeana* Lukhtanov, 1994.
- 69171) *Hyponephele* (s.str. *Tengrinephele*) *kirghisa obscurata* Samodurov, 1996 (Satyridae) Synonym(s): *obscurata* Samodurov, 1996
- 69172) *Hyponephele* (s.str. *Tengrinephele*) *laeta* (Staudinger, 1886) (Satyridae) Synonym(s): *laeta* Staudinger, 1886; *monotoma* Staudinger, 1886.
- 69173) *Hyponephele* (s.str. *Tengrinephele*) *laeta laeta* (Staudinger, 1886) (Satyridae) Synonym(s): *laeta* Staudinger, 1886; *monotoma* Staudinger, 1886.
- 69174) *Hyponephele* (s.str. *Tengrinephele*) *laeta ochracea* Samodurov, 1996 (Satyridae) Synonym(s): *ochracea* Samodurov, 1996
- 69175) *Hyponephele* (s.str. *Tengrinephele*) *laeta turkeстана* Samodurov, 1996 (Satyridae) Synonym(s): *turkeстана* Samodurov, 1996
- 69176) *Hyponephele* (s.str. *Tengrinephele*) *pamira* Lukhtanov, 1990 (Satyridae) Synonym(s): *pamira* Lukhtanov, 1990
- 69177) *Hyponephele* (s.str. *Tengrinephele*) *pamira jakobsoni* Lukhtanov, 1990 (Satyridae) Synonym(s): *jakobsoni* Lukhtanov, 1990
- 69178) *Hyponephele* (s.str. *Tengrinephele*) *pamira pamira* Lukhtanov, 1990 (Satyridae) Synonym(s): *pamira* Lukhtanov, 1990
- 69179) *Hyponephele* (s.str. *Tengrinephele*) *pseudokirgisa* Stshetkin, 1984 (Satyridae) Synonym(s): *pseudokirgisa* Stshetkin, 1984
- 69180) *Hyponephele* (s.str. *Tengrinephele*) *pseudokirgisa pseudokirgisa* Stshetkin, 1984 (Satyridae) Synonym(s): *pseudokirgisa* Stshetkin, 1984
- 69181) *Hyponephele* (s.str. *Tengrinephele*) *sheljuzhkoi* Samodurov & Tshikolovez, 1996 (Satyridae) Synonym(s): *sheljuzhkoi* Samodurov & Tshikolovez, 1996
- 69182) *Hyponephele* (s.str. *Tengrinephele*) *sheljuzhkoi sheljuzhkoi* Samodurov & Tshikolovez, 1996 (Satyridae) Synonym(s): *sheljuzhkoi* Samodurov & Tshikolovez, 1996
- 69183) *Hyponephele* (s.str. *Turaninephele*) *argyrostigma* Tusov & Samodurov, 1997 (Satyridae) Synonym(s): *argyrostigma* Tusov & Samodurov, 1997
- 69184) *Hyponephele* (s.str. *Turaninephele*) *argyrostigma argyrostigma* Tusov & Samodurov, 1997 (Satyridae) Synonym(s): *argyrostigma* Tusov & Samodurov, 1997
- 69185) *Hyponephele* (s.str. *Turaninephele*) *brevistigma* (Moore, 1892) (Satyridae) Synonym(s): *brevistigma* Moore, 1892
- 69186) *Hyponephele* (s.str. *Turaninephele*) *brevistigma alaina* Lukhtanov, 1996 (Satyridae) Synonym(s): *alaina* Lukhtanov, 1996
- 69187) *Hyponephele* (s.str. *Turaninephele*) *brevistigma brevistigma* (Moore, 1892) (Satyridae) Synonym(s): *brevistigma* Moore, 1892
- 69188) *Hyponephele* (s.str. *Turaninephele*) *brevistigma evanescens* Wyatt & Omoto, 1966 (Satyridae) Synonym(s): *evanescens* Wyatt & Omoto, 1966
- 69189) *Hyponephele* (s.str. *Turaninephele*) *comara* (Lederer, 1871) (Satyridae) Synonym(s): *comara* Lederer, 1871
- 69190) *Hyponephele* (s.str. *Turaninephele*) *comara comara* (Lederer, 1871) (Satyridae) Synonym(s): *comara* Lederer, 1871
- 69191) *Hyponephele* (s.str. *Turaninephele*) *davendra* (Moore, 1865) (Satyridae) Synonym(s): *davendra* Moore, 1865; *roxane* Felder & Felder, 1867.
- 69192) *Hyponephele* (s.str. *Turaninephele*) *davendra chitralica* (Evans, 1923) (Satyridae) Synonym(s): *chitralica* Evans, 1923
- 69193) *Hyponephele* (s.str. *Turaninephele*) *davendra davendra* (Moore, 1865) (Satyridae) Synonym(s): *davendra* Moore, 1865; *roxane* Felder & Felder, 1867.
- 69194) *Hyponephele* (s.str. *Turaninephele*) *davendra fergana* Lukhtanov, 1996 (Satyridae) Synonym(s): *fergana* Lukhtanov, 1996
- 69195) *Hyponephele* (s.str. *Turaninephele*) *davendra latistigma* (Moore, 1892) (Satyridae) Synonym(s): *latistigma* Moore, 1892; *kondoi* Howarth, 1976
- 69196) *Hyponephele* (s.str. *Turaninephele*) *davendra seravschana* Lukhtanov, 1996 (Satyridae) Synonym(s): *seravschana* Lukhtanov, 1996
- 69197) *Hyponephele* (s.str. *Turaninephele*) *issykkuli* Samodurov, 1996 (Satyridae) Synonym(s): *issykkuli* Samodurov, 1996
- 69198) *Hyponephele* (s.str. *Turaninephele*) *issykkuli issykkuli* Samodurov, 1996 (Satyridae) Synonym(s): *issykkuli* Samodurov, 1996

- 69199) Hyponephele (s.str. (Turaninephele)) korshunovi Lukhtanov,1995 (Satyridae) Synonym(s): *korshunovi Lukhtanov,1995*
- 69200) Hyponephele (s.str. (Turaninephele)) korshunovi korshunovi Lukhtanov,1995 (Satyridae) Synonym(s): *korshunovi Lukhtanov,1995*
- 69201) Hyponephele (s.str. (Turaninephele)) shirazica Carbonell,1997 (Satyridae) Synonym(s): *shirazica Carbonell,1997*
- 69202) Hyponephele (s.str. (Turaninephele)) shirazica aryana Carbonell & Naderi,2004 (Satyridae) Synonym(s): *aryana Carbonell & Naderi,2004*
- 69203) Hyponephele (s.str. (Turaninephele)) shirazica shirazica Carbonell,1997 (Satyridae) Synonym(s): *shirazica Carbonell,1997*
- 69204) Hyponephele (s.str. (Turaninephele)) tenuistigma (Moore,1892) (Satyridae) Synonym(s): *tenuistigma Moore,1892*
- 69205) Hyponephele (s.str. (Turaninephele)) tenuistigma laspura (Evans,1932) (Satyridae) Synonym(s): *laspura Evans,1932*
- 69206) Hyponephele (s.str. (Turaninephele)) tenuistigma tenuistigma (Moore,1892) (Satyridae) Synonym(s): *tenuistigma Moore,1892*
- 69207) Hyponephele (s.str. (Turaninephele)) urartua De Freina & Aussem,[1987] (Satyridae) Synonym(s): *urartua De Freina & Aussem,[1987]*
- 69208) Hyponephele (s.str. (Turaninephele)) urartua urartua De Freina & Aussem,[1987] (Satyridae) Synonym(s): *urartua De Freina & Aussem,[1987]*
- 69209) Hyponephele (s.str. (Turaninephele)) wagneri (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): *wagneri Herrich-Schäffer,[1846]; schmidt Bang-Haas,1927.*
- 69210) Hyponephele (s.str. (Turaninephele)) wagneri mandane (Kollar,[1849]) (Satyridae) Synonym(s): *mandane Kollar,[1849]*
- 69211) Hyponephele (s.str. (Turaninephele)) wagneri wagneri (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): *wagneri Herrich-Schäffer,[1846]*
- 69212) Hyponephele (s.str. (Turkestaninephele)) galtscha (Groum-Grshimailo,1893) (Satyridae) Synonym(s): *galtscha Groum-Grshimailo,1893*
- 69213) Hyponephele (s.str. (Turkestaninephele)) galtscha galtscha (Groum-Grshimailo,1893) (Satyridae) Synonym(s): *galtscha Groum-Grshimailo,1893*
- 69214) Hyponephele (s.str. (Turkestaninephele)) germana (Staudinger,1887) (Satyridae) Synonym(s): *germana Staudinger,1887*
- 69215) Hyponephele (s.str. (Turkestaninephele)) germana germana (Staudinger,1887) (Satyridae) Synonym(s): *germana Staudinger,1887*
- 69216) Hyponephele (s.str. (Turkestaninephele)) haberhaueri (Staudinger,1886) (Satyridae) Synonym(s): *haberhaueri Staudinger,1886*
- 69217) Hyponephele (s.str. (Turkestaninephele)) haberhaueri haberhaueri (Staudinger,1886) (Satyridae) Synonym(s): *haberhaueri Staudinger,1886*
- 69218) Hyponephele (s.str. (Turkestaninephele)) haberhaueri ocellata Samodurov,1995 (Satyridae) Synonym(s): *ocellata Samodurov,1995*
- 69219) Hyponephele (s.str. (Turkestaninephele)) maureri (Staudinger,1886) (Satyridae) Synonym(s): *maureri Staudinger,1886*
- 69220) Hyponephele (s.str. (Turkestaninephele)) maureri maureri (Staudinger,1886) (Satyridae) Synonym(s): *maureri Staudinger,1886*
- 69221) Hyponephele (s.str. (Turkestaninephele)) maureri subnephele (Stshetkin,1963) (Satyridae) Synonym(s): *subnephele Stshetkin,1963*
- 69222) Hyponephele (s.str. (Turkestaninephele)) rubriceps (Herz,1900) (Satyridae) Synonym(s): *rubriceps Herz,1900; toharica Dubatolov & Sergeev,1991; karakongrada Dubatolov,1991.*
- 69223) Hyponephele (s.str. (Turkestaninephele)) rubriceps rubriceps (Herz,1900) (Satyridae) Synonym(s): *rubriceps Herz,1900; toharica Dubatolov & Sergeev,1991; karakongrada Dubatolov,1991.*
- 69224) Hyponephele (s.str. (Turkestaninephele)) rueckbeili (Staudinger,1887) (Satyridae) Synonym(s): *rueckbeili Staudinger,1887*
- 69225) Hyponephele (s.str. (Turkestaninephele)) rueckbeili rueckbeili (Staudinger,1887) (Satyridae) Synonym(s): *rueckbeili Staudinger,1887*
- 69226) Hyponephele (s.str.) catamelas (Staudinger,1886) (Satyridae) Synonym(s): *catamelas Staudinger,1886*
- 69227) Hyponephele (s.str.) catamelas catamelas (Staudinger,1886) (Satyridae) Synonym(s): *catamelas Staudinger,1886*
- 69228) Hyponephele (s.str.) catamelas rufodiffusus Korb,2000 (Satyridae) Synonym(s): *rufodiffusus Korb,2000*
- 69229) Hyponephele (s.str.) dzhungarica Samodurov,1996 (Satyridae) Synonym(s): *dzhungarica Samodurov,1996*
- 69230) Hyponephele (s.str.) dzhungarica dzhungarica Samodurov,1996 (Satyridae) Synonym(s): *dzhungarica Samodurov,1996*
- 69231) Hyponephele (s.str.) hasantahsin Koçak & Kemal,2002 (Satyridae) Synonym(s): *hasantahsin Koçak & Kemal,2002*
- 69232) Hyponephele (s.str.) hasantahsin hasantahsin Koçak & Kemal,2002 (Satyridae) Synonym(s): *hasantahsin Koçak & Kemal,2002*
- 69233) Hyponephele (s.str.) interposita (Erschoff,1874) (Satyridae) Synonym(s): *interposita Erschoff,1874; margelanica Turati,1909 (cf. Samodurov et al.,1995, Atalanta 26 (1/2): 182).*
- 69234) Hyponephele (s.str.) interposita depressa Korolew,1995 (Satyridae) Synonym(s): *depressa Korolew,1995*
- 69235) Hyponephele (s.str.) interposita interposita (Erschoff,1874) (Satyridae) Synonym(s): *interposita Erschoff,1874; margelanica Turati,1909 (cf. Samodurov et al.,1995, Atalanta 26 (1/2): 182).*
- 69236) Hyponephele (s.str.) interposita mimonovi Samodurov,1995 (Satyridae) Synonym(s): *mimonovi Samodurov,1995*
- 69237) Hyponephele (s.str.) jasavi Lukhtanov,1990 (Satyridae) Synonym(s): *jasavi Lukhtanov,1990*
- 69238) Hyponephele (s.str.) jasavi jasavi Lukhtanov,1990 (Satyridae) Synonym(s): *jasavi Lukhtanov,1990*
- 69239) Hyponephele (s.str.) lupina (Costa,[1836]) (Satyridae) Synonym(s): *lupina Costa,[1836]*
- 69240) Hyponephele (s.str.) lupina herata Howarth & Povolny,1976 (Satyridae) Synonym(s): *herata Howarth & Povolny,1976; kopetdagica Samodurov,2001.*
- 69241) Hyponephele (s.str.) lupina intermedia (Staudinger,1886) (Satyridae) Synonym(s): *intermedia Staudinger,1886; transcaucasica Jachontov,1910; centralis Riley,1921; captus Riley,1921; cypriaca Riley,1921; #lupinulus Turati & Fiori,1930.*
- 69242) Hyponephele (s.str.) lupina lupina (Costa,[1836]) (Satyridae) Synonym(s): *lupina Costa,[1836]*
- 69243) Hyponephele (s.str.) lupina mauretanica (Oberthür,1881) (Satyridae) Synonym(s): *mauretanica Oberthür,1881; magdalena Hemming,1928.*
- 69244) Hyponephele (s.str.) lupina rhamnusii (Freyer,[1845]) (Satyridae) Synonym(s): *rhamnusii Freyer,[1845]; analampra Turati,1909*
- 69245) Hyponephele (s.str.) lupina turanica (Rühl,[1894]) (Satyridae) Synonym(s): *uranica Rühl,[1894]; margelanica Turati,1909.*
- 69246) Hyponephele (s.str.) lycaon (Rottemburg,1775) (Satyridae) Synonym(s): *lycaon Rottemburg,1775; #lycaon Kuhn,1774; eudora Esper,1778; janirula Esper,1800.*
- 69247) Hyponephele (s.str.) lycaon alpherakyi (Sheljuzhko,1937) (Satyridae) Synonym(s): *alpherakyi Sheljuzhko,1937*
- 69248) Hyponephele (s.str.) lycaon catalampra (Staudinger,1895) (Satyridae) Synonym(s): *catalampra Staudinger,1895*
- 69249) Hyponephele (s.str.) lycaon collina (Röber,1897) (Satyridae) Synonym(s): *collina Röber,1897; catictera Turati,1909 ?*
- 69250) Hyponephele (s.str.) lycaon jakovlevi Korolev,2001 (Satyridae) Synonym(s): *jakovlevi Korolev,2001*
- 69251) Hyponephele (s.str.) lycaon kambyses Gross & Ebert,1975 (Satyridae) Synonym(s): *kambyses Gross & Ebert,1975*
- 69252) Hyponephele (s.str.) lycaon kangal Koçak & Kemal,2002 (Satyridae) Synonym(s): *kangal Koçak & Kemal,2002*
- 69253) Hyponephele (s.str.) lycaon libanotica (Staudinger,1901) (Satyridae) Synonym(s): *libanotica Staudinger,1901*
- 69254) Hyponephele (s.str.) lycaon lycaon (Rottemburg,1775) (Satyridae) Synonym(s): *lycaon Rottemburg,1775; #lycaon Kuhn,1774; eudora Esper,1778; janirula Esper,1800.*
- 69255) Hyponephele (s.str.) lycaon macrophthalma (Fruhstorfer,1909) (Satyridae) Synonym(s): *macrophthalma Fruhstorfer,1909*
- 69256) Hyponephele (s.str.) lycaon nikokles (Fruhstorfer,1909) (Satyridae) Synonym(s): *nikokles Fruhstorfer,1909*
- 69257) Hyponephele (s.str.) lycaon pardoi Manley,1969 (Satyridae) Synonym(s): *pardoi Manley,1969*
- 69258) Hyponephele (s.str.) lycaon salona (Fruhstorfer,1909) (Satyridae) Synonym(s): *salona Fruhstorfer,1909*
- 69259) Hyponephele (s.str.) lycaonoides Weiss,1978 (Satyridae) Synonym(s): *lycaonoides Weiss,1978*
- 69260) Hyponephele (s.str.) lycaonoides bugrai Koçak,1989 (Satyridae) Synonym(s): *bugrai Koçak,1989*
- 69261) Hyponephele (s.str.) lycaonoides buraki Koçak,1989 (Satyridae) Synonym(s): *buraki Koçak,1989*
- 69262) Hyponephele (s.str.) lycaonoides lycaonoides Weiss,1978 (Satyridae) Synonym(s): *lycaonoides Weiss,1978*
- 69263) Hyponephele (s.str.) lycaonoides suati Koçak,1989 (Satyridae) Synonym(s): *suati Koçak,1989*
- 69264) Hyponephele (s.str.) maroccana (Blachier,1908) (Satyridae) Synonym(s): *maroccana Blachier,1908.*
- 69265) Hyponephele (s.str.) maroccana maroccana (Blachier,1908) (Satyridae) Synonym(s): *maroccana Blachier,1908.*
- 69266) Hyponephele (s.str.) maroccana nivellei (Oberthür,1920) (Satyridae) Synonym(s): *nivellei Oberthür,1920*
- 69267) Hyponephele (s.str.) pasimelas (Staudinger,1886) (Satyridae) Synonym(s): *pasimelas Staudinger,1886; #parimelas Rühl,[1894].*
- 69268) Hyponephele (s.str.) pasimelas monochromus Korb,2000 (Satyridae) Synonym(s): *monochromus Korb,2000*
- 69269) Hyponephele (s.str.) pasimelas pasimelas (Staudinger,1886) (Satyridae) Synonym(s): *pasimelas Staudinger,1886; #parimelas Rühl,[1894].*
- 69270) Hyponephele (s.str.) przhewalskyi Dubatolov, Sergeev & Zhdanko,1994 (Satyridae) Synonym(s): *przhewalskyi Dubatolov, Sergeev & Zhdanko,1994*
- 69271) Hyponephele (s.str.) przhewalskyi przhewalskyi Dubatolov, Sergeev & Zhdanko,1994 (Satyridae) Synonym(s): *przhewalskyi Dubatolov, Sergeev & Zhdanko,1994*
- 69272) Hyponephele (s.str.) zuvandica Samodurov & Koroljev,1996 (Satyridae) Synonym(s): *zuvandica Samodurov & Koroljev,1996; #zuvandi Korb,2000*
- 69273) Hyponephele (s.str.) zuvandica zuvandica Samodurov & Koroljev,1996 (Satyridae) Synonym(s): *zuvandica Samodurov & Koroljev,1996; #zuvandi Korb,2000*
- 69274) Hyponephele cheena (Moore,1865) (Satyridae) Synonym(s): *cheena Moore,1865*
- 69275) Hyponephele cheena cheena (Moore,1865) (Satyridae) Synonym(s): *cheena Moore,1865*
- 69276) Hyponephele cheena iskander (Hemming,1941) (Satyridae) Synonym(s): *iskander Hemming,1941*
- 69277) Hyponephele cheena kashmirica (Moore,1892) (Satyridae) Synonym(s): *kashmirica Moore,1892*
- 69278) Hyponephele kugitanghi Dubatolov & Sergeev, (Satyridae) Synonym(s): *kugitanghi Dubatolov & Sergeev,*

- 69279) *Hyponephele kugitanghi* kugitanghi Dubatolov & Sergeev, (Satyridae) Synonym(s): *kugitanghi* Dubatolov & Sergeev,
69280) *Hyponephele sifanica* (Groum-Grshimailo,1890) (Satyridae) Synonym(s): *sifanica* Groum-Grshimailo,1890
69281) *Hyponephele sifanica sifanica* (Groum-Grshimailo,1890) (Satyridae) Synonym(s): *sifanica* Groum-Grshimailo,1890
69282) *Hyponephele sussurans* Clench & Shoumatoff,1956 (Satyridae) Synonym(s): *sussurans* Clench & Shoumatoff,1956
69283) *Hyponephele sussurans clenchi* Wyatt & Omoto,1966 (Satyridae) Synonym(s): *sussurans clenchi* Wyatt & Omoto,1966
69284) *Hyponephele sussurans sussurans* Clench & Shoumatoff,1956 (Satyridae) Synonym(s): *sussurans* Clench & Shoumatoff,1956
69285) *Idata cecilia* (Vallantin,1894) (Satyridae) Synonym(s): *ida* Esper,1784 nec Cramer,1775; *cecilia* Vallantin,1894; *aphrodite* Hemming,1934.
69286) *Idata cecilia cecilia* (Vallantin,1894) (Satyridae) Synonym(s): *ida* Esper,1784 nec Cramer,1775; *cecilia* Vallantin,1894; *aphrodite* Hemming,1934.
69287) *Idata cecilia cyrenaicae* (Rothschild,1922) (Satyridae) Synonym(s): *cyrenaicae* Rothschild,1922
69288) *Idata cecilia marcida* (Fruhstorfer,1909) (Satyridae) Synonym(s): *marcida* Fruhstorfer,1909; *murciana* Ribbe,1910.
69289) *Idata cecilia neapolitana* (Oberthür,1909) (Satyridae) Synonym(s): *neapolitana* Oberthür,1909
69290) *Kanetisa digna* (Marschall,1882) (Satyridae) Synonym(s): *digna* Marschall,1882
69291) *Kanetisa digna digna* (Marschall,1882) (Satyridae) Synonym(s): *digna* Marschall,1882
69292) *Kanetisa digna pallas* (Evans,1923) (Satyridae) Synonym(s): *pallas* Evans,1923
69293) *Kanetisa digna perdigna* Clench & Shoumatoff,1956 (Satyridae) Synonym(s): *perdigna* Clench & Shoumatoff,1956
69294) *Kanetisa digna zarathustra* (Wyatt & Omoto,1966) (Satyridae) Synonym(s): *zarathustra* Wyatt & Omoto,1966
69295) *Kanetisa stheni* (Groum-Grshimailo,1887) (Satyridae) Synonym(s): *stheni* Groum-Grshimailo,1887
69296) *Kanetisa stheni stheni* (Groum-Grshimailo,1887) (Satyridae) Synonym(s): *stheni* Groum-Grshimailo,1887
69297) *Karanasa abramovi* (Erschoff,1884) (Satyridae) Synonym(s): *abramovi* Erschoff,1884
69298) *Karanasa abramovi abramovi* (Erschoff,1884) (Satyridae) Synonym(s): *abramovi* Erschoff,1884
69299) *Karanasa abramovi korlana* (Staudinger,1901) (Satyridae) Synonym(s): *korlana* Staudinger,1901
69300) *Karanasa abramovi naryna* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *naryna* Avinoff & Sweadner,1951
69301) *Karanasa abramovi regula* (Staudinger,1887) (Satyridae) Synonym(s): *regula* Staudinger,1887
69302) *Karanasa balti* Tytler,1926 (Satyridae) Synonym(s): *leechi* Moore,1893 nec Groum-Grshimailo; *balti* Tytler,1926
69303) *Karanasa balti balti* Tytler,1926 (Satyridae) Synonym(s): *leechi* Moore,1893 nec Groum-Grshimailo; *balti* Tytler,1926
69304) *Karanasa bolorica* (Groum-Grshimailo,1888) (Satyridae) Synonym(s): *bolorica* Groum-Grshimailo,1888
69305) *Karanasa bolorica bolorica* (Groum-Grshimailo,1888) (Satyridae) Synonym(s): *bolorica* Groum-Grshimailo,1888
69306) *Karanasa bolorica chitralica* Tytler,1926 (Satyridae) Synonym(s): *chitralica* Tytler,1926
69307) *Karanasa bolorica hodja* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *hodja* Avinoff & Sweadner,1951
69308) *Karanasa bolorica mohsenii* Wyatt & Omoto,1966 (Satyridae) Synonym(s): *mohsenii* Wyatt & Omoto,1966
69309) *Karanasa decolorata* (Staudinger,1901) (Satyridae) Synonym(s): *decolorata* Staudinger,1901
69310) *Karanasa decolorata decolorata* (Staudinger,1901) (Satyridae) Synonym(s): *decolorata* Staudinger,1901
69311) *Karanasa decolorata iscander* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *iscander* Avinoff & Sweadner,1951
69312) *Karanasa decolorata maidana* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *maidana* Avinoff & Sweadner,1951
69313) *Karanasa goergneri* Eckweiler,1990 (Satyridae) Synonym(s): *goergneri* Eckweiler,1990
69314) *Karanasa goergneri goergneri* Eckweiler,1990 (Satyridae) Synonym(s): *goergneri* Eckweiler,1990
69315) *Karanasa huebneri* (C.Felder & R.Felder,[1867]) (Satyridae) Synonym(s): *huebneri* C.Felder & R.Felder,[1867]; *caesia* Moore,1874; *leechi* Moore,1892; *modesta* Moore,1892; *pallida* Tytler,1926; *balti* Tytler,1926; *astorica* Tytler,1926.
69316) *Karanasa huebneri huebneri* (C.Felder & R.Felder,[1867]) (Satyridae) Synonym(s): *huebneri* C.Felder & R.Felder,[1867]; *caesia* Moore,1874; *leechi* Moore,1892; *modesta* Moore,1892; *pallida* Tytler,1926; *balti* Tytler,1926; *astorica* Tytler,1926.
69317) *Karanasa huebneri pupilata* Tytler,1926 (Satyridae) Synonym(s): *pupilata* Tytler,1926
69318) *Karanasa huebneri safeda* Tytler,1926 (Satyridae) Synonym(s): *safeda* Tytler,1926 (D'Abrera (1992: 222) treated this taxon as a distinct species).
69319) *Karanasa incerta* Bogdanov,1997 (Satyridae) Synonym(s): *incerta* Bogdanov,1997
69320) *Karanasa incerta incerta* Bogdanov,1997 (Satyridae) Synonym(s): *incerta* Bogdanov,1997
69321) *Karanasa josephi* (Staudinger,1882) (Satyridae) Synonym(s): *josephi* Staudinger,1882
69322) *Karanasa josephi angrena* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *angrena* Avinoff & Sweadner,1951
69323) *Karanasa josephi dissoluta* (Staudinger,1886) (Satyridae) Synonym(s): *dissoluta* Staudinger,1886
69324) *Karanasa josephi josephi* (Staudinger,1882) (Satyridae) Synonym(s): *josephi* Staudinger,1882
69325) *Karanasa josephi kasak* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *kasak* Avinoff & Sweadner,1951
69326) *Karanasa josephi talastauana* (O.Bang-Haas,1927) (Satyridae) Synonym(s): *talastauana* Bang-Haas,1927
69327) *Karanasa kasakstana* (O.Bang-Haas,1936) (Satyridae) Synonym(s): *kasakstana* O.Bang-Haas,1936
69328) *Karanasa kasakstana kasakstana* (O.Bang-Haas,1936) (Satyridae) Synonym(s): *kasakstana* O.Bang-Haas,1936
69329) *Karanasa kotandari* Wyatt,1961 (Satyridae) Synonym(s): *kotandari* Wyatt,1961
69330) *Karanasa kotandari kotandari* Wyatt,1961 (Satyridae) Synonym(s): *kotandari* Wyatt,1961
69331) *Karanasa latefasciata* (Groum-Grshimailo,1902) (Satyridae) Synonym(s): *latefasciata* Groum-Grshimailo,1902
69332) *Karanasa latefasciata kirgizorum* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *kirgizorum* Avinoff & Sweadner,1951
69333) *Karanasa latefasciata latefasciata* (Groum-Grshimailo,1902) (Satyridae) Synonym(s): *latefasciata* Groum-Grshimailo,1902
69334) *Karanasa latefasciata obscurior* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *obscurior* Avinoff & Sweadner,1951
69335) *Karanasa leechi* (Groum-Grshimailo,1890) (Satyridae) Synonym(s): *leechi* Groum-Grshimailo,1890
69336) *Karanasa leechi intermedia* (Groum-Grshimailo,1890) (Satyridae) Synonym(s): *intermedia* Groum-Grshimailo,1890
69337) *Karanasa leechi leechi* (Groum-Grshimailo,1890) (Satyridae) Synonym(s): *leechi* Groum-Grshimailo,1890
69338) *Karanasa moorei* (Evans,1912) (Satyridae) Synonym(s): *moorei* Evans,1912
69339) *Karanasa moorei gilgitica* Tytler,1926 (Satyridae) Synonym(s): *gilgitica* Tytler,1926
69340) *Karanasa moorei haarlovi* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *haarlovi* Avinoff & Sweadner,1951
69341) *Karanasa moorei moorei* (Evans,1912) (Satyridae) Synonym(s): *moorei* Evans,1912
69342) *Karanasa pamira* (Staudinger,1887) (Satyridae) Synonym(s): *pamira* Staudinger,1887
69343) *Karanasa pamira alpherakyi* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *alpherakyi* Avinoff & Sweadner,1951
69344) *Karanasa pamira haslundi* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *haslundi* Avinoff & Sweadner,1951
69345) *Karanasa pamira kafir* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *kafir* Avinoff & Sweadner,1951
69346) *Karanasa pamira pamira* (Staudinger,1887) (Satyridae) Synonym(s): *pamira* Staudinger,1887
69347) *Karanasa pamira titan* Wyatt & Omoto,1966 (Satyridae) Synonym(s): *titan* Wyatt & Omoto,1966
69348) *Karanasa pamira twomeyi* Wyatt,1961 (Satyridae) Synonym(s): *twomeyi* Wyatt,1961
69349) *Karanasa puengeleri* (O.Bang-Haas,1910) (Satyridae) Synonym(s): *puengeleri* O.Bang-Haas,1910; *erschovi* Avinoff,1910.
69350) *Karanasa puengeleri minutianus* (Fruhstorfer,1911) (Satyridae) Synonym(s): *minutianus* Fruhstorfer,1911
69351) *Karanasa puengeleri puengeleri* (O.Bang-Haas,1910) (Satyridae) Synonym(s): *puengeleri* O.Bang-Haas,1910; *erschovi* Avinoff,1910.
69352) *Karanasa regeli* (Alpheraky,1881) (Satyridae) Synonym(s): *regeli* Alpheraky,1881
69353) *Karanasa regeli regeli* (Alpheraky,1881) (Satyridae) Synonym(s): *regeli* Alpheraky,1881
69354) *Karanasa regeli ruckbeili* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *ruckbeili* Avinoff & Sweadner,1951
69355) *Karanasa regeli tancrei* (Groum-Grshimailo,1893) (Satyridae) Synonym(s): *tancrei* Groum-Grshimailo,1893; *conradti* Alpheraky,1894.
69356) *Karanasa straminea* Bogdanov,1997 (Satyridae) Synonym(s): *straminea* Bogdanov,1997
69357) *Karanasa straminea straminea* Bogdanov,1997 (Satyridae) Synonym(s): *straminea* Bogdanov,1997
69358) *Karanasa voigti* (O.Bang-Haas,1927) (Satyridae) Synonym(s): *voigti* O.Bang-Haas,1927
69359) *Karanasa voigti nigrocellata* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *nigrocellata* Avinoff & Sweadner,1951
69360) *Karanasa voigti voigti* (O.Bang-Haas,1927) (Satyridae) Synonym(s): *voigti* O.Bang-Haas,1927
69361) *Karanasa wilkinsi* (Erschoff,1884) (Satyridae) Synonym(s): *wilkinsi* Erschoff,1884
69362) *Karanasa wilkinsi dublitzkyi* (Bang-Haas,1927) (Satyridae) Synonym(s): *dublitzkyi* Bang-Haas,1927
69363) *Karanasa wilkinsi durana* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *durana* Avinoff & Sweadner,1951
69364) *Karanasa wilkinsi robusta* Avinoff & Sweadner,1951 (Satyridae) Synonym(s): *robusta* Avinoff & Sweadner,1951
69365) *Karanasa wilkinsi wilkinsi* (Erschoff,1884) (Satyridae) Synonym(s): *wilkinsi* Erschoff,1884
69366) *Kirinia* (Melike) roxelana (Cramer,[1777]) (Satyridae) Synonym(s): *roxelana* Cramer,[1777]

- 69367) *Kirinia (Melike) roxelana roxelana* (Cramer,[1777]) (Satyridae) Synonym(s): *roxelana* Cramer,[1777]
 69368) *Kirinia (s.str.) epaminondas* (Staudinger,1887) (Satyridae) Synonym(s): *epaminondas* Staudinger,1887
 69369) *Kirinia (s.str.) epaminondas epaminondas* (Staudinger,1887) (Satyridae) Synonym(s): *epaminondas* Staudinger,1887
 69370) *Kirinia (s.str.) epimenides (Ménétriés,1859)* (Satyridae) Synonym(s): *epimenides Ménétriés,1859*
 69371) *Kirinia (s.str.) epimenides epimenides (Ménétriés,1859)* (Satyridae) Synonym(s): *epimenides Ménétriés,1859*
 69372) *Lasiommata adrastoides* (Bienert,1870) (Satyridae) Synonym(s): *adrastoides* Bienert,1870
 69373) *Lasiommata adrastoides adrastoides (Bienert,1870)* (Satyridae) Synonym(s): *adrastoides* Bienert,1870
 69374) *Lasiommata ananda Charmeux,2001* (Satyridae) Synonym(s): *ananda Charmeux,2001*
 69375) *Lasiommata ananda ananda Charmeux,2001* (Satyridae) Synonym(s): *ananda Charmeux,2001*
 69376) *Lasiommata felix* (Warnecke,1929) (Satyridae) Synonym(s): *felix* Warnecke,1929
 69377) *Lasiommata felix felix* (Warnecke,1929) (Satyridae) Synonym(s): *felix* Warnecke,1929
 69378) *Lasiommata hindukushica* (Wyatt & Omoto,1966) (Satyridae) Synonym(s): *hindukushica* Wyatt & Omoto,1966
 69379) *Lasiommata hindukushica hindukushica* (Wyatt & Omoto,1966) (Satyridae) Synonym(s): *hindukushica* Wyatt & Omoto,1966
 69380) *Lasiommata ananda maderakal (Guérin-Méneville,1849)* (Satyridae) Synonym(s): *maderakal Guérin-Méneville,1849*
 69381) *Lasiommata maderakal maderakal (Guérin-Méneville,1849)* (Satyridae) Synonym(s): *maderakal Guérin-Méneville,1849*
 69382) *Lasiommata maera* (Linnaeus,1758) (Satyridae) Synonym(s): *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea Bang-Haas,1907*; *atabryris Fruhstorfer,1909*.
 69383) *Lasiommata maera abastumana* (Sheljuzhko,1937) (Satyridae) Synonym(s): *abastumana* Sheljuzhko,1937; *#armeniaca* Sheljuzhko,1937; *#karsiana* Sheljuzhko,1937.
 69384) *Lasiommata maera adrasta* (Hübner,[1824]) (Satyridae) Synonym(s): *proserpina* Cyrrilli,1787 *nec* Denis & Schiffermüller,1775; *adrasta* Hübner,[1824]; *australis* Zeller,1847; *leucocinia* Fruhstorfer,1908; *herdonia* Fruhstorfer,1909; *nevadensis* Oberthür,1909; *vulgaris* Verity,1913; *macroleucocinia* Verity,1935.
 69385) *Lasiommata maera atabyris* (Fruhstorfer,1909) (Satyridae) Synonym(s): *atabryris* Fruhstorfer,1909
 69386) *Lasiommata maera gracilis* (Sheljuzhko,1937) (Satyridae) Synonym(s): *gracilis* Sheljuzhko,1937.
 69387) *Lasiommata maera jachontovi* (Sheljuzhko,1937) (Satyridae) Synonym(s): *jachontovi* Sheljuzhko,1937; *#strandii* Sheljuzhko,1937.
 69388) *Lasiommata maera maera* (Linnaeus,1758) (Satyridae) Synonym(s): *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea Bang-Haas,1907*; *atabryris Fruhstorfer,1909*.
 69389) *Lasiommata maera orientalis* (Heyne,[1894]) (Satyridae) Synonym(s): *orientalis* Heyne,[1894].
 69390) *Lasiommata maera pseudoadrasta* (Stauder) (Satyridae) Synonym(s): *pseudoadrasta* Stauder
 69391) *Lasiommata maera silymbria* (Fruhstorfer,1909) (Satyridae) Synonym(s): *silymbria* Fruhstorfer,1909.
 69392) *Lasiommata maerula* C.Felder & R.Felder,[1867] (Satyridae) Synonym(s): *maerula* C.Felder & R.Felder,[1867]; *laurion* De Nicéville,1895.
 69393) *Lasiommata maerula maerula* C.Felder & R.Felder,[1867] (Satyridae) Synonym(s): *maerula* C.Felder & R.Felder,[1867]; *laurion* De Nicéville,1895.
 69394) *Lasiommata maerula tarbena* (Talbot,1947) (Satyridae) Synonym(s): *tarbena* Talbot,1947
 69395) *Lasiommata meadewaldoi* (Rothschild,1917) (Satyridae) Synonym(s): *meadewaldoi* Rothschild,1917
 69396) *Lasiommata meadewaldoi meadewaldoi* (Rothschild,1917) (Satyridae) Synonym(s): *meadewaldoi* Rothschild,1917
 69397) *Lasiommata megera* (Linnaeus,1767) (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
 69398) *Lasiommata megera depulverata* (Fruhstorfer,1909) (Satyridae) Synonym(s): *depulverata* Fruhstorfer,1909
 69399) *Lasiommata megera megera* (Linnaeus,1767) (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
 69400) *Lasiommata megera transcaspica* (Staudinger,1901) (Satyridae) Synonym(s): *transcaspica* Staudinger,1901; *megaerina* H.-S.,[1851]; *emilyssa* Verity,1919; *iranica* Riley,1921; *#transcaspia* Seven,2006
 69401) *Lasiommata megera vividior* (Verity,1953) (Satyridae) Synonym(s): *vividior* Verity,1953
 69402) *Lasiommata megera vividissima* (Verity,1923) (Satyridae) Synonym(s): *vividissima* Verity,1923
 69403) *Lasiommata menava* Moore,1865 (Satyridae) Synonym(s): *menava* Moore,1865.
 69404) *Lasiommata menava maeroides* C.Felder & R.Felder,[1867] (Satyridae) Synonym(s): *maeroides* C.Felder & R.Felder,[1867]
 69405) *Lasiommata menava menava* Moore,1865 (Satyridae) Synonym(s): *menava* Moore,1865.
 69406) *Lasiommata menava nasshreddini* (Christoph,1877) (Satyridae) Synonym(s): *nasshreddini* Christoph,1877
 69407) *Lasiommata paramagaera* (Hübner,[1824]) (Satyridae) Synonym(s): *paramagaera* Hübner,[1824]; *tigelius* Bonelli,1826.
 69408) *Lasiommata paramagaera paramagaera* (Hübner,[1824]) (Satyridae) Synonym(s): *paramagaera* Hübner,[1824]; *tigelius* Bonelli,1826.
 69409) *Lasiommata petropolitana* (Fabricius,1787) (Satyridae) Synonym(s): *petropolitana* Fabricius,1787; *ominata* Krulikovsky,1903; *calidia* Fruhstorfer,1908; *parvalpestris* Verity,1929.
 69410) *Lasiommata petropolitana petropolitana* (Fabricius,1787) (Satyridae) Synonym(s): *petropolitana* Fabricius,1787; *ominata* Krulikovsky,1903; *calidia* Fruhstorfer,1908; *parvalpestris* Verity,1929.
 69411) *Lasiommata schakra* (Kollar,[1844]) (Satyridae) Synonym(s): *schakra* Kollar,[1844]
 69412) *Lasiommata schakra aiyna* (Talbot,1947) (Satyridae) Synonym(s): *aiyna* Talbot,1947
 69413) *Lasiommata schakra schakra* (Kollar,[1844]) (Satyridae) Synonym(s): *schakra* Kollar,[1844]
 69414) *Lasiommata zagrossica* Lukhtanov & Dantchenko,2005 (Satyridae) Synonym(s): *zagrossica* Lukhtanov & Dantchenko,2005
 69415) *Lasiommata zagrossica zagrossica* Lukhtanov & Dantchenko,2005 (Satyridae) Synonym(s): *zagrossica* Lukhtanov & Dantchenko,2005
 69416) *Lethe baladeva* (Moore,1865) (Satyridae) Synonym(s): *baladeva* Moore,1865
 69417) *Lethe baladeva aisa* Fruhstorfer,1911 (Satyridae) Synonym(s): *aisa* Fruhstorfer,1911
 69418) *Lethe baladeva baladeva* (Moore,1865) (Satyridae) Synonym(s): *baladeva* Moore,1865
 69419) *Lethe bhairava* Moore,1858 (Satyridae) Synonym(s): *bhairava* Moore,1858; *anyasis* Hewitson,1862
 69420) *Lethe bhairava bhairava* Moore,1858 (Satyridae) Synonym(s): *bhairava* Moore,1858; *anyasis* Hewitson,1862
 69421) *Lethe chandica* Moore,1858 (Satyridae) Synonym(s): *chandica* Moore,1858
 69422) *Lethe chandica byzaccus* Fruhstorfer,1911 (Satyridae) Synonym(s): *byzaccus* Fruhstorfer,1911
 69423) *Lethe chandica canlaonensis* M.Okano & T.Okano,1991 (Satyridae) Synonym(s): *canlaonensis* M.Okano & T.Okano,1991
 69424) *Lethe chandica chandica* Moore,1858 (Satyridae) Synonym(s): *chandica* Moore,1858
 69425) *Lethe chandica flanana* Fruhstorfer,1911 (Satyridae) Synonym(s): *flanana* Fruhstorfer,1911
 69426) *Lethe chandica jomaria* Fruhstorfer,1911 (Satyridae) Synonym(s): *jomaria* Fruhstorfer,1911
 69427) *Lethe chandica namura* Fruhstorfer,1911 (Satyridae) Synonym(s): *namura* Fruhstorfer,1911
 69428) *Lethe chandica negrito* C.Felder & R.Felder,1863 (Satyridae) Synonym(s): *negrito* C.Felder & R.Felder,1863
 69429) *Lethe chandica ratnabandi* Fruhstorfer,1911 (Satyridae) Synonym(s): *ratnabandi* Fruhstorfer,1911
 69430) *Lethe chandica sisapon* Fruhstorfer,1911 (Satyridae) Synonym(s): *sisapon* Fruhstorfer,1911
 69431) *Lethe confusa Aurivillius,1898* (Satyridae) Synonym(s): *confusa* Aurivillius,1898; *gambara* Fruhstorfer,1911; *apara* Fruhstorfer,1911.
 69432) *Lethe confusa apara* Fruhstorfer,1911 (Satyridae) Synonym(s): *apara* Fruhstorfer,1911
 69433) *Lethe confusa confusa Aurivillius,1898* (Satyridae) Synonym(s): *confusa* Aurivillius,1898; *gambara* Fruhstorfer,1911; *apara* Fruhstorfer,1911.
 69434) *Lethe diana* (Butler,1866) (Satyridae) Synonym(s): *diana* Butler,1866
 69435) *Lethe diana diana* (Butler,1866) (Satyridae) Synonym(s): *diana* Butler,1866
 69436) *Lethe diana fixeni* Butler,1881 (Satyridae) Synonym(s): *fixeni* Butler,1881
 69437) *Lethe distans* Butler,1870 (Satyridae) Synonym(s): *distans* Butler,1870
 69438) *Lethe distans distans* Butler,1870 (Satyridae) Synonym(s): *distans* Butler,1870
 69439) *Lethe dora* Staudinger,1896 (Satyridae) Synonym(s): *dora* Staudinger,1896; *cerama* Shelford,1904
 69440) *Lethe dora dora* Staudinger,1896 (Satyridae) Synonym(s): *dora* Staudinger,1896; *cerama* Shelford,1904
 69441) *Lethe drypetis* (Hewitson,1863) (Satyridae) Synonym(s): *drypetis* Hewitson,1863
 69442) *Lethe drypetis drypetis* (Hewitson,1863) (Satyridae) Synonym(s): *drypetis* Hewitson,1863
 69443) *Lethe dura* (Marshall,1882) (Satyridae) Synonym(s): *dura* Marshall,1882; *libitina* Leech,1891; *gammiei* Moore,1892
 69444) *Lethe dura dura* (Marshall,1882) (Satyridae) Synonym(s): *dura* Marshall,1882; *libitina* Leech,1891; *gammiei* Moore,1892
 69445) *Lethe dura mansonii* Fruhstorfer,1911 (Satyridae) Synonym(s): *mansonii* Fruhstorfer,1911
 69446) *Lethe europa* (Fabricius,1775) (Satyridae) Synonym(s): *europa* Fabricius,1775; *ragalva* Fruhstorfer,1911.

- 69447) *Lethe europa acutefascia* Schröder & Treadaway, 1991 (Satyridae) Synonym(s): *acutefascia* Schröder & Treadaway, 1991
 69448) *Lethe europa alaca* Fruhstorfer, 1911 (Satyridae) Synonym(s): *alaca* Fruhstorfer, 1911
 69449) *Lethe europa cevanna* Fruhstorfer, 1911 (Satyridae) Synonym(s): *cevanna* Fruhstorfer, 1911
 69450) *Lethe europa europa* (Fabricius, 1775) (Satyridae) Synonym(s): *europa* Fabricius, 1775; *ragalva* Fruhstorfer, 1911.
 69451) *Lethe europa malaya* Corbet, 1941 (Satyridae) Synonym(s): *malaya* Corbet, 1941
 69452) *Lethe europa niladana* Fruhstorfer, 1911 (Satyridae) Synonym(s): *niladana* Fruhstorfer, 1911
 69453) *Lethe gemina* Leech, 1891 (Satyridae) Synonym(s): *gemina* Leech, 1891
 69454) *Lethe gemina chekiangensis* Mell, 1935 (Satyridae) Synonym(s): *chekiangensis* Mell, 1935
 69455) *Lethe gemina gafuri* Tytler, 1924 (Satyridae) Synonym(s): *gafuri* Tytler, 1924
 69456) *Lethe gemina gemina* Leech, 1891 (Satyridae) Synonym(s): *gemina* Leech, 1891
 69457) *Lethe gemina wilemani* Matsumura, 1909 (Satyridae) Synonym(s): *wilemani* Matsumura, 1909; *zaita* Fruhstorfer, 1914
 69458) *Lethe goalpara* (Moore, 1865) (Satyridae) Synonym(s): *goalpara* Moore, 1865
 69459) *Lethe goalpara gana* Talbot, 1947 (Satyridae) Synonym(s): *gana* Talbot, 1947
 69460) *Lethe goalpara goalpara* (Moore, 1865) (Satyridae) Synonym(s): *goalpara* Moore, 1865
 69461) *Lethe gulnihai* De Nicéville, 1887 (Satyridae) Synonym(s): *gulnihai* De Nicéville, 1887; *mandersi* Elwes, 1891; *issa* Fruhstorfer, 1911
 69462) *Lethe gulnihai gulnihai* De Nicéville, 1887 (Satyridae) Synonym(s): *gulnihai* De Nicéville, 1887; *mandersi* Elwes, 1891; *issa* Fruhstorfer, 1911
 69463) *Lethe gulnihai peguana* Moore, 1892 (Satyridae) Synonym(s): *peguana* Moore, 1892
 69464) *Lethe insana* (Kollar, [1844]) (Satyridae) Synonym(s): *insana* Kollar, [1844]; *hyrania* Kollar, [1844].
 69465) *Lethe insana dinarbas* (Hewitson, 1863) (Satyridae) Synonym(s): *dinarbas* Hewitson, 1863.
 69466) *Lethe insana insana* (Kollar, [1844]) (Satyridae) Synonym(s): *insana* Kollar, [1844]; *hyrania* Kollar, [1844].
 69467) *Lethe jalaaurida* (De Nicéville, 1880) (Satyridae) Synonym(s): *jalaaurida* De Nicéville, 1880
 69468) *Lethe jalaaurida elwesi* (Moore, 1892) (Satyridae) Synonym(s): *elwesi* Moore, 1892
 69469) *Lethe jalaaurida jalaaurida* (De Nicéville, 1880) (Satyridae) Synonym(s): *jalaaurida* De Nicéville, 1880
 69470) *Lethe kansa* (Moore, 1857) (Satyridae) Synonym(s): *kansa* Moore, 1857
 69471) *Lethe kansa kansa* (Moore, 1857) (Satyridae) Synonym(s): *kansa* Moore, 1857
 69472) *Lethe kansa vaga* Fruhstorfer, 1911 (Satyridae) Synonym(s): *vaga* Fruhstorfer, 1911
 69473) *Lethe kansa zeugitana* Fruhstorfer, 1911 (Satyridae) Synonym(s): *zeugitana* Fruhstorfer, 1911
 69474) *Lethe latiaris* (Hewitson, 1863) (Satyridae) Synonym(s): *latiaris* Hewitson, 1863
 69475) *Lethe latiaris hige* Fujioka, 1970 (Satyridae) Synonym(s): *hige* Fujioka, 1970
 69476) *Lethe latiaris latiaris* (Hewitson, 1863) (Satyridae) Synonym(s): *latiaris* Hewitson, 1863
 69477) *Lethe latiaris perimele* Fruhstorfer, 1911 (Satyridae) Synonym(s): *perimele* Fruhstorfer, 1911
 69478) *Lethe maackii* (Bremer, 1861) (Satyridae) Synonym(s): *maackii* Bremer, 1861
 69479) *Lethe maackii maackii* (Bremer, 1861) (Satyridae) Synonym(s): *maackii* Bremer, 1861
 69480) *Lethe maitrya* De Nicéville, 1880 (Satyridae) Synonym(s): *maitrya* De Nicéville, 1880
 69481) *Lethe maitrya maitrya* De Nicéville, 1880 (Satyridae) Synonym(s): *maitrya* De Nicéville, 1880
 69482) *Lethe maitrya thawgawa* Tytler, 1939 (Satyridae) Synonym(s): *thawgawa* Tytler, 1939
 69483) *Lethe marginalis* (Motschulsky, 1860) (Satyridae) Synonym(s): *marginalis* Motschulsky, 1860
 69484) *Lethe marginalis marginalis* (Motschulsky, 1860) (Satyridae) Synonym(s): *marginalis* Motschulsky, 1860
 69485) *Lethe mekara* (Moore, 1858) (Satyridae) Synonym(s): *mekara* Moore, 1858; *zuchara* Fruhstorfer, 1911; *crijnana* Fruhstorfer, 1911; *debata* Fruhstorfer, 1911; *gopaka* Fruhstorfer, 1911; *sumati* Fruhstorfer, 1911; *vajra* Fruhstorfer, 1911; *manis* Corbet, 1942
 69486) *Lethe mekara mekara* (Moore, 1858) (Satyridae) Synonym(s): *mekara* Moore, 1858; *zuchara* Fruhstorfer, 1911; *crijnana* Fruhstorfer, 1911; *debata* Fruhstorfer, 1911; *gopaka* Fruhstorfer, 1911; *sumati* Fruhstorfer, 1911; *vajra* Fruhstorfer, 1911; *manis* Corbet, 1942
 69487) *Lethe minerva* (Fabricius, 1775) (Satyridae) Synonym(s): *minerva* Fabricius, 1775; *arcadia* Cramer, 1779; *caumas* Godart, 1823
 69488) *Lethe minerva minerva* (Fabricius, 1775) (Satyridae) Synonym(s): *minerva* Fabricius, 1775; *arcadia* Cramer, 1779; *caumas* Godart, 1823
 69489) *Lethe minerva tritogeneia* Fruhstorfer, 1911 (Satyridae) Synonym(s): *tritogeneia* Fruhstorfer, 1911
 69490) *Lethe naga* Doherty, 1889 (Satyridae) Synonym(s): *naga* Doherty, 1889; *philemon* Fruhstorfer, 1911
 69491) *Lethe naga naga* Doherty, 1889 (Satyridae) Synonym(s): *naga* Doherty, 1889; *philemon* Fruhstorfer, 1911
 69492) *Lethe nicetas* (Hewitson, 1863) (Satyridae) Synonym(s): *nicetas* Hewitson, 1863.
 69493) *Lethe nicetas nicetas* (Hewitson, 1863) (Satyridae) Synonym(s): *nicetas* Hewitson, 1863.
 69494) *Lethe pulaha* (Moore, 1857) (Satyridae) Synonym(s): *pulaha* Moore, 1857; *#plagiata* Talbot, 1947.
 69495) *Lethe pulaha pandyia* Talbot, 1947 (Satyridae) Synonym(s): *pandyia* Talbot, 1947
 69496) *Lethe rohria* (Fabricius, 1787) (Satyridae) Synonym(s): *rohria* Fabricius, 1787; *dyrta* Felder & Felder, 1867.
 69497) *Lethe rohria rohria* (Fabricius, 1787) (Satyridae) Synonym(s): *rohria* Fabricius, 1787; *dyrta* Felder & Felder, 1867.
 69498) *Lethe samio* (Doubleday, [1849]) (Satyridae) Synonym(s): *samio* Doubleday, [1849]
 69499) *Lethe siderae* Marshall, 1880 (Satyridae) Synonym(s): *siderae* Marshall, 1880
 69500) *Lethe siderae siderae* Marshall, 1880 (Satyridae) Synonym(s): *siderae* Marshall, 1880
 69501) *Lethe sidonis* (Hewitson, 1863) (Satyridae) Synonym(s): *sidonis* Hewitson, 1863
 69502) *Lethe sidonis sidonis* (Hewitson, 1863) (Satyridae) Synonym(s): *sidonis* Hewitson, 1863
 69503) *Lethe sinorix* (Hewitson, 1863) (Satyridae) Synonym(s): *sinorix* Hewitson, 1863; *kuantungensis* Mell, 1923
 69504) *Lethe sinorix lotaoshanensis* Tinkham, 1936 (Satyridae) Synonym(s): *lotaoshanensis* Tinkham, 1936
 69505) *Lethe sinorix obscura* Mell, 1942 (Satyridae) Synonym(s): *obscura* Mell, 1942
 69506) *Lethe sinorix sinorix* (Hewitson, 1863) (Satyridae) Synonym(s): *sinorix* Hewitson, 1863
 69507) *Lethe sinorix vanda* Corbet, 1941 (Satyridae) Synonym(s): *vanda* Corbet, 1941
 69508) *Lethe sura* (Doubleday & Hewitson, [1849]) (Satyridae) Synonym(s): *sura* Doubleday & Hewitson, [1849]; *moupinensis* Poujade, 1884
 69509) *Lethe sura sura* (Doubleday & Hewitson, [1849]) (Satyridae) Synonym(s): *sura* Doubleday & Hewitson, [1849]; *moupinensis* Poujade, 1884
 69510) *Lethe syrcis* (Hewitson, 1863) (Satyridae) Synonym(s): *syrcis* Hewitson, 1863; *diunaga* Fruhstorfer, 1911; *confluens* Oberthür, 1913; *ochrescens* Mell, 1942; *sikiangensis* Mell, 1942
 69511) *Lethe syrcis syrcis* (Hewitson, 1863) (Satyridae) Synonym(s): *syrcis* Hewitson, 1863; *diunaga* Fruhstorfer, 1911; *confluens* Oberthür, 1913; *ochrescens* Mell, 1942; *sikiangensis* Mell, 1942
 69512) *Lethe titania* Leech, 1891 (Satyridae) Synonym(s): *titania* Leech, 1891
 69513) *Lethe verma* (Kollar, [1844]) (Satyridae) Synonym(s): *verma* Kollar, [1844]; *laticincta* Fruhstorfer, 1908; *cintamani* Fruhstorfer, 1909; *satarnus* Fruhstorfer, 1911; *sintica* Fruhstorfer, 1911
 69514) *Lethe verma robinsoni* Pendlebury, 1933 (Satyridae) Synonym(s): *robinsoni* Pendlebury, 1933
 69515) *Lethe verma stenopa* Fruhstorfer, 1908 (Satyridae) Synonym(s): *stenopa* Fruhstorfer, 1908
 69516) *Lethe verma verma* (Kollar, [1844]) (Satyridae) Synonym(s): *verma* Kollar, [1844]; *laticincta* Fruhstorfer, 1908; *cintamani* Fruhstorfer, 1909; *satarnus* Fruhstorfer, 1911; *sintica* Fruhstorfer, 1911
 69517) *Lethe vindhya* C. Felder & R. Felder, 1859 (Satyridae) Synonym(s): *vindhya* C. Felder & R. Felder, 1859
 69518) *Lethe vindhya vindhya* C. Felder & R. Felder, 1859 (Satyridae) Synonym(s): *vindhya* C. Felder & R. Felder, 1859
 69519) *Lethe violaceopicta* (Poujade, 1884) (Satyridae) Synonym(s): *violaceopicta* Poujade, 1884; *calisto* Leech, 1891
 69520) *Lethe violaceopicta burmana* Tytler, 1939 (Satyridae) Synonym(s): *burmana* Tytler, 1939
 69521) *Lethe violaceopicta violaceopicta* (Poujade, 1884) (Satyridae) Synonym(s): *violaceopicta* Poujade, 1884; *calisto* Leech, 1891
 69522) *Lethe visrava* (Moore, 1865) (Satyridae) Synonym(s): *visrava* Moore, 1865; *deliades* Hewitson, 1872
 69523) *Lethe yama* (Moore, 1857) (Satyridae) Synonym(s): *yama* Moore, 1857
 69524) *Lethe yama buckleyi* Talbot, 1947 (Satyridae) Synonym(s): *buckleyi* Talbot, 1947
 69525) *Lethe yantra* Fruhstorfer, 1914 (Satyridae) Synonym(s): *yantra* Fruhstorfer, 1914
 69526) *Lethe yantra yantra* Fruhstorfer, 1914 (Satyridae) Synonym(s): *yantra* Fruhstorfer, 1914
 69527) *Lopinga achine* (Scopoli, 1763) (Satyridae) Synonym(s): *achine* Scopoli, 1763; *deianira* Linnaeus, 1764; *mendelensis* Lowe, 1904.
 69528) *Lopinga achine achine* (Scopoli, 1763) (Satyridae) Synonym(s): *achine* Scopoli, 1763; *deianira* Linnaeus, 1764; *mendelensis* Lowe, 1904.
 69529) *Lopinga achine achinoides* Butler, 1878 (Satyridae) Synonym(s): *achinoides* Butler, 1878
 69530) *Lopinga achine murciegoi* Gomez Bustillo & Fernandez Rubio, 1975 (Satyridae) Synonym(s): *murciegoi* Gomez Bustillo & Fernandez Rubio, 1975

- 69531) *Lopinga achine saltator* (Fourcroy,1785) (Satyridae) Synonym(s): *saltator* Fourcroy,1785; *mendolensis* Dannehl,1935; *latealba* Verity,1935.
- 69532) *Loxerebia innupta* South,1913 (Satyridae) Synonym(s): *innupta* South,1913
- 69533) *Loxerebia innupta innupta* South,1913 (Satyridae) Synonym(s): *innupta* South,1913
- 69534) *Loxerebia martyr* Watkins,1927 (Satyridae) Synonym(s): *martyr* Watkins,1927
- 69535) *Loxerebia martyr martyr* Watkins,1927 (Satyridae) Synonym(s): *martyr* Watkins,1927
- 69536) *Loxerebia megalops* (Alpheraky,1897) (Satyridae) Synonym(s): *megalops* Alpheraky,1897
- 69537) *Loxerebia megalops megalops* (Alpheraky,1897) (Satyridae) Synonym(s): *megalops* Alpheraky,1897
- 69538) *Loxerebia narasingha* (Moore,1857) (Satyridae) Synonym(s): *narasingha* Moore,1857
- 69539) *Loxerebia narasingha narasingha* (Moore,1857) (Satyridae) Synonym(s): *narasingha* Moore,1857
- 69540) *Loxerebia phyllis* (Leech,1891) (Satyridae) Synonym(s): *phyllis* Leech,1891
- 69541) *Loxerebia phyllis phyllis* (Leech,1891) (Satyridae) Synonym(s): *phyllis* Leech,1891
- 69542) *Loxerebia pratorum* (Oberthür,1886) (Satyridae) Synonym(s): *pratorum* Oberthür,1886
- 69543) *Loxerebia pratorum pratorum* (Oberthür,1886) (Satyridae) Synonym(s): *pratorum* Oberthür,1886
- 69544) *Loxerebia rurigena* (Leech,1890) (Satyridae) Synonym(s): *rurigena* Leech,1890
- 69545) *Loxerebia rurigena rurigena* (Leech,1890) (Satyridae) Synonym(s): *rurigena* Leech,1890
- 69546) *Loxerebia saxicola* (Oberthür,1876) (Satyridae) Synonym(s): *saxicola* Oberthür,1876; *albipuncta* Leech
- 69547) *Loxerebia saxicola saxicola* (Oberthür,1876) (Satyridae) Synonym(s):
- 69548) *Loxerebia sylvicola* (Oberthür,1877) (Satyridae) Synonym(s): *sylvicola* Oberthür,1877
- 69549) *Loxerebia sylvicola sylvicola* (Oberthür,1877) (Satyridae) Synonym(s): *sylvicola* Oberthür,1877
- 69550) *Mandarinia regalis* Leech,1892 (Satyridae) Synonym(s): *regalis* Leech,1892
- 69551) *Mandarinia regalis baronesa* Fruhstorfer,1906 (Satyridae) Synonym(s): *baronesa* Fruhstorfer,1906
- 69552) *Mandarinia regalis regalis* Leech,1892 (Satyridae) Synonym(s): *regalis* Leech,1892
- 69553) *Maniola (Telmessiola) cypricola* (Graves,1928) (Satyridae) Synonym(s): *cypricola* Graves,1928
- 69554) *Maniola (Telmessiola) cypricola cypricola* (Graves,1928) (Satyridae) Synonym(s): *cypricola* Graves,1928
- 69555) *Maniola (Telmessiola) halicarnassus* Thomson,1990 (Satyridae) Synonym(s): *halicarnassus* Thomson,1990
- 69556) *Maniola (Telmessiola) halicarnassus halicarnassus* Thomson,1990 (Satyridae) Synonym(s): *halicarnassus* Thomson,1990
- 69557) *Maniola (Telmessiola) nurag* (Ghiliani,1852) (Satyridae) Synonym(s): *nurag* Ghiliani,1852
- 69558) *Maniola (Telmessiola) nurag nurag* (Ghiliani,1852) (Satyridae) Synonym(s): *nurag* Ghiliani,1852
- 69559) *Maniola (Telmessiola) telmessia* (Zeller,1847) (Satyridae) Synonym(s): *telmessia* Zeller,1847; *pallascens* Butler,1868; *kurdistanica* Heyne,1894; *oreas* Le Cerf,1912; *manioides* Le Cerf,1912; *ornata* Turati & Fiori,1930; *marenigrans* Verity,1938; *pelekasi* Kattulas & Koutsafikis,1978.
- 69560) *Maniola (Telmessiola) telmessia telmessia* (Zeller,1847) (Satyridae) Synonym(s): *telmessia* Zeller,1847; *pallascens* Butler,1868; *kurdistanica* Heyne,1894; *oreas* Le Cerf,1912; *manioides* Le Cerf,1912; *ornata* Turati & Fiori,1930; *marenigrans* Verity,1938; *pelekasi* Kattulas & Koutsafikis,1978.
- 69561) *Maniola (s.str.) chia* Thomson,1987 (Satyridae) Synonym(s): *chia* Thomson,1987
- 69562) *Maniola (s.str.) chia chia* Thomson,1987 (Satyridae) Synonym(s): *chia* Thomson,1987
- 69563) *Maniola (s.str.) jurtina* (Linnaeus,1758) (Satyridae) Synonym(s): *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801.
- 69564) *Maniola (s.str.) jurtina cantabrica* (Agenjo,1934) (Satyridae) Synonym(s): *cantabrica* Agenjo,1934
- 69565) *Maniola (s.str.) jurtina emihispulla* (Verity,1919) (Satyridae) Synonym(s): *emihispulla* Verity,1919
- 69566) *Maniola (s.str.) jurtina hispulla* (Esper,1805) (Satyridae) Synonym(s): *hispulla* Esper,1805
- 69567) *Maniola (s.str.) jurtina jurtina* (Linnaeus,1758) (Satyridae) Synonym(s): *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801.
- 69568) *Maniola (s.str.) jurtina myrtilus* (Fourcroy,1785) (Satyridae) Synonym(s): *myrtilus* Fourcroy,1785
- 69569) *Maniola (s.str.) jurtina occidentalis* Pionneau,1924 (Satyridae) Synonym(s): *occidentalis* Pionneau,1924
- 69570) *Maniola (s.str.) jurtina phormia* (Fruhstorfer,1909) (Satyridae) Synonym(s): *phormia* Fruhstorfer,1909; *persica* Le Cerf,1912; *ghilanica* Le Cerf,1913; *corfiothispulla* Graves,1933; *schweigeri* Tauber,1970; *strandiana* Obratsov,1936; *iranica* Thomson,1973; *petrii* Douma-Petridou, Koutsafikis & Kokkinou,1986; *#phorima* Nazari,2003.
- 69571) *Maniola (s.str.) jurtina splendida* White,1872 (Satyridae) Synonym(s): *splendida* White,1872
- 69572) *Maniola (s.str.) megala* (Oberthür,1909) (Satyridae) Synonym(s): *megala* Oberthür,1909; *maraschi* Pfeiffer,1932; *antalyana* Tauber,1970.
- 69573) *Maniola (s.str.) megala megala* (Oberthür,1909) (Satyridae) Synonym(s): *megala* Oberthür,1909; *maraschi* Pfeiffer,1932; *antalyana* Tauber,1970.
- 69574) *Mashuna mashuna* (Trimen,1895) (Satyridae) Synonym(s): *mashuna* Trimen,1895
- 69575) *Mashuna mashuna mashuna* (Trimen,1895) (Satyridae) Synonym(s): *mashuna* Trimen,1895
- 69576) *Mashuna upemba* (Overlaet,1955) (Satyridae) Synonym(s): *upemba* Overlaet,1955
- 69577) *Mashuna upemba upemba* (Overlaet,1955) (Satyridae) Synonym(s): *upemba* Overlaet,1955
- 69578) *Masoura alaokola* (Oberthür,1916) (Satyridae) Synonym(s): *alaokola* Oberthür,1916
- 69579) *Masoura alaokola alaokola* (Oberthür,1916) (Satyridae) Synonym(s): *alaokola* Oberthür,1916
- 69580) *Masoura ankoma* (Mabille,1878) (Satyridae) Synonym(s): *ankoma* Mabille,1878; *mabillei* Butler,1879
- 69581) *Masoura ankoma ankoma* (Mabille,1878) (Satyridae) Synonym(s): *ankoma* Mabille,1878; *mabillei* Butler,1879
- 69582) *Masoura antahala* (Ward,1872) (Satyridae) Synonym(s): *antahala* Ward,1872
- 69583) *Masoura antahala antahala* (Ward,1872) (Satyridae) Synonym(s): *antahala* Ward,1872
- 69584) *Masoura benacus* (Mabille,1884) (Satyridae) Synonym(s): *benacus* Mabille,1884
- 69585) *Masoura benacus benacus* (Mabille,1884) (Satyridae) Synonym(s): *benacus* Mabille,1884
- 69586) *Masoura masoura* (Hewitson,1875) (Satyridae) Synonym(s): *masoura* Hewitson,1875
- 69587) *Masoura masoura masoura* (Hewitson,1875) (Satyridae) Synonym(s): *masoura* Hewitson,1875
- 69588) *Megisto cymela* (Cramer,1777) (Satyridae) Synonym(s): *eurytus* Fabricius,1775 nec Linn.,1758; *cymela* Cramer,1777; *#eurytis* Fabricius,1793
- 69589) *Megisto cymela viola* (Maynard,1891) (Satyridae) Synonym(s): *viola* Maynard,1891
- 69590) *Megisto rubricata* (Edwards,1871) (Satyridae) Synonym(s): *rubricata* Edwards,1871
- 69591) *Megisto rubricata cheneyorum* (Chermock,1949) (Satyridae) Synonym(s): *cheneyorum* Chermock,1949
- 69592) *Megisto rubricata rubricata* (Edwards,1871) (Satyridae) Synonym(s): *rubricata* Edwards,1871
- 69593) *Megisto rubricata smithorum* (Wind,1946) (Satyridae) Synonym(s): *smithorum* Wind,1946
- 69594) *Melampias huebneri* Van Son,1955 (Satyridae) Synonym(s): *hyperbius* Linnaeus,1764 nec Linn.,1763; *huebneri* Van Son,1955
- 69595) *Melampias huebneri huebneri* Van Son,1955 (Satyridae) Synonym(s): *hyperbius* Linnaeus,1764 nec Linn.,1763; *huebneri* Van Son,1955
- 69596) *Melampias huebneri steniptera* Vari,1971 (Satyridae) Synonym(s): *steniptera* Vari,1971
- 69597) *Melanargia (Parce) epimede* Staudinger,1887 (Satyridae) Synonym(s): *epimede* Ménétries,1859
- 69598) *Melanargia (Parce) epimede epimede* Staudinger,1887 (Satyridae) Synonym(s): *epimede* Ménétries,1859
- 69599) *Melanargia (Parce) halimede* (Ménétries,1859) (Satyridae) Synonym(s): *halimede* Ménétries,1859
- 69600) *Melanargia (Parce) halimede coreana* Sheljuzhko,1929 (Satyridae) Synonym(s): *coreana* Sheljuzhko,1929
- 69601) *Melanargia (Parce) halimede halimede* (Ménétries,1859) (Satyridae) Synonym(s): *halimede* Ménétries,1859
- 69602) *Melanargia (Parce) halimede halimede* Bryk,1946 (Satyridae) Synonym(s): *halimede* Bryk,1946
- 69603) *Melanargia (Parce) halimede koreargia* Bryk,1946 (Satyridae) Synonym(s): *koreargia* Bryk,1946
- 69604) *Melanargia (Parce) parce* Staudinger,1882 (Satyridae) Synonym(s): *parce* Staudinger,1882; *fergana* Oberthür & Houlbert,1922.
- 69605) *Melanargia (Parce) parce lucida* Staudinger,1886 (Satyridae) Synonym(s): *lucida* Staudinger,1886
- 69606) *Melanargia (Parce) parce parce* Staudinger,1882 (Satyridae) Synonym(s): *parce* Staudinger,1882; *fergana* Oberthür & Houlbert,1922.
- 69607) *Melanargia (Parce) russiae* (Esper,1784) (Satyridae) Synonym(s): *russiae* Esper,1784; *suwarovius* Herbst,1796; *clotho* Hübner,1800].
- 69608) *Melanargia (Parce) russiae campurrianae* Gomez-Bustillo,1973 (Satyridae) Synonym(s): *campurrianae* Gomez-Bustillo,1973
- 69609) *Melanargia (Parce) russiae caucasica* (Nordmann,1851) (Satyridae) Synonym(s): *caucasica* Nordmann,1851
- 69610) *Melanargia (Parce) russiae cleanthé* (Boisduval,1833) (Satyridae) Synonym(s): *cleanthé* Boisduval,1833; *catalonica* De Sagarra,1916; *aragonensis* De Sagarra,1924; *peninsulae* De Sagarra,1925; *caussica* Varin,1951; *pyrenaica* De Sagarra,1964; *castilianensis* Gomez-Bustillo,1973; *campurrianae* Gomez-Bustillo,1973.
- 69611) *Melanargia (Parce) russiae eberti* Wagener,1975 (Satyridae) Synonym(s): *eberti* Wagener,1975
- 69612) *Melanargia (Parce) russiae japygia* (Cyrillo,1787) (Satyridae) Synonym(s): *japygia* Cyrillo,1787
- 69613) *Melanargia (Parce) russiae russiae* (Esper,1784) (Satyridae) Synonym(s): *russiae* Esper,1784; *suwarovius* Herbst,1796; *clotho* Hübner,1800].
- 69614) *Melanargia (Parce) russiae transcaspica* Staudinger,1901 (Satyridae) Synonym(s): *transcaspica* Staudinger,1901

- 69615) *Melanargia* (Turcargia) *grumi* Standfuss, 1892 (Satyridae) Synonym(s): *grumi* Standfuss, 1892
 69616) *Melanargia* (Turcargia) *grumi* *grumi* Standfuss, 1892 (Satyridae) Synonym(s): *grumi* Standfuss, 1892
 69617) *Melanargia* (Turcargia) *hylata* (Ménétries, 1832) (Satyridae) Synonym(s): *hylata* Ménétries, 1832
 69618) *Melanargia* (Turcargia) *hylata* *hylata* (Ménétries, 1832) (Satyridae) Synonym(s): *hylata* Ménétries, 1832
 69619) *Melanargia* (Turcargia) *hylata* *iranica* Seitz, 1907 (Satyridae) Synonym(s): *iranica* Seitz, 1907
 69620) *Melanargia* (Turcargia) *larissa* (Geyer, [1828]) (Satyridae) Synonym(s): *larissa* Geyer, [1828].
 69621) *Melanargia* (Turcargia) *larissa* *astanda* (Boisduval, 1848) (Satyridae) Synonym(s): *astanda* Boisduval, 1848; *astanda* Staudinger, 1871; *hertina* Staudinger, 1901.
 69622) *Melanargia* (Turcargia) *larissa* *herta* (Geyer, [1828]) (Satyridae) Synonym(s): *herta* Geyer, [1828]
 69623) *Melanargia* (Turcargia) *larissa* *larissa* (Geyer, [1828]) (Satyridae) Synonym(s): *larissa* Geyer, [1828]
 69624) *Melanargia* (Turcargia) *larissa* *lesbina* Wägener, 1976 (Satyridae) Synonym(s): *lesbina* Wägener, 1976
 69625) *Melanargia* (Turcargia) *larissa* *massageta* Staudinger, 1901 (Satyridae) Synonym(s): *massageta* Staudinger, 1901; *#occaeata* Staudinger, 1901.
 69626) *Melanargia* (Turcargia) *larissa* *noacki* Wägener, 1983 (Satyridae) Synonym(s): *Melanargia* *larissa* *noacki* Wägener, 1983
 69627) *Melanargia* (Turcargia) *larissa* *taurica* Röber, 1896 (Satyridae) Synonym(s): *taurica* Röber, 1896; *#lactaea* Wagner, 1929; *wägeneri* Koçak, 1977.
 69628) *Melanargia* (Turcargia) *lucasi* (Rambur, 1858) (Satyridae) Synonym(s): *lucasi* Rambur, 1858
 69629) *Melanargia* (Turcargia) *lucasi* *lucasi* (Rambur, 1858) (Satyridae) Synonym(s): *lucasi* Rambur, 1858
 69630) *Melanargia* (Turcargia) *lucasi* *meadowaldoi* Rothschild, 1917 (Satyridae) Synonym(s): *meadowaldoi* Rothschild, 1917
 69631) *Melanargia* (Turcargia) *meda* Groum-Grshimailo, 1895 (Satyridae) Synonym(s): *meda* Groum-Grshimailo, 1895
 69632) *Melanargia* (Turcargia) *meda* *meda* Groum-Grshimailo, 1895 (Satyridae) Synonym(s): *meda* Groum-Grshimailo, 1895
 69633) *Melanargia* (Turcargia) *occitanica* (Esper, [1789]) (Satyridae) Synonym(s): *occitanica* Esper, 1789; *psyche* Hübner, 1793; *syllius* Herbst, 1796.
 69634) *Melanargia* (Turcargia) *occitanica* *megalatlasica* Tarrier, 1996 (Satyridae) Synonym(s): *megalatlasica* Tarrier, 1996
 69635) *Melanargia* (Turcargia) *occitanica* *moghrebiana* Varin, 1951 (Satyridae) Synonym(s): *moghrebiana* Varin, 1951
 69636) *Melanargia* (Turcargia) *occitanica* *occitanica* (Esper, [1789]) (Satyridae) Synonym(s): *occitanica* Esper, 1789; *psyche* Hübner, 1793; *syllius* Herbst, 1796.
 69637) *Melanargia* (Turcargia) *occitanica* *pelagia* Oberthür, 1911 (Satyridae) Synonym(s): *pelagia* Oberthür, 1911
 69638) *Melanargia* (Turcargia) *pherusa* (Boisduval, 1833) (Satyridae) Synonym(s): *pherusa* Boisduval, 1833; *plesaura* Bellier, 1860.
 69639) *Melanargia* (Turcargia) *pherusa* *pherusa* (Boisduval, 1833) (Satyridae) Synonym(s): *pherusa* Boisduval, 1833; *plesaura* Bellier, 1860.
 69640) *Melanargia* (Turcargia) *syriaca* (Oberthür, 1894) (Satyridae) Synonym(s): *syriaca* Oberthür, 1894
 69641) *Melanargia* (Turcargia) *syriaca* *karabagi* Koçak, 1976 (Satyridae) Synonym(s): *karabagi* Koçak, 1976
 69642) *Melanargia* (Turcargia) *syriaca* *kocaki* Wägener, 1983 (Satyridae) Synonym(s): *kocaki* Wägener, 1983
 69643) *Melanargia* (Turcargia) *syriaca* *syriaca* (Oberthür, 1894) (Satyridae) Synonym(s): *syriaca* Oberthür, 1894
 69644) *Melanargia* (Turcargia) *syriaca* *yucelaskin* Kemal & Koçak, 2005 (Satyridae) Synonym(s): *karabagi* sensu Hesselbarth et al. nec Koç., 1976; 1995; *yucelaskin* Kemal & Koçak, 2005
 69645) *Melanargia* (Turcargia) *teneates* (Ménétries, 1832) (Satyridae) Synonym(s): *teneates* Ménétries, 1832
 69646) *Melanargia* (Turcargia) *teneates* *teneates* (Ménétries, 1832) (Satyridae) Synonym(s): *teneates* Ménétries, 1832
 69647) *Melanargia* (Turcargia) *titea* (Klug, 1832) (Satyridae) Synonym(s): *titea* Klug, 1832
 69648) *Melanargia* (Turcargia) *titea* *standfussi* Wägener, 1983 (Satyridae) Synonym(s): *standfussi* Wägener, 1983; *titania* Standfuss, 1892 nec Calberla, 1891.
 69649) *Melanargia* (Turcargia) *titea* *titania* Calberla, 1891 (Satyridae) Synonym(s): *titania* Calberla, 1891; *palaestinensis* Staudinger, 1901.
 69650) *Melanargia* (Turcargia) *titea* *titea* (Klug, 1832) (Satyridae) Synonym(s): *titea* Klug, 1832
 69651) *Melanargia* (Turcargia) *titea* *wiskotti* Röber, 1896 (Satyridae) Synonym(s): *wiskotti* Röber, 1896
 69652) *Melanargia* (s.str.) *evartianae* Wägener, 1976 (Satyridae) Synonym(s): *evartianae* Wägener, 1976; *origo* Higgins, 1977
 69653) *Melanargia* (s.str.) *evartianae* *evartianae* Wägener, 1976 (Satyridae) Synonym(s): *evartianae* Wägener, 1976; *origo* Higgins, 1977
 69654) *Melanargia* (s.str.) *galathea* (Linnaeus, 1758) (Satyridae) Synonym(s): *galathea* Linnaeus, 1758; *leucomelas* Esper, 1783; *leucomelanos* Fourcroy, 1785; *galene* Ochsenheimer, 1807; *bitorensis* Guillemot, 1858; *pygmaea* Fruhstorfer, 1916; *malmediensis* Derenne, 1926; *xanthonica* Varin, 1948.
 69655) *Melanargia* (s.str.) *galathea* *fronteriza* Gomez-Bustillo, 1973 (Satyridae) Synonym(s): *fronteriza* Gomez-Bustillo, 1973
 69656) *Melanargia* (s.str.) *galathea* *galathea* (Linnaeus, 1758) (Satyridae) Synonym(s): *galathea* Linnaeus, 1758; *leucomelas* Esper, 1783; *leucomelanos* Fourcroy, 1785; *galene* Ochsenheimer, 1807; *bitorensis* Guillemot, 1858; *pygmaea* Fruhstorfer, 1916; *malmediensis* Derenne, 1926; *xanthonica* Varin, 1948.
 69657) *Melanargia* (s.str.) *galathea* *magdalenae* Reichl, 1975 (Satyridae) Synonym(s): *magdalenae* Reichl, 1975
 69658) *Melanargia* (s.str.) *galathea* *njurdzhan* Sheljuzhko, 1937 (Satyridae) Synonym(s): *njurdzhan* Sheljuzhko, 1937
 69659) *Melanargia* (s.str.) *galathea* *paludosa* Varin, 1949 (Satyridae) Synonym(s): *paludosa* Varin, 1949; *#macronereus* Verity, 1957.
 69660) *Melanargia* (s.str.) *galathea* *procida* (Herbst, 1783) (Satyridae) Synonym(s): *procida* Herbst, 1783; *liriope* Patagna, 1787; *nereus* Fruhstorfer, 1910; *doris* Fruhstorfer, 1910; *akis* Fruhstorfer, 1910; *pedemontii* Verity, 1927; *florentina* Verity, 1927; *sylvia* Rocci, 1930; *nigronereus* Verity, 1935; *vocontia* Varin, 1949.
 69661) *Melanargia* (s.str.) *galathea* *pyrenaica* Verity, 1919 (Satyridae) Synonym(s): *pyrenaica* Verity, 1919.
 69662) *Melanargia* (s.str.) *galathea* *satnia* Fruhstorfer, 1917 (Satyridae) Synonym(s): *satnia* Fruhstorfer, 1917; *turcica* Boisduval, 1840; *syntelia* Fruhstorfer, 1917; *donsa* Fruhstorfer, 1917.
 69663) *Melanargia* (s.str.) *galathea* *serena* Verity, 1913 (Satyridae) Synonym(s): *serena* Verity, 1913
 69664) *Melanargia* (s.str.) *galathea* *tramontina* Reichl, 1975 (Satyridae) Synonym(s): *tramontina* Reichl, 1975
 69665) *Melanargia* (s.str.) *lachesis* (Hübner, 1790) (Satyridae) Synonym(s): *nemausiaca* Esper, 1789 (nomen oblitum); *lachesis* Hübner, 1790; *ruscinonensis* Oberthür & Houlbert, 1922.
 69666) *Melanargia* (s.str.) *lachesis* *bustilloe* Gomez-Bustillo, 1973 (Satyridae) Synonym(s): *bustilloe* Gomez-Bustillo, 1973
 69667) *Melanargia* (s.str.) *lachesis* *canigulensis* (Berce, 1867) (Satyridae) Synonym(s): *canigulensis* Berce, 1867
 69668) *Melanargia* (s.str.) *lachesis* *lachesis* (Hübner, 1790) (Satyridae) Synonym(s): *nemausiaca* Esper, 1789 (nomen oblitum); *lachesis* Hübner, 1790; *ruscinonensis* Oberthür & Houlbert, 1922.
 69669) *Melanargia* *arge* (Sulzer, 1776) (Satyridae) Synonym(s): *arge* Sulzer, 1776
 69670) *Melanargia* *arge* *arge* (Sulzer, 1776) (Satyridae) Synonym(s): *arge* Sulzer, 1776
 69671) *Melanargia* *ines* (Hoffmannsegg, 1804) (Satyridae) Synonym(s): *ines* Hoffmannsegg, 1804
 69672) *Melanargia* *ines* *arahoui* Tarrier, 1996 (Satyridae) Synonym(s): *arahoui* Tarrier, 1996
 69673) *Melanargia* *ines* *colossea* Rothschild, 1917 (Satyridae) Synonym(s): *colossea* Rothschild, 1917
 69674) *Melanargia* *ines* *henrike* Eitschberger, 1972 (Satyridae) Synonym(s): *henrike* Eitschberger, 1972
 69675) *Melanargia* *ines* *ines* (Hoffmannsegg, 1804) (Satyridae) Synonym(s): *ines* Hoffmannsegg, 1804
 69676) *Melanargia* *ines* *johandiezi* Oberthür, 1922 (Satyridae) Synonym(s): *johandiezi* Oberthür, 1922
 69677) *Melanargia* *ines* *sublutescens* Turati, 1921 (Satyridae) Synonym(s): *sublutescens* Turati, 1921
 69678) *Melanitis* *ansorgei* Rothschild, 1904 (Satyridae) Synonym(s): *ansorgei* Rothschild, 1904
 69679) *Melanitis* *ansorgei* *ansorgei* Rothschild, 1904 (Satyridae) Synonym(s): *ansorgei* Rothschild, 1904
 69680) *Melanitis* *atrax* (C.Felder & R.Felder, 1863) (Satyridae) Synonym(s): *atrax* C.Felder & R.Felder, 1863
 69681) *Melanitis* *atrax* *atrax* (C.Felder & R.Felder, 1863) (Satyridae) Synonym(s): *atrax* C.Felder & R.Felder, 1863
 69682) *Melanitis* *atrax* *bazilana* Fruhstorfer, 1908 (Satyridae) Synonym(s): *bazilana* Fruhstorfer, 1908
 69683) *Melanitis* *atrax* *cajetana* Semper, 1886 (Satyridae) Synonym(s): *cajetana* Semper, 1886
 69684) *Melanitis* *atrax* *elya* Fruhstorfer, 1911 (Satyridae) Synonym(s): *elya* Fruhstorfer, 1911
 69685) *Melanitis* *atrax* *erichsonia* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *erichsonia* C.Felder & R.Felder, 1863
 69686) *Melanitis* *atrax* *lucillus* Fruhstorfer, 1908 (Satyridae) Synonym(s): *lucillus* Fruhstorfer, 1908
 69687) *Melanitis* *atrax* *soloni* M.Okano & T.Okano, 1991 (Satyridae) Synonym(s): *soloni* M.Okano & T.Okano, 1991
 69688) *Melanitis* *boisduvalia* (C.Felder & R.Felder, 1863) (Satyridae) Synonym(s): *boisduvalia* C.Felder & R.Felder, 1863
 69689) *Melanitis* *boisduvalia* *boisduvalia* (C.Felder & R.Felder, 1863) (Satyridae) Synonym(s): *boisduvalia* C.Felder & R.Felder, 1863
 69690) *Melanitis* *boisduvalia* *palawanica* Fruhstorfer, 1908 (Satyridae) Synonym(s): *palawanica* Fruhstorfer, 1908
 69691) *Melanitis* *boisduvalia* *pompeja* Fruhstorfer, 1911 (Satyridae) Synonym(s): *pompeja* Fruhstorfer, 1911
 69692) *Melanitis* *leda* (Linnaeus, 1758) (Satyridae) Synonym(s): *leda* Linnaeus, 1758; *bankia* Fabricius, 1775; *barnardi* Lucas, 1892
 69693) *Melanitis* *leda* *determinata* Butler, 1885 (Satyridae) Synonym(s): *determinata* Butler, 1885
 69694) *Melanitis* *leda* *helenia* (Westwood, [1851]) (Satyridae) Synonym(s): *helenia* Westwood, [1851]; *fulvescens* Guenée, 1863; *africana* Fruhstorfer, 1908; *#izenides* Fruhstorfer, 1908; *#plagiata* Aurivillius, 1911
 69695) *Melanitis* *leda* *ismene* (Cramer, 1775) (Satyridae) Synonym(s): *ismene* Cramer, 1775

- 69696) *Melanitis leda leda* (Linnaeus,1758) (Satyridae) Synonym(s): *leda* Linnaeus,1758; *bankia* Fabricius,1775; *barnardi* Lucas,1892
- 69697) *Melanitis libya Distant,1882* (Satyridae) Synonym(s): *libya Distant,1882*; *nyassae* Van Son,1962
- 69698) *Melanitis libya libya Distant,1882* (Satyridae) Synonym(s): *libya Distant,1882*; *nyassae* Van Son,1962
- 69699) *Melanitis phedima* (Stoll,[1782]) (Satyridae) Synonym(s): *phedima* Stoll,[1782]
- 69700) *Melanitis phedima abdullae Distant,1883* (Satyridae) Synonym(s): *abdullae Distant,1883*
- 69701) *Melanitis phedima bela* (Moore,1857) (Satyridae) Synonym(s): *bela* Moore,1857
- 69702) *Melanitis phedima ganapati Fruhstorfer,1908* (Satyridae) Synonym(s): *ganapati Fruhstorfer,1908*
- 69703) *Melanitis phedima phedima* (Stoll,[1782]) (Satyridae) Synonym(s): *phedima* Stoll,[1782]
- 69704) *Melanitis zitenius* (Herbst,1796) (Satyridae) Synonym(s): *zitenius* Herbst,1796
- 69705) *Melanitis zitenius auletes Fruhstorfer,1908* (Satyridae) Synonym(s): *auletes Fruhstorfer,1908*
- 69706) *Melanitis zitenius xanthophthalmus Staudinger,1889* (Satyridae) Synonym(s): *xanthophthalmus Staudinger,1889*
- 69707) *Melanitis zitenius zitenius* (Herbst,1796) (Satyridae) Synonym(s): *zitenius* Herbst,1796
- 69708) *Minois dryas* (Scopoli,1763) (Satyridae) Synonym(s): *dryas* Scopoli,1763; *drymeia* Fruhstorfer,1908; *spiripontis* Gaillard,1959; *bucica* Varin,1961; *annae Douma-Petridou & Koufsaftikis,1988*.
- 69709) *Minois dryas bipunctatus* (Motschulsky,1860) (Satyridae) Synonym(s): *bipunctatus* Motschulsky,1860
- 69710) *Minois dryas dryas* (Scopoli,1763) (Satyridae) Synonym(s): *dryas* Scopoli,1763; *drymeia* Fruhstorfer,1908; *spiripontis* Gaillard,1959; *bucica* Varin,1961; *annae Douma-Petridou & Koufsaftikis,1988*.
- 69711) *Minois dryas phaedra* (Linnaeus,1764) (Satyridae) Synonym(s): *phaedra* Linnaeus,1764; *athene* Borkhausen,1788; *tassilo* Fruhstorfer,1908.
- 69712) *Minois dryas septentrionalis* (Wnukowsky,1929) (Satyridae) Synonym(s): *septentrionalis* Wnukowsky,1929; *sibirica* Staudinger,1871 nec Sigr.,1861
- 69713) *Minois paupera* (Alpheraky,1888) (Satyridae) Synonym(s): *paupera* Alpheraky,1888
- 69714) *Minois paupera astraia* (Leech,1892) (Satyridae) Synonym(s): *astraia* Leech,1892; *thibetanus* Rühl,1893
- 69715) *Minois paupera jekundana Koçak,1989* (Satyridae) Synonym(s): *montana* Holik,1954 nec Aust.,1905; *jekundana* Koçak,1989;
- 69716) *Minois paupera kansuana Koçak,1989* (Satyridae) Synonym(s): *variegata* Holik,1949 nec Vrtý.,1911; *kansuana* Koçak,1989.
- 69717) *Minois paupera paupera* (Alpheraky,1888) p (Satyridae) Synonym(s): *paupera* Alpheraky,1888; *agda* Fruhstorfer,1908
- 69718) *Mycalesis adamsoni* Watson,1897 (Satyridae) Synonym(s): *adamsoni* Watson,1897
- 69719) *Mycalesis adamsoni adamsoni* Watson,1897 (Satyridae) Synonym(s): *adamsoni* Watson,1897
- 69720) *Mycalesis anapita* Moore,1858 (Satyridae) Synonym(s): *anapita* Moore,1858
- 69721) *Mycalesis anapita anapita* Moore,1858 (Satyridae) Synonym(s): *anapita* Moore,1858
- 69722) *Mycalesis anaxias* Hewitson,1862 (Satyridae) Synonym(s): *anaxias* Hewitson,1862
- 69723) *Mycalesis anaxias aemate Fruhstorfer,1911* (Satyridae) Synonym(s): *aemate* Fruhstorfer,1911
- 69724) *Mycalesis anaxias anaxias* Hewitson,1862 (Satyridae) Synonym(s): *anaxias* Hewitson,1862
- 69725) *Mycalesis anaxioides* Marschall,1883 (Satyridae) Synonym(s): *anaxioides* Marschall,1883
- 69726) *Mycalesis anaxioides anaxioides* Marschall,1883 (Satyridae) Synonym(s): *anaxioides* Marschall,1883
- 69727) *Mycalesis annamitica* Fruhstorfer,1906 (Satyridae) Synonym(s): *annamitica* Fruhstorfer,1906
- 69728) *Mycalesis annamitica annamitica* Fruhstorfer,1906 (Satyridae) Synonym(s): *annamitica* Fruhstorfer,1906
- 69729) *Mycalesis aramis* Hewitson,1866 (Satyridae) Synonym(s): *aramis* Hewitson,1866
- 69730) *Mycalesis bisaya* C.Felder & R.Felder,1863 (Satyridae) Synonym(s): *bisaya* C.Felder & R.Felder,1863
- 69731) *Mycalesis bisaya baboy Aoki & Uémura,1982* (Satyridae) Synonym(s): *baboy* Aoki & Uémura,1982
- 69732) *Mycalesis bisaya bisaya* C.Felder & R.Felder,1863 (Satyridae) Synonym(s): *bisaya* C.Felder & R.Felder,1863
- 69733) *Mycalesis bisaya samina Fruhstorfer,1908* (Satyridae) Synonym(s): *samina* Fruhstorfer,1908
- 69734) *Mycalesis deficiens* Fruhstorfer,1911 (Satyridae) Synonym(s): *deficiens* Fruhstorfer,1911
- 69735) *Mycalesis distanti* Moore,1892 (Satyridae) Synonym(s): *distanti* Moore,1892
- 69736) *Mycalesis distanti distanti* Moore,1892 (Satyridae) Synonym(s): *distanti* Moore,1892
- 69737) *Mycalesis distanti mucianus Fruhstorfer,1908* (Satyridae) Synonym(s): *mucianus* Fruhstorfer,1908
- 69738) *Mycalesis evansii* Tytler,1914 (Satyridae) Synonym(s): *evansii* Tytler,1914
- 69739) *Mycalesis felderi* Butler,1868 (Satyridae) Synonym(s): *felderi* Butler,1868
- 69740) *Mycalesis felderi bilara M.Okano & T.Okano,1990* (Satyridae) Synonym(s): *bilara* M.Okano & T.Okano,1990
- 69741) *Mycalesis felderi felderi* Butler,1868 (Satyridae) Synonym(s): *felderi* Butler,1868
- 69742) *Mycalesis felderi jolana Fruhstorfer,1911* (Satyridae) Synonym(s): *jolana* Fruhstorfer,1911
- 69743) *Mycalesis francisca* (Stoll,[1780]) (Satyridae) Synonym(s): *francisca* Stoll,[1780]
- 69744) *Mycalesis francisca francisca* (Stoll,[1780]) (Satyridae) Synonym(s): *francisca* Stoll,[1780]
- 69745) *Mycalesis francisca sanatana Moore,1857* (Satyridae) Synonym(s): *sanatana* Moore,1857
- 69746) *Mycalesis frederici* Aoki & Uémura,1982 (Satyridae) Synonym(s): *frederici* Aoki & Uémura,1982
- 69747) *Mycalesis fusca* C.Felder & R.Felder,1860 (Satyridae) Synonym(s): *fusca* C.Felder & R.Felder,1860
- 69748) *Mycalesis fusca fusca* C.Felder & R.Felder,1860 (Satyridae) Synonym(s): *fusca* C.Felder & R.Felder,1860
- 69749) *Mycalesis georgi* Aoki & Uémura,1982 (Satyridae) Synonym(s): *georgi* Aoki & Uémura,1982
- 69750) *Mycalesis georgi georgi* Aoki & Uémura,1982 (Satyridae) Synonym(s): *georgi* Aoki & Uémura,1982
- 69751) *Mycalesis georgi ilacano Aoki & Uémura,1982* (Satyridae) Synonym(s): *ilacano* Aoki & Uémura,1982
- 69752) *Mycalesis gotama* Moore,1857 (Satyridae) Synonym(s): *gotama* Moore,1857
- 69753) *Mycalesis gotama charaka* Moore,1874 (Satyridae) Synonym(s): *charaka* Moore,1874
- 69754) *Mycalesis gotama nanda Fruhstorfer,1908* (Satyridae) Synonym(s): *nanda* Fruhstorfer,1908
- 69755) *Mycalesis gotama oculata* Moore,1880 (Satyridae) Synonym(s): *oculata* Moore,1880
- 69756) *Mycalesis horsfieldi* Moore,1892 (Satyridae) Synonym(s): *horsfieldi* Moore,1892
- 69757) *Mycalesis horsfieldi distanti* Moore,1892 (Satyridae) Synonym(s): *distanti* Moore,1892
- 69758) *Mycalesis horsfieldi enganoensis Fruhstorfer,1908* (Satyridae) Synonym(s): *enganoensis* Fruhstorfer,1908
- 69759) *Mycalesis horsfieldi hermana Fruhstorfer,1908* (Satyridae) Synonym(s): *hermana* Fruhstorfer,1908
- 69760) *Mycalesis horsfieldi horsfieldi* Moore,1892 (Satyridae) Synonym(s): *horsfieldi* Moore,1892
- 69761) *Mycalesis horsfieldi leucinoe Fruhstorfer,1908* (Satyridae) Synonym(s): *leucinoe* Fruhstorfer,1908
- 69762) *Mycalesis horsfieldi mucianus Fruhstorfer,1908* (Satyridae) Synonym(s): *mucianus* Fruhstorfer,1908
- 69763) *Mycalesis horsfieldi niasana Fruhstorfer,1908* (Satyridae) Synonym(s): *niasana* Fruhstorfer,1908
- 69764) *Mycalesis horsfieldi panthaka Fruhstorfer,1909* (Satyridae) Synonym(s): *panthaka* Fruhstorfer,1909
- 69765) *Mycalesis horsfieldi ptyleus Fruhstorfer,1908* (Satyridae) Synonym(s): *ptyleus* Fruhstorfer,1908
- 69766) *Mycalesis horsfieldi tessimus Fruhstorfer,1908* (Satyridae) Synonym(s): *tessimus* Fruhstorfer,1908
- 69767) *Mycalesis igoleta* C.Felder & R.Felder,1863 (Satyridae) Synonym(s): *igoleta* C.Felder & R.Felder,1863
- 69768) *Mycalesis igoleta igoleta* C.Felder & R.Felder,1863 (Satyridae) Synonym(s): *igoleta* C.Felder & R.Felder,1863
- 69769) *Mycalesis igoleta mangyan Aoki & Uémura,1982* (Satyridae) Synonym(s): *mangyan* Aoki & Uémura,1982
- 69770) *Mycalesis igoleta negrosensis Aoki & Uémura,1982* (Satyridae) Synonym(s): *negrosensis* Aoki & Uémura,1982
- 69771) *Mycalesis intermedia* Moore,1892 (Satyridae) Synonym(s): *intermedia* Moore,1892
- 69772) *Mycalesis ita* C.Felder & R.Felder,1863 (Satyridae) Synonym(s): *ita* C.Felder & R.Felder,1863
- 69773) *Mycalesis ita imeldae* Aoki & Uémura,1982 (Satyridae) Synonym(s): *imeldae* Aoki & Uémura,1982
- 69774) *Mycalesis ita ita* C.Felder & R.Felder,1863 (Satyridae) Synonym(s): *ita* C.Felder & R.Felder,1863
- 69775) *Mycalesis ita jmeli Schröder, Treadaway & Nuyda,1991* (Satyridae) Synonym(s): *jmeli* Schröder, Treadaway & Nuyda,1991
- 69776) *Mycalesis ita maitim Aoki & Uémura,1982* (Satyridae) Synonym(s): *maitim* Aoki & Uémura,1982
- 69777) *Mycalesis ita palawensis Fruhstorfer,1909* (Satyridae) Synonym(s): *palawensis* Fruhstorfer,1909
- 69778) *Mycalesis ita sinonia Fruhstorfer,1911* (Satyridae) Synonym(s): *sinonia* Fruhstorfer,1911
- 69779) *Mycalesis ita teatus Fruhstorfer,1911* ? (Satyridae) Synonym(s): *teatus* Fruhstorfer,1911
- 69780) *Mycalesis janardana* Moore,1858 (Satyridae) Synonym(s): *janardana* Moore,1858
- 69781) *Mycalesis janardana circella Fruhstorfer,1911* (Satyridae) Synonym(s): *circella* Fruhstorfer,1911
- 69782) *Mycalesis janardana janardana* Moore,1858 (Satyridae) Synonym(s): *janardana* Moore,1858

- 69783) *Mycalesis janardana micromede Fruhstorfer, 1900* (Satyridae) Synonym(s): *micromede Fruhstorfer, 1900*
 69784) *Mycalesis janardana sagittigera Fruhstorfer, 1908* (Satyridae) Synonym(s): *sagittigera Fruhstorfer, 1908*
 69785) *Mycalesis kashiwai Aoki & Uémura, 1982* (Satyridae) Synonym(s): *kashiwai Aoki & Uémura, 1982*
 69786) *Mycalesis kashiwai kashiwai Aoki & Uémura, 1982* (Satyridae) Synonym(s): *kashiwai Aoki & Uémura, 1982*
 69787) *Mycalesis kashiwai pula Aoki & Uémura, 1982* (Satyridae) Synonym(s): *pula Aoki & Uémura, 1982*
 69788) *Mycalesis kurosawai Kashiwai, 1986* (Satyridae) Synonym(s): *kurosawai Kashiwai, 1986*
 69789) *Mycalesis lepcha (Moore, 1880)* (Satyridae) Synonym(s): *lepcha Moore, 1880*
 69790) *Mycalesis lepcha kohimensis Tytler, 1914* (Satyridae) Synonym(s): *kohimensis Tytler, 1914*
 69791) *Mycalesis lepcha lepcha (Moore, 1880)* (Satyridae) Synonym(s): *lepcha Moore, 1880*
 69792) *Mycalesis maianaeas Hewitson, 1964* (Satyridae) Synonym(s): *maianaeas Hewitson, 1964*
 69793) *Mycalesis maianaeas maianaeas Hewitson, 1964* (Satyridae) Synonym(s): *maianaeas Hewitson, 1964*
 69794) *Mycalesis malsara Moore, 1857* (Satyridae) Synonym(s): *malsara Moore, 1857*
 69795) *Mycalesis malsara malsara Moore, 1857* (Satyridae) Synonym(s): *malsara Moore, 1857*
 69796) *Mycalesis manii Doherty, 1886* (Satyridae) Synonym(s): *manii Doherty, 1886*
 69797) *Mycalesis mineus (Linnaeus, 1767)* (Satyridae) Synonym(s): *mineus Linnaeus, 1767; drusia Cramer, 1775; otea Stoll, 1780; subfasciata Moore, 1882; carpenteri Butler, 1886.*
 69798) *Mycalesis mineus macromalayana Fruhstorfer, 1911* (Satyridae) Synonym(s): *macromalayana Fruhstorfer, 1911*
 69799) *Mycalesis mineus mineus (Linnaeus, 1767)* (Satyridae) Synonym(s): *mineus Linnaeus, 1767; drusia Cramer, 1775; otea Stoll, 1780; subfasciata Moore, 1882; carpenteri Butler, 1886.*
 69800) *Mycalesis mineus philippina Moore, 1892* (Satyridae) Synonym(s): *philippina Moore, 1892*
 69801) *Mycalesis mnasicles Hewitson, 1864* (Satyridae) Synonym(s): *mnasicles Hewitson, 1864*
 69802) *Mycalesis mnasicles mnasicles Hewitson, 1864* (Satyridae) Synonym(s): *mnasicles Hewitson, 1864*
 69803) *Mycalesis mnasicles perna Fruhstorfer, 1906* (Satyridae) Synonym(s): *perna Fruhstorfer, 1906*
 69804) *Mycalesis nicotia Westwood, [1850]* (Satyridae) Synonym(s): *nicotia Westwood, [1850]; #nicotica Pinratana, 1988*
 69805) *Mycalesis nicotia nicotia Westwood, [1850]* (Satyridae) Synonym(s): *nicotia Westwood, [1850]; #nicotica Pinratana, 1988*
 69806) *Mycalesis oroatis Hewitson, 1864* (Satyridae) Synonym(s): *oroatis Hewitson, 1864*
 69807) *Mycalesis oroatis oroatis Hewitson, 1864* (Satyridae) Synonym(s): *oroatis Hewitson, 1864*
 69808) *Mycalesis oroatis surkha Marschall, 1882* (Satyridae) Synonym(s): *surkha Marschall, 1882*
 69809) *Mycalesis oroatis ustulata Distant, 1885* (Satyridae) Synonym(s): *ustulata Distant, 1885*
 69810) *Mycalesis orseis Hewitson, 1864* (Satyridae) Synonym(s): *orseis Hewitson, 1864*
 69811) *Mycalesis orseis flavotincta Staudinger, 1889* (Satyridae) Synonym(s): *flavotincta Staudinger, 1889*
 69812) *Mycalesis orseis nautilus Butler, 1867* (Satyridae) Synonym(s): *nautilus Butler, 1867*
 69813) *Mycalesis orseis orseis Hewitson, 1864* (Satyridae) Synonym(s): *orseis Hewitson, 1864*
 69814) *Mycalesis perseoides Moore, 1892* (Satyridae) Synonym(s): *perseoides Moore, 1892*
 69815) *Mycalesis perseoides perseoides Moore, 1892* (Satyridae) Synonym(s): *perseoides Moore, 1892*
 69816) *Mycalesis perseus (Fabricius, 1775)* (Satyridae) Synonym(s): *perseus Fabricius, 1775*
 69817) *Mycalesis perseus acarya Fruhstorfer, 1911* (Satyridae) Synonym(s): *acarya Fruhstorfer, 1911*
 69818) *Mycalesis perseus blasius (Fabricius, 1798)* (Satyridae) Synonym(s): *blasius Fabricius, 1798; lurida Butler, 1879.*
 69819) *Mycalesis perseus caesonia Wallengren, 1860* (Satyridae) Synonym(s): *caesonia Wallengren, 1860*
 69820) *Mycalesis perseus cepheus Butler, 1867* (Satyridae) Synonym(s): *cephheus Butler, 1867*
 69821) *Mycalesis perseus perseus (Fabricius, 1775)* (Satyridae) Synonym(s): *perseus Fabricius, 1775*
 69822) *Mycalesis radza Moore, 1878* (Satyridae) Synonym(s): *radza Moore, 1878*
 69823) *Mycalesis rama Moore, 1892* (Satyridae) Synonym(s): *rama Moore, 1892*
 69824) *Mycalesis sangaica Butler, 1877* (Satyridae) Synonym(s): *sangaica Butler, 1877*
 69825) *Mycalesis sangaica sangaica Butler, 1877* (Satyridae) Synonym(s): *sangaica Butler, 1877*
 69826) *Mycalesis sangaica tunicula Fruhstorfer, 1911* (Satyridae) Synonym(s): *tunicula Fruhstorfer, 1911*
 69827) *Mycalesis siamica Riley & Godfrey, 1921* (Satyridae) Synonym(s): *siamica Riley & Godfrey, 1921*
 69828) *Mycalesis siamica siamica Riley & Godfrey, 1921* (Satyridae) Synonym(s): *siamica Riley & Godfrey, 1921*
 69829) *Mycalesis suaveolens Wood-Mason & De Nicéville, 1883* (Satyridae) Synonym(s): *suaveolens Wood-Mason & De Nicéville, 1883*
 69830) *Mycalesis suaveolens duguidi Tytler, 1926* (Satyridae) Synonym(s): *duguidi Tytler, 1926*
 69831) *Mycalesis suaveolens suaveolens Wood-Mason & De Nicéville, 1883* (Satyridae) Synonym(s): *suaveolens Wood-Mason & De Nicéville, 1883*
 69832) *Mycalesis tagala C.Felder & R.Felder, 1863* (Satyridae) Synonym(s): *tagala C.Felder & R.Felder, 1863*
 69833) *Mycalesis tagala henrica Fruhstorfer, 1911* (Satyridae) Synonym(s): *henrica Fruhstorfer, 1911*
 69834) *Mycalesis tagala mataurus Fruhstorfer, 1911* (Satyridae) Synonym(s): *mataurus Fruhstorfer, 1911*
 69835) *Mycalesis tagala mindorana Fruhstorfer, 1900* (Satyridae) Synonym(s): *mindorana Fruhstorfer, 1900*
 69836) *Mycalesis tagala palawana Fruhstorfer, 1908* (Satyridae) Synonym(s): *palawana Fruhstorfer, 1908*
 69837) *Mycalesis tagala semirasa Fruhstorfer, 1908* (Satyridae) Synonym(s): *semirasa Fruhstorfer, 1908*
 69838) *Mycalesis tagala tagala C.Felder & R.Felder, 1863* (Satyridae) Synonym(s): *tagala C.Felder & R.Felder, 1863*
 69839) *Mycalesis tagala venostes Fruhstorfer, 1911* (Satyridae) Synonym(s): *venostes Fruhstorfer, 1911*
 69840) *Mycalesis tamarau Aoki & Uémura, 1982* (Satyridae) Synonym(s): *tamarau Aoki & Uémura, 1982*
 69841) *Mycalesis teatus Fruhstorfer, 1911* (Satyridae) Synonym(s): *teatus Fruhstorfer, 1911*
 69842) *Mycalesis teatus ardens Kashiwai, 1986* (Satyridae) Synonym(s): *ardens Kashiwai, 1986*
 69843) *Mycalesis teatus rhombolana Kashiwai, 1986* (Satyridae) Synonym(s): *rhombolana Kashiwai, 1986*
 69844) *Mycalesis teatus teatus Fruhstorfer, 1911* (Satyridae) Synonym(s): *teatus Fruhstorfer, 1911*
 69845) *Mycalesis thailandica Aoki & Yamaguchi, 1983* (Satyridae) Synonym(s): *thailandica Aoki & Yamaguchi, 1983*
 69846) *Mycalesis thailandica thailandica Aoki & Yamaguchi, 1983* (Satyridae) Synonym(s): *thailandica Aoki & Yamaguchi, 1983*
 69847) *Mycalesis treadawayi Schröder, 1986* (Satyridae) Synonym(s): *treadawayi Schröder, 1986*
 69848) *Mycalesis treadawayi cotabatana Schröder & Treadaway, 1991* (Satyridae) Synonym(s): *cotabatana Schröder & Treadaway, 1991*
 69849) *Mycalesis treadawayi malindangensis Schröder & Treadaway, 1991* (Satyridae) Synonym(s): *malindangensis Schröder & Treadaway, 1991*
 69850) *Mycalesis treadawayi treadawayi Schröder, 1986* (Satyridae) Synonym(s): *treadawayi Schröder, 1986*
 69851) *Mycalesis visala Moore, 1857* (Satyridae) Synonym(s): *visala Moore, 1857*
 69852) *Mycalesis visala phamis Talbot & Corbet, 1939* (Satyridae) Synonym(s): *phamis Talbot & Corbet, 1939*
 69853) *Mycalesis visala visala Moore, 1857* (Satyridae) Synonym(s): *visala Moore, 1857*
 69854) *Neita durbani (Trimen, 1887)* (Satyridae) Synonym(s): *durbani Trimen, 1887*
 69855) *Neita durbani durbani (Trimen, 1887)* (Satyridae) Synonym(s): *durbani Trimen, 1887*
 69856) *Neita extensa (Butler, 1898)* (Satyridae) Synonym(s): *extensa Butler, 1898; major Trimen, 1906*
 69857) *Neita extensa extensa (Butler, 1898)* (Satyridae) Synonym(s): *extensa Butler, 1898; major Trimen, 1906*
 69858) *Neita lotenia (Van Son, 1949)* (Satyridae) Synonym(s): *lotenia Van Son, 1949*
 69859) *Neita lotenia lotenia (Van Son, 1949)* (Satyridae) Synonym(s): *lotenia Van Son, 1949*
 69860) *Neita neita (Wallengren, 1875)* (Satyridae) Synonym(s): *neita Wallengren, 1875*
 69861) *Neita neita neita (Wallengren, 1875)* (Satyridae) Synonym(s): *neita Wallengren, 1875*
 69862) *Neita orbipalus Kielland, 1990* (Satyridae) Synonym(s): *orbipalus Kielland, 1990*
 69863) *Neita orbipalus congdoni Kielland, 1990* (Satyridae) Synonym(s): *congdoni Kielland, 1990*
 69864) *Neita orbipalus orbipalus Kielland, 1990* (Satyridae) Synonym(s): *orbipalus Kielland, 1990*
 69865) *Neita victoriae (Aurivillius, 1898)* (Satyridae) Synonym(s): *victoriae Aurivillius, 1898*
 69866) *Neita victoriae victoriae (Aurivillius, 1898)* (Satyridae) Synonym(s): *victoriae Aurivillius, 1898*
 69867) *Neocoenyrha bioculata Carcasson, 1964* (Satyridae) Synonym(s): *bioculata Carcasson, 1964*
 69868) *Neocoenyrha bioculata bioculata Carcasson, 1964* (Satyridae) Synonym(s): *bioculata Carcasson, 1964*
 69869) *Neocoenyrha cooksoni Druce, 1907* (Satyridae) Synonym(s): *cooksoni Druce, 1907*
 69870) *Neocoenyrha cooksoni cooksoni Druce, 1907* (Satyridae) Synonym(s): *cooksoni Druce, 1907*

- 69871) *Neocoenyrta duplex* Butler, 1886 (Satyridae) Synonym(s): *duplex* Butler, 1886
 69872) *Neocoenyrta duplex duplex* Butler, 1886 (Satyridae) Synonym(s): *duplex* Butler, 1886
 69873) *Neocoenyrta fuligo* Kielland, 1990 (Satyridae) Synonym(s): *fuligo* Kielland, 1990
 69874) *Neocoenyrta fuligo fuligo* Kielland, 1990 (Satyridae) Synonym(s): *fuligo* Kielland, 1990
 69875) *Neocoenyrta fulleborni* Thurnau, 1903 (Satyridae) Synonym(s): *fulleborni* Thurnau, 1903
 69876) *Neocoenyrta fulleborni fulleborni* Thurnau, 1903 (Satyridae) Synonym(s): *fulleborni* Thurnau, 1903
 69877) *Neocoenyrta gregorii* Butler, 1894 (Satyridae) Synonym(s): *gregorii* Butler, 1894; *chanleri* Holland, 1896
 69878) *Neocoenyrta gregorii gregorii* Butler, 1894 (Satyridae) Synonym(s): *gregorii* Butler, 1894; *chanleri* Holland, 1896
 69879) *Neocoenyrta heckmanni* Thurnau, 1903 (Satyridae) Synonym(s): *heckmanni* Thurnau, 1903; *#wentzelae* Thurnau, 1903; *mittoni* Pinhey, 1956
 69880) *Neocoenyrta heckmanni heckmanni* Thurnau, 1903 (Satyridae) Synonym(s): *heckmanni* Thurnau, 1903; *#wentzelae* Thurnau, 1903; *mittoni* Pinhey, 1956
 69881) *Neocoenyrta masai* Carcasson, 1958 (Satyridae) Synonym(s): *kennethi* Kielland, 1990
 69882) *Neocoenyrta heckmanni mangalisia* Kielland, 1990 (Satyridae) Synonym(s): *mangalisia* Kielland, 1990
 69883) *Neocoenyrta heckmanni mbinga* Kielland, 1990 (Satyridae) Synonym(s): *mbinga* Kielland, 1990; *songeana* Kielland, 1990
 69884) *Neocoenyrta heckmanni uzungwae* Kielland, 1990 (Satyridae) Synonym(s): *uzungwae* Kielland, 1990
 69885) *Neocoenyrta jordani* Rebel, 1906 (Satyridae) Synonym(s): *jordani* Rebel, 1906
 69886) *Neocoenyrta jordani jordani* Rebel, 1906 (Satyridae) Synonym(s): *jordani* Rebel, 1906
 69887) *Neocoenyrta jordani septentrionalis* Kielland, 1990 (Satyridae) Synonym(s): *septentrionalis* Kielland, 1990
 69888) *Neocoenyrta kivuensis* Seydel, 1929 (Satyridae) Synonym(s): *kivuensis* Seydel, 1929
 69889) *Neocoenyrta kivuensis kivuensis* Seydel, 1929 (Satyridae) Synonym(s): *kivuensis* Seydel, 1929
 69890) *Neocoenyrta masai* Carcasson, 1958 (Satyridae) Synonym(s): *masai* Carcasson, 1958
 69891) *Neocoenyrta masai masai* Carcasson, 1958 (Satyridae) Synonym(s): *masai* Carcasson, 1958
 69892) *Neocoenyrta parallelopupillata* (Karsch, 1897) (Satyridae) Synonym(s): *parallelopupillata* Karsch, 1897
 69893) *Neocoenyrta parallelopupillata parallelopupillata* (Karsch, 1897) (Satyridae) Synonym(s): *parallelopupillata* Karsch, 1897
 69894) *Neocoenyrta petersi* Kielland, 1990 (Satyridae) Synonym(s): *petersi* Kielland, 1990
 69895) *Neocoenyrta petersi petersi* Kielland, 1990 (Satyridae) Synonym(s): *petersi* Kielland, 1990
 69896) *Neocoenyrta pinheyi* Carcasson, 1961 (Satyridae) Synonym(s): *pinheyi* Carcasson, 1961
 69897) *Neocoenyrta pinheyi pinheyi* Carcasson, 1961 (Satyridae) Synonym(s): *pinheyi* Carcasson, 1961
 69898) *Neocoenyrta rufilineata* Butler, 1894 (Satyridae) Synonym(s): *rufilineata* Butler, 1894
 69899) *Neocoenyrta rufilineata rufilineata* Butler, 1894 (Satyridae) Synonym(s): *rufilineata* Butler, 1894
 69900) *Neocoenyrta ypthimoides* Butler, 1894 (Satyridae) Synonym(s): *ypthimoides* Butler, 1894; *#superfluae* Strand, 1911
 69901) *Neocoenyrta ypthimoides ypthimoides* Butler, 1894 (Satyridae) Synonym(s): *ypthimoides* Butler, 1894; *#superfluae* Strand, 1911
 69902) *Neominois ridingsii* (Edwards, 1865) (Satyridae) Synonym(s): *ridingsii* Edwards, 1865
 69903) *Neonympha areolata* (Smith, 1797) (Satyridae) Synonym(s): *phocion* Fabricius, 1793 nec Fabr., 1781; *areolata* Smith, 1797
 69904) *Neonympha mitchellii* (French, 1889) (Satyridae) Synonym(s): *mitchellii* French, 1889
 69905) *Neope armandii* (Oberthür, 1876) (Satyridae) Synonym(s): *armandii* Oberthür, 1876
 69906) *Neope bhadra* (Moore, 1857) (Satyridae) Synonym(s): *bhadra* Moore, 1857; *hasiana* Moore, 1881; *beata* Talbot, 1949
 69907) *Neope goschewitschii* (Ménétrières, 1857) (Satyridae) Synonym(s): *goschewitschii* Ménétrières, 1857; *japonica* Butler, 1867; *moorei* Butler, 1867.
 69908) *Neope goschewitschii goschewitschii* (Ménétrières, 1857) (Satyridae) Synonym(s): *goschewitschii* Ménétrières, 1857; *japonica* Butler, 1867; *moorei* Butler, 1867.
 69909) *Neope muirheadi* C.Felder & R.Felder, 1862 (Satyridae) Synonym(s): *muirheadi* C.Felder & R.Felder, 1862
 69910) *Neope muirheadi bhima* Marschall, 1880 (Satyridae) Synonym(s): *bhima* Marschall, 1880
 69911) *Neope muirheadi muirheadi* C.Felder & R.Felder, 1862 (Satyridae) Synonym(s): *muirheadi* C.Felder & R.Felder, 1862
 69912) *Neope muirheadi nagasawae* Matsumura (Satyridae) Synonym(s): *nagasawae* Matsumura
 69913) *Neope niponica* Butler, 1881 (Satyridae) Synonym(s): *niponica* Butler, 1881
 69914) *Neope niponica niponica* Butler, 1881 (Satyridae) Synonym(s): *niponica* Butler, 1881
 69915) *Neope pulaha* Moore, 1858 (Satyridae) Synonym(s): *pulaha* Moore, 1858
 69916) *Neope pulaha pulaha* Moore, 1858 (Satyridae) Synonym(s): *pulaha* Moore, 1858
 69917) *Neope pulaha pulahoides* Moore, 1892 (Satyridae) Synonym(s): *pulahoides* Moore, 1892
 69918) *Neorina crishna* Westwood, 1851 (Satyridae) Synonym(s): *crishna* Westwood, 1851
 69919) *Neorina crishna archaica* Fruhstorfer, 1911 (Satyridae) Synonym(s): *archaica* Fruhstorfer, 1911
 69920) *Neorina crishna crishna* Westwood, 1851 (Satyridae) Synonym(s): *crishna* Westwood, 1851
 69921) *Neorina hilda* Westwood, 1850 (Satyridae) Synonym(s): *hilda* Westwood, 1850
 69922) *Neorina lowii* (Doubleday, 1849) (Satyridae) Synonym(s): *lowii* Doubleday, 1849
 69923) *Neorina lowii latipicta* Fruhstorfer, 1911 (Satyridae) Synonym(s): *latipicta* Fruhstorfer, 1911
 69924) *Neorina lowii lowii* (Doubleday, 1849) (Satyridae) Synonym(s): *lowii* Doubleday, 1849
 69925) *Neorina lowii neophyta* Fruhstorfer, 1911 (Satyridae) Synonym(s): *neophyta* Fruhstorfer, 1911
 69926) *Neorina lowii princesa* Staudinger, 1889 (Satyridae) Synonym(s): *princesa* Staudinger, 1889
 69927) *Neorina patria* Leech, 1891 (Satyridae) Synonym(s): *patria* Leech, 1891
 69928) *Neorina patria westwoodi* Moore, 1892 (Satyridae) Synonym(s): *westwoodi* Moore, 1892
 69929) *Ninguta schrenckii* (Ménétrières, 1859) (Satyridae) Synonym(s): *schrenckii* Ménétrières, 1859
 69930) *Ninguta schrenckii damontas* (Fruhstorfer, 1909) (Satyridae) Synonym(s): *damontas* Fruhstorfer, 1909
 69931) *Ninguta schrenckii menalcas* (Fruhstorfer, 1909) (Satyridae) Synonym(s): *menalcas* Fruhstorfer, 1909
 69932) *Ninguta schrenckii schrenckii* (Ménétrières, 1859) (Satyridae) Synonym(s): *schrenckii* Ménétrières, 1859
 69933) *Nirvanopsis hypnus* (Tsukada & Nishiyama, 1979) (Satyridae) Synonym(s): *hypnus* Tsukada & Nishiyama, 1979
 69934) *Oeneis actaeoides* Lukhtanov, 1989 (Satyridae) Synonym(s): *actaeoides* Lukhtanov, 1989
 69935) *Oeneis actaeoides actaeoides* Lukhtanov, 1989 (Satyridae) Synonym(s): *actaeoides* Lukhtanov, 1989
 69936) *Oeneis aktashi* Lukhtanov, 1984 (Satyridae) Synonym(s): *aktashi* Lukhtanov, 1984
 69937) *Oeneis aktashi aktashi* Lukhtanov, 1984 (Satyridae) Synonym(s): *aktashi* Lukhtanov, 1984
 69938) *Oeneis aktashi ona* Korshunov, 1996 (Satyridae) Synonym(s): *ona* Korshunov, 1996
 69939) *Oeneis aktashi sarala* Korshunov, 1988 (Satyridae) Synonym(s): *sarala* Korshunov, 1988
 69940) *Oeneis alberta* Elwes, 1893 (Satyridae) Synonym(s): *alberta* Elwes, 1893
 69941) *Oeneis alpina* (Satyridae) Synonym(s):
 69942) *Oeneis ammon* Elwes, 1899 (Satyridae) Synonym(s): *ammon* Elwes, 1899
 69943) *Oeneis ammon ammon* Elwes, 1899 (Satyridae) Synonym(s): *ammon* Elwes, 1899
 69944) *Oeneis ammon arasaguna* Austaut, 1911 (Satyridae) Synonym(s): *arasaguna* Austaut, 1911
 69945) *Oeneis ammon hangaica* Kurentsov, 1970 (Satyridae) Synonym(s): *hangaica* Kurentsov, 1970
 69946) *Oeneis ammon tatarinovi* Korb, 1998 (Satyridae) Synonym(s): *tatarinovi* Korb, 1998
 69947) *Oeneis ammosovi* Dubatolov & Korshunov, 1988 (Satyridae) Synonym(s): *amosovi* Dubatolov & Korshunov, 1988
 69948) *Oeneis ammosovi ammosovi* Dubatolov & Korshunov, 1988 (Satyridae) Synonym(s): *amosovi* Dubatolov & Korshunov, 1988
 69949) *Oeneis anna* Austaut, 1911 (Satyridae) Synonym(s): *anna* Austaut, 1911
 69950) *Oeneis anna anna* Austaut, 1911 (Satyridae) Synonym(s): *anna* Austaut, 1911
 69951) *Oeneis anna dzhulukuli* Korshunov, 1998 (Satyridae) Synonym(s): *dzhulukuli* Korshunov, 1998
 69952) *Oeneis bore* (Schneider, 1792) (Satyridae) Synonym(s): *bore* Schneider, 1792; *bootes* Boisduval, 1832
 69953) *Oeneis bore bore* (Schneider, 1792) (Satyridae) Synonym(s): *bore* Schneider, 1792; *bootes* Boisduval, 1832
 69954) *Oeneis bore mackinliensis* dos Passos, 1949 (Satyridae) Synonym(s): *mackinliensis* dos Passos, 1949
 69955) *Oeneis brunhilda* A.Bang-Haas, 1912 (Satyridae) Synonym(s): *brunhilda* A.Bang-Haas, 1912
 69956) *Oeneis brunhilda brunhilda* A.Bang-Haas, 1912 (Satyridae) Synonym(s): *brunhilda* A.Bang-Haas, 1912
 69957) *Oeneis buddha* Groum-Grshimailo, 1890 (Satyridae) Synonym(s): *buddha* Groum-Grshimailo, 1890
 69958) *Oeneis buddha brahma* O.Bang-Haas, 1933 (Satyridae) Synonym(s): *brahma* O.Bang-Haas, 1933
 69959) *Oeneis buddha buddha* Groum-Grshimailo, 1890 (Satyridae) Synonym(s): *buddha* Groum-Grshimailo, 1890

- 69960) *Oeneis buddha confucius* O.Bang-Haas,1933 (Satyridae) Synonym(s): *confucius* O.Bang-Haas,1933
69961) *Oeneis buddha garhwalia* Tytler,1926 (Satyridae) Synonym(s): *garhwalia* Tytler,1926
69962) *Oeneis chione Austaut,1911* (Satyridae) Synonym(s): *chione Austaut,1911*
69963) *Oeneis chione chione Austaut,1911* (Satyridae) Synonym(s): *chione Austaut,1911*
69964) *Oeneis chione tshukota Korshunov,1998* (Satyridae) Synonym(s): *tshukota Korshunov,1998*
69965) *Oeneis chryxus (Doubleday & Hewitson,[1849])* (Satyridae) Synonym(s): *chryxus Doubleday & Hewitson,[1849]*
69966) *Oeneis chryxus chryxus (Doubleday & Hewitson,[1849])* (Satyridae) Synonym(s): *chryxus Doubleday & Hewitson,[1849]*
69967) *Oeneis diluta Lukhtanov,1994* (Satyridae) Synonym(s): *diluta Lukhtanov,1994*
69968) *Oeneis diluta diluta Lukhtanov,1994* (Satyridae) Synonym(s): *diluta Lukhtanov,1994*
69969) *Oeneis elwesi Staudinger,1901* (Satyridae) Synonym(s): *elwesi Staudinger,1901*
69970) *Oeneis elwesi elwesi Staudinger,1901* (Satyridae) Synonym(s): *elwesi Staudinger,1901*
69971) *Oeneis elwesi ulugchemi Korshunov,1995* (Satyridae) Synonym(s): *ulugchemi Korshunov,1995*
69972) *Oeneis fulla (Eversmann,1851)* (Satyridae) Synonym(s): *fulla Eversmann,1851*
69973) *Oeneis fulla fulla (Eversmann,1851)* (Satyridae) Synonym(s): *fulla Eversmann,1851*
69974) *Oeneis glacialis (Moll,1783)* (Satyridae) Synonym(s): *glacialis Moll,1783; aello Hübner,[1804]*
69975) *Oeneis glacialis glacialis (Moll,1783)* (Satyridae) Synonym(s): *glacialis Moll,1783; aello Hübner,[1804]*
69976) *Oeneis grandis (Riley,1923)* (Satyridae) Synonym(s): *grandis Riley,1923*
69977) *Oeneis grandis grandis (Riley,1923)* (Satyridae) Synonym(s): *grandis Riley,1923*
69978) *Oeneis hora Groum-Grshimailo,1888* (Satyridae) Synonym(s): *hora Groum-Grshimailo,1888; elsa Austaut,1895; verdanda Staudinger,1897; vanda Austaut,1900; germana Austaut,1908; tristis Bang-Haas,1909*
69979) *Oeneis hora hora Groum-Grshimailo,1888* (Satyridae) Synonym(s): *hora Groum-Grshimailo,1888; elsa Austaut,1895; verdanda Staudinger,1897; vanda Austaut,1900; germana Austaut,1908; tristis Bang-Haas,1909*
69980) *Oeneis ivalda (Mead,1878)* (Satyridae) Synonym(s): *ivalda Mead,1878*
69981) *Oeneis jakutski Korshunov,1998* (Satyridae) Synonym(s): *jakutski Korshunov,1998*
69982) *Oeneis jakutski jakutski Korshunov,1998* (Satyridae) Synonym(s): *jakutski Korshunov,1998*
69983) *Oeneis jutta (Hübner,[1806])* (Satyridae) Synonym(s): *jutta Hübner,[1806]*
69984) *Oeneis jutta akoene Belik & Yakovlev,1998* (Satyridae) Synonym(s): *akoene Belik & Yakovlev,1998*
69985) *Oeneis jutta jutta (Hübner,[1806])* (Satyridae) Synonym(s): *jutta Hübner,[1806]*
69986) *Oeneis jutta lukhtanovi Korshunov,2000* (Satyridae) Synonym(s): *lukhtanovi Korshunov,2000*
69987) *Oeneis macounii (Edwards,1885)* (Satyridae) Synonym(s): *macounii Edwards,1885*
69988) *Oeneis magna Graeser,1888* (Satyridae) Synonym(s): *magna Graeser,1888; transbaicalica Kurentsov,1970; mongolica Kurentsov,1970; kurentsovi Murayama,1973; judini Korshunov,1988 (cf. Tusov,1997: 239)*
69989) *Oeneis magna dubia Elwes,1899* (Satyridae) Synonym(s): *dubia Elwes,1899; staudingeri Austaut,1909*
69990) *Oeneis magna kurentzovi Murayama,1973* (Satyridae) Synonym(s): *kurentzovi Murayama,1973*
69991) *Oeneis magna magadanica Kurentzov,1970* (Satyridae) Synonym(s): *magadanica Kurentzov,1970*
69992) *Oeneis magna magna Graeser,1888* (Satyridae) Synonym(s): *magna Graeser,1888; transbaicalica Kurentsov,1970; mongolica Kurentsov,1970; kurentsovi Murayama,1973; judini Korshunov,1988 (cf. Tusov,1997: 239)*
69993) *Oeneis magna pupavkini Korshunov,1995* (Satyridae) Synonym(s): *pupavkini Korshunov,1995*
69994) *Oeneis melissa (Fabricius,1775)* (Satyridae) Synonym(s): *melissa Fabricius,1775; semidea sensu auct.*
69995) *Oeneis melissa karae Kuznesov,1925* (Satyridae) Synonym(s): *karae Kuznesov,1925*
69996) *Oeneis melissa melissa (Fabricius,1775)* (Satyridae) Synonym(s): *melissa Fabricius,1775; semidea sensu auct.*
69997) *Oeneis melissa orientalis Kurentsov,1970* (Satyridae) Synonym(s): *orientalis Kurentsov,1970*
69998) *Oeneis melissa tunga Staudinger,[1895]* (Satyridae) Synonym(s): *tunga Staudinger,[1895]*
69999) *Oeneis mongolica Oberthür,1879* (Satyridae) Synonym(s): *mongolica Oberthür,1879*
70000) *Oeneis mongolica mongolica Oberthür,1879* (Satyridae) Synonym(s): *mongolica Oberthür,1879*
70001) *Oeneis mongolica walkyria Fixsen,1887* (Satyridae) Synonym(s): *walkyria Fixsen,1887; #rasa Bryk,1946; valkyria Bryk,1946*
70002) *Oeneis mulla Staudinger,1881* (Satyridae) Synonym(s): *mulla Staudinger,1881*
70003) *Oeneis mulla mulla Staudinger,1881* (Satyridae) Synonym(s): *mulla Staudinger,1881*
70004) *Oeneis nanna (Ménétrières,1859)* (Satyridae) Synonym(s): *nanna Ménétrières,1859; hulda Staudinger,1887*
70005) *Oeneis nanna nanna (Ménétrières,1859)* (Satyridae) Synonym(s): *nanna Ménétrières,1859; hulda Staudinger,1887*
70006) *Oeneis nevadensis (C.Felder & R.Felder,[1867])* (Satyridae) Synonym(s): *nevadensis C.Felder & R.Felder,[1867]*
70007) *Oeneis norna (Thunberg,1791)* (Satyridae) Synonym(s): *norna Thunberg,1791; dembowskyi Sedykh,1974; falkovitchi Sedykh,1974; kusnetzovi Sedykh,1974; koslowskyi Sedykh,1974; solopovi Sedykh,1974*
70008) *Oeneis norna altaica Elwes,1899* (Satyridae) Synonym(s): *altaica Elwes,1899; tundra A.Bang-Haas,1912*
70009) *Oeneis norna norna (Thunberg,1791)* (Satyridae) Synonym(s): *norna Thunberg,1791; dembowskyi Sedykh,1974; falkovitchi Sedykh,1974; kusnetzovi Sedykh,1974; koslowskyi Sedykh,1974; solopovi Sedykh,1974*
70010) *Oeneis norna verdanda Staudinger,1901* (Satyridae) Synonym(s): *elsa auct. nec Aust.,1895; verdanda Staudinger,1901*
70011) *Oeneis oene (Boisduval,1832)* (Satyridae) Synonym(s): *oene Boisduval,1832*
70012) *Oeneis oene oene (Boisduval,1832)* (Satyridae) Synonym(s): *oene Boisduval,1832*
70013) *Oeneis palaearcticus Staudinger,1889* (Satyridae) Synonym(s): *palaearcticus Staudinger,1889; lama Alpheraky,1889*
70014) *Oeneis palaearcticus palaearcticus Staudinger,1889* (Satyridae) Synonym(s): *palaearcticus Staudinger,1889; lama Alpheraky,1889*
70015) *Oeneis palaearcticus sikkimensis Staudinger,1889* (Satyridae) Synonym(s): *sikkimensis Staudinger,1889*
70016) *Oeneis pansa Christoph,1893* (Satyridae) Synonym(s): *pansa Christoph,1893*
70017) *Oeneis pansa pansa Christoph,1893* (Satyridae) Synonym(s): *pansa Christoph,1893*
70018) *Oeneis patrushevae Korshunov,1985* (Satyridae) Synonym(s): *patrushevae Korshunov,1985*
70019) *Oeneis patrushevae patrushevae Korshunov,1985* (Satyridae) Synonym(s): *patrushevae Korshunov,1985*
70020) *Oeneis polixenes (Fabricius,1775)* (Satyridae) Synonym(s): *polixenes Fabricius,1775*
70021) *Oeneis polixenes antonovae Lukhtanov,1989* (Satyridae) Synonym(s): *antonovae Lukhtanov,1989*
70022) *Oeneis polixenes paior Lukhtanov,1989* (Satyridae) Synonym(s): *paior Lukhtanov,1989*
70023) *Oeneis polixenes polixenes (Fabricius,1775)* (Satyridae) Synonym(s): *polixenes Fabricius,1775*
70024) *Oeneis pseudosculda Korshunov,1977* (Satyridae) Synonym(s): *pseudosculda Korshunov,1977*
70025) *Oeneis pseudosculda pseudosculda Korshunov,1977* (Satyridae) Synonym(s): *pseudosculda Korshunov,1977*
70026) *Oeneis pumilus (C.Felder & R.Felder,[1867])* (Satyridae) Synonym(s): *pumilus C.Felder & R.Felder,[1867]*
70027) *Oeneis pumilus bicolor Fruhstorfer,1911* (Satyridae) Synonym(s): *bicolor Seitz,1908; bicolor Fruhstorfer,1911*
70028) *Oeneis pumilus divnogorski (O.Bang-Haas,1927)* (Satyridae) Synonym(s): *divnogorski O.Bang-Haas,1927*
70029) *Oeneis pumilus nanchanicus (Groum-Grshimailo,1902)* (Satyridae) Synonym(s): *nanchanica Groum-Grshimailo,1902*
70030) *Oeneis pumilus pumilus (C.Felder & R.Felder,[1867])* (Satyridae) Synonym(s): *pumilus C.Felder & R.Felder,[1867]*
70031) *Oeneis rosovi* (Satyridae) Synonym(s):
70032) *Oeneis sapozhnikov Korshunov,1982* (Satyridae) Synonym(s): *sapozhnikov Korshunov,1982*
70033) *Oeneis sapozhnikov sapozhnikov Korshunov,1982* (Satyridae) Synonym(s): *sapozhnikov Korshunov,1982*
70034) *Oeneis sculda (Eversmann,1851)* (Satyridae) Synonym(s): *sculda Eversmann,1851*
70035) *Oeneis sculda sculda (Eversmann,1851)* (Satyridae) Synonym(s): *sculda Eversmann,1851*
70036) *Oeneis sculda vadimi Korshunov,1995* (Satyridae) Synonym(s): *vadimi Korshunov,1995*
70037) *Oeneis simulans Tusov,1996* (Satyridae) Synonym(s): *simulans Tusov,1996*
70038) *Oeneis simulans simulans Tusov,1996* (Satyridae) Synonym(s): *simulans Tusov,1996*
70039) *Oeneis solanikovi Kurentsov,1970* (Satyridae) Synonym(s): *solanikovi Kurentsov,1970*
70040) *Oeneis solanikovi solanikovi Kurentsov,1970* (Satyridae) Synonym(s): *solanikovi Kurentsov,1970*
70041) *Oeneis tarpeia (Pallas,1771)* (Satyridae) Synonym(s): *tarpeia Pallas,1771; celimene Cramer,[1782]; vacuna Groum-Grshimailo,1891*
70042) *Oeneis tarpeia grossi Eitschberger & Lukhtanov,1994* (Satyridae) Synonym(s): *grossi Eitschberger & Lukhtanov,1994*
70043) *Oeneis tarpeia lederi Alpheraky,1897* (Satyridae) Synonym(s): *lederi Alpheraky,1897; sapozhnikov Korshunov,1982*

- 70044) *Oeneis tarpeia rozhdestvenskyi* Korb & Yakovlev, 1997 (Satyridae) Synonym(s): *rozhdestvenskyi* Korb & Yakovlev, 1997
 70045) *Oeneis tarpeia tarpeia* (Pallas, 1771) (Satyridae) Synonym(s): *tarpeia* Pallas, 1771; *celimene* Cramer, [1782]; *vacuna* Groum-Grshimailo, 1891.
 70046) *Oeneis tarpeia ukokana* Korb, 1998 (Satyridae) Synonym(s): *ukokana* Korb, 1998
 70047) *Oeneis taygete* (Geyer, [1830]) (Satyridae) Synonym(s): *taygete* Geyer, [1830]
 70048) *Oeneis tschukotkensis* Kurentsov, 1970 (Satyridae) Synonym(s): *tschukotkensis* Kurentsov, 1970
 70049) *Oeneis tschukotkensis tschukotkensis* Kurentsov, 1970 (Satyridae) Synonym(s): *tschukotkensis* Kurentsov, 1970
 70050) *Oeneis uhleri* (Reakirt, 1866) (Satyridae) Synonym(s): *uhleri* Reakirt, 1866
 70051) *Oeneis urda* (Eversmann, 1847) (Satyridae) Synonym(s): *urda* Eversmann, 1847
 70052) *Oeneis urda monteviri* Bryk, 1946 (Satyridae) Synonym(s): *monteviri* Bryk, 1946
 70053) *Oeneis urda trybomi* Bryk, 1946 (Satyridae) Synonym(s): *trybomi* Bryk, 1946; *#trybomi* Forster, 1965.
 70054) *Oeneis urda tschiliensis* O. Bang-Haas, 1933 (Satyridae) Synonym(s): *tschiliensis* O. Bang-Haas, 1933
 70055) *Oeneis urda urda* (Eversmann, 1847) (Satyridae) Synonym(s): *urda* Eversmann, 1847
 70056) *Orinoma damaris* Gray, 1846 (Satyridae) Synonym(s): *damaris* Gray, 1846
 70057) *Orinoma damaris damaris* Gray, 1846 (Satyridae) Synonym(s): *damaris* Gray, 1846
 70058) *Orinoma damaris harmostus* Fruhstorfer, 1911 (Satyridae) Synonym(s): *harmostus* Fruhstorfer, 1911
 70059) *Orsotriaena medus* (Fabricius, 1775) (Satyridae) Synonym(s): *medus* Fabricius, 1775
 70060) *Orsotriaena medus cinerea* Butler, 1867 (Satyridae) Synonym(s): *cinerea* Butler, 1867
 70061) *Orsotriaena medus jopas* Hewitson, 1864 (Satyridae) Synonym(s): *jopas* Hewitson, 1864
 70062) *Orsotriaena medus mandata* Moore, 1857 (Satyridae) Synonym(s): *mandata* Moore, 1857
 70063) *Orsotriaena medus medus* (Fabricius, 1775) (Satyridae) Synonym(s): *medus* Fabricius, 1775
 70064) *Orsotriaena medus mendice* Fruhstorfer, 1911 (Satyridae) Synonym(s): *mendice* Fruhstorfer, 1911
 70065) *Orsotriaena medus paupercula* Fruhstorfer, 1908 (Satyridae) Synonym(s): *paupercula* Fruhstorfer, 1908
 70066) *Paralasa ? atramentaria* (O. Bang-Haas, 1927) (Satyridae) Synonym(s): *atramentaria* O. Bang-Haas, 1927
 70067) *Paralasa ? atramentaria atramentaria* (O. Bang-Haas, 1927) (Satyridae) Synonym(s): *atramentaria* O. Bang-Haas, 1927
 70068) *Paralasa afghana* (Goltz, 1937) (Satyridae) Synonym(s): *afghana* Goltz, 1937; *#afghana* Goltz, 1937
 70069) *Paralasa afghana afghana* (Goltz, 1937) (Satyridae) Synonym(s): *afghana* Goltz, 1937; *#afghana* Goltz, 1937
 70070) *Paralasa afghana asura* Wyatt, 1961 (Satyridae) Synonym(s): *asura* Wyatt, 1961
 70071) *Paralasa afghana panjshira* Wyatt & Omoto, 1966 (Satyridae) Synonym(s): *panjshira* Wyatt & Omoto, 1966
 70072) *Paralasa alajense* Korb, 2004 (Satyridae) Synonym(s): *alajense* Korb, 2004
 70073) *Paralasa ali* Churkin & Tusov, 1998 (Satyridae) Synonym(s): *ali* Churkin & Tusov, 1998
 70074) *Paralasa ali ali* Churkin & Tusov, 1998 (Satyridae) Synonym(s): *ali* Churkin & Tusov, 1998
 70075) *Paralasa chitralica* (Evans, 1923) (Satyridae) Synonym(s): *chitralica* Evans, 1923
 70076) *Paralasa chitralica chitralica* (Evans, 1923) (Satyridae) Synonym(s): *chitralica* Evans, 1923
 70077) *Paralasa chitralica manioides* Wyatt & Omoto, 1966 (Satyridae) Synonym(s): *manioides* Wyatt & Omoto, 1966
 70078) *Paralasa chitralica pamira* Shchetkin, 1989 (Satyridae) Synonym(s): *pamira* Shchetkin, 1989
 70079) *Paralasa danorum* Clench & Shoumatoff, 1956 (Satyridae) Synonym(s): *danorum* Clench & Shoumatoff, 1956
 70080) *Paralasa danorum danorum* Clench & Shoumatoff, 1956 (Satyridae) Synonym(s): *danorum* Clench & Shoumatoff, 1956
 70081) *Paralasa discalis* Smith (Satyridae) Synonym(s):
 70082) *Paralasa discalis discalis* Smith (Satyridae) Synonym(s):
 70083) *Paralasa hades* (Staudinger, 1882) (Satyridae) Synonym(s): *hades* Staudinger, 1882; *hades* Lang, 1884.
 70084) *Paralasa hades hades* (Staudinger, 1882) (Satyridae) Synonym(s): *hades* Staudinger, 1882; *hades* Lang, 1884.
 70085) *Paralasa hades maida* Churkin & Tusov, 1998 (Satyridae) Synonym(s): *maida* Churkin & Tusov, 1998
 70086) *Paralasa hades yakthashma* Churkin & Tusov, 1998 (Satyridae) Synonym(s): *yakthashma* Churkin & Tusov, 1998
 70087) *Paralasa horaki* Tusov, 1997 (Satyridae) Synonym(s): *horaki* Tusov, 1997
 70088) *Paralasa horaki horaki* Tusov, 1997 (Satyridae) Synonym(s): *horaki* Tusov, 1997
 70089) *Paralasa howarthi* Sakai, 1978 (Satyridae) Synonym(s): *howarthi* Sakai, 1978
 70090) *Paralasa howarthi howarthi* Sakai, 1978 (Satyridae) Synonym(s): *howarthi* Sakai, 1978
 70091) *Paralasa icelos* (Groum-Grshimailo, 1890) (Satyridae) Synonym(s): *icelos* Groum-Grshimailo, 1890
 70092) *Paralasa icelos icelos* (Groum-Grshimailo, 1890) (Satyridae) Synonym(s): *icelos* Groum-Grshimailo, 1890
 70093) *Paralasa ida* (Groum-Grshimailo, 1890) (Satyridae) Synonym(s): *ida* Groum-Grshimailo, 1890
 70094) *Paralasa ida ida* (Groum-Grshimailo, 1890) (Satyridae) Synonym(s): *ida* Groum-Grshimailo, 1890
 70095) *Paralasa ida ishkashima* Shchetkin & Shchetkin, 1991 (Satyridae) Synonym(s): *ishkashima* Shchetkin & Shchetkin, 1991
 70096) *Paralasa ida majorida* Keskiö, 1998 (Satyridae) Synonym(s): *majorida* Keskiö, 1998
 70097) *Paralasa jordana* (Staudinger, 1882) (Satyridae) Synonym(s): *jordana* Staudinger, 1882
 70098) *Paralasa jordana helios* (O. Bang-Haas, 1927) (Satyridae) Synonym(s): *helios* O. Bang-Haas, 1927
 70099) *Paralasa jordana jordana* (Staudinger, 1882) (Satyridae) Synonym(s): *jordana* Staudinger, 1882
 70100) *Paralasa jordana roxane* (Groum-Grshimailo, 1887) (Satyridae) Synonym(s): *fasciata* Staudinger, 1887 *nec* Butler, 1868; *roxane* Groum-Grshimailo, 1887
 70101) *Paralasa jordana seravschana* Lukhtanov, 1999 (Satyridae) Synonym(s): *seravschana* Lukhtanov, 1999
 70102) *Paralasa jordana shachristana* (Shchetkin & Shchetkin, 1991) (Satyridae) Synonym(s): *shachristana* Shchetkin & Shchetkin, 1991
 70103) *Paralasa jordana subocellata* (Staudinger, 1901) (Satyridae) Synonym(s): *subocellata* Staudinger, 1901
 70104) *Paralasa jordana summa* (Avinoff, 1910) (Satyridae) Synonym(s): *summa* Avinoff, 1910
 70105) *Paralasa kalinda* (Moore, [1865]) (Satyridae) Synonym(s): *kalinda* Moore, [1865]
 70106) *Paralasa kalinda kalinda* (Moore, [1865]) (Satyridae) Synonym(s): *kalinda* Moore, [1865]
 70107) *Paralasa kalinda kamriana* Tytler, 1926 (Satyridae) Synonym(s): *kamriana* Tytler, 1926
 70108) *Paralasa kotzschae* (Goltz, 1937) (Satyridae) Synonym(s): *kotzschae* Goltz, 1937; *schugnana* J.L. Shchetkin, 1971.
 70109) *Paralasa kotzschae kotzschae* (Goltz, 1937) (Satyridae) Synonym(s): *kotzschae* Goltz, 1937; *schugnana* J.L. Shchetkin, 1971.
 70110) *Paralasa kusnezovi* (Avinoff, 1910) (Satyridae) Synonym(s): *kusnezovi* Avinov, 1910; *styx* O. Bang-Haas, 1927.
 70111) *Paralasa kusnezovi bogutena* Lukhtanov & Lukhtanov, 1994 (Satyridae) Synonym(s): *bogutena* Lukhtanov & Lukhtanov, 1994
 70112) *Paralasa kusnezovi issykkuli* Lukhtanov, 1999 (Satyridae) Synonym(s): *issykkuli* Lukhtanov, 1999.
 70113) *Paralasa kusnezovi kusnezovi* (Avinoff, 1910) (Satyridae) Synonym(s): *kusnezovi* Avinov, 1910; *styx* O. Bang-Haas, 1927.
 70114) *Paralasa kusnezovi talastauana* Lukhtanov, 1999 (Satyridae) Synonym(s): *talastauana* Lukhtanov, 1999
 70115) *Paralasa langara* (Shchetkin, 1971) (Satyridae) Synonym(s): *langara* Shchetkin, 1971
 70116) *Paralasa langara langara* (Shchetkin, 1971) (Satyridae) Synonym(s): *langara* Shchetkin, 1971
 70117) *Paralasa mani* (De Nicéville, 1880) (Satyridae) Synonym(s): *mani* De Nicéville, 1880
 70118) *Paralasa mani lorimeri* Tytler, 1926 (Satyridae) Synonym(s): *lorimeri* Tytler, 1926; *yasina* Tytler, 1926.
 70119) *Paralasa mani mani* (De Nicéville, 1880) (Satyridae) Synonym(s): *mani* De Nicéville, 1880
 70120) *Paralasa mani shandura* (Tytler, 1926) (Satyridae) Synonym(s): *shandura* Tytler, 1926
 70121) *Paralasa maracandica* (Erschoff, 1874) (Satyridae) Synonym(s): *maracandica* Erschoff, 1874
 70122) *Paralasa maracandica maracandica* (Erschoff, 1874) (Satyridae) Synonym(s): *maracandica* Erschoff, 1874
 70123) *Paralasa nero* (Staudinger, [1895]) (Satyridae) Synonym(s): *nero* Staudinger, [1895]
 70124) *Paralasa nero nero* (Staudinger, [1895]) (Satyridae) Synonym(s): *nero* Staudinger, [1895]
 70125) *Paralasa pagmanni* (O. Bang-Haas, 1927) (Satyridae) Synonym(s): *pagmanni* O. Bang-Haas, 1927
 70126) *Paralasa pagmanni mohabbati* Sakai, 1978 (Satyridae) Synonym(s): *mohabbati* Sakai, 1978
 70127) *Paralasa pagmanni pagmanni* (Bang-Haas, 1927) (Satyridae) Synonym(s): *pagmanni* O. Bang-Haas, 1927
 70128) *Paralasa semenovi* (Avinov, 1910) (Satyridae) Synonym(s): *semenovi* Avinov, 1910
 70129) *Paralasa semenovi semenovi* (Avinov, 1910) (Satyridae) Synonym(s): *semenovi* Avinov, 1910
 70130) *Paralasa shakti* Wyatt, 1961 (Satyridae) Synonym(s): *shakti* Wyatt, 1961
 70131) *Paralasa shakti shakti* Wyatt, 1961 (Satyridae) Synonym(s): *shakti* Wyatt, 1961
 70132) *Paralasa shallada* (Marschall & De Nicéville, 1880) (Satyridae) Synonym(s): *shallada* Marschall & De Nicéville, 1880

- 70133) *Paralasa shallada shallada* (Marschall & De Nicéville,1880) (Satyridae) Synonym(s): *shallada* Marschall & De Nicéville,1880
- 70134) *Paralasa shallada tarbena* (Evans,1932) (Satyridae) Synonym(s): *tarbena* Evans,1932
- 70135) *Paralethe dendrophilus* (Trimen,1862) (Satyridae) Synonym(s): *dendrophilus* Trimen,1862.
- 70136) *Paralethe dendrophilus albina* Van Son,1955 (Satyridae) Synonym(s): *albina* Van Son,1955; *#alticola* Van Son,1955.
- 70137) *Paralethe dendrophilus dendrophilus* (Trimen,1862) (Satyridae) Synonym(s): *dendrophilus* Trimen,1862.
- 70138) *Paralethe dendrophilus indosa* Trimen,1879 (Satyridae) Synonym(s): *indosa* Trimen,1879; *albomaculatus* Staudinger,1887.
- 70139) *Paralethe dendrophilus junodi* (Van Son,1935) (Satyridae) Synonym(s): *junodi* Van Son,1935.
- 70140) *Paramacera allyni* (Satyridae) Synonym(s):
- 70141) *Pararge aegeria* (Linnaeus,1758) (Satyridae) Synonym(s): *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908.
- 70142) *Pararge aegeria aegeria* (Linnaeus,1758) (Satyridae) Synonym(s): *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908.
- 70143) *Pararge aegeria italica* Verity,1916 (Satyridae) Synonym(s): *italica* Verity,1916
- 70144) *Pararge aegeria tircis* (Godart,1821) (Satyridae) Synonym(s): *tircis* Godart,1821; *egerides* Staudinger,1871; *camoena* Fruhstorfer,1908; *elegantia* Fruhstorfer,1909; *occidentalis* Lempke,1957.
- 70145) *Pararge xiphia* (Fabricius,1775) (Satyridae) Synonym(s): *xiphia* Fabricius,1775
- 70146) *Pararge xiphia xiphia* (Fabricius,1775) (Satyridae) Synonym(s): *xiphia* Fabricius,1775
- 70147) *Pararge xiphoides* Staudinger,1871 (Satyridae) Synonym(s): *xiphoides* Staudinger,1871
- 70148) *Pararge xiphoides xiphoides* Staudinger,1871 (Satyridae) Synonym(s): *xiphoides* Staudinger,1871
- 70149) *Penthema binghami* Wood-Mason,1881 (Satyridae) Synonym(s): *binghami* Wood-Mason,1881
- 70150) *Penthema binghami binghami* Wood-Mason,1881 (Satyridae) Synonym(s): *binghami* Wood-Mason,1881
- 70151) *Penthema binghami mimetica* Lathy,1900 (Satyridae) Synonym(s): *mimetica* Lathy,1900; *godfreyi* Riley,1921
- 70152) *Penthema darlisa* Moore,1879 (Satyridae) Synonym(s): *darlisa* Moore,1879
- 70153) *Penthema darlisa annamitica* Fruhstorfer,1901 (Satyridae) Synonym(s): *annamitica* Fruhstorfer,1901
- 70154) *Penthema darlisa cooperi* Tytler,1940 (Satyridae) Synonym(s): *cooperi* Tytler,1940
- 70155) *Penthema darlisa darlisa* Moore,1879 (Satyridae) Synonym(s): *darlisa* Moore,1879
- 70156) *Penthema darlisa melama* Riley & Godfrey,1921 (Satyridae) Synonym(s): *melama* Riley & Godfrey,1921
- 70157) *Penthema formosanum* Rothschild,1898 (Satyridae) Synonym(s): *formosanum* Rothschild,1898
- 70158) *Penthema lisarda* Doubleday,1845 (Satyridae) Synonym(s): *lisarda* Doubleday,1845
- 70159) *Physcaeneura jacksoni* Carcasson,1961 (Satyridae) Synonym(s): *jacksoni* Carcasson,1961
- 70160) *Physcaeneura jacksoni jacksoni* Carcasson,1961 (Satyridae) Synonym(s): *jacksoni* Carcasson,1961
- 70161) *Physcaeneura leda* (Gerstaecker,1871) (Satyridae) Synonym(s): *leda* Gerstaecker,1871
- 70162) *Physcaeneura leda leda* (Gerstaecker,1871) (Satyridae) Synonym(s): *leda* Gerstaecker,1871
- 70163) *Physcaeneura panda* (Boisduval,1847) (Satyridae) Synonym(s): *panda* Boisduval,1847
- 70164) *Physcaeneura panda panda* (Boisduval,1847) (Satyridae) Synonym(s): *panda* Boisduval,1847
- 70165) *Physcaeneura pione* Godman,1880 (Satyridae) Synonym(s): *pione* Godman,1880; *johnstoni* Butler,1894; *lucida* Butler,1897
- 70166) *Physcaeneura pione pione* Godman,1880 (Satyridae) Synonym(s): *pione* Godman,1880; *johnstoni* Butler,1894; *lucida* Butler,1897
- 70167) *Physcaeneura robertsi* Kielland,1990 (Satyridae) Synonym(s): *robertsi* Kielland,1990
- 70168) *Physcaeneura robertsi robertsi* Kielland,1990 (Satyridae) Synonym(s): *robertsi* Kielland,1990
- 70169) *Proterebia afra* (Fabricius,1787) (Satyridae) Synonym(s): *afra* Fabricius,1787
- 70170) *Proterebia afra afra* (Fabricius,1787) (Satyridae) Synonym(s): *afra* Fabricius,1787
- 70171) *Proterebia afra bardines* (Fruhstorfer,1918) (Satyridae) Synonym(s): *bardines* Fruhstorfer,1918
- 70172) *Proterebia afra dalmata* (Godart,[1824]) (Satyridae) Synonym(s): *dalmata* Godart,[1824]
- 70173) *Proterebia afra fidena* (Fruhstorfer,1918) (Satyridae) Synonym(s): *fidena* Fruhstorfer,1918
- 70174) *Proterebia afra hyrcana* (Staudinger,1901) (Satyridae) Synonym(s): *hyrcana* Staudinger,1901
- 70175) *Proterebia afra krymaea* (Sheljuzhko,1929) (Satyridae) Synonym(s): *krymaea* Sheljuzhko,1929
- 70176) *Proterebia afra pyramus* Louker & Dils,1987 (Satyridae) Synonym(s): *pyramus* Louker & Dils,1987
- 70177) *Proterebia afra zyxuta* (Fruhstorfer,1918) (Satyridae) Synonym(s): *zyxuta* Fruhstorfer,1918
- 70178) *Pseudochazara* (Achazara) *anthelea* (Hübner,[1824]) (Satyridae) Synonym(s): *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973.
- 70179) *Pseudochazara* (Achazara) *anthelea acamanthis* (Rebel,1916) (Satyridae) Synonym(s): *acamanthis* Rebel,1916
- 70180) *Pseudochazara* (Achazara) *anthelea amalthea* (Frigalsky,1845) (Satyridae) Synonym(s): *amalthea* Frivaldsky,1845; *#almatheia* Tolman,1997
- 70181) *Pseudochazara* (Achazara) *anthelea anthelea* (Hübner,[1824]) (Satyridae) Synonym(s): *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973.
- 70182) *Pseudochazara* (Achazara) *anthelea selcuki* Van Oorschot et al.,1987 (Satyridae) Synonym(s): *selcuki* Van Oorschot et al.,1987
- 70183) *Pseudochazara* (Achazara) *kanishka* Aussem,1980 (Satyridae) Synonym(s): *kanishka* Aussem,1980
- 70184) *Pseudochazara* (Achazara) *kanishka kanishka* Aussem,1980 (Satyridae) Synonym(s): *kanishka* Aussem,1980
- 70185) *Pseudochazara* (Achazara) *telephassa* (Geyer,[1827]) (Satyridae) Synonym(s): *telephassa* Geyer,[1827]
- 70186) *Pseudochazara* (Achazara) *telephassa telephassa* (Geyer,[1827]) (Satyridae) Synonym(s): *telephassa* Geyer,[1827]
- 70187) *Pseudochazara* (s.str.) *alpina* (Staudinger,[1878]) (Satyridae) Synonym(s): *alpina* Staudinger,[1878]
- 70188) *Pseudochazara* (s.str.) *alpina alpina* (Staudinger,[1878]) (Satyridae) Synonym(s): *alpina* Staudinger,[1878]
- 70189) *Pseudochazara* (s.str.) *amymone* Brown,1976 (Satyridae) Synonym(s): *amymone* Brown,1976
- 70190) *Pseudochazara* (s.str.) *amymone amymone* Brown,1976 (Satyridae) Synonym(s): *amymone* Brown,1976
- 70191) *Pseudochazara* (s.str.) *atlantis* (Austaut,1905) (Satyridae) Synonym(s): *atlantis* Austaut,1905
- 70192) *Pseudochazara* (s.str.) *atlantis atlantis* (Austaut,1905) (Satyridae) Synonym(s): *atlantis* Austaut,1905
- 70193) *Pseudochazara* (s.str.) *atlantis benderi* Weiss,1978 (Satyridae) Synonym(s): *benderi* Weiss,1978
- 70194) *Pseudochazara* (s.str.) *atlantis colini* (Wyatt,1952) (Satyridae) Synonym(s): *colini* Wyatt,1952
- 70195) *Pseudochazara* (s.str.) *aurantiaca* (Staudinger,1871) (Satyridae) Synonym(s): *aurantiaca* Staudinger,1871
- 70196) *Pseudochazara* (s.str.) *aurantiaca aurantiaca* (Staudinger,1871) (Satyridae) Synonym(s): *aurantiaca* Staudinger,1871
- 70197) *Pseudochazara* (s.str.) *baldiva* (Moore,1865) (Satyridae) Synonym(s): *baldiva* Moore,1865
- 70198) *Pseudochazara* (s.str.) *baldiva baldiva* (Moore,1865) (Satyridae) Synonym(s): *baldiva* Moore,1865
- 70199) *Pseudochazara* (s.str.) *baldiva baltistana* (Holik,1949) (Satyridae) Synonym(s): *baltistana* Holik,1949
- 70200) *Pseudochazara* (s.str.) *balucha* (Evans,1932) (Satyridae) Synonym(s): *balucha* Evans,1932; *pallida* Evans,1932 *nec* Stgr.,1901.
- 70201) *Pseudochazara* (s.str.) *balucha balucha* (Evans,1932) (Satyridae) Synonym(s): *balucha* Evans,1932; *pallida* Evans,1932 *nec* Stgr.,1901.
- 70202) *Pseudochazara* (s.str.) *beroe* (Freyer,[1843]) (Satyridae) Synonym(s): *beroe* Freyer,[1843]
- 70203) *Pseudochazara* (s.str.) *beroe altivolans* Gross,1978 (Satyridae) Synonym(s): *altivolans* Gross,1978
- 70204) *Pseudochazara* (s.str.) *beroe beroe* (Freyer,[1843]) (Satyridae) Synonym(s): *beroe* Freyer,[1843]
- 70205) *Pseudochazara* (s.str.) *cingovskii* (Gross,1973) (Satyridae) Synonym(s): *cingovskii* Gross,1973
- 70206) *Pseudochazara* (s.str.) *cingovskii cingovskii* (Gross,1973) (Satyridae) Synonym(s): *cingovskii* Gross,1973
- 70207) *Pseudochazara* (s.str.) *daghestana* (Holik,1955) (Satyridae) Synonym(s): *daghestana* Holik,1955
- 70208) *Pseudochazara* (s.str.) *daghestana daghestana* (Holik,1955) (Satyridae) Synonym(s): *daghestana* Holik,1955
- 70209) *Pseudochazara* (s.str.) *daghestana savalanica* (Gross & Ebert,1975) (Satyridae) Synonym(s): *savalanica* Gross & Ebert,1975
- 70210) *Pseudochazara* (s.str.) *daghestana zangezura* Nekrutenko,1989 (Satyridae) Synonym(s): *zangezura* Nekrutenko,1989
- 70211) *Pseudochazara* (s.str.) *droshica* (Tytler,1926) (Satyridae) Synonym(s): *droshica* Tytler,1926
- 70212) *Pseudochazara* (s.str.) *droshica badachshana* (Wyatt & Omoto,1966) (Satyridae) Synonym(s): *badachshana* Wyatt & Omoto,1966
- 70213) *Pseudochazara* (s.str.) *droshica droshica* (Tytler,1926) (Satyridae) Synonym(s): *droshica* Tytler,1926
- 70214) *Pseudochazara* (s.str.) *euxina* (Kusnetsov,1909) (Satyridae) Synonym(s): *euxina* Kusnetsov,1909
- 70215) *Pseudochazara* (s.str.) *euxina euxina* (Kusnetsov,1909) (Satyridae) Synonym(s): *euxina* Kusnetsov,1909
- 70216) *Pseudochazara* (s.str.) *geyeri* (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): *geyeri* Herrich-Schäffer,[1846]; *aristonicus* Fruhstorfer,[1911]; *selim* Gross,1978; *karsicola* Gross,1978
- 70217) *Pseudochazara* (s.str.) *geyeri geyeri* (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): *geyeri* Herrich-Schäffer,[1846]; *aristonicus* Fruhstorfer,[1911]; *selim* Gross,1978; *karsicola* Gross,1978
- 70218) *Pseudochazara* (s.str.) *geyeri occidentalis* (Rebel & Zerny,1931) (Satyridae) Synonym(s): *occidentalis* Rebel & Zerny,1931

- 70219) *Pseudochazara* (s.str.) *graeca* (Staudinger,1870) (Satyridae) Synonym(s): *graeca* Staudinger,1870
- 70220) *Pseudochazara* (s.str.) *graeca apollo* Gross,1978 (Satyridae) Synonym(s): *apollo* Gross,1978
- 70221) *Pseudochazara* (s.str.) *graeca graeca* (Staudinger,1870) (Satyridae) Synonym(s): *graeca* Staudinger,1870
- 70222) *Pseudochazara* (s.str.) *graeca pelops* Gross,1978 (Satyridae) Synonym(s): *pelops* Gross,1978
- 70223) *Pseudochazara* (s.str.) *graeca zagoriensis* Aussem,1978 (Satyridae) Synonym(s): *zagoriensis* Aussem,1978
- 70224) *Pseudochazara* (s.str.) *guriensis* (Staudinger,[1878]) (Satyridae) Synonym(s): *guriensis* Staudinger,[1878]
- 70225) *Pseudochazara* (s.str.) *guriensis guriensis* (Staudinger,[1878]) (Satyridae) Synonym(s): *guriensis* Staudinger,[1878]
- 70226) *Pseudochazara* (s.str.) *guriensis rjabovi* (Sheljuzhko,1935) (Satyridae) Synonym(s): *rjabovi* Sheljuzhko,1935
- 70227) *Pseudochazara* (s.str.) *guriensis tschetverikovi* (Sheljuzhko,1935) (Satyridae) Synonym(s): *tschetverikovi* Sheljuzhko,1935
- 70228) *Pseudochazara* (s.str.) *kopetdaghi* Dubatolov,1989 (Satyridae) Synonym(s): *kopetdaghi* Dubatolov,1989
- 70229) *Pseudochazara* (s.str.) *lehana* (Moore,1878) (Satyridae) Synonym(s): *lehana* Moore,1878
- 70230) *Pseudochazara* (s.str.) *lehana gilgitica* (Tytler,1926) (Satyridae) Synonym(s): *gilgitica* Tytler,1926
- 70231) *Pseudochazara* (s.str.) *lehana lehana* (Moore,1878) (Satyridae) Synonym(s): *lehana* Moore,1878
- 70232) *Pseudochazara* (s.str.) *lydia* (Staudinger,1878) (Satyridae) Synonym(s): *lydia* Staudinger,1878; *neglecta* Gross,1978; *bithyniae* Gross,1978.
- 70233) *Pseudochazara* (s.str.) *lydia aurora* Eckweiler & Rose,[1989] (Satyridae) Synonym(s): *aurora* Eckweiler & Rose,[1989]
- 70234) *Pseudochazara* (s.str.) *lydia lydia* (Staudinger,1878) (Satyridae) Synonym(s): *lydia* Staudinger,1878; *neglecta* Gross,1978; *bithyniae* Gross,1978.
- 70235) *Pseudochazara* (s.str.) *lydia nesrin* Koçak,1989 (Satyridae) Synonym(s): *nesrin* Koçak,1989
- 70236) *Pseudochazara* (s.str.) *lydia obscura* (Staudinger,1878) (Satyridae) Synonym(s): *obscura* Staudinger,1878
- 70237) *Pseudochazara* (s.str.) *mamurra* (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): *mamurra* Herrich-Schäffer,[1846]; *sintenis* Staudinger,1895
- 70238) *Pseudochazara* (s.str.) *mamurra birgit* Gross,1978 (Satyridae) Synonym(s): *birgit* Gross,1978; *birgitae* Koçak,1978
- 70239) *Pseudochazara* (s.str.) *mamurra larseni* Koçak,1978 (Satyridae) Synonym(s): *larseni* Koçak,1978
- 70240) *Pseudochazara* (s.str.) *mamurra mamurra* (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): *mamurra* Herrich-Schäffer,[1846]; *sintenis* Staudinger,1895
- 70241) *Pseudochazara* (s.str.) *mamurra schahrudensis* (Staudinger,1881) (Satyridae) Synonym(s): *schahrudensis* Staudinger,1881
- 70242) *Pseudochazara* (s.str.) *mercuria* (Staudinger,1887) (Satyridae) Synonym(s): *mercurius* Staudinger,1887
- 70243) *Pseudochazara* (s.str.) *mercuria aislada* Eitschberger & Steiniger,1973 (Satyridae) Synonym(s): *aislada* Eitschberger & Steiniger,1973
- 70244) *Pseudochazara* (s.str.) *mercuria augustini* Weiss,1980 (Satyridae) Synonym(s): *augustini* Weiss,1980
- 70245) *Pseudochazara* (s.str.) *mercuria doerriesi* (O.Bang-Haas,1933) (Satyridae) Synonym(s): *doerriesi* O.Bang-Haas,1933
- 70246) *Pseudochazara* (s.str.) *mercuria esperi* Koçak,1981 (Satyridae) Synonym(s): *#agave* Esper,[1783] [nonbinominal]; *hippolyte* Esper,[1784] *nec hyppolite* Dru.,1782 [*Pseudacraea*]; *alcyone* Fabricius,1787 *nec* Den. & Schiff.,1775; *agave* Borkhausen,1788 *nec* Cramer,1775; *esper* Koçak,1981.
- 70247) *Pseudochazara* (s.str.) *mercuria gigantea* (O.Bang-Haas,1933) (Satyridae) Synonym(s): *gigantea* O.Bang-Haas,1933
- 70248) *Pseudochazara* (s.str.) *mercuria mercuria* (Staudinger,1887) (Satyridae) Synonym(s): *mercurius* Staudinger,1887
- 70249) *Pseudochazara* (s.str.) *mercuria pallida* (Staudinger,1901) (Satyridae) Synonym(s): *pallida* Staudinger,1901
- 70250) *Pseudochazara* (s.str.) *mercuria richthofeni* (O.Bang-Haas,1933) (Satyridae) Synonym(s): *richthofeni* O.Bang-Haas,1933
- 70251) *Pseudochazara* (s.str.) *mercuria williamsi* (Romei,1927) (Satyridae) Synonym(s): *williamsi* Romei,1927
- 70252) *Pseudochazara* (s.str.) *mniszecii* (Herrich-Schäffer,[1851]) (Satyridae) Synonym(s): *mniszecii* Herrich-Schäffer,[1851]
- 70253) *Pseudochazara* (s.str.) *mniszecii eremicola* Gross,1978 (Satyridae) Synonym(s): *eremicola* Gross,1978
- 70254) *Pseudochazara* (s.str.) *mniszecii kirgisa* (Gerhard,1882) (Satyridae) Synonym(s): *caucasica* Lederer,1864 *nec* Nordm.,1851; *kirgisa* Gerhard,1882.
- 70255) *Pseudochazara* (s.str.) *mniszecii mniszecii* Herrich-Schäffer,[1851] (Satyridae) Synonym(s): *mniszecii* Herrich-Schäffer,[1851]
- 70256) *Pseudochazara* (s.str.) *mniszecii tisiphone* Brown,1980 (Satyridae) Synonym(s): *tisiphone* Brown,1980
- 70257) *Pseudochazara* (s.str.) *nukatli Bogdanov,2000* (Satyridae) Synonym(s): *nukatli* Bogdanov,2000
- 70258) *Pseudochazara* (s.str.) *nukatli nukatli Bogdanov,2000* (Satyridae) Synonym(s): *nukatli* Bogdanov,2000
- 70259) *Pseudochazara* (s.str.) *orestes De Prins & Poorten,1981* (Satyridae) Synonym(s): *orestes* De Prins & Poorten,1981
- 70260) *Pseudochazara* (s.str.) *orestes orestes De Prins & Poorten,1981* (Satyridae) Synonym(s): *orestes* De Prins & Poorten,1981
- 70261) *Pseudochazara* (s.str.) *pakistan* Gross,1978 (Satyridae) Synonym(s): *pakistan* Gross,1978
- 70262) *Pseudochazara* (s.str.) *pakistan pakistana* Gross,1978 (Satyridae) Synonym(s): *pakistan* Gross,1978
- 70263) *Pseudochazara* (s.str.) *panjshira* (Wyatt & Omoto,1966) (Satyridae) Synonym(s): *panjshira* Wyatt & Omoto,1966
- 70264) *Pseudochazara* (s.str.) *panjshira atambergi* (Wyatt & Omoto,1966) (Satyridae) Synonym(s): *atambergi* Wyatt & Omoto,1966
- 70265) *Pseudochazara* (s.str.) *panjshira badachshana* Wyatt & Omoto,1966 (Satyridae) Synonym(s): *badachshana* Wyatt & Omoto,1966
- 70266) *Pseudochazara* (s.str.) *panjshira panjshira* (Wyatt & Omoto,1966) (Satyridae) Synonym(s): *panjshira* Wyatt & Omoto,1966
- 70267) *Pseudochazara* (s.str.) *pelopea* (Klug,1832) (Satyridae) Synonym(s): *pelopea* Klug,1832
- 70268) *Pseudochazara* (s.str.) *pelopea pelopea* (Klug,1832) (Satyridae) Synonym(s): *pelopea* Klug,1832
- 70269) *Pseudochazara* (s.str.) *pelopea persica* (Christoph,1878) (Satyridae) Synonym(s): *persica* Christoph,1877
- 70270) *Pseudochazara* (s.str.) *porphyritica* Clench & Shoumatoff,1956 (Satyridae) Synonym(s): *porphyritica* Clench & Shoumatoff,1956
- 70271) *Pseudochazara* (s.str.) *porphyritica porphyritica* Clench & Shoumatoff,1956 (Satyridae) Synonym(s): *porphyritica* Clench & Shoumatoff,1956
- 70272) *Pseudochazara* (s.str.) *pseudobaldiva* Gross,1978 (Satyridae) Synonym(s): *pseudobaldiva* Gross,1978
- 70273) *Pseudochazara* (s.str.) *pseudobaldiva pseudobaldiva* Gross,1978 (Satyridae) Synonym(s): *pseudobaldiva* Gross,1978
- 70274) *Pseudochazara* (s.str.) *sagina* (Staudinger,[1894]) (Satyridae) Synonym(s): *sagina* Staudinger,[1894]
- 70275) *Pseudochazara* (s.str.) *sagina sagina* (Staudinger,[1894]) (Satyridae) Synonym(s): *sagina* Staudinger,[1894]
- 70276) *Pseudochazara* (s.str.) *schakuhensis* (Staudinger,1881) (Satyridae) Synonym(s): *schakuhensis* Staudinger,1881; *brandti* Holik,1949.
- 70277) *Pseudochazara* (s.str.) *schakuhensis chansara* Skala, Schurian & Ten Hagen,2001 (Satyridae) Synonym(s): *chansara* Skala, Schurian & Ten Hagen,2001
- 70278) *Pseudochazara* (s.str.) *schakuhensis schakuhensis* (Staudinger,1881) (Satyridae) Synonym(s): *schakuhensis* Staudinger,1881
- 70279) *Pseudochazara* (s.str.) *tekkensis* (Heyne,[1895]) (Satyridae) Synonym(s): *tekkensis* Heyne,[1895]
- 70280) *Pseudochazara* (s.str.) *turkestana* (Groum-Grshimailo,1893) (Satyridae) Synonym(s): *turkestana* Groum-Grshimailo,1893
- 70281) *Pseudochazara* (s.str.) *turkestana dargaga* (Wyatt & Omoto,1966) (Satyridae) Synonym(s): *dargaga* Wyatt & Omoto,1966
- 70282) *Pseudochazara* (s.str.) *turkestana esquilinea* (Fruhstorfer,1911) (Satyridae) Synonym(s): *esquilinea* Fruhstorfer,1911
- 70283) *Pseudochazara* (s.str.) *turkestana tarbagata* (Staudinger,[1900]) (Satyridae) Synonym(s): *alpina* Staudinger,1881 *nec* Stgr.,1879; *tarbagata* Staudinger,[1900]; *tarbagata* Staudinger,1901.
- 70284) *Pseudochazara* (s.str.) *turkestana turkestana* (Groum-Grshimailo,1893) (Satyridae) Synonym(s): *turkestana* Groum-Grshimailo,1893
- 70285) *Pseudochazara* (s.str.) *turkestana wakhilkhani* (Wyatt & Omoto,1966) (Satyridae) Synonym(s): *wakhilkhani* Wyatt & Omoto,1966
- 70286) *Pseudochazara* (s.str.) *turkestana watsoni* Clench & Shoumatoff,1956 (Satyridae) Synonym(s): *watsoni* Clench & Shoumatoff,1956
- 70287) *Pseudochazara* (s.str.) *xerxes* (Gross & Ebert,1975) (Satyridae) Synonym(s): *xerxes* Gross & Ebert,1975
- 70288) *Pseudochazara* (s.str.) *xerxes xerxes* (Gross & Ebert,1975) (Satyridae) Synonym(s): *xerxes* Gross & Ebert,1975
- 70289) *Pseudonympha* *arnoldi* Van Son,1941 (Satyridae) Synonym(s): *arnoldi* Van Son,1941
- 70290) *Pseudonympha* *arnoldi arnoldi* Van Son,1941 (Satyridae) Synonym(s): *arnoldi* Van Son,1941
- 70291) *Pseudonympha* *camdeboo* Dickson,1981 (Satyridae) Synonym(s): *camdeboo* Dickson,1981
- 70292) *Pseudonympha* *camdeboo camdeboo* Dickson,1981 (Satyridae) Synonym(s): *camdeboo* Dickson,1981
- 70293) *Pseudonympha* *cyclops* Van Son,1955 (Satyridae) Synonym(s): *cyclops* Van Son,1955
- 70294) *Pseudonympha* *cyclops cyclops* Van Son,1955 (Satyridae) Synonym(s): *cyclops* Van Son,1955
- 70295) *Pseudonympha* *detecta* Trimen,1914 (Satyridae) Synonym(s): *detecta* Trimen,1914
- 70296) *Pseudonympha* *detecta detecta* Trimen,1914 (Satyridae) Synonym(s): *detecta* Trimen,1914
- 70297) *Pseudonympha* *gaika* Riley,1938 (Satyridae) Synonym(s): *gaika* Riley,1938
- 70298) *Pseudonympha* *gaika gaika* Riley,1938 (Satyridae) Synonym(s): *gaika* Riley,1938
- 70299) *Pseudonympha* *hippia* (Cramer,[1779]) (Satyridae) Synonym(s): *hippia* Cramer,[1779]; *montana* Burchell,1822
- 70300) *Pseudonympha* *hippia hippia* (Cramer,[1779]) (Satyridae) Synonym(s): *hippia* Cramer,[1779]; *montana* Burchell,1822
- 70301) *Pseudonympha* *machacha* Riley,1938 (Satyridae) Synonym(s): *machacha* Riley,1938
- 70302) *Pseudonympha* *machacha machacha* Riley,1938 (Satyridae) Synonym(s): *machacha* Riley,1938
- 70303) *Pseudonympha* *magoides* Van Son,1955 (Satyridae) Synonym(s): *magoides* Van Son,1955
- 70304) *Pseudonympha* *magoides magoides* Van Son,1955 (Satyridae) Synonym(s): *magoides* Van Son,1955

- 70305) *Pseudonympha magus* (Fabricius,1793) (Satyridae) Synonym(s): *magus Fabricius,1793; sabacus Trimen,1866*
 70306) *Pseudonympha magus magus* (Fabricius,1793) (Satyridae) Synonym(s): *magus Fabricius,1793; sabacus Trimen,1866*
 70307) *Pseudonympha narycia* Wallengren,1857 (Satyridae) Synonym(s): *narycia Wallengren,1857*
 70308) *Pseudonympha narycia loxophthalma* Vari,1971 (Satyridae) Synonym(s): *loxophthalma Vari,1971*
 70309) *Pseudonympha narycia narycia* Wallengren,1857 (Satyridae) Synonym(s): *narycia Wallengren,1857*
 70310) *Pseudonympha nieuwweldensis* Dickson,1966 (Satyridae) Synonym(s): *nieuwweldensis Dickson,1966*
 70311) *Pseudonympha nieuwweldensis nieuwweldensis* Dickson,1966 (Satyridae) Synonym(s): *nieuwweldensis Dickson,1966*
 70312) *Pseudonympha paludis* Swanepoel,1953 (Satyridae) Synonym(s): *paludis Swanepoel,1953*
 70313) *Pseudonympha paludis paludis* Swanepoel,1953 (Satyridae) Synonym(s): *paludis Swanepoel,1953*
 70314) *Pseudonympha paragaika* Vari,1971 (Satyridae) Synonym(s): *paragaika Vari,1971*
 70315) *Pseudonympha paragaika paragaika* Vari,1971 (Satyridae) Synonym(s): *paragaika Vari,1971*
 70316) *Pseudonympha penningtoni* Riley,1938 (Satyridae) Synonym(s): *penningtoni Riley,1938*
 70317) *Pseudonympha penningtoni penningtoni* Riley,1938 (Satyridae) Synonym(s): *penningtoni Riley,1938*
 70318) *Pseudonympha poetula* Trimen,1891 (Satyridae) Synonym(s): *poetula Trimen,1891*
 70319) *Pseudonympha poetula poetula* Trimen,1891 (Satyridae) Synonym(s): *poetula Trimen,1891*
 70320) *Pseudonympha southei* (Pennington,1953) (Satyridae) Synonym(s): *southei Pennington,1953*
 70321) *Pseudonympha southei kamiesbergensis* Dickson,1967 (Satyridae) Synonym(s): *kamiesbergensis Dickson,1967*
 70322) *Pseudonympha southei southei* (Pennington,1953) (Satyridae) Synonym(s): *southei Pennington,1953*
 70323) *Pseudonympha southei wykehami* Dickson,1967 (Satyridae) Synonym(s): *wykehami Dickson,1967*
 70324) *Pseudonympha swanepoeli* Van Son,1955 (Satyridae) Synonym(s): *swanepoeli Van Son,1955*
 70325) *Pseudonympha swanepoeli swanepoeli* Van Son,1955 (Satyridae) Synonym(s): *swanepoeli Van Son,1955*
 70326) *Pseudonympha trimenii* Butler,1868 (Satyridae) Synonym(s): *trimenii Butler,1868*
 70327) *Pseudonympha trimenii namaquana* Van Son,1966 (Satyridae) Synonym(s): *namaquana Van Son,1966*
 70328) *Pseudonympha trimenii ruthae* Dickson,1966 (Satyridae) Synonym(s): *ruthae Dickson,1966*
 70329) *Pseudonympha trimenii trimenii* Butler,1868 (Satyridae) Synonym(s): *trimenii Butler,1868*
 70330) *Pseudonympha varii* Van Son,1955 (Satyridae) Synonym(s): *varii Van Son,1955*
 70331) *Pseudonympha varii varii* Van Son,1955 (Satyridae) Synonym(s): *varii Van Son,1955*
 70332) *Ptychandra leucogyne* C.Felder & R.Felder,[1867] (Satyridae) Synonym(s): *leucogyne C.Felder & R.Felder,[1867]*
 70333) *Ptychandra lorquini* C.Felder & R.Felder,1861 (Satyridae) Synonym(s): *lorquini C.Felder & R.Felder,1861*
 70334) *Ptychandra lorquini boholensis* M.Okano & T.Okano,1989 (Satyridae) Synonym(s): *boholensis M.Okano & T.Okano,1989*
 70335) *Ptychandra lorquini leytenensis* Banks,Holloway & Barlow,1976 (Satyridae) Synonym(s): *leytenensis Banks,Holloway & Barlow,1976*
 70336) *Ptychandra lorquini lorquini* C.Felder & R.Felder,1861 (Satyridae) Synonym(s): *lorquini C.Felder & R.Felder,1861*
 70337) *Ptychandra lorquini plateni* Semper,1892 (Satyridae) Synonym(s): *plateni Semper,1892*
 70338) *Ptychandra mindorana* Semper,1892 (Satyridae) Synonym(s): *mindorana Semper,1892*
 70339) *Ptychandra negrosensis* Banks, Holloway & Barlow,1976 (Satyridae) Synonym(s): *negrosensis Banks, Holloway & Barlow,1976*
 70340) *Ptychandra ohtanii* Hayashi,1978 (Satyridae) Synonym(s): *ohtanii Hayashi,1978*
 70341) *Ptychandra ohtanii lizae* Hayashi,1984 (Satyridae) Synonym(s): *lizae Hayashi,1984*
 70342) *Ptychandra ohtanii ohtanii* Hayashi,1978 (Satyridae) Synonym(s): *ohtanii Hayashi,1978*
 70343) *Ptychandra schadenbergi* Semper,1887 (Satyridae) Synonym(s): *schadenbergi Semper,1887*
 70344) *Pyronia bathseba* (Fabricius,1793) (Satyridae) Synonym(s): *pasiphae Esper,1781 nec Cramer,1775; bathseba Fabricius,1793*
 70345) *Pyronia bathseba amyclas* (Fruhstorfer,1910) (Satyridae) Synonym(s): *amyclas Fruhstorfer,1910*
 70346) *Pyronia bathseba bathseba* (Fabricius,1793) (Satyridae) Synonym(s): *pasiphae Esper,1781 nec Cramer,1775; bathseba Fabricius,1793*
 70347) *Pyronia bathseba mihrimahe* Gomez-Bustillo,1973 (Satyridae) Synonym(s): *mihrimahe Gomez-Bustillo,1973*
 70348) *Pyronia bathseba pardilloi* De Sagarra,1924 (Satyridae) Synonym(s): *pardilloi Sagarra,1924*
 70349) *Pyronia janiiroides* (Herrich-Schäffer,1851) (Satyridae) Synonym(s): *janiiroides Herrich-Schäffer,1851*
 70350) *Pyronia janiiroides janiiroides* (Herrich-Schäffer,1851) (Satyridae) Synonym(s): *janiiroides Herrich-Schäffer,1851*
 70351) *Pyronia tithonus* (Linnaeus,1771) (Satyridae) Synonym(s): *tithonus Linnaeus,1771;tiphon Kühn,1774;pilosellae Fabricius,1775; herse Denis & Schiffermüller,1775;phaedra Esper,1776;amaryllis Fourcroy,1785 nec Cramer,1782;tithone Hübner,1819; britanniae Verity,1914; bajocassensis Moul,1938; armoricanus Moul,1938*
 70352) *Pyronia tithonus arroyensis* Gomez-Bustillo,1974 (Satyridae) Synonym(s): *arroyensis Gomez-Bustillo,1974*
 70353) *Pyronia tithonus cid* De Sagarra,1924 (Satyridae) Synonym(s): *cid Sagarra,1924; ? pyrenaicus Le Moul,1938.*
 70354) *Pyronia tithonus decolorata* (Fruhstorfer,1909) (Satyridae) Synonym(s): *tithonus decolorata Fruhstorfer,1909*
 70355) *Pyronia tithonus distincta* Rothschild,1933 (Satyridae) Synonym(s): *distincta Rothschild,1933*
 70356) *Pyronia tithonus fulgens* Turati,1912 (Satyridae) Synonym(s): *fulgens Turati,1912*
 70357) *Pyronia tithonus paratransiens* Verity,1937 (Satyridae) Synonym(s): *paratransiens Verity,1937; alpinus Le Moul,1938.*
 70358) *Pyronia tithonus pardoi* Agenjo,1941 (Satyridae) Synonym(s): *pardoi Agenjo,1941*
 70359) *Pyronia tithonus tithonus* (Linnaeus,1771) (Satyridae) Synonym(s): *tithonus Linnaeus,1771;tiphon Kühn,1774;pilosellae Fabricius,1775; herse Denis & Schiffermüller,1775;phaedra Esper,1776;amaryllis Fourcroy,1785 nec Cramer,1782;tithone Hübner,1819; britanniae Verity,1914; bajocassensis Moul,1938; armoricanus Moul,1938*
 70360) *Ragadia crisilda* Hewitson,1862 (Satyridae) Synonym(s): *crisilda Hewitson,1862*
 70361) *Ragadia crisilda crisilda* Hewitson,1862 (Satyridae) Synonym(s): *crisilda Hewitson,1862*
 70362) *Ragadia crisilda crisildina* Joicey (Satyridae) Synonym(s): *crisildina Joicey*
 70363) *Ragadia crisilda critolaus* De Nicéville,1892 (Satyridae) Synonym(s): *critolaus De Nicéville,1892*
 70364) *Ragadia crisilda critolina* Evans (Satyridae) Synonym(s): *critolina Evans*
 70365) *Ragadia crisilda latifasciata* Leech (Satyridae) Synonym(s): *latifasciata Leech*
 70366) *Ragadia crohonica* Semper,1886 (Satyridae) Synonym(s): *crohonica Semper,1886*
 70367) *Ragadia luzonia* C.Felder & R.Felder,1861 (Satyridae) Synonym(s): *luzonia C.Felder & R.Felder,1861*
 70368) *Ragadia luzonia luteofasciata* Yamaguchi & Aoki,1982 (Satyridae) Synonym(s): *luteofasciata Yamaguchi & Aoki,1982*
 70369) *Ragadia luzonia luzonia* C.Felder & R.Felder,1861 (Satyridae) Synonym(s): *luzonia C.Felder & R.Felder,1861*
 70370) *Ragadia luzonia masbatensis* Yamaguchi & Aoki,1982 (Satyridae) Synonym(s): *masbatensis Yamaguchi & Aoki,1982*
 70371) *Ragadia luzonia negrosensis* Yamaguchi & Aoki,1982 (Satyridae) Synonym(s): *negrosensis Yamaguchi & Aoki,1982*
 70372) *Ragadia luzonia obscura* Yamaguchi & Aoki,1982 (Satyridae) Synonym(s): *obscura Yamaguchi & Aoki,1982*
 70373) *Ragadia luzonia treadawayi* Yamaguchi & Aoki,1982 (Satyridae) Synonym(s): *treadawayi Yamaguchi & Aoki,1982*
 70374) *Ragadia maganda* Yamaguchi & Aoki,1982 (Satyridae) Synonym(s): *maganda Yamaguchi & Aoki,1982*
 70375) *Ragadia makuta* Horsfield,1829 (Satyridae) Synonym(s): *makuta Horsfield,1829; crisia Geyer,1832*
 70376) *Ragadia makuta makuta* Horsfield,1829 (Satyridae) Synonym(s): *makuta Horsfield,1829; crisia Geyer,1832*
 70377) *Ragadia makuta minoa* Fruhstorfer,1911 (Satyridae) Synonym(s): *minoa Fruhstorfer,1911*
 70378) *Ragadia makuta siponta* Fruhstorfer,1911 (Satyridae) Synonym(s): *siponta Fruhstorfer,1911*
 70379) *Ragadia melindena* C.Felder & R.Felder,1863 (Satyridae) Synonym(s): *melindena C.Felder & R.Felder,1863*
 70380) *Ragadia melindena boholensis* M.Okano & T.Okano,1990 (Satyridae) Synonym(s): *boholensis M.Okano & T.Okano,1990*
 70381) *Ragadia melindena kakahuyan* Yamaguchi & Aoki,1982 (Satyridae) Synonym(s): *kakahuyan Yamaguchi & Aoki,1982*
 70382) *Ragadia melindena melindena* C.Felder & R.Felder,1863 (Satyridae) Synonym(s): *melindena C.Felder & R.Felder,1863*
 70383) *Ragadia mindorana* Semper,1892 (Satyridae) Synonym(s): *mindorana Semper,1892*
 70384) *Ragadia tsukadai* Yamaguchi & Aoki,1982 (Satyridae) Synonym(s): *tsukadai Yamaguchi & Aoki,1982*
 70385) *Rhaphicera moorei* Butler,1867 (Satyridae) Synonym(s): *moorei Butler,1867*
 70386) *Rhaphicera moorei moorei* Butler,1867 (Satyridae) Synonym(s): *moorei Butler,1867*
 70387) *Satyrodes appalachia* (Satyridae) Synonym(s):
 70388) *Satyrodes eurydice* (Satyridae) Synonym(s):
 70389) *Satyrus* (Asatyrus (Asatyrades)) *atlanteus* (Verity,1927) (Satyridae) Synonym(s): *maroccana Lucas,1920 nec Meade-Waldo,1905; atlanteus Verity,1927.*

- 70390) *Satyrus* (*Asatyrus* (*Asatyrodus*)) *atlanteus atlanteus* (Verity,1927) (Satyridae) Synonym(s): *maroccana* Lucas,1920 nec Meade-Waldo,1905; *atlanteus* Verity,1927.
- 70391) *Satyrus* (*Asatyrus* (*Asatyrodus*)) *atlanteus makmal* Higgins,1965 (Satyridae) Synonym(s): *makmal* Higgins,1965
- 70392) *Satyrus* (*Asatyrus* (*Asatyrodus*)) *effendi* Nekrutenko,1989 (Satyridae) Synonym(s): *effendi* Nekrutenko,1989
- 70393) *Satyrus* (*Asatyrus* (*Asatyrodus*)) *effendi effendi* Nekrutenko,1989 (Satyridae) Synonym(s): *effendi* Nekrutenko,1989
- 70394) *Satyrus* (*Asatyrus* (s.str.)) *amasinus* Staudinger,1861 (Satyridae) Synonym(s): *bryce* Herrich-Schäffer,[1852] nec Hübner,[1800]; *amasinus* Staudinger,1861
- 70395) *Satyrus* (*Asatyrus* (s.str.)) *amasinus amasinus* Staudinger,1861 (Satyridae) Synonym(s): *bryce* Herrich-Schäffer,[1852] nec Hübner,[1800]; *amasinus* Staudinger,1861
- 70396) *Satyrus* (*Asatyrus* (s.str.)) *daubi* Gross & Ebert,1975 (Satyridae) Synonym(s): *daubi* Gross & Ebert,1975
- 70397) *Satyrus* (*Asatyrus* (s.str.)) *daubi daubi* Gross & Ebert,1975 (Satyridae) Synonym(s): *daubi* Gross & Ebert,1975
- 70398) *Satyrus* (*Asatyrus* (s.str.)) *ferulus* (Fabricius,1793) (Satyridae) Synonym(s): *proserpina* Cyrillo,1787 nec Denis & Schiff.,1775; *cordula* Fabricius,1793; *ferula* Fabricius,1793; *cyrillus* Herbst,1796; *hyppolite* Herbst,1796 nec Dru.,1782; *orsiera* De Prunner,1798; *bryce* Hübner,[1800].
- 70399) *Satyrus* (*Asatyrus* (s.str.)) *ferulus altaicus* Groum-Grshimailo,1893 (Satyridae) Synonym(s): *altaicus* Groum-Grshimailo,1893
- 70400) *Satyrus* (*Asatyrus* (s.str.)) *ferulus ferulus* (Fabricius,1793) (Satyridae) Synonym(s): *proserpina* Cyrillo,1787 nec Denis & Schiff.,1775; *cordula* Fabricius,1793; *ferula* Fabricius,1793; *cyrillus* Herbst,1796; *hyppolite* Herbst,1796 nec Dru.,1782; *orsiera* De Prunner,1798; *bryce* Hübner,[1800].
- 70401) *Satyrus* (*Asatyrus* (s.str.)) *ferulus ganssuensis* Groum-Grshimailo,1893 (Satyridae) Synonym(s): *ganssuensis* Groum-Grshimailo,1893
- 70402) *Satyrus* (*Asatyrus* (s.str.)) *ferulus hadjinus* Heyne,[1895] (Satyridae) Synonym(s): *hadjina* Heyne,[1895]
- 70403) *Satyrus* (*Asatyrus* (s.str.)) *ferulus liupiuschani* Bang-Haas,1933 (Satyridae) Synonym(s): *liupiuschani* Bang-Haas,1933
- 70404) *Satyrus* (*Asatyrus* (s.str.)) *ferulus medvedevi* Korshunov,1996 (Satyridae) Synonym(s): *medvedevi* Korshunov,1996
- 70405) *Satyrus* (*Asatyrus* (s.str.)) *ferulus molykreus* Fruhstorfer,1909 (Satyridae) Synonym(s): *molykreia* Fruhstorfer,1909
- 70406) *Satyrus* (*Asatyrus* (s.str.)) *ferulus rickmersi* Rosen,1921 (Satyridae) Synonym(s): *rickmersi* Rosen,1921
- 70407) *Satyrus* (*Asatyrus* (s.str.)) *ferulus sergeevi* Dubatolov & Streltsov,1999 (Satyridae) Synonym(s): *sergeevi* Dubatolov & Streltsov,1999
- 70408) *Satyrus* (*Asatyrus* (s.str.)) *ferulus virbius* Herrich-Schäffer,1843 (Satyridae) Synonym(s): *virbius* Herrich-Schäffer,1843
- 70409) *Satyrus* (*Asatyrus* (s.str.)) *iranicus* Schwingenschuss,1939 (Satyridae) Synonym(s): *iranicus* Schwingenschuss,1939; *kyros* Gross & Ebert,1975.
- 70410) *Satyrus* (*Asatyrus* (s.str.)) *iranicus iranicus* Schwingenschuss,1939 (Satyridae) Synonym(s): *iranicus* Schwingenschuss,1939; *kyros* Gross & Ebert,1975.
- 70411) *Satyrus* (*Asatyrus* (s.str.)) *magnus* (Evans,1923) (Satyridae) Synonym(s): *magna* Evans,1923
- 70412) *Satyrus* (*Asatyrus* (s.str.)) *magnus magnus* (Evans,1923) (Satyridae) Synonym(s): *magna* Evans,1923
- 70413) *Satyrus* (*Asatyrus* (s.str.)) *nanus* Staudinger,1886 (Satyridae) Synonym(s): *nana* Staudinger,1886
- 70414) *Satyrus* (*Asatyrus* (s.str.)) *nanus nanus* Staudinger,1886 (Satyridae) Synonym(s): *nana* Staudinger,1886
- 70415) *Satyrus* (*Asatyrus* (s.str.)) *orphei* Stshetkin,1985 (Satyridae) Synonym(s): *orphei* Stshetkin,1985
- 70416) *Satyrus* (*Asatyrus* (s.str.)) *orphei orphei* Stshetkin,1985 (Satyridae) Synonym(s): *orphei* Stshetkin,1985
- 70417) *Satyrus* (s.str.(s.str.)) *actaeus* (Esper,[1781]) (Satyridae) Synonym(s): *actaeus* Esper,[1781]; *gavina* Fruhstorfer,1925; *brigantii* Hartig,1936; *engramelleae* Varin,1965
- 70418) *Satyrus* (s.str.(s.str.)) *actaeus actaeus* (Esper,[1781]) (Satyridae) Synonym(s): *actaeus* Esper,[1781]; *gavina* Fruhstorfer,1925; *brigantii* Hartig,1936; *engramelleae* Varin,1965
- 70419) *Satyrus* (s.str.(s.str.)) *actaeus aigoualensis* Foulqueier,[1923] (Satyridae) Synonym(s): *aigoualensis* Foulqueier,[1923]; *levezica* Varin,1965.
- 70420) *Satyrus* (s.str.(s.str.)) *actaeus bellorum* (Verity,1927) (Satyridae) Synonym(s): *bellorum* Verity,1927
- 70421) *Satyrus* (s.str.(s.str.)) *actaeus bustilloi* Agenjo,1963 (Satyridae) Synonym(s): *bustilloi* Agenjo,1963
- 70422) *Satyrus* (s.str.(s.str.)) *actaeus espanoli* Agenjo,1963 (Satyridae) Synonym(s): *espanoli* Agenjo,1963
- 70423) *Satyrus* (s.str.(s.str.)) *actaeus ganssuensis* (Groum-Grshimailo,1893) (Satyridae) Synonym(s): *ganssuensis* Groum-Grshimailo,1893
- 70424) *Satyrus* (s.str.(s.str.)) *actaeus ibarrae* Agenjo,1963 (Satyridae) Synonym(s): *ibarrae* Agenjo,1963
- 70425) *Satyrus* (s.str.(s.str.)) *actaeus liupiuschani* (O.Bang-Haas,1933) (Satyridae) Synonym(s): *liupiuschani* O.Bang-Haas,1933
- 70426) *Satyrus* (s.str.(s.str.)) *actaeus nevadensis* Ribbe,1905 (Satyridae) Synonym(s): *nevadensis* Ribbe,1905
- 70427) *Satyrus* (s.str.(s.str.)) *actaeus novellasi* Agenjo,1963 (Satyridae) Synonym(s): *novellasi* Agenjo,1963
- 70428) *Satyrus* (s.str.(s.str.)) *actaeus podarce* Ochsenheimer,1807 (Satyridae) Synonym(s): *podarce* Ochsenheimer,1807
- 70429) *Satyrus* (s.str.(s.str.)) *actaeus podarcinus* (Fruhstorfer,1909) (Satyridae) Synonym(s): *podarcina* Fruhstorfer,1909
- 70430) *Satyrus* (s.str.(s.str.)) *actaeus rileyi* Agenjo,1963 (Satyridae) Synonym(s): *rileyi* Agenjo,1963
- 70431) *Satyrus* (s.str.(s.str.)) *astyages* Skala,2003 (Satyridae) Synonym(s): *astyages* Skala,2003
- 70432) *Satyrus* (s.str.(s.str.)) *astyages astyages* Skala,2003 (Satyridae) Synonym(s): *astyages* Skala,2003
- 70433) *Satyrus* (s.str.(s.str.)) *cordulinus* Lang,1884 (Satyridae) Synonym(s): *cordulina* Lang,1884; *cordulina* Staudinger,1886
- 70434) *Satyrus* (s.str.(s.str.)) *cordulinus alaicus* Staudinger,1886 (Satyridae) Synonym(s): *alaicus* Staudinger,1886
- 70435) *Satyrus* (s.str.(s.str.)) *cordulinus cordulinus* Lang,1884 (Satyridae) Synonym(s): *cordulina* Lang,1884; *cordulina* Staudinger,1886
- 70436) *Satyrus* (s.str.(s.str.)) *favonius* Staudinger,[1892] (Satyridae) Synonym(s): *favonius* Staudinger,[1892]
- 70437) *Satyrus* (s.str.(s.str.)) *favonius blomi* Oemig,1978 (Satyridae) Synonym(s): *blomi* Oemig,1978
- 70438) *Satyrus* (s.str.(s.str.)) *favonius favonius* Staudinger,[1892] (Satyridae) Synonym(s): *favonius* Staudinger,[1892]
- 70439) *Satyrus* (s.str.(s.str.)) *parthicus* Lederer,1869 (Satyridae) Synonym(s): *parthicus* Lederer,1869; *pimpla sensu* Wiltshire,1957
- 70440) *Satyrus* (s.str.(s.str.)) *parthicus parthicus* Lederer,1869 (Satyridae) Synonym(s): *parthicus* Lederer,1869; *pimpla sensu* Wiltshire,1957
- 70441) *Satyrus* (s.str.(s.str.)) *pimplus* C.Felder & R.Felder,[1867] (Satyridae) Synonym(s): *pimpla* C.Felder & R.Felder,[1867]
- 70442) *Satyrus* (s.str.(s.str.)) *pimplus pimplus* C.Felder & R.Felder,[1867] (Satyridae) Synonym(s): *pimpla* C.Felder & R.Felder,[1867]
- 70443) *Satyrus* (s.str.(s.str.)) *pimplus schachdara* (Satyridae) Synonym(s):
- 70444) *Satyrus* (s.str.(s.str.)) *pimplus tajik* Clench & Shoumatoff,1956 (Satyridae) Synonym(s): *tajik* Clench & Shoumatoff,1956
- 70445) *Satyrus* (s.str.(s.str.)) *pimplus ziara* (Talbot,1947) (Satyridae) Synonym(s): *ziara* Talbot,1947
- 70446) *Sinonympha amoena* Lee,1974 (Satyridae) Synonym(s): *amoena* Lee,1974
- 70447) *Sinonympha amoena* amoena Lee,1974 (Satyridae) Synonym(s): *amoena* Lee,1974
- 70448) *Strabena affinis* Oberthür,1916 (Satyridae) Synonym(s): *affinis* Oberthür,1916
- 70449) *Strabena affinis* affinis Oberthür,1916 (Satyridae) Synonym(s): *affinis* Oberthür,1916
- 70450) *Strabena albivittuloides* Paulian,1951 (Satyridae) Synonym(s): *albivittuloides* Paulian,1951
- 70451) *Strabena albivittuloides* albivittuloides Paulian,1951 (Satyridae) Synonym(s): *albivittuloides* Paulian,1951
- 70452) *Strabena albivittula* (Mabille,1880) (Satyridae) Synonym(s): *albivittula* Mabille,1880; *excellens* Butler,1885
- 70453) *Strabena albivittula* albivittula (Mabille,1880) (Satyridae) Synonym(s): *albivittula* Mabille,1880; *excellens* Butler,1885
- 70454) *Strabena andilabe* Paulian 1951 (Satyridae) Synonym(s): *andilabe* Paulian 1951
- 70455) *Strabena andilabe* andilabe Paulian 1951 (Satyridae) Synonym(s): *andilabe* Paulian 1951
- 70456) *Strabena andriana* Mabille,[1885] (Satyridae) Synonym(s): *andriana* Mabille,[1885]
- 70457) *Strabena andriana* andriana Mabille,[1885] (Satyridae) Synonym(s): *andriana* Mabille,[1885]
- 70458) *Strabena argyrina* Mabille,1878 (Satyridae) Synonym(s): *argyrina* Mabille,1878
- 70459) *Strabena argyrina* argyrina Mabille,1878 (Satyridae) Synonym(s): *argyrina* Mabille,1878
- 70460) *Strabena aurivilliusi* D'Abrera,1980 (Satyridae) Synonym(s): *mabillei* Aurivillius,1980 nec Butl.,1879; *aurivilliusi* D'Abrera,1980
- 70461) *Strabena aurivilliusi* aurivilliusi D'Abrera,1980 (Satyridae) Synonym(s): *mabillei* Aurivillius,1980 nec Butl.,1879; *aurivilliusi* D'Abrera,1980
- 70462) *Strabena batesii* (C.Felder & R.Felder,[1867]) (Satyridae) Synonym(s): *batesii* C.Felder & R.Felder,[1867]; *#elwesi* Aurivillius,1898; *nepos* Oberthür,1916
- 70463) *Strabena batesii* batesii (C.Felder & R.Felder,[1867]) (Satyridae) Synonym(s): *batesii* C.Felder & R.Felder,[1867]; *#elwesi* Aurivillius,1898; *nepos* Oberthür,1916
- 70464) *Strabena cachani* Paulian,1950 (Satyridae) Synonym(s): *cachani* Paulian,1950
- 70465) *Strabena cachani* cachani Paulian,1950 (Satyridae) Synonym(s): *cachani* Paulian,1950
- 70466) *Strabena consobrina* Oberthür,1916 (Satyridae) Synonym(s): *consobrina* Oberthür,1916
- 70467) *Strabena consobrina* consobrina Oberthür,1916 (Satyridae) Synonym(s): *consobrina* Oberthür,1916
- 70468) *Strabena consors* Oberthür,1916 (Satyridae) Synonym(s): *consors* Oberthür,1916
- 70469) *Strabena consors* consors Oberthür,1916 (Satyridae) Synonym(s): *consors* Oberthür,1916

- 70470) *Strabena corynetes* Mabilles, [1885] (Satyridae) Synonym(s): *corynetes* Mabilles, [1885]; *rectilineata* Oberthür, 1916
70471) *Strabena corynetes* corynetes Mabilles, [1885] (Satyridae) Synonym(s): *corynetes* Mabilles, [1885]; *rectilineata* Oberthür, 1916
70472) *Strabena daphne* Viette, 1971 (Satyridae) Synonym(s): *daphne* Viette, 1971
70473) *Strabena daphne* daphne Viette, 1971 (Satyridae) Synonym(s): *daphne* Viette, 1971
70474) *Strabena dyscola* Mabilles, 1880 (Satyridae) Synonym(s): *dyscola* Mabilles, 1880
70475) *Strabena dyscola* dyscola Mabilles, 1880 (Satyridae) Synonym(s): *dyscola* Mabilles, 1880
70476) *Strabena eros* Viette, 1971 (Satyridae) Synonym(s): *eros* Viette, 1971
70477) *Strabena eros* eros Viette, 1971 (Satyridae) Synonym(s): *eros* Viette, 1971
70478) *Strabena frater* Oberthür, 1916 (Satyridae) Synonym(s): *frater* Oberthür, 1916
70479) *Strabena frater* frater Oberthür, 1916 (Satyridae) Synonym(s): *frater* Oberthür, 1916
70480) *Strabena germanus* Oberthür, 1916 (Satyridae) Synonym(s): *germanus* Oberthür, 1916
70481) *Strabena germanus* germanus Oberthür, 1916 (Satyridae) Synonym(s): *germanus* Oberthür, 1916
70482) *Strabena goudoti* (Mabilles, [1885]) (Satyridae) Synonym(s): *goudoti* Mabilles, [1885]
70483) *Strabena goudoti* goudoti (Mabilles, [1885]) (Satyridae) Synonym(s): *goudoti* Mabilles, [1885]
70484) *Strabena ibitina* (Ward, 1873) (Satyridae) Synonym(s): *ibitina* Ward, 1873
70485) *Strabena ibitina* ibitina (Ward, 1873) (Satyridae) Synonym(s): *ibitina* Ward, 1873
70486) *Strabena impar* Oberthür, 1916 (Satyridae) Synonym(s): *impar* Oberthür, 1916
70487) *Strabena impar* impar Oberthür, 1916 (Satyridae) Synonym(s): *impar* Oberthür, 1916
70488) *Strabena io* Paulian, 1950 (Satyridae) Synonym(s): *io* Paulian, 1950
70489) *Strabena io* io Paulian, 1950 (Satyridae) Synonym(s): *io* Paulian, 1950
70490) *Strabena isaoensis* Paulian, 1951 (Satyridae) Synonym(s): *isaoensis* Paulian, 1951
70491) *Strabena isaoensis* isaoensis Paulian, 1951 (Satyridae) Synonym(s): *isaoensis* Paulian, 1951
70492) *Strabena mandraka* Paulian, 1951 (Satyridae) Synonym(s): *mandraka* Paulian, 1951
70493) *Strabena mandraka* mandraka Paulian, 1951 (Satyridae) Synonym(s): *mandraka* Paulian, 1951
70494) *Strabena martini* Oberthür, 1916 (Satyridae) Synonym(s): *martini* Oberthür, 1916
70495) *Strabena martini* martini Oberthür, 1916 (Satyridae) Synonym(s): *martini* Oberthür, 1916
70496) *Strabena modesta* Oberthür, 1916 (Satyridae) Synonym(s): *modesta* Oberthür, 1916
70497) *Strabena modesta* modesta Oberthür, 1916 (Satyridae) Synonym(s): *modesta* Oberthür, 1916
70498) *Strabena modestissima* Oberthür, 1916 (Satyridae) Synonym(s): *modestissima* Oberthür, 1916
70499) *Strabena modestissima* modestissima Oberthür, 1916 (Satyridae) Synonym(s): *modestissima* Oberthür, 1916
70500) *Strabena mopsus* (Mabilles, 1878) (Satyridae) Synonym(s): *mopsus* Mabilles, 1878
70501) *Strabena mopsus* mopsus (Mabilles, 1878) (Satyridae) Synonym(s): *mopsus* Mabilles, 1878
70502) *Strabena niveata* (Butler, 1879) (Satyridae) Synonym(s): *niveata* Butler, 1879
70503) *Strabena niveata* niveata (Butler, 1879) (Satyridae) Synonym(s): *niveata* Butler, 1879
70504) *Strabena parens* Oberthür, 1916 (Satyridae) Synonym(s): *parens* Oberthür, 1916
70505) *Strabena parens* parens Oberthür, 1916 (Satyridae) Synonym(s): *parens* Oberthür, 1916
70506) *Strabena perrieri* Paulian, 1951 (Satyridae) Synonym(s): *perrieri* Paulian, 1951
70507) *Strabena perrieri* perrieri Paulian, 1951 (Satyridae) Synonym(s): *perrieri* Paulian, 1951
70508) *Strabena perroti* Oberthür, 1916 (Satyridae) Synonym(s): *perroti* Oberthür, 1916
70509) *Strabena perroti* perroti Oberthür, 1916 (Satyridae) Synonym(s): *perroti* Oberthür, 1916
70510) *Strabena propinqua* Oberthür, 1916 (Satyridae) Synonym(s): *propinqua* Oberthür, 1916
70511) *Strabena propinqua* propinqua Oberthür, 1916 (Satyridae) Synonym(s): *propinqua* Oberthür, 1916
70512) *Strabena rakoto* (Ward, 1870) (Satyridae) Synonym(s): *rakoto* Ward, 1870
70513) *Strabena rakoto* rakoto (Ward, 1870) (Satyridae) Synonym(s): *rakoto* Ward, 1870
70514) *Strabena smithi* Mabilles, 1877 (Satyridae) Synonym(s): *smithi* Mabilles, 1877; *wardii* Butler, 1879
70515) *Strabena smithi* smithi Mabilles, 1877 (Satyridae) Synonym(s): *smithi* Mabilles, 1877; *wardii* Butler, 1879
70516) *Strabena soror* Oberthür, 1916 (Satyridae) Synonym(s): *soror* Oberthür, 1916
70517) *Strabena soror* soror Oberthür, 1916 (Satyridae) Synonym(s): *soror* Oberthür, 1916
70518) *Strabena sufferti* (Aurivillius, 1898) (Satyridae) Synonym(s): *sufferti* Aurivillius, 1898
70519) *Strabena sufferti* sufferti (Aurivillius, 1898) (Satyridae) Synonym(s): *sufferti* Aurivillius, 1898
70520) *Strabena tamatave* (Boisduval, 1833) (Satyridae) Synonym(s): *tamatave* Boisduval, 1833
70521) *Strabena tamatave* tamatave (Boisduval, 1833) (Satyridae) Synonym(s): *tamatave* Boisduval, 1833
70522) *Strabena triophthalma* Mabilles, [1885] (Satyridae) Synonym(s): *triophthalma* Mabilles, [1885]
70523) *Strabena triophthalma* triophthalma Mabilles, [1885] (Satyridae) Synonym(s): *triophthalma* Mabilles, [1885]
70524) *Strabena tsaratananae* Paulian, 1951 (Satyridae) Synonym(s): *tsaratananae* Paulian, 1951
70525) *Strabena tsaratananae* tsaratananae Paulian, 1951 (Satyridae) Synonym(s): *tsaratananae* Paulian, 1951
70526) *Strabena vicina* Oberthür, 1916 (Satyridae) Synonym(s): *vicina* Oberthür, 1916
70527) *Strabena vicina* vicina Oberthür, 1916 (Satyridae) Synonym(s): *vicina* Oberthür, 1916
70528) *Strabena vinsoni* (Guenée, 1865) (Satyridae) Synonym(s): *vinsoni* Guenée, 1865
70529) *Strabena zanjuga* Mabilles, [1885] (Satyridae) Synonym(s): *zanjuga* Mabilles, [1885]
70530) *Strabena zanjuga* zanjuga Mabilles, [1885] (Satyridae) Synonym(s): *zanjuga* Mabilles, [1885]
70531) *Stygionympha dicksoni* (Riley, 1938) (Satyridae) Synonym(s): *dicksoni* Riley, 1938
70532) *Stygionympha dicksoni* dicksoni (Riley, 1938) (Satyridae) Synonym(s): *dicksoni* Riley, 1938
70533) *Stygionympha geraldii* Pennington, 1970 (Satyridae) Synonym(s): *geraldii* Pennington, 1970
70534) *Stygionympha geraldii* geraldii Pennington, 1970 (Satyridae) Synonym(s): *geraldii* Pennington, 1970
70535) *Stygionympha irrorata* (Trimen, 1873) (Satyridae) Synonym(s): *irrorata* Trimen, 1873
70536) *Stygionympha irrorata* irrorata (Trimen, 1873) (Satyridae) Synonym(s): *irrorata* Trimen, 1873
70537) *Stygionympha robertsoni* (Riley, 1932) (Satyridae) Synonym(s): *robertsoni* Riley, 1932
70538) *Stygionympha robertsoni* robertsoni (Riley, 1932) (Satyridae) Synonym(s): *robertsoni* Riley, 1932
70539) *Stygionympha scotina* Quickelberge, 1977 (Satyridae) Synonym(s): *scotina* Quickelberge, 1977
70540) *Stygionympha scotina* scotina Quickelberge, 1977 (Satyridae) Synonym(s): *scotina* Quickelberge, 1977
70541) *Stygionympha vansoni* (Pennington, 1953) (Satyridae) Synonym(s): *vansoni* Pennington, 1953
70542) *Stygionympha vansoni* vansoni (Pennington, 1953) (Satyridae) Synonym(s): *vansoni* Pennington, 1953
70543) *Stygionympha vigilans* (Trimen, 1887) (Satyridae) Synonym(s): *vigilans* Trimen, 1887
70544) *Stygionympha vigilans* vigilans (Trimen, 1887) (Satyridae) Synonym(s): *vigilans* Trimen, 1887
70545) *Stygionympha wichgrafi* Van Son, 1955 (Satyridae) Synonym(s): *johannesburgensis* Wichgraf, 1911; *wichgrafi* Van Son, 1955.
70546) *Stygionympha wichgrafi* lannini Van Son, 1966 (Satyridae) Synonym(s): *lannini* Van Son, 1966
70547) *Stygionympha wichgrafi* wichgrafi van Son, 1955 (Satyridae) Synonym(s): *johannesburgensis* Wichgraf, 1911; *wichgrafi* Van Son, 1955.
70548) *Tarsocera cassina* (Butler, 1868) (Satyridae) Synonym(s): *cassina* Butler, 1868
70549) *Tarsocera cassina* cassina (Butler, 1868) (Satyridae) Synonym(s): *cassina* Butler, 1868
70550) *Tarsocera cassus* (Linnaeus, 1764) (Satyridae) Synonym(s): *cassus* Linnaeus, 1764; #polyops Vari, 1971; #signata Vari, 1971
70551) *Tarsocera cassus* cassus (Linnaeus, 1764) (Satyridae) Synonym(s): *cassus* Linnaeus, 1764; #polyops Vari, 1971; #signata Vari, 1971
70552) *Tarsocera cassus* outenigua Vari, 1971 (Satyridae) Synonym(s): *outenigua* Vari, 1971
70553) *Tarsocera dicksoni* (Van Son, 1962) (Satyridae) Synonym(s): *dicksoni* Van Son, 1962
70554) *Tarsocera fulvina* Vari, 1971 (Satyridae) Synonym(s): *fulvina* Vari, 1971
70555) *Tarsocera fulvina* fulvina Vari, 1971 (Satyridae) Synonym(s): *fulvina* Vari, 1971
70556) *Tarsocera imitator* Vari, 1971 (Satyridae) Synonym(s): *imitator* Vari, 1971
70557) *Tarsocera imitator* imitator Vari, 1971 (Satyridae) Synonym(s): *imitator* Vari, 1971
70558) *Tarsocera namaquensis* Vari, 1971 (Satyridae) Synonym(s): *namaquensis* Vari, 1971
70559) *Tarsocera namaquensis* namaquensis Vari, 1971 (Satyridae) Synonym(s): *namaquensis* Vari, 1971

- 70560) *Tarsocera southeyae* Dickson, 1969 (Satyridae) Synonym(s): *southeyae* Dickson, 1969
 70561) *Tarsocera southeyae southeyae* Dickson, 1969 (Satyridae) Synonym(s): *southeyae* Dickson, 1969
 70562) *Torynesis hawequas* Dickson, 1973 (Satyridae) Synonym(s): *hawequas* Dickson, 1973
 70563) *Torynesis hawequas hawequas* Dickson, 1973 (Satyridae) Synonym(s): *hawequas* Dickson, 1973
 70564) *Torynesis magna* (Van Son, 1941) (Satyridae) Synonym(s): *magna* Van Son, 1941
 70565) *Torynesis magna magna* (van Son, 1941) (Satyridae) Synonym(s): *magna* Van Son, 1941
 70566) *Torynesis mintha* (Geyer, [1837]) (Satyridae) Synonym(s): *mintha* Geyer, [1837]
 70567) *Torynesis mintha mintha* (Geyer, [1837]) (Satyridae) Synonym(s): *mintha* Geyer, [1837]
 70568) *Torynesis mintha piquetbergensis* Dickson, 1967 (Satyridae) Synonym(s): *piquetbergensis* Dickson, 1967
 70569) *Torynesis orangica* Vari, 1971 (Satyridae) Synonym(s): *orangica* Vari, 1971
 70570) *Torynesis orangica orangica* Vari, 1971 (Satyridae) Synonym(s): *orangica* Vari, 1971
 70571) *Torynesis pringlei* Dickson, 1979 (Satyridae) Synonym(s): *pringlei* Dickson, 1979
 70572) *Torynesis pringlei pringlei* Dickson, 1979 (Satyridae) Synonym(s): *pringlei* Dickson, 1979
 70573) *Triphysa dohrnii* Zeller, 1850 (Satyridae) Synonym(s): *dohrnii* Zeller, 1850
 70574) *Triphysa dohrnii dohrnii* Zeller, 1850 (Satyridae) Synonym(s): *dohrnii* Zeller, 1850
 70575) *Triphysa dohrnii tscherskii* Groum-Grshimailo, 1899 (Satyridae) Synonym(s): *tscherskii* Groum-Grshimailo, 1899
 70576) *Triphysa nervosa* Motschulsky, 1866 (Satyridae) Synonym(s): *nervosa* Motschulsky, 1866; *albovenosa* Erschoff, 1885.
 70577) *Triphysa nervosa nervosa* Motschulsky, 1866 (Satyridae) Synonym(s): *nervosa* Motschulsky, 1866; *albovenosa* Erschoff, 1885.
 70578) *Triphysa nervosa sacha* Korshunov, 1996 (Satyridae) Synonym(s): *sacha* Korshunov, 1996
 70579) *Triphysa phryne* (Pallas, 1771) (Satyridae) Synonym(s): *phryne* Pallas, 1771
 70580) *Triphysa phryne phryne* (Pallas, 1771) (Satyridae) Synonym(s): *phryne* Pallas, 1771
 70581) *Triphysa phryne striatula* Elwes, 1899 (Satyridae) Synonym(s): *striatula* Elwes, 1899
 70582) *Ypthima affectata* Elwes & Edwards, 1893 (Satyridae) Synonym(s): *affectata* Elwes & Edwards, 1893
 70583) *Ypthima akbar* Talbot, 1947 (Satyridae) Synonym(s): *akbar* Talbot, 1947
 70584) *Ypthima albida* Butler, 1888 (Satyridae) Synonym(s): *albida* Butler, 1888; *argentata* Bartel, 1905; *#conradsi* Strand, 1909.
 70585) *Ypthima albida albida* Butler, 1888 (Satyridae) Synonym(s): *albida* Butler, 1888; *argentata* Bartel, 1905; *#conradsi* Strand, 1909.
 70586) *Ypthima albida occidentalis* Bartel, 1905 (Satyridae) Synonym(s): *occidentalis* Bartel, 1905
 70587) *Ypthima albida uniformis* Bartel, 1905 (Satyridae) Synonym(s): *uniformis* Bartel, 1905
 70588) *Ypthima amphithea* Ménétériés, 1859 (Satyridae) Synonym(s): *amphithea* Ménétériés, 1859
 70589) *Ypthima amphithea amphithea* Ménétériés, 1859 (Satyridae) Synonym(s): *amphithea* Ménétériés, 1859
 70590) *Ypthima antennata* Van Son, 1955 (Satyridae) Synonym(s): *antennata* Van Son, 1955
 70591) *Ypthima antennata antennata* Van Son, 1955 (Satyridae) Synonym(s): *antennata* Van Son, 1955
 70592) *Ypthima antennata cornesi* Kielland, 1982 (Satyridae) Synonym(s): *cornesi* Kielland, 1982
 70593) *Ypthima argus* Butler, 1866 (Satyridae) Synonym(s): *argus* Butler, 1866
 70594) *Ypthima argus argus* Butler, 1866 (Satyridae) Synonym(s): *argus* Butler, 1866
 70595) *Ypthima argus evanescens* (Butler, 1881) (Satyridae) Synonym(s): *evanescens* Butler, 1881
 70596) *Ypthima argus hyampeia* Fruhstorfer, 1911 (Satyridae) Synonym(s): *hyampeia* Fruhstorfer, 1911
 70597) *Ypthima asterope* (Klug, 1832) (Satyridae) Synonym(s): *asterope* Klug, 1832; *marlenii* Kattulas & Koutsafitikis, 1978.
 70598) *Ypthima asterope annamitica* Fruhstorfer, 1911 (Satyridae) Synonym(s): *annamitica* Fruhstorfer, 1911
 70599) *Ypthima asterope asterope* (Klug, 1832) (Satyridae) Synonym(s): *asterope* Klug, 1832; *marlenii* Kattulas & Koutsafitikis, 1978.
 70600) *Ypthima asterope burmana* Evans, 1923 (Satyridae) Synonym(s): *burmana* Evans, 1923
 70601) *Ypthima asterope hereroica* Van Son, 1955 (Satyridae) Synonym(s): *#hereroica* Grünger, 1910; *hereroica* Van Son, 1955
 70602) *Ypthima asterope maharatta* Moore, 1884 (Satyridae) Synonym(s): *mahratta* Moore, 1884
 70603) *Ypthima avanta* Moore, 1874 (Satyridae) Synonym(s): *avanta* Moore, 1874
 70604) *Ypthima avanta avanta* Moore, 1874 (Satyridae) Synonym(s): *avanta* Moore, 1874; *ordinata* Butler, 1880.
 70605) *Ypthima baldus* (Fabricius, 1775) (Satyridae) Synonym(s): *baldus* Fabricius, 1775
 70606) *Ypthima baldus aretas* Fruhstorfer, 1911 (Satyridae) Synonym(s): *aretas* Fruhstorfer, 1911
 70607) *Ypthima baldus baldus* (Fabricius, 1775) (Satyridae) Synonym(s): *baldus* Fabricius, 1775
 70608) *Ypthima baldus moeris* Fruhstorfer (Satyridae) Synonym(s): *moeris* Fruhstorfer
 70609) *Ypthima baldus newboldi* Distant, 1882 (Satyridae) Synonym(s): *newboldi* Distant, 1882
 70610) *Ypthima baldus nymias* Fruhstorfer, 1911 (Satyridae) Synonym(s): *nymias* Fruhstorfer, 1911
 70611) *Ypthima baldus pasitellides* Fruhstorfer, 1911 (Satyridae) Synonym(s): *pasitellides* Fruhstorfer, 1911
 70612) *Ypthima baldus selimuntius* Fruhstorfer, 1911 (Satyridae) Synonym(s): *selimuntius* Fruhstorfer, 1911
 70613) *Ypthima baldus zodina* Fruhstorfer, 1911 (Satyridae) Synonym(s): *zodina* Fruhstorfer, 1911
 70614) *Ypthima bolanica* Marschall, 1882 (Satyridae) Synonym(s): *bolanica* Marschall, 1882
 70615) *Ypthima bolanica bolanica* Marschall, 1882 (Satyridae) Synonym(s): *bolanica* Marschall, 1882
 70616) *Ypthima cantlei* Norman, 1958 (Satyridae) Synonym(s): *cantlei* Norman, 1958
 70617) *Ypthima ceylonica* Hewitson, 1865 (Satyridae) Synonym(s): *ceylonica* Hewitson, 1865
 70618) *Ypthima ceylonica ceylonica* Hewitson, 1865 (Satyridae) Synonym(s): *ceylonica* Hewitson, 1865
 70619) *Ypthima ceylonica kasmira* Moore, 1884 (Satyridae) Synonym(s): *kasmira* Moore, 1884
 70620) *Ypthima chenu* Guérin-Ménéville, 1843 (Satyridae) Synonym(s): *chenu* Guérin-Ménéville, 1843
 70621) *Ypthima condamini* Kielland, 1982 (Satyridae) Synonym(s): *condamini* Kielland, 1982
 70622) *Ypthima condamini condamini* Kielland, 1982 (Satyridae) Synonym(s): *condamini* Kielland, 1982
 70623) *Ypthima condamini nigeriae* Kielland, 1982 (Satyridae) Synonym(s): *nigeriae* Kielland, 1982
 70624) *Ypthima confusa* Shirozu & Shima, 1977 (Satyridae) Synonym(s): *confusa* Shirozu & Shima, 1977
 70625) *Ypthima congoana* Overlaet, 1955 (Satyridae) Synonym(s): *congoana* Overlaet, 1955
 70626) *Ypthima congoana congoana* Overlaet, 1955 (Satyridae) Synonym(s): *congoana* Overlaet, 1955
 70627) *Ypthima conjuncta* Leech, 1891 (Satyridae) Synonym(s): *conjuncta* Leech, 1891
 70628) *Ypthima conjuncta formosana* Fruhstorfer, 1908 (Satyridae) Synonym(s): *formosana* Fruhstorfer, 1908
 70629) *Ypthima diplommata* Overlaet, 1954 (Satyridae) Synonym(s): *diplommata* Overlaet, 1954
 70630) *Ypthima diplommata diplommata* Overlaet, 1954 (Satyridae) Synonym(s): *diplommata* Overlaet, 1954
 70631) *Ypthima dohertyi* Moore, 1895 (Satyridae) Synonym(s): *dohertyi* Moore, 1895
 70632) *Ypthima dohertyi dohertyi* Moore, 1895 (Satyridae) Synonym(s): *dohertyi* Moore, 1895
 70633) *Ypthima doleta* Kirby, 1880 (Satyridae) Synonym(s): *doleta* Kirby, 1880
 70634) *Ypthima doleta doleta* Kirby, 1880 (Satyridae) Synonym(s): *doleta* Kirby, 1880
 70635) *Ypthima evansi* Eliot, 1967 (Satyridae) Synonym(s): *evansi* Eliot, 1967
 70636) *Ypthima evansi evansi* Eliot, 1967 (Satyridae) Synonym(s): *evansi* Eliot, 1967
 70637) *Ypthima fasciata* Hewitson, 1865 (Satyridae) Synonym(s): *fasciata* Hewitson, 1865
 70638) *Ypthima fasciata fasciata* Hewitson, 1865 (Satyridae) Synonym(s): *fasciata* Hewitson, 1865
 70639) *Ypthima fasciata kanonis* Matsumura (Satyridae) Synonym(s): *kanonis* Matsumura
 70640) *Ypthima fasciata prenubila* Leech (Satyridae) Synonym(s): *prenubila* Leech
 70641) *Ypthima fasciata torone* Fruhstorfer, 1911 (Satyridae) Synonym(s): *torone* Fruhstorfer, 1911
 70642) *Ypthima gavalisi* Martin, 1915 (Satyridae) Synonym(s): *gavalisi* Martin, 1915
 70643) *Ypthima granulosa* Butler, 1883 (Satyridae) Synonym(s): *granulosa* Butler, 1883; *catractae* Van Son, 1955
 70644) *Ypthima granulosa granulosa* Butler, 1883 (Satyridae) Synonym(s): *granulosa* Butler, 1883; *catractae* Van Son, 1955
 70645) *Ypthima hanburyi* Holloway, 1984 (Satyridae) Synonym(s): *hanburyi* Holloway, 1984
 70646) *Ypthima hanningtoni* (Eliot, 1967) (Satyridae) Synonym(s): *hanningtoni* Eliot, 1967
 70647) *Ypthima horsfieldi* Moore, 1884 (Satyridae) Synonym(s): *horsfieldi* Moore, 1884
 70648) *Ypthima huebneri* Kirby, 1871 (Satyridae) Synonym(s): *huebneri* Kirby, 1871
 70649) *Ypthima humei* Elwes & Edwards, 1893 (Satyridae) Synonym(s): *humei* Elwes & Edwards, 1893

- 70650) *Ypthima iarba* Nicéville, 1895 (Satyridae) Synonym(s): *iarba* Nicéville, 1895
 70651) *Ypthima iarba eupeithes* Fruhstorfer, 1911 (Satyridae) Synonym(s): *eupeithes* Fruhstorfer, 1911
 70652) *Ypthima iarba gaugamela* Fruhstorfer, 1911 (Satyridae) Synonym(s): *gaugamela* Fruhstorfer, 1911
 70653) *Ypthima iarba iarba* Nicéville, 1895 (Satyridae) Synonym(s): *iarba* Nicéville, 1895
 70654) *Ypthima impura* Elwes & Edwards, 1893 (Satyridae) Synonym(s): *impura* Elwes & Edwards, 1893
 70655) *Ypthima impura impura* Elwes & Edwards, 1893 (Satyridae) Synonym(s): *impura* Elwes & Edwards, 1893
 70656) *Ypthima impura paupera* Ungemach, 1932 (Satyridae) Synonym(s): *paupera* Ungemach, 1932; *#hiemis* Ungemach, 1932; *#badhami* Van Son, 1955.
 70657) *Ypthima indecora* Moore, 1882 (Satyridae) Synonym(s): *indecora* Moore, 1882
 70658) *Ypthima indecora indecora* Moore, 1882 (Satyridae) Synonym(s): *indecora* Moore, 1882
 70659) *Ypthima inica* Hewitson, 1864 (Satyridae) Synonym(s): *inica* Hewitson, 1864
 70660) *Ypthima jacksoni* Kielland, 1982 (Satyridae) Synonym(s): *jacksoni* Kielland, 1982
 70661) *Ypthima jacksoni jacksoni* Kielland, 1982 (Satyridae) Synonym(s): *jacksoni* Kielland, 1982
 70662) *Ypthima kalelonda* Hewitson, 1888 (Satyridae) Synonym(s): *kalelonda* Hewitson, 1888
 70663) *Ypthima lamto* Kielland, 1982 (Satyridae) Synonym(s): *lamto* Kielland, 1982
 70664) *Ypthima lamto lamto* Kielland, 1982 (Satyridae) Synonym(s): *lamto* Kielland, 1982
 70665) *Ypthima lisandra* (Cramer, [1782]) (Satyridae) Synonym(s): *lisandra* Cramer, [1782]
 70666) *Ypthima lisandra bara* Evans, 1923 (Satyridae) Synonym(s): *bara* Evans, 1923
 70667) *Ypthima lisandra lisandra* (Cramer, [1782]) (Satyridae) Synonym(s): *lisandra* Cramer, [1782]
 70668) *Ypthima loryma* Hewitson, 1865 (Satyridae) Synonym(s): *loryma* Hewitson, 1865
 70669) *Ypthima methora* Hewitson, 1865 (Satyridae) Synonym(s): *methora* Hewitson, 1865
 70670) *Ypthima multistriata* Butler, 1883 (Satyridae) Synonym(s): *multistriata* Butler, 1883
 70671) *Ypthima nareda* (Kollar, [1844]) (Satyridae) Synonym(s): *nareda* Kollar, [1844]
 70672) *Ypthima nareda nareda* (Kollar, [1844]) (Satyridae) Synonym(s): *nareda* Kollar, [1844]
 70673) *Ypthima nigricans* Snellen, 1892 (Satyridae) Synonym(s): *nigricans* Snellen, 1892
 70674) *Ypthima nikaema* Moore, 1874 (Satyridae) Synonym(s): *nikaea* Moore, 1874
 70675) *Ypthima norma* Westwood, 1851 (Satyridae) Synonym(s): *norma* Westwood, 1851
 70676) *Ypthima norma aei* Shirozu & Shima, 1977 (Satyridae) Synonym(s): *aei* Shirozu & Shima, 1977
 70677) *Ypthima norma burmana* Evans, 1923 (Satyridae) Synonym(s): *burmana* Evans, 1923
 70678) *Ypthima norma norma* Westwood, 1851 (Satyridae) Synonym(s): *norma* Westwood, 1851
 70679) *Ypthima pandocus* Moore, 1858 (Satyridae) Synonym(s): *pandocus* Moore, 1858
 70680) *Ypthima pandocus corticaria* Butler, 1879 (Satyridae) Synonym(s): *corticaria* Butler, 1879
 70681) *Ypthima pandocus pandocus* Moore, 1858 (Satyridae) Synonym(s): *pandocus* Moore, 1858
 70682) *Ypthima parasakra* (Eliot, 1987) (Satyridae) Synonym(s): *parasakra* Eliot, 1987
 70683) *Ypthima persimilis* Elwes & Edwards, 1893 (Satyridae) Synonym(s): *persimilis* Elwes & Edwards, 1893
 70684) *Ypthima philomela* (Linnaeus, 1763) (Satyridae) Synonym(s): *philomela* Linnaeus, 1763
 70685) *Ypthima praestans* Overlaet, 1954 (Satyridae) Synonym(s): *praestans* Overlaet, 1954
 70686) *Ypthima praestans praestans* Overlaet, 1954 (Satyridae) Synonym(s): *praestans* Overlaet, 1954
 70687) *Ypthima pulchra* Overlaet, 1954 (Satyridae) Synonym(s): *pulchra* Overlaet, 1954
 70688) *Ypthima pulchra pulchra* Overlaet, 1954 (Satyridae) Synonym(s): *pulchra* Overlaet, 1954
 70689) *Ypthima pupillaris* Butler, 1888 (Satyridae) Synonym(s): *pupillaris* Butler, 1888; *gazana* Van Son, 1955
 70690) *Ypthima pupillaris obscurata* Kielland, 1982 (Satyridae) Synonym(s): *obscurata* Kielland, 1982
 70691) *Ypthima pupillaris pupillaris* Butler, 1888 (Satyridae) Synonym(s): *pupillaris* Butler, 1888; *gazana* Van Son, 1955
 70692) *Ypthima recta* Overlaet, 1955 (Satyridae) Synonym(s): *recta* Overlaet, 1955
 70693) *Ypthima recta recta* Overlaet, 1955 (Satyridae) Synonym(s): *recta* Overlaet, 1955
 70694) *Ypthima rhodesiana* Carcasson, 1961 (Satyridae) Synonym(s): *rhodesiana* Carcasson, 1961
 70695) *Ypthima rhodesiana rhodesiana* Carcasson, 1961 (Satyridae) Synonym(s): *rhodesiana* Carcasson, 1961
 70696) *Ypthima sakra* Moore, 1857 (Satyridae) Synonym(s): *sakra* Moore, 1857
 70697) *Ypthima sakra austeni* Moore, 1892 (Satyridae) Synonym(s): *austeni* Moore, 1892
 70698) *Ypthima sakra sakra* Moore, 1857 (Satyridae) Synonym(s): *sakra* Moore, 1857
 70699) *Ypthima savara* Grose-Smith, 1886 (Satyridae) Synonym(s): *savara* Grose-Smith, 1886
 70700) *Ypthima savara savara* Grose-Smith, 1886 (Satyridae) Synonym(s): *savara* Grose-Smith, 1886
 70701) *Ypthima savara tonkiniana* Fruhstorfer, 1911 (Satyridae) Synonym(s): *tonkiniana* Fruhstorfer, 1911
 70702) *Ypthima sempera* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *sempera* C.Felder & R.Felder, 1863
 70703) *Ypthima sempera aquillius* Fruhstorfer, 1911 (Satyridae) Synonym(s): *aquillius* Fruhstorfer, 1911
 70704) *Ypthima sempera calanus* Fruhstorfer, 1911 (Satyridae) Synonym(s): *calanus* Fruhstorfer, 1911
 70705) *Ypthima sempera chaboras* Fruhstorfer, 1911 (Satyridae) Synonym(s): *chaboras* Fruhstorfer, 1911
 70706) *Ypthima sempera sempera* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *sempera* C.Felder & R.Felder, 1863
 70707) *Ypthima sensilis* Kashiwai, 1982 (Satyridae) Synonym(s): *sensilis* Kashiwai, 1982
 70708) *Ypthima sensilis sensilis* Kashiwai, 1982 (Satyridae) Synonym(s): *sensilis* Kashiwai, 1982
 70709) *Ypthima similis* Elwes & Edwards, 1893 (Satyridae) Synonym(s): *similis* Elwes & Edwards, 1893
 70710) *Ypthima simplicia* Butler, 1876 (Satyridae) Synonym(s): *simplicia* Butler, 1876
 70711) *Ypthima simplicia simplicia* Butler, 1876 (Satyridae) Synonym(s): *simplicia* Butler, 1876
 70712) *Ypthima singala* C.Felder, 1868 (Satyridae) Synonym(s): *singala* C.Felder, 1868
 70713) *Ypthima sobrina* Elwes & Edwards, 1893 (Satyridae) Synonym(s): *sobrina* Elwes & Edwards, 1893
 70714) *Ypthima stelleria* (Eschscholtz, 1821) (Satyridae) Synonym(s): *stelleria* Eschscholtz, 1821
 70715) *Ypthima stelleria galeria* Fruhstorfer, 1911 (Satyridae) Synonym(s): *galeria* Fruhstorfer, 1911
 70716) *Ypthima stelleria stelleria* (Eschscholtz, 1821) (Satyridae) Synonym(s): *stelleria* Eschscholtz, 1821
 70717) *Ypthima striata* Hampson, 1888 (Satyridae) Synonym(s): *striata* Hampson, 1888
 70718) *Ypthima vuattauxi* Kielland, 1982 (Satyridae) Synonym(s): *vuattauxi* Kielland, 1982
 70719) *Ypthima vuattauxi vuattauxi* Kielland, 1982 (Satyridae) Synonym(s): *vuattauxi* Kielland, 1982
 70720) *Ypthima watsoni* Moore, 1893 (Satyridae) Synonym(s): *watsoni* Moore, 1893
 70721) *Ypthima watsoni peninsulae* Aoki & Uémura, 1984 (Satyridae) Synonym(s): *peninsulae* Aoki & Uémura, 1984
 70722) *Ypthima watsoni watsoni* Moore, 1893 (Satyridae) Synonym(s): *watsoni* Moore, 1893
 70723) *Ypthima yatta* Kielland, 1982 (Satyridae) Synonym(s): *yatta* Kielland, 1982
 70724) *Ypthima yatta yatta* Kielland, 1982 (Satyridae) Synonym(s): *yatta* Kielland, 1982
 70725) *Ypthima ypthimoides* Moore, 1881 (Satyridae) Synonym(s): *ypthimoides* Moore, 1881
 70726) *Ypthima yunosukei* Aoki & Uémura, 1984 (Satyridae) Synonym(s): *yunosukei* Aoki & Uémura, 1984
 70727) *Ypthimomorpha itonia* (Hewitson, 1865) (Satyridae) Synonym(s): *itonina* Hewitson, 1865; *hoehneli* Holland, 1896; *quadriocellata* Strand, 1909
 70728) *Ypthimomorpha itonia itonia* (Hewitson, 1865) (Satyridae) Synonym(s): *itonina* Hewitson, 1865; *hoehneli* Holland, 1896; *quadriocellata* Strand, 1909
 70729) *Zethera hestioides* C.Felder & R.Felder, 1861 (Satyridae) Synonym(s): *hestioides* C.Felder & R.Felder, 1861
 70730) *Zethera musa* C.Felder & R.Felder, 1861 (Satyridae) Synonym(s): *musa* C.Felder & R.Felder, 1861
 70731) *Zethera musides* Semper, 1878 (Satyridae) Synonym(s): *musides* Semper, 1878
 70732) *Zethera pimplea* Erichson, 1834 (Satyridae) Synonym(s): *pimplea* Erichson, 1834
 70733) *Zethera thermaea* Hewitson, 1877 (Satyridae) Synonym(s): *thermaea* Hewitson, 1877
 70734) *Zophoessa callipteris* (Butler, 1877) (Satyridae) Synonym(s): *callipteris* Butler, 1877
 70735) *Zophoessa callipteris callipteris* (Butler, 1877) (Satyridae) Synonym(s): *callipteris* Butler, 1877
 70736) *Zophoessa dataensis* Semper, 1887 (Satyridae) Synonym(s): *dataensis* Semper, 1887
 70737) *Zophoessa dataensis dataensis* Semper, 1887 (Satyridae) Synonym(s): *dataensis* Semper, 1887
 70738) *Zophoessa dataensis nihirae* Treadaway & Nuyda, 1993 (Satyridae) Synonym(s): *nihirae* Treadaway & Nuyda, 1993
 70739) *Schreckensteinia festaliella* (Hübner, 1819) (Schreckensteiniidae) Synonym(s): *festaliella* Hübner, [1819]

- 70740) *Apostibes aerata* Walsingham, 1914 (Scythridae) Synonym(s): *aerata* Walsingham, 1914
 70741) *Apostibes afghana* Passerin d'Entrèves & Roggero, 2003 (Scythridae) Synonym(s): *afghana* Passerin d'Entrèves & Roggero, 2003
 70742) *Apostibes dhahrani* Passerin d'Entrèves & Roggero, 2003 (Scythridae) Synonym(s): *dhahrani* Passerin d'Entrèves & Roggero, 2003
 70743) *Apostibes griseolineata* Walsingham, 1907 (Scythridae) Synonym(s): *griseolineata* Walsingham, 1907; *striella* Turati, 1929; *bahrutella* Amsel, 1935
 70744) *Apostibes inota* (Meyrick, 1924) (Scythridae) Synonym(s): *inota* Meyrick, 1924
 70745) *Apostibes mesopora* Walsingham, 1914 (Scythridae) Synonym(s): *mesopora* Walsingham, 1914
 70746) *Apostibes nivisignata* Walsingham, 1914 (Scythridae) Synonym(s): *nivisignata* Walsingham, 1914
 70747) *Apostibes raguae* Bengtsson, 1997 (Scythridae) Synonym(s): *raguae* Bengtsson, 1997
 70748) *Areniscythis brachypteris* Powell, 1976 (Scythridae) Synonym(s): *brachypteris* Powell, 1976
 70749) *Arottrura atascosa* Landry, 1991 (Scythridae) Synonym(s): *atascosa* Landry, 1991
 70750) *Arottrura balli* Landry, 1991 (Scythridae) Synonym(s): *balli* Landry, 1991
 70751) *Arottrura divaricata* (Braun, 1923) (Scythridae) Synonym(s): *divaricata* Braun, 1923
 70752) *Arottrura eburnea* Walsingham, 1888 (Scythridae) Synonym(s): *eburnea* Walsingham, 1888
 70753) *Arottrura formidabilis* Landry, 1991 (Scythridae) Synonym(s): *formidabilis* Landry, 1991
 70754) *Arottrura hymenata* Landry, 1991 (Scythridae) Synonym(s): *hymenata* Landry, 1991
 70755) *Arottrura longissima* Landry, 1991 (Scythridae) Synonym(s): *longissima* Landry, 1991
 70756) *Arottrura oxyplecta* (Meyrick, 1916) (Scythridae) Synonym(s): *oxyplecta* Meyrick, 1916
 70757) *Arottrura powelli* Landry, 1991 (Scythridae) Synonym(s): *powelli* Landry, 1991
 70758) *Arottrura sponsella* (Busck, 1907) (Scythridae) Synonym(s): *sponsella* Busck, 1907
 70759) *Enolmis abenhumeya* (Agenjo, 1951) (Scythridae) Synonym(s): *abenhumeya* Agenjo, 1951
 70760) *Enolmis acanthella* (Godart, 1824) (Scythridae) Synonym(s): *acanthella* Godart, 1824; *gallicella* Zeller, 1839; *delicatella* Agenjo, 1951 nec Rbl.; *tavaresi* Monteiro, 1961
 70761) *Enolmis agenjoi* Passerin d'Entrèves, 1988 (Scythridae) Synonym(s): *agenjoi* Passerin d'Entrèves, 1988
 70762) *Enolmis amseli* Passerin d'Entrèves, 1997 (Scythridae) Synonym(s): *amseli* Passerin d'Entrèves, 1997
 70763) *Enolmis arabica* Passerin d'Entrèves, 1986 (Scythridae) Synonym(s): *arabica* Passerin d'Entrèves, 1986
 70764) *Enolmis bimerdella* (Staudinger, 1859) (Scythridae) Synonym(s): *bimerdella* Staudinger, 1859
 70765) *Enolmis delicatella* (Rebel, 1901) (Scythridae) Synonym(s): *delicatella* Rebel, 1901; *royovillanovai* Agenjo, 1962
 70766) *Enolmis desidella* (Lederer, 1855) (Scythridae) Synonym(s): *desidella* Lederer, 1855
 70767) *Enolmis gigantella* (Lucas, 1942) (Scythridae) Synonym(s): *gigantella* Lucas, 1942
 70768) *Enolmis jemenensis* Bengtsson, 2002 (Scythridae) Synonym(s): *jemenensis* Bengtsson, 2002
 70769) *Enolmis nevadensis* Passerin d'Entrèves, 1997 (Scythridae) Synonym(s): *nevadensis* Passerin d'Entrèves, 1997
 70770) *Enolmis saudita* Passerin d'Entrèves, 1986 (Scythridae) Synonym(s): *saudita* Passerin d'Entrèves, 1986
 70771) *Enolmis seeboldiella* (Agenjo, 1951) (Scythridae) Synonym(s): *seeboldiella* Agenjo, 1951
 70772) *Enolmis sierraenevadae* Passerin d'Entrèves, 1997 (Scythridae) Synonym(s): *sierraenevadae* Passerin d'Entrèves, 1997
 70773) *Enolmis tunisiae* Bengtsson, 2005 (Scythridae) Synonym(s): *tunisiae* Bengtsson, 2005
 70774) *Enolmis userai* (Agenjo, 1962) (Scythridae) Synonym(s): *userai* Agenjo, 1962
 70775) *Enolmis vivesi* Bengtsson & Passerin d'Entrèves, 1987 (Scythridae) Synonym(s): *vivesi* Bengtsson & Passerin d'Entrèves, 1987
 70776) *Episcythis albiflua* (Meyrick, 1928) (Scythridae) Synonym(s): *albiflua* Meyrick, 1928
 70777) *Episcythis algerica* Passerin d'Entrèves, 1991 (Scythridae) Synonym(s): *algerica* Passerin d'Entrèves, 1991
 70778) *Episcythis amseli* Passerin d'Entrèves, 1991 (Scythridae) Synonym(s): *amseli* Passerin d'Entrèves, 1991
 70779) *Episcythis arenicolorella* Bengtsson, 1997 (Scythridae) Synonym(s): *arenicolorella* Bengtsson, 1997
 70780) *Episcythis asymetrica* Passerin d'Entrèves, 1991 (Scythridae) Synonym(s): *asymetrica* Passerin d'Entrèves, 1991
 70781) *Episcythis bouhedmae* Passerin d'Entrèves, 1991 (Scythridae) Synonym(s): *bouhedmae* Passerin d'Entrèves, 1991
 70782) *Episcythis cremorella* (Zerny, 1936) (Scythridae) Synonym(s): *cremorella* Zerny, 1936
 70783) *Episcythis grossi* Bengtsson, 1997 (Scythridae) Synonym(s): *grossi* Bengtsson, 1997
 70784) *Episcythis halperini* Passerin d'Entrèves, 1990 (Scythridae) Synonym(s): *halperini* Passerin d'Entrèves, 1990
 70785) *Episcythis marocanella* (Lucas, 1955) (Scythridae) Synonym(s): *marocanella* Lucas, 1955
 70786) *Episcythis pseudoalbiflua* Passerin d'Entrèves, 1991 (Scythridae) Synonym(s): *pseudoalbiflua* Passerin d'Entrèves, 1991
 70787) *Episcythis triangulella* (Ragonot, 1875) (Scythridae) Synonym(s): *triangulella* Ragonot, 1875; *albonigrella* Amsel, 1939; *marocanella* Lucas, 1955.
 70788) *Episcythis walsinghami* Passerin d'Entrèves, 1991 (Scythridae) Synonym(s): *walsinghami* Passerin d'Entrèves, 1991
 70789) *Episcythis zuninoi* Passerin d'Entrèves, 1990 (Scythridae) Synonym(s): *zuninoi* Passerin d'Entrèves, 1990
 70790) *Eretmocera albiatriata* Legrand, 1966 (Scythridae) Synonym(s): *albiatriata* Legrand, 1966
 70791) *Eretmocera alenica* Strand, 1913 (Scythridae) Synonym(s): *alenica* Strand, 1913
 70792) *Eretmocera arabica* Amsel, 1961 (Scythridae) Synonym(s): *arabica* Amsel, 1961
 70793) *Eretmocera aurovittata* Pagenstecher, 1900 (Scythridae) Synonym(s): *aurovittata* Pagenstecher, 1900
 70794) *Eretmocera basistrigata* Walsingham, 1889 (Scythridae) Synonym(s): *basistrigata* Walsingham, 1889
 70795) *Eretmocera benitonis* Strand, 1913 (Scythridae) Synonym(s): *benitonis* Strand, 1913
 70796) *Eretmocera bicolorella* Sauber, 1902 (Scythridae) Synonym(s): *bicolorella* Sauber, 1902
 70797) *Eretmocera bradleyi* Amsel, 1961 (Scythridae) Synonym(s): *bradleyi* Amsel, 1961
 70798) *Eretmocera carteri* Walsingham, 1889 (Scythridae) Synonym(s): *carteri* Walsingham, 1889
 70799) *Eretmocera chrysis* (Meyrick, 1886) (Scythridae) Synonym(s): *chrysis* Meyrick, 1886
 70800) *Eretmocera contermina* Meyrick, 1926 (Scythridae) Synonym(s): *contermina* Meyrick, 1926
 70801) *Eretmocera coracopis* (Turner, 1926) (Scythridae) Synonym(s): *coracopis* Turner, 1926
 70802) *Eretmocera cyanauges* Turner, 1913 (Scythridae) Synonym(s): *cyanauges* Turner, 1913
 70803) *Eretmocera cyanosoma* Meyrick, 1910 (Scythridae) Synonym(s): *cyanosoma* Meyrick, 1910
 70804) *Eretmocera dioctis* (Meyrick, 1897) (Scythridae) Synonym(s): *dioctis* Meyrick, 1897; *flavicincta* Turner, 1913
 70805) *Eretmocera fasciata* Walsingham, 1896 (Scythridae) Synonym(s): *fasciata* Walsingham, 1896
 70806) *Eretmocera florifera* Meyrick, 1909 (Scythridae) Synonym(s): *florifera* Meyrick, 1909
 70807) *Eretmocera fuscipennis* Zeller, 1852 (Scythridae) Synonym(s): *fuscipennis* Zeller, 1852; *lunifera* Zeller, 1852; *inclusella* Walker, 1864; *derogatella* Walker, 1864
 70808) *Eretmocera haemogastra* Meyrick, 1936 (Scythridae) Synonym(s): *haemogastra* Meyrick, 1936
 70809) *Eretmocera homalocrossa* Meyrick, 1930 (Scythridae) Synonym(s): *homalocrossa* Meyrick, 1930
 70810) *Eretmocera illucens* Meyrick, 1914 (Scythridae) Synonym(s): *illucens* Meyrick, 1914
 70811) *Eretmocera impactella* (Walker, 1864) (Scythridae) Synonym(s): *impactella* Walker, 1864
 70812) *Eretmocera jemensis* Rebel, 1930 (Scythridae) Synonym(s): *jemensis* Rebel, 1930
 70813) *Eretmocera laetissima* Zeller, 1852 (Scythridae) Synonym(s): *laetissima* Zeller, 1852; *divisella* Walker, 1864
 70814) *Eretmocera laevicornella* Rebel, 1917 (Scythridae) Synonym(s): *laevicornella* Rebel, 1917
 70815) *Eretmocera medinella* (Staudinger, 1859) (Scythridae) Synonym(s): *medinella* Staudinger, 1859; *#decolorata* Turati, 1924
 70816) *Eretmocera microbarbara* Walsingham, 1907 (Scythridae) Synonym(s): *microbarbara* Walsingham, 1907
 70817) *Eretmocera miniata* Walsingham, 1889 (Scythridae) Synonym(s): *miniata* Walsingham, 1889
 70818) *Eretmocera monophaea* Meyrick, 1926 (Scythridae) Synonym(s): *monophaea* Meyrick, 1926
 70819) *Eretmocera nomadica* Walsingham, 1907 (Scythridae) Synonym(s): *nomadica* Walsingham, 1907
 70820) *Eretmocera pachypennis* Strand, 1913 (Scythridae) Synonym(s): *pachypennis* Strand, 1913
 70821) *Eretmocera percnophanes* Meyrick, 1929 (Scythridae) Synonym(s): *percnophanes* Meyrick, 1929
 70822) *Eretmocera rubripennis* Meyrick, 1915 (Scythridae) Synonym(s): *rubripennis* Meyrick, 1915
 70823) *Eretmocera scatospila* Zeller, 1852 (Scythridae) Synonym(s): *scatospila* Zeller, 1852
 70824) *Eretmocera shoabensis* Rebel, 1907 (Scythridae) Synonym(s): *shoabensis* Rebel, 1907
 70825) *Eretmocera syleuta* Meyrick, 1926 (Scythridae) Synonym(s): *syleuta* Meyrick, 1926
 70826) *Eretmocera theophagones* Klunder van Gijen, 1912 (Scythridae) Synonym(s): *theophagones* Klunder van Gijen, 1912
 70827) *Eretmocera typhonica* Meyrick, 1917 (Scythridae) Synonym(s): *typhonica* Meyrick, 1917

- 70828) *Eretmocera xanthonota* Meyrick, 1910 (Scythridae) Synonym(s): *xanthonota* Meyrick, 1910
 70829) *Erigethes strobilacei* Walsingham, 1907 (Scythridae) Synonym(s): *strobilacei* Walsingham, 1907
 70830) *Haploscythris paulianella* Viette, 1956 (Scythridae) Synonym(s): *paulianella* Viette, 1956
 70831) *Landryia albilineata* (Walsingham, 1888) (Scythridae) Synonym(s): *albilineata* Walsingham, 1888
 70832) *Landryia graminivorella* (Braun, 1920) (Scythridae) Synonym(s): *graminivorella* Braun, 1920
 70833) *Landryia impositella* (Zeller, 1855) (Scythridae) Synonym(s): *impositella* Zeller, 1855; *monstratella* Walker, 1864
 70834) *Landryia matutella* (Clemens, 1860) (Scythridae) Synonym(s): *matutella* Clemens, 1860
 70835) *Landryia reducta* (Braun, 1923) (Scythridae) Synonym(s): *reducta* Braun, 1923
 70836) *Landryia scintillifera* (Braun, 1927) (Scythridae) Synonym(s): *scintillifera* Braun, 1927
 70837) *Mapsidius auspicata* Walsingham, 1907 (Scythridae) Synonym(s): *auspicata* Walsingham, 1907
 70838) *Mapsidius charpentierii* Swezey, 1932 (Scythridae) Synonym(s): *charpentierii* Swezey, 1932
 70839) *Mapsidius chenopodii* Swezey, 1947 (Scythridae) Synonym(s): *chenopodii* Swezey, 1947
 70840) *Mapsidius iridescens* Walsingham, 1907 (Scythridae) Synonym(s): *iridescens* Walsingham, 1907
 70841) *Mapsidius quadridentata* Walsingham, 1907 (Scythridae) Synonym(s): *quadridentata* Walsingham, 1907
 70842) *Necrothalassia compsiass* (Walsingham, 1907) (Scythridae) Synonym(s): *compsias* Walsingham, 1907; *argilosella* Amsel, 1935
 70843) *Neoscythris confinis* (Braun, 1920) (Scythridae) Synonym(s): *confinis* Braun, 1920
 70844) *Neoscythris euthia* (Walsingham, 1914) (Scythridae) Synonym(s): *euthia* Walsingham, 1914
 70845) *Neoscythris fissirostris* (Meyrick, 1928) (Scythridae) Synonym(s): *fissirostris* Meyrick, 1928
 70846) *Neoscythris planipennella* (Chambers, 1875) (Scythridae) Synonym(s): *planipennella* Chambers, 1875; *albacostella* Chambers, 1875; *fuscostrigella* Chambers, 1878; *planipennella* Chambers, 1878; *hemidictyas* Meyrick, 1928
 70847) *Oedematopoda illucens* (Meyrick, 1914) (Scythridae) Synonym(s): *illucens* Meyrick, 1914
 70848) *Oedematopoda princeps* Zeller, 1852 (Scythridae) Synonym(s): *princeps* Zeller, 1852
 70849) *Paralogistis ochrura* Meyrick, 1913 (Scythridae) Synonym(s): *ochrura* Meyrick, 1913
 70850) *Parascythris muelleri* (Mann, 1871) (Scythridae) Synonym(s): *muelleri* Mann, 1871; *tolli* Rebel, 1938; *unicolorata* Osthelder, 1951
 70851) *Proterochyta epicoena* (Meyrick, 1914) (Scythridae) Synonym(s): *epicoena* Meyrick, 1914
 70852) *Rhamphura altisierrae* (Keifer, 1937) (Scythridae) Synonym(s): *altisierrae* Keifer, 1937
 70853) *Rhamphura immunis* (Meyrick, 1916) (Scythridae) Synonym(s): *immunis* Meyrick, 1916
 70854) *Rhamphura ochristriata* (Walsingham, 1888) (Scythridae) Synonym(s): *ochristriata* Walsingham, 1888
 70855) *Rhamphura perspicillella* (Walsingham, 1888) (Scythridae) Synonym(s): *perspicillella* Walsingham, 1888
 70856) *Rhamphura suffusa* (Walsingham, 1888) (Scythridae) Synonym(s): *suffusa* Walsingham, 1888
 70857) *Scythris* (Cataseythriss) *kebirella* (Amsel, 1935) (Scythridae) Synonym(s): *kebirella* Amsel, 1935
 70858) *Scythris* (Rubioia) *rubioi* (Agenjo, 1962) (Scythridae) Synonym(s): *rubioi* Agenjo, 1962
 70859) *Scythris* (aenea-gr.) *aenea* Passerin d'Entrèves, 1984 (Scythridae) Synonym(s): *aenea* Passerin d'Entrèves, 1984
 70860) *Scythris* (aerariella-gr.) *adustella* Jäckh, 1978 (Scythridae) Synonym(s): *adustella* Jäckh, 1978
 70861) *Scythris* (aerariella-gr.) *aerariella* (Herrich-Schäffer, 1854) (Scythridae) Synonym(s): *aerariella* Herrich-Schäffer, 1854
 70862) *Scythris* (aerariella-gr.) *anomaloptera* (Staudinger, 1880) (Scythridae) Synonym(s): *anomaloptera* Staudinger, 1880; *ulluoi* Agenjo, 1969
 70863) *Scythris* (aerariella-gr.) *binotiferella* (Ragonot, 1880) (Scythridae) Synonym(s): *binotiferella* Ragonot, 1880; *eusemiella* Le Marchard, 1944; *jorgejuani* Agenjo, 1969
 70864) *Scythris* (aerariella-gr.) *carboniella* Jäckh, 1978 (Scythridae) Synonym(s): *carboniella* Jäckh, 1978
 70865) *Scythris* (aerariella-gr.) *corsa* Passerin d'Entrèves, 1986 (Scythridae) Synonym(s): *corsa* Passerin d'Entrèves, 1986
 70866) *Scythris* (aerariella-gr.) *doryciniella* (Millière, 1864) (Scythridae) Synonym(s): *doryciniella* Millière, 1864
 70867) *Scythris* (aerariella-gr.) *flaviventrella* (Herrich-Schäffer, 1855) (Scythridae) Synonym(s): *flaviventrella* Herrich-Schäffer, 1855
 70868) *Scythris* (aerariella-gr.) *hungaricella* Rebel, 1917 (Scythridae) Synonym(s): *hungaricella* Rebel, 1917
 70869) *Scythris* (aerariella-gr.) *imperiella* Jäckh, 1978 (Scythridae) Synonym(s): *imperiella* Jäckh, 1978
 70870) *Scythris* (aerariella-gr.) *jaeckhi* Bengtsson, 1989 (Scythridae) Synonym(s): *jaeckhi* Bengtsson, 1989
 70871) *Scythris* (aerariella-gr.) *lhommei* Bengtsson & Passerin d'Entrèves, 1988 (Scythridae) Synonym(s): *lhommei* Bengtsson & Passerin d'Entrèves, 1988
 70872) *Scythris* (aerariella-gr.) *parnassiae* Bengtsson, 1997 (Scythridae) Synonym(s): *parnassiae* Bengtsson, 1997
 70873) *Scythris* (aerariella-gr.) *popescugorji* Passerin d'Entrèves, 1984 (Scythridae) Synonym(s): *popescugorji* Passerin d'Entrèves, 1984
 70874) *Scythris* (aerariella-gr.) *ridiculella* Caradja, 1920 (Scythridae) Synonym(s): *ridiculella* Caradja, 1920; *nietoi* Agenjo, 1969; *occidalpella* Jäckh, 1978
 70875) *Scythris* (aerariella-gr.) *tergestinella* (Zeller, 1855) (Scythridae) Synonym(s): *tergestinella* Zeller, 1855; *focella* Cosmant, 1885
 70876) *Scythris* (alseriella-gr.) *alseriella* (Turati, 1879) (Scythridae) Synonym(s): *alseriella* Turati, 1879
 70877) *Scythris* (bagdadiella-gr.) *bagdadiella* Amsel, 1949 (Scythridae) Synonym(s): *bagdadiella* Amsel, 1949
 70878) *Scythris* (aerariella-gr.) *bazaensis* Bengtsson, 1997 (Scythridae) Synonym(s): *bazaensis* Bengtsson, 1997
 70879) *Scythris* (boseanella-gr.) *boseanella* Klimesch, 1986 (Scythridae) Synonym(s): *boseanella* Klimesch, 1986
 70880) *Scythris* (camelella-gr.) *camelella* Walsingham, 1907 (Scythridae) Synonym(s): *camelella* Walsingham, 1907
 70881) *Scythris* (canescens-gr.) *appendicella* Bengtsson, 1997 (Scythridae) Synonym(s): *appendicella* Bengtsson, 1997
 70882) *Scythris* (canescens-gr.) *articulatella* Chrétien, 1915 (Scythridae) Synonym(s): *articulatella* Chrétien, 1915
 70883) *Scythris* (canescens-gr.) *barbatella* Chrétien, 1915 (Scythridae) Synonym(s): *barbatella* Chrétien, 1915
 70884) *Scythris* (canescens-gr.) *biskraensis* Bengtsson, 1997 (Scythridae) Synonym(s): *biskraensis* Bengtsson, 1997
 70885) *Scythris* (canescens-gr.) *canescens* (Staudinger, 1880) (Scythridae) Synonym(s): *canescens* Staudinger, 1880; *plumbeogrisea* Walsingham, 1907; *maculatella* Chrétien, 1915
 70886) *Scythris* (canescens-gr.) *cupellella* Bengtsson, 1997 (Scythridae) Synonym(s): *cupellella* Bengtsson, 1997
 70887) *Scythris* (canescens-gr.) *curllettii* Bengtsson, 1997 (Scythridae) Synonym(s): *curllettii* Bengtsson, 1997
 70888) *Scythris* (canescens-gr.) *eremella* Chrétien, 1915 (Scythridae) Synonym(s): *eremella* Chrétien, 1915
 70889) *Scythris* (canescens-gr.) *eucharis* Walsingham, 1907 (Scythridae) Synonym(s): *eucharis* Walsingham, 1907; *elongatella* Lucas, 1933; *halophilella* Amsel, 1935; *lacteella* Caradja, 1920
 70890) *Scythris* (canescens-gr.) *maculosa* Bengtsson, 1997 (Scythridae) Synonym(s): *maculosa* Bengtsson, 1997
 70891) *Scythris* (canescens-gr.) *neftae* Bengtsson, 1997 (Scythridae) Synonym(s): *neftae* Bengtsson, 1997
 70892) *Scythris* (canescens-gr.) *pediculella* Bengtsson, 1997 (Scythridae) Synonym(s): *pediculella* Bengtsson, 1997
 70893) *Scythris* (canescens-gr.) *pura* Walsingham, 1907 (Scythridae) Synonym(s): *pura* Walsingham, 1907
 70894) *Scythris* (canescens-gr.) *senecai* Bengtsson, 1997 (Scythridae) Synonym(s): *senecai* Bengtsson, 1997
 70895) *Scythris* (canescens-gr.) *tessulatella* Rebel, 1903 (Scythridae) Synonym(s): *tessulatella* Rebel, 1903
 70896) *Scythris* (cicadella-gr.) *arenbergeri* Passerin d'Entrèves, 1986 (Scythridae) Synonym(s): *arenbergeri* Passerin d'Entrèves, 1986
 70897) *Scythris* (cicadella-gr.) *balcanica* Jäckh, 1978 (Scythridae) Synonym(s): *balcanica* Jäckh, 1978
 70898) *Scythris* (cicadella-gr.) *cicadella* (Zeller, 1839) (Scythridae) Synonym(s): *cicadella* Zeller, 1839
 70899) *Scythris* (cicadella-gr.) *moldavicella* Caradja, 1905 (Scythridae) Synonym(s): *moldavicella* Caradja, 1905; *moldavicella* Rebel, 1907; *ottomana* Jäckh, 1978
 70900) *Scythris* (cicadella-gr.) *potentillella* (Zeller, 1847) (Scythridae) Synonym(s): *potentillella* Zeller, 1847; *potentillae* Zeller, 1855; *albiapex* Hering, 1924
 70901) *Scythris* (cicadella-gr.) *ventosella* Chrétien, 1907 (Scythridae) Synonym(s): *ventosella* Chrétien, 1907; *hernariae* Joannis, 1909; *jugicolella* Zerny, 1960
 70902) *Scythris* (cistorum-gr.) *cistorum* (Millière, 1876) (Scythridae) Synonym(s): *cistorum* Millière, 1876; *biventrella* Rössler, 1877; *bidentella* Mees, 1910
 70903) *Scythris* (cistorum-gr.) *nieukerkeni* Bengtsson, 1989 (Scythridae) Synonym(s): *nieukerkeni* Bengtsson, 1989
 70904) *Scythris* (cistorum-gr.) *rondaensis* Bengtsson, 1997 (Scythridae) Synonym(s): *rondaensis* Bengtsson, 1997
 70905) *Scythris* (crassiuscula-gr.) *crassiuscula* (Herrich-Schäffer, 1855) (Scythridae) Synonym(s): *crassiuscula* Herrich-Schäffer, 1855; *disqueella* Fuchs, 1903; *fletcherella* Meyrick, 1928
 70906) *Scythris* (crypta-gr.) *crypta* Hannemann, 1961 (Scythridae) Synonym(s): *crypta* Hannemann, 1961
 70907) *Scythris* (decrepidella-gr.) *decrepidella* Bengtsson, 1997 (Scythridae) Synonym(s): *decrepidella* Bengtsson, 1997
 70908) *Scythris* (decrepidella-gr.) *goundafae* Bengtsson, 1997 (Scythridae) Synonym(s): *goundafae* Bengtsson, 1997
 70909) *Scythris* (dissitella-gr.) *dissitella* (Zeller, 1847) (Scythridae) Synonym(s): *dissitella* Zeller, 1847; *eatonii* Caradja, 1920; *aritzoella* Amsel, 1936
 70910) *Scythris* (elegantella-gr.) *elegantella* (Lucas, 1955) (Scythridae) Synonym(s): *elegantella* Lucas, 1955; *limbelloloides* Jäckh, 1977

- 70911) *Scythris (elegantella-gr.) limbella* (Fabricius,1775) (Scythridae) Synonym(s): *limbella* Fabricius,1775; *variella* [Denis & Schiffermüller],1775; *quadriguttella* Thunberg,1794; *chenopodiella* Hübner,[1813]; *obscura* Staudinger,1880.
- 70912) *Scythris (empetrella-gr.) empetrella* Karsholt & Nielsen,1976 (Scythridae) Synonym(s): *variella* Stephens,1835 (*praeocc.*); *empetrella* Karsholt & Nielsen,1976
- 70913) *Scythris (empetrella-gr.) gozmanyi* Passerin d'Entrèves,1986 (Scythridae) Synonym(s): *gozmanyi* Passerin d'Entrèves,1986
- 70914) *Scythris (ericivorella-gr.) ericivorella* (Ragonot,1881) (Scythridae) Synonym(s): *ericivorella* Ragonot,1881
- 70915) *Scythris (ericivorella-gr.) insulella* (Staudinger,1859) (Scythridae) Synonym(s): *insulella* Staudinger,1859; *onychopyga* Le Marchard,1944
- 70916) *Scythris (fallacella-gr.) baldensis* Passerin d'Entrèves,1979 (Scythridae) Synonym(s): *baldensis* Passerin d'Entrèves,1979
- 70917) *Scythris (fallacella-gr.) fallacella* (Schläger,1847) (Scythridae) Synonym(s): *fallacella* Schläger,1847; *armatella* Herrich-Schäffer,1855; *hydrargyrella* Seudel & Hofmann,1882
- 70918) *Scythris (fallacella-gr.) oelandicella* Müller-Rutz,1922 (Scythridae) Synonym(s): *oelandicella* Müller-Rutz,1922
- 70919) *Scythris (fallacella-gr.) sappadensis* Bengtsson,1992 (Scythridae) Synonym(s): *sappadensis* Bengtsson,1992
- 70920) *Scythris (fallacella-gr.) tremalzoii* Bengtsson,1992 (Scythridae) Synonym(s): *tremalzoii* Bengtsson,1992
- 70921) *Scythris (fasciatella-gr.) fasciatella* (Ragonot,1880) (Scythridae) Synonym(s): *fasciatella* Ragonot,1880
- 70922) *Scythris (formicella-gr.) formicella* Chrétien,1915 (Scythridae) Synonym(s): *formicella* Chrétien,1915
- 70923) *Scythris (formicella-gr.) kebiensis* Bengtsson,1997 (Scythridae) Synonym(s): *kebiensis* Bengtsson,1997
- 70924) *Scythris (formicella-gr.) minima* Bengtsson,1997 (Scythridae) Synonym(s): *minima* Bengtsson,1997
- 70925) *Scythris (fuscoaenea-gr.) derrai* Bengtsson,1991 (Scythridae) Synonym(s): *derrai* Bengtsson,1991
- 70926) *Scythris (fuscoaenea-gr.) dissimilella* (Herrich-Schäffer,1855) (Scythridae) Synonym(s): *dissimilella* Herrich-Schäffer,1855
- 70927) *Scythris (fuscoaenea-gr.) fuscoaenea* (Haworth,1828) (Scythridae) Synonym(s): *fuscoaenea* Haworth,1828; *unitella* Costa,1836; *schneideri* Zeller,1855
- 70928) *Scythris (fuscoaenea-gr.) parafuscoaenea* Bengtsson,1991 (Scythridae) Synonym(s): *parafuscoaenea* Bengtsson,1991
- 70929) *Scythris (fuscoaenea-gr.) tenuivittella* (Stainton,1867) (Scythridae) Synonym(s): *tenuivittella* Stainton,1867; *leucogaster* Mann,1872; *constantella* Dumont,1925; *rhueli* Gozmany,1960
- 70930) *Scythris (fuscoaenea-gr.) traugotti* Bengtsson,1991 (Scythridae) Synonym(s): *traugotti* Bengtsson,1991
- 70931) *Scythris (fuscoaenea-gr.) vartianae* Kasy,1962 (Scythridae) Synonym(s): *vartianae* Kasy,1962
- 70932) *Scythris (fuscoaenea-gr.) vittella* (Costa,[1836]) (Scythridae) Synonym(s): *vittella* Costa,[1836]; *restigerella* Zeller,1839.
- 70933) *Scythris (fuscopterella-gr.) fuscopterella* Bengtsson,1977 (Scythridae) Synonym(s): *fuscopterella* Bengtsson,1977
- 70934) *Scythris (grandipennis-gr.) bornicensis* Jäckh,1977 (Scythridae) Synonym(s): *bornicensis* Jäckh,1977
- 70935) *Scythris (grandipennis-gr.) constanti* (Walsingham,1898) (Scythridae) Synonym(s): *constanti* Walsingham,1898
- 70936) *Scythris (grandipennis-gr.) cupreella* (Staudinger,1859) (Scythridae) Synonym(s): *cupreella* Staudinger,1859; *#cuprella* Meess,1910
- 70937) *Scythris (grandipennis-gr.) ericetella* (Heinemann,1872) (Scythridae) Synonym(s): *ericetella* Heinemann,1872; *czekeli* Rebel,1918
- 70938) *Scythris (grandipennis-gr.) grandipennis* (Haworth,1828) (Scythridae) Synonym(s): *grandipennis* Haworth,1828; *herbosella* Herrich-Schäffer,1855; *cuencella* Rebel,1901; *unicorella* De Joannis,1909; *porrectella* Caradja,1920
- 70939) *Scythris (grandipennis-gr.) kasyi* Hannemann,1962 (Scythridae) Synonym(s): *kasyi* Hannemann,1962
- 70940) *Scythris (grandipennis-gr.) maroccensis* Jäckh,1977 (Scythridae) Synonym(s): *maroccensis* Jäckh,1977
- 70941) *Scythris (grandipennis-gr.) nevadensis* Passerin d'Entrèves,1990 (Scythridae) Synonym(s): *nevadensis* Passerin d'Entrèves,1990
- 70942) *Scythris (grandipennis-gr.) salviella* Meess,1910 (Scythridae) Synonym(s): *salviella* Meess,1910
- 70943) *Scythris (grandipennis-gr.) scipionella* (Staudinger,1859) (Scythridae) Synonym(s): *scipionella* Staudinger,1859; *gallicella* Joannis,1909
- 70944) *Scythris (grandipennis-gr.) siculella* Jäckh,1977 (Scythridae) Synonym(s): *siculella* Jäckh,1977
- 70945) *Scythris (grandipennis-gr.) tabidella* (Herrich-Schäffer,[1854]) (Scythridae) Synonym(s): *tabidella* Herrich-Schäffer,[1854]; *inquilinella* Erschoff,1874
- 70946) *Scythris (gravatella-gr.) gravatella* (Zeller,1847) (Scythridae) Synonym(s): *gravatella* Zeller,1847; *vagabundella* Herrich-Schäffer,[1854]; *caradjae* Amsel,1939; *flavidella* Passerin d'Entrèves,1986 *nec* Preiss.,1911
- 70947) *Scythris (iagella-gr.) iagella* Chrétien,1925 (Scythridae) Synonym(s): *iagella* Chrétien,1925
- 70948) *Scythris (inclusella-gr.) inclusella* Lederer,1855 (Scythridae) Synonym(s): *inclusella* Lederer,1855; *subflabella* Stainton,1867
- 70949) *Scythris (inertella-gr.) ethmiella* Amsel,1974 (Scythridae) Synonym(s): *ethmiella* Amsel,1974
- 70950) *Scythris (inertella-gr.) inertella* (Zeller,1855) (Scythridae) Synonym(s): *inertella* Zeller,1855; *tangerensis* Stainton,1782; *gurdella* Christoph,1877; *orbidella* Chrétien,1901; *marionella* Walsingham,1907; *praeflava* Meyrick,1913; *hassenella* Chrétien,1915; *semialbicostella* Turati,1927
- 70951) *Scythris (inertella-gr.) xanthopygella* (Staudinger,1859) (Scythridae) Synonym(s): *xanthopygella* Staudinger,1859
- 70952) *Scythris (inspersella-gr.) inspersella* (Hübner,[1817]) (Scythridae) Synonym(s): *inspersella* Hübner,[1817]; *hypotricha* Joannis,1920
- 70953) *Scythris (karinae-gr.) karinae* Bengtsson,1991 (Scythridae) Synonym(s): *karini* Bengtsson,1991; *karinae* Bengtsson,1991
- 70954) *Scythris (klimeschi-gr.) guimarensis* Bengtsson,1997 (Scythridae) Synonym(s): *guimarensis* Bengtsson,1997
- 70955) *Scythris (klimeschi-gr.) klimeschi* Passerin d'Entrèves,1983 (Scythridae) Synonym(s): *klimeschi* Passerin d'Entrèves,1983
- 70956) *Scythris (knocella-gr.) ambustella* Bengtsson,1997 (Scythridae) Synonym(s): *ambustella* Bengtsson,1997
- 70957) *Scythris (knocella-gr.) aspromontis* Jäckh,1978 (Scythridae) Synonym(s): *aspromontis* Jäckh,1978
- 70958) *Scythris (knocella-gr.) ciliatella* Zerny,1936 (Scythridae) Synonym(s): *ciliatella* Zerny,1936
- 70959) *Scythris (knocella-gr.) heinemanni* (Möschler,1869) (Scythridae) Synonym(s): *heinemanni* Möschler,1869; *ossianella* Millièr,1874
- 70960) *Scythris (knocella-gr.) iberica* Jäckh,1978 (Scythridae) Synonym(s): *iberica* Jäckh,1978
- 70961) *Scythris (knocella-gr.) knocella* (Fabricius,1794) (Scythridae) Synonym(s): *knocella* Fabricius,1794
- 70962) *Scythris (knocella-gr.) schawerdæ* Rebel,1931 (Scythridae) Synonym(s): *schawerdæ* Rebel,1931
- 70963) *Scythris (knocella-gr.) setiella* (Zeller,1870) (Scythridae) Synonym(s): *setiella* Zeller,1870
- 70964) *Scythris (knocella-gr.) staudingeri* Jäckh,1978 (Scythridae) Synonym(s): *staudingeri* Jäckh,1978
- 70965) *Scythris (laminella-gr.) andersi* Bengtsson,1991 (Scythridae) Synonym(s): *andersi* Bengtsson,1991
- 70966) *Scythris (laminella-gr.) bolognella* Jäckh,1978 (Scythridae) Synonym(s): *bolognella* Jäckh,1978
- 70967) *Scythris (laminella-gr.) brachiella* (Hofmann,1897) (Scythridae) Synonym(s): *brachiella* Hofmann,1897
- 70968) *Scythris (laminella-gr.) bubaniae* Walsingham,1907 (Scythridae) Synonym(s): *bubaniae* Walsingham,1907
- 70969) *Scythris (laminella-gr.) eberhardi* Bengtsson,1997 (Scythridae) Synonym(s): *eberhardi* Bengtsson,1997
- 70970) *Scythris (laminella-gr.) frankeniella* Chrétien,1916 (Scythridae) Synonym(s): *pulicella* Chrétien,1915 (*praeocc.*); *frankeniella* Chrétien,1916
- 70971) *Scythris (laminella-gr.) laminella* ([Denis & Schiffermüller],1775) (Scythridae) Synonym(s): *laminella* [Denis & Schiffermüller],1775; *psychidella* Heydenreich,1851 *nec* Zell.,1839; *cinfectella* Bruand,1859; *succisae* Rössler,1866; *schutzei* Fuchs,1901; *disqueella* Fuchs,1903
- 70972) *Scythris (laminella-gr.) saxella* Bengtsson,1991 (Scythridae) Synonym(s): *saxella* Bengtsson,1991
- 70973) *Scythris (laminella-gr.) thomisoides* Bengtsson,1997 (Scythridae) Synonym(s): *thomisoides* Bengtsson,1997
- 70974) *Scythris (mariannae-gr.) mariannae* Bengtsson,1991 (Scythridae) Synonym(s): *marianni* Bengtsson,1991; *mariannae* Bengtsson,1991
- 70975) *Scythris (martini-gr.) bengtbengtssoni* Vives Moreno,1994 (Scythridae) Synonym(s): *bengtbengtssoni* Vives Moreno,1994
- 70976) *Scythris (martini-gr.) martini* Bengtsson,1991 (Scythridae) Synonym(s): *martini* Bengtsson,1991
- 70977) *Scythris (meanderis-gr.) meanderis* Bengtsson,1997 (Scythridae) Synonym(s): *meanderis* Bengtsson,1997
- 70978) *Scythris (monochreella-gr.) monochreella* Ragonot,1896 (Scythridae) Synonym(s): *monochreella* Ragonot,1896; *lychnitis* Meyrick,1918
- 70979) *Scythris (mus-gr.) mus* Walsingham,1898 (Scythridae) Synonym(s): *mus* Walsingham,1898; *talpella* Walsingham,1907; *blandella* Chrétien,1915; *griseomiscella* Turati,1924
- 70980) *Scythris (nigrella-gr.) nigrella* Jäckh,1978 (Scythridae) Synonym(s): *nigrella* Jäckh,1978
- 70981) *Scythris (nigrogrammella-gr.) nigrogrammella* Bengtsson,2002 (Scythridae) Synonym(s): *nigrogrammella* Bengtsson,2002
- 70982) *Scythris (nigrogrammella-gr.) tephrella* Bengtsson,2005 (Scythridae) Synonym(s): *tephrella* Bengtsson,2005
- 70983) *Scythris (nipholecta-gr.) nipholecta* Meyrick,1918 (Scythridae) Synonym(s): *nipholecta* Meyrick,1918; *melanosticta* Turati,1930
- 70984) *Scythris (noricella-gr.) noricella* (Zeller,1843) (Scythridae) Synonym(s): *noricella* Zeller,1843
- 70985) *Scythris (obscurella-gr.) amphonycella* (Geyer,[1836]) (Scythridae) Synonym(s): *amphonycella* Geyer,[1836]; *viridatella* Herrich-Schäffer,1855
- 70986) *Scythris (obscurella-gr.) bengtssoni* Patocka & Liska,1989 (Scythridae) Synonym(s): *bengtssoni* Patocka & Liska,1989
- 70987) *Scythris (obscurella-gr.) cuspidella* ([Denis & Schiffermüller],1775) (Scythridae) Synonym(s): *cuspidella* [Denis & Schiffermüller],1775; *bifariella* Hübner,[1813]; *lampyrella* Constant,1865; *ochrolitella* Staudinger,1871; *flavilaterella* Fuchs,1886; *immaculata* Fuchs,1895; *#unicolor* Müller-Rutz,1920
- 70988) *Scythris (obscurella-gr.) flavilaterella* (Fuchs,1886) (Scythridae) Synonym(s): *flavilaterella* Fuchs,1886
- 70989) *Scythris (obscurella-gr.) hornigii* (Zeller,1855) (Scythridae) Synonym(s): *hornigii* Zeller,1855
- 70990) *Scythris (obscurella-gr.) mediella* (Constant,1855) (Scythridae) Synonym(s): *mediella* Constant,1855

- 70991) *Scythris (obscuraella-gr.) obscuraella* (Scopoli,1763) (Scythridae) Synonym(s): *obscuraella* Scopoli,1763; *esperella* Hübner,[1799] *nec* Fabr.,1787; *extensella* Hübner,[1825]
- 70992) *Scythris (obscuraella-gr.) speyeri* (Heinemann & Wocke,[1876]) (Scythridae) Synonym(s): *speyeri* Heinemann & Wocke,[1876]
- 70993) *Scythris (palustris-gr.) palustris* (Zeller,1855) (Scythridae) Synonym(s): *palustris* Zeller,1855; *mattiacella* Rössler,1866
- 70994) *Scythris (pascuella-gr.) aciella* Bengtsson,1997 (Scythridae) Synonym(s): *aciella* Bengtsson,1997
- 70995) *Scythris (pascuella-gr.) albidella* (Stainton,1867) (Scythridae) Synonym(s): *albidella* Stainton,1867; *recreata* Meyrick,1925; *abdominalis* Turati,1926; *lemarchandella* Lucas,1950
- 70996) *Scythris (pascuella-gr.) bifissella* (Hofmann,1889) (Scythridae) Synonym(s): *bifissella* Hofmann,1889
- 70997) *Scythris (pascuella-gr.) cornuella* Bengtsson,1997 (Scythridae) Synonym(s): *cornuella* Bengtsson,1997
- 70998) *Scythris (pascuella-gr.) flavidella* Preissecker,1911 (Scythridae) Synonym(s): *flavidella* Preissecker,1911
- 70999) *Scythris (pascuella-gr.) kantarae* Bengtsson,1997 (Scythridae) Synonym(s): *kantarae* Bengtsson,1997
- 71000) *Scythris (pascuella-gr.) lagunae* Jäckh,1978 (Scythridae) Synonym(s): *lagunae* Jäckh,1978
- 71001) *Scythris (pascuella-gr.) pascuella* (Zeller,1855) (Scythridae) Synonym(s): *pascuella* Zeller,1855; *flavidella* Preissecker,1911
- 71002) *Scythris (pascuella-gr.) paullella* (Herrich-Schäffer,1855) (Scythridae) Synonym(s): *paullella* Herrich-Schäffer,1855
- 71003) *Scythris (pascuella-gr.) pudorinella* (Möschler,1866) (Scythridae) Synonym(s): *pudorinella* Möschler,1866
- 71004) *Scythris (pascuella-gr.) satyrella* (Staudinger,1880) (Scythridae) Synonym(s): *satyrella* Staudinger,1880; *matronella* Staudinger,1880; *vitilella* Christoph,1885
- 71005) *Scythris (pascuella-gr.) subaerariella* (Stainton,1867) (Scythridae) Synonym(s): *subaerariella* Stainton,1867
- 71006) *Scythris (pascuella-gr.) tabescentella* (Staudinger,1880) (Scythridae) Synonym(s): *tabescentella* Staudinger,1880; ? *caniolella* Fuchs,1903
- 71007) *Scythris (passerini-gr.) passerini* Bengtsson,1997 (Scythridae) Synonym(s): *passerini* Bengtsson,1997
- 71008) *Scythris (penicillata-gr.) penicillata* (Chrétien,1900) (Scythridae) Synonym(s): *penicillata* Chrétien,1900
- 71009) *Scythris (petrella-gr.) arachnodes* Walsingham,1908 (Scythridae) Synonym(s): *arachnodes* Walsingham,1908
- 71010) *Scythris (petrella-gr.) hierroella* Klimesch,1986 (Scythridae) Synonym(s): *hierroella* Klimesch,1986
- 71011) *Scythris (petrella-gr.) petrella* Walsingham,1908 (Scythridae) Synonym(s): *petrella* Walsingham,1908
- 71012) *Scythris (petrella-gr.) pseudarachnodes* Bengtsson,1997 (Scythridae) Synonym(s): *pseudarachnodes* Bengtsson,1997
- 71013) *Scythris (picaepennis-gr.) disparella* (Tengström,1848) (Scythridae) Synonym(s): *disparella* Tengström,1848
- 71014) *Scythris (picaepennis-gr.) picaepennis* (Haworth,[1828]) (Scythridae) Synonym(s): *picaepennis* Haworth,[1828]
- 71015) *Scythris (pinkeri-gr.) pinkeri* Klimesch,1986 (Scythridae) Synonym(s): *pinkeri* Klimesch,1986
- 71016) *Scythris (platypyg-gr.) platypyg* (Staudinger,1880) (Scythridae) Synonym(s): *platypyg* Staudinger,1880
- 71017) *Scythris (podoliensis-gr.) podoliensis* Rebel,1938 (Scythridae) Synonym(s): *podoliensis* Rebel,1938
- 71018) *Scythris (polycarpae-gr.) polycarpae* Klimesch,1986 (Scythridae) Synonym(s): *polycarpae* Klimesch,1986
- 71019) *Scythris (productella-gr.) productella* (Zeller,1839) (Scythridae) Synonym(s): *productella* Zeller,1839; *psychidella* Zeller,1839
- 71020) *Scythris (pulicella-gr.) azrouensis* Bengtsson,1997 (Scythridae) Synonym(s): *azrouensis* Bengtsson,1997
- 71021) *Scythris (pulicella-gr.) corleyi* Bengtsson,1997 (Scythridae) Synonym(s): *corleyi* Bengtsson,1997
- 71022) *Scythris (pulicella-gr.) langohri* Passerin d'Entrèves,1990 (Scythridae) Synonym(s): *langohri* Passerin d'Entrèves,1990
- 71023) *Scythris (pulicella-gr.) pilella* Bengtsson,1991 (Scythridae) Synonym(s): *pilella* Bengtsson,1991
- 71024) *Scythris (pulicella-gr.) pulicella* (Staudinger,1859) (Scythridae) Synonym(s): *pulicella* Staudinger,1859
- 71025) *Scythris (pulicella-gr.) skulei* Bengtsson,1997 (Scythridae) Synonym(s): *skulei* Bengtsson,1997
- 71026) *Scythris (pulicella-gr.) veletae* Passerin d'Entrèves,1990 (Scythridae) Synonym(s): *veletae* Passerin d'Entrèves,1990
- 71027) *Scythris (punctivittella-gr.) albostrata* Hannemann,1961 (Scythridae) Synonym(s): *albostrata* Hannemann,1961
- 71028) *Scythris (punctivittella-gr.) apicistrigella* (Staudinger,1870) (Scythridae) Synonym(s): *apicistrigella* Staudinger,1870
- 71029) *Scythris (punctivittella-gr.) atlasensis* Bengtsson,1997 (Scythridae) Synonym(s): *atlasensis* Bengtsson,1997
- 71030) *Scythris (punctivittella-gr.) confluent* (Staudinger,1870) (Scythridae) Synonym(s): *confluent* Staudinger,1870
- 71031) *Scythris (punctivittella-gr.) cycladeae* Jäckh,1978 (Scythridae) Synonym(s): *cycladeae* Jäckh,1978
- 71032) *Scythris (punctivittella-gr.) emichi* (Anker,1870) (Scythridae) Synonym(s): *emichi* Anker,1870
- 71033) *Scythris (punctivittella-gr.) punctivittella* (Costa,[1836]) (Scythridae) Synonym(s): *punctivittella* Costa,[1836]; *asmodella* Millière,1873
- 71034) *Scythris (punctivittella-gr.) trinacriae* Passerin d'Entrèves,1984 (Scythridae) Synonym(s): *trinacriae* Passerin d'Entrèves,1984
- 71035) *Scythris (schleichiella-gr.) glacialis* (Frey,1870) (Scythridae) Synonym(s): *glacialis* Frey,1870; *carnicheella* Jäckh,1978
- 71036) *Scythris (schleichiella-gr.) gratiosella* Jäckh,1978 (Scythridae) Synonym(s): *gratiosella* Jäckh,1978
- 71037) *Scythris (schleichiella-gr.) schleichiella* (Zeller,1870) (Scythridae) Synonym(s): *schleichiella* Zeller,1870
- 71038) *Scythris (schleichiella-gr.) similis* Hannemann,1961 (Scythridae) Synonym(s): *similis* Hannemann,1961
- 71039) *Scythris (schleichiella-gr.) subschleichiella* Hannemann,1961 (Scythridae) Synonym(s): *subschleichiella* Hannemann,1961
- 71040) *Scythris (scopolella-gr.) apicalis* (Zeller,1847) (Scythridae) Synonym(s): *apicalis* Zeller,1847; *unipunctella* Rebel,1901.
- 71041) *Scythris (scopolella-gr.) flabella* (Mann,1861) (Scythridae) Synonym(s): *flabella* Mann,1861; *aurella* Caradja,1920
- 71042) *Scythris (scopolella-gr.) scopolella* (Linnaeus,1767) (Scythridae) Synonym(s): *scopolella* Linnaeus,1767; *quadripunctella* Hübner,1793; *triguttella* Duponchel,1839; *humilimella* Staudinger,1859; *biforella* Staudinger,1859; *heleniella* Millière,1876; *tenietella* Caradja,1920; *gredosella* Schmidt,1941
- 71043) *Scythris (seliniella-gr.) acarioides* Bengtsson,1997 (Scythridae) Synonym(s): *acarioides* Bengtsson,1997
- 71044) *Scythris (seliniella-gr.) annae* Bengtsson,1997 (Scythridae) Synonym(s): *annae* Bengtsson,1997
- 71045) *Scythris (seliniella-gr.) clavella* (Zeller,1855) (Scythridae) Synonym(s): *clavella* Zeller,1855; *mediella* Caradja,1920
- 71046) *Scythris (seliniella-gr.) seliniella* (Zeller,1839) (Scythridae) Synonym(s): *seliniella* Zeller,1839
- 71047) *Scythris (seliniella-gr.) subseliniella* (Heinemann,1876) (Scythridae) Synonym(s): *subseliniella* Heinemann,1876
- 71048) *Scythris (seliniella-gr.) villari* Agenjo,1971 (Scythridae) Synonym(s): *villari* Agenjo,1971
- 71049) *Scythris (sicella-gr.) lafauryi* Passerin d'Entrèves,1986 (Scythridae) Synonym(s): *lafauryi* Passerin d'Entrèves,1986
- 71050) *Scythris (sicella-gr.) lempkei* Bengtsson & Langohr,1989 (Scythridae) Synonym(s): *lempkei* Bengtsson & Langohr,1989
- 71051) *Scythris (sicella-gr.) sicella* (Zeller,1839) (Scythridae) Synonym(s): *sicella* Zeller,1839
- 71052) *Scythris (sicella-gr.) subsicella* Bengtsson,1997 (Scythridae) Synonym(s): *subsicella* Bengtsson,1997
- 71053) *Scythris (sinensis-gr.) sinensis* (R.Felder & Rogenhofer,1875) (Scythridae) Synonym(s): *sinensis* R.Felder & Rogenhofer,1875
- 71054) *Scythris (sinensis-gr.) sinensis* (R.Felder & Rogenhofer,1875) (Scythridae) Synonym(s): *sinensis* R.Felder & Rogenhofer,1875; *apiciguttella* Christoph,1882; *pyrrhopyga* Filipjev,1924; *penthaxantha* Meyrick,1929; *kibarae* Matsumura,1931; *mitakeana* Matsumura,1931
- 71055) *Scythris (subfasciata-gr.) anthracodes* Walsingham,1907 (Scythridae) Synonym(s): *anthracodes* Walsingham,1907
- 71056) *Scythris (subfasciata-gr.) friedeli* Bengtsson,1997 (Scythridae) Synonym(s): *friedeli* Bengtsson,1997
- 71057) *Scythris (subfasciata-gr.) levantina* Passerin d'Entrèves & Vives Moreno,1990 (Scythridae) Synonym(s): *levantina* Passerin d'Entrèves & Vives Moreno,1990
- 71058) *Scythris (subfasciata-gr.) locustella* Chrétien,1915 (Scythridae) Synonym(s): *locustella* Chrétien,1915
- 71059) *Scythris (subfasciata-gr.) pseudolocustella* Passerin d'Entrèves & Vives Moreno,1990 (Scythridae) Synonym(s): *pseudolocustella* Passerin d'Entrèves & Vives Moreno,1990
- 71060) *Scythris (subfasciata-gr.) subfasciata* (Staudinger,1880) (Scythridae) Synonym(s): *subfasciata* Staudinger,1880
- 71061) *Scythris (tributella-gr.) tributella* (Zeller,1847) (Scythridae) Synonym(s): *tributella* Zeller,1847; *terrenella* Zeller,1847; *parvella* Herrich-Schäffer,1855; *denigratella* Herrich-Schäffer,1855; *serella* Constant,1885; *karnyella* Rebel,1918; *monotinctella* Turati,1924; *bulbosella* Lhomme,1949; *igaloensis* Amsel,1951
- 71062) *Scythris abyrensis* Bengtsson,2002 (Scythridae) Synonym(s): *abyrensis* Bengtsson,2002
- 71063) *Scythris accumulata* Meyrick,1914 (Scythridae) Synonym(s): *accumulata* Meyrick,1914
- 71064) *Scythris achypora* Meyrick,1916 (Scythridae) Synonym(s): *achypora* Meyrick,1916
- 71065) *Scythris acipenserella* K.Nupponen & T.Nupponen,2000 (Scythridae) Synonym(s): *acipenserella* K.Nupponen & T.Nupponen,2000
- 71066) *Scythris adelopa* Meyrick,1897 (Scythridae) Synonym(s): *adelopa* Meyrick,1897
- 71067) *Scythris aegrella* Nupponen & Junnilainen,2000 (Scythridae) Synonym(s): *aegrella* Nupponen & Junnilainen,2000
- 71068) *Scythris albiangulella* Bengtsson,2002 (Scythridae) Synonym(s): *albiangulella* Bengtsson,2002
- 71069) *Scythris albipuncta* Turner,1939 (Scythridae) Synonym(s): *albipuncta* Turner,1939
- 71070) *Scythris albisaxella* K.Nupponen & T.Nupponen,2000 (Scythridae) Synonym(s): *albisaxella* K.Nupponen & T.Nupponen,2000
- 71071) *Scythris albocanella* Bengtsson,2002 (Scythridae) Synonym(s): *albocanella* Bengtsson,2002

- 71072) *Scythris albogrammella* Bengtsson, 2002 (Scythridae) Synonym(s): *albogrammella* Bengtsson, 2002
 71073) *Scythris alceella* Junnilainen, 2002 (Scythridae) Synonym(s): *alceella* Junnilainen, 2002
 71074) *Scythris alhamrae* Bengtsson, 2002 (Scythridae) Synonym(s): *alhamrae* Bengtsson, 2002
 71075) *Scythris ammobia* Falkovitsh, 1972 (Scythridae) Synonym(s): *ammobia* Falkovitsh, 1972
 71076) *Scythris amplexella* Bengtsson, 2002 (Scythridae) Synonym(s): *amplexella* Bengtsson, 2002
 71077) *Scythris ancophylli* Falkovitsh, 1969 (Scythridae) Synonym(s): *ancophylli* Falkovitsh, 1969
 71078) *Scythris anthracina* Braun, 1923 (Scythridae) Synonym(s): *anthracina* Braun, 1923
 71079) *Scythris anthracodelta* Meyrick, 1912 (Scythridae) Synonym(s): *anthracodelta* Meyrick, 1912
 71080) *Scythris aphanatma* Meyrick, 1933 (Scythridae) Synonym(s): *aphanatma* Meyrick, 1933
 71081) *Scythris aquaria* Meyrick, 1913 (Scythridae) Synonym(s): *aquaria* Meyrick, 1913
 71082) *Scythris arenicola* Nupponen, 2005 (Scythridae) Synonym(s): *arenicola* Nupponen, 2005
 71083) *Scythris arerai* Huemer, 2000 (Scythridae) Synonym(s): *arerai* Huemer, 2000
 71084) *Scythris aristidella* (Rebel, 1902) (Scythridae) Synonym(s): *aristidella* Rebel, 1902
 71085) *Scythris arkaimensis* Bengtsson, 2000 (Scythridae) Synonym(s): *arkaimensis* Bengtsson, 2000
 71086) *Scythris asema* Falkovitsh, 1972 (Scythridae) Synonym(s): *asema* Falkovitsh, 1972
 71087) *Scythris asiatica* (Staudinger, 1880) (Scythridae) Synonym(s): *asiatica* Staudinger, 1880; *melanopepla* Caradja, 1920
 71088) *Scythris asthena* Falkovitsh, 1972 (Scythridae) Synonym(s): *asthena* Falkovitsh, 1972
 71089) *Scythris astragali* Falkovitsh, 1972 (Scythridae) Synonym(s): *astragali* Falkovitsh, 1972
 71090) *Scythris autochlorella* Paulian & Viette, 1956 (Scythridae) Synonym(s): *autochlorella* Paulian & Viette, 1956
 71091) *Scythris axenopa* Meyrick, 1918 (Scythridae) Synonym(s): *axenopa* Meyrick, 1918
 71092) *Scythris badiella* Bengtsson, 2002 (Scythridae) Synonym(s): *badiella* Bengtsson, 2002
 71093) *Scythris bajanlegi* Passerin d'Entrèves & Roggero, 2006 (Scythridae) Synonym(s): *bajanlegi* Passerin d'Entrèves & Roggero, 2006
 71094) *Scythris balanophora* Meyrick, 1916 (Scythridae) Synonym(s): *balanophora* Meyrick, 1916; *taurella* Caradja, 1920
 71095) *Scythris barguzinensis* Bengtsson & Liska, 1996 (Scythridae) Synonym(s): *barguzinensis* Bengtsson & Liska, 1996
 71096) *Scythris basilaris* (Zeller, 1855) (Scythridae) Synonym(s): *basilaris* Zeller, 1855; *flavifrontella* Clemens, 1860
 71097) *Scythris basilicella* Bengtsson, 2002 (Scythridae) Synonym(s): *basilicella* Bengtsson, 2002
 71098) *Scythris basistrigella* (Staudinger, 1880) (Scythridae) Synonym(s): *basistrigella* Staudinger, 1880; *zelleri* Staudinger, 1880
 71099) *Scythris beccella* Bengtsson, 2002 (Scythridae) Synonym(s): *beccella* Bengtsson, 2002
 71100) *Scythris bernardlandryi* Bucheli, 2005 (Scythridae) Synonym(s): *bernardlandryi* Bucheli, 2005
 71101) *Scythris biacutella* Bengtsson, 2002 (Scythridae) Synonym(s): *biacutella* Bengtsson, 2002
 71102) *Scythris bicuspidella* Bengtsson, 2002 (Scythridae) Synonym(s): *bicuspidella* Bengtsson, 2002
 71103) *Scythris bifractella* (Rebel, 1917) (Scythridae) Synonym(s): *bifractella* Rebel, 1917
 71104) *Scythris bispinella* Bengtsson, 2002 (Scythridae) Synonym(s): *bispinella* Bengtsson, 2002
 71105) *Scythris brachyplecta* Meyrick, 1928 (Scythridae) Synonym(s): *brachyplecta* Meyrick, 1928
 71106) *Scythris brevistrigella* (Chambers, 1875) (Scythridae) Synonym(s): *brevistrigella* Chambers, 1875; *#buristriga* Chamber, 1875; *brevistriga* Chambers, 1878
 71107) *Scythris brunneofasciella* K.Nupponen & T.Nupponen, 2000 (Scythridae) Synonym(s): *brunneofasciella* K.Nupponen & T.Nupponen, 2000
 71108) *Scythris buszkoi* Baran, 2004 (Scythridae) Synonym(s): *buszkoi* Baran, 2004
 71109) *Scythris calciflua* Meyrick, 1921 (Scythridae) Synonym(s): *calciflua* Meyrick, 1921
 71110) *Scythris canceroides* Bengtsson, 1997 (Scythridae) Synonym(s): *canceroides* Bengtsson, 1997
 71111) *Scythris canella* Bengtsson, 2002 (Scythridae) Synonym(s): *canella* Bengtsson, 2002
 71112) *Scythris canispersa* Meyrick, 1913 (Scythridae) Synonym(s): *canispersa* Meyrick, 1913
 71113) *Scythris capitalis* (Erschoff, 1874) (Scythridae) Synonym(s): *capitalis* Erschoff, 1874
 71114) *Scythris capnofasciae* Bengtsson, 2002 (Scythridae) Synonym(s): *capnofasciae* Bengtsson, 2002
 71115) *Scythris caramani* (Staudinger, 1880) (Scythridae) Synonym(s): *caramani* Staudinger, 1880
 71116) *Scythris caroxylella* Falkovitsh, 1969 (Scythridae) Synonym(s): *caroxylella* Falkovitsh, 1969
 71117) *Scythris cassiterella* (Snellen, 1884) (Scythridae) Synonym(s): *cassiterella* Snellen, 1884; *baikalensis* Bengtsson & Liska, 1996
 71118) *Scythris celidopa* Meyrick, 1921 (Scythridae) Synonym(s): *celidopa* Meyrick, 1921
 71119) *Scythris ceratella* Bengtsson, 2002 (Scythridae) Synonym(s): *ceratella* Bengtsson, 2002
 71120) *Scythris ceratocosma* Meyrick, 1897 (Scythridae) Synonym(s): *ceratocosma* Meyrick, 1897
 71121) *Scythris cervella* K.Nupponen & T.Nupponen, 2001 (Scythridae) Synonym(s): *cervella* K.Nupponen & T.Nupponen, 2001
 71122) *Scythris charon* Meyrick, 1918 (Scythridae) Synonym(s): *charon* Meyrick, 1918
 71123) *Scythris chelota* Meyrick, 1906 (Scythridae) Synonym(s): *chelota* Meyrick, 1906
 71124) *Scythris chloraema* (Meyrick, 1887) (Scythridae) Synonym(s): *chloraema* Meyrick, 1887
 71125) *Scythris chrysopygella* Caradja, 1927 (Scythridae) Synonym(s): *chrysopygella* Caradja, 1927
 71126) *Scythris cinisella* Bengtsson, 2002 (Scythridae) Synonym(s): *cinisella* Bengtsson, 2002
 71127) *Scythris cirra* Falkovitsh, 1969 (Scythridae) Synonym(s): *cirra* Falkovitsh, 1969
 71128) *Scythris clemens* Meyrick, 1921 (Scythridae) Synonym(s): *clemens* Meyrick, 1921
 71129) *Scythris cometa* Meyrick, 1909 (Scythridae) Synonym(s): *cometa* Meyrick, 1909
 71130) *Scythris commota* Meyrick, 1918 (Scythridae) Synonym(s): *commota* Meyrick, 1918
 71131) *Scythris complexa* Sinev, 2001 (Scythridae) Synonym(s): *complexa* Sinev, 2001
 71132) *Scythris concurrens* Meyrick, 1921 (Scythridae) Synonym(s): *concurrrens* Meyrick, 1921
 71133) *Scythris consimilella* Bengtsson, 2002 (Scythridae) Synonym(s): *consimilella* Bengtsson, 2002
 71134) *Scythris cretacella* K.Nupponen & T.Nupponen, 2000 (Scythridae) Synonym(s): *cretacella* K.Nupponen & T.Nupponen, 2000
 71135) *Scythris cretiflua* Meyrick, 1913 (Scythridae) Synonym(s): *cretiflua* Meyrick, 1913
 71136) *Scythris crypsigramma* Meyrick, 1897 (Scythridae) Synonym(s): *crypsigramma* Meyrick, 1897
 71137) *Scythris cucullella* Bengtsson, 2002 (Scythridae) Synonym(s): *cucullella* Bengtsson, 2002
 71138) *Scythris culmicola* Meyrick, 1916 (Scythridae) Synonym(s): *culmicola* Meyrick, 1916
 71139) *Scythris cuneatella* Bengtsson, 2002 (Scythridae) Synonym(s): *cuneatella* Bengtsson, 2002
 71140) *Scythris curtulella* (Bruand, 1847) (Scythridae) Synonym(s): *curtulella* Bruand, 1847
 71141) *Scythris curvipilella* Bengtsson, 2002 (Scythridae) Synonym(s): *curvipilella* Bengtsson, 2002
 71142) *Scythris dahurica* Sinev, 2001 (Scythridae) Synonym(s): *dahurica* Sinev, 2001
 71143) *Scythris degenerella* Fuchs, 1903 (Scythridae) Synonym(s): *degenerella* Fuchs, 1903
 71144) *Scythris delodella* Meyrick, 1930 (Scythridae) Synonym(s): *delodella* Meyrick, 1930
 71145) *Scythris denticolor* Walsingham, 1900 (Scythridae) Synonym(s): *denticolor* Walsingham, 1900
 71146) *Scythris deplanata* Meyrick, 1928 (Scythridae) Synonym(s): *deplanata* Meyrick, 1928
 71147) *Scythris deprinsi* Bengtsson, 2005 (Scythridae) Synonym(s): *deprinsi* Bengtsson, 2005
 71148) *Scythris deresella* Falkovitsh, 1969 (Scythridae) Synonym(s): *deresella* Falkovitsh, 1969
 71149) *Scythris detestata* Meyrick, 1922 (Scythridae) Synonym(s): *detestata* Meyrick, 1922
 71150) *Scythris diatoma* (Turner, 1927) (Scythridae) Synonym(s): *diatoma* Turner, 1927
 71151) *Scythris dicroa* Falkovitsh, 1972 (Scythridae) Synonym(s): *dicroa* Falkovitsh, 1972
 71152) *Scythris dimensa* Meyrick, 1920 (Scythridae) Synonym(s): *dimensa* Meyrick, 1920
 71153) *Scythris dimota* Meyrick, 1931 (Scythridae) Synonym(s): *dimota* Meyrick, 1931
 71154) *Scythris discimaculella* Rebel, 1936 (Scythridae) Synonym(s): *discimaculella* Rebel, 1936
 71155) *Scythris distactica* Meyrick, 1921 (Scythridae) Synonym(s): *distactica* Meyrick, 1921
 71156) *Scythris divergens* Bengtsson, 2005 (Scythridae) Synonym(s): *divergens* Bengtsson, 2005
 71157) *Scythris dividua* Meyrick, 1916 (Scythridae) Synonym(s): *dividua* Meyrick, 1916
 71158) *Scythris dorsipallidella* (Chambers, 1875) (Scythridae) Synonym(s): *dorsipallidella* Chambers, 1875
 71159) *Scythris eboracensis* (Zeller, 1855) (Scythridae) Synonym(s): *eboracensis* Zeller, 1855
 71160) *Scythris ejiciens* Meyrick, 1928 (Scythridae) Synonym(s): *ejiciens* Meyrick, 1928

- 71161) *Scythris elachistoides* Bengtsson, 2002 (Scythridae) Synonym(s): *elachistoides* Bengtsson, 2002
- 71162) *Scythris elenae* K.Nupponen & T.Nupponen, 2000 (Scythridae) Synonym(s): *elenae* K.Nupponen & T.Nupponen, 2000
- 71163) *Scythris eloquens* Meyrick, 1921 (Scythridae) Synonym(s): *eloquens* Meyrick, 1921
- 71164) *Scythris epistrotia* (Meyrick, 1889) (Scythridae) Synonym(s): *epistrotia* Meyrick, 1889
- 71165) *Scythris erebospila* Meyrick, 1897 (Scythridae) Synonym(s): *erebospila* Meyrick, 1897
- 71166) *Scythris erinacella* Nupponen, 2003 (Scythridae) Synonym(s): *erinacella* Nupponen, 2003
- 71167) *Scythris erudita* Meyrick, 1917 (Scythridae) Synonym(s): *erudita* Meyrick, 1917
- 71168) *Scythris eversmanni* K.Nupponen & T.Nupponen, 2000 (Scythridae) Synonym(s): *eversmanni* K.Nupponen & T.Nupponen, 2000
- 71169) *Scythris expolita* Meyrick, 1910 (Scythridae) Synonym(s): *expolita* Meyrick, 1910
- 71170) *Scythris exsoluta* Meyrick, 1920 (Scythridae) Synonym(s): *exsoluta* Meyrick, 1920
- 71171) *Scythris faeculenta* Meyrick, 1912 (Scythridae) Synonym(s): *faeculenta* Meyrick, 1912
- 71172) *Scythris farrata* Meyrick, 1913 (Scythridae) Synonym(s): *farrata* Meyrick, 1913
- 71173) *Scythris fasciata* Falkovitsh, 1969 (Scythridae) Synonym(s): *fasciata* Falkovitsh, 1969
- 71174) *Scythris felesella* Bengtsson, 1997 (Scythridae) Synonym(s): *felesella* Bengtsson, 1997
- 71175) *Scythris felixi* Bengtsson & Sutter, 1996 (Scythridae) Synonym(s): *felixi* Bengtsson & Sutter, 1996
- 71176) *Scythris fibigeri* Bengtsson, 2002 (Scythridae) Synonym(s): *fibigeri* Bengtsson, 2002
- 71177) *Scythris fissurella* Bengtsson, 1997 (Scythridae) Synonym(s): *fissurella* Bengtsson, 1997
- 71178) *Scythris fluctuosa* Meyrick, 1914 (Scythridae) Synonym(s): *fluctuosa* Meyrick, 1914
- 71179) *Scythris fluvialis* Meyrick, 1916 (Scythridae) Synonym(s): *fluvialis* Meyrick, 1916
- 71180) *Scythris fluxilis* Falkovitsh, 1986 (Scythridae) Synonym(s): *fluxilis* Falkovitsh, 1986
- 71181) *Scythris fonticola* Meyrick, 1911 (Scythridae) Synonym(s): *fonticola* Meyrick, 1911
- 71182) *Scythris forcicella* Bengtsson, 1997 (Scythridae) Synonym(s): *forcicella* Bengtsson, 1997
- 71183) *Scythris fumida* Turner, 1923 (Scythridae) Synonym(s): *fumida* Turner, 1923
- 71184) *Scythris fuscicomella* (Clemens, 1860) (Scythridae) Synonym(s): *fuscicomella* Clemens, 1860
- 71185) *Scythris fuscoarella* Bengtsson & Liska, 1996 (Scythridae) Synonym(s): *fuscoarella* Bengtsson & Liska, 1996
- 71186) *Scythris galeatella* Bengtsson, 2002 (Scythridae) Synonym(s): *galeatella* Bengtsson, 2002
- 71187) *Scythris garciapitai* Vives Moreno, 2001 (Scythridae) Synonym(s): *garciapitai* Vives Moreno, 2001
- 71188) *Scythris ghaemii* Bengtsson & Huemer, 2003 (Scythridae) Synonym(s): *ghaemii* Bengtsson & Huemer, 2003
- 71189) *Scythris gladiella* K.Nupponen & T.Nupponen, 2004 (Scythridae) Synonym(s): *gladiella* K.Nupponen & T.Nupponen, 2004
- 71190) *Scythris glaphyropa* Meyrick, 1914 (Scythridae) Synonym(s): *glaphyropa* Meyrick, 1914
- 71191) *Scythris glyphidota* Meyrick, 1916 (Scythridae) Synonym(s): *glyphidota* Meyrick, 1916
- 71192) *Scythris gobiensis* Passerin d'Entrèves & Roggero, 2006 (Scythridae) Synonym(s): *gobiensis* Passerin d'Entrèves & Roggero, 2006
- 71193) *Scythris gorbunovi* Nupponen, 2003 (Scythridae) Synonym(s): *gorbunovi* Nupponen, 2003
- 71194) *Scythris gracilis* (Heinemann, 1876) (Scythridae) Synonym(s): *gracilis* Heinemann, 1876
- 71195) *Scythris gratifica* Meyrick, 1922 (Scythridae) Synonym(s): *gratifica* Meyrick, 1922
- 71196) *Scythris hackeri* Bengtsson, 1996 (Scythridae) Synonym(s): *hackeri* Bengtsson, 1996
- 71197) *Scythris halmyrodes* Meyrick, 1921 (Scythridae) Synonym(s): *halmyrodes* Meyrick, 1921
- 71198) *Scythris haloxylella* Falkovitsh, 1969 (Scythridae) Synonym(s): *haloxylella* Falkovitsh, 1969
- 71199) *Scythris hamardabanica* K.Nupponen, 2003 (Scythridae) Synonym(s): *hamardabanica* K.Nupponen, 2003
- 71200) *Scythris hamatella* K.Nupponen & T.Nupponen, 2001 (Scythridae) Synonym(s): *hamatella* K.Nupponen & T.Nupponen, 2001
- 71201) *Scythris hebesella* Nupponen, 2005 (Scythridae) Synonym(s): *hebesella* Nupponen, 2005
- 71202) *Scythris hemicycliella* K.Nupponen, 2005 (Scythridae) Synonym(s): *hemicycliella* K.Nupponen, 2005
- 71203) *Scythris herati* Passerin d'Entrèves & Roggero, 2004 (Scythridae) Synonym(s): *herati* Passerin d'Entrèves & Roggero, 2004
- 71204) *Scythris herati* Passerin d'Entrèves & Roggero, 2004 (Scythridae) Synonym(s): *herati* Passerin d'Entrèves & Roggero, 2004
- 71205) *Scythris hologramma* (Lower, 1899) (Scythridae) Synonym(s): *hologramma* Lower, 1899
- 71206) *Scythris homoxantha* Meyrick, 1921 (Scythridae) Synonym(s): *homoxantha* Meyrick, 1921
- 71207) *Scythris hostilis* K.Nupponen, 2005 (Scythridae) Synonym(s): *hostilis* K.Nupponen, 2005
- 71208) *Scythris hunzaensis* Bengtsson, 1997 (Scythridae) Synonym(s): *hunzaensis* Bengtsson, 1997
- 71209) *Scythris hyalinella* Caradja, 1920 (Scythridae) Synonym(s): *hyalinella* Caradja, 1920
- 71210) *Scythris hydronoma* Meyrick, 1921 (Scythridae) Synonym(s): *hydronoma* Meyrick, 1921
- 71211) *Scythris hypolepta* Falkovitsh, 1972 (Scythridae) Synonym(s): *hypolepta* Falkovitsh, 1972
- 71212) *Scythris ianitella* K.Nupponen, 2005 (Scythridae) Synonym(s): *ianitella* K.Nupponen, 2005
- 71213) *Scythris iconiensis* Rebel, 1903 (Scythridae) Synonym(s): *iconiensis* Rebel, 1903
- 71214) *Scythris ilyopa* Meyrick, 1921 (Scythridae) Synonym(s): *ilyopa* Meyrick, 1921
- 71215) *Scythris immaculatella* (Chambers, 1875) (Scythridae) Synonym(s): *immaculatella* Chambers, 1875; *pacifica* McDunnough, 1927; *kostjuki* Sinev, 2001
- 71216) *Scythris inanima* Meyrick, 1916 (Scythridae) Synonym(s): *inanima* Meyrick, 1916
- 71217) *Scythris incospicuellla* Sinev, 2001 (Scythridae) Synonym(s): *incospicuellla* Sinev, 2001
- 71218) *Scythris indigoferivora* Bengtsson, 2002 (Scythridae) Synonym(s): *indigoferivora* Bengtsson, 2002
- 71219) *Scythris ingens* K.Nupponen, 2005 (Scythridae) Synonym(s): *ingens* K.Nupponen, 2005
- 71220) *Scythris inornatella* (Chambers, 1880) (Scythridae) Synonym(s): *inornatella* Chambers, 1880
- 71221) *Scythris inota* Meyrick, 1924 (Scythridae) Synonym(s): *inota* Meyrick, 1924
- 71222) *Scythris interrupta* Braun, 1920 (Scythridae) Synonym(s): *interrupta* Braun, 1920
- 71223) *Scythris invisla* Meyrick, 1920 (Scythridae) Synonym(s): *invisla* Meyrick, 1920
- 71224) *Scythris iterella* Bengtsson, 2002 (Scythridae) Synonym(s): *iterella* Bengtsson, 2002
- 71225) *Scythris jakutica* Sinev, 2001 (Scythridae) Synonym(s): *jakutica* Sinev, 2001
- 71226) *Scythris jalavai* Sinev, 1993 (Scythridae) Synonym(s): *jalavai* Sinev, 1993
- 71227) *Scythris jemenensis* Bengtsson, 2002 (Scythridae) Synonym(s): *jemenensis* Bengtsson, 2002
- 71228) *Scythris juerivetei* K.Nupponen, 2005 (Scythridae) Synonym(s): *juerivetei* K.Nupponen, 2005
- 71229) *Scythris justifica* Meyrick, 1911 (Scythridae) Synonym(s): *justifica* Meyrick, 1911
- 71230) *Scythris kailai* Bengtsson, 1997 (Scythridae) Synonym(s): *kailai* Bengtsson, 1997
- 71231) *Scythris karinupponeni* Bengtsson, 2000 (Scythridae) Synonym(s): *karinupponeni* Bengtsson, 2000
- 71232) *Scythris karsholti* Bengtsson, 1997 (Scythridae) Synonym(s): *karsholti* Bengtsson, 1997
- 71233) *Scythris kaschmirica* Bengtsson, 2005 (Scythridae) Synonym(s): *kaschmirica* Bengtsson, 2005
- 71234) *Scythris kaszabi* Passerin d'Entrèves & Roggero, 2006 (Scythridae) Synonym(s): *kaszabi* Passerin d'Entrèves & Roggero, 2006
- 71235) *Scythris kefensis* K.Nupponen, 2001 (Scythridae) Synonym(s): *kefensis* K.Nupponen, 2001
- 71236) *Scythris kullbergi* Bengtsson, 1997 (Scythridae) Synonym(s): *kullbergi* Bengtsson, 1997
- 71237) *Scythris kyzylensis* Bengtsson, 1997 (Scythridae) Synonym(s): *kyzylensis* Bengtsson, 1997
- 71238) *Scythris lactanea* Meyrick, 1913 (Scythridae) Synonym(s): *lactanea* Meyrick, 1913
- 71239) *Scythris lagomorphella* Junnilainen, 2002 (Scythridae) Synonym(s): *lagomorphella* Junnilainen, 2002
- 71240) *Scythris landryi* Passerin d'Entrèves & Roggero, 2004 (Scythridae) Synonym(s): *landryi* Passerin d'Entrèves & Roggero, 2004
- 71241) *Scythris latebrosa* Meyrick, 1913 (Scythridae) Synonym(s): *latebrosa* Meyrick, 1913
- 71242) *Scythris lemarchandella* Lucas, 1950 (Scythridae) Synonym(s): *lemarchandella* Lucas, 1950
- 71243) *Scythris leucochyta* (Turner, 1947) (Scythridae) Synonym(s): *leucochyta* Turner, 1947
- 71244) *Scythris linnavuorii* Bengtsson, 2005 (Scythridae) Synonym(s): *linnavuorii* Bengtsson, 2005
- 71245) *Scythris lychnitis* Meyrick, 1918 (Scythridae) Synonym(s): *lychnitis* Meyrick, 1918
- 71246) *Scythris maculatella* Chrétien, 1915 (Scythridae) Synonym(s): *maculatella* Chrétien, 1915
- 71247) *Scythris maroccanella* Lucas, 1955 (Scythridae) Synonym(s): *maroccanella* Lucas, 1955
- 71248) *Scythris melanodora* Meyrick, 1912 (Scythridae) Synonym(s): *melanodora* Meyrick, 1912
- 71249) *Scythris melanopleura* Meyrick, 1914 (Scythridae) Synonym(s): *melanopleura* Meyrick, 1914
- 71250) *Scythris melagistra* Meyrick, 1920 (Scythridae) Synonym(s): *melagistra* Meyrick, 1920

- 71251) *Scythris meraula* Meyrick, 1916 (Scythridae) Synonym(s): *meraula* Meyrick, 1916
 71252) *Scythris mesoplecta* Meyrick, 1921 (Scythridae) Synonym(s): *mesoplecta* Meyrick, 1921
 71253) *Scythris mikkolai* Sinev, 1993 (Scythridae) Synonym(s): *mikkolai* Sinev, 1993
 71254) *Scythris mongholica* Passerin d'Entrèves & Roggero, 2006 (Scythridae) Synonym(s): *mongholica* Passerin d'Entrèves & Roggero, 2006
 71255) *Scythris multiplicella* Bengtsson, 1996 (Scythridae) Synonym(s): *multiplicella* Bengtsson, 1996
 71256) *Scythris nepalensis* Bengtsson, 2005 (Scythridae) Synonym(s): *nepalensis* Bengtsson, 2005
 71257) *Scythris neurogramma* Walsingham, 1900 (Scythridae) Synonym(s): *neurogramma* Walsingham, 1900
 71258) *Scythris nielseni* Passerin d'Entrèves & Roggero, 2004 (Scythridae) Synonym(s): *nielseni* Passerin d'Entrèves & Roggero, 2004
 71259) *Scythris nigrispersa* Meyrick, 1918 (Scythridae) Synonym(s): *nigrispersa* Meyrick, 1918
 71260) *Scythris nigrogrammella* Bengtsson, 2002 (Scythridae) Synonym(s): *nigrogrammella* Bengtsson, 2002
 71261) *Scythris nigropterella* Bengtsson, 2002 (Scythridae) Synonym(s): *nigropterella* Bengtsson, 2002
 71262) *Scythris nivicolor* Meyrick, 1916 (Scythridae) Synonym(s): *nivicolor* Meyrick, 1916
 71263) *Scythris obliqua* Falkovitsh, 1969 (Scythridae) Synonym(s): *obliqua* Falkovitsh, 1969
 71264) *Scythris obstans* Meyrick, 1928 (Scythridae) Synonym(s): *obstans* Meyrick, 1928
 71265) *Scythris ochrantha* Meyrick, 1909 (Scythridae) Synonym(s): *ochrantha* Meyrick, 1909
 71266) *Scythris ochrea* Walsingham & Hampson, 1896 (Scythridae) Synonym(s): *ochrea* Walsingham & Hampson, 1896
 71267) *Scythris orientella* Sinev, 2001 (Scythridae) Synonym(s): *orientella* Sinev, 2001
 71268) *Scythris ottomana* Jäckh, 1978 (Scythridae) Synonym(s): *ottomana* Jäckh, 1978
 71269) *Scythris paelopyga* (Staudinger, 1880) (Scythridae) Synonym(s): *paelopyga* Staudinger, 1880
 71270) *Scythris pallidella* Passerin d'Entrèves & Roggero, 2006 (Scythridae) Synonym(s): *pallidella* Passerin d'Entrèves & Roggero, 2006
 71271) *Scythris pangalactis* Meyrick, 1933 (Scythridae) Synonym(s): *pangalactis* Meyrick, 1933
 71272) *Scythris parachalca* Meyrick, 1916 (Scythridae) Synonym(s): *parachalca* Meyrick, 1916
 71273) *Scythris paralagella* Bengtsson, 2002 (Scythridae) Synonym(s): *paralagella* Bengtsson, 2002
 71274) *Scythris paranthesella* Bengtsson, 2002 (Scythridae) Synonym(s): *paranthesella* Bengtsson, 2002
 71275) *Scythris paredra* Meyrick, 1897 (Scythridae) Synonym(s): *paredra* Meyrick, 1897
 71276) *Scythris patiens* Meyrick, 1921 (Scythridae) Synonym(s): *patiens* Meyrick, 1921
 71277) *Scythris pectinicornis* Walsingham, 1900 (Scythridae) Synonym(s): *pectinicornis* Walsingham, 1900
 71278) *Scythris pelochyta* Meyrick, 1909 (Scythridae) Synonym(s): *pelochyta* Meyrick, 1909
 71279) *Scythris perlucida* K.Nupponen & T.Nupponen, 2000 (Scythridae) Synonym(s): *perlucida* K.Nupponen & T.Nupponen, 2000; *zolutuhini* Sachkov, 2000
 71280) *Scythris pfeifferella* Rebel, 1935 (Scythridae) Synonym(s): *pfeifferella* Rebel, 1935
 71281) *Scythris physalis* Falkovitsh, 1972 (Scythridae) Synonym(s): *physalis* Falkovitsh, 1972
 71282) *Scythris pleonectis* Meyrick, 1897 (Scythridae) Synonym(s): *pleonectis* Meyrick, 1897
 71283) *Scythris plocanota* Meyrick, 1897 (Scythridae) Synonym(s): *plocanota* Meyrick, 1897
 71284) *Scythris pollicella* Bengtsson, 2002 (Scythridae) Synonym(s): *pollicella* Bengtsson, 2002
 71285) *Scythris pototskii* Nupponen, 2005 (Scythridae) Synonym(s): *pototskii* Nupponen, 2005
 71286) *Scythris praestructa* Meyrick, 1922 (Scythridae) Synonym(s): *praestructa* Meyrick, 1922
 71287) *Scythris pruinta* Falkovitsh, 1972 (Scythridae) Synonym(s): *pruinta* Falkovitsh, 1972
 71288) *Scythris psamathota* Meyrick, 1913 (Scythridae) Synonym(s): *psamathota* Meyrick, 1913
 71289) *Scythris pterosauriella* Bengtsson, 2002 (Scythridae) Synonym(s): *pterosauriella* Bengtsson, 2002
 71290) *Scythris reflectella* Bengtsson, 2002 (Scythridae) Synonym(s): *reflectella* Bengtsson, 2002
 71291) *Scythris remexella* K.Nupponen & T.Nupponen, 2000 (Scythridae) Synonym(s): *remexella* K.Nupponen & T.Nupponen, 2000; *verae* Sachkov, 2000
 71292) *Scythris rhabducha* Meyrick, 1897 (Scythridae) Synonym(s): *rhabducha* Meyrick, 1897
 71293) *Scythris rivigera* Meyrick, 1911 (Scythridae) Synonym(s): *rivigera* Meyrick, 1911
 71294) *Scythris roseola* Meyrick, 1912 (Scythridae) Synonym(s): *roseola* Meyrick, 1912
 71295) *Scythris ruehli* Gozmany, 1960 (Scythridae) Synonym(s): *ruehli* Gozmany, 1960
 71296) *Scythris sacharissa* Meyrick, 1913 (Scythridae) Synonym(s): *sacharissa* Meyrick, 1913
 71297) *Scythris sachkovi* Passerin d'Entrèves & Roggero, 2006 (Scythridae) Synonym(s): *sachkovi* Passerin d'Entrèves & Roggero, 2006
 71298) *Scythris sanae* Bengtsson, 2002 (Scythridae) Synonym(s): *sanae* Bengtsson, 2002
 71299) *Scythris schreieri* Bengtsson, 1996 (Scythridae) Synonym(s): *schreieri* Bengtsson, 1996
 71300) *Scythris scorpionella* Jäckh, 1977 (Scythridae) Synonym(s): *scorpionella* Jäckh, 1977
 71301) *Scythris scyphella* Bengtsson, 2002 (Scythridae) Synonym(s): *scyphella* Bengtsson, 2002
 71302) *Scythris scyphella* Bengtsson, 2002 (Scythridae) Synonym(s): *scyphella* Bengtsson, 2002
 71303) *Scythris senescens* Stainton, 1854 (Scythridae) Synonym(s): *senescens* Stainton, 1854
 71304) *Scythris shafferi* Bengtsson, 2005 (Scythridae) Synonym(s): *shafferi* Bengtsson, 2005
 71305) *Scythris sinevi* Nupponen, 2003 (Scythridae) Synonym(s): *sinevi* Nupponen, 2003
 71306) *Scythris sinuosella* Bengtsson, 2002 (Scythridae) Synonym(s): *sinuosella* Bengtsson, 2002
 71307) *Scythris sitarcha* Meyrick, 1918 (Scythridae) Synonym(s): *sitarcha* Meyrick, 1918
 71308) *Scythris soluta* Meyrick, 1916 (Scythridae) Synonym(s): *soluta* Meyrick, 1916
 71309) *Scythris sordidella* Bengtsson, 2002 (Scythridae) Synonym(s): *sordidella* Bengtsson, 2002
 71310) *Scythris sporadica* Meyrick, 1897 (Scythridae) Synonym(s): *sporadica* Meyrick, 1897
 71311) *Scythris stagnosa* Meyrick, 1913 (Scythridae) Synonym(s): *stagnosa* Meyrick, 1913
 71312) *Scythris strabella* Bengtsson, 2002 (Scythridae) Synonym(s): *strabella* Bengtsson, 2002
 71313) *Scythris subclavella* Rebel, 1901 (Scythridae) Synonym(s): *subclavella* Rebel, 1901
 71314) *Scythris subgaleatella* Bengtsson, 2002 (Scythridae) Synonym(s): *subgaleatella* Bengtsson, 2002
 71315) *Scythris sublamina* K.Nupponen & T.Nupponen, 2000 (Scythridae) Synonym(s): *sublamina* K.Nupponen & T.Nupponen, 2000; *mediovolgensis* Sachkov, 2000; *xerostepella* Sachkov, 2000
 71316) *Scythris subparachalca* Bengtsson, 2002 (Scythridae) Synonym(s): *subparachalca* Bengtsson, 2002
 71317) *Scythris tabelli* Junnilainen, 2002 (Scythridae) Synonym(s): *tabelli* Junnilainen, 2002
 71318) *Scythris taizae* Bengtsson, 2002 (Scythridae) Synonym(s): *taizae* Bengtsson, 2002
 71319) *Scythris talyniella* Passerin d'Entrèves & Roggero, 2006 (Scythridae) Synonym(s): *talyniella* Passerin d'Entrèves & Roggero, 2006
 71320) *Scythris tauromeniella* Passerin d'Entrèves & Roggero, 2004 (Scythridae) Synonym(s): *tauromeniella* Passerin d'Entrèves & Roggero, 2004
 71321) *Scythris tenebrella* Bengtsson, 2002 (Scythridae) Synonym(s): *tenebrella* Bengtsson, 2002
 71322) *Scythris tenuisquamata* (Staudinger, 1880) (Scythridae) Synonym(s): *tenuisquamata* Staudinger, 1880
 71323) *Scythris triguttella* Zeller, 1839 (Scythridae) Synonym(s): *triguttella* Zeller, 1839
 71324) *Scythris trinummulata* Meyrick, 1922 (Scythridae) Synonym(s): *trinummulata* Meyrick, 1922
 71325) *Scythris triochrias* Meyrick, 1916 (Scythridae) Synonym(s): *triochrias* Meyrick, 1916
 71326) *Scythris tuzensis* Bengtsson, 2005 (Scythridae) Synonym(s): *tuzensis* Bengtsson, 2005
 71327) *Scythris unguicella* Bengtsson, 2005 (Scythridae) Synonym(s): *unguicella* Bengtsson, 2005; *#unguisella* Bengtsson, 2005
 71328) *Scythris unimaculella* Rebel, 1905 (Scythridae) Synonym(s): *unimaculella* Rebel, 1905
 71329) *Scythris ustjuzhanini* Sachkov & Sinev, 2001 (Scythridae) Synonym(s): *ustjuzhanini* Sachkov & Sinev, 2001
 71330) *Scythris vadimi* Sachkov, 2002 (Scythridae) Synonym(s): *vadimi* Sachkov, 2002
 71331) *Scythris valgella* Bengtsson, 2002 (Scythridae) Synonym(s): *valgella* Bengtsson, 2002
 71332) *Scythris valvaearella* Bengtsson, 2002 (Scythridae) Synonym(s): *valvaearella* Bengtsson, 2002
 71333) *Scythris vernusella* Jäckh, 1978 (Scythridae) Synonym(s): *vernusella* Jäckh, 1978
 71334) *Scythris vulgata* Meyrick, 1914 (Scythridae) Synonym(s): *vulgata* Meyrick, 1914
 71335) *Scythris xenomympha* (Lower, 1900) (Scythridae) Synonym(s): *xenomympha* Lower, 1900
 71336) "Clavigera" chrysoptera Kallies & Arita, 2004 (Sesiidae) Synonym(s): *chrysoptera* Kallies & Arita, 2004
 71337) "Clavigera" pugnax (Meyrick, 1926) (Sesiidae) Synonym(s): *pugnax* Meyrick, 1926
 71338) "Macrotarsipus" africanus (Beutenmüller, 1899) (Sesiidae) Synonym(s): *africanus* Beutenmüller, 1899; *belia* Druce, 1910

- 71339) "*Macrotarsipus*" *lioscelis* Meyrick, 1935 (Sesiidae) Synonym(s): *lioscelis* Meyrick, 1935
 71340) "*Macrotarsipus*" *microthyris* Hampson, 1919 (Sesiidae) Synonym(s): *microthyris* Hampson, 1919
 71341) *Aegerosphenia calliptera* Le Cerf, 1916 (Sesiidae) Synonym(s): *calliptera* Le Cerf, 1916
 71342) *Aegerosphenia cyanea* Hampson, 1919 (Sesiidae) Synonym(s): *cyanea* Hampson, 1919
 71343) *Aegerosphenia fasciata* (Walker, 1862) (Sesiidae) Synonym(s): *fasciata* Walker, 1862
 71344) *Aegerosphenia fulviventris* Le Cerf, 1916 (Sesiidae) Synonym(s): *fulviventris* Le Cerf, 1916
 71345) *Aegerosphenia fumoptera* Kallies & Arita, 2004 (Sesiidae) Synonym(s): *fumoptera* Kallies & Arita, 2004
 71346) *Aegerosphenia myanmarensis* Kallies & Arita, 2004 (Sesiidae) Synonym(s): *myanmarensis* Kallies & Arita, 2004
 71347) *Aegerosphenia mysolica* (Walker, 1865) (Sesiidae) Synonym(s): *mysolica* Walker, 1865
 71348) *Alonina difformis* Hampson, 1919 (Sesiidae) Synonym(s): *difformis* Hampson, 1919
 71349) *Alonina rygchiiformis* Walker, 1856 (Sesiidae) Synonym(s): *rygchiiformis* Walker, 1856; *rhynchiiiformis* Hampson, 1919
 71350) *Anaudia felderi* Wallengren, 1863 (Sesiidae) Synonym(s): *felderi* Wallengren, 1863
 71351) *Aschistophleps lampropoda* Hampson, [1893] (Sesiidae) Synonym(s): *lampropoda* Hampson, [1893]
 71352) *Aschistophleps metachrysis* Hampson, 1895 (Sesiidae) Synonym(s): *metachrysis* Hampson, 1895
 71353) *Aschistophleps ruficrista* (Rothschild, 1912) (Sesiidae) Synonym(s): *ruficrista* Rothschild, 1912
 71354) *Bembecia* (Ductispina) *transcaucasica* (Staudinger, 1891) (Sesiidae) Synonym(s): *transcaucasica* Staudinger, 1891
 71355) *Bembecia* (Ductispina) *transcaucasica transcaucasica* (Staudinger, 1891) (Sesiidae) Synonym(s): *transcaucasica* Staudinger, 1891
 71356) *Bembecia* (Ductispina) *transcaucasica turcmena* (Bartel, 1912) (Sesiidae) Synonym(s): *turcmena* Bartel, 1912
 71357) *Bembecia* (Paradipsosphenia) *barbara* (Bartel, 1913) (Sesiidae) Synonym(s): *barbara* Bartel, 1913
 71358) *Bembecia* (Pseudosphenia) *stiziformis* (Herrich-Schäffer, 1851) (Sesiidae) Synonym(s): *stiziformis* Herrich-Schäffer, 1851; *tubercula* De Freina, 1983; *barbarossa* De Freina, 1983.
 71359) *Bembecia* (Pseudosphenia) *stiziformis fervida* (Lederer, 1855) (Sesiidae) Synonym(s): *fervida* Lederer, 1855
 71360) *Bembecia* (Pseudosphenia) *stiziformis stiziformis* (Herrich-Schäffer, 1851) (Sesiidae) Synonym(s): *stiziformis* Herrich-Schäffer, 1851; *tubercula* De Freina, 1983; *barbarossa* De Freina, 1983.
 71361) *Bembecia* (Pseudosphenia) *stiziformis tenebrosa* (Püngeler, 1915) (Sesiidae) Synonym(s): *tenebrosa* Püngeler, 1915
 71362) *Bembecia* *aladagica* Gorbunov & K.Spatenka, 2001 (Sesiidae) Synonym(s): *aladagica* Gorbunov & K.Spatenka, 2001
 71363) *Bembecia* *alaica* (Püngeler, 1913) (Sesiidae) Synonym(s): *alaica* Püngeler, 1913
 71364) *Bembecia* *albanensis* (Rebel, 1918) (Sesiidae) Synonym(s): *albanensis* Rebel, 1918; *corcyrensis* Rebel, 1918; *kalavrytana* Sheljuzhko, 1924
 71365) *Bembecia* *apyra* (Le Cerf, 1937) (Sesiidae) Synonym(s): *apyra* Le Cerf, 1937
 71366) *Bembecia* *auricaudata* (Bartel, 1912) (Sesiidae) Synonym(s): *auricaudata* Bartel, 1912
 71367) *Bembecia* *balkis* Le Cerf, 1937 (Sesiidae) Synonym(s): *balkis* Le Cerf, 1937
 71368) *Bembecia* *balkis atrocaudata* Wiltshire, 1986 (Sesiidae) Synonym(s): *atrocaudata* Wiltshire, 1986
 71369) *Bembecia* *balkis balkis* Le Cerf, 1937 (Sesiidae) Synonym(s): *balkis* Le Cerf, 1937
 71370) *Bembecia* *baumgartneri* K.Spatenka, 1992 (Sesiidae) Synonym(s): *baumgartneri* K.Spatenka, 1992
 71371) *Bembecia* *bohatschi* (Püngeler, 1904) (Sesiidae) Synonym(s): *bohatschi* Püngeler, 1904
 71372) *Bembecia* *buxea* Gorbunov, 1989 (Sesiidae) Synonym(s): *buxea* Gorbunov, 1989
 71373) *Bembecia* *ceiformis* (Staudinger, 1881) (Sesiidae) Synonym(s): *ceiformis* Staudinger, 1881; *dancaudani* Capuse, 1973; *hannemanni* Capuse, 1973; *ili* Capuse, 1973
 71374) *Bembecia* *daghestanica* Gorbunov, 1991 (Sesiidae) Synonym(s): *daghestanica* Gorbunov, 1991
 71375) *Bembecia* *fibigeri* Lastuvka & Lastuvka, 1994 (Sesiidae) Synonym(s): *fibigeri* Lastuvka & Lastuvka, 1994
 71376) *Bembecia* *flavida* (Oberthür, 1890) (Sesiidae) Synonym(s): *flavida* Oberthür, 1890
 71377) *Bembecia* *fokidensis* Tosevski, 1991 (Sesiidae) Synonym(s): *fokidensis* Tosevski, 1991
 71378) *Bembecia* *gegamica* Gorbunov, 1991 (Sesiidae) Synonym(s): *gegamica* Gorbunov, 1991
 71379) *Bembecia* *guesnoni* K.Spatenka & Tosevski, 1994 (Sesiidae) Synonym(s): *guesnoni* K.Spatenka & Tosevski, 1994
 71380) *Bembecia* *himmighoffeni* (Staudinger, 1866) (Sesiidae) Synonym(s): *himmighoffeni* Staudinger, 1866
 71381) *Bembecia* *hofmanni* Kallies & K.Spatenka, 2003 (Sesiidae) Synonym(s): *hofmanni* Kallies & K.Spatenka, 2003
 71382) *Bembecia* *hymenopteriformis* (Bellier, 1860) (Sesiidae) Synonym(s): *hymenopteriformis* Bellier, 1860
 71383) *Bembecia* *iberica* K.Spatenka, 1992 (Sesiidae) Synonym(s): *iberica* K.Spatenka, 1992
 71384) *Bembecia* *ichneumoniformis* ([Denis & Schiffermüller], 1775) (Sesiidae) Synonym(s): *ichneumoniformis* [Denis & Schiffermüller], 1775; *rhagioniformis* Hübner, [1806]; *ophioniformis* Hübner, [1813]; *systraphaeformis* Hübner, [1813]; *palpina* Dalman, 1816; *statuiformis* Freyer, 1836; *cryptiformis* Walker, 1856; *albanica* Rebel, 1910
 71385) *Bembecia* *illustris* (Rebel, 1901) (Sesiidae) Synonym(s): *illustris* Rebel, 1901
 71386) *Bembecia* *joesti* Bettag, 1997 (Sesiidae) Synonym(s): *joesti* Bettag, 1997
 71387) *Bembecia* *lamai* Kallies, 1996 (Sesiidae) Synonym(s): *lamai* Kallies, 1996
 71388) *Bembecia* *lasicera* (Hampson, 1906) (Sesiidae) Synonym(s): *lasicera* Hampson, 1906
 71389) *Bembecia* *lomataeformis* Lederer, 1853 (Sesiidae) Synonym(s): *lomataeformis* Lederer, 1853
 71390) *Bembecia* *megillaeformis* (Hübner, [1813]) (Sesiidae) Synonym(s): *megillaeformis* Hübner, [1813]; *megilliformis* Staudinger, 1856
 71391) *Bembecia* *megillaeformis luqueti* K.Spatenka, 1992 (Sesiidae) Synonym(s): *luqueti* K.Spatenka, 1992
 71392) *Bembecia* *molleti* Kallies & K.Spatenka, 2003 (Sesiidae) Synonym(s): *molleti* Kallies & K.Spatenka, 2003
 71393) *Bembecia* *pagesi* Tosevski, 1993 (Sesiidae) Synonym(s): *pagesi* Tosevski, 1993
 71394) *Bembecia* *parthica* (Lederer, 1870) (Sesiidae) Synonym(s): *parthica* Lederer, 1870
 71395) *Bembecia* *pavicevici* Tosevski, 1989 (Sesiidae) Synonym(s): *pavicevici* Tosevski, 1989
 71396) *Bembecia* *peterseni* K.Spatenka, 1997 (Sesiidae) Synonym(s): *peterseni* K.Spatenka, 1997
 71397) *Bembecia* *polyzona* (Püngeler, 1913) (Sesiidae) Synonym(s): *polyzona* Püngeler, 1913
 71398) *Bembecia* *pontica* (Staudinger, 1891) (Sesiidae) Synonym(s): *pontica* Staudinger, 1891
 71399) *Bembecia* *priesneri* Kallies et al., 1998 (Sesiidae) Synonym(s): *priesneri* Kallies et al., 1998
 71400) *Bembecia* *psoraleae* Bartsch & Bettag, 1997 (Sesiidae) Synonym(s): *psoraleae* Bartsch & Bettag, 1997
 71401) *Bembecia* *puella* Lastuvka, 1989 (Sesiidae) Synonym(s): *puella* Lastuvka, 1989
 71402) *Bembecia* *romanovi* (Bartel, 1912) (Sesiidae) Synonym(s): *romanovi* Bartel, 1912
 71403) *Bembecia* *rushana* Gorbunov, 1992 (Sesiidae) Synonym(s): *rushana* Gorbunov, 1992
 71404) *Bembecia* *salangica* K.Spatenka & Reshöft, 1989 (Sesiidae) Synonym(s): *salangica* K.Spatenka & Reshöft, 1989
 71405) *Bembecia* *sanguinolenta* (Lederer, 1853) (Sesiidae) Synonym(s): *sanguinolenta* Lederer, 1853
 71406) *Bembecia* *sareptana* (Bartel, 1912) (Sesiidae) Synonym(s): *sareptana* Bartel, 1912
 71407) *Bembecia* *scopigera* (Scopoli, 1763) (Sesiidae) Synonym(s): *scopigera* Scopoli, 1763; *communis* Le Cerf, 1920
 71408) *Bembecia* *sirphiformis* (Lucas, 1849) (Sesiidae) Synonym(s): *sirphiformis* Lucas, 1849; *astragali* De Joannis, 1909; *syrphiformis* Dalla Torre & Strand, 1925
 71409) *Bembecia* *staryi* K.Spatenka & Gorbunov, 1992 (Sesiidae) Synonym(s): *staryi* K.Spatenka & Gorbunov, 1992
 71410) *Bembecia* *syzejovi* Gorbunov, 1990 (Sesiidae) Synonym(s): *syzejovi* Gorbunov, 1990
 71411) *Bembecia* *syzejovi alborzica* Kallies & K.Spatenka, 2003 (Sesiidae) Synonym(s): *alborzica* Kallies & Spatenka, 2003
 71412) *Bembecia* *syzejovi kappadocica* Spatenka, 1997 (Sesiidae) Synonym(s): *kappadocica* Spatenka, 1997
 71413) *Bembecia* *tancrei* (Püngeler, 1904) (Sesiidae) Synonym(s): *tancrei* Püngeler, 1904
 71414) *Bembecia* *tshingana* Sheljuzhko, 1935 (Sesiidae) Synonym(s): *tshingana* Sheljuzhko, 1935; *ninae* Sheljuzhko, 1935
 71415) *Bembecia* *tsvetajevi* Gorbunov, 1992 (Sesiidae) Synonym(s): *tsvetajevi* Gorbunov, 1992
 71416) *Bembecia* *uroceriformis* (Treitschke, 1834) (Sesiidae) Synonym(s): *uroceriformis* Treitschke, 1834; *mamertina* Zeller, 1847; *monedulaeformis* Rambur, 1866; *athaliaeformis* Boisduval, [1875]; *armoricana* Oberthür, 1907; *atlantica* Le Cerf, 1920; *nigricornis* Mariani, 1937
 71417) *Bembecia* *viguraea* (Püngeler, 1912) (Sesiidae) Synonym(s): *viguraea* Püngeler, 1912; *auricaudata* Bartel, 1912
 71418) *Bembecia* *wagneri* (Püngeler, 1913) (Sesiidae) Synonym(s): *wagneri* Püngeler, 1913
 71419) *Bembecia* *zebo* K.Spatenka & Gorbunov, 1992 (Sesiidae) Synonym(s): *zebo* K.Spatenka & Gorbunov, 1992
 71420) *Bembecia* *zuvandica* Gorbunov, 1987 (Sesiidae) Synonym(s): *zuvandica* Gorbunov, 1987
 71421) *Carmentia aerea* (Zukowsky, 1936) (Sesiidae) Synonym(s): *aerea* Zukowsky, 1936

- 71422) *Carmenta albicalcarata* (Burmeister,1878) (Sesiidae) Synonym(s): *albicalcarata* Burmeister,1878
 71423) *Carmenta albociliata* (Engelhardt,1925) (Sesiidae) Synonym(s): *albociliata* Engelhardt,1925
 71424) *Carmenta alopecura* (Zukowsky,1937) (Sesiidae) Synonym(s): *alopecura* Zukowsky,1937
 71425) *Carmenta andrewsi* Eichlin,1992 (Sesiidae) Synonym(s): *andrewsi* Eichlin,1992
 71426) *Carmenta angarodes* (Meyrick,1921) (Sesiidae) Synonym(s): *angarodes* Meyrick,1921; *semitrista* Zukowsky,1936
 71427) *Carmenta anomaliformis* (Walker,1856) (Sesiidae) Synonym(s): *anomaliformis* Walker,1856
 71428) *Carmenta anthracipennis* (Boisduval,[1875]) (Sesiidae) Synonym(s): *anthracipennis* Boisduval,[1875]; *sanbomi* Edwards,1881; *morula* Edwards,1811
 71429) *Carmenta apache* Engelhardt,1946 (Sesiidae) Synonym(s): *apache* Engelhardt,1946
 71430) *Carmenta arizonae* (Beutenmüller,1898) (Sesiidae) Synonym(s): *arizonae* Beutenmüller,1898
 71431) *Carmenta armasata* (Druce,1892) (Sesiidae) Synonym(s): *armasata* Druce,1892
 71432) *Carmenta asema* (Zukowsky,1936) (Sesiidae) Synonym(s): *asema* Zukowsky,1936
 71433) *Carmenta auritincta* (Engelhardt,1925) (Sesiidae) Synonym(s): *auritincta* Engelhardt,1925 nec *Wileman & South*,1918
 71434) *Carmenta aurora* (Philippi,1859) (Sesiidae) Synonym(s): *aurora* Philippi,1859; *rufa* Butler,1883; *erasmia* Zukowsky,1950; *coquimbensis* Ureta,1956
 71435) *Carmenta autremonti* (Le Cerf,1917) (Sesiidae) Synonym(s): *autremonti* Le Cerf,1917
 71436) *Carmenta basalis* (Walker,[1865]) (Sesiidae) Synonym(s): *basalis* Walker,[1865]
 71437) *Carmenta bassiformis* (Walker,1856) (Sesiidae) Synonym(s): *bassiformis* Walker,1856; *lustrans* Grote,1880; *aureopurpura* Edwards,1880; *bolli* Edwards,1881; *sexfasciata* Edwards,1881; *consimilis* Edwards,1881; *eupatorii* Edwards,1881; *imitata* Edwards,1881
 71438) *Carmenta benoisti* (Le Cerf,1917) (Sesiidae) Synonym(s): *benoisti* Le Cerf,1917
 71439) *Carmenta bibio* (Le Cerf,1916) (Sesiidae) Synonym(s): *bibio* Le Cerf,1916
 71440) *Carmenta blaciformis* (Walker,1856) (Sesiidae) Synonym(s): *blaciformis* Walker,1856
 71441) *Carmenta buprestiformis* (Walker,1856) (Sesiidae) Synonym(s): *buprestiformis* Walker,1856
 71442) *Carmenta ceraca* (Druce,1893) (Sesiidae) Synonym(s): *ceraca* Druce,1893
 71443) *Carmenta chrysomelaena* (Le Cerf,1916) (Sesiidae) Synonym(s): *chrysomelaena* Le Cerf,1916
 71444) *Carmenta coccidivora* (Duckworth,1969) (Sesiidae) Synonym(s): *coccidivora* Duckworth,1969
 71445) *Carmenta confusa* (Butler,1874) (Sesiidae) Synonym(s): *confusa* Butler,1874
 71446) *Carmenta corni* (Edwards,1881) (Sesiidae) Synonym(s): *corni* Edwards,1881; *infirma* Edwards,1881
 71447) *Carmenta crassicornis* (Walker,[1865]) (Sesiidae) Synonym(s): *crassicornis* Walker,[1865]
 71448) *Carmenta cristallina* (Le Cerf,1916) (Sesiidae) Synonym(s): *cristallina* Le Cerf,1916
 71449) *Carmenta daturae* (Busck,1920) (Sesiidae) Synonym(s): *daturae* Busck,1920
 71450) *Carmenta deceptura* (Butler,1874) (Sesiidae) Synonym(s): *deceptura* Butler,1874
 71451) *Carmenta deipyla* (Druce,1883) (Sesiidae) Synonym(s): *deipyla* Druce,1883
 71452) *Carmenta dimorpha* (Le Cerf,1916) (Sesiidae) Synonym(s): *dimorpha* Le Cerf,1916
 71453) *Carmenta dinetiformis* (Walker,1856) (Sesiidae) Synonym(s): *dinetiformis* Walker,1856
 71454) *Carmenta engelhardtii* Duckworth & Eichlin,1973 (Sesiidae) Synonym(s): *engelhardtii* Duckworth & Eichlin,1973
 71455) *Carmenta erici* (Eichlin,1992) (Sesiidae) Synonym(s): *erici* Eichlin,1992
 71456) *Carmenta flaschkai* Eichlin,1993 (Sesiidae) Synonym(s): *flaschkai* Eichlin,1993
 71457) *Carmenta flavostrigata* (Le Cerf,1917) (Sesiidae) Synonym(s): *flavostrigata* Le Cerf,1917
 71458) *Carmenta foraseminis* Eichlin,1995 (Sesiidae) Synonym(s): *foraseminis* Eichlin,1995
 71459) *Carmenta fulvapyga* (Le Cerf,1911) (Sesiidae) Synonym(s): *fulvapyga* Le Cerf,1911
 71460) *Carmenta germaini* (Le Cerf,1911) (Sesiidae) Synonym(s): *germaini* Le Cerf,1911
 71461) *Carmenta giliae* (Edwards,1881) (Sesiidae) Synonym(s): *giliae* Edwards,1881; *vitrina* Neumoegen,1891; *deceptiva* Beutenmüller,1894; *woodgatei* Engelhardt,1946
 71462) *Carmenta guatemalena* (Druce,1883) (Sesiidae) Synonym(s): *guatemalena* Druce,1883; *melini* Bryk,1953
 71463) *Carmenta guayaba* Eichlin,2003 (Sesiidae) Synonym(s): *guayaba* Eichlin,2003
 71464) *Carmenta guyanensis* (Le Cerf,1917) (Sesiidae) Synonym(s): *guyanensis* Le Cerf,1917; *clara* Le Cerf,1917
 71465) *Carmenta haematica* (Ureta,1956) (Sesiidae) Synonym(s): *haematica* Ureta,1956
 71466) *Carmenta heinrichi* (Schade,1938) (Sesiidae) Synonym(s): *heinrichi* Schade,1938
 71467) *Carmenta hipsides* (Druce,1889) (Sesiidae) Synonym(s): *hipsides* Druce,1889
 71468) *Carmenta infuscata* (Le Cerf,1911) (Sesiidae) Synonym(s): *infuscata* Le Cerf,1911
 71469) *Carmenta ischniformis* (Walker,1856) (Sesiidae) Synonym(s): *ischniformis* Walker,1856
 71470) *Carmenta ithacae* (Beutenmüller,1897) (Sesiidae) Synonym(s): *ithacae* Beutenmüller,1897
 71471) *Carmenta laeta* (Walker,1856) (Sesiidae) Synonym(s): *laeta* Walker,1856
 71472) *Carmenta laticraspedontis* (Zukowsky,1936) (Sesiidae) Synonym(s): *laticraspedontis* Zukowsky,1936
 71473) *Carmenta laurelae* Brown, Eichlin & Snow,1985 (Sesiidae) Synonym(s): *laurelae* Brown, Eichlin & Snow,1985
 71474) *Carmenta leptosoma* Eichlin,2002 (Sesiidae) Synonym(s): *leptosoma* Eichlin,2002
 71475) *Carmenta lytaea* (Druce,1884) (Sesiidae) Synonym(s): *lytaea* Druce,1884
 71476) *Carmenta macropyga* (Le Cerf,1911) (Sesiidae) Synonym(s): *macropyga* Le Cerf,1911
 71477) *Carmenta maenonia* (Druce,1889) (Sesiidae) Synonym(s): *maenonia* Druce,1889
 71478) *Carmenta manilia* (Le Cerf,1916) (Sesiidae) Synonym(s): *manilia* Le Cerf,1916
 71479) *Carmenta mariona* (Beutenmüller,1900) (Sesiidae) Synonym(s): *mariona* Beutenmüller,1900
 71480) *Carmenta mimosa* Eichlin & Passoa,1984 (Sesiidae) Synonym(s): *mimosa* Eichlin & Passoa,1984
 71481) *Carmenta mimuli* (Edwards,1881) (Sesiidae) Synonym(s): *mimuli* Edwards,1881; *torrancia* Engelhardt,1946
 71482) *Carmenta minima* (Le Cerf,1916) (Sesiidae) Synonym(s): *minima* Le Cerf,1916
 71483) *Carmenta munroeii* Eichlin,2003 (Sesiidae) Synonym(s): *munroeii* Eichlin,2003
 71484) *Carmenta mydaides* (Ureta,1956) (Sesiidae) Synonym(s): *mydaides* Ureta,1956
 71485) *Carmenta odda* Duckworth & Eichlin,1977 (Sesiidae) Synonym(s): *odda* Duckworth & Eichlin,1977
 71486) *Carmenta ogalala* Engelhardt,1946 (Sesiidae) Synonym(s): *ogalala* Engelhardt,1946
 71487) *Carmenta pallene* (Druce,1889) (Sesiidae) Synonym(s): *pallene* Druce,1889
 71488) *Carmenta panisciformis* (Walker,1856) (Sesiidae) Synonym(s): *panisciformis* Walker,1856
 71489) *Carmenta panurgiformis* (Walker,1856) (Sesiidae) Synonym(s): *panurgiformis* Walker,1856
 71490) *Carmenta phoradendri* Engelhardt,1946 (Sesiidae) Synonym(s): *phoradendri* Engelhardt,1946
 71491) *Carmenta phyllis* (Druce,1884) (Sesiidae) Synonym(s): *phyllis* Druce,1884
 71492) *Carmenta pittheis* (Druce,1884) (Sesiidae) Synonym(s): *pittheis* Druce,1884
 71493) *Carmenta plaumanni* Eichlin,2002 (Sesiidae) Synonym(s): *plaumanni* Eichlin,2002
 71494) *Carmenta plectisciformis* (Walker,1856) (Sesiidae) Synonym(s): *plectisciformis* Walker,1856
 71495) *Carmenta porizoniformis* (Walker,1856) (Sesiidae) Synonym(s): *porizoniformis* Walker,1856
 71496) *Carmenta producta* (Walker,[1865]) (Sesiidae) Synonym(s): *producta* Walker,[1865]
 71497) *Carmenta psoropis* (Edwards,1882) (Sesiidae) Synonym(s): *psoropis* Edwards,1882
 71498) *Carmenta pyralidiformis* (Walker,1856) (Sesiidae) Synonym(s): *pyralidiformis* Walker,1856; *nigella* Hulst,1881; *aurantis* Engelhardt,1946
 71499) *Carmenta pyrosoma* (Meyrick,1918) (Sesiidae) Synonym(s): *pyrosoma* Meyrick,1918
 71500) *Carmenta querci* (Edwards,1882) (Sesiidae) Synonym(s): *querci* Edwards,1882; *comes* Heinrich,1921
 71501) *Carmenta rubricincta* (Beutenmüller,1909) (Sesiidae) Synonym(s): *rubricincta* Beutenmüller,1909
 71502) *Carmenta ruficaudis* (Walker,[1865]) (Sesiidae) Synonym(s): *ruficaudis* Walker,[1865]
 71503) *Carmenta splendens* Eichlin,2002 (Sesiidae) Synonym(s): *splendens* Eichlin,2002
 71504) *Carmenta subaerea* (Edwards,1883) (Sesiidae) Synonym(s): *subaerea* Edwards,1883
 71505) *Carmenta suffusata* Engelhardt,1946 (Sesiidae) Synonym(s): *suffusata* Engelhardt,1946
 71506) *Carmenta surinamensis* (Möschler,1878) (Sesiidae) Synonym(s): *surinamensis* Möschler,1878; *corporalis* Meyrick,1930
 71507) *Carmenta tecta* (Edwards,1882) (Sesiidae) Synonym(s): *tecta* Edwards,1882
 71508) *Carmenta teleta* (Le Cerf,1916) (Sesiidae) Synonym(s): *teleta* Le Cerf,1916
 71509) *Carmenta texana* (Edwards,1881) (Sesiidae) Synonym(s): *texana* Edwards,1881; *wittfeldii* Edwards,1883

- 71510) *Carmenta theobromae* (Busck,1910) (Sesiidae) Synonym(s): *theobromae* Busck,1910
 71511) *Carmenta tildeni* Eichlin,1995 (Sesiidae) Synonym(s): *tildeni* Eichlin,1995
 71512) *Carmenta tucumana* (Le Cerf,1911) (Sesiidae) Synonym(s): *tucumana* Le Cerf,1911
 71513) *Carmenta unicolor* (Walker,[1865]) (Sesiidae) Synonym(s): *unicolor* Walker,[1865]
 71514) *Carmenta verecunda* (Edwards,1881) (Sesiidae) Synonym(s): *verecunda* Edwards,1881; *nigra* Beutenmüller,1894; *florissantella* Cockerell,1908; *hirsuta* Engelhardt,1946
 71515) *Carmenta votaria* (Meyrick,1921) (Sesiidae) Synonym(s): *votaria* Meyrick,1921
 71516) *Carmenta wagneri* (Le Cerf,1911) (Sesiidae) Synonym(s): *wagneri* Le Cerf,1911
 71517) *Carmenta welchellorum* Duckworth & Eichlin,1977 (Sesiidae) Synonym(s): *welchellorum* Duckworth & Eichlin,1977
 71518) *Carmenta wellerae* Duckworth & Eichlin,1976 (Sesiidae) Synonym(s): *wellerae* Duckworth & Eichlin,1976
 71519) *Carmenta whitelyi* (Druce,1899) (Sesiidae) Synonym(s): *whitelyi* Druce,1899
 71520) *Carmenta wielgusi* Eichlin,1987 (Sesiidae) Synonym(s): *wielgusi* Eichlin,1987
 71521) *Carmenta xanthomelanina* (Zukowsky,1936) (Sesiidae) Synonym(s): *xanthomelanina* Zukowsky,1936
 71522) *Carmentocorema xanthoneura* (Zukowsky,1936) (Sesiidae) Synonym(s): *xanthoneura* Zukowsky,1936
 71523) *Ceratocorema antiphanopa* (Meyrick,1927) (Sesiidae) Synonym(s): *antiphanopa* Meyrick,1927
 71524) *Ceratocorema cymbalistis* (Meyrick,1926) (Sesiidae) Synonym(s): *cymbalistis* Meyrick,1926
 71525) *Ceratocorema hyalinum* Kallies & Arita,2001 (Sesiidae) Synonym(s): *hyalinum* Kallies & Arita,2001
 71526) *Ceratocorema mesatma* (Meyrick,1926) (Sesiidae) Synonym(s): *mesatma* Meyrick,1926
 71527) *Ceratocorema postcristatum* Hampson,[1893] (Sesiidae) Synonym(s): *postcristatum* Hampson,[1893]
 71528) *Ceratocorema semihyalinum* (Hampson,1919) (Sesiidae) Synonym(s): *semihyalina* Hampson,1919
 71529) *Ceratocorema yoshiyasui* Kallies & Arita,2001 (Sesiidae) Synonym(s): *yoshiyasui* Kallies & Arita,2001
 71530) *Chamaesphesia adelpha* Le Cerf,1938 (Sesiidae) Synonym(s): *adelpha* Le Cerf,1938
 71531) *Chamaesphesia aerifrons* (Zeller,1847) (Sesiidae) Synonym(s): *aerifrons* Zeller,1847
 71532) *Chamaesphesia albiventris* Lederer,1853 (Sesiidae) Synonym(s): *albiventris* Lederer,1853
 71533) *Chamaesphesia alysoniformis* (Herrich-Schäffer,1846) (Sesiidae) Synonym(s): *alysoniformis* Herrich-Schäffer,1846
 71534) *Chamaesphesia amygdaloidis* Schleppnik,1933 (Sesiidae) Synonym(s): *amygdaloidis* Schleppnik,1933
 71535) *Chamaesphesia anatolica* Schwingenschuss,1938 (Sesiidae) Synonym(s): *anatolica* Schwingenschuss,1938
 71536) *Chamaesphesia annellata* (Zeller,1847) (Sesiidae) Synonym(s): *annellata* Zeller,1847; *ceriaeformis* Lederer,1853 nec Luc.,1849; *muscinaeformis* Walker,1856; *ceriiformis* Staudinger,1856; *clermonti* Le Cerf,1914
 71537) *Chamaesphesia anthracias* Le Cerf,1937 (Sesiidae) Synonym(s): *anthracias* Le Cerf,1937
 71538) *Chamaesphesia anthraciformis* (Rambur,1832) (Sesiidae) Synonym(s): *anthraciformis* Rambur,1832; *agriliformis* Walker,1856; *joppiformis* Staudinger,1856
 71539) *Chamaesphesia anthrax* Le Cerf,1916 (Sesiidae) Synonym(s): *anthrax* Le Cerf,1916
 71540) *Chamaesphesia astatifomis* (Herrich-Schäffer,1846) (Sesiidae) Synonym(s): *astatifomis* Herrich-Schäffer,1846
 71541) *Chamaesphesia aurifera* (Romanoff,1885) (Sesiidae) Synonym(s): *aurifera* Romanoff,1885
 71542) *Chamaesphesia azonos* (Lederer,1855) (Sesiidae) Synonym(s): *azonos* Lederer,1855
 71543) *Chamaesphesia bibioniformis* (Esper,[1800]) (Sesiidae) Synonym(s): *bibioniformis* Esper,[1800]; *tengyraeformis* Boisduval,1840; *tengiriformis* Rambur,1866; *myrsinites* Pinker,1954
 71544) *Chamaesphesia chalciformis* (Esper,[1804]) (Sesiidae) Synonym(s): *chalciformis* Esper,[1804]
 71545) *Chamaesphesia colpiformis* (Staudinger,1856) (Sesiidae) Synonym(s): *colpiformis* Staudinger,1856
 71546) *Chamaesphesia crassicornis* Bartel,1913 (Sesiidae) Synonym(s): *crassicornis* Bartel,1913
 71547) *Chamaesphesia diabarensis* Gorbunov,1987 (Sesiidae) Synonym(s): *diabarensis* Gorbunov,1987
 71548) *Chamaesphesia doleriformis* (Herrich-Schäffer,1846) (Sesiidae) Synonym(s): *doleriformis* Herrich-Schäffer,1846
 71549) *Chamaesphesia doryceraeformis* (Lederer,1853) (Sesiidae) Synonym(s): *doryceraeformis* Lederer,1853
 71550) *Chamaesphesia dumonti* Le Cerf,1922 (Sesiidae) Synonym(s): *dumonti* Le Cerf,1922; *similis* Lastuvka,1983
 71551) *Chamaesphesia elampiformis* (Herrich-Schäffer,1851) (Sesiidae) Synonym(s): *elampiformis* Herrich-Schäffer,1851
 71552) *Chamaesphesia elampiformis mandana* (Le Cerf,1938) (Sesiidae) Synonym(s): *mandana* Le Cerf,1938
 71553) *Chamaesphesia empiformis* (Esper,[1783]) (Sesiidae) Synonym(s): *empiformis* Esper,[1783]; *bombyciformis* Fourcroy,1785; *empinaeformis* Walker,1856
 71554) *Chamaesphesia euceraeformis* (Ochsenheimer,1816) (Sesiidae) Synonym(s): *euceraeformis* Ochsenheimer,1816; *stelidiformis* Freyer,1836; *#misoleptiformis* Herrich-Schäffer,1846; *unicincta* Herrich-Schäffer,1851; *herrickii* Staudinger,1856; *euceriformis* Staudinger,1856
 71555) *Chamaesphesia foeniformis* (Herrich-Schäffer,1846) (Sesiidae) Synonym(s): *foeniformis* Herrich-Schäffer,1846; *oryssiformis* Herrich-Schäffer,1846; *phoeniformis* Failla-Teddaldi,1883; *lahayei* Oberthür,1888; *seizi* Püngeler,1905; *suprema* Oberthür,1907; *louisae* Le Cerf,1915; *phoenix* Le Cerf,1925; *major* Rothschild,1925; *reisseri* Capuse,1973
 71556) *Chamaesphesia fredii* Le Cerf,1938 (Sesiidae) Synonym(s): *fredii* Le Cerf,1938
 71557) *Chamaesphesia gorbunovi* K.Spatenka,1992 (Sesiidae) Synonym(s): *gorbunovi* K.Spatenka,1992
 71558) *Chamaesphesia guriensis* (Emich,1872) (Sesiidae) Synonym(s): *guriensis* Emich,1872
 71559) *Chamaesphesia haberhaueri* (Staudinger,1878) (Sesiidae) Synonym(s): *haberhaueri* Staudinger,1878
 71560) *Chamaesphesia hungarica* (Tomala,1901) (Sesiidae) Synonym(s): *hungarica* Tomala,1901; *deltaica* Popescu-Gorj & Capuse,1965
 71561) *Chamaesphesia inexpectata* (Le Cerf,1938) (Sesiidae) Synonym(s): *inexpectata* Le Cerf,1938
 71562) *Chamaesphesia infernalis* Sheljuzhko,1935 (Sesiidae) Synonym(s): *infernalis* Sheljuzhko,1935
 71563) *Chamaesphesia iranica* Le Cerf,1937 (Sesiidae) Synonym(s): *iranica* Le Cerf,1937; *bagandara* Gorbunov,1995
 71564) *Chamaesphesia jitkae* K.Spatenka,1987 (Sesiidae) Synonym(s): *jitkae* K.Spatenka,1987
 71565) *Chamaesphesia keli* Kallies & K.Spatenka,2003 (Sesiidae) Synonym(s): *keli* Kallies & K.Spatenka,2003
 71566) *Chamaesphesia kistenjovi* Gorbunov,1991 (Sesiidae) Synonym(s): *kistenjovi* Gorbunov,1991
 71567) *Chamaesphesia koshantschikovi* Püngeler,1915 (Sesiidae) Synonym(s): *koshantschikovi* Püngeler,1915
 71568) *Chamaesphesia lastuvkai* Spatenka,1987 (Sesiidae) Synonym(s): *lastuvkai* Spatenka,1987
 71569) *Chamaesphesia leucocnemis* Le Cerf,1938 (Sesiidae) Synonym(s): *leucocnemis* Le Cerf,1938
 71570) *Chamaesphesia leucoparea* (Lederer,1871) (Sesiidae) Synonym(s): *leucoparea* Lederer,1871
 71571) *Chamaesphesia leucopsiformis* (Esper,1800) (Sesiidae) Synonym(s): *leucopsiformis* Esper,1800; *foenusaefomis* Heydenreich,1851; *leucopsidiformis* Lederer,1853
 71572) *Chamaesphesia masariformis* (Ochsenheimer,1808) (Sesiidae) Synonym(s): *masariformis* Ochsenheimer,1808; *banchiformis* Hübner,[1813]; *allantiformis* Eversmann,1844 nec Newm.,1832; *loewii* Zeller,1847; *brandti* Le Cerf,1937; *djakonovi* Popescu-Gorj & Capuse,1966
 71573) *Chamaesphesia mezentzevi* Gorbunov,1989 (Sesiidae) Synonym(s): *mezentzevi* Gorbunov,1989
 71574) *Chamaesphesia minor* (Staudinger,1856) (Sesiidae) Synonym(s): *minor* Staudinger,1856
 71575) *Chamaesphesia mirza* Le Cerf,1938 (Sesiidae) Synonym(s): *mirza* Le Cerf,1938
 71576) *Chamaesphesia morosa* Le Cerf,1937 (Sesiidae) Synonym(s): *morosa* Le Cerf,1937
 71577) *Chamaesphesia mutilata* (Staudinger,1887) (Sesiidae) Synonym(s): *mutilata* Staudinger,1887; *duplex* Staudinger,1889; *chorogi* Sheljuzhko,1943
 71578) *Chamaesphesia mysiniiformis* (Boisduval,1840) (Sesiidae) Synonym(s): *mysiniiformis* Boisduval,1840; *boisduvali* Bartel,1912; *rondauana* Le Cerf,1922
 71579) *Chamaesphesia nigrifrons* (Le Cerf,1911) (Sesiidae) Synonym(s): *nigrifrons* Le Cerf,1911; *sevenari* Liphay,1961; *#schmidtii* Liphay,1961
 71580) *Chamaesphesia obratzsovi* Sheljuzhko,1943 (Sesiidae) Synonym(s): *obratzsovi* Sheljuzhko,1943
 71581) *Chamaesphesia obratzsovi obermajeri* K.Spatenka,1992 (Sesiidae) Synonym(s): *obermajeri* K.Spatenka,1992
 71582) *Chamaesphesia obratzsovi obratzsovi* Sheljuzhko,1943 (Sesiidae) Synonym(s): *obratzsovi* Sheljuzhko,1943
 71583) *Chamaesphesia odyneriformis* (Herrich-Schäffer,1846) (Sesiidae) Synonym(s): *odyneriformis* Herrich-Schäffer,1846
 71584) *Chamaesphesia ophimontana* Gorbunov,1991 (Sesiidae) Synonym(s): *ophimontana* Gorbunov,1991
 71585) *Chamaesphesia osmiaefomis* (Herrich-Schäffer,1848) (Sesiidae) Synonym(s): *stelidiformis* Zeller,1847 nec Frr.,1836; *osmiaefomis* Herrich-Schäffer,1848; *zelleri* Lederer,1853; *osmiiformis* Staudinger,1856; *floricola* Oberthür,1881; *agnes* Oberthür,1890
 71586) *Chamaesphesia oxybeliformis* (Herrich-Schäffer,1846) (Sesiidae) Synonym(s): *oxybeliformis* Herrich-Schäffer,1846
 71587) *Chamaesphesia palustris* Kautz,1927 (Sesiidae) Synonym(s): *palustris* Kautz,1927
 71588) *Chamaesphesia proximata* (Staudinger,1871) (Sesiidae) Synonym(s): *proximata* Staudinger,1871; *moreau* Le Cerf,1911; *gravesi* Rebel,1927

- 71589) *Chamaesphecia ramburi* (Staudinger,1866) (Sesiidae) Synonym(s): *ramburi* Staudinger,1866; *colpiformis* auct.
71590) *Chamaesphecia regula* (Staudinger,1891) (Sesiidae) Synonym(s): *regula* Staudinger,1891
71591) *Chamaesphecia ruficoronata* Kallies, Petersen & Riefenstahl,1998 (Sesiidae) Synonym(s): *ruficoronata* Kallies, Petersen & Riefenstahl,1998
71592) *Chamaesphecia schizoceriformis* (Kolenati,1846) (Sesiidae) Synonym(s): *schizoceriformis* Kolenati,1846
71593) *Chamaesphecia schmidtiformis* (Freyer,1836) (Sesiidae) Synonym(s): *schmidtiformis* Freyer,1836
71594) *Chamaesphecia schroederi* (Sesiidae) Synonym(s):
71595) *Chamaesphecia schwingenschussi* (Le Cerf,1937) (Sesiidae) Synonym(s): *schwingenschussi* Le Cerf,1937
71596) *Chamaesphecia sefid* Le Cerf,1938 (Sesiidae) Synonym(s): *sefid* Le Cerf,1938; *modica* Le Cerf,1938; *vanensis* Gorbunov,2001
71597) *Chamaesphecia sogdianica* K.Spatenka,1987 (Sesiidae) Synonym(s): *sogdianica* K.Spatenka,1987
71598) *Chamaesphecia staudingeri* (Failla-Tedaldi,1890) (Sesiidae) Synonym(s): *staudingeri* Failla-Tedaldi,1890
71599) *Chamaesphecia tahira* Kallies & Petersen,1995 (Sesiidae) Synonym(s): *tahira* Kallies & Petersen,1995
71600) *Chamaesphecia tenthrediniformis* ([Denis & Schiffermüller],1775) (Sesiidae) Synonym(s): *tenthrediniformis* [Denis & Schiffermüller],1775; *taediiformis* Freyer,1836
71601) *Chamaesphecia thomyris* Le Cerf,1938 (Sesiidae) Synonym(s): *thomyris* Le Cerf,1938
71602) *Chamaesphecia thracica* Z.Lastuvka,1983 (Sesiidae) Synonym(s): *thracica* Z.Lastuvka,1983
71603) *Chamaesphecia turbida* Le Cerf,1937 (Sesiidae) Synonym(s): *turbida* Le Cerf,1937
71604) *Chamaesphecia xantho* Le Cerf,1937 (Sesiidae) Synonym(s): *xantho* Le Cerf,1937
71605) *Chamaesphecia xanthosticta* (Hampson,1893) (Sesiidae) Synonym(s): *xanthosticta* Hampson,1893
71606) *Chamaesphecia zarathustra* Gorbunov & K.Spatenka,1992 (Sesiidae) Synonym(s): *zarathustra* Gorbunov & K.Spatenka,1992
71607) *Chamaesphecia zimmermanni* (Lederer,1872) (Sesiidae) Synonym(s): *zimmermanni* Lederer,1872
71608) *Chamanthodon chalypsa* Hampson,1919 (Sesiidae) Synonym(s): *chalypsa* Hampson,1919
71609) *Chamanthodon crithis* (Druce,1899) (Sesiidae) Synonym(s): *crithis* Druce,1899
71610) *Chamanthodon elymais* (Druce,1899) (Sesiidae) Synonym(s): *elymais* Druce,1899
71611) *Chamanthodon heliostoma* Meyrick,1926 (Sesiidae) Synonym(s): *heliostoma* Meyrick,1926
71612) *Chamanthodon hilariformis* (Walker,1856) (Sesiidae) Synonym(s): *hilariformis* Walker,1856
71613) *Chamanthodon leucopleura* (Hampson,1919) (Sesiidae) Synonym(s): *leucopleura* Hampson,1919
71614) *Chamanthodon ochracea* (Walker,1856) (Sesiidae) Synonym(s): *ochracea* Walker,1856
71615) *Chamanthodon tapeina* Hampson,1919 (Sesiidae) Synonym(s): *tapeina* Hampson,1919
71616) *Chamanthodon tioresa* (Druce,1899) (Sesiidae) Synonym(s): *tioresa* Druce,1899
71617) *Chamanthodon xanthopasta* Hampson,1919 (Sesiidae) Synonym(s): *xanthopasta* Hampson,1919
71618) *Crinipus leucozonipus* Hampson,1896 (Sesiidae) Synonym(s): *leucozonipus* Hampson,1896
71619) *Cyanosesia borneensis* Kallies,2003 (Sesiidae) Synonym(s): *borneensis* Kallies,2003
71620) *Cyanosesia cyanolampra* (Diakonoff,1968) (Sesiidae) Synonym(s): *cyanolampra* Diakonoff,1968
71621) *Cyanosesia meyi* Kallies & Arita,1998 (Sesiidae) Synonym(s): *meyi* Kallies & Arita,1998
71622) *Cyanosesia pelocroca* (Diakonoff,1968) (Sesiidae) Synonym(s): *pelocroca* Diakonoff,1968
71623) *Cyanosesia philippina* Gorbunov & Kallies,1998 (Sesiidae) Synonym(s): *philippina* Gorbunov & Kallies,1998
71624) *Cyanosesia tonkinensis* Gorbunov & Arita,1995 (Sesiidae) Synonym(s): *tonkinensis* Gorbunov & Arita,1995
71625) *Cyanosesia treadawayi* Kallies & Arita,1998 (Sesiidae) Synonym(s): *treadawayi* Kallies & Arita,1998
71626) *Cyanosesia vietnamica* Gorbunov & Arita,1995 (Sesiidae) Synonym(s): *vietnamica* Gorbunov & Arita,1995
71627) *Diphaspecia altaica* Gorbunov,1991 (Sesiidae) Synonym(s): *altaica* Gorbunov,1991
71628) *Diphaspecia consobrina* (Le Cerf,1938) (Sesiidae) Synonym(s): *consobrina* Le Cerf,1938
71629) *Diphaspecia intermedia* K.Spatenka,1997 (Sesiidae) Synonym(s): *intermedia* K.Spatenka,1997
71630) *Diphaspecia kopica* Gorbunov & Spatenka,2001 (Sesiidae) Synonym(s): *kopica* Gorbunov & Spatenka,2001
71631) *Diphaspecia krocha* Gorbunov,1991 (Sesiidae) Synonym(s): *krocha* Gorbunov,1991
71632) *Diphaspecia lanipes* (Lederer,1863) (Sesiidae) Synonym(s): *lanipes* Lederer,1863
71633) *Diphaspecia ljustiae* Gorbunov,1991 (Sesiidae) Synonym(s): *ljustiae* Gorbunov,1991
71634) *Diphaspecia naumanni* Gorbunov,1991 (Sesiidae) Synonym(s): *naumanni* Gorbunov,1991
71635) *Diphaspecia nigra* Gorbunov,1991 (Sesiidae) Synonym(s): *nigra* Gorbunov,1991
71636) *Diphaspecia pudorina* (Staudinger,1883) (Sesiidae) Synonym(s): *pudorina* Staudinger,1883
71637) *Diphaspecia rhodocnemis* Gorbunov,1991 (Sesiidae) Synonym(s): *rhodocnemis* Gorbunov,1991
71638) *Diphaspecia roseiventris* (Bartel,1913) (Sesiidae) Synonym(s): *roseiventris* Bartel,1913
71639) *Diphaspecia sertavula* Bartsch & Spatenka,2002 (Sesiidae) Synonym(s): *sertavula* Bartsch & Spatenka,2002
71640) *Diphaspecia turkmena* Gorbunov,1994 (Sesiidae) Synonym(s): *turkmena* Gorbunov,1994
71641) *Echidnathia viridifasciata* (Hampson,1910) (Sesiidae) Synonym(s): *viridifasciata* Hampson,1910; *viridifascia* Dalla-Torre,1925
71642) *Echidnathia vitrifasciata* (Hampson,1900) (Sesiidae) Synonym(s): *vitrifasciata* Hampson,1900
71643) *Eristmatica erythropis* Meyrick,1933 (Sesiidae) Synonym(s): *erythropis* Meyrick,1933
71644) *Euhagena paralariformis* (Lederer,1858) (Sesiidae) Synonym(s): *paralariformis* Lederer,1858; *diocetriiformis* Romanoff,1884; *rubescens* Staudinger,1887; *almara* Rebel,1917
71645) *Euhagena paralariformis* nazir (Le Cerf,1938) (Sesiidae) Synonym(s): *nazir* Le Cerf,1938; *#rubefacta* Le Cerf,1938
71646) *Grypopalpia iridescens* Hampson,1919 (Sesiidae) Synonym(s): *iridescens* Hampson,1919
71647) *Homogyna endopyra* (Hampson,1910) (Sesiidae) Synonym(s): *endopyra* Hampson,1910
71648) *Homogyna ignivittata* Hampson,1919 (Sesiidae) Synonym(s): *ignivittata* Hampson,1919
71649) *Homogyna pyrophora* Hampson,1919 (Sesiidae) Synonym(s): *pyrophora* Hampson,1919
71650) *Homogyna sanguicosta* Hampson,1919 (Sesiidae) Synonym(s): *sanguicosta* Hampson,1919
71651) *Homogyna xanthophora* (Hampson,1910) (Sesiidae) Synonym(s): *xanthophora* Hampson,1910
71652) *Hypanthodon marisa* (Druce,1899) (Sesiidae) Synonym(s): *marisa* Druce,1899
71653) *Isothamnis inclemens* (Meyrick,1928) (Sesiidae) Synonym(s): *inclemens* Meyrick,1928
71654) *Lamellisphesia champensis* Kallies & Arita,2004 (Sesiidae) Synonym(s): *champensis* Kallies & Arita,2004
71655) *Lamellisphesia haematinea* Kallies & Arita,2004 (Sesiidae) Synonym(s): *haematinea* Kallies & Arita,2004
71656) *Lamellisphesia wiangensis* Kallies & Arita,2004 (Sesiidae) Synonym(s): *wiangensis* Kallies & Arita,2004
71657) *Lenyra ashtaroth* (Westwood,1848) (Sesiidae) Synonym(s): *ashtaroth* Westwood,1848; *tonkiniana* Le Cerf,1927; *naumanni* Arita,1989
71658) *Lenyra simonyi* (Rebel,1899) (Sesiidae) Synonym(s): *simonyi* Rebel,1899; *gephyra* Gaede,1933
71659) *Macrotarsipus africanus* (Beutenmüller,1899) (Sesiidae) Synonym(s): *africanus* Beutenmüller,1899; *belia* Druce,1910
71660) *Macrotarsipus albiguttatus* Hampson,[1893] (Sesiidae) Synonym(s): *albiguttatus* Hampson,[1893]
71661) *Macrotarsipus lioscelis* Meyrick,1935 (Sesiidae) Synonym(s): *lioscelis* Meyrick,1935
71662) *Macrotarsipus microthyris* Hampson,1919 (Sesiidae) Synonym(s): *microthyris* Hampson,1919
71663) *Macrotarsipus similis* Arita & Gorbunov,1995 (Sesiidae) Synonym(s): *similis* Arita & Gorbunov,1995
71664) *Melittia amboinensis* Felder,1861 (Sesiidae) Synonym(s): *amboinensis* Felder,1861; *batchiana* Le Cerf,1917
71665) *Melittia aureosquamata* (Wallengren,1863) (Sesiidae) Synonym(s): *aureosquamata* Wallengren,1863; *houlberti* Le Cerf,1917
71666) *Melittia aurociliata* (Aurivillius,1879) (Sesiidae) Synonym(s): *aurociliata* Aurivillius,1879
71667) *Melittia bella* Arita & Gorbunov,1996 (Sesiidae) Synonym(s): *bella* Arita & Gorbunov,1996
71668) *Melittia bombiliformis* (Cramer,[1782]) (Sesiidae) Synonym(s): *bombiliformis* Cramer,[1782]; *bombyliformis* Cramer,[1782]; *chalciformis* Fabricius,1793; *anthedoniformis* Hübner,[1819]; *bombylipennis* Boisduval,[1875]; *arrecta* Meyrick,1918
71669) *Melittia bouleti* Le Cerf,1917 (Sesiidae) Synonym(s): *bouleti* Le Cerf,1917
71670) *Melittia burmana* Le Cerf,1916 (Sesiidae) Synonym(s): *burmana* Le Cerf,1916
71671) *Melittia ectothyris* Hampson,1919 (Sesiidae) Synonym(s): *ectothyris* Hampson,1919
71672) *Melittia haematopis* Fawcett,1916 (Sesiidae) Synonym(s): *haematopis* Fawcett,1916
71673) *Melittia khmer* Le Cerf,1917 (Sesiidae) Synonym(s): *khmer* Le Cerf,1917; *chmer* Hampson,1919
71674) *Melittia laniremis* (Wallengren,1858) (Sesiidae) Synonym(s): *laniremis* Wallengren,1858
71675) *Melittia lentistriata* Hampson,1919 (Sesiidae) Synonym(s): *lentistriata* Hampson,1919

- 71676) *Melittia luzonica* Gorbunov & Arita, 1996 (Sesiidae) Synonym(s): *luzonica* Gorbunov & Arita, 1996
 71677) *Melittia natalensis* Butler, 1874 (Sesiidae) Synonym(s): *natalensis* Butler, 1874
 71678) *Melittia nepalensis* Gorbunov & Arita, 1999 (Sesiidae) Synonym(s): *nepalensis* Gorbunov & Arita, 1999
 71679) *Melittia nepcha* (Moore, 1879) (Sesiidae) Synonym(s): *nepcha* Moore, 1879; *asiatica* Le Cerf, 1917; *vietnamica* Gorbunov, 1988
 71680) *Melittia occidentalis* Le Cerf, 1917 (Sesiidae) Synonym(s): *occidentalis* Le Cerf, 1917
 71681) *Melittia oedipus* Oberthür, 1878 (Sesiidae) Synonym(s): *oedipus* Oberthür, 1878; *ignidiscata* Hampson, 1910; *oedipoides* Strand, 1912; *#oedippus* Le Cerf, 1917
 71682) *Melittia pyropis* Hampson, 1919 (Sesiidae) Synonym(s): *pyropis* Hampson, 1919
 71683) *Melittia rufodorsa* Hampson, 1910 (Sesiidae) Synonym(s): *rufodorsa* Hampson, 1910
 71684) *Melittia siamica* Walker, [1865] (Sesiidae) Synonym(s): *siamica* Walker, [1865]
 71685) *Melittia ursipes* Walker, 1856 (Sesiidae) Synonym(s): *ursipes* Walker, 1856; *hirtipes* Boisduval, 1875
 71686) *Monopetalotaxis candescens* (Felder, 1874) (Sesiidae) Synonym(s): *candescens* Felder, 1874
 71687) *Monopetalotaxis doleriformis* (Walker, 1856) (Sesiidae) Synonym(s): *doleriformis* Walker, 1856; *wahlbergi* Wallengren, 1858; *taylori* Druce, 1899
 71688) *Monopetalotaxis pyrocraspis* (Hampson, 1910) (Sesiidae) Synonym(s): *pyrocraspis* Hampson, 1910
 71689) *Osminia fenusaeformis* (Herrich-Schäffer, 1852) (Sesiidae) Synonym(s): *fenusaeformis* Herrich-Schäffer, 1852; *fenusiformis* Staudinger, 1856
 71690) *Paradoxecia croconeura* (Meyrick, 1926) (Sesiidae) Synonym(s): *croconeura* Meyrick, 1926
 71691) *Paradoxecia gravis* (Walker, [1865]) (Sesiidae) Synonym(s): *gravis* Walker, [1865]
 71692) *Paradoxecia pili* Lieu, 1935 (Sesiidae) Synonym(s): *pili* Lieu, 1935
 71693) *Paranthrene diaphana* Dalla-Torre & Strand, 1925 (Sesiidae) Synonym(s): *diaphana* Dalla-Torre & Strand, 1925
 71694) *Paranthrene insolita* Le Cerf, 1914 (Sesiidae) Synonym(s): *insolita* Le Cerf, 1914; *aurantiacum* Rebel, 1917.
 71695) *Paranthrene insolita hispanica* Spatenka & Lastuvka, 1997 (Sesiidae) Synonym(s): *hispanica* Spatenka & Lastuvka, 1997
 71696) *Paranthrene insolita insolita* Le Cerf, 1914 (Sesiidae) Synonym(s): *insolita* Le Cerf, 1914; *aurantiacum* Rebel, 1917.
 71697) *Paranthrene insolita mardina* Spatenka & Lastuvka, 1997 (Sesiidae) Synonym(s): *mardina* Spatenka & Lastuvka, 1997
 71698) *Paranthrene insolita polonica* Schnaider, 1939 (Sesiidae) Synonym(s): *polonica* Schnaider, 1939; *novaki* Tosevski, 1987.
 71699) *Paranthrene mesothyris* Hampson, 1919 (Sesiidae) Synonym(s): *mesothyris* Hampson, 1919
 71700) *Paranthrene pygmaeum* Rebel, 1899 (Sesiidae) Synonym(s): *pygmaeum* Rebel, 1899
 71701) *Paranthrene pythes* (Druce, 1899) (Sesiidae) Synonym(s): *pythes* Druce, 1899
 71702) *Paranthrene sanguipennis* Meyrick, 1926 (Sesiidae) Synonym(s): *sanguipennis* Meyrick, 1926
 71703) *Paranthrene tabaniformis* (Rottemburg, 1775) (Sesiidae) Synonym(s): *tabaniformis* Rottemburg, 1775; *asiliformis* [Denis & Schiffermüller], 1775 nec Rott., 1775; *sesia* Gmelin, 1789; *rhingiaeformis* Hübner, 1790; *crabroniformis* Laspeyres, 1801 nec Fabr., 1793; *tricincta* Harris, 1839; *serratiformis* Freyer, 1842; *rhingiformis* Staudinger, 1856; *denotata* Edwards, 1882; *flammans* Hampson, 1893
 71704) *Paranthrene tabaniformis kungessana* (Alpheraky, 1882) (Sesiidae) Synonym(s): *kungessana* Alpheraky, 1882
 71705) *Paranthrene xanthopyga* Hampson, 1919 (Sesiidae) Synonym(s): *xanthopyga* Hampson, 1919
 71706) *Paranthrene xanthosoma* (Hampson, 1910) (Sesiidae) Synonym(s): *xanthosoma* Hampson, 1910
 71707) *Paranthrenopsis editha* (Butler, 1878) (Sesiidae) Synonym(s): *editha* Butler, 1878; *harmandi* Le Cerf, 1911.
 71708) *Paranthrenopsis pogonias* (Bryk, 1947) (Sesiidae) Synonym(s): *pogonias* Bryk, 1947
 71709) *Pennisetia bohemica* Králíček & Povolný, 1974 (Sesiidae) Synonym(s): *bohemica* Králíček & Povolný, 1974
 71710) *Pennisetia contracta* (Walker, 1856) (Sesiidae) Synonym(s): *contracta* Walker, 1856; *fixseni* Leech, 1889.
 71711) *Pennisetia eusphyra* (Turner, 1917) (Sesiidae) Synonym(s): *eusphyra* Turner, 1917
 71712) *Pennisetia hylaeiformis* (Laspeyres, 1801) (Sesiidae) Synonym(s): *hylaeiformis* Laspeyres, 1801; *anomala* Dehne, 1850.
 71713) *Pennisetia igniflua* (Lucas, 1894) (Sesiidae) Synonym(s): *igniflua* Lucas, 1894
 71714) *Pennisetia pectinata* (Staudinger, 1887) (Sesiidae) Synonym(s): *pectinata* Staudinger, 1887
 71715) *Pseudomelittia andraenipennis* (Walker, 1856) (Sesiidae) Synonym(s): *andraenipennis* Walker, 1856; *andraeniformis* Boisduval, 1874
 71716) *Pseudoesia albifrons* (Hampson, 1919) (Sesiidae) Synonym(s): *albifrons* Hampson, 1919
 71717) *Pseudoesia caeruleimicans* (Hampson, [1893]) (Sesiidae) Synonym(s): *caeruleimicans* Hampson, [1893]
 71718) *Pseudoesia canarensis* (Hampson, 1919) (Sesiidae) Synonym(s): *canarensis* Hampson, 1919
 71719) *Pseudoesia charlesi* (Le Cerf, 1916) (Sesiidae) Synonym(s): *charlesi* Le Cerf, 1916
 71720) *Pseudoesia croconeura* (Meyrick, 1926) (Sesiidae) Synonym(s): *croconeura* Meyrick, 1926
 71721) *Pseudoesia flavifrons* (Hampson, 1919) (Sesiidae) Synonym(s): *flavifrons* Hampson, 1919
 71722) *Pseudoesia grotei* Moore, 1879 (Sesiidae) Synonym(s): *grotei* Moore, 1879
 71723) *Pseudoesia insularis* C. Felder, 1861 (Sesiidae) Synonym(s): *insularis* C. Felder, 1861
 71724) *Pseudoesia isozona* (Meyrick, 1887) (Sesiidae) Synonym(s): *isozona* Meyrick, 1887
 71725) *Pseudoesia limpida* (Le Cerf, 1916) (Sesiidae) Synonym(s): *limpida* Le Cerf, 1916
 71726) *Pseudoesia oberthueri* (Le Cerf, 1916) (Sesiidae) Synonym(s): *oberthueri* Le Cerf, 1916; *terribile* Turner, 1917
 71727) *Pseudoesia opalescens* (Hampson, 1919) (Sesiidae) Synonym(s): *opalescens* Hampson, 1919
 71728) *Pseudoesia pentazonata* (Hampson, 1919) (Sesiidae) Synonym(s): *pentazonata* Hampson, 1919
 71729) *Pseudoesia productalis* (Walker, [1865]) (Sesiidae) Synonym(s): *productalis* Walker, [1865]
 71730) *Pseudoesia rangoonensis* (Swinhoe, 1890) (Sesiidae) Synonym(s): *rangoonensis* Swinhoe, 1890
 71731) *Pseudoesia zoniota* (Turner, 1922) (Sesiidae) Synonym(s): *zoniota* Turner, 1922
 71732) *Pyropterum atypica* Kallies & K. Spatenka, 2003 (Sesiidae) Synonym(s): *atypica* Kallies & K. Spatenka, 2003
 71733) *Pyropterum chrysidiformis* (Esper, [1782]) (Sesiidae) Synonym(s): *chrysidiformis* Esper, [1782]; *crabroniformis* Fabricius, 1793; *polistiformis* Boisduval, 1840; *chalcocnemis* Staudinger, 1856; *depuiseti* Sand, 1879; *rondoui* Siepi, 1909; *lecerfi* Oberthür, 1909; *joannis* Le Cerf, 1909; *castiliana* Le Cerf, 1922
 71734) *Pyropterum chrysoneura* (Püngeler, 1913) (Sesiidae) Synonym(s): *chrysoneura* Püngeler, 1913
 71735) *Pyropterum margiana* (Püngeler, 1913) (Sesiidae) Synonym(s): *margiana* Püngeler, 1913
 71736) *Pyropterum minianiformis* (Freyer, 1843) (Sesiidae) Synonym(s): *minianiformis* Freyer, 1843
 71737) *Pyropterum minianiformis destitutum* (Staudinger, 1894) (Sesiidae) Synonym(s): *destitutum* Staudinger, 1894
 71738) *Pyropterum reisseri* Capuse, 1973 (Sesiidae) Synonym(s): *reisseri* Capuse, 1973
 71739) *Pyropterum seitzii* (Püngeler, 1907) (Sesiidae) Synonym(s): *seitzii* Püngeler, 1907
 71740) *Pyropterum siculum* Le Cerf, 1922 (Sesiidae) Synonym(s): *sicula* Le Cerf, 1922
 71741) *Pyropterum triannuliformis* (Freyer, 1845) (Sesiidae) Synonym(s): *meriaeformis* Assmann, 1845 nec Bsd., 1840; *triannuliformis* Freyer, 1845; *braconiformis* Herrich-Schäffer, 1846; *philanthiformis* Lederer, 1853 nec Lasp., 1801; *armeniaca* Bartel, 1906; *balcanica* Zukowsky, 1929; *ljiljanae* Tosevski, 1986; *pungeleri* K. Spatenka, 1987
 71742) *Rectala asyiformis* Bryk, 1947 (Sesiidae) Synonym(s): *asyiformis* Bryk, 1947
 71743) *Scasiba difficilis* Kallies & Arita, 2004 (Sesiidae) Synonym(s): *difficilis* Kallies & Arita, 2004
 71744) *Scasiba sheni* (Arita & Xu, 1994) (Sesiidae) Synonym(s): *sheni* Arita & Xu, 1994; *caryavora* Xu, 1994
 71745) *Scasiba taikanensis* Matsumura, 1931 (Sesiidae) Synonym(s): *taikanensis* Matsumura, 1931
 71746) *Scasiba tenuimarginata* (Hampson, 1893) (Sesiidae) Synonym(s): *tenuimarginata* Hampson, 1893
 71747) *Sesia apiformis* (Clerck, 1759) (Sesiidae) Synonym(s): *#apiformis* Clerck, 1759; *crabroniformis* [Denis & Schiffermüller], 1775; *sireciformis* Esper, 1782; *tenebrioniformis* Esper, 1782; *vespa* Retzius, 1783
 71748) *Sesia bembeciformis* (Hübner, [1806]) (Sesiidae) Synonym(s): *bembeciformis* Hübner, [1806]; *crabroniformis* Lewin, 1797 nec [Denis & Schiff.], 1775; *dasydipodiformis* Walker, 1856; *montelii* Lofquist, 1922
 71749) *Sesia melanocephala* Dalman, 1816 (Sesiidae) Synonym(s): *melanocephala* Dalman, 1816; *laphriaeformis* Hübner, [1825]; *laphriiformis* Staudinger, 1856
 71750) *Sesia pimlaeformis* Oberthür, 1872 (Sesiidae) Synonym(s): *pimlaeformis* Oberthür, 1872
 71751) *Sesia przewalskii* (Alpheraky, 1882) (Sesiidae) Synonym(s): *przewalskii* Alpheraky, 1882
 71752) *Sesia timur* (Groum-Grshimailo, 1893) (Sesiidae) Synonym(s): *timur* Groum-Grshimailo, 1893
 71753) *Sphecosesia ashinaga* Kallies & Arita, 2004 (Sesiidae) Synonym(s): *ashinaga* Kallies & Arita, 2004
 71754) *Sphecosesia aterea* Hampson, 1919 (Sesiidae) Synonym(s): *aterae* Hampson, 1919
 71755) *Sphecosesia brunensis* Kallies, 2003 (Sesiidae) Synonym(s): *brunensis* Kallies, 2003
 71756) *Sphecosesia rhodites* Kallies & Arita, 2004 (Sesiidae) Synonym(s): *rhodites* Kallies & Arita, 2004

- 71757) *Sura bicolor* Le Cerf, 1917 (Sesiidae) Synonym(s): *xylopiformis* Le Cerf, 1917 nec Wlk., 1856; *bicolor* Le Cerf, 1917
- 71758) *Sura melanothalpia* (Le Cerf, 1917) (Sesiidae) Synonym(s): *melanothalpia* Le Cerf, 1917; *melanocholia* Gaede, 1929
- 71759) *Sura xylopiformis* Walker, 1856 (Sesiidae) Synonym(s): *xylopiformis* Walker, 1856
- 71760) *Synansphecchia affinis* (Staudinger, 1856) (Sesiidae) Synonym(s): *affinis* Staudinger, 1856
- 71761) *Synansphecchia aistleitneri* Spatenka, 1992 (Sesiidae) Synonym(s): *aistleitneri* Spatenka, 1992
- 71762) *Synansphecchia atlantis* (Schwingschuss, 1935) (Sesiidae) Synonym(s): *atlantis* Schwingschuss, 1935
- 71763) *Synansphecchia borreyi* (Le Cerf, 1922) (Sesiidae) Synonym(s): *borreyi* Le Cerf, 1922
- 71764) *Synansphecchia cirgisa* (Bartel, 1912) (Sesiidae) Synonym(s): *cirgisa* Bartel, 1912
- 71765) *Synansphecchia doryliformis* (Ochsenheimer, 1808) (Sesiidae) Synonym(s): *doryliformis* Ochsenheimer, 1808
- 71766) *Synansphecchia kautzi* (Reisser, 1930) (Sesiidae) Synonym(s): *kautzi* Reisser, 1930
- 71767) *Synansphecchia koschwitzi* K. Spatenka, 1992 (Sesiidae) Synonym(s): *koschwitzi* K. Spatenka, 1992
- 71768) *Synansphecchia leucomelaena* (Zeller, 1847) (Sesiidae) Synonym(s): *leucomelaena* Zeller, 1847
- 71769) *Synansphecchia mannii* (Lederer, 1853) (Sesiidae) Synonym(s): *mannii* Lederer, 1853
- 71770) *Synansphecchia meriaeformis* (Boisduval, 1840) (Sesiidae) Synonym(s): *meriaeformis* Boisduval, 1840
- 71771) *Synansphecchia muscaeformis* (Esper, [1783]) (Sesiidae) Synonym(s): *muscaeformis* Esper, [1783]
- 71772) *Synansphecchia muscaeformis lusohispanica* Z. Lastuvka & A. Lastuvka, 2007 (Sesiidae) Synonym(s): *lusohispanica* Z. Lastuvka & A. Lastuvka, 2007
- 71773) *Synansphecchia umbrifera* (Staudinger, 1871) (Sesiidae) Synonym(s): *umbrifera* Staudinger, 1871
- 71774) *Synanthedon andrenaeformis* (Laspeyres, 1801) (Sesiidae) Synonym(s): *andrenaeformis* Laspeyres, 1801; *atlantiforme* Newman, 1832; *andraeniformis* Westwood, 1843; *andreniformis* Staudinger, 1856
- 71775) *Synanthedon andrenaeformis tenuicingulata* Spatenka, 1997 (Sesiidae) Synonym(s): *tenuicingulata* Spatenka, 1997
- 71776) *Synanthedon armeniacum* Gorbunov, 1991 (Sesiidae) Synonym(s): *armeniaceum* Gorbunov, 1991
- 71777) *Synanthedon caucasica* Gorbunov, 1986 (Sesiidae) Synonym(s): *caucasica* Gorbunov, 1986
- 71778) *Synanthedon cephiiformis* (Ochsenheimer, 1808) (Sesiidae) Synonym(s): *cephiiformis* Ochsenheimer, 1808; *laspeyres* Heppner & Duckworth, 1981
- 71779) *Synanthedon codeti* (Oberthür, 1881) (Sesiidae) Synonym(s): *codeti* Oberthür, 1881
- 71780) *Synanthedon colchidensis* K. Spatenka & Gorbunov, 1992 (Sesiidae) Synonym(s): *colchidensis* K. Spatenka & Gorbunov, 1992
- 71781) *Synanthedon conopiformis* (Esper, [1782]) (Sesiidae) Synonym(s): *conopiformis* Esper, [1782]; *syrphiformis* Hübner, 1796; *nomadaeformis* Laspeyres, 1801
- 71782) *Synanthedon cruentata* (Mann, 1859) (Sesiidae) Synonym(s): *cruentata* Mann, 1859
- 71783) *Synanthedon culiciformis* (Linnaeus, 1758) (Sesiidae) Synonym(s): *culiciformis* Linnaeus, 1758; *culex* Retzius, 1783; *americana* Beutenmüller, 1896
- 71784) *Synanthedon flavipalpis* (Hampson, 1910) (Sesiidae) Synonym(s): *flavipalpis* Hampson, 1910
- 71785) *Synanthedon flaviventris* (Staudinger, 1883) (Sesiidae) Synonym(s): *flaviventris* Staudinger, 1883
- 71786) *Synanthedon formicaeformis* (Esper, [1783]) (Sesiidae) Synonym(s): *formicaeformis* Esper, [1783]; *formiciformis* Staudinger, 1856
- 71787) *Synanthedon gardensis* (Kralicek & Povolny, 1977) (Sesiidae) Synonym(s): *gardensis* Kralicek & Povolny, 1977
- 71788) *Synanthedon herzi* K. Spatenka & Gorbunov, 1992 (Sesiidae) Synonym(s): *herzi* K. Spatenka & Gorbunov, 1992
- 71789) *Synanthedon loranthi* (Kralicek, 1966) (Sesiidae) Synonym(s): *loranthi* Kralicek, 1966; *cryptica* Kralicek & Povolny, 1977
- 71790) *Synanthedon martjanovi* Sheljuzhko, 1918 (Sesiidae) Synonym(s): *martjanovi* Sheljuzhko, 1918
- 71791) *Synanthedon melliniformis* (Laspeyres, 1801) (Sesiidae) Synonym(s): *melliniformis* Laspeyres, 1801; *diotriaeformis* Meigen, 1830; *mimus* Le Cerf, 1922; *danubica* Kralicek, 1975; *croaticus* Krancev, 1979
- 71792) *Synanthedon mesiaeformis* (Herrich-Schäffer, 1846) (Sesiidae) Synonym(s): *mesiaeformis* Herrich-Schäffer, 1846; *mesiiiformis* Staudinger, 1856
- 71793) *Synanthedon mesochoriformis* (Walker, 1856) (Sesiidae) Synonym(s): *mesochoriformis* Walker, 1856
- 71794) *Synanthedon monozona* (Hampson, 1910) (Sesiidae) Synonym(s): *monozona* Hampson, 1910
- 71795) *Synanthedon myopaeformis* (Borkhausen, 1789) (Sesiidae) Synonym(s): *myopaeformis* Borkhausen, 1789; *mutillaeformis* Laspeyres, 1801; *luctuosa* Lederer, 1853; *myopiformis* Staudinger, 1856; *elegans* Lederer, 1861.
- 71796) *Synanthedon pamphyli* Kallies, 2003 (Sesiidae) Synonym(s): *pamphyli* Kallies, 2003
- 71797) *Synanthedon perigordensis* Garrevoet & Vanholder, 1996 (Sesiidae) Synonym(s): *perigordensis* Garrevoet & Vanholder, 1996
- 71798) *Synanthedon pipiziforme* Lederer, 1855 (Sesiidae) Synonym(s): *pipiziforme* Lederer, 1855
- 71799) *Synanthedon platyuriformis* (Walker, 1856) (Sesiidae) Synonym(s): *platyuriformis* Walker, 1856
- 71800) *Synanthedon polaris* (Staudinger, 1877) (Sesiidae) Synonym(s): *polaris* Staudinger, 1877
- 71801) *Synanthedon pyrethra* (Hampson, 1910) (Sesiidae) Synonym(s): *pyrethra* Hampson, 1910
- 71802) *Synanthedon rhodia* (Druce, 1899) (Sesiidae) Synonym(s): *rhodia* Druce, 1899
- 71803) *Synanthedon rubiana* Kallies, M. Petersen & Riefenstahl, 1998 (Sesiidae) Synonym(s): *rubiana* Kallies, M. Petersen & Riefenstahl, 1998
- 71804) *Synanthedon scoliaeformis* (Borkhausen, 1789) (Sesiidae) Synonym(s): *scoliaeformis* Borkhausen, 1789; *thynniformis* Laspeyres, 1801; *emphytiformis* Herrich-Schäffer, 1846; *scoliiiformis* Staudinger, 1856; *deserta* Staudinger, 1887; *danieli* Capuse, 1973
- 71805) *Synanthedon semirufa* (R. Felder, 1874) (Sesiidae) Synonym(s): *semirufa* R. Felder, 1874
- 71806) *Synanthedon serica* (Alpheraky, 1882) (Sesiidae) Synonym(s): *serica* Alpheraky, 1882
- 71807) *Synanthedon soffneri* Spatenka, 1983 (Sesiidae) Synonym(s): *soffneri* Spatenka, 1983
- 71808) *Synanthedon spatenkai* Gorbunov, 1991 (Sesiidae) Synonym(s): *spatenkai* Gorbunov, 1991
- 71809) *Synanthedon spheciformis* ([Denis & Schiffermüller], 1775) (Sesiidae) Synonym(s): *spheciformis* [Denis & Schiffermüller], 1775; *sphegiformis* Fabricius, 1787
- 71810) *Synanthedon spuleri* (Fuchs, 1908) (Sesiidae) Synonym(s): *spuleri* Fuchs, 1908; *schwarzi* Kralicek & Povolny, 1977
- 71811) *Synanthedon stenothyris* (Meyrick, 1933) (Sesiidae) Synonym(s): *stenothyris* Meyrick, 1933
- 71812) *Synanthedon stomoxiformis* (Hübner, 1790) (Sesiidae) Synonym(s): *stomoxiformis* Hübner, 1790; *culiciformis* Scopoli, 1763 nec Linn., 1758; *stomoxiformis* Hübner, 1796; *amasina* Staudinger, 1878.
- 71813) *Synanthedon stomoxiformis amasinum* (Staudinger, 1856) (Sesiidae) Synonym(s): *amasina* Staudinger, 1856
- 71814) *Synanthedon talischense* (Bartel, 1906) (Sesiidae) Synonym(s): *talischense* Bartel, 1906
- 71815) *Synanthedon theryi* Le Cerf, 1916 (Sesiidae) Synonym(s): *theryi* Le Cerf, 1916
- 71816) *Synanthedon tipuliformis* (Clerck, 1759) (Sesiidae) Synonym(s): *#salmachus* Linnaeus, 1758 (suppressed); *tipuliformis* Clerck, 1759; *tipula* Retzius, 1783; *ophioniformis* Hübner, [1813]
- 71817) *Synanthedon tosevsckii* K. Spatenka, 1987 (Sesiidae) Synonym(s): *tosevsckii* K. Spatenka, 1987
- 71818) *Synanthedon typhiaeformis* (Borkhausen, 1789) (Sesiidae) Synonym(s): *typhiaeformis* Borkhausen, 1789; *tiphiaeformis* Hübner, [1806]; *tiphiiformis* Staudinger, 1856
- 71819) *Synanthedon uralensis* (Bartel, 1906) (Sesiidae) Synonym(s): *uralensis* Bartel, 1906
- 71820) *Synanthedon vassei* (Le Cerf, 1917) (Sesiidae) Synonym(s): *vassei* Le Cerf, 1917
- 71821) *Synanthedon vespiformis* (Linnaeus, 1761) (Sesiidae) Synonym(s): *vespiformis* Linnaeus, 1761; *asiliformis* Rottemburg, 1775; *oestriformis* Rottemburg, 1775; *cynipiformis* Esper, 1783; *chrysorrhoea* Donovan, 1795
- 71822) *Teinotarsina flavicincta* (Arita & Gorbunov, 2002) (Sesiidae) Synonym(s): *flavicincta* Arita & Gorbunov, 2002
- 71823) *Teinotarsina litchivora* (Yang & Wang, 1989) (Sesiidae) Synonym(s): *litchivora* Yang & Wang, 1989
- 71824) *Teinotarsina longipes* (C. Felder, 1861) (Sesiidae) Synonym(s): *longipes* C. Felder, 1861
- 71825) *Teinotarsina longitarsa* Arita & Gorbunov, 2002 (Sesiidae) Synonym(s): *longitarsa* Arita & Gorbunov, 2002
- 71826) *Teinotarsina lushanensis* (Xu & Liu, 1999) (Sesiidae) Synonym(s): *lushanensis* Xu & Liu, 1999
- 71827) *Teinotarsina luteopoda* Kallies & Arita, 2004 (Sesiidae) Synonym(s): *luteopoda* Kallies & Arita, 2004
- 71828) *Teinotarsina melanostoma* (Diakonoff, 1968) (Sesiidae) Synonym(s): *melanostoma* Diakonoff, 1968
- 71829) *Teinotarsina micans* (Diakonoff, 1968) (Sesiidae) Synonym(s): *micans* Diakonoff, 1968
- 71830) *Teinotarsina nonggangensis* (Yang & Wang, 1989) (Sesiidae) Synonym(s): *nonggangensis* Yang & Wang, 1989
- 71831) *Teinotarsina rubripes* (Pagenstecher, 1900) (Sesiidae) Synonym(s): *rubripes* Pagenstecher, 1900
- 71832) *Thyranthrene metazonata* Hampson, 1919 (Sesiidae) Synonym(s): *metazonata* Hampson, 1919
- 71833) *Tinthia brosiiformis* (Hübner, [1813]) (Sesiidae) Synonym(s): *brosiiformis* Hübner, [1813]
- 71834) *Tinthia cingulata* (Staudinger, 1870) (Sesiidae) Synonym(s): *cingulata* Staudinger, 1870.
- 71835) *Tinthia cuprealis* (Moore, 1877) (Sesiidae) Synonym(s): *cuprealis* Moore, 1877
- 71836) *Tinthia hoplisiformis* (Mann, 1864) (Sesiidae) Synonym(s): *hoplisiformis* Mann, 1864

- 71837) *Tinthia mianjangalica* Lastuvka,1997 (Sesiidae) Synonym(s): *mianjangalica* Lastuvka,1997
 71838) *Tinthia myrmosaeformis* (Herrich-Schäffer,1846) (Sesiidae) Synonym(s): *myrmosaeformis* Herrich-Schäffer,1846; *#lucida* Lederer,1853; *myrmosiformis* Staudinger,1856.
 71839) *Tinthia ruficollaris* (Pagenstecher,1900) (Sesiidae) Synonym(s): *ruficollaris* Pagenstecher,1900
 71840) *Tinthia suisharyonis* (Strand,[1917]) (Sesiidae) Synonym(s): *suisharyonis* Strand,[1917]
 71841) *Tinthia tineiformis* (Esper,[1789]) (Sesiidae) Synonym(s): *tineiformis* Esper,[1789]; *aselliformis* Rossi,1794.
 71842) *Tinthia varipes* Walker,[1865] (Sesiidae) Synonym(s): *varipes* Walker,[1865]
 71843) *Tinthia xanthospila* Hampson,1919 (Sesiidae) Synonym(s): *xanthospila* Hampson,1919
 71844) *Tipulamima sophax* (Druce,1899) (Sesiidae) Synonym(s): *sophax* Druce,1899
 71845) *Tipulamima tricineta* (Le Cerf,1916) (Sesiidae) Synonym(s): *tricincta* Le Cerf,1916
 71846) *Tradescantilla yildizae* Koçak,1983 (Sesiidae) Synonym(s): *uniformis* Snellen,1900 nec Grte & Rob.,1868; *yildizae* Koçak,1983
 71847) *Trichobaptis auristrigata* (Plötz,1880) (Sesiidae) Synonym(s): *auristrigata* Plötz,1880; *sextiriata* Holland,1894
 71848) *Trilochana caseariae* Yang & Wang,1989 (Sesiidae) Synonym(s): *caseariae* Yang & Wang,1989
 71849) *Trilochana chalcipera* Hampson,1919 (Sesiidae) Synonym(s): *#pseudoinsignis* Strand,[1917]; *chalcipera* Hampson,1919
 71850) *Trilochana illustris* Kallies & Arita,1998 (Sesiidae) Synonym(s): *illustris* Kallies & Arita,1998
 71851) *Trilochana insignis* (Butler,1885) (Sesiidae) Synonym(s): *insignis* Butler,1885
 71852) *Trilochana nagaii* Arita & Kallies,2003 (Sesiidae) Synonym(s): *nagaii* Arita & Kallies,2003
 71853) *Trilochana oberthueri* Le Cerf,1917 (Sesiidae) Synonym(s): *oberthueri* Le Cerf,1917; *boulleti* Le Cerf,1917
 71854) *Trilochana scoliodes* Moore,1879 (Sesiidae) Synonym(s): *scoliodes* Moore,1879; *megascolioides* Arita,1989
 71855) *Trilochana smaragdina* Diakonoff,1954 (Sesiidae) Synonym(s): *smaragdina* Diakonoff,1954
 71856) *Trilochana triscoliopsis* Rothschild,1925 (Sesiidae) Synonym(s): *triscoliopsis* Rothschild,1925
 71857) *Vespanthodon cerceris* Le Cerf,1917 (Sesiidae) Synonym(s): *cerceris* Le Cerf,1917
 71858) *Weismanniola agdistiformis* (Staudinger,1866) (Sesiidae) Synonym(s): *agdistiformis* Staudinger,1866
 71859) *Somabrachys aegrota* (Klug,1830) (Somabrachyidae) Synonym(s):
 71860) "*Deilephila*" *calverleyi* Grote,1865 (Sphingidae) Synonym(s): *calverleyi* Grote,1865
 71861) *Acherontia atropos* (Linnaeus,1758) (Sphingidae) Synonym(s): *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877.
 71862) *Acherontia atropos atropos* (Linnaeus,1758) (Sphingidae) Synonym(s): *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877.
 71863) *Acherontia lachesis* (Fabricius,1798) (Sphingidae) Synonym(s): *lachesis* Fabricius,1798; *morta* Hübner,[1819]; *charon* Billberg,1820; *satanas* Boisduval,1836; *lethe* Westwood,1847; *circe* Moore,[1858]; *sojeimae* Matsumura,1909.
 71864) *Acherontia lachesis lachesis* (Fabricius,1798) (Sphingidae) Synonym(s): *lachesis* Fabricius,1798; *morta* Hübner,[1819]; *charon* Billberg,1820; *satanas* Boisduval,1836; *lethe* Westwood,1847; *circe* Moore,[1858]; *sojeimae* Matsumura,1909.
 71865) *Acherontia styx* (Westwood,1847) (Sphingidae) Synonym(s): *styx* Westwood,1847; *ariel* Boisduval,[1875]; *#stax* Lewvanich,2001
 71866) *Acherontia styx medusa* Moore,[1858] (Sphingidae) Synonym(s): *medusa* Moore,[1858]; *crathis* Rothschild & Jordan,1903; *septentrionalischinensis* Pavlov,1932; *pseudatropos* Röber,1933.
 71867) *Acherontia styx styx* (Westwood,1847) (Sphingidae) Synonym(s): *styx* Westwood,1847; *ariel* Boisduval,[1875]; *#stax* Lewvanich,2001
 71868) *Acosmerycoides harterti* (Rothschild,1895) (Sphingidae) Synonym(s): *harterti* Rothschild,1895; *leucocraspis* Hampson,1910
 71869) *Acosmerycoides leucocraspis* (Hampson,1910) (Sphingidae) Synonym(s): *leucocraspis* Hampson,1910; *insignata* Mell,1922
 71870) *Acosmerycoides leucocraspis leucocraspis* (Hampson,1910) (Sphingidae) Synonym(s): *leucocraspis* Hampson,1910; *insignata* Mell,1922
 71871) *Acosmeryx anceus* (Stoll,[1781]) (Sphingidae) Synonym(s): *anceus* Stoll,[1781]
 71872) *Acosmeryx anceus anceus* (Stoll,[1781]) (Sphingidae) Synonym(s): *anceus* Stoll,[1781]
 71873) *Acosmeryx anceus subdentata* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *subdentata* Rothschild & Jordan,1903
 71874) *Acosmeryx castanea* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *castanea* Rothschild & Jordan,1903
 71875) *Acosmeryx formosana* (Matsumura,1927) (Sphingidae) Synonym(s): *formosana* Matsumura,1927
 71876) *Acosmeryx naga* (Moore,[1858]) (Sphingidae) Synonym(s): *naga* Moore,[1858]
 71877) *Acosmeryx naga hissarica* Shchetkin,1949 (Sphingidae) Synonym(s): *hissarica* Shchetkin,1949
 71878) *Acosmeryx naga naga* (Moore,[1858]) (Sphingidae) Synonym(s): *naga* Moore,[1858]
 71879) *Acosmeryx omissa* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *omissa* Rothschild & Jordan,1903
 71880) *Acosmeryx omissa omissa* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *omissa* Rothschild & Jordan,1903
 71881) *Acosmeryx pseudomissa* Mell,1922 (Sphingidae) Synonym(s): *pseudomissa* Mell,1922
 71882) *Acosmeryx pseudomissa pseudomissa* Mell,1922 (Sphingidae) Synonym(s): *pseudomissa* Mell,1922
 71883) *Acosmeryx sericeus* (Walker,1856) (Sphingidae) Synonym(s): *sericeus* Walker,1856; *rufescens* Mell,1922
 71884) *Acosmeryx sericeus sericeus* (Walker,1856) (Sphingidae) Synonym(s): *sericeus* Walker,1856; *rufescens* Mell,1922
 71885) *Acosmeryx shervillii* Boisduval,[1875] (Sphingidae) Synonym(s): *shervillii* Boisduval,[1875]; *cinerea* Butler,1875; *pseudonaga* Butler,1881
 71886) *Acosmeryx sinjaevi* Brechlin & Kitching,1996 (Sphingidae) Synonym(s): *sinjaevi* Brechlin & Kitching,1996
 71887) *Acosmeryx socrates* Boisduval,[1875] (Sphingidae) Synonym(s): *socrates* Boisduval,[1875]
 71888) *Adhemarius blanchardorum* (Hodges,1985) (Sphingidae) Synonym(s): *blanchardorum* Hodges,1985
 71889) *Adhemarius dentoni* (B.P.Clark,1916) (Sphingidae) Synonym(s): *dentoni* B.P.Clark,1916
 71890) *Adhemarius donysa* (Druce,1889) (Sphingidae) Synonym(s): *donysa* Druce,1889
 71891) *Adhemarius donysa dariensis* (Rothschild & Jordan,1916) (Sphingidae) Synonym(s): *dariensis* Rothschild & Jordan,1916
 71892) *Adhemarius donysa donysa* (Druce,1889) (Sphingidae) Synonym(s): *donysa* Druce,1889
 71893) *Adhemarius eurysthenes* (R.Felder,1874) (Sphingidae) Synonym(s): *eurysthenes* R.Felder,1874; *crethon* Boisduval,[1875]; *schausi* Rothschild,1894
 71894) *Adhemarius gannascus* (Stoll,1790) (Sphingidae) Synonym(s): *gannascus* Stoll,1790, *rostralis* Boisduval,1870; *janus* Boisduval,1870; *daphne* Boisduval,1870; *germanus* Zikan,1934; *gagarini* Zikan,1935
 71895) *Adhemarius gannascus cubanus* (Rothschild & Jordan,1908) (Sphingidae) Synonym(s): *cubanus* Rothschild & Jordan,1908
 71896) *Adhemarius gannascus gannascus* (Stoll,1790) (Sphingidae) Synonym(s): *gannascus* Stoll,1790, *rostralis* Boisduval,1870; *janus* Boisduval,1870; *daphne* Boisduval,1870; *germanus* Zikan,1934; *gagarini* Zikan,1935
 71897) *Adhemarius gannascus jamaicensis* (Rothschild & Jordan,1915) (Sphingidae) Synonym(s): *jamaicensis* Rothschild & Jordan,1915
 71898) *Adhemarius globifer* (Dyar,1912) (Sphingidae) Synonym(s): *globifer* Dyar,1912
 71899) *Adhemarius palmeri* (Boisduval,[1875]) (Sphingidae) Synonym(s): *palmeri* Boisduval,[1875]; *marginata* Butler,1875; *brasilensis* B.P.Clark,1916
 71900) *Adhemarius sexoculatus* (Grote,1867) (Sphingidae) Synonym(s): *sexoculatus* Grote,1867; *depuiseti* Oberthür,1881
 71901) *Adhemarius tigrinus* (R.Felder,1874) (Sphingidae) Synonym(s): *tigrinus* R.Felder,1874; *#simera* Lichy,1943
 71902) *Adhemarius tigrinus coronatus* (Gehlen,1930) (Sphingidae) Synonym(s): *coronata* Gehlen,1930
 71903) *Adhemarius tigrinus tigrinus* (R.Felder,1874) (Sphingidae) Synonym(s): *tigrinus* R.Felder,1874; *#simera* Lichy,1943
 71904) *Adhemarius ypsilon* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *ypsilon* Rothschild & Jordan,1903
 71905) *Aellopos blaini* Herrich-Schäffer,[1869] (Sphingidae) Synonym(s): *blaini* Herrich-Schäffer,[1869]; *aedon* Boisduval,[1875]
 71906) *Aellopos ceculus* (Cramer,1777) (Sphingidae) Synonym(s): *ceculus* Cramer,1777
 71907) *Aellopos clavipes* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *clavipes* Rothschild & Jordan,1903; *eumelas* Jordan,1924
 71908) *Aellopos fadus* (Cramer,1776) (Sphingidae) Synonym(s): *fadus* Cramer,1776; *annulosum* Swainson,1822; *balteata* Kirtland,1851; *#flavosignata* Closs,1916
 71909) *Aellopos gehleni* (Closs,1922) (Sphingidae) Synonym(s): *gehleni* Closs,1922
 71910) *Aellopos tantalus* (Linnaeus,1758) (Sphingidae) Synonym(s): *tantalus* Linnaeus,1758; *ixion* Linnaeus,1758; *zonata* Drury,1773; *terpunctata* Goeze,1780; *sisypus* Burmeister,1856
 71911) *Aellopos titan* (Cramer,1777) (Sphingidae) Synonym(s): *titan* Cramer,1777
 71912) *Aellopos titan aguacana* (Gehlen,1944) (Sphingidae) Synonym(s): *aguacana* Gehlen,1944
 71913) *Aellopos titan cubana* (B.P.Clark,1936) (Sphingidae) Synonym(s): *cubana* B.P.Clark,1936
 71914) *Aellopos titan titan* (Cramer,1777) (Sphingidae) Synonym(s): *titan* Cramer,1777
 71915) *Afroclanis calcarea* (Rothschild & Jordan,1907) (Sphingidae) Synonym(s): *calcarea* Rothschild & Jordan,1907; *burorum* Strand,1915; *aurora* Clark,1936
 71916) *Afroclanis neavi* (Hampson,1910) (Sphingidae) Synonym(s): *neavi* Hampson,1910; *martha* Closs,1911

- 71917) *Agrius cingulatus* (Fabricius,1775) (Sphingidae) Synonym(s): *cingulatus* Fabricius,1775; *affinis* Goeze,1780; *druræi* Donovan,1810; *pungens* Eschscholtz,1821
- 71918) *Agrius convolvuli* (Linnaeus,1758) (Sphingidae) Synonym(s): *convolvuli* Linnaeus,1758; *abadonna* Fabricius,1798; *pseudofasciatus* Koch,1865; *pseudoconvolvuli* Schaufuss,1870; *orientalis* Butler,1876; *distans* Butler,1876; *batatae* Christ,1882; *nigricans* Cannaviello,1900; *ichangensis* Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927
- 71919) *Agrius fasciatus* (Rothschild,1894) (Sphingidae) Synonym(s): *fasciatus* Rothschild,1894
- 71920) *Akbesia davidi* (Oberthür,1884) (Sphingidae) Synonym(s): *davidi* Oberthür,1884
- 71921) *Akbesia davidi davidi* (Oberthür,1884) (Sphingidae) Synonym(s): *davidi* Oberthür,1884
- 71922) *Akbesia davidi gandhara* De Freina & Geck,2003 (Sphingidae) Synonym(s): *gandhara* De Freina & Geck,2003
- 71923) *Aleuron carinatum* (Walker,1856) (Sphingidae) Synonym(s): *carinatum* Walker,1856; *philampeloides* C.Felder & R.Felder,1867; *orophilos* Boisduval,[1875]
- 71924) *Aleuron chloropterus* (Perty,1833) (Sphingidae) Synonym(s): *chloropterus* Perty,1833; *disis* Boisduval,[1875]
- 71925) *Aleuron cymographum* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *cymographum* Rothschild & Jordan,1903
- 71926) *Aleuron iphis* (Walker,1856) (Sphingidae) Synonym(s): *iphis* Walker,1856; *volatica* Clemens,1859; *scriptor* R.Felder,1874
- 71927) *Aleuron leo* B.P.Clark,1935 (Sphingidae) Synonym(s): *leo* B.P.Clark,1935
- 71928) *Aleuron neglectum* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *neglectum* Rothschild & Jordan,1903
- 71929) *Aleuron neglectum neglectum* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *neglectum* Rothschild & Jordan,1903
- 71930) *Aleuron neglectum paraguayana* B.P.Clark,1931 (Sphingidae) Synonym(s): *paraguayana* B.P.Clark,1931
- 71931) *Aleuron prominens* (Walker,1856) (Sphingidae) Synonym(s): *prominens* Walker,1856; *smerinthoides* R.Felder,1874; *pudens* Boisduval,[1875]; *#promiscus* Burmeister,1879
- 71932) *Aleuron ypanemae* (Boisduval,[1875]) (Sphingidae) Synonym(s): *ypanemae* Boisduval,[1875]
- 71933) *Ambulyx andangi* Brechlin,1998 (Sphingidae) Synonym(s): *andangi* Brechlin,1998
- 71934) *Ambulyx bakeri* (Clark,1929) (Sphingidae) Synonym(s): *bakeri* Clark,1929
- 71935) *Ambulyx bima* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *bima* Rothschild & Jordan,1903
- 71936) *Ambulyx canescens* (Walker,[1865]) (Sphingidae) Synonym(s): *canescens* Walker,[1865]
- 71937) *Ambulyx canescens canescens* (Walker,[1865]) (Sphingidae) Synonym(s): *canescens* Walker,[1865]
- 71938) *Ambulyx canescens flava* (Clark,1924) (Sphingidae) Synonym(s): *flava* Clark,1924
- 71939) *Ambulyx carycina* (Jordan,1919) (Sphingidae) Synonym(s): *carycina* Jordan,1919
- 71940) *Ambulyx ceramensis* (Joicey & Talbot,1921) (Sphingidae) Synonym(s): *ceramensis* Joicey & Talbot,1921
- 71941) *Ambulyx charlesi* (Clark,1924) (Sphingidae) Synonym(s): *charlesi* Clark,1924
- 71942) *Ambulyx clavata* (Jordan,1929) (Sphingidae) Synonym(s): *clavata* Jordan,1929
- 71943) *Ambulyx cyclasticta* (Joicey & Kaye,1917) (Sphingidae) Synonym(s): *cyclasticta* Joicey & Kaye,1917
- 71944) *Ambulyx dohertyi* Rothschild,1894 (Sphingidae) Synonym(s): *dohertyi* Rothschild,1894
- 71945) *Ambulyx immaculata* (Clark,1924) (Sphingidae) Synonym(s): *immaculata* Clark,1924
- 71946) *Ambulyx inoue* Cadiou & Holloway,1985 (Sphingidae) Synonym(s): *inouei* Cadiou & Holloway,1985
- 71947) *Ambulyx japonica* (Sphingidae) Synonym(s):
- 71948) *Ambulyx japonica angustifasciata* (Okano,1959) (Sphingidae) Synonym(s): *angustifasciata* Okano,1959
- 71949) *Ambulyx japonica japonica* (Sphingidae) Synonym(s):
- 71950) *Ambulyx johnsoni* (Clark,1917) (Sphingidae) Synonym(s): *johnsoni* Clark,1917
- 71951) *Ambulyx joiceyi* (Clark,1923) (Sphingidae) Synonym(s): *joiceyi* Clark,1923
- 71952) *Ambulyx jordani* (Bethune-Baker,1910) (Sphingidae) Synonym(s): *jordani* Bethune-Baker,1910
- 71953) *Ambulyx kuangtungensis* (Mell,1922) (Sphingidae) Synonym(s): *kuangtungensis* Mell,1922; *formosana* Clark,1936; *hoenei* Mell,1937; *melli* Gehlen,1942
- 71954) *Ambulyx kuangtungensis* (Mell,1922) (Sphingidae) Synonym(s): *kuangtungensis* Mell,1922
- 71955) *Ambulyx liturata* Butler,1875 (Sphingidae) Synonym(s): *liturata* Butler,1875
- 71956) *Ambulyx meeki* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *meeki* Rothschild & Jordan,1903
- 71957) *Ambulyx montana* Cadiou & Kitching,1990 (Sphingidae) Synonym(s): *montana* Cadiou & Kitching,1990
- 71958) *Ambulyx moorei* Moore,[1858] (Sphingidae) Synonym(s): *moorei* Moore,[1858]; *subocellata* R.Felder & Rogenhofer,1874; *chinensis* Mell,1922; *bakeri* Clark,1929
- 71959) *Ambulyx naessigi* Brechlin,1998 (Sphingidae) Synonym(s): *naessigi* Brechlin,1998
- 71960) *Ambulyx oblitterata* Rothschild,1920 (Sphingidae) Synonym(s): *oblitterata* Rothschild,1920; *macromaculata* Gehlen,1940
- 71961) *Ambulyx ochracea* Butler,1885 (Sphingidae) Synonym(s): *ochracea* Butler,1885
- 71962) *Ambulyx phalaris* (Jordan,1919) (Sphingidae) Synonym(s): *phalaris* Jordan,1919
- 71963) *Ambulyx pryeri* Distant,1887 (Sphingidae) Synonym(s): *pryeri* Distant,1887
- 71964) *Ambulyx pseudoclavata* Inoue,1997 (Sphingidae) Synonym(s): *pseudoclavata* Inoue,1997
- 71965) *Ambulyx rudloffi* Brechlin,2006 (Sphingidae) Synonym(s): *rudloffi* Brechlin,2006
- 71966) *Ambulyx schauffelbergeri* Bremer & Grey,1853 (Sphingidae) Synonym(s): *schauffelbergeri* Bremer & Grey,1853
- 71967) *Ambulyx schmickae* Brechlin,1998 (Sphingidae) Synonym(s): *schmickae* Brechlin,1998
- 71968) *Ambulyx semifervens* (Walker,[1865]) (Sphingidae) Synonym(s): *semifervens* Walker,[1865]
- 71969) *Ambulyx semiplacida* Inoue,1990 (Sphingidae) Synonym(s): *semiplacida* Inoue,1990
- 71970) *Ambulyx sericeipennis* Butler,1875 (Sphingidae) Synonym(s): *sericeipennis* Butler,1875
- 71971) *Ambulyx sericeipennis agana* (Jordan,1929) (Sphingidae) Synonym(s): *agana* Jordan,1929; *amaculata* Meng,1989
- 71972) *Ambulyx sericeipennis javanica* (Clark,1930) (Sphingidae) Synonym(s): *javanica* Clark,1930
- 71973) *Ambulyx sericeipennis luzoni* (Clark,1924) (Sphingidae) Synonym(s): *luzoni* Clark,1924
- 71974) *Ambulyx sericeipennis okurai* (Okano,1959) (Sphingidae) Synonym(s): *okurai* Okano,1959
- 71975) *Ambulyx sericeipennis sericeipennis* Butler,1875 (Sphingidae) Synonym(s): *sericeipennis* Butler,1875
- 71976) *Ambulyx sericeipennis tobii* (Inoue,1976) (Sphingidae) Synonym(s): *tobii* Inoue,1976
- 71977) *Ambulyx siamensis* Inoue,1991 (Sphingidae) Synonym(s): *siamensis* Inoue,1991
- 71978) *Ambulyx staudingeri* Rothschild,1894 (Sphingidae) Synonym(s): *staudingeri* Rothschild,1894
- 71979) *Ambulyx substrigilis* (Westwood,1847) (Sphingidae) Synonym(s): *substrigilis* Westwood,1847
- 71980) *Ambulyx substrigilis substrigilis* (Westwood,1847) (Sphingidae) Synonym(s): *substrigilis* Westwood,1847
- 71981) *Ambulyx suluensis* Hogenes & Treadaway,1998 (Sphingidae) Synonym(s): *suluensis* Hogenes & Treadaway,1998
- 71982) *Ambulyx tattina* (Jordan,1919) (Sphingidae) Synonym(s): *tattina* Jordan,1919; *borneensis* Gehlen,1940
- 71983) *Ambulyx tattina tattina* (Jordan,1919) (Sphingidae) Synonym(s): *tattina* Jordan,1919; *borneensis* Gehlen,1940
- 71984) *Ambulyx tattina uichancoi* (Clark,1938) (Sphingidae) Synonym(s): *uichancoi* Clark,1938
- 71985) *Ambulyx tenimberi* (Clark,1929) (Sphingidae) Synonym(s): *tenimberi* Clark,1929
- 71986) *Ambulyx tondanoi* (Clark,1930) (Sphingidae) Synonym(s): *tondanoi* Clark,1930
- 71987) *Ambulyx wildei* Miskin,1891 (Sphingidae) Synonym(s): *wildei* Miskin,1891
- 71988) *Ambulyx wilemani* (Rothschild & Jordan,1916) (Sphingidae) Synonym(s): *wilemani* Rothschild & Jordan,1916
- 71989) *Amorpha juglandis* (J.E.Smith,1797) (Sphingidae) Synonym(s): *juglandis* J.E.Smith,1797; *pallens* Strecker,1873; *instabilis* Butler,1877; *robinsoni* Butler,1877; *hyperbola* Slosson,1890; *alpina* B.P.Clark,1927; *manitobae* B.P.Clark,1930
- 71990) *Ampelophaga dolichoides* (R.Felder & Rogenhofer,[1874]) (Sphingidae) Synonym(s): *dolichoides* R.Felder & Rogenhofer,[1874]
- 71991) *Ampelophaga dolichoides dolichoides* (R.Felder & Rogenhofer,[1874]) (Sphingidae) Synonym(s): *dolichoides* R.Felder & Rogenhofer,[1874]
- 71992) *Ampelophaga khasiana* Rothschild,1895 (Sphingidae) Synonym(s): *khasiana* Rothschild,1895
- 71993) *Ampelophaga khasiana khasiana* Rothschild,1895 (Sphingidae) Synonym(s): *khasiana* Rothschild,1895
- 71994) *Ampelophaga khasiana malayana* Rothschild & Jordan,1915 (Sphingidae) Synonym(s): *malayana* Rothschild & Jordan,1915
- 71995) *Ampelophaga rubiginosa* Bremer & Grey,[1852] (Sphingidae) Synonym(s): *rubiginosa* Bremer & Grey,[1852]
- 71996) *Ampelophaga rubiginosa fasciosa* Moore,1888 (Sphingidae) Synonym(s): *fasciosa* Moore,1888
- 71997) *Ampelophaga rubiginosa myosotis* Kitching & Cadiou,2000 (Sphingidae) Synonym(s): *myosotis* Kitching & Cadiou,2000
- 71998) *Ampelophaga rubiginosa rubiginosa* Bremer & Grey,[1852] (Sphingidae) Synonym(s): *rubiginosa* Bremer & Grey,[1852]

- 71999) *Amphimoea walkeri* (Boisduval,[1875]) (Sphingidae) Synonym(s): *walkeri* Boisduval,[1875]; *staudingeri* Druce,1888; *magnificus* Rothschild,1894
- 72000) *Amphion floridensis* B.P.Clark,1920 (Sphingidae) Synonym(s): *nessus* Cramer,[1777] *nec* Dru.,1773; *floridensis* B.P.Clark,1920
- 72001) *Amphylyterus masoni* (Clark,1924) (Sphingidae) Synonym(s): *masoni* Clark,1924
- 72002) *Amphylyterus masoni masoni* (Clark,1924) (Sphingidae) Synonym(s): *masoni* Clark,1924
- 72003) *Amphylyterus masoni pendleburyi* (Clark,1938) (Sphingidae) Synonym(s): *pendleburyi* Clark,1938
- 72004) *Amphylyterus masoni takamukui* (Matsumura,1930) (Sphingidae) Synonym(s): *takamukui* Matsumura,1930; *formosana* Clark,1936
- 72005) *Amphylyterus panopus* (Cramer,[1779]) (Sphingidae) Synonym(s): *panopus* Cramer,[1779]
- 72006) *Amphylyterus panopus mindanaensis* Inoue,1996 (Sphingidae) Synonym(s): *mindanaensis* Inoue,1996
- 72007) *Amphylyterus panopus panopus* (Cramer,[1779]) (Sphingidae) Synonym(s): *panopus* Cramer,[1779]
- 72008) *Anambulyx elwesi* (Druce,1882) (Sphingidae) Synonym(s): *elwesi* Druce,1882
- 72009) *Anambulyx elwesi elwesi* (Druce,1882) (Sphingidae) Synonym(s): *elwesi* Druce,1882
- 72010) *Andriasa contraria* Walker,1856 (Sphingidae) Synonym(s): *contraria* Walker,1856; *submarginalis* Walker,1865; *suffusa* Walker,1869; *adansoniae* Boisduval,[1875]; *peuchellii* Dewitz,1879; *marginalis* Butler,1882; *perpallida* Holland,1893; *crenulata* Bethune-Baker,1911; *objecta* Strand,1912; *towadea* Gehlen,1935; *stigmatica* Gehlen,1940
- 72011) *Andriasa contraria contraria* Walker,1856 (Sphingidae) Synonym(s): *contraria* Walker,1856; *submarginalis* Walker,1865; *suffusa* Walker,1869; *adansoniae* Boisduval,[1875]; *peuchellii* Dewitz,1879; *marginalis* Butler,1882; *perpallida* Holland,1893; *crenulata* Bethune-Baker,1911; *objecta* Strand,1912; *towadea* Gehlen,1935; *stigmatica* Gehlen,1940
- 72012) *Angonyx papuana* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *papuana* Rothschild & Jordan,1903
- 72013) *Angonyx testacea* (Walker,1856) (Sphingidae) Synonym(s): *testacea* Walker,1856; *menghaiensis* Meng,1991
- 72014) *Antinephele lunulata* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *lunulata* Rothschild & Jordan,1903; *weberi* Clark,1923
- 72015) *Antinephele maculifera* Holland,1889 (Sphingidae) Synonym(s): *maculifera* Holland,1889
- 72016) *Apocalypsis velox* (Butler,1876) (Sphingidae) Synonym(s): *velox* Butler,1876
- 72017) *Arctonotus lucidus* Boisduval,1852 (Sphingidae) Synonym(s): *lucidus* Boisduval,1852; *clarki* Barnes & Benjamin,1923
- 72018) *Aspledon mulleri* B.P.Clark,1923 (Sphingidae) Synonym(s): *mulleri* B.P.Clark,1923
- 72019) *Aspledon sonorensis* B.P.Clark,1919 (Sphingidae) Synonym(s): *sonorensis* B.P.Clark,1919
- 72020) *Atemnora westermanni* (Boisduval,[1875]) (Sphingidae) Synonym(s): *westermanni* Boisduval,[1875]; *falkensteini* Dewitz,1879
- 72021) *Baniwa yavitensis* Lichy,1981 (Sphingidae) Synonym(s): *yavitensis* Lichy,1981
- 72022) *Barbourion lemai* (Le Mout,1933) (Sphingidae) Synonym(s): *lemai* Le Mout,1933
- 72023) *Basiothia aureata* (Karsch,1891) (Sphingidae) Synonym(s): *aureata* Karsch,1891; *brevipennis* Rothschild,1894
- 72024) *Basiothia charis* (Boisduval,[1875]) (Sphingidae) Synonym(s): *celeronina* Walker,1856; *charis* Boisduval,[1875]
- 72025) *Basiothia medea* (Fabricius,1781) (Sphingidae) Synonym(s): *medea* Fabricius,1781; *idrieus* Drury,1782; *minus* Fabricius,1787; *clio* Fabricius,1793; *onotherina* Martyn,1797; *transfigurata* Wallengren,1860
- 72026) *Basiothia schenki* (Möschler,1872) (Sphingidae) Synonym(s): *schenki* Möschler,1872; *protocharis* Staudinger,1872
- 72027) *Batocnema africana* (Distant,1899) (Sphingidae) Synonym(s): *africana* Distant,1899
- 72028) *Callambulyx amanda* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *amanda* Rothschild & Jordan,1903
- 72029) *Callambulyx amanda amanda* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *amanda* Rothschild & Jordan,1903
- 72030) *Callambulyx junonia* (Butler,1881) (Sphingidae) Synonym(s): *junonia* Butler,1881
- 72031) *Callambulyx poecilus* (Rothschild,1898) (Sphingidae) Synonym(s): *poecilus* Rothschild,1898
- 72032) *Callambulyx poecilus poecilus* (Rothschild,1898) (Sphingidae) Synonym(s): *poecilus* Rothschild,1898
- 72033) *Callambulyx rubricosa* (Walker,1856) (Sphingidae) Synonym(s): *rubricosa* Walker,1856; *indochinensis* Clark,1936
- 72034) *Callambulyx rubricosa piepersi* (Snellen,1880) (Sphingidae) Synonym(s): *piepersi* Snellen,1880
- 72035) *Callambulyx rubricosa rubricosa* (Walker,1856) (Sphingidae) Synonym(s): *rubricosa* Walker,1856; *indochinensis* Clark,1936
- 72036) *Callambulyx schintlmeisteri* Brechlin,1997 (Sphingidae) Synonym(s): *schintlmeisteri* Brechlin,1997
- 72037) *Callambulyx tatarinovii* (Bremer & Grey,1853) (Sphingidae) Synonym(s): *tatarinovii* Bremer & Grey,1853
- 72038) *Callambulyx tatarinovii formosana* Clark,1935 (Sphingidae) Synonym(s): *formosana* Clark,1935
- 72039) *Callambulyx tatarinovii tatarinovii* (Bremer & Grey,1853) (Sphingidae) Synonym(s): *tatarinovii* Bremer & Grey,1853
- 72040) *Callionima acuta* (Rothschild & Jordan,1910) (Sphingidae) Synonym(s): *acuta* Rothschild & Jordan,1910
- 72041) *Callionima calliomenae* (Schaufuss,1870) (Sphingidae) Synonym(s): *calliomenae* Schaufuss,1870; *lutescens* Butler,1875; *ellacombei* Rothschild,1894
- 72042) *Callionima denticulata* (Schaus,1895) (Sphingidae) Synonym(s): *denticulata* Schaus,1895
- 72043) *Callionima falcifera* (Gehlen,1943) (Sphingidae) Synonym(s): *falcifera* Gehlen,1943; *elinae* Neidhoefer,1968
- 72044) *Callionima gracilis* (Jordan,1923) (Sphingidae) Synonym(s): *gracilis* Jordan,1923
- 72045) *Callionima grisescens* (Rothschild,1894) (Sphingidae) Synonym(s): *grisescens* Rothschild,1894
- 72046) *Callionima grisescens elegans* (Gehlen,1935) (Sphingidae) Synonym(s): *elegans* Gehlen,1935
- 72047) *Callionima grisescens grisescens* (Rothschild,1894) (Sphingidae) Synonym(s): *grisescens* Rothschild,1894
- 72048) *Callionima inuus* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *inuus* Rothschild & Jordan,1903; *brethesi* Köhler,1924
- 72049) *Callionima modesta* (Gehlen,1950) (Sphingidae) Synonym(s): *modesta* Gehlen,1950
- 72050) *Callionima nomius* (Walker,1856) (Sphingidae) Synonym(s): *nomius* Walker,1856
- 72051) *Callionima pan* (Cramer,1779) (Sphingidae) Synonym(s): *pan* Cramer,1779; *neivai* Oiticica,1940
- 72052) *Callionima parce* (Fabricius,1775) (Sphingidae) Synonym(s): *parce* Fabricius,1775; *licastus* Cramer,1782; *galianna* Burmeister,1856; *pathenope* Zikan,1935
- 72053) *Callionima parce guaycura* (Cary,1963) (Sphingidae) Synonym(s): *guaycura* Cary,1963
- 72054) *Callionima parce guarti* (Debauche,1934) (Sphingidae) Synonym(s): *guarti* Debauche,1934
- 72055) *Callionima parce parce* (Fabricius,1775) (Sphingidae) Synonym(s): *parce* Fabricius,1775; *licastus* Cramer,1782; *galianna* Burmeister,1856; *pathenope* Zikan,1935
- 72056) *Callionima ramsdeni* (B.P.Clark,1920) (Sphingidae) Synonym(s): *ramsdeni* B.P.Clark,1920
- 72057) *Cautethia exuma* McCabe,1984 (Sphingidae) Synonym(s): *exuma* McCabe,1984
- 72058) *Cautethia grotei* Edwards,1882 (Sphingidae) Synonym(s): *grotei* Edwards,1882
- 72059) *Cautethia grotei grotei* Edwards,1882 (Sphingidae) Synonym(s): *grotei* Edwards,1882
- 72060) *Cautethia grotei hilaris* Jordan,1940 (Sphingidae) Synonym(s): *hilaris* Jordan,1940; *apisa* Jordan,1940
- 72061) *Cautethia noctuiformis* (Walker,1856) (Sphingidae) Synonym(s): *noctuiformis* Walker,1856; *hipparsus* Grote & Robinson,1868
- 72062) *Cautethia noctuiformis bredini* Cary,1971 (Sphingidae) Synonym(s): *bredini* Cary,1971
- 72063) *Cautethia noctuiformis noctuiformis* (Walker,1856) (Sphingidae) Synonym(s): *noctuiformis* Walker,1856; *hipparsus* Grote & Robinson,1868
- 72064) *Cautethia simitia* Schaus,1932 (Sphingidae) Synonym(s): *simitia* Schaus,1932
- 72065) *Cautethia spuria* (Boisduval,[1875]) (Sphingidae) Synonym(s): *spuria* Boisduval,[1875]
- 72066) *Cautethia yucatana* B.P.Clark,1919 (Sphingidae) Synonym(s): *yucatana* B.P.Clark,1919
- 72067) *Cechenena aegrota* (Butler,1875) (Sphingidae) Synonym(s): *aegrota* Butler,1875; *occidentalis* Clark,1935
- 72068) *Cechenena helops* (Walker,1856) (Sphingidae) Synonym(s): *helops* Walker,1856
- 72069) *Cechenena helops helops* (Walker,1856) (Sphingidae) Synonym(s): *helops* Walker,1856
- 72070) *Cechenena helops interposita* Joicey & Talbot,1921 (Sphingidae) Synonym(s): *interposita* Joicey & Talbot,1921
- 72071) *Cechenena helops papuana* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *papuana* Rothschild & Jordan,1903
- 72072) *Cechenena lineosa* (Walker,1856) (Sphingidae) Synonym(s): *lineosa* Walker,1856
- 72073) *Cechenena minor* (Butler,1875) (Sphingidae) Synonym(s): *minor* Butler,1875
- 72074) *Cechenena pollux* (Boisduval,[1875]) (Sphingidae) Synonym(s): *pollux* Boisduval,[1875]
- 72075) *Cechenena subangustata* Rothschild,1920 (Sphingidae) Synonym(s): *subangustata* Rothschild,1920
- 72076) *Cechenena transpascifica* (Clark,1923) (Sphingidae) Synonym(s): *transpascifica* Clark,1923
- 72077) *Centrocetes imitans* (Butler,1882) (Sphingidae) Synonym(s): *imitans* Butler,1882
- 72078) *Cephonodes armatus* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *armatus* Rothschild & Jordan,1903
- 72079) *Cephonodes banksi* Clark,1923 (Sphingidae) Synonym(s): *banksi* Clark,1923
- 72080) *Cephonodes hylas* (Linnaeus,1771) (Sphingidae) Synonym(s): *hylas* Linnaeus,1771
- 72081) *Cephonodes hylas cunninghami* (Walker,1856) (Sphingidae) Synonym(s): *cunninghami* Walker,1856

- 72082) *Cephonodes hylas hylas* (Linnaeus,1771) (Sphingidae) Synonym(s): *hylas* Linnaeus,1771
 72083) *Cephonodes hylas virescens* (Wallengren,1858) (Sphingidae) Synonym(s): *virescens* Wallengren,1858; *confinis* Boisduval,[1875]
 72084) *Cephonodes janus* Miskin,1891 (Sphingidae) Synonym(s): *janus* Miskin,1891
 72085) *Cephonodes janus simplex* Rothschild,1894 (Sphingidae) Synonym(s): *simplex* Rothschild,1894
 72086) *Cephonodes lifuensis* Rothschild,1894 (Sphingidae) Synonym(s): *lifuensis* Rothschild,1894
 72087) *Cephonodes picus* (Cramer,[1777]) (Sphingidae) Synonym(s): *picus* Cramer,[1777]
 72088) *Ceratomia hoffmanni* Mooser,1942 (Sphingidae) Synonym(s): *hoffmanni* Mooser,1942; *hoffmanni* D'Abrera,1986
 72089) *Ceratomia igualana* Schaus,1932 (Sphingidae) Synonym(s): *igualana* Schaus,1932
 72090) *Ceratomia sonorensis* Hodges,1971 (Sphingidae) Synonym(s): *sonorensis* Hodges,1971
 72091) *Cizara sculpta* (R.Felder & Rogenhofer,[1874]) (Sphingidae) Synonym(s): *sculpta* R.Felder & Rogenhofer,[1874]
 72092) *Clanis bilineata* (Walker,1866) (Sphingidae) Synonym(s): *bilineata* Walker,1866
 72093) *Clanis bilineata bilineata* (Walker,1866) (Sphingidae) Synonym(s): *bilineata* Walker,1866
 72094) *Clanis bilineata formosana* Gehlen,1941 (Sphingidae) Synonym(s): *formosana* Gehlen,1941
 72095) *Clanis bilineata sumatrana* Clark,1936 (Sphingidae) Synonym(s): *sumatrana* Clark,1936
 72096) *Clanis bilineata tsingtauca* Mell,1922 (Sphingidae) Synonym(s): *tsingtauca* Mell,1922
 72097) *Clanis euroa* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *euroa* Rothschild & Jordan,1903
 72098) *Clanis hyperion* Cadiou & Kitching,1990 (Sphingidae) Synonym(s): *hyperion* Cadiou & Kitching,1990
 72099) *Clanis negritensis* Hogenes & Treadaway,1993 (Sphingidae) Synonym(s): *negritensis* Hogenes & Treadaway,1993
 72100) *Clanis orhanti* Haxaire,2001 (Sphingidae) Synonym(s): *orhanti* Haxaire,2001
 72101) *Clanis phalaris* (Cramer,[1777]) (Sphingidae) Synonym(s): *phalaris* Cramer,[1777]
 72102) *Clanis pratti* Joicey & Talbot,1921 (Sphingidae) Synonym(s): *pratti* Joicey & Talbot,1921
 72103) *Clanis schwartzi* Cadiou,1993 (Sphingidae) Synonym(s): *schwartzi* Cadiou,1993
 72104) *Clanis stenosema* Rothschild & Jordan,1907 (Sphingidae) Synonym(s): *stenosema* Rothschild & Jordan,1907
 72105) *Clanis surigaoensis* Clark,1928 (Sphingidae) Synonym(s): *surigaoensis* Clark,1928
 72106) *Clanis titan* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *titan* Rothschild & Jordan,1903
 72107) *Clanis undulosa* Moore,1879 (Sphingidae) Synonym(s): *undulosa* Moore,1879
 72108) *Clanis undulosa gigantea* Rothschild,1894 (Sphingidae) Synonym(s): *gigantea* Rothschild,1894
 72109) *Clanis undulosa undulosa* Moore,1879 (Sphingidae) Synonym(s): *undulosa* Moore,1879
 72110) *Clarina kotschy* (Kollar,[1849]) (Sphingidae) Synonym(s): *kotschy* Kollar,[1849]; *mardina* Staudinger,1901.
 72111) *Clarina kotschy kotschy* (Kollar,[1849]) (Sphingidae) Synonym(s): *kotschy* Kollar,[1849]; *mardina* Staudinger,1901.
 72112) *Clarina syriaca* (Lederer,1855) (Sphingidae) Synonym(s): *syriaca* Lederer,1855; *#griseus* Ebert,1976.
 72113) *Cocytius anthaeus* (Drury,1773) (Sphingidae) Synonym(s): *anthaeus* Drury,1773; *jatrophae* Fabricius,1775; *hydaspus* Cramer,1777; *medor* Cramer,1782; *tapayusa* Moore,1883; *henrici* Pinchon,1969
 72114) *Cocytius beelzebuth* (Boisduval,[1875]) (Sphingidae) Synonym(s): *beelzebuth* Boisduval,[1875]
 72115) *Cocytius duponchel* (Poey,1832) (Sphingidae) Synonym(s): *duponchel* Poey,1832; *godarti* Boisduval,[1875]; *rivularis* Butler,1875; *affinis* Rothschild,1894; *#roseus* Gehlen,1927
 72116) *Cocytius lucifer* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *lucifer* Rothschild & Jordan,1903
 72117) *Cocytius lucifer lindneri* Gehlen,1944 (Sphingidae) Synonym(s): *lindneri* Gehlen,1944
 72118) *Cocytius lucifer lucifer* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *lucifer* Rothschild & Jordan,1903
 72119) *Cocytius macasensis* B.P.Clark,1922 (Sphingidae) Synonym(s): *macasensis* B.P.Clark,1922; *misionum* Köhler,1924
 72120) *Cocytius mortuorum* Rothschild & Jordan,1910 (Sphingidae) Synonym(s): *mortuorum* Rothschild & Jordan,1910
 72121) *Cocytius vitrinus* Rothschild & Jordan,1910 (Sphingidae) Synonym(s): *vitrinus* Rothschild & Jordan,1910
 72122) *Coelonia fulvotata* (Butler,1875) (Sphingidae) Synonym(s): *fulvotata* Butler,1875; *mauriti* Butler,1876
 72123) *Compulxyl cochereaui* (Viette,1971) (Sphingidae) Synonym(s): *cochereaui* Viette,1971
 72124) *Craspedortha montana* Cadiou,2000 (Sphingidae) Synonym(s): *montana* Cadiou,2000
 72125) *Craspedortha porphyria* (Butler,1876) (Sphingidae) Synonym(s): *porphyria* Butler,1876; *inapicalis* Mell,1922
 72126) *Craspedortha porphyria basale* Dupont,1937 (Sphingidae) Synonym(s): *basale* Dupont,1937
 72127) *Craspedortha porphyria porphyria* (Butler,1876) (Sphingidae) Synonym(s): *porphyria* Butler,1876; *inapicalis* Mell,1922
 72128) *Cyba bouyeri* Cadiou,1998 (Sphingidae) Synonym(s): *bouyeri* Cadiou,1998
 72129) *Cyba claggi* Clark,1938 (Sphingidae) Synonym(s): *claggi* Clark,1938
 72130) *Cyba decolor* (Walker,1856) (Sphingidae) Synonym(s): *decolor* Walker,1856
 72131) *Cyba decolor decolor* (Walker,1856) (Sphingidae) Synonym(s): *decolor* Walker,1856
 72132) *Cyba decolor euroa* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *euroa* Rothschild & Jordan,1903
 72133) *Cyba decolor manilae* Clark,1930 (Sphingidae) Synonym(s): *manilae* Clark,1930
 72134) *Cyba duponti* Roepke,1941 (Sphingidae) Synonym(s): *duponti* Roepke,1941
 72135) *Cyba enodis* Jordan,1931 (Sphingidae) Synonym(s): *enodis* Jordan,1931
 72136) *Cyba kitchingi* Cadiou,1997 (Sphingidae) Synonym(s): *kitchingi* Cadiou,1997
 72137) *Cyba latericia* Inoue,1991 (Sphingidae) Synonym(s): *latericia* Inoue,1991
 72138) *Cyba terranea* (Butler,1876) (Sphingidae) Synonym(s): *terranea* Butler,1876; *brooksi* Clark,1930; *duponti* Roepke,1941
 72139) *Cyba uniformis* Mell,1922 (Sphingidae) Synonym(s): *uniformis* Mell,1922
 72140) *Cyba uniformis pallens* Jordan,1926 (Sphingidae) Synonym(s): *pallens* Jordan,1926
 72141) *Cypoides chinensis* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *chinensis* Rothschild & Jordan,1903; *transtriata* Chu & Wang,1980
 72142) *Cypoides chinensis chinensis* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *chinensis* Rothschild & Jordan,1903; *transtriata* Chu & Wang,1980
 72143) *Dahira rubiginosa* Moore,1888 (Sphingidae) Synonym(s): *rubiginosa* Moore,1888
 72144) *Daphnis hayesi* Cadiou,1988 (Sphingidae) Synonym(s): *hayesi* Cadiou,1988
 72145) *Daphnis hypothous* (Cramer,[1780]) (Sphingidae) Synonym(s): *hypothous* Cramer,[1780]
 72146) *Daphnis hypothous hypothous* (Cramer,[1780]) (Sphingidae) Synonym(s): *hypothous* Cramer,[1780]
 72147) *Daphnis hypothous pallescens* (Butler,1875) (Sphingidae) Synonym(s): *pallescens* Butler,1875
 72148) *Daphnis nerii* (Linnaeus,1758) (Sphingidae) Synonym(s): *nerii* Linnaeus,1758; *infernelutea* Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934.
 72149) *Daphnis placida* (Walker,1856) (Sphingidae) Synonym(s): *placida* Walker,1856
 72150) *Daphnis placida salomonis* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *salomonis* Rothschild & Jordan,1903
 72151) *Daphnis placida torenia* Druce (Sphingidae) Synonym(s): *torenia* Druce
 72152) *Daphnis vriesi* Hogenes & Treadaway,1993 (Sphingidae) Synonym(s): *vriesi* Hogenes & Treadaway,1993
 72153) *Daphnusa aiantis* (Boisduval,[1875]) (Sphingidae) Synonym(s): *aiantis* Boisduval,[1875]; *splendens* Gehlen,1928
 72154) *Daphnusa ocellaris* Walker,1856 (Sphingidae) Synonym(s): *ocellaris* Walker,1856
 72155) *Darapsa myron* (Cramer,[1779]) (Sphingidae) Synonym(s): *myron* Cramer,[1779]; *pampinatrix* J.E.Smith,1797; *cnotus* Hübner,[1823]; *#lutescens* B.P.Clark,1920; *texana* B.P.Clark,1920; *#isatis* Debauche,1934
 72156) *Darapsa myron mexicana* (Gehlen,1933) (Sphingidae) Synonym(s): *mexicana* Gehlen,1933
 72157) *Darapsa myron myron* (Cramer,[1779]) (Sphingidae) Synonym(s): *myron* Cramer,[1779]; *pampinatrix* J.E.Smith,1797; *cnotus* Hübner,[1823]; *#lutescens* B.P.Clark,1920; *texana* B.P.Clark,1920; *#isatis* Debauche,1934
 72158) *Darapsa pholus* (Cramer,1776) (Sphingidae) Synonym(s): *pholus* Cramer,1776; *choerilus* Cramer,1780; *azaleae* J.E.Smith,1797; *chlorinda* Butler,1877; *#flavescens* Closs,1911; *brodieri* B.P.Clark,1929
 72159) *Degmaptera mirabilis* (Rothschild,1894) (Sphingidae) Synonym(s): *mirabilis* Rothschild,1894
 72160) *Degmaptera mirabilis mirabilis* (Rothschild,1894) (Sphingidae) Synonym(s): *mirabilis* Rothschild,1894
 72161) *Degmaptera olivacea* (Rothschild,1894) (Sphingidae) Synonym(s): *olivacea* Rothschild,1894
 72162) *Deilephila elpenor* (Linnaeus,1758) (Sphingidae) Synonym(s): *elpenor* Linnaeus,1758
 72163) *Deilephila placida steffany* Clark,1927 (Sphingidae) Synonym(s): *steffany* Clark,1927
 72164) *Deilephila porcellus* (Linnaeus,1758) (Sphingidae) Synonym(s): *porcellus* Linnaeus,1758

- 72165) *Deilephila rivularis* (Boisduval,[1875]) (Sphingidae) Synonym(s): *rivularis* Boisduval,[1875]; *fraterna* Butler,1875
72166) *Deilephila suellus* Staudinger,1878 (Sphingidae) Synonym(s): *suellus* Staudinger,1878; *kuruschi* O.Bang-Haas,1938.
72167) *Deilephila suellus roseus* (Zerny,1933) (Sphingidae) Synonym(s): *roseus* Zerny,1933
72168) *Deilephila suellus suellus* Staudinger,1878 (Sphingidae) Synonym(s): *suellus* Staudinger,1878; *kuruschi* O.Bang-Haas,1938.
72169) *Deilephila suellus sus* (O.Bang-Haas,1927) (Sphingidae) Synonym(s): *sus* O.Bang-Haas,1927
72170) *Dolba hyleous* (Drury,[1773]) (Sphingidae) Synonym(s): *hyleous* Drury,[1773]; *prini* J.E.Smith,1797; *hylaues* B.P.Clark,1919; *floridensis* B.P.Clark,1919
72171) *Dolba schausi* B.P.Clark,1917 (Sphingidae) Synonym(s): *schausi* B.P.Clark,1917
72172) *Dolbina elegans* (A.Bang-Haas,1912) (Sphingidae) Synonym(s): *elegans* A.Bang-Haas,1912; *steffensi* Popescu-Gorj,1971.
72173) *Dolbina elegans elegans* (A.Bang-Haas,1912) (Sphingidae) Synonym(s): *elegans* A.Bang-Haas,1912; *steffensi* Popescu-Gorj,1971.
72174) *Dolbina exacta* Staudinger (Sphingidae) Synonym(s):
72175) *Dolbina grisea* (Hampson,[1893]) (Sphingidae) Synonym(s): *grisea* Hampson,[1893]; *hackeri* Eitschberger & Danner & Surholt,1998.
72176) *Dolbina grisea grisea* (Hampson,[1893]) (Sphingidae) Synonym(s): *grisea* Hampson,[1893]; *hackeri* Eitschberger & Danner & Surholt,1998.
72177) *Dolbina inexacta* (Walker,1856) (Sphingidae) Synonym(s): *inexacta* Walker,1856
72178) *Dolbina krikkeni* Roesler & Küppers,1975 (Sphingidae) Synonym(s): *krikkeni* Roesler & Küppers,1975
72179) *Dolbina schnitzleri* Cadiou,1997 (Sphingidae) Synonym(s): *schnitzleri* Cadiou,1997
72180) *Dolbogene hartwegii* (Butler,1875) (Sphingidae) Synonym(s): *hartwegii* Butler,1875; *clarki* Hoffmann,1924
72181) *Elibia dolichus* (Westwood,1847) (Sphingidae) Synonym(s): *dolichus* Westwood,1847
72182) *Elibia linigera* Boisduval,[1875] (Sphingidae) Synonym(s): *linigera* Boisduval,[1875]
72183) *Enpinanga assamensis* (Walker,1856) (Sphingidae) Synonym(s): *assamensis* Walker,1856; *oceanica* Rothschild & Jordan,1916
72184) *Enpinanga borneensis* (Butler,1879) (Sphingidae) Synonym(s): *borneensis* Butler,1879
72185) *Enpinanga vigens* (Butler,1879) (Sphingidae) Synonym(s): *vogens* Butler,1879; *javanica* Dupont,1941; *sirani* Roesler & Küppers,1975
72186) *Enyo bathus* (Rothschild,1904) (Sphingidae) Synonym(s): *bathus* Rothschild,1904; *otiosus* Kernbach,1957
72187) *Enyo boisduvali* (Oberthür,1904) (Sphingidae) Synonym(s): *boisduvali* Oberthür,1904
72188) *Enyo cavifer* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *cavifer* Rothschild & Jordan,1903
72189) *Enyo cavifer cavifer* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *cavifer* Rothschild & Jordan,1903
72190) *Enyo cavifer paganus* (Kernbach,1957) (Sphingidae) Synonym(s): *paganus* Kernbach,1957
72191) *Enyo cavifer reconditus* (Kernbach,1957) (Sphingidae) Synonym(s): *reconditus* Kernbach,1957
72192) *Enyo gorgon* (Cramer,1777) (Sphingidae) Synonym(s): *gorgon* Cramer,1777; *lyctus* Cramer,1779
72193) *Enyo gorgon gorgon* (Cramer,1777) (Sphingidae) Synonym(s): *gorgon* Cramer,1777; *lyctus* Cramer,1779
72194) *Enyo gorgon heinrichi* (B.P.Clark,1932) (Sphingidae) Synonym(s): *heinrichi* B.P.Clark,1932
72195) *Enyo japix* (Cramer,1776) (Sphingidae) Synonym(s): *japix* Cramer,1776; *hijapix* Boisduval,[1875]
72196) *Enyo japix discrepans* (Walker,1856) (Sphingidae) Synonym(s): *discrepans* Walker,1856; *succintus* R.Felder,1874
72197) *Enyo japix japix* (Cramer,1776) (Sphingidae) Synonym(s): *japix* Cramer,1776; *hijapix* Boisduval,[1875]
72198) *Enyo lugubris* (Linnaeus,1771) (Sphingidae) Synonym(s): *lugubris* Linnaeus,1771; *fegeus* Cramer,1780; *hphegeus* Hübner,[1819]; *luctuosus* Boisduval,[1875]; *hrufa* Silva,1934
72199) *Enyo lugubris delanoi* (Kernbach,1962) (Sphingidae) Synonym(s): *delanoi* Kernbach,1962
72200) *Enyo lugubris latipennis* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *latipennis* Rothschild & Jordan,1903
72201) *Enyo lugubris lugubris* (Linnaeus,1771) (Sphingidae) Synonym(s): *lugubris* Linnaeus,1771; *fegeus* Cramer,1780; *hphegeus* Hübner,[1819]; *luctuosus* Boisduval,[1875]; *hrufa* Silva,1934
72202) *Enyo ocypte* (Linnaeus,1758) (Sphingidae) Synonym(s): *ocypete* Linnaeus,1758; *camertus* Cramer,1780; *dunam* Cramer,1780; *hozypete* Butler,1877
72203) *Enyo pronoe* (Druce,1894) (Sphingidae) Synonym(s): *pronoe* Druce,1894
72204) *Enyo pronoe fuscatus* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *variegata* Rothschild,1896; *fuscatus* Rothschild & Jordan,1903
72205) *Enyo pronoe pronoe* (Druce,1894) (Sphingidae) Synonym(s): *pronoe* Druce,1894
72206) *Enyo taedium* Schaus,1890 (Sphingidae) Synonym(s):
72207) *Enyo taedium australis* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *australis* Rothschild & Jordan,1903
72208) *Enyo taedium taedium* Schaus,1890 (Sphingidae) Synonym(s):
72209) *Erinnyis alope* (Drury,1773) (Sphingidae) Synonym(s): *alope* Drury,1773; *flavicans* Goeze,1780; *fasciata* Swainson,1823; *edwardsi* Butler,1881
72210) *Erinnyis alope alope* (Drury,1773) (Sphingidae) Synonym(s): *alope* Drury,1773; *flavicans* Goeze,1780; *fasciata* Swainson,1823; *edwardsi* Butler,1881
72211) *Erinnyis alope dispersa* Kernbach,1962 (Sphingidae) Synonym(s): *dispersa* Kernbach,1962
72212) *Erinnyis crameri* (Schaus,1898) (Sphingidae) Synonym(s): *crameri* Schaus,1898
72213) *Erinnyis domingonis* (Butler,1875) (Sphingidae) Synonym(s): *domingonis* Butler,1875; *festa* Edwards,1882; *pallesces* B.P.Clark,1936
72214) *Erinnyis ello* (Linnaeus,1758) (Sphingidae) Synonym(s): *ello* Linnaeus,1758; *cinifera* Zikan,1934; *homorfia* Mooser,1942
72215) *Erinnyis ello ello* (Linnaeus,1758) (Sphingidae) Synonym(s): *ello* Linnaeus,1758; *cinifera* Zikan,1934; *homorfia* Mooser,1942
72216) *Erinnyis ello encantada* Kernbach,1962 (Sphingidae) Synonym(s): *encantada* Kernbach,1962
72217) *Erinnyis guttularis* (Walker,1856) (Sphingidae) Synonym(s): *guttularis* Walker,1856
72218) *Erinnyis lassauxi* (Boisduval,1859) (Sphingidae) Synonym(s): *lassauxi* Boisduval,1859; *merianae* Grote,1856; *omphaleae* Boisduval,1870; *janiphae* Boisduval,[1875]; *himpunctata* Rothschild & Jordan,1903
72219) *Erinnyis obscura* (Fabricius,1775) (Sphingidae) Synonym(s): *obscura* Fabricius,1775; *sthen* Geyer,[1829]; *pallida* Grote,1865; *rhaebus* Boisduval,1870; *jamaicensis* B.P.Clark,1935
72220) *Erinnyis obscura conformis* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *conformis* Rothschild & Jordan,1903
72221) *Erinnyis obscura obscura* (Fabricius,1775) (Sphingidae) Synonym(s): *obscura* Fabricius,1775; *sthen* Geyer,[1829]; *pallida* Grote,1865; *rhaebus* Boisduval,1870; *jamaicensis* B.P.Clark,1935
72222) *Erinnyis obscura socorroensis* B.P.Clark,1926 (Sphingidae) Synonym(s): *socorroensis* B.P.Clark,1926
72223) *Erinnyis oenotrus* (Cramer,1782) (Sphingidae) Synonym(s): *oenotrus* Cramer,1782; *penaeus* Fabricius,1787; *picta* Sepp,[1848]; *melancholica* Grote,1865; *piperis* Grote & Robinson,1868; *hippotoon* Burmeister,1878
72224) *Erinnyis yacatana* Druce,1888 (Sphingidae) Synonym(s): *yacatana* Druce,1888
72225) *Euchloron megaera* (Linnaeus,1758) (Sphingidae) Synonym(s): *megaera* Linnaeus,1758
72226) *Eumorphia achemon* (Drury,1773) (Sphingidae) Synonym(s): *achemon* Drury,1773; *crantor* Cramer,1777; *trigon* Gehlen,1926
72227) *Eumorphia adamsi* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *adamsi* Rothschild & Jordan,1903
72228) *Eumorphia anchemolus* (Cramer,1780) (Sphingidae) Synonym(s): *anchemolus* Cramer,1780
72229) *Eumorphia capronnieri* (Boisduval,[1875]) (Sphingidae) Synonym(s): *capronnieri* Boisduval,[1875]
72230) *Eumorphia cissi* (Schaufuss,1870) (Sphingidae) Synonym(s): *cissi* Schaufuss,1870; *hivini* Kirby,1892
72231) *Eumorphia drucei* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *drucei* Rothschild & Jordan,1903
72232) *Eumorphia eacus* (Cramer,1780) (Sphingidae) Synonym(s): *ecacus* Cramer,1780; *magaeacus* Hübner,[1819]
72233) *Eumorphia elisa* (Smyth,1901) (Sphingidae) Synonym(s): *elisa* Smyth,1901
72234) *Eumorphia fasciata* (Sulzer,1776) (Sphingidae) Synonym(s): *fasciata* Sulzer,1776; *jussieu* Hübner,[1819]; *strigilis* Vogel,1822
72235) *Eumorphia fasciata fasciata* (Sulzer,1776) (Sphingidae) Synonym(s): *fasciata* Sulzer,1776; *jussieu* Hübner,[1819]; *strigilis* Vogel,1822
72236) *Eumorphia fasciata tupaci* (Kernbach,1962) (Sphingidae) Synonym(s): *tupaci* Kernbach,1962
72237) *Eumorphia labruscae* (Linnaeus,1758) (Sphingidae) Synonym(s): *labruscae* Linnaeus,1758; *clotho* Fabricius,1775 nec Cr.,1775
72238) *Eumorphia labruscae labruscae* (Linnaeus,1758) (Sphingidae) Synonym(s): *labruscae* Linnaeus,1758; *clotho* Fabricius,1775 nec Cr.,1775
72239) *Eumorphia labruscae yupanquii* (Kernbach,1962) (Sphingidae) Synonym(s): *yupanquii* Kernbach,1962
72240) *Eumorphia macasensis* (B.P.Clark,1917) (Sphingidae) Synonym(s): *macasensis* B.P.Clark,1917
72241) *Eumorphia neuburgeri* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *neuburgeri* Rothschild & Jordan,1903
72242) *Eumorphia obliqua* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *obliqua* Rothschild & Jordan,1903
72243) *Eumorphia obliqua guadelupensis* (Chalumeau & Delplanque,1974) (Sphingidae) Synonym(s): *guadelupensis* Chalumeau & Delplanque,1974
72244) *Eumorphia obliqua obliqua* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *obliqua* Rothschild & Jordan,1903
72245) *Eumorphia obliqua orientis* (Daniel,1949) (Sphingidae) Synonym(s): *orientis* Daniel,1949
72246) *Eumorphia pandorus* (Hübner,[1821]) (Sphingidae) Synonym(s): *pandorus* Hübner,[1821]; *ampelophaga* Walker,1856; *intermedia* B.P.Clark,1917
72247) *Eumorphia phorbis* (Cramer,1775) (Sphingidae) Synonym(s): *phorbis* Cramer,1775; *pandion* Cramer,1780

- 72248) *Eumorpha satellitia* (Linnaeus,1771) (Sphingidae) Synonym(s): *satellititia* Linnaeus,1771; *licaon* Cramer,1776; *posticatus* Grote,1865; *#cinnanomea* Closs,1911
- 72249) *Eumorpha satellitia analis* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *analis* Rothschild & Jordan,1903
- 72250) *Eumorpha satellitia excessus* (Gehlen,1926) (Sphingidae) Synonym(s): *excessus* Gehlen,1926; *#rosea* Closs,1918
- 72251) *Eumorpha satellitia posticarius* (Burmeister,1878) (Sphingidae) Synonym(s): *posticarius* Burmeister,1878
- 72252) *Eumorpha satellitia satellitia* (Linnaeus,1771) (Sphingidae) Synonym(s): *satellititia* Linnaeus,1771; *licaon* Cramer,1776; *posticatus* Grote,1865; *#cinnanomea* Closs,1911
- 72253) *Eumorpha strenua* (Ménétriés,1857) (Sphingidae) Synonym(s): *strenua* Ménétriés,1857; *mirificatus* Grote,1875; *domingonis* Rothschild,1894
- 72254) *Eumorpha translineata* (Rothschild,1894) (Sphingidae) Synonym(s): *translineata* Rothschild,1894; *#extinctus* Gehlen,1926
- 72255) *Eumorpha triangulum* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *triangulum* Rothschild & Jordan,1903
- 72256) *Eumorpha typhon* (Klug,1836) (Sphingidae) Synonym(s): *typhon* Klug,1836
- 72257) *Eumorpha vitis* (Linnaeus,1758) (Sphingidae) Synonym(s): *vitis* Linnaeus,1758; *hornbeckiana* Harris,1839; *linnei* Grote & Robinson,1865; *fuscatus* Rothschild & Jordan,1906; *#pallida* Closs,1918
- 72258) *Eumorpha vitis hesperidum* (Kirby,1880) (Sphingidae) Synonym(s): *hesperidum* Kirby,1880
- 72259) *Eumorpha vitis vitis* (Linnaeus,1758) (Sphingidae) Synonym(s): *vitis* Linnaeus,1758; *hornbeckiana* Harris,1839; *linnei* Grote & Robinson,1865; *fuscatus* Rothschild & Jordan,1906; *#pallida* Closs,1918
- 72260) *Eupanaera automedon* (Walker,1856) (Sphingidae) Synonym(s): *automedon* Walker,1856
- 72261) *Eupanaera busiris* (Walker,1856) (Sphingidae) Synonym(s): *busiris* Walker,1856
- 72262) *Eupanaera busiris atima* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *atima* Rothschild & Jordan,1903
- 72263) *Eupanaera busiris busiris* (Walker,1856) (Sphingidae) Synonym(s): *busiris* Walker,1856
- 72264) *Eupanaera busiris marina* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *marina* Rothschild & Jordan,1903
- 72265) *Eupanaera busiris myosotis* (Cadiou & Holloway,1989) (Sphingidae) Synonym(s): *myosotis* Cadiou & Holloway,1989
- 72266) *Eupanaera busiris schuetzi* Hogenes & Treadaway,1996 (Sphingidae) Synonym(s): *schuetzi* Hogenes & Treadaway,1996
- 72267) *Eupanaera cadioui* Hogenes & Treadaway,1993 (Sphingidae) Synonym(s): *cadioui* Hogenes & Treadaway,1993
- 72268) *Eupanaera dohertyi* (Rothschild,1894) (Sphingidae) Synonym(s): *dohertyi* Rothschild,1894; *continentalis* Gehlen,1930
- 72269) *Eupanaera elegantulus* (Herrich-Schäffer,1856) (Sphingidae) Synonym(s): *elegantulus* Herrich-Schäffer,1856
- 72270) *Eupanaera hollowayi* Tennent,1991 (Sphingidae) Synonym(s): *hollowayi* Tennent,1991
- 72271) *Eupanaera malayana* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *malayana* Rothschild & Jordan,1903
- 72272) *Eupanaera metallica* (Butler,1875) (Sphingidae) Synonym(s): *metallica* Butler,1875
- 72273) *Eupanaera metallica anfracta* Gehlen,1930 (Sphingidae) Synonym(s): *anfracta* Gehlen,1930
- 72274) *Eupanaera metallica metallica* (Butler,1875) (Sphingidae) Synonym(s): *metallica* Butler,1875
- 72275) *Eupanaera mydon* (Walker,1856) (Sphingidae) Synonym(s): *mydon* Walker,1856
- 72276) *Eupanaera perfecta* (Butler,1875) (Sphingidae) Synonym(s): *perfecta* Butler,1875
- 72277) *Eupanaera perfecta perfecta* (Butler,1875) (Sphingidae) Synonym(s): *perfecta* Butler,1875
- 72278) *Eupanaera perfecta tsekoui* Clark,1926 (Sphingidae) Synonym(s): *tsekoui* Clark,1926
- 72279) *Eupanaera sinuata* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *sinuata* Rothschild & Jordan,1903
- 72280) *Eupanaera tiridates* (Boisduval,[1875]) (Sphingidae) Synonym(s): *tiridates* Boisduval,[1875]
- 72281) *Eupanaera treadawayi* Cadiou,1995 (Sphingidae) Synonym(s): *treadawayi* Cadiou,1995
- 72282) *Eupanaera variolosa* (Walker,1856) (Sphingidae) Synonym(s): *variolosa* Walker,1856
- 72283) *Euproserpinus euterpe* Edwards,1888 (Sphingidae) Synonym(s): *euterpe* Edwards,1888
- 72284) *Euproserpinus phaeton* Grote & Robinson,1865 (Sphingidae) Synonym(s): *phaeton* Grote & Robinson,1865; *erato* Boisduval,1868; *mojave* Comstock,1938
- 72285) *Euproserpinus wiesti* Sperry,1939 (Sphingidae) Synonym(s): *wiesti* Sperry,1939
- 72286) *Eupyrrhoglossum corvus* (Boisduval,1870) (Sphingidae) Synonym(s): *corvus* Boisduval,1870
- 72287) *Eupyrrhoglossum sagra* (Poey,1832) (Sphingidae) Synonym(s): *sagra* Poey,1832; *harpia* Schafuss,1870
- 72288) *Eupyrrhoglossum venustum* Rothschild & Jordan,1910 (Sphingidae) Synonym(s): *venustum* Rothschild & Jordan,1910
- 72289) *Euryglottis albostigmata* Rothschild,1894 (Sphingidae) Synonym(s): *albostigmata* Rothschild,1894
- 72290) *Euryglottis albostigmata albostigmata* Rothschild,1894 (Sphingidae) Synonym(s): *albostigmata* Rothschild,1894
- 72291) *Euryglottis albostigmata basalis* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *basalis* Rothschild & Jordan,1903
- 72292) *Euryglottis aper* (Walker,1856) (Sphingidae) Synonym(s): *aper* Walker,1856
- 72293) *Euryglottis davidianus* Dognin,1891 (Sphingidae) Synonym(s): *davidianus* Dognin,1891
- 72294) *Euryglottis dognini* Rothschild,1896 (Sphingidae) Synonym(s): *dognini* Rothschild,1896
- 72295) *Euryglottis guttiventris* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *guttiventris* Rothschild & Jordan,1903
- 72296) *Eurypteryx alleni* Hogenes & Treadaway,1993 (Sphingidae) Synonym(s): *alleni* Hogenes & Treadaway,1993
- 72297) *Eurypteryx bhaga* (Moore,[1866]) (Sphingidae) Synonym(s): *bhaga* Moore,[1866]
- 72298) *Eurypteryx bhaga bhaga* (Moore,[1866]) (Sphingidae) Synonym(s): *bhaga* Moore,[1866]
- 72299) *Eurypteryx bhaga obtruncata* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *obtruncata* Rothschild & Jordan,1903
- 72300) *Eurypteryx geoffreyi* Cadiou & Kitching,1990 (Sphingidae) Synonym(s): *geoffreyi* Cadiou & Kitching,1990
- 72301) *Eurypteryx geoffreyi geoffreyi* Cadiou & Kitching,1990 (Sphingidae) Synonym(s): *geoffreyi* Cadiou & Kitching,1990
- 72302) *Falcata falcata* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *falcata* Rothschild & Jordan,1903
- 72303) *Gehlenia obliquifascia* (Hampson,1910) (Sphingidae) Synonym(s): *obliquifascia* Hampson,1910
- 72304) *Gehlenia obliquifascia baibarana* (Matsumura,1927) (Sphingidae) Synonym(s): *baibarana* Matsumura,1927
- 72305) *Gehlenia obliquifascia obliquifascia* (Hampson,1910) (Sphingidae) Synonym(s): *obliquifascia* Hampson,1910
- 72306) *Gehlenia pinratana* Cadiou,1991 (Sphingidae) Synonym(s): *pinratana* Cadiou,1991
- 72307) *Gehlenia pinratana pinratana* Cadiou,1991 (Sphingidae) Synonym(s): *pinratana* Cadiou,1991
- 72308) *Giganteopalpus mirabilis* (Rothschild,1894) (Sphingidae) Synonym(s): *mirabilis* Rothschild,1894
- 72309) *Giganteopalpus mirabilis mirabilis* (Rothschild,1894) (Sphingidae) Synonym(s): *mirabilis* Rothschild,1894
- 72310) *Gnathothlibus erotus* (Cramer,1777) (Sphingidae) Synonym(s): *erotus* Cramer,1777
- 72311) *Gnathothlibus erotus* (Cramer,[1777]) (Sphingidae) Synonym(s): *erotus* Cramer,[1777]
- 72312) *Gnathothlibus erotus eras* (Boisduval) (Sphingidae) Synonym(s): *eras* Boisduval,1832
- 72313) *Gnathothlibus erotus eras* (Boisduval,1832) (Sphingidae) Synonym(s): *eras* Boisduval,1832
- 72314) *Gnathothlibus erotus erotus* (Cramer,[1777]) (Sphingidae) Synonym(s): *erotus* Cramer,[1777]
- 72315) *Griseosphinx preechari* Cadiou & Kitching,1990 (Sphingidae) Synonym(s): *preechari* Cadiou & Kitching,1990
- 72316) *Griseosphinx* sp. (Sphingidae) Synonym(s):
- 72317) *Hayesiana triopus* (Westwood,1847) (Sphingidae) Synonym(s): *trippus* Westwood,1847
- 72318) *Hayesiana triopus triopus* (Westwood,1847) (Sphingidae) Synonym(s): *trippus* Westwood,1847
- 72319) *Hemaris* (Cochrania) *croatica* (Esper,[1779]) (Sphingidae) Synonym(s): *croatica* Esper,[1779]; *sesia* Hübner,[1806]; *#obscurata* Closs,1911; *#rangnowi* Closs,1911.
- 72320) *Hemaris* (Cochrania) *ducalis* (Staudinger,1887) (Sphingidae) Synonym(s): *ducalis* Staudinger,1887
- 72321) *Hemaris* (Cochrania) *ducalis dantchenkoi* Eitschberger & Lukhtanov,1996 (Sphingidae) Synonym(s): *dantchenkoi* Eitschberger & Lukhtanov,1996
- 72322) *Hemaris* (Cochrania) *ducalis ducalis* (Staudinger,1887) (Sphingidae) Synonym(s): *ducalis* Staudinger,1887
- 72323) *Hemaris* (Cochrania) *ducalis lukhtanovi* Eitschberger, Danner & Surholt,1998 (Sphingidae) Synonym(s): *lukhtanovi* Eitschberger, Danner & Surholt,1998
- 72324) *Hemaris* (Cochrania) *ducalis temiri* (Groum-Grshimailo,1887) (Sphingidae) Synonym(s): *temiri* Groum-Grshimailo,1887
- 72325) *Hemaris* (Cochrania) *rubra* Hampson,[1893] (Sphingidae) Synonym(s): *rubra* Hampson,[1893]
- 72326) *Hemaris* (Eitschbergera) *aksana* (Le Cerf,1913) (Sphingidae) Synonym(s): *aksana* Le Cerf,1913
- 72327) *Hemaris* (Eitschbergera) *alaiana* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *alaiana* Rothschild & Jordan,1903 KK KG CN Ui
- 72328) *Hemaris* (Eitschbergera) *galunae* Eitschberger, Müller & Kravchenko,2005 (Sphingidae) Synonym(s): *galunae* Eitschberger, Müller & Kravchenko,2005
- 72329) *Hemaris* (Eitschbergera) *molli* Eitschberger, Müller & Kravchenko,2005 (Sphingidae) Synonym(s): *molli* Eitschberger, Müller & Kravchenko,2005

- 72330) *Hemaris (Eitschbergera) radians* (Walker, 1856) (Sphingidae) Synonym(s): *radians* Walker, 1856; *mandarina* Butler, 1875; *#mandarnia* Jordan, 1911
- 72331) *Hemaris (Eitschbergera) saldaitisi* Eitschberger, Danner & Surholt, 1998 (Sphingidae) Synonym(s): *saldaitisi* Eitschberger, Danner & Surholt, 1998; *#saldaitisi* Eitschberger, Danner & Surholt, 1998 RU Tv
- 72332) *Hemaris (Eitschbergera) titus* (Linnaeus, 1758) (Sphingidae) Synonym(s): *titus* Linnaeus, 1758; *bombylififormis* Linnaeus, 1758; *knautiae* Zeller, 1869; *scabiosae* Zeller, 1869; *alaiana* Rothschild & Jordan, 1903; *karaugomica* Wojtusiak & Niesiolowski, 1946; *saldaitisi* Eitschberger, Danner & Surholt, 1998
- 72333) *Hemaris (Jilinga) beresowskii* (Alpheraky, 1897) (Sphingidae) Synonym(s): *beresowskii* Alpheraky, 1897
- 72334) *Hemaris (Jilinga) staudingeri* Leech, 1900 (Sphingidae) Synonym(s): *staudingeri* Leech, 1900
- 72335) *Hemaris (Jilinga) staudingeri kuangtungensis* (Mell, 1922) (Sphingidae) Synonym(s): *kuangtungensis* Mell, 1922
- 72336) *Hemaris (Jilinga) staudingeri ottonis* (Rothschild & Jordan, 1903) (Sphingidae) Synonym(s): *ottonis* Rothschild & Jordan, 1903
- 72337) *Hemaris (Jilinga) staudingeri staudingeri* Leech, 1900 (Sphingidae) Synonym(s): *staudingeri* Leech, 1900
- 72338) *Hemaris (Jilinga) stueningi* Eitschberger, Danner & Surholt, 1998 (Sphingidae) Synonym(s): *stueningi* Eitschberger, Danner & Surholt, 1998
- 72339) *Hemaris (Saundersia) saundersii* (Walker, 1856) (Sphingidae) Synonym(s): *saundersii* Walker, 1856
- 72340) *Hemaris (s.str.) dentata* (Staudinger, 1887) (Sphingidae) Synonym(s): *dentata* Staudinger, 1887
- 72341) *Hemaris (s.str.) fuciformis* (Linnaeus, 1758) (Sphingidae) Synonym(s): *fuciformis* Linnaeus, 1758; *variegata* Allioni, 1766; *musca* Retzius, 1783; *bombylififormis sensu* Ochsenheimer, 1808; *milesiformis* Treitschke, 1834; *caprifolii* Zeller, 1869; *loniceriae* Zeller, 1869; *robusta* Alpheraky, 1882; *simillima* Moore, 1888; *ganussuensis* Grum-Grshimailo, 1891; *heynei* Bartel, 1898;
- 72342) *Hemaris (s.str.) fuciformis jordana* (Clark, 1927) (Sphingidae) Synonym(s): *jordana* Clark, 1927
- 72343) *Hemaris (s.str.) syra* (Daniel, 1939) (Sphingidae) Synonym(s): *syra* Daniel, 1939; *#syriaca* Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt, 2005
- 72344) *Hemaris diffinis* (Boisduval, 1836) (Sphingidae) Synonym(s): *diffinis* Boisduval, 1836; *thetis* Boisduval, 1855 *axillaris* Grote & Robinson, 1868; *tenuis* Grote, 1873; *marginalis* Grote, 1873; *palpalis* Grote, 1874; *grotei* Butler, 1874; *fumosa* Strecker, 1874; *aethra* Strecker, 1875; *cynoglossum* Edwards, 1875; *metathetis* Butler, [1877]; *ariadne* Barnes & McDunnough, 1927; *jordani* Barnes & McDunnough, 1927
- 72345) *Hemaris senta* (Strecker, 1878) (Sphingidae) Synonym(s): *senta* Strecker, 1878; *brucei* French, 1890
- 72346) *Hemeroplanes diffusa* (Rothschild & Jordan, 1903) (Sphingidae) Synonym(s): *diffusa* Rothschild & Jordan, 1903
- 72347) *Hemeroplanes longistriga* (Rothschild & Jordan, 1903) (Sphingidae) Synonym(s): *longistriga* Rothschild & Jordan, 1903
- 72348) *Hemeroplanes ornatus* Rothschild, 1894 (Sphingidae) Synonym(s): *ornatus* Rothschild, 1894
- 72349) *Hemeroplanes triptolemus* (Cramer, 1779) (Sphingidae) Synonym(s): *triptolemus* Cramer, 1779
- 72350) *Himantoides perkinsae* B.P. Clark, 1933 (Sphingidae) Synonym(s): *perkinsae* B.P. Clark, 1933
- 72351) *Himantoides undata* (Walker, 1856) (Sphingidae) Synonym(s): *undata* Walker, 1856
- 72352) *Hippotion balsaminae* (Walker, 1856) (Sphingidae) Synonym(s): *balsaminae* Walker, 1856; *pinastrinus* Butler, 1876
- 72353) *Hippotion boerhaviae* (Fabricius, 1775) (Sphingidae) Synonym(s): *boerhaviae* Fabricius, 1775
- 72354) *Hippotion brunneum* (Semper, 1896) (Sphingidae) Synonym(s): *brunneum* Semper, 1896
- 72355) *Hippotion celerio* (Linnaeus, 1758) (Sphingidae) Synonym(s): *celerio* Linnaeus, 1758; *tisiphone* Linnaeus, 1758; *inquilinus* Harris, 1780; *phoenix* Oken, 1815; *ocys* Hübnér, [1819]; *albolineatus* Montrouzier, 1864
- 72356) *Hippotion echeclus* (Boisduval, [1875]) (Sphingidae) Synonym(s): *echeclus* Boisduval, [1875]
- 72357) *Hippotion eson* (Cramer, 1779) (Sphingidae) Synonym(s): *eson* Cramer, 1779; *thyelia* Westwood, 1881; *elegans* Butler, 1875; *gracilis* Butler, 1875; *comoroana* Clark, 1929; *luridus* Gehlen, 1944
- 72358) *Hippotion osiris* (Dalman, 1823) (Sphingidae) Synonym(s): *osiris* Dalman, 1823
- 72359) *Hippotion rafflesii* (Moore, [1858]) (Sphingidae) Synonym(s): *rafflesii* Moore, [1858]
- 72360) *Hippotion rafflesii dyokeae* Hogenes & Treadaway, 1998 (Sphingidae) Synonym(s): *dyokeae* Hogenes & Treadaway, 1998
- 72361) *Hippotion rosae* (Butler, 1882) (Sphingidae) Synonym(s): *rosae* Butler, 1882
- 72362) *Hippotion roseipennis* (Butler, 1882) (Sphingidae) Synonym(s): *roseipennis* Butler, 1882; *exclamationis* Fawcett, 1915; *austrium* Jordan, 1930; *robur* Jordan, 1938
- 72363) *Hippotion rosetta* (Swinhoe, 1892) (Sphingidae) Synonym(s): *rosetta* Swinhoe, 1892; *depictum* Dumont, 1941
- 72364) *Hippotion scrofa* (Boisduval) (Sphingidae) Synonym(s):
- 72365) *Hippotion velox* (Fabricius, 1793) (Sphingidae) Synonym(s): *velox* Fabricius, 1793; *phoenyx* Herrich-Schäffer, [1856]
- 72366) *Hoplistopus butti* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *butti* Rothschild & Jordan, 1903
- 72367) *Hoplistopus penricei* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *penricei* Rothschild & Jordan, 1903
- 72368) *Hyles annei* (Guérin-Ménéville, 1839) (Sphingidae) Synonym(s): *annei* Guérin-Ménéville, 1839
- 72369) *Hyles apocyni* (Shthetkin, 1956) (Sphingidae) Synonym(s): *apocyni* Shthetkin, 1956
- 72370) *Hyles apocyni apocyni* (Shthetkin, 1956) (Sphingidae) Synonym(s): *apocyni* Shthetkin, 1956
- 72371) *Hyles biguttata* (Walker, 1856) (Sphingidae) Synonym(s): *biguttata* Walker, 1856; *eleagni* Boisduval, [1875]; *euphorbioides* Swinhoe, 1892.
- 72372) *Hyles biguttata biguttata* (Walker, 1856) (Sphingidae) Synonym(s): *biguttata* Walker, 1856; *eleagni* Boisduval, [1875]; *euphorbioides* Swinhoe, 1892.
- 72373) *Hyles calida* (Butler, 1881) (Sphingidae) Synonym(s): *calida* Butler, 1881
- 72374) *Hyles calida calida* (Butler, 1881) (Sphingidae) Synonym(s): *calida* Butler, 1881
- 72375) *Hyles calida hawaiiensis* (Rothschild & Jordan, 1903) (Sphingidae) Synonym(s): *hawaiiensis* Rothschild & Jordan, 1903
- 72376) *Hyles centralasiae* Staudinger, 1887 (Sphingidae) Synonym(s): *centralasiae* Staudinger, 1887; *transcaspica* O. Bang-Haas, 1936.
- 72377) *Hyles centralasiae centralasiae* Staudinger, 1887 (Sphingidae) Synonym(s): *centralasiae* Staudinger, 1887; *transcaspica* O. Bang-Haas, 1936.
- 72378) *Hyles chamyla* (Denso, 1913) (Sphingidae) Synonym(s): *chamyla* Denso, 1913; *apocyni* Shchetkin, 1956
- 72379) *Hyles chamyla chamyla* (Denso, 1913) (Sphingidae) Synonym(s): *chamyla* Denso, 1913; *apocyni* Shchetkin, 1956
- 72380) *Hyles chuvilini* Eitschberger & Danner & Surholt, 1998 (Sphingidae) Synonym(s): *chuvilini* Eitschberger & Danner & Surholt, 1998
- 72381) *Hyles chuvilini chuvilini* Eitschberger & Danner & Surholt, 1998 (Sphingidae) Synonym(s): *chuvilini* Eitschberger & Danner & Surholt, 1998
- 72382) *Hyles conspicua* (Rothschild & Jordan, 1903) (Sphingidae) Synonym(s): *conspicua* Rothschild & Jordan, 1903.
- 72383) *Hyles costata* (Nordmann, 1851) (Sphingidae) Synonym(s): *costata* Nordmann, 1851; *exilis* Derzhavets, 1979; *solida* Derzhavets, 1979.
- 72384) *Hyles costata costata* (Nordmann, 1851) (Sphingidae) Synonym(s): *costata* Nordmann, 1851; *exilis* Derzhavets, 1979; *solida* Derzhavets, 1979.
- 72385) *Hyles dahlui* (Geyer, [1828]) (Sphingidae) Synonym(s): *dahlui* Geyer, [1828]; *dahlui* Boisduval, 1828; *balearica* Rebel, 1926
- 72386) *Hyles dahlui dahlui* (Geyer, [1828]) (Sphingidae) Synonym(s): *dahlui* Geyer, [1828]; *dahlui* Boisduval, 1828; *balearica* Rebel, 1926
- 72387) *Hyles euphorbiae* (Linnaeus, 1758) (Sphingidae) Synonym(s): *euphorbiae* Linnaeus, 1758; *esulae* Hufnagel, 1766; *vandalusica* Ribbe, 1910; *etrusca* Verity, 1911; *sinensis* Closs, 1917; *rothschildi* Stauder, 1928; *dolomitcola* Stauder, 1930; *filipjevi* O. Bang-Haas, 1936; *lucida* Derzhavets, 1980.
- 72388) *Hyles euphorbiae euphorbiae* (Linnaeus, 1758) (Sphingidae) Synonym(s): *euphorbiae* Linnaeus, 1758; *esulae* Hufnagel, 1766; *vandalusica* Ribbe, 1910; *etrusca* Verity, 1911; *sinensis* Closs, 1917; *rothschildi* Stauder, 1928; *dolomitcola* Stauder, 1930; *filipjevi* O. Bang-Haas, 1936; *lucida* Derzhavets, 1980.
- 72389) *Hyles euphorbiarum* (Guérin-Ménéville & Percheron, 1835) (Sphingidae) Synonym(s): *euphorbiarum* Guérin-Ménéville & Percheron, 1835; *celeno* Boisduval, [1875]; *spinifascia* Butler, 1881.
- 72390) *Hyles euphorbiarum euphorbiarum* (Guérin-Ménéville & Percheron, 1835) (Sphingidae) Synonym(s): *euphorbiarum* Guérin-Ménéville & Percheron, 1835; *celeno* Boisduval, [1875]; *spinifascia* Butler, 1881.
- 72391) *Hyles gallii* (Rottemburg, 1775) (Sphingidae) Synonym(s): *gallii* Rottemburg, 1775; *intermedia* Kirby, 1837; *oxybaphi* Clemens, 1859; *gallii* Kirby, 1892; *sachaliensis* Matsumura, 1929; *nepalensis* Daniel, 1961; *tibetana* Eichler, 1971.
- 72392) *Hyles gallii gallii* (Rottemburg, 1775) (Sphingidae) Synonym(s): *gallii* Rottemburg, 1775; *intermedia* Kirby, 1837; *oxybaphi* Clemens, 1859; *gallii* Kirby, 1892; *sachaliensis* Matsumura, 1929; *nepalensis* Daniel, 1961; *tibetana* Eichler, 1971.
- 72393) *Hyles gallii intermedia* (Kirby, 1837) (Sphingidae) Synonym(s): *intermedia* Kirby, 1837; *chamaenerii* Harris, 1839; *oxybaphi* Clemens, 1859
- 72394) *Hyles hippophaes* (Esper, [1789]) (Sphingidae) Synonym(s): *hippophaes* Esper, [1789]; *teriolensis* Dannehl, 1929; *kiortsii* Koutsaftikis, 1974.
- 72395) *Hyles hippophaes bienerti* (Staudinger, 1874) (Sphingidae) Synonym(s): *bienerti* Staudinger, 1874; *caucasica* Denso, 1913; *caucasica* Clark, 1922; *ornatus* Gehlen, 1930; *transcaucasica* Gehlen, 1932; *shugnana*, *bucharana* Shelfjuzhko, 1933; *anatolica* Rebel, 1933; *malatianus* Gehlen, 1934; *balistana* O. Bang-Haas, 1939.
- 72396) *Hyles hippophaes hippophaes* (Esper, [1789]) (Sphingidae) Synonym(s): *hippophaes* Esper, [1789]; *teriolensis* Dannehl, 1929; *kiortsii* Koutsaftikis, 1974.
- 72397) *Hyles hippophaes insidiosa* (Erschoff, 1874) (Sphingidae) Synonym(s): *insidiosa* Erschoff, 1874
- 72398) *Hyles hippophaes mitleuskii* Eitschberger & Saldaitis, 2000 (Sphingidae) Synonym(s): *mitleuskii* Eitschberger & Saldaitis, 2000
- 72399) *Hyles lineata* (Fabricius, 1775) (Sphingidae) Synonym(s): *lineata* Fabricius, 1775; *daucus* Cramer, 1777
- 72400) *Hyles lineata florilega* (Kernbach, 1962) (Sphingidae) Synonym(s): *florilega* Kernbach, 1962
- 72401) *Hyles lineata lineata* (Fabricius, 1775) (Sphingidae) Synonym(s): *lineata* Fabricius, 1775; *daucus* Cramer, 1777

- 72402) *Hyles lineata lineatoides* (Gehlen,1934) (Sphingidae) Synonym(s): *lineatoides* Gehlen,1934
- 72403) *Hyles livornica* (Esper,[1780]) (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
- 72404) *Hyles livornica livornica* (Esper,[1780]) (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
- 72405) *Hyles livornicoides* (Lucas,1892) (Sphingidae) Synonym(s): *livornicoides* Lucas,1892; *australasiae* Tutt,1904.
- 72406) *Hyles livornicoides livornicoides* (Lucas,1892) (Sphingidae) Synonym(s): *livornicoides* Lucas,1892; *australasiae* Tutt,1904.
- 72407) *Hyles nervosa* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *nervosa* Rothschild & Jordan,1903
- 72408) *Hyles nervosa nervosa* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *nervosa* Rothschild & Jordan,1903
- 72409) *Hyles nicaea* (Prunner,1798) (Sphingidae) Synonym(s): *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813].
- 72410) *Hyles nicaea castissima* (Austaut,1883) (Sphingidae) Synonym(s): *castissima* Austaut,1883
- 72411) *Hyles nicaea lathyrus* (Walker,1856) (Sphingidae) Synonym(s): *lathyrus* Walker,1856
- 72412) *Hyles nicaea nicaea* (Prunner,1798) (Sphingidae) Synonym(s): *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813].
- 72413) *Hyles nicaea orientalis* (Austaut,1905) (Sphingidae) Synonym(s): *orientalis* Austaut,1905; *crimaea* A.Bang-Haas,1906.
- 72414) *Hyles nicaea sheljuzhkoii* (Dublitzky,1828) (Sphingidae) Synonym(s): *sheljuzhkoii* Dublitzky,1828; *libanotica* Gehlen,1932.
- 72415) *Hyles perkinsi* (Swezey,1920) (Sphingidae) Synonym(s): *perkinsi* Swezey,1920
- 72416) *Hyles perkinsi perkinsi* (Swezey,1920) (Sphingidae) Synonym(s): *perkinsi* Swezey,1920
- 72417) *Hyles robertsi* (Butler,1880) (Sphingidae) Synonym(s): *robertsi* Butler,1880; *peplidis* Christoph,1894
- 72418) *Hyles robertsi elisabethae* Ebert,1996 (Sphingidae) Synonym(s): *orientalis* Ebert,1969 nec Aust.,1905; *elisabethae* Ebert,1996.
- 72419) *Hyles robertsi robertsi* (Butler,1880) (Sphingidae) Synonym(s): *robertsi* Butler,1880; *peplidis* Christoph,1894
- 72420) *Hyles salangensis* (Ebert,1969) (Sphingidae) Synonym(s): *salangensis* Ebert,1969
- 72421) *Hyles salangensis salangensis* (Ebert,1969) (Sphingidae) Synonym(s): *salangensis* Ebert,1969
- 72422) *Hyles siehei* (Püngeler,1903) (Sphingidae) Synonym(s): *siehei* Püngeler,1903; *#privata* Austaut,1905.
- 72423) *Hyles siehei siehei* (Püngeler,1903) (Sphingidae) Synonym(s): *siehei* Püngeler,1903; *#privata* Austaut,1905.
- 72424) *Hyles stroehlei* Eitschberger, Danner & Surholt,1998 (Sphingidae) Synonym(s): *stroehlei* Eitschberger, Danner & Surholt,1998
- 72425) *Hyles stroehlei stroehlei* Eitschberger, Danner & Surholt,1998 (Sphingidae) Synonym(s): *stroehlei* Eitschberger, Danner & Surholt,1998
- 72426) *Hyles tithymali* (Boisduval,1834) (Sphingidae) Synonym(s): *tithymali* Boisduval,1834; *calverleyi* Grote,1865.
- 72427) *Hyles tithymali cretica* Eitschberger & Danner & Surholt,1998 (Sphingidae) Synonym(s): *cretica* Eitschberger & Danner & Surholt,1998
- 72428) *Hyles tithymali deserticola* (Staudinger,1901) (Sphingidae) Synonym(s): *deserticola* Staudinger,1901; *saharae* Günther,1939 nec Gehl.,1932.
- 72429) *Hyles tithymali gecki* De Freina,1991 (Sphingidae) Synonym(s): *gecki* De Freina,1991
- 72430) *Hyles tithymali himyarenensis* Meerman,1988 (Sphingidae) Synonym(s): *himyarenensis* Meerman,1988
- 72431) *Hyles tithymali mauretania* (Staudinger,1871) (Sphingidae) Synonym(s): *mauretania* Staudinger,1871
- 72432) *Hyles tithymali sammuti* Eitschberger, Danner & Surholt,1998 (Sphingidae) Synonym(s): *sammuti* Eitschberger, Danner & Surholt,1998
- 72433) *Hyles tithymali tithymali* (Boisduval,1834) (Sphingidae) Synonym(s): *tithymali* Boisduval,1834; *calverleyi* Grote,1865.
- 72434) *Hyles vespertilio* (Esper,[1780]) (Sphingidae) Synonym(s): *vespertilio* Esper,[1780].
- 72435) *Hyles vespertilio vespertilio* (Esper,[1780]) (Sphingidae) Synonym(s): *vespertilio* Esper,[1780].
- 72436) *Hyles wilsoni* (Rothschild,1894) (Sphingidae) Synonym(s): *wilsoni* Rothschild,1894
- 72437) *Hyles wilsoni wilsoni* (Rothschild,1894) (Sphingidae) Synonym(s): *wilsoni* Rothschild,1894
- 72438) *Hyles zygophylli* (Ochsenheimer,1808) (Sphingidae) Synonym(s): *zygophylli* Ochsenheimer,1808; *jaxartis* Föreisch,1938; *xanthoxyli* Derzhavets,1977; *kirgisa* Eitschberger & Lukhtanov,1996.
- 72439) *Hyles zygophylli zygophylli* (Ochsenheimer,1808) (Sphingidae) Synonym(s): *zygophylli* Ochsenheimer,1808; *jaxartis* Föreisch,1938; *xanthoxyli* Derzhavets,1977; *kirgisa* Eitschberger & Lukhtanov,1996.
- 72440) *Ihlegramma ihlei* Eitschberger,2003 (Sphingidae) Synonym(s): *ihlei* Eitschberger,2003
- 72441) *Isognathus allamandae* B.P.Clark,1920 (Sphingidae) Synonym(s): *allamandae* B.P.Clark,1920
- 72442) *Isognathus australis* B.P.Clark,1917 (Sphingidae) Synonym(s): *australis* B.P.Clark,1917
- 72443) *Isognathus caricae* (Linnaeus,1758) (Sphingidae) Synonym(s): *caricae* Linnaeus,1758; *cacus* Cramer,1775
- 72444) *Isognathus leachi* (Swainson,1823) (Sphingidae) Synonym(s): *leachi* Swainson,1823; *cahuchu* Boisduval,[1875]; *metascyron* Butler,1875
- 72445) *Isognathus mossi* B.P.Clark,1919 (Sphingidae) Synonym(s): *mossi* B.P.Clark,1919
- 72446) *Isognathus mossi fabianae* Lichy,1981 (Sphingidae) Synonym(s): *fabianae* Lichy,1981
- 72447) *Isognathus mossi mossi* B.P.Clark,1919 (Sphingidae) Synonym(s): *mossi* B.P.Clark,1919
- 72448) *Isognathus pelops* (Boisduval,[1875]) (Sphingidae) Synonym(s): *pelops* Boisduval,[1875]; *menechus* Boisduval,[1875]; *amazonicus* Butler,1877
- 72449) *Isognathus rimosus* (Grote,1865) (Sphingidae) Synonym(s): *rimosus* Grote,1865; *mnechus* Grote,1865; *andae* Grote & Robinson,1868; *silenus* Grote & Robinson,1868; *woodi* Ramsden,1916
- 72450) *Isognathus rimosus excelsior* (Boisduval,[1875]) (Sphingidae) Synonym(s): *excelsior* Boisduval,[1875]; *inclitus* Edwards,1887
- 72451) *Isognathus rimosus jamaicensis* Rothschild & Jordan,1915 (Sphingidae) Synonym(s): *jamaicensis* Rothschild & Jordan,1915
- 72452) *Isognathus rimosus molitor* Rothschild & Jordan,1915 (Sphingidae) Synonym(s): *molitor* Rothschild & Jordan,1915
- 72453) *Isognathus rimosus papayae* (Boisduval,1875) (Sphingidae) Synonym(s): *papayae* Boisduval,[1875]; *laurae* Butler,1877; *brasiliensis* B.P.Clark,1919; *amazonica* B.P.Clark,1928 nec Butl.,1877; *occidentalis* B.P.Clark,1929
- 72454) *Isognathus rimosus rimosus* (Grote,1865) (Sphingidae) Synonym(s): *rimosus* Grote,1865; *mnechus* Grote,1865; *andae* Grote & Robinson,1868; *silenus* Grote & Robinson,1868; *woodi* Ramsden,1916
- 72455) *Isognathus rimosus wolcottii* B.P.Clark,1922 (Sphingidae) Synonym(s): *wolcottii* B.P.Clark,1922
- 72456) *Isognathus scyron* (Cramer,1780) (Sphingidae) Synonym(s): *scyron* Cramer,1780; *pedilanthi* Boisduval,[1875]
- 72457) *Isognathus swainsoni* C.Felder,1862 (Sphingidae) Synonym(s): *swainsoni* C.Felder,1862; *fumosa* Butler,1875; *zebra* B.P.Clark,1923
- 72458) *Isognathus tepuyensis* Lichy,1962 (Sphingidae) Synonym(s): *tepuensis* Lichy,1962
- 72459) *Kloneus babayaga* Skinner,1923 (Sphingidae) Synonym(s): *babayaga* Skinner,1923; *harroveri* B.P.Clark,1923
- 72460) *Langia zenzeroides* Moore,1872 (Sphingidae) Synonym(s): *zenzeroides* Moore,1872; *nina* Mell,1922; *szechuana* Chu & Wang,1980; *kunmingensis* Zhao,1984
- 72461) *Langia zenzeroides formosana* Clark,1936 (Sphingidae) Synonym(s): *formosana* Clark,1936
- 72462) *Langia zenzeroides nawai* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *nawai* Rothschild & Jordan,1903
- 72463) *Langia zenzeroides zenzeroides* Moore,1872 (Sphingidae) Synonym(s): *zenzeroides* Moore,1872; *nina* Mell,1922; *szechuana* Chu & Wang,1980; *kunmingensis* Zhao,1984
- 72464) *Laothoe amurensis* (Staudinger,1892) (Sphingidae) Synonym(s): *tremulae* Boisduval,[1829] nec Bkh.,1793; *amurensis* Staudinger,1892; *#rosacea* Staudinger,1892; *baltica* Viidalepp,1979.
- 72465) *Laothoe amurensis amurensis* (Staudinger,1892) (Sphingidae) Synonym(s): *tremulae* Boisduval,[1829] nec Bkh.,1793; *amurensis* Staudinger,1892; *#rosacea* Staudinger,1892; *baltica* Viidalepp,1979.
- 72466) *Laothoe amurensis sinica* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *sinica* Rothschild & Jordan,1903
- 72467) *Laothoe austauti* (Staudinger,1877) (Sphingidae) Synonym(s): *austauti* Staudinger,1877; *poupillieri* Bellier,1878; *#austanti* Bellier,1878; *#staudingeri* Austaut,1879; *#incarnata* Austaut,1880; *#mirabilis* Austaut,1883; *#flava* Bartel,1900; *#aurantiaca* Oberthür,1916; *#brunnea* Huard,1928
- 72468) *Laothoe iberica* Eitschberger, Danner & Surholt,1998 (Sphingidae) Synonym(s): *iberica* Eitschberger, Danner & Surholt,1998
- 72469) *Laothoe philerema* (Djakonov,1923) (Sphingidae) Synonym(s): *philerema* Djakonov,1923
- 72470) *Laothoe philerema philerema* (Djakonov,1923) (Sphingidae) Synonym(s): *philerema* Djakonov,1923
- 72471) *Laothoe philerema witti* Eitschberger, Danner & Surholt,1998 (Sphingidae) Synonym(s): *witti* Eitschberger, Danner & Surholt,1998
- 72472) *Laothoe populeti* (Bienert,[1870]) (Sphingidae) Synonym(s): *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934.
- 72473) *Laothoe populeti populeti* (Bienert,[1870]) (Sphingidae) Synonym(s): *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934.
- 72474) *Laothoe populetorum* (Staudinger,1887) (Sphingidae) Synonym(s): *populetorum* Staudinger,1887
- 72475) *Laothoe populetorum populetorum* (Staudinger,1887) (Sphingidae) Synonym(s): *populetorum* Staudinger,1887
- 72476) *Laothoe populi* (Linnaeus,1758) (Sphingidae) Synonym(s): *populi* Linnaeus,1758; *tremulae* Borkhausen,1793; *palustris* Holle,1865; *salicis* Holle,1865; *roseinctinca* Reuter,1893; *borkhauseni* Bartel,1900; *lappona* Rangnow,1935.

- 72477) *Laotloe populi populi* (Linnaeus,1758) (Sphingidae) Synonym(s): *populi* Linnaeus,1758; *tremulae* Borkhausen,1793; *palustris* Holle,1865; *salicis* Holle,1865; *roseotincta* Reuter,1893; *borkhauseni* Bartel,1900; *lappona* Rangnow,1935.
- 72478) *Lepchina obliquifascia* (Sphingidae) Synonym(s):
- 72479) *Lepchina obliquifascia baibarana* (Matsumura,1927) (Sphingidae) Synonym(s): *baibarana* Matsumura,1927
- 72480) *Lepchina obliquifascia obliquifascia* (Sphingidae) Synonym(s):
- 72481) *Lepchina taiwana* (Brechlin,1998) (Sphingidae) Synonym(s): *taiwana* Brechlin,1998
- 72482) *Leptoclanis pulchra* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *pulchra* Rothschild & Jordan,1903
- 72483) *Leucophlebia* (Afrophlebia) *afra* Karsch,1891 (Sphingidae) Synonym(s): *afra* Karsch,1891; *edentata* Rothschild & Jordan,1917
- 72484) *Leucophlebia* (Afrophlebia) *caecilie* Eitschberger,2003 (Sphingidae) Synonym(s): *caecilie* Eitschberger,2003
- 72485) *Leucophlebia* (Afrophlebia) *edentata* Rothschild & Jordan,1916 (Sphingidae) Synonym(s): *edentata* Rothschild & Jordan,1916
- 72486) *Leucophlebia* (Afrophlebia) *muehlei* Eitschberger,2003 (Sphingidae) Synonym(s): *muehlei* Eitschberger,2003
- 72487) *Leucophlebia* (Afrophlebia) *paul* Eitschberger,2003 (Sphingidae) Synonym(s): *paul* Eitschberger,2003
- 72488) *Leucophlebia* (Afrophlebia) *xanthopis* Hampson,1910 (Sphingidae) Synonym(s): *xanthopis* Hampson,1910; *rosulenta* Rothschild & Jordan,1917
- 72489) *Leucophlebia* (Indiaphlebia) *emittens* Walker,1856 (Sphingidae) Synonym(s): *emittens* Walker,1856
- 72490) *Leucophlebia* (Thaiphlebia) *frederkingi* Eitschberger,2003 (Sphingidae) Synonym(s): *frederkingi* Eitschberger,2003
- 72491) *Leucophlebia* (s.str.) *formosana* Clark,1936 (Sphingidae) Synonym(s): *formosana* Clark,1936
- 72492) *Leucophlebia* (s.str.) *formosana chinaensis* Eitschberger,2003 (Sphingidae) Synonym(s): *chinaensis* Eitschberger,2003
- 72493) *Leucophlebia* (s.str.) *formosana formosana* Clark,1936 (Sphingidae) Synonym(s): *formosana* Clark,1936
- 72494) *Leucophlebia* (s.str.) *hogenesi* Eitschberger,2003 (Sphingidae) Synonym(s): *hogenesi* Eitschberger,2003
- 72495) *Leucophlebia* (s.str.) *lineata* Westwood,1847 (Sphingidae) Synonym(s): *lineata* Westwood,1847
- 72496) *Leucophlebia* (s.str.) *luxeri* Boisduval,[1875] (Sphingidae) Synonym(s): *luxeri* Boisduval,[1875]
- 72497) *Leucophlebia* (s.str.) *pinratanai* Eitschberger,2003 (Sphingidae) Synonym(s): *lineata sensu* Inoue,1977; *pinratanai* Eitschberger,2003
- 72498) *Leucophlebia* (s.str.) *rosacea* Butler,1875 (Sphingidae) Synonym(s): *rosacea* Butler,1875
- 72499) *Leucophlebia* (s.str.) *schachtli* Eitschberger,2003 (Sphingidae) Synonym(s): *schachtli* Eitschberger,2003
- 72500) *Leucophlebia* (s.str.) sp. (Sphingidae) Synonym(s):
- 72501) *Leucophlebia* (s.str.) *vietnamensis* Eitschberger,2003 (Sphingidae) Synonym(s): *vietnamensis* Eitschberger,2003
- 72502) *Leucostrophus alterhirundo* D'Abrera,[1987] (Sphingidae) Synonym(s): *hirundo* Gerstaecker,1871 (*praeocc.*); *alterhirundo* D'Abrera,[1987]
- 72503) *Likoma apicalis* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *apicalis* Rothschild & Jordan,1903
- 72504) *Litosphingia corticea* Jordan,1920 (Sphingidae) Synonym(s): *corticea* Jordan,1920
- 72505) *Lophostethus dumolinii* (Angas,[1849]) (Sphingidae) Synonym(s): *dumolinii* Angas,[1849]
- 72506) *Macroglossum afflictitum* Butler,1875 (Sphingidae) Synonym(s): *affictitia* Butler,1875
- 72507) *Macroglossum aequilum* Boisduval,[1875] (Sphingidae) Synonym(s): *aquila* Boisduval,[1875]
- 72508) *Macroglossum arimasi* Hogenes & Treadaway,1993 (Sphingidae) Synonym(s): *arimasi* Hogenes & Treadaway,1993
- 72509) *Macroglossum aviculum* Boisduval,[1875] (Sphingidae) Synonym(s): *avicula* Boisduval,[1875]
- 72510) *Macroglossum belis* (Linnaeus,1758) (Sphingidae) Synonym(s): *belis* Linnaeus,1758
- 72511) *Macroglossum bombylans* (Boisduval,[1875]) (Sphingidae) Synonym(s): *bombylans* Boisduval,[1875]
- 72512) *Macroglossum caldum* Jordan,1926 (Sphingidae) Synonym(s): *caldum* Jordan,1926
- 72513) *Macroglossum caldum philippinense* Clark,1928 (Sphingidae) Synonym(s): *philippinense* Clark,1928
- 72514) *Macroglossum corythum* Walker,1856 (Sphingidae) Synonym(s): *corythum* Walker,1856
- 72515) *Macroglossum corythum corythum* Walker,1856 (Sphingidae) Synonym(s): *corythum* Walker,1856
- 72516) *Macroglossum corythum fuscicaudum* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *fuscicauda* Rothschild & Jordan,1903
- 72517) *Macroglossum corythum luteatum* Butler,1875 (Sphingidae) Synonym(s): *luteatum* Butler,1875
- 72518) *Macroglossum corythum novebudensis* Clark,1926 (Sphingidae) Synonym(s): *novebudensis* Clark,1926
- 72519) *Macroglossum corythum novirlandum* D'Abrera,[1987] (Sphingidae) Synonym(s): *novirlandum* D'Abrera,[1987]
- 72520) *Macroglossum corythum platyaxanthum* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *platyaxanthum* Rothschild & Jordan,1903
- 72521) *Macroglossum corythum pylene* C.Felder,1861 (Sphingidae) Synonym(s): *pylene* C.Felder,1861
- 72522) *Macroglossum corythum xanthurum* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *xanthurum* Rothschild & Jordan,1903
- 72523) *Macroglossum faro* (Cramer,1780) (Sphingidae) Synonym(s): *faro* Cramer,1780
- 72524) *Macroglossum faro faro* (Cramer,1780) (Sphingidae) Synonym(s): *faro* Cramer,1780
- 72525) *Macroglossum fritzei* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *fritzei* Rothschild & Jordan,1903; *hunanensis* Chu & Wang,1980
- 72526) *Macroglossum glaucopterus* Butler,1875 (Sphingidae) Synonym(s): *glaucoptera* Butler,1875
- 72527) *Macroglossum gyrans* Walker,1856 (Sphingidae) Synonym(s): *gyrans* Walker,1856
- 72528) *Macroglossum haslamii* Clark,1922 (Sphingidae) Synonym(s): *haslamii* Clark,1922
- 72529) *Macroglossum heliophilum* Boisduval,[1875] (Sphingidae) Synonym(s): *heliophilum* Boisduval,[1875]; *fringillum* Boisduval,[1875]
- 72530) *Macroglossum heliophilum heliophilum* Boisduval,[1875] (Sphingidae) Synonym(s): *heliophilum* Boisduval,[1875]; *fringillum* Boisduval,[1875]
- 72531) *Macroglossum heliophilum melas* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *melas* Rothschild & Jordan,1903
- 72532) *Macroglossum heliophilum pullium* Jordan,1930 (Sphingidae) Synonym(s): *pullius* Jordan,1930
- 72533) *Macroglossum heliophilum queenslandi* Clark,1927 (Sphingidae) Synonym(s): *queenslandi* Clark,1927
- 72534) *Macroglossum hemichromum* Butler,1875 (Sphingidae) Synonym(s): *hemichromum* Butler,1875
- 72535) *Macroglossum hirundo* Boisduval,1832 (Sphingidae) Synonym(s): *hirundo* Boisduval,1832
- 72536) *Macroglossum hirundo lifuensis* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *lifuensis* Rothschild & Jordan,1903
- 72537) *Macroglossum hirundo samoanum* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *samoanum* Rothschild & Jordan,1903
- 72538) *Macroglossum insipidum* Butler,1875 (Sphingidae) Synonym(s): *insipidum* Butler,1875; *sinensis* Mell,1922
- 72539) *Macroglossum insipidum insipidum* Butler,1875 (Sphingidae) Synonym(s): *insipidum* Butler,1875; *sinensis* Mell,1922
- 72540) *Macroglossum integrifasciatum* Hogenes & Treadaway,1993 (Sphingidae) Synonym(s): *integrifasciatum* Hogenes & Treadaway,1993
- 72541) *Macroglossum jani* Hogenes & Treadaway,1998 (Sphingidae) Synonym(s): *jani* Hogenes & Treadaway,1998
- 72542) *Macroglossum lepidum* Rothschild & Jordan,1915 (Sphingidae) Synonym(s): *lepidum* Rothschild & Jordan,1915
- 72543) *Macroglossum mediovittum* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *mediovitta* Rothschild & Jordan,1903
- 72544) *Macroglossum mitchellii* Boisduval,[1875] (Sphingidae) Synonym(s): *mitchellii* Boisduval,[1875]
- 72545) *Macroglossum mitchellii imperator* (Butler,1875) (Sphingidae) Synonym(s): *imperator* Butler,1875
- 72546) *Macroglossum mitchellii mitchellii* Boisduval,[1875] (Sphingidae) Synonym(s): *mitchellii* Boisduval,[1875]
- 72547) *Macroglossum multifascium* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *multifascia* Rothschild & Jordan,1903
- 72548) *Macroglossum neotrogodytum* Kitching & Cadiou,2000 (Sphingidae) Synonym(s): *neotrogodytum* Kitching & Cadiou,2000
- 72549) *Macroglossum nycteris* (Kollar,1844) (Sphingidae) Synonym(s): *nycteris* Kollar,1844
- 72550) *Macroglossum papuanum* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *papuanum* Rothschild & Jordan,1903
- 72551) *Macroglossum passalus* (Drury,[1773]) (Sphingidae) Synonym(s): *passalus* Drury,[1773]; *rectifascia* R.Felder,1874
- 72552) *Macroglossum piepersi* Dupont,1941 (Sphingidae) Synonym(s): *piepersi* Dupont,1941
- 72553) *Macroglossum poecilum* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *poecilum* Rothschild & Jordan,1903
- 72554) *Macroglossum prometheus* Boisduval,[1875] (Sphingidae) Synonym(s): *prometheus* Boisduval,[1875]
- 72555) *Macroglossum prometheus lineatum* Lucas,1891 (Sphingidae) Synonym(s): *lineatum* Lucas,1891; *inusitatum* Swinhoe,1892
- 72556) *Macroglossum prometheus prometheus* Boisduval,[1875] (Sphingidae) Synonym(s): *prometheus* Boisduval,[1875]
- 72557) *Macroglossum pseudungues* Holloway,1987 (Sphingidae) Synonym(s): *pseudungues* Holloway,1987
- 72558) *Macroglossum pyrrhostictum* Butler,1875 (Sphingidae) Synonym(s): *pyrrhostictum* Butler,1875; *fukiensis* Chu & Wang,1980
- 72559) *Macroglossum saga* Butler,1878 (Sphingidae) Synonym(s): *saga* Butler,1878
- 72560) *Macroglossum semifasciatum* Hampson,1893 (Sphingidae) Synonym(s): *semifasciatum* Hampson,1893
- 72561) *Macroglossum sitiene* Walker,1856 (Sphingidae) Synonym(s): *sitiene* Walker,1856
- 72562) *Macroglossum stellatarum* (Linnaeus,1758) (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 72563) *Macroglossum stellatarum stellatarum* (Linnaeus,1758) (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 72564) *Macroglossum sylvium* (Boisduval,[1875]) (Sphingidae) Synonym(s): *sylvia* Boisduval,[1875]

- 72565) **Macroglossum trochilus** (Hübner,[1823]) (Sphingidae) Synonym(s): *trochilus* Hübner,[1823]; *sitiene* Walker,1856; *fasciatum* Wallegren,1858; *lysiethous* Boisduval,[1875]; *#rochailus* Mitchell,1973
- 72566) **Macroglossum troglodytum** Boisduval,[1875] (Sphingidae) Synonym(s): *troglodytus* Boisduval,[1875]
- 72567) **Macroglossum unguis Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *unguis* Rothschild & Jordan,1903
- 72568) **Macroglossum unguis cheni** Yen, Kitching & Tzen,2003 (Sphingidae) Synonym(s): *#lanyuana* Chen,1994; *cheni* Yen, Kitching & Tzen,2003
- 72569) **Macroglossum unguis unguis Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *unguis* Rothschild & Jordan,1903
- 72570) **Macroglossum variegatum Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *variegatum* Rothschild & Jordan,1903
- 72571) **Macropoliana natalensis** (Butler,1875) (Sphingidae) Synonym(s): *natalensis* Butler,1875; *spei* Butler,1875
- 72572) **Macropoliana ohefferani** (Gess,1967) (Sphingidae) Synonym(s): *ohefferani* Gess,1967
- 72573) **Madoryx bubastus** (Cramer,1777) (Sphingidae) Synonym(s): *bubastus* Cramer,1777; *lynxus* Boisduval,[1875]; *#babastus* Carcasson & Heppner,1996
- 72574) **Madoryx bubastus bubastus** (Cramer,1777) (Sphingidae) Synonym(s): *bubastus* Cramer,1777; *lynxus* Boisduval,[1875]; *#babastus* Carcasson & Heppner,1996
- 72575) **Madoryx bubastus butleri** (Kirby,1877) (Sphingidae) Synonym(s): *butleri* Kirby,1877
- 72576) **Madoryx oiclus** (Cramer,1780) (Sphingidae) Synonym(s): *oiclus* Cramer,1780; *faunus* Boisduval,1875
- 72577) **Madoryx oiclus jamaicensis** Neidhoefer,1968 (Sphingidae) Synonym(s): *jamaicensis* Neidhoefer,1968
- 72578) **Madoryx oiclus oiclus** (Cramer,1780) (Sphingidae) Synonym(s): *oiclus* Cramer,1780; *faunus* Boisduval,1875
- 72579) **Madoryx plutonius** (Hübner,[1819]) (Sphingidae) Synonym(s): *pluto* Cramer,1779 nec Fabr.,1777; *plutonius* Hübner,[1819]; *deborrei* Boisduval,[1875]
- 72580) **Madoryx plutonius dentatus** Gehlen,1931 (Sphingidae) Synonym(s): *dentatus* Gehlen,1931
- 72581) **Madoryx plutonius plutonius** (Hübner,[1819]) (Sphingidae) Synonym(s): *pluto* Cramer,1779; *plutonius* Hübner,[1819]; *deborrei* Boisduval,[1875]
- 72582) **Madoryx pseudothyreus** (Grote,1865) (Sphingidae) Synonym(s): *pseudothyreus* Grote,1865
- 72583) **Manduca afflicta** (Grote,1865) (Sphingidae) Synonym(s): *afflicta* Grote,1865
- 72584) **Manduca afflicta afflicta** (Grote,1865) (Sphingidae) Synonym(s): *afflicta* Grote,1865
- 72585) **Manduca afflicta bahamensis** (B.P.Clark,1916) (Sphingidae) Synonym(s): *bahamensis* B.P.Clark,1916
- 72586) **Manduca albiplaga** (Walker,1856) (Sphingidae) Synonym(s): *albiplaga* Walker,1856
- 72587) **Manduca albolineata** (Gehlen,1935) (Sphingidae) Synonym(s): *albolineata* Gehlen,1935
- 72588) **Manduca andicola** (Rothschild & Jordan,1916) (Sphingidae) Synonym(s): *andicola* Rothschild & Jordan,1916
- 72589) **Manduca armatipes** (Rothschild & Jordan,1916) (Sphingidae) Synonym(s): *armatipes* Rothschild & Jordan,1916
- 72590) **Manduca azteca** (Mooser,1942) (Sphingidae) Synonym(s): *azteca* Mooser,1942
- 72591) **Manduca barnesi** (B.P.Clark,1919) (Sphingidae) Synonym(s): *barnesi* B.P.Clark,1919
- 72592) **Manduca bergamatipes** (B.P.Clark,1927) (Sphingidae) Synonym(s): *bergamatipes* B.P.Clark,1927
- 72593) **Manduca bergi** (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *bergi* Rothschild & Jordan,1903
- 72594) **Manduca brasiliensis** (Jordan,1911) (Sphingidae) Synonym(s): *brasiliensis* Jordan,1911
- 72595) **Manduca brontes** (Drury,[1773]) (Sphingidae) Synonym(s): *brontes* Drury,[1773]; *collaris* Walker,1856; *cubensis* Grote,1865
- 72596) **Manduca brontes brontes** (Drury,[1773]) (Sphingidae) Synonym(s): *brontes* Drury,[1773]; *collaris* Walker,1856; *cubensis* Grote,1865
- 72597) **Manduca brontes haitiensis** (B.P.Clark,1916) (Sphingidae) Synonym(s): *haitiensis* B.P.Clark,1916
- 72598) **Manduca brontes pamphilus** (Cramer,[1782]) (Sphingidae) Synonym(s): *pamphilus* Cramer,[1782]
- 72599) **Manduca brontes smythi** (B.P.Clark,1919) (Sphingidae) Synonym(s): *smythi* B.P.Clark,1919
- 72600) **Manduca brunalba** (B.P.Clark,1929) (Sphingidae) Synonym(s): *brunalba* B.P.Clark,1929; *centrosplendens* Gehlen,1940
- 72601) **Manduca carrerasi** (Giacomelli,1911) (Sphingidae) Synonym(s): *carrerasi* Giacomelli,1911
- 72602) **Manduca carribaea** (Cary,1952) (Sphingidae) Synonym(s): *carribaea* Cary,1952
- 72603) **Manduca chinchilla** (Gehlen,1942) (Sphingidae) Synonym(s): *chinchilla* Gehlen,1942
- 72604) **Manduca cinerea** (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *cinerea* Rothschild & Jordan,1903; *obscura* B.P.Clark,1916
- 72605) **Manduca clarki** (Rothschild & Jordan,1916) (Sphingidae) Synonym(s): *clarki* Rothschild & Jordan,1916
- 72606) **Manduca composi** (Schaus,1932) (Sphingidae) Synonym(s): *composi* Schaus,1932
- 72607) **Manduca corallina** (Druce,1881) (Sphingidae) Synonym(s): *corallina* Druce,1881
- 72608) **Manduca corumbensis** (B.P.Clark,1920) (Sphingidae) Synonym(s): *corumbensis* B.P.Clark,1920
- 72609) **Manduca crocala** (Druce,1894) (Sphingidae) Synonym(s): *crocala* Druce,1894
- 72610) **Manduca crocala crocala** (Druce,1894) (Sphingidae) Synonym(s): *crocala* Druce,1894
- 72611) **Manduca crocala tepici** (B.P.Clark,1916) (Sphingidae) Synonym(s): *tepici* B.P.Clark,1916
- 72612) **Manduca dalica** (Kirby,1877) (Sphingidae) Synonym(s): *dalica* Kirby,1877; *garleppi* Rothschild,1895
- 72613) **Manduca dalica anthina** (Jordan,1911) (Sphingidae) Synonym(s): *anthina* Jordan,1911
- 72614) **Manduca dalica dalica** (Kirby,1877) (Sphingidae) Synonym(s): *dalica* Kirby,1877; *garleppi* Rothschild,1895
- 72615) **Manduca diffissa** (Butler,1871) (Sphingidae) Synonym(s): *diffissa* Butler,1871; *diffissa* Rothschild & Jordan,1903; *ochracea* B.P.Clark,1927
- 72616) **Manduca diffissa diffissa** (Butler,1871) (Sphingidae) Synonym(s): *diffissa* Butler,1871; *diffissa* Rothschild & Jordan,1903; *ochracea* B.P.Clark,1927
- 72617) **Manduca diffissa mesosa** (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *mesosa* Rothschild & Jordan,1903; *zishkai* Kernbach,1952
- 72618) **Manduca diffissa petunia** (Boisduval,[1875]) (Sphingidae) Synonym(s): *petunia* Boisduval,[1875]
- 72619) **Manduca diffissa tropicalis** (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *tropicalis* Rothschild & Jordan,1903
- 72620) **Manduca dilucida** (H.Edwards,1887) (Sphingidae) Synonym(s): *dilucida* H.Edwards,1887
- 72621) **Manduca empusa** (Kernbach,1965) (Sphingidae) Synonym(s): *empusa* Kernbach,1965
- 72622) **Manduca extrema** (Gehlen,1926) (Sphingidae) Synonym(s): *extrema* Gehlen,1926
- 72623) **Manduca feronia** Kernbach,1968 (Sphingidae) Synonym(s): *feronia* Kernbach,1968
- 72624) **Manduca florestan** (Cramer,[1782]) (Sphingidae) Synonym(s): *florestan* Cramer,[1782]; *brevimargo* Butler,1875; *ishkal* Schaus,1932; *argentinica* Daniel,1949; *#vogli* Daniel,1949
- 72625) **Manduca fosteri** (Rothschild & Jordan,1906) (Sphingidae) Synonym(s): *fosteri* Rothschild & Jordan,1906
- 72626) **Manduca franciscæ** (B.P.Clark,1916) (Sphingidae) Synonym(s): *franciscæ* B.P.Clark,1916
- 72627) **Manduca grandis** (Daniel,1949) (Sphingidae) Synonym(s): *grandis* Daniel,1949
- 72628) **Manduca guenei** (B.P.Clark,1932) (Sphingidae) Synonym(s): *guenei* B.P.Clark,1932
- 72629) **Manduca hannibal** (Cramer,1779) (Sphingidae) Synonym(s): *hannibal* Cramer,1779
- 72630) **Manduca hannibal hamilcar** (Boisduval,[1875]) (Sphingidae) Synonym(s): *hamilcar* Boisduval,[1875]; *mayi* B.P.Clark,1917
- 72631) **Manduca hannibal hannibal** (Cramer,1779) (Sphingidae) Synonym(s): *hannibal* Cramer,1779
- 72632) **Manduca hannibal mayeri** (Mooser,1940) (Sphingidae) Synonym(s): *mayeri* Mooser,1940
- 72633) **Manduca holcombi** (Mooser,1942) (Sphingidae) Synonym(s): *holcombi* Mooser,1942
- 72634) **Manduca huascara** (Schaus,1941) (Sphingidae) Synonym(s): *huascara* Schaus,1941
- 72635) **Manduca incisa** (Walker,1856) (Sphingidae) Synonym(s): *incisa* Walker,1856; *violaalba* B.P.Clark,1922; *pallidula* Daniel,1949
- 72636) **Manduca johanni** (Cary,1958) (Sphingidae) Synonym(s): *johanni* Cary,1958
- 72637) **Manduca jordani** Giacomelli,1912 (Sphingidae) Synonym(s): *jordani* Giacomelli,1912
- 72638) **Manduca kuschei** (B.P.Clark,1920) (Sphingidae) Synonym(s): *kuschei* B.P.Clark,1920
- 72639) **Manduca lanuginosa** (Edwards,1887) (Sphingidae) Synonym(s): *lanuginosa* Edwards,1887; *hoffmanni* B.P.Clark,1917
- 72640) **Manduca lefebvrei** (Guérin-Ménéville,1844) (Sphingidae) Synonym(s): *lefebvrei* Guérin-Ménéville,1844; *#nigrescens* Strand,1916; *bossardi* Gehlen,1926
- 72641) **Manduca leucospila** (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *leucospila* Rothschild & Jordan,1903
- 72642) **Manduca lichenea** (Burmeister,1856) (Sphingidae) Synonym(s): *lichenea* Burmeister,1856; *rufescens* Butler,1875; *schausi* B.P.Clark,1919
- 72643) **Manduca lucetius** (Cramer,1780) (Sphingidae) Synonym(s): *lucetius* Cramer,1780; *contracta* Butler,1875; *panaquire* Berg,1885; *argentina* B.P.Clark,1926; *exiguus* Gehlen,1942
- 72644) **Manduca lucetius lucetius** (Cramer,1780) (Sphingidae) Synonym(s): *lucetius* Cramer,1780; *contracta* Butler,1875; *panaquire* Berg,1885; *argentina* B.P.Clark,1926; *exiguus* Gehlen,1942
- 72645) **Manduca lucetius nubila** (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *nubila* Rothschild & Jordan,1903
- 72646) **Manduca manducoides** (Rothschild,1894) (Sphingidae) Synonym(s): *manducoides* Rothschild,1894; *breyeri* Köhler,1924
- 72647) **Manduca maricina** (Schaus,1941) (Sphingidae) Synonym(s): *maricina* Schaus,1941
- 72648) **Manduca morelia** (Druce,1894) (Sphingidae) Synonym(s): *morelia* Druce,1894; *leucophila* Gehlen,1931

- 72649) *Manduca mossi* (Jordan,1912) (Sphingidae) Synonym(s): *mossi* Jordan,1912
 72650) *Manduca muscosa* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *muscosa* Rothschild & Jordan,1903
 72651) *Manduca occulta* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *occulta* Rothschild & Jordan,1903; *pacifica* Mooser,1940
 72652) *Manduca ochus* (Klug,1836) (Sphingidae) Synonym(s): *ochus* Klug,1836; *instita* Clemens,1859
 72653) *Manduca pellenia* (Herrich-Schäffer,1854) (Sphingidae) Synonym(s): *pellenia* Herrich-Schäffer,1854; *capsici* Boisduval,[1875]
 72654) *Manduca perplexa* (Rothschild & Jordan,1910) (Sphingidae) Synonym(s): *perplexa* Rothschild & Jordan,1910; *janira* Jordan,1911; *janeiro* Draudt,1931
 72655) *Manduca prestoni* (Gehlen,1926) (Sphingidae) Synonym(s): *prestoni* Gehlen,1926
 72656) *Manduca quinquemaculata* (Haworth,1803) (Sphingidae) Synonym(s): *quinquemaculata* Haworth,1803; *celeus* Hübner,[1821]; *maculata* Grote,1883; *wirti* Schaus,1927
 72657) *Manduca reducta* (Gehlen,1930) (Sphingidae) Synonym(s): *reducta* Gehlen,1930
 72658) *Manduca rustica* (Fabricius,1775) (Sphingidae) Synonym(s): *rustica* Fabricius,1775; *chionanthi* J.E.Smith,1797; *auriflua* Gehlen,1930
 72659) *Manduca rustica cotesi* (Cary,1963) (Sphingidae) Synonym(s): *cotesi* Cary,1963
 72660) *Manduca rustica cubana* (Wood,1915) (Sphingidae) Synonym(s): *cubana* Wood,1915; *dominicana* Gehlen,1928
 72661) *Manduca rustica galapagensis* (Holland,1889) (Sphingidae) Synonym(s): *galapagensis* Holland,1889; *#nigrita* Rothschild & Jordan,1903; *postscripta* B.P.Clark,1926
 72662) *Manduca rustica harterti* (Rothschild,1894) (Sphingidae) Synonym(s): *harterti* Rothschild,1894
 72663) *Manduca rustica rustica* (Fabricius,1775) (Sphingidae) Synonym(s): *rustica* Fabricius,1775; *chionanthi* J.E.Smith,1797; *auriflua* Gehlen,1930
 72664) *Manduca scutata* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *scutata* Rothschild & Jordan,1903
 72665) *Manduca scutata boliviana* (B.P.Clark,1923) (Sphingidae) Synonym(s): *boliviana* B.P.Clark,1923; *henrici* Gehlen,1926
 72666) *Manduca scutata scutata* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *scutata* Rothschild & Jordan,1903
 72667) *Manduca sesquiple* (Boisduval,1870) (Sphingidae) Synonym(s): *sesquiple* Boisduval,1870; *strix* Boisduval,1870
 72668) *Manduca sesquiple opima* (Rothschild & Jordan,1916) (Sphingidae) Synonym(s): *opima* Rothschild & Jordan,1916
 72669) *Manduca sesquiple sesquiple* (Boisduval,1870) (Sphingidae) Synonym(s): *sesquiple* Boisduval,1870; *strix* Boisduval,1870
 72670) *Manduca sexta* (Linnaeus,1764) (Sphingidae) Synonym(s): *sexta* Linnaeus,1764; *carolina* Linnaeus,1764; *#nicotianae* Ménétériès,1857; *lycopersici* Boisduval,[1875]; *nicotianae* Boisduval,[1875]
 72671) *Manduca sexta caestri* (Blanchard,1854) (Sphingidae) Synonym(s): *caestri* Blanchard,1854; *eurylochus* Philippi,1860
 72672) *Manduca sexta jamaicensis* (Butler,1877) (Sphingidae) Synonym(s): *jamaicensis* Butler,1877; *luciae* Gehlen,1928
 72673) *Manduca sexta leucoptera* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *leucoptera* Rothschild & Jordan,1903
 72674) *Manduca sexta paphus* (Cramer,1779) (Sphingidae) Synonym(s): *paphus* Cramer,1779; *griseata* Butler,1875; *#fuliginosa* Closs,1911
 72675) *Manduca sexta peruviana* (Bryk,1953) (Sphingidae) Synonym(s): *peruviana* Bryk,1953
 72676) *Manduca sexta saliensis* (Kernbach,1864) (Sphingidae) Synonym(s): *saliensis* Kernbach,1864
 72677) *Manduca sexta sexta* (Linnaeus,1764) (Sphingidae) Synonym(s): *sexta* Linnaeus,1764; *carolina* Linnaeus,1764; *#nicotianae* Ménétériès,1857; *lycopersici* Boisduval,[1875]; *nicotianae* Boisduval,[1875]
 72678) *Manduca stuarti* (Rothschild,1894) (Sphingidae) Synonym(s): *stuarti* Rothschild,1894
 72679) *Manduca suavis* Hodges,1971 (Sphingidae) Synonym(s): *muscosa* Jones,1908 nec Roth. & Jord.,1903; *suavis* Hodges,1971
 72680) *Manduca trimacula* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *trimacula* Rothschild & Jordan,1903
 72681) *Manduca tucumana* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *tucumana* Rothschild & Jordan,1903
 72682) *Manduca undata* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *undata* Rothschild & Jordan,1903
 72683) *Manduca vestalis* (Jordan,1917) (Sphingidae) Synonym(s): *vestalis* Jordan,1917
 72684) *Manduca wellingi* Brou,1984 (Sphingidae) Synonym(s): *wellingi* Brou,1984
 72685) *Marumba amboinicus* (C.Felder,1862) (Sphingidae) Synonym(s): *amboinicus* C.Felder,1862
 72686) *Marumba amboinicus amboinicus* (C.Felder,1862) (Sphingidae) Synonym(s): *amboinicus* C.Felder,1862
 72687) *Marumba amboinicus celebensis* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *celebensis* Rothschild & Jordan,1903
 72688) *Marumba amboinicus luzoni* Clark,1935 (Sphingidae) Synonym(s): *luzoni* Clark,1935
 72689) *Marumba amboinicus rothschildi* Huwe,1906 (Sphingidae) Synonym(s): *rothschildi* Huwe,1906
 72690) *Marumba cristatus* (Butler,1875) (Sphingidae) Synonym(s): *cristatus* Butler,1875
 72691) *Marumba cristatus bukaianus* Clark,1937 (Sphingidae) Synonym(s): *bukaianus* Clark,1937
 72692) *Marumba cristatus cristatus* (Butler,1875) (Sphingidae) Synonym(s): *cristatus* Butler,1875
 72693) *Marumba cristatus titan* Rothschild,1902 (Sphingidae) Synonym(s): *titan* Rothschild,1902
 72694) *Marumba diehli* Roesler & Küppers,1975 (Sphingidae) Synonym(s): *diehli* Roesler & Küppers,1975
 72695) *Marumba dyras* (Walker,1856) (Sphingidae) Synonym(s): *dyras* Walker,1856
 72696) *Marumba dyras dyras* (Walker,1856) (Sphingidae) Synonym(s): *dyras* Walker,1856
 72697) *Marumba dyras javanicus* (Butler,1875) (Sphingidae) Synonym(s): *javanica* Butler,1875
 72698) *Marumba gaschkewitschii* (Bremer & Grey,1853) (Sphingidae) Synonym(s): *gaschkewitschii* Bremer & Grey,1853
 72699) *Marumba gaschkewitschii gaschkewitschii* (Bremer & Grey,1853) (Sphingidae) Synonym(s): *gaschkewitschii* Bremer & Grey,1853
 72700) *Marumba gaschkewitschii gressitti* Clark,1937 (Sphingidae) Synonym(s): *gressitti* Clark,1937
 72701) *Marumba juvencus* Rothschild & Jordan,1912 (Sphingidae) Synonym(s): *juvencus* Rothschild & Jordan,1912
 72702) *Marumba quercus* (J.Denis & Schiffermüller,1775) (Sphingidae) Synonym(s): *quercus* [J.Denis & Schiffermüller],1775; *denisii* Fuessly,1779; *#brunescens* Rebel,1910; *#canescens*, *pallascens* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarrubia,1973.
 72703) *Marumba quercus quercus* (J.Denis & Schiffermüller,1775) (Sphingidae) Synonym(s): *quercus* [J.Denis & Schiffermüller],1775; *denisii* Fuessly,1779; *#brunescens* Rebel,1910; *#canescens*, *pallascens* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarrubia,1973.
 72704) *Marumba saishiuanus* Okamoto,1924 (Sphingidae) Synonym(s): *saishiuanus* Okamoto,1924
 72705) *Marumba saishiuanus formosanus* Matsumura,1927 (Sphingidae) Synonym(s): *formosanus* Matsumura,1927
 72706) *Marumba saishiuanus saishiuanus* Okamoto,1924 (Sphingidae) Synonym(s): *saishiuanus* Okamoto,1924
 72707) *Marumba spectabilis* (Butler,1875) (Sphingidae) Synonym(s): *spectabilis* Butler,1875; *chinensis* Mell,1922; *tonkini* Clark,1933
 72708) *Marumba spectabilis spectabilis* (Butler,1875) (Sphingidae) Synonym(s): *spectabilis* Butler,1875; *chinensis* Mell,1922; *tonkini* Clark,1933
 72709) *Marumba sperchius* (Ménétériès,1857) (Sphingidae) Synonym(s): *sperchius* Ménétériès,1857; *ussuriensis* O.Bang-Haas,1927; *coreanus* O.Bang-Haas,1938; *koreasperchius* Bryk,1946
 72710) *Marumba sperchius albicans* (Butler,1875) (Sphingidae) Synonym(s): *albicans* Butler,1875
 72711) *Marumba sperchius gigas* (Butler,1875) (Sphingidae) Synonym(s): *gigas* Butler,1875
 72712) *Marumba sperchius handelii* Mell,1922 (Sphingidae) Synonym(s): *handelii* Mell,1922
 72713) *Marumba sperchius horianus* Clark,1927 (Sphingidae) Synonym(s): *horianus* Clark,1927
 72714) *Marumba sperchius sperchius* (Ménétériès,1857) (Sphingidae) Synonym(s): *sperchius* Ménétériès,1857
 72715) *Marumba sperchius sumatranus* Clark,1933 (Sphingidae) Synonym(s): *sumatranus* Clark,1933
 72716) *Marumba tigrinus* Gehlen,1936 (Sphingidae) Synonym(s): *tigrina* Gehlen,1936
 72717) *Marumba timora* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *timora* Rothschild & Jordan,1903
 72718) *Megacorma obliqua* (Walker,1856) (Sphingidae) Synonym(s): *obliqua* Walker,1856
 72719) *Megacorma obliqua obliqua* (Walker,1856) (Sphingidae) Synonym(s): *obliqua* Walker,1856
 72720) *Megacorma obliqua remota* Jordan,1924 (Sphingidae) Synonym(s): *remota* Jordan,1924
 72721) *Meganoton analis* (R.Felder & Rogenhofer,[1874]) (Sphingidae) Synonym(s): *analis* R.Felder & Rogenhofer,[1874]; *subalba* Mell,1922
 72722) *Meganoton analis analis* (R.Felder & Rogenhofer,[1874]) (Sphingidae) Synonym(s): *analis* R.Felder & Rogenhofer,[1874]; *subalba* Mell,1922
 72723) *Meganoton analis gressitti* Clark,1937 (Sphingidae) Synonym(s): *gressitti* Clark,1937
 72724) *Meganoton analis sugii* Cadiou & Holloway,1989 (Sphingidae) Synonym(s): *sugii* Cadiou & Holloway,1989
 72725) *Meganoton analis sumatranus* Clark,1924 (Sphingidae) Synonym(s): *sumatranus* Clark,1924; *clossi* Gehlen,1924
 72726) *Meganoton hyloicoides* Rothschild,1910 (Sphingidae) Synonym(s): *hyloicoides* Rothschild,1910
 72727) *Meganoton loeffleri* Eitschberger,2003 (Sphingidae) Synonym(s): *loeffleri* Eitschberger,2003
 72728) *Meganoton nyctiphanes* (Walker,1856) (Sphingidae) Synonym(s): *nyctiphanes* Walker,1856
 72729) *Meganoton rufescens* (Butler,[1876]) (Sphingidae) Synonym(s): *rufescens* Butler,[1876]
 72730) *Meganoton rufescens amboinicus* Clark,1938 (Sphingidae) Synonym(s): *amboinicus* Clark,1938

- 72731) *Meganoton rufescens dracomontis* Mell,1922 (Sphingidae) Synonym(s): *dracomontis* Mell,1922
72732) *Meganoton rufescens joachini* Clark,1926 (Sphingidae) Synonym(s): *joachini* Clark,1926
72733) *Meganoton rufescens philippinensis* Clark,1938 (Sphingidae) Synonym(s): *philippinensis* Clark,1938
72734) *Meganoton rufescens rufescens* (Butler,[1876]) (Sphingidae) Synonym(s): *rufescens* Butler,[1876]
72735) *Meganoton rufescens severina* (Miskin,1891) (Sphingidae) Synonym(s): *severina* Miskin,1891
72736) *Meganoton rufescens thielei* Huwe,1906 (Sphingidae) Synonym(s): *thielei* Huwe,1906
72737) *Meganoton rufescens titan* Gehlen,1933 (Sphingidae) Synonym(s): *titan* Gehlen,1933
72738) *Meganoton yunnanfuana* Clark,1925 (Sphingidae) Synonym(s): *yunnanfuana* Clark,1925
72739) *Microsphinx pumila* (Boisduval,[1875]) (Sphingidae) Synonym(s): *pumila* Boisduval,[1875]; *minuta* Distant,1897
72740) *Mimas tiliae* (Linnaeus,1758) (Sphingidae) Synonym(s): *tiliae* Linnaeus,1758
72741) *Monarda oryx* Druce,1896 (Sphingidae) Synonym(s): *oryx* Druce,1896
72742) *Morvennius decoratus* (Moore,1872) (Sphingidae) Synonym(s): *decoratus* Moore,1872; *indochinensis* Gehlen,1933
72743) *Morvennius decoratus decoratus* (Moore,1872) (Sphingidae) Synonym(s): *decoratus* Moore,1872; *indochinensis* Gehlen,1933
72744) *Nannoparce balsa* Schaus,1932 (Sphingidae) Synonym(s): *balsa* Schaus,1932
72745) *Nannoparce poeyi* (Grote & Robinson,1865) (Sphingidae) Synonym(s): *poeyi* Grote & Robinson,1865
72746) *Nannoparce poeyi haterius* (Druce,1888) (Sphingidae) Synonym(s): *haterius* Druce,1888
72747) *Nannoparce poeyi poeyi* (Grote & Robinson,1865) (Sphingidae) Synonym(s): *poeyi* Grote & Robinson,1865
72748) *Neoclanis basalis* (Walker,1866) (Sphingidae) Synonym(s): *basalis* Walker,1866; *virgo* Westwood,1881
72749) *Neococytius cluentius* (Cramer,1775) (Sphingidae) Synonym(s): *cluentius* Cramer,1775
72750) *Neogene albescens* B.P.Clark,1929 (Sphingidae) Synonym(s): *albescens* B.P.Clark,1929
72751) *Neogene curitiba* Jones,1908 (Sphingidae) Synonym(s): *curitiba* Jones,1908
72752) *Neogene dynaeus* (Hübner,[1825]) (Sphingidae) Synonym(s): *dynaeus* Hübner,[1825]
72753) *Neogene dynaeus corumbensis* B.P.Clark,1922 (Sphingidae) Synonym(s): *corumbensis* B.P.Clark,1922
72754) *Neogene dynaeus dynaeus* (Hübner,[1825]) (Sphingidae) Synonym(s): *dynaeus* Hübner,[1825]
72755) *Neogene intermedia* B.P.Clark,1925 (Sphingidae) Synonym(s): *intermedia* B.P.Clark,1925
72756) *Neogene picta* B.P.Clark,1931 (Sphingidae) Synonym(s): *picta* B.P.Clark,1931
72757) *Neogene reevei* (Druce,1882) (Sphingidae) Synonym(s): *reevei* Druce,1882; *baruta* Berg,1883; *cossoides* Rothschild,1894; *minor* B.P.Clark,1938
72758) *Neogene steinbachi* B.P.Clark,1925 (Sphingidae) Synonym(s): *steinbachi* B.P.Clark,1925
72759) *Neogurelca himalacha* (Butler,[1876]) (Sphingidae) Synonym(s): *himalacha* Butler,[1876]
72760) *Neogurelca himalacha himalacha* (Butler,[1876]) (Sphingidae) Synonym(s): *himalacha* Butler,[1876]
72761) *Neogurelca himalacha sangaica* (Butler,[1876]) (Sphingidae) Synonym(s): *sangaica* Butler,[1876]
72762) *Neogurelca hyas* (Walker,1856) (Sphingidae) Synonym(s): *hyas* Walker,1856
72763) *Neogurelca masuriensis* (Butler,1875) (Sphingidae) Synonym(s): *masuriensis* Butler,1875
72764) *Neogurelca montana* (Rothschild & Jordan,1915) (Sphingidae) Synonym(s): *montana* Rothschild & Jordan,1915
72765) *Neopolyptychus compar* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *compar* Rothschild & Jordan,1903
72766) *Neopolyptychus convexus* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *convexus* Rothschild & Jordan,1903; *springerae* Clark,1936
72767) *Neopterodonta gorgoniades* (Hübner,[1819]) (Sphingidae) Synonym(s): *gorgon* Esper,[1804] (*praeocc.*); *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974.
72768) *Neopterodonta gorgoniades gorgoniades* (Hübner,[1819]) (Sphingidae) Synonym(s): *gorgon* Esper,[1804] (*praeocc.*); *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974.
72769) *Neopterodonta gorgoniades pfeifferi* (Zerny,1933) (Sphingidae) Synonym(s): *pfeifferi* Zerny,1933.
72770) *Neopterodonta kuldjaensis* (Graeser,1892) (Sphingidae) Synonym(s): *kuldjaensis* Graeser,1892
72771) *Neopterodonta kuldjaensis kuldjaensis* (Graeser,1892) (Sphingidae) Synonym(s): *kuldjaensis* Graeser,1892
72772) *Nephele accentifera* (Beauvois,1805) (Sphingidae) Synonym(s): *accentifera* Beauvois,1805; *tridyma* Van der Hoeven,1840; *ranzani* Bertolini,1850; *variegata* Butler,1875
72773) *Nephele aequivalens* (Walker,1856) (Sphingidae) Synonym(s): *aequivalens* Walker,1856; *zebu* Boisduval,[1875]
72774) *Nephele argentifera* (Walker,1856) (Sphingidae) Synonym(s): *argentifera* Walker,1856
72775) *Nephele bipartita* Butler,1878 (Sphingidae) Synonym(s): *bipartita* Butler,1878
72776) *Nephele comma* Hopffer,1857 (Sphingidae) Synonym(s): *comma* Hopffer,1857; *charoba* Kirby,1877; *derasa* Rothschild & Jordan,1903; *triangulifera* Closs,1914
72777) *Nephele funebris* (Fabricius,1793) (Sphingidae) Synonym(s): *funebris* Fabricius,1793; *viridescens* Walker,1856; *infernalis* Kirby,1877
72778) *Nephele hespera* (Fabricius,1775) (Sphingidae) Synonym(s): *didyma* Fabricius,1775; *hespera* Fabricius,1775
72779) *Nephele lannini* Jordan,1926 (Sphingidae) Synonym(s): *lannini* Jordan,1926
72780) *Nephele peneus* (Cramer,1776) (Sphingidae) Synonym(s): *peneus* Cramer,1776; *pachyderma* Karsch,1892
72781) *Nephele rosae* Butler,1875 (Sphingidae) Synonym(s): *rosae* Butler,1875
72782) *Nephele rosae illustris* Jordan,1920 (Sphingidae) Synonym(s): *illustris* Jordan,1920
72783) *Nephele vau* (Walker,1856) (Sphingidae) Synonym(s): *vau* Walker,1856; *schimperferi* Lucas,1857; *raffrayi* Oberthür,1878
72784) *Nyceryx alophus* (Boisduval,[1875]) (Sphingidae) Synonym(s): *alophus* Boisduval,[1875]
72785) *Nyceryx alophus alophus* (Boisduval,[1875]) (Sphingidae) Synonym(s): *alophus* Boisduval,[1875]
72786) *Nyceryx alophus ixion* (Burmeister,1878) (Sphingidae) Synonym(s): *ixion* Burmeister,1878; *#tristis* Jörgensen,1934
72787) *Nyceryx clarki* Fassl,1915 (Sphingidae) Synonym(s): *clarki* Fassl,1915
72788) *Nyceryx coffeae* (Walker,1856) (Sphingidae) Synonym(s): *coffeae* Walker,1856; *abboti* Schauffuss,1870; *boisduvali* Butler,1877
72789) *Nyceryx continua* (Walker,1856) (Sphingidae) Synonym(s): *continua* Walker,1856; *lemonia* Gehlen,1941
72790) *Nyceryx continua continua* (Walker,1856) (Sphingidae) Synonym(s): *continua* Walker,1856; *lemonia* Gehlen,1941
72791) *Nyceryx continua cratera* Rothschild & Jordan,1916 (Sphingidae) Synonym(s): *cratera* Rothschild & Jordan,1916
72792) *Nyceryx ericea* (Druce,1888) (Sphingidae) Synonym(s): *ericea* Druce,1888
72793) *Nyceryx ericea ericea* (Druce,1888) (Sphingidae) Synonym(s): *ericea* Druce,1888
72794) *Nyceryx ericea minor* B.P.Clark,1916 (Sphingidae) Synonym(s): *minor* B.P.Clark,1916
72795) *Nyceryx eximia* Rothschild & Jordan,1916 (Sphingidae) Synonym(s): *eximia* Rothschild & Jordan,1916
72796) *Nyceryx furtadoi* Haxaire,1996 (Sphingidae) Synonym(s): *furtadoi* Haxaire,1996
72797) *Nyceryx hyposticta* (R.Felder,1874) (Sphingidae) Synonym(s): *hyposticta* R.Felder,1874
72798) *Nyceryx lunaris* Jordan,1912 (Sphingidae) Synonym(s): *lunaris* Jordan,1912
72799) *Nyceryx magna* (R.Felder,1874) (Sphingidae) Synonym(s): *magna* R.Felder,1874
72800) *Nyceryx maxwelli* (Rothschild,1896) (Sphingidae) Synonym(s): *maxwelli* Rothschild,1896
72801) *Nyceryx mulleri* B.P.Clark,1917 (Sphingidae) Synonym(s): *mulleri* B.P.Clark,1917
72802) *Nyceryx nephus* (Boisduval,[1875]) (Sphingidae) Synonym(s): *nephus* Boisduval,[1875]
72803) *Nyceryx nictitans* (Boisduval,[1875]) (Sphingidae) Synonym(s): *nictitans* Boisduval,[1875]; *subaurea* Köhler,1924; *#ncticans* D'Abbrera,1986
72804) *Nyceryx nictitans nictitans* (Boisduval,[1875]) (Sphingidae) Synonym(s): *nictitans* Boisduval,[1875]; *subaurea* Köhler,1924; *#ncticans* D'Abbrera,1986
72805) *Nyceryx nictitans saturata* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *saturata* Rothschild & Jordan,1903; *#bryki* Gehlen,1929
72806) *Nyceryx riscus* (Schaus,1890) (Sphingidae) Synonym(s): *riscus* Schaus,1890; *#creusa* Rothschild,1894
72807) *Nyceryx stuarti* (Rothschild,1894) (Sphingidae) Synonym(s): *stuarti* Rothschild,1894
72808) *Nyceryx tacita* (Druce,1888) (Sphingidae) Synonym(s): *tacita* Druce,1888
72809) *Odontosida magnifica* (Rothschild,1894) (Sphingidae) Synonym(s): *magnifica* Rothschild,1894
72810) *Odontosida pusilla* (Felder,[1874]) (Sphingidae) Synonym(s): *pusilla* Felder,[1874]; *pulcherrima* Rothschild,1894
72811) *Oligographa juniperi* (Boisduval,1847) (Sphingidae) Synonym(s): *juniperi* Boisduval,1847; *mosambiguensis* Joicey & Kaye,1917
72812) *Opistoclanis hawkeri* (Joicey & Talbot,1921) (Sphingidae) Synonym(s): *hawkeri* Joicey & Talbot,1921
72813) *Orecta acuminata* B.P.Clark,1923 (Sphingidae) Synonym(s): *acuminata* B.P.Clark,1923
72814) *Orecta fruhstorferi* B.P.Clark,1916 (Sphingidae) Synonym(s): *fruhstorferi* B.P.Clark,1916
72815) *Orecta lycidas* (Boisduval,[1875]) (Sphingidae) Synonym(s): *lycidas* Boisduval,[1875]; *tiethonus* Kirby,1886
72816) *Orecta lycidas eos* (Burmeister,1875) (Sphingidae) Synonym(s): *eos* Burmeister,1875

- 72817) *Orecta lycidas lycidas* (Boisduval,[1875]) (Sphingidae) Synonym(s): *lycidas* Boisduval,[1875]; *tithonus* Kirby,1886
72818) *Orecta venedictoffae* Cadiou,1995 (Sphingidae) Synonym(s): *venedictoffae* Cadiou,1995
72819) *Oryba achemenides* (Cramer,1779) (Sphingidae) Synonym(s): *achemenides* Cramer,1779; *robusta* Walker,1856
72820) *Oryba kadeni* (Schaufuss,1870) (Sphingidae) Synonym(s): *kadeni* Schaufuss,1870; *imperialis* Druce,1890
72821) *Pachygonidia caliginosa* (Boisduval,1870) (Sphingidae) Synonym(s): *caliginosa* Boisduval,1870
72822) *Pachygonidia drucei* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *drucei* Rothschild & Jordan,1903
72823) *Pachygonidia hopfferi* (Staudinger,1875) (Sphingidae) Synonym(s): *hopfferi* Staudinger,1875; *hopfferi* Druce,1881
72824) *Pachygonidia martini* (Gehlen,1943) (Sphingidae) Synonym(s): *martini* Gehlen,1943
72825) *Pachygonidia ribbei* (Druce,1881) (Sphingidae) Synonym(s): *ribbei* Druce,1881
72826) *Pachygonidia ribbei peruviana* (Joicey & Talbot,1921) (Sphingidae) Synonym(s): *peruviana* Joicey & Talbot,1921
72827) *Pachygonidia ribbei ribbei* (Druce,1881) (Sphingidae) Synonym(s):
72828) *Pachygonidia subhamata* (Walker,1856) (Sphingidae) Synonym(s): *subhamata* Walker,1856; *gigantea* Schaufuss,1870; *nimrod* Boisduval,[1875]; *#subtramata* Bönninghausen,1899
72829) *Pachylia derceta* Druce,1881 (Sphingidae) Synonym(s): *derceta* Druce,1881
72830) *Pachylia ficus* (Linnaeus,1758) (Sphingidae) Synonym(s): *ficus* Linnaeus,1758; *crameri* Ménétériès,1857; *lyncea* Clemens,1859; *venezuelensis* Schaufuss,1870; *undatifascia* Butler,1877; *aterrima* Bönninghausen,1899
72831) *Pachylia syces* (Hübner,[1819]) (Sphingidae) Synonym(s): *syces* Hübner,[1819]; *inornata* Clemens,1859
72832) *Pachylia syces cubensis* Closs,1911 (Sphingidae) Synonym(s): *cubensis* Closs,1911
72833) *Pachylia syces insularis* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *insularis* Rothschild & Jordan,1903
72834) *Pachylia syces septentrionalis* Gehlen,1944 (Sphingidae) Synonym(s): *septentrionalis* Gehlen,1944
72835) *Pachylia syces syces* (Hübner,[1819]) (Sphingidae) Synonym(s): *syces* Hübner,[1819]; *inornata* Clemens,1859
72836) *Pachylioides resumens* (Walker,1856) (Sphingidae) Synonym(s): *resumens* Walker,1856; *inconspicua* Walker,1856; *versuta* Clemens,1859; *tristis* Grote & Robinson,1868
72837) *Pachysphinx imperator* (Strecker,[1878]) (Sphingidae) Synonym(s): *imperator* Strecker,[1878]
72838) *Pachysphinx imperator regalis* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *regalis* Rothschild & Jordan,1903
72839) *Pachysphinx modesta* (Harris,1839) (Sphingidae) Synonym(s): *modesta* Harris,1839; *princeps* Walker,1856; *populicola* Boisduval,[1875]; *cablei* Von Reizenstein,1881; *borealis* Clark,1929
72840) *Pachysphinx modesta modesta* (Harris,1839) (Sphingidae) Synonym(s): *modesta* Harris,1839; *princeps* Walker,1856; *populicola* Boisduval,[1875]; *cablei* Von Reizenstein,1881; *borealis* Clark,1929
72841) *Pachysphinx occidentalis* (Edwards,1875) (Sphingidae) Synonym(s): *occidentalis* Edwards,1875; *kunzei* Rothschild & Jordan,1903
72842) *Pachysphinx occidentalis occidentalis* (Edwards,1875) (Sphingidae) Synonym(s): *occidentalis* Edwards,1875; *kunzei* Rothschild & Jordan,1903 d & Jordan,1903
72843) *Pachysphinx peninsularis* Cary,1963 (Sphingidae) Synonym(s): *peninsularis* Cary,1963
72844) *Pantophaea favillacea* (Walker,1866) (Sphingidae) Synonym(s): *favillacea* Walker,1866; *distanti* Rothschild & Jordan,1903; *maxima* Clark,1922
72845) *Pantophaea onelli* (Clark,1925) (Sphingidae) Synonym(s): *onelli* Clark,1925
72846) *Paonias myops* (J.E.Smith,1797) (Sphingidae) Synonym(s): *myops* J.E.Smith,1797; *rosacearum* Boisduval,1836; *cerasi* Boisduval,[1875]; *sorbi* Boisduval,[1875]; *tiliastri* Boisduval,[1875]; *occidentalis* B.P.Clark,1919; *mcCrearyi* B.P.Clark,1929
72847) *Paonias myops macrops* (Gehlen,1933) (Sphingidae) Synonym(s): *macrops* Gehlen,1933
72848) *Paonias myops myops* (J.E.Smith,1797) (Sphingidae) Synonym(s): *myops* J.E.Smith,1797; *rosacearum* Boisduval,1836; *cerasi* Boisduval,[1875]; *sorbi* Boisduval,[1875]; *tiliastri* Boisduval,[1875]; *occidentalis* B.P.Clark,1919; *mcCrearyi* B.P.Clark,1929
72849) *Paratreia plebeja* (Fabricius,1777) (Sphingidae) Synonym(s): *plebeja* Fabricius,1777
72850) *Parum colligatum* (Walker,1856) (Sphingidae) Synonym(s): *colligatum* Walker,1856; *tristis* Bryk,1944
72851) *Parum colligatum colligatum* (Walker,1856) (Sphingidae) Synonym(s): *colligatum* Walker,1856; *tristis* Bryk,1944
72852) *Pentateucha curiosa* Swinhoe,1908 (Sphingidae) Synonym(s): *curiosa* Swinhoe,1908
72853) *Pentateucha inouei* Owada & Brechlin,1997 (Sphingidae) Synonym(s): *inouei* Owada & Brechlin,1997
72854) *Pentateucha stueningi* Owada & Kitching,1997 (Sphingidae) Synonym(s): *stueningi* Owada & Kitching,1997
72855) *Pergesa actea* (Cramer,1779) (Sphingidae) Synonym(s): *acteus* Cramer,1779
72856) *Perigonia divisa* Grote & Robinson,1865 (Sphingidae) Synonym(s): *divisa* Grote & Robinson,1865
72857) *Perigonia glaucescens* Walker,1856 (Sphingidae) Synonym(s): *glaucescens* Walker,1856
72858) *Perigonia grisea* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *grisea* Rothschild & Jordan,1903
72859) *Perigonia jamaicensis* Rothschild,1894 (Sphingidae) Synonym(s): *jamaicensis* Rothschild,1894
72860) *Perigonia lefebraei* (Lucas,1856) (Sphingidae) Synonym(s): *lefebraei* Lucas,1856
72861) *Perigonia leucopus* Rothschild & Jordan,1910 (Sphingidae) Synonym(s): *leucopus* Rothschild & Jordan,1910
72862) *Perigonia lusca* (Fabricius,1777) (Sphingidae) Synonym(s): *lusca* Fabricius,1777; *interrupta* Walker,[1865]; *restituta* Walker,[1865]; *dota* Schaufuss,1870; *affinis* Schaufuss,1870; *ilus* Boisduval,1870; *tenebrosa* R.Felder,1874; *passerina* Boisduval,[1875]; *bahamensis* B.P.Clark,1919; *#major* B.P.Clark,1928
72863) *Perigonia lusca continua* Vazquez,1959 (Sphingidae) Synonym(s): *continua* Vazquez,1959
72864) *Perigonia lusca lusca* (Fabricius,1777) (Sphingidae) Synonym(s): *lusca* Fabricius,1777; *interrupta* Walker,[1865]; *restituta* Walker,[1865]; *dota* Schaufuss,1870; *affinis* Schaufuss,1870; *ilus* Boisduval,1870; *tenebrosa* R.Felder,1874; *passerina* Boisduval,[1875]; *bahamensis* B.P.Clark,1919; *#major* B.P.Clark,1928
72865) *Perigonia manni* B.P.Clark,1935 (Sphingidae) Synonym(s): *manni* B.P.Clark,1935
72866) *Perigonia pallida* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *pallida* Rothschild & Jordan,1903
72867) *Perigonia pallida pallida* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *pallida* Rothschild & Jordan,1903
72868) *Perigonia pallida rufescens* Daniel,1949 (Sphingidae) Synonym(s): *rufescens* Daniel,1949
72869) *Perigonia pittieri* Lichy,1962 (Sphingidae) Synonym(s): *pittieri* Lichy,1962
72870) *Perigonia stulta* Herrich-Schäffer,[1854] (Sphingidae) Synonym(s): *stulta* Herrich-Schäffer,[1854]
72871) *Perigonia thayeri* B.P.Clark,1928 (Sphingidae) Synonym(s): *thayeri* B.P.Clark,1928
72872) *Phanoxyla hystrix* (R.Felder,1874) (Sphingidae) Synonym(s): *hystrix* R.Felder,1874
72873) *Phryxus caicus* (Cramer,1777) (Sphingidae) Synonym(s): *caicus* Cramer,1777
72874) *Phyllosphingia dissimilis* (Bremer,1861) (Sphingidae) Synonym(s): *dissimilis* Bremer,1861
72875) *Phyllosphingia dissimilis dissimilis* (Bremer,1861) (Sphingidae) Synonym(s): *dissimilis* Bremer,1861; *sinensis* Jordan,1911; *hoenei* Clark,1937; *jordani* Bryk,1946
72876) *Phyllosphingia dissimilis perundulans* Swinhoe,1897 (Sphingidae) Synonym(s): *perundulans* Swinhoe,1897
72877) *Phylloxiphia metria* (Jordan,1920) (Sphingidae) Synonym(s): *metria* Jordan,1920; *noctivaga* Kernbach,1957
72878) *Phylloxiphia punctum* (Rothschild,1907) (Sphingidae) Synonym(s): *punctum* Rothschild,1907
72879) *Phylloxiphia vicina* (Rothschild & Jordan,1915) (Sphingidae) Synonym(s): *vicina* Rothschild & Jordan,1915
72880) *Platysphinx piabilis* (Distant,1897) (Sphingidae) Synonym(s): *piabilis* Distant,1897; *bourkei* Trimen,1910
72881) *Poliana albescens* Inoue,1996 (Sphingidae) Synonym(s): *albescens* Inoue,1996
72882) *Poliana buchholzi* (Plötz,1880) (Sphingidae) Synonym(s): *buchholzi* Plötz,1880
72883) *Poliana leucomelas* Rothschild & Jordan,1915 (Sphingidae) Synonym(s): *leucomelas* Rothschild & Jordan,1915
72884) *Poliana wintgensii* (Strand,1910) (Sphingidae) Synonym(s): *wintgensii* Strand,1910; *marmorata* Fawcett,1915
72885) *Polyptychoides grayii* (Walker,1856) (Sphingidae) Synonym(s): *grayii* Walker,1856
72886) *Polyptychoides grayii assimilis* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *assimilis* Rothschild & Jordan,1903
72887) *Polyptychoides grayii grayii* (Walker,1856) (Sphingidae) Synonym(s): *grayii* Walker,1856
72888) *Polyptychopsis marshalli* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *marshalli* Rothschild & Jordan,1903
72889) *Polyptychus baxteri* (Sphingidae) Synonym(s):
72890) *Polyptychus baxteri jansei* Clark,1936 (Sphingidae) Synonym(s): *jansei* Clark,1936
72891) *Polyptychus chinensis* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *chinensis* Rothschild & Jordan,1903
72892) *Polyptychus chinensis chinensis* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *chinensis* Rothschild & Jordan,1903
72893) *Polyptychus claudiae* Brechlin, Kitching & Cadiou,2001 (Sphingidae) Synonym(s): *claudiae* Brechlin, Kitching & Cadiou,2001

- 72894) *Polyptychus corydoni* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *corydoni* Rothschild & Jordan, 1903
 72895) *Polyptychus trilineatus* Moore, 1888 (Sphingidae) Synonym(s): *trilineatus* Moore, 1888
 72896) *Polyptychus trilineatus celebensis* Clark, 1929 (Sphingidae) Synonym(s): *celebensis* Clark, 1929; *kalisi* Jordan, 1938
 72897) *Polyptychus trilineatus costalis* Mell, 1922 (Sphingidae) Synonym(s): *costalis* Mell, 1922
 72898) *Polyptychus trilineatus javanicus* Gehlen, 1931 (Sphingidae) Synonym(s): *javanicus* Gehlen, 1931; *javanicus* Roepke, 1941
 72899) *Polyptychus trilineatus kelanus* Jordan, 1930 (Sphingidae) Synonym(s): *kelanus* Jordan, 1930
 72900) *Polyptychus trilineatus luteatus* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *luteatus* Rothschild & Jordan, 1903
 72901) *Polyptychus trilineatus luteatus* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *luteatus* Rothschild & Jordan, 1903
 72902) *Polyptychus trilineatus mincopicus* Jordan, 1930 (Sphingidae) Synonym(s): *mincopicus* Jordan, 1930
 72903) *Polyptychus trilineatus mincopicus* Jordan, 1930 (Sphingidae) Synonym(s): *mincopicus* Jordan, 1930
 72904) *Polyptychus trilineatus philippinensis* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *philippinensis* Rothschild & Jordan, 1903
 72905) *Polyptychus trilineatus sonantis* Jordan, 1930 (Sphingidae) Synonym(s): *sonantis* Jordan, 1930
 72906) *Polyptychus trilineatus trilineatus* Moore, 1888 (Sphingidae) Synonym(s): *trilineatus* Moore, 1888
 72907) *Polyptychus trilineatus undatus* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *undatus* Rothschild & Jordan, 1903
 72908) *Polyptychus trisecta* (Aurivillius, 1901) (Sphingidae) Synonym(s): *trisecta* Aurivillius, 1901
 72909) *Praedora leucophaea* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *leucophaea* Rothschild & Jordan, 1903
 72910) *Praedora marshalli* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *marshalli* Rothschild & Jordan, 1903; *tropicalis* Rothschild & Jordan, 1912; *australis* Clark, 1930
 72911) *Praedora plagiata* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *plagiata* Rothschild & Jordan, 1903; *meridionalis* Kiriakoff, 1954
 72912) *Proserpinus clarkiae* Boisduval, 1852 (Sphingidae) Synonym(s): *clarkiae* Boisduval, 1852; *victoria* Grote, 1874
 72913) *Proserpinus juanita* Strecker, [1877] (Sphingidae) Synonym(s): *juanita* Strecker, [1877]; *oslari* Rothschild & Jordan, 1903
 72914) *Proserpinus proserpinus* (Pallas, 1772) (Sphingidae) Synonym(s): *proserpinus* Pallas, 1772; *oenotherae* [Denis & Schiffermüller], 1775; *schiffermilleri* Fuessly, 1779; *francofurtana* Fabricius, 1781; *aenotheroides* Butler, [1876], *maxima* Grum-Grshimailo, 1887; *japetus* Grum-Grshimailo, 1890; *gigas* Oberthür, 1922.
 72915) *Proserpinus proserpinus proserpinus* (Pallas, 1772) (Sphingidae) Synonym(s): *proserpinus* Pallas, 1772; *oenotherae* [Denis & Schiffermüller], 1775; *schiffermilleri* Fuessly, 1779; *francofurtana* Fabricius, 1781; *aenotheroides* Butler, [1876], *maxima* Grum-Grshimailo, 1887; *japetus* Grum-Grshimailo, 1890; *gigas* Oberthür, 1922.
 72916) *Proserpinus terlooii* Edwards, 1875 (Sphingidae) Synonym(s): *terlooii* Edwards, 1875
 72917) *Proserpinus terlooii mooseri* (B.P.Clark, 1937) (Sphingidae) Synonym(s): *mooseri* B.P.Clark, 1937
 72918) *Proserpinus terlooii terlooii* Edwards, 1875 (Sphingidae) Synonym(s):
 72919) *Proserpinus vega* (Dyar, 1903) (Sphingidae) Synonym(s): *vega* Dyar, 1903
 72920) *Protaleuron rhodogaster* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *rhodogaster* Rothschild & Jordan, 1903
 72921) *Protoambulyx astygonus* (Boisduval, [1875]) (Sphingidae) Synonym(s): *astygonus* Boisduval, [1875]
 72922) *Protoambulyx carteri* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *carteri* Rothschild & Jordan, 1903
 72923) *Protoambulyx euryalus* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *euryalus* Rothschild & Jordan, 1903
 72924) *Protoambulyx eurycles* (Herrich-Schäffer, [1855]) (Sphingidae) Synonym(s): *eurycles* Herrich-Schäffer, [1855]; *fasciatus* Gehlen, 1927; *australis* B.P.Clark, 1937
 72925) *Protoambulyx goeldii* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *goeldii* Rothschild & Jordan, 1903; *andicus* Gehlen, 1928
 72926) *Protoambulyx goeldii goeldii* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *goeldii* Rothschild & Jordan, 1903; *andicus* Gehlen, 1928
 72927) *Protoambulyx goeldii marcata* (Schaus, 1912) (Sphingidae) Synonym(s): *marcata* Schaus, 1912
 72928) *Protoambulyx ockendeni* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *ockendeni* Rothschild & Jordan, 1903
 72929) *Protoambulyx rydbergi* Gehlen, 1933 (Sphingidae) Synonym(s): *rydbergi* Gehlen, 1933
 72930) *Protoambulyx strigilis* (Linnaeus, 1771) (Sphingidae) Synonym(s): *strigilis* Linnaeus, 1771; *rubripennis* Butler, 1877; *#turarem* Lichy, 1943
 72931) *Protoambulyx strigilis portoricensis* B.P.Clark, 1931 (Sphingidae) Synonym(s): *portoricensis* B.P.Clark, 1931
 72932) *Protoambulyx strigilis strigilis* (Linnaeus, 1771) (Sphingidae) Synonym(s): *strigilis* Linnaeus, 1771; *rubripennis* Butler, 1877; *#turarem* Lichy, 1943
 72933) *Protoambulyx sulphurea* (Rothschild, 1894) (Sphingidae) Synonym(s): *sulphurea* Rothschild, 1894
 72934) *Protoambulyx xanthus* Rothschild & Jordan, 1906 (Sphingidae) Synonym(s): *xanthus* Rothschild & Jordan, 1906
 72935) *Pseudandriasa mutata* (Walker, 1855) (Sphingidae) Synonym(s): *mutata* Walker, 1855; *erubescens* Walker, 1862
 72936) *Pseudoclanis diana* Gehlen, 1922 (Sphingidae) Synonym(s): *diana* Gehlen, 1922
 72937) *Pseudoclanis molitrix* (Rothschild & Jordan, 1912) (Sphingidae) Synonym(s): *molitrix* Rothschild & Jordan, 1912; *lauta* Jordan, 1920; *subviridis* Talbot, 1932; *sororia* Kernbach, 1954; *#mollis* Wiltshire, 1983
 72938) *Pseudoclanis postica* (Walker, 1856) (Sphingidae) Synonym(s): *postica* Walker, 1856
 72939) *Pseudosphinx tetrio* (Linnaeus, 1771) (Sphingidae) Synonym(s): *tetrio* Linnaeus, 1771; *hasdurbal* Cramer, [1780]; *obscura* Butler, 1877; *albina* Gehlen, 1941
 72940) *Psilogramma andamanica* Brechlin, 2001 (Sphingidae) Synonym(s): *andamanica* Brechlin, 2001
 72941) *Psilogramma casuarinae* (Walker, 1856) (Sphingidae) Synonym(s): *casuarinae* Walker, 1856
 72942) *Psilogramma floresica* Brechlin, 2001 (Sphingidae) Synonym(s): *floresica* Brechlin, 2001
 72943) *Psilogramma increta* Walker, [1865] (Sphingidae) Synonym(s): *increta* Walker, [1865]
 72944) *Psilogramma kitchingi* Brechlin & Lachlan, 2001 (Sphingidae) Synonym(s): *kitchingi* Brechlin & Lachlan, 2001
 72945) *Psilogramma menephron* (Cramer, [1780]) (Sphingidae) Synonym(s): *menephron* Cramer, [1780]
 72946) *Psilogramma menephron lifuense* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *lifuense* Rothschild & Jordan, 1903
 72947) *Psilogramma orientalis* Brechlin, 2001 (Sphingidae) Synonym(s): *orientalis* Brechlin, 2001
 72948) *Psilogramma papuensis* Brechlin, 2001 (Sphingidae) Synonym(s): *papuensis* Brechlin, 2001
 72949) *Psilogramma salomonis* Brechlin, 2001 (Sphingidae) Synonym(s): *salomonis* Brechlin, 2001
 72950) *Psilogramma sulawesica* Brechlin, 2001 (Sphingidae) Synonym(s): *sulawesica* Brechlin, 2001
 72951) *Psilogramma sundana* Brechlin, 2001 (Sphingidae) Synonym(s): *sundana* Brechlin, 2001
 72952) *Psilogramma tanimbarica* Brechlin, 2001 (Sphingidae) Synonym(s): *tanimbarica* Brechlin, 2001
 72953) *Psilogramma villani* Kitching, Treadaway & Hogenes, 2000 (Sphingidae) Synonym(s): *villani* Kitching, Treadaway & Hogenes, 2000
 72954) *Psilogramma wetarensis* Brechlin, 2001 (Sphingidae) Synonym(s): *wetarensis* Brechlin, 2001
 72955) *Rethera afghanistana* Daniel, 1958 (Sphingidae) Synonym(s): *afghanistana* Daniel, 1958
 72956) *Rethera amseli* Daniel, 1958 (Sphingidae) Synonym(s): *amseli* Daniel, 1958
 72957) *Rethera brandti* O.Bang-Haas, 1937 (Sphingidae) Synonym(s): *brandti* O.Bang-Haas, 1937
 72958) *Rethera brandti brandti* O.Bang-Haas, 1937 (Sphingidae) Synonym(s): *brandti* O.Bang-Haas, 1937
 72959) *Rethera brandti euteles* Jordan, 1937 (Sphingidae) Synonym(s): *euteles* Jordan, 1937
 72960) *Rethera komarovi* (Christoph, 1885) (Sphingidae) Synonym(s): *komarovi* Christoph, 1885; *#kamarowi* Wagner, 1931; *rjabovi* O.Bang-Haas, 1934; *#albocingulata* O.Bang-Haas, 1934; *#roseocingulata* O.Bang-Haas, 1937
 72961) *Rethera komarovi boguta* Eitschberger & Lukhtanov, 1996 (Sphingidae) Synonym(s): *boguta* Eitschberger & Lukhtanov, 1996
 72962) *Rethera komarovi drilon* Rebel & Zerny, 1931 (Sphingidae) Synonym(s): *drilon* Rebel & Zerny, 1931
 72963) *Rethera komarovi komarovi* (Christoph, 1885) (Sphingidae) Synonym(s): *komarovi* Christoph, 1885; *#kamarowi* Wagner, 1931; *rjabovi* O.Bang-Haas, 1934; *#albocingulata* O.Bang-Haas, 1934; *#roseocingulata* O.Bang-Haas, 1937
 72964) *Rethera komarovi manifica* Brandt, 1938 (Sphingidae) Synonym(s): *manifica* Brandt, 1938
 72965) *Rethera komarovi stipularis* (Swinhoe, 1885) (Sphingidae) Synonym(s): *stipularis* Swinhoe, 1885
 72966) *Rhagastis acuta* (Walker, 1856) (Sphingidae) Synonym(s): *acuta* Walker, 1856
 72967) *Rhagastis albomarginatus* (Rothschild, 1894) (Sphingidae) Synonym(s): *albomarginatus* Rothschild, 1894; *nubilosa* Bryk, 1944
 72968) *Rhagastis albomarginatus albomarginatus* (Rothschild, 1894) (Sphingidae) Synonym(s): *albomarginatus* Rothschild, 1894; *nubilosa* Bryk, 1944
 72969) *Rhagastis albomarginatus dichroae* Mell, 1922 (Sphingidae) Synonym(s): *dichroae* Mell, 1922
 72970) *Rhagastis albomarginatus everetti* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *everetti* Rothschild & Jordan, 1903; *joiceyi* Clark, 1924
 72971) *Rhagastis binoculata* Matsumura, 1909 (Sphingidae) Synonym(s): *binoculata* Matsumura, 1909
 72972) *Rhagastis castor* (Walker, 1856) (Sphingidae) Synonym(s): *castor* Walker, 1856; *sumatranus* Clark, 1924; *javanica* Roepke, 1941
 72973) *Rhagastis castor aurifera* (Butler, 1875) (Sphingidae) Synonym(s): *aurifera* Butler, 1875

- 72974) *Rhagastis castor castor* (Walker,1856) (Sphingidae) Synonym(s): *castor* Walker,1856; *sumatranus* Clark,1924; *javanica* Roepke,1941
 72975) *Rhagastis castor formosana* Clark,1925 (Sphingidae) Synonym(s): *formosana* Clark,1925
 72976) *Rhagastis castor jordani* Oberthür,1904 (Sphingidae) Synonym(s): *jordani* Oberthür,1904; *chinensis* Mell,1922
 72977) *Rhagastis confusa* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *confusa* Rothschild & Jordan,1903
 72978) *Rhagastis gloriosa* (Butler,1875) (Sphingidae) Synonym(s): *gloriosa* Butler,1875; *orientis* Bryk,1944; *yunnanaria* Chu & Wang,1980
 72979) *Rhagastis hayesi* Diehl,[1982] (Sphingidae) Synonym(s): *hayesi* Diehl,[1982]
 72980) *Rhagastis lunata* (Rothschild,1900) (Sphingidae) Synonym(s): *lunata* Rothschild,1900; *sikkimensis* Rothschild & Jordan,1903; *gehleni* Bender,1941, *yunnanaria* Chu & Wang,1980 (*praeocc.*); *yunnana* Chu & Wang,1983
 72981) *Rhagastis mongoliana* (Butler,1876) (Sphingidae) Synonym(s): *mongoliana* Butler,1876
 72982) *Rhagastis olivacea* (Moore,1872) (Sphingidae) Synonym(s): *olivacea* Moore,1872
 72983) *Rhagastis rubetra* Rothschild & Jordan,1907 (Sphingidae) Synonym(s): *rubetra* Rothschild & Jordan,1907; *mjobergi* Clark,1923
 72984) *Rhagastis velata* (Walker,1856) (Sphingidae) Synonym(s): *velata* Walker,1856
 72985) *Rhodafra marshalli* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *marshalli* Rothschild & Jordan,1903
 72986) *Rhodoprasina callantha* Jordan,1929 (Sphingidae) Synonym(s): *opheltes* Cramer,1780; *mariae* Wallengren,1875
 72987) *Rhodambulyx davidi* Mell,1938 (Sphingidae) Synonym(s): *davidi* Mell,1938
 72988) *Rhodambulyx schnitzleri* Cadiou,1990 (Sphingidae) Synonym(s): *schnitzleri* Cadiou,1990
 72989) *Rhodoprasina callantha* Jordan,1929 (Sphingidae) Synonym(s): *callantha* Jordan,1929
 72990) *Rhodoprasina corolla* Cadiou & Kitching,1990 (Sphingidae) Synonym(s): *corolla* Cadiou & Kitching,1990
 72991) *Rhodoprasina corrigenda* Kitching & Cadiou,1996 (Sphingidae) Synonym(s): *corrigenda* Kitching & Cadiou,1996
 72992) *Rhodoprasina winbrechlini* Brechlin,1996 (Sphingidae) Synonym(s): *winbrechlini* Brechlin,1996
 72993) *Rufoclanis fulgurans* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *fulgurans* Rothschild & Jordan,1903
 72994) *Rufoclanis jansei* (Vari,1964) (Sphingidae) Synonym(s): *jansei* Vari,1964
 72995) *Rufoclanis numosae* (Wallengren,1860) (Sphingidae) Synonym(s): *numosae* Wallengren,1860; *mimosae* Wallengren,1860; *cytis* Druce,1882; *consanguinea* Distant,1899; *hesperus* Rothschild & Jordan,1916
 72996) *Sagenosoma elsa* (Strecker,1877) (Sphingidae) Synonym(s): *elsa* Strecker,1877
 72997) *Sataspes infernalis* (Westwood,1847) (Sphingidae) Synonym(s): *infernalis* Westwood,1847
 72998) *Sataspes infernalis infernalis* (Westwood,1847) (Sphingidae) Synonym(s): *infernalis* Westwood,1847
 72999) *Sataspes ribbei* Röber,1885 (Sphingidae) Synonym(s): *ribbei* Röber,1885
 73000) *Sataspes tagalica* Boisduval,[1875] (Sphingidae) Synonym(s): *tagalica* Boisduval,[1875]; *chinensis* Mell,1922; *collaris* Chu & Wang,1980; *thoracica* Chu & Wang,1980
 73001) *Sataspes tagalica cerberus* Semper,1896 (Sphingidae) Synonym(s): *cerberus* Semper,1896
 73002) *Sataspes tagalica javanica* Roepke,1941 (Sphingidae) Synonym(s): *javanica* Roepke,1941
 73003) *Sataspes tagalica tagalica* Boisduval,[1875] (Sphingidae) Synonym(s): *tagalica* Boisduval,[1875]; *chinensis* Mell,1922; *collaris* Chu & Wang,1980; *thoracica* Chu & Wang,1980
 73004) *Smerinthulus diehli* Hayes,[1982] (Sphingidae) Synonym(s): *diehli* Hayes,[1982]
 73005) *Smerinthulus dohrni* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *dohrni* Rothschild & Jordan,1903
 73006) *Smerinthulus myanmarensis* Brechlin,2000 (Sphingidae) Synonym(s): *myanmarensis* Brechlin,2000
 73007) *Smerinthulus pallidus* Mell,1922 (Sphingidae) Synonym(s): *pallidus* Mell,1922; *flavomaculatus* Inoue,1990
 73008) *Smerinthulus perversus* (Rothschild,1895) (Sphingidae) Synonym(s): *perversa* Rothschild,1895; *doipuiensis* Inoue,1991
 73009) *Smerinthulus quadripunctatus* Huwe,1895 (Sphingidae) Synonym(s): *quadripunctatus* Huwe,1895
 73010) *Smerinthulus kindermanni* Lederer,1852 (Sphingidae) Synonym(s): *cottoni* Cadiou & Kitching,1990
 73011) *Smerinthulus quadripunctatus quadripunctatus* Huwe,1895 (Sphingidae) Synonym(s): *quadripunctatus* Huwe,1895
 73012) *Smerinthus atlanticus* Austaut,1890 (Sphingidae) Synonym(s): *atlanticus* Austaut,1890
 73013) *Smerinthus caecus* Ménétriés,1857 (Sphingidae) Synonym(s): *caecus* Ménétriés,1857
 73014) *Smerinthus cerisyi* Kirby,1837 (Sphingidae) Synonym(s): *cerisyi* Kirby,1837; *ophthalmica* Boisduval,1855; *pallidulus* Edwards,1875; *vancouveriensis* Butler,[1877]; *astarte* Strecker,[1885]; *nigrescens* B.P.Clark,1919; *borealis* B.P.Clark,1929
 73015) *Smerinthus kindermanni* Lederer,1852 (Sphingidae) Synonym(s): *kindermanni* Lederer,1852; *#obscura* Closs,1917
 73016) *Smerinthus kindermanni gehleni* Eitschberger & Lukhtanov,1996 (Sphingidae) Synonym(s): *meridionalis* Gehlen,1931 *nec* Clss.,1917; *gehleni* Eitschberger & Lukhtanov,1996
 73017) *Smerinthus kindermanni iliensis* Eitschberger & Lukhtanov,1996 (Sphingidae) Synonym(s): *iliensis* Eitschberger & Lukhtanov,1996
 73018) *Smerinthus kindermanni kindermanni* Lederer,1852 (Sphingidae) Synonym(s): *kindermanni* Lederer,1852; *#obscura* Closs,1917
 73019) *Smerinthus kindermanni obsoletus* Staudinger,1901 (Sphingidae) Synonym(s): *obsoletus* Staudinger,1901
 73020) *Smerinthus kindermanni orbatus* Groum-Grshimailo,1890 (Sphingidae) Synonym(s): *orbatus* Groum-Grshimailo,1890
 73021) *Smerinthus minor* Mell,1937 (Sphingidae) Synonym(s): *minor* Mell,1937
 73022) *Smerinthus ocellatus* (Linnaeus,1758) (Sphingidae) Synonym(s): *ocellatus* Linnaeus,1758
 73023) *Smerinthus ocellatus ocellatus* (Linnaeus,1758) (Sphingidae) Synonym(s): *ocellatus* Linnaeus,1758
 73024) *Smerinthus ocellatus protai* Speidel & Kaltenbach,1981 (Sphingidae) Synonym(s): *protai* Speidel & Kaltenbach,1981
 73025) *Smerinthus planus* Walker,1856 (Sphingidae) Synonym(s): *planus* Walker,1856; *argus* Ménétriés,1857; *alticola* Clark,1922
 73026) *Smerinthus planus juennanus* Mell,1922 (Sphingidae) Synonym(s): *juennanus* Mell,1922
 73027) *Smerinthus planus planus* Walker,1856 (Sphingidae) Synonym(s): *planus* Walker,1856; *argus* Ménétriés,1857; *alticola* Clark,1922
 73028) *Smerinthus saliceti* Boisduval,[1875] (Sphingidae) Synonym(s): *saliceti* Boisduval,[1875]
 73029) *Smerinthus szechuanus* (Clark,1938) (Sphingidae) Synonym(s): *szechuanus* Clark,1938; *litulinea* Zhu & Wang,1997
 73030) *Smerinthus tokyonis* Matsumura,1921 (Sphingidae) Synonym(s): *tokyonis* Matsumura,1921
 73031) *Sphecodina caudata* (Bremer & Grey,[1852]) (Sphingidae) Synonym(s): *caudata* Bremer & Grey,[1852]
 73032) *Sphecodina caudata caudata* (Bremer & Grey,[1852]) (Sphingidae) Synonym(s): *caudata* Bremer & Grey,[1852]
 73033) *Sphecodina caudata ssp.n.* (Sphingidae) Synonym(s):
 73034) *Sphingonaepiopsis ansorgei* (Rothschild,1904) (Sphingidae) Synonym(s): *ansorgei* Rothschild,1904; *featheri* Clark,1929.
 73035) *Sphingonaepiopsis ansorgei ansorgei* (Rothschild,1904) (Sphingidae) Synonym(s): *ansorgei* Rothschild,1904; *featheri* Clark,1929.
 73036) *Sphingonaepiopsis malgassica* (Clark,1929) (Sphingidae) Synonym(s): *malgassica* Clark,1929; *wellsi* Griveaud,1959.
 73037) *Sphingonaepiopsis malgassica malgassica* (Clark,1929) (Sphingidae) Synonym(s): *malgassica* Clark,1929; *wellsi* Griveaud,1959.
 73038) *Sphingonaepiopsis nana* (Walker,1856) (Sphingidae) Synonym(s): *nana* Walker,1856; *gracilipes* Wallengren,1858.
 73039) *Sphingonaepiopsis nana nana* (Walker,1856) (Sphingidae) Synonym(s): *nana* Walker,1856; *gracilipes* Wallengren,1858.
 73040) *Sphingonaepiopsis obscurus* (Mabille,1880) (Sphingidae) Synonym(s): *obscurus* Mabille,1880
 73041) *Sphingonaepiopsis obscurus obscurus* (Mabille,1880) (Sphingidae) Synonym(s): *obscurus* Mabille,1880
 73042) *Sphingonaepiopsis pumilio* (Boisduval,[1875]) (Sphingidae) Synonym(s): *pumilio* Boisduval,[1875]; ? *chinensis* Schufuss,1870; *pusilla* Butler,1875; *minima* Butler,1876.
 73043) *Sphingonaepiopsis pumilio pumilio* (Boisduval,[1875]) (Sphingidae) Synonym(s): *pumilio* Boisduval,[1875]; ? *chinensis* Schufuss,1870; *pusilla* Butler,1875; *minima* Butler,1876.
 73044) *Sphingulus mus* Staudinger,1887 (Sphingidae) Synonym(s): *mus* Staudinger,1887; *taishanis* Mell,1937.
 73045) *Sphingulus mus mus* Staudinger,1887 (Sphingidae) Synonym(s): *mus* Staudinger,1887; *taishanis* Mell,1937.
 73046) *Sphinx adumbrata* (Dyar,1912) (Sphingidae) Synonym(s): *adumbrata* Dyar,1912
 73047) *Sphinx arthuri* Rothschild,1897 (Sphingidae) Synonym(s): *arthuri* Rothschild,1897
 73048) *Sphinx asella* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *asella* Rothschild & Jordan,1903
 73049) *Sphinx aurigutta* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *aurigutta* Rothschild & Jordan,1903
 73050) *Sphinx balsae* Schaus,1932 (Sphingidae) Synonym(s): *balsae* Schaus,1932
 73051) *Sphinx biolleyi* (Schaus,1912) (Sphingidae) Synonym(s): *biolleyi* Schaus,1912
 73052) *Sphinx caligineus* (Butler,1877) (Sphingidae) Synonym(s): *caligineus* Butler,1877
 73053) *Sphinx caligineus caligineus* (Sphingidae) Synonym(s):
 73054) *Sphinx caligineus sinicus* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *sinicus* Rothschild & Jordan,1903; *brunnescens* Mell,1922

- 73055) *Sphinx chersis* (Hübner,[1823]) (Sphingidae) Synonym(s): *chersis* Hübner,[1823]; *cinerea* Harris,1839; *oreodaphne* Edwards,1873; *pallascens* Rothschild & Jordan,1903
- 73056) *Sphinx chersis chersis* (Hübner,[1823]) (Sphingidae) Synonym(s): *chersis* Hübner,[1823]; *cinerea* Harris,1839; *oreodaphne* Edwards,1873; *pallascens* Rothschild & Jordan,1903
- 73057) *Sphinx chersis mexicana* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *mexicana* Rothschild & Jordan,1903
- 73058) *Sphinx chisoya* (Schaus,1932) (Sphingidae) Synonym(s): *chisoya* Schaus,1932
- 73059) *Sphinx dollii* Neumoegen,1881 (Sphingidae) Synonym(s): *dollii* Neumoegen,1881; *coloradus* Smith,1887; *australis* B.P.Clark,1922
- 73060) *Sphinx gemina* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *gemina* Rothschild & Jordan,1903
- 73061) *Sphinx justiciae* Walker,1856 (Sphingidae) Synonym(s): *justiciae* Walker,1856; *anteros* Ménétriès,1857
- 73062) *Sphinx leucophaeata* Clemens,1859 (Sphingidae) Synonym(s): *leucophaeata* Clemens,1859; *lanceolata* R.Felder,1874
- 73063) *Sphinx ligustri* Linnaeus,1758 (Sphingidae) Synonym(s): *ligustri* Linnaeus,1758; *spiraee* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998
- 73064) *Sphinx ligustri ligustri* Linnaeus,1758 (Sphingidae) Synonym(s): *ligustri* Linnaeus,1758; *spiraee* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998
- 73065) *Sphinx lugens* Walker,1856 (Sphingidae) Synonym(s): *lugens* Walker,1856; *andromedae* Boisduval,1870
- 73066) *Sphinx maura* Burmeister,1879 (Sphingidae) Synonym(s): *maura* Burmeister,1879
- 73067) *Sphinx merops* Boisduval,1870 (Sphingidae) Synonym(s): *merops* Boisduval,1870
- 73068) *Sphinx merops judsoni* (Weiss,1932) (Sphingidae) Synonym(s): *judsoni* Weiss,1932; *monjena* Schaus,1932
- 73069) *Sphinx merops merops* Boisduval,1870 (Sphingidae) Synonym(s): *merops* Boisduval,1870
- 73070) *Sphinx oberthueri* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *oberthueri* Rothschild & Jordan,1903; *jordani* Mell,1922; *thailandica* Inoue,1991
- 73071) *Sphinx perelegans* Edwards,1874 (Sphingidae) Synonym(s): *perelegans* Edwards,1874; *vancouverensis* Edwards,1874
- 73072) *Sphinx phalerata* Kernbach,1955 (Sphingidae) Synonym(s): *phalerata* Kernbach,1955
- 73073) *Sphinx pinastri* Linnaeus,1758 (Sphingidae) Synonym(s): *pinastri* Linnaeus,1758; *astaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon De Freina* & Witt,1987.
- 73074) *Sphinx pinastri maurorum* Jordan,1913 (Sphingidae) Synonym(s): *maurorum* Jordan,1913
- 73075) *Sphinx pinastri pinastri* Linnaeus,1758 (Sphingidae) Synonym(s): *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon De Freina* & Witt,1987.
- 73076) *Sphinx pitzahuac* Mooser,1948 (Sphingidae) Synonym(s): *pitzahuac* Mooser,1948
- 73077) *Sphinx porioni* Cadiou,1995 (Sphingidae) Synonym(s): *porioni* Cadiou,1995
- 73078) *Sphinx praelonga* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *praelonga* Rothschild & Jordan,1903
- 73079) *Sphinx pseudostigmatica* Gehlen,1885 (Sphingidae) Synonym(s): *pseudostigmatica* Gehlen,1885
- 73080) *Sphinx separata* Neumoegen,1885 (Sphingidae) Synonym(s): *separata* Neumoegen,1885; *melaena* Rothschild & Jordan,1916
- 73081) *Sphinx sequoiae* Boisduval,1868 (Sphingidae) Synonym(s): *sequoiae* Boisduval,1868; *engelhardti* B.P.Clark,1919
- 73082) *Sphinx tricolor* B.P.Clark,1923 (Sphingidae) Synonym(s): *tricolor* B.P.Clark,1923
- 73083) *Sphinx vashti* Strecker,[1878] (Sphingidae) Synonym(s): *vashti* Strecker,[1878]; *albescens* Tepper,1881; *mordecai* McDunnough,1923; *gerhardi* Barnes & Benjamin,1924
- 73084) *Sphinx vashti achotla* Mooser,1944 (Sphingidae) Synonym(s): *achotla* Mooser,1944
- 73085) *Sphinx vashti libocedrus* Edwards,1881 (Sphingidae) Synonym(s): *libocedrus* Edwards,1881; *insolita* Lintner,1884
- 73086) *Sphinx vashti vashti* Strecker,[1878] (Sphingidae) Synonym(s): *vashti* Strecker,[1878]; *albescens* Tepper,1881; *mordecai* McDunnough,1923; *gerhardi* Barnes & Benjamin,1924
- 73087) *Sphinx xanthus* Cary,1963 (Sphingidae) Synonym(s): *xanthus* Cary,1963
- 73088) *Stolidoptera tachasara* (Druce,1888) (Sphingidae) Synonym(s): *tachasara* Druce,1888
- 73089) *Temnora elegans* (Sphingidae) Synonym(s):
- 73090) *Temnora elegans polia* Rothschild,1904 (Sphingidae) Synonym(s): *polia* Rothschild,1904
- 73091) *Temnora fumosa* (Walker,1856) (Sphingidae) Synonym(s): *fumosa* Walker,1856
- 73092) *Temnora funebris* (Holland,1893) (Sphingidae) Synonym(s): *funebris* Holland,1893; *vambui* Stevenson,1938
- 73093) *Temnora iapygoides* (Holland,1889) (Sphingidae) Synonym(s): *iapygoides* Holland,1889; *preussi* Karsch,1891; *clementsi* Rothschild,1894; *pernix* Kernbach,1962.
- 73094) *Temnora inornata* (Rothschild,1894) (Sphingidae) Synonym(s): *inornata* Rothschild,1894
- 73095) *Temnora marginata* (Walker,1856) (Sphingidae) Synonym(s): *marginata* Walker,1856; *brunnea* Rothschild,1894
- 73096) *Temnora murina* (Walker,1856) (Sphingidae) Synonym(s): *murina* Walker,1856; *tyrrhus* Boisduval,1875
- 73097) *Temnora namaqua* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *namaqua* Rothschild & Jordan,1903
- 73098) *Temnora natalis* Walker,1856 (Sphingidae) Synonym(s): *natalis* Walker,1856; *natalii* Boisduval,1875; *kafakumbae* Clark,1936
- 73099) *Temnora plagiata* Walker,1856 (Sphingidae) Synonym(s): *plagiata* Walker,1856; *confusa* Walker,1856; *dicana* Boisduval,1875; *maculata* Rothschild,1894
- 73100) *Temnora pseudopylas* (Rothschild,1894) (Sphingidae) Synonym(s): *brisaeus* Wallengren,1865 nec Walk.,1856; *pseudopylas* Rothschild,1894; *congoi* Clark,1936; *#pseudohylas* Fletcher,1968
- 73101) *Temnora pylades* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *pylades* Rothschild & Jordan,1903; *stevensoni* Clark,1926
- 73102) *Temnora pylas* (Cramer,1779) (Sphingidae) Synonym(s): *pylas* Cramer,1779; *brisaeus* Walker,1856
- 73103) *Temnora robertsoni* Carcasson,1968 (Sphingidae) Synonym(s): *robertsoni* Carcasson,1968
- 73104) *Temnora sardanus* (Walker,1856) (Sphingidae) Synonym(s): *sardanus* Walker,1856; *uniformis* Rothschild,1894
- 73105) *Temnora subapicalis* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *subapicalis* Rothschild & Jordan,1903
- 73106) *Temnora swynnertoni* Stevenson,1938 (Sphingidae) Synonym(s): *swynnertoni* Stevenson,1938
- 73107) *Temnora zantus* (Herrich-Schäffer,[1854]) (Sphingidae) Synonym(s): *zantus* Herrich-Schäffer,[1854]; *excisa* Walker,1856; *dorus* Boisduval,1875; *brunnescens* Clark,1919
- 73108) *Temnora zantus curvilimes* Hering,1927 (Sphingidae) Synonym(s): *curvilimes* Hering,1927
- 73109) *Theretra alecto* (Linnaeus,1758) (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.
- 73110) *Theretra alecto alecto* (Linnaeus,1758) (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.
- 73111) *Theretra boisduvalii* (Bugnion,1839) (Sphingidae) Synonym(s): *boisduvalii* Bugnion,1839
- 73112) *Theretra cajus* (Cramer,1777) (Sphingidae) Synonym(s): *cajus* Cramer,1777; *gordius* Stoll,1781; *celaeno* Esper,1782; *gortys* Hübner,[1819]; *epicles* Boisduval,1875
- 73113) *Theretra capensis* (Linnaeus,1764) (Sphingidae) Synonym(s): *capensis* Linnaeus,1764; *aeas* Cramer,1779; *cecrops* Cramer,1779; *clotho* Fabricius,1787 nec Dru.,1773; *immaculata* Gmelin,1790; *ostracina* Wallengren,1858; *#vinacea* Closs,1915.
- 73114) *Theretra capensis capensis* (Linnaeus,1764) (Sphingidae) Synonym(s): *capensis* Linnaeus,1764; *aeas* Cramer,1779; *cecrops* Cramer,1779; *clotho* Fabricius,1787 nec Dru.,1773; *immaculata* Gmelin,1790; *ostracina* Wallengren,1858; *#vinacea* Closs,1915.
- 73115) *Theretra castanea* (Moore) (Sphingidae) Synonym(s): *castanea* Moore; *swinhoei* Clark,1925
- 73116) *Theretra clotho* (Drury,[1773]) (Sphingidae) Synonym(s): *clotho* Drury,[1773]
- 73117) *Theretra clotho celata* (Butler,1877) (Sphingidae) Synonym(s): *celata* Butler,1877
- 73118) *Theretra clotho clotho* (Drury,[1773]) (Sphingidae) Synonym(s): *clotho* Drury,[1773]
- 73119) *Theretra insularis* (Swinhoe,1892) (Sphingidae) Synonym(s): *insularis* Swinhoe,1892
- 73120) *Theretra japonica* (Boisduval,1869) (Sphingidae) Synonym(s): *japonica* Boisduval,1869
- 73121) *Theretra jugurtha* (Boisduval,[1875]) (Sphingidae) Synonym(s): *jugurtha* Boisduval,[1875]; *obliterata* Rothschild,1894
- 73122) *Theretra latreillii* Macleay,[1826] (Sphingidae) Synonym(s): *latreillii* Macleay,[1826]
- 73123) *Theretra latreillii lucasii* (Walker,1856) (Sphingidae) Synonym(s): *lucasii* Walker,1856; *distincta* Mell,1922; *montana* Mell,1922
- 73124) *Theretra lyctus* (Cramer,1775) (Sphingidae) Synonym(s): *lyctus* Cramer,1775

- 73125) *Theretra manilae* Clark,1922 (Sphingidae) Synonym(s): *manilae* Clark,1922
 73126) *Theretra monteironis* (Butler,1882) (Sphingidae) Synonym(s): *monteironis* Butler,1882; *ugandae* Clark,1923
 73127) *Theretra nessus* (Drury,[1773]) (Sphingidae) Synonym(s): *nessus* Drury,[1773]
 73128) *Theretra oldenlandiae* (Fabricius,1775) (Sphingidae) Synonym(s): *oldenlandiae* Fabricius,1775; *olivacens* Mell,1922
 73129) *Theretra oldenlandiae firmata* (Walker,1856) (Sphingidae) Synonym(s): *firmata* Walker,1856
 73130) *Theretra oldenlandiae fuscata* Gehlen,1941 (Sphingidae) Synonym(s): *fuscata* Gehlen,1941
 73131) *Theretra oldenlandiae oldenlandiae* (Fabricius,1775) (Sphingidae) Synonym(s): *oldenlandiae* Fabricius,1775; *olivacens* Mell,1922
 73132) *Theretra oldenlandiae samoana* Gehlen,1941 (Sphingidae) Synonym(s): *samoana* Gehlen,1941
 73133) *Theretra orpheus* (Herrich-Schäffer,[1854]) (Sphingidae) Synonym(s): *orpheus* Herrich-Schäffer,[1854]; *natalensis* Rothschild,1894; *#orphaeus Distant*,1899
 73134) *Theretra pallicosta* (Walker,1856) (Sphingidae) Synonym(s): *pallicosta* Walker,1856
 73135) *Theretra rhesus* (Boisduval,[1785]) (Sphingidae) Synonym(s): *rhesus* Boisduval,[1785]
 73136) *Theretra silhetensis* (Walker,1856) (Sphingidae) Synonym(s): *silhetensis* Walker,1856
 73137) *Theretra silhetensis intersecta* (Butler,1875) (Sphingidae) Synonym(s): *intersecta* Butler,1875
 73138) *Theretra silhetensis silhetensis* (Walker,1856) (Sphingidae) Synonym(s): *silhetensis* Walker,1856
 73139) *Theretra suffusa* (Walker,1856) (Sphingidae) Synonym(s): *suffusa* Walker,1856
 73140) *Theretra sugii* Cadiou,1995 (Sphingidae) Synonym(s): *sugii* Cadiou,1995
 73141) *Trogolenum pseudoambulyx* (Boisduval,[1875]) (Sphingidae) Synonym(s): *pseudoambulyx* Boisduval,[1875]
 73142) *Xanthopan morganii* (Walker,1856) (Sphingidae) Synonym(s): *morganii* Walker,1856; *morgan* Mitchell,1973
 73143) *Xenosphingia jansei* Jordan,1920 (Sphingidae) Synonym(s): *jansei* Jordan,1920
 73144) *Xylophanes acrus* Rothschild & Jordan,1910 (Sphingidae) Synonym(s): *acrus* Rothschild & Jordan,1910
 73145) *Xylophanes adalia* (Druce,1881) (Sphingidae) Synonym(s): *adalia* Druce,1881
 73146) *Xylophanes agilis* Closs,1916 (Sphingidae) Synonym(s): *agilis* Closs,1916
 73147) *Xylophanes aglaor* (Boisduval,[1875]) (Sphingidae) Synonym(s): *aglaor* Boisduval,[1875]
 73148) *Xylophanes alegrensis* Closs,1915 (Sphingidae) Synonym(s): *alegrensis* Closs,1915
 73149) *Xylophanes amadis* (Cramer,1782) (Sphingidae) Synonym(s): *amadis* Cramer,1782; *thalassina* Clemens,1859
 73150) *Xylophanes amadis amadis* (Cramer,1782) (Sphingidae) Synonym(s): *amadis* Cramer,1782; *thalassina* Clemens,1859
 73151) *Xylophanes amadis cyrene* (Druce,1881) (Sphingidae) Synonym(s): *cyrene* Druce,1881; *drucei* Kirby,1892; *staudingeri* Rothschild,1894
 73152) *Xylophanes amadis goeldi* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *goeldi* Rothschild & Jordan,1903
 73153) *Xylophanes amadis meridanus* Rothschild & Jordan,1910 (Sphingidae) Synonym(s): *meridanus* Rothschild & Jordan,1910
 73154) *Xylophanes amadis stuarti* (Rothschild,1894) (Sphingidae) Synonym(s): *stuarti* Rothschild,1894
 73155) *Xylophanes anubus* (Cramer,1777) (Sphingidae) Synonym(s): *anubus* Cramer,1777; *nitidula* Clemens,1859; *laevis* Grote & Robinson,1867; *miradonis* Boisduval,[1875]; *alcides* Boisduval,[1875]; *#infernalis* Gehlen,1926
 73156) *Xylophanes anubus anubus* (Cramer,1777) (Sphingidae) Synonym(s): *anubus* Cramer,1777; *nitidula* Clemens,1859; *laevis* Grote & Robinson,1867; *miradonis* Boisduval,[1875]; *alcides* Boisduval,[1875]; *#infernalis* Gehlen,1926
 73157) *Xylophanes anubus paraguayensis* Gehlen,1933 (Sphingidae) Synonym(s): *paraguayensis* Gehlen,1933
 73158) *Xylophanes belti* (Druce,1878) (Sphingidae) Synonym(s): *belti* Druce,1878
 73159) *Xylophanes brevis* B.P.Clark,1922 (Sphingidae) Synonym(s): *brevis* B.P.Clark,1922
 73160) *Xylophanes cantel* Schaus,1941 (Sphingidae) Synonym(s): *cantel* Schaus,1941
 73161) *Xylophanes ceratomioides* (Grote & Robinson,1867) (Sphingidae) Synonym(s): *ceratomioides* Grote & Robinson,1867; *capreolus* Schaufuss,1870
 73162) *Xylophanes chiron* (Drury,1771) (Sphingidae) Synonym(s): *chiron* Drury,1771; *sagittata* Goeze,1780; *butus* Fabricius,1787; *druryi* Boisduval,[1875]
 73163) *Xylophanes chiron chiron* (Drury,1771) (Sphingidae) Synonym(s): *chiron* Drury,1771; *sagittata* Goeze,1780; *butus* Fabricius,1787; *druryi* Boisduval,[1875]
 73164) *Xylophanes chiron cubanus* Rothschild & Jordan,1906 (Sphingidae) Synonym(s): *cubanus* Rothschild & Jordan,1906
 73165) *Xylophanes chiron lucianus* Rothschild & Jordan,1906 (Sphingidae) Synonym(s): *lucianus* Rothschild & Jordan,1906
 73166) *Xylophanes chiron martiniquensis* Kernbach,1964 (Sphingidae) Synonym(s): *martiniquensis* Kernbach,1964
 73167) *Xylophanes chiron nechus* (Cramer,1777) (Sphingidae) Synonym(s): *nechus* Cramer,1777; *haitiensis* Butler,1875
 73168) *Xylophanes clarki* Ramsden,1921 (Sphingidae) Synonym(s): *clarki* Ramsden,1921
 73169) *Xylophanes colinae* Haxaire,1994 (Sphingidae) Synonym(s): *colinae* Haxaire,1994
 73170) *Xylophanes colombiana* B.P.Clark,1935 (Sphingidae) Synonym(s): *colombiana* B.P.Clark,1935
 73171) *Xylophanes cosmius* Rothschild & Jordan,1906 (Sphingidae) Synonym(s): *cosmius* Rothschild & Jordan,1906; *pizarro* Gehlen,1928
 73172) *Xylophanes cosmius cosmius* Rothschild & Jordan,1906 (Sphingidae) Synonym(s): *cosmius* Rothschild & Jordan,1906; *pizarro* Gehlen,1928
 73173) *Xylophanes cosmius obscurus* Rothschild & Jordan,1910 (Sphingidae) Synonym(s): *obscurus* Rothschild & Jordan,1910
 73174) *Xylophanes crotonis* (Walker,1856) (Sphingidae) Synonym(s): *crotonis* Walker,1856; *aristor* Boisduval,1870; *hotulanus* Schaufuss,1870; *viridescens* Butler,1875; *virescens* Kirby,1892
 73175) *Xylophanes damocrita* (Druce,1894) (Sphingidae) Synonym(s): *damocrita* Druce,1894
 73176) *Xylophanes depuiseti* (Boisduval,[1875]) (Sphingidae) Synonym(s): *depuiseti* Boisduval,[1875]
 73177) *Xylophanes docilis* (Butler,1875) (Sphingidae) Synonym(s): *docilis* Butler,1875
 73178) *Xylophanes dolius* Rothschild & Jordan,1906 (Sphingidae) Synonym(s): *dolius* Rothschild & Jordan,1906
 73179) *Xylophanes clara* (Druce,1878) (Sphingidae) Synonym(s): *elara* Druce,1878; *elicius* Möschler,1882; *perviridis* Rothschild,1894; *#simulans* Raymundo,1932
 73180) *Xylophanes epaphus* (Boisduval,[1875]) (Sphingidae) Synonym(s): *epaphus* Boisduval,[1875]; *böttgeri* Rothschild,1894
 73181) *Xylophanes eumedon* (Boisduval,[1875]) (Sphingidae) Synonym(s): *eumedon* Boisduval,[1875]; *ortospina* Druce,1889
 73182) *Xylophanes falco* (Walker,1856) (Sphingidae) Synonym(s): *falco* Walker,1856; *fugax* Boisduval,1870; *mexicana* Erschoff,1877; *#falco* Möschler,1880
 73183) *Xylophanes fernandezi* Chacin, Clavijo & Marmels,1996 (Sphingidae) Synonym(s): *fernandezi* Chacin, Clavijo & Marmels,1996
 73184) *Xylophanes ferotinus* Gehlen,1930 (Sphingidae) Synonym(s): *ferotinus* Gehlen,1930
 73185) *Xylophanes fosteri* Rothschild & Jordan,1906 (Sphingidae) Synonym(s): *fosteri* Rothschild & Jordan,1906
 73186) *Xylophanes fuscimacula* (R.Felder,1874) (Sphingidae) Synonym(s): *fuscimacula* R.Felder,1874; *niepelti* Gehlen,1928
 73187) *Xylophanes germen* (Schaus,1890) (Sphingidae) Synonym(s): *germen* Schaus,1890
 73188) *Xylophanes germen germen* (Schaus,1890) (Sphingidae) Synonym(s): *germen* Schaus,1890
 73189) *Xylophanes germen yurakano* Lichy,1945 (Sphingidae) Synonym(s): *yurakano* Lichy,1945
 73190) *Xylophanes godmani* (Druce,1882) (Sphingidae) Synonym(s): *godmani* Druce,1882
 73191) *Xylophanes guianensis* (Rothschild,1894) (Sphingidae) Synonym(s): *guianensis* Rothschild,1894
 73192) *Xylophanes gundlachi* (Herrich-Schäffer,1863) (Sphingidae) Synonym(s): *gundlachi* Herrich-Schäffer,1863
 73193) *Xylophanes hannemanni* Closs,1917 (Sphingidae) Synonym(s): *hannemanni* Closs,1917
 73194) *Xylophanes haxairei* Cadiou,1985 (Sphingidae) Synonym(s): *haxairei* Cadiou,1985
 73195) *Xylophanes hojeda* Gehlen,1928 (Sphingidae) Synonym(s): *hojeda* Gehlen,1928
 73196) *Xylophanes hydrata* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *hydrata* Rothschild & Jordan,1903
 73197) *Xylophanes indistincta* Closs,1915 (Sphingidae) Synonym(s): *indistincta* Closs,1915; *zikani* B.P.Clark,1922
 73198) *Xylophanes irrora* (Grote,1865) (Sphingidae) Synonym(s): *irrora* Grote,1865
 73199) *Xylophanes isaan* (Boisduval,[1875]) (Sphingidae) Synonym(s): *isaan* Boisduval,[1875]; *olivacea* Rothschild,1894; *#nanus* Raymundo,1932
 73200) *Xylophanes jamaicensis* B.P.Clark,1935 (Sphingidae) Synonym(s): *jamaicensis* B.P.Clark,1935
 73201) *Xylophanes jordani* B.P.Clark,1916 (Sphingidae) Synonym(s): *jordani* B.P.Clark,1916
 73202) *Xylophanes josephinae* B.P.Clark,1920 (Sphingidae) Synonym(s): *josephinae* B.P.Clark,1920
 73203) *Xylophanes juanita* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *mexicana* Schaus,1890 nec Ersch.,1877; *juanita* Rothschild & Jordan,1903
 73204) *Xylophanes kaempferi* B.P.Clark,1931 (Sphingidae) Synonym(s): *kaempferi* B.P.Clark,1931
 73205) *Xylophanes katharinae* B.P.Clark,1931 (Sphingidae) Synonym(s): *katharinae* B.P.Clark,1931
 73206) *Xylophanes kiefferi* Cadiou,1995 (Sphingidae) Synonym(s): *kiefferi* Cadiou,1995
 73207) *Xylophanes libya* (Druce,1878) (Sphingidae) Synonym(s): *libya* Druce,1878; *pallascens* Closs,1917
 73208) *Xylophanes linearis* B.P.Clark,1935 (Sphingidae) Synonym(s): *linearis* B.P.Clark,1935

- 73209) *Xylophanes loelia* (Druce,1878) (Sphingidae) Synonym(s): *loelia* Druce,1878; *#laelia* Druce,[1881]; *heinrichi* Closs,1917
- 73210) *Xylophanes macasensis* B.P.Clark,1922 (Sphingidae) Synonym(s): *macasensis* B.P.Clark,1922
- 73211) *Xylophanes maculator* (Boisduval,[1875]) (Sphingidae) Synonym(s): *maculator* Boisduval,[1875]; *moeschleri* Erschoff,1876
- 73212) *Xylophanes maculator maculator* (Boisduval,[1875]) (Sphingidae) Synonym(s): *maculator* Boisduval,[1875]; *moeschleri* Erschoff,1876
- 73213) *Xylophanes maculator wolffi* (Druce,1882) (Sphingidae) Synonym(s): *wolffi* Druce,1882
- 73214) *Xylophanes media* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *media* Rothschild & Jordan,1903
- 73215) *Xylophanes mirabilis* B.P.Clark,1916 (Sphingidae) Synonym(s): *mirabilis* B.P.Clark,1916; *venator* Niepelt,1927
- 73216) *Xylophanes mossi* B.P.Clark,1917 (Sphingidae) Synonym(s): *mossi* B.P.Clark,1917
- 73217) *Xylophanes mulleri* B.P.Clark,1920 (Sphingidae) Synonym(s): *mulleri* B.P.Clark,1920; *#muelleri* Draudt,1931
- 73218) *Xylophanes nabuchodonosor* Oberthür,1904 (Sphingidae) Synonym(s): *nabuchodonosor* Oberthür,1904; *caissa* Gehlen,1931
- 73219) *Xylophanes neoptolemus* (Cramer,1782) (Sphingidae) Synonym(s): *neoptolemus* Cramer,1782; *trilineata* Walker,1864
- 73220) *Xylophanes neoptolemus neoptolemus* (Cramer,1782) (Sphingidae) Synonym(s): *neoptolemus* Cramer,1782; *trilineata* Walker,1864
- 73221) *Xylophanes neoptolemus trinitatis* Closs,1917 (Sphingidae) Synonym(s): *trinitatis* Closs,1917
- 73222) *Xylophanes norfolki* Kernbach,1962 (Sphingidae) Synonym(s): *norfolki* Kernbach,1962
- 73223) *Xylophanes ockendeni* Rothschild,1904 (Sphingidae) Synonym(s): *ockendeni* Rothschild,1904
- 73224) *Xylophanes pistacina* (Boisduval,[1875]) (Sphingidae) Synonym(s): *pistacina* Boisduval,[1875]; *diogenes* Maassen,1880; *jocasta* Druce,1888; *reussi* Closs,1920
- 73225) *Xylophanes ploetzi* (Möschler,1876) (Sphingidae) Synonym(s): *ploetzi* Möschler,1876; *drucei* Rothschild,1894
- 73226) *Xylophanes pluto* (Fabricius,1777) (Sphingidae) Synonym(s): *pluto* Fabricius,1777; *croesus* Dalman,1823; *thorates* Hübner,[1831]
- 73227) *Xylophanes porcus* (Hübner,[1823]) (Sphingidae) Synonym(s): *porcus* Hübner,[1823]
- 73228) *Xylophanes porcus continentalis* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *continentalis* Rothschild & Jordan,1903
- 73229) *Xylophanes porcus porcus* (Hübner,[1823]) (Sphingidae) Synonym(s): *porcus* Hübner,[1823]
- 73230) *Xylophanes pyrrhus* Rothschild & Jordan,1906 (Sphingidae) Synonym(s): *pyrrhus* Rothschild & Jordan,1906
- 73231) *Xylophanes resta* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *resta* Rothschild & Jordan,1903
- 73232) *Xylophanes rhodina* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *rhodina* Rothschild & Jordan,1903
- 73233) *Xylophanes rhodocera* (Walker,1856) (Sphingidae) Synonym(s): *rhodocera* Walker,1856; *sublaevis* Joicey & Kaye,1917
- 73234) *Xylophanes rhodochlora* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *rhodochlora* Rothschild & Jordan,1903
- 73235) *Xylophanes rhodotus* Rothschild,1894 (Sphingidae) Synonym(s): *rhodotus* Rothschild,1894; *#habdotus* Oberthür,1904
- 73236) *Xylophanes robinsoni* (Grote,1865) (Sphingidae) Synonym(s): *robinsoni* Grote,1865; *curvatus* Schaufuss,1870
- 73237) *Xylophanes rothschildi* (Dognin,1895) (Sphingidae) Synonym(s): *rothschildi* Dognin,1895; *fassli* Gehlen,1928; *binineata* Gehlen,1928
- 73238) *Xylophanes rufescens* (Rothschild,1894) (Sphingidae) Synonym(s): *rufescens* Rothschild,1894
- 73239) *Xylophanes sarae* Haxaire,1989 (Sphingidae) Synonym(s): *sarae* Haxaire,1989
- 73240) *Xylophanes sauna* (Druce,1889) (Sphingidae) Synonym(s): *sauna* Druce,1889; *evana* Hampson,1901
- 73241) *Xylophanes schausi* (Rothschild,1894) (Sphingidae) Synonym(s): *schausi* Rothschild,1894; *arpi* Schaus,1898
- 73242) *Xylophanes schausi schausi* (Rothschild,1894) (Sphingidae) Synonym(s): *schausi* Rothschild,1894; *arpi* Schaus,1898
- 73243) *Xylophanes schausi serenensis* Rothschild & Jordan,1910 (Sphingidae) Synonym(s): *serenensis* Rothschild & Jordan,1910
- 73244) *Xylophanes schreiteri* B.P.Clark,1923 (Sphingidae) Synonym(s): *schreiteri* B.P.Clark,1923
- 73245) *Xylophanes schwartzi* Haxaire,1992 (Sphingidae) Synonym(s): *schwartzi* Haxaire,1992
- 73246) *Xylophanes sericus* Gehlen,1940 (Sphingidae) Synonym(s): *sericus* Gehlen,1940
- 73247) *Xylophanes tersa* (Linnaeus,1771) (Sphingidae) Synonym(s): *tersa* Linnaeus,1771; *#tristis* Closs,1911
- 73248) *Xylophanes tersa chaconi* Marmels, Clavijo & Chacin,1996 (Sphingidae) Synonym(s): *chaconi* Marmels, Clavijo & Chacin,1996
- 73249) *Xylophanes tersa cubensis* Gehlen,1941 (Sphingidae) Synonym(s): *cubensis* Gehlen,1941
- 73250) *Xylophanes tersa tersa* (Linnaeus,1771) (Sphingidae) Synonym(s): *tersa* Linnaeus,1771; *#tristis* Closs,1911
- 73251) *Xylophanes thyelia* (Linnaeus,1758) (Sphingidae) Synonym(s): *thyelia* Linnaeus,1758; *eson* Walker,1856
- 73252) *Xylophanes thyelia salvini* (Druce,1878) (Sphingidae) Synonym(s): *salvini* Druce,1878
- 73253) *Xylophanes thyelia thyelia* (Linnaeus,1758) (Sphingidae) Synonym(s): *thyelia* Linnaeus,1758; *eson* Walker,1856
- 73254) *Xylophanes titana* (Druce,1878) (Sphingidae) Synonym(s): *titana* Druce,1878
- 73255) *Xylophanes turbata* (Edwards,1887) (Sphingidae) Synonym(s): *turbata* Edwards,1887
- 73256) *Xylophanes tyndarus* (Boisduval,[1875]) (Sphingidae) Synonym(s): *tyndarus* Boisduval,[1875]; *marginalis* B.P.Clark,1917; *#subtyndarus* Hoffmann,1936
- 73257) *Xylophanes undata* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *irrorata* Rothschild,1894 nec Grt.,1865; *undata* Rothschild & Jordan,1903
- 73258) *Xylophanes xylobotes* (Burmeister,1878) (Sphingidae) Synonym(s): *xylobotes* Burmeister,1878
- 73259) *Xylophanes zurcheri* (Druce,1894) (Sphingidae) Synonym(s): *zurcheri* Druce,1894
- 73260) *Aeoloscelis hipparcha* Meyrick,1897 (Stathmopodidae) Synonym(s): *hipparcha* Meyrick,1897
- 73261) *Aeoloscelis tripoda* Meyrick,1913 (Stathmopodidae) Synonym(s): *tripoda* Meyrick,1913
- 73262) *Calicotis crucifera* Meyrick,1889 (Stathmopodidae) Synonym(s): *crucifera* Meyrick,1889
- 73263) *Hieromantis ephodophora* Meyrick,1897 (Stathmopodidae) Synonym(s): *ephodophora* Meyrick,1897
- 73264) *Pachyrhabda strepodes* Meyrick,1897 (Stathmopodidae) Synonym(s): *strepodes* Meyrick,1897
- 73265) *Pachyrhabda triplecta* Meyrick,1913 (Stathmopodidae) Synonym(s): *triplecta* Meyrick,1913
- 73266) *Pachyrhabda unctoria* Meyrick,1911 (Stathmopodidae) Synonym(s): *unctoria* Meyrick,1911
- 73267) *Stathmopoda aegotricha* Meyrick,1921 (Stathmopodidae) Synonym(s): *aegotricha* Meyrick,1921
- 73268) *Stathmopoda anticyma* Meyrick,1927 (Stathmopodidae) Synonym(s): *anticyma* Meyrick,1927
- 73269) *Stathmopoda aprica* Meyrick,1913 (Stathmopodidae) Synonym(s): *aprica* Meyrick,1913
- 73270) *Stathmopoda arcata* Meyrick,1913 (Stathmopodidae) Synonym(s): *arcata* Meyrick,1913
- 73271) *Stathmopoda astricta* Meyrick,1913 (Stathmopodidae) Synonym(s): *astricta* Meyrick,1913
- 73272) *Stathmopoda auriferella* (Walker,1864) (Stathmopodidae) Synonym(s): *auriferella* Walker,1864; *divisa* Walsingham,1891; *ischnotis* Meyrick,1897; *crocophanes* Meyrick,1897; *theoris* Meyrick,1906; *tharsalea* Meyrick,1914; *adulatrix* Meyrick,1917; *cirrhapis* Meyrick,1922
- 73273) *Stathmopoda autoxantha* Meyrick,1913 (Stathmopodidae) Synonym(s): *autoxantha* Meyrick,1913
- 73274) *Stathmopoda balanarcha* Meyrick,1921 (Stathmopodidae) Synonym(s): *balanarcha* Meyrick,1921
- 73275) *Stathmopoda balanistis* Meyrick,1913 (Stathmopodidae) Synonym(s): *balanistis* Meyrick,1913
- 73276) *Stathmopoda basiplectra* Meyrick,1913 (Stathmopodidae) Synonym(s): *basiplectra* Meyrick,1913
- 73277) *Stathmopoda biclavus* Meyrick,1911 (Stathmopodidae) Synonym(s): *biclavus* Meyrick,1911
- 73278) *Stathmopoda callichrysa* Lower,1893 (Stathmopodidae) Synonym(s): *callichrysa* Lower,1893
- 73279) *Stathmopoda cissota* Meyrick,1913 (Stathmopodidae) Synonym(s): *cissota* Meyrick,1913
- 73280) *Stathmopoda citrinopsis* Meyrick,1927 (Stathmopodidae) Synonym(s): *citrinopsis* Meyrick,1927
- 73281) *Stathmopoda commoda* Meyrick,1913 (Stathmopodidae) Synonym(s): *commoda* Meyrick,1913
- 73282) *Stathmopoda crassella* Walsingham,1891 (Stathmopodidae) Synonym(s): *crassella* Walsingham,1891
- 73283) *Stathmopoda dactylas* Meyrick,1921 (Stathmopodidae) Synonym(s): *dactylas* Meyrick,1921
- 73284) *Stathmopoda daubanella* (Legrand,1958) (Stathmopodidae) Synonym(s): *daubanella* Legrand,1958
- 73285) *Stathmopoda daubanella daubanella* (Legrand,1958) (Stathmopodidae) Synonym(s): *daubanella* Legrand,1958
- 73286) *Stathmopoda daubanella prodaubanella* (Legrand,1965) (Stathmopodidae) Synonym(s): *prodaubanella* Legrand,1965
- 73287) *Stathmopoda dicitra* Meyrick,1935 (Stathmopodidae) Synonym(s): *dicitra* Meyrick,1935
- 73288) *Stathmopoda diplaspis* (Meyrick,1887) (Stathmopodidae) Synonym(s): *diplaspis* Meyrick,1887
- 73289) *Stathmopoda ficivora* Kasy,1973 (Stathmopodidae) Synonym(s): *ficivora* Kasy,1973
- 73290) *Stathmopoda glyceropa* Meyrick,1915 (Stathmopodidae) Synonym(s): *glyceropa* Meyrick,1915
- 73291) *Stathmopoda haematosema* Meyrick,1933 (Stathmopodidae) Synonym(s): *haematosema* Meyrick,1933
- 73292) *Stathmopoda hemiplecta* Meyrick,1921 (Stathmopodidae) Synonym(s): *hemiplecta* Meyrick,1921
- 73293) *Stathmopoda hexatyla* Meyrick,1907 (Stathmopodidae) Synonym(s): *hexatyla* Meyrick,1907
- 73294) *Stathmopoda horrida* Meyrick,1936 (Stathmopodidae) Synonym(s): *horrida* Meyrick,1936
- 73295) *Stathmopoda ignominiosa* Meyrick,1913 (Stathmopodidae) Synonym(s): *ignominiosa* Meyrick,1913

- 73296) *Stathmopoda iners* Meyrick, 1913 (Stathmopodidae) Synonym(s): *iners* Meyrick, 1913
 73297) *Stathmopoda leptoclista* Meyrick, 1929 (Stathmopodidae) Synonym(s): *leptoclista* Meyrick, 1929
 73298) *Stathmopoda luminata* Meyrick, 1911 (Stathmopodidae) Synonym(s): *luminata* Meyrick, 1911
 73299) *Stathmopoda maculata* Walsingham, 1891 (Stathmopodidae) Synonym(s): *maculata* Walsingham, 1891
 73300) *Stathmopoda masinissa* Meyrick, 1906 (Stathmopodidae) Synonym(s): *masinissa* Meyrick, 1906
 73301) *Stathmopoda monobathra* Meyrick, 1937 (Stathmopodidae) Synonym(s): *monobathra* Meyrick, 1937
 73302) *Stathmopoda moriutiella* Kasy, 1973 (Stathmopodidae) Synonym(s): *moriutiella* Kasy, 1973
 73303) *Stathmopoda nitida* Meyrick, 1913 (Stathmopodidae) Synonym(s): *nitida* Meyrick, 1913
 73304) *Stathmopoda optiscaspis* Meyrick, 1931 (Stathmopodidae) Synonym(s): *optiscaspis* Meyrick, 1931
 73305) *Stathmopoda pedella* (Linnaeus, 1761) (Stathmopodidae) Synonym(s): *pedella* Linnaeus, 1761; *alucitella* [Denis & Schiffermüller], 1775; *cylindrella* Fabricius, 1777; *angustipennella* Hübner, [1796]; *cylindricus* Fabricius, 1798; *fastuosella* Costa, 1834.
 73306) *Stathmopoda placida* (Meyrick, 1908) (Stathmopodidae) Synonym(s): *placida* Meyrick, 1908
 73307) *Stathmopoda plinthiota* Meyrick, 1910 (Stathmopodidae) Synonym(s): *plinthiota* Meyrick, 1910
 73308) *Stathmopoda pomifera* Meyrick, 1913 (Stathmopodidae) Synonym(s): *pomifera* Meyrick, 1913
 73309) *Stathmopoda revincta* Meyrick, 1921 (Stathmopodidae) Synonym(s): *revincta* Meyrick, 1921
 73310) *Stathmopoda skelloni* (Butler, 1880) (Stathmopodidae) Synonym(s): *skelloni* Butler, 1880
 73311) *Stathmopoda stimulata* Meyrick, 1913 (Stathmopodidae) Synonym(s): *stimulata* Meyrick, 1913
 73312) *Stathmopoda superdaubanella* (Legrand, 1958) (Stathmopodidae) Synonym(s): *superdaubanella* Legrand, 1958
 73313) *Stathmopoda sycastis* Meyrick, 1917 (Stathmopodidae) Synonym(s): *sycastis* Meyrick, 1917
 73314) *Stathmopoda sycophaga* Meyrick, 1913 (Stathmopodidae) Synonym(s): *sycophaga* Meyrick, 1913
 73315) *Stathmopoda tacita* Meyrick, 1913 (Stathmopodidae) Synonym(s): *tacita* Meyrick, 1913
 73316) *Stathmopoda teleozona* Meyrick, 1921 (Stathmopodidae) Synonym(s): *teleozona* Meyrick, 1921
 73317) *Stathmopoda tetramera* Meyrick, 1913 (Stathmopodidae) Synonym(s): *tetramera* Meyrick, 1913
 73318) *Stathmopoda triloba* Meyrick, 1913 (Stathmopodidae) Synonym(s): *triloba* Meyrick, 1913
 73319) *Stathmopoda xanthomocla* Meyrick, 1913 (Stathmopodidae) Synonym(s): *xanthomocla* Meyrick, 1913
 73320) *Stathmopoda xanthoplitis* Meyrick, 1908 (Stathmopodidae) Synonym(s): *xanthoplitis* Meyrick, 1908
 73321) *Thylascosceles acridomima* Meyrick, 1889 (Stathmopodidae) Synonym(s): *acridomima* Meyrick, 1889
 73322) *Tortilia charadritis* (Meyrick, 1924) (Stathmopodidae) Synonym(s): *charadritis* Meyrick, 1924; *stupenda* Turati, 1927; *viatrix* Busck, 1934; *zernyi* Amsel, 1935; *trissorrhiza* Meyrick, 1939.
 73323) *Tortilia flavella* Chrétien, 1908 (Stathmopodidae) Synonym(s): *flavella* Chrétien, 1908; *sidiota* Meyrick, 1917; *trigonella* Zerny, 1935; *#avella* Hacker, 1999
 73324) *Tortilia graeca* Kasy, 1981 (Stathmopodidae) Synonym(s): *graeca* Kasy, 1981
 73325) *Tortilia hemitorna* (Meyrick, 1913) (Stathmopodidae) Synonym(s): *hemitorna* Meyrick, 1913
 73326) *Tortilia pallidella* Kasy, 1973 (Stathmopodidae) Synonym(s): *pallidella* Kasy, 1973
 73327) *Tortilia parathicta* (Meyrick, 1913) (Stathmopodidae) Synonym(s): *parathicta* Meyrick, 1913
 73328) *Tortilia trigonella* (Zerny, 1935) (Stathmopodidae) Synonym(s): *trigonella* Zerny, 1935
 73329) *Xestocasis iostrota* (Meyrick, 1910) (Stathmopodidae) Synonym(s): *iostrota* Meyrick, 1910
 73330) *Zaratha prosarista* Meyrick, 1909 (Stathmopodidae) Synonym(s): *prosarista* Meyrick, 1909
 73331) *Acria amphorodes* Meyrick, 1923 (Stenomidae) Synonym(s): *amphorodes* Meyrick, 1923
 73332) *Acria camelodes* (Meyrick, 1905) (Stenomidae) Synonym(s): *camelodes* Meyrick, 1905
 73333) *Acria ceramitis* Meyrick, 1908 (Stenomidae) Synonym(s): *ceramitis* Meyrick, 1908
 73334) *Acria emarginella* (Donovan, 1804) (Stenomidae) Synonym(s): *emarginella* Donovan, 1804
 73335) *Acria eulectra* Meyrick, 1908 (Stenomidae) Synonym(s): *eulectra* Meyrick, 1908
 73336) *Acria gossypicella* (Shiraki) (Stenomidae) Synonym(s):
 73337) *Acria malacolectra* Meyrick, 1930 (Stenomidae) Synonym(s): *malacolectra* Meyrick, 1930
 73338) *Acria obtusella* (Walker, 1864) (Stenomidae) Synonym(s): *obtusella* Walker, 1864; *nycterodes* Meyrick, 1905
 73339) *Acria psamatholeuca* Meyrick, 1930 (Stenomidae) Synonym(s): *psamatholeuca* Meyrick, 1930
 73340) *Acria sciogramma* Meyrick, 1915 (Stenomidae) Synonym(s): *sciogramma* Meyrick, 1915
 73341) *Acria xanthosaris* Meyrick, 1908 (Stenomidae) Synonym(s): *xanthosaris* Meyrick, 1908
 73342) *Aeolanthus ampelurga* Meyrick, 1925 (Stenomidae) Synonym(s): *ampelurga* Meyrick, 1925
 73343) *Aeolanthus brochias* Meyrick, 1938 (Stenomidae) Synonym(s): *brochias* Meyrick, 1938
 73344) *Aeolanthus callidora* Meyrick, 1907 (Stenomidae) Synonym(s): *callidora* Meyrick, 1907
 73345) *Aeolanthus cianolitha* Meyrick, 1938 (Stenomidae) Synonym(s): *cianolitha* Meyrick, 1938
 73346) *Aeolanthus clinacta* Meyrick, 1925 (Stenomidae) Synonym(s): *clinacta* Meyrick, 1925
 73347) *Aeolanthus coronifera* Meyrick, 1938 (Stenomidae) Synonym(s): *coronifera* Meyrick, 1938
 73348) *Aeolanthus cyclantha* Meyrick, 1923 (Stenomidae) Synonym(s): *cyclantha* Meyrick, 1923
 73349) *Aeolanthus deltoqramma* Meyrick, 1923 (Stenomidae) Synonym(s): *deltoqramma* Meyrick, 1923
 73350) *Aeolanthus diacritica* Meyrick, 1918 (Stenomidae) Synonym(s): *diacritica* Meyrick, 1918
 73351) *Aeolanthus dicraea* Meyrick, 1908 (Stenomidae) Synonym(s): *dicraea* Meyrick, 1908
 73352) *Aeolanthus erebomicta* Meyrick, 1931 (Stenomidae) Synonym(s): *erebomicta* Meyrick, 1931
 73353) *Aeolanthus erythranthis* Meyrick, 1935 (Stenomidae) Synonym(s): *erythranthis* Meyrick, 1935
 73354) *Aeolanthus euryatma* Meyrick, 1908 (Stenomidae) Synonym(s): *euryatma* Meyrick, 1908
 73355) *Aeolanthus haematopa* Meyrick, 1931 (Stenomidae) Synonym(s): *haematopa* Meyrick, 1931
 73356) *Aeolanthus lychnidias* Meyrick, 1908 (Stenomidae) Synonym(s): *lychnidias* Meyrick, 1908
 73357) *Aeolanthus megalophthalma* Meyrick, 1930 (Stenomidae) Synonym(s): *megalophthalma* Meyrick, 1930
 73358) *Aeolanthus meniscias* Meyrick, 1918 (Stenomidae) Synonym(s): *meniscias* Meyrick, 1918
 73359) *Aeolanthus rhodochrysa* Meyrick, 1907 (Stenomidae) Synonym(s): *rhodochrysa* Meyrick, 1907
 73360) *Aeolanthus sagulata* Meyrick, 1917 (Stenomidae) Synonym(s): *sagulata* Meyrick, 1917
 73361) *Aeolanthus semiostrina* Meyrick, 1935 (Stenomidae) Synonym(s): *semiostrina* Meyrick, 1935
 73362) *Aeolanthus siphonias* Meyrick, 1908 (Stenomidae) Synonym(s): *siphonias* Meyrick, 1908
 73363) *Aeolanthus* sp.: (Stenomidae) Synonym(s):
 73364) *Amorbaea hepatica* Meyrick, 1908 (Stenomidae) Synonym(s): *hepatica* Meyrick, 1908
 73365) *Antaeotricha ovata* Walsingham, 1881 (Stenomidae) Synonym(s): *ovata* Walsingham, 1881
 73366) *Antolaea xanthopa* Meyrick, 1914 (Stenomidae) Synonym(s): *xanthopa* Meyrick, 1914
 73367) *Deoryctis corticivora* Meyrick, 1934 (Stenomidae) Synonym(s): *corticivora* Meyrick, 1934
 73368) *Stenoma dicentra* Meyrick, 1913 (Stenomidae) Synonym(s): *dicentra* Meyrick, 1913
 73369) *Stenoma modicola* Meyrick, 1911 (Stenomidae) Synonym(s): *modicola* Meyrick, 1911
 73370) *Stenoma reticens* Meyrick, 1917 (Stenomidae) Synonym(s): *reticens* Meyrick, 1917
 73371) *Stenoma simulatrix* Meyrick, 1914 (Stenomidae) Synonym(s): *simulatrix* Meyrick, 1914
 73372) *Stenoma stolidia* Meyrick, 1911 (Stenomidae) Synonym(s): *stolidia* Meyrick, 1911
 73373) *Adrallia bipunctata* Walker, 1865 (Thaumetopoeidae) Synonym(s): *bipunctata* Walker, 1865
 73374) *Aglaosoma periblepta* (Turner, 1922) (Thaumetopoeidae) Synonym(s): *periblepta* Turner, 1922
 73375) *Aglaosoma variegata* (Walker, 1855) (Thaumetopoeidae) Synonym(s): *variegata* Walker, 1855; *lauta* Scott, 1864
 73376) *Anaphe panda* (Boisduval, 1847) (Thaumetopoeidae) Synonym(s): *panda* Boisduval, 1847
 73377) *Anaphe reticulata* Walker, 1855 (Thaumetopoeidae) Synonym(s): *reticulata* Walker, 1855
 73378) *Axiocleta perisema* Turner, 1911 (Thaumetopoeidae) Synonym(s): *perisema* Turner, 1911
 73379) *Cynosarga ornata* Walker, 1865 (Thaumetopoeidae) Synonym(s): *ornata* Walker, 1865; *fumosa* T. Lucas, 1895; *effusa* Lucas, 1901
 73380) *Epanaphe clarilla* Aurivillius, 1904 (Thaumetopoeidae) Synonym(s): *clarilla* Aurivillius, 1904
 73381) *Epicoma anisozyga* Turner, 1922 (Thaumetopoeidae) Synonym(s): *anisozyga* Turner, 1922
 73382) *Epicoma argentata* (Walker, 1865) (Thaumetopoeidae) Synonym(s): *argentata* Walker, 1865

- 73383) *Epicoma argentosa* (T.P.Lucas,1890) (Thaumetopoeidae) Synonym(s): *argentosa* T.P.Lucas,1890
 73384) *Epicoma asbolina* Turner,1902 (Thaumetopoeidae) Synonym(s): *asbolina* Turner,1902
 73385) *Epicoma barnardi* (T.P.Lucas,1890) (Thaumetopoeidae) Synonym(s): *barnardi* T.P.Lucas,1890
 73386) *Epicoma barytima* Turner,1917 (Thaumetopoeidae) Synonym(s): *barytima* Turner,1917
 73387) *Epicoma chrysosema* Turner,1922 (Thaumetopoeidae) Synonym(s): *chrysosema* Turner,1922
 73388) *Epicoma constriktis* Hübner,[1823] (Thaumetopoeidae) Synonym(s): *tristis* Hübner,[1819] nec Don.,1805; *constriktis* Hübner,[1823]
 73389) *Epicoma derbyana* Strand,1929 (Thaumetopoeidae) Synonym(s): *derbyana* Strand,1929
 73390) *Epicoma dispar* Turner,1922 (Thaumetopoeidae) Synonym(s): *dispar* Turner,1922
 73391) *Epicoma melanospila* (Wallengren,1860) (Thaumetopoeidae) Synonym(s): *melanospila* Wallengren,1860; *walker* Strand,1929
 73392) *Epicoma melanosticta* (Donovan,1805) (Thaumetopoeidae) Synonym(s): *melanosticta* Donovan,1805; *incompta* Walker,1855
 73393) *Epicoma phoenura* Turner,1922 (Thaumetopoeidae) Synonym(s): *phoenura* Turner,1922; *alba* Turner,1922
 73394) *Epicoma pontificalis* Rosenstock,1885 (Thaumetopoeidae) Synonym(s): *pontificalis* Rosenstock,1885
 73395) *Epicoma protrahens* (T.P.Lucas,1890) (Thaumetopoeidae) Synonym(s): *protrahens* T.P.Lucas,1890
 73396) *Epicoma signata* (Walker,1855) (Thaumetopoeidae) Synonym(s): *signata* Walker,1855
 73397) *Epicoma subargentea* (Walker,1865) (Thaumetopoeidae) Synonym(s): *subargentea* Walker,1865; *macfarlandi* Kiriakoff,1969; *#subargentata* Kiriakoff,1970
 73398) *Epicoma tristis* (Donovan,1805) (Thaumetopoeidae) Synonym(s): *tristis* Donovan,1805; *tristis* Lewin,1805 nec Don.,1805
 73399) *Epicoma zelotes* Turner,1902 (Thaumetopoeidae) Synonym(s): *zelotes* Turner,1902; *zelotina* Strand,1929
 73400) *Gazalina* (Oligochlona) *chrysolopha* (Kollar,1844) (Thaumetopoeidae) Synonym(s): *chrysolopha* Kollar,1844 *antica* Walker,1855; *chordigera* R.Felder & Rogenhofer,1874
 73401) *Gazalina* (s.str.) *apsara* (Moore,1859) (Thaumetopoeidae) Synonym(s): *apsara* Moore,1859; *venosata* Walker,1865; *nervosa* R.Felder & Rogenhofer,1874
 73402) *Gazalina* (s.str.) *apsara* *apsara* (Moore,1859) (Thaumetopoeidae) Synonym(s): *apsara* Moore,1859; *venosata* Walker,1865; *nervosa* R.Felder & Rogenhofer,1874
 73403) *Gazalina* (s.str.) *apsara* *pakistan* Kemal & Koçak,2007 (Thaumetopoeidae) Synonym(s): *#chrysolophoides* Ebert,1973; *pakistan* Kemal & Koçak,2007
 73404) *Gazalina* (s.str.) *transversa* Moore,1879 (Thaumetopoeidae) Synonym(s): *transversa* Moore,1879
 73405) *Mesodrepta harpotoma* Turner,1924 (Thaumetopoeidae) Synonym(s): *harpotoma* Turner,1924
 73406) *Ochrogaster circumfumata* (R.Felder & Rogenhofer,1874) (Thaumetopoeidae) Synonym(s): *circumfumata* R.Felder & Rogenhofer,1874
 73407) *Ochrogaster lunifer* Herrich-Schäffer,[1855] (Thaumetopoeidae) Synonym(s): *lunifer* Herrich-Schäffer,[1855]; *contraria* Walker,1855; *leucopyga* Walker,1855; *interrupta* Walker,1855; *cinctifera* Walker,1862; *ruptimacula* R.Felder & Rogenhofer,1874; *erebodes* Lower,1902; *discistriga* Strand,1929; *dispar* Kiriakoff,1969
 73408) *Paradrallia rhodesi* Bethune-Baker,1908 (Thaumetopoeidae) Synonym(s): *rhodesi* Bethune-Baker,1908
 73409) *Tanystola isabella* (White,1841) (Thaumetopoeidae) Synonym(s): *isabella* White,1841; *#nephtis* White,1841; *lugens* Herrich-Schäffer,[1856]; *#hakeae* Herrich-Schäffer,[1858]; *suppressa* Walker,1865
 73410) *Tanystola ochrogutta* (Herrich-Schäffer,[1856]) (Thaumetopoeidae) Synonym(s): *ochrogutta* Herrich-Schäffer,[1856]
 73411) *Thaumetopoea* (Traumatocampa) Wallengren,1871 (Thaumetopoeidae) Synonym(s): *Traumatocampa* Wallengren,1871
 73412) *Thaumetopoea* (Traumatocampa) *ispartaensis* (M.Doğanlar & Avcı,2001) (Thaumetopoeidae) Synonym(s): *ispartaensis* M.Doğanlar & Avcı,2001
 73413) *Thaumetopoea* (Traumatocampa) *pinivora* Treitschke,1834 (Thaumetopoeidae) Synonym(s): *pinivora* Treitschke,1834
 73414) *Thaumetopoea* (Traumatocampa) *pityocampa* ([Denis & Schiffermüller],1775) (Thaumetopoeidae) Synonym(s): *#pityocampa* [Denis & Schiffermüller],1775; *ceballosi* Agenjo,1941
 73415) *Thaumetopoea* (Traumatocampa) *seidirica* (M.Doğanlar,2005) (Thaumetopoeidae) Synonym(s): *seidirica* M.Doğanlar,2005; *#seidiria* M.Doğanlar,2005
 73416) *Thaumetopoea* (Traumatocampa) *torosica* (M.Doğanlar,2005) (Thaumetopoeidae) Synonym(s): *torosica* M.Doğanlar,2005
 73417) *Thaumetopoea* (Traumatocampa) *wilkinsoni* Tams,1925 (Thaumetopoeidae) Synonym(s): *wilkinsoni* Tams,1925
 73418) *Thaumetopoea* (s.str.) *cheela* Moore,1883 (Thaumetopoeidae) Synonym(s): *cheela* Moore,1883
 73419) *Thaumetopoea* (s.str.) *dhofarensis* Wiltshire,1980 (Thaumetopoeidae) Synonym(s): *dhofarensis* Wiltshire,1980
 73420) *Thaumetopoea* (s.str.) *herculeana* Rambur,1866 (Thaumetopoeidae) Synonym(s): *herculeana* Rambur,1866
 73421) *Thaumetopoea* (s.str.) *jordana* (Staudinger,1895) (Thaumetopoeidae) Synonym(s): *jordana* Staudinger,1895
 73422) *Thaumetopoea* (s.str.) *libanotica* Kiriakoff & Talhouk,1975 (Thaumetopoeidae) Synonym(s): *libanotica* Kiriakoff & Talhouk,1975
 73423) *Thaumetopoea* (s.str.) *processionea* (Linnaeus,1758) (Thaumetopoeidae) Synonym(s): *processionea* Linnaeus,1758; *pseudosolitaria* Daniel,1951.
 73424) *Thaumetopoea* (s.str.) *solitaria* (Freyer,[1838]) (Thaumetopoeidae) Synonym(s): *solitaria* Freyer,[1838]
 73425) *Thaumetopoea* *apologetica* Strand,1909 (Thaumetopoeidae) Synonym(s): *apologetica* Strand,1909
 73426) *Trichiocercus mesomelas* (Walker,1855) (Thaumetopoeidae) Synonym(s): *mesomelas* Walker,1855
 73427) *Trichiocercus sparshalli* (Curtis,1830) (Thaumetopoeidae) Synonym(s): *sparshalli* Curtis,1830; *stribosoma* Butler,1877; *fraterna* Butler,1877; *ochripyga* Strand,1929; *melanotricha* Strand,1929; *bicolorifera* Strand,1929; *antealba* Strand,1929; *tricolor* Strand,1929; *albotestacea* Strand,1929
 73428) *Achyla flavicornis* (Linnaeus,1758) (Thyatiridae) Synonym(s): *flavicornis* Linnaeus,1758; *cinerea* Hufnagel,1766; *sulphureomaculata* Retzius,1783; *arcuata* Fourcroy,1785; *luteicornis* Haworth,1809
 73429) *Aethiopesistis austrina* Watson,1965 (Thyatiridae) Synonym(s): *austrina* Watson,1965
 73430) *Aethiopesistis austrina* *austrina* Watson,1965 (Thyatiridae) Synonym(s): *austrina* Watson,1965
 73431) *Aethiopesistis austrina* *nebulosa* Watson,1965 (Thyatiridae) Synonym(s): *nebulosa* Watson,1965
 73432) *Aethiopesistis echinata* Watson,1965 (Thyatiridae) Synonym(s): *echinata* Watson,1965
 73433) *Aethiopesistis mufindiae* Watson,1965 (Thyatiridae) Synonym(s): *mufindiae* Watson,1965
 73434) *Asphalia ruficollis* (Fabricius,1787) (Thyatiridae) Synonym(s): *#ruficollis* [Denis & Schiffermüller],1775; *ruficollis* Fabricius,1787
 73435) *Bycambia verdugoensis* (Hill,1927) (Thyatiridae) Synonym(s): *verdugoensis* Hill,1927
 73436) *Camptopsestis malayana* Yoshimoto,1983 (Thyatiridae) Synonym(s): *malayana* Yoshimoto,1983
 73437) *Ceranemota temperans* (Walker,1858) (Thyatiridae) Synonym(s): *temperans* Walker,1858
 73438) *Chaeopsestis ludovicae* Le Cerf,1941 (Thyatiridae) Synonym(s): *ludovicae* Le Cerf,1941
 73439) *Chiropsestis rubrocineria* Laszlo,G.Ronkay,L.Ronkay,2001 (Thyatiridae) Synonym(s): *rubrocineria* Laszlo,G.Ronkay,L.Ronkay,2001
 73440) *Cymatophorima diluta* ([Denis & Schiffermüller],1775) (Thyatiridae) Synonym(s): *diluta* [Denis & Schiffermüller],1775; *fasciculosa* Borkhausen,1790; *bistrigata* Borkhausen,1790; *hartwiegi* Reisser,1927
 73441) *Gaurena argenteiparsa* Hampson,1896 (Thyatiridae) Synonym(s): *argenteiparsa* Hampson,1896
 73442) *Gaurena florens* Walker,1865 (Thyatiridae) Synonym(s): *florens* Walker,1865
 73443) *Gaurena florens* Walker,1865 (Thyatiridae) Synonym(s): *florescens* Walker,1865
 73444) *Gaurena gemella* Leech,1900 (Thyatiridae) Synonym(s): *gemella* Leech,1900
 73445) *Gaurena grisea* Oberthür,1894 (Thyatiridae) Synonym(s): *grisea* Oberthür,1894
 73446) *Gaurena sinuata* W.Warren,1912 (Thyatiridae) Synonym(s): *sinuata* W.Warren,1912
 73447) *Habrosyne argenteipuncta* Hampson,1892 (Thyatiridae) Synonym(s): *argenteipuncta* Hampson,1892
 73448) *Habrosyne argenteipuncta* *argenteipuncta* Hampson,1892 (Thyatiridae) Synonym(s): *argenteipuncta* Hampson,1892
 73449) *Habrosyne argenteipuncta* *burmanica* Werny,[1967] (Thyatiridae) Synonym(s): *burmanica* Werny,[1967]
 73450) *Habrosyne argenteipuncta* *nigricans* Werny,[1967] (Thyatiridae) Synonym(s): *nigricans* Werny,[1967]
 73451) *Habrosyne argenteipuncta* *pallens* Werny,[1967] (Thyatiridae) Synonym(s): *pallens* Werny,[1967]
 73452) *Habrosyne argenteipuncta* *szechwana* Werny,[1967] (Thyatiridae) Synonym(s): *szechwana* Werny,[1967]
 73453) *Habrosyne armata* Moore,1882 (Thyatiridae) Synonym(s): *armata* Moore,1882
 73454) *Habrosyne chaffeldi* Grote,1895 (Thyatiridae) Synonym(s): *chaffeldi* Grote,1895
 73455) *Habrosyne conscripta* W.Warren,1912 (Thyatiridae) Synonym(s): *conscripta* W.Warren,1912
 73456) *Habrosyne derasoides* Butler,1877 (Thyatiridae) Synonym(s): *derasoides* Butler,1877; *fraterna* Moore,1888
 73457) *Habrosyne derasoides* *malaisei* Bryk,1943 (Thyatiridae) Synonym(s): *malaisei* Bryk,1943
 73458) *Habrosyne dieckmanni* Graeser,1888 (Thyatiridae) Synonym(s): *dieckmanni* Graeser,1888
 73459) *Habrosyne indica* (Moore,1867) (Thyatiridae) Synonym(s): *indica* Moore,1867; *pterographa* Poujade,1887
 73460) *Habrosyne indica* *grisea* Werny,[1967] (Thyatiridae) Synonym(s): *grisea* Werny,[1967]

- 73461) **Habrosyne plagiosa** Moore,1882 (Thyatridae) Synonym(s): *plagiosa* Moore,1882
73462) **Habrosyne pyritoides** (Hufnagel,1766) (Thyatridae) Synonym(s): *pyritoides* Hufnagel,1766; *derasa* Linnaeus,1767; *gloriosa* Boisduval,1852; *intermedia* Bremer,1864
73463) **Habrosyne rectangulata** Ottolengui,1897 (Thyatridae) Synonym(s): *rectangulata* Ottolengui,1897; *arizonensis* Barnes & McDunnough,1912
73464) **Habrosyne sanguinea** Moore,1882 (Thyatridae) Synonym(s): *sanguinea* Moore,1882
73465) **Habrosyne scripta** Gosse,1840 (Thyatridae) Synonym(s): *scripta* Gosse,1840; *abrassa* Guenée,1852
73466) **Hiroshia albinigra** Laszlo,G.Ronkay,L.Ronkay,2001 (Thyatridae) Synonym(s): *albinigra* Laszlo,G.Ronkay,L.Ronkay,2001
73467) **Horithyatira assamensis** Werny,[1967] (Thyatridae) Synonym(s): *assamensis* Werny,[1967]
73468) **Horithyatira decorata** (Moore,1881) (Thyatridae) Synonym(s): *decorata* Moore,1881
73469) **Horithyatira decorata birmanica** (Bryk,1944) (Thyatridae) Synonym(s): *birmanica* Bryk,1944
73470) **Horithyatira decorata decorata** (Moore,1881) (Thyatridae) Synonym(s): *decorata* Moore,1881
73471) **Horithyatira decorata kawamurae** (Matsumura,1921) (Thyatridae) Synonym(s): *kawamurae* Matsumura,1921
73472) **Horithyatira decorata thodungensis** Werny,[1967] (Thyatridae) Synonym(s): *thodungensis* Werny,[1967]
73473) **Horithyatira delattini** Werny,[1967] (Thyatridae) Synonym(s): *delattini* Werny,[1967]
73474) **Horithyatira diehli** Werny,[1967] (Thyatridae) Synonym(s): *diehli* Werny,[1967]
73475) **Horithyatira diehli javanica** Werny,[1967] (Thyatridae) Synonym(s): *javanica* Werny,[1967]
73476) **Horithyatira geminata** (Gaede,1931) (Thyatridae) Synonym(s): *geminata* Gaede,1931
73477) **Horithyatira hoenei** Werny,[1967] (Thyatridae) Synonym(s): *hoenei* Werny,[1967]
73478) **Horithyatira ornata** (Roepke,1944) (Thyatridae) Synonym(s): *ornata* Roepke,1944; *dilutior* Roepke,1944
73479) **Horithyatira takamukui** (Matsumura,1921) (Thyatridae) Synonym(s): *takamukui* Matsumura,1921
73480) **Lithocharis maxima** (Leech,1888) (Thyatridae) Synonym(s): *maxima* Leech,1888
73481) **Marplena designina** Lane,1973 (Thyatridae) Synonym(s): *designina* Lane,1973
73482) **Mimopsestis albogrisea** (Mell,1942) (Thyatridae) Synonym(s): *albogrisea* Mell,1942
73483) **Mimopsestis basalis** (Wileman,1911) (Thyatridae) Synonym(s): *basalis* Wileman,1911
73484) **Mimopsestis circumdata** (Houlbert,1921) (Thyatridae) Synonym(s): *circumdata* Houlbert,1921
73485) **Mimopsestis curvata** (Sick,1941) (Thyatridae) Synonym(s): *curvata* Sick,1941
73486) **Mimopsestis determinata** Bryk,1943 (Thyatridae) Synonym(s): *determinata* Bryk,1943
73487) **Mimopsestis flammifera** (Houlbert,1921) (Thyatridae) Synonym(s): *flammifera* Houlbert,1921
73488) **Mimopsestis hoenei** (Sick,1941) (Thyatridae) Synonym(s): *hoenei* Sick,1941
73489) **Mimopsestis minor** (Sick,1941) (Thyatridae) Synonym(s): *minor* Sick,1941
73490) **Mimopsestis pseudomaculata** (Houlbert,1921) (Thyatridae) Synonym(s): *pseudomaculata* Houlbert,1921
73491) **Nemacerota cinerea** (W.Warren,1888) (Thyatridae) Synonym(s): *cinerea* W.Warren,1888
73492) **Nemacerota umbrosa** Wileman,1911 (Thyatridae) Synonym(s): *umbrosa* Wileman,1911
73493) **Neotogaria saitonis** Matsumura,1931 (Thyatridae) Synonym(s): *saitonis* Matsumura,1931
73494) **Ochropacha duplaris** (Linnaeus,1761) (Thyatridae) Synonym(s): *duplaris* Linnaeus,1761; *bicolorata* Hufnagel,1766; *bipuncta* Borkhausen,1792; *binotata* Fabricius,1793
73495) **Paragnorima brunnea** Leech,1900 (Thyatridae) Synonym(s): *brunnea* Leech,1900
73496) **Paragnorima fuscescens** Hampson,1912 (Thyatridae) Synonym(s): *fuscescens* Hampson,1912
73497) **Parapsestis argenteopicta** (Oberthür,1879) (Thyatridae) Synonym(s): *argenteopicta* Oberthür,1879
73498) **Polyploca arctipennis** Butler,1878 (Thyatridae) Synonym(s): *arctipennis* Butler,1878; *innota* W.Warren,1912
73499) **Polyploca bifasciata** Hampson,1895 (Thyatridae) Synonym(s): *bifasciata* Hampson,1895
73500) **Polyploca galema** Swinhoe,1894 (Thyatridae) Synonym(s): *galema* Swinhoe,1894
73501) **Polyploca korbi** Rebel,1901 (Thyatridae) Synonym(s): *korbi* Rebel,1901
73502) **Polyploca nigrofasciata** Graeser,1888 (Thyatridae) Synonym(s): *nigrofasciata* Graeser,1888; *nigrofasciata* W.Warren,1912
73503) **Polyploca ornata** Leech,1888 (Thyatridae) Synonym(s): *ornata* Leech,1888; *concolor* Leech,1888
73504) **Polyploca polychromata** Hampson,1896 (Thyatridae) Synonym(s): *polychromata* Hampson,1896
73505) **Polyploca punctigera** (Butler,1885) (Thyatridae) Synonym(s): *punctigera* Butler,1885
73506) **Polyploca ridens** (Fabricius,1787) (Thyatridae) Synonym(s): *ridens* Fabricius,1787; *nitens* Villers,1789; *xanthoceros* Borkhausen,1792; *chrysoceras* Beckwith,1794
73507) **Takapsestis (Neogaurena) semiobsoleta** (W.Warren,1915) (Thyatridae) Synonym(s): *semiobsoleta* W.Warren,1915
73508) **Takapsestis (Neogaurena) semiobsoleta semiobsoleta** (W.Warren,1915) (Thyatridae) Synonym(s): *semiobsoleta* W.Warren,1915
73509) **Takapsestis (Neogaurena) semiobsoleta sumatraensis** (Gaede,1930) (Thyatridae) Synonym(s): *sumatraensis* Gaede,1930
73510) **Takapsestis (s.str.) bifasciata** (Hampson,1895) (Thyatridae) Synonym(s): *bifasciata* Hampson,1895; *nepalensis* Yoshimoto,1992; *harutai* Yoshimoto,1994
73511) **Takapsestis (s.str.) orbicularis** (Moore,1888) (Thyatridae) Synonym(s): *orbicularis* Moore,1888; *griseata* W.Warren,1915
73512) **Takapsestis (s.str.) wilemaniella** Matsumura,1933 (Thyatridae) Synonym(s): *wilemaniella* Matsumura,1933
73513) **Takapsestis (s.str.) wilemaniella continentalis** Laszlo,G.Ronkay,L.Ronkay,2001 (Thyatridae) Synonym(s): *continentalis* Laszlo,G.Ronkay,L.Ronkay,2001
73514) **Takapsestis (s.str.) wilemaniella plumbeata** Laszlo,G.Ronkay,L.Ronkay,2001 (Thyatridae) Synonym(s): *plumbeata* Laszlo,G.Ronkay,L.Ronkay,2001
73515) **Takapsestis (s.str.) wilemaniella wilemaniella** Matsumura,1933 (Thyatridae) Synonym(s): *wilemaniella* Matsumura,1933
73516) **Tethea aenea** (Wileman,1911) (Thyatridae) Synonym(s): *aenea* Wileman,1911
73517) **Tethea albicosta** (Moore,1867) (Thyatridae) Synonym(s): *albicosta* Moore,1867
73518) **Tethea albicosta albicosta** (Moore,1867) (Thyatridae) Synonym(s): *albicosta* Moore,1867
73519) **Tethea albicosta birmanica** Werny,[1967] (Thyatridae) Synonym(s): *birmanica* Werny,[1967]
73520) **Tethea albicosta taiwana** (Matsumura,1931) (Thyatridae) Synonym(s): *taiwana* Matsumura,1931; *wilemani* Werny,[1967]
73521) **Tethea albicostata** (Bremer,1861) (Thyatridae) Synonym(s): *albicostata* Bremer,1861
73522) **Tethea albicostata montana** Werny,[1967] (Thyatridae) Synonym(s): *montana* Werny,[1967]
73523) **Tethea albidisca** (Moore,1888) (Thyatridae) Synonym(s): *albidisca* Moore,1888
73524) **Tethea albuncula** (Eversmann,1851) (Thyatridae) Synonym(s): *albuncula* Eversmann,1851
73525) **Tethea alternata** (Moore,1881) (Thyatridae) Synonym(s): *alternata* Moore,1881
73526) **Tethea ampliata** (Butler,1878) (Thyatridae) Synonym(s): *ampliata* Butler,1878; *angustimedia* W.Warren,1912; *suffusa* W.Warren,1912
73527) **Tethea aspera** (Walker,1865) (Thyatridae) Synonym(s): *aspera* Walker,1865
73528) **Tethea basalis** (Wileman,1911) (Thyatridae) Synonym(s): *basalis* Wileman,1911
73529) **Tethea brevis** (Leech,1900) (Thyatridae) Synonym(s): *brevis* Leech,1900
73530) **Tethea brunnea** (Leech,1900) (Thyatridae) Synonym(s): *brunnea* Leech,1900
73531) **Tethea commifera** W.Warren,1912 (Thyatridae) Synonym(s): *commifera* W.Warren,1912
73532) **Tethea consimilis** W.Warren,1912 (Thyatridae) Synonym(s): *consimilis* W.Warren,1912
73533) **Tethea cuprina** (Moore,1881) (Thyatridae) Synonym(s): *cuprina* Moore,1881
73534) **Tethea deplanata** (Walker,1866) (Thyatridae) Synonym(s): *deplanata* Walker,1866
73535) **Tethea dubia** (W.Warren,1888) (Thyatridae) Synonym(s): *dubia* W.Warren,1888
73536) **Tethea hodita** (Swinhoe,1895) (Thyatridae) Synonym(s): *hodita* Swinhoe,1895
73537) **Tethea intensa** (Butler,1881) (Thyatridae) Synonym(s): *octogesima* Butler,1878 nec Hbn.,1786; *intensa* Butler,1881; *angustata* Staudinger,1887
73538) **Tethea leucocera** (Hampson,1894) (Thyatridae) Synonym(s): *leucocera* Hampson,1894
73539) **Tethea lugens** (Walker,1863) (Thyatridae) Synonym(s): *lugens* Walker,1863
73540) **Tethea meterythra** (Hampson,1894) (Thyatridae) Synonym(s): *meterythra* Hampson,1894
73541) **Tethea mirabilis** (Butler,1879) (Thyatridae) Synonym(s): *JP*
73542) **Tethea moderata** (Walker,1857) (Thyatridae) Synonym(s): *moderata* Walker,1857
73543) **Tethea oberthueri** (Houlbert,1921) (Thyatridae) Synonym(s): *oberthueri* Houlbert,1921
73544) **Tethea oberthueri chekiangensis** Werny,[1967] (Thyatridae) Synonym(s): *chekiangensis* Werny,[1967]
73545) **Tethea oberthueri monticola** (Bryk,1943) (Thyatridae) Synonym(s): *monticola* Bryk,1943

- 73546) *Tethea oberthueri oberthueri* (Houlbert,1921) (Thyatriridae) Synonym(s): *oberthueri* Houlbert,1921
 73547) *Tethea oberthueri occidentalis* Werny,[1967] (Thyatriridae) Synonym(s): *occidentalis* Werny,[1967]
 73548) *Tethea ocularis* (Linnaeus,1767) (Thyatriridae) Synonym(s): *ocularis* Linnaeus,1767; *octogena* Esper,1788
 73549) *Tethea ocularis kosswigi* (Werny,[1967]) (Thyatriridae) Synonym(s): *kosswigi* Werny,[1967]
 73550) *Tethea ocularis ocularis* (Linnaeus,1767) (Thyatriridae) Synonym(s): *ocularis* Linnaeus,1767; *octogena* Esper,1788
 73551) *Tethea ocularis opa* Zolotuhin,1997 (Thyatriridae) Synonym(s): *opa* Zolotuhin,1997
 73552) *Tethea ocularis orientalis* (Werny,[1967]) (Thyatriridae) Synonym(s): *orientalis* Werny,[1967]
 73553) *Tethea ocularis osthelderi* (Bytinski-Salz & Brandt,1937) (Thyatriridae) Synonym(s): *osthelderi* Bytinski-Salz & Brandt,1937; *#farinosa* Bytinski-Salz & Brandt,1937; *caspicus* Ebert,1976
 73554) *Tethea ocularis sareptensis* (Spuler,1908) (Thyatriridae) Synonym(s): *sareptensis* Spuler,1908; *caucasica* Werny,[1967]
 73555) *Tethea ocularis tsinlingensis* Werny,[1967] (Thyatriridae) Synonym(s): *tsinlingensis* Werny,[1967]
 73556) *Tethea or* ([Denis & Schiffermüller],1775) (Thyatriridae) Synonym(s): *#or* [Denis & Schiffermüller],1775; *gammagraecum* Retzius,1783; *consobrina* Borkhausen,1790; *gemina* Beckwith,1794 nec Vill.,1789; *terrosa* Graeser,1888; *graelica* Kane,1894; *fasciata* Spuler,1908; *obscura* Spuler,1908; *marginata* Warnecke,1911
 73557) *Tethea ornata* (Leech,1900) (Thyatriridae) Synonym(s): *ornata* Leech,1900; *unicolor* Leech,1900
 73558) *Tethea persimilis* (Hampson,1894) (Thyatriridae) Synonym(s): *persimilis* Hampson,1894
 73559) *Tethea renalis* (Moore,1888) (Thyatriridae) Synonym(s): *renalis* Moore,1888
 73560) *Tethea rubida* (Hampson,1894) (Thyatriridae) Synonym(s): *rubida* Hampson,1894
 73561) *Tethea tankrei* (Graeser,1888) (Thyatriridae) Synonym(s): *tankrei* Graeser,1888
 73562) *Tethea temperans* (Walker,1858) (Thyatriridae) Synonym(s): *temperans* Walker,1858
 73563) *Tethea trifolium* (Alpheraky,1895) (Thyatriridae) Synonym(s): *trifolium* Alpheraky,1895
 73564) *Tetheella fluctuosa* (Hübner,[1803]) (Thyatriridae) Synonym(s): *fluctuosa* Hübner,[1803]
 73565) *Thyatira achatina* Weymer,1896 (Thyatriridae) Synonym(s): *achatina* Weymer,1896
 73566) *Thyatira albipuncta* Wileman,1910 (Thyatriridae) Synonym(s): *albipuncta* Wileman,1910
 73567) *Thyatira apicalis* Leech,1900 (Thyatriridae) Synonym(s): *apicalis* Leech,1900
 73568) *Thyatira arizana* Wileman,1910 (Thyatriridae) Synonym(s): *arizana* Wileman,1910
 73569) *Thyatira aurorina* (Butler,1881) (Thyatriridae) Synonym(s): *aurorina* Butler,1881
 73570) *Thyatira batis* (Linnaeus,1758) (Thyatriridae) Synonym(s): *batis* Linnaeus,1758; *indecorata* Turner,1926; *albopunctata* Spuler,1908; *confluens* Marschner,1908; *derosea* Maurer,1909; *conflua* Rebel,1910
 73571) *Thyatira batis cognata* W.Warren,1888 (Thyatriridae) Synonym(s): *cognata* W.Warren,1888
 73572) *Thyatira batis pallida* Rothschild,1926 (Thyatriridae) Synonym(s): *pallida* Rothschild,1926
 73573) *Thyatira bodemeyeri* O.Bang-Haas,1934 (Thyatriridae) Synonym(s): *bodemeyeri* O.Bang-Haas,1934
 73574) *Thyatira casta* R.Felder & Rogenhofer,1868 (Thyatriridae) Synonym(s): *casta* R.Felder & Rogenhofer,1868
 73575) *Thyatira conspicua* Leech,1900 (Thyatriridae) Synonym(s): *conspicua* Leech,1900
 73576) *Thyatira flavida* Butler,1885 (Thyatriridae) Synonym(s): *flavida* Butler,1885
 73577) *Thyatira flavimargo* Leech,1900 (Thyatriridae) Synonym(s): *flavimargo* Leech,1900
 73578) *Thyatira hedemanni* Christoph,1885 (Thyatriridae) Synonym(s): *hedemanni* Christoph,1885
 73579) *Thyatira hersilia* Druce,1889 (Thyatriridae) Synonym(s): *hersilia* Druce,1889
 73580) *Thyatira heurippa* Druce,1889 (Thyatriridae) Synonym(s): *heurippa* Druce,1889
 73581) *Thyatira hypatia* Druce,1889 (Thyatriridae) Synonym(s): *hypatia* Druce,1889
 73582) *Thyatira magniplaga* Walker,1858 (Thyatriridae) Synonym(s): *magniplaga* Walker,1858
 73583) *Thyatira mexicana* Edwards,1884 (Thyatriridae) Synonym(s): *mexicana* Edwards,1884; *superba* Barnes,1901
 73584) *Thyatira moellendorffii* Fixsen,1887 (Thyatriridae) Synonym(s): *moellendorffii* Fixsen,1887
 73585) *Thyatira oblonga* Poujade,1887 (Thyatriridae) Synonym(s): *oblonga* Poujade,1887
 73586) *Thyatira opalescens* Alpheraky,1897 (Thyatriridae) Synonym(s): *opalescens* Alpheraky,1897
 73587) *Thyatira ornata* Leech,1900 (Thyatriridae) Synonym(s): *ornata* Leech,1900
 73588) *Thyatira pryri* Butler,1881 (Thyatriridae) Synonym(s): *pryeri* Butler,1881
 73589) *Thyatira repugnans* Walker,1865 (Thyatriridae) Synonym(s): *repugnans* Walker,1865
 73590) *Thyatira rubescens* Werny,1966 (Thyatriridae) Synonym(s): *rubescens* Werny,1966
 73591) *Thyatira staphyla* Dognin,1890 (Thyatriridae) Synonym(s): *staphyla* Dognin,1890
 73592) *Thyatira stramineata* W.Warren,1912 (Thyatriridae) Synonym(s): *stramineata* W.Warren,1912
 73593) *Thyatira tama* Schaus,1933 (Thyatriridae) Synonym(s): *tama* Schaus,1933
 73594) *Thyatira tenuis* Hampson,1896 (Thyatriridae) Synonym(s): *tenuis* Hampson,1896
 73595) *Thyatira trimaculata* Bremer,1861 (Thyatriridae) Synonym(s): *trimaculata* Bremer,1861; *albomaculata* Leech,1890; *chinensis* Leech,1890
 73596) *Thyatira undulans* Hampson,1893 (Thyatriridae) Synonym(s): *undulans* Hampson,1893
 73597) *Thyatira vicina* (Guenée,1852) (Thyatriridae) Synonym(s): *vicina* Guenée,1852
 73598) *Thyatira violacea* Fixsen,1887 (Thyatriridae) Synonym(s): *violacea* Fixsen,1887
 73599) *Wernya baenzigeri* Yoshimoto,1996 (Thyatriridae) Synonym(s): *baenzigeri* Yoshimoto,1996
 73600) *Wernya griseochrysa* Laszlo,G.Ronkay,L.Ronkay,2001 (Thyatriridae) Synonym(s): *griseochrysa* Laszlo,G.Ronkay,L.Ronkay,2001
 73601) *Wernya karsholti* Laszlo,G.Ronkay,L.Ronkay,2001 (Thyatriridae) Synonym(s): *karsholti* Laszlo,G.Ronkay,L.Ronkay,2001
 73602) *Wernya sechuana* Laszlo,G.Ronkay,L.Ronkay,2001 (Thyatriridae) Synonym(s): *sechuana* Laszlo,G.Ronkay,L.Ronkay,2001
 73603) *Wernya solena* (Swinhoe,1894) (Thyatriridae) Synonym(s): *solena* Swinhoe,1894
 73604) *Wernya thailandica* Yoshimoto,1987 (Thyatriridae) Synonym(s): *thailandica* Yoshimoto,1987
 73605) *Wernya thailandica pallescens* Laszlo,G.Ronkay,L.Ronkay,2001 (Thyatriridae) Synonym(s): *pallescens* Laszlo,G.Ronkay,L.Ronkay,2001
 73606) *Wernya thailandica thailandica* Yoshimoto,1987 (Thyatriridae) Synonym(s): *thailandica* Yoshimoto,1987
 73607) *Wernya witti* Laszlo,G.Ronkay,L.Ronkay,2001 (Thyatriridae) Synonym(s): *witti* Laszlo,G.Ronkay,L.Ronkay,2001
 73608) *Automolis abyssinibia* (Kiriakoff,1957) (Thyretidae) Synonym(s): *#abyssinibia* Strand,1920; *abyssinibia* Kiriakoff,1957
 73609) *Automolis benitensis* (Holland,1893) (Thyretidae) Synonym(s): *benitensis* Holland,1893
 73610) *Automolis benitensis benitensis* (Holland,1893) (Thyretidae) Synonym(s): *benitensis* Holland,1893
 73611) *Automolis benitensis orientalis* (Kiriakoff,1956) (Thyretidae) Synonym(s): *orientalis* Kiriakoff,1956
 73612) *Automolis bicolora* (Walker,1856) (Thyretidae) Synonym(s): *bicolora* Walker,1856
 73613) *Automolis bipartita* (Kiriakoff,1973) (Thyretidae) Synonym(s): *bipartita* Kiriakoff,1973
 73614) *Automolis brunneipennis* (M.Hering,1932) (Thyretidae) Synonym(s): *brunneipennis* M.Hering,1932
 73615) *Automolis burgessi* (Kiriakoff,1957) (Thyretidae) Synonym(s): *burgessi* Kiriakoff,1957
 73616) *Automolis burra* (Schaus & Clemente,1893) (Thyretidae) Synonym(s): *burra* Schaus & Clemente,1893
 73617) *Automolis burra burra* (Schaus & Clemente,1893) (Thyretidae) Synonym(s): *burra* Schaus & Clemente,1893; *#congonis* Strand,1917
 73618) *Automolis burra saalfeldi* (Kiriakoff,1960) (Thyretidae) Synonym(s): *saalfeldi* Kiriakoff,1960
 73619) *Automolis burungae* (Debauche,1942) (Thyretidae) Synonym(s): *burungae* Debauche,1942
 73620) *Automolis cameruna* (Hampson,1914) (Thyretidae) Synonym(s): *haematoessa* Oberthür nec Holl.; *cameruna* Hampson,1914
 73621) *Automolis capricornis* (Kiriakoff,1957) (Thyretidae) Synonym(s): *capricornis* Kiriakoff,1957
 73622) *Automolis carmel* (Kiriakoff,1957) (Thyretidae) Synonym(s): *carmel* Kiriakoff,1957
 73623) *Automolis collocalia* (Kiriakoff,1957) (Thyretidae) Synonym(s): *collocalia* Kiriakoff,1957
 73624) *Automolis collocalia collocalia* (Kiriakoff,1957) (Thyretidae) Synonym(s): *collocalia* Kiriakoff,1957
 73625) *Automolis collocalia montium* (Kiriakoff,1957) (Thyretidae) Synonym(s): *montium* Kiriakoff,1957
 73626) *Automolis confederationis* (Kiriakoff,1961) (Thyretidae) Synonym(s): *confederationis* Kiriakoff,1961
 73627) *Automolis crassa* (R.Felder & Rogenhofer,1874) (Thyretidae) Synonym(s): *crassa* R.Felder & Rogenhofer,1874
 73628) *Automolis crassa crassa* (R.Felder & Rogenhofer,1874) (Thyretidae) Synonym(s): *crassa* R.Felder & Rogenhofer,1874
 73629) *Automolis crassa negusi* (Kiriakoff,1957) (Thyretidae) Synonym(s): *negusi* Kiriakoff,1957
 73630) *Automolis crocina* Kiriakoff,1973 (Thyretidae) Synonym(s): *crocina* Kiriakoff,1973
 73631) *Automolis didyma* (Kiriakoff,1957) (Thyretidae) Synonym(s): *didyma* Kiriakoff,1957

- 73632) *Automolis dracoena* (Kiriakoff,1953) (Thyretidae) Synonym(s): *dracoena* Kiriakoff,1953
 73633) *Automolis fario* (Kiriakoff,1957) (Thyretidae) Synonym(s): *fario* Kiriakoff,1957
 73634) *Automolis flavivena* (Hampson,1901) (Thyretidae) Synonym(s): *flavivena* Hampson,1901
 73635) *Automolis flavivena flavivena* (Hampson,1901) (Thyretidae) Synonym(s): *flavivena* Hampson,1901
 73636) *Automolis fletcheri* (Kiriakoff,1958) (Thyretidae) Synonym(s): *fletcheri* Kiriakoff,1958
 73637) *Automolis flora* (Kiriakoff,1957) (Thyretidae) Synonym(s): *flora* Kiriakoff,1957
 73638) *Automolis forsteri* (Kiriakoff,1955) (Thyretidae) Synonym(s): *forsteri* Kiriakoff,1955
 73639) *Automolis forsteri forsteri* (Kiriakoff,1955) (Thyretidae) Synonym(s): *forsteri* Kiriakoff,1955
 73640) *Automolis forsteri ruandae* (Kiriakoff,1961) (Thyretidae) Synonym(s): *ruandae* Kiriakoff,1961
 73641) *Automolis ghesquierei* (Kiriakoff,1953) (Thyretidae) Synonym(s): *ghesquierei* Kiriakoff,1953
 73642) *Automolis hecqi* (Kiriakoff,1959) (Thyretidae) Synonym(s): *hecqi* Kiriakoff,1959
 73643) *Automolis hector* (Kiriakoff,1959) (Thyretidae) Synonym(s): *hector* Kiriakoff,1959
 73644) *Automolis heinrichi* (Kiriakoff,1961) (Thyretidae) Synonym(s): *heinrichi* Kiriakoff,1961
 73645) *Automolis helga* (Kiriakoff,1957) (Thyretidae) Synonym(s): *helga* Kiriakoff,1957
 73646) *Automolis hypomela* (Kiriakoff,1956) (Thyretidae) Synonym(s): *hypomela* Kiriakoff,1956
 73647) *Automolis incensa* (Walker,1864) (Thyretidae) Synonym(s): *incensa* Walker,1864; *hewitti* Janse,1945
 73648) *Automolis infausta* (Kiriakoff,1957) (Thyretidae) Synonym(s): *infausta* Kiriakoff,1957
 73649) *Automolis invaria* (Walker,1856) (Thyretidae) Synonym(s): *invaria* Walker,1856; *erubescens* Walker,1864; *silacea* Plötz,1880; *syntomia* Plötz,1880; *pareclecta* Holland,1893; *conradti* Oberthür,1911; *#pusillima* Strand,1912; *postrosea* Rothschild,1913; *#opobensis* Strand,1917
 73650) *Automolis jacksoni* (Kiriakoff,1956) (Thyretidae) Synonym(s): *jacksoni* Kiriakoff,1956
 73651) *Automolis jansei* (Kiriakoff,1957) (Thyretidae) Synonym(s): *jansei* Kiriakoff,1957
 73652) *Automolis johanna* (Kiriakoff,1979) (Thyretidae) Synonym(s): *johanna* Kiriakoff,1979
 73653) *Automolis jordani* (Kiriakoff,1957) (Thyretidae) Synonym(s): *jordani* Kiriakoff,1957
 73654) *Automolis jubdoensis* (Kiriakoff,1955) (Thyretidae) Synonym(s): *jubdoensis* Kiriakoff,1955
 73655) *Automolis kamitugensis* (Dufrene,1945) (Thyretidae) Synonym(s): *kamitugensis* Dufrene,1945
 73656) *Automolis katriona* (Kiriakoff,1957) (Thyretidae) Synonym(s): *katriona* Kiriakoff,1957
 73657) *Automolis kelleni* Snellen,1886 (Thyretidae) Synonym(s): *kelleni* Snellen,1886; *#helleni* Hampson,1900
 73658) *Automolis kenyae* (Kiriakoff,1957) (Thyretidae) Synonym(s): *kenyae* Kiriakoff,1957
 73659) *Automolis lateritia* Herrich-Schäffer,1855 (Thyretidae) Synonym(s): *lateritia* Herrich-Schäffer,1855; *venosa* Walker,1856; *cinnamomea* Wallengren,1860; *unicolor* Oberthür,1880
 73660) *Automolis lateritia lateritia* Herrich-Schäffer,1855 (Thyretidae) Synonym(s): *lateritia* Herrich-Schäffer,1855; *venosa* Walker,1856; *cinnamomea* Wallengren,1860; *unicolor* Oberthür,1880
 73661) *Automolis latipennis* (Kiriakoff,1957) (Thyretidae) Synonym(s): *latipennis* Kiriakoff,1957
 73662) *Automolis lindemanna* (Kiriakoff,1961) (Thyretidae) Synonym(s): *lindemanna* Kiriakoff,1961; *#lindenmannae* Pinhey,1975
 73663) *Automolis major* (Le Cerf,1922) (Thyretidae) Synonym(s): *major* Le Cerf,1922
 73664) *Automolis margaretha* (Kiriakoff,1957) (Thyretidae) Synonym(s): *margaretha* Kiriakoff,1957
 73665) *Automolis maria* (Kiriakoff,1957) (Thyretidae) Synonym(s): *maria* Kiriakoff,1957
 73666) *Automolis meteus* (Stoll,1781) (Thyretidae) Synonym(s): *meteus* Stoll,1781; *#metus* Taylor,1968
 73667) *Automolis moira* (Kiriakoff,1957) (Thyretidae) Synonym(s): *moira* Kiriakoff,1957
 73668) *Automolis morag* (Kiriakoff,1957) (Thyretidae) Synonym(s): *morag* Kiriakoff,1957
 73669) *Automolis nigriceps* (Aurivillius,1904) (Thyretidae) Synonym(s): *nigriceps* Aurivillius,1904
 73670) *Automolis ochreogaster* (Joicey & Talbot,1921) (Thyretidae) Synonym(s): *ochreogaster* Joicey & Talbot,1921
 73671) *Automolis pallida* (Hampson,1901) (Thyretidae) Synonym(s): *pallida* Hampson,1901
 73672) *Automolis pamela* (Kiriakoff,1957) (Thyretidae) Synonym(s): *pamela* Kiriakoff,1957
 73673) *Automolis paremphares* (Holland,1893) (Thyretidae) Synonym(s): *paremphares* Holland,1893
 73674) *Automolis pavlitzae* (Kiriakoff,1961) (Thyretidae) Synonym(s): *pavlitzae* Kiriakoff,1961
 73675) *Automolis priscilla* (Kiriakoff,1957) (Thyretidae) Synonym(s): *priscilla* Kiriakoff,1957
 73676) *Automolis quinta* (Kiriakoff,1973) (Thyretidae) Synonym(s): *quinta* Kiriakoff,1973
 73677) *Automolis rhodites* (Kiriakoff,1957) (Thyretidae) Synonym(s): *rhodites* Kiriakoff,1957
 73678) *Automolis rubra* (Walker,1856) (Thyretidae) Synonym(s): *rubra* Walker,1856
 73679) *Automolis rubripuncta* (Hampson,1898) (Thyretidae) Synonym(s): *rubripuncta* Hampson,1898; *chapini* Holland,1920
 73680) *Automolis rufescens* (Walker,1855) (Thyretidae) Synonym(s): *rufescens* Walker,1855; *maculifera* Wallengren,1860
 73681) *Automolis salmonea* (Kiriakoff,1957) (Thyretidae) Synonym(s): *salmonea* Kiriakoff,1957
 73682) *Automolis schoutedeni* (Kiriakoff,1953) (Thyretidae) Synonym(s): *schoutedeni* Kiriakoff,1953
 73683) *Automolis sheljuzkoi* (Kiriakoff,1961) (Thyretidae) Synonym(s): *sheljuzkoi* Kiriakoff,1961
 73684) *Automolis subrosea* (Kiriakoff,1957) (Thyretidae) Synonym(s): *subrosea* Kiriakoff,1957
 73685) *Automolis sudanica* (Kiriakoff,1973) (Thyretidae) Synonym(s): *sudanica* Kiriakoff,1973
 73686) *Automolis transvaalica* (Kiriakoff,1973) (Thyretidae) Synonym(s): *transvaalica* Kiriakoff,1973
 73687) *Balacra affinis* (Rothschild,1910) (Thyretidae) Synonym(s): *affinis* Rothschild,1910
 73688) *Balacra batesi* (Druce,1910) (Thyretidae) Synonym(s): *batesi* Druce,1910; *congoensis* Rothschild,1910; *ugandae* Rothschild,1910; *decora* Oberthür,1911; *#elegantissima* Strand
 73689) *Balacra belga* (Kiriakoff,1954) (Thyretidae) Synonym(s): *belga* Kiriakoff,1954
 73690) *Balacra diaphana* (Kiriakoff,1957) (Thyretidae) Synonym(s): *diaphana* Kiriakoff,1957
 73691) *Balacra simplex* Aurivillius,1925 (Thyretidae) Synonym(s): *simplex* Aurivillius,1925
 73692) *Balacra tamsi* (Kiriakoff,1957) (Thyretidae) Synonym(s): *tamsi* Kiriakoff,1957
 73693) *Owambartia owamboensis* (Kiriakoff,1957) (Thyretidae) Synonym(s): *owamboensis* Kiriakoff,1957
 73694) *Owambartia unipuncta* (Kiriakoff,1973) (Thyretidae) Synonym(s): *unipuncta* Kiriakoff,1973
 73695) *Takwa xenops* (Kiriakoff,1957) (Thyretidae) Synonym(s): *xenops* Kiriakoff,1957
 73696) *Thyretes buettikeri* (Wiltshire,1983) (Thyretidae) Synonym(s): *buettikeri* Wiltshire,1983
 73697) *Thyretes caffra* (Wallengren,1863) (Thyretidae) Synonym(s): *caffra* Wallengren,1863
 73698) *Thyretes hippotes* (Cramer,1780) (Thyretidae) Synonym(s): *hippotes* Cramer,1780; *#hiphotes* Boisduval,1847; *#hiphotes* Wallengren,1856
 73699) *Thyretes montana* (Boisduval,1847) (Thyretidae) Synonym(s): *montana* Boisduval,1847
 73700) *Thyretes monteiroi* (Butler,1876) (Thyretidae) Synonym(s): *monteiroi* Butler,1876; *angolensis* Gaede,1926
 73701) *Thyretes negus* (Oberthür,1878) (Thyretidae) Synonym(s): *negus* Oberthür,1878
 73702) *Thyretes negus phasma* (Butler,1897) (Thyretidae) Synonym(s): *phasma* Butler,1897; *misa* Strand,1911; *#miseria* Pinhey,1975
 73703) *Thyretes signivenis* (M.Hering,1937) (Thyretidae) Synonym(s): *signivenis* M.Hering,1937
 73704) *Thyretes trichaetiformis* (Zerny,1912) (Thyretidae) Synonym(s): *trichaetiformis* Zerny,1912
 73705) *Addaea candidalis* (Walker,1865) (Thyridae) Synonym(s): *candidalis* Walker,1865
 73706) *Addaea castaneata* (Warren,1908) (Thyridae) Synonym(s): *polyphoralis* Meyrick,1887 nec Wlk.,1866; *castaneata* Warren,1908
 73707) *Addaea fragilis* (Warren,1899) (Thyridae) Synonym(s): *fragilis* Warren,1899
 73708) *Addaea fulva* (Warren,1907) (Thyridae) Synonym(s): *fulva* Warren,1907
 73709) *Addaea maculata* (Warren,1906) (Thyridae) Synonym(s): *maculata* Warren,1906
 73710) *Addaea polyphoralis* (Walker,1866) (Thyridae) Synonym(s): *polygraphalis* Walker,1865 nec Wlk.,1865; *polyphoralis* Walker,1866; *transversalis* Walker,1865; *pusilla* Butler,1887; *probolopsis* Meyrick,1894
 73711) *Addaea rectisecta* (Warren,1897) (Thyridae) Synonym(s): *rectisecta* Warren,1897
 73712) *Addaea subtessellata* (Walker,1865) (Thyridae) Synonym(s): *subtessellata* Walker,1865
 73713) *Addaea symphonodes* (Turner,1911) (Thyridae) Synonym(s): *symphonodes* Turner,1911
 73714) *Addaea syndesma* (Meyrick,1894) (Thyridae) Synonym(s): *syndesma* Meyrick,1894
 73715) *Addaea trimeronialis* (Walker,1859) (Thyridae) Synonym(s): *trimeronialis* Walker,1859; *heliopsamma* Meyrick,1886
 73716) *Aglaopus carycina* (Turner,1915) (Thyridae) Synonym(s): *carycina* Turner,1915; *anxia* Whalley,1976

- 73717) *Aglaopus decussata* (Moore,1883) (Thyridae) Synonym(s): *decussata* Moore,1883
 73718) *Aglaopus floccosa* (W.Warren,1905) (Thyridae) Synonym(s): *floccosa* W.Warren,1905; *niphocosma* Turner,1911
 73719) *Arniocera auriguttata* Hopffer,1857 (Thyridae) Synonym(s): *auriguttata* Hopffer,1857; *melanopyga* Wallengren,1858; *chrysosticta* Butler,1898.
 73720) *Arniocera cyanoxantha* (Mabille,1893) (Thyridae) Synonym(s): *cyanoxantha* Mabille,1893
 73721) *Arniocera cyanoxantha borotsana* Jordan,1915 (Thyridae) Synonym(s): *borotsana* Jordan,1915
 73722) *Arniocera cyanoxantha cyanoxantha* (Mabille,1893) (Thyridae) Synonym(s): *cyanoxantha* Mabille,1893
 73723) *Arniocera cyanoxantha elegans* Weymer,1903 (Thyridae) Synonym(s): *elegans* Weymer,1903
 73724) *Arniocera cyanoxantha meyeri* Alberti,1957 (Thyridae) Synonym(s): *meyer* Alberti,1957
 73725) *Arniocera elata* Jordan,1915 (Thyridae) Synonym(s): *elata* Jordan,1915
 73726) *Arniocera erythropyga* (Wallengren,1860) (Thyridae) Synonym(s): *erythropyga* Wallengren,1860; *negamica* Walker,1865
 73727) *Arniocera lugubris* Gaede,1926 (Thyridae) Synonym(s): *lugubris* Gaede,1926
 73728) *Arniocera zambesina* (Walker,1866) (Thyridae) Synonym(s): *zambesina* Walker,1866
 73729) *Banisia aldabrana* (Fryer,1912) (Thyridae) Synonym(s): *aldabrana* Fryer,1912
 73730) *Banisia aldabrana cana* Whalley,1971 (Thyridae) Synonym(s): *cana* Whalley,1971
 73731) *Banisia angulata* (W.Warren,1899) (Thyridae) Synonym(s): *angulata* W.Warren,1899
 73732) *Banisia anthina* (Tams,1935) (Thyridae) Synonym(s): *anthina* Tams,1935
 73733) *Banisia anthina bella* Whalley,1976 (Thyridae) Synonym(s): *bella* Whalley,1976
 73734) *Banisia anthina pervaga* Whalley,1976 (Thyridae) Synonym(s): *pervaga* Whalley,1976
 73735) *Banisia antiopa* (Viette,1954) (Thyridae) Synonym(s): *antiopa* Viette,1954
 73736) *Banisia apicale* (Fryer,1912) (Thyridae) Synonym(s): *apicale* Fryer,1912
 73737) *Banisia argutula* Whalley,1976 (Thyridae) Synonym(s): *argutula* Whalley,1976
 73738) *Banisia astra* Chu & Wang,1991 (Thyridae) Synonym(s): *astra* Chu & Wang,1991
 73739) *Banisia barbatula* Whalley,1976 (Thyridae) Synonym(s): *barbatula* Whalley,1976
 73740) *Banisia clathrula* (Guenée,1877) (Thyridae) Synonym(s): *clathrula* Guenée,1877
 73741) *Banisia cognata* Whalley,1976 (Thyridae) Synonym(s): *cognata* Whalley,1976
 73742) *Banisia composita* (W.Warren,1907) (Thyridae) Synonym(s): *composita* W.Warren,1907
 73743) *Banisia extravagans* W.Warren,1908 (Thyridae) Synonym(s): *extravagans* W.Warren,1908
 73744) *Banisia fenestrifera* Walker,1863 (Thyridae) Synonym(s): *fenestrifera* Walker,1863
 73745) *Banisia fenestrifera* Walker,[1863] (Thyridae) Synonym(s): *fenestrifera* Walker,[1863]; *daphoena* Turner,1911
 73746) *Banisia fenestrifera omissina* Whalley,1976 (Thyridae) Synonym(s): *omissina* Whalley,1976
 73747) *Banisia fenestrifera solomonensis* Whalley,1976 (Thyridae) Synonym(s): *solomonensis* Whalley,1976
 73748) *Banisia fenestrifera triferina* Whalley,1976 (Thyridae) Synonym(s): *triferina* Whalley,1976
 73749) *Banisia flavidiscalis* (Hampson,1914) (Thyridae) Synonym(s): *flavidiscalis* Hampson,1914; *cyclothyris* Hampson,1914
 73750) *Banisia fuliginea* Whalley,1971 (Thyridae) Synonym(s): *fuliginea* Whalley,1971
 73751) *Banisia furva* (W.Warren,1905) (Thyridae) Synonym(s): *furva* W.Warren,1905
 73752) *Banisia furva devincta* Whalley,1976 (Thyridae) Synonym(s): *devincta* Whalley,1976
 73753) *Banisia furva epasta* Whalley,1976 (Thyridae) Synonym(s): *epasta* Whalley,1976
 73754) *Banisia furva fracta* Whalley,1976 (Thyridae) Synonym(s): *fracta* Whalley,1976
 73755) *Banisia furva illicita* Whalley,1976 (Thyridae) Synonym(s): *illicita* Whalley,1976
 73756) *Banisia hyaena* (W.Warren,1905) (Thyridae) Synonym(s): *hyaena* W.Warren,1905
 73757) *Banisia idialialis* (Walker,1859) (Thyridae) Synonym(s): *idalialis* Walker,1859
 73758) *Banisia inoptata* Whalley,1971 (Thyridae) Synonym(s): *inoptata* Whalley,1971
 73759) *Banisia insignifica* (Rothschild,1915) (Thyridae) Synonym(s): *insignifica* Rothschild,1915
 73760) *Banisia intonsa* Whalley,1976 (Thyridae) Synonym(s): *intonsa* Whalley,1976
 73761) *Banisia iota* Chu & Wang,1991 (Thyridae) Synonym(s): *iota* Chu & Wang,1991
 73762) *Banisia jocatia* (Whalley,1971) (Thyridae) Synonym(s): *jocatia* Whalley,1971
 73763) *Banisia lithophora* (Tams,1935) (Thyridae) Synonym(s): *lithophora* Tams,1935
 73764) *Banisia lobata* (Moore,1882) (Thyridae) Synonym(s): *lobata* Moore,1882
 73765) *Banisia lobata caesia* Whalley,1976 (Thyridae) Synonym(s): *caesia* Whalley,1976
 73766) *Banisia lobata ceylonensis* Whalley,1976 (Thyridae) Synonym(s): *ceylonensis* Whalley,1976
 73767) *Banisia messoria* Whalley,1976 (Thyridae) Synonym(s): *messoria* Whalley,1976
 73768) *Banisia minuta* Whalley,1962 (Thyridae) Synonym(s): *minuta* Whalley,1962
 73769) *Banisia myrsusalis* (Walker,1859) (Thyridae) Synonym(s): *myrsusalis* Walker,1859; *pyraliata* Moore,1882; *zonula* Swinhoe,1885; *myrsalis* Turner,1911
 73770) *Banisia myrsusalis cinereola* R.Felder & Rogenhofer,1785 (Thyridae) Synonym(s): *cinereola* R.Felder & Rogenhofer,1785
 73771) *Banisia myrsusalis elaralis* Walker,1859 (Thyridae) Synonym(s): *elaralis* Walker,1859
 73772) *Banisia myrsusalis sumatraensis* Whalley,1976 (Thyridae) Synonym(s): *sumatraensis* Whalley,1976
 73773) *Banisia myrtaea* (Drury,1773) (Thyridae) Synonym(s): *myrtaea* Drury,1773
 73774) *Banisia orcina* Whalley,1976 (Thyridae) Synonym(s): *orcina* Whalley,1976
 73775) *Banisia ovifera* (Butler,1892) (Thyridae) Synonym(s): *ovifera* Butler,1892
 73776) *Banisia ovifera diversicolor* (W.Warren,1897) (Thyridae) Synonym(s): *diversicolor* W.Warren,1897; *satelles* W.Warren,1906
 73777) *Banisia ovifera praevaria* Whalley,1976 (Thyridae) Synonym(s): *praevaria* Whalley,1976
 73778) *Banisia owadai* Inoue,1976 (Thyridae) Synonym(s): *owadai* Inoue,1976
 73779) *Banisia pityos* Chu & Wang,1991 (Thyridae) Synonym(s): *pityos* Chu & Wang,1991
 73780) *Banisia placida* Whalley,1976 (Thyridae) Synonym(s): *placida* Whalley,1976
 73781) *Banisia plagifera* (Butler,1886) (Thyridae) Synonym(s): *plagifera* Butler,1886
 73782) *Banisia strigigrapha* (Hampson,1914) (Thyridae) Synonym(s): *strigigrapha* Hampson,1914
 73783) *Banisia tibiale* (Fryer,1912) (Thyridae) Synonym(s): *tibiale* Fryer,1912
 73784) *Banisia venustula* (W.Warren,1905) (Thyridae) Synonym(s): *venustula* W.Warren,1905
 73785) *Banisia whalleyi* Inoue,1998 (Thyridae) Synonym(s): *whalleyi* Inoue,1998
 73786) *Banisia zamia* (Whalley,1971) (Thyridae) Synonym(s): *zamia* Whalley,1971
 73787) *Beguma constellata* W.Warren,1896 (Thyridae) Synonym(s): *constellata* W.Warren,1896
 73788) *Beguma radiata* W.Warren,1908 (Thyridae) Synonym(s): *radiata* W.Warren,1908
 73789) *Belonoptera arachnida* Warren,1898 (Thyridae) Synonym(s): *arachnida* Warren,1898
 73790) *Belonoptera cancellata* Warren,1907 (Thyridae) Synonym(s): *cancellata* Warren,1907
 73791) *Belonoptera fratercula* (Pagenstecher,1892) (Thyridae) Synonym(s): *fratercula* Pagenstecher,1892
 73792) *Belonoptera frondicula* Guenée,1877 (Thyridae) Synonym(s): *frondicula* Guenée,1877; *matricula* Guenée,1877
 73793) *Belonoptera nervicula* (Guenée,1857) (Thyridae) Synonym(s): *nervicula* Guenée,1857
 73794) *Belonoptera patercula* (Pagenstecher,1892) (Thyridae) Synonym(s): *patercula* Pagenstecher,1892
 73795) *Belonoptera phyllula* (Guenée,1857) (Thyridae) Synonym(s): *phyllula* Guenée,1857
 73796) *Belonoptera sanguinea* Warren,1905 (Thyridae) Synonym(s): *sanguinea* Warren,1905
 73797) *Belonoptera selenioides* (Pagenstecher,1892) (Thyridae) Synonym(s): *selenioides* Pagenstecher,1892
 73798) *Betousa dilecta* (Walker,1865) (Thyridae) Synonym(s): *dilecta* Walker,1865; *aspirans* W.Warren,1899
 73799) *Betousa hemicycla* (Meyrick,1886) (Thyridae) Synonym(s): *hemicycla* Meyrick,1886
 73800) *Calindoea argentalis* (Walker,[1866]) (Thyridae) Synonym(s): *argentalis* Walker,[1866]
 73801) *Calindoea atripunctalis* (Walker,[1866]) (Thyridae) Synonym(s): *atripunctalis* Walker,[1866]; *australiae* W.Warren,1908
 73802) *Calindoea dialitha* (Tams,1935) (Thyridae) Synonym(s): *dialitha* Tams,1935
 73803) *Calindoea doriulusalis* (Walker,1859) (Thyridae) Synonym(s): *doriulusalis* Walker,1859; *albiferalis* Walker,[1866]; *imbutalis* Walker,[1866]; *acutipennis* Pagenstecher,1886; *elongata* W.Warren,1896
 73804) *Calindoea polygraphalis* (Walker,[1866]) (Thyridae) Synonym(s): *polygraphalis* Walker,[1866]; *rhythmica* Meyrick,1887
 73805) *Calindoea* sp.n.: (Thyridae) Synonym(s):

- 73806) *Calindoea trifascialis* (Moore,1877) (Thyridae) Synonym(s): *trifascialis* Moore,1877
 73807) *Camadena emarginalis* Hampson,1906 (Thyridae) Synonym(s): *emarginalis* Hampson,1906
 73808) *Camadena polystaeta* Hampson,1906 (Thyridae) Synonym(s): *polystaeta* Hampson,1906
 73809) *Camadena vespertilionis* Moore,1888 (Thyridae) Synonym(s): *vespertilionis* Moore,1888; *acutipennis* Moore,1888
 73810) *Camptochilus decoratus* Warren,1899 (Thyridae) Synonym(s): *decoratus* Warren,1899
 73811) *Camptochilus divergens* Warren,1898 (Thyridae) Synonym(s): *divergens* Warren,1898
 73812) *Camptochilus funifer* Warren,1898 (Thyridae) Synonym(s): *funifer* Warren,1898
 73813) *Camptochilus reticulatus* (Moore,1888) (Thyridae) Synonym(s): *reticulatus* Moore,1888
 73814) *Camptochilus sinuosus* W.Warren,1896 (Thyridae) Synonym(s): *sinuosus* W.Warren,1896
 73815) *Canaea hyalospila* (Lower,1894) (Thyridae) Synonym(s): *hyalospila* Lower,1894; *monsfera* Whalley,1971
 73816) *Canaea semitessellalis* (Walker,[1866]) (Thyridae) Synonym(s): *semitessellalis* Walker,[1866]
 73817) *Canaea* sp.: (Thyridae) Synonym(s):
 73818) *Collinsa cuprea* (Pagenstecher,1884) (Thyridae) Synonym(s): *cuprea* Pagenstecher,1884; *costiscripta* W.Warren,1896; *pagenstecheri* Dalla Torre,1914
 73819) *Collinsa decoratalis* (W.Warren,1896) (Thyridae) Synonym(s): *decoratalis* W.Warren,1896
 73820) *Collinsa roseopuncta* (W.Warren,1902) (Thyridae) Synonym(s): *roseopuncta* W.Warren,1902
 73821) *Collinsa submicans* (W.Warren,1908) (Thyridae) Synonym(s): *submicans* W.Warren,1908; *cryptolitha* Turner,1911
 73822) *Dioxo albatilis* (Swinhoe,1889) (Thyridae) Synonym(s): *albatilis* Swinhoe,1889
 73823) *Draconia accipitrina* Warren,1908 (Thyridae) Synonym(s): *accipitrina* Warren,1908
 73824) *Draconia albiapicata* Warren,1908 (Thyridae) Synonym(s): *albiapicata* Warren,1908
 73825) *Draconia angulipenis* Dognin,1911 (Thyridae) Synonym(s): *angulipenis* Dognin,1911
 73826) *Draconia annuligera* (Walker,1865) (Thyridae) Synonym(s): *annuligera* Walker,1865
 73827) *Draconia basipecta* Warren,1905 (Thyridae) Synonym(s): *basipecta* Warren,1905
 73828) *Draconia denticulata* (Pagenstecher,1892) (Thyridae) Synonym(s): *denticulata* Pagenstecher,1892
 73829) *Draconia dismutata* Warren,1908 (Thyridae) Synonym(s): *dismutata* Warren,1908
 73830) *Draconia mirabilis* (Pagenstecher,1892) (Thyridae) Synonym(s): *mirabilis* Pagenstecher,1892
 73831) *Draconia oleigutta* (R.Felder & Rogenhofer,1875) (Thyridae) Synonym(s): *oleigutta* R.Felder & Rogenhofer,1875
 73832) *Draconia peripheta* (Cramer,1779) (Thyridae) Synonym(s): *peripheta* Cramer,1779
 73833) *Draconia rusina* Druce,1895 (Thyridae) Synonym(s): *rusina* Druce,1895
 73834) *Draconia stenoptila* Warren,1908 (Thyridae) Synonym(s): *stenoptila* Warren,1908
 73835) *Draconia timida* Warren,1908 (Thyridae) Synonym(s): *timida* Warren,1908
 73836) *Dysodia albifurca* Hampson,1892 (Thyridae) Synonym(s): *albifurca* Hampson,1892
 73837) *Dysodia angulata* Warren,1901 (Thyridae) Synonym(s): *angulata* Warren,1901
 73838) *Dysodia bifenestrata* Semper,1902 (Thyridae) Synonym(s): *bifenestrata* Semper,1902
 73839) *Dysodia binoculata* Warren,1901 (Thyridae) Synonym(s): *binoculata* Warren,1901
 73840) *Dysodia bipuncta* Warren,1900 (Thyridae) Synonym(s): *bipuncta* Warren,1900
 73841) *Dysodia confusata* Warren,1908 (Thyridae) Synonym(s): *confusata* Warren,1908
 73842) *Dysodia constellata* Warren,1908 (Thyridae) Synonym(s): *constellata* Warren,1908
 73843) *Dysodia crassa* (Walker,1865) (Thyridae) Synonym(s): *crassa* Walker,1865
 73844) *Dysodia derufata* Warren,1908 (Thyridae) Synonym(s): *derufata* Warren,1908
 73845) *Dysodia fenestrata* Warren,1900 (Thyridae) Synonym(s): *fenestrata* Warren,1900
 73846) *Dysodia flagrata* (Walker,1865) (Thyridae) Synonym(s): *flagrata* Walker,1865
 73847) *Dysodia hyalotypa* Bethune-Baker,1911 (Thyridae) Synonym(s): *hyalotypa* Bethune-Baker,1911
 73848) *Dysodia ignita* (Walker,1865) (Thyridae) Synonym(s): *ignita* Walker,1865; *inaequalis* Walker,1865; *rajah* Boisduval,1874; *sciculoides* R.Felder & Rogenhofer,1875; *ypsiloides* Pagenstecher,1892; *incudigera* Pagenstecher,1892; *taprobana* Moore,1885
 73849) *Dysodia innubila* Warren,1908 (Thyridae) Synonym(s): *innubila* Warren,1908
 73850) *Dysodia intermedia* (Walker,1865) (Thyridae) Synonym(s): *intermedia* Walker,1865
 73851) *Dysodia laevis* Warren,1900 (Thyridae) Synonym(s): *laevis* Warren,1900
 73852) *Dysodia magnifica* Whalley,1968 (Thyridae) Synonym(s): *magnifica* Whalley,1968
 73853) *Dysodia miniata* (Walker,1864) (Thyridae) Synonym(s): *miniata* Walker,1864; *fenestrata* Moore,1881
 73854) *Dysodia oculatana* Clemens,1860 (Thyridae) Synonym(s): *oculatana* Clemens,1860; *plena* Walker,1865; *fasciata* Grote & Robinson,1867; *montana* Edwards,1875; *aurea* Pagenstecher,1892
 73855) *Dysodia pennitarsis* Hampson,1906 (Thyridae) Synonym(s): *pennitarsis* Hampson,1906
 73856) *Dysodia rajah* (Boisduval,[1875]) (Thyridae) Synonym(s): *rajah* Boisduval,[1875]
 73857) *Dysodia rufiflava* Hampson,1906 (Thyridae) Synonym(s): *rufiflava* Hampson,1906
 73858) *Dysodia speculifera* Sepp,1830 (Thyridae) Synonym(s): *speculifera* Sepp,1830; *aequalis* Walker,1865
 73859) *Dysodia spissicornis* Warren,1908 (Thyridae) Synonym(s): *spissicornis* Warren,1908
 73860) *Dysodia subsignata* Warren,1908 (Thyridae) Synonym(s): *subsignata* Warren,1908
 73861) *Dysodia thyridina* (R.Felder & Rogenhofer,1875) (Thyridae) Synonym(s): *thyridina* R.Felder & Rogenhofer,1875
 73862) *Dysodia viridatrix* (Walker,1858) (Thyridae) Synonym(s): *viridatrix* Walker,1858; *siccifolia* Moore,1881
 73863) *Dysodia vitrina* (Boisduval,1829) (Thyridae) Synonym(s): *vitrina* Boisduval,1829
 73864) *Endolophia hypohaemia* Hampson,1906 (Thyridae) Synonym(s): *hypohaemia* Hampson,1906
 73865) *Epaena candidatalis* (Swinhoe,1905) (Thyridae) Synonym(s): *candidatalis* Swinhoe,1905
 73866) *Glanyeus blachieri* Oberthür,1910 (Thyridae) Synonym(s): *blachieri* Oberthür,1910
 73867) *Glanyeus insolitus* Walker,1855 (Thyridae) Synonym(s): *insolitus* Walker,1855
 73868) *Glanyeus tricolor* Moore,1879 (Thyridae) Synonym(s): *tricolor* Moore,1879
 73869) *Hepialodes follicula* (Guenée,1857) (Thyridae) Synonym(s): *follicula* Guenée,1857
 73870) *Hepialopsis sphingipennis* Warren,1907 (Thyridae) Synonym(s): *sphingipennis* Warren,1907
 73871) *Herdonia botydana* (Walker,1865) (Thyridae) Synonym(s): *botydana* Walker,1865
 73872) *Herdonia miranda* Warren,1908 (Thyridae) Synonym(s): *miranda* Warren,1908
 73873) *Herdonia osacesalis* Walker,1859 (Thyridae) Synonym(s): *osacesalis* Walker,1859
 73874) *Herdonia papuensis* Warren,1907 (Thyridae) Synonym(s): *papuensis* Warren,1907
 73875) *Herdonia thetis* Druce,1899 (Thyridae) Synonym(s): *thetis* Druce,1899
 73876) *Herimba atkinsoni* Moore,1879 (Thyridae) Synonym(s): *atkinsoni* Moore,1879
 73877) *Heteroschista nigranalis* W.Warren,1903 (Thyridae) Synonym(s): *nigranalis* W.Warren,1903
 73878) *Hexeris enhydris* Grote,1875 (Thyridae) Synonym(s): *enhydris* Grote,1875; *reticulina* Beutenmüller,1896
 73879) *Hyperthyris aperta* Leech,1889 (Thyridae) Synonym(s): *aperta* Leech,1889
 73880) *Hypolamprus aenictodes* Turner,1911 (Thyridae) Synonym(s): *aenictodes* Turner,1911
 73881) *Hypolamprus albipunctulus* Warren,1908 (Thyridae) Synonym(s): *albipunctulus* Warren,1908
 73882) *Hypolamprus angulalis* (Moore,1888) (Thyridae) Synonym(s): *angulalis* Moore,1888
 73883) *Hypolamprus atrostriatus* Hampson,1892 (Thyridae) Synonym(s): *atrostriatus* Hampson,1892
 73884) *Hypolamprus biplagiatus* Warren,1907 (Thyridae) Synonym(s): *biplagiatus* Warren,1907
 73885) *Hypolamprus bipunctatus* Warren,1897 (Thyridae) Synonym(s): *bipunctatus* Warren,1897
 73886) *Hypolamprus cossoides* Warren,1899 (Thyridae) Synonym(s): *cossoides* Warren,1899
 73887) *Hypolamprus costiscriptus* Warren,1896 (Thyridae) Synonym(s): *costiscriptus* Warren,1896
 73888) *Hypolamprus fimbriatus* (Warren,1896) (Thyridae) Synonym(s): *fimbriatus* Warren,1896
 73889) *Hypolamprus fuliginosus* Warren,1907 (Thyridae) Synonym(s): *fuliginosus* Warren,1907
 73890) *Hypolamprus grandis* Warren,1907 (Thyridae) Synonym(s): *grandis* Warren,1907
 73891) *Hypolamprus hemicyclus* (Meyrick,1886) (Thyridae) Synonym(s): *hemicyclus* Meyrick,1886
 73892) *Hypolamprus inductalis* (Walker,1865) (Thyridae) Synonym(s): *inductalis* Walker,1865; *peratopsis* Hampson,1897; *subnictitans* Warren,1897
 73893) *Hypolamprus laticosta* Warren,1907 (Thyridae) Synonym(s): *laticosta* Warren,1907

- 73894) *Hypolamprus leopardatus* Warren, 1897 (Thyridae) Synonym(s): *leopardatus* Warren, 1897
 73895) *Hypolamprus lepraota* Hampson, 1910 (Thyridae) Synonym(s): *lepraota* Hampson, 1910
 73896) *Hypolamprus lobulatus* (Moore, 1888) (Thyridae) Synonym(s): *lobulatus* Moore, 1888
 73897) *Hypolamprus marginepunctalis* Leech, 1899 (Thyridae) Synonym(s): *marginepunctalis* Leech, 1899; *pallescens* Hampson, 1898
 73898) *Hypolamprus minutulus* Saalmüller, 1880 (Thyridae) Synonym(s): *minutulus* Saalmüller, 1880
 73899) *Hypolamprus obscuralis* Hampson, 1892 (Thyridae) Synonym(s): *obscuralis* Hampson, 1892
 73900) *Hypolamprus parisignatus* Warren, 1900 (Thyridae) Synonym(s): *parisignatus* Warren, 1900
 73901) *Hypolamprus polycyma* Warren, 1908 (Thyridae) Synonym(s): *polycyma* Warren, 1908
 73902) *Hypolamprus praelongatus* Warren, 1898 (Thyridae) Synonym(s): *praelongatus* Warren, 1898
 73903) *Hypolamprus rupinus* Swinhoe, 1899 (Thyridae) Synonym(s): *rupina* Swinhoe, 1899
 73904) *Hypolamprus sciodes* Turner, 1911 (Thyridae) Synonym(s): *sciodes* Turner, 1911
 73905) *Hypolamprus semiustus* Warren, 1908 (Thyridae) Synonym(s): *semiustus* Warren, 1908
 73906) *Hypolamprus simplex* Warren, 1908 (Thyridae) Synonym(s): *simplex* Warren, 1908
 73907) *Hypolamprus squalidus* Warren, 1908 (Thyridae) Synonym(s): *squalidus* Warren, 1908
 73908) *Hypolamprus stabilis* Warren, 1908 (Thyridae) Synonym(s): *stabilis* Warren, 1908
 73909) *Hypolamprus striatalis* (Swinhoe, 1885) (Thyridae) Synonym(s): *striatalis* Swinhoe, 1885
 73910) *Hypolamprus stylophorus* (Swinhoe, 1895) (Thyridae) Synonym(s): *stylophorus* Swinhoe, 1895
 73911) *Hypolamprus submarmoratus* Warren, 1899 (Thyridae) Synonym(s): *submarmoratus* Warren, 1899
 73912) *Hypolamprus subrosealis* (Leech, 1898) (Thyridae) Synonym(s): *subrosealis* Leech, 1898
 73913) *Hypolamprus subumbratus* Warren, 1905 (Thyridae) Synonym(s): *subumbratus* Warren, 1905
 73914) *Hypolamprus tessellatus* Swinhoe, 1904 (Thyridae) Synonym(s): *tessellatus* Swinhoe, 1904
 73915) *Hypolamprus trifascialis* (Moore, 1877) (Thyridae) Synonym(s): *trifascialis* Moore, 1877
 73916) *Hypolamprus unicolor* Warren, 1897 (Thyridae) Synonym(s): *unicolor* Warren, 1897
 73917) *Hypolamprus verticalis* Warren, 1899 (Thyridae) Synonym(s): *verticalis* Warren, 1899
 73918) *Hypolamprus vinosatus* Warren, 1908 (Thyridae) Synonym(s): *vinosatus* Warren, 1908
 73919) *Iridesmoides cymoeasticha* Bethune-Baker, 1911 (Thyridae) Synonym(s): *cymoeasticha* Bethune-Baker, 1911
 73920) *Iridesmoides phricosticha* Bethune-Baker, 1911 (Thyridae) Synonym(s): *phricosticha* Bethune-Baker, 1911
 73921) *Isothauma opalinula* (Mabille, 1879) (Thyridae) Synonym(s): *opalinula* Mabille, 1879
 73922) *Isothauma serraticornis* Warren, 1899 (Thyridae) Synonym(s): *serraticornis* Warren, 1899
 73923) *Kanshizeia hemicycla* (Meyrick, 1886) (Thyridae) Synonym(s): *hemicycla* Meyrick, 1886
 73924) *Letchenodes ninniusalis* (Walker, 1859) (Thyridae) Synonym(s): *ninniusalis* Walker, 1859
 73925) *Loxiorhiza cervicalis* (Pagenstecher, 1892) (Thyridae) Synonym(s): *cervicalis* Pagenstecher, 1892
 73926) *Macrogonia igniaria* Herrich-Schäffer, 1850 (Thyridae) Synonym(s): *igniaria* Herrich-Schäffer, 1850
 73927) *Macroprota eupithecula* (Guenée, 1877) (Thyridae) Synonym(s): *eupithecula* Guenée, 1877
 73928) *Marmax hyparchus* (Cramer, 1779) (Thyridae) Synonym(s): *hyparchus* Cramer, 1779
 73929) *Marmax smaragdina* (Butler, 1888) (Thyridae) Synonym(s): *smaragdina* Butler, 1888
 73930) *Mathoris apiceflava* Dognin, 1911 (Thyridae) Synonym(s): *apiceflava* Dognin, 1911
 73931) *Mathoris lenistrialis* Hampson, 1906 (Thyridae) Synonym(s): *lenistrialis* Hampson, 1906
 73932) *Mathoris mediaria* (Walker, 1860) (Thyridae) Synonym(s): *mediaria* Walker, 1860
 73933) *Mathoris multiguttata* Hampson, 1906 (Thyridae) Synonym(s): *multiguttata* Hampson, 1906
 73934) *Mathoris quadrigata* (R. Felder & Rogenhofer, 1875) (Thyridae) Synonym(s): *quadrigata* R. Felder & Rogenhofer, 1875
 73935) *Mathoris* sp.: (Thyridae) Synonym(s):
 73936) *Mathoris vocata* (Walker, 1861) (Thyridae) Synonym(s): *vocata* Walker, 1861; *procurata* Walker, 1865; *roseola* R. Felder & Rogenhofer, 1875; *crepuscula* Guenée, 1877
 73937) *Mellea ordinaria* (W. Warren, 1896) (Thyridae) Synonym(s): *ordinaria* W. Warren, 1896; *nigristriata* W. Warren, 1897; *hyphenata* W. Warren, 1897
 73938) *Mellea tetragonata* (Walker, 1863) (Thyridae) Synonym(s): *tetragonata* Walker, 1863
 73939) *Meskea dyspteraria* Grote, 1877 (Thyridae) Synonym(s): *dyspteraria* Grote, 1877
 73940) *Meskea nigrata* W. Warren, 1897 (Thyridae) Synonym(s): *nigrata* W. Warren, 1897
 73941) *Microbelia curvinota* Warren, 1906 (Thyridae) Synonym(s): *curvinota* Warren, 1906
 73942) *Microbelia fasciata* Warren, 1908 (Thyridae) Synonym(s): *fasciata* Warren, 1908
 73943) *Microbelia privata* Warren, 1908 (Thyridae) Synonym(s): *privata* Warren, 1908
 73944) *Microtenucha munda* (Hampson, 1892) (Thyridae) Synonym(s): *munda* Hampson, 1892
 73945) *Morova innotata* Warren, 1904 (Thyridae) Synonym(s): *innotata* Warren, 1904
 73946) *Morova subfasciata* Walker, 1865 (Thyridae) Synonym(s): *subfasciata* Walker, 1865; *gallicolens* Butler, 1874
 73947) *Obelura dohertyi* (Warren, 1897) (Thyridae) Synonym(s): *dohertyi* Warren, 1897; *stenosoma* Hampson, 1898; *nigriflexa* Warren, 1905; *longistriata* Warren, 1907
 73948) *Orneostoma subpulchra* Warren, 1907 (Thyridae) Synonym(s): *subpulchra* Warren, 1907
 73949) *Oxycophina theorina* (Meyrick, 1887) (Thyridae) Synonym(s): *theorina* Meyrick, 1887; *fenestrata* Pagenstecher, 1888; *subfenestrata* W. Warren, 1896; *plana* Swinhoe, 1900
 73950) *Pharambara splendida* Butler, 1887 (Thyridae) Synonym(s): *splendida* Butler, 1887
 73951) *Picrostomastis inductalis* (Walker, [1866]) (Thyridae) Synonym(s): *inductalis* Walker, [1866]
 73952) *Picrostomastis subrosealis* (Leech, 1889) (Thyridae) Synonym(s): *subrosealis* Leech, 1889
 73953) *Plagiosella clathrata* Hampson, 1898 (Thyridae) Synonym(s): *clathrata* Hampson, 1898
 73954) *Plagiosella interrupta* Hampson, 1898 (Thyridae) Synonym(s): *interrupta* Hampson, 1898
 73955) *Plagiosella ochracea* Warren, 1908 (Thyridae) Synonym(s): *ochracea* Warren, 1908
 73956) *Plagiosella pectinifera* Hampson, 1906 (Thyridae) Synonym(s): *pectinifera* Hampson, 1906
 73957) *Plesiodesma infans* Warren, 1908 (Thyridae) Synonym(s): *infans* Warren, 1908
 73958) *Proterozeuxis ansorgei* Warren, 1899 (Thyridae) Synonym(s): *ansorgei* Warren, 1899
 73959) *Proterozeuxis brunnea* Warren, 1908 (Thyridae) Synonym(s): *brunnea* Warren, 1908
 73960) *Proterozeuxis splendida* Warren, 1899 (Thyridae) Synonym(s): *splendida* Warren, 1899
 73961) *Proterozeuxis tessellata* Warren, 1908 (Thyridae) Synonym(s): *tessellata* Warren, 1908
 73962) *Pycnopera crassisquama* Warren, 1898 (Thyridae) Synonym(s): *crassisquama* Warren, 1898
 73963) *Pycnosoma angulatum* Hampson, 1898 (Thyridae) Synonym(s): *angulatum* Hampson, 1898
 73964) *Rhodogonia miniata* Warren, 1897 (Thyridae) Synonym(s): *miniata* Warren, 1897
 73965) *Rhodogonia subfusca* Warren, 1905 (Thyridae) Synonym(s): *subfusca* Warren, 1905
 73966) *Rhodoneura acaciualis* (Walker, 1859) (Thyridae) Synonym(s): *acaciualis* Walker, 1859; *minicula* Guenée, 1877; *sordidula* Plötz, 1880; *strigatula* R. Felder & Rogenhofer, 1875; *rosacea* Pagenstecher, 1892
 73967) *Rhodoneura acutalis* (Walker, 1865) (Thyridae) Synonym(s): *acutalis* Walker, 1865; *nitens* Butler, 1887
 73968) *Rhodoneura acygoniata* Hampson, 1906 (Thyridae) Synonym(s): *acygoniata* Hampson, 1906
 73969) *Rhodoneura aenea* (Saalmüller, 1884) (Thyridae) Synonym(s): *aenea* Saalmüller, 1884
 73970) *Rhodoneura albicollaris* (Walker, 1865) (Thyridae) Synonym(s): *albicollaris* Walker, 1865
 73971) *Rhodoneura albiferalis* (Walker, 1865) (Thyridae) Synonym(s): *albiferalis* Walker, 1865
 73972) *Rhodoneura albifimbriata* (Warren, 1897) (Thyridae) Synonym(s): *albifimbriata* Warren, 1897
 73973) *Rhodoneura albipunctula* (Pagenstecher, 1892) (Thyridae) Synonym(s): *albipunctula* Pagenstecher, 1892
 73974) *Rhodoneura albisignata* (Warren, 1899) (Thyridae) Synonym(s): *albisignata* Warren, 1899
 73975) *Rhodoneura alternata* (Moore, 1888) (Thyridae) Synonym(s): *alternata* Moore, 1888; *bifimbriata* Warren, 1897
 73976) *Rhodoneura amethystea* (R. Felder & Rogenhofer, 1875) (Thyridae) Synonym(s): *amethystea* R. Felder & Rogenhofer, 1875
 73977) *Rhodoneura anastomosalis* (Pagenstecher, 1892) (Thyridae) Synonym(s): *anastomosalis* Pagenstecher, 1892
 73978) *Rhodoneura angulata* (Warren, 1899) (Thyridae) Synonym(s): *angulata* Warren, 1899
 73979) *Rhodoneura angustifascia* Warren, 1897 (Thyridae) Synonym(s): *angustifascia* Warren, 1897

- 73980) *Rhodoneura ansorgei* (Warren,1899) (Thyridae) Synonym(s): *ansorgei* Warren,1899
73981) *Rhodoneura anticalis* (Walker,1865) (Thyridae) Synonym(s): *anticalis* Walker,1865; ?*puralis* Walker,1865; *tetraonalis* Moore,1877
73982) *Rhodoneura apicalis* (Pagenstecher,1892) (Thyridae) Synonym(s): *apicalis* Pagenstecher,1892
73983) *Rhodoneura arcuata* (Pagenstecher,1892) (Thyridae) Synonym(s): *arcuata* Pagenstecher,1892
73984) *Rhodoneura argentalis* (Walker,1865) (Thyridae) Synonym(s): *argentalis* Walker,1865; *tuberosalis* Warren,1896
73985) *Rhodoneura astrodora* (Meyrick,1897) (Thyridae) Synonym(s): *astrodora* Meyrick,1897
73986) *Rhodoneura atomosalis* Hampson,1898 (Thyridae) Synonym(s): *atomosalis* Hampson,1898
73987) *Rhodoneura atriclastrata* Warren,1896 (Thyridae) Synonym(s): *atriclastrata* Warren,1896
73988) *Rhodoneura atripunctalis* (Walker,1865) (Thyridae) Synonym(s): *atripunctalis* Walker,1865
73989) *Rhodoneura atristrigulalis* Hampson,1896 (Thyridae) Synonym(s): *atristrigulalis* Hampson,1896
73990) *Rhodoneura bastialis* (Walker,1882) (Thyridae) Synonym(s): *aurata* Butler,1882; *hydreutis* Meyrick,1886
73991) *Rhodoneura aurea* Butler,1881 (Thyridae) Synonym(s): *aurea* Butler,1881
73992) *Rhodoneura aureopicta* Semper,1898 (Thyridae) Synonym(s): *aureopicta* Semper,1898
73993) *Rhodoneura aurifera* Hampson,1906 (Thyridae) Synonym(s): *aurifera* Hampson,1906
73994) *Rhodoneura australiae* (Warren,1908) (Thyridae) Synonym(s): *australiae* Warren,1908
73995) *Rhodoneura basalis* (Warren,1906) (Thyridae) Synonym(s): *basalis* Warren,1906
73996) *Rhodoneura bastialis* (Walker,1859) (Thyridae) Synonym(s): *bastialis* Walker,1859; *furcatula* Pagenstecher,1892
73997) *Rhodoneura bipuncta* Hampson,1892 (Thyridae) Synonym(s): *bipuncta* Hampson,1892
73998) *Rhodoneura bracteata* Hampson,1892 (Thyridae) Synonym(s): *bracteata* Hampson,1892
73999) *Rhodoneura brunnea* (Leech,1892) (Thyridae) Synonym(s): *brunnea* Leech,1892
74000) *Rhodoneura bullifera* (Warren,1896) (Thyridae) Synonym(s): *bullifera* Warren,1896
74001) *Rhodoneura bullita* Hampson,1896 (Thyridae) Synonym(s): *bullita* Hampson,1896
74002) *Rhodoneura candidatalis* Swinhoe,1905 (Thyridae) Synonym(s): *candidatalis* Swinhoe,1905
74003) *Rhodoneura capotona* Swinhoe,1903 (Thyridae) Synonym(s): *capotona* Swinhoe,1903
74004) *Rhodoneura carneola* (R.Felder & Rogenhofer,1875) (Thyridae) Synonym(s): *carneola* R.Felder & Rogenhofer,1875
74005) *Rhodoneura catenula* (Pagenstecher,1892) (Thyridae) Synonym(s): *catenula* Pagenstecher,1892
74006) *Rhodoneura cellulata* (Warren,1908) (Thyridae) Synonym(s): *cellulata* Warren,1908
74007) *Rhodoneura citrina* Hampson,1897 (Thyridae) Synonym(s): *citrina* Hampson,1897
74008) *Rhodoneura clathraria* Warren,1902 (Thyridae) Synonym(s): *clathraria* Warren,1902
74009) *Rhodoneura colorifera* (Warren,1907) (Thyridae) Synonym(s): *colorifera* Warren,1907
74010) *Rhodoneura commanotata* (Warren,1899) (Thyridae) Synonym(s): *commanotata* Warren,1899
74011) *Rhodoneura comparalis* (Warren,1908) (Thyridae) Synonym(s): *comparalis* Warren,1908
74012) *Rhodoneura complicatilis* (Warren,1897) (Thyridae) Synonym(s): *complicatilis* Warren,1897
74013) *Rhodoneura composita* (Warren,1907) (Thyridae) Synonym(s): *composita* Warren,1907
74014) *Rhodoneura corticina* (Pagenstecher,1892) (Thyridae) Synonym(s): *corticina* Pagenstecher,1892
74015) *Rhodoneura crossosticha* Turner,1911 (Thyridae) Synonym(s): *crossosticha* Turner,1911
74016) *Rhodoneura crypsilia* (Meyrick,1887) (Thyridae) Synonym(s): *crypsilia* Meyrick,1887
74017) *Rhodoneura crypsilitha* Turner,1911 (Thyridae) Synonym(s): *crypsilitha* Turner,1911
74018) *Rhodoneura cumulalis* (Walker,1863) (Thyridae) Synonym(s): *cumulalis* Walker,1863
74019) *Rhodoneura cuprea* (Butler,1882) (Thyridae) Synonym(s): *cuprea* Butler,1882
74020) *Rhodoneura cuprealis* Hampson,1892 (Thyridae) Synonym(s): *cuprealis* Hampson,1892
74021) *Rhodoneura cuprizona* Hampson,1910 (Thyridae) Synonym(s): *cuprizona* Hampson,1910
74022) *Rhodoneura curviflua* (Warren,1898) (Thyridae) Synonym(s): *curviflua* Warren,1898
74023) *Rhodoneura curvilinea* (Warren,1896) (Thyridae) Synonym(s): *curvilinea* Warren,1896
74024) *Rhodoneura curvistriga* (Warren,1908) (Thyridae) Synonym(s): *curvistriga* Warren,1908
74025) *Rhodoneura decoratalis* (Warren,1896) (Thyridae) Synonym(s): *decoratalis* Warren,1896
74026) *Rhodoneura discata* (Warren,1905) (Thyridae) Synonym(s): *discata* Warren,1905
74027) *Rhodoneura discopis* Hampson,1910 (Thyridae) Synonym(s): *discopis* Hampson,1910
74028) *Rhodoneura disparalis* Hampson,1910 (Thyridae) Synonym(s): *disparalis* Hampson,1910
74029) *Rhodoneura dorilusalis* (Walker,1859) (Thyridae) Synonym(s): *dorilusalis* Walker,1859; *imputalis* Walker,1865; *acutipennis* Pagenstecher,1886
74030) *Rhodoneura elongata* (Warren,1896) (Thyridae) Synonym(s): *elongata* Warren,1896
74031) *Rhodoneura elongatalis* Hampson,1907 (Thyridae) Synonym(s): *elongatalis* Hampson,1907
74032) *Rhodoneura emblicalis* (Moore,1888) (Thyridae) Synonym(s): *emblicalis* Moore,1888
74033) *Rhodoneura erubescens* W.Warren,1908 (Thyridae) Synonym(s): *erubescens* W.Warren,1908
74034) *Rhodoneura erythralis* (Pagenstecher,1892) (Thyridae) Synonym(s): *erythralis* Pagenstecher,1892
74035) *Rhodoneura eugrapha* Hampson,1906 (Thyridae) Synonym(s): *eugrapha* Hampson,1906
74036) *Rhodoneura euprepes* Hampson,1906 (Thyridae) Synonym(s): *euprepes* Hampson,1906
74037) *Rhodoneura extravagans* (Warren,1908) (Thyridae) Synonym(s): *extravagans* Warren,1908
74038) *Rhodoneura exusta* (Butler,1879) (Thyridae) Synonym(s): *exusta* Butler,1879; *ardens* Butler,1879; *erecta* Leech,1889
74039) *Rhodoneura fallax* (Warren,1896) (Thyridae) Synonym(s): *fallax* Warren,1896
74040) *Rhodoneura fasciata* (Moore,1888) (Thyridae) Synonym(s): *fasciata* Moore,1888
74041) *Rhodoneura ferrofusa* Hampson,1892 (Thyridae) Synonym(s): *ferrofusa* Hampson,1892
74042) *Rhodoneura ferrugata* (Warren,1907) (Thyridae) Synonym(s): *ferrugata* Warren,1907
74043) *Rhodoneura ferruginea* (Pagenstecher,1892) (Thyridae) Synonym(s): *ferruginea* Pagenstecher,1892
74044) *Rhodoneura ferruginosa* Hampson,1906 (Thyridae) Synonym(s): *ferruginosa* Hampson,1906
74045) *Rhodoneura figurata* (W.Warren,1904) (Thyridae) Synonym(s): *figurata* W.Warren,1904
74046) *Rhodoneura flavicilia* Hampson,1906 (Thyridae) Synonym(s): *flavicilia* Hampson,1906
74047) *Rhodoneura flavula* (Pagenstecher,1892) (Thyridae) Synonym(s): *flavula* Pagenstecher,1892
74048) *Rhodoneura fractifascia* (Warren,1908) (Thyridae) Synonym(s): *fractifascia* Warren,1908
74049) *Rhodoneura fulviceps* (R.Felder & Rogenhofer,1875) (Thyridae) Synonym(s): *fulviceps* R.Felder & Rogenhofer,1875
74050) *Rhodoneura fulvipicta* (Warren,1908) (Thyridae) Synonym(s): *fulvipicta* Warren,1908
74051) *Rhodoneura fumiceps* (Warren,1906) (Thyridae) Synonym(s): *fumiceps* Warren,1906
74052) *Rhodoneura funesta* (Warren,1908) (Thyridae) Synonym(s): *funesta* Warren,1908
74053) *Rhodoneura furcifera* Hampson,1900 (Thyridae) Synonym(s): *furcifera* Hampson,1900
74054) *Rhodoneura furva* (Warren,1905) (Thyridae) Synonym(s): *furva* Warren,1905
74055) *Rhodoneura fuscibasis* Hampson,1910 (Thyridae) Synonym(s): *fuscibasis* Hampson,1910
74056) *Rhodoneura gemmata* Hampson,1906 (Thyridae) Synonym(s): *gemma* Hampson,1906
74057) *Rhodoneura giulia* Swinhoe,1902 (Thyridae) Synonym(s): *giulia* Swinhoe,1902
74058) *Rhodoneura glaphyralis* Hampson,1892 (Thyridae) Synonym(s): *glaphyralis* Hampson,1892
74059) *Rhodoneura gracilis* Möschler,1881 (Thyridae) Synonym(s): *gracilis* Möschler,1881
74060) *Rhodoneura guttata* Christoph,1880 (Thyridae) Synonym(s): *guttata* Christoph,1880; *lucidulina* Poujade,1894
74061) *Rhodoneura guttula* (Pagenstecher,1892) (Thyridae) Synonym(s): *guttula* Pagenstecher,1892
74062) *Rhodoneura guttulosa* (Warren,1905) (Thyridae) Synonym(s): *guttulosa* Warren,1905
74063) *Rhodoneura hamptoni* Dalla Torre,1914 (Thyridae) Synonym(s): *obliquatalis* Hampson,1892 nec Wlk.,1865; *hamptoni* Dalla Torre,1914
74064) *Rhodoneura hebra* Swinhoe,1895 (Thyridae) Synonym(s): *hebra* Swinhoe,1895
74065) *Rhodoneura hedilalis* (Walker,1859) (Thyridae) Synonym(s): *hedilalis* Walker,1859
74066) *Rhodoneura hieroglyphica* (Warren,1899) (Thyridae) Synonym(s): *hieroglyphica* Warren,1899
74067) *Rhodoneura hyaena* (Warren,1905) (Thyridae) Synonym(s): *hyaena* Warren,1905
74068) *Rhodoneura hypargyra* Hampson,1892 (Thyridae) Synonym(s): *hypargyra* Hampson,1892
74069) *Rhodoneura hypoxantha* Hampson,1892 (Thyridae) Synonym(s): *hypoxantha* Hampson,1892

- 74070) *Rhodoneura illustrata* (Warren,1908) (Thyridae) Synonym(s): *illustrata* Warren,1908
 74071) *Rhodoneura impletalis* (Walker,1873) (Thyridae) Synonym(s): *impletalis* Walker,1873
 74072) *Rhodoneura interalbicans* (Warren,1897) (Thyridae) Synonym(s): *interalbicans* Warren,1897
 74073) *Rhodoneura intermedia* (Warren,1908) (Thyridae) Synonym(s): *intermedia* Warren,1908
 74074) *Rhodoneura intimalis* (Moore,1888) (Thyridae) Synonym(s): *intimalis* Moore,1888; *ulterior* Warren,1896; *compunctalis* Warren,1898
 74075) *Rhodoneura lacteguttata* (Warren,1904) (Thyridae) Synonym(s): *lacteguttata* Warren,1904
 74076) *Rhodoneura lactiguttata* Hampson,1910 (Thyridae) Synonym(s): *lactiguttata* Hampson,1910
 74077) *Rhodoneura lateralis* (Warren,1907) (Thyridae) Synonym(s): *lateralis* Warren,1907
 74078) *Rhodoneura lateritiata* Pagenstecher,1900 (Thyridae) Synonym(s): *lateritiata* Pagenstecher,1900
 74079) *Rhodoneura latizonalis* Hampson,1898 (Thyridae) Synonym(s): *latizonalis* Hampson,1898
 74080) *Rhodoneura lepida* (Warren,1908) (Thyridae) Synonym(s): *lepida* Warren,1908
 74081) *Rhodoneura leucosticta* Hampson,1906 (Thyridae) Synonym(s): *leucosticta* Hampson,1906
 74082) *Rhodoneura lilacina* (Warren,1905) (Thyridae) Synonym(s): *lilacina* Warren,1905
 74083) *Rhodoneura lobulata* (Moore,1888) (Thyridae) Synonym(s): *lobulata* Moore,1888
 74084) *Rhodoneura loceusalis* (Walker,1859) (Thyridae) Synonym(s): *loceusalis* Walker,1859
 74085) *Rhodoneura lucida* (Warren,1907) (Thyridae) Synonym(s): *lucida* (Warren,1907
 74086) *Rhodoneura lunula* (R.Felder & Rogenhofer,1875) (Thyridae) Synonym(s): *lunula* R.Felder & Rogenhofer,1875
 74087) *Rhodoneura maevina* Moore,1888 (Thyridae) Synonym(s): *tetraonalis* Pagenstecher,1886 nec Mre.,1877; *maevina* Moore,1888; *carneata* Warren,1899
 74088) *Rhodoneura magnifica* (Meyrick,1887) (Thyridae) Synonym(s): *magnifica* Meyrick,1887
 74089) *Rhodoneura margaritalis* Hampson,1898 (Thyridae) Synonym(s): *margaritalis* Hampson,1898
 74090) *Rhodoneura mediovincta* (Warren,1905) (Thyridae) Synonym(s): *mediovincta* Warren,1905
 74091) *Rhodoneura melanostigmatis* Swinhoe,1895 (Thyridae) Synonym(s): *melanostigmatis* Swinhoe,1895
 74092) *Rhodoneura melialis* Swinhoe,1900 (Thyridae) Synonym(s): *melialis* Swinhoe,1900
 74093) *Rhodoneura mellea* Saalmüller,1881 (Thyridae) Synonym(s): *mellea* Saalmüller,1881
 74094) *Rhodoneura micacealis* (Walker,1865) (Thyridae) Synonym(s): *micacealis* Walker,1865; *disjunctalis* Walker,1865; *papuensis* Pagenstecher,1886; *occlusa* Warren,1897
 74095) *Rhodoneura micragraphalis* Hampson,1897 (Thyridae) Synonym(s): *micragraphalis* Hampson,1897
 74096) *Rhodoneura miosticta* Hampson,1906 (Thyridae) Synonym(s): *miosticta* Hampson,1906
 74097) *Rhodoneura mollicellalis* Warren,1896 (Thyridae) Synonym(s): *mollicellalis* Warren,1896
 74098) *Rhodoneura mollis* (Warren,1896) (Thyridae) Synonym(s): *mollis* Warren,1896; *mediostrigata* Warren,1897
 74099) *Rhodoneura moorei* (Warren,1908) (Thyridae) Synonym(s): *reticulata* Moore,1888 nec Wlk.; *moorei* Warren,1908
 74100) *Rhodoneura multifasciata* (Warren,1900) (Thyridae) Synonym(s): *multifasciata* Warren,1900
 74101) *Rhodoneura multifenestrata* (Warren,1896) (Thyridae) Synonym(s): *multifenestrata* Warren,1896
 74102) *Rhodoneura multipunctata* Hampson,1892 (Thyridae) Synonym(s): *multipunctata* Hampson,1892
 74103) *Rhodoneura myrsusalis* (Walker,1859) (Thyridae) Synonym(s): *myrsusalis* Walker,1859; *elaris* Walker,1859; *idalialis* Walker,1859;
 74104) *Rhodoneura myrtacea* (Drury,1773) (Thyridae) Synonym(s): *myrtacea* Drury,1773; *fenestrifera* Walker,1864; *fenestrina* R.Felder & Rogenhofer,1875; *clathrula* Guenée,1877; *fenestrata* Guenée,1877
 74105) *Rhodoneura nana* (Warren,1898) (Thyridae) Synonym(s): *nana* Warren,1898
 74106) *Rhodoneura neapolitana* (Warren,1905) (Thyridae) Synonym(s): *neapolitana* Warren,1905
 74107) *Rhodoneura nebulosa* (Warren,1889) (Thyridae) Synonym(s): *nebulosa* Warren,1889; *rotundula* Pagenstecher,1892
 74108) *Rhodoneura nephelopera* Hampson,1906 (Thyridae) Synonym(s): *nephelopera* Hampson,1906
 74109) *Rhodoneura nigralbata* (W.Warren,1908) (Thyridae) Synonym(s): *nigralbata* W.Warren,1908
 74110) *Rhodoneura nigrithorax* (Warren,1906) (Thyridae) Synonym(s): *nigrithorax* Warren,1906
 74111) *Rhodoneura nitens* (Butler,1887) (Thyridae) Synonym(s): *nitens* Butler,1887; *hamifera* Moore,1888; *ancylosema* Meyrick,1894; *atribasalis* Warren,1899
 74112) *Rhodoneura nitida* Pagenstecher,1888 (Thyridae) Synonym(s): *nitida* Pagenstecher,1888
 74113) *Rhodoneura nostralis* (Walker,1858) (Thyridae) Synonym(s): *nostralis* Walker,1858
 74114) *Rhodoneura notula* Pagenstecher,1892 (Thyridae) Synonym(s): *notula* Pagenstecher,1892
 74115) *Rhodoneura nubecula* Guenée,1857 (Thyridae) Synonym(s): *nubecula* Guenée,1857
 74116) *Rhodoneura nubila* Hampson,1906 (Thyridae) Synonym(s): *nubila* Hampson,1906
 74117) *Rhodoneura nullula* Guenée,1857 (Thyridae) Synonym(s): *nullula* Guenée,1857
 74118) *Rhodoneura obliquialis* (Walker,1865) (Thyridae) Synonym(s): *obliquialis* Walker,1865; *bivittata* Pagenstecher,1886
 74119) *Rhodoneura obliquifascia* (Warren,1908) (Thyridae) Synonym(s): *obliquifascia* Warren,1908
 74120) *Rhodoneura ocellipennis* (Warren,1908) (Thyridae) Synonym(s): *occellipennis* Warren,1908
 74121) *Rhodoneura oligosticta* Hampson,1892 (Thyridae) Synonym(s): *oligosticta* Hampson,1892
 74122) *Rhodoneura ovifera* (Butler,1892) (Thyridae) Synonym(s): *ovifera* Butler,1892
 74123) *Rhodoneura pagenstecheri* Dalla Torre,1914 (Thyridae) Synonym(s): *cuprea* Pagenstecher,1884 nec Butl.,1882; *pagenstecheri* Dalla Torre,1914
 74124) *Rhodoneura palairantha* Bethune-Baker,1911 (Thyridae) Synonym(s): *palairantha* Bethune-Baker,1911
 74125) *Rhodoneura palealides* Hampson,1906 (Thyridae) Synonym(s): *palealides* Hampson,1906
 74126) *Rhodoneura pallida* (Butler,1879) (Thyridae) Synonym(s): *pallida* Butler,1879; *obliquistrigalis* Warren,1896
 74127) *Rhodoneura parallelina* Leech,1898 (Thyridae) Synonym(s): *parallelina* Leech,1898
 74128) *Rhodoneura patricolor* (Warren,1903) (Thyridae) Synonym(s): *patricolor* Warren,1903
 74129) *Rhodoneura paullula* (Pagenstecher,1892) (Thyridae) Synonym(s): *paullula* Pagenstecher,1892
 74130) *Rhodoneura perlula* Guenée,1857 (Thyridae) Synonym(s): *perlula* Guenée,1857
 74131) *Rhodoneura pernitescens* (Warren,1897) (Thyridae) Synonym(s): *pernitescens* Warren,1897
 74132) *Rhodoneura pexa* Hampson,1906 (Thyridae) Synonym(s): *pexa* Hampson,1906
 74133) *Rhodoneura phasianalis* Swinhoe,1900 (Thyridae) Synonym(s): *phasianalis* Swinhoe,1900
 74134) *Rhodoneura piperata* (Warren,1899) (Thyridae) Synonym(s): *piperata* Warren,1899
 74135) *Rhodoneura plagiatus* Dalla Torre,1914 (Thyridae) Synonym(s): *plagiatus* Warren,1905 nec 1897; *plagiatus* Dalla Torre,1914
 74136) *Rhodoneura plagifera* (Butler,1886) (Thyridae) Synonym(s):
 74137) *Rhodoneura plana* Hampson,1897 (Thyridae) Synonym(s): *plana* Hampson,1897
 74138) *Rhodoneura plumbea* (Warren,1908) (Thyridae) Synonym(s): *plumbea* Warren,1908
 74139) *Rhodoneura politula* (Pagenstecher,1892) (Thyridae) Synonym(s): *politula* Pagenstecher,1892
 74140) *Rhodoneura polychlorialis* (Pagenstecher,1892) (Thyridae) Synonym(s): *polychlorialis* Pagenstecher,1892
 74141) *Rhodoneura polygraphalis* (Walker,1865) (Thyridae) Synonym(s): *polygraphalis* Walker,1865; *marmorealis* Moore,1877; *denticulosa* Moore,1885; *rhythmica* Meyrick,1887; *bastialis* Hampson,1892
 74142) *Rhodoneura polystictalis* Hampson,1897 (Thyridae) Synonym(s): *polystictalis* Hampson,1897
 74143) *Rhodoneura praeusta* (Warren,1897) (Thyridae) Synonym(s): *praeusta* Warren,1897
 74144) *Rhodoneura pudicula* Guenée,1857 (Thyridae) Synonym(s): *pudicula* Guenée,1857; *guttulosa* Walker,1864; *obsolescens* Warren,1908
 74145) *Rhodoneura pulchelloides* (Pagenstecher,1892) (Thyridae) Synonym(s): *pulchelloides* Pagenstecher,1892
 74146) *Rhodoneura punctum* (R.Felder & Rogenhofer,1875) (Thyridae) Synonym(s): *punctum* R.Felder & Rogenhofer,1875; *puncta* Hampson,1897
 74147) *Rhodoneura puralis* (Walker,1865) (Thyridae) Synonym(s): *puralis* Walker,1865
 74148) *Rhodoneura pusillata* (Warren,1902) (Thyridae) Synonym(s): *pusillata* Warren,1902
 74149) *Rhodoneura quadrovata* (Warren,1896) (Thyridae) Synonym(s): *quadrovata* Warren,1896
 74150) *Rhodoneura quartaria* (Warren,1906) (Thyridae) Synonym(s): *quartaria* Warren,1906
 74151) *Rhodoneura quinquelineata* (Warren,1897) (Thyridae) Synonym(s): *quinquelineata* Warren,1897
 74152) *Rhodoneura quinquelineolata* Dalla Torre,1914 (Thyridae) Synonym(s): *quinquelineolata* Warren,1906 nec 1897; *quinquelineolata* Dalla Torre,1914
 74153) *Rhodoneura ramifera* (Warren,1897) (Thyridae) Synonym(s): *ramifera* Warren,1897
 74154) *Rhodoneura rectivata* (Warren,1899) (Thyridae) Synonym(s): *rectivata* Warren,1899
 74155) *Rhodoneura reticulalis* Moore,1877 (Thyridae) Synonym(s): *reticulalis* Moore,1877
 74156) *Rhodoneura raphiducha* (Warren,1911) (Thyridae) Synonym(s): *raphiducha* Warren,1911

- 74157) *Rhodoneura rhomboidea* (Warren,1889) (Thyridae) Synonym(s): *rhomboidea* Warren,1889; *laevigata* Pagenstecher,1892
74158) *Rhodoneura ritteri* (Pagenstecher,1895) (Thyridae) Synonym(s): *ritteri* Pagenstecher,1895
74159) *Rhodoneura rosenbergi* (Warren,1900) (Thyridae) Synonym(s): *rosenbergi* Warren,1900
74160) *Rhodoneura roseobrunnea* (Warren,1908) (Thyridae) Synonym(s): *roseobrunnea* Warren,1908
74161) *Rhodoneura rufareta* Hampson,1892 (Thyridae) Synonym(s): *rufareta* Hampson,1892
74162) *Rhodoneura rufidorsata* (Warren,1908) (Thyridae) Synonym(s): *rufidorsata* Warren,1908
74163) *Rhodoneura rufifimbria* (Warren,1901) (Thyridae) Synonym(s): *rufifimbria* Warren,1901
74164) *Rhodoneura rufigrisea* (Warren,1900) (Thyridae) Synonym(s): *rufigrisea* Warren,1900
74165) *Rhodoneura rufistriga* (Warren,1907) (Thyridae) Synonym(s): *rufistriga* Warren,1907
74166) *Rhodoneura ruinosa* (Warren,1908) (Thyridae) Synonym(s): *ruinosa* Warren,1908
74167) *Rhodoneura salmo* (Warren,1908) (Thyridae) Synonym(s): *salmo* Warren,1908
74168) *Rhodoneura satelles* (Warren,1906) (Thyridae) Synonym(s): *satelles* Warren,1906
74169) *Rhodoneura scripta* (Warren,1898) (Thyridae) Synonym(s): *scripta* Warren,1898
74170) *Rhodoneura sectilinea* (Warren,1908) (Thyridae) Synonym(s): *sectilinea* Warren,1908
74171) *Rhodoneura semiperforata* (Warren,1896) (Thyridae) Synonym(s): *semiperforata* Warren,1896
74172) *Rhodoneura semitessellata* (Walker,1864) (Thyridae) Synonym(s): *semitessellata* Walker,1864; *semitessellalis* Walker,1865; *ignotalis* Röber,1892; *tessellatula* Pagenstecher,1892; *hyalospila* Lower,1894; *plagiata* Warren,1897
74173) *Rhodoneura separata* Warren,1908 (Thyridae) Synonym(s): *separata* Warren,1908
74174) *Rhodoneura sericatalis* Rebel,1915 (Thyridae) Synonym(s):
74175) *Rhodoneura setifera* Swinhoe,1895 (Thyridae) Synonym(s): *setifera* Swinhoe,1895
74176) *Rhodoneura sigillata* (Warren,1898) (Thyridae) Synonym(s): *sigillata* Warren,1898
74177) *Rhodoneura sparsireta* Hampson,1906 (Thyridae) Synonym(s): *sparsireta* Hampson,1906
74178) *Rhodoneura spilotata* (Warren,1887) (Thyridae) Synonym(s): *spilotata* Warren,1887; *complicata* Warren,1898
74179) *Rhodoneura splendida* (Butler,1887) (Thyridae) Synonym(s): *splendida* Butler,1887; *paucipunctalis* Warren,1896
74180) *Rhodoneura spurcatula* (Warren,1908) (Thyridae) Synonym(s): *spurcatula* Warren,1908
74181) *Rhodoneura squalida* (Warren,1909) (Thyridae) Synonym(s): *squalida* Warren,1909
74182) *Rhodoneura squamigera* (Pagenstecher,1892) (Thyridae) Synonym(s): *squamigera* Pagenstecher,1892
74183) *Rhodoneura staccata* (Warren,1898) (Thyridae) Synonym(s): *staccata* Warren,1898
74184) *Rhodoneura sterna* (R.Felder & Rogenhofer,1875) (Thyridae) Synonym(s): *sterna* R.Felder & Rogenhofer,1875; *virginula* Guenée,1877
74185) *Rhodoneura stigmatophora* (Warren,1908) (Thyridae) Synonym(s): *stigmatophora* Warren,1908
74186) *Rhodoneura striativena* (Hampson,1890) (Thyridae) Synonym(s): *striativena* Hampson,1890
74187) *Rhodoneura striola* (R.Felder & Rogenhofer,1875) (Thyridae) Synonym(s): *striola* R.Felder & Rogenhofer,1875
74188) *Rhodoneura subcostalis* Hampson,1892 (Thyridae) Synonym(s): *subcostalis* Hampson,1892
74189) *Rhodoneura subluces* (Warren,1908) (Thyridae) Synonym(s): *subluces* Warren,1908
74190) *Rhodoneura subolivescens* (Warren,1908) (Thyridae) Synonym(s): *subolivescens* Warren,1908
74191) *Rhodoneura suborbitalis* (Warren,1906) (Thyridae) Synonym(s): *suborbitalis* Warren,1906
74192) *Rhodoneura subscripta* (Warren,1899) (Thyridae) Synonym(s): *subscripta* Warren,1899
74193) *Rhodoneura subtransversalis* (Warren,1897) (Thyridae) Synonym(s): *subtransversalis* Warren,1897
74194) *Rhodoneura sulphurea* Warren,1898 (Thyridae) Synonym(s): *sulphurea* Warren,1898
74195) *Rhodoneura taeniata* (Warren,1908) (Thyridae) Synonym(s): *taeniata* Warren,1908
74196) *Rhodoneura taphiusalis* (Walker,1859) (Thyridae) Synonym(s): *taphiusalis* Walker,1859
74197) *Rhodoneura terminalis* (Walker,1865) (Thyridae) Synonym(s): *terminalis* Walker,1865
74198) *Rhodoneura terreola* Mabille,1880 (Thyridae) Synonym(s): *terreola* Mabille,1880
74199) *Rhodoneura tetragonata* (Walker,1864) (Thyridae) Synonym(s): *tetragonata* Walker,1864; *vinosa* Butler,1892; *quadripunctula* Pagenstecher,1892; *jubralis* Swinhoe,1895; *dissimulans* Warren,1896; *ordinaria* Warren,1896
74200) *Rhodoneura thiastoralis* (Walker,1859) (Thyridae) Synonym(s): *thiastoralis* Walker,1859
74201) *Rhodoneura tigrulula* Guenée,1857 (Thyridae) Synonym(s): *tigrulula* Guenée,1857
74202) *Rhodoneura triangularis* Pagenstecher,1892 (Thyridae) Synonym(s): *triangularis* Pagenstecher,1892
74203) *Rhodoneura triangulifera* (Warren,1897) (Thyridae) Synonym(s): *triangulifera* Warren,1897
74204) *Rhodoneura trigoniphora* Hampson,1898 (Thyridae) Synonym(s): *trigoniphora* Hampson,1898
74205) *Rhodoneura tristis* Hampson,1892 (Thyridae) Synonym(s): *tristis* Hampson,1892
74206) *Rhodoneura tristriata* (Pagenstecher,1892) (Thyridae) Synonym(s): *tristriata* Pagenstecher,1892
74207) *Rhodoneura tirtropha* Swinhoe,1895 (Thyridae) Synonym(s): *tirtropha* Swinhoe,1895
74208) *Rhodoneura triumphans* (Warren,1904) (Thyridae) Synonym(s): *triumphans* Warren,1904
74209) *Rhodoneura turbatalis* Warren,1905 (Thyridae) Synonym(s): *turbatalis* Warren,1905
74210) *Rhodoneura uniformis* Hampson,1892 (Thyridae) Synonym(s): *uniformis* Hampson,1892
74211) *Rhodoneura unitula* (Guenée,1877) (Thyridae) Synonym(s): *unitula* Guenée,1877
74212) *Rhodoneura variabilis* (Pagenstecher,1886) (Thyridae) Synonym(s): *variabilis* Pagenstecher,1886
74213) *Rhodoneura venustula* (Warren,1905) (Thyridae) Synonym(s): *venustula* Warren,1905
74214) *Rhodoneura vermiculata* (Warren,1907) (Thyridae) Synonym(s): *vermiculata* Warren,1907
74215) *Rhodoneura violalis* (Pagenstecher,1892) (Thyridae) Synonym(s): *violalis* Pagenstecher,1892
74216) *Rhodoneura viriditincta* (Warren,1908) (Thyridae) Synonym(s): *viriditincta* Warren,1908
74217) *Rhodoneura vittula* (Guenée,1877) (Thyridae) Synonym(s): *vittula* Guenée,1877
74218) *Rhodoneura werneburgalis* (Keferstein,1870) (Thyridae) Synonym(s): *werneburgalis* Keferstein,1870; *plagula* Guenée,1877; *wirneburgalis* Hampson,1898
74219) *Rhodoneura xanthina* (R.Felder & Rogenhofer,1875) (Thyridae) Synonym(s): *xanthina* R.Felder & Rogenhofer,1875
74220) *Rhodoneura ypsilon* (Warren,1899) (Thyridae) Synonym(s): *ypsilon* Warren,1899
74221) *Risama avicula* Guenée,1877 (Thyridae) Synonym(s): *avicula* Guenée,1877; *macropterana* Druce,1895 nec Wlk.,1865
74222) *Risama eurymenana* (Walker,1865) (Thyridae) Synonym(s): *eurymenana* Walker,1865; *subchalybaea* Walker,1865
74223) *Risama falcata* (R.Felder & Rogenhofer,1875) (Thyridae) Synonym(s): *falcata* R.Felder & Rogenhofer,1875; *serpula* Guenée,1877
74224) *Risama mediula* Guenée,1877 (Thyridae) Synonym(s): *mediula* Guenée,1877
74225) *Risama picta* (Walker,1865) (Thyridae) Synonym(s): *picta* Walker,1865; *aurorula* Guenée,1877
74226) *Risama reticula* Guenée,1857 (Thyridae) Synonym(s): *reticula* Guenée,1857
74227) *Risama straminula* (Pagenstecher,1892) (Thyridae) Synonym(s): *straminula* Pagenstecher,1892
74228) *Risama substrigata* (Warren,1900) (Thyridae) Synonym(s): *substrigata* Warren,1900
74229) *Risama transversa* (Walker,1865) (Thyridae) Synonym(s): *transversa* Walker,1865
74230) *Sonagara strigipennis* Moore,1882 (Thyridae) Synonym(s): *strigipennis* Moore,1882
74231) *Stenocopsis albiapicata* Warren,1900 (Thyridae) Synonym(s): *albiapicata* Warren,1900
74232) *Striglina anthina* Tams,1935 (Thyridae) Synonym(s):
74233) *Striglina asinina* Warren,1899 (Thyridae) Synonym(s): *asinina* Warren,1899
74234) *Striglina bivittata* (Moore,1883) (Thyridae) Synonym(s): *bivittata* Moore,1883; *decussata* Hampson,1892; *glareola* Hampson,1898
74235) *Striglina brunneata* Warren,1905 (Thyridae) Synonym(s): *brunneata* Warren,1905
74236) *Striglina buergersi* Gaede,1922 (Thyridae) Synonym(s): *buergersi* Gaede,1922
74237) *Striglina centiginosa* Lucas,1898 (Thyridae) Synonym(s): *centiginosa* Lucas,1898; *striglina* Turner,1903; *cypholoma* Turner,1903
74238) *Striglina condensata* Warren,1907 (Thyridae) Synonym(s): *condensata* Warren,1907
74239) *Striglina costirufata* Warren,1907 (Thyridae) Synonym(s): *costirufata* Warren,1907
74240) *Striglina curvilinea* Warren,1905 (Thyridae) Synonym(s): *curvilinea* Warren,1905
74241) *Striglina dentifascia* Warren,1907 (Thyridae) Synonym(s): *dentifascia* Warren,1907
74242) *Striglina derasata* Warren,1897 (Thyridae) Synonym(s): *derasata* Warren,1897
74243) *Striglina divisata* Warren,1904 (Thyridae) Synonym(s): *divisata* Warren,1904

- 74244) *Striglina duplicifimbria* W.Warren,1896 (Thyridae) Synonym(s): *duplicifimbria* W.Warren,1896
 74245) *Striglina fixseni* Alpheraky,1897 (Thyridae) Synonym(s): *fixseni* Alpheraky,1897
 74246) *Striglina flammans* Hampson,1906 (Thyridae) Synonym(s): *flammans* Hampson,1906
 74247) *Striglina floccosa* Warren,1905 (Thyridae) Synonym(s): *floccosa* Warren,1905
 74248) *Striglina glareola* (R.Felder & Rogenhofer,1875) (Thyridae) Synonym(s): *glareola* R.Felder & Rogenhofer,1875; *decussata* Moore,1883; *sordida* Pagenstecher,1892; *platyntis* Meyrick,1894; *duplicifimbria* Warren,1896
 74249) *Striglina guttistigma* Hampson,1906 (Thyridae) Synonym(s): *guttistigma* Hampson,1906
 74250) *Striglina hyperbolica* Warren,1898 (Thyridae) Synonym(s): *hyperbolica* Warren,1898
 74251) *Striglina ignefissa* Warren,1907 (Thyridae) Synonym(s): *ignefissa* Warren,1907
 74252) *Striglina ignepicta* Hampson,1905 (Thyridae) Synonym(s): *ignepicta* Hampson,1905
 74253) *Striglina irias* (Meyrick,1887) (Thyridae) Synonym(s): *irias* Meyrick,1887
 74254) *Striglina jucunda* Warren,1908 (Thyridae) Synonym(s): *jucunda* Warren,1908
 74255) *Striglina leprosa* Warren,1898 (Thyridae) Synonym(s): *leprosa* Warren,1898
 74256) *Striglina lilacina* Warren,1898 (Thyridae) Synonym(s): *lilacina* Warren,1898; *loxomita* Turner,1905
 74257) *Striglina mediosecta* Warren,1899 (Thyridae) Synonym(s): *mediosecta* Warren,1899
 74258) *Striglina metallifera* Warren,1907 (Thyridae) Synonym(s): *metallifera* Warren,1907
 74259) *Striglina nigripuncta* Warren,1907 (Thyridae) Synonym(s): *nigripuncta* Warren,1907
 74260) *Striglina ochracea* Möschler,1881 (Thyridae) Synonym(s): *ochracea* Möschler,1881
 74261) *Striglina oecia* Tams,1935 (Thyridae) Synonym(s):
 74262) *Striglina pallidirufa* Hampson,1906 (Thyridae) Synonym(s): *pallidirufa* Hampson,1906
 74263) *Striglina pyrrhata* (Walker,1866) (Thyridae) Synonym(s): *pyrrhata* Walker,1866; *australina* Guenée,1877
 74264) *Striglina reversa* Warren,1899 (Thyridae) Synonym(s): *reversa* Warren,1899
 74265) *Striglina rothi* Warren,1898 (Thyridae) Synonym(s): *rothi* Warren,1898
 74266) *Striglina rufitibia* (R.Felder & Rogenhofer,1875) (Thyridae) Synonym(s): *rufitibia* R.Felder & Rogenhofer,1875
 74267) *Striglina scalata* Warren,1903 (Thyridae) Synonym(s): *scalata* Warren,1903; *nigrata* Warren,1905
 74268) *Striglina scintillans* Warren,1905 (Thyridae) Synonym(s): *scintillans* Warren,1905
 74269) *Striglina scitaria* (Walker,1862) (Thyridae) Synonym(s): *scitaria* Walker,1862; *pyriniata* Walker,1862; *navigatorum* R.Felder & Rogenhofer,1875; *lineola* Guenée,1877; *thermesiodes* Snellen,1877; *cancellata* Christoph,1880; *vialis* Moore,1883; *superior* Butler,1887; *strigosa* Moore,1888; *strigipennis* Moore,1888; *henrici* Snellen,1890
 74270) *Striglina stramentaria* Lucas,1898 (Thyridae) Synonym(s): *stramentaria* Lucas,1898
 74271) *Striglina straminea* Warren,1903 (Thyridae) Synonym(s): *straminea* Warren,1903
 74272) *Striglina suffusa* Leech,1898 (Thyridae) Synonym(s): *suffusa* Leech,1898 CN
 74273) *Striglina variegata* Warren,1899 (Thyridae) Synonym(s): *variegata* Warren,1899
 74274) *Striglina xanthoptera* Hampson,1897 (Thyridae) Synonym(s): *xanthoptera* Hampson,1897
 74275) *Striglina xanthosela* Warren,1903 (Thyridae) Synonym(s): *xanthosela* Warren,1903
 74276) *Symphleps atomosalis* Warren,1897 (Thyridae) Synonym(s): *atomosalis* Warren,1897
 74277) *Symphleps ochracea* Pagenstecher,1886 (Thyridae) Synonym(s): *ochracea* Pagenstecher,1886; *pallida* Warren,1899
 74278) *Symphleps perfusa* Warren,1902 (Thyridae) Synonym(s): *perfusa* Warren,1902
 74279) *Symphleps suffusa* Warren,1898 (Thyridae) Synonym(s): *suffusa* Warren,1898
 74280) *Telchines vialis* (Moore,1883) (Thyridae) Synonym(s): *vialis* Moore,1883
 74281) *Thyris fenestrella* (Scopoli,1763) (Thyridae) Synonym(s): *fenestrella* Scopoli,1763; *fenestrina* [Denis & Schiffermüller],1775; *marica* Cyrillo,1792; *pyralidiformis* Hübner,1796; *fenestrata* Schrank,1801; *nevadae* Oberthür,1888; *nigra* A.Bang-Haas,1910.
 74282) *Thyris kasachstanica* Zagulyaev,1987 (Thyridae) Synonym(s): *kasachstanica* Zagulyaev,1987
 74283) *Thyris lugubris* Boisdual,1852 (Thyridae) Synonym(s): *lugubris* Boisdual,1852
 74284) *Thyris maculata* Harris,1839 (Thyridae) Synonym(s): *maculata* Harris,1839; *perspicua* Walker,1856
 74285) *Thyris usitata* Butler,1879 (Thyridae) Synonym(s): *usitata* Butler,1879
 74286) *Tridesmodes ansorgei* W.Warren,1901 (Thyridae) Synonym(s): *ansorgei* W.Warren,1901
 74287) *Tridesmodes ramiculata* W.Warren,1899 (Thyridae) Synonym(s): *ramiculata* W.Warren,1899
 74288) *Trophoessa daphoena* Turner,1911 (Thyridae) Synonym(s): *daphoena* Turner,1911
 74289) *Vadata macropterana* Walker,1865 (Thyridae) Synonym(s): *macropterana* Walker,1865; *maculata* Pagenstecher,1892
 74290) *Vaena eacleoides* Walker,1873 (Thyridae) Synonym(s): *eacleoides* Walker,1873
 74291) *Vernifilia hyalipuncta* Schultze,1907 (Thyridae) Synonym(s): *hyalipuncta* Schultze,1907
 74292) *Zeuzerodes argentistriata* Warren,1900 (Thyridae) Synonym(s): *argentistriata* Warren,1900
 74293) *Zeuzerodes castanea* Warren,1907 (Thyridae) Synonym(s): *castanea* Warren,1907; *caenosa* Dognin,1911
 74294) *Zeuzerodes fasciata* Warren,1905 (Thyridae) Synonym(s): *fasciata* Warren,1905
 74295) *Zeuzerodes fumatilis* Pagenstecher,1892 (Thyridae) Synonym(s): *fumatilis* Pagenstecher,1892
 74296) *Zeuzerodes leuconotula* (Pagenstecher,1892) (Thyridae) Synonym(s): *leuconotula* Pagenstecher,1892
 74297) *Zeuzerodes maculata* Warren,1907 (Thyridae) Synonym(s): *maculata* Warren,1907
 74298) *Zeuzerodes subfulvata* Warren,1904 (Thyridae) Synonym(s): *subfulvata* Warren,1904
 74299) *"Lecithocera" luridella* Christoph,1882 (Tineidae) Synonym(s): *luridella* Christoph,1882
 74300) *"Myrmecozela" paurosperma* Meyrick,1926 (Tineidae) Synonym(s): *paurosperma* Meyrick,1926
 74301) *"Myrmecozela" pogonopsis* Meyrick,1926 (Tineidae) Synonym(s): *pogonopsis* Meyrick,1926
 74302) *"Oinophila" xanthorrhabda* Meyrick,1915 (Tineidae) Synonym(s): *xanthorrhabda* Meyrick,1915
 74303) *"Oxymachaeris" zulella* (Walsingham,1881) (Tineidae) Synonym(s): *zulella* Walsingham,1881
 74304) *"Phyllobrostis" argillosa* Meyrick,1911 (Tineidae) Synonym(s): *argillosa* Meyrick,1911
 74305) *"Stenoptinea" argyrospora* (Meyrick,1931) (Tineidae) Synonym(s): *argyrospora* Meyrick,1931
 74306) *"Tinea" aureomarmorata* Wollaston,1879 (Tineidae) Synonym(s): *aureomarmorata* Wollaston,1879
 74307) *"Tinea" bicolor* Wollaston,1879 (Tineidae) Synonym(s): *bicolor* Wollaston,1879
 74308) *"Tinea" encausta* Meyrick,1911 (Tineidae) Synonym(s): *encausta* Meyrick,1911
 74309) *"Tinea" fasciolata* Wollaston,1879 (Tineidae) Synonym(s): *fasciolata* Wollaston,1879
 74310) *"Tinea" flavofimbriata* Wollaston,1879 (Tineidae) Synonym(s): *flavofimbriata* Wollaston,1879
 74311) *"Tinea" minutissima* Wollaston,1879 (Tineidae) Synonym(s): *minutissima* Wollaston,1879
 74312) *"Tinea" pentametra* Meyrick,1921 (Tineidae) Synonym(s): *pentametra* Meyrick,1921
 74313) *"Tinea" piperata* Wollaston,1879 (Tineidae) Synonym(s): *piperata* Wollaston,1879
 74314) *"Tinea" pulveripennis* Wollaston,1879 (Tineidae) Synonym(s): *pulveripennis* Wollaston,1879
 74315) *"Tinea" pulverulenta* Wollaston,1879 (Tineidae) Synonym(s): *pulverulenta* Wollaston,1879
 74316) *"Tinea" spilocoma* Meyrick,1920 (Tineidae) Synonym(s): *spilocoma* Meyrick,1920
 74317) *Acanthocheira loxopa* (Meyrick,1914) (Tineidae) Synonym(s): *loxopa* Meyrick,1914
 74318) *Acridotarsa melipecta* (Meyrick,1915) (Tineidae) Synonym(s): *melipecta* Meyrick,1915; *divisa* Silvestri,1920; *integra* Silvestri,1920; *comprehensa* Meyrick,1921; *melicoma* Meyrick,1921; *tentatrix* Meyrick,1935
 74319) *Agnathosia mendicella* ([Denis & Schiffermüller],1775) (Tineidae) Synonym(s): *mendicella* [Denis & Schiffermüller],1775
 74320) *Agnathosia sandoensis* Jonasson,1977 (Tineidae) Synonym(s): *sandoensis* Jonasson,1977
 74321) *Amorphaga hyrcanica* Zagulyaev,1968 (Tineidae) Synonym(s): *hyrcanica* Zagulyaev,1968
 74322) *Amorphaga japonica* G.S.Robinson,1986 (Tineidae) Synonym(s): *japonica* G.S.Robinson,1986
 74323) *Amorphaga rosemariae* G.S.Robinson,1986 (Tineidae) Synonym(s): *rosemariae* G.S.Robinson,1986
 74324) *Amphixystis aethalopsis* (Meyrick,1930) (Tineidae) Synonym(s): *aethalopsis* Meyrick,1930
 74325) *Amphixystis anachoreta* (Meyrick,1921) (Tineidae) Synonym(s): *anachoreta* Meyrick,1921
 74326) *Amphixystis anchiala* Meyrick,1909 (Tineidae) Synonym(s): *anchiala* Meyrick,1909; *oxystyla* Meyrick,1911; *certa* Meyrick,1918
 74327) *Amphixystis antiloga* (Meyrick,1915) (Tineidae) Synonym(s): *antiloga* Meyrick,1915
 74328) *Amphixystis antongilella* (Viette,1955) (Tineidae) Synonym(s): *antongilella* Viette,1955

- 74329) *Amphixystis aromaticella* (Viette,1957) (Tineidae) Synonym(s): *aromaticella* Viette,1957
 74330) *Amphixystis artiphanes* (Meyrick,1915) (Tineidae) Synonym(s): *artiphanes* Meyrick,1915
 74331) *Amphixystis beverrasella* (Legrand,1965) (Tineidae) Synonym(s): *beverrasella* Legrand,1965
 74332) *Amphixystis canthopa* (Meyrick,1924) (Tineidae) Synonym(s): *canthopa* Meyrick,1924
 74333) *Amphixystis carphota* (Meyrick,1915) (Tineidae) Synonym(s): *carphota* Meyrick,1915
 74334) *Amphixystis chrysodora* (Meyrick,1924) (Tineidae) Synonym(s): *chrysodora* Meyrick,1924
 74335) *Amphixystis cinnamata* (Meyrick,1915) (Tineidae) Synonym(s): *cinnamata* Meyrick,1915
 74336) *Amphixystis colubrina* (Meyrick,1914) (Tineidae) Synonym(s): *colubrina* Meyrick,1914
 74337) *Amphixystis commatias* (Meyrick,1915) (Tineidae) Synonym(s): *commatias* Meyrick,1915
 74338) *Amphixystis copidora* (Meyrick,1915) (Tineidae) Synonym(s): *copidora* Meyrick,1915
 74339) *Amphixystis crobylora* (Meyrick,1911) (Tineidae) Synonym(s): *crobylora* Meyrick,1911
 74340) *Amphixystis crocinacma* (Meyrick,1930) (Tineidae) Synonym(s): *crocinacma* Meyrick,1930
 74341) *Amphixystis crypsrias* (Meyrick,1930) (Tineidae) Synonym(s): *crypsrias* Meyrick,1930
 74342) *Amphixystis cyanodesma* (Meyrick,1911) (Tineidae) Synonym(s): *cyanodesma* Meyrick,1911
 74343) *Amphixystis cymataula* (Meyrick,1926) (Tineidae) Synonym(s): *cymataula* Meyrick,1926
 74344) *Amphixystis divulsa* (Meyrick,1923) (Tineidae) Synonym(s): *divulsa* Meyrick,1923
 74345) *Amphixystis ensifera* (Meyrick,1911) (Tineidae) Synonym(s): *ensifera* Meyrick,1911
 74346) *Amphixystis epirota* (Meyrick,1914) (Tineidae) Synonym(s): *epirota* Meyrick,1914
 74347) *Amphixystis fragosa* (Meyrick,1910) (Tineidae) Synonym(s): *fragosa* Meyrick,1910
 74348) *Amphixystis fricata* (Meyrick,1911) (Tineidae) Synonym(s): *fricata* Meyrick,1911
 74349) *Amphixystis glomerata* (Meyrick,1911) (Tineidae) Synonym(s): *glomerata* Meyrick,1911
 74350) *Amphixystis gyracma* (Meyrick,1915) (Tineidae) Synonym(s): *gyracma* Meyrick,1915
 74351) *Amphixystis habryntis* (Meyrick,1930) (Tineidae) Synonym(s): *habryntis* Meyrick,1930
 74352) *Amphixystis hapalopa* (Meyrick,1922) (Tineidae) Synonym(s): *hapalopa* Meyrick,1922
 74353) *Amphixystis hapsimacha* Meyrick,1901 (Tineidae) Synonym(s): *hapsimacha* Meyrick,1901
 74354) *Amphixystis herbulotella* (Viette,1955) (Tineidae) Synonym(s): *herbulotella* Viette,1955
 74355) *Amphixystis hermatias* (Meyrick,1911) (Tineidae) Synonym(s): *hermatias* Meyrick,1911
 74356) *Amphixystis heteroclina* (Meyrick,1915) (Tineidae) Synonym(s): *heteroclina* Meyrick,1915
 74357) *Amphixystis hydrochalca* (Meyrick,1930) (Tineidae) Synonym(s): *hydrochalca* Meyrick,1930
 74358) *Amphixystis hypolampes* (Turner,1923) (Tineidae) Synonym(s): *hypolampes* Turner,1923
 74359) *Amphixystis ichnora* (Meyrick,1911) (Tineidae) Synonym(s): *ichnora* Meyrick,1911
 74360) *Amphixystis irenica* (Meyrick,1911) (Tineidae) Synonym(s): *irenica* Meyrick,1911
 74361) *Amphixystis islamella* (Turati,1927) (Tineidae) Synonym(s): *islamella* Turati,1927; *leucelloides* Amsel,1935; *eremica* Amsel,1935
 74362) *Amphixystis lactiflua* (Meyrick,1911) (Tineidae) Synonym(s): *lactiflua* Meyrick,1911
 74363) *Amphixystis leptorrhiza* Meyrick,1921 (Tineidae) Synonym(s): *leptorrhiza* Meyrick,1921
 74364) *Amphixystis leucorrhoea* (Meyrick,1915) (Tineidae) Synonym(s): *leucorrhoea* Meyrick,1915
 74365) *Amphixystis ligyropa* (Meyrick,1915) (Tineidae) Synonym(s): *ligyropa* Meyrick,1915
 74366) *Amphixystis maillardella* (Viette,1957) (Tineidae) Synonym(s): *maillardella* Viette,1957
 74367) *Amphixystis multipunctella* (Legrand,1965) (Tineidae) Synonym(s): *multipunctella* Legrand,1965
 74368) *Amphixystis nephalia* (Meyrick,1911) (Tineidae) Synonym(s): *nephalia* Meyrick,1911
 74369) *Amphixystis oxymoris* (Meyrick,1916) (Tineidae) Synonym(s): *oxymoris* Meyrick,1916
 74370) *Amphixystis paroditella* (Viette,1957) (Tineidae) Synonym(s): *paroditella* Viette,1957
 74371) *Amphixystis pentacarpa* (Meyrick,1910) (Tineidae) Synonym(s): *pentacarpa* Meyrick,1910
 74372) *Amphixystis polystrigella* (Legrand,1965) (Tineidae) Synonym(s): *polystrigella* Legrand,1965
 74373) *Amphixystis protelestia* (Meyrick,1915) (Tineidae) Synonym(s): *protelestia* Meyrick,1915
 74374) *Amphixystis rhodoticta* (Meyrick,1911) (Tineidae) Synonym(s): *rhodoticta* Meyrick,1911
 74375) *Amphixystis rhotiaula* (Meyrick,1911) (Tineidae) Synonym(s): *rhotiaula* Meyrick,1911
 74376) *Amphixystis rorida* (Meyrick,1911) (Tineidae) Synonym(s): *rorida* Meyrick,1911
 74377) *Amphixystis roseostrigella* (Legrand,1965) (Tineidae) Synonym(s): *roseostrigella* Legrand,1965
 74378) *Amphixystis rotata* (Meyrick,1915) (Tineidae) Synonym(s): *rotata* Meyrick,1915
 74379) *Amphixystis sciadocoma* (Meyrick,1924) (Tineidae) Synonym(s): *sciadocoma* Meyrick,1924
 74380) *Amphixystis selacta* (Meyrick,1911) (Tineidae) Synonym(s): *selacta* Meyrick,1911
 74381) *Amphixystis serrata* (Meyrick,1914) (Tineidae) Synonym(s): *serrata* Meyrick,1914
 74382) *Amphixystis sicaria* (Meyrick,1911) (Tineidae) Synonym(s): *sicaria* Meyrick,1911
 74383) *Amphixystis siccata* (Meyrick,1910) (Tineidae) Synonym(s): *siccata* Meyrick,1910
 74384) *Amphixystis spathistis* (Meyrick,1930) (Tineidae) Synonym(s): *spathistis* Meyrick,1930
 74385) *Amphixystis syntricha* (Meyrick,1910) (Tineidae) Synonym(s): *syntricha* Meyrick,1910
 74386) *Amphixystis tachygrapha* (Meyrick,1915) (Tineidae) Synonym(s): *tachygrapha* Meyrick,1915
 74387) *Amphixystis tarsota* (Meyrick,1911) (Tineidae) Synonym(s): *tarsota* Meyrick,1911
 74388) *Amphixystis thapsonota* (Meyrick,1915) (Tineidae) Synonym(s): *thapsonota* Meyrick,1915
 74389) *Amphixystis trixysta* (Meyrick,1910) (Tineidae) Synonym(s): *trixysta* Meyrick,1910
 74390) *Amphixystis undosa* (Walsingham,1908) (Tineidae) Synonym(s): *undosa* Walsingham,1908
 74391) *Antigambra amphitrocta* Meyrick,1927 (Tineidae) Synonym(s): *amphitrocta* Meyrick,1927
 74392) *Archinemapogon assamensis* G.S.Robinson,1980 (Tineidae) Synonym(s): *assamensis* G.S.Robinson,1980
 74393) *Archinemapogon bacurianus* Zagulyaev,1962 (Tineidae) Synonym(s): *bacurianus* Zagulyaev,1962
 74394) *Archinemapogon schromicus* Zagulyaev,1964 (Tineidae) Synonym(s): *schromicus* Zagulyaev,1964
 74395) *Archinemapogon ussuriensis* Zagulyaev,1962 (Tineidae) Synonym(s): *ussuriensis* Zagulyaev,1962
 74396) *Archinemapogon yildizae* Koçak,1981 (Tineidae) Synonym(s): *laterella* Thunberg,1794 nec [Denis & Schiff],1775; *arcuatella* Stainton,1854 nec Schrank,1802; *yildizae* Koçak,1981.
 74397) *Asymphyla asperata* (Meyrick,1918) (Tineidae) Synonym(s): *asperata* Meyrick,1918
 74398) *Asymplecta aplectodes* (Turner,1923) (Tineidae) Synonym(s): *aplectodes* Turner,1923
 74399) *Asymplecta circumflua* Meyrick,1921 (Tineidae) Synonym(s): *circumflua* Meyrick,1921
 74400) *Asymplecta phorbiophora* Diakonoff,1955 (Tineidae) Synonym(s): *phorbiophora* Diakonoff,1955
 74401) *Ateliotum arabicum* G.Petersen,1961 (Tineidae) Synonym(s): *arabicum* G.Petersen,1961
 74402) *Ateliotum confusum* G.Petersen,1966 (Tineidae) Synonym(s): *confusum* G.Petersen,1966
 74403) *Ateliotum crymodes* (Meyrick,1908) (Tineidae) Synonym(s): *crymodes* Meyrick,1908
 74404) *Ateliotum cypellias* (Meyrick,1937) (Tineidae) Synonym(s): *cypellias* Meyrick,1937
 74405) *Ateliotum hungaricellum* Zeller,1839 (Tineidae) Synonym(s): *hungaricellum* Zeller,1839.
 74406) *Ateliotum insulare* (Rebel,1896) (Tineidae) Synonym(s): *insulare* Rebel,1896
 74407) *Ateliotum petrinellum* (Herrich-Schäffer,1853) (Tineidae) Synonym(s): *petrinella* Herrich-Schäffer,1853; *turatiella* Millière,1886
 74408) *Ateliotum petrinellum orientale* G.Petersen,1973 (Tineidae) Synonym(s): *orientale* G.Petersen,1973
 74409) *Ateliotum petrinellum petrinellum* (Herrich-Schäffer,1853) (Tineidae) Synonym(s): *petrinella* Herrich-Schäffer,1853; *turatiella* Millière,1886
 74410) *Ateliotum reluctans* (Meyrick,1921) (Tineidae) Synonym(s): *reluctans* Meyrick,1921
 74411) *Ateliotum syriacum* (Caradja,1920) (Tineidae) Synonym(s): *syriacum* Caradja,1920
 74412) *Ateliotum taurensis* Zagulyaev,1966 (Tineidae) Synonym(s): *taurensis* Zagulyaev,1966
 74413) *Betroka madagascaria* (Gozmany,1969) (Tineidae) Synonym(s): *madagascaria* Gozmany,1969
 74414) *Betroka pauliani* (Gozmany,1970) (Tineidae) Synonym(s): *pauliani* Gozmany,1970
 74415) *Bythocrates drosocycla* Meyrick,1919 (Tineidae) Synonym(s): *drosocycla* Meyrick,1919
 74416) *Cephimallota angusticostella* (Zeller,1839) (Tineidae) Synonym(s): *angusticostella* Zeller,1839; *libanotica* G.Petersen,1959; *hasarorum* Zagulyaev,1965
 74417) *Cephimallota crassiflavella* (Bruand,1851) (Tineidae) Synonym(s): *crassiflavella* Bruand,1851; *simplicella* Zeller,1852.

- 74418) *Cephimallota praetoriella* (Christoph,1872) (Tineidae) Synonym(s): *praetoriella* Christoph,1872; *uralskella* Caradja,1920.
 74419) *Cephimallota repetekiella* Zagulyaev,1971 (Tineidae) Synonym(s): *striatella* Lucas,1942 nec [Denis & Schiffermüller],1775; ? *repetekiella* Zagulyaev,1971; *tunusensis* Koçak,1981.
 74420) *Cephimallota tunesiella* (Zagulyaev,1966) (Tineidae) Synonym(s): *tunesiella* Zagulyaev,1966
 74421) *Cephimallota vittatella* (Chrétien,1915) (Tineidae) Synonym(s): *vittatella* Chrétien,1915
 74422) *Cephitinea colognella* Zagulyaev,1964 (Tineidae) Synonym(s): *colognella* Zagulyaev,1964
 74423) *Cephitinea colonella* (Erschoff,1874) (Tineidae) Synonym(s): *colonella* Erschoff,1874
 74424) *Cephitinea longipennis* (Erschoff,1874) (Tineidae) Synonym(s): *longipennis* Erschoff,1874
 74425) *Ceratobia ratjadae* Passerin d'Entrèves,1978 (Tineidae) Synonym(s): *ratjadae* Passerin d'Entrèves,1978
 74426) *Ceratophaga ethadopa* (Meyrick,1938) (Tineidae) Synonym(s): *ethadopa* Meyrick,1938
 74427) *Ceratophaga lichmodes* (Meyrick,1921) (Tineidae) Synonym(s): *lichmodes* Meyrick,1921
 74428) *Ceratophaga obnoxia* (Meyrick,1917) (Tineidae) Synonym(s): *obnoxia* Meyrick,1917
 74429) *Ceratophaga tragoptila* (Meyrick,1917) (Tineidae) Synonym(s): *tragoptila* Meyrick,1917
 74430) *Ceratophaga vastella* (Zeller,1852) (Tineidae) Synonym(s): *vastella* Zeller,1852; *gigantella* Stainton,1860; *lucidella* Walker,1863
 74431) *Ceratophaga xanthastis* (Meyrick,1908) (Tineidae) Synonym(s): *xanthastis* Meyrick,1908; *tolma* Bradley,1965
 74432) *Ceratosticha leptodeta* Meyrick,1935 (Tineidae) Synonym(s): *leptodeta* Meyrick,1935
 74433) *Ceratuncus affinitellus* (Rebel,1901) (Tineidae) Synonym(s): *affinitellus* Rebel,1901; *#extinctella* Caradja,1920; *maraschensis* Rebel,1936; *irakella* Amsel,1949; *libanotica* Amsel,1951.
 74434) *Ceratuncus danubiellus* (Mann,1866) (Tineidae) Synonym(s): *danubiellus* Mann,1866
 74435) *Ceratuncus dzhungaricus* Zagulajev,1971 (Tineidae) Synonym(s): *dzhungaricus* Zagulajev,1971
 74436) *Ceratuncus maroccanellus* (Amsel,1951) (Tineidae) Synonym(s): *maroccanellus* Amsel,1951
 74437) *Cimicra fetialis* (Meyrick,1917) (Tineidae) Synonym(s): *fetialis* Meyrick,1917; *endroedyi* Gozmany,1965; *corrigata* Gozmany,1967
 74438) *Cimicra horridella* (Walker,1863) (Tineidae) Synonym(s): *horridella* Walker,1863
 74439) *Cimicra seclusella* Walker,1864 (Tineidae) Synonym(s): *seclusella* Walker,1864
 74440) *Cimicra spinignatha* (Gozmany,1968) (Tineidae) Synonym(s): *spinignatha* Gozmany,1968
 74441) *Cinnerethica optodes* (Meyrick,1922) (Tineidae) Synonym(s): *optodes* Meyrick,1922; *tabghaella* Amsel,1935; *judaica* Amsel,1935
 74442) *Clepticodes horocentra* Meyrick,1927 (Tineidae) Synonym(s): *horocentra* Meyrick,1927
 74443) *Contralissa catagrapta* (Meyrick,1927) (Tineidae) Synonym(s): *catagrapta* Meyrick,1927
 74444) *Coryptilum rutilella* (Walker,1869) (Tineidae) Synonym(s): *rutilella* Walker,1869; *formosanum* Matsumura,1931
 74445) *Cosmeombra doxochares* (Meyrick,1926) (Tineidae) Synonym(s): *doxochares* Meyrick,1926
 74446) *Criticonoma chelonaea* Meyrick,1910 (Tineidae) Synonym(s): *chelonaea* Meyrick,1910
 74447) *Criticonoma flaveata* (Gozmany,1968) (Tineidae) Synonym(s): *flaveata* Gozmany,1968
 74448) *Crypsithyris cerodectis* Meyrick,1921 (Tineidae) Synonym(s): *cerodectis* Meyrick,1921
 74449) *Crypsithyris fuscicoma* Meyrick,1937 (Tineidae) Synonym(s): *fuscicoma* Meyrick,1937
 74450) *Crypsithyris hebeiensis* Xiao & Li,2005 (Tineidae) Synonym(s): *hebeiensis* Xiao & Li,2005
 74451) *Crypsithyris hemiphracta* Meyrick,1926 (Tineidae) Synonym(s): *hemiphracta* Meyrick,1926
 74452) *Crypsithyris hoenei* G.Petersen & Gaedike,1993 (Tineidae) Synonym(s): *hoenei* G.Petersen & Gaedike,1993
 74453) *Crypsithyris insolita* Meyrick,1918 (Tineidae) Synonym(s): *insolita* Meyrick,1918
 74454) *Crypsithyris introflexa* Xiao & Li,2005 (Tineidae) Synonym(s): *introflexa* Xiao & Li,2005
 74455) *Crypsithyris obtusangula* Xiao & Li,2005 (Tineidae) Synonym(s): *obtusangula* Xiao & Li,2005
 74456) *Crypsithyris spelaea* Meyrick,1908 (Tineidae) Synonym(s): *spelaea* Meyrick,1908
 74457) *Crypsithyris spissa* Meyrick,1918 (Tineidae) Synonym(s): *spissa* Meyrick,1918
 74458) *Cylicobathra argocoma* (Meyrick,1914) (Tineidae) Synonym(s): *argocoma* Meyrick,1914
 74459) *Cylicobathra chionarga* Meyrick,1920 (Tineidae) Synonym(s): *chionarga* Meyrick,1920; *leucomima* Meyrick,1921
 74460) *Dacryphanes cyanastra* Meyrick,1907 (Tineidae) Synonym(s): *cyanastra* Meyrick,1907
 74461) *Dasytes colorata* Gozmany,1967 (Tineidae) Synonym(s): *colorata* Gozmany,1967
 74462) *Dasytes obliterata* Gozmany,1968 (Tineidae) Synonym(s): *obliterata* Gozmany,1968
 74463) *Dasytes rugosella* (Stainton,1859) (Tineidae) Synonym(s): *rugosella* Stainton,1859; *hirsutella* Walsingham,1881
 74464) *Daviscardia beckeri* G.S.Robinson,1986 (Tineidae) Synonym(s): *beckeri* G.S.Robinson,1986
 74465) *Daviscardia bicolorella* G.S.Robinson,1986 (Tineidae) Synonym(s): *bicolorella* G.S.Robinson,1986
 74466) *Daviscardia bimendella* (Zeller,1863) (Tineidae) Synonym(s): *bimendella* Zeller,1863
 74467) *Daviscardia coloradella* (Dietz,1905) (Tineidae) Synonym(s): *coloradella* Dietz,1905
 74468) *Daviscardia hypocritella* G.S.Robinson,1986 (Tineidae) Synonym(s): *hypocritella* G.S.Robinson,1986
 74469) *Daviscardia luctuosa* (Walsingham,1914) (Tineidae) Synonym(s): *luctuosa* Walsingham,1914
 74470) *Daviscardia lupulella* G.S.Robinson,1986 (Tineidae) Synonym(s): *lupulella* G.S.Robinson,1986
 74471) *Daviscardia mackiei* G.S.Robinson,1986 (Tineidae) Synonym(s): *mackiei* G.S.Robinson,1986
 74472) *Daviscardia radulella* G.S.Robinson,1986 (Tineidae) Synonym(s): *radulella* G.S.Robinson,1986
 74473) *Dentilunicula nigerica* (Gozmany,1967) (Tineidae) Synonym(s): *nigerica* Gozmany,1967
 74474) *Dicanica acrocentra* Meyrick,1913 (Tineidae) Synonym(s): *acrocentra* Meyrick,1913
 74475) *Drosica objectella* Walker,1863 (Tineidae) Synonym(s): *objectella* Walker,1863
 74476) *Dryadula caucasica* (Zagulyaev,1970) (Tineidae) Synonym(s): *caucasica* Zagulyaev,1970
 74477) *Dryadula heindeli* Gaedike & Scholz,1998 (Tineidae) Synonym(s): *heindeli* Gaedike & Scholz,1998
 74478) *Dryadula hellenica* Gaedike,1988 (Tineidae) Synonym(s): *hellenica* Gaedike,1988
 74479) *Dryadula irinae* Savenkov,1989 (Tineidae) Synonym(s): *irinae* Savenkov,1989
 74480) *Dryadula pactolia* Meyrick,1901 (Tineidae) Synonym(s): *pactolia* Meyrick,1901
 74481) *Dryadula zinica* (Zagulyaev,1970) (Tineidae) Synonym(s): *zinica* Zagulyaev,1970
 74482) *Dryadula zygoles* (Meyrick,1918) (Tineidae) Synonym(s): *zygoles* Meyrick,1918
 74483) *Eccritothrix guenterella* Koçak,1986 (Tineidae) Synonym(s): *trimaculella* Chambers,1873 nec Hw.,1828; *guenterella* Koçak,1986
 74484) *Ectabola deviata* (Gozmany,1966) (Tineidae) Synonym(s): *deviata* Gozmany,1966
 74485) *Ectabola extans* (Gozmany,1976) (Tineidae) Synonym(s): *extans* Gozmany,1976
 74486) *Ectabola laxata* (Gozmany,1967) (Tineidae) Synonym(s): *laxata* Gozmany,1967
 74487) *Ectabola perversa* (Gozmany,1967) (Tineidae) Synonym(s): *perversa* Gozmany,1967
 74488) *Ectabola phaeocephala* (Meyrick,1918) (Tineidae) Synonym(s): *phaeocephala* Meyrick,1918
 74489) *Ectabola protracta* Gozmany,1966 (Tineidae) Synonym(s): *protracta* Gozmany,1966
 74490) *Ectabola pygmina* (Gozmany,1965) (Tineidae) Synonym(s): *pygmina* Gozmany,1965
 74491) *Edosa audens* (Meyrick,1921) (Tineidae) Synonym(s): *audens* Meyrick,1921
 74492) *Edosa effulgens* (Gozmany,1965) (Tineidae) Synonym(s): *effulgens* Gozmany,1965
 74493) *Edosa gypsopetra* (Gozmany,1968) (Tineidae) Synonym(s): *gypsopetra* Gozmany,1968
 74494) *Edosa leucastis* (Meyrick,1908) (Tineidae) Synonym(s): *leucastis* Meyrick,1908
 74495) *Edosa lissochlora* (Meyrick,1921) (Tineidae) Synonym(s): *lissochlora* Meyrick,1921
 74496) *Edosa oratrix* (Meyrick,1913) (Tineidae) Synonym(s): *oratrix* Meyrick,1913
 74497) *Edosa perinipha* (Gozmany,1968) (Tineidae) Synonym(s): *perinipha* Gozmany,1968
 74498) *Edosa rhodesica* (Gozmany,1967) (Tineidae) Synonym(s): *rhodesica* Gozmany,1967
 74499) *Edosa sanctifica* (Meyrick,1921) (Tineidae) Synonym(s): *sanctifica* Meyrick,1921
 74500) *Elatobia bugrai* Koçak,1981 (Tineidae) Synonym(s): *atratella* Staudinger,1870 nec Fourcroy,1785; *bugrai* Koçak,1981.
 74501) *Elatobia fuliginosella* (Lienig & Zeller,1846) (Tineidae) Synonym(s): *fuliginosella* Lienig & Zeller,1846
 74502) *Elatobia montelliella* (Schantz,1951) (Tineidae) Synonym(s): *montelliella* Schantz,1951
 74503) *Ellochotis caligata* (Meyrick,1913) (Tineidae) Synonym(s): *caligata* Meyrick,1913
 74504) *Ellochotis ectocharis* Gozmany,1976 (Tineidae) Synonym(s): *ectocharis* Gozmany,1976
 74505) *Ellochotis exilis* Gozmany & Vari,1973 (Tineidae) Synonym(s): *exilis* Gozmany & Vari,1973

- 74506) *Ellochotis fraudulenta* (Meyrick,1912) (Tineidae) Synonym(s): *fraudulenta* Meyrick,1912
 74507) *Ellochotis infausta* Meyrick,1920 (Tineidae) Synonym(s): *infausta* Meyrick,1920
 74508) *Ellochotis leontopa* (Meyrick,1908) (Tineidae) Synonym(s): *leontopa* Meyrick,1908
 74509) *Ellochotis lyncodes* (Meyrick,1921) (Tineidae) Synonym(s): *lyncodes* Meyrick,1921
 74510) *Ellochotis opifica* (Meyrick,1908) (Tineidae) Synonym(s): *opifica* Meyrick,1908
 74511) *Ellochotis picroxesta* (Meyrick,1926) (Tineidae) Synonym(s): *picroxesta* Meyrick,1926
 74512) *Ellochotis purpurea* (Stainton,1860) (Tineidae) Synonym(s): *purpurea* Stainton,1860
 74513) *Ellochotis territa* (Meyrick,1920) (Tineidae) Synonym(s): *territa* Meyrick,1920
 74514) *Ellochotis trophias* (Meyrick,1908) (Tineidae) Synonym(s): *trophias* Meyrick,1908
 74515) *Ellochotis verecunda* (Meyrick,1911) (Tineidae) Synonym(s): *verecunda* Meyrick,1911
 74516) *Enargocrasis galactopis* (Meyrick,1921) (Tineidae) Synonym(s): *galactopis* Meyrick,1921
 74517) *Epactris* sp.: (Tineidae) Synonym(s):
 74518) *Episcardia* (Bilobatana) *caerulipennis* (Erschoff,1874) (Tineidae) Synonym(s): *caerulipennis* Erschoff,1874; *indiella* Caradja,1920
 74519) *Episcardia* (Bilobatana) *fuscoviolacella* (Ragonot,1895) (Tineidae) Synonym(s): *violacella* Rebel,1893 (*praeocc.*); *fuscoviolacella* Ragonot,1895; *luteocapitella* Amsel,1935.
 74520) *Episcardia* (Bilobatana) *luteola* G.Petersen,1959 (Tineidae) Synonym(s): *luteola* G.Petersen,1959
 74521) *Episcardia* (Bilobatana) *paghmanella* G.Petersen,1973 (Tineidae) Synonym(s): *paghmanella* G.Petersen,1973
 74522) *Episcardia* (Bilobatana) *pygmaeana* G.Petersen,1959 (Tineidae) Synonym(s): *pygmaeana* G.Petersen,1959
 74523) *Episcardia* (Bilobatana) *splendens* G.Petersen,1973 (Tineidae) Synonym(s): *splendens* G.Petersen,1973
 74524) *Episcardia* (Bilobatana) *violacea* (Christoph,1888) (Tineidae) Synonym(s): *violacea* Christoph,1888
 74525) *Episcardia* (s.str.) *lardatella* (Lederer,1858) (Tineidae) Synonym(s): *lardatella* Lederer,1858
 74526) *Episcardia* *amseli* G.Petersen & Gaedike,1982 (Tineidae) Synonym(s): *amseli* G.Petersen & Gaedike,1982
 74527) *Episcardia* *incerta* Gozmany,1960 (?) (Tineidae) Synonym(s): *#incerta* Gozmany,1960
 74528) *Erechthias glossophora* (Meyrick,1926) (Tineidae) Synonym(s): *glossophora* Meyrick,1926
 74529) *Erechthias leucopogon* (Meyrick,1924) (Tineidae) Synonym(s): *leucopogon* Meyrick,1924
 74530) *Eremicola semitica* Amsel,1935 (Tineidae) Synonym(s): *semitica* Amsel,1935
 74531) *Eriozancla trachyphaea* (Meyrick,1921) (Tineidae) Synonym(s): *trachyphaea* Meyrick,1921
 74532) *Eudarcia* (Abchagleris) *glaseri* (G.Petersen,1967) (Tineidae) Synonym(s): *glaseri* G.Petersen,1967
 74533) *Eudarcia* (Abchagleris) *sutteri* Gaedike,1997 (Tineidae) Synonym(s): *sutteri* Gaedike,1997
 74534) *Eudarcia* (Obesoceras) *balcanica* (Gaedike,1988) (Tineidae) Synonym(s): *balcanica* Gaedike,1988
 74535) *Eudarcia* (Obesoceras) *confusella* (Heydenreich,1851) (Tineidae) Synonym(s): *confusella* Heydenreich,1851; *danubiellum* G.Petersen,1959; *nigrescens* Jäckh,1959; *orientale* Capuse,1966
 74536) *Eudarcia* (Obesoceras) *fibigeri* Gaedike,1997 (Tineidae) Synonym(s): *fibigeri* Gaedike,1997
 74537) *Eudarcia* (Obesoceras) *forsteri* G.Petersen,1964 (Tineidae) Synonym(s): *forsteri* G.Petersen,1964
 74538) *Eudarcia* (Obesoceras) *hedemanni* (Rebel,1899) (Tineidae) Synonym(s): *hedemanni* Rebel,1899
 74539) *Eudarcia* (Obesoceras) *kasyi* (G.Petersen,1971) (Tineidae) Synonym(s): *kasyi* G.Petersen,1971
 74540) *Eudarcia* (Obesoceras) *turcica* Gaedike,1997 (Tineidae) Synonym(s): *turcica* Gaedike,1997
 74541) *Eudarcia* *alberti* (Amsel,1957) (Tineidae) Synonym(s): *alberti* Amsel,1957
 74542) *Eudarcia* *armatum* (Gaedike,1985) (Tineidae) Synonym(s): *armatum* Gaedike,1985
 74543) *Eudarcia* *aureliani* (Capuse,1967) (Tineidae) Synonym(s): *aureliani* Capuse,1967
 74544) *Eudarcia* *brachyptera* (Passerin d'Entrèves,1974) (Tineidae) Synonym(s): *brachyptera* Passerin d'Entrèves,1974
 74545) *Eudarcia* *croaticum* (G.Petersen,1962) (Tineidae) Synonym(s): *croaticum* G.Petersen,1962
 74546) *Eudarcia* *dalmaticum* (Gaedike,1988) (Tineidae) Synonym(s): *dalmaticum* Gaedike,1988
 74547) *Eudarcia* *derrai* (Gaedike,1983) (Tineidae) Synonym(s): *derrai* Gaedike,1983
 74548) *Eudarcia* *gallica* (G.Petersen,1962) (Tineidae) Synonym(s): *gallica* G.Petersen,1962
 74549) *Eudarcia* *graecum* (Gaedike,1985) (Tineidae) Synonym(s): *graecum* Gaedike,1985
 74550) *Eudarcia* *granulatella* (Zeller,1852) (Tineidae) Synonym(s): *granulatella* Zeller,1852
 74551) *Eudarcia* *herculanella* (Capuse,1966) (Tineidae) Synonym(s): *herculanella* Capuse,1966
 74552) *Eudarcia* *holtzi* (Rebel,1902) (Tineidae) Synonym(s): *holtzi* Rebel,1902
 74553) *Eudarcia* *leopoldella* (Costa,1832) (Tineidae) Synonym(s): *leopoldella* Costa,1832
 74554) *Eudarcia* *lobata* (G.Petersen & Gaedike,1979) (Tineidae) Synonym(s): *lobata* G.Petersen & Gaedike,1979
 74555) *Eudarcia* *mensella* (Walsingham,1900) (Tineidae) Synonym(s): *mensella* Walsingham,1900
 74556) *Eudarcia* *montanum* (Gaedike,1985) (Tineidae) Synonym(s): *montanum* Gaedike,1985
 74557) *Eudarcia* *moreae* (G.Petersen & Gaedike,1983) (Tineidae) Synonym(s): *moreae* G.Petersen & Gaedike,1983
 74558) *Eudarcia* *nerviella* (Amsel,1954) (Tineidae) Synonym(s): *nerviella* Amsel,1954
 74559) *Eudarcia* *nigraella* (Mariani,1937) (Tineidae) Synonym(s): *nigraella* Mariani,1937
 74560) *Eudarcia* *pagenstecherella* (Hübner,[1825]) (Tineidae) Synonym(s): *pagenstecherella* Hübner,[1825]
 74561) *Eudarcia* *richardsoni* (Walsingham,1900) (Tineidae) Synonym(s): *richardsoni* Walsingham,1900
 74562) *Eudarcia* *romanum* (G.Petersen,1958) (Tineidae) Synonym(s): *romanum* G.Petersen,1958
 74563) *Eudarcia* *sardoa* (Passerin d'Entrèves,1978) (Tineidae) Synonym(s): *sardoa* Passerin d'Entrèves,1978
 74564) *Eudarcia* *vacriensis* (Parenti,1964) (Tineidae) Synonym(s): *vacriensis* Parenti,1964
 74565) *Euplocamus anthracinalis* (Scopoli,1763) (Tineidae) Synonym(s): *anthracinalis* Scopoli,1763; *anthracinalis* [Denis & Schiffmüller],1775; *fuesslinella* Sulzer,1776; *guttella* Fabricius,1781; *anthracina* Borkhausen,1793; *fuesslinaria* Esper,[1801]; *guttatus* Latreille,1809; *amanalis* Osthelder,1935.
 74566) *Euplocamus delagrangei* Ragonot,1895 (Tineidae) Synonym(s): *delagrangei* Ragonot,1895
 74567) *Euplocamus ophisus* (Cramer,[1779]) (Tineidae) Synonym(s): *ophisus* Cramer,[1779]
 74568) *Euplocamus schaeferi* Amsel,1959 (Tineidae) Synonym(s): *schaeferi* Amsel,1959
 74569) *Euplocamus tanylopha* (Meyrick,1932) (Tineidae) Synonym(s): *tanylopha* Meyrick,1932
 74570) *Exonomasis exolecens* (Meyrick,1926) (Tineidae) Synonym(s): *exolecens* Meyrick,1926
 74571) *Fermocelina arabica* G.Petersen,1961 (Tineidae) Synonym(s): *arabica* G.Petersen,1961
 74572) *Fermocelina cubiculella* (Staudinger,1859) (Tineidae) Synonym(s): *cubiculella* Staudinger,1859; *recticostella* Caradja,1920.
 74573) *Fermocelina cubiculella* *eremica* (Amsel,1935) (Tineidae) Synonym(s): *eremica* Amsel,1935
 74574) *Fermocelina fulvescentella* (Lucas,1956) (Tineidae) Synonym(s): *fulvescentella* Lucas,1956; *maroccana* G.Petersen & Gaedike,1979.
 74575) *Fermocelina gardesanelle* (Hartig,1950) (Tineidae) Synonym(s): *gardesanelle* Hartig,1950.
 74576) *Fermocelina iranica* G.Petersen & Gaedike,1984 (Tineidae) Synonym(s): *iranica* G.Petersen & Gaedike,1984
 74577) *Fermocelina latiusculella* (Stainton,1867) (Tineidae) Synonym(s): *latiusculella* Stainton,1867
 74578) *Fermocelina leucelioides* (Amsel,1935) (Tineidae) Synonym(s): *leucelioides* Amsel,1935
 74579) *Fermocelina liguriella* (Millière,1879) (Tineidae) Synonym(s): *inquinatella* Zeller,1852 nec [Den. & Schiff.],1775; *liguriella* Millière,1879.
 74580) *Fermocelina paepalella* (Walsingham,1907) (Tineidae) Synonym(s): *paepalella* Walsingham,1907; *nigropilella* Chrétien,1915.
 74581) *Gerontha acrosthenia* Zagulyaev,1972 (Tineidae) Synonym(s): *acrosthenia* Zagulyaev,1972
 74582) *Gerontha akahatii* Moriuti,1989 (Tineidae) Synonym(s): *akahatii* Moriuti,1989
 74583) *Gerontha albidicomans* Moriuti,1989 (Tineidae) Synonym(s): *albidicomans* Moriuti,1989
 74584) *Gerontha borea* Moriuti,1977 (Tineidae) Synonym(s): *borea* Moriuti,1977
 74585) *Gerontha captiosella* Walker,1864 (Tineidae) Synonym(s): *captiosella* Walker,1864; *#capna* Diakonoff,[1968]
 74586) *Gerontha diascopa* Diakonoff,[1968] (Tineidae) Synonym(s): *diascopa* Diakonoff,[1968]
 74587) *Gerontha dolichophallica* Moriuti,1989 (Tineidae) Synonym(s): *dolichophallica* Moriuti,1989
 74588) *Gerontha dracuncula* Meyrick,1928 (Tineidae) Synonym(s): *dracuncula* Meyrick,1928
 74589) *Gerontha hoenei* Petersen,1987 (Tineidae) Synonym(s): *hoenei* Petersen,1987
 74590) *Gerontha hyalina* Moriuti,1989 (Tineidae) Synonym(s): *hyalina* Moriuti,1989
 74591) *Gerontha melanopalpis* Moriuti,1989 (Tineidae) Synonym(s): *melanopalpis* Moriuti,1989
 74592) *Gerontha monostigma* Diakonoff,[1968] (Tineidae) Synonym(s): *monostigma* Diakonoff,[1968]

- 74593) *Gerontha navapuriensis* Moriuti, 1989 (Tineidae) Synonym(s): *navapuriensis* Moriuti, 1989
 74594) *Gerontha nivicaput* Diakonoff, [1968] (Tineidae) Synonym(s): *nivicaput* Diakonoff, [1968]
 74595) *Gerontha opaca* Moriuti, 1989 (Tineidae) Synonym(s): *opaca* Moriuti, 1989
 74596) *Gerontha siamensis* Moriuti, 1989 (Tineidae) Synonym(s): *siamensis* Moriuti, 1989
 74597) *Gerontha siroii* Moriuti, 1989 (Tineidae) Synonym(s): *siroii* Moriuti, 1989
 74598) *Gerontha sthearce* Zagulyaev, 1972 (Tineidae) Synonym(s): *sthearce* Zagulyaev, 1972
 74599) *Gerontha sumihiroi* Moriuti, 1989 (Tineidae) Synonym(s): *sumihiroi* Moriuti, 1989
 74600) *Gerontha thailandiae* Moriuti, 1989 (Tineidae) Synonym(s): *thailandiae* Moriuti, 1989
 74601) *Gerontha tudai* Moriuti, 1989 (Tineidae) Synonym(s): *tudai* Moriuti, 1989
 74602) *Glaucostolella oxyteles* (Meyrick, 1926) (Tineidae) Synonym(s): *oxyteles* Meyrick, 1926
 74603) *Graphidivalva genitilis* (Meyrick, 1913) (Tineidae) Synonym(s): *genitilis* Meyrick, 1913
 74604) *Haplotinea ditella* (Pierce & Diakonoff, 1938) (Tineidae) Synonym(s): *ditella* Pierce & Diakonoff, 1938
 74605) *Haplotinea insectella* (Fabricius, 1794) (Tineidae) Synonym(s): *insectella* Fabricius, 1794; *misella* Zeller, 1839.
 74606) *Haplotinea subochraceella* (Walsingham, 1886) (Tineidae) Synonym(s): *subochraceella* Walsingham, 1886
 74607) *Hapsifera asiatica* Amsel, 1949 (Tineidae) Synonym(s): *asiatica* Amsel, 1949
 74608) *Hapsifera barbata* (Christoph, 1882) (Tineidae) Synonym(s): *barbata* Christoph, 1882; *cinereella* Caradja, 1926
 74609) *Hapsifera glebata* Meyrick, 1908 (Tineidae) Synonym(s): *glebata* Meyrick, 1908; *cervina* Gozmany, 1965
 74610) *Hapsifera luridella* Zeller, 1847 (Tineidae) Synonym(s): *luridella* Zeller, 1847; *baliopsamma* Meyrick, 1921; *pustulatella* Lucas, 1942 nec Zell., 1852; *eburnea* Butler, 1881; *palaestiniensis* Rebel, 1901; *kerbelella* Amsel, 1949
 74611) *Hapsifera maculata* (Walsingham, 1907) (Tineidae) Synonym(s): *maculata* Walsingham, 1907
 74612) *Hapsifera marmarota* Meyrick, 1914 (Tineidae) Synonym(s): *marmarota* Meyrick, 1914
 74613) *Hapsifera meliceris* Meyrick, 1908 (Tineidae) Synonym(s): *meliceris* Meyrick, 1908
 74614) *Hapsifera multiguttella* (Ragonot, 1895) (Tineidae) Synonym(s): *multiguttella* Ragonot, 1895; *jerichoella* Amsel, 1935.
 74615) *Hapsifera ochroptila* Meyrick, 1908 (Tineidae) Synonym(s): *ochroptila* Meyrick, 1908
 74616) *Hapsifera pardalea* Meyrick, 1908 (Tineidae) Synonym(s): *pardalea* Meyrick, 1908
 74617) *Hapsifera punctata* Petersen, 1961 (Tineidae) Synonym(s): *punctata* Petersen, 1961
 74618) *Hapsifera septica* Meyrick, 1908 (Tineidae) Synonym(s): *septica* Meyrick, 1908
 74619) *Hapsiferona glareosa* (Meyrick, 1912) (Tineidae) Synonym(s): *glareosa* Meyrick, 1912
 74620) *Harmaclona afrotaphrantha* Davis, 1998 (Tineidae) Synonym(s): *afrotaphrantha* Davis, 1998
 74621) *Harmaclona berberea* Bradley, 1956 (Tineidae) Synonym(s): *berberea* Bradley, 1956
 74622) *Harmaclona cossidella* Busck, 1914 (Tineidae) Synonym(s): *cossidella* Busck, 1914
 74623) *Harmaclona hexacantha* Davis, 1998 (Tineidae) Synonym(s): *hexacantha* Davis, 1998
 74624) *Harmaclona hilethera* Bradley, 1953 (Tineidae) Synonym(s): *hilethera* Bradley, 1953
 74625) *Harmaclona natalensis* Bradley, 1953 (Tineidae) Synonym(s): *natalensis* Bradley, 1953; *#notalensis* Bradley, 1956
 74626) *Harmaclona robinsoni* Davis, 1998 (Tineidae) Synonym(s): *robinsoni* Davis, 1998
 74627) *Harmaclona tephrantha* (Meyrick, 1916) (Tineidae) Synonym(s): *tephrantha* Meyrick, 1916
 74628) *Harmaclona tetracantha* Davis, 1998 (Tineidae) Synonym(s): *tetracantha* Davis, 1998
 74629) *Harmaclona triacantha* Davis, 1998 (Tineidae) Synonym(s): *triacantha* Davis, 1998
 74630) *Homalopsycha pericharacta* Meyrick, 1924 (Tineidae) Synonym(s): *pericharacta* Meyrick, 1924
 74631) *Homalopsycha rapida* (Meyrick, 1909) (Tineidae) Synonym(s): *rapida* Meyrick, 1909; *aestuarina* Meyrick, 1920
 74632) *Hylophygas convicta* Meyrick, 1932 (Tineidae) Synonym(s): *convicta* Meyrick, 1932
 74633) *Hyperbola chloristis* (Meyrick, 1908) (Tineidae) Synonym(s): *chloristis* Meyrick, 1908
 74634) *Hyperbola mellichroa* (Gozmany, 1968) (Tineidae) Synonym(s): *mellichroa* Gozmany, 1968
 74635) *Hyperbola phocina* (Meyrick, 1908) (Tineidae) Synonym(s): *phocina* Meyrick, 1908
 74636) *Infurcitinea albanica* G. Petersen, 1963 (Tineidae) Synonym(s): *albanica* G. Petersen, 1963
 74637) *Infurcitinea albicomella* (Stainton, 1851) (Tineidae) Synonym(s): *albicomella* Stainton, 1851; *albicapilla* Zeller, 1852; *luridella* Jäckh, 1959; *raetica* Zagulyaev, 1974.
 74638) *Infurcitinea albulella* (Rebel, 1935) (Tineidae) Synonym(s): *albulella* Rebel, 1935
 74639) *Infurcitinea amseli* G. Petersen, 1957 (Tineidae) Synonym(s): *amseli* G. Petersen, 1957
 74640) *Infurcitinea anatolica* G. Petersen, 1968 (Tineidae) Synonym(s): *anatolica* G. Petersen, 1968
 74641) *Infurcitinea arenbergeri* Gaedike, 1988 (Tineidae) Synonym(s): *arenbergeri* Gaedike, 1988
 74642) *Infurcitinea argentimaculella* (Stainton, 1849) (Tineidae) Synonym(s): *argentimaculella* Stainton, 1849
 74643) *Infurcitinea atrifasciella* (Staudinger, 1871) (Tineidae) Synonym(s): *atrifasciella* Staudinger, 1871; *diasi* Amsel, 1957; *zernyi* Zagulyaev, 1974.
 74644) *Infurcitinea banatica* G. Petersen, 1961 (Tineidae) Synonym(s): *banatica* G. Petersen, 1961
 74645) *Infurcitinea belviella* Gaedike, 1980 (Tineidae) Synonym(s): *belviella* Gaedike, 1980
 74646) *Infurcitinea brunneopterella* G. Petersen, 1964 (Tineidae) Synonym(s): *brunneopterella* G. Petersen, 1964
 74647) *Infurcitinea captans* Gozmany, 1960 (Tineidae) Synonym(s): *captans* Gozmany, 1960
 74648) *Infurcitinea cyprica* G. Petersen & Gaedike, 1983 (Tineidae) Synonym(s): *cyprica* G. Petersen & Gaedike, 1983
 74649) *Infurcitinea fasciella* Gaedike, 1983 (Tineidae) Synonym(s): *fasciella* Gaedike, 1983; *fasciella* G. Petersen, 1984.
 74650) *Infurcitinea finalis* Gozmany, 1959 (Tineidae) Synonym(s): *finalis* Gozmany, 1959
 74651) *Infurcitinea frustigerella* (Walsingham, 1907) (Tineidae) Synonym(s): *frustigerella* Walsingham, 1907; *absconditella* Chrétien, 1915.
 74652) *Infurcitinea gaedikei* Baldizzone, 1984 (Tineidae) Synonym(s): *gaedikei* Baldizzone, 1984
 74653) *Infurcitinea graeca* Gaedike, 1983 (Tineidae) Synonym(s): *graeca* Gaedike, 1983; *graeca* G. Petersen & Gaedike, 1983
 74654) *Infurcitinea grisea* G. Petersen, 1973 (Tineidae) Synonym(s): *grisea* G. Petersen, 1973
 74655) *Infurcitinea hellenica* Gaedike, 1997 (Tineidae) Synonym(s): *hellenica* Gaedike, 1997
 74656) *Infurcitinea ignicomella* (Heydenreich, 1851) (Tineidae) Synonym(s): *ignicomella* Heydenreich, 1851; *flavicapilla* Zeller, 1852.
 74657) *Infurcitinea incertula* (Meyrick, 1928) (Tineidae) Synonym(s): *incertula* Meyrick, 1928
 74658) *Infurcitinea iranensis* G. Petersen, 1964 (Tineidae) Synonym(s): *iranensis* G. Petersen, 1964
 74659) *Infurcitinea italica* (Amsel, 1954) (Tineidae) Synonym(s): *italica* Amsel, 1954
 74660) *Infurcitinea karadaghica* Zagulajev, 1979 (Tineidae) Synonym(s): *karadaghica* Zagulajev, 1979
 74661) *Infurcitinea karmeliella* (Amsel, 1935) (Tineidae) Synonym(s): *karmeliella* Amsel, 1935
 74662) *Infurcitinea karsholti* Gaedike, 1992 (Tineidae) Synonym(s): *karsholti* Gaedike, 1992
 74663) *Infurcitinea kasyi* G. Petersen, 1962 (Tineidae) Synonym(s): *kasyi* G. Petersen, 1962
 74664) *Infurcitinea klimeschi* Passerin d'Entrèves, 1974 (Tineidae) Synonym(s): *klimeschi* Passerin d'Entrèves, 1974
 74665) *Infurcitinea lakoniae* Gaedike, 1983 (Tineidae) Synonym(s): *lakoniae* Gaedike, 1983; *lakoniae* G. Petersen & Gaedike, 1983.
 74666) *Infurcitinea lambessella* G. Petersen, 1958 (Tineidae) Synonym(s): *lambessella* G. Petersen, 1958
 74667) *Infurcitinea litochorella* G. Petersen, 1964 (Tineidae) Synonym(s): *litochorella* G. Petersen, 1964
 74668) *Infurcitinea longipennis* Zagulajev, 1979 (Tineidae) Synonym(s): *longipennis* Zagulajev, 1979
 74669) *Infurcitinea marcunella* (Rebel, 1901) (Tineidae) Synonym(s): *marcunella* Rebel, 1901
 74670) *Infurcitinea maroccana* G. Petersen & Gaedike, 1979 (Tineidae) Synonym(s): *maroccana* G. Petersen & Gaedike, 1979
 74671) *Infurcitinea maura* G. Petersen, 1962 (Tineidae) Synonym(s): *maura* G. Petersen, 1962
 74672) *Infurcitinea media* (Walsingham, 1907) (Tineidae) Synonym(s): *media* Walsingham, 1907; *intricatella* Chrétien, 1915.
 74673) *Infurcitinea megalopterella* G. Petersen, 1964 (Tineidae) Synonym(s): *megalopterella* G. Petersen, 1964
 74674) *Infurcitinea minuscula* Gozmany, 1960 (Tineidae) Synonym(s): *minuscula* Gozmany, 1960
 74675) *Infurcitinea montei* Amsel, 1957 (Tineidae) Synonym(s): *montei* Amsel, 1957
 74676) *Infurcitinea nedae* Gaedike, 1983 (Tineidae) Synonym(s): *nedae* Gaedike, 1983; *nedae* Baldizzone, 1983
 74677) *Infurcitinea nigropluviella* (Walsingham, 1907) (Tineidae) Synonym(s): *nigropluviella* Walsingham, 1907; *maraschensis* G. Petersen, 1968.
 74678) *Infurcitinea nuristanica* G. Petersen, 1963 (Tineidae) Synonym(s): *nuristanica* G. Petersen, 1963
 74679) *Infurcitinea obscura* G. Petersen, 1973 (Tineidae) Synonym(s): *obscura* G. Petersen, 1973
 74680) *Infurcitinea obscuroides* Gaedike, 1983 (Tineidae) Synonym(s): *obscuroides* Gaedike, 1983; *obscuroides* G. Petersen & Gaedike, 1983.

- 74681) *Infurcitinea olympica* G.Petersen,1958 (Tineidae) Synonym(s): *olympica* G.Petersen,1958; *romanica* Capuse,1966.
74682) *Infurcitinea orchidella* G.Petersen,1962 (Tineidae) Synonym(s): *orchidella* G.Petersen,1962
74683) *Infurcitinea parentii* G.Petersen,1964 (Tineidae) Synonym(s): *parentii* G.Petersen,1964
74684) *Infurcitinea parnassiella* Gaedike,1987 (Tineidae) Synonym(s): *parnassiella* Gaedike,1987
74685) *Infurcitinea peterseni* Baldizzzone,1984 (Tineidae) Synonym(s): *peterseni* Baldizzzone,1984
74686) *Infurcitinea quettaella* G.Petersen,1971 (Tineidae) Synonym(s): *quettaella* G.Petersen,1971
74687) *Infurcitinea raddei* G.Petersen,1958 (Tineidae) Synonym(s): *raddei* G.Petersen,1958
74688) *Infurcitinea rebeliella* (Krone,1907) (Tineidae) Synonym(s): *rebeliella* Krone,1907
74689) *Infurcitinea reisseri* G.Petersen,1968 (Tineidae) Synonym(s): *reisseri* G.Petersen,1968
74690) *Infurcitinea roesslerella* (Heyden,1865) (Tineidae) Synonym(s): *roesslerella* Heyden,1865; *alpicella* G.Petersen,1962.
74691) *Infurcitinea rumelicella* (Rebel,1903) (Tineidae) Synonym(s): *rumelicella* Rebel,1903
74692) *Infurcitinea safedella* G.Petersen,1973 (Tineidae) Synonym(s): *safedella* G.Petersen,1973
74693) *Infurcitinea sardica* (Amsel,1952) (Tineidae) Synonym(s): *sardica* Amsel,1952; *baldizzzonei* Gaedike,1983.
74694) *Infurcitinea sardiniella* Vari,1942 (Tineidae) Synonym(s): *sardiniella* Vari,1942
74695) *Infurcitinea senecai* Gaedike,1987 (Tineidae) Synonym(s): *senecai* Gaedike,1987
74696) *Infurcitinea siciliana* G.Petersen,1964 (Tineidae) Synonym(s): *siciliana* G.Petersen,1964
74697) *Infurcitinea tauridella* G.Petersen,1968 (Tineidae) Synonym(s): *tauridella* G.Petersen,1968; *juliae* Satschkov,1995.
74698) *Infurcitinea taurus* Gaedike,1988 (Tineidae) Synonym(s): *taurus* Gaedike,1988
74699) *Infurcitinea teheranensis* G.Petersen,1971 (Tineidae) Synonym(s): *teheranensis* G.Petersen,1971
74700) *Infurcitinea teriolella* (Amsel,1954) (Tineidae) Synonym(s): *teriolella* Amsel,1954
74701) *Infurcitinea toechophila* (Walsingham,1908) (Tineidae) Synonym(s): *toechophila* Walsingham,1908
74702) *Infurcitinea tribertii* Gaedike,1983 (Tineidae) Synonym(s): *tribertii* Gaedike,1983; *tribertii* Baldizzzone,1983.
74703) *Infurcitinea turcica* G.Petersen,1968 (Tineidae) Synonym(s): *turcica* G.Petersen,1968
74704) *Infurcitinea vanderwolfi* Gaedike,1997 (Tineidae) Synonym(s): *vanderwolfi* Gaedike,1997
74705) *Infurcitinea vartianae* G.Petersen,1962 (Tineidae) Synonym(s): *vartianae* G.Petersen,1962
74706) *Infurcitinea walsinghami* G.Petersen,1962 (Tineidae) Synonym(s): *walsinghami* G.Petersen,1962
74707) *Infurcitinea yildizae* Koçak,1981 (Tineidae) Synonym(s): *sexguttella* Mann,1873 nec Thunberg,1794; *yildizae* Koçak,1981.
74708) *Ischnoscia borreonella* (Millière,1874) (Tineidae) Synonym(s): *borreonella* Millière,1874
74709) *Ischnoscia pandorella* (Millière,1881) (Tineidae) Synonym(s): *pandorella* Millière,1881
74710) *Janseana sceptica* (Meyrick,1910) (Tineidae) Synonym(s): *sceptica* Meyrick,1910
74711) *Janseana vibrata* (Meyrick,1913) (Tineidae) Synonym(s): *vibrata* Meyrick,1913; *crispa* Meyrick,1920
74712) *Karsholtia marianii* (Rebel,1936) (Tineidae) Synonym(s): *marianii* Rebel,1936
74713) *Kermania pistaciella* Amsel,1964 (Tineidae) Synonym(s): *pistaciella* Amsel,1964
74714) *Lazocatena nigricephala* (G.Petersen,1982) (Tineidae) Synonym(s): *nigricephala* G.Petersen,1982
74715) *Lazocatena obscura* (G.Petersen,1959) (Tineidae) Synonym(s): *obscura* G.Petersen,1959
74716) *Lazocatena othello* (Meyrick,1907) (Tineidae) Synonym(s): *othello* Meyrick,1907
74717) *Lichenotinea maculata* G.Petersen,1957 (Tineidae) Synonym(s): *maculata* G.Petersen,1957
74718) *Lichenotinea pustulatella* (Zeller,1852) (Tineidae) Synonym(s): *pustulatella* Zeller,1852
74719) *Lindera tessellatella* Blanchard,1852 (Tineidae) Synonym(s): *tessellatella* Blanchard,1852; *variegella* Blanchard,1852; *bogatotella* Walker,1864; *cruciferella* Dietz,1905; *ehrhornella* Dietz,1905; *simulella* Dietz,1905; *calcularis* Meyrick,1906
74720) *Lysitona euryacta* Meyrick,1918 (Tineidae) Synonym(s): *euryacta* Meyrick,1918
74721) *Machaeropteris petalacma* Meyrick,1932 (Tineidae) Synonym(s): *petalacma* Meyrick,1932
74722) *Machaeropteris scythopa* (Meyrick,1931) (Tineidae) Synonym(s): *scythopa* Meyrick,1931
74723) *Malacynthis stibarodes* Meyrick,1908 (Tineidae) Synonym(s): *stibarodes* Meyrick,1908
74724) *Matratinea rufulicaput* Sziraki & Szöcs,1990 (Tineidae) Synonym(s): *rufulicaput* Sziraki & Szöcs,1990
74725) *Meessia vinctella* (Herrich-Schäffer,1850) (Tineidae) Synonym(s): *vinctella* Herrich-Schäffer,1850; *vinctella* Zeller,1852; *vinculella* Zeller,1852; *pagenstecherella* Heyden,1861; *pachyceras* Walsingham,1900
74726) *Miarotagmata penetrata* (Meyrick,1911) (Tineidae) Synonym(s): *penetrata* Meyrick,1911; *myelopsis* Meyrick,1927
74727) *Micrerethista africana* Davis,1998 (Tineidae) Synonym(s): *africana* Davis,1998
74728) *Micrerethista bifida* Davis,1998 (Tineidae) Synonym(s): *bifida* Davis,1998
74729) *Micrerethista denticulata* Davis,1998 (Tineidae) Synonym(s): *denticulata* Davis,1998
74730) *Micrerethista dissacca* Davis,1998 (Tineidae) Synonym(s): *dissacca* Davis,1998
74731) *Micrerethista entriptia* (Meyrick,1917) (Tineidae) Synonym(s): *entriptia* Meyrick,1917
74732) *Micrerethista eustena* Diakonoff,1955 (Tineidae) Synonym(s): *eustena* Diakonoff,1955
74733) *Micrerethista fasciola* Davis,1998 (Tineidae) Synonym(s): *fasciola* Davis,1998
74734) *Micrerethista fusca* Davis,1998 (Tineidae) Synonym(s): *fusca* Davis,1998
74735) *Micrerethista mochlacma* Meyrick,1938 (Tineidae) Synonym(s): *mochlacma* Meyrick,1938
74736) *Micrerethista nigrapex* Davis,1998 (Tineidae) Synonym(s): *nigrapex* Davis,1998
74737) *Micrerethista resima* Davis,1998 (Tineidae) Synonym(s): *resima* Davis,1998
74738) *Micrerethista* sp. (Tineidae) Synonym(s):
74739) *Minicorona tricarpa* (Meyrick,1913) (Tineidae) Synonym(s): *tricarpa* Meyrick,1913
74740) *Monopis burmanni* G.Petersen,1979 (Tineidae) Synonym(s): *burmanni* G.Petersen,1979
74741) *Monopis christophi* G.Petersen,1957 (Tineidae) Synonym(s): *christophi* G.Petersen,1957
74742) *Monopis congestella* (Walker,1864) (Tineidae) Synonym(s): *congestella* Walker,1864
74743) *Monopis crocicapitella* (Clemens,1859) (Tineidae) Synonym(s): *crocicapitella* Clemens,1859; *amandatella* Walker,1863; *hyalinella* Staudinger,1870; *lombardica* Hering,1889; *heringi* Richardson,1893; *ptilophaga* Enderlein,1909; *prometopias* Gyen,1913; *ceconii* Turati,1919; *dobrogica* Georgescu,1964
74744) *Monopis desertella* Amsel,1935 (Tineidae) Synonym(s): *desertella* Amsel,1935
74745) *Monopis fenestratella* (Heyden,1863) (Tineidae) Synonym(s): *fenestratella* Heyden,1863
74746) *Monopis imella* (Hübner,[1813]) (Tineidae) Synonym(s): *imella* Hübner,[1813]; *nitidella* Zaguljaev,1960.
74747) *Monopis immaculata* Gozmany,1967 (Tineidae) Synonym(s): *immaculata* Gozmany,1967
74748) *Monopis impressella* (Walker,1863) (Tineidae) Synonym(s): *impressella* Walker,1863
74749) *Monopis laevigella* ([Denis & Schiffmüller],1775) (Tineidae) Synonym(s): *laevigella* [Denis & Schiffmüller],1775; *rusticella* Hübner,1796; *rustica* Haworth,[1828]; *saturella* Haworth,[1828].
74750) *Monopis lamprostola* Meyrick,1918 (Tineidae) Synonym(s): *lamprostola* Meyrick,1918
74751) *Monopis longella* (Walker,1863) (Tineidae) Synonym(s): *longella* Walker,1863
74752) *Monopis megalodelta* Meyrick,1908 (Tineidae) Synonym(s): *megalodelta* Meyrick,1908
74753) *Monopis meleodes* Meyrick,1917 (Tineidae) Synonym(s): *meleodes* Meyrick,1917
74754) *Monopis meyricki* Gozmany,1967 (Tineidae) Synonym(s): *meyricki* Gozmany,1967
74755) *Monopis monachella* (Hübner,1796) (Tineidae) Synonym(s): *monachella* Hübner,1796
74756) *Monopis nepheloscopa* Meyrick,1928 (Tineidae) Synonym(s): *nepheloscopa* Meyrick,1928
74757) *Monopis nigricantella* (Millière,1872) (Tineidae) Synonym(s): *nigricantella* Millière,1872
74758) *Monopis obviella* ([Denis & Schiffmüller],1775) (Tineidae) Synonym(s): *obviella* [Denis & Schiffmüller],1775; *ferruginella* Hübner,[1813] nec Thunberg,1818; *splendella* Hübner,[1813] nec [Denis & Schiffmüller],1775.
74759) *Monopis pallidella* Zaguljaev,1955 (Tineidae) Synonym(s): *pallidella* Zaguljaev,1955
74760) *Monopis persimilis* Gozmany,1965 (Tineidae) Synonym(s): *persimilis* Gozmany,1965
74761) *Monopis rejectella* (Walker,1875) (Tineidae) Synonym(s): *rejectella* Walker,1875; *pellucida* Wallengren,1875; *ubangi* Gozmany,1966
74762) *Monopis rutilicostella* Stainton,1860 (Tineidae) Synonym(s): *rutilicostella* Stainton,1860; *ethelella* Meyrick,1909; *perforata* Meyrick,1911
74763) *Monopis speculella* (Zeller,1852) (Tineidae) Synonym(s): *speculella* Zeller,1852
74764) *Monopis spilotella* (Tengström,1848) (Tineidae) Synonym(s): *spilotella* Tengström,1848
74765) *Monopis transeans* Gozmany,1965 (Tineidae) Synonym(s): *transeans* Gozmany,1965

- 74766) *Monopis triplacopa* Meyrick, 1932 (Tineidae) Synonym(s): *triplacopa* Meyrick, 1932
 74767) *Monopis ustella* Haworth, 1828 (Tineidae) Synonym(s): *ustella* Haworth, 1828
 74768) *Monopis weaverella* (Scott, 1858) (Tineidae) Synonym(s): *weaverella* Scott, 1858
 74769) *Montescardia fuscofasciella* (Chambers, 1875) (Tineidae) Synonym(s): *fuscofasciella* Chambers, 1875; *pravatella* Busck, 1908
 74770) *Montescardia kurensovi* (Zagulyaev, 1966) (Tineidae) Synonym(s): *kurensovi* Zagulyaev, 1966
 74771) *Montescardia tessulatellus* (Lienig & Zeller, 1846) (Tineidae) Synonym(s): *tessulatellus* Lienig & Zeller, 1846
 74772) *Montetinea montana* G. Petersen, 1957 (Tineidae) Synonym(s): *montana* G. Petersen, 1957
 74773) *Montetinea tenuicornella* (Klimesch, 1942) (Tineidae) Synonym(s): *tenuicornella* Klimesch, 1942
 74774) *Morphaga* (bucephala-gr.) *bucephala* (Snellen, 1884) (Tineidae) Synonym(s): *bucephala* Snellen, 1884; *chomatias* Meyrick, 1910; *rotundata* Matsumura, 1931
 74775) *Morphaga* (bucephala-gr.) *cremnarcha* (Meyrick, 1932) (Tineidae) Synonym(s): *cremnarcha* Meyrick, 1932; *nigrocapitella* G. Petersen, 1959
 74776) *Morphaga* (bucephala-gr.) *soror* Gozmany, 1965 (Tineidae) Synonym(s): *soror* Gozmany, 1965
 74777) *Morphaga* (bucephala-gr.) *vadonella* (Viette, 1954) (Tineidae) Synonym(s): *vadonella* Viette, 1954
 74778) *Morphaga* (choragella-gr.) *choragella* (Denis & Schiffermüller, 1775) (Tineidae) Synonym(s): *choragella* [Denis & Schiffermüller], 1775; *boleti* Fabricius, 1777; *fungella* Thunberg, 1794; *mediella* Hübner, 1796
 74779) *Morphaga* (choragella-gr.) *fasciculata* G.S. Robinson, 1986 (Tineidae) Synonym(s): *fasciculata* G.S. Robinson, 1986
 74780) *Morphaga* (choragella-gr.) *hyrcanella* Zagulyaev, 1966 (Tineidae) Synonym(s): *hyrcanella* Zagulyaev, 1966; *talyshensis* Zagulyaev, 1966
 74781) *Morphaga* (clonodes-gr.) *clonodes* (Meyrick, 1893) (Tineidae) Synonym(s): *clonodes* Meyrick, 1893; *porphyrea* Lower, 1903; *maculosa* Diakonoff, 1949
 74782) *Morphaga* (morella-gr.) *morella* (Duponchel, 1838) (Tineidae) Synonym(s): *morella* Duponchel, 1838; *#fungicolella* Dumont, 1930
 74783) *Morphaga* (sistrata-gr.) *borneensis* G.S. Robinson, 1986 (Tineidae) Synonym(s): *borneensis* G.S. Robinson, 1986
 74784) *Morphaga* (sistrata-gr.) *formosana* G.S. Robinson, 1986 (Tineidae) Synonym(s): *formosana* G.S. Robinson, 1986; *kobella* G.S. Robinson, 1986
 74785) *Morphaga* (sistrata-gr.) *iriomotensis* G.S. Robinson, 1986 (Tineidae) Synonym(s): *iriomotensis* G.S. Robinson, 1986
 74786) *Morphaga* (sistrata-gr.) *sistrata* (Meyrick, 1916) (Tineidae) Synonym(s): *sistrata* Meyrick, 1916
 74787) *Morphaga* (sistrata-gr.) *tholerodes* (Meyrick, 1894) (Tineidae) Synonym(s): *tholerodes* Meyrick, 1894
 74788) *Morphagoides berkeleyella* (Powell, [1968]) (Tineidae) Synonym(s): *berkeleyella* Powell, [1968]
 74789) *Morphagoides burkerella* (Busck, 1904) (Tineidae) Synonym(s): *burkerella* Busck, 1904; *gracilis* Walsingham, 1907; *caryophylella* Busck, 1908; *errandella* Busck, 1908
 74790) *Morphagoides iranensis* G. Petersen, 1960 (Tineidae) Synonym(s): *iranensis* G. Petersen, 1960
 74791) *Morphagoides iulina* (Walsingham, 1914) (Tineidae) Synonym(s): *iulina* Walsingham, 1914
 74792) *Morphagoides montium* (Walsingham, 1914) (Tineidae) Synonym(s): *montium* Walsingham, 1914
 74793) *Morphagoides moriutii* G.S. Robinson, 1986 (Tineidae) Synonym(s): *moriutii* G.S. Robinson, 1986
 74794) *Morphagoides nimbiferum* G.S. Robinson, 1986 (Tineidae) Synonym(s): *nimbiferum* G.S. Robinson, 1986
 74795) *Morphagoides pythium* G.S. Robinson, 1986 (Tineidae) Synonym(s): *pythium* G.S. Robinson, 1986
 74796) *Morphagoides ussuriensis* (Caradja, 1920) (Tineidae) Synonym(s): *ussuriensis* Caradja, 1920
 74797) *Moscardia renitens* (Meyrick, 1922) (Tineidae) Synonym(s): *renitens* Meyrick, 1922
 74798) *Moscardia varna* G.S. Robinson, 1986 (Tineidae) Synonym(s): *varna* G.S. Robinson, 1986
 74799) *Myrmecozela* (Dulcana) *cuencana* (Caradja, 1920) (Tineidae) Synonym(s): *cuencana* Caradja, 1920; *chellalaris* G. Petersen, 1957
 74800) *Myrmecozela* (Dulcana) *diacona* (Walsingham, 1907) (Tineidae) Synonym(s): *diacona* Walsingham, 1907
 74801) *Myrmecozela* (Dulcana) *lambesella* Rebel, 1901 (Tineidae) Synonym(s): *lambesella* Rebel, 1901
 74802) *Myrmecozela* (Flavida) *armeniaca* Zagulyaev, 1971 (Tineidae) Synonym(s): *armeniaca* Zagulyaev, 1971
 74803) *Myrmecozela* (Flavida) *asariella* Zagulyaev, 1972 (Tineidae) Synonym(s): *asariella* Zagulyaev, 1972
 74804) *Myrmecozela* (Flavida) *carabachica* Zagulyaev, 1968 (Tineidae) Synonym(s): *carabachica* Zagulyaev, 1968
 74805) *Myrmecozela* (Flavida) *gajndzhiella* Zagulyaev, 1968 (Tineidae) Synonym(s): *gajndzhiella* Zagulyaev, 1968
 74806) *Myrmecozela* (Flavida) *gigantea* (Christoph, 1873) (Tineidae) Synonym(s): *gigantea* Christoph, 1873
 74807) *Myrmecozela* (Flavida) *hyrcanella* Zagulyaev, 1968 (Tineidae) Synonym(s): *hyrcanella* Zagulyaev, 1968
 74808) *Myrmecozela* (Flavida) *imeretica* Zagulyaev, 1972 (Tineidae) Synonym(s): *imeretica* Zagulyaev, 1972
 74809) *Myrmecozela* (Flavida) *insignis* Amsel, 1935 (Tineidae) Synonym(s): *insignis* Amsel, 1935; *stichograptia* Meyrick, 1936; *diacona* Amsel, 1949
 74810) *Myrmecozela* (Flavida) *isopsamma* Meyrick, 1920 (Tineidae) Synonym(s): *isopsamma* Meyrick, 1920; *favens* Meyrick, 1917; *pelochlora* Meyrick, 1920; *philoptica* Meyrick, 1931; *abyssinica* Gozmany, 1960; *ethiopica* Gozmany, 1960
 74811) *Myrmecozela* (Flavida) *kasachstanica* Zagulyaev, 1972 (Tineidae) Synonym(s): *kasachstanica* Zagulyaev, 1972
 74812) *Myrmecozela* (Flavida) *lutosella* (Eversmann, 1844) (Tineidae) Synonym(s): *lutosella* Eversmann, 1844
 74813) *Myrmecozela* (Flavida) *mongolica* G. Petersen, 1965 (Tineidae) Synonym(s): *mongolica* G. Petersen, 1965
 74814) *Myrmecozela* (Flavida) *ordubasis* Zagulyaev, 1968 (Tineidae) Synonym(s): *ordubasis* Zagulyaev, 1968
 74815) *Myrmecozela* (Flavida) *pontica* Zagulyaev, 1971 (Tineidae) Synonym(s): *pontica* Zagulyaev, 1971
 74816) *Myrmecozela* (Flavida) *rjabovi* Zagulyaev, 1968 (Tineidae) Synonym(s): *rjabovi* Zagulyaev, 1968
 74817) *Myrmecozela* (Flavida) *saule* Zagulyaev, 1972 (Tineidae) Synonym(s): *saule* Zagulyaev, 1972
 74818) *Myrmecozela* (Flavida) *stepicola* Zagulyaev, 1972 (Tineidae) Synonym(s): *stepicola* Zagulyaev, 1972
 74819) *Myrmecozela* (Promasia) *ataxella* (Chrétien, 1905) (Tineidae) Synonym(s): *ataxella* Chrétien, 1905; *chneourella* Lucas, 1950
 74820) *Myrmecozela* (Promasia) *deserticola* (Walsingham, 1907) (Tineidae) Synonym(s): *deserticola* Walsingham, 1907
 74821) *Myrmecozela* (Promasia) *hispaniella* Zagulyaev, 1971 (Tineidae) Synonym(s): *hispaniella* Zagulyaev, 1971
 74822) *Myrmecozela* (Promasia) *parnassiella* (Rebel, 1915) (Tineidae) Synonym(s): *parnassiella* Rebel, 1915
 74823) *Myrmecozela* (Promasia) *sordidella* (Caradja, 1920) (Tineidae) Synonym(s): *sordidella* Caradja, 1920
 74824) *Myrmecozela* (s.str.) *dzhungarica* Zagulyaev, 1971 (Tineidae) Synonym(s): *dzhungarica* Zagulyaev, 1971
 74825) *Myrmecozela* (s.str.) *heptapotamica* Zagulyaev, 1971 (Tineidae) Synonym(s): *heptapotamica* Zagulyaev, 1971
 74826) *Myrmecozela* (s.str.) *ochraceella* (Tengström, 1848) (Tineidae) Synonym(s): *ochraceella* Tengström, 1848
 74827) *Myrmecozela* (s.str.) *taurella* Zagulyaev, 1971 (Tineidae) Synonym(s): *taurella* Zagulyaev, 1971
 74828) *Nearolyma pyrsocoma* (Meyrick, 1937) (Tineidae) Synonym(s): *pyrsocoma* Meyrick, 1937
 74829) *Nemapogon agenjoi* G. Petersen, 1959 (Tineidae) Synonym(s): *agenjoi* G. Petersen, 1959; *hispaniellus* Gozmany, 1960.
 74830) *Nemapogon anatolica* Gaedike, 1986 (Tineidae) Synonym(s): *anatolica* Gaedike, 1986
 74831) *Nemapogon arenbergeri* Gaedike, 1986 (Tineidae) Synonym(s): *arenbergeri* Gaedike, 1986
 74832) *Nemapogon brandti* Gaedike, 1986 (Tineidae) Synonym(s): *brandti* Gaedike, 1986
 74833) *Nemapogon caucasica* Zagulyaev, 1964 (Tineidae) Synonym(s): *caucasica* Zagulyaev, 1964
 74834) *Nemapogon clematella* (Fabricius, 1781) (Tineidae) Synonym(s): ? *niveella* Fabricius, 1777; *clematella* Fabricius, 1781; *repandella* Hübner, [1799]; *clemateia* Haworth, 1828; *auritinctella* Wallengren, 1852
 74835) *Nemapogon cloacella* (Haworth, [1828]) (Tineidae) Synonym(s): *cloacella* Haworth, [1828]; *infimella* Herrich-Schäffer, 1851.
 74836) *Nemapogon cyprica* Gaedike, 1986 (Tineidae) Synonym(s): *cyprica* Gaedike, 1986
 74837) *Nemapogon falstriella* (Haas, 1881) (Tineidae) Synonym(s): *falstriella* Haas, 1881
 74838) *Nemapogon flavifrons* G. Petersen, 1959 (Tineidae) Synonym(s): *flavifrons* G. Petersen, 1959; *kabulianus* Gozmany, 1959.
 74839) *Nemapogon fungivorella* (Benander, 1939) (Tineidae) Synonym(s): *fungivorella* Benander, 1939
 74840) *Nemapogon gliriella* (Heyden, 1865) (Tineidae) Synonym(s): *gliriella* Heyden, 1865; *cachetiellus* Zagulyaev, 1963; *cacheticus* Zagulyaev, 1964.
 74841) *Nemapogon granella* (Linnaeus, 1758) (Tineidae) Synonym(s): *granella* Linnaeus, 1758; *domesticella* Scopoli, 1763; *fenestrella* Scopoli, 1763 (*praeocc.*); *nebulosella* Fourcroy, 1785; *tesserella* Fabricius, 1794; *costotristrigella* Chambers, 1873; *marmorella* Chambers, 1873; *fuscomaculella* Chambers, 1875; *mancuniella* Hodgkinson, 1880; *nigroatomella* Dietz, 1905; *fuscomella* Wörz, 1958
 74842) *Nemapogon gravosaella* G. Petersen, 1957 (Tineidae) Synonym(s): *gravosaellus* G. Petersen, 1957; *signatellus* G. Petersen, 1960; *borshomi* Zagulyaev, 1964.
 74843) *Nemapogon hispanica* G. Petersen & Gaedike, 1992 (Tineidae) Synonym(s): *hispanica* G. Petersen & Gaedike, 1992
 74844) *Nemapogon hungarica* Gozmany, 1960 (Tineidae) Synonym(s): *hungaricus* Gozmany, 1960; *pliginskii* Zagulyaev, 1963.
 74845) *Nemapogon inconditella* (Lucas, 1956) (Tineidae) Synonym(s): *inconditella* Lucas, 1956; *buckwelli* Lucas, 1956; *heydeni* G. Petersen, 1957; *hispanellus* Gozmany, 1960; *thomasi* Capuşe, 1975.
 74846) *Nemapogon kasyi* Gaedike, 1986 (Tineidae) Synonym(s): *kasyi* Gaedike, 1986.

- 74847) *Nemapogon koenigi* Capuse, 1967 (Tineidae) Synonym(s): *koenigi* Capuse, 1967
 74848) *Nemapogon levantina* G. Petersen, 1961 (Tineidae) Synonym(s): *levantinus* G. Petersen, 1961
 74849) *Nemapogon nevadella* (Caradja, 1920) (Tineidae) Synonym(s): *nevadellus* Caradja, 1920
 74850) *Nemapogon nigralbella* (Zeller, 1839) (Tineidae) Synonym(s): *nigralbella* Zeller, 1839
 74851) *Nemapogon picarella* (Clerck, 1759) (Tineidae) Synonym(s): *picarella* Clerck, 1759; *rigaella* Sodoffsky, 1830; *acerella* Treitschke, 1832; *riganella* Zeller, 1839
 74852) *Nemapogon quercicolella* (Zeller, 1852) (Tineidae) Synonym(s): *quercicolellus* Zeller, 1852
 74853) *Nemapogon reisseri* G. Petersen & Gaedike, 1983 (Tineidae) Synonym(s): *reisseri* G. Petersen & Gaedike, 1983.
 74854) *Nemapogon ruricolella* (Stainton, 1859) (Tineidae) Synonym(s): *zuricolella* Stainton, 1859; *cochylidella* Stainton, 1854.
 74855) *Nemapogon sardica* Gaedike, 1983 (Tineidae) Synonym(s): *sardica* Gaedike, 1983
 74856) *Nemapogon scholzi* Sutter, 2000 (Tineidae) Synonym(s): *scholzi* Sutter, 2000
 74857) *Nemapogon signatella* G. Petersen, 1957 (Tineidae) Synonym(s): *signatellus* G. Petersen, 1957
 74858) *Nemapogon teberdella* Zagulyaev, 1963 (Tineidae) Synonym(s): *teberdellus* Zagulyaev, 1963; *georgiellus* Zagulyaev, 1963; *teberdensis* Zagulyaev, 1964; *georgicus* Zagulyaev, 1964.
 74859) *Nemapogon variatella* (Clemens, 1859) (Tineidae) Synonym(s): *variata* Clemens, 1859; *personella* Pierce & Metcalf, 1934; *secalella* Zacher, 1938; *infimella* Corbet, 1943.
 74860) *Nemapogon vartianae* Gaedike, 1986 (Tineidae) Synonym(s): *vartianae* Gaedike, 1986
 74861) *Nemapogon wolffiella* Karsholt & Nielsen, 1976 (Tineidae) Synonym(s): *albipunctellus* Haworth, [1828] *nec* [Denis & Schiff.], 1775; *wolffiella* Karsholt & Nielsen, 1976.
 74862) *Nemaxera betulinelia* (Paykull, 1785) (Tineidae) Synonym(s): *betulinella* Paykull, 1785; *betulea* Haworth, 1828; *corticella* Curtis, 1834; *emortuella* Zeller, 1839
 74863) *Neopiscardia islamella* G. Petersen & Gaedike, 1982 (Tineidae) Synonym(s): *islamella* G. Petersen & Gaedike, 1982
 74864) *Neomesia gracilis* G. Petersen, 1968 (Tineidae) Synonym(s): *gracilis* G. Petersen, 1968
 74865) *Neospolarcha varii* (Gozmany, 1967) (Tineidae) Synonym(s): *varii* Gozmany, 1967
 74866) *Neurothausia ankerella* (Mann, 1867) (Tineidae) Synonym(s): *ankerella* Mann, 1867; *burdigalensis* Le Marchand, 1934; *tirsella* Amsel, 1951.
 74867) *Neurothausia fasciata* G. Petersen, 1959 (Tineidae) Synonym(s): *fasciata* G. Petersen, 1959
 74868) *Neurothausia inornata* G. Petersen, 1966 (Tineidae) Synonym(s): *inornata* G. Petersen, 1966
 74869) *Neurothausia macedonica* G. Petersen, 1962 (Tineidae) Synonym(s): *macedonica* G. Petersen, 1962
 74870) *Neurothausia ragusaella* (Wocke, 1889) (Tineidae) Synonym(s): *ragusaella* Wocke, 1889
 74871) *Niditinea fuscella* (Linnaeus, 1758) (Tineidae) Synonym(s): *fuscella* Linnaeus, 1758; *spretella* [Denis & Schiffermüller], 1775; *crinitella* Schrank, 1802; *fuscipunctella* Haworth, [1828]; *nubilipennella* Clemens, 1859; *ablutella* Walker, 1863; *eurinella* Zagulyaev, 1952; *distans* Gozmany, 1959.
 74872) *Niditinea piercella* (Bentick, 1935) (Tineidae) Synonym(s): *piercella* Bentick, 1935
 74873) *Niditinea striolella* (Matsumura, 1931) (Tineidae) Synonym(s): *striolella* Matsumura, 1931
 74874) *Niditinea truncicolella* (Tengström, 1848) (Tineidae) Synonym(s): *truncicolella* Tengström, 1848
 74875) *Niditinea tuguralis* (Meyrick, 1932) (Tineidae) Synonym(s): *tuguralis* Meyrick, 1932; *unipunctella* Zagulyaev, 1960
 74876) *Novotinea albarracinella* G. Petersen, 1967 (Tineidae) Synonym(s): *albarracinella* G. Petersen, 1967
 74877) *Novotinea andalusella* G. Petersen, 1964 (Tineidae) Synonym(s): *andalusiella* G. Petersen, 1964
 74878) *Novotinea carbonifera* (Walsingham, 1900) (Tineidae) Synonym(s): *carbonifera* Walsingham, 1900
 74879) *Novotinea fasciata* (Staudinger, 1879) (Tineidae) Synonym(s): *fasciata* Staudinger, 1879
 74880) *Novotinea klimeschi* (Rebel, 1940) (Tineidae) Synonym(s): *klimeschi* Rebel, 1940
 74881) *Novotinea liguriella* Amsel, 1950 (Tineidae) Synonym(s): *liguriella* Amsel, 1950; *apicipunctella* Deschka & Huemer, 1997
 74882) *Novotinea mistrettae* Parenti, 1966 (Tineidae) Synonym(s): *mistrettae* Parenti, 1966
 74883) *Novotinea muricella* (Fuchs, 1879) (Tineidae) Synonym(s): *muricella* Fuchs, 1879
 74884) *Nyctocyma crotalopsis* (Meyrick, 1921) (Tineidae) Synonym(s): *crotalopsis* Meyrick, 1921; *amphicrossa* Meyrick, 1921
 74885) *Ochetoxena phaneraula* Meyrick, 1920 (Tineidae) Synonym(s): *phaneraula* Meyrick, 1920
 74886) *Ocnophila autocrypta* (Meyrick, 1926) (Tineidae) Synonym(s): *autocrypta* Meyrick, 1926
 74887) *Ocnophila tetraula* (Meyrick, 1926) (Tineidae) Synonym(s): *tetraula* Meyrick, 1926
 74888) *Oinophila flavofasciella* (Duponchel, 1844) (Tineidae) Synonym(s): *flavofasciella* Duponchel, 1844
 74889) *Oinophila nesiotis* Walsingham, 1908 (Tineidae) Synonym(s): *nesiotis* Walsingham, 1908
 74890) *Oinophila v-flava* (Haworth, [1828]) (Tineidae) Synonym(s): *v-flava* Haworth, [1828]
 74891) *Opogona acteon* (Wollaston, 1879) (Tineidae) Synonym(s): *acteon* Wollaston, 1879
 74892) *Opogona aemula* Meyrick, 1915 (Tineidae) Synonym(s): *aemula* Meyrick, 1915
 74893) *Opogona allaini* Clark, 1971 (Tineidae) Synonym(s): *allaini* Clark, 1971
 74894) *Opogona amphicausta* Meyrick, 1907 (Tineidae) Synonym(s): *amphicausta* Meyrick, 1907
 74895) *Opogona amphichorda* Meyrick, 1921 (Tineidae) Synonym(s): *amphichorda* Meyrick, 1921
 74896) *Opogona anachoreta* (Meyrick, 1921) (Tineidae) Synonym(s): *anachoreta* Meyrick, 1921
 74897) *Opogona anaclina* Meyrick, 1915 (Tineidae) Synonym(s): *anaclina* Meyrick, 1915
 74898) *Opogona anisacta* Meyrick, 1920 (Tineidae) Synonym(s): *anisacta* Meyrick, 1920
 74899) *Opogona antiarcha* Meyrick, 1934 (Tineidae) Synonym(s): *antiarcha* Meyrick, 1934
 74900) *Opogona anticella* (Walker, 1875) (Tineidae) Synonym(s): *anticella* Walker, 1875
 74901) *Opogona apicalis* (Wollaston, 1879) (Tineidae) Synonym(s): *apicalis* Wollaston, 1879
 74902) *Opogona arizonensis* Davis, 1978 (Tineidae) Synonym(s): *arizonensis* Davis, 1978
 74903) *Opogona asema* (Turner, 1900) (Tineidae) Synonym(s): *asema* Turner, 1900
 74904) *Opogona atlantica* (Wollaston, 1879) (Tineidae) Synonym(s): *atlantica* Wollaston, 1879
 74905) *Opogona aurisquamosa* (Butler, 1881) (Tineidae) Synonym(s): *aurisquamosa* Butler, 1881
 74906) *Opogona autogama* (Meyrick, 1911) (Tineidae) Synonym(s): *autogama* Meyrick, 1911
 74907) *Opogona autophyta* Meyrick, 1915 (Tineidae) Synonym(s): *autophyta* Meyrick, 1915
 74908) *Opogona basilissa* (Turner, 1917) (Tineidae) Synonym(s): *basilissa* Turner, 1917
 74909) *Opogona binotatella* (Walker, 1875) (Tineidae) Synonym(s): *binotatella* Walker, 1875
 74910) *Opogona brunneomarmorata* (Wollaston, 1879) (Tineidae) Synonym(s): *brunneomarmorata* Wollaston, 1879
 74911) *Opogona calculata* Meyrick, 1919 (Tineidae) Synonym(s): *calculata* Meyrick, 1919
 74912) *Opogona caryospila* Meyrick, 1920 (Tineidae) Synonym(s): *caryospila* Meyrick, 1920
 74913) *Opogona cataclasta* Meyrick, 1915 (Tineidae) Synonym(s): *cataclasta* Meyrick, 1915
 74914) *Opogona chlorophaea* Meyrick, 1921 (Tineidae) Synonym(s): *chlorophaea* Meyrick, 1921
 74915) *Opogona chlorophanes* Meyrick, 1908 (Tineidae) Synonym(s): *chlorophanes* Meyrick, 1908
 74916) *Opogona choleropsis* Meyrick, 1920 (Tineidae) Synonym(s): *choleropsis* Meyrick, 1920
 74917) *Opogona chrysocapna* Diakonoff, 1955 (Tineidae) Synonym(s): *chrysangela* Diakonoff, 1955
 74918) *Opogona chrysocapna* Diakonoff, 1955 (Tineidae) Synonym(s): *chrysocapna* Diakonoff, 1955
 74919) *Opogona chrysophanes* Meyrick, 1915 (Tineidae) Synonym(s): *chrysophanes* Meyrick, 1915; *semicuprea* Turner, 1923
 74920) *Opogona citrinodes* (Meyrick, 1922) (Tineidae) Synonym(s): *citrinodes* Meyrick, 1922
 74921) *Opogona citriseca* Meyrick, 1928 (Tineidae) Synonym(s): *citriseca* Meyrick, 1928
 74922) *Opogona citrolopha* Meyrick, 1932 (Tineidae) Synonym(s): *citrolopha* Meyrick, 1932
 74923) *Opogona cleonima* (Meyrick, 1897) (Tineidae) Synonym(s): *cleonima* Meyrick, 1897
 74924) *Opogona clinomima* (Meyrick, 1918) (Tineidae) Synonym(s): *clinomima* Meyrick, 1918
 74925) *Opogona compositarum* (Wollaston, 1879) (Tineidae) Synonym(s): *compositarum* Wollaston, 1879
 74926) *Opogona comptella* (Walker, 1864) (Tineidae) Synonym(s): *comptella* Walker, 1864
 74927) *Opogona confinis* Turner, 1926 (Tineidae) Synonym(s): *confinis* Turner, 1926
 74928) *Opogona congenera* (Wollaston, 1879) (Tineidae) Synonym(s): *congenera* Wollaston, 1879
 74929) *Opogona conjurata* (Meyrick, 1920) (Tineidae) Synonym(s): *conjurata* Meyrick, 1920
 74930) *Opogona crypsipyrpa* Turner, 1923 (Tineidae) Synonym(s): *crypsipyrpa* Turner, 1923

- 74931) *Opogona cyrtomis* Meyrick, 1915 (Tineidae) Synonym(s): *cyrtomis* Meyrick, 1915
 74932) *Opogona debilis* Meyrick, 1921 (Tineidae) Synonym(s): *debilis* Meyrick, 1921
 74933) *Opogona dimidiatella* Zeller, 1853 (Tineidae) Synonym(s): *dimidiatella* Zeller, 1853; *semisuphurea* Stainton, 1859; *dimidiatella* Walker, 1864
 74934) *Opogona dimorpha* Davis, 1994 (Tineidae) Synonym(s): *dimorpha* Davis, 1994
 74935) *Opogona discordia* Clarke, 1986 (Tineidae) Synonym(s): *discordia* Clarke, 1986
 74936) *Opogona divisa* (Wollaston, 1879) (Tineidae) Synonym(s): *divisa* Wollaston, 1879
 74937) *Opogona doxophanes* Meyrick, 1915 (Tineidae) Synonym(s): *doxophanes* Meyrick, 1915
 74938) *Opogona dramatica* Meyrick, 1911 (Tineidae) Synonym(s): *dramatica* Meyrick, 1911
 74939) *Opogona echodes* Meyrick, 1936 (Tineidae) Synonym(s): *echodes* Meyrick, 1936
 74940) *Opogona elaitis* Meyrick, 1911 (Tineidae) Synonym(s): *elaitis* Meyrick, 1911
 74941) *Opogona etiennella* Viette, 1988 (Tineidae) Synonym(s): *etiennella* Viette, 1988
 74942) *Opogona euchaetes* Bradley, 1956 (Tineidae) Synonym(s): *euchaetes* Bradley, 1956
 74943) *Opogona euprosopis* Meyrick, 1927 (Tineidae) Synonym(s): *euprosopis* Meyrick, 1927
 74944) *Opogona fasciculata* (Wollaston, 1879) (Tineidae) Synonym(s): *fasciculata* Wollaston, 1879
 74945) *Opogona fascigera* Meyrick, 1915 (Tineidae) Synonym(s): *fascigera* Meyrick, 1915
 74946) *Opogona fatima* Meyrick, 1921 (Tineidae) Synonym(s): *fatima* Meyrick, 1921
 74947) *Opogona flavofasciata* (Stainton, 1859) (Tineidae) Synonym(s): *flavofasciata* Stainton, 1859; *objectella* Walker, 1864
 74948) *Opogona flavotincta* (Wollaston, 1879) (Tineidae) Synonym(s): *flavotincta* Wollaston, 1879
 74949) *Opogona florea* (Meyrick, 1911) (Tineidae) Synonym(s): *florea* Meyrick, 1911
 74950) *Opogona floridensis* Davis, 1978 (Tineidae) Synonym(s): *floridensis* Davis, 1978
 74951) *Opogona fumiceps* R. Felder & Rogenhofer, [1875] (Tineidae) Synonym(s): *fumiceps* R. Felder & Rogenhofer, [1875]
 74952) *Opogona glaphyra* Diakonoff, 1948 (Tineidae) Synonym(s): *glaphyra* Diakonoff, 1948
 74953) *Opogona glycyphaga* Meyrick, 1915 (Tineidae) Synonym(s): *glycyphaga* Meyrick, 1915
 74954) *Opogona gymnota* Diakonoff, 1948 (Tineidae) Synonym(s): *gymnota* Diakonoff, 1948
 74955) *Opogona harpalea* Meyrick, 1911 (Tineidae) Synonym(s): *harpalea* Meyrick, 1911
 74956) *Opogona helenae* (Wollaston, 1879) (Tineidae) Synonym(s): *helenae* Wollaston, 1879
 74957) *Opogona helenaeoides* (Wollaston, 1879) (Tineidae) Synonym(s): *helenaeoides* Wollaston, 1879
 74958) *Opogona heliogramma* (Meyrick, 1911) (Tineidae) Synonym(s): *heliogramma* Meyrick, 1911
 74959) *Opogona hemidryas* Meyrick, 1915 (Tineidae) Synonym(s): *hemidryas* Meyrick, 1915
 74960) *Opogona heroicella* Viette, 1957 (Tineidae) Synonym(s): *heroicella* Viette, 1957
 74961) *Opogona hylarcha* Meyrick, 1928 (Tineidae) Synonym(s): *hylarcha* Meyrick, 1928
 74962) *Opogona icterica* Meyrick, 1915 (Tineidae) Synonym(s): *icterica* Meyrick, 1915
 74963) *Opogona incorrectella* Viette, 1957 (Tineidae) Synonym(s): *incorrectella* Viette, 1957
 74964) *Opogona indiscreta* (Meyrick, 1917) (Tineidae) Synonym(s): *indiscreta* Meyrick, 1917
 74965) *Opogona iolychna* (Meyrick, 1920) (Tineidae) Synonym(s): *iolychna* Meyrick, 1920
 74966) *Opogona iricharis* (Meyrick, 1926) (Tineidae) Synonym(s): *iricharis* Meyrick, 1926
 74967) *Opogona iridogramma* Meyrick, 1924 (Tineidae) Synonym(s): *iridogramma* Meyrick, 1924
 74968) *Opogona irrorata* (Wollaston, 1879) (Tineidae) Synonym(s): *irrorata* Wollaston, 1879
 74969) *Opogona ischnoscia* Meyrick, 1928 (Tineidae) Synonym(s): *ischnoscia* Meyrick, 1928
 74970) *Opogona isocline* Meyrick, 1907 (Tineidae) Synonym(s): *isocline* Meyrick, 1907
 74971) *Opogona isorthota* Meyrick, 1925 (Tineidae) Synonym(s): *isorthota* Meyrick, 1925
 74972) *Opogona isotalanta* Meyrick, 1930 (Tineidae) Synonym(s): *isotalanta* Meyrick, 1930
 74973) *Opogona lamprocrossa* Meyrick, 1928 (Tineidae) Synonym(s): *lamprocrossa* Meyrick, 1928
 74974) *Opogona lamprophanes* Meyrick, 1915 (Tineidae) Synonym(s): *lamprophanes* Meyrick, 1915
 74975) *Opogona leptynta* Meyrick, 1915 (Tineidae) Synonym(s): *leptynta* Meyrick, 1915
 74976) *Opogona liparopis* Meyrick, 1922 (Tineidae) Synonym(s): *liparopis* Meyrick, 1922
 74977) *Opogona loculata* Meyrick, 1915 (Tineidae) Synonym(s): *loculata* Meyrick, 1915
 74978) *Opogona lornatella* Legrand, 1965 (Tineidae) Synonym(s): *lornatella* Legrand, 1965
 74979) *Opogona lotoxantha* Meyrick, 1915 (Tineidae) Synonym(s): *lotoxantha* Meyrick, 1915
 74980) *Opogona lutigena* Meyrick, 1915 (Tineidae) Synonym(s): *lutigena* Meyrick, 1915
 74981) *Opogona masoalella* (Viette, 1955) (Tineidae) Synonym(s): *masoalella* Viette, 1955
 74982) *Opogona mendanai* Bradley, 1961 (Tineidae) Synonym(s): *mendanai* Bradley, 1961
 74983) *Opogona metanastes* Walsingham, 1914 (Tineidae) Synonym(s): *metanastes* Walsingham, 1914
 74984) *Opogona metanopasta* Diakonoff, 1955 (Tineidae) Synonym(s): *metanopasta* Diakonoff, 1955
 74985) *Opogona micranthes* (Meyrick, 1897) (Tineidae) Synonym(s): *micranthes* Meyrick, 1897
 74986) *Opogona molybdis* Meyrick, 1915 (Tineidae) Synonym(s): *molybdis* Meyrick, 1915
 74987) *Opogona monosticta* Meyrick, 1915 (Tineidae) Synonym(s): *monosticta* Meyrick, 1915
 74988) *Opogona nebularis* (Meyrick, 1897) (Tineidae) Synonym(s): *nebularis* Meyrick, 1897
 74989) *Opogona nephelodesma* Diakonoff, 1955 (Tineidae) Synonym(s): *nephelodesma* Diakonoff, 1955
 74990) *Opogona nipponica* Stringer, 1930 (Tineidae) Synonym(s): *nipponica* Stringer, 1930
 74991) *Opogona niveopicta* (Wollaston, 1879) (Tineidae) Synonym(s): *niveopicta* Wollaston, 1879
 74992) *Opogona omiasis* Meyrick, 1937 (Tineidae) Synonym(s): *omiasis* Meyrick, 1937
 74993) *Opogona omoscopa* (Meyrick, 1893) (Tineidae) Synonym(s): *omoscopa* Meyrick, 1893; *strassenella* Enderlein, 1903; *apicalis* Swezey, 1909; *praematura* Meyrick, 1909
 74994) *Opogona orchestris* Meyrick, 1911 (Tineidae) Synonym(s): *orchestris* Meyrick, 1911
 74995) *Opogona orthotis* (Meyrick, 1897) (Tineidae) Synonym(s): *orthotis* Meyrick, 1897
 74996) *Opogona pandora* Meyrick, 1911 (Tineidae) Synonym(s): *pandora* Meyrick, 1911
 74997) *Opogona papayae* Turner, 1923 (Tineidae) Synonym(s): *papayae* Turner, 1923
 74998) *Opogona pelinoma* Meyrick, 1931 (Tineidae) Synonym(s): *pelinoma* Meyrick, 1931
 74999) *Opogona percnodes* Meyrick, 1910 (Tineidae) Synonym(s): *percnodes* Meyrick, 1910
 75000) *Opogona perisema* Diakonoff, 1955 (Tineidae) Synonym(s): *perisema* Diakonoff, 1955
 75001) *Opogona phaeadelpha* Meyrick, 1934 (Tineidae) Synonym(s): *phaeadelpha* Meyrick, 1934
 75002) *Opogona phaeochalca* Meyrick, 1908 (Tineidae) Synonym(s): *phaeochalca* Meyrick, 1908
 75003) *Opogona phaeocrana* Meyrick, 1914 (Tineidae) Synonym(s): *phaeocrana* Meyrick, 1914
 75004) *Opogona plumbifera* (Meyrick, 1914) (Tineidae) Synonym(s): *plumbifera* Meyrick, 1914
 75005) *Opogona pontigera* Meyrick, 1927 (Tineidae) Synonym(s): *pontigera* Meyrick, 1927
 75006) *Opogona praecincta* Meyrick, 1916 (Tineidae) Synonym(s): *praecincta* Meyrick, 1916
 75007) *Opogona praestans* (Walsingham, 1892) (Tineidae) Synonym(s): *praestans* Walsingham, 1892
 75008) *Opogona promalacta* Meyrick, 1915 (Tineidae) Synonym(s): *promalacta* Meyrick, 1915
 75009) *Opogona protodoxa* (Meyrick, 1897) (Tineidae) Synonym(s): *protodoxa* Meyrick, 1897
 75010) *Opogona protographa* Meyrick, 1911 (Tineidae) Synonym(s): *protographa* Meyrick, 1911
 75011) *Opogona protomima* (Meyrick, 1918) (Tineidae) Synonym(s): *protomima* Meyrick, 1918
 75012) *Opogona psola* Bradley, 1956 (Tineidae) Synonym(s): *psola* Bradley, 1956
 75013) *Opogona punctata* (Walsingham, 1900) (Tineidae) Synonym(s): *punctata* Walsingham, 1900
 75014) *Opogona purpuriella* Swezey, 1913 (Tineidae) Synonym(s): *purpuriella* Swezey, 1913
 75015) *Opogona pyrangela* Meyrick, 1928 (Tineidae) Synonym(s): *pyrangela* Meyrick, 1928
 75016) *Opogona pyrographa* Walsingham, 1914 (Tineidae) Synonym(s): *pyrographa* Walsingham, 1914
 75017) *Opogona pyrometalla* (Meyrick, 1928) (Tineidae) Synonym(s): *pyrometalla* Meyrick, 1928
 75018) *Opogona recurva* (Wollaston, 1879) (Tineidae) Synonym(s): *recurva* Wollaston, 1879
 75019) *Opogona regressa* Meyrick, 1916 (Tineidae) Synonym(s): *regressa* Meyrick, 1916

- 75020) *Opogona retractella* (Walker,1864) (Tineidae) Synonym(s): *retractella* Walker,1864
 75021) *Opogona rhynchacma* Meyrick,1920 (Tineidae) Synonym(s): *rhynchacma* Meyrick,1920
 75022) *Opogona saccharella* Swezey,1909 (Tineidae) Synonym(s): *saccharella* Swezey,1909
 75023) *Opogona sacchari* (Bojer,1856) (Tineidae) Synonym(s): *sacchari* Bojer,1856; *subcervinella* Walker,1863; *plumipes* Butler,1876; *ligniferella* Walker,1875; *sanctahelenae* Walker,1875
 75024) *Opogona salpictes* Diakonoff,1955 (Tineidae) Synonym(s): *salpictes* Diakonoff,1955
 75025) *Opogona sapphiropis* Meyrick,1927 (Tineidae) Synonym(s): *sapphiropis* Meyrick,1927
 75026) *Opogona sarophila* Meyrick,1915 (Tineidae) Synonym(s): *sarophila* Meyrick,1915
 75027) *Opogona scabricoma* Meyrick,1934 (Tineidae) Synonym(s): *scabricoma* Meyrick,1934
 75028) *Opogona scalaris* (Wollaston,1879) (Tineidae) Synonym(s): *scalaris* Wollaston,1879
 75029) *Opogona scalena* (Meyrick,1897) (Tineidae) Synonym(s): *scalena* Meyrick,1897
 75030) *Opogona scaphopis* Meyrick,1909 (Tineidae) Synonym(s): *scaphopis* Meyrick,1909
 75031) *Opogona sarta* Walsingham,1914 (Tineidae) Synonym(s): *sarta* Walsingham,1914
 75032) *Opogona simoniella* (Wallengren,1861) (Tineidae) Synonym(s): *simoniella* Wallengren,1861
 75033) *Opogona simplex* (Walsingham,1897) (Tineidae) Synonym(s): *simplex* Walsingham,1897
 75034) *Opogona sogarella* Viette,1985 (Tineidae) Synonym(s): *sogarella* Viette,1985
 75035) *Opogona stathmota* Meyrick,1911 (Tineidae) Synonym(s): *stathmota* Meyrick,1911
 75036) *Opogona stenocraspeda* (Meyrick,1897) (Tineidae) Synonym(s): *stenocraspeda* Meyrick,1897
 75037) *Opogona stereodyta* (Meyrick,1897) (Tineidae) Synonym(s): *stereodyta* Meyrick,1897
 75038) *Opogona subaeneella* (Walker,1875) (Tineidae) Synonym(s): *subaeneella* Walker,1875
 75039) *Opogona sublucida* Meyrick,1932 (Tineidae) Synonym(s): *sublucida* Meyrick,1932
 75040) *Opogona succulenta* Meyrick,1931 (Tineidae) Synonym(s): *succulenta* Meyrick,1931
 75041) *Opogona sultana* (Meyrick,1911) (Tineidae) Synonym(s): *sultana* Meyrick,1911
 75042) *Opogona sycastella* Viette,1957 (Tineidae) Synonym(s): *sycastella* Viette,1957
 75043) *Opogona tamsi* Gerasimov,1930 (Tineidae) Synonym(s): *tamsi* Gerasimov,1930
 75044) *Opogona tanydora* Meyrick,1920 (Tineidae) Synonym(s): *tanydora* Meyrick,1920
 75045) *Opogona taochroa* Meyrick,1934 (Tineidae) Synonym(s): *taochroa* Meyrick,1934
 75046) *Opogona tergemina* Meyrick,1915 (Tineidae) Synonym(s): *tergemina* Meyrick,1915
 75047) *Opogona tetrasema* (Turner,1917) (Tineidae) Synonym(s): *tetrasema* Turner,1917
 75048) *Opogona theobroma* Bradley,1956 (Tineidae) Synonym(s): *theobroma* Bradley,1956
 75049) *Opogona thiadelphia* Meyrick,1934 (Tineidae) Synonym(s): *thiadelphia* Meyrick,1934
 75050) *Opogona trachyclina* Meyrick,1935 (Tineidae) Synonym(s): *trachyclina* Meyrick,1935
 75051) *Opogona trichoceros* Meyrick,1930 (Tineidae) Synonym(s): *trichoceros* Meyrick,1930
 75052) *Opogona trigonomis* Meyrick,1907 (Tineidae) Synonym(s): *trigonomis* Meyrick,1907
 75053) *Opogona trissostacta* Meyrick,1934 (Tineidae) Synonym(s): *trissostacta* Meyrick,1934
 75054) *Opogona tristicta* (Meyrick,1897) (Tineidae) Synonym(s): *tristicta* Meyrick,1897
 75055) *Opogona trophis* Meyrick,1913 (Tineidae) Synonym(s): *trophis* Meyrick,1913
 75056) *Opogona tubernatella* Legrand,1965 (Tineidae) Synonym(s): *tubernatella* Legrand,1965
 75057) *Opogona tyriopla* (Meyrick,1927) (Tineidae) Synonym(s): *tyriopla* Meyrick,1927
 75058) *Opogona ursella* (Walker,1875) (Tineidae) Synonym(s): *ursella* Walker,1875
 75059) *Opogona vilis* (Wollaston,1879) (Tineidae) Synonym(s): *vilis* Wollaston,1879
 75060) *Opogona xantherita* Meyrick,1911 (Tineidae) Synonym(s): *xantherita* Meyrick,1911
 75061) *Opogona xerota* Walsingham,1914 (Tineidae) Synonym(s): *xerota* Walsingham,1914
 75062) *Opogona zophocrana* Meyrick,1915 (Tineidae) Synonym(s): *zophocrana* Meyrick,1915
 75063) *Opogona zygodonta* Meyrick,1931 (Tineidae) Synonym(s): *zygodonta* Meyrick,1931
 75064) *Organodesma erinacea* (Walker,1863) (Tineidae) Synonym(s): *erinacea* Walker,1863
 75065) *Oxymachaeis euryzancla* Meyrick,1918 (Tineidae) Synonym(s): *euryzancla* Meyrick,1918
 75066) *Oxymachaeis zulella* (Walsingham,1881) (Tineidae) Synonym(s): *zulella* Walsingham,1881
 75067) *Pachyarthra asiatica* G.Petersen,1959 (Tineidae) Synonym(s): *asiatica* G.Petersen,1959
 75068) *Pachyarthra brandti* G.Petersen,1966 (Tineidae) Synonym(s): *brandti* G.Petersen,1966
 75069) *Pachyarthra grisea* G.Petersen & Gaedike,1982 (Tineidae) Synonym(s): *grisea* G.Petersen & Gaedike,1982
 75070) *Pachyarthra iranica* G.Petersen & Gaedike,1984 (Tineidae) Synonym(s): *iranica* G.Petersen & Gaedike,1984
 75071) *Pachyarthra lividella* (Chrétien,1915) (Tineidae) Synonym(s): *lividella* Chrétien,1915
 75072) *Pachyarthra mediterranea* (Baker,1894) (Tineidae) Synonym(s): *mediterranea* Baker,1894; *serotinella* Chrétien,1915; *pallidella* Lucas,1933; *variegata* Lucas,1950.
 75073) *Pachyarthra ochroplicella* (Chrétien,1915) (Tineidae) Synonym(s): *ochroplicella* Chrétien,1915; *pentatma* Meyrick,1937.
 75074) *Pachypsaltis insolens* Meyrick,1914 (Tineidae) Synonym(s): *insolens* Meyrick,1914
 75075) *Paraptica concinerata* Meyrick,1917 (Tineidae) Synonym(s): *concinerata* Meyrick,1917
 75076) *Pararhodobates syriacus* (Lederer,1857) (Tineidae) Synonym(s): *syriacus* Lederer,1857
 75077) *Paratinea irakella* G.Petersen,1959 (Tineidae) Synonym(s): *irakella* G.Petersen,1959
 75078) *Paratinea merdella* (Zeller,1847) (Tineidae) Synonym(s): *merdella* Zeller,1847; *palaestinella* Amsel,1935
 75079) *Paratinea striaticostella* G.Petersen,1959 (Tineidae) Synonym(s): *striaticostella* G.Petersen,1959
 75080) *Pelecystola melanchares* (Meyrick,1937) (Tineidae) Synonym(s): *melanchares* Meyrick,1937
 75081) *Pelecystola tephritidis* (Meyrick,1911) (Tineidae) Synonym(s): *tephritidis* Meyrick,1911; *#tephritistis* Janse,1917
 75082) *Perilicmetis diplaca* Meyrick,1932 (Tineidae) Synonym(s): *diplaca* Meyrick,1932
 75083) *Perissomastix (Aphrodoxa) amseli* (G.Petersen,1959) (Tineidae) Synonym(s): *amseli* G.Petersen,1959; *mimetica* Gozmany,1959
 75084) *Perissomastix (Aphrodoxa) cornuta* (G.Petersen,1959) (Tineidae) Synonym(s): *cornuta* G.Petersen,1959
 75085) *Perissomastix (Aphrodoxa) falcata* G.Petersen,1988 (Tineidae) Synonym(s): *falcata* G.Petersen,1988
 75086) *Perissomastix (Aphrodoxa) flava* (G.Petersen,1960) (Tineidae) Synonym(s): *flava* G.Petersen,1960
 75087) *Perissomastix (Aphrodoxa) peterseni* (Amsel,1959) (Tineidae) Synonym(s): *peterseni* Amsel,1959; *astarte* Gozmany,1959.
 75088) *Perissomastix (Aphrodoxa) sarobiella* (G.Petersen,1959) (Tineidae) Synonym(s): *sarobiella* G.Petersen,1959; *nuristanica* Gozmany,1959.
 75089) *Perissomastix (Aphrodoxa) wiltshirella* (G.Petersen,1964) (Tineidae) Synonym(s): *wiltshirella* G.Petersen,1964
 75090) *Perissomastix (s.str.) acutibasis* Gozmany,1968 (Tineidae) Synonym(s): *acutibasis* Gozmany,1968
 75091) *Perissomastix (s.str.) adamasta* (Meyrick,1909) (Tineidae) Synonym(s): *adamasta* Meyrick,1909
 75092) *Perissomastix (s.str.) afghana* (G.Petersen,1959) (Tineidae) Synonym(s): *afghana* G.Petersen,1959
 75093) *Perissomastix (s.str.) agenjoii* (G.Petersen,1957) (Tineidae) Synonym(s): *agenjoii* G.Petersen,1957
 75094) *Perissomastix (s.str.) asiriella* G.Petersen & Gaedike,1982 (Tineidae) Synonym(s): *asiriella* G.Petersen & Gaedike,1982
 75095) *Perissomastix (s.str.) atlantis* (Zagulyaev,1975) (Tineidae) Synonym(s): *atlantis* Zagulyaev,1975
 75096) *Perissomastix (s.str.) bifurcatella* (G.Petersen,1957) (Tineidae) Synonym(s): *bifurcatella* G.Petersen,1957
 75097) *Perissomastix (s.str.) biskraella* (Rebel,1901) (Tineidae) Synonym(s): *biskraella* Rebel,1901; *intermediella* Turati,1926.
 75098) *Perissomastix (s.str.) crassicornella* (Zeller,1847) (Tineidae) Synonym(s): *crassicornella* Zeller,1847
 75099) *Perissomastix (s.str.) hirudinea* (Meyrick,1928) (Tineidae) Synonym(s): *hirudinea* Meyrick,1928
 75100) *Perissomastix (s.str.) minuscula* G.Petersen & Gaedike,1982 (Tineidae) Synonym(s): *minuscula* G.Petersen & Gaedike,1982
 75101) *Perissomastix (s.str.) nigriceps* W.Warren & Rothschild,1905 (Tineidae) Synonym(s): *nigriceps* W.Warren & Rothschild,1905; *intermedia* G.Petersen,1961.
 75102) *Perissomastix (s.str.) othello* (Meyrick,1907) (Tineidae) Synonym(s): *othello* Meyrick,1907
 75103) *Perissomastix (s.str.) palaestinella* (Amsel,1956) (Tineidae) Synonym(s): *palaestinella* Amsel,1956
 75104) *Perissomastix (s.str.) pantsa* Gozmany,1967 (Tineidae) Synonym(s): *pantsa* Gozmany,1967
 75105) *Perissomastix (s.str.) paramima* (Meyrick,1917) (Tineidae) Synonym(s): *paramima* Meyrick,1917
 75106) *Perissomastix (s.str.) pauliani* Gozmany,1970 (Tineidae) Synonym(s): *pauliani* Gozmany,1970

- 75107) *Perissomastix* (s.str.) *perdita* Gozmany, 1965 (Tineidae) Synonym(s): *perdita* Gozmany, 1965
 75108) *Perissomastix* (s.str.) *ruwenzorica* Gozmany & Vari, 1973 (Tineidae) Synonym(s): *ruwenzorica* Gozmany & Vari, 1973
 75109) *Perissomastix* (s.str.) *szunyoghii* Gozmany, 1969 (Tineidae) Synonym(s): *szunyoghii* Gozmany, 1969
 75110) *Perissomastix* (s.str.) *taeniaecornis* (Walsingham, 1896) (Tineidae) Synonym(s): *taeniaecornis* Walsingham, 1896; *aegyptiella* Rebel, 1914.
 75111) *Perissomastix* (s.str.) *tihamaella* G.Petersen & Gaedike, 1982 (Tineidae) Synonym(s): *tihamaella* G.Petersen & Gaedike, 1982
 75112) *Perissomastix* (s.str.) *topaz* Gozmany, 1967 (Tineidae) Synonym(s): *topaz* Gozmany, 1967
 75113) *Perissomastix* (s.str.) *zernyi* (G.Petersen, 1957) (Tineidae) Synonym(s): *zernyi* G.Petersen, 1957
 75114) *Petalographis* *Zagulyaev*, 1962 (Tineidae) Synonym(s): *Petalographis* *Zagulyaev*, 1962
 75115) *Petalographis* *meridionalis* *Zagulajev*, 1962 (Tineidae) Synonym(s): *meridionalis* *Zagulajev*, 1962
 75116) *Petalographis* *orientalis* (G.Petersen, 1961) (Tineidae) Synonym(s): *orientalis* G.Petersen, 1961
 75117) *Phaeoses* *amblyxena* (Meyrick, 1920) (Tineidae) Synonym(s): *amblyxena* Meyrick, 1920
 75118) *Phaeoses* *argoceros* (Meyrick, 1937) (Tineidae) Synonym(s): *argoceros* Meyrick, 1937
 75119) *Phaeoses* *caenologa* (Meyrick, 1915) (Tineidae) Synonym(s): *caenologa* Meyrick, 1915
 75120) *Phaeoses* *chalinota* (Meyrick, 1910) (Tineidae) Synonym(s): *chalinota* Meyrick, 1910
 75121) *Phaeoses* *chloracma* (Meyrick, 1907) (Tineidae) Synonym(s): *chloracma* Meyrick, 1907
 75122) *Phaeoses* *flabilis* (Turner, 1923) (Tineidae) Synonym(s): *flabilis* Turner, 1923
 75123) *Phaeoses* *guppyi* (Bradley, 1961) (Tineidae) Synonym(s): *guppyi* Bradley, 1961
 75124) *Phaeoses* *horolyca* (Meyrick, 1915) (Tineidae) Synonym(s): *horolyca* Meyrick, 1915
 75125) *Phaeoses* *leucodeta* (Meyrick, 1914) (Tineidae) Synonym(s): *leucodeta* Meyrick, 1914
 75126) *Phaeoses* *leucoprosopa* (Turner, 1923) (Tineidae) Synonym(s): *leucoprosopa* Turner, 1923
 75127) *Phaeoses* *lithacma* (Meyrick, 1921) (Tineidae) Synonym(s): *lithacma* Meyrick, 1921
 75128) *Phaeoses* *meeki* (Bradley, 1961) (Tineidae) Synonym(s): *meeki* Bradley, 1961
 75129) *Phaeoses* *pileigera* (Meyrick, 1913) (Tineidae) Synonym(s): *pileigera* Meyrick, 1913
 75130) *Phaeoses* *sabinella* Forbes, 1922 (Tineidae) Synonym(s): *sabinella* Forbes, 1922
 75131) *Philagrias* *zelotica* Meyrick, 1932 (Tineidae) Synonym(s): *zelotica* Meyrick, 1932
 75132) *Phthoropoea* *carpella* Walsingham, 1896 (Tineidae) Synonym(s): *carpella* Walsingham, 1896
 75133) *Phthoropoea* *oenochares* (Meyrick, 1920) (Tineidae) Synonym(s): *oenochares* Meyrick, 1920
 75134) *Phyciodyta* *neritis* Meyrick, 1918 (Tineidae) Synonym(s): *neritis* Meyrick, 1918
 75135) *Pitharcha* *atrisecta* Meyrick, 1918 (Tineidae) Synonym(s): *atrisecta* Meyrick, 1918
 75136) *Pitharcha* *chalinaea* Meyrick, 1908 (Tineidae) Synonym(s): *chalinaea* Meyrick, 1908
 75137) *Pitharcha* *fasciata* (Ghesquière, 1940) (Tineidae) Synonym(s): *fasciata* Ghesquière, 1940
 75138) *Praelongicera* *afghana* (G.Petersen, 1959) (Tineidae) Synonym(s): *afghana* G.Petersen, 1959
 75139) *Praelongicera* *palaestinella* (Amsel, 1956) (Tineidae) Synonym(s): *palaestinella* Amsel, 1956
 75140) *Pringleophaga* *crozetensis* Enderlein, 1905 (Tineidae) Synonym(s): *crozetensis* Enderlein, 1905
 75141) *Pringleophaga* *kerghuelensis* Enderlein, 1905 (Tineidae) Synonym(s): *kerghuelensis* Enderlein, 1905; *nigritarsis* Enderlein, 1905
 75142) *Pringleophaga* *marioni* Viette, 1968 (Tineidae) Synonym(s): *marioni* Viette, 1968
 75143) *Probatostola* *ochromalla* Meyrick, 1926 (Tineidae) Synonym(s): *ochromalla* Meyrick, 1926
 75144) *Propachyarthra* *convallata* (Meyrick, 1918) (Tineidae) Synonym(s): *convallata* Meyrick, 1918
 75145) *Proterospastis* *antiphraeta* (Meyrick, 1909) (Tineidae) Synonym(s): *antiphraeta* Meyrick, 1909; *psacadias* Meyrick, 1911
 75146) *Proterospastis* *barystacta* Meyrick, 1937 (Tineidae) Synonym(s): *barystacta* Meyrick, 1937
 75147) *Proterospastis* *craurota* (Meyrick, 1920) (Tineidae) Synonym(s): *craurota* Meyrick, 1920
 75148) *Proterospastis* *homestia* (Meyrick, 1908) (Tineidae) Synonym(s): *homestia* Meyrick, 1908
 75149) *Proterospastis* *megaspila* (Meyrick, 1913) (Tineidae) Synonym(s): *megaspila* Meyrick, 1913
 75150) *Proterospastis* *merdella* (Zeller, 1847) (Tineidae) Synonym(s): *merdella* Zeller, 1847; *siccanella* Chrétien, 1915; *palaestinella* Amsel, 1935.
 75151) *Proterospastis* *taeniala* (Gozmany, 1968) (Tineidae) Synonym(s): *taeniala* Gozmany, 1968
 75152) *Proterospastis* *trilinguis* (Meyrick, 1920) (Tineidae) Synonym(s): *trilinguis* Meyrick, 1920
 75153) *Proterospastis* *zebra* (Walsingham, 1891) (Tineidae) Synonym(s): *zebra* Walsingham, 1891
 75154) *Prothinodes* *arvicola* Meyrick, 1924 (Tineidae) Synonym(s): *arvicola* Meyrick, 1924
 75155) *Psephologia* *centrogramma* Meyrick, 1921 (Tineidae) Synonym(s): *centrogramma* Meyrick, 1921
 75156) *Psolarcha* (Group 1) *lucifer* (Gozmany, 1965) (Tineidae) Synonym(s): *lucifer* Gozmany, 1965
 75157) *Psolarcha* (Group 1) *onyx* (Gozmany, 1966) (Tineidae) Synonym(s): *onyx* Gozmany, 1966
 75158) *Psolarcha* (Group 1) *sericea* (Gozmany, 1966) (Tineidae) Synonym(s): *sericea* Gozmany, 1966
 75159) *Psolarcha* (Group 1) *topaz* (Gozmany, 1967) (Tineidae) Synonym(s): *topaz* Gozmany, 1967
 75160) *Psolarcha* (Group 10) *bergeri* (Gozmany, 1967) (Tineidae) Synonym(s): *bergeri* Gozmany, 1967
 75161) *Psolarcha* (Group 11) *gibi* (Gozmany, 1965) (Tineidae) Synonym(s): *gibi* Gozmany, 1965
 75162) *Psolarcha* (Group 2) *melanops* (Gozmany, 1967) (Tineidae) Synonym(s): *melanops* Gozmany, 1967
 75163) *Psolarcha* (Group 2) *mili* (Gozmany, 1965) (Tineidae) Synonym(s): *mili* Gozmany, 1965
 75164) *Psolarcha* (Group 3) *acutibasis* (Gozmany, 1968) (Tineidae) Synonym(s): *acutibasis* Gozmany, 1968
 75165) *Psolarcha* (Group 3) *adamasta* (Meyrick, 1909) (Tineidae) Synonym(s): *adamasta* Meyrick, 1909
 75166) *Psolarcha* (Group 3) *catapulta* (Gozmany, 1968) (Tineidae) Synonym(s): *catapulta* Gozmany, 1968
 75167) *Psolarcha* (Group 3) *fulvicoma* (Meyrick, 1921) (Tineidae) Synonym(s): *fulvicoma* Meyrick, 1921
 75168) *Psolarcha* (Group 3) *marcescens* (Meyrick, 1908) (Tineidae) Synonym(s): *marcescens* Meyrick, 1908
 75169) *Psolarcha* (Group 3) *praxis* (Gozmany, 1969) (Tineidae) Synonym(s): *praxis* Gozmany, 1969
 75170) *Psolarcha* (Group 3) *pyroxantha* (Meyrick, 1914) (Tineidae) Synonym(s): *pyroxantha* Meyrick, 1914
 75171) *Psolarcha* (Group 3) *recurvata* (Gozmany, 1968) (Tineidae) Synonym(s): *recurvata* Gozmany, 1968
 75172) *Psolarcha* (Group 4) *caryocephala* (Meyrick, 1937) (Tineidae) Synonym(s): *caryocephala* Meyrick, 1937
 75173) *Psolarcha* (Group 4) *damnificella* (Zeller, 1852) (Tineidae) Synonym(s): *damnificella* Zeller, 1852; *ochropsamma* Meyrick, 1908
 75174) *Psolarcha* (Group 4) *lala* (Gozmany, 1967) (Tineidae) Synonym(s): *lala* Gozmany, 1967
 75175) *Psolarcha* (Group 4) *szunyoghii* (Gozmany, 1969) (Tineidae) Synonym(s): *szunyoghii* Gozmany, 1969
 75176) *Psolarcha* (Group 5) *mucrapex* (Gozmany, 1968) (Tineidae) Synonym(s): *mucrapex* Gozmany, 1968
 75177) *Psolarcha* (Group 6) *nox* (Gozmany, 1968) (Tineidae) Synonym(s): *nox* Gozmany, 1968
 75178) *Psolarcha* (Group 7) *holopsamma* (Meyrick, 1908) (Tineidae) Synonym(s): *holopsamma* Meyrick, 1908
 75179) *Psolarcha* (Group 7) *mascherata* (Gozmany, 1965) (Tineidae) Synonym(s): *mascherata* Gozmany, 1965
 75180) *Psolarcha* (Group 8) *breviberbis* (Meyrick, 1933) (Tineidae) Synonym(s): *breviberbis* Meyrick, 1933
 75181) *Psolarcha* (Group 8) *christinae* (Gozmany, 1965) (Tineidae) Synonym(s): *christinae* Gozmany, 1965
 75182) *Psolarcha* (Group 8) *dentifera* (Gozmany, 1973) (Tineidae) Synonym(s): *dentifera* Gozmany, 1973
 75183) *Psolarcha* (Group 8) *idolatrix* (Gozmany, 1973) (Tineidae) Synonym(s): *idolatrix* Gozmany, 1973
 75184) *Psolarcha* (Group 8) *meruicola* (Gozmany, 1969) (Tineidae) Synonym(s): *meruicola* Gozmany, 1969
 75185) *Psolarcha* (Group 8) *montis* (Gozmany, 1968) (Tineidae) Synonym(s): *montis* Gozmany, 1968
 75186) *Psolarcha* (Group 8) *pantisa* (Gozmany, 1967) (Tineidae) Synonym(s): *pantisa* Gozmany, 1967
 75187) *Psolarcha* (Group 8) *perlata* (Gozmany, 1967) (Tineidae) Synonym(s): *perlata* Gozmany, 1967
 75188) *Psolarcha* (Group 8) *protaxia* (Meyrick, 1924) (Tineidae) Synonym(s): *protaxia* Meyrick, 1924
 75189) *Psolarcha* (Group 8) *ruwenzorica* (Gozmany, 1973) (Tineidae) Synonym(s): *ruwenzorica* Gozmany, 1973
 75190) *Psolarcha* (Group 8) *similatrix* (Gozmany, 1968) (Tineidae) Synonym(s): *similatrix* Gozmany, 1968
 75191) *Psolarcha* (Group 8) *styx* (Gozmany, 1966) (Tineidae) Synonym(s): *styx* Gozmany, 1966
 75192) *Psolarcha* (Group 8) *titanea* (Gozmany, 1967) (Tineidae) Synonym(s): *titanea* Gozmany, 1967
 75193) *Psolarcha* (Group 9) *gabori* (Gozmany, 1967) (Tineidae) Synonym(s): *gabori* Gozmany, 1967
 75194) *Psolarcha* *meretrix* (Meyrick, 1908) (Tineidae) Synonym(s): *meretrix* Meyrick, 1908
 75195) *Psychoides* *filicivora* (Meyrick, 1937) (Tineidae) Synonym(s): *filicivora* Meyrick, 1937
 75196) *Psychoides* *verhuella* Bruand, 1853 (Tineidae) Synonym(s): *verhuella* Bruand, 1853

- 75197) *Reisserita arabica* (G.Petersen,1961) (Tineidae) Synonym(s): *arabica* G.Petersen,1961
 75198) *Reisserita barbarosi* Koçak,1981 (Tineidae) Synonym(s): *irrorella* Wollaston,1858 nec Hbn.,1796; *barbarosi* Koçak,1981
 75199) *Reisserita chrysopterella* (Herrich-Schäffer,[1854]) (Tineidae) Synonym(s): *chrysopterella* Herrich-Schäffer,[1854]
 75200) *Reisserita haasi* (Rebel,1901) (Tineidae) Synonym(s): *haasi* Rebel,1901
 75201) *Reisserita luteoptera* G.Petersen,1957 (Tineidae) Synonym(s): *luteoptera* G.Petersen,1957
 75202) *Reisserita panormitanella* (Mann,1859) (Tineidae) Synonym(s): *panormitanella* Mann,1859
 75203) *Reisserita parva* G.Petersen & Gaedike,1979 (Tineidae) Synonym(s): *parva* G.Petersen & Gaedike,1979
 75204) *Reisserita relicinella* (Zeller,1839) (Tineidae) Synonym(s): *relicinella* Zeller,1839
 75205) *Reisserita zernyi* G.Petersen,1957 (Tineidae) Synonym(s): *zernyi* G.Petersen,1957
 75206) *Rhodobates algiricellus* (Rebel,1901) (Tineidae) Synonym(s): *algiricellus* Rebel,1901; *chneouri* Lucas,1942; *mauretanicus* G.Petersen,1958.
 75207) *Rhodobates friedeli* G.Petersen,1987 (Tineidae) Synonym(s): *friedeli* G.Petersen,1987
 75208) *Rhodobates laevigatellus* (Herrich-Schäffer,[1854]) (Tineidae) Synonym(s): *laevigatellus* Herrich-Schäffer,[1854].
 75209) *Rhodobates nodicornellus* (Rebel,1911) (Tineidae) Synonym(s): *nodicornellus* Rebel,1911
 75210) *Rhodobates pallipellus* Rebel,1901 (Tineidae) Synonym(s): *pallipellus* Rebel,1901; *atactopis* Meyrick,1937.
 75211) *Rhodobates paracosma* (Meyrick,1908) (Tineidae) Synonym(s): *paracosma* Meyrick,1908
 75212) *Rhodobates* sp.: (Tineidae) Synonym(s):
 75213) *Rhodobates transjordanus* Amsel,1935 (Tineidae) Synonym(s): *transjordanus* Amsel,1935
 75214) *Rhodobates unicolor* (Staudinger,1871) (Tineidae) Synonym(s): *unicolor* Staudinger,1871; *tibulella* Rebel,1936.
 75215) *Sapheneutis cineracea* Meyrick,1914 (Tineidae) Synonym(s): *cineracea* Meyrick,1914
 75216) *Scalmatica myelodes* (Meyrick,1921) (Tineidae) Synonym(s): *myelodes* Meyrick,1921
 75217) *Scalmatica phaulocentra* (Meyrick,1921) (Tineidae) Synonym(s): *phaulocentra* Meyrick,1921
 75218) *Scardia alleni* G.S.Robinson,1986 (Tineidae) Synonym(s): *alleni* G.S.Robinson,1986
 75219) *Scardia amurensis* Zagulyaev,1965 (Tineidae) Synonym(s): *amurensis* Zagulyaev,1965
 75220) *Scardia anatomella* (Grote,1881) (Tineidae) Synonym(s): *anatomella* Grote,1881; *fiskeella* Busck,1908
 75221) *Scardia assamensis* G.S.Robinson,1986 (Tineidae) Synonym(s): *assamensis* G.S.Robinson,1986
 75222) *Scardia boletella* (Fabricius,1794) (Tineidae) Synonym(s): *boletella* Fabricius,1794; *boleti* Fabricius,1798; *polypori* Esper,[1804]; *relicta* Kozhantschikov,1923
 75223) *Scardia caucasica* Zagulyaev,1965 (Tineidae) Synonym(s): *caucasica* Zagulyaev,1965
 75224) *Setomorpha rutella* Zeller,1852 (Tineidae) Synonym(s): *rutella* Zeller,1852; *rupicella* Zeller,1852; *inamoenella* Zeller,1873; *operosella* Zeller,1873; *runderella* Zeller,1873; *clemensella* Chambers,1874; *multimaculella* Chambers,1878; *dryas* Butler,1881; *corticinella* Snellen,1885; *discipunctella* Rebel,1894; *fractiliniella* Dietz,1905; *majorella* Dietz,1905; *sigmoidella* Dietz,1905; *transversestrigella* Dietz,1905; *margalaestrigata* Keuchenius,1917; *euryspoda* Lower,1918; *tineoides* Dammermann,1919; *contestata* Meyrick,1922; *nitella* Voute,1935
 75225) *Silosca savannae* Gozmany,1968 (Tineidae) Synonym(s): *savannae* Gozmany,1968
 75226) *Spatularia mimosae* (Stainton,1859) (Tineidae) Synonym(s): *mimosae* Stainton,1859; *seminivora* Walsingham,1899; *fuligineella* Deventer,1904; *ophionota* Meyrick,1907
 75227) *Sphalleshthesis catharinae* (Gozmany,1968) (Tineidae) Synonym(s): *catharinae* Gozmany,1968
 75228) *Sphalleshthesis ectofurca* (Gozmany,1965) (Tineidae) Synonym(s): *ectofurca* Gozmany,1965
 75229) *Sphalleshthesis euplocamis* (Meyrick,1918) (Tineidae) Synonym(s): *euplocamis* Meyrick,1918
 75230) *Sphalleshthesis exarata* (Gozmany,1968) (Tineidae) Synonym(s): *exarata* Gozmany,1968
 75231) *Sphalleshthesis hyalodes* (Meyrick,1913) (Tineidae) Synonym(s): *hyalodes* Meyrick,1913
 75232) *Sphalleshthesis jansei* (Gozmany,1965) (Tineidae) Synonym(s): *jansei* Gozmany,1965
 75233) *Sphalleshthesis mahunkai* Gozmany,1976 (Tineidae) Synonym(s): *mahunkai* Gozmany,1976
 75234) *Sphalleshthesis oenopis* (Meyrick,1908) (Tineidae) Synonym(s): *oenopis* Meyrick,1908
 75235) *Sphalleshthesis paramecis* (Gozmany,1969) (Tineidae) Synonym(s): *paramecis* Gozmany,1969
 75236) *Sphalleshthesis paraxena* (Meyrick,1908) (Tineidae) Synonym(s): *paraxena* Meyrick,1908
 75237) *Sphalleshthesis spatulata* (Gozmany,1967) (Tineidae) Synonym(s): *spatulata* Gozmany,1967
 75238) *Sphalleshthesis tanystis* (Meyrick,1908) (Tineidae) Synonym(s): *tanystis* Meyrick,1908; *angulivalva* Gozmany,1965
 75239) *Stenoptinea cyaneimarmorella* (Millière,1854) (Tineidae) Synonym(s): *cyaneimarmorella* Millière,1854
 75240) *Struthisca agitata* Meyrick,1913 (Tineidae) Synonym(s): *agitata* Meyrick,1913
 75241) *Struthisca areata* Meyrick,1908 (Tineidae) Synonym(s): *areata* Meyrick,1908
 75242) *Struthisca hormotris* Meyrick,1908 (Tineidae) Synonym(s): *hormotris* Meyrick,1908
 75243) *Struthisca omichlodes* Meyrick,1908 (Tineidae) Synonym(s): *omichlodes* Meyrick,1908
 75244) *Tenaga nigripunctella* (Haworth,[1828]) (Tineidae) Synonym(s): *nigripunctella* Haworth,[1828]
 75245) *Tenaga rhenania* (G.Petersen,1962) (Tineidae) Synonym(s): *rhenania* G.Petersen,1962
 75246) *Tetracledessa chalcoxesta* (Meyrick,1920) (Tineidae) Synonym(s): *chalcoxesta* Meyrick,1920
 75247) *Theatrochora cosmophanes* Meyrick,1921 (Tineidae) Synonym(s): *cosmophanes* Meyrick,1921
 75248) *Thisizima antiphanes* Meyrick,1894 (Tineidae) Synonym(s): *antiphanes* Meyrick,1894
 75249) *Thisizima bovina* Meyrick,1928 (Tineidae) Synonym(s): *bovina* Meyrick,1928
 75250) *Thisizima bubalopa* Meyrick,1911 (Tineidae) Synonym(s): *bubalopa* Meyrick,1911
 75251) *Thisizima ceratella* Walker,1864 (Tineidae) Synonym(s): *ceratella* Walker,1864
 75252) *Thisizima sedilis* Meyrick,1907 (Tineidae) Synonym(s): *sedilis* Meyrick,1907
 75253) *Thuriostoma homalospora* Meyrick,1934 (Tineidae) Synonym(s): *homalospora* Meyrick,1934
 75254) *Tinea basifasciella* Ragonot,1895 (Tineidae) Synonym(s): *basifasciella* Ragonot,1895; *punctigera* Walsingham,1907; *nitentella* Chrétien,1908; *palaestinella* Amsel,1955
 75255) *Tinea bothniella* Svensson,1953 (Tineidae) Synonym(s): *bothniella* Svensson,1953
 75256) *Tinea columbriella* Wocke,1877 (Tineidae) Synonym(s): *columbriella* Wocke,1877
 75257) *Tinea dubiella* Stainton,1859 (Tineidae) Synonym(s): *dubiella* Stainton,1859; *turicensis* Müller-Rutz,1920; *tenerifi* Zagulyaev,1960; *bispinella* Zagulyaev,1960
 75258) *Tinea flavescentella* Haworth,[1828] (Tineidae) Synonym(s): *flavescentella* Haworth,[1828]
 75259) *Tinea flavofimbriella* (Chrétien,1925) (Tineidae) Synonym(s): *flavofimbriella* Chrétien,1925
 75260) *Tinea glycinocoma* Meyrick,1932 (Tineidae) Synonym(s): *glycinocoma* Meyrick,1932
 75261) *Tinea lanella* Pierce & Metcalfe,1934 (Tineidae) Synonym(s): *lanella* Pierce & Metcalfe,1934
 75262) *Tinea luridula* Meyrick,1932 (Tineidae) Synonym(s): *luridula* Meyrick,1932
 75263) *Tinea melancholica* Gozmany,1967 (Tineidae) Synonym(s): *melancholica* Gozmany,1967
 75264) *Tinea messalina* G.S.Robinson,1979 (Tineidae) Synonym(s): *messalina* G.S.Robinson,1979
 75265) *Tinea murariella* Staudinger,1859 (Tineidae) Synonym(s): *murariella* Staudinger,1859; *bipunctella* Ragonot,1874.
 75266) *Tinea nephelotorna* Meyrick,1932 (Tineidae) Synonym(s): *nephelotorna* Meyrick,1932
 75267) *Tinea nesiasis* (Meyrick,1911) (Tineidae) Synonym(s): *nesiasis* Meyrick,1911
 75268) *Tinea nonimella* (Zagulyaev,1955) (Tineidae) Synonym(s): *nonimella* Zagulyaev,1955
 75269) *Tinea pallescentella* Stainton,1851 (Tineidae) Synonym(s): *pallescentella* Stainton,1851
 75270) *Tinea pellionella* Linnaeus,1758 (Tineidae) Synonym(s): *pellionella* Linnaeus,1758; *zoolegella* Scopoli,1763; *albella* Costa,[1836] nec Thunberg,1788; *demiurga* Meyrick,1920; *gerasimovi* Zagulyaev,1978.
 75271) *Tinea roesleri* Gozmany,1969 (Tineidae) Synonym(s): *roesleri* Gozmany,1969
 75272) *Tinea rostrata* G.Petersen,1966 (Tineidae) Synonym(s): *rostrata* G.Petersen,1966
 75273) *Tinea semifulvella* Haworth,[1828] (Tineidae) Synonym(s): *semifulvella* Haworth,[1828]
 75274) *Tinea spinizona* Gozmany,1968 (Tineidae) Synonym(s): *spinizona* Gozmany,1968
 75275) *Tinea squalida* Gozmany,1968 (Tineidae) Synonym(s): *squalida* Gozmany,1968
 75276) *Tinea steueri* G.Petersen,1966 (Tineidae) Synonym(s): *steueri* G.Petersen,1966
 75277) *Tinea subalbidella* Stainton,1867 (Tineidae) Synonym(s): *subalbidella* Stainton,1867; *liberiella* Zeller,1879; *excavata* Meyrick,1914; *frugivora* Meyrick,1917; *insectivora* Meyrick,1932; *arcanella* Zagulyaev,1960

- 75278) *Tinea svenssoni* Opheim, 1965 (Tineidae) Synonym(s): *svenssoni* Opheim, 1965
 75279) *Tinea translucens* Meyrick, 1917 (Tineidae) Synonym(s): *translucens* Meyrick, 1917; *metonella* Pierce & Metcalfe, 1934; *leonhardi* G. Petersen, 1957; *margaritacea* Gozmany, 1967; *forficata* Gozmany, 1968.
 75280) *Tinea trinitella* Thunberg, 1794 (Tineidae) Synonym(s): *trinitella* Thunberg, 1794; *ganomella* Treitschke, 1833; *lappella* auct.
 75281) *Tineola bisselliella* (Hummel, 1823) (Tineidae) Synonym(s): *flavifrontella* Thunberg, 1794 nec [Denis & Schiff], 1775; *bisselliella* Hummel, 1823; *crinella* Sodoffsky, 1830; *destructor* Stephens, 1834; *lanariella* Clemens, 1859; *furciferella* Zagulyaev, 1954.
 75282) *Tineovortex melanochrysus* (Meyrick, 1911) (Tineidae) Synonym(s): *melanochrysus* Meyrick, 1911; *melanochryseus* Moriuti, 1982
 75283) *Tinissa albipuncta* G.S. Robinson, 1976 (Tineidae) Synonym(s): *albipuncta* G.S. Robinson, 1976
 75284) *Tinissa amboinensis* G.S. Robinson, 1976 (Tineidae) Synonym(s): *amboinensis* G.S. Robinson, 1976
 75285) *Tinissa araucariae* G.S. Robinson, 1976 (Tineidae) Synonym(s): *araucariae* G.S. Robinson, 1976
 75286) *Tinissa bakeri* G.S. Robinson, 1976 (Tineidae) Synonym(s): *bakeri* G.S. Robinson, 1976
 75287) *Tinissa baliomicta* Meyrick, 1928 (Tineidae) Synonym(s): *baliomicta* Meyrick, 1928
 75288) *Tinissa chalcites* G.S. Robinson, 1976 (Tineidae) Synonym(s): *chalcites* G.S. Robinson, 1976
 75289) *Tinissa chaotica* G.S. Robinson, 1976 (Tineidae) Synonym(s): *chaotica* G.S. Robinson, 1976
 75290) *Tinissa chloroplocama* Meyrick, 1938 (Tineidae) Synonym(s): *chloroplocama* Meyrick, 1938
 75291) *Tinissa cinerascens* Meyrick, 1910 (Tineidae) Synonym(s): *cinerascens* Meyrick, 1910
 75292) *Tinissa classeyi* G.S. Robinson, 1981 (Tineidae) Synonym(s): *classeyi* G.S. Robinson, 1981
 75293) *Tinissa convoluta* G.S. Robinson, 1976 (Tineidae) Synonym(s): *convoluta* G.S. Robinson, 1976
 75294) *Tinissa cultellata* (Gozmany & Vari, 1973) (Tineidae) Synonym(s): *cultellata* Gozmany & Vari, 1973
 75295) *Tinissa goliath* G.S. Robinson, 1976 (Tineidae) Synonym(s): *goliath* G.S. Robinson, 1976
 75296) *Tinissa heterograpta* Meyrick, 1928 (Tineidae) Synonym(s): *heterograpta* Meyrick, 1928
 75297) *Tinissa indica* G.S. Robinson, 1976 (Tineidae) Synonym(s): *indica* G.S. Robinson, 1976
 75298) *Tinissa insignis* Zagulyaev, 1972 (Tineidae) Synonym(s): *insignis* Zagulyaev, 1972
 75299) *Tinissa insularia* G.S. Robinson, 1976 (Tineidae) Synonym(s): *insularia* G.S. Robinson, 1976
 75300) *Tinissa kidukaroka* G.S. Robinson, 1976 (Tineidae) Synonym(s): *kidukaroka* G.S. Robinson, 1976
 75301) *Tinissa krakatoa* G.S. Robinson, 1976 (Tineidae) Synonym(s): *krakatoa* G.S. Robinson, 1976
 75302) *Tinissa palmodes* Meyrick, 1917 (Tineidae) Synonym(s): *palmodes* Meyrick, 1917
 75303) *Tinissa parallela* G.S. Robinson, 1976 (Tineidae) Synonym(s): *parallela* G.S. Robinson, 1976
 75304) *Tinissa philippinensis* G.S. Robinson, 1976 (Tineidae) Synonym(s): *philippinensis* G.S. Robinson, 1976
 75305) *Tinissa phrictodes* Meyrick, 1910 (Tineidae) Synonym(s): *phrictodes* Meyrick, 1910
 75306) *Tinissa poliophasma* Bradley, 1965 (Tineidae) Synonym(s): *poliophasma* Bradley, 1965
 75307) *Tinissa polysema* Zagulyaev, 1972 (Tineidae) Synonym(s): *polysema* Zagulyaev, 1972
 75308) *Tinissa polystacta* (Meyrick, 1918) (Tineidae) Synonym(s): *polystacta* Meyrick, 1918; *perilithas* Meyrick, 1927
 75309) *Tinissa rigida* Meyrick, 1910 (Tineidae) Synonym(s): *rigida* Meyrick, 1910
 75310) *Tinissa ruwenzorica* Gozmany, 1966 (Tineidae) Synonym(s): *ruwenzorica* Gozmany, 1966
 75311) *Tinissa spaniastra* Meyrick, 1932 (Tineidae) Synonym(s): *spaniastra* Meyrick, 1932
 75312) *Tinissa torvella* Walker, 1864 (Tineidae) Synonym(s): *torvella* Walker, 1864
 75313) *Tinissa torvella mysorensis* G.S. Robinson, 1976 (Tineidae) Synonym(s): *mysorensis* G.S. Robinson, 1976
 75314) *Tinissa transversella* (Walker, 1864) (Tineidae) Synonym(s): *transversella* Walker, 1864
 75315) *Tinissa yaloma* G.S. Robinson, 1976 (Tineidae) Synonym(s): *yaloma* G.S. Robinson, 1976
 75316) *Tiquadra goochii* Walsingham, 1881 (Tineidae) Synonym(s): *goochii* Walsingham, 1881
 75317) *Tiquadra lichenea* Walsingham, 1891 (Tineidae) Synonym(s): *lichenea* Walsingham, 1891
 75318) *Tracheloteina arctcephala* (Meyrick, 1909) (Tineidae) Synonym(s): *arctcephala* Meyrick, 1909
 75319) *Tracheloteina bilobata* Gozmany, 1968 (Tineidae) Synonym(s): *bilobata* Gozmany, 1968
 75320) *Tracheloteina farraginelia* (Zeller, 1852) (Tineidae) Synonym(s): *farraginelia* Zeller, 1852
 75321) *Tracheloteina ordinata* (Meyrick, 1921) (Tineidae) Synonym(s): *ordinata* Meyrick, 1921
 75322) *Tracheloteina peloplaca* (Meyrick, 1917) (Tineidae) Synonym(s): *peloplaca* Meyrick, 1917
 75323) *Tracheloteina percastis* (Meyrick, 1908) (Tineidae) Synonym(s): *percastis* Meyrick, 1908
 75324) *Tracheloteina spinipenis* Gozmany, 1968 (Tineidae) Synonym(s): *spinipenis* Gozmany, 1968
 75325) *Tracheloteina suspiciosa* (Meyrick, 1912) (Tineidae) Synonym(s): *suspiciosa* Meyrick, 1912; *favens* Meyrick, 1917 (p.p.)
 75326) *Tracheloteina virgo* Gozmany, 1967 (Tineidae) Synonym(s): *virgo* Gozmany, 1967
 75327) *Transmixta fortuita* (Meyrick, 1920) (Tineidae) Synonym(s): *fortuita* Meyrick, 1920
 75328) *Triaxomasia caprimulgella* (Stainton, 1851) (Tineidae) Synonym(s): *caprimulgella* Stainton, 1851
 75329) *Triaxomera baldensis* G. Petersen, 1983 (Tineidae) Synonym(s): *baldensis* G. Petersen, 1983
 75330) *Triaxomera caucasiella* Zagulajev, 1959 (Tineidae) Synonym(s): *caucasiella* Zagulajev, 1959
 75331) *Triaxomera fulvimitrella* (Sodoffsky, 1830) (Tineidae) Synonym(s): *fulvimitrella* Sodoffsky, 1830
 75332) *Triaxomera marsica* G. Petersen, 1984 (Tineidae) Synonym(s): *marsica* G. Petersen, 1984
 75333) *Triaxomera parastella* (Hübner, 1796) (Tineidae) Synonym(s): *parastella* Hübner, 1796
 75334) *Trichophaga bipartitella* (Ragonot, 1892) (Tineidae) Synonym(s): *abruptella* Wollaston, 1858 (*praeocc.*); *bipartitella* Ragonot, 1892; *desertella* Mabilie, 1907; *amina* Meyrick, 1925
 75335) *Trichophaga cuspidata* Gozmany, 1967 (Tineidae) Synonym(s): *cuspidata* Gozmany, 1967
 75336) *Trichophaga scandinaviella* Zagulajev, 1960 (Tineidae) Synonym(s): *scandinaviella* Zagulajev, 1960
 75337) *Trichophaga swinhoei* (Butler, 1884) (Tineidae) Synonym(s): *swinhoei* Butler, 1884; *coprobiella* Ragonot, 1894
 75338) *Trichophaga tapetzella* (Linnaeus, 1758) (Tineidae) Synonym(s): *tapetzella* Linnaeus, 1758; *pulchella* Fabricius, 1794; *pulchana* Fabricius, 1798; *#apezana* Fabricius, 1798; *#apetiella* Zeller, 1839; *palaestrica* Butler, 1877
 75339) *Wegneria acervalis* (Meyrick, 1914) (Tineidae) Synonym(s): *acervalis* Meyrick, 1914
 75340) *Wegneria astragalodes* (Meyrick, 1922) (Tineidae) Synonym(s): *astragalodes* Meyrick, 1922
 75341) *Wegneria cavernicola* (Diakonoff, 1951) (Tineidae) Synonym(s): *cavernicola* (Diakonoff), 1951
 75342) *Wegneria cerodelta* (Meyrick, 1911) (Tineidae) Synonym(s): *cerodelta* Meyrick, 1911
 75343) *Wegneria chrysophthalma* (Meyrick, 1934) (Tineidae) Synonym(s): *chrysophthalma* Meyrick, 1934
 75344) *Wegneria encharacta* (Meyrick, 1915) (Tineidae) Synonym(s): *encharacta* Meyrick, 1915
 75345) *Wegneria impotens* (Meyrick, 1915) (Tineidae) Synonym(s): *impotens* Meyrick, 1915
 75346) *Wegneria lachanitis* (Meyrick, 1906) (Tineidae) Synonym(s): *lachanitis* Meyrick, 1906
 75347) *Wegneria oxydesma* (Meyrick, 1918) (Tineidae) Synonym(s): *oxydesma* Meyrick, 1918
 75348) *Wegneria panchalcella* (Staudinger, 1871) (Tineidae) Synonym(s): *panchalcella* Staudinger, 1871
 75349) *Wegneria plasturga* (Meyrick, 1911) (Tineidae) Synonym(s): *plasturga* Meyrick, 1911
 75350) *Wegneria scaezona* (Meyrick, 1920) (Tineidae) Synonym(s): *scaezona* Meyrick, 1920
 75351) *Wegneria speciosa* (Meyrick, 1914) (Tineidae) Synonym(s): *speciosa* Meyrick, 1914
 75352) *Wegneria sphaerotoma* (Meyrick, 1911) (Tineidae) Synonym(s): *sphaerotoma* Meyrick, 1911
 75353) *Wegneria subtilis* (Diakonoff, 1955) (Tineidae) Synonym(s): *subtilis* Diakonoff, 1955
 75354) *Wegneria villiersi* (Viette, 1955) (Tineidae) Synonym(s): *villiersi* Viette, 1955
 75355) *Astrotischeria alcedoensis* Landry, 2004 (Tischeriidae) Synonym(s): *alcedoensis* Landry, 2004
 75356) *Astrotischeria scalesiaella* Landry, 2004 (Tischeriidae) Synonym(s): *scalesiaella* Landry, 2004
 75357) *Emmetia angusticollis* (Duponchel, 1843) (Tischeriidae) Synonym(s): *angusticollis* Duponchel, 1843; *aureifrontella* Ragonot, 1874.
 75358) *Emmetia berberella* (De Prins, 1984) (Tischeriidae) Synonym(s): *berberella* De Prins, 1984
 75359) *Emmetia gaunacella* (Duponchel, 1843) (Tischeriidae) Synonym(s): *gaunacella* Duponchel, 1843
 75360) *Emmetia heinemanni* (Wocke, 1871) (Tischeriidae) Synonym(s): *heinemanni* Wocke, 1871
 75361) *Emmetia marginea* (Haworth, 1828) (Tischeriidae) Synonym(s): *marginea* Haworth, 1828
 75362) *Emmetia szoecki* (Kasy, 1961) (Tischeriidae) Synonym(s): *szoecki* Kasy, 1961
 75363) *Tischeria decidia* Wocke, 1876 (Tischeriidae) Synonym(s): *decidia* Wocke, 1876

- 75364) *Tischeria dodonaea* Stainton, 1858 (Tischeriidae) Synonym(s): *dodonaea* Stainton, 1858
 75365) *Tischeria ekebladella* (Bjerkander, 1795) (Tischeriidae) Synonym(s): *ekebladella* Bjerkander, 1795; *complanella* Hübner, [1817].
 75366) *Tischeria rubiphagella* Amsel, 1935 (Tischeriidae) Synonym(s): *rubiphagella* Amsel, 1935
 75367) "Argyroploce" *circumplexa* Meyrick, 1922 (Tortricidae) Synonym(s): *circumplexa* Meyrick, 1922
 75368) "Argyroploce" *cyphophragma* Meyrick, 1931 (Tortricidae) Synonym(s): *cyphophragma* Meyrick, 1931
 75369) "Argyroploce" *electrias* Meyrick, 1912 (Tortricidae) Synonym(s): *electrias* Meyrick, 1912
 75370) "Argyroploce" *faceta* Meyrick, 1917 (Tortricidae) Synonym(s):
 75371) "Argyroploce" *heliophanes* Meyrick, 1922 (Tortricidae) Synonym(s): *heliophanes* Meyrick, 1922
 75372) "Argyroploce" *impolita* Meyrick, 1917 (Tortricidae) Synonym(s): *impolita* Meyrick, 1917
 75373) "Argyroploce" *intermissa* Meyrick, 1931 (Tortricidae) Synonym(s): *intermissa* Meyrick, 1931
 75374) "Argyroploce" *isoperca* Meyrick, 1927 (Tortricidae) Synonym(s): *isoperca* Meyrick, 1927
 75375) "Argyroploce" *logica* Meyrick, 1912 (Tortricidae) Synonym(s): *logica* Meyrick, 1912
 75376) "Argyroploce" *platyzona* Meyrick, 1917 (Tortricidae) Synonym(s): *platyzona* Meyrick, 1917
 75377) "Argyroploce" *sardiodes* Meyrick, 1922 (Tortricidae) Synonym(s): *sardiodes* Meyrick, 1922
 75378) "Argyroploce" *sideropetra* Meyrick, 1932 (Tortricidae) Synonym(s): *sideropetra* Meyrick, 1932
 75379) "Argyroploce" *torquata* Meyrick, 1927 (Tortricidae) Synonym(s): *torquata* Meyrick, 1927
 75380) "Argyrotoxa" *melanophyta* Meyrick, 1913 (Tortricidae) Synonym(s): *melanophyta* Meyrick, 1913
 75381) "Caoecia" *biforata* Meyrick, 1930 (Tortricidae) Synonym(s): *biforata* Meyrick, 1930
 75382) "Caoecia" *clivigera* Meyrick, 1932 (Tortricidae) Synonym(s): *clivigera* Meyrick, 1932
 75383) "Caoecia" *mansueta* Meyrick, 1923 (Tortricidae) Synonym(s): *mansueta* Meyrick, 1923
 75384) "Caoecia" *recurvana* Zeller, 1866 (Tortricidae) Synonym(s): *recurvana* Zeller, 1866
 75385) "Capua" *alumnias* (Meyrick, 1912) (Tortricidae) Synonym(s): *alumnias* Meyrick, 1912
 75386) "Capua" *arrecta* Meyrick, 1917 (Tortricidae) Synonym(s): *arrecta* Meyrick, 1917
 75387) "Capua" *chrysostoma* Meyrick, 1912 (Tortricidae) Synonym(s): *chrysostoma* Meyrick, 1912
 75388) "Capua" *ruficapilla* Meyrick, 1932 (Tortricidae) Synonym(s): *ruficapilla* Meyrick, 1932
 75389) "Capua" *thiodyta* Meyrick, 1931 (Tortricidae) Synonym(s): *thiodyta* Meyrick, 1931
 75390) "Capua" *tylonota* Meyrick, 1926 (Tortricidae) Synonym(s): *tylonota* Meyrick, 1926
 75391) "Carpocapsa" *atrochalybaeana* (Walker, 1863) (Tortricidae) Synonym(s): *atrochalybaeana* Walker, 1863
 75392) "Carpocapsa" *carana* Walker, 1863 (Tortricidae) Synonym(s): *carana* Walker, 1863
 75393) "Carpocapsa" *compensana* Walker, 1863 (Tortricidae) Synonym(s): *compensana* Walker, 1863
 75394) "Carpocapsa" *conclusana* Walker, 1863 (Tortricidae) Synonym(s): *conclusana* Walker, 1863
 75395) "Carpocapsa" *decretana* Walker, 1863 (Tortricidae) Synonym(s): *decretana* Walker, 1863; *latiferana* Walker, 1863
 75396) "Carpocapsa" *influxana* Walker, 1863 (Tortricidae) Synonym(s): *influxana* Walker, 1863
 75397) "Carpocapsa" *monstratana* Walker, 1863 (Tortricidae) Synonym(s): *monstratana* Walker, 1863
 75398) "Carpocapsa" *plenana* Walker, 1863 (Tortricidae) Synonym(s): *plenana* Walker, 1863; *incultana* Walker, 1866
 75399) "Carpocapsa" *semicirculana* Walker, 1863 (Tortricidae) Synonym(s): *semicirculana* Walker, 1863
 75400) "Carpocapsa" *tonsana* Walker, 1863 (Tortricidae) Synonym(s): *tonsana* Walker, 1863
 75401) "Carpocapsa" *transductana* Walker, 1863 (Tortricidae) Synonym(s): *transductana* Walker, 1863
 75402) "Cnephasia" *captiva* Meyrick, 1911 (Tortricidae) Synonym(s): *captiva* Meyrick, 1911
 75403) "Cnephasia" *catastrepta* Meyrick, 1926 (Tortricidae) Synonym(s): *catastrepta* Meyrick, 1926
 75404) "Cnephasia" *cedrota* (Meyrick, 1908) (Tortricidae) Synonym(s): *cedrota* Meyrick, 1908
 75405) "Cnephasia" *chlorocrossa* Meyrick, 1926 (Tortricidae) Synonym(s): *chlorocrossa* Meyrick, 1926
 75406) "Cnephasia" *clisias* Meyrick, 1912 (Tortricidae) Synonym(s): *clisias* Meyrick, 1912
 75407) "Cnephasia" *dentata* Meyrick, 1917 (Tortricidae) Synonym(s): *dentata* Meyrick, 1917
 75408) "Cnephasia" *designata* Meyrick, 1921 (Tortricidae) Synonym(s): *designata* Meyrick, 1921
 75409) "Cnephasia" *dryoglypta* Meyrick, 1913 (Tortricidae) Synonym(s): *dryoglypta* Meyrick, 1913
 75410) "Cnephasia" *ergastularis* Meyrick, 1911 (Tortricidae) Synonym(s): *ergastularis* Meyrick, 1911
 75411) "Cnephasia" *finita* Meyrick, 1924 (Tortricidae) Synonym(s): *finita* Meyrick, 1924
 75412) "Cnephasia" *flavisecta* Meyrick, 1918 (Tortricidae) Synonym(s): *flavisecta* Meyrick, 1918
 75413) "Cnephasia" *hyacinthina* Meyrick, 1912 (Tortricidae) Synonym(s): *hyacinthina* Meyrick, 1912
 75414) "Cnephasia" *incepta* Meyrick, 1912 (Tortricidae) Synonym(s): *incepta* Meyrick, 1912
 75415) "Cnephasia" *incusa* Meyrick, 1917 (Tortricidae) Synonym(s): *incusa* Meyrick, 1917
 75416) "Cnephasia" *macrostoma* Meyrick, 1920 (Tortricidae) Synonym(s): *macrostoma* Meyrick, 1920
 75417) "Cnephasia" *olearis* Meyrick, 1912 (Tortricidae) Synonym(s): *olearis* Meyrick, 1912
 75418) "Cnephasia" *opsarias* Meyrick, 1911 (Tortricidae) Synonym(s): *opsarias* Meyrick, 1911
 75419) "Cnephasia" *pachydesma* Meyrick, 1918 (Tortricidae) Synonym(s): *pachydesma* Meyrick, 1918
 75420) "Cnephasia" *phalarocosma* Meyrick, 1937 (Tortricidae) Synonym(s): *phalarocosma* Meyrick, 1937
 75421) "Cnephasia" *setosa* Meyrick, 1917 (Tortricidae) Synonym(s): *setosa* Meyrick, 1917
 75422) "Cnephasia" *temulenta* Meyrick, 1912 (Tortricidae) Synonym(s): *temulenta* Meyrick, 1912
 75423) "Cnephasia" *tigrina* (Walsingham, 1891) (Tortricidae) Synonym(s): *tigrina* Walsingham, 1891
 75424) "Cochylis" *caesiata* Clarke, 1968 (Tortricidae) Synonym(s): *caesiata* Clarke, 1968
 75425) "Cochylis" *constantia* Clarke, 1968 (Tortricidae) Synonym(s): *constantia* Clarke, 1968
 75426) "Cochylis" *prolectana* Möschler, 1890 (Tortricidae) Synonym(s): *prolectana* Möschler, 1890
 75427) "Cochylis" *tectoniana* Möschler, 1890 (Tortricidae) Synonym(s): *tectoniana* Möschler, 1890
 75428) "Cochylis" *vicinitana* Möschler, 1890 (Tortricidae) Synonym(s): *vicinitana* Möschler, 1890
 75429) "Conchylis" *lindigana* C.Felder & Rogenhofer, 1875 (Tortricidae) Synonym(s): *lindigana* C.Felder & Rogenhofer, 1875
 75430) "Conchylis" *lorana* Zeller, 1877 (Tortricidae) Synonym(s): *lorana* Zeller, 1877
 75431) "Conchylis" *tricesimana* (Zeller, 1877) (Tortricidae) Synonym(s): *tricesimana* Zeller, 1877
 75432) "Dichrorampha" *agraea* Walsingham, 1914 (Tortricidae) Synonym(s): *agraea* Walsingham, 1914
 75433) "Dichrorampha" *aztecana* Walsingham, 1914 (Tortricidae) Synonym(s): *aztecana* Walsingham, 1914
 75434) "Dichrorampha" *circumfusana* Zeller, 1877 (Tortricidae) Synonym(s): *circumfusana* Zeller, 1877
 75435) "Dichrorampha" *eulepidana* Walsingham, 1914 (Tortricidae) Synonym(s): *eulepidana* Walsingham, 1914
 75436) "Dichrorampha" *heptagramma* Walsingham, 1914 (Tortricidae) Synonym(s): *heptagramma* Walsingham, 1914
 75437) "Dichrorampha" *pallidula* Walsingham, 1914 (Tortricidae) Synonym(s): *pallidula* Walsingham, 1914
 75438) "Dichrorampha" *panterpes* Walsingham, 1914 (Tortricidae) Synonym(s): *panterpes* Walsingham, 1914
 75439) "Dichrorampha" *sinuata* Walsingham, 1914 (Tortricidae) Synonym(s): *sinuata* Walsingham, 1914
 75440) "Dichrorampha" *vinana* Walsingham, 1914 (Tortricidae) Synonym(s): *vinana* Walsingham, 1914
 75441) "Enarmonia" *mixanthos* (Meyrick, 1932) (Tortricidae) Synonym(s): *mixanthos* Meyrick, 1932
 75442) "Epagoce" *somatina* Dognin, 1912 (Tortricidae) Synonym(s): *somatina* Dognin, 1912
 75443) "Epinotia" *nielsenii* (Kawabe, 1989) (Tortricidae) Synonym(s): *nielsenii* Kawabe, 1989
 75444) "Episimus" *mollita* Meyrick, 1931 (Tortricidae) Synonym(s): *mollita* Meyrick, 1931
 75445) "Eucosma" *albidula* Walsingham, 1914 (Tortricidae) Synonym(s): *albidula* Walsingham, 1914
 75446) "Eucosma" *alphabetica* Walsingham, 1914 (Tortricidae) Synonym(s): *alphabetica* Walsingham, 1914
 75447) "Eucosma" *amulana* Walsingham, 1914 (Tortricidae) Synonym(s): *amulana* Walsingham, 1914
 75448) "Eucosma" *bactropa* Meyrick, 1927 (Tortricidae) Synonym(s): *bactropa* Meyrick, 1927
 75449) "Eucosma" *beryllina* Meyrick, 1927 (Tortricidae) Synonym(s): *beryllina* Meyrick, 1927
 75450) "Eucosma" *blanditana* (Kuznetsov, 1988) (Tortricidae) Synonym(s): *blanditana* Kuznetsov, 1988
 75451) "Eucosma" *calligrapha* Meyrick, 1912 (Tortricidae) Synonym(s): *calligrapha* Meyrick, 1912
 75452) "Eucosma" *carcharitis* Meyrick, 1924 (Tortricidae) Synonym(s): *carcharitis* Meyrick, 1924
 75453) "Eucosma" *caryocrossa* Meyrick, 1932 (Tortricidae) Synonym(s): *caryocrossa* Meyrick, 1932

- 75454) "Eucosma" *cerdalea* Walsingham, 1914 (Tortricidae) Synonym(s): *cerdalea* Walsingham, 1914
 75455) "Eucosma" *cittopa* Walsingham, 1914 (Tortricidae) Synonym(s): *cittopa* Walsingham, 1914
 75456) "Eucosma" *cremastropis* Meyrick, 1930 (Tortricidae) Synonym(s): *cremastropis* Meyrick, 1930
 75457) "Eucosma" *cremnitis* Meyrick, 1912 (Tortricidae) Synonym(s): *cremnitis* Meyrick, 1912
 75458) "Eucosma" *deltoplaca* Meyrick, 1921 (Tortricidae) Synonym(s): *deltoplaca* Meyrick, 1921
 75459) "Eucosma" *dianthes* Meyrick, 1928 (Tortricidae) Synonym(s): *dianthes* Meyrick, 1928
 75460) "Eucosma" *diogma* Meyrick, 1927 (Tortricidae) Synonym(s): *diogma* Meyrick, 1927
 75461) "Eucosma" *dryochra* Meyrick, 1937 (Tortricidae) Synonym(s): *dryochra* Meyrick, 1937
 75462) "Eucosma" *elaechroa* Walsingham, 1914 (Tortricidae) Synonym(s): *elaechroa* Walsingham, 1914
 75463) "Eucosma" *erebantra* Meyrick, 1937 (Tortricidae) Synonym(s): *erebantra* Meyrick, 1937
 75464) "Eucosma" *eridarcha* Meyrick, 1927 (Tortricidae) Synonym(s): *eridarcha* Meyrick, 1927
 75465) "Eucosma" *eutechna* Meyrick, 1936 (Tortricidae) Synonym(s): *eutechna* Meyrick, 1936
 75466) "Eucosma" *florescens* Meyrick, 1925 (Tortricidae) Synonym(s): *florescens* Meyrick, 1925
 75467) "Eucosma" *gomphacma* Meyrick, 1928 (Tortricidae) Synonym(s): *gomphacma* Meyrick, 1928
 75468) "Eucosma" *habrotoma* Meyrick, 1934 (Tortricidae) Synonym(s): *habrotoma* Meyrick, 1934
 75469) "Eucosma" *hapalosarca* Meyrick, 1924 (Tortricidae) Synonym(s): *hapalosarca* Meyrick, 1924
 75470) "Eucosma" *imposita* Meyrick, 1937 (Tortricidae) Synonym(s): *imposita* Meyrick, 1937
 75471) "Eucosma" *ioplintha* Meyrick, 1930 (Tortricidae) Synonym(s): *ioplintha* Meyrick, 1930
 75472) "Eucosma" *legitima* Meyrick, 1912 (Tortricidae) Synonym(s): *legitima* Meyrick, 1912
 75473) "Eucosma" *leucodesma* Meyrick, 1912 (Tortricidae) Synonym(s): *leucodesma* Meyrick, 1912
 75474) "Eucosma" *loxaspis* Meyrick, 1931 (Tortricidae) Synonym(s): *loxaspis* Meyrick, 1931
 75475) "Eucosma" *marocana* (Lucas, 1954) (Tortricidae) Synonym(s): *marocana* Lucas, 1954
 75476) "Eucosma" *muscosa* Meyrick, 1927 (Tortricidae) Synonym(s): *muscosa* Meyrick, 1927
 75477) "Eucosma" *noctivola* (Meyrick, 1932) (Tortricidae) Synonym(s): *noctivola* Meyrick, 1932
 75478) "Eucosma" *numellata* Meyrick, 1912 (Tortricidae) Synonym(s): *numellata* Meyrick, 1912
 75479) "Eucosma" *operta* Meyrick, 1917 (Tortricidae) Synonym(s): *operta* Meyrick, 1917
 75480) "Eucosma" *patriciana* Walsingham, 1914 (Tortricidae) Synonym(s): *patriciana* Walsingham, 1914
 75481) "Eucosma" *torrens* Meyrick, 1927 (Tortricidae) Synonym(s): *torrens* Meyrick, 1927
 75482) "Eucosma" *translucens* Walsingham, 1914 (Tortricidae) Synonym(s): *translucens* Walsingham, 1914
 75483) "Eucosma" *tridentata* Walsingham, 1914 (Tortricidae) Synonym(s): *tridentata* Walsingham, 1914
 75484) "Eucosma" *trimarginata* Walsingham, 1914 (Tortricidae) Synonym(s): *trimarginata* Walsingham, 1914
 75485) "Eulia" *achyritis* Meyrick, 1926 (Tortricidae) Synonym(s): *achyritis* Meyrick, 1926
 75486) "Eulia" *epicremna* Meyrick, 1926 (Tortricidae) Synonym(s): *epicremna* Meyrick, 1926
 75487) "Eulia" *eurychlora* Meyrick, 1926 (Tortricidae) Synonym(s): *eurychlora* Meyrick, 1926
 75488) "Eulia" *flaminia* Meyrick, 1926 (Tortricidae) Synonym(s): *flaminia* Meyrick, 1926
 75489) "Eulia" *grammotorna* Meyrick, 1926 (Tortricidae) Synonym(s): *grammotorna* Meyrick, 1926
 75490) "Eulia" *haematitis* Meyrick, 1931 (Tortricidae) Synonym(s): *haematitis* Meyrick, 1931
 75491) "Eulia" *juncta* Meyrick, 1926 (Tortricidae) Synonym(s): *juncta* Meyrick, 1926
 75492) "Eulia" *leucobactra* Meyrick, 1926 (Tortricidae) Synonym(s): *leucobactra* Meyrick, 1926
 75493) "Eulia" *moniliata* Meyrick, 1936 (Tortricidae) Synonym(s): *moniliata* Meyrick, 1936
 75494) "Eulia" *multifurcata* (Meyrick, 1912) (Tortricidae) Synonym(s): *multifurcata* Meyrick, 1912; *multistrigata* Razowski, 1964
 75495) "Eulia" *ocystola* Meyrick, 1932 (Tortricidae) Synonym(s): *ocystola* Meyrick, 1932
 75496) "Eulia" *oppressa* Meyrick, 1926 (Tortricidae) Synonym(s): *oppressa* Meyrick, 1926
 75497) "Eulia" *pyrrhocolona* Meyrick, 1926 (Tortricidae) Synonym(s): *pyrrhocolona* Meyrick, 1926
 75498) "Eulia" *sclerophracta* Meyrick, 1936 (Tortricidae) Synonym(s): *sclerophracta* Meyrick, 1936
 75499) "Eulia" *sectionalis* Meyrick, 1932 (Tortricidae) Synonym(s): *sectionalis* Meyrick, 1932
 75500) "Eulia" *strophota* Meyrick, 1926 (Tortricidae) Synonym(s): *strophota* Meyrick, 1926
 75501) "Eulia" *trapeziodes* Meyrick, 1926 (Tortricidae) Synonym(s): *trapeziodes* Meyrick, 1926
 75502) "Euxanthia" *pyrrhodelta* Meyrick, 1931 (Tortricidae) Synonym(s): *pyrrhodelta* Meyrick, 1931
 75503) "Grapholita" *catabanana* Rebel, 1931 (Tortricidae) Synonym(s): *catabanana* Rebel, 1931
 75504) "Grapholita" *conciliata* (Meyrick, 1920) (Tortricidae) Synonym(s): *conciliata* Meyrick, 1920; *heteropa* Meyrick, 1920
 75505) "Grapholita" *orbitana* Berg, 1875 (Tortricidae) Synonym(s): *orbitana* Berg, 1875
 75506) "Grapholita" *plectana* C.Felder & Rogenhofer, 1875 (Tortricidae) Synonym(s): *plectana* C.Felder & Rogenhofer, 1875
 75507) "Grapholita" *selectana* Walker, 1863 (Tortricidae) Synonym(s): *selectana* Walker, 1863
 75508) "Homona" *biscutata* Meyrick, 1931 (Tortricidae) Synonym(s): *biscutata* Meyrick, 1931
 75509) "Lasiothyris" *hemitephras* Clarke, 1968 (Tortricidae) Synonym(s): *hemitephras* Clarke, 1968
 75510) "Olethreutes" *canofascia* Forbes, 1930 (Tortricidae) Synonym(s): *canofascia* Forbes, 1930
 75511) "Olethreutes" *delphinosema* Walsingham, 1914 (Tortricidae) Synonym(s): *delphinosema* Walsingham, 1914
 75512) "Olethreutes" *gemmafera* Walsingham, 1914 (Tortricidae) Synonym(s): *gemmafera* Walsingham, 1914
 75513) "Olethreutes" *hemeropsis* Dognin, 1912 (Tortricidae) Synonym(s): *hemeropsis* Dognin, 1912
 75514) "Olethreutes" *hieroglypta* Walsingham, 1914 (Tortricidae) Synonym(s): *hieroglypta* Walsingham, 1914
 75515) "Olethreutes" *holodesma* Walsingham, 1914 (Tortricidae) Synonym(s): *holodesma* Walsingham, 1914
 75516) "Olethreutes" *mochana* Busck, 1914 (Tortricidae) Synonym(s): *mochana* Busck, 1914
 75517) "Olethreutes" *olorina* Walsingham, 1914 (Tortricidae) Synonym(s): *olorina* Walsingham, 1914
 75518) "Olethreutes" *pachypleura* (Meyrick, 1921) (Tortricidae) Synonym(s): *pachypleura* Meyrick, 1921
 75519) "Penthina" *asturana* (C.Felder & Rogenhofer, 1875) (Tortricidae) Synonym(s): *asturana* C.Felder & Rogenhofer, 1875; *cataphracta* Meyrick, 1917
 75520) "Penthina" *dissimilis* C.Felder & Rogenhofer, 1875 (Tortricidae) Synonym(s): *dissimilis* C.Felder & Rogenhofer, 1875
 75521) "Peronea" *acmanthes* Meyrick, 1931 (Tortricidae) Synonym(s): *acmanthes* Meyrick, 1931
 75522) "Peronea" *crocoptycha* Meyrick, 1931 0 (Tortricidae) Synonym(s): *crocoptycha* Meyrick, 1931
 75523) "Phalaena" *Tortrix* *mumetes* (Cramer, 1779) (Tortricidae) Synonym(s): *mumetes* Cramer, 1779
 75524) "Phalaena" *edleriana* Stoll, 1782 (Tortricidae) Synonym(s): *edleriana* Stoll, 1782
 75525) "Phalaena" *esperiana* Stoll, 1782 (Tortricidae) Synonym(s): *esperiana* Stoll, 1782
 75526) "Phalonia" *arizela* Walsingham, 1914 (Tortricidae) Synonym(s): *arizela* Walsingham, 1914
 75527) "Phalonia" *charma* Clarke, 1968 (Tortricidae) Synonym(s): *charma* Clarke, 1968
 75528) "Phalonia" *disputabilis* Walsingham, 1914 (Tortricidae) Synonym(s): *disputabilis* Walsingham, 1914
 75529) "Phalonia" *embrithopa* Meyrick, 1927 (Tortricidae) Synonym(s): *embrithopa* Meyrick, 1927
 75530) "Philedone" *citrochya* Meyrick, 1926 (Tortricidae) Synonym(s): *citrochya* Meyrick, 1926
 75531) "Pyralis" *margana* (Turton, 1806) (Tortricidae) Synonym(s): *margana* Turton, 1806
 75532) "Sciaphila" *crebrana* Zeller, 1877 (Tortricidae) Synonym(s): *crebrana* Zeller, 1877
 75533) "Sciaphila" *inclusana* Walker, 1863 (Tortricidae) Synonym(s): *inclusana* Walker, 1863
 75534) "Sciaphila" *incomptana* Berg, 1875 (Tortricidae) Synonym(s): *incomptana* Berg, 1875
 75535) "Sciaphila" *insipidana* Zeller, 1877 (Tortricidae) Synonym(s): *insipidana* Zeller, 1877
 75536) "Sciaphila" *leucomelaena* Zeller, 1877 (Tortricidae) Synonym(s): *leucomelaena* Zeller, 1877
 75537) "Sericoris" *caquenensis* Butler, 1883 (Tortricidae) Synonym(s): *caquenensis* Butler, 1883
 75538) "Syndemis" *saburrana* Zeller, 1852 (Tortricidae) Synonym(s): *saburrana* Zeller, 1852
 75539) "Teras" *jamaicana* Walker, 1863 (Tortricidae) Synonym(s): *jamaicana* Walker, 1863
 75540) "Teras" *negatana* Walker, 1863 (Tortricidae) Synonym(s): *negatana* Walker, 1863
 75541) "Tortrix" *ambitana* Zeller, 1877 (Tortricidae) Synonym(s): *ambitana* Zeller, 1877
 75542) "Tortrix" *apatela* Walsingham, 1914 (Tortricidae) Synonym(s): *apatela* Walsingham, 1914
 75543) "Tortrix" *apochranta* Meyrick, 1930 (Tortricidae) Synonym(s): *apochranta* Meyrick, 1930

- 75544) "Tortrix" *asaphes* Walsingham, 1914 (Tortricidae) Synonym(s): *asaphes* Walsingham, 1914
 75545) "Tortrix" *biocellata* Walsingham, 1914 (Tortricidae) Synonym(s): *biocellata* Walsingham, 1914
 75546) "Tortrix" *caryocryptis* Meyrick, 1932 (Tortricidae) Synonym(s): *caryocryptis* Meyrick, 1932
 75547) "Tortrix" *chrysodetis* Meyrick, 1926 (Tortricidae) Synonym(s): *chrysodetis* Meyrick, 1926
 75548) "Tortrix" *cratista* Walsingham, 1914 (Tortricidae) Synonym(s): *cratista* Walsingham, 1914
 75549) "Tortrix" *fissiculata* Meyrick, 1917 (Tortricidae) Synonym(s): *fissiculata* Meyrick, 1917
 75550) "Tortrix" *funerana* Walker, 1863 (Tortricidae) Synonym(s): *funerana* Walker, 1863
 75551) "Tortrix" *hypocrita* Walsingham, 1914 (Tortricidae) Synonym(s): *hypocrita* Walsingham, 1914
 75552) "Tortrix" *insignitana* Möschler, 1890 (Tortricidae) Synonym(s): *insignitana* Möschler, 1890
 75553) "Tortrix" *memoriana* Zeller, 1877 (Tortricidae) Synonym(s): *memoriana* Zeller, 1877
 75554) "Tortrix" *minima* Walsingham, 1914 (Tortricidae) Synonym(s): *minima* Walsingham, 1914
 75555) "Tortrix" *noctivola* Meyrick, 1932 (Tortricidae) Synonym(s): *noctivola* Meyrick, 1932
 75556) "Tortrix" *parana* Busck, 1911 (Tortricidae) Synonym(s): *parana* Busck, 1911
 75557) "Tortrix" *praecisana* Walsingham, 1914 (Tortricidae) Synonym(s): *praecisana* Walsingham, 1914
 75558) "Tortrix" *regilla* Walsingham, 1914 (Tortricidae) Synonym(s): *regilla* Walsingham, 1914
 75559) "Tortrix" *simiana* Zeller, 1866 (Tortricidae) Synonym(s): *simiana* Zeller, 1866
 75560) "Tortrix" *velitans* Meyrick, 1924 (Tortricidae) Synonym(s): *velitans* Meyrick, 1924
 75561) "Tortrix" *xestochalca* Meyrick, 1926 (Tortricidae) Synonym(s): *xestochalca* Meyrick, 1926
 75562) "Trachybyrsis" *chionochlaena* Meyrick, 1932 (Tortricidae) Synonym(s): *chionochlaena* Meyrick, 1932
 75563) *Abrepagoge osmangazii* (Koçak, 1986) (Tortricidae) Synonym(s): *treitschkeana* Treitschke, 1835 nec Fröh., 1828; *osmangazii* Koçak, 1986; *cesa* Kemal & Koçak, 2004; *#osmangazii* Brown, 2005
 75564) *Acanthoclitia acrocroca* Diakonoff, 1982 (Tortricidae) Synonym(s): *acrocroca* Diakonoff, 1982
 75565) *Acanthoclitia balanoptycha* (Meyrick, 1910) (Tortricidae) Synonym(s): *balanoptycha* Meyrick, 1910
 75566) *Acanthoclitia balia* Diakonoff, 1982 (Tortricidae) Synonym(s): *balia* Diakonoff, 1982
 75567) *Acanthoclitia dejiciens* (Meyrick, 1932) (Tortricidae) Synonym(s): *dejiciens* Meyrick, 1932; *spilocausta* Meyrick, 1934
 75568) *Acanthoclitia iridorphna* (Meyrick, 1936) (Tortricidae) Synonym(s): *iridorphna* Meyrick, 1936
 75569) *Acanthoclitia phaulomorpha* (Meyrick, 1927) (Tortricidae) Synonym(s): *phaulomorpha* Meyrick, 1927
 75570) *Acanthoclitia trichograpta* (Meyrick, 1911) (Tortricidae) Synonym(s): *trichograpta* Meyrick, 1911; *taophanes* Meyrick, 1921
 75571) *Acarolella gentilis* Razowski, 1994 (Tortricidae) Synonym(s): *gentilis* Razowski, 1994
 75572) *Acarolella obnixa* Razowski & Becker, 1983 (Tortricidae) Synonym(s): *obnixa* Razowski & Becker, 1983
 75573) *Acarolella steropsis* (Meyrick, 1931) (Tortricidae) Synonym(s): *steropsis* Meyrick, 1931
 75574) *Accra erythrocyma* (Meyrick, 1930) (Tortricidae) Synonym(s): *erythrocyma* Meyrick, 1930
 75575) *Accra ornata* Razowski, 1966 (Tortricidae) Synonym(s): *ornata* Razowski, 1966
 75576) *Accra plumbeana* Razowski, 1966 (Tortricidae) Synonym(s): *plumbeana* Razowski, 1966
 75577) *Accra rubicunda* Razowski, 1966 (Tortricidae) Synonym(s): *Accra rubicunda* Razowski, 1966
 75578) *Accra rubrothicta* Razowski, 1986 (Tortricidae) Synonym(s): *rubrothicta* Razowski, 1986
 75579) *Accra tanzanica* Razowski, 1990 (Tortricidae) Synonym(s): *tanzanica* Razowski, 1990
 75580) *Accra venatrix* (Meyrick, 1930) (Tortricidae) Synonym(s): *venatrix* Meyrick, 1930
 75581) *Accra viridis* (Walsingham, 1891) (Tortricidae) Synonym(s): *viridis* Walsingham, 1891
 75582) *Accra witteae* Razowski, 1964 (Tortricidae) Synonym(s): *witteae* Razowski, 1964; *wittei* Razowski, 1966
 75583) *Acleris abietana* (Hübner, 1822) (Tortricidae) Synonym(s): ? *abietana* Villers, 1789; *abietana* Hübner, 1822; *confixana* Hübner, [1822]; *opacana* Geyer, [1833]; *erebana* Guenée, 1845; *lutiplaga* Rebel, 1901; *nigricana* Hauser, 1913; *mitterbergiana* Hauser, 1914
 75584) *Acleris aestuosa* Yasuda, 1965 (Tortricidae) Synonym(s): *aestuosa* Yasuda, 1965
 75585) *Acleris affinatana* (Snellen, 1883) (Tortricidae) Synonym(s): *affinatana* Snellen, 1883; *pryerana* Walsingham, 1900
 75586) *Acleris albiscopulana* (Christoph, 1881) (Tortricidae) Synonym(s): *albiscopulana* Christoph, 1881
 75587) *Acleris alnivora* Oku, 1956 (Tortricidae) Synonym(s): *alnivora* Oku, 1956
 75588) *Acleris amurensis* (Caradja, 1928) (Tortricidae) Synonym(s): *amurensis* Caradja, 1928
 75589) *Acleris arcticana* (Guenée, 1845) (Tortricidae) Synonym(s): *arcticana* Guenée, 1845; *walkerana* McDunnough, 1934; *boreana* Wolff, 1964
 75590) *Acleris arcuata* (Yasuda, 1975) (Tortricidae) Synonym(s): *arcuata* Yasuda, 1975
 75591) *Acleris argyrograpta* Razowski, 2003 (Tortricidae) Synonym(s): *argyrograpta* Razowski, 2003
 75592) *Acleris askoldana* (Christoph, 1881) (Tortricidae) Synonym(s): *askoldana* Christoph, 1881; *#askoldana* Obraztsov, 1956
 75593) *Acleris atayalicana* Kawabe, 1989 (Tortricidae) Synonym(s): *atayalicana* Kawabe, 1989
 75594) *Acleris atomophora* Diakonoff, 1976 (Tortricidae) Synonym(s): *atomophora* Diakonoff, 1976
 75595) *Acleris auricaput* Razowski, 1971 (Tortricidae) Synonym(s): *auricaput* Razowski, 1971
 75596) *Acleris aurichalcana* (Bremer, 1865) (Tortricidae) Synonym(s): *aurichalcana* Bremer, 1865; *auristellana* Caradja, 1916; *issikii* Matsumura, 1931
 75597) *Acleris avicularia* Razowski, 1964 (Tortricidae) Synonym(s): *avicularia* Razowski, 1964
 75598) *Acleris azumina* Yasuda & Kawabe, 1980 (Tortricidae) Synonym(s): *azumina* Yasuda & Kawabe, 1980
 75599) *Acleris bacurana* (Turati, 1934) (Tortricidae) Synonym(s): *bacurana* Turati, 1934
 75600) *Acleris bengalica* Razowski, 1964 (Tortricidae) Synonym(s): *bengalica* Razowski, 1964
 75601) *Acleris bicolor* Kawabe, 1963 (Tortricidae) Synonym(s): *bicolor* Kawabe, 1963
 75602) *Acleris blanda* (Yasuda, 1975) (Tortricidae) Synonym(s): *blanda* Yasuda, 1975
 75603) *Acleris boscanoides* Razowski, 1959 (Tortricidae) Synonym(s): *boscanoides* Razowski, 1959
 75604) *Acleris bununa* Kawabe, 1989 (Tortricidae) Synonym(s): *bununa* Kawabe, 1989
 75605) *Acleris caeruleascens* (Walsingham, 1900) (Tortricidae) Synonym(s): *caeruleascens* Walsingham, 1900; *staudingeri* Kennel, 1901
 75606) *Acleris caledoniana* (Stephens, 1852) (Tortricidae) Synonym(s): *caledoniana* Stephens, 1852
 75607) *Acleris caryosphena* (Meyrick, 1937) (Tortricidae) Synonym(s): *caryosphena* Meyrick, 1937
 75608) *Acleris chionocentra* (Meyrick, 1908) (Tortricidae) Synonym(s): *chionocentra* Meyrick, 1908; *erythrites* Meyrick, 1928
 75609) *Acleris chloroma* Razowski, 1993 (Tortricidae) Synonym(s): *chloroma* Razowski, 1993
 75610) *Acleris comariana* (Lienig & Zeller, 1846) (Tortricidae) Synonym(s): *comariana* Lienig & Zeller, 1846; *proteana* Herrich-Schäffer, 1851; *potentillana* Wilkinson, 1859
 75611) *Acleris compsoptila* (Meyrick, 1923) (Tortricidae) Synonym(s): *compsoptila* Meyrick, 1923
 75612) *Acleris conchyloides* (Walsingham, 1900) (Tortricidae) Synonym(s): *conchyloides* Walsingham, 1900; *arquatana* Kennel, 1901
 75613) *Acleris confiferarum* (Filipjev, 1962) (Tortricidae) Synonym(s): *confiferarum* Filipjev, 1962
 75614) *Acleris crassa* Razowski & Yasuda, 1964 (Tortricidae) Synonym(s): *crassa* Razowski & Yasuda, 1964
 75615) *Acleris crataegi* (Kuznetsov, 1964) (Tortricidae) Synonym(s): *crataegi* Kuznetsov, 1964
 75616) *Acleris cribellata* (Falkovitsh, 1965) (Tortricidae) Synonym(s): *cribellata* Falkovitsh, 1965
 75617) *Acleris cristana* (Denis & Schiffermüller, 1775) (Tortricidae) Synonym(s): *cristana* [Denis & Schiffermüller], 1775; *rossiana* Fabricius, 1794; *desfontainiana* Fabricius, 1794; *profanana* Fabricius, 1794; *ephippana* Donovan, 1794; *sericana* Hübner, [1799]; *spadiceana* Haworth, 1811; *ruficostana* Curtis, 1824; *brunneana* Stephens, 1834; *vittana* Stephens, 1834; *consimilana* Stephens, 1834; *albovittana* Stephens, 1834; *lefebriana* Duponchel, 1835; *lichenana* Curtis, 1835; *semistana* Curtis, 1835; *sequana* Curtis, 1835; *subcristalana* Curtis, 1835; *insulana* Curtis, 1835; *bentleyana* Curtis, 1835; *alboflammana* Curtis, 1835; *chantana* Curtis, 1835; *ruficristana* Johnson, 1842; *gumpinana* Johnson, 1842; *unicolorana* Desvignes, 1845; *curtisana* Desvignes, 1845
 75618) *Acleris decolorata* Razowski, 1964 (Tortricidae) Synonym(s): *decolorata* Razowski, 1964; *dedita* Razowski, 1974
 75619) *Acleris delicatana* (Christoph, 1881) (Tortricidae) Synonym(s): *delicatana* Christoph, 1881
 75620) *Acleris diadecta* Razowski, 2003 (Tortricidae) Synonym(s): *diadecta* Razowski, 2003
 75621) *Acleris diaphora* Razowski, 2003 (Tortricidae) Synonym(s): *diaphora* Razowski, 2003
 75622) *Acleris dispar* (Liu & Bai, 1987) (Tortricidae) Synonym(s): *dispar* Liu & Bai, 1987
 75623) *Acleris dryochyta* (Meyrick, 1937) (Tortricidae) Synonym(s): *dryochyta* Meyrick, 1937
 75624) *Acleris duoloba* Razowski, 2003 (Tortricidae) Synonym(s): *duoloba* Razowski, 2003
 75625) *Acleris duracina* Razowski, 1974 (Tortricidae) Synonym(s): *duracina* Razowski, 1974

- 75626) *Acleris elearcha* (Meyrick,1908) (Tortricidae) Synonym(s): *elearcha* Meyrick,1908
 75627) *Acleris elegans* Oku,1956 (Tortricidae) Synonym(s): *elegans* Oku,1956
 75628) *Acleris emargana* (Fabricius,1775) (Tortricidae) Synonym(s): *emargana* Fabricius,1775; *caudana* Fabricius,1775; *scabrana* Fabricius,1781; *excavana* Donovan,1794; *effractana* Hübner,[1799].
 75629) *Acleris emargana tibetica* Razowski,1964 (Tortricidae) Synonym(s): *tibetica* Razowski,1964
 75630) *Acleris emera* Razowski,1993 (Tortricidae) Synonym(s): *emera* Razowski,1993
 75631) *Acleris enitescens* (Meyrick,1912) (Tortricidae) Synonym(s): *enitescens* Meyrick,1912
 75632) *Acleris expressa* (Filipjev,1931) (Tortricidae) Synonym(s): *expressa* Filipjev,1931
 75633) *Acleris exsucana* (Kennel,1901) (Tortricidae) Synonym(s): *exsucana* Kennel,1901
 75634) *Acleris extensana* (Walker,1863) (Tortricidae) Synonym(s): *extensana* Walker,1863; *divisana* Walker,1863 nec Hbn.,[1813]; *dictyodes* Meyrick,1907; *agrioma* Meyrick,1920
 75635) *Acleris extranea* Razowski,1975 (Tortricidae) Synonym(s): *extranea* Razowski,1975
 75636) *Acleris ferox* (Razowski,1975) (Tortricidae) Synonym(s): *ferox* Razowski,1975
 75637) *Acleris ferrugana* ([Denis & Schiffmüller],1775) (Tortricidae) Synonym(s): *ferrugana* [Denis & Schiffmüller],1775; *rufana* Hübner,[1799] nec [Den. & Schiff.],1775; *tripunctulana* Haworth,1811; *bifidana* Haworth,1811; *brachiana* Freyer,1833; *rubidana* Herrich-Schäffer,1851; *selasana* Herrich-Schäffer,1851; *lithargyrana* Herrich-Schäffer,1851; *fissurana* Pierce & Metcalfe,1915.
 75638) *Acleris filipjevi* Obraztsov,1956 (Tortricidae) Synonym(s): *grisea* Filipjev,1931 nec Müller-Ru.,1924; *filipjevi* Obraztsov,1956
 75639) *Acleris fimbriana* (Thunberg,1791) (Tortricidae) Synonym(s): *fimbriana* Thunberg,1791; *pulverana* Herrich-Schäffer,1851; *lubricana* Mann,1867; *crocopepla* Meyrick,1922; *tephromorpha* Meyrick,1930.
 75640) *Acleris fistularis* Diakonoff,1976 (Tortricidae) Synonym(s): *fistularis* Diakonoff,1976
 75641) *Acleris flavoptera* Liu & Bai,1993 (Tortricidae) Synonym(s): *flavoptera* Liu & Bai,1993
 75642) *Acleris formosae* Razowski,1964 (Tortricidae) Synonym(s): *formosae* Razowski,1964
 75643) *Acleris fuscotogata* (Walsingham,1900) (Tortricidae) Synonym(s): *fuscotogata* Walsingham,1900; *pretiosana* Kennel,1901
 75644) *Acleris gatesclarkei* Kawabe,1982 (Tortricidae) Synonym(s): *gatesclarkei* Kawabe,1982
 75645) *Acleris glaucomis* (Meyrick,1908) (Tortricidae) Synonym(s): *glaucomis* Meyrick,1908
 75646) *Acleris gobica* Kuznetsov,1975 (Tortricidae) Synonym(s): *gobica* Kuznetsov,1975
 75647) *Acleris griseoptera* Liu & Bai,1993 (Tortricidae) Synonym(s): *griseoptera* Liu & Bai,1993
 75648) *Acleris hapalactis* (Meyrick,1912) (Tortricidae) Synonym(s): *hapalactis* Meyrick,1912
 75649) *Acleris hastiana* (Linnaeus,1758) (Tortricidae) Synonym(s): *hastiana* Linnaeus,1758; *coronana* Thunberg,1784; *borana* Fabricius,1787; *liberana* Fabricius,1787; *byringerana* Hübner,1793; *blomiana* Thunberg,1797; *stickmanniana* Thunberg,1797; *radiana* Hübner,[1799]; *albistriana* Haworth,1811; *eximiana* Haworth,1811; *aquilana* Hübner,[1813]; *divisana* Hübner,[1813]; *combustana* Hübner,[1813]; *autumnana* Hübner,[1817]; *bollingerana* Hübner,[1825]; *veterana* Hübner,[1825]; *leprosana* Frölich,1828; *mayrana* Geyer,[1833]; *ramostriana* Stephens,1834; *centrovittana* Stephens,1834; *subcrisana* Stephens,1834; *obsoletana* Stephens,1834; *leacheana* Curtis,1835; *leucophaeana* Humpreys & Westwood,1845; *basilineana* Peyerimhoff,1863.
 75650) *Acleris hectaea* (Meyrick,1911) (Tortricidae) Synonym(s): *hectaea* Meyrick,1911
 75651) *Acleris helvolaris* (Liu & Bai,1987) (Tortricidae) Synonym(s): *helvolaris* Liu & Bai,1987
 75652) *Acleris hippophaeana* (Heyden,1865) (Tortricidae) Synonym(s): *hippophaeana* Heyden,1865
 75653) *Acleris hispidana* (Christoph,1881) (Tortricidae) Synonym(s): *hispidana* Christoph,1881
 75654) *Acleris hohuanshana* Kawabe,1989 (Tortricidae) Synonym(s): *hohuanshana* Kawabe,1989
 75655) *Acleris hokkaidana* Razowski & Yasuda,1964 (Tortricidae) Synonym(s): *hokkaidana* Razowski & Yasuda,1964
 75656) *Acleris hyemana* (Haworth,1811) (Tortricidae) Synonym(s): *hyemana* Haworth,1811; *mixtana* Hübner,[1813]; *provinciana* Peyerimhoff,1872.
 75657) *Acleris idonea* Razowski,1972 (Tortricidae) Synonym(s): *idonea* Razowski,1972
 75658) *Acleris implexana* (Walker,1863) (Tortricidae) Synonym(s): *implexana* Walker,1863
 75659) *Acleris implexana ferrumixtana* (Benander,1934) (Tortricidae) Synonym(s): *ferrumixtana* Benander,1934
 75660) *Acleris indignana* (Christoph,1881) (Tortricidae) Synonym(s): *indignana* Christoph,1881
 75661) *Acleris issikii* Oku,1956 (Tortricidae) Synonym(s): *issikii* Oku,1956
 75662) *Acleris japonica* (Walsingham,1900) (Tortricidae) Synonym(s): *japonica* Walsingham,1900
 75663) *Acleris kinangopana* Razowski,1964 (Tortricidae) Synonym(s): *kinangopana* Razowski,1964
 75664) *Acleris kochiella* (Goeze,1783) (Tortricidae) Synonym(s): *kochiella* Goeze,1783; *ternatella* Fourcroy,1785; *boscana* Fabricius,1794; *cerusana* Hübner,[1799]; *ulmana* Duponchel,1836; *parisiana* Guenée,1845.
 75665) *Acleris kodamai* Yasuda,1965 (Tortricidae) Synonym(s): *kodamai* Yasuda,1965
 75666) *Acleris lacordairana* (Duponchel,1836) (Tortricidae) Synonym(s): *lacordairana* Duponchel,1836; *obtusana* Eversmann,1844; *dissonana* Herrich-Schäffer,1851; *roxana* Razowski & Yasuda,1964.
 75667) *Acleris lacordairana caucasica* (Filipjev,1962) (Tortricidae) Synonym(s): *caucasica* Filipjev,1962
 75668) *Acleris lacordairana roxana* Razowski & Yasuda,1964 (Tortricidae) Synonym(s): *roxana* Razowski & Yasuda,1964
 75669) *Acleris laterana* (Fabricius,1794) (Tortricidae) Synonym(s): *laterana* Fabricius,1794; *abildgaardana* Fabricius,1794; *latifasciana* Haworth,1811; *comparana* Hübner,[1825]; *labeculana* Freyer,1833; *costimaculana* Stephens,1834; *dormoyana* Duponchel,1835; *erebana* Guenée,1845; *perplexana* Barrett,1881.
 75670) *Acleris leucophracta* (Meyrick,1937) (Tortricidae) Synonym(s): *leucophracta* Meyrick,1937
 75671) *Acleris lipsiana* ([Denis & Schiffmüller],1775) (Tortricidae) Synonym(s): *lipsiana* [Denis & Schiffmüller],1775; *sudoriana* Hübner,[1823].
 75672) *Acleris literana* (Linnaeus,1758) (Tortricidae) Synonym(s): *literana* Linnaeus,1758; *squamana* Fabricius,1775; *aspersana* [Denis & Schiffmüller],1775; *romanana* Fabricius,1787; *squamulana* Hübner,1793; *irrorana* Hübner,[1799]; *tricolorana* Haworth,1811; *abjectana* Hübner,[1825]; *aerugana* Hübner,[1825]; *fulvomixtana* Stephens,1834; *suavana* Herrich-Schäffer,1851.
 75673) *Acleris logiana* (Clerck,1759) (Tortricidae) Synonym(s): *logiana* Clerck,1759; *trueriana* Denis & Schiffmüller,1775; *niveana* Fabricius,1787; *mulzeriana* Hübner,[1825]; *scotana* Stephens,1852; *placidana* Robinson,1869; *trisinigana* Robinson,1869.
 75674) *Acleris longipalpata* (Snellen,1883) (Tortricidae) Synonym(s): *longipalpata* Snellen,1883; *electrina* Razowski & Yasuda,1964
 75675) *Acleris lorquiniana* (Duponchel,1835) (Tortricidae) Synonym(s): *lorquiniana* Duponchel,1835; *uliginosana* Humpreys & Westwood,1845; *atrosignana* Herrich-Schäffer,1851.
 75676) *Acleris loxoscia* (Meyrick,1907) (Tortricidae) Synonym(s): *loxoscia* Meyrick,1907
 75677) *Acleris lucipara* Razowski,1964 (Tortricidae) Synonym(s): *lucipara* Razowski,1964
 75678) *Acleris lucipeta* Razowski,1966 (Tortricidae) Synonym(s): *lucipeta* Razowski,1966
 75679) *Acleris maccana* (Treitschke,1835) (Tortricidae) Synonym(s): *maccana* Treitschke,1835; *marmorana* Curtis,1835; *leporinana* Zetterstedt,1839; *torquana* Zetterstedt,1839; *basalticola* Staudinger,1857; *fishiana* Fernald,1902
 75680) *Acleris matthewsi* Razowski,1986 (Tortricidae) Synonym(s): *matthewsi* Razowski,1986
 75681) *Acleris monagma* Diakonoff,1976 (Tortricidae) Synonym(s): *monagma* Diakonoff,1976
 75682) *Acleris nakajimai* Kawabe,1992 (Tortricidae) Synonym(s): *nakajimai* Kawabe,1992
 75683) *Acleris napaea* (Meyrick,1912) (Tortricidae) Synonym(s): *napaea* Meyrick,1912; *sheljuzhkoii* Obraztsov,1943; *heringi* Razowski,1958
 75684) *Acleris nectaritis* (Meyrick,1912) (Tortricidae) Synonym(s): *nectaritis* Meyrick,1912
 75685) *Acleris nigrilineana* (Kawabe,1963) (Tortricidae) Synonym(s): *nigrilineana* Kawabe,1963; *vikeniana* Opheim,1968
 75686) *Acleris nigriradix* (Filipjev,1931) (Tortricidae) Synonym(s): *nigriradix* Filipjev,1931
 75687) *Acleris notana* (Donovan,1806) (Tortricidae) Synonym(s): *tripunctana* Hübner,1799 nec [Denis & Schiff.],1775; *notana* Donovan,1806.
 75688) *Acleris obtusana* (Eversmann,1844) (Tortricidae) Synonym(s): *obtusana* Eversmann,1844
 75689) *Acleris ochropicta* Razowski,1975 (Tortricidae) Synonym(s): *ochropicta* Razowski,1975
 75690) *Acleris ophthalmicana* Razowski & Yasuda,1964 (Tortricidae) Synonym(s): *ophthalmicana* Razowski & Yasuda,1964
 75691) *Acleris orphnocyca* (Meyrick,1937) (Tortricidae) Synonym(s): *orphnocyca* Meyrick,1937
 75692) *Acleris osthelderi* Obraztsov,1949 (Tortricidae) Synonym(s): *osthelderi* Obraztsov,1949
 75693) *Acleris paradiseana* (Walsingham,1900) (Tortricidae) Synonym(s): *paradiseana* Walsingham,1900
 75694) *Acleris perfundana* Kuznetsov,1962 (Tortricidae) Synonym(s): *perfundana* Kuznetsov,1962; *nigropunctana* Kuznetsov,1962
 75695) *Acleris permutana* (Duponchel,1836) (Tortricidae) Synonym(s): *permutana* Duponchel,1836; *permutatana* Herrich-Schäffer,1851.
 75696) *Acleris phantastica* Razowski & Yasuda,1964 (Tortricidae) Synonym(s): *phantastica* Razowski & Yasuda,1964
 75697) *Acleris placata* (Meyrick,1912) (Tortricidae) Synonym(s): *placata* Meyrick,1912

- 75698) *Acleris placida* Yasuda & Kawabe, 1980 (Tortricidae) Synonym(s): *placida* Yasuda & Kawabe, 1980
 75699) *Acleris platynotana* (Walsingham, 1900) (Tortricidae) Synonym(s): *platynotana* Walsingham, 1900; *ocydroma* Meyrick, 1935
 75700) *Acleris porphyrocentra* (Meyrick, 1937) (Tortricidae) Synonym(s): *porphyrocentra* Meyrick, 1937
 75701) *Acleris proximana* (Caradja, 1927) (Tortricidae) Synonym(s): *proximana* Caradja, 1927
 75702) *Acleris pulchella* Kawabe, 1963 (Tortricidae) Synonym(s): *pulchella* Kawabe, 1963
 75703) *Acleris pulchella mundana* Kuznetsov, 1979 (Tortricidae) Synonym(s): *mundana* Kuznetsov, 1979
 75704) *Acleris pulchella pulchella* Kawabe, 1963 (Tortricidae) Synonym(s): *pulchella* Kawabe, 1963
 75705) *Acleris pulcherrima* Razowski, 1971 (Tortricidae) Synonym(s): *pulcherrima* Razowski, 1971
 75706) *Acleris quadridentana* (Walsingham, 1900) (Tortricidae) Synonym(s): *quadridentana* Walsingham, 1900
 75707) *Acleris quercinana* (Zeller, 1849) (Tortricidae) Synonym(s): *quercinana* Zeller, 1849; ? *mucidana* Peyerimhoff, 1874
 75708) *Acleris rantaizana* Razowski, 1966 (Tortricidae) Synonym(s): *rantaizana* Razowski, 1966
 75709) *Acleris razowskii* (Yasuda, 1975) (Tortricidae) Synonym(s): *razowskii* Yasuda, 1975
 75710) *Acleris recula* Razowski, 1974 (Tortricidae) Synonym(s): *recula* Razowski, 1974
 75711) *Acleris retrusa* Razowski, 1993 (Tortricidae) Synonym(s): *retrusa* Razowski, 1993
 75712) *Acleris rhombana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *rhombana* [Denis & Schiffermüller], 1775; *reticulata* Ström, 1783; *centrana* Fabricius, 1794; *contaminana* Hübner, [1799]; *ciliana* Hübner, [1799]; *obscurana* Donovan, 1806 nec Schr., 1802; *dimidiana* Frölich, 1828.
 75713) *Acleris roscidana* (Hübner, [1799]) (Tortricidae) Synonym(s): *roscidana* Hübner, [1799]; *nebulana* Hübner, [1799]
 75714) *Acleris rubivorella* (Filipjev, 1962) (Tortricidae) Synonym(s): *rubivorella* Filipjev, 1962
 75715) *Acleris rufana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *rufana* [Denis & Schiffermüller], 1775; *apiciana* Hübner, 1793; *bisriana* Haworth, 1811; *bisriana* Haworth, 1811; *similana* Curtis, 1824; *lucidana* Treitschke, 1830; *densana* Freyer, 1833; *albicostana* Stephens, 1834; *crassana* Duponchel, 1843; *rubellana* Müller-Rutz, 1920
 75716) *Acleris sagmatias* (Meyrick, 1905) (Tortricidae) Synonym(s): *sagmatias* Meyrick, 1905
 75717) *Acleris salicicola* Kuznetsov, 1970 (Tortricidae) Synonym(s): *salicicola* Kuznetsov, 1970
 75718) *Acleris scabrana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *scabrana* [Denis & Schiffermüller], 1775; *elevana* Fabricius, 1787; *psorana* Frölich, 1828.
 75719) *Acleris schalleriana* (Linnaeus, 1761) (Tortricidae) Synonym(s): *schalleriana* Linnaeus, 1761; *hirundana* Thunberg, 1791; *tristana* Hübner, [1799]; *castaneana* Haworth, 1811; *plumbosana* Haworth, 1811; *falsana* Hübner, [1825]; *germarana* Frölich, 1828; *trigonana* Stephens, 1834; *semirhombana* Curtis, 1835; *violaceana* Guenée, 1845; *erutana* Herrich-Schäffer, 1851.
 75720) *Acleris semitexta* (Meyrick, 1912) (Tortricidae) Synonym(s): *semitexta* Meyrick, 1912
 75721) *Acleris shepherdana* (Stephens, 1852) (Tortricidae) Synonym(s): *shepherdana* Stephens, 1852
 75722) *Acleris similis* (Filipjev, 1931) (Tortricidae) Synonym(s): *similis* Filipjev, 1931
 75723) *Acleris sinuosaria* Razowski, 1964 (Tortricidae) Synonym(s): *sinuosaria* Razowski, 1964
 75724) *Acleris sordidata* Razowski, 1971 (Tortricidae) Synonym(s): *sordidata* Razowski, 1971
 75725) *Acleris sparsana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *sparsana* [Denis & Schiffermüller], 1775; *sponsana* Fabricius, 1787; *halliana* Thunberg, 1791; *roborana* Fabricius, 1794; *favillaceana* Hübner, [1799]; *reticulana* Haworth, 1811; *fagana* Curtis, 1835; *longepartitana* Bruand, 1850; *malivorana* Ragonot, 1875; *pyrivorana* Ragonot, 1875.
 75726) *Acleris stachi* (Razowski, 1953) (Tortricidae) Synonym(s): *stachi* Razowski, 1953
 75727) *Acleris strigifera* (Filipjev, 1931) (Tortricidae) Synonym(s): *strigifera* Filipjev, 1931
 75728) *Acleris submaccana* (Filipjev, 1962) (Tortricidae) Synonym(s): *submaccana* Filipjev, 1962; *simplex* Razowski & Yasuda, 1964
 75729) *Acleris tabida* Razowski, 1975 (Tortricidae) Synonym(s): *tabida* Razowski, 1975
 75730) *Acleris takeuchii* Razowski & Yasuda, 1964 (Tortricidae) Synonym(s): *takeuchii* Razowski & Yasuda, 1964
 75731) *Acleris thiana* Razowski, 1966 (Tortricidae) Synonym(s): *thiana* Razowski, 1966
 75732) *Acleris thomasi* Razowski, 1990 (Tortricidae) Synonym(s): *thomasi* Razowski, 1990
 75733) *Acleris tremewani* Razowski, 1964 (Tortricidae) Synonym(s): *tremewani* Razowski, 1964
 75734) *Acleris tsuifengana* Kawabe, 1992 (Tortricidae) Synonym(s): *tsuifengana* Kawabe, 1992
 75735) *Acleris tunicatana* (Walsingham, 1900) (Tortricidae) Synonym(s): *tunicatana* Walsingham, 1900; *kurokoi* Yasuda, 1965
 75736) *Acleris ulmicola* (Meyrick, 1930) (Tortricidae) Synonym(s): *ulmicola* Meyrick, 1930
 75737) *Acleris umbrana* (Hübner, [1799]) (Tortricidae) Synonym(s): *umbrana* Hübner, [1799]
 75738) *Acleris undulana* (Walsingham, 1900) (Tortricidae) Synonym(s): *undulana* Walsingham, 1900; *coprana* Walsingham, 1900; *aphorista* Meyrick, 1923; *subcoprana* Obraztsov, 1956
 75739) *Acleris uniformis* (Filipjev, 1931) (Tortricidae) Synonym(s): *uniformis* Filipjev, 1931
 75740) *Acleris variegana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *variegana* [Denis & Schiffermüller], 1775; *asperana* Fabricius, 1777; *osbeckiana* Thunberg, 1784; *nyctemerana* Hübner, [1817]; *blandiana* Charpentier, 1821; *blandana* Hübner, [1825]; *cirrana* Curtis, 1835; *albana* Humpreys & Westwood, 1845; *insignana* Herrich-Schäffer, 1851.
 75741) *Acleris venatana* Kawabe, 1992 (Tortricidae) Synonym(s): *venatana* Kawabe, 1992
 75742) *Acleris yasudai* Razowski, 1966 (Tortricidae) Synonym(s): *yasudai* Razowski, 1966
 75743) *Acleris zeta* Razowski, 1964 (Tortricidae) Synonym(s): *zeta* Razowski, 1964
 75744) *Acleris zimmermanni* (Clarke, 1978) (Tortricidae) Synonym(s): *zimmermanni* Clarke, 1978
 75745) *Acroclita altivaga* Meyrick, 1921 (Tortricidae) Synonym(s): *altivaga* Meyrick, 1921
 75746) *Acroclita anelpista* Diakonoff & Wolff, 1976 (Tortricidae) Synonym(s): *anelpista* Diakonoff & Wolff, 1976
 75747) *Acroclita belinda* Meyrick, 1912 (Tortricidae) Synonym(s): *belinda* Meyrick, 1912
 75748) *Acroclita bryomorpha* Meyrick, 1931 (Tortricidae) Synonym(s): *bryomorpha* Meyrick, 1931
 75749) *Acroclita catharotorna* Meyrick, 1935 (Tortricidae) Synonym(s): *catharotorna* Meyrick, 1935
 75750) *Acroclita causterias* Meyrick, 1927 (Tortricidae) Synonym(s): *causterias* Meyrick, 1927
 75751) *Acroclita cheradonta* Meyrick, 1912 (Tortricidae) Synonym(s): *cheradonta* Meyrick, 1912
 75752) *Acroclita clarissa* Meyrick, 1921 (Tortricidae) Synonym(s): *clarissa* Meyrick, 1921
 75753) *Acroclita convergens* Meyrick, 1930 (Tortricidae) Synonym(s): *convergens* Meyrick, 1930
 75754) *Acroclita corinthia* Meyrick, 1912 (Tortricidae) Synonym(s): *corinthia* Meyrick, 1912
 75755) *Acroclita cryptiolitha* Fletcher, 1940 (Tortricidae) Synonym(s): *cryptiolitha* Fletcher, 1940
 75756) *Acroclita discariana* Philpott, 1930 (Tortricidae) Synonym(s): *discariana* Philpott, 1930
 75757) *Acroclita elaeagnivora* Oku, 1979 (Tortricidae) Synonym(s): *elaeagnivora* Oku, 1979
 75758) *Acroclita esmeralda* Meyrick, 1912 (Tortricidae) Synonym(s): *esmeralda* Meyrick, 1912
 75759) *Acroclita euphylla* Meyrick, 1926 (Tortricidae) Synonym(s): *euphylla* Meyrick, 1926
 75760) *Acroclita furculana* Kuznetsov, 1996 (Tortricidae) Synonym(s): *furculana* Kuznetsov, 1996
 75761) *Acroclita granitalis* (Butler, 1881) (Tortricidae) Synonym(s): *granitalis* Butler, 1881
 75762) *Acroclita guanchana* Walsingham, 1907 (Tortricidae) Synonym(s): *guanchana* Walsingham, 1907
 75763) *Acroclita gumicola* Oku, 1979 (Tortricidae) Synonym(s): *gumicola* Oku, 1979
 75764) *Acroclita hercoptila* Meyrick, 1927 (Tortricidae) Synonym(s): *hercoptila* Meyrick, 1927
 75765) *Acroclita klimeschi* Diakonoff, 1985 (Tortricidae) Synonym(s): *klimeschi* Diakonoff, 1985
 75766) *Acroclita lithoxoa* Diakonoff, 1950 (Tortricidae) Synonym(s): *lithoxoa* Diakonoff, 1950
 75767) *Acroclita loxoplecta* Meyrick, 1935 (Tortricidae) Synonym(s): *loxoplecta* Meyrick, 1935
 75768) *Acroclita macrosaris* (Meyrick, 1938) (Tortricidae) Synonym(s): *macrosaris* Meyrick, 1938
 75769) *Acroclita macrotoma* Turner, 1918 (Tortricidae) Synonym(s): *macrotoma* Turner, 1918
 75770) *Acroclita madens* Meyrick, 1921 (Tortricidae) Synonym(s): *madens* Meyrick, 1921; *cameraria* Meyrick, 1932
 75771) *Acroclita neaera* Meyrick, 1912 (Tortricidae) Synonym(s): *neaera* Meyrick, 1912
 75772) *Acroclita nigrovenana* Kuznetsov, 1988 (Tortricidae) Synonym(s): *nigrovenana* Kuznetsov, 1988
 75773) *Acroclita notophthalma* Meyrick, 1933 (Tortricidae) Synonym(s): *notophthalma* Meyrick, 1933
 75774) *Acroclita paulina* Meyrick, 1925 (Tortricidae) Synonym(s): *paulina* Meyrick, 1925
 75775) *Acroclita pertracta* Diakonoff, 1989 (Tortricidae) Synonym(s): *pertracta* Diakonoff, 1989
 75776) *Acroclita prasinissa* Meyrick, 1921 (Tortricidae) Synonym(s): *prasinissa* Meyrick, 1921

- 75777) *Acroclita scatebrossa* Meyrick, 1912 (Tortricidae) Synonym(s): *scatebrossa* Meyrick, 1912
 75778) *Acroclita sonchana* Walsingham, 1907 (Tortricidae) Synonym(s): *sonchana* Walsingham, 1907
 75779) *Acroclita spiladorma* Meyrick, 1932 (Tortricidae) Synonym(s): *spiladorma* Meyrick, 1932
 75780) *Acroclita stenoglypha* Diakonoff, 1971 (Tortricidae) Synonym(s): *stenoglypha* Diakonoff, 1971
 75781) *Acroclita subsequana* (Herrich-Schäffer, 1851) (Tortricidae) Synonym(s): *subsequana* Herrich-Schäffer, 1851; *hawkerana* Stephens, 1856; *arctana* Staudinger, 1859; *mulstantana* Millière, 1860; *littorana* Constant, 1865; *convallensis* Walsingham, 1907
 75782) *Acroclita thysanota* Meyrick, 1912 (Tortricidae) Synonym(s): *thysanota* Meyrick, 1912
 75783) *Acroclita trachynota* Meyrick, 1926 (Tortricidae) Synonym(s): *trachynota* Meyrick, 1926
 75784) *Acroclita trichocnemis* Meyrick, 1914 (Tortricidae) Synonym(s): *trichocnemis* Meyrick, 1914
 75785) *Acroclita trimaelena* Meyrick, 1922 (Tortricidae) Synonym(s): *trimaelena* Meyrick, 1922
 75786) *Acroclita vigescens* Meyrick, 1920 (Tortricidae) Synonym(s): *vigescens* Meyrick, 1920
 75787) *Acroplectis haemanthes* Meyrick, 1927 (Tortricidae) Synonym(s): *haemanthes* Meyrick, 1927
 75788) *Actihema hemiacta* (Meyrick, 1920) (Tortricidae) Synonym(s): *hemiacta* Meyrick, 1920
 75789) *Adoxophyes acrocindina* Diakonoff, 1983 (Tortricidae) Synonym(s): *acrocindina* Diakonoff, 1983
 75790) *Adoxophyes aniara* Diakonoff, 1941 (Tortricidae) Synonym(s): *aniara* Diakonoff, 1941
 75791) *Adoxophyes aurantia* Clarke, 1976 (Tortricidae) Synonym(s): *aurantia* Clarke, 1976
 75792) *Adoxophyes aurantiana* Bradley, 1961 (Tortricidae) Synonym(s): *aurantiana* Bradley, 1961
 75793) *Adoxophyes aurata* Diakonoff, [1968] (Tortricidae) Synonym(s): *aurata* Diakonoff, [1968]
 75794) *Adoxophyes balioleuca* Clarke, 1976 (Tortricidae) Synonym(s): *balioleuca* Clarke, 1976
 75795) *Adoxophyes bematica* Meyrick, 1910 (Tortricidae) Synonym(s): *bematica* Meyrick, 1910
 75796) *Adoxophyes chloromydra* Meyrick, 1926 (Tortricidae) Synonym(s): *chloromydra* Meyrick, 1926
 75797) *Adoxophyes congruana* (Walker, 1863) (Tortricidae) Synonym(s): *congruana* Walker, 1863; *shanghaiana* Walker, 1863
 75798) *Adoxophyes controversa* Diakonoff, 1952 (Tortricidae) Synonym(s): *controversa* Diakonoff, 1952
 75799) *Adoxophyes croesus* Diakonoff, 1975 (Tortricidae) Synonym(s): *croesus* Diakonoff, 1975
 75800) *Adoxophyes cyrtosema* Meyrick, 1886 (Tortricidae) Synonym(s): *cyrtosema* Meyrick, 1886; *novohebridensis* Diakonoff, 1961
 75801) *Adoxophyes dubia* Yashuda, 1998 (Tortricidae) Synonym(s): *dubia* Yashuda, 1998
 75802) *Adoxophyes ergatica* Meyrick, 1911 (Tortricidae) Synonym(s): *ergatica* Meyrick, 1911
 75803) *Adoxophyes fasciculana* (Walker, 1866) (Tortricidae) Synonym(s): *fasciculana* Walker, 1866; *luzonica* Sauber, 1902; *epipepla* Lower, 1908
 75804) *Adoxophyes flagrans* Meyrick, 1912 (Tortricidae) Synonym(s): *flagrans* Meyrick, 1912
 75805) *Adoxophyes furcatana* (Walker, 1863) (Tortricidae) Synonym(s): *furcatana* Walker, 1863
 75806) *Adoxophyes heteroidana* Meyrick, 1881 (Tortricidae) Synonym(s): *heteroidana* Meyrick, 1881; *ablepta* Turner, 1945; *amblychroa* Turner, 1945
 75807) *Adoxophyes honmai* Yashuda, 1998 (Tortricidae) Synonym(s): *honmai* Yashuda, 1998
 75808) *Adoxophyes horographa* Meyrick, 1928 (Tortricidae) Synonym(s): *horographa* Meyrick, 1928
 75809) *Adoxophyes instillata* Meyrick, 1922 (Tortricidae) Synonym(s): *instillata* Meyrick, 1922
 75810) *Adoxophyes liberatrix* (Diakonoff, 1947) (Tortricidae) Synonym(s): *liberatrix* Diakonoff, 1947
 75811) *Adoxophyes libralis* Meyrick, 1927 (Tortricidae) Synonym(s): *libralis* Meyrick, 1927
 75812) *Adoxophyes marmarogodes* Diakonoff, 1952 (Tortricidae) Synonym(s): *marmarogodes* Diakonoff, 1952
 75813) *Adoxophyes melia* Clarke, 1976 (Tortricidae) Synonym(s): *melia* Clarke, 1976
 75814) *Adoxophyes melichroa* (Lower, 1899) (Tortricidae) Synonym(s): *melichroa* Lower, 1899; *rufostriatana* Pagenstecher, 1900
 75815) *Adoxophyes microptycha* Diakonoff, 1957 (Tortricidae) Synonym(s): *microptycha* Diakonoff, 1957
 75816) *Adoxophyes moderatana* (Walker, 1863) (Tortricidae) Synonym(s): *moderatana* Walker, 1863; *epizeucta* Meyrick, 1910; *insignifica* Rothschild, 1915; *prosilens* Meyrick, 1928
 75817) *Adoxophyes molybdaina* Clarke, 1876 (Tortricidae) Synonym(s): *molybdaina* Clarke, 1876
 75818) *Adoxophyes nebrodes* Meyrick, 1920 (Tortricidae) Synonym(s): *nebrodes* Meyrick, 1920
 75819) *Adoxophyes negundana* (McDunnough, 1923) (Tortricidae) Synonym(s): *negundana* McDunnough, 1923
 75820) *Adoxophyes nemorum* Diakonoff, 1941 (Tortricidae) Synonym(s): *nemorum* Diakonoff, 1941
 75821) *Adoxophyes orana* (Fischer v. Röslerstamm, 1834) (Tortricidae) Synonym(s): *reticulana* Hübner, [1819] (*praeocc.*); *orana* Fischer v. Röslerstamm, 1834; *tripsiana* Eversmann, 1844; *fasciata* Walsingham, 1900; *minor* Shiraki, 1913; *sutschana* Caradja, 1926; *beijingsensis* Zhou, Qiu & Fu, 1997
 75822) *Adoxophyes panxantha* (Lower, 1901) (Tortricidae) Synonym(s): *panxantha* Lower, 1901
 75823) *Adoxophyes parastropa* Meyrick, 1912 (Tortricidae) Synonym(s): *parastropa* Meyrick, 1912; *centroluta* Diakonoff, 1951
 75824) *Adoxophyes perangusta* Diakonoff, 1960 (Tortricidae) Synonym(s): *perangusta* Diakonoff, 1960
 75825) *Adoxophyes peritoma* Meyrick, 1918 (Tortricidae) Synonym(s): *peritoma* Meyrick, 1918
 75826) *Adoxophyes perstricta* Meyrick, 1928 (Tortricidae) Synonym(s): *perstricta* Meyrick, 1928
 75827) *Adoxophyes privatana* (Walker, 1863) (Tortricidae) Synonym(s): *privatana* Walker, 1863; *euryomis* Meyrick, 1902
 75828) *Adoxophyes psammocyma* (Meyrick, 1908) (Tortricidae) Synonym(s): *psammocyma* Meyrick, 1908
 75829) *Adoxophyes revoluta* (Meyrick, 1908) (Tortricidae) Synonym(s): *revoluta* Meyrick, 1908
 75830) *Adoxophyes rhopalodesma* Diakonoff, 1961 (Tortricidae) Synonym(s): *rhopalodesma* Diakonoff, 1961
 75831) *Adoxophyes telesticta* Meyrick, 1930 (Tortricidae) Synonym(s): *telesticta* Meyrick, 1930
 75832) *Adoxophyes templanata* (Pagenstecher, 1900) (Tortricidae) Synonym(s): *templanata* Pagenstecher, 1900; *ioterma* Meyrick, 1910; *thelcterope* Turner, 1945
 75833) *Adoxophyes tetraphracta* Meyrick, 1938 (Tortricidae) Synonym(s): *tetraphracta* Meyrick, 1938; *acropeta* Diakonoff, 1952
 75834) *Adoxophyes thoracica* Diakonoff, 1941 (Tortricidae) Synonym(s): *thoracica* Diakonoff, 1941
 75835) *Adoxophyes tripselia* (Lower, 1908) (Tortricidae) Synonym(s): *tripselia* Lower, 1908
 75836) *Adoxophyes trirhadba* Diakonoff, 1969 (Tortricidae) Synonym(s): *trirhadba* Diakonoff, 1969
 75837) *Adoxophyes vindicata* Meyrick, 1910 (Tortricidae) Synonym(s): *vindicata* Meyrick, 1910
 75838) *Aemulatrix aequilibrata* Diakonoff, 1982 (Tortricidae) Synonym(s): *aequilibrata* Diakonoff, 1982
 75839) *Aemulatrix notognatha* Diakonoff, 1988 (Tortricidae) Synonym(s): *notognatha* Diakonoff, 1988
 75840) *Aesicopa vacinana* Zeller, 1877 (Tortricidae) Synonym(s): *vacinana* Zeller, 1877
 75841) *Aethes affinis* Razowski, 1967 (Tortricidae) Synonym(s): *affinis* Razowski, 1967
 75842) *Aethes afghana* Razowski, 1983 (Tortricidae) Synonym(s): *afghana* Razowski, 1983
 75843) *Aethes agelasta* Razowski, 1967 (Tortricidae) Synonym(s): *agelasta* Razowski, 1967
 75844) *Aethes alata* (Danilevski, 1962) (Tortricidae) Synonym(s): *alata* Danilevski, 1962
 75845) *Aethes alphetopa* (Clarke, 1968) (Tortricidae) Synonym(s): *alphetopa* Clarke, 1968
 75846) *Aethes amseli* Razowski, 1967 (Tortricidae) Synonym(s): *amseli* Razowski, 1967
 75847) *Aethes amseli pimirana* Razowski, 1967 (Tortricidae) Synonym(s): *pimirana* Razowski, 1967
 75848) *Aethes amurensis* Razowski, 1964 (Tortricidae) Synonym(s): *amurensis* Razowski, 1964
 75849) *Aethes angulatana* (Robinson, 1869) (Tortricidae) Synonym(s): *angulatana* Robinson, 1869
 75850) *Aethes annosa* Razowski, 1967 (Tortricidae) Synonym(s): *annosa* Razowski, 1967
 75851) *Aethes ardezana* (Müller-Rutz, 1922) (Tortricidae) Synonym(s): *ardezana* Müller-Rutz, 1922
 75852) *Aethes argyrospila* Karisch, 2005 (Tortricidae) Synonym(s): *argyrospila* Karisch, 2005
 75853) *Aethes aurofasciana* (Mann, 1855) (Tortricidae) Synonym(s): *aurofasciana* Mann, 1855; *valdensiana* Herrich-Schäffer, 1856.
 75854) *Aethes austera* Razowski, 1967 (Tortricidae) Synonym(s): *austera* Razowski, 1967
 75855) *Aethes beatricella* (Walsingham, 1898) (Tortricidae) Synonym(s): *beatricella* Walsingham, 1898
 75856) *Aethes bilbaensis* (Rössler, 1877) (Tortricidae) Synonym(s): *bilbaensis* Rössler, 1877; *loxopteroides* Walsingham, 1903; *mediterranea* Rebel, 1906; *reclusa* Meyrick, 1923.
 75857) *Aethes caucasica* (Amsel, 1959) (Tortricidae) Synonym(s): *caucasica* Amsel, 1959; *elsana* Razowski, 1961; *#caucasia* Brown, 2005.
 75858) *Aethes cinereoviridana* (Kennel, 1899) (Tortricidae) Synonym(s): *cinereoviridana* Kennel, 1899
 75859) *Aethes citreoflava* Kuznetsov, 1966 (Tortricidae) Synonym(s): *citreoflava* Kuznetsov, 1966
 75860) *Aethes cnicana* (Westwood, 1854) (Tortricidae) Synonym(s): *cnicana* Westwood, 1854; *arctica* Brandt, 1937
 75861) *Aethes cnicana taiwanica* Razowski, 1977 (Tortricidae) Synonym(s): *taiwanica* Razowski, 1977
 75862) *Aethes conomochla* (Meyrick, 1933) (Tortricidae) Synonym(s): *conomochla* Meyrick, 1933

- 75863) *Aethes conversana* (Walsingham,1908) (Tortricidae) Synonym(s): *conversana* Walsingham,1908
 75864) *Aethes cremonana* (Ragonot,1894) (Tortricidae) Synonym(s): *cremonana* Ragonot,1894
 75865) *Aethes deaurana* (Peyerimhoff,1877) (Tortricidae) Synonym(s): *deaurana* Peyerimhoff,1877; *fusciella* Turati,1924.
 75866) *Aethes decens* Razowski,1970 (Tortricidae) Synonym(s): *decens* Razowski,1970
 75867) *Aethes decimana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *decimana* [Denis & Schiffermüller],1775
 75868) *Aethes delotypa* Razowski,1970 (Tortricidae) Synonym(s): *delotypa* Razowski,1970
 75869) *Aethes dentifera* Razowski,1967 (Tortricidae) Synonym(s): *dentifera* Razowski,1967
 75870) *Aethes destituta* Razowski,1983 (Tortricidae) Synonym(s): *destituta* Razowski,1983
 75871) *Aethes deutschiana* (Zetterstedt,1839) (Tortricidae) Synonym(s): *deutschiana* Zetterstedt,1839; *lutulentana* Herrich-Schäffer,1856; *chalcana* Packard,1866.
 75872) *Aethes dilucidana* (Stephens,1852) (Tortricidae) Synonym(s): *dilucidana* Stephens,1852
 75873) *Aethes eberti* Sutter & Karisch,2004 (Tortricidae) Synonym(s): *eberti* Sutter & Karisch,2004
 75874) *Aethes eichleri* Razowski,1983 (Tortricidae) Synonym(s): *eichleri* Razowski,1983
 75875) *Aethes elpidia* Razowski,1983 (Tortricidae) Synonym(s): *elpidia* Razowski,1983
 75876) *Aethes eryngiella* (Vallot,1829) (Tortricidae) Synonym(s): *eryngiella* Vallot,1829; *flagellana* Duponchel,1836; *helvticana* Heyden,1865; *eryngiana* Heyden,1865; *sardoa* Amsel,1952.
 75877) *Aethes eryngiella atlasi* Razowski,1962 (Tortricidae) Synonym(s): *atlasi* Razowski,1962
 75878) *Aethes evanida* Razowski & Becker,1983 (Tortricidae) Synonym(s): *evanida* Razowski & Becker,1983
 75879) *Aethes fennicana* (Hering,1924) (Tortricidae) Synonym(s): *fennicana* Hering,1924; *adelaidae* Toll,1955.
 75880) *Aethes ferruginea* (Walsingham,1900) (Tortricidae) Synonym(s): *ferruginea* Walsingham,1900
 75881) *Aethes francillana* (Fabricius,1794) (Tortricidae) Synonym(s): *francillana* Fabricius,1794; *francillonana* Humprey & Westwood,1845; *ferulae* Müller-Rutz,1920.
 75882) *Aethes geniculata* (Meyrick,1930) (Tortricidae) Synonym(s): *geniculata* Meyrick,1930
 75883) *Aethes grandaeva* Razowski & Becker,1983 (Tortricidae) Synonym(s): *grandaeva* Razowski & Becker,1983
 75884) *Aethes hartmanniana* (Clerck,1759) (Tortricidae) Synonym(s): ? *lyoneta* Linnaeus,1758; *hartmanniana* Clerck,1759; *wiedemannella* Müller,1764; *baumanniana* [Denis & Schiffermüller],1775; *allioniana* De Villers,1789; *avellana* Hübner,1822; *subbaumanniana* Wilkinson,1859; *murciana* Caradja,1916; *excelsior* Schawerda,1920.
 75885) *Aethes hoenei* Razowski,1964 (Tortricidae) Synonym(s): *hoenei* Razowski,1964
 75886) *Aethes inexpecta* Razowski,1967 (Tortricidae) Synonym(s): *inexpecta* Razowski,1967
 75887) *Aethes iranica* Razowski,1963 (Tortricidae) Synonym(s): *iranica* Razowski,1963
 75888) *Aethes jonesi* Razowski,1967 (Tortricidae) Synonym(s): *jonesi* Razowski,1967
 75889) *Aethes kasyi* Razowski,1962 (Tortricidae) Synonym(s): *kasyi* Razowski,1962
 75890) *Aethes kindermanniana* (Treitschke,1830) (Tortricidae) Synonym(s): *kindermanniana* Treitschke,1830
 75891) *Aethes languidana* (Mann,1855) (Tortricidae) Synonym(s): *languidana* Mann,1855; *reversana* Staudinger,1859; *incommodana* Kennel,1900; *versana* Walsingham,1908.
 75892) *Aethes lassa* Razowski,1986 (Tortricidae) Synonym(s): *lassa* Razowski,1986
 75893) *Aethes lateritia* Razowski,1970 (Tortricidae) Synonym(s): *lateritia* Razowski,1970
 75894) *Aethes luteopictana* (Kennel,1900) (Tortricidae) Synonym(s): *luteopictana* Kennel,1900
 75895) *Aethes lygrana* Karisch,1992 (Tortricidae) Synonym(s): *lygrana* Karisch,1992
 75896) *Aethes margaritana* (Haworth,[1811]) (Tortricidae) Synonym(s): *margaritana* Haworth,[1811]; *dipoltella* Hübner,[1813].
 75897) *Aethes margaritifera* Falkovitsh,1963 (Tortricidae) Synonym(s): *margaritifera* Falkovitsh,1963
 75898) *Aethes margarotana* (Duponchel,1836) (Tortricidae) Synonym(s): *margarotana* Duponchel,1836; *maritimana* Guenée,1845; *scabidulana* Lederer,1855; *capnospila* Meyrick,1912; *parallelana* Kennel,1913; *edrisitana* Chrétien,1922; *paronyma* Meyrick,1932.
 75899) *Aethes mauritanica* (Walsingham,1898) (Tortricidae) Synonym(s): *mauritanica* Walsingham,1898; *mauretanica* Kennel,1910; *cornelia* Turati,1924; *albella* Amsel,1952.
 75900) *Aethes mesomelana* (Walker,1863) (Tortricidae) Synonym(s): *mesomelana* Walker,1863
 75901) *Aethes mirifica* Razowski & Becker,1983 (Tortricidae) Synonym(s): *mirifica* Razowski & Becker,1983
 75902) *Aethes modica* Razowski,1970 (Tortricidae) Synonym(s): *modica* Razowski,1970
 75903) *Aethes monera* Razowski,1986 (Tortricidae) Synonym(s): *monera* Razowski,1986
 75904) *Aethes mordax* (Meyrick,1917) (Tortricidae) Synonym(s): *mordax* Meyrick,1917
 75905) *Aethes moribundana* (Staudinger,1859) (Tortricidae) Synonym(s): *moribundana* Staudinger,1859; *respirantana* Staudinger,1879; *dispersana* Kennel,1899; *dilitana* Kennel,1899; *helvolana* Kennel,1900; *lanceolata* Filipjev,1924.
 75906) *Aethes munda* Karisch,2003 (Tortricidae) Synonym(s): *munda* Karisch,2003
 75907) *Aethes nefandana* (Kennel,1899) (Tortricidae) Synonym(s): *nefandana* Kennel,1899; *diacrisiana* Rebel,1903; *chersonana* Obratsov,1937.
 75908) *Aethes obscurana* (Caradja,1916) (Tortricidae) Synonym(s): *obscurana* Caradja,1916; *lacindana* Kennel,1919.
 75909) *Aethes pannosana* (Kennel,1913) (Tortricidae) Synonym(s): *pannosana* Kennel,1913
 75910) *Aethes pardaliana* (Kennel,1899) (Tortricidae) Synonym(s): *pardaliana* Kennel,1899
 75911) *Aethes patricia* Metzler,1999 (Tortricidae) Synonym(s): *patricia* Metzler,1999
 75912) *Aethes pemeantensis* Gibeaux,1985 (Tortricidae) Synonym(s): *pemeantensis* Gibeaux,1985
 75913) *Aethes perfidana* (Kennel,1900) (Tortricidae) Synonym(s): *perfidana* Kennel,1900
 75914) *Aethes perflavescens* (Meyrick,1934) (Tortricidae) Synonym(s): *perflavescens* Meyrick,1934
 75915) *Aethes persica* Razowski,1963 (Tortricidae) Synonym(s): *persica* Razowski,1963
 75916) *Aethes piercei* (Obratsov,1952) (Tortricidae) Synonym(s): *piercei* Obratsov,1952; ? *gemmatella* Scopoli,1763.
 75917) *Aethes planaltinae* Razowski & Becker,1983 (Tortricidae) Synonym(s): *planaltinae* Razowski & Becker,1983
 75918) *Aethes portentosa* Razowski & Becker,1983 (Tortricidae) Synonym(s): *portentosa* Razowski & Becker,1983
 75919) *Aethes prangana* (Kennel,1900) (Tortricidae) Synonym(s): *prangana* Kennel,1900.
 75920) *Aethes prefuscata* (Meyrick,1925) (Tortricidae) Synonym(s): *prefuscata* Meyrick,1925
 75921) *Aethes promptana* (Robinson,1869) (Tortricidae) Synonym(s): *promptana* Robinson,1869
 75922) *Aethes rectilineana* (Caradja,1939) (Tortricidae) Synonym(s): *rectilineana* Caradja,1939; *bradleyi* Razowski,1962.
 75923) *Aethes rubigana* (Treitschke,1830) (Tortricidae) Synonym(s): *rubigana* Treitschke,1830; *arctica* Brandt,1937.
 75924) *Aethes rubiginana* (Walsingham,1903) (Tortricidae) Synonym(s): *rubiginana* Walsingham,1903
 75925) *Aethes rutilana* (Hübner,[1817]) (Tortricidae) Synonym(s): *rutilana* Hübner,[1817]; *purpurella* Coq,1801 [nomen oblitum!]; *roridana* Mann,1867.
 75926) *Aethes sanguinana* (Treitschke,1830) (Tortricidae) Synonym(s): *sanguinana* Treitschke,1830; *sanguinea* Humpreys & Westwood,1845; *sanguinella* Bradley, Tremewan & Smith,1973
 75927) *Aethes scalana* (Zerny,1927) (Tortricidae) Synonym(s): *scalana* Zerny,1927; *pacata* Falkovitsh,1963
 75928) *Aethes shakibai* Huemer & Wieser,2004 (Tortricidae) Synonym(s): *shakibai* Huemer & Wieser,2004
 75929) *Aethes smeathmanniana* (Fabricius,1781) (Tortricidae) Synonym(s): *smeathmanniana* Fabricius,1781; *fabriciana* Hübner,[1799]; *biviana* Duponchel,1842; *stachydana* Herrich-Schäffer,1851; *scissana* Walker,1863.
 75930) *Aethes sonorae* (Walsingham,1914) (Tortricidae) Synonym(s): *sonorae* Walsingham,1914
 75931) *Aethes speciosa* Razowski,1962 (Tortricidae) Synonym(s): *speciosa* Razowski,1962
 75932) *Aethes sphaenophora* (Diakonoff,1941) (Tortricidae) Synonym(s): *sphaenophora* Diakonoff,1941; *sphenophora* Diakonoff,1948
 75933) *Aethes spirana* (Kennel,1899) (Tortricidae) Synonym(s): *spirana* Kennel,1899
 75934) *Aethes stellans* Razowski & Becker,1994 (Tortricidae) Synonym(s): *stellans* Razowski & Becker,1994
 75935) *Aethes sulphurosana* (Kennel,1900) (Tortricidae) Synonym(s): *sulphurosana* Kennel,1900
 75936) *Aethes tesserana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *tesserana* [Denis & Schiffermüller],1775; *alella* Sulzer,1776; *heiserana* Fabricius,1787; *groendaliana* Thunberg,1791.
 75937) *Aethes tesserana magister* (Walsingham,1900) (Tortricidae) Synonym(s): *magister* Walsingham,1900
 75938) *Aethes tesserana tesserana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *tesserana* [Denis & Schiffermüller],1775; *alella* Sulzer,1776; *heiserana* Fabricius,1787; *groendaliana* Thunberg,1791.
 75939) *Aethes tornella* (Walsingham,1898) (Tortricidae) Synonym(s): *tornella* Walsingham,1898

- 75940) *Aethes triangulana* (Treitschke,1835) (Tortricidae) Synonym(s): *triangulana* Treitschke,1835; *kuhlweiniana* Fischer v. Rösslerstamm,[1836]; *tergana* Eversmann,1844.
- 75941) *Aethes turalba* (Busck,1920) (Tortricidae) Synonym(s): *turalba* Busck,1920
- 75942) *Aethes tuxtana* Razowski,1986 (Tortricidae) Synonym(s): *tuxtana* Razowski,1986
- 75943) *Aethes vicinana* (Mann,1859) (Tortricidae) Synonym(s): *vicinana* Mann,1859; *unicolor* Bethune-Baker,1885; *durantana* Lucas,1942.
- 75944) *Aethes williana* (Brahm,1791) (Tortricidae) Synonym(s): *williana* Brahm,1791; *cembrana* Hübner,[1825]; *zephyrana* Treitschke,1830; *dubrisana* Curtis,1834; *marmoratana* Curtis,1834; *luteolana* Stephens,1834; *virginiana* Guenée,1845; *loriculana* Guenée,1849; *costignata* Filipjev,1926.
- 75945) *Aethes xanthina* Falkovitsh,1963 (Tortricidae) Synonym(s): *xanthina* Falkovitsh,1963
- 75946) *Aethesoides allodapa* Razowski,1986 (Tortricidae) Synonym(s): *allodapa* Razowski,1986
- 75947) *Aethesoides chalcospila* (Meyrick,1932) (Tortricidae) Synonym(s): *chalcospila* Meyrick,1932
- 75948) *Aethesoides columbiana* Razowski,1967 (Tortricidae) Synonym(s): *columbiana* Razowski,1967
- 75949) *Aethesoides distigmatana* (Walsingham,1897) (Tortricidae) Synonym(s): *distigmatana* Walsingham,1897
- 75950) *Aethesoides enclitica* (Meyrick,1917) (Tortricidae) Synonym(s): *enclitica* Meyrick,1917
- 75951) *Aethesoides hondurasica* Razowski,1986 (Tortricidae) Synonym(s): *hondurasica* Razowski,1986
- 75952) *Aethesoides inanita* (Razowski & Becker,1986) (Tortricidae) Synonym(s): *inanita* Razowski & Becker,1986
- 75953) *Aethesoides mexicana* Razowski,1986 (Tortricidae) Synonym(s): *mexicana* Razowski,1986
- 75954) *Aethesoides timia* Razowski & Becker,1986 (Tortricidae) Synonym(s): *timia* Razowski & Becker,1986
- 75955) *Afrocostosa flaviapicella* Aarvik,2004 (Tortricidae) Synonym(s): *flaviapicella* Aarvik,2004
- 75956) *Afroplote ealana* Aarvik,2004 (Tortricidae) Synonym(s): *ealana* Aarvik,2004
- 75957) *Afroplote karsholti* Aarvik,2004 (Tortricidae) Synonym(s): *karsholti* Aarvik,2004
- 75958) *Afroplote turiana* Aarvik,2004 (Tortricidae) Synonym(s): *turiana* Aarvik,2004
- 75959) *Afrothreutes madoffei* Aarvik,2004 (Tortricidae) Synonym(s): *madoffei* Aarvik,2004
- 75960) *Agapeta angelana* (Kennel,1919) (Tortricidae) Synonym(s): *angelana* Kennel,1919
- 75961) *Agapeta hamana* (Linnaeus,1758) (Tortricidae) Synonym(s): *hamana* Linnaeus,1758; *trigonana* [Denis & Schiffmüller],1775; *citrinella* Fourcroy,1785; *cruciana* Fabricius,1787; *diversana* Hübner,1793
- 75962) *Agapeta largana* (Rebel,1906) (Tortricidae) Synonym(s): *largana* Rebel,1906; *vicolana* Capuse,1964.
- 75963) *Agapeta translucida* (Turati,1934) (Tortricidae) Synonym(s): *translucida* Turati,1934
- 75964) *Agapeta zoegana* (Linnaeus,1767) (Tortricidae) Synonym(s): *zoegana* Linnaeus,1767; *cincta* Fourcroy,1785; *flavella* Villers,1789; *ferrugana* Haworth,[1811] nec [Denis & Schiff.],1775; *#zaegana* Staudinger,1879
- 75965) *Age arabica* Kuznetsov,1997 (Tortricidae) Synonym(s): *arabica* Kuznetsov,1997
- 75966) *Age onychistica* Diakonoff,1982 (Tortricidae) Synonym(s): *onychistica* Diakonoff,1982
- 75967) *Agriophanes pycnostrota* Meyrick,1930 (Tortricidae) Synonym(s): *pycnostrota* Meyrick,1930
- 75968) *Aleimma loeflingianum* (Linnaeus,1758) (Tortricidae) Synonym(s): *loeflingiana* Linnaeus,1758; *mixtana* Fabricius,1794; *plumbana* Hübner,[1799]; *ectypa* Hübner,[1800]; *plumbeolana* Haworth,1811
- 75969) *Alexiloga rubiginosana* (Walker,1863) (Tortricidae) Synonym(s): *rubiginosana* Walker,1863; *defluxana* Walker,1863
- 75970) *Alischirneva callirrhoa* (Meyrick,1911) (Tortricidae) Synonym(s): *callirrhoa* Meyrick,1911
- 75971) *Allobrachygonia* sp.1 (Tortricidae) Synonym(s):
- 75972) *Allobrachygonia* sp.2 (Tortricidae) Synonym(s):
- 75973) *Allodemis chelophora* (Meyrick,1910) (Tortricidae) Synonym(s): *chelophora* Meyrick,1910
- 75974) *Allodemis dionysia* Diakonoff,1983 (Tortricidae) Synonym(s): *dionysia* Diakonoff,1983
- 75975) *Allodemis euhelias* Diakonoff,1983 (Tortricidae) Synonym(s): *euhelias* Diakonoff,1983
- 75976) *Allodemis fulva* Diakonoff,1983 (Tortricidae) Synonym(s): *fulva* Diakonoff,1983
- 75977) *Allodemis pullatana* (Snellen,1902) (Tortricidae) Synonym(s): *pullatana* Snellen,1902
- 75978) *Allodemis stegopa* Diakonoff,1983 (Tortricidae) Synonym(s): *stegopa* Diakonoff,1983
- 75979) *Amallectis devincta* Meyrick,1917 (Tortricidae) Synonym(s): *devincta* Meyrick,1917
- 75980) *Amorbia aequiflexa* (Meyrick,1931) (Tortricidae) Synonym(s): *aequiflexa* Meyrick,1931
- 75981) *Amorbia chlorolyca* Meyrick,1931 (Tortricidae) Synonym(s): *chlorolyca* Meyrick,1931
- 75982) *Amorbia colubrana* (Zeller,1866) (Tortricidae) Synonym(s): *colubrana* Zeller,1866
- 75983) *Amorbia concavana* (Zeller,1877) (Tortricidae) Synonym(s): *concavana* Zeller,1877
- 75984) *Amorbia cuneana* (Walsingham,1879) (Tortricidae) Synonym(s): *cuneana* Walsingham,1879; *adumbrana* Walsingham,1879; *essigana* Busck,1929
- 75985) *Amorbia decerptana* (Zeller,1877) (Tortricidae) Synonym(s): *decerptana* Zeller,1877
- 75986) *Amorbia depicta* Walsingham,1913 (Tortricidae) Synonym(s): *depicta* Walsingham,1913
- 75987) *Amorbia eccopta* Walsingham,1913 (Tortricidae) Synonym(s): *eccopta* Walsingham,1913
- 75988) *Amorbia effoetana* (Möschler,1890) (Tortricidae) Synonym(s): *effoetana* Möschler,1890; *phaseolana* Busck,1931
- 75989) *Amorbia elaeopetra* Meyrick,1932 (Tortricidae) Synonym(s): *elaeopetra* Meyrick,1932
- 75990) *Amorbia emigratella* Busck,1909 (Tortricidae) Synonym(s): *emigratella* Busck,1909
- 75991) *Amorbia exsectana* (Zeller,1877) (Tortricidae) Synonym(s): *exsectana* Zeller,1877
- 75992) *Amorbia exustana* (Zeller,1866) (Tortricidae) Synonym(s): *exustana* Zeller,1866
- 75993) *Amorbia helioxantha* Meyrick,1917 (Tortricidae) Synonym(s): *helioxantha* Meyrick,1917
- 75994) *Amorbia laterculana* (Zeller,1877) (Tortricidae) Synonym(s): *laterculana* Zeller,1877
- 75995) *Amorbia leptophracta* (Meyrick,1931) (Tortricidae) Synonym(s): *leptophracta* Meyrick,1931
- 75996) *Amorbia maracayana* Amsel,1956 (Tortricidae) Synonym(s): *maracayana* Amsel,1956
- 75997) *Amorbia nuptana* (C.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *nuptana* C.Felder & Rogenhofer,1875
- 75998) *Amorbia osmotris* Meyrick,1932 (Tortricidae) Synonym(s): *osmotris* Meyrick,1932
- 75999) *Amorbia productana* (Walker,1863) (Tortricidae) Synonym(s): *productana* Walker,1863; *revolutana* Zeller,1877; *catenana* Walsingham,1891
- 76000) *Amorbia rectangularis* Meyrick,1931 (Tortricidae) Synonym(s): *rectangularis* Meyrick,1931
- 76001) *Amorbia rectilineana* (Zeller,1877) (Tortricidae) Synonym(s): *rectilineana* Zeller,1877
- 76002) *Amorbia spilocryptis* Meyrick,1932 (Tortricidae) Synonym(s): *spilocryptis* Meyrick,1932
- 76003) *Amorbia teretana* (Zeller,1877) (Tortricidae) Synonym(s): *teretana* Zeller,1877
- 76004) *Amphicoecia adamana* (Kennel,1919) (Tortricidae) Synonym(s): *adamana* Kennel,1919
- 76005) *Amphicoecia phasmatica* (Meyrick,1937) (Tortricidae) Synonym(s): *phasmatica* Meyrick,1937
- 76006) *Anaccra camerunica* (Razowski,1966) (Tortricidae) Synonym(s): *camerunica* Razowski,1966
- 76007) *Anaccra limitana* (Razowski,1966) (Tortricidae) Synonym(s): *limitana* Razowski,1966
- 76008) *Anacrusis aerobatica* (Meyrick,1917) (Tortricidae) Synonym(s): *aerobatica* Meyrick,1917
- 76009) *Anacrusis atroparsana* Zeller,1877 (Tortricidae) Synonym(s): *atroparsana* Zeller,1877
- 76010) *Anacrusis aulaeodes* (Meyrick,1926) (Tortricidae) Synonym(s): *aulaeodes* Meyrick,1926
- 76011) *Anacrusis mariana* (Stoll,1782) (Tortricidae) Synonym(s): *#mariana* Stoll,1781; *mariana* Stoll,1782
- 76012) *Anacrusis nephrodes* (Walsingham,1914) (Tortricidae) Synonym(s): *nephrodes* Walsingham,1914
- 76013) *Anacrusis rhizosema* (Meyrick,1931) (Tortricidae) Synonym(s): *rhizosema* Meyrick,1931
- 76014) *Anacrusis ruptimacula* (Dognin,1904) (Tortricidae) Synonym(s): *ruptimacula* Dognin,1904
- 76015) *Anacrusis securiferana* (Walker,1866) (Tortricidae) Synonym(s): *securiferana* Walker,1866; *iheringi* Kearfott,1911
- 76016) *Anacrusis stapiana* (C.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *stapiana* C.Felder & Rogenhofer,1875; *piriferana* Zeller,1877; *geographica* Meyrick,1912
- 76017) *Anacrusis thunbergiana* (Stoll,1782) (Tortricidae) Synonym(s): *thunbergiana* Stoll,1782
- 76018) *Anameristes cyclopleura* (Turner,1916) (Tortricidae) Synonym(s): *cyclopleura* Turner,1916
- 76019) *Anameristes doryphora* (Liu & Bai,1986) (Tortricidae) Synonym(s): *doryphora* Liu & Bai,1986
- 76020) *Anathamna spermatopha* Diakonoff & Bradley,1976 (Tortricidae) Synonym(s): *spermatopha* Diakonoff & Bradley,1976
- 76021) *Anchirema eulidias* Meyrick,1926 (Tortricidae) Synonym(s): *eulidias* Meyrick,1926
- 76022) *Ancylis achatana* ([Denis & Schiffmüller],1775) (Tortricidae) Synonym(s): *achatana* [Denis & Schiffmüller],1775; *inarmorana* Hübner,[1799]; *stevani* Portchinskij,1888

- 76023) *Ancylys anthophanes* Meyrick, 1928 (Tortricidae) Synonym(s): *anthophanes* Meyrick, 1928
 76024) *Ancylys apicella* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *apicella* [Denis & Schiffermüller], 1775; *leeana* Fabricius, 1777; *plumbana* Fabricius, 1787; *siculana* Hübner, [1799]; *alpina* Weber, 1936
 76025) *Ancylys argenticiliana* Walsingham, 1897 (Tortricidae) Synonym(s): *argenticiliana* Walsingham, 1897
 76026) *Ancylys aromatas* Meyrick, 1912 (Tortricidae) Synonym(s): *aromatas* Meyrick, 1912; *cyanostoma* Meyrick, 1916
 76027) *Ancylys badiana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *badiana* [Denis & Schiffermüller], 1775; *lundana* Fabricius, 1777.
 76028) *Ancylys bauhiniae* Busck, [1934] (Tortricidae) Synonym(s): *bauhiniae* Busck, [1934]
 76029) *Ancylys bucovinella* Peiu & Nemes, 1969 (Tortricidae) Synonym(s): *bucovinella* Peiu & Nemes, 1969
 76030) *Ancylys caudifer* Stringer, 1929 (Tortricidae) Synonym(s): *caudifer* Stringer, 1929
 76031) *Ancylys celerata* (Meyrick, 1912) (Tortricidae) Synonym(s): *celerata* Meyrick, 1912
 76032) *Ancylys charisema* Meyrick, 1934 (Tortricidae) Synonym(s): *charisema* Meyrick, 1934
 76033) *Ancylys comptana* (Frölich, 1828) (Tortricidae) Synonym(s): *comptana* Frölich, 1828; *conflexana* Walker, 1863; *pulchellana* Clemens, 1864; *lamiana* Clemens, 1864; *fragariae* Walsh & Riley, 1869; *floridana* Zeller, 1875; *amblygona* Zeller, 1875; *cometana* Walsingham, 1879; *sculpta* Meyrick, 1922
 76034) *Ancylys convergens* Diakonoff, 1984 (Tortricidae) Synonym(s): *convergens* Diakonoff, 1984
 76035) *Ancylys cordiae* Busck, [1934] (Tortricidae) Synonym(s): *cordiae* Busck, [1934]
 76036) *Ancylys diminutana* (Haworth, [1811]) (Tortricidae) Synonym(s): *diminutana* Haworth, [1811]
 76037) *Ancylys falsicoma* Meyrick, 1914 (Tortricidae) Synonym(s): *falsicoma* Meyrick, 1914
 76038) *Ancylys geminana* (Donovan, 1806) (Tortricidae) Synonym(s): *geminana* Donovan, 1806; *cuspidana* Treitschke, 1830; *biarcuana* Stephens, 1834; *crenana* Duponchel, 1835; *subarcuana* Douglas, 1847; *fluctigerana* Herrich-Schäffer, [1851]; *inornatana* Herrich-Schäffer, [1851]; *diminutana* Kearfott, 1905
 76039) *Ancylys glycyphaga* Meyrick, 1912 (Tortricidae) Synonym(s): *glycyphaga* Meyrick, 1912
 76040) *Ancylys habeleri* Huemer & Tarmann, 1997 (Tortricidae) Synonym(s): *habeleri* Huemer & Tarmann, 1997
 76041) *Ancylys halisparta* Meyrick, 1909 (Tortricidae) Synonym(s): *halisparta* Meyrick, 1909
 76042) *Ancylys hygroberylla* (Meyrick, 1937) (Tortricidae) Synonym(s): *hygroberylla* Meyrick, 1937
 76043) *Ancylys hylaea* Meyrick, 1912 (Tortricidae) Synonym(s): *hylaea* Meyrick, 1912; *sasakii* Matsumura, 1917
 76044) *Ancylys impatiens* (Meyrick, 1921) (Tortricidae) Synonym(s): *impatiens* Meyrick, 1921
 76045) *Ancylys kenneli* Kuznetsov, 1962 (Tortricidae) Synonym(s): *kenneli* Kuznetsov, 1962
 76046) *Ancylys laetana* (Fabricius, 1775) (Tortricidae) Synonym(s): *laetana* Fabricius, 1775; *lactana* Fabricius, 1781; *harpana* Hübner, [1799].
 76047) *Ancylys loktini* Kuznetsov, 1969 (Tortricidae) Synonym(s): *loktini* Kuznetsov, 1969
 76048) *Ancylys lomholdti* Kawabe, 1989 (Tortricidae) Synonym(s): *lomholdti* Kawabe, 1989
 76049) *Ancylys lutescens* Meyrick, 1912 (Tortricidae) Synonym(s): *lutescens* Meyrick, 1912
 76050) *Ancylys minimana* (Caradja, 1916) (Tortricidae) Synonym(s): *minimana* Caradja, 1916; *#minima* Popescu-Gorj, 1992
 76051) *Ancylys mitterbacheriana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *mitterbacheriana* [Denis & Schiffermüller], 1775; *subuncana* Haworth, 1811
 76052) *Ancylys myrtillana* (Treitschke, 1830) (Tortricidae) Synonym(s): *myrtillana* Treitschke, 1830; *bidentana* Strand, 1901
 76053) *Ancylys natalana* (Walsingham, 1881) (Tortricidae) Synonym(s): *natalana* Walsingham, 1881
 76054) *Ancylys nemorana* Kuznetsov, 1969 (Tortricidae) Synonym(s): *nemorana* Kuznetsov, 1969
 76055) *Ancylys nomica* Walsingham, 1914 (Tortricidae) Synonym(s): *nomica* Walsingham, 1914
 76056) *Ancylys obtusana* (Haworth, [1811]) (Tortricidae) Synonym(s): *obtusana* Haworth, [1811]; *consobrinana* Curtis, 1831; *distortana* Guenée, 1845; *segmentana* Herrich-Schäffer, 1851
 76057) *Ancylys oestobola* Diakonoff, 1984 (Tortricidae) Synonym(s): *oestobola* Diakonoff, 1984
 76058) *Ancylys paludana* (Barrett, 1871) (Tortricidae) Synonym(s): *paludana* Barrett, 1871; *rhusana* Fuchs, 1903.
 76059) *Ancylys partitana* (Christoph, 1882) (Tortricidae) Synonym(s): *partitana* Christoph, 1882
 76060) *Ancylys percnobathra* Meyrick, 1933 (Tortricidae) Synonym(s): *percnobathra* Meyrick, 1933
 76061) *Ancylys plumbata* (Clarke, 1951) (Tortricidae) Synonym(s): *plumbata* Clarke, 1951
 76062) *Ancylys repandana* Kennel, 1901 (Tortricidae) Synonym(s): *repandana* Kennel, 1901
 76063) *Ancylys rhenana* Müller-Rutz, 1920 (Tortricidae) Synonym(s): *rhenana* Müller-Rutz, 1920
 76064) *Ancylys rimosa* Meyrick, 1921 (Tortricidae) Synonym(s): *rimosa* Meyrick, 1921
 76065) *Ancylys rostrifera* Meyrick, 1912 (Tortricidae) Synonym(s): *rostrifera* Meyrick, 1912
 76066) *Ancylys sativa* Liu, 1979 (Tortricidae) Synonym(s): *sativa* Liu, 1979
 76067) *Ancylys sederana* Chrétien, 1915 (Tortricidae) Synonym(s): *sederana* Chrétien, 1915
 76068) *Ancylys selenana* (Guenée, 1845) (Tortricidae) Synonym(s): *selenana* Guenée, 1845; *curvana* Zeller, 1849
 76069) *Ancylys sophroniella* Walsingham, 1907 (Tortricidae) Synonym(s): *sophroniella* Walsingham, 1907
 76070) *Ancylys sparulana* (Staudinger, 1859) (Tortricidae) Synonym(s): *sparulana* Staudinger, 1859
 76071) *Ancylys spinicola* Meyrick, 1927 (Tortricidae) Synonym(s): *spinicola* Meyrick, 1927
 76072) *Ancylys subacurana* (Douglas, 1847) (Tortricidae) Synonym(s): *subacurana* Douglas, 1847
 76073) *Ancylys thalera* Meyrick, 1907 (Tortricidae) Synonym(s): *thalera* Meyrick, 1907
 76074) *Ancylys tineana* (Hübner, [1799]) (Tortricidae) Synonym(s): *tineana* Hübner, [1799]
 76075) *Ancylys transientana* Filipjev, 1926 (Tortricidae) Synonym(s): *transientana* Filipjev, 1926
 76076) *Ancylys tumida* Meyrick, 1912 (Tortricidae) Synonym(s): *tumida* Meyrick, 1912
 76077) *Ancylys uncella* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *uncella* [Denis & Schiffermüller], 1775; *uncana* Hübner, [1799]; *subuncana* Krulikowsky, 1907
 76078) *Ancylys unculana* (Haworth, [1811]) (Tortricidae) Synonym(s): *unculana* Haworth, [1811]; *derasana* Hübner, [1813].
 76079) *Ancylys unguicella* (Linnaeus, 1758) (Tortricidae) Synonym(s): *unguicella* Linnaeus, 1758; *unguicana* Fabricius, 1775; *falcana* Hübner, [1799]; *vappana* Hübner, [1817]; *plagosana* Clemens, 1864; *cuencana* Caradja, 1916; *#albida* Orstadius, 1932; *#unicolor* Orstadius, 1932
 76080) *Ancylys upupana* (Treitschke, 1835) (Tortricidae) Synonym(s): *upupana* Treitschke, 1835; *castaneana* Peyerimhoff, 1863
 76081) *Ancylys virididorsana* (Möschler, 1890) (Tortricidae) Synonym(s): *virididorsana* Möschler, 1890; *#virididorsana* Wolcott, 1924
 76082) *Ancyroclepsis nakhasathieni* Tuck, 1995 (Tortricidae) Synonym(s): *nakhasathieni* Tuck, 1995
 76083) *Ancyroclepsis rhodoconia* Diakonoff, 1976 (Tortricidae) Synonym(s): *rhodoconia* Diakonoff, 1976
 76084) *Andrioplecta dierli* Komai, 1992 (Tortricidae) Synonym(s): *dierli* Komai, 1992
 76085) *Andrioplecta leucodora* (Meyrick, 1928) (Tortricidae) Synonym(s): *leucodora* Meyrick, 1928
 76086) *Andrioplecta moriutii* Komai, 1992 (Tortricidae) Synonym(s): *moriutii* Komai, 1992
 76087) *Andrioplecta oxystaura* (Meyrick, 1935) (Tortricidae) Synonym(s): *oxystaura* Meyrick, 1935
 76088) *Andrioplecta phuluangensis* Komai, 1992 (Tortricidae) Synonym(s): *phuluangensis* Komai, 1992
 76089) *Andrioplecta pulverula* (Meyrick, 1912) (Tortricidae) Synonym(s): *pulverula* Meyrick, 1912
 76090) *Andrioplecta rescissa* (Meyrick, 1921) (Tortricidae) Synonym(s): *rescissa* Meyrick, 1921
 76091) *Andrioplecta shoreae* Komai, 1992 (Tortricidae) Synonym(s): *shoreae* Komai, 1992
 76092) *Andrioplecta suboxystaura* Komai, 1992 (Tortricidae) Synonym(s): *suboxystaura* Komai, 1992
 76093) *Andrioplecta subpulverula* (Obraztsov, 1968) (Tortricidae) Synonym(s): *subpulverula* Obraztsov, 1968
 76094) *Aneuxanthus locupletana* (Hübner, [1819]) (Tortricidae) Synonym(s): *locupletana* Hübner, [1819]
 76095) *Aniella paranica* Razowski & Becker, 1983 (Tortricidae) Synonym(s): *paranica* Razowski & Becker, 1983
 76096) *Anopina anotera* (Walsingham, 1914) (Tortricidae) Synonym(s): *anotera* Walsingham, 1914
 76097) *Anopina arizonana* (Walsingham, 1914) (Tortricidae) Synonym(s): *arizonana* Walsingham, 1914
 76098) *Anopina confusa* Obraztsov, 1962 (Tortricidae) Synonym(s): *confusa* Obraztsov, 1962
 76099) *Anopina desmatana* (Walsingham, 1914) (Tortricidae) Synonym(s): *desmatana* Walsingham, 1914
 76100) *Anopina guerrana* Obraztsov, 1962 (Tortricidae) Synonym(s): *guerrana* Obraztsov, 1962
 76101) *Anopina hilasma* (Walsingham, 1914) (Tortricidae) Synonym(s): *hilasma* Walsingham, 1914
 76102) *Anopina incana* (Walsingham, 1914) (Tortricidae) Synonym(s): *incana* Walsingham, 1914
 76103) *Anopina invitana* (Zeller, 1877) (Tortricidae) Synonym(s): *invitana* Zeller, 1877
 76104) *Anopina orinoma* (Walsingham, 1914) (Tortricidae) Synonym(s): *orinoma* Walsingham, 1914
 76105) *Anopina parasema* (Walsingham, 1914) (Tortricidae) Synonym(s): *parasema* Walsingham, 1914

- 76106) *Anopina praecipua* (Meyrick,1917) (Tortricidae) Synonym(s): *praecipua* Meyrick,1917
 76107) *Anopina scintillans* (Walsingham,1914) (Tortricidae) Synonym(s): *scintillans* Walsingham,1914
 76108) *Anopina trajectana* (Zeller,1877) (Tortricidae) Synonym(s): *trajectana* Zeller,1877
 76109) *Anopina undata* (Walsingham,1914) (Tortricidae) Synonym(s): *undata* Walsingham,1914
 76110) *Anopinella isodelta* (Meyrick,1912) (Tortricidae) Synonym(s): *isodelta* Meyrick,1912
 76111) *Anopinella ophiodes* (Walsingham,1914) (Tortricidae) Synonym(s): *ophiodes* Walsingham,1914
 76112) *Anopinella triquetra* (Walsingham,1914) (Tortricidae) Synonym(s): *triquetra* Walsingham,1914
 76113) *Antaeola antaea* (Meyrick,1912) (Tortricidae) Synonym(s): *antaea* Meyrick,1912
 76114) *Anthozela chrysoxantha* Meyrick,1913 (Tortricidae) Synonym(s): *chrysoxantha* Meyrick,1913
 76115) *Antigrapta hemicrates* Meyrick,1930 (Tortricidae) Synonym(s): *hemicrates* Meyrick,1930
 76116) *Antiphrastis galenopa* Meyrick,1930 (Tortricidae) Synonym(s): *galenopa* Meyrick,1930
 76117) *Antirrhopa glyceranthes* (Meyrick,1928) (Tortricidae) Synonym(s): *glyceranthes* Meyrick,1928
 76118) *Antirrhopa grammateus* Diakonoff,1973 (Tortricidae) Synonym(s): *grammateus* Diakonoff,1973
 76119) *Antirrhopa orthopa* Diakonoff,1973 (Tortricidae) Synonym(s): *orthopa* Diakonoff,1973
 76120) *Apeleptera semnodryas* (Meyrick,1936) (Tortricidae) Synonym(s): *semnodryas* Meyrick,1936
 76121) *Aphalonia Razowski,1984* (Tortricidae) Synonym(s): *Aphalonia* Razowski,1984
 76122) *Aphalonia monstrata* Razowski,1984 (Tortricidae) Synonym(s): *monstrata* Razowski,1984
 76123) *Aphalonia praeposita* (Meyrick,1917) (Tortricidae) Synonym(s): *praeposita* Meyrick,1917
 76124) *Aphelia* (Anaphelia) *aglossana* (Kennel,1899) (Tortricidae) Synonym(s): *aglossana* Kennel,1899; *accuratana* Kennel,1901; *continentana* Rebel,1916; *iliensis* Rebel,1916; *scutellana* Obratzov,1943.
 76125) *Aphelia* (Zelotheres) *(ochreana Hübner,[1799])* (Tortricidae) Synonym(s): *ferugana* Hübner,1793 (homonym); *ochreana* Hübner,[1799]; *shaqlawana* Amsel,1955; *chretieni* Obratzov,1957
 76126) *Aphelia* (Zelotheres) *aglossana* (Kennel,1899) (Tortricidae) Synonym(s): *aglossana* Kennel,1899; *accuratana* Kennel,1901; *continentana* Rebel,1916; *iliensis* Rebel,1916; *scutellana* Obratzov,1943
 76127) *Aphelia* (Zelotheres) *albociliana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *albociliana* Herrich-Schäffer,1851
 76128) *Aphelia* (Zelotheres) *caucasica* Kostyuk,1975 (Tortricidae) Synonym(s): *caucasica* Kostyuk,1975
 76129) *Aphelia* (Zelotheres) *christophi* Obratzov,1955 (Tortricidae) Synonym(s): *verbascana* Christoph,1877 (homonym); *christophi* Obratzov,1955
 76130) *Aphelia* (Zelotheres) *conscia* Razowski,1981 (Tortricidae) Synonym(s): *conscia* Razowski,1981
 76131) *Aphelia* (Zelotheres) *deserticolor* Diakonoff,1983 (Tortricidae) Synonym(s): *deserticolor* Diakonoff,1983
 76132) *Aphelia* (Zelotheres) *disjuncta* (Filipjev,1924) (Tortricidae) Synonym(s): *disjuncta* Filipjev,1924
 76133) *Aphelia* (Zelotheres) *effigies* (Obratzov,1968) (Tortricidae) Synonym(s): *effigies* Obratzov,1968
 76134) *Aphelia* (Zelotheres) *euxina* (Djakonov,1929) (Tortricidae) Synonym(s): *euxina* Djakonov,1929; *regisborissi* Drenowski,1931
 76135) *Aphelia* (Zelotheres) *flexiloqua* Razowski,1984 (Tortricidae) Synonym(s): *flexiloqua* Razowski,1984
 76136) *Aphelia* (Zelotheres) *galilaica* Obratzov,1968 (Tortricidae) Synonym(s): *galilaica* Obratzov,1968
 76137) *Aphelia* (Zelotheres) *icteratana* (Staudinger,1880) (Tortricidae) Synonym(s): *icteratana* Staudinger,1880
 76138) *Aphelia* (Zelotheres) *ignorata* (Staudinger,1880) (Tortricidae) Synonym(s): *ignorata* Staudinger,1880
 76139) *Aphelia* (Zelotheres) *imperfectana* (Lederer,1858) (Tortricidae) Synonym(s): *imperfectana* Lederer,1858; *ineffecta* Obratzov,1968.
 76140) *Aphelia* (Zelotheres) *insincera* (Meyrick,1912) (Tortricidae) Synonym(s): *insincera* Meyrick,1912
 76141) *Aphelia* (Zelotheres) *paleana* (Hübner,1793) (Tortricidae) Synonym(s): *paleana* Hübner,1793; *flavana* Hübner,[1799] *nec* Hübn.,[1799]; *icterana* Fröhlich,1828; *intermediata* Herrich-Schäffer,1856 *nec* Heyd.,1851; *raebeli* Toll,1951
 76142) *Aphelia* (Zelotheres) *peramplana* (Hübner,[1825]) (Tortricidae) Synonym(s): *amplana* Hübner,[1813] *nec* *amplana* Hübn.,[1799]; *peramplana* Hübner,[1825]
 76143) *Aphelia* (Zelotheres) *stigmatana* (Eversmann,1844) (Tortricidae) Synonym(s): *stigmatana* Eversmann,1844
 76144) *Aphelia* (Zelotheres) *tshetverikovi* Danilevsky,1963 (Tortricidae) Synonym(s): *tshetverikovi* Danilevsky,1963
 76145) *Aphelia* (Zelotheres) *unitana* (Hübner,[1799]) (Tortricidae) Synonym(s): *unitana* Hübner,[1799]; *fumatana* Toll,1951; *pseudoviburniana* Toll,1951; *carpathica* Toll,1951; *fischeri* Toll,1951
 76146) *Aphelia* (s.str.) *caucasica* Kostyuk,1975 (Tortricidae) Synonym(s): *caucasica* Kostyuk,1975
 76147) *Aphelia* (s.str.) *deserticolor* Diakonoff,1983 (Tortricidae) Synonym(s): *deserticolor* Diakonoff,1983
 76148) *Aphelia* (s.str.) *viburniana* (Fabricius,1787) (Tortricidae) Synonym(s): *#viburnana* [Denis & Schiffermüller],1775; *viburniana* Fabricius,1787
 76149) *Apinoglossa comburana* Möschler,1890 (Tortricidae) Synonym(s): *comburana* Möschler,1890
 76150) *Apolychrosis ambogonium* Pogue,1986 (Tortricidae) Synonym(s): *ambogonium* Pogue,1986
 76151) *Apolychrosis candidus* Pogue,1986 (Tortricidae) Synonym(s): *candidus* Pogue,1986
 76152) *Apolychrosis ferruginus* Pogue,1986 (Tortricidae) Synonym(s): *ferruginus* Pogue,1986
 76153) *Apolychrosis schwerdtfegeri* Amsel,1962 (Tortricidae) Synonym(s): *schwerdtfegeri* Amsel,1962
 76154) *Apolychrosis synchrisis* Pogue,1986 (Tortricidae) Synonym(s): *synchrisis* Pogue,1986
 76155) *Apotoforma algoana* (R.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *algoana* R.Felder & Rogenhofer,1875
 76156) *Apotoforma cimelia* (Diakonoff,1960) (Tortricidae) Synonym(s): *cimelia* Diakonoff,1960
 76157) *Apotoforma cydna* Razowski,1993 (Tortricidae) Synonym(s): *cydna* Razowski,1993
 76158) *Apotoforma dolosa* (Walsingham,1914) (Tortricidae) Synonym(s): *dolosa* Walsingham,1914
 76159) *Apotoforma epacticta* Razowski & Becker,1984 (Tortricidae) Synonym(s): *epacticta* Razowski & Becker,1984
 76160) *Apotoforma fustigera* Razowski,1986 (Tortricidae) Synonym(s): *fustigera* Razowski,1986
 76161) *Apotoforma hodgesi* Razowski,1993 (Tortricidae) Synonym(s): *hodgesi* Razowski,1993
 76162) *Apotoforma jamaicana* Razowski,1984 (Tortricidae) Synonym(s): *jamaicana* Razowski,1984
 76163) *Apotoforma monochroma* (Walsingham,1897) (Tortricidae) Synonym(s): *monochroma* Walsingham,1897
 76164) *Apotoforma negans* (Walsingham,1897) (Tortricidae) Synonym(s): *negans* Walsingham,1897
 76165) *Apotoforma ptygma* Razowski,1993 (Tortricidae) Synonym(s): *ptygma* Razowski,1993
 76166) *Apotoforma rotundipennis* (Walsingham,1897) (Tortricidae) Synonym(s): *rotundipennis* Walsingham,1897
 76167) *Apotoforma uncifera* Razowski,1964 (Tortricidae) Synonym(s): *uncifera* Razowski,1964
 76168) *Apotomis afficticia* (Heinrich,1926) (Tortricidae) Synonym(s): *afficticia* Heinrich,1926
 76169) *Apotomis albeolana* (Zeller,1875) (Tortricidae) Synonym(s): *albeolana* Zeller,1875
 76170) *Apotomis algidana* Krogerus,1946 (Tortricidae) Synonym(s): *algidana* Krogerus,1946
 76171) *Apotomis apateticana* (McDunnough,1922) (Tortricidae) Synonym(s): *deceptana* McDunnough,1922; *apateticana* McDunnough,1922
 76172) *Apotomis basipunctana* (Walsingham,1900) (Tortricidae) Synonym(s): *basipunctana* Walsingham,1900
 76173) *Apotomis betuleтана* (Haworth,1811) (Tortricidae) Synonym(s): *betuleтана* Haworth,1811; *leucomelana* Guenée,1845
 76174) *Apotomis biemina* Kawabe,1980 (Tortricidae) Synonym(s): *biemina* Kawabe,1980
 76175) *Apotomis bifida* (McDunnough,1938) (Tortricidae) Synonym(s): *bifida* McDunnough,1938
 76176) *Apotomis brevicornutana* (McDunnough,1938) (Tortricidae) Synonym(s): *brevicornutana* McDunnough,1938
 76177) *Apotomis capreana* (Hübner,[1817]) (Tortricidae) Synonym(s): *capreana* Hübner,[1817]; *sapporensis* Matsumura,1931
 76178) *Apotomis coloradensis* Adamski,1986 (Tortricidae) Synonym(s): *coloradensis* Adamski,1986
 76179) *Apotomis cuphostra* (Butler,1879) (Tortricidae) Synonym(s): *cuphostra* Butler,1879; *maenamii* Kawabe,1974
 76180) *Apotomis davisii* Kawabe,1983 (Tortricidae) Synonym(s): *davisii* Kawabe,1983
 76181) *Apotomis deceptana* (Kearfott,1905) (Tortricidae) Synonym(s): *deceptana* Kearfott,1905; *salicaceana* Freeman,1957
 76182) *Apotomis demissana* (Kennel,1900) (Tortricidae) Synonym(s): *demissana* Kennel,1900
 76183) *Apotomis flavifasciana* (Kawabe,1976) (Tortricidae) Synonym(s): *flavifasciana* Kawabe,1976
 76184) *Apotomis formalis* (Meyrick,1935) (Tortricidae) Synonym(s): *formalis* Meyrick,1935
 76185) *Apotomis fraterculana* Krogerus,1946 (Tortricidae) Synonym(s): *fraterculana* Krogerus,1946
 76186) *Apotomis frigidana* (Packard,1867) (Tortricidae) Synonym(s): *frigidana* Packard,1867; *moeschleri* Kennel,1901
 76187) *Apotomis funerea* (Meyrick,1920) (Tortricidae) Synonym(s): *funerea* Meyrick,1920; *youngana* McDunnough,1922
 76188) *Apotomis fuscomaculata* Kawabe,1993 (Tortricidae) Synonym(s): *fuscomaculata* Kawabe,1993
 76189) *Apotomis geminata* (Walsingham,1900) (Tortricidae) Synonym(s): *geminata* Walsingham,1900

- 76190) *Apotomis generosa* (Meyrick,1909) (Tortricidae) Synonym(s): *generosa* Meyrick,1909
 76191) *Apotomis infida* (Heinrich,1926) (Tortricidae) Synonym(s): *infida* Heinrich,1926
 76192) *Apotomis inundana* (Denis & Schiffermüller,1775) (Tortricidae) Synonym(s): *inundana* [Denis & Schiffermüller],1775
 76193) *Apotomis jucundana* Kawabe,1984 (Tortricidae) Synonym(s): *jucundana* Kawabe,1984
 76194) *Apotomis kazarmana* Falkovitsh,1966 (Tortricidae) Synonym(s): *kazarmana* Falkovitsh,1966
 76195) *Apotomis kusunokii* Kawabe,1993 (Tortricidae) Synonym(s): *kusunokii* Kawabe,1993
 76196) *Apotomis lactefacies* (Walsingham,1900) (Tortricidae) Synonym(s): *lactefacies* Walsingham,1900
 76197) *Apotomis lemniscatana* (Kennel,1901) (Tortricidae) Synonym(s): *lemniscatana* Kennel,1901
 76198) *Apotomis lineana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *hartmanniana* Linnaeus,1761 nec Cl.,1759; *lineana* [Denis & Schiffermüller],1775; *scriptana* Hübner,1799; *treitschkeana* Fröhlich,1828; *mienshani* Caradja,1939
 76199) *Apotomis lutosana* (Kennel,1901) (Tortricidae) Synonym(s): *lutosana* Kennel,1901
 76200) *Apotomis moestana* (Wocke,1862) (Tortricidae) Synonym(s): *moestana* Wocke,1862; *sauteriana* Nolcken,1870
 76201) *Apotomis monotona* (Kuznetsov,1962) (Tortricidae) Synonym(s): *monotona* Kuznetsov,1962
 76202) *Apotomis paludicolana* (Brower,1953) (Tortricidae) Synonym(s): *paludicolana* Brower,1953
 76203) *Apotomis platycremna* (Meyrick,1935) (Tortricidae) Synonym(s): *platycremna* Meyrick,1935
 76204) *Apotomis removana* (Kearfott,1907) (Tortricidae) Synonym(s): *removana* Kearfott,1907; *dextrana* McDunnough,1923
 76205) *Apotomis sauciana* (Fröhlich,1828) (Tortricidae) Synonym(s): *sauciana* Fröhlich,1828; *grevillana* Curtis,1835; *boreana* Krogerus,1946
 76206) *Apotomis semifasciana* (Haworth,1811) (Tortricidae) Synonym(s): *semifasciana* Haworth,1811; *acutana* Treitschke,1835; *elutana* Duponchel,1836
 76207) *Apotomis sororculana* (Zetterstedt,1839) (Tortricidae) Synonym(s): *sororculana* Zetterstedt,1839; *praelongana* Guenée,1845
 76208) *Apotomis spinulana* (McDunnough,1938) (Tortricidae) Synonym(s): *spinulana* McDunnough,1938
 76209) *Apotomis spiraeana* (Kuznetsov,1962) (Tortricidae) Synonym(s): *spiraeana* Kuznetsov,1962
 76210) *Apotomis spurifida* Adamski,1986 (Tortricidae) Synonym(s): *spurifida* Adamski,1986
 76211) *Apotomis stagnana* Kuznetsov,1962 (Tortricidae) Synonym(s): *stagnana* Kuznetsov,1962
 76212) *Apotomis tertiana* (McDunnough,1922) (Tortricidae) Synonym(s): *tertiana* McDunnough,1922; *strigosa* Heinrich,1926
 76213) *Apotomis trigonias* (Diakonoff,1973) (Tortricidae) Synonym(s): *trigonias* Diakonoff,1973
 76214) *Apotomis turbidana* (Hübner,1825) (Tortricidae) Synonym(s): *corticana* Hübner,1799 nec Denis & Schiff.,1775; *turbidana* Hübner,1825; *pictana* Fröhlich,1828
 76215) *Apotomis vaccinii* Kuznetsov,1969 (Tortricidae) Synonym(s): *vaccinii* Kuznetsov,1969
 76216) *Apotomis vicens* Falkovitsh,1966 (Tortricidae) Synonym(s): *vicens* Falkovitsh,1966
 76217) *Apotomops texasana* (A.Blanchard & Knudson,1984) (Tortricidae) Synonym(s): *texasana* A.Blanchard & Knudson,1984
 76218) *Apotomops wellingtoniana* (Kearfott,1907) (Tortricidae) Synonym(s): *wellingtoniana* Kearfott,1907
 76219) *Aprepodoxa glycitis* (Meyrick,1928) (Tortricidae) Synonym(s): *glycitis* Meyrick,1928
 76220) *Aprepodoxa mimocharis* Meyrick,1937 (Tortricidae) Synonym(s): *mimocharis* Meyrick,1937
 76221) *Apsidophora purpurorbis* (Diakonoff,1973) (Tortricidae) Synonym(s): *purpurorbis* (Diakonoff,1973)
 76222) *Arceis anax* (Diakonoff,1983) (Tortricidae) Synonym(s): *anax* (Diakonoff,1983)
 76223) *Arceis threnodes* (Meyrick,1905) (Tortricidae) Synonym(s): *threnodes* Meyrick,1905; *hemioptra* Meyrick,1905; *tetracona* Meyrick,1907
 76224) *Archicnephasia hartigi* Razowski,1983 (Tortricidae) Synonym(s): *hartigi* Razowski,1983
 76225) *Archidemiss anastea* (Diakonoff,1968) (Tortricidae) Synonym(s): *anastea* (Diakonoff,1968)
 76226) *Archigraptis haemorrhaga* Tuck,1988 (Tortricidae) Synonym(s): *haemorrhaga* Tuck,1988
 76227) *Archigraptis limacina* Razowski,1964 (Tortricidae) Synonym(s): *limacina* Razowski,1964
 76228) *Archigraptis limacinoides* Kuznetsov,1992 (Tortricidae) Synonym(s): *limacinoides* Kuznetsov,1992
 76229) *Archigraptis rosei* Tuck,1988 (Tortricidae) Synonym(s): *rosei* Tuck,1988
 76230) *Archigraptis stauroma* (Diakonoff,1968) (Tortricidae) Synonym(s): *stauroma* (Diakonoff,1968)
 76231) *Archigraptis strigifera* Tuck,1988 (Tortricidae) Synonym(s): *strigifera* Tuck,1988
 76232) *Archimaga philomina* Meyrick,1918 (Tortricidae) Synonym(s): *philomina* Meyrick,1918
 76233) *Archimaga pyracitis* Meyrick,1905 (Tortricidae) Synonym(s): *pyracitis* Meyrick,1905
 76234) *Archipimima concavata* (Meyrick,1930) (Tortricidae) Synonym(s): *concavata* Meyrick,1930
 76235) *Archipimima cosmoscelis* (Meyrick,1932) (Tortricidae) Synonym(s): *cosmoscelis* Meyrick,1932
 76236) *Archipimima flexicostalis* (Dognin,1908) (Tortricidae) Synonym(s): *flexicostalis* Dognin,1908
 76237) *Archipimima labyrinthopa* (Meyrick,1932) (Tortricidae) Synonym(s): *labyrinthopa* Meyrick,1932
 76238) *Archips abiephage* (Yasuda,1975) (Tortricidae) Synonym(s): *abiephage* Yasuda,1975; *abiephagus* Razowski,1977
 76239) *Archips allenii* Tuck,1990 (Tortricidae) Synonym(s): *allenii* Tuck,1990
 76240) *Archips argyrosipila* (Walker,1863) (Tortricidae) Synonym(s): *argyrosipila* Walker,1863; *furvana* Robinson,1869 nec Zinck.,1821; *v-signatana* Packard,1875
 76241) *Archips atrolucens* (Diakonoff,1941) (Tortricidae) Synonym(s): *atrolucens* (Diakonoff,1941)
 76242) *Archips barlowi* Tuck,1990 (Tortricidae) Synonym(s): *barlowi* Tuck,1990
 76243) *Archips betulanus* (Hübner,1787) (Tortricidae) Synonym(s): *betulanus* Hübner,1787; *decretana* Treitschke,1835
 76244) *Archips binigrata* (Meyrick,1928) (Tortricidae) Synonym(s): *binigrata* Meyrick,1928
 76245) *Archips cantinus* Razowski,2006 (Tortricidae) Synonym(s): *cantinus* Razowski,2006
 76246) *Archips carteri* Rose & Pooni,2004 (Tortricidae) Synonym(s): *carteri* Rose & Pooni,2004
 76247) *Archips citimus* Razowski,1987 (Tortricidae) Synonym(s): *citimus* Razowski,1987
 76248) *Archips crassifolius* Liu,1990 (Tortricidae) Synonym(s): *crassifolius* Liu,1990
 76249) *Archips crataeganus* (Hübner,1799) (Tortricidae) Synonym(s): *crataegana* Hübner,1799; *roborana* Hübner,1799
 76250) *Archips davisi* Kawabe,1989 (Tortricidae) Synonym(s): *davisi* Kawabe,1989
 76251) *Archips diceaus* (Diakonoff,1968) (Tortricidae) Synonym(s): *diceaus* (Diakonoff,1968)
 76252) *Archips dierli* (Diakonoff,1976) (Tortricidae) Synonym(s): *dierli* (Diakonoff,1976)
 76253) *Archips difficilis* (Meyrick,1928) (Tortricidae) Synonym(s): *difficilis* Meyrick,1928
 76254) *Archips expansa* (Diakonoff,1951) (Tortricidae) Synonym(s): *expansa* (Diakonoff,1951); *aperta* (Diakonoff,1968)
 76255) *Archips fraterna* Tuck,1990 (Tortricidae) Synonym(s): *fraterna* Tuck,1990
 76256) *Archips heliaspis* (Meyrick,1909) (Tortricidae) Synonym(s): *heliaspis* Meyrick,1909; *heliastis* Pinhey,1975
 76257) *Archips hemixantha* (Meyrick,1918) (Tortricidae) Synonym(s): *hemixantha* Meyrick,1918; *expleta* Meyrick,1923
 76258) *Archips inanis* Razowski,1977 (Tortricidae) Synonym(s): *inanis* Razowski,1977
 76259) *Archips kangraensis* Rose & Pooni,2004 (Tortricidae) Synonym(s): *kangraensis* Rose & Pooni,2004
 76260) *Archips kellerianus* Liu,1987 (Tortricidae) Synonym(s): *kellerianus* Liu,1987
 76261) *Archips machlopi* (Meyrick,1912) (Tortricidae) Synonym(s): *machlopi* Meyrick,1912; *compacta* Meyrick,1918; *isocyrtia* Meyrick,1920; *seminubila* Meyrick,1930; *transcutata* Meyrick,1935
 76262) *Archips magnifica* Tuck,1990 (Tortricidae) Synonym(s): *magnifica* Tuck,1990
 76263) *Archips menotoma* (Meyrick,1937) (Tortricidae) Synonym(s): *menotoma* Meyrick,1937
 76264) *Archips meridionalis* Yashuda & Kawabe,1980 (Tortricidae) Synonym(s): *meridionalis* Yashuda & Kawabe,1980
 76265) *Archips mertias* Rose & Pooni,2004 (Tortricidae) Synonym(s): *mertias* Rose & Pooni,2004
 76266) *Archips micaceanus* (Walker,1863) (Tortricidae) Synonym(s): *micaceana* Walker,1863; *epicyrta* Meyrick,1905; *isocyrtia* Meyrick,1920; *obscura* (Diakonoff,1939); *europa* (Diakonoff,1958)
 76267) *Archips naltarica* Razowski,2006 (Tortricidae) Synonym(s): *naltarica* Razowski,2006
 76268) *Archips occidentalis* (Walsingham,1891) (Tortricidae) Synonym(s): *occidentalis* Walsingham,1891
 76269) *Archips oporatus* (Linnaeus,1758) (Tortricidae) Synonym(s): *oporatus* Linnaeus,1758; *piceana* Linnaeus,1758; *hermanniana* [Denis & Schiffermüller],1775; *dissimilana* Bentley,1845; *similis* Butler,1879; *impervia* Meyrick,1929; *bathyglypta* Meyrick,1932
 76270) *Archips phillipa* (Meyrick,1918) (Tortricidae) Synonym(s): *phillipa* Meyrick,1918; *subsidiaria* Meyrick,1924
 76271) *Archips podanus* (Scopoli,1763) (Tortricidae) Synonym(s): *podana* Scopoli,1763; *fulvana* [Denis & Schiffermüller],1775; *pyrastrana* Hübner,1799; *congenerana* Hübner,1824; *sauberiana* Sorhagen,1882; *vulpeculana* Fuchs,1903; *meridana* Kozlov & Esartia,1991
 76272) *Archips pruneticolus* (Meyrick,1935) (Tortricidae) Synonym(s): *pruneticolus* Meyrick,1935

- 76273) *Archips pseudotermias* Rose & Pooni, 2004 (Tortricidae) Synonym(s): *pseudotermias* Rose & Pooni, 2004
 76274) *Archips pulchra* (Butler, 1879) (Tortricidae) Synonym(s): *pulchra* Butler, 1879; *pulcher* Razowski, 1977
 76275) *Archips rosanus* (Linnaeus, 1758) (Tortricidae) Synonym(s): *rosana* Linnaeus, 1758; *avellana* Linnaeus, 1758; *ameriana* Linnaeus, 1758; *laevigana* [Denis & Schiffermüller], 1775; *oxyanthana* Hübner, [1799]; *acerana* Hübner, [1799]; *nebulana* Stephens, 1834
 76276) *Archips sabrinae* Leraut & Luquet, 1996 (Tortricidae) Synonym(s): *sabrinae* Leraut & Luquet, 1996
 76277) *Archips salaconis* (Meyrick, 1912) (Tortricidae) Synonym(s): *salaconis* Meyrick, 1912; *xanthochroma* Wileman & Stringer, 1929
 76278) *Archips seditiosa* (Meyrick, 1921) (Tortricidae) Synonym(s): *seditiosa* Meyrick, 1921; *brachytoma* Meyrick, 1932
 76279) *Archips seditiosa orientalis* (Diakonoff, 1941) (Tortricidae) Synonym(s): *orientalis* Diakonoff, 1941
 76280) *Archips socotranus* Walsingham, 1900 (Tortricidae) Synonym(s): *socotranus* Walsingham, 1900
 76281) *Archips stellata* Jinbo, 2006 (Tortricidae) Synonym(s): *stellata* Jinbo, 2006
 76282) *Archips strigopterus* Liu, 1987 (Tortricidae) Synonym(s): *strigopterus* Liu, 1987
 76283) *Archips taichunganus* Razowski, 2000 (Tortricidae) Synonym(s): *taichunganus* Razowski, 2000
 76284) *Archips taiwanensis* Kawabe, 1985 (Tortricidae) Synonym(s): *taiwanensis* Kawabe, 1985
 76285) *Archips termias* (Meyrick, 1918) (Tortricidae) Synonym(s): *termias* Meyrick, 1918; *#terminas* Diakonoff, 1971
 76286) *Archips termias stenoptycha* (Diakonoff, 1951) (Tortricidae) Synonym(s): *stenoptycha* Diakonoff, 1951
 76287) *Archips termias termias* (Meyrick, 1918) (Tortricidae) Synonym(s): *termias* Meyrick, 1918; *#terminas* Diakonoff, 1971
 76288) *Archips tharsaleopa* (Meyrick, 1935) (Tortricidae) Synonym(s): *tharsaleopa* Meyrick, 1935
 76289) *Archips tharsaleopa yunnanus* Razowski, 1977 (Tortricidae) Synonym(s): *yunnanus* Razowski, 1977
 76290) *Archips vagrans* Tuck, 1990 (Tortricidae) Synonym(s): *vagrans* Tuck, 1990
 76291) *Archips viola Falkovitsh*, 1965 (Tortricidae) Synonym(s): *viola* Falkovitsh, 1965; *purpuratus* Kawabe, 1965
 76292) *Archips wallacei* Tuck, 1990 (Tortricidae) Synonym(s): *wallacei* Tuck, 1990
 76293) *Archips xylosteanus* (Linnaeus, 1758) (Tortricidae) Synonym(s): *xylosteana* Linnaeus, 1758; *obliquana* Fabricius, 1781; *westriniana* Thunberg, 1784; *densata* Fourcroy, 1785; *densana* Villers, 1789; *characterana* Hübner, 1793; *hybnerana* Fabricius, 1794; *pallens* Kennel, 1901
 76294) *Ardeutica crypsilitha* (Meyrick, 1932) (Tortricidae) Synonym(s): *crypsilitha* Meyrick, 1932
 76295) *Ardeutica dryocremna* (Meyrick, 1932) (Tortricidae) Synonym(s): *dryocremna* Meyrick, 1932
 76296) *Ardeutica emphantica* Razowski & Becker, 1981 (Tortricidae) Synonym(s): *emphantica* Razowski & Becker, 1981
 76297) *Ardeutica eupeplana* (Walsingham, 1914) (Tortricidae) Synonym(s): *eupeplana* Walsingham, 1914; *fluminana* Walsingham, 1914
 76298) *Ardeutica melidora* Razowski, 1984 (Tortricidae) Synonym(s): *melidora* Razowski, 1984
 76299) *Ardeutica mezion* Razowski, 1984 (Tortricidae) Synonym(s): *mezion* Razowski, 1984
 76300) *Ardeutica parmata* Razowski, 1984 (Tortricidae) Synonym(s): *parmata* Razowski, 1984
 76301) *Ardeutica semipicta* Meyrick, 1913 (Tortricidae) Synonym(s): *semipicta* Meyrick, 1913
 76302) *Ardeutica sphenobathra* (Meyrick, 1917) (Tortricidae) Synonym(s): *sphenobathra* Meyrick, 1917
 76303) *Ardeutica spumosa* Meyrick, 1913 (Tortricidae) Synonym(s): *spumosa* Meyrick, 1913
 76304) *Ardeutica tonsilis* Razowski, 1984 (Tortricidae) Synonym(s): *tonsilis* Razowski, 1984
 76305) *Argyrotocha phalaenopa* Diakonoff, [1968] (Tortricidae) Synonym(s): *phalaenopa* Diakonoff, [1968]
 76306) *Argyrotaenia artocopa* (Meyrick, 1932) (Tortricidae) Synonym(s): *artocopa* Meyrick, 1932
 76307) *Argyrotaenia atima* (Walsingham, 1914) (Tortricidae) Synonym(s): *atima* Walsingham, 1914
 76308) *Argyrotaenia cesa* Kemal & Koçak, 2005 (Tortricidae) Synonym(s): *citrana* Fernald, 1889 nec Hbn., 1799; *cesa* Kemal & Koçak, 2005
 76309) *Argyrotaenia cibdela* Razowski, 1988 (Tortricidae) Synonym(s): *cibdela* Razowski, 1988
 76310) *Argyrotaenia citharexylana* (Zeller, 1866) (Tortricidae) Synonym(s): *citharexylana* Zeller, 1866
 76311) *Argyrotaenia dichotoma* (Walsingham, 1914) (Tortricidae) Synonym(s): *dichotoma* Walsingham, 1914
 76312) *Argyrotaenia dichroaca* (Walsingham, 1914) (Tortricidae) Synonym(s): *dichroaca* Walsingham, 1914
 76313) *Argyrotaenia dispositana* (Zeller, 1877) (Tortricidae) Synonym(s): *dispositana* Zeller, 1877
 76314) *Argyrotaenia fletcheriella* (Köhler, 1939) (Tortricidae) Synonym(s): *fletcheriella* Köhler, 1939
 76315) *Argyrotaenia franciscana* (Walsingham, 1879) (Tortricidae) Synonym(s): *franciscana* Walsingham, 1879; *kearfotti* Obratzov, 1961
 76316) *Argyrotaenia guatemalica* (Walsingham, 1914) (Tortricidae) Synonym(s): *guatemalica* Walsingham, 1914
 76317) *Argyrotaenia haemiothica* (Walsingham, 1914) (Tortricidae) Synonym(s): *haemiothica* Walsingham, 1914
 76318) *Argyrotaenia hemixia* Razowski, 1991 (Tortricidae) Synonym(s): *hemixia* Razowski, 1991
 76319) *Argyrotaenia heureta* (Walsingham, 1914) (Tortricidae) Synonym(s): *heureta* Walsingham, 1914
 76320) *Argyrotaenia iopsamma* (Meyrick, 1931) (Tortricidae) Synonym(s): *iopsamma* Meyrick, 1931
 76321) *Argyrotaenia levidensa* Razowski, 1991 (Tortricidae) Synonym(s): *levidensa* Razowski, 1991
 76322) *Argyrotaenia lignea* (Meyrick, 1917) (Tortricidae) Synonym(s): *lignea* Meyrick, 1917
 76323) *Argyrotaenia ljungiana* (Thunberg, 1797) (Tortricidae) Synonym(s): *ljungiana* Thunberg, 1797; *sylvana* Hübner, [1799]; *pulchellana* Haworth, 1811; *cognatana* Stephens, 1852; *fuscociliana* Stephens, 1852; *lepidana* Herrich-Schäffer, 1854; *micantana* Lucas, 1937.
 76324) *Argyrotaenia lobata* Razowski, 1988 (Tortricidae) Synonym(s): *lobata* Razowski, 1988
 76325) *Argyrotaenia loxonephes* (Meyrick, 1937) (Tortricidae) Synonym(s): *loxonephes* Meyrick, 1937
 76326) *Argyrotaenia martini* Powell, 1960 (Tortricidae) Synonym(s): *martini* Powell, 1960
 76327) *Argyrotaenia montezumae* (Walsingham, 1914) (Tortricidae) Synonym(s): *montezumae* Walsingham, 1914; *impositana* Walsingham, 1914
 76328) *Argyrotaenia niscana* (Kearfott, 1907) (Tortricidae) Synonym(s): *niscana* Kearfott, 1907
 76329) *Argyrotaenia oligachthes* (Meyrick, 1932) (Tortricidae) Synonym(s): *oligachthes* Meyrick, 1932
 76330) *Argyrotaenia oriphanes* (Meyrick, 1930) (Tortricidae) Synonym(s): *oriphanes* Meyrick, 1930
 76331) *Argyrotaenia polvosana* Obratzov, 1961 (Tortricidae) Synonym(s): *polvosana* Obratzov, 1961
 76332) *Argyrotaenia ponera* (Walsingham, 1914) (Tortricidae) Synonym(s): *ponera* Walsingham, 1914
 76333) *Argyrotaenia purata* (Meyrick, 1932) (Tortricidae) Synonym(s): *purata* Meyrick, 1932
 76334) *Argyrotaenia sphaerolopa* (Meyrick, 1909) (Tortricidae) Synonym(s): *sphaerolopa* Meyrick, 1909
 76335) *Argyrotaenia spoliata* (Zeller, 1877) (Tortricidae) Synonym(s): *spoliata* Zeller, 1877
 76336) *Argyrotaenia tricensa* (Meyrick, 1912) (Tortricidae) Synonym(s): *tricensa* Meyrick, 1912
 76337) *Argyrotaenia tristriata* (Meyrick, 1931) (Tortricidae) Synonym(s): *tristriata* Meyrick, 1931
 76338) *Argyrotaenia urbana* (Busck, 1912) (Tortricidae) Synonym(s): *urbana* Busck, 1912
 76339) *Argyrotaenia venezuelana* (Walker, 1863) (Tortricidae) Synonym(s): *venezuelana* Walker, 1863
 76340) *Argyrotaenia wielgusi* Clarke, [1991] (Tortricidae) Synonym(s): *wielgusi* Clarke, [1991]
 76341) *Artiphanes prospera* (Meyrick, 1909) (Tortricidae) Synonym(s): *prospera* Meyrick, 1909
 76342) *Artiphanes scambodes* (Meyrick, 1911) (Tortricidae) Synonym(s): *scambodes* Meyrick, 1911
 76343) *Asaphistis asemi* Diakonoff, 1973 (Tortricidae) Synonym(s): *asema* Diakonoff, 1973
 76344) *Asaphistis cretata* (Diakonoff, 1953) (Tortricidae) Synonym(s): *cretata* Diakonoff, 1953
 76345) *Asaphistis gypsopa* (Diakonoff, 1953) (Tortricidae) Synonym(s): *gypsopa* Diakonoff, 1953
 76346) *Asaphistis haematina* (Diakonoff, 1953) (Tortricidae) Synonym(s): *haematina* Diakonoff, 1953
 76347) *Asaphistis hemicyclica* (Diakonoff, 1953) (Tortricidae) Synonym(s): *hemicyclica* Diakonoff, 1953
 76348) *Asaphistis lucifera* (Meyrick, 1909) (Tortricidae) Synonym(s): *lucifera* Meyrick, 1909
 76349) *Asaphistis maturicolor* Diakonoff, 1973 (Tortricidae) Synonym(s): *maturicolor* Diakonoff, 1973
 76350) *Asaphistis nobilis* Diakonoff, 1973 (Tortricidae) Synonym(s): *nobilis* Diakonoff, 1973
 76351) *Asaphistis phanerops* Diakonoff, 1973 (Tortricidae) Synonym(s): *phanerops* Diakonoff, 1973
 76352) *Asaphistis praeceps* (Meyrick, 1909) (Tortricidae) Synonym(s): *praeceps* Meyrick, 1909
 76353) *Asaphistis protosema* Diakonoff, 1973 (Tortricidae) Synonym(s): *protosema* Diakonoff, 1973
 76354) *Asaphistis purpurascens* (Diakonoff, 1953) (Tortricidae) Synonym(s): *purpurascens* Diakonoff, 1953
 76355) *Asaphistis sappirolua* (Diakonoff, 1953) (Tortricidae) Synonym(s): *sappirolua* Diakonoff, 1953
 76356) *Asketria cervinana* (Caradja, 1916) (Tortricidae) Synonym(s): *cervinana* Caradja, 1916
 76357) *Asketria lepta* Falkovitsh, 1964 (Tortricidae) Synonym(s): *lepta* Falkovitsh, 1964
 76358) *Assulella anoechtotera* Diakonoff, 1983 (Tortricidae) Synonym(s): *anoechtotera* Diakonoff, 1983
 76359) *Assulella archaea* Diakonoff, 1983 (Tortricidae) Synonym(s): *archaea* Diakonoff, 1983

- 76360) *Assullella kuznetsovi* Diakonoff,1983 (Tortricidae) Synonym(s): *kuznetsovi* Diakonoff,1983
 76361) *Assullella lithocosma* Diakonoff,1983 (Tortricidae) Synonym(s): *lithocosma* Diakonoff,1983
 76362) *Assullella litigiosa* (Meyrick,1912) (Tortricidae) Synonym(s): *litigiosa* Meyrick,1912; *#litigosa* Diakonoff,1959
 76363) *Asymmetrarcha iograptia* (Meyrick,1907) (Tortricidae) Synonym(s): *iograptia* Meyrick,1907
 76364) *Asymmetrarcha metallicana* Kuznetsov,1992 (Tortricidae) Synonym(s): *metallicana* Kuznetsov,1992
 76365) *Asymmetrarcha thaiensis* Kawabe,1989 (Tortricidae) Synonym(s): *thaiensis* Kawabe,1989
 76366) *Asymmetrarcha torquens* Diakonoff,1973 (Tortricidae) Synonym(s): *torquens* Diakonoff,1973
 76367) *Asymmetrarcha xenopa* (Diakonoff,1973) (Tortricidae) Synonym(s): *xenopa* Diakonoff,1973
 76368) *Atepa colaptes* Razowski,[1992] (Tortricidae) Synonym(s): *colaptes* Razowski,[1992]
 76369) *Atepa cordobana* Razowski,[1992] (Tortricidae) Synonym(s): *cordobana* Razowski,[1992]
 76370) *Atepa sinaloana* Razowski,[1992] (Tortricidae) Synonym(s): *sinaloana* Razowski,[1992]
 76371) *Atepa triplagata* (Walsingham,1914) (Tortricidae) Synonym(s): *triplagata* Walsingham,1914
 76372) *Aterpia andereggana* Guenée,1845 (Tortricidae) Synonym(s): *andereggana* Guenée,1845; *spuriana* Herrich-Schäffer,1851
 76373) *Aterpia approximata* (Heinrich,1919) (Tortricidae) Synonym(s): *approximata* Heinrich,1919
 76374) *Aterpia bicolor* Kawabe,1978 (Tortricidae) Synonym(s): *bicolor* Kawabe,1978
 76375) *Aterpia chalybeia* Falkovitsh,1966 (Tortricidae) Synonym(s): *chalybeia* Falkovitsh,1966
 76376) *Aterpia circumfluxana* (Christoph,1881) (Tortricidae) Synonym(s): *circumfluxana* Christoph,1881
 76377) *Aterpia corticana* (Denis & Schiffermüller,1775) (Tortricidae) Synonym(s): *corticana* [Denis & Schiffermüller],1775; *charpenteriana* Hübner,[1823]
 76378) *Aterpia flavens* Falkovitsh,1966 (Tortricidae) Synonym(s): *flavens* Falkovitsh,1966
 76379) *Aterpia flavipunctana* (Christoph,1882) (Tortricidae) Synonym(s): *flavipunctana* Christoph,1882
 76380) *Aterpia issikii* Kawabe,1980 (Tortricidae) Synonym(s): *issikii* Kawabe,1980
 76381) *Aterpia mensifera* (Meyrick,1916) (Tortricidae) Synonym(s): *mensifera* Meyrick,1916
 76382) *Aterpia microchlamys* (Diakonoff,1983) (Tortricidae) Synonym(s): *microchlamys* Diakonoff,1983; *niphoclasma* Diakonoff,1992
 76383) *Aterpia palliata* (Meyrick,1909) (Tortricidae) Synonym(s): *palliata* Meyrick,1909
 76384) *Aterpia sieversiana* (Nolcken,1870) (Tortricidae) Synonym(s): *sieversiana* Nolcken,1870
 76385) *Atteria docima* Druce,1912 (Tortricidae) Synonym(s): *docima* Druce,1912
 76386) *Atteria drucei* Walsingham,1914 (Tortricidae) Synonym(s): *drucei* Walsingham,1914
 76387) *Atteria pavimentata* Meyrick,1913 (Tortricidae) Synonym(s): *pavimentata* Meyrick,1913
 76388) *Atteria strigicinctana* Walker,1863 (Tortricidae) Synonym(s): *strigicinctana* Walker,1863
 76389) *Atteria transversana* (Walker,1863) (Tortricidae) Synonym(s): *transversana* Walker,1863
 76390) *Auratonota aenigmatica* (Meyrick,1912) (Tortricidae) Synonym(s): *aenigmatica* Meyrick,1912
 76391) *Auratonota aporema* (Dognin,1912) (Tortricidae) Synonym(s): *aporema* Dognin,1912
 76392) *Auratonota aurantica* (Busck,1920) (Tortricidae) Synonym(s): *aurantica* Busck,1920; *#autantica* Razowski,1987; *#urantica* Razowski,1987
 76393) *Auratonota dispersa* J.Brown,1990 (Tortricidae) Synonym(s): *dispersa* J.Brown,1990
 76394) *Auratonota dominica* J.Brown,1993 (Tortricidae) Synonym(s): *dominica* J.Brown,1993
 76395) *Auratonota hydrogramma* (Meyrick,1912) (Tortricidae) Synonym(s): *hydrogramma* Meyrick,1912
 76396) *Auratonota petalocrossa* (Meyrick,1926) (Tortricidae) Synonym(s): *petalocrossa* Meyrick,1926
 76397) *Avaria constanti* (Rebel,1894) (Tortricidae) Synonym(s): *constanti* Rebel,1894
 76398) *Avaria hyerana* (Millière,1858) (Tortricidae) Synonym(s): *hyerana* Millière,1858; *reynana* Staudinger,1861; *lithosiana* Kennel,1899; *#alpha* Chapman,1906; *marginata* Chapman,1906
 76399) *Avaria joannisiana* (Ragonot,1888) (Tortricidae) Synonym(s): *joannisiana* Ragonot,1888
 76400) *Baburia abdita* (Diakonoff,1973) (Tortricidae) Synonym(s): *abdita* Diakonoff,1973
 76401) *Baburia astuta* (Diakonoff,1973) (Tortricidae) Synonym(s): *astuta* Diakonoff,1973
 76402) *Baburia trachymelas* (Diakonoff,1973) (Tortricidae) Synonym(s): *trachymelas* Diakonoff,1973
 76403) *Bactra (Chiloides) adelpha* Diakonoff,1963 (Tortricidae) Synonym(s): *adelpha* Diakonoff,1963
 76404) *Bactra (Chiloides) angulata* Diakonoff,1956 (Tortricidae) Synonym(s): *angulata* Diakonoff,1956
 76405) *Bactra (Chiloides) atopa* Diakonoff,1989 (Tortricidae) Synonym(s): *atopa* Diakonoff,1989
 76406) *Bactra (Chiloides) cerata* Meyrick,1909 (Tortricidae) Synonym(s): *cerata* Meyrick,1909
 76407) *Bactra (Chiloides) clarescens* Meyrick,1912 (Tortricidae) Synonym(s): *clarescens* Meyrick,1912
 76408) *Bactra (Chiloides) copidotis* Meyrick,1909 (Tortricidae) Synonym(s): *copidotis* Meyrick,1909; *phenacistis* Meyrick,1909; *commensalis* Meyrick,1922; *borealis* Diakonoff,1964
 76409) *Bactra (Chiloides) coronata* Diakonoff,1950 (Tortricidae) Synonym(s): *coronata* Diakonoff,1950
 76410) *Bactra (Chiloides) diakonoffi* Amsel,1958 (Tortricidae) Synonym(s): *diakonoffi* Amsel,1958
 76411) *Bactra (Chiloides) fasciata* Diakonoff,1963 (Tortricidae) Synonym(s): *fasciata* Diakonoff,1963
 76412) *Bactra (Chiloides) jansei* Diakonoff,1963 (Tortricidae) Synonym(s): *jansei* Diakonoff,1963
 76413) *Bactra (Chiloides) leucogama* Meyrick,1909 (Tortricidae) Synonym(s): *leucogama* Meyrick,1909
 76414) *Bactra (Chiloides) ochrographa* Diakonoff,1989 (Tortricidae) Synonym(s): *ochrographa* Diakonoff,1989
 76415) *Bactra (Chiloides) orbiculi* Diakonoff,1956 (Tortricidae) Synonym(s): *orbiculi* Diakonoff,1956
 76416) *Bactra (Chiloides) orbiculi minax* Diakonoff,1964 (Tortricidae) Synonym(s): *minax* Diakonoff,1964
 76417) *Bactra (Chiloides) perisema* Diakonoff,1964 (Tortricidae) Synonym(s): *perisema* Diakonoff,1964
 76418) *Bactra (Chiloides) philocerca* Diakonoff,1964 (Tortricidae) Synonym(s): *philocerca* Diakonoff,1964
 76419) *Bactra (Chiloides) priapeia* Heinrich,1923 (Tortricidae) Synonym(s): *lanceolana* Walsingham,1914 nec Hbn.,1822; *priapeia* Heinrich,1923
 76420) *Bactra (Chiloides) punctistrigana* Mabille,1900 (Tortricidae) Synonym(s): *punctistrigana* Mabille,1900
 76421) *Bactra (Chiloides) rhabdonoma* Diakonoff,1963 (Tortricidae) Synonym(s): *rhabdonoma* Diakonoff,1963
 76422) *Bactra (Chiloides) salpictis* Diakonoff,1963 (Tortricidae) Synonym(s): *salpictis* Diakonoff,1963
 76423) *Bactra (Chiloides) simpliciana* Chrétien,1915 (Tortricidae) Synonym(s): *simpliciana* Chrétien,1915; *lactosana* Turati,1922; *pauperrima* Turati,1934; *#elaviviana* Amsel,1933; *telaviviana* Amsel,1935
 76424) *Bactra (Chiloides) sinassula* Diakonoff,1963 (Tortricidae) Synonym(s): *sinassula* Diakonoff,1963
 76425) *Bactra (Chiloides) sordidata* Diakonoff,1963 (Tortricidae) Synonym(s): *sordidata* Diakonoff,1963
 76426) *Bactra (Chiloides) stagnicolana* Zeller,1852 (Tortricidae) Synonym(s): *stagnicolana* Zeller,1852; *siccella* Walker,1866
 76427) *Bactra (Chiloides) triceps* Diakonoff,1963 (Tortricidae) Synonym(s): *triceps* Diakonoff,1963
 76428) *Bactra (Chiloides) trimera* Diakonoff,1963 (Tortricidae) Synonym(s): *trimera* Diakonoff,1963
 76429) *Bactra (Chiloides) tylophora* Diakonoff,1963 (Tortricidae) Synonym(s): *tylophora* Diakonoff,1963
 76430) *Bactra (Chiloides) venosana* (Zeller,1847) (Tortricidae) Synonym(s): *venosana* Zeller,1847; *truculenta* Meyrick,1909; *scythropa* Meyrick,1911; *geraropa* Meyrick,1932; *banesii* Gozmany,1960
 76431) *Bactra (Nannobactra) aciculata* Diakonoff,1963 (Tortricidae) Synonym(s): *aciculata* Diakonoff,1963
 76432) *Bactra (Nannobactra) cultellana* Zeller,1877 (Tortricidae) Synonym(s): *cultellana* Zeller,1877
 76433) *Bactra (Nannobactra) dasioma* Diakonoff,1963 (Tortricidae) Synonym(s): *dasioma* Diakonoff,1963
 76434) *Bactra (Nannobactra) hostilis* Diakonoff,1956 (Tortricidae) Synonym(s): *hostilis* Diakonoff,1956; *leonina* Diakonoff,1959
 76435) *Bactra (Nannobactra) legitima* Meyrick,1911 (Tortricidae) Synonym(s): *legitima* Meyrick,1911
 76436) *Bactra (Nannobactra) legitima insignis* Diakonoff,1963 (Tortricidae) Synonym(s): *insignis* Diakonoff,1963
 76437) *Bactra (Nannobactra) minima* Meyrick,1909 (Tortricidae) Synonym(s): *minima* Meyrick,1909; *phaeopsis* Meyrick,1911; *anpingiana* Strand,1920; *microtripa* Meyrick,1927
 76438) *Bactra (Nannobactra) minima psila* Diakonoff,1964 (Tortricidae) Synonym(s): *psila* Diakonoff,1964
 76439) *Bactra (Nannobactra) phaulopa* Meyrick,1911 (Tortricidae) Synonym(s): *phaulopa* Meyrick,1911
 76440) *Bactra (Nannobactra) sardonia* (Meyrick,1908) (Tortricidae) Synonym(s): *sardonia* Meyrick,1908
 76441) *Bactra (Nannobactra) verutana* Zeller,1875 (Tortricidae) Synonym(s): *verutana* Zeller,1875; *dasioma* Diakonoff,1863
 76442) *Bactra (Nannobactra) verutana chrysea* Heinrich,1926 (Tortricidae) Synonym(s): *chrysea* Heinrich,1926
 76443) *Bactra (Nannobactra) verutana verutana* Zeller,1875 (Tortricidae) Synonym(s): *verutana* Zeller,1875; *dasioma* Diakonoff,1863
 76444) *Bactra (Spinobactra) spinosa* Diakonoff,1963 (Tortricidae) Synonym(s): *spinosa* Diakonoff,1963

- 76445) *Bactra* (s.l.) *fuscidorsana* Zeller, 1877 (Tortricidae) Synonym(s): *fuscidorsana* Zeller, 1877
 76446) *Bactra* (s.l.) *neuricana* Zeller, 1877 (Tortricidae) Synonym(s): *neuricana* Zeller, 1877
 76447) *Bactra* (s.str.) *adoceta* Diakonoff, 1964 (Tortricidae) Synonym(s): *adoceta* Diakonoff, 1964
 76448) *Bactra* (s.str.) *amseli* Diakonoff, 1959 (Tortricidae) Synonym(s): *amseli* Diakonoff, 1959
 76449) *Bactra* (s.str.) *bactrana* (Kennel, 1901) (Tortricidae) Synonym(s): *bactrana* Kennel, 1901; *cyperana* Amsel, 1951; *mediterranea* Agenjo, 1952.
 76450) *Bactra* (s.str.) *clarkei* Diakonoff, 1964 (Tortricidae) Synonym(s): *clarkei* Diakonoff, 1964
 76451) *Bactra* (s.str.) *confusa* Diakonoff, 1963 (Tortricidae) Synonym(s): *confusa* Diakonoff, 1963
 76452) *Bactra* (s.str.) *dolia* Diakonoff, 1963 (Tortricidae) Synonym(s): *dolia* Diakonoff, 1963
 76453) *Bactra* (s.str.) *fumosana* Kennel, 1900 (Tortricidae) Synonym(s): *fumosana* Kennel, 1900
 76454) *Bactra* (s.str.) *furfurana* (Haworth, [1811]) (Tortricidae) Synonym(s): *furfurana* Haworth, [1811]; *gozmaniana* Toll, 1958
 76455) *Bactra* (s.str.) *graminivora* Meyrick, 1922 (Tortricidae) Synonym(s): *graminivora* Meyrick, 1922
 76456) *Bactra* (s.str.) *honesta* Meyrick, 1909 (Tortricidae) Synonym(s): *honesta* Meyrick, 1909
 76457) *Bactra* (s.str.) *lactea* (Caradja, 1916) (Tortricidae) Synonym(s): *lactea* Caradja, 1916
 76458) *Bactra* (s.str.) *lancealana* (Hübner, [1799]) (Tortricidae) Synonym(s): *lancealana* Hübner, [1799]; *#lanceolana* Hübner, [1822]; *egestana* Haworth, 1811; *plagana* Haworth, 1811; *dibeliana* Hübner, [1819]; *rufana* Stephens, 1834; *nigrovittana* Stephens, 1852
 76459) *Bactra* (s.str.) *longiqua* Diakonoff, 1959 (Tortricidae) Synonym(s): *longiqua* Diakonoff, 1959
 76460) *Bactra* (s.str.) *longica* *iranica* Diakonoff, 1959 (Tortricidae) Synonym(s): *iranica* Diakonoff, 1959
 76461) *Bactra* (s.str.) *longica* *longiqua* Diakonoff, 1959 (Tortricidae) Synonym(s): *longiqua* Diakonoff, 1959
 76462) *Bactra* (s.str.) *pythonia* Meyrick, 1909 (Tortricidae) Synonym(s): *pythonia* Meyrick, 1909; *hebetata* Meyrick, 1911
 76463) *Bactra* (s.str.) *robustana* (Christoph, 1872) (Tortricidae) Synonym(s): *robustana* Christoph, 1872; *griseana* A.M.Djakonov, 1929; *grisea* A.M.Djakonov, 1929; *scirpicolana* Pierce, 1935
 76464) *Bactra* (s.str.) *scrupulosa* Meyrick, 1909 (Tortricidae) Synonym(s): *scrupulosa* Meyrick, 1909
 76465) *Bactra* (s.str.) *seria* Meyrick, 1917 (Tortricidae) Synonym(s): *seria* Meyrick, 1917
 76466) *Bactra* (s.str.) *suedana* Bengtsson, 1989 (Tortricidae) Synonym(s): *suedana* Bengtsson, 1989
 76467) *Bactra* (s.str.) *tradens* Diakonoff, 1963 (Tortricidae) Synonym(s): *tradens* Diakonoff, 1963
 76468) *Bakia* *sordida* (Turner, 1945) (Tortricidae) Synonym(s): *sordida* Turner, 1945; *reticulata* Turner, 1946
 76469) *Balbidomaga* *dorophora* Diakonoff, 1983 (Tortricidae) Synonym(s): *dorophora* Diakonoff, 1983
 76470) *Banhadoa* *luculenta* Razowski & Becker, 1983 (Tortricidae) Synonym(s): *luculenta* Razowski & Becker, 1983
 76471) *Barbara* *herrichiana* Obratzsov, 1960 (Tortricidae) Synonym(s): *herrichiana* Obratzsov, 1960
 76472) *Barbara* *osmana* Obratzsov, 1952 (Tortricidae) Synonym(s): *osmana* Obratzsov, 1952
 76473) *Bathypiluta* *metoea* Diakonoff, 1950 (Tortricidae) Synonym(s): *metoea* Diakonoff, 1950
 76474) *Bathypiluta* *triphaenella* (Snellen, 1903) (Tortricidae) Synonym(s): *triphaenella* Snellen, 1903; *melanoptera* Diakonoff, 1941; *nox* Diakonoff, 1941; *#triphaenella* Diakonoff, 1941
 76475) *Bathypiluta* *triphaenella* *sparna* Diakonoff, 1950 (Tortricidae) Synonym(s): *sparna* Diakonoff, 1950; *sulawesiensis* Kawabe, 1993
 76476) *Bathypiluta* *triphaenella* *triphaenella* (Snellen, 1903) (Tortricidae) Synonym(s): *triphaenella* Snellen, 1903; *melanoptera* Diakonoff, 1941; *nox* Diakonoff, 1941; *#triphaenella* Diakonoff, 1941
 76477) *Battalia* *acmemorpha* (Diakonoff, 1952) (Tortricidae) Synonym(s): *acmemorpha* Diakonoff, 1952
 76478) *Battalia* *anassa* (Diakonoff, 1952) (Tortricidae) Synonym(s): *anassa* Diakonoff, 1952
 76479) *Battalia* *anisographa* (Diakonoff, 1952) (Tortricidae) Synonym(s): *anisographa* Diakonoff, 1952
 76480) *Battalia* *anthracographa* (Diakonoff, 1952) (Tortricidae) Synonym(s): *anthracographa* Diakonoff, 1952
 76481) *Battalia* *apheles* (Diakonoff, 1952) (Tortricidae) Synonym(s): *apheles* Diakonoff, 1952
 76482) *Battalia* *colobodesma* (Diakonoff, 1952) (Tortricidae) Synonym(s): *colobodesma* Diakonoff, 1952
 76483) *Battalia* *cricophora* (Diakonoff, 1952) (Tortricidae) Synonym(s): *cricophora* Diakonoff, 1952
 76484) *Battalia* *euphyes* (Diakonoff, 1952) (Tortricidae) Synonym(s): *euphyes* Diakonoff, 1952
 76485) *Battalia* *fusca* (Diakonoff, 1953) (Tortricidae) Synonym(s): *fusca* Diakonoff, 1953
 76486) *Battalia* *insignis* (Diakonoff, 1953) (Tortricidae) Synonym(s): *insignis* Diakonoff, 1953
 76487) *Battalia* *lagaroptycha* (Diakonoff, 1952) (Tortricidae) Synonym(s): *lagaroptycha* Diakonoff, 1952
 76488) *Battalia* *lutescens* (Diakonoff, 1952) (Tortricidae) Synonym(s): *lutescens* Diakonoff, 1952
 76489) *Battalia* *mimela* (Diakonoff, 1952) (Tortricidae) Synonym(s): *mimela* Diakonoff, 1952
 76490) *Battalia* *ochra* (Diakonoff, 1952) (Tortricidae) Synonym(s): *ochra* Diakonoff, 1952
 76491) *Battalia* *oligosta* (Diakonoff, 1952) (Tortricidae) Synonym(s): *oligosta* Diakonoff, 1952
 76492) *Battalia* *pityrochroa* (Diakonoff, 1952) (Tortricidae) Synonym(s): *pityrochroa* Diakonoff, 1952
 76493) *Battalia* *psara* (Diakonoff, 1952) (Tortricidae) Synonym(s): *psara* Diakonoff, 1952
 76494) *Battalia* *rhopalodes* (Diakonoff, 1952) (Tortricidae) Synonym(s): *rhopalodes* Diakonoff, 1952
 76495) *Battalia* *stenoptera* (Diakonoff, 1952) (Tortricidae) Synonym(s): *stenoptera* Diakonoff, 1952
 76496) *Battalia* *trulligera* (Diakonoff, 1952) (Tortricidae) Synonym(s): *trulligera* Diakonoff, 1952
 76497) *Battalia* *verecunda* (Diakonoff, 1952) (Tortricidae) Synonym(s): *verecunda* Diakonoff, 1952
 76498) *Belemgena* *phlattotreta* Razowski & Becker, 1994 (Tortricidae) Synonym(s): *phlattotreta* Razowski & Becker, 1994
 76499) *Bicavernaria* *henicodes* Razowski, 1988 (Tortricidae) Synonym(s): *henicodes* Razowski, 1988
 76500) *Biclonuncaria* *alota* Razowski & Becker, 1993 (Tortricidae) Synonym(s): *alota* Razowski & Becker, 1993
 76501) *Biclonuncaria* *cerucha* Razowski & Becker, 1993 (Tortricidae) Synonym(s): *cerucha* Razowski & Becker, 1993
 76502) *Biclonuncaria* *conia* Razowski & Becker, 1993 (Tortricidae) Synonym(s): *conia* Razowski & Becker, 1993
 76503) *Biclonuncaria* *conica* Razowski & Becker, 1993 (Tortricidae) Synonym(s): *conica* Razowski & Becker, 1993
 76504) *Biclonuncaria* *dalbergiae* Razowski & Becker, 1993 (Tortricidae) Synonym(s): *dalbergiae* Razowski & Becker, 1993
 76505) *Biclonuncaria* *deutera* Razowski & Becker, 1993 (Tortricidae) Synonym(s): *deutera* Razowski & Becker, 1993
 76506) *Biclonuncaria* *foeda* Razowski & Becker, 1993 (Tortricidae) Synonym(s): *foeda* Razowski & Becker, 1993
 76507) *Biclonuncaria* *juanita* Razowski & Becker, 1993 (Tortricidae) Synonym(s): *juanita* Razowski & Becker, 1993
 76508) *Biclonuncaria* *phaedroptera* Razowski & Becker, 1993 (Tortricidae) Synonym(s): *phaedroptera* Razowski & Becker, 1993
 76509) *Biclonuncaria* *residua* Razowski & Becker, 1993 (Tortricidae) Synonym(s): *residua* Razowski & Becker, 1993
 76510) *Biclonuncaria* *tetrica* Razowski & Becker, 1993 (Tortricidae) Synonym(s): *tetrica* Razowski & Becker, 1993
 76511) *Bidorpidia* *boliviana* J.Brown, 1991 (Tortricidae) Synonym(s): *boliviana* J.Brown, 1991
 76512) *Bidorpidia* *cryptica* J.Brown, 1991 (Tortricidae) Synonym(s): *cryptica* J.Brown, 1991
 76513) *Bidorpidia* *dictyophanes* (Meyrick, 1926) (Tortricidae) Synonym(s): *dictyophanes* Meyrick, 1926
 76514) *Bidorpidia* *exanthina* (Meyrick, 1931) (Tortricidae) Synonym(s): *exanthina* Meyrick, 1931
 76515) *Bidorpidia* *megasaccula* J.Brown, 1991 (Tortricidae) Synonym(s): *megasaccula* J.Brown, 1991
 76516) *Bidorpidia* *poolei* J.Brown, 1991 (Tortricidae) Synonym(s): *poolei* J.Brown, 1991
 76517) *Bipartivalva* *aquilana* Kuznetsov, 1988 (Tortricidae) Synonym(s): *aquilana* Kuznetsov, 1988
 76518) *Bipartivalva* *eurypinax* (Meyrick, 1937) (Tortricidae) Synonym(s): *eurypinax* Meyrick, 1937
 76519) *Bonagota* *bogotana* (Walker, 1863) (Tortricidae) Synonym(s): *bogotana* Walker, 1863; *penthinella* Zeller, 1877
 76520) *Bonagota* *cranaodes* (Meyrick, 1937) (Tortricidae) Synonym(s): *cranaodes* Meyrick, 1937
 76521) *Bonagota* *melanecta* (Meyrick, 1917) (Tortricidae) Synonym(s): *melanecta* Meyrick, 1917
 76522) *Bonagota* *salubricola* (Meyrick, 1931) (Tortricidae) Synonym(s): *salubricola* Meyrick, 1931
 76523) *Bonagota* *wilkinsonii* (Butler, 1883) (Tortricidae) Synonym(s): *wilkinsonii* Butler, 1883
 76524) *Brachiotocera* *gonioptera* Diakonoff, 1959 (Tortricidae) Synonym(s): *gonioptera* Diakonoff, 1959
 76525) *Brachiolia* *amblopiis* (Meyrick, 1911) (Tortricidae) Synonym(s): *amblopiis* Meyrick, 1911
 76526) *Brachiolia* *egenella* (Walker, 1864) (Tortricidae) Synonym(s): *egenella* Walker, 1864; *obstinata* Meyrick, 1908
 76527) *Brachiolia* *obscurana* Razowski, 1966 (Tortricidae) Synonym(s): *obscurana* Razowski, 1966
 76528) *Brachiolia* *wojtusiaki* Razowski, 1986 (Tortricidae) Synonym(s): *wojtusiaki* Razowski, 1986
 76529) *Brachioxena* *lutrocopa* (Meyrick, 1914) (Tortricidae) Synonym(s): *lutrocopa* Meyrick, 1914
 76530) *Brachioxena* *niveipalpis* (Meyrick, 1938) (Tortricidae) Synonym(s): *niveipalpis* Meyrick, 1938

- 76531) *Brachioxena pakistanella* (Amsel,1968) (Tortricidae) Synonym(s): *pakistanella* Amsel,1968
76532) *Brachioxena psammacta* (Meyrick,1908) (Tortricidae) Synonym(s): *psammacta* Meyrick,1908
76533) *Brachioxena sparactis* (Meyrick,1928) (Tortricidae) Synonym(s): *sparactis* Meyrick,1928
76534) *Bubonoxena aspersana* Kuznetsov,1988 (Tortricidae) Synonym(s): *aspersana* Kuznetsov,1988
76535) *Bubonoxena endaphana* Diakonoff,[1968] (Tortricidae) Synonym(s): *endaphana* Diakonoff,[1968]
76536) *Bubonoxena ephippias* (Meyrick,1907) (Tortricidae) Synonym(s): *ephippias* Meyrick,1907
76537) *Bubonoxena spirographa* Diakonoff,[1968] (Tortricidae) Synonym(s): *spirographa* Diakonoff,[1968]
76538) *Bubonoxena transversa* Diakonoff,1973 (Tortricidae) Synonym(s): *transversa* Diakonoff,1973
76539) *Cacocharis albimacula* (Walsingham,1892) (Tortricidae) Synonym(s): *albimacula* Walsingham,1892
76540) *Cacocharis cymotoma* (Meyrick,1917) (Tortricidae) Synonym(s): *cymotoma* Meyrick,1917
76541) *Cacoecimorpha pronubana* (Hübner,[1799]) (Tortricidae) Synonym(s): *pronubana* Hübner,[1799]; *ambustana* Frölich,1830; *herminiana* Treitschke,1835; *insolatana* Lucas,1848; *perochreana* Herrich-Schäffer,1856; *obsoletana* Strand,1901
76542) *Caenognosis incisa* Walsingham,1900 (Tortricidae) Synonym(s): *incisa* Walsingham,1900
76543) *Calibryastis pachnota* Meyrick,1912 (Tortricidae) Synonym(s): *pachnota* Meyrick,1912
76544) *Camptrodoxa inclyta* Meyrick,1925 (Tortricidae) Synonym(s): *inclyta* Meyrick,1925
76545) *Capricornia boisduvaliana* (Duponchel,1836) (Tortricidae) Synonym(s): *boisduvaliana* Duponchel,1836
76546) *Capua aeluropa* Meyrick,1926 (Tortricidae) Synonym(s): *aeluropa* Meyrick,1926
76547) *Capua arctophaea* Meyrick,1924 (Tortricidae) Synonym(s): *arctophaea* Meyrick,1924
76548) *Capua aridela* Turner,1918 (Tortricidae) Synonym(s): *aridela* Turner,1918
76549) *Capua changi* Kawabe,1989 (Tortricidae) Synonym(s): *changi* Kawabe,1989
76550) *Capua chloraspis* Meyrick,1924 (Tortricidae) Synonym(s): *chloraspis* Meyrick,1924
76551) *Capua cirrhanthes* Meyrick,1921 (Tortricidae) Synonym(s): *cirrhanthes* Meyrick,1921
76552) *Capua coenotoca* Diakonoff,1983 (Tortricidae) Synonym(s): *coenotoca* Diakonoff,1983
76553) *Capua cornigera* Meyrick,1912 (Tortricidae) Synonym(s): *cornigera* Meyrick,1912
76554) *Capua endocypha* Meyrick,1931 (Tortricidae) Synonym(s): *endocypha* Meyrick,1931
76555) *Capua fabrilis* Meyrick,1912 (Tortricidae) Synonym(s): *fabrilis* Meyrick,1912
76556) *Capua liparcha* Meyrick,1928 (Tortricidae) Synonym(s): *liparcha* Meyrick,1928
76557) *Capua lissochrysa* Diakonoff,1976 (Tortricidae) Synonym(s): *lissochrysa* Diakonoff,1976
76558) *Capua morosa* Diakonoff,1975 (Tortricidae) Synonym(s): *morosa* Diakonoff,1975
76559) *Capua oxycelis* Diakonoff,1983 (Tortricidae) Synonym(s): *oxycelis* Diakonoff,1983
76560) *Capua pantherina* (Meyrick,1908) (Tortricidae) Synonym(s): *pantherina* Meyrick,1908
76561) *Capua reclinata* Razowski,1978 (Tortricidae) Synonym(s): *reclinata* Razowski,1978
76562) *Capua repentina* Razowski,1978 (Tortricidae) Synonym(s): *repentina* Razowski,1978
76563) *Capua retractana* (Walker,1863) (Tortricidae) Synonym(s): *retractana* Walker,1863
76564) *Capua retractana invalidana* (Walker,1863) (Tortricidae) Synonym(s): *invalidana* Walker,1863
76565) *Capua semiferana* (Walker,1863) (Tortricidae) Synonym(s): *semiferana* Walker,1863; *admotella* Walker,1863; *detritana* Walker,1863; *abnegatana* Walker,1864; *polias* Meyrick,1913
76566) *Capua spilonoma* Meyrick,1932 (Tortricidae) Synonym(s): *spilonoma* Meyrick,1932
76567) *Capua spilonoma gitona* Bradley,1965 (Tortricidae) Synonym(s): *gitona* Bradley,1965
76568) *Capua spilonoma spilonoma* Meyrick,1932 (Tortricidae) Synonym(s): *spilonoma* Meyrick,1932
76569) *Capua thelmæ* Diakonoff,[1968] (Tortricidae) Synonym(s): *thelmæ* Diakonoff,[1968]
76570) *Capua vulgana* (Frölich,1828) (Tortricidae) Synonym(s): *rusticana* Hübner,[1799] nec Hbn.,[1799]; *favillaceana* Hübner,[1817] nec Hbn.,[1799]; *vulgana* Frölich,1828; *ochraceana* Stephens,1834; *terreana* Treitschke,1835; *porcana* Zetterstedt,1839; *stramineana* Zetterstedt,1839
76571) *Capua zapyrrha* Meyrick,1936 (Tortricidae) Synonym(s): *zapyrrha* Meyrick,1936
76572) *Carolella aguila* Razowski & Becker,1986 (Tortricidae) Synonym(s): *aguila* Razowski & Becker,1986
76573) *Carolella argentinae* Razowski,1967 (Tortricidae) Synonym(s): *argentinae* Razowski,1967
76574) *Carolella asthenia* Clarke,1968 (Tortricidae) Synonym(s): *asthenia* Clarke,1968
76575) *Carolella californica* Razowski,1986 (Tortricidae) Synonym(s): *californica* Razowski,1986
76576) *Carolella chemsakiiana* Razowski,1986 (Tortricidae) Synonym(s): *chemsakiiana* Razowski,1986
76577) *Carolella desinens* Razowski,1986 (Tortricidae) Synonym(s): *desinens* Razowski,1986
76578) *Carolella dyschiria* Razowski,1986 (Tortricidae) Synonym(s): *dyschiria* Razowski,1986
76579) *Carolella emerida* Razowski & Becker,1986 (Tortricidae) Synonym(s): *emerida* Razowski & Becker,1986
76580) *Carolella hysteriosiana* Razowski,1967 (Tortricidae) Synonym(s): *hysteriosiana* Razowski,1967
76581) *Carolella leonana* Razowski,1986 (Tortricidae) Synonym(s): *leonana* Razowski,1986
76582) *Carolella macneilli* Razowski,1986 (Tortricidae) Synonym(s): *macneilli* Razowski,1986
76583) *Carolella medioxima* Razowski,1986 (Tortricidae) Synonym(s): *medioxima* Razowski,1986
76584) *Carolella mexicana* (Busck,1907) (Tortricidae) Synonym(s): *mexicana* Busck,1907
76585) *Carolella molybdina* Clarke,1968 (Tortricidae) Synonym(s): *molybdina* Clarke,1968
76586) *Carolella ochrolemma* Razowski,1986 (Tortricidae) Synonym(s): *ochrolemma* Razowski,1986
76587) *Carolella opalina* Razowski,1986 (Tortricidae) Synonym(s): *opalina* Razowski,1986
76588) *Carolella ouralia* Razowski,1986 (Tortricidae) Synonym(s): *ouralia* Razowski,1986
76589) *Carolella saltillana* Razowski,1986 (Tortricidae) Synonym(s): *saltillana* Razowski,1986
76590) *Cartagogenia februa* Razowski,[1992] (Tortricidae) Synonym(s): *februa* Razowski,[1992]
76591) *Cartagogenia ferruminata* Razowski,[1992] (Tortricidae) Synonym(s): *ferruminata* Razowski,[1992]
76592) *Cartagogenia filtrata* Razowski,[1992] (Tortricidae) Synonym(s): *filtrata* Razowski,[1992]
76593) *Catamacta alopecana* Meyrick,1885 (Tortricidae) Synonym(s): *alopecana* Meyrick,1885
76594) *Catamacta gavisana* (Walker,1863) (Tortricidae) Synonym(s): *gavisana* Walker,1863; *innotatana* Walker,1863; *marginana* Walker,1863; *aoristana* Meyrick,1881; *porphyreana* Meyrick,1881
76595) *Catamacta imbriculata* Meyrick,1938 (Tortricidae) Synonym(s): *imbriculata* Meyrick,1938
76596) *Catamacta lotinana* (Meyrick,1883) (Tortricidae) Synonym(s): *lotinana* Meyrick,1883
76597) *Catamacta mantipoca* Meyrick,1934 (Tortricidae) Synonym(s): *mantipoca* Meyrick,1934; *melanophragma* Meyrick,1936
76598) *Catamacta rureana* (R.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *rureana* R.Felder & Rogenhofer,1875; *camelina* Meyrick,1891
76599) *Catamacta scrutatrix* Meyrick,1912 (Tortricidae) Synonym(s): *scrutatrix* Meyrick,1912
76600) *Catastega adobe* R.Brown,1992 (Tortricidae) Synonym(s): *adobe* R.Brown,1992
76601) *Catastega nebula* R.Brown,1992 (Tortricidae) Synonym(s): *nebula* R.Brown,1992
76602) *Catastega plicata* R.Brown,1992 (Tortricidae) Synonym(s): *plicata* R.Brown,1992
76603) *Catastega spectra* R.Brown,1992 (Tortricidae) Synonym(s): *spectra* R.Brown,1992
76604) *Catastega strigatella* R.Brown,1992 (Tortricidae) Synonym(s): *strigatella* R.Brown,1992
76605) *Catastega triangulana* R.Brown,1992 (Tortricidae) Synonym(s): *triangulana* R.Brown,1992
76606) *Celypha anatoliana* (Caradja,1916) (Tortricidae) Synonym(s): *anatoliana* Caradja,1916
76607) *Celypha aurofasciana* (Haworth,[1811]) (Tortricidae) Synonym(s): *aurofasciana* Haworth,[1811]; *venustana* Frölich,1828; *dormoyana* Duponchel,1835; *grapholitana* Guenée,1845; *implicana* Offmann,1850; *paleana* Caradja,1916
76608) *Celypha capreolana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *capreolana* Herrich-Schäffer,1851
76609) *Celypha cespitana* (Hübner,[1817]) (Tortricidae) Synonym(s): *? umbriana* Scopoli,1763; *cespitana* Hübner,[1817]; *gramineana* Curtis,1831; *poana* Zeller,1875
76610) *Celypha conflictana* (Kennel,1901) (Tortricidae) Synonym(s): *conflictana* Kennel,1901
76611) *Celypha constructa* (Meyrick,1922) (Tortricidae) Synonym(s): *constructa* Meyrick,1922
76612) *Celypha cornigerus* (Oku,1968) (Tortricidae) Synonym(s): *cornigerus* Oku,1968
76613) *Celypha ermolenkoi* Kostyuk,1980 (Tortricidae) Synonym(s): *ermolenkoi* Kostyuk,1980
76614) *Celypha erythrana* (Tengström,1848) (Tortricidae) Synonym(s): *erythrana* Tengström,1848

- 76615) *Celypha flavipalpana* (Herrich-Schäffer,[1851]) (Tortricidae) Synonym(s): *flavipalpana* Herrich-Schäffer,[1851]; *lobocasis* Meyrick,1936
- 76616) *Celypha hydrangeana* (Kuznetsov,1969) (Tortricidae) Synonym(s): *hydrangeana* Kuznetsov,1969
- 76617) *Celypha kurilensis* (Oku,1965) (Tortricidae) Synonym(s): *kurilensis* Oku,1965
- 76618) *Celypha perexiguana* (Kuznetsov,1988) (Tortricidae) Synonym(s): *perexiguana* Kuznetsov,1988
- 76619) *Celypha perfracta* Diakonoff,1983 (Tortricidae) Synonym(s): *perfracta* Diakonoff,1983
- 76620) *Celypha pseudalarixicola* Liu & Fang,1992 (Tortricidae) Synonym(s): *pseudalarixicola* Liu & Fang,1992
- 76621) *Celypha rivulana* (Scopoli,1763) (Tortricidae) Synonym(s): *rivulana* Scopoli,1763; *rivellana* Fabricius,1775; *fasciella* Goeze,1783; *undulatella* Fourcroy,1785; *conchana* Hübner,[1799]
- 76622) *Celypha rosaceana* (Schläger,1848) (Tortricidae) Synonym(s): *purpurana* Haworth,1811 nec Thunb.,1784; *rosaceana* Schläger,1848.
- 76623) *Celypha rufana* (Scopoli,1763) (Tortricidae) Synonym(s): *rufana* Scopoli,1763; *rosetana* Hübner,[1799]; *arenana* Laharpe,1858
- 76624) *Celypha rurestrana* (Duponchel,1843) (Tortricidae) Synonym(s): *rurestrana* Duponchel,1843; *lucivagana* Lienig & Zeller,1846; *#rupestrana* Staudinger,1879; *kemnerana* Benander,1943.
- 76625) *Celypha striana* (Denis & Schiffermüller,1775) (Tortricidae) Synonym(s): *striana* [Denis & Schiffermüller],1775; *rusticana* Hübner,[1799]; *biliturana* Donovan,1806; *fasciolana* Hübner,[1817].
- 76626) *Celypha subelectana* (Kawabe,1976) (Tortricidae) Synonym(s): *subelectana* Kawabe,1976
- 76627) *Celypha tiedemanniana* (Zeller,1845) (Tortricidae) Synonym(s): *tiedemanniana* Zeller,1845
- 76628) *Celypha valesiana* Guenée,1845 (Tortricidae) Synonym(s): *valesiana* Guenée,1845
- 76629) *Celypha woodiana* (Barrett,1882) (Tortricidae) Synonym(s): *woodiana* Barrett,1882
- 76630) *Cephalophyes cyanura* (Meyrick,1909) (Tortricidae) Synonym(s): *cyanura* Meyrick,1909
- 76631) *Cephalophyes latens* (Diakonoff,1973) (Tortricidae) Synonym(s): *latens* Diakonoff,1973
- 76632) *Cephalophyes porphyrea* Diakonoff,1973 (Tortricidae) Synonym(s): *porphyrea* Diakonoff,1973
- 76633) *Cephalophyes porphyrea temperans* Diakonoff,1973 (Tortricidae) Synonym(s): *temperans* Diakonoff,1973
- 76634) *Cerace anthera* Diakonoff,1950 (Tortricidae) Synonym(s): *anthera* Diakonoff,1950
- 76635) *Cerace charidotis* Razowski,1992 (Tortricidae) Synonym(s): *charidotis* Razowski,1992
- 76636) *Cerace cyanopyga* Diakonoff,1950 (Tortricidae) Synonym(s): *cyanopyga* Diakonoff,1950
- 76637) *Cerace diehli* Buschbaum & Miller,2002 (Tortricidae) Synonym(s): *diehli* Buschbaum & Miller,2002
- 76638) *Cerace euchrysa* Diakonoff,1974 (Tortricidae) Synonym(s): *euchrysa* Diakonoff,1974
- 76639) *Cerace ios* Diakonoff,1941 (Tortricidae) Synonym(s): *ios* Diakonoff,1941
- 76640) *Cerace lemeeipauli* Lemée,1950 (Tortricidae) Synonym(s): *lemeeipauli* Lemée,1950
- 76641) *Cerace loxodes* Meyrick,1912 (Tortricidae) Synonym(s): *loxodes* Meyrick,1912
- 76642) *Cerace malayana* Diakonoff,1970 (Tortricidae) Synonym(s): *malayana* Diakonoff,1970
- 76643) *Cerace myriopa* Meyrick,1922 (Tortricidae) Synonym(s): *myriopa* Meyrick,1922
- 76644) *Cerace onustana* Walker,1863 (Tortricidae) Synonym(s): *onustana* Walker,1863; *guttana* R.Felder & Rogenhofer,1875; *obscura* Diakonoff,1950
- 76645) *Cerace sardias* Meyrick,1907 (Tortricidae) Synonym(s): *sardias* Meyrick,1907
- 76646) *Cerace semnologa* Diakonoff,1976 (Tortricidae) Synonym(s): *semnologa* Diakonoff,1976
- 76647) *Cerace stipana* Walker,1863 (Tortricidae) Synonym(s): *stipana* Walker,1863; *clara* Diakonoff,1950
- 76648) *Cerace stipana birmensis* Diakonoff,1950 (Tortricidae) Synonym(s): *birmensis* Diakonoff,1950
- 76649) *Cerace tetraonis* Butler,1886 (Tortricidae) Synonym(s): *tetraonis* Butler,1886; *perdicina* Moore,1888
- 76650) *Cerace tetraonis archimedis* Diakonoff,1950 (Tortricidae) Synonym(s): *archimedis* Diakonoff,1950
- 76651) *Cerace vietnamna* Kawabe,1993 (Tortricidae) Synonym(s): *vietnamna* Kawabe,1993
- 76652) *Cerace xanthocosma* Diakonoff,1950 (Tortricidae) Synonym(s): *xanthocosma* Diakonoff,1950
- 76653) *Cerace xanthothrix* Diakonoff,1950 (Tortricidae) Synonym(s): *xanthothrix* Diakonoff,1950
- 76654) *Ceramea singularis* Diakonoff,1951 (Tortricidae) Synonym(s): *singularis* Diakonoff,1951
- 76655) *Ceratoxanthus adriatica* Elsner & Jaros,2003 (Tortricidae) Synonym(s): *adriatica* Elsner & Jaros,2003
- 76656) *Ceratoxanthus argentomixtana* (Staudinger,1870) (Tortricidae) Synonym(s): *argentomixtana* Staudinger,1870
- 76657) *Ceratoxanthus externana* (Eversmann,1844) (Tortricidae) Synonym(s): *externana* Eversmann,1844
- 76658) *Ceratoxanthus iberica* Baixeras,1992 (Tortricidae) Synonym(s): *iberica* Baixeras,1992
- 76659) *Ceratoxanthus rakosyella* Wieser & Huemer,2000 (Tortricidae) Synonym(s): *rakosyella* Wieser & Huemer,2000
- 76660) *Charitographa mikadonia* (Stringer,1930) (Tortricidae) Synonym(s): *mikadonia* Stringer,1930; *#micadonis* Issiki,1957
- 76661) *Charitostegia poliocycla* Diakonoff,1988 (Tortricidae) Synonym(s): *poliocycla* Diakonoff,1988
- 76662) *Chersomorpha biocellana* (Walker,1863) (Tortricidae) Synonym(s): *biocellana* Walker,1863
- 76663) *Chersomorpha hyphantria* Diakonoff,1984 (Tortricidae) Synonym(s): *hyphantria* Diakonoff,1984
- 76664) *Chersomorpha taospila* Meyrick,1926 (Tortricidae) Synonym(s): *taospila* Meyrick,1926
- 76665) *Chicortortrix zeteles* Razowski,1987 (Tortricidae) Synonym(s): *zeteles* Razowski,1987
- 76666) *Chileulia stalactilis* (Meyrick,1931) (Tortricidae) Synonym(s): *stalactilis* Meyrick,1931
- 76667) *Chilips atalodes* (Meyrick,1917) (Tortricidae) Synonym(s): *atalodes* Meyrick,1917
- 76668) *Chilips claduncus* Razowski,1988 (Tortricidae) Synonym(s): *claduncus* Razowski,1988
- 76669) *Chiraps alloica* (Diakonoff,1948) (Tortricidae) Synonym(s): *alloica* Diakonoff,1948
- 76670) *Chiraps excurvata* (Meyrick,1930) (Tortricidae) Synonym(s): *excurvata* Meyrick,1930; *chlorotypa* Meyrick,1934
- 76671) *Chiraps paterata* (Meyrick,1914) (Tortricidae) Synonym(s): *paterata* Meyrick,1914
- 76672) *Chiraps phaedra* (Diakonoff,1983) (Tortricidae) Synonym(s): *phaedra* Diakonoff,1983
- 76673) *Chlororhitha chloromonas* Razowski,1984 (Tortricidae) Synonym(s): *chloromonas* Razowski,1984
- 76674) *Choanograptis ambigua* Diakonoff,1952 (Tortricidae) Synonym(s): *ambigua* Diakonoff,1952
- 76675) *Choanograptis ammina* (Diakonoff,1983) (Tortricidae) Synonym(s): *ammina* Diakonoff,1983
- 76676) *Choanograptis argyrocyma* Diakonoff,1983 (Tortricidae) Synonym(s): *argyrocyma* Diakonoff,1983
- 76677) *Choanograptis concinna* Diakonoff,1952 (Tortricidae) Synonym(s): *concinna* Diakonoff,1952
- 76678) *Choanograptis concurrens* Diakonoff,1952 (Tortricidae) Synonym(s): *concurrans* Diakonoff,1952
- 76679) *Choanograptis diagrapha* Diakonoff,1953 (Tortricidae) Synonym(s): *diagrapha* Diakonoff,1953
- 76680) *Choanograptis didyma* Meyrick,1938 (Tortricidae) Synonym(s): *didyma* Meyrick,1938
- 76681) *Choanograptis dihamma* (Diakonoff,1941) (Tortricidae) Synonym(s): *dihamma* Diakonoff,1941
- 76682) *Choanograptis fasciata* Diakonoff,1952 (Tortricidae) Synonym(s): *fasciata* Diakonoff,1952
- 76683) *Choanograptis hamuligera* Diakonoff,1953 (Tortricidae) Synonym(s): *hamuligera* Diakonoff,1953
- 76684) *Choanograptis paraphra* Diakonoff,1953 (Tortricidae) Synonym(s): *paragrapha* Diakonoff,1953
- 76685) *Choanograptis parorthota* (Meyrick,1928) (Tortricidae) Synonym(s): *parorthota* Meyrick,1928
- 76686) *Choanograptis rhabdomaga* (Meyrick,1938) (Tortricidae) Synonym(s): *rhabdomaga* Meyrick,1938
- 76687) *Choanograptis tetraulax* Diakonoff,1953 (Tortricidae) Synonym(s): *tetraulax* Diakonoff,1953
- 76688) *Choristoneura albaniana* (Walker,1863) (Tortricidae) Synonym(s): *albaniana* Walker,1863; *laponana* Tengström,1869; *arctiana* Möschler,1874; *kukankana* Kearfott,1907
- 76689) *Choristoneura ammina* (Diakonoff,1983) (Tortricidae) Synonym(s): *ammina* Diakonoff,1983
- 76690) *Choristoneura colyma* Razowski,2006 (Tortricidae) Synonym(s): *colyma* Razowski,2006
- 76691) *Choristoneura diversana* (Hübner,[1817]) (Tortricidae) Synonym(s): *diversana* Hübner,[1817]; *viduana* Frölich,1828; *transitana* Guenée,1845; *alfredana* Duponchel,1846
- 76692) *Choristoneura griseicoma* (Meyrick,1924) (Tortricidae) Synonym(s): *griseicoma* Meyrick,1924
- 76693) *Choristoneura hebenstreitella* (Müller,1764) (Tortricidae) Synonym(s): *hebenstreitella* Müller,1764; *pyrana* Villers,1789; *sorbiana* Hübner,[1799]
- 76694) *Choristoneura jecorana* (Kennel,1899) (Tortricidae) Synonym(s): *jecorana* Kennel,1899
- 76695) *Choristoneura lafauryana* (Ragonot,1875) (Tortricidae) Synonym(s): *lafauryana* Ragonot,1875; *inornatana* Walsingham,1900
- 76696) *Choristoneura leptographa* (Meyrick,1924) (Tortricidae) Synonym(s): *leptographa* Meyrick,1924
- 76697) *Choristoneura luticostana* (Christoph,1888) (Tortricidae) Synonym(s): *luticostana* Christoph,1888; *gigantana* Kennel,1899.
- 76698) *Choristoneura murinana* (Hübner,[1799]) (Tortricidae) Synonym(s): *murinana* Hübner,[1799]; *caprimulgana* Koch,1859; *besseri* Nowicki,1860; *histrionana* Ratzeburg,1868 nec Fröl.,1828; *immaculana* Wachtl,1882

- 76699) *Choristoneura neurophaea* (Meyrick,1932) (Tortricidae) Synonym(s): *neurophaea* Meyrick,1932
 76700) *Choristoneura propensa* Razowski,1992 (Tortricidae) Synonym(s): *propensa* Razowski,1992
 76701) *Choristoneura rosaceana* (Harris,1841) (Tortricidae) Synonym(s): *rosaceana* Harris,1841; *vicariana* Walker,1863; *gossypiana* Packard,1869
 76702) *Chrysoxena auriferana* (Busck,1911) (Tortricidae) Synonym(s): *auriferana* Busck,1911
 76703) *Cimeliomorpha cymbalora* (Meyrick,1907) (Tortricidae) Synonym(s): *cymbalora* Meyrick,1907
 76704) *Cimeliomorpha egregiana* (R.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *egregiana* R.Felder & Rogenhofer,1875
 76705) *Cimeliomorpha nabokovi* Kuznetsov,1997 (Tortricidae) Synonym(s): *nabokovi* Kuznetsov,1997
 76706) *Cirrilaspeyresia imbecillana* (Kennel,1901) (Tortricidae) Synonym(s): *imbecillana* Kennel,1901
 76707) *Cirrilaspeyresia taeniosana* (Chrétien,1915) (Tortricidae) Synonym(s): *taeniosana* Chrétien,1915
 76708) *Cirriphora pharaonana* (Kollar,1858) (Tortricidae) Synonym(s): *pharaonana* Kollar,1858
 76709) *Cirrothaumatia tornosema* (Clarke,1968) (Tortricidae) Synonym(s): *tornosema* Clarke,1968
 76710) *Cirrothaumatia vesta* (Clarke,1968) (Tortricidae) Synonym(s): *vesta* Clarke,1968
 76711) *Clarkenia lacertana* (Zeller,1866) (Tortricidae) Synonym(s): *lacertana* Zeller,1866
 76712) *Clarkenia miramundi* Razowski,1988 (Tortricidae) Synonym(s): *miramundi* Razowski,1988
 76713) *Clarkenia nivescens* (Meyrick,1926) (Tortricidae) Synonym(s): *nivescens* Meyrick,1926
 76714) *Clarkenia superba* Razowski,1988 (Tortricidae) Synonym(s): *superba* Razowski,1988
 76715) *Clarkenia trilobopa* (Meyrick,1926) (Tortricidae) Synonym(s): *trilobopa* Meyrick,1926
 76716) *Clarkeulia aerumnosa* Razowski & Becker,1984 (Tortricidae) Synonym(s): *aerumnosa* Razowski & Becker,1984
 76717) *Clarkeulia ardalio* Razowski & Becker,1984 (Tortricidae) Synonym(s): *ardalio* Razowski & Becker,1984
 76718) *Clarkeulia aulon* Razowski & Becker,1984 (Tortricidae) Synonym(s): *aulon* Razowski & Becker,1984
 76719) *Clarkeulia bourquini* (Clarke,1949) (Tortricidae) Synonym(s): *bourquini* Clarke,1949
 76720) *Clarkeulia conistra* Razowski & Becker,1984 (Tortricidae) Synonym(s): *conistra* Razowski & Becker,1984
 76721) *Clarkeulia craterosema* (Meyrick,1912) (Tortricidae) Synonym(s): *craterosema* Meyrick,1912
 76722) *Clarkeulia depectiva* (Clarke,1949) (Tortricidae) Synonym(s): *depectiva* Clarke,1949
 76723) *Clarkeulia dimorpha* (Clarke,1949) (Tortricidae) Synonym(s): *dimorpha* Clarke,1949
 76724) *Clarkeulia dubia* Razowski & Becker,1984 (Tortricidae) Synonym(s): *dubia* Razowski & Becker,1984
 76725) *Clarkeulia egena* Razowski & Becker,1984 (Tortricidae) Synonym(s): *egenae* Razowski & Becker,1984
 76726) *Clarkeulia episticta* (Clarke,1949) (Tortricidae) Synonym(s): *episticta* Clarke,1949
 76727) *Clarkeulia excerptana* (Walker,1863) (Tortricidae) Synonym(s): *excerptana* Walker,1863
 76728) *Clarkeulia expedita* Razowski & Becker,1984 (Tortricidae) Synonym(s): *expedita* Razowski & Becker,1984
 76729) *Clarkeulia exstinctrix* (Meyrick,1931) (Tortricidae) Synonym(s): *exstinctrix* Meyrick,1931
 76730) *Clarkeulia fortuita* Razowski & Becker,1984 (Tortricidae) Synonym(s): *fortuita* Razowski & Becker,1984
 76731) *Clarkeulia lacrimosa* Razowski & Becker,1984 (Tortricidae) Synonym(s): *lacrimosa* Razowski & Becker,1984
 76732) *Clarkeulia licea* Razowski & Becker,1984 (Tortricidae) Synonym(s): *licea* Razowski & Becker,1984
 76733) *Clarkeulia mediana* Razowski & Becker,1984 (Tortricidae) Synonym(s): *mediana* Razowski & Becker,1984
 76734) *Clarkeulia mulsa* Razowski & Becker,1984 (Tortricidae) Synonym(s): *mulsa* Razowski & Becker,1984
 76735) *Clarkeulia neoclyta* Razowski,1988 (Tortricidae) Synonym(s): *neoclyta* Razowski,1988
 76736) *Clarkeulia oreographa* (Meyrick,1909) (Tortricidae) Synonym(s): *oreographa* Meyrick,1909
 76737) *Clarkeulia perversa* Razowski & Becker,1984 (Tortricidae) Synonym(s): *perversa* Razowski & Becker,1984
 76738) *Clarkeulia placabilis* Razowski & Becker,1984 (Tortricidae) Synonym(s): *placabilis* Razowski & Becker,1984
 76739) *Clarkeulia radicana* (Zeller,1877) (Tortricidae) Synonym(s): *radicana* Zeller,1877
 76740) *Clarkeulia sellata* (Razowski,1982) (Tortricidae) Synonym(s): *sellata* Razowski,1982
 76741) *Clarkeulia semanota* (Razowski,1982) (Tortricidae) Synonym(s): *semanota* Razowski,1982
 76742) *Clarkeulia sematica* (Razowski,1982) (Tortricidae) Synonym(s): *sematica* Razowski,1982; #semantica Razowski,1982
 76743) *Clarkeulia semigrapha* (Razowski,1982) (Tortricidae) Synonym(s): *semigrapha* Razowski,1982
 76744) *Clarkeulia separabilis* (Razowski,1982) (Tortricidae) Synonym(s): *separabilis* Razowski,1982
 76745) *Clarkeulia sepiaria* (Razowski,1982) (Tortricidae) Synonym(s): *spectanda* Razowski,1982 nec Raz.,1982; *sepiaria* Razowski,1982
 76746) *Clarkeulia seposita* (Razowski,1982) (Tortricidae) Synonym(s): *seposita* Razowski,1982
 76747) *Clarkeulia simera* (Razowski,1982) (Tortricidae) Synonym(s): *simera* Razowski,1982
 76748) *Clarkeulia sonae* (Clarke,1949) (Tortricidae) Synonym(s): *sonae* Clarke,1949
 76749) *Clarkeulia spadix* (Razowski,1982) (Tortricidae) Synonym(s): *spadix* Razowski,1982
 76750) *Clarkeulia spectanda* (Razowski,1982) (Tortricidae) Synonym(s): *spectanda* Razowski,1982
 76751) *Clarkeulia umbrifera* (Razowski & Becker,1984) (Tortricidae) Synonym(s): *umbrifera* Razowski & Becker,1984
 76752) *Clarkeulia virga* (Clarke,1949) (Tortricidae) Synonym(s): *virga* Clarke,1949
 76753) *Clavigesta purdeyi* (Durrant,1911) (Tortricidae) Synonym(s): *purdeyi* Durrant,1911
 76754) *Clavigesta sylvestrana* (Curtis,1850) (Tortricidae) Synonym(s): *sylvestrana* Curtis,1850
 76755) *Clepsis aba* Razowski,1979 (Tortricidae) Synonym(s): *aba* Razowski,1979
 76756) *Clepsis abscisana* (Zeller,1877) (Tortricidae) Synonym(s): *abscisana* Zeller,1877
 76757) *Clepsis aerosana* (Lederer,1853) (Tortricidae) Synonym(s): *aerosana* Lederer,1853
 76758) *Clepsis agenjoi* Obratzov,1950 (Tortricidae) Synonym(s): *agenjoi* Obratzov,1950
 76759) *Clepsis aliana* Kawabe,1965 (Tortricidae) Synonym(s): *aliana* Kawabe,1965
 76760) *Clepsis altitudinarius* (Filipjev,1962) (Tortricidae) Synonym(s): *altitudinarius* Filipjev,1962
 76761) *Clepsis antigona* (Meyrick,1931) (Tortricidae) Synonym(s): *antigona* Meyrick,1931
 76762) *Clepsis archidona* Razowski,1999 (Tortricidae) Synonym(s): *archidona* Razowski,1999
 76763) *Clepsis assensiodens* Razowski,2004 (Tortricidae) Synonym(s): *assensiodens* Razowski,2004
 76764) *Clepsis assensus* Razowski & Pelz,2004 (Tortricidae) Synonym(s): *assensus* Razowski & Pelz,2004
 76765) *Clepsis balcanica* (Rebel,1917) (Tortricidae) Synonym(s): *balcanica* Rebel,1917; *wassiana* Schmidt,1930.
 76766) *Clepsis banhadana* Razowski & Becker,2003 (Tortricidae) Synonym(s): *banhadana* Razowski & Becker,2003
 76767) *Clepsis browni* Razowski & Pelz,2004 (Tortricidae) Synonym(s): *browni* Razowski & Pelz,2004
 76768) *Clepsis brunneograptia* Razowski & Pelz,2004 (Tortricidae) Synonym(s): *brunneograptia* Razowski & Pelz,2004
 76769) *Clepsis brusquea* Razowski & Becker,2003 (Tortricidae) Synonym(s): *brusquea* Razowski & Becker,2003
 76770) *Clepsis burgasiensis* (Rebel,1916) (Tortricidae) Synonym(s): *burgasiensis* Rebel,1916; #burgasensis Drenowsky,1924; #burgisana Thurner,1941
 76771) *Clepsis camposana* Razowski & Becker,2003 (Tortricidae) Synonym(s): *camposana* Razowski & Becker,2003
 76772) *Clepsis canariensis* (Rebel,1896) (Tortricidae) Synonym(s): *canariensis* Rebel,1896
 76773) *Clepsis capnosticha* (Meyrick,1917) (Tortricidae) Synonym(s): *capnosticha* Meyrick,1917
 76774) *Clepsis carillana* Razowski & Becker,2003 (Tortricidae) Synonym(s): *carillana* Razowski & Becker,2003
 76775) *Clepsis catarinana* Razowski & Becker,2003 (Tortricidae) Synonym(s): *catarinana* Razowski & Becker,2003
 76776) *Clepsis celsana* (Kennel,1919) (Tortricidae) Synonym(s): *celsana* Kennel,1919
 76777) *Clepsis centonata* Razowski & Becker,1999 (Tortricidae) Synonym(s): *centonata* Razowski & Becker,1999
 76778) *Clepsis chishimana* Oku,1965 (Tortricidae) Synonym(s): *chishimana* Oku,1965; *jinboi* Kawabe,1965
 76779) *Clepsis chlorodoxa* (Meyrick,1920) (Tortricidae) Synonym(s): *chlorodoxa* Meyrick,1920
 76780) *Clepsis clemensiana* (Fernald,1879) (Tortricidae) Synonym(s): *clemensiana* Fernald,1879; *nervosana* Kearfott,1907
 76781) *Clepsis confragosa* Razowski & Becker,2003 (Tortricidae) Synonym(s): *confragosa* Razowski & Becker,2003
 76782) *Clepsis consimilana* (Hübner,[1817]) (Tortricidae) Synonym(s): *consimilana* Hübner,[1817]; *unifasciana* Duponchel,1843; *productana* Zeller,1847; *obliterana* Herrich-Schäffer,1851; *peregrinana* Stephens,1852; *eatoniana* Ragonot,1881; *semiana* Chrétien,1915; *acclivana* Zerny,1933; *placida* Diakonoff,1948
 76783) *Clepsis coriacana* (Rebel,1894) (Tortricidae) Synonym(s): *coriacana* Rebel,1894
 76784) *Clepsis cremnobates* (Walsingham,1914) (Tortricidae) Synonym(s): *cremnobates* Walsingham,1914
 76785) *Clepsis crinis* Razowski,1979 (Tortricidae) Synonym(s): *crinis* Razowski,1979
 76786) *Clepsis crispinana* (Kennel,1919) (Tortricidae) Synonym(s): *crispinana* Kennel,1919

- 76787) *Clepsis cristobaliana* Razowski & Becker, 2003 (Tortricidae) Synonym(s): *cristobaliana* Razowski & Becker, 2003
 76788) *Clepsis danilevskyi* Kostjuk, 1973 (Tortricidae) Synonym(s): *danilevskyi* Kostjuk, 1973; *firthana* Matsumura, 1986
 76789) *Clepsis devexa* (Meyrick, 1926) (Tortricidae) Synonym(s): *devexa* Meyrick, 1926
 76790) *Clepsis domabilis* Razowski & Becker, 1999 (Tortricidae) Synonym(s): *domabilis* Razowski & Becker, 1999
 76791) *Clepsis dubia* Razowski & Becker, 2003 (Tortricidae) Synonym(s): *dubia* Razowski & Becker, 2003
 76792) *Clepsis dumicolana* (Zeller, 1847) (Tortricidae) Synonym(s): *dumicolana* Zeller, 1847; *austriaca* Amsel, 1952
 76793) *Clepsis ecclisis* (Walsingham, 1914) (Tortricidae) Synonym(s): *ecclisis* Walsingham, 1914
 76794) *Clepsis enervis* Razowski, 1979 (Tortricidae) Synonym(s): *enervis* Razowski, 1979
 76795) *Clepsis eura* Razowski, 1979 (Tortricidae) Synonym(s): *euria* Razowski, 1979
 76796) *Clepsis exaraesima* Razowski & Becker, 2003 (Tortricidae) Synonym(s): *exaraesima* Razowski & Becker, 2003
 76797) *Clepsis fatiloqua* Razowski, 1979 (Tortricidae) Synonym(s): *fatiloqua* Razowski, 1979
 76798) *Clepsis finitima* Razowski, 1979 (Tortricidae) Synonym(s): *finitima* Razowski, 1979
 76799) *Clepsis flavidana* (McDunnough, 1923) (Tortricidae) Synonym(s): *flavidana* McDunnough, 1923
 76800) *Clepsis flavifasciaria* Wang, Li & Wang, 2003 (Tortricidae) Synonym(s): *flavifasciaria* Wang, Li & Wang, 2003
 76801) *Clepsis fluxa* Razowski & Becker, 2003 (Tortricidae) Synonym(s): *fluxa* Razowski & Becker, 2003
 76802) *Clepsis fraterna* Razowski & Pelz, 2004 (Tortricidae) Synonym(s): *fraterna* Razowski & Pelz, 2004
 76803) *Clepsis fucana* (Walsingham, 1879) (Tortricidae) Synonym(s): *fucana* Walsingham, 1879; *victoriana* Busck, 1922; *busckana* Kiefer, 1933
 76804) *Clepsis fumosa* Razowski & Becker, 2003 (Tortricidae) Synonym(s): *fumosa* Razowski & Becker, 2003
 76805) *Clepsis gelophodes* (Meyrick, 1936) (Tortricidae) Synonym(s): *gelophodes* Meyrick, 1936
 76806) *Clepsis gemina* Razowski, 1979 (Tortricidae) Synonym(s): *gemina* Razowski, 1979
 76807) *Clepsis gerasimovi* Danilevsky, 1962 (Tortricidae) Synonym(s): *gerasimovi* Danilevsky, 1962
 76808) *Clepsis hissarica* Danilevsky, 1963 (Tortricidae) Synonym(s): *hissarica* Danilevsky, 1963
 76809) *Clepsis hohuanshanensis* Kawabe, 1985 (Tortricidae) Synonym(s): *hohuanshanensis* Kawabe, 1985
 76810) *Clepsis homophyla* (Meyrick, 1917) (Tortricidae) Synonym(s): *homophyla* Meyrick, 1917
 76811) *Clepsis homophyla* (Meyrick, 1917) (Tortricidae) Synonym(s): *homophyla* Meyrick, 1917
 76812) *Clepsis humana* (Meyrick, 1912) (Tortricidae) Synonym(s): *humana* Meyrick, 1912; *noseropsis* Meyrick, 1928; *khola* Yasuda, 1969
 76813) *Clepsis illustrana* (Krogerus, 1936) (Tortricidae) Synonym(s): *illustrana* Krogerus, 1936
 76814) *Clepsis ingenua* (Meyrick, 1912) (Tortricidae) Synonym(s): *ingenua* Meyrick, 1912
 76815) *Clepsis insignata* Oku, 1963 (Tortricidae) Synonym(s): *insignata* Oku, 1963
 76816) *Clepsis joaquimana* Razowski & Becker, 1999 (Tortricidae) Synonym(s): *joaquimana* Razowski & Becker, 1999
 76817) *Clepsis kearfotti* Obratzov, 1962 (Tortricidae) Synonym(s): *kearfotti* Obratzov, 1962
 76818) *Clepsis ketmenana* (Falkovitsh, 1962) (Tortricidae) Synonym(s): *ketmenana* Falkovitsh, 1962
 76819) *Clepsis laetitiae* Soria, 1997 (Tortricidae) Synonym(s): *laetitiae* Soria, 1997
 76820) *Clepsis laetornata* Wang, Li & Wang, 2003 (Tortricidae) Synonym(s): *laetornata* Wang, Li & Wang, 2003
 76821) *Clepsis laxa* Razowski, 1979 (Tortricidae) Synonym(s): *laxa* Razowski, 1979
 76822) *Clepsis leptograpta* (Meyrick, 1924) (Tortricidae) Synonym(s): *leptograpta* Meyrick, 1924
 76823) *Clepsis limana* Razowski & Becker, 2003 (Tortricidae) Synonym(s): *limana* Razowski & Becker, 2003
 76824) *Clepsis lindebergi* (Krogerus, 1952) (Tortricidae) Synonym(s): *lindebergi* Krogerus, 1952
 76825) *Clepsis lineata* Razowski & Pelz, 2004 (Tortricidae) Synonym(s): *lineata* Razowski & Pelz, 2004
 76826) *Clepsis listerana* (Kearfott, 1907) (Tortricidae) Synonym(s): *listerana* Kearfott, 1907
 76827) *Clepsis luctuosana* (Rebel, 1914) (Tortricidae) Synonym(s): *luctuosana* Rebel, 1914; *lutosana* Rebel, 1914
 76828) *Clepsis lutosulana* (Zeller, 1877) (Tortricidae) Synonym(s): *lutosulana* Zeller, 1877
 76829) *Clepsis mehli* (Opheim, 1964) (Tortricidae) Synonym(s): *mehli* Opheim, 1964
 76830) *Clepsis melaleucanus* (Walker, 1863) (Tortricidae) Synonym(s): *melaleucanus* Walker, 1863; *invexana* Walker, 1863; *semifuscana* Clemens, 1864
 76831) *Clepsis melissa* (Meyrick, 1908) (Tortricidae) Synonym(s): *melissa* Meyrick, 1908; *epiclintes* Meyrick, 1928
 76832) *Clepsis metalleta* (Walsingham, 1914) (Tortricidae) Synonym(s): *metalleta* Walsingham, 1914
 76833) *Clepsis microchone* Razowski & Becker, 2003 (Tortricidae) Synonym(s): *microchone* Razowski & Becker, 2003
 76834) *Clepsis miserulana* (Zeller, 1877) (Tortricidae) Synonym(s): *miserulana* Zeller, 1877
 76835) *Clepsis misgurna* Razowski, [1992] (Tortricidae) Synonym(s): *misgurna* Razowski, [1992]
 76836) *Clepsis moeschleriana* (Wocke, 1862) (Tortricidae) Synonym(s): *moeschleriana* Wocke, 1862; *algidana* Möschler, 1862; *gelidana* Möschler, 1862; *altaiensis* Kostjuk, 1975.
 76837) *Clepsis monticolana* Kawabe, 1964 (Tortricidae) Synonym(s): *monticolana* Kawabe, 1964
 76838) *Clepsis murzini* Gibeaux, 1999 (Tortricidae) Synonym(s): *murzini* Gibeaux, 1999
 76839) *Clepsis naucinum* Razowski, [1992] (Tortricidae) Synonym(s): *naucinum* Razowski, [1992]
 76840) *Clepsis neglectana* (Herrich-Schäffer, 1851) (Tortricidae) Synonym(s): *neglectana* Herrich-Schäffer, 1851; *flavana* Duponchel, 1834 nec Hüb., [1799]; *betulifoliola* Lederer, 1859; *striolana* Ragonot, 1879; *xylotoma* Meyrick, 1891; *severana* Kennel, 1901; *delibatana* Rothschild, 1912; *dorana* Kennel, 1919; *acclivana* Zerny, 1933.
 76841) *Clepsis neomelissa* (Rose & Pooni, 2004) (Tortricidae) Synonym(s): *neomelissa* Rose & Pooni, 2004
 76842) *Clepsis nybomi* Hackman, 1950 (Tortricidae) Synonym(s): *fuliginosana* Hackman, 1950 (praeocc.); *nybomi* Hackman, 1950
 76843) *Clepsis oblimatana* (Kennel, 1901) (Tortricidae) Synonym(s): *oblimatana* Kennel, 1901; *praestinis* Rebel, 1911; *callimachana* Turati, 1924.
 76844) *Clepsis opinabilis* Razowski, 1979 (Tortricidae) Synonym(s): *opinabilis* Razowski, 1979
 76845) *Clepsis orycta* (Walsingham, 1914) (Tortricidae) Synonym(s): *orycta* Walsingham, 1914
 76846) *Clepsis pallidana* (Fabricius, 1776) (Tortricidae) Synonym(s): *pallidana* Fabricius, 1776; *strigana* Hübner, [1799]; *stramineana* Herrich-Schäffer, [1851]; *quinquemaculana* Bremer, 1864; *cesareana* Joannis, 1891; *districta* Meyrick, 1920.
 76847) *Clepsis parassensus* Razowski, 2004 (Tortricidae) Synonym(s): *parassensus* Razowski, 2004
 76848) *Clepsis parorycta* Razowski & Becker, 2003 (Tortricidae) Synonym(s): *parorycta* Razowski & Becker, 2003
 76849) *Clepsis parva* Razowski, 2004 (Tortricidae) Synonym(s): *parva* Razowski, 2004
 76850) *Clepsis pelospila* (Meyrick, 1932) (Tortricidae) Synonym(s): *pelospila* Meyrick, 1932
 76851) *Clepsis penetralis* Razowski, 1979 (Tortricidae) Synonym(s): *penetralis* Razowski, 1979
 76852) *Clepsis peritana* (Clemens, 1860) (Tortricidae) Synonym(s): *peritana* Clemens, 1860; *inconclusana* Walker, 1863
 76853) *Clepsis persicana* (Fitch, 1856) (Tortricidae) Synonym(s): *persicana* Fitch, 1856; *blandana* Clemens, 1864; *conigerana* Zeller, 1875
 76854) *Clepsis phaeana* (Rebel, 1916) (Tortricidae) Synonym(s): *phaeana* Rebel, 1916
 76855) *Clepsis powelli* Razowski, 1979 (Tortricidae) Synonym(s): *powelli* Razowski, 1979
 76856) *Clepsis praeclarana* (Kennel, 1899) (Tortricidae) Synonym(s): *praeclarana* Kennel, 1899; *fucosana* Kennel, 1901; *vittata* Obratzov, 1968.
 76857) *Clepsis provocata* (Meyrick, 1912) (Tortricidae) Synonym(s): *provocata* Meyrick, 1912
 76858) *Clepsis rasilis* Razowski, 1979 (Tortricidae) Synonym(s): *rasilis* Razowski, 1979
 76859) *Clepsis razowskii* Kawabe, 1992 (Tortricidae) Synonym(s): *razowskii* Kawabe, 1992
 76860) *Clepsis rogana* (Guenée, 1845) (Tortricidae) Synonym(s): *rogana* Guenée, 1845; *lusana* Herrich-Schäffer, 1851; *dohniana* Herrich-Schäffer, 1856
 76861) *Clepsis rolandriana* (Linnaeus, 1758) (Tortricidae) Synonym(s): *rolandriana* Linnaeus, 1758
 76862) *Clepsis rurinana* (Linnaeus, 1758) (Tortricidae) Synonym(s): *rurinana* Linnaeus, 1758; *modeerinana* Linnaeus, 1761; *angulosa* Fourcroy, 1785; *semialbana* Guenée, 1845; *idana* Kennel, 1919; *liotoma* Meyrick, 1935.
 76863) *Clepsis sarthana* (Ragonot, 1894) (Tortricidae) Synonym(s): *sarthana* Ragonot, 1894
 76864) *Clepsis semanta* Razowski & Becker, 2003 (Tortricidae) Synonym(s): *semanta* Razowski & Becker, 2003
 76865) *Clepsis senecioniana* (Hübner, [1819]) (Tortricidae) Synonym(s): *rusticana* Hübner, [1799] (praeocc.); *senecioniana* Hübner, [1819]; *helvolana* Fröhlich, 1828; *stramineana* Zetterstedt, 1839; *porcana* Zetterstedt, 1839; *pulverana* Eversmann, 1844; *culmana* Peyerimhoff, 1864.
 76866) *Clepsis siciliana* (Ragonot, 1894) (Tortricidae) Synonym(s): *siciliana* Ragonot, 1894; *fluxana* Kennel, 1901; *granadanus* Walsingham, 1903
 76867) *Clepsis smicrotes* (Walsingham, 1914) (Tortricidae) Synonym(s): *smicrotes* Walsingham, 1914
 76868) *Clepsis soriana* (Kennel, 1899) (Tortricidae) Synonym(s): *soriana* Kennel, 1899; *seclusa* Meyrick, 1926.
 76869) *Clepsis spectrana* (Treitschke, 1830) (Tortricidae) Synonym(s): *spectrana* Treitschke, 1830; *vinculana* Treitschke, 1830; *laticornia* Stainton, 1857; *liverana* Mansbridge, 1914; *intermedia* Mansbridge, 1914

- 76870) *Clepsip spirana* Razowski, 1979 (Tortricidae) Synonym(s): *spirana* Razowski, 1979
- 76871) *Clepsip steineriana* (Hübner, [1799]) (Tortricidae) Synonym(s): *steineriana* Hübner, [1799]; *chrysitana* Frölich, 1828; *caprana* Della Beffa, 1935; *roganodes* Hannemann, 1960; *#chrysitana* Razowski, 1979
- 76872) *Clepsip stenophora* (Bradley, 1965) (Tortricidae) Synonym(s): *stenophora* Bradley, 1965
- 76873) *Clepsip subcostana* (Stainton, 1859) (Tortricidae) Synonym(s): *subcostana* Stainton, 1859; *retiferana* Stainton, 1859.
- 76874) *Clepsip subjunctana* (Wollaston, 1858) (Tortricidae) Synonym(s): *subjunctana* Wollaston, 1858
- 76875) *Clepsip substrigana* (Constantini, 1923) (Tortricidae) Synonym(s): *substrigana* Constantini, 1923
- 76876) *Clepsip taima* Razowski & Becker, 2003 (Tortricidae) Synonym(s): *taima* Razowski & Becker, 2003
- 76877) *Clepsip tannuolana* Kostyuk, 1973 (Tortricidae) Synonym(s): *tannuolana* Kostyuk, 1973
- 76878) *Clepsip tassa* Razowski & Pelz, 2004 (Tortricidae) Synonym(s): *tassa* Razowski & Pelz, 2004
- 76879) *Clepsip teopisciae* Razowski & Becker, 2003 (Tortricidae) Synonym(s): *teopisciae* Razowski & Becker, 2003
- 76880) *Clepsip tetraplegma* (Diakonoff, 1957) (Tortricidae) Synonym(s): *tetraplegma* Diakonoff, 1957
- 76881) *Clepsip translucida* (Meyrick, 1908) (Tortricidae) Synonym(s): *translucida* Meyrick, 1908
- 76882) *Clepsip trivialis* (Meyrick, 1913) (Tortricidae) Synonym(s): *trivialis* Meyrick, 1913
- 76883) *Clepsip truculenta* Razowski, 1979 (Tortricidae) Synonym(s): *truculenta* Razowski, 1979
- 76884) *Clepsip tuxtlana* Razowski & Becker, 2003 (Tortricidae) Synonym(s): *tuxtlana* Razowski & Becker, 2003
- 76885) *Clepsip uncisecta* Razowski & Wolff, 1998 (Tortricidae) Synonym(s): *uncisecta* Razowski & Wolff, 1998
- 76886) *Clepsip unicolorana* (Duponchel, 1835) (Tortricidae) Synonym(s): *unicolorana* Duponchel, 1835; *asphodilana* Herrich-Schäffer, 1851; *labatiana* Breignot, 1890; *uhagonana* Constant, 1891; *uhagoni* Seebold, 1898; *iberica* Kennel, 1910
- 76887) *Clepsip violacea* Razowski, 1966 (Tortricidae) Synonym(s): *violacea* Razowski, 1966
- 76888) *Clepsip virescana* (Clemens, 1865) (Tortricidae) Synonym(s): *virescana* Clemens, 1865; *sescuplana* Zeller, 1875; *glauca* Walsingham, 1879
- 76889) *Clepsip virescana salebroza* Razowski, 1979 (Tortricidae) Synonym(s): *salebroza* Razowski, 1979
- 76890) *Clepsip vitiana* (Zeller, 1877) (Tortricidae) Synonym(s): *vitiana* Zeller, 1877
- 76891) *Clepsip yakutica* (Koçak, 1986) (Tortricidae) Synonym(s): *plumbeolana* Bremer, 1865 nec Hw., 1811; *yakutica* Koçak, 1986
- 76892) *Clepsip zelleriana* (Erschoff, 1874) (Tortricidae) Synonym(s): *zelleriana* Erschoff, 1874
- 76893) *Clepsip zeuglodon* Razowski, 1979 (Tortricidae) Synonym(s): *zeuglodon* Razowski, 1979
- 76894) *Clepsip zoquipana* Razowski & Becker, 2003 (Tortricidae) Synonym(s): *zoquipana* Razowski & Becker, 2003
- 76895) *Cnephasia* (*Cnephasiella*) *abrasana* (Duponchel, 1843) (Tortricidae) Synonym(s): *abrasana* Duponchel, 1843
- 76896) *Cnephasia* (*Cnephasiella*) *incertana* (Treitschke, 1835) (Tortricidae) Synonym(s): *incertana* Treitschke, 1835; *subjectana* Guenée, 1845; *minorana* Herrich-Schäffer, 1851; *barbarana* Walsingham, 1900; *kurdistan* Amsel, 1955; *atticana* Razowski, 1958
- 76897) *Cnephasia* (s.str.) *agathana* (Kennel, 1919) (Tortricidae) Synonym(s): *agathana* Kennel, 1919
- 76898) *Cnephasia* (s.str.) *albatana* Chrétien, 1915 (Tortricidae) Synonym(s): *albatana* Chrétien, 1915
- 76899) *Cnephasia* (s.str.) *alfacarana* Razowski, 1958 (Tortricidae) Synonym(s): *alfacarana* Razowski, 1958
- 76900) *Cnephasia* (s.str.) *alticola* Kuznetsov, 1966 (Tortricidae) Synonym(s): *alticola* Kuznetsov, 1966
- 76901) *Cnephasia* (s.str.) *alticolana* (Herrich-Schäffer, 1851) (Tortricidae) Synonym(s): *alticolana* Herrich-Schäffer, 1851; *branderiana* Franz, 1953; *nemesii* Stanoiu & Nemes, 1974
- 76902) *Cnephasia* (s.str.) *amseli* (Lucas, 1942) (Tortricidae) Synonym(s): *amseli* Lucas, 1942; *taurominana* Razowski, 1955
- 76903) *Cnephasia* (s.str.) *asiatica* Kuznetsov, 1956 (Tortricidae) Synonym(s): *asiatica* Kuznetsov, 1956
- 76904) *Cnephasia* (s.str.) *asseclana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *asseclana* [Denis & Schiffermüller], 1775; *interjectana* Haworth, 1811; *virgaureana* Treitschke, 1835; *oleracea* Gibson, 1916
- 76905) *Cnephasia* (s.str.) *bizensis* Razowski, 1953 (Tortricidae) Synonym(s): *bizensis* Razowski, 1953
- 76906) *Cnephasia* (s.str.) *chrysanthæana* (Duponchel, 1843) (Tortricidae) Synonym(s): *chrysanthæana* Duponchel, 1843; *cinareana* Chrétien, 1892; *#cinareana* Meyrick, 1912
- 76907) *Cnephasia* (s.str.) *ciscaucasica* Filipjev (Tortricidae) Synonym(s):
- 76908) *Cnephasia* (s.str.) *communana* (Herrich-Schäffer, [1851]) (Tortricidae) Synonym(s): *communana* Herrich-Schäffer, [1851]
- 76909) *Cnephasia* (s.str.) *conspersana* Douglas, 1846 (Tortricidae) Synonym(s): *conspersana* Douglas, 1846; *cretacea* Curtis, 1850; *perterana* Doubleday, 1850; *decolorana* Stephens, 1852
- 76910) *Cnephasia* (s.str.) *cupressivorana* (Staudinger, 1871) (Tortricidae) Synonym(s): *cupressivorana* Staudinger, 1871; *appenicola* Obratzov, 1950; *orthoxyana* Réal, 1951; *confluentana* Réal, 1951
- 76911) *Cnephasia* (s.str.) *daedalea* Razowski, 1983 (Tortricidae) Synonym(s): *daedalea* Razowski, 1983
- 76912) *Cnephasia* (s.str.) *disformana* Razowski, 1983 (Tortricidae) Synonym(s): *disformana* Razowski, 1983
- 76913) *Cnephasia* (s.str.) *disparana* Kuznetsov, 1962 (Tortricidae) Synonym(s): *disparana* Kuznetsov, 1962
- 76914) *Cnephasia* (s.str.) *divisana* Razowski, 1959 (Tortricidae) Synonym(s): *divisana* Razowski, 1959
- 76915) *Cnephasia* (s.str.) *ecullyana* Réal, 1951 (Tortricidae) Synonym(s): *ecullyana* Réal, 1951; *tyrrhaenica* Amsel, 1952; *pollinoana* Trematerra, 1991
- 76916) *Cnephasia* (s.str.) *etnana* Razowski & Trematerra, 1999 (Tortricidae) Synonym(s): *etnana* Razowski & Trematerra, 1999
- 76917) *Cnephasia* (s.str.) *facetana* Kennel, 1901 (Tortricidae) Synonym(s): *facetana* Kennel, 1901
- 76918) *Cnephasia* (s.str.) *fiorii* Razowski, 1958 (Tortricidae) Synonym(s): *fiorii* Razowski, 1958
- 76919) *Cnephasia* (s.str.) *fragosana* (Zeller, 1847) (Tortricidae) Synonym(s): *fragosana* Zeller, 1847
- 76920) *Cnephasia* (s.str.) *fulturata* Rebel, 1940 (Tortricidae) Synonym(s): *fulturata* Rebel, 1940
- 76921) *Cnephasia* (s.str.) *genitalana* Pierce & Metcalfe, 1922 (Tortricidae) Synonym(s): *genitalana* Pierce & Metcalfe, 1922
- 76922) *Cnephasia* (s.str.) *gracana* Rebel, 1902 (Tortricidae) Synonym(s): *gracana* Rebel, 1902; *#ochreana* Razowski, 1961
- 76923) *Cnephasia* (s.str.) *grandis* (Osthelder, 1938) (Tortricidae) Synonym(s): *grandis* Osthelder, 1938
- 76924) *Cnephasia* (s.str.) *gueneana* (Duponchel, 1836) (Tortricidae) Synonym(s): *gueneana* Duponchel, 1836; *segetana* Zeller, 1847; *nuraghana* Amsel, 1952
- 76925) *Cnephasia* (s.str.) *heinemannii* Obratzov, 1957 (Tortricidae) Synonym(s): *monochromana* Heinemann, 1863 (*praeocc.*); *heinemannii* Obratzov, 1957; *minima* Razowski, 1959
- 76926) *Cnephasia* (s.str.) *helenica* Obratzov, 1950 (Tortricidae) Synonym(s): *helenica* Obratzov, 1950; *hellenica* Obratzov, 1956
- 76927) *Cnephasia* (s.str.) *heringi* Razowski, 1958 (Tortricidae) Synonym(s): *heringi* Razowski, 1958
- 76928) *Cnephasia* (s.str.) *hunzorumi* Diakonoff, 1971 (Tortricidae) Synonym(s): *hunzorumi* Diakonoff, 1971
- 76929) *Cnephasia* (s.str.) *josefi* Razowski, 1961 (Tortricidae) Synonym(s): *josefi* Razowski, 1961
- 76930) *Cnephasia* (s.str.) *kasyi* Razowski, 1971 (Tortricidae) Synonym(s): *kasyi* Razowski, 1971
- 76931) *Cnephasia* (s.str.) *kenneli* Obratzov, 1956 (Tortricidae) Synonym(s): *obsoletana* Kennel, 1901 nec Wd., 1832; *kenneli* Obratzov, 1956.
- 76932) *Cnephasia* (s.str.) *klimeschi* Razowski, 1956 (Tortricidae) Synonym(s): *klimeschi* Razowski, 1956
- 76933) *Cnephasia* (s.str.) *korvaci* Razowski, 1965 (Tortricidae) Synonym(s): *korvaci* Razowski, 1965
- 76934) *Cnephasia* (s.str.) *laetana* (Staudinger, 1871) (Tortricidae) Synonym(s): *laetana* Staudinger, 1871
- 76935) *Cnephasia* (s.str.) *lineata* (Walsingham, 1900) (Tortricidae) Synonym(s): *lineata* Walsingham, 1900; *terebrana* Amsel & M. Hering, 1931
- 76936) *Cnephasia* (s.str.) *longana* (Haworth, [1811]) (Tortricidae) Synonym(s): *longana* Haworth, [1811]; *egenana* Haworth, [1811]; *expallidana* Haworth, [1811]; *ictericana* Haworth, [1811]; *lutosana* Hübner, [1813]; *capillana* Guenée, 1845; *stratana* Zeller, 1847; *loeviana* Zeller, 1847; *luridalbana* Herrich-Schäffer, 1851; *insolatana* Herrich-Schäffer, 1851; *gratana* Laharpe, 1860; *#ongana* Meyrick, 1912; *cadizensis* Razowski, 1959
- 76937) *Cnephasia* (s.str.) *maraschana* Caradja, 1916 (Tortricidae) Synonym(s): *maraschana* Caradja, 1916
- 76938) *Cnephasia* (s.str.) *marcidana* Kennel, 1901 (Tortricidae) Synonym(s): *marcidana* Kennel, 1901
- 76939) *Cnephasia* (s.str.) *margelanensis* Razowski, 1958 (Tortricidae) Synonym(s): *margelanensis* Razowski, 1958
- 76940) *Cnephasia* (s.str.) *microstrigana* Razowski, 1958 (Tortricidae) Synonym(s): *microstrigana* Razowski, 1958
- 76941) *Cnephasia* (s.str.) *minutula* (Falkovitsh, 1962) (Tortricidae) Synonym(s): *minutula* Falkovitsh, 1962
- 76942) *Cnephasia* (s.str.) *nesiotica* Razowski, 1983 (Tortricidae) Synonym(s): *nesiotica* Razowski, 1983
- 76943) *Cnephasia* (s.str.) *nigripunctana* Amsel, 1959 (Tortricidae) Synonym(s): *nigripunctana* Amsel, 1959
- 76944) *Cnephasia* (s.str.) *orientana* (Alpheraky, 1877) (Tortricidae) Synonym(s): *orientana* Alpheraky, 1877
- 76945) *Cnephasia* (s.str.) *osthelderi* Obratzov, 1950 (Tortricidae) Synonym(s): *osthelderi* Obratzov, 1950
- 76946) *Cnephasia* (s.str.) *oxyacanthana* (Herrich-Schäffer, [1851]) (Tortricidae) Synonym(s): *oxyacanthana* (Herrich-Schäffer, [1851]).
- 76947) *Cnephasia* (s.str.) *parnassicola* Razowski, 1958 (Tortricidae) Synonym(s): *parnassicola* Razowski, 1958

- 76948) *Cnephasia* (s.str.) *pasiuana* (Hübner,[1799]) (Tortricidae) Synonym(s): *pasiuana* Hübner,[1799]; *obsoletana* Stephens,1835; *pumicana* Zeller,1847; *#pasivana* Staudinger,1879; *crassifasciana* Joannis,1920; *linophagana* Rebel,1939; *pyrophagana* Rebel,1939; *cleuana* Réal,1952; *pseudotypica* Réal,1952; *algerana* Réal,1953; *blezinskii* Toll,1953; *hagiosana* Razowski,1959
- 76949) *Cnephasia* (s.str.) *pirizanica* Razowski,1965 (Tortricidae) Synonym(s): *amseli* Razowski,1957 (*praeocc.*); *pirizanica* Razowski,1965
- 76950) *Cnephasia* (s.str.) *pollinoana* Trematerra,1991 (Tortricidae) Synonym(s): *pollinoana* Trematerra,1991
- 76951) *Cnephasia* (s.str.) *regifica* Razowski,1971 (Tortricidae) Synonym(s): *regifica* Razowski,1971
- 76952) *Cnephasia* (s.str.) *sabulosa definita* Filipjev (Tortricidae) Synonym(s):
- 76953) *Cnephasia* (s.str.) *sedana* (Constant,1884) (Tortricidae) Synonym(s): *sedana* Constant,1884; *marcidana* Kennel,1901; *valderiana* Turati & Verity,1912; *alaicana* Caradja,1916; *agathana* Kennel,1919; *obscurana* Osthelder,1938; *oricasis* Meyrick,1932; *amseli* Razowski,1957; *pirizanica* Razowski,1965
- 76954) *Cnephasia* (s.str.) *semibrunneata* De Joannis,1891 (Tortricidae) Synonym(s): *semibrunneata* De Joannis,1891
- 76955) *Cnephasia* (s.str.) *stachi* Razowski,1958 (Tortricidae) Synonym(s): *stachi* Razowski,1958
- 76956) *Cnephasia* (s.str.) *stephensiana* (Doubleday,1849) (Tortricidae) Synonym(s): *stephensiana* Doubleday,1849
- 76957) *Cnephasia* (s.str.) *stephensiana anatoliana* Obratzov,1950 (Tortricidae) Synonym(s): *anatoliana* Obratzov,1950
- 76958) *Cnephasia* (s.str.) *stephensiana atlantis* Filipjev,1934 (Tortricidae) Synonym(s): *atlantis* Filipjev,1934
- 76959) *Cnephasia* (s.str.) *stephensiana stephensiana* (Doubleday,1849) (Tortricidae) Synonym(s): *stephensiana* Doubleday,1849; *hispanica* Obratzov,1950
- 76960) *Cnephasia* (s.str.) *stephensiana stolidana* (Walker,1863) (Tortricidae) Synonym(s): *stolidana* Walker,1863; *cinereipalpna* Razowski,1958; *kurentsovi* Filipjev,1962
- 76961) *Cnephasia* (s.str.) *tianshanica* Filipjev,1934 (Tortricidae) Synonym(s): *tianshanica* Filipjev,1934; *osthelderi* Obratzov,1950; *sareptana* Razowski,1959; *alatauana* Razowski,1961.
- 76962) *Cnephasia* (s.str.) *tofina* (Meyrick,1922) (Tortricidae) Synonym(s): *tofina* Meyrick,1922; *syriella* Razowski,1956; *tolli* Razowski,1956; *palaestinensis* Amsel,1958
- 76963) *Cnephasia* (s.str.) *transcaspica* Filipjev (Tortricidae) Synonym(s):
- 76964) *Cnephasia* (s.str.) *tremewani* Razowski,1961 (Tortricidae) Synonym(s): *tremewani* Razowski,1961
- 76965) *Cnephasia* (s.str.) *tristrami* (Walsingham,1900) (Tortricidae) Synonym(s): *tristrami* Walsingham,1900
- 76966) *Cnephasia* (s.str.) *uniformana* Caradja,1916 (Tortricidae) Synonym(s): *uniformana* Caradja,1916
- 76967) *Cnephasia* (s.str.) *venusta* Razowski,1971 (Tortricidae) Synonym(s): *venusta* Razowski,1971
- 76968) *Cnephasia* (s.str.) *virginana* (Kennel,1899) (Tortricidae) Synonym(s): *virginana* Kennel,1899; *maraschana* Caradja,1916.
- 76969) *Cnephasia* (s.str.) *wimmeri* Arenberger,1998 (Tortricidae) Synonym(s): *wimmeri* Arenberger,1998
- 76970) *Cnephasia* (s.str.) *zangerheriana* Trematerra,1991 (Tortricidae) Synonym(s): *zangerheriana* Trematerra,1991
- 76971) *Cnephasia* (s.str.) *zelleri* (Christoph,1877) (Tortricidae) Synonym(s): *zelleri* Christoph,1877
- 76972) *Cnephasia* (s.str.) *zernyi* Razowski,1959 (Tortricidae) Synonym(s): *zernyi* Razowski,1959
- 76973) *Cnephasis* *apodicta* Diakonoff,1974 (Tortricidae) Synonym(s): *apodicta* Diakonoff,1974
- 76974) *Cnephasis* *apodicta apodicta* Diakonoff,1974 (Tortricidae) Synonym(s): *apodicta* Diakonoff,1974
- 76975) *Cnephasis* *apodicta palaeartica* Razowski,1984 (Tortricidae) Synonym(s): *palaeartica* Razowski,1984
- 76976) *Cnephasis* *dryadarcha* (Meyrick,1912) (Tortricidae) Synonym(s): *dryadarcha* Meyrick,1912
- 76977) *Cnephasis* *spinata* Liu & Bai,1986 (Tortricidae) Synonym(s): *spinata* Liu & Bai,1986
- 76978) *Cnestebeda* *anisocornutana* (Razowski,1964) (Tortricidae) Synonym(s): *anisocornutana* Razowski,1964
- 76979) *Cnestebeda* *assamica* (Razowski,1964) (Tortricidae) Synonym(s): *assamica* Razowski,1964
- 76980) *Cnestebeda* *celligera* (Meyrick,1918) (Tortricidae) Synonym(s): *celligera* Meyrick,1918; *plaucoprosopis* Meyrick,1931
- 76981) *Cnestebeda* *davidsoni* Razowski,2000 (Tortricidae) Synonym(s): *davidsoni* Razowski,2000
- 76982) *Cnestebeda* *facilis* (Meyrick,1912) (Tortricidae) Synonym(s): *facilis* Meyrick,1912
- 76983) *Cnestebeda* *haruspex* (Meyrick,1912) (Tortricidae) Synonym(s): *haruspex* Meyrick,1912
- 76984) *Cnestebeda* *musculus* (Diakonoff,1948) (Tortricidae) Synonym(s): *musculus* Diakonoff,1948
- 76985) *Cnestebeda* *spinosa* (Diakonoff,1948) (Tortricidae) Synonym(s): *spinosa* Diakonoff,1948
- 76986) *Cnestebeda* *variabilis* (Diakonoff,1941) (Tortricidae) Synonym(s): *variabilis* Diakonoff,1941
- 76987) *Coccothra* *ferrifracta* Diakonoff,1969 (Tortricidae) Synonym(s): *ferrifracta* Diakonoff,1969
- 76988) *Coccothra* *spissana* (Zeller,1852) (Tortricidae) Synonym(s): *spissana* Zeller,1852
- 76989) *Cochylidia* *contumescens* (Meyrick,1931) (Tortricidae) Synonym(s): *contumescens* Meyrick,1931
- 76990) *Cochylidia* *heydeniana* (Herrich-Schäffer,[1851]) (Tortricidae) Synonym(s): *heydeniana* Herrich-Schäffer,[1851]; *pudorana* Staudinger,1859; *erigenana* Walsingham,1891; *sabulicola* Walsingham,1900; *almana* Kennel,1919; *obraztsovi* Amsel,1951; *amseli* Obratzov,1956.
- 76991) *Cochylidia* *implicitana* (Wocke,1856) (Tortricidae) Synonym(s): *implicitana* Wocke,1856; *coercitana* Staudinger,1859; *noctulatana* Agenjo,1952.
- 76992) *Cochylidia* *moguntiana* (Rössler,1864) (Tortricidae) Synonym(s): *moguntiana* Rössler,1864; *griseolana* W.Petersen,1924; *trafvenfelti* Benander,1949.
- 76993) *Cochylidia* *richteriana* (Fischer v. Röslerstamm,1837) (Tortricidae) Synonym(s): *richteriana* Fischer v. Röslerstamm,1837; *olindiana* Snellen,1883; *ineptana* Kennel,1900; *xanthodryas* Meyrick,1936.
- 76994) *Cochylidia* *rupicola* (Curtis,1834) (Tortricidae) Synonym(s): *rupicola* Curtis,1834
- 76995) *Cochylidia* *subroseana* (Haworth,[1811]) (Tortricidae) Synonym(s): *subroseana* Haworth,[1811]; *flammeolana* Tengström,1848; *phaleratana* Herrich-Schäffer,1851; *#derosana* Razowski,1960; *#roseotincta* Razowski,1960; *roseotincta* Razowski,1970.
- 76996) *Cochylidichnium* *amulanum* Razowski,1986 (Tortricidae) Synonym(s): *amulanum* Razowski,1986
- 76997) *Cochylimorpha* *acriapex* (Razowski,1967) (Tortricidae) Synonym(s): *acriapex* Razowski,1967
- 76998) *Cochylimorpha* *additana* (Kennel,1900) (Tortricidae) Synonym(s): *additana* Kennel,1900
- 76999) *Cochylimorpha* *agenjoi* (Razowski,1963) (Tortricidae) Synonym(s): *agenjoi* Razowski,1963
- 77000) *Cochylimorpha* *alternana* (Stephens,1834) (Tortricidae) Synonym(s): *alternana* Stephens,1834; *#gigantana* Doubleday,1849; *moscovana* Kennel,1913; *cinnamomella* Turati & C.G.Krüger,1936.
- 77001) *Cochylimorpha* *alticolana* (Razowski,1964) (Tortricidae) Synonym(s): *alticolana* Razowski,1964
- 77002) *Cochylimorpha* *amabilis* (Meyrick,1931) (Tortricidae) Synonym(s): *amabilis* Meyrick,1931
- 77003) *Cochylimorpha* *armeniana* (Joannis,1891) (Tortricidae) Synonym(s): *armeniana* Joannis,1891.
- 77004) *Cochylimorpha* *asiana* (Kennel,1899) (Tortricidae) Synonym(s): *asiana* Kennel,1899; *taganrogana* Kennel,1900; *mirabilana* Turati,1934.
- 77005) *Cochylimorpha* *blandana* (Eversmann,1844) (Tortricidae) Synonym(s): *blandana* Eversmann,1844; *punctulatana* Kennel,1900.
- 77006) *Cochylimorpha* *brandti* Razowski,1963 (Tortricidae) Synonym(s): *brandti* Razowski,1963
- 77007) *Cochylimorpha* *centralasiae* (Razowski,1964) (Tortricidae) Synonym(s): *centralasiae* Razowski,1964
- 77008) *Cochylimorpha* *chionella* (Schawerda,1924) (Tortricidae) Synonym(s): *chionella* Schawerda,1924
- 77009) *Cochylimorpha* *clathrana* (Staudinger,1871) (Tortricidae) Synonym(s): *clathrana* Staudinger,1871
- 77010) *Cochylimorpha* *clathratana* (Staudinger,1880) (Tortricidae) Synonym(s): *clathratana* Staudinger,1880
- 77011) *Cochylimorpha* *clavana* (Constant,1888) (Tortricidae) Synonym(s): *clavana* Constant,1888
- 77012) *Cochylimorpha* *coloratana* (Kennel,1899) (Tortricidae) Synonym(s): *coloratana* Kennel,1899
- 77013) *Cochylimorpha* *cultana* (Lederer,1855) (Tortricidae) Synonym(s): *cultana* Lederer,1855; *pontana* Staudinger,1859; *extensana* Staudinger,1859; *lambessana* Baker,1888; *oedemana* Constant,1893; *bigenerana* Kennel,1900; *assalana* Chrétien,1915; *albidana* Caradja,1916; *symmerista* Meyrick,1935.
- 77014) *Cochylimorpha* *declivana* (Kennel,1900) (Tortricidae) Synonym(s): *declivana* Kennel,1900
- 77015) *Cochylimorpha* *decolorella* (Zeller,1839) (Tortricidae) Synonym(s): *decolorella* Zeller,1839; *chamomillana* Herrich-Schäffer,[1851]; *pentactinana* Mann,1855.
- 77016) *Cochylimorpha* *despectana* (Kennel,1899) (Tortricidae) Synonym(s): *despectana* Kennel,1899; *uncinatana* Kennel,1900.
- 77017) *Cochylimorpha* *diana* (Kennel,1899) (Tortricidae) Synonym(s): *diana* Kennel,1899; *iraniana* Razowski,1963.
- 77018) *Cochylimorpha* *discolorana* Kennel,1899 (Tortricidae) Synonym(s): *discolorana* Kennel,1899; *dichroina* Danilevsky,1962; *#sarobica* Razowski,1964
- 77019) *Cochylimorpha* *discopunctana* (Eversmann,1844) (Tortricidae) Synonym(s): *discopunctana* Eversmann,1844; *incretiana* Lederer,1857; *coagulana* Christoph,1872; *punctiferana* Ragonot,1881.
- 77020) *Cochylimorpha* *eberti* Razowski,1967 (Tortricidae) Synonym(s): *eberti* Razowski,1967
- 77021) *Cochylimorpha* *eburneana* (Kennel,1899) (Tortricidae) Synonym(s): *eburneana* Kennel,1899
- 77022) *Cochylimorpha* *elegans* (Razowski,1963) (Tortricidae) Synonym(s): *elegans* Razowski,1963
- 77023) *Cochylimorpha* *elongana* (Fischer v. Röslerstamm,1839) (Tortricidae) Synonym(s): *elongana* Fischer v. Röslerstamm,1839; *impurana* Mann,1855; *favillana* Staudinger,1859; *tetricana* Mann,1864

- 77024) *Cochylimorpha emiliana* (Kennel,1919) (Tortricidae) Synonym(s): *emiliana* Kennel,1919
 77025) *Cochylimorpha flaveolana* (Falkovitsh,1963) (Tortricidae) Synonym(s): *flaveolana* Falkovitsh,1963
 77026) *Cochylimorpha fluens* (Razowski,1970) (Tortricidae) Synonym(s): *fluens* Razowski,1970
 77027) *Cochylimorpha fucatanana* (Snellen,1883) (Tortricidae) Synonym(s): *fucatanana* Snellen,1883
 77028) *Cochylimorpha fucosa* (Razowski,1970) (Tortricidae) Synonym(s): *fucosa* Razowski,1970
 77029) *Cochylimorpha fuscimacula* (Falkovitsh,1963) (Tortricidae) Synonym(s): *fuscimacula* Falkovitsh,1963
 77030) *Cochylimorpha halophilana* (Christoph,1882) (Tortricidae) Synonym(s): *halophilana* Christoph,1882
 77031) *Cochylimorpha hedemanni* (Snellen,1883) (Tortricidae) Synonym(s): *hedemanni* Snellen,1883; *rectifascia* Filipjev,1924.
 77032) *Cochylimorpha hilarana* (Herrich-Schäffer,[1851]) (Tortricidae) Synonym(s): *hilarana* Herrich-Schäffer,[1851]; *rheticana* LaHarpe,1864; *dilutana* Caradja,1916.
 77033) *Cochylimorpha isocornutana* (Razowski,1964) (Tortricidae) Synonym(s): *isocornutana* Razowski,1964
 77034) *Cochylimorpha jaculana* (Snellen,1883) (Tortricidae) Synonym(s): *jaculana* Snellen,1883
 77035) *Cochylimorpha jucundana* (Treitschke,1835) (Tortricidae) Synonym(s): *jucundana* Treitschke,1835
 77036) *Cochylimorpha kurdistanana* (Amsel,1959) (Tortricidae) Synonym(s): *kurdistanana* Amsel,1959
 77037) *Cochylimorpha lagara* Diakonoff,1983 (Tortricidae) Synonym(s): *lagara* Diakonoff,1983
 77038) *Cochylimorpha langeana* (Kalchberg,1897) (Tortricidae) Synonym(s): *langeana* Kalchberg,1897; *anticyphas* Meyrick,1936; *hannemanni* Razowski,1961
 77039) *Cochylimorpha lungtangensis* (Razowski,1964) (Tortricidae) Synonym(s): *lungtangensis* Razowski,1964
 77040) *Cochylimorpha maleropa* (Meyrick,1937) (Tortricidae) Synonym(s): *maleropa* Meyrick,1937
 77041) *Cochylimorpha meridiana* (Staudinger,1859) (Tortricidae) Synonym(s): *meridiana* Staudinger,1859; *claviculana* Mann,1863; *frauenfeldi* Mann,1871; *naeviferana* Kennel,1899; *priscillana* Kennel,1919.
 77042) *Cochylimorpha meridiolana* (Ragonot,1894) (Tortricidae) Synonym(s): *meridiolana* Ragonot,1894; *ochrostriana* Kennel,1899; *meridiolana* Kennel,1900 *nec* Ragonot,1894; *kenneli* Razowski,1967.
 77043) *Cochylimorpha mongolicana* (Ragonot,1894) (Tortricidae) Synonym(s): *mongolicana* Ragonot,1894
 77044) *Cochylimorpha monstrabilis* (Razowski,1970) (Tortricidae) Synonym(s): *monstrabilis* Razowski,1970
 77045) *Cochylimorpha montana* (Razowski,1967) (Tortricidae) Synonym(s): *montana* Razowski,1967
 77046) *Cochylimorpha moriutii* (Kawabe,1987) (Tortricidae) Synonym(s): *moriutii* Kawabe,1987
 77047) *Cochylimorpha nankinensis* (Razowski,1964) (Tortricidae) Synonym(s): *nankinensis* Razowski,1964
 77048) *Cochylimorpha nodulana* (Möschler,1862) (Tortricidae) Synonym(s): *nodulana* Möschler,1862
 77049) *Cochylimorpha nomadana* (Erschoff,1874) (Tortricidae) Synonym(s): *nomadana* Erschoff,1874
 77050) *Cochylimorpha nuristana* (Razowski,1967) (Tortricidae) Synonym(s): *nuristana* Razowski,1967
 77051) *Cochylimorpha obliquana* (Eversmann,1844) (Tortricidae) Synonym(s): *obliquana* Eversmann,1844; *coenosana* Mann,1867.
 77052) *Cochylimorpha pallens* (Kuznetsov,1966) (Tortricidae) Synonym(s): *pallens* Kuznetsov,1966
 77053) *Cochylimorpha perfusana* (Guenée,1845) (Tortricidae) Synonym(s): *perfusana* Guenée,1845; *callosana* Herrich-Schäffer,1851.
 77054) *Cochylimorpha perturbatana* (Kennel,1900) (Tortricidae) Synonym(s): *perturbatana* Kennel,1900; *herminiana* Kennel,1919.
 77055) *Cochylimorpha peucedana* (Ragonot,1889) (Tortricidae) Synonym(s): *peucedana* Ragonot,1889; *corsicana* Walsingham,1898; *austriana* Chrétien,1902; *florana* Chrétien,1905; *toreumatana* Turati,1913.
 77056) *Cochylimorpha pirizanica* (Razowski,1963) (Tortricidae) Synonym(s): *pirizanica* Razowski,1963
 77057) *Cochylimorpha psalmophanes* (Meyrick,1925) (Tortricidae) Synonym(s): *psalmophanes* Meyrick,1925
 77058) *Cochylimorpha pyramidana* (Staudinger,1871) (Tortricidae) Synonym(s): *pyramidana* Staudinger,1871
 77059) *Cochylimorpha salinarida* Groenen & K.Larsen,2003 (Tortricidae) Synonym(s): *salinarida* Groenen & K.Larsen,2003
 77060) *Cochylimorpha santolinana* (Staudinger,1871) (Tortricidae) Synonym(s): *santolinana* Staudinger,1871
 77061) *Cochylimorpha scoptes* (Razowski,1984) (Tortricidae) Synonym(s): *scoptes* Razowski,1984
 77062) *Cochylimorpha scrophulana* (Razowski,1963) (Tortricidae) Synonym(s): *scrophulana* Razowski,1963
 77063) *Cochylimorpha simulata* (Razowski,1970) (Tortricidae) Synonym(s): *simulata* Razowski,1970
 77064) *Cochylimorpha sparsana* (Staudinger,1880) (Tortricidae) Synonym(s): *sparsana* Staudinger,1880
 77065) *Cochylimorpha stataria* (Razowski,1970) (Tortricidae) Synonym(s): *stataria* Razowski,1970
 77066) *Cochylimorpha straminea* (Haworth,[1811]) (Tortricidae) Synonym(s): *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosana* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954.
 77067) *Cochylimorpha subwolniana* (Danilewski,1962) (Tortricidae) Synonym(s): *subwolniana* Danilewski,1962
 77068) *Cochylimorpha tamerlana* (Ragonot,1894) (Tortricidae) Synonym(s): *tamerlana* Ragonot,1894
 77069) *Cochylimorpha thomasi* Karisch,2003 (Tortricidae) Synonym(s): *thomasi* Karisch,2003
 77070) *Cochylimorpha tiraculana* (Bassi & Scaramozzino,1989) (Tortricidae) Synonym(s): *tiraculana* Bassi & Scaramozzino,1989
 77071) *Cochylimorpha triangulifera* (Kuznetsov,1966) (Tortricidae) Synonym(s): *triangulifera* Kuznetsov,1966
 77072) *Cochylimorpha wiltshirei* Razowski,1963 (Tortricidae) Synonym(s): *wiltshirei* Razowski,1963
 77073) *Cochylimorpha wolniana* (Schleich,1868) (Tortricidae) Synonym(s): *wolniana* Schleich,1868; *lorana* Fuchs,1897.
 77074) *Cochylis aestiva* (Walsingham,1900) (Tortricidae) Synonym(s): *aestiva* Walsingham,1900
 77075) *Cochylis anerista* Razowski,1984 (Tortricidae) Synonym(s): *anerista* Razowski,1984
 77076) *Cochylis apricana* Kennel,1899 (Tortricidae) Synonym(s): *apricana* Kennel,1899; *amoenana* Kennel,1899.
 77077) *Cochylis argentinana* Razowski,1967 (Tortricidae) Synonym(s): *argentinana* Razowski,1967
 77078) *Cochylis atricapitana* (Stephens,1852) (Tortricidae) Synonym(s): *atricapitana* Stephens,1852
 77079) *Cochylis catalonica* Gibeaux,1985 (Tortricidae) Synonym(s): *catalonica* Gibeaux,1985
 77080) *Cochylis caulocatax* Razowski,1984 (Tortricidae) Synonym(s): *caulocatax* Razowski,1984
 77081) *Cochylis conviva* Razowski,1990 (Tortricidae) Synonym(s): *conviva* Razowski,1990
 77082) *Cochylis defessana* (Mann,1861) (Tortricidae) Synonym(s): *defessana* Mann,1861; *centaureana* Staudinger,1879.
 77083) *Cochylis discerta* Razowski,1970 (Tortricidae) Synonym(s): *discerta* Razowski,1970
 77084) *Cochylis dubitana* (Hübner,[1799]) (Tortricidae) Synonym(s): *dubitana* Hübner,[1799]; *ambiguana* Frölich,1828; *baseirufana* Bruand,1850; *albidana* Walker,1866.
 77085) *Cochylis epilina* Duponchel,1842 (Tortricidae) Synonym(s): *epilina* Duponchel,1842; *carpopilana* Staudinger,1859.
 77086) *Cochylis erromena* Razowski,1984 (Tortricidae) Synonym(s): *erromena* Razowski,1984
 77087) *Cochylis eupacria* Razowski,1984 (Tortricidae) Synonym(s): *eupacria* Razowski,1984
 77088) *Cochylis eureka* Razowski,1984 (Tortricidae) Synonym(s): *eureka* Razowski,1984
 77089) *Cochylis eutaxia* Razowski,1984 (Tortricidae) Synonym(s): *eutaxia* Razowski,1984
 77090) *Cochylis eutheta* Razowski,1986 (Tortricidae) Synonym(s): *eutheta* Razowski,1986
 77091) *Cochylis exomala* Razowski,1984 (Tortricidae) Synonym(s): *exomala* Razowski,1984
 77092) *Cochylis faustana* (Kennel,1919) (Tortricidae) Synonym(s): *faustana* Kennel,1919
 77093) *Cochylis flaviciliana* (Westwood,1854) (Tortricidae) Synonym(s): *flaviciliana* Westwood,1854
 77094) *Cochylis fulvotinctana* (Walsingham,1884) (Tortricidae) Synonym(s): *fulvotinctana* Walsingham,1884
 77095) *Cochylis heratana* Razowski,1967 (Tortricidae) Synonym(s): *heratana* Razowski,1967
 77096) *Cochylis hospes* (Walsingham,1884) (Tortricidae) Synonym(s): *hospes* Walsingham,1884
 77097) *Cochylis hybridella* (Hübner,[1813]) (Tortricidae) Synonym(s): *hybridella* Hübner,[1813]; *dissolutana* Herrich-Schäffer,[1847]; *carduana* Zeller,1847; *clarana* Caradja,1916.
 77098) *Cochylis indica* Razowski,1968 (Tortricidae) Synonym(s): *indica* Razowski,1968
 77099) *Cochylis insipida* Razowski,1990 (Tortricidae) Synonym(s): *insipida* Razowski,1990
 77100) *Cochylis lutosana* Razowski,1967 (Tortricidae) Synonym(s): *lutosana* Razowski,1967
 77101) *Cochylis maestana* Kennel,1899 (Tortricidae) Synonym(s): *maestana* Kennel,1899; *suleimana* Osthelder,1938.
 77102) *Cochylis magnaedoeagana* (Gibeaux,1985) (Tortricidae) Synonym(s): *magnaedoeagana* Gibeaux,1985
 77103) *Cochylis methoea* Razowski & Becker,1986 (Tortricidae) Synonym(s): *methoea* Razowski & Becker,1986
 77104) *Cochylis militariana* Derra,1991 (Tortricidae) Synonym(s): *militariana* Derra,1991
 77105) *Cochylis molliculana* (Zeller,1847) (Tortricidae) Synonym(s): *molliculana* Zeller,1847; *rufosignana* Kennel,1899; *calavrytana* Rebel,1906.

- 77106) *Cochylis morosana* Kennel, 1899 (Tortricidae) Synonym(s): *morosana* Kennel, 1899
 77107) *Cochylis mystes* Razowski, 1990 (Tortricidae) Synonym(s): *mystes* Razowski, 1990
 77108) *Cochylis nana* (Haworth, [1811]) (Tortricidae) Synonym(s): *nana* Haworth, [1811]
 77109) *Cochylis obtrusa* Razowski & Becker, 1983 (Tortricidae) Synonym(s): *obtrusa* Razowski & Becker, 1983
 77110) *Cochylis pallidana* Zeller, 1847 (Tortricidae) Synonym(s): *pallidana* Zeller, 1847
 77111) *Cochylis pallidana dolosana* Kennel, 1901 (Tortricidae) Synonym(s): *dolosana* Kennel, 1901
 77112) *Cochylis pallidana glaseri* Kasy, 1972 (Tortricidae) Synonym(s): *glaseri* Kasy, 1972
 77113) *Cochylis pallidana pallidana* Zeller, 1847 (Tortricidae) Synonym(s): *pallidana* Zeller, 1847
 77114) *Cochylis philypna* Razowski & Becker, 1994 (Tortricidae) Synonym(s): *philypna* Razowski & Becker, 1994
 77115) *Cochylis piana* (Kennel, 1899) (Tortricidae) Synonym(s): *piana* Kennel, 1899; *pamira* Obraztsov, 1943; *subposterana* Toll, 1947.
 77116) *Cochylis pimana* (Busck, 1907) (Tortricidae) Synonym(s): *pimana* Busck, 1907
 77117) *Cochylis posterana* Zeller, 1847 (Tortricidae) Synonym(s): *posterana* Zeller, 1847; *nubivagana* Zerny, 1935; *hyrcana* Toll, 1947.
 77118) *Cochylis psychrasema* (Meyrick, 1937) (Tortricidae) Synonym(s): *psychrasema* Meyrick, 1937
 77119) *Cochylis ringsi* Metzler, 1999 (Tortricidae) Synonym(s): *ringsi* Metzler, 1999
 77120) *Cochylis rosaria* Razowski & Becker, 1993 (Tortricidae) Synonym(s): *rosaria* Razowski & Becker, 1993
 77121) *Cochylis roseana* (Haworth, [1811]) (Tortricidae) Synonym(s): *roseana* Haworth, [1811]; *rubellana* Hübner, [1823]; *dipsaceana* Duponchel, 1843; *undulatana* Kennel, 1899.
 77122) *Cochylis sagittigera* Razowski & Becker, 1983 (Tortricidae) Synonym(s): *sagittigera* Razowski & Becker, 1983
 77123) *Cochylis salebrana* (Mann, 1862) (Tortricidae) Synonym(s): *salebrana* Mann, 1862; *millierana* Peyerimhoff, 1877.
 77124) *Cochylis securifera* Razowski & Becker, 1983 (Tortricidae) Synonym(s): *securifera* Razowski & Becker, 1983
 77125) *Cochylis similana* Razowski, 1963 (Tortricidae) Synonym(s): *similana* Razowski, 1963
 77126) *Cochylis suaveolana* Fuchs, 1903 (Tortricidae) Synonym(s): *suaveolana* Fuchs, 1903
 77127) *Cochylis telephora* Razowski & Becker, 1994 (Tortricidae) Synonym(s): *telephora* Razowski & Becker, 1994
 77128) *Cochylis tephrodrypta* Razowski, 1984 (Tortricidae) Synonym(s): *tephrodrypta* Razowski, 1984
 77129) *Cochylis torva* Razowski & Becker, 1983 (Tortricidae) Synonym(s): *torva* Razowski & Becker, 1983
 77130) *Cochylis typhlinea* Razowski, 1984 (Tortricidae) Synonym(s): *typhlinea* Razowski, 1984
 77131) *Cochylis yuccatana* (Busck, 1907) (Tortricidae) Synonym(s): *yuccatana* Busck, 1907
 77132) *Coelostathma binotata* Walsingham, 1913 (Tortricidae) Synonym(s): *binotata* Walsingham, 1913
 77133) *Coelostathma contigua* Meyrick, 1926 (Tortricidae) Synonym(s): *contigua* Meyrick, 1926
 77134) *Coelostathma discopunctana* Clemens, 1860 (Tortricidae) Synonym(s): *discopunctana* Clemens, 1860; *discipunctana* Walsingham, 1914
 77135) *Coelostathma immutabilis* Meyrick, 1926 (Tortricidae) Synonym(s): *immutabilis* Meyrick, 1926
 77136) *Coelostathma paralellana* Walsingham, 1897 (Tortricidae) Synonym(s): *paralellana* Walsingham, 1897
 77137) *Collogenes percnophylla* Meyrick, 1931 (Tortricidae) Synonym(s): *percnophylla* Meyrick, 1931
 77138) *Collogenes plumbosa* Diakonoff, 1959 (Tortricidae) Synonym(s): *plumbosa* Diakonoff, 1959
 77139) *Collogenes pseusta* Diakonoff, 1959 (Tortricidae) Synonym(s): *pseusta* Diakonoff, 1959
 77140) *Commophila aeneana* (Hübner, [1800]) (Tortricidae) Synonym(s): *aeneana* Hübner, [1800]
 77141) *Commophila nevadensis* Traugott-Olsen, 1990 (Tortricidae) Synonym(s):
 77142) *Coniostola omistus* Diakonoff, 1988 (Tortricidae) Synonym(s): *omistus* Diakonoff, 1988
 77143) *Coniostola stereoma* (Meyrick, 1912) (Tortricidae) Synonym(s): *stereoma* Meyrick, 1912; *erionis* Meyrick, 1933
 77144) *Coristaca capsularia* Razowski, [1992] (Tortricidae) Synonym(s): *capsularia* Razowski, [1992]
 77145) *Cornesia molytes* Razowski, 1993 (Tortricidae) Synonym(s): *molytes* Razowski, 1993
 77146) *Coryssovalva cosmocosta* Razowski, 1987 (Tortricidae) Synonym(s): *cosmocosta* Razowski, 1987
 77147) *Cosmorrhyncha ocelliferana* (Walker, 1863) (Tortricidae) Synonym(s): *ocelliferana* Walker, 1863; *ocellata* Mabille, 1900; *acrocossa* Meyrick, 1908
 77148) *Costosa allochroma* (Zeller, 1968) (Tortricidae) Synonym(s): *allochroma* Diakonoff, [1968]
 77149) *Costosa aphenia* Diakonoff, 1973 (Tortricidae) Synonym(s): *aphenia* Diakonoff, 1973
 77150) *Costosa rhodantha* (Meyrick, 1907) (Tortricidae) Synonym(s): *rhodantha* Meyrick, 1907
 77151) *Crociosema accessa* (Heinrich, 1931) (Tortricidae) Synonym(s): *accessa* Heinrich, 1931
 77152) *Crociosema aporema* (Walsingham, 1914) (Tortricidae) Synonym(s): *aporema* Walsingham, 1914; *opposita* Heinrich, 1931
 77153) *Crociosema callida* Meyrick, 1917 (Tortricidae) Synonym(s): *callida* Meyrick, 1917
 77154) *Crociosema calvifrons* (Walsingham, 1892) (Tortricidae) Synonym(s): *calvifrons* Walsingham, 1892
 77155) *Crociosema cecidogena* (Keiffer, 1908) (Tortricidae) Synonym(s): *cecidogena* Keiffer, 1908
 77156) *Crociosema chlorotica* (Zeller, 1877) (Tortricidae) Synonym(s): *chlorotica* Zeller, 1877
 77157) *Crociosema compsoptila* Meyrick, 1917 (Tortricidae) Synonym(s): *compsoptila* Meyrick, 1917
 77158) *Crociosema cosmoptila* Meyrick, 1917 (Tortricidae) Synonym(s): *cosmoptila* Meyrick, 1917
 77159) *Crociosema evidens* (Meyrick, 1917) (Tortricidae) Synonym(s): *evidens* Meyrick, 1917
 77160) *Crociosema impendens* Meyrick, 1917 (Tortricidae) Synonym(s): *impendens* Meyrick, 1917
 77161) *Crociosema lantana* Busck, 1910 (Tortricidae) Synonym(s): *lantana* Busck, 1910; *polyphaea* Turner, 1926; *phaedropa* Turner, 1946; *tornocossa* Turner, 1946; *corynetes* Diakonoff, 1982
 77162) *Crociosema longipalpana* (Möschler, 1890) (Tortricidae) Synonym(s): *longipalpana* Möschler, 1890
 77163) *Crociosema lustrummarginata* (Walsingham, 1897) (Tortricidae) Synonym(s): *lustrummarginata* Walsingham, 1897
 77164) *Crociosema meridospila* (Meyrick, 1922) (Tortricidae) Synonym(s): *meridospila* Meyrick, 1922
 77165) *Crociosema nolkeniana* (Zeller, 1877) (Tortricidae) Synonym(s): *nolkeniana* Zeller, 1877
 77166) *Crociosema plebejana* Zeller, 1847 (Tortricidae) Synonym(s): *plebejana* Zeller, 1847; *altheana* Mann, 1855; *lavaterana* Millière, 1863; *peregrinana* Möschler, 1866; *obscura* Wollaston, 1879; *blackburnii* Butler, 1881; *signatana* Walsingham, 1894; *ptiladelpha* Meyrick, 1917; *insulana* Aurivillius, 1922; *synneurota* Meyrick, 1926; *tornocycla* Turner, 1946; *charmera* Turner, 1946.
 77167) *Crociosema pollutana* (Zeller, 1877) (Tortricidae) Synonym(s): *pollutana* Zeller, 1877
 77168) *Crociosema pristinana* (Zeller, 1877) (Tortricidae) Synonym(s): *pristinana* Zeller, 1877
 77169) *Crociosema pyrrhulana* (Zeller, 1877) (Tortricidae) Synonym(s): *pyrrhulana* Zeller, 1877
 77170) *Crociosema roraria* Meyrick, 1917 (Tortricidae) Synonym(s): *roraria* Meyrick, 1917
 77171) *Crociosema satellitana* (Zeller, 1877) (Tortricidae) Synonym(s): *satellitana* Zeller, 1877
 77172) *Crociosema sediliata* (Meyrick, 1912) (Tortricidae) Synonym(s): *sediliata* Meyrick, 1912
 77173) *Crociosema unica* (Heinrich, 1923) (Tortricidae) Synonym(s): *unica* Heinrich, 1923
 77174) *Crociosema veterana* (Zeller, 1877) (Tortricidae) Synonym(s): *veterana* Zeller, 1877
 77175) *Croesia arcuata* Yasuda, 1975 (Tortricidae) Synonym(s): *arcuata* Yasuda, 1975
 77176) *Croesia askoldana* (Christoph, 1881) (Tortricidae) Synonym(s): *askoldana* Christoph, 1881
 77177) *Croesia aurichalcana* (Bremer, 1864) (Tortricidae) Synonym(s): *aurichalcana* Bremer, 1864; *auristellana* Caradja, 1916; *hisshiki* Matsumura, 1931
 77178) *Croesia bergmanniana* (Linnaeus, 1758) (Tortricidae) Synonym(s): *bergmanniana* Linnaeus, 1758; *rosana* Hübner, 1822.
 77179) *Croesia bicolor* Kuznetsov, 1964 (Tortricidae) Synonym(s): *bicolor* Kuznetsov, 1964
 77180) *Croesia blanda* Yasuda, 1975 (Tortricidae) Synonym(s): *blanda* Yasuda, 1975
 77181) *Croesia conchyloides* (Walsingham, 1900) (Tortricidae) Synonym(s): *conchyloides* Walsingham, 1900; *arquatana* Kennel, 1901
 77182) *Croesia crataegi* (Kuznetsov, 1964) (Tortricidae) Synonym(s): *crataegi* Kuznetsov, 1964
 77183) *Croesia dealbata* Yasuda, 1975 (Tortricidae) Synonym(s): *dealbata* Yasuda, 1975
 77184) *Croesia delicata* Yasuda & Kawabe, 1980 (Tortricidae) Synonym(s): *delicata* Yasuda & Kawabe, 1980
 77185) *Croesia dentata* (Razowski, 1966) (Tortricidae) Synonym(s): *dentata* Razowski, 1966
 77186) *Croesia elegans* (Oku, 1956) (Tortricidae) Synonym(s): *elegans* Oku, 1956
 77187) *Croesia ferox* Razowski, 1975 (Tortricidae) Synonym(s): *ferox* Razowski, 1975
 77188) *Croesia forsskalleana* (Linnaeus, 1758) (Tortricidae) Synonym(s): *forsskalleana* Linnaeus, 1758; *forskaliana* Haworth, 1811.
 77189) *Croesia holmiana* (Linnaeus, 1758) (Tortricidae) Synonym(s): *holmiana* Linnaeus, 1758; *stellata* Fourcroy, 1785; *stellatella* Villers, 1789.
 77190) *Croesia imitatrix* Razowski, 1975 (Tortricidae) Synonym(s): *imitatrix* Razowski, 1975
 77191) *Croesia indignana* (Christoph, 1881) (Tortricidae) Synonym(s): *indignana* Christoph, 1881

- 77192) *Croesia leechi* (Walsingham,1900) (Tortricidae) Synonym(s): *leechi* Walsingham,1900; *sumptuosana* Caradja,1939
77193) *Croesia phalera* Kuznetsov,1964 (Tortricidae) Synonym(s): *phalera* Kuznetsov,1964
77194) *Croesia quinquefasciana* (Matsumura,1900) (Tortricidae) Synonym(s): *quinquefasciana* Matsumura,1900
77195) *Croesia razowskii* Yasuda,1975 (Tortricidae) Synonym(s): *razowskii* Yasuda,1975
77196) *Croesia sinica* Razowski,1966 (Tortricidae) Synonym(s): *sinica* Razowski,1966
77197) *Croesia stibiana* (Snellen,1883) (Tortricidae) Synonym(s): *stibiana* Snellen,1883
77198) *Croesia tigricolor* (Walsingham,1900) (Tortricidae) Synonym(s): *tigricolor* Walsingham,1900
77199) *Croesia zimmermanni* Clarke,1978 (Tortricidae) Synonym(s): *zimmermanni* Clarke,1978
77200) *Cryptaspasma* (Allobrachygonia) *angulicostana* (Walsingham,1900) (Tortricidae) Synonym(s): *angulicostana* Walsingham,1900
77201) *Cryptaspasma* (Allobrachygonia) *brachyptycha* (Meyrick,1911) (Tortricidae) Synonym(s): *brachyptycha* Meyrick,1911
77202) *Cryptaspasma* (Allobrachygonia) *debeauforti* Diakonoff,1959 (Tortricidae) Synonym(s): *debeauforti* Diakonoff,1959
77203) *Cryptaspasma* (Allobrachygonia) *debeauforti brachyptera* Diakonoff,1959 (Tortricidae) Synonym(s): *brachyptera* Diakonoff,1959
77204) *Cryptaspasma* (Allobrachygonia) *geina* Diakonoff,1959 (Tortricidae) Synonym(s): *geina* Diakonoff,1959
77205) *Cryptaspasma* (Allobrachygonia) *glebaecolor* Diakonoff,1959 (Tortricidae) Synonym(s): *glebaecolor* Diakonoff,1959
77206) *Cryptaspasma* (Allobrachygonia) *haplophyes* Diakonoff,1959 (Tortricidae) Synonym(s): *haplophyes* Diakonoff,1959
77207) *Cryptaspasma* (Allobrachygonia) *helota* (Meyrick,1905) (Tortricidae) Synonym(s): *helota* Meyrick,1905
77208) *Cryptaspasma* (Allobrachygonia) *hesyca* Diakonoff,1959 (Tortricidae) Synonym(s): *hesyca* Diakonoff,1959
77209) *Cryptaspasma* (Allobrachygonia) *lasiura* (Meyrick,1912) (Tortricidae) Synonym(s): *lasiura* Meyrick,1912
77210) *Cryptaspasma* (Allobrachygonia) *ochrotricha* Diakonoff,1959 (Tortricidae) Synonym(s): *ochrotricha* Diakonoff,1959
77211) *Cryptaspasma* (Allobrachygonia) *orphanina* Diakonoff,1959 (Tortricidae) Synonym(s): *orphanina* Diakonoff,1959
77212) *Cryptaspasma* (Allobrachygonia) *pelagia* Diakonoff,1959 (Tortricidae) Synonym(s): *pelagia* Diakonoff,1959
77213) *Cryptaspasma* (Allobrachygonia) *peratra* Diakonoff,1959 (Tortricidae) Synonym(s): *peratra* Diakonoff,1959
77214) *Cryptaspasma* (Allobrachygonia) *querula* (Meyrick,1912) (Tortricidae) Synonym(s): *querula* Meyrick,1912
77215) *Cryptaspasma* (Allobrachygonia) *syostoma* Diakonoff,1959 (Tortricidae) Synonym(s): *syostoma* Diakonoff,1959
77216) *Cryptaspasma* (Allobrachygonia) *triopis* Diakonoff,1959 (Tortricidae) Synonym(s): *triopis* Diakonoff,1959
77217) *Cryptaspasma* (Allobrachygonia) *zophocosma* (Meyrick,1931) (Tortricidae) Synonym(s): *zophocosma* Meyrick,1931
77218) *Cryptaspasma* (Anaphorodes) *anaphorana* (Walsingham,1914) (Tortricidae) Synonym(s): *anaphorana* Walsingham,1914
77219) *Cryptaspasma* (Anaphorodes) *anisopis* Diakonoff,1959 (Tortricidae) Synonym(s): *anisopis* Diakonoff,1959
77220) *Cryptaspasma* (Metaspasma) *atrinodis* (Meyrick,1926) (Tortricidae) Synonym(s): *atrinodis* Meyrick,1926
77221) *Cryptaspasma* (Metaspasma) *subtilis* Diakonoff,1959 (Tortricidae) Synonym(s): *subtilis* Diakonoff,1959
77222) *Cryptaspasma* (Microcorses) *marginifasciata* (Walsingham,1900) (Tortricidae) Synonym(s): *marginifasciata* Walsingham,1900
77223) *Cryptaspasma* (s.str.) *acrolophoides* (Meyrick,1931) (Tortricidae) Synonym(s): *acrolophoides* Meyrick,1931
77224) *Cryptaspasma* (s.str.) *athymopis* Diakonoff,1959 (Tortricidae) Synonym(s): *athymopis* Diakonoff,1959
77225) *Cryptaspasma* (s.str.) *lugubris* (R.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *lugubris* R.Felder & Rogenhofer,1875
77226) *Cryptaspasma* (s.str.) *microloga* Diakonoff,1959 (Tortricidae) Synonym(s): *microloga* Diakonoff,1959
77227) *Cryptocochylis* *conjunctana* (Mann,1864) (Tortricidae) Synonym(s): *conjunctana* Mann,1864; *grapholitana* Kennel,1913.
77228) *Cryptomelaena* *dynastes* Diakonoff,1983 (Tortricidae) Synonym(s): *dynastes* Diakonoff,1983
77229) *Cryptophlebia* *amblyopa* Clarke,1976 (Tortricidae) Synonym(s): *amblyopa* Clarke,1976
77230) *Cryptophlebia* *aniacra* Diakonoff,1983 (Tortricidae) Synonym(s): *aniacra* Diakonoff,1983
77231) *Cryptophlebia* *batrachopa* (Meyrick,1908) (Tortricidae) Synonym(s): *batrachopa* Meyrick,1908
77232) *Cryptophlebia* *carpophagoides* Clarke,1951 (Tortricidae) Synonym(s): *carpophagoides* Clarke,1951
77233) *Cryptophlebia* *cnemoptila* (Meyrick,1930) (Tortricidae) Synonym(s): *cnemoptila* Meyrick,1930
77234) *Cryptophlebia* *cortesi* Clarke,1986 (Tortricidae) Synonym(s): *cortesi* Clarke,1986
77235) *Cryptophlebia* *encarpa* (Meyrick,1920) (Tortricidae) Synonym(s): *encarpa* Meyrick,1920
77236) *Cryptophlebia* *farraginea* (Meyrick,1931) (Tortricidae) Synonym(s): *farraginea* Meyrick,1931
77237) *Cryptophlebia* *hemitoma* Diakonoff,1976 (Tortricidae) Synonym(s): *hemitoma* Diakonoff,1976
77238) *Cryptophlebia* *leucotreta* (Meyrick,1913) (Tortricidae) Synonym(s): *leucotreta* Meyrick,1913
77239) *Cryptophlebia* *macrops* Diakonoff,1959 (Tortricidae) Synonym(s): *macrops* Diakonoff,1959
77240) *Cryptophlebia* *melanopoda* Diakonoff,1983 (Tortricidae) Synonym(s): *melanopoda* Diakonoff,1983
77241) *Cryptophlebia* *moriutii* Kawabe,1989 (Tortricidae) Synonym(s): *moriutii* Kawabe,1989
77242) *Cryptophlebia* *ombrodelta* (Lower,1898) (Tortricidae) Synonym(s): *ombrodelta* Lower,1898; *carpophaga* Walsingham,1899; *lasiandra* Meyrick,1909; *#lasiandra* Hutacharern & Tuhtim,1995; *#ombrodelta* Hutacharern & Tuhtim,1995
77243) *Cryptophlebia* *pallifimbriana* Bradley,1953 (Tortricidae) Synonym(s): *pallifimbriana* Bradley,1953
77244) *Cryptophlebia* *peltastica* (Meyrick,1921) (Tortricidae) Synonym(s): *peltastica* Meyrick,1921
77245) *Cryptophlebia* *perfracta* Diakonoff,1957 (Tortricidae) Synonym(s): *perfracta* Diakonoff,1957
77246) *Cryptophlebia* *praesiliens* (Meyrick,1924) (Tortricidae) Synonym(s): *praesiliens* Meyrick,1924; *xylodelta* Meyrick,1928
77247) *Cryptophlebia* *repletana* (Walker,1863) (Tortricidae) Synonym(s): *repletana* Walker,1863; *trigosema* Meyrick,1914; *tetraploca* Meyrick,1928
77248) *Cryptophlebia* *rhizophorae* Vari,1981 (Tortricidae) Synonym(s): *rhizophorae* Vari,1981
77249) *Cryptophlebia* *rhynchias* (Meyrick,1905) (Tortricidae) Synonym(s): *rhynchias* Meyrick,1905
77250) *Cryptophlebia* *saileri* Clarke,1986 (Tortricidae) Synonym(s): *saileri* Clarke,1986
77251) *Cryptophlebia* *semilunana* (Saalmüller,1880) (Tortricidae) Synonym(s): *semilunana* Saalmüller,1880; *praesiliens* Meyrick,1924; *xylodelta* Meyrick,1928
77252) *Cryptophlebia* *sigerui* Kawabe,1995 (Tortricidae) Synonym(s): *sigerui* Kawabe,1995
77253) *Cryptophlebia* *socotrensis* Walsingham,1900 (Tortricidae) Synonym(s): *socotrensis* Walsingham,1900
77254) *Cryptophlebia* *sumatrana* (Diakonoff,1957) (Tortricidae) Synonym(s): *sumatrana* Diakonoff,1957
77255) *Cryptophlebia* *tetraploca* (Meyrick,1928) (Tortricidae) Synonym(s): *tetraploca* Meyrick,1928
77256) *Cryptophlebia* *vitiensis* Bradley,1953 (Tortricidae) Synonym(s): *vitiensis* Bradley,1953
77257) *Cryptophlebia* *williamsi* Bradley,1953 (Tortricidae) Synonym(s): *williamsi* Bradley,1953
77258) *Cryptophlebia* *yasudai* Kawabe,1972 (Tortricidae) Synonym(s): *yasudai* Kawabe,1972
77259) *Cuproxena* *anietae* (Razowski & Becker,1989) (Tortricidae) Synonym(s): *anietae* Razowski & Becker,1989
77260) *Cuproxena* *argentina* J.Brown,1991 (Tortricidae) Synonym(s): *argentina* J.Brown,1991
77261) *Cuproxena* *astraboda* (Razowski,1989) (Tortricidae) Synonym(s): *astraboda* Razowski,1989
77262) *Cuproxena* *auga* (Razowski & Becker,1989) (Tortricidae) Synonym(s): *auga* Razowski & Becker,1989
77263) *Cuproxena* *binotata* J.Brown & Obratzov,1991 (Tortricidae) Synonym(s): *binotata* J.Brown & Obratzov,1991
77264) *Cuproxena* *bramiliana* J.Brown,1991 (Tortricidae) Synonym(s): *bramiliana* J.Brown,1991
77265) *Cuproxena* *cara* J.Brown,1991 (Tortricidae) Synonym(s): *cara* J.Brown,1991
77266) *Cuproxena* *chelographa* (Meyrick,1917) (Tortricidae) Synonym(s): *chelographa* Meyrick,1917
77267) *Cuproxena* *cornuta* J.Brown & Obratzov,1991 (Tortricidae) Synonym(s): *cornuta* J.Brown & Obratzov,1991
77268) *Cuproxena* *duckworthorum* J.Brown,1991 (Tortricidae) Synonym(s): *duckworthorum* J.Brown,1991
77269) *Cuproxena* *elongana* J.Brown,1991 (Tortricidae) Synonym(s): *elongana* J.Brown,1991
77270) *Cuproxena* *eudiometra* (Razowski & Becker,1989) (Tortricidae) Synonym(s): *eudiometra* Razowski & Becker,1989
77271) *Cuproxena* *flintana* J.Brown,1991 (Tortricidae) Synonym(s): *flintana* J.Brown,1991
77272) *Cuproxena* *flosculana* (Walsingham,1914) (Tortricidae) Synonym(s): *flosculana* Walsingham,1914; *tephrodelta* Meyrick,1932
77273) *Cuproxena* *hoffmanana* J.Brown,1991 (Tortricidae) Synonym(s): *hoffmanana* J.Brown,1991
77274) *Cuproxena* *latiana* J.Brown,1991 (Tortricidae) Synonym(s): *latiana* J.Brown,1991
77275) *Cuproxena* *minimiana* J.Brown,1991 (Tortricidae) Synonym(s): *minimiana* J.Brown,1991
77276) *Cuproxena* *neoneridana* J.Brown,1991 (Tortricidae) Synonym(s): *neoneridana* J.Brown,1991
77277) *Cuproxena* *neridana* (Zeller,1866) (Tortricidae) Synonym(s): *neridana* Zeller,1866
77278) *Cuproxena* *paracornuta* J.Brown,1991 (Tortricidae) Synonym(s): *paracornuta* J.Brown,1991
77279) *Cuproxena* *pseudoplesia* J.Brown,1991 (Tortricidae) Synonym(s): *pseudoplesia* J.Brown,1991
77280) *Cuproxena* *quinquenotata* (Walker,1862) (Tortricidae) Synonym(s): *quinquenotata* Walker,1862

- 77281) *Cuproxena serrata* J.Brown,1991 (Tortricidae) Synonym(s): *serrata* J.Brown,1991
77282) *Cuproxena speculana* (Walsingham,1914) (Tortricidae) Synonym(s): *speculana* Walsingham,1914
77283) *Cuproxena subunicolora* J.Brown & Obratzov,1991 (Tortricidae) Synonym(s): *subunicolora* J.Brown & Obratzov,1991
77284) *Cuproxena tremata* J.Brown & Obratzov,1991 (Tortricidae) Synonym(s): *tremata* J.Brown & Obratzov,1991
77285) *Cuproxena triphera* J.Brown & Obratzov,1991 (Tortricidae) Synonym(s): *triphera* J.Brown & Obratzov,1991
77286) *Cuproxena virifloscula* J.Brown,1991 (Tortricidae) Synonym(s): *virifloscula* J.Brown,1991
77287) *Cydia adenocarpus* (Ragonot,1875) (Tortricidae) Synonym(s): *adenocarpus* Ragonot,1875
77288) *Cydia adjunctana* (Kennel,1901) (Tortricidae) Synonym(s): *adjunctana* Kennel,1901
77289) *Cydia alabastrina* Diakonoff,1983 (Tortricidae) Synonym(s): *alabastrina* Diakonoff,1983
77290) *Cydia alazon* (Diakonoff,1976) (Tortricidae) Synonym(s): *alazon* Diakonoff,1976
77291) *Cydia albipicta* (Sauter,1968) (Tortricidae) Synonym(s): *albipicta* Sauter,1968
77292) *Cydia alienana* Caradja,1916 (Tortricidae) Synonym(s): *alienana* Caradja,1916; *pfeifferi* Rebel,1935
77293) *Cydia amictana* (C.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *amictana* C.Felder & Rogenhofer,1875
77294) *Cydia amplana* (Hübner,1799) (Tortricidae) Synonym(s): *amplana* Hübner,1799; *molybdana* Constant,1884
77295) *Cydia ancoloba* (Meyrick,1922) (Tortricidae) Synonym(s): *ancoloba* Meyrick,1922
77296) *Cydia anthracotis* (Meyrick,1913) (Tortricidae) Synonym(s): *anthracotis* Meyrick,1913
77297) *Cydia aphrospila* (Meyrick,1921) (Tortricidae) Synonym(s): *aphrospila* Meyrick,1921
77298) *Cydia araucariae* (Pastrana,1922) (Tortricidae) Synonym(s): *araucariae* Pastrana,1922
77299) *Cydia areata* (Meyrick,1918) (Tortricidae) Synonym(s): *areata* Meyrick,1918
77300) *Cydia astragalana* (Staudinger,1871) (Tortricidae) Synonym(s): *astragalana* Staudinger,1871
77301) *Cydia bagdadiana* (Amsel,1949) (Tortricidae) Synonym(s): *bagdadiana* Amsel,1949
77302) *Cydia blackmoreana* (Walsingham,1903) (Tortricidae) Synonym(s): *blackmoreana* Walsingham,1903
77303) *Cydia calliglypta* (Meyrick,1932) (Tortricidae) Synonym(s): *calliglypta* Meyrick,1932
77304) *Cydia campestris* (Meyrick,1914) (Tortricidae) Synonym(s): *campestris* Meyrick,1914
77305) *Cydia celiae* (Clarke,1976) (Tortricidae) Synonym(s): *celiae* Clarke,1976
77306) *Cydia chalybdica* (Meyrick,1922) (Tortricidae) Synonym(s): *chalybdica* Meyrick,1922
77307) *Cydia chlamydata* (Meyrick,1924) (Tortricidae) Synonym(s): *chlamydata* Meyrick,1924
77308) *Cydia cholerope* (Meyrick,1913) (Tortricidae) Synonym(s): *cholerope* Meyrick,1913
77309) *Cydia chromataspis* (Meyrick,1921) (Tortricidae) Synonym(s): *chromataspis* Meyrick,1921
77310) *Cydia clerckiana* (Stoll,1782) (Tortricidae) Synonym(s): *clerckiana* Stoll,1782
77311) *Cydia cognatana* (Barrett,1874) (Tortricidae) Synonym(s): *cognatana* Barrett,1874
77312) *Cydia coluteana* (Amsel,1959) (Tortricidae) Synonym(s): *coluteana* Amsel,1959
77313) *Cydia conicolana* (Heylaerts,1874) (Tortricidae) Synonym(s): *conicolana* Heylaerts,1874
77314) *Cydia coniferana* (Saxen,1840) (Tortricidae) Synonym(s): *coniferana* Saxen,1840; ? *ericicolana* Bruand,1850; *separatana* Herrich-Schäffer,1851
77315) *Cydia cornucopiae* (Tengström,1869) (Tortricidae) Synonym(s): *cornucopiae* Tengström,1869
77316) *Cydia corollana* (Hübner,1823) (Tortricidae) Synonym(s): *corollana* Hübner,1823
77317) *Cydia cosmophorana* (Treitschke,1835) (Tortricidae) Synonym(s): *obscurana* Frölich,1828 *nec* Schr.,1802; *cosmophorana* Treitschke,1835; *geminana* Zetterstedt,1839
77318) *Cydia curtibana* (Schönherr,1987) (Tortricidae) Synonym(s): *curtibana* Schönherr,1987
77319) *Cydia cyanocephala* (Meyrick,1921) (Tortricidae) Synonym(s): *cyanocephala* Meyrick,1921
77320) *Cydia cythisanthana* (Burmann & Präse,1988) (Tortricidae) Synonym(s): *cythisanthana* Burmann & Präse,1988
77321) *Cydia damascana* (Razowski,1966) (Tortricidae) Synonym(s): *damascana* Razowski,1966
77322) *Cydia derrai* Präse,1988 (Tortricidae) Synonym(s): *derrai* Präse,1988
77323) *Cydia deshaisiana* (Lucas,1858) (Tortricidae) Synonym(s): *deshaisiana* Lucas,1858; *deshaysiana* Lucas,1858; *saltitans* Westwood,1858; *saltatoria* Somerville,1890; *sebastianiae* Riley,1891
77324) *Cydia dissoluta* (Diakonoff,1983) (Tortricidae) Synonym(s): *dissoluta* Diakonoff,1983
77325) *Cydia dohrniana* (Zeller,1863) (Tortricidae) Synonym(s): *dohniana* Zeller,1863
77326) *Cydia duplicana* (Zetterstedt,1839) (Tortricidae) Synonym(s): *duplicana* Zetterstedt,1839
77327) *Cydia elevata* (Meyrick,1916) (Tortricidae) Synonym(s): *elevata* Meyrick,1916
77328) *Cydia euclera* (Meyrick,1921) (Tortricidae) Synonym(s): *euclera* Meyrick,1921
77329) *Cydia eucyanea* (Walsingham,1914) (Tortricidae) Synonym(s): *eucyanea* Walsingham,1914
77330) *Cydia eudesma* (Walsingham,1914) (Tortricidae) Synonym(s): *eudesma* Walsingham,1914
77331) *Cydia excoriata* (Meyrick,1918) (Tortricidae) Synonym(s): *excoriata* Meyrick,1918
77332) *Cydia exosticha* (Meyrick,1936) (Tortricidae) Synonym(s): *exosticha* Meyrick,1936
77333) *Cydia exquisitana* (Rebel,1889) (Tortricidae) Synonym(s): *exquisitana* Rebel,1889
77334) *Cydia exsurgens* (Meyrick,1922) (Tortricidae) Synonym(s): *exsurgens* Meyrick,1922
77335) *Cydia fabivora* (Meyrick,1928) (Tortricidae) Synonym(s): *fabivora* Meyrick,1928; *prosecta* Meyrick,1932; *leguminis* Heinrich,1943
77336) *Cydia fahlbergiana* (Thunberg,1797) (Tortricidae) Synonym(s): *fahlbergiana* Thunberg,1797; *flavicollis* Walsingham,1897
77337) *Cydia farsica* (Danilevski & Kuznetsov,1968) (Tortricidae) Synonym(s): *farsica* Danilevski & Kuznetsov,1968
77338) *Cydia gilvicihana* (Staudinger,1859) (Tortricidae) Synonym(s): *gilvicihana* Staudinger,1859
77339) *Cydia gratulata* (Meyrick,1916) (Tortricidae) Synonym(s): *gratulata* Meyrick,1916
77340) *Cydia grunertiana* (Ratzeburg,1868) (Tortricidae) Synonym(s): *grunertiana* Ratzeburg,1868
77341) *Cydia guttifera* (Meyrick,1913) (Tortricidae) Synonym(s): *guttifera* Meyrick,1913
77342) *Cydia halmyris* (Meyrick,1909) (Tortricidae) Synonym(s): *halmyris* Meyrick,1909
77343) *Cydia hieroglyphana* (A.Blanchard & Knudson,1984) (Tortricidae) Synonym(s): *hieroglyphana* A.Blanchard & Knudson,1984
77344) *Cydia honorana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *honorana* Herrich-Schäffer,1851
77345) *Cydia ichthyura* (Meyrick,1926) (Tortricidae) Synonym(s): *ichthyura* Meyrick,1926
77346) *Cydia ilipulana* (Walsingham,1903) (Tortricidae) Synonym(s): *ilipulana* Walsingham,1903; *dioszeghi* Capuse,1970
77347) *Cydia illutana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *illutana* Herrich-Schäffer,1851; *ibzeliana* Karpinski,1962
77348) *Cydia indivisa* (Danilevsky,1963) (Tortricidae) Synonym(s): *indivisa* Danilevsky,1963
77349) *Cydia inflata* (Meyrick,1916) (Tortricidae) Synonym(s): *inflata* Meyrick,1916
77350) *Cydia injectiva* (Heinrich,1926) (Tortricidae) Synonym(s): *injectiva* Heinrich,1926
77351) *Cydia inquinatana* (Hübner,1799) (Tortricidae) Synonym(s): *inquinatana* Hübner,1799
77352) *Cydia interscindana* (Möschler,1866) (Tortricidae) Synonym(s): *interscindana* Möschler,1866; *opulentana* Millière,1875
77353) *Cydia intexta* (Kuznetsov,1962) (Tortricidae) Synonym(s): *intexta* Kuznetsov,1962
77354) *Cydia ioxesta* (Meyrick,1922) (Tortricidae) Synonym(s): *ioxesta* Meyrick,1922
77355) *Cydia johanssoni* (Aarvik & Karsholt,1993) (Tortricidae) Synonym(s): *johanssoni* Aarvik & Karsholt,1993
77356) *Cydia largo* (Heppner,1981) (Tortricidae) Synonym(s): *largo* Heppner,1981
77357) *Cydia lathraeopa* (Meyrick,1922) (Tortricidae) Synonym(s): *lathraeopa* Meyrick,1922
77358) *Cydia latiferrana* (Walsingham,1879) (Tortricidae) Synonym(s): *latiferrana* Walsingham,1879; *aurichalceana* Riley,1881; *inquilina* Kearfott,1907
77359) *Cydia latisigna* (W.Miller,1986) (Tortricidae) Synonym(s): *latisigna* W.Miller,1986
77360) *Cydia leguminana* (Lienig & Zeller,1846) (Tortricidae) Synonym(s): *leguminana* Lienig & Zeller,1846
77361) *Cydia leptogramma* (Meyrick,1913) (Tortricidae) Synonym(s): *leptogramma* Meyrick,1913
77362) *Cydia leucatma* (Meyrick,1925) (Tortricidae) Synonym(s): *leucatma* Meyrick,1925
77363) *Cydia leucogrammana* (Hofmann,1898) (Tortricidae) Synonym(s): *leucogrammana* Hofmann,1898
77364) *Cydia malacodes* (Meyrick,1911) (Tortricidae) Synonym(s): *malacodes* Meyrick,1911
77365) *Cydia malesana* (Meyrick,1920) (Tortricidae) Synonym(s): *malesana* Meyrick,1920
77366) *Cydia medicaginis* (Kuznetsov,1962) (Tortricidae) Synonym(s): *medicaginis* Kuznetsov,1962
77367) *Cydia melanoptycha* (Diakonoff,1983) (Tortricidae) Synonym(s): *melanoptycha* Diakonoff,1983
77368) *Cydia melicrossis* (Meyrick,1932) (Tortricidae) Synonym(s): *melicrossis* Meyrick,1932

- 77369) *Cydia membrosa* (Heinrich,1926) (Tortricidae) Synonym(s): *membrosa* Heinrich,1926
 77370) *Cydia menoides* Walsingham,1914 (Tortricidae) Synonym(s): *menoides* Walsingham,1914
 77371) *Cydia metaspilana* (Walker,1863) (Tortricidae) Synonym(s): *metaspilana* Walker,1863
 77372) *Cydia microgrammana* (Guenée,1845) (Tortricidae) Synonym(s): *microgrammana* Guenée,1845
 77373) *Cydia milleniana* (Adamczewski,1967) (Tortricidae) Synonym(s): *zebeana* auct.; *milleniana* Adamczewski,1967; *deciduana* Steuer,1969
 77374) *Cydia modica* (Meyrick,1913) (Tortricidae) Synonym(s): *modica* Meyrick,1913
 77375) *Cydia molesta* (Busck,1916) (Tortricidae) Synonym(s): *molesta* Busck,1916
 77376) *Cydia montezuma* W.Miller,1986 (Tortricidae) Synonym(s): *montezuma* W.Miller,1986
 77377) *Cydia motrix* (Berg,1891) (Tortricidae) Synonym(s): *motrix* Berg,1891
 77378) *Cydia neolopha* (Meyrick,1926) (Tortricidae) Synonym(s): *neolopha* Meyrick,1926
 77379) *Cydia nicomacha* (Meyrick,1921) (Tortricidae) Synonym(s): *nicomacha* Meyrick,1921
 77380) *Cydia nigra* (W.Miller,1967) (Tortricidae) Synonym(s): *nigra* W.Miller,1967
 77381) *Cydia nigricana* (Fabricius,1794) (Tortricidae) Synonym(s): *#rusticella* Clerck,1759; *nigricana* Fabricius,1794; *proximana* Haworth,1811; *pisana* Guenée,1845; *ratifera* Meyrick,1912; *novimundi* Heinrich,1920
 77382) *Cydia nigrostriana* (Snellen,1883) (Tortricidae) Synonym(s): *nigrostriana* Snellen,1883
 77383) *Cydia nomaea* (Meyrick,1917) (Tortricidae) Synonym(s): *nomaea* Meyrick,1917
 77384) *Cydia oblecta* (Meyrick,1922) (Tortricidae) Synonym(s): *oblecta* Meyrick,1922
 77385) *Cydia obumbrana* Kuznetsov,1992 (Tortricidae) Synonym(s): *obumbrana* Kuznetsov,1992
 77386) *Cydia ocnogramma* (Meyrick,1910) (Tortricidae) Synonym(s): *ocnogramma* Meyrick,1910
 77387) *Cydia odontica* Diakonoff,1983 (Tortricidae) Synonym(s): *odontica* Diakonoff,1983
 77388) *Cydia omana* Razowski,1995 (Tortricidae) Synonym(s): *omana* Razowski,1995
 77389) *Cydia orthopyrga* (Meyrick,1922) (Tortricidae) Synonym(s): *orthopyrga* Meyrick,1922
 77390) *Cydia oxytropidis* (Martini,1912) (Tortricidae) Synonym(s): *oxytropidis* Martini,1912
 77391) *Cydia pactolana* (Zeller,1840) (Tortricidae) Synonym(s): *pactolana* Zeller,1840; *pinetana* Schläger,1847
 77392) *Cydia peiui* Stanoiu & Nemes,1974 (Tortricidae) Synonym(s): *peiui* Stanoiu & Nemes,1974
 77393) *Cydia periclydonia* Diakonoff,1983 (Tortricidae) Synonym(s): *periclydonia* Diakonoff,1983
 77394) *Cydia perlaeta* Walsingham,1914 (Tortricidae) Synonym(s): *perlaeta* Walsingham,1914
 77395) *Cydia perrupta* (Meyrick,1922) (Tortricidae) Synonym(s): *perrupta* Meyrick,1922
 77396) *Cydia persica* (Danilevskii & Kuznetsov,1968) (Tortricidae) Synonym(s): *persica* Danilevskii & Kuznetsov,1968
 77397) *Cydia phalacris* Meyrick,1912 (Tortricidae) Synonym(s): *phalacris* Meyrick,1912
 77398) *Cydia phaulomorpha* (Meyrick,1927) (Tortricidae) Synonym(s): *phaulomorpha* Meyrick,1927
 77399) *Cydia phyllisae* W.Miller,1986 (Tortricidae) Synonym(s): *phyllisae* W.Miller,1986
 77400) *Cydia piperana* Kearfott,1907 (Tortricidae) Synonym(s): *piperana* Kearfott,1907
 77401) *Cydia platydryas* (Meyrick,1932) (Tortricidae) Synonym(s): *platydryas* Meyrick,1932
 77402) *Cydia plectocosma* (Meyrick,1921) (Tortricidae) Synonym(s): *plectocosma* Meyrick,1921
 77403) *Cydia plerota* (Meyrick,1921) (Tortricidae) Synonym(s): *plerota* Meyrick,1921
 77404) *Cydia plumbiferana* (Staudinger,1870) (Tortricidae) Synonym(s): *plumbiferana* Staudinger,1870
 77405) *Cydia pomonella* (Linnaeus,1758) (Tortricidae) Synonym(s): *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859
 77406) *Cydia procellosa* (Meyrick,1917) (Tortricidae) Synonym(s): *procellosa* Meyrick,1917
 77407) *Cydia psamminitis* (Meyrick,1913) (Tortricidae) Synonym(s): *psamminitis* Meyrick,1913
 77408) *Cydia pulchella* Durrant,1914 (Tortricidae) Synonym(s): *pulchella* Durrant,1914
 77409) *Cydia pyraspis* (Meyrick,1928) (Tortricidae) Synonym(s): *pyraspis* Meyrick,1928
 77410) *Cydia pyrivora* Danilevsky,1947 (Tortricidae) Synonym(s): *pyrivora* Danilevsky,1947; *dannehli* Obratsov,1950
 77411) *Cydia pyrozona* (Meyrick,1916) (Tortricidae) Synonym(s): *pyrozona* Meyrick,1916
 77412) *Cydia rhodaspis* (Meyrick,1928) (Tortricidae) Synonym(s): *rhodaspis* Meyrick,1928
 77413) *Cydia rjabovi* Kuznetsov,1962 (Tortricidae) Synonym(s): *rjabovi* Kuznetsov,1962
 77414) *Cydia sammuti* Diakonoff,1986 (Tortricidae) Synonym(s): *sammuti* Diakonoff,1986
 77415) *Cydia selenana* (Zeller,1847) (Tortricidae) Synonym(s): *selenana* Zeller,1847
 77416) *Cydia selliferana* (Kennel,1901) (Tortricidae) Synonym(s): *selliferana* Kennel,1901
 77417) *Cydia semicinctana* (Kennel,1901) (Tortricidae) Synonym(s): *semicinctana* Kennel,1901
 77418) *Cydia servillana* (Duponchel,1836) (Tortricidae) Synonym(s): *servillana* Duponchel,1836
 77419) *Cydia signifer* Walsingham,1914 (Tortricidae) Synonym(s): *signifer* Walsingham,1914
 77420) *Cydia sinana* (C.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *sinana* C.Felder & Rogenhofer,1875
 77421) *Cydia sporosema* (Meyrick,1922) (Tortricidae) Synonym(s): *sporosema* Meyrick,1922
 77422) *Cydia stelocosma* (Meyrick,1925) (Tortricidae) Synonym(s): *stelocosma* Meyrick,1925
 77423) *Cydia steringus* Diakonoff,1983 (Tortricidae) Synonym(s): *steringus* Diakonoff,1983
 77424) *Cydia strigulatana* (Kennel,1899) (Tortricidae) Synonym(s): *strigulatana* Kennel,1899; *?cretaceana* Kennel,1899; *seriana* Kennel,1901; *obesana* Kennel,1901; *escorialana* Schmidt,1933; *rebeli* Hartig,1938; *hartigi* Lucas,1942; *agenjoi* Obratsov,1968
 77425) *Cydia strobilella* (Linnaeus,1758) (Tortricidae) Synonym(s): *strobilella* Linnaeus,1758; *strobilana* Hübner,[1799]; *kollarana* Treitschke,1829
 77426) *Cydia subapicana* (Walker,1863) (Tortricidae) Synonym(s): *subapicana* Walker,1863
 77427) *Cydia succedana* (Denis & Schiffermüller,1775) (Tortricidae) Synonym(s): *succedana* [Denis & Schiffermüller],1775; *asseclana* Hübner,[1800] *nec* [Den. & Schiff.],1775; *griseana* Osthelder,1938
 77428) *Cydia tetrasticta* (Meyrick,1909) (Tortricidae) Synonym(s): *tetrasticta* Meyrick,1909
 77429) *Cydia tonosticha* (Meyrick,1922) (Tortricidae) Synonym(s): *tonosticha* Meyrick,1922; *cassiana* Lima,1952
 77430) *Cydia torostoma* (Clarke,1972) (Tortricidae) Synonym(s): *torostoma* Clarke,1972
 77431) *Cydia trianglella* (Goeze,1783) (Tortricidae) Synonym(s): *trianglella* Goeze,1783; *bicolorata* Fourcroy,1785; *splendana* Hübner,[1799]; *glandella* Schrank,1802; *reaumurana* Heyden,1860
 77432) *Cydia tricentra* (Meyrick,1907) (Tortricidae) Synonym(s): *tricentra* Meyrick,1907
 77433) *Cydia trifasciolana* (Schönherr,1987) (Tortricidae) Synonym(s): *trifasciolana* Schönherr,1987
 77434) *Cydia trigonoptila* (Meyrick,1921) (Tortricidae) Synonym(s): *trigonoptila* Meyrick,1921
 77435) *Cydia trogodana* (Pröse,1988) (Tortricidae) Synonym(s): *trogodana* Pröse,1988
 77436) *Cydia truncatulana* (Zeller,1877) (Tortricidae) Synonym(s): *truncatulana* Zeller,1877
 77437) *Cydia tumulata* Meyrick,1908 (Tortricidae) Synonym(s): *tumulata* Meyrick,1908
 77438) *Cydia tunisiana* Aarvik & Karsholt,1993 (Tortricidae) Synonym(s): *tunisiana* Aarvik & Karsholt,1993
 77439) *Cydia turciana* (Chambon,1993) (Tortricidae) Synonym(s): *turciana* Chambon,1993
 77440) *Cydia ulicetana* (Haworth,1811) (Tortricidae) Synonym(s): *ulicetana* Haworth,[1811]; *consequana* Zeller,1847; *micaceana* Constant,1865.
 77441) *Cydia vallesiaca* (Sauter,1968) (Tortricidae) Synonym(s): *vallesiaca* Sauter,1968
 77442) *Cydia victrix* (Meyrick,1918) (Tortricidae) Synonym(s): *victrix* Meyrick,1918
 77443) *Cydia violescens* (Meyrick,1918) (Tortricidae) Synonym(s): *violescens* Meyrick,1918
 77444) *Cydia vitrana* (Walsingham,1879) (Tortricidae) Synonym(s): *vitrana* Walsingham,1879
 77445) *Cydia zebeana* (Ratzeburg,1840) (Tortricidae) Synonym(s): *zebeana* Ratzeburg,1840
 77446) *Cylichneulia cylichna* Razowski,1994 (Tortricidae) Synonym(s): *cylichna* Razowski,1994
 77447) *Cylichneulia telesocia* Razowski,1994 (Tortricidae) Synonym(s): *telesocia* Razowski,1994
 77448) *Cymolomia hartigiana* (Saxen,1840) (Tortricidae) Synonym(s): *hartigiana* Saxen,1840; *faillana* Fuchs,1903
 77449) *Cymolomia jinboi* Kawabe,1976 (Tortricidae) Synonym(s): *jinboi* Kawabe,1976
 77450) *Cymolomia phaeopelta* (Meyrick,1921) (Tortricidae) Synonym(s): *phaeopelta* Meyrick,1921
 77451) *Cymolomia taigana* Falkovitsh,1966 (Tortricidae) Synonym(s): *taigana* Falkovitsh,1966
 77452) *Cymolomia vinolenta* Diakonoff,1973 (Tortricidae) Synonym(s): *vinolenta* Diakonoff,1973
 77453) *Dactyloglyphia avita* Diakonoff,1973 (Tortricidae) Synonym(s): *avita* Diakonoff,1973

- 77454) *Dactyloglypha mimas* Diakonoff,1973 (Tortricidae) Synonym(s): *mimas* Diakonoff,1973
 77455) *Dactyloglypha pallens* Diakonoff,1973 (Tortricidae) Synonym(s): *pallens* Diakonoff,1973
 77456) *Dactyloglypha tonica* (Meyrick,1909) (Tortricidae) Synonym(s): *tonica* Meyrick,1909
 77457) *Dactyloglypha zonata* Diakonoff,1973 (Tortricidae) Synonym(s): *zonata* Diakonoff,1973
 77458) *Dasodis cladographa* Diakonoff,1983 (Tortricidae) Synonym(s): *cladographa* Diakonoff,1983
 77459) *Dasodis microphthora* (Meyrick,1936) (Tortricidae) Synonym(s): *microphthora* Meyrick,1936
 77460) *Decodes australus* Powell,1965 (Tortricidae) Synonym(s): *australus* Powell,1965
 77461) *Decodes jonhstoni* Powell,1961 (Tortricidae) Synonym(s): *jonhstoni* Powell,1961
 77462) *Decodes macswaini* Powell,1980 (Tortricidae) Synonym(s): *macswaini* Powell,1980
 77463) *Decodes placitus* (Walsingham,1914) (Tortricidae) Synonym(s): *placitus* Walsingham,1914
 77464) *Decodes zimapanus* Powell,1980 (Tortricidae) Synonym(s): *zimapanus* Powell,1980
 77465) *Decodina mazatlana* Powell,1980 (Tortricidae) Synonym(s): *mazatlana* Powell,1980
 77466) *Deltinea costalimai* Pastrana,1961 (Tortricidae) Synonym(s): *costalimai* Pastrana,1961
 77467) *Deltobathra platamodes* Meyrick,1923 (Tortricidae) Synonym(s): *platamodes* Meyrick,1923
 77468) *Demeijerella bicolorana* (Bradley,1961) (Tortricidae) Synonym(s): *bicolorana* Bradley,1961
 77469) *Demeijerella catharota* (Meyrick,1928) (Tortricidae) Synonym(s): *catharota* Meyrick,1928
 77470) *Demeijerella chrysoplea* (Diakonoff,1975) (Tortricidae) Synonym(s): *chrysoplea* Diakonoff,1975
 77471) *Demeijerella relapsa* (Meyrick,1928) (Tortricidae) Synonym(s): *relapsa* Meyrick,1928
 77472) *Demeijerella xanthorhina* Diakonoff,1954 (Tortricidae) Synonym(s): *xanthorhina* Diakonoff,1954
 77473) *Diakonoffiana cyanitis* (Diakonoff,1973) (Tortricidae) Synonym(s): *cyanitis* Diakonoff,1973
 77474) *Diakonoffiana mataea* (Diakonoff,1973) (Tortricidae) Synonym(s): *mataea* Diakonoff,1973
 77475) *Diakonoffiana saloris* (Diakonoff,1973) (Tortricidae) Synonym(s): *salaris* Diakonoff,1973
 77476) *Diakonoffiana syngena* (Diakonoff,1973) (Tortricidae) Synonym(s): *syngena* Diakonoff,1973
 77477) *Diakonoffiana tricolorana* (Meyrick,1881) (Tortricidae) Synonym(s): *tricolorana* Meyrick,1881; *fungiferana* Meyrick,1881; *intricata* Turner,1916; *leucatma* Turner,1926; *lychnospila* Turner,1946; *metacycla* Diakonoff,1973
 77478) *Diakonoffiana vindemians* (Meyrick,1921) (Tortricidae) Synonym(s): *vindemians* Meyrick,1921
 77479) *Dicellititis cornucopiae* Diakonoff,1941 (Tortricidae) Synonym(s): *cornucopiae* Diakonoff,1941
 77480) *Dicellititis furcigera* Meyrick,1908 (Tortricidae) Synonym(s): *furcigera* Meyrick,1908
 77481) *Dicellititis nigrifula* Meyrick,1908 (Tortricidae) Synonym(s): *nigrifula* Meyrick,1908
 77482) *Dicephalarcha acupicta* Diakonoff,1973 (Tortricidae) Synonym(s): *acupicta* Diakonoff,1973
 77483) *Dicephalarcha anemodes* (Meyrick,1912) (Tortricidae) Synonym(s): *anemodes* Meyrick,1912
 77484) *Dicephalarcha atava* Diakonoff,1973 (Tortricidae) Synonym(s): *atava* Diakonoff,1973
 77485) *Dicephalarcha dependens* (Meyrick,1909) (Tortricidae) Synonym(s): *dependens* Meyrick,1909
 77486) *Dicephalarcha dimorpha* (Meyrick,1909) (Tortricidae) Synonym(s): *dimorpha* Meyrick,1909
 77487) *Dicephalarcha herbosa* (Meyrick,1909) (Tortricidae) Synonym(s): *herbosa* Meyrick,1909; *mnipyrrha* Meyrick,1931
 77488) *Dicephalarcha monometalla* Diakonoff,1973 (Tortricidae) Synonym(s): *monometalla* Diakonoff,1973
 77489) *Dicephalarcha sicca* Diakonoff,1973 (Tortricidae) Synonym(s): *sicca* Diakonoff,1973
 77490) *Diceratura amarantica* Razowski,1963 (Tortricidae) Synonym(s): *amarantica* Razowski,1963
 77491) *Diceratura diceratops* Razowski,1967 (Tortricidae) Synonym(s): *diceratops* Razowski,1967
 77492) *Diceratura infantana* (Kennel,1899) (Tortricidae) Synonym(s): *infantana* Kennel,1899; *puellana* Walsingham,1903.
 77493) *Diceratura ostrinana* (Guenée,1845) (Tortricidae) Synonym(s): *ostrinana* Guenée,1845; *purpuratana* Herrich-Schäffer,[1851].
 77494) *Diceratura porrectana* Djakonov,1929 (Tortricidae) Synonym(s): *porrectana* Djakonov,1929
 77495) *Diceratura rhodograpta* Djakonov,1929 (Tortricidae) Synonym(s): *rhodograpta* Djakonov,1929
 77496) *Diceratura roseofasciana* (Mann,1855) (Tortricidae) Synonym(s): *roseofasciana* Mann,1855; *aequana* Caradja,1916; *keredjana* Razowski,1963.
 77497) *Diceratura teheranica* Razowski,1970 (Tortricidae) Synonym(s): *teheranica* Razowski,1970
 77498) *Dichelia alexiana* (Kennel,1919) (Tortricidae) Synonym(s): *alexiana* Kennel,1919
 77499) *Dichelia cedricola* (Diakonoff,1974) (Tortricidae) Synonym(s): *cedricola* Diakonoff,1974
 77500) *Dichelia histrionana* (Frölich,1828) (Tortricidae) Synonym(s): *pinana* [Denis & Schiffermüller],1775; *histrionana* Frölich,1828; *stygiانا* Rebel,1929
 77501) *Dichelia miserabilis* Strand,1918 (Tortricidae) Synonym(s): *miserabilis* Strand,1918
 77502) *Dichelia numidicola* Chabon,1990 (Tortricidae) Synonym(s): *numidicola* Chabon,1990
 77503) *Dichrorampha abhasica* Danilevsky,1968 (Tortricidae) Synonym(s): *abhasica* Danilevsky,1968
 77504) *Dichrorampha acuminatana* (Lienig & Zeller,1846) (Tortricidae) Synonym(s): *acuminatana* Lienig & Zeller,1846; *cochylana* Peyerimhoff,1863; *graminana* Peyerimhoff,1870
 77505) *Dichrorampha aeratana* (Pierce & Metcalf,1915) (Tortricidae) Synonym(s): *aeratana* Pierce & Metcalf,1915; *torrana* Pierce & Metcalf,1922
 77506) *Dichrorampha agilana* (Tengström,1848) (Tortricidae) Synonym(s): *agilana* Tengström,1848
 77507) *Dichrorampha alaicana* (Rebel,1910) (Tortricidae) Synonym(s): *alaicana* Rebel,1910; *tamerlana* Kennel,1919
 77508) *Dichrorampha alata* (Danilevsky,1960) (Tortricidae) Synonym(s): *alata* Danilevsky,1960
 77509) *Dichrorampha albicapitana* (Walsingham,1892) (Tortricidae) Synonym(s): *albicapitana* Walsingham,1892
 77510) *Dichrorampha albimacula* (Danilevsky,1948) (Tortricidae) Synonym(s): *albimacula* Danilevsky,1948
 77511) *Dichrorampha albistriana* Komai,1979 (Tortricidae) Synonym(s): *albistriana* Komai,1979
 77512) *Dichrorampha alexandrae* Passerin d'Entrèves,1972 (Tortricidae) Synonym(s): *alexandrae* Passerin d'Entrèves,1972
 77513) *Dichrorampha alpigenana* (Heinemann,1863) (Tortricidae) Synonym(s): *alpigenana* Heinemann,1863; *pflisteri* Obraztsov,1953; *klimeschi* Obraztsov,1953
 77514) *Dichrorampha alpinana* (Treitschke,1830) (Tortricidae) Synonym(s): *alpinana* Treitschke,1830; *quaestionana* Zeller,1878
 77515) *Dichrorampha altaica* Danilevsky,1968 (Tortricidae) Synonym(s): *altaica* Danilevsky,1968
 77516) *Dichrorampha ambrosiana* (Kennel,1919) (Tortricidae) Synonym(s): *ambrosiana* Kennel,1919
 77517) *Dichrorampha assumptana* (Walker,1863) (Tortricidae) Synonym(s): *assumptana* Walker,1863
 77518) *Dichrorampha baixerasana* Trematerra,1991 (Tortricidae) Synonym(s): *baixerasana* Trematerra,1991
 77519) *Dichrorampha banana* (Busck,1906) (Tortricidae) Synonym(s): *banana* Busck,1906; *sordescens* Meyrick,1912
 77520) *Dichrorampha bittana* (Busck,1906) (Tortricidae) Synonym(s): *bittana* Busck,1906; *immaculata* McDunnough,1946
 77521) *Dichrorampha broui* Knudson,1986 (Tortricidae) Synonym(s): *broui* Knudson,1986
 77522) *Dichrorampha bugnionana* (Duponchel,1843) (Tortricidae) Synonym(s): *bugnionana* Duponchel,1843
 77523) *Dichrorampha cacaleana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *cacaleana* Herrich-Schäffer,1851; *shelzhukoi* Obraztsov,1949
 77524) *Dichrorampha cancellatana* Kennel,1901 (Tortricidae) Synonym(s): *cancellatana* Kennel,1901
 77525) *Dichrorampha canimaculana* Komai,1979 (Tortricidae) Synonym(s): *canimaculana* Komai,1979
 77526) *Dichrorampha caucasica* (Danilevsky,1948) (Tortricidae) Synonym(s): *caucasica* Danilevsky,1948
 77527) *Dichrorampha chavanneana* (La Harpe,1858) (Tortricidae) Synonym(s): *chavanneana* La Harpe,1858; *raeticana* Frey,1870
 77528) *Dichrorampha cinerascens* (Danilevsky,1948) (Tortricidae) Synonym(s): *cinerascens* Danilevsky,1948
 77529) *Dichrorampha cinerosana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *cinerosana* Herrich-Schäffer,1851; *eurychorana* Rebel,1941
 77530) *Dichrorampha comptana* (Walker,1863) (Tortricidae) Synonym(s): *comptana* Walker,1863
 77531) *Dichrorampha coniana* Obraztsov,1953 (Tortricidae) Synonym(s): *coniana* Obraztsov,1953
 77532) *Dichrorampha consortana* (Stephens,1852) (Tortricidae) Synonym(s): *jackiana* Schläger,1848; *consortana* Stephens,1852; *balticana* Strand,1917; *alticolana* Müller-Rutz,1934; *minorana* Osthelder,1939
 77533) *Dichrorampha coriana* (R.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *coriana* R.Felder & Rogenhofer,1875
 77534) *Dichrorampha dana* (Kearfott,1907) (Tortricidae) Synonym(s): *dana* Kearfott,1907; *aequorea* Meyrick,1912; *bradorensis* McDunnough,1930
 77535) *Dichrorampha danilevskyi* Obraztsov,1958 (Tortricidae) Synonym(s): *immaculata* Danilevsky,1948 nec McDunn.,1946; *danilevskyi* Obraztsov,1958
 77536) *Dichrorampha dekanoidzei* Esartiya,1988 (Tortricidae) Synonym(s): *dekanoidzei* Esartiya,1988
 77537) *Dichrorampha dentivalva* Huemer,1996 (Tortricidae) Synonym(s): *dentivalva* Huemer,1996
 77538) *Dichrorampha discadena* (Danilevsky,1960) (Tortricidae) Synonym(s): *discadena* Danilevsky,1960
 77539) *Dichrorampha distinctana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *distinctana* Herrich-Schäffer,1851

- 77540) *Dichrorampha dzhungarica* (Danilevsky,1948) (Tortricidae) Synonym(s): *dzhungarica* Danilevsky,1948
 77541) *Dichrorampha eidmanni* Obratsov,1953 (Tortricidae) Synonym(s): *eidmanni* Obratsov,1953
 77542) *Dichrorampha embolaea* (Meyrick,1918) (Tortricidae) Synonym(s): *embolaea* Meyrick,1918
 77543) *Dichrorampha euterpes* Diakonoff,1971 (Tortricidae) Synonym(s): *euterpes* Diakonoff,1971
 77544) *Dichrorampha excitana* (Möschler,1891) (Tortricidae) Synonym(s): *excitana* Möschler,1891
 77545) *Dichrorampha eximia* (Danilevsky,1948) (Tortricidae) Synonym(s): *eximia* Danilevsky,1948; *obratsovi* Amsel,1959
 77546) *Dichrorampha figurana* (Zeller,1877) (Tortricidae) Synonym(s): *figurana* Zeller,1877
 77547) *Dichrorampha flavidorsana* Knaggs,1867 (Tortricidae) Synonym(s): *flavidorsana* Knaggs,1867
 77548) *Dichrorampha forsteri* Obratsov,1953 (Tortricidae) Synonym(s): *forsteri* Obratsov,1953
 77549) *Dichrorampha fusca* (Danilevsky,1948) (Tortricidae) Synonym(s): *fusca* Danilevsky,1948
 77550) *Dichrorampha gemellana* (Zeller,1847) (Tortricidae) Synonym(s): *gemellana* Zeller,1847
 77551) *Dichrorampha gracilis* (Danilevsky,1948) (Tortricidae) Synonym(s): *gracilis* Danilevsky,1948
 77552) *Dichrorampha gruneriana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *gruneriana* Herrich-Schäffer,1851
 77553) *Dichrorampha hannemanni* Kuznetsov,1986 (Tortricidae) Synonym(s): *hannemanni* Kuznetsov,1986
 77554) *Dichrorampha harpeana* Frey,1870 (Tortricidae) Synonym(s): *harpeana* Frey,1870; *andorraensis* Huemer,1993
 77555) *Dichrorampha heegerana* (Duponchel,1843) (Tortricidae) Synonym(s): *heegerana* Duponchel,1843
 77556) *Dichrorampha iberica* Kuznetsov,1978 (Tortricidae) Synonym(s): *iberica* Kuznetsov,1978
 77557) *Dichrorampha immaculata* (Danilevsky,1948) (Tortricidae) Synonym(s): *immaculata* Danilevsky,1948
 77558) *Dichrorampha impuncta* Komai,1979 (Tortricidae) Synonym(s): *impuncta* Komai,1979
 77559) *Dichrorampha incanana* (Clemens,1860) (Tortricidae) Synonym(s): *incanana* Clemens,1860; *nigromaculana* Kearfott,1907
 77560) *Dichrorampha incognitana* (Kremky & Maslowski,1933) (Tortricidae) Synonym(s): *incognitana* Kremky & Maslowski,1933; *zermattana* Weber,1945
 77561) *Dichrorampha inconspicua* (Danilevsky,1948) (Tortricidae) Synonym(s): *inconspicua* Danilevsky,1948
 77562) *Dichrorampha incurana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *incurana* Herrich-Schäffer,1851
 77563) *Dichrorampha infusca* (Danilevsky,1960) (Tortricidae) Synonym(s): *infusca* Danilevsky,1960
 77564) *Dichrorampha insperata* (Danilevsky,1960) (Tortricidae) Synonym(s): *insperata* Danilevsky,1960
 77565) *Dichrorampha interponana* (Danilevsky,1960) (Tortricidae) Synonym(s): *interponana* Danilevsky,1960
 77566) *Dichrorampha iranica* Danilevskii & Kuznetsov,1968 (Tortricidae) Synonym(s): *iranica* Danilevskii & Kuznetsov,1968
 77567) *Dichrorampha iverica* Esartiya,1988 (Tortricidae) Synonym(s): *iverica* Esartiya,1988
 77568) *Dichrorampha klimeschiana* Toll,1955 (Tortricidae) Synonym(s): *klimeschiana* Toll,1955
 77569) *Dichrorampha kuznetsovi* Esartiya,1988 (Tortricidae) Synonym(s): *kuznetsovi* Esartiya,1988
 77570) *Dichrorampha larsana* (Danilevsky,1960) (Tortricidae) Synonym(s): *larsana* Danilevsky,1960
 77571) *Dichrorampha lasithicana* Rebel,1916 (Tortricidae) Synonym(s): *lasithicana* Rebel,1916
 77572) *Dichrorampha latiflavana* Caradja,1916 (Tortricidae) Synonym(s): *latiflavana* Caradja,1916
 77573) *Dichrorampha leopardana* (Busck,1906) (Tortricidae) Synonym(s): *leopardana* Busck,1906
 77574) *Dichrorampha letarfensis* Gibeaux,1983 (Tortricidae) Synonym(s): *letarfensis* Gibeaux,1983
 77575) *Dichrorampha ligulana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *ligulana* Herrich-Schäffer,1851; *plusiana* Staudinger,1871; *obliterana* Müller-Rutz,1934
 77576) *Dichrorampha livens* (Walsingham,1892) (Tortricidae) Synonym(s): *livens* Walsingham,1892
 77577) *Dichrorampha manilkara* Heppner,1981 (Tortricidae) Synonym(s): *manilkara* Heppner,1981
 77578) *Dichrorampha marginestriana* (Filipjev,1925) (Tortricidae) Synonym(s): *marginestriana* Filipjev,1925
 77579) *Dichrorampha montanana* (Duponchel,1843) (Tortricidae) Synonym(s): *montanana* Duponchel,1843; *alpestrana* Zeller,1843; *tanacetii* Stainton,1857; *monticolana* Heinemann,1863; *herbosana* Barrett,1872; *blasiana* Kennel,1919; *modestana* Müller-Rutz,1922; *olivacea* Müller-Rutz,1934
 77580) *Dichrorampha niculescui* Stanoiu & Nemes,1974 (Tortricidae) Synonym(s): *niculescui* Stanoiu & Nemes,1974
 77581) *Dichrorampha nigrobrunneana* (Toll,1942) (Tortricidae) Synonym(s): *nigrobrunneana* Toll,1942; *fusca* Danilevsky,1948
 77582) *Dichrorampha obscuratana* (Wolff,1955) (Tortricidae) Synonym(s): *obscuratana* Wolff,1955
 77583) *Dichrorampha pastoralis* Razowski & Tokar,2003 (Tortricidae) Synonym(s): *pastoralis* Razowski & Tokar,2003
 77584) *Dichrorampha petheriana* (Rebel,1917) (Tortricidae) Synonym(s): *petheriana* Rebel,1917
 77585) *Dichrorampha petiverella* (Linnaeus,1758) (Tortricidae) Synonym(s): *petiverella* Linnaeus,1758; *albinella* Linnaeus,1758; *dorsana* Fabricius,1775; *jacquiniana* [Denis & Schiffermüller],1775; *petiverana* Haworth,1809; *stelliferana* Curtis,1831; *gigantana* Staudinger,1879
 77586) *Dichrorampha piperana* (Busck,1906) (Tortricidae) Synonym(s): *piperana* Busck,1906
 77587) *Dichrorampha plumbagana* (Treitschke,1830) (Tortricidae) Synonym(s): *plumbagana* Treitschke,1830; *salicetana* Prittwitz,1844; *subsequana* Wocke,1871
 77588) *Dichrorampha plumbana* (Scopoli,1763) (Tortricidae) Synonym(s): *plumbana* Scopoli,1763; *saturnana* Guenée,1845; *ulicana* Guenée,1845; *blepharana* Herrich-Schäffer,1851; *rejectana* La Harpe,1858; *resplendana* Heinemann,1863
 77589) *Dichrorampha podoliensis* (Toll,1942) (Tortricidae) Synonym(s): *podoliensis* Toll,1942
 77590) *Dichrorampha proxima* (Danilevsky,1948) (Tortricidae) Synonym(s): *proxima* Danilevsky,1948
 77591) *Dichrorampha radicolana* Walsingham,1879 (Tortricidae) Synonym(s): *radicolana* Walsingham,1879
 77592) *Dichrorampha rilana* Drenowski,1909 (Tortricidae) Synonym(s): *rilana* Drenowski,1909; *#rylana* Drenowski,1909
 77593) *Dichrorampha rjabovi* (Danilevsky,1948) (Tortricidae) Synonym(s): *rjabovi* Danilevsky,1948
 77594) *Dichrorampha sapodilla* Heppner,1981 (Tortricidae) Synonym(s): *sapodilla* Heppner,1981
 77595) *Dichrorampha sarmentana* (Zeller,1877) (Tortricidae) Synonym(s): *sarmentana* Zeller,1877
 77596) *Dichrorampha sedatana* Busck,1906 (Tortricidae) Synonym(s): *sedatana* Busck,1906
 77597) *Dichrorampha senectana* Guenée,1845 (Tortricidae) Synonym(s): *senectana* Guenée,1845; *pseudocinerosana* Obratsov,1958
 77598) *Dichrorampha sequana* (Hübner,[1799]) (Tortricidae) Synonym(s): *sequana* Hübner,[1799]
 77599) *Dichrorampha sericana* (Kennel,1901) (Tortricidae) Synonym(s): *sericana* Kennel,1901
 77600) *Dichrorampha sheljuzhkoii* (Obratsov,1949) (Tortricidae) Synonym(s): *sheljuzhkoii* Obratsov,1949
 77601) *Dichrorampha simpliciana* (Haworth,1811) (Tortricidae) Synonym(s): *simpliciana* Haworth,1811; *caliginosana* Treitschke,1835; *artemisiae* Bentley,1844; *heuseriana* Obratsov,1953
 77602) *Dichrorampha sinensis* Kuznetsov,1971 (Tortricidae) Synonym(s): *sinensis* Kuznetsov,1971
 77603) *Dichrorampha subtilana* (C.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *subtilana* C.Felder & Rogenhofer,1875
 77604) *Dichrorampha sugii* Kawabe,1989 (Tortricidae) Synonym(s): *sugii* Kawabe,1989
 77605) *Dichrorampha sylvicolana* (Heinemann,1863) (Tortricidae) Synonym(s): *sylvicolana* Heinemann,1863; *pseudoalpestrana* Danilevsky,1948
 77606) *Dichrorampha tayulingensis* Kawabe,1986 (Tortricidae) Synonym(s): *tayulingensis* Kawabe,1986
 77607) *Dichrorampha teichiana* Sulcs & Kerppola,1997 (Tortricidae) Synonym(s): *teichiana* Sulcs & Kerppola,1997
 77608) *Dichrorampha testacea* Komai,1979 (Tortricidae) Synonym(s): *testacea* Komai,1979
 77609) *Dichrorampha thomanni* Huemer,1991 (Tortricidae) Synonym(s): *thomanni* Huemer,1991
 77610) *Dichrorampha tianshanica* (Danilevsky,1960) (Tortricidae) Synonym(s): *tianshanica* Danilevsky,1960
 77611) *Dichrorampha tshetverikovi* (Danilevsky,1960) (Tortricidae) Synonym(s): *tshetverikovi* Danilevsky,1960
 77612) *Dichrorampha tshingana* (Obratsov,1949) (Tortricidae) Synonym(s): *tshingana* Obratsov,1949
 77613) *Dichrorampha typhlodes* (Meyrick,1931) (Tortricidae) Synonym(s): *typhlodes* Meyrick,1931
 77614) *Dichrorampha unicolor* (Danilevsky,1948) (Tortricidae) Synonym(s): *unicolor* Danilevsky,1948
 77615) *Dichrorampha uralensis* (Danilevsky,1948) (Tortricidae) Synonym(s): *uralensis* Danilevsky,1948
 77616) *Dichrorampha vacivana* (Chrétien,1925) (Tortricidae) Synonym(s): *vacivana* Chrétien,1925
 77617) *Dichrorampha vancouverana* McDunnough,1935 (Tortricidae) Synonym(s): *politana* auct.; *vancouverana* McDunnough,1935; *gueneana* Obratsov,1953
 77618) *Dicneidia cataclasta* Diakonoff,1982 (Tortricidae) Synonym(s): *cataclasta* Diakonoff,1982
 77619) *Dicneidia fumidana* Kuznetsov,1997 (Tortricidae) Synonym(s): *fumidana* Kuznetsov,1997
 77620) *Dierlia aurata* Diakonoff,1976 (Tortricidae) Synonym(s): *aurata* Diakonoff,1976
 77621) *Dierlia poeciloptera* Diakonoff,1976 (Tortricidae) Synonym(s): *poeciloptera* Diakonoff,1976
 77622) *Dierlia* sp.1 (Tortricidae) Synonym(s):

- 77623) *Dierlia* sp.2 (Tortricidae) Synonym(s):
 77624) *Dierlia* sp.3 (Tortricidae) Synonym(s):
 77625) *Dinogenes meteoropa* Meyrick,1934 (Tortricidae) Synonym(s): *meteoropa* Meyrick,1934
 77626) *Dinophalia egregia* Razowski & Becker,1993 (Tortricidae) Synonym(s): *egregia* Razowski & Becker,1993
 77627) *Ditula angustiorana* (Haworth,[1811]) (Tortricidae) Synonym(s): *angustiorana* Haworth,[1811]; *rotundana* Haworth,[1811]; *dumeriliana* Duponchel,1836
 77628) *Ditula saturana* (Turati,1913) (Tortricidae) Synonym(s): *saturana* Turati,1913
 77629) *Dolichurella viridimicans* Diakonoff,1983 (Tortricidae) Synonym(s): *viridimicans* Diakonoff,1983
 77630) *Dolichoastis homographa* Meyrick,1920 (Tortricidae) Synonym(s): *homographa* Meyrick,1920
 77631) *Doloploca punctulana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *punctulana* [Denis & Schiffermüller],1775; *schlemmerella* Hübner,1793; *punctulella Treitschke*,1832
 77632) *Dorithia consacculana* J.Brown,1991 (Tortricidae) Synonym(s): *consacculana* J.Brown,1991
 77633) *Dorithia crucifer* (Walsingham,1914) (Tortricidae) Synonym(s): *crucifer* Walsingham,1914
 77634) *Dorithia equadentana* J.Brown,1991 (Tortricidae) Synonym(s): *equadentana* J.Brown,1991
 77635) *Dorithia imitatrix* J.Brown & Obratzov,1991 (Tortricidae) Synonym(s): *imitatrix* J.Brown & Obratzov,1991
 77636) *Dorithia meridionalis* J.Brown,1991 (Tortricidae) Synonym(s): *meridionalis* J.Brown,1991
 77637) *Dorithia occidentana* J.Brown,1991 (Tortricidae) Synonym(s): *occidentana* J.Brown,1991
 77638) *Dorithia paraviridana* J.Brown,1991 (Tortricidae) Synonym(s): *paraviridana* J.Brown,1991
 77639) *Dorithia peroneana* (Barnes & Busck,1920) (Tortricidae) Synonym(s): *peroneana* Barnes & Busck,1920
 77640) *Dorithia powellana* J.Brown,1991 (Tortricidae) Synonym(s): *powellana* J.Brown,1991
 77641) *Dorithia pseudocrucifer* J.Brown,1991 (Tortricidae) Synonym(s): *pseudocrucifer* J.Brown,1991
 77642) *Dorithia robustana* J.Brown,1991 (Tortricidae) Synonym(s): *robustana* J.Brown,1991
 77643) *Dorithia semicirculana* (Fernald,1882) (Tortricidae) Synonym(s): *semicirculana* Fernald,1882
 77644) *Dorithia spinosana* J.Brown,1991 (Tortricidae) Synonym(s): *spinosana* J.Brown,1991
 77645) *Dorithia strigulana* J.Brown & Obratzov,1991 (Tortricidae) Synonym(s): *strigulana* J.Brown & Obratzov,1991
 77646) *Dorithia tototwana* J.Brown,1991 (Tortricidae) Synonym(s): *tototwana* J.Brown,1991
 77647) *Dorithia trigonana* J.Brown & Obratzov,1991 (Tortricidae) Synonym(s): *trigonana* J.Brown & Obratzov,1991
 77648) *Dorithia wellingana* J.Brown,1991 (Tortricidae) Synonym(s): *wellingana* J.Brown,1991
 77649) *Dudua adocima* Diakonoff,1981 (Tortricidae) Synonym(s): *adocima* Diakonoff,1981
 77650) *Dudua anaprobola* (Bradley,1953) (Tortricidae) Synonym(s): *anaprobola* Bradley,1953; *cellifera* Diakonoff,1968 (part)
 77651) *Dudua arobola* (Meyrick,1886) (Tortricidae) Synonym(s): *arobola* Meyrick,1886; *metallota* Lower,1901
 77652) *Dudua atriphaga* (Diakonoff,[1968]) (Tortricidae) Synonym(s): *atriphaga* Diakonoff,[1968]
 77653) *Dudua brachytoma* Diakonoff,1973 (Tortricidae) Synonym(s): *brachytoma* Diakonoff,1973
 77654) *Dudua carphophora* Diakonoff,1973 (Tortricidae) Synonym(s): *carphophora* Diakonoff,1973
 77655) *Dudua cellifera* (Meyrick,1912) (Tortricidae) Synonym(s): *cellifera* Meyrick,1912; *codonectis* Meyrick,1927
 77656) *Dudua charadraea* (Meyrick,1909) (Tortricidae) Synonym(s): *charadraea* Meyrick,1909; *ptarmicopa* Meyrick,1936
 77657) *Dudua chlorohygra* Diakonoff,1973 (Tortricidae) Synonym(s): *chlorohygra* Diakonoff,1973
 77658) *Dudua crossotoma* (Meyrick,1931) (Tortricidae) Synonym(s): *crossotoma* Meyrick,1931
 77659) *Dudua cyclographa* Diakonoff,1973 (Tortricidae) Synonym(s): *cyclographa* Diakonoff,1973
 77660) *Dudua deceptor* (Diakonoff,1966) (Tortricidae) Synonym(s): *deceptor* Diakonoff,1966
 77661) *Dudua eumenica* (Meyrick,1929) (Tortricidae) Synonym(s): *eumenica* Meyrick,1929
 77662) *Dudua hemigrapta* (Meyrick,1931) (Tortricidae) Synonym(s): *hemigrapta* Meyrick,1931
 77663) *Dudua hemitypa* Diakonoff,1983 (Tortricidae) Synonym(s): *hemitypa* Diakonoff,1983
 77664) *Dudua hesperialis* Walker,1864 (Tortricidae) Synonym(s): *hesperialis* Walker,1864
 77665) *Dudua iniqua* (Meyrick,1921) (Tortricidae) Synonym(s): *iniqua* Meyrick,1921
 77666) *Dudua lamproterma* Diakonoff,1973 (Tortricidae) Synonym(s): *lamproterma* Diakonoff,1973
 77667) *Dudua metacyma* Diakonoff,1973 (Tortricidae) Synonym(s): *metacyma* Diakonoff,1973
 77668) *Dudua microsema* Diakonoff,1973 (Tortricidae) Synonym(s): *microsema* Diakonoff,1973
 77669) *Dudua perornata* Diakonoff,1973 (Tortricidae) Synonym(s): *perornata* Diakonoff,1973
 77670) *Dudua perusta* Diakonoff,1983 (Tortricidae) Synonym(s): *perusta* Diakonoff,1983
 77671) *Dudua phyllanthana* (Meyrick,1881) (Tortricidae) Synonym(s): *phyllanthana* Meyrick,1881; *auchmera* Turner,1946; *empyra* Turner,1946
 77672) *Dudua piratodes* (Meyrick,1930) (Tortricidae) Synonym(s): *piratodes* Meyrick,1930; *syndeltias* Meyrick,1938
 77673) *Dudua proba* Diakonoff,1973 (Tortricidae) Synonym(s): *proba* Diakonoff,1973
 77674) *Dudua scaeaspis* (Meyrick,1937) (Tortricidae) Synonym(s): *scaeaspis* Meyrick,1937
 77675) *Dudua tectigera* (Meyrick,1910) (Tortricidae) Synonym(s): *tectigera* Meyrick,1910
 77676) *Dudua tetanota* (Meyrick,1909) (Tortricidae) Synonym(s): *tetanota* Meyrick,1909
 77677) *Dudua ultima* Diakonoff,1973 (Tortricidae) Synonym(s): *ultima* Diakonoff,1973
 77678) *Durangarchips druana* (Walsingham,1914) (Tortricidae) Synonym(s): *druana* Walsingham,1914
 77679) *Dynatocephala omophaea* (Meyrick,1926) (Tortricidae) Synonym(s): *omophaea* Meyrick,1926; *cirrhocrossa* Meyrick,1926; *cruenta* Diakonoff,1976; *erebenna* Diakonoff,1983
 77680) *Eana* (Eutrachia) *goiana* (Linnaeus,1761) (Tortricidae) Synonym(s): *#argentana* Clerck,1759; *goiana* Linnaeus,1761; *govana* Fabricius,1775; *argyria* Retzius,1783; *germingiana* Villers,1789; *margaritalis* Hübner,1790; *magnana* Hübner,[1813]; *georgiella* Hulst,1887
 77681) *Eana* (Eutrachia) *osseana* (Scopoli,1763) (Tortricidae) Synonym(s): *osseana* Scopoli,1763; *angulella* Thunberg,1788; *quadripunctana* Haworth,1811; *pratana* Hübner,[1813]; *cantiana* Curtis,1826; *boreana* Zetterstedt,[1839]; *sulphurana* Guenée,1845; *vosgesiana* Peyerimhoff,1863; *stebiana* Millière,1874; *biformana* Real,1953; *alpicola* Real,1953; *pratana* Real,1953 nec Hbn.,1813; *borreoni* Real,1953
 77682) *Eana* (Subeana) *canescana* (Guenée,1845) (Tortricidae) Synonym(s): *canescana* Guenée,1845; *styriacana* Herrich-Schäffer,1851; *candidana* La Harpe,1858; *monochromana* Lederer,1859; *rielana* Real,1951
 77683) *Eana* (Subeana) *filipjevi* (Real,1953) (Tortricidae) Synonym(s): *filipjevi* Real,1953; *pyrenaica* Toll,1954
 77684) *Eana* (Subeana) *hungariae* Razowski,1958 (Tortricidae) Synonym(s): *hungariae* Razowski,1958
 77685) *Eana* (s.str.) *andreae* (Kennel,1919) (Tortricidae) Synonym(s): *andreae* Kennel,1919; *?kuldjaensis* Razowski,1959.
 77686) *Eana* (s.str.) *clercana* (Joannis,1908) (Tortricidae) Synonym(s): *clercana* Joannis,1908
 77687) *Eana* (s.str.) *cottiana* (Chrétien,1898) (Tortricidae) Synonym(s): *cottiana* Chrétien,1898
 77688) *Eana* (s.str.) *cyaneana* (Real,1953) (Tortricidae) Synonym(s): *cyaneana* Real,1953
 77689) *Eana* (s.str.) *derivana* (La Harpe,1858) (Tortricidae) Synonym(s): *derivana* La Harpe,1858; *paraliana* Zeller,1872
 77690) *Eana* (s.str.) *frei Weber*,1945 (Tortricidae) Synonym(s): *frei Weber*,1945
 77691) *Eana* (s.str.) *herzegovinae* Razowski,1959 (Tortricidae) Synonym(s): *herzegovinae* Razowski,1959
 77692) *Eana* (s.str.) *incanana* (Stephens,1852) (Tortricidae) Synonym(s): *incanana* Stephens,1852; *sinuana* Stephens,1852; *infusana* Real,1953
 77693) *Eana* (s.str.) *incognitana* Razowski,1959 (Tortricidae) Synonym(s): *incognitana* Razowski,1959
 77694) *Eana* (s.str.) *italica* (Obratzov,1950) (Tortricidae) Synonym(s): *italica* Obratzov,1950
 77695) *Eana* (s.str.) *jaeckhi* Razowski,1959 (Tortricidae) Synonym(s): *jaeckhi* Razowski,1959
 77696) *Eana* (s.str.) *joannis* (Schawerda,1929) (Tortricidae) Synonym(s): *joannis* Schawerda,1929; *dumnoti* Real,1953; *legrandi* Real,1953
 77697) *Eana* (s.str.) *nervana* (Joannis,1908) (Tortricidae) Synonym(s): *nervana* Joannis,1908; *rastrata* Meyrick,1910
 77698) *Eana* (s.str.) *nevadensis* (Schawerda,1929) (Tortricidae) Synonym(s): *nevadensis* Schawerda,1929
 77699) *Eana* (s.str.) *penziana* (Thunberg,1791) (Tortricidae) Synonym(s): *penziana* Thunberg,1791; *bellana* Curtis,1826; *diurneana* Guenée,1845; *alpestris* Real,1953
 77700) *Eana* (s.str.) *rundiapicana* Razowski,1959 (Tortricidae) Synonym(s): *rundiapicana* Razowski,1959
 77701) *Eana* (s.str.) *viardi* (Real,1953) (Tortricidae) Synonym(s): *viardi* Real,1953
 77702) *Eboda bryochlora* Diakonoff,1960 (Tortricidae) Synonym(s): *bryochlora* Diakonoff,1960
 77703) *Eboda chloroclistis* Razowski,1964 (Tortricidae) Synonym(s): *chloroclistis* Razowski,1964
 77704) *Eboda chrisitis* Razowski,1964 (Tortricidae) Synonym(s): *chrisitis* Razowski,1964

- 77705) *Eboda diakonoffi* Razowski, 1964 (Tortricidae) Synonym(s): *diakonoffi* Razowski, 1964
 77706) *Eboda discobola* Diakonoff, 1948 (Tortricidae) Synonym(s): *discobola* Diakonoff, 1948
 77707) *Eboda dissimilis* Liu & Bai, 1986 (Tortricidae) Synonym(s): *dissimilis* Liu & Bai, 1986
 77708) *Eboda ethnia* Razowski, 1991 (Tortricidae) Synonym(s): *ethnia* Razowski, 1991
 77709) *Eboda smaragdinana* Walker, 1866 (Tortricidae) Synonym(s): *smaragdinana* Walker, 1866; *#smaragdina* Razowski, 1963
 77710) *Eboda virescens* Razowski, 1964 (Tortricidae) Synonym(s): *virescens* Razowski, 1964
 77711) *Ebodina circensis* (Meyrick, 1928) (Tortricidae) Synonym(s): *circensis* Meyrick, 1928
 77712) *Ebodina elephantodes* (Meyrick, 1938) (Tortricidae) Synonym(s): *elephantodes* Meyrick, 1938; *discreta* Diakonoff, 1941
 77713) *Ebodina lagoana* Razowski & Tuck, 2000 (Tortricidae) Synonym(s): *lagoana* Razowski & Tuck, 2000
 77714) *Ebodina lithoptila* (Diakonoff, 1960) (Tortricidae) Synonym(s): *lithoptila* Diakonoff, 1960
 77715) *Ebodina simplex* Diakonoff, [1968] (Tortricidae) Synonym(s): *simplex* Diakonoff, [1968]
 77716) *Ebodina sinica* Liu & Bai, 1986 (Tortricidae) Synonym(s): *sinica* Liu & Bai, 1986
 77717) *Eccopsis aegidia* (Meyrick, 1932) (Tortricidae) Synonym(s): *aegidia* Meyrick, 1932
 77718) *Eccopsis agassizi* Aarvik, 2004 (Tortricidae) Synonym(s): *agassizi* Aarvik, 2004
 77719) *Eccopsis deprinsi* Aarvik, 2004 (Tortricidae) Synonym(s): *deprinsi* Aarvik, 2004
 77720) *Eccopsis encardia* Diakonoff, 1983 (Tortricidae) Synonym(s): *encardia* Diakonoff, 1983
 77721) *Eccopsis heterodon* Diakonoff, 1981 (Tortricidae) Synonym(s): *heterodon* Diakonoff, 1981
 77722) *Eccopsis incultana* (Walker, 1863) (Tortricidae) Synonym(s): *incultana* Walker, 1863; *trixiphias* Meyrick, 1939; *undosa* Diakonoff, 1981
 77723) *Eccopsis maschalista* (Meyrick, 1932) (Tortricidae) Synonym(s): *maschalista* Meyrick, 1932
 77724) *Eccopsis miniceclie* Aarvik, 2004 (Tortricidae) Synonym(s): *miniceclie* Aarvik, 2004
 77725) *Eccopsis morogoro* Aarvik, 2004 (Tortricidae) Synonym(s): *morogoro* Aarvik, 2004
 77726) *Eccopsis nebulana* Walsingham, 1891 (Tortricidae) Synonym(s): *nebulana* Walsingham, 1891
 77727) *Eccopsis ochrana* Aarvik, 2004 (Tortricidae) Synonym(s): *ochrana* Aarvik, 2004
 77728) *Eccopsis praecedens* Walsingham, 1897 (Tortricidae) Synonym(s): *praecedens* Walsingham, 1897; *chromatica* Diakonoff, 1983
 77729) *Eccopsis tucki* Aarvik, 2004 (Tortricidae) Synonym(s): *tucki* Aarvik, 2004
 77730) *Eccopsis wahlbergiana* Zeller, 1852 (Tortricidae) Synonym(s): *wahlbergiana* Zeller, 1852; *fluctuatana* Walsingham, 1881
 77731) *Ecdytolopha aurantiana* (Lima, 1927) (Tortricidae) Synonym(s): *aurantiana* Lima, 1927
 77732) *Ecdytolopha desotana* (Heinrich, 1926) (Tortricidae) Synonym(s): *desotana* Heinrich, 1926
 77733) *Ecdytolopha pithecolombiae* (Busck, [1934]) (Tortricidae) Synonym(s): *pithecolombiae* Busck, [1934]
 77734) *Ecdytolopha punctidiscana* (Dyar, 1904) (Tortricidae) Synonym(s): *punctidiscana* Dyar, 1904
 77735) *Ecdytolopha torticornis* (Meyrick, 1931) (Tortricidae) Synonym(s): *torticornis* Meyrick, 1931
 77736) *Ecdytolopha trachycera* (Forbes, 1931) (Tortricidae) Synonym(s): *trachycera* Forbes, 1931
 77737) *Ecnomiomorpha nigrivelata* (Walsingham, 1914) (Tortricidae) Synonym(s): *nigrivelata* Walsingham, 1914
 77738) *Electraglaia caementosa* (Meyrick, 1908) (Tortricidae) Synonym(s): *caementosa* Meyrick, 1908
 77739) *Electraglaia contracta* Wang & Li, 2004 (Tortricidae) Synonym(s): *contracta* Wang & Li, 2004
 77740) *Electraglaia isozona* (Meyrick, 1908) (Tortricidae) Synonym(s): *isozona* Meyrick, 1908; *segnis* Meyrick, 1918
 77741) *Electraglaia robusta* Wang & Li, 2004 (Tortricidae) Synonym(s): *robusta* Wang & Li, 2004
 77742) *Embolstoma plutostola* Diakonoff, 1977 (Tortricidae) Synonym(s): *plutostola* Diakonoff, 1977
 77743) *Emrahia acanthis* (Meyrick, 1920) (Tortricidae) Synonym(s): *acanthis* Meyrick, 1920
 77744) *Emrahia hoplista* (Meyrick, 1927) (Tortricidae) Synonym(s): *hoplista* Meyrick, 1927
 77745) *Enallcochylis empeda* Razowski & Becker, 1986 (Tortricidae) Synonym(s): *empeda* Razowski & Becker, 1986
 77746) *Enallcochylis enochra* Razowski & Becker, 1986 (Tortricidae) Synonym(s): *enochra* Razowski & Becker, 1986
 77747) *Enarmonia formosana* (Scopoli, 1763) (Tortricidae) Synonym(s): *formosana* Scopoli, 1763; *woeberiana* [Denis & Schiffmüller], 1775; *scriptana* Thunberg, 1784; *ornatana* Hübner, [1799]
 77748) *Endothenia alpigena* Bradley, 1965 (Tortricidae) Synonym(s): *alpigena* Bradley, 1965
 77749) *Endothenia anthracana* (Forbes, 1931) (Tortricidae) Synonym(s): *anthracana* Forbes, 1931
 77750) *Endothenia bacillata* Diakonoff, 1973 (Tortricidae) Synonym(s): *bacillata* Diakonoff, 1973
 77751) *Endothenia banausopsis* (Meyrick, 1938) (Tortricidae) Synonym(s): *banausopsis* Meyrick, 1938
 77752) *Endothenia citharistis* (Meyrick, 1909) (Tortricidae) Synonym(s): *citharistis* Meyrick, 1909
 77753) *Endothenia ericetana* (Humphreys & Westwood, 1845) (Tortricidae) Synonym(s): *ericetana* Humphreys & Westwood, 1845; *trifoliana* Herrich-Schäffer, [1851]
 77754) *Endothenia gentianaeana* (Hübner, [1799]) (Tortricidae) Synonym(s): ? *bidella* Fourcroy, 1785; *gentianaeana* Hübner, [1799]; *gentianana* Hübner, [1825]; *oblongana* Haworth, [1811]; *sellana* Frölich, 1828; *desertana* Staudinger, 1879; *adelana* Rebel, 1892
 77755) *Endothenia hebesana* (Walker, 1863) (Tortricidae) Synonym(s): *hebesana* Walker, 1863; *inexpertana* Walker, 1863; *fullerea* Riley, 1870; *daeckean* Kearfott, 1907; *adustana* Krogerus, 1947
 77756) *Endothenia kostyuki* Kuznetsov, 1994 (Tortricidae) Synonym(s): *kostyuki* Kuznetsov, 1994; *#kostyuki* Razowski, 1995
 77757) *Endothenia lapideana* (Herrich-Schäffer, [1851]) (Tortricidae) Synonym(s): *lapideana* Herrich-Schäffer, [1851]; *digitaliana* Mühlig, 1863
 77758) *Endothenia marginana* (Haworth, [1811]) (Tortricidae) Synonym(s): *marginana* Haworth, [1811]
 77759) *Endothenia nigricostana* (Haworth, [1811]) (Tortricidae) Synonym(s): *nigricostana* Haworth, [1811]; *squalidana* Herrich-Schäffer, [1851]; *remyana* Herrich-Schäffer, [1851]; *illepidana* Kennel, 1901
 77760) *Endothenia oblongana* (Haworth, [1811]) (Tortricidae) Synonym(s): *oblongana* Haworth, [1811]; *sellana* Frölich, 1828
 77761) *Endothenia pauperkulana* (Staudinger, 1859) (Tortricidae) Synonym(s): *pauperkulana* Staudinger, 1859; *nougatana* Chrétien, 1898; *marrubiana* Walsingham, 1908; *schmidt* Rebel, 1936
 77762) *Endothenia pullana* (Haworth, [1811]) (Tortricidae) Synonym(s): *pullana* Haworth, [1811]; *fuligana* sensu Leraut, 1980
 77763) *Endothenia quadrimaculana* (Haworth, 1811) (Tortricidae) Synonym(s): *quadrimaculana* Haworth, 1811; *antiguana* Hübner, [1813]; *obesana* Peyerimhoff, 1863
 77764) *Endothenia sororiana* (Herrich-Schäffer, [1851]) (Tortricidae) Synonym(s): *#sororiana* Herrich-Schäffer, [1850]; *sororiana* Herrich-Schäffer, [1851]; *phlomidana* Staudinger, 1871
 77765) *Endothenia ustulana* (Haworth, 1811) (Tortricidae) Synonym(s): *ustulana* Haworth, 1811; *carbonana* Doubleday, 1849; *violana* Peyerimhoff, 1863
 77766) *Engelana anisoptera* (Meyrick, 1921) (Tortricidae) Synonym(s): *anisoptera* Meyrick, 1921
 77767) *Enveryucelia axiologa* (Turner, 1946) (Tortricidae) Synonym(s): *axiologa* Turner, 1946
 77768) *Epagoge conspersana* Diakonoff, 1953 (Tortricidae) Synonym(s): *conspersana* Diakonoff, 1953
 77769) *Epagoge grotiana* (Fabricius, 1781) (Tortricidae) Synonym(s): *grotiana* Fabricius, 1781; *flavana* Hübner, [1799]; *ochreana* Hübner, [1799]; *artificana* Herrich-Schäffer, 1851; *amasiana* Caradja, 1916
 77770) *Epagoge melanatma* (Meyrick, 1908) (Tortricidae) Synonym(s): *melanatma* Meyrick, 1908
 77771) *Epagoge mellosa* Diakonoff, 1951 (Tortricidae) Synonym(s): *mellosa* Diakonoff, 1951
 77772) *Epagoge metacentra* (Meyrick, 1918) (Tortricidae) Synonym(s): *metacentra* Meyrick, 1918
 77773) *Epagoge occidentalis* Diakonoff, 1948 (Tortricidae) Synonym(s): *occidentalis* Diakonoff, 1948
 77774) *Epagoge vulgaris* (Meyrick, 1921) (Tortricidae) Synonym(s): *vulgaris* Meyrick, 1921; *saltuaria* Meyrick, 1922
 77775) *Epagoge xanthomitra* Diakonoff, 1941 (Tortricidae) Synonym(s): *xanthomitra* Diakonoff, 1941
 77776) *Epelebodina concolorata* Razowski, 2006 (Tortricidae) Synonym(s): *concolorata* Razowski, 2006
 77777) *Epibactra sareptana* (Herrich-Schäffer, 1861) (Tortricidae) Synonym(s): *sareptana* Herrich-Schäffer, 1861; *verecundana* Caradja, 1916
 77778) *Epibactra usuiana* Kawabe, 1976 (Tortricidae) Synonym(s): *usuiana* Kawabe, 1976
 77779) *Epiblema absconditana* (La Harpe, 1860) (Tortricidae) Synonym(s): *absconditana* La Harpe, 1860
 77780) *Epiblema albohamulana* (Rebel, 1893) (Tortricidae) Synonym(s): *albohamulana* Rebel, 1893
 77781) *Epiblema berolinensis* Amsel, 1932 (Tortricidae) Synonym(s): *berolinensis* Amsel, 1932
 77782) *Epiblema chretieni* Obratzov, 1952 (Tortricidae) Synonym(s): *chretieni* Obratzov, 1952
 77783) *Epiblema cirsiana* (Zeller, 1843) (Tortricidae) Synonym(s): *cirsiana* Zeller, 1843
 77784) *Epiblema cnicicolana* (Zeller, 1847) (Tortricidae) Synonym(s): *cnicicolana* Zeller, 1847; *littoralana* Pierce & Metcalfe, 1915
 77785) *Epiblema concava* Diakonoff, 1971 (Tortricidae) Synonym(s): *concava* Diakonoff, 1971

- 77786) *Epiblema costipunctana* (Haworth,[1811]) (Tortricidae) Synonym(s): *costipunctana* Haworth,[1811]; *argyrana* Stephens,1829; *trigeminana* Stephens,1834; *poecilana* Guenée,1845; *ravulana* Herrich-Schäffer,1851
- 77787) *Epiblema cretana* Osthelder,1941 (Tortricidae) Synonym(s): *cretana* Osthelder,1941
- 77788) *Epiblema deflexana* Heinrich,1923 (Tortricidae) Synonym(s): *deflexana* Heinrich,1923
- 77789) *Epiblema fiorii* Turati,1922 (Tortricidae) Synonym(s): *fiorii* Turati,1922
- 77790) *Epiblema foenella* (Linnaeus,1758) (Tortricidae) Synonym(s): *foenella* Linnaeus,1758; *hohenwartiana* Scopoli,1772; *scopoliana* [Denis & Schiffermüller],1775; *pflugiana* Fabricius,1787; *tibialana* Hübner,[1793]; *interrogationana* Donovan,1793; *clavigerana* Walker,1863; *sinicana* Walker,1863
- 77791) *Epiblema fuchsiana* (Rössler,1877) (Tortricidae) Synonym(s): *fuchsiana* Rössler,1877
- 77792) *Epiblema gammaana* (Mann,1866) (Tortricidae) Synonym(s): *gammaana* Mann,1866
- 77793) *Epiblema grandaevana* (Lienig & Zeller,1846) (Tortricidae) Synonym(s): *cana* Scopoli,1763; *grandaevana* Lienig & Zeller,1846; *tussilaginana* Herrich-Schäffer,1851; *laetulana* Krulikowsky,1909; *baligrodana* Toll,1958; *petastis* Toll,1958
- 77794) *Epiblema graphana* (Treitschke,1835) (Tortricidae) Synonym(s): *graphana* Treitschke,1835; *pierretana* Duponchel,1836
- 77795) *Epiblema hepaticana* (Treitschke,1835) (Tortricidae) Synonym(s): *hepaticana* Treitschke,1835; *senecionana* Staudinger,1871; *tristana* Hauder,1918
- 77796) *Epiblema indecorana* Rebel,1907 (Tortricidae) Synonym(s): *indecorana* Rebel,1907
- 77797) *Epiblema junctana* (Herrich-Schäffer,1856) (Tortricidae) Synonym(s): *junctana* Herrich-Schäffer,1856; *jaspidana* Christoph,1872; *maculiferana* Kennel,1900
- 77798) *Epiblema lasiovalva* Razowski,2006 (Tortricidae) Synonym(s): *lasiovalva* Razowski,2006
- 77799) *Epiblema lochmoda* Razowski,2006 (Tortricidae) Synonym(s): *lochmoda* Razowski,2006
- 77800) *Epiblema luciana* (Chrétien,1908) (Tortricidae) Synonym(s): *luciana* Chrétien,1908
- 77801) *Epiblema mendiculana* (Treitschke,1835) (Tortricidae) Synonym(s): *mendiculana* Treitschke,1835; *hungaricana* Herrich-Schäffer,1851
- 77802) *Epiblema numerosana* (Zeller,1875) (Tortricidae) Synonym(s): *numerosana* Zeller,1875
- 77803) *Epiblema obscurana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *obscurana* Herrich-Schäffer,1851; *inulivora* Meyrick,1932.
- 77804) *Epiblema praesumptiosa* Heinrich,1923 (Tortricidae) Synonym(s): *praesumptiosa* Heinrich,1923
- 77805) *Epiblema psychrodora* (Meyrick,1936) (Tortricidae) Synonym(s): *psychrodora* Meyrick,1936
- 77806) *Epiblema radui* Stanoiu,1974 (Tortricidae) Synonym(s): *radui* Stanoiu,1974
- 77807) *Epiblema scutulana* [Denis & Schiffermüller],1775 (Tortricidae) Synonym(s): *scutulana* [Denis & Schiffermüller],1775; *luctuosana* Duponchel,1836; *novana* Guenée,1845; *alsaticana* Peyerimhoff,1872
- 77808) *Epiblema separationis* Heinrich,1923 (Tortricidae) Synonym(s): *separationis* Heinrich,1923
- 77809) *Epiblema similana* [Denis & Schiffermüller],1775 (Tortricidae) Synonym(s): *similana* [Denis & Schiffermüller],1775; *fluidana* [Denis & Schiffermüller],1775
- 77810) *Epiblema simploniana* (Duponchel,1835) (Tortricidae) Synonym(s): *simploniana* Duponchel,1835; *sublimana* Herrich-Schäffer,1851; *pictana* La Harpe,1858; *arctica* Miller,1985
- 77811) *Epiblema sosana* (Kearfott,1907) (Tortricidae) Synonym(s): *sosana* Kearfott,1907; *pelina* Meyrick,1912
- 77812) *Epiblema sticticana* (Fabricius,1794) (Tortricidae) Synonym(s): *sticticana* Fabricius,1794; *farfarae* Fletcher,1938.
- 77813) *Epiblema strenuana* (Walker,1863) (Tortricidae) Synonym(s): *strenuana* Walker,1863; *exvagana* Walker,1863; *flavocellana* Clemens,1865; *subversana* Zeller,1875; *minutana* Kearfott,1905 nec Hbn.,1822; *antaxia* Meyrick,1912
- 77814) *Epiblema tripartitana* (Zeller,1875) (Tortricidae) Synonym(s): *tripartitana* Zeller,1875
- 77815) *Epiblema turbidana* (Treitschke,1835) (Tortricidae) Synonym(s): *turbidana* Treitschke,1835; *zelleriana* Schläger,1848
- 77816) *Epichorista abdita* Philpott,1924 (Tortricidae) Synonym(s): *abdita* Philpott,1924
- 77817) *Epichorista aethocoma* Meyrick,1923 (Tortricidae) Synonym(s): *aethocoma* Meyrick,1923
- 77818) *Epichorista allogama* (Meyrick,1914) (Tortricidae) Synonym(s): *allogama* Meyrick,1914
- 77819) *Epichorista armigera* Diakonoff,1956 (Tortricidae) Synonym(s): *armigera* Diakonoff,1956
- 77820) *Epichorista benevola* Meyrick,1920 (Tortricidae) Synonym(s): *benevola* Meyrick,1920
- 77821) *Epichorista chloradelpha* Meyrick,1912 (Tortricidae) Synonym(s): *chloradelpha* Meyrick,1912
- 77822) *Epichorista cinerata* Meyrick,1920 (Tortricidae) Synonym(s): *cinerata* Meyrick,1920
- 77823) *Epichorista crypsidora* (Meyrick,1909) (Tortricidae) Synonym(s): *crypsidora* Meyrick,1909; *carcharodes* Meyrick,1914
- 77824) *Epichorista elephantina* (Meyrick,1885) (Tortricidae) Synonym(s): *elephantina* Meyrick,1885
- 77825) *Epichorista emphanes* (Meyrick,1902) (Tortricidae) Synonym(s): *emphanes* Meyrick,1902; *achrosta* Meyrick,1902; *epicura* Meyrick,1911; *theatralis* Philpott,1918; *candida* Clarke,1926
- 77826) *Epichorista eribola* (Meyrick,1889) (Tortricidae) Synonym(s): *eribola* Meyrick,1889
- 77827) *Epichorista exanimata* Meyrick,1920 (Tortricidae) Synonym(s): *exanimata* Meyrick,1920
- 77828) *Epichorista fraudulentula* (Philpott,1928) (Tortricidae) Synonym(s): *fraudulentula* Philpott,1928
- 77829) *Epichorista galeata* Meyrick,1921 (Tortricidae) Synonym(s): *galeata* Meyrick,1921
- 77830) *Epichorista geraeas* Meyrick,1909 (Tortricidae) Synonym(s): *geraeas* Meyrick,1909
- 77831) *Epichorista hemionana* (Meyrick,1883) (Tortricidae) Synonym(s): *hemionana* Meyrick,1883
- 77832) *Epichorista lindsayi* Philpott,1928 (Tortricidae) Synonym(s): *lindsayi* Philpott,1928
- 77833) *Epichorista mesosceptra* Meyrick,1920 (Tortricidae) Synonym(s): *mesosceptra* Meyrick,1920
- 77834) *Epichorista mimica* Philpott,1930 (Tortricidae) Synonym(s): *mimica* Philpott,1930
- 77835) *Epichorista niphosema* Meyrick,1917 (Tortricidae) Synonym(s): *niphosema* Meyrick,1917
- 77836) *Epichorista passaleuta* Meyrick,1920 (Tortricidae) Synonym(s): *passaleuta* Meyrick,1920
- 77837) *Epichorista perversa* Meyrick,1912 (Tortricidae) Synonym(s): *perversa* Meyrick,1912
- 77838) *Epichorista phaeocoma* Meyrick,1914 (Tortricidae) Synonym(s): *phaeocoma* Meyrick,1914
- 77839) *Epichorista phalaraea* Meyrick,1920 (Tortricidae) Synonym(s): *phalaraea* Meyrick,1920
- 77840) *Epichorista prodigiosa* Meyrick,1920 (Tortricidae) Synonym(s): *prodigiosa* Meyrick,1920
- 77841) *Epichorista psoropis* Meyrick,1920 (Tortricidae) Synonym(s): *psoropis* Meyrick,1920
- 77842) *Epichorista samata* Diakonoff,1941 (Tortricidae) Synonym(s): *samata* Diakonoff,1941
- 77843) *Epichorista sicca* Meyrick,1912 (Tortricidae) Synonym(s): *sicca* Meyrick,1912
- 77844) *Epichorista siriana* (Meyrick,1881) (Tortricidae) Synonym(s): *siriana* Meyrick,1881
- 77845) *Epichorista tenebrosa* Philpott,1917 (Tortricidae) Synonym(s): *tenebrosa* Philpott,1917
- 77846) *Epichorista tortuosa* Meyrick,1912 (Tortricidae) Synonym(s): *tortuosa* Meyrick,1912
- 77847) *Epichorista vestigialis* Meyrick,1914 (Tortricidae) Synonym(s): *vestigialis* Meyrick,1914
- 77848) *Epichorista zatrophana* (Meyrick,1883) (Tortricidae) Synonym(s): *zatrophana* Meyrick,1883
- 77849) *Epichoristodes* (Tubula) *acerbella* (Walker,1864) (Tortricidae) Synonym(s): *acerbella* Walker,1864; *iocoma* Meyrick,1908; *ionephela* Meyrick,1908; *galeata* Meyrick,1921
- 77850) *Epichoristodes* (s.str.) *apilectica* Diakonoff,1960 (Tortricidae) Synonym(s): *apilectica* Diakonoff,1960
- 77851) *Epichoristodes* (s.str.) *atricaput* Diakonoff,1973 (Tortricidae) Synonym(s): *atricaput* Diakonoff,1973
- 77852) *Epichoristodes* (s.str.) *atyceta* Bradley,1965 (Tortricidae) Synonym(s): *atyceta* Bradley,1965
- 77853) *Epichoristodes* (s.str.) *canonicum* Diakonoff,1973 (Tortricidae) Synonym(s): *canonicum* Diakonoff,1973
- 77854) *Epichoristodes* (s.str.) *goniopa* Diakonoff,1960 (Tortricidae) Synonym(s): *goniopa* Diakonoff,1960
- 77855) *Epichoristodes* (s.str.) *heterotropha* Bradley,1965 (Tortricidae) Synonym(s): *heterotropha* Bradley,1965
- 77856) *Epichoristodes* (s.str.) *incerta* Diakonoff,1960 (Tortricidae) Synonym(s): *incerta* Diakonoff,1960; *nervosum* Diakonoff,1970
- 77857) *Epichoristodes* (s.str.) *leucocymba* (Meyrick,1912) (Tortricidae) Synonym(s): *leucocymba* Meyrick,1912
- 77858) *Epichoristodes* (s.str.) *licmaea* (Meyrick,1920) (Tortricidae) Synonym(s): *licmaea* Meyrick,1920
- 77859) *Epichoristodes* (s.str.) *macrosema* Diakonoff,1970 (Tortricidae) Synonym(s): *macrosema* Diakonoff,1970
- 77860) *Epichoristodes* (s.str.) *panochra* Bradley,1965 (Tortricidae) Synonym(s): *panochra* Bradley,1965
- 77861) *Epichoristodes* (s.str.) *psoricodes* (Meyrick,1911) (Tortricidae) Synonym(s): *psoricodes* Meyrick,1911
- 77862) *Epichoristodes* (s.str.) *ypsilon* Diakonoff,1960 (Tortricidae) Synonym(s): *ypsilon* Diakonoff,1960
- 77863) *Epinotia abbreviana* (Fabricius,1794) (Tortricidae) Synonym(s): *abbreviana* Fabricius,1794; *trimaculana* Donovan,1806; *ulmiana* Duponchel,[1843]; *excruciana* Stephens,1852
- 77864) *Epinotia abnormana* Kuznetsov,1973 (Tortricidae) Synonym(s): *abnormana* Kuznetsov,1973

- 77865) *Epinotia albicapitana* (Kearfott,1907) (Tortricidae) Synonym(s): *albicapitana* Kearfott,1907
 77866) *Epinotia albiguttata* (Oku,1974) (Tortricidae) Synonym(s): *albiguttata* Oku,1974; *albimaculata* Kuznetsov,1976
 77867) *Epinotia algeriensis* Chambon,1990 (Tortricidae) Synonym(s): *algeriensis* Chambon,1990
 77868) *Epinotia aquila* Kuznetsov,1968 (Tortricidae) Synonym(s): *aquila* Kuznetsov,1968
 77869) *Epinotia araea* Diakonoff,1983 (Tortricidae) Synonym(s): *araea* Diakonoff,1983
 77870) *Epinotia atacta* Diakonoff,1992 (Tortricidae) Synonym(s): *atacta* Diakonoff,1992
 77871) *Epinotia autonoma* Falkovitsh,1965 (Tortricidae) Synonym(s): *autonoma* Falkovitsh,1965; *tamaensis* Kawabe,1974
 77872) *Epinotia balsamae* Freeman,1965 (Tortricidae) Synonym(s): *balsamae* Freeman,1965
 77873) *Epinotia bicolor* (Walsingham,1900) (Tortricidae) Synonym(s): *bicolor* Walsingham,1900
 77874) *Epinotia bilunana* (Haworth,[1811]) (Tortricidae) Synonym(s): *bilunana* Haworth,[1811]; *cretacea* Frölich,1828
 77875) *Epinotia brunnichiana* (Linnaeus,1767) (Tortricidae) Synonym(s): *brunnichiana* Linnaeus,1767; *sinuana* [Denis & Schiffmüller],1775; *rhenana* Thunberg & Becklin,1791
 77876) *Epinotia canthonias* (Meyrick,1920) (Tortricidae) Synonym(s): *canthonias* Meyrick,1920
 77877) *Epinotia canthonias* (Meyrick,1920) (Tortricidae) Synonym(s): *canthonias* Meyrick,1920
 77878) *Epinotia caprana* (Fabricius,1798) (Tortricidae) Synonym(s): *caprana* Fabricius,1798; *piceana* Haworth,1811 nec Hbn.,1799; *semifuscana* Stephens,1834; *melaleucana* Duponchel,1836
 77879) *Epinotia cedricida* Diakonoff,1969 (Tortricidae) Synonym(s): *cedricida* Diakonoff,1969
 77880) *Epinotia cineracea* Nasu,1991 (Tortricidae) Synonym(s): *cineracea* Nasu,1991
 77881) *Epinotia clasta* Diakonoff,1983 (Tortricidae) Synonym(s): *clasta* Diakonoff,1983
 77882) *Epinotia contrariiana* (Christoph,1881) (Tortricidae) Synonym(s): *contrariiana* Christoph,1881
 77883) *Epinotia crenana* (Hübner,[1817]) (Tortricidae) Synonym(s): *crenana* Hübner,[1817]
 77884) *Epinotia cruciana* (Linnaeus,1761) (Tortricidae) Synonym(s): *cruciana* Linnaeus,1761; *gyllenhahliana* Thunberg,1784; *augustana* Hübner,[1813]; *viminana* Guenée,1845; *alticolana* Stephens,1852
 77885) *Epinotia dalmatana* (Rebel,1891) (Tortricidae) Synonym(s): *dalmatana* Rebel,1891; *psychrodora* Meyrick,1936; *mesopotamica* Obraztsov,1952; *obraztsovi* Agenjo,1967
 77886) *Epinotia demarniana* (Fischer v. Röslerstamm,1840) (Tortricidae) Synonym(s): *demarniana* Fischer v. Röslerstamm,1840
 77887) *Epinotia deruptana* (Kennel,1901) (Tortricidae) Synonym(s): *deruptana* Kennel,1901
 77888) *Epinotia ethnica* Heinrich,1923 (Tortricidae) Synonym(s): *ethnica* Heinrich,1923
 77889) *Epinotia evidens* Kuznetsov,1971 (Tortricidae) Synonym(s): *evidens* Kuznetsov,1971
 77890) *Epinotia exquisitana* (Christoph,1881) (Tortricidae) Synonym(s): *exquisitana* Christoph,1881; *pica* Walsingham,1900
 77891) *Epinotia festivana* (Hübner,[1799]) (Tortricidae) Synonym(s): *festivana* Hübner,[1799]
 77892) *Epinotia fraternana* (Haworth,[1811]) (Tortricidae) Synonym(s): *fraternana* Haworth,[1811]; *proximana* Herrich-Schäffer,1851; *distinctana* Wilkinson,1859; *concretana* Peyerimhoff,1863
 77893) *Epinotia gimmerthaliana* (Lienig & Zeller,1846) (Tortricidae) Synonym(s): *gimmerthaliana* Lienig & Zeller,1846
 77894) *Epinotia granitana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *granitana* Herrich-Schäffer,1851
 77895) *Epinotia hungaricana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *hungaricana* Herrich-Schäffer,1851
 77896) *Epinotia immaculata* Peiu & Nemes,1968 (Tortricidae) Synonym(s): *immaculata* Peiu & Nemes,1968
 77897) *Epinotia immundana* (Fischer v. Röslerstamm,1839) (Tortricidae) Synonym(s): *immundana* Fischer v. Röslerstamm,1839
 77898) *Epinotia indecorana* (Zetterstedt,1839) (Tortricidae) Synonym(s): *indecorana* Zetterstedt,1839
 77899) *Epinotia infausta* (Walsingham,1881) (Tortricidae) Synonym(s): *infausta* Walsingham,1881
 77900) *Epinotia infessana* (Walsingham,1900) (Tortricidae) Synonym(s): *infessana* Walsingham,1900
 77901) *Epinotia ketamana* (Amsel,1956) (Tortricidae) Synonym(s): *ketamana* Amsel,1956
 77902) *Epinotia kochiana* Herrich-Schäffer,[1851] (Tortricidae) Synonym(s): *kochiana* Herrich-Schäffer,[1851]
 77903) *Epinotia maculana* (Fabricius,1775) (Tortricidae) Synonym(s): *maculana* Fabricius,1775; *ophthalmica* Hübner,[1799]
 77904) *Epinotia majorana* (Caradja,1916) (Tortricidae) Synonym(s): *majorana* Caradja,1916; *leucantha* Meyrick,1931
 77905) *Epinotia mercuriana* (Frölich,1828) (Tortricidae) Synonym(s): *mercuriana* Frölich,1828; *monticolana* Duponchel,[1843]
 77906) *Epinotia monticola* Kawabe,1993 (Tortricidae) Synonym(s): *monticola* Kawabe,1993
 77907) *Epinotia munda* Diakonoff,1983 (Tortricidae) Synonym(s): *munda* Diakonoff,1983
 77908) *Epinotia nanana* (Treitschke,1835) (Tortricidae) Synonym(s): *nanana* Treitschke,1835; *immetallana* Peyerimhoff,1863
 77909) *Epinotia nemorivaga* (Tengström,1848) (Tortricidae) Synonym(s): *nemorivaga* Tengström,1848; *rhododendrana* Herrich-Schäffer,1851; *finitimana* Doubleday,1859
 77910) *Epinotia nigricana* (Herrich-Schäffer,[1851]) (Tortricidae) Synonym(s): *nigricana* Herrich-Schäffer,[1851]; *suasana* Peyerimhoff,1863
 77911) *Epinotia nisella* (Clerck,1759) (Tortricidae) Synonym(s): *nisella* Clerck,1759; *boeberana* Fabricius,1787; *pavonana* Donovan,1804; *cuspidana* Haworth,1811; *rhombifasciana* Haworth,1811; *stictana* Haworth,1811; *cinereana* Haworth,1811; *nisana* Guenée,1845
 77912) *Epinotia parki* Bae,1997 (Tortricidae) Synonym(s): *parki* Bae,1997
 77913) *Epinotia pentagonana* Kennel,1901 (Tortricidae) Synonym(s): *pentagonana* Kennel,1901; *maculosa* Kuznetsov,1966
 77914) *Epinotia piceae* (Issiki,1961) (Tortricidae) Synonym(s): *piceae* Issiki,1961
 77915) *Epinotia pinicola* Kuznetsov,1969 (Tortricidae) Synonym(s): *pinicola* Kuznetsov,1969
 77916) *Epinotia pusillana* (Peyerimhoff,1863) (Tortricidae) Synonym(s): *pusillana* Peyerimhoff,1863
 77917) *Epinotia pygmaeana* (Hübner,[1799]) (Tortricidae) Synonym(s): *pygmaeana* Hübner,[1799]; *huebneri* Koçak,1980.
 77918) *Epinotia ramella* (Linnaeus,1758) (Tortricidae) Synonym(s): *ramella* Linnaeus,1758; *paykulliana* Fabricius,1787; *sesquilunana* Haworth,1811; *ramama* Frölich,1828; *costana* Duponchel,1836
 77919) *Epinotia rasdolnyana* (Christoph,1882) (Tortricidae) Synonym(s): *rasdolnyana* Christoph,1882
 77920) *Epinotia rubiginosana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *rubiginosana* Herrich-Schäffer,1851; *bouchardana* Stainton,1859; *incognatana* Peyerimhoff,1863
 77921) *Epinotia rubiginosana* koraiensis Falkovitsh,1965 (Tortricidae) Synonym(s): *koraiensis* Falkovitsh,1965
 77922) *Epinotia rubricana* Kuznetsov,1968 (Tortricidae) Synonym(s): *rubricana* Kuznetsov,1968
 77923) *Epinotia signatana* (Douglas,1845) (Tortricidae) Synonym(s): *signatana* Douglas,1845; *padana* Lienig & Zeller,1846; *croesmanniana* Heinemann,1863
 77924) *Epinotia signiferana* Heinrich,1923 (Tortricidae) Synonym(s): *signiferana* Heinrich,1923
 77925) *Epinotia slovacia* Patocka & Jaros,1991 (Tortricidae) Synonym(s): *slovacia* Patocka & Jaros,1991
 77926) *Epinotia solandriana* (Linnaeus,1758) (Tortricidae) Synonym(s): *solandriana* Linnaeus,1758; *trapezana* Fabricius,1787; *semimaculana* Hübner,1793; *parmatana* Hübner,[1817]; *semilunana* Frölich,1828
 77927) *Epinotia sordidana* (Hübner,[1824]) (Tortricidae) Synonym(s): *sordidana* Hübner,[1824]; *stabilana* Stephens,1852
 77928) *Epinotia subocellana* (Donovan,1806) (Tortricidae) Synonym(s): *subocellana* Donovan,1806
 77929) *Epinotia subplicana* (Walsingham,1879) (Tortricidae) Synonym(s): *subplicana* Walsingham,1879; *basipunctana* Walsingham,1879
 77930) *Epinotia subsequana* (Haworth,[1811]) (Tortricidae) Synonym(s): *subsequana* Haworth,[1811]; *abiegana* Duponchel,[1843]
 77931) *Epinotia subuculana* (Rebel,1903) (Tortricidae) Synonym(s): *subuculana* Rebel,1903
 77932) *Epinotia tedella* (Clerck,1759) (Tortricidae) Synonym(s): *tedella* Clerck,1759; *comitana* [Denis & Schiffmüller],1775; *hercyniana* Usler,1798; *piceana* Hübner,[1799]; *taedana* Doubleday,1859; *finitimana* Doubleday,1859
 77933) *Epinotia tenerana* ([Denis & Schiffmüller],1775) (Tortricidae) Synonym(s): *tenerana* [Denis & Schiffmüller],1775; *retusana* Haworth,1811; *oblitana* Duponchel,1842
 77934) *Epinotia tetraquetrana* (Haworth,1811) (Tortricidae) Synonym(s): *tetraquetrana* Haworth,1811; *triquetrana* Haworth,1811; *angulana* Haworth,1811; *frutetana* Hübner,[1824]
 77935) *Epinotia thaiensis* Kawabe,1995 (Tortricidae) Synonym(s): *thaiensis* Kawabe,1995
 77936) *Epinotia thapsiana* (Zeller,1847) (Tortricidae) Synonym(s): *thapsiana* Zeller,1847
 77937) *Epinotia tianshanensis* Liu & Nasu,1993 (Tortricidae) Synonym(s): *tianshanensis* Liu & Nasu,1993
 77938) *Epinotia trigonella* (Linnaeus,1758) (Tortricidae) Synonym(s): *trigonella* Linnaeus,1758; *stroemiana* Fabricius,1781; *similana* Hübner,1793; *bimaculana* Donovan,1808; *indecorana* Zetterstedt,1839
 77939) *Epinotia ulmi* Kuznetsov,1966 (Tortricidae) Synonym(s): *ulmi* Kuznetsov,1966
 77940) *Epinotia ulmicola* Kuznetsov,1966 (Tortricidae) Synonym(s): *ulmicola* Kuznetsov,1966

- 77941) *Epinotia unisignana* Kuznetsov, 1966 (Tortricidae) Synonym(s): *unisignana* Kuznetsov, 1966
 77942) *Epinotia yoshiyasui* Kawabe, 1989 (Tortricidae) Synonym(s): *yoshiyasui* Kawabe, 1989
 77943) *Epiphyas postvittana* (Walker, 1863) (Tortricidae) Synonym(s): *postvittana* Walker, 1863
 77944) *Episimus argutanus* (Clemens, 1860) (Tortricidae) Synonym(s): *argutanus* Clemens, 1860; *hamameliella* Clemens, 1861; *allutana* Zeller, 1879
 77945) *Episimus atricapillus* (Meyrick, 1917) (Tortricidae) Synonym(s): *atricapillus* Meyrick, 1917
 77946) *Episimus atrorufanus* (Walker, 1863) (Tortricidae) Synonym(s): *atrorufanus* Walker, 1863
 77947) *Episimus augmentatus* (Zeller, 1877) (Tortricidae) Synonym(s): *augmentatus* Zeller, 1877; *#augmentus* Kimball, 1965
 77948) *Episimus burserae* Heppner, 1994 (Tortricidae) Synonym(s): *burserae* Heppner, 1994
 77949) *Episimus caveatus* (Meyrick, 1912) (Tortricidae) Synonym(s): *caveatus* Meyrick, 1912
 77950) *Episimus condensatanus* (Zeller, 1877) (Tortricidae) Synonym(s): *condensatanus* Zeller, 1877
 77951) *Episimus descriptana* (Walker, 1863) (Tortricidae) Synonym(s): *descriptana* Walker, 1863
 77952) *Episimus dignus* (Meyrick, 1917) (Tortricidae) Synonym(s): *dignus* Meyrick, 1917
 77953) *Episimus guiana* (Busck, 1913) (Tortricidae) Synonym(s): *guiana* Busck, 1913
 77954) *Episimus heppneri* Heppner, 1994 (Tortricidae) Synonym(s): *kimballi* Heppner, 1994
 77955) *Episimus lagunculariae* Heppner, 1994 (Tortricidae) Synonym(s): *lagunculariae* Heppner, 1994
 77956) *Episimus ligneanus* (C. Felder & Rogenhofer, 1875) (Tortricidae) Synonym(s): *ligneanus* C. Felder & Rogenhofer, 1875
 77957) *Episimus lupatus* (Meyrick, 1912) (Tortricidae) Synonym(s): *lupatus* Meyrick, 1912
 77958) *Episimus mahaianus* (C. Felder & Rogenhofer, 1875) (Tortricidae) Synonym(s): *mahaianus* C. Felder & Rogenhofer, 1875; *encausticus* Meyrick, 1922
 77959) *Episimus melanaspis* (Meyrick, 1927) (Tortricidae) Synonym(s): *melanaspis* Meyrick, 1927
 77960) *Episimus mesotricha* (Walker, 1863) (Tortricidae) Synonym(s): *mesotricha* Meyrick, 1927
 77961) *Episimus nesiotes* Walsingham, 1897 (Tortricidae) Synonym(s): *nesiotes* Walsingham, 1897
 77962) *Episimus ortygus* (Meyrick, 1917) (Tortricidae) Synonym(s): *ortygus* Meyrick, 1917
 77963) *Episimus phaedra* (Meyrick, 1931) (Tortricidae) Synonym(s): *phaedra* Meyrick, 1931
 77964) *Episimus prudens* (Meyrick, 1917) (Tortricidae) Synonym(s): *prudens* Meyrick, 1917
 77965) *Episimus religiosus* (Meyrick, 1917) (Tortricidae) Synonym(s): *religiosus* Meyrick, 1917
 77966) *Episimus strigulanus* (Walker, 1863) (Tortricidae) Synonym(s): *strigulanus* Walker, 1863; *leucomesanus* Walker, 1863
 77967) *Episimus submicans* Walsingham, 1897 (Tortricidae) Synonym(s): *submicans* Walsingham, 1897
 77968) *Episimus terminanus* (Walker, 1863) (Tortricidae) Synonym(s): *terminanus* Walker, 1863
 77969) *Episimus transferanus* (Walker, 1863) (Tortricidae) Synonym(s): *transferanus* Walker, 1863
 77970) *Episimus transferanus transferanus* (Walker, 1863) (Tortricidae) Synonym(s): *transferanus* Walker, 1863
 77971) *Episimus transferanus vincetanus* Walsingham, 1892 (Tortricidae) Synonym(s): *vincetanus* Walsingham, 1892
 77972) *Episimus unguiculus* Clarke, 1951 (Tortricidae) Synonym(s): *unguiculus* Clarke, 1951
 77973) *Episimus utilis* Zimmermann, 1978 (Tortricidae) Synonym(s): *utilis* Zimmermann, 1978
 77974) *Episimus vermiculatus* (Meyrick, 1912) (Tortricidae) Synonym(s): *vermiculatus* Meyrick, 1912
 77975) *Episimus vittatus* (Walsingham, 1914) (Tortricidae) Synonym(s): *vittatus* Walsingham, 1914
 77976) *Epitrichosma argenticola* Diakonoff, 1974 (Tortricidae) Synonym(s): *argenticola* Diakonoff, 1974
 77977) *Epitrichosma helioconis* (Diakonoff, 1948) (Tortricidae) Synonym(s): *helioconis* Diakonoff, 1948
 77978) *Eppihus hippeus* Razowski, 2006 (Tortricidae) Synonym(s): *hippeus* Razowski, 2006
 77979) *Erinaea amphigonia* Diakonoff, [1968] (Tortricidae) Synonym(s): *amphigonia* Diakonoff, [1968]
 77980) *Eriopsela aeriana* (Falkovitsh, 1962) (Tortricidae) Synonym(s): *aeriana* Falkovitsh, 1962
 77981) *Eriopsela annana* (Kennel, 1919) (Tortricidae) Synonym(s): *annana* Kennel, 1919
 77982) *Eriopsela bavarica* Obratzov, 1952 (Tortricidae) Synonym(s): *bavarica* Obratzov, 1952
 77983) *Eriopsela danilevskiyi* Kuznetsov, 1972 (Tortricidae) Synonym(s): *danilevskiyi* Kuznetsov, 1972
 77984) *Eriopsela falkovitshi* Kostyuk, 1979 (Tortricidae) Synonym(s): *falkovitshi* Kostyuk, 1979
 77985) *Eriopsela fenestrellensis* Huemer, 1992 (Tortricidae) Synonym(s): *fenestrellensis* Huemer, 1992
 77986) *Eriopsela klapperichi* Razowski, 1967 (Tortricidae) Synonym(s): *klapperichi* Razowski, 1967
 77987) *Eriopsela klimeschi* Obratzov, 1952 (Tortricidae) Synonym(s): *klimeschi* Obratzov, 1952
 77988) *Eriopsela mongunana* Kostyuk, 1973 (Tortricidae) Synonym(s): *mongunana* Kostyuk, 1973
 77989) *Eriopsela quadrana* (Hübner, [1813]) (Tortricidae) Synonym(s): *quadrana* Hübner, [1813]; *strigulosana* Zetterstedt, 1839; *abiskoana* Caradja, 1916; *roseni* Obratzov, 1952; *bavarica* Obratzov, 1952
 77990) *Eriotortrix iresinephora* Razowski, 1988 (Tortricidae) Synonym(s): *iresinephora* Razowski, 1988
 77991) *Eriotortrix isipida* Razowski, 1988 (Tortricidae) Synonym(s): *isipida* Razowski, 1988
 77992) *Ernocornutia capronata* Razowski, 1988 (Tortricidae) Synonym(s): *capronata* Razowski, 1988
 77993) *Ernocornutia carycodes* (Meyrick, 1926) (Tortricidae) Synonym(s): *carycodes* Meyrick, 1926
 77994) *Ernocornutia catopta* Razowski, 1988 (Tortricidae) Synonym(s): *catopta* Razowski, 1988
 77995) *Ernocornutina gambra* Razowski, 1988 (Tortricidae) Synonym(s): *gambra* Razowski, 1988
 77996) *Ethelgoda texanana* (Walsingham, 1879) (Tortricidae) Synonym(s): *texanana* Walsingham, 1879
 77997) *Eubrochoneura altissima* Kawabe, 1978 (Tortricidae) Synonym(s): *altissima* Kawabe, 1978
 77998) *Eucoenogenes aestuosa* (Meyrick, 1912) (Tortricidae) Synonym(s): *aestuosa* Meyrick, 1912; *ligyropis* Meyrick, 1937
 77999) *Eucoenogenes ancyrota* (Meyrick, 1907) (Tortricidae) Synonym(s): *ancyrota* Meyrick, 1907
 78000) *Eucoenogenes bicucullus* Pinkaew, 2005 (Tortricidae) Synonym(s): *bicucullus* Pinkaew, 2005
 78001) *Eucoenogenes cyanopsis* (Meyrick, 1912) (Tortricidae) Synonym(s): *melanochlaena* Meyrick, 1936; *#cyanopsis* Kawabe, 1989
 78002) *Eucoenogenes deltozona* Diakonoff, [1968] (Tortricidae) Synonym(s): *deltozona* Diakonoff, [1968]
 78003) *Eucoenogenes euphlebica* Kawabe, 1989 (Tortricidae) Synonym(s): *euphlebica* Kawabe, 1989
 78004) *Eucoenogenes japonica* Kawabe, 1978 (Tortricidae) Synonym(s): *japonica* Kawabe, 1978
 78005) *Eucoenogenes levatana* Kuznetsov, 1977 (Tortricidae) Synonym(s): *levatana* Kuznetsov, 1977
 78006) *Eucoenogenes melanancalis* (Meyrick, 1937) (Tortricidae) Synonym(s): *melanancalis* Meyrick, 1937
 78007) *Eucoenogenes munda* (Diakonoff, 1983) (Tortricidae) Synonym(s): *munda* Diakonoff, 1983
 78008) *Eucoenogenes pythionias* (Meyrick, 1910) (Tortricidae) Synonym(s): *pythionias* Meyrick, 1910
 78009) *Eucoenogenes segregana* Kuznetsov, 1997 (Tortricidae) Synonym(s): *segregana* Kuznetsov, 1997
 78010) *Eucoenogenes teliferana* (Christoph, 1882) (Tortricidae) Synonym(s): *teliferana* Christoph, 1882
 78011) *Eucoenogenes vaneae* Pinkaew, 2005 (Tortricidae) Synonym(s): *vaneae* Pinkaew, 2005
 78012) *Eucosma abacana* (Erschoff, 1877) (Tortricidae) Synonym(s): *abacana* Erschoff, 1877
 78013) *Eucosma accipitrina* Meyrick, 1913 (Tortricidae) Synonym(s): *accipitrina* Meyrick, 1913
 78014) *Eucosma actiosa* Meyrick, 1913 (Tortricidae) Synonym(s): *actiosa* Meyrick, 1913
 78015) *Eucosma aemulana* (Schläger, 1849) (Tortricidae) Synonym(s): *aemulana* Schläger, 1849
 78016) *Eucosma agnatana* (Christoph, 1872) (Tortricidae) Synonym(s): *agnatana* Christoph, 1872
 78017) *Eucosma albarracina* Hartig, 1941 (Tortricidae) Synonym(s): *albarracina* Hartig, 1941
 78018) *Eucosma albicosta* Falkovitsh, 1964 (Tortricidae) Synonym(s): *albicosta* Falkovitsh, 1964
 78019) *Eucosma albicostella* (Turati & C.G. Krüger, 1936) (Tortricidae) Synonym(s): *albicostella* Turati & C.G. Krüger, 1936
 78020) *Eucosma albidulana* (Herrich-Schäffer, [1851]) (Tortricidae) Synonym(s): *albidulana* Herrich-Schäffer, [1851]
 78021) *Eucosma albuncana* (Zeller, 1847) (Tortricidae) Synonym(s): *albuncana* Zeller, 1847
 78022) *Eucosma amara* Meyrick, 1913 (Tortricidae) Synonym(s): *amara* Meyrick, 1913
 78023) *Eucosma antidora* Meyrick, 1921 (Tortricidae) Synonym(s): *antidora* Meyrick, 1921
 78024) *Eucosma apocrypha* Falkovitsh, 1964 (Tortricidae) Synonym(s): *apocrypha* Falkovitsh, 1964
 78025) *Eucosma argentifera* Razowski, 1972 (Tortricidae) Synonym(s): *argentifera* Razowski, 1972
 78026) *Eucosma aspidiscana* (Hübner, [1817]) (Tortricidae) Synonym(s): *aspidiscana* Hübner, [1817]
 78027) *Eucosma atacosana* A. Blanchard, 1980 (Tortricidae) Synonym(s): *atacosana* A. Blanchard, 1980
 78028) *Eucosma balatonana* (Osthelder, 1937) (Tortricidae) Synonym(s): *balatonana* Osthelder, 1937
 78029) *Eucosma bisecta* Meyrick, 1918 (Tortricidae) Synonym(s): *bisecta* Meyrick, 1918

- 78030) *Eucosma bobana* Kearfott, 1907 (Tortricidae) Synonym(s): *bobana* Kearfott, 1907; *antichroma* Meyrick, 1912
78031) *Eucosma calculosa* Meyrick, 1913 (Tortricidae) Synonym(s): *calculosa* Meyrick, 1913
78032) *Eucosma caliacrana* (Caradja, 1931) (Tortricidae) Synonym(s): *luciana* Kennel, 1919 (*praeocc.*); *caliacrana* Caradja, 1931; *nessebarana* Soffner, 1962; *galactica* Obratsov, 1968
78033) *Eucosma calliarma* Meyrick, 1909 (Tortricidae) Synonym(s): *calliarma* Meyrick, 1909
78034) *Eucosma calligrapha* (Meyrick, 1912) (Tortricidae) Synonym(s): *calligrapha* Meyrick, 1912
78035) *Eucosma campoliliana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *campoliliana* [Denis & Schiffermüller], 1775
78036) *Eucosma cana* (Haworth, 1811) (Tortricidae) Synonym(s): *marmorana* Fabricius, 1798; *cana* Haworth, 1811; *monetulana* Hübner, [1817]; *carduana* Guenée, 1845; *subvittana* Staudinger, 1892.
78037) *Eucosma cataclystiana* (Walker, 1863) (Tortricidae) Synonym(s): *cataclystiana* Walker, 1863; *ochreana* Clemens, 1864
78038) *Eucosma catoptrana* (Rebel, 1903) (Tortricidae) Synonym(s): *catoptrana* Rebel, 1903; *heringiana* Jäckh, 1953
78039) *Eucosma chloroterma* Meyrick, 1913 (Tortricidae) Synonym(s): *chloroterma* Meyrick, 1913
78040) *Eucosma clarescens* Kuznetsov, 1964 (Tortricidae) Synonym(s): *clarescens* Kuznetsov, 1964
78041) *Eucosma clarifica* Meyrick, 1913 (Tortricidae) Synonym(s): *clarifica* Meyrick, 1913
78042) *Eucosma coagulana* (Kennel, 1901) (Tortricidae) Synonym(s): *coagulana* Kennel, 1901
78043) *Eucosma comatulana* (Zeller, 1875) (Tortricidae) Synonym(s): *comatulana* Zeller, 1875
78044) *Eucosma conformana* (Mann, 1872) (Tortricidae) Synonym(s): *conformana* Mann, 1872; *umbratana* Staudinger, 1880; *significantana* Kennel, 1901.
78045) *Eucosma conterminana* (Guenée, 1845) (Tortricidae) Synonym(s): *conterminana* Guenée, 1845
78046) *Eucosma corosana* (Walsingham, 1884) (Tortricidae) Synonym(s): *corosana* Walsingham, 1884
78047) *Eucosma costastrigulana* Kearfott, 1907 (Tortricidae) Synonym(s): *costastrigulana* Kearfott, 1907
78048) *Eucosma cretaceana* (Kennel, 1899) (Tortricidae) Synonym(s): *cretaceana* Kennel, 1899
78049) *Eucosma culmana* (Müller-Rutz, 1932) (Tortricidae) Synonym(s): *culmana* Müller-Rutz, 1932
78050) *Eucosma cumulana* (Guenée, 1845) (Tortricidae) Synonym(s): *cumulana* Guenée, 1845; *obscurana* Caradja, 1916 *nec* Fabricius, 1798; *caradjai* Obratsov, 1968.
78051) *Eucosma deltozyga* Meyrick, 1928 (Tortricidae) Synonym(s): *deltozyga* Meyrick, 1928
78052) *Eucosma desipiens* Meyrick, 1918 (Tortricidae) Synonym(s): *desipiens* Meyrick, 1918
78053) *Eucosma diabolana* A. Blanchard, 1980 (Tortricidae) Synonym(s): *diabolana* A. Blanchard, 1980
78054) *Eucosma diakonoffi* Gibeaux, 1984 (Tortricidae) Synonym(s): *diakonoffi* Gibeaux, 1984
78055) *Eucosma dilatana* (Walsingham, 1895) (Tortricidae) Synonym(s): *dilatana* Walsingham, 1895
78056) *Eucosma directa* Meyrick, 1912 (Tortricidae) Synonym(s): *directa* Meyrick, 1912
78057) *Eucosma disjunctana* (Kennel, 1921) (Tortricidae) Synonym(s): *disjunctana* Kennel, 1921
78058) *Eucosma dointhanonensis* Kawabe, 1989 (Tortricidae) Synonym(s): *dointhanonensis* Kawabe, 1989
78059) *Eucosma drastica* Meyrick, 1918 (Tortricidae) Synonym(s): *drastica* Meyrick, 1918
78060) *Eucosma ephedrana* Christoph, 1877 (Tortricidae) Synonym(s): *ephedrana* Christoph, 1877
78061) *Eucosma eremodora* Meyrick, 1932 (Tortricidae) Synonym(s): *eremodora* Meyrick, 1932
78062) *Eucosma esmodes* Meyrick, 1937 (Tortricidae) Synonym(s): *esmodes* Meyrick, 1937
78063) *Eucosma explicatana* (Kennel, 1901) (Tortricidae) Synonym(s): *explicatana* Kennel, 1901
78064) *Eucosma fervidana* (Zeller, 1847) (Tortricidae) Synonym(s): *fervidana* Zeller, 1847
78065) *Eucosma flavispeculana* Kuznetsov, 1964 (Tortricidae) Synonym(s): *flavispeculana* Kuznetsov, 1964
78066) *Eucosma florescens* Meyrick, 1925 (Tortricidae) Synonym(s): *florescens* Meyrick, 1925
78067) *Eucosma fraudulentana* (Kennel, 1901) (Tortricidae) Synonym(s): *fraudulentana* Kennel, 1901
78068) *Eucosma fulvana* (Stephens, 1834) (Tortricidae) Synonym(s): *fulvana* Stephens, 1834
78069) *Eucosma fuscida* Kuznetsov, 1966 (Tortricidae) Synonym(s): *fuscida* Kuznetsov, 1966
78070) *Eucosma galactitis* Meyrick, 1912 (Tortricidae) Synonym(s): *galactitis* Meyrick, 1912
78071) *Eucosma giarabubensis* (Turati, 1930) (Tortricidae) Synonym(s): *giarabubensis* Turati, 1930
78072) *Eucosma glyphicodes* Meyrick, 1918 (Tortricidae) Synonym(s): *glyphicodes* Meyrick, 1918
78073) *Eucosma gomphacma* Meyrick, 1928 (Tortricidae) Synonym(s): *gomphacma* Meyrick, 1928
78074) *Eucosma gonzalezalvarezi* Agenjo, 1969 (Tortricidae) Synonym(s): *gonzalezalvarezi* Agenjo, 1969
78075) *Eucosma gradensis* (Galvagni, 1909) (Tortricidae) Synonym(s): *gradensis* Galvagni, 1909
78076) *Eucosma grazziella* A. Blanchard, 1968 (Tortricidae) Synonym(s): *grazziella* A. Blanchard, 1968
78077) *Eucosma griselda* A. Blanchard & Knudson, 1982 (Tortricidae) Synonym(s): *griselda* A. Blanchard & Knudson, 1982
78078) *Eucosma guentheri* (Tengström, 1869) (Tortricidae) Synonym(s): *guentheri* Tengström, 1869
78079) *Eucosma guttulana* A. Blanchard, 1980 (Tortricidae) Synonym(s): *guttulana* A. Blanchard, 1980
78080) *Eucosma gypsatana* (Kennel, 1921) (Tortricidae) Synonym(s): *gypsatana* Kennel, 1921
78081) *Eucosma haberhaueri* (Kennel, 1901) (Tortricidae) Synonym(s): *haberhaueri* Kennel, 1901
78082) *Eucosma habrotoma* Meyrick, 1934 (Tortricidae) Synonym(s): *habrotoma* Meyrick, 1934
78083) *Eucosma haematospila* Meyrick, 1921 (Tortricidae) Synonym(s): *haematospila* Meyrick, 1921
78084) *Eucosma hazelana* Klotz, 1936 (Tortricidae) Synonym(s): *hazelana* Klotz, 1936
78085) *Eucosma hebesana* Kuznetsov, 1986 (Tortricidae) Synonym(s): *hebesana* Kuznetsov, 1986
78086) *Eucosma hohenwartiana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *hohenwartiana* [Denis & Schiffermüller], 1775
78087) *Eucosma impatiens* Meyrick, 1921 (Tortricidae) Synonym(s): *impatiens* Meyrick, 1921
78088) *Eucosma incinerana* (Constant, 1888) (Tortricidae) Synonym(s): *incinerana* Constant, 1888
78089) *Eucosma individiosana* (Kennel, 1901) (Tortricidae) Synonym(s): *individiosana* Kennel, 1901
78090) *Eucosma inscita* Meyrick, 1913 (Tortricidae) Synonym(s): *inscita* Meyrick, 1913
78091) *Eucosma insolens* Meyrick, 1909 (Tortricidae) Synonym(s): *insolens* Meyrick, 1909
78092) *Eucosma iographa* Diakonoff, [1968] (Tortricidae) Synonym(s): *iographa* Diakonoff, [1968]
78093) *Eucosma isogramma* (Meyrick, 1908) (Tortricidae) Synonym(s): *isogramma* Meyrick, 1908
78094) *Eucosma jaceana* (Herrich-Schäffer, 1851) (Tortricidae) Synonym(s): *jaceana* Herrich-Schäffer, 1851
78095) *Eucosma jerusalemiana* (Amsel, 1935) (Tortricidae) Synonym(s): *jerusalemiana* Amsel, 1935
78096) *Eucosma krygeri* (Rebel, 1937) (Tortricidae) Synonym(s): *krygeri* Rebel, 1937
78097) *Eucosma kurdistaniana* (Amsel, 1959) (Tortricidae) Synonym(s): *kurdistaniana* Amsel, 1959
78098) *Eucosma lacteana* (Treitschke, 1835) (Tortricidae) Synonym(s): *lacteana* Treitschke, 1835
78099) *Eucosma leptozona* Meyrick, 1921 (Tortricidae) Synonym(s): *leptozona* Meyrick, 1921
78100) *Eucosma leucopetra* Meyrick, 1908 (Tortricidae) Synonym(s): *leucopetra* Meyrick, 1908
78101) *Eucosma lignana* (Snellen, 1883) (Tortricidae) Synonym(s): *lignana* Snellen, 1883; *malitiosana* Kennel, 1901; *elongata* Filipjev, 1924.
78102) *Eucosma lobostola* Meyrick, 1918 (Tortricidae) Synonym(s): *lobostola* Meyrick, 1918
78103) *Eucosma lochmaea* Meyrick, 1920 (Tortricidae) Synonym(s): *lochmaea* Meyrick, 1920
78104) *Eucosma lugubrana* (Treitschke, 1830) (Tortricidae) Synonym(s): *lugubrana* Treitschke, 1830
78105) *Eucosma magnana* Kuznetsov, 1978 (Tortricidae) Synonym(s): *magnana* Kuznetsov, 1978
78106) *Eucosma marmara* Meyrick, 1909 (Tortricidae) Synonym(s): *marmara* Meyrick, 1909
78107) *Eucosma messingiana* (Fischer v. Röslerstamm, 1837) (Tortricidae) Synonym(s): *messingiana* Fischer v. Röslerstamm, 1837
78108) *Eucosma metzneriana* (Treitschke, 1830) (Tortricidae) Synonym(s): *metzneriana* Treitschke, 1830
78109) *Eucosma micropterana* (Turati, 1930) (Tortricidae) Synonym(s): *micropterana* Turati, 1930
78110) *Eucosma mirificana* (Peyerimhoff, 1876) (Tortricidae) Synonym(s): *mirificana* Peyerimhoff, 1876
78111) *Eucosma momana* Kearfott, 1907 (Tortricidae) Synonym(s): *momana* Kearfott, 1907; *metaschista* Meyrick, 1912
78112) *Eucosma monitrix* Meyrick, 1909 (Tortricidae) Synonym(s): *monitrix* Meyrick, 1909
78113) *Eucosma monstratana* (Rebel, 1906) (Tortricidae) Synonym(s): *monstratana* Rebel, 1906
78114) *Eucosma nasuta* Meyrick, 1911 (Tortricidae) Synonym(s): *nasuta* Meyrick, 1911
78115) *Eucosma niphaspis* Meyrick, 1918 (Tortricidae) Synonym(s): *niphaspis* Meyrick, 1918
78116) *Eucosma obumbratana* (Lienig & Zeller, 1846) (Tortricidae) Synonym(s): *obumbratana* Lienig & Zeller, 1846

- 78117) *Eucosma ochricostana* Razowski, 1972 (Tortricidae) Synonym(s): *ochricostana* Razowski, 1972
 78118) *Eucosma opsonoma* Meyrick, 1918 (Tortricidae) Synonym(s): *opsonoma* Meyrick, 1918
 78119) *Eucosma ottoniana* (Kennel, 1918) (Tortricidae) Synonym(s): *ottoniana* Kennel, 1918
 78120) *Eucosma paetulana* (Kennel, 1901) (Tortricidae) Synonym(s): *paetulana* Kennel, 1901
 78121) *Eucosma pamirana* Kuznetsov, 1972 (Tortricidae) Synonym(s): *pamirana* Kuznetsov, 1972
 78122) *Eucosma paracremna* Meyrick, 1913 (Tortricidae) Synonym(s): *paracremna* Meyrick, 1913
 78123) *Eucosma paradelta* Meyrick, 1925 (Tortricidae) Synonym(s): *paradelta* Meyrick, 1925
 78124) *Eucosma passiva* Meyrick, 1913 (Tortricidae) Synonym(s): *passiva* Meyrick, 1913
 78125) *Eucosma pergratana* (Rebel, 1914) (Tortricidae) Synonym(s): *pergratana* Rebel, 1914
 78126) *Eucosma persiae* Razowski, 1963 (Tortricidae) Synonym(s): *persiae* Razowski, 1963
 78127) *Eucosma picrodelta* Meyrick, 1932 (Tortricidae) Synonym(s): *picrodelta* Meyrick, 1932
 78128) *Eucosma ponderosa* Powell, 1968 (Tortricidae) Synonym(s): *ponderosa* Powell, 1968
 78129) *Eucosma projecta* Meyrick, 1921 (Tortricidae) Synonym(s): *projecta* Meyrick, 1921
 78130) *Eucosma psychrodora* (Meyrick, 1936) (Tortricidae) Synonym(s): *psychrodora* Meyrick, 1936
 78131) *Eucosma pulveratana* (Walsingham, 1879) (Tortricidae) Synonym(s): *pulveratana* Walsingham, 1879
 78132) *Eucosma pupillana* (Clerck, 1759) (Tortricidae) Synonym(s): *pupillana* Clerck, 1759
 78133) *Eucosma recentana* (Zerny, 1933) (Tortricidae) Synonym(s): *recentana* Zerny, 1933
 78134) *Eucosma recentana iberica* Kuznetsov, 1972 (Tortricidae) Synonym(s): *iberica* Kuznetsov, 1972
 78135) *Eucosma riciniata* Meyrick, 1911 (Tortricidae) Synonym(s): *riciniata* Meyrick, 1911
 78136) *Eucosma robinsonana* (Grote, 1872) (Tortricidae) Synonym(s): *robinsonana* Grote, 1872; *quintana* Zeller, 1875; *tryonana* Kearfott, 1905
 78137) *Eucosma rufescens* Meyrick, 1913 (Tortricidae) Synonym(s): *rufescens* Meyrick, 1913
 78138) *Eucosma salticola* Meyrick, 1913 (Tortricidae) Synonym(s): *salticola* Meyrick, 1913
 78139) *Eucosma sandiego* Kearfott, 1908 (Tortricidae) Synonym(s): *sandiego* Kearfott, 1908; *sandiegana* Meyrick, 1912
 78140) *Eucosma sardoensis* (Rebel, 1935) (Tortricidae) Synonym(s): *sardoensis* Rebel, 1935
 78141) *Eucosma saussureana* (Benander, 1928) (Tortricidae) Synonym(s): *saussureana* Benander, 1928
 78142) *Eucosma scenica* Meyrick, 1911 (Tortricidae) Synonym(s): *scenica* Meyrick, 1911
 78143) *Eucosma scorzonera* (Benander, 1942) (Tortricidae) Synonym(s): *scorzonera* Benander, 1942
 78144) *Eucosma scutana* (Constant, 1893) (Tortricidae) Synonym(s): *scutana* Constant, 1893
 78145) *Eucosma siccescens* Meyrick, 1912 (Tortricidae) Synonym(s): *siccescens* Meyrick, 1912
 78146) *Eucosma sinensis* (Walshingham, 1900) (Tortricidae) Synonym(s): *sinensis* Walshingham, 1900
 78147) *Eucosma sollennis* Meyrick, 1913 (Tortricidae) Synonym(s): *sollennis* Meyrick, 1913
 78148) *Eucosma sparsana* (Rebel, 1935) (Tortricidae) Synonym(s): *sparsana* Rebel, 1935
 78149) *Eucosma spiculifera* Meyrick, 1913 (Tortricidae) Synonym(s): *spiculifera* Meyrick, 1913
 78150) *Eucosma subclidana* (Kennel, 1901) (Tortricidae) Synonym(s): *subclidana* Kennel, 1901
 78151) *Eucosma suomiana* (Hoffmann, 1893) (Tortricidae) Synonym(s): *suomiana* Hoffmann, 1893
 78152) *Eucosma symbola* Meyrick, 1909 (Tortricidae) Synonym(s): *symbola* Meyrick, 1909
 78153) *Eucosma tenax* Meyrick, 1920 (Tortricidae) Synonym(s): *tenax* Meyrick, 1920
 78154) *Eucosma tetraplana* (Möschler, 1866) (Tortricidae) Synonym(s): *tetraplana* Möschler, 1866
 78155) *Eucosma thalameuta* Meyrick, 1918 (Tortricidae) Synonym(s): *thalameuta* Meyrick, 1918
 78156) *Eucosma thematica* Meyrick, 1918 (Tortricidae) Synonym(s): *thematica* Meyrick, 1918
 78157) *Eucosma tremula* Meyrick, 1909 (Tortricidae) Synonym(s): *tremula* Meyrick, 1909
 78158) *Eucosma tripoliana* (Barrett, 1880) (Tortricidae) Synonym(s): *tripoliana* Barrett, 1880
 78159) *Eucosma tundrana* (Kennel, 1900) (Tortricidae) Synonym(s): *tundrana* Kennel, 1900
 78160) *Eucosma urbana* (Kennel, 1901) (Tortricidae) Synonym(s): *urbana* Kennel, 1901
 78161) *Eucosma ursulana* (Kennel, 1919) (Tortricidae) Synonym(s): *ursulana* Kennel, 1919
 78162) *Eucosma vulpecularis* Meyrick, 1932 (Tortricidae) Synonym(s): *vulpecularis* Meyrick, 1932
 78163) *Eucosma wimmerana* (Treitschke, 1835) (Tortricidae) Synonym(s): *wimmerana* Treitschke, 1835
 78164) *Eucosmogastra aeolanthia* (Meyrick, 1914) (Tortricidae) Synonym(s): *aeolanthia* Meyrick, 1914
 78165) *Eucosmogastra aeraria* (Meyrick, 1909) (Tortricidae) Synonym(s): *aeraria* Meyrick, 1909
 78166) *Eucosmogastra anthochroa* Diakonoff, 1975 (Tortricidae) Synonym(s): *anthochroa* Diakonoff, 1975
 78167) *Eucosmogastra callicratis* (Meyrick, 1909) (Tortricidae) Synonym(s): *callicratis* Meyrick, 1909
 78168) *Eucosmogastra miltographa* (Meyrick, 1907) (Tortricidae) Synonym(s): *miltographa* Meyrick, 1907; *miltoxantha* Meyrick, 1911
 78169) *Eucosmogastra poetica* (Meyrick, 1909) (Tortricidae) Synonym(s): *mosaica* Meyrick, 1907 (*praeocc.*); *poetica* Meyrick, 1909
 78170) *Eucosmogastra pyrrhopa* (Lower, 1896) (Tortricidae) Synonym(s): *pyrrhopa* Lower, 1896
 78171) *Eucosmomorpha albersana* (Hübner, [1813]) (Tortricidae) Synonym(s): *albersana* Hübner, [1813]; *ussuriana* Caradja, 1916.
 78172) *Eucosmomorpha figurana* (Kuznetsov, 1997) (Tortricidae) Synonym(s): *figurana* Kuznetsov, 1997
 78173) *Eucosmomorpha multicolor* Kuznetsov, 1964 (Tortricidae) Synonym(s): *multicolor* Kuznetsov, 1964; *#multicola* Park & Ahn, 1987
 78174) *Eucosmomorpha nearctica* Miller, 2002 (Tortricidae) Synonym(s): *nearctica* Miller, 2002
 78175) *Eudemis (Acanthothyspoda) chortodes* Diakonoff, [1968] (Tortricidae) Synonym(s): *chortodes* Diakonoff, [1968]
 78176) *Eudemis (Acanthothyspoda) homalopa* Diakonoff, [1968] (Tortricidae) Synonym(s): *homalopa* Diakonoff, [1968]
 78177) *Eudemis (s.str.) archimadius* (Meyrick, 1912) (Tortricidae) Synonym(s): *archimadius* Meyrick, 1912; *purpurissatana* Clarck, 1958 nec Kenn., 1901
 78178) *Eudemis (s.str.) centritis* (Meyrick, 1912) (Tortricidae) Synonym(s): *centritis* Meyrick, 1912
 78179) *Eudemis (s.str.) gyrotis* (Meyrick, 1909) (Tortricidae) Synonym(s): *gyrotis* Meyrick, 1909
 78180) *Eudemis (s.str.) oxygona* Diakonoff, [1968] (Tortricidae) Synonym(s): *oxygona* Diakonoff, [1968]
 78181) *Eudemis (s.str.) polychroma* (Diakonoff, 1981) (Tortricidae) Synonym(s): *polychroma* Diakonoff, 1981
 78182) *Eudemis (s.str.) porphyra* (Hübner, [1799]) (Tortricidae) Synonym(s): *porphyra* Hübner, [1799]; *pomedaxana* Pierce & Metcalfe, 1915
 78183) *Eudemis (s.str.) profundana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *profundana* [Denis & Schiffermüller], 1775; *triangulella* Goeze, 1783; *nebulana* Donovan, 1806; *aethiopiana* Haworth, 1811; *wellesiana* Hübner, [1813]; *alphonsiana* Duponchel, 1834; *#obscurata* Gibeaux & Luquet, 1998; *#satans* Gibeaux & Luquet, 1998
 78184) *Eudemopsis albopunctata* Liu & Bai, 1982 (Tortricidae) Synonym(s): *albopunctata* Liu & Bai, 1982
 78185) *Eudemopsis brevis* Liu & Bai, 1982 (Tortricidae) Synonym(s): *brevis* Liu & Bai, 1982
 78186) *Eudemopsis flexis* Liu & Bai, 1982 (Tortricidae) Synonym(s): *flexis* Liu & Bai, 1982
 78187) *Eudemopsis heteroclita* Liu & Bai, 1982 (Tortricidae) Synonym(s): *heteroclita* Liu & Bai, 1982
 78188) *Eudemopsis pompholycias* (Meyrick, 1935) (Tortricidae) Synonym(s): *pompholycias* Meyrick, 1935
 78189) *Eudemopsis purpurissatana* (Kennel, 1901) (Tortricidae) Synonym(s): *purpurissatana* Kennel, 1901
 78190) *Eudemopsis ramiformis* Liu & Bai, 1982 (Tortricidae) Synonym(s): *ramiformis* Liu & Bai, 1982
 78191) *Eudemopsis tokui* Kawabe, 1974 (Tortricidae) Synonym(s): *tokui* Kawabe, 1974
 78192) *Eudemopsis toshimai* Kawabe, 1974 (Tortricidae) Synonym(s): *toshimai* Kawabe, 1974
 78193) *Eugnosta acanthana* Razowski, 1967 (Tortricidae) Synonym(s): *acanthana* Razowski, 1967
 78194) *Eugnosta anxifera* Razowski, 1993 (Tortricidae) Synonym(s): *anxifera* Razowski, 1993
 78195) *Eugnosta aphrobapta* (Meyrick, 1931) (Tortricidae) Synonym(s): *aphrobapta* Meyrick, 1931
 78196) *Eugnosta arrecta* Razowski, 1970 (Tortricidae) Synonym(s): *arrecta* Razowski, 1970
 78197) *Eugnosta assecula* (Meyrick, 1909) (Tortricidae) Synonym(s): *assecula* Meyrick, 1909
 78198) *Eugnosta cataracta* Aarvik, 2004 (Tortricidae) Synonym(s): *cataracta* Aarvik, 2004
 78199) *Eugnosta dives* (Butler, 1878) (Tortricidae) Synonym(s): *metaphaela* Walker, 1863; *dives* Butler, 1878
 78200) *Eugnosta falarica* Razowski, 1970 (Tortricidae) Synonym(s): *falarica* Razowski, 1970
 78201) *Eugnosta fenestrana* Razowski, 1964 (Tortricidae) Synonym(s): *fenestrana* Razowski, 1964
 78202) *Eugnosta feriatia* (Meyrick, 1913) (Tortricidae) Synonym(s): *feriatia* Meyrick, 1913
 78203) *Eugnosta heteroclita* Razowski, 1993 (Tortricidae) Synonym(s): *heteroclita* Razowski, 1993
 78204) *Eugnosta hydrargyrana* (Eversmann, 1842) (Tortricidae) Synonym(s): *hydrargyrana* Eversmann, 1842

- 78205) *Eugnosta hydrargyryana hydrargyryana* (Eversmann,1842) (Tortricidae) Synonym(s): *hydrargyryana* Eversmann,1842
 78206) *Eugnosta hydrargyryana mongolica* Razowski,1970 (Tortricidae) Synonym(s): *mongolica* Razowski,1970
 78207) *Eugnosta hydrargyryana parreyssiana* (Duponchel,1843) (Tortricidae) Synonym(s): *parreyssiana* Duponchel,1843; *insequana* Eversmann,1844; *mercuriana* Guenée,1845; *anargyryana* Ragonot,1894.
 78208) *Eugnosta lathoniana* (Hübner,[1800]) (Tortricidae) Synonym(s): *lathoniana* Hübner,[1800]
 78209) *Eugnosta magnificana* (Rebel,1914) (Tortricidae) Synonym(s): *margaritana* Hübner,[1813] *nec* Haw.,[1811]; ? *norvichiana* Hübner,[1817] [*nomina dubia*!]; *magnificana* Rebel,1914.
 78210) *Eugnosta magnificana iberica* Obratzov,1964 (Tortricidae) Synonym(s): *iberica* Obratzov,1964
 78211) *Eugnosta medvedevi* (Gerasimov,1929) (Tortricidae) Synonym(s): *medvedevi* Gerasimov,1929
 78212) *Eugnosta meyi* Aarvik,2004 (Tortricidae) Synonym(s): *meyi* Aarvik,2004
 78213) *Eugnosta misella* Razowski,1993 (Tortricidae) Synonym(s): *misella* Razowski,1993
 78214) *Eugnosta molybdanthos* (Meyrick,1932) (Tortricidae) Synonym(s): *molybdanthos* Meyrick,1932
 78215) *Eugnosta multifasciana* (Kennel,1899) (Tortricidae) Synonym(s): *multifasciana* Kennel,1899
 78216) *Eugnosta replicata* Aarvik,2004 (Tortricidae) Synonym(s): *namibiana* Aarvik,2004
 78217) *Eugnosta pamirana* Obratzov,1943 (Tortricidae) Synonym(s): *pamirana* Obratzov,1943
 78218) *Eugnosta plusiana* (Kennel,1899) (Tortricidae) Synonym(s): *plusiana* Kennel,1899
 78219) *Eugnosta replicata* (Meyrick,1913) (Tortricidae) Synonym(s): *replicata* Meyrick,1913
 78220) *Eugnosta romanovi* (Kennel,1900) (Tortricidae) Synonym(s): *romanovi* Kennel,1900
 78221) *Eugnosta selecta* (Meyrick,1931) (Tortricidae) Synonym(s): *selecta* Meyrick,1931
 78222) *Eugnosta stigmatica* (Meyrick,1909) (Tortricidae) Synonym(s): *stigmatica* Meyrick,1909
 78223) *Eugnosta synaetera* Razowski & Becker,1994 (Tortricidae) Synonym(s): *synaetera* Razowski & Becker,1994
 78224) *Eugnosta tenacia* Razowski & Becker,1994 (Tortricidae) Synonym(s): *tenacia* Razowski & Becker,1994
 78225) *Eugnosta trimeni* (R.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *trimeni* R.Felder & Rogenhofer,1875; *minor* R.Felder & Rogenhofer,1875.
 78226) *Eugnosta umbraculata* (Meyrick,1918) (Tortricidae) Synonym(s): *umbraculata* Meyrick,1918
 78227) *Eugnosta ussuriensis* (Caradja,1926) (Tortricidae) Synonym(s): *ussuriensis* Caradja,1926; *cosmolitha* Meyrick,1931.
 78228) *Eugnosta vecorda* Razowski,1993 (Tortricidae) Synonym(s): *vecorda* Razowski,1993
 78229) *Eugnosta xanthochroma* Razowski,1993 (Tortricidae) Synonym(s): *xanthochroma* Razowski,1993
 78230) *Euledereria alpicolana* (Frölich,1830) (Tortricidae) Synonym(s): *alpicolana* Frölich,1830
 78231) *Eulia ministrana* (Linnaeus,1758) (Tortricidae) Synonym(s): *ministrana* Linnaeus,1758; *ferugana* Hübner,[799] *nec* Den. & Schiff.,1775; *subfascianus* Stephens,1834; *livoniana* Duponchel,[1845]
 78232) *Eumaroza beckeri* Clarke,1973 (Tortricidae) Synonym(s): *beckeri* Clarke,1973
 78233) *Eumaroza elaeathanes* (Meyrick,1927) (Tortricidae) Synonym(s): *elaethanthes* Meyrick,1927
 78234) *Eumaroza malachitana* (Zeller,1875) (Tortricidae) Synonym(s): *malachitana* Zeller,1875
 78235) *Eupoecilia aburica* Razowski,1993 (Tortricidae) Synonym(s): *aburica* Razowski,1993
 78236) *Eupoecilia ambiguella* (Hübner,1796) (Tortricidae) Synonym(s): *ambiguella* Hübner,1796; *omphaciella* Faure-Bignet de Simonest,1801; *roserana* Frölich,1828; *turbinaris* Meyrick,1928
 78237) *Eupoecilia amphimnesta* (Meyrick,1928) (Tortricidae) Synonym(s): *amphimnesta* Meyrick,1928
 78238) *Eupoecilia anebrica* Diakonoff,1983 (Tortricidae) Synonym(s): *anebrica* Diakonoff,1983
 78239) *Eupoecilia angustana* (Hübner,[1799]) (Tortricidae) Synonym(s): *angustana* Hübner,[1799]; *fasciella* Donovan,1808 *nec* Goeze,1783; *cruentana* Herrich-Schäffer,[1851].
 78240) *Eupoecilia cebra* (Hübner,[1813]) (Tortricidae) Synonym(s): *cebrana* Hübner,[1813].
 78241) *Eupoecilia charixantha* (Meyrick,1928) (Tortricidae) Synonym(s): *charixantha* Meyrick,1928
 78242) *Eupoecilia citrinana* Razowski,1960 (Tortricidae) Synonym(s): *citrinana* Razowski,1960
 78243) *Eupoecilia crocina* Razowski,1968 (Tortricidae) Synonym(s): *crocina* Razowski,1968
 78244) *Eupoecilia crocina hissarica* Kuznetsov,1976 (Tortricidae) Synonym(s): *hissarica* Kuznetsov,1976
 78245) *Eupoecilia diana* Razowski,1968 (Tortricidae) Synonym(s): *diana* Razowski,1968
 78246) *Eupoecilia dynodesma* (Diakonoff,1971) (Tortricidae) Synonym(s): *dynodesma* Diakonoff,1971
 78247) *Eupoecilia eucalypta* (Meyrick,1928) (Tortricidae) Synonym(s): *eucalypta* Meyrick,1928
 78248) *Eupoecilia inoue* Kawabe,1972 (Tortricidae) Synonym(s): *inoue* Kawabe,1972
 78249) *Eupoecilia kobana* Razowski,1968 (Tortricidae) Synonym(s): *kobana* Razowski,1968
 78250) *Eupoecilia kruegeriana* Razowski,1993 (Tortricidae) Synonym(s): *kruegeriana* Razowski,1993
 78251) *Eupoecilia lata* Razowski,1968 (Tortricidae) Synonym(s): *lata* Razowski,1968
 78252) *Eupoecilia ochrotona* Razowski,1968 (Tortricidae) Synonym(s): *ochrotona* Razowski,1968
 78253) *Eupoecilia reliquatrix* (Meyrick,1928) (Tortricidae) Synonym(s): *ambiguella* Meyrick,1921; *reliquatrix* Meyrick,1928; *opisthodonta* Diakonoff,1941
 78254) *Eupoecilia sanguisorbana* (Herrich-Schäffer,1856) (Tortricidae) Synonym(s): *sanguisorbana* Herrich-Schäffer,1856
 78255) *Eupoecilia sumatrana* Diakonoff,1983 (Tortricidae) Synonym(s): *sumatrana* Diakonoff,1983
 78256) *Eupoecilia tenggerensis* (Diakonoff,1949) (Tortricidae) Synonym(s): *tenggerensis* Diakonoff,1949
 78257) *Eupoecilia thalia* Diakonoff,1984 (Tortricidae) Synonym(s): *thalia* Diakonoff,1984
 78258) *Eupoecilia wegneri* (Diakonoff,1941) (Tortricidae) Synonym(s): *wegneri* Diakonoff,1941
 78259) *Exapate congelatella* (Clerck,1759) (Tortricidae) Synonym(s): *congelatella* Clerck,1759
 78260) *Exapate duratella* Heyden,1864 (Tortricidae) Synonym(s): *duratella* Heyden,1864
 78261) *Exoletuncus exoristus* Razowski,1988 (Tortricidae) Synonym(s): *exoristus* Razowski,1988
 78262) *Falseuncaria degreyana* (McLachlan,1869) (Tortricidae) Synonym(s): *degreyana* McLachlan,1869
 78263) *Falseuncaria kaszabi* Razowski,1966 (Tortricidae) Synonym(s): *kaszabi* Razowski,1966
 78264) *Falseuncaria lechriotoma* Razowski,1970 (Tortricidae) Synonym(s): *lechriotoma* Razowski,1970
 78265) *Falseuncaria rjaboviana* Kuznetsov,1979 (Tortricidae) Synonym(s): *rjaboviana* Kuznetsov,1979
 78266) *Falseuncaria ruficiliana* (Haworth,[1811]) (Tortricidae) Synonym(s): *ciliella* Hübner,[1796] *nec* [Denis & Schiff.],1775; *ruficiliana* Haworth,[1811]; *coniana* Fuchs,1903; *tectana* Fuchs,1903.
 78267) *Fulcrifera affectana* (Kennel,1901) (Tortricidae) Synonym(s): *affectana* Kennel,1901
 78268) *Fulcrifera arabica* (Amsel,1958) (Tortricidae) Synonym(s): *arabica* Amsel,1958
 78269) *Fulcrifera cirrata* (Diakonoff,1987) (Tortricidae) Synonym(s): *cirrata* Diakonoff,1987
 78270) *Fulcrifera fumida* Kuznetsov,1971 (Tortricidae) Synonym(s): *fumida* Kuznetsov,1971
 78271) *Fulcrifera infirma* (Kennel,1900) (Tortricidae) Synonym(s): *infirma* Kennel,1900
 78272) *Fulcrifera leucophaea* Diakonoff,1983 (Tortricidae) Synonym(s): *leucophaea* Diakonoff,1983
 78273) *Fulcrifera mongolica* Kuznetsov,1968 (Tortricidae) Synonym(s): *mongolica* Kuznetsov,1968
 78274) *Fulcrifera nigroluciana* (Chrétien,1915) (Tortricidae) Synonym(s): *nigroluciana* Chrétien,1915
 78275) *Fulcrifera noctivaga* Razowski,1971 (Tortricidae) Synonym(s): *noctivaga* Razowski,1971
 78276) *Fulcrifera orientis* (Kuznetsov,1966) (Tortricidae) Synonym(s): *orientis* Kuznetsov,1966
 78277) *Fulcrifera periculosa* (Meyrick,1913) (Tortricidae) Synonym(s): *periculosa* Meyrick,1913
 78278) *Fulcrifera refrigescens* (Meyrick,1924) (Tortricidae) Synonym(s): *refrigescens* Meyrick,1924
 78279) *Fulcrifera tricenra* (Meyrick,1907) (Tortricidae) Synonym(s): *tricenra* Meyrick,1907; *crocopa* Meyrick,1907; *pseudonectis* Meyrick,1907
 78280) *Fulvoclysis albertii* Razowski,1983 (Tortricidae) Synonym(s): *albertii* Razowski,1983
 78281) *Fulvoclysis arguta* Razowski,1968 (Tortricidae) Synonym(s): *arguta* Razowski,1968
 78282) *Fulvoclysis aulica* Razowski,1968 (Tortricidae) Synonym(s): *aulica* Razowski,1968.
 78283) *Fulvoclysis defectana* (Lederer,1870) (Tortricidae) Synonym(s): *defectana* Lederer,1870
 78284) *Fulvoclysis dictyodana* (Staudinger,1879) (Tortricidae) Synonym(s): *dictyodana* Staudinger,1879
 78285) *Fulvoclysis forsteri* (Osthelder,1938) (Tortricidae) Synonym(s): *forsteri* Osthelder,1938
 78286) *Fulvoclysis nermanae* Koçak,1982 (Tortricidae) Synonym(s): *fulvana* Fischer von Rösslerstamm,[1836] *nec* [Denis & Schiff.],1775; *nermanae* Koçak,1982.
 78287) *Fulvoclysis pallorana* (Lederer,1864) (Tortricidae) Synonym(s): *pallorana* Lederer,1864; *armeniaca* Obratzov,1943.

- 78288) *Fulvoclysia proxima* Razowski, 1970 (Tortricidae) Synonym(s): *proxima* Razowski, 1970
 78289) *Fulvoclysia rjabovi* Kuznetsov, 1976 (Tortricidae) Synonym(s): *rjabovi* Kuznetsov, 1976
 78290) *Fulvoclysia subdolana* (Kennel, 1901) (Tortricidae) Synonym(s): *subdolana* Kennel, 1901; *subflavana* Amsel, 1959
 78291) *Galomecalpa megaloplaca* Razowski, 1990 (Tortricidae) Synonym(s): *megaloplaca* Razowski, 1990
 78292) *Gatesclarkeana erotias* (Meyrick, 1905) (Tortricidae) Synonym(s): *erotias* Meyrick, 1905
 78293) *Gatesclarkeana idia* Diakonoff, 1973 (Tortricidae) Synonym(s): *idia* Diakonoff, 1973
 78294) *Gatesclarkeana senior* Diakonoff, 1966 (Tortricidae) Synonym(s): *senior* Diakonoff, 1966; *asynthes* Diakonoff, [1968]
 78295) *Gauruncus gampsognathos* Razowski, 1988 (Tortricidae) Synonym(s): *gampsognathos* Razowski, 1988
 78296) *Gauruncus gelastes* Razowski, 1988 (Tortricidae) Synonym(s): *gelastes* Razowski, 1988
 78297) *Geitocochylis gustatoria* Razowski, 1984 (Tortricidae) Synonym(s): *gustatoria* Razowski, 1984
 78298) *Geitocochylis gyrantrum* Razowski, 1984 (Tortricidae) Synonym(s): *gyrantrum* Razowski, 1984
 78299) *Geitocochylis paromala* Razowski, 1984 (Tortricidae) Synonym(s): *paromala* Razowski, 1984
 78300) *Geitocochylis tarphionima* Razowski, 1984 (Tortricidae) Synonym(s): *tarphionima* Razowski, 1984
 78301) *Genetancylis homalota* Razowski, 1995 (Tortricidae) Synonym(s): *homalota* Razowski, 1995
 78302) *Genetancylis homalota* Razowski, 1995 (Tortricidae) Synonym(s): *homalota* Razowski, 1995
 78303) *Gibberifera alba* Kawabe & Nasu, 1994 (Tortricidae) Synonym(s): *alba* Kawabe & Nasu, 1994
 78304) *Gibberifera angkhangensis* Kawabe & Nasu, 1994 (Tortricidae) Synonym(s): *angkhangensis* Kawabe & Nasu, 1994
 78305) *Gibberifera glaciata* (Meyrick, 1907) (Tortricidae) Synonym(s): *glaciata* Meyrick, 1907
 78306) *Gibberifera monticola* Kuznetsov, 1971 (Tortricidae) Synonym(s): *monticola* Kuznetsov, 1971
 78307) *Gibberifera nigrovena* Kawabe & Nasu, 1994 (Tortricidae) Synonym(s): *nigrovena* Kawabe & Nasu, 1994
 78308) *Gibberifera obscura* Diakonoff, 1955 (Tortricidae) Synonym(s): *obscura* Diakonoff, 1955
 78309) *Gibberifera simplicata* (Fischer v. Röslerstamm, 1836) (Tortricidae) Synonym(s): *simplicata* Fischer v. Röslerstamm, 1836
 78310) *Gibberifera yadongensis* Nasu & Liu, 1996 (Tortricidae) Synonym(s): *yadongensis* Nasu & Liu, 1996
 78311) *Gnathoceroles euplectra* (Lower, 1908) (Tortricidae) Synonym(s): *euplectra* Lower, 1908
 78312) *Gnathoceroles lecythocera* (Meyrick, 1937) (Tortricidae) Synonym(s): *lecythocera* Meyrick, 1937
 78313) *Gnathoceroles petrifraga* Diakonoff, [1968] (Tortricidae) Synonym(s): *petrifraga* Diakonoff, [1968]
 78314) *Gnathoceroles tonsoria* (Meyrick, 1909) (Tortricidae) Synonym(s): *tonsoria* Meyrick, 1909
 78315) *Gnorismoneura cylindrata* Wang, Li & Wang, 2004 (Tortricidae) Synonym(s): *cylindrata* Wang, Li & Wang, 2004
 78316) *Gnorismoneura exulis* Issiki & Stringer, 1932 (Tortricidae) Synonym(s): *exulis* Issiki & Stringer, 1932
 78317) *Gnorismoneura grandiprocessa* Wang, Li & Wang, 2004 (Tortricidae) Synonym(s): *grandiprocessa* Wang, Li & Wang, 2004
 78318) *Gnorismoneura hoshinoi* (Kawabe, 1964) (Tortricidae) Synonym(s): *hoshinoi* Kawabe, 1964
 78319) *Gnorismoneura mesoloba* (Meyrick, 1937) (Tortricidae) Synonym(s): *mesoloba* Meyrick, 1937
 78320) *Gnorismoneura mesotoma* (Yasuda, 1975) (Tortricidae) Synonym(s): *mesotoma* Yasuda, 1975
 78321) *Gnorismoneura micronca* (Meyrick, 1937) (Tortricidae) Synonym(s): *micronca* Meyrick, 1937
 78322) *Gnorismoneura orientis* (Filipjev, 1962) (Tortricidae) Synonym(s): *orientis* Filipjev, 1962
 78323) *Gnorismoneura prochyta* (Meyrick, 1908) (Tortricidae) Synonym(s): *prochyta* Meyrick, 1908
 78324) *Gnorismoneura quadrativalvata* Wang, Li & Wang, 2004 (Tortricidae) Synonym(s): *quadrativalvata* Wang, Li & Wang, 2004
 78325) *Gnorismoneura serrata* Wang, Li & Wang, 2004 (Tortricidae) Synonym(s): *serrata* Wang, Li & Wang, 2004
 78326) *Gnorismoneura stereomorpha* (Meyrick, 1931) (Tortricidae) Synonym(s): *stereomorpha* Meyrick, 1931
 78327) *Gnorismoneura taeniodesma* (Meyrick, 1934) (Tortricidae) Synonym(s): *taeniodesma* Meyrick, 1934
 78328) *Gnorismoneura tragoditis* (Meyrick, 1935) (Tortricidae) Synonym(s): *tragoditis* Meyrick, 1935
 78329) *Gnorismoneura vallifica* (Meyrick, 1935) (Tortricidae) Synonym(s): *vallifica* Meyrick, 1935
 78330) *Gnorismoneura zetessima* Razowski, 1977 (Tortricidae) Synonym(s): *zetessima* Razowski, 1977
 78331) *Gnorismoneura zyzzogeton* Razowski, 1977 (Tortricidae) Synonym(s): *zyzzogeton* Razowski, 1977
 78332) *Grapholita andabatana* (Wolff, 1957) (Tortricidae) Synonym(s): *andabatana* Wolff, 1957
 78333) *Grapholita arcuatana* Kuznetsov, 1992 (Tortricidae) Synonym(s): *arcuatana* Kuznetsov, 1992
 78334) *Grapholita astrapephora* Diakonoff, 1976 (Tortricidae) Synonym(s): *astrapephora* Diakonoff, 1976
 78335) *Grapholita aureolana* (Tengström, 1848) (Tortricidae) Synonym(s): *aureolana* Tengström, 1848; *phacana* Wocke, 1864
 78336) *Grapholita auroscriptana* Caradja, 1916 (Tortricidae) Synonym(s): *auroscriptana* Caradja, 1916
 78337) *Grapholita caecana* (Schläger, 1847) (Tortricidae) Synonym(s): *caecana* Schläger, 1847; *obcaecana* Ragonot, 1876
 78338) *Grapholita callisphena* (Meyrick, 1907) (Tortricidae) Synonym(s): *callisphena* Meyrick, 1907
 78339) *Grapholita caudicula* Diakonoff, 1975 (Tortricidae) Synonym(s): *caudicula* Diakonoff, 1975
 78340) *Grapholita cerasivora* (Matsumura, 1917) (Tortricidae) Synonym(s): *cerasivora* Matsumura, 1917
 78341) *Grapholita chrysacrotoma* Diakonoff, 1976 (Tortricidae) Synonym(s): *chrysacrotoma* Diakonoff, 1976
 78342) *Grapholita comanticosta* Kuznetsov, 1988 (Tortricidae) Synonym(s): *comanticosta* Kuznetsov, 1988
 78343) *Grapholita compositella* (Fabricius, 1775) (Tortricidae) Synonym(s): *compositella* Fabricius, 1775; *quadrella* Goeze, 1783; *quadratella* Fourcroy, 1785; *compositana* Fabricius, 1798; *gundiana* Hübner, [1799]; *compositana* Haworth, 1802; *simillimana* Toll, 1953
 78344) *Grapholita coronillana* (Lienig & Zeller, 1846) (Tortricidae) Synonym(s): ? *turcica* Fourcroy, 1785; *coronillana* Lienig & Zeller, 1846; *moldovana* Caradja, 1899
 78345) *Grapholita cotoneastri* Danilevsky, 1968 (Tortricidae) Synonym(s): *cotoneastri* Danilevsky, 1968
 78346) *Grapholita curviphalla* Liu & Yan, 1998 (Tortricidae) Synonym(s): *curviphalla* Liu & Yan, 1998
 78347) *Grapholita cyanogona* (Meyrick, 1907) (Tortricidae) Synonym(s): *cyanogona* Meyrick, 1907
 78348) *Grapholita delineana* (Walker, 1863) (Tortricidae) Synonym(s): *delineana* Walker, 1863; *apicatana* Walker, 1863; *sinana* Felder, 1874; *tetragrammana* Staudinger, 1879; *mundana* Christoph, 1881; *terstrigana* Ragonot, 1894; *quadratrana* Walsingham, 1900
 78349) *Grapholita diaphorotorna* Diakonoff, 1983 (Tortricidae) Synonym(s): *diaphorotorna* Diakonoff, 1983
 78350) *Grapholita difficilana* (Walsingham, 1900) (Tortricidae) Synonym(s): *difficilana* Walsingham, 1900; *difficilana* Kennel, 1901
 78351) *Grapholita dilectabilis* Kuznetsov, 1972 (Tortricidae) Synonym(s): *dilectabilis* Kuznetsov, 1972
 78352) *Grapholita dysaethria* Diakonoff, 1982 (Tortricidae) Synonym(s): *dysaethria* Diakonoff, 1982
 78353) *Grapholita endrosias* (Meyrick, 1907) (Tortricidae) Synonym(s): *endrosias* Meyrick, 1907
 78354) *Grapholita fimana* Snellen, 1883 (Tortricidae) Synonym(s): *fimana* Snellen, 1883
 78355) *Grapholita fissana* (Frölich, 1828) (Tortricidae) Synonym(s): *fissana* Frölich, 1828; *divisana* Duponchel, 1836; *diffusana* Herrich-Schäffer, 1851
 78356) *Grapholita funebrana* (Treitschke, 1835) (Tortricidae) Synonym(s): *funebrana* Treitschke, 1835; *cerasana* Kozhantschikov, 1953
 78357) *Grapholita gemmiferana* (Treitschke, 1835) (Tortricidae) Synonym(s): *gemmiferana* Treitschke, 1835; *olbienana* Guenée, 1845
 78358) *Grapholita geniculana* La Harpe, 1858 (Tortricidae) Synonym(s): *geniculana* La Harpe, 1858; *discretana* Wocke, 1861;
 78359) *Grapholita glycyrrhizana* (Kuznetsov, 1962) (Tortricidae) Synonym(s): *glycyrrhizana* Kuznetsov, 1962
 78360) *Grapholita heptatoma* Diakonoff, 1976 (Tortricidae) Synonym(s): *heptatoma* Diakonoff, 1976
 78361) *Grapholita hyalitis* (Meyrick, 1909) (Tortricidae) Synonym(s): *hyalitis* Meyrick, 1909
 78362) *Grapholita hylophanes* (Meyrick, 1928) (Tortricidae) Synonym(s): *hylophanes* Meyrick, 1928
 78363) *Grapholita inopinata* Heinrich, 1928 (Tortricidae) Synonym(s): *inopinata* Heinrich, 1928; *prunifoliae* Kozhantschikov, 1953
 78364) *Grapholita internana* (Guenée, 1845) (Tortricidae) Synonym(s): *internana* Guenée, 1845; *erectana* Barrett, 1875; *tristana* Toll, 1953
 78365) *Grapholita isacma* (Meyrick, 1907) (Tortricidae) Synonym(s): *isacma* Meyrick, 1907
 78366) *Grapholita janthinana* (Duponchel, 1843) (Tortricidae) Synonym(s): *janthinana* Duponchel, 1843; *incisana* Herrich-Schäffer, 1851
 78367) *Grapholita jesonica* (Matsumura, 1931) (Tortricidae) Synonym(s): *jesonica* Matsumura, 1931
 78368) *Grapholita jucundata* Kuznetsov, 1971 (Tortricidae) Synonym(s): *jucundata* Kuznetsov, 1971
 78369) *Grapholita junctistrigana* (Walsingham, 1900) (Tortricidae) Synonym(s): *junctistrigana* Walsingham, 1900
 78370) *Grapholita jungiella* (Linnaeus, 1761) (Tortricidae) Synonym(s): *#jungiella* Clerck, 1759; *jungiella* Linnaeus, 1761; *perlepidana* Haworth, [1811]; *jungiana* Fröhlich, 1828; *schränkiana* Fröhlich, 1828; *albisecondella* Bruand, 1850
 78371) *Grapholita komaii* Rose & Pooni, 2003 (Tortricidae) Synonym(s): *komaii* Rose & Pooni, 2003
 78372) *Grapholita kurilana* Kuznetsov, 1976 (Tortricidae) Synonym(s): *kurilana* Kuznetsov, 1976
 78373) *Grapholita larseni* (Rebel, 1903) (Tortricidae) Synonym(s): *larseni* Rebel, 1903

- 78374) *Grapholita latens* Kuznetsov,1972 (Tortricidae) Synonym(s): *latens* Kuznetsov,1972
 78375) *Grapholita latericia* Komai,1999 (Tortricidae) Synonym(s): *latericia* Komai,1999
 78376) *Grapholita lathyra* (Hübner,[1813]) (Tortricidae) Synonym(s): *lathyra* Hübner,[1813]; *scopariana* Herrich-Schäffer,1851; *stelliferana* Peyerimhoff,1863; *krausiana* Standfuss,1881
 78377) *Grapholita limbata* Diakonoff,1969 (Tortricidae) Synonym(s): *limbata* Diakonoff,1969
 78378) *Grapholita lobarzewskii* (Nowicki,1860) (Tortricidae) Synonym(s): *lobarzewskii* Nowicki,1860; *prunivorana* Ragonot,1879
 78379) *Grapholita lunulana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *lunulana* [Denis & Schiffermüller],1775; *mederleana* Fröhlich,1828
 78380) *Grapholita macrodrius* Diakonoff,1984 (Tortricidae) Synonym(s): *macrodrius* Diakonoff,1984
 78381) *Grapholita melicrossis* (Meyrick,1932) (Tortricidae) Synonym(s): *melicrossis* Meyrick,1932
 78382) *Grapholita mesoscia* Diakonoff,1969 (Tortricidae) Synonym(s): *mesoscia* Diakonoff,1969
 78383) *Grapholita miranda* (Meyrick,1911) (Tortricidae) Synonym(s): *miranda* Meyrick,1911
 78384) *Grapholita namatophora* Diakonoff,1976 (Tortricidae) Synonym(s): *namatophora* Diakonoff,1976
 78385) *Grapholita nebritana* (Treitschke,1830) (Tortricidae) Synonym(s): *nebritana* Treitschke,1830
 78386) *Grapholita nigrostriana* Snellen,1883 (Tortricidae) Synonym(s): *nigrostriana* Snellen,1883
 78387) *Grapholita obliqua* Diakonoff,1982 (Tortricidae) Synonym(s): *obliqua* Diakonoff,1982
 78388) *Grapholita okui* Komai,1999 (Tortricidae) Synonym(s): *okui* Komai,1999
 78389) *Grapholita omissana* Kuznetsov,1988 (Tortricidae) Synonym(s): *omissana* Kuznetsov,1988
 78390) *Grapholita optica* (Meyrick,1912) (Tortricidae) Synonym(s): *optica* Meyrick,1912
 78391) *Grapholita opulenticana* Kuznetsov,1992 (Tortricidae) Synonym(s): *opulenticana* Kuznetsov,1992
 78392) *Grapholita orbiapex* Kuznetsov,1988 (Tortricidae) Synonym(s): *orbiapex* Kuznetsov,1988
 78393) *Grapholita orobana* (Treitschke,1830) (Tortricidae) Synonym(s): *orobana* Treitschke,1830; *strandiana* Fuhs,1901; *persicana* Osthelder,1938
 78394) *Grapholita pallifrontana* (Lienig & Zeller,1846) (Tortricidae) Synonym(s): ? *elegantana* Fröhlich,1828; *pallifrontana* Lienig & Zeller,1846; *filana* Herrich-Schäffer,1851
 78395) *Grapholita patens* Kuznetsov,1971 (Tortricidae) Synonym(s): *patens* Kuznetsov,1971
 78396) *Grapholita pavonana* (Walsingham,1900) (Tortricidae) Synonym(s): *pavonana* Walsingham,1900
 78397) *Grapholita prolopha* (Meyrick,1912) (Tortricidae) Synonym(s): *prolopha* Meyrick,1912
 78398) *Grapholita pycnographa* (Meyrick,1936) (Tortricidae) Synonym(s): *pycnographa* Meyrick,1936
 78399) *Grapholita rhabdotacra* Diakonoff,1969 (Tortricidae) Synonym(s): *rhabdotacra* Diakonoff,1969
 78400) *Grapholita schizodelta* Diakonoff,1982 (Tortricidae) Synonym(s): *schizodelta* Diakonoff,1982
 78401) *Grapholita scintillana* Christoph,1882 (Tortricidae) Synonym(s): *scintillana* Christoph,1882; *elegantana* Kuznetsov,1968 nec Fröh.,1828
 78402) *Grapholita seclusana* (Walker,1866) (Tortricidae) Synonym(s): *seclusana* Walker,1866; *magnana* Kuznetsov,1988
 78403) *Grapholita semifusca* Kuznetsov,1968 (Tortricidae) Synonym(s): *semifusca* Kuznetsov,1968
 78404) *Grapholita shadawana* Liu & Shen,2000 (Tortricidae) Synonym(s): *shadawana* Liu & Shen,2000
 78405) *Grapholita steringus* Diakonoff,1983 (Tortricidae) Synonym(s): *steringus* Diakonoff,1983
 78406) *Grapholita tenebrosana* (Duponchel,1843) (Tortricidae) Synonym(s): *tenebrosana* Duponchel,1843; *roseticolana* Zeller,1849
 78407) *Grapholita torodetta* (Meyrick,1914) (Tortricidae) Synonym(s): *torodetta* Meyrick,1914; *#torodelta* Claekr,1958
 78408) *Grapholita tricyanitis* Diakonoff,1976 (Tortricidae) Synonym(s): *tricyanitis* Diakonoff,1976
 78409) *Grapholita valens* Kuznetsov,1988 (Tortricidae) Synonym(s): *valens* Kuznetsov,1988
 78410) *Grapholita yasudai* Komai,1999 (Tortricidae) Synonym(s): *yasudai* Komai,1999
 78411) *Gravitar mata margarotana* (Heinemann,1863) (Tortricidae) Synonym(s): *margarotana* Heinemann,1863
 78412) *Gravitar mata osmana* Obratsov,1952 (Tortricidae) Synonym(s): *osmana* Obratsov,1952
 78413) *Gretchena concitricana* (Heinrich,1923) (Tortricidae) Synonym(s): *concitricana* Heinrich,1923
 78414) *Gretchena garai* W.Miller,1987 (Tortricidae) Synonym(s): *garai* W.Miller,1987
 78415) *Gryposcleroma schidia* Razowski,1986 (Tortricidae) Synonym(s): *schidia* Razowski,1986
 78416) *Gynnidomorpha alimana* (Ragonot,1883) (Tortricidae) Synonym(s): *alimana* Ragonot,1883
 78417) *Gynnidomorpha luridana* (Gregson,1870) (Tortricidae) Synonym(s): *luridana* Gregson,1870
 78418) *Gynnidomorpha minimana* (Caradja,1916) (Tortricidae) Synonym(s): *minimana* Caradja,1916; *walsinghamana* Meyrick,1928.
 78419) *Gynnidomorpha permixtana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *permixtana* [Denis & Schiffermüller],1775; *antennana* Fröhlich,1828; *mussehlana* Treitschke,1835; *dymotana* Treitschke,1835.
 78420) *Gynnidomorpha rubricana* (Peyerimhoff,1877) (Tortricidae) Synonym(s): *rubricana* Peyerimhoff,1877
 78421) *Gynnidomorpha vectisana* (Humphreys & Westwood,1845) (Tortricidae) Synonym(s): *vectisana* Humphreys & Westwood,1845; *griseana* Haworth,[1811]; *geyeriana* Herrich-Schäffer,1851; *griseus* Durrant & Joannis,1922.
 78422) *Gypsonoma* ? *buettikeri* Razowski,1995 (Tortricidae) Synonym(s): *buettikeri* Razowski,1995
 78423) *Gypsonoma aceriana* (Duponchel,1843) (Tortricidae) Synonym(s): *aceriana* Duponchel,1843
 78424) *Gypsonoma amseli* Razowski,1967 (Tortricidae) Synonym(s): *amseli* Razowski,1967
 78425) *Gypsonoma anthrasitis* Meyrick,1912 (Tortricidae) Synonym(s): *anthrasitis* Meyrick,1912
 78426) *Gypsonoma buettikeri* Razowski,1995 (Tortricidae) Synonym(s): *buettikeri* Razowski,1995
 78427) *Gypsonoma cnephasiana* (Obratsov,1943) (Tortricidae) Synonym(s): *cnephasiana* Obratsov,1943
 78428) *Gypsonoma dealbana* (Fröhlich,1828) (Tortricidae) Synonym(s): *dealbana* Fröhlich,1828; *alnetana* Guenée,1845
 78429) *Gypsonoma euphraticana* (Amsel,1935) (Tortricidae) Synonym(s): *euphraticana* Amsel,1935
 78430) *Gypsonoma gymnesiarum* (Rebel,1934) (Tortricidae) Synonym(s): *gymnesiarum* Rebel,1934
 78431) *Gypsonoma imparana* Müller-Rutz,1914 (Tortricidae) Synonym(s): *imparana* Müller-Rutz,1914
 78432) *Gypsonoma infusca* Kuznetsov,1988 (Tortricidae) Synonym(s): *infusca* Kuznetsov,1988
 78433) *Gypsonoma minutana* (Hübner,[1799]) (Tortricidae) Synonym(s): *minutana* Hübner,[1799]; *vermiculana* Duponchel,1836
 78434) *Gypsonoma nitidulana* (Lienig & Zeller,1846) (Tortricidae) Synonym(s): *nitidulana* Lienig & Zeller,1846; *hericetana* Lienig & Zeller,1846
 78435) *Gypsonoma obratsovi* Amsel,1959 (Tortricidae) Synonym(s): *obratsovi* Amsel,1959
 78436) *Gypsonoma oppressana* (Treitschke,1835) (Tortricidae) Synonym(s): *oppressana* Treitschke,1835
 78437) *Gypsonoma parryana* (Curtis,1835) (Tortricidae) Synonym(s): *parryana* Curtis,1835
 78438) *Gypsonoma riparia* Meyrick,1933 (Tortricidae) Synonym(s): *riparia* Meyrick,1933
 78439) *Gypsonoma simulantana* (Staudinger,1879) (Tortricidae) Synonym(s): *simulantana* Staudinger,1879
 78440) *Gypsonoma sociana* (Haworth,[1811]) (Tortricidae) Synonym(s): *sociana* Haworth,[1811]; *neglectana* Duponchel,1844
 78441) *Harposcleritis stictoneura* (Meyrick,1930) (Tortricidae) Synonym(s): *stictoneura* Meyrick,1930
 78442) *Hedya atrifraga* Diakonoff,[1968] (Tortricidae) Synonym(s): *atrifraga* Diakonoff,[1968]
 78443) *Hedya dimidiana* (Clerck,1759) (Tortricidae) Synonym(s): *#dimidiana* Clerck,1759; *schreberiana* Linnaeus,1761
 78444) *Hedya ebenina* (Meyrick,1916) (Tortricidae) Synonym(s): *ebenina* Meyrick,1916
 78445) *Hedya iophaea* (Meyrick,1912) (Tortricidae) Synonym(s): *iophaea* Meyrick,1912
 78446) *Hedya kurokoi* Kawabe,1995 (Tortricidae) Synonym(s): *kurokoi* Kawabe,1995
 78447) *Hedya manoi* Kawabe,1987 (Tortricidae) Synonym(s): *manoi* Kawabe,1987
 78448) *Hedya nubiferana* (Haworth,[1811]) (Tortricidae) Synonym(s): *dimidioalba* Retzius,1783; *variegana* Hübner,[1799] nec [Denis & Schiff.],1775; *nubiferana* Haworth,[1811]
 78449) *Hedya ochroleucana* (Fröhlich,1828) (Tortricidae) Synonym(s): *ochroleucana* Fröhlich,1828; *nibatana* Clemens,1860; *contrariana* Walker,1863; *consanguinana* Walsingham,1879
 78450) *Hedya pruniana* (Hübner,[1799]) (Tortricidae) Synonym(s): *pruniana* Hübner,[1799]; *pruneticolana* Zeller,1849
 78451) *Hedya roseomaculana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *roseomaculana* Herrich-Schäffer,1851; *lienigiana* Heinemann,1863
 78452) *Hedya salicella* (Linnaeus,1758) (Tortricidae) Synonym(s): *salicella* Linnaeus,1758; *salicana* [Denis & Schiffermüller],1775
 78453) *Heleanna physalodes* (Meyrick,1910) (Tortricidae) Synonym(s): *physalodes* Meyrick,1910
 78454) *Helictelia heos* Razowski,1988 (Tortricidae) Synonym(s): *heos* Razowski,1988
 78455) *Helictophanes argillacea* (Clarke,1976) (Tortricidae) Synonym(s): *argillacea* Clarke,1976
 78456) *Helictophanes dryocoma* (Meyrick,1916) (Tortricidae) Synonym(s): *dryocoma* Meyrick,1916
 78457) *Helictophanes uberana* Meyrick,1881 (Tortricidae) Synonym(s): *uberana* Meyrick,1881; *metallicosma* Turner,1925

- 78458) *Henricus ademonius* (Clarke,1968) (Tortricidae) Synonym(s): *ademonius* Clarke,1968
 78459) *Henricus ateleutus* Razowski,1991 (Tortricidae) Synonym(s): *ateleutus* Razowski,1991
 78460) *Henricus charagus* Razowski,1991 (Tortricidae) Synonym(s): *charagus* Razowski,1991
 78461) *Henricus chroicopterus* Razowski,1991 (Tortricidae) Synonym(s): *chroicopterus* Razowski,1991
 78462) *Henricus cognatus* (Walsingham,1914) (Tortricidae) Synonym(s): *cognatus* Walsingham,1914
 78463) *Henricus comes* (Walsingham,1884) (Tortricidae) Synonym(s): *comes* Walsingham,1884
 78464) *Henricus comes comes* (Walsingham,1884) (Tortricidae) Synonym(s): *comes* Walsingham,1884
 78465) *Henricus comes vicecomes* Razowski & Becker,1986 (Tortricidae) Synonym(s): *vicecomes* Razowski & Becker,1986
 78466) *Henricus edwardsianus* (Walsingham,1884) (Tortricidae) Synonym(s): *edwardsianus* Walsingham,1884
 78467) *Henricus ellampus* Razowski,[1992] (Tortricidae) Synonym(s): *ellampus* Razowski,[1992]
 78468) *Henricus exploratus* Razowski & Becker,1986 (Tortricidae) Synonym(s): *exploratus* Razowski & Becker,1986
 78469) *Henricus hemitelius* Razowski,1991 (Tortricidae) Synonym(s): *hemitelius* Razowski,1991
 78470) *Henricus icogrammus* (Clarke,1968) (Tortricidae) Synonym(s): *icogrammus* Clarke,1968
 78471) *Henricus improvisus* Razowski & Becker,1986 (Tortricidae) Synonym(s): *improvisus* Razowski & Becker,1986
 78472) *Henricus inanimalis* Razowski & Becker,1986 (Tortricidae) Synonym(s): *inanimalis* Razowski & Becker,1986
 78473) *Henricus inchoatus* Razowski & Becker,1986 (Tortricidae) Synonym(s): *inchoatus* Razowski & Becker,1986
 78474) *Henricus infernalis* (Heinrich,1920) (Tortricidae) Synonym(s): *infernalis* Heinrich,1920
 78475) *Henricus insolitus* Razowski & Becker,1986 (Tortricidae) Synonym(s): *insolitus* Razowski & Becker,1986
 78476) *Henricus inspergatus* Razowski & Becker,1986 (Tortricidae) Synonym(s): *inspergatus* Razowski & Becker,1986
 78477) *Henricus macrocarpanus* (Walsingham,1895) (Tortricidae) Synonym(s): *macrocarpanus* Walsingham,1895
 78478) *Henricus melanoleucus* (Clarke,1968) (Tortricidae) Synonym(s): *melanoleucus* Clarke,1968
 78479) *Henricus ophyrodes* (Meyrick,1927) (Tortricidae) Synonym(s): *ophyrodes* Meyrick,1927
 78480) *Henricus palimpsestus* Razowski & Becker,1986 (Tortricidae) Synonym(s): *palimpsestus* Razowski & Becker,1986
 78481) *Henricus paredrus* Razowski,1991 (Tortricidae) Synonym(s): *paredrus* Razowski,1991
 78482) *Henricus parmulus* Razowski,1991 (Tortricidae) Synonym(s): *parmulus* Razowski,1991
 78483) *Henricus platinus* (Clarke,1968) (Tortricidae) Synonym(s): *platinus* Clarke,1968
 78484) *Henricus powelli* Razowski,1984 (Tortricidae) Synonym(s): *powelli* Razowski,1984
 78485) *Henricus rhiobursa* Razowski,1991 (Tortricidae) Synonym(s): *rhiobursa* Razowski,1991
 78486) *Henricus rubrogriptus* Razowski,1991 (Tortricidae) Synonym(s): *rubrogriptus* Razowski,1991
 78487) *Henricus turbulus* (Clarke,1968) (Tortricidae) Synonym(s): *turbulus* Clarke,1968
 78488) *Henricus umbrabasanus* (Kearfott,1908) (Tortricidae) Synonym(s): *umbrabasanus* Kearfott,1908
 78489) *Henricus zalotes* Razowski & Becker,1986 (Tortricidae) Synonym(s): *zalotes* Razowski & Becker,1986
 78490) *Henricus zelotes* Razowski & Becker,1991 (Tortricidae) Synonym(s): *zelotes* Razowski & Becker,1991
 78491) *Heppnerographa arammclaina* Razowski,1987 (Tortricidae) Synonym(s): *arammclaina* Razowski,1987
 78492) *Hermenias pachnitis* Meyrick,1912 (Tortricidae) Synonym(s): *pachnitis* Meyrick,1912
 78493) *Herpystis mica* Kuznetsov,1988 (Tortricidae) Synonym(s): *mica* Kuznetsov,1988
 78494) *Hilarographa bellica* Meyrick,1912 (Tortricidae) Synonym(s): *bellica* Meyrick,1912
 78495) *Hilarographa bryonota* Meyrick,1921 (Tortricidae) Synonym(s): *bryonota* Meyrick,1921
 78496) *Hilarographa dulcisana* (Walker,1863) (Tortricidae) Synonym(s): *dulcisana* Walker,1863; *dulciana* Meyrick,1921
 78497) *Hilarographa eriglypta* Meyrick,1921 (Tortricidae) Synonym(s): *eriglypta* Meyrick,1921
 78498) *Hilarographa euphronica* Meyrick,1920 (Tortricidae) Synonym(s): *euphronica* Meyrick,1920
 78499) *Hilarographa hexapoda* Meyrick,1913 (Tortricidae) Synonym(s): *hexapoda* Meyrick,1913
 78500) *Hilarographa methystis* Meyrick,1921 (Tortricidae) Synonym(s): *methystis* Meyrick,1921
 78501) *Hilarographa orthochrysa* Meyrick,1932 (Tortricidae) Synonym(s): *orthochrysa* Meyrick,1932
 78502) *Hilarographa plectanodes* Meyrick,1921 (Tortricidae) Synonym(s): *plectanodes* Meyrick,1921
 78503) *Hilarographa quinquestrigana* (Walker,1866) (Tortricidae) Synonym(s): *quinquestrigana* Walker,1866; *firmana* C.Felder & Rogenhofer,1875
 78504) *Hilarographa refluxana* (Walker,1863) (Tortricidae) Synonym(s): *refluxana* Walker,1863
 78505) *Hilarographa ribbei* (Zeller,1877) (Tortricidae) Synonym(s): *ribbei* Zeller,1877
 78506) *Hilarographa swederiana* (Stoll,1790) (Tortricidae) Synonym(s): *swederiana* Stoll,1790; *trabeana* C.Felder & Rogenhofer,1875
 78507) *Hilarographa swederiana* (Stoll,[1782]) (Tortricidae) Synonym(s): *swederiana* Stoll,[1782]
 78508) *Hilarographa thaliarca* Meyrick,1920 (Tortricidae) Synonym(s): *thaliarca* Meyrick,1920
 78509) *Hilarographa xanthotoxa* Meyrick,1920 (Tortricidae) Synonym(s): *xanthotoxa* Meyrick,1920
 78510) *Histura bicornigera* Razowski,1984 (Tortricidae) Synonym(s): *bicornigera* Razowski,1984
 78511) *Histura boliviana* Razowski,1984 (Tortricidae) Synonym(s): *boliviana* Razowski,1984
 78512) *Histura chlorotopa* Razowski & Becker,1981 (Tortricidae) Synonym(s): *chlorotopa* Razowski & Becker,1981
 78513) *Histura cuprata* (Meyrick,1917) (Tortricidae) Synonym(s): *cuprata* Meyrick,1917
 78514) *Histura doriae* Razowski & Becker,1981 (Tortricidae) Synonym(s): *doriae* Razowski & Becker,1981
 78515) *Histura hirsuta* (Walsingham,1914) (Tortricidae) Synonym(s): *hirsuta* Walsingham,1914; *hirsura* Razowski,1981
 78516) *Histura limosa* (Meyrick,1912) (Tortricidae) Synonym(s): *limosa* Meyrick,1912
 78517) *Histura xanthotypa* Razowski & Becker,1981 (Tortricidae) Synonym(s): *xanthotypa* Razowski & Becker,1981
 78518) *Histurodes costaricana* Razowski,1984 (Tortricidae) Synonym(s): *costaricana* Razowski,1984
 78519) *Histurodes taetera* Razowski,1984 (Tortricidae) Synonym(s): *taetera* Razowski,1984
 78520) *Holoptygma lurida* (Meyrick,1912) (Tortricidae) Synonym(s): *lurida* Meyrick,1912
 78521) *Homona aestivana* (Walker,1866) (Tortricidae) Synonym(s): *aestivana* Walker,1866; *posticana* Walker,1866
 78522) *Homona bakeri* Diakonoff,[1968] (Tortricidae) Synonym(s): *bakeri* Diakonoff,[1968]
 78523) *Homona bicornis* Diakonoff,[1968] (Tortricidae) Synonym(s): *bicornis* Diakonoff,[1968]
 78524) *Homona coffearia* (Nieter,1861) (Tortricidae) Synonym(s): *coffearia* Nieter,1861
 78525) *Homona eductana* (Walker,1863) (Tortricidae) Synonym(s): *eductana* Walker,1863; *difficilis* Meyrick,1928; *permutata* Meyrick,1928
 78526) *Homona encausta* (Meyrick,1907) (Tortricidae) Synonym(s): *encausta* Meyrick,1907
 78527) *Homona intermedia* Diakonoff,1948 (Tortricidae) Synonym(s): *intermedia* Diakonoff,1948
 78528) *Homona nakaoi* Yasuda,1969 (Tortricidae) Synonym(s): *nakaoi* Yasuda,1969
 78529) *Homona phanaea* Meyrick,1910 (Tortricidae) Synonym(s): *phanaea* Meyrick,1910
 78530) *Homona polyarcha* Meyrick,1924 (Tortricidae) Synonym(s): *polyarcha* Meyrick,1924
 78531) *Homona wetan* Diakonoff,1941 (Tortricidae) Synonym(s): *wetan* Diakonoff,1941
 78532) *Hoplitidemis centrasis* Diakonoff,1973 (Tortricidae) Synonym(s): *centrasis* Diakonoff,1973
 78533) *Hoplitidemis erebodes* Diakonoff,1973 (Tortricidae) Synonym(s): *erebodes* Diakonoff,1973
 78534) *Hoplitidemis inauditana* Kuznetsov,1988 (Tortricidae) Synonym(s): *inauditana* Kuznetsov,1988
 78535) *Hoplitidemis pogonopoda* Diakonoff,1973 (Tortricidae) Synonym(s): *pogonopoda* Diakonoff,1973
 78536) *Hynhamia brunana* J.Brown,1990 (Tortricidae) Synonym(s): *brunana* J.Brown,1990
 78537) *Hynhamia cornutia* J.Brown,1990 (Tortricidae) Synonym(s): *cornutia* J.Brown,1990
 78538) *Hynhamia hemileuca* (Meyrick,1932) (Tortricidae) Synonym(s): *hemileuca* Meyrick,1932
 78539) *Hynhamia sciodyras* (Meyrick,1926) (Tortricidae) Synonym(s): *sciodyras* Meyrick,1926
 78540) *Hypenolobosa glechoma* Razowski,[1992] (Tortricidae) Synonym(s): *glechoma* Razowski,[1992]
 78541) *Hypostomatia versicolorana* Zeller,1866 (Tortricidae) Synonym(s): *versicolorana* Zeller,1866
 78542) *Hyptiharpa hypostas* Razowski,[1992] (Tortricidae) Synonym(s): *hypostas* Razowski,[1992]
 78543) *Hysterophora maculosana* (Haworth,[1811]) (Tortricidae) Synonym(s): *maculosana* Haworth,[1811]; *purgatana* Treitschke,1835; *porculana* Mann,1862.
 78544) *Icteralaria ichnobursa* Razowski,[1992] (Tortricidae) Synonym(s): *ichnobursa* Razowski,[1992]
 78545) *Icteralaria idiochroma* Razowski,[1992] (Tortricidae) Synonym(s): *idiochroma* Razowski,[1992]
 78546) *Idiothaua africanum* Walsingham,1897 (Tortricidae) Synonym(s): *africanum* Walsingham,1897

- 78547) *Idiothauma druidica* (Meyrick,1909) (Tortricidae) Synonym(s): *druidica* Meyrick,1909
 78548) *Idiothauma malgassiciella* Viette,1958 (Tortricidae) Synonym(s): *malgassiciella* Viette,1958
 78549) *Idiothauma rigatiella* Ghesquière,1940 (Tortricidae) Synonym(s): *rigatiella* Ghesquière,1940
 78550) *Idolatteria cantharopisca* Obratzov,1966 (Tortricidae) Synonym(s): *cantharopisca* Obratzov,1966
 78551) *Idolatteria fasciata* Obratzov,1966 (Tortricidae) Synonym(s): *fasciata* Obratzov,1966
 78552) *Idolatteria maon* (Druce,1901) (Tortricidae) Synonym(s): *maon* Druce,1901
 78553) *Idolatteria mydros* Obratzov,1966 (Tortricidae) Synonym(s): *mydros* Obratzov,1966
 78554) *Idolatteria orgias* (Meyrick,1930) (Tortricidae) Synonym(s): *orgias* Meyrick,1930
 78555) *Idolatteria pyropis* Walsingham,1914 (Tortricidae) Synonym(s): *pyropis* Walsingham,1914
 78556) *Idolatteria simulatrix* Walsingham,1914 (Tortricidae) Synonym(s): *simulatrix* Walsingham,1914
 78557) *Idolatteria xanthocapna* (Meyrick,1930) (Tortricidae) Synonym(s): *xanthocapna* Meyrick,1930
 78558) *Inape auxoplaca* (Meyrick,1926) (Tortricidae) Synonym(s): *auxoplaca* Meyrick,1926
 78559) *Inape biremis* (Meyrick,1926) (Tortricidae) Synonym(s): *biremis* Meyrick,1926
 78560) *Inape iantha* (Meyrick,1912) (Tortricidae) Synonym(s): *ianta* Meyrick,1912
 78561) *Inape penai* Razowski,1988 (Tortricidae) Synonym(s): *penai* Razowski,1988
 78562) *Inape xerophanes* (Meyrick,1909) (Tortricidae) Synonym(s): *xerophanes* Meyrick,1909
 78563) *Inape zelotypa* (Meyrick,1912) (Tortricidae) Synonym(s): *zelotypa* Meyrick,1912
 78564) *Isodemis illiberalis* (Meyrick,1918) (Tortricidae) Synonym(s): *illiberalis* Meyrick,1918; *interjecta* Meyrick,1922; *montivola* Diakonoff,1941
 78565) *Isodemis proxima* Razowski,2000 (Tortricidae) Synonym(s): *proxima* Razowski,2000
 78566) *Isodemis serpentinana* (Walker,1863) (Tortricidae) Synonym(s): *serpentinana* Walker,1863; *sulana* Walker,1866
 78567) *Isodemis stenotera* Diakonoff,1983 (Tortricidae) Synonym(s): *stenotera* Diakonoff,1983
 78568) *Isotenes inae* Diakonoff,1948 (Tortricidae) Synonym(s): *inae* Meyrick,1938; *miserana* T.B.Fletcher,1920 nec Walk.,1863
 78569) *Isotenes thumasia* Diakonoff,1948 (Tortricidae) Synonym(s): *thumasia* Diakonoff,1948
 78570) *Isotrias buckwelli* (Lucas,1954) (Tortricidae) Synonym(s): *buckwelli* Lucas,1954
 78571) *Isotrias cuencana* (Kennel,1899) (Tortricidae) Synonym(s): *cuencana* Kennel,1899
 78572) *Isotrias huemeri* Trematerra,1993 (Tortricidae) Synonym(s): *huemeri* Trematerra,1993
 78573) *Isotrias hybridana* (Hübner,[1817]) (Tortricidae) Synonym(s): *cingulana* Scopoli,1772; *hybridana* Hübner,[1817]; *puellana* Frölich,1828; *pedemontana* Staudinger,1871; *jingulana* Millière,1884; *castiliana* Ragonot,1894
 78574) *Isotrias joannisana* (Turati,1921) (Tortricidae) Synonym(s): *joannisana* Turati,1921
 78575) *Isotrias martelliana* Trematerra,1990 (Tortricidae) Synonym(s): *martelliana* Trematerra,1990
 78576) *Isotrias rectifasciana* (Haworth,[1811]) (Tortricidae) Synonym(s): *trifasciana* Donovan,[1806] (*praeocc.*); *rectifasciana* Haworth,[1811]; *nemorana* Frölich,1828; *curvifasciana* Stephens,1834; *albulana* Treitschke,1835; *insubrica* Müller-Rutz,1920; *pseudomodestana* Obratzov,1957
 78577) *Isotrias stramentana* (Guenée,1845) (Tortricidae) Synonym(s): *stramentana* Guenée,1845
 78578) *Juxtolenia omphalia* Razowski & Becker,1993 (Tortricidae) Synonym(s): *omphalia* Razowski & Becker,1993
 78579) *Juxtolenia oncodina* Razowski & Becker,1993 (Tortricidae) Synonym(s): *oncodina* Razowski & Becker,1993
 78580) *Karacaoglania* sp.1 (Tortricidae) Synonym(s):
 78581) *Karacaoglania* sp.2 (Tortricidae) Synonym(s):
 78582) *Karacaoglania xerophila* (Meyrick,1939) (Tortricidae) Synonym(s): *xerophila* Meyrick,1939
 78583) *Kenneliola fagiglandana* (Zeller,1841) (Tortricidae) Synonym(s): *grossana* Haworth,[1811] nec Thunb.,1791; *fagiglandana* Zeller,1841.
 78584) *Kenneliola fagiglandana corsica* (Gibeaux,1999) (Tortricidae) Synonym(s): *corsica* Gibeaux,1999
 78585) *Kenneliola molybdana* Constant,1884 (Tortricidae) Synonym(s): *molybdana* Constant,1884
 78586) *Lambertiodes harmonia* (Meyrick,1908) (Tortricidae) Synonym(s): *harmonia* Meyrick,1908
 78587) *Lasiothyris cerastes* Razowski & Becker,1986 (Tortricidae) Synonym(s): *cerastes* Razowski & Becker,1986
 78588) *Lasiothyris cinigmula* Razowski & Becker,1986 (Tortricidae) Synonym(s): *cinigmula* Razowski & Becker,1986
 78589) *Lasiothyris cnestovalva* Razowski & Becker,1986 (Tortricidae) Synonym(s): *cnestovalva* Razowski & Becker,1986
 78590) *Lasiothyris competitrix* (Razowski & Becker,1983) (Tortricidae) Synonym(s): *competitrix* Razowski & Becker,1983
 78591) *Lasiothyris diclada* Razowski & Becker,1986 (Tortricidae) Synonym(s): *diclada* Razowski & Becker,1986
 78592) *Lasiothyris ficta* Razowski & Becker,1983 (Tortricidae) Synonym(s): *ficta* Razowski & Becker,1983
 78593) *Lasiothyris gravida* Razowski,1986 (Tortricidae) Synonym(s): *gravida* Razowski,1986
 78594) *Lasiothyris heterophaea* (Clarke,1968) (Tortricidae) Synonym(s): *heterophaea* Clarke,1968
 78595) *Lasiothyris horrens* (Razowski & Becker,1983) (Tortricidae) Synonym(s): *horrens* Razowski & Becker,1983
 78596) *Lasiothyris ichthyochroa* (Walsingham,1897) (Tortricidae) Synonym(s): *ichthyochroa* Walsingham,1897
 78597) *Lasiothyris ilingocornuta* Razowski & Becker,1993 (Tortricidae) Synonym(s): *ilingocornuta* Razowski & Becker,1993
 78598) *Lasiothyris limatula* Meyrick,1917 (Tortricidae) Synonym(s): *limatula* Meyrick,1917
 78599) *Lasiothyris luminosa* (Razowski & Becker,1983) (Tortricidae) Synonym(s): *luminosa* Razowski & Becker,1983
 78600) *Lasiothyris megapenis* Razowski & Becker,1993 (Tortricidae) Synonym(s): *megapenis* Razowski & Becker,1993
 78601) *Lasiothyris micida* Razowski & Becker,1986 (Tortricidae) Synonym(s): *micida* Razowski & Becker,1986
 78602) *Lasiothyris omissa* Razowski & Becker,1993 (Tortricidae) Synonym(s): *omissa* Razowski & Becker,1993
 78603) *Lasiothyris perjura* Razowski & Becker,1993 (Tortricidae) Synonym(s): *perjura* Razowski & Becker,1993
 78604) *Lasiothyris pervicax* Razowski & Becker,1993 (Tortricidae) Synonym(s): *pervicax* Razowski & Becker,1993
 78605) *Lasiothyris revulsa* Razowski & Becker,1993 (Tortricidae) Synonym(s): *revulsa* Razowski & Becker,1993
 78606) *Lasiothyris sorbia* Razowski & Becker,1993 (Tortricidae) Synonym(s): *sorbia* Razowski & Becker,1993
 78607) *Lasiothyris tardans* Razowski & Becker,1993 (Tortricidae) Synonym(s): *tardans* Razowski & Becker,1993
 78608) *Lathronympha balearici* Diakonoff,1972 (Tortricidae) Synonym(s): *balearici* Diakonoff,1972
 78609) *Lathronympha christenseni* Aarvik & Karsholt,1993 (Tortricidae) Synonym(s): *christenseni* Aarvik & Karsholt,1993
 78610) *Lathronympha strigana* (Fabricius,1775) (Tortricidae) Synonym(s): *strigana* Fabricius,1775; *politana* [Denis & Schiffermüller],1775; *hypericana* Hübner,[1799].
 78611) *Lepteusma aethopa* (Diakonoff,1984) (Tortricidae) Synonym(s): *aethopa* Diakonoff,1984
 78612) *Lepteusma blanda* (Kawabe,1989) (Tortricidae) Synonym(s): *blanda* Kawabe,1989
 78613) *Lepteusma ceriodes* (Meyrick,1909) (Tortricidae) Synonym(s): *ceriodes* Meyrick,1909
 78614) *Lepteusma charassuncus* Razowski,2006 (Tortricidae) Synonym(s): *charassuncus* Razowski,2006
 78615) *Lepteusma huebneriana* (Koçak,1980) (Tortricidae) Synonym(s): *ustulana* Hübner,[1813] nec Haw.,[1811]; *huebneriana* Koçak,1980
 78616) *Lepteusma leucotoma* (Diakonoff,1955) (Tortricidae) Synonym(s): *leucotoma* Diakonoff,1955
 78617) *Lepteusma lutescens* (Razowski,1967) (Tortricidae) Synonym(s): *lutescens* Razowski,1967
 78618) *Lepteusma oxychrysa* Diakonoff,1971 (Tortricidae) Synonym(s): *oxychrysa* Diakonoff,1971
 78619) *Lepteusma oxychrysoides* Kuznetsov,1997 (Tortricidae) Synonym(s): *oxychrysoides* Kuznetsov,1997
 78620) *Lepteusma punjabica* Kuznetsov,1988 (Tortricidae) Synonym(s): *punjabica* Kuznetsov,1988
 78621) *Lepteusma siamensis* (Kawabe,1989) (Tortricidae) Synonym(s): *siamensis* Kawabe,1989
 78622) *Lepteusma srinagara* Razowski,2006 (Tortricidae) Synonym(s): *srinagara* Razowski,2006
 78623) *Linciochylis argentifusa* (Walsingham,1914) (Tortricidae) Synonym(s): *argentifusa* Walsingham,1914
 78624) *Lipoptycha grueneriana* Herrich-Schäffer,[1851] (Tortricidae) Synonym(s): *grueneriana* Herrich-Schäffer,[1851]
 78625) *Lipsotelus anacanthus* Diakonoff,1973 (Tortricidae) Synonym(s): *anacanthus* Diakonoff,1973
 78626) *Lipsotelus anacanthus amicus* Diakonoff,1973 (Tortricidae) Synonym(s): *amicus* Diakonoff,1973
 78627) *Lipsotelus anacanthus anacanthus* Diakonoff,1973 (Tortricidae) Synonym(s): *anacanthus* Diakonoff,1973
 78628) *Lipsotelus anacanthus calens* Diakonoff,1973 (Tortricidae) Synonym(s): *calens* Diakonoff,1973
 78629) *Lipsotelus anacanthus insulae* Diakonoff,1973 (Tortricidae) Synonym(s): *insulae* Diakonoff,1973
 78630) *Lipsotelus armiger* Diakonoff,1973 (Tortricidae) Synonym(s): *armiger* Diakonoff,1973
 78631) *Lipsotelus lichenoides* Walsingham,1900 (Tortricidae) Synonym(s): *lichenoides* Walsingham,1900
 78632) *Lipsotelus xyloides* Diakonoff,1973 (Tortricidae) Synonym(s): *xyloides* Diakonoff,1973
 78633) *Lobesia* (Harmosma) *harmonia* (Meyrick,1908) (Tortricidae) Synonym(s): *harmonia* Meyrick,1908

- 78634) *Lobesia (Lomaschiza) bisyringnata* Bae,1993 (Tortricidae) Synonym(s): *bisyringnata* Bae,1993
 78635) *Lobesia (Lomaschiza) kurokoi* Bae,1995 (Tortricidae) Synonym(s): *kurokoi* Bae,1995
 78636) *Lobesia (Lomaschiza) quadratica* (Meyrick,1911) (Tortricidae) Synonym(s): *quadratica* Meyrick,1911
 78637) *Lobesia (Lomaschiza) ultima* Diakonoff,1954 (Tortricidae) Synonym(s): *ultima* Diakonoff,1954; ? *moriutii* Bae,1995
 78638) *Lobesia (Polychrosis) cetratana* (Rebel,1907) (Tortricidae) Synonym(s): *cetratana* Rebel,1907; ?*cetratana* Brown,2005
 78639) *Lobesia (Polychrosis) deltophora* (Meyrick,1921) (Tortricidae) Synonym(s): *deltophora* Meyrick,1921
 78640) *Lobesia (Polychrosis) ehippias* (Meyrick,1907) (Tortricidae) Synonym(s): *ehippias* Meyrick,1907
 78641) *Lobesia (Polychrosis) incultana* (Walker,1863) (Tortricidae) Synonym(s): *incultana* Walker,1863
 78642) *Lobesia (Polychrosis) metachlora* (Meyrick,1913) (Tortricidae) Synonym(s): *metachlora* Meyrick,1913
 78643) *Lobesia (Polychrosis) primaria* (Meyrick,1909) (Tortricidae) Synonym(s): *primaria* Meyrick,1909
 78644) *Lobesia (Polychrosis) scoriodes* (Meyrick,1908) (Tortricidae) Synonym(s): *scoriodes* Meyrick,1908
 78645) *Lobesia (Polychrosis) stenaspis* (Meyrick,1921) (Tortricidae) Synonym(s): *stenaspis* Meyrick,1921
 78646) *Lobesia (Polychrosis) stericta* (Meyrick,1911) (Tortricidae) Synonym(s): *stericta* Meyrick,1911
 78647) *Lobesia (s.str.) abscissana* (Doubleday,1849) (Tortricidae) Synonym(s): *abscissana* Doubleday,1849; *pullana* Kennel,1900.
 78648) *Lobesia (s.str.) anderegiana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *anderegiana* Herrich-Schäffer,1851; *andereggi* Ragonot,1884; *kreithneriana* Hornig,1882.
 78649) *Lobesia (s.str.) arguta* Bae & Komai,1991 (Tortricidae) Synonym(s): *arguta* Bae & Komai,1991
 78650) *Lobesia (s.str.) artemisiana* (Zeller,1847) (Tortricidae) Synonym(s): *artemisiana* Zeller,1847; *trifasciana* Herrich-Schäffer,1851; *amaryllana* Millière,1876
 78651) *Lobesia (s.str.) atsushii* Bae,1993 (Tortricidae) Synonym(s): *atsushii* Bae,1993
 78652) *Lobesia (s.str.) attributana* (Kennel,1901) (Tortricidae) Synonym(s): *attributana* Kennel,1901
 78653) *Lobesia (s.str.) bicinctana* (Duponchel,1844) (Tortricidae) Synonym(s): *bicinctana* Duponchel,1844; *lugdunana* Guenée,1845
 78654) *Lobesia (s.str.) cinerariae* (Nolcken,1882) (Tortricidae) Synonym(s): *cinerariae* Nolcken,1882
 78655) *Lobesia (s.str.) clarisecta* Meyrick,1932 (Tortricidae) Synonym(s): *clarisecta* Meyrick,1932
 78656) *Lobesia (s.str.) confinitana* (Staudinger,1870) (Tortricidae) Synonym(s): *confinitana* Staudinger,1870
 78657) *Lobesia (s.str.) crimea* Falkovitsh,1970 (Tortricidae) Synonym(s): *crimea* Falkovitsh,1970
 78658) *Lobesia (s.str.) fictana* (Kennel,1901) (Tortricidae) Synonym(s): *fictana* Kennel,1901
 78659) *Lobesia (s.str.) glebifera* (Meyrick,1912) (Tortricidae) Synonym(s): *glebifera* Meyrick,1912
 78660) *Lobesia (s.str.) globostigma* Liu & Bae,1994 (Tortricidae) Synonym(s): *globostigma* Liu & Bae,1994
 78661) *Lobesia (s.str.) helichrysana* (Ragonot,1879) (Tortricidae) Synonym(s): *helichrysana* Ragonot,1879
 78662) *Lobesia (s.str.) herculeana* (Kennel,1900) (Tortricidae) Synonym(s): *herculeana* Kennel,1900
 78663) *Lobesia (s.str.) indusiana* (Zeller,1847) (Tortricidae) Synonym(s): *indusiana* Zeller,1847; *staceana* Millière,1869; *cognata* Obraztsov,1949.
 78664) *Lobesia (s.str.) limoniana* (Millière,1860) (Tortricidae) Synonym(s): *limoniana* Millière,1860
 78665) *Lobesia (s.str.) littoralis* (Westwood & Humphreys,1845) (Tortricidae) Synonym(s): *littoralis* Westwood & Humphreys,1845; *venustana* Douglas,1846; *morbidana* Doubleday,1850; *hibernana* Staudinger,1859; *annetensis* Turner,1934.
 78666) *Lobesia (s.str.) longisterigma* Liu & Bae,1994 (Tortricidae) Synonym(s): *longisterigma* Liu & Bae,1994
 78667) *Lobesia (s.str.) macroptera* Liu & Bae,1994 (Tortricidae) Synonym(s): *macroptera* Liu & Bae,1994
 78668) *Lobesia (s.str.) matici* Stanoiu,1974 (Tortricidae) Synonym(s): *matici* Stanoiu,1974
 78669) *Lobesia (s.str.) moriutii* Bae,1995 (Tortricidae) Synonym(s): *moriutii* Bae,1995
 78670) *Lobesia (s.str.) pattayae* Bae,1995 (Tortricidae) Synonym(s): *pattayae* Bae,1995
 78671) *Lobesia (s.str.) porrectana* (Zeller,1847) (Tortricidae) Synonym(s): *porrectana* Zeller,1847
 78672) *Lobesia (s.str.) postica* Bae,1993 (Tortricidae) Synonym(s): *postica* Bae,1993
 78673) *Lobesia (s.str.) pyriformis* Bae & Park,1992 (Tortricidae) Synonym(s): *pyriformis* Bae & Park,1992
 78674) *Lobesia (s.str.) quaggana* (Mann,1855) (Tortricidae) Synonym(s): *quaggana* Mann,1855; *restinctana* Turati,1913.
 78675) *Lobesia (s.str.) reliquana* (Hübner,[1825]) (Tortricidae) Synonym(s): *reliquana* Hübner,[1825]; *leucoptera* Frölich,1828; *fischerana* Treitschke,1835.
 78676) *Lobesia (s.str.) schmidtii* (Rebel,1936) (Tortricidae) Synonym(s): *schmidtii* Rebel,1936
 78677) *Lobesia (s.str.) serangodes* (Meyrick,1920) (Tortricidae) Synonym(s): *serangodes* Meyrick,1920; ?*serangodes* Razowski,1966
 78678) *Lobesia (s.str.) siamensis* Bae,1995 (Tortricidae) Synonym(s): *siamensis* Bae,1995
 78679) *Lobesia (s.str.) subherculeana* (Filipjev,1925) (Tortricidae) Synonym(s): *subherculeana* Filipjev,1925
 78680) *Lobesia (s.str.) takahiroi* Bae,1996 (Tortricidae) Synonym(s): *takahiroi* Bae,1996
 78681) *Lobesia (s.str.) virulenta* Bae & Komai,1991 (Tortricidae) Synonym(s): *virulenta* Bae & Komai,1991
 78682) *Lobesia (s.str.) vitisana* (Jacquin,1788) (Tortricidae) Synonym(s): ?*botrana* [Denis & Schiffermüller],1775; *vitisana* Jacquin,1788; *rosmarinana* Millière,1865.
 78683) *Lobesia (s.str.) yasudai* Bae & Komai,1991 (Tortricidae) Synonym(s): *yasudai* Bae & Komai,1991
 78684) *Lobesia acroleuca* Diakonoff,1973 (Tortricidae) Synonym(s): *acroleuca* Diakonoff,1973
 78685) *Lobesia aeolopa* Meyrick,1907 (Tortricidae) Synonym(s): *aeolopa* Meyrick,1907; *proterandra* Meyrick,1921; *dryopelta* Meyrick,1932; *eustales* Bradley,1956
 78686) *Lobesia albategula* Diakonoff,1954 (Tortricidae) Synonym(s): *albategula* Diakonoff,1954
 78687) *Lobesia ambigua* Diakonoff,1954 (Tortricidae) Synonym(s): *ambigua* Diakonoff,1954
 78688) *Lobesia archaetypa* Diakonoff,1992 (Tortricidae) Synonym(s): *archaetypa* Diakonoff,1992
 78689) *Lobesia arenacea* (Meyrick,1917) (Tortricidae) Synonym(s): *arenacea* Meyrick,1917
 78690) *Lobesia areoscophanes* (Turner,1945) (Tortricidae) Synonym(s): *areoscophanes* Turner,1945
 78691) *Lobesia atrata* Diakonoff,1973 (Tortricidae) Synonym(s): *atrata* Diakonoff,1973
 78692) *Lobesia candida* Diakonoff,1973 (Tortricidae) Synonym(s): *candida* Diakonoff,1973
 78693) *Lobesia carduana* (Busck,1907) (Tortricidae) Synonym(s): *carduana* Busck,1907
 78694) *Lobesia coccophaga* Falkovitsh,1970 (Tortricidae) Synonym(s): *coccophaga* Falkovitsh,1970
 78695) *Lobesia crithopa* Diakonoff,1957 (Tortricidae) Synonym(s): *crithopa* Diakonoff,1957
 78696) *Lobesia duplicata* Falkovitsh,1970 (Tortricidae) Synonym(s): *duplicata* Falkovitsh,1970
 78697) *Lobesia embrithes* Diakonoff,1961 (Tortricidae) Synonym(s): *embrithes* Diakonoff,1961
 78698) *Lobesia fetalis* (Meyrick,1920) (Tortricidae) Synonym(s): *fetalis* Meyrick,1920
 78699) *Lobesia genialis* Meyrick,1912 (Tortricidae) Synonym(s): *genialis* Meyrick,1912
 78700) *Lobesia hendrickxi* (Ghesquière,1940) (Tortricidae) Synonym(s): *hendrickxi* Ghesquière,1940
 78701) *Lobesia incystata* Liu & Yang,1987 (Tortricidae) Synonym(s): *incystata* Liu & Yang,1987; *arguta* Bae & Komai,1991
 78702) *Lobesia isochroa* (Meyrick,1891) (Tortricidae) Synonym(s): *isochroa* Meyrick,1891
 78703) *Lobesia lithogonia* Diakonoff,1954 (Tortricidae) Synonym(s): *lithogonia* Diakonoff,1954
 78704) *Lobesia lithogonia* Diakonoff,1954 (Tortricidae) Synonym(s): *lithogonia* Diakonoff,1954
 78705) *Lobesia mieae* Kawabe,1980 (Tortricidae) Synonym(s): *mieae* Kawabe,1980
 78706) *Lobesia minuta* Diakonoff,1956 (Tortricidae) Synonym(s): *minuta* Diakonoff,1956
 78707) *Lobesia montana* Diakonoff,1954 (Tortricidae) Synonym(s): *montana* Diakonoff,1954
 78708) *Lobesia neptunia* (Walsingham,1907) (Tortricidae) Synonym(s): *neptunia* Walsingham,1907
 78709) *Lobesia orphica* (Meyrick,1920) (Tortricidae) Synonym(s): *orphica* Meyrick,1920
 78710) *Lobesia orthomorpha* (Meyrick,1928) (Tortricidae) Synonym(s): *orthomorpha* Meyrick,1928
 78711) *Lobesia oxymochla* (Meyrick,1917) (Tortricidae) Synonym(s): *oxymochla* Meyrick,1917
 78712) *Lobesia oxypercna* (Meyrick,1930) (Tortricidae) Synonym(s): *oxypercna* Meyrick,1930
 78713) *Lobesia paradisea* Diakonoff,1953 (Tortricidae) Synonym(s): *paradisea* Diakonoff,1953
 78714) *Lobesia peplotoma* Meyrick,1928 (Tortricidae) Synonym(s): *peplotoma* Meyrick,1928
 78715) *Lobesia relicta* Diakonoff,1954 (Tortricidae) Synonym(s): *relicta* Diakonoff,1954
 78716) *Lobesia rhipidoma* (Meyrick,1925) (Tortricidae) Synonym(s): *rhipidoma* Meyrick,1925
 78717) *Lobesia rhombophora* Diakonoff,1954 (Tortricidae) Synonym(s): *rhombophora* Diakonoff,1954
 78718) *Lobesia semosa* Diakonoff,1992 (Tortricidae) Synonym(s): *semosa* Diakonoff,1992

- 78719) *Lobesia subherculeana* (Filipjev,1924) (Tortricidae) Synonym(s): *subherculeana* Filipjev,1924
78720) *Lobesia sutteri* Diakonoff,1956 (Tortricidae) Synonym(s): *sutteri* Diakonoff,1956
78721) *Lobesia thlastopa* Meyrick,1937 (Tortricidae) Synonym(s): *thlastopa* Meyrick,1937
78722) *Lobesia ultima* Diakonoff,1954 (Tortricidae) Synonym(s): *ultima* Diakonoff,1954
78723) *Lobesia vanillana* (De Joannis,1900) (Tortricidae) Synonym(s): *vanillana* De Joannis,1900; *triancanthis* Diakonoff,1992
78724) *Lobesia vectis* Diakonoff,1983 (Tortricidae) Synonym(s): *vectis* Diakonoff,1983
78725) *Lobesia virulenta* Bae & Komai,1991 (Tortricidae) Synonym(s): *virulenta* Bae & Komai,1991
78726) *Lobesia virulenta micana* Falck & Karsholt,1998 (Tortricidae) Synonym(s): *micana* Falck & Karsholt,1998
78727) *Lobesia virulenta virulenta* Bae & Komai,1991 (Tortricidae) Synonym(s): *virulenta* Bae & Komai,1991
78728) *Lobesia vittigera* (Meyrick,1932) (Tortricidae) Synonym(s): *pusillana* Mabilille,1900 (*praeocc.*); *vittigera* Meyrick,1932
78729) *Lobesia xenosema* Diakonoff,1983 (Tortricidae) Synonym(s): *xenosema* Diakonoff,1983
78730) *Lobesia yasudai* Bae & Komai,1991 (Tortricidae) Synonym(s): *yasudai* Bae & Komai,1991
78731) *Lobesiods euphorbiana* (Freyer,1842) (Tortricidae) Synonym(s): *euphorbiana* Freyer,1842
78732) *Lobesiods occidentis* Falkovitsh,1970 (Tortricidae) Synonym(s): *occidentis* Falkovitsh,1970
78733) *Lobogenesis lobata* Razowski,1990 (Tortricidae) Synonym(s): *lobata* Razowski,1990
78734) *Loboschiza clytocarpa* (Meyrick,1920) (Tortricidae) Synonym(s): *clytocarpa* Meyrick,1920
78735) *Loboschiza halsyideta* (Walsingham,1900) (Tortricidae) Synonym(s): *halsyideta* Walsingham,1900
78736) *Loboschiza koenigiana* (Fabricius,1775) (Tortricidae) Synonym(s): *koenigiana* Fabricius,1775; *#koenigana* Fabricius,1787; *aurantiana* Pryer,1877; *vulnerata* Walsingham,1900; *delectana* Snellen,1902
78737) *Lopharcha amethystas* (Meyrick,1912) (Tortricidae) Synonym(s): *amethystas* Meyrick,1912
78738) *Lopharcha angustior* (Diakonoff,1941) (Tortricidae) Synonym(s): *angustior* Diakonoff,1941
78739) *Lopharcha chalcophanes* (Meyrick,1931) (Tortricidae) Synonym(s): *chalcophanes* Meyrick,1931
78740) *Lopharcha chionea* (Meyrick,1974) (Tortricidae) Synonym(s): *chionea* Diakonoff,1974
78741) *Lopharcha conia* Diakonoff,1983 (Tortricidae) Synonym(s): *conia* Diakonoff,1983
78742) *Lopharcha cryptacantha* Diakonoff,1974 (Tortricidae) Synonym(s): *cryptacantha* Diakonoff,1974
78743) *Lopharcha curiosa* (Meyrick,1908) (Tortricidae) Synonym(s): *curiosa* Meyrick,1908
78744) *Lopharcha deliqua* Diakonoff,1974 (Tortricidae) Synonym(s): *deliqua* Diakonoff,1974
78745) *Lopharcha ditissima* Diakonoff,1974 (Tortricidae) Synonym(s): *ditissima* Diakonoff,1974
78746) *Lopharcha eriopila* (Meyrick,1912) (Tortricidae) Synonym(s): *eriopila* Meyrick,1912
78747) *Lopharcha halidora* (Meyrick,1908) (Tortricidae) Synonym(s): *halidora* Meyrick,1908
78748) *Lopharcha herbaecolor* (Diakonoff,1941) (Tortricidae) Synonym(s): *herbaecolor* Diakonoff,1941
78749) *Lopharcha insolita* (Dugdale,1966) (Tortricidae) Synonym(s): *insolita* Dugdale,1966
78750) *Lopharcha iriodis* Diakonoff,1976 (Tortricidae) Synonym(s): *irioidis* Diakonoff,1976
78751) *Lopharcha kopeci* Razowski,1992 (Tortricidae) Synonym(s): *kopeci* Razowski,1992; *#kopeci* Razowski,1992
78752) *Lopharcha maurognoma* Diakonoff,1974 (Tortricidae) Synonym(s): *maurognoma* Diakonoff,1974
78753) *Lopharcha moriutii* Nasu,2006 (Tortricidae) Synonym(s): *moriutii* Nasu,2006
78754) *Lopharcha orthioterma* (Diakonoff,1941) (Tortricidae) Synonym(s): *orthioterma* Diakonoff,1941
78755) *Lopharcha psathyra* Diakonoff,1989 (Tortricidae) Synonym(s): *psathyra* Diakonoff,1989
78756) *Lopharcha quinquetriata* Diakonoff,1941 (Tortricidae) Synonym(s): *quinquetriata* Diakonoff,1941
78757) *Lopharcha rapax* (Meyrick,1908) (Tortricidae) Synonym(s): *rapax* Meyrick,1908
78758) *Lopharcha siderota* (Meyrick,1918) (Tortricidae) Synonym(s): *siderota* Meyrick,1918
78759) *Lorita baccharivora* Pogue,1988 (Tortricidae) Synonym(s): *baccharivora* Pogue,1988
78760) *Lorita scarificata* (Meyrick,1917) (Tortricidae) Synonym(s): *scarificata* Meyrick,1917; *abornana* Busck,1939; *chatka* Busck,1939
78761) *Lozotaenia cupidinana* (Staudinger,1859) (Tortricidae) Synonym(s): *cupidinana* Staudinger,1859
78762) *Lozotaenia djakonovi* Danilevsky,1963 (Tortricidae) Synonym(s): *djakonovi* Danilevsky,1963
78763) *Lozotaenia forsterana* (Fabricius,1781) (Tortricidae) Synonym(s): *forsterana* (Fabricius,1781
78764) *Lozotaenia mabiliana* (Ragonot,1875) (Tortricidae) Synonym(s): *mabiliana* Ragonot,1875
78765) *Lozotaenia retiana* (Turati,1913) (Tortricidae) Synonym(s): *retiana* Turati,1913
78766) *Lozotaenia straminea* (Schawerda,1936) (Tortricidae) Synonym(s): *straminea* Schawerda,1936
78767) *Lozotaeniodes brusseauxi* Gibeaux,1999 (Tortricidae) Synonym(s): *brusseauxi* Gibeaux,1999
78768) *Lozotaeniodes cupressana* (Duponchel,1836) (Tortricidae) Synonym(s): *cupressana* Duponchel,1836
78769) *Lozotaeniodes cupressana cupressana* (Duponchel,1836) (Tortricidae) Synonym(s): *cupressana* Duponchel,1836
78770) *Lozotaeniodes cupressana nobiliana* (Staudinger,1859) (Tortricidae) Synonym(s): *nobiliana* Staudinger,1859
78771) *Lozotaeniodes formosana* (Geyer,1830) (Tortricidae) Synonym(s): *formosana* Geyer,1830
78772) *Lumaria afrotropica* Razowski,2002 (Tortricidae) Synonym(s): *afrotropica* Razowski,2002
78773) *Lumaria imperita* (Meyrick,1927) (Tortricidae) Synonym(s): *imperita* Meyrick,1927
78774) *Lumaria lotsunica* Razowski,2006 (Tortricidae) Synonym(s): *lotsunica* Razowski,2006
78775) *Lumaria minuta* (Walker,1863) (Tortricidae) Synonym(s): *minuta* Walker,1863
78776) *Lumaria petrophora* (Meyrick,1938) (Tortricidae) Synonym(s): *petrophora* Meyrick,1938
78777) *Lumaria probolias* (Meyrick,1907) (Tortricidae) Synonym(s): *probolias* Meyrick,1907; *exalbescens* Meyrick,1922
78778) *Lumaria pusillana* (Walker,1863) (Tortricidae) Synonym(s): *pusillana* Walker,1863
78779) *Lumaria rhythmologa* (Meyrick,1937) (Tortricidae) Synonym(s): *rhythmologa* Meyrick,1937
78780) *Lumaria zeteotoma* Razowski,1984 (Tortricidae) Synonym(s): *zeteotoma* Razowski,1984
78781) *Lumaria zeugmatovalva* Razowski,1984 (Tortricidae) Synonym(s): *zeugmatovalva* Razowski,1984
78782) *Lumaria zorotypa* Razowski,1984 (Tortricidae) Synonym(s): *zorotypa* Razowski,1984
78783) *Lypothora blanchardi* (Butler,1883) (Tortricidae) Synonym(s): *blanchardi* Butler,1883
78784) *Lypothora fernaldi* (Butler,1883) (Tortricidae) Synonym(s): *fernaldi* Butler,1883
78785) *Lypothora walsinghami* (Butler,1883) (Tortricidae) Synonym(s): *walsinghami* Butler,1883
78786) *Macrochlidia major* J.Brown,1990 (Tortricidae) Synonym(s): *major* J.Brown,1990
78787) *Macrochlidia minor* J.Brown,1990 (Tortricidae) Synonym(s): *minor* J.Brown,1990
78788) *Marylanka mimeria* Razowski & Becker,1983 (Tortricidae) Synonym(s): *mimeria* Razowski & Becker,1983
78789) *Matsumuraes acrocossa* Diakonoff,1971 (Tortricidae) Synonym(s): *acrocossa* Diakonoff,1971
78790) *Matsumuraes capax* Razowski & Yasuda,1975 (Tortricidae) Synonym(s): *capax* Razowski & Yasuda,1975
78791) *Matsumuraes elpisma* Diakonoff,1972 (Tortricidae) Synonym(s): *elpisma* Diakonoff,1972
78792) *Matsumuraes felix* Diakonoff,1972 (Tortricidae) Synonym(s): *felix* Diakonoff,1972
78793) *Matsumuraes melaneula* (Meyrick,1916) (Tortricidae) Synonym(s): *melaneula* Meyrick,1916
78794) *Matsumuraes monstruosana* Kuznetsov,1962 (Tortricidae) Synonym(s): *monstruosana* Kuznetsov,1962
78795) *Matsumuraes ochreocervina* (Walsingham,1900) (Tortricidae) Synonym(s): *ochreocervina* Walsingham,1900
78796) *Matsumuraes sp.1* (Tortricidae) Synonym(s):
78797) *Matsumuraes sp.2* (Tortricidae) Synonym(s):
78798) *Matsumuraes sp.3* (Tortricidae) Synonym(s):
78799) *Maurecochylis limenarchis* Razowski,1986 (Tortricidae) Synonym(s): *limenarchis* Razowski,1986
78800) *Maurecochylis ramosa* Razowski & Becker,1983 (Tortricidae) Synonym(s): *ramosa* Razowski & Becker,1983
78801) *Megaherpystis eusema* Diakonoff,1969 (Tortricidae) Synonym(s): *eusema* Diakonoff,1969
78802) *Megaherpystis melaneura* (Meyrick,1912) (Tortricidae) Synonym(s): *melaneura* Meyrick,1912
78803) *Megalota anceps* (Meyrick,1909) (Tortricidae) Synonym(s): *anceps* Meyrick,1909
78804) *Megalota fallax* (Meyrick,1909) (Tortricidae) Synonym(s): *fallax* Meyrick,1909
78805) *Megalota geminus* Diakonoff,1973 (Tortricidae) Synonym(s): *geminus* Diakonoff,1973
78806) *Megalota helicana* (Meyrick,1881) (Tortricidae) Synonym(s): *helicana* Meyrick,1881
78807) *Megalota solida* Diakonoff,1973 (Tortricidae) Synonym(s): *solida* Diakonoff,1973

- 78808) *Megalota vera* Diakonoff,1966 (Tortricidae) Synonym(s): *vera* Diakonoff,1966
78809) *Mehteria bathysema* (Diakonoff,1984) (Tortricidae) Synonym(s): *bathysema* Diakonoff,1984
78810) *Mehteria hemidoxa* (Meyrick,1907) (Tortricidae) Synonym(s): *hemidoxa* Meyrick,1907
78811) *Mehteria perdigna* (Kuznetsov,1976) (Tortricidae) Synonym(s): *perdigna* Kuznetsov,1976
78812) *Meiligma impigris* Diakonoff,1973 (Tortricidae) Synonym(s): *impigris* Diakonoff,1973
78813) *Melanolopha lathraea* Diakonoff,1941 (Tortricidae) Synonym(s): *lathraea* Diakonoff,1941
78814) *Meridemis bathyglypta* Diakonoff,1976 (Tortricidae) Synonym(s): *bathyglypta* Diakonoff,1976
78815) *Meridemis furtiva* Diakonoff,1976 (Tortricidae) Synonym(s): *furtiva* Diakonoff,1976
78816) *Meridemis insulata* (Meyrick,1908) (Tortricidae) Synonym(s): *insulata* Meyrick,1908
78817) *Meridemis invalidana* (Walker,1863) (Tortricidae) Synonym(s): *invalidana* Walker,1863
78818) *Meridemis obratzovi* Rose & Pooni,2004 (Tortricidae) Synonym(s): *obratzovi* Rose & Pooni,2004
78819) *Meridemis punjabensis* Rose & Pooni,2004 (Tortricidae) Synonym(s): *punjabensis* Rose & Pooni,2004
78820) *Meridemis subbathymorpha* Razowski,2006 (Tortricidae) Synonym(s): *subbathymorpha* Razowski,2006
78821) *Meridemis victorum* Razowski,1989 (Tortricidae) Synonym(s): *victorum* Razowski,1989
78822) *Mesocallyntera siderostola* Diakonoff,1959 (Tortricidae) Synonym(s): *siderostola* Diakonoff,1959
78823) *Mesocallyntera squamosa* Diakonoff,1959 (Tortricidae) Synonym(s): *squamosa* Diakonoff,1959
78824) *Mesocallyntera squamosa loricata* Diakonoff,1959 (Tortricidae) Synonym(s): *loricata* Diakonoff,1959
78825) *Metacosma impolitana* Kuznetsov,1985 (Tortricidae) Synonym(s): *impolitana* Kuznetsov,1985
78826) *Metacosma miratorana* Kuznetsov,1988 (Tortricidae) Synonym(s): *miratorana* Kuznetsov,1988
78827) *Metamesia elegans* (Walsingham,1881) (Tortricidae) Synonym(s): *elegans* Walsingham,1881; *hedrastis* Meyrick,1908; *prona* Meyrick,1911.
78828) *Metendothenia albomaculata* Kawabe,1989 (Tortricidae) Synonym(s): *albomaculata* Kawabe,1989
78829) *Metendothenia atropunctana* (Zetterstedt,1839) (Tortricidae) Synonym(s): *atropunctana* Zetterstedt,1839; *ochromelana* Guenée,1845
78830) *Metendothenia fidelis* Diakonoff,1973 (Tortricidae) Synonym(s): *fidelis* Diakonoff,1973
78831) *Metendothenia inouei* Kawabe,1987 (Tortricidae) Synonym(s): *inouei* Kawabe,1987
78832) *Metendothenia pulchra* Kawabe,1989 (Tortricidae) Synonym(s): *pulchra* Kawabe,1989
78833) *Microsarotis lucida* (Meyrick,1916) (Tortricidae) Synonym(s): *lucida* Meyrick,1916
78834) *Microsarotis palamedes* (Meyrick,1916) (Tortricidae) Synonym(s): *palamedes* Meyrick,1916
78835) *Mictocommis stemmatias* (Meyrick,1921) (Tortricidae) Synonym(s): *stemmatias* Meyrick,1921
78836) *Mictopsichia callicharis* Meyrick,1921 (Tortricidae) Synonym(s): *callicharis* Meyrick,1921
78837) *Mictopsichia durranti* Walsingham,1914 (Tortricidae) Synonym(s): *durranti* Walsingham,1914
78838) *Mictopsichia fueisliniana* (Cramer,[1781]) (Tortricidae) Synonym(s): *fuesliniana* Cramer,[1781]; *fueslynialis* Cramer,[1782]; *fuesslyana* Walsingham,1914
78839) *Mictopsichia gemmisparsana* (Walker,1863) (Tortricidae) Synonym(s): *gemmisparsana* Walker,1863
78840) *Mictopsichia godmani* Walsingham,1914 (Tortricidae) Synonym(s): *godmani* Walsingham,1914
78841) *Mictopsichia hubneriana* (Stoll,[1782]) (Tortricidae) Synonym(s): *hubneriana* Stoll,[1782]; *superba* C.Felder & Rogenhofer,1875
78842) *Mictopsichia miocentra* Meyrick,1920 (Tortricidae) Synonym(s): *miocentra* Meyrick,1920
78843) *Mictopsichia ornatissima* (Dognin,1909) (Tortricidae) Synonym(s): *ornatissima* Dognin,1909
78844) *Mictopsichia periophta* Meyrick,1913 (Tortricidae) Synonym(s): *periophta* Meyrick,1913
78845) *Mictopsichia renandalis* (Stoll,1787) (Tortricidae) Synonym(s): *renandalis* Stoll,1787
78846) *Mielkeana affecta* (Razowski,1986) (Tortricidae) Synonym(s): *affecta* Razowski,1986
78847) *Mielkeana angysocia* Razowski & Becker,1986 (Tortricidae) Synonym(s): *angysocia* Razowski & Becker,1986
78848) *Mielkeana gelasima* Razowski & Becker,1983 (Tortricidae) Synonym(s): *gelasima* Razowski & Becker,1983
78849) *Mimarsinania petulantana* (Kennel,1901) (Tortricidae) Synonym(s): *petulantana* Kennel,1901
78850) *Mimochylis ochroplasta* Razowski,1985 (Tortricidae) Synonym(s): *ochroplasta* Razowski,1985
78851) *Mimochylis plagiusta* Razowski,1985 (Tortricidae) Synonym(s): *plagiusta* Razowski,1985
78852) *Mimochylis planola* Razowski,1985 (Tortricidae) Synonym(s): *planola* Razowski,1985
78853) *Mimochylis plasmodia* Razowski,1985 (Tortricidae) Synonym(s): *plasmodia* Razowski,1985
78854) *Mimeugnosta arta* Razowski & Becker,1986 (Tortricidae) Synonym(s): *arta* Razowski & Becker,1986
78855) *Mimeugnosta enopla* Razowski & Becker,1986 (Tortricidae) Synonym(s): *enopla* Razowski & Becker,1986
78856) *Mimeugnosta particeps* Razowski,1986 (Tortricidae) Synonym(s): *particeps* Razowski,1986
78857) *Monimosocia parvisignis* (Meyrick,1931) (Tortricidae) Synonym(s): *parvisignis* Meyrick,1931
78858) *Monoceratuncus autolytus* (Razowski,1986) (Tortricidae) Synonym(s): *autolytus* Razowski,1986
78859) *Monoceratuncus cristatus* (Razowski & Becker,1986) (Tortricidae) Synonym(s): *cristatus* Razowski & Becker,1986
78860) *Monoceratuncus cryphalus* Razowski,1993 (Tortricidae) Synonym(s): *cryphalus* Razowski,1993
78861) *Monoceratuncus eriodens* (Razowski,1986) (Tortricidae) Synonym(s): *eriodens* Razowski,1986
78862) *Monoceratuncus lugens* (Razowski,1986) (Tortricidae) Synonym(s): *lugens* Razowski,1986; *#lugens* Razowski,1986
78863) *Monoceratuncus peltatus* Razowski & Becker,1993 (Tortricidae) Synonym(s): *peltatus* Razowski & Becker,1993
78864) *Monoceratuncus tantulus* (Razowski & Becker,1986) (Tortricidae) Synonym(s): *tantulus* Razowski & Becker,1986
78865) *Monortha corusca* (Meyrick,1912) (Tortricidae) Synonym(s): *corusca* Meyrick,1912
78866) *Monortha funestra* Razowski & Becker,1981 (Tortricidae) Synonym(s): *funestra* Razowski & Becker,1981
78867) *Monortha illaqueata* (Meyrick,1917) (Tortricidae) Synonym(s): *illaqueata* Meyrick,1917; *#illaqueata* Clarke,1958
78868) *Monortha pleodontia* Razowski,1987 (Tortricidae) Synonym(s): *pleodontia* Razowski,1987
78869) *Muhabbetina pectinata* (Diakonoff,1988) (Tortricidae) Synonym(s): *pectinata* Diakonoff,1988
78870) *Muhabbetina psimythistes* (Diakonoff,1988) (Tortricidae) Synonym(s): *psimythistes* Diakonoff,1988
78871) *Namasia catoptrica* Diakonoff,1983 (Tortricidae) Synonym(s): *catoptrica* Diakonoff,1983
78872) *Neobarbara olivacea* Liu & Nasu,1993 (Tortricidae) Synonym(s): *olivacea* Liu & Nasu,1993
78873) *Neocalyptis affinisana* (Walker,1863) (Tortricidae) Synonym(s): *affinisana* Walker,1863
78874) *Neocalyptis chlansignum* Razowski,2006 (Tortricidae) Synonym(s): *chlansignum* Razowski,2006
78875) *Neocalyptis conicus* Rose & Pooni,2004 (Tortricidae) Synonym(s): *conicus* Rose & Pooni,2004
78876) *Neocalyptis ladakhana* Razowski,2006 (Tortricidae) Synonym(s): *ladakhana* Razowski,2006
78877) *Neocalyptis nematodes* (Meyrick,1928) (Tortricidae) Synonym(s): *nematodes* Meyrick,1928
78878) *Neocalyptis nematodes insularis* Diakonoff,1948 (Tortricidae) Synonym(s): *insularis* Diakonoff,1948
78879) *Neocalyptis nematodes nematodes* (Meyrick,1928) (Tortricidae) Synonym(s): *nematodes* Meyrick,1928
78880) *Neocalyptis nuristana* (Razowski,1967) (Tortricidae) Synonym(s): *nuristana* Razowski,1967
78881) *Neoculia dorsistriatana* (Walsingham,1884) (Tortricidae) Synonym(s): *dorsistriatana* Walsingham,1884
78882) *Neohermenias angulata* (Diakonoff,1953) (Tortricidae) Synonym(s): *angulata* Diakonoff,1953
78883) *Neohermenias apertana* Kuznetsov,1988 (Tortricidae) Synonym(s): *apertana* Kuznetsov,1988
78884) *Neohermenias asbolandra* (Meyrick,1938) (Tortricidae) Synonym(s): *asbolandra* Meyrick,1938
78885) *Neohermenias conglomerata* (Diakonoff,1953) (Tortricidae) Synonym(s): *conglomerata* Diakonoff,1953
78886) *Neohermenias corticina* (Diakonoff,1953) (Tortricidae) Synonym(s): *corticina* Diakonoff,1953
78887) *Neohermenias dendrosema* (Diakonoff,1953) (Tortricidae) Synonym(s): *dendrosema* Diakonoff,1953
78888) *Neohermenias dirupta* (Diakonoff,1953) (Tortricidae) Synonym(s): *dirupta* Diakonoff,1953
78889) *Neohermenias eugena* (Diakonoff,1953) (Tortricidae) Synonym(s): *eugena* Diakonoff,1953
78890) *Neohermenias gracilis* (Diakonoff,1953) (Tortricidae) Synonym(s): *gracilis* Diakonoff,1953
78891) *Neohermenias melanastraptis* Diakonoff,1969 (Tortricidae) Synonym(s): *melanastraptis* Diakonoff,1969
78892) *Neohermenias merodelta* (Diakonoff,1953) (Tortricidae) Synonym(s): *merodelta* Diakonoff,1953
78893) *Neohermenias niphobola* (Diakonoff,1953) (Tortricidae) Synonym(s): *niphobola* Diakonoff,1953
78894) *Neohermenias platysphena* (Diakonoff,1953) (Tortricidae) Synonym(s): *platysphena* Diakonoff,1953
78895) *Neohermenias pollostes* (Diakonoff,1953) (Tortricidae) Synonym(s): *pollostes* Diakonoff,1953
78896) *Neohermenias psimythographa* (Diakonoff,1953) (Tortricidae) Synonym(s): *psimythographa* Diakonoff,1953

- 78897) *Neohermenias saxicolor* (Diakonoff,1953) (Tortricidae) Synonym(s): *saxicolor* Diakonoff,1953
78898) *Neohermenias scoliomelas* (Diakonoff,1953) (Tortricidae) Synonym(s): *scoliomelas* Diakonoff,1953
78899) *Neohermenias serrula* (Diakonoff,1953) (Tortricidae) Synonym(s): *serrula* Diakonoff,1953
78900) *Neohermenias stichoceros* (Meyrick,1938) (Tortricidae) Synonym(s): *stichoceros* Meyrick,1938
78901) *Neohermenias terminata* (Diakonoff,1953) (Tortricidae) Synonym(s): *terminata* Diakonoff,1953
78902) *Neohermenias textrix* (Diakonoff,1953) (Tortricidae) Synonym(s): *textrix* Diakonoff,1953
78903) *Neohermenias thalassitis* (Meyrick,1910) (Tortricidae) Synonym(s): *thalassitis* Meyrick,1910
78904) *Neohermenias tristis* (Diakonoff,1953) (Tortricidae) Synonym(s): *tristis* Diakonoff,1953
78905) *Neohermenias xylogena* (Diakonoff,1953) (Tortricidae) Synonym(s): *xylogena* Diakonoff,1953
78906) *Neopotamia angulata* Kawabe,1995 (Tortricidae) Synonym(s): *angulata* Kawabe,1995
78907) *Neopotamia armatana* Kuznetsov,1988 (Tortricidae) Synonym(s): *armatana* Kuznetsov,1988
78908) *Neopotamia calogona* Diakonoff,1973 (Tortricidae) Synonym(s): *calogona* Diakonoff,1973
78909) *Neopotamia cathemacta* Diakonoff,1983 (Tortricidae) Synonym(s): *cathemacta* Diakonoff,1983
78910) *Neopotamia cryptocosma* Diakonoff,1973 (Tortricidae) Synonym(s): *cryptocosma* Diakonoff,1973; *taiwana* Kawabe,1992
78911) *Neopotamia divisa* (Walsingham,1900) (Tortricidae) Synonym(s): *divisa* Walsingham,1900; *acrosema* Meyrick,1909
78912) *Neopotamia formosa* Kawabe,1989 (Tortricidae) Synonym(s): *formosa* Kawabe,1989
78913) *Neopotamia glyceranthes* (Meyrick,1928) (Tortricidae) Synonym(s): *glyceranthes* (Meyrick,1928
78914) *Neopotamia ioxantha* (Meyrick,1907) (Tortricidae) Synonym(s): *ioxantha* Meyrick,1907
78915) *Neopotamia leucotoma* Diakonoff,1973 (Tortricidae) Synonym(s): *leucotoma* Diakonoff,1973
78916) *Neopotamia ochracea* (Walsingham,1900) (Tortricidae) Synonym(s): *ochracea* Walsingham,1900
78917) *Neopotamia orophias* (Meyrick,1907) (Tortricidae) Synonym(s): *orophias* Meyrick,1907
78918) *Neopotamia punctata* Kawabe,1989 (Tortricidae) Synonym(s): *punctata* Kawabe,1989
78919) *Neopotamia rubra* Kawabe,1992 (Tortricidae) Synonym(s): *rubra* Kawabe,1992
78920) *Neopotamia siamensis* Kawabe,1995 (Tortricidae) Synonym(s): *siamensis* Kawabe,1995
78921) *Neopotamia strebloma* (Meyrick,1936) (Tortricidae) Synonym(s): *strebloma* Meyrick,1936
78922) *Neopotamia tornocroca* Diakonoff,1973 (Tortricidae) Synonym(s): *tornocroca* Diakonoff,1973
78923) *Neosphaleroptera nubilana* (Hübner,[1799]) (Tortricidae) Synonym(s): ? *alniana* [Denis & Schiffermüller],1775; *nubilana* Hübner,[1799]; *glareana* Schrank,1802; *perfusca* Haworth,1811; *conradii* Portshinkij,1888
78924) *Nesochoris brachystigma* Clarke,1965 (Tortricidae) Synonym(s): *brachystigma* Clarke,1965
78925) *Nesochoris holographa* Clarke,1965 (Tortricidae) Synonym(s): *holographa* Clarke,1965
78926) *Netechna technema* (Walsingham,1914) (Tortricidae) Synonym(s): *technema* Walsingham,1914
78927) *Nexosa aureola* Diakonoff,1977 (Tortricidae) Synonym(s): *aureola* Diakonoff,1977
78928) *Nexosa hexaphala* (Meyrick,1912) (Tortricidae) Synonym(s): *hexaphala* Meyrick,1912
78929) *Nexosa marmarastra* (Meyrick,1932) (Tortricidae) Synonym(s): *marmarastra* Meyrick,1932
78930) *Nexosa picturata* (Meyrick,1912) (Tortricidae) Synonym(s): *picturata* Meyrick,1912
78931) *Noduliferola niphanda* (Diakonoff,1984) (Tortricidae) Synonym(s): *niphanda* Diakonoff,1984
78932) *Notocelia aquana* (Hübner,[1799]) (Tortricidae) Synonym(s): *#roborana* [Denis & Schiffermüller],1775; *aquana* Hübner,[1799].
78933) *Notocelia aritai* Kawabe,1989 (Tortricidae) Synonym(s): *aritai* Kawabe,1989
78934) *Notocelia cynosbatella* (Linnaeus,1758) (Tortricidae) Synonym(s): *cynosbatella* Linnaeus,1758; *cynosbana* Fabricius,1775; *tripunctana* [Denis & Schiffermüller],1775; *#cynobatella* Razowski,1966; *damascena* Tuleskov & Nikolova,1967.
78935) *Notocelia incarnatana* (Hübner,[1800]) (Tortricidae) Synonym(s): *incarnatana* Hübner,[1800]; *amoenana* Hübner,[1817].
78936) *Notocelia mediterranea* (Obratzov,1952) (Tortricidae) Synonym(s): *mediterranea* Obratzov,1952
78937) *Notocelia punicana* Kuznetsov,1956 (Tortricidae) Synonym(s): *punicana* Kuznetsov,1956
78938) *Notocelia rosaeolana* (Doubleday,1850) (Tortricidae) Synonym(s): *rosaeolana* Doubleday,1850
78939) *Notocelia tetragonana* (Stephens,1834) (Tortricidae) Synonym(s): *tetragonana* Stephens,1834
78940) *Notocelia trimaculana* (Haworth,[1811]) (Tortricidae) Synonym(s): *trimaculana* Haworth,[1811]; *suffusana* Duponchel,1843.
78941) *Notocelia uddmanniana* (Linnaeus,1758) (Tortricidae) Synonym(s): *uddmanniana* Linnaeus,1758
78942) *Notocelia uddmanniana orientana* Caradja,1916 (Tortricidae) Synonym(s): *orientana* Caradja,1916
78943) *Nuritamburia chlorocalla* (Walsingham,1907) (Tortricidae) Synonym(s): *chlorocalla* Walsingham,1907
78944) *Nuritamburia metallurgica* (Walsingham,1907) (Tortricidae) Synonym(s): *metallurgica* Walsingham,1907
78945) *Nuritamburia phyllanthana* (Swezey,1913) (Tortricidae) Synonym(s): *phyllanthana* Swezey,1913
78946) *Nuritamburia semicineriana* (Swezey,1913) (Tortricidae) Synonym(s): *semicineriana* Swezey,1913
78947) *Nuritamburia thoracina* (Walsingham,1907) (Tortricidae) Synonym(s): *thoracina* Walsingham,1907
78948) *Nyctidea cyanitis* Diakonoff,1973 (Tortricidae) Synonym(s): *cyanitis* Diakonoff,1973
78949) *Nyctidea mataea* Diakonoff,1973 (Tortricidae) Synonym(s): *mataea* Diakonoff,1973
78950) *Nyctidea saloris* Diakonoff,1973 (Tortricidae) Synonym(s): *salaris* Diakonoff,1973
78951) *Nyctidea syngena* Diakonoff,1973 (Tortricidae) Synonym(s): *syngena* Diakonoff,1973
78952) *Odonthalitus lacticus* Razowski,1990 (Tortricidae) Synonym(s): *lacticus* Razowski,1990
78953) *Ofatulena duodecemstriata* (Walsingham,1884) (Tortricidae) Synonym(s): *duodecemstriata* Walsingham,1884
78954) *Ofatulena jamaicana* (Walsingham,1897) (Tortricidae) Synonym(s): *jamaicana* Walsingham,1897
78955) *Ofatulena luminosa* Heinrich,1926 (Tortricidae) Synonym(s): *luminosa* Heinrich,1926
78956) *Olethreutes* (Argyroploce) ? *plumbiferana* Kennel,1916 (Tortricidae) Synonym(s): *plumbiferana* Kennel,1916
78957) *Olethreutes* (Argyroploce) *acroplecta* (Meyrick,1921) (Tortricidae) Synonym(s): *acroplecta* Meyrick,1921
78958) *Olethreutes* (Argyroploce) *affluens* (Meyrick,1921) (Tortricidae) Synonym(s): *affluens* Meyrick,1921
78959) *Olethreutes* (Argyroploce) *anaclina* (Meyrick,1921) (Tortricidae) Synonym(s): *anaclina* Meyrick,1921
78960) *Olethreutes* (Argyroploce) *aquilonana* (Karvonen,1932) (Tortricidae) Synonym(s): *aquilonana* Karvonen,1932; *helvomagulana* Kostyuk,1975; *kononenkoi* Kuznetsov,1991
78961) *Olethreutes* (Argyroploce) *arbutella* (Linnaeus,1758) (Tortricidae) Synonym(s): *arbutella* Linnaeus,1758; *arbutana* Hübner,[1813]
78962) *Olethreutes* (Argyroploce) *arsiptera* (Meyrick,1921) (Tortricidae) Synonym(s): *arsiptera* Meyrick,1921
78963) *Olethreutes* (Argyroploce) *asterota* (Meyrick,1918) (Tortricidae) Synonym(s): *asterota* Meyrick,1918
78964) *Olethreutes* (Argyroploce) *bipunctana* (Fabricius,1794) (Tortricidae) Synonym(s): *bipunctana* Fabricius,1794
78965) *Olethreutes* (Argyroploce) *brevibasana* (Walsingham,1891) (Tortricidae) Synonym(s): *brevibasana* Walsingham,1891
78966) *Olethreutes* (Argyroploce) *carceraria* (Meyrick,1913) (Tortricidae) Synonym(s): *carceraria* Meyrick,1913
78967) *Olethreutes* (Argyroploce) *caryocoma* (Meyrick,1918) (Tortricidae) Synonym(s): *caryocoma* Meyrick,1918
78968) *Olethreutes* (Argyroploce) *concretana* (Wocke,1862) (Tortricidae) Synonym(s): *concretana* Wocke,1862
78969) *Olethreutes* (Argyroploce) *criopis* (Meyrick,1928) (Tortricidae) Synonym(s): *criopis* Meyrick,1928
78970) *Olethreutes* (Argyroploce) *delitana* (Staudinger,1879) (Tortricidae) Synonym(s): *delitana* Staudinger,1879; *laurentiana* Kennel,1919; *flava* Kennel,1919.
78971) *Olethreutes* (Argyroploce) *diremptana* (Walker,1863) (Tortricidae) Synonym(s): *diremptana* Walker,1863
78972) *Olethreutes* (Argyroploce) *dissolutana* (Stange,1866) (Tortricidae) Synonym(s): *dissolutana* Stange,1866
78973) *Olethreutes* (Argyroploce) *encharacta* (Meyrick,1918) (Tortricidae) Synonym(s): *encharacta* Meyrick,1918
78974) *Olethreutes* (Argyroploce) *ernestiana* (Obratzov,1961) (Tortricidae) Synonym(s): *ernestiana* Obratzov,1961
78975) *Olethreutes* (Argyroploce) *erythrope* (Meyrick,1918) (Tortricidae) Synonym(s): *erythrope* Meyrick,1918
78976) *Olethreutes* (Argyroploce) *exhilarata* (Meyrick,1918) (Tortricidae) Synonym(s): *exhilarata* Meyrick,1918; *eoplecta* Meyrick,1925
78977) *Olethreutes* (Argyroploce) *glaphyraspis* (Meyrick,1921) (Tortricidae) Synonym(s): *glaphyraspis* Meyrick,1921
78978) *Olethreutes* (Argyroploce) *globigera* (Meyrick,1914) (Tortricidae) Synonym(s): *globigera* Meyrick,1914
78979) *Olethreutes* (Argyroploce) *hyperboreana* Karvonen,1932 (Tortricidae) Synonym(s): *hyperboreana* Karvonen,1932
78980) *Olethreutes* (Argyroploce) *inquietana* (Walker,1863) (Tortricidae) Synonym(s): *inquietana* Walker,1863
78981) *Olethreutes* (Argyroploce) *iorthoa* (Meyrick,1914) (Tortricidae) Synonym(s): *iorthoa* Meyrick,1914
78982) *Olethreutes* (Argyroploce) *kurdistanana* Amsel,1959 (Tortricidae) Synonym(s): *kurdistanana* Amsel,1959

- 78983) *Olethreutes* (Argyroploce) *lacunana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *lacunana* [Denis & Schiffermüller],1775; *herbana* Guenée,1845
- 78984) *Olethreutes* (Argyroploce) *lediana* (Linnaeus,1758) (Tortricidae) Synonym(s): *lediana* Linnaeus,1758; *westwoodana* Zetterstedt,1839; *lienigiana* Zeller,1846; *szmyti* Toll,1957
- 78985) *Olethreutes* (Argyroploce) *lobotona* (Meyrick,1921) (Tortricidae) Synonym(s): *lobotona* Meyrick,1921
- 78986) *Olethreutes* (Argyroploce) *lutipennis* (Meyrick,1921) (Tortricidae) Synonym(s): *lutipennis* Meyrick,1921
- 78987) *Olethreutes* (Argyroploce) *metallicana* (Hübner,[1799]) (Tortricidae) Synonym(s): *metallicana* Hübner,[1799]; *metallana* Frölich,1828
- 78988) *Olethreutes* (Argyroploce) *micana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *micana* [Denis & Schiffermüller],1775; *olivana* Treitschke,1830; *bistrigana* Stephens,1834; *haworthiana* Stephens,1834
- 78989) *Olethreutes* (Argyroploce) *micrograpta* (Meyrick,1921) (Tortricidae) Synonym(s): *micrograpta* Meyrick,1921
- 78990) *Olethreutes* (Argyroploce) *mixanthus* (Meyrick,1932) (Tortricidae) Synonym(s): *mixanthus* Meyrick,1932
- 78991) *Olethreutes* (Argyroploce) *mochlaspis* (Meyrick,1921) (Tortricidae) Synonym(s): *mochlaspis* Meyrick,1921
- 78992) *Olethreutes* (Argyroploce) *mygindiana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *mygindiana* [Denis & Schiffermüller],1775; *fulvipunctana* Haworth,1811; *flammeana* Frölich,1828
- 78993) *Olethreutes* (Argyroploce) *nectarodes* (Meyrick,1921) (Tortricidae) Synonym(s): *nectarodes* Meyrick,1921
- 78994) *Olethreutes* (Argyroploce) *niphadastra* (Meyrick,1921) (Tortricidae) Synonym(s): *niphadastra* Meyrick,1921
- 78995) *Olethreutes* (Argyroploce) *noricana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *noricana* Herrich-Schäffer,1851
- 78996) *Olethreutes* (Argyroploce) *nucleata* (Meyrick,1913) (Tortricidae) Synonym(s): *nucleata* Meyrick,1913
- 78997) *Olethreutes* (Argyroploce) *orichlora* (Meyrick,1920) (Tortricidae) Synonym(s): *orichlora* Meyrick,1920
- 78998) *Olethreutes* (Argyroploce) *orthacta* (Meyrick,1908) (Tortricidae) Synonym(s): *orthacta* Meyrick,1908
- 78999) *Olethreutes* (Argyroploce) *palustrana* (Lienig & Zeller,1846) (Tortricidae) Synonym(s): *palustrana* Lienig & Zeller,1846; *disertana* Herrich-Schäffer,1848
- 79000) *Olethreutes* (Argyroploce) *pfeifferiana* (Obraztsov,1961) (Tortricidae) Synonym(s): *pfeifferiana* Obraztsov,1961
- 79001) *Olethreutes* (Argyroploce) *phoeniodes* (Meyrick,1921) (Tortricidae) Synonym(s): *phoeniodes* Meyrick,1921
- 79002) *Olethreutes* (Argyroploce) *polymorpha* (Meyrick,1932) (Tortricidae) Synonym(s): *polymorpha* Meyrick,1932
- 79003) *Olethreutes* (Argyroploce) *predotai* (Hartig,1938) (Tortricidae) Synonym(s): *predotai* Hartig,1938
- 79004) *Olethreutes* (Argyroploce) *prodroma* (Meyrick,1913) (Tortricidae) Synonym(s): *prodroma* Meyrick,1913
- 79005) *Olethreutes* (Argyroploce) *propitia* (Meyrick,1918) (Tortricidae) Synonym(s): *propitia* Meyrick,1918
- 79006) *Olethreutes* (Argyroploce) *ptilonota* (Meyrick,1921) (Tortricidae) Synonym(s): *ptilonota* Meyrick,1921
- 79007) *Olethreutes* (Argyroploce) *rhetorica* (Meyrick,1920) (Tortricidae) Synonym(s): *rhetorica* Meyrick,1920
- 79008) *Olethreutes* (Argyroploce) *sagata* (Meyrick,1913) (Tortricidae) Synonym(s): *sagata* Meyrick,1913
- 79009) *Olethreutes* (Argyroploce) *scabellana* (Zeller,1852) (Tortricidae) Synonym(s): *scabellana* Zeller,1852
- 79010) *Olethreutes* (Argyroploce) *schaefferana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *schaefferana* Herrich-Schäffer,1851
- 79011) *Olethreutes* (Argyroploce) *schulziana* (Fabricius,1777) (Tortricidae) Synonym(s): *schulziana* Fabricius,1777; *pinetana* Hübner,[1799]; *bentleiana* Donovan,1801; *zinkenana* Frölich,1828; *daleana* Doubleday,1859
- 79012) *Olethreutes* (Argyroploce) *scoriana* (Guenée,1845) (Tortricidae) Synonym(s): *scoriana* Guenée,1845; *metalliferana* Herrich-Schäffer,1851
- 79013) *Olethreutes* (Argyroploce) *sistrata* (Meyrick,1911) (Tortricidae) Synonym(s): *sistrata* Meyrick,1911
- 79014) *Olethreutes* (Argyroploce) *stibiana* (Guenée,1845) (Tortricidae) Synonym(s): *stibiana* Guenée,1845; *sibirana* Caradja,1916; *fluviana* Kennel,1919.
- 79015) *Olethreutes* (Argyroploce) *transformis* (Meyrick,1921) (Tortricidae) Synonym(s): *transformis* Meyrick,1921
- 79016) *Olethreutes* (Argyroploce) *trithyra* (Meyrick,1921) (Tortricidae) Synonym(s): *trithyra* Meyrick,1921
- 79017) *Olethreutes* (Argyroploce) *turfosana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *turfosana* Herrich-Schäffer,1851
- 79018) *Olethreutes* (s.str.) *arcuana* (Linnaeus,1761) (Tortricidae) Synonym(s): *arcuella* Clerck,1759; *arcuana* Linnaeus,1761; *lambergiana* Scopoli,1763.
- 79019) *Olethreutes* (s.str.) *astrana* (Guenée,1845) (Tortricidae) Synonym(s): *astrana* Guenée,1845
- 79020) *Olethreutes* (s.str.) *dalecarliana* (Guenée,1845) (Tortricidae) Synonym(s): *dalecarliana* Guenée,1845; *pyrolana* Wocke,1857
- 79021) *Olethreutes* (s.str.) *doubledayana* (Barrett,1872) (Tortricidae) Synonym(s): *doubledayana* Barrett,1872
- 79022) *Olethreutes* (s.str.) *helveticana* (Duponchel,1845) (Tortricidae) Synonym(s): *helveticana* Duponchel,1845
- 79023) *Olethreutes* (s.str.) *obsoletana* (Zetterstedt,1839) (Tortricidae) Synonym(s): *obsoletana* Zetterstedt,1839; *nebulosana* Zetterstedt,1839; *schoenerrhana* Guenée,1845; *sudetana* Standfuss,1846; *irriguana* Herrich-Schäffer,1856
- 79024) *Olethreutes* (s.str.) *siderana* (Treitschke,1835) (Tortricidae) Synonym(s): *siderana* Treitschke,1835; *notata* Walsingham,1900
- 79025) *Olethreutes* (s.str.) *umbrosana* (Freyer,1842) (Tortricidae) Synonym(s): *umbrosana* Freyer,1842
- 79026) *Olindia* *schumacherana* (Fabricius,1787) (Tortricidae) Synonym(s): *schumacherana* Fabricius,1787; *ulmana* Hübner,[1823]; *areolana* Hübner,[1823]; *obscurana* Burmann,1949; *cruciana* Burmann,1949.
- 79027) *Omiostola* *adamantea* Meyrick,1922 (Tortricidae) Synonym(s): *adamantea* Meyrick,1922
- 79028) *Omiostola* *alphetopa* Meyrick,1922 (Tortricidae) Synonym(s): *alphetopa* Meyrick,1922
- 79029) *Omiostola* *gerda* (Busck,1911) (Tortricidae) Synonym(s): *gerda* Busck,1911
- 79030) *Omiostola* *macrotachela* Meyrick,1922 (Tortricidae) Synonym(s): *macrotachela* Meyrick,1922
- 79031) *Ophiorrhada* *cellifera* (Meyrick,1912) (Tortricidae) Synonym(s): *cellifera* Meyrick,1912; *codonectis* Meyrick,1927; *pottsi* Clarke,1976
- 79032) *Ophiorrhada* *ergasima* (Meyrick,1911) (Tortricidae) Synonym(s): *ergasima* Meyrick,1911; *dryoptycha* Meyrick,1922; *empherana* Bradley,1961
- 79033) *Ophiorrhada* *favillosa* Diakonoff,1973 (Tortricidae) Synonym(s): *favillosa* Diakonoff,1973
- 79034) *Ophiorrhada* *harmonica* (Meyrick,1905) (Tortricidae) Synonym(s): *harmonica* Meyrick,1905; *crocospila* Meyrick,1939
- 79035) *Ophiorrhada* *leveri* (Bradley,1954) (Tortricidae) Synonym(s): *leveri* Bradley,1954
- 79036) *Ophiorrhada* *mormopa* (Meyrick,1906) (Tortricidae) Synonym(s): *mormopa* Meyrick,1906; *#melanocycla* Common,1970
- 79037) *Ophiorrhada* *mysterica* (Turner,1916) (Tortricidae) Synonym(s): *mysterica* Turner,1916
- 79038) *Ophiorrhada* *philocompsa* (Meyrick,1921) (Tortricidae) Synonym(s): *philocompsa* Meyrick,1921
- 79039) *Ophiorrhada* *philocompsa* (Meyrick,1921) (Tortricidae) Synonym(s): *philocompsa* Meyrick,1921
- 79040) *Ophiorrhada* *quartaria* (Diakonoff,1973) (Tortricidae) Synonym(s): *quartaria* Diakonoff,1973
- 79041) *Ophiorrhada* *scaristis* (Meyrick,1921) (Tortricidae) Synonym(s): *scaristis* Meyrick,1921
- 79042) *Ophiorrhada* *tokui* (Kawabe,1974) (Tortricidae) Synonym(s): *tokui* Kawabe,1974
- 79043) *Ophiorrhada* *unicolor* (Diakonoff,1973) (Tortricidae) Synonym(s): *unicolor* Diakonoff,1973
- 79044) *Oregocera* *orcula* Razowski,1988 (Tortricidae) Synonym(s): *orcula* Razowski,1988
- 79045) *Orthocomotis* *aglaia* Clarke,1956 (Tortricidae) Synonym(s): *aglaia* Clarke,1956
- 79046) *Orthocomotis* *aphanisma* Razowski & Becker,1990 (Tortricidae) Synonym(s): *aphanisma* Razowski & Becker,1990
- 79047) *Orthocomotis* *argodonta* Clarke,1956 (Tortricidae) Synonym(s): *argodonta* Clarke,1956
- 79048) *Orthocomotis* *attonsa* Razowski,1982 (Tortricidae) Synonym(s): *attonsa* Razowski,1982
- 79049) *Orthocomotis* *auchmera* Razowski,1982 (Tortricidae) Synonym(s): *auchmera* Razowski,1982
- 79050) *Orthocomotis* *boscantina* (Dognin,1912) (Tortricidae) Synonym(s): *boscantina* Dognin,1912
- 79051) *Orthocomotis* *chaldra* (Druce,1889) (Tortricidae) Synonym(s): *chaldra* Druce,1889
- 79052) *Orthocomotis* *chloantha* (Walsingham,1914) (Tortricidae) Synonym(s): *chloantha* Walsingham,1914
- 79053) *Orthocomotis* *cristata* Clarke,1956 (Tortricidae) Synonym(s): *cristata* Clarke,1956
- 79054) *Orthocomotis* *euchaldra* Clarke,1956 (Tortricidae) Synonym(s): *euchaldra* Clarke,1956
- 79055) *Orthocomotis* *exolivata* Clarke,1956 (Tortricidae) Synonym(s): *exolivata* Clarke,1956
- 79056) *Orthocomotis* *herbacea* Clarke,1956 (Tortricidae) Synonym(s): *herbacea* Clarke,1956
- 79057) *Orthocomotis* *herbaria* (Busck,1920) (Tortricidae) Synonym(s): *herbaria* Busck,1920
- 79058) *Orthocomotis* *leucothorax* Clarke,1956 (Tortricidae) Synonym(s): *leucothorax* Clarke,1956
- 79059) *Orthocomotis* *magicana* (Zeller,1866) (Tortricidae) Synonym(s): *magicana* Zeller,1866
- 79060) *Orthocomotis* *marela* Clarke,1956 (Tortricidae) Synonym(s): *marela* Clarke,1956; *jordani* Clarke,1956
- 79061) *Orthocomotis* *melania* Clarke,1956 (Tortricidae) Synonym(s): *melania* Clarke,1956
- 79062) *Orthocomotis* *melanochlora* (Meyrick,1931) (Tortricidae) Synonym(s): *melanochlora* Meyrick,1931
- 79063) *Orthocomotis* *muscosana* (Zeller,1866) (Tortricidae) Synonym(s): *muscosana* Zeller,1866
- 79064) *Orthocomotis* *nitida* Clarke,1956 (Tortricidae) Synonym(s): *nitida* Clarke,1956

- 79065) *Orthocomotis ochracea* Clarke,1956 (Tortricidae) Synonym(s): *ochracea* Clarke,1956
 79066) *Orthocomotis ochrosaphes* Clarke,1956 (Tortricidae) Synonym(s): *ochrosaphes* Clarke,1956
 79067) *Orthocomotis olivata* Dognin,1905 (Tortricidae) Synonym(s): *olivata* Dognin,1905
 79068) *Orthocomotis phenax* Razowski & Becker,1990 (Tortricidae) Synonym(s): *phenax* Razowski & Becker,1990
 79069) *Orthocomotis phenax phenax* Razowski & Becker,1990 (Tortricidae) Synonym(s): *phenax* Razowski & Becker,1990
 79070) *Orthocomotis phenax phobetica* Razowski & Becker,1990 (Tortricidae) Synonym(s): *phobetica* Razowski & Becker,1990
 79071) *Orthocomotis prochaltera* Clarke,1956 (Tortricidae) Synonym(s): *prochaltera* Clarke,1956
 79072) *Orthocomotis pseudolivata* Clarke,1956 (Tortricidae) Synonym(s): *pseudolivata* Clarke,1956
 79073) *Orthocomotis smaragditis* (Meyrick,1912) (Tortricidae) Synonym(s): *smaragditis* Meyrick,1912
 79074) *Orthocomotis subolivata* Clarke,1956 (Tortricidae) Synonym(s): *subolivata* Clarke,1956
 79075) *Orthocomotis trissophricta* (Meyrick,1932) (Tortricidae) Synonym(s): *trissophricta* Meyrick,1932
 79076) *Orthocomotis twila* Clarke,1956 (Tortricidae) Synonym(s): *twila* Clarke,1956
 79077) *Orthocomotis uragia* Razowski & Becker,1990 (Tortricidae) Synonym(s): *uragia* Razowski & Becker,1990
 79078) *Orthognathosia santamariana* Razowski,1988 (Tortricidae) Synonym(s): *santamariana* Razowski,1988
 79079) *Orthotaenia secunda* Falkovitsh,1962 (Tortricidae) Synonym(s): *secunda* Falkovitsh,1962
 79080) *Orthotaenia undulana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *undulana* [Denis & Schiffermüller],1775; *urticana* Hübner,1796; *campestrana* Zeller,1875; *dilutifuscana* Walsingham,1879
 79081) *Oryguncus oribasus* Razowski,1988 (Tortricidae) Synonym(s): *oribasus* Razowski,1988
 79082) *Osmaria psaeoptera* (Razowski & Becker,1986) (Tortricidae) Synonym(s): *psaeoptera* Razowski & Becker,1986
 79083) *Osthelderiella amardiana* Obratsov,1961 (Tortricidae) Synonym(s): *amardiana* Obratsov,1961
 79084) *Oxypteron algerianum* Razowski,1965 (Tortricidae) Synonym(s): *algerianum* Razowski,1965
 79085) *Oxypteron eremica* (Walsingham,1907) (Tortricidae) Synonym(s): *eremica* Walsingham,1907; *partitanum* Chrétien,1915; *#partitanum* Razowski,1961
 79086) *Oxypteron exiguana* (La Harpe,1860) (Tortricidae) Synonym(s): *exiguana* La Harpe,1860; *chapmani* Walsingham,1907; *#exigua* Gozmany,1954
 79087) *Oxypteron homsana* Amsel,1954 (Tortricidae) Synonym(s): *homsana* Amsel,1954
 79088) *Oxypteron impar* Staudinger,1871 (Tortricidae) Synonym(s): *impar* Staudinger,1871
 79089) *Oxypteron kruegeri* (Turati,1924) (Tortricidae) Synonym(s): *kruegeri* Turati,1924
 79090) *Oxypteron palmoni* (Amsel,1940) (Tortricidae) Synonym(s): *palmoni* Amsel,1940
 79091) *Oxypteron polita* (Walsingham,1907) (Tortricidae) Synonym(s): *polita* Walsingham,1907
 79092) *Oxypteron schawerdai* (Rebel,1936) (Tortricidae) Synonym(s): *schawerdai* Rebel,1936; *neogena* Gozmany,1954
 79093) *Oxypteron wertheimsteini* (Rebel,1913) (Tortricidae) Synonym(s): *wertheimsteini* Rebel,1913; *#wertheimsteini* Obratsov,1935; *amseli* Razowski,1957
 79094) *Pammene aceris* Kuznetsov,1968 (Tortricidae) Synonym(s): *aceris* Kuznetsov,1968
 79095) *Pammene adusta* Kuznetsov,1972 (Tortricidae) Synonym(s): *adusta* Kuznetsov,1972
 79096) *Pammene agnotana* Rebel,1914 (Tortricidae) Synonym(s): *vernana* Snellen,1882; *agnotana* Rebel,1914; *snellana* Benthick,1947
 79097) *Pammene ainorum* Kuznetsov,1968 (Tortricidae) Synonym(s): *ainorum* Kuznetsov,1968
 79098) *Pammene albuginana* (Guenée,1845) (Tortricidae) Synonym(s): *albuginana* Guenée,1845; *reisseri* Rebel,1937
 79099) *Pammene amygdalana* (Duponchel,1842) (Tortricidae) Synonym(s): *amygdalana* Duponchel,1842
 79100) *Pammene ardescens* (Meyrick,1916) (Tortricidae) Synonym(s): *ardescens* Meyrick,1916
 79101) *Pammene argyrana* (Hübner,[1799]) (Tortricidae) Synonym(s): *argyrana* Hübner,[1799]; *atromargana* Haworth,[1811]; *melaleucana* Frölich,1828; *argentimicana* Bruand,1850; *vernana* Knaggs,1867
 79102) *Pammene aurana* (Fabricius,1775) (Tortricidae) Synonym(s): *aurana* Fabricius,1775; *mediana* [Denis & Schiffermüller],1775; *fulvella* Fabricius,1794; *bimaculella* Thunberg,1794; *fulvana* Fabricius,1798; *aurantiana* Kollar,1832; *#cuprea* Obratsov,1959; *#obscurana* Obratsov,1959
 79103) *Pammene aurita* Razowski,1992 (Tortricidae) Synonym(s): *aurantiana* Staudinger,1871 nec Stgr.,1870; *aurita* Razowski,1992
 79104) *Pammene avetianae* Kuznetsov,1964 (Tortricidae) Synonym(s): *avetianae* Kuznetsov,1964
 79105) *Pammene bathysema* Diakonoff,1976 (Tortricidae) Synonym(s): *bathysema* Diakonoff,1976
 79106) *Pammene blanda* Bae & Park,1998 (Tortricidae) Synonym(s): *blanda* Bae & Park,1998
 79107) *Pammene blockiana* (Herrich-Schäffer,[1851]) (Tortricidae) Synonym(s): *? blockiella* Rossi,1794; *blockiana* Herrich-Schäffer,[1851]; *cupressana* Zerny,1927
 79108) *Pammene bowmanana* (McDunnough,1927) (Tortricidae) Synonym(s): *bowmanana* McDunnough,1927
 79109) *Pammene caliginosa* Kuznetsov,1972 (Tortricidae) Synonym(s): *caliginosa* Kuznetsov,1972
 79110) *Pammene carneola* (Meyrick,1916) (Tortricidae) Synonym(s): *carneola* Meyrick,1916
 79111) *Pammene christophana* (Möschler,1862) (Tortricidae) Synonym(s): *christophana* Möschler,1862
 79112) *Pammene citrophicta* (Meyrick,1922) (Tortricidae) Synonym(s): *citrophicta* Meyrick,1922
 79113) *Pammene clanculana* (Tengström,1869) (Tortricidae) Synonym(s): *clanculana* Tengström,1869
 79114) *Pammene cocciferana* (Walsingham,1903) (Tortricidae) Synonym(s): *cocciferana* Walsingham,1903
 79115) *Pammene crataegicola* Liu & Komai,1993 (Tortricidae) Synonym(s): *crataegicola* Liu & Komai,1993
 79116) *Pammene crataegophila* Amsel,1935 (Tortricidae) Synonym(s): *crataegophila* Amsel,1935
 79117) *Pammene cyanatra* (Diakonoff,1976) (Tortricidae) Synonym(s): *cyanatra* Diakonoff,1976
 79118) *Pammene cytisana* (Zeller,1847) (Tortricidae) Synonym(s): *cytisana* Zeller,1847
 79119) *Pammene daedalopsis* (Meyrick,1922) (Tortricidae) Synonym(s): *daedalopsis* Meyrick,1922
 79120) *Pammene diagrapta* (Meyrick,1916) (Tortricidae) Synonym(s): *diagrapta* Meyrick,1916
 79121) *Pammene engadinensis* Müller-Rutz,1920 (Tortricidae) Synonym(s): *engadinensis* Müller-Rutz,1920
 79122) *Pammene epanthista* (Meyrick,1922) (Tortricidae) Synonym(s): *epanthista* Meyrick,1922
 79123) *Pammene exscribana* Kuznetsov,1986 (Tortricidae) Synonym(s): *exscribana* Kuznetsov,1986
 79124) *Pammene fasciana* (Linnaeus,1761) (Tortricidae) Synonym(s): *fasciana* Linnaeus,1761; *trinitata* Frölich,1828; *juliana* Curtis,1836; *nimbana* Herrich-Schäffer,1851; *herrichiana* Heinemann,1854
 79125) *Pammene felicitana* Heinrich,1923 (Tortricidae) Synonym(s): *felicitana* Heinrich,1923
 79126) *Pammene ferrata* (Meyrick,1916) (Tortricidae) Synonym(s): *ferrata* Meyrick,1916
 79127) *Pammene festiva* Kuznetsov,1972 (Tortricidae) Synonym(s): *festiva* Kuznetsov,1972
 79128) *Pammene flavicellula* Kuznetsov,1971 (Tortricidae) Synonym(s): *flavicellula* Kuznetsov,1971
 79129) *Pammene fulminea* Komai,1999 (Tortricidae) Synonym(s): *fulminea* Komai,1999
 79130) *Pammene fulvipalpis* (Meyrick,1922) (Tortricidae) Synonym(s): *fulvipalpis* Meyrick,1922
 79131) *Pammene gallicana* (Guenée,1845) (Tortricidae) Synonym(s): *gallicana* Guenée,1845; *rufillana* Doubleday,1850; *pudicana* Herrich-Schäffer,1851; *implicatana* Christoph,1881; *#alberici* Dufrene,1944
 79132) *Pammene gallicolana* (Lienig & Zeller,1846) (Tortricidae) Synonym(s): *gallicolana* Lienig & Zeller,1846
 79133) *Pammene germana* (Hübner,[1799]) (Tortricidae) Synonym(s): *germana* Hübner,[1799]; *stagnana* Hübner,[1799]; *atropurpurana* Haworth,[1811]; *germarana* Hübner,[1825]; *puncticostana* Stephens,1834; *immaculana* Guenée,1845; *fulvifrontana* Zeller,1849
 79134) *Pammene giganteana* (Peyerimhoff,1863) (Tortricidae) Synonym(s): *fimbriana* Haworth,1811 (homonym); *giganteana* Peyerimhoff,1863; *inquilina* T.B.Fletcher,1938
 79135) *Pammene ginkgoicola* Liu,1992 (Tortricidae) Synonym(s): *ginkgoicola* Liu,1992
 79136) *Pammene griseana* Walsingham,1900 (Tortricidae) Synonym(s): *griseana* Walsingham,1900
 79137) *Pammene griseomaculana* Kuznetsov,1960 (Tortricidae) Synonym(s): *griseomaculana* Kuznetsov,1960
 79138) *Pammene grunini* Kuznetsov,1960 (Tortricidae) Synonym(s): *grunini* Kuznetsov,1960
 79139) *Pammene ignorata* Kuznetsov,1968 (Tortricidae) Synonym(s): *ignorata* Kuznetsov,1968
 79140) *Pammene insolentana* Kuznetsov,1964 (Tortricidae) Synonym(s): *insolentana* Kuznetsov,1964
 79141) *Pammene instructana* Kuznetsov,1964 (Tortricidae) Synonym(s): *instructana* Kuznetsov,1964
 79142) *Pammene insulana* (Guenée,1845) (Tortricidae) Synonym(s): *insulana* Guenée,1845; *motacillana* Zeller,1847; *stragulana* Tengström,1848; *ovulana* Tengström,1848
 79143) *Pammene iocrossa* (Meyrick,1916) (Tortricidae) Synonym(s): *iocrossa* Meyrick,1916
 79144) *Pammene ionia* Wileman & Stringer,1929 (Tortricidae) Synonym(s): *ionia* Wileman & Stringer,1929
 79145) *Pammene japonica* Kuznetsov,1968 (Tortricidae) Synonym(s): *japonica* Kuznetsov,1968

- 79146) *Pammene juniperana* (Millière,1858) (Tortricidae) Synonym(s): *juniperana* Millière,1858; *tergorana* Frölich,1828; *thuriferana* Cleu,1926
79147) *Pammene laserpitiana* Huemer & Erlebach,1999 (Tortricidae) Synonym(s): *laserpitiana* Huemer & Erlebach,1999
79148) *Pammene latebrata* (Meyrick,1916) (Tortricidae) Synonym(s): *latebrata* Meyrick,1916
79149) *Pammene leucitis* (Meyrick,1907) (Tortricidae) Synonym(s): *leucitis* Meyrick,1907
79150) *Pammene leucodora* Meyrick,1928 (Tortricidae) Synonym(s): *leucodora* Meyrick,1928
79151) *Pammene limenita* (Meyrick,1922) (Tortricidae) Synonym(s): *limenita* Meyrick,1922
79152) *Pammene luctifica* (Meyrick,1916) (Tortricidae) Synonym(s): *luctifica* Meyrick,1916
79153) *Pammene luculentana* Kuznetsov,1962 (Tortricidae) Synonym(s): *luculentana* Kuznetsov,1962
79154) *Pammene luedersiana* (Sorhagen,1885) (Tortricidae) Synonym(s): *luedersiana* Sorhagen,1885
79155) *Pammene macrolepis* Diakonoff,1976 (Tortricidae) Synonym(s): *macrolepis* Diakonoff,1976
79156) *Pammene mariana* (Zerny,1920) (Tortricidae) Synonym(s): *mariana* Zerny,1920; *pontica* Obraztsov,1960
79157) *Pammene medioalbana* Knudson,1986 (Tortricidae) Synonym(s): *medioalbana* Knudson,1986
79158) *Pammene megalcephala* Diakonoff,1983 (Tortricidae) Synonym(s): *megalcephala* Diakonoff,1983
79159) *Pammene militaris* (Meyrick,1916) (Tortricidae) Synonym(s): *militaris* Meyrick,1916
79160) *Pammene monotincta* Kuznetsov,1976 (Tortricidae) Synonym(s): *monotincta* Kuznetsov,1976
79161) *Pammene nannodes* Walsingham,1900 (Tortricidae) Synonym(s): *nannodes* Walsingham,1900; *macilentana* Kennel,1901
79162) *Pammene nemorosa* Kuznetsov,1968 (Tortricidae) Synonym(s): *memorosa* Kuznetsov,1968
79163) *Pammene neutricha* (Meyrick,1922) (Tortricidae) Synonym(s): *neutricha* Meyrick,1922
79164) *Pammene nequior* Kuznetsov,1964 (Tortricidae) Synonym(s): *nequior* Kuznetsov,1964
79165) *Pammene nescia* Kuznetsov,1972 (Tortricidae) Synonym(s): *nescia* Kuznetsov,1972
79166) *Pammene nigrifera* (Mann,1862) (Tortricidae) Synonym(s): *nigrifera* Mann,1862
79167) *Pammene obscurana* (Stephens,1834) (Tortricidae) Synonym(s): *obscurana* Stephens,1834; *tomiana* Zeller,1868
79168) *Pammene ochsenheimeriana* (Lienig & Zeller,1846) (Tortricidae) Synonym(s): *panzerana* Frölich,1828; *ochsenheimeriana* Lienig & Zeller,1846; *loxiana* Herrich-Schäffer,1851; *luctiferana* Herrich-Schäffer,1851
79169) *Pammene ocliferia* (Heinrich,1926) (Tortricidae) Synonym(s): *ocliferia* Heinrich,1926
79170) *Pammene octavia* (Meyrick,1922) (Tortricidae) Synonym(s): *octavia* Meyrick,1922
79171) *Pammene oreina* Kuznetsov,1973 (Tortricidae) Synonym(s): *oreina* Kuznetsov,1973
79172) *Pammene orientana* Kuznetsov,1960 (Tortricidae) Synonym(s): *orientana* Kuznetsov,1960
79173) *Pammene ornata* Walsingham,1903 (Tortricidae) Synonym(s): *ornata* Walsingham,1903
79174) *Pammene oxycedrana* (Millière,1876) (Tortricidae) Synonym(s): *oxycedrana* Millière,1876
79175) *Pammene patriocosma* (Meyrick,1927) (Tortricidae) Synonym(s): *patriocosma* Meyrick,1927
79176) *Pammene paula* (Heinrich,1926) (Tortricidae) Synonym(s): *paula* Heinrich,1926
79177) *Pammene penetralis* (Meyrick,1916) (Tortricidae) Synonym(s): *penetralis* Meyrick,1916
79178) *Pammene percognata* Diakonoff,1976 (Tortricidae) Synonym(s): *percognata* Diakonoff,1976
79179) *Pammene perstructana* (Walker,1863) (Tortricidae) Synonym(s): *perstructana* Walker,1863; *signifera* Heinrich,1926
79180) *Pammene phthoneris* Diakonoff,1976 (Tortricidae) Synonym(s): *phthoneris* Diakonoff,1976
79181) *Pammene piceae* Komai,1999 (Tortricidae) Synonym(s): *piceae* Komai,1999
79182) *Pammene polyplecta* (Meyrick,1922) (Tortricidae) Synonym(s): *polyplecta* Meyrick,1922
79183) *Pammene populana* (Fabricius,1787) (Tortricidae) Synonym(s): *populana* Fabricius,1787; *ephippana* Hübner,[1817]; *sticticana* Frölich,1828
79184) *Pammene praecisa* (Meyrick,1916) (Tortricidae) Synonym(s): *praecisa* Meyrick,1916
79185) *Pammene psacastis* (Meyrick,1922) (Tortricidae) Synonym(s): *psacastis* Meyrick,1922
79186) *Pammene pulchella* Amsel,1935 (Tortricidae) Synonym(s): *pulchella* Amsel,1935
79187) *Pammene pullana* Kuznetsov,1986 (Tortricidae) Synonym(s): *pullana* Kuznetsov,1986
79188) *Pammene purpureana* Constant,1888 (Tortricidae) Synonym(s): *purpureana* Constant,1888
79189) *Pammene querceti* Gozmany,1957 (Tortricidae) Synonym(s): *querceti* Gozmany,1957
79190) *Pammene regiana* (Zeller,1849) (Tortricidae) Synonym(s): *regiana* Zeller,1849
79191) *Pammene regiana caucasica* Kuznetsov,1968 (Tortricidae) Synonym(s): *caucasica* Kuznetsov,1968
79192) *Pammene rhediella* (Linnaeus,1761) (Tortricidae) Synonym(s): *rhediella* Clerck,1759; *rhediella* Linnaeus,1761; *daldorfana* Fabricius,1787; *dimidiana* Donovan,[1804]; *rhediella* Hübner,[1825]; *parvulana* Frölich,1828
79193) *Pammene salvana* (Staudinger,1859) (Tortricidae) Synonym(s): *salvana* Staudinger,1859
79194) *Pammene semiarcha* (Meyrick,1922) (Tortricidae) Synonym(s): *semiarcha* Meyrick,1922
79195) *Pammene seminata* Filipjev,1926 (Tortricidae) Synonym(s): *seminata* Filipjev,1926
79196) *Pammene sevocata* (Meyrick,1916) (Tortricidae) Synonym(s): *sevocata* Meyrick,1916
79197) *Pammene shicotanica* Kuznetsov,1968 (Tortricidae) Synonym(s): *shicotanica* Kuznetsov,1968
79198) *Pammene siderophanes* (Meyrick,1922) (Tortricidae) Synonym(s): *siderophanes* Meyrick,1922
79199) *Pammene soyoensis* Bae & Park,1998 (Tortricidae) Synonym(s): *soyoensis* Bae & Park,1998
79200) *Pammene spiniana* (Duponchel,1843) (Tortricidae) Synonym(s): *spiniana* Duponchel,1843; *trigonana* Stephens,1829; *trigonana* Stephens,1834; *spinetorum* Herrich-Schäffer,1851
79201) *Pammene splendidulana* (Guenée,1845) (Tortricidae) Synonym(s): *strobilana* Haworth,1811; *splendidulana* Guenée,1845; *plumbatana* Lienig & Zeller,1846; *suberana* Constant,1895
79202) *Pammene stabulata* (Meyrick,1916) (Tortricidae) Synonym(s): *stabulata* Meyrick,1916
79203) *Pammene strophodina* (Meyrick,1932) (Tortricidae) Synonym(s): *strophodina* Meyrick,1932
79204) *Pammene stugae* Issiki,1961 (Tortricidae) Synonym(s): *stugae* Issiki,1961
79205) *Pammene subsalvana* Kuznetsov,1960 (Tortricidae) Synonym(s): *subsalvana* Kuznetsov,1960
79206) *Pammene suspectana* (Lienig & Zeller,1846) (Tortricidae) Synonym(s): *suspectana* Lienig & Zeller,1846; *fraxinana* Peyerimhoff,1872
79207) *Pammene tauriana* Kuznetsov,1960 (Tortricidae) Synonym(s): *tauriana* Kuznetsov,1960
79208) *Pammene thylacura* (Meyrick,1922) (Tortricidae) Synonym(s): *thylacura* Meyrick,1922
79209) *Pammene tornograpta* (Meyrick,1927) (Tortricidae) Synonym(s): *tornograpta* Meyrick,1927
79210) *Pammene trauniana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *trauniana* [Denis & Schiffermüller],1775; *floricolana* Frölich,1828; *notata* Westwood,1845; *conjugana* Zeller,1849
79211) *Pammene tricuneana* (Kennel,1900) (Tortricidae) Synonym(s): *tricuneana* Kennel,1900
79212) *Pammene ochropa* (Meyrick,1905) (Tortricidae) Synonym(s): *ochropa* Meyrick,1905; *dissias* Meyrick,1907
79213) *Pammene calligrapha* Diakonoff,1988 (Tortricidae) Synonym(s): *calligrapha* Diakonoff,1988
79214) *Pammeneopsis critica* (Meyrick,1905) (Tortricidae) Synonym(s): *critica* Meyrick,1905; *ludicra* Meyrick,1912; *pseudomorpha* Meyrick,1916; *trichocrossa* Meyrick,1916
79215) *Pandemis cerasana* (Hübner,1786) (Tortricidae) Synonym(s): *cerasana* Hübner,1786
79216) *Pandemis chondrillana* (Herrich-Schäffer,1860) (Tortricidae) Synonym(s): *chondrillana* Herrich-Schäffer,1860; *praefloratana* Kennel,1901; *laurana* Kennel,1919; *elsana* Kennel,1919; *eulogiana* Kennel,1919; *unicolor* Obraztsov,1943
79217) *Pandemis cinnamomeana* (Treitschke,1830) (Tortricidae) Synonym(s): *cinnamomeana* Treitschke,1830
79218) *Pandemis corylana* (Fabricius,1794) (Tortricidae) Synonym(s): *corylana* Fabricius,1794
79219) *Pandemis dumetana* (Treitschke,1835) (Tortricidae) Synonym(s): *dumetana* Treitschke,1835
79220) *Pandemis heparana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *heparana* [Denis & Schiffermüller],1775
79221) *Pandemis thomasi* Razowski,2006 (Tortricidae) Synonym(s): *thomasi* Razowski,2006
79222) *Parachanda phantastis* Meyrick,1927 (Tortricidae) Synonym(s): *phantastis* Meyrick,1927
79223) *Parachanda polycosma* Meyrick,1930 (Tortricidae) Synonym(s): *polycosma* Meyrick,1930
79224) *Paracomotis smaragdophaea* (Meyrick,1932) (Tortricidae) Synonym(s): *smaragdophaea* Meyrick,1932
79225) *Paracroesia abievora* (Issiki,1961) (Tortricidae) Synonym(s): *abievora* Issiki,1961; *pusilla* Kuznetsov,1973
79226) *Paramesia alhamana* (Schmidt,1933) (Tortricidae) Synonym(s): *alhamana* Schmidt,1933
79227) *Paramesia diffusana* (Kennel,1899) (Tortricidae) Synonym(s): *diffusana* Kennel,1899; *montedorea* Wehrli,1925; *schawerdae* Rebel,1926; *aetnana* Zerny,1943.

- 79228) *Paramesia gnomana* (Clerck,1759) (Tortricidae) Synonym(s): *#gnomana* Clerck,1759; *costana* [Denis & Schiffermüller],1775; *livoniana* Sodoffsky,1829
- 79229) *Paramesia paracinctana* Chambon & Khous,1993 (Tortricidae) Synonym(s): *paracinctana* Chambon & Khous,1993
- 79230) *Paramesia pygmaeana* (Amsel,1956) (Tortricidae) Synonym(s): *pygmaeana* Amsel,1956
- 79231) *Paramorbia chionophthalma* (Meyrick,1932) (Tortricidae) Synonym(s): *chionophthalma* Meyrick,1932
- 79232) *Paramorbia ithyclina* (Meyrick,1926) (Tortricidae) Synonym(s): *ithyclina* Meyrick,1926
- 79233) *Paramorbia rostellana* (Zeller,1877) (Tortricidae) Synonym(s): *rostellana* Zeller,1877
- 79234) *Paraptila argocosma* Meyrick,1912 (Tortricidae) Synonym(s): *argocosma* Meyrick,1912
- 79235) *Paraptila biserrata* J.Brown,1991 (Tortricidae) Synonym(s): *biserrata* J.Brown,1991
- 79236) *Paraptila bloomfieldi* J.Brown,1991 (Tortricidae) Synonym(s): *bloomfieldi* J.Brown,1991
- 79237) *Paraptila cornucopis* (Walsingham,1914) (Tortricidae) Synonym(s): *cornucopis* Walsingham,1914
- 79238) *Paraptila equadora* J.Brown,1991 (Tortricidae) Synonym(s): *equadora* J.Brown,1991
- 79239) *Paraptila gamma* (Walsingham,1914) (Tortricidae) Synonym(s): *gamma* Walsingham,1914; *infusoria* Meyrick,1926
- 79240) *Paraptila pseudogamma* J.Brown,1991 (Tortricidae) Synonym(s): *pseudogamma* J.Brown,1991
- 79241) *Paraptila symmetriana* J.Brown,1991 (Tortricidae) Synonym(s): *symmetriana* J.Brown,1991
- 79242) *Paratorna cuprescens* Falkovitsh,1965 (Tortricidae) Synonym(s): *cuprescens* Falkovitsh,1965
- 79243) *Paratorna seriepuncta* Filipjev,1962 (Tortricidae) Synonym(s): *seriepuncta* Filipjev,1962
- 79244) *Parirazona brusqueana* Razowski & Becker,1993 (Tortricidae) Synonym(s): *brusqueana* Razowski & Becker,1993
- 79245) *Parirazona dolorosa* (Meyrick,1932) (Tortricidae) Synonym(s): *dolorosa* Meyrick,1932
- 79246) *Parirazona illota* Razowski & Becker,1993 (Tortricidae) Synonym(s): *illota* Razowski & Becker,1993
- 79247) *Parirazona lagoana* Razowski & Becker,1993 (Tortricidae) Synonym(s): *lagoana* Razowski & Becker,1993
- 79248) *Parirazona penthinana* (Razowski,1967) (Tortricidae) Synonym(s): *penthinana* Razowski,1967
- 79249) *Parirazona serena* (Clarke,1968) (Tortricidae) Synonym(s): *serena* Clarke,1968
- 79250) *Parirazona sobrina* Razowski & Becker,1993 (Tortricidae) Synonym(s): *sobrina* Razowski & Becker,1993
- 79251) *Pelatea klugiana* (Freyer,[1834]) (Tortricidae) Synonym(s): *klugiana* Freyer,[1834]
- 79252) *Pelochrista agrestana* (Treitschke,1830) (Tortricidae) Synonym(s): *agrestana* Treitschke,1830; *fultana* Zeller,1847
- 79253) *Pelochrista alexinschiana* (Peiu & Nemes,1968) (Tortricidae) Synonym(s): *alexinschiana* Peiu & Nemes,1968
- 79254) *Pelochrista apheliana* (Kennel,1901) (Tortricidae) Synonym(s): *apheliana* Kennel,1901; *corneliana* Kennel,1919.
- 79255) *Pelochrista arabescana* (Eversmann,1844) (Tortricidae) Synonym(s): *arabescana* Eversmann,1844
- 79256) *Pelochrista argenteana* (Walsingham,1895) (Tortricidae) Synonym(s): *argenteana* Walsingham,1895
- 79257) *Pelochrista aureliana* Popescu-Gorj,1984 (Tortricidae) Synonym(s): *aureliana* Popescu-Gorj,1984
- 79258) *Pelochrista beleuseana* (Oberthür,1888) (Tortricidae) Synonym(s): *beleuseana* Oberthür,1888; *nubilana* Caradja,1916; *#beleuseana* Vives Moreno,1991
- 79259) *Pelochrista buddhana* (Kennel,1919) (Tortricidae) Synonym(s): *buddhana* Kennel,1919
- 79260) *Pelochrista caecimaculana* (Hübner,[1799]) (Tortricidae) Synonym(s): *caecimaculana* Hübner,[1799]; *kollariana* Herrich-Schäffer,[1851]
- 79261) *Pelochrista caementana* (Christoph,1872) (Tortricidae) Synonym(s): *caementana* Christoph,1872
- 79262) *Pelochrista cannatana* Trematerra,2000 (Tortricidae) Synonym(s): *cannatana* Trematerra,2000
- 79263) *Pelochrista collilonga* A.Blanchard & Knudson,1984 (Tortricidae) Synonym(s): *collilonga* A.Blanchard & Knudson,1984
- 79264) *Pelochrista confidana* (Chrétien,1915) (Tortricidae) Synonym(s): *confidana* Chrétien,1915
- 79265) *Pelochrista daemonicana* (Heinrich,1923) (Tortricidae) Synonym(s): *daemonicana* Heinrich,1923
- 79266) *Pelochrista dagestana* Obratzov,1949 (Tortricidae) Synonym(s): *dagestana* Obratzov,1949; *pinxana* Kuznetsov,1976
- 79267) *Pelochrista danilevskiyi* Kostyuk,1975 (Tortricidae) Synonym(s): *danilevskiyi* Kostyuk,1975
- 79268) *Pelochrista decolorana* (Freyer,1842) (Tortricidae) Synonym(s): *decolorana* Freyer,1842
- 79269) *Pelochrista dernina* (Turati,1930) (Tortricidae) Synonym(s): *dernina* Turati,1930
- 79270) *Pelochrista dira* Razowski,1972 (Tortricidae) Synonym(s): *dira* Razowski,1972
- 79271) *Pelochrista disquei* (Kennel,1901) (Tortricidae) Synonym(s): *disquei* Kennel,1901; *congeminata* Obratzov,1967
- 79272) *Pelochrista duercki* (Osthelder,1941) (Tortricidae) Synonym(s): *duercki* Osthelder,1941
- 79273) *Pelochrista edrisiana* (Chrétien,1922) (Tortricidae) Synonym(s): *edrisiana* Chrétien,1922
- 79274) *Pelochrista elegantana* (Kennel,1901) (Tortricidae) Synonym(s): *elegantana* Kennel,1901
- 79275) *Pelochrista eversmanni* (Kennel,1901) (Tortricidae) Synonym(s): *eversmanni* Kennel,1901; *aristidana* Rebel,1910
- 79276) *Pelochrista expolitana* (Heinrich,1923) (Tortricidae) Synonym(s): *expolitana* Heinrich,1923
- 79277) *Pelochrista figurana* Razowski,1972 (Tortricidae) Synonym(s): *figurana* Razowski,1972
- 79278) *Pelochrista fratrueis* (Heinrich,1923) (Tortricidae) Synonym(s): *fratrueis* Heinrich,1923
- 79279) *Pelochrista frustata* Razowski,2006 (Tortricidae) Synonym(s): *frustata* Razowski,2006
- 79280) *Pelochrista fulvostrigana* (Constant,1888) (Tortricidae) Synonym(s): *fulvostrigana* Constant,1888
- 79281) *Pelochrista fuscosparsa* (Walsingham,1895) (Tortricidae) Synonym(s): *fuscosparsa* Walsingham,1895
- 79282) *Pelochrista fusculana* (Zeller,1847) (Tortricidae) Synonym(s): *fusculana* Zeller,1847; *crustulana* Lederer,1859; *obstinatana* Kennel,1901
- 79283) *Pelochrista griscolana* (Zeller,1847) (Tortricidae) Synonym(s): *griscolana* Zeller,1847
- 79284) *Pelochrista hepatariana* (Herrich-Schäffer,[1851]) (Tortricidae) Synonym(s): *hepatariana* Herrich-Schäffer,[1851]; *obnuptana* Herrich-Schäffer,[1851]
- 79285) *Pelochrista huebneriana* (Lienig & Zeller,1846) (Tortricidae) Synonym(s): *huebneriana* Lienig & Zeller,1846; *chanana* Staudinger,[1900]
- 79286) *Pelochrista idahoana* (Kearfott,1907) (Tortricidae) Synonym(s): *idahoana* Kearfott,1907
- 79287) *Pelochrista idotatana* (Kennel,1901) (Tortricidae) Synonym(s): *idotatana* Kennel,1901; *#idotatana* Kennel,1921
- 79288) *Pelochrista infidana* (Hübner,[1824]) (Tortricidae) Synonym(s): *infidana* Hübner,[1824]; *bulgarica* Soffner,1967
- 79289) *Pelochrista invisitana* Kuznetsov,1986 (Tortricidae) Synonym(s): *invisitana* Kuznetsov,1986
- 79290) *Pelochrista jodocana* (Kennel,1919) (Tortricidae) Synonym(s): *jodocana* Kennel,1919
- 79291) *Pelochrista kuznetsovi* Kostyuk,1975 (Tortricidae) Synonym(s): *kuznetsovi* Kostyuk,1975
- 79292) *Pelochrista labyrinthica* (Christoph,1872) (Tortricidae) Synonym(s): *labyrinthica* Christoph,1872
- 79293) *Pelochrista latericiana* (Rebel,1919) (Tortricidae) Synonym(s): *#croatica* Rebel,1893; *latericiana* Rebel,1919
- 79294) *Pelochrista latipalpana* (Razowski,1967) (Tortricidae) Synonym(s): *latipalpana* Razowski,1967
- 79295) *Pelochrista lineolana* Kuznetsov,1964 (Tortricidae) Synonym(s): *lineolana* Kuznetsov,1964
- 79296) *Pelochrista maculiferana* (Kennel,1900) (Tortricidae) Synonym(s): *maculiferana* Kennel,1900
- 79297) *Pelochrista mancipiana* (Mann,1855) (Tortricidae) Synonym(s): *mancipiana* Mann,1855
- 79298) *Pelochrista marmaroxantha* (Meyrick,1937) (Tortricidae) Synonym(s): *marmaroxantha* Meyrick,1937
- 79299) *Pelochrista medullana* (Staudinger,1880) (Tortricidae) Synonym(s): *medullana* Staudinger,1880
- 79300) *Pelochrista metariana* (Heinrich,1923) (Tortricidae) Synonym(s): *metariana* Heinrich,1923
- 79301) *Pelochrista metria* Falkovitsh,1964 (Tortricidae) Synonym(s): *metria* Falkovitsh,1964
- 79302) *Pelochrista modicana* (Zeller,1847) (Tortricidae) Synonym(s): *modicana* Zeller,1847; *definitana* Kennel,1901; *hinnebergiana* Fuchs,1902; *modestana* Herrich-Schäffer,[1851]
- 79303) *Pelochrista mollitana* (Zeller,1847) (Tortricidae) Synonym(s): *mollitana* Zeller,1847; *trishignana* Nolcken,1870; *commeodestana* Rössler,1877; *modestana* Seebold,1879 nec H.-S.,[1851]
- 79304) *Pelochrista muhabbet* Koçak,2006 (Tortricidae) Synonym(s): *chanana* Kennel,1901 nec Stgr.,[1900]; *muhabbet* Koçak,2006
- 79305) *Pelochrista notocelioides* Oku,1972 (Tortricidae) Synonym(s): *notocelioides* Oku,1972
- 79306) *Pelochrista obscura* Kuznetsov,1978 (Tortricidae) Synonym(s): *obscura* Kuznetsov,1978
- 79307) *Pelochrista occipitana* (Zeller,1875) (Tortricidae) Synonym(s): *occipitana* Zeller,1875
- 79308) *Pelochrista ornamentana* (Rebel,1916) (Tortricidae) Synonym(s): *ornamentana* Rebel,1916
- 79309) *Pelochrista ornata* Kuznetsov,1967 (Tortricidae) Synonym(s): *ornata* Kuznetsov,1967
- 79310) *Pelochrista pallidipalpana* (Kearfott,1905) (Tortricidae) Synonym(s): *pallidipalpana* Kearfott,1905
- 79311) *Pelochrista palousana* (Kearfott,1907) (Tortricidae) Synonym(s): *palousana* Kearfott,1907
- 79312) *Pelochrista palpana* (Walsingham,1879) (Tortricidae) Synonym(s): *palpana* Walsingham,1879
- 79313) *Pelochrista passerana* (Walsingham,1879) (Tortricidae) Synonym(s): *passerana* Walsingham,1879
- 79314) *Pelochrista perpropinqua* (Heinrich,1929) (Tortricidae) Synonym(s): *perpropinqua* Heinrich,1929
- 79315) *Pelochrista pfisteri* (Obratzov,1952) (Tortricidae) Synonym(s): *pfisteri* Obratzov,1952

- 79316) *Pelochrista pollinaria* Diakonoff,1971 (Tortricidae) Synonym(s): *pollinaria* Diakonoff,1971
 79317) *Pelochrista popana* (Kearfott,1907) (Tortricidae) Synonym(s): *popana* Kearfott,1907; *carcharias* Meyrick,1912
 79318) *Pelochrista prefractana* (Kennel,1901) (Tortricidae) Synonym(s): *prefractana* Kennel,1901
 79319) *Pelochrista reversana* (Kearfott,1907) (Tortricidae) Synonym(s): *reversana* Kearfott,1907
 79320) *Pelochrista rorana* (Kearfott,1907) (Tortricidae) Synonym(s): *rorana* Kearfott,1907; *sceletopa* Meyrick,1912
 79321) *Pelochrista ruschana* (Obratsov,1943) (Tortricidae) Synonym(s): *ruschana* Obratsov,1943
 79322) *Pelochrista scintillana* (Clemens,1865) (Tortricidae) Synonym(s): *scintillana* Clemens,1865; *dodecana* Zeller,1875; *randana* Kearfott,1907; *paraglypta* Meyrick,1912
 79323) *Pelochrista seriana* Kennel,1901 (Tortricidae) Synonym(s): *seriana* Kennel,1901
 79324) *Pelochrista sordicomana* (Staudinger,1859) (Tortricidae) Synonym(s): *sordicomana* Staudinger,1859; *grammana* Constant,1884
 79325) *Pelochrista subtiliana* (Jäckh,1960) (Tortricidae) Synonym(s): *subtiliana* Jäckh,1960
 79326) *Pelochrista succineana* (Kennel,1901) (Tortricidae) Synonym(s): *succineana* Kennel,1901
 79327) *Pelochrista tahoensis* (Heinrich,1923) (Tortricidae) Synonym(s): *tahoensis* Heinrich,1923; *subditiva* Heinrich,1929
 79328) *Pelochrista telopea* Razowski,2006 (Tortricidae) Synonym(s): *telopea* Razowski,2006
 79329) *Pelochrista tholera* Falkovitsh,1964 (Tortricidae) Synonym(s): *tholera* Falkovitsh,1964
 79330) *Pelochrista tibetana* (Caradja,1939) (Tortricidae) Synonym(s): *tibetana* Caradja,1939
 79331) *Pelochrista tolerans* (Meyrick,1930) (Tortricidae) Synonym(s): *tolerans* Meyrick,1930
 79332) *Pelochrista tornimaculana* (Zerny,1935) (Tortricidae) Synonym(s): *tornimaculana* Zerny,1935
 79333) *Pelochrista turiana* (Zerny,1927) (Tortricidae) Synonym(s): *turiana* Zerny,1927
 79334) *Pelochrista umbraculana* (Eversmann,1844) (Tortricidae) Synonym(s): *umbraculana* Eversmann,1844; *subterminana* Erschoff,1871; *inignana* Kennel,1901
 79335) *Pelochrista vandana* (Kearfott,1907) (Tortricidae) Synonym(s): *vandana* Kearfott,1907; *pholas* Meyrick,1912
 79336) *Pelochrista womanana* (Kearfott,1907) (Tortricidae) Synonym(s): *womanana* Kearfott,1907; *semnitis* Meyrick,1912
 79337) *Pelochrista zomonana* (Kearfott,1907) (Tortricidae) Synonym(s): *zomonana* Kearfott,1907; *explosa* Meyrick,1912
 79338) *Pentacitrotus leechi* Diakonoff,1970 (Tortricidae) Synonym(s): *aeneus* Diakonoff,1950 nec Lch.,1890; *leechi* Diakonoff,1970
 79339) *Pentacitrotus maculatus* Kawabe,1993 (Tortricidae) Synonym(s): *maculatus* Kawabe,1993
 79340) *Pentacitrotus quercivorus* Diakonoff,1950 (Tortricidae) Synonym(s): *quercivorus* Diakonoff,1950
 79341) *Pentacitrotus tetrakore* (Wileman & Stringer,1929) (Tortricidae) Synonym(s): *tetrakore* Wileman & Stringer,1929
 79342) *Pentacitrotus vulneratus* Butler,1881 (Tortricidae) Synonym(s): *vulneratus* Butler,1881; *aeneus* Leech,1890; *congruens* Diakonoff,1950; *distinctus* Diakonoff,1950
 79343) *Penthostola albomaculatus* Liu & Bai,1985 (Tortricidae) Synonym(s): *albomaculatus* Liu & Bai,1985
 79344) *Penthostola diakonoffi* Kawabe,1995 (Tortricidae) Synonym(s): *diakonoffi* Kawabe,1995
 79345) *Penthostola hemeronyx* (Diakonoff,1953) (Tortricidae) Synonym(s): *hemeronyx* Diakonoff,1953
 79346) *Penthostola nigrantis* Kawabe,1995 (Tortricidae) Synonym(s): *nigrantis* Kawabe,1995
 79347) *Penthostola semna* Diakonoff,1978 (Tortricidae) Synonym(s): *semna* Diakonoff,1978
 79348) *Penthostola tricolorana* Kuznetsov,2000 (Tortricidae) Synonym(s): *tricolorana* Kuznetsov,2000
 79349) *Periclepsis cinctana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *cinctana* [Denis & Schiffermüller],1775
 79350) *Peridaedala algosa* (Meyrick,1912) (Tortricidae) Synonym(s): *algosa* Meyrick,1912
 79351) *Peridaedala archaea* Diakonoff,1953 (Tortricidae) Synonym(s): *archaea* Diakonoff,1953
 79352) *Peridaedala beryllina* (Meyrick,1925) (Tortricidae) Synonym(s): *beryllina* Meyrick,1925
 79353) *Peridaedala biuncana* Kuznetsov,1997 (Tortricidae) Synonym(s): *biuncana* Kuznetsov,1997
 79354) *Peridaedala chlorissa* (Meyrick,1912) (Tortricidae) Synonym(s): *chlorissa* Meyrick,1912
 79355) *Peridaedala crastidochroa* Diakonoff,1953 (Tortricidae) Synonym(s): *crastidochroa* Diakonoff,1953
 79356) *Peridaedala crocoptila* Diakonoff,[1968] (Tortricidae) Synonym(s): *crocoptila* Diakonoff,[1968]
 79357) *Peridaedala dendrochlora* Diakonoff,[1968] (Tortricidae) Synonym(s): *dendrochlora* Diakonoff,[1968]
 79358) *Peridaedala enantiosema* Diakonoff,1983 (Tortricidae) Synonym(s): *enantiosema* Diakonoff,1983
 79359) *Peridaedala hagna* Diakonoff,1948 (Tortricidae) Synonym(s): *hagna* Diakonoff,1948
 79360) *Peridaedala hierograpta* Meyrick,1925 (Tortricidae) Synonym(s): *hierograpta* Meyrick,1925
 79361) *Peridaedala japonica* Oku,1979 (Tortricidae) Synonym(s): *japonica* Oku,1979; *optabilana* Kuznetsov,1979
 79362) *Peridaedala melanantha* Diakonoff,[1968] (Tortricidae) Synonym(s): *melanantha* Diakonoff,[1968]
 79363) *Peridaedala physoptila* Diakonoff,[1968] (Tortricidae) Synonym(s): *physoptila* Diakonoff,[1968]
 79364) *Peridaedala prasina* Diakonoff,1953 (Tortricidae) Synonym(s): *prasina* Diakonoff,1953
 79365) *Peridaedala* sp. (Tortricidae) Synonym(s):
 79366) *Peridaedala stenoglypha* Diakonoff,[1968] (Tortricidae) Synonym(s): *stenoglypha* Diakonoff,[1968]
 79367) *Peridaedala thesaurophora* Diakonoff,1983 (Tortricidae) Synonym(s): *thesaurophora* Diakonoff,1983
 79368) *Peridaedala thylacophora* Diakonoff,[1968] (Tortricidae) Synonym(s): *thylacophora* Diakonoff,[1968]
 79369) *Peridaedala tonkinana* Kuznetsov,1988 (Tortricidae) Synonym(s): *tonkinana* Kuznetsov,1988
 79370) *Peridaedala triangulosa* Diakonoff,1983 (Tortricidae) Synonym(s): *triangulosa* Diakonoff,1983
 79371) *Phaecedaphora acutana* Walsingham,1900 (Tortricidae) Synonym(s): *acutana* Walsingham,1900
 79372) *Phaecedaphora fimbriata* Walsingham,1900 (Tortricidae) Synonym(s): *fimbriata* Walsingham,1900; *metactenis* Meyrick,1909; *eucrossa* Meyrick,1914; *eaolotehna* Meyrick,1935; *leucocteis* Diakonoff,1953; *aeolotehna* Diakonoff,1968
 79373) *Phaecasiophora amoena* Kawabe,1986 (Tortricidae) Synonym(s): *amoena* Kawabe,1986
 79374) *Phaecasiophora astrosema* (Meyrick,1909) (Tortricidae) Synonym(s): *astrosema* Meyrick,1909
 79375) *Phaecasiophora attica* (Meyrick,1907) (Tortricidae) Synonym(s): *attica* Meyrick,1907
 79376) *Phaecasiophora auroraegera* Diakonoff,1983 (Tortricidae) Synonym(s): *auroraegera* Diakonoff,1983
 79377) *Phaecasiophora basicornis* Walsingham,1891 (Tortricidae) Synonym(s): *basicornis* Walsingham,1891
 79378) *Phaecasiophora caelatrix* Diakonoff,1983 (Tortricidae) Synonym(s): *caelatrix* Diakonoff,1983
 79379) *Phaecasiophora caryosema* (Meyrick,1931) (Tortricidae) Synonym(s): *caryosema* Meyrick,1931
 79380) *Phaecasiophora cornigera* Diakonoff,1959 (Tortricidae) Synonym(s): *cornigera* Diakonoff,1959
 79381) *Phaecasiophora cornigera burmensis* Diakonoff,1959 (Tortricidae) Synonym(s): *burmensis* Diakonoff,1959; *#birmensis* Diakonoff,1973
 79382) *Phaecasiophora cornigera cornigera* Diakonoff,1959 (Tortricidae) Synonym(s): *cornigera* Diakonoff,1959
 79383) *Phaecasiophora decolor* Diakonoff,1983 (Tortricidae) Synonym(s): *decolor* Diakonoff,1983
 79384) *Phaecasiophora diluta* Diakonoff,1973 (Tortricidae) Synonym(s): *diluta* Diakonoff,1973
 79385) *Phaecasiophora diserta* (Meyrick,1909) (Tortricidae) Synonym(s): *diserta* Meyrick,1909
 79386) *Phaecasiophora ectropa* Diakonoff,1973 (Tortricidae) Synonym(s): *ectropa* Diakonoff,1973
 79387) *Phaecasiophora fernaldana* Walsingham,1900 (Tortricidae) Synonym(s): *fernaldana* Walsingham,1900; *latior* Diakonoff,1959
 79388) *Phaecasiophora finitimana* Kuznetsov,1997 (Tortricidae) Synonym(s): *finitimana* Kuznetsov,1997
 79389) *Phaecasiophora dispersa* Heinrich,1931 (Tortricidae) Synonym(s): *dispersa* Heinrich,1931
 79390) *Phaecasiophora jubilans* Diakonoff,1959 (Tortricidae) Synonym(s): *jubilans* Diakonoff,1959
 79391) *Phaecasiophora kurokoi* Kawabe,1989 (Tortricidae) Synonym(s): *kurokoi* Kawabe,1989
 79392) *Phaecasiophora leechi* Diakonoff,1973 (Tortricidae) Synonym(s): *leechi* Diakonoff,1973
 79393) *Phaecasiophora maculosana* Kuznetsov,1997 (Tortricidae) Synonym(s): *maculosana* Kuznetsov,1997
 79394) *Phaecasiophora obligata* Kawabe,1993 (Tortricidae) Synonym(s): *obligata* Kawabe,1993
 79395) *Phaecasiophora obratsovi* Diakonoff,1973 (Tortricidae) Synonym(s): *obratsovi* Diakonoff,1973
 79396) *Phaecasiophora pertexta* (Meyrick,1920) (Tortricidae) Synonym(s): *pertexta* Meyrick,1920; *guttulosa* Diakonoff,1973
 79397) *Phaecasiophora pyragra* Diakonoff,1973 (Tortricidae) Synonym(s): *pyragra* Diakonoff,1973
 79398) *Phaecasiophora roseana* (Walsingham,1900) (Tortricidae) Synonym(s): *roseana* Walsingham,1900
 79399) *Phaecasiophora thaiensis* Kawabe,1987 (Tortricidae) Synonym(s): *thaiensis* Kawabe,1987
 79400) *Phaecasiophora turmaria* (Meyrick,1931) (Tortricidae) Synonym(s): *turmaria* Meyrick,1931
 79401) *Phaecasiophora variabilis* Walsingham,1891 (Tortricidae) Synonym(s): *variabilis* Walsingham,1891

- 79402) *Phaenasiophora walsinghami* Diakonoff, 1959 (Tortricidae) Synonym(s): *walsinghami* Diakonoff, 1959
- 79403) *Phalonidia acutana* (Kennel, 1913) (Tortricidae) Synonym(s): *acutana* Kennel, 1913
- 79404) *Phalonidia aetheria* Razowski, 1967 (Tortricidae) Synonym(s): *aetheria* Razowski, 1967
- 79405) *Phalonidia affinitana* (Douglas, 1846) (Tortricidae) Synonym(s): *affinitana* Douglas, 1846; *cancellana* Zeller, 1847; *inulana* Constant, 1884; *littorana* Galvagni, 1906.
- 79406) *Phalonidia affinitana tauriana* (Kennel, 1899) (Tortricidae) Synonym(s): *tauriana* Kennel, 1899
- 79407) *Phalonidia albipalpana* (Zeller, 1847) (Tortricidae) Synonym(s): *albipalpana* Zeller, 1847
- 79408) *Phalonidia aliena* Kuznetsov, 1966 (Tortricidae) Synonym(s): *aliena* Kuznetsov, 1966
- 79409) *Phalonidia amasiana* (Ragonot, 1894) (Tortricidae) Synonym(s): *amasiana* Ragonot, 1894
- 79410) *Phalonidia argyraspis* (Razowski, 1984) (Tortricidae) Synonym(s): *argyraspis* Razowski, 1984
- 79411) *Phalonidia assensus* Razowski, 1967 (Tortricidae) Synonym(s): *assensus* Razowski, 1967
- 79412) *Phalonidia stricta* (Razowski & Becker, 1983) (Tortricidae) Synonym(s): *stricta* Razowski & Becker, 1983
- 79413) *Phalonidia brilihantana* (Razowski & Becker, 1983) (Tortricidae) Synonym(s): *brilihantana* Razowski & Becker, 1983
- 79414) *Phalonidia chloridia* Razowski & Becker, 1994 (Tortricidae) Synonym(s): *chloridia* Razowski & Becker, 1994
- 79415) *Phalonidia chlorolitha* (Meyrick, 1931) (Tortricidae) Synonym(s): *chlorolitha* Meyrick, 1931; *azyga* Meyrick, 1935.
- 79416) *Phalonidia contractana* (Zeller, 1847) (Tortricidae) Synonym(s): *contractana* Zeller, 1847; *manifestana* Kennel, 1900; *exaequata* Meyrick, 1923; *thermoconis* Meyrick, 1925.
- 79417) *Phalonidia curvistrigana* (Stainton, 1859) (Tortricidae) Synonym(s): *curvistrigana* Stainton, 1859
- 79418) *Phalonidia datetis* Diakonoff, 1984 (Tortricidae) Synonym(s): *datetis* Diakonoff, 1984
- 79419) *Phalonidia deliphrbursa* Razowski, [1992] (Tortricidae) Synonym(s): *deliphrbursa* Razowski, [1992]
- 79420) *Phalonidia diamphidia* (Clarke, 1968) (Tortricidae) Synonym(s): *diamphidia* Clarke, 1968
- 79421) *Phalonidia diaphona* Razowski & Becker, 1986 (Tortricidae) Synonym(s): *diaphona* Razowski & Becker, 1986
- 79422) *Phalonidia dotica* Razowski, 1993 (Tortricidae) Synonym(s): *dotica* Razowski, 1993
- 79423) *Phalonidia droserantha* Razowski, 1970 (Tortricidae) Synonym(s): *droserantha* Razowski, 1970
- 79424) *Phalonidia dyas* (Razowski & Becker, 1983) (Tortricidae) Synonym(s): *dyas* Razowski & Becker, 1983
- 79425) *Phalonidia dysmorphia* (Clarke, 1968) (Tortricidae) Synonym(s): *dysmorphia* Clarke, 1968
- 79426) *Phalonidia dysodona* (Caradja, 1916) (Tortricidae) Synonym(s): *dysodona* Caradja, 1916
- 79427) *Phalonidia ecuadorensis* Razowski, 1967 (Tortricidae) Synonym(s): *ecuadorensis* Razowski, 1967
- 79428) *Phalonidia embaphion* (Razowski, 1984) (Tortricidae) Synonym(s): *embaphion* Razowski, 1984
- 79429) *Phalonidia fatua* (Razowski & Becker, 1983) (Tortricidae) Synonym(s): *fatua* Razowski & Becker, 1983
- 79430) *Phalonidia fraterna* Razowski, 1970 (Tortricidae) Synonym(s): *fraterna* Razowski, 1970
- 79431) *Phalonidia fulvimixta* (Filipjev, 1940) (Tortricidae) Synonym(s): *fulvimixta* Filipjev, 1940
- 79432) *Phalonidia gilvicomana* (Zeller, 1847) (Tortricidae) Synonym(s): *gilvicomana* Zeller, 1847; *flaviscapulana* Herrich-Schäffer, 1851; *gratiosana* Laharpe, 1858.
- 79433) *Phalonidia haesitans* Razowski & Becker, 1994 (Tortricidae) Synonym(s): *haesitans* Razowski & Becker, 1994
- 79434) *Phalonidia haplobursa* Razowski & Becker, 1986 (Tortricidae) Synonym(s): *haplobursa* Razowski & Becker, 1986
- 79435) *Phalonidia hypagosocia* Razowski, 1993 (Tortricidae) Synonym(s): *hypagosocia* Razowski, 1993
- 79436) *Phalonidia introrsa* Razowski, 1993 (Tortricidae) Synonym(s): *introrsa* Razowski, 1993
- 79437) *Phalonidia karsholti* Razowski, 1993 (Tortricidae) Synonym(s): *karsholti* Razowski, 1993
- 79438) *Phalonidia kathetospina* Razowski, 1993 (Tortricidae) Synonym(s): *kathetospina* Razowski, 1993
- 79439) *Phalonidia laetitia* (Clarke, 1968) (Tortricidae) Synonym(s): *laetitia* Clarke, 1968
- 79440) *Phalonidia latifasciana* Razowski, 1970 (Tortricidae) Synonym(s): *latifasciana* Razowski, 1970
- 79441) *Phalonidia lochites* Razowski, 1993 (Tortricidae) Synonym(s): *lochites* Razowski, 1993
- 79442) *Phalonidia lydiae* (Filipjev, 1940) (Tortricidae) Synonym(s): *lydiae* Filipjev, 1940
- 79443) *Phalonidia manniana* (Fischer v. Röslerstamm, 1839) (Tortricidae) Synonym(s): *manniana* Fischer v. Röslerstamm, 1839; *notulana* Zeller, 1847; *udana* Guenée, 1845; *tolli* Razowski, 1960.
- 79444) *Phalonidia meizobursa* Razowski & Becker, 1994 (Tortricidae) Synonym(s): *meizobursa* Razowski & Becker, 1994
- 79445) *Phalonidia melanothica* (Meyrick, 1927) (Tortricidae) Synonym(s): *melanothica* Meyrick, 1927; *hygrodes* Meyrick, 1936.
- 79446) *Phalonidia melletes* Razowski & Becker, 1994 (Tortricidae) Synonym(s): *melletes* Razowski & Becker, 1994
- 79447) *Phalonidia mesotypa* Razowski, 1970 (Tortricidae) Synonym(s): *mesotypa* Razowski, 1970
- 79448) *Phalonidia mimohospes* (Razowski & Becker, 1983) (Tortricidae) Synonym(s): *mimohospes* Razowski & Becker, 1983
- 79449) *Phalonidia ochracea* Razowski, 1967 (Tortricidae) Synonym(s): *ochracea* Razowski, 1967
- 79450) *Phalonidia ochrimixtana* (Zeller, 1877) (Tortricidae) Synonym(s): *ochrimixtana* Zeller, 1877
- 79451) *Phalonidia olivana* (Razowski, 1967) (Tortricidae) Synonym(s): *olivana* Razowski, 1967
- 79452) *Phalonidia paliki* (Razowski & Becker, 1983) (Tortricidae) Synonym(s): *paliki* Razowski & Becker, 1983
- 79453) *Phalonidia pellax* (Razowski & Becker, 1983) (Tortricidae) Synonym(s): *pellax* Razowski & Becker, 1983
- 79454) *Phalonidia praemorsa* Razowski, 1993 (Tortricidae) Synonym(s): *praemorsa* Razowski, 1993
- 79455) *Phalonidia remota* (Razowski & Becker, 1983) (Tortricidae) Synonym(s): *remota* Razowski & Becker, 1983
- 79456) *Phalonidia rufoatra* Razowski, [1992] (Tortricidae) Synonym(s): *rufoatra* Razowski, [1992]
- 79457) *Phalonidia sarovalva* Razowski, 1993 (Tortricidae) Synonym(s): *sarovalva* Razowski, 1993
- 79458) *Phalonidia scolopis* Razowski, 1993 (Tortricidae) Synonym(s): *scolopis* Razowski, 1993
- 79459) *Phalonidia silvestris* Kuznetsov, 1966 (Tortricidae) Synonym(s): *silvestris* Kuznetsov, 1966
- 79460) *Phalonidia squalida* (Razowski & Becker, 1983) (Tortricidae) Synonym(s): *squalida* Razowski & Becker, 1983
- 79461) *Phalonidia submissana* (Zeller, 1877) (Tortricidae) Synonym(s): *submissana* Zeller, 1877
- 79462) *Phalonidia swammerdamiana* (Zeller, 1877) (Tortricidae) Synonym(s): *swammerdamiana* Zeller, 1877
- 79463) *Phalonidia synucha* Razowski & Becker, 1986 (Tortricidae) Synonym(s): *synucha* Razowski & Becker, 1986
- 79464) *Phalonidia tornocarpa* (Meyrick, 1932) (Tortricidae) Synonym(s): *tornocarpa* Meyrick, 1932
- 79465) *Phalonidia unguifera* (Razowski, 1967) (Tortricidae) Synonym(s): *unguifera* Razowski, 1967
- 79466) *Phalonidia vorticana* (Meyrick, 1912) (Tortricidae) Synonym(s): *vorticana* Meyrick, 1912
- 79467) *Phalonidia walkerana* Razowski, 1967 (Tortricidae) Synonym(s): *walkerana* Razowski, 1967
- 79468) *Phalonidia zygotia* Razowski, 1964 (Tortricidae) Synonym(s): *zygotia* Razowski, 1964
- 79469) *Phaneta apacheana* (Walsingham, 1884) (Tortricidae) Synonym(s): *apacheana* Walsingham, 1884
- 79470) *Phaneta argenticostana* (Walsingham, 1879) (Tortricidae) Synonym(s): *argenticostana* Walsingham, 1879
- 79471) *Phaneta argutipunctana* A. Blanchard & Knudson, 1983 (Tortricidae) Synonym(s): *argutipunctana* A. Blanchard & Knudson, 1983
- 79472) *Phaneta autochthonos* (Walsingham, 1897) (Tortricidae) Synonym(s): *autochthonos* Walsingham, 1897
- 79473) *Phaneta benjamini* (Heinrich, 1923) (Tortricidae) Synonym(s): *benjamini* Heinrich, 1923
- 79474) *Phaneta linitipunctana* A. Blanchard & Knudson, 1983 (Tortricidae) Synonym(s): *linitipunctana* A. Blanchard & Knudson, 1983
- 79475) *Phaneta musetta* A. Blanchard & Knudson, 1983 (Tortricidae) Synonym(s): *musetta* A. Blanchard & Knudson, 1983
- 79476) *Phaneta pallidacris* (Heinrich, 1923) (Tortricidae) Synonym(s): *pallidacris* Heinrich, 1923
- 79477) *Phaneta pauperana* (Duponchel, 1843) (Tortricidae) Synonym(s): *pauperana* Duponchel, 1843
- 79478) *Phaneta pylonitis* (Meyrick, 1932) (Tortricidae) Synonym(s): *pylonitis* Meyrick, 1932
- 79479) *Phaneta straminiana* (Walsingham, 1879) (Tortricidae) Synonym(s): *straminiana* Walsingham, 1879
- 79480) *Phaneta subminimiana* (Heinrich, 1923) (Tortricidae) Synonym(s): *subminimiana* Heinrich, 1923
- 79481) *Phaulacantha acyclica* Diakonoff, 1973 (Tortricidae) Synonym(s): *acyclica* Diakonoff, 1973
- 79482) *Phaulacantha catharostoma* (Meyrick, 1921) (Tortricidae) Synonym(s): *catharostoma* Meyrick, 1921
- 79483) *Phaulacantha metamelas* Diakonoff, 1973 (Tortricidae) Synonym(s): *metamelas* Diakonoff, 1973
- 79484) *Philedone gerningana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *gerningana* [Denis & Schiffermüller], 1775; *pectinana* Hübner, [1799].
- 79485) *Philedonides alexinschii* Stanoiu & Nemes, 1974 (Tortricidae) Synonym(s): *alexinschii* Stanoiu & Nemes, 1974
- 79486) *Philedonides lunana* (Thunberg, 1784) (Tortricidae) Synonym(s): *lunana* Thunberg, 1784; *prodromana* Hübner, [1816]; *walkerana* Curtis, 1828; *rungsii* Lucas, 1954

- 79487) *Philedonides rhombicana* (Herrich-Schäffer, 1851) (Tortricidae) Synonym(s): *rhombicana* Herrich-Schäffer, 1851
 79488) *Philedonides seeboldiana* (Rössler, 1877) (Tortricidae) Synonym(s): *seeboldiana* Rössler, 1877
 79489) *Phlebozemia sandrinae* Diakonoff, 1985 (Tortricidae) Synonym(s): *sandrinae* Diakonoff, 1985
 79490) *Phricanthes biocellana* (Walker, 1863) (Tortricidae) Synonym(s): *biocellana* Walker, 1863
 79491) *Phricanthes flexilineana* (Walker, 1863) (Tortricidae) Synonym(s): *flexilineana* Walker, 1863; *macroura* Lower, 1908
 79492) *Phtheochroa acosmetes* Razowski, 1986 (Tortricidae) Synonym(s): *acosmetes* Razowski, 1986
 79493) *Phtheochroa albiceps* (Walsingham, 1914) (Tortricidae) Synonym(s): *albiceps* Walsingham, 1914
 79494) *Phtheochroa annae* Huemer, 1990 (Tortricidae) Synonym(s): *annae* Huemer, 1990
 79495) *Phtheochroa arrhostia* Clarke, 1968 (Tortricidae) Synonym(s): *arrhostia* Clarke, 1968
 79496) *Phtheochroa calyptrophanes* Meyrick, 1932 (Tortricidae) Synonym(s): *calyptrophanes* Meyrick, 1932
 79497) *Phtheochroa chalcantha* (Meyrick, 1912) (Tortricidae) Synonym(s): *chalcantha* Meyrick, 1912
 79498) *Phtheochroa chaunax* Razowski, 1991 (Tortricidae) Synonym(s): *chaunax* Razowski, 1991
 79499) *Phtheochroa chriacta* Razowski, 1991 (Tortricidae) Synonym(s): *chriacta* Razowski, 1991
 79500) *Phtheochroa chriodes* Razowski, 1991 (Tortricidae) Synonym(s): *chriodes* Razowski, 1991
 79501) *Phtheochroa ciona* Razowski, 1991 (Tortricidae) Synonym(s): *ciona* Razowski, 1991
 79502) *Phtheochroa circina* Razowski, 1991 (Tortricidae) Synonym(s): *circina* Razowski, 1991
 79503) *Phtheochroa cistobursa* Razowski, 1991 (Tortricidae) Synonym(s): *cistobursa* Razowski, 1991
 79504) *Phtheochroa cornigera* Razowski, 1970 (Tortricidae) Synonym(s): *cornigera* Razowski, 1970
 79505) *Phtheochroa cymatodana* (Rebel, 1927) (Tortricidae) Synonym(s): *cymatodana* Rebel, 1927; *hermosa* Schmidt, 1933.
 79506) *Phtheochroa decipiens* (Walsingham, 1900) (Tortricidae) Synonym(s): *decipiens* Walsingham, 1900; *rocharva* Obraztsov, 1943; *berberidana* Danilevsky, 1955.
 79507) *Phtheochroa deltochlaena* Meyrick, 1930 (Tortricidae) Synonym(s): *deltochlaena* Meyrick, 1930 BO
 79508) *Phtheochroa descensa* Razowski, 1991 (Tortricidae) Synonym(s): *descensa* Razowski, 1991
 79509) *Phtheochroa dodrantaria* Razowski, 1970 (Tortricidae) Synonym(s): *dodrantaria* Razowski, 1970
 79510) *Phtheochroa drenowskyi* (Rebel, 1916) (Tortricidae) Synonym(s): *drenowskyi* Rebel, 1916
 79511) *Phtheochroa duponchelana* (Duponchel, 1843) (Tortricidae) Synonym(s): *duponchelana* Duponchel, 1843; *duponcheliana* Costa, 1847; *gloriosana* Herrich-Schäffer, 1851; *syriaca* Walsingham, 1900
 79512) *Phtheochroa durbonana* (Lhomme, 1937) (Tortricidae) Synonym(s): *durbonana* Lhomme, 1937
 79513) *Phtheochroa ecballiella* Huemer, 1990 (Tortricidae) Synonym(s): *ecballiella* Huemer, 1990
 79514) *Phtheochroa ersodes* Meyrick, 1927 (Tortricidae) Synonym(s): *ersodes* Meyrick, 1927
 79515) *Phtheochroa exasperantana* (Christoph, 1872) (Tortricidae) Synonym(s): *exasperantana* Christoph, 1872
 79516) *Phtheochroa farinosana* (Herrich-Schäffer, 1856) (Tortricidae) Synonym(s): *farinosana* Herrich-Schäffer, 1856
 79517) *Phtheochroa faulkneri* Razowski, 1991 (Tortricidae) Synonym(s): *faulkneri* Razowski, 1991
 79518) *Phtheochroa frigidana* (Guenée, 1845) (Tortricidae) Synonym(s): *frigidana* Guenée, 1845
 79519) *Phtheochroa fulvicinctana* (Constant, 1893) (Tortricidae) Synonym(s): *fulvicinctana* Constant, 1893
 79520) *Phtheochroa gigantica* (Busck, 1920) (Tortricidae) Synonym(s): *gigantica* Busck, 1920
 79521) *Phtheochroa gracillimana* (Rebel, 1910) (Tortricidae) Synonym(s): *gracillimana* Rebel, 1910
 79522) *Phtheochroa hamartopenis* Razowski, 1986 (Tortricidae) Synonym(s): *hamartopenis* Razowski, 1986
 79523) *Phtheochroa haplidia* Razowski, 1986 (Tortricidae) Synonym(s): *haplidia* Razowski, 1986
 79524) *Phtheochroa huachuacana* (Kearfott, 1907) (Tortricidae) Synonym(s): *huachuacana* Kearfott, 1907
 79525) *Phtheochroa hyboscia* Razowski, 1991 (Tortricidae) Synonym(s): *hyboscia* Razowski, 1991
 79526) *Phtheochroa hybriata* Razowski, 1991 (Tortricidae) Synonym(s): *hybriata* Razowski, 1991
 79527) *Phtheochroa hydnum* Razowski, 1991 (Tortricidae) Synonym(s): *hydnum* Razowski, 1991
 79528) *Phtheochroa imitana* Derra, 1991 (Tortricidae) Synonym(s): *imitana* Derra, 1991
 79529) *Phtheochroa inexacta* Butler, 1883 (Tortricidae) Synonym(s): *inexacta* Butler, 1883
 79530) *Phtheochroa ingridae* Huemer, 1990 (Tortricidae) Synonym(s): *ingridae* Huemer, 1990
 79531) *Phtheochroa inopiana* (Haworth, 1811) (Tortricidae) Synonym(s): *inopiana* Haworth, 1811; *centrana* Herrich-Schäffer, 1851; *obscurana* Kennel, 1913; *pallidana* Caradja, 1916.
 79532) *Phtheochroa iodes* (Clarke, 1968) (Tortricidae) Synonym(s): *iodes* Clarke, 1968
 79533) *Phtheochroa jerichoana* (Amsel, 1935) (Tortricidae) Synonym(s): *jerichoana* Amsel, 1935
 79534) *Phtheochroa kenneli* (Obraztsov, 1944) (Tortricidae) Synonym(s): *kenneli* Obraztsov, 1944
 79535) *Phtheochroa krulikovskii* (Obraztsov, 1944) (Tortricidae) Synonym(s): *krulikovskii* Obraztsov, 1944; *kazachstanica* Danilevsky, 1962.
 79536) *Phtheochroa larseni* Huemer, 1990 (Tortricidae) Synonym(s): *larseni* Huemer, 1990
 79537) *Phtheochroa loricata* (Razowski, 1984) (Tortricidae) Synonym(s): *loricata* Razowski, 1984
 79538) *Phtheochroa melasma* (Clarke, 1968) (Tortricidae) Synonym(s): *melasma* Clarke, 1968
 79539) *Phtheochroa meraca* (Razowski, 1984) (Tortricidae) Synonym(s): *meraca* Razowski, 1984
 79540) *Phtheochroa neoma* Razowski, 1991 (Tortricidae) Synonym(s): *neoma* Razowski, 1991
 79541) *Phtheochroa nigrisparsana* (Chrétien, 1922) (Tortricidae) Synonym(s): *nigrisparsana* Chrétien, 1922
 79542) *Phtheochroa noctivaga* (Razowski, 1984) (Tortricidae) Synonym(s): *noctivaga* Razowski, 1984
 79543) *Phtheochroa obnubila* (Razowski, 1984) (Tortricidae) Synonym(s): *obnubila* Razowski, 1984
 79544) *Phtheochroa ochodes* Razowski, 1991 (Tortricidae) Synonym(s): *ochodes* Razowski, 1991
 79545) *Phtheochroa ochralana* (Chrétien, 1915) (Tortricidae) Synonym(s): *ochralana* Chrétien, 1915; *bedeella* Lucas, 1946.
 79546) *Phtheochroa ochrobassana* (Chrétien, 1915) (Tortricidae) Synonym(s): *ochrobassana* Chrétien, 1915; *undulata* Lucas, 1946.
 79547) *Phtheochroa osthelderi* Huemer, 1990 (Tortricidae) Synonym(s): *osthelderi* Huemer, 1990
 79548) *Phtheochroa piptomachaeria* Razowski, 1986 (Tortricidae) Synonym(s): *piptomachaeria* Razowski, 1986
 79549) *Phtheochroa pistrinana* (Erschoff, 1877) (Tortricidae) Synonym(s): *pistrinana* Erschoff, 1877; *coreana* Walsingham, 1900; *albiscutellum* Walsingham, 1900; *heptapotamica* Obraztsov, 1944.
 79550) *Phtheochroa primula* (Walsingham, 1914) (Tortricidae) Synonym(s): *primula* Walsingham, 1914
 79551) *Phtheochroa procerana* (Lederer, 1853) (Tortricidae) Synonym(s): *procerana* Lederer, 1853
 79552) *Phtheochroa pulvillana* (Herrich-Schäffer, 1851) (Tortricidae) Synonym(s): *pulvillana* Herrich-Schäffer, 1851
 79553) *Phtheochroa pulvillana dispuncta* (Kuznetsov, 1976) (Tortricidae) Synonym(s):
 79554) *Phtheochroa purana* (Guenée, 1845) (Tortricidae) Synonym(s): *purana* Guenée, 1845; *limbatana* Herrich-Schäffer, [1851].
 79555) *Phtheochroa purissima* (Osthelder, 1938) (Tortricidae) Synonym(s): *purissima* Osthelder, 1938
 79556) *Phtheochroa quaesita* (Razowski, 1984) (Tortricidae) Synonym(s): *quaesita* Razowski, 1984
 79557) *Phtheochroa rectangularana* (Chrétien, 1915) (Tortricidae) Synonym(s): *rectangularana* Chrétien, 1915
 79558) *Phtheochroa reisseri* Razowski, 1970 (Tortricidae) Synonym(s): *reisseri* Razowski, 1970
 79559) *Phtheochroa retextana* (Erschoff, 1874) (Tortricidae) Synonym(s): *retextana* Erschoff, 1874
 79560) *Phtheochroa rugosana* (Hübner, [1799]) (Tortricidae) Synonym(s): *rugosana* Hübner, [1799]; *v-albana* Donovan, 1806.
 79561) *Phtheochroa schreibersiana* (Frölich, 1828) (Tortricidae) Synonym(s): *schreibersiana* Frölich, 1828
 79562) *Phtheochroa schreieri* Derra, 1991 (Tortricidae) Synonym(s): *schreieri* Derra, 1991
 79563) *Phtheochroa simoniana* (Staudinger, 1859) (Tortricidae) Synonym(s): *simoniana* Staudinger, 1859
 79564) *Phtheochroa sinicarina* Huemer, 1990 (Tortricidae) Synonym(s): *sinicarina* Huemer, 1990
 79565) *Phtheochroa sodaliana* (Haworth, 1811) (Tortricidae) Synonym(s): *sodaliana* Haworth, 1811; *amandana* Herrich-Schäffer, 1851.
 79566) *Phtheochroa subfumida* (Falkovitsh, 1963) (Tortricidae) Synonym(s): *subfumida* Falkovitsh, 1963
 79567) *Phtheochroa superbissima* (Razowski, 1984) (Tortricidae) Synonym(s): *superbissima* Razowski, 1984
 79568) *Phtheochroa syrtana* (Ragonot, 1888) (Tortricidae) Synonym(s): *syrtana* Ragonot, 1888
 79569) *Phtheochroa tenerima* Razowski, 1986 (Tortricidae) Synonym(s): *tenerima* Razowski, 1986
 79570) *Phtheochroa thiana* Staudinger, [1900] (Tortricidae) Synonym(s): *thiana* Staudinger, [1900]; *dilectana* Kennel, 1900.
 79571) *Phtheochroa uighurica* Kemal & Koçak, 2004 (Tortricidae) Synonym(s): *undulata* Danilevsky, 1962 nec Luc., 1946; *uighurica* Kemal & Koçak, 2004
 79572) *Phtheochroa unioniana* (Kennel, 1900) (Tortricidae) Synonym(s): *unioniana* Kennel, 1900

- 79573) *Phtheochroa variolosana* (Christoph,1887) (Tortricidae) Synonym(s): *variolosana* Christoph,1887
 79574) *Phtheochroa veirsi* Razowski,1986 (Tortricidae) Synonym(s): *veirsi* Razowski,1986
 79575) *Phtheochroa vicina* (Walsingham,1910) (Tortricidae) Synonym(s): *vicina* Walsingham,1910
 79576) *Phtheochroa vulneratana* (Zetterstedt,1839) (Tortricidae) Synonym(s): *vulneratana* Zetterstedt,1839; *exsulana* Lederer,1855; *nipponica* Matsumura,1931; *meincki* Amsel,1932.
 79577) *Phtheochroa zacualpana* (Busck,1913) (Tortricidae) Synonym(s): *zacualpana* Busck,1913
 79578) *Phtheochroa zerena* Razowski & Becker,1993 (Tortricidae) Synonym(s): *zerena* Razowski & Becker,1993
 79579) *Phtheochroides apicana* (Walsingham,1900) (Tortricidae) Synonym(s): *apicana* Walsingham,1900
 79580) *Phtheochroides clandestina* Razowski,1968 (Tortricidae) Synonym(s): *clandestina* Razowski,1968
 79581) *Piniphila bifasciana* (Haworth,1811) (Tortricidae) Synonym(s): *bifasciana* Haworth,1811; *daleana* Haworth,1811; *bicinctana* Tengström,1848; *decrepitana* Herrisch-Schäffer,1851; *silphana* Millière,1874
 79582) *Planaltinella rhatyma* Razowski & Becker,1994 (Tortricidae) Synonym(s): *rhatyma* Razowski & Becker,1994
 79583) *Planostocha cumulata* (Meyrick,1907) (Tortricidae) Synonym(s): *cumulata* Meyrick,1907
 79584) *Platphalonidia assessor* (Razowski,1967) (Tortricidae) Synonym(s): *assessor* Razowski,1967
 79585) *Platphalonidia californica* Razowski,1986 (Tortricidae) Synonym(s): *californica* Razowski,1986
 79586) *Platphalonidia domna* (Clarke,1968) (Tortricidae) Synonym(s): *domna* Clarke,1968
 79587) *Platphalonidia dubia* (Razowski & Becker,1983) (Tortricidae) Synonym(s): *dubia* Razowski & Becker,1983
 79588) *Platphalonidia felix* (Walsingham,1895) (Tortricidae) Synonym(s): *felix* Walsingham,1895
 79589) *Platphalonidia fusifera* (Meyrick,1912) (Tortricidae) Synonym(s): *fusifera* Meyrick,1912
 79590) *Platphalonidia galbana* (Meyrick,1917) (Tortricidae) Synonym(s): *galbana* Meyrick,1917
 79591) *Platphalonidia luxata* Razowski & Becker,1986 (Tortricidae) Synonym(s): *luxata* Razowski & Becker,1986
 79592) *Platphalonidia mendora* (Clarke,1968) (Tortricidae) Synonym(s): *mendora* Clarke,1968
 79593) *Platphalonidia mimosina* Razowski,1986 (Tortricidae) Synonym(s): *mimosina* Razowski,1986
 79594) *Platphalonidia ochraceana* (Razowski,1967) (Tortricidae) Synonym(s): *ochraceana* Razowski,1967
 79595) *Platphalonidia paranae* (Razowski & Becker,1983) (Tortricidae) Synonym(s): *paranae* Razowski & Becker,1983
 79596) *Platphalonidia plicana* (Walsingham,1884) (Tortricidae) Synonym(s): *plicana* Walsingham,1884
 79597) *Platphalonidia stibeutes* Razowski,[1992] (Tortricidae) Synonym(s): *stibeutes* Razowski,[1992]
 79598) *Platphalonidia sublimis* (Meyrick,1917) (Tortricidae) Synonym(s): *sublimis* Meyrick,1917
 79599) *Platphalonidia subolivacea* (Walsingham,1897) (Tortricidae) Synonym(s): *subolivacea* Walsingham,1897
 79600) *Platphalonidia tehucana* Razowski,1986 (Tortricidae) Synonym(s): *tehucana* Razowski,1986
 79601) *Platynota breviplicana* Walsingham,1897 (Tortricidae) Synonym(s): *breviplicana* Walsingham,1897; *diminutana* Walsingham,1897
 79602) *Platynota calidana* (Zeller,1877) (Tortricidae) Synonym(s): *calidana* Zeller,1877
 79603) *Platynota capella* Walsingham,1913 (Tortricidae) Synonym(s): *capella* Walsingham,1913
 79604) *Platynota colobota* Meyrick,1926 (Tortricidae) Synonym(s): *colobota* Meyrick,1926
 79605) *Platynota egana* (Walker,1866) (Tortricidae) Synonym(s): *egana* Walker,1866
 79606) *Platynota flavedana* Clemens,1860 (Tortricidae) Synonym(s): *flavedana* Clemens,1860; *conkursana* Walker,1863; *laterana* Robinson,1869
 79607) *Platynota helianthes* (Meyrick,1932) (Tortricidae) Synonym(s): *helianthes* Meyrick,1932
 79608) *Platynota illuminata* (Meyrick,1917) (Tortricidae) Synonym(s): *illuminata* Meyrick,1917
 79609) *Platynota labiosana* (Zeller,1875) (Tortricidae) Synonym(s): *labiosana* Zeller,1875
 79610) *Platynota larreana* (Comstock,1939) (Tortricidae) Synonym(s): *larreana* Comstock,1939
 79611) *Platynota obliqua* Walsingham,1913 (Tortricidae) Synonym(s): *obliqua* Walsingham,1913
 79612) *Platynota offuscata* Walsingham,1913 (Tortricidae) Synonym(s): *offuscata* Walsingham,1913
 79613) *Platynota restitutana* (Walker,1863) (Tortricidae) Synonym(s): *restitutana* Walker,1863
 79614) *Platynota rostrana* (Walker,1863) (Tortricidae) Synonym(s): *rostrana* Walker,1863; *connexana* Walker,1863; *repandana* Walker,1863; *saturatana* Walker,1863
 79615) *Platynota rubiginis* Walsingham,1913 (Tortricidae) Synonym(s): *rubiginis* Walsingham,1913
 79616) *Platynota stultana* Walsingham,1884 (Tortricidae) Synonym(s): *stultana* Walsingham,1884; *chiquitana* Barnes & Busck,1920
 79617) *Platynota subacida* (Meyrick,1917) (Tortricidae) Synonym(s): *subacida* Meyrick,1917
 79618) *Platynota subargentea* Walsingham,1913 (Tortricidae) Synonym(s): *subargentea* Walsingham,1913
 79619) *Platynota viridana* Barnes & Busck,1920 (Tortricidae) Synonym(s): *viridana* Barnes & Busck,1920
 79620) *Platynota wenzelana* (Heimbach,1915) (Tortricidae) Synonym(s): *wenzelana* Heimbach,1915
 79621) *Platynota xylophaea* (Meyrick,1911) (Tortricidae) Synonym(s): *xylophaea* Meyrick,1911
 79622) *Platynota yumana* (Kearfott,1907) (Tortricidae) Synonym(s): *yumana* Kearfott,1907
 79623) *Platynota zymogramma* (Meyrick,1926) (Tortricidae) Synonym(s): *zymogramma* Meyrick,1926
 79624) *Polylopha cassicola* Liu & Kawabe,1993 (Tortricidae) Synonym(s): *cassicola* Liu & Kawabe,1993
 79625) *Polyortha atropella* Razowski,1980 (Tortricidae) Synonym(s): *atropella* Razowski,1980
 79626) *Polyortha biezanskoi* Becker,1970 (Tortricidae) Synonym(s): *biezanskoi* Becker,1970
 79627) *Polyortha bryographa* (Meyrick,1909) (Tortricidae) Synonym(s): *bryographa* Meyrick,1909
 79628) *Polyortha bryometalla* Meyrick,1932 (Tortricidae) Synonym(s): *bryometalla* Meyrick,1932
 79629) *Polyortha chiriquitana* (Zeller,1877) (Tortricidae) Synonym(s): *chiriquitana* Zeller,1877
 79630) *Polyortha chlamydata* Dognin,1912 (Tortricidae) Synonym(s): *chlamydata* Dognin,1912
 79631) *Polyortha clarkeana* Razowski,1984 (Tortricidae) Synonym(s): *clarkeana* Razowski,1984
 79632) *Polyortha euchlorana* Walsingham,1914 (Tortricidae) Synonym(s): *euchlorana* Walsingham,1914
 79633) *Polyortha evestigana* Razowski,1984 (Tortricidae) Synonym(s): *evestigana* Razowski,1984
 79634) *Polyortha glaucotes* Walsingham,1914 (Tortricidae) Synonym(s): *glaucotes* Walsingham,1914
 79635) *Polyortha gradatulana* (Zeller,1866) (Tortricidae) Synonym(s): *gradatulana* Zeller,1866
 79636) *Polyortha halianassa* Meyrick,1932 (Tortricidae) Synonym(s): *halianassa* Meyrick,1932
 79637) *Polyortha laroceae* Razowski & Becker,1981 (Tortricidae) Synonym(s): *laroecae* Razowski & Becker,1981
 79638) *Polyortha lyncurion* Razowski,1980 (Tortricidae) Synonym(s): *lyncurion* Razowski,1980
 79639) *Polyortha magnifica* Walsingham,1914 (Tortricidae) Synonym(s): *magnifica* Walsingham,1914
 79640) *Polyortha marmarodes* (Meyrick,1912) (Tortricidae) Synonym(s): *marmarodes* Meyrick,1912
 79641) *Polyortha myoxa* Razowski,1984 (Tortricidae) Synonym(s): *myoxa* Razowski,1984
 79642) *Polyortha naevifera* Razowski,1984 (Tortricidae) Synonym(s): *naevifera* Razowski,1984
 79643) *Polyortha nigriguttata* Walsingham,1914 (Tortricidae) Synonym(s): *nigriguttata* Walsingham,1914
 79644) *Polyortha niveopunctata* Dognin,1905 (Tortricidae) Synonym(s): *niveopunctata* Dognin,1905
 79645) *Polyortha paranae* Razowski & Becker,1981 (Tortricidae) Synonym(s): *paranae* Razowski & Becker,1981
 79646) *Polyortha purpurascens* (Meyrick,1912) (Tortricidae) Synonym(s): *purpurascens* Meyrick,1912
 79647) *Polyortha radiata* Razowski & Becker,1981 (Tortricidae) Synonym(s): *radiata* Razowski & Becker,1981
 79648) *Polyortha sagax* Razowski,1984 (Tortricidae) Synonym(s): *sagax* Razowski,1984
 79649) *Polyortha suffalcata* Walsingham,1914 (Tortricidae) Synonym(s): *suffalcata* Walsingham,1914
 79650) *Polyortha symphila* Razowski,1984 (Tortricidae) Synonym(s): *symphila* Razowski,1984
 79651) *Polyortha tersa* Walsingham,1914 (Tortricidae) Synonym(s): *tersa* Walsingham,1914
 79652) *Polyortha thammiana* (Zeller,1877) (Tortricidae) Synonym(s): *thammiana* Zeller,1877
 79653) *Polyortha trochilodes* (Meyrick,1912) (Tortricidae) Synonym(s): *trochilodes* Meyrick,1912
 79654) *Polythra viridescens* (Meyrick,1912) (Tortricidae) Synonym(s): *viridescens* Meyrick,1912; *mollinediella* Busck,1932
 79655) *Popayanita hydrochoa* (Meyrick,1930) (Tortricidae) Synonym(s): *hydrochoa* Meyrick,1930; *hydrochoa* Clarke,1958
 79656) *Popayanita ptycta* Razowski,1987 (Tortricidae) Synonym(s): *ptycta* Razowski,1987
 79657) *Pristerognatha fuligana* [Denis & Schiffermüller],1775 (Tortricidae) Synonym(s): *fuligana* [Denis & Schiffermüller],1775
 79658) *Pristerognatha penthinana* (Guenée,1845) (Tortricidae) Synonym(s): *penthinana* Guenée,1845; *postremana* Lienig & Zeller,1846
 79659) *Prochlidonia amiantana* (Hübner,[1799]) (Tortricidae) Synonym(s): *amiantana* Hübner,[1799]

- 79660) *Prochlidonia ochromixtana* (Kennel,1913) (Tortricidae) Synonym(s): *ochromixtana* Kennel,1913
 79661) *Procoronis swinhoeciana* (Walsingham,1890) (Tortricidae) Synonym(s): *swinhoeciana* Walsingham,1890; *rothias* Meyrick,1911
 79662) *Proeulia aethalea* Obraztsov,1964 (Tortricidae) Synonym(s): *aethalea* Obraztsov,1964
 79663) *Proeulia apospasta* Obraztsov,1964 (Tortricidae) Synonym(s): *apospasta* Obraztsov,1964
 79664) *Proeulia approximata* (Butler,1883) (Tortricidae) Synonym(s): *approximata* Butler,1883
 79665) *Proeulia auraria* (Clarke,1949) (Tortricidae) Synonym(s): *auraria* Clarke,1949
 79666) *Proeulia boliviae* Razowski,1988 (Tortricidae) Synonym(s): *boliviae* Razowski,1988
 79667) *Proeulia chrysoteris* (Butler,1883) (Tortricidae) Synonym(s): *chrysoteris* Butler,1883
 79668) *Proeulia clenchi* Clarke,1980 (Tortricidae) Synonym(s): *clenchi* Clarke,1980
 79669) *Proeulia cneca* Obraztsov,1964 (Tortricidae) Synonym(s): *cneca* Obraztsov,1964
 79670) *Proeulia dives* (Butler,1883) (Tortricidae) Synonym(s): *dives* Butler,1883
 79671) *Proeulia exusta* (Butler,1883) (Tortricidae) Synonym(s): *exusta* Butler,1883
 79672) *Proeulia fulvaria* (Blanchard,1852) (Tortricidae) Synonym(s): *fulvaria* Blanchard,1852
 79673) *Proeulia griseiceps* (Aurivillius,1922) (Tortricidae) Synonym(s): *griseiceps* Aurivillius,1922; *striolana* Aurivillius,1922
 79674) *Proeulia inconspicua* Obraztsov,1964 (Tortricidae) Synonym(s): *inconspicua* Obraztsov,1964
 79675) *Proeulia kuscheli* Clarke,1980 (Tortricidae) Synonym(s): *kuscheli* Clarke,1980
 79676) *Proeulia leonina* (Butler,1883) (Tortricidae) Synonym(s): *leonina* Butler,1883
 79677) *Proeulia montana* (Bartlett-Calvert,1893) (Tortricidae) Synonym(s): *montana* Bartlett-Calvert,1893
 79678) *Proeulia robinsoni* (Aurivillius,1922) (Tortricidae) Synonym(s): *robinsoni* Aurivillius,1922
 79679) *Proeulia tenontias* (Meyrick,1912) (Tortricidae) Synonym(s): *tenontias* Meyrick,1912
 79680) *Proeulia triquetra* Obraztsov,1964 (Tortricidae) Synonym(s): *triquetra* Obraztsov,1964
 79681) *Prohysterophora chionopa* (Meyrick,1891) (Tortricidae) Synonym(s): *chionopa* Meyrick,1891; *neftana* Lucas,1943
 79682) *Propiormorpha rhodophana* (Herrich-Schäffer,[1851]) (Tortricidae) Synonym(s): *rhodophana* Herrich-Schäffer,[1851]
 79683) *Proschistis invida* Meyrick,1909 (Tortricidae) Synonym(s): *invida* Meyrick,1909
 79684) *Proschistis marmoropa* Meyrick,1907 (Tortricidae) Synonym(s): *marmoropa* Meyrick,1907
 79685) *Proschistis sideroxyla* (Meyrick,1931) (Tortricidae) Synonym(s): *sideroxyla* Meyrick,1931
 79686) *Protancylis amseli* Diakonoff,1983 (Tortricidae) Synonym(s): *amseli* Diakonoff,1983
 79687) *Protancylis amseli* Diakonoff,1983 (Tortricidae) Synonym(s): *amseli* Diakonoff,1983
 79688) *Protancylis bisecta* Razowski,2002 (Tortricidae) Synonym(s): *bisecta* Razowski,2002
 79689) *Protarchella nivis* (Diakonoff,1941) (Tortricidae) Synonym(s): *nivis* Diakonoff,1941
 79690) *Proteoteras implicata* Heinrich,1924 (Tortricidae) Synonym(s): *implicata* Heinrich,1924
 79691) *Protophthora diachorda* (Meyrick,1932) (Tortricidae) Synonym(s): *diachorda* Meyrick,1932
 79692) *Protophthora chalybias* Meyrick,1908 (Tortricidae) Synonym(s): *chalybias* Meyrick,1908
 79693) *Protophthora citrophanes* Meyrick,1921 (Tortricidae) Synonym(s): *citrophanes* Meyrick,1921
 79694) *Protophthora eremia* Yashuda & Razowski,1991 (Tortricidae) Synonym(s): *eremia* Yashuda & Razowski,1991
 79695) *Psecmatica pachnostola* Meyrick,1930 (Tortricidae) Synonym(s): *pachnostola* Meyrick,1930
 79696) *Pseudacroclita hapalaspis* (Meyrick,1931) (Tortricidae) Synonym(s): *hapalaspis* Meyrick,1931
 79697) *Pseudacroclita luteispecula* (Kuznetsov,1979) (Tortricidae) Synonym(s): *luteispecula* Kuznetsov,1979
 79698) *Pseudamelia rogana* Guenée,1845 (Tortricidae) Synonym(s): *rogana* Guenée,1845
 79699) *Pseudargyrotoza conwagana* (Fabricius,1775) (Tortricidae) Synonym(s): *montana* Scopoli,1763; *conwagana* Fabricius,1775; *hofmannseggana* Hübner,[1799]; *spixiana* Frölich,1828; *subaurantiana* Stephens,1834; *graphitana* Eversmann,1844; *#conwajana* Staudinger,1879.
 79700) *Pseudargyrotoza leucophracta* (Meyrick,1937) (Tortricidae) Synonym(s): *leucophracta* Meyrick,1937
 79701) *Pseudatteria analoga* (Obraztsov,1966) (Tortricidae) Synonym(s): *analoga* Obraztsov,1966
 79702) *Pseudatteria ardoris* (Obraztsov,1966) (Tortricidae) Synonym(s): *ardoris* Obraztsov,1966
 79703) *Pseudatteria bradleyi* (Obraztsov,1966) (Tortricidae) Synonym(s): *bradleyi* Obraztsov,1966
 79704) *Pseudatteria buckleyi* (Druce,1901) (Tortricidae) Synonym(s): *buckleyi* Druce,1901; *purpurea* Dognin,1904
 79705) *Pseudatteria cantharopa* (Meyrick,1909) (Tortricidae) Synonym(s): *cantharopa* Meyrick,1909
 79706) *Pseudatteria cantharopa cantharopa* (Meyrick,1909) (Tortricidae) Synonym(s): *cantharopa* Meyrick,1909
 79707) *Pseudatteria cantharopa pulchra* (Obraztsov,1966) (Tortricidae) Synonym(s): *pulchra* Obraztsov,1966
 79708) *Pseudatteria chrysanthema* (Meyrick,1912) (Tortricidae) Synonym(s): *chrysanthema* Meyrick,1912
 79709) *Pseudatteria cladodes* Walsingham,1914 (Tortricidae) Synonym(s): *cladodes* Walsingham,1914
 79710) *Pseudatteria dictyanthes* Meyrick,1936 (Tortricidae) Synonym(s): *dictyanthes* Meyrick,1936
 79711) *Pseudatteria dognini* Obraztsov,1966 (Tortricidae) Synonym(s): *dognini* Obraztsov,1966
 79712) *Pseudatteria fumipennis* (Dognin,1904) (Tortricidae) Synonym(s): *fumipennis* Dognin,1904
 79713) *Pseudatteria heliocausta* (Dognin,1912) (Tortricidae) Synonym(s): *heliocausta* Dognin,1912; *fornicata* Meyrick,1917; *baccheutis* Meyrick,1924; *metacapna* Meyrick,1924
 79714) *Pseudatteria igniflora* Meyrick,1930 (Tortricidae) Synonym(s): *igniflora* Meyrick,1930
 79715) *Pseudatteria leopardina* (Butler,1872) (Tortricidae) Synonym(s): *leopardina* Butler,1872
 79716) *Pseudatteria maenas* Meyrick,1924 (Tortricidae) Synonym(s): *maenas* Meyrick,1924
 79717) *Pseudatteria marmarantha* Meyrick,1924 (Tortricidae) Synonym(s): *marmarantha* Meyrick,1924
 79718) *Pseudatteria myriocosma* Meyrick,1930 (Tortricidae) Synonym(s): *myriocosma* Meyrick,1930
 79719) *Pseudatteria pantherina* (C.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *pantherina* C.Felder & Rogenhofer,1875
 79720) *Pseudatteria pseudomaenas* (Obraztsov,1966) (Tortricidae) Synonym(s): *pseudomaenas* Obraztsov,1966
 79721) *Pseudatteria shafferi* (Obraztsov,1966) (Tortricidae) Synonym(s): *shafferi* Obraztsov,1966
 79722) *Pseudatteria splendens* (Druce,1901) (Tortricidae) Synonym(s): *splendens* Druce,1901; *flabellata* Meyrick,1912
 79723) *Pseudatteria symplacota* Meyrick,1930 (Tortricidae) Synonym(s): *symplacota* Meyrick,1930; *anemonantha* Meyrick,1932
 79724) *Pseudatteria tremewani* (Obraztsov,1966) (Tortricidae) Synonym(s): *tremewani* Obraztsov,1966
 79725) *Pseudatteria unciana* (Dognin,1904) (Tortricidae) Synonym(s): *unciana* Dognin,1904
 79726) *Pseudatteria volcanica* (Butler,1872) (Tortricidae) Synonym(s): *volcanica* Butler,1872; *mimica* C.Felder & Rogenhofer,1875
 79727) *Pseudatteria volcanica rivularis* (Butler,1875) (Tortricidae) Synonym(s): *rivularis* Butler,1875; *potamites* Walsingham,1913; *geminipuncta* Walsingham,1914
 79728) *Pseudatteria volcanica volcanica* (Butler,1872) (Tortricidae) Synonym(s): *volcanica* Butler,1872; *mimica* C.Felder & Rogenhofer,1875
 79729) *Pseudeboda africana* Razowski,1964 (Tortricidae) Synonym(s): *africana* Razowski,1964
 79730) *Pseudeulia asinana* (Hübner,[1799]) (Tortricidae) Synonym(s): *asinana* Hübner,[1799]
 79731) *Pseudexentera habrosana* (Heinrich,1923) (Tortricidae) Synonym(s): *habrosana* Heinrich,1923
 79732) *Pseudexentera oreios* W.Miller,1987 (Tortricidae) Synonym(s): *oreios* W.Miller,1987
 79733) *Pseudococcyx mughiana* (Zeller,1868) (Tortricidae) Synonym(s): *mughiana* Zeller,1868
 79734) *Pseudococcyx posticana* (Zetterstedt,1839) (Tortricidae) Synonym(s): *posticana* Zetterstedt,1839; *fulvimitrana* Heinemann,1863
 79735) *Pseudococcyx tessulatana* (Staudinger,1871) (Tortricidae) Synonym(s): *tessulatana* Staudinger,1871
 79736) *Pseudococcyx turionella* (Linnaeus,1758) (Tortricidae) Synonym(s): *turionella* Linnaeus,1758; *turionana* Haworth,1811
 79737) *Pseudococcyx agatharcha* (Meyrick,1926) (Tortricidae) Synonym(s): *agatharcha* Meyrick,1926
 79738) *Pseudococcyx albolineana* J.Brown,1990 (Tortricidae) Synonym(s): *albolineana* J.Brown,1990
 79739) *Pseudococcyx citroleuca* (Meyrick,1912) (Tortricidae) Synonym(s): *citroleuca* Meyrick,1912
 79740) *Pseudococcyx scardiana* (Dognin,1905) (Tortricidae) Synonym(s): *scardiana* Dognin,1905
 79741) *Pseudococcyx serendipita* J.Brown,1990 (Tortricidae) Synonym(s): *serendipita* J.Brown,1990
 79742) *Pseudocrocacia coronaria* Razowski,1966 (Tortricidae) Synonym(s): *coronaria* Razowski,1966
 79743) *Pseudohedya cinnina* Falkovitsh,1962 (Tortricidae) Synonym(s): *cinnina* Falkovitsh,1962
 79744) *Pseudohedya gradana* (Christoph,1881) (Tortricidae) Synonym(s): *gradana* Christoph,1881
 79745) *Pseudohermenias abietana* (Fabricius,1787) (Tortricidae) Synonym(s): *abietana* Fabricius,1787
 79746) *Pseudomertastis clarkei* Obraztsov,1966 (Tortricidae) Synonym(s): *clarkei* Obraztsov,1966

- 79747) *Pseudomeritastis cordigera* (Walsingham,1914) (Tortricidae) Synonym(s): *cordigera* Walsingham,1914
 79748) *Pseudomeritastis decora* Obratzov,1966 (Tortricidae) Synonym(s): *decora* Obratzov,1966
 79749) *Pseudomeritastis distincta* Obratzov,1966 (Tortricidae) Synonym(s): *distincta* Obratzov,1966
 79750) *Pseudomeritastis heliadelpha* (Meyrick,1932) (Tortricidae) Synonym(s): *heliadelpha* Meyrick,1932
 79751) *Pseudomeritastis orphnoxantha* Obratzov,1966 (Tortricidae) Synonym(s): *orphnoxantha* Obratzov,1966
 79752) *Pseudomeritastis voluta* (Meyrick,1912) (Tortricidae) Synonym(s): *voluta* Meyrick,1912
 79753) *Pseudophiaris sappadana* (Della Beffa,1937) (Tortricidae) Synonym(s): *sappadana* Della Beffa,1937
 79754) *Pseudosciaphila branderiana* (Linnaeus,1758) (Tortricidae) Synonym(s): *branderiana* Linnaeus,1758; *fuscana* Linnaeus,1758; *wahlbomiana* Linnaeus,1758; *asinana* Clerck,1759; *grossana* Thunberg,1791; *achariana* Thunberg,1797; *maurana* Hübner,[1799]; *sajana* Caradja,1938
 79755) *Pseudosciaphila rhactistis* Diakonoff,1973 (Tortricidae) Synonym(s): *rhactistis* Diakonoff,1973
 79756) *Psithovalva spinacea* Razowski,1994 (Tortricidae) Synonym(s): *spinacea* Razowski,1994
 79757) *Ptoseulia oxyropa* Razowski,1990 (Tortricidae) Synonym(s): *oxyropa* Razowski,1990
 79758) *Ptoseulia ozonia* Razowski,1990 (Tortricidae) Synonym(s): *ozonia* Razowski,1990
 79759) *Ptycholoma erschoffi* (Christoph,1877) (Tortricidae) Synonym(s): *erschoffi* Christoph,1877
 79760) *Ptycholoma lecheana* (Linnaeus,1758) (Tortricidae) Synonym(s): *lecheana* Linnaeus,1758; *obsoletana* Stephens,1834
 79761) *Ptycholomoides aeriferanus* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *aeriferana* Herrich-Schäffer,1851
 79762) *Ptygnathosia oxybela* Razowski,1988 (Tortricidae) Synonym(s): *oxybela* Razowski,1988
 79763) *Punctapinella braziliana* J.Brown,1991 (Tortricidae) Synonym(s): *braziliana* J.Brown,1991
 79764) *Punctapinella chionocarpa* (Meyrick,1932) (Tortricidae) Synonym(s): *chionocarpa* Meyrick,1932
 79765) *Punctapinella conchitis* (Meyrick,1912) (Tortricidae) Synonym(s): *conchitis* Meyrick,1912
 79766) *Punctapinella niphastra* (Meyrick,1931) (Tortricidae) Synonym(s): *niphastra* Meyrick,1931
 79767) *Punctapinella scleroductus* J.Brown,1991 (Tortricidae) Synonym(s): *scleroductus* J.Brown,1991
 79768) *Punctapinella theta* J.Brown,1991 (Tortricidae) Synonym(s): *theta* J.Brown,1991
 79769) *Pyrasarcha hypsicrates* Meyrick,1932 (Tortricidae) Synonym(s): *hypsicrates* Meyrick,1932
 79770) *Quasieulia endela* (Walsingham,1914) (Tortricidae) Synonym(s): *endela* Walsingham,1914
 79771) *Quasieulia hirsutipalpis* (Walsingham,1914) (Tortricidae) Synonym(s): *hirsutipalpis* Walsingham,1914
 79772) *Quasieulia mcguffini* Powell,1986 (Tortricidae) Synonym(s): *mcguffini* Powell,1986
 79773) *Razowskina eurydice* (Butler,1883) (Tortricidae) Synonym(s): *eurydice* Butler,1883
 79774) *Razowskina fortunearia* (Razowski,1991) (Tortricidae) Synonym(s): *fortunearia* Razowski,1991
 79775) *Razowskina glochina* (Razowski & Becker,1991) (Tortricidae) Synonym(s): *glochina* Razowski & Becker,1991
 79776) *Razowskina glomerula* (Razowski & Becker,1991) (Tortricidae) Synonym(s): *glomerula* Razowski & Becker,1991
 79777) *Razowskina psychotria* (Razowski & Becker,1991) (Tortricidae) Synonym(s): *psychotria* Razowski & Becker,1991
 79778) *Razowskina psydra* (Razowski & Becker,1991) (Tortricidae) Synonym(s): *psydra* Razowski & Becker,1991
 79779) *Razowskina ptilota* (Razowski & Becker,1991) (Tortricidae) Synonym(s): *ptilota* Razowski & Becker,1991
 79780) *Razowskina senilis* (Razowski,1987) (Tortricidae) Synonym(s): *senilis* Razowski,1987
 79781) *Rebinea erebina* (Butler,1883) (Tortricidae) Synonym(s): *erebina* Butler,1883; *balsamodes* Meyrick,1931
 79782) *Reptilioscia paraxena* Diakonoff,1983 (Tortricidae) Synonym(s): *paraxena* Diakonoff,1983
 79783) *Reptilioscia paryphaea* (Meyrick,1907) (Tortricidae) Synonym(s): *paryphaea* Meyrick,1907
 79784) *Retinia albicapitana* (Busck,1914) (Tortricidae) Synonym(s): *albicapitana* Busck,1914; *albicapitana* McGuffin,1967
 79785) *Retinia arizonensis* (Heinrich,1920) (Tortricidae) Synonym(s): *arizonensis* Heinrich,1920
 79786) *Retinia coeruleostriana* (Caradja,1939) (Tortricidae) Synonym(s): *coeruleostriana* Caradja,1939; *gemmeata* Kuznetsov,1970; *splendida* Oku & Satoh,1971
 79787) *Retinia cristata* (Walsingham,1900) (Tortricidae) Synonym(s): *cristata* Walsingham,1900; *insignis* Heinrich,1928
 79788) *Retinia edemoidana* (Dyar,1903) (Tortricidae) Synonym(s): *edemoidana* Dyar,1903
 79789) *Retinia immanitana* (Kuznetsov,1969) (Tortricidae) Synonym(s): *immanitana* Kuznetsov,1969
 79790) *Retinia impropria* (Meyrick,1932) (Tortricidae) Synonym(s): *perangustana* Snellen,1883 (*praeocc.*); *impropria* Meyrick,1932; *zonovae* Florow,1951
 79791) *Retinia jezoensis* Nasu,1991 (Tortricidae) Synonym(s): *jezoensis* Nasu,1991
 79792) *Retinia khashiensis* (Miller,1977) (Tortricidae) Synonym(s): *khashiensis* Miller,1977
 79793) *Retinia lemniscata* (Kuznetsov,1973) (Tortricidae) Synonym(s): *lemniscata* Kuznetsov,1973
 79794) *Retinia monopunctata* (Oku,1968) (Tortricidae) Synonym(s): *monopunctata* Oku,1968; *pini* Kuznetsov,1969
 79795) *Retinia pseudotsugaicola* Liu & Wu,2001 (Tortricidae) Synonym(s): *pseudotsugaicola* Liu & Wu,2001
 79796) *Retinia resinella* (Linnaeus,1758) (Tortricidae) Synonym(s): *resinella* Linnaeus,1758; *resinana* Fabricius,1775; *resinea* Haworth,[1811].
 79797) *Retinia salweenensis* (Miller,1977) (Tortricidae) Synonym(s): *salweenensis* Miller,1977
 79798) *Retinia scalaris* (Diakonoff,[1968]) (Tortricidae) Synonym(s): *#scalaris* Diakonoff,[1968]
 79799) *Retinia teleopa* (Meyrick,1927) (Tortricidae) Synonym(s): *teleopa* Meyrick,1927
 79800) *Revertuncaria spathula* Razowski,1986 (Tortricidae) Synonym(s): *spathula* Razowski,1986
 79801) *Rhctogonia ancalota* (Meyrick,1907) (Tortricidae) Synonym(s): *ancalota* Meyrick,1907
 79802) *Rhodacra parvusa* Kawabe,1995 (Tortricidae) Synonym(s): *parvusa* Kawabe,1995
 79803) *Rhodacra pyrrhocrossa* (Meyrick,1912) (Tortricidae) Synonym(s): *pyrrhocrossa* Meyrick,1912
 79804) *Rhodacra rupifera* (Meyrick,1909) (Tortricidae) Synonym(s): *rupifera* Meyrick,1909
 79805) *Rhodocosmaria occidentalis* Diakonoff,1973 (Tortricidae) Synonym(s): *occidentalis* Diakonoff,1973
 79806) *Rhopaltriplusia anamilleta* Diakonoff,1973 (Tortricidae) Synonym(s): *anamilleta* Diakonoff,1973
 79807) *Rhopaltriplusia insignata* Kuznetsov,1977 (Tortricidae) Synonym(s): *insignata* Kuznetsov,1977
 79808) *Rhopaltriplusia macrorhis* Diakonoff,1983 (Tortricidae) Synonym(s): *macrorhis* Diakonoff,1983
 79809) *Rhopaltriplusia trimelaena* (Meyrick,1922) (Tortricidae) Synonym(s): *trimelaena* Meyrick,1922
 79810) *Rhopobota amphigonia* (Diakonoff,[1968]) (Tortricidae) Synonym(s): *amphigonia* Diakonoff,[1968]
 79811) *Rhopobota ancyloides* Kuznetsov,1988 (Tortricidae) Synonym(s): *ancyloides* Kuznetsov,1988
 79812) *Rhopobota antecellana* Kuznetsov,1988 (Tortricidae) Synonym(s): *antecellana* Kuznetsov,1988
 79813) *Rhopobota antrifera* (Meyrick,1935) (Tortricidae) Synonym(s): *antrifera* Meyrick,1935
 79814) *Rhopobota argyrophenga* (Diakonoff,1950) (Tortricidae) Synonym(s): *argyrophenga* Diakonoff,1950
 79815) *Rhopobota bicolor* Kawabe,1989 (Tortricidae) Synonym(s): *bicolor* Kawabe,1989
 79816) *Rhopobota blanditana* Kuznetsov,1988 (Tortricidae) Synonym(s): *blanditana* Kuznetsov,1988
 79817) *Rhopobota bostrichus* Diakonoff,1983 (Tortricidae) Synonym(s): *bostrichus* Diakonoff,1983
 79818) *Rhopobota chlorantha* (Meyrick,1907) (Tortricidae) Synonym(s): *chlorantha* Meyrick,1907
 79819) *Rhopobota cicatrix* Razowski,1999 (Tortricidae) Synonym(s): *cicatrix* Razowski,1999
 79820) *Rhopobota clivosa* (Meyrick,1912) (Tortricidae) Synonym(s): *clivosa* Meyrick,1912
 79821) *Rhopobota cornuta* Razowski,1995 (Tortricidae) Synonym(s): *cornuta* Razowski,1995
 79822) *Rhopobota dietziana* (Kearfott,1907) (Tortricidae) Synonym(s): *dietziana* Kearfott,1907
 79823) *Rhopobota eclipticodes* (Meyrick,1935) (Tortricidae) Synonym(s): *eclipticodes* Meyrick,1935
 79824) *Rhopobota falcata* Nasu,1999 (Tortricidae) Synonym(s): *falcata* Nasu,1999
 79825) *Rhopobota falcigera* (Diakonoff,1950) (Tortricidae) Synonym(s): *falcigera* Diakonoff,1950
 79826) *Rhopobota finitimana* (Heinrich,1923) (Tortricidae) Synonym(s): *finitimana* Heinrich,1923
 79827) *Rhopobota grypodes* (Meyrick,1912) (Tortricidae) Synonym(s): *grypodes* Meyrick,1912; *vulturina* Meyrick,1936
 79828) *Rhopobota hypomelas* Diakonoff,1983 (Tortricidae) Synonym(s): *hypomelas* Diakonoff,1983
 79829) *Rhopobota kaempferiana* (Oku,1971) (Tortricidae) Synonym(s): *kaempferiana* Oku,1971
 79830) *Rhopobota leucognoma* (Clarke,1976) (Tortricidae) Synonym(s): *leucognoma* Clarke,1976
 79831) *Rhopobota macroceria* Razowski,1999 (Tortricidae) Synonym(s): *macroceria* Razowski,1999
 79832) *Rhopobota macrosepalana* (Oku,1971) (Tortricidae) Synonym(s): *macrosepalana* Oku,1971
 79833) *Rhopobota metastena* Diakonoff,1984 (Tortricidae) Synonym(s): *metastena* Diakonoff,1984
 79834) *Rhopobota microceria* Razowski,1999 (Tortricidae) Synonym(s): *microceria* Razowski,1999

- 79835) **Rhopobota microrrhyncha** (Meyrick,1931) (Tortricidae) Synonym(s): *microrrhyncha* Meyrick,1931
 79836) **Rhopobota multiplex** (Meyrick,1911) (Tortricidae) Synonym(s): *multiplex* Meyrick,1911
 79837) **Rhopobota myrtillana** (Humphreys & Westwood,1845) (Tortricidae) Synonym(s): *myrtillana* Humphreys & Westwood,1845; *vacciniana* Lienig & Zeller,1846; *latifasciana* Peyerimhoff,1863.
 79838) **Rhopobota naevana** (Hübner,[1817]) (Tortricidae) Synonym(s): *unipunctana* Haworth,1811 (*praeocc.*); *naevana* Hübner,[1817]; *geminana* Stephens,1852; *luciferana* Walker,1863; *vacciniana* Packard,1869 (*praeocc.*); *ilicifoliana* Kearfott,1907; *microrrhyncha* Meyrick,1931; *malivorella* Matsumura,1931
 79839) **Rhopobota punctiferana** Kuznetsov,1988 (Tortricidae) Synonym(s): *punctiferana* Kuznetsov,1988
 79840) **Rhopobota resupinatana** (Kennel,1901) (Tortricidae) Synonym(s): *resupinatana* Kennel,1901
 79841) **Rhopobota safidana** (Razowski,1963) (Tortricidae) Synonym(s): *safidana* Razowski,1963
 79842) **Rhopobota scleropa** (Meyrick,1912) (Tortricidae) Synonym(s): *scleropa* Meyrick,1912
 79843) **Rhopobota shikokuensis** (Oku,1971) (Tortricidae) Synonym(s): *shikokuensis* Oku,1971
 79844) **Rhopobota sp.1** (Tortricidae) Synonym(s):
 79845) **Rhopobota sp.2** (Tortricidae) Synonym(s):
 79846) **Rhopobota stagnana** ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *stagnana* [Denis & Schiffermüller],1775; *fractifasciana* Haworth,[1811]; *cuphana* Duponchel,1843; *beroliensis* Amsel,1932
 79847) **Rhopobota svetlanae** Kuznetsov,2003 (Tortricidae) Synonym(s): *svetlanae* Kuznetsov,2003
 79848) **Rhopobota symbolias** (Meyrick,1912) (Tortricidae) Synonym(s): *symbolias* Meyrick,1912
 79849) **Rhopobota toshimai** (Kawabe,1978) (Tortricidae) Synonym(s): *toshimai* Kawabe,1978
 79850) **Rhopobota unidens** Razowski,1999 (Tortricidae) Synonym(s): *unidens* Razowski,1999
 79851) **Rhopobota ustomaculana** (Curtis,1831) (Tortricidae) Synonym(s): *ustomaculana* Curtis,1831; *ilexi* Kuznetsov,1967
 79852) **Rhopobota visenda** (Kuznetsov,1973) (Tortricidae) Synonym(s): *visenda* Kuznetsov,1973
 79853) **Rhyacionia aureola** Powell,1978 (Tortricidae) Synonym(s): *aureola* Powell,1978
 79854) **Rhyacionia buoliana** ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *buoliana* [Denis & Schiffermüller],1775; *herbstella* Goeze,1783; *thurificana* Lederer,1855; *#buoliana* Kalchberg,1897
 79855) **Rhyacionia duplana** (Hübner,[1813]) (Tortricidae) Synonym(s): *? piceella* Brahm,1791; *duplana* Hübner,[1813]; *coruscana* Frölich,1828
 79856) **Rhyacionia flammicolor** Powell,1978 (Tortricidae) Synonym(s): *flammicolor* Powell,1978
 79857) **Rhyacionia frustrana** (Comstock,1880) (Tortricidae) Synonym(s): *frustrana* Comstock,1880; *pseudostrobana* Amsel,1962; *#schwerdtfegeri* W.Miller,1967
 79858) **Rhyacionia logaea** Durrant,1911 (Tortricidae) Synonym(s): *logaea* Durrant,1911
 79859) **Rhyacionia maritima** Pröse,1981 (Tortricidae) Synonym(s): *maritima* Pröse,1981
 79860) **Rhyacionia miniatana** (Staudinger,1871) (Tortricidae) Synonym(s): *miniatana* Staudinger,1871
 79861) **Rhyacionia piniana** (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *piniana* Herrich-Schäffer,1851
 79862) **Rhyacionia pinicola** (Doubleday,1849) (Tortricidae) Synonym(s): *pinicola* Doubleday,1849; *cocinnana* Lederer,1859
 79863) **Rhyacionia pinivorana** (Lienig & Zeller,1846) (Tortricidae) Synonym(s): *pinivorana* Lienig & Zeller,1846; *albionana* Doubleday,1850; *pudendana* Herrich-Schäffer,1851; *rhaeticana* Thomann,1914; *hafneri* Rebel,1937
 79864) **Rhyacionia rigidana** (Fernald,1880) (Tortricidae) Synonym(s): *rigidana* Fernald,1880
 79865) **Rhyacionia salminicolor** Powell,1978 (Tortricidae) Synonym(s): *salminicolor* Powell,1978
 79866) **Rhyacionia subtropica** W.Miller,1961 (Tortricidae) Synonym(s): *subtropica* W.Miller,1961
 79867) **Rhychoptylis categorica** Meyrick,1932 (Tortricidae) Synonym(s): *categorica* Meyrick,1932
 79868) **Rhythmologa numerata** Meyrick,1926 (Tortricidae) Synonym(s): *numerata* Meyrick,1926
 79869) **Riculoides gallicola** Pastrana,1952 (Tortricidae) Synonym(s): *gallicola* Pastrana,1952
 79870) **Rigidosciaria erinaceola** Razowski,1986 (Tortricidae) Synonym(s): *erinaceola* Razowski,1986
 79871) **Rubidograptis regulus** Razowski,1981 (Tortricidae) Synonym(s): *regulus* Razowski,1981
 79872) **Rubrograptis recrudescens** Razowski,1981 (Tortricidae) Synonym(s): *recrudescens* Razowski,1981
 79873) **Rudenia nigrans** Razowski,1985 (Tortricidae) Synonym(s): *nigrans* Razowski,1985
 79874) **Rudenia paupercula** Razowski,1985 (Tortricidae) Synonym(s): *paupercula* Razowski,1985
 79875) **Rudisociaria expeditana** (Snellen,1833) (Tortricidae) Synonym(s): *expeditana* Snellen,1833
 79876) **Russograptis callophista** (Durrant,1913) (Tortricidae) Synonym(s): *callophista* Durrant,1913
 79877) **Russograptis canthararcha** (Meyrick,1937) (Tortricidae) Synonym(s): *canthararcha* Meyrick,1937; *#cantararcha* Razowski,1966
 79878) **Russograptis medleri** Razowski,1981 (Tortricidae) Synonym(s): *medleri* Razowski,1981
 79879) **Russograptis praeconia** (Meyrick,1937) (Tortricidae) Synonym(s): *praeconia* Meyrick,1937
 79880) **Russograptis solaris** Razowski,1981 (Tortricidae) Synonym(s): *solaris* Razowski,1981
 79881) **Rutilograptis cornesi** Razowski,1981 (Tortricidae) Synonym(s): *cornesi* Razowski,1981
 79882) **Rutilograptis couteauxi** (Ghesquière,1940) (Tortricidae) Synonym(s): *couteauxi* Ghesquière,1940
 79883) **Saetosaculina degenerans** (Meyrick,1930) (Tortricidae) Synonym(s): *degenerans* Meyrick,1930
 79884) **Saliciphaga acharis** (Butler,1879) (Tortricidae) Synonym(s): *acharis* Butler,1879
 79885) **Salsolcola emerobia** Falkovitsh,1964 (Tortricidae) Synonym(s): *emerobia* Falkovitsh,1964
 79886) **Salsolcola rjabovi** Kuznetsov,1960 (Tortricidae) Synonym(s): *rjabovi* Kuznetsov,1960
 79887) **Salsolcola stshetkini** Kuznetsov,1960 (Tortricidae) Synonym(s): *stshetkini* Kuznetsov,1960
 79888) **Sambara sinuata** Aarvik,2004 (Tortricidae) Synonym(s): *sinuata* Aarvik,2004
 79889) **Saphenista aculeata** (Razowski,1967) (Tortricidae) Synonym(s): *aculeata* Razowski,1967
 79890) **Saphenista aeraria** (Razowski,1967) (Tortricidae) Synonym(s): *aeraria* Razowski,1967
 79891) **Saphenista amusa** Razowski,1993 (Tortricidae) Synonym(s): *amusa* Razowski,1993
 79892) **Saphenista anaxia** (Clarke,1968) (Tortricidae) Synonym(s): *anaxia* Clarke,1968
 79893) **Saphenista bunteoides** Forbes,1931 (Tortricidae) Synonym(s): *bunteana* Walsingham,1892 nec Rob.,1869; *bunteoides* Forbes,1931
 79894) **Saphenista burreus** Razowski,1993 (Tortricidae) Synonym(s): *burreus* Razowski,1993
 79895) **Saphenista campalita** Razowski,1993 (Tortricidae) Synonym(s): *campalita* Razowski,1993
 79896) **Saphenista chloromixta** Razowski,[1992] (Tortricidae) Synonym(s): *chloromixta* Razowski,[1992]
 79897) **Saphenista consona** Razowski & Becker,1983 (Tortricidae) Synonym(s): *consona* Razowski & Becker,1983
 79898) **Saphenista consulta** Razowski,1986 (Tortricidae) Synonym(s): *consulta* Razowski,1986
 79899) **Saphenista cordifera** (Meyrick,1932) (Tortricidae) Synonym(s): *cordifera* Meyrick,1932
 79900) **Saphenista cryptogramma** Razowski & Becker,1994 (Tortricidae) Synonym(s): *cryptogramma* Razowski & Becker,1994
 79901) **Saphenista delapsa** Razowski,1990 (Tortricidae) Synonym(s): *delapsa* Razowski,1990
 79902) **Saphenista delicatulana** (Zeller,1877) (Tortricidae) Synonym(s): *delicatulana* Zeller,1877
 79903) **Saphenista dextra** Razowski & Becker,1986 (Tortricidae) Synonym(s): *dextra* Razowski & Becker,1986
 79904) **Saphenista embolina** Razowski,1984 (Tortricidae) Synonym(s): *embolina* Razowski,1984
 79905) **Saphenista endomyca** Razowski,[1992] (Tortricidae) Synonym(s): *endomyca* Razowski,[1992]
 79906) **Saphenista eneilema** Razowski,[1992] (Tortricidae) Synonym(s): *eneilema* Razowski,[1992]
 79907) **Saphenista ephimera** Razowski,[1992] (Tortricidae) Synonym(s): *ephimera* Razowski,[1992]
 79908) **Saphenista epiera** Razowski,[1992] (Tortricidae) Synonym(s): *epiera* Razowski,[1992]
 79909) **Saphenista epipolea** Razowski,[1992] (Tortricidae) Synonym(s): *epipolea* Razowski,[1992]
 79910) **Saphenista eranna** Razowski & Becker,1986 (Tortricidae) Synonym(s): *eranna* Razowski & Becker,1986
 79911) **Saphenista erasmia** Razowski,[1992] (Tortricidae) Synonym(s): *erasmia* Razowski,[1992]
 79912) **Saphenista ereba** Razowski,[1992] (Tortricidae) Synonym(s): *ereba* Razowski,[1992]
 79913) **Saphenista euprepia** Razowski,1993 (Tortricidae) Synonym(s): *euprepia* Razowski,1993
 79914) **Saphenista fluida** Razowski,1986 (Tortricidae) Synonym(s): *fluida* Razowski,1986
 79915) **Saphenista frangula** (Clarke,1968) (Tortricidae) Synonym(s): *frangula* Clarke,1968
 79916) **Saphenista gilva** Razowski & Becker,1986 (Tortricidae) Synonym(s): *gilva* Razowski & Becker,1986
 79917) **Saphenista glorianda** Razowski,1986 (Tortricidae) Synonym(s): *glorianda* Razowski,1986

- 79918) *Saphenista gnathmocera* Razowski,[1992] (Tortricidae) Synonym(s): *gnathmocera* Razowski,[1992]
79919) *Saphenista illimis* Razowski,1986 (Tortricidae) Synonym(s): *illimis* Razowski,1986
79920) *Saphenista imaginaria* Razowski & Becker,1986 (Tortricidae) Synonym(s): *imaginaria* Razowski & Becker,1986
79921) *Saphenista incauta* Razowski & Becker,1986 (Tortricidae) Synonym(s): *incauta* Razowski & Becker,1986
79922) *Saphenista juvenca* Razowski & Becker,1986 (Tortricidae) Synonym(s): *juvenca* Razowski & Becker,1986
79923) *Saphenista lacteipalpis* (Walsingham,1891) (Tortricidae) Synonym(s): *lacteipalpis* Walsingham,1891
79924) *Saphenista lathridia* Razowski & Becker,1986 (Tortricidae) Synonym(s): *lathridia* Razowski & Becker,1986
79925) *Saphenista lepidulana* Forbes,1931 (Tortricidae) Synonym(s): *lepidana* Walsingham,1892 nec Clem.,1860; *lepidulana* Forbes,1931
79926) *Saphenista livida* Razowski,1986 (Tortricidae) Synonym(s): *livida* Razowski,1986
79927) *Saphenista mediocris* Razowski,1986 (Tortricidae) Synonym(s): *mediocris* Razowski,1986
79928) *Saphenista melema* Razowski,[1992] (Tortricidae) Synonym(s): *melema* Razowski,[1992]
79929) *Saphenista mira* Razowski,1989 (Tortricidae) Synonym(s): *mira* Razowski,1989
79930) *Saphenista multistrigata* Walsingham,1892 (Tortricidae) Synonym(s): *multistrigata* Walsingham,1892
79931) *Saphenista nauphraga* Razowski & Becker,1983 (Tortricidae) Synonym(s): *nauphraga* Razowski & Becker,1983
79932) *Saphenista neanica* Razowski & Becker,1986 (Tortricidae) Synonym(s): *neanica* Razowski & Becker,1986
79933) *Saphenista nongrata* Razowski,1986 (Tortricidae) Synonym(s): *nongrata* Razowski,1986
79934) *Saphenista omoea* Razowski,1993 (Tortricidae) Synonym(s): *omoea* Razowski,1993
79935) *Saphenista onychina* Razowski & Becker,1986 (Tortricidae) Synonym(s): *onychina* Razowski & Becker,1986
79936) *Saphenista oreada* Razowski & Becker,1986 (Tortricidae) Synonym(s): *oreada* Razowski & Becker,1986
79937) *Saphenista orescia* Razowski & Becker,1986 (Tortricidae) Synonym(s): *orescia* Razowski & Becker,1986
79938) *Saphenista orichalcana* Razowski & Becker,1986 (Tortricidae) Synonym(s): *orichalcana* Razowski & Becker,1986
79939) *Saphenista penai* (Clarke,1968) (Tortricidae) Synonym(s): *penai* Clarke,1968
79940) *Saphenista peruviana* Razowski,1993 (Tortricidae) Synonym(s): *peruviana* Razowski,1993
79941) *Saphenista praefasciata* (Meyrick,1932) (Tortricidae) Synonym(s): *praefasciata* Meyrick,1932
79942) *Saphenista praia* Razowski,1986 (Tortricidae) Synonym(s): *praia* Razowski,1986
79943) *Saphenista pruinosa* (Zeller,1877) (Tortricidae) Synonym(s): *pruinosa* Zeller,1877
79944) *Saphenista raphaeliana* Razowski,1989 (Tortricidae) Synonym(s): *raphaeliana* Razowski,1989
79945) *Saphenista ryriloba* Razowski,1990 (Tortricidae) Synonym(s): *ryriloba* Razowski,1990
79946) *Saphenista sclerorhaphia* Razowski & Becker,1994 (Tortricidae) Synonym(s): *sclerorhaphia* Razowski & Becker,1994
79947) *Saphenista semistrigata* Forbes,1931 (Tortricidae) Synonym(s): *semistrigata* Forbes,1931
79948) *Saphenista sphragidias* (Meyrick,1932) (Tortricidae) Synonym(s): *sphragidias* Meyrick,1932
79949) *Saphenista storthingoloba* Razowski,[1992] (Tortricidae) Synonym(s): *storthingoloba* Razowski,[1992]
79950) *Saphenista substructa* (Meyrick,1927) (Tortricidae) Synonym(s): *substructa* Meyrick,1927
79951) *Saphenista temperata* Razowski,1986 (Tortricidae) Synonym(s): *temperata* Razowski,1986
79952) *Saphenista teopiscana* Razowski & Becker,1986 (Tortricidae) Synonym(s): *teopiscana* Razowski & Becker,1986
79953) *Schoenotenes collarigera* Diakonoff,[1968] (Tortricidae) Synonym(s): *collarigera* Diakonoff,[1968]
79954) *Schoenotenes pseudurga* Diakonoff,1960 (Tortricidae) Synonym(s): *pseudurga* Diakonoff,1960
79955) *Scotiophyes faeculosa* (Meyrick,1928) (Tortricidae) Synonym(s): *faeculosa* Meyrick,1928
79956) *Scotiophyes hemiptycha* Diakonoff,1983 (Tortricidae) Synonym(s): *hemiptycha* Diakonoff,1983
79957) *Scotiophyes nebras* Diakonoff,1984 (Tortricidae) Synonym(s): *nebras* Diakonoff,1984
79958) *Selania acquiescens* Diakonoff,1976 (Tortricidae) Synonym(s): *acquiescens* Diakonoff,1976
79959) *Selania aeologramma* (Meyrick,1916) (Tortricidae) Synonym(s): *aeologramma* Meyrick,1916
79960) *Selania bengalica* (Obraztsov,1968) (Tortricidae) Synonym(s): *bengalica* Obraztsov,1968
79961) *Selania capparidana* (Zeller,1847) (Tortricidae) Synonym(s): *capparidana* Zeller,1847; *rhezana* Chrétien,1915
79962) *Selania costifuscana* Aarvik,2004 (Tortricidae) Synonym(s): *costifuscana* Aarvik,2004
79963) *Selania detrita* (Meyrick,1928) (Tortricidae) Synonym(s): *detrita* Meyrick,1928
79964) *Selania diplosperma* (Diakonoff,1984) (Tortricidae) Synonym(s): *diplosperma* Diakonoff,1984
79965) *Selania diplosperma* (Diakonoff,1984) (Tortricidae) Synonym(s): *diplosperma* Diakonoff,1984
79966) *Selania exornata* (Diakonoff,1969) (Tortricidae) Synonym(s): *exornata* Diakonoff,1969
79967) *Selania friganosa* Kuznetsov,1968 (Tortricidae) Synonym(s): *friganosa* Kuznetsov,1968
79968) *Selania leplastriana* (Curtis,1831) (Tortricidae) Synonym(s): *leplastriana* Curtis,1831; *gueriniana* Duponchel,1836; *maderae* Wollaston,1858; *vana* Kennel,1901; *malcolmae* Walsingham,1903; *decoratana* Chrétien,1915; *extinctana* Chrétien,1915
79969) *Selania macella* Diakonoff,1976 (Tortricidae) Synonym(s): *macella* Diakonoff,1976
79970) *Selania minuta* (Obraztsov,1968) (Tortricidae) Synonym(s): *minuta* Obraztsov,1968
79971) *Selania planifrontana* (Rebel,1912) (Tortricidae) Synonym(s): *planifrontana* Rebel,1912; *lotana* Chrétien,1915
79972) *Selania resedana* (Obraztsov,1959) (Tortricidae) Synonym(s): *resedana* Obraztsov,1959
79973) *Selania resedana arenosa* (Diakonoff,1983) (Tortricidae) Synonym(s): *arenosa* Diakonoff,1983
79974) *Selania resedana salvadorae* (Diakonoff,1983) (Tortricidae) Synonym(s): *salvadorae* Diakonoff,1983
79975) *Selenodes karelica* (Tengström,1875) (Tortricidae) Synonym(s): *textana* Frölich,1828 nec Hbn.,1828; *karelica* Tengström,1875; *norvegicana* Schöyen,1887
79976) *Semniotes abrupta* Diakonoff,1973 (Tortricidae) Synonym(s): *abrupta* Diakonoff,1973
79977) *Semniotes bellana* Kuznetsov,1988 (Tortricidae) Synonym(s): *bellana* Kuznetsov,1988
79978) *Semniotes confinana* Kuznetsov,2003 (Tortricidae) Synonym(s): *confinana* Kuznetsov,2003
79979) *Semniotes halantha* (Meyrick,1909) (Tortricidae) Synonym(s): *halantha* Meyrick,1909
79980) *Semutophila saccharopa* Tuck,1986 (Tortricidae) Synonym(s): *saccharopa* Tuck,1986
79981) *Seticosta aeolozona* (Meyrick,1926) (Tortricidae) Synonym(s): *aeolozona* Meyrick,1926
79982) *Seticosta arachnogramma* (Meyrick,1926) (Tortricidae) Synonym(s): *arachnogramma* Meyrick,1926
79983) *Seticosta acmeographa* (Meyrick,1930) (Tortricidae) Synonym(s): *homosacta* Meyrick,1930
79984) *Seticosta hypsithrona* (Meyrick,1926) (Tortricidae) Synonym(s): *hypsithrona* Meyrick,1926
79985) *Seticosta mirana* (C.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *mirana* C.Felder & Rogenhofer,1875
79986) *Seticosta multifidana* (Zeller,1877) (Tortricidae) Synonym(s): *multifidana* Zeller,1877
79987) *Seticosta sagmatica* (Meyrick,1912) (Tortricidae) Synonym(s): *sagmatica* Meyrick,1912
79988) *Seticosta tambomachaya* Razowski,1988 (Tortricidae) Synonym(s): *tambomachaya* Razowski,1988
79989) *Seticosta tholeraula* (Meyrick,1912) (Tortricidae) Synonym(s): *tholeraula* Meyrick,1912
79990) *Seticosta tridens* Razowski,1988 (Tortricidae) Synonym(s): *tridens* Razowski,1988
79991) *Seticosta versabilis* (Meyrick,1926) (Tortricidae) Synonym(s): *versabilis* Meyrick,1926
79992) *Siclobola micromys* (Stringer,1929) (Tortricidae) Synonym(s): *micromys* Stringer,1929
79993) *Siclobola neglectana* (Herrich-Schäffer,[1851]) (Tortricidae) Synonym(s): *neglectana* Herrich-Schäffer,[1851]
79994) *Sisona albitibiana* Snellen,1902 (Tortricidae) Synonym(s): *albitibiana* Snellen,1902
79995) *Sisurcana defricata* (Meyrick,1926) (Tortricidae) Synonym(s): *defricata* Meyrick,1926
79996) *Sisurcana furcatana* Powell,1986 (Tortricidae) Synonym(s): *furcatana* Powell,1986
79997) *Sisurcana leprana* (C.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *leprana* C.Felder & Rogenhofer,1875
79998) *Sisurcana ranunculata* (Meyrick,1912) (Tortricidae) Synonym(s): *ranunculata* Meyrick,1912
79999) *Sisurcana umbellifera* (Meyrick,1926) (Tortricidae) Synonym(s): *umbellifera* Meyrick,1926
80000) *Snodgrassia stenochorda* (Meyrick,1928) (Tortricidae) Synonym(s): *stenochorda* Meyrick,1928
80001) *Sonia filiana* (Busck,1907) (Tortricidae) Synonym(s): *filiana* Busck,1907
80002) *Sonia vovana* (Kearfott,1907) (Tortricidae) Synonym(s): *vovana* Kearfott,1907; *fraternana* Busck,1907; *typicodes* Meyrick,1912
80003) *Sorolopha aeolochlora* (Meyrick,1916) (Tortricidae) Synonym(s): *aeolochlora* Meyrick,1916
80004) *Sorolopha agalma* Diakonoff,1973 (Tortricidae) Synonym(s): *agalma* Diakonoff,1973
80005) *Sorolopha agana* (Falkovitsh,1966) (Tortricidae) Synonym(s): *agana* Falkovitsh,1966

- 80006) *Sorolopha agathopis* (Meyrick,1927) (Tortricidae) Synonym(s): *agathopis* Meyrick,1927
80007) *Sorolopha archimedis* (Meyrick,1912) (Tortricidae) Synonym(s): *archimedis* Meyrick,1912; *oxygona* Diakonoff,[1968]
80008) *Sorolopha arctosceles* (Meyrick,1931) (Tortricidae) Synonym(s): *arctosceles* Meyrick,1931
80009) *Sorolopha argyropa* Diakonoff,1973 (Tortricidae) Synonym(s): *argyropa* Diakonoff,1973
80010) *Sorolopha artocincta* Diakonoff,1973 (Tortricidae) Synonym(s): *artocincta* Diakonoff,1973
80011) *Sorolopha asphaeropa* Diakonoff,1973 (Tortricidae) Synonym(s): *asphaeropa* Diakonoff,1973
80012) *Sorolopha asymmetrana* Koznetsov,2003 (Tortricidae) Synonym(s): *asymmetrana* Koznetsov,2003
80013) *Sorolopha atmochlora* (Meyrick,1930) (Tortricidae) Synonym(s): *atmochlora* Meyrick,1930
80014) *Sorolopha auribasis* Diakonoff,1973 (Tortricidae) Synonym(s): *auribasis* Diakonoff,1973
80015) *Sorolopha authadis* Diakonoff,1973 (Tortricidae) Synonym(s): *authadis* Diakonoff,1973
80016) *Sorolopha autoberylla* (Meyrick,1932) (Tortricidae) Synonym(s): *autoberylla* Meyrick,1932
80017) *Sorolopha bathysema* Diakonoff,1973 (Tortricidae) Synonym(s): *bathysema* Diakonoff,1973
80018) *Sorolopha bruneiregalis* Tuck & G.S.Robinson,1993 (Tortricidae) Synonym(s): *bruneiregalis* Tuck & G.S.Robinson,1993
80019) *Sorolopha bryana* (R.Felder & Rogenhofer,[1875]) (Tortricidae) Synonym(s): *bryana* R.Felder & Rogenhofer,[1875]
80020) *Sorolopha callichlora* (Meyrick,1909) (Tortricidae) Synonym(s): *callichlora* Meyrick,1909
80021) *Sorolopha camarotis* (Meyrick,1936) (Tortricidae) Synonym(s): *camarotis* Meyrick,1936
80022) *Sorolopha caryochlora* Diakonoff,1973 (Tortricidae) Synonym(s): *caryochlora* Diakonoff,1973
80023) *Sorolopha cervicata* Diakonoff,1973 (Tortricidae) Synonym(s): *cervicata* Diakonoff,1973
80024) *Sorolopha Chiangmaiensis* Kawabe,1989 (Tortricidae) Synonym(s): *Chiangmaiensis* Kawabe,1989
80025) *Sorolopha chlorotica* Liu & Bai,1985 (Tortricidae) Synonym(s): *chlorotica* Liu & Bai,1985
80026) *Sorolopha chortodes* (Diakonoff,[1968]) (Tortricidae) Synonym(s): *chortodes* Diakonoff,[1968]
80027) *Sorolopha compsis* (Meyrick,1912) (Tortricidae) Synonym(s): *compsis* Meyrick,1912
80028) *Sorolopha cyclotoma* Lower,1901 (Tortricidae) Synonym(s): *cyclotoma* Lower,1901
80029) *Sorolopha cyclotoma* Lower,1901 (Tortricidae) Synonym(s): *cyclotoma* Lower,1901
80030) *Sorolopha delochlora* (Turner,1916) (Tortricidae) Synonym(s): *delochlora* Turner,1916; *aelochlora* Hutacharern & Tughtim,1995
80031) *Sorolopha dictyonophora* Diakonoff,1973 (Tortricidae) Synonym(s): *dictyonophora* Diakonoff,1973
80032) *Sorolopha doryphora* Diakonoff,1973 (Tortricidae) Synonym(s): *doryphora* Diakonoff,1973
80033) *Sorolopha dyspeista* Diakonoff,1973 (Tortricidae) Synonym(s): *dyspeista* Diakonoff,1973
80034) *Sorolopha elaeodes* (Lower,1908) (Tortricidae) Synonym(s): *elaeodes* Lower,1908; *lasiosoma* Meyrick,1921; *temenopsis* Meyrick,1936; *parachlora* Diakonoff,1973
80035) *Sorolopha englyptopa* (Meyrick,1938) (Tortricidae) Synonym(s): *englyptopa* Meyrick,1938; *englyptopa* Clarke,1958
80036) *Sorolopha epichares* Diakonoff,1973 (Tortricidae) Synonym(s): *epichares* Diakonoff,1973
80037) *Sorolopha euochropa* Diakonoff,1973 (Tortricidae) Synonym(s): *euochropa* Diakonoff,1973
80038) *Sorolopha eurychlora* Diakonoff,1973 (Tortricidae) Synonym(s): *eurychlora* Diakonoff,1973
80039) *Sorolopha ferruginosa* Kawabe,1989 (Tortricidae) Synonym(s): *ferruginosa* Kawabe,1989
80040) *Sorolopha ghilarovi* Kuznetsov,1988 (Tortricidae) Synonym(s): *ghilarovi* Kuznetsov,1988
80041) *Sorolopha herbifera* (Meyrick,1909) (Tortricidae) Synonym(s): *herbifera* Meyrick,1909
80042) *Sorolopha homalopa* (Diakonoff,[1968]) (Tortricidae) Synonym(s): *homalopa* Diakonoff,[1968]; *homolopa* Brown & Lewis,2000
80043) *Sorolopha hydrargyra* (Meyrick,1931) (Tortricidae) Synonym(s): *hydrargyra* Meyrick,1931; *hydrargyra* Diakonoff,1949
80044) *Sorolopha karsholti* Kawabe,1989 (Tortricidae) Synonym(s): *karsholti* Kawabe,1989
80045) *Sorolopha khaoyaiensis* Kawabe,1989 (Tortricidae) Synonym(s): *khaoyaiensis* Kawabe,1989
80046) *Sorolopha leptochlora* (Turner,1916) (Tortricidae) Synonym(s): *leptochlora* Turner,1916
80047) *Sorolopha liochlora* (Meyrick,1914) (Tortricidae) Synonym(s): *liochlora* Meyrick,1914
80048) *Sorolopha longurus* Liu & Bai,1982 (Tortricidae) Synonym(s): *longurus* Liu & Bai,1982
80049) *Sorolopha margaritopa* (Diakonoff,1953) (Tortricidae) Synonym(s): *margaritopa* Diakonoff,1953
80050) *Sorolopha melancycla* Diakonoff,1973 (Tortricidae) Synonym(s): *melancycla* Diakonoff,1973
80051) *Sorolopha metastena* Diakonoff,1973 (Tortricidae) Synonym(s): *metastena* Diakonoff,1973
80052) *Sorolopha mnioclora* (Meyrick,1907) (Tortricidae) Synonym(s): *mnioclora* Meyrick,1907
80053) *Sorolopha muscida* Wileman & Stringer,1929 (Tortricidae) Synonym(s): *muscida* Wileman & Stringer,1929
80054) *Sorolopha nagaii* Kawabe,1989 (Tortricidae) Synonym(s): *nagaii* Kawabe,1989
80055) *Sorolopha nucleata* Diakonoff,1973 (Tortricidae) Synonym(s): *nucleata* Diakonoff,1973
80056) *Sorolopha phyllochloa* (Meyrick,1905) (Tortricidae) Synonym(s): *phyllochloa* Meyrick,1905; *ptilosema* Meyrick,1916
80057) *Sorolopha plinthographa* (Meyrick,1931) (Tortricidae) Synonym(s): *plinthographa* Meyrick,1931; *plinthographa* Hutacharern & Tughtim,1995
80058) *Sorolopha plumboviridis* Diakonoff,1973 (Tortricidae) Synonym(s): *plumboviridis* Diakonoff,1973
80059) *Sorolopha prasinias* (Meyrick,1916) (Tortricidae) Synonym(s): *prasinias* Meyrick,1916
80060) *Sorolopha rubescens* Diakonoff,1973 (Tortricidae) Synonym(s): *rubescens* Diakonoff,1973
80061) *Sorolopha saitoi* Kawabe,1989 (Tortricidae) Synonym(s): *saitoi* Kawabe,1989
80062) *Sorolopha semiculta* (Meyrick,1909) (Tortricidae) Synonym(s): *semiculta* Meyrick,1909; *heteraspis* Meyrick,1936
80063) *Sorolopha* sp.: (Tortricidae) Synonym(s):
80064) *Sorolopha sphaerocopa* (Meyrick,1929) (Tortricidae) Synonym(s): *sphaerocopa* Meyrick,1929
80065) *Sorolopha stygiola* (Meyrick,1933) (Tortricidae) Synonym(s): *stygiola* Meyrick,1933
80066) *Sorolopha tenuirurus* Lui & Bai,1982 (Tortricidae) Synonym(s): *tenuirurus* Lui & Bai,1982
80067) *Sorolopha timiochlora* Diakonoff,1973 (Tortricidae) Synonym(s): *timiochlora* Diakonoff,1973
80068) *Sparganopseustis acrocharis* (Meyrick,1932) (Tortricidae) Synonym(s): *acrocharis* Meyrick,1932
80069) *Sparganopseustis aurolimbana* (Zeller,1866) (Tortricidae) Synonym(s): *aurolimbana* Zeller,1866
80070) *Sparganopseustis elimata* (Meyrick,1930) (Tortricidae) Synonym(s): *elimata* Meyrick,1930
80071) *Sparganopseustis flavicillana* (Walsingham,1913) (Tortricidae) Synonym(s): *flavicillana* Walsingham,1913
80072) *Sparganopseustis flavicirrata* (Walsingham,1914) (Tortricidae) Synonym(s): *flavicirrata* Walsingham,1914
80073) *Sparganopseustis geminorum* (Meyrick,1932) (Tortricidae) Synonym(s): *geminorum* Meyrick,1932
80074) *Sparganopseustis martinana* Powell,1986 (Tortricidae) Synonym(s): *martinana* Powell,1986
80075) *Sparganopseustis myrota* (Meyrick,1912) (Tortricidae) Synonym(s): *myrota* Meyrick,1912
80076) *Sparganopseustis ningorana* (Walsingham,1914) (Tortricidae) Synonym(s): *ningorana* Walsingham,1914
80077) *Sparganopseustis niveigutta* (Walsingham,1913) (Tortricidae) Synonym(s): *niveigutta* Walsingham,1913
80078) *Sparganopseustis tessellata* (Walsingham,1913) (Tortricidae) Synonym(s): *tessellata* Walsingham,1913
80079) *Sparganopseustis unipunctata* (Walsingham,1914) (Tortricidae) Synonym(s): *unipunctata* Walsingham,1914
80080) *Sparganothis amoebaea* (Walsingham,1913) (Tortricidae) Synonym(s): *amoebaea* Walsingham,1913
80081) *Sparganothis decagramma* (Meyrick,1932) (Tortricidae) Synonym(s): *decagramma* Meyrick,1932
80082) *Sparganothis nephela* (Walsingham,1913) (Tortricidae) Synonym(s): *nephela* Walsingham,1913
80083) *Sparganothis xanthista* (Walsingham,1913) (Tortricidae) Synonym(s): *xanthista* Walsingham,1913
80084) *Sparganothis pilleriana* (Denis & Schiffermüller),1775 (Tortricidae) Synonym(s): *pilleriana* [Denis & Schiffermüller],1775
80085) *Sparganothis praecana* (Kennel,1900) (Tortricidae) Synonym(s): *praecana* Kennel,1900
80086) *Sparganothis rubicundana* (Herrich-Schäffer,1856) (Tortricidae) Synonym(s): *rubicundana* Herrich-Schäffer,1856
80087) *Sparganothis senecionana* (Walsingham,1879) (Tortricidae) Synonym(s): *senecionana* Walsingham,1879; *rudana* Walsingham,1879
80088) *Sparganothis sulfureana* (Clemens,1860) (Tortricidae) Synonym(s): *sulfureana* Clemens,1860; *gratana* Walker,1863; *gallivorana* Clemens,1864; *virginana* Clemens,1864; *fluvoresana* Clemens,1864; *sulphureana* Barnes & Busck,1920
80089) *Sparganothis albescent* (Walsingham,1913) (Tortricidae) Synonym(s): *albescent* Walsingham,1913
80090) *Sparganothis castanea* (Walsingham,1913) (Tortricidae) Synonym(s): *castanea* Walsingham,1913
80091) *Sparganothis hydeana* (Klots,1936) (Tortricidae) Synonym(s): *hydeana* Klots,1936
80092) *Sparganothis lentiginosana* (Walsingham,1879) (Tortricidae) Synonym(s): *lentiginosana* Walsingham,1879
80093) *Sparganothis lugens* (Walsingham,1913) (Tortricidae) Synonym(s): *lugens* Walsingham,1913

- 80094) *Sparganothoides machimiana* (Barnes & Busck,1920) (Tortricidae) Synonym(s): *machimiana* Barnes & Busck,1920
80095) *Sparganothoides morata* (Walsingham,1913) (Tortricidae) Synonym(s): *morata* Walsingham,1913
80096) *Sparganothoides schausiana* (Walsingham,1913) (Tortricidae) Synonym(s): *schausiana* Walsingham,1913
80097) *Sparganothoides spadicea* (Walsingham,1913) (Tortricidae) Synonym(s): *spadicea* Walsingham,1913
80098) *Sparganothoides vinolenta* (Walsingham,1913) (Tortricidae) Synonym(s): *vinolenta* Walsingham,1913
80099) *Spatalistis aglaoxantha* Meyrick,1924 (Tortricidae) Synonym(s): *aglaoxantha* Meyrick,1924
80100) *Spatalistis bifasciana* (Hübner,1787) (Tortricidae) Synonym(s): *bifasciana* Hübner,1787; *audouinana* Duponchel,1836; *apicalis* Humphreys & Westwood,1845
80101) *Spatalistis christophana* (Walsingham,1900) (Tortricidae) Synonym(s): *christophana* Walsingham,1900; *exuberans* Walsingham,1900; *joannisi* Walsingham,1900
80102) *Spatalistis egesta* Razowski,1974 (Tortricidae) Synonym(s): *egesta* Razowski,1974
80103) *Spatalistis numismata* Diakonoff,[1968] (Tortricidae) Synonym(s): *numismata* Diakonoff,[1968]
80104) *Spilonota albicana* (Motschulsky,1866) (Tortricidae) Synonym(s): *albicana* Motschulsky,1866
80105) *Spilonota albitegulara* Kuznetsov,1997 (Tortricidae) Synonym(s): *albitegulara* Kuznetsov,1997
80106) *Spilonota allodapa* Diakonoff,1953 (Tortricidae) Synonym(s): *allodapa* Diakonoff,1953
80107) *Spilonota aphrocymba* Meyrick,1927 (Tortricidae) Synonym(s): *aphrocymba* Meyrick,1927
80108) *Spilonota babylonica* Meyrick,1912 (Tortricidae) Synonym(s): *babylonica* Meyrick,1912
80109) *Spilonota calceata* (Meyrick,1907) (Tortricidae) Synonym(s): *calceata* Meyrick,1907
80110) *Spilonota chlorotripta* Meyrick,1921 (Tortricidae) Synonym(s): *chlorotripta* Meyrick,1921
80111) *Spilonota conica* Meyrick,1911 (Tortricidae) Synonym(s): *conica* Meyrick,1911
80112) *Spilonota cryptogramma* Meyrick,1922 (Tortricidae) Synonym(s): *cryptogramma* Meyrick,1922
80113) *Spilonota dissoplaca* (Meyrick,1936) (Tortricidae) Synonym(s): *dissoplaca* Meyrick,1936
80114) *Spilonota distyliana* Moriuti,1958 (Tortricidae) Synonym(s): *distyliana* Moriuti,1958
80115) *Spilonota eremitana* Moriuti,1972 (Tortricidae) Synonym(s): *eremitana* Moriuti,1972
80116) *Spilonota hexametra* Meyrick,1920 (Tortricidae) Synonym(s): *hexametra* Meyrick,1920
80117) *Spilonota incretata* Meyrick,1931 (Tortricidae) Synonym(s): *incretata* Meyrick,1931
80118) *Spilonota laricana* (Heinemann,1863) (Tortricidae) Synonym(s): *laricana* Heinemann,1863
80119) *Spilonota lechriaspis* Meyrick,1932 (Tortricidae) Synonym(s): *lechriaspis* Meyrick,1932
80120) *Spilonota lobata* Diakonoff,1953 (Tortricidae) Synonym(s): *lobata* Diakonoff,1953
80121) *Spilonota melanacta* (Meyrick,1907) (Tortricidae) Synonym(s): *melanacta* Meyrick,1907
80122) *Spilonota melanocopa* (Meyrick,1912) (Tortricidae) Synonym(s): *melanocopa* Meyrick,1912
80123) *Spilonota mortuana* (Walker,1863) (Tortricidae) Synonym(s): *mortuana* Walker,1863
80124) *Spilonota ocellana* (Denis & Schiffmüller,1775) (Tortricidae) Synonym(s): *ocellana* [Denis & Schiffmüller],1775; *luscana* Fabricius,1794; *comitana* Hübner,[1799]; *pyrifoliata* Clemens,1860; *occulana* Harris,1862; *zellerana* Borgmann,1895; *centralasiae* Obratzsov,1949
80125) *Spilonota prognathana* (Snellen,1883) (Tortricidae) Synonym(s): *prognathana* Snellen,1883
80126) *Spilonota pyrochlora* Diakonoff,1953 (Tortricidae) Synonym(s): *pyrochlora* Diakonoff,1953
80127) *Spilonota pyrusicola* Liu & Liu,1994 (Tortricidae) Synonym(s): *pyrusicola* Liu & Liu,1994
80128) *Spilonota rhotia* Meyrick,1910 (Tortricidae) Synonym(s): *rhotia* Meyrick,1910
80129) *Spilonota selene* Diakonoff,1953 (Tortricidae) Synonym(s): *selene* Diakonoff,1953
80130) *Spilonota semicurva* (Meyrick,1912) (Tortricidae) Synonym(s): *semicurva* Meyrick,1912
80131) *Spilonota semirufana* (Christoph,1882) (Tortricidae) Synonym(s): *semirufana* Christoph,1882; *ochrea* Kuznetsov,1966
80132) *Spilonota sinuosa* Meyrick,1917 (Tortricidae) Synonym(s): *sinuosa* Meyrick,1917
80133) *Spilonota trilithopa* (Meyrick,1937) (Tortricidae) Synonym(s): *trilithopa* Meyrick,1937
80134) *Spinipogon atrox* Razowski & Becker,1983 (Tortricidae) Synonym(s): *atrox* Razowski & Becker,1983
80135) *Spinipogon elaphroterus* Razowski & Becker,1986 (Tortricidae) Synonym(s): *elaphroterus* Razowski & Becker,1986
80136) *Spinipogon harmozones* Razowski,1986 (Tortricidae) Synonym(s): *harmozones* Razowski,1986
80137) *Spinipogon ialtris* Razowski,1986 (Tortricidae) Synonym(s): *ialtris* Razowski,1986
80138) *Spinipogon luxuria* Razowski,1993 (Tortricidae) Synonym(s): *luxuria* Razowski,1993
80139) *Spinipogon spiniferus* Razowski,1967 (Tortricidae) Synonym(s): *spiniferus* Razowski,1967
80140) *Spinipogon studiosus* Razowski & Becker,1993 (Tortricidae) Synonym(s): *studiosus* Razowski & Becker,1993
80141) *Spinipogon thes* Razowski & Becker,1983 (Tortricidae) Synonym(s): *thes* Razowski & Becker,1983
80142) *Spinipogon trivius* Razowski,1967 (Tortricidae) Synonym(s): *trivius* Razowski,1967
80143) *Spinipogon veracruzanus* Razowski & Becker,1986 (Tortricidae) Synonym(s): *veracruzanus* Razowski & Becker,1986
80144) *Statherotis agitata* (Meyrick,1909) (Tortricidae) Synonym(s): *agitata* Meyrick,1909
80145) *Statherotis amaeboea* (Lower,1896) (Tortricidae) Synonym(s): *amaeboea* Lower,1896; *leucotorna* Diakonoff,1973
80146) *Statherotis ancosema* (Meyrick,1932) (Tortricidae) Synonym(s): *ancosema* Meyrick,1932
80147) *Statherotis antisema* Diakonoff,1973 (Tortricidae) Synonym(s): *antisema* Diakonoff,1973
80148) *Statherotis aspidias* (Meyrick,1909) (Tortricidae) Synonym(s): *aspidias* Meyrick,1909
80149) *Statherotis catharosema* Diakonoff,1973 (Tortricidae) Synonym(s): *catharosema* Diakonoff,1973
80150) *Statherotis catherota* Diakonoff,1973 (Tortricidae) Synonym(s): *catherota* Diakonoff,1973
80151) *Statherotis diakonoffi* Kuznetsov,1988 (Tortricidae) Synonym(s): *diakonoffi* Kuznetsov,1988
80152) *Statherotis discana* (R.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *discana* R.Felder & Rogenhofer,1875; *cuneata* Diakonoff,1973; *saturata* Diakonoff,1973
80153) *Statherotis holotricha* Diakonoff,1973 (Tortricidae) Synonym(s): *holotricha* Diakonoff,1973
80154) *Statherotis iricolor* (Meyrick,1930) (Tortricidae) Synonym(s): *iricolor* Meyrick,1930
80155) *Statherotis leucapsis* (Meyrick,1902) (Tortricidae) Synonym(s): *leucapsis* Meyrick,1902
80156) *Statherotis licnuphora* Diakonoff,1973 (Tortricidae) Synonym(s): *licnuphora* Diakonoff,1973
80157) *Statherotis olenarcha* (Meyrick,1931) (Tortricidae) Synonym(s): *olenarcha* Meyrick,1931
80158) *Statherotis solomonensis* Bradley,1957 (Tortricidae) Synonym(s): *solomonensis* Bradley,1957
80159) *Statherotis tapinopa* Diakonoff,1973 (Tortricidae) Synonym(s): *tapinopa* Diakonoff,1973
80160) *Statherotis tetrarcha* (Meyrick,1920) (Tortricidae) Synonym(s): *tetrarcha* Meyrick,1920
80161) *Statherotis towadaensis* Kawabe,1978 (Tortricidae) Synonym(s): *towadaensis* Kawabe,1978
80162) *Statherotis toxosema* (Turner,1946) (Tortricidae) Synonym(s): *toxosema* Turner,1946
80163) *Statherotis transsecta* Diakonoff,1973 (Tortricidae) Synonym(s): *transsecta* Diakonoff,1973
80164) *Statherotmantis laetana* Kuznetsov,1988 (Tortricidae) Synonym(s): *laetana* Kuznetsov,1988
80165) *Statherotmantis peregrina* (Falkovitsh,1966) (Tortricidae) Synonym(s): *peregrina* Falkovitsh,1966
80166) *Statherotmantis pictana* (Kuznetsov,1969) (Tortricidae) Synonym(s): *pictana* Kuznetsov,1969
80167) *Statherotmantis shicotana* (Kuznetsov,1969) (Tortricidae) Synonym(s): *shicotana* Kuznetsov,1969
80168) *Statherotoxys acrorhaga* Diakonoff,1973 (Tortricidae) Synonym(s): *acrorhaga* Diakonoff,1973
80169) *Statherotoxys eurydelta* Diakonoff,1973 (Tortricidae) Synonym(s): *eurydelta* Diakonoff,1973
80170) *Statherotoxys hedraea* (Meyrick,1905) (Tortricidae) Synonym(s): *hedraea* Meyrick,1905
80171) *Statherotoxys niphophora* Diakonoff,1973 (Tortricidae) Synonym(s): *niphophora* Diakonoff,1973
80172) *Statherotoxys pudica* Diakonoff,1973 (Tortricidae) Synonym(s): *pudica* Diakonoff,1973
80173) *Statignatha novitana* Kuznetsov,1992 (Tortricidae) Synonym(s): *novitana* Kuznetsov,1992
80174) *Statignatha primigena* (Meyrick,1912) (Tortricidae) Synonym(s): *primigena* Meyrick,1912
80175) *Stenarchella eupista* Diakonoff,[1968] (Tortricidae) Synonym(s): *eupista* Diakonoff,[1968]
80176) *Strepsicrates cryptosema* Diakonoff,1983 (Tortricidae) Synonym(s): *cryptosema* Diakonoff,1983
80177) *Strepsicrates discobola* Diakonoff,[1968] (Tortricidae) Synonym(s): *discobola* Diakonoff,[1968]

- 80178) *Strepsicrates ejectana* (Walker,1863) (Tortricidae) Synonym(s): *ejectana* Walker,1863; *servilisana* Walker,1863; *ligniferana* Walker,1863; *holotehras* Meyrick,1925; *eumarodes* Meyrick,1925; *mesosticha* Turner,1946; *metabola* Turner,1946; *sphenophora* Turner,1946; *subpallida* Turner,1946; *zophotypa* Turner,1946
- 80179) *Strepsicrates emplasta* Meyrick,1901 (Tortricidae) Synonym(s): *emplasta* Meyrick,1901
- 80180) *Strepsicrates fenestrata* Walsingham,1907 (Tortricidae) Synonym(s): *fenestrata* Walsingham,1907
- 80181) *Strepsicrates glaucothoe* (Meyrick,1927) (Tortricidae) Synonym(s): *glaucothoe* Meyrick,1927; *baryphragma* Meyrick,1937
- 80182) *Strepsicrates inobtrusa* Diakonoff,[1968] (Tortricidae) Synonym(s): *inobtrusa* Diakonoff,[1968]
- 80183) *Strepsicrates prolongata* (Meyrick,1932) (Tortricidae) Synonym(s): *prolongata* Meyrick,1932
- 80184) *Strepsicrates rhotia* (Meyrick,1910) (Tortricidae) Synonym(s): *rhotia* Meyrick,1910
- 80185) *Strepsicrates smithiana* Walsingham,1892 (Tortricidae) Synonym(s): *smithiana* Walsingham,1892; *indentanus* Dyar,1903; *imminens* Meyrick,1917
- 80186) *Strepsicrates tetrobis* (Busck,1913) (Tortricidae) Synonym(s): *tetrobis* Busck,1913; *viridans* Meyrick,1917
- 80187) *Strepsicrates trimaura* Diakonoff,1985 (Tortricidae) Synonym(s): *trimaura* Diakonoff,1985
- 80188) *Strophedra nitidana* (Fabricius,1794) (Tortricidae) Synonym(s): *nitidana* Fabricius,1794; *redimitana* Guenée,1845; *flexana* Zeller,1849; *vigiliana* Herrich-Schäffer,1853.
- 80189) *Strophedra weirana* (Douglas,1850) (Tortricidae) Synonym(s): *weirana* Douglas,1850
- 80190) *Strophotina apparatus* Razowski & Pelz,2003 (Tortricidae) Synonym(s): *apparatus* Razowski & Pelz,2003
- 80191) *Strophotina chorestis* (Razowski & Becker,1999) (Tortricidae) Synonym(s): *chorestis* Razowski & Becker,1999; *choretis* Razowski & Becker,1999
- 80192) *Strophotina curvidagus* Brown,1998 (Tortricidae) Synonym(s): *curvidagus* Brown,1998
- 80193) *Strophotina niphochondra* (Razowski & Becker,1999) (Tortricidae) Synonym(s): *niphochondra* Razowski & Becker,1999
- 80194) *Strophotina strophota* (Meyrick,1926) (Tortricidae) Synonym(s): *strophota* Meyrick,1926
- 80195) *Subtrastillaspis hypochloris* (Meyrick,1932) (Tortricidae) Synonym(s): *hypochloris* Meyrick,1932
- 80196) *Suleima mendaciana* A.Blanchard & Knudson,1983 (Tortricidae) Synonym(s): *mendaciana* A.Blanchard & Knudson,1983
- 80197) *Suleima skinnerana* Heinrich,1923 (Tortricidae) Synonym(s): *skinnerana* Heinrich,1923
- 80198) *Sycacantha (inodes-gr.) amphimorpha* Diakonoff,1973 (Tortricidae) Synonym(s): *amphimorpha* Diakonoff,1973
- 80199) *Sycacantha (inodes-gr.) beatana* Kuznetsov,2003 (Tortricidae) Synonym(s): *beatana* Kuznetsov,2003
- 80200) *Sycacantha (inodes-gr.) choananta* Diakonoff,1971 (Tortricidae) Synonym(s): *choananta* Diakonoff,1971
- 80201) *Sycacantha (inodes-gr.) cinerascens* Diakonoff,1973 (Tortricidae) Synonym(s): *cinerascens* Diakonoff,1973
- 80202) *Sycacantha (inodes-gr.) complicitana* (Walker,1863) (Tortricidae) Synonym(s): *complicitana* Walker,1863
- 80203) *Sycacantha (inodes-gr.) complicitana complicitana* (Walker,1863) (Tortricidae) Synonym(s): *complicitana* Walker,1863
- 80204) *Sycacantha (inodes-gr.) complicitana elegans* Diakonoff,1973 (Tortricidae) Synonym(s): *elegans* Diakonoff,1973
- 80205) *Sycacantha (inodes-gr.) crocamicta* Diakonoff,1973 (Tortricidae) Synonym(s): *crocamicta* Diakonoff,1973
- 80206) *Sycacantha (inodes-gr.) diakonoffi* Kawabe,1987 (Tortricidae) Synonym(s): *diakonoffi* Kawabe,1987
- 80207) *Sycacantha (inodes-gr.) dissita* Diakonoff,1973 (Tortricidae) Synonym(s): *dissita* Diakonoff,1973
- 80208) *Sycacantha (inodes-gr.) escharota* (Meyrick,1910) (Tortricidae) Synonym(s): *escharota* Meyrick,1910
- 80209) *Sycacantha (inodes-gr.) formosa* Diakonoff,1971 (Tortricidae) Synonym(s): *formosa* Diakonoff,1971
- 80210) *Sycacantha (inodes-gr.) formosa formosa* Diakonoff,1971 (Tortricidae) Synonym(s): *formosa* Diakonoff,1971
- 80211) *Sycacantha (inodes-gr.) formosa rutila* Diakonoff,1973 (Tortricidae) Synonym(s): *rutila* Diakonoff,1973
- 80212) *Sycacantha (inodes-gr.) hilarograptia* (Meyrick,1933) (Tortricidae) Synonym(s): *hilarograptia* Meyrick,1933; *auriflora* Diakonoff,1959
- 80213) *Sycacantha (inodes-gr.) homichlodes* Diakonoff,1973 (Tortricidae) Synonym(s): *homichlodes* Diakonoff,1973
- 80214) *Sycacantha (inodes-gr.) inodes* (Meyrick,1911) (Tortricidae) Synonym(s): *inodes* Meyrick,1911
- 80215) *Sycacantha (inodes-gr.) inodes celebensis* Diakonoff,1973 (Tortricidae) Synonym(s): *celebensis* Diakonoff,1973
- 80216) *Sycacantha (inodes-gr.) inodes inodes* (Meyrick,1911) (Tortricidae) Synonym(s): *inodes* Meyrick,1911
- 80217) *Sycacantha (inodes-gr.) inodes perspicua* Diakonoff,[1968] (Tortricidae) Synonym(s): *perspicua* Diakonoff,[1968]
- 80218) *Sycacantha (inodes-gr.) inodes rubida* Diakonoff,1971 (Tortricidae) Synonym(s): *rubida* Diakonoff,1971
- 80219) *Sycacantha (inodes-gr.) inopinata* Diakonoff,1973 (Tortricidae) Synonym(s): *inopinata* Diakonoff,1973
- 80220) *Sycacantha (inodes-gr.) occulta* Diakonoff,1973 (Tortricidae) Synonym(s): *occulta* Diakonoff,1973
- 80221) *Sycacantha (inodes-gr.) ostracachtys* Diakonoff,1973 (Tortricidae) Synonym(s): *ostracachtys* Diakonoff,1973
- 80222) *Sycacantha (inodes-gr.) potamographa* Diakonoff,[1968] (Tortricidae) Synonym(s): *potamographa* Diakonoff,[1968]
- 80223) *Sycacantha (inodes-gr.) praeclara* Diakonoff,1973 (Tortricidae) Synonym(s): *praeclara* Diakonoff,1973
- 80224) *Sycacantha (inodes-gr.) quadrata* Diakonoff,1973 (Tortricidae) Synonym(s): *quadrata* Diakonoff,1973
- 80225) *Sycacantha (inodes-gr.) rhodocroca* Diakonoff,1973 (Tortricidae) Synonym(s): *rhodocroca* Diakonoff,1973
- 80226) *Sycacantha (inodes-gr.) rivulosa* (Diakonoff,1953) (Tortricidae) Synonym(s): *rivulosa* Diakonoff,1953
- 80227) *Sycacantha (inodes-gr.) rufescens* Diakonoff,1973 (Tortricidae) Synonym(s): *rufescens* Diakonoff,1973
- 80228) *Sycacantha (inodes-gr.) siamensis* Diakonoff,1971 (Tortricidae) Synonym(s): *siamensis* Diakonoff,1971
- 80229) *Sycacantha (inodes-gr.) siamensis siamensis* Diakonoff,1971 (Tortricidae) Synonym(s): *siamensis* Diakonoff,1971
- 80230) *Sycacantha (inodes-gr.) solemnis* Diakonoff,1973 (Tortricidae) Synonym(s): *solemnis* Diakonoff,1973
- 80231) *Sycacantha (inodes-gr.) subiecta* Diakonoff,1973 (Tortricidae) Synonym(s): *subiecta* Diakonoff,1973
- 80232) *Sycacantha (inodes-gr.) tapaenophyes* Diakonoff,1973 (Tortricidae) Synonym(s): *tapaenophyes* Diakonoff,1973
- 80233) *Sycacantha (thermographa-gr.) caryozona* Diakonoff,1973 (Tortricidae) Synonym(s): *caryozona* Diakonoff,1973
- 80234) *Sycacantha (thermographa-gr.) catharia* Diakonoff,1973 (Tortricidae) Synonym(s): *catharia* Diakonoff,1973
- 80235) *Sycacantha (thermographa-gr.) concentra* Diakonoff,1973 (Tortricidae) Synonym(s): *concentra* Diakonoff,1973
- 80236) *Sycacantha (thermographa-gr.) diatoma* Diakonoff,1966 (Tortricidae) Synonym(s): *diatoma* Diakonoff,1966
- 80237) *Sycacantha (thermographa-gr.) exedra* (Turner,1916) (Tortricidae) Synonym(s): *exedra* Turner,1916
- 80238) *Sycacantha (thermographa-gr.) incondita* Diakonoff,1973 (Tortricidae) Synonym(s): *incondita* Diakonoff,1973
- 80239) *Sycacantha (thermographa-gr.) maior* Diakonoff,1973 (Tortricidae) Synonym(s): *maior* Diakonoff,1973
- 80240) *Sycacantha (thermographa-gr.) thermographa* Diakonoff,1973 (Tortricidae) Synonym(s): *thermographa* Diakonoff,1973
- 80241) *Sycacantha (thermographa-gr.) tornophanes* (Meyrick,1930) (Tortricidae) Synonym(s): *tornophanes* Meyrick,1930
- 80242) *Sycacantha (thermographa-gr.) versicolor* Diakonoff,1973 (Tortricidae) Synonym(s): *versicolor* Diakonoff,1973
- 80243) *Syndemis duplex* Diakonoff,1948 (Tortricidae) Synonym(s): *duplex* Diakonoff,1948
- 80244) *Syndemis miae* Diakonoff,1948 (Tortricidae) Synonym(s): *miae* Diakonoff,1948
- 80245) *Syndemis musculana* (Hübner,1799) (Tortricidae) Synonym(s): *musculana* Hübner,1799; *musculinana* Kennel,1899; *nipponensis* Yasuda,1975.
- 80246) *Syndemis supervacanea* Razowski,1984 (Tortricidae) Synonym(s): *supervacanea* Razowski,1984
- 80247) *Syndemis xanthopterana* Kostyuk,1980 (Tortricidae) Synonym(s): *xanthopterana* Kostyuk,1980
- 80248) *Syntozyga anconia* (Meyrick,1911) (Tortricidae) Synonym(s): *anconia* Meyrick,1911
- 80249) *Syntozyga bicuspis* Diakonoff,1973 (Tortricidae) Synonym(s): *bicuspis* Diakonoff,1973
- 80250) *Syntozyga macrosperma* Diakonoff,1971 (Tortricidae) Synonym(s): *macrosperma* Diakonoff,1971
- 80251) *Syntozyga pedias* (Meyrick,1920) (Tortricidae) Synonym(s): *pedias* Meyrick,1920; *familiaris* Meyrick,1921
- 80252) *Syntozyga psammetalla* Lower,1901 (Tortricidae) Synonym(s): *psammetalla* Lower,1901
- 80253) *Syntozyga sedifera* (Meyrick,1911) (Tortricidae) Synonym(s): *sedifera* Meyrick,1911
- 80254) *Syntozyga stagonophora* Diakonoff,1973 (Tortricidae) Synonym(s): *stagonophora* Diakonoff,1973
- 80255) *Talponia batesi* Heinrich,1932 (Tortricidae) Synonym(s): *batesi* Heinrich,1932
- 80256) *Tambomachaya pollexifera* Razowski,1989 (Tortricidae) Synonym(s): *pollexifera* Razowski,1989
- 80257) *Teleta talaris* (Durrant,1915) (Tortricidae) Synonym(s): *talalis* Durrant,1915; *xanthogastra* Meyrick,1921
- 80258) *Telurips peruvianus* Razowski,1988 (Tortricidae) Synonym(s): *peruvianus* Razowski,1988
- 80259) *Temnolopha abstrusana* Kuznetsov,1988 (Tortricidae) Synonym(s): *abstrusana* Kuznetsov,1988
- 80260) *Temnolopha biguttata* Diakonoff,1973 (Tortricidae) Synonym(s): *biguttata* Diakonoff,1973
- 80261) *Temnolopha matura* Diakonoff,1973 (Tortricidae) Synonym(s): *matura* Diakonoff,1973
- 80262) *Temnolopha mosaica* Lower,1901 (Tortricidae) Synonym(s): *mosaica* Lower,1901; *clydonias* Meyrick,1907
- 80263) *Temnolopha sponditis* (Meyrick,1918) (Tortricidae) Synonym(s): *sponditis* Meyrick,1918
- 80264) *Templemania animosana* (Busck,1907) (Tortricidae) Synonym(s): *animosana* Busck,1907

- 80265) *Templemania millistriata* (Walsingham,1914) (Tortricidae) Synonym(s): *millistriata* Walsingham,1914
80266) *Templemania rhythmogramma* (Meyrick,1924) (Tortricidae) Synonym(s): *rhythmogramma* Meyrick,1924
80267) *Templemania sarothrura* (C.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *sarothrura* C.Felder & Rogenhofer,1875; *auricomana* Busck,1907
80268) *Terinebrica fortifera* Razowski,1991 (Tortricidae) Synonym(s): *fortifera* Razowski,1991
80269) *Terinebrica inouei* Razowski,1987 (Tortricidae) Synonym(s): *inouei* Razowski,1987
80270) *Terinebrica orthoscia* (Meyrick,1936) (Tortricidae) Synonym(s): *orthoscia* Meyrick,1936
80271) *Terinebrica pharetrata* Razowski,1987 (Tortricidae) Synonym(s): *pharetrata* Razowski,1987
80272) *Terinebrica saetigera* Razowski,1987 (Tortricidae) Synonym(s): *saetigera* Razowski,1987
80273) *Terinebrica seiugata* Razowski,1987 (Tortricidae) Synonym(s): *seiugata* Razowski,1987
80274) *Terinebrica tenebrica* Razowski,1987 (Tortricidae) Synonym(s): *tenebrica* Razowski,1987
80275) *Tertricia bifurcata* Wang & Li,2004 (Tortricidae) Synonym(s): *bifurcata* Wang & Li,2004
80276) *Tertricia violetana* (Kawabe,1964) (Tortricidae) Synonym(s): *violetana* Kawabe,1964; *noctis* Falkovitsh,1965
80277) *Terthreutis argentea* (Butler,1886) (Tortricidae) Synonym(s): *argentea* Butler,1886
80278) *Terthreutis bipunctata* Bai,1993 (Tortricidae) Synonym(s): *bipunctata* Bai,1993
80279) *Terthreutis bulligera* Meyrick,1928 (Tortricidae) Synonym(s): *bulligera* Meyrick,1928
80280) *Terthreutis series* Bai,1993 (Tortricidae) Synonym(s): *series* Bai,1993
80281) *Terthreutis* sp.[1]: (Tortricidae) Synonym(s):
80282) *Terthreutis* sp.[2]: (Tortricidae) Synonym(s):
80283) *Terthreutis sphaerocosma* Meyrick,1918 (Tortricidae) Synonym(s): *sphaerocosma* Meyrick,1918; *duosticta* Wileman & Stringer,1929
80284) *Terthreutis xanthocycla* (Meyrick,1938) (Tortricidae) Synonym(s): *xanthocycla* Meyrick,1938
80285) *Tetramoera flavescens* Kuznetsov,1988 (Tortricidae) Synonym(s): *flavescens* Kuznetsov,1988
80286) *Tetramoera paragramma* (Meyrick,1909) (Tortricidae) Synonym(s): *paragramma* Meyrick,1909
80287) *Tetramoera schistaceana* (Snellen,1891) (Tortricidae) Synonym(s): *schistaceana* Snellen,1891
80288) *Thaumatographa cladara* Diakonoff,1977 (Tortricidae) Synonym(s): *cladara* Diakonoff,1977
80289) *Thaumatographa cubensis* Heppner,1982 (Tortricidae) Synonym(s): *cubensis* Heppner,1982
80290) *Thaumatographa dolichosticha* Diakonoff,1977 (Tortricidae) Synonym(s): *dolichosticha* Diakonoff,1977
80291) *Thaumatographa excellens* Pagenstecher,1900 (Tortricidae) Synonym(s): *excellens* Pagenstecher,1900; *pyranthis* Meyrick,1907
80292) *Thaumatographa ferox* (Meyrick,1921) (Tortricidae) Synonym(s): *ferox* Meyrick,1921
80293) *Thaumatographa jonesi* (Brower,1953) (Tortricidae) Synonym(s): *jonesi* Brower,1953
80294) *Thaumatographa leucopyrga* (Meyrick,1912) (Tortricidae) Synonym(s): *leucopyrga* Meyrick,1912
80295) *Thaumatographa ludens* (Diakonoff,1948) (Tortricidae) Synonym(s): *ludens* Diakonoff,1948
80296) *Thaumatographa macaria* Diakonoff,1977 (Tortricidae) Synonym(s): *macaria* Diakonoff,1977
80297) *Thaumatographa mesostigmatias* Diakonoff,1977 (Tortricidae) Synonym(s): *mesostigmatias* Diakonoff,1977
80298) *Thaumatographa oenobapta* Diakonoff,1977 (Tortricidae) Synonym(s): *oenobapta* Diakonoff,1977
80299) *Thaumatographa opistocapna* Diakonoff,1977 (Tortricidae) Synonym(s): *opistocapna* Diakonoff,1977
80300) *Thaumatographa phlox* Diakonoff,1977 (Tortricidae) Synonym(s): *phlox* Diakonoff,1977
80301) *Thaumatographa spermatodesma* (Diakonoff,1955) (Tortricidae) Synonym(s): *spermatodesma* Diakonoff,1955
80302) *Thaumatographa tornoxena* Diakonoff,1977 (Tortricidae) Synonym(s): *tornoxena* Diakonoff,1977
80303) *Thaumatographa undosa* Diakonoff,1977 (Tortricidae) Synonym(s): *undosa* Diakonoff,1977
80304) *Thaumatographa zapyra* (Meyrick,1886) (Tortricidae) Synonym(s): *zapyra* Meyrick,1886
80305) *Thaumatotibia hemitoma* (Diakonoff,1976) (Tortricidae) Synonym(s): *hemitoma* Diakonoff,1976
80306) *Theorica lamyra* (Meyrick,1911) (Tortricidae) Synonym(s): *lamyra* Meyrick,1911
80307) *Theorica secunda* Kuznetsov,1977 (Tortricidae) Synonym(s): *secunda* Kuznetsov,1977
80308) *Thiodia anatoliana* Kennel,1916 (Tortricidae) Synonym(s): *anatoliana* Kennel,1916
80309) *Thiodia caradjana* Kennel,1916 (Tortricidae) Synonym(s): *caradjana* Kennel,1916
80310) *Thiodia citrana* (Hübner,[1799]) (Tortricidae) Synonym(s): *citrana* Hübner,[1799]; *libanicolana* Obraztsov,1964.
80311) *Thiodia confusana* Kuznetsov,1972 (Tortricidae) Synonym(s): *confusana* Kuznetsov,1972
80312) *Thiodia couleruana* (Duponchel,1835) (Tortricidae) Synonym(s): *couleruana* Duponchel,1835; *castiliana* Caradja,1917; *pseudodelitanus* Obraztsov,1952
80313) *Thiodia dentistriata* (Falkovitsh,1964) (Tortricidae) Synonym(s): *dentistriata* Falkovitsh,1964
80314) *Thiodia elbursica* Kuznetsov,1972 (Tortricidae) Synonym(s): *elbursica* Kuznetsov,1972
80315) *Thiodia excavana* Aarvik,2004 (Tortricidae) Synonym(s): *excavana* Aarvik,2004
80316) *Thiodia fessana* (Mann,1873) (Tortricidae) Synonym(s): *fessana* Mann,1873
80317) *Thiodia hyrcana* Kuznetsov,1976 (Tortricidae) Synonym(s): *hyrcana* Kuznetsov,1976
80318) *Thiodia irinae* Budashkin,1990 (Tortricidae) Synonym(s): *irinae* Budashkin,1990
80319) *Thiodia lerneana* Treitschke,1835 (Tortricidae) Synonym(s): *lerneana* Treitschke,1835
80320) *Thiodia major* (Rebel,1903) (Tortricidae) Synonym(s): *major* Rebel,1903; *sardiniana* Schawerda,1936
80321) *Thiodia placidana* (Staudinger,1871) (Tortricidae) Synonym(s): *placidana* Staudinger,1871
80322) *Thiodia sulphurana* (Christoph,1888) (Tortricidae) Synonym(s): *sulphurana* Christoph,1888
80323) *Thiodia torridana* (Lederer,1859) (Tortricidae) Synonym(s): *torridana* Lederer,1859
80324) *Thiodia trochilana* (Frölich,1828) (Tortricidae) Synonym(s): *trochilana* Frölich,1828; *delitana* Fischer v. Rösslerstamm,[1839]
80325) *Thiodia tscheliiana* (Caradja,1927) (Tortricidae) Synonym(s): *tscheliiana* Caradja,1927
80326) *Thiodiodes seeboldi* (Rössler,1877) (Tortricidae) Synonym(s): *seeboldi* Rössler,1877
80327) *Thoridia veirsi* J.Brown,1991 (Tortricidae) Synonym(s): *veirsi* J.Brown,1991
80328) *Thymiotila oedalea* (Meyrick,1909) (Tortricidae) Synonym(s): *oedalea* Meyrick,1909; *neolopha* Meyrick,1931
80329) *Thysanocrepis celebensis* Diakonoff,1975 (Tortricidae) Synonym(s): *celebensis* Diakonoff,1975
80330) *Thysanocrepis crossota* (Meyrick,1911) (Tortricidae) Synonym(s): *crossota* Meyrick,1911
80331) *Thysanophalonia cirrhites* Razowski & Becker,1986 (Tortricidae) Synonym(s): *cirrhites* Razowski & Becker,1986
80332) *Tia enervana* (Erschoff,1877) (Tortricidae) Synonym(s): *enervana* Erschoff,1877
80333) *Tina audaculana* (Busck,1907) (Tortricidae) Synonym(s): *audaculana* Busck,1907
80334) *Tinacuris apertana* (Walsingham,1914) (Tortricidae) Synonym(s): *apertana* Walsingham,1914
80335) *Tinacuris aquila* (Busck,1914) (Tortricidae) Synonym(s): *aquila* Busck,1914; *consobrina* Busck,1914
80336) *Tinacuris patulana* (Walker,1863) (Tortricidae) Synonym(s): *patulana* Walker,1863
80337) *Tinacuris sebastia* (Walsingham,1914) (Tortricidae) Synonym(s): *sebastia* Walsingham,1914
80338) *Tortricodes alternella* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *alternella* [Denis & Schiffermüller],1775
80339) *Tortricodes selma* Koçak,1991 (Tortricidae) Synonym(s): *selma* Koçak,1991
80340) *Tortricodes viollella* Razowski,1956 (Tortricidae) Synonym(s): *viollella* Razowski,1956
80341) *Tortrix agroeca* Meyrick,1908 (Tortricidae) Synonym(s): *agroeca* Meyrick,1908
80342) *Tortrix albescens* Meyrick,1912 (Tortricidae) Synonym(s): *albescens* Meyrick,1912
80343) *Tortrix biformis* Meyrick,1920 (Tortricidae) Synonym(s): *biformis* Meyrick,1920
80344) *Tortrix capensana* (Walker,1863) (Tortricidae) Synonym(s): *capensana* Walker,1863; *adustana* Walsingham,1881
80345) *Tortrix capitana* R.Felder & Rogenhofer,1875 (Tortricidae) Synonym(s): *capitana* R.Felder & Rogenhofer,1875
80346) *Tortrix catadryas* Meyrick,1937 (Tortricidae) Synonym(s): *catadryas* Meyrick,1937
80347) *Tortrix corrobodata* Meyrick,1918 (Tortricidae) Synonym(s): *corrobodata* Meyrick,1918
80348) *Tortrix crispata* Meyrick,1912 (Tortricidae) Synonym(s): *crispata* Meyrick,1912
80349) *Tortrix diametrica* Meyrick,1932 (Tortricidae) Synonym(s): *diametrica* Meyrick,1932
80350) *Tortrix diluticiliana* Walsingham,1881 (Tortricidae) Synonym(s): *diluticiliana* Walsingham,1881
80351) *Tortrix dorsiplagana* (Walsingham,1881) (Tortricidae) Synonym(s): *dorsiplagana* Walsingham,1881
80352) *Tortrix furtiva* Meyrick,1911 (Tortricidae) Synonym(s): *furtiva* Meyrick,1911
80353) *Tortrix intensa* Meyrick,1921 (Tortricidae) Synonym(s): *intensa* Meyrick,1921

- 80354) *Tortrix intrepida* Meyrick, 1912 (Tortricidae) Synonym(s): *intrepida* Meyrick, 1912
 80355) *Tortrix mensaria* Meyrick, 1912 (Tortricidae) Synonym(s): *mensaria* Meyrick, 1912
 80356) *Tortrix meridianana* (Walker, 1863) (Tortricidae) Synonym(s): *meridianana* Walker, 1863; *#meridionara* Pinhey, 1975
 80357) *Tortrix metapyrrha* Meyrick, 1918 (Tortricidae) Synonym(s): *metapyrrha* Meyrick, 1918
 80358) *Tortrix myroxesta* Meyrick, 1924 (Tortricidae) Synonym(s): *myroxesta* Meyrick, 1924
 80359) *Tortrix ophiograpta* Meyrick, 1932 (Tortricidae) Synonym(s): *ophiograpta* Meyrick, 1932
 80360) *Tortrix pharetrata* Meyrick, 1909 (Tortricidae) Synonym(s): *pharetrata* Meyrick, 1909
 80361) *Tortrix physetopa* Meyrick, 1932 (Tortricidae) Synonym(s): *physetopa* Meyrick, 1932
 80362) *Tortrix platystega* Meyrick, 1920 (Tortricidae) Synonym(s): *platystega* Meyrick, 1920
 80363) *Tortrix pleuroptila* Meyrick, 1937 (Tortricidae) Synonym(s): *pleuroptila* Meyrick, 1937
 80364) *Tortrix polytechna* Meyrick, 1924 (Tortricidae) Synonym(s): *polytechna* Meyrick, 1924
 80365) *Tortrix praeclinata* Meyrick, 1921 (Tortricidae) Synonym(s): *praeclinata* Meyrick, 1921
 80366) *Tortrix reciprocana* (Walker, 1863) (Tortricidae) Synonym(s): *reciprocana* Walker, 1863
 80367) *Tortrix sinapina* (Butler, 1899) (Tortricidae) Synonym(s): *sinapina* Butler, 1899; *kawabei* Razowski, 1966
 80368) *Tortrix spilographa* Meyrick, 1937 (Tortricidae) Synonym(s): *spilographa* Meyrick, 1937
 80369) *Tortrix spinulosa* Meyrick, 1924 (Tortricidae) Synonym(s): *spinulosa* Meyrick, 1924
 80370) *Tortrix sporadias* Meyrick, 1920 (Tortricidae) Synonym(s): *sporadias* Meyrick, 1920
 80371) *Tortrix symplecta* Meyrick, 1910 (Tortricidae) Synonym(s): *symplecta* Meyrick, 1910
 80372) *Tortrix viridana* (Linnaeus, 1758) (Tortricidae) Synonym(s): *viridana* Linnaeus, 1758; *suttneriana* [Denis & Schiffermüller], 1775; *flavipes* Fourcroy, 1785; *flavana* Zincken, 1821 nec Hübn., [1799]; *coeruleana* Sorhagen, 1881.
 80373) *Tosirips magyarus* Razowski, 1987 (Tortricidae) Synonym(s): *magyarus* Razowski, 1987
 80374) *Tosirips magyarus syriacus* Razowski, 1987 (Tortricidae) Synonym(s): *syriacus* Razowski, 1987
 80375) *Tosirips perpulchranus* (Kennel, 1901) (Tortricidae) Synonym(s): *perpulchranus* Kennel, 1901
 80376) *Tosirips perpulchranus ceramus* Razowski, 1987 (Tortricidae) Synonym(s): *ceramus* Razowski, 1987
 80377) *Trachybysis euglypta* Meyrick, 1927 (Tortricidae) Synonym(s): *euglypta* Meyrick, 1927
 80378) *Trachybysis hypsitropha* Bradley, 1965 (Tortricidae) Synonym(s): *hypsitropha* Bradley, 1965
 80379) *Trachysmia aureopunctana* (Ragonot, 1894) (Tortricidae) Synonym(s): *aureopunctana* Ragonot, 1894
 80380) *Trachysmia decipiens* Walsingham, 1900 (Tortricidae) Synonym(s): *decipiens* Walsingham, 1900
 80381) *Trachysmia lucentana* (Kennel, 1899) (Tortricidae) Synonym(s): *lucentana* Kennel, 1899
 80382) *Trachysmia palpana* (Ragonot, 1894) (Tortricidae) Synonym(s): *palpana* Ragonot, 1894
 80383) *Trachysmia sociana* Esartiya, 1988 (Tortricidae) Synonym(s): *sociana* Esartiya, 1988
 80384) *Trachysmia thiana* Staudinger, 1899 (Tortricidae) Synonym(s): *thiana* Staudinger, 1899
 80385) *Transtillaspis baea* Razowski, 1987 (Tortricidae) Synonym(s): *baea* Razowski, 1987
 80386) *Transtillaspis bascanion* Razowski, 1987 (Tortricidae) Synonym(s): *bascanion* Razowski, 1987
 80387) *Transtillaspis batoidea* Razowski, 1987 (Tortricidae) Synonym(s): *batoidea* Razowski, 1987
 80388) *Transtillaspis bebela* Razowski, 1987 (Tortricidae) Synonym(s): *bebela* Razowski, 1987
 80389) *Transtillaspis blechra* Razowski, 1987 (Tortricidae) Synonym(s): *blechra* Razowski, 1987
 80390) *Transtillaspis brachistocera* Razowski, 1987 (Tortricidae) Synonym(s): *brachistocera* Razowski, 1987
 80391) *Transtillaspis brandinojuxta* Razowski, 1987 (Tortricidae) Synonym(s): *brandinojuxta* Razowski, 1987
 80392) *Transtillaspis hedychnium* Razowski, 1991 (Tortricidae) Synonym(s): *hedychnium* Razowski, 1991
 80393) *Triheteracra melanoxenia* Diakonoff, 1971 (Tortricidae) Synonym(s): *melanoxenia* Diakonoff, 1971
 80394) *Tritopterna anachastopa* (Meyrick, 1934) (Tortricidae) Synonym(s): *anachastopa* Meyrick, 1934
 80395) *Trymalitis cataracta* Meyrick, 1907 (Tortricidae) Synonym(s): *cataracta* Meyrick, 1907; *optima* Meyrick, 1911; *macarista* Meyrick, 1934
 80396) *Trymalitis climacias* Meyrick, 1911 (Tortricidae) Synonym(s): *climacias* Meyrick, 1911
 80397) *Trymalitis escharia* Clarke, 1976 (Tortricidae) Synonym(s): *escharia* Clarke, 1976
 80398) *Trymalitis macarista* Meyrick, 1934 (Tortricidae) Synonym(s): *macarista* Meyrick, 1934
 80399) *Trymalitis margaria* Meyrick, 1905 (Tortricidae) Synonym(s): *margaria* Meyrick, 1905
 80400) *Trymalitis optima* Meyrick, 1911 (Tortricidae) Synonym(s): *optima* Meyrick, 1911
 80401) *Trymalitis scalifera* Meyrick, 1912 (Tortricidae) Synonym(s): *scalifera* Meyrick, 1912
 80402) *Trymalitis* sp.: (Tortricidae) Synonym(s):
 80403) *Tsinilla lineana* (Fernald, 1901) (Tortricidae) Synonym(s): *lineana* Fernald, 1901
 80404) *Tuckia africana* (Walsingham, 1881) (Tortricidae) Synonym(s): *africana* Walsingham, 1881
 80405) *Tuckia zuluana* Razowski, 2001 (Tortricidae) Synonym(s): *zuluana* Razowski, 2001
 80406) *Tymbarcha cerinopa* Meyrick, 1908 (Tortricidae) Synonym(s): *cerinopa* Meyrick, 1908
 80407) *Tymbarcha translucida* Diakonoff, 1941 (Tortricidae) Synonym(s): *translucida* Diakonoff, 1941
 80408) *Uelia sepidapex* Razowski, 1982 (Tortricidae) Synonym(s): *sepidapex* Razowski, 1982
 80409) *Ulodemis hyalura* Diakonoff, 1983 (Tortricidae) Synonym(s): *hyalura* Diakonoff, 1983
 80410) *Ulodemis idjen* Diakonoff, 1941 (Tortricidae) Synonym(s): *idjen* Diakonoff, 1941
 80411) *Ulodemis pangerango* Diakonoff, 1941 (Tortricidae) Synonym(s): *pangerango* Diakonoff, 1941
 80412) *Ulodemis tridentata* Liu & Bai, 1982 (Tortricidae) Synonym(s): *tridentata* Liu & Bai, 1982
 80413) *Ulodemis trigrapha* Meyrick, 1907 (Tortricidae) Synonym(s): *trigrapha* Meyrick, 1907; *falsa* Meyrick, 1914
 80414) *Uncidia galerasiana* Razowski, 1988 (Tortricidae) Synonym(s): *galerasiana* Razowski, 1988
 80415) *Utrivalva melitocrossa* (Meyrick, 1926) (Tortricidae) Synonym(s): *melitocrossa* Meyrick, 1926
 80416) *Utrivalva usurpata* Razowski, 1987 (Tortricidae) Synonym(s): *usurpata* Razowski, 1987
 80417) *Vellonifer doncasteri* Razowski, 1964 (Tortricidae) Synonym(s): *doncasteri* Razowski, 1964
 80418) *Vialonga pallior* Diakonoff, 1960 (Tortricidae) Synonym(s): *pallior* Diakonoff, 1960
 80419) *Vialonga polyantha* Diakonoff, 1960 (Tortricidae) Synonym(s): *polyantha* Diakonoff, 1960
 80420) *Viettea spectabilis* Diakonoff, 1960 (Tortricidae) Synonym(s): *spectabilis* Diakonoff, 1960
 80421) *Vulpoxena vulpicoma* (Meyrick, 1932) (Tortricidae) Synonym(s): *vulpicoma* Meyrick, 1932
 80422) *Williella angulata* Horak, 1984 (Tortricidae) Synonym(s): *angulata* Horak, 1984
 80423) *Williella sauteri* Horak, 1984 (Tortricidae) Synonym(s): *sauteri* Horak, 1984
 80424) *Xeneboda kumasiana* Razowski & Tuck, 2000 (Tortricidae) Synonym(s): *kumasiana* Razowski & Tuck, 2000
 80425) *Xeneda coena* Diakonoff, 1961 (Tortricidae) Synonym(s): *coena* Diakonoff, 1961
 80426) *Xenophylla megalogona* (Diakonoff, 1947) (Tortricidae) Synonym(s): *megalogona* Diakonoff, 1947
 80427) *Xenothictis atriflora* Meyrick, 1930 (Tortricidae) Synonym(s): *atriflora* Meyrick, 1930; *melananchis* Meyrick, 1933
 80428) *Xenothictis gnetivora* Brown, Miller & Horak, 2003 (Tortricidae) Synonym(s): *gnetivora* Brown, Miller & Horak, 2003
 80429) *Xenothictis noctiflua* Diakonoff, 1961 (Tortricidae) Synonym(s): *noctiflua* Diakonoff, 1961
 80430) *Xenothictis paragona* Meyrick, 1910 (Tortricidae) Synonym(s): *paragona* Meyrick, 1910
 80431) *Xenothictis sciaphila* (Turner, 1925) (Tortricidae) Synonym(s): *sciaphila* Turner, 1925
 80432) *Xenothictis semiota* Meyrick, 1910 (Tortricidae) Synonym(s): *semiota* Meyrick, 1910
 80433) *Xerocnephasia rigana* (Sodoffsky, 1829) (Tortricidae) Synonym(s): *rigana* Sodoffsky, 1829; *horridana* Frölich, 1830; *modestana* Treitschke, 1830; *monticolana* Frey, 1880
 80434) *Yunusemreia triangulum* (Diakonoff, 1970) (Tortricidae) Synonym(s): *triangulum* Diakonoff, 1970
 80435) *Zacorisca electrina* (Meyrick, 1912) (Tortricidae) Synonym(s): *electrina* Meyrick, 1912
 80436) *Zacorisca heliaula* (Meyrick, 1910) (Tortricidae) Synonym(s): *heliaula* Meyrick, 1910
 80437) *Zacorisca pulchella* (Schultze, 1910) (Tortricidae) Synonym(s): *pulchella* Schultze, 1910
 80438) *Zeiraphera argutana* (Christoph, 1881) (Tortricidae) Synonym(s): *argutana* Christoph, 1881; *subcorticana* Snellen, 1883; *imprimata* Caradja, 1916; *lavata* Caradja, 1916
 80439) *Zeiraphera atra* Falkovitsh, 1965 (Tortricidae) Synonym(s): *atra* Falkovitsh, 1965
 80440) *Zeiraphera bicolora* Kawabe, 1976 (Tortricidae) Synonym(s): *bicolora* Kawabe, 1976

- 80441) *Zeiraphera caeruleumana* Kawabe, 1980 (Tortricidae) Synonym(s): *caeruleumana* Kawabe, 1980
 80442) *Zeiraphera canadensis* Mutuura & Freeman, 1967 (Tortricidae) Synonym(s): *canadensis* Mutuura & Freeman, 1967
 80443) *Zeiraphera claypoleana* Riley, 1882 (Tortricidae) Synonym(s): *#instrutana* Claypole, 1881; *claypoleana* Riley, 1882
 80444) *Zeiraphera corpulentana* (Kennel, 1901) (Tortricidae) Synonym(s): *corpulentana* Kennel, 1901
 80445) *Zeiraphera demutata* (Walsingham, 1900) (Tortricidae) Synonym(s): *demutata* Walsingham, 1900
 80446) *Zeiraphera fortunata* (Kearfott, 1907) (Tortricidae) Synonym(s): *fortunata* Kearfott, 1907
 80447) *Zeiraphera fulvomixtana* Kawabe, 1974 (Tortricidae) Synonym(s): *fulvomixtana* Kawabe, 1974
 80448) *Zeiraphera funesta* Filipjev, 1931 (Tortricidae) Synonym(s): *funesta* Filipjev, 1931
 80449) *Zeiraphera gansuensis* Liu & Bae, 1994 (Tortricidae) Synonym(s): *gansuensis* Liu & Bae, 1994
 80450) *Zeiraphera griseana* (Hübner, [1799]) (Tortricidae) Synonym(s): *griseana* Hübner, [1799]; *diniana* Guenée, 1845; *occultana* Douglas, 1846; *pinicolana* Lienig & Zeller, 1846; *desertana* Caradja, 1916
 80451) *Zeiraphera hesperiana* Mutuura & Freeman, 1967 (Tortricidae) Synonym(s): *hesperiana* Mutuura & Freeman, 1967
 80452) *Zeiraphera hiroshii* Kawabe, 1980 (Tortricidae) Synonym(s): *hiroshii* Kawabe, 1980
 80453) *Zeiraphera hohuanshana* Kawabe, 1986 (Tortricidae) Synonym(s): *hohuanshana* Kawabe, 1986
 80454) *Zeiraphera improbana* (Walker, 1863) (Tortricidae) Synonym(s): *improbana* Walker, 1863; *destitutana* Walker, 1863; *diffiniana* Walker, 1863; *indivisana* Walker, 1863; *pseudotsugana* Kearfott, 1904
 80455) *Zeiraphera isertana* (Fabricius, 1794) (Tortricidae) Synonym(s): *isertana* Fabricius, 1794; *communana* Fabricius, 1794; *cuiviana* Fabricius, 1794; *adustana* Hübner, [1813]; *corticana* Hübner, [1813]; *kuhlweiniana* Hübner, [1825]; *licheana* Treitschke, 1829; *nigricans* Sorhagen, 1882; *steiniana* Sorhagen, 1882; *wautersi* Dufrene, 1945
 80456) *Zeiraphera laricana* Kawabe, 1980 (Tortricidae) Synonym(s): *laricana* Kawabe, 1980
 80457) *Zeiraphera luciferana* Kawabe, 1980 (Tortricidae) Synonym(s): *luciferana* Kawabe, 1980
 80458) *Zeiraphera nigra* Kawabe, 1995 (Tortricidae) Synonym(s): *nigra* Kawabe, 1995
 80459) *Zeiraphera pacifica* Freeman, 1966 (Tortricidae) Synonym(s): *pacifica* Freeman, 1966
 80460) *Zeiraphera ratzeburgiana* (Saxen, 1840) (Tortricidae) Synonym(s): *ratzeburgiana* Saxen, 1840; *abietisana* Freyer, 1842; *errana* Guenée, 1845; *bimaculana* Schlager, 1848; *binotana* Wocke, 1861; *paludiphila* Toll, 1957
 80461) *Zeiraphera rufimitrana* (Herrich-Schäffer, [1851]) (Tortricidae) Synonym(s): *#rufimitrana* Herrich-Schäffer, 1847; *rufimitrana* Herrich-Schäffer, [1851]
 80462) *Zeiraphera rufimitrana truncata* Oku, 1968 (Tortricidae) Synonym(s): *truncata* Oku, 1968
 80463) *Zeiraphera shimekii* Kawabe, 1974 (Tortricidae) Synonym(s): *shimekii* Kawabe, 1974
 80464) *Zeiraphera smaragdina* Razowski, 1963 (Tortricidae) Synonym(s): *smaragdina* Razowski, 1963
 80465) *Zeiraphera suzukii* Oku, 1968 (Tortricidae) Synonym(s): *suzukii* Oku, 1968
 80466) *Zeiraphera taiwana* Kawabe, 1986 (Tortricidae) Synonym(s): *taiwana* Kawabe, 1986
 80467) *Zeiraphera thymelopa* (Meyrick, 1936) (Tortricidae) Synonym(s): *thymelopa* Meyrick, 1936; *hohuanshana* Kawabe, 1986
 80468) *Zeiraphera vancouverana* McDunnough, 1925 (Tortricidae) Synonym(s): *vancouverana* McDunnough, 1925
 80469) *Zeiraphera virinea* Falkovitsh, 1965 (Tortricidae) Synonym(s): *virinea* Falkovitsh, 1965
 80470) *Zomaria andromedana* (Barnes & McDunnough, 1917) (Tortricidae) Synonym(s): *andromedana* Barnes & McDunnough, 1917
 80471) *Zomaria interruptolineana* (Fernald, 1882) (Tortricidae) Synonym(s): *interruptolineana* Fernald, 1882
 80472) *Zomaria rosaochreana* (Kearfott, 1907) (Tortricidae) Synonym(s): *rosaochreana* Kearfott, 1907
 80473) *Zomaria carnicolor* (Meyrick, 1931) (Tortricidae) Synonym(s): *carnicolor* Meyrick, 1931
 80474) *Zomaria doxasticana* (Meyrick, 1881) (Tortricidae) Synonym(s): *doxasticana* Meyrick, 1881; *phoenicopla* Turner, 1945; *euryptolia* Turner, 1946
 80475) "Epiplema" *certaria* (Walker, 1861) (Uraniidae) Synonym(s): *certaria* Walker, 1861
 80476) "Epiplema" *clathrata* W. Warren, 1896 (Uraniidae) Synonym(s): *clathrata* W. Warren, 1896
 80477) "Epiplema" *saccata* Holloway, 1998 (Uraniidae) Synonym(s): *saccata* Holloway, 1998
 80478) "Gathynia" *mesilauensis* Holloway, 1976 (Uraniidae) Synonym(s): *mesilauensis* Holloway, 1976
 80479) *Acropteris ciniferaria* (Walker, 1866) (Uraniidae) Synonym(s): *ciniferaria* Walker, 1866; *obliquaria* Moore, 1877
 80480) *Acropteris grammearia* Geyer, 1832 (Uraniidae) Synonym(s): *grammearia* Geyer, 1832; *caseata* Guenée, 1857
 80481) *Acropteris illitirata* W. Warren, 1897 (Uraniidae) Synonym(s): *illitirata* W. Warren, 1897
 80482) *Acropteris iphiata* Guenée, [1858] (Uraniidae) Synonym(s): *iphiata* Guenée, [1858]; *pontiata* Guenée, [1858]; *convexaria* Walker
 80483) *Acropteris leptaliata* (Guenée, [1858]) (Uraniidae) Synonym(s): *leptaliata* Guenée, [1858]; *vagata* Moore, 1877
 80484) *Acropteris obliquaria* Moore, 1877 (Uraniidae) Synonym(s): *obliquaria* Moore, 1877
 80485) *Acropteris rectinervata* (Guenée, [1858]) (Uraniidae) Synonym(s): *rectinervata* Guenée, [1858]
 80486) *Acropteris striataria* (Clerk, 1759) (Uraniidae) Synonym(s): *striataria* Clerk, 1759; *grammearia* Geyer, 1832; *caseata* Guenée, [1858]; *teriadata* Guenée, [1858]; *sparsaria* Walker; *ciniferaria* Walker, 1866; *vagata* Moore, 1877
 80487) *Amana angulifera* Walker, 1855 (Uraniidae) Synonym(s): *angulifera* Walker, 1855
 80488) *Brachydecetia calcarea* Holloway, 1998 (Uraniidae) Synonym(s): *calcarea* Holloway, 1998
 80489) *Brachydecetia* n.sp. (Uraniidae) Synonym(s):
 80490) *Brachydecetia rufescens* (Butler, 1880) (Uraniidae) Synonym(s): *rufescens* Butler, 1880
 80491) *Chaetoceras labecula* (Swinhoe, 1902) (Uraniidae) Synonym(s): *labecula* Swinhoe, 1902
 80492) *Chaetoceras poi* Holloway, 1998 (Uraniidae) Synonym(s): *poi* Holloway, 1998
 80493) *Chionoptera paradeicta* (W. Warren, 1897) (Uraniidae) Synonym(s): *paradeicta* W. Warren, 1897
 80494) *Chionoptera psara* Holloway, 1998 (Uraniidae) Synonym(s): *psara* Holloway, 1998
 80495) *Chionoptera smarti* (Holloway, 1976) (Uraniidae) Synonym(s): *smarti* Holloway, 1976
 80496) *Chundana emarginata* (Hampson, 1891) (Uraniidae) Synonym(s): *emarginata* Hampson, 1891
 80497) *Chundana exangulata* (W. Warren, 1897) (Uraniidae) Synonym(s): *exangulata* W. Warren, 1897
 80498) *Chundana lugubris* Walker, 1862 (Uraniidae) Synonym(s): *lugubris* Walker, 1862
 80499) *Chundana rufinervis* (Holloway, 1976) (Uraniidae) Synonym(s): *rufinervis* Holloway, 1976
 80500) *Decetia numicusarioides* Holloway, 1998 (Uraniidae) Synonym(s): *numicusarioides* Holloway, 1998
 80501) *Decetia pallidaria* Pagenstecher, 1888 (Uraniidae) Synonym(s): *pallidaria* Pagenstecher, 1888
 80502) *Decetia pallidaria occidentalis* Holloway, 1998 (Uraniidae) Synonym(s): *occidentalis* Holloway, 1998
 80503) *Decetia subflavata* (W. Warren, 1898) (Uraniidae) Synonym(s): *subflavata* W. Warren, 1898
 80504) *Dirades latibrunnea* W. Warren, 1896 (Uraniidae) Synonym(s): *latibrunnea* W. Warren, 1896
 80505) *Dirades robinsoni* Holloway, 1979 (Uraniidae) Synonym(s): *robinsoni* Holloway, 1979
 80506) *Dirades theclata* (Guenée, [1858]) (Uraniidae) Synonym(s): *theclata* Guenée, [1858]; *sigillata* Mabilie, 1898
 80507) *Dysaethria albolilacina* Holloway, 1998 (Uraniidae) Synonym(s): *albolilacina* Holloway, 1998
 80508) *Dysaethria bellissima* (W. Warren, 1900) (Uraniidae) Synonym(s): *bellissima* W. Warren, 1900
 80509) *Dysaethria caerulimargo* (Holloway, 1976) (Uraniidae) Synonym(s): *caerulimargo* Holloway, 1976
 80510) *Dysaethria columba* (Holloway, 1976) (Uraniidae) Synonym(s): *columba* Holloway, 1976
 80511) *Dysaethria danum* Holloway, 1998 (Uraniidae) Synonym(s): *danum* Holloway, 1998
 80512) *Dysaethria diffinaria* (Walker, 1861) (Uraniidae) Synonym(s): *diffinaria* Walker, 1861
 80513) *Dysaethria erasaria* (Christoph, 1881) (Uraniidae) Synonym(s): *erasaria* Christoph, 1881; *schidacina* Butler, 1881; *pallidistriata* W. Warren, 1899
 80514) *Dysaethria exprimataria* (Walker, 1861) (Uraniidae) Synonym(s): *exprimataria* Walker, 1861
 80515) *Dysaethria flavida* (W. Warren, 1909) (Uraniidae) Synonym(s): *flavida* W. Warren, 1909; *everetti* Holloway, 1976
 80516) *Dysaethria flavistriga* (W. Warren, 1901) (Uraniidae) Synonym(s): *flavistriga* W. Warren, 1901
 80517) *Dysaethria fulvhamata* (Hampson, 1912) (Uraniidae) Synonym(s): *fulvhamata* Hampson, 1912
 80518) *Dysaethria grisea* (W. Warren, 1896) (Uraniidae) Synonym(s): *grisea* W. Warren, 1896; *catenigera* W. Warren, 1905
 80519) *Dysaethria harmani* Holloway, 1998 (Uraniidae) Synonym(s): *harmani* Holloway, 1998
 80520) *Dysaethria indignaria* (Walker, 1866) (Uraniidae) Synonym(s): *indignaria* Walker, 1866; *fucina* Swinhoe, 1902
 80521) *Dysaethria lilacina* (Moore, 1887) (Uraniidae) Synonym(s): *lilacina* Moore, 1887
 80522) *Dysaethria lunulimargo* Holloway, 1998 (Uraniidae) Synonym(s): *lunulimargo* Holloway, 1998
 80523) *Dysaethria nigrifrons* (Hampson, 1896) (Uraniidae) Synonym(s): *nigrifrons* Hampson, 1896
 80524) *Dysaethria oriocharis* (West, 1932) (Uraniidae) Synonym(s): *oriocharis* West, 1932

- 80525) *Dysaethria plicata* (Snellen,1877) (Uraniidae) Synonym(s): *plicata* Snellen,1877
80526) *Dysaethria punctata* (Holloway,1976) (Uraniidae) Synonym(s): *punctata* Holloway,1976
80527) *Dysaethria quadricaudata* (Walker,1861) (Uraniidae) Synonym(s): *quadricaudata* Walker,1861; *varisaria* Walker,1861; *subproximans* W.Warren,1896
80528) *Dysaethria rhagavolita* Holloway,1998 (Uraniidae) Synonym(s): *rhagavolita* Holloway,1998
80529) *Dysaethria rhagavolita* Holloway,1998 (Uraniidae) Synonym(s): *rhagavolita* Holloway,1998
80530) *Dysaethria rubrililacina* Holloway,1998 (Uraniidae) Synonym(s): *rubrililacina* Holloway,1998
80531) *Dysaethria scopocera* (Hampson,1896) (Uraniidae) Synonym(s): *scopocera* Hampson,1896; *formosibia* Strand,1917
80532) *Dysaethria secutaria* (Walker,1866) (Uraniidae) Synonym(s): *secutaria* Walker,1866
80533) *Dysaethria subalbata* (Guenée,[1858]) (Uraniidae) Synonym(s): *subalbata* Guenée,[1858]
80534) *Dysaethria subflavida* (Swinhoe,1906) (Uraniidae) Synonym(s): *subflavida* Swinhoe,1906
80535) *Dysaethria walkeri* Holloway,1998 (Uraniidae) Synonym(s): *walkeri* Holloway,1998
80536) *Dysaethria wilemani* (West,1932) (Uraniidae) Synonym(s): *wilemani* West,1932
80537) *Epimesophantia schawerdae* (Zerny,1929) (Uraniidae) Synonym(s): *schawerdae* Zerny,1929
80538) *Epiplema amygdalipennis* W.Warren,1897 (Uraniidae) Synonym(s): *amygdalipennis* W.Warren,1897
80539) *Epiplema anomala* Janse,1932 (Uraniidae) Synonym(s): *anomala* Janse,1932
80540) *Epiplema apicalis* Hampson,1895 (Uraniidae) Synonym(s): *apicalis* Hampson,1895
80541) *Epiplema asinina* W.Warren,1905 (Uraniidae) Synonym(s): *asinina* W.Warren,1905
80542) *Epiplema columbaris* Butler,1889 (Uraniidae) Synonym(s): *columbaris* Butler,1889
80543) *Epiplema conflictaria* Walker,1861 (Uraniidae) Synonym(s): *conflictaria* Walker,1861; *exprimataria* Walker,1861; *diffiniaria* Walker,1861; *secutaria* Walker,1866; *parvula* Moore,1887; *lilacina* Moore,1887
80544) *Epiplema desistaria* (Walker,1861) (Uraniidae) Synonym(s): *desistaria* Walker,1861
80545) *Epiplema desistaria instabilata* (Walker,1866) (Uraniidae) Synonym(s): *instabilata* Walker,1866
80546) *Epiplema fulvilinea* Hampson (Uraniidae) Synonym(s):
80547) *Epiplema hapala* Tams,1935 (Uraniidae) Synonym(s): *hapala* Tams,1935
80548) *Epiplema himala* (Butler,1880) (Uraniidae) Synonym(s): *himala* Butler,1880; *evanescens* Alpheraky,1897
80549) *Epiplema illineata* W.Warren,1898 (Uraniidae) Synonym(s): *illineata* W.Warren,1898; *illiturlata* W.Warren,1898
80550) *Epiplema inconspicua* Janse,1932 (Uraniidae) Synonym(s): *inconspicua* Janse,1932
80551) *Epiplema instabilata* Walker,1866 (Uraniidae) Synonym(s): *instabilata* Walker,1866; *insolita* Walker,1866; *conchiferata* Moore,1887
80552) *Epiplema irrorata* Moore,1887 (Uraniidae) Synonym(s): *irrorata* Moore,1887
80553) *Epiplema lateritica* Holloway,1979 (Uraniidae) Synonym(s): *lateritica* Holloway,1979
80554) *Epiplema latifasciata* Moore,1887 (Uraniidae) Synonym(s): *latifasciata* Moore,1887
80555) *Epiplema lypera* Tams,1935 (Uraniidae) Synonym(s): *lypera* Tams,1935
80556) *Epiplema moza* (Butler,1878) (Uraniidae) Synonym(s): *moza* Butler,1878
80557) *Epiplema multistrigaria* Moore,1879 (Uraniidae) Synonym(s): *multistrigaria* Moore,1879
80558) *Epiplema obscuraria* Moore,1887 (Uraniidae) Synonym(s): *obscuraria* Moore,1887
80559) *Epiplema ocusta* Swinhoe,1894 (Uraniidae) Synonym(s): *ocusta* Swinhoe,1894
80560) *Epiplema pulveralis* Janse,1932 (Uraniidae) Synonym(s): *pulveralis* Janse,1932
80561) *Epiplema reducta* Janse,1932 (Uraniidae) Synonym(s): *reducta* Janse,1932
80562) *Epiplema restricta* Hampson,1895 (Uraniidae) Synonym(s): *restricta* Hampson,1895
80563) *Epiplema reticulata* Moore,1879 (Uraniidae) Synonym(s): *reticulata* Moore,1879
80564) *Epiplema rhagavata* Walker,1861 (Uraniidae) Synonym(s): *rhagavata* Walker,1861; *palaca* Walker,1861; *bidens* R.Felder & Rogenhofer,1874
80565) *Epiplema ruptaria* Moore,1879 (Uraniidae) Synonym(s): *ruptaria* Moore,1879
80566) *Epiplema spatulata* Holloway,1979 (Uraniidae) Synonym(s): *spatulata* Holloway,1979
80567) *Epiplema sreapa* Swinhoe,1894 (Uraniidae) Synonym(s): *sreapa* Swinhoe,1894
80568) *Epiplema tristis* Janse,1932 (Uraniidae) Synonym(s): *tristis* Janse,1932
80569) *Epiplema yoshimotoi* Holloway,1979 (Uraniidae) Synonym(s): *yoshimotoi* Holloway,1979
80570) *Europlema bilobuncus* Holloway,1998 (Uraniidae) Synonym(s): *bilobuncus* Holloway,1998
80571) *Europlema desistaria* (Walker,1861) (Uraniidae) Synonym(s): *desistaria* Walker,1861; *inclarata* Walker,1866; *insolita* Walker,1866; *fuscata* Dalla Torre,1924
80572) *Europlema instabilata* (Walker,1866) (Uraniidae) Synonym(s): *instabilata* Walker,1866
80573) *Europlema nivosaria* (Walker,1866) (Uraniidae) Synonym(s): *nivosaria* Walker,1866; *paucifera* Walker,1866
80574) *Europlema pocclaria* (Swinhoe,1905) (Uraniidae) Synonym(s): *pocclaria* Swinhoe,1905
80575) *Europlema semibrunnea* (Pagenstecher,1888) (Uraniidae) Synonym(s): *semibrunnea* Pagenstecher,1888; *caesia* W.Warren,1897; *okinawana* Matsumura,1931
80576) *Gathynia lugens* (W.Warren,1897) (Uraniidae) Synonym(s): *lugens* W.Warren,1897
80577) *Heteroplema dependens* W.Warren,1902 (Uraniidae) Synonym(s): *dependens* W.Warren,1902
80578) *Hypoplema fumella* Janse,1932 (Uraniidae) Synonym(s): *fumella* Janse,1932
80579) *Leucoplema ansorgei* (W.Warren,1901) (Uraniidae) Synonym(s): *ansorgei* W.Warren,1901
80580) *Leucoplema dohertyi* (W.Warren,1904) (Uraniidae) Synonym(s): *dohertyi* W.Warren,1904
80581) *Leucoplema ruptifascia* (W.Warren,1897) (Uraniidae) Synonym(s): *ruptifascia* W.Warren,1897
80582) *Leucoplema triumbrata* (W.Warren,1902) (Uraniidae) Synonym(s): *triumbrata* W.Warren,1902
80583) *Micronia aculeata* Guenée,[1858] (Uraniidae) Synonym(s): *aculeata* Guenée,[1858]; *sondaicata* Guenée,[1858]
80584) *Micronia cynthiae* Holloway,1979 (Uraniidae) Synonym(s): *cynthiae* Holloway,1979
80585) *Micronia pluviosa* W.Warren,1897 (Uraniidae) Synonym(s): *pluviosa* W.Warren,1897
80586) *Monobolodes ? prunaria* (Moore,1887) (Uraniidae) Synonym(s): *prunaria* Moore,1887; *oribates* West,1932
80587) *Monobolodes parvinigrata* Holloway,1998 (Uraniidae) Synonym(s): *parvinigrata* Holloway,1998
80588) *Monobolodes pseudosimulans* Holloway,1998 (Uraniidae) Synonym(s): *pseudosimulans* Holloway,1998
80589) *Monobolodes rectifascia* Holloway,1998 (Uraniidae) Synonym(s): *rectifascia* Holloway,1998
80590) *Monobolodes ruptifascia* Holloway,1998 (Uraniidae) Synonym(s): *ruptifascia* Holloway,1998
80591) *Monobolodes undatifascia* Holloway,1998 (Uraniidae) Synonym(s): *undatifascia* Holloway,1998
80592) *Monoplema fumigera* (W.Warren,1905) (Uraniidae) Synonym(s): *fumigera* W.Warren,1905
80593) *Nyctalemon curvatus* Skinner,1903 (Uraniidae) Synonym(s): *curvatus* Skinner,1903
80594) *Nyctalemon macleayi* (Montrouzier,1856) (Uraniidae) Synonym(s): *macleayi* Montrouzier,1856; *goldiei* Druce,1882
80595) *Nyctalemon macleayi kotzenbergi* Pfeiffer,1925 (Uraniidae) Synonym(s): *kotzenbergi* Pfeiffer,1925
80596) *Nyctalemon macleayi macleayi* (Montrouzier,1856) (Uraniidae) Synonym(s): *macleayi* Montrouzier,1856; *goldiei* Druce,1882
80597) *Nyctalemon menoetius* Hopffer,1856 (Uraniidae) Synonym(s): *menoetius* Hopffer,1856; *hector* Walker,1856; *longicaudus* Schaufuss,1870; *#albiapicalis* Pfeiffer,1925
80598) *Nyctalemon menoetius adpersus* Altana,1953 (Uraniidae) Synonym(s): *adpersus* Altana,1953
80599) *Nyctalemon menoetius celebensis* Altana,1953 (Uraniidae) Synonym(s): *celebensis* Altana,1953
80600) *Nyctalemon menoetius menoetius* Hopffer,1856 (Uraniidae) Synonym(s): *menoetius* Hopffer,1856; *hector* Walker,1856; *longicaudus* Schaufuss,1870; *#albiapicalis* Pfeiffer,1925
80601) *Nyctalemon mutatus* (Butler,1887) (Uraniidae) Synonym(s): *mutatus* Butler,1887; *ulysses* Pfeiffer,1925
80602) *Nyctalemon mutatus fletcheri* Altana,1954 (Uraniidae) Synonym(s): *fletcheri* Altana,1954
80603) *Nyctalemon patroclus* (Linnaeus,1758) (Uraniidae) Synonym(s): *patroclus* Linnaeus,1758; *achillaria* Hübner,[1823]; *velutinus* Röber,1927
80604) *Nyctalemon patroclus patroclus* (Linnaeus,1758) (Uraniidae) Synonym(s): *patroclus* Linnaeus,1758; *achillaria* Hübner,[1823]; *velutinus* Röber,1927
80605) *Nyctalemon toxopeusi* Altana,1953 (Uraniidae) Synonym(s): *toxopeusi* Altana,1953
80606) *Nyctalemon zampa* Butler,1869 (Uraniidae) Synonym(s): *zampa* Butler,1869; *crameri* Boisduval,1874
80607) *Nyctalemon zampa dilutus* Röber,1927 (Uraniidae) Synonym(s): *dilutus* Röber,1927
80608) *Nyctalemon zampa docilis* Godman, Salvin & Druce,1878 (Uraniidae) Synonym(s): *docilis* Godman, Salvin & Druce,1878; *deliensis* V.Mohr,1933
80609) *Nyctalemon zampa najabula* Moore,1877 (Uraniidae) Synonym(s): *najabula* Moore,1877

- 80610) *Nyctalemon zampa* ssp. (Uraniidae) Synonym(s):
 80611) *Nyctalemon zampa zampa* Butler,1869 (Uraniidae) Synonym(s): *zampa* Butler,1869; *crameri* Boisdual,1874
 80612) *Oroplema oyamana* (Matsumura,1931) (Uraniidae) Synonym(s): *oyamana* Matsumura,1931
 80613) *Oroplema parvipallida* Holloway,1998 (Uraniidae) Synonym(s): *parvipallida* Holloway,1998
 80614) *Oroplema simplex* (W.Warren,1899) (Uraniidae) Synonym(s): *simplex* W.Warren,1899
 80615) *Orudiza protheclaria* Walker,1861 (Uraniidae) Synonym(s): *protheclaria* Walker,1861; *luctiferata* Snellen,1880
 80616) *Paradectia myra* Swinhoe,1902 (Uraniidae) Synonym(s): *myra* Swinhoe,1902
 80617) *Phazaca ? alikangensis* (Strand,1916) (Uraniidae) Synonym(s): *alikangensis* Strand,1916
 80618) *Phazaca acutilinea* (W.Warren,1897) (Uraniidae) Synonym(s): *acutilinea* W.Warren,1897
 80619) *Phazaca cesena* (Swinhoe,1902) (Uraniidae) Synonym(s): *cesena* Swinhoe,1902
 80620) *Phazaca cesenaleuca* Holloway,1998 (Uraniidae) Synonym(s): *cesenaleuca* Holloway,1998
 80621) *Phazaca coniferoides* Holloway,1998 (Uraniidae) Synonym(s): *coniferoides* Holloway,1998
 80622) *Phazaca cythera* (Swinhoe,1902) (Uraniidae) Synonym(s): *cythera* Swinhoe,1902
 80623) *Phazaca kellersi* Tams,1935 (Uraniidae) Synonym(s): *kellersi* Tams,1935
 80624) *Phazaca leucocera* (Hampson,1891) (Uraniidae) Synonym(s): *leucocera* Hampson,1891
 80625) *Phazaca monticesena* Holloway,1998 (Uraniidae) Synonym(s): *monticesena* Holloway,1998
 80626) *Phazaca mutans* (Butler,1887) (Uraniidae) Synonym(s): *mutans* Butler,1887; *conscripta* Lucas,1894; *annulifer* W.Warren,1896; *seminigra* W.Warren,1896
 80627) *Phazaca unicaudoides* Holloway,1998 (Uraniidae) Synonym(s): *unicaudoides* Holloway,1998
 80628) *Pseudodirades lactea* (W.Warren,1897) (Uraniidae) Synonym(s): *lactea* W.Warren,1897
 80629) *Pseudodirades transgrisea* (Holloway,1976) (Uraniidae) Synonym(s): *transgrisea* Holloway,1976
 80630) *Pseudomicronia adjudicatoria* Walker (Uraniidae) Synonym(s):
 80631) *Pseudomicronia advocataria* (Walker,1861) (Uraniidae) Synonym(s): *advocataria* Walker,1861
 80632) *Pseudomicronia bundutuhan* Holloway,1998 (Uraniidae) Synonym(s): *bundutuhan* Holloway,1998
 80633) *Pseudomicronia coelata* Moore,1887 (Uraniidae) Synonym(s): *coelata* Moore,1887; *fraterna* Moore,1887
 80634) *Pseudomicronia simplicifascia* Hampson,1895 (Uraniidae) Synonym(s): *simplicifascia* Hampson,1895
 80635) *Pterotosoma castanea* (W.Warren,1898) (Uraniidae) Synonym(s): *castanea* W.Warren,1898; *kinabalu* Holloway,1976
 80636) *Rhombophylla edentata* (Hampson,1895) (Uraniidae) Synonym(s): *edentata* Hampson,1895
 80637) *Rhombophylla xylinois* (Turner,1903) (Uraniidae) Synonym(s): *xylinois* Turner,1903
 80638) *Strophidia caudata* (Fabricius,1781) (Uraniidae) Synonym(s): *fasciata* Cramer,1777 nec Sc.,1763; *caudata* Fabricius,1781; *caudaria* Hübner,[1823]; *obtusata* Guenée,1857
 80639) *Urapteroides astheniata* (Guenée,[1858]) (Uraniidae) Synonym(s): *astheniata* Guenée,[1858]
 80640) *Urapteroides falcifera* (Weymer,1892) (Uraniidae) Synonym(s): *falcifera* Weymer,1892
 80641) *Urapteroides recurva* W.Warren,1898 (Uraniidae) Synonym(s): *recurva* W.Warren,1898; *#recurva* Janse,1917
 80642) *Warreniella fumicosta* (W.Warren,1896) (Uraniidae) Synonym(s): *fumicosta* W.Warren,1896
 80643) *Wockia asperipunctella* (Bruand,1851) (Urodidae) Synonym(s): *asperipunctella* Bruand,1851
 80644) "Lecithocera" *baeopsis* Meyrick,1929 (Xyloryctidae) Synonym(s): *baeopsis* Meyrick,1929
 80645) "Lecithocera" *deltospila* Meyrick,1911 (Xyloryctidae) Synonym(s): *deltospila* Meyrick,1911
 80646) "Mystax" *sikkimella* Caradja,1920 (Xyloryctidae) Synonym(s): *sikkimella* Caradja,1920
 80647) *Caenorycta acrostega* Diakonoff,1966 (Xyloryctidae) Synonym(s): *acrostega* Diakonoff,1966
 80648) *Caenorycta anholochrysa* Diakonoff,1966 (Xyloryctidae) Synonym(s): *anholochrysa* Diakonoff,1966
 80649) *Caenorycta dryoxantha* Meyrick,1922 (Xyloryctidae) Synonym(s): *dryoxantha* Meyrick,1922
 80650) *Caenorycta platyleucota* Meyrick,1938 (Xyloryctidae) Synonym(s): *platyleucota* Meyrick,1938
 80651) *Caenorycta plutera* Diakonoff,1966 (Xyloryctidae) Synonym(s): *plutera* Diakonoff,1966
 80652) *Caenorycta thiobapta* Meyrick,1930 (Xyloryctidae) Synonym(s): *thiobapta* Meyrick,1930
 80653) *Chlorolychnis agnatella* (Walker,1864) (Xyloryctidae) Synonym(s): *agnatella* Walker,1864
 80654) *Cladophantis pristina* Meyrick,1925 (Xyloryctidae) Synonym(s): *pristina* Meyrick,1925
 80655) *Cladophantis spilozeucta* Meyrick,1927 (Xyloryctidae) Synonym(s): *spilozeucta* Meyrick,1927
 80656) *Cladophantis xylophracta* Meyrick,1918 (Xyloryctidae) Synonym(s): *xylophracta* Meyrick,1918
 80657) *Cophomantella elaphopis* (Meyrick,1910) (Xyloryctidae) Synonym(s): *elaphopis* Meyrick,1910
 80658) *Cryptophasa aethoptera* Meyrick,1938 (Xyloryctidae) Synonym(s): *aethoptera* Meyrick,1938
 80659) *Cryptophasa aggesta* Meyrick,1925 (Xyloryctidae) Synonym(s): *aggesta* Meyrick,1925
 80660) *Cryptophasa aglaodes* Lower,1893 (Xyloryctidae) Synonym(s): *aglaodes* Lower,1893
 80661) *Cryptophasa albacosta* Lewin,1805 (Xyloryctidae) Synonym(s): *albacosta* Lewin,1805
 80662) *Cryptophasa amphicroca* Meyrick,1925 (Xyloryctidae) Synonym(s): *amphicroca* Meyrick,1925
 80663) *Cryptophasa antalba* Diakonoff,1966 (Xyloryctidae) Synonym(s): *proleuca* Diakonoff,1948 nec Meyr.; *antalba* Diakonoff,1966
 80664) *Cryptophasa* sp.: (Xyloryctidae) Synonym(s):
 80665) *Cynicocrates tachytoma* Meyrick,1935 (Xyloryctidae) Synonym(s): *tachytoma* Meyrick,1935
 80666) *Enthetica picryntis* Meyrick,1916 (Xyloryctidae) Synonym(s): *picryntis* Meyrick,1916
 80667) *Epichostis antigama* (Meyrick,1908) (Xyloryctidae) Synonym(s): *antigama* Meyrick,1908
 80668) *Epichostis barathrias* (Meyrick,1908) (Xyloryctidae) Synonym(s): *barathrias* Meyrick,1908
 80669) *Epichostis cryphaea* (Meyrick,1908) (Xyloryctidae) Synonym(s): *cryphaea* Meyrick,1908
 80670) *Epichostis dicremna* (Meyrick,1908) (Xyloryctidae) Synonym(s): *dicremna* Meyrick,1908
 80671) *Epichostis elephantias* Meyrick,1906 (Xyloryctidae) Synonym(s): *elephantias* Meyrick,1906
 80672) *Epichostis leptorthra* Meyrick,1931 (Xyloryctidae) Synonym(s): *leptorthra* Meyrick,1931
 80673) *Epichostis leucorma* (Meyrick,1908) (Xyloryctidae) Synonym(s): *leucorma* Meyrick,1908
 80674) *Epichostis melanocona* (Meyrick,1908) (Xyloryctidae) Synonym(s): *melanocona* Meyrick,1908
 80675) *Epichostis metrodelta* (Meyrick,1905) (Xyloryctidae) Synonym(s): *metrodelta* Meyrick,1905
 80676) *Epichostis microdelta* Meyrick,1927 (Xyloryctidae) Synonym(s): *microdelta* Meyrick,1927
 80677) *Epichostis stelota* (Meyrick,1908) (Xyloryctidae) Synonym(s): *stelota* Meyrick,1908
 80678) *Epichostis tympanias* (Meyrick,1908) (Xyloryctidae) Synonym(s): *tympanias* Meyrick,1908
 80679) *Epimactis crambalea* Meyrick,1910 (Xyloryctidae) Synonym(s): *crambalea* Meyrick,1910
 80680) *Epimactis infulata* Meyrick,1914 (Xyloryctidae) Synonym(s): *infulata* Meyrick,1914
 80681) *Epimactis melithorax* Meyrick,1923 (Xyloryctidae) Synonym(s): *melithorax* Meyrick,1923
 80682) *Epimactis monodoxa* Meyrick,1907 (Xyloryctidae) Synonym(s): *monodoxa* Meyrick,1907
 80683) *Epimactis spasmodes* Meyrick,1914 (Xyloryctidae) Synonym(s): *spasmodes* Meyrick,1914
 80684) *Epimactis strombodes* Meyrick,1914 (Xyloryctidae) Synonym(s): *strombodes* Meyrick,1914
 80685) *Epimactis suffusella* (Walker) (Xyloryctidae) Synonym(s):
 80686) *Epimactis talantias* Meyrick,1908 (Xyloryctidae) Synonym(s): *talantias* Meyrick,1908
 80687) *Epimactis turbida* Meyrick,1914 (Xyloryctidae) Synonym(s): *turbida* Meyrick,1914
 80688) *Eporycta chionaula* Meyrick,1920 (Xyloryctidae) Synonym(s): *chionaula* Meyrick,1920
 80689) *Eporycta incanescens* Meyrick,1921 (Xyloryctidae) Synonym(s): *incanescens* Meyrick,1921
 80690) *Eporycta tarbalea* Meyrick,1908 (Xyloryctidae) Synonym(s): *tarbalea* Meyrick,1908
 80691) *Eupetochira axysta* Meyrick,1927 (Xyloryctidae) Synonym(s): *axysta* Meyrick,1927
 80692) *Eupetochira xystopala* (Meyrick,1908) (Xyloryctidae) Synonym(s): *xystopala* Meyrick,1908
 80693) *Exacristis euryopa* Meyrick,1921 (Xyloryctidae) Synonym(s): *euryopa* Meyrick,1921
 80694) *Gemorodes delphinopa* Meyrick,1930 (Xyloryctidae) Synonym(s): *delphinopa* Meyrick,1930
 80695) *Gemorodes diclera* Meyrick,1925 (Xyloryctidae) Synonym(s): *diclera* Meyrick,1925
 80696) *Glycynympha roseocostella* (Walsingham,1881) (Xyloryctidae) Synonym(s): *roseocostella* Walsingham,1881; *sandycopa* Meyrick,1917
 80697) *Lasiodictis melistoma* Meyrick,1912 (Xyloryctidae) Synonym(s): *melistoma* Meyrick,1912

- 80698) *Letogenes festalis* Meyrick, 1930 (Xyloryctidae) Synonym(s): *festalis* Meyrick, 1930
80699) *Linoclostis brachyloga* Meyrick, 1917 (Xyloryctidae) Synonym(s): *brachyloga* Meyrick, 1917
80700) *Linoclostis gonatias* Meyrick, 1908 (Xyloryctidae) Synonym(s): *gonatias* Meyrick, 1908
80701) *Linoclostis musicodes* Meyrick, 1910 (Xyloryctidae) Synonym(s): *musicodes* Meyrick, 1910
80702) *Metathrinca ancistrias* (Meyrick, 1906) (Xyloryctidae) Synonym(s): *ancistrias* Meyrick, 1906
80703) *Metathrinca ceromorpha* (Meyrick, 1923) (Xyloryctidae) Synonym(s): *ceromorpha* Meyrick, 1923
80704) *Metathrinca illuvialis* (Meyrick, 1914) (Xyloryctidae) Synonym(s): *illuvialis* Meyrick, 1914
80705) *Metathrinca intacta* (Meyrick, 1938) (Xyloryctidae) Synonym(s): *intacta* Meyrick, 1938
80706) *Metathrinca loranthivora* (Meyrick, 1937) (Xyloryctidae) Synonym(s): *loranthivora* Meyrick, 1937
80707) *Metathrinca memnon* Meyrick, 1914 (Xyloryctidae) Synonym(s): *memnon* Meyrick, 1914
80708) *Metathrinca ophiura* Meyrick, 1908 (Xyloryctidae) Synonym(s): *ophiura* Meyrick, 1908
80709) *Metathrinca parabola* (Meyrick, 1914) (Xyloryctidae) Synonym(s): *parabola* Meyrick, 1914
80710) *Metathrinca rosaria* (Meyrick, 1907) (Xyloryctidae) Synonym(s): *rosaria* Meyrick, 1907
80711) *Microphidias bacteriopsis* Meyrick, 1937 (Xyloryctidae) Synonym(s): *bacteriopsis* Meyrick, 1937
80712) *Paralecta acutangula* Diakonoff, 1954 (Xyloryctidae) Synonym(s): *acutangula* Diakonoff, 1954
80713) *Paralecta amplificata* Meyrick, 1925 (Xyloryctidae) Synonym(s): *amplificata* Meyrick, 1925
80714) *Paralecta antistola* Meyrick, 1930 (Xyloryctidae) Synonym(s): *antistola* Meyrick, 1930
80715) *Paralecta cerocrossa* Meyrick, 1928 (Xyloryctidae) Synonym(s): *cerocrossa* Meyrick, 1928
80716) *Paralecta chalarodes* Meyrick, 1925 (Xyloryctidae) Synonym(s): *chalarodes* Meyrick, 1925
80717) *Philarachnis xerophaga* Meyrick, 1925 (Xyloryctidae) Synonym(s): *xerophaga* Meyrick, 1925
80718) *Semnolocha pachysticta* Meyrick, 1936 (Xyloryctidae) Synonym(s): *pachysticta* Meyrick, 1936
80719) *Sisyrodonta ochrosidera* Meyrick, 1922 (Xyloryctidae) Synonym(s): *ochrosidera* Meyrick, 1922
80720) *Sphagocrates lusoria* (Meyrick, 1922) (Xyloryctidae) Synonym(s): *lusoria* Meyrick, 1922
80721) *Xylorycta artigena* Meyrick, 1914 (Xyloryctidae) Synonym(s): *artigena* Meyrick, 1914
80722) "Genus" *euryphracta* (Meyrick, 1893) (Yponomeutidae) Synonym(s): *euryphracta* Meyrick, 1893
80723) *Acrolepia aleuritidis* Meyrick, 1913 (Yponomeutidae) Synonym(s): *aleuritidis* Meyrick, 1913
80724) *Acrolepia autumnitella* Curtis, 1838 (Yponomeutidae) Synonym(s): *autumnitella* Curtis, 1838; *pygmeana* Haworth, 1811 *nec* Hübner, 1799; *lefebviella* Duponchel, 1838; *heleniella* Zeller, 1839; *dulcamarella* Bruand, 1856; *submontana* Osthelder, 1951
80725) *Acrolepia canachopis* Meyrick, 1913 (Yponomeutidae) Synonym(s): *canachopis* Meyrick, 1913
80726) *Acrolepia chalarodesma* Meyrick, 1927 (Yponomeutidae) Synonym(s): *chalarodesma* Meyrick, 1927
80727) *Acrolepia conchitis* Meyrick, 1913 (Yponomeutidae) Synonym(s): *conchitis* Meyrick, 1913
80728) *Acrolepia gelida* Meyrick, 1921 (Yponomeutidae) Synonym(s): *gelida* Meyrick, 1921
80729) *Acrolepia nodulata* Meyrick, 1921 (Yponomeutidae) Synonym(s): *nodulata* Meyrick, 1921
80730) *Acrolepia trapezopa* Meyrick, 1914 (Yponomeutidae) Synonym(s): *trapezopa* Meyrick, 1914
80731) *Acrolepia xylophragma* (Meyrick, 1926) (Yponomeutidae) Synonym(s): *xylophragma* Meyrick, 1926
80732) *Acrolepiopsis assectella* (Zeller, 1839) (Yponomeutidae) Synonym(s): *assectella* Zeller, 1839; *vigiliella* Duponchel, 1843; *porella* Raspaill, 1855
80733) *Acrolepiopsis betulella* (Curtis, 1850) (Yponomeutidae) Synonym(s): *betulella* Curtis, 1850; *unicolor* Wocke, 1884; *ursinella* Weber, 1945
80734) *Acrolepiopsis caucasica* Zagulajev, 1980 (Yponomeutidae) Synonym(s): *caucasica* Zagulajev, 1980
80735) *Acrolepiopsis chirapanthui* Moriuti, 1984 (Yponomeutidae) Synonym(s): *chirapanthui* Moriuti, 1984
80736) *Acrolepiopsis corticosa* (Meyrick, 1913) (Yponomeutidae) Synonym(s): *corticosa* Meyrick, 1913
80737) *Acrolepiopsis manganeutis* (Meyrick, 1913) (Yponomeutidae) Synonym(s): *manganeutis* Meyrick, 1913
80738) *Acrolepiopsis marcidella* (Curtis, 1850) (Yponomeutidae) Synonym(s): *marcidella* Curtis, 1850; *fumociliella* Mann, 1855
80739) *Acrolepiopsis tauricella* (Staudinger, 1871) (Yponomeutidae) Synonym(s): *tauricella* Staudinger, 1871
80740) *Acrolepiopsis vesperella* (Zeller, 1850) (Yponomeutidae) Synonym(s): *vesperella* Zeller, 1850; *smilaxella* Millière, 1864; *tami* Hering, 1927
80741) *Anoista insolita* Turner, 1939 (Yponomeutidae) Synonym(s): *insolita* Turner, 1939
80742) *Anthonympha devota* (Meyrick, 1913) (Yponomeutidae) Synonym(s): *devota* Meyrick, 1913
80743) *Anthonympha duplicata* (Meyrick, 1913) (Yponomeutidae) Synonym(s): *duplicata* Meyrick, 1913
80744) *Anthonympha oxydelta* (Meyrick, 1913) (Yponomeutidae) Synonym(s): *oxydelta* Meyrick, 1913
80745) *Anthonympha* sp.: (Yponomeutidae) Synonym(s):
80746) *Anthonympha speciosa* Moriuti, 1974 (Yponomeutidae) Synonym(s): *speciosa* Moriuti, 1974
80747) *Argyresthia* (Blastotere) *amiantella* (Zeller, 1847) (Yponomeutidae) Synonym(s): *amiantella* Zeller, 1847
80748) *Argyresthia* (Blastotere) *arceuthina* Zeller, 1839 (Yponomeutidae) Synonym(s): *argentella* Linnaeus, 1761 *nec* Cl., 1759; *arceuthina* Zeller, 1839; *arceuthinella* Duponchel, [1845]
80749) *Argyresthia* (Blastotere) *bergiella* (Ratzeburg, 1840) (Yponomeutidae) Synonym(s): *bergiella* Ratzeburg, 1840; *certella* Zeller, 1847
80750) *Argyresthia* (Blastotere) *buvati* Gibeaux, 1992 (Yponomeutidae) Synonym(s): *buvati* Gibeaux, 1992
80751) *Argyresthia* (Blastotere) *chrysidella* Peyerimhoff, 1877 (Yponomeutidae) Synonym(s): *chrysidella* Peyerimhoff, 1877; *walsinghamella* Millière, 1881
80752) *Argyresthia* (Blastotere) *dilectella* Zeller, 1847 (Yponomeutidae) Synonym(s): *dilectella* Zeller, 1847
80753) *Argyresthia* (Blastotere) *glabratella* (Zeller, 1847) (Yponomeutidae) Synonym(s): *glabratella* Zeller, 1847; *oleaginella* Standfuss, 1851
80754) *Argyresthia* (Blastotere) *illuminatella* Zeller, 1839 (Yponomeutidae) Synonym(s): *illuminatella* Zeller, 1839
80755) *Argyresthia* (Blastotere) *impura* (Staudinger, 1879) (Yponomeutidae) Synonym(s): *impura* Staudinger, 1879
80756) *Argyresthia* (Blastotere) *laevigatella* (Heydenreich, 1851) (Yponomeutidae) Synonym(s): *laevigatella* Heydenreich, 1851; *atmoriella* Banks, 1856; *atmorella* Tutt, 1896
80757) *Argyresthia* (Blastotere) *praecocella* Zeller, 1839 (Yponomeutidae) Synonym(s): *praecocella* Zeller, 1839
80758) *Argyresthia* (Blastotere) *reticulata* Staudinger, 1871 (Yponomeutidae) Synonym(s): *reticulata* Staudinger, 1871
80759) *Argyresthia* (Blastotere) *thuiella* (Packard, 1871) (Yponomeutidae) Synonym(s): *thuiella* Packard, 1871
80760) *Argyresthia* (Blastotere) *thuriferana* Gibeaux, 1992 (Yponomeutidae) Synonym(s): *thuriferana* Gibeaux, 1992
80761) *Argyresthia* (Blastotere) *trifasciata* Staudinger, 1871 (Yponomeutidae) Synonym(s): *trifasciata* Staudinger, 1871
80762) *Argyresthia* (s.str.) *abdominalis* Zeller, 1839 (Yponomeutidae) Synonym(s): *abdominalis* Zeller, 1839; *abdominalella* Duponchel, [1845]; *inauratella* Tengström, 1848; *abdominella* Herrich-Schäffer, 1855; *helvetica* Heinemann, [1876]
80763) *Argyresthia* (s.str.) *albistria* (Haworth, 1828) (Yponomeutidae) Synonym(s): *albistria* Haworth, 1828; *fagetella* Zeller, 1839; *albistriella* Bruand, 1850; *tarnis* Réal, 1990
80764) *Argyresthia* (s.str.) *aurulentella* Stainton, 1849 (Yponomeutidae) Synonym(s): *aurulentella* Stainton, 1849
80765) *Argyresthia* (s.str.) *bonnetella* (Linnaeus, 1758) (Yponomeutidae) Synonym(s): *bonnetella* Linnaeus, 1758; *tetrapodella* Linnaeus, 1767; *ossea* Haworth, 1828; *denudatella* Zeller, 1847; *purpurascensella* Stainton, 1849; *osseella* Bruand, 1850
80766) *Argyresthia* (s.str.) *brockeella* (Hübner, [1813]) (Yponomeutidae) Synonym(s): *brockeella* Hübner, [1813]; *iwella* Haworth, 1828; *aurivittella* Haworth, 1828; *fulgurialis* Matsumura, 1931
80767) *Argyresthia* (s.str.) *conjugella* Zeller, 1839 (Yponomeutidae) Synonym(s): *conjugella* Zeller, 1839; ? *aerariella* Stainton, 1871
80768) *Argyresthia* (s.str.) *curvella* (Linnaeus, 1761) (Yponomeutidae) Synonym(s): *curvella* Linnaeus, 1761; *nitidella* Denis & Schiffmüller, [1775]; *arcella* Fabricius, 1777; *curva* Haworth, 1828; *sparsella* sensu Zeller, 1839
80769) *Argyresthia* (s.str.) *fundella* (Fischer v. Röslerstamm, 1835) (Yponomeutidae) Synonym(s): *fundella* Fischer v. Röslerstamm, 1835
80770) *Argyresthia* (s.str.) *glauicella* Zeller, 1839 (Yponomeutidae) Synonym(s): *glauicella* Zeller, 1839; *dzieduszyckii* Nowicki, 1860
80771) *Argyresthia* (s.str.) *goedartella* (Linnaeus, 1758) (Yponomeutidae) Synonym(s): *goedartella* Linnaeus, 1758; *semiargentella* Donovan, 1793; *literella* Haworth, 1828
80772) *Argyresthia* (s.str.) *hilfiella* Rebel, 1910 (Yponomeutidae) Synonym(s): *hilfiella* Rebel, 1910
80773) *Argyresthia* (s.str.) *huguenini* Frey, 1882 (Yponomeutidae) Synonym(s): *huguenini* Frey, 1882
80774) *Argyresthia* (s.str.) *ivella* (Haworth, 1828) (Yponomeutidae) Synonym(s): *ivella* Haworth, 1828; *andereggiella* Duponchel, [1840]; *kuwayamella* Matsumura, 1931
80775) *Argyresthia* (s.str.) *kasyi* Friese, 1963 (Yponomeutidae) Synonym(s): *kasyi* Friese, 1963
80776) *Argyresthia* (s.str.) *liparodes* Meyrick, 1914 (Yponomeutidae) Synonym(s): *liparodes* Meyrick, 1914
80777) *Argyresthia* (s.str.) *marmorata* Frey, 1880 (Yponomeutidae) Synonym(s): *marmorata* Frey, 1880

- 80778) *Argyresthia* (s.str.) *mirabiella* Toll,1947 (Yponomeutidae) Synonym(s): *mirabiella* Toll,1947
80779) *Argyresthia* (s.str.) *pentanoma* Meyrick,1913 (Yponomeutidae) Synonym(s): *pentanoma* Meyrick,1913
80780) *Argyresthia* (s.str.) *prenjella* Rebel,1901 (Yponomeutidae) Synonym(s): *prenjella* Rebel,1901
80781) *Argyresthia* (s.str.) *pretiosa* Staudinger,1879 (Yponomeutidae) Synonym(s): *pretiosa* Staudinger,1879
80782) *Argyresthia* (s.str.) *pruniella* (Clerck,1759) (Yponomeutidae) Synonym(s): *#pruniella* Clerck,1759; *comella* Scopoli,1763; *ephippella* Fabricius,1777; *ephippium* Fabricius,1798; *pruni* Haworth,[1828]; *#ephippiella* Staudinger,1879.
80783) *Argyresthia* (s.str.) *pulchella* Lienig & Zeller,1846 (Yponomeutidae) Synonym(s): *pulchella* Lienig & Zeller,1846
80784) *Argyresthia* (s.str.) *pygmaeella* ([Denis & Schiffermüller],1775) (Yponomeutidae) Synonym(s): *pygmaeella* [Denis & Schiffermüller],1775; *rudolphella* Esper,1791; *semifasciella* Stephens,1834; *alpina* Müller-Rutz,1920
80785) *Argyresthia* (s.str.) *retinella* Zeller,1839 (Yponomeutidae) Synonym(s): *? ocella* Stephens,1834; *retinella* Zeller,1839; *albicornis* Caradja,1920
80786) *Argyresthia* (s.str.) *semifusca* (Haworth,1828) (Yponomeutidae) Synonym(s): *semifusca* Haworth,1828; *semipurpurella* Stephens,1834; *spiniella* Zeller,1839; *semifuscella* Herrich-Schäffer,1855
80787) *Argyresthia* (s.str.) *semitestacella* (Curtis,1833) (Yponomeutidae) Synonym(s): *semitestacella* Curtis,1833
80788) *Argyresthia* (s.str.) *sorbiella* (Treitschke,1833) (Yponomeutidae) Synonym(s): *esperella* Villers,1789 nec Goetz.,1783; *sorbiella* Treitschke,1833
80789) *Argyresthia* (s.str.) *spinosella* Stainton,1849 (Yponomeutidae) Synonym(s): *mendica* auct; *spinosella* Stainton,1849.
80790) *Argyresthia* (s.str.) *stilpnota* Meyrick,1913 (Yponomeutidae) Synonym(s): *stilpnota* Meyrick,1913
80791) *Argyresthia* (s.str.) *submontana* Frey,1870 (Yponomeutidae) Synonym(s): *submontana* Frey,1870
80792) *Argyresthia* (s.str.) *tarmanni* Gibeaux,1993 (Yponomeutidae) Synonym(s): *tarmanni* Gibeaux,1993
80793) *Argyresthia* *kaoyaiensis* Moriuti (Yponomeutidae) Synonym(s):
80794) *Atemella* *torquatella* (Lienig & Zeller,1846) (Yponomeutidae) Synonym(s): *torquatella* Lienig & Zeller,1846; *fuscifrontella* Stainton,1849
80795) *Atteva* *albiguttata* (Zeller,1873) (Yponomeutidae) Synonym(s): *albiguttata* Zeller,1873
80796) *Atteva* *charopis* Turner,1903 (Yponomeutidae) Synonym(s): *charopis* Turner,1903
80797) *Atteva* *fabriciella* (Swederus,1787) (Yponomeutidae) Synonym(s): *fabriciella* Swederus,1787
80798) *Atteva* *megalastra* Meyrick,1907 (Yponomeutidae) Synonym(s): *megalastra* Meyrick,1907
80799) *Atteva* *niphocosma* Turner,1903 (Yponomeutidae) Synonym(s): *niphocosma* Turner,1903; *myriastr* Meyrick,1907
80800) *Atteva* *sciodoxa* Meyrick,1908 (Yponomeutidae) Synonym(s): *sciodoxa* Meyrick,1908
80801) *Banghaasia* *ildefonsella* Friese,1960 (Yponomeutidae) Synonym(s): *ildefonsella* Friese,1960
80802) *Callitricca* *angoonae* Moriuti,1982 (Yponomeutidae) Synonym(s): *angoonae* Moriuti,1982
80803) *Callitricca* *evocatella* (Walker,1863) (Yponomeutidae) Synonym(s): *evocatella* Walker,1863
80804) *Callitricca* *niphopyrrha* Meyrick,1927 (Yponomeutidae) Synonym(s): *niphopyrrha* Meyrick,1927
80805) *Callitricca* sp.n. (Yponomeutidae) Synonym(s):
80806) *Callitricca* *sphendonista* Meyrick,1927 (Yponomeutidae) Synonym(s): *sphendonista* Meyrick,1927
80807) *Cedestis* *gysseleniella* Zeller,1839 (Yponomeutidae) Synonym(s): *gysseleniella* Zeller,1839; *gysseleniella* Duponchel,1840; *fuscilineella* Bruand,1850
80808) *Cedestis* *subfasciella* (Stephens,1834) (Yponomeutidae) Synonym(s): *subfasciella* Stephens,1834; *farinatella* Zeller,1839.
80809) *Charicrita* *citrozona* Meyrick,1913 (Yponomeutidae) Synonym(s): *citrozona* Meyrick,1913
80810) *Charicrita* *orthonina* Turner,1927 (Yponomeutidae) Synonym(s): *orthonina* Turner,1927
80811) *Charicrita* *sericoleuca* Turner,1923 (Yponomeutidae) Synonym(s): *sericoleuca* Turner,1923
80812) *Chionogenes* *drosochlora* (Meyrick,1907) (Yponomeutidae) Synonym(s): *drosochlora* Meyrick,1907
80813) *Chionogenes* *isanema* (Meyrick,1907) (Yponomeutidae) Synonym(s): *isanema* Meyrick,1907
80814) *Chionogenes* *trimetra* Meyrick,1913 (Yponomeutidae) Synonym(s): *trimetra* Meyrick,1913
80815) *Diaphragmistis* *macroglena* Meyrick,1914 (Yponomeutidae) Synonym(s): *macroglena* Meyrick,1914
80816) *Digitivalva* (Inuliphila) *christophi* (Toll,1958) (Yponomeutidae) Synonym(s): *christophi* Toll,1958
80817) *Digitivalva* (Inuliphila) *granitella* (Treitschke,1833) (Yponomeutidae) Synonym(s): *granitella* Treitschke,1833; *variella* Müller-Rutz,1920
80818) *Digitivalva* (Inuliphila) *macedonica* (Klimesch,1956) (Yponomeutidae) Synonym(s): *macedonica* Klimesch,1956
80819) *Digitivalva* (Inuliphila) *occidentella* (Klimesch,1956) (Yponomeutidae) Synonym(s): *occidentella* Klimesch,1956.
80820) *Digitivalva* (Inuliphila) *orientella* (Klimesch,1956) (Yponomeutidae) Synonym(s): *orientella* Klimesch,1956
80821) *Digitivalva* (Inuliphila) *pulicariae* (Klimesch,1956) (Yponomeutidae) Synonym(s): *pulicariae* Klimesch,1956
80822) *Digitivalva* (Inuliphila) *rungsella* (Lucas,1943) (Yponomeutidae) Synonym(s): *rungsella* Lucas,1943
80823) *Digitivalva* (Inuliphila) *solidaginis* (Staudinger,1859) (Yponomeutidae) Synonym(s): *solidaginis* Staudinger,1859
80824) *Digitivalva* (Inuliphila) *wolfschlaegeri* (Klimesch,1956) (Yponomeutidae) Synonym(s): *wolfschlaegeri* Klimesch,1956
80825) *Digitivalva* (s.str.) *afghanistanella* (Gaedike,1968) (Yponomeutidae) Synonym(s): *afghanistanella* Gaedike,1968
80826) *Digitivalva* (s.str.) *eglanteriella* (Mann,1855) (Yponomeutidae) Synonym(s): *eglanteriella* Mann,1855; *cydoniella* Rebel,1916; *maculatella* Turati,1930; *heringi* Klimesch,1956
80827) *Digitivalva* (s.str.) *excussella* (Erschoff,1874) (Yponomeutidae) Synonym(s): *excussella* Erschoff,1874
80828) *Digitivalva* (s.str.) *kasyi* (Gaedike,1968) (Yponomeutidae) Synonym(s): *kasyi* Gaedike,1968
80829) *Digitivalva* (s.str.) *pappella* (Walsingham,1907) (Yponomeutidae) Synonym(s): *pappella* Walsingham,1907
80830) *Digitivalva* (s.str.) *perlepidella* (Stainton,1849) (Yponomeutidae) Synonym(s): *perlepidella* Stainton,1849; *fulviceps* Wocke,1850; *ruficeps* Herrich-Schäffer,1853
80831) *Digitivalva* *amseli* Gaedike,1975 (Yponomeutidae) Synonym(s): *amseli* Gaedike,1975
80832) *Digitivalva* *arnicella* (Heyden,1863) (Yponomeutidae) Synonym(s): *arnicella* Heyden,1863, *adjectella* Heyden,1863
80833) *Digitivalva* *falkneri* Amsel,1974 (Yponomeutidae) Synonym(s): *falkneri* Amsel,1974
80834) *Digitivalva* *glaseri* Gaedike,1971 (Yponomeutidae) Synonym(s): *glaseri* Gaedike,1971.
80835) *Digitivalva* *reticulella* (Hübner,1796) (Yponomeutidae) Synonym(s): *reticulella* Hübner,1796; *cariosella* Treitschke,1835.
80836) *Digitivalva* *valeriella* (Snellen,1878) (Yponomeutidae) Synonym(s): *valeriella* Snellen,1878
80837) *Distagmos* *ledereri* Herrich-Schäffer,1853 (Yponomeutidae) Synonym(s): *ledereri* Herrich-Schäffer,1853; *ledereriella* Herrich-Schäffer,1855; *jaurella* Chrétien,1905
80838) *Eidophasia* *aereolella* Lhomme,1949 (Yponomeutidae) Synonym(s): *aereolella* Lhomme,1949
80839) *Eidophasia* *insulella* Walsingham,1900 (Yponomeutidae) Synonym(s): *insulella* Walsingham,1900
80840) *Eidophasia* *messingiella* (Fischer v. Röslerstamm,1840) (Yponomeutidae) Synonym(s): *messingiella* Fischer v. Röslerstamm,1840; *transversella* Stephens,1841; *mullerella* Rougemont,1903
80841) *Eidophasia* *syenitella* (Heydenreich,1851) (Yponomeutidae) Synonym(s): *syenitella* Heydenreich,1851
80842) *Eidophasia* *tauricella* Staudinger,1879 (Yponomeutidae) Synonym(s): *tauricella* Staudinger,1879
80843) *Euhypnometeuta* *stannella* (Thunberg,1794) (Yponomeutidae) Synonym(s): *stannella* Thunberg,1794; *rufimitrellus* Zeller,1844
80844) *Euhypnometeuides* *albithoracellus* Gaj,1954 (Yponomeutidae) Synonym(s): *rufella* Tengström,1848 nec Panz.,1804; *albithoracellus* Gaj,1954
80845) *Euhypnometeuides* *ribesiella* (Joannis,1900) (Yponomeutidae) Synonym(s): *ribesiella* Joannis,1900
80846) *Galactica* *variinotella* (Chrétien,1915) (Yponomeutidae) Synonym(s): *variinotella* Chrétien,1915
80847) *Genosteles* *reniger* Walsingham,1900 (Yponomeutidae) Synonym(s): *reniger* Walsingham,1900
80848) *Gypsosaris* *coniata* Meyrick,1909 (Yponomeutidae) Synonym(s): *coniata* Meyrick,1909
80849) *Kessleria* (Hofmannia) *fasciapennella* (Stainton,1849) (Yponomeutidae) Synonym(s): *fasciapennella* Stainton,1849; *longipennella* Friese,1960
80850) *Kessleria* (Hofmannia) *saxifragae* (Stainton,1868) (Yponomeutidae) Synonym(s): *saxifragae* Stainton,1868
80851) *Kessleria* (s.str.) *albatica* Friese,1960 (Yponomeutidae) Synonym(s): *albatica* Friese,1960
80852) *Kessleria* (s.str.) *albescens* (Rebel,1899) (Yponomeutidae) Synonym(s): *albescens* Rebel,1899
80853) *Kessleria* (s.str.) *albamaculata* Huemer & Tarmann,1992 (Yponomeutidae) Synonym(s): *albamaculata* Huemer & Tarmann,1992
80854) *Kessleria* (s.str.) *alpicella* (Stainton,1851) (Yponomeutidae) Synonym(s): *alpicella* Stainton,1851
80855) *Kessleria* (s.str.) *alternans* (Staudinger,1871) (Yponomeutidae) Synonym(s): *alternans* Staudinger,1871
80856) *Kessleria* (s.str.) *brachypterella* Huemer & Tarmann,1992 (Yponomeutidae) Synonym(s): *brachypterella* Huemer & Tarmann,1992
80857) *Kessleria* (s.str.) *brevicornuta* Huemer & Tarmann,1992 (Yponomeutidae) Synonym(s): *brevicornuta* Huemer & Tarmann,1992
80858) *Kessleria* (s.str.) *burmanni* Huemer & Tarmann,1992 (Yponomeutidae) Synonym(s): *burmanni* Huemer & Tarmann,1992
80859) *Kessleria* (s.str.) *caflischii* (Frey,1880) (Yponomeutidae) Synonym(s): *caflischii* Frey,1880
80860) *Kessleria* (s.str.) *caucasica* Friese,1960 (Yponomeutidae) Synonym(s): *caucasica* Friese,1960

- 80861) *Kessleria* (s.str.) *diabolica* Huemer & Tarmann,1992 (Yponomeutidae) Synonym(s): *diabolica* Huemer & Tarmann,1992
80862) *Kessleria* (s.str.) *egregiella* (Duponchel,1839) (Yponomeutidae) Synonym(s): *egregiella* Duponchel,1839
80863) *Kessleria* (s.str.) *hauderi* Huemer & Tarmann,1992 (Yponomeutidae) Synonym(s): *hauderi* Huemer & Tarmann,1992
80864) *Kessleria* (s.str.) *helvetica* Huemer & Tarmann,1992 (Yponomeutidae) Synonym(s): *helvetica* Huemer & Tarmann,1992
80865) *Kessleria* (s.str.) *inexpectata* Huemer & Tarmann,1992 (Yponomeutidae) Synonym(s): *inexpectata* Huemer & Tarmann,1992
80866) *Kessleria* (s.str.) *insubrica* Huemer & Tarmann,1992 (Yponomeutidae) Synonym(s): *insubrica* Huemer & Tarmann,1992
80867) *Kessleria* (s.str.) *klimeschi* Huemer & Tarmann,1992 (Yponomeutidae) Synonym(s): *klimeschi* Huemer & Tarmann,1992
80868) *Kessleria* (s.str.) *macedonica* Huemer & Tarmann,1992 (Yponomeutidae) Synonym(s): *macedonica* Huemer & Tarmann,1992
80869) *Kessleria* (s.str.) *mixta* Huemer & Tarmann,1992 (Yponomeutidae) Synonym(s): *mixta* Huemer & Tarmann,1992
80870) *Kessleria* (s.str.) *nivescens* Burmann,1980 (Yponomeutidae) Synonym(s): *nivescens* Burmann,1980
80871) *Kessleria* (s.str.) *osyridellus* Stainton,1869 (Yponomeutidae) Synonym(s): *osyridellus* Stainton,1869
80872) *Kessleria* (s.str.) *petrobiella* (Zeller,1868) (Yponomeutidae) Synonym(s): *petrobiella* Zeller,1868
80873) *Kessleria* (s.str.) *pyrenaea* Friese,1960 (Yponomeutidae) Synonym(s): *pyrenaea* Friese,1960
80874) *Kessleria* (s.str.) *wehrlii* Huemer & Tarmann,1992 (Yponomeutidae) Synonym(s): *wehrlii* Huemer & Tarmann,1992
80875) *Kessleria* (s.str.) *zimmermanni* Nowicki,1864 (Yponomeutidae) Synonym(s): *zimmermanni* Nowicki,1864
80876) *Lepocnemis* *bascanopa* Meyrick,1913 (Yponomeutidae) Synonym(s): *bascanopa* Meyrick,1913
80877) *Lepocnemis* *metapelistella* Meyrick,1932 (Yponomeutidae) Synonym(s): *metapelistella* Meyrick,1932
80878) *Lissochroa* *argostola* Turner,1923 (Yponomeutidae) Synonym(s): *argostola* Turner,1923
80879) *Litaneutis* *sacrifica* Meyrick,1913 (Yponomeutidae) Synonym(s): *sacrifica* Meyrick,1913
80880) *Lunakia* *alysella* (Klimesch,1941) (Yponomeutidae) Synonym(s): *alysella* Klimesch,1941
80881) *Miezia* *inornata* Walsingham,1900 (Yponomeutidae) Synonym(s): *inornata* Walsingham,1900
80882) *Niphonympha* *albella* (Zeller,1847) (Yponomeutidae) Synonym(s): *albella* Zeller,1847; *dealbatella* Zeller,1847; *immaculanella* Bruand,1850; *cignivicinella* Bruand,1859
80883) *Niphonympha* *bootella* (Turati,1926) (Yponomeutidae) Synonym(s): *bootella* Turati,1926
80884) *Niphonympha* *oxydelta* (Meyrick,1913) (Yponomeutidae) Synonym(s): *oxydelta* Meyrick,1913
80885) *Nosymna* *macrorrhyncha* Meyrick,1930 (Yponomeutidae) Synonym(s): *macrorrhyncha* Meyrick,1930
80886) *Nosymna* *obnubila* Durrant,1916 (Yponomeutidae) Synonym(s): *obnubila* Durrant,1916
80887) *Nosymna* *ochrochorda* Meyrick,1924 (Yponomeutidae) Synonym(s): *ochrochorda* Meyrick,1924
80888) *Nosymna* *punctata* Walsingham,1900 (Yponomeutidae) Synonym(s): *punctata* Walsingham,1900
80889) *Nosymna* *repletella* Walker,1864 (Yponomeutidae) Synonym(s): *repletella* Walker,1864
80890) *Nosymna* sp. (Yponomeutidae) Synonym(s):
80891) *Nosymna* *stipella* Snellen,1903 (Yponomeutidae) Synonym(s): *stipella* Snellen,1903
80892) *Nymphonia* *zaleuca* Meyrick,1913 (Yponomeutidae) Synonym(s): *zaleuca* Meyrick,1913
80893) *Ochsenheimeria* *algeriella* Zagulyaev,1966 (Yponomeutidae) Synonym(s): *algeriella* Zagulyaev,1966
80894) *Ochsenheimeria* *bubalella* (Hübner,[1813]) (Yponomeutidae) Synonym(s): *bubalella* Hübner,[1813]
80895) *Ochsenheimeria* *capella* Möschler,1860 (Yponomeutidae) Synonym(s): *capella* Möschler,1860
80896) *Ochsenheimeria* *glabratella* Müller-Rutz,1914 (Yponomeutidae) Synonym(s): *glabratella* Müller-Rutz,1914
80897) *Ochsenheimeria* *hugginsi* Bradley,1953 (Yponomeutidae) Synonym(s): *hugginsi* Bradley,1953
80898) *Ochsenheimeria* *kisilkuma* Zagulyaev,1966 (Yponomeutidae) Synonym(s): *kisilkuma* Zagulyaev,1966
80899) *Ochsenheimeria* *lovyi* Dumont,1930 (Yponomeutidae) Synonym(s): *lovyi* Dumont,1930
80900) *Ochsenheimeria* *mediopectinella* (Haworth,[1828]) (Yponomeutidae) Synonym(s): *mediopectinella* Haworth,[1828]
80901) *Ochsenheimeria* *taurella* (Denis & Schiffermüller,1775) (Yponomeutidae) Synonym(s): *taurella* [Denis & Schiffermüller],1775; *mediopectinellus* Haworth,1828; *birdella* Curtis,1831; *trifasciata* Wocke,1871; *hederarum* Millière,1874; *talhouki* Amsel,1947; *baurella* Zagulyaev,1966
80902) *Ochsenheimeria* *urella* Fischer v. Röslerstamm,1842 (Yponomeutidae) Synonym(s): *urella* Fischer v. Röslerstamm,1842; *bisontella* Lienig & Zeller,1846; *hirculella* Tengström,1848; *scabrosella* Tengström,1848; *porphyrella* Tengström,1848; *distinctella* Zagulyaev,1972
80903) *Ochsenheimeria* *vaculella* Fischer v. Röslerstamm,1842 (Yponomeutidae) Synonym(s): *vaculella* Fischer v. Röslerstamm,1842; *chenopodiella* Stainton,1849; *danilevskii* Zagulyaev,1972
80904) *Ocnorostoma* *friesei* Svensson,1966 (Yponomeutidae) Synonym(s): *friesei* Svensson,1966
80905) *Ocnorostoma* *piniariella* Zeller,1847 (Yponomeutidae) Synonym(s): *piniariella* Zeller,1847; *copiosella* Frey,1856
80906) *Opsiclis* *leucomorpha* (Lower,1900) (Yponomeutidae) Synonym(s): *leucomorpha* Lower,1900; *leucophasa* Lower,1908
80907) *Orsocomma* *macrogona* Meyrick,1921 (Yponomeutidae) Synonym(s): *macrogona* Meyrick,1921
80908) *Palleura* *nitida* Turner,1926 (Yponomeutidae) Synonym(s): *nitida* Turner,1926
80909) *Paraswammerdamia* *albicapitella* (Scharfenberg,1805) (Yponomeutidae) Synonym(s): *albicapitella* Scharfenberg,1805; *spiniella* Hübner,[1808]; *caesiella* Hübner,[1813] nec Hbn.,1796
80910) *Paraswammerdamia* *consersella* (Tengström,1848) (Yponomeutidae) Synonym(s): *consersella* Tengström,1848
80911) *Paraswammerdamia* *iranella* Friese,1960 (Yponomeutidae) Synonym(s): *iranella* Friese,1960
80912) *Paraswammerdamia* *lapponica* (W.Petersen,1932) (Yponomeutidae) Synonym(s): *lapponica* W.Petersen,1932
80913) *Paraswammerdamia* *lutarea* (Haworth,[1828]) (Yponomeutidae) Synonym(s): *lutarea* Haworth,[1828]
80914) *Paraswammerdamia* *ornichella* Friese,1960 (Yponomeutidae) Synonym(s): *ornichella* Friese,1960
80915) *Paraswammerdamia* *ruthiella* Steuer,1993 (Yponomeutidae) Synonym(s): *ruthiella* Steuer,1993
80916) *Phrealcia* *eximiella* (Rebel,1899) (Yponomeutidae) Synonym(s): *eximiella* Rebel,1899; *brevipalpella* Chrétien,1900
80917) *Plutella* (Anadettia) *porrectella* (Linnaeus,1758) (Yponomeutidae) Synonym(s): *porrectella* Linnaeus,1758; *hesperidis* Retzius,1783; *julianella* Olivier,1789; *hesperidella* Hübner,1796; *vittatus* Fabricius,1798
80918) *Plutella* (s.str.) *balanopsis* Meyrick,1909 (Yponomeutidae) Synonym(s): *balanopsis* Meyrick,1909
80919) *Plutella* (s.str.) *dryoxyla* Meyrick,1932 (Yponomeutidae) Synonym(s): *dryoxyla* Meyrick,1932
80920) *Plutella* (s.str.) *geniatella* Zeller,1839 (Yponomeutidae) Synonym(s): *geniatella* Zeller,1839; *bicingulella* Duponchel,[1840]
80921) *Plutella* (s.str.) *haasi* Staudinger,1883 (Yponomeutidae) Synonym(s): *haasi* Staudinger,1883
80922) *Plutella* (s.str.) *hyperboreella* Strand,1902 (Yponomeutidae) Synonym(s): *hyperboreella* Strand,1902
80923) *Plutella* (s.str.) *mariae* Rebel,1923 (Yponomeutidae) Synonym(s): *mariae* Rebel,1923
80924) *Plutella* (s.str.) *megapterella* Bent. (Yponomeutidae) Synonym(s):
80925) *Plutella* (s.str.) *oxylopha* Meyrick,1932 (Yponomeutidae) Synonym(s): *oxylopha* Meyrick,1932
80926) *Plutella* (s.str.) *polaris* Zeller,1880 (Yponomeutidae) Synonym(s): *polaris* Zeller,1880
80927) *Plutella* (s.str.) *stichocentra* Meyrick,1932 (Yponomeutidae) Synonym(s): *stichocentra* Meyrick,1932
80928) *Plutella* (s.str.) *xylostella* (Linnaeus,1758) (Yponomeutidae) Synonym(s): *xylostella* Linnaeus,1758; *cinerea* Fourcroy,1785 nec Hufn.,1766; *xylostei* Fabricius,1798; *maculipennis* Curtis,1832; *niveella* Zeller,1839; *cruciferarum* Zeller,1843; *brassicella* Fitch,1856; *limbipennella* Clemens,1860; *mollipedella* Clemens,1860; *cicerella* Rondani,1876; *dubiosella* Beutenmüller,1889; *albovenosa* Walsingham,1897; *megapterella* Bentineck,1934
80929) *Prays* *amblystola* Turner,1923 (Yponomeutidae) Synonym(s): *amblystola* Turner,1923
80930) *Prays* *autocasis* Meyrick,1907 (Yponomeutidae) Synonym(s): *autocasis* Meyrick,1907
80931) *Prays* *calycias* Meyrick,1907 (Yponomeutidae) Synonym(s): *calycias* Meyrick,1907
80932) *Prays* *citri* (Millière,1873) (Yponomeutidae) Synonym(s): *citri* Millière,1873
80933) *Prays* *fraxinella* (Bjerkander,1784) (Yponomeutidae) Synonym(s): *fraxinella* Bjerkander,1784; *curtisella* Donovan,1793; *circulella* Fabricius,1794; *coenobitella* Hübner,[1813]; *curtisii* Haworth,1828; *hortulella* Stephens,1828
80934) *Prays* *inscripta* Meyrick,1907 (Yponomeutidae) Synonym(s): *inscripta* Meyrick,1907
80935) *Prays* *nephelomima* Meyrick,1907 (Yponomeutidae) Synonym(s): *nephelomima* Meyrick,1907
80936) *Prays* *oleae* (Bernard,1788) (Yponomeutidae) Synonym(s): *oleae* Bernard,1788; *oleellus* Fabricius,1794; *oliviella* Boyer,1837; *adpersella* Heydenreich,1851; *adpersigriseella* Bruand,1859
80937) *Prays* *parilis* Turner,1923 (Yponomeutidae) Synonym(s): *parilis* Turner,1923
80938) *Prays* *ruficeps* (Heinemann,1854) (Yponomeutidae) Synonym(s): *ruficeps* Heinemann,1854
80939) *Prays* *tyrastis* Meyrick,1907 (Yponomeutidae) Synonym(s): *tyrastis* Meyrick,1907
80940) *Pseudoswammerdamia* *combinella* (Hübner,1786) (Yponomeutidae) Synonym(s): *combinella* Hübner,1786

- 80941) *Rhigognostis annulatella* (Curtis,1832) (Yponomeutidae) Synonym(s): *annulatella* Curtis,1832; *immaculicornella* Guenée,1845
- 80942) *Rhigognostis hufnagelii* (Zeller,1839) (Yponomeutidae) Synonym(s): *hufnagelii* Zeller,1839; *hufnageliella* Duponchel,[1845]
- 80943) *Rhigognostis incarnatella* (Steudel,1873) (Yponomeutidae) Synonym(s): *incarnatella* Steudel,1873
- 80944) *Rhigognostis kovacsi* (Gozmany,1952) (Yponomeutidae) Synonym(s): *kovacsi* Gozmany,1952
- 80945) *Rhigognostis kuusamoensis* Kyrki,1989 (Yponomeutidae) Synonym(s): *kuusamoensis* Kyrki,1989
- 80946) *Rhigognostis schmaltzella* (Zetterstedt,[1839]) (Yponomeutidae) Synonym(s): *schmaltzella* Zetterstedt,[1839]
- 80947) *Rhigognostis senilella* (Zetterstedt,[1839]) (Yponomeutidae) Synonym(s): *senilella* Zetterstedt,[1839]; *dalella* Stainton,1849; *marmarosella* Wocke,1850
- 80948) *Rhigognostis wolfschlaegeri* (Rebel,1940) (Yponomeutidae) Synonym(s): *wolfschlaegeri* Rebel,1940
- 80949) *Scythropia crataegella* (Linnaeus,1767) (Yponomeutidae) Synonym(s): *crataegella* Linnaeus,1767
- 80950) *Spaniophylla epiclithra* Turner,1917 (Yponomeutidae) Synonym(s): *epiclithra* Turner,1917
- 80951) *Swammerdamia caesiella* (Hübner,1796) (Yponomeutidae) Synonym(s): *caesiella* Hübner,1796; *heroldella* Hübner,[1825]; *caesia* Haworth,1828; *nubeculella* Tengström,1848; *griseocapitella* Stainton,1851
- 80952) *Swammerdamia passerella* (Zetterstedt,1839) (Yponomeutidae) Synonym(s): *passerella* Zetterstedt,1839
- 80953) *Swammerdamia pyrella* (Villers,1789) (Yponomeutidae) Synonym(s): *peliciariapyri* Retzius,1783; *pyrella* Villers,1789; *cerasiella* Hübner,[1813]; *sapporensis* Matsumura,1931
- 80954) *Syncrotaula strepsicentra* Meyrick,1937 (Yponomeutidae) Synonym(s): *strepsicentra* Meyrick,1937
- 80955) *Teinoptila interruptella* Sauber,1902 (Yponomeutidae) Synonym(s): *interruptella* Sauber,1902
- 80956) *Telosphrantis aethiopica* Meyrick,1932 (Yponomeutidae) Synonym(s): *aethiopica* Meyrick,1932
- 80957) *Thecobathra kurokoi* Moriuti,1982 (Yponomeutidae) Synonym(s): *kurokoi* Moriuti,1982
- 80958) *Thecobathra lambda* Moriuti,1963 (Yponomeutidae) Synonym(s): *lambda* Moriuti,1963
- 80959) *Turneriella araeoptila* (Turner,1939) (Yponomeutidae) Synonym(s): *araeoptila* Turner,1939
- 80960) *Yponomeuta bolidias* Meyrick,1913 (Yponomeutidae) Synonym(s): *bolidias* Meyrick,1913
- 80961) *Yponomeuta cognagellus* (Hübner,[1813]) (Yponomeutidae) Synonym(s): *cognagella* Hübner,[1813]
- 80962) *Yponomeuta evonymellus* (Linnaeus,1758) (Yponomeutidae) Synonym(s): *evonymella* Linnaeus,1758; *padi* Zeller,1846
- 80963) *Yponomeuta gigas* Rebel,1892 (Yponomeutidae) Synonym(s): *gigas* Rebel,1892
- 80964) *Yponomeuta internellus* (Walker,1863) (Yponomeutidae) Synonym(s): *internellus* Walker,1863
- 80965) *Yponomeuta irrorellus* (Hübner,1796) (Yponomeutidae) Synonym(s): *irrorellus* Hübner,1796; *irrorea* Haworth,1828; *huebneri* Koçak,1982.
- 80966) *Yponomeuta liberalis* (Meyrick,1913) (Yponomeutidae) Synonym(s): *liberalis* Meyrick,1913
- 80967) *Yponomeuta mahalebella* Guenée,1845 (Yponomeutidae) Synonym(s): *mahalebella* Guenée,1845
- 80968) *Yponomeuta malinellus* Zeller,1838 (Yponomeutidae) Synonym(s): *malinellus* Zeller,1838
- 80969) *Yponomeuta myriosema* (Turner,1898) (Yponomeutidae) Synonym(s): *myriosema* Turner,1898
- 80970) *Yponomeuta ocypora* (Meyrick,1932) (Yponomeutidae) Synonym(s): *ocypora* Meyrick,1932
- 80971) *Yponomeuta padellus* (Linnaeus,1758) (Yponomeutidae) Synonym(s): *padella* Linnaeus,1758; *evonymella* Scopoli,1763 *nec* Linn.,1758; *malinella* Zeller,1838; *variabilis* Zeller,1844; *diffuellus* Heinemann,1870.
- 80972) *Yponomeuta paurodes* Meyrick,1907 (Yponomeutidae) Synonym(s): *paurodes* Meyrick,1907
- 80973) *Yponomeuta plumbellus* ([Denis & Schiffermüller],1775) (Yponomeutidae) Synonym(s): *plumbellus* [Denis & Schiffermüller],1775; *nigrifimbriatus* Christoph,1882
- 80974) *Yponomeuta polystigmellus* (Felder,1862) (Yponomeutidae) Synonym(s): *polystigmella* Felder,1862
- 80975) *Yponomeuta pustulellus* (Walker,1863) (Yponomeutidae) Synonym(s): *pustulellus* Walker,1863; *grossipunctella* Guenée,1879
- 80976) *Yponomeuta rorrellus* (Hübner,1796) (Yponomeutidae) Synonym(s): *rorrella* Hübner,1796; *helicella* Freyer,1827; *rorea* Haworth,1828.
- 80977) *Yponomeuta vigintipunctatus* (Retzius,1783) (Yponomeutidae) Synonym(s): *vigintipunctata* Retzius,1783; *sedella* Treitschke,1832; *vigintipunctella* Doubleday,1859; *apicalis* Matsumura,1931; *elementaris* Meyrick,1931.
- 80978) *Ypsolopha affinitella* (Staudinger,1892) (Yponomeutidae) Synonym(s): *affinitella* Staudinger,1892
- 80979) *Ypsolopha albidorsella* (Staudinger,1879) (Yponomeutidae) Synonym(s): *albidorsella* Staudinger,1879
- 80980) *Ypsolopha albiramella* (Mann,1861) (Yponomeutidae) Synonym(s): *albiramella* Mann,1861
- 80981) *Ypsolopha alpella* ([Denis & Schiffermüller],1775) (Yponomeutidae) Synonym(s): *alpella* [Denis & Schiffermüller],1775; *alpinus* Fabricius,1798
- 80982) *Ypsolopha asperella* (Linnaeus,1761) (Yponomeutidae) Synonym(s): *asperella* Linnaeus,1761; *clairvillella* Fabricius,1798; *falcateella* Donovan,1801
- 80983) *Ypsolopha blandella* (Christoph,1882) (Yponomeutidae) Synonym(s): *blandella* Christoph,1882
- 80984) *Ypsolopha chazariella* (Mann,1866) (Yponomeutidae) Synonym(s): *chazariella* Mann,1866
- 80985) *Ypsolopha coriacella* (Herrich-Schäffer,1855) (Yponomeutidae) Synonym(s): *coriacella* Herrich-Schäffer,1855
- 80986) *Ypsolopha dentella* (Fabricius,1775) (Yponomeutidae) Synonym(s): *dentella* Fabricius,1775; *harpella* [Denis & Schiffermüller],1775; *caprifolii* Retzius,1783; *dentatus* Fabricius,1798; *pallescentella* Staudinger,1892
- 80987) *Ypsolopha divisella* (Chrétien,1915) (Yponomeutidae) Synonym(s): *divisella* Chrétien,1915
- 80988) *Ypsolopha excisella* (Lederer,1855) (Yponomeutidae) Synonym(s): *excisella* Lederer,1855
- 80989) *Ypsolopha exsularis* (Meyrick,1937) (Yponomeutidae) Synonym(s): *exsularis* Meyrick,1937
- 80990) *Ypsolopha falcella* ([Denis & Schiffermüller],1775) (Yponomeutidae) Synonym(s): *falcella* [Denis & Schiffermüller],1775; *schellenbergella* Fabricius,1798; *harnatus* Fabricius,1798; *falcatus* Fabricius,1798
- 80991) *Ypsolopha fractella* (Chrétien,1915) (Yponomeutidae) Synonym(s): *fractella* Chrétien,1915
- 80992) *Ypsolopha fujimotoi* Moriuti,1964 (Yponomeutidae) Synonym(s): *fujimotoi* Moriuti,1964
- 80993) *Ypsolopha horridella* (Treitschke,1835) (Yponomeutidae) Synonym(s): *horridella* Treitschke,1835
- 80994) *Ypsolopha indecorella* (Rebel,1903) (Yponomeutidae) Synonym(s): *indecorella* Rebel,1903
- 80995) *Ypsolopha instabilella* (Mann,1866) (Yponomeutidae) Synonym(s): *instabilella* Mann,1866
- 80996) *Ypsolopha kotszchi* (Toll,1947) (Yponomeutidae) Synonym(s): *kotszchi* Toll,1947
- 80997) *Ypsolopha kristallenae* Rebel,1916 (Yponomeutidae) Synonym(s): *kristallenae* Rebel,1916
- 80998) *Ypsolopha laorum* Moriuti,1987 (Yponomeutidae) Synonym(s): *laorum* Moriuti,1987
- 80999) *Ypsolopha leuconotella* (Snellen,1884) (Yponomeutidae) Synonym(s): *leuconotella* Snellen,1884
- 81000) *Ypsolopha lonicerella* Stöckl,1922 (Yponomeutidae) Synonym(s): *lonicerella* Stöckl,1922
- 81001) *Ypsolopha lucella* (Fabricius,1775) (Yponomeutidae) Synonym(s): *lucella* Fabricius,1775; *antennella* [Denis & Schiffermüller],1775; *retusana* Thunberg,1784; *mucronella* Hübner,1796 *nec* Sc.,1763; *lucorum* Fabricius,1798
- 81002) *Ypsolopha manniella* (Staudinger,1879) (Yponomeutidae) Synonym(s): *manniella* Staudinger,1879
- 81003) *Ypsolopha minotaurella* (Rebel,1916) (Yponomeutidae) Synonym(s): *minotaurella* Rebel,1916
- 81004) *Ypsolopha mrabrurum* Moriuti,1987 (Yponomeutidae) Synonym(s): *mrabrurum* Moriuti,1987
- 81005) *Ypsolopha mucronella* (Scopoli,1763) (Yponomeutidae) Synonym(s): *mucronella* Scopoli,1763; *caudella* Linnaeus,1767; *panzerella* Donovan,1794; *cultrella* Hübner,1796; *acinacidea* Hübner,1796; *mucronatus* Fabricius,1798; *helwigella* Fabricius,1798; *acinacidea* Haworth,1828
- 81006) *Ypsolopha nebulella* (Staudinger,1871) (Yponomeutidae) Synonym(s): *nebulella* Staudinger,1871
- 81007) *Ypsolopha nemorella* (Linnaeus,1758) (Yponomeutidae) Synonym(s): *nemorella* Linnaeus,1758; *nemorum* Fabricius,1798; *hamella* Hübner,[1805]
- 81008) *Ypsolopha nervosella* (Zerny,1940) (Yponomeutidae) Synonym(s): *nervosella* Zerny,1940
- 81009) *Ypsolopha parenthesella* (Linnaeus,1761) (Yponomeutidae) Synonym(s): *parenthesella* Linnaeus,1761; *costella* Fabricius,1775; *genistella* [Denis & Schiffermüller],1775; *ochrella* Hübner,1793; *maculella* Fabricius,1794; *costatus* Fabricius,1798; *maculatus* Fabricius,1798; *ochroleucus* Haworth,1828; *ermineus* Haworth,1828; *ustulatus* Haworth,1828; *takamukui* Matsumura,1931
- 81010) *Ypsolopha persicella* (Fabricius,1787) (Yponomeutidae) Synonym(s): *persicella* Fabricius,1787; *sulphurella* Hübner,1793; *#persicellume* Noack,1960.
- 81011) *Ypsolopha saitoi* Moriuti,1964 (Yponomeutidae) Synonym(s): *saitoi* Moriuti,1964
- 81012) *Ypsolopha sarmaticella* (Rebel,1917) (Yponomeutidae) Synonym(s): *sarmaticella* Rebel,1917
- 81013) *Ypsolopha satellitella* (Staudinger,1871) (Yponomeutidae) Synonym(s): *satellitella* Staudinger,1871
- 81014) *Ypsolopha scabrella* (Linnaeus,1761) (Yponomeutidae) Synonym(s): *scabrella* Linnaeus,1761; *bifissella* [Denis & Schiffermüller],1775; *pterodactylella* Hübner,1793
- 81015) *Ypsolopha scenites* (Meyrick,1909) (Yponomeutidae) Synonym(s): *scenites* Meyrick,1909
- 81016) *Ypsolopha sculpturella* (Herrich-Schäffer,[1854]) (Yponomeutidae) Synonym(s): *sculpturella* Herrich-Schäffer,[1854]
- 81017) *Ypsolopha semitessella* (Mann,1861) (Yponomeutidae) Synonym(s): *semitessella* Mann,1861

- 81018) **Ypsolopha sequella** (Clerck,1759) (Yponomeutidae) Synonym(s): *#sequella* Clerk,1759; *nycthemerella* [Denis & Schiffmüller],1775; *nyctemerus* Fabricius,1798; *leucophaea* Zeller,1839
- 81019) **Ypsolopha sylvella** (Linnaeus,1767) (Yponomeutidae) Synonym(s): *sylvella* Linnaeus,1767; *bifasciatus* Haworth,1828
- 81020) **Ypsolopha trichonella** (Mann,1861) (Yponomeutidae) Synonym(s): *trichonella* Mann,1861
- 81021) **Ypsolopha ustella** (Clerck,1759) (Yponomeutidae) Synonym(s): *#ustella* Clerck,1759; *ciliella* [Denis & Schiffmüller],1775; *radiatella* Donovan,1794 nec Fourc.,1785; *variella* Hübner,1796 nec [Den. & Schiff.],1775; *fissella* Hübner,1796; *cornutus* Fabricius,1798; *unguiculatus* Fabricius,1798; *parallela* Panzer,1799; *byssinella* Hübner,[1813]; *quinquepunctatus* Haworth,1828; *lutosus* Haworth,1828; *flaviciatus* Haworth,1828; *varians* Haworth,1828; *fissus* Haworth,1828; *radiatus* Haworth,1828; *fulvella* Duponchel,1839
- 81022) **Ypsolopha vittella** (Linnaeus,1758) (Yponomeutidae) Synonym(s): *vittella* Linnaeus,1758; *sisymbrella* Denis & Schiffmüller,[1775]; *lanceolata* Fabricius,1777; *lancea* Borkhausen,1792; *dorsella* Fabricius,1794; *dorsatus* Fabricius,1798; *#vitellum* Noack,1960.
- 81023) **Ypsolopha yasudai** Moriuti,1964 (Yponomeutidae) Synonym(s): *yasudai* Moriuti,1964
- 81024) **Zelleria abisella** (Chrétien,1910) (Yponomeutidae) Synonym(s): *abisella* Chrétien,1910
- 81025) **Zelleria aphrospora** Meyrick,1893 (Yponomeutidae) Synonym(s): *aphrospora* Meyrick,1893
- 81026) **Zelleria araeodes** Meyrick,1893 (Yponomeutidae) Synonym(s): *araeodes* Meyrick,1893
- 81027) **Zelleria callidoxa** Meyrick,1893 (Yponomeutidae) Synonym(s): *callidoxa* Meyrick,1893
- 81028) **Zelleria citrina** Meyrick,1893 (Yponomeutidae) Synonym(s): *citrina* Meyrick,1893
- 81029) **Zelleria cremnospila** Lower,1900 (Yponomeutidae) Synonym(s): *cremnospila* Lower,1900
- 81030) **Zelleria cryptica** Meyrick,1913 (Yponomeutidae) Synonym(s): *cryptica* Meyrick,1913
- 81031) **Zelleria cyanoleuca** (Lower,1908) (Yponomeutidae) Synonym(s): *cyanoleuca* Lower,1908; *perimeces* Turner,1923
- 81032) **Zelleria cynetica** Meyrick,1893 (Yponomeutidae) Synonym(s): *cynetica* Meyrick,1893
- 81033) **Zelleria euthysema** Turner,1923 (Yponomeutidae) Synonym(s): *euthysema* Turner,1923
- 81034) **Zelleria hemixipha** Lower,1900 (Yponomeutidae) Synonym(s): *hemixipha* Lower,1900
- 81035) **Zelleria hepariella** Stainton,1849 (Yponomeutidae) Synonym(s): *hepariella* Stainton,1849
- 81036) **Zelleria isopyrrha** Meyrick,1921 (Yponomeutidae) Synonym(s): *isopyrrha* Meyrick,1921
- 81037) **Zelleria malacodes** Turner,1939 (Yponomeutidae) Synonym(s): *malacodes* Turner,1939
- 81038) **Zelleria memorella** Meyrick,1893 (Yponomeutidae) Synonym(s): *memorella* Meyrick,1893
- 81039) **Zelleria mystarcha** Meyrick,1893 (Yponomeutidae) Synonym(s): *mystarcha* Meyrick,1893
- 81040) **Zelleria oleastrella** (Millière,1864) (Yponomeutidae) Synonym(s): *oleastrella* Millière,1864
- 81041) **Zelleria orthopleura** Turner,1923 (Yponomeutidae) Synonym(s): *orthopleura* Turner,1923
- 81042) **Zelleria panceuthes** Turner,1923 (Yponomeutidae) Synonym(s): *panceuthes* Turner,1923
- 81043) **Zelleria plumbeella** Staudinger,1871 (Yponomeutidae) Synonym(s): *plumbeella* Staudinger,1871
- 81044) **Zelleria proterospila** Meyrick,1893 (Yponomeutidae) Synonym(s): *proterospila* Meyrick,1893
- 81045) **Zelleria pyroleuca** Meyrick,1893 (Yponomeutidae) Synonym(s): *pyroleuca* Meyrick,1893
- 81046) **Zelleria sigillata** Meyrick,1893 (Yponomeutidae) Synonym(s): *sigillata* Meyrick,1893
- 81047) **Zelleria stylographa** Meyrick,1907 (Yponomeutidae) Synonym(s): *stylographa* Meyrick,1907
- 81048) **"Agalope" ardjuna** Roepke,1936 (Zygaenidae) Synonym(s): *ardjuna* Roepke,1936
- 81049) **"Agalope" glacialis** (Moore,1872) (Zygaenidae) Synonym(s): *glacialis* Moore,1872
- 81050) **"Agalope" glacialis angustifasciata** M.Hering,1922 (Zygaenidae) Synonym(s): *angustifasciata* M.Hering,1922
- 81051) **"Agalope" glacialis parthenie** Jordan,1907 (Zygaenidae) Synonym(s): *parthenie* Jordan,1907
- 81052) **"Cyclosia" notabilis** Kishida & Endo,1999 (Zygaenidae) Synonym(s): *notabilis* Kishida & Endo,1999
- 81053) **Achelura bani** Owada & Horie,1999 (Zygaenidae) Synonym(s): *bani* Owada & Horie,1999
- 81054) **Achelura bifasciata** (Hope,1840) (Zygaenidae) Synonym(s): *bifasciata* Hope,1840
- 81055) **Achelura hai** Owada,1996 (Zygaenidae) Synonym(s): *hai* Owada,1996
- 81056) **Achelura hemileuca** (Rothschild,1894) (Zygaenidae) Synonym(s): *hemileuca* Rothschild,1894
- 81057) **Achelura javana** Aurivillius,1894 (Zygaenidae) Synonym(s): *javana* Aurivillius,1894
- 81058) **Achelura maymoyoana** Owada,1999 (Zygaenidae) Synonym(s): *maymoyoana* Owada,1999
- 81059) **Achelura sanguifasciata** Horie,1994 (Zygaenidae) Synonym(s): *sanguifasciata* Horie,1994
- 81060) **Achelura simplex** Jordan,1925 (Zygaenidae) Synonym(s): *simplex* Jordan,1925
- 81061) **Achelura yunnanensis** Horie & Xue,1999 (Zygaenidae) Synonym(s): *yunnanensis* Horie & Xue,1999
- 81062) **Adscita (Procriterna) amaura** (Staudinger,1887) (Zygaenidae) Synonym(s): *amaura* Staudinger,1887; *banghaasi* Alberti,1938
- 81063) **Adscita (Procriterna) jordani** (Naufock,1921) (Zygaenidae) Synonym(s): *jordani* Naufock,1921
- 81064) **Adscita (Procriterna) subdolosa** (Staudinger,1887) (Zygaenidae) Synonym(s): *subdolosa* Staudinger,1887; *pamirensis* Hampson,1920
- 81065) **Adscita (Procriterna) subtristis** (Staudinger,1887) (Zygaenidae) Synonym(s): *subtristis* Staudinger,1887; *dolosa* Staudinger,1887
- 81066) **Adscita (Tarmannita) bolivari** (Agenjo,1937) (Zygaenidae) Synonym(s): *bolivari* Agenjo,1937
- 81067) **Adscita (Tarmannita) mannii** (Lederer,1853) (Zygaenidae) Synonym(s): *mannii* Lederer,1853; *heydenreichii* Lederer,1853; *crassicornis* Staudinger,1862; *prasina* Rothschild,1917; *glauca* Verity,1946; *pseudostates* Verity,1946.
- 81068) **Adscita (Tarmannita) mannii atlantica** (Alberti,1937) (Zygaenidae) Synonym(s): *atlantica* Alberti,1937
- 81069) **Adscita (Tarmannita) mannii mannii** (Lederer,1853) (Zygaenidae) Synonym(s): *mannii* Lederer,1853; *heydenreichii* Lederer,1853; *crassicornis* Staudinger,1862; *prasina* Rothschild,1917; *glauca* Verity,1946; *pseudostates* Verity,1946.
- 81070) **Adscita (s.str.) albanica** (Naufock,1926) (Zygaenidae) Synonym(s): *albanica* Naufock,1926
- 81071) **Adscita (s.str.) alpina** (Alberti,1937) (Zygaenidae) Synonym(s): *alpina* Alberti,1937; *hyalicolor* Verity,1946; *#minuscule* Verity,1946; *bellissima* Verity,1946.
- 81072) **Adscita (s.str.) capitalis** (Staudinger,1878) (Zygaenidae) Synonym(s): *capitalis* Staudinger,1878
- 81073) **Adscita (s.str.) geryon** (Hübner,[1813]) (Zygaenidae) Synonym(s): *geryon* Hübner,[1813]
- 81074) **Adscita (s.str.) krymensis** Efetov,1994 (Zygaenidae) Synonym(s): *krymensis* Efetov,1994
- 81075) **Adscita (s.str.) obscura** (Zeller,1847) (Zygaenidae) Synonym(s): *obscura* Zeller,1847; *anceps* Staudinger,1862.
- 81076) **Adscita (s.str.) obscura balcanica** (Staudinger,1862) (Zygaenidae) Synonym(s): *balcanica* Staudinger,1862
- 81077) **Adscita (s.str.) obscura maxima** (Alberti,1938) (Zygaenidae) Synonym(s): *maxima* Alberti,1938
- 81078) **Adscita (s.str.) obscura obscura** (Zeller,1847) (Zygaenidae) Synonym(s): *obscura* Zeller,1847; *anceps* Staudinger,1862.
- 81079) **Adscita (s.str.) obscura pallida** (Alberti,1938) (Zygaenidae) Synonym(s): *pallida* Alberti,1938
- 81080) **Adscita (s.str.) schmidtii** (Naufock,1933) (Zygaenidae) Synonym(s): *schmidtii* Naufock,1933
- 81081) **Adscita (s.str.) statices** (Linnaeus,1758) (Zygaenidae) Synonym(s): *statices* Linnaeus,1758; *turcosa* Retzius,1783; *stuticus* Fourcroy,1785; *micans* Freyer,1833; *extensa* Alberti,1937; *anomala* Verity,1946; *lutrinensis* Heuser,1960; *heuseri* Reichl,1964
- 81082) **Adscita (s.str.) statices drenowskii** Alberti,1939 (Zygaenidae) Synonym(s): *drenowskii* Alberti,1939
- 81083) **Adscita (s.str.) storaiae** Tarmann,1977 (Zygaenidae) Synonym(s): *storaiae* Tarmann,1977
- 81084) **Agalope aurelia** Oberthür,1923 (Zygaenidae) Synonym(s): *aurelia* Oberthür,1923
- 81085) **Agalope basiflava** (Moore,1879) (Zygaenidae) Synonym(s): *basiflava* Moore,1879
- 81086) **Agalope bieti** (Oberthür,1886) (Zygaenidae) Synonym(s): *bieti* Oberthür,1886
- 81087) **Agalope bifasciata** (Hope,1840) (Zygaenidae) Synonym(s): *bifasciata* Hope,1840
- 81088) **Agalope dejeani** Oberthür,1893 (Zygaenidae) Synonym(s): *dejeani* Oberthür,1893
- 81089) **Agalope eroniodes** (Moore,1879) (Zygaenidae) Synonym(s): *eroniodes* Moore,1879; *diluta* Jordan,1907
- 81090) **Agalope formosana** Matsumura,1927 (Zygaenidae) Synonym(s): *formosana* Matsumura,1927
- 81091) **Agalope glacialis** Butler,1881 (Zygaenidae) Synonym(s): *glacialis* Butler,1881; *butleri* Owada & Horie,2000
- 81092) **Agalope grandis** Mell,1922 (Zygaenidae) Synonym(s): *grandis* Mell,1922
- 81093) **Agalope harutai** Horie,2000 (Zygaenidae) Synonym(s): *harutai* Horie,2000
- 81094) **Agalope hemileuca** (Rothschild,1904) (Zygaenidae) Synonym(s): *hemileuca* Rothschild,1904; *ceramensis* Joicey & Talbot,1922; *fumosa* Joicey & Talbot,1922; *buruensis* Talbot,1929
- 81095) **Agalope hyalina** (Kollar,[1844]) (Zygaenidae) Synonym(s): *hyalina* Kollar,[1844]; *basalis* Walker,1854; *primularis* Butler,1895; *formosana* Matsumura,1927
- 81096) **Agalope immaculata** Leech,1898 (Zygaenidae) Synonym(s): *immaculata* Leech,1898

- 81097) *Agalope javana* (Aurivillius,1894) (Zygaenidae) Synonym(s): *javana* Aurivillius,1894; *javanica* Jordan,1907; *bifasciata* Snellen,[1902] nec Hpe.,1840; *olgae* M.Hering,1922; *olga* M.Hering,1926
- 81098) *Agalope kishidagrandis* Owada & Horie,2000 (Zygaenidae) Synonym(s): *kishidagrandis* Owada & Horie,2000
- 81099) *Agalope livida* Moore,1879 (Zygaenidae) Synonym(s): *livida* Moore,1879; *davidi* Oberthür,1884
- 81100) *Agalope lucia* Oberthür,1923 (Zygaenidae) Synonym(s): *lucia* Oberthür,1923
- 81101) *Agalope mineti* Owada,2000 (Zygaenidae) Synonym(s): *mineti* Owada,2000
- 81102) *Agalope pica* (Wileman,1910) (Zygaenidae) Synonym(s): *pica* Wileman,1910; *karenkonis* Matsumura,1927
- 81103) *Agalope simplex* Jordan,1925 (Zygaenidae) Synonym(s): *simplex* Jordan,1925
- 81104) *Agalope suzukikojii* Horie,2000 (Zygaenidae) Synonym(s): *suzukikojii* Horie,2000
- 81105) *Agalope trimacula* Matsumura,1927 (Zygaenidae) Synonym(s): *trimacula* Matsumura,1927
- 81106) *Agalope wangi* Owada,1992 (Zygaenidae) Synonym(s): *wangi* Owada,1992
- 81107) *Aglaope infausta* (Linnaeus,1767) (Zygaenidae) Synonym(s): *infausta* Linnaeus,1767
- 81108) *Aglaope labasi* Oberthür,1922 (Zygaenidae) Synonym(s): *labasi* Oberthür,1922
- 81109) *Allocaprima duganga* (Semper,1898) (Zygaenidae) Synonym(s): *duganga* Semper,1898
- 81110) *Allocaprima tricoloratus* (Semper,1898) (Zygaenidae) Synonym(s): *tricoloratus* Semper,1898
- 81111) *Allocyclosia porphyropyga* M.Hering,1925 (Zygaenidae) Synonym(s): *porphyropyga* M.Hering,1925
- 81112) *Alophogaster ludius* Jordan,1925 (Zygaenidae) Synonym(s): *ludius* Jordan,1925
- 81113) *Alophogaster melli* M.Hering,1925 (Zygaenidae) Synonym(s): *melli* M.Hering,1925
- 81114) *Alophogaster overdijkinki* Joicey & Talbot,1925 (Zygaenidae) Synonym(s): *overdijkinki* Joicey & Talbot,1925
- 81115) *Alophogaster rubribasis* Hampson,1892 (Zygaenidae) Synonym(s): *rubribasis* Hampson,1892; *serraticornis* Hampson,1896
- 81116) *Alophogaster tensipennis* (Walker,1862) (Zygaenidae) Synonym(s): *tensipennis* Walker,1862
- 81117) *Amesia aliris* (Doubleday,1847) (Zygaenidae) Synonym(s): *aliris* Doubleday,1847
- 81118) *Amesia aliris aliris* (Doubleday,1847) (Zygaenidae) Synonym(s): *aliris* Doubleday,1847
- 81119) *Amesia aliris analis* Jordan,1907 (Zygaenidae) Synonym(s): *analis* Jordan,1907
- 81120) *Amesia aliris majoripuncta* (Joicey & Talbot,1921) (Zygaenidae) Synonym(s): *majoripuncta* Joicey & Talbot,1921
- 81121) *Amesia apoensis* Kishida & Horie,1989 (Zygaenidae) Synonym(s): *apoensis* Kishida & Horie,1989
- 81122) *Amesia namouna* (Doubleday,1847) (Zygaenidae) Synonym(s): *namouna* Doubleday,1847; *euploeoides* Herrich-Schäffer,1853; *noctipennis* Walker,1862; *semiradiata* Walker,1864; *pexifascia* Butler,1877; *hyala* Druce,1885; *desmiata* Jordan,1907; *modesta* Snellen,[1902]
- 81123) *Amesia sanguiflua* (Drury,1773) (Zygaenidae) Synonym(s): *sanguiflua* Drury,1773
- 81124) *Amesia sanguiflua gedeani* Fruhstorfer,1897 (Zygaenidae) Synonym(s): *gedeani* Fruhstorfer,1897; *javana* Dohrn,1906
- 81125) *Amesia sanguiflua korintjensis* Talbot,1929 (Zygaenidae) Synonym(s): *korintjensis* Talbot,1929
- 81126) *Amesia sanguiflua lugens* Dohrn,1906 (Zygaenidae) Synonym(s): *lugens* Dohrn,1906
- 81127) *Amesia sanguiflua sanguiflua* (Drury,1773) (Zygaenidae) Synonym(s): *sanguiflua* Drury,1773
- 81128) *Amesia sanguiflua viriditincta* Hampson,1919 (Zygaenidae) Synonym(s): *viriditincta* Hampson,1919; *sauteri* M.Hering,1922
- 81129) *Anticrates crocophaea* Meyrick,1921 (Zygaenidae) Synonym(s): *crocophaea* Meyrick,1921
- 81130) *Anticrates electropis* Meyrick,1921 (Zygaenidae) Synonym(s): *electropis* Meyrick,1921
- 81131) *Aphantocephala centralis* Rothschild,1898 (Zygaenidae) Synonym(s): *centralis* Rothschild,1898
- 81132) *Aphantocephala collaris* Jordan,1926 (Zygaenidae) Synonym(s): *collaris* Jordan,1926
- 81133) *Aphantocephala fragilis* Rothschild,1899 (Zygaenidae) Synonym(s): *fragilis* Rothschild,1899
- 81134) *Aphantocephala moluccarum* C.Felder,1861 (Zygaenidae) Synonym(s): *moluccarum* C.Felder,1861
- 81135) *Aphantocephala solitaria* Jordan,1907 (Zygaenidae) Synonym(s): *solitaria* Jordan,1907
- 81136) *Aphantocephala vicina* Jordan,1925 (Zygaenidae) Synonym(s): *vicina* Jordan,1925
- 81137) *Arachotia aenea* Jordan,1908 (Zygaenidae) Synonym(s): *aenea* Jordan,1908
- 81138) *Arachotia euglenia* Jordan,1908 (Zygaenidae) Synonym(s): *euglenia* Jordan,1908
- 81139) *Arachotia flaviplaga* Moore,1879 (Zygaenidae) Synonym(s): *flaviplaga* Moore,1879
- 81140) *Arachotia hyalina* M.Hering,1925 (Zygaenidae) Synonym(s): *hyalina* M.Hering,1925
- 81141) *Arachotia quadricolor* (Semper,1898) (Zygaenidae) Synonym(s): *quadricolor* Semper,1898
- 81142) *Arachotia vespoides* Moore,1879 (Zygaenidae) Synonym(s): *vespoides* Moore,1879
- 81143) *Araecocera compta* Jordan,1908 (Zygaenidae) Synonym(s): *compta* Jordan,1908
- 81144) *Araecocera cyanescens* Hampson,1892 (Zygaenidae) Synonym(s): *cyanescens* Hampson,1892
- 81145) *Araecocera posthyalina* Hampson,1892 (Zygaenidae) Synonym(s): *posthyalina* Hampson,1892
- 81146) *Araecocera prasina* Jordan,1931 (Zygaenidae) Synonym(s): *prasina* Jordan,1931
- 81147) *Arbudas bicolor* Moore,1879 (Zygaenidae) Synonym(s): *bicolor* Moore,1879
- 81148) *Arbudas funerea* Jordan,1907 (Zygaenidae) Synonym(s): *funerea* Jordan,1907
- 81149) *Arbudas leno* Swinhoe,1900 (Zygaenidae) Synonym(s): *leno* Swinhoe,1900
- 81150) *Arbudas melanoleuca* Tarmann,1992 (Zygaenidae) Synonym(s): *melanoleuca* Tarmann,1992
- 81151) *Arbudas rubricolla* (Alberti,1954) (Zygaenidae) Synonym(s): *rubricolla* Alberti,1954
- 81152) *Arbudas* sp. (Zygaenidae) Synonym(s):
- 81153) *Arbudas submacula* (Wileman,1910) (Zygaenidae) Synonym(s): *submacula* Wileman,1910; *rubricollis* Matsumura,1927
- 81154) *Arbudas tobaensis* Tarmann,1992 (Zygaenidae) Synonym(s): *tobaensis* Tarmann,1992
- 81155) *Arbudas truncatus* Jordan,1907 (Zygaenidae) Synonym(s): *truncatus* Jordan,1907
- 81156) *Artona albifascia* (Leech,1898) (Zygaenidae) Synonym(s): *albifascia* Leech,1898
- 81157) *Artona aurulenta* (Poujade,1886) (Zygaenidae) Synonym(s): *aurulenta* Poujade,1886
- 81158) *Artona celebensis* (Poujade,1886) (Zygaenidae) Synonym(s): *celebensis* Poujade,1886
- 81159) *Artona clathrata* (Poujade,1886) (Zygaenidae) Synonym(s): *clathrata* Poujade,1886
- 81160) *Artona cuenonotata* Leech,1898 (Zygaenidae) Synonym(s): *cuenonotata* Leech,1898
- 81161) *Artona delavayi* Oberthür,1894 (Zygaenidae) Synonym(s): *delavayi* Oberthür,1894
- 81162) *Artona discivitta* Walker,1854 (Zygaenidae) Synonym(s): *discivitta* Walker,1854
- 81163) *Artona flaviciliata* Hampson,1919 (Zygaenidae) Synonym(s): *flaviciliata* Hampson,1919
- 81164) *Artona flavigula* (Hampson,1896) (Zygaenidae) Synonym(s): *flavigula* Hampson,1896
- 81165) *Artona flavipuncta* Hampson,1900 (Zygaenidae) Synonym(s): *flavipuncta* Hampson,1900
- 81166) *Artona hypomelas* Jordan,1907 (Zygaenidae) Synonym(s): *hypomelas* Jordan,1907
- 81167) *Artona lucasseni* (Snellen,[1902]) (Zygaenidae) Synonym(s): *lucasseni* Snellen,[1902]
- 81168) *Artona lugubris* Jordan,1907 (Zygaenidae) Synonym(s): *lugubris* Jordan,1907
- 81169) *Artona maerens* (Staudinger,1887) (Zygaenidae) Synonym(s): *maerens* Staudinger,1887
- 81170) *Artona manza* (Alpheraky,1892) (Zygaenidae) Synonym(s): *manza* Alpheraky,1892
- 81171) *Artona microstigma* Jordan,1907 (Zygaenidae) Synonym(s): *microstigma* Jordan,1907
- 81172) *Artona phaeoxantha* Hampson,1919 (Zygaenidae) Synonym(s): *phaeoxantha* Hampson,1919
- 81173) *Artona pluristrigata* Hampson,1907 (Zygaenidae) Synonym(s): *pluristrigata* Hampson,1907
- 81174) *Artona postalba* Elwes,1890 (Zygaenidae) Synonym(s): *postalba* Elwes,1890
- 81175) *Artona posthyalina* (Hampson,1892) (Zygaenidae) Synonym(s): *posthyalina* Hampson,1892
- 81176) *Artona pulchra* (Drury,1773) (Zygaenidae) Synonym(s): *pulchra* Drury,1773
- 81177) *Artona quadrisignata* (Snellen,[1902]) (Zygaenidae) Synonym(s): *quadrisignata* Snellen,[1902]
- 81178) *Artona refulgens* (Hampson,1892) (Zygaenidae) Synonym(s): *refulgens* Hampson,1892
- 81179) *Artona sieversi* Alpheraky,1892 (Zygaenidae) Synonym(s): *sieversi* Alpheraky,1892
- 81180) *Artona sikkimensis* Elwes,1890 (Zygaenidae) Synonym(s): *sikkimensis* Elwes,1890
- 81181) *Artona sinica* (Alpheraky,1897) (Zygaenidae) Synonym(s): *sinica* Alpheraky,1897
- 81182) *Artona superba* Alpheraky,1897 (Zygaenidae) Synonym(s): *superba* Alpheraky,1897
- 81183) *Artona sythoffi* (Snellen,[1902]) (Zygaenidae) Synonym(s): *sythoffi* Snellen,[1902]
- 81184) *Artona tokyonella* Matsumura,1927 (Zygaenidae) Synonym(s): *tokyonella* Matsumura,1927

- 81185) *Artona zebra* Elwes,1890 (Zygaenidae) Synonym(s): *zebra* Elwes,1890
81186) *Astyloneura glennia* (Jordan,1907) (Zygaenidae) Synonym(s): *glennia* Jordan,1907
81187) *Astyloneura meridionalis* (Hampson,1920) (Zygaenidae) Synonym(s): *meridionalis* Hampson,1920
81188) *Astyloneura trefurthi* Gaede,1914 (Zygaenidae) Synonym(s): *trefurthi* Gaede,1914; *cyanopis* Hampson,1919
81189) *Atelesia nivos Jordan,1930* (Zygaenidae) Synonym(s): *nivosa* Jordan,1930
81190) *Balataea aegeriaeformis* (Alberti,1954) (Zygaenidae) Synonym(s): *aegeriaeformis* Alberti,1954
81191) *Balataea angusta* Alberti,1954 (Zygaenidae) Synonym(s): *angusta* Alberti,1954
81192) *Balataea chorista* (Jordan,1907) (Zygaenidae) Synonym(s): *chorista* Jordan,1907
81193) *Balataea cyclops* (Staudinger,1887) (Zygaenidae) Synonym(s): *cyclops* Staudinger,1887
81194) *Balataea elegantior* Alberti,1954 (Zygaenidae) Synonym(s): *elegantior* Alberti,1954
81195) *Balataea funeralis* (Butler,1879) (Zygaenidae) Synonym(s): *funeralis* Butler,1879; *chinensis* Leech,1898
81196) *Balataea gracilis* (Walker,1864) (Zygaenidae) Synonym(s): *gracilis* Walker,1864; *tomarena* Bryk,1942
81197) *Balataea intermedia* Alberti,1954 (Zygaenidae) Synonym(s): *intermedia* Alberti,1954
81198) *Balataea lugubris* (Jordan,1907) (Zygaenidae) Synonym(s): *lugubris* Jordan,1907
81199) *Balataea neglecta* M.Hering,1925 (Zygaenidae) Synonym(s): *neglecta* M.Hering,1925
81200) *Balataea octomaculata* (Bremer,1861) (Zygaenidae) Synonym(s): *octomaculata* Bremer,1861; *aegerioides* Walker,1864
81201) *Balataea postvitta* (Moore,1879) (Zygaenidae) Synonym(s): *postvitta* Moore,1879
81202) *Balataea trisignata* (Snellen,[1902]) (Zygaenidae) Synonym(s): *trisignata* Snellen,[1902]
81203) *Balataea uniformis* Alberti,1954 (Zygaenidae) Synonym(s): *uniformis* Alberti,1954
81204) *Balataea walkeri* (Moore,1859) (Zygaenidae) Synonym(s): *walkeri* Moore,1859
81205) *Balataea walkeri baliensis* Jordan,1907 (Zygaenidae) Synonym(s): *baliensis* Jordan,1907
81206) *Balataea walkeri hainana* Butler,1876 (Zygaenidae) Synonym(s): *hainana* Butler,1876
81207) *Balataea walkeri nigrescens* Butler,1876 (Zygaenidae) Synonym(s): *nigrescens* Butler,1876
81208) *Balataea walkeri walkeri* (Moore,1859) (Zygaenidae) Synonym(s): *walkeri* Moore,1859
81209) *Balataea zebraica* (Butler,1876) (Zygaenidae) Synonym(s): *zebraica* Butler,1876; *fulvida* Butler,1876; *diffusa* Oberthür,1894
81210) *Balataea zebraica guttata* (Snellen,1892) (Zygaenidae) Synonym(s): *guttata* Snellen,1892
81211) *Balataea zebraica khasiana* (Jordan,1907) (Zygaenidae) Synonym(s): *khasiana* Jordan,1907
81212) *Balataea zebraica zebraica* (Butler,1876) (Zygaenidae) Synonym(s): *zebraica* Butler,1876; *fulvida* Butler,1876; *diffusa* Oberthür,1894
81213) *Barbaroscia amabilis* Jordan,1907 (Zygaenidae) Synonym(s): *amabilis* Jordan,1907
81214) *Boradia carneola* Moore,1879 (Zygaenidae) Synonym(s): *carneola* Moore,1879
81215) *Boradiopsis grisea* (Semper,1898) (Zygaenidae) Synonym(s): *grisea* Semper,1898
81216) *Brachartona catoxantha* Hampson,1892 (Zygaenidae) Synonym(s): *catoxantha* Hampson,1892
81217) *Brachartona quadrimaculata* (Hampson,1879) (Zygaenidae) Synonym(s): *quadrimaculata* Hampson,1879
81218) *Cadphises maculata* Moore,1865 (Zygaenidae) Synonym(s): *maculata* Moore,1865; *azim* Doubleday,1847
81219) *Cadphises moorei* Butler,1875 (Zygaenidae) Synonym(s): *moorei* Butler,1875; *javanensis* M.Hering,1922
81220) *Callartona purpurascens* (Hampson,1891) (Zygaenidae) Synonym(s): *purpurascens* Hampson,1891
81221) *Callizygaena ada* Butler,1892 (Zygaenidae) Synonym(s): *ada* Butler,1892
81222) *Callizygaena auricincta* Swinhoe (Zygaenidae) Synonym(s):
81223) *Callizygaena gana* Swinhoe,1891 (Zygaenidae) Synonym(s): *gana* Swinhoe,1891
81224) *Callizygaena nivimacula* R.Felder & Rogenhofer,1875 (Zygaenidae) Synonym(s): *nivimacula* R.Felder & Rogenhofer,1875
81225) *Campylotes altissimus* Elwes,1890 (Zygaenidae) Synonym(s): *altissimus* Elwes,1890
81226) *Campylotes atkinsoni* Moore,1879 (Zygaenidae) Synonym(s): *atkinsoni* Moore,1879
81227) *Campylotes burmanus* Hampson,[1920] (Zygaenidae) Synonym(s): *burmanus* Hampson,[1920]
81228) *Campylotes desgodinsi* (Oberthür,1884) (Zygaenidae) Synonym(s): *desgodinsi* Oberthür,1884; *yunnanensis* Joicey & Talbot,1925
81229) *Campylotes excelsus* Oberthür,1896 (Zygaenidae) Synonym(s): *excelsus* Oberthür,1896
81230) *Campylotes histrionicus* Westwood,1839 (Zygaenidae) Synonym(s): *histrionicus* Westwood,1839
81231) *Campylotes kotzschii* Röber,1926 (Zygaenidae) Synonym(s): *kotzschii* Röber,1926; *#kotzechi* Yen, G.S.Robinson et al.,2005
81232) *Campylotes maculosus* Wileman,1910 (Zygaenidae) Synonym(s): *maculosus* Wileman,1910
81233) *Campylotes minimus* Oberthür,1894 (Zygaenidae) Synonym(s): *minimus* Oberthür,1894
81234) *Campylotes philomenus* Oberthür,1923 (Zygaenidae) Synonym(s): *philomenus* Oberthür,1923
81235) *Campylotes pratti* Leech,1890 (Zygaenidae) Synonym(s): *pratti* Leech,1890
81236) *Campylotes romanovi* Leech,1898 (Zygaenidae) Synonym(s): *romanovi* Leech,1898
81237) *Campylotes sikkimensis* Elwes,1890 (Zygaenidae) Synonym(s): *sikkimensis* Elwes,1890
81238) *Campylotes* sp. (Zygaenidae) Synonym(s):
81239) *Campylotes splendidus* Elwes,1890 (Zygaenidae) Synonym(s): *splendidus* Elwes,1890
81240) *Campylotes wernickei* Röber,1925 (Zygaenidae) Synonym(s): *wernickei* Röber,1925
81241) *Cerodendra bipuncta* (Hampson,1895) (Zygaenidae) Synonym(s): *bipuncta* Hampson,1895; *bipunctata* Jordan,1907
81242) *Cerodendra quadripunctata* (Hampson,1892) (Zygaenidae) Synonym(s): *quadripunctata* Hampson,1892
81243) *Chalcophaedra zuleika* (Doubleday,1847) (Zygaenidae) Synonym(s): *zuleika* Doubleday,1847; *corusca* Herrich-Schäffer,1853
81244) *Chalcosia affinis* (Guérin-Méneville,1843) (Zygaenidae) Synonym(s): *affinis* Guérin-Méneville,1843
81245) *Chalcosia alpherakyi* (Leech,1898) (Zygaenidae) Synonym(s): *alpherakyi* Leech,1898
81246) *Chalcosia diana* Butler,1877 (Zygaenidae) Synonym(s): *diana* Butler,1877; *formosicola* Matsumura,1931
81247) *Chalcosia flavicollis* Jordan,1907 (Zygaenidae) Synonym(s): *flavicollis* Jordan,1907
81248) *Chalcosia formosana* Matsumura,1911 (Zygaenidae) Synonym(s): *formosana* Matsumura,1911; *yayeyamana* Matsumura,1927
81249) *Chalcosia formosana contrdicta* Inoue,1991 (Zygaenidae) Synonym(s): *contrdicta* Inoue,1991
81250) *Chalcosia idaeoides* (Herrich-Schäffer,1853) (Zygaenidae) Synonym(s): *idaeoides* Herrich-Schäffer,1853
81251) *Chalcosia nyctemeroides* Semper,1898 (Zygaenidae) Synonym(s): *nyctemeroides* Semper,1898
81252) *Chalcosia nympha* Moore,1878 (Zygaenidae) Synonym(s): *nympha* Moore,1878
81253) *Chalcosia pectinicornis* (Linnaeus,1758) (Zygaenidae) Synonym(s): *pectinicornis* Linnaeus,1758; *auxo* Linnaeus,1767; *thallo* Linnaeus,1767; *tiberina* Cramer,[1775]; *guerini* Kirby,1892
81254) *Chalcosia phalaenaria* (Guérin-Méneville,1843) (Zygaenidae) Synonym(s): *phalaenaria* Guérin-Méneville,1843
81255) *Chalcosia pretiosa* Walker,1854 (Zygaenidae) Synonym(s): *pretiosa* Walker,1854
81256) *Chalcosia suffusa* Leech,1898 (Zygaenidae) Synonym(s): *suffusa* Leech,1898
81257) *Chalcosia suffusa thaivana* Jordan,1907 (Zygaenidae) Synonym(s): *thaivana* Jordan,1907
81258) *Chalcosia syfanica* (Oberthür,1894) (Zygaenidae) Synonym(s): *syfanica* Oberthür,1894
81259) *Chalcosia tibetana* (Oberthür,1894) (Zygaenidae) Synonym(s): *tibetana* Oberthür,1894
81260) *Chalcosia venosa* Walker,1854 (Zygaenidae) Synonym(s): *venosa* Walker,1854
81261) *Chalcosia zehma* (Herrich-Schäffer,1853) (Zygaenidae) Synonym(s): *zehma* Herrich-Schäffer,1853; *viridisuffusa* Swinhoe,1904
81262) *Chalcosiopsis melli* Alberti,1954 (Zygaenidae) Synonym(s): *melli* Alberti,1954
81263) *Chalcosiopsis quadriplaga* (M.Hering,1922) (Zygaenidae) Synonym(s): *quadriplaga* M.Hering,1922
81264) *Chalcosiopsis variata* Swinhoe,1894 (Zygaenidae) Synonym(s): *variata* Swinhoe,1894
81265) *Chrysartona refulgens* Hampson,1892 (Zygaenidae) Synonym(s): *refulgens* Hampson,1892
81266) *Chrysartona stipata* (Walker,1854) (Zygaenidae) Synonym(s): *stipata* Walker,1854
81267) *Cicinnocnemis magnifica* (Alberti,1957) (Zygaenidae) Synonym(s): *magnifica* Alberti,1957
81268) *Cicinnocnemis plumipes* (Drury,1782) (Zygaenidae) Synonym(s): *plumipes* Drury,1782; *cornuta* Holland,1893
81269) *Cicinnocnemis saphira* (Aurivillius,1900) (Zygaenidae) Synonym(s): *saphira* Aurivillius,1900
81270) *Clelea albomacula* (Leech,1898) (Zygaenidae) Synonym(s): *albomacula* Leech,1898
81271) *Clelea chala* (Moore,1859) (Zygaenidae) Synonym(s): *chala* Moore,1859
81272) *Clelea cyanicornis* (Poujade,1886) (Zygaenidae) Synonym(s): *cyanicornis* Poujade,1886
81273) *Clelea discriminis* Swinhoe,1891 (Zygaenidae) Synonym(s): *discriminis* Swinhoe,1891

- 81274) *Clelea explorata* M.Hering,1925 (Zygaenidae) Synonym(s): *explorata* M.Hering,1925
81275) *Clelea formosana* Strand,1915 (Zygaenidae) Synonym(s): *formosana* Strand,1915; *simplicior* Strand,1915
81276) *Clelea fusca* (Leech,1887) (Zygaenidae) Synonym(s): *fusca* Leech,1887; *microphaea* Hampson,1919; *syriaca* Hampson,1919; *maerens* Matsumura,1925
nec Stgr.,1887; sachalinensis Matsumura,1927
81277) *Clelea impellucida* (Graeser,1888) (Zygaenidae) Synonym(s): *impellucida* Graeser,1888
81278) *Clelea melli* M.Hering,1925 (Zygaenidae) Synonym(s): *melli* M.Hering,1925
81279) *Clelea metacyanea* Hampson,1896 (Zygaenidae) Synonym(s): *metacyanea* Hampson,1896
81280) *Clelea metaleuca* Jordan,1907 (Zygaenidae) Synonym(s): *metaleuca* Jordan,1907
81281) *Clelea nigroviridis* Elwes,1890 (Zygaenidae) Synonym(s): *nigroviridis* Elwes,1890
81282) *Clelea plumbeola* Hampson,1892 (Zygaenidae) Synonym(s): *plumbeola* Hampson,1892
81283) *Clelea pravata* (Moore,1859) (Zygaenidae) Synonym(s): *pravata* Moore,1859
81284) *Clelea refulgens* Hampson,1905 (Zygaenidae) Synonym(s): *refulgens* Hampson,1905
81285) *Clelea sapphirina* Walker,1854 (Zygaenidae) Synonym(s): *sapphirina* Walker,1854
81286) *Clelea simplex* Jordan,1908 (Zygaenidae) Synonym(s): *simplex* Jordan,1908
81287) *Clelea syfanicum* (Oberthür,1894) (Zygaenidae) Synonym(s): *syfanicum* Oberthür,1894
81288) *Clelea variata* (Swinhoe,1892) (Zygaenidae) Synonym(s): *variata* Swinhoe,1892
81289) *Cleoda syntomoides* (Walker,1865) (Zygaenidae) Synonym(s): *syntomoides* Walker,1865
81290) *Coptoproctis languida* Zeller,1852 (Zygaenidae) Synonym(s): *languida* Zeller,1852
81291) *Corma fragilis* (Walker,1862) (Zygaenidae) Synonym(s): *fragilis* Walker,1862
81292) *Corma laranda* Druce,1896 (Zygaenidae) Synonym(s): *laranda* Druce,1896
81293) *Corma maculata* Hampson,1892 (Zygaenidae) Synonym(s): *maculata* Hampson,1892
81294) *Corma tamsi* Lemeë,1950 (Zygaenidae) Synonym(s): *tamsi* Lemeë,1950
81295) *Corma zelica* (Doubleday,1847) (Zygaenidae) Synonym(s): *zelica* Doubleday,1847; *leucomelas* Moore,1886; *neoterica* Swinhoe,1890; *nectarina* Kirby,1892
81296) *Corma zenotia* (Doubleday,1847) (Zygaenidae) Synonym(s): *zenotia* Doubleday,1847; *zenotea* Walker,1854; *spoliata* Walker,1864
81297) *Cryptophysophilus bicoloratus* (Semper,1898) (Zygaenidae) Synonym(s): *bicoloratus* Semper,1898
81298) *Cyclosia chartacea* (Swinhoe,1892) (Zygaenidae) Synonym(s): *chartacea* Swinhoe,1892; *chartaceomorpha* M.Hering,1922; *tenebrosa* Jordan,1933; *virgata* Jordan,1933; *dorsalis* Jordan,1933
81299) *Cyclosia curiosa* (Swinhoe,1900) (Zygaenidae) Synonym(s): *curiosa* Swinhoe,1900; *aspasia* Snellen,1903
81300) *Cyclosia danaides* Walker,1864 (Zygaenidae) Synonym(s): *danaides* Walker,1864; *rhadamantha* Butler,1877; *triangularis* M.Hering,1922
81301) *Cyclosia distanti* (Druce,1891) (Zygaenidae) Synonym(s): *distanti* Druce,1891
81302) *Cyclosia dolichoptera* Hampson,1919 (Zygaenidae) Synonym(s): *dolichoptera* Hampson,1919
81303) *Cyclosia electra* (Swinhoe,1905) (Zygaenidae) Synonym(s): *electra* Swinhoe,1905
81304) *Cyclosia eucharhia* Jordan,1907 (Zygaenidae) Synonym(s): *eucharhia* Jordan,1907
81305) *Cyclosia hecabe* Jordan,1907 (Zygaenidae) Synonym(s): *hecabe* Jordan,1907
81306) *Cyclosia imitans* (Butler,1881) (Zygaenidae) Synonym(s): *imitans* Butler,1881
81307) *Cyclosia inclusa* (Walker,1864) (Zygaenidae) Synonym(s): *inclusa* Walker,1864; *bicolor* Moore,1879; *inclusa* Swinhoe,1892; *inclusum* Kirby,1892
81308) *Cyclosia inclusoides* M.Hering,1922 (Zygaenidae) Synonym(s): *inclusoides* M.Hering,1922
81309) *Cyclosia inornata* (Walker,1864) (Zygaenidae) Synonym(s): *inornata* Walker,1864; *sobria* Walker,1864; *cuprea* Swinhoe,1891; *tristis* Jordan,1902
81310) *Cyclosia latipennis* Hampson,1891 (Zygaenidae) Synonym(s): *latipennis* Hampson,1891
81311) *Cyclosia macularia* (Guérin-Ménéville,1844) (Zygaenidae) Synonym(s): *macularia* Guérin-Ménéville,1844; *metachloros* Walker,1854; *castigata* Walker,1864; *cyanea* Butler,1883; *phonia* Swinhoe,1901; *uniformis* Snellen,1903; *snelleni* Jordan,1907; *purpurea* Jordan,1907; *violetta* Van Eecke,1919; *transita* M.Hering,1922
81312) *Cyclosia midama* (Herrich-Schäffer,1853) (Zygaenidae) Synonym(s): *midama* Herrich-Schäffer,1853; *venusta* Walker,1854; *submaculans* Walker,1859; *spilophila* Walker,1869; *juvenis* Butler,1879; *terpsichrois* Butler,1883; *stelligera* Butler,1887; *striata* Druce,1891; *padangana* Jordan,1907
81313) *Cyclosia nivipetens* Walker,1863 (Zygaenidae) Synonym(s): *nivipetens* Walker,1863; *panthona* Swinhoe,1890; *suffusa* M.Hering,1922
81314) *Cyclosia nivipetens* Walker,1863 (Zygaenidae) Synonym(s): *nivipetens* Walker,1863
81315) *Cyclosia pagenstecheri* (Grünberg,1908) (Zygaenidae) Synonym(s): *pagenstecheri* Grünberg,1908
81316) *Cyclosia panthona* (Stoll,1780) (Zygaenidae) Synonym(s): *panthona* Stoll,1780
81317) *Cyclosia papilionaris* (Drury,1782) (Zygaenidae) Synonym(s): *papilionaris* Drury,1782; *venaria* Fabricius,1775; *ferrea* Walker,1854; *nigrescens* Moore,1877; *parvula* Butler,1883; *australinda* Hampson,1891; *latipennis* Hampson,1891; *enodis* Swinhoe,1892; *nicobarensis* M.Hering,1922; *philippinensis* Draeseke,1924
81318) *Cyclosia parantica* Holloway,1982 (Zygaenidae) Synonym(s): *parantica* Holloway,1982
81319) *Cyclosia perakensis* M.Hering,1922 (Zygaenidae) Synonym(s): *perakensis* M.Hering,1922
81320) *Cyclosia philippinensis* Draeseke,1924 (Zygaenidae) Synonym(s): *philippinensis* Draeseke,1924
81321) *Cyclosia pieridoides* (Herrich-Schäffer,1853) (Zygaenidae) Synonym(s): *pieridoides* Herrich-Schäffer,1853; *glaucia* Walker,1856; *hestinoides* Walker,1862; *binghami* Butler,1882; *melasina* Jordan,1892; *cyanescens* Hampson,1895; *virgo* Jordan,1907; *bangkana* M.Hering,1922; *labuana* M.Hering,1922
81322) *Cyclosia pieroides* Walker,1862 (Zygaenidae) Synonym(s): *pieroides* Walker,1862; *ficta* Walker,1862; *subflava* Moore,1879; *lactea* Butler,1883; *pandemia* Rothschild,1896; *transitaria* M.Hering,1922; *sumatrensis* M.Hering,1922
81323) *Cyclosia podagra* (Swinhoe,1908) (Zygaenidae) Synonym(s): *podagra* Swinhoe,1908
81324) *Cyclosia pseudospargens* M.Hering,1922 (Zygaenidae) Synonym(s): *pseudospargens* M.Hering,1922
81325) *Cyclosia sordida* (Walker,1862) (Zygaenidae) Synonym(s): *sordida* Walker,1862; *insularis* Swinhoe,1892; *bungauensis* Schultze,1925
81326) *Cyclosia spargens* Walker,1864 (Zygaenidae) Synonym(s): *spargens* Walker,1864; *celebensis* Rothschild,1899; *luteago* Jordan,1907
81327) *Cyclosia tamara* M.Hering,1922 (Zygaenidae) Synonym(s): *tamara* M.Hering,1922
81328) *Cyclosia thecloides* (Walker,1862) (Zygaenidae) Synonym(s): *thecloides* Walker,1862; *uniformis* Butler,1877; *olivescens* Snellen,1880
81329) *Cyclosia unicolor* Hampson,1920 (Zygaenidae) Synonym(s): *unicolor* Hampson,1920
81330) *Dilophura caudata* (Jordan,1907) (Zygaenidae) Synonym(s): *caudata* Jordan,1907
81331) *Docleomorpha boholic* (Semper,1898) (Zygaenidae) Synonym(s): *boholic* Semper,1898
81332) *Docleopsis boradioides* (Semper,1898) (Zygaenidae) Synonym(s): *boradioides* Semper,1898
81333) *Docleopsis dohertyi* (Rothschild,1899) (Zygaenidae) Synonym(s): *dohertyi* Rothschild,1899
81334) *Docleopsis duganga* (Semper,1898) (Zygaenidae) Synonym(s): *duganga* Semper,1898
81335) *Docleopsis fumigata* (Rothschild,1899) (Zygaenidae) Synonym(s): *fumigata* Rothschild,1899
81336) *Docleopsis stigma* (Rothschild,1899) (Zygaenidae) Synonym(s): *stigma* Rothschild,1899
81337) *Docleopsis sulaensis* Jordan,1907 (Zygaenidae) Synonym(s): *sulaensis* Jordan,1907
81338) *Docleopsis zamboanga* (Semper,1898) (Zygaenidae) Synonym(s): *zamboanga* Semper,1898
81339) *Elcysma delavayi* Oberthür,1891 (Zygaenidae) Synonym(s): *delavayi* Oberthür,1891
81340) *Elcysma dohertyi* Elwes,1890 (Zygaenidae) Synonym(s): *dohertyi* Elwes,1890
81341) *Elcysma westwoodii* (Vollenhoven,1863) (Zygaenidae) Synonym(s): *westwoodii* Vollenhoven,1863; *translucida* Butler,1881
81342) *Elcysma westwoodii caudata* (Bremer,1864) (Zygaenidae) Synonym(s): *caudata* Bremer,1864
81343) *Elcysma westwoodii westwoodii* (Vollenhoven,1863) (Zygaenidae) Synonym(s): *westwoodii* Vollenhoven,1863; *translucida* Butler,1881
81344) *Ephemeroidea ariel* Hampson,1892 (Zygaenidae) Synonym(s): *ariel* Hampson,1892
81345) *Ephemeroidea cyanea* Jordan,1908 (Zygaenidae) Synonym(s): *cyanea* Jordan,1908
81346) *Ephemeroidea flavocincta* Hampson,1892 (Zygaenidae) Synonym(s): *flavocincta* Hampson,1892
81347) *Ephemeroidea virescens* Snellen,1902 (Zygaenidae) Synonym(s): *virescens* Snellen,1902
81348) *Epiorna abessynica* (Koch,1865) (Zygaenidae) Synonym(s): *abessynica* Koch,1865; *holoxanthina* Mabilie,1892; *procrioides* Butler,1893; *xanthosoma* Jordan,1907
81349) *Epiorna ochreipennis* (Butler,1874) (Zygaenidae) Synonym(s): *ochreipennis* Butler,1874; *tricolorata* Westwood,1881; *nigromarginata* Bethune-Baker,1911; *occidentalis* M.Hering,1929
81350) *Erasmia pulchella* Hope,1841 (Zygaenidae) Synonym(s): *pulchella* Hope,1840; *cyanea* Jordan,1907; *hainana* Jordan,1907; *chinensis* Hering,1922

- 81351) *Erasmia pulchella fritzei* Jordan,1907 (Zygaenidae) Synonym(s): *fritzei* Jordan,1907
81352) *Erasmia pulchella hobsoni* Butler,1889 (Zygaenidae) Synonym(s): *hobsoni* Butler,1889; *#conjuncta* Strand,1916
81353) *Erasmia pulchella kumageana* Inoue,1975 (Zygaenidae) Synonym(s): *kumageana* Inoue,1975
81354) *Erasmia pulchella nipponica* Inoue,1976 (Zygaenidae) Synonym(s): *nipponica* Inoue,1976
81355) *Erasmia pulchella pulchella* Hope,1841 (Zygaenidae) Synonym(s): *pulchella* Hope,1841; *#cyanea* Jordan,1907; *hainana* Jordan,1907; *chinensis* Hering,1922
81356) *Erasmia pulchella sakisimana* Inoue,1976 (Zygaenidae) Synonym(s): *sakisimana* Inoue,1976
81357) *Erasmia sangaica* Moore,1877 (Zygaenidae) Synonym(s): *sangaica* Moore,1877; *shanghaica* Jordn,1907
81358) *Erasmiphleboecta picturata* (Wileman,1910) (Zygaenidae) Synonym(s): *picturata* Wileman,1910
81359) *Eterusia aedea* (Linnaeus,1763) (Zygaenidae) Synonym(s): *aedea* Linnaeus,1763; *edocla* Doubleday,1844; *signata* Möschler,1872; *magnifica* Butler,1879; *dulcis* Butler,1881;
81360) *Eterusia aedea aedea* (Linnaeus,1763) (Zygaenidae) Synonym(s): *aedea* Linnaeus,1763; *edocla* Doubleday,1844; *signata* Möschler,1872; *magnifica* Butler,1879; *dulcis* Butler,1881;
81361) *Eterusia aedea azumai* Owada,2001 (Zygaenidae) Synonym(s): *azumai* Owada,2001
81362) *Eterusia aedea cingala* Moore,1877 (Zygaenidae) Synonym(s): *cingala* Moore,1877; *septentrioncola* C.Felder & R.Felder,1862
81363) *Eterusia aedea formosana* Jordan,1907 (Zygaenidae) Synonym(s): *formosana* Jordan,1907; *#postlutea* Strand,1916
81364) *Eterusia aedea hamajii* Owada,2001 (Zygaenidae) Synonym(s): *hamajii* Owada,2001
81365) *Eterusia aedea masatakasatoi* Owada,2001 (Zygaenidae) Synonym(s): *masatakasatoi* Owada,2001
81366) *Eterusia aedea micromaculata* Inoue,1982 (Zygaenidae) Synonym(s): *micromaculata* Inoue,1982
81367) *Eterusia aedea okinawana* Matsumura,1931 (Zygaenidae) Synonym(s): *#okinawana* Matsumura,1927; *okinawana* Matsumura,1931; *ishigakiana* Inoue,1982
81368) *Eterusia aedea sakaguchii* Matsumura,1927 (Zygaenidae) Synonym(s): *sakaguchii* Matsumura,1927
81369) *Eterusia aedea sinica* Ménétériés,1857 (Zygaenidae) Synonym(s): *sinica* Ménétériés,1857
81370) *Eterusia aedea sugitanii* Matsumura,1927 (Zygaenidae) Synonym(s): *sugitanii* Matsumura,1927; *okinoshimensis* Esaki & Inoue,1956
81371) *Eterusia aedea tomokunii* Owada,1989 (Zygaenidae) Synonym(s): *tomokunii* Owada,1989
81372) *Eterusia aedea virescens* (Butler,1881) (Zygaenidae) Synonym(s): *virescens* Butler,1881
81373) *Eterusia culoti* Oberthür,1910 (Zygaenidae) Synonym(s): *culoti* Oberthür,1910
81374) *Eterusia distincta* Guérin-Ménéville,1830 (Zygaenidae) Synonym(s): *distincta* Guérin-Ménéville,1830
81375) *Eterusia feminata* Kishida & Endo,1999 (Zygaenidae) Synonym(s): *feminata* Kishida & Endo,1999
81376) *Eterusia joiceyi* Talbot,1929 (Zygaenidae) Synonym(s): *joiceyi* Talbot,1929
81377) *Eterusia lacreuzi* Oberthür,1910 (Zygaenidae) Synonym(s): *lacreuzi* Oberthür,1910
81378) *Eterusia lativitta* Moore,1879 (Zygaenidae) Synonym(s): *lativitta* Moore,1879; *fasciata* Möschler,1872
81379) *Eterusia ni* (Swinhoe,1919) (Zygaenidae) Synonym(s): *ni* Swinhoe,1919
81380) *Eterusia nobuoi* Owada,1996 (Zygaenidae) Synonym(s): *nobuoi* Owada,1996
81381) *Eterusia propimarginata* Prout,1918 (Zygaenidae) Synonym(s): *propimarginata* Prout,1918
81382) *Eterusia raja* Moore,1859 (Zygaenidae) Synonym(s): *raja* Moore,1859; *#raja* Jordan,1907
81383) *Eterusia repleta* Walker,1864 (Zygaenidae) Synonym(s): *repleta* Walker,1864; *alompra* Moore,1879; *urania* Schaus,1890
81384) *Eterusia subcyanea* Walker,1854 (Zygaenidae) Synonym(s): *subcyanea* Walker,1854; *scintillans* Herrich-Schäffer,1854
81385) *Eterusia sublutea* Walker,1854 (Zygaenidae) Synonym(s): *sublutea* Walker,1854
81386) *Eterusia subnigra* Bethune-Baker,1911 (Zygaenidae) Synonym(s): *subnigra* Bethune-Baker,1911
81387) *Eterusia taiwana* Wileman,1911 (Zygaenidae) Synonym(s): *formosana* Wileman,1911 nec Jdn.,1907; *taiwana* Wileman,1911; *formosibia* Strand,1916
81388) *Eterusia tricolor* Hope,1840 (Zygaenidae) Synonym(s): *tricolor* Hope,1840; *trimacula* Möschler,1872
81389) *Eterusia venus* (Rothschild,1915) (Zygaenidae) Synonym(s): *venus* Rothschild,1915
81390) *Eterusia vitessa* Yen,2003 (Zygaenidae) Synonym(s): *vitessa* Yen,2003
81391) *Eterusia watanabei* Inoue,1982 (Zygaenidae) Synonym(s): *watanabei* Inoue,1982
81392) *Eucorma euphaena* Jordan,1907 (Zygaenidae) Synonym(s): *euphaena* Jordan,1907
81393) *Eucorma hamptoni* (Holland,1900) (Zygaenidae) Synonym(s): *hamptoni* Holland,1900
81394) *Eucorma intercisa* (Walker,1854) (Zygaenidae) Synonym(s): *intercisa* Walker,1854
81395) *Eucorma obliquaria* (Fabricius,1787) (Zygaenidae) Synonym(s): *obliquaria* Fabricius,1787; *subdives* Walker,1854; *transversa* Walker,1864; *eusemioides* R.Felder & Rogenhofer,1874
81396) *Eucorma obliquaria zebra* (Butler,1884) (Zygaenidae) Synonym(s): *zebra* Butler,1884; *laja* Pagenstecher,1885; *interrupta* M.Hering,1922
81397) *Eucormopsis lampra* Jordan,1907 (Zygaenidae) Synonym(s): *lampra* Jordan,1907; *baluensis* M.Hering,1922
81398) *Eumorphiopsis iris* Tarmann,1992 (Zygaenidae) Synonym(s): *iris* Tarmann,1992
81399) *Eumorphiopsis leis* (Swinhoe,1894) (Zygaenidae) Synonym(s): *leis* Swinhoe,1894
81400) *Eumorphiopsis quadriplaga* M.Hering,1922 (Zygaenidae) Synonym(s): *quadriplaga* M.Hering,1922
81401) *Eusphalera aurantidiscus* Joicey & Talbot,1922 (Zygaenidae) Synonym(s): *aurantidiscus* Joicey & Talbot,1922
81402) *Eusphalera bellula* Kishida & Endo,1999 (Zygaenidae) Synonym(s): *bellula* Kishida & Endo,1999
81403) *Eusphalera bicolora* Bethune-Baker,1908 (Zygaenidae) Synonym(s): *bicolora* Bethune-Baker,1908
81404) *Eusphalera buergesi* M.Hering,1922 (Zygaenidae) Synonym(s): *buergesi* M.Hering,1922
81405) *Eusphalera cadmium* Joicey & Talbot,1922 (Zygaenidae) Synonym(s): *cadmium* Joicey & Talbot,1922
81406) *Eusphalera casta* Jordan,1915 (Zygaenidae) Synonym(s): *casta* Jordan,1915
81407) *Eusphalera flavifrons* Jordan,1912 (Zygaenidae) Synonym(s): *flavifrons* Jordan,1912
81408) *Eusphalera hamptoni* (Holland,1900) (Zygaenidae) Synonym(s): *hamptoni* Holland,1900
81409) *Eusphalera janthina* Joicey & Talbot,1922 (Zygaenidae) Synonym(s): *janthina* Joicey & Talbot,1922
81410) *Eusphalera jordani* Joicey & Talbot,1922 (Zygaenidae) Synonym(s): *jordani* Joicey & Talbot,1922
81411) *Eusphalera ligata* (Rothschild,1903) (Zygaenidae) Synonym(s): *ligata* Rothschild,1903
81412) *Eusphalera lutescens* Bethune-Baker,1908 (Zygaenidae) Synonym(s): *lutescens* Bethune-Baker,1908
81413) *Eusphalera milionoides* Joicey & Talbot,1922 (Zygaenidae) Synonym(s): *milionoides* Joicey & Talbot,1922
81414) *Eusphalera multicolor* Jordan,1925 (Zygaenidae) Synonym(s): *multicolor* Jordan,1925
81415) *Eusphalera nigrovata* Bethune-Baker,1908 (Zygaenidae) Synonym(s): *nigrovata* Bethune-Baker,1908
81416) *Eusphalera permittens* Jordan,1925 (Zygaenidae) Synonym(s): *permittens* Jordan,1925
81417) *Eusphalera picturata* (Talbot & Joicey,1922) (Zygaenidae) Synonym(s): *picturata* Talbot & Joicey,1922
81418) *Eusphalera pratti* Bethune-Baker,1908 (Zygaenidae) Synonym(s): *pratti* Bethune-Baker,1908
81419) *Eusphalera regina* (Rothschild,1903) (Zygaenidae) Synonym(s): *regina* Rothschild,1903
81420) *Eusphalera satishbonensis* Jordan,1915 (Zygaenidae) Synonym(s): *satishbonensis* Jordan,1915
81421) *Eusphalera semiflava* Rothschild,1904 (Zygaenidae) Synonym(s): *semiflava* Rothschild,1904
81422) *Eusphalera splendens* Bethune-Baker,1908 (Zygaenidae) Synonym(s): *splendens* Bethune-Baker,1908
81423) *Eusphalera subnigra* (Bethune-Baker,1911) (Zygaenidae) Synonym(s): *subnigra* Bethune-Baker,1911
81424) *Eusphalera uniens* Hulstaert,1924 (Zygaenidae) Synonym(s): *uniens* Hulstaert,1924
81425) *Eusphalera venus* (Rothschild,1915) (Zygaenidae) Synonym(s): *venus* Rothschild,1915
81426) *Euxanthopyge hexophthalma* M.Hering,1922 (Zygaenidae) Synonym(s): *hexophthalma* M.Hering,1922
81427) *Euxanthopyge toxopei* Roepke,1943 (Zygaenidae) Synonym(s): *toxopei* Roepke,1943
81428) *Euxanthopyge yazakii* (Kishida & Endo,1999) (Zygaenidae) Synonym(s): *yazakii* Kishida & Endo,1999
81429) *Formozygaena shibatai* Inoue,1987 (Zygaenidae) Synonym(s): *shibatai* Inoue,1987
81430) *Goe dentata* Efetov,1998 (Zygaenidae) Synonym(s): *dentata* Efetov,1998
81431) *Goe diaphana* Hampson,[1893] (Zygaenidae) Synonym(s): *diaphana* Hampson,[1893]
81432) *Goe heringi* (Draeseke,1926) (Zygaenidae) Synonym(s): *heringi* Draeseke,1926
81433) *Goe tarmanni* Efetov,1998 (Zygaenidae) Synonym(s): *tarmanni* Efetov,1998
81434) *Gyneutocera papilionaris* Guérin-Ménéville,1831 (Zygaenidae) Synonym(s): *papilionaris* Guérin-Ménéville,1831; *selene* Kollar,[1844]; *fraterna* Moore,1883; *zara* Swinhoe,1891

- 81435) *Gyneutocera philomela* Herrich-Schäffer, 1853 (Zygaenidae) Synonym(s): *philomela* Herrich-Schäffer, 1853; *virescens* C.Felder & R.Felder, 1862; *buruensis* Rothschild, 1899; *celebensis* Rothschild, 1899; *reducta* Rothschild, 1899; *pavo* Dohrn, 1899; *philippinensis* M.Hering, 1922; *djilolensis* M.Hering, 1922
- 81436) *Gyneutocera rubriscutellata* M.Hering, 1922 (Zygaenidae) Synonym(s): *rubriscutellata* M.Hering, 1922
- 81437) *Gyneutocera zera* Swinhoe, 1891 (Zygaenidae) Synonym(s): *zera* Swinhoe, 1891
- 81438) *Hampsonia pulcherrima* Swinhoe, 1894 (Zygaenidae) Synonym(s): *pulcherrima* Swinhoe, 1894
- 81439) *Hampsonia weharai* Owada & Horie, 2002 (Zygaenidae) Synonym(s): *weharai* Owada & Horie, 2002
- 81440) *Harrisina americana* Guérin-Méneville, 1829 (Zygaenidae) Synonym(s): *americana* Guérin-Méneville, 1829
- 81441) *Hemiscia albivitta* (Rothschild, 1899) (Zygaenidae) Synonym(s): *albivitta* Rothschild, 1899
- 81442) *Hemiscia meeki* (Rothschild, 1896) (Zygaenidae) Synonym(s): *meeki* Rothschild, 1896
- 81443) *Hemiscia parthenia* Jordan, 1930 (Zygaenidae) Synonym(s): *parthenia* Jordan, 1930
- 81444) *Hemiscia xenia* M.Hering, 1922 (Zygaenidae) Synonym(s): *xenia* M.Hering, 1922
- 81445) *Herpidia eupompa* (Swinhoe, 1897) (Zygaenidae) Synonym(s): *eupompa* Swinhoe, 1897
- 81446) *Herpidia* sp. (Zygaenidae) Synonym(s):
- 81447) *Heteropanula flavimacula* (Hampson, 1892) (Zygaenidae) Synonym(s): *flavimacula* Hampson, 1892
- 81448) *Heterusinula dichroa* (Jordan, 1907) (Zygaenidae) Synonym(s): *dichroa* Jordan, 1907
- 81449) *Histia albimacula* Hampson, 1892 (Zygaenidae) Synonym(s): *albimacula* Hampson, 1892
- 81450) *Histia dolens* Druce, 1888 (Zygaenidae) Synonym(s): *dolens* Druce, 1888
- 81451) *Histia eurhodia* Jordan, 1907 (Zygaenidae) Synonym(s): *eurhodia* Jordan, 1907
- 81452) *Histia flabellicornis* (Fabricius, 1775) (Zygaenidae) Synonym(s): *flabellicornis* Fabricius, 1775; *rhodope* Cramer, 1775; *flabelliformis* Gmelin, [1793]
- 81453) *Histia flabellicornis cometaris* Butler, 1882 (Zygaenidae) Synonym(s): *cometaris* Butler, 1882
- 81454) *Histia flabellicornis ultima* M.Hering, 1922 (Zygaenidae) Synonym(s): *ultima* M.Hering, 1922
- 81455) *Histia libelluloides* (Herrich-Schäffer, 1853) (Zygaenidae) Synonym(s): *libelluloides* Herrich-Schäffer, 1853
- 81456) *Histia nigradorsalis* Röber, 1925 (Zygaenidae) Synonym(s): *nigradorsalis* Röber, 1925
- 81457) *Histia porphyropyga* (M.Hering, 1925) (Zygaenidae) Synonym(s): *porphyropyga* M.Hering, 1925
- 81458) *Homophylotis aenea* Jordan, 1925 (Zygaenidae) Synonym(s): *aenea* Jordan, 1925
- 81459) *Homophylotis assimilis* Jordan, 1908 (Zygaenidae) Synonym(s): *assimilis* Jordan, 1908
- 81460) *Homophylotis leptis* Jordan, 1907 (Zygaenidae) Synonym(s): *leptis* Jordan, 1907
- 81461) *Homophylotis melaleuca* Jordan, 1908 (Zygaenidae) Synonym(s): *melaleuca* Jordan, 1908
- 81462) *Homophylotis nigra* (Hampson, 1892) (Zygaenidae) Synonym(s): *nigra* Hampson, 1892
- 81463) *Homophylotis purpurata* Jordan, 1908 (Zygaenidae) Synonym(s): *purpurata* Jordan, 1908
- 81464) *Homophylotis sciara* Jordan, 1908 (Zygaenidae) Synonym(s): *sciara* Jordan, 1908
- 81465) *Homophylotis xanthosoma* Jordan, 1908 (Zygaenidae) Synonym(s): *xanthosoma* Jordan, 1908
- 81466) *Hysteroscene extravagans* M.Hering, 1925 (Zygaenidae) Synonym(s): *#annulatissima* Strand, 1915; *extravagans* M.Hering, 1925
- 81467) *Hysteroscene hyalina* (Leech, 1889) (Zygaenidae) Synonym(s): *hyalina* Leech, 1889; *#univittata* Strand, 1915; *univittata* M.Hering, 1925
- 81468) *Hysteroscene melli* M.Hering, 1925 (Zygaenidae) Synonym(s): *melli* M.Hering, 1925
- 81469) *Illiberis* (Hedina) *nigra* (Leech, [1889]) (Zygaenidae) Synonym(s): *nigra* Leech, [1889]
- 81470) *Illiberis* (Hedina) *taiwana* Efetov, 1997 (Zygaenidae) Synonym(s): *taiwana* Efetov, 1997
- 81471) *Illiberis* (Hedina) *vietnama* Efetov, 1997 (Zygaenidae) Synonym(s): *vietnama* Efetov, 1997
- 81472) *Illiberis* (Primilliberis) *rotundata* Jordan, 1907 (Zygaenidae) Synonym(s): *rotundata* Jordan, 1907
- 81473) *Illiberis* (Primilliberis) *jeni* Efetov, 1997 (Zygaenidae) Synonym(s): *jeni* Efetov, 1997
- 81474) *Illiberis* *albiventris* Alberti, 1954 (Zygaenidae) Synonym(s): *albiventris* Alberti, 1954
- 81475) *Illiberis* *aomoriensis* Matsumura, 1927 (Zygaenidae) Synonym(s): *aomoriensis* Matsumura, 1927
- 81476) *Illiberis* *assimilis* Jordan, 1907 (Zygaenidae) Synonym(s): *assimilis* Jordan, 1907
- 81477) *Illiberis* *coreana* Matsumura, 1927 (Zygaenidae) Synonym(s): *coreana* Matsumura, 1927
- 81478) *Illiberis* *cyanocera* (Hampson, 1892) (Zygaenidae) Synonym(s): *cyanocera* Hampson, 1892; *igne* Oberthür, 1894
- 81479) *Illiberis* *dirce* Leech, 1888 (Zygaenidae) Synonym(s): *dirce* Leech, 1888
- 81480) *Illiberis* *distinctus* Kardakoff, 1928 (Zygaenidae) Synonym(s): *distinctus* Kardakoff, 1928
- 81481) *Illiberis* *elegans* Poujade, 1886 (Zygaenidae) Synonym(s): *elegans* Poujade, 1886
- 81482) *Illiberis* *endocyanea* Hampson, 1919 (Zygaenidae) Synonym(s): *endocyanea* Hampson, 1919
- 81483) *Illiberis* *formosensis* Strand, 1914 (Zygaenidae) Synonym(s): *formosensis* Strand, 1914
- 81484) *Illiberis* *fujisana* Matsumura, 1927 (Zygaenidae) Synonym(s): *fujisana* Matsumura, 1927
- 81485) *Illiberis* *fuliginosa* (Moore, 1879) (Zygaenidae) Synonym(s): *fuliginosa* Moore, 1879
- 81486) *Illiberis* *glaucoquama* Strand, 1915 (Zygaenidae) Synonym(s): *glaucoquama* Strand, 1915
- 81487) *Illiberis* *horishana* Matsumura, 1931 (Zygaenidae) Synonym(s): *horishana* Matsumura, 1931
- 81488) *Illiberis* *hyalina* (Staudinger, 1887) (Zygaenidae) Synonym(s): *hyalina* Staudinger, 1887; *consimilis* Leech, 1898; *hyalina* Matsumura, 1927
- 81489) *Illiberis* *kaszabi* Daniel, 1970 (Zygaenidae) Synonym(s): *kaszabi* Daniel, 1970
- 81490) *Illiberis* *laeva* Püngeler, 1914 (Zygaenidae) Synonym(s): *laeva* Püngeler, 1914
- 81491) *Illiberis* *ochracea* Leech, 1898 (Zygaenidae) Synonym(s): *ochracea* Leech, 1898
- 81492) *Illiberis* *phacusana* Strand, 1915 (Zygaenidae) Synonym(s): *phacusana* Strand, 1915
- 81493) *Illiberis* *pruni* Dyar, 1905 (Zygaenidae) Synonym(s): *pruni* Dyar, 1905
- 81494) *Illiberis* *psychina* (Oberthür, 1880) (Zygaenidae) Synonym(s): *psychina* Oberthür, 1880
- 81495) *Illiberis* *serrata* Alberti, 1954 (Zygaenidae) Synonym(s): *serrata* Alberti, 1954
- 81496) *Illiberis* *sinensis* Walker, 1854 (Zygaenidae) Synonym(s): *sinensis* Walker, 1854
- 81497) *Illiberis* *taikozana* (Matsumura, 1927) (Zygaenidae) Synonym(s): *taikozana* Matsumura, 1927
- 81498) *Illiberis* *tenuis* (Butler, 1877) (Zygaenidae) Synonym(s): *tenuis* Butler, 1877
- 81499) *Illiberis* *transvena* Jordan, 1907 (Zygaenidae) Synonym(s): *transvena* Jordan, 1907
- 81500) *Illiberis* *ulmivora* Graeser, 1888 (Zygaenidae) Synonym(s): *ulmivora* Graeser, 1888
- 81501) *Illiberis* *ussuriensis* Alberti, 1951 (Zygaenidae) Synonym(s): *ussuriensis* Alberti, 1951
- 81502) *Illiberis* *yunnanensis* Alberti, 1951 (Zygaenidae) Synonym(s): *yunnanensis* Alberti, 1951
- 81503) *Inouela* *exiguitata* Inoue, 1976 (Zygaenidae) Synonym(s): *exiguitata* Inoue, 1976
- 81504) *Inouela* *formosensis* Efetov, 1999 (Zygaenidae) Synonym(s): *formosensis* Efetov, 1999
- 81505) *Janseola* *titaea* (Druce, 1896) (Zygaenidae) Synonym(s): *titaea* Druce, 1896; *#titaea* Swierstra, 1917
- 81506) *Jordanita* (Gregorita) *algorica* (Rothschild, 1917) (Zygaenidae) Synonym(s): *algorica* Rothschild, 1917
- 81507) *Jordanita* (Gregorita) *benderi* (Tarmann, 1985) (Zygaenidae) Synonym(s): *benderi* Tarmann, 1985
- 81508) *Jordanita* (Gregorita) *carolae* (Dujardin, 1973) (Zygaenidae) Synonym(s): *carolae* Dujardin, 1973
- 81509) *Jordanita* (Gregorita) *cognata* (Herrich-Schäffer, 1847) (Zygaenidae) Synonym(s): *cognata* Herrich-Schäffer, 1847
- 81510) *Jordanita* (Gregorita) *hispanica* (Alberti, 1937) (Zygaenidae) Synonym(s): *hispanica* Alberti, 1937
- 81511) *Jordanita* (Gregorita) *maroccana* (Naufock, 1937) (Zygaenidae) Synonym(s): *maroccana* Naufock, 1937
- 81512) *Jordanita* (Gregorita) *minutissima* (Oberthür, 1916) (Zygaenidae) Synonym(s): *minutissima* Oberthür, 1916
- 81513) *Jordanita* (Gregorita) *rungsii* (Dujardin, 1973) (Zygaenidae) Synonym(s): *rungsii* Dujardin, 1973
- 81514) *Jordanita* (Lucasiterna) *subsolana* (Staudinger, 1862) (Zygaenidae) Synonym(s): *subsolana* Staudinger, 1862
- 81515) *Jordanita* (Lucasiterna) *subsolana* *gouldschaensis* (Alberti, 1937) (Zygaenidae) Synonym(s): *gouldschaensis* Alberti, 1937
- 81516) *Jordanita* (Praviela) *anatolica* (Naufock, 1929) (Zygaenidae) Synonym(s): *anatolica* Naufock, 1929; *levantina* Jordan, 1931; *pfeifferi* Naufock, 1935; ? *christinae* Keil, 1998.
- 81517) *Jordanita* (Praviela) *anatolica* *anatolica* Naufock, 1929 (Zygaenidae) Synonym(s): *anatolica* Naufock, 1929; *levantina* Jordan, 1931; *pfeifferi* Naufock, 1935; ? *christinae* Keil, 1998.
- 81518) *Jordanita* (Praviela) *anatolica* *christinae* Keil, 1998 (Zygaenidae) Synonym(s): *christinae* Keil, 1998
- 81519) *Jordanita* (Praviela) *anatolica* *kruegeri* (Turati, 1930) (Zygaenidae) Synonym(s): *kruegeri* Turati, 1930
- 81520) *Jordanita* (Rjabovia) *horni* (Alberti, 1937) (Zygaenidae) Synonym(s): *horni* Alberti, 1937; *#armena* Alberti, 1970.

- 81521) *Jordanita (Roccia) budensis* (Speyer & Speyer, 1858) (Zygaenidae) Synonym(s): *budensis* Speyer & Speyer, 1858
81522) *Jordanita (Roccia) budensis centralasiae* (Alberti, 1937) (Zygaenidae) Synonym(s): *centralasiae* Alberti, 1937
81523) *Jordanita (Roccia) hector* (Jordan, 1909) (Zygaenidae) Synonym(s): *hector* Jordan, 1909; *#monotona* Alberti, 1937
81524) *Jordanita (Roccia) kurdica* (Tarmann, 1987) (Zygaenidae) Synonym(s): *kurdica* Tarmann, 1987
81525) *Jordanita (Roccia) naufocki* (Alberti, 1937) (Zygaenidae) Synonym(s): *naufocki* Alberti, 1937
81526) *Jordanita (Roccia) paupera* (Christoph, 1887) (Zygaenidae) Synonym(s): *paupera* Christoph, 1887; *mollis* Grun-Grshimailo, 1893; *hamifera* Jordan, 1909; *tamerlana* Alberti, 1937; *minor* Alberti, 1937
81527) *Jordanita (Roccia) staudingeri* Alberti, 1954 (Zygaenidae) Synonym(s): *staudingeri* Alberti, 1954
81528) *Jordanita (Roccia) suspecta* (Staudinger, 1887) (Zygaenidae) Synonym(s): *suspecta* Staudinger, 1887
81529) *Jordanita (Roccia) tianshanica* (Efetov, 1990) (Zygaenidae) Synonym(s): *tianshanica* Efetov, 1990
81530) *Jordanita (Roccia) volgensis* (Möschler, 1862) (Zygaenidae) Synonym(s): *volgensis* Möschler, 1862
81531) *Jordanita (Roccia) volgensis grandis* (Alberti, 1974) (Zygaenidae) Synonym(s): *grandis* Alberti, 1974
81532) *Jordanita (Roccia) volgensis muelleri* (Alberti, 1974) (Zygaenidae) Synonym(s): *muelleri* Alberti, 1974
81533) *Jordanita (Roccia) volgensis volgensis* (Möschler, 1862) (Zygaenidae) Synonym(s): *volgensis* Möschler, 1862
81534) *Jordanita (Tremewania) ambigua* (Staudinger, 1887) (Zygaenidae) Synonym(s): *ambigua* Staudinger, 1887
81535) *Jordanita (Tremewania) ambigua ambigua* (Staudinger, 1887) (Zygaenidae) Synonym(s): *ambigua* Staudinger, 1887
81536) *Jordanita (Tremewania) ambigua asiatica* (Staudinger, 1887) (Zygaenidae) Synonym(s): *asiatica* Staudinger, 1887
81537) *Jordanita (Tremewania) ambigua omotoi* (Alberti, 1965) (Zygaenidae) Synonym(s): *omotoi* Alberti, 1965
81538) *Jordanita (Tremewania) ambigua schakuhensis* (Alberti, 1954) (Zygaenidae) Synonym(s): *schakuhensis* Alberti, 1954
81539) *Jordanita (Tremewania) notata* (Zeller, 1847) (Zygaenidae) Synonym(s): *notata* Zeller, 1847
81540) *Jordanita (Tremewania) splendens* (Staudinger, 1887) (Zygaenidae) Synonym(s): *splendens* Staudinger, 1887
81541) *Jordanita (Tremewania) splendens heringi* (Alberti, 1937) (Zygaenidae) Synonym(s): *heringi* Alberti, 1937
81542) *Jordanita (Tremewania) splendens incerta* (Staudinger, 1887) (Zygaenidae) Synonym(s): *incerta* Staudinger, 1887
81543) *Jordanita (Tremewania) splendens splendens* (Staudinger, 1887) (Zygaenidae) Synonym(s): *splendens* Staudinger, 1887
81544) *Jordanita (s.str.) chloronota* Staudinger, 1870 (Zygaenidae) Synonym(s): *chloronota* Staudinger, 1870; *#minima* Alberti, 1937
81545) *Jordanita (s.str.) chloros* (Hübner, [1813]) (Zygaenidae) Synonym(s): *chloros* Hübner, [1813]; *sepium* Boisduval, 1834.
81546) *Jordanita (s.str.) chloros chloros* (Hübner, [1813]) (Zygaenidae) Synonym(s): *chloros* Hübner, [1813]; *sepium* Boisduval, 1834.
81547) *Jordanita (s.str.) chloros hades* (Alberti, 1970) (Zygaenidae) Synonym(s): *hades* Alberti, 1970
81548) *Jordanita (s.str.) chloros haegeri* (Alberti, 1973) (Zygaenidae) Synonym(s): *haegeri* Alberti, 1973
81549) *Jordanita (s.str.) fazekasi* Efetov, 1998 (Zygaenidae) Synonym(s): *fazekasi* Efetov, 1998
81550) *Jordanita (s.str.) globulariae* (Hübner, 1793) (Zygaenidae) Synonym(s): *globulariae* Hübner, 1793
81551) *Jordanita (s.str.) graeca* (Jordan, 1907) (Zygaenidae) Synonym(s): *graeca* Jordan, 1907; *sultana* Alberti, 1937
81552) *Jordanita (s.str.) graeca graeca* (Jordan, 1907) (Zygaenidae) Synonym(s): *graeca* Jordan, 1907; *sultana* Alberti, 1937
81553) *Jordanita (s.str.) graeca persica* (Alberti, 1938) (Zygaenidae) Synonym(s): *persica* Alberti, 1938
81554) *Jordanita (s.str.) syriaca* (Alberti, 1937) (Zygaenidae) Synonym(s): *syriaca* Alberti, 1937
81555) *Jordanita (s.str.) tenuicornis* (Zeller, 1847) (Zygaenidae) Synonym(s): *tenuicornis* Zeller, 1847
81556) *Jordanita (s.str.) vartianae* (Malicky, 1961) (Zygaenidae) Synonym(s): *vartianae* Malicky, 1961
81557) *Lamprochrysa scintillans* Butler, 1893 (Zygaenidae) Synonym(s): *scintillans* Butler, 1893
81558) *Lophosoma cupreum* (Walker, 1856) (Zygaenidae) Synonym(s): *cupreum* Walker, 1856
81559) *Lophosoma quadricolor* (Walker, 1856) (Zygaenidae) Synonym(s): *quadricolor* Walker, 1856
81560) *Malamblia durbanica* Jordan, 1907 (Zygaenidae) Synonym(s): *durbanica* Jordan, 1907
81561) *Milleria adalifa* (Doubleday, 1847) (Zygaenidae) Synonym(s): *adalifa* Doubleday, 1847; *virginalis* Herrich-Schäffer, 1853; *subcyanescens* Walker, 1854
81562) *Milleria adalifa adalifa* (Doubleday, 1847) (Zygaenidae) Synonym(s): *adalifa* Doubleday, 1847; *virginalis* Herrich-Schäffer, 1853; *subcyanescens* Walker, 1854
81563) *Milleria adalifa candida* (Vollenhoven, 1863) (Zygaenidae) Synonym(s): *candida* Vollenhoven, 1863; *cardinalis* Moore, 1879; *forbesi* Druce, 1882; *cyanivena* Hampson, 1892
81564) *Milleria adalifa fuhoshonis* Strand, 1916 (Zygaenidae) Synonym(s): *fuhoshonis* Strand, 1916
81565) *Milleria adalifa fuliginosa* (Walker, 1854) (Zygaenidae) Synonym(s): *fuliginosa* Walker, 1854
81566) *Milleria adalifoides* Schultze, 1925 (Zygaenidae) Synonym(s): *adalifoides* Schultze, 1925
81567) *Milleria dualis* M.Hering, 1941 (Zygaenidae) Synonym(s): *dualis* M.Hering, 1941
81568) *Milleria formosana* Matsumura, 1911 (Zygaenidae) Synonym(s): *formosana* Matsumura, 1911
81569) *Milleria hamiltoni* Swinhoe, 1891 (Zygaenidae) Synonym(s): *hamiltoni* Swinhoe, 1891
81570) *Milleria lingnami* Mell, 1922 (Zygaenidae) Synonym(s): *lingnami* Mell, 1922
81571) *Milleria litana* (Druce, 1896) (Zygaenidae) Synonym(s): *litana* Druce, 1896
81572) *Milleria okushimai* Owada & Horie, 1999 (Zygaenidae) Synonym(s): *okushimai* Owada & Horie, 1999
81573) *Milleria rehfousi* (Oberthür, 1910) (Zygaenidae) Synonym(s): *rehfousi* Oberthür, 1910
81574) *Milleria reticularis* Leech, 1898 (Zygaenidae) Synonym(s): *reticularis* Leech, 1898
81575) *Mimascaptysyle terioides* (Mell, 1922) (Zygaenidae) Synonym(s): *terioides* Mell, 1922
81576) *Mimascaptysyle zelotypia* M.Hering, 1922 (Zygaenidae) Synonym(s): *zelotypia* M.Hering, 1922
81577) *Neochalcusia remota* (Walker, 1862) (Zygaenidae) Synonym(s): *remota* Walker, 1862
81578) *Neoherpa eleonora* (Oberthür, 1923) (Zygaenidae) Synonym(s): *eleonora* Oberthür, 1923
81579) *Neoherpa luteola* (Leech, 1898) (Zygaenidae) Synonym(s): *luteola* Leech, 1898
81580) *Neoherpa ochracea* (Leech, 1898) (Zygaenidae) Synonym(s): *ochracea* Leech, 1898
81581) *Neoherpa primulina* (Elwes, 1890) (Zygaenidae) Synonym(s): *primulina* Elwes, 1890
81582) *Neoherpa sinica* (Oberthür, 1891) (Zygaenidae) Synonym(s): *sinica* Oberthür, 1891
81583) *Neoherpa subhyalina* (Moore, 1879) (Zygaenidae) Synonym(s): *subhyalina* Moore, 1879; *elongatissima* Oberthür, 1910
81584) *Neoherpa venosa* (Walker, 1854) (Zygaenidae) Synonym(s): *venosa* Walker, 1854
81585) *Neopryeria jezoensis* Matsumura, 1927 (Zygaenidae) Synonym(s): *jezoensis* Matsumura, 1927
81586) *Netrocera C.Felder & R.Felder, 1874* (Zygaenidae) Synonym(s): *Netrocera* C.Felder & R.Felder, 1874
81587) *Netrocera basalis* Jordan, 1907 (Zygaenidae) Synonym(s): *basalis* Jordan, 1907
81588) *Netrocera diffinis* Jordan, 1907 (Zygaenidae) Synonym(s): *diffinis* Jordan, 1907
81589) *Netrocera euxantha* M.Hering, 1929 (Zygaenidae) Synonym(s): *euxantha* M.Hering, 1929
81590) *Netrocera hemichrysa* (Hampson, 1910) (Zygaenidae) Synonym(s): *hemichrysa* Hampson, 1910
81591) *Netrocera jordani* Joicey & Talbot, 1921 (Zygaenidae) Synonym(s): *jordani* Joicey & Talbot, 1921
81592) *Netrocera overlaeti* Talbot, 1928 (Zygaenidae) Synonym(s): *overlaeti* Talbot, 1928
81593) *Netrocera satanas* M.Hering, 1931 (Zygaenidae) Synonym(s): *satanas* M.Hering, 1931
81594) *Netrocera setioides* C.Felder & R.Felder, 1874 (Zygaenidae) Synonym(s): *setioides* C.Felder & R.Felder, 1874
81595) *Netrocera seydeli* M.Hering, 1931 (Zygaenidae) Synonym(s): *seydeli* M.Hering, 1931
81596) *Neurosymploca affinis* Jordan, 1907 (Zygaenidae) Synonym(s): *affinis* Jordan, 1907
81597) *Neurosymploca caffra* (Linnaeus, 1764) (Zygaenidae) Synonym(s): *caffra* Linnaeus, 1764
81598) *Neurosymploca concinna* (Dalman, 1823) (Zygaenidae) Synonym(s): *concinna* Dalman, 1823; *pulchella* Guérin-Méneville, 1832; *wallengreni* Kirby, 1892
81599) *Neurosymploca hottentota* (Herrich-Schäffer, [1854]) (Zygaenidae) Synonym(s): *hottentota* Herrich-Schäffer, [1854]
81600) *Neurosymploca meterythra* Hampson, 1920 (Zygaenidae) Synonym(s): *meterythra* Hampson, 1920
81601) *Neurosymploca pagana* Kirby, 1892 (Zygaenidae) Synonym(s): *pagana* Kirby, 1892
81602) *Opisoplatia grandis* Jordan, 1907 (Zygaenidae) Synonym(s): *grandis* Jordan, 1907
81603) *Orna contraria* (Walker, 1854) (Zygaenidae) Synonym(s): *contraria* Walker, 1854; *pectinicornis* Schaufuss, 1870; *subdiaphana* R.Felder & Rogenhofer, 1874; *zygaenoides* R.Felder & Rogenhofer, 1874; *postrosea* Hampson, 1920
81604) *Orna nebulosa* (Guérin-Méneville, 1832) (Zygaenidae) Synonym(s): *nebulosa* Guérin-Méneville, 1832; *hyalina* Hampson, 1920
81605) *Panherpina basiflava* (Oberthür, 1891) (Zygaenidae) Synonym(s): *basiflava* Oberthür, 1891
81606) *Phacusa arisana* Matsumura, 1930 (Zygaenidae) Synonym(s): *arisana* Matsumura, 1930

- 81607) *Phacusa birmana* (Oberthür,1894) (Zygaenidae) Synonym(s): *birmana* Oberthür,1894
 81608) *Phacusa chalcobasis* Hampson,1919 (Zygaenidae) Synonym(s): *chalcobasis* Hampson,1919
 81609) *Phacusa discoidalis* Swinhoe,1903 (Zygaenidae) Synonym(s): *discoidalis* Swinhoe,1903
 81610) *Phacusa dolosa* (Walker,1856) (Zygaenidae) Synonym(s): *dolosa* Walker,1856
 81611) *Phacusa drjeuma* Oberthür,1892 (Zygaenidae) Synonym(s): *drjeuma* Oberthür,1892
 81612) *Phacusa horni* Strand,1915 (Zygaenidae) Synonym(s): *horni* Strand,1915
 81613) *Phacusa khasiana* (Moore,1879) (Zygaenidae) Synonym(s): *khasiana* Moore,1879
 81614) *Phacusa manilensis* Hampson,1919 (Zygaenidae) Synonym(s): *manilensis* Hampson,1919
 81615) *Phacusa nicobarica* Hampson,1919 (Zygaenidae) Synonym(s): *nicobarica* Hampson,1919
 81616) *Phacusa nigrigemma* (Walker,1854) (Zygaenidae) Synonym(s): *nigrigemma* Walker,1854
 81617) *Phacusa nigrigemma vitrea* Jordan,1908 (Zygaenidae) Synonym(s): *vitrea* Jordan,1908
 81618) *Phacusa properta* (Swinhoe,1890) (Zygaenidae) Synonym(s): *properta* Swinhoe,1890; *dohertyi* Oberthür,1894
 81619) *Phacusa silvestris* Strand,1915 (Zygaenidae) Synonym(s): *silvestris* Strand,1915
 81620) *Phacusa tenebrosa* Walker,1854 (Zygaenidae) Synonym(s): *tenebrosa* Walker,1854
 81621) *Phacusa tenebrosa crawfurdii* (Moore,1859) (Zygaenidae) Synonym(s): *crawfurdii* Moore,1859; *strigosa* Walker,1864
 81622) *Phacusa tenebrosa siamensis* Oberthür,1894 (Zygaenidae) Synonym(s): *siamensis* Oberthür,1894
 81623) *Phacusa translucida* (Poujade,1885) (Zygaenidae) Synonym(s): *translucida* Poujade,1885
 81624) *Phauda arikana* Matsumura,1927 (Zygaenidae) Synonym(s): *pratti* Matsumura,1922 nec Lch.,1890; *arikana* Matsumura,1927
 81625) *Phauda flammans* (Walker,1854) (Zygaenidae) Synonym(s): *flammans* Walker,1854; *kantonensis* Mell,1922
 81626) *Phauda horishana* Matsumura,1927 (Zygaenidae) Synonym(s): *horishana* Matsumura,1927
 81627) *Phauda mimica* Strand,1915 (Zygaenidae) Synonym(s): *mimica* Strand,1915
 81628) *Phauda rubra* Jordan,1907 (Zygaenidae) Synonym(s): *rubra* Jordan,1907
 81629) *Phauda similis* M.Hering,1925 (Zygaenidae) Synonym(s): *similis* M.Hering,1925
 81630) *Phauda triadum* (Walker,1854) (Zygaenidae) Synonym(s): *triadum* Walker,1854
 81631) *Philipator basimaculata* Moore,[1866] (Zygaenidae) Synonym(s): *basimaculata* Moore,[1866]
 81632) *Philipator flavofasciata* Matsumura,1911 (Zygaenidae) Synonym(s): *flavofasciata* Matsumura,1911
 81633) *Philipator leucoptera* Yen & Xue,2003 (Zygaenidae) Synonym(s): *leucoptera* Yen & Xue,2003
 81634) *Philipator rotunda* Hampson,1896 (Zygaenidae) Synonym(s): *rotunda* Hampson,1896
 81635) *Phlebohecta flavicosta* Elwes,1890 (Zygaenidae) Synonym(s): *flavicosta* Elwes,1890
 81636) *Phlebohecta fuscescens* Moore,1879 (Zygaenidae) Synonym(s): *fuscescens* Moore,1879
 81637) *Phlebohecta jordani* (West,1932) (Zygaenidae) Synonym(s): *jordani* West,1932
 81638) *Phlebohecta lithosina* (C.Felder & R.Felder,1874) (Zygaenidae) Synonym(s): *lithosina* C.Felder & R.Felder,1874; *hlithosia* Oberthür,1894
 81639) *Phlebohecta lypusa* Jordan,1907 (Zygaenidae) Synonym(s): *lypusa* Jordan,1907
 81640) *Phlebohecta viduata* Jordan,1912 (Zygaenidae) Synonym(s): *viduata* Jordan,1912
 81641) *Piarosoma albicinctum* Hampson,1892 (Zygaenidae) Synonym(s): *albicinctum* Hampson,1892
 81642) *Piarosoma hyalina* (Leech,1889) (Zygaenidae) Synonym(s): *hyalina* Leech,1889; *thibetana* Oberthür,1894; *annulatissima* Strand,1914; *univittata* Strand,1915
 81643) *Piarosoma sizala* (Swinhoe,1894) (Zygaenidae) Synonym(s): *sizala* Swinhoe,1894
 81644) *Pidorus albifascia* (Moore,1879) (Zygaenidae) Synonym(s): *albifascia* Moore,1879
 81645) *Pidorus albifascia amplifascia* Joicey & Talbot,1925 (Zygaenidae) Synonym(s): *amplifascia* Joicey & Talbot,1925
 81646) *Pidorus albifascia steleus* Jordan,1907 (Zygaenidae) Synonym(s): *steleus* Jordan,1907
 81647) *Pidorus bifasciata* (Walker,1883) (Zygaenidae) Synonym(s): *bifasciata* Walker,1883
 81648) *Pidorus chalybeatus* Joicey & Talbot,1922 (Zygaenidae) Synonym(s): *chalybeatus* Joicey & Talbot,1922
 81649) *Pidorus circe* (Herrich-Schäffer,1853) (Zygaenidae) Synonym(s): *circe* Herrich-Schäffer,1853; *metallica* Walker,1854
 81650) *Pidorus constrictus* Walker,1854 (Zygaenidae) Synonym(s): *constrictus* Walker,1854
 81651) *Pidorus corculum* (Butler,1879) (Zygaenidae) Synonym(s): *corculum* Butler,1879; *flavofasciatus* Pagenstecher,1885
 81652) *Pidorus cyrtus* Jordan,1907 (Zygaenidae) Synonym(s): *cyrtus* Jordan,1907
 81653) *Pidorus euchromioides* (Walker,1864) (Zygaenidae) Synonym(s): *euchromioides* Walker,1864
 81654) *Pidorus geminus* (Walker,1854) (Zygaenidae) Synonym(s): *gemina* Walker,1854
 81655) *Pidorus glaucopsis* (Drury,1773) (Zygaenidae) Synonym(s): *glaucopsis* Drury,1773; *rubrocollaris* Goeze,1781
 81656) *Pidorus glaucopsis atratus* Butler,1877 (Zygaenidae) Synonym(s): *atratus* Butler,1877
 81657) *Pidorus glaucopsis hainanensis* Talbot,1932 (Zygaenidae) Synonym(s): *hainanensis* Talbot,1932
 81658) *Pidorus hilaris* Jordan,1907 (Zygaenidae) Synonym(s): *hilaris* Jordan,1907
 81659) *Pidorus latifasciata* Talbot,1929 (Zygaenidae) Synonym(s): *latifasciata* Talbot,1929
 81660) *Pidorus leechi* Jordan,1907 (Zygaenidae) Synonym(s): *leechi* Jordan,1907
 81661) *Pidorus leno* Swinhoe,1900 (Zygaenidae) Synonym(s): *leno* Swinhoe,1900
 81662) *Pidorus marginatus* Wileman,1910 (Zygaenidae) Synonym(s): *marginatus* Wileman,1910
 81663) *Pidorus miles* (Butler,1881) (Zygaenidae) Synonym(s): *miles* Butler,1881
 81664) *Pidorus ochrolophus* Mell,1922 (Zygaenidae) Synonym(s): *ochrolophus* Mell,1922
 81665) *Pidorus splendens* Jordan,1907 (Zygaenidae) Synonym(s): *splendens* Jordan,1907
 81666) *Pidorus truncatus* Jordan,1907 (Zygaenidae) Synonym(s): *truncatus* Jordan,1907
 81667) *Platyzygaena moelleri* Elwes,1890 (Zygaenidae) Synonym(s): *möllerii* Kirby,1892; *molleri* T.B.Fletcher,1925
 81668) *Polianista inconspicua* Strand,1915 (Zygaenidae) Synonym(s): *inconspicua* Strand,1915
 81669) *Pollanisus viridipulverulenta* Guérin-Ménéville,1839 (Zygaenidae) Synonym(s): *viridipulverulenta* Guérin-Ménéville,1839
 81670) *Pompelon marginatum* (Guérin-Ménéville,1843) (Zygaenidae) Synonym(s): *marginata* Guérin-Ménéville,1843; *valentula* Swinhoe,1889; *philippensis* Druce,1891; *rotundata* Swinhoe,1892; *subcyanea* Swinhoe,1892; *cynosura* Druce,1894; *albocyaneum* Semper,1898; *anethusa* Snellen,1903; *albiapicalis* M.Hering,1922
 81671) *Pompelon marginatum acrocyanum* (Herrich-Schäffer,1854) (Zygaenidae) Synonym(s): *acrocyanum* Herrich-Schäffer,1854
 81672) *Pompelon marginatum ampliatus* Butler,1878 (Zygaenidae) Synonym(s): *ampliatum* Butler,1878
 81673) *Pompelon marginatum baweanum* M.Hering,1925 (Zygaenidae) Synonym(s): *baweanum* M.Hering,1925
 81674) *Pompelon marginatum glenum* Jordan,1907 (Zygaenidae) Synonym(s): *glenum* Jordan,1907
 81675) *Pompelon marginatum marginatum* (Guérin-Ménéville,1843) (Zygaenidae) Synonym(s): *marginata* Guérin-Ménéville,1843; *valentula* Swinhoe,1889; *philippensis* Druce,1891; *rotundata* Swinhoe,1892; *subcyanea* Swinhoe,1892; *cynosura* Druce,1894; *albocyaneum* Semper,1898; *anethusa* Snellen,1903; *albiapicalis* M.Hering,1922
 81676) *Pompelon marginatum modestum* Dohrn,1906 (Zygaenidae) Synonym(s): *modestum* Dohrn,1906
 81677) *Pompelon marginatum perakanum* Swinhoe,1906 (Zygaenidae) Synonym(s): *perakanum* Swinhoe,1906
 81678) *Praezygaena afghana* (Moore,1859) (Zygaenidae) Synonym(s): *afghana* Moore,1859
 81679) *Praezygaena agria* (Distant,1892) (Zygaenidae) Synonym(s): *agria* Distant,1892; *muraena* Druce,1899
 81680) *Praezygaena caschmirensis* (Kollar,[1844]) (Zygaenidae) Synonym(s): *caschmirensis* Kollar,[1844]
 81681) *Praezygaena caschmirensis asoka* (Moore,1879) (Zygaenidae) Synonym(s): *asoka* Moore,1879
 81682) *Praezygaena caschmirensis caschmirensis* (Kollar,[1844]) (Zygaenidae) Synonym(s): *caschmirensis* Kollar,[1844]
 81683) *Praezygaena conjuncta* (Hampson,1919) (Zygaenidae) Synonym(s): *conjuncta* Hampson,1919
 81684) *Praezygaena erythrosoma* (Hampson,[1893]) (Zygaenidae) Synonym(s): *erythrosoma* Hampson,[1893]
 81685) *Praezygaena lateralis* (Jordan,1907) (Zygaenidae) Synonym(s): *lateralis* Jordan,1907
 81686) *Praezygaena microsticha* (Jordan,1907) (Zygaenidae) Synonym(s): *microsticha* Jordan,1907
 81687) *Praezygaena myodes* (Druce,1899) (Zygaenidae) Synonym(s): *myodes* Druce,1899; *mitisi* Dziurzynski,1906
 81688) *Praezygaena ochroptera* (R.Felder & Rogenhofer,1874) (Zygaenidae) Synonym(s): *ochroptera* R.Felder & Rogenhofer,1874
 81689) *Procotes diminuta* (Walker,1854) (Zygaenidae) Synonym(s): *diminuta* Walker,1854
 81690) *Prosopandrophila distincta* (Guérin-Ménéville,1843) (Zygaenidae) Synonym(s): *distincta* Guérin-Ménéville,1843
 81691) *Prosopandrophila distincta albina* (Jordan,1907) (Zygaenidae) Synonym(s): *albina* Jordan,1907

- 81692) *Prosopandrophila distincta distincta* (Guérin-Méneville,1843) (Zygaenidae) Synonym(s): *distincta* Guérin-Méneville,1843
81693) *Prosopandrophila distincta drataraja* (Moore,1859) (Zygaenidae) Synonym(s): *drataraja* Moore,1859; *#drataraga* Swinhoe,1892
81694) *Prosopandrophila distincta indistincta* (Swinhoe,1892) (Zygaenidae) Synonym(s): *indistincta* Swinhoe,1892
81695) *Prosopandrophila distincta xanthina* (Jordan,1907) (Zygaenidae) Synonym(s): *xanthina* Jordan,1907
81696) *Prosopandrophila mirifica* (Swinhoe,1903) (Zygaenidae) Synonym(s): *mirifica* Swinhoe,1903
81697) *Prosopandrophila oenone* (Butler,1883) (Zygaenidae) Synonym(s): *oenone* Butler,1883
81698) *Pryeria simonyi* (Rebel,1899) (Zygaenidae) Synonym(s): *simonyi* Rebel,1899; *sylviae* Tremewan,1959
81699) *Pryeria simonyi simonyi* (Rebel,1899) (Zygaenidae) Synonym(s): *simonyi* Rebel,1899; *sylviae* Tremewan,1959
81700) *Pryeria simonyi yemenicola* (Tremewan,1959) (Zygaenidae) Synonym(s): *yemenicola* Tremewan,1959
81701) *Pryeria sinica* Moore,1877 (Zygaenidae) Synonym(s): *sinica* Moore,1877; *pryeri* Jordan,1907
81702) *Psaphis albivitta* (Rothschild,1900) (Zygaenidae) Synonym(s): *albivitta* Rothschild,1900
81703) *Psaphis azurea* Kishida & Endo,1999 (Zygaenidae) Synonym(s): *azurea* Kishida & Endo,1999
81704) *Psaphis camadeva* (Doubleday,1847) (Zygaenidae) Synonym(s): *camadeva* Doubleday,1847; *resumpta* Walker,1862; *semiplena* Walker,1864; *natunensis* Rothschild,1896
81705) *Psaphis euschemoides* (Moore,1865) (Zygaenidae) Synonym(s): *euschemoides* Moore,1865
81706) *Psaphis euschemoides javanicus* (Rothschild,1896) (Zygaenidae) Synonym(s): *javanicus* Rothschild,1896; *javana* Röber,1897
81707) *Psaphis gloriosus* (Rothschild,1900) (Zygaenidae) Synonym(s): *gloriosus* Rothschild,1900
81708) *Psaphis gloriosus borneensis* Jordan,1907 (Zygaenidae) Synonym(s): *borneensis* Jordan,1907
81709) *Psaphis rothschildi* Joicey & Talbot,1922 (Zygaenidae) Synonym(s): *rothschildi* Joicey & Talbot,1922
81710) *Psaphis scotais* Jordan,1907 (Zygaenidae) Synonym(s): *scotais* Jordan,1907
81711) *Pseudarbudas ochrea* (Elwes,1890) (Zygaenidae) Synonym(s): *ochrea* Elwes,1890
81712) *Pseudarbudas* sp. (Zygaenidae) Synonym(s):
81713) *Pseudocaptisyle circumdata* (Walker,[1865]) (Zygaenidae) Synonym(s): *circumdata* Walker,[1865]
81714) *Pseudocaptisyle circumdata circumdata* (Walker,[1865]) (Zygaenidae) Synonym(s): *circumdata* Walker,[1865]
81715) *Pseudocaptisyle circumdata citrana* M.Hering,1922 (Zygaenidae) Synonym(s): *citrana* M.Hering,1922
81716) *Pseudocaptisyle circumdata purpuralis* (Jordan,1907) (Zygaenidae) Synonym(s): *purpuralis* Jordan,1907
81717) *Pseudonyctemera adalifoides* Schultz,1925 (Zygaenidae) Synonym(s): *adalifoides* Schultz,1925
81718) *Pseudonyctemera decipiens* Snellen,1898 (Zygaenidae) Synonym(s): *decipiens* Snellen,1898
81719) *Pseudonyctemera dissimulata* (Walker,1862) (Zygaenidae) Synonym(s): *dissimulata* Walker,1862; *ficta* Walker,1862; *pontioides* Butler,1881; *analisis* Snellen,1889
81720) *Pseudonyctemera dissimulata pura* Jordan,1907 (Zygaenidae) Synonym(s): *pura* Jordan,1907
81721) *Pseudonyctemera invaria* (Walker,1864) (Zygaenidae) Synonym(s): *invaria* Walker,1864
81722) *Pseudonyctemera invaria griseifusa* (Hampson,1892) (Zygaenidae) Synonym(s): *griseifusa* Hampson,1892
81723) *Pseudonyctemera invaria invaria* (Walker,1864) (Zygaenidae) Synonym(s): *invaria* Walker,1864
81724) *Pseudonyctemera marginale* (Vollenhoven,1863) (Zygaenidae) Synonym(s): *marginale* Vollenhoven,1863; *arcuata* Kirby,1892; *marginalis* Kirby,1892
81725) *Pseudonyctemera marginale jahni* M.Hering,1922 (Zygaenidae) Synonym(s): *jahni* M.Hering,1922
81726) *Pseudonyctemera marginale marginale* (Vollenhoven,1863) (Zygaenidae) Synonym(s): *marginale* Vollenhoven,1863; *arcuata* Kirby,1892; *marginalis* Kirby,1892
81727) *Pseudonyctemera marginale perlata* Jordan,1907 (Zygaenidae) Synonym(s): *perlata* Jordan,1907
81728) *Pseudonyctemera marginale taminata* Jordan,1907 (Zygaenidae) Synonym(s): *taminata* Jordan,1907
81729) *Pseudonyctemera minima* M.Hering,1922 (Zygaenidae) Synonym(s): *minima* M.Hering,1922
81730) *Pseudopidorus fasciatus* (C.Felder & R.Felder,1862) (Zygaenidae) Synonym(s): *fasciatus* C.Felder & R.Felder,1862
81731) *Pyromorpha* sp. (Zygaenidae) Synonym(s):
81732) *Retina rubrivitta* Walker,1854 (Zygaenidae) Synonym(s): *rubrivitta* Walker,1854
81733) *Retina vitripennis* (De Joannis,1903) (Zygaenidae) Synonym(s): *vitripennis* De Joannis,1903
81734) *Rhagades* (Naufockia) brandti (Alberti,1938) (Zygaenidae) Synonym(s): *brandti* Alberti,1938
81735) *Rhagades* (Wiegelia) amasina (Herrich-Schäffer,1851) (Zygaenidae) Synonym(s): *amasina* Herrich-Schäffer,1851
81736) *Rhagades* (Wiegelia) predotae (Naufock,1931) (Zygaenidae) Synonym(s): *predotae* Naufock,1931
81737) *Rhagades* (Wiegelia) tarmanni Keil,1999 (Zygaenidae) Synonym(s): *tarmanni* Keil,1999
81738) *Rhagades* (s.str.) pruni ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *#pruni* [Denis & Schiffermüller],1775
81739) *Rhodopsona bocki* (Swinhoe,1905) (Zygaenidae) Synonym(s): *bocki* Swinhoe,1905
81740) *Rhodopsona costata* (Walker,1854) (Zygaenidae) Synonym(s): *costata* Walker,1854
81741) *Rhodopsona decolorata* M.Hering,1930 (Zygaenidae) Synonym(s): *decolorata* M.Hering,1930
81742) *Rhodopsona jordani* Oberthür,1910 (Zygaenidae) Synonym(s): *jordani* Oberthür,1910
81743) *Rhodopsona marginatus* (Wileman,1910) (Zygaenidae) Synonym(s): *marginatus* Wileman,1910
81744) *Rhodopsona matsumotoi* Owada & Horie,1999 (Zygaenidae) Synonym(s): *matsumotoi* Owada & Horie,1999
81745) *Rhodopsona reverdini* Oberthür,1910 (Zygaenidae) Synonym(s): *reverdini* Oberthür,1910
81746) *Rhodopsona rubiginosa* Leech,1898 (Zygaenidae) Synonym(s): *rubiginosa* Leech,1898
81747) *Rhodopsona rutila* Jordan,1910 (Zygaenidae) Synonym(s): *rutila* Jordan,1910
81748) *Saliunca assimilis* Jordan,1907 (Zygaenidae) Synonym(s): *assimilis* Jordan,1907
81749) *Saliunca homochroa* (Holland,1897) (Zygaenidae) Synonym(s): *homochroa* Holland,1897
81750) *Saliunca meruana Aurivillius,1910* (Zygaenidae) Synonym(s): *meruana* Aurivillius,1910
81751) *Saliunca styx* (Fabricius,1775) (Zygaenidae) Synonym(s): *styx* Fabricius,1775
81752) *Saliunca styx* (Fabricius,1775) (Zygaenidae) Synonym(s): *styx* Fabricius,1775
81753) *Saliunca marshalli* Jordan,1907 (Zygaenidae) Synonym(s): *marshalli* Jordan,1907
81754) *Scotopais tristis* (Mell,1922) (Zygaenidae) Synonym(s): *tristis* Mell,1922
81755) *Soritia angustipennis* (Röber,1897) (Zygaenidae) Synonym(s): *angustipennis* Röber,1897
81756) *Soritia angustipennis gaedei* Hering,1922 (Zygaenidae) Synonym(s): *gaedei* Hering,1922
81757) *Soritia azurea* Yen,2003 (Zygaenidae) Synonym(s): *azurea* Yen,2003
81758) *Soritia bicolor* (Moore,1884) (Zygaenidae) Synonym(s): *bicolor* Moore,1884
81759) *Soritia binotata* (Mell,1922) (Zygaenidae) Synonym(s): *binotata* Mell,1922
81760) *Soritia cecilia* Oberthür,1923 (Zygaenidae) Synonym(s): *cecilia* Oberthür,1923
81761) *Soritia choui* Yen & Yang,1998 (Zygaenidae) Synonym(s): *choui* Yen & Yang,1998
81762) *Soritia circinata* (Herrich-Schäffer,1854) (Zygaenidae) Synonym(s): *circinata* Herrich-Schäffer,1854; *fasciata* Walker,1869
81763) *Soritia costimacula Aurivillius,1894* (Zygaenidae) Synonym(s): *costimacula* Aurivillius,1894; *ochracea* Aurivillius,1894; *leptalinoides* Aurivillius,1894
81764) *Soritia costimacula battakorum* (Dohrn,1906) (Zygaenidae) Synonym(s): *battakorum* Dohrn,1906
81765) *Soritia costimacula costimacula Aurivillius,1894* (Zygaenidae) Synonym(s): *costimacula* Aurivillius,1894; *ochracea* Aurivillius,1894; *leptalinoides* Aurivillius,1894
81766) *Soritia costimacula malaccensis* (Jordan,1907) (Zygaenidae) Synonym(s): *malaccensis* Jordan,1907
81767) *Soritia elizabetha* (Walker,1854) (Zygaenidae) Synonym(s): *elizabetha* Walker,1854; *disrupta* Walker,1864; *microcephala* R.Felder & Rogenhofer,1874
81768) *Soritia lacreuzei* (Oberthür,1910) (Zygaenidae) Synonym(s): *lacreuzei* Oberthür,1910
81769) *Soritia lata* (Jordan,1907) (Zygaenidae) Synonym(s): *lata* Jordan,1907
81770) *Soritia lydia* (Oberthür,1923) (Zygaenidae) Synonym(s): *lydia* Oberthür,1923
81771) *Soritia moerens* (Oberthür,1910) (Zygaenidae) Synonym(s): *moerens* Oberthür,1910
81772) *Soritia nigribasalis* Hampson,1892 (Zygaenidae) Synonym(s): *nigribasalis* Hampson,1892
81773) *Soritia propimarginata* (Prout,1918) (Zygaenidae) Synonym(s): *propimarginata* Prout,1918
81774) *Soritia pulchella* (Kollar,[1848]) (Zygaenidae) Synonym(s): *pulchella* Kollar,[1848]; *leptalina* Kollar,[1848]; *sempunctata* Walker,1854; *triliurata* Walker,1863; *octopunctata* Möschler,1872; *flavomaculata* Möschler,1872; *cicada* R.Felder & Rogenhofer,1875; *olivascens* Moore,1879
81775) *Soritia pulchella major* Jordan,1907 (Zygaenidae) Synonym(s): *major* Jordan,1907

- 81776) *Soritia pulchella pulchella* (Kollar,[1848]) (Zygaenidae) Synonym(s): *pulchella* Kollar,[1848]; *leptalina* Kollar,[1848]; *sexpunctata* Walker,1854; *triliturata* Walker,1863; *octopunctata* Möschler,1872; *flavomaculata* Möschler,1872; *cicada* R.Felder & Rogenhofer,1875; *olivascens* Moore,1879
- 81777) *Soritia risa* (Doubleday,1844) (Zygaenidae) Synonym(s): *risa* Doubleday,1844; *javanica* Hering,1922
- 81778) *Soritia semiflava* (Talbot & Joicey,1922) (Zygaenidae) Synonym(s): *semiflava* Talbot & Joicey,1922
- 81779) *Soritia sevastopuloi* Tremewan,1959 (Zygaenidae) Synonym(s): *sevastopuloi* Tremewan,1959
- 81780) *Soritia shahama* (Moore,1865) (Zygaenidae) Synonym(s): *shahama* Moore,1865
- 81781) *Soritia strandi* Kishida,1995 (Zygaenidae) Synonym(s): *strandii* Kishida,1995
- 81782) *Soritia terioides* (Mell,1922) (Zygaenidae) Synonym(s): *terioides* Mell,1922
- 81783) *Soritia viridibasalis* (Dudgeon,1905) (Zygaenidae) Synonym(s): *viridibasalis* Dudgeon,1905
- 81784) *Soritia viridivena* Hampson,1892 (Zygaenidae) Synonym(s): *viridivena* Hampson,1892
- 81785) *Soritia zelotypia* M.Hering,1922 (Zygaenidae) Synonym(s): *zelotypia* M.Hering,1922
- 81786) *Tascia finalis* (Walker,1854) (Zygaenidae) Synonym(s): *finalis* Walker,1854; *chrysotelus* Walker,1856; *aethiops* Distant,1897
- 81787) *Tascia rhabdophora* Vari,2002 (Zygaenidae) Synonym(s): *rhabdophora* Vari,2002
- 81788) *Tascia virescens* Butler,1876 (Zygaenidae) Synonym(s): *virescens* Butler,1876
- 81789) *Tasema bipars* Walker,1856 (Zygaenidae) Synonym(s): *bipars* Walker,1856
- 81790) *Tasema fuliginosa* Moore,1879 (Zygaenidae) Synonym(s): *fuliginosa* Moore,1879
- 81791) *Tasema fulvithorax* Hampson,1919 (Zygaenidae) Synonym(s): *fulvithorax* Hampson,1919
- 81792) *Tasema longipennis* Hampson,1892 (Zygaenidae) Synonym(s): *longipennis* Hampson,1892
- 81793) *Theresimima ampelophaga* (Bayle-Barelle,1808) (Zygaenidae) Synonym(s): *ampelophaga* Bayle-Barelle,1808; *#ampelophaga* Staudinger,1878.
- 81794) *Thibetana delavayi* (Oberthür,1894) (Zygaenidae) Synonym(s): *delavayi* Oberthür,1894
- 81795) *Thibetana sieversi* (Alpheraky,1892) (Zygaenidae) Synonym(s): *sieversi* Alpheraky,1892
- 81796) *Thibetana witti* Efetov,1997 (Zygaenidae) Synonym(s): *witti* Efetov,1997
- 81797) *Thyrassia aprepes* Swinhoe,1905 (Zygaenidae) Synonym(s): *aprepes* Swinhoe,1905
- 81798) *Thyrassia inconcinna* Swinhoe,1892 (Zygaenidae) Synonym(s): *inconcinna* Swinhoe,1892
- 81799) *Thyrassia penangae* (Moore,1859) (Zygaenidae) Synonym(s): *penangae* Moore,1859; *diversa* Walker,1864; *penanga* Hampson,1896
- 81800) *Thyrassia penangae rafflesi* (Moore,1859) (Zygaenidae) Synonym(s): *rafflesi* Moore,1859
- 81801) *Thyrassia philippina* Jordan,1908 (Zygaenidae) Synonym(s): *philippina* Jordan,1908
- 81802) *Thyrassia procumbens* Snellen,1895 (Zygaenidae) Synonym(s): *procumbens* Snellen,1895
- 81803) *Thyrassia scutellaris* Jordan,1925 (Zygaenidae) Synonym(s): *scutellaris* Jordan,1925
- 81804) *Thyrassia subcordata* (Walker,1854) (Zygaenidae) Synonym(s): *subcordata* Walker,1854; *aurodisca* Hampson,1891; *subcaudata* Swinhoe,1892
- 81805) *Thyrassia virescens* (Hampson,1892) (Zygaenidae) Synonym(s): *virescens* Hampson,1892
- 81806) *Toosa batesi* Bethune-Baker,1927 (Zygaenidae) Synonym(s): *batesi* Bethune-Baker,1927
- 81807) *Toosa glaucopiformis* Walker,1856 (Zygaenidae) Synonym(s): *glaucopiformis* Walker,1856
- 81808) *Trypanophora anchora* Druce,1891 (Zygaenidae) Synonym(s): *anchora* Druce,1891
- 81809) *Trypanophora australis* Jordan,1907 (Zygaenidae) Synonym(s): *australis* Jordan,1907
- 81810) *Trypanophora deligata* Jordan,1907 (Zygaenidae) Synonym(s): *deligata* Jordan,1907
- 81811) *Trypanophora dissimilis* Snellen,[1902] (Zygaenidae) Synonym(s): *dissimilis* Snellen,[1902]
- 81812) *Trypanophora elliptica* Jordan,1907 (Zygaenidae) Synonym(s): *elliptica* Jordan,1907
- 81813) *Trypanophora elliptica elliptica* Jordan,1907 (Zygaenidae) Synonym(s): *elliptica* Jordan,1907
- 81814) *Trypanophora elliptica sambawana* Jordan,1907 (Zygaenidae) Synonym(s): *sambawana* Jordan,1907
- 81815) *Trypanophora elliptica sumbana* Jordan,1907 (Zygaenidae) Synonym(s): *sumbana* Jordan,1907
- 81816) *Trypanophora flavalis* Hampson,1892 (Zygaenidae) Synonym(s): *flavalis* Hampson,1892
- 81817) *Trypanophora hosemanni* M.Hering,1922 (Zygaenidae) Synonym(s): *hosemanni* M.Hering,1922
- 81818) *Trypanophora javanica* Snellen,[1902] (Zygaenidae) Synonym(s): *javanica* Snellen,[1902]
- 81819) *Trypanophora luzonensis* Semper,1898 (Zygaenidae) Synonym(s): *luzonensis* Semper,1898
- 81820) *Trypanophora producents* (Walker,1862) (Zygaenidae) Synonym(s): *producers* Walker,1862; *festinata* Snellen,1895
- 81821) *Trypanophora semihyalina* Kollar,[1844] (Zygaenidae) Synonym(s): *semihyalina* Kollar,[1844]; *humeralis* Walker,1854; *argyrosipila* Walker,1863; *glaucopoides* Walker,1863; *atkinsoni* Moore,1879; *malayana* Roepke,1943
- 81822) *Trypanophora taprobanes* Walker,1854 (Zygaenidae) Synonym(s): *taprobanes* Walker,1854; *#traprobanes* Kirby,1892
- 81823) *Watermenia bifasciata* (Tremewan,1959) (Zygaenidae) Synonym(s): *bifasciata* Tremewan,1959
- 81824) *Zeuxippa catoxantha* (Hampson,1892) (Zygaenidae) Synonym(s): *catoxantha* Hampson,1892
- 81825) *Zeuxippa digitata* (Hampson,1919) (Zygaenidae) Synonym(s): *digitata* Hampson,1919
- 81826) *Zutulba namaqua* (Boisduval,1847) (Zygaenidae) Synonym(s): *namaqua* Boisduval,1847; *ampla* Walker,1854
- 81827) *Zutulba namaqua namaqua* (Boisduval,1847) (Zygaenidae) Synonym(s): *namaqua* Boisduval,1847; *ampla* Walker,1854
- 81828) *Zutulba namaqua zelleri* (Wallengren,1860) (Zygaenidae) Synonym(s): *zelleri* Wallengren,1860; *transversalis* Westwood,1889; *octo* Mabilie,1892
- 81829) *Zutulba ocellaris* (R.Felder & Rogenhofer,1874) (Zygaenidae) Synonym(s): *ocellaris* R.Felder & Rogenhofer,1874
- 81830) *Zygaena (Agrumenia) afghana* Moore,1859 (Zygaenidae) Synonym(s): *afghana* Moore,1859
- 81831) *Zygaena (Agrumenia) carniolica* (Scopoli,1763) (Zygaenidae) Synonym(s): *carniolica* Scopoli,1763
- 81832) *Zygaena (Agrumenia) carniolica achalzichensis* Reiss,1935 (Zygaenidae) Synonym(s): *achalzichensis* Reiss,1935
- 81833) *Zygaena (Agrumenia) carniolica amabilis* Reiss,1921 (Zygaenidae) Synonym(s): *amabilis* Reiss,1921
- 81834) *Zygaena (Agrumenia) carniolica amasina* Staudinger,1879 (Zygaenidae) Synonym(s): *amasina* Staudinger,1879
- 81835) *Zygaena (Agrumenia) carniolica antitaurica* Holik,1942 (Zygaenidae) Synonym(s): *antitaurica* Holik,1942
- 81836) *Zygaena (Agrumenia) carniolica ataturki* Tremewan,1970 (Zygaenidae) Synonym(s): *ataturki* Tremewan,1970
- 81837) *Zygaena (Agrumenia) carniolica demavendi* Holik,1936 (Zygaenidae) Synonym(s): *demavendi* Holik,1936; *vandarbanensis* Reiss,1938.
- 81838) *Zygaena (Agrumenia) carniolica eibesiana* Koch,1938 (Zygaenidae) Synonym(s): *eibesiana* Koch,1938
- 81839) *Zygaena (Agrumenia) carniolica europaea* Koch,1937 (Zygaenidae) Synonym(s): *europaea* Koch,1937
- 81840) *Zygaena (Agrumenia) carniolica illiterata* Koch,1938 (Zygaenidae) Synonym(s): *illiterata* Koch,1938
- 81841) *Zygaena (Agrumenia) carniolica incompta* Koch,1938 (Zygaenidae) Synonym(s): *incompta* Koch,1938
- 81842) *Zygaena (Agrumenia) carniolica nuratany* Burgeff,1926 (Zygaenidae) Synonym(s): *nuratany* Burgeff,1926
- 81843) *Zygaena (Agrumenia) carniolica ordubadina* Koch,1936 (Zygaenidae) Synonym(s): *ordubadina* Koch,1936
- 81844) *Zygaena (Agrumenia) carniolica praetans* Oberthür,1910 (Zygaenidae) Synonym(s): *praetans* Oberthür,1910
- 81845) *Zygaena (Agrumenia) carniolica rueckbeili* Sheljuzhko,1919 (Zygaenidae) Synonym(s): *rueckbeili* Sheljuzhko,1919
- 81846) *Zygaena (Agrumenia) carniolica siehei* Holik & Sheljuzhko,1956 (Zygaenidae) Synonym(s): *siehei* Holik & Sheljuzhko,1956
- 81847) *Zygaena (Agrumenia) carniolica suavis* Burgeff,1926 (Zygaenidae) Synonym(s): *suavis* Burgeff,1926
- 81848) *Zygaena (Agrumenia) carniolica taurica* Staudinger,1879 (Zygaenidae) Synonym(s): *taurica* Staudinger,1879
- 81849) *Zygaena (Agrumenia) carniolica tkatshukovi* Holik & Sheljuzhko,1956 (Zygaenidae) Synonym(s): *tkatshukovi* Holik & Sheljuzhko,1956
- 81850) *Zygaena (Agrumenia) carniolica tokatensis* Tremewan,1970 (Zygaenidae) Synonym(s): *tokatensis* Tremewan,1970
- 81851) *Zygaena (Agrumenia) carniolica transiens* Staudinger,1887 (Zygaenidae) Synonym(s): *transiens* Staudinger,1887
- 81852) *Zygaena (Agrumenia) carniolica wiedemannii* Ménétries,1832 (Zygaenidae) Synonym(s): *wiedemannii* Ménétries,1832
- 81853) *Zygaena (Agrumenia) cashmirensis* Kollar,[1848] (Zygaenidae) Synonym(s): *cashmirensis* Kollar,[1848]; *asoka* Moore,1879
- 81854) *Zygaena (Agrumenia) chirazica* Reiss,1938 (Zygaenidae) Synonym(s): *chirazica* Reiss,1938
- 81855) *Zygaena (Agrumenia) chirazica* Reiss,1938 (Zygaenidae) Synonym(s): *chirazica* Reiss,1938
- 81856) *Zygaena (Agrumenia) chirazica eckweileri* C.Naumann & S.Naumann,1980 (Zygaenidae) Synonym(s): *eckweileri* C.Naumann & S.Naumann,1980
- 81857) *Zygaena (Agrumenia) chirazica eckweileri* Naumann & Naumann,1980 (Zygaenidae) Synonym(s): *eckweileri* Naumann & Naumann,1980
- 81858) *Zygaena (Agrumenia) dsidsilia* Freyer,1852 (Zygaenidae) Synonym(s): *dsidsilia* Freyer,1852; *#tricolor* Reiss,1933
- 81859) *Zygaena (Agrumenia) erschoffi* Staudinger,1887 (Zygaenidae) Synonym(s): *erschoffi* Staudinger,1887
- 81860) *Zygaena (Agrumenia) erythrosoma* Hampson,1892 (Zygaenidae) Synonym(s): *erythrosoma* Hampson,1892
- 81861) *Zygaena (Agrumenia) escalera* Poujade,1900 (Zygaenidae) Synonym(s): *escalera* Poujade,1900
- 81862) *Zygaena (Agrumenia) escalera* Poujade,1900 (Zygaenidae) Synonym(s): *escalera* Poujade,1900
- 81863) *Zygaena (Agrumenia) escalera thomasorum* Naumann & Racheli,1978 (Zygaenidae) Synonym(s): *thomasorum* Naumann & Racheli,1978

- 81864) *Zygaena* (Agrumenia) *exulans* Reiner & Hohenwarth, 1792 (Zygaenidae) Synonym(s): *exulans* Reiner & Hohenwarth, 1792
- 81865) *Zygaena* (Agrumenia) *fausta* (Linnaeus, 1767) (Zygaenidae) Synonym(s): *fausta* Linnaeus, 1767
- 81866) *Zygaena* (Agrumenia) *formosa* Herrich-Schäffer, [1852] (Zygaenidae) Synonym(s): *formosa* Herrich-Schäffer, [1852]
- 81867) *Zygaena* (Agrumenia) *fraxini* Ménétériés, 1832 (Zygaenidae) Synonym(s): *fraxini* Ménétériés, 1832; *scovitzii* Ménétériés, 1832; *cingulata* Sheljuzhko, 1958
- 81868) *Zygaena* (Agrumenia) *fraxini* *fraxini* Ménétériés, 1832 (Zygaenidae) Synonym(s): *fraxini* Ménétériés, 1832; *scovitzii* Ménétériés, 1832; *cingulata* Sheljuzhko, 1958
- 81869) *Zygaena* (Agrumenia) *fraxini* *oribasus* Herrich-Schäffer, 1846 (Zygaenidae) Synonym(s): *oribasus* Herrich-Schäffer, 1846; *rognada* Boisduval, 1848; *oribasus* Frey, 1852
- 81870) *Zygaena* (Agrumenia) *fraxini* *perdita* Staudinger, 1887 (Zygaenidae) Synonym(s): *perdita* Staudinger, 1887
- 81871) *Zygaena* (Agrumenia) *fraxini* *slabyana* Reiss, 1965 (Zygaenidae) Synonym(s): *slabyana* Reiss, 1965
- 81872) *Zygaena* (Agrumenia) *haberhaueri* Lederer, 1870 (Zygaenidae) Synonym(s): *haberhaueri* Lederer, 1870
- 81873) *Zygaena* (Agrumenia) *haberhaueri* *elbursica* Tremewan, 1975 (Zygaenidae) Synonym(s): *elbursica* Tremewan, 1975
- 81874) *Zygaena* (Agrumenia) *haberhaueri* *haberhaueri* Lederer, 1870 (Zygaenidae) Synonym(s): *haberhaueri* Lederer, 1870
- 81875) *Zygaena* (Agrumenia) *hilaris* Ochsenheimer, 1808 (Zygaenidae) Synonym(s): *hilaris* Ochsenheimer, 1808
- 81876) *Zygaena* (Agrumenia) *laetifica* Herrich-Schäffer, [1846] (Zygaenidae) Synonym(s): *laetifica* Herrich-Schäffer, [1846]
- 81877) *Zygaena* (Agrumenia) *mangeri* Burgeff, 1927 (Zygaenidae) Synonym(s): *mangeri* Burgeff, 1927
- 81878) *Zygaena* (Agrumenia) *mangeri* *mangeri* Burgeff, 1927 (Zygaenidae) Synonym(s): *mangeri* Burgeff, 1927
- 81879) *Zygaena* (Agrumenia) *mangeri* *panjaica* Reiss & Schulte, 1964 (Zygaenidae) Synonym(s): *panjaica* Reiss & Schulte, 1964
- 81880) *Zygaena* (Agrumenia) *merzbacheri* Reiss, 1933 (Zygaenidae) Synonym(s): *merzbacheri* Reiss, 1933
- 81881) *Zygaena* (Agrumenia) *nuksanensis* Koch, 1937 (Zygaenidae) Synonym(s): *nuksanensis* Koch, 1937
- 81882) *Zygaena* (Agrumenia) *nuksanensis* *nuksanensis* Koch, 1937 (Zygaenidae) Synonym(s): *nuksanensis* Koch, 1937
- 81883) *Zygaena* (Agrumenia) *occitanica* (Villers, 1789) (Zygaenidae) Synonym(s): *occitanica* Villers, 1789
- 81884) *Zygaena* (Agrumenia) *olivieri* Boisduval, 1828 (Zygaenidae) Synonym(s): *olivieri* Boisduval, 1828
- 81885) *Zygaena* (Agrumenia) *omotoi* Reiss & Schulte, 1964 (Zygaenidae) Synonym(s): *omotoi* Reiss & Schulte, 1964
- 81886) *Zygaena* (Agrumenia) *optima* Reiss, 1939 (Zygaenidae) Synonym(s): *nobilis* Reiss, 1933 *nec* Navas, 1924; *optima* Reiss, 1939.
- 81887) *Zygaena* (Agrumenia) *orana* Duponchel, 1835 (Zygaenidae) Synonym(s): *orana* Duponchel, 1835
- 81888) *Zygaena* (Agrumenia) *peschmerga* Eckweiler & Görgner, 1981 (Zygaenidae) Synonym(s): *peschmerga* Eckweiler & Görgner, 1981.
- 81889) *Zygaena* (Agrumenia) *rosinae* Korb, 1903 (Zygaenidae) Synonym(s): *rosinae* Korb, 1903
- 81890) *Zygaena* (Agrumenia) *rosinae* *brandti* Reiss, 1937 (Zygaenidae) Synonym(s): *brandti* Reiss, 1937
- 81891) *Zygaena* (Agrumenia) *rosinae* *cyrus* Tremewan, 1975 (Zygaenidae) Synonym(s): *cyrus* Tremewan, 1975
- 81892) *Zygaena* (Agrumenia) *rosinae* *nissana* Reiss, 1937 (Zygaenidae) Synonym(s): *nissana* Reiss, 1937.
- 81893) *Zygaena* (Agrumenia) *rosinae* *rosinae* Korb, 1903 (Zygaenidae) Synonym(s): *rosinae* Korb, 1903
- 81894) *Zygaena* (Agrumenia) *rosinae* *tuerki* Koçak, 1986 (Zygaenidae) Synonym(s): *concinna* Holik & Sheljuzhko, 1956 *nec* Dalm., 1823; *tuerki* Koçak, 1986
- 81895) *Zygaena* (Agrumenia) *rothschildi* Reiss, 1930 (Zygaenidae) Synonym(s): *rothschildi* Reiss, 1930
- 81896) *Zygaena* (Agrumenia) *saadii* Reiss, 1938 (Zygaenidae) Synonym(s): *saadii* Reiss, 1938
- 81897) *Zygaena* (Agrumenia) *sedi* Fabricius, 1787 (Zygaenidae) Synonym(s): *sedi* Fabricius, 1787
- 81898) *Zygaena* (Agrumenia) *sedi* *expectata* T. Racheli, 1990 (Zygaenidae) Synonym(s): *expectata* T. Racheli, 1990
- 81899) *Zygaena* (Agrumenia) *sedi* *kocaki* S. Naumann & C. M. Naumann, 1980 (Zygaenidae) Synonym(s): *kocaki* S. Naumann & C. M. Naumann, 1980
- 81900) *Zygaena* (Agrumenia) *sedi* *roxana* S. Naumann & C. M. Naumann, 1980 (Zygaenidae) Synonym(s): *roxana* S. Naumann & C. M. Naumann, 1980
- 81901) *Zygaena* (Agrumenia) *sedi* *sedi* Fabricius, 1787 (Zygaenidae) Synonym(s): *sedi* Fabricius, 1787
- 81902) *Zygaena* (Agrumenia) *sedi* *slivenensis* Reiss, 1933 (Zygaenidae) Synonym(s): *slivenensis* Reiss, 1933
- 81903) *Zygaena* (Agrumenia) *sengana* Holik & Sheljuzhko, 1956 (Zygaenidae) Synonym(s): *sengana* Holik & Sheljuzhko, 1956
- 81904) *Zygaena* (Agrumenia) *sengana* *kermana* C. Naumann & S. Naumann, 1980 (Zygaenidae) Synonym(s): *kermana* C. Naumann & S. Naumann, 1980
- 81905) *Zygaena* (Agrumenia) *shivacola* Reiss & Schulte, 1962 (Zygaenidae) Synonym(s): *shivacola* Reiss & Schulte, 1962
- 81906) *Zygaena* (Agrumenia) *sogdiana* Erschoff, 1874 (Zygaenidae) Synonym(s): *sogdiana* Erschoff, 1874
- 81907) *Zygaena* (Agrumenia) *sogdiana* *altissima* Burgeff, 1914 (Zygaenidae) Synonym(s): *altissima* Burgeff, 1914
- 81908) *Zygaena* (Agrumenia) *sogdiana* *karatauensis* Holik & Sheljuzhko, 1956 (Zygaenidae) Synonym(s): *karatauensis* Holik & Sheljuzhko, 1956
- 81909) *Zygaena* (Agrumenia) *sogdiana* *margelanensis* Reiss, 1933 (Zygaenidae) Synonym(s): *margelanensis* Reiss, 1933
- 81910) *Zygaena* (Agrumenia) *sogdiana* *padshaatensis* Holik & Sheljuzhko, 1956 (Zygaenidae) Synonym(s): *padshaatensis* Holik & Sheljuzhko, 1956
- 81911) *Zygaena* (Agrumenia) *sogdiana* *separata* Staudinger, 1887 (Zygaenidae) Synonym(s): *separata* Staudinger, 1887
- 81912) *Zygaena* (Agrumenia) *sogdiana* *sogdiana* Erschoff, 1874 (Zygaenidae) Synonym(s): *sogdiana* Erschoff, 1874
- 81913) *Zygaena* (Agrumenia) *sogdiana* *talassinensis* Holik & Sheljuzhko, 1958 (Zygaenidae) Synonym(s): *talassica* Holik & Sheljuzhko, 1956 *nec* 1953; *talassinensis* Holik & Sheljuzhko, 1958
- 81914) *Zygaena* (Agrumenia) *sogdiana* *tshimganica* Holik, 1935 (Zygaenidae) Synonym(s): *tshimganica* Holik, 1935
- 81915) *Zygaena* (Agrumenia) *transpamirina* Koch, 1936 (Zygaenidae) Synonym(s): *transpamirina* Koch, 1936
- 81916) *Zygaena* (Agrumenia) *truchmena* Eversmann, 1854 (Zygaenidae) Synonym(s): *truchmena* Eversmann, 1854
- 81917) *Zygaena* (Agrumenia) *truchmena* *esseni* Blom, 1973 (Zygaenidae) Synonym(s): *esseni* Blom, 1973
- 81918) *Zygaena* (Mesembrynus) *adscharica* Reiss, 1935 (Zygaenidae) Synonym(s): *adscharica* Reiss, 1935
- 81919) *Zygaena* (Mesembrynus) *afghanica* Reiss, 1940 (Zygaenidae) Synonym(s): *afghanica* Reiss, 1940
- 81920) *Zygaena* (Mesembrynus) *aisha* Naumann & Naumann, 1980 (Zygaenidae) Synonym(s): *aisha* Naumann & Naumann, 1980
- 81921) *Zygaena* (Mesembrynus) *araratensis* Reiss, 1935 (Zygaenidae) Synonym(s): *araratensis* Reiss, 1935
- 81922) *Zygaena* (Mesembrynus) *araratensis* *lycaonica* Reiss, 1935 (Zygaenidae) Synonym(s): *lycaonica* Reiss, 1935
- 81923) *Zygaena* (Mesembrynus) *brizae* (Esper, 1800) (Zygaenidae) Synonym(s): *brizae* Esper, 1800
- 81924) *Zygaena* (Mesembrynus) *cacuminum* Christoph, 1877 (Zygaenidae) Synonym(s): *cacuminum* Christoph, 1877
- 81925) *Zygaena* (Mesembrynus) *cambysea* Lederer, 1870 (Zygaenidae) Synonym(s): *cambysea* Lederer, 1870
- 81926) *Zygaena* (Mesembrynus) *cambysea* *cambysea* Lederer, 1870 (Zygaenidae) Synonym(s): *cambysea* Lederer, 1870
- 81927) *Zygaena* (Mesembrynus) *cambysea* *hafis* Reiss, 1938 (Zygaenidae) Synonym(s): *hafis* Reiss, 1938; *farsica* Ebert, 1974.
- 81928) *Zygaena* (Mesembrynus) *cambysea* *rosacea* Romanoff, 1884 (Zygaenidae) Synonym(s): *rosacea* Romanoff, 1884
- 81929) *Zygaena* (Mesembrynus) *centaureae* Fischer v. Waldheim, 1832 (Zygaenidae) Synonym(s):
- 81930) *Zygaena* (Mesembrynus) *contaminei* Boisduval, 1834 (Zygaenidae) Synonym(s): *contaminei* Boisduval, 1834
- 81931) *Zygaena* (Mesembrynus) *corsica* Boisduval, 1828 (Zygaenidae) Synonym(s): *corsica* Boisduval, 1828
- 81932) *Zygaena* (Mesembrynus) *corycia* Staudinger, 1878 (Zygaenidae) Synonym(s): *corycia* Staudinger, 1878
- 81933) *Zygaena* (Mesembrynus) *cuvieri* Boisduval, 1828 (Zygaenidae) Synonym(s): *cuvieri* Boisduval, 1828
- 81934) *Zygaena* (Mesembrynus) *cuvieri* *achaltekkensis* Koch, 1937 (Zygaenidae) Synonym(s): *achaltekkensis* Koch, 1937
- 81935) *Zygaena* (Mesembrynus) *cuvieri* *cuvieri* Boisduval, 1828 (Zygaenidae) Synonym(s): *cuvieri* Boisduval, 1828
- 81936) *Zygaena* (Mesembrynus) *cuvieri* *libani* Burgeff, 1914 (Zygaenidae) Synonym(s): *libani* Burgeff, 1914
- 81937) *Zygaena* (Mesembrynus) *cuvieri* *melitensis* Koch, 1941 (Zygaenidae) Synonym(s): *melitensis* Koch, 1941
- 81938) *Zygaena* (Mesembrynus) *cuvieri* *okhtchaperdica* Reiss, 1941 (Zygaenidae) Synonym(s): *okhtchaperdica* Reiss, 1941
- 81939) *Zygaena* (Mesembrynus) *cynarae* (Esper, [1789]) (Zygaenidae) Synonym(s): *cynarae* Esper, [1789]
- 81940) *Zygaena* (Mesembrynus) *erythrurus* (Hübner, [1806]) (Zygaenidae) Synonym(s): *erythrurus* Hübner, [1806]
- 81941) *Zygaena* (Mesembrynus) *excellens* Reiss, 1940 (Zygaenidae) Synonym(s): *excellens* Reiss, 1940
- 81942) *Zygaena* (Mesembrynus) *fredi* Reiss, 1938 (Zygaenidae) Synonym(s): *fredi* Reiss, 1938
- 81943) *Zygaena* (Mesembrynus) *fredi* *fredi* Reiss, 1938 (Zygaenidae) Synonym(s): *fredi* Reiss, 1938
- 81944) *Zygaena* (Mesembrynus) *fredi* *syntopica* Hofmann & Tremewan, 2003 (Zygaenidae) Synonym(s): *syntopica* Hofmann & Tremewan, 2003
- 81945) *Zygaena* (Mesembrynus) *haematina* Kollar, [1849] (Zygaenidae) Synonym(s): *haematina* Kollar, [1849]
- 81946) *Zygaena* (Mesembrynus) *haematina* *aurora* Hofmann, 2000 (Zygaenidae) Synonym(s): *aurora* Hofmann, 2000
- 81947) *Zygaena* (Mesembrynus) *haematina* *firuzica* Reiss, 1981 (Zygaenidae) Synonym(s): *firuzica* Reiss, 1981
- 81948) *Zygaena* (Mesembrynus) *haematina* *fusca* Hofmann, 2000 (Zygaenidae) Synonym(s): *fusca* Hofmann, 2000
- 81949) *Zygaena* (Mesembrynus) *haematina* *haematina* Kollar, [1849] (Zygaenidae) Synonym(s): *haematina* Kollar, [1849]
- 81950) *Zygaena* (Mesembrynus) *haematina* *kordestani* Reiss, 1981 (Zygaenidae) Synonym(s): *kordestani* Reiss, 1981

- 81951) *Zygaena (Mesembrynus) haematina lorestanensis Hofmann & Klir, 2000* (Zygaenidae) Synonym(s): *lorestanensis Hofmann & Klir, 2000*
- 81952) *Zygaena (Mesembrynus) hindukuchi Koch, 1937* (Zygaenidae) Synonym(s): *hindukuchi Koch, 1937*
- 81953) *Zygaena (Mesembrynus) laeta (Hübner, 1790)* (Zygaenidae) Synonym(s): *laeta Hübner, 1790*
- 81954) *Zygaena (Mesembrynus) laeta akschehirensis Reiss, 1929* (Zygaenidae) Synonym(s): *akschehirensis Reiss, 1929*
- 81955) *Zygaena (Mesembrynus) laeta danieli Reiss, 1935* (Zygaenidae) Synonym(s): *danieli Reiss, 1935; laetissima Holik, 1935.*
- 81956) *Zygaena (Mesembrynus) laeta orientis Burgeff, 1926* (Zygaenidae) Synonym(s): *orientis Burgeff, 1926; #orientalis Bender, 1963*
- 81957) *Zygaena (Mesembrynus) lydia Staudinger, 1887* (Zygaenidae) Synonym(s): *lydia Staudinger, 1887*
- 81958) *Zygaena (Mesembrynus) lydia hadjinensis Reiss, 1933* (Zygaenidae) Synonym(s): *hadjinensis Reiss, 1933*
- 81959) *Zygaena (Mesembrynus) lydia lydia Staudinger, 1887* (Zygaenidae) Synonym(s): *lydia Staudinger, 1887*
- 81960) *Zygaena (Mesembrynus) lydia osmanica Wiegel, 1984* (Zygaenidae) Synonym(s): *osmanica Wiegel, 1984*
- 81961) *Zygaena (Mesembrynus) manlia Lederer, 1870* (Zygaenidae) Synonym(s): *manlia Lederer, 1870*
- 81962) *Zygaena (Mesembrynus) manlia aisha C.Naumann & S.Naumann, 1980* (Zygaenidae) Synonym(s): *aisha C.Naumann & S.Naumann, 1980*
- 81963) *Zygaena (Mesembrynus) manlia belutschistani Koch, 1941* (Zygaenidae) Synonym(s): *belutschistani Koch, 1941*
- 81964) *Zygaena (Mesembrynus) manlia isfahanica Tremewan, 1975* (Zygaenidae) Synonym(s): *isfahanica Tremewan, 1975*
- 81965) *Zygaena (Mesembrynus) manlia manlia Lederer, 1870* (Zygaenidae) Synonym(s): *manlia Lederer, 1870; schahrudensis Koch, 1941.*
- 81966) *Zygaena (Mesembrynus) manlia pjotri Hofmann, 1983* (Zygaenidae) Synonym(s): *pjotri Hofmann, 1983*
- 81967) *Zygaena (Mesembrynus) manlia turkmenica Reiss, 1933* (Zygaenidae) Synonym(s): *turkmenica Reiss, 1933*
- 81968) *Zygaena (Mesembrynus) minos (Denis & Schiffermüller, 1775)* (Zygaenidae) Synonym(s): *minos [Denis & Schiffermüller], 1775.*
- 81969) *Zygaena (Mesembrynus) minos alagezi Holik & Sheljuzhko, 1953* (Zygaenidae) Synonym(s): *alagezi Holik & Sheljuzhko, 1953*
- 81970) *Zygaena (Mesembrynus) minos alanyca Reiss & Reiss, 1972* (Zygaenidae) Synonym(s): *alanyca Reiss & Reiss, 1972*
- 81971) *Zygaena (Mesembrynus) minos anadoluica Tremewan, 1970* (Zygaenidae) Synonym(s): *anadoluica Tremewan, 1970*
- 81972) *Zygaena (Mesembrynus) minos clavigera Burgeff, 1914* (Zygaenidae) Synonym(s): *clavigera Burgeff, 1914*
- 81973) *Zygaena (Mesembrynus) minos dagestana Sheljuzhko, 1936* (Zygaenidae) Synonym(s): *dagestana Sheljuzhko, 1936*
- 81974) *Zygaena (Mesembrynus) minos diaphana Staudinger, 1887* (Zygaenidae) Synonym(s): *diaphana Staudinger, 1887*
- 81975) *Zygaena (Mesembrynus) minos ingens Burgeff, 1926* (Zygaenidae) Synonym(s): *ingens Burgeff, 1926*
- 81976) *Zygaena (Mesembrynus) minos persica Burgeff, 1926* (Zygaenidae) Synonym(s): *persica Burgeff, 1926*
- 81977) *Zygaena (Mesembrynus) minos pseudosmirnovi Reiss, 1941* (Zygaenidae) Synonym(s): *pseudosmirnovi Reiss, 1941*
- 81978) *Zygaena (Mesembrynus) minos rosea Burgeff, 1914* (Zygaenidae) Synonym(s): *rosea Burgeff, 1914*
- 81979) *Zygaena (Mesembrynus) minos sareptensis Rebel, 1901* (Zygaenidae) Synonym(s): *sareptensis Rebel, 1901*
- 81980) *Zygaena (Mesembrynus) minos smirnovi Christoph, 1884* (Zygaenidae) Synonym(s): *smirnovi Christoph, 1884*
- 81981) *Zygaena (Mesembrynus) minos tatvanica Reiss & Reiss, 1973* (Zygaenidae) Synonym(s): *tatvanica Reiss & Reiss, 1973*
- 81982) *Zygaena (Mesembrynus) nocturna Ebert, 1974* (Zygaenidae) Synonym(s): *nocturna Ebert, 1974*
- 81983) *Zygaena (Mesembrynus) nocturna meinekei Hofmann & Tremewan, 2003* (Zygaenidae) Synonym(s): *meinekei Hofmann & Tremewan, 2003*
- 81984) *Zygaena (Mesembrynus) nocturna nocturna Ebert, 1974* (Zygaenidae) Synonym(s): *nocturna Ebert, 1974*
- 81985) *Zygaena (Mesembrynus) punctum Ochsenheimer, 1808* (Zygaenidae) Synonym(s): *punctum Ochsenheimer, 1808*
- 81986) *Zygaena (Mesembrynus) punctum anatoliensis Reiss, 1929* (Zygaenidae) Synonym(s): *anatoliensis Reiss, 1929*
- 81987) *Zygaena (Mesembrynus) punctum athenae Reiss, 1962* (Zygaenidae) Synonym(s): *athenae Reiss, 1962*
- 81988) *Zygaena (Mesembrynus) punctum chersonesica Reiss, 1941* (Zygaenidae) Synonym(s): *chersonesica Reiss, 1941*
- 81989) *Zygaena (Mesembrynus) punctum dalmatina Boisduval, 1834* (Zygaenidae) Synonym(s): *dalmatina Boisduval, 1834*
- 81990) *Zygaena (Mesembrynus) punctum dystrepta Fischer-Waldheim, 1832* (Zygaenidae) Synonym(s): *dystrepta Fischer-Waldheim, 1832*
- 81991) *Zygaena (Mesembrynus) punctum excelsior Verity, 1930* (Zygaenidae) Synonym(s): *excelsior Verity, 1930*
- 81992) *Zygaena (Mesembrynus) punctum faitensis Stauder, 1929* (Zygaenidae) Synonym(s): *faitensis Stauder, 1929*
- 81993) *Zygaena (Mesembrynus) punctum isaszeghensis Reiss, 1929* (Zygaenidae) Synonym(s): *isaszeghensis Reiss, 1929*
- 81994) *Zygaena (Mesembrynus) punctum itala Burgeff, 1926* (Zygaenidae) Synonym(s): *itala Burgeff, 1926; italica Rebel, 1901 nec Caradj., 1895*
- 81995) *Zygaena (Mesembrynus) punctum italaparva Verity, 1930* (Zygaenidae) Synonym(s): *italaparva Verity, 1930*
- 81996) *Zygaena (Mesembrynus) punctum kalavrytica Reiss, 1962* (Zygaenidae) Synonym(s): *kalavrytica Reiss, 1962*
- 81997) *Zygaena (Mesembrynus) punctum kefersteini Herrich-Schäffer, 1846* (Zygaenidae) Synonym(s): *kefersteini Herrich-Schäffer, 1846*
- 81998) *Zygaena (Mesembrynus) punctum kolbi Reiss, 1933* (Zygaenidae) Synonym(s): *kolbi Reiss, 1933*
- 81999) *Zygaena (Mesembrynus) punctum kremkyi Holik, 1939* (Zygaenidae) Synonym(s): *kremkyi Holik, 1939*
- 82000) *Zygaena (Mesembrynus) punctum ledereri Rambur, 1866* (Zygaenidae) Synonym(s): *ledereri Rambur, 1866; contameneoides Staudinger, 1871*
- 82001) *Zygaena (Mesembrynus) punctum malatina Dziurzynski, 1902* (Zygaenidae) Synonym(s): *malatina Dziurzynski, 1902*
- 82002) *Zygaena (Mesembrynus) punctum punctum Ochsenheimer, 1808* (Zygaenidae) Synonym(s): *punctum Ochsenheimer, 1808*
- 82003) *Zygaena (Mesembrynus) punctum rhodosica Reiss, 1962* (Zygaenidae) Synonym(s): *rhodosica Reiss, 1962*
- 82004) *Zygaena (Mesembrynus) punctum scupensis Koch, 1942* (Zygaenidae) Synonym(s): *scupensis Koch, 1942*
- 82005) *Zygaena (Mesembrynus) punctum vanica Reiss & Reiss, 1973* (Zygaenidae) Synonym(s): *vanica Reiss & Reiss, 1973*
- 82006) *Zygaena (Mesembrynus) punctum zangherii Dujardin, 1965* (Zygaenidae) Synonym(s): *zangherii Dujardin, 1965*
- 82007) *Zygaena (Mesembrynus) purpuralis (Brünnich, 1763)* (Zygaenidae) Synonym(s): *purpuralis Brünnich, 1763; pythia Fabricius, 1777; scabiosae Scheven, 1777; pilosellae Esper, 1780; pluto Ochsenheimer, 1808; pasiphae Meigen, [1829]; tatvanica Reiss & Reiss, 1973.*
- 82008) *Zygaena (Mesembrynus) purpuralis agridaghi Holik, 1941* (Zygaenidae) Synonym(s): *agridaghi Holik, 1941*
- 82009) *Zygaena (Mesembrynus) purpuralis barthai Reiss, 1929* (Zygaenidae) Synonym(s): *barthai Reiss, 1929*
- 82010) *Zygaena (Mesembrynus) purpuralis chamurli Koch, 1934* (Zygaenidae) Synonym(s): *chamurli Koch, 1934*
- 82011) *Zygaena (Mesembrynus) purpuralis chatiparae Sheljuzhko, 1936* (Zygaenidae) Synonym(s): *chatiparae Sheljuzhko, 1936*
- 82012) *Zygaena (Mesembrynus) purpuralis kasakstana Holik, 1939* (Zygaenidae) Synonym(s): *kasakstana Holik, 1939*
- 82013) *Zygaena (Mesembrynus) purpuralis martirosensis Koch, 1942* (Zygaenidae) Synonym(s): *martirosensis Koch, 1942*
- 82014) *Zygaena (Mesembrynus) purpuralis naryna Burgeff, 1926* (Zygaenidae) Synonym(s): *naryna Burgeff, 1926*
- 82015) *Zygaena (Mesembrynus) purpuralis pseudodiaphana Tremewan, 1958* (Zygaenidae) Synonym(s): *pseudodiaphana Tremewan, 1958*
- 82016) *Zygaena (Mesembrynus) purpuralis strandiana Sheljuzhko, 1936* (Zygaenidae) Synonym(s): *strandiana Sheljuzhko, 1936*
- 82017) *Zygaena (Mesembrynus) purpuralis sultanbeki Holik, 1941* (Zygaenidae) Synonym(s): *sultanbeki Holik, 1941*
- 82018) *Zygaena (Mesembrynus) purpuralis tianschanica Burgeff, 1926* (Zygaenidae) Synonym(s): *tianschanica Burgeff, 1926*
- 82019) *Zygaena (Mesembrynus) purpuralis tirabzona Sheljuzhko, 1936* (Zygaenidae) Synonym(s): *tirabzona Sheljuzhko, 1936*
- 82020) *Zygaena (Mesembrynus) purpuralis villosa Burgeff, 1914* (Zygaenidae) Synonym(s): *villosa Burgeff, 1914*
- 82021) *Zygaena (Mesembrynus) purpuralis zangezuri Holik & Sheljuzhko, 1953* (Zygaenidae) Synonym(s): *zangezuri Holik & Sheljuzhko, 1953*
- 82022) *Zygaena (Mesembrynus) rubicundus (Hübner, [1817])* (Zygaenidae) Synonym(s):
- 82023) *Zygaena (Mesembrynus) rubricollis Hampson, 1900* (Zygaenidae) Synonym(s): *rubicollis Hampson, 1900*
- 82024) *Zygaena (Mesembrynus) rubricollis araxis Koch, 1936* (Zygaenidae) Synonym(s): *araxis Koch, 1936*
- 82025) *Zygaena (Mesembrynus) rubricollis askarii Tremewan, 1975* (Zygaenidae) Synonym(s): *askarii Tremewan, 1975*
- 82026) *Zygaena (Mesembrynus) rubricollis daralagezica Holik & Sheljuzhko, 1955* (Zygaenidae) Synonym(s): *daralagezica Holik & Sheljuzhko, 1955*
- 82027) *Zygaena (Mesembrynus) rubricollis escaleraiana Holik, 1958* (Zygaenidae) Synonym(s): *escaleraiana Holik, 1958*
- 82028) *Zygaena (Mesembrynus) rubricollis ginnereissi Hofmann, 2000* (Zygaenidae) Synonym(s): *ginnereissi Hofmann, 2000*
- 82029) *Zygaena (Mesembrynus) rubricollis kermanensis Tremewan, 1975* (Zygaenidae) Synonym(s): *kermanensis Tremewan, 1975*
- 82030) *Zygaena (Mesembrynus) rubricollis kurdi Görgner & Hofmann, 1982* (Zygaenidae) Synonym(s): *kurdi Görgner & Hofmann, 1982*
- 82031) *Zygaena (Mesembrynus) rubricollis qashqai Tremewan, 1975* (Zygaenidae) Synonym(s): *qashqai Tremewan, 1975*
- 82032) *Zygaena (Mesembrynus) rubricollis rubricollis Hampson, 1900* (Zygaenidae) Synonym(s): *rubicollis Hampson, 1900*
- 82033) *Zygaena (Mesembrynus) rubricollis taftanica Reiss, 1960* (Zygaenidae) Synonym(s): *taftanica Reiss, 1960*
- 82034) *Zygaena (Mesembrynus) rubricollis tenhageni Hofmann & Tremewan, 2003* (Zygaenidae) Synonym(s): *tenhageni Hofmann & Tremewan, 2003*
- 82035) *Zygaena (Mesembrynus) sarpedon (Hübner, 1790)* (Zygaenidae) Synonym(s): *sarpedon Hübner, 1790; trimaculata Esper, [1794]*
- 82036) *Zygaena (Mesembrynus) seitzii Reiss, 1938* (Zygaenidae) Synonym(s): *seitzii Reiss, 1938*
- 82037) *Zygaena (Mesembrynus) seitzii nocturna Ebert, 1974* (Zygaenidae) Synonym(s): *nocturna Ebert, 1974*
- 82038) *Zygaena (Mesembrynus) seitzii seitzii Reiss, 1938* (Zygaenidae) Synonym(s): *seitzii Reiss, 1938*
- 82039) *Zygaena (Mesembrynus) speciosa Reiss, 1937* (Zygaenidae) Synonym(s): *speciosa Reiss, 1937; #suleimanicola Reiss, 1938.*

- 82040) *Zygaena* (*Mesembrynus*) *superba* Reiss & Schulte, 1964 (*Zygaenidae*) Synonym(s): *superba* Reiss & Schulte, 1964
- 82041) *Zygaena* (*Mesembrynus*) *tamara* Christoph, 1889 (*Zygaenidae*) Synonym(s): *tamara* Christoph, 1889
- 82042) *Zygaena* (*Mesembrynus*) *tamara daralagezi* Holik & Sheljuzhko, 1955 (*Zygaenidae*) Synonym(s): *daralagezi* Holik & Sheljuzhko, 1955
- 82043) *Zygaena* (*Mesembrynus*) *tamara fahima* Naumann & Naumann, 1980 (*Zygaenidae*) Synonym(s): *fahima* Naumann & Naumann, 1980
- 82044) *Zygaena* (*Mesembrynus*) *tamara kendevarica* Tremewan, 1977 (*Zygaenidae*) Synonym(s): *kendevarica* Tremewan, 1977
- 82045) *Zygaena* (*Mesembrynus*) *tamara kerendica* Reiss, 1987 (*Zygaenidae*) Synonym(s): *kerendica* Reiss, 1987
- 82046) *Zygaena* (*Mesembrynus*) *tamara mahabadica* Reiss, 1978 (*Zygaenidae*) Synonym(s): *mahabadica* Reiss, 1978
- 82047) *Zygaena* (*Mesembrynus*) *tamara ochtsii* Koch, 1940 (*Zygaenidae*) Synonym(s): *ochtsii* Koch, 1940
- 82048) *Zygaena* (*Mesembrynus*) *tamara placida* Bang-Haas, 1913 (*Zygaenidae*) Synonym(s): *placida* Bang-Haas, 1913
- 82049) *Zygaena* (*Mesembrynus*) *tamara tamara* Christoph, 1889 (*Zygaenidae*) Synonym(s): *tamara* Christoph, 1889
- 82050) *Zygaena* (s.str.) *amanica* Reiss, 1935 (*Zygaenidae*) Synonym(s): *amanica* Reiss, 1935
- 82051) *Zygaena* (s.str.) *angelicae* Ochseneimer, 1808 (*Zygaenidae*) Synonym(s): *angelicae* Ochseneimer, 1808
- 82052) *Zygaena* (s.str.) *anthyllidis* Boisduval, 1828 (*Zygaenidae*) Synonym(s): *anthyllidis* Boisduval, 1828; *erebus* Meigen, 1829; *anthyllidis* Freyer, 1842
- 82053) *Zygaena* (s.str.) *araratica* Staudinger, 1871 (*Zygaenidae*) Synonym(s): *araratica* Staudinger, 1871
- 82054) *Zygaena* (s.str.) *armena* Eversmann, 1851 (*Zygaenidae*) Synonym(s): *armena* Eversmann, 1851
- 82055) *Zygaena* (s.str.) *christa* Reiss & Schulte, 1967 (*Zygaenidae*) Synonym(s): *christa* Reiss & Schulte, 1967
- 82056) *Zygaena* (s.str.) *dorycnii* Ochseneimer, 1808 (*Zygaenidae*) Synonym(s): *dorycnii* Ochseneimer, 1808
- 82057) *Zygaena* (s.str.) *dorycnii dorycnii* Ochseneimer, 1808 (*Zygaenidae*) Synonym(s): *dorycnii* Ochseneimer, 1808
- 82058) *Zygaena* (s.str.) *dorycnii grusica* Reiss, 1936 (*Zygaenidae*) Synonym(s): *grusica* Reiss, 1936
- 82059) *Zygaena* (s.str.) *dorycnii karabaghensis* Holik & Sheljuzhko, 1958 (*Zygaenidae*) Synonym(s): *karabaghensis* Holik & Sheljuzhko, 1958
- 82060) *Zygaena* (s.str.) *dorycnii keredjensis* Reiss, 1937 (*Zygaenidae*) Synonym(s): *keredjensis* Reiss, 1937; *hasankifensis* Reiss, 1938.
- 82061) *Zygaena* (s.str.) *dorycnii kertshensis* Obratsov, 1935 (*Zygaenidae*) Synonym(s): *crimea* Burgeff, 1926 nec Sidr., 1925; *kertshensis* Obratsov, 1935
- 82062) *Zygaena* (s.str.) *dorycnii korbiana* Reiss, 1935 (*Zygaenidae*) Synonym(s): *korbiana* Reiss, 1935
- 82063) *Zygaena* (s.str.) *dorycnii kubana* Holik & Sheljuzhko, 1958 (*Zygaenidae*) Synonym(s): *kubana* Holik & Sheljuzhko, 1958
- 82064) *Zygaena* (s.str.) *dorycnii ochtsiensis* Holik & Sheljuzhko, 1958 (*Zygaenidae*) Synonym(s): *ochtsiensis* Holik & Sheljuzhko, 1958
- 82065) *Zygaena* (s.str.) *dorycnii teberdensis* Reiss, 1936 (*Zygaenidae*) Synonym(s): *teberdensis* Reiss, 1936
- 82066) *Zygaena* (s.str.) *dorycnii wagneriana* Reiss, 1929 (*Zygaenidae*) Synonym(s): *wagneriana* Reiss, 1929
- 82067) *Zygaena* (s.str.) *ecki* Christoph, 1882 (*Zygaenidae*) Synonym(s): *ecki* Christoph, 1882
- 82068) *Zygaena* (s.str.) *ecki schwingenschussi* Reiss, 1937 (*Zygaenidae*) Synonym(s): *schwingenschussi* Reiss, 1937.
- 82069) *Zygaena* (s.str.) *epialtes* (Linnaeus, 1767) (*Zygaenidae*) Synonym(s): *epialtes* Linnaeus, 1767; *scheveni* Oberthür, 1910; *esperii* Oberthür, 1910; *unipunctata* Vorbrodt, 1913; *valesiaca* Burgeff, 1914; *herrichschaefferi* Burgeff, 1914
- 82070) *Zygaena* (s.str.) *epialtes albaflavens* Verity, 1920 (*Zygaenidae*) Synonym(s): *albaflavens* Verity, 1920
- 82071) *Zygaena* (s.str.) *epialtes albarubens* Verity, 1946 (*Zygaenidae*) Synonym(s): *albarubens* Verity, 1946
- 82072) *Zygaena* (s.str.) *epialtes antiqua* Slaby, 1953 (*Zygaenidae*) Synonym(s): *antiqua* Slaby, 1953
- 82073) *Zygaena* (s.str.) *epialtes athamanthae* (Esper, 1789) (*Zygaenidae*) Synonym(s): *athamanthae* Esper, 1789; *veronicae* Borkhausen, 1789
- 82074) *Zygaena* (s.str.) *epialtes baltica* Holik, 1937 (*Zygaenidae*) Synonym(s): *baltica* Holik, 1937
- 82075) *Zygaena* (s.str.) *epialtes bohemica* Reiss, 1922 (*Zygaenidae*) Synonym(s): *bohemica* Reiss, 1922
- 82076) *Zygaena* (s.str.) *epialtes borealis* Burgeff, 1914 (*Zygaenidae*) Synonym(s): *borealis* Burgeff, 1914
- 82077) *Zygaena* (s.str.) *epialtes chalkidicae* Holik, 1937 (*Zygaenidae*) Synonym(s): *chalkidicae* Holik, 1937
- 82078) *Zygaena* (s.str.) *epialtes chremisa* Koch, 1940 (*Zygaenidae*) Synonym(s): *chremisa* Koch, 1940
- 82079) *Zygaena* (s.str.) *epialtes coronillae* ([Denis & Schiffermüller], 1775) (*Zygaenidae*) Synonym(s): *#coronillae* [Denis & Schiffermüller], 1775; *falcatae* [Denis & Schiffermüller], 1775; *aeacus* [Denis & Schiffermüller], 1775; *schafferi* Scheven, 1777; *trigonellae* Esper, 1783; *icterica* Lederer, 1853;
- 82080) *Zygaena* (s.str.) *epialtes danaetriensis* Holik, 1939 (*Zygaenidae*) Synonym(s): *danaetriensis* Holik, 1939
- 82081) *Zygaena* (s.str.) *epialtes epialtes* (Linnaeus, 1767) (*Zygaenidae*) Synonym(s): *epialtes* Linnaeus, 1767
- 82082) *Zygaena* (s.str.) *epialtes fatrica* Holik, 1937 (*Zygaenidae*) Synonym(s): *fattrica* Holik, 1937
- 82083) *Zygaena* (s.str.) *epialtes galgocensis* Koch, 1940 (*Zygaenidae*) Synonym(s): *galgocensis* Koch, 1940
- 82084) *Zygaena* (s.str.) *epialtes istoki* Silbernagel, 1944 (*Zygaenidae*) Synonym(s): *istoki* Silbernagel, 1944
- 82085) *Zygaena* (s.str.) *epialtes kiewensis* Reiss, 1932 (*Zygaenidae*) Synonym(s): *kiewensis* Reiss, 1932
- 82086) *Zygaena* (s.str.) *epialtes ligus* Verity, 1946 (*Zygaenidae*) Synonym(s): *ligus* Verity, 1946
- 82087) *Zygaena* (s.str.) *epialtes lurica* Dujardin, 1965 (*Zygaenidae*) Synonym(s): *lurica* Dujardin, 1965
- 82088) *Zygaena* (s.str.) *epialtes medusa* (Pallas, 1771) (*Zygaenidae*) Synonym(s): *medusa* Pallas, 1771
- 82089) *Zygaena* (s.str.) *epialtes meridiei* Burgeff, 1914 (*Zygaenidae*) Synonym(s): *meridionalis* Burgeff, 1914 nec Obth., 1911; *meridiei* Burgeff, 1914
- 82090) *Zygaena* (s.str.) *epialtes pannonica* Holik, 1937 (*Zygaenidae*) Synonym(s): *pannonica* Holik, 1937; *#paradisiae* Reipich, 1960
- 82091) *Zygaena* (s.str.) *epialtes peucedani* (Esper, 1781) (*Zygaenidae*) Synonym(s): *peucedani* Esper, 1781
- 82092) *Zygaena* (s.str.) *epialtes podolica* Holik, 1932 (*Zygaenidae*) Synonym(s): *podolica* Holik, 1932
- 82093) *Zygaena* (s.str.) *epialtes praegracilis* Koch, 1940 (*Zygaenidae*) Synonym(s): *praegracilis* Koch, 1940
- 82094) *Zygaena* (s.str.) *epialtes retesati* Holik, 1948 (*Zygaenidae*) Synonym(s): *retesati* Holik, 1948
- 82095) *Zygaena* (s.str.) *epialtes roussilloni* Koch, 1940 (*Zygaenidae*) Synonym(s): *roussilloni* Koch, 1940
- 82096) *Zygaena* (s.str.) *epialtes rubens* Verity, 1946 (*Zygaenidae*) Synonym(s): *rubens* Verity, 1946
- 82097) *Zygaena* (s.str.) *epialtes rudolfi* Koch, 1940 (*Zygaenidae*) Synonym(s): *rudolfi* Koch, 1940
- 82098) *Zygaena* (s.str.) *epialtes semimixta* Povolny & Gregor, 1946 (*Zygaenidae*) Synonym(s): *semimixta* Povolny & Gregor, 1946
- 82099) *Zygaena* (s.str.) *epialtes slabyi* Reiss & Tremewan, 1964 (*Zygaenidae*) Synonym(s): *montana* Slaby, 1953 nec Roth., 1925; *slabyi* Reiss & Tremewan, 1964
- 82100) *Zygaena* (s.str.) *epialtes strandi* Obratsov, 1936 (*Zygaenidae*) Synonym(s): *strandii* Obratsov, 1936
- 82101) *Zygaena* (s.str.) *epialtes styria* Burgeff, 1914 (*Zygaenidae*) Synonym(s): *styria* Burgeff, 1914
- 82102) *Zygaena* (s.str.) *epialtes tambovensis* Holik & Sheljuzhko, 1953 (*Zygaenidae*) Synonym(s): *tambovensis* Holik & Sheljuzhko, 1953
- 82103) *Zygaena* (s.str.) *epialtes taurida* Holik & Sheljuzhko, 1953 (*Zygaenidae*) Synonym(s): *taurida* Holik & Sheljuzhko, 1953
- 82104) *Zygaena* (s.str.) *epialtes transpadana* Verity, 1946 (*Zygaenidae*) Synonym(s): *transpadana* Verity, 1946
- 82105) *Zygaena* (s.str.) *epialtes tymphrestica* Holik, 1948 (*Zygaenidae*) Synonym(s): *tymphrestica* Holik, 1948
- 82106) *Zygaena* (s.str.) *epialtes vardarica* Daniel, 1957 (*Zygaenidae*) Synonym(s): *vardarica* Daniel, 1957
- 82107) *Zygaena* (s.str.) *exulans* (Hohenwarth, 1792) (*Zygaenidae*) Synonym(s): *exulans* Hohenwarth, 1792; *altaretensis* Le Charles, 1942; *alpigena* Le Charles, 1942; *#nivicola* Le Charles, 1942; *bourgognei* Le Charles, 1942; *stenostigma* Dujardin, 1956
- 82108) *Zygaena* (s.str.) *filipendulae* (Linnaeus, 1758) (*Zygaenidae*) Synonym(s): *filipendulae* Linnaeus, 1758; *aries* Retzius, 1783
- 82109) *Zygaena* (s.str.) *filipendulae akdaghi* Holik & Sheljuzhko, 1958 (*Zygaenidae*) Synonym(s): *akdaghi* Holik & Sheljuzhko, 1958
- 82110) *Zygaena* (s.str.) *filipendulae anodolitica* Reiss, 1929 (*Zygaenidae*) Synonym(s): *anodolitica* Reiss, 1929
- 82111) *Zygaena* (s.str.) *filipendulae borzhomensis* Sheljuzhko, 1936 (*Zygaenidae*) Synonym(s): *borzhomensis* Sheljuzhko, 1936
- 82112) *Zygaena* (s.str.) *filipendulae daghana* Holik & Sheljuzhko, 1958 (*Zygaenidae*) Synonym(s): *daghana* Holik & Sheljuzhko, 1958
- 82113) *Zygaena* (s.str.) *filipendulae hadjina* Rebel, 1901 (*Zygaenidae*) Synonym(s): *hadjina* Rebel, 1901
- 82114) *Zygaena* (s.str.) *filipendulae karsiana* Sheljuzhko, 1936 (*Zygaenidae*) Synonym(s): *karsiana* Sheljuzhko, 1936
- 82115) *Zygaena* (s.str.) *filipendulae kulpiensis* Reiss, 1935 (*Zygaenidae*) Synonym(s): *kulpiensis* Reiss, 1935
- 82116) *Zygaena* (s.str.) *filipendulae schuberti* Reiss & Reiss, 1973 (*Zygaenidae*) Synonym(s): *schuberti* Reiss & Reiss, 1973
- 82117) *Zygaena* (s.str.) *filipendulae superflua* Tremewan, 1970 (*Zygaenidae*) Synonym(s): *superflua* Tremewan, 1970
- 82118) *Zygaena* (s.str.) *filipendulae syriaca* Oberthür, 1896 (*Zygaenidae*) Synonym(s): *syriaca* Oberthür, 1896; *#inquinemaculata* Oberthür, 1896; *#confluens* Oberthür, 1896
- 82119) *Zygaena* (s.str.) *filipendulae tirabzonica* Koch, 1942 (*Zygaenidae*) Synonym(s): *tirabzonica* Koch, 1942
- 82120) *Zygaena* (s.str.) *filipendulae zangezurica* Holik & Sheljuzhko, 1958 (*Zygaenidae*) Synonym(s): *zangezurica* Holik & Sheljuzhko, 1958
- 82121) *Zygaena* (s.str.) *graslini* Lederer, 1855 (*Zygaenidae*) Synonym(s): *graslini* Lederer, 1855
- 82122) *Zygaena* (s.str.) *huguenini* Staudinger, 1887 (*Zygaenidae*) Synonym(s): *huguenini* Staudinger, 1887
- 82123) *Zygaena* (s.str.) *ignifera* Korb, 1897 (*Zygaenidae*) Synonym(s): *ignifera* Korb, 1897

- 82124) *Zygaena* (s.str.) *lavandulae* (Esper,1783) (Zygaenidae) Synonym(s): *lavandulae* Esper,1783; *lavandulae* Fabricius,1793; *spicae* Hübner,1796; *altalavandulae* Reiss,1953; *lecharlesi* Bernardi & Viette,1959; *eucyanea* Dujardin,1969
- 82125) *Zygaena* (s.str.) *lonicerae* (Scheven,1777) (Zygaenidae) Synonym(s): *lonicerae* Scheven,1777; *graminis* Villers,1789; *rechei* Dujardin,1965; *microdoxa* Dujardin,1965
- 82126) *Zygaena* (s.str.) *lonicerae* *abbastumana* Reiss,1922 (Zygaenidae) Synonym(s): *abbastumana* Reiss,1922
- 82127) *Zygaena* (s.str.) *lonicerae* *abchasica* Holik & Sheljuzhko,1958 (Zygaenidae) Synonym(s): *abchasica* Holik & Sheljuzhko,1958
- 82128) *Zygaena* (s.str.) *lonicerae* *achalcea* Burgeff,1926 (Zygaenidae) Synonym(s): *achalcea* Burgeff,1926
- 82129) *Zygaena* (s.str.) *lonicerae* *nachitshevanica* Holik,1937 (Zygaenidae) Synonym(s): *nachitshevanica* Holik,1937
- 82130) *Zygaena* (s.str.) *lonicerae* *natolica* Reiss,1929 (Zygaenidae) Synonym(s): *natolica* Reiss,1929
- 82131) *Zygaena* (s.str.) *lonicerae* *sarykamysheensis* Holik & Sheljuzhko,1958 (Zygaenidae) Synonym(s): *sarykamysheensis* Holik & Sheljuzhko,1958
- 82132) *Zygaena* (s.str.) *loti* ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777
- 82133) *Zygaena* (s.str.) *loti* *aktashi* Koch,1936 (Zygaenidae) Synonym(s): *aktashi* Koch,1936
- 82134) *Zygaena* (s.str.) *loti* *anatolica* Burgeff,1926 (Zygaenidae) Synonym(s): *anatolica* Burgeff,1926
- 82135) *Zygaena* (s.str.) *loti* *antiochena* Staudinger,1887 (Zygaenidae) Synonym(s): *antiochena* Staudinger,1887
- 82136) *Zygaena* (s.str.) *loti* *beynamensis* Tremewan,1970 (Zygaenidae) Synonym(s): *beynamensis* Tremewan,1970
- 82137) *Zygaena* (s.str.) *loti* *erivanensis* Reiss,1935 (Zygaenidae) Synonym(s): *erivanensis* Reiss,1935
- 82138) *Zygaena* (s.str.) *loti* *latifa* C.Naumann & S.Naumann,1977 (Zygaenidae) Synonym(s): *latifa* C.Naumann & S.Naumann,1977
- 82139) *Zygaena* (s.str.) *loti* *phoenicea* Staudinger,1887 (Zygaenidae) Synonym(s): *phoenicea* Staudinger,1887
- 82140) *Zygaena* (s.str.) *loti* *pontica* Holik & Sheljuzhko,1955 (Zygaenidae) Synonym(s): *pontica* Holik & Sheljuzhko,1955
- 82141) *Zygaena* (s.str.) *loti* *senilis* Burgeff,1914 (Zygaenidae) Synonym(s): *senilis* Burgeff,1914
- 82142) *Zygaena* (s.str.) *loti* *suleimanica* Reiss,1937 (Zygaenidae) Synonym(s): *suleimanica* Reiss,1937
- 82143) *Zygaena* (s.str.) *loti* *tatvanensis* H.Reiss & G.Reiss,1973 (Zygaenidae) Synonym(s): *tatvanensis* H.Reiss & G.Reiss,1973
- 82144) *Zygaena* (s.str.) *naumanni* Hille & Keil,1999 (Zygaenidae) Synonym(s): *naumanni* Hille & Keil,1999
- 82145) *Zygaena* (s.str.) *nevadensis* Rambur,1858 (Zygaenidae) Synonym(s): *nevadensis* Rambur,1858
- 82146) *Zygaena* (s.str.) *osterodensis* Reiss,1921 (Zygaenidae) Synonym(s): *osterodensis* Reiss,1921
- 82147) *Zygaena* (s.str.) *osterodensis* *bitlisica* Reiss,1976 (Zygaenidae) Synonym(s): *bitlisica* Reiss,1976
- 82148) *Zygaena* (s.str.) *osterodensis* *ikizderica* Reiss & Reiss (Zygaenidae) Synonym(s): *ikizderica* Reiss & Reiss
- 82149) *Zygaena* (s.str.) *oxytropis* Boisduval,1828 (Zygaenidae) Synonym(s): *oxytropis* Boisduval,1828
- 82150) *Zygaena* (s.str.) *problematica* Naumann,1966 (Zygaenidae) Synonym(s): *problematica* Naumann,1966
- 82151) *Zygaena* (s.str.) *ramburii* Herrich-Schäffer,1861 (Zygaenidae) Synonym(s): *ramburii* Herrich-Schäffer,1861; *ramburi* Lederer,1861
- 82152) *Zygaena* (s.str.) *ramburii* *europensis* Daniel,1957 (Zygaenidae) Synonym(s): *europensis* Daniel,1957
- 82153) *Zygaena* (s.str.) *ramburii* *helmosica* Reiss,1962 (Zygaenidae) Synonym(s): *helmosica* Reiss,1962
- 82154) *Zygaena* (s.str.) *ramburii* *mersina* Herrich-Schäffer,1861 (Zygaenidae) Synonym(s): *mersina* Herrich-Schäffer,1861
- 82155) *Zygaena* (s.str.) *ramburii* *noacki* Reiss,1962 (Zygaenidae) Synonym(s): *noacki* Reiss,1962
- 82156) *Zygaena* (s.str.) *ramburii* *ramburii* Herrich-Schäffer,1861 (Zygaenidae) Synonym(s): *ramburii* Herrich-Schäffer,1861; *ramburi* Lederer,1861
- 82157) *Zygaena* (s.str.) *ramburii* *rosa* Oberthür,1909 (Zygaenidae) Synonym(s): *rosa* Oberthür,1909
- 82158) *Zygaena* (s.str.) *rhadamanthus* (Esper,1789) (Zygaenidae) Synonym(s): *rhadamanthus* Esper,1789; *rhadamanthus* Hübner,1790
- 82159) *Zygaena* (s.str.) *rjabovi* Holik,1939 (Zygaenidae) Synonym(s): *rjabovi* Holik,1939
- 82160) *Zygaena* (s.str.) *romeo* Duponchel,1835 (Zygaenidae) Synonym(s): *romeo* Duponchel,1835
- 82161) *Zygaena* (s.str.) *senescens* Staudinger,1887 (Zygaenidae) Synonym(s): *senescens* Staudinger,1887
- 82162) *Zygaena* (s.str.) *teberdica* Reiss,1939 (Zygaenidae) Synonym(s): *teberdica* Reiss,1939
- 82163) *Zygaena* (s.str.) *transalpina* (Esper,1780) (Zygaenidae) Synonym(s): *transalpina* Esper,1780
- 82164) *Zygaena* (s.str.) *trifolii* (Esper,1783) (Zygaenidae) Synonym(s): *trifolii* Esper,1783; *pratorum* Villers,1789; *vogesiacae* Przegendza,1932; *carueli* Le Charles,1960
- 82165) *Zygaena* (s.str.) *viciae* ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *viciae* [Denis & Schiffermüller],1775; *meliloti* Esper,1789; *buglossi* Boisduval,1829
- 82166) *Zygaena* (s.str.) *viciae* *amanica* Reiss,1935 (Zygaenidae) Synonym(s): *amanica* Reiss,1935
- 82167) *Zygaena* (s.str.) *viciae* *burgeffiana* Reiss,1930 (Zygaenidae) Synonym(s): *burgeffiana* Reiss,1930
- 82168) *Zygaena* (s.str.) *viciae* *charon* (Hübner,1796) (Zygaenidae) Synonym(s): *charon* Hübner,1796
- 82169) *Zygaena* (s.str.) *viciae* *kazikoparana* Reiss,1935 (Zygaenidae) Synonym(s): *kazikoparana* Reiss,1935
- 82170) *Zygaena* (s.str.) *viciae* *laphria* Freyer,1851 (Zygaenidae) Synonym(s): *laphria* Freyer,1851
- 82171) *Zygaena* (s.str.) *viciae* *martirosica* Holik & Sheljuzhko,1957 (Zygaenidae) Synonym(s): *martirosica* Holik & Sheljuzhko,1957
- 82172) *Zygaena* (s.str.) *viciae* *sicula* Calberla,1895 (Zygaenidae) Synonym(s): *sicula* Calberla,1895
- 82173) *Zygaena* (s.str.) *viciae* *stentzii* Freyer,1839 (Zygaenidae) Synonym(s): *stentzii* Freyer,1839
- 82174) *Zygaena* (s.str.) *viciae* *tarkiana* Holik & Sheljuzhko,1957 (Zygaenidae) Synonym(s): *tarkiana* Holik & Sheljuzhko,1957
- 82175) *Zygaena* (s.str.) *viciae* *viciae* ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *viciae* [Denis & Schiffermüller],1775; *meliloti* Esper,1789; *buglossi* Boisduval,1829
- 82176) *Zygaena* (s.str.) *wyatti* Reiss & Schulte,1961 (Zygaenidae) Synonym(s): *wyatti* Reiss & Schulte,1961
- 82177) *Zygaenoprocris* (Eftovia) *fredi* (Alberti,1939) (Zygaenidae) Synonym(s): *fredi* Alberti,1939
- 82178) *Zygaenoprocris* (Keilia) *albertii* Eftov,1991 (Zygaenidae) Synonym(s): *albertii* Eftov,1991
- 82179) *Zygaenoprocris* (Keilia) *minna* Eftov,1991 (Zygaenidae) Synonym(s): *minna* Eftov,1991
- 82180) *Zygaenoprocris* (Keilia) *naumanni* Eftov,1994 (Zygaenidae) Synonym(s): *naumanni* Eftov,1994
- 82181) *Zygaenoprocris* (Molletia) *duskei* (Groum-Grshimailo,1902) (Zygaenidae) Synonym(s): *duskei* Groum-Grshimailo,1902; *sengana* Alberti,1939
- 82182) *Zygaenoprocris* (Molletia) *duskei* *aerea* (Groum-Grshimailo,1902) (Zygaenidae) Synonym(s): *aerea* Groum-Grshimailo,1902; *mekrana* Alberti,1939
- 82183) *Zygaenoprocris* (Molletia) *duskei* *duskei* (Groum-Grshimailo,1902) (Zygaenidae) Synonym(s): *duskei* Groum-Grshimailo,1902; *sengana* Alberti,1939
- 82184) *Zygaenoprocris* (Molletia) *duskei* *kermana* (Alberti,1967) (Zygaenidae) Synonym(s): *kermana* Alberti,1967
- 82185) *Zygaenoprocris* (Molletia) *persepolis* (Alberti,1938) (Zygaenidae) Synonym(s): *persepolis* Alberti,1938
- 82186) *Zygaenoprocris* (Molletia) *taftana* (Alberti,1939) (Zygaenidae) Synonym(s): *taftana* Alberti,1939
- 82187) *Zygaenoprocris* (s.str.) *chalcoclora* (Hampson,1900) (Zygaenidae) Synonym(s): *chalcoclora* Hampson,1900; *mystrochera* Püngeler,1914; *khorrassana* Alberti,1939
- 82188) *Zygaenoprocris* (s.str.) *eberti* (Alberti,1968) (Zygaenidae) Synonym(s): *eberti* Alberti,1968
- 82189) *Zygaenoprocris* (s.str.) *rjabovi* (Alberti,1938) (Zygaenidae) Synonym(s): *rjabovi* Alberti,1938

Chapter 4

"Bilginin aşağılandığı cehaletin el üstünde tutulduğu
her devirde görülür"

Ali Shir Nevai

Uighurian Philosopher

Bibliography of the Lepidoptera (BL)

by

Ahmet Ömer Koçak

Muhabbet Kemal



Authors in the Library of the Transvaal Museum, Pretoria, South Africa in 2005.

Bibliography of the Lepidoptera (BL)

Abstract: Chapter 4: Bibliography of the Lepidoptera (BL) [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 1117-1267. The partial results of the project “Bibliography of the Lepidoptera (BL)” are given in this Chapter. Totally 7503 items [stand 1 May 2007] are listed alphabetically according the author names and date of the publications.

List of the Publications used in the World Lepidoptera Projects of the Cesa

1. Aarvik, L. & K. Larsen, 1984, *Clepsis mehli* (Opheim, 1964) a distinct species (Lepidoptera Tortricidae). *Nota lepid.* 7 (3): 187-192, 12 figs.
2. Aarvik, L. & O. Karsholt, 1993, New and little known Grapholitini (Lepidoptera, Tortricidae) from the Mediterranean area. *Nota lepid.* 15 (3/4): 164-178, figs.
3. Aarvik, L., Karsholt, O., Larsen, K., & K. Schnack, 1988, New and interesting records of Lepidoptera from Norway. *Fauna norv. Ser. B* 33: 77-90.
4. Abadjiev, S. & J. Ganey, 1990, *Anthocharis gruneri* macedonica (Buresch, 1921) syn. nov. of *Anthocharis gruneri* gruneri (Herrich-Schäffer, 1851) (Lepidoptera, Pieridae). *Phegea* 18 (2): 65-66.
5. Abadjiev, S. & S. Beshkov, 1996, *Gonepteryx farinosa* (Zeller, 1847) and *Pieris krueperi* Staudinger, 1860 confirmed for Albania, with a list of species observed in June 1995 (Lepidoptera, Papilionoidea). *Phegea* 24(2): 81-82.
6. Abadjiev, S. & S. Beshkov, 2000, On the identity of taxa of the genus *Boloria* (Smoljana) *rhodopensis* (Lepidoptera, Nymphalidae, Heliconiinae). *Phegea* 28 (1): 19-24, figs.
7. Abadjiev, S., 1992, Butterflies of Bulgaria Part 1. Papilionidae & Pieridae. 91 pp. Verena Publishers, Sofia.
8. Abadjiev, S., 1993, Butterflies of Bulgaria Part 2, Nymphalidae, Libytheinae, Satyrinae. 127 pp. Verena Publishers, Sofia.
9. Abadjiev, S., 1994, The larval foodplant of *Colias caucasica* balcanica (Rebel, 1901) in Bulgaria (Lepidoptera, Pieridae). *Phegea* 22(3): 97-98.
10. Abadjiev, S., 1994, On the occurrence of *Pseudochazara orestes* de Prins & van der Poorten, 1981 in Bulgaria (Lepidoptera, Nymphalidae, Satyrinae). *Phegea* 22(2): 73-74, 1 fig.
11. Abos Castel, F., 1975, *Euchloe tagis* Hübner en la provincia de Huesca. *Revta Lepid.* 3: 221-222.
12. Abos Castel, F., 1976, *Parnassius mnemosyne* en el Pirineo de Huesca. *Revta Lepid.* 3 (1975): 295-298.
13. Abos Castel, F., 1978, Protección de la especie *Parnassius mnemosyne* (Linneo). *Revta Lepid.* 6: 12.
14. Abos Castel, F., 1981, Lepidópteros de la provincia de Huesca Zona 4.- Cuencas de los ríos Cinqueta y alta del Cinca (II). *Revta Lepid.* 9: 67-68, 141-144.
15. Abos Castel, F., 1982, Lepidópteros de la provincia de Huesca Zona 5.- Cuencas de los ríos Ara y Arazas. *Revta Lepid.* 10: 115-120, 197-201.
16. Abos Castel, F., 1983, Capturas interesantes en la provincia de Huesca. *Revta Lepid.* 11: 60.
17. Abos Castel, F., 1983, Lepidópteros de la provincia de Huesca Zona 6.- Cuenca alta y media del gallego. *Revta Lepid.* 11: 157-160, 249-254.
18. Abud, G. A. Q., 1987, Aspectos ecológico y taxonómico de insectos (orden Lepidoptera e Hymenoptera) en el Bosque-Escuela de la Sierra de la Primavera. Tesis de Licenciado en Biología. Facultad de Ciencias, Universidad de Guadalajara. 323 pp.
19. Abud, G. A. Q., 1988, Aspectos ecológico y taxonómico de insectos (orden Lepidoptera e Hymenoptera) en el Bosque-Escuela de la Sierra de la Primavera. *Amatl. Bol. Dif. Inst. Madera Cel. Pap. U. G. México* 2: 12-21.
20. Acatay, A., 1953, Çam kese böceği (*Thaumetopoea pityocampa* Schiff., *Thaumetopoea wilkinsoni* Tams) hakkında araştırmalar ve adalardaki mücadelesi. *Ist. Univ. Orman Fak. Dergisi* 3(1/2): 29-47, 9 şekil
21. Acatay, A., 1972, *Thaumetopoea* Hbst. (Lep., Thaumetopoeidae) Arten in der Türkei. 13 Int. Congr. Ent. Moscow, Proceedings 3: 8-9.
22. Ackery, P. R., 1973, A list of the type-specimens of *Parnassius* in the British Museum (Natural History). *Bull. Br. Mus. (Nat. Hist.) Ent.* 29: 1-35.
23. Ackery, P. R., 1975, A Guide to the genera and species of Parnassiinae (Lepidoptera, Papilionidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 31(4): 71-105, 32 figs., 16 pls.
24. Ackery, P. R., 1987, The danaid genus *Tellervo* (Lepidoptera, Nymphalidae) - a cladistic approach. *Zool. J. Linn. Soc.* 89: 203-274.
25. Ackery, P. R., Smith, C. R. & R. I. Vane-Wright, 1995, Carcasson's African Butterflies. An annotated Catalogue of the Papilionoidea and Hesperioidea of the Afrotropical Region. xi+803 pp., CSIRO Publ., Australia.
26. Adamczewski, S., 1951, On the systematics and origin of the generic group *Oxyptilus* Zeller (Lepidoptera, Alucitidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 1(5): 301-388, pls.
27. Adams, M. J. & G. I. Bernard, 1977, Pronophilinae butterflies (Satyridae) of the Sierra Nevada de Santa Marta Colombia. *Syst. Ent.* 2: 263-281, figs.
28. Adamski, D. & O. Karsholt, 1999, First records of brachyptery in the gelechioid taxa Elachistidae-Blastobasinae and Coleophoridae-Agonoxeninae: Three new species from the High Andes of Peru (Insecta, Lepidoptera). *Steenstrupia* (in press).
29. Adkin, R., 1911, The Lepidoptera of a London garden. *Proc. S. Lond. ent. nat. Hist. Soc.* 1910/11: 1-12.
30. Adkin, R., 1913, Labelling entomological specimens. *Proc. S. Lond. ent. nat. Hist. Soc.* 1912/13: 7-12.
31. Adkin, R., 1915, *Colias edusa* in Britain. *Proc. S. Lond. ent. nat. Hist. Soc.* 1914/15: 22-30.
32. Adkin, R., 1915, Some lepidopterous pupal habitations and some reminiscences. *Proc. S. Lond. ent. nat. Hist. Soc.* 1914/15: 59-69.
33. Adkin, R., 1916, The autumn butterflies at Eastbourne and some other notes. *Proc. S. Lond. ent. nat. Hist. Soc.* 1915/16: 62-67.
34. Adkin, R., 1918, The weather of 1916 and the occurrence of some of the commoner butterflies at Eastbourne. *Proc. S. Lond. ent. nat. Hist. Soc.* 1917/18: 8-12.
35. Adkin, R., 1923, The lepidopterous enemies of man. With special reference to species that occur in Britain. *Proc. S. Lond. ent. nat. Hist. Soc.* 1922/23: 26-27.
36. Adkin, R., 1925, Some phases of parallel variation in the British Lepidoptera. *Proc. S. Lond. ent. nat. Hist. Soc.* 1924/25: 8-15.
37. Adkin, R., 1927, The balance in nature. With special reference to local species of British Lepidoptera and their protection. *Proc. S. Lond. ent. nat. Hist. Soc.* 1926/27: 45-54.
38. Adkin, R., 1929, On the white-spotted forms of *Dryas paphia* and some other species. *Proc. S. Lond. ent. nat. Hist. Soc.* 1928/29: 32-36.
39. Aerheiler, T., 1980, Beschreibung einer Zucht von *Melanargia galathea magdalenae* Reichel. *Nachr. ent. Ver. Apollo* (N.F.) 1: 72-76.
40. Agassiz, D. & O. Karsholt, 1989, *Cydia medicaginis* (Kuznetsov, 1962) (Lepidoptera: Tortricidae) in the British Isles. *Entomologist's Gaz.* 40: 193-196.
41. Agassiz, J. L. R., 1846-1847, Nomenclator zoologicus, continens nomina systematica generum animalium tam viventium

- quam fossilium [Lepidoptera: fascicle 9-10 (1846), index universalis (1847)]. Soloduri, Jent and Grassman.
42. **Agassiz, R.D. & B. Skinner,** 1980, The apparent absence from Britain of *Thera variata* (Denis & Schiffermueller) and related changes in the nomenclature. *Entomologist's Rec. J. Var.* 92(7/8): 162-166, pls.
 43. **Agénjo, R.,** 1934, Estudio sobre las formas espanoles de *Melitaea* del grupo *athalia* Rott. *Eos* 9: 99-122.
 44. **Agénjo, R.,** 1934, Nuevas formas de *Rhopaloceros* y *Gripoceros* de Espana. *Eos* 9: 311-320.
 45. **Agénjo, R.,** 1935, Primeros datos lepidopterologicos sobre la provincia de Alava. *Eos* 10: 197-219.
 46. **Agénjo, R.,** 1941, Monografia de la Familia *Thaumetopoeidae* (Lepidoptera). *Eos* 17: 69-130, 5 pls.
 47. **Agénjo, R.,** 1944, Sobre la Morfología y distribucion geografica del *Chrysophanus hippothoe* (Linneo) en la Peninsula Ibérica (Lep., *Lycaen.*). *Eos* 20: 71-82, Lam.II.
 48. **Agénjo, R.,** 1948, Catalogo ordenador de los Lepidopteros en Espana. *Graellsia* 5:
 49. **Agénjo, R.,** 1948, Sobre la morfología y distribucion geografica de *Issoria lathonia* (L.) en Espana. *Eos* 24: 29-35.
 50. **Agénjo, R.,** 1952, Fauna lepidopterologica Almeriense. 370pp., 35 figs., 24 Pls., Consejo Superior de invest. Cientificas, Madrid.
 51. **Agénjo, R.,** 1953, Subespecies nuevas de Lepidopteros santanderinos. *Graellsia* 11: 1-4.
 52. **Agénjo, R.,** 1956, Monografia del genero *Narraga* Wlk. (Lepidoptera, *Geometridae*). *Eos* 32: 7-56, pls.
 53. **Agénjo, R.,** 1956, Consideraciones sobre el estudio de las formulas cromosomicas en los Lepidopteros y sobre todo en el complejo de formas del grupo *Plebejus* (*Lysandra*) *coridon* (Poda) con la descripcion de tres nuevas subespecies. *Graellsia* 14: 73-87.
 54. **Agénjo, R.,** 1958, Tribus y Subtribus de la Subfamilia *Phycitinae* Cotes, 1899 (Lepidoptera, *Phycitidae*). *Eos* 34: 205-208.
 55. **Agénjo, R.,** 1959, Existe la *Gegenes pumilio* (Hoffm., 1804) en Espana? *Eos* 35: 197-208, 6 figs.
 56. **Agénjo, R.,** 1961, Morfología y distribucion geografica de *Hipparchia statilinus* (Hfn., 1766) en Espana (Lep., *Satyridae*). *Eos* 37: 7-15.
 57. **Agénjo, R.,** 1961, Morfología y distribucion geografica en Espana de *Hipparchia alcyone* (Schiff., 1776) (Lep., *Satyridae*). *Graellsia* 19: 3-10.
 58. **Agénjo, R.,** 1961, Morfología y distribucion geografica de la *Chazara briseis* (L., 1764) en la peninsula Espana. *Eos* 37: 113-123.
 59. **Agénjo, R.,** 1962, Una nueva raza espanola de *Brenthis pales* (Schiff., 1776). *Eos* 38: 337-338.
 60. **Agénjo, R.,** 1963, Sobre la morfología y distribucion geografica del *Zegris eupheme* (Esp., 1800) en Espana. *Eos* 39: 313-336.
 61. **Agénjo, R.,** 1963, Morfología y distribucion geografica de los *Satyrus actaea* (Esp., 1780) y *bryce* (Hb., 1790-93) en Espana (Lep., *Satyridae*). *Eos* 39: 313-336, Lam. III.
 62. **Agénjo, R.,** 1963, Distribucion geografica y morfología del *Pyrgus alveus* (Hb., 1802) en Espana. Una cline de su andropigio (Lep., *Hesperidae*). *Eos* 39: 7-22, Lam.
 63. **Agénjo, R.,** 1964, Los nombres vulgares de las mariposas espanolas. *Graellsia* 20: 149-162, 163-190.
 64. **Agénjo, R.,** 1966, Morfología y distribucion geografica en Espana de la "Nina Hoecillas" *Plebejus* (*Plebejus*) *argus* (L., 1758) (Lep., *Lycaenidae*). *Eos* 41: 163-179, 5 figs.
 65. **Agénjo, R.,** 1966, Morfología y distribucion geografica en Espana de la "Falsa Inerme" *Plebejus* (*Lycaeides*) *idas* (L., 1761) (Lep., *Lycaenidae*). *Eos* 41: 515-528, 4 figs.
 66. **Agénjo, R.,** 1966, Morfología y distribucion geografica en Espana de la "manchas verdes" *Glaucopsyche alexis* (Poda, 1761) (Lep., *Lycaenidae*). *Eos* 42: 291-298, 3 figs.
 67. **Agénjo, R.,** 1967, Morfología y distribucion geografica en Espana de la "Nina del Astragalo" *Plebejus* (*Plebejus*) *pylaon* (F.D.W., 1824) (Lep., *Lycaenidae*). *Eos* 43: 21-25, 3 figs.
 68. **Agénjo, R.,** 1967, Morfología y distribucion geografica en Espana de la "escamas azules" *Glaucopsyche melanops* (B., 1828) (Lep., *Lycaenidae*). *Eos* 43: 13-20, 3 figs.
 69. **Agénjo, R.,** 1968, Tres nuevas razas de la "superspecies" *Plebejus* (*Lysandra*) *coridon* (Poda, 1761). *Graellsia* 24: 45-48.
 70. **Agénjo, R.,** 1968, Morfología, distribucion geografica y bionomia en Espana del al "cuatro colas" *Charaxes jasius* (L., 1767). *Eos* 43: 345-355.
 71. **Agénjo, R.,** 1970, Sobre la presencia en Espana de la *Colotis evagore nouna* Lucas, 1849 (Lep., *Pieridae*). *Graellsia* 25: 141-148.
 72. **Agénjo, R.,** 1970, Morfología y distribucion geografica en Espana de *Hipparchia fagi* (Sc., 1763). *Eos* 45: 15-28 figs.
 73. **Agénjo, R.,** 1970, La "cuatro colas" o "mariposa del madrono" *Charaxes jasius* (L., 1767). *Boln. Serv. Plagas for.* 13: 3-10.
 74. **Agénjo, R.,** 1970, Sobre la presencia en Espana de la *Colotis evagore nouna* Lucas, 1849. *Graellsia* 25: 141-148.
 75. **Agénjo, R.,** 1973, Las *Apatura* F., 1807 de Espana. *Graellsia* 26 (1971): 3-20.
 76. **Agénjo, R.,** 1973, Nuevas subespecies de *Rhopaloceros* ibericos. *Graellsia* 26 (1971): 25-36.
 77. **Agénjo, R.,** 1975, Las *Melitaea* (*Melicta*) *deione* Gey., 1827-1832, *athalia* (Rott., 1775) y *parthenoides* Kef., 1851 en Espana. *Graellsia* 30: 3-61.
 78. **Agénjo, R.,** 1976, *Erebia alberganus luciolupoi* Agénjo, 9 de enero de 1975 (+*Erebia alberganus barcoi* Gomez, 10 de julio de 1975), con retificaciones sobre datos falsos y errores conceptuales de este autor. *Eos* 51: 17-38.
 79. **Agénjo, R.,** 1977, Emendata II. *Graellsia* 32: 19-34.
 80. **Agénjo, R.,** 1977, Rectificacion. *Graellsia* 32: 35-38.
 81. **Aharoni, J.,** 1912, *Lepidopteren*, [in] *Blanchenhorn, M.*, *Naturwissenschaftliche Studien am Toten Meer und im Jordantal*. Berlin.
 82. **Ahmad, T.,** 1946, *Insect Fauna of Afghanistan-IV*. *Lepidoptera*. *Ind. J. Ent.* 8: 202-223.
 83. **Ahola, M.,** 1986, *Larvae of European Polia Ochsenheimer* (Lepidoptera, *Noctuidae*), with proposals on a subgeneric division and phylogeny. *Ent. scand.* 17: 55-74, figs.
 84. **Aigner-Abafi, L.v.,** 1901, *Zur Biologie der Agrotiden*. *Allg. Z. Ent.* 6: 72-74.
 85. **Aigner-Abafi, L.v.,** 1901, *Lepidopteren Wanderungen in Ungarn*. *Allg. Z. Ent.* 6: 102-103.
 86. **Aigner-Abafi, L.v.,** 1901, *Smerinthus quercus*. *Allg. Z. Ent.* 6: 137-138.
 87. **Aigner-Abafi, L.v.,** 1901, *Nemeophila metelkana* Led. *Allg. Z. Ent.* 6: 153-154.
 88. **Aigner-Abafi, L.v.,** 1901, *Über Deilephila nerii* L. *Allg. Z. Ent.* 6: 226-228.
 89. **Aigner-Abafi, L.v.,** 1902, *Über Mimikry*. *Allg. Z. Ent.* 7: 368-372, 405-409.
 90. **Aigner-Abafi, L.v.,** 1906, *Neue Falterformen aus Ungarn*. *Ent. Z., Stuttgart* 19: 207-209.
 91. **Aigner-Abafi, L.v.,** 1910, *Beiträge zur Lepidopterenfauna des ungarischen Litorale, von Kroatien und Dalmatien*. *Rovart. Lap.* 17: 55-57, 71-105.
 92. **Aistleitner, E. & L. Rezbanyai,** 1982, *Neu für Österreich: Diachrysia nadeja* Obth. 1880 auch nördlich der Alpen nachgewiesen (*Noctuidae*). *Nota lepid.* 5 (2/3): 55-56, 1 Abb.
 93. **Aistleitner, E.,** 1983, *Eine neue Unterart von Erebia meolans* (de Prunner, 1798) aus dem ENE der provinz Teruel / Hispania. *Nachr. ent. Ver. Apollo (N.F.)* 4: 105.
 94. **Aistleitner, E.,** 1989, *Lysandra hispana* Herrich-Schäffer, 1852 *gudarensis* subsp. n. aus dem NE der Provinz Teruel/Hispania centr. (Lep., *Lycaenidae*). *Atalanta* 19 (3/4): 75-86, figs.
 95. **Aizpurua, C.G.de,** 1974, *Catalogo de los Lepidopteros*. Caja de Ahorros Provincial de Guipozcoa, San Sebastian.
 96. **Ajac, J. & A. Ajac,** 1969, *Rhopaloceros de l'Aude*. *Alexanor* 6: 17-24.
 97. **Ajac, J. & A. Ajac,** 1969, *Callophrys avis* Chapman dans l'Aude. *Alexanor* 6: 97.
 98. **Akbulut, S., Yüksel, B. & A. Keten,** 2003, *The Lepidoptera (Insecta) Fauna of Düzce Province, Turkey*. *Türk J. Zool.* 27: 257-268 [with some nomenclatural errors!].

99. Akın, C., 2000, Edirne kelebekleri hakkında notlar (Lepidoptera). Centr. ent. Stud., Misc. Pap. 63: 5-8.
100. Al-Houty, W., 2000, Some Lepidoptera from Kuwait. Nachr. ent. Ver. Apollo (N.F.) 21 (2): 109-111.
101. Albers, T. & F. Diehl, 1938, Beitrag zur Verbreitung von *Chloridea dipsacea* L. und *maritima* Grasl. Ent. Rdsch. 55: 461-465.
102. Albert, H. L., 1969, Albinismus bei Satyriden-Weibchen. Mitt. ent. Ges. Basel 19: 114-115.
103. Alberti, B. & K. Fritsch, 1983, Über einige bemerkenswerte Funde von Lepidoptera aus dem Grossen Kaukasus. Nota lepid. 6 (4): 192-202, figs.
104. Alberti, B., 1922, Beitrag zur Kenntnis der Macrolepidopterenfauna Mazedoniens. Z. wiss. InsektBiol. 17: 33-40, 73-82.
105. Alberti, B., 1928, Über *Lycaena thesites* Cant. Dt. ent. Z. 1928: 211-217.
106. Alberti, B., 1937, Revision und Neubeschreibungen asiatischer *Procris*-Arten. Mitt. münch. ent. Ges. 27(2): 67-101; 27(3): 116-126, 3 Taf.
107. Alberti, B., 1938, *Procris*-Arten aus Farsistan. Ent. Rdsch. 55: 397-402, 12 Abb.
108. Alberti, B., 1938, Nachtrag zur Revision asiatischer *Procris*-Arten. Mitt. münch. ent. Ges. 28(2): 92-96, figs.
109. Alberti, B., 1939, *Hesperia badachschan* nov.sp. Ent. Rdsch. 56: 107-109.
110. Alberti, B., 1939, Neue *Procris*-Arten aus Iran. Ent. Rdsch. 56(1/2): 1-5; (5): 28-32.
111. Alberti, B., 1939, Eine neue Schmetterlingsart- *Procris drenowskii* nov. sp. aus Bulgarien. Izv. tsarsk. prirodnauch. Ins. Sof. 12: 43-47.
112. Alberti, B., 1953, Über *Colias hyale* und *erate* Esp. Ent. Z., Frankf. a. M. 63: 65-67.
113. Alberti, B., 1954, Über die stammesgeschichtliche Gliederung der *Zygaenidae*, nebst Revision einiger Gruppen (Insecta, Lepidoptera). Mitt. zool. Mus. Berl. 30: 115-480, 33 figs., 63 pls.
114. Alberti, B., 1955, Zur Stammesgeschichte und Systematik der *Zygaenini* (Lepidoptera, *Zygaenidae*). Dt. ent. Z. (N.F.) 2: 301-321, 5 figs., 5 Pls.
115. Alberti, B., 1955, Zur Kenntnis der Gattung *Carcharodus* Hbn., mit einer Betrachtung zum Art-, und Gattungsbegriff. Z. Lepid. 3: 105-142, figs.
116. Alberti, B., 1955, Eine neue Vikariante der *Pyrgus malvae* L.-Gruppe (Lep., *Hesperiidae*). Z. Wien. ent. Ges. 40: 43-46, figs.
117. Alberti, B., 1956, Zur Umgrenzung und Gliederung von *Zygaena* F. Ent. Z., Frankf. a. M. 66: 200-206.
118. Alberti, B., 1957, Wesen und praktische Bedeutung des Gattungsbegriffes. Wanderversamml. dt. Ent. 8: 138-147.
119. Alberti, B., 1959, Nomenklatorsorgen. Ent. Z., Frankf. a. M. 69: 57-62.
120. Alberti, B., 1960, Individualismus oder Gemeinschaftsgedanke in der Handhabung von Taxonomie und Nomenklatur? Ent. Z., Frankf. a. M. 70: 60-65.
121. Alberti, B., 1962, Anmerkungen zur Theorie der Artspaltung. Zool. Anz. 169: 492-497.
122. Alberti, B., 1962, Bemerkungen zur Frage des Prioritätsprinzips in der zoologischen Nomenklatur. Entomophaga 7: 33-35.
123. Alberti, B., 1962, Priorität- oder Kontinuitätsprinzip in der Zoologischen Nomenklatur seit London 1958. Zool. Anz. 168: 142-146.
124. Alberti, B., 1964, Über Verbreitungsbild und systematische Wertung von *Carcharodus orientalis* Rev. and *altheae* Hbn. (Lepidoptera, *Hesperiidae*). Z. wien. ent. Ges. 49: 99-103, figs.
125. Alberti, B., 1965, Über *Eupithecia subfenestrata* Stgr. (Lepidoptera, *Geometridae*). Dt. ent. Z. (N.F.) 12(4/5): 375-377, 2 Abb.
126. Alberti, B., 1965, Zur Kenntnis der *Plusia modesta* Hb.-Gruppe (Lepidoptera, *Noctuidae*). Dt. ent. Z. (N.F.) 12(4/5): 365-369, figs.
127. Alberti, B., 1965, Westasiatische und nordkaukasische *Procris* Funde (Lepidoptera, *Zygaenidae*). Opusc. zool. 88: 1-7, figs.
128. Alberti, B., 1967, Eine neue *Procris*-Art aus Persien. Mitt. münch. ent. Ges. 57: 99-101, 2 figs.
129. Alberti, B., 1968, Neue oder bemerkenswerte Lepidopteren-Formen aus dem Großen Kaukasus. Dt. ent. Z. (N.F.) 16(1/3): 189-203, 3 Taf., 1 Karte.
130. Alberti, B., 1968, Zur Kenntnis des Genus *Procris* F. in Afghanistan (Lepidoptera, *Zygaenidae*). Reichenbachia 10: 249-253, 4 figs.
131. Alberti, B., 1969, Neue oder bemerkenswerte Lepidopteren-Formen aus dem Großen Kaukasus. Dt. ent. Z. (N.F.) 16(1/3): 189-203, 3 Taf., 1 Karte.
132. Alberti, B., 1970, Über zwei Taxa der Gattung *Procris* F. (Lepidoptera, *Zygaenidae*). Mitt. münch. ent. Ges. 58: 78-83, 1 Abb.
133. Alberti, B., 1971, Über *Zygaena dorycnii* O. und forma *araratica* Stgr. (Lepidoptera, *Zygaenidae*). NachrBl. bayer. Ent. 20: 1-4.
134. Alberti, B., 1973, Zweite Mitteilung ueber einige neue oder bemerkenswerte Lepidopteren-Formen aus dem Grossen Kaukasus und Transkaukasien (Lepidoptera). Atalanta 4(6): 380-393, 2 pls.
135. Alberti, B., 1973, Ergänzende Bemerkungen zu Higgins & Riley "A field guide to the butterflies of Britain and Europe", nebst Beschreibung der *Lycaena pyrenaica latedisjuncta* n.subsp. Ent. Z., Frankf. a. M. 83: 217-223.
136. Alberti, B., 1974, Ergebnisse der tschechoslovakisch-iranischen entomologischen Expedition nach der Iran 1970 (mit Angaben ueber einige Sammelresultate in Anatolien). Nr.5 Lepidoptera: *Hesperiidae*, *Syntomidae*, *Zygaenidae*. Acta ent. Mus. natn. Pragae (suppl.) 6: 79-85.
137. Alberti, B., 1974, Zur Kenntnis der Artgruppe um *Melitaea athalia* im Kaukasus (Lepidoptera, *Nymphalidae*). Ent. Z., Frankf. a. M. 84: 157-164, figs.
138. Alberti, B., 1974, Über die Identität von *Procris staudingeri* Alberti, mit *Procris hector* Jordan, nebst Beschreibung einer neuen Unterart von *Procris volgensis* (Lepidoptera, *Zygaenidae*). Ent. Z., Frankf. a. M. 84: 48-51, 6 figs.
139. Alberti, B., 1975, Über eine neue Form von *Endromis versicolora* (Lep., *Endromidae*). Ent. Z., Frankf. a. M. 85(8): 85-89, Abb.
140. Alberti, B., 1975, Über einige Artprobleme in der Gattung *Zygaena* (Lepidoptera, *Zygaenidae*). NachrBl. bayer. Ent. 22: 8-15.
141. Alberti, B., 1978, Quelques considerations sur le probleme du "genre". Linn. belg. 7: 175-177.
142. Alberti, B., 1979, Artenschutz vordringlich über Rote Listen oder Biotopschutz? Nota lepid. 2(1/2): 3-7.
143. Alberti, B., 1981, Über Wesen und Aussagegrenzen der "Phylogenetischen Systematik" von Hennig, untersucht am Beispiel der *Zygaenidae*. Mitt. münch. ent. Ges. 71: 1-31, 7 figs.
144. Alberti, B., 1983, In Memoriam Ernst und Herta Urbahn. Nota lepid. 6 (2/3): 67-68, fig.
145. Alberti, B., 1983, Dr. Burchard Alberti Autobiographie. Nota lepid. 6 (1): 3-4.
146. Alberti, B., 1983, Autobiographie 1922-1982. Nota lepid. 6 (1): 5-16.
147. Alberti, B., 1984, Zur Taxonomie der *Pyrgus alveus* Hb.-Gruppe (Lepidoptera, *Hesperiidae*). Nota lepid. 7 (1): 2-6.
148. Albrecht, M. & M. Goldschalt, 1993, Beitrag zur Biologie des Heilziest-Dickkopffalters (*Carcharodus flocciferus* Zeller, 1847) in Oberschwaben (Lepidoptera, *Hesperiidae*). Nachr. ent. Ver. Apollo (N.F.) 14(3): 201-211, figs.
149. Albrecht, M., Goldschalt, M. & R. Treiber, 1999, Der Heilziest-Dickkopffalter *Carcharodus flocciferus* (Zeller, 1847) (Lepidoptera, *Hesperiidae*). Nachr. ent. Ver. Apollo, Suppl. 18: 1-256, 76 Abb. Tab.
150. Alderson, J., 1921, Some notes on rearing *Erebia epiphron*. Entomologist 54: 56-63.
151. Aldin, A., 1930, Matériaux pour servir a un catalogue des Macrolepidopteres du departement de l'Oise. Encycl. ent. (B) 3(3): 153-185.

152. Aliev, S.V., 1984, Noctuidae (Lepidoptera) of Azerbaidzhan. Elm, Baku 1984: 1-277, figs.
153. Alipanah, H. & P. Ustjuzhanin, 2005, An annotated checklist of the Pterophorinae (Oidaematophorini and Pterophorini) of Iran (Lepidoptera, Pterophoridae). Ent. fennica 16: 129-143, figs.
154. Alipanah, H., 2003, Faunal study of *Euchromius Guenée* (Lepidoptera, Pyralidae, Crambinae) species in Iran. J. Ent. Soc. Iran 23 (1): 115-134.
155. Alipanah, H., Ahmadian, H.A. & A. Pazuki, 2003, Introduction of *Marasmarcha ehrenbergianus* (Zeller) (Lepidoptera, Pterophoridae) as first record for fauna of Iran. Appl. Ent. phytopath. 71 (1): 139.
156. Alkan, B., 1946, Kızılcahamam, Bolu (Abant) ve Düzce ormanlarında entomolojik araştırmalar. 28pp. 26 figs. Hüsniyat Basımevi, İstanbul [in Turkish].
157. Allan, P.B.M., 1949, Larval foodplants. 126 pp. Watkins & Doncaster, London.
158. Allan, P.B.M., 1956, The Middle Copper, *Heodes virgaureae* L. Entomologist's Rec. J. Var. 68: 68-73.
159. Allan, P.B.M., 1958, *Papilio machaon* L., in England. Entomologist's Rec. J. Var. 78: 161-168.
160. Allan, P.B.M., 1966, Copper butterflies in the West Country. Entomologist's Rec. J. Var. 78: 161-168.
161. Allcard, H.G. & A. Valletta, 1981, The Canary Island revisited in 1979. Entomologist's Rec. J. Var. 93: 120-125.
162. Allcard, H.G. & A. Valletta, 1982, Two weeks at the Canary Islands in 1981. Entomologist's Rec. J. Var. 94: 111-116.
163. Allcard, H.G. & A. Valletta, 1984, A week in La Palma, Canary Islands, in 1982. Revta Lepid. 11 (1983): 319-321.
164. Allen, M., 1993, Marvellous moths of Nepal. 72pp., 188 figs., 2 maps. Bangkok.
165. Allenspach, V., 1965, Eine entomologische Sammelreise nach dem Tessin vor 100 Jahre. Mitt. ent. Ges. Basel 15: 10-12.
166. Alpheraky, S., 1897, Memoire sur differents lépidoptères, tant nouveaux que peu connue de la faune paléarctique, [in] Romanoff, N.M., Mém. Lépid. 9: 185-227.
167. Alpheraky, S.N., 1876, Die Schmetterlinge der Umgegend von Taganrog. Trudy russk. ent. Obshch. 8: 150-226.
168. Alpheraky, S.N., 1877, Lepidoptera Caucasi Septentrionalis. Trudy russk. ent. Obshch. 10: 3-34.
169. Alpheraky, S.N., 1880, *Hypenodes balnearum* sp.n. Horae Soc. ent. ross. 15: 137-138.
170. Alpheraky, S.N., 1880, Die Lepidopteren der Umgegend von Taganrog. Trudy russk. ent. Obshch. 11: 45-50.
171. Alpheraky, S.N., 1881, Lépidoptères du district de Kouldja et des montagnes environnantes. Iere Partie. Rhopalocera. Horae Soc. ent. ross. 16: 334-435, pls.
172. Alpheraky, S.N., 1882, Lépidoptères du district de Kouldja et des montagnes environnantes II. Partie. Horae Soc. ent. ross. 17: 15-103, pls.
173. Alpheraky, S.N., 1883, Ueber die Gattung *Colias* F. Stettin ent. Ztg. 44: 488-495.
174. Alpheraky, S.N., 1887, Diagnosen einiger neuer centralasiatischer Lepidopteren. Stettin ent. Ztg. 48: 167-171.
175. Alpheraky, S.N., 1888, Neue Lepidopteren. Stettin ent. Ztg. 49: 66-69.
176. Alpheraky, S.N., 1889, Lépidoptères rapportés du Thibet par le Général N.M. Przewalsky de son voyage de 1884-1885. [in] Romanoff, N.M., Mém. Lépid. 5: 59-89, Taf. iv.
177. Alpheraky, S.N., 1889, Le Pamir et sa faune lépidoptérologique. Noctuelites. [in] Romanoff, N.M., Mém. Lépid. 5: 124-191.
178. Alpheraky, S.N., 1889, Lépidoptères rapportés de la Chine et de la Mongolie par G.N. Potanine. [in] Romanoff, N.M., Mém. Lépid. 5: 90-123, pl. 5.
179. Alpheraky, S.N., 1891, Kuldzha i Tyan-Shan. Putevye zametki. [Kuldja and Tien-Shan, Traveller's Notes]. Zapiski Russkogo Geograficheskogo Obshchestva 23(1): 1-192.
180. Alpheraky, S.N., 1892, Lépidoptères de la Chine et de la Mongolie par G.N. Potanine. [in] Romanoff, N.M., Mém. Lépid. 6: 1-81.
181. Alpheraky, S.N., 1892, Lepidoptera nova a Gr. Grum-Grshimailo in Asia Centrali novissime lecta. Horae Soc. ent. ross. 26: 444-459.
182. Alpheraky, S.N., 1893, *Metopoplus* gen.n., [in] Christoph, A., Lepidoptera nova faunae palaearcticae. Dt. ent. Z., Iris 6: 92.
183. Alpheraky, S.N., 1897, Lepidopteren aus Kamtschatka gesammelt von O. Herz. [in] Romanoff, N.M., Mém. Lépid. 9: 301-347.
184. Alpheraky, S.N., 1897, Lepidoptera de l'Amour et la Corée. [in] Romanoff, N.M., Mém. Lépid. 9: 151-184.
185. Alpheraky, S.N., 1908, Schmetterlinge der Umgegend von Taganrog. Horae Soc. ent. ross. 38: 558-627.
186. Alpheraky, S.N., 1913, Quelques données sur les races de la *Zegris eupheme* Esper. Etud. Lepid. comp. 7: 221-234.
187. Alpheraky, S.N., [1894], Lepidoptera nova Asiae Centralis. Dt. ent. Z., Iris 6: 346-347.
188. Altena, O.C.R.v., 1948, Macrolepidoptera collected in Teneriffe and La Palma in the spring of 1947. Tijdschr. Ent. 91: 12-22.
189. Altena, O.C.R.v., 1953, A revision of the genus *Nyctalemon* Dalman (Lepidoptera, Uraniidae) with notes on the biology distribution and evolution of its species. Zool. Verh. 19: 1-57, 4 pls.
190. Altınayar, G., 1981, Orta Anadolu Bölgesi tahlil tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. Bitki Koruma Bül. 21 (2): 53-88.
191. Alvarez, J. & J. Templado, 1982, Zur Lebensgeschichte eines iberomarrokanischen Falters - der Weissling *Zegris eupheme*. Natur Mus., Frankf. 112: 230-234.
192. Amr, Z.S., Al-Melhim, W.N., Katbeh-Bader, A. & W. Schneider, 1997, On the common Insecta of Al Azraq, Jordan. Entomologist's Gaz. 48: 55-66.
193. Amsel, H.G., 1933, Die Lepidopteren Palästinas. Eine zoogeographisch-ökologisch-faunistische Studie. Zoogeographica 2(1): 1-146.
194. Amsel, H.G., 1935, Zur Kenntnis der Microlepidopterenfauna des südlichen Toten-Meer-Gebietes, nebst Beschreibung neuer palästinensischer Macro- und Microlepidoptera. Veröff. dt. Kolon. Übers.-Mus. 1(2): 203-221, 2 Taf.
195. Amsel, H.G., 1935, Weitere Mitteilungen ueber palästinensische Lepidopteren. Veröff. dt. Kolon. Übers.-Mus. 1(2): 223-277.
196. Amsel, H.G., 1936, Die palaearktischen Isophrictis-Arten (Lepidoptera, Gelechiidae). Veröff. dt. Kolon. Übers.-Mus. Bremen 1(3): 369-376.
197. Amsel, H.G., 1938, Beiträge zur Kleinschmetterlingsfauna der Balkanländer und Kleinasien. Dt. ent. Z., Iris 52: 152-159, pl.
198. Amsel, H.G., 1939, Grundsätzliche Bemerkungen zur Frage der Faunenelemente. Zool. Jb. 72: 1-16.
199. Amsel, H.G., 1942, Revision der Gattung *Holcopogon* Stgr. (Lepidoptera, Scythrididae). Veröff. dt. Kolon. Übers.-Mus. Bremen 3(3): 224-237, pls.
200. Amsel, H.G., 1942, Die Gattung *Epidola* Stgr. (Lep., Scythrididae). Veröff. dt. Kolon. Übers.-Mus. Bremen 3(3): 217-223.
201. Amsel, H.G., 1949, Die Microlepidopteren der Brandt'schen Iran Ausbeute I. Bull. Soc. Fouad I Ent. 33: 227-269, figs.
202. Amsel, H.G., 1949, On the Microlepidoptera collected by E.P. Wiltshire in Iraq and Iran. Bull. Soc. Fouad I Ent. 33: 271-351, figs.
203. Amsel, H.G., 1950, Die Lepidopteren der Brandt'schen Iran Ausbeute II. Ark. Zool. 1(17): 223-257, figs.
204. Amsel, H.G., 1951, Die Microlepidopteren der Brandt'schen Iran Ausbeute III. Ark. Zool. 1(36): 525-563, figs.
205. Amsel, H.G., 1952, Neue Kleinschmetterlinge aus Syrien. Bull. Soc. Fouad I Ent. 36: 127-134, 11 Abb.
206. Amsel, H.G., 1952, Über einige von Hampson beschriebene palaearktische Pyraliden (Lepidoptera, Pyralidae). Mitt. münch. ent. Ges. 42: 40-70, figs.

207. Amsel, H.G., 1953, Die Microlepidopteren der Brandt'schen Iran Ausbeute IV. Ark. Zool. 6 (16): 255-326, figs.
208. Amsel, H.G., 1953, Über einen tiergeographisch interessanten Kleinschmetterlingen Süddeutschlands. Die Unterartbildung bei *Pristophora florella* Mn. (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SWDtl. 12: 12-16, pl.
209. Amsel, H.G., 1953, Wissenschaftliche Ergebnisse der zoologischen Expedition des National Museum in Prag nach der Türkei. Sb. ent. Odd. nar. Mus. Praha 28: 411-429, figs.
210. Amsel, H.G., 1953, Ueber einige von Ragonot und Dumont beschriebene palaearktische Microlepidopteren des Pariser Museums. Revue fr. Ent. 20 (3): 223-230, 11 figs.
211. Amsel, H.G., 1954, Neue Pterophoriden, Gelechiiden und Tineiden aus Palästina und Malta (Microlepidoptera). Bull. Soc. Fouad Ier Ent. 38: 51-57, 8 figs.
212. Amsel, H.G., 1954, Neue oder bemerkenswerte Kleinschmetterlinge aus Syrien. Bull. Soc. Fouad Ier Ent. 38: 47-50, figs.
213. Amsel, H.G., 1955, Irakische Kleinschmetterlinge. Beitr. naturk. Forsch. SWDtl. 14 (2): 119-129, pl.
214. Amsel, H.G., 1955, Über mediterrane Microlepidopteren und einige transcaspiische Arten. Bull. Inst. R. Sci. nat. Belg. 31: 1-64.
215. Amsel, H.G., 1955, Berichtigung Postsalebria nom. nov. für *Prasalebria* Amsel, 1954. Z. Wien. ent. Ges. 40: 357.
216. Amsel, H.G., 1955, Zur Synonymie von *Coleophora lassella* Stgr. Z. Wien. ent. Ges. 40: 42.
217. Amsel, H.G., 1956, Kleinschmetterlinge vom mittleren Jordantal. Beitr. naturk. Forsch. SüdWtl. 15(1): 56-62, 6 Abb., Taf. IV.
218. Amsel, H.G., 1957, Pyraliden Studien I. (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SWDtl. 16: 105-109, pl.
219. Amsel, H.G., 1958, Cyprische Kleinschmetterlinge. Z. Wien. ent. Ges. 43: 51-58, 69-75, 135, pl.
220. Amsel, H.G., 1959, Microlepidopteren aus dem Kaukasus und der Ukraine. Acta ent. Mus. natn. Pragae 33: 419-422.
221. Amsel, H.G., 1959, Irakische Kleinschmetterlinge II. Bull. Soc. ent. Egypte 43: 41-83, Taf.
222. Amsel, H.G., 1959, Microlepidoptera aus Iran (Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956 - Nr. 25). Stuttg. Beitr. Naturk. 28: 1-47, Abb., 5 Taf.
223. Amsel, H.G., 1961, Die Microlepidopteren der Brandt'schen Iran Ausbeute V. Ark. Zool. 13 (17): 323-445, figs.
224. Amsel, H.G., 1961, Zwei neue Evippe- Arten aus Afghanistan, Iran und Nordsyrien (Lepidoptera, Gelechiidae). Beitr. naturk. Forsch. SWDtl. 20: 99-103, figs.
225. Amsel, H.G., 1961, Zur Systematik von *Margaretania superba* Amsel, 1961 (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SW-Deutschl. 20(2): 105.
226. Amsel, H.G., 1964, Ein neuer Kleinschmetterling als Pistazien-Schädling aus Iran (Lepidoptera, Oinophilidae). Beitr. naturk. Forsch. SW-Deutschl. 23(2): 107-109, 4 figs.
227. Amsel, H.G., 1966, Neue Synonymien und Bemerkungen zu palaarktischen Pyraliden (Lepidoptera, Pyralidae). Z. Wien. ent. Ges. 51: 53-55.
228. Amsel, H.G., 1967, Die afghanischen Arten des Anarsia-Komplexes. Zugleich eine vorläufige Revision der sonstigen palaarktischen Arten (Lepidoptera, Gelechiidae). Beitr. naturk. Forsch. SWDtl. 26(3): 17-31, figs.
229. Amsel, H.G., 1967, Eine neue afghanische Stenoptilia-Art (Lepidoptera, Pterophoridae). Beitr. naturk. Forsch. SWDtl. 26(1): 15-16, 1 Abb.
230. Amsel, H.G., 1967, Die zweite Deutsch Afghanistan-Expedition 1966 der Landessammlungen für Naturkunde Karlsruhe. Ein Reisebericht. Beitr. naturk. Forsch. SWDtl. 26(1): 3-14.
231. Amsel, H.G., 1968, Zur Kenntnis der Microlepidopterenfauna von Karachi (Pakistan). Stuttg. Beitr. Naturk. 191: 1-48, 12 Taf.
232. Amsel, H.G., 1969, Die afghanische Ethmia-Arten (Lepidoptera, Ethmiidae). Beitr. naturk. Forsch. SWDtl. 28(2): 115-119, 2 Abb.
233. Amsel, H.G., 1970, Afghanische Pyraustinae (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SWDtl. 29: 25-66, 27 textfigs., 4 pls.
234. Amsel, H.G., 1972, Depressarien aus Afghanistan, Iran, Irak und Arabien (Lepidoptera, Oecophoridae). Beitr. naturk. Forsch. SüdWtl. 31: 133-144, 5 Taf.
235. Amsel, H.G., 1974, Neue iranische Kleinschmetterlinge. Beitr. naturk. Forsch. SWDtl. 33: 197-203, 2 Abb.
236. Amsel, H.G., 1977, Vier neue Kleinschmetterlingsarten aus Iran (Lepidoptera). Beitr. naturk. Forsch. SüdWtl. 36: 227-236, 4 figs.
237. Amsel, H.G., 1979, Zur Unterartbildung bei *Axia theresiae* (Korb, 1900) (Lepidoptera, Axiidae). Atalanta 10 (1): 70-77, pl.
238. Amsel, H.G., 1983, Die Gattungen *Lymira* Ragonot, 1888 und *Hosidia* Hampson, 1901 (Lepidoptera, Pyralidae, Phycitinae, Peorini). Andrias 3: 55-58, 10 Abb.
239. Andreini, A., 1913, Materiali per lo studio della fauna Eritrea raccolti nel 1901-03. Bull. Soc. ent. ital. 44: 115-147, 6 figs.
240. Andrews, C.W., 1900, A monograph of Christmas Island (Indian Ocean). xiii+337pp. 32 Pls. Stephen Austin & Sons. London.
241. Andrews, H.W., 1917, Some entomological notes from Egypt and Palestine. Entomologist's Rec. J. Var. 29: 223-226.
242. Andrews, H.W., 1920, Further notes from Palestine. Entomologist's Rec. J. Var. 32: 130-140.
243. Angulo, A.O., 1973, Estados postembrionales y algunas consideraciones sistémicas acerca de *Euxoa lutescens* (Blanchard) (Lepidoptera, Noctuidae). Bol. Soc. Biol. Concepción. 46: 177-184.
244. Angulo, A.O., 1973, Estados preimaginales de *Syngrapha gammoides* (Blanchard) (Lepidoptera, Noctuidae). Bol. Soc. Biol. Concepción. 46: 155-162.
245. Angulo, A.O., 1978, La subfamilia Phytometrininae en Chile (Lepidoptera, Noctuidae). Brenesia 14/15: 57-95.
246. Angulo, A.O., 1978, Las fases geobióticas en lepidópteros noctuidos (Lepidoptera: Noctuidae). Medio ambiente. 3 (2): 14-19.
247. Angulo, A.O., 1984, A new *Melipotis* Hübner from Chile (Lepidoptera: Noctuidae). Studies on Neotropical Fauna and Environment. 19 (4): 181-184.
248. Angulo, A.O., 1984, Morfofuncionalidad en larvas de lepidópteros. Gayana Zool. 48 (3-4): 75-91.
249. Anikin, V.V. & V.I. Piskunov, 1999, Two species of the genus *Scrobipalpa* Janse, 1951 (Lepidoptera, Gelechiidae, Gnorimoschemini) new for the fauna of Russia. Russ. ent. J. 7 (1998) (1/2): 69-70.
250. Anikin, V.V., 1998, The Casebearers of the Volga-Ural inter-river region (Lepidoptera, Coleophoridae). Entomofauna 19(2): 33-44, 8 figs.
251. Anikin, V.V., 1999, A record of the moth *Cephitinea colonella* (Erschov, 1874) (Lepidoptera, Tineidae) in the Lower Volga Region. Russ. ent. J. 7 (1998): 219.
252. Anikin, V.V., Sachov, S.A. & V.V. Zolotuhin, 1993, "Fauna lepidopterologica Volgo-Uralensis" 150 years later: changes and additions. Part 1. Rhopalocera (Insecta, Lepidoptera). Atalanta 24 (1/2): 89-120.
253. Anken, R.H. & M.H. Pinto Bivar, 1996, Further remarks on the occurrence of the southern African Butterfly *Cacyreus marshalli* (Butler, 1898) on the European mainland. Entomologist's Gaz. 47(3): 151-155.
254. Anker, L., 1870, Ein neues Microlepidopteron aus Ungarn. Butalis emichi. Stettin ent. Ztg. 31: 143-144.
255. Antonova, E.M. & M.A. Klepikov, 2000, Geometrid moths (Lepidoptera) of Yaroslav Area. Russ. ent. J. 9 (1): 79-90.
256. Antonova, E.M., 1981, Type-material of Lepidoptera deposited in the collection of the Zoological Museum of Moscow State University. Sb. Trud. zool. Mus. MGU 19: 208-227.
257. Antonova, E.M., 1981, Type-material of Lepidoptera deposited in the collection of the Zoological Museum of Moscow State University. Sb. Trud. zool. Mus. MGU 19: 208-227.

258. Antonova, E.M., Mironov, V.G., Sviridov, A.V. & I.V. Shmytova, 1999, New and rare records of moths (Lepidoptera, Heterocera) for the upper Oka river basin. Russ. ent. J. 8 (1): 53-56.
259. Antram, C.B., 1947, Note on the butterflies of the New Forest area in 1947, in connection with weather conditions. Entomologist's Rec. J. Var. 63: 128-130.
260. Antram, C.B., 1947, Note on the butterflies of the New Forest area in 1947, in connection with weather conditions. Entomologist's Rec. J. Var. 63: 128-130.
261. Aoki, T. & S. Yamaguchi, 1984, Notes on Butterflies of the Genus *Mycalasis* Collected in Thailand, together with Description of a New Species. (Lepidoptera: Satyridae). Res. Inst. Evol. Biol. Sci. Rep. 2: 45-60.
262. Aoki, T. & Y. Uémura, 1982, Description of new species and new subspecies of South-east Asian Diurnal Lepidoptera belonging to the family Satyridae, with some taxonomic notes. Mem. Tsukada Coll. 4: 1-64, 8 Pls.
263. Aoki, T. & Y. Uémura, 1984, Studies on the genus *Ypthima* (Lepidoptera, Satyridae) in Thailand. Tokurana 6/7: 71-103, 43 figs., Pl. 5.
264. Aoyama, J., 1998, Butterflies of China 409pp., 232 col. pls.
265. Archer-Loch, A. & E.C.M. Haes, 1983, The Red Admiral early in 1983. Entomologist's Rec. J. Var. 95: 112.
266. Archer-Loch, A., 1981, The White-letter Hairstreak: *Strymonidia w-album*. Entomologist's Rec. J. Var. 92 (1980): 254-255.
267. Archer-Loch, A., 1981, The Monarch: *Danaus plexippus* Linn. in England. Entomologist's Rec. J. Var. 93: 199-201.
268. Archer-Loch, A., 1982, The White-letter Hairstreak: *Strymonidia w-album* Knoch. Entomologist's Rec. J. Var. 93: 16-17.
269. Areekul, S., Bhonuangpol, C. & D. Ekapat, 1971, Effects of humidity temperature and light on the growth and development of *Chilotraea polychrysa* (Meyrick) and *Tryporyza incertulas* (Walker). Proc. Symp. Rice Insects 1971: 49-62.
270. Arenberger, E. & J. Wimmer, 1996, Erster Nachtrag zur Mikrolepidopterenfauna Zyperns. Nachr. ent. Ver. Apollo (N.F.) 17 (2): 209-224.
271. Arenberger, E. & M. Lödl, 1993, Preliminary contribution to the Endotricha species from the Cameron Highlands, Peninsular Malaysia (Lepidoptera: Pyralidae). Shilap Revta. lepid. 21 (81): 55-58.
272. Arenberger, E., 1972, Eine neue Agdistis-Art aus Kleinasien (Lepidoptera, Pterophoridae). Beitr. naturk. Forsch. SWDtl. 31: 151-152.
273. Arenberger, E., 1975, Pterophoriden aus Aegypten (Lepidoptera). Ent. Z., Frankf. a. M. 85(10): 111-116 4 Abb.
274. Arenberger, E., 1975, Eine neue Agdistis-Art aus der Caradja-Sammlung (Lepidoptera, Pterophoridae). Trav. Mus. Hist. nat. "Gr. Antipa" 16: 205-206, 2 figs.
275. Arenberger, E., 1977, Die palaearktischen Agdistis-Arten (Lepidoptera, Pterophoridae). Beitr. naturk. Forsch. SWDtl. 36: 185-226, figs.
276. Arenberger, E., 1981, Die Pterophorus-Arten West- und Zentralasiens. 2. Beitrag (Lepidoptera, Pterophoridae). Z. ArbGem. öst. Ent. 33(1/2): 17-29, figs.
277. Arenberger, E., 1981, Die Pterophorus-Arten West- und Zentralasiens. 1. Beitrag (Lepidoptera, Pterophoridae). Z. ArbGem. öst. Ent. 32(3/4): 97-110, figs.
278. Arenberger, E., 1983, Ergänzungen zur Gattung Agdistis (Lepidoptera, Pterophoridae). Andrias 3: 51-54, 5 Abb.
279. Arenberger, E., 1985, Zur Synonymie einiger Pterophoridae (Lepidoptera). Ent. Z., Frankf. a. M. 95: 244-250, 4 figs.
280. Arenberger, E., 1985, Contribution to the distribution of the Pterophoridae in Saudi Arabia. Fauna Saudi Arabia 7: 165-171, figs.
281. Arenberger, E., 1986, Die Pterophoriden (Lepidoptera) aus der Oman-Ausbeute von T.B. Larsen. Ent. Z., Frankf. a. M. 96: 102-106, 4 Abb.
282. Arenberger, E., 1987, Pterophoridae aus dem östlichen Mittelmeerraum (Lepidoptera). Z. ArbGem. öst. Ent. 38(3/4): 103-106, figs.
283. Arenberger, E., 1988, Pterophoridae aus Kaschmir. Z. ArbGem. öst. Ent. 40(1/2): 23-32, 13 Abb.
284. Arenberger, E., 1988, Taxonomische Klarstellungen bei den Pterophoridae (Lepidoptera). Staphia 16: 1-12, 18 figs.
285. Arenberger, E., 1989, Beitrag zur Kenntnis der indo-australischen Pterophorus-Arten (Lepidoptera, Pterophoridae). Ent. Z., Frankf. a. M. 99(7): 81-88, 7 Abb.
286. Arenberger, E., 1995, Eine neue Art der Gattung Hexadactilia Flecher 1910 von Sabah (Lepidoptera, Pterophoridae). Ent. Z., Frankf. a. M. 105: 138-140, 2 Abb.
287. Arenberger, E., 2002, Die Pterophoridae der 2. Jemen-Expedition durchgeführt im Frühjahr 1998 von den Herren Bischof, A., Bittermann, J., Fibiger, M., Hacker, H., Peks, H. & H.-P. Schreier. Esperiana
288. Arheiger, T. & J. Wolf, 1991, Zum Vorkommen von *Euchloe penia* Freyer auf dem Peloponnes (Lepidoptera, Pieridae). Nachr. ent. Ver. Apollo (N.F.) 12(2): 93-95, 1 Abb.
289. Arita, Y. & A. Kallies, 2003, A new species of the genus *Trilochana* Moore, 1879 (Lepidoptera, Sesiidae) from Sulawesi. Trans. lepid. Soc. Japan 54 (4): 229-232, figs.
290. Arita, Y. & O. Gorbunov, 1996, New and unrecorded clearwing moths of the genus *Melittia* Hübner, 1819 (Lepidoptera, Sesiidae) from Thailand. Trans. lepid. Soc. Japan 47 (3): 157-173.
291. Arita, Y. & O. Gorbunov, 2000, On the tribe Melittiini (Lepidoptera, Sesiidae). Tinea 16 (4): 252-291.
292. Arita, Y. & O. Gorbunov, 1995, A review of the genus *Macrotarsipus* Hampson, [1893] (Lepidoptera, Sesiidae) of the Oriental Region. Trans. lep. Soc. Japan 46 (2): 103-111, figs.
293. Arita, Y., 1983, Six new species of *Glyphipterix* Hübner (Lepidoptera, Glyphipterigidae) from Thailand. Tyo to Ga 33: 149-156, figs.
294. Arita, Y., 1985, A new Carmentina (Lepidoptera, Glyphipterigidae) from Thailand. Tyo to Ga 36: 87-90, figs.
295. Arita, Y., 1985, Two new species of *Glyphipterix* Hübner (Lepidoptera, Glyphipterigidae) from Thailand. Tyo to Ga 36: 97-101, figs.
296. Arita, Y., 1987, Description of a new species of Carmentina from Thailand (Lepidoptera, Glyphipterigidae), [in] Kuroko, H. & S. Moriuti, Microlepidoptera of Thailand 1: 57-59, figs. University of Osaka.
297. Arita, Y., 1987, Brenthiinae (Lepidoptera, Choreutidae) of Thailand. [in] Kuroko, H. & S. Moriuti, Microlepidoptera of Thailand 1: 7-55, figs. University of Osaka.
298. Arita, Y., 1989, Two new and an unrecorded Clearwing Moths (Lepidoptera, Sesiidae) from Thailand. [in] Microlepid. Thailand 2: 9-14.
299. Arnaud, J.-P., 2000, *Cacyreus marshalli* Butler en France: contribution à l'ébauche de la cartographie de son extension (Lepidoptera, Lycaenidae). Alexanor 21 (2): 111-112.
300. Arnold, E., 1909, Auf die Suche nach *Parnassius nordmanni*. Ent. Z., Stuttgart 23(36): 159-161, 2 figs.
301. Arnold, E., 1912, Aparte *Parnassier*formen aus den Alpen. Mitt. münch. ent. Ges. 3: 26-28.
302. Arnold, E., 1921, Festnummer zur Ehren des 70. Geburtstages von Max Korb. Mitt. münch. ent. Ges. 11: 45-49.
303. Arnscheid, W. & P. Ross, 1976, Eine neue Subspecies von *Erebia cassioides* aus Norditalien. Ent. Z., Frankf. a. M. 86: 69-71.
304. Arnscheid, W. & P. Ross, 1976, *Erebia ligea suederlandica* ssp. nov. Dortmund. Beitr. Landeskd. 11: 25-34.
305. Arnscheid, W. & P. Ross, 1977, Spezifität von *Erebia orientalis* Elwes, 1900. Beiträge zur Kenntnis der Erebien VI. Atalanta 8: 110-112.
306. Arnscheid, W. & P. Ross, 1977, Differenzierung der Subspecies von *Erebia euryale* Esper in Mitteleuropa unter besonderer Berücksichtigung von Mischpopulationen. Ent. Z., Frankf. a. M. 87: 201-211.
307. Arnscheid, W. & P. Ross, 1978, Über die Zucht und die Preimaginalstadien von *Erebia albertanus* Prunner. Ent. Z., Frankf. a. M. 88: 66-68.

- 308. Arnscheid, W. & P. Ross,** 1981, Ein Beitrag zum Vorkommen von *Erebia pharte* (Hübner, 1804) in den Vogesen. Ent. Z., Frankf. a. M. 91: 66-69.
- 309. Arnscheid, W. & P. Ross,** 1984, Die Preimaginalstadien von *Erebia medusa* ([Denis & Schiffermüller], 1775). Beiträge zur Kenntnis der Ereben XV. Entomofauna 4: 77-84.
- 310. Arnscheid, W. & V. Sterba,** 1978, Eine neue Subspecies von *Erebia epiphron* aus dem Pelistergebirge in Mazedonien (Lep., Satyridae). Ent. Z., Frankf. a. M. 88(22): 257-260, 3 Abb.
- 311. Arnscheid, W.,** 1975, Ein Beitrag zur Makrolepidopteren-Fauna des südlichen Ruhrgebietes: Der Isenberg bei Hattingen an der Ruhr.-Dortmud. Beitr. Landeskd. 8: 3-20.
- 312. Arnscheid, W.,** 1975, Ein Beitrag zur Makrolepidopteren-Fauna des südlichen Ruhrgebietes: Der Isenberg bei Hattingen an der Ruhr.-Dortmud. Beitr. Landeskd. 8: 3-20.
- 313. Arnscheid, W.,** 1976, Ist *Gonepteryx cleopatra* (Linne, 1767) ein Wanderfalter? Atalanta 7: 141-142.
- 314. Artemyeva, E.A.,** 1992, Wing pattern seasonal variation in *Polyommatus icarus* (Lepidoptera, Lycaenidae). Vest. zool. 1992 (4): 61-64, 4 figs.
- 315. Artemyeva, E.A.,** 1998, The blue butterfly *Agrodiaetus ripartii* (Freyer, 1830) (Lepidoptera, Lycaenidae) from the Middle Volga. Russ. ent. J. 6 (1997) (1/2): 127-128.
- 316. Arutyunyan, R.G.,** 1989, New data on Phycitinae (Lepidoptera) of Armenia. Ent. Obozr. 69 (3): 642-656, figs.
- 317. Ashby, E.B.,** 1924, Digne and Basses-Alpes in July 1924. Entomologist's Rec. J. Var. 36: 102-106, 122-126.
- 318. Ashby, E.B.,** 1929, Hyères and Draguignan in April, 1928. Entomologist's Rec. J. Var. 41: 134-136, 150-152.
- 319. Ashby, E.B.,** 1930, Cavalaire and the new Riviera. Entomologist's Rec. J. Var. 42: 9-11, 38-39.
- 320. Ashby, E.B.,** 1931, Draguignan and St. Aygulf, Var, France as collecting centres in April-May, 1930. Entomologist's Rec. J. Var. 43: 131-133, 149-151.
- 321. Ashby, E.B.,** 1932, Aigle and the Rhone Valley, Switzerland, in May, 1931. Entomologist's Rec. J. Var. 44: 55-58, 72-74.
- 322. Ashby, E.B.,** 1933, Paris and Mouthier (Doubs), July/August 1932. Entomologist's Rec. J. Var. 45: 84-85, 119-123, 150-151.
- 323. Ashby, E.B.,** 1934, The Cottian Alps and Turin in June-July, 1933. Entomologist's Rec. J. Var. 46: 81-83, 105-107, 116-117.
- 324. Ashby, E.B.,** 1935, Coutrexeville, Vosges, France in June, 1934 and Lacquignol, Forest of Mormale, France, in July, 1934. Entomologist's Rec. J. Var. 47: 7-8, 29-32.
- 325. Ashby, E.B.,** 1936, Ozoir-la-Ferrière; Puy de Dome mountain; and Le Mont Dore, France, in June-August 1935. Entomologist's Rec. J. Var. 48: 70-73, 81-83.
- 326. Asselbergs, J.E.F.,** 1975, Lepidoptera verzameld tijdens een reis naar Ohrid (Jugoslavisch-Macedonien) en tijdens het verblijf aldaar. Ent. Ber., Amst. 35: 20-26.
- 327. Asselbergs, J.E.F.,** 1978, A contribution to the knowledge of the Lepidoptera fauna of Samos. Ent. Ber., Amst. 38: 55-57.
- 328. Asselbergs, J.E.F.,** 1994, *Sefidia clasperella* sp.n. from Turkey (Lepidoptera, Pyralidae, Phycitinae). Nota lepid. 16(3/4): 171-178, 5 figs.
- 329. Asselbergs, J.E.F.,** 1997, *Merulempista wolschrijni* spec. nov. from The Netherlands and *Merulempista brucella* (Staudinger) stat. nov. from Turkey (Lepidoptera, Pyralidae, Phycitinae). Ent. Ber., Amst. 57(1): 8-13, 20 figs.
- 330. Asselbergs, J.E.F.,** 1997, A new *Euzophora* species from Turkey (Pyralidae, Phycitinae). Nota lepid. 20 (3/4): 305-309, figs.
- 331. Asselbergs, J.E.F.,** 2004, Three new species of Phycitinae from Central Asia (Pyraloidea, Pyralidae). Nota lepid. 27 (1): 51-58, figs.
- 332. Atkins, A.F. & E.D. (Ted) Edwards,** 1996, Hesperioidea, [in] Nielsen, Edwards & Rangsi, Monographs on Australian Lepidoptera vol.4, Checklist of the Lepidoptera of Australia, 232-236pp. CSIRO Division of Entomology, Canberra. Australia.
- 333. Aubert, J.-F.,** 1959, Les Geometrides palaearctiques du genre *Entephria* Hb. Description d'un genre nouveau pour *argentiplumbea* Hamps. Z. wien. ent. Ges. 44(11/12): 177-209, 6 pls., figs.
- 334. Aubert, J.-F.,** 1961, Papillons d'Europe I. Diurnes et Ecaillés. 237 pp. 56 Pls., 45 figs. Delachaux & Niestlé S.A., Neuchâtel (Suisse).
- 335. Aue, A.U.E.,** 1927, Zuchten von *Erebia evias* God. Ent. Z., Frankf. a. M. 41: 364-367.
- 336. Aue, A.U.E.,** 1936, *Chamaepora* (Acronicta) *euphorbiae* F. (Lep.). Ent. Rdsch. 53: 388-389.
- 337. Auel, H.,** 1902, Beitrag zur Entwicklungsgeschichte von *Pieris brassicae* L. (Kohlweissling). Beobachtungen über das Erscheinen der Generationen. Allg. Z. Ent. 7: 113-117, 139-142, 184-187.
- 338. Auriol, H.de,** 1916, Des variations de *Parnassius apollo* dans le Jura. Bull. Soc. lepidopt. Genève 3: 129-151.
- 339. Auriol, H.de,** 1917, Etudes sur les *Pierides* du Jura. Arch. Sci. phys. nat. (4)44: 32-47, 111-121.
- 340. Aurivillius, C.,** 1894, Die palaearktischen Gattungen der Lasiocampiden, Striphropterygiden und Megalopygiden. Dt. ent. Z., Iris 7: 121-192.
- 341. Aurivillius, C.,** 1901, Diagnosen neuer Lepidopteren aus Afrika. Ent. Tidskr. 22 (2): 113-128, figs.
- 342. Aurivillius, C.,** 1902, Beiträge zur Kenntnis der Insektenfauna von Kamerun No.11. Lepidoptera Heterocera. Ent. Tidskr. 23 (4): 273-288, Taf.4-6.
- 343. Aurivillius, C.,** 1903, Zwei neue Afrikanische Heteroceren. Ent. Tidskr. 24 (1): 106.
- 344. Aurivillius, C.,** 1908-1925, Die afrikanischen Tagfalter, [in] Seitz, A. Die Gross-Schmetterlinge der Erde (2) 13: [iii]+ [x]+ 614pp., 80 Pls. Lehmann/Kernen, Stuttgart.
- 345. Aurivillius, C.,** 1911, Chrysopolomidae. [in] Aurivillius, C. & H. Wagner, Lepidopterorum Catalogus Pars 1. 4pp. Dr. W. Junk Berlin.
- 346. Aurivillius, P.O.C.,** [1898], Bemerkungen zu den von J. Chr. Fabricius aus danischen Sammlungen beschriebenen Lepidopteren. Ent. Tidskr. 18 (3/4): 139-174.
- 347. Aussem, B. & G. Hesselbarth,** 1980, Die Präimaginalstadien von *Pseudochazara cingowskii* (Gross, 1973). Nota lepid. 3(1/2): 17-23, 15 figs.
- 348. Aussem, B.,** 1978, Beitrag zur systematischen Stellung von *Pseudochazara graeca* und Beschreibung einer neuen Subspecies (Lep., Satyridae). Ent. Z., Frankf. a. M. 88 (3): 13-22, 21 Abb.
- 349. Aussem, B.,** 1980, Ein Freiland-Hybrid der Gattung *Pseudochazara* (Lepidoptera, Satyridae). Satyriden-Studie 2. Ent. Z., Frankf. a. M. 90(15): 161-165, Abb.
- 350. Aussem, B.,** 1980, Eine neue Satyride der Gattung *Pseudochazara* de Lesse, 1951 aus Afghanistan (Satyridae). Nota lepid. 3(1/2): 5-15, figs.
- 351. Aussem, B.,** 1980, Die Präimaginalstadien der Gattung *Pseudochazara* de Lesse, 1951 (Lepidoptera, Satyridae) Teil 1. *Pseudochazara graeca* (Staudinger, 1870). Mitt. münch. ent. Ges. 69: 1-7, figs.
- 352. Aussem, B.,** 1980, Satyriden-Studie III. Sonderbildung an den Mandibeln der Raupen des Tribus Satyrini Boisduval, 1836. Entomofauna 1: 226-233.
- 353. Aussem, B.,** 1980, Satyriden-Studie I. Zur Kenntnis der Androkonienfelder von *Pseudochazara telephassa* (Geyer, 1827) und *Pseudochazara anthelea* (Hübner, 1824). Entomofauna 1: 354-356.
- 354. Aussem, B., Freina, J.J.de & T. Witt,** 1985, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Zur Situation der Gattung *Paidia* Hbn. [1819] 1816 in Europa und Nordwestafrika (Lepidoptera, Arctiidae) VII. Atalanta 16: 109-113.
- 355. Austaut, J.L.,** 1879, Description d'un Lépidoptère nouveau d'Algérie. Naturaliste 1: 138.
- 356. Austaut, J.L.,** 1880, Lépidoptères nouveaux d'Algérie. Naturaliste 2: 284.
- 357. Austaut, J.L.,** 1885, Lépidoptères nouveaux d'Algérie. Naturaliste 7: 141-142.
- 358. Austaut, J.L.,** 1889, Les Parnassiens de la faune Palearctique. 222pp., 32 Pls., Leipzig.

359. **Austaut, J.L.**, 1905, Notice sur quelques Lepidopteres nouveaux. Ent. Z., Stuttgart 18: 143.
360. **Austaut, J.L.**, 1908, Notice sur quelques formes nouvelles ou peu connues du genre *Oeneis*. Ent. Z., Stuttgart 22: 43, 44, 56.
361. **Austaut, J.L.**, 1909, Notice sur quelques *Oeneis* nouveaux. Ent. Z., Stuttgart 23: 23-26.
362. **Avci, M.**, 1997, Marmara Bölgesi Ormanlarının Tortricidae (Lep.) Faunası. Ist Univ. Orman Fak. Derg. (A) 47 (1): 111-138.
363. **Avinoff, A. & W.R. Sweadner**, 1951, The Karanasa butterflies, a study in evolution. Ann. Carneg. Mus. 32(1): 1-250, figs.
364. **Avinoff, A.**, 1912, Quelques formes nouvelles du genre *Parnassius* Latr. Horae Soc. ent. ross. 40(5): 1-21, 2 Pls.
365. **Avinoff, A.**, 1915, Some new forms of *Parnassius*. Trans. ent. Soc. London 1915: 351-360.
366. **Avinoff, A.N.**, 1910, Formes nouvelles de *Rhopaloceres* du Ferghana. Horae Soc. ent. ross. 39: 247-250, pl. 14.
367. **Avise, J.**, 1974, Systematic value of electrophoretic data. Syst. zool. 23: 465-481.
368. **Ayala, F.J.**, 1975, Genetic differentiation during the speciation process. Evolutionary biol. 8: 1-78.
369. **Ayvalı, C.**, 1989, Metamorfoz sırasında *Agrotis ipsilon* (Hufn.) (Lepidoptera, Noctuidae) hemositleri üzerine araştırmalar Ankara Univ. Ziraat Fak. Yay. no. 1149, 20 s., 21 şek.
370. **Azuma, S.**, 1990, Some Spingidae collected in Thailand (Lepidoptera). Esakia 1 (special issue): 155-160, figs.
371. **Bacallado Aranega, J.J.**, 1976, Biología de *Cyclirius webbianus* (Brulle) especie endemica de las Islas Canarias. Vieraea 6: 139-150.
372. **Baccetti, B.**, 1963, Roger Verity. Atti Accad. naz. ital. Ent. R. 11: 17-33.
373. **Bachelard, P. & H. Descimon**, 1999, *Lycaena helle* (Denis & Schiffermüller, 1775) dans le Massif central (France): une analyse écogéographique (Lepidoptera, Lycaenidae). Linneana Belgica 17(1): 23-41, figs.
374. **Bachmann, O.**, 1911-1913, Beobachtungen über blütenbesuchende Insekten in der Eichstätter Alb. Mitt. münch. ent. Ges. 1 (1911): 74-80, 91-94; 2(1912): 14-16, 3(1913): 28-32, 41-48, 59-64, 96-105.
375. **Bachmetjew, P.**, 1901, Warum fliegen die Tagsschmetterlinge nur am Tage und die meisten Nachtschmetterlinge in der Nacht? Societas ent. 15: 171-173, 179-181.
376. **Bachmetjew, P.**, 1902, Die Schmetterlinge Bulgariens. Horae Soc. ent. ross. 35: 356-466.
377. **Bachmetjew, P.**, 1909, On questions regarding lepidopterous fauna of Bulgaria. Russk. ent. Obozr. 9: 278-289.
378. **Back, H.-E.**, 1977, Die Lepidopterensammlung im Zoologischen Forschungsinstitut und Museum Alexander Koenig. Bonn. zool. Beitr. 28: 198-205.
379. **Back, H.-E.**, 1977, Die Lepidopterensammlung im Zoologischen Forschungsinstitut und Museum Alexander Koenig. Bonn. zool. Beitr. 28: 198-205.
380. **Back, H.E.**, 1973, Untersuchungen über die Systematik und Zoogeographie der Gattung *Pleurota* (Lepidoptera, Oecophoridae). 413 pp., figs. Saarbrücken.
381. **Back, H.E.**, 1978, *Pyronia bathseba* (Fabricius, 1793) en Tunisie. Alexanor 10: 343-344.
382. **Back, H.E.**, 1978, Vorkommen und Verbreitung der *Rhopaloceren* in der zentralen Sahara. Nota lepid. 1(2): 53-63.
383. **Back, H.E.**, 1981, Beitrag zur Faunistik und Zoogeographie der Lepidopteren in der östlichen Sahara. Nota lepid. 4 (4): 111-124, map.
384. **Back, W. & E.J. Reissinger**, 1989, *Euchloe tagis* reisseri subsp. n. eine gut charakterisierte Unterart aus dem Rif-Gebirge (Lepidoptera, Pieridae). Nota lepid. 12: 86-102, Abb.
385. **Back, W. & R. Leestmans**, 2001, Une nouvelle sous-espèce d'*Euchloe lessei* Bernardi, 1957 dans la chaîne de Qohrud (Iran central): *E. lessei qohrudicus* ssp. nov. (Lepidoptera, Pieridae). Linneana Belg. 18 (4): 187-190, figs.
386. **Back, W. & R. Leestmans**, 2001, Une nouvelle sous-espèce d'*Euchloe penia* (Freyer, 1852) du Nord-Ouest de l'Iran: *taleschicus* ssp. nova (Lepidoptera, Pieridae). Linneana Belg. 18 (4): 193-198, figs.
387. **Back, W. & U. Eitschberger**, 1976, Die Unterarten von *Euchloe charlonia* Donzel, 1842. Atalanta 7 (3): 142-160, pls.
388. **Back, W. & U. Eitschberger**, 1977, Corrigenda und Ergänzungen zu dem Beitrag "Die Unterarten von *Euchloe charlonia* Donzel, 1842". Atalanta 8 (1): 40.
389. **Back, W.**, 1976, *Ist Pontia chloridice* (Hübner, 1808) ein Binnenwanderer II. Ordnung? Atalanta 7: 22-24.
390. **Back, W.**, 1977, Zur Artenverschiedenheit von *Anthocharis belia belia* (Linné, 1767) und *A. euphenoides euphenoides* (Staudinger, 1869) (Lep., Pieridae). Atalanta 8 (1): 30-39, 11 Abb.
391. **Back, W.**, 1979, Zur Biologie der europäischen und nordwestafrikanischen Populationen von *Euchloe ausonia* Hübner, 1804. Atalanta 10: 225-243, figs.
392. **Back, W.**, 1982, Über die Biologie von *Euchloe charlonia amseli* Gross & Ebert, 1975. Atalanta 13: 48-60, figs.
393. **Back, W.**, 1984, Beschreibung der Präimaginalstadien von *Euchloe tagis pechi* Staudinger, 1885 (Lep., Pieridae). Atalanta 15 (1/2): 152-164, Taf.
394. **Back, W.**, 1984, Die Präimaginalstadien von *Euchloe falloui* Allard, 1867 (Lep., Pieridae). Atalanta 15 (1/2): 165-166, Taf.
395. **Back, W.**, 1985, Zur Biologie von *Anthocharis damone* (Boisduval, 1836) und *Anthocharis grueneri* (Herrich-Schäffer, 1851) (Lepidoptera, Pieridae). Atalanta 16: 105-108.
396. **Back, W.**, 1991, Taxonomische Untersuchungen innerhalb der Artengruppe um *Euchloe ausonia* (Hübner, 1804) (Lepidoptera, Pieridae). Atalanta 21 (3/4) (1990): 187-206, Taf. ii, iii.
397. **Back, W.**, 1991, Die Präimaginalstadien von *Euchloe charlonia* (Donzel, 1842) im Vergleich zu *Euchloe penia* (Freyer, 1852) und *Euchloe transcaspica* ssp. *amseli* (Gross & Ebert, 1975) (Lepidoptera, Pieridae). Atalanta 22 (2/4): 357-366, Pls.
398. **Back, W.**, 2001, Beschreibung einer neuen Unterart von *Euchloe tagis* Hübner, 1804: *Euchloe tagis piemonti* subsp. nov. (Lepidoptera, Pieridae). Atalanta 32 (1/2): 99-102, pls. iii, iv.
399. **Back, W.**, 2001, Zur Biologie von *Euchloe belemia hesperidum* Rothschild, 1913 (Lepidoptera, Pieridae). Atalanta 32 (1/2): 103-106, pl. v, via.
400. **Back, W., Leestmans, R. & A.R. Naderi**, 2003, Discovery of the female of *Euchloe ziyani* Leestmans & Back, 2001 (Lepidoptera, Pieridae). Linneana Belg. 19 (1): 1-3, figs.
401. **Bacot, A.W.**, 1895, The genus *Smerinthus*. Entomologist's Rec. J. Var. 6(8): 173-181.
402. **Bacot, A.W.**, 1896, Notes on the life-history of *Papilio machaon*. Entomologist's Rec. J. Var. 8: 240-241.
403. **Bacot, A.W.**, 1897, Notes on the cocoon and pupa of *Saturnia pyri*. Entomologist's Rec. J. Var. 9: 144-146.
404. **Bacot, A.W.**, 1897, Note on the newly emerged larva of *Polygonia egea*. Entomologist's Rec. J. Var. 9: 178.
405. **Bacot, A.W.**, 1900, Newly hatched larva of *Erebia ceto*. Entomologist's Rec. J. Var. 12: 108-109.
406. **Bacot, A.W.**, 1900, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 12: 131-132.
407. **Bacot, A.W.**, 1901, Larvae of *Lasiocampa quercus* and its vars. *callunae*, *Palm.*, *viburni*, *Gn.*, *meridionalis*, *Tutt.* and *scicula*, *Staud.*, and of cross-pairings between these races. Entomologist's Rec. J. Var. 13: 114-117, 142-144.
408. **Bacot, A.W.**, 1903, Notes on the life-history of *Coenonympha corinna*. Entomologist's Rec. J. Var. 15: 94-96.
409. **Baisch, G., Beshkov, S.V., Gelbrecht, J., Hacker, H., Huber, K., Kallies, A. et al.**, 1998, Bausteine zur Fauna der Noctuoidea der Türkei mit einer Übersicht aller in der Türkei bisher beobachteten Noctuoidea (Lepidoptera). Esperiana 6: 213-373.
410. **Baker, R.R.**, 1968, A possible method of evolution of the migratory habit in butterflies. Phil. Trans. R. Soc. (B) 253: 309-341.
411. **Baker, R.R.**, 1968, Sun orientation during migration in some British butterflies. Proc. R. ent. Soc. Lond. (A) 43: 89-95.

412. **Baker, R.R.**, 1969, The evolution of the migratory habit in butterflies. *J. anim. Ecol.* 38: 703-746.
413. **Baker, R.R.**, 1972, The geographical origin of the British spring individuals of the butterflies *Vanessa atalanta* (L.) and *V. cardui* (L.). *J. Ent. (B)* 46: 185-196.
414. **Baker, R.R.**, 1978, The evolutionary ecology of animal migration. 7+1012 pp., illustr. Hodder & Stoughton, London.
415. **Baker, R.R.**, 1983, Insect territoriality. *A. Rev. Ent.* 28: 65-89.
416. **Bakowski, M.**, 1998, A contribution to the knowledge of the clearwing moths of Turkey (Lepidoptera, Sesiidae). *Phegea* 26 (3): 85-86.
417. **Balazuc, J. & J. Bourgoigne**, 1968, Nouvelles observations teratologiques chez les Lépidoptères. *Alexanor* 5: 339-342.
418. **Baldizzone, G. & J. Nel**, 1994, Nouvelles données sur quatre espèces méconnues du genre *Coleophora* Hübner, 1822 (Lepidoptera, Coleophoridae). *Linneana Belgica* 14(7): 351-367, 17 figs.
419. **Baldizzone, G. & J. Nel**, 2004, Description d'une nouvelle espèce du genre *Coleophora* Hübner: *C. retrodentella* Baldizzone & Nel, sp.n., de France et d'Italie (Lepidoptera, Coleophoridae). *Shilap Revta. lepid.* 32 (126): 161-167, 10 figs.
420. **Baldizzone, G. & J. Tabell**, 1999, *Coleophora conspersa* Baldizzone & Tabell, sp.n., *C. daglarica* Baldizzone & Tabell, sp.n., and some further notes on the coleophorids from Turkey (Lepidoptera, Coleophoridae). *Revta lepid.* 27 (108): 525-537, figs.
421. **Baldizzone, G. & J. Tabell**, 2006, Three new species of the genus *Coleophora* Hübner from Bulgaria and adjacent countries (Lepidoptera, Coleophoridae). *Shilap Revta lepid.* 34 (133): 93-102, figs.
422. **Baldizzone, G. & M.F.V. Corley**, 2004, *Coleophora lusitanica* Baldizzone & Corley, sp.n., a new species from Portugal (Lepidoptera, Coleophoridae). *Shilap Revta. lepid.* 32 (126): 149-152, 5 figs.
423. **Baldizzone, G.**, 1967, *Brenthis hecate* razza lemmis nov. *Boll. Ass. romana Ent.* 22: 59-61.
424. **Baldizzone, G.**, 1971, La femmina dell'*Erebia manto* Schiff. ssp. *valmaritima* Floriani. *Boll. Soc. ent. ital.* 101: 42-43.
425. **Baldizzone, G.**, 1979, Les espèces de Coleophoridae décrites par Pierre Chretien. *Alexanor* 11 (3): 111-130, 115 figs.
426. **Baldizzone, G.**, 1982, Contributions a la connaissance des Coleophoridae xxv. Les taxa décrits par H. Rebel (2e partie). *Linneana Belgica* (8) 10: 425-438, 48 figs.
427. **Baldizzone, G.**, 1982, Contributions a la connaissance des Coleophoridae, xxx. Nouvelles espèces du genre *Coleophora* Hübner en France, Espagne, Maroc et Isles Canaries (Coleophoridae). *Nota lepid.* 5 (2/3): 57-76, 57 figs.
428. **Baldizzone, G.**, 1983, *Infurcitinea tribertii* n.sp. et *I. nedae* n. sp. Les femelles de *I. banatica* Petersen, *I. teriolella* (Amsel) et *I. ochridella* Petersen (Tineidae). *Nota lepid.* 6 (1): 17-23, 11 figs.
429. **Baldizzone, G.**, 1984, Insects of Saudi Arabia Lepidoptera Fam. Coleophoridae. *Fauna Saudi Arabia* 6: 376-387, figs.
430. **Baldizzone, G.**, 1984, Deux nouvelles espèces du genre *Infurcitinea* Spuler (Tineidae). *Nota lepid.* 7 (3): 193-198, 10 figs.
431. **Baldizzone, G.**, 1984, Contributions a la connaissance des Coleophoridae, xxxvii. *Ichnophanes canariella* n.sp. *Nota lepid.* 7 (2): 101-106, 13 figs.
432. **Baldizzone, G.**, 1985, Contributions a la connaissance des Coleophoridae XXXVI. *Coleophora anitella* n.sp. (Lepidoptera). *Alexanor* 13 (8) (1984): 349-353, 12 figs.
433. **Baldizzone, G.**, 1987, Sur quelques espèces de Coleophoridae de Libye (Lepidoptera). *Alexanor* 15 (1): Suppl.: [3]-[16], 29 figs.
434. **Baldizzone, G.**, 1987, Sur quelques Coleophoridae de la collection von Heyden (Lepidoptera). *Alexanor* 15 (1): Suppl.: [17]-[28], 2 figs.
435. **Baldizzone, G.**, 1989, Contributions a la connaissance des Coleophoridae LIV. Deux nouvelles espèces du genre *Coleophora* Hübner: *C. aporiella* sp.n. et *C. longiductella* sp.n. (Lepidoptera). *Nota lepid.* 12(2): 103-112, 18 figs.
436. **Baldizzone, G.**, 1989, Contributions a la connaissance des Coleophoridae LIV. Deux nouvelles espèces du genre *Coleophora* Hübner: *C. aporiella* sp.n. et *C. longiductella* sp.n. (Lepidoptera). *Nota lepid.* 12 (2): 103-112, 12 figs.
437. **Baldizzone, G.**, 1990, Lepidoptera Fam. Coleophoridae of Saudi Arabia. *Fauna Saudi Arabia* 11: 82-90.
438. **Baldizzone, G.**, 1993, *Tetanocentria sinevi* n.sp. (Lepidoptera, Momphidae, Blastodacninae). *Shilap, Revta lepid.* 21(84): 245-248, 6 figs.
439. **Baldizzone, G.**, 1994, Contribuzioni alla conoscenza dei Coleophoridae LXXV. Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe (Lepidoptera). *Assoc. natur. Piemont. Memorie* 3: 1-423, 699 figs.
440. **Baldizzone, G.**, 1996, Contribuzioni alla conoscenza dei Coleophoridae. LXXXVI. I Coleophoridae di Cipro (Lepidoptera, Coleophoridae). *Shilap* 24(96): 359-367, 12 figs.
441. **Baldizzone, G.**, 2001, Contribuzioni alla conoscenza dei Coleophoridae XCV. Nuove specie di Coleophoridae della collezione Klimesch (Lepidoptera, Coleophoridae). *Revta lepid.* 29 (114): 131-144, figs.
442. **Baldizzone, G., Gozmany, L.A., Huemer, P., Karsholt, O., Lvovsky, A., Parenti, U.**, 1995, Lepidoptera Gelechioidea. Checklist delle specie delle fauna Italiana, fasc. 83: 1-41.
443. **Baldizzone, G., Tokar, Z., Kovacs, Z. & S. Kovacs**, 2004, New records of Coleophoridae from Romania (Lepidoptera). *Beitr. Ent.* 54 (1): 127-146, figs.
444. **Baldock, D.W. & R.F. Brentherton**, 1988, Some butterflies from Turkish Asia Minor. *Entomologist's Rec. J. Var.* 100: 133-134.
445. **Baldock, D.W. & R.F. Brentherton**, 1981, Butterflies in Corfu (Kerkyra) in late August, 1980, with a provisional list of all species known from it. *Proc. Trans. Br. ent. nat. Hist. Soc.* 14: 8-10, 101-107.
446. **Balfour-Browne, F.**, 1958, The origin of our British Swallowtail and our Large Copper butterflies. *Entomologist's Rec. J. Var.* 70: 33-36.
447. **Balfour-Browne, R.**, 1963, A code of entomological nomenclature. *Entomologist's Rec. J. Var.* 75: 209-214.
448. **Balinsky, B.I.**, 1991, New and inadequately described genera and species of Phycitinae (Pyralidae, Lepidoptera) from Southern Africa. *S. Afr. J. Zool.* 26 (3): 93-114, 87 figs. (7 col.).
449. **Balinsky, B.I.**, 1991, On genitalia of some southern African Phycitinae (Lepidoptera, Phycitinae). *S. Afr. J. Zool.* 26 (1): 11-35, 67 figs. (3 col.).
450. **Balinsky, B.I.**, 1994, A Study of African Phycitinae in the Transvaal Museum. 208 pp. 542 figs. Vanderbijlpark.
451. **Balint, J., Kertész, A. & V.A. Lukhtanov**, 1992, A survey of the subgenus *Plebejides* Sauter, 1968 (Lepidoptera, Lycaenidae). *Ent. Obozr.* 71 (4): 863-886, 74 figs.
452. **Balint, Z. & G. Szabo**, 1981, *Lycaena helle* Den. & Schiff. from Roumanian part of the Szatmar lowland. *Folia ent. hung.* 42: 235-236.
453. **Balint, Z. & K. Johnson**, 1997, Reformation of the *Polyommatus* section with a taxonomic and biogeographic overview (Lepidoptera, Lycaenidae, Polyommataini). *Neue ent. Nachr.* 40: 1-68, Pls., figs.
454. **Balint, Z. & V.A. Lukhtanov**, 1990, *Plebejus* (*Plebejides*) *pylaon* (Fischer de Waldheim, 1832) s.str. et ses sous-espèces (Lepidoptera, Lycaenidae). *Linneana Belgica* 12 (7): 274-292, 13 figs.
455. **Balint, Z.**, 1985, *Plebicula dorylas magna* nov.ssp. (Lep., Lycaenidae) from the Eastern Carpathians, Rumania. *Neue ent. Nachr.* 14: 14-20.
456. **Balint, Z.**, 1987, Description of a new subspecies of *Plebejus* (*Plebejides*) *sephyrus* Frivaldsky, 1835 from Macedonia with short note on the *pylaon* complex (Lepidoptera, Lycaenidae). *Galathea* 3/4: 98-108.
457. **Balint, Z.**, 1989, Hairstreaks, Coppers and Blues from Mongolia (Lepidoptera, Lycaenidae). *Atalanta* 19: 87-100, figs. Pl.
458. **Balint, Z.**, 1992, A new species of *Plebejides* Sauter, 1968 from Central Asia (Lepidoptera, Lycaenidae). *Atalanta* 23 (1/2): 133-138, pl.viii.

459. **Balint,Z.**, 1995, Two new *Polyommatus* species from the Himalayan region (Lepidoptera, Lycaenidae, Polyommataini). *Annln. hist. nat. Myus. Nat. Hung.* 87: 93-102.
460. **Balint,Z.**, 1997, A new *Orthomiella* species from Nepal (Lepidoptera, Lycaenidae). *Folia ent. hung.* 58: 5-8, figs.
461. **Balint,Z.**, 1997, A report of an entomological expedition in Peru with special reference to lycaenid butterflies (Lepidoptera, Lycaenidae). *Folia ent. hung.* 58: 9-17, figs.
462. **Balint,Z., Herczig,B., Hreblay,M. & A.Uherkovich**, 1996, Contribution to the knowledge of the butterfly fauna of the northeastern Caucasus region (Lepidoptera, Rhopalocera and Hesperidae). *Linneana Belgica* 15 (8): 348-355, 1 Pl.
463. **Ball,S.**, 1990, The conservation of insects and their habitats. *Antenna* 14: 28-32.
464. **Ballacado Aranega,J.J.**, 1976, *Biologia de Cyclirius webbianus* (Brulle) especie endemica de las Islas Canarias. *Vieraea* 6: 139-150.
465. **Balletto,E. & G.G.Toso**, 1975, Reperti di Ropaloceri nelle Alpi Liguri. *Boll. Soc. ent. ital.* 107 (9/10): 160-163.
466. **Balletto,E. & G.G.Toso**, 1976, *Euphydryas aurinia tiragalloi* n.ssp. dell'Apenino Ligure-Piemontese. *Doriana* 5: 1-7.
467. **Balletto,E. & G.G.Toso**, 1978, Nuovi reperti di Ropaloceri nelle Alpi Liguri. Secondo contributo. *Boll. Soc. ent. ital.* 108: 49-52.
468. **Balletto,E. & G.G.Toso**, 1978, Nuovi reperti di Ropaloceri nelle Alpi occidentali. *Boll. Soc. ent. ital.* 110: 35-38.
469. **Balletto,E. & G.G.Toso**, 1979, On a new species of *Agrodiaetus* (Lycaenidae) from southern Italy. *Nota lepid.* 2(1/2): 13-25, 7 figs.
470. **Balletto,E. & G.G.Toso**, 1980, Electrophoretic techniques as a systematic research on Lepidoptera. *Nota lepid.* 3(1/2): 25-31.
471. **Balletto,E. & G.G.Toso**, 1980, Valeur taxonomique de la conformation des tegulae dans le genre *Agrodiaetus* Hübner (Lycaenidae). *Nota lepid.* 3(1/2): 33-38, figs.
472. **Balletto,E. & O.Kudrna**, 1986, An annotated catalogue of the Burnets and Foresters (Lepidoptera, Zygaenidae) named by Roger Verity. *J. Res. Lepid.* 24: 226-249.
473. **Balletto,E. & O.Kudrna**, 1987, Some aspects of the conservation of butterflies in Italy, and recommendations for a future strategy. *Boll. Soc. ent. ital.* 177: 39-59.
474. **Balletto,E. & O.Kudrna**, 1989, On a small collection of butterflies from NW. Afghanistan (Province of Herat), with additions to the Afghan fauna and a checklist of the species known for this country. *Entomologist's Gaz.* 40: 245-265.
475. **Balletto,E. & Y.P.Nekrutenko**, 1986, A new blue butterfly species (Lepidoptera, Lycaenidae) from the Middle Asia. *Vestn. Zool.* 1986(1): 76-78, figs.
476. **Balletto,E., Camporesi,S., Cassulo,L.A., Fiumi,G., Karsholt,O. & S.Zangheri**, 1995, Lepidoptera, Cossioidea, Sesioidea, Zygaenoidea, Choreutoidea. Checklist delle specie delle fauna Italiana, fasc. 84: 1-8.
477. **Balletto,E., Toso,G.G. & G.Troiano**, 1981, *Aricia cramera* (Erschscholtz, 1821) in Sardinia (Lycaenidae, Plebejinae). *Nota lepid.* 4(3): 81-92, 5 figs.
478. **Balli,A. & C. Moscardini**, 1945-1947, I Lepidotteri del Modenese. I, II. *Atti Soc. Nat. Mat.* 76: 40-59; 78: 149-172.
479. **Ballion,E.**, 1886, Verläufiges Verzeichnis der Schmetterlinge aus der Umgegend von Novorossijk am Schwarzen Meere im Caucasus. *Bull. Soc. nat. Moscou* 62: 241-290.
480. **Balsac,H.H. & M. Choul**, 1972, Les Lépidoptères de la Gaume franco-belge I. *Alexanor* 7: 261-275, 297-312, 351-364.
481. **Balsac,H.H. & M. Choul**, 1973, Les Lépidoptères de la Gaume franco-belge II. *Alexanor* 8: 3-14, 85-96, 161-172.
482. **Balsac,H.H. & M. Choul**, 1974, Les Lépidoptères de la Gaume franco-belge III. *Alexanor* 8: 203-215, 257-268, 321-332.
483. **Balsac,H.H. & M. Choul**, 1975, Les Lépidoptères de la Gaume franco-belge IV. *Alexanor* 9: 85-96, 173-184.
484. **Balsac,H.H. & M. Choul**, 1976, Les Lépidoptères de la Gaume franco-belge V. *Alexanor* 9: 259-270, 291-302.
485. **Balsac,H.H. & M. Choul**, 1978, Les Lépidoptères de la Gaume franco-belge VI. *Alexanor* 10: 205-216, 253-264, 345-356.
486. **Balsac,H.H. & M. Choul**, 1979, Les Lépidoptères de la Gaume franco-belge VII. *Alexanor* 11: 2-12.
487. **Bandermann,R.**, 1915, Ueberwintert *Pyrameis cardui*? *Ent. Z., Frankf. a. M.* 29: 75-76.
488. **Bandermann,R.**, 1917, Geruchs- und Farbsinn bei Tagfaltern. *Societas ent.* 32: 49.
489. **Bang-Haas,A.**, 1906, Neue oder wenig bekannte palaearctische Macrolepidopteren. *Dt. ent. Z., Iris* 19: 127-129.
490. **Bang-Haas,A.**, 1907, Neue oder wenig bekannte palaearctische Macrolepidopteren. *Dt. ent. Z., Iris* 20: 69-88, Taf.
491. **Bang-Haas,A.**, 1910, Neue oder wenig bekannte palaearctische Macrolepidopteren. *Dt. ent. Z., Iris* 24: 27-51, 2 Taf.
492. **Bang-Haas,A.**, 1913, Neue oder wenig bekannte palaearctische Macrolepidopteren VII. *Dt. ent. Z., Iris* 27: 108.
493. **Bang-Haas,O.**, 1915, Rhopalocera der Chotan-Ausbeute 1914. *Dt. ent. Z., Iris* 29: 92-100.
494. **Bang-Haas,O.**, 1915, Zur Kenntnis von *Parnassius delphi* Eversmann und verwandte Arten. *Dt. ent. Z., Iris* 29: 148-170, Pls. 4,5.
495. **Bang-Haas,O.**, 1915, Einiges über *Parnassius*. *Dt. ent. Z., Iris* 29: 170-175, Pl.5
496. **Bang-Haas,O.**, 1926, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 1. Bis zum Jahre 1920. *Novit. macrolepid.* 1: xx+ 238pp.
497. **Bang-Haas,O.**, 1927, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 2. Vom Jahre 1921 bis 1926. *Novit. macrolepid.* 2: xxii+ 301pp.
498. **Bang-Haas,O.**, 1927, *Horae Macrolepidopterologicae regionis palaearcticae* Vol. 1. Neubeschreibungen und Berichtigungen der Palaearktischen Lepidopterenfauna. xxviii+ 128S. 11 Taf. Dresden-Blasewitz.
499. **Bang-Haas,O.**, 1928, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 3. Neubeschreibungen des Jahres 1927. *Novit. macrolepid.* 3: xvi+ 104pp.
500. **Bang-Haas,O.**, 1928, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna 1. *Ent. Z., Frankf. a. M.* 42: 59-61.
501. **Bang-Haas,O.**, 1929, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 4. Neubeschreibungen des Jahres 1928. *Novit. macrolepid.* 4: xvi+ 80pp.
502. **Bang-Haas,O.**, 1929, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna II. *Ent. Z., Frankf. a. M.* 43: 122-124.
503. **Bang-Haas,O.**, 1930, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 5. Faunenverzeichnisse der Jahre 1758 bis 1930. *Novit. macrolepid.* 5: xvi+ 1-152.
504. **Bang-Haas,O.**, 1930, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 5. Neubeschreibungen des Jahres 1929. *Novit. macrolepid.* 5: 153-207.
505. **Bang-Haas,O.**, 1930, *Novitates Macrolepidopterologicae* Band vi. Neubeschreibungen des Jahres 1929. Faunenverzeichnisse der Jahre 1758 bis 1930. Dresden-Blasewitz.
506. **Bang-Haas,O.**, 1932, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna III. *Ent. Z., Frankf. a. M.* 46: 200.
507. **Bang-Haas,O.**, 1933, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna IV. *Ent. Z., Frankf. a. M.* 46: 261-263.
508. **Bang-Haas,O.**, 1933, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna V. *Ent. Z., Frankf. a. M.* 47: 90-92.
509. **Bang-Haas,O.**, 1933, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna VI. *Ent. Z., Frankf. a. M.* 47: 97-100.

510. **Bang-Haas,O.**, 1933, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna IV. Ent. Z., Frankf. a. M. 46: 261-263.
511. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna VII. Ent. Z., Frankf. a. M. 47: 178-179.
512. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna VIII. Ent. Z., Frankf. a. M. 48: 7-8.
513. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna IX. Ent. Z., Frankf. a. M. 48: 16.
514. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna X. Ent. Z., Frankf. a. M. 48: 48.
515. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XIII. Ent. Z., Frankf. a. M. 48: 108-110.
516. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XIV. Ent. Z., Frankf. a. M. 48: 128.
517. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XV. Ent. Z., Frankf. a. M. 48: 135.
518. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XVI. Ent. Z., Frankf. a. M. 48: 152.
519. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XVII. Ent. Z., Frankf. a. M. 48: 183-184.
520. **Bang-Haas,O.**, 1935, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XIX. Ent. Z., Frankf. a. M. 49: 35.
521. **Bang-Haas,O.**, 1935, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XX. Ent. Z., Frankf. a. M. 49: 111-112.
522. **Bang-Haas,O.**, 1935, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXI. Ent. Z., Frankf. a. M. 49: 128.
523. **Bang-Haas,O.**, 1936, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXII. Ent. Z., Frankf. a. M. 50: 108-109.
524. **Bang-Haas,O.**, 1936, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXIV. Ent. Z., Frankf. a. M. 50: 287-288.
525. **Bang-Haas,O.**, 1936, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXV. Ent. Z., Frankf. a. M. 50: 345-348.
526. **Bang-Haas,O.**, 1937, Neubeschreibungen und Berichtigungen der Palaearktischen Macrolepidopterenfauna xxxi. Ent. Z., Frankf. a. M. 51: 302-304.
527. **Bang-Haas,O.**, 1937, Neubeschreibungen und Berichtigungen der Palaearktischen Macrolepidopterenfauna xxix. Ent. Z., Frankf. a. M. 51: 120.
528. **Bang-Haas,O.**, 1937, Neubeschreibungen und Berichtigungen der Palaearktischen Macrolepidopterenfauna xxxii. Ent. Z., Frankf. a. M. 51: 329-330.
529. **Bang-Haas,O.**, 1937, Neubeschreibungen und Berichtigungen der Palaearktischen Macrolepidopterenfauna xxviii. Ent. Z., Frankf. a. M. 51: 35-36.
530. **Bang-Haas,O.**, 1938, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXIII. Ent. Z., Frankf. a. M. 51: 351-352.
531. **Bang-Haas,O.**, 1938, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXXVI. Ent. Z., Frankf. a. M. 52: 177-180.
532. **Bang-Haas,O.**, 1938, Die Unterarten von Parnassius des westlichen China. Parnassiana 5: 61-65.
533. **Bang-Haas,O.**, 1938, Parnassius epaphus beresowskyi Staudinger. Parnassiana 5: 59-60.
534. **Bang-Haas,O.**, 1939, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXXVIII. Dt. ent. Z., Iris 53: 49-60.
535. **Banks,C.S.**, 1919, Iontha ida, a new Philippine Noctuid. Philipp. J. Sci. 14: 71-73, 1 Pl.
536. **Barakanova,N.I.**, 1986, Review of Lepidoptera found on legumes in eastern Kirgizia. Ent. Obozr. 66 (3): 503-512.
537. **Baraniak,E., Bakowski,M. & J.Nowacki**, 1994, A Contribution to the Knowledge of the Lepidoptera of European Turkey Part I. Macrolepidoptera. Cent. ent. Stud., Misc. Pap. 9: 1-5.
538. **Baraniak,E., Gaedike,R., Karsholt,O., Triberti,P. & S.Zangheri**, 1995, Lepidoptera Tineoidea II. Checklist delle specie delle fauna Italiana, fasc. 82: 1-9.
539. **Baraud,J.**, 1961, Pieris ergane Geyer dans les Pyrenees-Orientales. Alexanor 2: 7-8.
540. **Barlow,H.S.**, 1982, An Introduction to the Moths of South East Asia. x+305pp., 50 Pls., 72 figs. Kuala Lumpur.
541. **Barou,J.**, 1967, Contribution a la connaissance de la Faune des Lépidopteres de l'Iran. 18pp. 1 map. [Teheran].
542. **Barraud,P.J.**, 1920-1923, Entomology in the Holy Land. Entomologist 53: 170-173, 225-227; 56: 38-41, 58-62.
543. **Barrett,J.P.**, 1911, The butterflies of Sicily. Proc. S. Lond. ent. nat. Hist. Soc. 1910/1911: 30-38.
544. **Bartel,M. & A.Herz**, 1902, Handbuch der Gross-Schmetterlinge des Berliner Gebietes. 92 pp. A.Böttcher, Berlin.
545. **Bartel,M.**, 1899-1902, Nachtfalter. [In] Rühl,F., Die Palaearktischen Gross-Schmetterlinge und ihre Naturgeschichte. Vol.2. (Lief.17-23). 336 pp. Leipzig.
546. **Bartel,M.**, 1902, Lepidopteren des südlichen Urals. Dt. ent. Z., Iris 15: 181-230.
547. **Bartel,M.**, 1903, Neue aethiopische Arctiidae der Sammlung des Kgl. Museums für Naturkunde in Berlin. Dt. ent. Z., Iris 16: 170-220.
548. **Bartel,M.**, 1904, Eriogaster philippii n.sp. Dt. ent. Z., Iris 17: 10-11.
549. **Bartel,M.**, 1904, Zwei neue Arten aus Palästina. Dt. ent. Z., Iris 17: 158.
550. **Bartel,M.**, 1912, Aegeriidae (Sesiidae). [In] Seitz,A., Die Gross-Schmetterlinge der Erde 2: 375-416, pls. Stuttgart.
551. **Bartel,M.**, 1914, Über einige Lepidopteren-Arten der Uralsteppen. Mitt. münch. ent. Ges. 56: 5-25.
552. **Barth,R.**, 1949, Vergleichende morphologische Studien über die Duftschuppen der Pieriden Pieris brassicae und Pieris rapae und der Satyrine Coenonympha pamphilus. Zool. Jb. [Anatomie] 70: 397-426, Abb.
553. **Bartol,B., Bartol,V. & S.Michieli**, 1964, Beitrag zur Kenntnis der Macrolepidopterenfauna der adriatischen Insel Krk (Veglia). NachrBl. bayer. Ent. 13: 33-36, 44-48, 55-59.
554. **Bassi,N.**, 1969, Una sottospecie inedita di Lepidottero dell'Appennino Marchigiano: Euphydryas aurinia teobaldeli subspecies nova. Boll. Ass. romana Ent. 24: 97-98.
555. **Bast,B.de**, 1985, La notion d'espece dans le genre Lysandra Hemming, 1933 (Lepidoptera, Lycaenidae) (Prem. Partie) Linneana Belgica 10(3): 98-110.
556. **Bastelberger,M.**, 1904, Beschreibung drei neuer Dysphania- (früher Euschema) Arten aus meiner Sammlung. Ent. Z., Stuttgart 18(29): 115-116.
557. **Bastelberger,M.**, 1905, Neue Geometriden aus meiner Sammlung. Ent. Z., Stuttgart 20(2): 5-6.
558. **Bastelberger,M.**, 1905, Neue Dysphaniinae aus meiner Sammlung und kritische Bemerkungen zu einigen Arten dieser Familie. Stettin ent. Ztg. 66(2): 177-224.
559. **Bastelberger,M.**, 1907, Neue exotische Geometriden. Berl. ent. Z. 52: 53-62.
560. **Bastelberger,M.**, 1907, Neue afrikanische Geometriden aus meiner Sammlung. Int. ent. Z. 1: 167-168.
561. **Bastelberger,M.**, 1908, Besprechung und Beschreibung einiger neuer oder sonst interessanter Arten von exotischen Geometriden in Naturhistorischen Museum zu Wiesbaden. Jb.Nassau. Ver. Naturk. 59: 71-77.
562. **Bastelberger,M.**, 1908, Neue exotische Acidaliden aus meiner Sammlung. Int. ent. Z. 2(5): 33-34; 2(6): 37-38.
563. **Bastelberger,M.**, 1908, Weitere neue Geometriden aus meiner Sammlung. Int. ent. Z. 2: 98-99.

564. **Bastelberger, M.**, 1909, Nachtrag zu Neue Geometriden aus Central-Formosa. Ent. Z., Stuttgart 23(16): 77.
565. **Bastelberger, M.**, 1909, Ein neues Genus und neun neue afrikanische Geometriden aus meiner Sammlung. Int. ent. Z. 3: 100-101.
566. **Bastelberger, M.**, 1909, Beschreibung eines neuen genus und fünf neuer Spannerarten aus Angola in meiner Sammlung. Ent. Z., Stuttgart 45: 281-285.
567. **Bastelberger, M.**, 1911, Neue Geometriden aus meiner Sammlung. Int. ent. Z. 5(21): 148-150.
568. **Bastelberger, M.**, 1911, Neubeschreibungen von Geometriden aus dem Hochgebirge von Formosa. Int. ent. Z. 4: 241-242, 248-249.
569. **Bastelberger, M.**, 1911, Neue Milonia-Formen aus meiner Sammlung. Int. ent. Z. 4(47):
570. **Bastelberger, M.**, 1911, Sechs neue Hemitheinae aus meiner Sammlung. Int. ent. Z. 5(8): 53-54.
571. **Bastelberger, M.**, 1911, Drei neue Dysphanien-Formen aus meiner Sammlung. Int. ent. Z. 5(8): 54-55.
572. **Bastelberger, M.**, 1911, Eine neue Braccine aus Borneo. Int. ent. Z. 5(8): 54.
573. **Bastelberger, M. J.**, 1907, Neue afrikanische Geometriden aus meiner Sammlung. Int. ent. Z. 1: 167-168.
574. **Bata, L.**, 1929-1931, Versuch einer faunistischen Bearbeitung der Makrolepidopteren des südlichsten Böhmens. Z. öst. EntVer. 14 (1929): 49-51, 62-64, 82-83, 91-92, 127-128; 15 (1930): 73-76, 83-84, 90-92, 122-123; 16 (1931): 6-7, 14-16.
575. **Bata, L.**, 1930, Fauna motyly a flora jiznich Cech s hlediska biocenoty. Roc. vlastived. Spol. jihoces. 1 (1929): 92-110.
576. **Bata, L.**, 1933, Dosavadni vysledky zoologickeho vyzkumu jiznich Cech. 67 pp. Vlastivedna Spolecnost Jihoceska Ceske Budejovice.
577. **Bate, D. C.**, 1895, Stray notes on the Macro-Lepidoptera of Dulwich and Neighbourhood. Entomologist's Rec. J. Var. 7: 301-306.
578. **Bates, H. W.**, 1870, Order Lepidoptera, [in] Henderson, G. & A. O. Huwe, Lahore to Yarkand, pp. 305-307.
579. **Bates, H. W.**, 1875, Appendix "Diurnal Lepidoptera of Siam", [in] Thomson, J., The Straits of Malacca, Indo-China, or ten years' Travels, Adventures and Residence abroad. vx. pp. 546-547, figs. pls. London.
580. **Bates, H. W.**, [1868], A Catalogue of Erycinidae, a family of Diurnal Lepidoptera. J. Linn. Soc. (Zool.) (1866) 9: 367-459.
581. **Batkowski, S., Palik, E. & R. Szpor**, 1972, Motyle wieksze Tatr Polskich. Polskie Pismo ent. 42: 637-688.
582. **Battenfeld, P.**, 1978, Sammelergebnisse von Ankara (08.07-4.07.197). Nachr. ent. Ver. Apollo 3: 44-47, 54-58.
583. **Battenfeld, P.**, 1981, Reiseerlebnisse in Israel. Nachr. ent. Ver. Apollo (N.F.) 2(2): 64-68.
584. **Bauer, E.**, 1982, Bundesartenschutzverordnung: Artenschutz statt Biotopschutz? Eine kritische Analyse I. Neue ent. Nachr. 2: 27-29.
585. **Bauer, E.**, 1983, Bundesartenschutzverordnung: Artenschutz statt Biotopschutz? Eine kritische Analyse II. Neue ent. Nachr. 4: 29-31.
586. **Baumann, E.**, 1967, Eine erste Bestandaufnahme und zoogeographische Analyse der Gross-Schmetterlinge im Naturschutzpark "Hoher Vogelsberg". Ber. oberhess. Ges. Nat. u. Heilk. 35: 53-92.
587. **Baumann, E.**, 1981, Erfolgreiche Wiedereinbürgerung von *Zerynthia polyxena* auf einem ehemaligen Weinberg am Stadtrand von Graz. Beih. Veröff. Natursch. Landschaftspf. Bad.-Württ. 21: 177-179.
588. **Baumann, H. & K. Rehne**, 1969, Beitrag zur Tagfalterfauna des Thinnbachtales bei Klausen. NachrBl. bayer. Ent. 18: 33-42.
589. **Baumann, U.**, 1970, Wanderfalter bei Alassio. Atalanta 3: 14-15.
590. **Bayard, A.**, 1946, *Heodes dispar* en Charente-Maritime. Revue fr. Lepidopt. 10: 345-349.
591. **Bayle, B. G.**, 1809, Saggio intorno agli Insetti nocivi ai vege-tabili oeconomici, agli animali utili, all'agricoltura ed ai prodotti dell'oeconomia rurale. 180pp., 2pls. Milano.
592. **Bayne, F.**, 1892, The Lepidoptera of Epping forest. Entomologist's Rec. J. Var. 3: 82-84, 114-115, 133-135, 165-166.
593. **Baynes, E. S. A.**, 1950, The Irish race of *Argynnis euphrosyne* L. Entomologist 83: 105-108.
594. **Baynes, E. S. A.**, 1958, *Aricia agestis* Denis and Schiff. in Ireland? Entomologist's Rec. J. Var. 70: 183-184.
595. **Baynes, E. S. A.**, 1960, A list of Irish butterflies. 10 pp. Stationary Office, Dublin.
596. **Baynes, E. S. A.**, 1964, A revised catalogue of Irish Macrolepidoptera. 110 pp. E. W. Classey, Hampton.
597. **Baynes, E. S. A.**, 1970, Supplement to a revised catalogue of Irish Macrolepidoptera (butterflies and moths). 28 pp. E. W. Classey, Hampton.
598. **Baynes, E. S. A.**, 1973, A revised catalogue of Irish Macrolepidoptera (Edn.2). 3 + 110 pp. E. W. Classey, Hampton.
599. **Baz, A.**, 1988, On the distribution of *Tarucus theophrastus* (Fabricius, 1793) in Morocco. Nota lepid. 11(2): 177-181.
600. **Başaran, A.**, 1974, Gündoğdu köyü (İzmit) gündüz kelekleri. Diyarbakır Univ. Tıp Fak. Derg. 3 (1): 117-128, şekil.
601. **Başaran, A.**, 1975, Diyarbakır ve Çevresi Gündüz Keleklerinin Sistematik Araştırılması. Diyarbakır Üniv. Tıp Fak. Derg. 3 (3): 529-547.
602. **Başoğlu, M. & N. Öztürk**, 1955, İstanbul civarındaki gündüz kelekleri için familyalara kadar bir tayin anahtarı. Biyoloji 5: 74-81.
603. **Beadle, H. A.**, 1895, Macro-Lepidoptera taken in Keswick and district. Entomologist's Rec. J. Var. 6: 276-283.
604. **Beall, G.**, 1946, Seasonal variation in sex proportion and wing length in the migrant butterfly, *Danaus plexippus* L. Trans. R. ent. Soc. Lond. 97: 337-353.
605. **Beattie, J. R.**, 1976, The Rhopalocera directory. 13 + 365 pp. JB Indexes, Berkeley, California.
606. **Beaulaton, J.**, 1972, Contribution a l'etude du peuplement en Lépidoptères du departement du Puy-de-Dome (Massif Central) I. Inventaire faunistique. Annls Stn. biol. Besse-en-Chandesse 6/7 (1971/1972): 77-240.
607. **Beaulaton, J.**, 1975, Contribution a l'etude du peuplement en Lépidoptères du departement du Puy-de-Dome (Massif Central) II. Données ecologiques et biogeographiques. Annls Stn. biol. Besse-en-Chandesse 9 (1974/1975): 327-341.
608. **Beaulaton, J.**, 1975, Contribution a l'etude du peuplement en Lépidoptères du departement du Puy-de-Dome (Massif Central) III. Premier complement et corrections a l'inventaire faunistique. Annls Stn. biol. Besse-en-Chandesse 9 (1974/1975): 343-355.
609. **Beck, H.**, 1974, Zur Beschreibung der Zeichnung (Ornamentik) von Insektenlarven. Eine Anleitung am Beispiel von Noctuidenlarven. Atalanta 5: 121-143.
610. **Beck, H.**, 1989, Verantwortungsvolles Taxieren, Appell an den "Internationalen Trust for Zoological Nomenclature". Beschreibung einer neuen Unterart von *Cucullia blattariae* (Esper, 1790): *Cucullia blattariae eugeniae* subsp. n. Synonymien im Genus *Cucullia* (Lep., Noctuidae). Atalanta 19: 189-217, figs.
611. **Beck, H.**, 1991, Taxonomische Aenderungen bei den Noctuidae, *Cucullinae* und *Plusiinae* (Lepidoptera, Noctuidae). Atalanta 22 (2/4): 175-232.
612. **Beck, H.**, 1992, New view of higher classification of the Noctuidae (Lepidoptera). Nota lepid. 15(1): 3-28, 7 figs.
613. **Beck, H.**, 1993, III. Corrigenda und Addenda zu Beck (1991): "Taxonomische Aenderungen bei den Noctuidae, *Cucullinae* und *Plusiinae* (Lepidoptera, Noctuidae)". Beschreibung der Raupe von *Perplexhadena syriaca* (Osthelder, 1933) comb. nov. Atalanta 23 (3/4): 605-611, pls.
614. **Beck, H.**, 1996, Systematische Liste der Noctuidae Europas (Lepidoptera, Noctuidae). Neue ent. Nachr. 36: 1-122.
615. **Beck, H., Kobes, L. & M. Ahola**, 1993, Die generische Aufgliederung von *Noctua* Linnaeus, 1758 (Lepidoptera, Noctuidae, Noctuidae). Atalanta 24 (1/2): 207-264, 16 Pls.

- 616. Beck, J. & I.J. Kitching,** 2004, The Sphingidae of Southeast Asia (incl. New Guinea, Bismarck and Solomon Islands). Version 1.3. <<http://www.sphingidae-sea.biozentrum.uni-wuerzburg.de>>
- 617. Beck, J.,** 2005, The macroecology of Southeast-Asian hawkmoths (Lepidoptera, Sphingidae). 213 pp., figs., Würzburg.
- 618. Becker, F.,** 1935, Schmetterlingsausbeute einer Reise durch Italien. Int. ent. Z. 29: 76-77.
- 619. Beer, S.,** 1942, Ricerche sulla morfologia dei disegni nelle ali dei Papilionidi. Commentat. pontif. Acad. Scient. 6: 27-181.
- 620. Beer, S.,** 1945, Osservazioni sulle variazioni di colore della larva di *Zerynthia hysipyle* Schulz. Atti Soc. ital. Sci. nat. 84: 114-124.
- 621. Beer, S.,** 1946, Ricerche sulla biologia di *Zerynthia hysipyle* Schulz. Memoire Soc. ent. ital. 25: 34-73.
- 622. Beer, S.,** 1954, Recensionen. Verity, R.: Le farfalle diurne d'Italia, vol.5. Natura, Milano 45: 89-94.
- 623. Beer, S.,** 1959, Ruggero Verity. Natura, Milano 50: 129-132.
- 624. Beer, S.,** 1960, Ruggero Verity. Memoire Soc. ent. ital. 38 (1959): 137-148.
- 625. Behounek, G. & H. Hacker,** 1986, *Lygephila schachtli* n.sp., eine neue Noctuidenart aus der Ost-Türkei, nebst faunistischen Angaben für neunundzwanzig weitere Noctuiden Arten aus der Ost-Türkei (Lepidoptera, Noctuidae). Entomofauna 7 (3): 41-53, 8 Abb.
- 626. Behounek, G. & L. Ronkay,** 1999, On the taxonomy and biogeography of the Plusiinae of south-east Asia (Noctuidae, Plusiinae). Spixiana 22 (2): 109-142, figs.
- 627. Behounek, G.,** 1983, Kleiner Beitrag zur Noctuidae-Fauna Kleinasien. Entomofauna 4 (25): 401-404.
- 628. Behounek, G.,** 1984, Ergebnisse einer Sammelreise durch Nordgriechenland und Anatolien (Lepidoptera, Noctuidae). Nachr. ent. Ver. Apollo (N.F.) 4(3): 71-80.
- 629. Behounek, G.,** 1986, Beitrag zur Noctuiden-Fauna der Türkei und des Irans. Neue Erkenntnisse zur Verbreitung von *heliophobus reticulata* (Goeze, 1780) (Lep., Noctuidae). Nachr. bayer. Ent. 36: 115-122, 3 figs.
- 630. Behounek, G.,** 1992, Die holarktischen Arten der Gattung *Lacanobia* Billberg, 1820 (Lepidoptera, Noctuidae, Hadeninae). Esperiana 3: 33-65, Abb.
- 631. Behounek, G.,** 1999, Beschreibung von zwei neuen Arten aus der Gattung *Borbotana* Walker, 1858 aus Südost Asien (Noctuidae, Amphipyrrinae). Spixiana 22 (2): 103-107, figs.
- 632. Behounek, G., Speidel, W. & H. Thöny,** 1996, Revision der Gattung *Baoris* Moore, 1882 (Lepidoptera, Noctuidae). Esperiana 4: 53-64, 12 Abb. Taf.
- 633. Beirne, B.P.,** 1942, The morphology of the male genitalia of the lepidoptera. Entomologist's Rec. J. Var. 54: 17-22, 37-39.
- 634. Beirne, B.P.,** 1942, The morphology of the female genitalia of the lepidoptera. Entomologist's Rec. J. Var. 54: 81-83.
- 635. Beirne, B.P.,** 1942-1943, Notes on the morphology and taxonomy of the genitalia of the British Rhopalocera. Entomologist 75 (1942): 211-216; 76 (1943): 50-54.
- 636. Beirne, B.P.,** 1943, The distribution and origin of the British Lepidoptera. Proc. R. ir. Acad. (B) 49: 27-59.
- 637. Beirne, B.P.,** 1943, The relationships and origin of the Lepidoptera of the Outer Hebrides, Shetlands, Faroes and Iceland. Proc. R. ir. Acad. (B) 49: 91-101.
- 638. Beirne, B.P.,** 1945, The Lepidoptera of Shetland. Entomologist's Rec. J. Var. 57: 37-40.
- 639. Beirne, B.P.,** 1947, The effects of human activities on the distribution and abundance of the Lepidoptera. Entomologist's Rec. J. Var. 59: 37-42.
- 640. Beirne, B.P.,** 1947, The origin and history of the British Macro-Lepidoptera. Trans. R. ent. Soc. Lond. 98: 273-372.
- 641. Beirne, B.P.,** 1947, The seasonal abundance of the British Lepidoptera. Entomologist 80: 49-53.
- 642. Beirne, B.P.,** 1954, British Pyralid & Plume Moths. 208 pp. 405 figs. 16 Pls. Frederick Warne, London & New York.
- 643. Beirne, B.P.,** 1955, Natural fluctuation in the abundance of British Lepidoptera. Entomologist's Gaz. 6: 21-52.
- 644. Belik, A. & R.V. Yakovlev,** 1998, Confirmed occurrence of *Oeneis jutta* in the Altai Mts. (Russia) with description of a new subspecies (Lepidoptera, Nymphalidae, Satyrinae). Phegea 26(4): 131-139, figs.
- 645. Belik, A.G.,** 1996, A new subspecies of *Parnassius phoebus* Fabricius, 1793 from the Northwest of Eastern Siberia (Lepidoptera, Papilionidae). Atalanta 27 (1/2): 189-193, Pl.
- 646. Belik, A.G.,** 1996, New subspecies of *Erebia anyuica* Kurentsov, 1966 and *Clossiana erda* (Christoph, 1893) from the Vostochnyy Sayan mountains, Russia (Lepidoptera, Nymphalidae). Phegea 24(4): 157-166, 2 Pls., 7 figs.
- 647. Beljaev, E.A. & S.V. Vasilenko,** 1998, New and little known Ennominae from Turkmenistan with description of two new species (Lepidoptera, Geometridae). Atalanta 28 (3/4): 315-326, 4 figs.
- 648. Beljaev, E.A.,** 2000, Remarkable new genus and new species of the geometrid moths from Central Asia, related to the genus *Desertobia* Viidallepp, 1989 (Lepidoptera, Geometridae, Ennominae) with notes on the taxonomy of the *Desertobiini*. Tinea 16 (4): 240-245.
- 649. Bell, E.L. & W.P. Comstock,** 1941, The synonymy of *Papilio coridon* Poda, *Papilio phocion* Fabricius and others. Jl. N. Y. ent. Soc. 49: 371-374.
- 650. Bell, T.R.D. & F.B. Scott,** 1937, The Fauna of British India including Ceylon and Burma. Moths. Sphingidae. Vol.5. xviii+537pp., 15 pls., figs. 1 map, London.
- 651. Bellier, C.,** 1858, *Agrotis celsicola*. Annls Soc. ent. Fr. 3 (6): ccliii.
- 652. Bellier, C.,** 1859, Observations sur les Lépidoptères des Basses-Alpes Environs de Larche. Annls Soc. ent. Fr. 3 (7): 177-193, pl.
- 653. Belter, G.,** 1931, *Fabriciana niobe chinensis* nov. subsp. Ent. Z., Frankf. a. M. 45(4): 62-63.
- 654. Belter, G.,** 1934, Neues aus der *Melitaea didyma* Esp.-Gruppe, mit Berücksichtigung des Materials des Deutschen Entomologischen Instituts. Arb. morph. taxon. Ent. Berl. 1: 105-115, figs.
- 655. Belter, G.,** 1935, Zwei neue *Brenthis*-Rassen aus Kleinasien. Ent. Z., Frankf. a. M. 49: 71-72.
- 656. Bender, R. & C.M. Naumann,** 1980, Eine neue *Arctia* *intercalaris*-Subspezies aus dem Hindukusch (Lepidoptera, Arctiidae). Atalanta 11 (1): 21-28, figs.
- 657. Bender, R. & W. Dierl,** 1982, Zur Kenntnis der Lepidoptera Sumatras. Eine neue Art der Gattung *Streblote* Hübner, [1820] 1816 (Lepidoptera, Lasiocampidae). Entomofauna 3 (23): 367-370, 2 Abb.
- 658. Bender, R.,** 1963, Beiträge zur Lepidopterenfauna der Insel Rhodos. Z. wien. ent. Ges. 48: 11-20, 2 Taf.
- 659. Bender, R.,** 1985, *Notodontidae* von Sumatra. *Heterocera Sumatrana* 5: 1-122, 16 Taf.
- 660. Benedek, B. & L. Ronkay,** 2001, Two new Noctuidae species from Iran (Lepidoptera). Folia ent. hung. 62: 191-198, figs.
- 661. Benedek, B. & L. Ronkay,** 2002, Two new species of the *Polymixis*-Mniotype complex (Lepidoptera, Noctuidae) from Asia. Esperiana 9: 411-419, pl. 22.
- 662. Bengtsson, B.A.,** 1997, *Scythrididae* [in] Huemer, P., Karsholt, O. & L. Lyneborg, *Microlepidoptera of Europe* vol.2., 301pp., Pls.
- 663. Bengtsson, B.A. & J. Liska,** 1996, Notes on Asian scythridids with description of four new species (Lepidoptera, Scythrididae). Phegea 24 (1): 33-39, 15 figs.
- 664. Bengtsson, B.A.,** 1991, Review of the *fuscoaenea* species-group of *Scythris* (Lepidoptera, Scythrididae). Ent. scand. 21: 405-414, 25 figs.
- 665. Bengtsson, B.A.,** 1996, Scythridids found by H. Hacker in Pakistan 1988 and India 1992. Esperiana 4: 467-481, Abb.
- 666. Bengtsson, B.A.,** 1997, *Scythrididae*, [in] Huemer, P., Karsholt, O. & L. Lyneborg, *Microlepidoptera of Europe* 2: 1-301, Pls.
- 667. Bengtsson, B.A.,** 2002, Scythridids of the Arabian Peninsula I. Oman (Lepidoptera, Scythrididae). Phegea 30 (3): 105-118, 25 figs.

668. **Bengtsson, B.A.**, 2002, Scythridids of the Arabian Peninsula, II. Yemen (Lepidoptera, Scythrididae). *Esperiana* 9: 61-127, 156 figs.
669. **Bengtsson, B.A.**, 2005, Notes on Palaearctic scythridids, with descriptions of nine new species (Lepidoptera, Scythrididae). *Ent. fennica* 16 (4): 207-220, figs.
670. **Benjamini, D.**, 1983, Distribution list of the butterflies of Israel West of the Jordan river (Lepidoptera). *Israel J. Ent.* 17: 23-36.
671. **Benjamini, D.**, 1984, The butterflies of the Sinai Peninsula (Lepidoptera, Rhopalocera). *Nota lepid.* 7 (4): 309-321, figs.
672. **Benjamini, D.**, 1990, Gomalia elma Trimen, 1862, new to Israel and the Palaearctic Region (Lepidoptera, Hesperidae). *Nota lepid.* 12(4): 238-245, figs.
673. **Benjamini, D.**, 1990, A field guide to the butterflies of Israel including butterflies of Mt. Hermon and Sinai. 234 pp. Keter Publishing House Ltd.
674. **Benjamini, D.**, 1993, The butterflies of Mt Hermon (Lepidoptera, Rhopalocera and Hesperidae). *Linneana Belgica* 14(4): 167-204, pls.
675. **Bennett, N.H.**, 1950, A revision of the echerius group of the genus Abisara. *Entomologist* 83: 1-9, 34-42.
676. **Bennett, N.H.**, 1954, The two new species of Lycaenidae from South East Africa. *Entomologist* 87: 170-173.
677. **Bennett, N.H.**, 1981, Les Papillons du Zaïre. Weissenbruch, Bruxelles.
678. **Benyamini, D.**, 1983, Distribution list of the butterflies of Israel west of the Jordan river (Lepidoptera). *Israel J. Ent.* 17: 23-36, maps.
679. **Benyamini, D.**, 1984, The butterflies of the Sinai peninsula (Lep., Rhopalocera). *Nota lepid.* 7 (4): 309-321, map.
680. **Benyamini, D.**, 1987, The butterflies of Mt. Hermon. *News Israeli lepidopterists Soc.* 4(2): 4-7, 11-15 [in Hebrew].
681. **Benyamini, D.**, 1988, The zoogeography of the butterflies (Lepidoptera, Rhopalocera) of Israel and nearby areas. *Monogr. biol.* 62: 309-324, 6 figs.
682. **Benyamini, D.**, 1990, A field guide to the butterflies of Israel. Keter Publ. House, Jerusalem [in Hebrew].
683. **Benyamini, D.**, 1990, The zoogeography and the uniqueness of the butterflies in the Hermon Mt. The Hermon research group. *Golan Inst.* 1989-1990: 6-12 [in Hebrew].
684. **Benyamini, D.**, 1990, A mountain of butterflies. The uniqueness and zoogeography of the butterflies of Mt. Hermon. *Teva va-Aretz* 32 (6): 13-16 [in Hebrew].
685. **Benyamini, D.**, 1992, The butterflies of the Golan. *News Israeli lepidopterists Soc.* 9: 4-7 [in Hebrew].
686. **Benyamini, D.**, 1993, The butterflies of Mt. Hermon (Lepidoptera, Rhopalocera and Hesperidae). *Linneana Belg.* 14 (4): 167-204, 6 pls., 4 tab., 4 figs.
687. **Benyamini, D.**, 1999, The biology and conservation of Iolana alferii Wiltshire, 1948 the Burning Bush Blue (Lepidoptera, Lycaenidae). *Linneana Belg.* 17 (4): 119-134, 7 figs., 3 pls.
688. **Benyamini, D.**, 1999, The butterflies of South Jordan (Lepidoptera, Rhopalocera). *News Israeli lepidopterists Soc.* 16(1): 3-7 [in Hebrew].
689. **Berard, R.**, 1996, Ekboarmia fascianaria (Staudinger, 1859), espece nouvelle pour le faune de France (Lepidoptera, Geometridae, Ennominae). *Alexanor* 19 (3) (1995): 171, 1 fig.
690. **Berger, L.A.**, 1950, Catalogue raisonné de la faune entomologique du Congo Belge Lépidoptères - Rhopalocères I. Fam. Papilionidae. *Annls Mus. R. Congo Belge (C) Zool.* 8: 1-102.
691. **Berger, L.A.**, 1969, Note sur Graphium olbrechtsi Bger. *Lambillionea* 67: 84-85.
692. **Berger, L.A.**, 1977, Hesperidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 105: 94-95.
693. **Berger, L.A.**, 1978, Abantis meneliki n.sp. (Lepidoptera, Hesperidae). *Lambillionea* 78: 67-69, figs.
694. **Berger, L.A.**, 1981, Les Papillons du Zaïre. 543pp. 213 Pls. Bruxelles.
695. **Berger, L.A.**, 1984, Hesperidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc. II. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 128: 59, Pl. 12.
696. **Bergh, P.J.v.d.**, 1915, Attacus staudingeri Rothschild (nieuw voor de Fauna van Sumatra). *Tijdschr. Ent.* 58: 277, pl. 9.
697. **Bergmann, A. & H. Thöny**, 1996, Zwei neue Arten aus der Gattung Pseudopseutis Hampson, 1910 aus Turkmenien (Lepidoptera, Noctuidae, Amphipyridae). *Facetta* 13(2): 11-17, figs.
698. **Bergmann, A.**, 1952, Die Großschmetterlinge Mitteldeutschlands Bd. 2 Tagfalter. Urania Verlag. Leipzig, Jena.
699. **Bergmann, A.**, 1995, Eine neue Unterart von Parnassius (Koramius) maximinus (Staudinger, 1891) aus Usbekistan (Lepidoptera, Papilionidae). *Atalanta* 26 (1/2): 139-142, Abb.
700. **Bergsträßer, J.A.B.**, 1779, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 2: 1-79, Pls. 15-48. Hanau.
701. **Bergsträßer, J.A.B.**, 1779, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 3: 1-48, Pls. 49-72. Hanau.
702. **Bergsträßer, J.A.B.**, 1780, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 4: 1-47, Pls. 73-96. Hanau.
703. **Berio, E.**, 1934, Lepidotteri raccolti dal Prof. L. Cipriani del Fezzan (1932). *Boll. Soc. ent. ital.* 66(6): 124-127, 3 figs.
704. **Berio, E.**, 1935, Nuove Arctiidae d'Africa del Museo di Genova. *Annali Mus. civ. Stor. nat. Giacomo Doria* 59: 26-27.
705. **Berio, E.**, 1936, Contributo alla conoscenza della variazione di Agrotis puta (Hb., 1802) Ochs., 1816 *Annali Mus. civ. Stor. nat. Giacomo Doria* 59: 69-117, 4 Tav.
706. **Berio, E.**, 1936, Descrizione di una nuova Limantride dell'Etiopia (Lepidoptera). *Annali Mus. civ. Stor. nat. Giacomo Doria* 59: 42.
707. **Berio, E.**, 1936, Specie nuove di Lepidotteri della Somalia Italiana (Arctiidae, Erebidae). *Boll. Soc. ent. ital.* 58(1/2): 27-28, 2 figs.
708. **Berio, E.**, 1937, Eteroceri Africani Apparentemente Nuovi. *Annali Mus. civ. Stor. nat. Giacomo Doria* 59: 370-393.
709. **Berio, E.**, 1937, Spedizione zoologica del Marchese Saverio Patrizi nel basso Guiba e nell'Oltreguiba Giugno-Agosto 1934 Nuove Specie di Eteroceri Arctiidae Noctuidae. *Annali Mus. civ. Stor. nat. Giacomo Doria* 58: 56-65, 7 figs.
710. **Berio, E.**, 1937, Spedizione zoologica del Marchese Saverio Patrizi nel basso Guiba e nell'Oltreguiba Giugno-Agosto 1934 Nuove Specie di Eteroceri Noctuidae Lymantriidae Limacodidae Geometridae. *Annali Mus. civ. Stor. nat. Giacomo Doria* 58: 174-181, figs.
711. **Berio, E.**, 1938, Spedizione Zoologica del Marchese Saverio Patrizi nel Basso Guiba e nell'Oltreguiba Giugno-Agosto 1934. *Annali Mus. civ. Stor. nat. Giacomo Doria* 58: 189-203.
712. **Berio, E.**, 1938, Una nuova specie di Chaerocina di Eritrea (Lepid., Sphingidae). *Boll. Soc. ent. ital.* 70(5): 85-86, fig.
713. **Berio, E.**, 1939, Contributi alla conoscenza dei Lepidotteri eteroceri dell'Eritrea II. Eteroceri raccolti dal Cap. Antonio Richini e Famiglia nella zona di Adua. *Boll. Soc. ent. ital.* 71(8): 164-165.
714. **Berio, E.**, 1939, Contributi alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea I. Lista delle specie con descrizioni delle nuove entità raccolte negli anni 1934 al 1937 dal Sig. Francesco Vaccaro. *Memorie Soc. ent. ital.* 17: 47-62, 2 Tav.
715. **Berio, E.**, 1939, Contributi alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea I. Lista delle specie con descrizioni delle nuove entità raccolte negli anni 1934 dal Sig. Francesco Vaccaro. *Memorie Soc. ent. ital.* 17: 47-61, 2 Tav.
716. **Berio, E.**, 1939, Lepidoptera. Missione Biol. Paese dei Borana 3: 9-15, 4 figs.
717. **Berio, E.**, 1940, Lepidotteri raccolti dal Col. Mommeret ad Asmara del Luglio-Ottobre 1934 con descrizione di una nuova Asticta (Noctuidae). *Boll. Soc. ent. ital.* 72(3): 42-44.
718. **Berio, E.**, 1940, Contributo alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea V. Diagnosi di nuove Noctuidae

- raccolte da F. Vaccaro nel 1934-37. Boll. Soc. ent. ital. 72(8): 122-126.
- 719. Berio, E.,** 1940, Contributo alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea III. Eteroceri Raccolti dal Cap. Richini ad Adi-Abuna (Adua) in Marzo-Aprile 1939-xvii. Boll. Soc. ent. ital. 72: 21-24, 6 figs.
- 720. Berio, E.,** 1940, Diagnosi di Eteroceri Africani. Memorie Soc. ent. ital. 19: 125-128.
- 721. Berio, E.,** 1940, Contributi per una Monografia del genere Ozarba Hb. (Lep., Noctuidae) I. Diagnosi di alcune nuove specie del globo. Memorie Soc. ent. ital. 19: 173-189, 33 figs.
- 722. Berio, E.,** 1940, Contributo alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea IV. Eteroceri Raccolti dal Cap. Richini ad Adi-Abuna (Adua) nel Giugno-Luglio 1939-xvii. Memorie Soc. ent. ital. 19: 190-192.
- 723. Berio, E.,** 1941, Contributi allo Studio dei Lepidotteri Eteroceri dell'Eritrea VII. Euchromiidae, Arctiidae, Agaristidae, Lymantriidae, Lasiocampidae, Noctuidae raccolte dal Sig. G. Vaccaro nel 1938. Annali Mus. civ. Stor. nat. Giacomo Doria 61: 176-190.
- 724. Berio, E.,** 1941, Contributo alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea VI. Eteroceri raccolti dal Cap. Richini ad Adi-Abuna (Adua) nel Marzo 1940. Boll. Soc. ent. ital. 72(10): 161-165, figs.
- 725. Berio, E.,** 1941, Elenco di Lepidotteri Eteroceri raccolti da Querci-Romei in Somalia con diagnosi di nuove specie. Memorie Soc. ent. ital. 20: 118-124, 4 figs.
- 726. Berio, E.,** 1943, Descrizione dell'Armatura genitale di alcune Hypotacha e diagnosi di una nuova specie (Lep., Noctuidae). Annali Mus. civ. Stor. nat. Giacomo Doria 62: 25-29, 2 figs.
- 727. Berio, E.,** 1944, Missione Biologia Sagan-Omo Diretta dal Prof. E. Zavattari Lepidoptera Agaristidae e Noctuidae. Memorie Soc. ent. ital. 23: 74-79.
- 728. Berio, E.,** 1945, Reperti di nuove Noctuidae dell'Africa orientale. Memorie Soc. ent. ital. 24: 81-83.
- 729. Berio, E.,** 1947, Contributo alla conoscenza del genere Ozarba Hb. (Lep., Noctuidae) II. Note critiche sulla sinonimia e distribuzione geografica di alcune specie. Boll. Soc. ent. ital. 77(3/4): 27-30.
- 730. Berio, E.,** 1947, Diagnosi di alcune Erastrinae Africane (Lep., Noctuidae). Memorie Soc. ent. ital. 26: 12-15, 4 figs.
- 731. Berio, E.,** 1950, Terzo Contributo alla conoscenza del gen. Ozarba Wlk. (Lep., Noctuidae) sulla sistematica di alcune specie ascritte a questo genere. Annali Mus. civ. Stor. nat. Giacomo Doria 64: 131-157, 98 figs.
- 732. Berio, E.,** 1950, Diagnosi di nuove specie di Nottue (Lepidoptera, Noctuidae=Agrotidae). Boll. Soc. ent. ital. 80(9/10): 89-92.
- 733. Berio, E.,** 1953, Contributo alla conoscenza di Noctuidae poco note, diagnosi di nuove specie e note critiche. Doriania 1(34): 1-6, 13 figs.
- 734. Berio, E.,** 1954, Trigonodes hyppasia Cram. e T. exportata Guén. (Lepidoptera, Noctuidae). Annali Mus. civ. Stor. nat. Giacomo Doria 66: 295-300, 8 figs.
- 735. Berio, E.,** 1954, Diagnosi di nuove Catocalinae Africane (Lep., Noctuidae). Boll. Soc. ent. ital. 84(3/4): 55-58, figs.
- 736. Berio, E.,** 1954, Osservazioni su Polydesma umbricola Bdv. e sul genere Polydesma Bdv. (Lep., Noctuidae). Doriania 1(50): 1-8, 13 figs.
- 737. Berio, E.,** 1955, Sulla distribuzione geografica della Noctua algira L. e sulle specie affini (Lep., Noctuidae). Boll. Soc. ent. ital. 85(9/10): 140-148, 24 figs.
- 738. Berio, E.,** 1955, Appunti sul genere Pericyma H.-S. e affini (Lep., Noctuidae). Memorie Soc. ent. ital. 33: 147-154, 17 figs.
- 739. Berio, E.,** 1955, Georyx muscosa Gey. e le specie affini (Lep., Noctuidae). Revue zool. bot. Afr. 51 (3/4): 212-222, 10 figs.
- 740. Berio, E.,** 1956, Grammodes geometrica F. e le specie affini (Lep., Noctuidae). Boll. Soc. ent. ital. 86(3/4): 34-43, 12 figs.
- 741. Berio, E.,** 1956, Appunti su alcune specie del genere Calpe Tr. (Lep., Noctuidae). Memorie Soc. ent. ital. 35: 109-119, 20 figs.
- 742. Berio, E.,** 1960, Diagnosi di una nuova specie di Heteropalpia (Lep., Noctuidae, Catocalinae). Boll. Soc. ent. ital. 90(5/6): 102-103, 8 figs.
- 743. Berio, E.,** 1962, Descrizione di nuove Noctuidae Africane (Euxoinae). Annali Mus. civ. Stor. nat. Giacomo Doria 73: 196-208, 12 figs.
- 744. Berio, E.,** 1962, Diagnosi di alcune specie di Noctuidae Africane. Boll. Soc. ent. ital. 91 (7/8): 122-126, figs.
- 745. Berio, E.,** 1963, Descrizione di alcune Jaspidiinae Africane del British Museum (Lepidoptera, Noctuidae). Boll. Soc. ent. ital. 42(5/6): 72-74.
- 746. Berio, E.,** 1964, Considerazioni su alcuni taxa appartenenti alla sottofamiglia delle Westermanniinae (Lep., Noctuidae). Boll. Soc. ent. ital. 94(9/10): 152-159, 18 figs.
- 747. Berio, E.,** 1965, Le Catocaline Africane a tibie spinose del Museo di Tervuren. Annali Mus. civ. Stor. nat. Giacomo Doria 75: 181-332, 18 Taf.
- 748. Berio, E.,** 1967, Revisione di alcune Hyblaea del gruppo di puera Cr. (Lep., Noctuidae). Doriania 4(182): 1-10, 10 figs.
- 749. Berio, E.,** 1969, Nuovo genere e specie di Noctuidae d'Africa (Lepidoptera). Boll. Soc. ent. ital. 99-101: 45-48, 2 figs.
- 750. Berio, E.,** 1982, Egira servadeii n.sp. del Pamir (Lepidoptera, Noctuidae, Hadeninae). Memorie Soc. ent. ital. 60: 61-62, 3 figs.
- 751. Berio, E.,** 1984, Noctuidae (Quadrifinae, en majorité) [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc. II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A, Zool.) 128: 42-48, Pl. 3 8 figs.
- 752. Bernardi, G. & M. Lagnel,** 1966, Une espèce jumelle méconnue du genre Maniola Schrank (Lep., Nymphalidae, Satyrinae). Bull. Soc. ent. Fr. 71: 35-40, 11 figs.
- 753. Bernardi, G.,** 1945, Etudes sur le genre Euchloe Hb. (Lep., Pieridae). Misc. Ent. 42: 65-103, Pls.
- 754. Bernardi, G.,** 1957, Contribution a l'étude des pseudodualspecies: une nouvelle espèce iranienne d'Euchloe Hb. (Lep., Pieridae). Bull. Soc. ent. Fr. 62: 38-41, 4 figs.
- 755. Bernardi, G.,** 1964, Lépidoptères Lycaenidae (sauf Agrodiaetus) récoltés en Iran par H. de Lesse en 1955 et 1958. Alexanor 3: 209-216, 273-278.
- 756. Bernardi, G.,** 1970, Note sur la Variation géographique d'Allancastris cerisyi Godart (Papilionidae). Lambillionea 70: 55-64.
- 757. Bernardi, G.,** 1970, La Variation géographique de l'Anthocharis grüneri H.S. Lambillionea 70: 1-13, figs.
- 758. Bernardi, G.,** 1977, Danaidae, Nymphalidae (sauf Charaxinae, Euphaedra et Acraeinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A, Zool.) 105: 104-108.
- 759. Bernardi, G.,** 1977, Pieridae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A, Zool.) 105: 96-101.
- 760. Bernardi, G.,** 1980, Contribution a la biogéographie des montagnes africaines 2. Le genre Issoria Hübner (Lepidoptera, Nymphalidae). Compte r. Séanc. Soc. Biogéogr. 55(487), 1978: 189-199, figs.
- 761. Bernardi, G.,** 1984, Pieridae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc. II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A, Zool.) 128: 60-61, fig. 9.
- 762. Bernardi, G.,** 1986, Les Papillons menacés: disparitions, responsabilités, protection. Bull. Rech. agron. Gembloux 21(2): 227-244.
- 763. Beshkov, S. & D. Vassilev,** 1996, Migrant Lepidoptera species in Bulgaria, 1994. Atalanta 27 (1/2): 127-155.
- 764. Beshkov, S. & K. Misja,** 1995, A Contribution to the knowledge of the Lepidoptera fauna of Albania. I. Some materials from the collection of K. Misja in the Natural History Museum Tirana and some results of the collecting trip of Beshkov during 1992 (Lep., Macrolepidoptera). Atalanta 26 (1/2): 345-363.

- 765. Beshkov, S. & S. Abadjiev,** 1996, Migrant Lepidoptera species in Macedonia and Albania, 1994. *Atalanta* 27 (1/2): 157-164.
- 766. Beshkov, S. & Z. Kolev,** 1996, A new *Chersotis* Boisduval, 1840 species for the Bulgarian fauna and a second record of its closely related species from Bulgaria with a review of their nomenclature (Lepidoptera, Noctuidae, Noctuinae). *Esperiana* 4: 98-101, 5 figs.
- 767. Beshkov, S.,** 1995, A Contribution to the knowledge of the Lepidoptera fauna of Albania 2. Some findings of a collecting trip in September 1993 (Lep., Macrolepidoptera). *Atalanta* 26 (1/2): 365-399, figs.
- 768. Beshkov, S.,** 1996, Migrant Lepidoptera Species in Bulgaria in 1995 (Insecta, Lepidoptera). *Atalanta* 27 (3/4): 517-533.
- 769. Beshkov, S.,** 1996, Migrant Lepidoptera Species in Albania and Macedonia in 1995 (Insecta, Lepidoptera). *Atalanta* 27 (3/4): 535-543.
- 770. Beshkov, S.,** 1996, *Yigoga flavina flavina* (Herrich-Schäffer, 1852) = *Yigoga flavina pretiosa* (Caradja, 1931) syn. n., stat. rev. (Lepidoptera, Noctuidae, Noctuinae). *Phegea* 24(2): 69-80, 13 figs., 2 Pls.
- 771. Beshkov, S.,** 1996, A new subspecies of *Erebia cassioides* (Reiner & Hohenwarth, 1792) from Bulgaria: *Erebia cassioides kinoshitai* ssp. n. (Lepidoptera, Nymphalidae, Satyrinae). *Phegea* 24(3): 109-124, 44 figs.
- 772. Beshkov, S.,** 1997, A new noctuid moth from Bulgaria: *Oncocnemis confusa michaelorum* ssp. n. (Lepidoptera, Noctuidae). *Phegea* 25(4): 153-161, figs.
- 773. Beshkov, S.,** 2006, *Nola ronkayorum* sp. n., a new species from Bulgaria and Turkey (Lepidoptera, Nolidae). *Phegea* 34 (1): 17-32, figs.
- 774. Beshkov, S., K. Misja & S. Abadjiev,** 1996, A contribution to the knowledge of the Lepidoptera fauna of Albania. 3. Some results of the collecting in April 1994 and some materials from the collection of the Natural History Museum of Tirana (Lepidoptera, Macrolepidoptera, Heterocera). *Atalanta* 27 (3/4): 623-648, figs., Pls.
- 775. Bethune-Baker, G. T.,** 1891, Notes on the Lepidoptera collected in Madeira by the late T. Vernon Wollaston. *Trans. ent. Soc. London* 1891: 197-221.
- 776. Bethune-Baker, G. T.,** 1897, Four new species of *Arhopala*. *Entomologist's mon. Mag.* 33 (9): 202-205.
- 777. Bethune-Baker, G. T.,** 1903, A revision of the *Amblypodia* group of butterflies of the family *Lycaenidae*. *Trans. zool. Soc. Lond.* 17 (1): 1-164, pls. 1-5.
- 778. Bethune-Baker, G. T.,** 1903, A new species of *Arhopala* from Singapore. *Entomologist's mon. Mag.* 39 (9): 218.
- 779. Bethune-Baker, G. T.,** 1905, Notes on a small collection of *Heterocera* from the Fiji Islands with descriptions of some new species. *Proc. zool. Soc. Lond.* 75: 88-95, pls. viii-ix.
- 780. Bethune-Baker, G. T.,** 1910, A revision of the African species of the *Lycaenesthes* group of *Lycaenidae*. *Trans. ent. Soc. London* 1910: 1-84, figs.
- 781. Bethune-Baker, G. T.,** 1911, Descriptions of new species of Lepidoptera from Tropical Africa. *Ann. Mag. nat. Hist.* (8) 8: 506-544.
- 782. Bethune-Baker, G. T.,** 1913, Notes on the specific distinction of certain species in the *orbitulus* and *pheretiades* section of the genus *Plebeius*. *Trans. ent. Soc. London* 1913: 205-212, pls. vi-viii.
- 783. Bethune-Baker, G. T.,** 1914, Eighteen days on Mount Canigou Pyrénées orientales. *Entomologist's Rec. J. Var.* 26: 53-.
- 784. Bethune-Baker, G. T.,** 1921, A new palaearctic species of the *Lycaeninae*. *Entomologist's Rec. J. Var.* 33 (4): 63-64.
- 785. Bethune-Baker, G. T.,** 1923, A monograph of the genus *Catochrysops* Boisduval. *Trans. ent. Soc. London* 1922: 275-366.
- 786. Bettag, E.,** 1997, *Bembecia joesti* sp. n., ein neuer Glasflügler aus Marokko (Lepidoptera, Sesiidae). *Nachr. ent. Ver. Apollo N.F.* 18 (1): 23-27, 2 Abb.
- 787. Betti, G.,** 1977, Nouvelles sous-espèces des *Lycaenidae* paléarctiques. *Alexandria* 10 (2): 87-95, Tab. i-iv.
- 788. Betti, G.,** 1989, Contribution à la connaissance des *Parnassius* d'Anatolie (Lepidoptera, Papilionidae). *Linneana Belg.* 12 (2): 67-76, 3 figs.
- 789. Betts, E. B. C.,** 1922, *Rhopalocera* from Rhodes, Samos, Gallipoli etc. *Entomologist* 55: 137-138.
- 790. Beuret, H.,** 1938-1939, Beitrag zur Kenntnis der alpinen Formen von *Lycaeides idas* L. (= *argyrognomon* auct. nec Bergstr.). *Ent. Rdsch.* 55 (1938): 507-512, 575-577, 638-644, 680-683; 56 (1939): 21-23, 52-54, 83-86, 143-144, 205-207, 261-264.
- 791. Beuret, H.,** 1951, Eine interessante Form von *Aricia agestis* Schiff. *Mitt. ent. Ges. Basel* 1: 53-55, fig.
- 792. Beuret, H.,** 1952, *Palaeochrysophanus candens* H.S., eine bisher verkannte Art (*Lycaenidae*). *Mitt. ent. Ges. Basel* 2: 57-64, figs.
- 793. Beuret, H.,** 1955, *Zizeeria karsandra* Moore in Europa und die systematische Stellung der *Zizeerinae* (Lepidoptera, *Lycaenidae*). *Mitt. ent. Ges. Basel* 5 (9): 123-130, figs.
- 794. Beuret, H.,** 1958, Zur systematischen Stellung einiger wenig bekannten *Glaucopsyche* (Lep., *Lycaenidae*). *Mitt. ent. Ges. Basel* 8: 61-79, 81-100, pls.
- 795. Beuret, H.,** 1960, Versuch einer taxonomischen Deutung der schweizerischen *agestis*-Formen. *Mitt. ent. Ges. Basel (N.F.)* 10: 1-96.
- 796. Beutelspacher, C. R.,** 1998, *Lepidopteros de Los Altos de Chiapas, Mexico I* (Lepidoptera, *Sphingidae*). *Revta lepid.* 26 (102): 117-123.
- 797. Beutelspacher, C. R.,** 1998, *Lepidopteros de Rizo der Oro, Chiapas, Mexico II* (Lepidoptera, *Arctiidae*). *Revta lepid.* 26 (104): 187-195.
- 798. Bianchini, R.,** 1995, Observations de *Colias palaeno* Linné, 1761, et de ses sous-espèces du cap Nord aux Alpes-Maritimes (Lepidoptera, *Pieridae*). *Alexandria* 18(8): 471-474, 1 fig.
- 799. Bianchini, R.,** 1995, *Melanargia galathea* Linné, 1758, et ses formes individuelles voisines de *tenebrosa* dans les Alpes-Maritimes (Lepidoptera, *Nymphalidae*, *Satyrinae*). *Alexandria* 18(8): 503-504, figs.
- 800. Bidzilya, O.,** 1996, A new species of the genus *Bryotropha* (Lepidoptera, *Gelechiidae*) from the South Ukraine. *Vestn. zool.* 1996: 83.
- 801. Bidzilya, O.,** 2005, A review of the genus *Athrips* (Lepidoptera, *Gelechiidae*) in the Palaearctic Region. *Dt. ent. Z.* 52 (1): 3-72, figs.
- 802. Biermann, H. & F.-J. Hesch,** 1982, Beitrag zur Tagfalterfauna Sardinien (Lep., *Rhopalocera* u. *Hesperiidae*). *Atalanta* 13 (4): 266-293, Karte, Abb.
- 803. Biermann, H.,** 1990, Nachtrag zu "Beitrag zur Tagfalterfauna Sardinien (Lep., *Rhopalocera* u. *Hesperiidae*)". *Atalanta* 21 (1/2): 81-82.
- 804. Biermann, H.,** 1998, Tabellarische Übersicht über die Tagfalter der tyrrhenischen Inseln und des angrenzenden Festlands. *Atalanta* 28 (3/4): 277-287.
- 805. Bigger, T. R. L.,** 1960, Chromosome numbers of Lepidoptera. Pt. I. *Entomologist's Gaz.* 11: 149-152.
- 806. Bigot, L.,** 1963, Les *Pterophoridae* de l'île de Crète. *Lambillionia* 63: 9-12, figs.
- 807. Bigot, L.,** 1968, Les *Pterophoridae* de l'Iran [Lep.]. *Ark. Zool.* (2) 20 (12): 243-251, 12 figs.
- 808. Bigot, L.,** 1977, *Pterophoridae* [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 105: 30.
- 809. Bigot, L.,** 1984, *Pterophoridae* [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc. II. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 128: 9-10.
- 810. Bigot, L., Gibeaux, C., Nel, J. & J. Picard,** 1998, Réflexion sur la classification des *Pterophores* français Utilité et utilisation de la notion de section (Lepidoptera, *Pterophoridae*). *Alexandria* 20(5): 287-302.
- 811. Billberg, G. J.,** 1820, Enumeratio insectorum in Museo Billberg, 138pp., Holmiae.
- 812. Binagot, J. F. & D. Lartigue,** 1998, Une nouvelle entité subsppécifique de *Zerynthia rumina* (Linné, 1758) dans le Sud-ouest marocain (Lepidoptera, *Papilionidae*). *Linneana Belgica* 16(8): 323-334, figs.

- 813. Binder, A.,** 1994, Beitrag zur Schmetterlingsfauna Böhmens (Insecta, Lepidoptera). Neue ent. Nachr. 32: 150S.
- 814. Birket-Smith, S.J.R.,** 1974, Morphology of the male genitalia of Lepidoptera II. Monotrysis, Zeugloptera, and discussion. Ent. scand. 5: 161-183, 28 figs.
- 815. Bischoff, H.,** 1932, Über einen bisher unbeachteten Sexualcharakter der Parnassier. Parnassiana 2: 16-19, figs. 3-4.
- 816. Bjorn, P., Jernes, J.E. & O.Karsholt,** 1976, Eupithecia selinata Herrich-Schäffer, 1861 (Lepidoptera, Geometridae) i Danmark. Ent. Meddr 44: 19-22.
- 817. Bjorn, P., Jernes, J.E. & O.Karsholt,** 1976, Eupithecia selinata Herrich-Schäffer, 1861, i Danmark. Lepidoptera, Kbh. N. S. 3: 15-18.
- 818. Blab, J. et al.,** 1977, Rote Liste der gefährdeten Tiere und Pflanzen in der Bundesrepublik Deutschland. Naturschutz Aktuell 1: 1-66.
- 819. Blachier, C.,** 1905, Lépidoptères du Moaroc. Remarques sur diverses especes et descriptions de variétés nouvelles. Annls Soc. ent. Fr. 77(2): 209-222, Pl.4.
- 820. Blachier, C.,** 1912, Especes ou formes nouvelles de Lépidoptères africains appartenant aux genres *Acraea* et *Mylothris*. Bull. Soc. lépid. Genève 2: 173-177, Pl.15.
- 821. Blachier, C.,** 1912, Notes complémentaires sur quelques Papillons d'Algérie et du Maroc, récemment décrits. Bull. Soc. lépid. Genève 2: 251-253.
- 822. Blanchard, E.,** 1840-1841, Histoire naturelle des insectes Orthopteres Neuropteres Hemipteres Hymenopteres Lepidopteres et Dipteres; avec une introduction par M.Brulle. 3 vols. 150 pls. Paris.
- 823. Blanchard, E.,** 1844, Les Insectes, [in] Jacquemont, V., Le Voyage dans l'Inde. 1841-1844, 31pp., pl. col. Paris.
- 824. Blanchard, E.,** 1871, Remarques sur la faune de la principauté tibétaine du Moupin. C. r. hebdom. Séanc. Acad. Sci., Paris 72: 807-813.
- 825. Blaschke, P.,** 1914, Die Raupen Europas mit ihren Futterpflanzen. 29+264+75S. 28 Taf. Grasers Verlag, Annaberg.
- 826. Blasius, R.,** 1993, Neues vom Eichenzweig-Glasflügler *Paranthrene insolita*. Melanargia 5 (2): 37-45.
- 827. Bleszynski, S. & R.J.Collins,** 1962, A short catalogue of the world species of the family Crambidae (Lepidoptera). Acta zool. cracov. 7: 197-389.
- 828. Bleszynski, S.,** 1955, Materialien zur Kenntnis der Crambinae X. Über die systematische Stellung der *Crambus delicatellus* Zeller- Gruppe. Z. wien. ent. Ges. 40:266-269, 3 figs.
- 829. Bleszynski, S.,** 1957, Studies on the Crambidae (Lepidoptera). Part XIV. Revision of the European species of the generic group *Crambus* (s.l.). Acta zool. cracov. 1: 161-622, pls.27-92.
- 830. Bleszynski, S.,** 1960, Studies on the Crambidae (Lepidoptera). Part XXIII. New species of the generic group *Crambus* F. Polski Pismo Ent. 30(2):11-22, 10 figs.
- 831. Bleszynski, S.,** 1961, Studies on the Crambinae (Lepidoptera). part xxvi. Preliminary study on the genus *Euchromius* Gn. Acta ent. Mus. natn. Pragae 34: 451-
- 832. Bleszynski, S.,** 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XV. Lepidoptera Crambidae. Annln naturh. Mus. Wien 66: 471.
- 833. Bleszynski, S.,** 1965, Crambinae, [In] Amsel, H.G., Reisser, H. & F.Gregor: Microlepidoptera Palaearctica 1: xlvii + 533pp. 133 pls., Wien
- 834. Bleszynski, S.,** 1969, Crambinae aus der Türkei und aus Griechenland (Lepidoptera, Pyralidae). Ent. Z., Frankf. a. M. 79:25-27.
- 835. Bleszynski, S.,** 1970, A revision of the world species of *Chilo Zincken* (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 25: 101-195, 5 pls.
- 836. Bleszynski, S.,** 1970, New genera and species of tropical Crambinae (Studies on the Crambinae, Lepidoptera, Pyralidae, part 48). Tijdschr. Ent. 113 (1): 1-28, 48 figs.
- 837. Bleszynski, S.,** 1970, A revision of the oriental species of the genus *Ancylolomia* Hübner (Studies on the Crambinae, Lepidoptera, Pyralidae, part 49). Tijdschr. Ent. 113 (1): 27-43, 33 figs.
- 838. Bleszynski, S.,** 1970, A revision of the genus *Culladia* Moore (Studies on the Crambidae, Lepidoptera, Pyralidae, part 50). Tijdschr. Ent. 113 (1): 44-59, 28 figs.
- 839. Blom, W. & C.Eisner,** 1979, *Parnassiana nova* LV. *Allancastris louristana boyrahmediensis* subsp. nov. Zool. Meded. 54(18): 277-278, 1 Pl.
- 840. Blom, W.L.,** 1979, Descriptions of new butterflies from Iran. Ent. Ber., Amst. 39: 10-14, 15 figs.
- 841. Blom, W.L.,** 1979, New butterflies from Iran (Lepidoptera, Rhopalocera). Ent. Ber., Amst. 39: 185-188, 12 figs.
- 842. Bodenheimer, F.S.,** 1930, Die Schädlingfauna Palästinas. Berlin.
- 843. Bodenheimer, F.S.,** 1930, Zur Kenntnis der Mikrolepidopterenfauna Palästinas. Dt. ent. Z., Iris 44: 169-175.
- 844. Bodenheimer, F.S.,** 1932, Beitrag zur Kenntnis der Lepidopterenfauna Palästinas. Dt. ent. Z., Iris 46: 93-96.
- 845. Bodenheimer, F.S.,** 1936, The Zoogeography of the Sinai Peninsula. Comptes Rendus xii.congres Int. Zool., Lisbonne 1935: 1138-1164.
- 846. Bodenheimer, F.S.,** 1941, Türkiye Entomolojisi II. Türkiye Haşerat Familyalarının Resimli Teşhis Anahtarı. 103 S., xxxiii Tablo. T.C. Ziraat Vekaleti Neşriyatı, Sayı 531, Nebat Hastalıkları 7, Çankaya Matbaası, Ankara.
- 847. Bodenheimer, F.S.,** 1951, Citrus Entomology in the Middle East with special references to Egypt, Iran, Irak, Palestine, Syria, Turkey. xii+663pp. s'Gravenhage.
- 848. Boeber, J.de,** 1809, Descriptions de quelques nouvelles especes de Papillons découvertes en Sibirie. Mém. Soc. Nat. Moscou 2: 305-310, tab.19.
- 849. Bogdanov, P.V.,** 1997, Geographical division, [in] Tusov, V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia.
- 850. Bogdanov, P.V., Samodurov, G.D. & V.K.Tusov,** 1997, Family: Satyridae, [in] Tusov, V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia.
- 851. Bogner, A.,** 1999, Eine Zuchtbeschreibung von *Streblote panda* (Hübner, 1820) (Lepidoptera, Lasiocampidae). Nachr. ent. Ver. Apollo N.F. 20 (2): 127-132, 12 Abb.
- 852. Bohatsch, O.,** 1880, Nachtrag zur Lepidopterenfauna Syriens. Verh. zool.-bot. Ges. Wien 29 (1879): 405-410.
- 853. Bohatsch, O.,** 1893, Mittheilungen über Eupitheciiden. Dt. ent. Z., Iris 6:1-35.
- 854. Bohatsch, O.,** 1909, Neue palaearctische Macrolepidopteren. Jber. wien. ent. Ver.19:163-164.
- 855. Boillat, H.,** 1989, *Coenonympha* (superspecies *dorus*) austauti Oberthür Etude taxinomique et biogéographique (Lepidoptera, Nymphalidae, Satyrinae). Alexanor 15 (7): 393-417, figs.
- 856. Boillat, H.,** 1991, *Coenonympha* (superspecies *gardetta*) orientalis Rebel Mise au point taxinomique (Lepidoptera, Nymphalidae, Satyrinae). Alexanor 16 (7): 395-412, figs.
- 857. Boisduval, J.B.A.,** 1828, *Europaeorum Lepidopterorum* index methodicus. 103pp., Paris. [issued Nov.1828; vide Bibl.Franç. 1828: 845]
- 858. Boisduval, J.B.A.,** 1828, Essai sur une Monographie des Zygénides, suivie d'un tableau méthodique de classification des Lépidopteres. xxvi+132 pp. 8 pls. Paris. [issued Nov.1828; vide Bibl. Franç. 1828: 836]
- 859. Boisduval, J.B.A.,** 1832, Voyage de Découvertes de l'Astrolabe exécuté par Ordre du Roi pendant des Années 1826-1829 sous le Commandement de M.J.Dumont d'Urville. Faune Entomologique de l'Océan Pacifique avec l'illustration des Insectes nouveaux recueillis pendant le Voyage. I. Lépidoptères. [iv], I-IV, 5-8, 10-267 pp. Pls. Ins. 1-5. Paris
- 860. Boisduval, J.B.A.,** 1832-1843, Collection iconographique et historique des Chenilles d'Europe...42 livr. 2 pls. Roret, Paris.
- 861. Boisduval, J.B.A.,** 1832-[1834], Icones historiques des Lépidopteres nouveaux ou peu connus. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol.1, 252 pp., 47 pls. Paris.

- 862. Boisduval, J.B.A.,** 1834-[1841], *Icones historiques des Lépidoptères nouveaux ou peu connus*. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol.2, 208 pp., 37 pls. Paris.
- 863. Boisduval, J.B.A.,** 1836, *Histoire naturelle des Insectes. Spécies général des Lépidoptères* vol.1, [4]+ xii + 690 + 6pp., 24 pls. Paris.
- 864. Boisduval, J.B.A.,** 1840, *Genera et Index Methodicus Europaeorum Lepidopterorum*, 238 pp. Paris. [out by 9 May; vide Bibl. Franç].
- 865. Boisduval, J.B.A.,** 1847, *Catalogue des Lépidoptères recuillie par M.Delegorgue pendant les années 1838-1844 à Port Natal, au pays de Amazoulous et dans la contrée de Massilicatzi*. [in] Delegorgue, A., *Voyage dans l'Afrique australe* 2: 585-602. Paris.
- 866. Boisduval, J.B.A.,** 1848, *Note relative aux Lépidoptères recueillis par Kindermann aux environs d'Odessa et au pied du Caucase*. *Annls Soc. ent. Fr.* 2(6): xxviii-xxx.
- 867. Boisduval, J.B.A.,** 1852, *Trois nouvelles espèces de Psyche*. *Annls Soc. ent. Fr.* 2(10): xxii.
- 868. Boisduval, J.B.A.,** 1859, *Lépidoptères nouveaux de la Nouvelle Calédonie*. *Annls Soc. ent. Fr.* (3) 7: Bull.: 154-157.
- 869. Boisduval, J.B.A.,** 1869, *Lépidoptères de la Californie*. *Annls Soc. ent. Belg.* 12: 5-94.
- 870. Boisduval, J.B.A.,** 1870, *Considérations sur des Lépidoptères envoyés du Guatemala à M. de l'Orza*. ii+100 pp. Paris.
- 871. Boisduval, J.B.A.,** [1875], *Spécies général des Lépidoptères Héterocères* 1. Sphigides, Sesiides, Castniides, [in] Boisduval & Guenee, *Histoire naturelle d'Insectes* 1. 380 pp. Paris.
- 872. Bollino, M. & G.Sala,** 1992, *Papilio alexanor eitschbergeri*, a new subspecies from Samos Island (Greece) and Western Turkey (Lepidoptera, Papilionidae). *Atalanta* 23(1/2): 127-131, pl.vii.
- 873. Bollino, M. & G.Sala,** 1995, *Considerations about proposed synonymy of some Papilio alexanor subspecies (Lepidoptera, Papilionidae)*. *Nachr. ent. Ver. Apollo (N.F.)* 16(2/3): 253-258.
- 874. Bollino, M. & J.A.Salazar,** 2001, *Una nuova sottoespecie colobiana del genere Parides (Lep., Papilionidae)*. *Lambillionea* 101 (4): 641-644.
- 875. Bollow, C.,** 1929, *Gattung Parnassius* Latr. [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 20-91, pls. Stuttgart.
- 876. Bollow, C.,** 1929-1930, *Gattung Parnassius* Latr. [In] Seitz, A., *Gross-Schmett. Erde, Suppl.* 1: 20-83. Stuttgart.
- 877. Bollow, C.,** 1930, *Familie Pieridae*. [In] Seitz, A., *Die Gross-Schmett. Erde, Suppl.* 1: 96-125. Stuttgart.
- 878. Bollow, C.,** 1930, *Familie Nymphalidae. Gruppe: Apaturidi*. [In] Seitz, A., *Die Gross-Schmett. Erde, Suppl.* 1: 191-196. Stuttgart.
- 879. Bollow, C.,** 1930, *Subfam. Nymphalinae*. [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 191-198, pl. Stuttgart.
- 880. Bollow, C.,** 1930, *Fam. Lycaenidae (Gattung Virachola-Taraca)*. [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 251-306, pls. Stuttgart.
- 881. Bollow, C.,** 1930, *Fam. Pieridae*. [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 93-125, pls. Stuttgart.
- 882. Bollow, C.,** 1930-1931, *Familie Lycaenidae*. [In] Seitz, A., *Die Gross-Schmett. Erde (Suppl.)* 1: 249-296. Stuttgart.
- 883. Bollow, C.,** 1931, *Nachträge zur Familie Papilionidae, Pieridae, Satyridae (Lethe-Erebia)*. [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 327-339, pl. Stuttgart.
- 884. Bollow, C.,** 1931, *Nachträge zu den Lycaenidae (Gruppe der Lycaenini), Hesperidae*. [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 353-354. Stuttgart.
- 885. Bollow, C.,** 1931, *Nachträge zur Fam. Nymphalidae (Nymphalinae)*. [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 341-342. Stuttgart.
- 886. Bollow, C.,** 1932, *Familie Saturniidae*. In Seitz, A., *Gross-Schmett. Erde, Suppl.* 2: 129-135. Stuttgart.
- 887. Boness, M.,** [1990], *Wanderfalter aus dem Bergland Andalusiens*. *Atalanta* 20 (1989): 127-130.
- 888. Boonvanno, K. Watanasit, S. & S.Permkam,** 2000, *Butterfly diversity at Ton Nga-Chang Wildlife Sanctuary, Songkla Province, Southern Thailand*. *Science Asia* 26: 105-110.
- 889. Booth, G.,** 1892, *Attractiveness of flowers to moths*. *Entomologist's Rec. J. Var.* 3: 17.
- 890. Bordoni, A.,** 1984, *Limenitis populi (L.) dans les Alpes Ligures (Lep., Nymphalidae)*. *Nota lepid.* 7 (2): 107-108.
- 891. Bordoni, A.,** 1984, *Limenitis populi (L.) dans les Alpes Ligures*. *Nota lepid.* 7 (2): 107-108, 1 fig.
- 892. Borkhausen, M.B.,** 1788, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 1. 288pp. Frankfurt.
- 893. Borkhausen, M.B.,** 1789, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 2. 239pp. pl., Frankfurt.
- 894. Borkhausen, M.B.,** 1790, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 3. 476pp. Frankfurt.
- 895. Borkhausen, M.B.,** 1792, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 4. 809pp. Frankfurt.
- 896. Borkhausen, M.B.,** 1794, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 5. 572pp. Frankfurt.
- 897. Borodin, A.M., Bannekov, A.G. & V.E. Sokolov et al.,** 1984, *Red Book of the USSR* 1: 390pp. figs. Moscow.
- 898. Bortolin, A. Fabiano, F. & A.Sforzi,** 1998, *A contribution to the knowledge of the Sphingidae of North India (Insecta, Lepidoptera)*. *Nachr. ent. Ver. Apollo (N.F.)* 19 (2): 141-148.
- 899. Boudinot, J.,** 1986, *Observations sur le cycle biologiques d'*Azuritis reducta* (Stgr.) (Lepidoptera, Nymphalidae)*. *Alexanor* 14 (7): 315-322, 12 figs.
- 900. Boudinot, J.,** 1986, *Description d'un genre nouveau parmi les Limenitini paléarctiques (Lepidoptera, Nymphalidae)*. *Nouv. Rev. Ent. (n.s.)* 2 (4): 403-409.
- 901. Boudinot, J.,** 1987, *Ethologie et cycle biologique de Limenitis populi (Linné) (Lepidoptera, Nymphalidae)*. *Alexanor* 15 (2): 67-79, 27 figs.
- 902. Boudinot, J.,** 1988, *Biologie de Ladoga camilla (L.) comparée à celle de deux taxa voisins (Lepidoptera, Nymphalidae, Limenitini)*. *Alexanor* 15 (3) (1987): 161-167, 23 figs.
- 903. Bourgogne, J. & H. de Lesse,** 1951, *Un Rhopalocere de plus inscrire au catalogue des Lépidoptères de France: Euphydryas ichnea dv. (= intermedia Mén.)*. *Revue fr. Lepidopt.* 13: 143-152.
- 904. Bourgogne, J. G.C.Luquet,** 1977, *Un exemple a ne pas suivre*. *Alexanor* 10: 34.
- 905. Bourgogne, J.,** 1939, *Une Psychide nouvelle de Syrie (Lep.)*. *Bull. Soc. ent. Fr.* 1939: 199-200, 2 figs.
- 906. Bourgogne, J.,** 1949, *Un type nouveau d'appareil génital femelle chez les Lépidoptères*. *Annls Soc. ent. Fr.* 115: 69-80, 9 figs.
- 907. Bourgogne, J.,** 1949, *Note sur la systématique des Lépidoptères et création de deux superfamilles*. *Revue fr. Ent.* 16 (2): 74-77.
- 908. Bourgogne, J.,** 1951, *Ordre des Lépidoptères*, [in] Grassé, P.P., *Traité de Zoologie*. 10(1): 174-448, figs. 192-437, pls. Masson et C. Paris.
- 909. Bourgogne, J.,** 1953, *Melitaea athalia athalia Rott. et M. athalia helvetica Rühl (pseudoathalia Rev.) en France. Etude biogéographique*. *Annls Soc. ent. Fr.* 122: 131-176.
- 910. Bourgogne, J.,** 1954, *La sous-espece helvetica Rühl (pseudoathalia Rev.) de Melitaea athalia existe-t-elle en Gironde?* *Revue fr. Lepidopt.* 14 (1953): 116-118.
- 911. Bourgogne, J.,** 1956, *Particularités de deux aires contigues chez un Lépidoptère Rhopalocere*. *C.r.Somm. Seanc. Soc. Biogeogr.* 1956: 4-9.
- 912. Bourgogne, J.,** 1960, *Observations sur les lycenes des landes du Finistre*. *Alexanor* 1: 129-134.
- 913. Bourgogne, J.,** 1960, *Euphydryas intermedia Mén. dans les Hautes-Alpes*. *Alexanor* 2: 253-254.
- 914. Bourgogne, J.,** 1962, *Une bonne localité: Pralognan-la-Vanoise*. *Alexanor* 2: 201-206, 255-262.

915. **Bourgogne,J.**, 1962, Sur la presence de *Melanargia russiae* Esp. dans les Pyrenees françaises. *Alexanor* 2: 276.
916. **Bourgogne,J.**, 1964, Reflexions au sujet d'une espece singuliere, *Erebia serotina*. *Alexanor* 3: 363-368.
917. **Bourgogne,J.**, 1964, Presentation de deux notes inedites de Rene Oberthür. *Alexanor* 3: 363-368.
918. **Bourgogne,J.**, 1965, Une nouvelle localite pyreneenne pour *Boloria napaea*. *Alexanor* 4: 2.
919. **Bourgogne,J.**, 1968, Notions elementaires sur les types. *Alexanor* 5: 193-202.
920. **Bourgogne,J.**, 1969, Un Lepidoptere americain capture dans les Pyrenees. *Alexanor* 6: 15-16.
921. **Bourgogne,J.**, 1969, *Danaus plexippus* observe en France. *Alexanor* 6: 192.
922. **Bourgogne,J.**, 1973, Premier inventaire des Macrolepidopteres et Pyralides du Parc National de la Vanoise. *Trav. scient. Parc. natn. Vanoise* 3: 115-131.
923. **Bourgogne,J.**, 1977, Psychidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 105: 19.
924. **Bourgogne,J.**, 1980, Un Acanthopsyche nouveau d'Ethiopie (description, observation éthologiques) (Lepidoptera, Psychidae). *Revue fr. Ent. (N.S.)* 2(4): 162-168, figs.
925. **Bourgogne,J.**, 1984, Psychidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 128: 7.
926. **Bourgogne,J.**, 1986, Un Psychidae nouveau de l'Arabie Saoudite (Lepidoptera). *Annls Soc. ent. Fr. (N.S.)* 22(2): 277-279, 2 figs.
927. **Bourgogne,J.**, 1986, Lepidoptera Fam. Psychidae from Saudi Arabia and Africa. *Fauna Saudi Arabia* 8: 246-248, 1 fig.
928. **Bourquin,H.-D.**, 1997, Anmerkungen zu den Artikeln über die Gefährdung des Mosel-Apollon (*Parnassius apollo* ssp. *vinningensis* Stichel, 1899) *Melanargia* 9(2) 1997. *Melanargia* 9(4): 90-93.
929. **Boursin,C.**, 1932, Zwei neue *Athetis* us dem Libanon. *Int. ent. Z.* 26: 245-248, Pl.
930. **Boursin,C.**, 1933, Neue *Cucullia* und *Athetis* von Marasch in türkisch Nordsyrien, von der Expedition L.Osthelder und E.Pfeiffer. *Mitt. münch. ent. Ges.* 23(1): 8-26, 6 pls.
931. **Boursin,C.**, 1934, Contributions a l'etude des Noctuidae-Trifinae. *Revue fr. Ent.* 58(1): 143-153, 12 figs, 3 tab.
932. **Boursin,C.**, 1936, Beiträge zur Kenntnis der "Agrotidae-Trifinae" XVII. Eine neue Heterographa aus Russisch - Turkestan. *Ent. Rdsch.* 54 (2): 17-21; (6): 54-57, Taf.1, 8 figs.
933. **Boursin,C.**, 1939, Beiträge zur Kenntnis der Agrotidae-Trifinae XXII. *Elaphria* Arten aus der 1937 Expedition von Herrn F.H.Brandt in Farsistan. *Ent. Rdsch.* 56: 289-293, 321-325, pls.
934. **Boursin,C.**, 1940, Contributions a l'etude des Agrotidae-Trifinae XXVI. Description d'un *Copiphana* nouveau de Macédonie. *Bull. mens. Soc. linn. Lyon* 9(5): 70-75, 1 pl.
935. **Boursin,C.**, 1940, Contributions a l'etude des Agrotidae-Trifinae XXIV. Une nouvelle *Stilbia* du Maroc. *Revue fr. Ent.* 7 (1): 83-85, pl.2.
936. **Boursin,C.**, 1940, Beiträge zur Kenntnis der "Agrotidae-Trifinae" XXIII. *Mitt. münch. ent. Ges.* 30: 474-543, Taf.viii-xii.
937. **Boursin,C.**, 1940, Nouveaux Agrotidae Paléarctiques (Contributions a l'Etude des "Agrotidae-Trifinae". XXVII) *Mém. Mus. Hist. nat. Paris.* 12 (4): 303-330, Pl.9-10, 26 figs.
938. **Boursin,C.**, 1941, Die *Cucullia*-Arten aus Dr.H.Höne's China-Ausbeuten während der Jahre 1931 bis 1938. *Dt. ent. Z., Iris* 55: 28-84, pls.7-13.
939. **Boursin,C.**, 1942, Die *Elaphria*-Arten der 1937/38-Sammelreisen von Herrn Fred H. Brandt in Süd- und Nordost-Iran (Laristan, Iranisch-Belutchistan und Khorassan), nebst Beschreibung von 4 neuen Arten und mehreren Formen. *Z. wien. EntVer.* 27: 89-101, Taf. 6-7.
940. **Boursin,C.**, 1943, Über die systematische Stellung einiger Typen von Moore aus der Sammlung des Zoologischen Museums Berlin, nebst Beschreibung einer neuen Gattung. Beiträge zur Kenntnis der "Agrotidae - Trifinae" XXXIII. *Z. wien. ent. Ges.* 28: 337-343, Taf. XLI-XLII, 18 figs.
941. **Boursin,C.**, 1943, Eine neue Gattung der Unterfamilie Zenobiinae aus Iran. *Z. wien. ent. Ges.* 28: 314-316, Taf.
942. **Boursin,C.**, 1945, Un nouveau *Chersotis* d'Arménie: *Chersotis elegantula* n.sp. (Lepidoptera, Agrotinae). *Revue fr. lépid.* 10: 64-69, pl.
943. **Boursin,C.**, 1946, Trois nouveaux genres paléarctiques de la sous-famille des Agrotinae. *Revue fr. lépid.* 10: 186-192.
944. **Boursin,C.**, 1947, Über zwei *Autophila*-Arten aus den Brandtschen Ausbeuten in Süd- und Ost-Iran. *Z. wien. ent. Ges.* 32: 142-148, pls.8-10.
945. **Boursin,C.**, 1948, Neue palaearktische Agrotis-Arten aus dem naturhistorischen Museum in Wien, nebst Synonymie-Notizen. Beiträge zur Kenntnis der Agrotidae-Trifinae xlv. *Z. wien. ent. Ges.* 33: 97-136, 14 Taf.
946. **Boursin,C.**, 1949, Eine neue Gattung der Unterfamilie Zenobiinae aus dem Syr-Darja-Gebiet. *Z. wien. ent. Ges.* 34: 158-160, Taf.16, 5 figs.
947. **Boursin,C.**, 1951, Eine neue *Agrochola* Hb.(*Orthosia* auct.) aus Kleinasien. *Z. wien. ent. Ges.* 36: 158-161.
948. **Boursin,C.**, 1952, Beiträge zur Kenntnis der Agrotidae-Trifinae, XLIX. Synonymie Notizen nebst verschiedenen Bemerkungen,III. *Z. f. Lepidopt.* 2 (1): 49-68.
949. **Boursin,C.**, 1953, Über die Gattung "Allophytes" Tams nebst Beschreibung einer neuen Art aus Klein-Asien Lep. Phalaenidae (Noctuidae) (Beiträge zur Kenntnis der "Agrotidae-Trifinae", LIX). *Mitt. münch. ent. Ges.* 43: 239-247, Taf. ii-v.
950. **Boursin,C.**, 1954, Die "Agrotis"- Arten aus Dr.h.c. H.Höne's China-Ausbeuten I. Die Gattung *Diarsia* Hb. (= *Oxira* Wlk.). *Bonn. zool. Beitr.* 5(3/4): 213-309, 14 pls. 1 map.
951. **Boursin,C.**, 1954, Contribution to the knowledge of the Agrotidae-Trifinae of Kashmir lxiv (Lepidoptera). *Bull. Soc. Fouad Ier Ent.* 38: 81-106, 4 pls.
952. **Boursin,C.**, 1954, Zwei neue *Cryphia* Hb. (Bryophila)-Arten aus dem vorderasiatisch-mediterranen Faunenkreis (Beiträge zur Kenntnis der "Agrotidae-Trifinae" LXVI (66)). *Z. wien. ent. Ges.* 39: 85-89, 2 Taf.
953. **Boursin,C.**, 1954, Eine neue palaearktische (und europäische) *Cryphia* Hb. (Bryophila)-Art. *Z. wien. ent. Ges.* 39: 78-85, Taf. 5,6.
954. **Boursin,C.**, 1954, Zwei neue *Cryphia* Hb. (Bryophila)-Arten aus Französisch- Nordafrika. *Z. wien. ent. Ges.* 39: 123-126, 7 Abb.
955. **Boursin,C.**, 1955, Die *Apopestes* Hb.-und *Autophila* Hb.-Arten aus Dr.h.c.H.Höne's China-Ausbeuten. *Z. wien. ent. Ges.* 40: 164-171, pls.13-15.
956. **Boursin,C.**, 1955, Eine neue südchinesische *Synvaleria* Btl. (*Valeria* Steph.) aus Dr. H. Höne's China- Ausbeuten. *Z. wien. ent. Ges.* 40: 47-48, Abb. 1.
957. **Boursin,C.**, 1956, Über die Gattung *Lophotyna* Hps. (Lep. Phal. Zenobiinae). *Z. wien. ent. Ges.* 41: 298-301, Taf.30-31, 10 figs.
958. **Boursin,C.**, 1956, Eine neue *Arenostola* Hb. aus Zentral-Asien (Beiträge zur Kenntnis der "Agrotidae-Trifinae" LXXXVI [86]). *Mitt. münch. ent. Ges.* 46: 306-307, Taf.13.
959. **Boursin,C.**, 1957, Description de huit nouvelles *Caradrina* O. d'Afghanistan, de l'expédition Klapperich, et de deux *Oedibrya* Hps. (Perse et Afghanistan) (Lep., Phalaenidae) (Diagnoses préliminaires) (Contribution a l'etude des Agrotidae-Trifinae xc/90). *Bull. mens. Soc. linn. Lyon* 26(6): 158-163.
960. **Boursin,C.**, 1957, Eine neue *Allophytes* Tams aus Mittelchina (Aus Dr.Höne's China-Ausbeuten) (Beiträge zur Kenntnis der Agrotidae-Trifinae xciii(93)). *Z. wien. ent. Ges.* 42: 103-106, 1 Taf.
961. **Boursin,C.**, 1957, Nouvelles "Trifinae" d'Afghanistan de l'expédition Klapperich (Lep., Noct.). *Bull. mens. Soc. linn. Lyon* 26 (9): 242-250.
962. **Boursin,C.**, 1959, Über zwei für Europa neue *Hadena*-Arten (= *Dianthoecia* B.) *Hadena clara* Stgr. (1901), *bona* sp.! und *Hadena urumovi* Dren. (1931), *bona* sp.! *Z. wien. ent. Ges.* 44: 113-131, pls.5-11.
963. **Boursin,C.**, 1960, Eine neue *Eremodrina* Brsn. aus dem Thian-Schan. *Opusc. zool.* 50: 1-3, 6 figs

- 964. Boursin, C.,** 1960, Eine neue *Apamea* O. aus Iranisch-Belutschistan. Stuttg. Beitr. Naturk. 43: 1-3, pls.
- 965. Boursin, C.,** 1961, Ergebnisse der Deutschen Afghanistan-Expedition 1956 der Landessammlungen für Naturkunde Karlsruhe Noctuidae-Trifinae (Lep.). Beitr. naturk. Forsch. SWDtl. 19(3): 373-398, pls. 5-10, 1 map.
- 966. Boursin, C.,** 1962, Eine neue *Cosmia* Hb. (*Calymnia* auct.) aus dem Balkan und Kleinasien. Z. wien. ent. Ges. 47: 65-69, pls.
- 967. Boursin, C.,** 1962, Eine neue *Aegle* Hb. aus Anatolien. Z. wien. ent. Ges. 47: 183-186, pl.
- 968. Boursin, C.,** 1962, Eine neue *Mythimna* O. aus Südwestchina. Z. wien. ent. Ges. 47: 140-142, Taf. 13, 2 figs.
- 969. Boursin, C.,** 1962, Eine neue *Cardeia* Hps. aus Turkestan. Z. wien. ent. Ges. 47: 160-162, Taf. 14.
- 970. Boursin, C.,** 1962, Nouvelles races de Noctuidae Palaearctiques avec une note synonymique (Lep.). Bull. mens Soc. linn. Lyon 31: 302-305.
- 971. Boursin, C.,** 1962, *Lithophane semibrunnea* Haw. Eine vorderasiatisch-mediterrane Art mit Beschreibung einer neuen Subspecies. Z. wien. ent. Ges. 47: 92-94, Taf. 11.
- 972. Boursin, C.,** 1963, Nouvelles races de Noctuidae Palaearctiques (Lep., Noctuidae). Bull. mens Soc. linn. Lyon 32: 254-262.
- 973. Boursin, C.,** 1963, Die *Isochlora* Stgr.- und *Grumia* Alph.-Arten aus Dr. h.c. H. Hönes China -Ausbeuten. Z. wien. ent. Ges. 48: 123-127, Taf. 21-23.
- 974. Boursin, C.,** 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XII. Lepidoptera: Noctuidae-Trifinae. Annln naturh. Mus. Wien 66: 459-461.
- 975. Boursin, C.,** 1963, Eine neue *Pseudohadena* Stgr. aus Chinesisch-Turkestan (Beiträge zur Kenntnis der Noctuidae-Trifinae, 131). Z. wien. ent. Ges. 48: 38-40, 2 Taf.
- 976. Boursin, C.,** 1964, Lepidoptera der Deutschen Nepal Expedition 1955, Teil II. Noctuidae Trifinae. Zweiter Beitrag zur Kenntnis der Fauna der Noctuidae von Nepal. Veröff. zool. StSamml. Münch. 8: 3-40, 5 textfigs., 23 pls.
- 977. Boursin, C.,** 1964, Eine neue *Haderonia* Stgr. aus Russisch - Turkestan (Beiträge zur Kenntnis der "Noctuidae-Trifinae") Z. wien. ent. Ges. 49: 173-176. Taf. 22, 4 figs.
- 978. Boursin, C.,** 1964, Eine neue *Anamecia* Brsn. aus Westpakistan. Z. wien. ent. Ges. 49: 34-35, Taf. 3.
- 979. Boursin, C.,** 1966, Eine neue *Conisania* Hps. aus Sining nebst Synonymie-Notizen. Z. wien. ent. Ges. 51: 154-159, Tab. 13-17, 17 figs.
- 980. Boursin, C.,** 1967, Die neuen *Hermonassa* Wlk.-Arten aus Dr. H. Höne's China-Ausbeuten. Z. wien. ent. Ges. 52: 25-37, Taf. 1-9.
- 981. Boursin, C.,** 1967, Eine neue *Mythimna* O. aus Ostanatolien. Z. wien. ent. Ges. 52: 90-91, pl.
- 982. Boursin, C.,** 1970, Description de 40 especes nouvelles de Noctuidae Trifinae paléarctiques et de deux genres nouveaux des sous-familles Noctuinæ et Amphipyridinæ 2e série. Contributions à l'étude des Noctuidae Trifinae, 166. Entomops 18: 45-79, figs. 52-122.
- 983. Bouyer, T.,** 1993, *Maltagorea* n.gen. un nouveau genre de Saturniidae malgache (Lepidoptera, Saturniidae, Saturniinae, Pseudapheliini). Lambillionia 93 (1): 97-102.
- 984. Bowden, S.R.,** 1954, *Pieris napi* L. f. *hibernica* Schmidt, eine künstliche Aberration? Der gegenwärtige Stand der Frage. Mitt. ent. Ges. Basel 4: 9-15, 17-22.
- 985. Bowden, S.R.,** 1956, Hybrids within the European *Pieris napi* - species group. Proc. Trans. S. Lond. ent. nat. Hist. Soc. 1954/55: 135-159.
- 986. Bowden, S.R.,** 1979, Ultra-Violet Photography of Lepidoptera. Nota lepid. 2(1/2): 27-30, figs.
- 987. Howell, E.W.,** 1891, The *Rhopalocera* of Herefordshire. Entomologist's Rec. J. Var. 2: 136-138.
- 988. Boy, P.,** 2005, Beobachtungen auffälliger Tagfalter (Lep., Papilionidae) im Khao Yai Nationalpark / Thailand. 2. Teil: Papilionini - Gattungen *Chilasa*, *Atrophaneura* und *Papilio*. Galathea 21 (2): 59-66; 21 (4): 155-166, figs.
- 989. Bozano, G.C. & E. Giacomazo,** 1988, The Moroccan Anti-Atlas: a four day survey of the *Rhopalocera* in April 1987 (Lepidoptera). Nota lepid. 11: 83-84.
- 990. Bozano, G.C. & F. Fantoni,** 1997, New records of *Zerynthia rumina* (Linnaeus, 1758) in the Moroccan Anti-Atlas (Lepidoptera, Papilionidae). Linneana Belgica 16 (1): 3-4, figs.
- 991. Bozano, G.C.,** 1990, A contribution to the knowledge of the butterfly fauna of East Jordan. Nota lepid. 13 (1): 2-7.
- 992. Bozano, G.C.,** 1991, Note on a little known Chinese lycaenid: *Lycaena svenhedini* (Nordström). Nachr. ent. Ver. Apollo (N.F.) 12(3): 211-213, 3 figs.
- 993. Bozano, G.C.,** 1993, A new lycaenid butterfly from China: *Satyrrium redae* sp.n. (Lepidoptera, Lycaenidae). Nota lepid. 15 (3/4): 179-183.
- 994. Bozano, G.C.,** 1996, *Satyrrium giacomazzoi* spec. nov. from Shaanxi, China (Lepidoptera, Lycaenidae, Theclinae). Atalanta 27 (1/2): 329-332, 5 figs.
- 995. Braby, M.F.,** 2000, Butterflies of Australia: their identification, biology and distribution. Vol.1: xx+1-458pp; Vol.2: vii+549-976pp. CSIRO Publishing Collinwood.
- 996. Bradley, J.D. & M. Schaffer,** 1969, Beiträge zur Kenntnis der Fauna Afghanistans. Microlepidoptera. Cas. morav. Mus. Brne 54 (suppl.): 415-430, 3 figs.
- 997. Bradley, J.D.,** 1953, A new species of *Ochsenheimeria* Huebner from Central Himalaya (Lepidoptera, Tineidae). Ann. Mag. nat. Hist. (12) 6: 832-833, Pl.
- 998. Bradley, J.D.,** 1953, A new species of *Casmara* Walker, 1863, from Malaya (Lepidoptera, Oecophoridae). Ann. Mag. nat. Hist. (12) 6: 319-320.
- 999. Bradley, J.D.,** 1956, Records and Descriptions of Microlepidoptera, from Lord Howe Island and Norfolk Island Collected by the British Museum (Natural History) Kennell Island Expedition, 1953. Bull. Br. Mus. (Nat. Hist.) Ent. 4(4): 143-164, 26 figs.
- 1000. Bradley, J.D.,** 1961, Microlepidoptera from the Solomon Islands and additional records and descriptions of Microlepidoptera collected in the Solomon Islands by the Rennell Island Expedition 1953-54. Bull. Br. Mus. (Nat. Hist.) Ent. 10(4): 113-168, 2 figs. Pls. 5-19.
- 1001. Bradley, J.D.,** 1962, Microlepidoptera from the New Hebrides Records and Descriptions of Microlepidoptera collected on the islands of Aneityum by Miss Evelyn Cheesman, O.B.E. Bull. Br. Mus. (Nat. Hist.) Ent. 12(5): 247-271, 14-27 Pls.
- 1002. Bradley, J.D.,** 1965, Ruwenzori Expedition 1952. Volume II, Number 12. Microlepidoptera. Brit. Mus. (Nat. Hist.), London.
- 1003. Bradley, J.D.,** 1966, A comparative study of the coconut flat moth (*Agonoxena argaula* Meyr.) and its allies, including a new species (Lepidoptera, Agonoxenidae). Buu. ent. Res. 56: 453-472, figs. 1-38.
- 1004. Bradley, J.D.,** 1980, A new species of *Phyllonorycter* (Lepidoptera, Gracillariidae) on *Lonicera quinquelocularis* in northern Pakistan. Bull. ent. Res. 70(1): 61-63, figs.
- 1005. Bradley, J.D.,** 1980, *Patna rhizolineata* sp.n. (Lepidoptera, Pyralidae) on Johnson grass (*Sorghum halepense*) in Pakistan. Bull. ent. Res. 70(2): 273-276, figs.
- 1006. Bradley, J.D.,** 1986, Identity of the South-East Asian cocoa moth, *Conopomorpha cramerella* (Snellen) (Lepidoptera, Gracillariidae), with descriptions of three allied new species. Bull. ent. Res. 76: 41-51, figs. 1-20.
- 1007. Bradley, J.D., Jacobs, S.N.A. & W.G. Tremewan,** 1969, A key to the British and French species of *Phyllonorycter* Hübner (*Lithocolletis* Hübner) (Lep. Gracillariidae). Entomologist's Gaz. 20: 3-34, figs.
- 1008. Braine, S.F. & G.A. Henning,** 1984, The life history and habits of *Acraea hypoleuca* Trimen from South West Africa (Namibia). Metamorphosis 1 (10): 6.
- 1009. Bramson, K.L.,** 1910, Analytische Uebersicht der Formen von *Melitaea didyma* O. Horae Soc. ent. ross. 39: 391-410.
- 1010. Brandt, W.,** 1938, Beitrag zur Lepidopteren-Fauna von Iran. Neue Gattungen, Arten und Formen (Macrolepidoptera). Ent. Rdsch. 55: 497-505, 516-523, 548-554, 558-561, 567-574, 584-588, 597-602, 616-621, 632-634, 671-675, 698-699, 701-702, Abb. Taf.

- 1011. Brandt, W.,** 1939, Beitrag zur Lepidopteren-Fauna von Iran. Neue Gattungen, Arten und Formen (Macrolepidoptera). Ent. Rdsch. 56: 11-15, 23-24, 32-34, 59-61, 86-88, 109-111, 139-142, 161-163, Abb.
- 1012. Brandt, W.,** 1939, Beitrag zur Lepidopteren-Fauna von Iran. Einige neue Agrotiden aus Laristan und Baloutchistan. Ent. Rdsch. 56(23): 241-245; (25): 268-273; (27): 294-300, 3 Taf.
- 1013. Brandt, W.,** 1941, Beitrag zur Lepidopterenfauna von Iran (4). Geometridae. Mitt. münch. ent. Ges. 31: 864-886, figs.
- 1014. Brandt, W.,** 1941, Beitrag zur Lepidopterenfauna von Iran (3). Agrotiden. Mitt. münch. ent. Ges. 31: 835-863, figs.
- 1015. Brechlin, R.,** 1997, *Saturnia (Rinaca) witti* n.sp., eine neue Saturniide aus Nepal (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo N.F. 17(4): 423-433, figs.
- 1016. Brechlin, R.,** 1997, Eine weitere neue Schwärmerart aus Vietnam: *Callambulyx schintlmeisteri* n.sp. (Lepidoptera, Sphingidae). Nachr. ent. Ver. Apollo N.F. 17(4): 367-376, figs.
- 1017. Bremer, O. & W.Grey,** 1852, Diagnoses de Lépidoptères nouveaux trouvés par Mss. Tatarinoff et Gaschkewitsch aus environs de Pekin, [in] Motschulsky, Etüd. Ent. 1: 58-67.
- 1018. Bremer, O. & W.Grey,** 1853, Beiträge zur Schmetterlings-Fauna des nördlichen Chinas's mit 50 colorirten Abbildungen neuer Species. 23 pp., X Tab., St. Petersburg.
- 1019. Bremer, O.,** 1861, Neue Lepidopteren aus Ost-Sibirien und dem Amur Lande, gesammelt von Radde und Maack. Bull. Acad. Sci. St. Petersb. 3 (7): 461-496.
- 1020. Bremer, O.,** 1864, Lepidopteren Ost-Sibiriens, insbesondere der Amur-Landes, gesammelt von Herren G.Radde, R.Maack und P.Wulfius. Mém. Acad. imp. Sci. St. Petersb. (Ser.7) 8(1): 1-103.
- 1021. Bretherton, P.M.,** 1971, Butterflies in the island of Rhodes, May 1971. Entomologist's Rec. J. Var. 83: 327-332.
- 1022. Bretherton, R.F. & O.Kudrna,** 1977, The discovery of *Brenthis daphne* (Denis & Schiffermüller) in south Spain (Nymphalidae). Nota lepid. 1(3): 17-18.
- 1023. Bretherton, R.F.,** 1966, A distribution list of the butterflies of western and southern Europe. Trans. Soc. Br. ent. 17: 1-94.
- 1024. Bretherton, R.F.,** 1970, Butterflies in central Greece, June 1970. Entomologist's Rec. J. Var. 82: 277-285.
- 1025. Brevignon, C.,** 1985, Les Lépidoptères printaniers du Maroc (deuxième note) Alexanor 13 (8) (1984): 339-347, 12 figs.
- 1026. Bridges, C.A.,** 1988, Catalogue of the family-group genus-group and species-group names of the Hesperioidea (Lepidoptera) of the World. Urbana Illinois (Sebstverlag).
- 1027. Bridges, C.A.,** 1993, Catalogue of the family group, genus-group and species-group names of the Sphingidae of the World. C.A.Bridges, Urbana, Illinois.
- 1028. Brink, H.v.d. & H.v.Oorschot,** 1996, Additions and corrections to "Die Tagfalter der Türkei". I. Interesting observations of butterflies in Turkey during the 37th expedition of the "Werkgroep Griekse-Turkse dagvlinders" (Lepidoptera: Hesperidae, Pieridae, Lycaenidae). Phegea 24(1): 19-23, 1 fig. Pl.1.
- 1029. Brock, J.P.,** 1968, The systematic position of the Choreutinae (Lepidoptera, Glyphipterygidae). Entomologist's mon. Mag. 103: 245-246.
- 1030. Brock, J.P.,** 1971, A contribution towards an understanding of the morphology and phylogeny of the ditrysian Lepidoptera. J. nat. Hist. 5: 29-102.
- 1031. Brockmann, E. & R.Thust,** 1993, Bestimmungsschlüssel der mitteleuropäischen, nitchalpinen Pyrgus-Arten (Lepidoptera, Hesperidae). Nachr. ent. Ver. Apollo (N.F.) 14(3): 189-200, figs.
- 1032. Brooks, C.J.,** 1950, A revision of the genus *Tenaris* Hübner. Trans. R. ent. Soc. Lond. 101: 179-238, 8 pls. 1 map, 1 fig.
- 1033. Bros, E.de & W.Schmidt-Koehl,** 1979, Beitrag der Lepidopteren-Fauna des Rif-Atlas in Nord-Marokko. Mitt. ent. Ges. Basel 29(1): 1-26.
- 1034. Bros, E.de,** 1965, Eine jemenitische Lepidopteren-Ausbeute. Mitt. ent. Ges. Basel 15: 29-32.
- 1035. Bros, E.de,** 1991, Beitrag zur Kenntnis der Lepidopteren-Fauna von Antalya und des lykischen Taurus in der Südwesttürkei. Mitt. ent. Ges. Basel 41(4): 112-135, 6 Abb.
- 1036. Bros, E.de,** 1993, November in Israel. Lepidopterologische Stichprobe. Mitt. ent. Ges. Basel 42 (3): 88-97, 11 figs.
- 1037. Bros, E.de,** 1994, Corrigenda zum "Beitrag zur Kenntnis der Lepidopteren-Fauna von Antalya und des lykischen Taurus in der Südwesttürkei" (Mitt. ent. Ges. Basel 41(4), 112-135, 1991). Mitt. ent. Ges. Basel 44(2): 74-75.
- 1038. Brosch, U., Naumann, S., Paukstadt, L.H., Paukstadt, U., Tcherniak, I. & M.Beeke,** 1999, Anmerkungen zur Brahmaeiden- und Saturniidenfauna von Laos und Kambodscha (Lepidoptera, Bombycoidea). Galathea Suppl. 6: 33-58, figs.
- 1039. Brown, J. & C.G.M.de Worms,** 1975, *Agrodiaetus damone* (Eversmann) (Lep., Lycaenidae) discovered in the Peloponnese. Entomologist's Gaz. 26: 191-196, pl.
- 1040. Brown, J.,** 1976, A Review of the genus *Pseudochazara* de Lesse 1951 (Lep., Satyridae) in Greece. Entomologist's Gaz. 27: 85-90, 13 figs.
- 1041. Brown, J.,** 1976, Notes on *Gonepteryx cleopatra* Linnaeus, 1767 (Lepidoptera, Pieridae) in Greece. Entomologist's Rec. J. Var. 88: 93.
- 1042. Brown, J.,** 1976, Notes regarding previously undescribed European taxa of the genera *Agrodiaetus* Hübner, 1822 and *Polyommatus* Kluk, 1901 [sic!] (Lep., Lycaenidae). Entomologist's Gaz. 27: 77-84, 10 figs.
- 1043. Brown, J.,** 1976, On two previously undescribed subspecies of Lycaenidae (Lepidoptera) from Greece. Ent. Ber., Amst. 36: 46-47.
- 1044. Brown, J.,** 1976, *Plebejus pylaon brethertoni* Brown in Attica. Entomologist's Rec. J. Var. 88: 195.
- 1045. Brown, J.,** 1976, An extension of the known range of *Colias aurorina heldreichi* Staudinger. Entomologist's Rec. J. Var. 88: 299.
- 1046. Brown, J.,** 1976, *Aricia anteros* Freyer on Mt. Taygetos. Entomologist's Rec. J. Var. 88: 314.
- 1047. Brown, J.,** 1977, A new subspecies of *Pseudochazara graeca* (Staudinger, 1870) (Lep., Satyridae) from Greece. Entomologist's Rec. J. Var. 89: 68-69.
- 1048. Brown, J.,** 1978, Subspeciation in the butterflies (Lepidoptera) of the Peloponnese with notes on adjacent parts of Greece. Entomologist's Gaz. 28: 141-174.
- 1049. Brown, J.W. & J.A.Powell,** 2000, Systematics of Anopina Obratzsov (Lepidoptera, Tortricidae, Euliini). Univ. Calif. Publs. Ent. 120: 1-127, 174 figs.
- 1050. Brown, J.W.,** 1999, A new euliine genus from Costa Rica and Venezuela (Lepidoptera, Tortricidae). Jl. N.Y. ent Soc. 106: 177-184, figs.
- 1051. Brown, J.W.,** 2005, World Catalogue of Insects. vol. 5 Tortricidae 741 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark.
- 1052. Brusseau, G.,** 1995, *Ceutholopha isidis* Zeller, 1867, sur l'île de Beauté (Lepidoptera, Pyralidae, Phycitinae). Alexanor 18 (7) (1994): 389-390, 1 fig.
- 1053. Brusseau, G.,** 1995, Cinquième contribution a l'inventaire des Lépidoptères de Corse Onze Lépidoptères nouveaux pour l'île (Lepidoptera, Geometridae, Noctuidae et Pyralidae). Alexanor 18 (6) (1994): 369-374, 15 figs.
- 1054. Brusseau, G.,** 1996, Septième contribution a la connaissance des Lépidoptères de Corse. Six nouvelles espèces inédites pour l'île (Lep., Geometridae, Sterrhinae, Larentiinae). Alexanor 19 (3) (1995): 165-166.
- 1055. Brusseau, G.,** 1998, Une Pyrale nouveau pour la France: *Phycita meliella* Mann, 1864 (Lepidoptera, Pyralidae, Phycitinae). Alexanor 20 (3): 161-162, 1 fig.
- 1056. Bryk, F.,** 1942, Entomological results from Swedish Expedition 1934 to Burma and British India, Lepidoptera Thyatiridae. Arkiv Zool. 34A (11): 1-16, 2 Pls., 1 Map
- 1057. Bryk, F. & C.Eisner,** 1929, Eine neue subspecies von *Parn. apollo* aus Piedmont. Societas Ent. 44: 27.
- 1058. Bryk, F. & C.Eisner,** 1929, *Parn. stubbendorfi* Elwes subspecies *diabolicus* (n.). Societas Ent. 44: 47-48, figs. 1-4.
- 1059. Bryk, F. & C.Eisner,** 1930, *Parnassius apollo* L. in Klein-Asien. Parnassiana 1 (4): 1-3, figs.
- 1060. Bryk, F. & C.Eisner,** 1930, *Parn. mnemosyne* subspecies *gallicus* (n.). Societas Ent. 45: 4, figs. 1-3.

- 1061.** Bryk, F. & C. Eisner, 1930, Eine neue Rasse von *Parnassius accestis* Gr. Gr. (Lep. Parnass.). Mitt. dt. ent. Ges. 1: 7-8, figs. 1-2.
- 1062.** Bryk, F. & C. Eisner, 1930, *Parnassius apollo eubohemicus* subsp. nov. (Lep., Rhop.). Mitt. dt. ent. Ges. 1: 37-38.
- 1063.** Bryk, F. & C. Eisner, 1930, Eine neue Rasse von *Parnassius simo*. Parnassiana 1 (1): 1-3, figs. 1-4.
- 1064.** Bryk, F. & C. Eisner, 1930, Zur Präzisierung von *Parn. mnemosyne hungaricus* Rothsch. Parnassiana 1 (2): 1-3, figs. 1-4.
- 1065.** Bryk, F. & C. Eisner, 1930, *Parnassius mnemosyne* L. subspecies *balcanica* (n.). Parnassiana 1 (2): 3-4, figs. 5-6.
- 1066.** Bryk, F. & C. Eisner, 1931, *Parnassius mnemosyne* L. in Klein-Asien. Parnassiana 1 (7/8): 1-3 figs.
- 1067.** Bryk, F. & C. Eisner, 1931, *P. stenosemus* Honr. subspecies *divinus* (n.). Parnassiana 1 (5): 3-4, fig. 3.
- 1068.** Bryk, F. & C. Eisner, 1931, Neue *Parnassius*-Formen. Parnassiana 1 (5): 4.
- 1069.** Bryk, F. & C. Eisner, 1931, Zwei neue *Phoebus*-Rassen. Parnassiana 1 (5): 5-7, figs. 4-7.
- 1070.** Bryk, F. & C. Eisner, 1931, *Parnassius actius* Ev. und seine Rassen. Parnassiana 1 (6): 1-3, figs. 1-4.
- 1071.** Bryk, F. & C. Eisner, 1931, *Parnassius apollo* L. subsp. *bellingi* (nom. nov.). Parnassiana 1 (6): 5.
- 1072.** Bryk, F. & C. Eisner, 1931, Variabilität der Antennen bei der Gattung *Parnassius*. Parnassiana 1 (6): 5-6.
- 1073.** Bryk, F. & C. Eisner, 1931, *Parnassius mnemosyne* L. subsp. *mixtus* Fr. ab. *pleth. intermediatus* (m.). Parnassiana 1 (6): 6, fig. 5.
- 1074.** Bryk, F. & C. Eisner, 1931, Über *Parnassius szechenyi* Friv. Parnassiana 1 (7/8): 6-8, figs. 6-9.
- 1075.** Bryk, F. & C. Eisner, 1931, *Parnassius jacquemonti tibetanulus* (subspecies nova). Parnassiana 1 (7/8): 9-10, fig. 10-11.
- 1076.** Bryk, F. & C. Eisner, 1931, Zwei neue Abarten von *Parnassius apollonius* Eversm. Parnassiana 1 (7/8): 15.
- 1077.** Bryk, F. & C. Eisner, 1931-1939, Kritische Revision der Gattung unter Benutzung des Materials der Kollektion Eisner, Dahlem. Parnassiana 1 (7/8): 11-15; 2: 27-30, 34-42, 51-65, 69-102, 3: 3-22, 33-37, 47-62, 69-75, 77-95; 4: 9-14, 60-63; 5: 9-15, 21-28, 60; 6: 6-12, 24-31, 33-38, 50-57, figs.
- 1078.** Bryk, F. & C. Eisner, 1932, Neue *Parnassier*. Parnassiana 2: 6-9, 23-25, 104-105, figs.
- 1079.** Bryk, F. & C. Eisner, 1932, Beschreibung der von Herrn O. Bang-Haas i.l. aufgestellten Rassen von *P. nomion* F. d. W. Parnassiana 2: 26-27.
- 1080.** Bryk, F. & C. Eisner, 1932, Neue *Parnassius*-Rassen aus Kansu. Parnassiana 2: 33-34.
- 1081.** Bryk, F. & C. Eisner, 1932, Ein neuer *Delphius* Ev. Parnassiana 2: 42.
- 1082.** Bryk, F. & C. Eisner, 1932, Die Variabilität von *P. cephalus* Gr. Gr. Parnassiana 2: 44-46, fig. 2.
- 1083.** Bryk, F. & C. Eisner, 1932, Die Rassen von *P. tenedius* Eversm. Parnassiana 2: 22-23.
- 1084.** Bryk, F. & C. Eisner, 1932, Ein neuer *Charltonius*. Parnassiana 2: 66.
- 1085.** Bryk, F. & C. Eisner, 1934, Eine neue geographische Konvergenzerscheinung aus dem Kansu-Gebiet. Parnassiana 3: 24-27, figs. 3-8.
- 1086.** Bryk, F. & C. Eisner, 1934, Zwei neue Rassen von *P. mnemosyne* L. aus Armenien. Parnassiana 3: 38-39, figs. 3-4.
- 1087.** Bryk, F. & C. Eisner, 1934, Eine neue Form von *Parnassius orleans* Oberthür. Parnassiana 3: 39.
- 1088.** Bryk, F. & C. Eisner, 1934, Das Männchen von *P. stoliczkanus* Feld. subsp. *tytlerianus* (n.). Parnassiana 3: 40.
- 1089.** Bryk, F. & C. Eisner, 1934, *P. epaphus* Oberth., subspecies *epicus* (subsp. nova). Parnassiana 3: 41.
- 1090.** Bryk, F. & C. Eisner, 1934, *P. actius* subspecies *sulla* (subsp. nova). Parnassiana 3: 42.
- 1091.** Bryk, F. & C. Eisner, 1935, *Parnassius actius* subspecies *sulla* (subsp. nova). Parnassiana 3: 42.
- 1092.** Bryk, F. & C. Eisner, 1935, *K. cephalus* subsp. *capitalis* (subsp. nova). Parnassiana 3: 63, fig. 5.
- 1093.** Bryk, F. & C. Eisner, 1935, *Koramius stoliczkanus tytlerianus*. Parnassiana 3: 64, fig. 6.
- 1094.** Bryk, F. & C. Eisner, 1935, Zur Präzisierung des Fundortes von *P. apollo* ssp. *graslini* Oberth. Parnassiana 3: 67-68, 3 figs.
- 1095.** Bryk, F. & C. Eisner, 1935, Die Frühlingsform von *Sericinus* ssp. *montela* Gray. Parnassiana 3: 67-68, 3 figs.
- 1096.** Bryk, F. & C. Eisner, 1935, Eine auffallende Form von *Koramius cephalus* Gr. Gr. Parnassiana 3: 69.
- 1097.** Bryk, F. & C. Eisner, 1937, Eine neue *Parnassius*-Ausbeute aus der Burchan-Buddhakette. Parnassiana 4: 57-58.
- 1098.** Bryk, F. & C. Eisner, 1937, Eine neue Unterart von *Parnassius apollo* L. Parnassiana 4: 63.
- 1099.** Bryk, F. & C. Eisner, 1937, *Parnassius stubbendorfi* aus Peiling-Shan. Parnassiana 4: 64.
- 1100.** Bryk, F. & C. Eisner, 1939, Die griechischen Unterarten von *Parnassius mnemosyne* L. Parnassiana 6: 43-44.
- 1101.** Bryk, F. & C. Eisner, 1939, *Parnassius epaphus* subspecies *sculptor* (subsp. n.). Parnassiana 6: 48.
- 1102.** Bryk, F., 1911, Eine seltene Aberration der neuen karelischen Rasse von *Parnassius apollo* L. (Lep., Rhop.). Berl. ent. Z. 55 (1910): 255-261, Taf. iii, fig. 8.
- 1103.** Bryk, F., 1911, Über eine neue Aberration von *Parnassius apollo*, im finnischen Ladogagebiet (Karelia ladogensis) *carelius* nov. subsp. Bryk). Societas Ent. 25: 97-98, 1 fig.
- 1104.** Bryk, F., 1911, Der Linnésche *Apollo*. Int. ent. Z. 5: 155-156, figs. 6, 9.
- 1105.** Bryk, F., 1911, Über die karelische *Mnemosyne* (*Parn. mnemosyne* var. *karjala* nov. subsp. Bryk). Societas Ent. 26: 37-40, figs. 1-4.
- 1106.** Bryk, F., 1911, Über eine unbekannte Neuerung in der Flügeltracht der Gattung *Parnassius* Latr. Societas Ent. 26: 54-55.
- 1107.** Bryk, F., 1911, Parnassiana. Nova subspecies seu nova species (*Parnassius mnemosyne adolphi* m. nov. subsp. seu? *Parnassius adolphi* m. nov. species? (Syn.: *Parnassius mnemosyne* var. *hyrcana* Bang-Haas i.l.). Societas Ent. 26: 60, 62-63, figs. 1-3.
- 1108.** Bryk, F., 1912, Syntomidae. [in] Wagner, H., *Lepidopterorum Catalogus Pars 7*. 179pp. Dr. W. Junk Berlin.
- 1109.** Bryk, F., 1912, Vornehme *Parnassius*-formen. Jb. Nassau. Ver. Naturk. 65: 2-35, pl. 1.
- 1110.** Bryk, F., 1912, Referat von A. Pagenstecher, Über die Geschichte, das Vorkommen und die Erscheinungsweise von *Parnassius mnemosyne* L. Societas Ent. 27: 64-66, 1 fig.
- 1111.** Bryk, F., 1912, Parnassiana viii. Noch einmal über den Linnéschen *Apollo*. Societas Ent. 27: 95-97, figs. 1-5.
- 1112.** Bryk, F., 1912, Parnassiana vi. Über die *Aeugle* des amerikanischen *Delius*. Societas Ent. 27: 57-58, figs. 1-4.
- 1113.** Bryk, F., 1912, Parnassiana iii. Der *Apollo* aus dem Sajangebirge. Societas Ent. 27: 11-12, figs. 1-4.
- 1114.** Bryk, F., 1912-1914, Parnassiana v. Zur Synopsis der asiatischen *Mnemosyne*. Societas Ent. 27 (1912): 24-25, 38-40, 48-50, 52-53, 61-62, 87-89, 99-101, 106-107, 25 figs.; *ibid.* 28 (1913): 14-16; 29 (1914): 42-44, 66-71, figs.
- 1115.** Bryk, F., 1913, Parnassiana viii. Noch einmal über den Linnéschen *Apollo*. Die nomenklatorische Behandlung des fennoskandischen *Apollo*s. Societas Ent. 28: 31-34, figs. 1-3.
- 1116.** Bryk, F., 1913, Parnassiana xi. Neue Spielarten von *Parnassius apollo* L. Societas Ent. 28: 65-66.
- 1117.** Bryk, F., 1913, Parnassiana xii. Neue Aberrationen von *Parnassius nomion* F. d. W. Societas Ent. 28: 71, figs. 1-2.
- 1118.** Bryk, F., 1913, Eine neuer *Parnassius*. Arch. Naturgesch. 79 A (6): 123-124.
- 1119.** Bryk, F., 1913, Parnassiana xiii. Zehn neue Namen! Societas Ent. 28: 94-95.
- 1120.** Bryk, F., 1913, *Parnassius mnemosyne ugrjumovi* n. subsp. Berl. ent. Z. 58: 201-210, figs. a-d, pl. 2.
- 1121.** Bryk, F., 1914, Randbemerkungen zu Dr. Pagenstechers *Parnassius apollo* in Kaukasien. Mitt. münch. ent. Ges. 4: 70-74.

- 1122.** Bryk,F., 1914, Parnassiana xiv. Ein neuer Acdestis (Tadumia acdestis Gr. Gr. subsp. priamus B.-Hs. i.l.). Societas Ent. 29: 24-25, figs. 1-3.
- 1123.** Bryk,F., 1914, Über die Variabilität von Parnassius bremeri Feld. (Lep. Rhop.). Ent. Mitt. 3: 74-83, figs. 1-2, pl.
- 1124.** Bryk,F., 1914, Referat von Charles Oberthür, A propos des races géographiques de Parnassius apollo. Societas Ent. 29: 27-29, figs. 1-2.
- 1125.** Bryk,F., 1914, Neue Parnassiiden. Mitt. münch. ent. Ges. 5: 26-34, figs. 1-2, pl.1.
- 1126.** Bryk,F., 1914-1915, Über das Abändern von Parnassius apollo L. Untersuchungen über Biologie und Zeichnungsverhältnisse des Formenkreis Parnassius apollo L. Arch. Naturgesch. 80 A (5): 131-160, figs. 1-9, pl. 1-3 [1914]; (6): 149-180, figs. 10-29, pl.4-8 [1914]; (7): 153-184, figs. 30-36, pl.9-13 [1915]; (8): 143-174, pl.14-21 [1915]; (9): 133-164, pl.22-29 [1915]; (10): 147-167, pl.30-35 [1915].
- 1127.** Bryk,F., 1920, Zur nomenklaturfrage der schwedischen Argynnis improba Btlr. Ent. Tidskr. 41: 129-132.
- 1128.** Bryk,F., 1921, Bibliotheka sphragiologica. Arch. Naturgesch. (A) 85 (5) (1919): 102-183.
- 1129.** Bryk,F., 1921, Zur nomenklaturfrage von Parnassius mnemosyne var. bohemiensis Bryk. Societas Ent. 36: 27.
- 1130.** Bryk,F., 1921, Parnassius mnemosyne in Europa. Die nordischen Rassen. Societas Ent. 36: 17-19, figs. 1-3; 21-23, figs. 2,4,5.
- 1131.** Bryk,F., 1921, Die Variabilität der Flügelzeichnung im Genus Luehdorfia Crüger. Z. Öster. EntVer. 6: 31-34, figs. 1-5.
- 1132.** Bryk,F., 1921, Neue Parnassiiden. Ent. Tidskr. 42: 112-119, figs. 1-13.
- 1133.** Bryk,F., 1921, Parnassius mnemosyne in Europa. Die estnische Form. Societas Ent. 37: 5-6.
- 1134.** Bryk,F., 1922, Parnassius mnemosyne in Europa. Einige südliche Formen meiner Sammlung. Societas Ent. 37: 11-12, 13-16, 18-20, 22-23, 25-26, 15 figs.
- 1135.** Bryk,F., 1922, Eine neue Mnemosyneform aus Niederösterreich. Z. Öster. EntVer. 7: 1-2.
- 1136.** Bryk,F., 1922, Über das Abändern von Parnassius apollo L. Nachtrag. Arch. Naturgesch. 87 A (10): 230-243, fig. 1-9.
- 1137.** Bryk,F., 1923, Parnassiana. Eine neue spanische Apollorasse. Societas Ent. 43: 29-30, figs. 1-2.
- 1138.** Bryk,F., 1923, Baroniidae, Teinopalpidae, Parnassiidae. [in] Strand,E. Lepidopterorum Catalogus 24 (27): 1-247.
- 1139.** Bryk,F., 1923, Neue Parnassier. Ent. Z., Frankf. a. M. 36: 56, 1 fig.
- 1140.** Bryk,F., 1925, Parnassiana. Parnassius mnemosyne L. in Galizien und Rumänien. Societas Ent. 40: 29-30.
- 1141.** Bryk,F., 1928, Parnassius phoebus ab ernae Eisner. Societas Ent. 43: 38, figs. 1-2.
- 1142.** Bryk,F., 1929, Parnassiana. Eine neue Rasse von Parnassius phoebus. Societas Ent. 44: 17-18, figs. 1-15.
- 1143.** Bryk,F., 1930, Über Melanismus bei Parnassius apollo L. Parnassiana 1 (4): 3-5, fig.5.
- 1144.** Bryk,F., 1931, Kailasius charltonius subsp. eisnerianus (m.) Parnassiana 1 (5): 1-2, figs. 1-2.
- 1145.** Bryk,F., 1931, Parnassius rothschildianus m. Parnassiana 1 (6): 4.
- 1146.** Bryk,F., 1931, Eine neue Form von Baronia. Parnassiana 1 (7/8): 8-9.
- 1147.** Bryk,F., 1931, Die Abhängigkeit der Augenflecke vom Flügelgeäder in der Gattung Parnassius Latr. Ein Beitrag zur Zeichnung der Lepidopteren. Zool. Jb Syst. 62: 149-174, figs. 1-32.
- 1148.** Bryk,F., 1932, Parnassius honrathi ssp. ernesti (ssp.nova). Parnassiana 2: 65.
- 1149.** Bryk,F., 1932, Neue Thais-Rassen. Parnassiana 2: 66.
- 1150.** Bryk,F., 1932, Neue Zerynthiinae. Parnassiana 2: 102-104.
- 1151.** Bryk,F., 1932-1934, Parnassiologische Studien aus England. Parnassiana 2: 1-6, 19-21, 31-33, 46-50, 67-68; 3: 27-28, 31-32, figs.
- 1152.** Bryk,F., 1934, Lymantriidae. [in] E.Strand, Lepidopterorum Catalogus. Pars 62: 1-441 pp. W.Junk, Berlin.
- 1153.** Bryk,F., 1934, Lepidoptera Baroniidae, Teinopalpidae, Parnassiidae Pt.1 Tierreich 64: xxiii + 129 pp., 87 figs.
- 1154.** Bryk,F., 1935, Koramius cephalus Leech forma ven. met. tadumica Bryk (forma nova). Parnassiana 3: 63.
- 1155.** Bryk,F., 1935, Lepidoptera Parnassiidae Pt.II (Subfam. Parnassiinae). Tierreich 65: li + 788 pp., 698 figs.
- 1156.** Bryk,F., 1935, Parnassiinae (Lepid.). [in] Visser,P.C. & J.Visser-Hooft, Wissenschaftliche Ergebnisse der Niederländischen Expeditionen in den Karakorum und die angrenzenden Gebiete in den Jahren 1922,1925 und 1929/30: 337-340, figs.1-2, pl.1 fig.2.
- 1157.** Bryk,F., 1936, H. Hönes Parnassiusausbeute vom Jahre 1936. Parnassiana 4: 1-4, 1 fig.
- 1158.** Bryk,F., 1936, Zygaenidae II. [in] Bryk,F., Lepidopterorum Catalogus Pars 71. 95-332 pp. Dr.W.Junk 's-Gravenhage.
- 1159.** Bryk,F., 1937, Arctiidae Subfam. Callimorphinae et Nyctemerinae. [in] Bryk,F., Lepidopterorum Catalogus Pars 82. 105 pp. Dr.W.Junk 's-Gravenhage.
- 1160.** Bryk,F., 1938, Die Zeichnung der Flügelunterseite von Kailasius autocrator Avinoff. Parnassiana 5: 19-21, 2 figs.
- 1161.** Bryk,F., 1938, Die Zeichnung der Flügelunterseite von Kailasius autocrator Avinoff. Parnassiana 5: 19-21, figs. 1-2.
- 1162.** Bryk,F., 1938, Neue Parnassiiden aus dem Zoologischen Reichsmuseum Alexander Koenig in Bonn. Parnassiana 5: 50-54, figs. 1-3; 6: 1-5, fig.1.
- 1163.** Bryk,F., 1938, Ein neuer Genus-Namen. Parnassiana 5: 54.
- 1164.** Bryk,F., 1940, Geographische Variabilität von Melitaea didyma (Esper). Folia zool. hydrobiol. 10: 293-353, 6 pls.
- 1165.** Bryk,F., 1942, Zur Kenntnis der Grossschmetterlinge der Kurilen. Dt. ent. Z., Iris 56: 1-90, 2 Taf., 4 figs.
- 1166.** Bryk,F., 1943, Neue Tibetische Parnassier aus dem Reichsmuseum König (Lep.). Mitt. münch. ent. Ges. 33: 26-32, pl.5-6.
- 1167.** Bryk,F., 1943, Entomological results from Swedish Expedition 1934 to Burma and British India, Lepidoptera Drepanidae. Arkiv Zool. 34A (13): 1-30, 3 Pls., 1 Map
- 1168.** Bryk,F., 1944, Entomological results from Swedish Expedition 1934 to Burma and British India, Lepidoptera: Saturniidae, Bombycidae, Eupterotidae, Uraniidae, Epiplemididae und Sphingidae, gesammelt von René Malaise. Arkiv Zool. 35A (8): 1-55, 6 Pls.
- 1169.** Bryk,F., 1946, Zur Kenntnis der Großschmetterlinge von Korea. Pars I. Rhopalocera, Hesperioidea et Macrofenatae I (Sphingidae). Arkiv. Zool. 38A (3): 1-74, 4 Pls.
- 1170.** Bryk,F., 1949, Entomological results from Swedish Expedition 1934 to Burma and British India, Lepidoptera Notodontidae Stephens, Cossidae Newman and Hepialidae Stephens collected by René Malaise. Arkiv Zool. 42A (19): 1-51, 4 Pls. 1 Map.
- 1171.** Bryk,F., 1951, Neue achine-Formen. Ent. Tidskr.72: 181-183.
- 1172.** Bryner,R., 1987, Zur Insektenfauna vom Chasseral, Berner Jura. II. Lepidoptera i. Rhopalocera und heliophile Macroheterocera (Tagfalter und tagaktive "Nachtgrossfalter"). Ent. Ber., Luzern 18: 17-30.
- 1173.** Brännlich,M.T., 1863, Insecta Lepidoptera [in] Pontoppidan,E., Den Danske Atlas I: 684-689, pl.30, figs. Kiøbenhavn.
- 1174.** Buakwun,O., Watanasit,S. & C.Pholpunthin, 2000, Biological control of rice leafhopper, Cnaphalocrocis medinalis (Guenee) (Lepidoptera, Pyralidae) by nematode Steinernema carpocapsae Weiser (Rhabditidae, Steinernematidae). Songklanakarin J. Sci. Technol. 22 (3): 293-300.
- 1175.** Bubacek,O., 1915, Eine Sammeltour in die Ostpyraeneen. Verh. zool.-bot. Ges. Wien 65: 101-111.

- 1176.** Bubacek, O., 1923, Sammelausbeute aus Korsica. Verh. zool.-bot. Ges. Wien 72: 28-34.
- 1177.** Bubnova, T.V., 1980, The noctuid fauna of western Altai (Lepidoptera, Noctuidae). Trudy biol. Inst. sib. Otd. Akad. Nauk SSSR 43: 52-121.
- 1178.** Buchan, P.B. & O.Kudrna, 1980, An improved dissecting technique of genitalia of Lepidoptera. Nota lepid. 3(1/2): 39-40.
- 1179.** Buchsbaum, U., 2000, Eine neue Pyralide der Gattung Vitessa Moore, [1860], aus Sabah, North-Borneo, Malaysia (Lepidoptera, Pyralidae). Ent. Z., Frankf. a. M. 110 (11): 337-339, figs.
- 1180.** Buckell, F.J., 1892, The ova state of Geometrae. Entomologist's Rec. J. Var. 3: 255.
- 1181.** Buckell, F.J., 1893, Specific nomenclature: present, past and future. Entomologist's Rec. J. Var. 4: 127-140.
- 1182.** Buckell, F.J., 1893, Notes on the early stages of certain Geometrina. Entomologist's Rec. J. Var. 4: 241-242.
- 1183.** Buckell, F.J., 1893, The history of butterfly classification. Entomologist's Rec. J. Var. 4: 315-325.
- 1184.** Buckell, F.J., 1894, Dana's archippus, Anosia plexippus, or what? Entomologist's Rec. J. Var. 5: 1-5.
- 1185.** Buckell, F.J., 1894, Have we two indigenous species of Euchloe? Entomologist's Rec. J. Var. 5: 172-173.
- 1186.** Buckell, F.J., 1894, Erebia epiphron, and its named varieties. A study in synonymy. Entomologist's Rec. J. Var. 5(7): 161-165.
- 1187.** Buckell, F.J., 1895, On a uniform terminal for superfamily names. Entomologist's Rec. J. Var. 6: 258.
- 1188.** Buckmaster, M.A., 1898, Polyommatus iolas and P. zephyrus var. lycidas in Switzerland. Entomologist's Rec. J. Var. 10: 280.
- 1189.** Buckmeister, C.J., 1897, Spring Lepidoptera at Hyères in 1897. Entomologist's Rec. J. Var. 9: 303-304.
- 1190.** Buckwell, P., 1954, Quelques chenilles et papillons nouveaux de la région d'Ifrane. Bull. Soc. sci. Nat. Maroc. 34: 351-356.
- 1191.** Budashkin, J. & V.A. Lukhtanov, 1993, Eine neue Art Untergattung Agrodiaetus von der Krim (Lepidoptera, Lycaenidae). Atalanta 24 (1/2): 85-87, Pl. V.
- 1192.** Budashkin, J., 1990, Biology of Agrodiaetus poseidon krymaeus (Shelj.). Vestn. zool. 1990: 85.
- 1193.** Bugnion, C., 1837, Description de quatre nouvelles espèces de Lépidoptères de la Syrie et de l'Égypte. Annls Soc. ent. Fr. 6: 439-444, pl. 16.
- 1194.** Bugnion, C., 1839, Note sur la Sphinx cretica. Annls Soc. ent. Fr. 1839: 113-116.
- 1195.** Buhl, O., Falck, P., Jorgensen, B., Karsholt, O. & K. Larsen, 1992, Fund af smasommerfugle fra Danmark i 1991 (Lepidoptera). Ent. Meddr 60: 101-110.
- 1196.** Buhl, O., Falck, P., Jorgensen, B., Karsholt, O. & K. Larsen, 1992, Fund af smasommerfugle fra Danmark i 1991 (Lepidoptera). Ent. Meddr 60: 101-110.
- 1197.** Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen, 1993, Fund af smasommerfugle fra Danmark i 1992 (Lepidoptera). Ent. Meddr 61: 135-147.
- 1198.** Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen, 1993, Fund af smasommerfugle fra Danmark i 1992 (Lepidoptera). Ent. Meddr 61: 135-147.
- 1199.** Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen, 1994, Fund af smasommerfugle fra Danmark i 1993 (Lepidoptera). Ent. Meddr 62: 106-115.
- 1200.** Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen, 1994, Fund af smasommerfugle fra Danmark i 1993 (Lepidoptera). Ent. Meddr 62: 106-115.
- 1201.** Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen, 1995, Fund af smasommerfugle fra Danmark i 1994 (Lepidoptera). Ent. Meddr 63: 61-74.
- 1202.** Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen, 1995, Fund af smasommerfugle fra Danmark i 1994 (Lepidoptera). Ent. Meddr 63: 61-74.
- 1203.** Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen, 1996, Fund af smasommerfugle fra Danmark i 1995 (Lepidoptera). Ent. Meddr 64: 277-287.
- 1204.** Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen, 1997, Fund af smasommerfugle fra Danmark i 1996 (Lepidoptera). Ent. Meddr 65: 148-159.
- 1205.** Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen, 1998, Fund af smasommerfugle fra Danmark i 1997 (Lepidoptera). Ent. Meddr 66: 105-115.
- 1206.** Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K., & K. Schnack, 1992, Fund af smasommerfugle fra Danmark i 1990 (Lepidoptera). Ent. Meddr 60: 1-12.
- 1207.** Buhl, O., Falck, P., Karsholt, O., Larsen, K., & K. Schnack, 1987, Fund af smasommerfugle fra Danmark i 1985 (Lepidoptera). Ent. Meddr 55: 43-56.
- 1208.** Buhl, O., Falck, P., Karsholt, O., Larsen, K., & K. Schnack, 1988, Fund af smasommerfugle fra Danmark i 1986 (Lepidoptera). Ent. Meddr 56: 99-112.
- 1209.** Buhl, O., Falck, P., Karsholt, O., Larsen, K., & K. Schnack, 1989, Fund af smasommerfugle fra Danmark i 1987 (Lepidoptera). Ent. Meddr 57: 123-135.
- 1210.** Buhl, O., Falck, P., Karsholt, O., Larsen, K., & K. Schnack, 1990, Fund af smasommerfugle fra Danmark i 1988 (Lepidoptera). Ent. Meddr 58: 33-41.
- 1211.** Buhl, O., Falck, P., Karsholt, O., Larsen, K., & K. Schnack, 1991, Fund af smasommerfugle fra Danmark i 1989 (Lepidoptera). Ent. Meddr 59: 29-40.
- 1212.** Buhl, O., Karsholt, O., Larsen, K., Nielsen, E.S., Pallesen, G., Palm, E. & K. Schnack, 1981, Fund af smasommerfugle fra Danmark i 1979 (Lepidoptera). Ent. Meddr 49: 19-27.
- 1213.** Buhl, O., Karsholt, O., Larsen, K., Nielsen, E.S., Pallesen, G., Palm, E. & K. Schnack, 1982, Fund af smasommerfugle fra Danmark i 1980 (Lepidoptera). Ent. Meddr 49: 49-57.
- 1214.** Buhl, O., Karsholt, O., Larsen, K., Nielsen, E.S., Pallesen, G., Palm, E. & K. Schnack, 1983, Fund af smasommerfugle fra Danmark i 1981. Ent. Meddr 50: 11-20.
- 1215.** Buhl, O., Karsholt, O., Larsen, K., Nielsen, E.S., Pallesen, G., Palm, E. & K. Schnack, 1983, Fund af smasommerfugle fra Danmark i 1982 (Lepidoptera). Ent. Meddr 50: 119-136.
- 1216.** Buhl, O., Karsholt, O., Larsen, K., Palm, E. & K. Schnack, 1984, Fund af smasommerfugle fra Danmark i 1983 (Lepidoptera). Ent. Meddr 52: 1-21.
- 1217.** Buhl, O., Karsholt, O., Larsen, K., Palm, E. & K. Schnack, 1987, Fund af smasommerfugle fra Danmark i 1984 (Lepidoptera). Ent. Meddr 54: 97-112.
- 1218.** Bulgakova, L.L. & A.V.-A. Kreuzberg, 1985, Connection of papilionids (Lepidoptera, Papilionidae) with plant communities in the eastern part of Vakhn Ridge. Byulleten' Mosk. Obshch. Ispyt. Priro. (Otd. Biol.) 90(5): 33-41, figs.
- 1219.** Bullini, L., Cianchi, R., Stefani, C. & V. Sbordoni, 1981, Biochemical Taxonomy of the Italian Species of the Amata phegea complex (Ctenuchidae, Syntominiinae). Nota lepid. 4(4): 125-127.
- 1220.** Bunge, H., 1918, Kriegererlebnisse in Palästina. Int. ent. Z. 12: 31-32, 44-47.
- 1221.** Buntebarth, G., 1979, Zur Biologie der Zygaena formosa und der Zygaena carniolica kappadokiae (Lep., Zygaenidae). Ent. Z., Frankf. a. M. 89 (9): 100-104, 2 figs.
- 1222.** Buresch, I. & K. Tuleschcow, 1929, Die horizontale Verbreitung der Schmetterlinge (Lepidoptera) in Bulgarien (1). Izv. tsarsk. prirodnauch. Ins. Sof. 2: 145-250.
- 1223.** Buresch, I. & K. Tuleschcow, 1930, Die horizontale Verbreitung der Schmetterlinge (Lepidoptera) in Bulgarien (2). Izv. tsarsk. prirodnauch. Ins. Sof. 3: 145-248.
- 1224.** Buresch, I. & K. Tuleschcow, 1943, Die horizontale Verbreitung der Schmetterlinge (Lepidoptera) in Bulgarien 5. Izv. tsarsk. prirodnauch. Ins. Sof. 16: 79-188.
- 1225.** Buresch, I. & N. Karnojicki, 1942, Biologische Beobachtungen über die Schmetterlinge der Varna-Gegend. Izv. bulg. ent. Druzh. 12: 127-162.
- 1226.** Buresch, I., 1915, Biology of Doritis apollinus Hbst. and its distribution in the Balkan Peninsula. Spis. bulg. Akad. Nauk. 12: 15-36.

- 1227. Buresch, I.,** 1918, Beitrag zur Lepidopterenfauna des Piringebirges in Mazedonien. Z. wiss. Insekt Biol. 14: 97-107, 137-144, 224-231, 271-281.
- 1228. Buresch, I.,** 1925, Zwei in Europa selten vorkommende Arten der Schmetterlingsgattung *Euchloe* nebst Beschreibung einer neuen Unterart *Euchloe grüneri macedonica* m. Mitt. bulg. ent. Ges. 2: 61-64.
- 1229. Buresch, I.,** 1930, Zweiter Beitrag zur Schmetterlingsfauna vom Schlosspark Euxinograd bei der Stadt Varna am Schwarzen Meer. Izv. bulg. ent. Druzh. 5: 207-252.
- 1230. Burns, J.M.,** 1964, Evolution in Skipper Butterflies of the genus *Erynnis*. 217 pp., 1 pl. University of California Press, Berkeley & Los Angeles.
- 1231. Burr, M.,** 1944, *Parnassius apollo*, race *kosswigi*, de Lattin. Entomologist's Rec. J. Var. 56: 41, 57-58.
- 1232. Burr, M.,** 1944, Bithynian Mt. Olympus. Entomologist's Rec. J. Var. 56: 100-104.
- 1233. Burr, M.,** 1949, *Catocala fraxini* commits suicide. Entomologist's Rec. J. Var. 61: 119.
- 1234. Burrows, C.R.N.,** 1901, The food-plants of *Phorodesma smaragdaria* Fab. Entomologist's Rec. J. Var. 13: 197-198.
- 1235. Buschbaum, U.,** 2002, *Leucoblepsis taiwanensis* sp.nov., a new species of Drepanidae from Taiwan (Insecta, Lepidoptera). Formosan Ent. 22: 101-114, figs.
- 1236. Buszko, J.,** 1997, A distributional atlas of butterflies in Poland 1986-1995. 170pp. maps.
- 1237. Butler, A.G.,** 1865, Description of six new species of exotic butterflies in the collection of the British Museum. Proc. zool. Soc. Lond. 1865: 455-459, Pl.26.
- 1238. Butler, A.G.,** 1865, Description of six species of diurnal Lepidoptera in the British Museum Collection. Proc. zool. Soc. London 1865: 430-434, Pl.25.
- 1239. Butler, A.G.,** 1865, Monograph of species of *Charaxes*, a genus of diurnal Lepidoptera. Proc. zool. Soc. London 1865: 622-639, 2 pls.
- 1240. Butler, A.G.,** 1868, An Essay towards an arrangement of the genera of the family *Satyridae*. Entomologist's mon. Mag. 4: 193-197.
- 1241. Butler, A.G.,** 1869, Descriptions of species of Lepidoptera, confounded with others described by Linnaeus and Fabricius. Entomologist's mon. Mag. 5: 270-273.
- 1242. Butler, A.G.,** 1870, Catalogue of diurnal lepidoptera described by Fabricius in the collection of the British Museum. 303 pp. 2 pls. London.
- 1243. Butler, A.G.,** 1874, List of the diurnal Lepidoptera of the South-Sea Islands. Proc. zool. Soc. Lond. 1874: 274- ,Pl.xliv.
- 1244. Butler, A.G.,** 1875, On a collection of Southern Africa with descriptions of new genera and species. Ann. Mag. nat. Hist. (4) 16: 394-420.
- 1245. Butler, A.G.,** 1875, Contributions towards a knowledge of the *Rhopalocera* of Australia. Trans. ent. Soc. Lond. 1875: 1-10.
- 1246. Butler, A.G.,** 1875, Descriptions of thirty-three new or little known species of *Sphingidae* in the collection of the British Museum. Proc. zool. Soc. London 1875: 3-16, pls.1-2.
- 1247. Butler, A.G.,** 1875, Descriptions of new species of *Sphingidae*. Proc. zool. Soc. London 1875: 238-261, pls.36-37.
- 1248. Butler, A.G.,** 1875, Descriptions of four new species of *Protogonius*. Proc. zool. Soc. London 1875: 35-36, pl.v.
- 1249. Butler, A.G.,** 1875, Descriptions of several new species of *Sphingidae*. Proc. zool. Soc. London 1875: 621-623.
- 1250. Butler, A.G.,** 1876, Revision of the heterocerous Lepidoptera of the family *Sphingidae*. Trans zool. Soc. Lond. 1876 (3): 511-644, Pls.90-94.
- 1251. Butler, A.G.,** 1877, On the lepidoptera from Japan and Shanghai. Ann. Mag. nat. Hist. (4) 19: 91-97.
- 1252. Butler, A.G.,** 1877, On two collections of Heterocerous Lepidoptera from New Zealand with descriptions of new genera and species. Proc. zool. Soc. Lond. 1877: 379-407, pls. xlii-xliii.
- 1253. Butler, A.G.,** 1877, On a collection of Lepidoptera made in Northern Formosa by H.E.Hobson, Esq. Proc. zool. Soc. London 1877: 810-816.
- 1254. Butler, A.G.,** 1877, Descriptions of new species of Heterocerous Lepidoptera in the collection of the British Museum. Proc. zool. Soc. London 1877: 168-170.
- 1255. Butler, A.G.,** 1879, The butterflies of Malacca. Trans. linn. Soc. Lond. (2), Zool. 1 (8): 553-568, pls. 68, 69.
- 1256. Butler, A.G.,** 1882, Descriptions of new species of Lepidoptera, chiefly from Duke-of-York Island and New Britain. Ann. Mag. nat. Hist. (5) 10: 36-43.
- 1257. Butler, A.G.,** 1883, List of Lepidoptera collected by Mr. H.O.Forbes in the Islands of Timor Laut. Proc. zool. Soc. Lond. 1883: 365-371, Pl.xxxviii.
- 1258. Butler, A.G.,** 1884, On an undescribed butterfly of the genus *Teracolus* from Arabia. Entomologist's mon. Mag. 21: 81.
- 1259. Butler, A.G.,** 1885, An account of two collections of Lepidoptera recently received from Somali-land. Proc. zool. Soc. Lond. 1885: 756-776, Pl.47.
- 1260. Butler, A.G.,** 1888, On the Lepidoptera received from Dr.Emin Pasha. Proc. zool. Soc. Lond. 1888: 56-85.
- 1261. Butler, A.G.,** 1892, On a collection of Lepidoptera from Sandakan, N.E.Borneo. Proc. zool. Soc. Lond. 1892: 120-133, Pl.vi.
- 1262. Butler, A.G.,** 1893, On two collections of Lepidoptera sent by H.H.Johnston, Esq., C.B., from British Central Africa. Proc. zool. Soc. Lond. 1893: 643-684, Pl.60.
- 1263. Butler, A.G.,** 1896, On the butterflies obtained in Arabia and Somaliland by Capt. Chas. G. Nurse and Col. J.W. Yerbury in 1894 and 1895. Proc. zool. Soc. Lond. 1896: 242-256, Pl.10.
- 1264. Butler, A.G.,** 1897, On a new Nymphalid butterfly from N.E.Borneo. Ann. Mag. nat. Hist. (6) 19: 469-470.
- 1265. Butler, A.G.,** 1897, On a new African Pierine Butterfly of the genus *Mylothris*. Ann. Mag. nat. Hist. (6) 19: 627.
- 1266. Butler, A.G.,** 1897, A revision of the Pierine butterflies of the genus *Delias*. Ann. Mag. nat. Hist. (6) 20: 143-167.
- 1267. Butler, A.G.,** 1897, Revision of the species of butterflies belonging to the genus *Teracolus* Swain. Ann. Mag. nat. Hist. 6 (20): 385-399, 451-473, 495-507.
- 1268. Butler, A.G.,** 1897, On a collection of Lepidoptera obtained in the Arusa Galla country in 1894 by Mr.F.Gillet. Proc. zool. Soc. Lond. 1897: 692-694-?
- 1269. Butler, A.G.,** 1898, A revision of the species of the genus *Hebomoia*. Ann. Mag. nat. Hist. 7 (1): 289-293.
- 1270. Butler, A.G.,** 1898, Revision of the butterflies of the genus *Ixias*. Ann. Mag. nat. Hist. 7 (1): 133-143.
- 1271. Butler, A.G.,** 1898, On the Pierine butterflies of the genus *Catophaga*. Ann. Mag. nat. Hist. 7 (2): 392-401, 458-467.
- 1272. Butler, A.G.,** 1898, Revision of the Pierine butterflies of the genus *Terias* of the Old World. Ann. Mag. nat. Hist. 7 (1): 56-82.
- 1273. Butler, A.G.,** 1898, On a collection of Lepidoptera made in British East Africa by Mr. C. S. Betton. Proc. zool. Soc. Lond. 1898: 395-444, Pls.32,33.
- 1274. Butler, A.G.,** 1898, On the lepidopterous insects collected by G.A.K.Marshall in Natal and Mashonaland in 1895 and 1897. Proc. zool. Soc. London 1898: 186-201.
- 1275. Butler, A.G.,** 1898, Descriptions of some new species of butterflies of the subfamily *Pierinae*. Ann. Mag. nat. Hist. 7 (1): 294-295.
- 1276. Butler, A.G.,** 1899, A revision of the *Dismorphina* of the New World, with descriptions of new species. Ann. Mag. nat. Hist. (7) 3: 373-393.
- 1277. Butler, A.G.,** 1899, A revision of the Pierine genus *Huphina*, with notes on the seasonal phases and descriptions of new species. Ann. Mag. nat. Hist. (7) 3: 201-214.
- 1278. Butler, A.G.,** 1900, Insecta (Lepidoptera, *Rhopalocera*) [in] Günther, R.T., Contributions to the Natural History of Lake Urmia, N.W. Persia, and its neighbourhood. J. linn. Soc., Zool. 27: 408-411.
- 1279. Butler, A.G.,** [1898], On three consignments of butterflies collected in Natal in 1896 and 1897 by Mr. Guy A. K. Marshall, F.Z.S. Proc. zool. Soc. Lond. 1897: 835-857, 1 pl.

- 1280. Butler, G.,** 1876, Notes on the Lepidoptera of the family Zygaenidae with descriptions of new genera and species. J. linn. Soc. Lond., Zool. 12: 342-406, pls.xxvii-xxviii
- 1281. Butler, G.,** 2001, Lepidoptera [in] Checklists for the fauna of the Western Soutpansberg. 51pp. The Soutpansberg Conservancy.
- 1282. Buvat, R.,** 1996, *Phyllonorycter neli* n.sp. (Lepidoptera, Gracilariidae, Lithocolletinae). Alexanor 19 (3) (1995): 167-170, figs.
- 1283. Buxton, D.A.J.,** 1916, Lepidoptera at the Dardanelles. Entomologist's Rec. J. Var. 28 (10): 213-217.
- 1284. Buxton, P.A.,** 1920, A Liparid moth, *Ocnegorgia amanda* Staud., destructive to figs in Mesopotamia. Bull. ent. Res. 11: 181-186.
- 1285. Buxton, P.A.,** 1921, Butterflies of Ghilan, N.W.Persia. Entomologist's Rec. J. Var. 33: 29-32.
- 1286. Bytinski-Salz, H. & W.Brandt,** 1937, New Lepidoptera from Iran. Entomologist's Rec. J. Var. 49: 1-15.
- 1287. Bytinski-Salz, H.,** 1936, New Lepidoptera from Asia Minor. Entomologist's Rec. J. Var. 48: 1-6.
- 1288. Bytinski-Salz, H.,** 1939, New Amatidae from Asia. Entomologist's Rec. J. Var. 51: 149-153, pl.
- 1289. Bänziger, H. & D.S.Fletcher,** 1985, Three new zoophilous moths of the genus *Scopula* (Lepidoptera, Geometridae) from South-east Asia. J. nat. Hist. 19: 851-860, 17 figs.
- 1290. Bänziger, H. & D.S.Fletcher,** 1988, Description of five new lachryphagous and zoophilous *Semiothisa* moths from SE Asia, with five new synonymies (Lepid., Geometridae). Revue suisse Zool. 95 (4): 933-952, 44 figs.
- 1291. Bänziger, H. & W.Büttiker,** 1969, Records of eye-frequenting Lepidoptera from man. J. med. Ent. 6: 53-58, 4 figs.
- 1292. Bänziger, H.,** 1973, Biologie der lachryphagen Lepidopteren in Thailand und Malaya. Revue suisse Zool. 79: 1381-1469, Abb.
- 1293. Bänziger, H.,** 1979, Description of 3 new species of *Calyptra* Ochsenh. [Calpe Treit.] (Lep., Noctuidae). Mitt. Schweiz. ent. Ges. 52: 103-108, 14 figs.
- 1294. Bänziger, H.,** 1980, Skin-piercing blood-sucking moths III. Feeding act and piercing mechanism of *Calyptra eustrigata* (Hmps.) (Lep., Noctuidae). Mitt. Schweiz. ent. Ges. 53: 127-142, 28 figs.
- 1295. Bänziger, H.,** 1982, Fruit-piercing moths in Thailand: A general survey and some new perspectives. Mitt. Schweiz. ent. Ges. 55: 213-240, 17 figs.
- 1296. Bänziger, H.,** 1983, Lachryphagous Lepidoptera recorded for the first time in Laos and China. Mitt. schweiz. ent. Ges. 56: 73-82, 11 figs.
- 1297. Bänziger, H.,** 1983, A taxonomic revision of the fruit and blood-sucking moths genus *Calyptra* Ochsenheimer [=Calpe Treitschke] (Lep., Noctuidae). Ent. scand. 14: 467-491, figs.
- 1298. Bänziger, H.,** 1984, Description of *Adris suthensis* n.sp., a suspected fruit-piercing moth (Lepidoptera, Noctuidae) from N. Thailand and contiguous mountain regions. Mit. Schweiz. ent. Ges. 57: 173-177, figs.
- 1299. Bänziger, H.,** 1985, Description of three new lachryphagous moths of the genus *Mabra* from Thailand, Malaysia, and China (Lepidoptera, Pyralidae). Mitt. schweiz. ent. Ges. 58: 23-30, 14 figs.
- 1300. Bänziger, H.,** 1986, *Anomis fructusterebrans* sp.nov., a new fruit-piercing moth of Northern Thailand, with notes on agriculturally important *Anomis* spp. (Lepidoptera, Noctuidae). Nat. Hist. Bull. Siam Soc. 34: 59-64, figs.
- 1301. Bänziger, H.,** 1987, Biological and taxonomic studies on immature and adult fruitpiercing moths in Nepal, with reference to Thailand. Nat. Hist. Bull. Siam Soc. 35: 1-17.
- 1302. Bänziger, H.,** 1987, Description of new moths which settle on man and animals in S.E.Asia (genera *Thliptoceras*, *Hemiscopis*, *Toxobotys*, *Pyralidae*, *Lepid.*). Revue suisse Zool. 94 (4): 671-681, 33 figs.
- 1303. Bänziger, H.,** 1988, The heaviest tear drinkers: Ecology and systematics of new and unusual Notodontid moths. Nat. Hist. Bull. Siam Soc. 36: 17-53, figs.
- 1304. Bänziger, H.,** 1988, Lachryphagous Lepidoptera recorded for the first time in Indonesia (Sumatra) and Papua New Guinea. Heteroc. Sumatr. 2: 133-144, figs.
- 1305. Bänziger, H.,** 1988, Unsuspected tear-drinking and anthropophily in thyatirid moths, with similar notes on sphingids. Nat. Hist. Bull. Siam Soc. 36: 117-133, figs.
- 1306. Bänziger, H.,** 1989, A persistent tear drinker: Notodontid moth *Poncetia lacrimisaddicta* sp.n., with notes on its significance to conservation. Nat. Hist. Bull. Siam Soc. 37: 31-46, figs.
- 1307. Bänziger, H.,** 1992, Remarkable new cases of moths drinking human tears in Thailand (Lepidoptera, Thyatiridae, Sphingidae, Notodontidae). Nat. Hist. Bull. Siam Soc. 40: 90-102, 9 figs.
- 1308. Bänziger, H.,** 1995, *Microstega homoculorum* sp.n. - the most frequently observed lachryphagous moth of man (Lepidoptera, Pyralidae, Pyraustinae). Revue suisse Zool. 102 (2): 265-276, 18 figs.
- 1309. Börner, C.,** 1939, Die Grundlagen meines Lepidopterensystems. Verh. VII. Int. Kongr. Ent. 1938, 2: 1372-1424, 51 figs.
- 1310. Böttcher, A.,** 1905, Neue und wenig bekannte Arctiiden aus Turkestan. Ent. Z. Stuttgart 19 (11): 53-55; (12): 61-63, Abb.
- 1311. Cadiou, J.M. & I.J.Kitching,** 1990, New Sphingidae from Thailand (Lepidoptera). Lambillionea 90 (4): 3-34, figs.
- 1312. Cadiou, J.M. & J.D.Holloway,** 1989, Endemic Sphingidae from Sulawesi (Lepidoptera). Lambillionea 89 (9/12): 130-158.
- 1313. Cadiou, J.M.,** 1988, A new Sphingid from Sulawesi: *Daphnis hayesi* (Lepidoptera, Sphingidae). Lambillionea 88 (9/10): 138-143, figs.
- 1314. Cadiou, J.M.,** 1990, A new Sphingid from Thailand: *Rhodambulyx schnitzleri* (Lepidoptera, Sphingidae). Lambillionea 90 (2): 42-48, figs.
- 1315. Cadiou, J.M.,** 1991, A further new Sphingid from Thailand: *Gehlenia pinratanae* (Lepidoptera, Sphingidae). Lambillionea 91 (1): 66-70, figs.
- 1316. Calberla, H.,** 1887, Die Macrolepidopterenfauna der römischen Campagna und der angrenzenden Provinzen Mittelitaliens. Dt. ent. Z., Iris 1: 119-158.
- 1317. Calberla, H.,** 1891, Verzeichniss der von Herrn Dr.Alphons Stuebel in Palestina und Syrien gesammelten Lepidopteren, darunter 3 neue Arten. Dt. ent. Z., Iris 4: 34-52
- 1318. Calle, J.A.,** 1977, Nuevas ediciones de Noctuidae en Guadalajara. Shilap Revta lepid. 18: 142.
- 1319. Calle, J.A.,** 1977, Rectificaciones a trabajos de V. Redondo y J.J.Pérez, y algunos lepidopteros de Benicasim (Castellon). Shilap Revta lepid. 19: 216-217.
- 1320. Calle, J.A.,** 1978, Ensayo a los Noctuidae de Murcia. Shilap Revta lepid. 20: 293-302; 21: 27-36.
- 1321. Calle, J.A.,** 1979, Los Noctuidae de la Sierra de Cazorla (Jaén). Shilap Revta lepid. 24: 283-285.
- 1322. Calle, J.A.,** 1979, Revision de las Alexia de Laever, 1979 y *Agrochola* Hübner, 1816 de Espana. Shilap Revta lepid. 25: 23-30.
- 1323. Calle, J.A.,** 1979, Glosario critico y nuevas adiciones de Guadalajara. Shilap Revta lepid. 26: 133-135.
- 1324. Calle, J.A.,** 1980, Los Noctuidae de Segovia. Shilap Revta lepid. 28: 247-252; 29: 27-32; 30: 107-112.
- 1325. Calle, J.A.,** 1980, Noctuidae recolectados en Sierra Nevada (Granada). Shilap Revta lepid. 31: 210-212.
- 1326. Calle, J.A.,** 1981, Contribucion a los Noctuidae espanoles Nr. 24. Bol. Soc. Esp. Ent. 4: 79-84.
- 1327. Calle, J.A.,** 1981, Noctuidae del valle de Aran (Lérida), colectados en 1979. Bull. Soc. Cat. Lep. 32: 17-20.
- 1328. Calle, J.A.,** 1981, Contribucion a los Noctuidae espanoles Nr. 28. Shilap Revta lepid. 32: 263.
- 1329. Calle, J.A.,** 1981, Noctuidae de los Picos de Europa. Revta Apatura 2: 29-47.
- 1330. Calle, J.A.,** 1981, Nuevas ediciones de Noctuidae en Guadalajara. Shilap Revta lepid. 34: 124.

- 1331.** Calle, J.A., 1982, Noctuidos Espanoles. 430pp., 56 Lam., 681 figs. Ministerio de Agricultura, Pesca y Alimentacion, Madrid.
- 1332.** Calle, J.A., Lencina, F. & A.S. Ortiz, 2002, Contribucion al conocimiento faunistico de los macrolepidopteros de Murcia, Espana (Insecta, Lepidoptera). Shilap Revta lepid. 30 (118): 135-148, figs.
- 1333.** Calle, J.A., Lencina, F., Gonzalez, F. & A.S. Ortiz, 2000, Las mariposas de la Region de Murcia. Macrolepidopteros diurnos y nocturnos. 396pp. Pls., Nausicaa, Murcia.
- 1334.** Calora, F.B., 1966, A revision of the species of the Leucania Complex occurring in the Philippines (Lepidoptera, Noctuidae). The Philip. Agric. 50: 633-728, figs.
- 1335.** Cama, A., 1997, Etude faunistique des Lépidoptères de l'Indre-et-Loire (suite) (Heterocera, Pterophoridae). Alexanor 19(7): 413-414.
- 1336.** Cameron-Curry, P., Leigheb, G., Riboni, E. & V. Cameron-Curry, 1983, Euchloe tagis Hb. and Artogeia ergane G.-H. in Piedmont (North Italy) (Pieridae). Nota lepid. 6 (1): 35-37, fig.
- 1337.** Can, F. & V. Mironov, 2006, Perizoma onurcani sp.n. from Turkey (Geometridae, Larentiinae). Nota lepid. 28 (3/4): 163-166, figs.
- 1338.** Candeze, L., 1927, Lépidopteres Hétérocères de l'Indochine française. Ency. Ent. (Ser.B) II, 2: 73-133.
- 1339.** Cannaviello, E., 1900, Contributo alla Fauna Entomologica. Della Colonia Eritrea. Boll. Soc. ent. Ital. 32: 289-308.
- 1340.** Cano, J.M., 1983, Species densities and geographical distribution of Lycaenids on the Iberian Peninsula. Nota lepid. 6 (1): 24-34, figs.
- 1341.** Canterer, L.P., 1834-[1835], Histoire naturelle des Lépidopteres Rhopaloceres ou Papillons diurnes, des Départements des Haut et Bas-Rhin, de la Moselle, de la Meurthe et des Vosges. 166 pp., 39 pls. Paris.
- 1342.** Capdeville, P. & P.-C. Rougeot, 1969, Une nouvelle sous-espece ibérique de Parnassius apollo (Linné) (Lep., Papilionidae). Bull. Soc. ent. Fr. 74(7/8): 200.
- 1343.** Capdeville, P., 1967, Note sur la classification des races ibériques de Parnassius apollo (Papilionidae). Alexanor 5(4): 167-172.
- 1344.** Capdeville, P., 1978-1980, Les races géographiques de Parnassius apollo. 6 parts. 191pp. 24 col. pls.
- 1345.** Capronnier, J.B., 1889, Liste des Lépidopteres captures au Congo par Messieurs Thys. Legat. Martini et Machado en 1887. Annls Soc. ent. Belg. 33: Bull., cxviii-cxxvi.
- 1346.** Capronnier, J.B., 1889, Liste d'une collection de Lépidopteres recueillis au Gabon. Annls Soc. ent. Belg. 33: Bull., cxli-cxviii.
- 1347.** Capuse, I. & D. Dogof, 1969, Contribution a l'étude de Janthinea frivaldszkyi (Dup) de Bulgarie (Lepidoptera, Noctuidae). Bull. Soc. ent. Mulhouse 1969: 81-84, 3 figs.
- 1348.** Capuse, I., 1958, Ancata n.g. (Taeniocampa Gn., partim, Lepidoptera). Polski Pismo Ent. 28: 167-171.
- 1349.** Capuse, I., 1966, New and rare palaearctic Tineidae (Lepidoptera). Tijdschr. Ent. 109 (5): 103-124, 49 figs.
- 1350.** Capuse, I., 1967, Beiträge zur Kenntnis der paläarktischen Tineiden (Lepidoptera, Tineidae). Ent. Ber., Amst. 27: 109-118, 25 figs.
- 1351.** Capuse, I., 1971, Recherches Morphologiques et Systematiques sur la famille des Coleophoridae (Lepidoptera). 66 pp., pls. Bucharest.
- 1352.** Capuse, I., 1972, Über den Genitalapparat der Nycteola-Arten (Lep., Noctuidae) nebst Beschreibung einer neuen Untergattung Dufayella. Ent. Z., Frankf.a.M. 82: 87-92, Abb. 1-2.
- 1353.** Capuse, I., 1973, Zur Systematik und Morphologie der Typen der Sesiidae (Lepidoptera) in der R. Puengeler-Sammlung des Zoologischen Museums zu Berlin. Mitt. münch. ent. Ges. 63: 134-171, figs.
- 1354.** Caradja, A.v., 1929, Antigastra catalaunalis nov.ab.sionensis. Eine noch unbeschriebene Pyralidenformen aus Palästina. Acad. Roum. Bull. Sect. Sci. 12:6.
- 1355.** Caradja, A.v. & E. Meyrick, 1934, Materialien zu einer Microlepidopteren-Fauna Kwangtungs. Dt. ent. Z., Iris 48: 28-43.
- 1356.** Caradja, A.v. & E. Meyrick, 1935, Materialien zu einer Microlepidopteren-Fauna der chinesischen Provinzen Kiangsu, Chekiang und Hunan. 96S. Berlin.
- 1357.** Caradja, A.v. & E. Meyrick, 1937-1938, Materialien zu einer Microlepidopteren-Fauna des Yülingshanmassivs (Provinz Yünnan). Dt. ent. Z., Iris 51: 137-182; 52: 1-29.
- 1358.** Caradja, A.v. & E. Meyrick, 1938, Materialien zu einer Microlepidopteren-Fauna des Taipeihanmassivs (Tsinlinshan), Provinz Shensi. Dt. ent. Z., Iris 52: 104-111.
- 1359.** Caradja, A.v., 1895, Die Großschmetterlinge des königreiches Rumänien. Dt. ent. Z., Iris 8: 1-102.
- 1360.** Caradja, A.v., 1900, Die Mikrolepidopteren Rumäniens. Bull. Soc. scient. Bucarest 10: 111-168.
- 1361.** Caradja, A.v., 1910, Beitrag zur Kenntnis über die geographische Verbreitung der Pyraliden des europäischen Faunengebietes nebst Beschreibung einiger neuer Formen. Dt. ent. Z., Iris 24: 105-147.
- 1362.** Caradja, A.v., 1916, Beitrag zur Kenntnis der geographische Verbreitung der Pyraliden und Tortriciden des europäischen Faunengebietes. Dt. ent. Z., Iris 30: 1-88.
- 1363.** Caradja, A.v., 1920, Beitrag zur Kenntnis der geographischen Verbreitung der Microlepidopteren des palaarktischen Faunengebietes nebst Beschreibung neuer Formen. Dt. ent. Z., Iris 34: 75-179.
- 1364.** Caradja, A.v., 1925, Über Chinas Pyraliden, Tortriciden, Tineiden nebst kurzen Betrachtungen, zu denen das Studium dieser Fauna Veranlassung gibt (Eine biogeographische Skizze). Memle. Sect. stiint. Acad. rom. (Ser.3) 3: 257-383, 2 Taf.
- 1365.** Caradja, A.v., 1927, Die Kleinfalter der Stötzner'schen Ausbeute, nebst Beiträge aus meiner Sammlung (zweite biogeographische Skizze: "Zentralasien"). Memle. Sect. stiint. Acad. rom. (Ser.3) 4: 361-428.
- 1366.** Caradja, A.v., 1935, Beitrag zur Kleinfalterfauna Inneranatoliens. Dt. ent. Z., Iris 48: 183-184.
- 1367.** Carbonell, F. & A. Karbalaye, 1998, Contribution a la connaissance des genres Allancastria Bryk, 1934 et Archon Hübner, 1822 en Iran (Lepidoptera, Papilionidae). Linneana Belgica 16(6): 245-248, figs.
- 1368.** Carbonell, F. & A.R. Naderi, 2000, Contribution a la connaissance du genre Agrodiaetus Hübner (1822), A. arasbarani nouvelle espèce dans le nord-ouest de l'Iran (Lepidoptera, Lycaenidae). Linneana Belg. 17 (5): 218-220, figs.
- 1369.** Carbonell, F. & C. Brevignon, 1982, Une nouvelle sous-espèce d'Archon apollinus de Turquie (Lepidoptera, Papilionidae). Alexanor 12 (8): 339-343, figs.
- 1370.** Carbonell, F. & C. Brevignon, 1983, Notes sur les Lépidoptères de la Turquie du sud a Paques. Alexanor 13 (2): 50-53.
- 1371.** Carbonell, F. & P. Skala, 2005, Sublysandra myrrha bahrarii n.ssp. et S. myrrha garrina n.ssp. du nord-ouest de l'Iran (Lepidoptera, Lycaenidae). Bull. Soc. ent. Fr. 110 (4/5): 381-382.
- 1372.** Carbonell, F., 1991, Une espèce jumelle méconnue du genre Polyommatus (Neolysandra) Koçak, 1977. Linneana Belgica 13(1): 35-45, figs.
- 1373.** Carbonell, F., 1991, Contribution a la connaissance du genre Archon Hübner, 1822. Découverte de zones de sympatrie pour Archon apollinus (Herbst) et A. apollinaris Staudinger (Lepidoptera, Papilionidae). Linneana Belgica 13(1): 3-12, figs.
- 1374.** Carbonell, F., 1991, Contribution a la connaissance du genre Polyommatus en Turquie orientale (Lepidoptera, Lycaenidae). Linneana Belgica 13 (4): 221-235, figs.
- 1375.** Carbonell, F., 1993, Contribution a la connaissance du genre Agrodiaetus Hübner (1822): le complexe ultraspécifique d'A. transcaspica Staudinger (1899) (Lepidoptera, Lycaenidae). Linneana Belgica 14 (2): 89-116, 12 figs. Tab.
- 1376.** Carbonell, F., 1994, Contribution a la connaissance du genre Polyommatus Latreille (1804): le complexe ultraspécifique de Polyommatus eros-eroides au Moyen-Orient et en Transcaucasie (Lepidoptera, Lycaenidae) (1re partie: descriptions de nouveaux taxa). Linneana Belgica 14 (4): 227-234, figs.
- 1377.** Carbonell, F., 1994, Le complexe d'Agrodiaetus poseidon Herrich-Schäffer (1851) en Turquie et au Liban. Description d'une nouvelle sous-espèce d'A. theresiae (Lepidoptera, Lycaenidae). Linneana Belgica 14 (6): 291-302, Pls.

- 1378. Carbonell, F.,** 1995, Contribution a la connaissance du genre *Polyommatus* Latreille (1804): le complexe ultraspécifique de *Polyommatus eors-eroides* au Moyen-Orient et en Transcaucasie (2ème partie). *Linneana Belgica* 14 (8): 439-454, figs.
- 1379. Carbonell, F.,** 1996, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822): *A. lycius* nouvelle espece en Turquie meridionale. *Linneana Belgica* 15 (7): 89-116, figs.
- 1380. Carbonell, F.,** 1996, Contribution a la connaissance du genre *Allancastris* Bryk (1934). Morphologie, biologie et ecologie d'*Allancastris louristana* (Le Cerf, 1908). *Linneana Belgica* 15 (6): 231-236, figs.
- 1381. Carbonell, F.,** 1996, Contribution a la connaissance des genres *Agrodiaetus* Hübner (1822) *Agrodiaetus lycius* n.sp. en Turquie meridionale (Lepidoptera, Lycaenidae). *Linneana Belgica* 15 (7): 281-285, figs.
- 1382. Carbonell, F.,** 1997, Contribution a la connaissance du genre *Allancastris* Bryk (1934) Morphologie, biologie et ecologie d'*Allancastris cretica* (Rebel, 1904) (Lepidoptera, Papilionidae). *Linneana Belgica* 15 (8): 303-308, 1 Pl. 3 figs.
- 1383. Carbonell, F.,** 1997, *Hyponphele shirazica* n.sp. en Iran meridionale (Lepidoptera, Nymphalidae, Satyridae). *Linneana Belgica* 16 (3): 99-104, 9 col. figs., 1 text-figs.
- 1384. Carbonell, F.,** 1997, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822): *A. actis artvinensis* nouvelle sous-espece en Turquie orientale. *Linneana Belgica* 15 (11): 139-142, figs.
- 1385. Carbonell, F.,** 1998, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822), position taxinomique d'*Agrodiaetus anticarmon* Koçak, 1983 (Lepidoptera, Lycaenidae). *Linneana Belgica* 16 (7): 263-265, 6 figs.; 16(8): 349.
- 1386. Carbonell, F.,** 1998, Contribution a la connaissance du genre *Agrodiaetus* Hübner, 1822 *Agrodiaetus cilicius* n.sp. en Turquie meridionale (Lepidoptera, Lycaenidae). *Linneana Belgica* 16 (8): 343-349, maps, pl.
- 1387. Carbonell, F.,** 2000, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822), *A. barmifiruze* n.sp. et *A. musa esfahensis* n.ssp. en Iran meridional (Lepidoptera, Lycaenidae). *Linneana Belgica* 17 (5): 211-217, figs., maps.
- 1388. Carbonell, F.,** 2000, Contribution a la connaissance du genre *Chazara* Moore, 1893 *Chazara eginia mortezai* n.ssp. en Iran (Lepidoptera: Nymphalidae, Satyrinae). *Linneana Belgica* 17 (6): 247-254, figs. map.
- 1389. Carbonell, F.,** 2000, Découverte de la femelle d'*Hyponphele shirazica* Carbonell, 1977 [sic!] (Lepidoptera, Nymphalidae, Satyrinae). *Linneana Belgica* 17 (7): 271-272, figs.
- 1390. Carbonell, F.,** 2002, *Agrodiaetus erzindjanensis* n.sp. de Turquie (Lep., Lycaenidae). *Bull. Soc. ent. Fr.* 107: 524.
- 1391. Carcasson, R.H.,** 1975, The Swallowtail Butterflies of East Africa (Lepidoptera, Papilionidae). 30pp, 11 Pls. (reprint) Classey Ltd., Faringdon, Oxon, England.
- 1392. Carpenter, G.D.H. & T.H.E. Jackson,** 1950, New butterflies from East Africa and the Ituri forest. *Proc. R. ent. Soc. Lond. (B)* 19: 97-108, 1 pl.
- 1393. Carpenter, G.D.H.,** 1928, Two collections of butterflies from the S.E. corner of the Sudan. *Trans. ent. Soc. London* 76(1): 25-54, 3 Pls., 2 figs.
- 1394. Carpenter, G.D.H.,** 1935, The Rhopalocera of Abyssinia. A Faunistic Study. *Trans. R. ent. Soc. Lond.* 83(3): 313-447, 6 Pls., 1 Map.
- 1395. Carpenter, G.D.H.,** 1937, Description of *Charaxes jahlusa ganaleensis* subsp.n. from Abyssinia (Lep., Rhopalocera). *Proc. R. ent. Soc. Lond. (B)* 6: 64.
- 1396. Carpenter, G.D.H.,** 1938, Some interesting Rhopalocera from the southern Sudan. *Trans. R. ent. Soc. Lond.* 87: 217-232, 1 pl.
- 1397. Carpenter, G.D.H.,** 1951, *Colotis fausta somalica* Hale Carpenter and Jackson, 1950 (Lep., Pieridae). *Proc. R. ent. Soc. Lond. (B)* 20: 106.
- 1398. Carter, D.,** 1992, Butterflies and Moths. 304pp., figs. Dorling Kindersley, London
- 1399. Casale, A. & S.A. Cecchin,** 1990, Further data on *Parnassius apollo* Linné, 1758 in the Peloponnesos (Lepidoptera, Papilionidae). *Nota lepid.* 13(1): 8-11, 4 figs.
- 1400. Casini, P.M.,** 1981, Distribution and voltinism of *Lycaena dispar* Haw. (Lycaenidae) populations in Northern Italy. *Nota lepid.* 4(1/2): 12-15, figs., map.
- 1401. Casini, P.M.,** 1983, Distribution of *Heteropterus morpheus* Pallas (Hesperiidae) in Northern Italy. *Nota lepid.* 6 (2/3): 81-83, 2 figs.
- 1402. Casini, P.M.,** 1984, First confirmed report of *Thersamonia thersamon* Esp. (Lycaenidae) in Tuscany, Northern-Central Italy. *Nota lepid.* 7 (2): 109-112, fig. 1.
- 1403. Casini, P.M.,** 1993, Première station pour l'Italie péninsulaire d'*Euchloe tagis* (Hübner, 1804) et description de la ssp. *calvensis* (Lepidoptera, Pieridae). *Linneana Belg.* 14 (1): 3-14, figs.
- 1404. Casini, P.M.,** 1999, *Heodes tityrus subalpinus* (Speyer, 1851) *Linneana Belgica* 17 (1): 5-10, 5 figs.
- 1405. Celik, T.,** 1994, *Najjužnejša najdišča vrste Maculinea teleius* Bergstr. v Sloveniji (Lepidoptera: Lycaenidae). [The southernmost localities of the species *Maculinea teleius* Bergstr. in Slovenia (Lepidoptera: Lycaenidae)]. *Acta ent. Slovenica* 2: 19-24.
- 1406. Cerf, F. Je.,** 1912, Notes sur les différentes formes d'*Epinephele jurtina* L., et *E. telmessia* Z. *Bull. Soc. ent. Fr.* 1912: 225-231, 6 figs.
- 1407. Cerf, F. Je.,** 1912, Une variété nouvelle de *Callimorpha dominula* L. (Lepidoptera, Hypsidae). *Bull. Soc. ent. Fr.* 1912: 248-250.
- 1408. Cerf, F. Je.,** 1914, Description d'une espèce nouvelle du genre *Zenodoxus* Gr. et Rob. (Lep., Aegeriidae). *Bull. Soc. ent. Fr.* 1914: 272-275, 1 figs.
- 1409. Cerf, F. Je.,** 1918, Description d'une *Triphosa* nouvelle de Corse et observations sur les formes apparentes à *Triphosa sabaudia* Dup. *Bull. Mus. natn. Hist. nat. Paris* 24: 403-417, pl. 9.
- 1410. Cerf, F. Je.,** 1923, Lépidoptères nouveaux recueillis au Maroc par M.H. Ungemach. *Bull. Soc. ent. Fr.* 1923: 197-200.
- 1411. Cerf, F. Je.,** 1928, Lépidoptères africains nouveaux I. Maroc. *Ency. ent., Lepid.* 3: 117-120.
- 1412. Cerf, F. Je.,** 1932, Lépidoptères nouveaux du Maroc. *Bull. Soc. ent. Fr.* 1932: 163-166.
- 1413. Cerf, F. Je.,** 1932, Lépidoptères nouveaux du Maroc. *Bull. Soc. ent. Fr.* 37: 163.
- 1414. Cerf, F. Je.,** 1937, Aegeriade [sic!] nouvelles d'Asie Mineure. *Bull. ent. Soc. Fr.* 42: 172-176.
- 1415. Cerf, F. Je.,** 1937, Aegeriidae nouvelles ou peu connues d'Asie Antérieure. *Z. öst. EntVer.* 22: 81-89, 96-99, 103-109, 1 pl. 6 figs.
- 1416. Cerf, F. Je.,** 1938, Aegerides nouvelles d'Iran. *Notul. ent.* 18: 92-104.
- 1417. Cerf, F. Je.,** [1910], Collections recueillies en Perse par M.J. de Morgan. Lépidoptères. Description d'espèces nouvelles des genres *Lycaena* et *Phlyctaenodes*. *Bull. Mus. natn. Hist. nat. Paris* 3: 535-536.
- 1418. Cerny, K.,** 1986, *Carcinopyga lindti* spec. nov. (Lepidoptera, Arctiidae) aus Tian-Schan. *Neue ent. Nachr.* 19: 31-36.
- 1419. Cerny, K.,** 1986, Lepidopterologische Eindrücke aus Mittelasien. *Neue ent. Nachr.* 19: 37-38.
- 1420. Cerny, K.,** 1993, A Contribution to the knowledge of the genus *Dolichia* Walker (Lepidoptera, Arctiidae, Lithosiinae) from the Philippines. *Nachr. ent. Ver. Apollo (N.F.) Suppl.* 13: 31-97, 111 figs.
- 1421. Cerny, K.,** 1995, A Contribution to the knowledge of the Arctiidae (Lepidoptera) of the Philippines. *Nachr. ent. Ver. Apollo (N.F.) Suppl.* 14: 149-174, 50 figs.
- 1422. Champson, H. G.,** 1926, Entomological notes on a tour of Kumaon-Tibet border. *Entomologist's mon. Mag.* 62: 271-275, Pls. 2, 3.
- 1423. Chapman, M. D.,** 1902, On Hypotianae, a new subfamily of Pyralidae. *Trans. ent. Soc. London* 1902: 49-55.
- 1424. Chapman, T. A.,** 1893, New classification of the Lepidoptera-Heterocera. *Entomologist's Rec. J. Var.* 4: 73-74.
- 1425. Chapman, T. A.,** 1893, The pupal and imaginal wings of Lepidoptera. *Entomologist's Rec. J. Var.* 4: 195-196.

- 1426.** Chapman, T.A., 1893-1894, On the larva of *Arctia caia*, with special reference to its correlated variations in plumage, moulting and hybernation. *Entomologist's Rec. J. Var.* 4 (1893): 265-268, 288-290; 5 (1894): 11-12, 32-35, 131-133, pl.
- 1427.** Chapman, T.A., 1894, Hair tufts and androconia in *Eustroma reticulata*. *Entomologist's Rec. J. Var.* 5: 5-6.
- 1428.** Chapman, T.A., 1894, The evolution of the lepidopterous pupa. A sketch. *Entomologist's Rec. J. Var.* 5: 25-28.
- 1429.** Chapman, T.A., 1894, Notes on the breedings of *Cyclopides palaemon*, *Acronycta psi* and *Pachetra leucophaea*. *Entomologist's Rec. J. Var.* 5: 174-175.
- 1430.** Chapman, T.A., 1895, Notes on the butterfly pupae with some remarks on the phylogenesis of the *Rhopalocera*. *Entomologist's Rec. J. Var.* 6: 101-107, 125-131, 147-152, pl.
- 1431.** Chapman, T.A., 1896, The characters of the eggs of *Lepidoptera*, as affording a basis for classification. *Entomologist's Rec. J. Var.* 8: 287-289.
- 1432.** Chapman, T.A., 1897, Notes on *Charaxes jasius*: its life-history, protective resemblance, etc., with some observations on moulting and pupation. *Entomologist's Rec. J. Var.* 9: 192-194, 217-220.
- 1433.** Chapman, T.A., 1897, On the wing-scales and their pigment in *Lepidoptera*. *Entomologist's Rec. J. Var.* 9: 78-79.
- 1434.** Chapman, T.A., 1898, The structure of the spiracles in *Lepidoptera*. *Entomologist's Rec. J. Var.* 10: 215-216.
- 1435.** Chapman, T.A., 1899, On the unity of the *Psychidae*. *Entomologist's Rec. J. Var.* 11: 200-203.
- 1436.** Chapman, T.A., 1899, *Lepidoptera* at Locarno. *Entomologist's Rec. J. Var.* 11: 116-117.
- 1437.** Chapman, T.A., 1899, The larva of *Melitaea cynthia*. *Entomologist's Rec. J. Var.* 11: 249.
- 1438.** Chapman, T.A., 1899, Entomological notes from the Riviera. *Entomologist's Rec. J. Var.* 11: 96-97, 114-117.
- 1439.** Chapman, T.A., 1900, The pupa of *Libythea celtis*. *Entomologist's Rec. J. Var.* 12: 284-286.
- 1440.** Chapman, T.A., 1900, Some points in the evolution of the lepidopterous antenna. *Proc. S. Lond. ent. nat. Hist. Soc.* 1899: 1-19.
- 1441.** Chapman, T.A., 1900, Notes on the habits and structure of *Acanthopsyche opacella* H.-S. *Trans. ent. Soc. Lond.* 1900: 403-410, 1 Pl.
- 1442.** Chapman, T.A., 1900, On some wing structures in *Lepidoptera*. *Proc. S. Lond. ent. nat. Hist. Soc.* 1900: 31-45, 2 pl.
- 1443.** Chapman, T.A., 1901, *Luffia maggiella* n.sp. *Entomologist's Rec. J. Var.* 13: 80-81.
- 1444.** Chapman, T.A., 1901, Notes on *Luffias*- with incidental remarks on the phenomenon of parthenogenesis. *Entomologist's Rec. J. Var.* 13: 91-95, 149-153, 178-180.
- 1445.** Chapman, T.A., 1901, The cry of *Acherontia atropos*. *Entomologist's Rec. J. Var.* 13: 127-128.
- 1446.** Chapman, T.A., 1901, Eggs of *Lepidoptera*. *Entomologist's Rec. J. Var.* 13: 160.
- 1447.** Chapman, T.A., 1901, Notes on *Banksia conspurcatella*, &c. *Entomologist's Rec. J. Var.* 13: 173-174.
- 1448.** Chapman, T.A., 1901, Butterflies at Cannes. *Entomologist's Rec. J. Var.* 13: 188-189.
- 1449.** Chapman, T.A., 1901, Eggs of *Lepidoptera*. *Entomologist's Rec. J. Var.* 13: 226.
- 1450.** Chapman, T.A., 1901, Ovum of *Lachneis lanestris*. *Entomologist's Rec. J. Var.* 13: 225-226.
- 1451.** Chapman, T.A., 1905, Cryptic form and colouring of *Melitaea* larvae. *Entomologist* 38: 73.
- 1452.** Chapman, T.A., 1905, Sculpturing of the pupa of *Thestor ballus*. *Entomologist's Rec. J. Var.* 17: 145.
- 1453.** Chapman, T.A., 1905, Pupal skin of *Chrysophanus phlaeas*. *Entomologist's Rec. J. Var.* 17: 172-173.
- 1454.** Chapman, T.A., 1905, Trumpet-hairs on a skipper larva. *Entomologist's Rec. J. Var.* 17: 281-282.
- 1455.** Chapman, T.A., 1905, Trumpet-hairs on the pupa of *Chrysophanus dispar*. *Entomologist's Rec. J. Var.* 17: 322-324.
- 1456.** Chapman, T.A., 1905, On *Erebia palarica* n.sp., and *Erebia stygne*; chiefly in regard to its association with *E. evias*, in Spain. *Trans. ent. Soc. London* 1905: 9-35.
- 1457.** Chapman, T.A., 1905, On the pupal suspension of *Thais*. *Trans. ent. Soc. London* 1905: 203-218.
- 1458.** Chapman, T.A., 1906, The pupa of *Chrysophanus dispar*. *Entomologist's Rec. J. Var.* 18: 15-17.
- 1459.** Chapman, T.A., 1906, Trumpet-hairs on the pupa of *Chrysophanus virgaureae* var. *miegi*. *Entomologist's Rec. J. Var.* 18: 89.
- 1460.** Chapman, T.A., 1906, Trumpet-hairs on full-grown larva of *Urbicula comma*. *Entomologist's Rec. J. Var.* 18: 117-118.
- 1461.** Chapman, T.A., 1906, The butterflies at rest. *Entomologist's Rec. J. Var.* 18: 168-170.
- 1462.** Chapman, T.A., 1906, Pupal skin and pupal hairs of *Zephyrus quercus*. *Entomologist's Rec. J. Var.* 18: 237.
- 1463.** Chapman, T.A., 1910, On *Zizeeria* Chapman, *Zizera* Moore. A Group of *Lycaenid* Butterflies. *Trans. ent. Soc. Lond.* 1910 (4): 479-497, pl.51-60, 4 text figs.
- 1464.** Chapman, T.A., 1911, Two new species of *Lycaenopsis* from Borneo (Sarawak). *Trans. ent. Soc. Lond.* 1911 (1): 184-186, pl.28.
- 1465.** Chapman, T.A., 1917, *Micropteryx* entitled to ordinal rank. *Order Zeugloptera*. *Trans. ent. Soc. London* 1916: 310-314, 12 figs.
- 1466.** Chapman, T.A., 1920, An undescribed *Lycaenid* butterfly from Cyprus, *Glaucopsyche paphos*, sp.n. (*Lycaenidae*). *Trans. ent. Soc. Lond.* 1920 (1/2): 166-169, Pl.v.
- 1467.** Charet, G. & M. Charet, 1999, Contribution à l'étude des *Rhopalocères* du Maroc (*Lepidoptera*, *Papilionoidea*). *Alexanor* 20 (7) (1998): 435-446, figs.
- 1468.** Charmeux, J.-F., 2001, Une nouvelle espèce de *Lasiommata* (*Lepidoptera*, *Nymphalidae*, *Satyrinae*) du nord-ouest Pakistan. *Phegea* 29(3): 113-119, figs.
- 1469.** Chauliac, A., 1981, Répartition d'*Agrodiaetus dolus* Hb et d'*A. ripartii* Freyer en France (*Lepidoptera*, *Lycaenidae*). *Alexanor* 12(2): 70-72, figs.
- 1470.** Cheesman, W., 1898, *Lepidoptera* captured in the Orkney Islands. *Entomologist's Rec. J. Var.* 10: 204-206.
- 1471.** Chen, S. & H. Wang, 1993, On new species of *Endromididae* from China (*Lepidoptera*, *Endromididae*). *Acta ent. Sinica* 36: 85-87.
- 1472.** Chiba, H. & J.N. Eliot, 1991, A revision of the genus *Parnara* Moore (*Lepidoptera*, *Hesperiidae*) with special reference to the Asian species. *Tyo to Ga* 17: 179-194, figs.
- 1473.** Chnéour, A., 1954, *Macrolépidoptères* de Tunisie I, II. *Rhopalocera*, *Grypocera*. *Bull. Soc. Sci. Nat., Tunis* 7: 207-239, 5 Pls.
- 1474.** Choi, S.-W. & S.-S. Kim, 2006, Taxonomic review of the genus *Trichopterigia* Hampson (*Lepidoptera*, *Geometridae*) in Korea. *Ent. Res.* 36: 24-26, figs.
- 1475.** Choi, S.-W., 2000, A cladistic analysis of the *Therini*: A new synonym of the *Cidariini* (*Lepidoptera*, *Geometridae*, *Larentiinae*). *Amer. Mus. Novit.* 3295: 1-25, 61 figs., 3 tab.
- 1476.** Choi, S.-W., 2001, Phylogeny of *Eulithis* Hübner and related genera (*Lepidoptera*, *Geometridae*) with an implication of wing pattern evolution. *Amer. Mus. Novit.* 3318: 1-37, 24 figs., 2 Tab.
- 1477.** Chou, I. & Y. Chiang-Chu, 1979, A taxonomic study on the steppe caterpillars (Lep., *Lymantriidae*). *Entomotaxonomia* 1: 23-28.
- 1478.** Chou, I., 1998, Classification and Identification of Chinese Butterflies. ca. 340pp. 1317 figs.
- 1479.** Chou, I., 1998, Monographia *Rhopalocerorum* Sinensium. 2 vols. (2nd Edn.) 900pp. figs.
- 1480.** Chouvalitwongporn, P. & A. Vattanatumgum, 1994, The research for Potato Tuber Moth (*Phthorimaea operculella* (Zeller)). The Second National Plant Protection Conference 1: 108-115.
- 1481.** Christ, H., 1889, Zur *Lepidopteren*-Fauna der Canarischen Inseln. *Mitt. schweiz. ent. Ges.* 8(3): 97-101.

- 1482. Christoph, H.,** 1862, Der Begattungsact von *Orgyia dubia* und wahrscheinlich noch mehrerer *Orgyia*-Arten. Stettin ent. Ztg. 23: 154-155.
- 1483. Christoph, H.,** 1867, Biologische Notizen über einige Schmetterlinge. Stettin ent. Ztg. 28: 240-246.
- 1484. Christoph, H.,** 1872, Neue Lepidoptera des europäischen Faunengebietes. Horae Soc. ent. ross. 9: 3-39, 2 Tab.
- 1485. Christoph, H.,** 1881, Eine Reise im westlichen Caucasus. Stettin ent. Ztg. 42(4/6): 157-166.
- 1486. Christoph, H.,** 1885, Lepidoptera aus dem Ahal-Tekke Gebiete 2. Theil. [in] Romanoff, Mém. Lépid. 2: 119-171, Pls. vi-viii, xv.
- 1487. Christoph, H.,** 1887, Diagnosen neuer Lepidopteren aus Tekke. Stettin ent. Ztg. 48: 162-167.
- 1488. Christoph, H.,** 1888, Diagnosen zu einigen neuen Lepidopteren des palaearctischen Faunengebietes. Horae Soc. ent. ross. 22: 308-314.
- 1489. Christoph, H.,** 1892, *Pellonia tabidaria* Z. und *Pellonia sieversi* Chr. Stettin ent. Ztg. 53: 245-247.
- 1490. Christoph, H.,** 1893, Lepidoptera nova faunae palaearcticae. Dt. ent. Z., Iris 6: 86-96.
- 1491. Chrétien, P.,** 1912, Note sur les premiers états de trois *Euchloe* (*Anthocharis*) (Lep., Pieridae) de Mauritanie. Bull. Soc. ent. Fr. 1912: 301-304.
- 1492. Churkin, S. & J. Grieshuber,** 2001, Taxonomic notes on *Colias Fabricius*, 1807 from North Russia (Lepidoptera, Pieridae) with descriptions of new subspecies. Helios 2: 174-189, Taf. 15-16.
- 1493. Churkin, S., Grieshuber, J., Bogdanov, P. & D. Zamolodchikov,** 2001, Taxonomic notes on *Colias* *tyche* Böber, 1812 and *Colias* *nastes* Boisduval, 1832 (Lepidoptera, Pieridae) from the Russian Far East with the description of new subspecies. Helios 2: 103-115, Taf. 8-10.
- 1494. Churkin, S. V. & V. K. Tusov,** 2000, Revision of the *Erebia* *radians* species-group from Tian-Shan and Pamiro-Alai regions (Lepidoptera, Satyridae). Atalanta 31 (1/2): 87-112, figs., 3 pls.
- 1495. Churkin, S. V.,** 2000, Taxonomical notes on *Melitaea ambrisia* Higgins, 1935 and *Melitaea alraschid* Higgins, 1941 stat. nov. from Central Asia (Lepidoptera, Nymphalidae). Atalanta 31 (1/2): 113-122, pl. iv.
- 1496. Claassens, A. J. M. & A. Heath,** 1997, Notes on the myemecophilous early stages of two species of *Thestor* Hübner (Lepidoptera, Lycaenidae) from South Africa. Metamorphosis 8(2): 56-61, 4 figs.
- 1497. Claassens, A. J. M.,** 1996, Description of a later instar larva of *Thestor yildizae*. Metamorphosis 7(3): 139-140.
- 1498. Clark, F. N.,** 1900, Photographing the eggs of Lepidoptera. Entomologist's Rec. J. Var. 12: 281-282, Pl. xi.
- 1499. Clark, J. A.,** 1892, A melanic race of *Liparis monacha*. Entomologist's Rec. J. Var. 3: 222-224, pl.
- 1500. Clarke, C. A. & T. B. Larsen,** 1986, Speciation problem in the *Papilio machaon* group of butterflies (Lepidoptera, Papilionidae). Syst. Ent. 11: 175-181, 3 figs. 2 Tab.
- 1501. Clarke, J. F. G.,** 1958, Catalogue of the type specimens of Microlepidoptera in the British Museum (Natural History) described by Edward Meyrick. Vol. III. Tortricidae, Olethreutidae, Noctuidae. 600 pp., 298 Pls. London.
- 1502. Clarke, J. F. G.,** 1971, The Lepidoptera of Rapa Island. Smiths. Contr. Zool. 56: 1-282, 175 figs. 29 Pls.
- 1503. Clerck, C.,** 1759-[1764], Icones Insectorum Rariorum cum Nominibus eorum Trivialibus, Locisque e C. Linnae. Sectio Primo: 1-12 pls. (1759); Sectio Secundo: 13-55 Pls. Holmiae.
- 1504. Closs, A.,** 1911, Neue Sphingiden-Formen in meiner Sammlung. Int. ent. Z. 5(7): 50-51.
- 1505. Cockerell, T. D. A.,** 1930, A new moth from Siam. Bull. Brooklyn Ent. Soc. 25: 42-43.
- 1506. Coenen, F. & A. Olivier,** 1989, Au sujet du statut taxonomique d'*Euchloe belemia* moslemi Seyer, 1988 (Lepidoptera, Pieridae). Phegea 17 (1): 19-25, 2 Pls.
- 1507. Coenen, F.,** 1990, Révision du statut taxonomique de quelques populations de *Pieris napi* (Linnaeus, 1758) du sud-est de l'Europe et du Proche-Orient (Lepidoptera, Pieridae). Phegea 18(2): 89-124, 38 figs.
- 1508. Collenette, C. L.,** 1931, New African Lymantriidae in the British Museum Collection. Trans. ent. Soc. London 79 (2): 341-363, pls. 12, 13.
- 1509. Collenette, C. L.,** 1932, The Lymantriidae of Malay Peninsula. Novit. zool. 38: 49-102.
- 1510. Collenette, C. L.,** 1936, On a collection of Lymantriidae (Heterocera) from North Yunnan. Ann. Mag. nat. Hist. (10) 17: 329-346, pl. vii.
- 1511. Collenette, C. L.,** 1937, New African Lymantriidae (Lepidoptera, Heterocera). Ann. Mag. nat. Hist. (10) 20: 604-617, Pl. 13.
- 1512. Collenette, C. L.,** 1939, New Lymantriidae (Lepidoptera, Heterocera) from Asia and the East Indies. Ann. Mag. nat. Hist. (11) 4: 329-338, Pl. XII.
- 1513. Collenette, C. L.,** 1947, The Lymantriidae of Celebes. Ann. Mag. nat. Hist. (11) 14: 1-60, 5 Pls.
- 1514. Collenette, C. L.,** 1948, The Lymantriidae of Java. Ann. Mag. nat. Hist. (12) 1: 685-744, Pl. 13-15.
- 1515. Collenette, C. L.,** 1949, The Lymantriidae of Bali. Entomologist 82: 169-175.
- 1516. Collenette, C. L.,** 1953, Notes on African Lymantriidae, with descriptions of some new species. Ann. Mag. nat. Hist. (12) 6: 561- Pl. 13.
- 1517. Collenette, C. L.,** 1953, New and little known Indonesian Lymantriidae (Lep.). Treubia 22: 225-232.
- 1518. Collenette, C. L.,** 1960, Entomological results from the Swedish Expedition 1934 to Burma and British India. Lepidoptera Heterocera: Lymantriidae, collected by Dr. Rene Malaise in Burma. Ent. Tidskr. 81: 74-76, 3 figs.
- 1519. Collenette, C. L.,** 1960, New African Lymantriidae (Lepidoptera, Heterocera). Ann. Mag. nat. Hist. (13) 3: 91-101, 1 pl.
- 1520. Collenette, C. L.,** 1960, Some new Lymantriidae from the Congo. Lambillionea 60: 95-106, 1 pl.
- 1521. Collins, N. M. & M. G. Morris,** 1985, Threatened Swallowtail Butterflies of the World. 401 pp. 8 Pls. IUCN, Gland & Cambridge.
- 1522. Common, I. F. B.,** 1966, A new family of Bombycoidea (Lepidoptera) based on *Carthaea saturnioides* Walker from Western Australia. J. ent. Soc. Queensl. 5: 29-36.
- 1523. Common, I. F. B.,** 1975, Evolution and classification of the Lepidoptera. Ann. rev. Ent. 20: 183-203.
- 1524. Conradt, L.,** 1886, Auszug aus brieflichen Mittheilungen. Stettin ent. Ztg. 47: 300-303.
- 1525. Corbet, A. S.,** 1933, A new *Delias* from the Malay Peninsula (Lepidoptera, Pieridae). Entomologist 66 (3): 66.
- 1526. Corbet, A. S.,** 1937, Observations on species of Papilionidae, Pieridae and Danaidae from the Malay Peninsula. Proc. R. ent. Soc. Lond. (B) 6 (3): 45-52.
- 1527. Corbet, A. S.,** 1937, A revision of the Malayan species of *Curetis* Hübner. Proc. R. ent. Soc. Lond. (B) 6: 224-233, figs.
- 1528. Corbet, A. S.,** 1937, A revision of the Malayan species of *Celastrina* (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. Lond. 86 (2): 19-33, 12 figs.
- 1529. Corbet, A. S.,** 1937, Observations on species of Nymphalidae and Riodinidae from the Malay Peninsula. Proc. R. ent. Soc. Lond. (B) 6: 99-104.
- 1530. Corbet, A. S.,** 1938, A revision of the Malayan species of the *Nacaduba* group of genera. Trans. R. ent. Soc. Lond. 87 (5): 125-146, 26 figs. 1 Pl.
- 1531. Corbet, A. S.,** 1938, New *Celastrina* and *Taraka* forms from Malay Peninsula (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. Lond. 87 (5): 161-164, pl. 1.
- 1532. Corbet, A. S.,** 1939, A revision of the Malayan species of *Allotinus* Felder & Felder (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. Lond. 89 (5): 63-77, 23 figs., 1 pl.
- 1533. Corbet, A. S.,** 1939, A revision of the Malayan species of *Rapala* Moore. Proc. R. ent. Soc. Lond. (B) 8: 25-31.
- 1534. Corbet, A. S.,** 1939, A revision of the Malayan species of *Miletus* Hübner (*Gerydus* Boisduval). Proc. R. ent. Soc. Lond. (B) 8: 25-31, figs.

- 1535. Corbet, A.S.,** 1940, A revision of the Malayan species of *Poritinae* (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. Lond. 90 (11): 337-350, figs.
- 1536. Corbet, A.S.,** 1940, A revision of the Malayan species of *Tajuria Mre* (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. Lond. 90 (5): 107-120, 24 figs. 1 Pl.
- 1537. Corbet, A.S.,** 1940, Revisional notes on Malayan Rhopalocera. Entomologist 73 (2): 39-43.
- 1538. Corbet, A.S.,** 1941, The Linnean Names of Indo-Australian Rhopalocera. Proc. R. ent. Soc. Lond. (B) 10: 8-16.
- 1539. Corbet, A.S.,** 1941, A key to the Indo-Malayan species of *Arhopala Boisduval* (Lepidoptera, Lycaenidae). Proc. R. ent. Soc. Lond. (B) 10: 149-183.
- 1540. Corbet, A.S.,** 1941, The distribution of butterflies in the Malay Peninsula (Lepid.). Proc. R. ent. Soc. Lond. (A) 16 (10/12): 101-116.
- 1541. Corbet, A.S.,** 1942, Revisional Notes on the Genus *Euploea* F. Ann. Mag. nat. Hist. (11) 9: 253-267.
- 1542. Corbet, A.S.,** 1942, *Spolia Mentawiensis*. Rhopalocera Danaidae. Ann. Mag. nat. Hist. (11) 9: 267-271.
- 1543. Corbet, A.S.,** 1945, The species of the *aconthea* group of the genus *Euthalia* Hübner. Entomologist 78: 177-183.
- 1544. Corbet, A.S.,** 1946, Observations on the Indo-Australian species of the genus *Arhopala Boisduval* (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. Lond. 96: 73-88, 6 Pls.
- 1545. Corbet, A.S.,** 1947, The "Preliminary list of the Rhopalocera of Borneo" by W.B. Pryer and D. Cator. Ann. Mag. nat. Hist. (11) 14: 415-420.
- 1546. Corbett, H.H.,** 1895, Some varieties of *Noctuæ* from Doncaster. Entomologist's Rec. J. Var. 6: 250-255.
- 1547. Corley, M.F.V.,** 2001, *Pseudosophronia*, a new genus of Gelechiidae (Lepidoptera). Entomologist's Gaz. 52: 213-225, figs.
- 1548. Cormier, A.C. du,** 1982, *Boloria banghaasi* Seitz, espèce méconnue (Lep., Nymphalidae). Alexanor 12(7): 290-295, figs.
- 1549. Cormier, A.C. du, Guérin, P. & H. de Lesse,** 1957, Une nouvelle forme de *Boloria* aux Alpes Pontiques. Lambillionea 57(5/6): 34-37.
- 1550. Corti, A. & H. Zerny,** 1933, [in] Zerny, H., Lepidopteren aus dem nördlichen Libanon (Fortsetzung) Noctuidae. Dt. ent. Z., Iris 47: 66-84.
- 1551. Corti, A.,** 1927, Studien über die Subfamilie der Agrotinae (Lep.) XIV. Zwei neue paläarktische Agrotinae. Mitt. münch. ent. Ges. 17: 9-12, 1 Taf.
- 1552. Costa, O.G.,** 1840, Catalogo dei Lepidotteri del regno di Napoli. Napoli.
- 1553. Cotty, A. & M. Dethier,** 1981, Les Lépidoptères d'une pelouse alpine au Parc national suisse. Nota lepid. 4(4): 129-150, figs.
- 1554. Courtois, J.M.,** 1987, Les Lépidoptères Eupitheciini du pays Messin (Lep., Geometridae, Larentiinae). Alexanor 15 (2): 81-86.
- 1555. Courvoisier, L.G.,** 1911, Einige neue oder wenig bekannte Lycaeniden Formen. Dt. ent. Z., Iris 25: 103-109, pl. 2.
- 1556. Courvoisier, L.G.,** 1913, Zur Nomenklatur und Diagnose der europäischen Theclinen. Int. ent. Z. 7: 231-233, 239-240, 243-244, 251-253.
- 1557. Coutsis, J.G. & J. de Prins,** 2005, A new brown *Polyommatus* (*Agrodiaetus*) from northern Greece (Lepidoptera, Lycaenidae). Phegea 33 (4): 129-137, figs.
- 1558. Coutsis, J.G. & N. Ghavalas,** 1988, *Neptis rivularis* (Scopoli, 1763), new to Greece (Lepidoptera, Nymphalidae). Phegea 16(2): 59-60, 1 fig.
- 1559. Coutsis, J.G. & N. Ghavalas,** 1991, *Agriades pyrenaicus* (Boisduval, 1840) from N. Greece and notes on *Apatura metis* (Freyer, [1829]) from N.E. Greece (Lepidoptera, Lycaenidae, Nymphalidae). Phegea 19(4): 133-135, 3 figs.
- 1560. Coutsis, J.G. & N. Ghavalas,** 1996, Ultra-violet reflection pattern in *Polyommatus andronicus* Coutsis & Ghavalas, 1995 and *Polyommatus icarus* (Rottemburg, 1775) (Lepidoptera, Lycaenidae). Phegea 24(4): 167-169, 17 figs.
- 1561. Coutsis, J.G.,** 1969, List of Grecian butterflies. Entomologist 102: 264-268.
- 1562. Coutsis, J.G.,** 1972, List of Grecian butterflies: Additional records 1969-1971. Entomologist's Rec. J. Var. 84: 145-151.
- 1563. Coutsis, J.G.,** 1978, List of Grecian butterflies: Additions and corrections. Entomologist's Rec. J. Var. 90: 137-140.
- 1564. Coutsis, J.G.,** 1986, Notes concerning the taxonomic status of *Turanana panagaea taygetica* Rebel (Lep. Lycaenidae). Nota lepid. 9(1/2): 35-38, 2 figs.
- 1565. Coutsis, J.G.,** 1988, Records of *Zygaena Fabricius, 1775*, from Greece (Lepidoptera, Zygaenidae). Entomologist's Gaz. 39: 49-64, 27 figs. 13 maps.
- 1566. Coutsis, J.G.,** 1994, Larvae found in the abdomen of *Pyrginae* Burmeister, 1878 (Lepidoptera, Hesperidae). Phegea 22(3): 115-116, 1 fig.
- 1567. Coutsis, J.G.,** 1996, Additional butterfly records from the Greek islands of Santorini and Siros (Lepidoptera, Papilionoidea). Phegea 24(1): 13-16, 2 Pls.
- 1568. Coutsis, J.G.,** 2001, The male genitalia of the butterflies placed in the subgenus *Neolysandra* of the genus *Polyommatus* (Lycaenidae). Nota lepid. 24 (1/2): 65-72, figs.
- 1569. Coutsis, J.G.,** 2004, Revision of the *Turanana endymion* species-group (Lycaenidae). Nota lepid. 27 (4): 251-272.
- 1570. Coutsis, J.G.,** 2006, Revision of the *Turanana endymion* species-group (Lycaenidae) - a correction. Nota lepid. 28 (3/4) (2005): 202.
- 1571. Coutsis, J.G.,** 2006, Additional revisionary actions and corrections in the *Turanana endymion* species-group (Lepidoptera). Nota lepid. 29 (1/2): 17-25.
- 1572. Coutsis, J.G., Prins, W. de & D. v. d. Poorten,** 1997, *Turanana laspura* Evans separated from *T. cytis* (Christoph) as a distinct species (Lepidoptera, Lycaenidae). Phegea 25(3): 135-140, 9 figs.
- 1573. Cowan, C.F.,** 1965, The nomenclature of *Cheritra freija* (Fab.). Entomologist 98: 68-72.
- 1574. Cowan, C.F.,** 1966, Indo-Oriental *Horagini* (Lepidoptera, Lycaenidae). Bull. Br. Mus. (Nat. Hist.) Ent. 18: 103-141, 3 pls.
- 1575. Cowan, C.F.,** 1967, Indo-Oriental *Cheritini* (Lepidoptera, Lycaenidae). Bull. Br. Mus. (Nat. Hist.) Ent. 20: 75-103, 4 pls.
- 1576. Cowan, C.F.,** 1974, The Indo-Oriental genus *Drupadia* Moore (Lepidoptera, Lycaenidae). Bull. Br. Mus. (Nat. Hist.) Ent. 29 (6): 281-356, 6 Pls.
- 1577. Cowan, C.F.,** 1985, The type-species of *Hipparchia Fabricius, 1807* (Lepidoptera, Satyridae). Entomologist's Gaz. 36: 284.
- 1578. Cramer, P.,** [1775], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 1: parts (1)-(7): xxx, 16 pp. 1-132, pls. 1-84, "1779". Amsterdam & Utrecht.
- 1579. Cramer, P.,** [1776], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 1: part (8): pp. 133-156, pls. 85-96, Amsterdam & Utrecht.
- 1580. Cramer, P.,** [1777], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 2: parts (9)-(16): pp. 1-152, pls. 97-192, Amsterdam & Utrecht.
- 1581. Cramer, P.,** [1779], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 3: parts (17)-(21): pp. 1-104, pls. 193-252, Amsterdam & Utrecht.
- 1582. Cramer, P.,** [1780], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 3: parts (22)-(24): pp. 105-176, pls. 253-288, Amsterdam & Utrecht.
- 1583. Cramer, P.,** [1780], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 4: parts (25)-(26a): pp. 1-28, pls. 289-304, Amsterdam & Utrecht.
- 1584. Crompton, S.E.,** 1895, A few remarks on the Lepidoptera of Tenerife. Entomologist's Rec. J. Var. 7: 9-11.
- 1585. Crumb, S.E.,** 1934, A classification of some Noctuid larvae of the subfamily Hypeninae. Ent. Amer. 14: 133-196, 7 figs.

- 1586. Crüger,C.,** 1874, Lepidopteren von Turkestan, bearbeitet von N.G.Erschoff, winkl. Mitglied der russ. entomol. Gesellschaft von Petersburg. Stettin ent. Ztg. 35: 386-417.
- 1587. Culot,J.,** 1917-[1918], Noctuelles et Géomètres d'Europe. Iconographie complete de toutes les Espèces européennes. Deuxième Partie Géomètres (vol.iii). 268 pp., 1-37 pls. Genève.
- 1588. Culot,J.,** 1919-1920, Noctuelles et Géomètres d'Europe. Iconographie complete de toutes les Espèces européennes. Deuxième Partie Géomètres (vol.iv). 167 pp., 38-69 pls. Genève.
- 1589. Curtis,J.,** 1823-1840, British Entomology, being illustrations and descriptions of the genera of insects found in Great Britain and Ireland; containing coloured figures from nature of the most rare and beautiful species, and in many instances of the plants upon which they are found. 16 vols. 770 pls. London.
- 1590. Cyrillo,D.,** 1787-1792, Entomologiae Neapolitanae Specimen primum. 8 pp., 12 Tab., Napoli.
- 1591. D'Abrera,B.,** 1977, Butterflies of the Australian Region (2nd Edn.). xx + 415 pp. Melbourne.
- 1592. D'Abrera,B.,** 1980, Butterflies on the Afrotropical Region. 593 pp., Pls. Lansdowne Ed., Melbourne.
- 1593. D'Abrera,B.,** 1982, Butterflies of the Oriental Region 1. Papilionidae, Pieridae and Danaidae. xxi + 244 pp. Ferny Creek, Australia.
- 1594. D'Abrera,B.,** 1985, Butterflies of the Oriental Region 2. Nymphalidae, Satyridae and Amathusiidae 245-534 pp. Ferny Creek, Australia.
- 1595. D'Abrera,B.,** 1986, Butterflies of the Oriental Region 3. Lycaenidae and Riodinidae. 535-672 pp. Ferny Creek, Australia.
- 1596. D'Abrera,B.,** [1987], Sphingidae Mundi: Hawk Moths of the World. x+226pp., Faringdon.
- 1597. Dabrowski,J.S.,** 1981, Selected problems of Lepidoptera protection in Soviet Central Asia, Armenia and the Caucasus Mountains. Nota lepid. 4(3): 93-98, 4 figs.
- 1598. Dacie,J.V., Dacie,M.K.V. & P.Grammaticos,** 1972, Butterflies in northern and central Greece, July 1971. Entomologist's Rec. J. Var. 84: 257-266.
- 1599. Dacie,J.V., Dacie,M.K.V., Grammaticos,P. & J.Coutsis,** 1982, Butterflies in northern Greece, June-July 1980. Entomologist's Rec. J. Var. 94: 18-20.
- 1600. Dacie,J.V., Dacie,M.K.V., Grammaticos,P., Higgins,L.G. & N.Higgins,** 1979, Butterflies in northern Greece, June-July 1979. Entomologist's Rec. J. Var. 91: 311-314.
- 1601. Dadd,E.M.,** 1901, Finding cocoons of Hybocampa milhauseri and Cerura bicuspis. Entomologist's Rec. J. Var. 13: 158-159.
- 1602. Dadd,E.M.,** 1911, Acidalia myrtillata n.sp. Berl. ent. Z. 55 (1910): 262-263.
- 1603. Dahl,F.,** 1921-1923, Grundlagen einer ökologischen Tiergeographie 1,2. Jena.
- 1604. Dalglish,A.A.,** 1901, Lepidoptera from south-west Scotland. Entomologist's Rec. J. Var. 13: 133-135.
- 1605. Dall'asta,U.,** 1977, Lymantriidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 39-42.
- 1606. Dalla Torre,K.W.v.,** 1914, Thyrididae. [in] Wagner,H., Lepidopterorum Catalogus Pars 20. 55pp. Dr. W. Junk Berlin.
- 1607. Dalla Torre,K.W.v.,** 1923, Cossidae. [in] Strand,E., Lepidopterorum Catalogus Pars 29. 63pp. Dr.W.Junk Berlin.
- 1608. Dalman,J.W.,** 1816, Försök till systematik Upptällning af Sveriges Fjarilar. K. svenska VetenskAkad. Handl. 37: 48-105, 199-225, 2 Taf.
- 1609. Daniel,F. & L.Kolb,** 1929-1930, Beiträge zur Lepidopteren-Fauna Zentral-Ungarns. Mitt. münch. ent. Ges. 19: 335-346; 20: 49-92.
- 1610. Daniel,F. & W.Forster,** 1955, Ernst Pfeiffer. Mitt. münch. ent. Ges. 45: 532-536, Taf.ix.
- 1611. Daniel,F.,** 1932, Neue Schmetterlingsformen und -Arten aus Marasch in Nordsyrien. Mitt. münch. ent. Ges. 22: 15-16.
- 1612. Daniel,F.,** 1932, Zygaenidae-Cymatophoridae. [in] Osthelder,L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 22 (2): 52-73, pls.
- 1613. Daniel,F.,** 1932, Cossus osthelderi spec.nov. Mitt. münch. ent. Ges. 22: 95.
- 1614. Daniel,F.,** 1932, Thyrididae-Hepialidae. [In] Osthelder,L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 22(2):74-82.
- 1615. Daniel,F.,** 1933, [in] Zerny,H., Lepidopteren aus dem nördlichen Libanon (Fortsetzung) Arctiidae, Cossidae. Dt. ent. Z., Iris 47: 102-104, 106-108, Taf.
- 1616. Daniel,F.,** 1934, Beitrag zur Syntomis Fauna der Balkan-Halbinsel. Mitt. münch. ent. Ges. 24: 58-60, Taf.3, Abb.7-9.
- 1617. Daniel,F.,** 1935, Beiträge zur Verbreitung und Rassebildung von Chelis maculosa Gerning. Mitt. münch. ent. Ges. 25(2): 45-55, pl.
- 1618. Daniel,F.,** 1935, Roeselia taurica sp. nova. Mitt. münch. ent. Ges. 25(2): 42.
- 1619. Daniel,F.,** 1935, Beiträge zur Verbreitung und Rassebildung von Chelis maculosa Gerning. Mitt. münch. ent. Ges. 25(2): 45-55, pl.
- 1620. Daniel,F.,** 1937, Zwei neue Cossidae aus Persien. Mitt. münch. ent. Ges. 27: 49-51, Taf.iii.
- 1621. Daniel,F.,** 1937, Lacydes elbursi sp.n. Mitt. münch. ent. Ges. 27(1): 37-38.
- 1622. Daniel,F.,** 1938, Neuheiten aus Vorderasien (Lepidoptera). Mitt. münch. ent. Ges. 28(1): 2-6, pl.
- 1623. Daniel,F.,** 1939, Gedanken zu einigen Arctiiden Formen (Lepidoptera). Mitt. münch. ent. Ges. 29: 354-368.
- 1624. Daniel,F.,** 1939, Zygaenidae-Hepialidae. [in] Osthelder,L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 29: 84-103, pl.
- 1625. Daniel,F.,** 1940, Die Cossidae und Hepialidae der Ausbeuten Höne. Mitt. münch. ent. Ges. 30: 1004-1024, Taf.28-31.
- 1626. Daniel,F.,** 1943, Beiträge zur Kenntnis der Arctiidae Ostasiens unter besonderer Berücksichtigung der Ausbeuten H.Höne's aus diesem Gebiet. I. Callimorphinae und Nyctemerinae. Mitt. münch. ent. Ges. 33: 247-269, Taf.13.
- 1627. Daniel,F.,** 1943, Beiträge zur Kenntnis der Arctiidae Ostasiens unter besonderer Berücksichtigung der Ausbeuten H.Höne's aus diesem Gebiet. II. Hypsinae, Micrarctiinae, Spilosominae, Arctiinae. Mitt. münch. ent. Ges. 33: 673-759, Taf.14-22.
- 1628. Daniel,F.,** 1949, Die Cossidae und Hepialidae der Ausbeuten Höne.- Nachtrag. Mitt. münch. ent. Ges. 35-39: 226-230, Taf.I.
- 1629. Daniel,F.,** 1949, Malacosoma tianshanica spec. nov. Entomon 1: 163-164.
- 1630. Daniel,F.,** 1949, Neue palaearktische Heterocera (Lep.). Mitt. münch. ent. Ges. 39: 235-236, Taf.viii,ix.
- 1631. Daniel,F.,** 1951, Zygaenidae- Hepialidae, [in] Daniel,F., Forster, W. & L.Osthelder, Beiträge zur Lepidopterenfauna Mazedoniens. Veröff. zool. StSamml. Münch. 2: 18-35, Taf.
- 1632. Daniel,F.,** 1951-1955, Beiträge zur Kenntnis der Arctiidae Ostasiens unter besonderer Berücksichtigung der Ausbeuten von Dr. h.c.H.Höne aus diesem Gebiet. III. Teil. Lithosiinae. Bonn. zool. Beitr. 2 (1951): 291-327, Taf.I; 3 (1952): 75-90, 305-324; 5 (1954): 89-138; 6 (1955): 132-145. Taf.
- 1633. Daniel,F.,** 1953, Neue Heterocera-Arten und -Formen. Mitt. münch. ent. Ges. 43: 252-261, Taf.vii.
- 1634. Daniel,F.,** 1955, Monographie der Cossidae-I. Kritische Beurteilung der bisher dem Genus Stygia Latr. zugeteilten Arten. Mitt. münch. ent. Ges. 44/45: 159-181, pl.
- 1635. Daniel,F.,** 1956, Monographie der palaearktischen Cossidae II. Die Genera Cossus Fabr. und Lamellacossus gen.n. (Lep.). Mitt. münch. ent. Ges. 46: 243-288, Taf.viii-x, 4 Abb.
- 1636. Daniel,F.,** 1956, Die Formen von Trichiura crataegi L. (Lep., Lasiocampidae). NachrBl. bayer. Ent. 5: 67-71, 78-80, 87-94.
- 1637. Daniel,F.,** 1956, Monographie der palaearktischen Cossidae II. Die Genera Cossus Fabr. und Lamellacossus gen. n. (Lep.). Mitt. münch. ent. Ges. 46: 243-288, pls.

- 1638.** Daniel,F., 1957, Bemerkungen zu einigen Zygaena- und Dysauxes Arten Mazedoniens (Lepidoptera, Heterocera). Acta Mus. maced. Sci. nat. 4: 211-222.
- 1639.** Daniel,F., 1958, Zwei neue Rethera-Arten aus Afghanistan (Lepidoptera, Sphingidae). Beitr. naturk. Forsch. SW-Deutschl. 17(1): 83-84, Taf.vi.
- 1640.** Daniel,F., 1958, Die Vertreter der Gattung Zygaena im Olympgebiet in Nordgriechenland. Fragm. balcan. 2(6): 37-46.
- 1641.** Daniel,F., 1959, Die Südförmern der Dendrolimus pini L. (Lepidoptera, Lasiocampidae). Fragm. balcan. 2(13): 97-105, 2Taf.
- 1642.** Daniel,F., 1959, Monographie der palaearktischen Cossidae III. Daa Genus Holcocerus Stgr. Mitt. münch. ent. Ges. 49: 102-160, Taf.ii-v.
- 1643.** Daniel,F., 1960, Monographie der palaearktischen Cossidae IV. Die Genera Cossulinus Kby., Dyspessacossus Dan. und Isoceras Ti. (Lep.). Mitt. münch. ent. Ges. 50: 93-118, Taf. xiv, xv.
- 1644.** Daniel,F., 1960, Laelia richteri, eine neue Lymantriide aus Iran (Lepidoptera) (Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956- Nr.33). Stuttg. Beitr. Naturk. 45: 1-2, 2 Abb.
- 1645.** Daniel,F., 1961, Monographie der palaearktischen Cossidae V. Die Genera Parahypopta g.n., Sinicossus Clench und Catopta Stgr. Mitt. münch. ent. Ges. 51: 160-212, 10 Abb., Taf. xvi, xvii.
- 1646.** Daniel,F., 1961, Die Bombyces und Sphinges einer Lepidopteren-Ausbeute aus dem Iran (Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956 - Nr.38). Stuttg. Beitr. Naturk. 53: 1-5.
- 1647.** Daniel,F., 1962, Monographie der palaearktischen Cossidae VI. Genus Dyspessa Hbn. Erster Teil. Mitt. münch. ent. Ges. 52: 1-38, Taf.I,II.
- 1648.** Daniel,F., 1963, Ein Beitrag zur Spinner- und Schwärmerfauna des Iran und Afghanistans. Z. wien. ent. Ges. 48(9): 145-155, 26-28.Taf.
- 1649.** Daniel,F., 1964, Die Lepidopterenfauna jugoslawisch Mazedoniens II.Bombyces et Sphinges. 74S. Prirodonaucen Muzej Skopje.
- 1650.** Daniel,F., 1964, Monographie der palaearktischen Cossidae VII. Genus Dyspessa Hbn. Zweiter Teil. Genus Paropta Stgr. Mitt. münch. ent. Ges. 54: 181-236, 4 Abb., Taf. iii-vi.
- 1651.** Daniel,F., 1964, Cossidae aus Afghanistan. Opusc. zool. 77: 1-8, Taf.1.
- 1652.** Daniel,F., 1965, Monographie der palaearktischen Cossidae VIII. Nachträge und Register zur Subfamilie Cossinae. Mitt. münch. ent. Ges. 55: 77-114, Taf.II,III.
- 1653.** Daniel,F., 1965, Das Genus Harpyia O. (=Cerura auct.) im palaearktischen Raum unter Einschluß der naheverwandten nordamerikanischen Formen Z. wien. ent. Ges. 50: 5-47, 23 figs., 6 Taf.
- 1654.** Daniel,F., 1965, Lemonia beirutica sp.n. (Lep., Lemoniidae). Z. wien. ent. Ges. 50: 74, fig.
- 1655.** Daniel,F., 1965, Österreichische Entomologische Iran-Afghanistan-Expeditionen. Beiträge zur Lepidopterenfauna, Teil 4. Z. wien. ent. Ges. 50(9/10): 121-145, Taf, 8 figs.
- 1656.** Daniel,F., 1966, Zwei neue Arctiidae aus Afghanistan (Lep.). Mitt. münch. ent. Ges. 56: 161-164, Taf.iii.
- 1657.** Daniel,F., 1966, Heterogynis andalusica sp.n. (Lep., Heterogynidae). Z. wien. ent. Ges. 51 (8): 101-103.
- 1658.** Daniel,F., 1967, Beitrag zur Kenntnis südosteuropäischer und vorderasiatischer Hepialidae (Lep.). Mitt. münch. ent. Ges. 57: 91-97, Taf.II-IV, 3 Abb.
- 1659.** Daniel,F., 1970, Rassenanalytische Untersuchungen bei Phragmatobia fluginosa L. und Phragmatobia amurensis Seitz (Lep., Arctiidae). Z. ArbGem. öst. Ent. 22: 2-17, figs.
- 1660.** Daniel,F., 1971, Österreichische Expeditionen nach Persien und Afghanistan. Beiträge zur Lepidopterenfauna, Teil 16 (3.Beitrag zur Bombyces- und Sphinges-Fauna). Annln naturh. Mus. Wien 75: 651-660, 2 Taf.
- 1661.** Danilevsky,A.S. & V.I.Kuznetsov, 1968, Tortricidae, Laspeyresiini. Fauna SSSR 5(1): 1-635, figs.
- 1662.** Danilevsky,A.S., 1969, New Glyphipterigid moths (Lepidoptera, Glyphipterigidae) of the fauna of the U.S.S.R. Ent. Obozr. 48: 919-932, figs.
- 1663.** Danilevsky,A.S., 1976, New Glyphipterygid species (Lepidoptera, Glyphipterygidae) from mountains of the Caucasus. Proc. zool. Inst. USSR 64: 34-35.
- 1664.** Danov,R.A. & S.V. Pereladov, 1985, List of species of hawk-moths (Lepidoptera, Sphingidae) from south-western Kopetdag. Ylym, Ashkhabad 1985: 246-249.
- 1665.** Dantchenko,A. & V.A.Lukhtanov, 1993, Zur Systematik und Verbreitung der Arten der Polyommatus (Agrodiaetus) damome-Gruppe Südosteuropas und Südwestsibiriens (Lepidoptera, Lycaenidae). Atalanta 24 (1/2): 75-83, Pl.IV.
- 1666.** Dantchenko,A. & V.Lukhtanov, 2005, New taxa of the "brown" species-complex of the genus Agrodiaetus Hübner,1822 from the Transcaucasia (Lepidoptera, Lycaenidae). Atalanta 35 (3/4): 327-334, figs.
- 1667.** Dantchenko,A., 2005, A new species of the genus Agrodiaetus Hübner,1822 from Transcaucasia (Lepidoptera, Lycaenidae). Atalanta 35 (3/4): 323-326, figs.
- 1668.** Dantchenko,A., Andreev,S., Tchuvilin,A. & A.Sourakov, 1996, Notes on butterfly collecting in a natural steppe reserve in Central Russia (Lepidoptera, Rhopalocera). Atalanta 27 (3/4): 649-656.
- 1669.** Dantchenko,A.V. & V.A.Lukhtanov, 1994, New taxa of the subgenus Agrodiaetus Hübner,1822 from Caucasus (Lepidoptera, Lycaenidae).. Atalanta 25 (1/2): 207-213, Pl.VIII.
- 1670.** Dantchenko,A.V., 1994, New taxa of the genus Polyommatus Latreille,1804 from Tadzhikistan (Lepidoptera, Lycaenidae). Atalanta 25 (1/2): 203-206, Pl.VIIIb.
- 1671.** Dantchenko,A.V., 1997, Notes on the biology and distribution of the damone and damocles species-complexes of of [sic!] the subgenus Polyommatus (Agrodiaetus) (Lep., Lycaenidae) [in] Eckweiler & Häuser, Contributions to the systematics and biology of the Polyommatus (Agrodiaetu Nachr. Ent. Ver. Apollo, Suppl. 16: 23-42, figs.
- 1672.** Darge,P., 1975, Lépidopteres Attacidae et Sphingidae de la République Unie du Cameroun, du Rwanda, de l'Ethiopie (avec descriptions de deux especes et six sous-especes nouvelles). Annls Fac. Sci. Univ. féd. Cameroun (19): 76-96.
- 1673.** Daricheva,M. & A.Devjatkin, 1990, Fauna and ecology of Lepidoptera (Hesperiidae) in Turkmenistan. Izvestiya Akad. Nauk turkmen.SSR (Ser. biol. nauk.) 1990(1): 34-38.
- 1674.** Dastgheyb-Beheshti,N. & H.Seyedoleslami, 1987, Forecasting Codling Moth phenology based on the degree day summation in the Apple orchards in west of Esfahan. Ent. phyt. Appl. 54(1/2): 7-12, 25-43 (persian pages).
- 1675.** Davenport,D., 1941, The butterflies of satyrid genus Coenonympha. Bull. Mus. comp. Zool. Harv. 87 (4): 214-349, 10 Tab.
- 1676.** Davis,D.R., Karsholt,O., Kristensen,N.P. & E.S.Nielsen, 1995, Revision of the Genus Ogygiotes (Palaeosetidae). Invertebr. Taxon. 9: 1231-1263.
- 1677.** Daws,W., 1899, The butterflies and sphingids of the Penzance district. Entomologist's Rec. J. Var. 11: 317-319.
- 1678.** Debauche,H.R., 1937, Entomological Expedition to Abyssinia, 1926-1927: Lepidoptera Geometridae. Ann. Mag. nat. Hist. (10) 20: 320-344, Pls.7,8.
- 1679.** Degtjarjova,V.I., 1973, Dendrophileous Lepidoptera of the Hissar Mountains and Hissar valley. 195pp. Dushanbe.
- 1680.** Demaison,L., 1888, [no title]. Bull. Soc. ent. Fr. (6)8: 65-67.
- 1681.** Dempster,J.P., King,M.L. & K.H.Lakhani, 1976, The status of the Swallowtail butterfly in Britain. Ecol. ent. 1: 71-84.
- 1682.** Denis & Schiffermüller, 1775, Ankündigung eines systematischen Werkes von den Schmetterlingen der Wiener Gegend. 322 pp. 2 Pls. Wien.
- 1683.** Denmark,H.A., 1956, Ethyl Acetate as a killing agent for Insects. Lep. News 10: 150-151.
- 1684.** Dennis, R.L.H., Porter,K. & W.R.Williams, 1984, Ocellation in Coenonympha tullia (Müller) (Lepidoptera, Satyridae) I. Structures in correlation matrices. Nota lepid. 7 (3): 199-219, 6 figs., 3 tab.

- 1685. Dennis, R.H.,** 1991, *Kirinia roxelana* Cramer, 1777 (Lepidoptera, Nymphalidae, Satyrinae) oviposition on an arboreal substrate. *Entomologist's Gaz.* 42: 239-241, figs. 1a, 1b.
- 1686. Dennis, R.L.H. (ed.),** 1992, *The ecology of butterflies in Britain*. 354pp. figs.
- 1687. Dennis, R.L.H.,** 1977, *The British butterflies. Their origin and establishment*. 318pp., 20 figs. 15 tab. E.W. Classey Ltd. Faringdon, Oxon.
- 1688. Denso, P.,** 1913, *Celerio zygophylli* O.I. *Dt. ent. Z., Iris* 27: 145-146, Taf. V.
- 1689. Denso, P.,** 1913, *Celerio hippophaes* Esp. *Dt. ent. Z., Iris* 27: 22-45, Taf. I, II.
- 1690. Derra, G. & H. Hacker,** 1981, Contribution to the Lepidoptera fauna of Spain. Heterocera of a three week visit in summer 1980. *Shilap Revta lepid.* 34: 127-138.
- 1691. Derra, G. & H.P. Schreier,** 1990, Beitrag zur Noctuidae-Fauna der Türkei (Lepidoptera). *Esperiana* 1: 393-403, 19 figs.
- 1692. Derra, G.,** 1985, *Euchromius gartheellus* n.sp., eine neue Crambidae aus der Türkei (Lepidoptera). *Ent. Z., Frankf. a. M.* 95: 237-240.
- 1693. Derra, G.,** 1990, Neue Tortricidae aus der Türkei (Lepidoptera, Tortricidae). *Atalanta* 21 (3/4): 295-300, Taf.
- 1694. Derzhavets, Y.A.,** 1984, Review of the classification of the Sphingidae (Lepidoptera), with a list of the species of the USSR. *Ent. Obozr.* 63(4): 604-620.
- 1695. Derzhavets, Y.A.,** 1993, Phylogenetic interrelations of the Sphinx moths of the genus *Hyles* Hübner (Lepidoptera, Sphingidae). *Ent. Obozr.* 72(3): 648-663 [engl. transl. *Ent. rev.* 73(4): 34-52, 23 figs., 1994]
- 1696. Derzhavets, Y.A., Ivanov, A.I., et al.,** 1986, A list of Macrolepidoptera of the Leningrad Region. *Trudy vses. ent. Obshch.* 67: 186-270, figs.
- 1697. Deschka, G.,** 1970, *Lithocolletis* (Phyllonorycter) *anatolica* spec. nov. *Polski Pismo ent.* 40: 739-743.
- 1698. Deschka, G.,** 1971, *Lithocolletis* (Phyllonorycter) *macedonica* n.sp. *Z. ArbGem. öst. Ent.* 23(4): 105-107, 2 Abb.
- 1699. Deschka, G.,** 1972, *Lithocolletis* (=Phyllonorycter) *libanotica* spec. nov. (Lep., Lithocolletidae). *Ent. Ber., Amst.* 32: 88-90, 3 figs.
- 1700. Deschka, G.,** 1972, Eine neue Bucculatrix-Art: *Bucculatrix anthemidella* n.sp. (Lep., Bucculatricidae). *Ent. Z., Frankf. a. M.* 82(9): 81-86, 6 figs.
- 1701. Deschka, G.,** 1973, *Bucculatrix centaureae* spec. nov. (Lepidoptera, Bucculatricidae). *Ent. Ber., Amst.* 33(8): 141-144, 6 figs.
- 1702. Deschka, G.,** 1974, Neue Lithocolletiden von Zypern (Lepidoptera, Lithocolletidae). *Ent. Ber., Amst.* 34: 174-179, 9 Abb.
- 1703. Deschka, G.,** 1979, Blattminierende Lepidopteren aus dem Nahen und Mittleren Osten II. Teil. *Z. ArbGem. öst. Ent.* 30(3/4): 81-84, 8 Abb.
- 1704. Deschka, G.,** 1986, Blattminierende Lepidopteren aus dem Nahen und Mittleren Osten V. Teil. *Z. ArbGem. öst. Ent.* 37(3/4): 65-75, 20 Abb.
- 1705. Descimon, H.,** 1980, *Heodes tityrus tityrus* Poda et *H. tityrus subalpina* Speyer (Lycaenidae): un problème de spéciation en milieu alpin. *Nota lepid.* 2(4): 123-125.
- 1706. Desmarest, E.,** 1857, *Papillons, Nocturnes*. [In] Chenu, J.C., *Encyclopédie d'Histoire naturelle*. iv+312pp., 40 pls. Paris.
- 1707. Dethier, V.G.,** 1941, The antennae of lepidopterous larvae. *Bull. Mus. Comp. Zool.* 87: 455-507, figs.
- 1708. Devarenne, M.,** 1981, Contribution a l'Etude des Rhopalocères d'Algérie (Lepidoptera). *Alexanor* 12(4): 167-176.
- 1709. Devyatkin, A.L.,** 1987, The fritillary, *Melitaea turkmenica* (Lepidoptera, Nymphalidae) in the west Kopet-Dagh. *Vestn. Zool.* 1987 (5): 73-75, figs.
- 1710. Devyatkin, A.L.,** 1987, A little-known skipper species of the genus *Carcharodus* (Lepidoptera, Hesperidae) from west Kopet-Dagh. *Vestn. Zool.* 1987 (3): 79-81, figs.
- 1711. Devyatkin, A.L.,** 1989, New Data on the Macrolepidoptera of West Kopetdag. *Ent. Obozr.* 1989 (3): 568-575.
- 1712. Devyatkin, A.L.,** 1996, New Hesperidae from North Vietnam, with the description of a new genus (Lepidoptera, Rhopalocera). *Atalanta* 27 (3/4): 595-604, Pl.
- 1713. Devyatkin, A.L.,** 1996, Taxonomic notes on the genus *Erynnis* Schrank, 1801. *Atalanta* 27 (3/4): 605-614, figs., Pl.
- 1714. Devyatkin, A.L.,** 1997, A new species of *Halpe* Moore, 1878 from North Vietnam (Lepidoptera, Hesperidae). *Atalanta* 28 (1/2): 121-124, Pl.
- 1715. Devyatkin, A.L.,** 1997, Family: Hesperidae, [in] Tusov, V.K., *Guide to the butterflies of Russia and adjacent territories* (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia.
- 1716. Devyatkin, A.L.,** 1998, Hesperidae of Vietnam, 3. A new species of *Celaenorrhinus* Hübner, 1819 from Vietnam, with revisional notes on the *C. aurivittata* (Moore, 1879) group (Lepidoptera, Hesperidae). *Neue ent. Nachr.* 41: 289-294, figs.
- 1717. Devyatkin, A.L.,** 1998, Hesperidae of Vietnam, 4. A new species and a new subspecies of *Pintara* Evans, 1932 from Vietnam, with notes on the genus (Lepidoptera, Hesperidae). *Neue ent. Nachr.* 41: 295-301, figs.
- 1718. Devyatkin, A.L.,** 2000, Hesperidae of Vietnam 6. Two new species of the genera *Suada* de Niceville, 1895 (Lepidoptera, Hesperidae). *Atalanta* 31 (1/2): 193-197, pl. xva.
- 1719. Devyatkin, A.L.,** 2000, Hesperidae of Vietnam 7. A contribution to the Hesperidae fauna of the southern Vietnam (Lepidoptera). *Atalanta* 31 (1/2): 198-204.
- 1720. Devyatkin, A.L.,** 2000, Hesperidae of Vietnam 8. Three new species of *Celaenorrhinus* Hübner, 1819, with notes on the *C. maculosa* (C. & F. Felder, [1867]) - *oscula* Evans, 1949 group (Lepidoptera, Hesperidae). *Atalanta* 31 (1/2): 205-211, pl. xvb.
- 1721. Dewitz, H.,** 1879, *Afrikanische Tagsschmetterlinge*. *Nova Acta Acad. Caesar. Leop.* 41(2): 173-212, 2 Pls.
- 1722. Diakonoff, A. & B.V. Lefebvre,** 1980, Rediscovery of *Eratophyes aleatrix* Diakonoff (Lepidoptera, Oecophoridae). *Ent. Ber., Amst.* 40(3): 38-40, figs.
- 1723. Diakonoff, A. & E.J. van Nieukerken,** 1987, *Eratophyes amasiella* (Herrich-Schäffer) comb. nov., a senior synonym of *E. aleatrix* Diakonoff (Lepidoptera, Oecophoridae). *Ent. Ber. (Amst.)* 47(7): 103-104, figs.
- 1724. Diakonoff, A. & J. Razowski,** 1971, Description of a new genus of Tortricidae from Asia (Lepidoptera). *Ent. Ber., Amst.* 31: 36-40, 4 figs.
- 1725. Diakonoff, A. & K. Sattler,** 1966, Description of a new species of *Ethmiidae* (Lepidoptera). *Ent. Ber., Amst.* 26: 189-190, 3 figs.
- 1726. Diakonoff, A. & Y. Arita,** 1979, Three new species of the so-called Glyptopterigidae auctorum from Japan (Lepidoptera). *Zool. Meded.* 54 (6): 87-100, figs.
- 1727. Diakonoff, A.,** 1939, A new species of *Blastodacna* Wocke from Syria (Fam. Cosmopterigidae). *Tijdschr. Ent.* 82: 78-80, figs. 10-11.
- 1728. Diakonoff, A.,** 1941, New Asiatic and Papuan Tortricidae with records of other species (3d communication on Indo-Malayan and Papuan Microlepidoptera). *Treubia* 18(1): 29-44, 3 Pls.
- 1729. Diakonoff, A.,** 1941, Notes and Descriptions of Microlepidoptera (I) (7th Paper on Indo-Malayan and Papuan Microlepidoptera). *Treubia* 18 (2): 395-439, 7 figs., Pls. 17-21.
- 1730. Diakonoff, A.,** 1941, Fauna Buruana Lepidoptera, Fam. Tortricidae (5th Communication on Indo-Malayan and Papuan Microlepidoptera). *Treubia* 18 (2): 213-216, Pls. 7, 8.
- 1731. Diakonoff, A.,** 1941, Tortricidae chiefly from the collection of the Institute for Plant Diseases at Buitenzorg. *Treubia* 18 (2): 377-392, pl. 16.
- 1732. Diakonoff, A.,** 1947, Notes on Tortricidae from Malay Archipelago with description of a new species (Lepid.). *Tijdschr. Ent.* 87: 340-344.
- 1733. Diakonoff, A.,** 1948, Fauna Buruana Microlepidoptera II. *Treubia* 19 (2): 197-219, 28 figs.
- 1734. Diakonoff, A.,** 1948, Records and descriptions of Microlepidoptera (2). *Treubia* 19 (3): 483-524, figs.
- 1735. Diakonoff, A.,** 1951, Entomological results from Swedish Expedition 1934 to Burma and British India, Lepidoptera, collected by René Malaise, Microlepidoptera I. *Arkiv Zool.* 3 (6): 59-94, 35 figs. 1 map.

- 1736. Diakonoff, A.,** 1952, Microlepidoptera of New Guinea. Results of the third Archbold Expedition (American- Netherlands-Indian Expedition 1938-1939) Part I. Verh. K. ned. Akad. Wet. 49(1): 1-167, figs. 1-208.
- 1737. Diakonoff, A.,** 1952, New Guinean Microlepidoptera, III. Verh. K. ned. Akad. Wet. (Ser.C) 55(5): 643-655, 9 figs.
- 1738. Diakonoff, A.,** 1952, New Guinean Microlepidoptera, I. Verh. K. ned. Akad. Wet. (Ser.C) 55(4): 382-393, 8 figs.
- 1739. Diakonoff, A.,** 1952, New Guinean Microlepidoptera, II. Verh. K. ned. Akad. Wet. (Ser.C) 55(4): 394-406, 8 figs.
- 1740. Diakonoff, A.,** 1953, Microlepidoptera of New Guinea. Results of the third Archbold Expedition (American- Netherlands-Indian Expedition 1938-1939) Part II. Verh. K. ned. Akad. Wet. 49(3): 1-166, figs. 209-372.
- 1741. Diakonoff, A.,** 1953, New Guinean Microlepidoptera, IV. Verh. K. ned. Akad. Wet. (Ser.C) 56(4): 474-485, 6 figs.
- 1742. Diakonoff, A.,** 1954, Revision of the Hypertrophinae (Lepidoptera, Glyphipterygidae). I. Verh. K. ned. Akad. Wet. (Ser.C) 57(3): 273-285; (4): 471-482, 483-490; (5): 686-695, 46 figs., Pl.
- 1743. Diakonoff, A.,** 1954, Microlepidoptera of New Guinea. Results of the third Archbold Expedition (American- Netherlands-Indian Expedition 1938-1939) Part III. Verh. K. ned. Akad. Wet. 49(4): 1-164, figs. 373-551.
- 1744. Diakonoff, A.,** 1954, Microlepidoptera of New Guinea. Results of the third Archbold Expedition (American- Netherlands-Indian Expedition 1938-1939) Part IV. Verh. K. ned. Akad. Wet. 50(1): 1-192, figs. 552-719.
- 1745. Diakonoff, A.,** 1955, Microlepidoptera of New Guinea. Results of the third Archbold Expedition (American- Netherlands-Indian Expedition 1938-1939) Part V. Verh. K. ned. Akad. Wet. 50(3): 1-210, figs. 720-861.
- 1746. Diakonoff, A.,** 1956, New Guinean Microlepidoptera, VIb. Verh. K. ned. Akad. Wet. (Ser.C) 59(5): 643-651, 10-16 figs.
- 1747. Diakonoff, A.,** 1956, New Guinean Microlepidoptera, VIa. Verh. K. ned. Akad. Wet. (Ser.C) 59(5): 634-642, 9 figs.
- 1748. Diakonoff, A.,** 1956, New Guinean Microlepidoptera, Vb. Verh. K. ned. Akad. Wet. (Ser.C) 59(4): 528-534, 8 figs.
- 1749. Diakonoff, A.,** 1956, New Guinean Microlepidoptera, Va. Verh. K. ned. Akad. Wet. (Ser.C) 59(4): 520-527, 7 figs.
- 1750. Diakonoff, A.,** 1957, Remarks on Cryptophlebia Walsingham and related genera (Lepidoptera, Tortricidae, Olethreutinae). Tijdschr. Ent. 100 (2): 129-146, 23 figs.
- 1751. Diakonoff, A.,** 1959, Revision of Cryptasasma Walsingham, 1900 (Lepidoptera, Tortricidae). Zool. Verh. 43: 1-60, 14 figs., 13 Pls.
- 1752. Diakonoff, A.,** 1959, Entomological results from Swedish Expedition 1934 to Burma and British India, Lepidoptera collected by René Malaise, Microlepidoptera II. Arkiv Zool. 12 (13): 165-182, 6 figs. 7 Pls.
- 1753. Diakonoff, A.,** 1962, Preliminary survey of the Palaearctic species of the subgenus Bactra Stephens (Bactra, Tortricidae, Lepidoptera). Zool. Verh. 59: 1-48, 37 figs., 13 Pls.
- 1754. Diakonoff, A.,** 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XVI. Lepidoptera Tortricidae, Olethreutinae. Annln naturh. Mus. Wien 66: 473-476, 3 Abb., 1 Taf.
- 1755. Diakonoff, A.,** 1963, African species of the genus Bactra Stephens (Lepidoptera, Tortricidae). Tijdschr. Ent. 106(7): 285-357, 73 figs.
- 1756. Diakonoff, A.,** 1963, Records and descriptions of South Asiatic Microlepidoptera. Tijdschr. Ent. 109 (3): 49-88, figs.
- 1757. Diakonoff, A.,** 1964, Further records and descriptions of the species of Bactra Stephens (Tortricidae, Lepidoptera). Zool. Verh. 70: 1-81, 59 figs.
- 1758. Diakonoff, A.,** 1966, Records and descriptions of South Asiatic Microlepidoptera. Tijdschr. Ent. 109 (3): 49-86, 44 figs. 1 Pl.
- 1759. Diakonoff, A.,** 1966, Records and descriptions of south Asiatic Microlepidoptera. Tijdschr. Ent. 109(3): 49-87, 44 figs.
- 1760. Diakonoff, A.,** 1968, Lectotype selection for south Asiatic Microlepidoptera. Ent. Ber., Amst. 28: 136-140.
- 1761. Diakonoff, A.,** 1969, Additional notes on the Microlepidoptera of New Guinea. Verh. K. ned. Akad. Wet. (Ser.C) 72(2): 151-156.
- 1762. Diakonoff, A.,** 1970, Designation of lectotypes for two South Asiatic Tortricidae (Lepidoptera). Ent. Ber., Amst. 30: 48.
- 1763. Diakonoff, A.,** 1970, Notes on the Ceracini (Lepidoptera, Tortricidae). Tijdschr. Ent. 113 (3): 91-103, Pl. I.
- 1764. Diakonoff, A.,** 1971, South Asiatic Tortricidae from the Zoological Collection of the Bavarian State (Lepidoptera). Veröff. Zool. Staatssamml. München 15: 167-202, 15 figs. 7 pls.
- 1765. Diakonoff, A.,** 1973, The South Asiatic Olethreutini (Lepidoptera, Tortricidae). Zool. Monogr. 1: xxi+700 pp., Pls. Rijksmuseum van Natuurlijke Historie, Leiden, E.J.Brill.
- 1766. Diakonoff, A.,** 1973, Papuan Tortricidae, chiefly Schenoteninae (Lepidoptera), II. Verh. K. ned. Akad. Wet. (Ser.C) 76(5): 548-556, 16-25 figs.
- 1767. Diakonoff, A.,** 1973, Papuan Tortricidae, chiefly Schenoteninae (Lepidoptera), I. Verh. K. ned. Akad. Wet. (Ser.C) 76(5): 536-547, 19 figs.
- 1768. Diakonoff, A.,** 1974, A new species of Tortricidae, injurious to Cedar in Lebanon (Lepidoptera). Ent. Ber., Amst. 34: 210-212, 1 fig.
- 1769. Diakonoff, A.,** 1975, A surprising new addition to the Dutch fauna of Microlepidoptera (Oecophoridae). Ent. Ber., Amst. 35: 187-189, figs.
- 1770. Diakonoff, A.,** 1979, Descriptions of new taxa of the so-called Glyphipterigidae auctorum (Lepidoptera). Zool. Meded. 54 (21): 291-312, figs.
- 1771. Diakonoff, A.,** 1983, Insects of Saudi Arabia. Lepidoptera: Fam. Tortricidae, Choreutidae, Brachodidae and Carposinidae. Fauna Saudi Arabia 5: 240-287, figs.
- 1772. Diakonoff, A.,** 1984, Synopsis and descriptions of new species of the South Asiatic Cochylinae (Lepidoptera, Tortricidae), with an appendix. Zool. Meded. 58: 261-293, figs.
- 1773. Diakonoff, A.,** 1986, Glyphipterigidae auctorum sensu lato, [in] Amsel, H.G. et al., Microlepidoptera Palaearctica vol. 7. Text & Taf. G. Braun Druckerei, Karlsruhe.
- 1774. Diakonoff, A.,** 1989, Remarks on Bactra Stephens, with the description of two new species from Bahrein and Nepal (Lepidoptera, Tortricidae, Olethreutinae). Nota lepid. 11(4): 242-250, 5 figs.
- 1775. Diakonoff, A.,** 1989, Revision of the palaearctic Carposinidae with description of a new genus and new species (Lepidoptera, Pyraloidea). Zool. Verh. 251: 1-155, 50 figs.
- 1776. Diakonoff, A.,** [1968], Microlepidoptera of the Philippine Islands. Bull. U.S. nat. Mus. 257: 1-484, 846 figs.
- 1777. Didmanidze, E.A.,** 1978, Lepidoptera trockener Landschaften Georgiens (Lepidoptera, Heterocera). Trudy Georg. Tbilisi 1978: 1-321, Pls.
- 1778. Didmanidze, E.A.,** 1980, A new subspecies of a butterfly [sic] - *Lemonia balcanica vashlovani* Did. ssp. nova in the Caucasus. Soobshcheniya Akad. Nauk Gruz.SSR 97(2): 453-456, figs.
- 1779. Dierl, W.,** 1969, Die Typus-Arten von vier asiatischen Gattungen der Familie Psychidae (Lep.). Opusc. zool. 107: 1-10, 10 Abb., 5 figs.
- 1780. Dierl, W.,** 1970, Comptosienidae: Ein neues Taxon von Familienstatus (Lepidoptera). Veröff. zool. St. Samml. München 14: 1-41, figs.
- 1781. Dierl, W.,** 1976, Neue Notodontidae (Lep.) aus Asien. Ent. Z., Frankf. a. M. 86(8): 83-85, 2 Abb.
- 1782. Dierl, W.,** 1980, Der Typus von *Ornithoptera paradisea* Staudinger, 1893. Spixiana 3(3): 291-294.
- 1783. Dierl, W.,** 1981, Eine neue Benbowia-Art aus Sumatra: *Bembowia elisabethae* sp.n. (Lepidoptera, Notodontidae). Entomofauna 2 (15): 169-174, 3 Abb.
- 1784. Dierl, W.,** 1982, *Loboplia vanderweelei* Roepke: a little known oriental Noctuid (Lep.). Ent. Z., Frankf. a. M. 92: 245-246.
- 1785. Dierl, W.,** 1984, New species of Noctuidae (Noctuinae) - moths from Nepal (Lep.). Spixiana 7 (2): 195-201, 22 figs.
- 1786. Dietrich, K.,** 1862, Zur Systematik der Schmetterlinge. Stettin ent. Ztg. 23: 466-479.

- 1787. Dietze, C.,** 1910-1913, *Biologie der Eupitheciiden* (Tafeln & Text). 1. Teil (Abbildungen): 82 Tafeln und Erklärungen der Tafeln, 1910; 2. Teil (Text): 172 pp. Pls. 83-86, 1913. Berlin.
- 1788. Dietze, K.,** 1900, Beiträge zur Kenntnis der Eupitheciiden. *Dt. ent. Z., Iris* 12: 306-327, 1 Taf.
- 1789. Dietze, K.,** 1901, Beiträge zur Kenntnis der Eupitheciiden. *Dt. ent. Z., Iris* 13: 251-264, 1 Taf.
- 1790. Dionisio, M. H.,** 2004, Estados inmaduros de Lepidoptera (xx). Dos especies del género *Ornativalva* Gozmany, 1955 en Huelva, España (Lepidoptera, Gelechiidae). *Shilap Revta. lepid.* 32 (126): 85-93, figs.
- 1791. Dionisio, M. H.,** 2004, Estados inmaduros de Lepidoptera (xxi). *Mirificarma denotata* Pitkin, 1984 en Huelva, España (Lepidoptera, Gelechiidae). *Shilap Revta. lepid.* 32 (126): 99-104, figs.
- 1792. Distant, W. L. & W. B. Pryer,** 1887, On the *Rhopalocera* of Northern Borneo. *Ann. Mag. nat. Hist.* (5) 19: 264-275.
- 1793. Distant, W. L.,** Contributions to a knowledge of Malayan Entomology 5. *Ann. Mag. nat. Hist.* (5) 17 (102): 530-532.
- 1794. Distant, W. L.,**
- 1795. Distant, W. L.,** 1882, Undescribed *Rhopalocera* from the Malay Peninsula. *Ann. Mag. nat. Hist.* (5) 10 (57): 245-248.
- 1796. Distant, W. L.,** 1882, On some apparently undescribed *Rhopalocera*. *Ann. Mag. nat. Hist.* (5) 10 (59): 405-407.
- 1797. Distant, W. L.,** 1882-1886, *Rhopalocera Malayana*: A Description of the Butterflies of Malay Peninsula. xvi, 481 [-482], [4] pp., 129 text figs., 46 pls. London & Penang.
- 1798. Distant, W. L.,** 1883, Description of a new species of *Rhopalocera*. *Ann. Mag. nat. Hist.* (5) 11 (63): 174.
- 1799. Distant, W. L.,** 1883, Contributions to a knowledge of Malayan Entomology. I. *Ann. Mag. nat. Hist.* (5) 12 (70): 241-243.
- 1800. Distant, W. L.,** 1883, Contributions to a knowledge of Malayan Entomology. 2. *Ann. Mag. nat. Hist.* (5) 12 (71): 351-353.
- 1801. Distant, W. L.,** 1884, Contributions to a knowledge of Malayan Entomology. 3. *Ann. Mag. nat. Hist.* (5) 14 (81): 198-202.
- 1802. Distant, W. L.,** 1885, Description of a new species of *Pierinae* from the Malay Peninsula. *Entomologist* 18 (5): 146-147.
- 1803. Distant, W. L.,** 1885, Description of a new species of *Mycalesis* from the Malay Peninsula. *Entomologist* 18 (11): 289.
- 1804. Distant, W. L.,** 1886, Descriptions of new species and a new genus from the Malay Peninsula. *Entomologist* 19 (1): 11-12.
- 1805. Distant, W. L.,** 1886, Contributions to a knowledge of Malayan Entomology 4. *Ann. Mag. nat. Hist.* (5) 17 (99): 251-254.
- 1806. Distant, W. L.,** 1897, On a collection of *Heterocera* made in the Transvaal. *Ann. Mag. nat. Hist.* (6) 20: 15-17, 197-211.
- 1807. Distant, W. L.,** 1897, On a collection of *Heterocera* made in the Transvaal. *Ann. Mag. nat. Hist.* (6) 19: 390-394, 579-580.
- 1808. Distant, W. L.,** 1898, The butterflies of the Transvaal. *Ann. Mag. nat. Hist.* (7) 1: 47-56.
- 1809. Distant, W. L.,** 1898, On a collection of *Heterocera* made in Transvaal. *Ann. Mag. nat. Hist.* (7) 1: 218-231.
- 1810. Distant, W. L.,** 1898, *Heterocera* from the Transvaal. *Ann. Mag. nat. Hist.* (7) 1: 116-118.
- 1811. Distant, W. L.,** 1899, Some apparently undescribed insects from the Transvaal. *Ann. Mag. nat. Hist.* (7) 3: 461-465.
- 1812. Distant, W. L.,** 1899, Some apparently undescribed species of the *Heterocera* from the Transvaal. *Ann. Mag. nat. Hist.* (7) 4: 359-362.
- 1813. Distant, W. L.,** 1899, On some South African Insects. *Ann. Mag. nat. Hist.* (7) 3: 178-180.
- 1814. Distant, W. L.,** 1901, Descriptions of four new species of *Noctuidae* from the Transvaal. *Entomologist* 34: 284-285.
- 1815. Distant, W. L.,** 1902, Descriptions of new species of *Heterocera* from the Transvaal. *Entomologist* 34: 284-285.
- 1816. Distant, W. L.,** 1903-1906, *Insecta Transvaaliensia* 1: 49-96, 167, pls.
- 1817. Dixon, G. B.,** 1898, *Leicestershire Lepidoptera*, 1898. *Entomologist's Rec. J. Var.* 10: 252-254.
- 1818. Djakonoff, A. M.,** 1935, Un nouveau représentant du genre *Synopsis* Ld. (Lepidoptera, Geometridae) de la Transcaucasie. *Lambillionea* 35(7): 142-147, 3 figs.
- 1819. Doherty, W.,** 1889, Notes on Assam butterflies. *J. Asiat. Soc. Beng.* (11) 58: 118-134, 1 pl.
- 1820. Doherty, W.,** 1889, On certain *Lycaenidae* from lower Tenasserim. *J. Asiat. Soc. Beng.* (11) 58(4): 409-440, pl. 23pl.
- 1821. Doherty, W.,** 1891, A list of the butterflies of Engano, with some remarks on the *Danaidae*. *J. Asiat. Soc. Beng.* 60 (2): 4-32, 1 pl.
- 1822. Doherty, W.,** 1891, The butterflies of Sumba and Sambawa, with some account of the Island of Sumba. *J. Asiat. Soc. Beng.* 60 (2): 141-197, 1 pl.
- 1823. Dolinskaya, L. V.,** 1989, Egg morphology of *Notodontid* Moths (Lepidoptera, *Notodontidae*) of the USSR. *Ent. Obozr.* 1989(2): 361-368, 40 figs.
- 1824. Donevski, L. & M. Kusevska,** 1980, Extensive occurrence of *Drymonia ruficornis* Hbn. (Lep., *Notodontidae*) to *Quercus pubescens* Willd. in Macedonia. *Godisen Zb. Zemjob.-shumarsk. Fak. Univ. Skopje* 29: 39-48, figs.
- 1825. Donovan, E.,** 1798, An epitome of the natural history of the insects of China, 50 pls. London.
- 1826. Doubleday, E.,** 1847, Description of a new species of the genus *Actias* of Hübner from northern India. *Ann. Mag. nat. Hist.* 19: 95-97, Pl. vii.
- 1827. Douma-Petridou, E., Koutsafikis, A. & V. Kokkinou,** 1986, Berichtigungen der *Lepidopterenfauna* in Achaia-Peloponnisis (Monastiri, Aegion). *Cent. ent. Stud., Priamus* 4(1/2): 37-44, 2 Abb.
- 1828. Doux, C. le,** 1928, *Acraea-Studien* III. (Lep., *Rhop.*) *Dt. ent. Z.* 1928 (2): 97-115, 2 Taf.
- 1829. Doux, C. le,** 1931, Eine neue Subspecies von *Acraea chilo* Godm. aus Süd-Arabien (*Acraea chilo yemensis*). *Mitt. dt. ent. Ges.* 2: 42-43.
- 1830. Dowdeswell, W. H.,** 1981, The life of Meadow Brown. 8+165pp. 19 Pls. 29 figs. Heinemann Educational Books, London.
- 1831. Doğanlar, M. & O. Doğanlar,** 2005, Türkiye *Thaumetopeidae* [sic!] türleri tanımları dağılışı alanları doğal düşmanları mücadele yöntemleri. 56s. Kültür Ofset, Antakya.
- 1832. Doğanlar, M., et al.,** 2005, Morphology and systematics of European species of *Traumatocampa* Wallengren, 1871 with descriptions of two new species from the Mediterranean region of Turkey (Lepidoptera, *Thaumetopoeidae*). *Entomofauna* 26 (13): 229-240, figs.
- 1833. Doğanlar, M., Özbek, H., Ecevit, O. & H. Yüksel,** 1982, Doğu Anadolu Bölgesinin Bazı *Lepidopterleri*. *Bitki Koruma Bül.* 21 (3): 155-172.
- 1834. Draeseke, J.,** 1926, Die Schmetterlinge der Stötznerschen Ausbeute. *Phalaenae* *Nachtfalter*. *Dt. ent. Z., Iris* 40: 44-55.
- 1835. Draudt, M.,** 1909, Zwei neue *Heteroceren* aus Aegypten. *Int. ent. Z.* 3: 206-207.
- 1836. Draudt, M.,** 1912, Zwei neue *Acaliden* aus Aegypten. *Int. ent. Z.* 5(52): 374.
- 1837. Draudt, M.,** 1931, Familie *Arctiidae*. In Seitz, A., *Gross-Schmett. Erde, Suppl.* 2: 61-94. Stuttgart.
- 1838. Draudt, M.,** 1931, Familie *Syntomidae*. In Seitz, A., *Gross-Schmett. Erde, Suppl.* 2: 53-60. Stuttgart.
- 1839. Draudt, M.,** 1933, Neue *Heteroceren* des paläarktischen Faunengebietes. *Ent. Rdsch.* 50(12): 157-160, 167-169, 186-188, 2 Taf.
- 1840. Draudt, M.,** 1933-1934, Nachträge und Berichtigungen zum Supplementband 2. Familie *Syntomidae*, *Arctiidae*. In Seitz, A., *Gross-Schmett. Erde, Suppl.* 2: 278-281. Stuttgart.
- 1841. Draudt, M.,** 1935, Beiträge zur Biologie einiger kleinasiatischer *Heteroceren*. I. Beschreibung eines neuen Spanners. *Ent. Rdsch.* 52: 174-175.
- 1842. Draudt, M.,** 1935, Beiträge zur Biologie einiger kleinasiatischer *Heteroceren*. *Ent. Rdsch.* 52 (17): 225-230, 1 fig.
- 1843. Draudt, M.,** 1936, Neue Arten und Formen von *Noctuiden*. *Ent. Rdsch.* 53: 457-462, 465-471, 491-493, 1 Taf.

- 1844. Draudt, M.,** 1937, Zur Frage der Larentia (Euphyia) noacki Drt. Ent. Rdsch. 54: 154-156, 4 figs.
- 1845. Draudt, M.,** 1938, Einiges über Chloridea maritima Grasl. und dipsacea L. Ent. Rdsch. 55: 306-309, Abb.
- 1846. Draudt, M.,** 1938, Zusätzliche Berichtigung zum Aufsatz über Chloridea maritima und dipsacea. Ent. Rdsch. 55: 371-372.
- 1847. Draudt, M.,** 1938, Neue Noctuidenrassen und Arten aus dem Elbursgebirge. Mitt. münch. ent. Ges. 28(1): 29-31.
- 1848. Draudt, M.,** 1939, Die Gattung Orthogonica Fldr. (Lep., Noct.) in den Höne-Ausbeuten. Ent. Rdsch. 56 (15): 145-150, 3 Abb.
- 1849. Draudt, M.,** 1950, Beiträge zur Kenntnis der Agrotinen-Fauna Chinas. Aus den Ausbeuten Dr.H.Höne's. Mitt. münch. ent. Ges. 40: 1-174.
- 1850. Drenowsky, A.K.,** 1909-1910, Beitrag zur Lepidopterenfauna des höchsten Teils des Zentral-Balkans (Stara Planina) in Bulgarien. Ent. Rdsch. 26(1909): 120-121, 127-128; 27(1910): 17-18, 22-23, 441-445.
- 1851. Drenowsky, A.K.,** 1910, Über die vertikale Verbreitung der Lepidopteren auf dem Ryla-Gebirge (2924m) in Bulgarien. Z. wiss. InsektBiol. 6: 81-85, 174-177.
- 1852. Drenowsky, A.K.,** 1912, Zweiter Beitrag zur Lepidopterenfauna des höchsten Teiles des Zentral-Balkans (Stara Planina) in Bulgarien. Z. wiss. InsektBiol. 8: 309-313, 340-344, 367-371.
- 1853. Drenowsky, A.K.,** 1920, Ein Beitrag zur Schmetterlingsfauna des Pirin-, Maleschewski- und Belasitz-Gebirges in West Thrazien. Z. wiss. InsektBiol. 15: 231-246.
- 1854. Drenowsky, A.K.,** 1921, Zur Lepidopterenfauna Mazedoniens. Z. wiss. InsektBiol. 16: 164-166.
- 1855. Drenowsky, A.K.,** 1924-1925, Die Lepidopterenfauna der Zentral-Rhodopen in Bulgarien. Z. wiss. InsektBiol. 19(1924): 233-238; 20(1925): 1-5, 28-33, 39-44.
- 1856. Drenowsky, A.K.,** 1925, Die vertikale Verteilung der Lepidopteren in den Hochgebirgen Bulgariens. Dt. ent. Z. 1925: 29-75, 97-125.
- 1857. Drenowsky, A.K.,** 1928, Die Lepidopterenfauna auf den Hochgebirgen Bulgariens. Sb. bulg. Akad. Nauk. 23: 1-120.
- 1858. Drenowsky, A.K.,** 1929, Über die Lepidopteren-Formationen in den Hochgebirgen Bulgariens. Dt. ent. Z. 1929: 129-140.
- 1859. Drenowsky, A.K.,** 1930, Verzeichnis der auf dem Alibotusch-Gebirge gesammelten Lepidopteren. Izv. bulg. ent. Druzh. 5: 107-124.
- 1860. Drenowsky, A.K.,** 1930, Untersuchungen über die Lepidopterenfauna des Ossogowa-Gebirges. Sb. bulg. Akad. Nauk. 16: 1-83.
- 1861. Drenowsky, A.K.,** 1930, Die Lepidopterenfauna auf den Hochgebirgen Bulgariens 2. Sb. bulg. Akad. Nauk. 25: 1-76.
- 1862. Drenowsky, A.K.,** 1930, Beitrag zur Lepidopterenfauna des südwestlichen Mazedonien. Sb. bulg. Akad. Nauk. 42: 129-177.
- 1863. Drenowsky, A.K.,** 1930, Die Lepidopterenfauna auf den Hochgebirgen Bulgariens 3.Teil. Über den Charakter der bulgarischen Lepidopteren-Fauna. Trud. bulg. prir. Druzh. 14(1929): 57-98.
- 1864. Drenowsky, A.K.,** 1931, Zweites Verzeichnis der auf dem Alibotuschgebirge gesammelten Lepidopteren. Izv. bulg. ent. Druzh. 6: 49-67.
- 1865. Drenowsky, A.K.,** 1932, Eine vergleichende Übersicht der Gebirgsschmetterlingsfauna auf den Hochgebirgen Bulgariens. Izv. bulg. ent. Druzh. 7: 31-55.
- 1866. Druce, H.,** 1874, A list of Lepidopterous Insects collected by Mr. L.Layard at Chentaboon and Nahconchaisee, Siam, with descriptions of new species. Proc. zool. Soc. Lond. 1874: 102-109, 1 pl.
- 1867. Druce, H.,** 1877, A revision of the lepidopterous genus Paphia. Proc. zool. Soc. Lond. 1877: 632-652, pls. lxi-lxiv.
- 1868. Druce, H.,** 1883, Descriptions of new species of Zygaenidae and Arctiidae. Proc. zool. Soc. Lond. 1883: 372-384, pls. xxxix-xl.
- 1869. Druce, H.,** 1885, Descriptions of new species of Lepidoptera Heterocera chiefly from South America. Proc. zool. Soc. Lond. 1885: 518-536, pls. xxxii-xxxiii.
- 1870. Druce, H.,** 1890, Descriptions of new species of Lepidoptera Heterocera from Central and South America. Proc. zool. Soc. Lond. 1890: 493-520, pls. xlii-xliii.
- 1871. Druce, H.,** 1891, A monograph of the Lycaenid genus Hypochrysops with descriptions of new species. Trans. ent. Soc. London 1891 (2): 179-195, 2 pls.
- 1872. Druce, H.,** 1893, Descriptions of new species of Lepidoptera Heterocera from Central and South America. Proc. zool. Soc. Lond. 1893: 280-311, pls. xix-xxi.
- 1873. Druce, H.,** 1895, A monograph of the Bornean Lycaenidae. Proc. zool. Soc. Lond. 1895 (3): 556-627, pls. 31-34.
- 1874. Druce, H.,** 1896, Contributions to our knowledge of the Bornean Lycaenidae. Proc. zool. Soc. Lond. 1896 (3): 650-683, pls. 29-31.
- 1875. Druce, H.,** 1897, Descriptions of four new species of Lycaenidae from the Eastern Archipelago. Ann. Mag. nat. Hist. (6) 19: 13-16.
- 1876. Druce, H.,** 1898, Description of some new species of Heterocera. Ann. Mag. nat. Hist. (7) 1: 146-149, 207-215.
- 1877. Druce, H.,** 1899, Descriptions of some new species of Heterocera from Tropical America, Africa, and the Eastern Islands. Ann. Mag. nat. Hist. (7) 3: 228-236.
- 1878. Druce, H.,** 1899, Descriptions of some new species of Heterocera from Tropical America. Ann. Mag. nat. Hist. (7) 3: 293-302.
- 1879. Druce, H.,** 1904, Descriptions of some new species of butterflies belonging to the family Erycinidae from Tropical South America. Proc. zool. Soc. Lond. 1904: 481-489, pls. xxxiii-xxxiv.
- 1880. Druce, H.,** 1911, Descriptions of some new species of Heterocera, chiefly from Tropical South America. Ann. Mag. nat. Hist. (8) 8: 138-150.
- 1881. Drury, D.,** 1773-1782], Illustrations of Natural History. 3 vols. London.
- 1882. Du, Y., Li, H. & S.Wang,** 2002, A taxonomic study on the genus Ceroprepes Zeller, 1867 from China (Lepidoptera, Pyralidae, Phycitinae). Shilap Revta lepid. 30 (118): 113-118, figs.
- 1883. Dubatolov, V.V. & J.P.Korshunov,** 1984, New data on taxonomy of the butterflies of the USSR. Chlenistonogie i gel'minty, Sibir. Otdel. Ak. Nauk USSR, Novosibirsk: 51-57.
- 1884. Dubatolov, V.V. & O.E.Kosterin,** 1995], A new subspecies of the Euchloe ausonia Hübner species group from the highlands of the Dzhungarian Alatau (East Kazakhstan) (Lepidoptera, Pieridae). Atalanta 25 (3/4): 513-520, Abb.
- 1885. Dubatolov, V.V. & O.E.Kosterin,** 1998, [The history and origin of the fauna of nemoral Lepidoptera in Siberia]. [in] [Biological Diversity of Animals in Siberia], Tomsk 28-30th October 1998: 50-52.
- 1886. Dubatolov, V.V. & P.Y.Ustjuzhanin,** 1998, A new Ethmia species (Ethmiidae) from Turkmenistan. Nota lepid. 21 (2): 101-105.
- 1887. Dubatolov, V.V.,** 1989, A revision of the genus Axiopoea (Lepidoptera, Arctiidae). Vestn. Zool. 1: 8-13.
- 1888. Dubatolov, V.V.,** 1989, New species of Diurna (Lepidoptera, Lycaenidae, Satyridae) from Middle Asia. Proc. zool. Inst. USSR 200: 136-139, figs.
- 1889. Dubatolov, V.V.,** 1992, New species of Nymphalid and Satyrid butterflies (Lepidoptera, Rhopalocera) from Yakutia. Vestn. zool. 6: 40-45.
- 1890. Dubatolov, V.V.,** 1996, Three contributions to the knowledge of palaearctic Arctiinae (Lepidoptera, Arctiidae) I. Sinowatsonia, a new genus of Arctiidae from Tibet (China) (on the systematics of the genus Micrarctia Seitz s.l., Part 2). Neue ent. Nachr. 37: 5-8, figs.
- 1891. Dubatolov, V.V.,** 1996, Three contributions to the knowledge of palaearctic Arctiinae (Lepidoptera, Arctiidae) I. A Review of the genus Palearctia Ferguson (on the systematics of the genus Micrarctia Seitz s.l., Part 3). Neue ent. Nachr. 37: 9-37, figs.
- 1892. Dubatolov, V.V.,** 1996, Three contributions to the knowledge of palaearctic Arctiinae (Lepidoptera, Arctiidae) I. A list

- of the Arctiinae of the territory of the former U.S.S.R. (Lepidoptera, Arctiidae). *Neue ent. Nachr.* 37: 39-89, figs.
- 1893.** Dubatolov, V.V., Korshunov, Y.P., Gorbunov, P.Y., Kosterin, O.E. & A.L. Lvovsky, 1998, A review of the *Erebina ligea*-complex (Lepidoptera, Satyridae) from Eastern Asia. *Trans. lepid. Soc. Japan* 49: 177-193.
- 1894.** Dubatolov, V.V., Sergeev, M.G. & A.B. Zhdanko, 1994, New and little known species of the butterfly genus *Hyponephele* Muschamp, 1915 (Lepidoptera, Satyridae). *Atalanta* 25 (1/2): 171-177, 4 figs.
- 1895.** Dubatolov, V.V., Ustjuzhanin, P.A. & V.K. Zintshenko, 1997, A review of the *Ethmiidae* of the Asian part of Russia and neighbouring territories (Lepidoptera, *Ethmiidae*). *Atalanta* 28 (1/2): 161-171, 19 figs.
- 1896.** Dufay, C., 1961, Les *Nycteola* Hübner (Sarrothripus Curtis) de la Staudinger description d'une espèce nouvelle d'Asie centrale et antérieure. *Dt. ent. Z. (N.F.)* 8 (5): 431-440, 4 figs.
- 1897.** Dufay, C., 1984, Révision du statut taxonomique de quelques *Noctuidae* européens (1re note préliminaire). *Nota lepid.* 7 (2): 113-116.
- 1898.** Dufay, C. & Z. Varga, 1995, A new noctuid species from Iran: *Chersotis eberti* sp.n. (Lepidoptera, *Noctuidae*). *Acta zool. hung.* 41: 35-45, figs.
- 1899.** Dufay, C., 1958, Révision des *Nycteola* Hübner (Sarrothripus Curtis) Paléarctiques (Lepidoptera, *Noctuidae*, *Nycteolineae*). *Annls Soc. ent. Fr.* 27: 107-132, Pl.ii,iii,A,B.
- 1900.** Dufay, C., 1958, Descriptions de nouvelles *Abrostola* africaines (Lep., *Noctuidae*). Contribution à l'étude des *Noctuidae* "Quadrifinae", V. *Bull. Inst. fr. Afr. Noire, ser.A*, 20(1): 199-216, 3 Pls.
- 1901.** Dufay, C., 1958, Mise au point de la synonymie des *Nycteola* Hb. (Sarrothripus Curt.) européennes. *Bull. mens. Soc. linn. Lyon* 27: 108-120.
- 1902.** Dufay, C., 1963, Descriptions de trois nouvelles espèces d'*Euchalcia* Hb. d'Asie Antérieure (Lepidoptera, *Noctuidae*, *Plusiinae*). *Bull. mens. Soc. linn. Lyon* 32(3): 68-72.
- 1903.** Dufay, C., 1966, Description de deux nouvelles espèces d'*Euchalcia* Hübner du Caucase (Lep., *Noctuidae*, *Plusiinae*) (note préliminaire). *Entomops* 4: 123-126, 2 figs.
- 1904.** Dufay, C., 1969, Description d'*Euchalcia stilpna* n.sp., de l'Iran (Lep., *Noctuidae*, *Plusiinae*). *Opusc. zool.* 110: 1-4, 2 figs.
- 1905.** Dufay, C., 1970, Insectes Lépidoptères, *Noctuidae* *Plusiinae*, [in] *Faune de Madagascar* 31: 1-198, 116 figs., 2 Pls.
- 1906.** Dufay, C., 1970, Descriptions de nouvelles espèces et d'un genre de *Plusiinae* Indo-Australiens (Lep., *Noctuidae*) (Note Préliminaire). *Bull. mens. Soc. linn. Lyon* 39 (3): 101-107.
- 1907.** Dufay, C., 1971, 219. Description d'*Abrostola kaszabi* n.sp., de Mongolie, et note synonymique sur des *Abrostola* asiatiques (Lepidoptera, *Noctuidae*, *Plusiinae*). *Reichenbachia* 13 (30): 269-273, figs.
- 1908.** Dufay, C., 1973, Contribution à l'étude des Lépidoptères de la Macédonie Yougoslave. *Entomops* 30: 187-192.
- 1909.** Dufay, C., 1973, *Cryphia amasina* Drdt. espèce nouvelle pour l'Europe (*Noctuidae*, *Apatelinae*). *Entomops* 30: 185-186, 1 fig.
- 1910.** Dufay, C., 1973, Contributions à l'étude des Lépidoptères de la Macédoine Yougoslave. Six espèces nouvelles pour la Macédoine. *Entomops* 30: 187-192, 7 figs.
- 1911.** Dufay, C., 1975, *Dryobotodes carbonis* Wgn., bona species, espèce nouvelle en Europe, et en France (Lepidoptera, *Noctuidae*, *Cucullinae*). *Bull. Soc. linn. Lyon* 44: 24-27.
- 1912.** Dufay, C., 1976, *Agrochola dujardini* Dufay, espèce française méconnue (Lep., *Noctuidae*, *Cucullinae*). *Entomops* 38: 211-218, 6 figs.
- 1913.** Dufay, C., 1977, Contributions à l'étude de la faune entomologique de la Grèce (première note). *Entomops* 41: 29-32.
- 1914.** Dufay, C., 1977, Seconde contribution à l'étude des Lépidoptères de la Macédonie Yougoslave. *Entomops* 41: 22-28.
- 1915.** Dufay, C., 1977, *Noctuidae* (*Plusiinae*) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 105: 42-51, Pls.
- 1916.** Dufay, C., 1978, Contributions à l'étude de la faune entomologique de la Grèce (Seconde note). *Entomops* 46: 181-184, 6 figs.
- 1917.** Dufay, C., 1978, *Thera albonigrata* (Gornik) espèce française méconnue (Lep., *Geometridae*, *Larentiinae*). *Entomops* 46: 185-196, 11 figs.
- 1918.** Dufay, C., 1978, *Cryphia vandalusiae* (Duponchel) espèce française méconnue (Lep., *Noctuidae*, *Acrionictinae*). *Entomops* 45: 149-158, 18 figs.
- 1919.** Dufay, C., 1982, Description de nouveaux *Plusiinae* indo-australien (Lepidoptera, *Noctuidae*). *Bull. mens. Soc. linn. Lyon* 51(3): 71-76, 12 figs.
- 1920.** Dufay, C., 1982, Découverte en Grèce de *Lophoterges hoerhammeri* (F.Wagner), bona sp., espèce nouvelle pour l'Europe (*Noctuidae*, *Cucullinae*). *Nota lepid.* 5 (2/3): 77-80, 6 figs.
- 1921.** Dufay, C., 1982, *Leptidea morsei* major Grund, en Grèce. *Nota lepid.* 5 (1): 17-19.
- 1922.** Dufay, C., 1983, *Ochropleura gracilis* (F.Wagner), bona sp., espèce nouvelle pour l'Europe: description de sa sous-espèce hellénique (*Noctuidae*, *Noctuinae*). *Nota lepid.* 6 (1): 41-48, 10 figs.
- 1923.** Dufay, C., 1983, Description d'un nouveau *Geometridae* espagnol: *Rheumaptera gudarica* nova sp. (*Geometridae*, *Larentiinae*). *Nota lepid.* 6 (1): 49-52, 4 figs.
- 1924.** Dufay, C., 1984, *Noctuidae* (*Plusiinae*) [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 128: 49.
- 1925.** Dufay, C., 1986, Révision de la nomenclature de deux *Chersotis* Boisduval distingués récemment (*Noctuidae*, *Noctuinae*). *Nota lepid.* 9(1/2): 51-54.
- 1926.** Dufay, C., 1954, Sur quelques *Lycaenidae* d'Afrique. *Bull. Annls. Soc. R. ent. Belg.* 90: 282-286.
- 1927.** Dugdale, J.S., 1974, Female genital configuration in the classification of Lepidoptera. *N.Z. J. Zool.* 1(2): 127-146, 30 figs. 2 pls.
- 1928.** Dugdale, J.S., 1978, Notes on Lepidoptera of Lakeba and Moce Is. Lau Group, Fiji, with an annotated list of the Macrolepidoptera. *Bull. R. Soc. New Zealand* 17: 63-89.
- 1929.** Dujardin, F., 1946, Monographie succincte de *Erebina aethiopsellus* Hoffmannsegg (1806) = *gorgophone* Bellier de la Chavignerie (1863). *Revue fr. lépid.* 10: 170-172.
- 1930.** Dujardin, F., 1946, Deux curieuses aberrations de *Polyommatus icarus* Rott. *Revue fr. lépid.* 10: 172-173.
- 1931.** Dujardin, F., 1964, Description de sous-espèces nouvelles de *Nymphalidae* des Alpes-Maritimes et des Hautes-Alpes (Lepidoptera). *Riviera scient.* 1: 4pp.
- 1932.** Dujardin, F., 1966, Description de *Maculinea arion* bordei nouvelle sous-espèce du sud-est la France. *Riviera scient.* 1: 15-16.
- 1933.** Dujardin, F., 1968, Recherches sur les proximaes du groupe *coridon* et description de 3 nouveaux taxa (Lep., *Lycaenidae*). *Riviera scient.* 3: 53-56.
- 1934.** Dujardin, F., 1970, Description de *Zygaena loti* failliei ssp. n. et ses affinités en France Centrale. *Entomops* 18: 41-44, 2 figs.
- 1935.** Dujardin, F., 1972, Description de *Callophrys avis* barraguii subspecies nova et observations biologiques sur la sous-espèce nominative. *Entomops* 25: 2-18.
- 1936.** Dujardin, F., 1976, Etude des genitalia males de *Euchloe insularis* Staudinger species bona. *Entomops* 39: 243-252, 6 figs.
- 1937.** Dujardin, F., 1977, Description de deux nouvelles sous-espèces de *Polyommatus atlanticus* Elwes avec des regroupements dans le statut génériques de sous-espèce (avec 14 figures). *Entomops* 43: 93-100.
- 1938.** Dumont, D., 1998, Une nouvelle espèce de *Lycaenidae* du sud de la Turquie: *Polyommatus bollandi* n.sp. *Linneana Belgica* 16(8): 335-338, 7 figs. map.
- 1939.** Dumont, D., 2000, Découverte et description de la femelle de *Polyommatus bollandi* Dumont, 1998 et considérations nouvelles sur le male (Lepidoptera, *Lycaenidae*). *Linneana Belg.* 17 (7): 273-275, figs.

- 1940. Dumont, D.,** 2004, Révision du genre *Iolana* Bethune-Baker, 1914 (Lepidoptera, Lycaenidae). Description d'une nouvelle espèce: *kermani* n.sp. Linneana Belg. 19 (8):
- 1941. Duponchel, P.A.J.,** 1821-1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.1 Diurnes. 12+303+7 pp., tab. 1-12, Paris.
- 1942. Duponchel, P.A.J.,** 1821-1828, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.3 Crepusculaires. 200 pp., tab. 13-22, Paris.
- 1943. Duponchel, P.A.J.,** 1822-1823, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.4 Bombycites. 424 pp., tab. 1-40, Paris.
- 1944. Duponchel, P.A.J.,** 1822-1830, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.2 Diurnes. 246 pp., tab. 1-28, Paris.
- 1945. Duponchel, P.A.J.,** 1824-1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.5 Tineites & Noctuelites. 524 pp., tab. 41-71, Paris.
- 1946. Duponchel, P.A.J.,** 1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.6 Noctuelites. 475 pp., tab. 72-100, Paris.
- 1947. Duponchel, P.A.J.,** 1827, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.7 (1). Noctuelites. 524 pp., tab. 101-132, Paris.
- 1948. Duponchel, P.A.J.,** 1829, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.7 (2). Phalénites. 507 pp., tab. 133-170, Paris.
- 1949. Duponchel, P.A.J.,** 1830-1832, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.8 (1). Phalénites. 597 pp., tab. 171-210, Paris.
- 1950. Duponchel, P.A.J.,** 1833, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.8 (2). Pyralites. 402 pp., tab. 211-236, Paris.
- 1951. Duponchel, P.A.J.,** 1834-1835, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.9 Platyomides. 626 pp., tab. 237-266, Paris.
- 1952. Duponchel, P.A.J.,** 1836, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.10. Crambites & Yponomeutides. 384 pp., tab. 267-286, Paris.
- 1953. Duponchel, P.A.J.,** 1836, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.11. Tineites & Pterophorites. 720 pp., tab. 287-314, Paris.
- 1954. Duponchel, P.A.J.,** 1844-1846, Catalogue méthodique des Lépidoptères d'Europe. 523 pp. Paris.
- 1955. Durand, R.,** 1961, Bilan d'un voyage en Grèce. Alexanor 2: 33-35, 93-96.
- 1956. Durrant, J.H.,** 1906, Tineina, [in] Elwes, H.J., Hampson, G. & J.H. Durrant, On the Lepidoptera collected by the Officers on the recent Tibet Frontier Commission. Proc. zool. Soc. Lond. 1906: 496-498.
- 1957. Durrant, J.H.,** 1916, Tineina, [in] Poulton, E.B., On a collection of moths made in Somaliland by Mr. W. Feather. Proc. zool. Soc. Lond. 1916: 179-181.
- 1958. Dyar, H.G.,** 1894, A classification of lepidopterous larvae. Ann. N.Y. Acad. Sci. 8: 194-232, 5 figs.
- 1959. Dyar, H.G.,** 1897, On lepidopterous larvae. Entomologist's Rec. J. Var. 9: 136-137.
- 1960. Dyar, H.G.,** 1899, The phylogeny of the lasiocampids. Entomologist's Rec. J. Var. 11: 141-142, Pl.ii.
- 1961. Dyar, H.G.,** 1901, A century of larval descriptions. Entomologist's Rec. J. Var. 13: 37-41.
- 1962. Dürck, H.,** 1922, *Parnassius mnemosyne benacensis*. Ent. Rdsch. 39: 33-34, figs. 1-2.
- 1963. Döring, E.,** 1955, Zur Morphologie der Schmetterlingseier. Akademie Verlag. Berlin.
- 1964. Ebert, G. & E. Rennwald,** 1991, Die Schmetterlinge Baden Württembergs. Tagfalter. Band 1 & 2. 552 & 535 S. Ulmer, Stuttgart-Hohenheim.
- 1965. Ebert, G. & H.H. Hacker,** 2002, Beitrag zur Fauna der Noctuidae des Iran: Verzeichnis der Bestände im Staatlichen Museum für Naturkunde Karlsruhe, taxonomische Bemerkungen und Beschreibung neuer Taxa (Noctuidae, Lepidoptera). Esperiana 9: 237-409, figs.
- 1966. Ebert, G.,** 1965, Afghanische Geometriden (Lep.) I. Stuttg. Beitr. Naturk. 142: 1-32, 4 Taf.
- 1967. Ebert, G.,** 1968, Revision der Gattung *Gnophosema* (Lepidoptera, Geometridae). Ark. Zool. (Ser.2) 22(6): 163-199, 20 figs. 1 Pl.
- 1968. Ebert, G.,** 1971, Drei neue Macrolepidoptera-Arten aus Iran. Beitr. naturk. Forsch. SWDtl. 30: 65-71, 1 Taf., 9 Abb.
- 1969. Ebert, G.,** 1973, Afghanische Bombyces und Sphinges. 7. Nolidae. Ergebnisse der 2. Deutschen Afghanistan-Expedition (1966) der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 14(24): 197-204, 7 Abb.
- 1970. Ebert, G.,** 1973, Afghanische Bombyces und Sphinges. 6. Arctiidae. Reichenbachia 14: 47-74, figs.
- 1971. Ebert, G.,** 1976, Beiträge zur Kenntnis der Bombyces und Sphinges Irans 2. Beitrag: Eine neue *Tethea*-Art aus Iran (Lepidoptera, Thyatiridae). J. ent. Soc. Iran 3 (1/2): 101-104, 1 fig.
- 1972. Ebert, G.,** 1976, Beiträge zur Kenntnis der Bombyces und Sphinges Irans 1. Beitrag: Die Arten und Formen der Gattungen *Berutana* und *Deilephila* (Lep., Sphingidae). J. ent. Soc. Iran 3(1/2): 85-99, 3 figs.
- 1973. Ebert, G.,** 1994, Die Schmetterlinge Baden Württembergs. Nachtfalter. Band 3 & 4. 511 & 535 S. Ulmer, Stuttgart-Hohenheim.
- 1974. Ebert, G.,** 1996, *Hyles robertsi elisabethae* nom. nov. pro *Celerio robertsi orientalis* Ebert, 1969 (Lepidoptera, Sphingidae). Atalanta 27 (1/2): 334.
- 1975. Ebert, G.,** 1997, Die Schmetterlinge Baden Württembergs. Nachtfalter. Band 5 & 6. 575 & 622 S. Ulmer, Stuttgart-Hohenheim.
- 1976. Ebert, G., Hesselbarth, G. & F. Kasy,** 1978, Die Bedeutung Roter Listen in der Lepidopterologie. Nota lepid. 1(2): 69-76.
- 1977. Eckweiler, W. & C.L. Häuser,** 1997, An illustrated checklist of *Agrodiaetus* Hübner, 1822, a subgenus of *Polyommatus* Latreille, 1804 (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.), Suppl. 16: 113-168, figs.
- 1978. Eckweiler, W. & E. Görgner,** 1981, Eine neue Art der Gattung *Zygaena* F. aus Türkisch-Kurdistan. Atalanta 12 (2): 139-146, figs.
- 1979. Eckweiler, W. & E. Görgner,** 1981, *Rhopaloceren*-Fauna des Palandöken-Gebirges in Ostanatolien. Nachr. ent. Ver. Apollo 2: 80-96, 97-116, figs.
- 1980. Eckweiler, W. & G. Hesselbarth,** 1978, Eine neue Unterart von *Agriades pyrenaicus* Boisduval aus Ostanatolien. Nachr. bayer. Ent. 27: 64-68, figs.
- 1981. Eckweiler, W. & K.G. Schurian,** 1980, Verbreitung und subspezifische Gliederung von *Neolysandra coelestina* (Eversmann, 1843) (Lep., Lycaenidae). Atalanta 11 (1): 69-78, 8 figs.
- 1982. Eckweiler, W. & K. Rose,** 1988, Identität, Verbreitung und subspezifische Gliederung von *Pseudochazara lydia* (Staudinger, 1878) (Lepidoptera, Satyridae). Nachr. ent. Ver. Apollo (N.F.) 9(4): 213-223, figs.
- 1983. Eckweiler, W. & K. Rose,** 1993, Zwei neue Lycaeniden aus der Südwesttürkei (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 13(3a): 355-364, figs.
- 1984. Eckweiler, W. & P. Hofmann,** 1980, Verzeichnis iranischer Tagfalter. Nachr. ent. Ver. Apollo (N.F.) Suppl.1: 1-28.
- 1985. Eckweiler, W. & W. ten Hagen,** 1998, Zur Taxonomie von *Polyommatus* (*Agrodiaetus*) *phyllis* (Christoph, 1877), *P. posthumus* (Christoph, 1877) und *P. darius* spec. nov. (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 19 (2): 109-118, figs.
- 1986. Eckweiler, W.,** 1976, Fangtage in Griechenland (15.v-19.v und 29.v.-6.6.75). Nachr. ent. Ver. Apollo 1: [107]-[112].
- 1987. Eckweiler, W.,** 1976, Fangtage in Jugoslawisch-Mazedonien (20.v. bis 6.vi.1975). Nachr. ent. Ver. Apollo A.F. 1(2): 37-43.
- 1988. Eckweiler, W.,** 1978, Eine neue Art der Gattung *Hyponephele* Muschamp aus der Südosttürkei (Lepidoptera, Satyridae). Atalanta 9(4a): 375-379, 9 figs.
- 1989. Eckweiler, W.,** 1978, Zwei Lycaeniden-Neufunde aus Nordostanatolien. Nota lepid. 1(3): 115-118, 8 Abb.

- 1990. Eckweiler, W.,** 1979, Eine neue Subspecies von *Colias aurorina* aus dem Süd-Iran (Lep., Pieridae). Ent. Z., Frankf. a. M. 89(3): 29-32, 2 Abb.
- 1991. Eckweiler, W.,** 1984, Eine neue Unterart von *Turanana cytis* (Christoph, 1877) aus Türkisch-Kurdistan (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 5(2/3): 63-70, figs.
- 1992. Eckweiler, W.,** 1987, Ergebnisse der tschechoslowakisch-iranischen entomologischen Expeditionen nach dem Iran 1970, 1973 und 1977. Lepidoptera, Lycaenidae. Acta ent. Mus. natn. Pragae 42: 39-55, figs.
- 1993. Eckweiler, W.,** 1989, Drei neue Lycaeniden aus der Türkei (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 10(2): 81-102, 50 figs.
- 1994. Eckweiler, W.,** 1990, Eine neue Art der Gattung *Karanasa* Moore aus Gansu, China (Lepidoptera, Satyridae). Nachr. ent. Ver. Apollo (N.F.) 11(3): 143-150, Abb.
- 1995. Eckweiler, W.,** 1991, Vergleich der Lepidopteren-fauna des chinesischen Altay und des Tian-Shan. Verh. Westd. Ent. Tag. Düsseldorf 1990: 355-361.
- 1996. Eckweiler, W.,** 1997, Neue Taxa von *Polyommatus* (*Agrodiaetus*) (Lepidoptera, Lycaenidae) [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus* (*Agrodiaetus*) species-group (Lep., Lycaenidae). Nachr. Ent. Ver. Apollo, Suppl. 16: 7-22, figs.
- 1997. Eckweiler, W.,** 1998, Neue taxa der Gattungen *Polyommatus* Latreille, 1804 und *Plebeius* Kluk, 1780 aus dem Iran (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 19(3/4): 219-238, 4 Karte, 4 Taf.
- 1998. Eddrup, T.B.,** 1899, Lepidoptera of North Wilts[hire]. Entomologist's Rec. J. Var. 11: 26-27.
- 1999. Edge, D.A. & E.L. Pringle,** 1996, Notes on the Natural History of the Brenton Blue, *Orachrysops niobe* (Trimen) (Lepidoptera, Lycaenidae). Metamorphosis 7(3): 109-120, 2 Pls. 4 figs.
- 2000. Edwards, E.D. (Ted),** 1996, Papilionoidea, Lasiocampidae, [in] Nielsen, Edwards & Rangsi, Monographs on Australian Lepidoptera vol.4, Checklist of the Lepidoptera of Australia, 237-257pp. CSIRO Division of Entomology, Canberra. Australia.
- 2001. Eecke, v.R.,** 1925, Cochlidionidae (Limaecodidae), [in] Strand, E., Lepidopterorum Catalogus 32: 1-79. W. Junk, Berlin.
- 2002. Eecke, v.R.,** 1928, De Heterocera van Sumatra -V. Zool. Meded., Leiden. 11: 49-145.
- 2003. Efetov, K.A. & G.M. Tarmann,** 1994, A revision of *Zygaenoprocris* Hampson, 1900, a subgenus of *Adscita* Retzius, 1783 (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 45: 81-105, 62 figs.
- 2004. Efetov, K.A. & G.M. Tarmann,** 1995, An annotated check-list of the Palearctic Procrinae (Lepidoptera, Zygaenidae), with description of new taxa. Entomologist's Gaz. 46: 63-103, 23 figs.
- 2005. Efetov, K.A.,** 1991, New species of the genus *Adscita* (Lepidoptera, Zygaenidae) from Turkmenia. Zool. Zh. 70(9): 155-159.
- 2006. Efetov, K.A.,** 1993, On the reputed occurrence of *Zygaena* (*Mesembrynus*) *cuvieri* Boisduval, [1828] (Lepidoptera, Zygaenidae) in Turkmenistan. Entomologist's Gaz. 4: 211-215, 7 figs.
- 2007. Efetov, K.A.,** 1994, *Adscita* (*Zygaenoprocris*) *naumanni* sp.n. from Afghanistan (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 45: 53-56, 7 figs.
- 2008. Efetov, K.A.,** 1994, The biology and description of the larva of *Adscita* (*Zygaenoprocris*) *minna* Efetov, 1991 (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 45: 115-121, 9 figs.
- 2009. Efetov, K.A.,** 1997, Two new species of the genus *Artona* Walker, 1854 (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 48: 165-177, 19 figs.
- 2010. Efetov, K.A.,** 1997, *Thibetana witti* sp.nov. from Tibet (Lepidoptera, Zygaenidae, Procrinae). Entomofauna 18 (30): 509-513, 10 figs.
- 2011. Efetov, K.A.,** 1997, Three new species of the genus *Illiberis* Walker, 1854, from Taiwan and Vietnam (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 48: 231-244, figs.
- 2012. Efetov, K.A.,** 1998, A revision of the genus *Goea* Hampson, [1893] (Lepidoptera, Zygaenidae, Procrinae), with descriptions of two new species. Entomologist's Gaz. 49(1): 49-62, figs.
- 2013. Efetov, K.A.,** 2001, On the systematic position of *Zygaenoprocris* Hampson, 1900 (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 52: 41-48, 15 figs.
- 2014. Efetov, K.A.,** 2001, An annotated check-list of Forester moths (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 52: 153-162, figs.
- 2015. Effendi, R.M.E.,** 1984, Foodplants of *Anthocharis gruneri armeniaca* Christoph (Lepidoptera, Pieridae). Vestn. Zool. 1984 (5): 74.
- 2016. Effendi, R.M.E.,** 1987, On the colour variation of *Zygaena tamara* Christoph (Lepidoptera: Zygaenidae). Vestn. Zool. 1987(2): 38.
- 2017. Eghtedar, E.,** 1988, Some researches on Codling Moth in Fars Province. Ent. phyt. Appl. 55(1/2): 27, 99-109 (persian pages).
- 2018. Ehrlich, P.R.,** 1958, The comparative morphology, phylogeny and higher classification of the butterflies (Lepidoptera, Papilionoidea). Univ. Kans. Sci. Bull. 39(8): 305-370.
- 2019. Eimer, G. H. T.,** 1889-1895, Die Artbildung der Verwandtschaft bei den Schmetterlingen. Jena.
- 2020. Eisner, C. & S. Wagoner,** 1974, Zwei neue Unterarten von *Allancastris cerisyi* Godart aus Anatolien (Lepidoptera, Parnassidae). Zool. Meded. 48(10): 81-83, figs.
- 2021. Eisner, C.,** 1928, Neue *Parnassius*-Formen. Int. ent. Z. 22: 302.
- 2022. Eisner, C.,** 1928, Eine neue spanische *Apollo*-Rasse, *Parnassius apollo*, forma *kricheldorfii* (m.). Int. ent. Z. 22: 309-311, figs. 1-3.
- 2023. Eisner, C.,** 1929, *Parnassius apollo* L. var. *suevicus* Pag. (v. thiemo Fr.) ab. *complexa* (m.). Ent. Z., Frankf. a. M. 23: 11, 1 fig.
- 2024. Eisner, C.,** 1930, Eine neue Rasse von *P. simo* Gray. *Parnassiana* 1 (3): 5.
- 2025. Eisner, C.,** 1930, *P. nomion* subsp. *chosensis* O.B.H. ab. *flavocellata* (m.). *Parnassiana* 1 (4): 6.
- 2026. Eisner, C.,** 1930, Eine neue Rasse von *P. simo* Gray. *Parnassiana* 1 (3): 5.
- 2027. Eisner, C.,** 1932, Ist *Parnassius mephisto* Hering eine gute subspecies? *Parnassiana* 2: 9-10.
- 2028. Eisner, C.,** 1932, *P. actius* subsp. *pseudobrutus* Bryk & Eisner. *Parnassiana* 2: 11-12.
- 2029. Eisner, C.,** 1932, Eine neue subspecies von *P. cephalus* Gr. Gr. *Parnassiana* 2: 15-16, figs. 1-2.
- 2030. Eisner, C.,** 1932, *Parnassius epaphus* subsp. *gyaella* (nova subsp.). *Parnassiana* 2: 68.
- 2031. Eisner, C.,** 1933, Two new subspecies of *Parnassius accestis* (Lep., Papilionidae). Entomologist 66: 169-170, pl. 4.
- 2032. Eisner, C.,** 1936, Die zweite Generation von *Parnassius apollo* L. *Parnassiana* 3: 108.
- 2033. Eisner, C.,** 1936, Eine neue Rasse von *Parnassius mnemosyne* L. *Parnassiana* 3: 108.
- 2034. Eisner, C.,** 1936, *P. mnemosyne* subsp. *bulgarica* (subsp. nova). *Parnassiana* 4: 9.
- 2035. Eisner, C.,** 1936, *P. mnemosyne* subsp. *bulgarica* (subsp. nova). *Parnassiana* 4: 9.
- 2036. Eisner, C.,** 1936, Zwei neue *Parnassius*-Formen. *Parnassiana* 4: 14.
- 2037. Eisner, C.,** 1937, Zwei neue Unterarten von *Parn. mnemosyne*. *Parnassiana* 5: 15-16.
- 2038. Eisner, C.,** 1938, Eine neue Unterart von *P. mnemosyne* L. *Parnassiana* 6: 6.
- 2039. Eisner, C.,** 1938, Randbemerkungen zu *P. actius* subsp. *sulla* (n.). *Parnassiana* 5: 30.
- 2040. Eisner, C.,** 1938, Die Beck'sche Ausbeute in Parnassien aus Kansu im Zoologischen Museum der Universität Berlin. *Parnassiana* 5: 49.
- 2041. Eisner, C.,** 1938, Neue *Parnassius*-Formen. *Parnassiana* 5: 29.

- 2042.** Eisner,C., 1938, Zwei neue Parnassier. Parnassiana 5: 29-30.
- 2043.** Eisner,C., 1938, P. mnemosyne clorinda Kolar u. Querci. Parnassiana 5: 30.
- 2044.** Eisner,C., 1938, Beitrag zur Kenntnis von T. simo (Gray). Parnassiana 5: 55-56.
- 2045.** Eisner,C., 1939, Zwei neue Parnassius-Unterarten aus Korea. Parnassiana 6: 38-39.
- 2046.** Eisner,C., 1939, Eine interessante Parnassius-Ausbeute. Parnassiana 6: 39-43.
- 2047.** Eisner,C., 1939, P. glacialis subsp. shikokuensis Nakahara. Parnassiana 6: 48.
- 2048.** Eisner,C., 1939, Parnassius glacialis subsp. aomoriensis (ssp.n.). Parnassiana 6: 49-50.
- 2049.** Eisner,C., 1939, zu P. subbendorfi koyaensis O.Bang-Haas. Parnassiana 6: 59.
- 2050.** Eisner,C., 1939, Koramius delphius im Tianschan. Parnassiana 6: 58.
- 2051.** Eisner,C., 1940, Parnassius honrathi afghanistanus nov. subsp. Temminckia 5: 264-265.
- 2052.** Eisner,C., 1952, Eine neue Rasse von Parnassius bremeri Feld. Bonn. zool. Beitr. 3: 90.
- 2053.** Eisner,C., 1954, Parnassiana nova i. Kritische Revision der Gattung Parnassius (Fortsetzung I). Zool. Meded 33: 41-48.
- 2054.** Eisner,C., 1954, Parnassiana nova iii. Einige neue Formen in der Familie Parnassiidae. Zool. Meded 33: 55-57.
- 2055.** Eisner,C., 1954, Parnassiana nova ii. Archon apollinus Herbst. Zool. Meded. 33 (7): 49-53, Leiden.
- 2056.** Eisner,C., 1955, Parnassiana nova iv. Kritische Revision der Gattung Parnassius (Fortsetzung 2). Zool. Meded 33: 127-156, pl.23.
- 2057.** Eisner,C., 1955, Parnassiana nova v. Nomina collectiva. Zool. Meded 33: 177-179.
- 2058.** Eisner,C., 1955, Parnassiana nova vi. Kritische Revision der Gattung Parnassius (Fortsetzung 3). Zool. Meded 33: 181-207, pl.24.
- 2059.** Eisner,C., 1955, Parnassiana nova vii. Kritische Revision der Gattung Parnassius (Fortsetzung 4). Zool. Meded 34: 1-16.
- 2060.** Eisner,C., 1956, Parnassiana nova viii. Kritische Revision der Gattung Parnassius (Fortsetzung 5). Zool. Meded 34: 155-172, pls.1-2.
- 2061.** Eisner,C., 1956, Parnassiana nova ix. Kritische Revision der Gattung Parnassius (Fortsetzung 6). Zool. Meded 34: 201-222.
- 2062.** Eisner,C., 1956, Parnassiana nova x. Zwei neue nordamerikanische Parnassius subspecies. Zool. Meded 34: 243-245, pl.3.
- 2063.** Eisner,C., 1956, Parnassiana nova xi. Kritische Revision der Gattung Parnassius (Fortsetzung 7). Zool. Meded 34: 247-270.
- 2064.** Eisner,C., 1957, Parnassiana nova xii. Kritische Revision der Gattung Parnassius (Fortsetzung 8). Zool. Meded 35: 33-49.
- 2065.** Eisner,C., 1957, Parnassiana nova xiii. Vier neue Hybriden. Zool. Meded 35: 51-53, pl.1.
- 2066.** Eisner,C., 1957, Parnassiana nova xiv. Kritische Revision der Gattung Parnassius (Fortsetzung 9). Zool. Meded 35: 79-111, pl.4.
- 2067.** Eisner,C., 1957, Parnassiana nova xv. Kritische Revision der Gattung Parnassius (Fortsetzung 10). Zool. Meded 35: 177-203.
- 2068.** Eisner,C., 1957, Parnassiana nova xvi. Kritische Revision der Gattung Parnassius (Fortsetzung 11). Zool. Meded 35: 241-260.
- 2069.** Eisner,C., 1957, Parnassiana nova xvii. Kritische Revision der Gattung Parnassius (Fortsetzung 12). Zool. Meded 35: 283-298.
- 2070.** Eisner,C., 1958, Parnassiana nova xviii. Varia. Zool. Meded 36: 1-3.
- 2071.** Eisner,C., 1958, Parnassiana nova xix. Kritische Revision der Gattung Parnassius (Fortsetzung 13). Zool. Meded 36: 5-32.
- 2072.** Eisner,C., 1958, Parnassiana nova xx. Kritische Revision der Gattung Parnassius (Fortsetzung 14). Zool. Meded 34: 77-82.
- 2073.** Eisner,C., 1958, Parnassiana nova xxi. Kritische Revision der Gattungen Lingamius und Koramius. Zool. Meded 36: 83-112.
- 2074.** Eisner,C., 1958, Parnassiana nova xxii. Kritische Revision der Gattungen Lingamius und Koramius (Fortsetzung 2). Zool. Meded 36: 143-163.
- 2075.** Eisner,C., 1966, Parnassiidae-Typen in der Sammlung J.C.Eisner. Zool. Verh., Leiden 81: 1-190, 84 Pls.
- 2076.** Eisner,C., 1968, Parnassiana nova XLIII. Nachträgliche Betrachtungen zu der Revision der Subfamilie Parnassiinae (Fortsetzung 16). Zool. Meded 43 (2): 9-17, 2 Taf.
- 2077.** Eisner,C., 1978, Parnassiana nova LIII. Vier neue Parnassius Unterarten. Zool. Meded. 53 (11): 107-109, Taf.2.
- 2078.** Eisner,C., 1979, Parnassiana nova LVI. Koramius patricius haugumensis, eine neue Unterart aus Kirgistan. Zool. Meded. 54 (19): 279-280, 1 Pl.
- 2079.** Eisner,C., 1980, Autobibliographie. Nota lepid. 2(4): 127-135.
- 2080.** Eitschberger,E., 1996, Herbert Seidlein, 1936-1995. Atalanta 27 (1/2): i-ii, Abb.
- 2081.** Eitschberger,U. & H.Steiniger, 1973, Wanderfalterbeobachtungen im Sommer 1972 aus der Iberischen Halbinsel. Atalanta 4(6): 361-376, map.
- 2082.** Eitschberger,U. & H.Steiniger, 1973, Eine neue Unterart von Pieris manni aus Südspanien, zugleich ein Beitrag zur Verbreitung von P.manni und P.ergane in Spanien (Lep., Pieridae). Ent. Z., Frankf. a. M. 83: 65-72.
- 2083.** Eitschberger,U. & H.Steiniger, 1973, Beschreibung der Frühjahrgeneration von Pieris manni roberti Eitschberger & Steiniger,1973 und die Verbreitung dieser Unterart in Südspanien (Lep., Pieridae). Atalanta 4 (5): 335-343.
- 2084.** Eitschberger,U. & H.Steiniger, 1975, Ergänzender Beitrag zur Verbreitung und Biologie von Pieris ergane und Pieris manni in Spanien (Lep., Pieridae). Ent. Z., Frankf. a. M. 85(10): 117-120, 3 Abb.
- 2085.** Eitschberger,U. & H.Steiniger, 1975, Die geographische Variation von Eumedonia eumedon (Esper,1780) in der westlichen Palaearktis (Lep., Lycaenidae). Atalanta 6(2): 84-125, 3 Abb., Taf.
- 2086.** Eitschberger,U. & M.Ströhle, 1987, Eine neue Art der Gattung Isoceras Turati, 1924 aus der Türkei (Lepidoptera, Cossidae). Atalanta 18: 93-95, 21 figs.
- 2087.** Eitschberger,U. & M.Ströhle, 1990, Die Strukturen des Eies von Colias crocea (Fourcroy,1785) und Colias myrmidone (Esper,1781) im Vergleich (Lepidoptera, Pieridae). Atalanta 21(3/4): 229-234, 14 Abb.
- 2088.** Eitschberger,U. & M.Ströhle, 1990, Zehnte Ergänzung zu "Systematische Untersuchungen am Pieris napi-bryoniae-Komplex (s.l.)". Aufzucht und Beschreibung der Praeimaginalstadien von Pieris bryoniae adalwinda Fruhstorfer,1909 und der Phaenotyp der Imagines (Lepidoptera, Pieridae). Atalanta 21(3/4): 239-252, Taf.v-ix.
- 2089.** Eitschberger,U. & M.Wiemers, 1990, Dreizehnte Ergänzung zu "Systematische Untersuchungen am Pieris napi-bryoniae-Komplex (s.l.)". Das Ei von Pieris cheiranthi (Hübner,1806) (Lepidoptera, Pieridae). Atalanta 21(3/4): 265-268, 4 Abb.
- 2090.** Eitschberger,U. & P.Hofmann, 2002, Morphologische Untersuchungen an einigen Aporia crataegi-Populationen aus dem Iran (Lepidoptera, Pieridae). Atalanta 33 (3/4): 373-387.
- 2091.** Eitschberger,U. & P.Stamer, 1990, Cacyreus marshalli Butler,1898, eine neue Tagfalterart für die europäische fauna? (Lepidoptera, Lycaenidae). Atalanta 21 (1/2): 101-108.
- 2092.** Eitschberger,U. & V.A.Lukhtanov, 1992, Ein Totalmelanismus bei Aporia crataegi (Linnaeus,1758). Atalanta 23(1/2): 107, Abb.4.
- 2093.** Eitschberger,U. & V.A.Lukhtanov, 1994, Eine neue Unterart von Oeneis tarpeia Pallas,1717 aus Buratien im Transbaikal (Lepidoptera, Satyridae). Atalanta 25 (1/2): 163-166, Pl.Va.

- 2094.** Eitschberger, U. & V.A. Lukhtanov, 1996, Neue Unterarten und Namen bei westpaläarktischen Sphingiden (Lepidoptera, Sphingidae). *Atalanta* 27(3/4): 615-621.
- 2095.** Eitschberger, U. & V. Zolotuhin, 1997, Die Gattung *Dolbina* Staudinger, 1877 mit der Beschreibung eines neuen Subgenus *Elegodolba* subgen. nov. (Lepidoptera, Sphingidae). *Atalanta* 28(1/2): 135-144, 5 Abb.
- 2096.** Eitschberger, U., 1969, Die Unterscheidung Merkmale der europäischen Arten der Gattung *Pieris* Schrank. *Atalanta* 2: 211-233, 14 figs.
- 2097.** Eitschberger, U., 1972, Zur Frage der Hybridnatur von *Pieris napi* (L.) mit *bryoniae* O. im nichtalpinen Raum. *Atalanta* 4(1): 3-14 3 Taf., Abb.
- 2098.** Eitschberger, U., 1972, Eine neue Rasse von *Amathes c-nigrum* (Linné) aus Spanien (Lep., Noctuidae). *Atalanta* 4(1): 14-21, 3 Taf.
- 2099.** Eitschberger, U., 1972, Wanderfalterbeobachtungen im Juni 1970 in Spanien. Zugleich ein Beitrag über Gonadenuntersuchungen an Wanderfaltern. *Atalanta* 4(1): 21-43, 3 Abb.
- 2100.** Eitschberger, U., 1976, Prof. Dr. phil. Dr. hc. Hans Burgeff 1883-1976. *Atalanta* 7(3): 105-109, Abb.
- 2101.** Eitschberger, U., 1990, Beitrag zur Kenntnis der Präimaginalstadien, der Biologie und der Variabilität einer Population von *Aporia crataegi* (Linnaeus, 1758) (Lepidoptera, Pieridae). *Atalanta* 21(3/4): 213-222, Taf. iv.
- 2102.** Eitschberger, U., 1990, Die REM-Darstellung des Eies und einiger Details des letzten Raupenstadiums von *Anthocharis cardamines* (Linnaeus, 1758) (Lepidoptera, Pieridae). *Atalanta* 21(3/4): 223-228, 12 Abb.
- 2103.** Eitschberger, U., 1990, Die REM-Darstellung des Eies von *Gonepteryx rhamni* (Linnaeus, 1758) (Lepidoptera, Pieridae). *Atalanta* 21(3/4): 235-237, 5 Abb.
- 2104.** Eitschberger, U., 1990, Zwölfte Ergänzung zu "Systematische Untersuchungen am *Pieris napi-bryoniae*-Komplex (s.l.)". Die Puppe von *Pieris brassicoides brassicoides* Guérin, 1849 (Lepidoptera, Pieridae). *Atalanta* 21(3/4): 261-264, Taf.
- 2105.** Eitschberger, U., 1990, Die Taxa der *Pieris napi*-Gruppe in Südeuropa dem Balkan, der Türkei und Persien (Lepidoptera, Pieridae). *Atalanta* 21(3/4): 269-271.
- 2106.** Eitschberger, U., 1993, Zur Artverschiedenheit der europäischen *Iphiclides*-Arten (Lepidoptera, Papilionidae). *Atalanta* 24(1/2): 9-13, 12 Abb.
- 2107.** Eitschberger, U., 1993, Die Struktur der Eihüllen einiger *Papilio*-Arten im Vergleich unter dem REM/SEM (Lepidoptera, Papilionidae). *Atalanta* 24(1/2): 15-32, 46 Abb.
- 2108.** Eitschberger, U., 1993, *Phlogophora lamii* Schädewald, 1992- Zur Verbreitung dieser Art (Lepidoptera, Noctuidae). *Atalanta* (1992) 23(3/4): 593-597, pls.
- 2109.** Eitschberger, U., 1993, *Autographa messmeri* Schädewald, 1992 und *Autographa voelkeri* Schädewald, 1992- Anmerkungen zur Verbreitung beider Arten (Lepidoptera, Noctuidae). *Atalanta* (1992) 23(3/4): 581-587, pls.
- 2110.** Eitschberger, U., 2001, Fünzehnte Ergänzung zu "Systematische Untersuchungen am *Pieris napi-bryoniae*-Komplex (s.l.)" Eine neue Unterart von *Pieris napi* (Linnaeus, 1758) vom Polar Ural (Lepidoptera, Pieridae). *Atalanta* 32 (1/2): 85-88, pl. 1.
- 2111.** Eitschberger, U., 2002, Revidierte Checkliste der Gattungen *Amorpha* Hübner, [1819], *Laothoe* Fabricius, 1807, *Pachysphinx* Rothschild & Jordan, 1903 und *Phyllosphinxia* Swinhoe, 1897, mit den Abbildungen der Genitalstrukturen einiger Arten (Sphingidae). *Neue ent. Nachr.* 23: 151-195, figs.
- 2112.** Eitschberger, U., 2002, Revidierte Checkliste der Gattungen *Paonias* Hübner, [1819], sowie *Smerinthus* Latreille, [1802], mit der Beschreibung neuer *Paonias*-Arten (Lepidoptera, Sphingidae). *Neue ent. Nachr.* 23: 85-149, figs.
- 2113.** Eitschberger, U., 2003, Eine neue Meganoton-Art aus Südthailand (Lepidoptera, Sphingidae). *Neue ent. Nachr.* 54: 139-147, figs.
- 2114.** Eitschberger, U., 2003, Eine neue Art der Gattung *Leucophrisia* Westwood, 1847 aus dem Norden Thailands (Lepidoptera, Sphingidae). *Atalanta* 34 (1/2): 209-217, figs.
- 2115.** Eitschberger, U., 2003, Revision und Neugliederung der Schwärmer-Gattung *Leucophrisia* Westwood, 1847 (Lepidoptera, Sphingidae). *Neue ent. Nachr.* 56: 1-400, pls.
- 2116.** Eitschberger, U., [1984], Systematische Untersuchungen am *Pieris napi-bryoniae*-Komplex (s.l.) (Lepidoptera, Pieridae). *Herbipoliana* 1 (1): xxii+504pp., 1(2): 601pp. Markt Leuthen.
- 2117.** Eitschberger, U., Danner, F. & B. Surholt, 1992, Zweiter Beitrag zu "Taxonomische Veränderungen bei den Sphingiden Europas" und die Beschreibung einer neuen *Sphinx*-Unterart aus der Türkei (Lepidoptera, Sphingidae). *Atalanta* 23 (1/2): 245-247, pl. iv.
- 2118.** Elekçioğlu, N. Z. & N. Uygun, 2006, The Parasitoid complex of the Citrus Leafminer, *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae) in the East Mediterranean region of Turkey and their role in biological control. *Turk. J. Zool.* 30: 155-160.
- 2119.** Eliot, J. N. & A. Kawazoe, 1984, Blue butterflies of the *Lycaenopsis* group. 306 pp., 6 Pls., figs. British Museum (Natural History), London.
- 2120.** Eliot, J. N. & L. G. Kirton, 2000, Revisional notes and nomenclatural changes of some peninsular Malaysian butterflies. *Malayan Nat. J.* 54: 131-141.
- 2121.** Eliot, J. N., 1955, Notes on the *Nacaduba hermus* (C. Felder) complex (Lepidoptera, Lycaenidae). *Proc. R. ent. Soc. Lond. (B)* 24 (9/10): 153-158.
- 2122.** Eliot, J. N., 1956, New and little known *Rhopalocera* from the Oriental Region. *Bull. Raffles Mus.* 27: 32-38, 3 figs.
- 2123.** Eliot, J. N., 1957, Notes on the genus *Poritia* Moore (Lepidoptera, Lycaenidae). *Entomologist* 90 (3): 70-74, 18 figs.
- 2124.** Eliot, J. N., 1959, New and little known butterflies from Malaya. *Bull. Br. Mus. nat. Hist. (Ent.)* 7 (8): 369-391, 7 figs., pl. 10.
- 2125.** Eliot, J. N., 1960, A new species of *Potanthus* (Hesperiidae) and some other butterflies from Malaya. *Entomologist* 93 (12): 241-245, 2 figs.
- 2126.** Eliot, J. N., 1962, On some Lycaenidae and Hesperidae from Malaya. *Entomologist* 95 (9): 217-225, 2 figs. pl. 4
- 2127.** Eliot, J. N., 1963, The *Heliophorus epicles* (Godart, 1823) [sic] (Lepidoptera, Lycaenidae) Complex. *Entomologist* 96 (8): 169-180, 14 figs.
- 2128.** Eliot, J. N., 1963, A key to the Malayan species of *Arhopala* Boisduval, 1832. *Malayan Nat. J.* 17: 188-217.
- 2129.** Eliot, J. N., 1964, An analysis of the genus *Deramas* Distant (Lepidoptera, Lycaenidae, Poritiinae). *Entomologist* 97 (11): 241-247, 6 figs.
- 2130.** Eliot, J. N., 1967, The sakra Moore, 1857 Section of the satyrid genus *Ypthima* Hübner. *Entomologist* 100 (3): 49-61, figs.
- 2131.** Eliot, J. N., 1967, Revisional notes on Oriental butterflies, with special reference to Malaya. *Entomologist* 100: 3-7, 137-141, 146-156, figs.
- 2132.** Eliot, J. N., 1969, An analysis of the Eurasian and Australian Neptini (Lepidoptera, Nymphalidae). *Bull. Br. Mus. (Nat. Hist.) Ent., Suppl.* 15: 1-150, Pls.
- 2133.** Eliot, J. N., 1969, More revisional notes on oriental butterflies. *Entomologist* 102 (12): 269-278, 8 figs. pl. 9.
- 2134.** Eliot, J. N., 1970, New *Deramas* from Borneo (Lepidoptera, Lycaenidae). *Entomologist* 103 (2): 30-32, 2 figs.
- 2135.** Eliot, J. N., 1970, A new Skipper and a Swallowtail aberration from Malaya (Lepidoptera, Rhopalocera). *Entomologist* 103 (2): 73-74, 1 pl.
- 2136.** Eliot, J. N., 1972, Some *Arhopala* from Borneo with a revision of the *Arhopala cleander* Group (Lepidoptera, Lycaenidae). *J. nat. Hist.* 6 (1): 1-15, 21 figs.
- 2137.** Eliot, J. N., 1973, More revisional notes on Oriental butterflies. *Entomologist* 106 (1): 1-15, 10 figs.
- 2138.** Eliot, J. N., 1973, The higher classification of the Lycaenidae (Lepidoptera): A tentative arrangement. *Bull. Br. Mus. (Nat. Hist.) Ent.* 28 (6): 373-505, figs., 6 Pls.
- 2139.** Eliot, J. N., 1975, A new lycaenid butterfly from West Malaysia, and an allied species from Papua New Guinea. *Malay. Nat. J.* 28 (2) (Dec. 1974): 110-112, pl. 1.

- 2140.** Eliot, J.N., 1978, [Descriptions new taxa], [in] Corbet, A.S. & H.M. Pendlebury, The Butterflies of the Malay Peninsula. 3rd ed., xiv + 578 pp. 35 pls., 438 genitalia figs. Malayan Nature Society, Kuala Lumpur.
- 2141.** Eliot, J.N., 1980, New information on the butterflies of the Malay Peninsula. Malay. Nat. J. 33: 137-155, 16 figs.
- 2142.** Eliot, J.N., 1982, On three swallowtail butterflies from Peninsular Malaysia. Malay. Nat. J. 35: 179-182.
- 2143.** Eliot, J.N., 1983, *Pathysa antiphates pulauensis* nom.n. Malay. Nat. J. 36: 284.
- 2144.** Eliot, J.N., 1984, On some butterflies from Malaysia and Peninsular Thailand. Malay. Nat. J. 38: 99-111, 8 figs.
- 2145.** Eliot, J.N., 1986, Additions and nomenclatural changes to the Lycaenid and Hesperiid butterflies of the Malay Peninsula. Malay. Nat. J. 39: 221-224, 2 figs.
- 2146.** Eliot, J.N., 1986, A review of the Miletini (Lepidoptera, Lycaenidae). Bull. Br. Mus. (Nat. Hist.) Ent. 53 (1): 1-105, 108 figs.
- 2147.** Eliot, J.N., 1987, On Some Butterflies from Nepal, Bhutan and Thailand. Tyo to Ga 38 (1): 21-29.
- 2148.** Eller, K., 1936, Die Rassen von *Papilio machaon* L. Abh. bayer. Acad. Wiss. (N.F.) 36: xiv+96 pp.
- 2149.** Eller, K., 1938, Zur Rassen- und Artfrage, untersucht an dem Formenkreis von *Papilio machaon* L. (Lep., Rhopalocera). Z. angew. Ent. 24: 145-149, 2 Abb.
- 2150.** Eller, K., 1939, Fragen und Probleme zur Zoogeographie und zur Rassen- und Artbildung in der *Papilio machaon*-Gruppe. Verh. VII. Int. Kongr. Ent. 1938 (1): 74-101, Pls.
- 2151.** Ellison, R.E. & E.P. Wiltshire, 1939, The Lepidoptera of the Lebanon: with notes on their season and distribution [Introduction]. Trans. R. ent. Soc. Lond. 88 (1): 1-11.
- 2152.** Ellison, R.E., 1939, [in] Ellison, R.E. & E.P. Wiltshire, The Lepidoptera of the Lebanon: with notes on their season and distribution Part I. Rhopalocera. Trans. R. ent. Soc. Lond. 88 (1): 11-23.
- 2153.** Eltringham, H., 1911, Preliminary description of some new or little-known forms of the genus *Acraea*. Novit. zool. 18: 149-153.
- 2154.** Eltringham, H., 1912, A monograph of the African species of the genus *Acraea* Fab., with a supplement on those of the Oriental Region. Trans. ent. Soc. London 1912: 1-374, 16 Pls.
- 2155.** Elwes, H.J. & J. Edwards, 1897, A Revision of the oriental Hesperiidæ. Trans. zool. Soc. Lond. 14 (4) 101-324, pls. 18-27.
- 2156.** Elwes, H.J. & J. Edwards, 1893, A Revision of the Genus *Ypthima*, with special reference to the characters afforded by the male genitalia. Trans. ent. Soc. London 1893: 1-54, Pl. 3.
- 2157.** Elwes, H.J., 1881, On the butterflies of Amurland, North China and Japan. Proc. zool. Soc. Lond. 1881: 858-916.
- 2158.** Elwes, H.J., 1885, On the genus *Aulocera* Butler. Entomologist's mon. Mag. 22: 10-12.
- 2159.** Elwes, H.J., 1889, A revision of the genus *Argynnis*. Trans. Ent. soc. London 1889 (4): 535-575, [3 figs].
- 2160.** Elwes, H.J., 1891, On butterflies collected by Mr. W. Doherty in the Naga and Karen Hills and in Perak, Part I. Proc. zool. Soc. Lond. 1891 (2): 249-289, pl. 27.
- 2161.** Elwes, H.J., 1892, On butterflies collected by Mr. W. Doherty in the Naga and Karen Hills and in Perak, Part II. Proc. zool. Soc. Lond. 1892 (4): 617-664, pls. 43, 44.
- 2162.** Elwes, H.J., 1896, Notes on *Coenonympha tiphon* and its allies. Entomologist's Rec. J. Var. 8: 228-230.
- 2163.** Elwes, H.J., 1899, On the Lepidoptera of the Altai mountains. Trans. ent. Soc. Lond. 1899: 295-367, Pls. 11-14.
- 2164.** Elwes, H.J., 1906, Butterflies, [in] Elwes, H.J., Hampson, G. & J.H. Durrant, On the Lepidoptera collected by the Officers on the recent Tibet Frontier Commission. Proc. zool. Soc. Lond. 1906: 479-485, Pl. 36.
- 2165.** Elwes, H.J., 1906, *Lycaena atlantica* Elwes, [in] Meade-Waldo, E.G.D., On a collection of butterflies made in Morocco in 1900-01-02. Trans. ent. Soc. London 53(4): 369-381, 2 Pls.
- 2166.** Embacher, G., 1976, Neue Macrolepidopterenfunde in Salzburg. NachrBl. bayer. Ent. 25(5): 81-89.
- 2167.** Embacher, G., 1979, Neue Macrolepidopterenfunde in Salzburg. 2. Beitrag. NachrBl. bayer. Ent. 28(3): 55-60.
- 2168.** Embacher, G., 1982, Neue Macrolepidopterenfunde in Salzburg. 3. Beitrag. NachrBl. bayer. Ent. 31(2): 17-23.
- 2169.** Embacher, G., 1994, Zwei neue Sesiiden-Arten für die Fauna Salzburgs. NachrBl. bayer. Ent. 43 (3/4): 46-47.
- 2170.** Emich, G., 1872, Beitrag zur Lepidopteren-Fauna Transkaukasiens und Beschreibung zwei neuer Arten. Horae Soc. ent. ross. 9: 40-44, Tab.
- 2171.** Emmel, T.C., et al., 1996, A butterfly expedition to Armenia. Holarctic Lepidoptera 3(2): 36-41.
- 2172.** Engel, D.E., 1987, Beitrag zur Faunistik der hessischen Tagfalter (Insecta, Lepidoptera, Papilionoidea). Nachr. ent. Ver. Apollo, Suppl. 7: 1-116.
- 2173.** Englert, W.D., 1974, Revision der Gattung *Metzneria* Zeller (Lepid., Gelechiidae) mit Beiträgen zur Biologie der Arten. Z. angew. Ent. 75 (4): 381-421, 27 Abb.
- 2174.** Epstein, H.J., 1980, The foodplant of *Erebia aethiopella* (Hoffmannsegg, 1806) (Satyridae). Nota lepid. 2(4): 137-138.
- 2175.** Erhart, S., Kratochvil, H. & M. Lödl, 1991, Schwimmende Gelbfallen zum Anlocken von Insekten. Entomologentagung Wien, 1991.
- 2176.** Erhart, S., Kratochvil, H. & M. Lödl, 1993, Fang von Anfluginskten mittels "schwimmender Gelbfallen". Mitt. dt. Ges. allg. angew. Entomol. 8 (Verhbd. Wien).
- 2177.** Erichson, W.F., 1834, Lepidoptera [in] Meyens Beiträge zur Zoologie, gesammelt auf einer Reise um die Erde. Acta Acad. Leopold. Carol. 16 (suppl. 1): 219-284, 1 Taf.
- 2178.** Erschoff, N.G., 1872, Notice Lépidoptérologique. Horae Soc. ent. ross. 9: 160.
- 2179.** Erschoff, N.G., 1874, Lepidopteren von Turkestan, [in] A.P. Fedtschenko, Reise in Turkestan, 2. Lieferung, Zoogeographische Untersuchungen Theil V, Abtheilung 3. 128 S., 6 Tafeln. St. Petersburg & Moskau. Stettin. ent. Ztg. 35: 386-417.
- 2180.** Erschoff, N.G., 1877, Diagnosen neuer Lepidopteren aus den verschiedenen Provinzen des Russischen Reiches. Horae Soc. ent. ross. 12: 336-348.
- 2181.** Erschoff, N.G., 1885, Verzeichniss von Schmetterlingen aus Central Sibirien. [in] Romanoff, Mém. lépid. 2: 208-211.
- 2182.** Esaki, T., 1936, A new butterfly of the genus *Oeneis* from the Azores. Annotes zool. jap. 15: 483-485.
- 2183.** Esartiya, G.K., 1988, Some peculiarities of distribution of Tortricidae (Lepidoptera) on the southern slopes of Caucasus Major in Eastern Gruzia and description of new species. Ent. Obozr. 1988: 131-141, figs.
- 2184.** Escherich, K., 1897, Bilder aus der Asiatischen Türkei. Allg. Ztg. 156/157: 1-36 (Sonderabdruck aus der Beilage).
- 2185.** Eschscholtz, J.F., 1821, Beschreibung neuer ausländischer Schmetterling. [in] Chamisso, A.v., Bemerkungen und Ansichten auf einer Entdeckungsreise O.v. Kutzbue's [sic] 3: 202-216. Weimar.
- 2186.** Evans, W.H., 1912, A list of Indian Butterflies. J. Bombay nat. Hist. Soc. 21 (2): 553-584; (3): 969-1008.
- 2187.** Evans, W.H., 1915, A list of butterflies caught by Capt. F.M. Bailey in S.E. Tibet during 1913. J. Bombay nat. Hist. Soc. 23: 532-546, Pl.
- 2188.** Evans, W.H., 1922, Butterfly collecting in India. J. Bombay nat. Hist. Soc. 28: 500-517, 9 text-figs.
- 2189.** Evans, W.H., 1922, The identification of Indian Butterflies (Introduction). J. Bombay nat. Hist. Soc. 28: 740-747, 2 text-figs.
- 2190.** Evans, W.H., 1923, The identification of Indian Butterflies, Pt. I. Papilionidae, Pieridae. J. Bombay nat. Hist. Soc. 29: 230-260, pl. i-ix.
- 2191.** Evans, W.H., 1923, The identification of Indian Butterflies, Pt. II. Danaidae, Satyridae. J. Bombay nat. Hist. Soc. 29: 519-537, pls.
- 2192.** Evans, W.H., 1923, The identification of Indian Butterflies, Pt. III. Satyridae (cont.). J. Bombay nat. Hist. Soc. 29: 780-797, 4 pls.

- 2193. Evans, W.H.,** 1924, Notes on Indian butterflies. J. Bombay nat. Hist. Soc. 29: 971-973.
- 2194. Evans, W.H.,** 1926, The Identification of Indian Butterflies. Part ix. Hesperidae. J. Bombay nat. Hist. Soc. 31 (1): 49-83, Taf.30.
- 2195. Evans, W.H.,** 1927, Lepidoptera- Rhopalocera obtained by Mme J. Visser-Hooft of the Hague (Holland) during an exploration of previously unknown country in the Western Karakorum, N.W. India. Tijdschr. Ent. 70: 158-162.
- 2196. Evans, W.H.,** 1927, Identification of Indian butterflies. xviii + 302 pp., 32 Pls. Madras.
- 2197. Evans, W.H.,** 1932, The Identification of Indian Butterflies (2nd edn.). x + 454pp., Madras.
- 2198. Evans, W.H.,** 1934, Indo-Australian Hesperidae; descriptions of new genera, species and subspecies, parts 1-6. Entomologist 67: 33-36, 61-65, 148-151, 181-184, 206-209, 231-234.
- 2199. Evans, W.H.,** 1937, Indo-Australian Hesperidae; descriptions of new genera, species and subspecies, Parts 9-12. Entomologist 70: 16-19, 38-40, 64-66, 81-83.
- 2200. Evans, W.H.,** 1937, A Catalogue of the African Hesperidae indicating the classification and nomenclature adopted in the British Museum. xii+212 pp., 30pls. London.
- 2201. Evans, W.H.,** 1941, A revision of the genus *Erionota* Mabille (Lep., Hesperidae). Entomologist 74: 158-160.
- 2202. Evans, W.H.,** 1941, Changes in nomenclature affecting Malayan Hesperidae (Lepidoptera). Entomologist 74 (11): 244-246.
- 2203. Evans, W.H.,** 1941, The callineura Group of the genus *Platingia* Butler (Lepidoptera, Hesperidae). Ann. Mag. nat. Hist. (11) 8: 66-71.
- 2204. Evans, W.H.,** 1943, A revision of the genus *Suastus* Moore (Lepidoptera, Hesperidae). Proc. R. ent. Soc. Lond. (B) 12 (7/8): 95-96.
- 2205. Evans, W.H.,** 1943, A revision of the genus *Aeromachus* de N. (Lepidoptera, Hesperidae). Proc. R. ent. Soc. Lond. (B) 12 (7/8): 97-101.
- 2206. Evans, W.H.,** 1947, Revisional Notes on African Hesperidae. Ann. Mag. nat. Hist. (11) 13: 641-648.
- 2207. Evans, W.H.,** 1949, A Catalogue of the Hesperidae from Europe, Asia and Australia in the British Museum (Natural History). London.
- 2208. Evans, W.H.,** 1954, A revision of the genus *Curetis* (Lepidoptera, Lycaenidae). Entomologist 87: 190-194, 212-216, 241-247, 13 figs.
- 2209. Evans, W.H.,** 1955, A revision of the genus *Tarucus* (Lep., Lycaenidae) of Europe, North Africa and Asia. Entomologist 88: 179-187.
- 2210. Evans, W.H.,** 1956, Revisional notes on the Hesperidae of Europe, Asia and Australia. Ann. Mag. nat. Hist. (12) 9: 749-752.
- 2211. Evans, W.H.,** 1957, A revision of the genus *Arhopala* group of the Oriental Lycaenidae (Lepidoptera, Rhopalocera). Bull. Br. Mus. nat. Hist. (Ent.) 5 (3): 85-141, figs.
- 2212. Evans, W.H.,** [1933], Some little known or apparently unrecorded Lycaenidae and Hesperidae from the Malay Peninsula. J. fed. Malay St. Mus. 17 (2): 406-417.
- 2213. Evans, W.H.,** [1939], Some interesting Malayan Hesperidae and an analysis of the genus *Sepa*. J. fed. Malay St. Mus. 18 (3): 395-405, pl.7.
- 2214. Eversmann, E.,** 1831, Enumeratio Lepidopterorum fluvium Volgam inter et montes Uralenses habitantium. Bull. Soc. nat. Moscou 3: 241-252.
- 2215. Eversmann, E.,** 1832, Lepidopterorum species nollunae novae gubernium Orenburgense incolentes. Mém. Soc. nat. Moscou 8: 347-354, 2 Taf.
- 2216. Eversmann, E.,** 1842, Quaedam Lepidopterorum species novae, in Rossia orientali observatae. Bull. Soc. nat. Moscou 15: 543-565, 2 Taf.
- 2217. Eversmann, E.,** 1843, Quaedam Lepidopterorum species novae, in montibus Uralensibus et Altaicis habitantes. Bull. Soc. nat. Moscou 16: 535-555, 3 Taf.
- 2218. Eversmann, E.,** 1844, De quibusdam Lepidopteris Rossicis. Bull. Soc. nat. Moscou 17: 538-604, 3 Taf.
- 2219. Eversmann, E.,** 1844, Fauna lepidopterologica Volgo-Uralensis exhibens Lepidopterorum species quas per viginti quinque annos in provinciis Volgam fluvium inter et montes Uralenses sitis observavit.
- 2220. Eversmann, E.,** 1851, Description de quelques nouvelles especes de Lépidopteres de la Russie. Bull. Soc. nat. Moscou 24(1): 610-644.
- 2221. Eversmann, E.,** 1854, Beiträge zur Lepidopterologie Russlands, und Beschreibung einiger anderen Insecten aus den südlichen Kirghisensteppen, den nördlichen Ufern des Aral Sees, und des Sir-Darjas. Bull. Soc. nat. Moscou 27(2): 174-205, 1 Taf.
- 2222. Eversmann, E.,** 1855-1859, Les Noctuérites de la Russie. Bull. Soc. nat. Moscou 28: 129-203, 313-427; 29(2): 161-233, Tab.3; 29(3): 1-120; 30: 48-150, 355-439; 32: 550-584.
- 2223. Fabiano, F.,** 1993, A new subspecies of *Euchloe charlonia* Donzel, 1842 from southern Spain: *bazae* ssp. nov. (Lepidoptera, Pieridae). Linneana Belgica 14 (4): 205-216, figs.
- 2224. Fabiano, F.,** 1998, Lepidoptera Rhopalocera of the Hisma Basin (southern Jordan). Linneana Belgica 16 (8): 307-322, 9 figs.
- 2225. Fabricius, J.C.,** 1775, Systema Entomologiae sistens Insectorum classes, ordines, genera, species, adjectis synonymis, locis, descriptionibus, observationibus. 832 pp. Flensburgi et Lipsiae.
- 2226. Fabricius, J.C.,** 1777, Genera Insectorum. Chilonii.
- 2227. Fabricius, J.C.,** 1781, Species Insectorum vol. 1, viii+552 pp., vol. 2, 494 pp. Hamburgi et Kilonii.
- 2228. Fabricius, J.C.,** 1787, Mantissa Insectorum. vol. 1 xx+348 pp., vol.2, 382pp. Hafniae.
- 2229. Fabricius, J.C.,** 1793, Entomologia systematica. vol.2, viii+519 pp. Hafniae.
- 2230. Fabricius, J.C.,** 1794, Entomologia systematica. vol.3, pars 2, 349 pp. Hafniae.
- 2231. Fabricius, J.C.,** 1798, Supplementum Entomologiae systematicae. 572 pp., Hafniae.
- 2232. Falck, P. & O.Karsholt,** 1993, *Cydia grunertiana* (Ratzeburg, 1868), stat. rev. - an ignored species of Tortricidae. Nota lepid. Suppl. 16: 79-90.
- 2233. Falck, P. & O.Karsholt,** 1998, *Lobesia virulenta* Bae & Komai, 1991 recorded for the first time in Europe, with description of a new subspecies (Lepidoptera, Tortricidae). Ent. Meddr 66: 117-126.
- 2234. Falkovitsh, M.I.,** 1963, New species of the family Cochyliidae (Lepidoptera) from Kazakhstan and the Caucasus. Zool. Zh. 42: 697-703, figs.
- 2235. Falkovitsh, M.I.,** 1973, Contribution to the knowledge of Casebearers (Lepidoptera, Coleophoridae) of the Kisilkum Desert. Trudy vses. ent. Obshch. 56: 199-233, 70 figs.
- 2236. Falkovitsh, M.I.,** 1976, New species of the genus *Constantia* Rag. (Lepidoptera, Pyralidae) from Middle Asia. Proc. zool. Inst. USSR 64: 44-57, 20 figs.
- 2237. Falkovitsh, M.I.,** 1986, Lepidoptera of the Monadnock Mountains of Kudzhuktau and the subalpine plain (south west Kyzylkum). Trudy vses. ent. Obshch. 67: 131-186, 16 figs.
- 2238. Falkovitsh, M.I.,** 1987, New genera of Casebearers (Lepidoptera, Coleophoridae) from the desert zone of the Palaearctic Region. Ent. Obozr. 1987 (4): 817-826, 5figs.
- 2239. Falkovitsh, M.I.,** 1988, A new genus and four new species of Casebearers (Lepidoptera, Coleophoridae) from Turkmenia. Ent. Obozr. 1988 (4): 811-820, 10 figs.
- 2240. Falkovitsh, M.I.,** 1989, New species of Casebearers (Lepidoptera, Coleophoridae) from Kazakhstan and Central Asia. Ent. Obozr. 1989 (4): 759-774, 26 figs.
- 2241. Farid, A.,** 1987, Some bio-ecological features of *Heliothis armigera* Hb. on tomatoes in Djiroft. Ent. phyt. Appl. 54(1/2): 5-6, 15-24, 2 figs. (persian pages).
- 2242. Farid, A.,** 1987, Some bio-ecological features of *Citrus* Butterfly in South-East Iran. Ent. phyt. Appl. 54 (1/2): 49-50, 129-137, 6 figs. (persian pages).
- 2243. Faroult, V.,** 1917, Notes on captures of Algerian and Tunisian Lepidoptera. Novit. zool. 24: 318-322.
- 2244. Farren, W.,** 1893, On the variation of *Papilio machaon*. Entomologist's Rec. J. Var. 4: 100-108.

- 2245. Fawcett, J.M.,** 1897, On new species of *Rhopalocera* from Toungoo, Burma, and the Battak Mountains in Sumatra. *Ann. Mag. nat. Hist.* (6) 20: 111-113.
- 2246. Fawcett, J.M.,** 1904, On some new and little-known butterflies, mainly from high elevations in the N.E.Himalayas. *Proc. zool. Soc. Lond.* 1904: 134-141, Pl.9.
- 2247. Fawcett, J.M.,** 1915, Notes on a collection of *Heterocera* made by Mr. W.Feather in British East Africa, 1911-1912. *Proc. zool. Soc. Lond.* 1915: 91-113, 2 Pls.
- 2248. Fawcett, J.M.,** 1916, Notes on a collection of *Heterocera* made by Mr. W.Feather in British East Africa, 1911-1913. *Proc. zool. Soc. Lond.* 1916: 707-737, Pl.1
- 2249. Fawcett, J.M.,** 1918, Notes on a collection of *Heterocera* made by Mr. W.Feather in British East Africa, 1911-1913. *Proc. zool. Soc. Lond.* 1917: 233-250, 1 Pl.
- 2250. Fazekas, I. & T.Balazs,** 1979, Taxonomische, ökologische und faunistische Überprüfung des *Palaeochrysophanus hippothoe sumadiensis* Szabo 1956 (Lep., *Lycaenidae*). *Ent. Z., Frankf. a. M.* 89 (20): 230-236, 4 Abb.
- 2251. Fazekas, I.,** 1977, Daten zur Verbreitung und Phenologie der *Eupitheciini*-Fauna Süd-Transdanubiens. *Janus Pannonius Muz. Evk. H-Pecs.* 20/21: 49-56.
- 2252. Fazekas, I.,** 1979, Die Gross-Schmetterlingsfauna des Matra-Gebirges I. *Geometridae: Eupithecia* Curt. I. *Fol. Hist.-nat. Mus. Matr., H-Gyöngyös* 5: 63-75.
- 2253. Fazekas, I.,** 1980, Die *Eupithecia*-Fauna des Bakony-Gebirges I. *A Veszpr. megyei Muz. KöZL., H-Veszprém* 15: 131-140.
- 2254. Fazekas, I.,** 1982, Daten zur Verbreitung der *Eupithecia*-Fauna der Balkanhalbinsel (*Geometridae*). *Nota lepid.* 5 (4): 143-153, 7 Abb.
- 2255. Fazekas, I.,** 1983, Katalog der geschützten Schmetterlinge Ungarns. *Nota lepid.* 6 (1): 53-56.
- 2256. Fazekas, I.,** 1984, *Iolana iolas obscuriolas* Betti, 1977 (*Lycaenidae*) a synonym of *I. iolas* Ochsenheimer, 1816. *Nota lepid.* 7 (1): 21-26, 4 figs.
- 2257. Fazekas, I.,** 1984, *Oligia latruncula erewani* ssp. nova (*Noctuidae, Amphipyrae*). *Nota lepid.* 7 (2): 117-120, 2 Abb.
- 2258. Fazekas, I.,** 1986, Die *Spialia*-Arten des Karpatenbeckens und ihre Verbreitung (*Lepidoptera, Hesperidae*). *Nachr. ent. Ver. Apollo (N.F.)* 7(2/3): 49-55, 6 Abb.
- 2259. Fazekas, I.,** 1987, *Poecilocampa populi grisea* Daniel 1963, neue Synonymie und neuer Status als *Forma* (*Lepidoptera, Lasiocampidae*). *Ent. Z., Frankf. a. M.* 97: 298-301, 3 Abb.
- 2260. Fazekas, I.,** 1990, *Catoptria aetnella* (Zerny, 1943) und *C. wolffi* Ganév & Hacker, 1984 neue Synonyme von *C. dimorphella* (Staudinger 1882) (*Lepidoptera, Crambidae*). *Nachr. ent. Ver. Apollo (N.F.)* 11(2): 105-111, 11 figs.
- 2261. Fazekas, I.,** 1995, Systematisches und synonymisches Verzeichnis der *Cochyliini* Ungarns (*Lepidoptera, Tortricidae*). *Nachr. ent. Ver. Apollo (N.F.)* 16(1): 29-46, figs.
- 2262. Fazekas, I.,** 1995, Beiträge zur *Pterophoridae*-Fauna des Balkans und des Karpatenbeckens (*Lepidoptera*). *Nachr. ent. Ver. Apollo (N.F.)* 16(1): 99-113, figs.
- 2263. Federley, H.,** 1938, Chromosomenzahlen finnländischer *Lepidopteren* I. *Rhopalocera*. *Hereditas* 24: 397-464.
- 2264. Feige, R.,** 1976, Eine übersehene *Noctuide* aus Malaysia *Othreis kinabaluensis* n.sp. (Lep.). *Ent. Z., Frankf. a. M.* 86: 188-190, 2 Abb.
- 2265. Felder, C. & R.Felder,** 1861, *Lepidoptera nova*. *Wien. ent. Monatschr.* 5 (10): 297-306.
- 2266. Felder, C. & R.Felder,** 1862, *Observationes de Lepidopteris nonnullis Chinae centralis et Japonie*. *Wien. ent. Monatschr.* 6: 22-32.
- 2267. Felder, C. & R.Felder,** 1863, *Lepidoptera nova*. *Wien. ent. Monatschr.* 7(4): 105-127.
- 2268. Felder, C. & R.Felder,** 1864, *Species Lepidopterorum hucusque descriptae vel iconibus expressae in seiem systematicam digestae*. *Verh. zool.-bot. Ges. Wien* 14: 289-378.
- 2269. Felder, C. & R.Felder,** 1865-[1867], *Reise der Österreichischen Fregatte Novarra um die Erde*. vi+549pp., 137 Pls. *Wien*.
- 2270. Felder, C., Felder, R. & A.F.Rogenhofer,** 1864-[1875], *Reise der Österreichischen Fregatte Novarra um die Erde*. (2) (Atlas) 20pp.+ 140Pls. *Wien*.
- 2271. Fenn, C.,** 1892, Times of flight of the *Crambi*. *Entomologist's Rec. J. Var.* 3: 139.
- 2272. Fenn, C.,** 1892, The ova state of *Geometrae*. *Entomologist's Rec. J. Var.* 3: 173-176.
- 2273. Fenn, C.,** 1895, On the gradual disappearance of *Lepidoptera* from south-eastern London and its neighbourhood. *Entomologist's Rec. J. Var.* 6: 228-232.
- 2274. Fernald, C.H.,** 1908, The genera of the *Tortricidae* and their types. 6pp. *Amerst, Mass.*
- 2275. Fernandez Vidal, E.H.,** 1981, Aportacion al conocimiento sobre la distribucion de *Euchloe belemia hesperidum* Rothschild (Lep., *Pieridae*) en la Isla de Gran Canaria. *Shilap* 9(36): 253-259.
- 2276. Fernandez Vidal, E.H.,** 1986, Notas sobre *Rhopaloceras* de Tejada, Gran Canaria (Islas Canarias). *Shilap* 14(54): 33-42.
- 2277. Fernandez, J.M.,** 1970, Los *Lepidopteros* diurnos de las Islas Canarias. *Aula de cultura, Santa Cruz de Tenerife*.
- 2278. Fernandez-Rubio, F.,** 1991, *Guia de Mariposas Diurnas de la Peninsula Ibérica, Baleares, Canarias, Azores y Madeira*. 824pp. 2 vols. pls., maps.
- 2279. Ferris, C.D., Dos Passos, C.F., Ebner, J.A. & J.D.Lafontaine,** 1983, An annotated list of the butterflies (*Lepidoptera*) of the Yukon Territory Canada. *Can. Ent.* 115: 823-840.
- 2280. Fetz, R.,** 1994, Larvalmorphologische Beiträge zum phylogenetischen System der ehemaligen *Oecophoridae* (*Lepidoptera, Gelechioidea*). *Neue ent. Nachr.* 33: 1-270, Abb.
- 2281. Fibiger, M. & D.Agassiz,** 2001, *Araeopteron ecphaea*, a small noctuid moth in the West Palaearctic (*Noctuidae, Acontiinae*). *Nota lepid.* 24 (1/2): 29-36.
- 2282. Fibiger, M. & H.Hacker,** 1992, Systematic List of the *Noctuidae* of Europe Corrigenda and Addenda I. [Title in english, text in german!] *Esperiana* 3: 507-511, 2 Abb.
- 2283. Fibiger, M. & H.Hacker,** 1998, Systematic List of the *Noctuidae* of Europe Corrigenda et Addenda II. *Esperiana* 6: 9-40.
- 2284. Fibiger, M. & H.Hacker,** 2002, The *Eublema* Hübner, [1821] species of Yemen with description of ten new species (*Lepidoptera, Noctuidae, Eubleminae*) (Part 1). *Esperiana* 9: 481-510, Pls. 24, 25.
- 2285. Fibiger, M. & J.D.Lafontaine,** 2005, A review of higher classification of the *Noctuoidea* (*Lepidoptera*) with special reference to the Holarctic fauna. *Esperiana* 11: 7-92.
- 2286. Fibiger, M. & L.Ronkay,** 1992, New *Autophila* taxa from Sicily and Turkey (*Lepidoptera, Noctuidae*). *Ann. Hist. Nat. Mus. nat. Hung.* 83: 135-137, figs.
- 2287. Fibiger, M. & O.Karsholt,** 1998, First records of *Nola harouni* from Europe and comments on the taxonomic status of *N. centonalis holsatica* (Nolidae). *Nota lepid.* 21: 194-205.
- 2288. Fibiger, M.,** 1990, *Noctuidae Europaeae* vol.1 *Noctuinae* I. 208 pp., 16 Pls., text-figs. *Entomological Press, Soro*.
- 2289. Fibiger, M.,** 1992, Contribution to the knowledge of the *Lepidoptera* fauna of Greece. *Noctuidae* in Crete during November 1991- with a description of one new species and three new subspecies (*Lepidoptera, Noctuidae*). *Esperiana* 3: 379-390, 1 Pl. 9 figs.
- 2290. Fibiger, M.,** 1992, Contribution to the knowledge of the *Lepidoptera* fauna of Turkey 1. Description of a new species in the subfamily *Noctuinae*: *Yigoga hackeri* Fibiger, sp.n. *Esperiana* 3: 447-449, figs
- 2291. Fibiger, M.,** 1993, *Noctuidae Europaeae* vol.2 *Noctuinae* II. 230 pp., 11 Pls., text-figs. *Entomological Press, Soro*.
- 2292. Fibiger, M.,** 1995, *Anumeta arax* sp.n. from Turkish Armenia (*Lepidoptera, Noctuidae, Catocalinae*). *Nota lepid.* 17(3/4): 107-112, 4 figs.
- 2293. Fibiger, M.,** 1997, New *Noctuid* Moths from Cyprus with winter appearance (*Lepidoptera, Noctuidae*). *Ent. Meddr.* 65(1): 17-27, 21 figs. 1 Pl.
- 2294. Fibiger, M.,** 2001, A new species of the genus *Lophoterges* Hampson, 1906 from Iran: *L. mariannae* sp.n. (*Lepidoptera, Noctuidae, Cucullinae*). *Acta zool. hung.* 46 (4): 333-336, figs.

- 2295. Fibiger, M.,** 2002, A new species in the genus *Dichagyris* Lederer, 1857 hitherto regarded as the Turkish form of *D. eremicola* (Standfuss, 1888); *Dichagyris wilsoni* sp.n. (Lepidoptera, Noctuidae). *Esperiana* 9: 511-515, pl.9.
- 2296. Fibiger, M., Lödl, M., Skou, P., Varga, Z. & L. Yela,** 1989, *Caradrina* (*Paradrina*) *distigma* Chretien, 1913 (Lepidoptera, Noctuidae), Noctuido nuevo para la Peninsula Iberica y para Europa, y correccion de otra nota anterior.-*Cerambyx*.
- 2297. Fibiger, M., Mikkola, K., Moberg, A. & P. Svendsen,** 1984, *Mesapamea secalella* Remm, 1983, a new species found in Western Europe. *Nota lepid.* 7 (2):
- 2298. Fiedler, K. & K.G. Schurian,** 1994, Oviposition behaviour in *Lycaena thetis* Klug (Lepidoptera, Lycaenidae). *Nota lepid.* 17(1/2): 25-29, 1 fig.
- 2299. Fiedler, K.,** 1990, New information on the biology of *Maculinea nausithous* and *M. teleius* (Lepidoptera, Lycaenidae). *Nota lepid.* 12(4): 246-256.
- 2300. Fiedler, K.,** 1990, Bemerkungen zur Larvalbiologie von *Callophrys rubi* L. (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 11(3): 121-141, Abb.
- 2301. Fiedler, K.,** 1991, European and North African Lycaenidae (Lepidoptera) and their associations with Ants. *J. Res. lepid.* 28(4): 239-257.
- 2302. Fiedler, K.,** 1991, Systematic, evolutionary, and ecological implications of myrmecophily within the Lycaenidae (Insecta, Lepidoptera, Papilionoidea). *Bonner zool. Monogr.* 31: 1-210.
- 2303. Fiedler, K.,** 1995, Associations of Lycaenid Butterflies with Ants in Turkey. [In] Hesselbarth, et al., *Die Tagfalter der Türkei, unter Berücksichtigung der angrenzenden Länder* 1: 437-450. Bocholt.
- 2304. Fiedler, K., Schurian, K.G. & M. Hahn,** 1994, The life-history and myrmecophily of *Polyommatus candalus* (Herrich-Schäffer) from Turkey (Lep., Lycaenidae). *Linneana Belgica* 14(6): 315-332, figs.
- 2305. Filipjev, I.,** 1971, Zur Fauna der Tagfalter des Transil-Alatau. *Trudy inst. zool. AN KazSSR* 32: 138.
- 2306. Filipjev, N.,** 1931, Lepidoptera. Abhandlungen der Pamir-Expedition 1928, 8: 149-150.
- 2307. Filipjev, N.N.,** 1916, Liste des Lépidoptères capturés en 1913 aux Batum. *Russk. ent. Obozr.* 16: 361-367.
- 2308. Filipjev, N.N.,** 1962, New species of the Tortricinae (Lepidoptera, Tortricinae) in the fauna of the USSR. *Arb. zool. Inst. Akad. Wiss. USSR* 30: 369-381, figs.
- 2309. Fischer, E.,** 1901, Lepidopterologische Experimental-Forschungen. Kritische Abhandlung über Ursache und Wesen der Kälte-Varietäten der Vanesen II. Experimente. *Allg. Z. Ent.* 6: 305-307, 325-327, 3 figs.
- 2310. Fischer, E.,** 1902, Weitere Untersuchungen über die Vererbung erworbener Eigenschaften. *Allg. Z. Ent.* 7: 201-205, 241-246, 266-272, 301-306, 452-456, 476-483, 506-514, 521-525, 31 figs.
- 2311. Fischer, K.,** 1999, Partielle Subitangeneration bei alpinen *Lycaena virgaureae* (Linnaeus, 1758) unter Zuchtbedingungen (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 20(1): 17-18.
- 2312. Fisher, E.G.,** 1973, Notes on *Rhopalocera* found on the Elburz Mountains and at Tehran in Northern Iran, July 1970. *Entomologist* 106: 83-94, 3 figs.
- 2313. Fiumi, G.,** 1983, Bemerkungen über das Vorkommen von *Aglia tau* L. in der Romagne, Italien (Lepidoptera, Saturniidae). *Neue ent. Nachr.* 6: 65-66.
- 2314. Fixsen, F.,** 1887, Lepidoptera aus Korea. [in] Romanoff, *Mém. lépid.* 3: 233-356.
- 2315. Fleming, W.A.,** 1975, Butterflies of West Malaysia and Singapore. 2 vols. Kuala Lumpur.
- 2316. Fletcher, D.S. & I.W.B. Nye,** 1982, Bombycoidea, Castnioidea, Cossioidea, Mimallonoidea, Sesioidea, Sphingoidea, Zygaenoidea. [In] Nye, I.W.B., *The Generic Names of Moths of the World* vol.4. xiv+192 pp., 1 frontispiece, London.
- 2317. Fletcher, D.S. & I.W.B. Nye,** 1984, Pyraloidea. [In] Nye, I.W.B., *The Generic Names of Moths of the World* vol.5. xv+185pp., London.
- 2318. Fletcher, D.S.,** 1953, A Revision of the genus *Carecomotis* (Lep., Geometridae). *Ann. Mag. nat. Hist.* (12) 6: 100-142, Pls. 3-6.
- 2319. Fletcher, D.S.,** 1956, *Spodoptera mauritia* (Boisduval) and *S. trituratora* (Walker), two distinct species. *Bull. ent. Res.* 47: 215-217, Pl.
- 2320. Fletcher, D.S.,** 1959, Three new species of Heterocera from Northern Ethiopia. *Entomologist* 92: 45-48, 9 figs.
- 2321. Fletcher, D.S.,** 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XIV. Lepidoptera Geometridae. *Annln naturh. Mus. Wien* 66: 469-470.
- 2322. Fletcher, D.S.,** 1963, A New species of *Comibaena* (Lep., Geometridae) from the Elburz Mts. *Mitt. münch. ent. Ges.* 53: 116-117, Pl. viii.
- 2323. Fletcher, D.S.,** 1967, A Revision of the Ethiopian Species and a Check List of the World Species of *Cleora* (Lepidoptera, Geometridae). *Bull. Br. Mus. (Nat. Hist.) Ent. Suppl.* 8: 3-119, 14 textfigs, 14 Pls., 9 Maps.
- 2324. Fletcher, D.S.,** 1974, A Revision of the Old World Genus *Zamarada* (Lepidoptera, Geometridae). *Bull. Br. Mus. (Nat. Hist.) Ent. Suppl.* 22: 1-498, 452 figs., 123 Pls., 5 Maps.
- 2325. Fletcher, D.S.,** 1979, Geometridae. [In] Nye, I.W.B. *The Generic Names of Moths of the World* vol. 3, xx+243 pp. 2 frontispieces, London.
- 2326. Fletcher, T.B.,** 1929, A list of the generic names used for Microlepidoptera. *Mem. Dep. Agric. India ent. Ser.* 11: ix + 244pp. Calcutta.
- 2327. Fletcher, T.B.,** 1943, On the dates of Fischer von Röslerstamm, Abbildungen zur Berichtigung und Ergänzung der Schmetterlingskunde, &c. *J. Soc. Bibli Nat. Hist.* 1(12): 465-469.
- 2328. Fologne, E.,** 1860, *Nepticula ulmivora*. *Ent. Wkly Intell.* 8: 92.
- 2329. Forbes, W.T.M.,** 1910, A structural study of some caterpillars. *Ann. ent. Soc. Amer.* 3: 94-143, 143 figs.
- 2330. Forbes, W.T.M.,** 1955, The subdivision of the Eupterotidae (Lepidoptera). *Tijdschr. Ent.* 98(2): 85-132.
- 2331. Ford, E.B. & W.H. Dowdeswell,** 1948, The genetics of habit in the genus *Colias*. *Entomologist* 81: 209-212.
- 2332. Ford, E.B.,** Butterflies (Edn.3). 368 pp., illustr. Collins & London.
- 2333. Ford, E.B.,** 1924, The geographical races of *Heodes phlaeas* L. *Trans. ent. Soc. London* 1923: 692-743.
- 2334. Ford, E.B.,** 1937, Problems of heredity in the Lepidoptera. *Biol. Rev.* 12: 461-503.
- 2335. Ford, E.B.,** 1941, Studies on the chemistry of pigments in the Lepidoptera with reference to their bearing on systematics 2. The anthoxanthins. *Proc. R. ent. Soc. Lond. (A)* 16: 65-90.
- 2336. Ford, E.B.,** 1942, Studies on the chemistry of pigments in the Lepidoptera with reference to their bearing on systematics 2. Red pigments in the genus *Delias* Hübner. *Proc. R. ent. Soc. Lond. (A)* 17: 87-92.
- 2337. Ford, E.B.,** 1943, Two rare Cumberland butterflies. *Proc. R. ent. Soc. Lond. (A)* 18: 18.
- 2338. Ford, E.B.,** 1944, Studies on the chemistry of pigments in the Lepidoptera with reference to their bearing on systematics 3. The red pigments of Papilionidae. *Proc. R. ent. Soc. Lond. (A)* 19: 92-106.
- 2339. Ford, E.B.,** 1944, Studies on the chemistry of pigments in the Lepidoptera with reference to their bearing on systematics 4. The classification of the Papilionidae. *Trans. R. ent. Soc. Lond.* 94: 201-223.
- 2340. Ford, E.B.,** 1962, The theory of genetic polymorphism. *Symp. R. ent. Soc. Lond.* 1 (1961): 11-19.
- 2341. Ford, E.B.,** 1975, *Ecological Genetics* (Edn.4). 20 + 442 pp. 18 Pls. Chapman & Hall, London.
- 2342. Ford, H.D. & E.B. Ford,** 1930, Fluctuation in numbers and its influence on variation in *Melitaea aurinia* Rott. *Trans. ent. Soc. London* 78: 345-351.
- 2343. Ford, L.T.,** 1951, The Plutellidae. *Proc. S. Lond. Ent. Nat. Hist. Soc.* 1949-1950: 85-93, pl. xii.
- 2344. Forster, W. & T.A. Wohlfahrt,** 1955, Die Schmetterlinge Mitteleuropas. Bd.II. Tagfalter: *Diurna* (Rhopalocera und Hesperidae). 126S., 28Taf. Stuttgart.

- 2345. Forster, W.,** 1936, Beitrag zur Systematik des Tribus Lycaenini unter besonderer Berücksichtigung der argyrognomon- und der argus-Gruppe. Mitt. münch. ent. Ges. 26(2): 41-140.
- 2346. Forster, W.,** 1937, Liste der von H. und E. Kotzsch im Hindukusch erbeuteten Lycaeniden. Mitt. münch. ent. Ges. 27: 57-64.
- 2347. Forster, W.,** 1938, Die Lycaena pylaon-Gruppe. Ent. Rdsch. 55: 213-219, 236-239, 334-337, 361-364, 417-420, 485-490, 4 Pls.
- 2348. Forster, W.,** 1951, Rhopalocera, [in] Daniel, F., Forster, W. & L. Osthelder, Beiträge zur Lepidopterenfauna Mazedoniens. Veröff. zool. StSamml. Münch. 2: 5-18.
- 2349. Forster, W.,** 1951, Noctuidae- Geometridae, [in] Daniel, F., Forster, W. & L. Osthelder, Beiträge zur Lepidopterenfauna Mazedoniens. Veröff. zool. StSamml. Münch. 2: 35-55.
- 2350. Forster, W.,** 1956, Bausteine zur Kenntnis der Gattung Agrodiaetus Scudd. (Lep., Lycaen.) I. Z. wien. ent. Ges. 41: 42-61, 70-89, 118-127, Taf. 8-13.
- 2351. Forster, W.,** 1960, Einige neue Formen der Gattung Agrodiaetus Scudd. (Lep., Lycaen.). Ent. Z., Frankf. a. M. 70 (3): 17-22.
- 2352. Forster, W.,** 1960-1961, Bausteine zur Kenntnis der Gattung Agrodiaetus Scudd. (Lep., Lycaen.) II. Z. wien. ent. Ges. 45: 105-142; 46: 8-13, 38-47, 74-79, 88-94, 110-116, Taf. 10-15.
- 2353. Forster, W.,** 1961, Rhopalocera [in] Lepidoptera der Deutschen Nepal-Expedition 1955. Veröff. zool. StSamml. Münch. 6: 138-150, Taf. xiv.
- 2354. Forster, W.,** 1961, Presidential address to the seventh Pacific Slope Meeting of the Lepidopterist's Society. J. Lepid. Soc. 15 (2): 116-120.
- 2355. Forster, W.,** 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XI. Lepidoptera Rhopalocera. Annl. naturh. Mus. Wien 66: 457-458.
- 2356. Forster, W.,** 1965, 58. Rhopalocera et Hesperidae Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei (Lepidoptera). Reichenbachia 7: 165-178.
- 2357. Forster, W.,** 1967, 102. Rhopalocera et Hesperidae II. Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei (Lepidoptera). Reichenbachia 9: 121-134.
- 2358. Forster, W.,** 1970, Franz Daniel. NachrBl. bayer. Ent. 19: 94-101.
- 2359. Forster, W.,** 1971, Leo Sheljuzhko 1890-1969. NachrBl. bayer. Ent. 20(5): 81-86.
- 2360. Forster, W.,** 1971, 224. Rhopalocera et Hesperidae IV. Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei (Lepidoptera). Faun. Abh. st. Mus. Tierk. Dresden 3(17): 187-217, 32 figs.
- 2361. Forster, W.,** 1980, Einige neue Tagfalterformen aus Nepal (Lepidoptera, Rhopalocera). Spixiana 3(1): 1-9, figs.
- 2362. Fountaine, M.,** 1902, A few notes on some of the butterflies of Syria and Palestine. Entomologist 35: 60-63, 97-101.
- 2363. Fountaine, M.,** 1902, Butterfly hunting in Greece, in the year 1900. Entomologist's Rec. J. Var. 14: 29-35, 64-67.
- 2364. Fountaine, M.,** 1904, A "butterfly summer" in Asia Minor. Entomologist 37: 79-84, 105-108, 135-137, 157-159, 184-186.
- 2365. Fountaine, M.,** 1906, Melitaea desfontainii and M. aurinia var. iberica in central Aragon. Entomologist 39: 42-43.
- 2366. Fountaine, M.,** 1906, Algerian butterflies in the spring and summer of 1904. Entomologist 39: 86-89, 107-109.
- 2367. Fountaine, M.,** 1907, A few notes on some of the Corsican butterflies. Entomologist 40: 100-103.
- 2368. Fountaine, M.,** 1925-1926, Amongst the Rhopalocera of the Philippines. Entomologist 58: 235-239, 263-265: 59: 9-11, 31-34, 53-57.
- 2369. Fountaine, M.,** 1980, Love among the butterflies. 223 pp., figs., Collins, London.
- 2370. Fourcroy, A. F.,** 1785, Entomologia Parisiens. vol. 2. Paris.
- 2371. Fracker, S. B.,** 1915, The Classification of lepidopterous larvae. Illinois biol. Monogr. 2: 1-169, 112 figs.
- 2372. Franke, G. & I. Franke,** 1993, 15 Jahre Zucht: Beobachtungen an Parnassius apollo L. (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 13: 457-505, Pls.
- 2373. Fraser, F. C.,** 1911, Colotis in Sid. J. Bombay nat. Hist. Soc. 20: 867-869.
- 2374. Freierabend, D.,** 1989, Erstfund von Hypolimnas misippus (Linnaeus, 1764) auf La Gomera (Kanarische Inseln). Atalanta 19: 51-52.
- 2375. Freina, J. J. de & A. R. Naderi,** 2003, Beschreibung einer neuen Unterart von Archon apollinaris (Staudinger, [1892]) aus dem südwestlichen Zentral-Zagros, bostanchii subsp. nov. mit ergänzenden Angaben zur Gesamtverbreitung der Art (Papilionidae, Parnassiini). Atalanta 34 (3/4): 429-434, pl. xxvi.
- 2376. Freina, J. J. de & B. Aussem,** 1987, Chazara bischoffi (Herrich-Schäffer, 1846) und ihre nächstverwandten Arten (Lepidoptera, Satyridae). NachrBl. bayer. Ent. 36 (1): 1-10, figs.
- 2377. Freina, J. J. de & B. Aussem,** 1987, Hyponephele urartua sp. n., eine neue Satyriden-Art aus Anatolien (Lep., Satyridae). Nota lepid. 9 (3/4): 200-212, 29 Abb.
- 2378. Freina, J. J. de & H. Hacker,** 1985, Neue Arten und Unterarten der Familie Noctuidae aus Anatolien und Türkisch-Kurdistan (Lepidoptera, Noctuidae). Entomofauna 6: 241-261, 27 figs.
- 2379. Freina, J. J. de & R. Leestmans,** 2003, Une nouvelle sous-espèce mélanisante d'Archon apollinus (Herbst, 1789) dans le Sud syrien et données sur la répartition générale des taxa du genre Archon Hübner, 1822 (Lepidoptera, Papilionidae, Parnassiini). Linneana Belg. 19 (1): 21-34, figs.
- 2380. Freina, J. J. de & T. J. Witt,** 1982, Nachweis von Brahmaea (Brahmophthalma) wallichii (Gray, 1833) im westlichen Himalaya: Brahmaea wallichii saifulica ssp. n. (Brahmaeidae). Nota lepid. 5 (2/3): 81-85, 2 Abb.
- 2381. Freina, J. J. de & T. J. Witt,** 1983, Zwei neue Lycaenidae-Arten aus Türkisch-Kurdistan: Lysandra dezina sp. n. und Polyommatus ciloicus sp. n. (Lep., Lycaenidae). Entomofauna 4(14): 181-197, figs.
- 2382. Freina, J. J. de & T. J. Witt,** 1984, Zwei neue Arctiidae Gattungen für den westpaläarktischen Faunenbereich: Watsonarctia gen. n. und Maurica gen. n. (Lep., Arctiidae). Entomofauna 5(28): 323-334, figs.
- 2383. Freina, J. J. de & T. J. Witt,** 1984, Antennola gen. n.; Antennola impura (Mann, 1862) comb. n. neu für Europa (Lep., Nolidae). Entomofauna 5(23): 267-272, figs.
- 2384. Freina, J. J. de & T. J. Witt,** 1984, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Über die Berechtigung von Unterarten bei Spiris striata (Linnaeus, 1758) und Coscinia cribraria (Linnaeus, 1758). Ergebnisse einer Teilrevision. Nota lepid. 7 (3): 223-236.
- 2385. Freina, J. J. de & T. J. Witt,** 1984, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas (Lepidoptera, Noctuoidea: Nolidae I). Nota lepid. 7 (2): 132-142, 3 Abb.
- 2386. Freina, J. J. de & T. J. Witt,** 1984, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Über Taleporia improvisella (Staudinger, 1859) und Taleporia pseudoimprovisella sp. n. (Lepidoptera, Psychidae). Entomofauna 5 (13): 153-163, 3 Abb.
- 2387. Freina, J. J. de & T. J. Witt,** 1985, Arctia weigerti sp. n., eine neue Bärenspinnerart aus dem Karakorum (Lepidoptera, Arctiidae). Nota lepid. 8(1): 21-24, 1 Abb.
- 2388. Freina, J. J. de & T. J. Witt,** 1986, Die Bombyces und Sphinges der Westpaläearktis (Insecta, Lepidoptera) Band 1. 708 S., 46 Pls. München.
- 2389. Freina, J. J. de & T. J. Witt,** 1987, Über Trennungsmerkmale und die Verbreitung von Cilix glaucata (Scopoli, 1763) und Cilix asiatica Bang-Haas, 1907 (Lepidoptera, Drepanidae). NachrBl. bayer. Ent. 36 (1): 10-14, Abb. 5.
- 2390. Freina, J. J. de & T. J. Witt,** 1989, Kritische Betrachtung der um Genus Stygia Latreille, 1803 zusammengefaßten Taxa. Mitt. münch. ent. Ges. 79: 119-125.
- 2391. Freina, J. J. de & T. J. Witt,** 1990, Die Bombyces und Sphinges der Westpaläearktis (Insecta, Lepidoptera) Band 2. 142 S., 10 Pls. München.

- 2392. Freina, J.J.de & T.J.Witt,** 1997, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 4. 432 S., 32 Pls. München.
- 2393. Freina, J.J.de & T.J.Witt,** 1999, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 3. München.
- 2394. Freina, J.J.de & W.ten Hagen,** 2003, Contribution a la connaissance des Syntominae d'Iran: les taxons du complexe *Amata wiltshirei* Bytinski-Salz, 1939 et description d'*Amata wiltshirei kordestana* ssp.n. (Lepidoptera, Arctiidae, Syntominae, Syntomini). *Linneana Belg.* 19 (1): 51-60, figs. map.
- 2395. Freina, J.J.de,** 1975, Ein Beitrag zur Schmetterlingsfauna von Spanien und Marokko unter Berücksichtigung der Wanderfalter. *Atalanta* 6(1): 35-49.
- 2396. Freina, J.J.de,** 1976, *Callistege mi elzei* n.subsp., eine neue Noctuidenrasse von der Schwarzmeerküste (Lepidoptera, Noctuidae). *Atalanta* 7(2): 99-101, 12 figs.
- 2397. Freina, J.J.de,** 1979, Eine beobachtete Massenwanderung von *Colias crocea* Fourcroy, 1785 in Südost-Anatolien. *Atalanta* 10: 94-96, 1 fig.
- 2398. Freina, J.J.de,** 1979, Zur Kenntnis der Gattung *Allancastris* unter Berücksichtigung der Arten *A.cerisyi* und *A.deyrollei* (Lepidoptera, Papilionidae). *Ent. Z., Frankf. a. M.* 89: 129-142, 5 figs.
- 2399. Freina, J.J.de,** 1980, Eine neue Unterart von *Parnassius nordmanni* Nordmann aus Kleinasien (Lepidoptera, Papilionidae). *NachrBl. bayer. Ent.* 29: 50-62, figs.
- 2400. Freina, J.J.de,** 1980, Hinweis auf die Typusart des Genus *Wittia* de Freina, 1980 (Lepidoptera, Arctiidae). *NachrBl. bayer. Ent.* 29(6): 125.
- 2401. Freina, J.J.de,** 1980, *Wittia* nom.nov. (Lepidoptera, Arctiidae). *NachrBl. bayer. Ent.* 29(4): 80.
- 2402. Freina, J.J.de,** 1981, Über die Berechtigung von Unterarten des Wiener Nachtpfauenauges, *Saturnia pyri* (Denis & Schiffermüller) in Kleinasien. *Ent. Z., Frankf. a. M.* 91: 17.
- 2403. Freina, J.J.de,** 1982, Eine neue Population von *Brahmaea ledereri* Rogenhofer, 1873 (*Brahmaea ledereri zaba* ssp.n.) in türkisch-Kurdistan, sowie Nachweis der Konspezifität von *Brahmaea ledereri* Rogenhofer, 1873 und *Brahmaea christophi* Staudinger, 1873 (Lep., Brahmaeidae). *Entomofauna* 3 (9): 129-139, figs.
- 2404. Freina, J.J.de,** 1983, *Papilio alexanor orientalis* Romanoff, 1885. Angaben zur Biologie, Verbreitung und zur Frage der Berechtigung dieses Taxons (Lepidoptera, Papilionidae). *Atalanta* 14: 23-30, figs.
- 2405. Freina, J.J.de,** 1985, Zur Verbreitung von *Euapatura mirza* Ebert, 1971 in Kleinasien (Lepidoptera, Nymphalidae). *NachrBl. bayer. Ent.* 34(2): 49-51, figs.
- 2406. Freina, J.J.de,** 1985, Neuere Kenntnisse über die Biologie und Systematik von *Brahmaea ledereri* Rogenhofer, 1873 und deren Verbreitung in Kleinasien (Lepidoptera, Brahmaeidae). *Mitt. münch. ent. Ges.* 74: 77-90, figs.
- 2407. Freina, J.J.de,** 1986, Über die Verbreitung von *Trichiura veranae* Witt, 1981 (Lepidoptera, Lasiocampidae). *NachrBl. bayer. Ent.* 36(4): 113-114, 1 Abb.
- 2408. Freina, J.J.de,** 1987, Eine neue entdeckte *Lymantriiden*-Art aus Kashmir, *Arctornis kohistana* sp.n. (Lepidoptera, Lymantriidae). *Nota lepid.* 10(2): 119-126, 16 Abb.
- 2409. Freina, J.J.de,** 1988, 5. Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleinasiens. Eine neue *Eriogaster nippei* spec.n. aus dem Taurus (Lep., Lasiocampidae). *Atalanta* 18: 379-383, 3 figs.
- 2410. Freina, J.J.de,** 1989, Nachtrag zur Beschreibung der *Gonepteryx cleopatra petronella* de Freina, 1977 von Ibiza (Lepidoptera, Pieridae). *Atalanta* 19: 71-73, Pl.
- 2411. Freina, J.J.de,** 1989, *Gonepteryx rhamni* (Linnaeus, 1758) in Kleinasien. Bemerkungen zur Bionomie und geographischen Variabilität mit Beschreibung einer neuen Unterart (Lepidoptera, Pieridae). *Mitt. münch. ent. Ges.* 79: 111-117, 7 Abb.
- 2412. Freina, J.J.de,** 1992, Beschreibung des Weibchens von *Eriogaster nippei* de Freina, 1988 i Vergleich mit vorderasiatischen *Eriogaster*-Arten und Angaben zur Verbreitung der Art (Lepidoptera, Lasiocampidae). *NachrBl. bayer. Ent.* 41(3): 90-95, 7 Abb.
- 2413. Freina, J.J.de,** 1992, Beitrag zur Kenntnis der Gattung *Neoris* Moore, 1862 mit Beschreibung ihrer kleinasiatischen Vertreter (Lepidoptera, Saturniidae). *Ent. Z., Frankf. a. M.* 102 (13): 233-252, 14 Abb.
- 2414. Freina, J.J.de,** 1994, 9. Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleinasiens. Weitere Kenntnisse über Artenspektrum, Systematik und Verbreitung von Cossidae, Psychidae, Cochlidae, Syntomidae, Brahmaeidae, Drepanidae, Axiidae, Hepialidae *Atalanta* 25 (1/2): 317-349, Taf. xiv, xv.
- 2415. Freina, J.J.de,** 1994, Untersuchungen zur Eimorphologie bei *Parnassius mnemosyne* (Linnaeus, 1758) und ihrer infraspezifischen Variabilität an Hand von REM-Darstellungen (Lepidoptera, Papilionidae). *Nota lepid.* 16 (3/4): 179-194, 20 figs.
- 2416. Freina, J.J.de,** 1999, 10. Beitrag zur systematischen Erfassung der Bombyces und Sphinges-Fauna Kleinasiens. Weitere Kenntnisse über Artenspektrum, Systematik und Verbreitung der Lasiocampidae, Lemoniidae, Notodontidae, Thaumetopoeidae, Lymantriidae, Arctiidae... *Atalanta* 30 (1/4): 187-257, Taf. xi, xia.
- 2417. Freina, J.J.de,** 2000, Zur Verbreitung von drei *Procrinae*-Arten im Nahen Osten (Lepidoptera, Zygaenidae, Procrinae). *Atalanta* 31 (1/2): 223-224.
- 2418. Freina, J.J.de,** 2002, Beitrag zur *Rhopalocera*-Fauna der nordmalayischen Insel langkawi mit Bemerkungen zu Artstatus und Verbreitung der *Lycaenide* *Chilades putli* Kollar, 1848 (Insecta, Lepidoptera). *Atalanta* 33 (3/4): 389-402, Taf. xxiv.
- 2419. Freina, J.J.de,** 2002, *Stoemeriana nabataea* sp.n., eine neue *Lasiocampiden*-Art aus Südwestjordanien (Lepidoptera, Lasiocampidae). *Esperiana* 9: 147-152, Taf. 7.
- 2420. Freina, J.J.de,** 2002, Zur Phaenologie und Biologie von *Bufonidia ledereri* (Koçak, 1981) und ihrer Praeimaginalstadien mit nachweis von Saisondimorphismus (Lepidoptera, Lasiocampidae). *Esperiana* 9: 153-156, Taf. 8.
- 2421. Freina, J.J.de,** 2003, Zur Kenntnis der Biologie, Morphologie und Taxonomie von *Heterogynis andalusica* Daniel, 1966 sowie ergänzenden Bemerkungen zum Status von *Heterogynis thomas* Zilli, 1987 stat.nov. (Lepidoptera, Zygaenoidea, Heterogynidae). *Atalanta* 34 (1/2): 179-192, pls. xv-xix.
- 2422. Freina, J.J.de,** 2003, *Heterogynis jellaba* spec.nov. und *Heterogynis rifensis* spec.nov., zwei neue nordafrikanische *Heterogynis* Arten aus Marokko mit ergänzenden Bemerkungen zum Verbreitungsbild und Artenspektrum der Gattung *Heterogynis* Rambur, 1837 (Heterogynidae). *Atalanta* 34 (1/2): 193-208, Pl. xvi-xix.
- 2423. Freina, J.J.de,** [1987], Bemerkungen zur Biologie Verbreitung und Systematik kleinasiatischen *Papilioniden* (Lepidoptera, Papilionidae). *Atalanta* 17 (1/4) (1986): 205-208, Taf.
- 2424. Freyer, C.F.,** 1828-1830, Beiträge zur Geschichte europäischer Schmetterlinge mit Abbildungen nach der Natur. 3 vols. 1 (1828): 164pp., 48 Tab.; 2 (1829): 166pp., 48 Tab.; 3 (1830): 168pp., 48 Tab. Nürnberg.
- 2425. Freyer, C.F.,** 1831-1858, Neuere Beiträge zur Schmetterlingskunde mit Abbildungen nach der Natur. 7 vols. 700 pls. Augsburg.
- 2426. Freyer, C.F.,** 1860, Die Falter um Augsburg, ein weiterer Beitrag zur Bayrischen Fauna. Bericht naturh. Ver. Augsburg 1860: 19-86.
- 2427. Freytag, K.,** 1996, Bemerkungen zu weiteren 16 *Hadeninae*-Arten (Lepidoptera, Noctuidae, Hadeninae). *Facetta* 13(2): 26-30, figs.
- 2428. Friedel, G.,** 1968, *Thera juniperata* ssp.n. *loeberbaueri* Friedel (Lep., Geometridae). *Z. wien. ent. Ges.* 53: 17-18.
- 2429. Friedel, G.,** 1968, *Perisomena caecigena* ssp. *parviocellata* Friedel (Lepidoptera, Saturniidae). *Z. wien. ent. Ges.* 53: 18-19.
- 2430. Friedel, G.,** 1968], *Rhegmatoiphila alpina* ssp.n. *osmana* Friedel. *Z. wien. ent. Ges.* 52: 52-54.
- 2431. Friedel, G.,** 1977, Eine neue Rasse von *Cossus cossus* L. aus Ost- Anatolien (Lepidoptera, Cossidae). *Z. ArbGem. öst. Ent.* 29(1/2): 29-30.
- 2432. Friese, G.,** 1959, *Dysauxes punctata* (F.) und *famula* (FRR.) und ihre Rassenkreise (Lep., Syntomidae). *Dt. ent. Z. (N.F.)* 6(1/3): 251-259, 2 Abb.

- 2433.** **Froelich, F.**, 1828, Enumeratio Tortricum Württembergiae. Dissert. Inaug. 102S. Tübingen.
- 2434.** **Frohawke, F. W.**, 1934, The complete book of British butterflies. 32 Pls.
- 2435.** **Foreich, v.**, 1938, Eine neue Unterart von *Celerio zygophylli* O. Ent. Rdsch. 55: 256-259, 2 Abb.
- 2436.** **Fruhstorfer, H.**, 1894, Ein neuer Tagfalter aus Deutsch-Neu-Guinea. Berl. ent. Z. 39: 248, Taf. XVII.
- 2437.** **Fruhstorfer, H.**, 1894, Neue und wenig bekannte Java-Rhopaloceren. Berl. ent. Z. 39: 241-247, Taf. XVII, XVIII.
- 2438.** **Fruhstorfer, H.**, 1896, Liste javanischer Lepidopteren, gesammelt in den Jahren 1890-1893. Berl. ent. Z. 41 (4): 299-310.
- 2439.** **Fruhstorfer, H.**, 1897, Neue Rhopaloceren aus dem malayischen Archipel. Berl. ent. Z. 41 (4): 311-314.
- 2440.** **Fruhstorfer, H.**, 1897, Aufzählung der von mir auf der Insel Lombok im Jahre 1896 gefangenen Rhopaloceren. Berl. ent. Z. 42 (1): 1-14.
- 2441.** **Fruhstorfer, H.**, 1897, Eine neue *Delias* von Flores. Berl. ent. Z. 42 (1): 15.
- 2442.** **Fruhstorfer, H.**, 1897, Eine neue *Euploea* aus Borneo. Berl. ent. Z. 42 (1): 16.
- 2443.** **Fruhstorfer, H.**, 1897, Neue Rhopaloceren aus dem malayischen Archipel. Berl. ent. Z. 42 (1/2): 113-118.
- 2444.** **Fruhstorfer, H.**, 1897, Rhopalocera Lombokiana. Berl. ent. Z. 42 (1/2): 119-126, ...
- 2445.** **Fruhstorfer, H.**, 1898, Neue *Papilio*-Formen aus dem Malayischen Archipel. Berl. ent. Z. 43: 419-430.
- 2446.** **Fruhstorfer, H.**, 1898, Neue Lepidopteren aus Asien. Berl. ent. Z. 43: 175-199.
- 2447.** **Fruhstorfer, H.**, 1898, Übersicht der bekannten *Hebomoia*-Arten und Lokalformen. Berl. ent. Z. 43: 171-174.
- 2448.** **Fruhstorfer, H.**, 1898, Eine neue *Pieride* von den Sula-Inseln. Berl. ent. Z. 43: 430.
- 2449.** **Fruhstorfer, H.**, 1898, Neue Rhopaloceren aus dem Indo-malayischen Archipel. Berl. ent. Z. 42(3/4): 311-344.
- 2450.** **Fruhstorfer, H.**, 1898, Neue *Papilio*-formen aus dem Indo-malayischen Peloponnes. Berl. ent. Z. 42(3/4): 303-310.
- 2451.** **Fruhstorfer, H.**, 1898, Eine neue *Libythea* aus Asien. Berl. ent. Z. 43: 169-170.
- 2452.** **Fruhstorfer, H.**, 1899, Neue asiatische Lepidopteren. Berl. ent. Z. 44: 49-64.
- 2453.** **Fruhstorfer, H.**, 1899, Neue *Euploea*-en aus Deutsch-Neu-Guinea. Berl. ent. Z. 44 (3/4): 284.
- 2454.** **Fruhstorfer, H.**, 1899, *Pieriden*-Studien. Berl. ent. Z. 44: 100-104.
- 2455.** **Fruhstorfer, H.**, 1899, Neue *Tirumala* und Übersicht der bekannten asiatischen Spezies. Berl. ent. Z. 44: 113-121.
- 2456.** **Fruhstorfer, H.**, 1899, Eine seltene *Pieride* vom Kina-Balu. *Huphina pactolicus* Butl. Berl. ent. Z. 44: 112.
- 2457.** **Fruhstorfer, H.**, 1899, Drei neue *Papilio*. Berl. ent. Z. 44 (3/4): 283-284, Taf. II.
- 2458.** **Fruhstorfer, H.**, 1899, Eine neue *Lycaenide* aus Nias. Berl. ent. Z. 44: 157.
- 2459.** **Fruhstorfer, H.**, 1899, Eine neue *Phrissura*. Berl. ent. Z. 44: 111-112.
- 2460.** **Fruhstorfer, H.**, 1899, Einige neue *Doleschallien*. Berl. ent. Z. 44: 278-283, Taf. II.
- 2461.** **Fruhstorfer, H.**, 1899, Übersicht der Indo-Australischen *Danaiden* und Beschreibung neuer Formen. Berl. ent. Z. 44: 64-87.
- 2462.** **Fruhstorfer, H.**, 1899, Eine neue *Zethera*. Berl. ent. Z. 44: 99.
- 2463.** **Fruhstorfer, H.**, 1899, Zwei neue *Euploea*-en von den Sula-Inseln. Berl. ent. Z. 44: 156-157.
- 2464.** **Fruhstorfer, H.**, 1899, Celebische *Euploea*-en. Stettin ent. Ztg. 60: 145-159.
- 2465.** **Fruhstorfer, H.**, 1899, Neue *Euthalia*-en von Nord-Borneo. Berl. ent. Z. 44: 121-155.
- 2466.** **Fruhstorfer, H.**, 1899, Übersicht der bekannten *Prioneris*-Arten und Beschreibung einer neuen Lokalform und bisher unbekannten ++. Berl. ent. Z. 44: 105-111.
- 2467.** **Fruhstorfer, H.**, 1899, Revision der asiatischen *Ergolis*. Berl. ent. Z. 44: 88-99.
- 2468.** **Fruhstorfer, H.**, 1899, Neue Rhopaloceren aus dem malayischen Archipel. Berl. ent. Z. 44 (3/4): 285-288, Taf. II fig. 13.
- 2469.** **Fruhstorfer, H.**, 1899-1900, Rhopalocera Basilana. Verzeichnis der von W. Doherty auf der Insel Basilan gesammelten Tagfalter. Berl. ent. Z. 44 (1899): Taf. II; 45 (1900): 1-38.
- 2470.** **Fruhstorfer, H.**, 1900, Sitzungsberichte des Berliner Entomologischen Vereins für das Jahr 1899 über Arten und Localformen der indischen Rhopaloceren-Gattung *Cynthia*. Berl. ent. Z. 45: (26)-(28).
- 2471.** **Fruhstorfer, H.**, 1900, Sitzungsberichte des Berliner Entomologischen Vereins für das Jahr 1899 über wenig bekannte *Euthalia*-en von Kina-Balu (Nord Borneo). Berl. ent. Z. 45: (25).
- 2472.** **Fruhstorfer, H.**, 1900, Sitzungsberichte des Berliner Entomologischen Vereins für das Jahr 1899 über neue exotische *Satyriden*. Berl. ent. Z. 45: (24).
- 2473.** **Fruhstorfer, H.**, 1900, Sitzungsberichte des Berliner Entomologischen Vereins für das Jahr 1899 über *Euripus* aus dem Malayischen Gebiet. Berl. ent. Z. 45: (22)-(24).
- 2474.** **Fruhstorfer, H.**, 1900, Sitzungsberichte des Berliner Entomologischen Vereins für das Jahr 1899 über die Lepidopteren-Fauna der Fidji-Inseln. Berl. ent. Z. 45: (29)-(30).
- 2475.** **Fruhstorfer, H.**, 1903, Verzeichnis der in Tonkin, Annam und Siam gesammelten *Papilioniden* und Beschreibung verwandter Formen. Berl. ent. Z. 47 (3/4) (1902): 167-234.
- 2476.** **Fruhstorfer, H.**, 1903, Neue *Colias*-Unterart. Insektenbörse 17: 48.
- 2477.** **Fruhstorfer, H.**, 1904, Neue Rhopaloceren aus dem malayischen Gebiet. Berl. ent. Z. 49: 165-169, Taf. I, II.
- 2478.** **Fruhstorfer, H.**, 1904, Beitrag zur Kenntnis der Rhopaloceren-Fauna der Insel Engano. Berl. ent. Z. 49: 170-206, Taf. I, II.
- 2479.** **Fruhstorfer, H.**, 1904, Zwei neue *Papilios*. Ent. Z., Stuttgart 18(12): 45-46.
- 2480.** **Fruhstorfer, H.**, 1904, Neue *Tenaris*. Ent. Z., Stuttgart 18(30): 118-119.
- 2481.** **Fruhstorfer, H.**, 1904, Ein neuer *Parnassius*. *Parnassius delphius dolabella* nov. subsp. Ent. Z., Stuttgart 18 (8): 29-30.
- 2482.** **Fruhstorfer, H.**, 1904, Ein neuer *Ornithoptera*. *Troides oblongomaculatus* hanna nov. subsp. Ent. Z., Stuttgart 18: 27.
- 2483.** **Fruhstorfer, H.**, 1905, Neue *Neptis*- (*Phaedyra*) Lokalrassen. Ent. Z., Stuttgart 19(17): 89-90.
- 2484.** **Fruhstorfer, H.**, 1905, Neue *Pieriden*. Ent. Z., Stuttgart 19(17): 89.
- 2485.** **Fruhstorfer, H.**, 1905, Neue *Cethosia*-Formen. Ent. Z., Stuttgart 19(19): 105-106.
- 2486.** **Fruhstorfer, H.**, 1905, Neue Rhopaloceren aus dem Indo-Australischen Gebiet. Ent. Z., Stuttgart 19: 55-57, 63-64, figs. 6-10.
- 2487.** **Fruhstorfer, H.**, 1906, Neue Rhopaloceren. Ent. Z., Stuttgart 19: 215-216.
- 2488.** **Fruhstorfer, H.**, 1906, Verzeichnis der von mir in Tonkin, Annam und Siam gesammelten *Nymphaliden* und Beschreibung verwandter Formen. Wien. ent. Ztg. 25: 307-362, pls. 1, 2.
- 2489.** **Fruhstorfer, H.**, 1907, Monographische Revision der *Pieridengattung* *Hebomoia*. Dt. ent. Z., Iris 20: 89-109.
- 2490.** **Fruhstorfer, H.**, 1907, Neue Lokalrassen von Paläarktischen Rhopaloceren. Int. ent. Z. 1: 386-392, 4 Abb.
- 2491.** **Fruhstorfer, H.**, 1907, Eine bisher unbeachtete Lokalrasse einer *Nymphalide* aus Ost-Java. Stettin ent. Ztg. 68: 17-18.
- 2492.** **Fruhstorfer, H.**, 1907, Zwei neue *Acraea*-en aus dem Papua Gebiet. Stettin ent. Ztg. 68: 19-21.
- 2493.** **Fruhstorfer, H.**, 1907, Verzeichnis der von Herrn Dr. Theodor Koch-Grünberg am oberen Waupes 1903-1905 gesammelten Rhopaloceren mit Beschreibung verwandter Arten. Stettin ent. Ztg. 1907: 117-164.
- 2494.** **Fruhstorfer, H.**, 1908, Neue indische Tagfalter-Formen. Ent. Z., Stuttgart 22(34): 135.

- 2495. Fruhstorfer, H.,** 1908, Neue Paläarktische Satyriden-Rassen. Ent. Z., Stuttgart 22: 127-128.
- 2496. Fruhstorfer, H.,** 1908, Lepidopterologisches Pele-Mele. VI. Neue Rhopaloceren von Formosa. Ent. Z., Stuttgart 22: 118-119.
- 2497. Fruhstorfer, H.,** 1908, Versuch einer monographischen Revision der Indo-Australischen Neptiden. Stettin ent. Ztg. 69: 240-412.
- 2498. Fruhstorfer, H.,** 1908, Neues über die Copulationsorgane der Satyriden. Ent. Z., Stuttgart 22(30): 120-122, 8 figs.
- 2499. Fruhstorfer, H.,** 1908, Neue Argynnis und Melitaea. Int. ent. Z. 1: 550-552.
- 2500. Fruhstorfer, H.,** 1908, Neue Rhopalocerenrassen der Insel Bali. Int. ent. Z. 2: 238.
- 2501. Fruhstorfer, H.,** 1908, Ein mimetischer Papilio aus Formosa. Int. ent. Z. 2: 282.
- 2502. Fruhstorfer, H.,** 1908, Zwei neue Lokalrassen von Satyrus actaea Esp. Int. ent. Z. 1: 601-603.
- 2503. Fruhstorfer, H.,** 1908, Neue Papilio-Rassen. Ent. Z., Stuttgart 22(18): 72-73.
- 2504. Fruhstorfer, H.,** 1908, Neue Papilio-Rassen aus der Eurypilus-Gruppe. Ent. Z., Stuttgart 22: 222.
- 2505. Fruhstorfer, H.,** 1908, Neue Curetis und Uebersicht der bekannten Arten. Stettin ent. Ztg. 69: 49-59.
- 2506. Fruhstorfer, H.,** 1908, Neue Papilio-Rassen. Int. ent. Z. 2(8): 49-50.
- 2507. Fruhstorfer, H.,** 1908, Eine neue Neptis von der Insel Saleyer. Int. ent. Z. 2: 238-239.
- 2508. Fruhstorfer, H.,** 1908, Neue Lycaeniden des Papua-Gebiets. Int. ent. Z. 2: 114.
- 2509. Fruhstorfer, H.,** 1908, Neue europäische Satyriden. Ent. Z., Stuttgart 22(30): 120.
- 2510. Fruhstorfer, H.,** 1908, Neue Hesperiden. Int. ent. Z. 2: 149-150.
- 2511. Fruhstorfer, H.,** 1908, Neues über die Gattung Waigeum. Int. ent. Z. 2(18): 113.
- 2512. Fruhstorfer, H.,** 1908, Neue Lycaeniden. Int. ent. Z. 2: 85-86, 91-92, 99-100.
- 2513. Fruhstorfer, H.,** 1908, Eine neue Ornithopterarassee von den Südphilippinen. Int. ent. Z. 2: 39.
- 2514. Fruhstorfer, H.,** 1908, Drei neue Limenitis-Rassen. Int. ent. Z. 2(8): 50.
- 2515. Fruhstorfer, H.,** 1909, Lepidopterologisches Pele-Mele. XII. Neue Rhopaloceren von Formosa und den Nachbarländern. Ent. Z., Stuttgart 22(41): 167.
- 2516. Fruhstorfer, H.,** 1909, Lepidopterologisches Pele-Mele. XI. Neue Rhopaloceren von Formosa. Ent. Z., Stuttgart 22(41): 167.
- 2517. Fruhstorfer, H.,** 1909, Neue Hesperiden. Ent. Z., Stuttgart 23(39): 171-174.
- 2518. Fruhstorfer, H.,** 1909, Lepidopterologisches Pele-Mele. XI. Eine neue Nymphalide von der Insel Nias. Ent. Z., Stuttgart 22(41): 167.
- 2519. Fruhstorfer, H.,** 1909, Neue asiatische Papilio-Rassen. Ent. Z., Stuttgart 22: 175.
- 2520. Fruhstorfer, H.,** 1909, Drei neue Libythea-Rassen. Ent. Z., Stuttgart 22: 209.
- 2521. Fruhstorfer, H.,** 1909, Neue Rassen von Papilio agestor Gray. Ent. Z., Stuttgart 22: 190.
- 2522. Fruhstorfer, H.,** 1909, Lepidopterologisches Pele-Mele. XIV. Neue Rhopaloceren von Formosa. Ent. Z., Stuttgart 22: 209.
- 2523. Fruhstorfer, H.,** 1910, Neues über Eumenis fagi und alcyone. Ent. Z., Stuttgart 24: 71-73, 75-77, 82-83, 86-88, 22 Abb.
- 2524. Fruhstorfer, H.,** 1910, Neue palaearktische Argynnisrassen. Ent. Z., Stuttgart 24(7): 37.
- 2525. Fruhstorfer, H.,** 1910, Familia Pieridae [in] Seitz, A., Die Gross-Schmett. Erde 9: 119-190, pls.
- 2526. Fruhstorfer, H.,** 1910, Neue Cyaniris-Rassen und Übersicht der bekannten Arten. Stettin ent. Ztg. 71 (1909): 282-305.
- 2527. Fruhstorfer, H.,** 1911, Neue Papilioniden aus der Sammlung Staudinger des Berliner Zoolog. Museums. Ent. Rdsch. 28(23): 177-178.
- 2528. Fruhstorfer, H.,** 1911, Neue Papilioniden aus meiner Sammlung. Ent. Rdsch. 28(23): 178-179.
- 2529. Fruhstorfer, H.,** 1911, Neue Pieriden aus der Sammlung Staudinger des Berliner Zoologischen Museums. Ent. Rdsch. 28(24): 185-187.
- 2530. Fruhstorfer, H.,** 1911, Neue Pieriden aus der Sammlung Semper des Senckenbergischen Museums in Frankfurt a.M. Ent. Rdsch. 28(24): 187-188.
- 2531. Fruhstorfer, H.,** 1911, Satyrus geyeri aristochinus. [In] Seitz, A., Die Gross-Schmetterlinge der Erde 9: 307-308.
- 2532. Fruhstorfer, H.,** 1912, Übersicht der Lycaeniden des Indo-Australischen Gebiets. Berl. ent. Z. 56: 197-277.
- 2533. Fruhstorfer, H.,** 1915-1924, Familia Lycaenidae [i] Seitz, A., Die Gross-Schmett. Erde 9: 803-901, pls.
- 2534. Fruhstorfer, H.,** 1916, Eine neue deutsche Parnassiusrasse. Societas Ent. 31: 49.
- 2535. Fruhstorfer, H.,** 1918, Neue palaearktische Rhopaloceren. Ent. Z., Stuttgart 31 (21): 77-78, 81-82.
- 2536. Fröhlich, F.,** 1828, Enumeratio Tortricum Würtembergiae. Dissert. Inaug. 102pp. Tübingae.
- 2537. Fuchs, F.,** 1908, Sesia spuleri nov. spec. Int. ent. Z. 2(5): 33.
- 2538. Fuchs, J.,** 1989, Ein Vorkommen von Thersamonia thetis (Klug) in Mittelgriechenland (Lep., Lycaenidae, Lycaeninae). Galathea 5 (1): 11-18.
- 2539. Fuchs, J.,** 1995, Beobachtungen bei der Zucht von Archon apollinus thracicus (Buresch, 1915) aus Nordostgriechenland (Lepidoptera, Papilionidae). Atalanta 26 (1/2): 145-154, Pl.
- 2540. Fuchs, J.,** 1996, Zwei Wochen Schmetterlingsbeobachtungen auf Zypern (4-18.6.1995). Galathea 12 (2): 57-62.
- 2541. Furth, D.G. & J. Halperin,** 1980, Observations on the phenology and biogeography of Thaumetopoea jordana (Staudinger) (Lepidoptera, Thaumetopoeidae). Israel J. Ent. 13: 1-11, figs.
- 2542. Fänger, H. & C.M. Naumann,** 1993, Correlation between the mesodermal male genital system and the structure of the spermatophore of Zygaena trifolii (Esper, 1783) (Insecta, Lepidoptera, Zygaenidae). Acta zool. 74: 239-246.
- 2543. Föhlst, P.,** 1991, Ein Beitrag zur Makrolepidopterenfauna des südlichen Teils des Lago d'Iseo in der Lombardei (Prov. Bergamo). Atalanta 22(2/4): 271-351, Abb.
- 2544. Gabriel, A.G.,** 1936, New forms of Papilio from the Indo-Australian Region. Entomologist 69: 281-282.
- 2545. Gabriel, A.G.,** 1937, Lepidoptera Butterflies, [in] Buxton, Insects of the Lake Rudolf Rift Valley Expedition, 1934. Ann. Mag. nat. Hist. (10) 20: 584-586.
- 2546. Gabriel, A.G.,** 1942, A new species of Bhutanitis (Lep., Papilionidae). Entomologist 75: 189.
- 2547. Gabriel, A.G.,** 1943, A revision of the genus Ixias Hübner. Proc. R. ent. Soc. Lond. (B) 12: 55-70.
- 2548. Gabriel, A.G.,** 1949, Notes on the Rhopalocera of Abyssinia. Proc. R. ent. Soc. Lond. (B) 18 (11/12): 207-216, 1 Pl.
- 2549. Gabriel, A.G.,** 1954, Lepidoptera Rhopalocera. British Museum (Natural History) expedition to south-west Arabia 1937-1938. 1: 351-391, 3 Pls.
- 2550. Gaede, M.,** 1923, Alte und neue Arctiinae des Berliner Zoologischen Museums. Ent. Rdsch. 40: 14-15, 19-20, 27-29.
- 2551. Gaede, M.,** 1930, Familie Satyridae. Gattung: Ypthima Hbn., Callerebia Btlr. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 130-132. Stuttgart.
- 2552. Gaede, M.,** 1930, Familie Satyridae. Gattungen: Melanargia Meigen- Triphysa Z. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 153-179. Stuttgart.
- 2553. Gaede, M.,** 1930, Familie Erycinidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 237-238. Stuttgart.
- 2554. Gaede, M.,** 1930, Familie Nymphalidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 196-227. Stuttgart.
- 2555. Gaede, M.,** 1930, Familie Lycaenidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 239-249. Stuttgart.

- 2556. Gaede, M.,** 1931, Drepanidae. [in] Strand, E., Lepidopterorum Catalogus Pars 49. 60pp. Dr. W. Junk Berlin.
- 2557. Gaede, M.,** 1932, Aganaiidae. [in] Strand, E., Lepidopterorum Catalogus Pars 52. 39pp. Dr. W. Junk Berlin.
- 2558. Gaede, M.,** 1932, Familie Lemoniidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 127-128. Stuttgart.
- 2559. Gaede, M.,** 1932, Familie Lymantriidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 95-106. Stuttgart.
- 2560. Gaede, M.,** 1932, Familie Thaumetopoeidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 107-108. Stuttgart.
- 2561. Gaede, M.,** 1932, Familie Lasiocampidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 109-125. Stuttgart.
- 2562. Gaede, M.,** 1933, Familie Hepialidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 247-248. Stuttgart.
- 2563. Gaede, M.,** 1933, Familie Aegeriidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 229-240. Stuttgart.
- 2564. Gaede, M.,** 1933, Familie Drepanidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 167-170. Stuttgart.
- 2565. Gaede, M.,** 1933, Familie Notodontidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 173-186. Stuttgart.
- 2566. Gaede, M.,** 1933, Familie Thyrididae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 227-228. Stuttgart.
- 2567. Gaede, M.,** 1933, Familie Cossidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 241-245. Stuttgart.
- 2568. Gaede, M.,** 1934, Nachträge und Berichtigungen zum Supplementband 2. Familie Aegeriidae, Cossidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 287. Stuttgart.
- 2569. Gaede, M.,** 1934, Nachträge und Berichtigungen zum Supplementband 2. Familie Lymantriidae, Lemoniidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 282-285. Stuttgart.
- 2570. Gaede, M.,** 1937, Gelechiidae [in] Bryk, F., Lepidopterorum Catalogus. Pars 79, 630pp.
- 2571. Gaede, M.,** 1938-1939, Oecophoridae [in] Bryk, F., Lepidopterorum Catalogus. Pars 92, 209-476pp.
- 2572. Gaedike, R. & H. Henderickx,** 1999, A new species of *Eudarcia* subgenus *Abchagleris* and description of the hitherto unknown female of *E. (A.) sutteri* (Tineidae). *Nota lepid.* 22 (1): 2-9, 7 figs.
- 2573. Gaedike, R. & H. Kuroko,** 2000, A new species of the genus *Epermenia* (Lepidoptera, Epermeniidae) from Japan. *Tinea* 16 (4): 218-221.
- 2574. Gaedike, R.,** 1966, Ergebnisse der Albanien - Expedition 1961 des DEL. 53. Beitrag: Lepidoptera: Epermeniidae. *Beitr. Ent. Berlin* 16 (3/4): 461-466.
- 2575. Gaedike, R.,** 1966, Die Genitalien der europäischen Epermeniidae. *Beitr. Ent. Berlin* 16 (5/6): 633-692, 12 Taf.
- 2576. Gaedike, R.,** 1966, Beitrag zur Epermeniidae-Fauna Ungarns (Lep.). *Folia Ent. Hung. Budapest* 19 (26): 479-490.
- 2577. Gaedike, R.,** 1966, Eine neue Art der Gattung *Epermenia* Hb. aus dem Orient (Lepidoptera, Epermeniidae). *Reichenbachia* 6(20): 151-154, 5 figs.
- 2578. Gaedike, R.,** 1966, Österreichische entomologische Iran-Afghanistan-Expeditionen. Beiträge zur Lepidopterenfauna, Teil 8. Epermeniidae. *Z. wien. ent. Ges.* 51: 108-109.
- 2579. Gaedike, R.,** 1967, Zur systematische Stellung einiger Gattungen der Heliodinidae/Schreckensteiniidae sowie Revision der paläarktischen Arten der Gattung *Pancalia* Curtis, 1830 (Lepidoptera). *Beitr. Ent.* 17(3/4): 363-374, 23 figs.
- 2580. Gaedike, R.,** 1967, Ergebnisse einer österreichischen lepidopterologischen Sammelreise nach Syrien und dem Libanon Teil V. Epermeniidae. *Z. wien. ent. Ges.* 52: 85-87.
- 2581. Gaedike, R.,** 1968, Amerikanische entomologische Dissertationen, 1962-1965. *Beitr. Ent. Berlin* 18 (1/2): 153-174.
- 2582. Gaedike, R.,** 1968, Ergebnisse der zoologischen Forschung Dr. Z. Kaszab in der Mongolei. 150. Beitrag. Lepidoptera: Epermeniidae. *Beitr. Ent. Berlin* 18 (1/2): 175-176.
- 2583. Gaedike, R.,** 1968, Beiträge zur Insektenfauna der DDR: Lepidoptera- Epermeniidae. *Beitr. Ent. Berlin* 18 (3/4): 300-310, 13 figs.
- 2584. Gaedike, R.,** 1968, Ergebnisse einer Österreichischen lepidopterologischen Sammelreise nach Syrien und dem Libanon. Teil V: Epermeniidae. *Z. wien. ent. Ges.* 52 (1967): 85-88.
- 2585. Gaedike, R.,** 1968, Österreichische entomologische Expeditionen nach Persien und Afghanistan. Beiträge zur Lepidopterenfauna, Teil 11, Acrolepiidae. *Ann. naturh. Mus. Wien* 72: 529-533, 9 figs.
- 2586. Gaedike, R.,** 1968, Revision der Epermeniidae Australiens und Ozeaniens (Lepidoptera: Epermeniidae). *Pacific Insects, Honolulu* 10 (3/4): 599-627, 69 figs.
- 2587. Gaedike, R.,** 1968, Beitrag zur Epermeniidae - Fauna der Tschechoslowakei (Lepidoptera: Epermeniidae). *Acta faun. ent. Mus. Nat. Pragae* 13 (151): 149-153.
- 2588. Gaedike, R.,** 1969, Zum Erforschungsstand der Mikrolepidopteren Mitteleuropas. *Abh. Ber. Naturkundemus. Grlitz* 44 (2): 101-108.
- 2589. Gaedike, R.,** 1969, Beitrag zur Kenntnis der Acrolepiidae - Fauna der Balkanhalbinsel. *Beitr. Ent. Berlin* 19 (1/2): 141-146.
- 2590. Gaedike, R.,** 1970, Beiträge zur Insektenfauna der DDR: Lepidoptera - Acrolepiidae. *Beitr. Ent. Berlin* 20 (3/4): 209-222, 32 figs., 20 Farbb.
- 2591. Gaedike, R.,** 1970, Zur Anatomie des männlichen Kopulationsapparates bei *Epermenia illigerella* (Hübner) (Lepidoptera: Epermeniidae). *Beitr. Ent. Berlin* 20 (5/6): 429-437, 10 figs.
- 2592. Gaedike, R.,** 1970, Revision der paläarktischen Acrolepiidae (Lepidoptera). *Ent. Abh.* 38: 1-54, 101 figs.
- 2593. Gaedike, R.,** 1971, Zur Verbreitung der Epermeniidae und Acrolepiidae auf der Iberischen Halbinsel. *Beitr. Ent. Berlin* 21 (1/2): 33 - 41.
- 2594. Gaedike, R.,** 1971, Die Epermeniidae und Acrolepiidae des Vorderen und Mittleren Orients. *Beitr. Ent. Berlin* 21 (1/2): 43-54, 13 figs.
- 2595. Gaedike, R.,** 1971, Die Acrolepiidae der China - Ausbeute H. Höne. *Beitr. Ent. Berlin* 21 (3/6): 273-277, 13 figs.
- 2596. Gaedike, R.,** 1972, Beitrag zur Kenntnis der Epermeniidae- und Acrolepiidae-Fauna der DDR. *Dt. ent. Z. (N. F.)* 19 (1/3): 31 - 44.
- 2597. Gaedike, R.,** 1972, Zweiter Beitrag zur Kenntnis der Epermeniidae - Fauna Australiens und Ozeaniens. *Beitr. Ent. Berlin* 22 (3/6): 143 - 147, 9 figs.
- 2598. Gaedike, R.,** 1972, Errata- Nomenklatorische Bemerkungen zu paläarktischen Epermeniidae und Acrolepiidae (Lepidoptera). *Dt. ent. Z. (N. F.)* 19 (4/5): 301-302.
- 2599. Gaedike, R.,** 1973, Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei. 233. Beitrag: Epermeniidae, Acrolepiidae, mit einer Übersicht über die Epermeniidae- und Acrolepiidae - Fauna Ostasiens (Lepidoptera). *Reichenbachia* 14 (12): 95-100, 6 figs.
- 2600. Gaedike, R.,** 1973, Zum Status der von Rebel, Krone und Gozmany beschriebenen *Elachista* - Arten (Lepidoptera, Elachistidae). *Ann. Hist. Nat. Mus. Nat. Hung. Budapest* 65: 239 - 248, 40 figs.
- 2601. Gaedike, R.,** 1974, Revision der paläarktischen Douglassiidae (Lepidoptera). *Acta faun. ent. Mus. Nat. Pragae* 15 (176): 79 - 102, 69 figs.
- 2602. Gaedike, R.,** 1975, Die Genitalien der Epermeniidae der orientalischen Region (Lepidoptera). *Beitr. Ent. Berlin* 25 (1): 33 - 38, 16 figs.
- 2603. Gaedike, R.,** 1975, Beitrag zur Kenntnis der Mikrolepidopterenfauna der Vorderen und Mittleren Orient (Epermeniidae, Acrolepiidae, Douglassiidae). *Beitr. Ent. Berlin* 25 (2): 213 - 219, 5 figs.
- 2604. Gaedike, R.,** 1986, Die Typen der orientalischen, australischen und äthiopischen Acrolepiidae (Lepidoptera) *Beitr. Ent.* 36: 63-68.
- 2605. Gaedike, R.,** 1987, Beitrag zur Kenntnis der paläarktischen Douglassiidae (Lepidoptera). *Tinagma klimeschi* sp. nov. aus Rhodos. *Nota lepid.* 10 (2): 158-162, 16 figs.
- 2606. Gaedike, R.,** 1989, Was ist *Tinea opimella* Denis & Schiffmüller, 1775 ? (Lepidoptera). *Nota lepid.* 12 (3): 172-174.
- 2607. Gaedike, R.,** 1994, Zur Kenntnis der ostpaläarktischen Acrolepiidae (Lepidoptera). *Beitr. Ent.* 44 (2): 319-328, 11 figs.
- 2608. Gaedike, R.,** 1997, 3. Nachtrag zur Revision der Gattung *Infurcitinea* Spuler, 1910 (Lepidoptera, Tineidae). *Beitr. Ent.* 47 (1): 35-53, 13 figs.

- 2609.** Gaedike, R., 2000, Axel Scholz (11.6.1957-30.6.1998) *Nota lepid.* 23 (1): 78-80, figs.,
- 2610.** Gaedike, R., 2004, New genera and species of epermenioid moths from the Afrotropical Region (Lepidoptera, Epermeniidae). *Ann. Transv. Mus.* 41: 41-59, figs.
- 2611.** Gaedike, R., Hattenschwiler, P., Karsholt, O., Triberti, P. & S. Zangheri, 1995, Lepidoptera Tineoidea I. Checklist delle specie delle fauna Italiana, fasc. 81: 1-21.
- 2612.** Gallo, E., 1989, On the presence of *Pyrgus alveus* (Hübner, 1803) in the Peloponnesus (Lepidoptera, Hesperiidae). *Nota lepid.* 12: 164-165.
- 2613.** Gallo, E., 1998, Some new records of *Pyrgus alveus* (Hübner, [1803]) in China (Lepidoptera, Hesperiidae). *Neue ent. Nachr.* 41: 283-287, figs.
- 2614.** Ganev, J. & D. Kiriakov, 1986, *Cymbalophora rivularis* (Ménétriér, 1832) eine neue Art für die bulgarische Fauna (Lepidoptera, Arctiidae). *Articulata* 2 (8): 257-259.
- 2615.** Ganev, J. & H. Hacker, 1984, *Agrochola osthelderi* Boursin, 1951 eine neue Art für Europa (Lepidoptera, Noctuidae, Cuculliinae). *Articulata* 2 (5): 104-105, fig.
- 2616.** Ganev, J. & H. Hacker, 1984, Beitrag zur Kenntnis der Microlepidopteren der Türkei. Die Crambidae (Lepidoptera, Pyraloidea) der Ausbeute H. Hacker aus dem Jahr 1983 nebst Beschreibung neuer Taxa. *Nota lepid.* 7 (3): 237-250, 8 Abb.
- 2617.** Ganev, J. & H. Hacker, 1985, Weiterer Beitrag zur Kenntnis der Crambidae Griechenlands und der Türkei. *Nota lepid.* 8 (4): 329-330.
- 2618.** Ganev, J. & H. Hacker, 1986, Beitrag zur Kenntnis der Crambidae (Lepidoptera, Pyraloidea) von Griechenland und der Türkei mit Beschreibung einer neuen Art *Euchromius siuxellus* n.sp. *Z. ArbGem. öst. Ent.* 37(3/4): 81-83.
- 2619.** Ganev, J. & S. Beschkov, 1987, Records of Macrolepidoptera from Bulgaria (Lepidoptera). *Phegea* 15(2): 113-117.
- 2620.** Ganev, J., 1982, *Trichiura veranae* witti ssp.n. (Lepidoptera, Lasiocampidae). *Entomofauna* 3 (5): 57-61, 4 figs.
- 2621.** Ganev, J., 1982, Records of new and local species of Heterocera from Bulgaria. *Nota lepid.* 5 (4): 157-168.
- 2622.** Ganev, J., 1983, Some butterfly records from Bulgaria. *Nota lepid.* 6 (1): 57-60.
- 2623.** Ganev, J., 1984, Eine neue Unterart *Archicaris puella mediterranea* n.ssp. aus Bulgarien (Lepidoptera, Geometridae). *Z. ArbGem. öst. Ent.* 36(1/2): 15-16, figs.
- 2624.** Ganev, J., 1984, Die von Josef de Freina gesammelten Microlepidoptera aus der Türkei, Afghanistan und Pakistan. Eine faunistische und taxonomische Studie (Lepidoptera, Ethmiidae und Crambidae). *Articulata* 2 (4): 80-84.
- 2625.** Ganev, J., 1985, Zweiter Beitrag zur Noctuiden-Fauna auf der Balkan-Halbinsel. *Noctua harwardi balcanica* Slivov, 1985 syn.n. (Lepidoptera, Noctuidae). *Articulata* 2 (7): 181-182.
- 2626.** Ganev, J., 1985, Zweiter Beitrag zur Noctuiden-Fauna auf der Balkan-Halbinsel. *Noctua haywardi balcanica* Slivov, 1985 syn.n. (Lepidoptera, Noctuidae). *Articulata* 2(7): 181-182, Abb.
- 2627.** Ganev, J., 1985, Red List of Bulgarian Butterflies and Larger Moths. *Entomologist's Gaz.* 36(2): 115-118.
- 2628.** Ganev, J., 1985, *Agriphila beieri josifovi* n.ssp. aus der Türkei (Lepidoptera, Crambidae). *NachrBl. bayer. Ent.* 34(4): 139-141, figs.
- 2629.** Ganev, J., 1985, A list of the Odontiinae (Lepidoptera, Pyraloidea) from Bulgaria. *Nota lepid.* 8(3): 279-282, map.
- 2630.** Ganev, J., 1985, Ein Beitrag zur Noctuidenfauna auf der Balkanhalbinsel. *Chersotis cuprea jordanovi* Tuleschko syn.n. und *Conistra ragusae* Failla Tedaldi eine neue Art für die bulgarische Fauna. *Nota lepid.* 8(2): 129-130.
- 2631.** Ganev, J., 1987, Beschreibung des Männchens von *Catoptria fenestrella* (Caradja, 1928) (Lepidoptera, Pyraloidea, Crambidae). *Articulata* 2 (10): 363.
- 2632.** Ganev, J., 1987, Zur Systematik der Crambidae der Balkan Halbinsel -V (Lepidoptera, Pyraloidea). *Articulata* 2 (10): 364-366.
- 2633.** Ganev, J., 1987, On Crambidae in the collection of the Copenhagen Museum (Lepidoptera, Pyraloidea). *Entomofauna* 8 (4): 41-52, figs.
- 2634.** Ganev, J., 1988, Katalog der Unterfamilien Pyraustinae, Eulocastinae, Acentropinae und Nachtrag zur Untersuchung der Pyraloidea in Bulgarien (Lepidoptera). *Staphia* 16: 85-113.
- 2635.** Gardiner, A., 1883, On Lepidoptera from Manchuria and the Corea. *Ann. Mag. nat. Hist.* (5) 11: 109-117, 278-279.
- 2636.** Gardner, J.C.M., 1938, Immature stages of Indian Lepidoptera (I). Lymantriidae. *Indian Forest Rec. (N.S.)* 3: 187-212.
- 2637.** Garrevoet, T. & W. Garrevoet, 2002, *Synanthedon rubiana*, a new species to the European fauna (Lepidoptera, Sesiidae). *Phegea* 30 (3): 103.
- 2638.** Garrevoet, T., Garrevoet, W. & H. Özbek, 2005, A contribution to the knowledge of the Sesiidae of Turkey (Lepidoptera). *Türk J. Zool.* 29: 27-38.
- 2639.** Gassmann, D., Hille, A. & C.M. Naumann, 1994, Morphometrische Variation in der Kontaktzone zweier Semispezies des *Zygaena-transalpina*-Komplexes (Lepidoptera, Zygaenidae). *Verh. dt. zool. Ges.* 87 (Kurzpublik.): 223.
- 2640.** Gauckler, H., 1896, Verzeichniss der Gross-Schmetterlinge der Umgegend von Karlsruhe, mit Baden, Bruchsal, Durlach und Ettlingen nebst Angabe über deren Erscheinungszeit und Fundorte. Karlsruhe.
- 2641.** Gauckler, H., 1906, Beiträge zur Lepidopterenfauna Palästinas. *Dt. ent. Z., Iris* 19: 1-5.
- 2642.** Gauthier, A., 1984, Neue Unterarten und neue Namen in den Gattungen *Papilio*, *Graphium* und *Parnassius* (Lep., Papilionidae). *Ent. Z., Frankf. a.M.* 94(21): 314-320, 6 Abb.
- 2643.** Geest, W., 1902, Eine Aberration von *Rhodocera rhamnii* und Entwicklung der Pieriden-Färbung. *Allg. Z. Ent.* 7: 529-534, Abb.
- 2644.** Gehlen, B., 1932, Familie Sphingidae. In Seitz, A., *Gross-Schmett. Erde, Suppl.* 2: 137-166. Stuttgart.
- 2645.** Geiger, H., Descimon, H. & A. Scholl, 1988, Evidence for speciation within nominal *Pontia daplidice* (Linnaeus, 1758) in southern Europe (Lepidoptera, Pieridae). *Nota lepid.* 11(1): 7-20, 5 figs. 2 Tab.
- 2646.** Geiger, H.-J. & A. Scholl, 1982, *Pontia daplidice* (Lepidoptera, Pieridae) in Südeuropa- eine Gruppe von zwei Arten. *Mitt. Schweiz. ent. Ges.* 55: 107-114.
- 2647.** Genre, C., 1984, *Rhopaloceres* de la République de Djibouti [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc. II. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 128: 70-80.
- 2648.** Geoffroy, E.L., 1785, Lepidoptera. [In] Fourcroy, A.F., *Entomologia parisiensis, sive catalogus Insectorum, quae in agro parisiensi reperiuntur; secundum methodum Geoffraeanam in sectiones, genera et species distributus; cui addita sunt nomina trivialia et fere trecentae novae species.* I: 1-231; 2: 233-544. Paris.
- 2649.** Georgioui, G.P., 1977, The insects and mites of Cyprus. 347 pp. Athens.
- 2650.** Gerasimov, A.M., 1931, Zur Lepidopterenfauna von Mittelasien III. Neue Lithocolletis. *Ent. Z., Frankf. a. M.* 45: 125-132, 5 figs.
- 2651.** Gerasimov, A.M., 1935, Zur Frage der Homodynamie der Borsten von Schmetterlingsraupen. *Zool. Anz.* 112: 177-194, 8 figs.
- 2652.** Gerasimov, A.M., 1937, Hepialidenraupen (Lepid.) *Ent. Z., Frankf. a. M.* 51(9): 81-84.
- 2653.** Gerhard, B., 1850-[1853], Versuch einer Monographie der europäischen Schmetterlingsarten: Thecla, Polyommatus [sic!], Lycaena, Nemeobius. 21pp., 39 Taf. Hamburg.
- 2654.** Gerhard, B., 1882, Lepidopterologisches. *Berl. ent. Z.* 26 (1): 125-128.
- 2655.** Gerhard, B., 1883, Ueber die geographische Verbreitung der Macro-Lepidopteren auf der Erde. *Berl. ent. Z.* 27(2): 173-185.
- 2656.** Gerstaecker, A., 1871, Beitrag zur Insektenfauna von Zanzibar. *Archiv f. Naturg.* 1871(1): 345-363.
- 2657.** Gerstberger, M., 1981, *Glyptoteles leucacrinella* Z. und *Euzophora bigella* Z. Zwei verwechselte Arten (Pylalidae, Phycitinae). *Nota lepid.* 4(4): 151-154, figs.

- 2658.** Gerwien, E., 1911, Deskriptives und biologisches über *Taeniocampa rorida* H.-S. (Friv?). Berl. ent. Z. 55 (1910): 174-178, Taf. iii figs. 1-6.
- 2659.** Gess, F. W., 1967, *Poliana natalensis* (Butl.) and *P. oheffermani* sp.n., two hitherto confused hawkmoths (Lepidoptera, Sphingidae) from South Africa. Novos Taxa Ent. 54: 1-10, figs.
- 2660.** Geyer, C., [1832], Zuträge zur Sammlung exotischer Schmetterlinge bestehend in Bekundigung einzelner Fleigmuster neuer oder rarer nichteuropäischer Gattungen. Viertes Hundert: 1-48, figs. 401-600. Augsburg.
- 2661.** Gibeaux, C., 1983, *Dichrorampha letarfensis* sp.nov. (Lep., Tortricidae). Alexanor 13: 74-75.
- 2662.** Gibeaux, C., 1985, *Scythris elegantella* (Lucas, 1955), comb.nov., = *Scythris limbelloides* Jäckh, 1977, syn.nov. (Lep., Scythrididae). Alexanor 14 (1): 22-23, 6 figs.
- 2663.** Gibeaux, C., 1997, Etude des Pterophoridae (40e note) Eléments pour une faune des Pterophoridae d'Asie centrale (Lepidoptera, Pterophoridae). Alexanor 19(7): 415-448, 78 figs.
- 2664.** Gielis, C., 1988, Synonyms in the European genus complex *Stenoptilia-Platyptilia* and reestablishment of *Stenoptilia arvenicus* (de Peyerimhoff, 1875) (Lepidoptera, Pterophoridae). Phegea 16(2): 51-58, 7 figs.
- 2665.** Gielis, C., 1993, Generic revision of the superfamily Pterophoroidea (Lepidoptera). Zool. Verh. 290: 1-139, 239 figs.
- 2666.** Gielis, C., 1996, Pterophoridae, [in] Huemer, P., Karsholt, O. & L. Lyneborg (eds.), Microlepidoptera of Europe 1: 1-222, 16 pls. 288 figs. Apollo Books, Stenstrup.
- 2667.** Gilbert, P. & C. J. Hamilton, 1990, Entomology: a guide to information sources. 8 + 259pp., 2nd. edn., London.
- 2668.** Gilbert, P., 1978, A compendium of the biographical literature on deceased entomologists. xiv + 455pp., 27 figs. British Museum (Natural History) London.
- 2669.** Gillmer, M., 1902, Fünf Zwitter. Allg. Z. Ent. 7: 208-212, 10 figs.
- 2670.** Gillmer, M., 1904, *Lycaena icarus* Rott., ab. persica. Bien. Ent. Z., Stuttgart 17(20): 76.
- 2671.** Gillmer, M., 1904, Nochmals *Lycaena icarus* Rott., var. persica, Bien. Ent. Z., Stuttgart 17 (22): 84-85.
- 2672.** Girgin, S., 1990, Bazı Satyrinae türlerinin erginlerinde ikinci abdomen sternit yapısı üzerine araştırmalar (Satyridae, Lepidoptera). Doğa 14: 127-138, 14 şekil.
- 2673.** Gistel, J., 1857, Achthundert und zwanzig neue oder unbeschriebene wirbellose Thiere. Vacuna 2 (2): 513-606.
- 2674.** Glaser, W., 1981, Beitrag zur Kenntnis der Coleophoridae xii (Lepidoptera, Coleophoridae). Z. ArbGem. öst. Ent. 32(3/4): 133-135, 6 Abb.
- 2675.** Glassl, H., 1993, *Parnassius apollo*. Seine Unterarten. 214pp. pls. maps. H. Glassl Verlag. Möhrendorf.
- 2676.** Gleichauf, R., 1993, Die Schmetterlingsfauna von Celle und seiner Umgebung I. Einleitung, Tagfalter. Nachr. ent. Ver. Apollo N.F. 14(3): 249-260, Abb.
- 2677.** Godart, J. B., 1819-[1824], Papillons [in] Encyclopédie méthodique. vol.9. pp. 1-318 (1819), pp. 329-828 [1824]. Paris.
- 2678.** Godfrey, E. J., 1916, The butterflies of Siam. J. Nat. Hist. Soc. Siam 2: 106-147.
- 2679.** Godfrey, E. J., 1919, On Butterflies collected by Malcolm A. Smith and C. Boden Kloss in Southern Annam. J. Nat. Hist. Soc. Siam. 3 (4): 463-470.
- 2680.** Godfrey, E. J., 1927, A list of butterflies collected in Northern Siam by Mr. M. B. Tennent. J. Nat. Hist. Soc. Siam. 7 (2): 119-127.
- 2681.** Godfrey, E. J., 1930, A revised list of the butterflies of Siam, with notes on their geographical distribution. J. Siam Soc. Nat. Hist. Suppl. 7 (4): 203-397.
- 2682.** Godfrey, E. J., 1931, On a collection of Butterflies from Kaw Tao. J. Nat. Hist. Soc. Siam 8 (3): 191-196.
- 2683.** Godfrey, E. J., 1932, A list of butterflies collected by Dr. A. F. G. Kerr in Peninsular Siam. J. Nat. Hist. Soc. Siam. 8 (4): 263-277.
- 2684.** Godfrey, E. J., 1932, A Supplementary List of the Butterflies of Siam. J. Nat. Hist. Soc. Siam 8 (4): 321-331.
- 2685.** Godman, F. D. & O. Salvin, 1888, New species of butterflies collected by Mr. C. M. Woodford in the Solomon Islands. Ann. Mag. nat. Hist. (6) 1: 90-101.
- 2686.** Godman, F. D. C. & O. Salvin, 1880, A list of diurnal Lepidoptera collected in the Sierra Nevada of Santa Marta Colombia and the vicinity. Trans. ent. Soc. London 1880: 119-132.
- 2687.** Goldbach, G., 1993, Schmetterlingsarten aus dem Gebiet von Moatize/Moçambique (Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 14(1): 71-80, 5 Abb.
- 2688.** Goltz, H. F. v. d., 1930, Familie Satyridae. Gattung: *Erebia* Dalm. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 132-152. Stuttgart.
- 2689.** Goltz, H. F. v. d., 1934, Über *Erebia sedakovii* Ev. und *alcmena* Gr-Grsh. Dt. ent. Z., Iris 48: 54-59.
- 2690.** Goltz, H. F. v. d., 1934, Noch einmal *Erebia sedakovii* Ev. Dt. ent. Z., Iris 49: 138.
- 2691.** Goltz, H. F. v. d., 1937, *Erebia* aus dem Hindukusch. Ent. Rdsch. 54: 357-364.
- 2692.** Goltz, H. F. v. d., 1938, Eine neue *Erebia* art aus West China. Dt. ent. Z., Iris 52: 43-47.
- 2693.** Goltz, H. F. v. d., 1938-1939, Die Callerebia der Ausbeute Höne. Ent. Rdsch. 55 (1938): 666-671, 56 (1939): 41-45, 102-107, 124-126, 163-166, 8 Abb.
- 2694.** Goltz, H. F. v. d., 1939, Ergänzungen und Berichtigungen zu "Die Callerebia der Ausbeute Höne". Ent. Rdsch. 56: 174.
- 2695.** Gomboc, S., 1993, *Mellicta britomartis* Assmann 1847 (Nymphalidae) najdena tudi v Prekmurju. [Eine neue Lokalität von *Mellicta britomartis* Assmann 1847 (Nymphalidae) im Prekmurje/Murgebiet]. Acta ent. Slovenica 1: 37-40.
- 2696.** Gomboc, S., 1993, *Apamea sicula syriaca* (Osthelder, 1993) (Lep., Noctuidae), nova vrsta za slovensko favno metuljev, najdena v Prekmurju. [Apamea sicula syriaca (Osthelder, 1993) (Lep., Noctuidae) neu für Slowenien, im Prekmurje/Murgebiet]. Acta ent. Slovenica 1: 41-42.
- 2697.** Gomboc, S., 1996, Vier weitere Neufunde für die Grossschmetterlingsfauna Sloweniens. Acta ent. Slovenica 4(2): 101-105.
- 2698.** Gomez-Bustillo, M. R., 1978, Los planes sistematicos mas destacados en los ultimos treinta anos. Shilap 6(23): [246]-261, 1 dépli.
- 2699.** Gonseth, Y., 1987, Atlas de distribution des Papillons Diurnes de Suisse (Lepid. Rhopalocera). 242pp. maps.
- 2700.** Gooch, W. D., 1880-1881, Notes on the Lepidoptera of Natal. Entomologist 13: 226-231, 273-276; 14: 1-7, 35-40.
- 2701.** Goodger, D. T. & A. Watson, 1995, The Afrotropical Tiger-Moths. An illustrated catalogue, with generic diagnoses and species distribution, of the Afrotropical Arctiinae (Lepidoptera, Arctiidae). 65pp. 198 figs. Apollo Books, Stenstrup.
- 2702.** Gorbunov, O. & K. Spatenka, 1992, A new species of the genus *Chamaesphesia* Spuler, 1910 from the Transcaucasus and Northern Iran (Lepidoptera, Sesiidae). Atalanta 23(1/2): 255-258, 5 figs.
- 2703.** Gorbunov, O., 1992, Two new species of the genus *Bembecia* Hübner, 1819 from Middle Asia (Lepidoptera, Sesiidae). Atalanta 23(1/2): 249-253, 5 figs.
- 2704.** Gorbunov, O., [1990], A new species of the genus *Bembecia* Hübner, 1819 from the Caucasus, USSR (Lep., Sesiidae). Atalanta 20 (1989): 119-123, figs. 6, 7.
- 2705.** Gorbunov, O. G. & Y. Arita, 1995, New taxa of the tribe Melittiini (Lepidoptera, Sesiidae) from the Oriental Region. Tinea 14 (3): 149-156, figs.
- 2706.** Gorbunov, O. G. & Y. Arita, 1999, New taxa of the clearwing moths (Lepidoptera, Sesiidae) from Nepal. Tinea 16 (2): 106-143.
- 2707.** Gorbunov, O. G. & Y. Arita, 2000, *Ravitria* nom. nov. for *Vitraria* Gorbunov & Arita, 1999 (Lepidoptera, Sesiidae). Tinea 16 (4): 231.
- 2708.** Gornik, F., 1935, Beobachtungen über das Entstehen von Zwergformen bei *Pieris bryoniae* O. und über deren Ein- und Mehrbrütigkeit. Z. öst. EntVer. 20: 75-???
- 2709.** Gotthardt, I., 1936, Tabelle zum Bestimmen mitteleuropäischer Arten der Gattung *Hesperia* an Hand der Form des männlichen Kopulationsapparates. Ent. Rdsch. 53: 183.

- 2710.** Gough, W.G.H., 1935, Some butterflies of Nepal. J. Bombay nat. Hist. Soc. 38: 258-265.
- 2711.** Gozmany, L.A. & L.Vari, 1973, The Tineidae of the Ethiopian Region. Transv. Mus. Mem. 18: 1-238, figs. Pretoria.
- 2712.** Gozmany, L.A., 1960, New and rare Tineids from the Palaearctic Region and one from Ethiopia (Lepidoptera). Acta zool. hung. 6(1/2): 103-115, 6 figs.
- 2713.** Gozmany, L.A., 1960, New and rare Tineids from the Palearctic Region and one from Ethiopia (Lepidoptera). Acta zool. Acad. Sci. Hung. 6(1/2): 103-115, 6 figs.
- 2714.** Gozmany, L.A., 1960, Records on Microlepidoptera. Ann. hist.-nat. Mus. natn. hung. 52: 423-428, 2 figs.
- 2715.** Gozmany, L.A., 1962, New and interesting Symmocoid species in the Zoological Collection of the Bavarian State, Munich, Germany (Lep., Gelechiidae). Opusc. zool. 64: 1-6, 5 figs.
- 2716.** Gozmany, L.A., 1965, Some collections of Tineid Moths from Africa (Microlepidoptera). Acta zool. hung. 11: 253-294, figs.
- 2717.** Gozmany, L.A., 1967, *Perissomastix varii* spec. nov. (Lepidoptera, Tineidae). Novos Taxa Ent. 53: 1-3, 2 figs.
- 2718.** Gozmany, L.A., 1968, Some Tineid Moths of the Ethiopian Region in the collections of the British Museum (Nat. Hist) II. Acta zool. Acad. Sci. Hung. 14: 301-334, figs.
- 2719.** Gozmany, L.A., 1968, Die von E.Arenberger in Kleinasien gesammelten Symmociden (Lepidoptera). Z. wien. ent. Ges. 53: 20-28, 6 figs.
- 2720.** Gozmany, L.A., 1977, Tineidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 19.
- 2721.** Gozmany, L.A., 1978, Natur- und Artenschutz, besonders bei Schmetterlingen, in Ungarn. Nota lepid. 1(3): 135-136.
- 2722.** Gozmany, L.A., 1978, Pyralid, Pyraustid, and Gallerid species (Lepidoptera) from Tunisia. Folia ent. hung. 31 (2): 171-173.
- 2723.** Gozmany, L.A., 1978, Noctuid moths from Tunisia (Lepidoptera, Noctuidae). Faun. Abh. st. Mus. Tierk. Dresden 7 (4): 25-28.
- 2724.** Gozmany, L.A., 1978, Symmocid, Holcopogonid, Pterolonchid, Ethmiid and Plutellid species from Tunisia (Lepidoptera). Faun. Abh. st. Mus. Tierk. Dresden 7 (7): 61-63.
- 2725.** Gozmany, L.A., 1982, Insects of Saudi Arabia. Lepidoptera: Fam. Symmocidae. Fauna Saudi Arabia 4: 347-349, figs.
- 2726.** Gozmany, L.A., 1986, New Symmocid and Holcopogonid species from Eastern Mediterranean (Lepidoptera, Symmocidae, Holcopogonidae). Entomofauna 7 (14): 201-214, 8 figs.
- 2727.** Gozmany, L.A., 1987, A new species of *Ceuthomadarus* Mann, 1864 from Afghanistan (Lepidoptera, Lecithoceridae). Mus. eg. Sci. nat. Boll. (Turin) 5(2): 613-615, figs.
- 2728.** Gozmany, L.A., 2000, Two new Holcopogonid species from Africa (Insecta, Lepidoptera, Holcopogonidae). Spixiana 23 (3): 279-281, 2 figs.
- 2729.** Gozmany, L.A., 2002, Some Lecithocerid species from Morocco and Middle East (Lepidoptera, Lecithoceridae). Shilap Revta lepid. 30 (117): 33-38, figs.
- 2730.** Graeser, L., 1888, Beiträge zur Kenntnis der Lepidopteren-Fauna des Amurlandes. Berl. ent. Z. 32 (1): 33-153.
- 2731.** Graeser, L., 1892, Neue Lepidopteren aus Central Asien. Berl. ent. Z. 37 (3): 299-318.
- 2732.** Graeser, L., 1892, Beiträge zur Kenntnis der Lepidopteren-Fauna des Amurlandes V. Berl. ent. Z. 37 (2): 209-234.
- 2733.** Grant, W.R., 1899, Description of three new species of butterflies. Bull. Lpool. Mus. 2: 10-11.
- 2734.** Graslin, A.de, 1836, Notice sur une Exploration entomologique en Andalousie, suivie de la description, accompagnée de figures, de plusieurs Lépidoptères nouveaux trouvés dans cette partie de l'Espagne. Annls Soc. ent. Fr. 5: 547-572.
- 2735.** Graves, P.P. & R.E. Ellison, 1928, The butterflies of Jebel Qineisa, Lebanon. Entomologist's Rec. J. Var. 40: 177-180.
- 2736.** Graves, P.P., 1910, A contribution to the fauna of Syria. Entomologist's Rec. J. Var. 22: 271-273.
- 2737.** Graves, P.P., 1911, A contribution to the fauna of Syria. Entomologist's Rec. J. Var. 23: 31-36.
- 2738.** Graves, P.P., 1912, A season's collecting at Constantinople in 1911. Entomologist's Rec. J. Var. 24: 10-12.
- 2739.** Graves, P.P., 1913, Constantinople and Syrian Butterflies. Corrections and additions. Entomologist's Rec. J. Var. 25: 139-140.
- 2740.** Graves, P.P., 1914, Near eastern Urbicolids. Entomologist's Rec. J. Var. 26: 193-194.
- 2741.** Graves, P.P., 1919, Collecting in various places in 1916-1918. Entomologist's Rec. J. Var. 31: 5-8, 61-66, 156-158.
- 2742.** Graves, P.P., 1920, Collecting in Turkey in 1919. Entomologist's Rec. J. Var. 22: 105-107.
- 2743.** Graves, P.P., 1921, Collecting in Palestine in March 1921. Entomologist's Rec. J. Var. 33: 193-195.
- 2744.** Graves, P.P., 1921, Some new records for the Constantinople district and Bithynia. Entomologist's Rec. J. Var. 33: 165-166.
- 2745.** Graves, P.P., 1921, Review: Lepidoptera of the Amanus. Entomologist's Rec. J. Var. 33: 141-142.
- 2746.** Graves, P.P., 1925, The Lepidoptera of Constantinople. Entomologist 58: 191-194, 242-245, 260-262, 291-294.
- 2747.** Graves, P.P., 1925, Some Pyralids from southern Palestine. Entomologist's Rec. J. Var. 37: 99-101.
- 2748.** Graves, P.P., 1925, The Rhopalocera and Grypocera of Palestine and Transjordan. Trans. ent. Soc. London 73: 17-125, figs.
- 2749.** Graves, P.P., 1926, Heterocera from Macedonia, Gallipoli and Central Greece. Entomologist's Rec. J. Var. 38: 152-158, 165-170.
- 2750.** Graves, P.P., 1926, Additions to the Lepidoptera of the Constantinople district. Entomologist 59: 249-253.
- 2751.** Graves, P.P., 1928, *Epinephele cypricola* sp. nov. Entomologist 61: 5-7, pl.1
- 2752.** Graves, P.P., 1928, Collecting in Bulgaria, 1925 and 1927. Entomologist's Rec. J. Var. 40: 65-67, 81-84.
- 2753.** Graves, P.P., 1928, The seasonal variation of *Spilothyrus* (Carcharodus) *orientalis* Rev. Entomologist's Rec. J. Var. 40: 77.
- 2754.** Graves, P.P., 1938, A New Subspecies of *Leptidea duponcheli* Stgr. Entomologist 71: 154-155.
- 2755.** Gray, D., 1978, Butterflies on my mind. 125pp. pls. Angus & Robertson Publ. Brighton.
- 2756.** Gray, G.R., 1831, Descriptions of eight new species of Indian butterflies from the collection of General Hardwicke. Zool. Misc. 1831: 32-33.
- 2757.** Gray, G.R., 1832, Lepidoptera, [in] Cuvier, Animal Kingdom, vol.xv.
- 2758.** Gray, G.R., 1846, Descriptions and figures of some new lepidopterous insects chiefly from Nepaul. 16 pp., 15 pls. London.
- 2759.** Gray, G.R., [1853], Catalogue of lepidopterous insects in the collection of the British Museum Part I. Papilionidae. 84pp., 13 pls. & supplementary plate. London.
- 2760.** Greer, T., 1898, Lepidoptera of Ireland, 1898. Entomologist's Rec. J. Var. 10: 309-310.
- 2761.** Grice, F.L., 1896, On the ovum, oviposition and food-plants of *Callophrys* (Thecla) *rubi*. Entomologist's Rec. J. Var. 8: 83-84.
- 2762.** Grieshuber, J., 1996, Die subspezifische Gliederung von *Colias nina* Fawcett und Beschreibung einer neuen Unterart. Lambillionea 46 (3): 552-560, pl.1,2.
- 2763.** Griffin, F.J., 1964, Arthur Francis Hemming, C.M.G., C.B.E., (1893-1964). J. Soc. Bibl. Nat. Hist. 4 (4): 203-205.
- 2764.** Grillo, N., 1999, Record of *Danaus chrysippus* (Linnaeus, 1758) in the province of Palermo (Sicily, Italy) (Lepidoptera, Danaidae). Linneana Belgica 17(1): 3-4, figs.
- 2765.** Grose-Smith, H., 1887, Descriptions of two new species of butterflies from south Afghanistan. Ann. Mag. nat. Hist. (5) 20: 129-130.

- 2766. Grose-Smith, H.,** 1894, Descriptions of eight new species of butterflies from New Britain and Duke of York Islands, in the collections of Hon. Walter Rothschild and Mr. Grose-Smith, captured by... Ann. Mag. nat. Hist. (6) 13: 496-502.
- 2767. Grose-Smith, H.,** 1895, Descriptions of new species of butterflies captured by Mr. Doherty in the islands of the eastern Archipelago and now in the Museum of the Hon. Walter Rothschild at Tring. Part I, II. Novit. zool. 2: 75-81; 505-514.
- 2768. Grose-Smith, H.,** 1897, Descriptions of new species of butterflies from the Pacific Islands. Ann. Mag. nat. Hist. (6) 19: 172-180.
- 2769. Grose-Smith, H.,** 1897, Descriptions of further new species of butterflies from the Pacific Islands. Ann. Mag. nat. Hist. (6) 19: 403-407.
- 2770. Grose-Smith, H.,** 1897, Descriptions of further new species of butterflies from the Pacific Islands. Ann. Mag. nat. Hist. (6) 20: 515-518.
- 2771. Gross, F.J. & G.Ebert,** 1975, Beiträge zur Kenntnis der Rhopaloceren Irans 2. Beitrag. Neue Taxa der Pieridae, Satyridae und Nymphalidae. J. ent. Soc. Iran (suppl. 1): 8-45, figs.
- 2772. Gross, F.J.,** 1973, *Satyrus sintenisi* auch in Europa, nebst Beschreibung einer neuen Unterart. Ent. Z., Frankf. a. M. 83: 211-214, Abb.
- 2773. Gross, F.J.,** 1977, Über *Hyponephele narica* und *H. naricina* und deren Verbreitung in der Türkei (Lep., Satyridae). Atalanta 8 (2): 123-125.
- 2774. Gross, F.J.,** 1978, Beitrag zur Systematik von *Pseudochazara*-Arten (Lep., Satyridae). Atalanta 9(1): 41-103, figs.
- 2775. Gross, G.H.,** 1894, Zur Biologie der *Spilothyrus altheae* Hübner. Stettin ent. Ztg. 55: 77-78.
- 2776. Gross, G.H.,** 1901, Beitrag zur Macrolepidopterenfauna von Oberösterreich und dem angrenzenden Theile von Steiermark. Jb. Wien. ent. Ver. 11 (1900): 25-83.
- 2777. Grote, A.R.,** 1895, Generic names in the Noctuidae. Entomologist's Rec. J. Var. 6: 27-30, 77-81.
- 2778. Grote, A.R.,** 1895, Entomologist's Rec. J. Var. 6: 189-190.
- 2779. Grote, A.R.,** 1895, The Hadenoid genera with hairy eyes. Entomologist's Rec. J. Var. 6: 283-286.
- 2780. Grote, A.R.,** 1898, Classification of the Saturniades. Entomologist's Rec. J. Var. 10: 145-146.
- 2781. Grote, A.R.,** 1901, Fossile Schmetterlinge und die Schmetterlingsflügel. Verh. zool.-bot. Ges. Wien 51: 655-661.
- 2782. Grote, A.R.,** 1901, The century and the lepidopterist. Entomologist's Rec. J. Var. 13: 41-43.
- 2783. Grote, A.R.,** 1902, Die Gattungsnamen der europäischen Noctuiden. Allg. Z. Ent. 7: 395-400.
- 2784. Grote, A.R.,** 1902, Die Gattungsnamen der europäischen Geometriden. Allg. Z. Ent. 7: 470-472.
- 2785. Groum-Grshimailo, G.,** 1888, Novae species et varietates Rhopalocerorum e Pamir. Horae Soc. ent. ross. 22: 303-307.
- 2786. Groum-Grshimailo, G.,** 1890, Le Pamir et sa faune lépidoptérologique. [in] Romanoff, Mém. lépid. 4: 1-577, Pls.
- 2787. Groum-Grshimailo, G.,** 1891, Lepidoptera nova in asia centrali novissime lecta et descripta. Horae Soc. ent. ross. 25: 445-465.
- 2788. Groum-Grshimailo, G.,** 1893, Lepidoptera Palaearctica Nova I. Horae Soc. ent. ross. 27: 127-129.
- 2789. Groum-Grshimailo, G.,** 1893, Lepidoptera Palaearctica Nova II. Horae Soc. ent. ross. 27: 379-386.
- 2790. Groum-Grshimailo, G.,** 1894, Verzeichnis der von D.Glasunow 1892 im Gebiete des Serafschan-Thales und in der Wüste Kisilkum gesammelten Lepidopteren. Horae Soc. ent. ross. 28: 88-95.
- 2791. Groum-Grshimailo, G.,** 1895, Lepidoptera Palaearctica Nova. III. Horae Soc. ent. ross. 29: 290-293.
- 2792. Groum-Grshimailo, G.,** 1899, Lepidoptera nova veiparum cognita regionis palaearcticae. Ann. Mus. Zool. Akad. St. Petersburg. 4: 455-472.
- 2793. Groum-Grshimailo, G.,** 1902, Lepidoptera nova veiparum cognita regionis palaearcticae. Ann. Mus. Zool. Akad. St. Petersburg. 7: 191-204.
- 2794. Grover, W.,** 1897, Notes on the Rhopalocera of the Gufford district during the years 1896-7. Entomologist's Rec. J. Var. 9: 310-314.
- 2795. Groß, H.,** 1887, Zur Biologie der *Acidalia punctata* Tr. Stettin ent. Ztg. 48: 48.
- 2796. Grund, A.,** 1905, *Leptidea sinapis* in der Umgebung Agrams (Kroatien) mit drei neuen Formen. Int. ent. Z. 19(26): 145-148, 20 figs.
- 2797. Grünberg, K.,** 1907, Neue afrikanische Heteroceren nebst einigen synonymischen Bemerkungen. Berl. ent. Z. 52: 63-75, 6 figs.
- 2798. Gu, M. et al.,** 1997, Butterflies in Hainan Island. 355p. pls.
- 2799. Guenée, A.,** 1838, Matériaux pour servir à la classification des Noctuéliques. Annls Soc. ent. Fr. 7: 107-125, 201-230.
- 2800. Guenée, A.,** 1845, Essai sur une nouvelle classification des Microlépidoptères et catalogue des espèces européennes connues jusqu'à jour. Annls Soc. ent. Fr. (2) 3: 105-192, 207-344.
- 2801. Guenée, A.,** 1846, *Europaeorum Microlepidopterorum Index Methodicus*.
- 2802. Guenée, A.,** 1852, Noctuéliques II. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidoptères 6. xcvi + 407 pp. Paris.
- 2803. Guenée, A.,** 1852, Noctuéliques III. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidoptères 7. 442 pp. Paris.
- 2804. Guenée, A.,** 1852, Noctuéliques I. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidoptères 5. xcvi + 407 pp. Paris.
- 2805. Guenée, A.,** 1854, Deltoides et Pyralites. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidoptères 8. 448 + 6 pp., 10 Pls. Paris.
- 2806. Guillaumin, A.,** 1977, Nymphalidae (genre *Euphaedra*) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 112-114.
- 2807. Guillaumin, M.,** 1984, *Euphaedra neumanni* Rothschild et *E. perochrata* Ungemach en Ethiopie, [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc. II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 67-69.
- 2808. Gustafsson, B. (ed.),** 1994, *Catalogus Lepidopterorum Sueciae*. 2nd ed. 198pp.
- 2809. Gyulai, P. & M.Hreblay,** 1992, New results on the research of the Noctuid fauna of Uzbekistan. Esperiana 3: 451-455.
- 2810. Gyulai, P. & L.Ronkay,** 1995, New Noctuidae (Lepidoptera) species from West and Central Asia. Folia ent. hung. 56: 27-35, figs.
- 2811. Gyulai, P. & L.Ronkay,** 2002, A taxonomic survey of the genus *Scotocampa* Staudinger, 1888, with descriptions of a new genus and two new species (Noctuidae, Hadeninae). Esperiana 9: 420-430, Pl. 22.
- 2812. Gyulai, P. & L.Ronkay,** 2006, Two new *Isochlora* species (Lepidoptera, Noctuidae, Heliethinae) from Tibet. Esperiana 12: 247-252, figs.
- 2813. Gyulai, P. & L.Ronkay,** 2006, New Noctuidae taxa from Iran and Turkey (Lepidoptera). Esperiana 12: 253-264, figs.
- 2814. Gyulai, P. & L.Ronkay,** 2006, Contribution to the knowledge of the Noctuidae fauna of the Levante (Lepidoptera). Esperiana 12: 265-268.
- 2815. Gyulai, P. & Z.Varga,** 2006, New taxa of Noctuidae, Noctuinae from Iran and Central Asia (Lepidoptera). Esperiana 12: 269-280, figs.
- 2816. Gyulai, P.,** 1984, *Entephria cyanata gerennae* ssp. nova (Lep., Geometridae) from Hungary. Nota lepid. 7 (3): 251-256, 15 figs.
- 2817. Gyulai, P.,** 2002, Four new *Hadula* Staudinger, 1889 taxa from Asia (Lepidoptera, Noctuidae). Esperiana 9: 231-236, Pls. 18, 20.

- 2818.** Gyulai, P., 2006, Addenda and corrigenda "Revision of the genus *Caradrina* Ochsenheimer, 1816 with notes on other genera of the tribus *caradrini* (Lepidoptera, Noctuidae). *Esperiana* 12: 201-202.
- 2819.** Gyulai, P., [1990], The Noctuid Material of a Mongolian light-trap. *Atalanta* 20 (1989): 105-110, figs.
- 2820.** Gyulai, P., Hreblay, M. & L. Ronkay, 1992, New taxa and synonyms in the *Oncocnemis exacta* Christoph, 1887 Group (Lepidoptera, Noctuidae). *Acta zool. Hung.* 38: 33-46, figs.
- 2821.** Génè, C. G., 1839, De quibusdam Insectis Sardiniae novis aut minus cognitis. *Mem. Accad. Torin* 1839: 43-82, 2 pl. col.
- 2822.** Göbekçioğlu, Z. & N. Aktaş, 1990, Trakya Bölgesi (Istranca Dağları) Gündüz Kelebekleri (Lepidoptera, Papilionoidea, Hesperioidea). X. Ulusal Biyoloji Kongresi 18-20 Temmuz 1990, Erzurum: 193-202.
- 2823.** Gömürçen, A. N., 1992, Bazı Hesperiidlerin erkek diş genital organları üzerine araştırmalar (Hesperioidea, Lepidoptera). *Doğa* 16: 209-228, 19 şekil.
- 2824.** Görgner, E., 1984, Beitrag zur Biologie von *Euapatura mirza* Ebert, 1971 (Lep., Nymphalidae). *Nachr. ent. Ver. Apollo* (N.F.) 5(1): 7-17, figs. [Corrigendum: *ibid.*, 5 (2/3): 42].
- 2825.** Görgner, E., 1985, Beiträge zur Kenntnis der Lepidopteren der südosttürkischen Provinz Hakkari, I. Allgemeines, Papilionidae. *Nachr. ent. Ver. Apollo* (N.F.) 5 (4): 77-94, figs.
- 2826.** Habeler, H., 1974, Zum Problem *Horisma tersata* Schiff./*testacea* Hbn. *Mitt. münch. ent. Ges.* 64: 1-12.
- 2827.** Hacker, H. & A. Moberg, 1989, Zwei neue *Agrochola* Hübner, [1821]-Arten (Lepidoptera, Noctuidae, Cucullinae) aus der Türkei und aus Griechenland. *Nota lepid.* 12(2): 121-132, 4 figs.
- 2828.** Hacker, H. & A. S. Talhouk, 1998, Contribution to the Noctuidae fauna of Lebanon with first proof of ten species and taxonomic comments (Lepidoptera, Noctuidae). *Esperiana* 6: 376-380, figs.
- 2829.** Hacker, H. & H. Peks, 1990, Beschreibung neuer Taxa und Übersicht über das Artenspektrum des von Dr. W. Thomas 1980-1988 in Ladakh gesammelten Materials, Teil 1. *Esperiana* 1: 277-322, figs. 29-52.
- 2830.** Hacker, H. & H. Peks, 1990, Beitrag zur Kenntnis der Noctuidenfauna Russisch-Zentralasiens. *Esperiana* 1: 403-420, 5 figs.
- 2831.** Hacker, H. & H. Peks, 1992, Neue Taxa himalayanischer Noctuidae. *Esperiana* 3: 151-183, figs.
- 2832.** Hacker, H. & H. Peks, 1992, Übersicht über das im nordindischen Bundesstaat-Himachal Pradesh im Oktober 1990 erforschte Artenspektrum. *Esperiana* 3: 123-149, figs.
- 2833.** Hacker, H. & J.-U. Meineke, 2001, Beitrag zur Fauna der Noctuidae des Iran: Ergebnisse von Forschungen der Jahre 1998 bis 2000 (Lepidoptera). *Esperiana* 8: 791-810.
- 2834.** Hacker, H. & L. Ronkay, 1988, *Cucullia behouneki* sp. nov., *Cucullia armena* Ronkay & Ronkay, 1986 und *Cucullia prenanthis* Boisduval, 1840, in der Türkei (Lepidoptera, Cucullinae). *Nota lepid.* 11 (1): 39-44, figs.
- 2835.** Hacker, H. & L. Ronkay, 1990, Liste der *Cucullia* Schrank, 1802, *Agrochola* Hübner, [1821] und *Autophila* Hübner, [1823]-Arten mit Beschreibung neuer Taxa. *Esperiana* 1: 377-392, figs. 71-78, pl.
- 2836.** Hacker, H. & L. Ronkay, 1990, Liste der *Cucullia* Schrank, 1802, *Agrochola* Hübner, [1821] und *Autophila* Hübner, [1823]-Arten mit Beschreibung neuer Taxa. *Esperiana* 1: 377-392, Abb.
- 2837.** Hacker, H. & L. Ronkay, 1992, Beschreibungen neuer Taxa der Spätherbst-Noctuidae-Fauna Zentralasiens und des Himalayaraumes (Cucullinae sensu Hampson) (Lepidoptera). *Esperiana* 3: 193-221, 33 Abb.
- 2838.** Hacker, H. & L. Ronkay, 1992, Taxonomic news in the genus *Euchalcia* Hübner, 1821 (Lepidoptera, Noctuidae, Plusiinae) Part 1. *Esperiana* 3: 457-471, figs.
- 2839.** Hacker, H. & L. Ronkay, 1992, Das Genus *Polymixis* Hübner, [1820] mit Beschreibung neuer Taxa und Festlegung neuer Stati (Lepidoptera, Noctuidae). *Esperiana* 3: 473-496, figs.
- 2840.** Hacker, H. & L. Weigert, 1990, Übersicht über das Artenspektrum in Nordpakistan (Karakorum, Westhimalaya) im September und Oktober. *Esperiana* 1: 237-275, 28 figs.
- 2841.** Hacker, H. & L. Weigert, 1990, Übersicht über die von Weigert in den Jahren 1983, 1987 und 1989 im Juli und August in Nordpakistan festgestellten Arten. *Esperiana* 1: 323-357, figs. 53-60.
- 2842.** Hacker, H. & L. Weigert, 1990, 1. Übersicht über das Artenspektrum in Nordpakistan (Karakorum, Westhimalaya) in September und Oktober. *Esperiana* 1: 237-275, 28 Abb.
- 2843.** Hacker, H. & L. Weigert, 1990, 3. Übersicht über die von Weigert in den Jahren 1983, 1987 und 1989 im Juli und August in Nordpakistan festgestellten Arten. *Esperiana* 1: 323-357, 60 Abb.
- 2844.** Hacker, H. & L. Weigert, 1996, Beitrag zur Faunistik und Zoogeographie der Noctuidae der Hochgebirge der beiden nordwestindischen Bundesstaaten Himachal Pradesh und Jammu & Kashmir (Lepidoptera, Noctuidae). *Esperiana* 4: 419-433, Abb.
- 2845.** Hacker, H. & M. Lödl, 1989, Taxonomisch und faunistisch bemerkenswerte Funde aus der Sammlung Pinker im Naturhistorischen Museum Wien. Neunter Beitrag zur systematischen Erfassung der Noctuidae (Lepidoptera) der Türkei. *Z. ArbGem. Öst. Ent.* 40 (1/2): 65-82.
- 2846.** Hacker, H. & P. Kuhna, 1986, Drei neue Noctuidae-Arten aus der Türkei (Lepidoptera). *Nota lepid.* 9(3/4): 179-188, Taf. 1, 3 Abb.
- 2847.** Hacker, H. & R. Pinker, 1987, *Cucullia mixta* ronkayi n. ssp. aus der Osttürkei (Lep., Noctuidae). *Z. ArbGem. öst. Ent.* 38: 107-109.
- 2848.** Hacker, H. & W. Speidel, 1992, Eine neue *Conisania* Hampson, 1905 aus SW-China (Lepidoptera, Noctuidae). *Esperiana* 3: 17-18, figs.
- 2849.** Hacker, H., Kautt, P. & V. Weisz, 1996, Noctuidae gesammelt von Kautt und Weisz im Sommer 1994 in Spiti Valley in Himachal Pradesh. *Esperiana* 4: 395-417, Abb.
- 2850.** Hacker, H., 1983, Faunistische und taxonomische Beiträge zur Noctuidenfauna des Mittelmeergebietes (Lepidoptera). *Neue ent. Nachr.* 6: 43-57, 18 figs.
- 2851.** Hacker, H., 1985, Dritter Beitrag zur Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa, Erkenntnisse zur Systematik der kleinasiatischen Arten und faunistisch bemerkenswerte Funde aus den Aufsammlungen von Hacker und Wolf aus dem Jahr 1984 (Lepidoptera). *Neue Ent. Nachr.* 15: 1-65, Taf.
- 2852.** Hacker, H., 1988, Zwei neue *Dasypolia* Guenée, 1852 Arten aus der östlichen Türkei (Lepidoptera, Noctuidae, Cucullinae). *Mitt. münch. ent. Ges.* 78: 179-185, figs.
- 2853.** Hacker, H., 1989, Die Noctuidae Griechenlands, mit einer Übersicht über die Fauna des Balkanraumes. *Herbipoliana* 2: 1-590, Taf.
- 2854.** Hacker, H., 1990, Systematik und Faunistik der Noctuidae (Lepidoptera) des himalayanischen Raumes. Beitrag 1. *Esperiana* 1: 219-236.
- 2855.** Hacker, H., 1990, Die Genera *Cryphia* Hübner, 1818 und *Mniotype* Franclemont, 1941 im himalayanischen Raum. *Esperiana* 1: 359-375, figs. 61-70.
- 2856.** Hacker, H., 1990, Die Noctuidae Vorderasiens (Lepidoptera). *Neue ent. Nachr.* 27: 1-707, 16 Taf.
- 2857.** Hacker, H., 1990, Die Genera *Cryphia* Hübner, 1818 und *Mniotype* Franclemont, 1941 im himalayanischen Raum. *Esperiana* 1: 359-375, Abb.
- 2858.** Hacker, H., 1990, Das Noctuidae - Typenmaterial der Sammlung Peks (Lepidoptera). *Esperiana* 1: 421-426.
- 2859.** Hacker, H., 1992, Übersicht über die Genera *Platyperigea* Smith, 1894, *Eremodrina* Boursin, 1937 und *Paradrina* Boursin, 1937 im himalayanischen Raum. *Esperiana* 3: 223-230, 6 Abb.
- 2860.** Hacker, H., 1992, Ergänzungen und Berichtigungen zu Beitrag I. *Esperiana* 3: 231-233.
- 2861.** Hacker, H., 1992, Revision der Gattung *Hadena* Schrank, 1802 (Lepidoptera) Teil 1. *Esperiana* 3: 243-361, 65 Abb.
- 2862.** Hacker, H., 1992, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei (Lepidoptera). *Esperiana* 3: 409-446, Abb.
- 2863.** Hacker, H., 1992, Das Artenspektrum der subtropischen Gebiete des Kumaon-Himalaya (Lepidoptera:

- Noctuidae, Notodontidae, Lymantriidae, Sphingidae). Esperiana 3: 71-121, figs.
- 2864. Hacker, H.,** 1992, Die Noctuidae Griechenlands 1. Nachtrag. Esperiana 3: 363-377.
- 2865. Hacker, H.,** 1992, Neue Noctuidae-Arten aus Nordthailand. Esperiana 3: 185-191, figs.
- 2866. Hacker, H.,** 1996, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei II (Lepidoptera). Esperiana 4: 273-330, Abb.
- 2867. Hacker, H.,** 1996, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei II (Lepidoptera) Nachtrag zu S.273-330. Esperiana 4: 453-458, Abb.
- 2868. Hacker, H.,** 1996, Nachträge und Ergänzungen zu den ersten beiden Beiträgen. Esperiana 4: 435-439, Abb.
- 2869. Hacker, H.,** 1998, Die Typen der von E. J. Ch. Esper (1742-1810) in seinem "Die Schmetterlinge in Abbildungen nach der Natur" beschriebenen Noctuoidea (Lepidoptera). Esperiana 6: 433-468, Taf.
- 2870. Hacker, H.,** 1998, Revision der Gattungen Hadula Stgr., 1889 (=Discestra Hmps., 1905; Aglossestra Hmps., 1905; Cardiestra Brsn., 1963), Anartomorpha Alph., 1892, Trichanarta Hmps., 1895, Anarta Ochs., 1816 und Cardepiia Hmps., 1905 mit Beschreibung einer neuen Gattung Hadumorphia g.n. Esperiana 6: 577-843, Taf., figs.
- 2871. Hacker, H.,** 1998, Ergänzungen zu "Die Noctuidae Vorderasiens" III (Lepidoptera). Esperiana 6: 185-212, figs.
- 2872. Hacker, H.,** 2001, Zwei neue Noctuidae-Arten aus Vorder und Zentralasien. Esperiana 8: 825-826, Taf. 29.
- 2873. Hacker, H.,** 2004, Revision of the genus Caradrina Ochsenheimer, 1816, with notes on other genera of the tribe Caradrini (Lepidoptera, Noctuidae). Esperiana 10: 7-690, 27 Pls.
- 2874. Hacker, H.,** [1987], Erster Beitrag zur systematischen Erfassung der Noctuidae der Türkei (Lepidoptera). Atalanta 17 (1/4) (1986): 1-26, 2 Taf.
- 2875. Hacker, H.,** [1987], Fünfter Beitrag zur systematischen Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa und faunistisch bemerkenswerte Funde aus der Aufsammlungen von Wolf und Hacker aus dem Jahr 1985 sowie Ergänzungen zu früheren Arbeiten (Lepidoptera). Atalanta 17 (1/4) (1986): 27-83, 13 Taf.
- 2876. Hacker, H., Hassler, M. & A. Schmidt,** 1988, Apamea zeta in Griechenland mit Beschreibung einer neuen Subspezies (Lepidoptera, Noctuidae). Nachr. ent. Ver. Apollo (N.F.) 9(2): 61-67, 4 Abb.
- 2877. Hacker, H.H., Fibiger, M. & A. Legrain,** 2002, Thyrididae, Uraniidae and Noctuidae (Lepidoptera) from the Arabian Peninsula with descriptions of new species. Esperiana 9: 189-207, Pl. 6.
- 2878. Hackman, W.,** 1952, On the insect fauna of Cyprus. Results of the expedition of 1939 by Harald, Hakan and P.H. Lindberg. Commentat. biol. 13: 1-9, 1 fig.
- 2879. Haeger, J.F.,** 1986, Capturas de Colotis evagore (Klug, 1829) en el sur de Espana. Graellsia 42: 233-235.
- 2880. Haensch, R.,** 1903, Die Ithomiinen (Neotropiden) meiner Ecuador-Reise. Mit Beschreibungen neuer Formen und biologischen Notizen. Berl. ent. Z. 48 (3): 157-214, 3 Taf.
- 2881. Haensch, R.,** 1903, Kurzer Bericht über die entomolog. Ergebnisse meiner Ecuador-Reise. Berl. ent. Z. 48 (3): 149-156.
- 2882. Hagen, B.,** 1894, Verzeichniss der von mir auf Sumatra gefangenen Rhopaloceren. Dt. ent. Z., Iris 7: 1-41.
- 2883. Hagen, B.,** 1892, Beitrag zur Kenntniss der Rhopaloceren der Insel Banka. Berl. ent. Z. 37 (2): 139-158.
- 2884. Hagen, B.,** 1895, Pyrameis samani n.sp. Dt. ent. Z., Iris 7: 359-360.
- 2885. Hagen, W. ten & K.G. Schurian,** 1998, Observations on the biology of Polyommatus (Aricia) bassoni Larsen, 1974 (Lepidoptera, Lycaenidae). Linneana Belgica 16(7): 285-289, 9 figs.
- 2886. Hagen, W. ten & W. Eckweiler,** 1998, Beitrag zur Biologie von Polyommatus (Aricia) vandarbani (Pfeiffer, 1937) (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 19 (2): 119-128, figs.
- 2887. Hagen, W. ten,** 1995, Tagfalterbeobachtungen in Syrien und Jordanien im Frühling (Lepidoptera, Papilionoidea, Hesperioidea). Nachr. ent. Ver. Apollo (N.F.) 16 (2/3): 195-212.
- 2888. Hagen, W. ten,** 1996, Massenvermehrung und Wanderungen von Vanessa cardui (Linnaeus, 1758) in Syrien (Lepidoptera, Nymphalidae). Atalanta 27 (1/2): 101-106, 4 figs.
- 2889. Hagen, W. ten,** 1996, Tagfalterbeobachtungen in Syrien und Jordanien (2. Beitrag) (Lepidoptera, Papilionoidea, Hesperioidea). Nachr. ent. Ver. Apollo (N.F.) 17(2): 123-142, Abb.
- 2890. Hagen, W. ten,** 1998, Eine neue Art des Subgenus Agrodiaetus Hübner, 1822 aus dem Iran (Lepidoptera, Lycaenidae). Neue ent. Ver. Apollo N.F. 18 (4): 315-318, 15 Abb.
- 2891. Hagen, W. ten,** 1998, Tagfalterbeobachtungen in Syrien und Jordanien (3. Beitrag) (Lepidoptera, Hesperioidea, Papilionoidea). Nachr. ent. Ver. Apollo (N.F.) 19 (3/4): 247-268, 2 Abb.
- 2892. Hagen, W. ten,** 1999, Eine neue Art der Gattung Polyommatus Latreille, 1804 aus Iran (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 20 (1): 19-24, figs.
- 2893. Hall, D.,** 1986, Butterflies in Morocco. Entomologist's Rec. J. Var. 98: 62-69.
- 2894. Hamborg, D.,** 1990, Der Glasflügler Paranthrene novaki (Tosevski, 1987), ein Neufund für Österreich. Mitt. Abt. Zool. Landesmus. Joanneum 44: 35-42.
- 2895. Hampson, G.F.,** 1894, Moths. [in] Blanford, W.T., The Fauna of British India, including Ceylon and Burma. Vol. 2: xxii+609pp., 287 figs. Taylor & Francis, London.
- 2896. Hampson, G.F.,** 1895, Moths. [in] Blanford, W.T., The Fauna of British India, including Ceylon and Burma. Vol. 3. Taylor & Francis, London.
- 2897. Hampson, G.F.,** 1895, Descriptions of new Heterocera from India. Trans. ent. Soc. London 1895: 277-315.
- 2898. Hampson, G.F.,** 1896, Moths. [in] Blanford, W.T., The Fauna of British India, including Ceylon and Burma. Vol. 4: xxviii+449pp., 239 figs. Taylor & Francis, London.
- 2899. Hampson, G.F.,** 1896, On the classification of three subfamilies of moths of the family Pyralidae: the Epipaschiinae, Endotrichinae, and Pyralinae. Trans. ent. Soc. London 1896(4): 451-550, figs.
- 2900. Hampson, G.F.,** 1897, On the classification of the Chrysauginae, a subfamily of moths of the family Pyralidae. Proc. zool. Soc. Lond. 1897: 633-692, figs.
- 2901. Hampson, G.F.,** 1897, On the classification of the Thyrididae - a family of the Lepidoptera Phalaenae. Proc. zool. Soc. Lond. 1897: 603-633, figs.
- 2902. Hampson, G.F.,** 1897, On the classification of two subfamilies of moths of the family Pyralidae: the Hydrocampinae and Scopariinae. Trans. ent. Soc. London 1897 (2): 127-240, figs.
- 2903. Hampson, G.F.,** 1897-1901, The moths of India: Supplementary paper to the volumes in "The Fauna of British India". J. Bombay nat. Hist. Soc. 11 (2) (1897): 277-297; 11 (1898): 438-462, 698-724; 12 (1898): 73-98; 12 (1899): 304-314, 475-485, 697-715; 13 (1900): 37-51, 223-235; 13 (1901): 499-520, 571-591.
- 2904. Hampson, G.F.,** 1898, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. i. Syntomidae. xxi+559 pp., Pls. i-xvii. Printed by the order of the Trustees British Museum (Natural History), London.
- 2905. Hampson, G.F.,** 1898, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 1. Proc. zool. Soc. London 1898: 590-761, Pls. 49, 50.
- 2906. Hampson, G.F.,** 1899, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 2. Proc. zool. Soc. London 1899: 172-291, pls. 16-19.
- 2907. Hampson, G.F.,** 1900, New Palaearctic Pyralidae. Trans. ent. Soc. Lond. 1900: 369-401, Pl.
- 2908. Hampson, G.F.,** 1900, The moths of South Africa Pt. I. Ann. S. Afr. Mus. 2: 33-66.
- 2909. Hampson, G.F.,** 1900, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ii. Arctiidae (Nolinae, Lithosiinae). 589 pp., Pls. xviii-xxxv. Printed by the order of the Trustees British Museum (Natural History), London.
- 2910. Hampson, G.F.,** 1900, Insecta (Lepidoptera, Phalaenae), [in] Günther, R.T., Contributions to the Natural History of

- Lake Urmi, N.W. Persia, and its neighbourhood. J. linn. Soc., Zool. 27: 411-414.
- 2911. Hampson, G.F.**, 1901, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iii. Arctiidae & Agaristidae. xix+ 690 pp., Pls. xxxvi-liv. Printed by the order of the Trustees British Museum (Natural History), London.
- 2912. Hampson, G.F.**, 1901, A classification of a new family of the Lepidoptera. Trans. ent. Soc. London 1901 (2): 187-192, figs.
- 2913. Hampson, G.F.**, 1902, The moths of South Africa Pt.2. Ann. S. Afr. Mus. 2: 255-446.
- 2914. Hampson, G.F.**, 1903, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iv. Noctuidae (Agrotinae). Pls. lv-lxxvii. Printed by the order of the Trustees British Museum (Natural History), London.
- 2915. Hampson, G.F.**, 1905, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. v. Noctuidae (Hadeninae). Pls. lxxviii-xcv. Printed by the order of the Trustees British Museum (Natural History), London.
- 2916. Hampson, G.F.**, 1905, Descriptions of new genera and species of Syntomidae, Arctiidae, Agaristidae and Noctuidae. Ann. Mag. nat. Hist. (7) 15: 425-453.
- 2917. Hampson, G.F.**, 1905, The moths of South Africa Pt.3. Ann. S. Afr. Mus. 3: 389-438.
- 2918. Hampson, G.F.**, 1906, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vi. Family Noctuidae (Cucullianae). Pls. xcvi-cvii. Printed by the order of the Trustees British Museum (Natural History), London.
- 2919. Hampson, G.F.**, 1906, Lepidoptera-Phalaenae, [in] Elwes, H.J., Hampson, G. & J.H. Durrant, On the Lepidoptera collected by the Officers on the recent Tibet Frontier Commission. Proc. zool. Soc. Lond. 1906: 485-496, Pl.36.
- 2920. Hampson, G.F.**, 1908, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vii. Noctuidae (Acronictinae). Pls. cviii-cxxii. Printed by the order of the Trustees British Museum (Natural History), London.
- 2921. Hampson, G.F.**, 1909, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. viii. Noctuidae (Acronictinae). Pls. cxxiii-cxxxvi. Printed by the order of the Trustees British Museum (Natural History), London.
- 2922. Hampson, G.F.**, 1910, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ix. Noctuidae (Acronictinae). Pls. cxxxvii-cxlvii. Printed by the order of the Trustees British Museum (Natural History), London.
- 2923. Hampson, G.F.**, 1910, The moths of India: Supplementary paper to the volumes in "The Fauna of British India". J. Bombay nat. Hist. Soc. 20: 83-125, 634-674, 1046-1083.
- 2924. Hampson, G.F.**, 1911, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. x. Noctuidae (Eratrionae). Pls. cxlviii-clxxiii. Printed by the order of the Trustees British Museum (Natural History), London.
- 2925. Hampson, G.F.**, 1911, Descriptions of new genera and species of Syntomidae, Arctiidae, Agaristidae, and Noctuidae. Ann. Mag. nat. Hist. (8) 8: 393-445.
- 2926. Hampson, G.F.**, 1912, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xi. Noctuidae (Euteliinae to Acontinae). xvii+689 pp., Pls. clxxiv-cxci. Printed by the order of the Trustees British Museum (Natural History), London.
- 2927. Hampson, G.F.**, 1913, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xii. Noctuidae. Pls. cxcii-cxxxi. Printed by the order of the Trustees British Museum (Natural History), London.
- 2928. Hampson, G.F.**, 1913, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xiii. Noctuidae. Pls. cxxxii-cxxxix. Printed by the order of the Trustees British Museum (Natural History), London.
- 2929. Hampson, G.F.**, 1916, Descriptions of New Pyralidae of the Subfamilies Epipaschianae, Chrysauginae, Endotrichinae, and Pyralinae. Ann. Mag. nat. Hist. (8) 18: 126-160, 349-373.
- 2930. Hampson, G.F.**, 1916, Description of new species [in] Poulton, E.B., On a collection of moths made in Somaliland by Mr. W. Feather. Proc. zool. Soc. Lond. 1916: 91: 91-182, 2 Pls.
- 2931. Hampson, G.F.**, 1917, A Classification of the Pyralidae, subfamily Gallerianae. Novit. zool. 24: 17-58.
- 2932. Hampson, G.F.**, 1918, Descriptions of new Pyralidae of the subfamily Pyraustinae. Ann. Mag. nat. Hist. (9) 1: 125-136, 252-262, 265-280; (9)2: 181-196, 393-407.
- 2933. Hampson, G.F.**, 1919, Descriptions of new Pyralidae of the subfamilies Crambinae and Siginae. Ann. Mag. nat. Hist. (9) 3: 275-292, 437-457, 533-547; (9)4: 53-68, 137-154, 305-326.
- 2934. Hampson, G.F.**, 1919, A classification of the Aegeriidae of the Oriental and Ethiopian Regions. Novit. zool. 26: 46-119.
- 2935. Hampson, G.F.**, 1920, On new genera and species of Lepidoptera Phalaenae, with the characters of two new families. Novit. zool. 26(2): 253-282.
- 2936. Hampson, G.F.**, 1926, Description of new genera and species of Lepidoptera Phalaenae of the subfamily Noctuinae (Noctuidae) in the British Museum. 641 pp. Brit. Mus. (Nat. Hist.), London.
- 2937. Hampson, G.F.**, 1930, New genera and species of Phycitinae (Lepidoptera, Pyralidae). Ann. Mag. nat. Hist. (10) 5: 50-80.
- 2938. Hanafusa, H.**, 1990, Four new subspecies of Nymphalid Butterflies from Indonesia and Thailand. Futao 5: 12-13, figs.
- 2939. Hanboonsong, Y., Rattanapan, A., Waikakul, Y. & A. Lewvanich**, 2001, Edible insect survey in Northeastern Thailand. Khon Kaen Agric. 29 (1): 35-44, figs. [in Thai].
- 2940. Hancock, D.L.**, 1980, The status of the genera *Atrophaneura* Reakirt and *Pachliopta* Reakirt (Lepidoptera, Papilionidae). Australian ent. Mag. 7(2): 27-32, figs.
- 2941. Handlirsch, A.**, 1924, Ordnung Lepidoptera (Schmetterlinge), [in] Schröder, Handb. Ent. 3: 852-941, figs. 747-840.
- 2942. Hanisch, H.**, 1993, Einige Tagfalterbeobachtungen in Mazedonien und Griechenland (Lepidoptera, Papilionoidea). Nachr. ent. Ver. Apollo (N.F.) 14(3): 231-248, 6 Abb.
- 2943. Hannemann, H.J.**, 1953, Natürliche Gruppierung der europäischen Arten der Gattung *Depressaria* s.l. (Lep., Oecoph.). Mitt. zool. Mus. Berlin 29 (2): 269-373, Abb.
- 2944. Hannemann, H.J.**, 1959, Neue *Depressaria* aus der Sammlung S. Toll (Lepidoptera, Oecophoridae). Dt. ent. Z. (N.F.) 6 (1/3): 34-43, 15 Abb.
- 2945. Hannemann, H.J.**, 1961, Zoologische Ergebnisse der Mazedonienreisen Friedrich Kasys II. Teil Lepidoptera, Scythridae. Sber. öst. Akad. Wiss. 170(7/10): 305-309, 4 Abb.
- 2946. Hannemann, H.J.**, 1964, Kleinschmetterlinge oder Microlepidoptera II. Die Wickler (s.l.) (Cochylidae, Carposinidae). Die Zünslerartigen (Pyraloidea). [in] Dahl, F., Die Tierwelt Deutschlands und der angrenzenden Meeresteile. 50 Teil, viii + 401 pp. 22 Taf. Jena.
- 2947. Hannemann, H.J.**, 1974, Studien an Pterophoriden (Lep., Pterophoridae). Dt. ent. Z. (N.F.) 21(4/5): 349-351.
- 2948. Hannemann, H.J.**, 1982, Insects of Saudi Arabia. Lepidoptera: Fam. Oecophoridae. Fauna Saudi Arabia 4: 350-352.
- 2949. Hanus, J. & D. Hoareau**, 1998, *Polyommatus (Agrodiaetus) dama* (Staudinger, 1892) on the Nemrut Dağı in Turkey (Lepidoptera, Lycaenidae). Neue ent. Ver. Apollo (N.F.) 18(4): 416.
- 2950. Hanus, J.**, 1996, New Butterfly taxa from Kirghizia (Lepidoptera, Rhopalocera). Atalanta 27(1/2): 203-210, Pls.
- 2951. Hanus, J., Hoareau, D., Manon, D. & P. Manon**, 1997, Vacances entomologiques en Kirghizie (Lepidoptera, Rhopalocera). Linneana Belgica 16(1): 5-22; 16(2): 79-96, figs.
- 2952. Harrison, E.S.**, 1897, The Lepidoptera of the Romanche Valley. [in] Tutt, J.W., Contributions to the fauna of Dauphiné Alps-V. Entomologist's Rec. J. Var. 9: 83-84.
- 2953. Harrison, J.W.H.**, 1913, The genus *Ithysia* (Hb.). The hybrid *Biston*ae. Etud. lep. comp. 7: 5-167, Pls.
- 2954. Hartig, F.G.**, 1937, Eine Mikrolepidopteren- Ausbeute aus dem Hindukusch Gebiet. Z. öst. EntVer. 22: 68-79, 3 Abb.
- 2955. Hartig, F.G.**, 1963, Beitrag zur Kenntnis der Gattung *Ocnaria* Hbn. II. Die Genitalapparaturen einiger *Ocnaria*-Arten und Versuch einer Revision der Arten (Lepidoptera, Lymantriidae). Mitt. münch. ent. Ges. 53: 57-69, 12 Abb.

- 2956. Harz, K.,** 1969-1970, Orientiert sich der Admiral nach dem Erdmagnetismus? *Atalanta* 2(8): 249-250, fig.; 3(1): 121-123.
- 2957. Harz, K.,** 1970, Distelfalterzüge in Ostanatolien und im Iran. *Atalanta* 3(1): 16.
- 2958. Hasenfuss, I.,** 1980, Die Präimaginalstadien von *Thyris fenestrella* Scopoli (Thyrididae, Lepidoptera) *Bonner zool. Beitr.* 31(1/2): 168-190, figs.
- 2959. Hashimoto, S.,** 1995, New and unrecorded species of the tribe Trichopterygini (Lepidoptera, Geometridae) from Thailand. *Trans. lepid. Soc. Japan* 46 (3): 129-136, figs.
- 2960. Hasselbach, W.,** 1985, Lepidopteren aus der Levante. *Ent. Z., Frankf. a. M.* 95: 125-128.
- 2961. Hassler, M. & W. Speidel,** 1986, Beitrag zur Verbreitung von *Dioryctria simplicella* (Heinemann) (Lepidoptera, Pyralidae, Phycitinae). *Ent. Z., Frankf. a. M.* 96(22): 321-324, 2 Abb.
- 2962. Hassler, M. & W. Weber,** 1982, Eine neue Subspecies von *Neptis rivularis* (Scopoli, 1763) aus Rumänien (Lep., Nymphalidae). *Atalanta* 13(3): 230-233, 11 Abb.
- 2963. Hassler, M., Schmidt, A. & H. Feil,** 1988, Entomologische Eindrücke aus Mazedonien und Griechenland Teil II. Makroheterocera (Lepidoptera). *Nachr. ent. Ver. Apollo (N.F.)* 9(3): 101-144, 12 figs.
- 2964. Haugum, J. & A. M. Low,** 1981, The Ornithoptera Updated (Lepidoptera, Papilionidae). *Tokurana* 2: 1-29, 6 Pls.
- 2965. Haugum, J. & A. M. Low,** 1982-1985, A Monograph of the Birdwing Butterflies. Vol. 2. The genera *Trogonoptera*, *Ripponia* & *Troides*. E.J.Brill. Scandinavian Press Ltd. Leiden & Copenhagen.
- 2966. Haugum, J. Ebner, J. & T. Racheli,** 1980, The Papilionidae of Celebes (Sulawesi) An Annotated List. *Lepid. Group* 68 Suppl. 9: 1-21, 1 map, 3 pls.
- 2967. Haugum, J.,** 1981, Notes on the *Aristolochia* of the Papuan region with particular reference to the larval foodplants of the Ornithoptera. *Lepid. Group* 68, Newsletter 2(10): 171-177.
- 2968. Hauser, E.,** 1993, Das Paarungsverhalten von *Prasolenobia clathrella* (F.v.R.) im Vergleich zu den übrigen Psychiden, mit Angaben zur Zucht und Ökologie (Lepidoptera, Psychidae). *Nota lepid.* 15 (3/4): 233-240, 4 Abb.
- 2969. Hausmann, A. & A. Parenzan,** 1990, Neue und interessante Geometridenarten für die Südtalienfauna (Lepidoptera, Geometridae). *Entomofauna* 11 (29): 497-503.
- 2970. Hausmann, A. & G. M. Laszlo,** 1999, Taxonomic and faunistic studies on Turkmenian Sterrhinae (Lepidoptera, Geometridae). *Folia ent. hung.* 60: 317-324, figs.
- 2971. Hausmann, A. & S. Dötterl,** 2003, Nectar plants and larval plants of the genus *Glossotrophia* (Geometridae, Sterrhinae) studies on pollen grains attached to museum specimens. *Nota lepid.* 26 (3/4): 127-136.
- 2972. Hausmann, A.,** 1988, Grossschmetterlinge im Münchner Norden. *Schriftenreihe Bayer. Landesamt für Umweltschutz* 83: 61-95.
- 2973. Hausmann, A.,** 1988, *Thera britannica* (Turner, 1925) (= *Thera albonigrata* Gornik) in Südbayern (Lep., Geom.). *NachrBl. bayer Ent.* 37 (4): 101-103.
- 2974. Hausmann, A.,** 1989, *Eupithecia dodoneata* Guenée, 1857, neu für die Fauna Südbayerns (Lep., Geom.). *NachrBl. bayer Ent.* 38(4): 114-116.
- 2975. Hausmann, A.,** 1990, Die Bedeutung verschiedener Friedhofstypen in städtischen Ballungsräumen am Beispiel des Waldfriedhofs und des Neuen Südfriedhofs in München. Teil 1. *Das Gartenamt* 39 (11): 718-724; 39 (12): 814-818.
- 2976. Hausmann, A.,** 1990, Zur Dynamik von Nachtfalter-Artenspekten: Turnover und Dispersionsverhalten als Elemente von Verbreitungsstrategien. *Spixiana Suppl.* 16: 1-222.
- 2977. Hausmann, A.,** 1990, Gedanken zu einem Dezemberfang von *Mythimna unipuncta* Haw. *Atalanta* 21 (1/2): 63-64.
- 2978. Hausmann, A.,** 1990, *Enconista rubrior* sp.n. aus West-Marokko mit weiteren Anmerkungen zur Gattung *Enconista* Lederer (Lepidoptera, Geometridae, Ennominae). *NachrBl. bayer Ent.* 39 (4): 104-110.
- 2979. Hausmann, A.,** 1990, *Noctua interjecta* Hübner, [1803]: Erstnachweis für die Südbayernfauna im Münchner. *NachrBl. bayer Ent.* 39 (4): 127-128.
- 2980. Hausmann, A.,** 1990, Die Bedeutung des genauen Lichtfallen-Standortes für die Aussagekraft des Fangergebnisses (Lepidoptera, Macroheterocera). *Atalanta* 21 (3/4): 301-312.
- 2981. Hausmann, A.,** 1991, Ergänzungen zur Grossschmetterlingsfauna des Münchner Nordens (Lepidoptera). *Entomofauna* 12 (6): 81-96.
- 2982. Hausmann, A.,** 1991, Beitrag zur Geometridenfauna Palästinas: Die Spanner der Klapperich-Ausbeute aus Jordan (Lepidoptera, Geometridae). *Mitt. münch. ent. Ges.* 81: 111-163, 62 Abb., 17 Taf.
- 2983. Hausmann, A.,** 1991, Taxonomische Untersuchungen an der *Idaea obsoletaria* Rmb.-Gruppe (Lepidoptera, Geometridae). *NachrBl. bayer. Ent.* 40 (2): 33-42, 17 Abb.
- 2984. Hausmann, A.,** 1992, Nachtrag zur Geometridenfauna Jordaniens (Lepidoptera, Geometridae). *NachrBl. bayer. Ent.* 41(3): 98-100, 3 Abb.
- 2985. Hausmann, A.,** 1993, Der Aussagewert struktureller Unterschiede im 8. Sternit. Revision der in Italien vorkommenden Arten der Gattung *Glossotrophia* Prout, 1913 (Lepidoptera, Geometridae). *Atalanta* 24(1/2): 265-297, 43 Abb.
- 2986. Hausmann, A.,** 1993, Zweiter Beitrag zur Taxonomie und Systematik der Gattung *Glossotrophia* Prout, 1913 (Lepidoptera, Geometridae, Sterrhinae). *Mitt. münch. ent. Ges.* 83: 77-107, 68 Abb.
- 2987. Hausmann, A.,** 1993, *Heterolocha xerophilaria* Püngeler, 1902 - ein Synonym von *Pseudosterrha rufistrigata* (Hampson, 1896), comb.n., mit weiteren Anmerkungen zur Systematik der Sterrhinae (Lepidoptera, Geometridae). *Nota lepid.* 16 (1): 23-33, 11 Abb.
- 2988. Hausmann, A.,** 1993, Revision of the Palearctic species of the genus *Victoria* Warren, 1897 (Lepidoptera, Geometridae). *Spixiana* 16 (1): 53-60, 14 figs.
- 2989. Hausmann, A.,** 1994, Morphology and taxonomy of the species belonging to the genus *Myinodes* Meyrick, 1892 (Lepidoptera, Geometridae). *Nota lepid.* 17 (1/2): 31-43, 17 figs.
- 2990. Hausmann, A.,** 1994, Dritter Beitrag zur Revision der Gattung *Glossotrophia* Prout, 1913 nebst Beschreibung zweier neuer Gattungen (Lepidoptera, Geometridae, Sterrhinae). *Nota lepid.* 16(3/4): 195-211, 25 Abb., 1 Tab.
- 2991. Hausmann, A.,** 1995, Neue Geometriden-Funde aus Zypern und Gesamtübersicht über die Fauna. *Mitt. münch. ent. Ges.* 85: 79-111.
- 2992. Hausmann, A.,** 1996, The morphology of the geometrid moths of the Levant and the neighbouring countries. *Nota lepid.* 19 (1/2): 3-90, 148 figs.
- 2993. Hausmann, A.,** 1996, Systematic list of the geometrid moths of the Levant and neighboring countries. Part I. Orthostixinae and Geometrinae. *Nota lepid.* 19 (1/2): 91-106.
- 2994. Hausmann, A.,** 1996, In memoriam Dr. Wolfgang Dierl (20.1.1935-26.3.1996). *NachrBl. bayer. Ent.* 45 (3/4): 50-55.
- 2995. Hausmann, A.,** 1997, The Geometrid Moths of various entomological collections in Israel (Lepidoptera, Geometridae). *Entomofauna* 18 (1): 1-19, 7 figs.
- 2996. Hausmann, A.,** 2004, The Geometrid Moths of Europe Vol. 2 Sterrhinae. 600 pp., figs. Pls. Apollo Books.
- 2997. Hawkeswood, T. J.,** 1992, Beobachtungen an Schmetterlingen in Papua Neuguinea. *Ent. Z., Frankf. a. M.* 102: 294-299.
- 2998. Hawkins, C. N.,** 1942, The insects of Norfolk Island, including a preliminary report on a recent collection. *Lepidoptera. Ann. Mag. nat. Hist.* (11) 9: 865-879.
- 2999. Haworth, A. H.,** 1803-1828, *Lepidoptera Britannica*, sistens digestimen novam lepidopterorum quae in Magna Britannica reperiuntur... Pt.1 (1803): 1-136; Pt.2 ([1809]): 137-376; Pt.3 ([1811]): 377-512; Pt.4 (1828): 513-609. London.
- 3000. Hayashi, H.,** 1976, A new subspecies of *Hasora schoenherr* Latreille from Palawan (Lepidoptera, Hesperidae). *Tyo to Ga* 27: 96.
- 3001. Hayashi, H.,** 1976, New subspecies of *Jamides* and *Udara* from Palawan (Lepidoptera, Lycaenidae). *Tyo to Ga* 27 (4): 151-155, figs.
- 3002. Hayashi, H.,** 1978, Lycaenid butterflies from Mindanao, with the descriptions of new genus, new species and new

- subspecies (Lepidoptera, Lycaenidae). Tyo to Ga 29 (3): 164-168, 19 figs.
- 3003. Hayashi, H.,** 1979, New lycaenid butterflies from Mindanao, the Philippines. Tyo to Ga 30 (1/2): 83-90, figs.
- 3004. Hayashi, H.,** 1980, New Hesperiid Butterflies from Mindanao, the Philippines. Tyo to Ga 30: 172-175.
- 3005. Hayashi, H.,** 1984, Zwei neue Lycaeniden-Arten von den Philippinen (Lep., Lycaenidae). Ent. Z., Frankf. a.M. 94(21): 311-314, 3 Abb.
- 3006. Hayes, A.H.,** 1963, A new species of Chaerocina (Lepidoptera, Sphingidae, Choerocampinae) from Abyssinia. Entomologist 96: 97-99, 9 figs.
- 3007. Hayes, A.H.,** 1980, A revision of the Pantropical genus *Tathorhynchus* Hampson (Lep., Noctuidae, Ophiderinae). Proc. Br. ent. nat. Hist. Soc. 1980: 25-30, 5 Pls.
- 3008. Hayward, K.J.,** 1925-1926, Notes on Egyptian Lepidoptera observed at Reservoirs Aswan between October 1919 and April 1922. Entomologist's Rec. J. Var. 37 (1925): 1-16; 38 (1926): 17.
- 3009. Hayward, K.J.,** 1926, A List of Egyptian Microlepidoptera collected in the Aswan district. Entomologist's Rec. J. Var. 38: (24)-(26).
- 3010. Hayward, K.J.,** 1926, A note on the Noctuidae of the Aswan district of Egypt, III. Entomologist's Rec. J. Var. 38: (18)-(22).
- 3011. Heath, J.,** 1965, Ergebnisse der Albanien-Expedition 1961 des Deutschen Entomologischen Institutes 33. Beitrag Lepidoptera-Micropterigidae. Dt. ent. Z. (N.F.) 15(5/6): 641-647.
- 3012. Heath, J.,** 1981, Threatened *Rhopalocera* (butterflies) in Europe. Nature Environ. Ser. 23: 1-157.
- 3013. Heath, J.,** 1985, New species of *Micropterix* Hübner (Lepidoptera, Zeugloptera, Micropterigidae) from Greece and Cyprus. Nota lepid. 8(4): 336-340, 4 figs.
- 3014. Heath, J.,** 1987, A Check List of the genus *Micropterix* Hübner, [1825] (Lepidoptera, Micropterigidae). Entomologist's Gaz. 38: 205-207.
- 3015. Hecq, J.,** 1976, Essai classification du genre *Euphaedra* Hbn. (Lepid., Nymph. Afric.). Lambillionea 76: 38-48, 53-63.
- 3016. Hedemann, W.v.,** 1881, Beitrag zur Lepidopteren-Fauna des Amurlandes (Forts.). Horae Soc. ent. ross. 16: 43-57, pl.x.
- 3017. Heeger, E.,** 1838, Beiträge zur Schmetterlingskunde oder Abbildungen und Beschreibungen neuer sicilianischen Schmetterlinge. 7pp. 3 pls. Wien.
- 3018. Heidemann, H.,** 1979, Bemerkenswerte Funde von Zünslern (Lepidoptera, Pyraustidae und Crambidae). Articulata 1 (14): 140-141.
- 3019. Heine, S. & C.M. Naumann,** 1994, Sexuelle Selektion und die Evolution tageszeitlich variierender Partnerfindungsmechanismen bei *Zygaena trifolii* (Esper, 1783) (Insecta, Lepidoptera). Mitt. dt. Ges. allg. angew. Ent. 8: 649-658.
- 3020. Heinemann, H.v.,** 1859, Die Schmetterlinge Deutschlands und der Schweiz. Erste Abtheilung: Die Grossschmetterlinge. 23 + 840pp. Braunschweig.
- 3021. Heinkle, P.,** 2000, Beitrag zur Revision des *Parnassius delphius-staudingeri*-Komplexes mit Beschreibung einer neuen Subspezies von *Parnassius staudingeri* Bang-Haas, 1882 aus Afghanistan (Lepidoptera, Papilionidae). Galathea 16 (2): 59-70, 8 Abb.
- 3022. Heinrich, C.,** 1956, American moths of the subfamily Phycitinae. Bull. U. S. natn. Mus. 207: viii + 581 pp. 1138 figs. Washington.
- 3023. Heinrich, R.,** 1910, Pommersche Gross-Schmetterlinge. Berl. ent. Z. 55: 104-122.
- 3024. Heinrich, R.,** 1916, Beitrag zur Feststellung der Veränderungen der Berliner Gross-Schmetterlingsfauna in neuester Zeit. Dt. ent. Z. 1916: 499-546.
- 3025. Heinrich, R.,** 1923, Beitrag zur Makrolepidopterenfauna von Digne (Basses-Alpes). Dt. ent. Z. 1923 (suppl.): 1-124.
- 3026. Heinrich, R.,** 1928, Beitrag zur Makrolepidopterenfauna von Digne (Basses-Alpes). I. Nachtrag. Dt. ent. Z. 1928: 177-210.
- 3027. Heinrich, R.,** 1929, Jaques L. Reverdin. Ein Nachruf. Int. ent. Z. 23: 13-18.
- 3028. Heinrich, R.,** 1938, Beitrag zur Makrolepidopterenfauna von Digne (Basses-Alpes). II. Nachtrag. Dt. ent. Z. 1938: 1-40.
- 3029. Hellmich, W.,** 1969, Bemerkungen zur Tiergeographie und Ökologie des Vansee-Beckens in Ostanatolien. Veröff. Zool. Staatssamml. München 13: 143-154.
- 3030. Helps, A.,** 1891, Lepidoptera of Dulwich. Entomologist's Rec. J. Var. 2: 140-141.
- 3031. Hemming, A.F.,** 1928, *Baoris zelleri* Led. an unrecognized European Hesperid. Proc. ent. Soc. London 3: 61-64, figs.
- 3032. Hemming, A.F.,** 1928, *Maniola lupinus* Costa. A species not previously recorded from France. Proc. ent. Soc. London 3: 1-4, 2 figs.
- 3033. Hemming, A.F.,** 1929, *Carcharodus dravira* Moore, a good species. Proc. ent. Soc. London 4: 1-3, pl.i.
- 3034. Hemming, A.F.,** 1929, Two new subspecies of *Polyommatus loewii* Zell. Proc. ent. Soc. London 4:
- 3035. Hemming, A.F.,** 1929, Notes on the generic names of the Holarctic Lycaenidae (Lep., Rhop.). Ann. Mag. nat. Hist. (10) 3: 217-245.
- 3036. Hemming, A.F.,** 1929, A new subspecies of *Zegris eupheme* Esper. Proc. ent. Soc. London 4: 26-29, 2 figs.
- 3037. Hemming, A.F.,** 1929, A new Indian species of the genus *Lycaenopsis* Feld. Proc. ent. Soc. London 3: 29-30, Pl.2.
- 3038. Hemming, A.F.,** 1931, On the dates of publication of F. Rühl's "Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte". Ann. Mag. nat. Hist. 10 (8): 405-406.
- 3039. Hemming, A.F.,** 1931, Revision of the genus *Iolana* Bethune-Baker (Lepidoptera, Lycaenidae). Trans. ent. Soc. London 79(2): 323-333, Pl.
- 3040. Hemming, A.F.,** 1931, Descriptions of three palaearctic butterflies. Ann. Mag. nat. Hist. 10 (8): 534-536.
- 3041. Hemming, A.F.,** 1932, Revisional notes on certain generic and specific names proposed for species of the genus *Agapetes* Billberg (Lepidoptera, Satyridae). Ann. Mag. nat. Hist. (10) 10: 571-574.
- 3042. Hemming, A.F.,** 1932, Supplementary notes on the collections of butterflies made in Greece, *T. vicrama astabene* nom. nov. Entomologist 65: 179-183.
- 3043. Hemming, A.F.,** 1932, The Butterflies of Transjordan. Trans. ent. Soc. Lond. 80(2): 269-299, 3 text-figs., Pls. xv, xvi.
- 3044. Hemming, A.F.,** 1933, A new Syrian butterfly (Lepidoptera, Lycaenidae). Entomologist 66: 7-8.
- 3045. Hemming, A.F.,** 1934, The generic names of the Holarctic butterflies. vol. I: 1758-1863. 184pp.
- 3046. Hemming, A.F.,** 1934, Notes on two collections of butterflies made in Palestine, with a note on the occurrence in Transjordan of an unrecorded species. Entomologist 67: 1-4, 29-32, 135-137, 196-199.
- 3047. Hemming, A.F.,** 1934, Revisional notes on certain species of *Rhopalocera* (Lepidoptera) *Stylops* 3(9): 193-200.
- 3048. Hemming, A.F.,** 1935, On the identity of four species of *Rhopalocera* described by Johannes Gistel in 1857. *Stylops* 4 (6): 122.
- 3049. Hemming, A.F.,** 1937, Hübner. A Bibliographical and systematic account of the entomological works of Jacob Hübner and of the supplements thereto by Carl Geyer, Gottf. Franz von Fröhlich and Gottl. August Wilhelm Herrich-Schäffer. Vol. I (xxxiv+605pp); vol. II (x+274pp), London.
- 3050. Hemming, A.F.,** 1967, The Generic names of the butterflies and their type-species (Lepidoptera, *Rhopalocera*). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 9: 1-509.
- 3051. Hennig, W.,** 1965, Phylogenetic systematics. Ann. Rev. Ent. 10: 97-116.
- 3052. Hennig, W.,** 1966, Phylogenetic systematics. Univ. of Illinois Press, Chicago.
- 3053. Henning, G.A. & E.L.L. Pringle,** 1994, Pennington's Butterflies of southern Africa (2nd Edn).

- 3054. Henning, G.A. & S.F. Henning,** 1997, Revisional notes on the African Satyrinae (Lepidoptera, Nymphalidae) with a description of a new genus. *Metamorphosis* 8(3): 135-140, 11 figs.
- 3055. Henning, S.F. & G.A. Henning,** 1989, South African Red Data Book - Butterflies. South African National Scientific Programmes Report no.158. 175pp. 106 figs., maps.
- 3056. Henning, S.F. & G.A. Henning,** 1996, A Review of the genus *Axiocerses* Hübner (Lepidoptera, Lycaenidae), with descriptions of nine new species and three new subspecies. *Metamorphosis, Occ. Suppl.* 1: 1-48, 52 figs., 4 Pls.
- 3057. Henriksen, J.J. & I. Kreutzer,** 1982, The Butterflies of Scandinavia in nature. 215pp. 102 Pls. Scandinavian Bogforlag, Odense.
- 3058. Henriot, P.,** 1927, Dix jours de chasse dans les Pyrénées orientales. *Amat. Pap.* 3: 273-279.
- 3059. Hensle, J.,** 1993, Beobachtungen bei westanatolischen Osterluzeifaltern (Lepidoptera, Papilionidae). *Nachr. ent. Ver. Apollo (N.F.)* 14(3): 289-299, 13 Abb.
- 3060. Hensle, J.,** 1998, Tagfalter (Papilionoidea) von Eichstetten (Ostkaiserstuhl). *Nachr. ent. Ver. Apollo (N.F.)* 19(3/4): 271-279, 3 Abb.
- 3061. Hensle, J.,** 2001, Zur Frage der subspezifischen Zuordnung von "*Pieris bryoniae lappona*" Rangnow, 1935 (Lepidoptera, Pieridae). *Atalanta* 32 (1/2): 89-95, pl.ii.
- 3062. Hensle, J.,** 2001, Kleiner Beitrag zur Kenntnis der Biologie von *Pieris cheiranthi benchoavensis* Pinker, 1968 (Lepidoptera, Pieridae). *Atalanta* 32 (1/2): 97-98.
- 3063. Heppner, J.B. & W.D. Duckworth,** 1981, Classification of the superfamily Sesiioidea (Lepidoptera, Ditrysia). *Smiths. Contr. Zool.* 314: 1-144.
- 3064. Heppner, J.B.,** 1977, The status of the Glyphipterigidae and a reassessment of relationships in Yponomeutoid families and Ditrisian superfamilies. *J. Lepid. Soc.* 31(2): 124-134.
- 3065. Heppner, J.B.,** 1979, Brachodidae, a new family name for Atychidae (Lep., Sesiioidea). *Ent. Ber., Amst.* 39 (8): 127-128.
- 3066. Heppner, J.B.,** 1982, Millieriinae, a new subfamily of Choreutidae, with new taxa from Chile and United States (Lepidoptera, Sesiioidea). *Smiths. Contr. Zool.* 370: 1-27, 63 figs.
- 3067. Heppner, J.B.,** 1982, A world catalog of genera associated with the Glyphipterigidae auctorum (Lepidoptera). *N.Y. ent. Soc.* 89(4): 220-294.
- 3068. Herbst, J.F.H.,** 1783-1804, *Natursystem aller bekannten in- und ausländischen Insecten.* Band 11-21 (Schmetterlinge). T.5 (1792) 230 pp., 37 Tab.; Tom 9 (1798) 206 pp., 30 Tab. Berlin.
- 3069. Herbulot, C.,** 1977, Geometridae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 105: 30-36, Pls.
- 3070. Herbulot, C.,** 1979, Un nouvel Hyposidra africain (Lepidoptera, Geometridae). *Bull. mens. Soc. linn. Lyon* 48(6): 370-371, 3 figs.
- 3071. Herbulot, C.,** 1981, Description d'un nouveau Larentiinae du Cameroun (Lepidoptera, Geometridae). *Bull. mens. Soc. linn. Lyon* 50(4):
- 3072. Herbulot, C.,** 1981, Un nouveau Dyscia du Maroc (Lep., Geometridae, Ennominae). *Alexandor* 12 (2): 95-96, 2 figs.
- 3073. Herbulot, C.,** 1981, Quatre nouveaux Larentiinae du Maroc (Lepidoptera, Geometridae). *Alexandor* 12 (4): 182-184, 2 figs.
- 3074. Herbulot, C.,** 1983, Missions de M. P.-C. Rougeot en Ethiopie et en République de Djibouti (Lepidoptera, Geometridae). *Bull. mens. Soc. linn. Lyon* 52(1): 10-21, 23 figs.
- 3075. Herbulot, C.,** 1984, Replacement of a generic name. *Bull. mens. Soc. linn. Lyon* 53 (4): 159.
- 3076. Herbulot, C.,** 1984, Geometridae Description d'Espèces nouvelles ou peu connues [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 128: 11-12, Pl.1.
- 3077. Herbulot, C.,** 1985, Un Nouvel Asmate du Nord de l'Inde (Lepidoptera, Geometridae). *Alexandor* 13 (8) (1984): 354, 2 figs.
- 3078. Hering, E.,** 1889, *Mémoires sur les Lépidoptères rédigés par N.M. Romanoff.* Tome III. St. Petersburg 1887. Stettin ent. Ztg. 50: 257-278.
- 3079. Hering, E.,** 1891, Nachwort. Stettin ent. Ztg. 52(4/6): 116-128.
- 3080. Hering, E.M.,** 1950, Die Oligophagie phytophager Insekten als Hinweis auf eine Verwandtschaft der Rosaceae mit den Familien der Amentiferae. *Verh. 8. Int. ent. Congr., Stockholm:* 74-79.
- 3081. Hering, E.M.,** 1950, Monophagie und Xenophagie. *Naturwissenschaft.* 37: 531-536.
- 3082. Hering, M.,** 1922, Revision der orientalischen Chalcosinen. *Ark. f. Naturg.* 88 A: 1-93.
- 3083. Hering, M.,** 1930, *Parnassius orleans* Obth. und seine Rassen. *Parnassiana* 1 (3): 1-4, pl.1.
- 3084. Hering, M.,** 1931, *Parnassius delphius mephisto* subsp. nov. *Parnassiana* 1(7/8): 4-6, figs. 4-5.
- 3085. Hering, M.,** 1931, *Parnassius glacialis* Btl. als bona species. *Parnassiana* 1 (7/8): 10-11.
- 3086. Hering, M.,** 1932, *Parnassius delphius mephisto* als bona ssp. Entgegen zu den vorstehenden Ausführungen. *Parnassiana* 2: 10-11.
- 3087. Hering, M.,** 1932, Ergänzungband 1. Die Schmetterlinge. *Tierwelt Mitteleur.* 6(3) (suppl.): 1-545.
- 3088. Hering, M.,** 1932, 24. Ordnung: Schmetterlinge, Lepidoptera. *Tierwelt Mitteleur.* 6(3): 1-94.
- 3089. Hering, M.,** 1932, *Parnassius mnemosyne* in Westpreussen. *Parnassiana* 2: 43-44, fig.1.
- 3090. Hering, M.,** 1933, Familie Megalopygidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 197-199. Stuttgart.
- 3091. Hering, M.,** 1933, Lepidoptera Sureyana. Weitere Noctuiden und Geometriden von Ankara. *Int. ent. Z.* 26: 411-415.
- 3092. Hering, M.,** 1933, Familie Limacodidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 201-209. Stuttgart.
- 3093. Hering, M.,** 1934, Eine neue geographische Form von *Parnassius mnemosyne glacialis* Btlr. *Parnassiana* 3: 1-2.
- 3094. Hering, M.,** 1937, Die Genital-Morphologie von *Parnassius autocrator* Av. *Parnassiana* 4: 38-42, 2 figs.
- 3095. Hering, M.,** 1940, Lepidopterologisches Wörterbuch. 123S., 81 Abb. Alfred Kernen Verlag. Stuttgart.
- 3096. Hering, M.,** 1957, Zur Blattminenkunde von Südafrika. *Ann. Transv. Mus.* 23: 81-86.
- 3097. Hering, M.,** 1964, Die Lebensweise von *Procris graeca* Jord. (Lepidoptera, Zygaenidae). *Z. wien. ent. Ges.* 49: 75-81, 4 Abb.
- 3098. Herrich-Schäffer, G.A.W.,** 1843-[1856], Systematische Bearbeitung der Schmetterlinge von Europa, zugleich als Text, Revision und Supplement zu Jacob Hübner's Sammlung europäischer Schmetterlinge. 6 vols. Regensburg.
- 3099. Herrich-Schäffer, G.A.W.,** 1869, Neue Schmetterlinge aus dem Museum Godeffroy in Hamburg. Erste Abtheilung: die Tagfalter. Stettin ent. Ztg. 30: 65-80, 4 Tab.
- 3100. Herz, O.,** 1897, Reise von Jakutsk nach Kamtschatka im Jahre 1890. [in] Romanoff, Mém. lépid. 9: 239-299.
- 3101. Herzog, J.,** 1910-1911, Mein Schmetterlingfang in Aegypten und Syrien. *Jb. ent. Ver. Wien* 21: 85-91; 22: 1.
- 3102. Heslop, I.R.P.,** 1945, Check-list of the British Lepidoptera with English name of each of the 2299 species.- 35 pp. Watkins & Doncaster, London.
- 3103. Hesselbarth, G. & K.G. Schurian,** 1984, Beitrag zur Taxonomie, Verbreitung und Biologie von *Tomares nogelii* (Herrich-Schäffer, 1851) in der Türkei (Lep., Lycaenidae). *Entomofauna* 5(20): 243-250.
- 3104. Hesselbarth, G. & W. Siepe,** 1993, *Polyommatus (Aricia) torulensis* - eine bisher nicht bekannte Lycaenide aus Anatolien (Lepidoptera, Lycaenidae). *Phegea* 21(2): 47-53, Pls.
- 3105. Hesselbarth, G.,** 1974, Anmerkungen zu den ersten Ständen von *Hipparchia fatua*. *NachrBl. bayer. Ent.* 23(2): 23-28, Abb.
- 3106. Hesselbarth, G.,** 1977, Anmerkungen zur Biologie von *Chazara bischoffi* (Herrich-Schäffer) (Satyridae). *Nota lepid.* 1(1): 39-41.
- 3107. Hesselbarth, G.,** 1983, Beitrag zur Biologie von *Ypthima asterope* Klug (Lepidoptera, Satyridae). *Nachr. ent. Ver. Apollo (N.F.)* 4 (1): 7-14, 5 figs.

- 3108.** Hesselbarth, G., 1983, Anmerkungen zur Biologie und Verbreitung von *Coenonympha saadi* Kollar (Lepidoptera, Satyridae). *Nota lepid.* 6 (2/3): 111-120, 5 figs.
- 3109.** Hesselbarth, G., 1987, Beitrag zur Kenntnis der ersten Stände und zum Biotopverhalten von *Pseudochazara mnischei* (Herrich-Schäffer, 1851) und *P. mamurra* (Herrich-Schäffer, 1846) (Lep., Nymphalidae, Satyrinae). *Phegea* 15(3): 121-129, figs.
- 3110.** Hesselbarth, G., Oorschot, H.v. & S.Wagener, 1995, Die Tagfalter der Türkei unter Berücksichtigung der angrenzenden Länder. Bde. 1 & 2: 1354 S. 75 Abb., 21 Tab., 2 fb. Karte, 36 fb. Tab. Bd.3: 847 S., 128 fb. Tab., 13 sw Tab., vi+342 Karte. Selbstverlag S.Wagener, Bocholt.
- 3111.** Hewett, G.M.A., 1891, Hybernating *Apatura iris*. *Entomologist's Rec. J. Var.* 2: 139.
- 3112.** Hewett, G.M.A., 1895, About larvae. *Entomologist's Rec. J. Var.* 6: 1-4.
- 3113.** Hewitson, W.C., 1851-1861, Exotic Butterflies, being illustrations of new species selected chiefly from the collection of William Wilson Saunders and William C. Hewitson. London.
- 3114.** Hewitson, W.C., 1872, Description of a new species of *Papilio* from Lagos. *Entomologist's mon. Mag.* 9: 146-147.
- 3115.** Heydari, H., 1987, Garlic moth (*Dyspessa ulula* Bkh.) in Iran (Lep., Cossidae). *Ent. phyt. Appl.* 54 (1/2): 1, 1-8, 2 figs. (persian pages).
- 3116.** Heydemann, F. & A. Schulte, 1963, Beitrag zur Macrolepidopterenfauna des Irak. *Mitt. münch. ent. Ges.* 53: 80-107, Taf. vii, 2 Abb.
- 3117.** Heydemann, F., 1932, Zur Morphologie und Formenbildung der Gattung *Miana* Steph. (Lep., Noctuidae) I. Die *Miana strigilis* L.-Gruppe. *Ent. Z., Frankf. a. M.* 46 (5): 55-77; (7): 78-82, Taf. I, II.
- 3118.** Heydemann, F., 1938, Zu *Chloridea maritima* Graslin. *Ent. Rdsch.* 55: 368-371, Abb.
- 3119.** Heydemann, F., 1938, *Lyc. idas* L. (*argyrognomon* aut.) *dalmatina* Neust.=*croatica* Grund. *Ent. Rdsch.* 55: 372.
- 3120.** Heydemann, F., 1938, Zur Morphologie und Anatomie des Genus *Crino* Hbn. (Lep., Noct.). *Ent. Rdsch.* 55: 325-331, 347-348, 374-380, Abb.
- 3121.** Heydemann, F., 1942, Über einige Tagfalterrassen. *Dt. ent. Z., Iris* 55: 85-106.
- 3122.** Heydemann, F., 1954, Beitrag zur Lepidopteren-Fauna Afghanistans. *Z. wien. ent. Ges.* 39: 385-396, 412-428, Taf.
- 3123.** Heyden, v.d.T., 1991, Anmerkungen zu den Danaiden der Kanarische Inseln/Spain (Lepidoptera). *Ent. Z., Frankf. a. M.* 101: 199-204.
- 3124.** Heyden, v.d.T., 1992, Neue Funde von *Hipparchia wyssii* (Christ, 1889) auf Gran Canaria, Kanarische Inseln (Lepidoptera, Satyridae). *Ent. Z., Frankf. a. M.* 101: 131-132.
- 3125.** Heylaerts, F.J.M., 1881, Essai d'une Monographie des Psychides de la faune européenne précédé de considérations générales sur la famille des Psychides. *Annls Soc. ent. Belg.* 25: 29-73.
- 3126.** Heylaerts, F.J.M., 1881, Description of a new Psychid from Java. *Notes Leyden Mus.* 3: 89-91.
- 3127.** Heylaerts, F.J.M., 1883, *Epichnopteryx flavescens* Heyl. var. *kuldchaensis* m. *Annls Soc. ent. Belg.* 27: Bull., xlviii.
- 3128.** Heylaerts, F.J.M., 1883, *Bijugis alpherakii* m. *Annls Soc. ent. Belg.* 27: Bull., xlvii.
- 3129.** Heylaerts, F.J.M., 1885, *Heterocera* récoltes par M. Weyers a Sumatra (Ier serie). *Annls Soc. ent. Belg.* 29: Bull., cxxi-cxxiii.
- 3130.** Heylaerts, F.J.M., 1885, Psychides nouvelles ou moins connues de l'Empire Russe. [in] Romanoff, *Mém. lépid.* 2: 176-194, pls. ix, x.
- 3131.** Heylaerts, F.J.M., 1886, Une Psychide nouvelle de Java. *Eumeta tjipannensis* m. *Annls Soc. ent. Belg.* 30: Bull., xiv-xv.
- 3132.** Heylaerts, F.J.M., 1886, Quatre Psychides nouvelles de l'île de Sumatra. *Annls Soc. ent. Belg.* 27: Bull., clxxii-clxxv.
- 3133.** Heylaerts, F.J.M., 1887, Trois Psychides nouvelles décrites. *Annls Soc. ent. Belg.* 31: Bull., lxxxv-lxxxviii.
- 3134.** Heylaerts, F.J.M., 1888, Noctuelle inédite de l'île de Sumatra *Eriocera cluysenaeri* m. *Annls Soc. ent. Belg.* 32: Bull., lxi-lxii.
- 3135.** Heylaerts, F.J.M., 1889, Une Psychide nouvelle de l'Asie centrale, *Chalia staudingeri* m. *Annls Soc. ent. Belg.* 33: Bull., lvi.
- 3136.** Heylaerts, F.J.M., 1890, Trois Psychides inédites de l'Afrique orientale meridionale. *Annls Soc. ent. Belg.* 34: Bull., clxxx-clxxxiii.
- 3137.** Heylaerts, F.J.M., 1890, *Heterocera* exotica nouveaux genre et especes des indes orientales néerlandaises (suite). *Annls Soc. ent. Belg.* 34: Bull., xxvi-xxx.
- 3138.** Heylaerts, F.J.M., 1890, Trois nouvelles espèces de Psychides des Indes Anglaises. *Annls Soc. ent. Belg.* 34: Bull., x-xii.
- 3139.** Heylaerts, F.J.M., 1890, Une Psychide nouvelle d'Assam, *Kophene snelleni* m. *Annls Soc. ent. Belg.* 34: Bull., xii-xiii.
- 3140.** Heylaerts, F.J.M., 1890, Quatre espèces nouvelles de Glaucoptidae du Brésil. *Annls Soc. ent. Belg.* 34: Bull., xiii-xvi.
- 3141.** Heylaerts, F.J.M., 1890, Descriptions de quelques Hétérocères inédits des indes orientales néerlandaises. *Annls Soc. ent. Belg.* 34: Bull., xvi-xx.
- 3142.** Heylaerts, F.J.M., 1891, Hétérocera exotica, nouveaux genre et espèces des Indes Orientales néerlandaises (suite). *Annls Soc. ent. Belg.* 35: Bull., cccix-cccxxvii.
- 3143.** Heylaerts, F.J.M., 1891, Deux espèces nouvelles et un genre nouveau de Lépidoptères Africains. *Annls Soc. ent. Belg.* 35: Bull., ccclxxiv-ccclxxvi.
- 3144.** Heylaerts, F.J.M., 1892, Hétérocera exotica, nouveaux espèces des Indes Orientales Néerlandaises (suite). *Annls Soc. ent. Belg.* 36: 7-16, 43-48.
- 3145.** Heyne, A., 1893-1895, [in] Rühl, F., Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte. Erster Band: Tagfalter. 385-857 S. Leipzig.
- 3146.** Heyne, A., 1897, *Polymommatus virgaureae* L. nov. var. *aureomicans* Heyne. *Societas ent.* 12: 9.
- 3147.** Higgins, L.G. & E.P. Wiltshire, 1956, Bemerkungen zu *Melitaea*- und *Pararge*-Formen aus dem Mittleren Osten, veranlasst durch F. Heydemanns kürzlich erschienene Artikel über *Rhopalocera* aus Afghanistan. *Z. wien. ent. Ges.* 41: 10-15.
- 3148.** Higgins, L.G. & N.D. Riley, 1970, A Field Guide to the Butterflies of Britain and Europe. 380pp. 60 Pls., 371 maps. Collins St James's Place, London.
- 3149.** Higgins, L.G. & N.D. Riley, 1976, *Satyrus sintenisii* Staudinger, 1895. A Synonym of *Satyrus mamurra* Herrich-Schäffer, 1845 (Lep., Satyridae). *Entomologist's Gaz.* 27: 213-214, pl.
- 3150.** Higgins, L.G., 1925, On the Ethiopian species of the genus *Hesperia* (Lep., Rhop.), with descriptions of two new species. *Trans. ent. Soc. London* 1925: 64-120, 4 Pls.
- 3151.** Higgins, L.G., 1940, A new species and two new subspecies of *Melitaea* (Lep., Nymphalidae). *Entomologist* 73: 51-53.
- 3152.** Higgins, L.G., 1941, An illustrated catalogue of the Palaearctic *Melitaea* (Lep., Rhopalocera). *Trans. R. ent. Soc. Lond.* 91 (7): 175-354, 16 Pls, 214 figs., 7 maps.
- 3153.** Higgins, L.G., 1948, Butterflies in Granada. *Entomologist* 81: 25-29, 49-53.
- 3154.** Higgins, L.G., 1950, A descriptive catalogue of the Palaearctic *Euphydryas* (Lepidoptera, Rhopalocera). *Trans. R. ent. Soc. Lond.* 101 (2): 435-489, 7 maps, 44 figs.
- 3155.** Higgins, L.G., 1955, A descriptive catalogue of the genus *Mellicta* Billberg (Lepidoptera, Nymphalidae) and its species, with supplementary notes on the genera *Melitaea* and *Euphydryas*. *Trans. R. ent. Soc. Lond.* 106 (1): 1-131, 2 Pls., 4 maps, 88 figs.
- 3156.** Higgins, L.G., 1958, A holiday amongst Macedonian butterflies. *Entomologist* 91: 225-228.
- 3157.** Higgins, L.G., 1961, Butterflies in the eastern Alps, 1960. *Entomologist* 94: 82-83.
- 3158.** Higgins, L.G., 1964, Butterflies of Lebanon. *Entomologist* 97: 193-200, Pl. viii.

- 3159. Higgins, L.G.,** 1965, Five new butterflies. Entomologist 98: 10-12.
- 3160. Higgins, L.G.,** 1965, Boisduval, *Europaeorum Lepidopterorum index methodicus*. Entomologist 98: 241-242.
- 3161. Higgins, L.G.,** 1966, Check-List of Turkish Butterflies. Entomologist 99: 209-222, 1 map.
- 3162. Higgins, L.G.,** 1967, *Hipparchia* (*Pseudotergumia*) *wyssii* Christ, with description of two new subspecies. Entomologist 100: 169-171.
- 3163. Higgins, L.G.,** 1969, A New Genus of European Butterflies (*Lycaenidae*). Entomologist 102: 67.
- 3164. Higgins, L.G.,** 1974, A new subspecies of *Spialia phlomidis* (Herrich-Schäffer) (Lepidoptera, Rhopalocera). J. Ent. (B) 43(1): 83-87, 14 figs.
- 3165. Higgins, L.G.,** 1975, The classification of European butterflies. 320 pp., 402 text-figs. Collins, London.
- 3166. Higgins, L.G.,** 1977, New Palaearctic Butterflies. Entomologist's Rec. J. Var. 89: 189-191, Pl. xiv 9 figs., [2] textfigs.
- 3167. Higgins, L.G.,** 1978, A Revision of the genus *Euphydryas* Scudder (Lep., Nymphalidae). Entomologist's Gaz. 29: 109-115, 19 figs.
- 3168. Higgins, L.G.,** 1984, A new *Pyrginae* Skipper from Nepal (Lepidoptera, Hesperidae). Entomologist's Gaz. 35: 97-99.
- 3169. Hill, B.G.,** 1966, Insects of cultivated and wild plants, Harar Province Ethiopia, 1960-1964. Bull. ent. Res. 56: 659-670.
- 3170. Hille, A. & C.M.Naumann,** 1992, Allozyme differentiation in *Zygaena transalpina* Esper, 1780 (Lepidoptera: Zygaenidae). In Dutreix, C. et al. (eds) Recent advances in burnet moth research (Lep., Zygaenidae). Proc. of the 4th Symposium on Zygaenidae, Nantes 11-13 Sept. 1987 pp. 59-87.
- 3171. Hille, A. & C.M.Naumann,** 1994, Allel-Stufenkline und Multilocus-Kopplungsungleichgewichte von Allzymen kennzeichnen eine parapatrische Kontaktzone zwischen *Zygaena angelicae* und *Z. hippocrepidis* (Insecta, Lepidopt., Zygaenidae) in Süddeutschland. Verh. dt. zool. Ges. 87 (Kurzpublik.): 225
- 3172. Hille, A., Ockenfels, P., Böhmer, T. & C.M.Naumann,** 1993, Untersuchungen zur Pheromonspezifität zweier parapatrischer *Zygaena* Species. Verh. Dt. zool. Ges. 86: 244.
- 3173. Hinton, H.E.,** 1946, On the Homology and Nomenclature of the setae of Lepidopterous larvae, with some notes on the Phylogeny of the Lepidoptera. Trans. R. ent. Soc. Lond. 97(1): 1-37, 24 figs.
- 3174. Hinton, H.E.,** 1958, The phylogeny of the Panorpoid Orders. Annu. Rev. Ent. 3: 181-206.
- 3175. Hirschfeld, G. & W.Back,** 2001, *Anthocharis bieti tsangpoana* Riley, 1928: Biotop und Status (Lepidoptera, Pieridae). Atalanta 32 (1/2): 107-109, pl. vii.
- 3176. Hiura, I. & R.E.Alagar,** 1971, Studies on the Philippine Butterflies chiefly collected by the cooperative survey by the Osaka Museum of Natural History and the National Museum of the Philippines, 1969. Part I. Papilionidae. Bull. Osaka Mus. nat. Hist. 24: 29-44.
- 3177. Hiura, I.,** 1980, A phylogeny of the genera of Parnassiinae based on analysis of wing pattern, with description of a new genus (Lepidoptera, Papilionidae). Bull. Osaka Mus. nat. Hist. 33: 71-95, figs.
- 3178. Hockin, D.C.,** 1980, The biogeography of the butterflies of the Mediterranean Islands. Nota lepid. 3(1/2): 119-125, figs.
- 3179. Hodges, R.W. et al.,** 1983, Check List of the Lepidoptera of America North of Mexico including Greenland. Classey Ltd. London.
- 3180. Hodges, R.W.,** 1964, A review of the North American moths of the family Walshidae (Lepidoptera, Gelechioidea). Proc. U.S. nat. Mus. 115: 289-330, figs.
- 3181. Hodges, R.W.,** 1966, Revision of Nearctic Gelechiidae I. The Lita Group (Lepidoptera, Gelechioidea). Proc. U.S. nat. Mus. 119: 1-66, 31 Pls.
- 3182. Hoegh-Guldberg, O. & F.V.L.Jarvis,** 1969, Central and North European Ariciae (Lep.). Relationships, Heredity, Evolution (Aricia Studies No.10). Natura Jutlandica 15: 1-106, figs., pls.
- 3183. Hoegh-Guldberg, O.,** 1966, North European Groups of *Aricia allous* G.-Hb. Their Variability and Relationship to *A. agestis* Schiff. (Aricia Studies No.6). Natura Jutlandica 13: 1-184, figs., pls.
- 3184. Hoegh-Guldberg, O.,** 1968, Evolutionary Trends in the Genus *Aricia* (Lep.). Further information on distribution, taxonomy and biology of *A. allous* G.-Hb. and *A. agestis* Schiff. (Aricia Studies No.9). Natura Jutlandica 14: 1-77, figs.
- 3185. Hoegh-Guldberg, O.,** 1974, Polymorphism in Ariciae (Lep., Rhopalocera) in the field and laboratory (Aricia Studies No.15). Natura Jutlandica 17: 99-127, figs.
- 3186. Hoegh-Guldberg, O.,** 1979, The relationship of *Aricia agestis* (Lycaenidae) and its closest relatives in Europe. Nota lepid. 2(1/2): 35-39.
- 3187. Hoeven, J. van der.,** 1840, Beschrijving eeniger nieuwe of weinig bekende uitlandsche soorten van Lepidoptera. Tijdschr. natur. Gesch. Phys. 7: 276-283, 3 Pls.
- 3188. Hoffmann, O.,** [1898], Verzeichniss d. von K. Escherich und Prof. Dr. L. Kathariner bei Angora in Zentral Kleinasien gesammelten Schmetterlinge. Dt. ent. Z., Iris 10: 231-240, figs.
- 3189. Hoffmannsegg, G.v.,** 1804, Alphabetisches Verzeichniss zu J.Hübners Abbildungen der papilionen mit den beigefügten vorzüglichsten Synonymen. Illiger's Magazin 3: 181-206.
- 3190. Hoffmannsegg, G.v.,** 1806, Nachtrag zu Alphabetisches Verzeichniss zu J.Hübners Abbildungen der papilionen mit den beigefügten vorzüglichsten Synonymen. Illiger's Magazin 5: 176-183.
- 3191. Hofmann, A.,** 1983, Beitrag zur Zygaenenfauna Südost-Anatoliens: *Zygaena* (*Mesembrynus*) *manlia pjoetri* n.subsp.- ein Erstnachweis für die Türkei (Lepidoptera, Zygaenidae). Ent. Z., Frankf. a. M. 93 (9): 113-119, 10 Abb.
- 3192. Hofmann, A.,** 1999, Günter Reiss (2.xi.1925-16.ii.1999). Atalanta 30 (1/4): 1-16.
- 3193. Hofmann, A.,** 2000, Contribution to the knowledge of the genus *Zygaena* Fabricius, 1775 in Iran (Lepidoptera, Zygaenidae). Part III. *Zygaena haematina*. Linneana Belg. 17 (7): 293-299, figs.
- 3194. Hofmann, A., Günther, R. & W.G.Tremewan,** 1987, Vorarbeit zur *Zygaena* -Fauna Tunesiens (I. Beitrag) (Lepidoptera, Zygaenidae). Ent. Z., Frankf. a. M. 97: 45-48.
- 3195. Hofmann, A., Günther, R. & W.G.Tremewan,** 1994, Preliminary notes on the *Zygaena* Fabricius, 1777, fauna of Tunisia (Lepidoptera, Zygaenidae): part 2. Entomologist's Gaz. 45: 39-51, 7 figs.
- 3196. Hofmann, O.,** 1874, Necrolog [Dr. Gottlieb August Herrich-Schäffer]. Stettin ent. Ztg. 35: 277-284.
- 3197. Hofmann, P. & K.Rose,** 1987, Zur Rhopaloceren-Fauna Zyperns. Nachr. ent. Ver. Apollo (N.F.) 7 (4): 133-141, 7 Abb.
- 3198. Hofmann, P. & M.Dietz,** 1984, Entomologische Aufsammlungen und Beobachtungen in der Umgebung von Jeddah und Abha (Saudi-Arabien) (Lep., Rhopalocera). Nachr. ent. Ver. Apollo (N.F.) 5 (2/3): 43-60, figs.
- 3199. Hofmann, P.,** 1980, Wanderfalterbeobachtungen im Juni 1978 in Südgriechenland. Nachr. ent. Ver. Apollo (N.F.) 1(2): 30-32.
- 3200. Hofmann, P.,** 1980, Auf *Colias aurorina*-fang in Südgriechenland (vom 7.vi bis 19.vi.1978). Nachr. ent. Ver. Apollo A.F. 4(3/4): 30-36.
- 3201. Hofmann, P., Beck, W. & R. Leestmans,** 2003, Une nouvelle sous-espèce d'*Anthocharis damone* (Boisduval, 1836) trouvée en Iran et données générales sur la répartition (Lepidoptera, Pieridae). Linneana Belg. 19 (1): 4-8, figs.
- 3202. Hofmann, P.J. & W.Eckweiler,** 2001, Eine neue Unterart von *Aporia crataegi* (Linnaeus, 1758) aus Zentraliran (Lepidoptera, Pieridae). Nachr. ent. Ver. Apollo, N.F. 22 (3): 137-140, 14 Abb.
- 3203. Hogenes, W. & C.G.Treadaway,** 1993, New Hawk Moths from the Philippines (Lepidoptera, Sphingidae). Nachr. ent. Ver. Apollo (N.F.) 13 (4): 533-552, 13 figs.
- 3204. Hogenes, W. & C.G.Treadaway,** 1996, New taxa of Sphingidae (Lepidoptera) from the Philippines. Nachr. ent. Ver. Apollo (N.F.) 17 (2): 117-122, 9 figs.
- 3205. Hogenes, W. & C.G.Treadaway,** 1998, The Sphingidae (Lepidoptera) of the Philippines. Nachr. ent. Ver. Apollo Suppl. 17: 17-132, figs.

- 3206. Holik, O. & L. Sheljuzhko,** 1955, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 44/45: 26-158.
- 3207. Holik, O. & L. Sheljuzhko,** 1956, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 46: 93-239.
- 3208. Holik, O. & L. Sheljuzhko,** 1957, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 47: 143-185.
- 3209. Holik, O.,** 1935, *Zygaena sogdiana* Ersch. (scovitzi Mén.) var. *tshimganica* m. (nov. var.). Ent. Rdsch. 53 (1): 5-7.
- 3210. Holik, O.,** 1936, *Zyg. olivieri* Bsd. und ihre Biologie. Ent. Rdsch. 53: 506-509.
- 3211. Holik, O.,** 1938, "Lavanduloide" Zygaenen. Ent. Rdsch. 55: 320-323, 331-333.
- 3212. Holik, O.,** 1938, Bemerkungen zur beabsichtigten Neueinteilung der Gattung *Zygaena* F. Ent. Rdsch. 55: 349-354, 382-384.
- 3213. Holik, O.,** 1939, *Zyg. araratensis* Reiss und *Zyg. mana* Kirby. Ent. Rdsch. 56(8): 70-72, (12): 113-116, (15): 150-153.
- 3214. Holik, O.,** 1949, Über die Artberechtigung von *Satyrus paupera* Alph. Ent. Z., Frankf. a. M. 59: 70-72, 73-75, 85-86.
- 3215. Holik, O.,** 1949, Über die Gattung *Satyrus* I. Z. wien. ent. Ges. 34: 98-105.
- 3216. Holik, O.,** 1954, Nochmals *Satyrus* (Minois) *paupera* Alph. Ent. Z., Frankf. a. M. 64(13): 145-150, 2 Abb.
- 3217. Holland, W.J.,** 1895, List of the Lepidoptera collected in Kashmir by Dr. W. L. Abbott. Proc. U.S. nat. Mus. 18: 275-278.
- 3218. Holland, W.J.,** 1895, List of the Lepidoptera collected in Somaliland, East Africa, by Mr. William Astor Chanler and Lieut. von Hoehnel. Proc. U.S. nat. Mus. 18: 259-264.
- 3219. Holland, W.J.,** 1895, List of the Lepidoptera collected in Eastern Africa by Dr. W.L. Abbott, with descriptions of some apparently new species. Proc. U.S. nat. Mus. 18: 229-258, 2 Pls.
- 3220. Holland, W.J.,** 1896, List of the Lepidoptera collected in East Africa, 1894 by Mr. William Astor Chanler and Lieutenant Ludwig von Höhnelt. Proc. U.S. nat. Mus. 18: 741-767.
- 3221. Holland, W.J.,** 1896, A preliminary revision and synonymic catalogue of the Hesperidae of Africa and the adjacent islands, with descriptions of some apparently new species. Proc. zool. Soc. Lond. 1896: 2-107, 5 pls.
- 3222. Holland, W.J.,** 1897, Two new species of the genus *Xanthospilopteryx* Wallengren. Ann. Mag. nat. Hist. (6) 20: 291-294, 2 figs.
- 3223. Holland, W.J.,** 1900, The Lepidoptera of Buru. Part II. Heterocera. Novit. zool. 7: 555-591.
- 3224. Holloway, J.D. & R. Bender,** 1990, The Lasiocampidae of Sumatra. Heterocera Sumatrana 6: 137-204, figs.
- 3225. Holloway, J.D.,** 1973, The affinities within four butterfly groups (Lepidoptera, Rhopalocera) in relation to general patterns of butterfly distribution in the Indo-Australian area. Trans. R. ent. Soc. Lond. 125(2): 126-176, 23 figs.
- 3226. Holloway, J.D.,** 1974, The endemic Satyridae (Lepidoptera Rhopalocera) of New Caledonia. J. Ent. (B) 43(1): 89-101, 17 figs.
- 3227. Holloway, J.D.,** 1976, Moths of Borneo with special reference to Mount Kinabalu. xii + 264 pp., 727 textfigs., 383 figs. Kuala Lumpur.
- 3228. Holloway, J.D.,** 1982, Taxonomic Appendix, [in] Barlow, H.S., An Introduction to the Moths of South East Asia. 174-305pp., pls. Kuala Lumpur.
- 3229. Holloway, J.D.,** 1983, The moths of Borneo: Family Notodontidae. Malay. Nat. J. 37: 1-107, 9 Pls. 98 figs.
- 3230. Holloway, J.D.,** 1986, The Moth of Borneo: Key to Families: Families Cossidae, Metarbelidae, Ratardidae, Dudgeoneidae, Epipyropidae and Limacodidae. Malay. Nat. J. 40: 1-166, 259 figs. 9 Pls.
- 3231. Holloway, J.D.,** 1987, The Moth of Borneo: Superfamily Bombycoidea: Families Lasiocampidae, Eupterotidae, Bombycidae, Brahmaeidae, Saturniidae, Sphingidae. 199pp. 163 figs. 20 Pls. Kuala Lumpur.
- 3232. Holloway, J.D.,** 1988, The Moths of Borneo Part 6 Arctiidae Syntominiinae Euchromiinae Arctiinae Aganainae (to Noctuidae). 101pp. figs. 6 Pls. Kuala Lumpur.
- 3233. Holloway, J.D.,** 1996, The butterflies (Lepidoptera) of the northern Aegean Island of Thasos. Entomologist's Gaz. 47(3): 143-149.
- 3234. Holloway, J.D.,** 1999, Moths of Borneo. Vol.5. Lymantriidae. 188 pp., 12 col. plates, 396 genitalia.
- 3235. Holloway, J.D.,** 2001, Moths of Borneo. Vol.7. Arctiidae, Lithosiinae. 486 pp., 8 col. plates, 450 genitalia.
- 3236. Holloway, J.D.,** 2003, Moths of Borneo. Vol.18. Nolidae. 279 pp., 10 col. plates, 611 genitalia.
- 3237. Holloway, J.D.,** [1994], The Moth of Borneo: Family Geometridae, Subfamily Ennominae. 309pp. 593 figs. 19 Pls. Kuala Lumpur.
- 3238. Holloway, J.D., Cock, M.J.W. & N.R. Desmiers de Chenon,** 1987, Systematic accounts of south-east Asian pest Limacodidae, pp.15-117, [in] Cock, W., Godfrey, H.C.J. & J.D. Holloway, Slug and Nettle Caterpillars: The Biology, Taxonomy and Control of the Limacodidae of Economic Importance on Palms in South-east Asia. Oxford.
- 3239. Holloway, J.D., Naumann, S. & W.A. Nässig,** 1996, The Antheraea Hübner (Lepidoptera, Saturniidae) of Sulawesi, with descriptions of new species Part 2. The species of the frithi-group. Nachr. ent. Ver. Apollo N.F. 17(3): 225-258, figs.
- 3240. Holtz, M.,** 1897, Die Macrolepidopteren-Fauna Ciliciens. Ein Beitrag zur Insektenfauna Kleinasiens. Illte Wschr. Ent. 2: 42-47, 60-63, 77-79, 88-93.
- 3241. Homberg, R.,** 1909, Description d'une nouvelle Acidalia (Lep., Geometridae). Bull. Soc. ent. Fr. 1909: 229-230.
- 3242. Honrath, E.G.,** 1882, Über eine Lokalform des *Parnassius actius* Eversm. und über *Parnassius delius* Esp. var. *corybas* Fisch. Berl. ent. Z. 26 (1): 178-180, Taf. 2 f. 6.
- 3243. Honrath, E.G.,** 1885, Neue Rhopalocera III. Berl. ent. Z. 29 (2): 272-278, Taf. viii.
- 3244. Honrath, E.G.,** 1888, Neue Rhopalocera VII. Berl. ent. Z. 32 (1): 247-252, Taf. V.
- 3245. Honrath, E.G.,** 1888, Wenig bekannte Tagfalter II. Berl. ent. Z. 32 (1): 253-254.
- 3246. Honrath, E.G.,** 1889, Neue Rhopalocera VIII. Berl. ent. Z. 33 (1): 161-166, Taf. II.
- 3247. Honrath, E.G.,** 1889, Wenig bekannte Tagfalter III. Berl. ent. Z. 33 (1): 167-168, Taf. II.
- 3248. Honrath, E.G.,** 1891, Neue Rhopalocera X. Berl. ent. Z. 36 (2): 429-440, Taf. xv.
- 3249. Honrath, E.G.,** 1891, Wenig bekannte Tagfalter V. Berl. ent. Z. 36 (2): 441-444.
- 3250. Honrath, E.G.,** 1891, Eine neue Notodonta. Berl. ent. Z. 36 (2): 445, Taf. xv fig. 8.
- 3251. Hopffer, C.,** 1865, Bericht über Felder's Lepidoptera der Reise der Fregatte Novara. Stettin ent. Ztg. 26: 382-398.
- 3252. Hopffer, C.,** 1869, Bericht über Felder's Lepidoptera der Reise der Fregatte Novara. Stettin ent. Ztg. 30: 427-453.
- 3253. Hopffer, C.,** 1874, Beitrag zur Lepidopteren-Fauna von Celebes. Stettin ent. Ztg. 35: 17-47.
- 3254. Horsfield, T. & F. Moore,** [1860], A Catalogue of the lepidopterous insects in the Museum of Natural History at East-India House vol. 2, W.H. Allen, London.
- 3255. Horsfield, T.,** 1828-1829, A descriptive catalogue of the lepidopterous insects contained in the Museum of the honourable East-India Company. 1: ii+80+2 pp., 4 Pls. [24.3.1828] 2: 81-144, Pls. 5-8 [24.6.1829]. London.
- 3256. Hosseinpour, Y.,** 1996, 1994 Yılında Kuzey İran ve Türkmenistan'a Yapılan Entomoloji Ekspedisyönünün Sonuçları II. Lokalitelerin Listesi. Cent. ent. Stud., Misc. Pap. 29: 1-5.
- 3257. Hosseinpour, Y.,** 1996, 1995 Yılında İran'a Yapılan Lepidoptera Ekspedisyönünün Sonuçları I. Giriş. Cent. ent. Stud., Misc. Pap. 29: 6-8.
- 3258. Hosseinpour, Y.,** 1996, İran (Azarbayejan) Lepidoptera faunası üzerine araştırmalar. Cent. ent. Stud., Priamus 7(3): 65-93, 1 fig.
- 3259. Houhun, L. & Z. Zhemin,** 1997, Two new species of the genus *Chionodes* Hübner (Lepidoptera, Gelechiidae) from China.

- Entomotaxonomia 19(1): 43-46, 2 figs. [in English, Chinese summary].
- 3260. Howarth, T.G. & D.Povolny,** 1973, Beiträge zur Kenntnis der Fauna Afghanistans. Lepidoptera Rhopalocera. Cas morav. Mus. Brne 58: 131-158, figs.
- 3261. Howarth, T.G. & D.Povolny,** 1976, Beiträge zur Kenntnis der Fauna Afghanistans. Lepidoptera Rhopalocera. Cas morav. Mus. Brne 61: 139-170.
- 3262. Howarth, T.G.,** 1951, Prison camp Entomology in the Far East, 1941/45. Proc. Trans. S. Lond. ent. nat. Hist. Soc. 1949/50: 94-110.
- 3263. Howarth, T.G.,** 1957, A revision of the genus *Neozephyrus* Sibatani & Ito. Bull. Br. Mus. nat. Hist. (Ent.) 5 (6): 235-285, figs.
- 3264. Howarth, T.G.,** 1966, Revisional notes on the genus *Antanartia* (Lepidoptera, Nymphalidae). Bull. Br. Mus. (Nat. Hist.) Ent. 18: 21-43, 21 textfigs., 5 Pls.
- 3265. Howarth, T.G.,** 1977, A list of the type-specimens of Ornithoptera in the British Museum (Nat. Hist.). Bull. Br. Mus. (Nat. Hist.) Ent. 36(3): 153-169.
- 3266. Howell, A.D. & S.J.Howell,** 1986, In search fo the giant Grayling *Berberia abdelkader abdelkader* Pierret (Lepidoptera, Satyridae) in Morocco. Bull. amat. ent. Soc. 45: 137-142.
- 3267. Hreblay, M. & J.Plante,** 1994, New taxa of the genus *Orthosia* Ochseneheimer, 1816 (s.l.) III (Lepidoptera, Noctuidae). Acta zool. hung. 40 (1): 21-27, 20 figs.
- 3268. Hreblay, M. & L.Ronkay,** 1995, On the taxonomy of the genus *Himalistra* Hacker & Ronkay, 1993 and *Estagrotis* Nye, 1975 (Lepidoptera, Noctuidae). Acta zool. hung. 41 (3): 235-250, figs.
- 3269. Hreblay, M. & L.Ronkay,** 1995, New species of *Dasypolia* Guenée, 1852 (s.l.) from the Himalayan Region (Lepidoptera, Noctuidae, Xylenini). Acta zool. hung. 41 (4): 349-378, figs.
- 3270. Hreblay, M. & L.Ronkay,** 1998, Noctuidae [in] Moths of Nepal Part V. Tinea 15 (Suppl.1): 117-310, figs.
- 3271. Hreblay, M. & L.Ronkay,** 1999, Neue trifide Noctuidae aus dem himalayanschen Raum und der südostasiatischen Region (Lepidoptera, Noctuidae). Esperiana 7: 485-620, pls xiv-xxi.
- 3272. Hreblay, M. & V.S.Kononenko,** 1999, The chinese species of the *Diphtherocome pallida* and *discibrunnea* species-groups (Lepidoptera, Noctuidae, Acronyctinae) in the collection of the Zoologisches Forschungsinstitut und Museum Alexander Koenig, Bonn. Esperiana 7: 669-686, figs.
- 3273. Hreblay, M.,** 1992, Revision der Gattung *Valerietta* Draudt, 1938. Esperiana 3: 235-241, 14 Abb.
- 3274. Hreblay, M.,** 1992, Paläarktische Taxa der *Mythimna* (*Aletia*) *pallens* L.- *impura* Hb.- Artengruppe (Lepidoptera, Noctuidae). Esperiana 3: 513-529, Taf., figs.
- 3275. Hreblay, M.,** 1992, Neue Taxa und Synonyme der Gattung *Conistra* Hübner, [1821] (Lepidoptera, Noctuidae). Esperiana 3: 531-544, figs.
- 3276. Hreblay, M.,** 1996, Revision der *Mythimna consanguis*-, *languida*-, *madensis*-, *natalensis*-Artengruppe (*Morphopoliana* sugben.n.). (Lepidoptera, Noctuidae). Esperiana 4: 133-158, 83 figs., 2 Pls.
- 3277. Hreblay, M.,** 1996, Neue paläarktische Taxa aus der Gattung *Perigrapha* Lederer, 1857 (Lepidoptera, Noctuidae). Esperiana 4: 65-94, 90 Abb., Taf.
- 3278. Hreblay, M., Legrain, A. & S.-I.Yoshimatsu,** 1998, Beschreibung von achtundzwanzig neuen Arten und einer Unterart mit Übersicht der Artengruppen aus dem *Mythimna* Ochs., 1816-Komplex aus der südostasiatischen Region. festlegun von vierzehn Lectotypen, zwei Neotypen, neuen Synonymen und Kombinationen (I.) Esperiana 6: 381-432, Taf.P-S.
- 3279. Hreblay, M., Legrain, A. & S.-I.Yoshimatsu,** 1999, Beschreibung von zwölf neuen Arten und zwei Unterarten mit einer Übersicht über die Artengruppen des *Mythimna* Ochseneheimer, 1816 - Komplexes der südostasiatischen Region (II) (Lepidoptera, Noctuidae). Esperiana 7: 377-398, figs.
- 3280. Hreblay, M., Peregovits, L. & L.Ronkay,** 1999, New genera and species of Noctuidae from Vietnam, Thailand and Nepal (Lepidoptera). Acta zool. hung. 45 (1): 1-96, figs.
- 3281. Hreblay, M., Plante, J. & L.Ronkay,** 1994, New taxa of the genus *Himalistra* Hacker & Ronkay, 1993 (Lepidoptera, Noctuidae). Acta zool. hung. 40 (3): 253-263, figs.
- 3282. Hreblay, M., Plante, J. & L.Ronkay,** 1995, New taxa of the genus *Himalistra* Hacker & Ronkay, 1993 (Lepidoptera, Noctuidae). Acta zool. hung. 41 (1): 47-62, figs.
- 3283. Hreblay, M., Ronkay, L. & J.Plante,** 1998, A systematic survey of the Tibetan Noctuidae fauna based on the material of the Schäfer-expedition (1938-1939) and recent expeditions (1993-1997) (Lepidoptera, Noctuidae). Esperiana 6: 69-184, Taf.
- 3284. Huang, H. & W.P.Liu,** 2000, A new species of the genus *Ypthima* Hübner, 1818 from China. Lambillionea 100 (3): 454-457.
- 3285. Huang, H. & Y.-P.Xue,** 2004, A contribution to the butterfly fauna of Southern Yunnan (Lepidoptera, Rhopalocera). Neue ent. Nachr. 57: 135-160, figs.
- 3286. Huang, H.,** 1998, Two new butterflies from northwestern Tibet. Ent. Z., Frankf. a. M. 108 (6): 249-255.
- 3287. Huang, H.,** 1998, Research on the butterflies of the Namjagbarwa region, SE.Tibet. Neue ent. Nachr. 41: 207-263, figs.
- 3288. Huang, H.,** 1998, Two new Rhopalocera from Central Tibet (Lepidoptera, Rhopalocera) Neue ent. Nachr. 41: 265-269, figs.
- 3289. Huang, H.,** 1998, Five new butterflies from N.W.Tibet (Lepidoptera, Rhopalocera) Neue ent. Nachr. 41: 271-281, figs.
- 3290. Huang, H.,** 1998, New Lycaenidae butterflies from Tsangpo basin, SE Tibet. Lambillionea 98 (4): 499-508.
- 3291. Huang, H.,** 1999, *Lethe* wui sp. nov. from Metok, SE Tibet. Lambillionea 99 (1): 129-131.
- 3292. Huang, H.,** 1999, Some new butterflies from China I. Lambillionea 99 (4): 642-676.
- 3293. Huang, H.,** 2000, A list of butterflies collected from Tibet during 1993-1996, with new descriptions revisional notes and discussions on zoogeography 1, Part 1. Lambillionea 100 (1): 141-158.
- 3294. Huang, H.,** 2000, A list of butterflies collected from Tibet during 1993-1996, with new descriptions revisional notes and discussions on zoogeography 1. Part 2. Lambillionea 100 (2): 238-259.
- 3295. Huang, R., Zhou, H. & X.Li,** 2000, Butterflies in Xinjiang. 105 pp. 44 Pls. Urumtschi [in Chinese].
- 3296. Huang, R.-X. & S.Murayama,** 1992, Butterflies of Xinjiang Province, China. Tyo to Ga 43 (1): 1-22.
- 3297. Huber, K. & D.Stengel,** [1990], Eine neue Subspezies von *Chelis maculosa* (Gerning, 1780) aus Griechenland (Lepidoptera, Arctiidae). Atalanta 20 (1989): 191-196, figs.
- 3298. Huemer, P. & C.Wieser,** 2004, *Aethes shakibai* sp.n., eine neue Wickler Art aus dem Nordiran (Lepidoptera, Tortricidae). Carinthia II 114(2): 389-394, figs.
- 3299. Huemer, P. & G.Tarmann,** 1991, Westpaläarktische Gespinnstmotten der Gattung *Kessleria* Nowicki: Taxonomie, Ökologie, Verbreitung (Lepidoptera, Yponomeutidae). Mitt. münch. ent. Ges. 81: 5-110, 248 Abb, Pl.
- 3300. Huemer, P. & G.Tarmann,** 1993, Die Schmetterlinge Österreichs (Lepidoptera). 224pp. Innsbruck.
- 3301. Huemer, P. & L.A.Gozmany,** 1992, Südostalpine *Symmoca*-Arten der *caliginella*-Gruppe (Lepidoptera, Symmocidae). Mitt. münch. ent. Ges. 82: 35-46, 46 Abb.
- 3302. Huemer, P. & O.Karsholt,** 1996, *Megacraspedus bilineatella* n.sp., from Alpi Orobie (Italy) (Lepidoptera). Boll. Soc. ent. Ital. 127: 251-256.
- 3303. Huemer, P. & O.Karsholt,** 1998, A review of palaearctic *Scrobipalpula* with special reference to Central and Northern Europe (Lepidoptera, Gelechiidae). Nota lepid. 21: 37-65.
- 3304. Huemer, P. & O.Karsholt,** 1999, Gelechiidae I (Gelechiinae: Teleiodini, Gelechiini), [in] Huemer, P., Karsholt, O. & L. Lyneborg, Microlepidoptera of Europe vol.3., 356pp., Pls., Stenstrup.
- 3305. Huemer, P.,** 1988, Kleinschmetterlinge an Rosaceae unter besonderer Berücksichtigung ihrer Vertikalverbreitung (excl.

- Hepialidae, Cossidae, Zygaenidae, Psychidae und Sesiidae). Neue ent. Nachr. 20: 1-376, 81 Abb.
- 3306. Huemer, P.,** 1989, Neue und wenig bekannte Arten der Gattung *Caryocolum* Gregor & Povolny, 1954 aus Südwestasien (Lepidoptera, Gelechiidae). Mitt. münch. ent. Ges. 79: 127-142, 46 Abb.
- 3307. Huemer, P.,** 1992, Der *Teleiodes* vulgella-Artenkomplex in Europa (Lepidoptera, Gelechiidae). Z. ArbGem. öst. Ent. 44(1/2): 1-14, 33 Abb.
- 3308. Huemer, P.,** 1992, *Gelechia aspoecki* sp.n. aus Südf Frankreich. Alexanor 17: 391-394, figs.
- 3309. Huemer, P.,** 1998, Neue Erkenntnisse zur Identität und Verbreitung europäischer *Oegoconia* Arten (Lepidoptera, Autostichidae). Mitt. münch. ent. Ges. 88: 99-117, figs.
- 3310. Huemer, P., Karsholt, O. & W. Sauter,** 1996, The genus *Epiparasia* Rebel, 1914 in Spain (Lepidoptera, Gelechiidae). Shilap 24(96): 341-345, 9 figs.
- 3311. Hufnagel,** 1766, Tabelle von den Tagvögeln der Gegend um Berlin. Berl. Mag. 2: 54-90.
- 3312. Hufnagel,** 1766, Dritte Tabelle von den Nachtvögeln (*Bombyx*) der Gegend um Berlin. Berl. Mag. 2: 391-437.
- 3313. Hufnagel,** 1767, Vierte Tabelle von den Nachtvögeln (*Noctua*) der Gegend um Berlin. Berl. Mag. 3: 202-215, 279-309, 393-426.
- 3314. Hufnagel,** 1768, Fortsetzung der Tabelle von den Nachtvögeln (*Geometra*). Berl. Mag. 4: 504-527, 599-626.
- 3315. Huisman, K.J. & J.C. Koster,** 2000, Nieuwe en interessante Microlepidoptera uit Nederland in hoofdzaak van de jaren 1997 en 1998 (Lepidoptera). Ent. Ber., Amst. 60 (11): 193-216, 8 figs.
- 3316. Hulstaert, G.,** 1923, On Lepidoptera from New Guinea, Kei, Tenimber, the Philippines, and the Australia. Ann. Mag. nat. Hist. 9 (11): 178-190.
- 3317. Hulstaert, G.,** 1924, New Indo-Australian Noctuidae. Ann. Mag. nat. Hist. 9 (13): 97-127.
- 3318. Hulstaert, G.,** 1924, New moths from New Guinea, Kei, and Tenimber. Ann. Mag. nat. Hist. 9 (13): 127-139.
- 3319. Hutacharern, C. & N. Tubtim,** 1995, Checklist of forest insects in Thailand. 392 pp., figs. Office of Environmental Policy and Planning, Biodiversity Series volume one, Bangkok.
- 3320. Huwe, A.,** 1895, Verzeichniss der von Hans Fruhstorfer während seines Aufenthalts auf Java in den Jahren 1891 bis 1893 erbeuteten Sphingiden. Berl. ent. Z. 40 (3): 356-372, Taf III.
- 3321. Hübner, J.,** 1790, Beiträge zur Geschichte der Schmetterlinge [134 pp.], 16 pls. Augsburg.
- 3322. Hübner, J.,** 1793, Sammlung auserlesener Vögel und Schmetterlinge. 16pp., 100 Pls., Augsburg.
- 3323. Hübner, J.,** 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 7, Tortrices: 53 Pls., Augsburg.
- 3324. Hübner, J.,** 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 6, Pyralides: 32 Pls., Augsburg.
- 3325. Hübner, J.,** 1796-[1836], Sammlung europäischer Schmetterlinge. vol. 8, Tineae: 71 Pls., Augsburg.
- 3326. Hübner, J.,** 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 2, Sphinges: 38 Pls., Augsburg.
- 3327. Hübner, J.,** 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 5, Geometrae: 113 Pls., Augsburg.
- 3328. Hübner, J.,** 1799-[1838], Sammlung europäischer Schmetterlinge. vol. 1, Papilios: 207 Pls., Augsburg.
- 3329. Hübner, J.,** 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 4, Noctuae: 181 Pls., Augsburg.
- 3330. Hübner, J.,** 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 9, Alucitae: 7 Pls., Augsburg.
- 3331. Hübner, J.,** 1800-[1838], Sammlung europäischer Schmetterlinge. vol. 3, Bombyces: 83 Pls., Augsburg.
- 3332. Hübner, J.,** 1816-[1826], Verzeichnis bekannter Schmetterlinge. 431 pp., Augsburg.
- 3333. Hübner, J.,** 1822, Systematisch -alphabetisches Verzeichniss aller bisher bei den Fürbildungen zur Sammlung europäischer Schmetterlinge ausgegebenen Benennungen mit Vormerkung auch Augsburscher Gattungen. 81 pp. Augsburg.
- 3334. Hüseyinoğlu, Y.,** 1999, Sincanlı (Afyon) Papilionoidea ve Hesperioidea faunası üzerine araştırmalar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 60: 1-8.
- 3335. Hättenschwiler, P. & H. Alemansoor,** 2006, A new species of *Amicta* Heylaerts, 1881 from the South of Iran (Lepidoptera, Psychidae). Nota lepid. 29 (1/2): 79-87, figs.
- 3336. Hättenschwiler, P.,** 1984, Die Gattung *Leptopteryx* und *Oreopsyche* ardanazi Agenjo (Lepidoptera, Psychidae). Nota lepid. 7 (2): 143-147, 3 Abb.
- 3337. Hättenschwiler, P.,** 1985, Zwei neue Psychiden aus dem West-Himalaya (Lepidoptera, Psychidae). Nota lepid. 8(1): 25-28, 4 Abb.
- 3338. Häuser, C. & K.G. Schurian,** 1977, Bemerkungen zur Biologie von *Kirinia roxelana* Cramer (Lep., Satyridae). Ent. Z., Frankf. a. M. 87 (12): 121-126.
- 3339. Häuser, C. & K.G. Schurian,** 1980, Zur Kenntnis des Areals von *Colias chlorocoma* Christoph, 1888 (Pieridae). Nota lepid. 3(1/2): 41-50, figs.
- 3340. Häuser, C.,** 1982, Zur Verbreitung, Biologie, und Taxonomie von *Ochlodes hyrcanus* (Christoph, 1893) (Hesperiidae). Nota lepid. 5 (2/3): 86-102, figs. A-C, 1-4.
- 3341. Häuser, C.,** 1993, An Annotated checklist of the species of the Parnassiinae (Lepidoptera, Papilionidae). Tijdschr. Ent. 136: 137-146.
- 3342. Häuser, C.L. & W. Eckweiler,** 1997, A catalogue of the species-group taxa in *Agrodiaetus* Hübner, 1822, a subgenus of *Polyommatus* Latreille, 1804 (Lep., Lycaenidae), [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus* (*Agrodiaetus*) species-group (Lep.). Nachr. Ent. Ver. Apollo, Suppl. 16: 53-112.
- 3343. Häuser, C.L.,** 1993, Critical comments on the phylogenetic relationships within the family Papilionidae (Lepidoptera). Nota lepid. 16 (1): 34-43.
- 3344. Häuser, C.L., Naumann, C.M. & A.V.-A. Kreuzberg,** 1993, Zur taxonomischen und phylogenetischen Bedeutung der Feinstruktur der Eischale der Parnassiinae (Lepidoptera, Papilionidae). Zool. Meded. 67: 239-264, figs.
- 3345. Häuser, C.L., Naumann, C.M. & W.G. Tremewan,** 1985, On the biology of *Parnassius charltonius* Gray, 1852 (Lepidoptera, Papilionidae). Entomologist's Gaz. 36: 5-13, 11 figs.
- 3346. Häuser, C.L., Stünig, D. & W.A. Nässig,** 1996, Observations on the early stages of *Archaeoattacus staudingeri* (Rothschild, 1895) in Northern Borneo (Sabah, Malaysia) (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 17 (2): 169-182, 16 figs.
- 3347. Häussler,** 1920, *Anthocharis charltonia* Donz. in Europa? Ent. Rdsch. 37: 9.
- 3348. Hölztermann, F.,** 1902, *Pyrrhia aconiti* spec. nov. aus der Umgegend von Perm in Russland (Ural). Allg. Z. Ent. 7: 212-214, 4 Abb.
- 3349. Höne, H.,** 1938, Brief aus China. Ent. Rdsch. 55: 385-388, 413-415.
- 3350. Hörhammer, C.,** 1937, Zur systematischen Stellung von *Lycaena aedon* Christ. Ent. Z., Frankf. a. M. 51: 114.
- 3351. Igarashi, S.,** 1971, *Protopatara iwasei*; a new Nymphalid butterfly from Kurdistan, the Northern Iraq (Nymphalidae). Tyo to Ga 22 (1/2): 14-17, 6 figs.
- 3352. Igarashi, S.,** 1984, The classification of the Papilionidae mainly based on the morphology of their immature stages. Tyo to Ga 34 (29): 41-96.
- 3353. Igarashi, S.,** 1984, The classification of the Papilionidae mainly based on the morphology of their immature stages. Tyo to Ga 34: 41-96.
- 3354. Iltschev, D. & I. Buresch,** 1915, Zweiter Beitrag zur Erforschung der Lepidopterenfauna von Thrazien und Mazedonien und Nachbarländer. Trud. bulg. prir. Druzh. 8: 151-197.
- 3355. Iltschev, D. & I. Buresch,** 1921, Dritter Beitrag zur Erforschung der Lepidopterenfauna von Thrazien und Mazedonien. Trud. bulg. prir. Druzh. 9: 61-86.
- 3356. Iltschev, D.,** 1913, Das Credna-Gora-Gebirge und seine Lepidopterenfauna. Spis. bulg. Akad. Nauk. 7: 81-112.
- 3357. Iltschev, D.,** 1915, Beitrag zur Lepidopterenfauna des zentralen Rhodope Gebirges. Trud. bulg. prir. Druzh. 7: 161-169.

- 3358. Iltschev, D.**, 1921, Beitrag zur Lepidopterenfauna der Kresna-Schlucht in Mazedonien. Spis. bulg. Akad. Nauk. 23: 85-110.
- 3359. Iltschev, D.**, 1923, Beitrag zur Lepidopterenfauna der Gegend von Aitos (S.O.Bulgarien). Trud. bulg. priir. Druzh. 10: 49-53.
- 3360. Inayoshi, Y. & M. Nishimura**, 1997, A review of the belladonna group the genus *Delias*. (Lepidoptera, Pieridae). Butterflies 16: 18-33, 19 pls.
- 3361. Inoue, H.**, 1976, Some new and unrecorded moths belonging to the families of Bombyces and Sphinges. Bull. Otsuma Women Univ. 12: 153-199, 116 figs.
- 3362. Inoue, H.**, 1979, Revision of the genus *Eupithecia* of Japan Part I. Bull. Otsuma Women Univ. 15: 157-224.
- 3363. Inoue, H.**, 1980, Revision of the genus *Eupithecia* of Japan Part II. Bull. Otsuma Women Univ. 16: 153-213, figs.
- 3364. Inoue, H.**, 1982, Geometridae of eastern Nepal based on the collection of the lepidopterological research expedition to Nepal Himalaya by the Lepidopterological Society of Japan in 1963 Part II. Bull. Otsuma Women Univ. 18: 129-190, 51 figs.
- 3365. Inoue, H.**, 1984, The genus *Abraxas* of Taiwan. Bull. Otsuma Women Univ. 20: 93-128, 115 figs.
- 3366. Inoue, H.**, 1985, The genus *Ourapteryx* and *Tristophis* of Taiwan. Bull. Otsuma Women Univ. 21: 75-124, 116 figs.
- 3367. Inoue, H.**, 1986, Further new and unrecorded species of the Geometridae from Taiwan, with some synonymic notes. Bull. Otsuma Women Univ. 22: 211-267, 67 figs.
- 3368. Inoue, H.**, 1987, Geometridae of eastern Nepal based on the collection of the lepidopterological research expedition to Nepal Himalaya by the Lepidopterological Society of Japan in 1963 Part III. Bull. Otsuma Women Univ. 23: 215-270, 52-81 figs.
- 3369. Inoue, H.**, 1988, The genus *Eupithecia* Curtis from Taiwan. Bull. Otsuma Women Univ. 24: 323-375, 31 figs.
- 3370. Inoue, H.**, 1989, The genus *Gelasma* Warren from Taiwan. Bull. Otsuma Women Univ. 25: 245-271, 53 figs.
- 3371. Inoue, H.**, 1990, A revision of the genus *Dindica* Moore (Geometridae). Bull. Otsuma Women Univ. 26: 121-161, 123 figs.
- 3372. Inoue, H.**, 1991, Records of the Sphingidae (Lepidoptera) from Thailand with descriptions of four new species. Tinea 13 (14): 121-144, figs.
- 3373. Inoue, H.**, 1992, Twenty-four new species, one new subspecies and two new genera of the Geometridae from East Asia. Bull. Otsuma Women Univ. 28: 149-183, 87 figs.
- 3374. Inoue, H.**, 1993, The genus *Ourapteryx* Leach (Geometridae, Ennominae) from Thailand with descriptions of six new species. Tinea 13 (26): 261-271, figs.
- 3375. Inoue, H.**, 1994, Two new genera and two new species of the Geometridae from Thailand. Tinea 14 (1): 5-9, figs.
- 3376. Inoue, H.**, 1994, Description of a new species of *Ourapteryx* Leach (Geometridae, Ennominae) from Central Nepal. Tinea 14 (1): 10-12, figs.
- 3377. Inoue, H.**, 1994, The Geometridae of the Ogasawara (Bonin) Islands. Bull. Otsuma Women Univ. 30: 195-223, 16 figs.
- 3378. Inoue, H.**, 1994, The genus *Abraxas* Leach (Geometridae, Ennominae) from Thailand. Tinea 14 (1): 20-26.
- 3379. Inoue, H.**, 1995, The genera *Abraxas* and *Ourapteryx* from Nepal (Geometridae, Ennominae), [in] Haruta, T., Moths of Nepal, pt.4. Tinea 14 (Suppl.2): 119-139.
- 3380. Inoue, H.**, 1996, The Pyralidae of the Ogasawara (Bonin) Islands. Bull. Otsuma Women Univ. 32: 75-111, 21 figs.
- 3381. Inoue, H.**, 1996, Revision of the genus *Palpita* Hübner (Crambidae, Pyraustinae) from the Eastern Palaearctic, Oriental and Australian Regions. Part 1: Group A (Annulifer-group). Tinea 15 (1): 12-46, figs.
- 3382. Inoue, H.**, 1997, Revision of the genus *Palpita* Hübner (Crambidae, Pyraustinae) from the Eastern Palaearctic, Oriental and Australian Regions. Part 2: Group B. Tinea 15 (2): 131-182, figs.
- 3383. Inoue, H.**, 1998, Notes on *Pseudobiston pinratanai* Inoue (Geometridae, Geometrinae). Tinea 15 (4): 310-311.
- 3384. Inoue, H.**, 1999, A new species of the genus *Celerena* Walker (Lepidoptera, Geometridae) from Palawan, Philippines. Tinea 16 (1): 1-3.
- 3385. Inoue, H.**, 1999, Revision of the genus *Palpita* Hübner (Crambidae, Pyraustinae) from the Eastern Palaearctic, Oriental and Australian Regions. Part 3: Additional and Corrections. Tinea 16 (1): 52-60.
- 3386. Inoue, H.**, 1999, Revision of the genus *Herochroma* Swinhoe (Geometridae, Geometrinae). Tinea 16 (2): 76-105.
- 3387. Inoue, H.**, 1999, Records of the Sphingidae from the Philippines, with descriptions of a new species and a new subspecies. Bull. nat. Sci. Mus. Tokyo (Ser.A) 22 (2): 81-106, 26 figs.
- 3388. Inoue, H.**, 2000, Three new species of the genus *Milionia* Walker (Geometridae, Ennominae). Tinea 16 (4): 213-217.
- 3389. Inoue, H.**, 2000, Descriptions of a new species and a new subspecies of the genus *Biston* Leach from the Philippines, with notes on the two known species (Geometridae, Ennominae). Tinea 16 (4): 226-230.
- 3390. Inoue, H., Kennett, R.D. & Kitching, I.J.**, 1997, Moths of Thailand vol.2 Sphingidae. vi+149 pp. 44 Pls. Chock Chai Press / Brothers of St. Gabriel in Thailand, Bangkok.
- 3391. Inoue, S. & A. Kawazoe**, 1964, Hesperiid butterflies from South Vietnam. Tyo to Ga 15 (4): 84-105, fig.
- 3392. Inoue, S. & A. Kawazoe**, 1964, Riodinidae, Curetidae and Lycaenidae (Lepidoptera, Rhopalocera) from South Vietnam. Nature life southeast Asia 1964 (4): 317-394, 20 pls. 1 map.
- 3393. International Commission of Zoological Nomenclature**, 1985, International Code of Zoological Nomenclature. 3rd edn. International Trust for Zoological Nomenclature, London.
- 3394. International Commission of Zoological Nomenclature**, 1999, International Code of Zoological Nomenclature. 4th edn. International Trust for Zoological Nomenclature, 306pp. London.
- 3395. Ishkov, E.V. & J.L. Sukhareva**, 1986, On the Noctuid fauna (Lepidoptera, Noctuidae) of the Aksu Dzhabaglinsk Nature Reserve (Kazakhstan). Trudy vses. ent. Obsch. 67: 111-125.
- 3396. Ivinskis, P. & V. Piskunov**, 1980, Description of gelechiid moth genus *Ivanauskiella* Ivinskis et Piskunov gen.n. and species *Ivanauskiella turkmenica* Ivinskis et Piskunov sp.nov. from the Turkmenian SSR. Trudy Akad. Nauk Litov.SSR (Ser.C) 1980(2): 23-27, figs.
- 3397. Ivinskis, P.**, 1993, Checklist of Lithuanian Lepidoptera. 210pp. Vilnius.
- 3398. Ivonin, V.V. & O.E. Kosterin**, 2000, A new subspecies of *Polyommatus icadius* (Groum-Grzhimailo, 1890) from the Russian Altai (Lepidoptera Lycaenidae). Atalanta 31 (1/2): 171-177, pl. xiii.
- 3399. Izenbek, B.A.**, 1980, The butterflies of the Lithuanian SSR. Nota lepid. 3(3/4): 126-135, 4 figs.
- 3400. Jachontov, A.A.**, 1935, Our Butterflies. Moscow.
- 3401. Jaech, M.A., Aspöck, U., Contreras-Lichtenberg, R., Gaal, S., Lödl, M., Schillhammer**, 1996, Comments on the "Discussion Draft of the Fourth Edition of the International Code of Zoological Nomenclature". Annln. naturh. Mus. Wien 98B: 569-571.
- 3402. Jakes, O.**, 1967, Beiträge zur Kenntnis der Fauna Afghanistans (Sammelergebnisse von O.Jakes 1963-64, D.Povolny 1965, D.Povolny & Fr.Tenora 1966, J.Simek 1965-66) Reisebericht und Charakteristik des Sammelgebietes. Cas. morav. Mus. Brne 52 (suppl.): 9-11, figs.
- 3403. Jaksic, P.**, 1988, Provisional Distribution maps of the butterflies of Yugoslavia (Lepidoptera, Rhopalocera). 213pp., 195 maps. Societas Entomologica Jugoslavica, Zagreb.
- 3404. Janet, A.**, 1909, Familie: Epicopeidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 35-36, pls., Stuttgart.
- 3405. Janse, A.J.T.**, 1917, Check-List of the South African Lepidoptera Heterocera. 219+xii pp., Pretoria.
- 3406. Janse, A.J.T.**, 1931, A Contribution towards the study of the genera of the Epipaschiinae (Family Pyralidae). Trans. ent. Soc. London 79 (3): 439-492, Pls.
- 3407. Janse, A.J.T.**, 1932, The moths of South Africa vol.1 Sematuridae and Geometridae. xi+376pp., 15 Pls. Pretoria.
- 3408. Janse, A.J.T.**, 1935, The moths of South Africa vol.2 Geometridae. 448pp., Pretoria.
- 3409. Janse, A.J.T.**, 1949-1954, The moths of South Africa vol.5 Gelechiidae. iv+464pp., 202 Pls. Pretoria.

- 3410.** Janse, A.J.T., 1958-1963, The moths of South Africa vol.6 Gelechiidae. 284pp., 138 Pls. Pretoria.
- 3411.** Janse, J.A., 1969, Eine Schmetterlingsausbeute von der Insel Elba. Ent. Ber., Amst. 29: 208-212.
- 3412.** Janzon, L.-A., 1977, Beiträge zur Kenntnis der Noctuiden Irans I. Beitrag: *Zethes brandti* n.sp. from Iran (Lepidoptera, Noctuidae). Ent. scand. 8: 173-176, 3 figs.
- 3413.** Janzon, L.-A., 1987, Some records of Cypriot butterflies. Entomologist's Gaz. 38: 91-92.
- 3414.** Jarvis, F.V.L., 1958-1959, Biological notes on *Aricia agestis* (Schiff.) in Britain, Part I-III. Entomologist's Rec. J. Var. 70: 1-18; 71: 169-179.
- 3415.** Jianzhong, Z., Honggui, Q. & F.Wenjun, 1997, Summer fruit Tortrix Adoxophyes orana should be classified as two subspecies (Lepidoptera, Tortricodea, Tortricidae [sic]). Entomotaxonomia 19(2): 130-134, 7 figs. [in Chinese, english summary].
- 3416.** Joannis, J.de & R.Verity, 1913, Materiali per lo studio della fauna Eritrea raccolti nel 1901-03 dal Dott.A. Andreini tenente medico principalmente nelle regioni circostanti ad Adi-Ugri ed ad Adi-Caiè. Lepidopteres Rhopalocera. Boll. Soc. ent. Ital. 44: 115-122.
- 3417.** Joannis, J.de, 1928, Lépidoptères Hétérocères du Tonkin. Anns Soc. ent. Fr. 47: 241-368.
- 3418.** Joannis, J.de, 1929, Lépidoptères Hétérocères du Tonkin (2 partie). Anns Soc. ent. Fr. 48: 129-320, pls.
- 3419.** Joannis, J.de, 1929, Lépidoptères Hétérocères du Tonkin (3 partie). Anns Soc. ent. Fr. 48: 321-596.
- 3420.** Johansson, R., 1971, Notes on the Nepticulidae (Lepidoptera) I. A revision of the Nepticula ruficapitella group. Ent. scand. 2: 241-262, figs.
- 3421.** John, E., 2000, Butterflies of Cyprus 1998 (Records of a year's sightings). 46 pp., 1 Tb., 52 maps. Pamphlet no.15, The Amateur Entomologists' Society, London.
- 3422.** John, O., 1910, Eine Revision der Gattung *Leucanitis* Gn. Horae Soc. ent. ross. 39: 585-633, Taf. xvi-xxiii, 5 textfigs.
- 3423.** Johnson, G., 1967, Butterfly Expedition to Iran, 1966. Entomologist's Rec. J. Var. 79: 35-42.
- 3424.** Johnson, K., 1992, The Palaearctic "Elfin" Butterflies (Lycaenidae, Theclinae). Neue ent. Nachr. 29: 1-141, 99 figs.
- 3425.** Joicey, J.J. & A.Noakes, 1915, New butterflies and a moth from Biak. Trans. ent. Soc. London 1915: 177-197, 8 Pls.
- 3426.** Joicey, J.J. & G.Talbot, 1918, New butterflies from Africa and the East. Proc. zool. Soc. Lond. 1917: 271-272.
- 3427.** Joicey, J.J. & G.Talbot, 1918, A gynandromorph of *Papilio lycophron* Hbn. Proc. zool. Soc. Lond. 1917: 273, Pl.II.
- 3428.** Joicey, J.J. & G.Talbot, 1921, Descriptions of new forms of Lepidoptera from the Island of Hainan. Bull. Hill Mus. 1 (1): 167-177, pls. 19-24.
- 3429.** Joicey, J.J. & G.Talbot, 1925, Notes on some Lepidoptera, with descriptions of new forms. Ann. Mag. nat. Hist. (9) 16: 633-653.
- 3430.** Joicey, J.J. & G.Talbot, 1926, A new Nymphalid from the Congo. Entomologist 59: 248.
- 3431.** Jong, R. de & O.Karsholt, 1998, Comment on the proposed conservation of the specific name *Papilio sylvanus* Esper, [1777] (currently *Ochlodes venata* or *Augiades sylvanus*; Insecta, Lepidoptera). Bull. Zool. Nom. 55: 169-171.
- 3432.** Jong, R.de & C.G.Treadaway, 1992, Notizen über einige Erionota-Arten nebst Beschreibung einer neuen Art (Lepidoptera, Hesperidae). Ent. Z., Frankf. a. M. 102(8): 133-142, 16 Abb.
- 3433.** Jong, R.de & C.G.Treadaway, 1993, Neue Arten der Gattung *Halpe* von den Philippinen (Lepidoptera, Hesperidae). Ent. Z., Frankf. a. M. 103: 145-152, 15 Abb.
- 3434.** Jong, R.de & C.G.Treadaway, 1993, Notes on South East Asiatic Coeliadinae (Lepidoptera, Hesperidae). Nachr. ent. Ver. Apollo (N.F.) 13(4): 447-455, 15 Abb.
- 3435.** Jong, R.de & C.G.Treadaway, 1993, The geographic variation of *Pyronura liburnia* (Hewitson [1868]) (Lepidoptera, Hesperidae). Nachr. ent. Ver. Apollo (N.F.) 14(1): 23-32, 13 figs.
- 3436.** Jong, R.de & C.G.Treadaway, 1993, The Hesperidae (Lepidoptera) of the Philippines. Zool. Verh. 288: 1-125, 139 figs.
- 3437.** Jong, R.de, 1972, Systematics and geographic history of the genus *Pyrgus* in the Palaearctic Region (Lepidoptera, Hesperidae). Tijdschr. Ent. 115(1): 1-121, 60 textfigs., 6 Pls.
- 3438.** Jong, R.de, 1974, Notes on the genus *Carcharodus* (Lepidoptera, Hesperidae). Zool. Meded. 48: 1-9, figs.
- 3439.** Jong, R.de, 1975, Notes on the genus *Pyrgus* (Lepidoptera, Hesperidae). Zool. Meded. 49(1): 1-11, 1 Pl. 5 figs.
- 3440.** Jong, R.de, 1976, Two new species of Hesperidae from Western Kenya (Lepidoptera, Hesperidae). Zool. Meded. 49(24): 299-306, 1 Pl. 7 figs.
- 3441.** Jong, R.de, 1976, Affinities between the West palaearctic and Ethiopian butterfly faunas. Tijdschr. Ent. 119: 165-215, maps.
- 3442.** Jong, R.de, 1978, *Carcharodus tripolinus* Verity, stat.nov., une nouvelle espèce pour la faune d'Europe. Remarques au sujet de la notion d'espèce (Lepidoptera, Hesperidae). Linneana Belg. 7 (4): 117-122.
- 3443.** Jong, R.de, 1978, Monograph of the genus *Spialia* Swinhoe (Lepidoptera, Hesperidae). Tijdschr. Ent. 121: 23-146.
- 3444.** Jong, R.de, 1979, The use of phylogenetic data in a biogeographic study. Nota lepid. 2(1/2): 41-43.
- 3445.** Jong, R.de, 1980, Neue Taxa der Gattung *Choaspes* aus den Philippinen (Lep., Hesperidae). Ent. Z., Frankf. a. M. 90(23): 263-267, 7 Abb.
- 3446.** Jong, R.de, 1980, Distribution and variation of *Pyrgus badachshanus* Alberti (Lepidoptera, Hesperidae). Ent. Ber., Amst. 40(8): 119-121.
- 3447.** Jong, R.de, 1981, Character displacement in butterflies - fiction? Nota lepid. 4(4): 155-158, map.
- 3448.** Jong, R.de, 1982, Neue und wenig bekannte Taxa der Gattung *Hasora* Moore (Lep., Hesperidae). Ent. Z., Frankf. a. M. 92(4): 33-40, 2 Abb.
- 3449.** Jong, R.de, 1984, Notes on the genus *Thymelicus* Hübn. (Lepidoptera, Hesperidae). Nota lepid. 7 (2): 148-163, 31 figs.
- 3450.** Jordan, K., 1885, Die Schmetterlinge Göttingens. vi+52+1 pp. Alfeld. (Inaug. Dissert. Erlangung der phil. Doctorwürde Univ. Göttingen).
- 3451.** Jordan, K., 1886, Die Schmetterlingsfauna Nordwest-Deutschlands. Zool. Jb. Suppl. 1: xviii+ 164 pp.
- 3452.** Jordan, K., 1898, An examination of the classificatory and some other results of Eimer's researches on eastern Papilios. Novit. zool. 5: 435-455.
- 3453.** Jordan, K., 1898, Contributions to the morphology of Lepidoptera I. The antennae of butterflies. Novit. zool. 5: 374-415, Pls. 14, 15.
- 3454.** Jordan, K., 1907, Familie: Zygaenidae, Widderchen. [in] Seitz, A., Die Gross-Schmett. Erde 2: 3-17, pls. 1-3.
- 3455.** Jordan, K., 1907, Familie: Agaristidae. [in] Seitz, A., Die Gross-Schmett. Erde 3: 5-8, pl. 1.
- 3456.** Jordan, K., 1907, Familie: Papilionidae, Segelfalter. [in] Seitz, A., Die Gross-Schmett. Erde 5: 11-45, pls. 1-17.
- 3457.** Jordan, K., 1908-1909, Familie: Papilionidae, Segelfalter. [in] Seitz, A., Die Gross-Schmett. Erde 9: 11-109, 112-118, pls. 1-49.
- 3458.** Jordan, K., 1909, Familie: Zygaenidae, Widderchen. [in] Seitz, A., Die Gross-Schmett. Erde 2: 3-34, pls., Stuttgart.
- 3459.** Jordan, K., 1912, Some New Oriental Zygaenidae. Novit. zool. 19: 146-149.
- 3460.** Jordan, K., 1913, Notes on Palaearctic Zygaenidae. Novit. zool. 20: 442-443.
- 3461.** Jordan, K., 1915, Some new or little-known Heterocera. Novit. zool. 22: 274-280, 2 figs.
- 3462.** Jordan, K., 1916, Fam. Sphingidae, [in] Poulton, E.B., On a collection of moths made in Somaliland by Mr. W.Feather. Proc. zool. Soc. Lond. 1916: 140-141.
- 3463.** Jordan, K., 1923, On *Anaitis efformata* Guen. (1858), a species distinct from *A.plagiata* L.(1758). Novit. zool. 30: 243-246, 9 figs.
- 3464.** Jordan, K., 1925, On *Delias belladonna* and allied species. Novit. zool. 32: 227-287.
- 3465.** Jordan, K., 1928, On the latreillei-group of eastern Papilios. Novit. zool. 34: 159-172, pls. 6, 7.

- 3466. Jordan, K.,** 1932, Resemblances between Arctiids and Syntomids. Proc. ent. Soc. Lond. 7: 16-18, 1 fig.
- 3467. Jordan, K.,** 1935, On some Aethiopian Arctiidae. Novit. zool. 39: 80-85, 11 figs.
- 3468. Jordan, K.,** 1937, Obituary. Lord Rothschild, F.R.S. (1868-1937). British Birds 31: 146-148.
- 3469. Jordan, K.,** 1937, Lord Rothschild, 1869-1937. Obituary notices of the Royal Society of London 2: 385-386, 1 pl.
- 3470. Jordan, K.,** 1937, Spolia Mentawiensia: Papilionidae. Novit. zool. 40: 316-322, pl. 14 figs. 5-8.
- 3471. Jordan, K.,** 1938, Austrian specimens of Pieris bryoniae Ochs., 1808. Proc. R. ent. Soc. Lond. (A) 13: 84.
- 3472. Jordan, K.,** 1938, In Memory of Lord Rothschild, Ph.D., F.R.S., J.P. Born the 8th February, 1868, died the 27th August 1937. Novit. zool. 41: 1-11, 13 figs.
- 3473. Jordan, K.,** 1939, On some Old-World Agaristidae (Lepid.). Novit. zool. 41: 248-250, 2 figs.
- 3474. Jordan, K.,** 1939, On the constancy and variability of the differences between the Old World species of Utetheisa (Lepid., Arctiidae). Novit. zool. 41: 251-291, 30 figs.
- 3475. Jordan, K.,** 1939, Zur Nomenklatur der beiden deutschen Procris-Arten mit spitzen Fühlern. Novit. zool. 41: 212-216.
- 3476. Jugan, D.,** 1998, Sur la répartition en France de deux hotes de l'Arbousier: Charaxes jasius L. et Callophrys avis Chapman (Lepidoptera, Nymphalidae et Lycaenidae). Alexanor 20(5): 259-270, figs.
- 3477. Jumalon, J.N.,** 1966, Notes on two Philippine Birdwings. Junior Philip. Sci. 1966: 13-22.
- 3478. Jumalon, J.N.,** 1971, Four new Philippine danaids. Philipp. Sci. 8: 11-19.
- 3479. Jumalon, J.N.,** 1975, New Philippine butterflies. Tyo to Ga 26(2): 45-66, figs.
- 3480. Jutzeler, D. & R. Leestmans,** 1994, Les états préimaginaux et l'écologie de Satyrus actaea Esper (1780) dans le S.-E. de la France. Considérations sur la taxinomie et la géonémie des taxons du genre Satyrus (s.str.) (Lepidoptera: Nymphalidae, Satyrinae). Linneana Belgica 14(5): 275-288, figs.
- 3481. Jutzeler, D. et al.,** 1998, A comparison between Hipparchia pellucida (Stauder, 1923) from Georgia and Hipparchia semele (Linnaeus, 1758) from NW Germany (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belgica 16(7): 277-284, figs.
- 3482. Jutzeler, D. et al.,** 1999, Breeding experiments with Erebia claudina (Borkhausen, 1779) from the Radstädter Tauern (Salzburg, Austria) (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belgica 17(1): 11-21, figs.
- 3483. Jutzeler, D.,** 1998, Lasioommata paramagaera (Hübner, 1824) des Iles Tyrrheniennes: une "bonne espèce" (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belgica 16(7): 267-276, 6 Pls.
- 3484. Jutzeler, D.,** 1998, Ecology and rearing of Hipparchia statilinus (Hufnagel, 1766) from Mout Faito (Campania, Italy) (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belgica 16(6): 236-241, figs.
- 3485. Jutzeler, D.,** 1998, Etudes sur Anthocharis damone (Boisduval, 1836) et Eulchloe ausonia (Hübner, 1804) de l'Italie méridionale (Lepidoptera, Pieridae). Linneana Belgica 16(6): 227-235, figs.
- 3486. Jutzeler, D.,** 1998, Au sujet de la biologie de Pyronia cecilia (Vallentin, 1894) (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belgica 16(8): 303-306, 2 pls.
- 3487. Jäckh, E.,** 1977, Bearbeitung der Gattung Scythris Hübner (Lepidoptera, Scythrididae) 1. Die "grandipennis-Gruppe". Dt. ent. Z. (N.F.) 24(1/3): 261-271, 11 Taf.
- 3488. Jäckh, E.,** 1978, Bearbeitung der Gattung Scythris Hübner (Lepidoptera, Scythrididae) (Fortsetzung). Dt. ent. Z. (N.F.) 25: 71-89, 21 Taf.
- 3489. Kaabak, L.V. & V.V. Lesin,** 1994, On two subspecies of Parnassius charltonius Gray, 1853: ssp. anjuta Stshetkin, Kaabak & Stshetkina, 1987 and ssp. ljudmilae Stshetkin & Kaabak, 1985 (Lepidoptera, Papilionidae). Atalanta 25(1/2): 161-162, pl. iv.
- 3490. Kaabak, L.V., Sotshivko, A.V. & V.V. Titov,** 1996, A new subspecies of Parnassius charltonius Gray, 1853 from the Sarykolsky Mountain Ridge in Tadjikistan (Lepidoptera, Papilionidae). Atalanta 27 (1/2): 195-198, Pl.
- 3491. Kaabak, L.V., Tarasov, E.A. & V.K. Tusov,** 1997, Family: Papilionidae, [in] Tusov, V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia.
- 3492. Kaaber, S. & I. Norgaard,** 1962, Fund af storsommerfugle fra Danmark i 1961. Flora Fauna Silkeborg 68: 180-184.
- 3493. Kaaber, S. & I. Norgaard,** 1964, Fund af storsommerfugle fra Danmark i 1963. Flora Fauna Silkeborg 70: 84-88.
- 3494. Kaaber, S. & I. Norgaard,** 1965, Rettelser og tillæg til "Fund af storsommerfugle fra Danmark i 1961, 1962 og 1963". Flora Fauna Silkeborg 71: 69-70.
- 3495. Kaaber, S. & I. Norgaard,** 1965, Fund af storsommerfugle fra Danmark i 1964. Flora Fauna Silkeborg 71: 99-105.
- 3496. Kaaber, S. & I. Norgaard,** 1966, Fund af storsommerfugle fra Danmark i 1965. Flora Fauna Silkeborg 72: 119-124.
- 3497. Kaaber, S. & I. Norgaard,** 1967, Fund af storsommerfugle fra Danmark i 1966. Flora Fauna Silkeborg 73: 99-104.
- 3498. Kaaber, S. & I. Norgaard,** 1968, Fund af storsommerfugle fra Danmark i 1967. Flora Fauna Silkeborg 74: 107-112.
- 3499. Kaaber, S. & I. Norgaard,** 1969, Fund af storsommerfugle fra Danmark i 1968. Flora Fauna Silkeborg 75: 111-116.
- 3500. Kaaber, S. & I. Norgaard,** 1970, Fund af storsommerfugle fra Danmark i 1969. Flora Fauna Silkeborg 76: 114-122.
- 3501. Kaaber, S. & I. Norgaard,** 1971, Fund af storsommerfugle fra Danmark i 1970. Flora Fauna Silkeborg 77: 77-85.
- 3502. Kaaber, S. & O. Hoegh-Guldberg,** 1961, Aricia allous Hb. ssp. vandalica nov. Flora Fauna Silkeborg 67: 122-128.
- 3503. Kaaber, S.,** 1960, Aricia allous Hb. i Jylland. Flora Fauna Silkeborg 66: 81-88.
- 3504. Kaaber, S.,** 1964, Studies on Maculinea alcon (Schiff.) - rebeli (Hir.) with reference to the taxonomy, distribution and phylogeny of the group. Ent. Meddr. 32: 277-319.
- 3505. Kaaber, S.,** 1973, Fund af storsommerfugle fra Danmark i 1972. Flora Fauna Silkeborg 79: 69-78.
- 3506. Kaaber, S.,** 1974, Fund af storsommerfugle fra Danmark i 1973. Flora Fauna Silkeborg 80: 105-112.
- 3507. Kaaber, S.,** 1976, Danske traeksommerfugle fra 1974. Flora Fauna Silkeborg 82: 43-47.
- 3508. Kaaber, S.,** 1977, Danske traeksommerfugle fra 1975. Flora Fauna Silkeborg 83: 3-8.
- 3509. Kaaber, S.,** 1977, Danske traeksommerfugle fra 1976. Fund af migrerende pyralider og migrerende og fluktuerende storsommerfugle. Flora Fauna Silkeborg 83: 57-64.
- 3510. Kaaber, S.,** 1979, Danske traeksommerfugle fra 1977. Flora Fauna Silkeborg 85: 12-18.
- 3511. Kaaber, S.,** 1980, Danske traeksommerfugle fra 1978. Flora Fauna Silkeborg 86: 3-10.
- 3512. Kaaber, S.,** 1981, Danske traeksommerfugle fra 1980. Flora Fauna Silkeborg 87: 73-79.
- 3513. Kaaber, S.,** 1982, Danske traeksommerfugle fra 1981. Flora Fauna Silkeborg 88: 61-67.
- 3514. Kaaber, S.,** 1983, Danske traeksommerfugle fra 1982. Flora Fauna Silkeborg 89: 77-83.
- 3515. Kaeser, O.,** 1954, Die Gross-Schmetterlinge des Stadtkreises Augsburg und seiner Umgebung. Ber. naturf. Ges. Augsburg 6 (1953/54): 7-51.
- 3516. Kaijadoe, I.A.,** 1966, Het gedrag in gevangenschap van rupsen van Vanessa cardui L. Ent. Ber., Amst. 26: 41-42.
- 3517. Kaila, L. & A. Albrecht,** 1994, The classification of the Timandra griseata group (Lepidoptera, Geometridae, Sterrhinae). Ent. scand. 25: 461-479, figs.

- 3518.** Kaila, L. & J. Jalava, 1994, *Elachista adelpha* sp.n., *Elachista coeneni titanelle* ssp.n., and other *Elachistidae* (Lepidoptera) from North Caucasus. *Ent. fenn.* 5(2): 97-102, 5 figs.
- 3519.** Kaila, L., Viidalepp, J., Mikkola, K. & V. Mironov, 1996, *Geometridae* (Lepidoptera) from the Tian-Shan Mountains in Kazakhstan and Kyrgyzstan, with descriptions of three new species and one new subspecies. *Acta ent. fenn.* 200: 57-82, figs.
- 3520.** Kaiser, O., 1917, Zur Stammgeschichte der Papilioniden. *Mitt. münch. ent. Ges.* 8: 3-19, 25-26.
- 3521.** Kaisila, J. & O. Peltonen, 1955, *Philotes vicrama* Moore in Finland. *Suomen hyoent. Aikak.* 21: 9-12.
- 3522.** Kaisila, J., 1947, Die Makrolepidopterenfauna des Aunus-Gebietes. *Acta ent. fenn.* 1: 1-112.
- 3523.** Kaisila, J., 1950, Über die vermuteten Bastarde zwischen *Colias hecla sulitelma* und *C. nastes werdandi*. *Suomen hyoent. Aikak.* 16: 112-121.
- 3524.** Kaisila, J., 1952, Insects from arctic mountain snows. *Suomen hyoent. Aikak.* 18: 8-25.
- 3525.** Kaisila, J., 1954, Über das Vorkommen zweier Generationen bei den finnischen Grossschmetterlingen im allgemeinen und besonders im Sommer 1953. *Suomen hyoent. Aikak.* 20: 20-40.
- 3526.** Kaisila, J., 1961, The influence of the culture on the Finnish butterfly and moth fauna. *Fennia* 85: 106-111.
- 3527.** Kaisila, J., 1967, Teratologisches über Schmetterlinge. *Suomen hyoent. Aikak.* 33: 164-176.
- 3528.** Kaisila, J., 1970, Professori Esko Suomalainen 60-vuotias. *Suomen hyoent. Aikak.* 36: 49-51.
- 3529.** Kalali, G.-H., 1976, A List of Lepidoptera from Province of Khorasan (Iran). *J. ent. Soc. Iran* 3(1/2): 131-135.
- 3530.** Kalchberg, A. F., [1897], Ueber die Lepidopteren-Fauna von Haifa in Syrien. *Dt. ent. Z., Iris* 10: 161-190.
- 3531.** Kalis, J. P. A., 1938, Über indoaustralische *Rhopaloceren* I. Drei neue *Lycaeniden*-rassen von den Kangean-Inseln. *Ent. Rdsch.* 55: 197-198.
- 3532.** Kalis, J. P. A., 1939, Über *Delias zebuda* Hew. Mit Beschreibung der ersten Stadien. *Ent. Rdsch.* 56(31): 351-352.
- 3533.** Kalis, J. P. A., 1939, Meine Sammelreise auf der Insel Saleyer. *Ent. Rdsch.* 56: 380-383.
- 3534.** Kalis, J. P. A., 1939, *Gynantocera philomela* ssp. *celebensis* Rothschild. Mit Beschreibung des Gespinstes und der Puppe. *Ent. Rdsch.* 56(23): 246.
- 3535.** Kallies, A. & K. Spatenka, 2002, Four species of *Brachodidae* new to the fauna of Europe (Sesiioidea). *Nota lepid.* 25 (2/3): 155-160, pl.
- 3536.** Kallies, A. & K. Spatenka, 2003, The Clearwing Moths of Iran (Lepidoptera, Sesiidae). *Linneana Belg.* 19 (2): 81-94; 19 (3): 119-126, 22 figs.
- 3537.** Kallies, A. & M. Petersen, 1995, *Chamaesphesia tahiria* sp.n. - eine neue Glasflüglerart aus Ostanatolien (Lepidoptera, Sesiidae). *Nachr. ent. Ver. Apollo N.F.* 16(1): 75-80, figs.
- 3538.** Kallies, A. & Y. Arita, 1998, New and little known clearwing moths (Lepidoptera, Sesiidae) from the Philippine Islands. *Trans. lepid. Soc. Japan* 49 (4): 245-270, figs.
- 3539.** Kallies, A. & Y. Arita, 2003, A note on the genus *Melittia* Hübner from New Guinea, with the description of a new species, *Melittia propria* sp.nov. (Lepidoptera, Sesiidae). *Tinea* 17 (4): 173-175, figs.
- 3540.** Kallies, A. & Y. Arita, 2004, A survey of the clearwing moths of the tribe Sesiini (Lepidoptera, Sesiidae) from Vietnam and adjacent countries with a synopsis of the Oriental Sesiini fauna. *Tinea* 18 (1): 65-95, figs.
- 3541.** Kallies, A. & Y. Arita, 2005, Systematic position of the genus *Dasymphecia* (Lepidoptera, Sesiidae, Cissuvorini), with descriptions of two new bumble bee mimicking species from northern Vietnam. *Trans. lepid. Soc. Japan* 56 (2): 85-92, figs.
- 3542.** Kallies, A., 1997, Eine neue und bemerkenswerte *Synanthedon*-Art aus Griechenland (Lepidoptera, Sesiidae). *Nachr. ent. Ver. Apollo (N.F.)* 18(1): 59-66, 4 figs.
- 3543.** Kallies, A., 1998, Erster Beitrag zur Kenntnis der palaearktischen *Brachodidae*. Revision von *Brachodes fallax* mit Beschreibung neuer zentralasiatischer Arten (Sesiioidea). *Nota lepid.* 21 (3): 170-193, figs.
- 3544.** Kallies, A., 2000, Review of the Tinthiini of the Ethiopian region (Lepidoptera, Sesiidae, Tinthiinae). *Tinea* 16 (3): 161-169.
- 3545.** Kallies, A., 2001, Revision of the *Brachodes pumila* (Ochsenheimer, 1808) species-group (Sesiioidea, Brachodidae). *Nota lepid.* 24 (1/2): 7-19, figs.
- 3546.** Kallies, A., 2002, *Brachodes flagellatus* sp.n. from Tibet (Lepidoptera, Sesiioidea, Brachodidae). *Nachr. ent. Ver. Apollo (N.F.)* 23 (3): 159-160; 23 (4): 166.
- 3547.** Kallies, A., 2003, Two new species of Sesiini from the Oriental Region (Lepidoptera, Sesiidae, Sesiinae). *Nachr. ent. Ver. Apollo (N.F.)* 23 (4): 166-161, figs.
- 3548.** Kallies, A., 2003, *Synanthedon pamphyla* sp.n. from Southern Turkey with a comparative analysis of mitochondrial DNA of related species (Sesiidae). *Nota lepid.* 26 (1/2): 27-34, figs.
- 3549.** Kallies, A., 2004, The Brachodidae of the Oriental Region and adjacent territories (Lepidoptera, Sesiioidea). *Tijdschr. Ent.* 147 (1): 1-20, 35 figs.
- 3550.** Kallies, A., Petersen, M. & H. G. Riefenstahl, 1998, Drei neue Glasflüglerarten aus Anatolien (Lepidoptera, Sesiidae). *Esperiana* 6: 56-62, Taf.
- 3551.** Kalshoven, L. G. E., 1966, Appendix. The Biology of *Casmara kalshoveni* Diakonoff, an Oecophorid Borer [in] Diakonoff, A., Records and descriptions of south Asiatic Microlepidoptera. *Tijdschr. Ent.* 109(3): 87-88, Pl.
- 3552.** Kalshoven, L. G. E., 1966, The Biology of *Casmara kalshoveni* Diakonoff, an Oecophorid Borer. *Tijdschr. Ent.* 109(3): 87-88.
- 3553.** Kaltenbach, T. & P. V. Küppers, 1987, Kleinschmetterlinge. 288 S. Taf., Neumann-Neudamm, Melsungen.
- 3554.** Kaltenbach, T. & R.-U. Roesler, 1989, Die Arten der Pyraliden Gattungen *Viteessa* Moore, 1860 (Pyralinae) und *Heortia* Lederer, 1863 (Odontiinae) von Sumatra (Lepidoptera, Pyraloidea). *Atalanta* 19: 219-233, 26 Abb.
- 3555.** Kames, P., 1969, *A. artaxerxes* ssp. nov. *hercynica* (Aricia Studies No. 11). *Natura Jutlandica* 15: 107-119, Pls.
- 3556.** Kames, P., 1973, Verzeichnis der Tagfalter (*Rhopalocera* und *Hesperiidae*) der DDR. *Ent. Nachr. Dresden* 17: 17-22.
- 3557.** Kames, P., 1975, Das erste Insekten-Schongebiet der DDR für den Schwarzapello *Parnassius mnemosyne* L. im Harz. *Ent. Nachr. Dresden* 19: 117-123.
- 3558.** Kames, P., 1976, Die Aufklärung des Differenzierungsgrades und der Phylogenese der beiden *Aricia*-Arten *agestis* Den. et Schiff. und *artaxerxes* Fabr. (allous G.-Hb.) mit Hilfe von Erzüchten und Kreuzungsversuchen, Teil 1. *Mitt. ent. Ges. Basel* 26: 7-13.
- 3559.** Kames, P., 1978, *Melitaea britomartis* Assm. und *Aricia artaxerxes* ssp. *hercynica* Ks. im Gebiet zwischen Mulde und Mainz. *Ent. Ber., Berl.* 1978: 20-25.
- 3560.** Kames, P., 1978, *Aricia artaxerxes* Fabr. ssp. *issekutzi* Balogh im Porac-Tal bei Rudnany (Slovenske Rudohorie). *Zbor. slov. narod. Muz.* 23: 161-167.
- 3561.** Kames, P., 1979, *Aricia artaxerxes* F. *hercynica* Kames bei Jena durch Eizucht bestätigt. *Ent. Ber., Berl.* 1979: 17-18.
- 3562.** Kammel, J. E., 1943, Zur Rassenfrage des *Parnassius apollo* L. aus den nördlichen und zentralen Ostalpengebieten. *Z. wien. ent. Ges.* 28: 279-304.
- 3563.** Kamp, H.-G. & M. Treimer, 1974, Grossschmetterlinge in Schwelm und Umgebung. *Beitr. Heimatkd. Stadt Schwelm Umbeg. (N.F.)* 24: 100-122.
- 3564.** Kamper, E., Lödl, M. & W. Waitzbauer, 1981, Biozönosenuntersuchungen in Lunz. IV. Ergebnisse von Licht- und Saugfallenfangen in der Seeau des Lunzer Untersees. *Jb. biol. Stat. Lunz* 4 (1981): 270-284.
- 3565.** Kandul, N. P. & V. A. Lukhtanov, 1997, Karyotype variability and systematics of the blue butterflies of the species groups *Polyommatus* (*Agrodiaetus*) *poseidon* and *P. (A.) dama* (Lepidoptera, Lycaenidae). *Zool. Zh.* 76 (1): 63-69.
- 3566.** Kandul, N. P., et al., 2004, Phylogeny of *Agrodiaetus* Hübner, 1822 (Lepidoptera, Lycaenidae) inferred from mtDNA sequences of COI and COII and nuclear sequences of EF1- α :

- Karyotype diversification and species radiation. Syst. Biol. 53 (2): 278-298.
- 3567. Kansu, İ.A.,** Türkiye Lepidoptera faunası için ilkel liste - V. Bitki Koruma Bült. 3 (3): 208-223, 65-94 şekil.
- 3568. Kansu, İ.A.,**
- 3569. Kansu, İ.A.,** 1955, Orta Anadolu Meyva Ağaçlarına Zarar Veren Bazı Makrolepidoptera Türlerinin Evsafı ve Kısa Biyolojileri Üzerine Araştırmalar. Ziraat Vekaleti Neşriyatı ve Haberleşme Müdürlüğü, yayın no.704, Ankara.
- 3570. Kansu, İ.A.,** 1961, Lepidoptera pest of fruit trees in Ankara and its vicinity. Yb. Fac. Agric. Univ. Ankara 1961: 57-68.
- 3571. Kansu, İ.A.,** 1961, Türkiye Lepidoptera faunası için ilkel liste - I. Bitki Koruma Bült. 2 (10): 3-6, şekil.
- 3572. Kansu, İ.A.,** 1962, Meyva ağaçlarına zarar veren bir tür *Amorphognia necessaria* Z. Yb. Fac. Agric. Univ. Ankara 1962 (3/4): 300-310.
- 3573. Kansu, İ.A.,** 1963, Türkiye'de tespit edilen *Arctia* türlerinin yapı özellikleri üzerine bir inceleme. Türk. Biol. Derg. 13 (4): 125-135, şekil.
- 3574. Kansu, İ.A.,** 1963, Murgul'da tespit edilen Lepidoptera türleri üzerine araştırmalar. Ank. Üniv. Zir. Fak., Yay. No.212, 91 S.
- 3575. Kansu, İ.A.,** 1963, Türkiye Lepidoptera faunası için ilkel liste - II. Bitki Koruma Bült. 3 (1): 3-7.
- 3576. Kansu, İ.A.,** 1963, Türkiye Lepidoptera faunası için ilkel liste - III. Bitki Koruma Bült. 3 (2): 83-99, 40 şekil.
- 3577. Kansu, İ.A.,** 1963, Türkiye Lepidoptera faunası için ilkel liste - IV. Bitki Koruma Bült. 3 (3): 195-207, 64 şekil.
- 3578. Kansu, İ.A.,** 1964, Biological notes on Microlepidoptera from Ankara. Univ. Ankara Yb. Fac. Agric. 1963: 157-165.
- 3579. Kansu, İ.A.,** 1964, Türkiye Pyralidae (Lepidoptera) faunasının tespiti için yapılan toplamalara ait bazı notlar. Türk Biol. Derg. 14 (3): 13-19.
- 3580. Kansu, İ.A.,** 1965, Short notes on some Pyralids from Turkey. Yb. Fac. Agric. Univ. Ankara 1965: 32-40.
- 3581. Kansu, İ.A.,** 1966, Türkiye Lepidoptera faunası için ilkel liste - VI. Bitki Koruma Bült. 6 (2): 73-75.
- 3582. Karatepe, Y.,** 2003, Gelibolu Yarımadası Tarihi Milli Parkının Lepidoptera türleri. Süleyman Demirel Univ. Orman Fak. Derg. (A) 1: 167-180.
- 3583. Kardakoff, N.J.,** 1928, Zur Kenntnis der Lepidopteren aus der Ussuri Gebiets. Ent. Mitt. zool. StInst. 17(4,6): 261-273, 415-425.
- 3584. Karisch, T.,** 1992, Notes on Cochylinae from Near and Middle East with description of a new species (Lepidoptera, Tortricidae). Dt. ent. Z., (N.F.) 39 (1/3): 203-207, figs.
- 3585. Karisch, T.,** 2005, Zur Kenntnis von *Aethes cremonana* (Ragonot, 1894) und ähnlicher Arten der Gattung *Aethes* Billberg, 1825 [sic] (Lepidoptera, Tortricidae, Cochylini). Entomofauna 26 (5): 45-56, figs.
- 3586. Karl, K.,** 1987, Tagaktive Grossschmetterlinge als Bioindikatoren für landwirtschaftliche Nutzflächen der Zentralschweizer Voralpen. Ent. Ber., Luzern Suppl., 138 S. Luzern.
- 3587. Karnoschitzky, N.,** 1954, New and rare Lepidoptera of the Bulgarian Black Sea coast. Izv. zool. Inst. Sof. 3: 161-200.
- 3588. Karsholt, O. & A.Kun,** 2003, A new species of *Ethmia* Hübner, [1819] from the Greece Island of Rhodes (Ethmiidae). Nota lepid. 25 (4): 207-212, fig.
- 3589. Karsholt, O. & C.Gielis,** 1995, The Pterophoridae described by J. C. Fabricius, with remarks on type material of Fabrician Lepidoptera. Steenstrupia 21: 31-35.
- 3590. Karsholt, O. & E.Palm,** 1979, Oversigt over viklernes udbredelse i Danmark (Lepidoptera: Tortricidae). Ent. Meddr 47: 49-61.
- 3591. Karsholt, O. & E.S.Nielsen,** 1974, A new species of *Gnorimoschema* Busck from Northern Europe (Lepidoptera, Gelechiidae). Notulae Entomol. 54: 91-96.
- 3592. Karsholt, O. & E.S.Nielsen,** 1976, *Nemapogon wolfffiella* nom. nov. for *N. albipunctella* (Haworth) and *Scythris* *empetrella* nom. nov. for *S. variella* (Stephens) (Lepidoptera: Tineidae and Scythrididae). Ent. scand. 7: 152-153.
- 3593. Karsholt, O. & E.S.Nielsen,** 1976, Notes on some Lepidoptera described by Linnaeus, Fabricius, and Ström. Ent. scand. 7: 241-251.
- 3594. Karsholt, O. & E.S.Nielsen,** 1976, Systematisk fortegnelse over Danmarks sommerfugle. 128 pp. Scandinavian Science Press Ltd., Klampenborg.
- 3595. Karsholt, O. & E.S.Nielsen,** 1978, Nogle for den danske fauna nye smasommerfugle, med en oversigt over Coleophora milvipennis-gruppen. Ent. Meddr 46: 1-16.
- 3596. Karsholt, O. & E.S.Nielsen,** 1984, A taxonomic review of the Stem Moths, *Ochsenheimeria* Hübner, of northern Europe (Lepidoptera: Ochsenheimeriidae). Ent. scand. 15: 233-247.
- 3597. Karsholt, O. & E.S.Nielsen,** 1986, The Lepidoptera described by C.P.Thunberg. Ent. scand. 16: 433-463.
- 3598. Karsholt, O. & J.Razowski (eds),** 1996, The Lepidoptera of Europe, A Distributional Checklist. 380 pp., Apollo Books, Stenstrup.
- 3599. Karsholt, O. & K.Larsen,** 1986, *Aterpia corticana* (Den. & Schiff.) og andre sommerfugle meldt fra Ringedal på Bornholm (Lepidoptera). Ent. Meddr 53: 89-95.
- 3600. Karsholt, O. & K.Petersen,** 1977, Tre arter af Microlepidoptera nye for Danmark. Ent. Meddr 45: 37-43.
- 3601. Karsholt, O. & K.Sattler,** 1998, A new brachypterous *Ephysteris* Meyrick from the island of Madeira (Lepidoptera, Gelechiidae). Entomologist's Gaz. 49(1): 35-47, figs.
- 3602. Karsholt, O. & K.Schnack,** 1978, To arter af Cochyliidae nye for Danmark (Lepidoptera). Lepidoptera, Kbh. N. S. 3: 141-152.
- 3603. Karsholt, O. & N.P.Kristensen,** 1974, Undersøgelser over sommerfuglefaunaen på Hesselø. Ent. Meddr 42: 33-47.
- 3604. Karsholt, O. & N.P.Kristensen,** 1995, Book review [af J.H.Kuchlein] (collaborator J.H.Donner): De Kleine Vlinders. Handboek voor Faunistiek van de Nederlandse Microlepidoptera. Ent. scand. 26: 473-474.
- 3605. Karsholt, O. & P.Huemer,** 1995, Additions and corrections to the Gelechiidae fauna of Italy (Lepidoptera). Boll. Zool. agr. Bachic. Ser. II, 27.
- 3606. Karsholt, O. & P.Nielsen,** 1998, Revideret katalog over de danske Sommerfugle. Revised catalogue of the Lepidoptera of Denmark. 144 pp. København.
- 3607. Karsholt, O. & P.Skou,** 1987, Sommerfugle (Lepidoptera) fra Skallingen. Ent. Meddr 54: 67-92.
- 3608. Karsholt, O. & S.Y.Sinev,** 2004, Contribution to the Lepidoptera fauna of the Madeira Islands Part 4. Blastobasidae. Beitr. Ent. 54 (2): 387-463, 104 figs.
- 3609. Karsholt, O. & T.Rutten,** 2005, The genus *Bryotropha* Heinemann in the Western Palaearctic (Lepidoptera, Gelechiidae). Tijdschr. Ent. 148: 77-207, 422 figs.
- 3610. Karsholt, O.,** 1973, Et dansk fund af *Syncopacma vinella* Banks (Lep., Gelechiidae). Ent. Meddr 41: 174-176.
- 3611. Karsholt, O.,** 1974, Et dansk fund af *Catoptria maculalis* Zett. (Lepidoptera, Pyralidae). Ent. Meddr 42: 142-144.
- 3612. Karsholt, O.,** 1976, Om en ny dansk og en sjælden smasommerfugleart fra Vemmetofteskovene. Lepidoptera, Kbh. N. S. 3: 61-63.
- 3613. Karsholt, O.,** 1977, 14 for Norges fauna nye Microlepidoptera. Atalanta Norvegica 3: 36-40.
- 3614. Karsholt, O.,** 1978, Anmeldelse af E. Traugott-Olsen & E. Schmidt-Nielsen, 1977: The Elachistidae (Lepidoptera) of Fennoscandia and Denmark. Ent. Meddr 46: 16-18.
- 3615. Karsholt, O.,** 1978, Nogle indslæbte sommerfugle i Zoologisk Museums samling (Lepidoptera: Tineidae, Pyralidae). Ent. Meddr 46: 65-67.
- 3616. Karsholt, O.,** 1981, Northern European species of the genus *Caryocolum* Gregor & Povolny, 1954, feeding on *Cerastium* and *Stellaria*, with description of a new species (Lepidoptera: Gelechiidae). Ent. scand. 12: 251-270.
- 3617. Karsholt, O.,** 1984, *Staengelmoellenes* udbredelse i Danmark (Lepidoptera, Ochsenheimeriidae). Ent. Meddr 51: 93-96.

- 3618. Karsholt, O.,** 1987, Anmeldelse af 1) Eivind Palm: Nordeuropas pyralider-med særligt henblik på den danske fauna (Lepidoptera, Pyralidae), and 2) Barry Goater: British Pyralid Moths - A Guide to their Identification. Ent. Meddr 55: 65-68.
- 3619. Karsholt, O.,** 1988, On butterflies from Madeira, with a check list. Entomologist's Rec. J. Var. 100: 115-117.
- 3620. Karsholt, O.,** 1988, Anmeldelse af Bernard D'Abrera, 1987: Sphingidae Mundi-Hawk Moths of the World. Ent. Meddr 56: 63-64.
- 3621. Karsholt, O.,** 1989, Anmeldelse af Tremewann, W. G., 1989: A Bibliography of the Zygaeninae (Lepidoptera: Zygaenidae). Ent. Meddr 57: 176.
- 3622. Karsholt, O.,** 1990, Verdens mindste sommerfugle. DYR i natur og museum 1990 (1): 6-9.
- 3623. Karsholt, O.,** 1990, Om betydningen af museumssamlinger, belyst ved et par eksempler (Lepidoptera). Ent. Tidskr. 111: 75-77.
- 3624. Karsholt, O.,** 1992, Caryocolum jaspidella (Chrétien, 1908): Male genitalia, distribution and notes on its biology (Lepidoptera, Gelechiidae). Nota lepid. 14: 302-307.
- 3625. Karsholt, O.,** 1992, Anmeldelse af Johansson, R., E.S.Nielsen, E.J. van Nieukerken & B. Gustavsson, 1990. The Nepticulidae and Opostegidae of North West Europe. Ent. Meddr 60: 59-60.
- 3626. Karsholt, O.,** 1992, Anmeldelse af 1) Kryzhanovskii, O.L. (ed.): Lepidopterous Fauna of the USSR and Adjacent Countries, 2) Medvedev, G.S. (ed): Key to the Insects of the European Part of the USSR. IV. Lepidoptera. Part 1-2., 3) Zagulajev, A.K.: Clothes Moths (Myrmecozelinae). Ent. Meddr 60: 100, 124.
- 3627. Karsholt, O.,** 1992, Gelechiidae collected during 13 years of regular light trapping near a farm in southern Denmark (Lepidoptera). Nota lepid. Suppl. 4: 109-117.
- 3628. Karsholt, O.,** 1992, Anmeldelse af 1) Kryzhanovskii, O.L. (ed.): Lepidopterous Fauna of the USSR and Adjacent Countries, 2) Medvedev, G.S. (ed): Key to the Insects of the European Part of the USSR. IV. Lepidoptera. Part 1-2., 3) Zagulajev, A.K.: Clothes Moths (Myrmecozelinae). Ent. Meddr 60: 100, 124.
- 3629. Karsholt, O.,** 1992, Gelechiidae collected during 13 years of regular light trapping near a farm in southern Denmark (Lepidoptera). Nota lepid. Suppl. 4: 109-117.
- 3630. Karsholt, O.,** 1994, Nogle indslæbte sommerfugle i Danmark, samt bemærkninger om dette emne (Lepidoptera). Ent. Meddr 62: 1-6.
- 3631. Karsholt, O.,** 1994, Anmeldelse af Emmet, A.M. & J. Heath (Eds): The Moths and Butterflies of Great Britain and Ireland. Bind 7, del 2: Lasiocampidae to Thyatiridae, with life history chart of the British Lepidoptera. Ent. Meddr 62: 31-32.
- 3632. Karsholt, O.,** 1994, Anmeldelse af Huemer, P. & Tarmann, G., 1993: Die Schmetterlinge Österreichs (Lepidoptera). Ent. Meddr 62: 94.
- 3633. Karsholt, O.,** 1994, Anmeldelse af A. R. Pittaway, 1993: the Hawkmoths of the Western Palearctic. Ent. Meddr 62: 100, 116.
- 3634. Karsholt, O.,** 1994, Nogle indslæbte sommerfugle i Danmark, samt bemærkninger om dette emne (Lepidoptera). Ent. Meddr 62: 1-6.
- 3635. Karsholt, O.,** 1994, Anmeldelse af Emmet, A.M. & J. Heath (Eds): The Moths and Butterflies of Great Britain and Ireland. Bind 7, del 2: Lasiocampidae to Thyatiridae, with life history chart of the British Lepidoptera. Ent. Meddr 62: 31-32.
- 3636. Karsholt, O.,** 1994, Anmeldelse af Huemer, P. & Tarmann, G., 1993: Die Schmetterlinge Österreichs (Lepidoptera). Ent. Meddr 62: 94.
- 3637. Karsholt, O.,** 1994, Anmeldelse af A. R. Pittaway, 1993: the Hawkmoths of the Western Palearctic. Ent. Meddr 62: 100, 116.
- 3638. Karsholt, O.,** 1995, Ny dansk smosommerfugl i museets lysfælde. DRY i natur og museum 1995 (1): 10-12.
- 3639. Karsholt, O.,** 1995, Kommentiertes Verzeichnis der Symmocidae, Blastobasidae und Gelechiidae Ostdeutschlands. Beitr. Ent. 45: 137-154.
- 3640. Karsholt, O.,** 1995, Kommentiertes Verzeichnis der Symmocidae, Blastobasidae und Gelechiidae Ostdeutschlands. Beitr. Ent. 45: 137-154.
- 3641. Karsholt, O.,** 1996, Coleophora zukowskii Toll, 1959 rediscovered in Denmark, with description of its hitherto unknown female (Lepidoptera). Ent. Meddr 64: 311-315.
- 3642. Karsholt, O.,** 1997, Anmeldelse af Hannemann, H.-J., 1995: Kleinschmetterlinge oder Microlepidoptera IV. Flachleibmotten (Depressariidae). Tierwelt Deutschlands 69: 1-192. Ent. Meddr 65: 159-160.
- 3643. Karsholt, O.,** 1997, The genus Chrysoclista Stainton, 1854 in Europe (Lepidoptera, Agonoxenidae). Ent. Meddr. 65(1): 29-33, 4 figs.
- 3644. Karsholt, O.,** 1998, En oversigt over ældre angivelser af Ipheclides podalirius L. fra Danmark. Lepidoptera 7: 184-187.
- 3645. Karsholt, O.,** [1975], Om en ny dansk og en sjælden smosommerfugleart fra Vemmetofte skovene. Midtsjællands naturhistoriske Forening 1950-1975: 23-24.
- 3646. Karsholt, O., Kozlov, M.V. & N.P. Kristensen,** 1994, Eriocrania cicatricella (Zetterstedt, 1839), the correct name of the moth currently known as Eriocrania haworthi Bradley, 1966. Ent. Meddr 62: 91-93.
- 3647. Karsholt, O., Larsen, K. & L. Aarvik,** 1986, A remarkable disjunction: Scrobipalpa reiprichi Povolny, 1984 discovered in Norway, with remarks on the characteristic of the species (Lepidoptera, Gelechiidae). Nota lepid. 9: 191-199.
- 3648. Karsholt, O., Nieukerken, E.J.v., Whitebread, S. & S. Zangheri,** 1995, Lepidoptera Zeugloptera, Dacnonypha, Monotrysis (=Micropterygoidea, Eriocranioidea, Hepialoidea, Nepticoloidea, Incurvarioidea, Tischerioidea). Checklist delle specie delle fauna Italiana, fasc. 80: 1-12.
- 3649. Kaspar, A.,** 1908, Beiträge zur Tagfalterfauna Nordmährens. Mitt. Komm. naturwiss. Durchforsch. zool. Abt. 12: 1-15.
- 3650. Kasy, F.,** 1954, Die Raupe von Gnophos stevenaria Bsd. (Lepidoptera, Geometridae). Fragm. balcan. 1 (13): 115-116.
- 3651. Kasy, F.,** 1956, Über die Präimaginalstadien von Amphipyra stix H. Schaff. (Lepidoptera, Agrotidae). Fragm. balcan. 1 (33): 247-255, 6 Abb.
- 3652. Kasy, F.,** 1957, Über eine Zucht und die Präimaginalstadien von Maraschia grisea Osth. (Lepidoptera, Phalaenidae). Fragm. balcan. 2 (4): 17-25, 9 Abb.
- 3653. Kasy, F.,** 1958, Die Präimaginalstadien und die Biologie von Amphipyra micans Ld. (Lepidoptera, Phalaenidae). Fragm. balcan. 2 (5): 27-36, 15 Abb.
- 3654. Kasy, F.,** 1959, Zur Biologie und über die Präimaginalstadien von Apatele (=Acronycta) orientalis (Mn.) (Lepidoptera, Noctuidae, Apatelinae). Fragm. balcan. 2 (17): 145-154, 13 Abb.
- 3655. Kasy, F.,** 1961, Beiträge zur Kenntnis der Micro- und Macroheteroceren-Fauna Westmazedoniens. Z. ArbGem. öst. Ent. 13 (3): 65-82.
- 3656. Kasy, F.,** 1961, Bemerkwerte wärmeliebende Schmetterlingsarten in schon bestehenden und projektierten Naturschutzgebieten im östlichen Österreich. Int. Congr. Ent. (11) 1 (1960): 519-525.
- 3657. Kasy, F.,** 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XIII. Lepidoptera: Noctuidae-Quadriinae, Lasiocampidae, Sphingidae, Arctiidae. Annln naturh. Mus. Wien 66: 463-467, 1 Abb.
- 3658. Kasy, F.,** 1965, Zur Kenntnis der Schmetterlingsfauna des östlichen Neusiedlersee-Gebietes. Wiss. Arb. Burgenld. 34: 75-211.
- 3659. Kasy, F.,** 1968, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XXXV. Lepidoptera: Walshidae. Annln naturh. Mus. Wien 72: 497-525, 26 Textabb.
- 3660. Kasy, F.,** 1970, Beitrag zur Kenntnis der Gattung Bifascia Amsel, Bifascioides Kasy, und Gisilia Kasy (Lepidoptera, Walshidae). Annln naturh. Mus. Wien 74: 187-194, 6 Abb.
- 3661. Kasy, F.,** 1974, Das Naturhistorische Museum in Wien und seine Lepidopterensammlung. J. Res. Lepid. 13: 63-65.
- 3662. Kasy, F.,** 1979, Die Schmetterlingsfauna des Naturschutzgebietes Hackelsberg, Nordburgenland. Z. ArbGem. öst. Ent. (Suppl.) 30 (1978): 1-44.

- 3663.** Kasy,F., 1981, Naturschutzgebiete im östlichen Österreich als Refugien bemerkenswerter Lepidopterenarten. Beih. Veröff. Natursch. Landschaftspfl. Bad.-Württ. 21: 109-120.
- 3664.** Kasy,F., 1983, Die Schmetterlingsfauna des WWF Naturreservates "Hundsheimer Berge" in Niederösterreich. Z. ArbGem. öst. Ent. 34 (Suppl.): 1-48.
- 3665.** Katayama,T., 1988, Notes on Pazala glycerion (Gray), with description of a new subspecies from North-West India. Gekkan-Mushi 203: 8-9, pl.1
- 3666.** Kato,S.-I., 1980, Notes on the Satyridae Amathusiidae from Ambon Island, Indonesia. Trans. lepid. Soc. Japan 30(3/4): 239-244, figs.
- 3667.** Kattoulas,M. & A.Koutsaftikis, 1977, Systematische, ökologische und ethologische Untersuchungen der Lepidopterenfauna der Insel Kastelloriso. Biologia gallo-hellen. 7: 151-161.
- 3668.** Kattoulas,M. & A.Koutsaftikis, 1977, Lepidopterenfauna der Insel Kythera. Annls. Mus. Goulandris 3: 115-120.
- 3669.** Katwijk,D.v., 1949, Overzicht van de lichtvangst op Lepidoptera in 1948. Ent. Ber., Amst. 12: 400-401.
- 3670.** Katwijk,D.v., 1958, De vlinders uit "Het Staelduin". Ent. Ber., Amst. 18: 1-8.
- 3671.** Katwijk,D.v., 1978, On the flight of Oeneis jutta (Hübner,1806). Nota lepid. 1: 137-138.
- 3672.** Katwijk,D.v., 1978, On the flight of Oeneis jutta (Hübner,1806) (Satyridae). Nota lepid. 1(3): 137-138.
- 3673.** Kauffmann,G., 1951, Die Hesperidae der Schweiz. Mitt. schweiz. ent. Ges. 24: 329-376.
- 3674.** Kauffmann,G., 1951, Die Hesperidae der Schweiz. Mitt. schweiz. ent. Ges. 24: 329-376.
- 3675.** Kauffmann,G., 1955, Reverdinus floccifer habiba n. ssp. (Lepidopt., Hesperidae). Mitt. Schweiz. ent. Ges. 28 (3): 288-290.
- 3676.** Kauffmann,H. & G.Schmid, 1966, Schmetterlingsfauna (Macrolepidoptera) von Tübingen mit besonderer Berücksichtigung des Spitzbergs. Die Natur- und Landschaftsschutzgebiete Baden-Wuerttembergs 3: 946-971; Ludwigsburg.
- 3677.** Kautt,P., 1996, Palearctica hauensteini sp.n., eine neue Bärenspinnerart aus Südtibet (Lepidoptera, Arctiidae). Nachr. ent. Ver. Apollo N.F. 17(1): 41-49, 12 Abb.
- 3678.** Kautz,H., 1927, Pieris napi L. Verh. zool.-bot. Ges. Wien 77 (1926): 44-79.
- 3679.** Kautz,H., 1936, Zweibrütige Pieris bryoniae O.-Rassen. Z. oest. EntVer. 21: 29-35, 37-41.
- 3680.** Kautz,H., 1950, Die gelben Formen von Pieris napi L. Z. wien. ent. Ges. 35: 42-50.
- 3681.** Kautz,H., 1952, Richtigstellung und Ergänzungen zum Aufsatz "Die gelben Formen von Pieris napi L." Z. wien. ent. Ges. 37: 43-44.
- 3682.** Kautz,H., 1953, Bemerkungen zu der Arten Pieris napi L., bryoniae O., adalwinda Fruhst. und zur mod. hibernica Schmidt. Z. wien. ent. Ges. 38: 285-261.
- 3683.** Kautz,H., 1954, Benennung der nordeuropäischen Pieris bryoniae O. Z. wien. ent. Ges. 39: 296-297.
- 3684.** Kautz,H., 1955, Die Rückschlags- und Zukunftsformen von Pieris napi L. Z. wien. ent. Ges. 40: 151-156.
- 3685.** Kawabe,A., 1985, Notes on the Tortricidae (Lepidoptera) from Taiwan I. Tinea 12 (1): 1-10.
- 3686.** Kawabe,A., 1987, Records and descriptions of the subtribe Sycacanthae (Lepidoptera, Tortricidae) from Thailand. [in] Kuroko,H. & S.Moriuti, Microlepidoptera of Thailand 1: 61-68, figs. University of Osaka.
- 3687.** Kawabe,A., 1987, Records of seven species of the Cochylinae (Lepidoptera, Tortricidae) from Thailand, with a new species, [in] Kuroko,H. & S.Moriuti, Microlepidoptera of Thailand 1: 69-74, figs. University of Osaka.
- 3688.** Kawabe,A., 1989, Records and descriptions of the subfamily Olethreutinae (Lepidoptera, Tortricidae) from Thailand. [in] Moriuti,S., Microlepidoptera of Thailand 2: 23-82, University of Osaka.
- 3689.** Kawazoe,A. & M.Wakabaishi, 1979, Coloured illustration of the butterflies of Japan. 422 pp., 72 pls., figs.; Hoikusha Publishing Co., Osaka.
- 3690.** Kawazoe,A., 1973, A revisional note on some Philippine Lycaenidae and Hesperidae reported by Murayama and Okamura. Tyo to Ga 24: 91-98.
- 3691.** Kaye,W.J., 1901, Progress in the classification of the Sphingides during a century and a half. Entomologist's Rec. J. Var. 13: 62-66.
- 3692.** Kaye,W.J., 1918, Descriptions from the Joicey Collection of new species of Syntomidae, Nymphalidae, and Hesperidae, and two genera of Syntomidae. Ann. Mag. nat. Hist. (9) 2: 225-232.
- 3693.** Kaye,W.J., 1918, On a new genus and two new species of Amatidae (Syntomidae) in the Joicey Collection. Ann. Mag. nat. Hist. (9) 1: 325-327, figs.
- 3694.** Kaye,W.J., 1919, New species and genera of Nymphalidae, Syntomidae, and Sphingidae in the Joicey Collection. Ann. Mag. nat. Hist. (9) 4: 84-94.
- 3695.** Kaye,W.J., 1931, Additions and corrections to the author's "Butterflies of Jamaica (1926)". Trans. ent. Soc. London 79 (3): 531-537, pl.
- 3696.** Keil,N., 1996, Entomologische Eindrücke von der Insel Korsika (Insecta, Lepidoptera). Nachr. ent. Ver. Apollo N.F. 17(1): 93-110, Abb.
- 3697.** Keil,T., 1998, Eine neue Unterart von Jordanita (Praviela) anatolica (Naufock,1929) aus dem westlichen Iran und biologische Beobachtungen an Procrinae aus dem Iran (Lep., Zygaenidae, Procrinae). Ent. Nachr. Ber., 42: 113-118, 13 figs.
- 3698.** Keil,T., 1999, Beitrag zur Kenntnis von Procrinae aus dem Iran (Lep., Zygaenidae, Procrinae). Ent. Nachr. Ber., 43: 73-78, 12 figs.
- 3699.** Keler,S.v., 1956, Entomologisches Wörterbuch. 679 pp., 33 pls., Akademie-Verlag, Berlin.
- 3700.** Keller,R., 1988, Über das Aufweichen empfindlichen Lepidopteren. Ent. Z., Frankf. a. M. 98: 410-411.
- 3701.** Kemal,M. & A.Ö.Koçak, 2004, Pyralidae Araştırmaları Hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 88/89: 14-15.
- 3702.** Kemal,M. & A.Ö.Koçak, 2004, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) -III. Cent. ent. Stud., Misc. Pap. 90: 1-5.
- 3703.** Kemal,M. & A.Ö.Koçak, 2004, Two nomenclatural cases in the genera Phtheochroa Stephens and Abrepagoge Razowski (Tortricidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 90: 5-6.
- 3704.** Kemal,M. & A.Ö.Koçak, 2004, Nomenclatural note on a Lasiocampid species in Surinam (Lepidoptera). Cent. ent. Stud., Misc. Pap. 90: 6-7.
- 3705.** Kemal,M. & A.Ö.Koçak, 2005, Nomenclatural notes on the Papilionidae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 91/92: 10-11.
- 3706.** Kemal,M. & A.Ö.Koçak, 2005, Butterflies and their living places at Medike, Soutpansberg Mts. (Transvaal, South Africa) [in] Kemal,M. & A.Ö.Koçak (Ed.), Short Video Films on Insect Diversity in the World. Audiovisual clips of 22 habitats & 56 butterflies films, 3 maps & ref. Duration: 8'45". Format: *.m2p. Scientific Series Archive no:SS0001. Cesa & Soutpansberg Concervancy. (c) Cesa,2005.
- 3707.** Kemal,M. & A.Ö.Koçak, 2005, Butterflies of Medike (Soutpansberg Mountains, South Africa) with some notes on spring butterflies (Lepidoptera). Cent. ent. Stud., Misc. Pap. 91/92: 1-9, 1 Tab.
- 3708.** Kemal,M. & A.Ö.Koçak, 2005, Nomenclatural notes on various taxa of the moths (Lepidoptera). Cent. ent. Stud., Misc. Pap. 91/92: 11-14.
- 3709.** Kemal,M. & A.Ö.Koçak, 2005, Nomenclatural corrections on some Neotropical Sphingidae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 91/92: 14.
- 3710.** Kemal,M. & A.Ö.Koçak, 2005, Nomenclatural notes on the South African Lepidoptera (Gelechiidae, Lymantriidae). Cent. ent. Stud., Misc. Pap. 91/92: 15.

- 3711.** Kemal, M. & A.Ö. Koçak, 2005, Annotated Checklist of the Lepidoptera of Çatak Valley (Van Province, Turkey), Part I. Cent. ent. Stud., Priamus 11 (3): 29-58.
- 3712.** Kemal, M. & A.Ö. Koçak, 2006, List of the butterflies of Urfa Province (South Turkey) (Lepidoptera, Papilionoidea, Hesperioidea). Cent. ent. Stud., Misc. Pap. 94: 3-8.
- 3713.** Kemal, M. & A.Ö. Koçak, 2006, List of the butterflies of Mardin Province (South Turkey) (Lepidoptera, Papilionoidea, Hesperioidea). Cent. ent. Stud., Misc. Pap. 96: 1-7.
- 3714.** Kemal, M. & A.Ö. Koçak, 2006, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J. Scoble (Lepidoptera) - IV. Cent. ent. Stud., Misc. Pap. 97: 6-7.
- 3715.** Kemal, M. & A.Ö. Koçak, 2006, A new genus and a new species of Ascalaphidae for the fauna of Turkey (Planipennia). Cent. ent. Stud., Misc. Pap. 99: 1-3, 2 figs.
- 3716.** Kemal, M. & A.Ö. Koçak, 2006, List of Elachistidae species in South Africa (Lepidoptera). Cent. ent. Stud., Misc. Pap. 99: 3-5.
- 3717.** Kemal, M. & A.Ö. Koçak, 2006, Diurnal Lepidoptera in the Nemrut Crater (East Turkey). Cent. ent. Stud., Misc. Pap. 101: 1-8, 10 figs.
- 3718.** Kemal, M. & A.Ö. Koçak, 2006, Nemophora eretna n.sp. from Turkey (Adelidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 100: 1-4, 3 figs.
- 3719.** Kemal, M. & A.Ö. Koçak, 2006, Nomenclatural notes on the Palaearctic Lepidoptera. Cent. ent. Stud., Misc. Pap. 100: 4-5.
- 3720.** Kemal, M. & A.Ö. Koçak, 2006, Nomenclatural notes on the Australic Lepidoptera. Cent. ent. Stud., Misc. Pap. 100: 6-7.
- 3721.** Kemal, M. & A.Ö. Koçak, 2006, Nomenclatural notes on the Nearctic Lepidoptera. Cent. ent. Stud., Misc. Pap. 100: 7-8.
- 3722.** Kemal, M. & A.Ö. Koçak, 2007, A replacement name for a Neotropical butterfly (Acraeidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 105: 3-4.
- 3723.** Kemal, M., 1998, Melitaea asteroida Staudinger, 1881 ile yakın türlerinin taksonomik durumu ve nomenklatürü (Lepidoptera, Argynniidae). Cent. ent. Stud., Misc. Pap. 55/56: 3-11.
- 3724.** Kemal, M., 1999, Tuxentius Larsen, 1882 cinsi içinde yeni bir isim teklifi (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 59: 7-8.
- 3725.** Kemal, M., 2000, Orta Asya kelekleri üzerine bazı nomenklatür notları-I. Chazara heydenreichi (Lederer) (Lepidoptera, Satyridae). Centr. ent. Stud., Misc. Pap. 61: 1-2.
- 3726.** Kemal, M., 2000, Orta Asya kelekleri üzerine bazı nomenklatür notları-II. 'Scolitantides orion ornata (Staudinger, 1892)' alttür isminin geçerliliği hakkında (Lepidoptera, Lycaenidae). Centr. ent. Stud., Misc. Pap. 61: 2-4.
- 3727.** Kemal, M., 2000, Tomares (nogelii) dobrogensis ssp. uighurica (ssp.n.) [in] Koçak, A., Enkhre vilayitidiki kepineklirining sinonumik tizimligi (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 14.
- 3728.** Kemal, M., 2000, Tomares (nogelii) nogelii ssp. cesa (ssp.n.) [in] Koçak, A., Enkhre vilayitidiki kepineklirining sinonumik tizimligi (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 14.
- 3729.** Kemal, M., 2004, On the butterflies of the Soutpansberg Mountains (South Africa) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 88/89: 1-13.
- 3730.** Kemal, M., 2006, Tanrı Dağlarının Papilionoidea ve Hesperioidea (Lepidoptera) Faunası ve Zoocoğrafyası Üzerine Araştırmalar. Cent. ent. Stud., Priamus Suppl. 2: 1-122, 34 Çizelge, 8 Tablo.
- 3731.** Kemal, M., 2006, Bilimsel gezilerimden anılar I-Norduz Yaylası. Priamus Suppl. 4: 1-25, 52 figs.
- 3732.** Kemal, M., 2006, Bir Dünya Mirası - A World Inheritance. A Documentary film on DVD format. Narrated in Turkish by Muhabbet Kemal, subtitle in English. 28 minutes, 10 seconds. A Cesa Production.
- 3733.** Kemal, M., Koçak, A.Ö. & P. Leksawasdi, 2007, On the occurrence of Psychothoe duvacei (Bsd.) in North Thailand (Ctenuchidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 105: 1-3, figs.
- 3734.** Kemal, M., Leksawasdi, P. & A.Ö. Koçak, 2006, Wittstrota flavannamica Behounek & Speidel in Thailand (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 99: 5-6.
- 3735.** Kemal, M., Leksawasdi, P. & A.Ö. Koçak, 2006, Ascalaphidae species in Chiang Mai (North Thailand) (Planipennia). Cent. ent. Stud., Misc. Pap. 98: 6-8, 4 figs.
- 3736.** Kennel, J., 1899, Neue Tortriciden. Dt. ent. Z., Iris 12: 1-42, Taf. 1.
- 3737.** Kennel, J., 1900, Neue Palaearktische Tortriciden, nebst Bemerkungen über einige bereits beschriebene Arten. Dt. ent. Z., Iris 13: 124-159, Taf.
- 3738.** Kennel, J., 1901, Neue Wickler des palaearktischen Gebietes. Dt. ent. Z., Iris 13: 205-305.
- 3739.** Kennel, J., 1908-1921, Die Palaearktische Tortriciden. Zoologica 21 (54)(1908): 1-100; Taf. 1-6; (1910): 101-232, Taf. 7-12; (1913): 233-397, Taf. 13-16; (1916): 398-546, Taf. 17-20; (1921): 545-742, Taf. 21-24.
- 3740.** Kennel, J., 1917, Mittelasatische und andere neue Tortriciden. Mitt. münch. ent. Ges. 8: 50-95.
- 3741.** Kershaw, S.H., 1952, Collecting in the Isle of Man. Entomologist's Rec. J. Var. 64: 44-46.
- 3742.** Keskula, T., 1997, A new subspecies of Colias alpherakii Staudinger, 1882 from Uzbekistan (Lepidoptera, Pieridae). Atalanta 28(1/2): 33-34, Pl.
- 3743.** Kettlewell, H.B.D., 1931, Collecting 1930. (Lepidoptera). Entomologist's Rec. J. Var. 43: 93-96, 113-115, 129-131.
- 3744.** Kettlewell, H.B.D., 1955, The natural history of Papilio hospiton in Corsica. Entomologist 88: 280-283.
- 3745.** Kettlewell, H.B.D., 1956, A southern migration of Vanessa atalanta L. - the Red Admiral butterfly. Entomologist 89: 18-19.
- 3746.** Keynes, G.L., 1907, Butterflies in South-Germany during the spring and early summer of 1916. Entomologist's Rec. J. Var. 19: 88-90.
- 3747.** Keynes, J.N. & G.L. Keynes, 1907, Butterflies in eastern Switzerland in 1906. Entomologist's Rec. J. Var. 19: 42-45.
- 3748.** Keynes, J.N. & G.L. Keynes, 1911, Butterflies in Hungary in 1910. Entomologist's Rec. J. Var. 23: 161-164, 189-193.
- 3749.** Keynes, J.N., 1906, Butterflies in Switzerland in 1905. Entomologist's Rec. J. Var. 18: 174-178.
- 3750.** Khanal, B. & C. Smith, 1997?, The Butterflies of Kathmandu Valley Nepal. 112pp. figs. Bangkok.
- 3751.** Kheil, N.M., 1884, Die Rhopalocera der Insel Nias. 38pp. Spls. Berlin.
- 3752.** Kheil, N.M., 1890, Über geschlechtlichen Dimorphismus des abessynischen Pap. Antinorii Oberthür. Dt. ent. Z., Iris 3: 333-336, 2 Abb.
- 3753.** Kheil, N.M., 1910, Los Lepidopteros de la Sierra de Espuna. Bol. Soc. Arag. Cienc. Nat. 9: 98-121.
- 3754.** Kheil, N.M., 1911, Parnassius nordmanni, nebst einer Einleitung über die "Parnassiden als Handelsartikel". Int. ent. Z. 5: 83-86.
- 3755.** Kheyri, M. Naiim, A., et al., 1980, Some studies on Scrobipalpa ocellatella in Iran. Ent. phytopath. appl. 48(1): 1-39, figs.
- 3756.** Kielland, J., 1982, Revision of the genus Ypthima in the Ethiopian Region excluding Madagascar (Lepidoptera, Satyridae). Tijdschr. Ent. 125(5): 99-154, Pls. 8.
- 3757.** Kielland, J., 1990, Butterflies of Tanzania. 363 pp., Pls., 179 text-figs., Hill House Melbourne / London.
- 3758.** Kierer, H., 1908, Makrolepidopterenfauna des steierischen Ennstales. Ent. Wbl. 25: 138, 142, 153-154, 158, 162, 165-166, 169-170, 172-173.
- 3759.** Kierer, H., 1914, Beitrag zur Makrolepidopterenfauna des oberen Murtales. Ent. Jb. 23: 112-118.
- 3760.** Kimura, Y., 1994, Newly recorded nymphalid butterflies from Thailand since 1979. Butterflies 7: 18-26, 3 pls.

- 3761. Kinkler, H. & G. Swoboda,** 1980, Beitrag ueber die Gross-Schmetterlinge (Macrolepidoptera) und Köcherfliegen (Trichoptera) des Elmpfer Bruches (Ndrh.). Niederrhein. Jb. 14: 53-72.
- 3762. Kinkler, H.,** 1977, Bericht über die Exkursion der Entomologischen Gesellschaft Düsseldorf gegr. 1866 in die Dollendorfer und Blankenheimer Kalkmulde am 12. und 13. Juni 1976. Mitt. ArbGem. rhein.-westf. Lepid. 1: 1-9.
- 3763. Kinkler, H.,** 1978, Die Tagfalter (Diurna) und Widderchen (Zygaenidae) der Kalkmagerrasen der Nordeifel (Nordrhein-Westfalen). Mitt. ArbGem. rhein.-westf. Lepid. 1: 74-77.
- 3764. Kinkler, H.,** 1978, Gross-Schmetterlinge des Gelpetales in Wuppertal. Jber. naturw. Ver. Wuppertal 31: 69-80.
- 3765. Kinkler, H.,** 1979, Seit 1975 für das Sammelgebiet der Arbeitsgemeinschaft rheinisch-westfälischer Lepidopterologen erstmals gemeldete Schmetterlingsarten. Mitt. ArbGem. rhein.-westf. Lepid. 2: 2-8.
- 3766. Kinkler, H.,** 1979, Die Schmetterlinge des Nonnebachtales bei Blankenheim/Eifel. Mitt. ArbGem. rhein.-westf. Lepid. 2: 9-13.
- 3767. Kinkler, H., Schmitz, W. & F. Nippel,** 1971, Die Talfalter des Bergischen Landes. Jber. naturw. Ver. Wuppertal 24: 20-63.
- 3768. Kinnear, P. K.,** 1976, Unusual numbers of Peacocks (Inachis io L.) in Shetland. Entomologist's Gaz. 27: 137.
- 3769. Kirby, W. F.,** 1871, A synonymic catalogue of the diurnal Lepidoptera. viii+690pp. John van Voorst, London.
- 3770. Kirby, W. F.,** 1876, Lepidoptera, [in] Zoological Records 13: 140-191.
- 3771. Kirby, W. F.,** 1877, A synonymic catalogue of the diurnal Lepidoptera. Supplement March 1871-June 1877. vii+691-883pp. John van Voorst, London.
- 3772. Kirby, W. F.,** 1892, A Synonymic Catalogue of Lepidoptera Heterocera (Moths) I. Sphinges and Bombyces. xii + 951 pp., London.
- 3773. Kirby, W. F.,** 1894, Notes on Dr. Buckell's Paper on Classification. Entomologist's Rec. J. Var. 5: 6-7.
- 3774. Kirby, W. F. G.,** 1903, The butterflies and moths of Europe. 432 pp., 55 col. pls.; Cassell & Co., London.
- 3775. Kiriakoff, S. G. & S. Talhouk,** 1975, Thaumetopoea libanotica sp. nov. (Lepidoptera, Thaumetopoeidae). Opusc. zool. 137: 1-5, fig.
- 3776. Kiriakoff, S. G.,** 1945, L'Espece et ses subdivisions. Lambillionea 45: 6-10.
- 3777. Kiriakoff, S. G.,** 1946, Notes Systématiques III. Position Systématique des Lépidoptères et les divisions primaires de l'ordre. Lambillionea 46(2/3): 21-26.
- 3778. Kiriakoff, S. G.,** 1948, A classification of the Lepidoptera and related groups with some remarks on taxonomy. Biol. Jb. 15: [118]-143.
- 3779. Kiriakoff, S. G.,** 1948, The nomenclature of the specific complex. The Lepidopterists' News 2: 15.
- 3780. Kiriakoff, S. G.,** 1949, Over de phylogenie der Thyretidae, fam. nov. (Lepidoptera). Natuurwet. Tijdschr. 31: 3-10.
- 3781. Kiriakoff, S. G.,** 1952, Anapsia gen. nov. (Arctiidae, Lepidoptera). Rev. Zool. Bot. Afr. 46: 173-178.
- 3782. Kiriakoff, S. G.,** 1952, Thyretidae nouveaux du Congo Belge (Lepidoptera Notodontoidea). Rev. Zool. Bot. Afr. 46: 396-406.
- 3783. Kiriakoff, S. G.,** 1953, Arctiidae nouveau du Musee Royal du Congo Belge. Lambillionea 53 (7/8): 50-54, 53 (9/10): 65-69, 53 (11/12): 93-96.
- 3784. Kiriakoff, S. G.,** 1953, Les Thyretidae du Musee Royal du Congo Belge (Lepidoptera, Notodontoidea). Ann. Mus. R. Congo Belge Tervuren (Serie Sci. Zool.) vol. 26, 91pp. Tervuren.
- 3785. Kiriakoff, S. G.,** 1953, On the genera Tarsolepis and Dudusa (Notodontidae). Ent. Ber., Amst. 15: 15.
- 3786. Kiriakoff, S. G.,** 1954, Heteroceres nouveaux ou peu connus du Katanga. Rev. Zool. Bot. Afr. 50: 169-188, 293-325.
- 3787. Kiriakoff, S. G.,** 1955, Die Thyretidae (Lepidoptera, Notodontoidea) aus der Zoologischen Staatssammlung München. Mitt. münch. ent. Ges. 44/45: 250-266, Taf. iv, 8 Abb.
- 3788. Kiriakoff, S. G.,** 1955, New genera and species of African Notodontidae (Lepidoptera). Rev. Zool. Bot. Afr. 52 (3/4): 326-348.
- 3789. Kiriakoff, S. G.,** 1956, Psalis africana (Lymantriidae), a new African moth. Ent. Ber., Amst. 16: 127-129.
- 3790. Kiriakoff, S. G.,** 1956, In memoriam Frans G. Overlaet (1887-1956). Bull. Ann. Soc. R. ent. Belg. 92: 105-106.
- 3791. Kiriakoff, S. G.,** 1957, Notes sur les Thyretidae (Lepidoptera, Notodontoidea). Bull. Ann. Soc. R. ent. Belg. 93: 121-160.
- 3792. Kiriakoff, S. G.,** 1957, New Thyretidae (Lepidoptera, Notodontoidea). Tijdschr. Ent. 100(1): 95-114, Pls. figs.
- 3793. Kiriakoff, S. G.,** 1958, Arctiidae (except Nolinae), Thyretidae and Notodontidae. Brit. Mus. (Nat. Hist.), Ruwenzori Expedition 1952, I (2/3): 53 pp. London.
- 3794. Kiriakoff, S. G.,** 1959, Notes sur les Notodontoidea (Lepidoptera) du Congo Belge. Lambillionea 59: 24-34.
- 3795. Kiriakoff, S. G.,** 1959, On the typical specimens of Thyretidae (Lepidoptera, Notodontoidea) in the Zoological Museum Humboldt University Berlin. Ent. Ber., Amst. 19: 186-190.
- 3796. Kiriakoff, S. G.,** 1959, Entomological results of the Swedish expedition 1934 to Burma and British India. Lepidoptera: Family Notodontidae. Ark. Zool. (1) 12 (20): 313-333.
- 3797. Kiriakoff, S. G.,** 1961, Thyretidae nouveaux (Lepidoptera, Notodontoidea) Lambillionea 61: 7-12.
- 3798. Kiriakoff, S. G.,** 1961, Die Thyretidae (Lepidoptera, Notodontoidea) der Zoologischen Staatssammlung München II. Beitrag. Mitt. münch. ent. Ges. 51: 96-110.
- 3799. Kiriakoff, S. G.,** 1962, Die Notodontiden der Ausbeuten H. Hönes aus Ostasien (Lepidoptera, Notodontoidea). Bonner zool. Beitr. 13(1/3): 219-236.
- 3800. Kiriakoff, S. G.,** 1963, Die Notodontiden der Ausbeuten H. Hönes aus Ostasien (Lepidoptera, Notodontoidea), 2. Teil. Bonner zool. Beitr. 14(3/4): 248-293.
- 3801. Kiriakoff, S. G.,** 1963, La faune éthiopienne de Notodontidae. Lambillionea 63: 1-4.
- 3802. Kiriakoff, S. G.,** 1964, Over de Ethiopische Notodontidenfauna (Lepidoptera, Notodontoidea). Een bijdrage tot de dierenaardrijkskunde van Afrika. Biol. Jb. Dodonaea 32: 324-330.
- 3803. Kiriakoff, S. G.,** 1967, New genera and species of Oriental Notodontidae (Lepidoptera). Tijdschr. Ent. 110(3): 37-64, 29 figs.
- 3804. Kiriakoff, S. G.,** 1969, Über die Klassifikation der Notodontidae (Lepidoptera, Notodontoidea). Mitt. münch. ent. Ges. 59: 157-162.
- 3805. Kiriakoff, S. G.,** 1970, Über die Taxonomie der Thaumetopoeidae (Lep., Notodontoidea). Ent. Z., Frankf. a. M. 80(8): 61-66.
- 3806. Kiriakoff, S. G.,** 1970, Die Stellung von Diloba caeruleocephala (L.). NachrBl. bayer. Ent. 19(6): 101-104.
- 3807. Kiriakoff, S. G.,** 1970, Danielita nom. nov. Lepidoptera, Notodontoidea. NachrBl. bayer. Ent. 19(6): 124.
- 3808. Kiriakoff, S. G.,** 1971, Saigonita paradoxa gen. nov. sp. nov. (Lepidoptera, Agaristidae). Lambillionea 71(1/2): 5-11.
- 3809. Kiriakoff, S. G.,** 1973, Notodontoidea (Lepidoptera) aus der Staatssammlung München. Mitt. münch. ent. Ges. 63: 67-92.
- 3810. Kiriakoff, S. G.,** 1973, Neue oder wenig bekannte Thyretidae (Lepidoptera, Notodontoidea). Mitt. münch. ent. Ges. 63: 49-66.
- 3811. Kiriakoff, S. G.,** 1974, Neue und wenig bekannte asiatische Notodontidae (Lepidoptera). Veröff. zool. stSamml. Münch. 17: 371-421, 30 Abb. 5 Taf.
- 3812. Kiriakoff, S. G.,** 1975, Thaumetopoea libanotica sp. nov. (Lepidoptera, Thaumetopoeidae). Opusc. Zool. 137: 1-5, fig.
- 3813. Kiriakoff, S. G.,** 1977, Neue asiatische Notodontidae (Lepidoptera) nebst Beschreibung zweier Neallotypen. Mitt. münch. ent. Ges. 66: 29-35.

- 3814. Kiriakoff, S.G.,** 1979, Neue aethiopische Notodontoidea (Lepidoptera) aus der Zoologischen Staatssammlung München. Spixiana 2 (3): 215-251.
- 3815. Kiriakoff, S.G.,** 1981, New and known Notodontidae from East and South Africa (Lepidoptera, Notodontoidea). Entomofauna 2(2): 11-31.
- 3816. Kiriakov, D.,** 1988, Die Tagfalterfauna des Saka-Gebirges in Südost-Bulgarien (Lepidoptera, Rhopalocera und Grypocera). Articulata 3 (4): 155-160.
- 3817. Kishida, Y. & T.Endo,** 1999, Descriptions of new species and new subspecies of the Chalcosiinae (Lepidoptera, Zygaenidae) from South East Asia, with some notes on new synonymies. Tinea 16 (1): 41-49.
- 3818. Kishida, Y.,** 1991, The genus *Cyana* (Lepidoptera, Arctiidae) from the Philippines. Tinea 13 (8): 61-70.
- 3819. Kishida, Y.,** 1993, Lymantriidae in Moths of Nepal 2. Tinea 13 (Suppl.3): 80-95, figs.
- 3820. Kishida, Y.,** 1994, Lymantriidae (Euproctis with *S.Sugi*) in Moths of Nepal 3. Tinea 14 (Suppl.1): 72-82, figs.
- 3821. Kishida, Y.,** 1994, The browni-group of *Nyctemera* (Lepidoptera, Arctiidae) from the Philippines, with descriptions of three new species. Tinea 14 (1): 13-19, figs.
- 3822. Kishida, Y.,** 1995, Lymantriidae in Moths of Nepal 4. Tinea 14 (Suppl.2): 44-46.
- 3823. Kishida, Y.,** 1996, *Neocifuna Inoue*, 1982, a junior synonym of *Ilema* Moore, [1860] (Lymantriidae). Japan Heterocerists J. 188: 212-213.
- 3824. Kishida, Y.,** 1997, A new species of *Camptoloma* (Lepidoptera, Noctuidae) from Thailand. Tinea 14 (4): 268-270, figs.
- 3825. Kitching, I.J. & J-M.Cadiou,** 2000, Hawkmoths of the World. An annotated and illustrated revisionary checklist (Lepidoptera, Sphingidae). x+226pp., 8 Pls. Natural History Museum, London.
- 3826. Kitching, I. & K.Tuck,** 1996, Butterflies [in] Leksawadi, P., The study and survey of biodiversity at Chiang Dao Wildlife Sanctuary. Final Report: 168-180. The Environmental Policy and Plan Office, Bangkok [unpublished].
- 3827. Kitching, I.J. & K.Spitzer,** 1995, An annotated checklist of the Sphingidae of Vietnam. Tinea 14 (3): 171-195.
- 3828. Kitching, I.J. & R.Brechlin,** 1996, New Species of the genera *Rhodoprasina* Rothschild & Jordan and *Acosmeryx* Boisduval from Thailand and Vietnam, with a redescription of *R.corolla* Cadiou & Kitching (Lepidoptera, Sphingidae). Nachr. ent. Ver. Apollo (N.F.) Suppl. 17 (1): 51-66, 22 figs.
- 3829. Kitching, I.J. & S.A.Rudge,** 1993, First record of *Darapsa myron* (Sphingidae) from Thailand. J. Lepid. Soc. 47: 240-242.
- 3830. Kitching, I.J., Owada, M. & R.Brechlin,** 1997, A revision of the genus *Pentateucha* (Lepidoptera, Sphingidae) with the description of two new species from eastern China and Taiwan. Tinea 15 (2): 79-93, figs.
- 3831. Kitschelt, R.,** 1925, Zusammenstellung der bisher in dem ehemaligen Gebiete von Südtirol beobachteten Gross-Schmetterlinge. 17 + 421 pp.; published by the author, Wien.
- 3832. Kitt, M.,** 1910, *Parnassius apollo* L. aus Oetzthal. Int. ent. Z. 4: 157-158, 163-164.
- 3833. Kitt, M.,** 1912, Über die Lepidopterenfauna des Oetztales. Verh. zool.-bot. Ges. Wien 62: 320-416.
- 3834. Kitt, M.,** 1923, *Thais meta* Meigen. Z. öst. EntVer. 8: 44-46.
- 3835. Kitt, M.,** 1924, *Colias edusa* F. Z. Öst. EntVer. 9: 8-20.
- 3836. Kitt, M.,** 1927, Typen, Cotypen und andres. Z. Öst. EntVer. 12: 89-92, 93-95.
- 3837. Kjellander, E.,** 1943, Pararge achine Scop. (deianira L.), en fjärril som kanske foersvunnit fran vart land, jaemte anknyttande djugeografiska reflexioner. Opusc. ent. 8: 30-38.
- 3838. Kjellander, E.,** 1944, Lepidopterologiska notiser II. Opusc. ent. 9: 53-55.
- 3839. Klaue, W.,** 1962, Über Parasitierung bei *Papilio machaon* in Spanien. Ent. Z., Frankf. a. M. 72: 251-252.
- 3840. Klein, A.,** 1950, *Colias F. alfacariensis* Ribbe, forme calida Verity. Un gynandromorphe biparti. Bull. Soc. ent. Mulhouse 1950: 33-34.
- 3841. Klein, H.J.,** 1988, Entomologische Beobachtungen in der Umgebung von Wad Medani, Gezira, Sudan 1984-1986 (Lepidoptera, Rhopalocera). Nachr. ent. Ver. Apollo (N.F.) 9(3): 187-198, 3 Abb.
- 3842. Klein, H.Z.,** 1928, Beitrag zur Kenntnis von *Ocnogyna loewi* Z. (Lep.). Z. wiss. InsektBiol. 32 (5/7): 144-150, 3 Abb.
- 3843. Kleindienst, K.,** 1976, Zum Migrationsverhalten von *Lycaena phlaeas* (Linne, 1761). Atalanta 7: 24-27.
- 3844. Kleindienst, K.,** 1978, Arealerweiterung und Migration von *Lycaeniden* im Wolfsburger Raum. Beitrag zur Kenntnis der Wolfsburger *Lycaeniden*fauna. Atalanta 9: 156-164.
- 3845. Kleinkuhle, J.,** 1995, Zru Indigenität und Ausbreitung des afrikanischen Bläulings *Cacyreus marshallii* Butler, 1898 in Südeuropa. Atalanta 26(1/2): 209-214.
- 3846. Klemensiewicz, S.,** 1906, Lepidopterologische Beiträge aus Galizien. Verh. zool.-bot. Ges. Wien 56: 168-173.
- 3847. Klemstein, J.,** 1966, Gefriertrocknung - eine neue Methode zur Praeparation der Raupen. Ent. Z., Frankf. a.M. 76: 17-21.
- 3848. Kleopov, Y.D.,** 1926, A few notes on the Lepidoptera of the Ckerkassey area. Zbim. Prats zool. Mus. 1: 61-63.
- 3849. Klima, A.,** 1937, Pyralidae: Subfam. Scopariinae et Nymphulinae. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars.84. 226pp. W.Junk, Berlin & The Hague
- 3850. Klima, A.,** 1939, Pyralidae: Subfam. Pyraustinae I. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars.89. 1-224pp. W.Junk, Berlin & The Hague
- 3851. Klima, A.,** 1939, Pyralidae: Subfam. Pyraustinae II. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars.94. 225-384pp. W.Junk, Berlin & The Hague
- 3852. Klima, F.,** 1975, Beitrag zur Kenntnis der Macrolepidopteren-Fauna Südwestthüringens. Ent. Nachr. Dresden 19: 81-87.
- 3853. Klimesch, J.,** 1956, Über einige für die mazedonische Fauna bemerkenswerte Microlepidopteren. Fragm. balcan. 1(27): 209-219, 11 Abb.
- 3854. Klimesch, J.,** 1968, Die Lepidopterenfauna Mazedoniens IV. Microlepidoptera. 204S. 10 Abb. Prirodonaucen Muzej Skopje
- 3855. Klimesch, J.,** 1975, Über neue mediterrane und kanarische Nepticuliden (Lepidoptera, Nepticulidae). Mitt. münch. ent. Ges. 65: 1-28, 41 Abb.
- 3856. Klimesch, J.,** 1978, *Fomoria luisae* n.sp. (Lep., Nepticulidae). Z. ArbGem. öst. Ent. 29(3/4): 89-91, 6 Abb.
- 3857. Klimesch, J.,** 1978, Beitrag zur Kenntnis der Nepticulidenfauna von Anatolien und der Insel Rhodos (Lepidoptera, Nepticulidae). Tijdschr. Ent. 121 (5): 239-278, 82 figs.
- 3858. Klinri, T.,** 1998, Insect diversity in Chiang Dao Wildlife Sanctuary Chiang Mai. Unpublished thesis. 77 pp. Chiang Mai University.
- 3859. Klir, J.,** 1984, Beitrag zur Kenntnis der Populationen von *Zygaena sogdiana* Erschoff im Tianshan-Gebirge (Lepidoptera, Zygaenidae). Atalanta 15 (1/2): 119-123, figs.
- 3860. Kljutschko, Z.F.,** 1993, On the fauna of Noctuid Moths of the subfamily Plusiinae of Vietnam. Ent. Obozr. 77 (2): 378-387
- 3861. Kloet, G.S. & W.D.Hincks,** 1972, A check list of British Insects. 2. Lepidoptera. Handbk. Ident. Br. Insects 11 (2): 1-153.
- 3862. Klomann, U.,** 1975, Das Computerprogramm zur Erfassung der westpalaearktischen Tierarten in der BRD. Atalanta 6: 232-237.
- 3863. Kloppers, J. & G. Van Son,** 1978, Butterflies of the Krüger National Park. 109pp. 353 col. figs. 1 map. National Parks Board of South Africa. Sigma Press. Pretoria.
- 3864. Klos, R.,** 1908, Ein Vergleich der Schmetterlingsfauna Steiermarks und Kärntens. Verh. zool.-bot. Ges. Wien 58: 271-276.
- 3865. Klots, A.B.,** 1930, A generic revision of the Euchloini. Bull. Brooklyn ent. Soc. 25: 80-95, 1 pl.

- 3866. Klots, A.B.,** 1933, A generic revision of the Pieridae. Entomologica am. (N.S.) 12: 139-242.
- 3867. Klots, A.B.,** 1937, Some notes on Colias and Brenthis. Jl. N.Y. ent. Soc. 45: 311-333.
- 3868. Klots, A.B.,** 1970, Lepidoptera. [In] Tuxen, S.L. (Ed.), Taxonomist's glossary of genitalia in Insects. 115-130 pp., Munksgaard, Copenhagen (Edn. 2).
- 3869. Klug, F.,** 1829-1845, Insecta [in] Ehrenberg, C.G., Symbole Physicae, seu icones et descriptiones corporum naturalium novarum aut minus cognitorum [183] pp., 50 Pls. Berolini.
- 3870. Klyuchko, Z.F.,** 1985, A new species of the genus Autographa (Lepidoptera, Noctuidae). Zool. Zh. 64(8): 1265-1267, figs.
- 3871. Klyuchko, Z.F.,** 1993, On the fauna of Plusiinae (Lepidoptera, Noctuidae) of Vietnam. Ent. Obozr. 72(2): 378-387 [engl. transl. Ent. rev. 73(4): 22-28, 5 figs., 1994]
- 3872. Knaben, N.,** 1976, The Eupithecia group (Lep., Geometridae) in Norway. Norw. J. Ent. 24: 43-82, figs.
- 3873. Kneucker, A.,** 1909, Zoologische Ergebnisse zweier in den Jahren 1902 und 1904 durch die Sinaihalbinsel unternommener botanischer Studienreisen nebst zoologischen Beobachtungen aus Aegypten, Palästina und Syrien I. Teil. 90S., 5 Taf., Karlsruhe.
- 3874. Knoch, V.,** 1933, Wie sich die Schmetterlingsfauna einer Gegen im Laufe der Jahre verändert. Int. ent. Z. 27: 89-92.
- 3875. Knoerzer, A.,** 1924, Bemerkwerte Erscheinungen unter der Insektenwelt des oberbayerischen Intals. Mitt. münch. ent. Ges. 14: 10-17.
- 3876. Kobes, L.,** 1982, Beitrag zur Kenntnis der Noctuidenfauna von Sumatra, mit Beschreibung zweier Eutelia-Arten (Lep., Noctuidae, Euteliinae). Ent. Z., Frankf. a. M. 92 (14): 194-199, 2 Abb.
- 3877. Kobes, L.W.R. & L.Ronkay,** 1990, The Ratardidae of Sumatra. Heterocera Sumatrana 6: 79-100.
- 3878. Kobes, L.W.R. & M.Fibiger,** 2003, A new species of the genus Griposia Tams, 1939 from the Ponto-Mediterranean area (Lepidoptera, Noctuidae, Hadeninae). Nachr. ent. Ver. Apollo (N.F.) 24 (4): 211-214, figs.
- 3879. Kobes, L.W.R.,** 1980, Saturnia pyri in der Türkei, mit Beschreibung einer neuen Subspecies (Lepidoptera, Saturniidae). Ent. Z., Frankf. a. M. 90 (19): 209-214, Abb.
- 3880. Kobes, L.W.R.,** 1983, 3 neue Arten aus dem Regenwald (Lep., Noctuidae, Acronictinae, Chloephorinae, Ophiderinae). Heterocera Sumatrana 2: 4-8, 5 Abb.
- 3881. Koca, G.,** 1901, Prilog fauni leptira (Lepidoptera) hrvatske i slavonske. Glasn. hrv. naravosl. Drust. 13:
- 3882. Koch, G.,** 1865, Die Indo-Australische Lepidopteren-Fauna in ihrem Zusammenhang mit der europäischen nebst den drei Hauptfaunen der Erde. xii+119 pp., 1 Pl. Leipzig.
- 3883. Koch, M.,** 1963, Wir Bestimmen Schmetterlinge Bd.I Tagfalter. Neumann Verlag, Radebeul-Berlin.
- 3884. Koda, N.,** 1987, A generic classification of the subfamily Arctiinae of the palaearctic and orientalic regions based on the male and female genitalia (Lepidoptera, Arctiidae) Part 1. Tyo to Ga 38 (3): 153-237, figs.
- 3885. Koda, N.,** 1988, A generic classification of the subfamily Arctiinae of the palaearctic and orientalic regions based on the male and female genitalia (Lepidoptera, Arctiidae) Part 2. Tyo to Ga 39 (1): 1-79, figs.
- 3886. Koiwaya, S.,** 1987, A new species of the genus Parnassius from Kunlun Mts., China. Gekkan-Mushi, Tokio 201: 3-6
- 3887. Koiwaya, S.,** 1993, Studies of Chinese Butterflies vol.2. 230pp. Tokyo.
- 3888. Kolar, H.,** 1922, Parnassius apollo L. in Salzburg. Ent. Anz. 2: 41-43.
- 3889. Kolar, H.,** 1934, Parnassius apollo L. auf dem Olymp. Int. ent. Z. 28: 41-43.
- 3890. Kolbe, H.J.,** 1883, Beitrag zur Systematik der Lepidoptera. Berl. ent. Z. 27 (2): 217-224.
- 3891. Kolenati, F.A.,** 1846, Meletemata Entomologica Insecta Caucasi: Coleoptera, Dermaptera, Lepidoptera, Neuroptera, Mutillidae, Aphaniptera, Anoplura. Petropoli, Typis Imp. Acad. Sci., Fasc. 5, 3+170pp., 3 Pls.
- 3892. Kolev, Z. & D. van der Poorten,** 1997, Review of the distribution of the Balkan endemic Polyommatus (Agrodiaetus) aroaniensis (Lepidoptera, Lycaenidae), with notes on its sympatry with related species. Phegea 25 (1): 35-40, 11 figs.
- 3893. Kolev, Z. & D. van der Poorten,** 1997, Review of the distribution of the Balkan endemic Polyommatus (Agrodiaetus) aroaniensis (Lepidoptera: Lycaenidae), with notes on its sympatry with related species. Phegea 25: 35-40.
- 3894. Kolev, Z.,** 1994, Two Polyommatus (Agrodiaetus) species new to Bulgaria, with notes on the related Bulgarian taxa (Lepidoptera, Lycaenidae). Phegea 22 (2): 61-71, 2 figs
- 3895. Kolev, Z.,** 1994, Euchloe penia (Freyer, 1852) from SW Bulgaria (Lepidoptera, Pieridae). Phegea 22 (3): 81-83, 1fig.
- 3896. Kolev, Z.,** 1994, Spialia phlomidis (Herrich-Schäffer, 1845) confirmed for Bulgaria (Lepidoptera, Hesperidae). Phegea 22 (4): 151-155, 2 figs.
- 3897. Kolev, Z.,** 1998, Maculinea arion (L.) in Finland - distribution, state of knowledge and conservation. J. Insect Cons. 2: 91-93.
- 3898. Kolev, Z.,** 2005, Polyommatus dantchenkoi (Lukhtanov & Wiemers, 2003) tentatively identified as new to Europe, with a description of a new taxon from the Balkan Peninsula (Lycaenidae). Nota lepid. 28 (1): 25-34, figs.
- 3899. Kollar, V.,** [1844], Lepidoptera. [in] Kollar, V. & L.Redtenbacher, Aufzählung und Beschreibung der von Freiherrn Carl v.Hügel auf seiner Reise durch Kaschmir und das Himalayagebirge gesammelten Insecten. 403-496pp., 22pls., [In] Hügel, C. Freiherrn von 1842-1848, Kaschmir und das Reich der Siek 4: 871 pp., Pls. 1 map, Stuttgart.
- 3900. Kononenko, V.S. & B.A.Pinratana,** 2005, Moths of Thailand. vol.3. Noctuidae (Part I). 261 pp., 45 Pls. Bangkok.
- 3901. Kononenko, V.S. & K.Mikkola,** 1997, Apamaea yunnana sp.n. (Lepidoptera, Noctuidae) from northern Yunnan, China. Ent. Fennica 8: 83-85, figs.
- 3902. Kononenko, V.S.,** 1990, Synonymic Checklist of the Noctuidae of the Primorye Territory, the Far East of U.S.S.R. Tinea 13 (Suppl.1): 1-40.
- 3903. Kononenko, V.S.,** 1997, A revision of the genus Belciades Kozhanchikov, 1950 (Lepidoptera, Noctuidae, Acronyctinae), with description of three new species from China, Laos and Thailand. Tinea 15 (2): 106-118, figs.
- 3904. Korb, M.,** 1900, Epicimelia theresiae nov. spec. Dt. ent. Z., Iris 12: 300-302, Taf.7.
- 3905. Korb, M.,** 1902, Eine neue Zygaena. Dt. ent. Z., Iris 14: 326-327.
- 3906. Korb, M.,** 1916, Reise in den Hohen Alai. Mitt. münch. ent. Ges. 7: 7-24.
- 3907. Korb, M.,** 1934, Eine neue Zygaena purpuralis-Rasse aus dem armenischen Bergland. Dt. ent. Z., Iris 48: 191-194.
- 3908. Korb, M.,** 1936, Neues über asiatische Zygaenen. Ent. Z., Frankf. a. M. 50: 398-401.
- 3909. Korb, S.K. & R.V.Yakovlev,** 1997, Description d'un taxon nouveau de Russie: Boloria angarensis shelkovnikov sp.n. (Lepidoptera, Nymphalidae). Alexanor 20(1): 45-46.
- 3910. Korb, S.K. & R.V.Yakovlev,** 2000, Colias mongola ukokana nov.ssp. Alexanor 21 (1): 3-6, fig.1.
- 3911. Korb, S.K.,** 1994, Vertical distribution of Rhopalocera (Lepidoptera) within the Kirghiz Mountains. Ent. Obozr. 73 (7/8): 123-129 [engl. transl. Ent. rev. 74(2): 120-127, 1995]
- 3912. Korb, S.K.,** 1997, Description d'un Lycene nouveau d'Asie Moyenne: Maculinea alcon alconides ssp.n. (Lepidoptera, Lycaenidae). Alexanor 20 (1): 61-64, 4 figs.
- 3913. Korb, S.K.,** 1997, Nomina Lepidopterorum nova (Lepidoptera, Papilionidae et Nymphalidae). Alexanor 19 (7): 485-487.
- 3914. Korb, S.K.,** 1998, Le complexe d'Oeneis bore (Schneider, 1792) en region paléarctique. Description d'une nouvelle sous-espèce d'O. ammon (Lepidoptera, Nymphalidae, Satyrinae). Alexanor 20 (5): 305-309, 19 figs.
- 3915. Korb, S.K.,** 1999, Contribution a la connaissance du genre Coenonympha Hübner, [1819]: Coenonympha tullia tshonkurtshakus ssp.n. des monts Alexandre (Kirghizistan) (Lepidoptera, Nymphalidae, Satyrinae). Alexanor 20 (7) (1998): 387-389, 2 figs.

- 3916. Korb, S.K.,** 1999, Nouvelles données taxonomiques sur quelques genres de Parnassiinae et sur le genre *Colias* (Lepidoptera Papilionidae, Pieridae). *Alexanor* 20 (8) (1998): 452-454, 5 figs.
- 3917. Korb, S.K.,** 2000, Nouveaux taxa des genres *Hyponephele* Muschamp, 1915, et *Polyommatus* Latreille, 1804, du Nord-Est asiatique (Lepidoptera Nymphalidae Satyrinae et Lycaenidae). *Alexanor* 21 (1): 512-59, 18 figs.
- 3918. Korb, S.K.,** 2000, Une sous-espèce nouvelle de *Pyrgus alpinus* (Erschoff) du T'ien-chan septentrional (Lepidoptera Hesperidae). *Alexanor* 21 (1): 83-87.
- 3919. Korb, S.K., Perounov, Y.E. & R.V. Yakovlev,** 2000, Les Rhopalocères de l'Altai planitière (Lepidoptera, Rhopalocera). *Alexanor* 21 (1): 71-77, fig. 1.
- 3920. Kornoşor, S. & M.Lödl,** 1990, New records of Noctuidae (Lepidoptera) from Turkey. *Z. ArbGem. Öst. Ent.* 42 (1/2): 58-60, 10 figs.
- 3921. Kornoşor, S. & M.Lödl,** 1990, Two new species of the genera *Orthosia* Ochsenheimer, 1816 and *Simyra* Ochsenheimer, 1816 from Turkey (Noctuidae, Lepidoptera). *Z. ArbGem. Öst. Ent.* 42 (3/4): 68-72.
- 3922. Kornoşor, S.,** 1982, Türkiye Noctuidae (Lepidoptera) türleri ve yayılışlarına ait ön liste ?? Çukurova Univ. Fen-Ed. Fak. Yıll. 1 (1/2): ??-94.
- 3923. Kornoşor, S.,** 1982, Türkiye Noctuidae (Lepidoptera) türleri ve yayılışlarına ait ön liste II. Quadrifinae grubu. Çukurova Univ. Fen-Ed. Fak. Yıll. 1 (1/2): 95-102.
- 3924. Kornoşor, S.,** 1989, Three new *Euxoa* Hübner, 1821 (Lepidoptera, Noctuidae) species from Turkey. *Türk ent. derg.* 13 (4): 205-216.
- 3925. Korolev, V.A. & V.S. Murzin,** 1997, Historical review, [in] Tusov, V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia.
- 3926. Korshunov, J.P.,** 1982, New form of club-shaped Lepidoptera (Lepidoptera, Rhopalocera) from northern Asia. *Gelminty Kleshchi i nasekomye* Novosibirsk: 86-91.
- 3927. Korshunov, Y.P. & A.P. Kumakov,** 1979, Lepidoptera of the Saratov Region. 240pp. Saratov.
- 3928. Korshunov, Y.P. & P. Gorbunov,** 1995, The butterflies of the Asian part of Russia. Rhopalocera. 202 pp., 421 maps, 5 Pls. [in Russian].
- 3929. Korshunov, Y.P. & V.P. Soljanikov,** 1976, Butterflies (Lepidoptera, Diurna) of Mongolian People's Republic. *Nasekomye Mongolii* 4: 403-458.
- 3930. Korshunov, Y.P. & Y.R. Viidalepp,** 1980, A new species of the genus *Pseudophilotes* Beuret, 1958 (Lepidoptera, Lycaenidae) from Yakutia. *Novye maloizvestnye vidy fauny Sibiri, Novosibirsk* 14: 154-157.
- 3931. Korshunov, Y.P.,** 1964, Butterflies (Lepidoptera, Rhopalocera) of the mountainous part and the southern coast of Crimea. *Ent. Obozr.* 43 (3): 592-604.
- 3932. Korshunov, Y.P.,** 1972, A Catalogue of Rhopalocera (Lepidoptera) of the USSR. *Ent. Obozr.* 51 (1): 136-154; (2): 352-362.
- 3933. Korshunov, Y.P.,** 1973, Butterflies of Tuva. *Fauna Sibiri* (Pt.2) Novosibirsk 1973: 204-220.
- 3934. Korshunov, Y.P.,** 1973, Lepidoptera from the collection of the Tobolsk Museum of Local Lore. *Fauna Sibiri* (Pt.2) Novosibirsk 1973: 181-203.
- 3935. Korshunov, Y.P.,** 1974, Butterflies (Lepidoptera, Diurna) of Mongolia. *Voprosy ent. Sibiri Novosibirsk* 1974: 46-47.
- 3936. Korshunov, Y.P.,** 1977, Butterflies (Lepidoptera, Diurna) of Mongolian People's Republic. *Nasekomye Mongolii* 5: 649-681.
- 3937. Korshunov, Y.P.,** 1982, New taxa of butterflies (Lepidoptera, Rhopalocera) from Northern Asia. *Novye maloizvestnye vidy fauny Sibiri, Novosibirsk* 16: 86-91.
- 3938. Korshunov, Y.P.,** 1982, Butterflies (Lepidoptera, Diurna) of the Yenisei and Taimyr, north of Polar circle. *Poleznye i vrednye nasekomye Sibiri, Novosibirsk* 1982: 75-87.
- 3939. Korshunov, Y.P.,** 1984, New subspecies of *Argynnis sagana* Bdl. from Siberia. *Vestnik Zool.* 17: 58-62.
- 3940. Korshunov, Y.P.,** 1984, The type-locality of *Agriades pyrenaicus* ergane Higgins, 1980 (Lepidoptera, Lycaenidae). *Vestnik Zool.* 1984 (3): 10.
- 3941. Korshunov, Y.P.,** 1984, The Red Book of the USSR. Moscow.
- 3942. Korshunov, Y.P.,** 1986, Species and subspecies of Lepidoptera new to the fauna of the USSR. *Vestn. Zool.* 1986 (3): 87.
- 3943. Korshunov, Y.P.,** 1988, Neue Tagfalter (Lepidoptera, Rhopalocera) aus Chakassien, Tuwa und Jakutien. [in] Zolotarenko, G.S., *Taksonomija Zhiwotnykh Sibiri*: 65-80, 9 figs. Novosibirsk, Nauka.
- 3944. Korshunov, Y.P.,** 1996, Corrigenda and Addenda "The butterflies of the Asian part of Russia. Rhopalocera". 66pp. ETA Grp., Novosibirsk [in Russian].
- 3945. Koster, J.C., Özbek, H., Aslan, I. & T. Rutten,** 2004, *Blastodacna libanotica* Diakonoff, 1939 - a pest on Pear in Turkey (Agonoxenidae). *Nota lepid.* 27 (1): 33-40.
- 3946. Kosterin, O.E.,** 1994, Butterflies (Lepidoptera) of the Katunskii mountain range, Central Altai. *Actias* 1 (1/2): 45-76.
- 3947. Kosterin, O.E.,** 1994, Butterflies (Lepidoptera, Diurna) of the Koni Peninsula (Magadan region). *Actias* 1 (1/2): 77-81.
- 3948. Kosterin, O.E.,** 2000, Description of a new subspecies of the *Boloria* pales ([Denis & Schiffermüller], 1775) sensu Warren (1944) (Lepidoptera, Nymphalidae) from Altai. *Far Eastern Ent.* 86: 1-10, 3 figs.
- 3949. Kostrowicki, A.S.,** 1969, Geography of the Palaearctic Papilionoidea (Lepidoptera). 380 pp., 125 figs. Panstowe Wyd. Nauk., Warszaw.
- 3950. Kotzsch, H.,** 1928, Ein neuer *Colias* aus dem Richthofengebirge. *Ent. Z., Frankf. a. M.* 43 (19): 236-237.
- 3951. Kotzsch, H.,** 1929, Neue Falter aus dem Richthofengebirge usw. *Ent. Z., Frankf. a. M.* 43: 204-206, figs. 1-10.
- 3952. Kotzsch, H.,** 1935, *Colias* Studien meiner Armenien Reise 1934. *Ent. Z., Frankf. a. M.* 49: 97-101.
- 3953. Kotzsch, H.,** 1936, Ein Sommer unter den Kurden. *Ent. Rdsch.* 53: 313-317, 352-359, 372-376, 393-396, 414-418, 9 figs.
- 3954. Kotzsch, H.,** 1936, Die Parnassier meiner Hindukush-Expedition 1936. *Parnassiana* 4: 4-9, figs. 1-8.
- 3955. Kotzsch, H.,** 1936, *Parnassius autocrator* eine eigene Art. *Ent. Rdsch.* 54: 50-52, Pl. I.
- 3956. Kotzsch, H.,** 1937, Weitere Falterneuheiten aus meiner Hindukush-Expedition 1936. *Ent. Rdsch.* 55: 9-10.
- 3957. Kotzsch, H.,** 1938, *Argynnis argyrospilata* sp. n. *Ent. Rdsch.* 55: 360, Abb.
- 3958. Kotzsch, H.,** 1940, Eine neue Noctuide aus Iran. *Eustrotia* Hb. (Eustrotia O.) *iranica* sp. nov. *Ent. Z., Frankf. a. M.* 54: 73-74, figs.
- 3959. Kotzsch, H.,** 1940, *Parnassius inopinatus*, ein überraschende neue Art. *Ent. Tidskr.* 54: 17-21, 2 figs.
- 3960. Koutroubas, A.G.,** 1993, *Pseudochazara geyeri* occidentalis (Rebel & Zerny, 1931) espèce nouvelle pour la Grèce (Lepidoptera, Nymphalidae). *Phegea* 21 (2): 45-46.
- 3961. Koutroubas, A.G.,** 1994, *Erebia rhodopensis* (Nicholl, 1900) espèce nouvelle pour la Grèce (Lepidoptera, Nymphalidae, Satyrinae). *Phegea* 22 (1): 9-13, 1 Pl., 3 figs.
- 3962. Koutsaftikis, A.,** 1973, Die Papilionides Griechenlands. *Annls Mus. Goulandris* 1: 239-244.
- 3963. Koutsaftikis, A.,** 1980, Ökologische Beobachtungen an einer abweichenden Form von *Pontia daplidice* (Linnaeus) (Pieridae) in Attika. *Nota lepid.* 2 (4): 51-52.
- 3964. Kozhantchikov, I.V.,** 1950, *Volnyaki* (Orgyidae). *Fauna SSSR*, 12: 1-581pp. Moskva-Leningrad.
- 3965. Kozlov, M.V.,** 1985, New and little known Opostegid moths (Lepidoptera, Opostegidae) from the asiatic parts of the USSR. *Proc. zool. Inst. USSR* 134: 49-58, 20 figs.
- 3966. Kozlov, M.V.,** 1985, The morphology biology and systematic position of *Mirina christophi* Stgr. (Lepidoptera, Bombycoidea, Endromidae). *Vestn. Biol., Leningrad Univ.* 1985 (4): 3-9.

- 3967. Kozlov, M.V.,** 2003, Annotated checklist of the European species of *Nemophora* (Adelidae). *Nota lepid.* 26 (3/4): 115-126.
- 3968. Kozlov, M.V.,** 2004, Records of the genus *Nemophora* Hoffmannsegg, 1798 from Spain: critical re-examination of the collections of the Museo Nacional de Ciencias Naturales (Madrid) (Lepidoptera, Adelidae). *Shilap Revta. lepid.* 32 (126): 95-98.
- 3969. Kozlov, M.V.,** 2006, *Adela alurgis* sp.n. from Syria (Adelidae). *Nota lepid.* 28 (3/4): 193-196, figs.
- 3970. Koçak, A.Ö. & M.Kemal,** 1999, Addenda and corrigenda to the work entitled "Genetical Fund Cadastre of Kyrgyzstan, volume III Superclassis Hexapoda (Entognatha and Insecta)" edited by E.Dzh. Shukurov et al., Bishkek, 1996, 406pp. *Cent. ent. Stud., Misc. Pap.* 59: 1-3.
- 3971. Koçak, A.Ö. & M.Kemal,** 2000, A replacement name in the section *Agrodiaetus* Hbn. of the genus *Polyommatus* Latreille (Lycaenidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 62: 7-8.
- 3972. Koçak, A.Ö. & M.Kemal,** 2000, Kazakhstan Lepidoptera faunası için yeni bir tür kaydı (Lycaenidae). *Cent. ent. Stud., Misc. Pap.* 64: 6.
- 3973. Koçak, A.Ö. & M.Kemal,** 2000, Nomenclatural notes on some taxa (Papilionoidea, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 65/66: 10-12.
- 3974. Koçak, A.Ö. & M.Kemal,** 2000, *Chazara briseis* (Linnaeus) üzerine revizyon notları (Satyridae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 65/66: 1-5.
- 3975. Koçak, A.Ö. & M.Kemal,** 2000, Entomological expedition of the Cesa to the Kazakhstan and Kyrgyzstan in 1999. *Cent. ent. Stud., Misc. Pap.* 70: 1-5.
- 3976. Koçak, A.Ö. & M.Kemal,** 2000, *Euphydryas* Scudder cinsi içinde "sareptana Staudinger" in taksonomik durumu hakkında (Argynnisidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 70: 5-6.
- 3977. Koçak, A.Ö. & M.Kemal,** 2000, Şerqi Asiye ve Pasipiktiki bezi taksonlar heqqide nomenklatur hatiriliri (Papilionidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 71: 1-7 [in Uighur language].
- 3978. Koçak, A.Ö. & M.Kemal,** 2001, Addenda and Corrigenda to the work entitled: "Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) volume 2" edited by Tusov, V.K. et al., Sofia - Moscow, 2000. *Cent. ent. Stud., Misc. Pap.* 74: 1-3.
- 3979. Koçak, A.Ö. & M.Kemal,** 2001, Yeni Kaledonya'daki bir *Graphium* türünün nomenklaturı hakkında (Lepidoptera, Papilionidae). *Cent. ent. Stud., Misc. Pap.* 74: 3-4, 1 fig.
- 3980. Koçak, A.Ö. & M.Kemal,** 2001, Lepidoptera coğrafyası üzerine araştırmalar 1. Ankara vilayeti keleklerinin zoocoğrafik analizi. *Cent. ent. Stud., Priamus* 10 (3/4): 105-111.
- 3981. Koçak, A.Ö. & M.Kemal,** 2001, Lepidoptera coğrafyası üstide tetqiqatlar 2. Qazaqstan kəpineklirining zoocoğrafyası ve taksonomiyası üstide tetqiqatlar (Lepidoptera, Papilionoidea, Hesperioidea). *Cent. ent. Stud., Priamus* 10 (3/4): 111-163 [in Uighur language].
- 3982. Koçak, A.Ö. & M.Kemal,** 2001, Lepidoptera coğrafyası üstide tetqiqatlar 3. İraq kəpinekliri üstide zoocoğrafiyelik hatiriler (Lepidoptera, Papilionoidea, Hesperioidea). *Cent. ent. Stud., Priamus* 10 (3/4): 164-173 [in Uighur language].
- 3983. Koçak, A.Ö. & M.Kemal,** 2001, Addenda and Corrigenda to the work entitled: "Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) volume 2" edited by Tusov, V.K. et al., Sofia - Moscow, 2000. *Cent. ent. Stud., Misc. Pap.* 75: 1-3.
- 3984. Koçak, A.Ö. & M.Kemal,** 2001, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) I. *Cent. ent. Stud., Misc. Pap.* 77: 1-8.
- 3985. Koçak, A.Ö. & M.Kemal,** 2001, Türkiye keleklerinin anadillerdeki isimlerinin listesi. *Cent. ent. Stud., Misc. Pap.* 72/73: 1-15.
- 3986. Koçak, A.Ö. & M.Kemal,** 2002, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) II. *Cent. ent. Stud., Misc. Pap.* 86: 1-2.
- 3987. Koçak, A.Ö. & M.Kemal,** 2002, Türkiye'de bir Karakuşaklı Güzel *Colobochyla* platyzona (Lederer, 1870) (Noctuidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 86: 2-5, figs.
- 3988. Koçak, A.Ö. & M.Kemal,** 2002, *Euapatura mirza*'nın besin bitkisi hakkında (Lepidoptera, Argynnisidae). *Cent. ent. Stud., Misc. Pap.* 86: 5-7, figs.
- 3989. Koçak, A.Ö. & M.Kemal,** 2002, Bazı taksonomik ve zoocoğrafik notlarla birlikte *Hyponephele Muschamp* cinsinin katalogu (Lepidoptera, Satyridae). *Cent. ent. Stud., Misc. Pap.* 80/81: 1-15, 1 Tab.
- 3990. Koçak, A.Ö. & M.Kemal,** 2002, *Aethria* Hübner, [1821] cins isminin geçerliliği hakkında (Noctuidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 80/81: 15-16.
- 3991. Koçak, A.Ö. & M.Kemal,** 2002, Faunistik taksonomik ve zoocoğrafik notlarla Çatak kelekleri (Papilionoidea, Hesperioidea, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 82/85: 1-32, figs.
- 3992. Koçak, A.Ö. & M.Kemal,** 2002, Van'da üç nadir *Sinirkanatlı* türü hakkında (Planipennia, Ascalaphidae, Nymphoptera). *Cent. ent. Stud., Misc. Pap.* 87: 5-8, 6 figs.
- 3993. Koçak, A.Ö. & M.Kemal,** 2005, Nomenclature note on the *Australic Geometridae* (Lepidoptera). *Cent. ent. Stud., Priamus* 11 (3): 59-60.
- 3994. Koçak, A.Ö. & M.Kemal,** 2006, Checklist of the family *Notodontidae* in Thailand (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 104: 1-8.
- 3995. Koçak, A.Ö. & M.Kemal,** 2006, Notes on the nomenclature of some species group taxa in the genus *Euproctis* (s.l.) (Lepidoptera, Lymantriidae) [in Turkish]. *Cent. ent. Stud., Misc. Pap.* 102-103: 13-14.
- 3996. Koçak, A.Ö. & M.Kemal,** 2006, Notes on the nomenclature of some species group taxa in the family *Geometridae* (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 102-103: 15-16.
- 3997. Koçak, A.Ö. & M.Kemal,** 2006, Corrections on the publication entitled "Moths of Thailand vol. two, Sphingidae" published in 1997 by H. Inoue, R.D.Kennett and I.J.Kitching (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 94: 1-2.
- 3998. Koçak, A.Ö. & M.Kemal,** 2006, A nomenclature note on the *Asiatic Acarina* (Eriophyoidea). *Cent. ent. Stud., Misc. Pap.* 97: 6.
- 3999. Koçak, A.Ö. & M.Kemal,** 2006, Nomenclatural notes on the *Neotropical Pyralidae* (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 97: 7-8.
- 4000. Koçak, A.Ö. & M.Kemal,** 2006, Checklist of Lepidoptera of Turkey. *Cent. ent. Stud., Priamus Suppl.* 1: 1-196.
- 4001. Koçak, A.Ö. & M.Kemal,** 2006, Corrections on the publication entitled "Moths of Thailand, vol. Three, Noctuidae, Part I" published in 2005 by V.S.Kononenko and Bro.Pinratana (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 93: 1-8, 1 Tab.
- 4002. Koçak, A.Ö. & M.Kemal,** 2006, List of the species in the genus *Pelochrista* Lederer, with some remarks (Lepidoptera, Tortricidae). *Cent. ent. Stud., Misc. Pap.* 98: 1-6.
- 4003. Koçak, A.Ö. & M.Kemal,** 2006, Proposal of a replacement name in the *Lasiocampidae* (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 99: 7-8.
- 4004. Koçak, A.Ö. & M.Kemal,** 2006, On the nomenclature of some *Arachnida*. *Cent. ent. Stud., Misc. Pap.* 100: 5-6.
- 4005. Koçak, A.Ö. & M.Kemal,** 2007, A replacement name for a Hawaiian moth (Tortricidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 105: 4.
- 4006. Koçak, A.Ö. & M.Kemal,** 2007, Notes on the nomenclature of Asiatic butterflies (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 105: 5-6.
- 4007. Koçak, A.Ö. & M.Kemal,** 2007, Replacement names for some *Microlepidoptera* (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 105: 6-7.
- 4008. Koçak, A.Ö. & M.Vural,** 1998, Türkiye'deki bazı Lepidopterlerin biyonomisi hakkında (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 51: 6-7.
- 4009. Koçak, A.Ö. & S.Seven,** 1990, *Anthocharis cardamines* (Linnaeus) türünün erken gelişme safhaları üzerine bir çalışma (Lepidoptera, Pieridae). *Cent. ent. Stud., Misc. Pap.* 8: 5-7, şek.1.
- 4010. Koçak, A.Ö. & S.Seven,** 1991, Faunistische Notizen über Türkisch-Thrazien Lepidopteren. *Cent. ent. Stud., Misc. Pap.* 10: 4-12, 4 Abb.

- 4011.** Koçak,A.Ö. & S.Seven, 1991, Lepidopterlerin erken gelişme safhaları ve beslenme biyolojisine katkılar-I. Cent. ent. Stud., Priamus 5 (4): 149-156, 9 şekil.
- 4012.** Koçak,A.Ö. & S.Seven, 1991, Faunistisch-ökologische Notizen über Tagfalterfauna von Kızılcahamam (Prov. Ankara, Türkei) (Lepidoptera). Cent. ent. Stud., Priamus 5 (4): 105-122, 3 Abb.
- 4013.** Koçak,A.Ö. & S.Seven, 1993, Türkiye Kod Listesi İle İlgili Taksonomik Notlar-I (Lepidoptera). Cent. ent. Stud., Misc. Pap. 18: 1-4.
- 4014.** Koçak,A.Ö. & S.Seven, 1993, Über die Tagfalterfauna des Gebirges Hodulca bei Kızılcahamam (Prov. Ankara, Türkei). Cent. ent. Stud., Priamus 6 (3/4): 97-113.
- 4015.** Koçak,A.Ö. & S.Seven, 1994, Türkiye Lepidoptera Bibliyografyası. Cent. ent. Stud., Memoirs 2: 1-141.
- 4016.** Koçak,A.Ö. & S.Seven, 1994, "Türkiye Kod Listesi" ile ilgili taksonomik notlar-II (Lepidoptera). Cent. ent. Stud., Misc. Pap. 19: 5-8.
- 4017.** Koçak,A.Ö. & S.Seven, 1994, Türkiye Lepidoptera faunasına katkılar-II. Cent. ent. Stud., Misc. Pap. 21: 1-8.
- 4018.** Koçak,A.Ö. & S.Seven, 1994, Türkiye Lepidoptera faunasına katkılar-I. Cent. ent. Stud., Misc. Pap. 20: 1-8.
- 4019.** Koçak,A.Ö. & S.Seven, 1995, Türkiye'den Yeni Bir Lycaenidae Taksonu Hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 25: 1-5, 1 harita.
- 4020.** Koçak,A.Ö. & S.Seven, 1995, Yeni Bir Pyralidae Cinsi ve Türü Hakkında (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 23/24: 13-16, 2 şekil.
- 4021.** Koçak,A.Ö. & S.Seven, 1995, Tokat Papilionoidea ve Hesperioidea Faunası ve Ekolojisi Hakkında (Lepidoptera). Cent. ent. Stud., Priamus 7 (3): 93-116.
- 4022.** Koçak,A.Ö. & S.Seven, 1996, Anadolunun Diurnal Lepidoptera Birlikleri ve Ekolojisi. Cent. ent. Stud., Priamus 8 (3/4): 53-167.
- 4023.** Koçak,A.Ö. & S.Seven, 1997, Negros Papilionoidea, Hesperioidea faunası ve taksonomisi üzerine araştırmalar (Lepidoptera) (Filipin entomolojik ekspedisyonu sonuçları-IV). Cent. ent. Stud., Priamus 9 (2/3): 57-114, 1 harita.
- 4024.** Koçak,A.Ö. & S.Seven, 1997, Türkiye Crambinae Faunası Üzerine Araştırmalar (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 39/40: 1-16.
- 4025.** Koçak,A.Ö. & S.Seven, 1997, Palaearktik Noctuid'lerin taksonomisi ve nomenklatürü üzerine notlar VI. Avrupa Noctuid'lerinin familya grubu taksonlarının nomenklatürü hakkında. Cent. ent. Stud., Misc. Pap. 37: 3-8.
- 4026.** Koçak,A.Ö. & S.Seven, 1997, Negros ve Panay adalarından bazı Sarothripinae türleri hakkında (Lepidoptera, Noctuidae) (Filipin Adaları Entomolojik Ekspedisyonunun Sonuçları III). Cent. ent. Stud., Misc. Pap. 46: 5-8, 4 harita.
- 4027.** Koçak,A.Ö. & S.Seven, 1997, Etiyopya ile komşu ülkelerinin Hesperidae türleri ve dağılımları hakkında (Lepidoptera) Cent. ent. Stud., Misc. Pap. 48: 3-7.
- 4028.** Koçak,A.Ö. & S.Seven, 1997, Etiyopya ile komşu ülkelerinin Argynnidae türleri ve bazı taksonomik notlar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 46: 1-4.
- 4029.** Koçak,A.Ö. & S.Seven, 1997, Balabak adasından (Filipinler) küçük bir Lepidoptera koleksiyonu hakkında. Cent. ent. Stud., Misc. Pap. 47: 1-6, 1 harita.
- 4030.** Koçak,A.Ö. & S.Seven, 1997, Lacydes spectabilis sheljuzhkoii Dubatolov'un Türkiye'de bulunuşu hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 1-2, 1 harita.
- 4031.** Koçak,A.Ö. & S.Seven, 1998, Negros Panay ve Bohol adalarından bazı Noctuidae türleri hakkında (Lepidoptera) (Filipin Adaları Entomolojik Ekspedisyonunun Sonuçları-V) Cent. ent. Stud., Misc. Pap. 50: 1-6, 1 harita.
- 4032.** Koçak,A.Ö. & S.Seven, 1998, Eski Dünya Polyommata alttribusuna ait taksonların nomenklatürü ve sınıflandırması hakkında (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 49: 1-5, 1 grafik.
- 4033.** Koçak,A.Ö. & S.Seven, 1998, A tentative list of the threatened butterflies in Turkey. Cent. ent. Stud., Misc. Pap. 52: 3-8.
- 4034.** Koçak,A.Ö. & S.Seven, 1998, On the Papilionoidea and Hesperioidea fauna of the Mount Kayağı (Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 53/54: 1-12.
- 4035.** Koçak,A.Ö. & Y.Hosseinpour, 1996, Bazı tür grubu taksonlarının nomenklatürü hakkında (Lepidoptera, Lycaenidae). Cent. ent. Stud., Priamus 7 (3): 117-119.
- 4036.** Koçak,A.Ö. & Ş.Yücel, 1989, Tabanus laeteticinctus Becker in Pakistan (Tabanidae, Diptera). Cent. ent. Stud., Priamus 5 (1/2): 26-30, 3 figs., 1 map.
- 4037.** Koçak,A.Ö., 1975, New Lepidoptera from Turkey-I. Atalanta 6 (1): 24-30, figs.
- 4038.** Koçak,A.Ö., 1975, A new species of genus Lysandra from Turkey (Lepidoptera, Lycaenidae). Atalanta 6 (1): 31-34, 6 figs.
- 4039.** Koçak,A.Ö., 1975, New Lepidoptera from Turkey-II. Atalanta 6 (1): 50-55, 10 figs.
- 4040.** Koçak,A.Ö., 1976, A new subspecies of Melanargia larissa from Turkey (Lepidoptera, Satyridae). Atalanta 7 (1): 40-41, 2 figs.
- 4041.** Koçak,A.Ö., 1976, A new subspecies of Myrmeleonidae (Neuroptera) from Turkey. NachrBl. bayer. Ent. 22 (5): 97-100, 4 figs.
- 4042.** Koçak,A.Ö., 1977, Studies on the family Lycaenidae (Lep.) I. New taxa and records from East Turkey. Atalanta 8 (1): 41-62, 24 figs.
- 4043.** Koçak,A.Ö., 1977, New Lepidoptera from Turkey V. Atalanta 7 (2): 126-146, 47 Abb, 1 map.
- 4044.** Koçak,A.Ö., 1977, New Lepidoptera from Turkey IV. Description of a new subspecies of Archon apollinus (Herbst, 1789) (Parnasiidae). NachrBl. bayer. Ent. 26 (3): 54-60, 7 figs.
- 4045.** Koçak,A.Ö., 1978, Pseudochazara mamurra Herrich-Schäffer aus dem Libanon mit Beschreibung einer neuen Unterart (Lep., Satyridae). Atalanta 9 (4a): 372-375, 4 Abb.
- 4046.** Koçak,A.Ö., 1979, Studies on the family Lycaenidae II. New Taxa and Records from Turkey. Atalanta 10 (4a): 309-325, 37 figs.
- 4047.** Koçak,A.Ö., 1980, Studies on the family Lycaenidae III. A review of the subspecies of Agrodiaetus (Sublysandria) myrrhus (H.-S., 1852). Atalanta 11 (4): 262-272, 14 figs.
- 4048.** Koçak,A.Ö., 1980, Changes in the generic names of some West-Palaearctic Lepidoptera (Part 1). Commun. Fac. Sci. Univ. Ankara, (Ser C3, Zool.) 24: 27-41.
- 4049.** Koçak,A.Ö., 1980, Some notes on the nomenclature of Lepidoptera. Commun. Fac. Sci. Univ. Ankara, (Ser C3, Zool.) 24: 7-25.
- 4050.** Koçak,A.Ö., 1980, On the nomenclature of some genus- and species-group names of Lepidoptera. Nota lepid. 2 (4): 139-146.
- 4051.** Koçak,A.Ö., 1981, On the criticisms made by Dr.I.W.B.Nye regarding my two recent papers published in this journal in 1980. Commun. Fac. Sci. Univ. Ankara, (Ser C3, Zool.) 25: 11-23.
- 4052.** Koçak,A.Ö., 1981, Buszkoiana nom.nov. A Replacement name in the family Pterophoridae (Lepidoptera). Cent. ent. Stud., Priamus 1 (1): 10.
- 4053.** Koçak,A.Ö., 1981, On the nomenclature of some genera of the family Psychidae (Lepidoptera). Cent. ent. Stud., Priamus 1 (1): 7-10; 1(3): 122-123.
- 4054.** Koçak,A.Ö., 1981, On the status of the family names Nymphalidae and Heliconiidae described by Swainson. Cent. ent. Stud., Priamus 1 (2): 93-96.
- 4055.** Koçak,A.Ö., 1981, Nomenclatural note on the genus Petersenia Gozmany, 1960 (Tineidae). Cent. ent. Stud., Priamus 1 (2): 45.
- 4056.** Koçak,A.Ö., 1981, On the type-species of the genus Proterebia Roos & Arnscheid, 1980 (Satyridae, Lepidoptera). Cent. ent. Stud., Priamus 1 (1): 6-7.
- 4057.** Koçak,A.Ö., 1981, Khayyamia (nom.nov.) A replacement name for Dinaria Popov, 1951 (Orthoptera) from Iran. Cent. ent. Stud., Priamus 1 (1): 41-42.
- 4058.** Koçak,A.Ö., 1981, A replacement name in the family Limoniidae (Diptera). Cent. ent. Stud., Priamus 1 (3): 111.

- 4059. Koçak, A.Ö.,** 1981, On the nomenclature of some genera of Orthoptera. Cent. ent. Stud., Priamus 1 (3): 124-128.
- 4060. Koçak, A.Ö.,** 1981, Nomenclatural notes on Homoptera. Cent. ent. Stud., Priamus 1 (1): 41.
- 4061. Koçak, A.Ö.,** 1981, A replacement name for the genera of Homoptera. Cent. ent. Stud., Priamus 1 (3): 124-125.
- 4062. Koçak, A.Ö.,** 1981, On the nomenclature of some genera of Lepidoptera. Cent. ent. Stud., Priamus 1(1): 18-23; 1(3): 97-109, 112-122.
- 4063. Koçak, A.Ö.,** 1981-1984, List of the genera of Turkish Auchenorrhyncha (Homoptera), with some replacement names for the genera existing in other countries. Cent. ent. Stud., Priamus 1 (1): 30-40; 1 (3): 128-138; 1 (4): 141-154; 3 (2): 43-85.
- 4064. Koçak, A.Ö.,** 1981-1984, Critical Check-list of European Papilionoidea (Lepidoptera). Cent. ent. Stud., Priamus 1 (2): 46-90; 1 (4): 155-167; 2 (2): 69-92; 3 (1): 11-37.
- 4065. Koçak, A.Ö.,** 1982, Notes on Archon apollinus (Herbst, 1798) (Papilionidae, Lepidoptera). Cent. ent. Stud., Priamus 2 (1): 44-63, figs., map.
- 4066. Koçak, A.Ö.,** 1982, On the date of publication of "Nachtrag" of Heydenreich's Lepidopterorum Europaeorum Catalogus Methodicus (3.ed.), 130pp. 1851. Cent. ent. Stud., Priamus 2 (2): 92-95.
- 4067. Koçak, A.Ö.,** 1982-1983, Additions and corrections to the names published in "Systematic and Synonymic List of the Lepidoptera of France, Belgium and Corsica" by Leraut, 1980. Cent. ent. Stud., Priamus 2 (3): 97-133; 2 (4): 137-157.
- 4068. Koçak, A.Ö.,** 1982-1987, On the validity of the species group names proposed by Denis & Schiffermüller, 1775 in "Ankündigung (sic!) eines systematischen Werkes von den Schmetterlingen der Wiener Gegend". Cent. ent. Stud., Priamus 2 (1): 4-42; 3 (3): 98-130; 3 (4): 133-154; 4 (1/2): 22-36; 4 (3): 81-86.
- 4069. Koçak, A.Ö.,** 1983, Some notes on "Classification of the superfamily Sesiioidea (Lepidoptera, Ditrysia)" by J. P. Heppner & W. D. Duckworth, 1981. Cent. ent. Stud., Priamus 2 (4): 169-170.
- 4070. Koçak, A.Ö.,** 1983, On the nomenclature of the genus Hipparchia Fabricius, 1807 (Lepidoptera, Satyridae). Cent. ent. Stud., Priamus 2 (4): 166-169.
- 4071. Koçak, A.Ö.,** 1983, Foodplants of the adults of Turkish Butterflies -I. Cent. ent. Stud., Priamus 3 (2): 86-92.
- 4072. Koçak, A.Ö.,** 1983, On the nomenclature of Thersamon thersamon (Esper, 1784) from the West Palearctic Region (Lycaenidae, Lepidoptera). Cent. ent. Stud., Priamus 3 (1): 3-5.
- 4073. Koçak, A.Ö.,** 1983, Ecological Notes. Cent. ent. Stud., Priamus 3 (1): 6.
- 4074. Koçak, A.Ö.,** 1983-1986, More notes on the homonymy of the specific names of Lepidoptera. Cent. ent. Stud., Priamus 2 (1983) (4): 164-166; 3 (1983) (2): 41-42; 4 (1986) (1/2): 55-60.
- 4075. Koçak, A.Ö.,** 1984, More additions and corrections to the names published in "Systematic and Synonymic List of the Lepidoptera of France, Belgium and Corsica" by Leraut 1980. Cent. ent. Stud., Priamus 3 (4): 155-168.
- 4076. Koçak, A.Ö.,** 1984, On the nomenclatural status of two species group names in Orthoptera. Cent. ent. Stud., Priamus 3 (4): 169-170.
- 4077. Koçak, A.Ö.,** 1986, Replacement names in the order Homoptera. Cent. ent. Stud., Priamus 4 (1/2): 21.
- 4078. Koçak, A.Ö.,** 1986, A replacement name in the family Linyphiidae (Araneae). Cent. ent. Stud., Priamus 4 (1/2): 21.
- 4079. Koçak, A.Ö.,** 1986, On the paper "Lepidoptera names of Denis & Schiffermüller - A case for stability" by K. Sattler & W. G. Tremewan in 1984. Cent. ent. Stud., Priamus 4 (1): 3-12.
- 4080. Koçak, A.Ö.,** 1986, A New Species of the genus Ethmia Hübner from Turkey (Lep., Azinidae). Cent. ent. Stud., Priamus 4 (1/2): 62-64, figs.
- 4081. Koçak, A.Ö.,** 1986, Türkiye Lepidopter'lerinin Dağılışı Haritaları Hakkında. Cent. ent. Stud., Priamus 4 (1/2): 48-51, harita.
- 4082. Koçak, A.Ö.,** 1986, Ayaş Dağları Lepidopterleri Hakkında. Cent. ent. Stud., Priamus 4 (1/2): 66-77.
- 4083. Koçak, A.Ö.,** 1986, Charaxes jasius Linn.'un gece uçuşu ve Anadolu'daki yayılışı. Cent. ent. Stud., Priamus 4 (1/2): 45-46.
- 4084. Koçak, A.Ö.,** 1986, On the foodplants of Turkish Lepidoptera-I. Cent. ent. Stud., Priamus 4 (1/2): 13-18.
- 4085. Koçak, A.Ö.,** 1986, Pseudozarba bipartita H.-Sch. Türkiye'den yeni bir Noctuidae Türü (Lepidoptera). Cent. ent. Stud., Priamus 4 (1/2): 19-20.
- 4086. Koçak, A.Ö.,** 1986, On the nomenclature of the species Mirificarma interruptella (Hübner, 1793). Cent. ent. Stud., Priamus 4 (1/2): 65-66.
- 4087. Koçak, A.Ö.,** 1986, Eratophyes aleatrix Diakonoff. Türkiye'den yeni bir Epigraphiidae (=Oecophoridae) cins ve türünün ilk kaydı hakkında (Lepidoptera). Cent. ent. Stud., Priamus 4 (1/2): 52-54.
- 4088. Koçak, A.Ö.,** 1987, Diurnal Lepidoptera of Çal Dağı (Central Anatolia) 1. Remarks on the Ecology of the species. Cent. ent. Stud., Priamus 4 (3): 87-114.
- 4089. Koçak, A.Ö.,** 1987, Chersotis (Cyrebia) adili sp.n. Description of a new species from N.E. Turkey, with some notes on other closely related species (Lepidoptera, Noctuidae). Cent. ent. Stud., Priamus 4 (3): 121-125, figs.
- 4090. Koçak, A.Ö.,** 1987, Panstegia meciti sp.n. Description of a new species in the family Pyralidae (Lepidoptera). Cent. ent. Stud., Priamus 4 (3): 115-116, figs.
- 4091. Koçak, A.Ö.,** 1987, Sultania lophotalis (Hampson) Koçak in Turkey, with a description of a new genus (Lepidoptera, Pyralidae). Cent. ent. Stud., Priamus 4 (3): 117-120, figs.
- 4092. Koçak, A.Ö.,** 1989, Geometra purissima Wiltshire in North Pakistan (Lepidoptera, Geometridae). Cent. ent. Stud., Priamus 5 (3): 100-102, 2 figs. 1 map.
- 4093. Koçak, A.Ö.,** 1989, Autobiography of Prof. Dr. Ahmet Ö. Koçak. Cent. ent. Stud., Misc. Pap. 1: 1-4.
- 4094. Koçak, A.Ö.,** 1989, Notes on the taxonomy and nomenclature of the Palearctic Noctuidae (Lepidoptera)-I. Cent. ent. Stud., Priamus 5 (3): 103-104.
- 4095. Koçak, A.Ö.,** 1989, On the Lepidoptera taken from Elmadag (Central Anatolia). Cent. ent. Stud., Priamus 5 (1/2): 23-25.
- 4096. Koçak, A.Ö.,** 1989, Croesia bergmanniana (Linn.). New to the fauna of Turkey (Lepidoptera, Tortricidae). Cent. ent. Stud., Priamus 4 (4): 161.
- 4097. Koçak, A.Ö.,** 1989, Provision of a valid name for the type-species of the genus Sideridis Hübner, 1821 (Noctuidae, Lepidoptera). Cent. ent. Stud., Priamus 5 (1/2): 1-2.
- 4098. Koçak, A.Ö.,** 1989, On the authorship of the family name Lemoniidae with some nomenclatural notes on other related groups (Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 147-149.
- 4099. Koçak, A.Ö.,** 1989, Pseudochazara lydia nesrin (ssp.n.). A new subspecies from Turkey (Lepidoptera, Satyridae). Cent. ent. Stud., Priamus 5 (1/2): 69-71, figs.
- 4100. Koçak, A.Ö.,** 1989, Results of the Lepidopterological Expedition to North Pakistan in 1987, Part 1: Introduction. Cent. ent. Stud., Priamus 4 (4): 129-140, 1 map.
- 4101. Koçak, A.Ö.,** 1989, On the Lepidoptera of Ayaş District (C. Anatolia). Cent. ent. Stud., Priamus 4 (4): 150-161, figs.
- 4102. Koçak, A.Ö.,** 1989, Hyponephele lycaonoides Weiss in Turkey, with descriptions of new subspecies (Lep., Satyridae). Cent. ent. Stud., Priamus 4 (4): 142-146, 6 figs.
- 4103. Koçak, A.Ö.,** 1989, On the butterflies of Yugoslavia (Lepidoptera). Cent. ent. Stud., Priamus 5 (1/2): 3-22, 1 map.
- 4104. Koçak, A.Ö.,** 1989, Migration of Ephesia nymphaea Esp., 1788 (Noctuidae). Cent. ent. Stud., Priamus 4 (4): 149.
- 4105. Koçak, A.Ö.,** 1989, On the butterflies of Taurus Mountains in the provinces Antalya and Konya (S. Turkey), with some taxonomic descriptions and remarks (Lepidoptera). Cent. ent. Stud., Priamus 5 (1/2): 33-68, 1 fig.
- 4106. Koçak, A.Ö.,** 1989, More notes on the homonymy of the specific names of Lepidoptera. Cent. ent. Stud., Priamus 4 (4): 141-142.
- 4107. Koçak, A.Ö.,** 1989, Description of the genus Adoritis (gen.n.) with notes on other closely related groups in Parnassiinae (Papilionidae, Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 163-170, figs.

- 4108.** Koçak,A.Ö., 1989, *Discoloxia blomeri* (Curtis) in Turkey (Lepidoptera, Geometridae). Cent. ent. Stud., Priamus 5 (3): 92-94, 1 fig.
- 4109.** Koçak,A.Ö., 1989, Notes on the Lepidoptera of Erzurum Province (East Turkey). Cent. ent. Stud., Priamus 5 (3): 73-91, 6 figs.
- 4110.** Koçak,A.Ö., 1989, On the early stages of *Parnassius apollo* L. from North Turkey. Cent. ent. Stud., Priamus 5 (1/2): 31-32.
- 4111.** Koçak,A.Ö., 1989, Migration of *Parahipparchia algerica* Obth.,1876 (Satyridae). Cent. ent. Stud., Priamus 4 (4): 149.
- 4112.** Koçak,A.Ö., 1989, On the early stages of *Cynaeda gigantea* (Strg.) in Central Turkey (Lepidoptera, Pyralidae). Cent. ent. Stud., Priamus 5 (3): 95-97, 2 figs.
- 4113.** Koçak,A.Ö., 1989, *Neodiprion sertifer* (Geoffroy) in Turkey (Hymenoptera, Diprionidae). Cent. ent. Stud., Priamus 5 (3): 98-100, 1 fig.
- 4114.** Koçak,A.Ö., 1990, Kızılcahamam Lepidoptera faunasına katkılar-I. Cent. ent. Stud., Misc. Pap. 8: 1-4.
- 4115.** Koçak,A.Ö., 1990, Additional faunistic and ecological notes to the Lepidoptera of Ayaş district (Central Turkey). Cent. ent. Stud., Misc. Pap. 4: 3-7.
- 4116.** Koçak,A.Ö., 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -II. Cent. ent. Stud., Misc. Pap. 5: 4.
- 4117.** Koçak,A.Ö., 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -IV. Cent. ent. Stud., Misc. Pap. 8: 4-5.
- 4118.** Koçak,A.Ö., 1990, Seyahat Defterimden. Cent. ent. Stud., Misc. Pap. 2: 2-3; 6: 11-12.
- 4119.** Koçak,A.Ö., 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -III. Cent. ent. Stud., Misc. Pap. 7: 7.
- 4120.** Koçak,A.Ö., 1990, On the full grown caterpillar of *Hyles euphorbiae* L. from SW. Turkey (Lepidoptera, Sphingidae). Cent. ent. Stud., Misc. Pap. 2: 1.
- 4121.** Koçak,A.Ö., 1990, A new species to the fauna of Turkey *Archicaris notha* (Hübner,1803) (Lep., Geometridae). Cent. ent. Stud., Misc. Pap. 8: 7-8, fig.
- 4122.** Koçak,A.Ö., 1990, On the butterflies of Bilecik province (NW. Turkey). Cent. ent. Stud., Misc. Pap. 2: 6-7.
- 4123.** Koçak,A.Ö., 1990, An annotated list of the Lepidoptera of Karadere and Bolu district (Prov. Bolu, N.Turkey). Cent. ent. Stud., Misc. Pap. 6: 1-11.
- 4124.** Koçak,A.Ö., 1990, An annotated list of the Lepidoptera collected from Işık Dağı (N.Turkey) in 1988. Cent. ent. Stud., Misc. Pap. 3: 1-7.
- 4125.** Koçak,A.Ö., 1990, Ecological notes on the Turkish Lepidoptera. Cent. ent. Stud., Misc. Pap. 4: 1.
- 4126.** Koçak,A.Ö., 1990, Additional notes to the Lepidoptera fauna of Işık Dağı (N.Turkey). Cent. ent. Stud., Misc. Pap. 5: 4-8.
- 4127.** Koçak,A.Ö., 1990, Additional notes to the butterfly fauna of Taurus Mountains in the provinces Antalya and Konya (S.Turkey). Cent. ent. Stud., Misc. Pap. 2: 4-5.
- 4128.** Koçak,A.Ö., 1991, Introductions and Remarks, [in] Seven,S. & S.Bulguer, A Bibliographical list of the homonymous generic names in Zoology based on S.A. Neave's Nomenclator Zoologicus (Vols. I-VII). Cent. ent. Stud., Memoirs 1: v-x, 82-83. Ankara.
- 4129.** Koçak,A.Ö., 1991, Notes on the taxonomy and nomenclature of the palaearctic Noctuidae (Lepidoptera)-V. Cent. ent. Stud., Misc. Pap. 10: 1-3.
- 4130.** Koçak,A.Ö., 1991, Über Lepidopterenfauna von Kızılcahamam mit taxonomischen Notizen (Lepidoptera). Cent. ent. Stud., Misc. Pap. 9: 1-10, 3 figs.
- 4131.** Koçak,A.Ö., 1991, On the Arctiidae of Turkey in the collection of CES with some taxonomical and ecological notes (Lepidoptera). Cent. ent. Stud., Priamus 5 (4): 122-149, 7 figs.
- 4132.** Koçak,A.Ö., 1992 Further notes on the Lepidoptera of Bilecik Province (NW.Turkey). Cent. ent. Stud., Misc. Pap. 13: 4-8.
- 4133.** Koçak,A.Ö., 1992, M. ve W. Glaser tarafından Kızılcahamam'dan toplanan Lepidopterlerin listesi-I. Cent. ent. Stud., Misc. Pap. 14: 6-8; 15: 1-8.
- 4134.** Koçak,A.Ö., 1992, *Lysandra syriaca* ssp. burak (n.ssp.), Güney Anadolu'dan yeni bir Lycaenidae alttürü (Lepidoptera). Cent. ent. Stud., Misc. Pap. 16: 6-8.
- 4135.** Koçak,A.Ö., 1992, Lycaenidae Familyasında yeni bir altcins *Alciphronia*'nın tanımı ve Türkiye'deki taksonlarına ait bazı taksonomik notlar (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 16: 1-5.
- 4136.** Koçak,A.Ö., 1993, Trakyanın İlkbahar Lepidopterleri Hakkında Faunistik Notlar. Cent. ent. Stud., Misc. Pap. 17: 1-8.
- 4137.** Koçak,A.Ö., 1993, Über die Schmetterlinge von Beypazarı (Prov. Ankara, Türkei). Cent. ent. Stud., Priamus 6 (3/4): 113-131.
- 4138.** Koçak,A.Ö., 1995, Lepidoptera Palaeo-Tropica Araştırma Programı Hakkında (LPT). Cent. ent. Stud., Misc. Pap. 22: 1-5.
- 4139.** Koçak,A.Ö., 1995, 1994 yılında Kuzey İran ve Türkmenistan'a yapılan Entomolojik ve Botanik Ekspedisyounun Sonuçları I.Giriş. Cent. ent. Stud., Misc. Pap. 22: 6-8, 1 harita.
- 4140.** Koçak,A.Ö., 1996, [On the butterflies of Northern Addis Ababa (Ethiopia)]. Ethiop. Wildl. Nat. Hist. Soc., Newsl. 8: 6-7.
- 4141.** Koçak,A.Ö., 1996, Filipin Kelebeklerinin Nomenklaturü üzerine notlar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 27/28: 7-9.
- 4142.** Koçak,A.Ö., 1996, 1996 Şubat ayında Etiyopya'ya yapılan Lepidopterolojik Ekspedisyounun Sonuçları I.Giriş. Cent. ent. Stud., Misc. Pap. 27/28: 1-7.
- 4143.** Koçak,A.Ö., 1996, "Carcasson's African Butterflies" adlı yayına tamamlayıcı notlar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 27/28: 10-16.
- 4144.** Koçak,A.Ö., 1996, Güney Batı Asya Polyommatainae Taksonlarının Listesi ve Bazı Nomenklatur Notları (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 30/33: 1-32.
- 4145.** Koçak,A.Ö., 1996, Belucistan'ın (Pakistan) Papilionoidea ve Hesperioidea faunası üzerine araştırmalar (Lepidoptera). Cent. ent. Stud., Priamus 7 (4): 121-156.
- 4146.** Koçak,A.Ö., 1997, 1996 Eylül ve Ekim aylarında Etiyopya'ya yapılan Entomolojik ekspedisyounun sonuçları I. Giriş. Cent. ent. Stud., Misc. Pap. 35/36: 1-4, 2 harita.
- 4147.** Koçak,A.Ö., 1997, *Pieris brassicae* (Linnaeus,1758) türünün Eritre'de bulunuşu hakkında (Lepidoptera, Pieridae). Centr. ent. Stud., Misc. Pap. 35/36: 4-6, 1 harita.
- 4148.** Koçak,A.Ö., 1997, Filipin Adalarına Yapılan Entomolojik Ekspedisyoun I.Giriş. Cent. ent. Stud., Misc. Pap. 45: 1-7, 1 harita.
- 4149.** Koçak,A.Ö., 1997, Editörden mektup. Cent. ent. Stud., Priamus 9 (2/3): 115.
- 4150.** Koçak,A.Ö., 1998, On the nomenclature of a taxon in the family Pieridae (Lepidoptera) with remarks on the taxonomical studies in Turkey. Cent. ent. Stud., Misc. Pap. 52: 1-3.
- 4151.** Koçak,A.Ö., 1998, Doğu Anadolu'dan Yeni Bir Lycaenid Alttürü *Rubrapterus bavius* masal (subsp.n.) (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 57: 7-8.
- 4152.** Koçak,A.Ö., 1998, *Amur Bölgesinden Bir Muschampia cribellum* (Ev.) Alttürü Hakkında (Lepidoptera, Hesperidae). Cent. ent. Stud., Misc. Pap. 50: 6-7.
- 4153.** Koçak,A.Ö., 1998, *Zhdankoana* (nom.nov.) in the family Lycaenidae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 49: 7.
- 4154.** Koçak,A.Ö., 1998, On a new synonym in the family Lycaenidae of Central Asia (Lepidoptera). Cent. ent. Stud., Misc. Pap. 50: 7-8.
- 4155.** Koçak,A.Ö., 1999, Orta Anadolu'da yeni bir *Agrodiaetus* Hbn. türünün tanımı (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 59: 3-7, 4 figs.
- 4156.** Koçak,A.Ö., 2000, Enkhre vilayitidiki kepineklirining sinonumik tizimligi (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 1-22 [in Uighur language].
- 4157.** Koçak,A.Ö., 2000, Circular letter. Cent. ent. Stud., Misc. Pap. 67/69: 22-24.

4158. Koçak, A.Ö., 2000, Bookreview: Forester Moths. Cent. ent. Stud., Misc. Pap. 64: 7-8.
4159. Koçak, A.Ö., 2000, Bookreview: The western Palaearctic Zygaenidae. Cent. ent. Stud., Misc. Pap. 64: 7.
4160. Koçak, A.Ö., 2000, Revisional notes on the taxonomy of 'eurypilus Gerhard' and 'surakovi Dantchenko & Lukhtanov' in the genus *Latreille* (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 65/66: 8-10.
4161. Koçak, A.Ö., 2005, Nomenclatural note on the Nearctic Lepidoptera. Cent. ent. Stud., Priamus 11 (3): 59.
4162. Koçak, A.Ö., 2006, A nomenclatural note on the Nearctic Noctuidae. Cent. ent. Stud., Misc. Pap. 98: 1.
4163. Koçak, A.Ö., 2006, Proposal of a replacement name in the Tortricidae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 99: 6-7.
4164. Koçak, A.Ö., Hüseyinoğlu, Y. & S.Seven, 1997, 1995 yılında İran'a yapılan Lepidoptera ekspedisyununun sonuçları III. Argynnidae, Lycaenidae, Hesperidae. Cent. ent. Stud., Misc. Pap. 44: 2-8.
4165. Koçak, A.Ö., Hüseyinoğlu, Y. & S.Seven, 1997, 1995 yılında İran'a yapılan Lepidoptera ekspedisyununun sonuçları II. Papilionidae, Pieridae, Coliadidae, Libytheidae, Danaidae, Satyridae. Cent. ent. Stud., Misc. Pap. 41: 1-8, 1 harita.
4166. Koçak, A.Ö., Kemal, M. & I.Akdeniz, 2006, A new genus and species to the Lepidoptera fauna of Turkey and Syria (Papilionidae). Cent. ent. Stud., Misc. Pap. 97: 1-6, 2 figs.
4167. Koçak, A.Ö., Kemal, M. & P.Leksawadi, 2006, Annotated checklist of the Tortricidae of Thailand (Lepidoptera). Cent. ent. Stud., Misc. Pap. 102-103: 1-13.
4168. Koçak, A.Ö., Seven, S. & Y.Hosseinpour, 1995, *Palpaes hispanus turcicus* Koçak'ın taksonomik durumu hakkında (Planipennia, Myrmeleionidae). Cent. ent. Stud., Misc. pap. 25: 5-7.
4169. Koçak, A.Ö., Seven, S. & Y.Hüseyinoğlu, 1997, *Eucharia festiva* ssp. *nivea* (Bang-Haas, 1927)'nin taksonomisi ve dağılışı Hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 5-8, 2 harita.
4170. Koçak, A.Ö., Seven, S. & Y.Hüseyinoğlu, 1997, 1994 yılında Kuzey İran ve Türkmenistan'a yapılan entomolojik ekspedisyunun sonuçları III. Horasan Eyaleti Papilionoidea ve Hesperioidea Faunası Hakkında. Cent. ent. Stud., Misc. Pap. 42: 1-7.
4171. Koçak, A.Ö., Seven, S. & Y.Hüseyinoğlu, 1997, Kuzey İran'da *Epicallia villica* (Linnaeus)'nin varlığı hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 3-5, 1 harita.
4172. Koçak, B., 1998, A review on the nomenclature of *Polyommatus* (Agriades) pherecydes (Groum-Grshimailo, 1890) (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 49: 6-7.
4173. Kraus, W., 1999, Beobachtungen zur Macrolepidopterenfauna der Iberischen Halbinsel Teil 1. Allgemeiner Teil und Artenliste bis Tagfalter. Nachr. ent. Ver. Apollo (N.F.) 20 (1): 41-104, figs.
4174. Kraus, W., 1999, Beobachtungen zur Macrolepidopterenfauna der Iberischen Halbinsel Teil 2. Artenliste Drepanidae bis Notodontidae. Nachr. ent. Ver. Apollo (N.F.) 20 (2): 231-263.
4175. Kreuzberg, A.V.-A. & I.G.Pljushch, 1989, The distribution, ecology and biology of *Parnassius loxias* Püngeler, 1901 (Lepidoptera: Papilionidae). Entomologist's Gaz. 40: 271-280, pls., figs.
4176. Kreuzberg, A.V.-A. & R.A.Danov, 1985, Fauna of swallowtails (Lepidoptera, Papilionidae) in Turkmenistan. Ylym, Ashkhabad 1985: 249-261.
4177. Kreuzberg, A.V.-A., 1985, A contribution to the ecology of *Parnassius loxias* (Lepidoptera, Papilionidae) a new for the fauna of the U.S.S.R. species. Zool. Zh. 64 (1): 150-151.
4178. Kreuzberg, A.V.-A., 1986, New species of the *Parnassius* simo group (Lepidoptera, Papilionidae) of Middle Asia. Vestn. Zool. 1986 (2): 85-87.
4179. Kreuzberg, A.V.-A., 1986, Papilionid butterflies of the *Parnassius delphi* group (Lepidoptera, Papilionidae) in the fauna of Kirgizia. Vestn. Zool. 1986 (3): 87.
4180. Kreuzberg, A.V.-A., 1987, Stenophagy in *Parnassius* (Lepidoptera: Papilionidae) of Central Asia and Altai. Entomologist's Gaz. 38: 95-102.
4181. Kristal, P.M. & E.Brockmann, 1989, "Rote Liste" der hessischen Tagfalter Papilionoidea und Hesperioidea (Erste Fassung, Stand 1.4.1989). Nachr. ent. Ver. Apollo (N.F.) 10(2): 103-124.
4182. Kristal, P.M. & W.A.Nässig, 1996, Korrektur zur Meldung über das Vorkommen von *Leptidea reali* Reissinger 1989 in Deutschland und einigen anderen Ländern (Lepidoptera, Pieridae). Nachr. ent. Ver. Apollo (N.F.) 17(3): 259-261.
4183. Kristensen, N.P., 1967, Erection of a new family in the lepidopterous suborder Dacnonymphe. Ent. Meddr. 35: 341-345, 1 fig.
4184. Kristensen, N.P., 1975, The phylogeny of hexapod orders. A critical review of recent accounts. Z. zool. Syst. Evolut-forsch. 14: 1-44, 8 figs.
4185. Kristensen, N.P., 1975, Remarks on the family-level phylogeny of butterflies (Insecta, Lepidoptera, Rhopalocera). Z. zool. Syst. Evolut-forsch. 14: 25-33.
4186. Krödel, E., 1904, *Lycaena icarus* Rott., ab. *persica* Bien. Ent. Z., Stuttgart 17(21): 80-81.
4187. Kroon, D.M., 1999, Lepidoptera of South Africa. Host-plants & other associations. A Catalogue. ix+160pp. 3 maps. Lepidopterist's Soc. of Africa, Sasolburg.
4188. Krpae, V.T. & B.Mihajlova, 1997, *Gonepteryx cleopatra* (Linnaeus 1767), a new species of the butterfly fauna in Macedonia (Lepidoptera: Pieridae). Acta ent. Slovenica 5(2): 113-116.
4189. Krulikowsky, L., 1904, *Sarothrips revayana* var. *asiatica*. Rev. russk. Ent. 4: 91-92.
4190. Krulikowsky, L., 1908, Neues Verzeichnis der Lepidopteren des Gouvernements Kasan. Dt. ent. Z., Iris 21: 20-272.
4191. Krzywicki, M., 1967, Fauna Papilionoidea i Hesperioidea (Lepidoptera) Puszczy Białowieskiej. Ann. zool. Warszawa 25 (1): 1-213.
4192. Krzywicki, M., 1981, Anmerkungen zur Tagfalterfauna Bulgariens. Nota lepid. 4(1/2): 29-46.
4193. Krüger, M., 1997, Revision of Afrotropical Ennominae of the Drepanogynis Group II. The genus *Hebdomophruda* Warren, Part 1 (Lepidoptera, Geometridae). Ann. Transv. Mus. 36 (21): 257-295, 9 figs.
4194. Krüger, M., 1998, Revision of the genus *Hypotephrina* Janse, 1932 (Lepidoptera, Geometridae, Ennominae). Ann. Transv. Mus. 36 (26): 351-372, 32 figs.
4195. Krüger, M., 1998, Revision of Afrotropical Ennominae of the Drepanogynis Group II. The genus *Hebdomophruda* Warren, Part 2 (Lepidoptera, Geometridae). Ann. Transv. Mus. 36 (25): 333-349, 23 figs.
4196. Krüger, M., 1999, Revision of Afrotropical Ennominae of the Drepanogynis Group III. The genera *Argyrophora* Guenée, *Pseudomaenas* Prout and *Micrologia* Warren (Lepidoptera, Geometridae, Ennominae). Ann. Transv. Mus. 36 (32): 427-496, 109 figs.
4197. Krüger, M., 2001, A revision of the tribe Macariini (Lepidoptera: Geometridae: Ennominae) of Africa, Madagascar and Arabia. Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 1-502, 1040 figs., 14 Tab. & App.
4198. Krüger, M., 2002, Revision of Afrotropical Ennominae of the Drepanogynis Group IV. The genus *Drepanogynis* Guenée (Lepidoptera, Geometridae). Transvaal Museum Monograph 13: 1-224, 441 figs., 54 maps.
4199. Kuchlein, J.H. & R. de Vos, 1999, Geannoteerde naamlijst van de Nederlandse vlinders. 302pp. Backhuys, Leiden.
4200. Kudrna, O. & E.Balletto, 1984, An Annotated Catalogue of the Skippers (Lepidoptera: Hesperidae) named by Roger Verity. J. Res. Lepid. 23(1): 35-49.
4201. Kudrna, O. & Z.Mracek, 1994, A new species of the genus *Melitaea* Fabricius, 1807 from Tibet (Lepidoptera, Nymphalidae). Entomologist's Gaz. 45: 251-253, 5 figs.
4202. Kudrna, O., 1972, On some Moroccan butterflies. Entomologist's Rec. J. Var. 84: 267-268.
4203. Kudrna, O., 1973, On the status of *Pieris cheiranthi* Hübner. Entomologist's Gaz. 24: 299-304.
4204. Kudrna, O., 1974, On the taxonomy of some asiatic forms of the genus *Brenthis* Hbn. (Lep., Nymphalidae). Entomologist's Gaz. 25: 93-96.

- 4205. Kudrna, O.,** 1974, *Artogeia Verity*, 1947, gen. rev. for *Papilio napi* Linnaeus (Lepidoptera, Pieridae). Entomologist's Gaz. 25: 9-12, 7 figs.
- 4206. Kudrna, O.,** 1974, A distribution list of the butterflies of Czechoslovakia. Entomologist's Gaz. 25: 161-177.
- 4207. Kudrna, O.,** 1974, An annotated list of Japanese Butterflies. Atalanta B 5(2/3): 92-120.
- 4208. Kudrna, O.,** 1974, On the taxonomy and distribution of some Spanish *Rhopalocera*. Entomologist's Gaz. 25: 15-28.
- 4209. Kudrna, O.,** 1975, A revision of the genus *Gonepteryx* Leach (Lep., Pieridae). Entomologist's Gaz. 26: 3-37, 50 figs.
- 4210. Kudrna, O.,** 1975, On a hitherto undescribed European species of the genus *Hipparchia* Fabricius (Lep., Satyridae). Entomologist's Gaz. 26: 197-207, 15 figs.
- 4211. Kudrna, O.,** 1977, On the nomenclature of some taxa of the genus *Artogeia Verity* (Lep., Pieridae). Z. Arb. Gem. Öst. Ent. 29(1/2): 63-64.
- 4212. Kudrna, O.,** 1980, The subspecies: a personal view. Nota lepid. 2(4): 53-54.
- 4213. Kudrna, O.,** 1982, On the nomenclature of *Colias alfaciensis* Berger, 1948 (Lepidoptera, Pieridae). J. Res. Lepid. 20: 103-110.
- 4214. Kudrna, O.,** 1983, An Annotated Catalogue of the Butterflies (Lepidoptera, Papilionoidea) named by Roger Verity. J. Res. Lepid. 21: 1-106.
- 4215. Kudrna, O.,** 1985, Concise bibliography of European butterflies. [in] Kudrna, O., Butterflies of Europe 1: 1-448.
- 4216. Kudrna, O.,** 1985, European butterflies (Lepidoptera, Papilionoidea) named by Hans Fruhstorfer. Nachr. ent. Ver. Apollo, Suppl. 5: 1-60.
- 4217. Kudrna, O.,** 1986, Grundlagen zu einem Artenschutzprogramm für die Tagfalterfauna in Bayern und Analyse der Schutzproblematik in der Bundesrepublik Deutschland. Nachr. ent. Ver. Apollo, Suppl. 6: 1-90.
- 4218. Kudrna, O.,** 1986, Aspects of the conservation of butterflies in Europe. [in] Kudrna, O., Butterflies of Europe 8: 1-323.
- 4219. Kudrna, O.,** 1989, An annotated checklist of taxa referable to the genus *Arethusana* Lesse, 1951 (Lepidoptera, Satyridae). Entomologist's Gaz. 40: 23-30.
- 4220. Kudrna, O.,** 1994, Kommentierter Verbreitungsatlas der Tagfalter Tschechiens. Oedipus 8: 1-137.
- 4221. Kuhna, P.,** 1977, Über *Allancastris* in Kleinasien (Lepidoptera, Papilionidae). Atalanta 8(2): 99-107, 11 figs.
- 4222. Kulfan, J. & M. Kulfan,** 1991, Die Tagfalterfauna dwer Slowakai und ihrer Schutz unter besonderer Berücksichtigung der Gebirgskökosysteme. Oedipus 3: 75-102.
- 4223. Kumata, T.,** 1992, Descriptions of thirteen new species of the genus *Chrysocercops* Kumata & Kuroko, 1988 from Malaysia and Nepal (Lepidoptera, Gracillariidae). Insecta Matsumurana (N.S.) 46: 73-131, figs.
- 4224. Kumata, T.,** 1995, Some species of the subfamily Lithocolletinae (Gracillariidae, Lepidoptera) collected in the Philippines. Insecta Matsumurana (N.S.) 52: 105-131, figs.
- 4225. Kumata, T.,** 1995, Discovery of the genus *Artifodina* from Thailand, with descriptions of two new species (Lepidoptera, Gracillariidae). Microlepid. Thailand 3: 67-77, figs.
- 4226. Kun, A.,** 2004, A review of the *Ethmia lineatonotella* species group, with description of two new species (Lepidoptera, Ethmiidae). Acta zool. hung. 50 (4): 337-351, figs.
- 4227. Kupido, F. J.,** 1825, Neuentdecktes Nachtpfauenaue, *Saturnia caecigena*. 1 lpp., 1 pl. Brunn.
- 4228. Kuprijanov, A. V.,** 1994, Towards a natural system of the *Incurvarioidea*. Part 3. *Excuvaria* gen. nov. for *Incurvaria praelatella* ([Denis & Schiffermüller], 1775) (Lepidoptera, Incurvariidae s. str.). Atalanta 25(1/2): 391-398, 10 figs.
- 4229. Kuprijanov, A. V.,** 1994, *Cauchas terskella* - a new species of *Adelidae* s. str. from Middle Asia (Lepidoptera, Incurvarioidea). Atalanta 25(1/2): 399-403, 8 figs.
- 4230. Kurentsov, A. I.,** 1949, Butterflies of the Maritime Province (Primorskiy Kray). Moscow.
- 4231. Kurentsov, A. I.,** 1970, The butterflies of the Far East USSR. Acad. Sci. U.S.S.R. 1970: 1-163, 14 pls. Leningrad.
- 4232. Kuroko, H. & A. Lewvanich,** 1993, Lepidopterous pests of tropical fruit trees in Thailand. 134 pp. 55 pls. Japan Int. Coop. Agency.
- 4233. Kuroko, H.,** 1987, Cosmopterigidae of Thailand. [in] Kuroko, H. & S. Moriuti, Microlepidoptera of Thailand 1: 75-85, figs. University of Osaka.
- 4234. Kuwayama, S.,** 1967, Insect Fauna of the southern Kuril Islands. 225 pp.
- 4235. Kuznetsov, V. I. & N. I. Tristan,** 1985, A review of the leaf blotch miners of the genus *Micrurapteryx* Spuler (Lepidoptera, Gracillariidae) of the Palaearctic fauna. Ent. Obozr. 64 (1): 177-192, figs.
- 4236. Kuznetsov, V. I. & S. V. Baryshnikova,** 2001, Review of the Palaearctic genera of the family Gracillariidae (Lepidoptera) with description of a new subfamily *Ornixoliniae* Kuznetsov & Baryshnikova, subfam. n. Ent. Obozr. 80 (1): 96-120, figs.
- 4237. Kuznetsov, V. I.,** 1960, Materialy po faunie i biologii cheshuyekrylykh (Lepidoptera) Zapadnovo Kopet-Daga [On the fauna and biology of Lepidoptera of the Western Kopet-Dagh]. Trudy zool. Inst., Leningr. 27: 11-93. Moskva & Leningrad.
- 4238. Kuznetsov, V. I.,** 1962, *Bucculatrix ulmicola* Kuzn. sp. n. Akad. Wiss. arm. SSR. 35: 81-83, figs.
- 4239. Kuznetsov, V. I.,** 1962, Neue palaearktische Arten der Gattung *Laspeyresia* Hb. (Lepidoptera, Tortricidae). Ent. Obozr. 41: 627-642, figs.
- 4240. Kuznetsov, V. I.,** 1964, Neue Blattroller-Arten aus Kasachstan. Arb. Zool. Inst. 34: 258-265, figs.
- 4241. Kuznetsov, V. I.,** 1972, New species of the leaf-rollers (Lepidoptera, Tortricidae) from Iran and Caucasus. Trudy zool. Inst. Leningrad 1972: 311-318, 8 figs.
- 4242. Kuznetsov, V. I.,** 1976, New species and subspecies of the Leafrollers (Lepidoptera, Tortricidae) of the fauna of the Palaearctic. Proc. zool. Inst. USSR 64: 3-33, 33 figs.
- 4243. Kuznetsov, V. I.,** 1986, New Palaearctic species of the leaf roller tribes *Eucosmini* and *Laspeyresinae* (Lepidoptera, Tortricidae). Vestn. Zool. 1986(4): 11-52, figs.
- 4244. Kuznetsov, V. I.,** 1997, Little known and new species of Tortricid moths (Lepidoptera, Tortricidae) of the fauna of Vietnam. Ent. Obozr. 76 (1): 186-202, figs.
- 4245. Kyrki, J.,** 1990, Tentative reclassification of holarctic *Yponomeutoidea* (Lepidoptera). Nota lepid. 13(1): 28-42.
- 4246. Kühne, L. & W. Speidel,** 2004, The system of the Catocalinae - a historical survey (Lepidoptera, Noctuidae). Beitr. Ent. 54 (1): 147-184.
- 4247. Kühne, L.,** 1998, Ein Beitrag zur Kenntnis der Makrolepidopterenfauna Usbekistans, insbesondere des Nuratau-Schutzgebiets und des angrenzenden Areals. Nachr. ent. Ver. Apollo (N.F.) 19 (2): 149-160.
- 4248. Kılıç, Y.,** 1987, The Lepidoptera fauna of Gökçeada. Anadolu Univ. Fen Ed. Fak. Derg. 1: 5-13.
- 4249. Köhler, J.,** 1991, *Paranthrene novaki* auch in Deutschland (Lep., Sesiidae). Ent. Z., Frankf. a. M. 101 (15): 273-278.
- 4250. König, F.,** 1938, Die erste Zucht von *Pararge roxelana* Cr. Folia ent. hung. 3: 151-154.
- 4251. König, F.,** 1938, Beiträge zur Kenntnis der Makrolepidopterenfauna des rumänischen Banates. Folia ent. hung. 4(1/2): 49-53.
- 4252. König, F.,** 1959, Der Entwicklungskreis von *Coenonympha leander* Esp. Ent. Z., Frankf. a. M. 69(6): 84-89.
- 4253. König, F.,** 1975, Catalogul colectiei de lepidoptere a Muzeului Banatutului. Ed. Com. Cult. Ed. Soc. 284S. 20 Taf.
- 4254. König, F.,** 1998, Lepidopterologische Forschungen im Banater Karstgebiet. Nachr. ent. Ver. Apollo N.F. 19(1): 89-100, 2 Tab., 1 Karte, Abb.
- 4255. Köppel, C.,** 1990, Die Rasterelektronische Darstellung des Eies von *Colias palaeno europome* (Esper, 1777) (Lepidoptera, Pieridae). Atalanta 21(3/4): 207-211, Abb.
- 4256. Köstler, W.,** 1993, Beobachtungen zur Biologie und Ökologie einer Population von *Archon apollinus* (Herbst, 1798) in Nordost-Griechenland. Galathea 9 (2): 40-48, Abb.

- 4257. Köstler, W.**, 1993, *Papilio alexanor maccabaeus* Staudinger, 1882 [sic!] (Lepidoptera, Papilionidae). *Galathea* 7 (3): 82-89, 1 col. pl.
- 4258. L.Ronkay & P.Gyulai**, 2006, New Noctuidae (Lepidoptera) species from Iran and Tibet. *Esperiana* 12: 209-240, figs.
- 4259. L.Ronkay & P.Gyulai**, 2006, Two new Noctuidae (Lepidoptera) species from Iran. *Esperiana* 12: 241-246, figs.
- 4260. Ladell, W.R.S.**, 1927, Some injurious insects in Siam. *J. Siam Soc. Nat. Hist., Suppl.* 7 (2): 101-105.
- 4261. Lagnel, M.**, 1966, Note sur l'armature génitale male et femelle du sous-genre *Pieris* Schrank (Lep., Pieridae). *Bull. Soc. ent. Fr.* 71: 91-94, 12 figs.
- 4262. Lajonquière, Y.de**, 1968, Un nouveau *Gastropacha* Paléarctique (Lep. Lasiocampidae). *Entomops* 11: 73-76, 4 figs.
- 4263. Lajonquière, Y.de**, 1972, 11. Contribution à l'étude des Lasiocampidae. Espèces et formes asiatiques du Genre *Malacosoma* Hübner (Lep.). *Bull. Soc. ent. Fr.* 77: 297-307, 8 figs., 1 Pl.
- 4264. Lajonquière, Y.de**, 1973, Genres *Dendrolimus* Germar, *Hoenimmema*, n.gen., *Cyclophragma* Turner. 10. Contribution à l'étude des Lasiocampides. *Annls Soc. ent. Fr. (N.S.)* 9(3): 509-592, 69 figs., 3 Pls.
- 4265. Lajonquière, Y.de**, 1973, Deux espèces nouvelles des genres *Syrastrena* Moore et *Somadasys* Gaede, ainsi qu'une sous-espèce nouvelle du Genre *Takanea* Nagano. 13. Contribution à l'étude des Lasiocampides. *Bull. Soc. ent. Fr.* 78: 259-267, 6 figs., 1 Pl.
- 4266. Lajonquière, Y.de**, 1974, 17. Contribution à l'étude des Lasiocampides. Formes asiatiques du Genre *Cosmotricha* Hübner (= *Selenephra* Rambur = *Selenepherides* Daniel = *Wilemaniella* Matsumura) (Lep.). *Bull. Soc. ent. Fr.* 79: 132-146, 11 figs., 1 Pl.
- 4267. Lajonquière, Y.de**, 1975, 14. Contribution à l'étude des Lasiocampides un *Dendrolimus* et un *Eriogaster* nouveaux. *Alexanor* 9: 17-22, 9 figs., 4 Pl.
- 4268. Lajonquière, Y.de**, 1975, Le Genre *Bhima* Moore, 1888 (Lep. Lasiocampidae) 19. Contribution à l'étude des Lasiocampides. *Bull. Soc. ent. Fr.* 80: 141-153, 8 figs., 2 Pls.
- 4269. Lajonquière, Y.de**, 1976, Le genre *Gastropacha* Ochsenheimer en Asie et le genre *Paradoxopla* nov. gen. 16. Contribution à l'étude des Lasiocampides (Lepidoptera). *Annls Soc. ent. Fr. (N.S.)* 12(1): 151-177, 25 figs., 1 Pl.
- 4270. Lajonquière, Y.de**, 1977, Essai sur les genres *Beralade* Walker, *Sena* Walker, *Chilena* Walker, *Ergolea* Dumont. 20. Contribution à l'étude des Lasiocampidae (Lepidoptera). *Annls Soc. ent. Fr. (N.S.)* 13(2): 243-295, 60 figs., 5 Pls.
- 4271. Lajonquière, Y.de**, 1977, Les Genres *Arguda* Moore et *Radhica* Moore. 24. Contribution à l'étude des Lasiocampides (Lep.). *Bull. Soc. ent. Fr.* 82: 174-191, 15 figs., 2 Pls.
- 4272. Lajonquière, Y.de**, 1977, Le Genre *Gastropacha* en Asie (Note complémentaire et rectificative) 21. Contribution à l'étude des Lasiocampides (Lep.). *Bull. Soc. ent. Fr.* 82: 138-145, 7 figs., 1 Pl., map.
- 4273. Lajonquière, Y.de**, 1978, Le genre *Philudoria* Kirby, 1892. 25. Contribution à l'étude des Lasiocampidae (Lepidoptera). *Annls Soc. ent. Fr. (N.S.)* 14(3): 381-413, 36 figs., 3 Pls.
- 4274. Lajonquière, Y.de**, 1978, Un nouveau *Takanea*. 27. Contribution à l'étude des Lasiocampides (Lep. Lasiocampidae). *Atalanta* 9(3): 234-236, 2 figs.
- 4275. Lajonquière, Y.de**, 1978, Deux *Cyclophragma*... marginaux! 28. Contribution à l'étude des Lasiocampides (Lep. Heter.). *Entomops* 47: 259-264, 3 figs.
- 4276. Lajonquière, Y.de**, 1979, Les Genres asiatiques *Cosmoptera* novum et *Eteionopla* novum. (Lep. Lasiocampidae) 26. Contribution à l'étude des Lasiocampides. *Bull. Soc. ent. Fr.* 84: 10-19, 8 figs., 2 Pls.
- 4277. Lamas, G. & E.Pérez**, 1983, Las mariposas del Parque Nacional Huascarán (Ancash, Peru) y su medio ambiente: Sector Llanganuco. *Bol. de Lima* 5: 27-37.
- 4278. Lamas, G.**, 2005, A bibliography of the zoological publications of Hans Fruhstorfer (1866-1922). *Entomofauna* 26 (6): 57-100.
- 4279. Lambert, B. & C.M.Naumann**, 1992, *Zygaena* (*Zygaena*) *nevadensis* Rambur, 1844 - new for Turkey (*Zygaenidae*, Lepidoptera). In Dutreix, C. et al. (eds): Recent advances in burnet moth research (Lep., *Zygaenidae*). Proc. of the 4th Symposium on *Zygaenidae*, Nantes 11-13 Sept. 1987. pp. 184-186.
- 4280. Lampe, R.E.J. & W.A.Nässig**, 1994, Zuchtbericht der thailändischen *Saturnia* (*Saturnia*) *pinratanai* (Lepidoptera, Saturniidae). *Nachr. ent. Ver. Apollo (N.F.)* 15 (3): 305-314, figs.
- 4281. Lampe, R.E.J.**, 1984, Die Saturniiden der Cameron- und Genting-Highlands in Wets-Malaysia (Lepidoptera, Saturniidae). *Neue ent. Nachr.* 11: 2-15, figs.
- 4282. Lampe, R.E.J.**, 1989, *Saturnia* (*Eriogyna*) *pinratanai* n.sp., eine neue Saturniide aus dem thailändischen Hochland (Lepidoptera). *Ent. Z., Frankf. a. M.* 99: 179-180, 1 Abb.
- 4283. Lampe, R.E.J., Nässig, W.A. & C.G.Treadaway**, 1997, Anmerkungen zu *Antheraea halconensis* Paukstadt & Brosch, 1996 von den Philippinen (Lepidoptera, Saturniidae). *Ent. Z., Essen* 107(3): 89-109.
- 4284. Lampert, K.**, 1907, Die Gross-Schmetterlinge und Raupen Mitteleuropas. 8+346S. 95 Taf. Schreiber-Verlag, Esslingen & München.
- 4285. Lang, A.M. & F.Moore**, 1864, Notes in the diurnal Lepidoptera of North-Western India. *Entomologist's mon. Mag.* 1: 101-104, 131-133, 181-183.
- 4286. Lang, A.M.**, 1868, Description of *Aulocera werang*, a new species of butterfly belonging to the family *Satyridae*. *Entomologist's mon. Mag.* 4: 246-247.
- 4287. Laporte, B. & P.-C.Rougeot**, 1981, Description d'une nouvelle espèce de *Batuana* (Lep., Noctuidae, *Trifinae*) d'Ethiopie. *Bull. mens. Soc. linn. Lyon* 50(4): 126-127, 2 figs.
- 4288. Laporte, B.**, 1974, Diagnoses de nouveaux genres et de plusieurs espèces inédites de Noctuidae *Trifinae* (Lépidoptères) d'Ethiopie. *Bull. mens. Soc. linn. Lyon* 43(6): 216-224 (7): 246-251, 45 figs.
- 4289. Laporte, B.**, 1974, Noctuidae du Territoire français des Afars et des Issas (Lepidoptera). *Bull. Soc. ent. Fr.* 79: 91-94.
- 4290. Laporte, B.**, 1975, Diagnoses de 17 nouvelles espèces de Noctuidae d'Ethiopie et du Kenya (Lépidoptères). *Bull. mens. Soc. linn. Lyon* 44(8): 277-287, 32 figs.
- 4291. Laporte, B.**, 1976, Diagnoses de nouveaux genres et de plusieurs espèces inédites de Noctuidae *Trifinae* (Lépidoptères) d'Ethiopie (3e note). *Bull. mens. Soc. linn. Lyon* 45(3): 131-136, 9 figs.
- 4292. Laporte, B.**, 1977, Noctuidae (sauf les *Plusiinae*) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 105: 51-67, Pls.
- 4293. Laporte, B.**, 1984, Noctuidae (Sauf les *Plusiinae*) [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc. II. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 128: 14-41, 38 figs., Pls.
- 4294. Larsen, K.**, 1987, *Droseraceae*, [in] Smitinard, T. & K.Larsen, *Flora of Thailand* 5 (1): 67-69. Bangkok.
- 4295. Larsen, K.**, 1987, *Epacridaceae*, [in] Smitinard, T. & K.Larsen, *Flora of Thailand* 5 (1): 70-71, 1 fig. Bangkok.
- 4296. Larsen, T.B. & A.R.Pittaway**, 1982, Notes on the ecology, biology and taxonomy of *Apharitis acamas* (Klug) (Lepidoptera, *Lycaenidae*). *Entomologist's Gaz.* 33: 163-168, 2 figs.
- 4297. Larsen, T.B. & A.R.Pittaway**, 1982, Notes on the ecology, biology, taxonomy of *Apharitis acamas* (Klug) (Lep., *Lycaenidae*). *Entomologist's Gaz.* 33: 163-168.
- 4298. Larsen, T.B. & I. Nakamura**, 1983, The butterflies of East Jordan. *Entomologist's Gaz.* 34 (3): 135-208, 3 figs. 2 Pl.
- 4299. Larsen, T.B.**, 1973, Two species of *Allancastris* (Lepidoptera, *Papilionidae*) in Lebanon. *Entomologist* 106: 145-152, figs.
- 4300. Larsen, T.B.**, 1974, Butterflies of Lebanon. 255pp. Pls. National Council for Scientific Research, Beirut.
- 4301. Larsen, T.B.**, 1974, Une espèce et deux sous-espèces nouvelles de *Lycaenidae* du Liban. *Alexanor* 8: 301-307, 3 figs.
- 4302. Larsen, T.B.**, 1975, Provisional notes on migrant butterflies in Lebanon. *Atalanta* 6(2): 62-74.
- 4303. Larsen, T.B.**, 1975, Chromosome numbers and testicular morphology of some Lebanese *Rhopalocera* (Insecta, Lepidoptera). *Ent. scand.* 6: 218-225.
- 4304. Larsen, T.B.**, 1975, Collecting in Jordan, March 1975. *Proc. Br. ent. Nat. Hist. Soc.* 1975: 83-86.

- 4305. Larsen, T.B.,** 1976, The importance of migration to the butterfly faunas of Lebanon, East Jordan and Egypt (Lepidoptera, Rhopalocera). *Notul. ent.* 56: 73-83.
- 4306. Larsen, T.B.,** 1976, The importance of migration to the butterfly faunas of Lebanon, East Jordan and Egypt (Lepidoptera, Rhopalocera). *Notul. ent.* 56: 73-83.
- 4307. Larsen, T.B.,** 1977, The butterflies of eastern Oman and their zoogeographic composition. *J. Oman Studies* 1977: 179-208.
- 4308. Larsen, T.B.,** 1977, Recent expansion in the range of *Aporia crataegi* (Linnaeus) in east Jordan (Pieridae). *Nota lepid.* 1(1): 19-21, fig.
- 4309. Larsen, T.B.,** 1978, Butterfly Collecting in Afghanistan. *Entomologist's Rec. J. Var.* 90:191-199, 3figs.
- 4310. Larsen, T.B.,** 1979, Insects of Saudi Arabia. Lepidoptera: Fam. Papilionidae, Pieridae, Danaidae, Nymphalidae, Lycaenidae. *Fauna Saudi Arabia* 1: 342-344, figs.
- 4311. Larsen, T.B.,** 1980, The two subspecies of *Polyommatus icarus* (Rottemburg) in Lebanon; a probable case of multiple invasion (Lep., Lycaenidae). *Nota lepid.* 2(4): 147-153.
- 4312. Larsen, T.B.,** 1980, *Chilades lempkei* Blom, 1979, a synonym of *Chilades parthasius* (Fabricius, 1793) (Lepidoptera, Lycaenidae). *Ent. Ber., Amst.* 40(3): 47.
- 4313. Larsen, T.B.,** 1980, The Zygaeidae of Lebanon with notes on their parasites (Lepidoptera). *Mitt. münch. ent. Ges.* 70: 95-117, figs.
- 4314. Larsen, T.B.,** 1980, The butterflies of Dhofar and their zoogeographic composition. *J. Oman Stud., Sp. Rept.* 2: 153-186.
- 4315. Larsen, T.B.,** 1980, Butterflies of Oman. 80 pp. John Bartholomew and Son Ltd.
- 4316. Larsen, T.B.,** 1982, The butterflies of the Yemen Arab Republic. *Biol. Skr. Dan. Vid. Selsk.* 23 (3): 1-61, 5 Pls., textfigs.
- 4317. Larsen, T.B.,** 1982, *Gegenes pumilio* Hoffmannsegg, 1804; a review with cytological evidence that two species are involved (Hesperiidae). *Nota lepid.* 5 (2/3): 103-110, 1 fig.
- 4318. Larsen, T.B.,** 1983, Insects of Saudi Arabia. Lepidoptera: Rhopalocera. *Fauna Saudi Arabia* 5: 333-478, figs.
- 4319. Larsen, T.B.,** 1984, A tropical migrant butterfly new to eastern Mediterranean *Junonia orithya* here Lang (Lepidoptera, Nymphalidae). *Atalanta* 15(1/2): 101-102.
- 4320. Larsen, T.B.,** 1984, The zoogeographical composition and distribution of the Arabian butterflies (Lep., Rhopalocera). *J. Biogeogr.* 11 (2): 119-158.
- 4321. Larsen, T.B.,** 1986, Tropical Butterflies of the Mediterranean. *Nota lepid.* 9(1/2): 63-77.
- 4322. Larsen, T.B.,** 1990, The Butterflies of Egypt. 112 pp. 8 Pls. Svendborg.
- 4323. Larsen, T.B.,** 1995, *Aricia crassipuncta bassoni* Larsen, 1974 from Lebanon raised to species rank (Lepidoptera, Lycaenidae). *Nota lepid.* 17(3/4): 121-123, 1 fig.
- 4324. Larsen, T.B.,** 1996, The Butterflies of Kenya and their natural history. 500 pp. 64 pls. Oxford University Press.
- 4325. Larsen, T.B.,** 1997, A revision of the *Hypolycaena* lebona group of African Lycaenidae (Lepidoptera), with description of two new species and a new subspecies. *Metamorphosis* 8(4): 172-182.
- 4326. Larsen, T.B.,** 2002, The butterflies of Delhi, India, an annotated check-list (Insecta, Rhopalocera). *Esperiana* 9: 459-479.
- 4327. Lastuvka, M.,** 1997, Nekaj novih vrst v favni metuljev (Lepidoptera) Slovenije. [Some Lepidoptera species new to the fauna of Slovenia]. *Acta ent. Slovenica* 5(1): 51-58.
- 4328. Lastuchin, A.,** 1994, Eine kommentierte Artenliste der Tagfalter der Tschuvaschia (Lepidoptera, Rhopalocera). *Atalanta* 25(1/2): 229-239.
- 4329. Lastuvka, Z. & A. Lastuvka,** 1998, Beitrag zur Kenntnis der Neptulidenfauna Griechenlands (Lepidoptera, Neptulidae). *Stapfia* 55: 313-326, figs.
- 4330. Lastuvka, Z.,** 1998, Checklist of Lepidoptera of the Czech and Slovak Republics. 117pp.
- 4331. Lastuvka, Z., Malicky, H., Hüttinger, E., Rausch, H. & F. Ressler,** 1990, Sesien-Funde aus Europa und dem Mittelmeergebiet (Lepidoptera, Sesiidae). *Z. ArbGem. öst. Ent.* 41(3/4): 105-110.
- 4332. Lastuvka, Z., et al.,** 2000, Zur Kenntnis der Glasflügler Spaniens (Lepidoptera, Sesiidae). *Shilap Revta lepid.* 28 (110): 227-237, figs.
- 4333. Laszlo, G.M. & B. Herczig,** 1995, A general survey of the Geometridae (Lepidoptera) fauna of the Checheno-Ingush Republic (Russia, NE Caucasus). *Folia ent. hung.* 56: 75-84.
- 4334. Laszlo, G.M. Ronkay, G. & T.J. Witt,** 2004, New species in the genus *Sarbenia* Walker, 1862. Investigations on Asian Nolidae I (Lepidoptera, Nolidae). *Entomofauna* 25 (18): 281-296, figs.
- 4335. Laszlo, G.M.,** 2003, New species of the genus *Erannis* Hübner, [1825] 1816 from the North-Wets Himalaya and Iran (Lepidoptera, Geometridae). *Acta zool. hung.* 49: 153-158, figs.
- 4336. Lathy, P.I.,** 1913, New butterflies from Nias. *Entomologist* 46: 98-101.
- 4337. Latreille, P.A.,** 1809, Genera Crustaceorum et Insectorum vol. 4, 1-399, pls. 13-16. Amand Koenig, Paris.
- 4338. Latreille, P.A.,** 1810, Considérations générales sur l'ordre naturel des animaux composant les classes des Crustacés, des Arachnides et des Insectes avec un tableau methodique de leurs genres disposés en familles. 444 pp. Paris.
- 4339. Lattin, G.de,** 1941, Eine neue *Parnassius apollo* L. Rasse aus Anatolien. *Z. Wien. entVer.* 26: 145-148.
- 4340. Lattin, G.de,** 1944, Einige bemerkenswerte Lepidopterenfunde aus der Türkei. *Z. wien. ent. Ges.* 29: 74-78.
- 4341. Lattin, G.de,** 1949, Über die Artfrage in der *Hipparchia semele* L.-Gruppe. *Ent. Z., Frankf. a. M.* 59: 113-118, 124-126, 131-132.
- 4342. Lattin, G.de,** 1950, Türkische Lepidopteren -I. *Ist. Univ. Fen Fak. Mec. (Ser B)* 15 (4): 301-328, Taf. I, II.
- 4343. Lattin, G.de,** 1951, Türkische Lepidopteren -II. *Ist. Univ. Fen Fak. Mec. (Ser B)* 16 (1): 45-73, Taf. III.
- 4344. Lattin, G.de,** 1952, Zur Evolution der westpaläarktischen Lepidopterenfauna. *Decheniana* 105/106: 115-164.
- 4345. Lattin, G.de,** 1967, Grundriss der Zoogeographie. [In] Borriass, H. & Gersch, M., Hochschulelehrbücher für Biologie, Band 12. 602 S. 170 Abb. 25 Tab. VEB Gustav Fischer Verlag, Jena.
- 4346. Lattin, G.de, Becker, M. & R.-U. Roesler,** 1974, Zwei neue Subspecies aus dem Cerura vinula-Kreis (Lepidoptera, Notodontidae). *Ent. Z., Frankf. a. M.* 84(9): 85-93, 12 Abb.
- 4347. Lattin, G.de, Jöst, H. & R. Heuser,** 1957, Die Lepidopteren-Fauna der Pfalz I. Teil. A. Systematisch-chorologischer Teil. *Mitt. Pollichia pfälz. Ver. Naturk. NatSchutz, III. Reihe,* 4: 51-167.
- 4348. Lawrence, J.M., Brown, M., Lawrence, P.D. & C.J. Ballantyne,** 1998, Butterflies of the Pietermaritzburg National Botanic Gardens South Africa: A conservation perspective. *Metamorphosis* 9 (4): 149-155.
- 4349. Lay, J. & K. Rose,** 1979, Eine neue subspecies von *Coenonympha vaucheri* Blachier aus Südmarokko (Lepidoptera, Satyridae). *Ent. Z., Frankf. a. M.* 89: 142-144.
- 4350. Le Cerf, F.,** 1941, Description d'un genre nouveau et d'une nouvelle espee de Cymatophoridae (Le.) du Tonkin. *Bull. Soc. ent. Fr.* 46: 93-96.
- 4351. Leach, W.E.,** 1817, The zoological Miscellany. 3.vol. 151 pp., 5 Pls. London.
- 4352. Leach, W.E.,** [1815], Entomology [In] Brewster, D., Edinburgh Encyclopaedia 9.vol., pt. I. 57-172 pp., Edinburgh.
- 4353. Lederer, G.,** 1960, Zur Biologie von *Lemonia balcanica* Herrich-Schäffer, 1844 (=bremeri Kolenati, 1846) (Lep., Lemoniidae). *Ent. Z., Frankf. a. M.* 70: 194-199.
- 4354. Lederer, J.,** 1852, Versuch die europäischen Lepidopteren in möglichst natürliche Reihenfolge zu stellen. *Verh. zool. bot. Ver.* 2: 14-34, 65-126.
- 4355. Lederer, J.,** 1853, Die Spanner. Versuch die europäischen Lepidopteren in möglichst natürliche Reihenfolge zu stellen. *Verh. zool.-bot. Ver. Wien* 3: 165-269, pls.
- 4356. Lederer, J.,** 1853, Lepidopterologisches aus Sibirien. *Verh. zool.-bot. Ver. Wien* 3: 351-386, Tab. 7.

- 4357. Lederer, J.,** 1855, Beitrag zur Schmetterlings-Fauna von Cypern, Beirut und einem Theile Klein-Asiens. Verh. zool.-bot. Ver. Wien 5: 177-254, 5 Taf.
- 4358. Lederer, J.,** 1855, Weiterer Beitrag zur Schmetterlings-Fauna des Altai-Gebirges in Sibirien. Verh. zool.- bot. Ver. Wien 5: 97-121, Tab.2.
- 4359. Lederer, J.,** 1857, Nachtrag zur Schmetterlingsfauna von Beirut. Wien. ent. Monatschr. 1: 90-95, 97-102.
- 4360. Lederer, J.,** 1857, Die Noctuiden Europas, mit Zuziehung einiger bisher meist dazu gezählten Arten des asiatischen Russlands, Kleinasien, Syriens und Labradors. 16+252pp., 4 Pls. Wien.
- 4361. Lederer, J.,** 1857, Die körperlichen Auszeichnungen der europäischen Hesperiden. Wien. ent. Monatschr. 1: 75-80.
- 4362. Lederer, J.,** 1857, Über die Lycaeniden-Gattungen der europäischen Fauna. Wien. ent. Monatschr. 1: 25-32.
- 4363. Lederer, J.,** 1858, Noch einige syrische Schmetterlinge. Wien. ent. Monatschr. 2(5): 135-152, 3 Taf.
- 4364. Lederer, J.,** 1859, Classification der europäischen Tortriciden. Wien. ent. Monatschr. 3: 118-126, 141-155, 241-255, 273-288, 328-346, 366-389, 2 Pls.
- 4365. Lederer, J.,** 1861, Ueber Alb. Kindermanns letzte lepidopterologische Ausbeute. Wien. ent. Monatschr. 5: 144-155, 2 Taf.
- 4366. Lederer, J.,** 1863, Beitrag zur Kenntnis der Pyraliden. Wien. ent. Monatschr. 7(8): 243-280, 7(10): 331-378, 7(11): 380-426, 7(12): 427-502, Taf. 2-18.
- 4367. Lederer, J.,** 1865, Excursion Lépidoptérologique en Anatolie. Annls. Soc. ent. Belg. 9: 49-81, Pl.3.
- 4368. Lederer, J.,** 1870, Contributions a la Faune des Lépidoptères de la Transcaucasie. Annls. Soc. ent. Belg. 13: 17-54, 2 Taf.
- 4369. Lederer, J.,** 1871, Nachtrag zum Verzeichnisse der von Herrn Jos. Haberhauer bei Astrabad in Persien gesammelten Schmetterlinge. Horae Soc. ent. ross. 8: 3-28, 2 Taf.
- 4370. Lee, C.L.,** 1958, Butterflies. Dept. Ent. Academia Sinica, Publ. no.4, 198 pp. 4 pls., 198 figs. Pekin.
- 4371. Leech, J.H.,** 1887, On the Lepidoptera of Japan and Corea. Proc. zool. Soc. Lond. 1887: 398-431.
- 4372. Leech, J.H.,** 1889, Description of a new Luehdorfia from Japan. Entomologist 22: 25-26.
- 4373. Leech, J.H.,** 1892-1894, Butterflies from China, Japan and Korea 2 Vols, 680 pp., 43 Pls. London.
- 4374. Leech, J.H.,** 1897, On Lepidoptera Heterocera from China, Japan, and Corea, [Part I]. Ann. Mag. nat. Hist. (6) 19: 180-235, 297-349, 414-463, Pls.vi,vii.
- 4375. Leech, J.H.,** 1897, On Lepidoptera Heterocera from China, Japan, and Corea, Part II. Family Geometridae; Subfamilies Oenochrominae, Orthostixinae, Larentiinae, Acidaliinae, and Geometrinae. Ann. Mag. nat. Hist. (6) 19: 543-573, 640-679; 6(20): 65-110, 228-248, Pls.
- 4376. Leestmans, R. & R.Mazel,** 1996, Sur la répartition géographique et l'écologie de *Leptidea morsei* (Fenton, 1882) espece nouvelle pour la faune de Turquie (Lepidoptera, Pieridae). Linneana Belgica 15(7): 293-300, figs.
- 4377. Leestmans, R. & W.Back,** 2001, Discovery of a new *Euchloe* species and additional data on the distribution of the taxa of the subgenus *Elphinstonia* in Iran. Linneana Belg. 18 (3): 137-144, figs.
- 4378. Leestmans, R.,** 1975, Etude biographique et ecologique des Lépidoptères des isles Canaries (Lepidoptera, Insecta). Vieraea 4(1/2): 9-116.
- 4379. Legrain, A. & E.P.Wiltshire,** 1998, Provisional checklist of the Macro-heterocera (Lepidoptera) of UAE. Tribulus 8 (2): 5-8, Abu Dhabi.
- 4380. Lehmann, I. & E.Kioko,** 2000, Preliminary survey on butterflies and moths and their habitats in two Kaya Forests of the Kenya Coast. Metamorphosis Occ. Suppl. 4: 1-51, figs.
- 4381. Lehmann, I.,** 1997, *Metarbela haberlandorum* sp.nov., a new moth from Kenya (Lepidoptera, Metarbelidae). Nachr. ent. Ver. Apollo (N.F.) 18(1): 45-53, 3 figs.
- 4382. Lehmann, L.,** 1990, Beitrag zur Makrolepidopterenfauna Südwestbulgariens mit Bemerkungen zur subspezifischen Gliederung (Lepidoptera). Atalanta 21(1/2): 121-138.
- 4383. Lehmann, L.,** 1998, Eine neue Subspezies von *Archanara dissoluta* (Treitschke, 1825) aus der Türkei (Lepidoptera, Noctuidae). Esperiana 6: 374-375, fig.
- 4384. Lehmann, L.,** 2000, Beitrag zur Kenntnis der Macrolepidopterenfauna des Kirgisischen Gebirges. Nachr. ent. Ver. Apollo (N.F.) 21 (2): 91-98.
- 4385. Lehmann, L., Hacker, H., Kallies, A., Kljutschko, Z. & M.Petersen,** 1998, Noctuoidea (Lepidoptera) aus Zentralasien. Esperiana 6: 472-532, Taf.
- 4386. Leigh, G.,** 1978, Notes on Sicilian species of the genus *Hipparchia* Fabricius (Satyridae). Nota lepid. 1(3): 119-124, 2 figs.
- 4387. Leigh, G., Jutzeler, D. & V.Cameron-Curry,** 2000, Linneana Belg. 17 (6): 239-246, figs.
- 4388. Lekagul, B., Askins, K., Nabhitabhata, J. & Samruadkit, A.,** 1977, Field Guide to the Butterflies of Thailand.
- 4389. Leksawasdi, P. (ed.),** 1996, The study and survey of biodiversity at Chiang Dao Wildlife Sanctuary. Final Report The Environmental Policy and Plan Office, Bangkok [unpublished].
- 4390. Leksawasdi, P., Kemal, M. & A.Ö.Koçak,** 2006, List of the species in the Insect Collection of the Chiang Mai University (Thailand) I. Lepidoptera, Sphingidae. Cent. ent. Stud., Misc. Pap. 95: 1-7.
- 4391. Leksawasdi, P.,** 1994, Life history and natural enemy of a Bamboo Borer (*Omphisa* sp. [fuscidentalis Hampsn.], Pyralidae, Lepidoptera). The Second National Plant Protection Conference 1: 96-102, figs.
- 4392. Lelièvre, T.,** 1981, *Lycaenidae* capturés à Chateaufort-de-Chabre (Hautes-Alpes). Alexanor 12(4): 152-154, 1 fig.
- 4393. Lemaire, C.,** 1962, Description d'un *Attacidae* d'Abyssinie: *Imbrasia ellisoni* n.sp. (Lep.). Bull. IFAN 24 A2.
- 4394. Lemann, F.C.,** 1895, Reminiscences of the Tyrol II. A July holiday. Entomologist's Rec. J. Var. 7: 221-224.
- 4395. Lemann, F.C.,** 1898, The butterflies of Carinthia. Entomologist's Rec. J. Var. 10: 12-15.
- 4396. Lemee, A.,** 1950, Contribution a l'etude Lepidopteres du Haut Tonkin (Nord Vietnam) et de Saigon. 82pp. 1 pl. Lechevalier, Paris.
- 4397. Lempke, B.J.,** 1969, *Iphiclidus podalirius* L. in den Niederlanden. Atalanta 2(7): 225-226, map.
- 4398. Lempke, B.J.,** 1976, Naamlijst van de Nederlandse Lepidoptera. Konin. Ned. Nat. Ver. 21: 1-100.
- 4399. Lenz, F.,** 1927, Zur Lebensweise der Schmetterlinge. Mitt. münch. ent. Ges. 17: 19-31.
- 4400. Lenz, J. & A.Hausmann,** 1992, *Idaea blaesii* sp.n., eine neue Sterrhine aus Portugal (Lepidoptera, Geometridae). Mitt. münch. ent. Ges. 82: 47-53, 10 Abb.
- 4401. Leraut, P. & G.C.Luquet,** 1982, Statut de quelques genres et especes d'*Odontiinae* paléarctiques et description de quatre nouveaux taxa (Lep., Crambidae). Linneana belg. 8 (12): 527-555, 28 figs.
- 4402. Leraut, P.,** 1982, Contribution a l'etude des *Scopariinae* 3. *Scoparia perplexella dufayi* ssp.n. (Lep., Crambidae). Alexanor 12 (7): 335-336, 2 figs.
- 4403. Leraut, P.,** 1984, Contribution a l'etude des *Scopariinae* 4. Revision des types decrits de la region palearctique occidentale, description de dix nouveaux taxa et ebauche d'une liste des especes de cette region (Lep., Crambidae). Alexanor 13 (4): 157-192, 37 figs.
- 4404. Leraut, P.,** 1988, Contribution a l'étude des *Scopariinae* 7. Cinq espèces et deux genres nouveaux de Guyane française et de Guadeloupe (Lepidoptera, Crambidae). Alexanor 15 (3) (1987): 176-182, 12 figs.
- 4405. Leraut, P.,** 1990, Contribution a l'etude des *Satyrinae* de France (Lep., Nymphalidae). Ent. gall. 2(1): 8-19, 50 figs.
- 4406. Leraut, P.,** 1990, Quelle sous-espece d'*Erynnis tages* (L.) en Cerdagne française? (Lep., Hesperidae). Ent. gall. 2(1): 19.
- 4407. Leraut, P.,** 1996, *Zophodia robineau* sp.n., espece nouvelle pour la science en France (Lepidoptera, Pyralidae). Alexanor 19 (6): 350-352.

- 4408. Leraut, P.J.A.,** 1980, Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse. 334pp. Paris.
- 4409. Leraut, P.J.A.,** 1997, Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse (deuxième édition). 526pp. Paris.
- 4410. Lesar, T.,** 1998, *Coenonympha tullia* O. F. Müller, 1764, na slovenskem Koroškem (Lepidoptera: Satyridae). Acta ent. Slovenica 6(1): 16.
- 4411. Lesar, T.,** 1998, *Lomographa dilectaria* Hübner, 1799, v severovzhodni Sloveniji (Lepidoptera: Geometridae). Acta ent. Slovenica 6(1): 46.
- 4412. Leslie, G.A. & W.H. Evans,** 1903, The butterflies of Chitral. J. Bombay nat. Hist. Soc. 14: 666-678.
- 4413. Lesse, H.de & M. Condamin,** 1962, Formules chromosomiques de quelques Lépidoptères Rhopaloceres du Senegal. Bull. Inst. fr. Afr. noire Ser. A Sci. nat. 24 (2): 464-473.
- 4414. Lesse, H.de,** 1949, Contribution à l'étude du genre *Erebia*. Description des armures génitales femelles. Revue fr. Ent. 16 (4): 165-198.
- 4415. Lesse, H.de,** 1951, Divisions génériques et subgénériques des anciens genres *Satyrus* et *Eumenis* (sensu lato). Revue fr. Lépid. 13 (3/4): 39-43.
- 4416. Lesse, H.de,** 1952, Révision des *Neohipparchia* (Lepidoptera, Satyridae) d'Afrique du Nord. Bull. Soc. sci. Nat. Maroc 32: 91-105.
- 4417. Lesse, H.de,** 1952, Révision de l'ancien genre *Satyrus* (s.l.). Annls Soc. ent. Fr. 120 (1951): 77-101, 28 figs.
- 4418. Lesse, H.de,** 1952, Note sur le genre *Kanetisa* (Satyridae). Revue fr. Lépidopt. 13 (15/17): 257-259, Taf. 13.
- 4419. Lesse, H.de,** 1952, Révision des anciens genres *Pararge* (s.l.) et *Maniola* (=Epinephele auct.). Annls Soc. ent. Fr. 121 (1952): 61-76, 24 figs.
- 4420. Lesse, H.de,** 1952, Quelques formules chromosomiques chez les *Lycaenidae* (Lépid. Rhopal.). C. r. hebd. Seanc. Acad. Sci. Paris 235 (25): 1692-1694.
- 4421. Lesse, H.de,** 1953, Formules chromosomiques nouvelles chez les *Lycaenidae* (Lépid. Rhopal.). C. r. hebd. Seanc. Acad. Sci. Paris 237 (25): 1781-1783.
- 4422. Lesse, H.de,** 1954, Discussion de certains caractères morphologiques d'*Arethusana arethusana* Schiff. et des formes *boabdil* Rambur et *dentata* Stgr. Revue fr. Lépidopt. 16: 140-142.
- 4423. Lesse, H.de,** 1955, Distribution holarctique d'un groupe d'espèces du genre *Erebia* (Lépidopteres) récemment séparées d'après leurs formules chromosomiques. C. r. Soc. Biogéogr. 276: 12-18.
- 4424. Lesse, H.de,** 1956, Etude cytologique des *Lysandra* fixés par M.H. Beuret. Mitt. ent. Ges. Basel (N.F.) 6: 77-80.
- 4425. Lesse, H.de,** 1956, Fixation de lectotypes et description d'une nouvelle sous espèce dans le groupe d'*Erebia tyndarus* Esp. (Lepid. Nymphalidae, Satyrinae). Revue fr. Lépidopt. 15 (6): 147-150.
- 4426. Lesse, H.de,** 1957, Description deux nouvelles espèces d'*Agrodiaetus* (Lep., *Lycaenidae*) séparées à la suite découverte de leurs formules chromosomiques. Lambillionea 57 (6): 65-71.
- 4427. Lesse, H.de,** 1959, Description d'une nouvelle sous-espèce d'*Agrodiaetus dama* Stgr. (Lep., *Lycaenidae*) et de sa formule chromosomique. Bull. Soc. ent. Mulhouse 1959: 13-15.
- 4428. Lesse, H.de,** 1959, Note sur deux espèces d'*Agrodiaetus* (Lep., *Lycaenidae*) récemment séparées d'après leurs formules chromosomiques. Bull. Soc. ent. Mulhouse 1959 (1/2): 5-10, 9 figs.
- 4429. Lesse, H.de,** 1959, Description d'une nouvelle sous-espèce d'*Agrodiaetus hopfferi* H.S. (Lep., *Lycaenidae*) et de sa formule chromosomique particulière. Bull. mens. Soc. linn. Lyon 28 (5): 149-151.
- 4430. Lesse, H.de,** 1959, Lépidoptères Rhopalocères récoltés en Iran. Alexanor 1 (1): 39-46, Taf. 2-3.
- 4431. Lesse, H.de,** 1959, Séparation spécifique d'un *Lysandra* d'Afrique du Nord à la suite de la découverte de sa formule chromosomique (*Lycaenidae*). Alexanor 1 (1): 61-64, 1 fig.
- 4432. Lesse, H.de,** 1959, Nouvelle étude chorologique et cytologique conduisant à changer l'application du nom d'*Agrodiaetus iphigenia* H.S. (Lep., *Lycaenidae*). Lambillionea 59 (7/8): 56-61.
- 4433. Lesse, H.de,** 1959, Sur la valeur spécifique de deux sous-espèces d'*Agrodiaetus* (Lep., *Lycaenidae*) récemment décrites. Bull. mens. Soc. linn. Lyon 28 (10): 312-315, 5 figs., 1 tab.
- 4434. Lesse, H.de,** 1959, Caractères externes et formule chromosomique d'*Agrodiaetus baytopi* n.sp. (Lep., *Lycaenidae*). Bull. Soc. ent. Mulhouse 1959: 44-48, 6 figs.
- 4435. Lesse, H.de,** 1960, *Agrodiaetus iphigenia* H.S. et son espèce jumelle *Agrodiaetus tankeri* n.sp. (Lep., *Lycaenidae*). Bull. Soc. ent. Mulhouse 1960: 75-78.
- 4436. Lesse, H.de,** 1960, Spéciation et variation chromosomique chez le Lépidoptères Rhopalocères. Annls. Sci. nat. (2.ser) Zool. 2: 1-223, 222 figs.
- 4437. Lesse, H.de,** 1960, Les nombres de chromosomes dans la classification du groupe d'*Agrodiaetus ripartii* Freyer (Lepidoptera, *Lycaenidae*). Revue fr. Ent. 27 (3): 240-264, 10 figs. 6 tab. Taf. 1-2.
- 4438. Lesse, H.de,** 1961, Les hybrides naturels entre *Lysandra coridon* Poda et *L. bellargus* Rott. (*Lycaenidae*). Alexanor 2 (1): 22-30, fig. 1.
- 4439. Lesse, H.de,** 1961, Les nombres de chromosomes chez *Agrodiaetus dolus* Hübner et les espèces voisines (*Lycaenidae*). Alexanor 2 (2): 57-63; 2 (3): 72; Tab. 3, figs. 1-6.
- 4440. Lesse, H.de,** 1961, Signification supraspécifique des formules chromosomiques chez les Lépidoptères. Bull. Soc. ent. Fr. 66 (1961): 71-83.
- 4441. Lesse, H.de,** 1961, Variations géographiques des caractères externes chez les espèces autrefois réunies sous le nom d'*Agrodiaetus ripartii* Freyer (Lep., *Lycaenidae*). Revue fr. Ent. 28 (2): 93-100.
- 4442. Lesse, H.de,** 1961, Cohabitation en Espagne d'*Agrodiaetus ripartii* Freyer et *A. fabressei* Oberthür (Lepidoptera, *Lycaenidae*). Revue fr. Ent. 28 (1): 50-53, 1 fig.
- 4443. Lesse, H.de,** 1962, Variation chromosomique chez *Agrodiaetus actis* H.S. et *A. altivagans* Forst. (Lep., *Lycaenidae*). Revue fr. Ent. 29 (1): 66-76, 6 figs.
- 4444. Lesse, H.de,** 1962, Variation chromosomique chez *Agrodiaetus dolus* Hb. Alexanor 2 (7): 283-286, 1 fig.
- 4445. Lesse, H.de,** 1962-1963, Lépidoptères *Lycaenidae* récoltes en Iran en 1961. Alexanor 2 (8): 305-312; 3 (1): 33-38.
- 4446. Lesse, H.de,** 1963, Variation chromosomique chez *Agrodiaetus carmon* H.S. et *A. cyanea* Stgr. (Lep., *Lycaenidae*). Revue fr. Ent. 30 (3): 177-181, 2 figs. 2 tab.
- 4447. Lesse, H.de,** 1963, Variation chromosomique chez les *Agrodiaetus* (Lep., *Lycaenidae*). Revue fr. Ent. 30 (3): 182-189, 4 figs.
- 4448. Lesse, H.de,** 1963, Une nouvelle sous-espèce d'*Agrodiaetus altivagans* Forster (Lep., *Lycaenidae*). Alexanor 3: 167-168.
- 4449. Lesse, H.de,** 1964, Une nouvelle sous-espèce d'*Agrodiaetus altivagans* Forster (Lep., *Lycaenidae*). Alexanor 3 (1963): 167-168.
- 4450. Lesse, H.de,** 1964, Les nombres de chromosomes chez quelques *Erebia* femelles. Revue fr. Ent. 31 (2): 112-115.
- 4451. Lesse, H.de,** 1969, Les nombres de chromosomes dans le groupe de *Lysandra coridon* (Lep., *Lycaenidae*). Annls Soc. ent. Fr. (n.s.) 5 (2): 469-522, 18 figs., 6 tab.
- 4452. Lesse, H.de,** 1970, Formules chromosomiques de quelques Rhopalocères paléarctiques (Lep.). Bull. Soc. ent. Fr. 75 (7/8): 214-216.
- 4453. Lesse, H.de,** 1970, Les nombres de chromosomes à l'appui d'une systématique du groupe de *Lysandra coridon* (*Lycaenidae*). Alexanor 6 (5): 203-224, tab. 8-9, 9 figs.
- 4454. Lesse, H.de,** 1970, Les nombres de chromosomes dans le groupe de *Lysandra argester* et leur incidence sur sa taxonomie (Lep., *Lycaenidae*). Bull. Soc. ent. Fr. 75: 64-68, 2 figs.
- 4455. Lesse, H.de,** 1971, Une nouvelle sous-espèce de *Melanargia galathea* L. (Nymphalidae, Satyrinae). Alexanor 7: 156-157, 2 figs.
- 4456. Lesse, H.de,** 1972, Variations géographiques des nombres chromosomiques chez les *Lycaenidae*. C. r. somm. Seanc. Soc. Biogéogr. 48 (407/421): 33-38.
- 4457. Lewvanich, A.,** 1981, A revision of the Old World species of *Scirpophaga* (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 42: 185-298, 188 figs.

- 4458. Lewvanich,A.,** 2001, Lepidopterous adults and larvae. 230 pp. Dept. Agriculture, Bangkok.
- 4459. Lhomme,L.,** 1923-1935, Catalogue des Lépidoptères de France et de Belgique. 1.Macrolépidoptères. 800pp. Leon Lhomme, Le Carriol.
- 4460. Libert,M. & S.C.Collins,** 1997, A new species of *Cymothoe* Hübner from Cameroon (Lepidoptera, Nymphalidae). *Metamorphosis* 8(4): 183-190, 2 Pls., 3 figs.
- 4461. Libert,M.,** 2005, Une nouvelle sous-espèce de *Deudorix* (*Virachola*) *livia* d'Oman (Lep., Lycaenidae). *Bull. Soc. ent. Fr.* 110 (3): 297-298.
- 4462. Lienig,F. & P.C.Zeller,** 1846, Anmerkungen, [in] Lienig,F., *Lepidopterologische Fauna von Livland und Kurland*. *Isis* 1846 (3): 175-302.
- 4463. Lindler,E.,** 1934, Anatolienfahrt. *Ent. Rdsch.* 51: 221-225, 231-237.
- 4464. Linnaeus,C.,** 1758, *Systema Naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. ed. decima reformata*. Tom.1, 823 pp. Holmiae.
- 4465. Linnaeus,C.,** 1758, *Pandora Insectorum*. 31pp. Upsaliae.
- 4466. Linnaeus,C.,** 1761, *Fauna Suecica sistens animalia Sueciae regni: quadrupedia, aves, amphibia, pisces, insecta, vermes, distributa per classes, et ordines, genera et species, cum differentiis specierum, synonymis autorum, nominibus incolarum, ...* 578pp. Stockholmiae.
- 4467. Linnaeus,C.,** 1763, *Centuria Insectorum, quam praesidae Car. von Linne, proposuit Boas Johansson*. *Amoen. Acad.* 6: 384-415.
- 4468. Linnaeus,C.,** 1764, *Museum S.R.M. Ludovicae Ulrica Reginae etc. in quo animalia rariora, exotica, imprimis insecta et conchilia describuntur et determinantur, prodromi instar editum*. 720pp., Holmiae.
- 4469. Linnaeus,C.,** 1767, *Systema Naturae per regna tria naturae secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. editio duodecima reformata*. Tom. 1, P.2: 553-1327 pp. Holmiae.
- 4470. Longstaff,G.B.,** 1916, Butterflies of southern Kordofan, collected by Captain R.S.Wilson, Lancashire Regiment. *Trans. ent. Soc. London* 1916 (2): 269-288, map.
- 4471. Lorkovic,Z.,** 1927, *Leptidea sinapis* ab.major Grund zasebna vrsta Rhopalocera iz Hroatske. *Acta Soc. ent. jugosl.* 2(1): 11-16.
- 4472. Lorkovic,Z.,** 1962, The genetics and reproductive isolating-mechanisms of the *Pieris napi*-bryoniae group. *J. lepid. Soc.* 16: 5-19, 105-127.
- 4473. Lorkovic,Z.,** 1968, Karyologische Beitrag zur Frage der Fortpflanzungsverhältnisse südeuropäischer Taxone von *Pieris napi* (L.) (Lepidoptera, Pieridae). *Bioloski Glasnik* 21: 95-136.
- 4474. Lorkovic,Z.,** 1972, Karyological identification of the Caucasian species of the *Erebia tyndarus* Group (Lepidopt., Satyridae). *Acta ent. Jugosl.* 8 (1/2): 111-121, 19 figs.
- 4475. Lorkovic,Z.,** 1977, Dvije nove vrste Satyridae za SR Makedoniju i Jugoslaviju. *Acta ent. Jugosl.* 13:92.
- 4476. Lorkovic,Z.,** 1982, Bemerkungen zu dem Fund von *Leptidea morsei* in Griechenland. *Nota lepid.* 5 (2/3): 111-113.
- 4477. Lorkovic,Z.,** 1982, Berichtigung zu dem Aufsatz: Bemerkungen zu dem Fund von *Leptidea morsei* Fent. in Griechenland (Pieridae). *Nota lepid.* 5 (4): 169-170.
- 4478. Lovtrup,S.,** 1975, On the Phylogenetic Classification. *Acta zool. cracov.* 20 (14): 499-524, 2 text-figs.
- 4479. Lowe,F.E.,** 1900, Lepidopterological notes from Orta in Piedmont and neighbourhood. *Entomologist's Rec. J. Var.* 12: 324-328.
- 4480. Lucas,H.,** 1835, *Histoire naturelle des Lépidoptères (exotiques) étrangers*. 40 pls. Pauquet. Paris.
- 4481. Lucas,H.,** 1852, Description de nouvelles especes de Lépidoptères appartenant aux collections entomologiques de Musée de Paris. *Revue Mag. Zool. Pure & App.* 4: 324-345, 422-432.
- 4482. Lucas,H.,** 1866, Quelques remarques sur une variété du *Chrysophanus phlaeas*, Lépidoptère Acalinoptère de la tribu des Eryciniens et de la famille des Lyncénides. *Annls Soc. ent. Fr.* (4)5: 499-500.
- 4483. Luig,J. Miatleuski,J. & A.Saldaitis,** 1997, A new species of the genus *Polymixis* Hübner,[1820] from Western Turkmenistan (Lepidoptera, Noctuidae). *Atalanta* 28(1/2): 153-156, Pl.
- 4484. Lukhtanov,A.I.,** 1984, Revision of the palaearctic species of *Oeneis* Hübner (Lepidoptera, Satyridae). I. hora- group. *Ent. Obozr.* 62: 776-789, figs. [in Russian].
- 4485. Lukhtanov,V.A. & A.A.Dantchenko,** 2005, *Lasiommata zagrossica* spec.nov. from Iran (Lepidoptera, Nymphalidae, Satyrinae). *Atalanta* 35 (3/4): 315-321, figs.
- 4486. Lukhtanov,V.A. & A.G.Lukhtanov,** 1994, Eine neue Unterart aus der Gattung *Paralasa* aus dem Boguty-Gebirge in Südoschkasachstan (Lepidoptera, Satyridae). *Atalanta* 25(1/2):167-169, Taf.Vb.
- 4487. Lukhtanov,V.A. & A.V.Dantchenko,** 2003, Two new chromosome races of *Agrodiaetus altivagans-wagneri* complex (Lepidoptera, Lycaenidae) *Atalanta* 34 (3/4): 421-428, pl. xxviii.
- 4488. Lukhtanov,V.A. & V.C.Kuznetsova,** 1988, Karyotype structure in higher Lepidoptera (Papilionomorpha). *Ent. Obozr.* 1988 (3): 480-495, 4 figs., 3 Tab.
- 4489. Lukhtanov,V.A.,** 1983, Review of the Satyrids of genus *Oeneis* Hübner,1816 (Lepidoptera, Satyridae) of Polar Ural. *Ent. Obozr.* 62: 763-772 [in Russian].
- 4490. Lukhtanov,V.A.,** 1987, Revision of the palaearctic species of *Oeneis* Hübner (Lepidoptera, Satyridae). II. The jutta group. *Ent. Obozr.* 66: 142-157, figs. [in Russian].
- 4491. Lukhtanov,V.A.,** 1990, New Taxa of Satyrid and Blue Butterflies (Lepidoptera, Satyridae, Lycaenidae) from Middle Asia and Kazakhstan. *Vestn. Zool.* 1990(6): 13-23, figs.
- 4492. Lukhtanov,V.A.,** 1991, Karyotype evolution and systematics of higher taxa of Pieridae (Lepidoptera) of the World. *Ent. Obozr.* 70(3): 619-636, 3 figs.
- 4493. Lukhtanov,V.A.,** 1993, *Athamanthia eitschbergeri* spec.nov., eine neue Art aus Kirghisien (Lepidoptera, Lycaenidae, Lycaeninae). *Atalanta* 24(1/2): 71-74, Pl.III.
- 4494. Lukhtanov,V.A.,** 1993, Eine Übersicht die Arten der Gattung *Neolycaena* mit den Beschreibungen einer neuen Art und einer neuen Unterart aus Kasachstan (Lepidoptera, Lycaenidae, Theclinae). *Atalanta* 24(1/2): 61-70, Pl.II.
- 4495. Lukhtanov,V.A.,** 1994, Eine neue Art der Gattung *Neolycaena* aus dem Dshungarischem Alatau in Kasachstan (Lepidoptera, Lycaenidae, Theclinae). *Atalanta* 25(1/2):199-202, Taf.VIIa.
- 4496. Lukhtanov,V.A.,** 1995, *Hyponephele carbonelli* spec.nov. eine neue Satyriden-Art aus Pakistan (Lepidoptera, Satyridae). *Atalanta* 26(1/2):197-200, Pl.
- 4497. Lukhtanov,V.A.,** 1995, Eine Übersicht über die Arten der Untergattung *Satyrium* (Superflua Strand,1910) mit der Beschreibung einer neuen Art aus Südwestgissar, Usbekistan (Lepidoptera, Lycaenidae, Theclinae). *Nachr. ent. Ver. Apollo N.F.* 16(1): 47-58, figs.
- 4498. Lukhtanov,V.A.,** 1996, Eine neue Art der Gattung *Pieris* Schrank,1801 aus Kirgisien (Lepidoptera, Pieridae). *Atalanta* 27 (1/2): 211-221, 12 figs.
- 4499. Lukhtanov,V.A.,** 1996, Neue Taxa der Gattung *Hyponephele* Muschamp,1915 aus Mittelasien (Lepidoptera, Satyridae). *Atalanta* 27 (3/4): 581-590, figs., Pl.ix.
- 4500. Lukhtanov,V.A.,** 1997, Eine neue Unterart von *Parnassius apollo* (Linnaeus,1758) aus Kasachstan (Lepidoptera, Papilionidae). *Atalanta* 28(1/2): 13-16, 1 Taf.
- 4501. Lukhtanov,V.A.,** 2000, Zur Systematik und Verbreitung der Taxa *Athamanthia* dimorpha-Gruppe (Lepidoptera, Lycaenidae). *Atalanta* 31 (1/2): 179-192, pl.xiv.
- 4502. Lukhtanov,V.A., Kandul,N.P., Prins,W.O.de & D.v.d.Poorten,** 1998, Karyology of species of *Polyommatus* (*Agrodiaetus*) from Turkey: new data and their taxonomic consequences (Lepidoptera, Lycaenidae). *Holarct. Lepid.* 5 (1): 1-8, 15 figs.
- 4503. Lukhtanov,V.A., Wiemers,M. & K.Meusemann,** 2003, Description of a new species of the "brown" *Agrodiaetus* complex from south-east Turkey (Lycaenidae). *Nota lepid.* 26 (1/2): 65-71, figs.
- 4504. Lvovsky,A.L. & N.V. Arutjunova,** 1992, A new subspecies and a new species of *Oecophorid* moths (Lepidoptera,

- Oecophoridae) from Tajikistan. Ent. Obozr. 71(1): 139-142 [engl. transl. Ent. rev. 72(2): 6-9, 6 figs., 1993]
- 4505. Lvovsky, A.L.,** 1992, New species and subspecies of Oecophorid moths of the genus *Pleurota* Hübner, 1825 (Lepidoptera, Oecophoridae). Ent. Obozr. 71(3): 630-639 [engl. transl. Ent. rev. 72(6): 67-76, 14 figs., 1993]
- 4506. Lvovsky, A.L.,** 1993, A new subgenus of *Polyommatus* (Lepidoptera, Lycaenidae). Zoosyst. ross. 2(1): 175-176.
- 4507. Lvovsky, A.L.,** 1995, New and little known genera and species of the broad-winged moths (Lepidoptera, Oecophoridae, Depressariidae) of the Palearctic fauna. Ent. Obozr. 74(1): 138-152, figs. [engl. text: Ent. Rev. 75(3): 41-55, 25 figs., 1996].
- 4508. Lvovsky, A.L.,** 1996, A Review of the genus *Lamprystica* Meyrick, 1914 with the description of a new subfamily (Lepidoptera, Agonoxenidae). Atalanta 27 (1/2): 427-432, 7 figs.
- 4509. Lvovsky, A.L.,** 1996, New and little known species of *Depressaria* Haworth, 1811 (Lepidoptera, Oecophoridae). Atalanta 27 (1/2): 421-425, 11 figs.
- 4510. Lvovsky, A.L.,** 1996, Composition of the genus *Odites* Wlsm. and status of the genus in the taxonomic system of Gelechioidea s.l. (Lepidoptera). Ent. Obozr. 75 (3): 650-659, figs. [engl. text: Ent. Rev. 76(4): 529-536, 21 figs., 1996].
- 4511. Lvovsky, A.L.,** 1997, Two new subspecies of *Anchinia laureolella* Herrich-Schäffer, 1854 from South-Western Asia (Lepidoptera, Amphispitidae). Atalanta 28(1/2): 173-176, 4 figs.
- 4512. Lvovsky, A.L.,** 2000, New and little known species of Oecophorid moths of the genera *Epicalima* Dyar, 1903 and *Promalactis* Meyrick, 1908 (Lepidoptera, Oecophoridae) from Southeast Asia. Ent. Obozr. 79 (3): 664-691, figs.
- 4513. Lvovsky, A.L.,** 2001, A review of Flat Moths of the genus *Depressaria* Haworth, 1811 (Lepidoptera, Depressariidae) of the fauna of Russia and neighboring countries I. Ent. Obozr. 80 (3): 680-705, figs.
- 4514. Lvovsky, A.L.,** 2003, Check-list of the Broad-winged Moths (Oecophoridae s.l.) of Russia and adjacent countries. Nota lepid. 25 (4) (2002): 213-220.
- 4515. Lüttgen, M.,** 1988, Faunistische Notizen zur Tagfalter-Fauna der nordägäischen Insel Thassos. Nachr. ent. Ver. Apollo 9(4): 225-229, 3 Abb.
- 4516. Lének, O.,** 1966, Österreichische Entomologische Iran-Afghanistan-Expedition Beiträge zur Lepidopterenfauna, Teil 7. *Phragmatobia fuliginosa* ssp. nova paghmani. Z. wien. ent. Ges. 51: 105-106.
- 4517. Lének, O.,** 1969, Eine Zucht von *Harpyia leucotera* Stichel (bona species). Z. wien. ent. Ges. 54: 48-50.
- 4518. Löbel, H. & T. Drechsel,** 1996, Zur Lebensweise der Raupe von *Euchalcia emichi* (Rogenhofer, 1873) in Zentralanatolien (Türkei) (Lepidoptera, Noctuidae, Plusiinae). Nota lepid. 18(2): 179-180.
- 4519. Löbel, H. & T. Drechsel,** 1996, Zur Lebensweise der Raupe von *Euchalcia emichi* (Rogenhofer, 1873) in Zentralanatolien (Türkei) (Lepidoptera, Noctuidae, Plusiinae). Nota lepid. 18 (2): 179-180.
- 4520. Lödl, M. & E. Arenberger,** 1994, Bemerkungen zum Artbegriff anhand einiger Pterophoriden-Arten (Lepidoptera). Z. ArbGem. Öst. Ent. 46 (3/4): 103-110.
- 4521. Lödl, M. & R. Goht,** 1993, Bemerkungen zur Anlage von taxonomischen Karteien auf ADV-Basis. Ent. Z., Frankf. a. M. 103 (4): 54-62.
- 4522. Lödl, M. & R. Imb,** 1988, Die Noctuiden-Sammlung von Dipl. Ing. Rudolf Pinker im Naturhistorischen Museum Wien. Z. ArbGem. öst. Ent. 40(1/2): 53-59.
- 4523. Lödl, M. & S. Gaal,** 1996, Description of *Hypena variofuscolorata* n.sp., a new Hypeninae species from East Africa with some notes on the subgenus *Jussalpena* Lödl, 1994 (Lepidoptera: Noctuidae). Lambillionea 1996: 88-94.
- 4524. Lödl, M. & S. Gaal,** 1996, *Hypena vanschuytbroeckii* sp.n., eine neue Hypeninen-Art aus Zaire aus der Verwandtschaft von *Hypena prionodes* Fletcher, 1961 (Lepidoptera: Noctuidae). Z. ArbGem. Öst. Ent. 48 (1-2): 9-12.
- 4525. Lödl, M.,** 1980, Ökologisch-faunistische Erfassung der Nachtfalter des Leopolds- und Bisamberges: 2. Eulen. Arbeit zur Erlangung des Magister-Diploms, 177 pp. Wien.
- 4526. Lödl, M.,** 1983, Beitrag zur Macroheterocerfauna des Spitzerberges (östliches Niederösterreich). Verh. zool.-bot. Ges. Öst. 121: 39-43.
- 4527. Lödl, M.,** 1984, Kritische Darstellung des Lichtfanges, seiner Methoden und seine Bedeutung für die ökologisch-faunistische Entomologie, Band 1 (Text): 244 pp., Band 2 (Literatur): 157 pp. Dissertation, Universität Wien.
- 4528. Lödl, M.,** 1985, Die Anasthetika in der Lichtfallentechnik. Ent. Z., Frankf. a. M. 95 (22): 321-336.
- 4529. Lödl, M.,** 1987, Die Bedeutung des Lichtfanges in der zoologischen Forschung. Beitr. Ent. 37 (1): 29-33.
- 4530. Lödl, M.,** 1987, *Noctua warreni* sp.n., a new sibling species of *Noctua comes* Hbn., 1813 from Cyprus (Lepidoptera, Noctuidae). Nota lepid. 10(2): 163-174, 12 figs.
- 4531. Lödl, M.,** 1988, Das entomologische Lebenswerk von Dr. Franz Burgermeister. Z. ArbGem. Öst. Ent. 40 (1/2): 60-62.
- 4532. Lödl, M.,** 1988, Buchbesprechung: Die Liebe, Psychologie eines Phänomens (von Peter Lauster). Agemus. Nachr. Wien 16: 8-11.
- 4533. Lödl, M.,** 1989, Die Noctuiden-Fauna des Bisamberges (östliches Niederösterreich) (Insecta: Lepidoptera). Annln naturh. Mus. Wien 91 B: 57-83.
- 4534. Lödl, M.,** 1989, Die historische Entwicklung des Lichtfanges. Beitr. Ent. 38(2): 189-195.
- 4535. Lödl, M.,** 1989, Die Grundlagen des vergleichenden Lichtfanges. Beitr. Ent. 39: 413-424.
- 4536. Lödl, M.,** 1993, Die Flügelzeichnung der Gattungsgruppe *Hypena* Schrank, 1802 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 103 (4): 453-459.
- 4537. Lödl, M.,** 1993, Notes on the synonymy of the genera *Hypena* Schrank, 1802, *Dichromia* Guenee, 1854 and *Harita* Moore, 1882 (Lepidoptera, Noctuidae). Z. ArbGem. Öst. Ent. 45 (1/2): 11-14.
- 4538. Lödl, M.,** 1993, *Hypena martiniae* n.sp., eine neue Hypeninen-Art aus dem äquatorialen Afrika (Lepidoptera, Noctuidae). Ent. Z., Frankf. a. M. 103 (24): 453-459.
- 4539. Lödl, M.,** 1993, *Hypena paliscia* (Bethune-Baker, 1911) [Rhynchina] Comb. Nov. a misinterpreted African deltoid moth (Lepidoptera: Noctuidae). Annln naturh. Mus. Wien 94/95: 547-549.
- 4540. Lödl, M.,** 1993, The Malaysian Hawkmoths: An annotated and illustrated checklist (Lepidoptera: Sphingidae). Tropical Lepid. 4 (1): 3-6.
- 4541. Lödl, M.,** 1993, The Malaysian Hawkmoths: an annotated and illustrated checklist (Lepidoptera, Sphingidae). Tropical lepid. 4 (1): 3-6, 12 figs.
- 4542. Lödl, M.,** 1994, Zur Wiederauffindung der Type von *Rhynchina obliquialis* (KOLLAR, 1844) [*Hypena*] Comb. Nov. im Naturhistorischen Museum Wien, nebst Bemerkungen zur Synonymie (Lepidoptera: Noctuidae). Annln naturh. Mus. Wien 96B: 369-372.
- 4543. Lödl, M.,** 1994, *Hypena erikae* n.sp., eine neue Hypeninen-Art aus Madagaskar (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 104 (9): 161-167.
- 4544. Lödl, M.,** 1994, *Hypena extremipalpis* sp.n., eine neue Hypeninen-Art aus Zaire (Lepidoptera: Noctuidae). Ent. NachrBl. 1 (1) (N.F.): 10-16.
- 4545. Lödl, M.,** 1994, *Hypena veronikae* n.sp., eine neue, madagassische Hypeninen-Art aus der Verwandtschaft von *Hypena bonaberi* STRAND, 1915. Ent. Z., Frankf. a. M. 104 (11): 204-211.
- 4546. Lödl, M.,** 1994, *Hypena sabinis* n.sp. aus Madagaskar, eine neue Hypenine aus der Verwandtschaft von *Hypena prionodes* FLETCHER, 1961 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 104 (14): 277-282.
- 4547. Lödl, M.,** 1994, Zum Angedenken an Emil Vospel. Ent. NachrBl. 1 (2) (N.F.): 15.
- 4548. Lödl, M.,** 1994, Zum Wesen der Solidarität. Agemus Nachr. Wien 34: 6-8.
- 4549. Lödl, M.,** 1994, *Hypena monikae* n.sp. aus Fernando Poo, eine neue Hypenine aus der Verwandtschaft von *Hypena leucosticta* BETHUNE-BEKER, 1909 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 104 (22): 429-448.

- 4550. Lödl, M.,** 1994, Revision der Gattung *Hypena* Schrank, 1802 s.l., der äthiopischen und madagassischen Region, Teil 1 (Insecta: Lepidoptera, Noctuidae, Hypeninae). *Annln naturh. Mus. Wien* 96B: 373-590, 400 Abb.
- 4551. Lödl, M.,** 1994, *Hypena evamariae* n.sp., eine neue ostafrikanische Hypeninen-Art aus der Verwandtschaft von *Hypena polycyma* Hampson 1902 (Lepidoptera, Noctuidae). *Ent. Z., Frankf. a. M.* 104(6): 105-112, 8 Abb.
- 4552. Lödl, M.,** 1994, Remarks on the classification of the genera *Hypena* Schrank, 1802, *Dichromia* Guenée, 1854, und *Harita* Moore, 1882 (Lepidoptera, Noctuidae). *Nota lepid.* 16(3/4): 241-250, figs.
- 4553. Lödl, M.,** 1995, Revision der Gattung *Hypena* Schrank, 1802 s.l., der äthiopischen und madagassischen Region, Teil 2 (Insecta: Lepidoptera, Noctuidae, Hypeninae). *Annln naturh. Mus. Wien* 97B: 255-393, 533 Abb.
- 4554. Lödl, M.,** 1995, *Hypena padelekorum* n.sp., eine neue äthiopische Hypeninen-Art aus der Verwandtschaft von *Hypena polycyma* Hampson 1902 (Lepidoptera, Noctuidae). *Ent. Z., Frankf. a. M.* 105: 308-314, 12 Abb.
- 4555. Lödl, M.,** 1995, *Hypena mariachristinae* n.sp., eine neue ostafrikanische Hypeninen-Art aus der Verwandtschaft von *Hypena evamariae* LÖDL, 1994 (Lepidoptera: Noctuidae). *Ent. Z., Frankf. a. M.* 105 (1/2): 17-24.
- 4556. Lödl, M.,** 1995, *Hypena eleonorae* n.sp. aus Kenya, eine weitere neue Hypeninen-Art aus der Verwandtschaft von *Hypena bonaberi* STRAND 1915 (Lepidoptera: Noctuidae). *Ent. Z., Frankf. a. M.* 105 (8): 141-146.
- 4557. Lödl, M.,** 1995, A new *Hypena* deltoid moth from Zaïre (Lepidoptera: Noctuidae: Hypeninae). *Tropical Lepid.* 6 (1): 53-54.
- 4558. Lödl, M.,** 1995, *Hypena ovalimacula* n.sp., eine neue westafrikanische Hypeninen-Art aus der Verwandtschaft von *Hypena phricocyma* FLETCHER 1961 (Lepidoptera: Noctuidae). *Ent. Z., Frankf. a. M.* 105 (12): 245-249.
- 4559. Lödl, M.,** 1995, Revision der afrikanischen Gattung *Phanaspa* WALKER, [1866] 1865 (Lepidoptera: Noctuidae: Hypeninae). *Z. ArbGem. Öst. Ent.* 47 (3/4): 97-111.
- 4560. Lödl, M.,** 1995, Beschreibung des Weibchens von *Dichromia* (CAMhypena) *thomensis* (A.E.Prout, 1927) aus Sao Thome (Lepidoptera: Noctuidae: Hypeninae). *Mitt. schweiz. ent. Ges.* 68: 79-82.
- 4561. Lödl, M.,** 1995, *Hypena josefineae* aus der Verwandtschaft von *Hypena rudolfi* LÖDL, 1994 (Lepidoptera, Noctuidae). *Ent. Z., Frankf. a. M.* 105 (20): 416-420.
- 4562. Lödl, M.,** 1995, *Hypena cherylae* n.sp., a new deltoid moth from South South Africa (Lepidoptera: Noctuidae: Hypeninae). *Tropical Lepid.* 6 (2): 144-145.
- 4563. Lödl, M.,** 1995, *Hypena* (Jussalypena) *abyssinalis* Guenée, 1854 in West-Afrika (Lepidoptera, Noctuidae, Hypeninae). *Atalanta* 26 (1/2): 297-298.
- 4564. Lödl, M.,** 1996, Wiedrbeschreibung von [*Hypena*] *fuscomaculalis* Saalmüller 1880 nebst Bemerkungen zur systematischen Stellung dieses Taxons (Lepidoptera: Noctuidae: Herminiinae). *Senckenbergiana biol.* 75 (1/2): 193-202.
- 4565. Lödl, M.,** 1996, Redescription of *Eugorna vidua* Holland, 1894 and provisional transfer to the subfamily Catocalinae (Lepidoptera: Noctuidae). *Z. ArbGem. Öst. Ent.* 48 (1-2): 3-8.
- 4566. Lödl, M.,** 1996, The Vartian collection at the Museum of Natural History in Vienna - a milestone in the research on Lepidoptera of the Near and Middle East (Insecta). *J. Nat. Hist.* 30: 1421-1422.
- 4567. Lödl, M.,** 1996, Vartian Collection to the Museum of Natural History, Vienna. *J. Lepid. Soc.* 50 (1): 90-91.
- 4568. Lödl, M.,** 1996, Die Schmetterlingssammlung Vartian-nummehr Bestandteil der Bestände des Naturhistorischen Museums Wien. *Ent. Z., Frankf. a. M.* 106(5): 206-208.
- 4569. Lödl, M.,** 1996, *Hypena lisae* n.sp., eine neue äquatorialafrikanische Hypeninae aus der Untergattung *Trichypena* Joannis, 1915 (Lepidoptera: Noctuidae). *Ent. Z., Frankf. a. M.* 106 (11): 461-468.
- 4570. Lödl, M.,** 1996, Zur Kenntnis von *Ctenypena tenuis* A.E.Prout, 1927 und Erstbeschreibung des Weibchens (Lepidoptera: Noctuidae: Herminiinae). *Annln naturh. Mus. Wien* 98B: 501-506.
- 4571. Lödl, M.,** 1996, Wiederbeschreibung von *Aulocheta violacea* A.E.Prout, 1927 (Lepidoptera: Noctuidae: Herminiinae). *Z. ArbGem. Öst. Ent.* 48 (3-4): 99-105.
- 4572. Lödl, M.,** 1996, *Hypena binae* sp.n., eine neue Hypeninae aus Ostafrika aus der Verwandtschaft von *Hypena polycyma* Hampson, 1902 (Lepidoptera, Noctuidae). *Beitr. Ent.* 46(1): 95-102, 10 figs.
- 4573. Lödl, M.,** 1996, *Hypena* (*Trichypena*) *leopardina* sp.n., eine neu Hypeninae von der Insel nebst Bemerkungen zu den nächst verwandten Arten *Hypena fuscularis*-Gruppe (Lepidoptera, Noctuidae). *Beitr. Ent.* 46(1): 103-108, 8 figs.
- 4574. Lödl, M.,** 1997, Definition der Gattung *Harita* Moore, 1882, Wiederbeschreibung der Typenart *Harita rectilinea* Moore, 1882 und Bemerkungen zur Synonymie (Lepidoptera: Noctuidae: Hypeninae). *Esperiana* 4: 459-466.
- 4575. Lödl, M.,** 1997, Bemerkungen zur Gattung *Xoria* Nye, 1975 und Erstbeschreibung des Weibchens von *X. filifera* (Walker, 1869) [Orixia] (Lepidoptera, Noctuidae, Hypeninae). *Annln naturh. Mus. Wien* 99B: 343-350.
- 4576. Lödl, M.,** 1997, Bemerkungen zu *Acidon paradoxa* Hampson, 1896 (Lepidoptera, Noctuidae, Hypeninae). *Annln naturh. Mus. Wien* 99B: 351-354.
- 4577. Lödl, M.,** 1997, Wiederbeschreibung von *Ableptina delospila* A.E.Prout, 1927 und Transfer in die Unterfamilie Herminiinae (Lepidoptera, Noctuidae). *Annln naturh. Mus. Wien* 99B: 337-342.
- 4578. Lödl, M., Kerbaci, R. & S.Gaal,** 1996, Die Sammlung Vartian am Naturhistorischen Museum Wien - ein Meilenstein in der Erforschung der Grossschmetterlingsfauna des Mittleren Ostens (Insecta: Lepidoptera). *Ent. Nachrbl.* 3 (2-3)(N.F.): 1-5.
- 4579. Lödl, M., Lödl, E.M. & R.Kerbaci,** 1994, Zum Angedenken an Walter Schreier. *Ent. Nachrbl.* 1 (3/4) (N.F.): 24.
- 4580. Maassen, J.P.,** [1872], Beiträge zur Schmetterlingskunde. 1p. 10 Pls. Elberfeld.
- 4581. Mabille, M.P.,** 1876, Sur la classification des Hespériens avec la description de plusieurs especes nouvelles. *Annls Soc. ent. Fr.* (5)6: 251-274.
- 4582. Mabille, M.P.,** 1880, Note sur une collection de Lépidoptères recueillis à Madagascar. *Annls Soc. ent. Belg.* 23: Bull., civ-cix.
- 4583. Mabille, M.P.,** 1881, Note sur plusieurs envois de Lépidoptères provenant de Madagascar. *Annls Soc. ent. Belg.* 25: Bull., lv-lxiii.
- 4584. Mabille, M.P.,** 1883, Description d'Hésperies. *Annls Soc. ent. Belg.* 27: Bull., li-lxxviii.
- 4585. Mabille, M.P.,** 1891, Description d'Hespérides nouvelles. *Annls Soc. ent. Belg.* 35: Bull., lix-lxxxviii, cvi-cxxi, clxviii-clxxxvii.
- 4586. Mabille, M.P.,** 1893, Description de Lépidoptères nouveaux. *Annls Soc. ent. Belg.* 37: 50-65.
- 4587. Mabille, M.P.,** 1909, Hesperidae, [in] Seitz, A., Die Gross-Schmetterlinge der Erde, vol. 1: 330-354S., Taf. 84-89. Alfred Kerner Verlag. Stuttgart.
- 4588. Mabille, P.,** 1904, Lepidoptera. [in] Wytzman, P., Genera Insectorum Fasc. 17. Hesperidae. Bruxelles.
- 4589. Mabille, P.,** 1912, Fam. Hesperidae: Subf. Pyrrhopyginae, [in] Wagner, H., Lepidopterorum Catalogus Pars 9.
- 4590. Mace, H.,** 1919, Balkan Butterflies. *Entomologist's mon. Mag.* 55: 255-258.
- 4591. Mace, H.,** 1920, Butterflies in Macedonia. *Entomologist* 53: 40-42, 60-64, 102-106.
- 4592. Maechler, J.,** 2000, Nouvelles captures de *Cacyreus marshalli* Butler, 1897 dans le Var (Lepidoptera, Lycaenidae). *Alexanor* 21 (1): 63-64, figs.
- 4593. Maes, K.,** 1984, Some remarks on the genus *Euproctis* Hübner, [1819] 1816 (Lepidoptera, Lymantriidae). *Nota lepid.* 7: 55-58, figs.
- 4594. Maes, K.,** 1985, In memoriam Prof. S.G. Kiriakoff. *Nota lepid.* 8(1): 29-41.
- 4595. Maes, K.,** 1986, Pyralidae from Turkey. *Nota lepid.* 9 (1/2): 78-80.

- 4596. Maes, K.V.N.,** 2002, On the systematic position of some Palaearctic Pyraustinae (Pyraloidea, Crambidae). *Nota lepid.* 24 (4) (2001): 51-58.
- 4597. Mairiaux, J. & J. Hustebaut,** 1997, The identification of *Apatura metis* and *Apatura ilia* and their distribution in Greece and Turkey (Lepidoptera, Nymphalidae). *Phegea* 25(2): 65-79, figs., Pls.
- 4598. Malicky, H.,** 1969, Übersicht über Präimaginalstadien, Bionomie und Ökologie der mitteleuropäischen Lycaenidae (Lepidoptera). *Mitt. ent. Ges. Basel* 19:
- 4599. Malicky, H.,** 1969, Das Erkennen von Wanderfaltern mit der Lichtfangmethode. *Atalanta* 2(7): 227-233.
- 4600. Malicky, H.,** 1992, Faunistische Meldungen von Lepidopteren aus Griechenland und Zypern. *Esperiana* 3: 391-407.
- 4601. Manil, L.,** 1990, Les Rhopalceres de Chypre (Lepidoptera: Papilionoidea et Hesperioidea). *Linneana Belgica* 12: 313-391, figs.
- 4602. Manin, B. & L. Masin,** 1976, Die typischen Tagfalter der oberen Lagen einiger Gebirge Mittelasiens und Kasachstans. *Sovr. probl. zoologii i sovershenctvovanie metodiki ee prepodovaniya v vuze i shkole, Perm:* 103-105.
- 4603. Manley, W.B.L. & H.G. Allcard,** 1970, A field guide to the butterflies and burnets of Spain. E.W. Classey Ltd. Hampton.
- 4604. Manley, W.B.L.,** 1972, Notes on some butterflies and burnets of Catalonia. *Entomologist's Gaz.* 23: 79-89.
- 4605. Mann, J.,** 1859, Zur Lepidopterenfauna von Amasia. *Wien. ent. Monatschr.* 3: 78-106, 161-178.
- 4606. Mann, J.,** 1861, Zur Lepidopterenfauna von Amasia. *Wien. ent. Monatschr.* 5: 155-162, 183-193.
- 4607. Mann, J.,** 1862, Verzeichniss der im Jahre 1851 bei Brussa in Kleinasien gesammelten Schmetterlinge. *Wien. ent. Monatschr.* 6: 356-409, Taf.
- 4608. Mann, J.,** 1864, Nachtrag zur Schmetterlings-Fauna von Brussa. *Wien. ent. Monatschr.* 8: 1-18.
- 4609. Mann, J.,** 1866, Aufzählung der im Jahre 1865 in der Dobrudscha gesammelten Schmetterlinge. *Verh. zool.- bot. Ges. Wien* 16: 321-360.
- 4610. Maobin, G.,** 1997, Butterflies in Hainan Island. 355 pp.
- 4611. Marciniak, B. & L. Przybyłowicz,** 2000, A new record of *Utetheisa pulchella* (Linnaeus, 1758) from Poland (Lepidoptera, Arctiidae). *Atalanta* 31 (1/2): 75-76.
- 4612. Mariani, M.,** 1938, Fauna Lepidopterorum Siciliae. *Mem. Soc. ent. ital.* 17: 129-187.
- 4613. Marion, H.,** 1952, Ebauche d'une classification nouvelle des Pyraustidae. *Revue fr. Lépidopt.* 13: 260-270, 5 figs.
- 4614. Marion, H.,** 1953-1958, Révision des Pyraustidae de France. *Revue fr. Lépidopt.* 14 (1953-54): 123-128, 221-227; 15 (1955-56): 41-58, 181-188; 16 (1957-58): 60-63, pl.
- 4615. Marion, H.,** 1957, Complément à la classification et nomenclature des Pyraustidae d'Europe. *Entomologiste* 13: 129-130.
- 4616. Marion, H.,** 1957, Classification et nomenclature des Pyraustidae d'Europe. *Entomologiste* 13: 75-87.
- 4617. Marion, H.,** 1959-1976, Révision des Pyraustidae de France. *Alexanor* 1 (1959/60): 15-22, 103-110, 175-182; 2 (1961/62): 11-18, 83-90, 173-180, 224-226, 297-304; 4 (1965/66): 329-372; 8 (1973/74): 71-78, 129-136, 177-184; 9 (1975/76): 209-219, 338-344, Pls. 2-8. Paris.
- 4618. Marion, H.,** 1977, *Staudingeria morbosella* Strg., 1879 (=Euzophera lafauryella Rag., 1880) Synonyme nouvelle (Phycitidae). *Alexanor* 10 (2): 65-68, 5 figs.
- 4619. Marten, W.,** 1937, Zur Kenntnis der Axiidae. *Ent. Rdsch.* 55: 15-17, 21-23, 45-48, 61-66, 25 Abb.
- 4620. Martin, L.,** 1928, Die Tagfalter der Insel Celebes, Teil 8. Satyridae. *Mitt. münch. ent. Ges.* 19: 117-164.
- 4621. Martin, M.O.,** 1987, Ecology and peculiarities of dispersal of Pyraustidae (Lepidoptera) of the Western Palaearctic Region. *Ent. Obozr.* 1987 (2): 279-289, 2 Tab., 4 figs.
- 4622. Masin, L.,** 1989, Die Tagfalter (Rhopalocera) des Tarbagatai. *Ekologicheskoe issledovaniya v zapovednikakh Yuzhnoi Sibiri, Moskau:* 116-127.
- 4623. Maso, A.,** 1993, Biogéographie des Drepaninae de la Péninsule Ibérique (Lepidoptera). *Nota lepid.* 15 (3/4): 241-256, 3 figs.
- 4624. Masui, A. & J. Uehara,** 1994, Butterflies recently collected in Laos R.D.P. An illustrated catalogue complementary to the work by Motono & Negishi (1989). *Gekkan Mushi* (1994) 276: 3-9.
- 4625. Masui, A. & J. Uehara,** 1995, Butterflies recently collected in Laos R.D.P. *Gekkan Mushi* (1995) 294: 3-5.
- 4626. Mathew, G.F.,** 1881, List of Lepidoptera observed in the neighbourhood of Gallipoli, Turkey in 1878. *Entomologist's mon. Mag.* 17: 10-13.
- 4627. Mathew, G.F.,** 1887, Descriptions of some new species of Rhopalocera from the Solomon Islands. *Trans. ent. Soc. London* 1887 (1): 37-49, Pl. iv.
- 4628. Mathew, G.F.,** 1889, Descriptions and life-histories of new species of Rhopalocera from the Western Pacific. *Trans. ent. Soc. London* 1889 (2): 311-315.
- 4629. Matsuda, S.,** 1996, Life History of *Thecla betulae* in Europe. *Yadoriga* 165: 30-36.
- 4630. Matsumoto, K.,** 2002, *Papilio demoleus* (Papilionidae) in Borneo and Bali. *J. Lepidopterists Soc.* 56 (2): 108-111, figs.
- 4631. Matsumura, S.,** 1909, Die Danaiden und Satyriden Japans. *Ent. Z., Stuttgart* 23 (19): 91-92.
- 4632. Matsumura, S.,** 1909, Zwei neue Rhopaloceren aus Formosa. *Ent. Z., Stuttgart* 23 (19): 92.
- 4633. Matsumura, S.,** 1910, Neue Rhopaloceren aus Formosa. *Ent. Z., Stuttgart* 23 (47): 209.
- 4634. Matsumura, S.,** 1925, An enumeration of the butterflies and moths from Sachalien. *J. Coll. Agric. Hokkaido Imp. Univ.* 15 (3): 83-196.
- 4635. Matsumura, S.,** 1927, A list of the butterflies of Corea with description of new species subspecies and aberrations. *Insecta Matsumurana* 1: 159-170, pl. v.
- 4636. Matthews, M.,** 1991, Classification of the Heliethinae. *Nat. Res. Inst. Bull.* 44: 198 pp.
- 4637. Mayer, R.V.,** 1937, *Agrotis petrina* n.sp. *Ent. Z., Frankf. a. M.* 51(21): 273-274, 2 Abb.
- 4638. Mayr, E.,** 1970, Population, Species and Evolution. Belknap Press, Cambridge, Mass.
- 4639. Mazel, R. & R. Leestmans,** 1999, Séparataion biométriques des *Leptidea sinapis* L., *morsei* Fenton et *reali* Reissinger. *Linneana Belgica* 17(1): 46-52, figs.
- 4640. Mazel, R. & R. Leestmans,** 1999, Seconde contribution a l'étude des relations entre *Leptidea sinapis* Linné et *L. reali* Reissinger en France, Belgique et quelques autre contrées européennes (Lepidoptera, Pieridae). *Linneana Belg.* 17 (4): 155-168, map.
- 4641. Mazel, R.,** 1982, Interets biogéographique et phylétique de deux sous-espèces nouvelles d'*Eurodryas aurinia* Rott. (Lep., Nymphalidae). *Alexanor* 12(7): 303-316, figs.
- 4642. Mazel, R.,** 1995, Sur quelques *Idaea* de Roussillon, dont *Idaea bustilloi* Agenjo, 1967, espèce nouvelle pour la France (Lepidoptera, Geometridae). *Alexanor* 18 (7) (1994): 401-408, figs.
- 4643. Mazel, R.,** 2000, Le polymorphisme de deux "espèces-jumelles" *Leptidea sinapis* L. et *L. reali* Reissinger en France (Lepidoptera, Pieridae). *Linneana Belg.* 17 (7): 277-288, 26 figs.
- 4644. McCall, W.A.,** 2000, British European & Asian butterfly Vernacular names. Vol. 2. 51 pp., Fact and Fiction Publishers.
- 4645. Meado-Waldo, E.G.D.,** 1906, On a collection of butterflies made in Morocco in 1900-01-02. *Trans. ent. Soc. London* 53(4): 369-381, 2 Pls.
- 4646. Meerman, J. & T. Boomsma,** 1986, Der wenig bekannte Schwalbenschwanz aus Nord-Jemen, *Papilio saharae rathjensi* Warnecke 1932- Freilandbeobachtungen und Zucht (Lepidoptera, Papilionidae). *Ent. Z., Frankf. a. M.* 96(13): 177-182, 3 Abb.
- 4647. Meinhard, A.,** 1908, Verzeichnis einer Lepidopterenausbeute aus dem Semiretschjegebiet. *Trans. Tomsk St. Univ.* 1908: 1-39.

- 4648. Mell, R.,** 1922, Biologie und Systematik der südchinesischen Sphingiden. xxii + 331 S. 35 Taf., Berlin.
- 4649. Mell, R.,** 1929, Beiträge zur Fauna Sinica V. Die Brahmaeiden und Eupterotiden Chinas. Dt. ent. Z. 1929: 337-490.
- 4650. Mell, R.,** 1938, Beiträge zur Fauna Sinica xvii. Inventur und ökologisches Material zur einer Biologie der südchinesischen Lepidopteren. Dt. ent. Z. 1938(2): 197-345, 8 Taf.
- 4651. Mentzer, E. v.,** 1974-1975, *Sphingonaepiopsis pfeifferi* Zerny bona species and *Sphingonaepiopsis pfeifferi* ssp. nova chloroptera aus Jugoslawien (Lep., Sphingidae). Acta ent. Jugosl. 10(1/2): 147-155, 4 Taf.; 11(1/2): 53-54, figs.
- 4652. Mentzer, E. v.,** 1981, *Paradrina susciana* n.sp. (Lepidoptera, Noctuidae). Ent. scand. 12: 403-404.
- 4653. Mentzer, E. v.,** 1984, Die Genera bei Denis & Schiffermüller als Nomenklaturfrage (Lepidoptera). Nota lepid. 7 (1): 59-70.
- 4654. Merrifield, F.,** 1899, Gradual formation of pigment on the dark pupa of *Papilio machaon*. Entomologist's Rec. J. Var. 11: 262-264.
- 4655. Merrin, J.,** 1899, The "Extinct" *Chrysophanus dispar*. Entomologist's Rec. J. Var. 11: 208-209.
- 4656. Merschevskaja, O. I. et al.,** 1976, Lepidoptera von Belorussland. Minsk.
- 4657. Metaye, R.,** 1957, Contribution a l'etude des Lepidopteres du Viet-Nam (Rhopalocera). Annls. Fac. Sci. Saigon 1957: 69-106, 3 pls.
- 4658. Metaye, R.,** 1958, Les Danaidae du Viet-Nam (Lep., Nymphalidae). Annls. Fac. Sci. Saigon 1958: 149-170, 3 pls.
- 4659. Metaye, R.,** 1958, Contribution a l'etude des Lepidopteres du Viet-Nam (Rhopalocera) (2.note). Annls. Fac. Sci. Saigon 1958: 171-176.
- 4660. Metzner, E.,** 1957, *Plebejus pylaon* Fisch.-Wald. (sephyrus Friv.) ssp. angustanus ssp. nova (Lep., Lycaenidae). Ent. Tidskr. 77: 125-129, figs.
- 4661. Mey, W. & M. J. C. Ceniza,** 1993, *Chedra fimbriatilis* n.sp.- ein minierender Kleinschmetterling an *Fimbristylis* spp. (Cyperaceae) auf Leyte, Philippinen (Lepidoptera, Batrachedridae). Dt. ent. Z. (N.F.) 40: 181-186, 11 Abb.
- 4662. Mey, W. & W. Speidel,** 2005, Two new species of *Eoophyla* Swinhoe, 1900 from Continental South East Asia (Lepidoptera, Crambidae, Acentropinae). Bonner zool. Beitr. 53 (1/2): 115-119, figs.
- 4663. Mey, W.,** 1993, Zur Kenntnis von *Phyllonorycter pumilae* (Ermolaev, 1981) in den Oasen von Xinjiang, China (Lepidoptera, Gracillariidae). Nota lepid. 16 (1): 57-62, figs.
- 4664. Mey, W.,** 1993, Zur Kenntnis von *Phyllonorycter pumilae* (Ermolaev, 1981) in den Oasen von Xinjiang, China (Lepidoptera, Gracillariidae). Nota lepid. 16(1): 57-62, 7 Abb.
- 4665. Mey, W.,** 1994, Taxonomische Bearbeitung der westpaläarktischen Arten der Gattung *Leucoptera* Hübner, [1825], s.l. (Lepidoptera, Lyonetidae). Dt. ent. Z. (N.F.) 41: 173-234, 125 Abb.
- 4666. Mey, W.,** 1997, Moths of Vietnam with special reference to Mt. Fan-si-pan Microlepidoptera 2: Eriocottidae (Lepidoptera, Ditrysia, Tineoidea). Entomofauna Suppl. 9 (3): 21-32, 21 figs.
- 4667. Mey, W.,** 1997, Moths of Vietnam with special reference to Mt. Fan-si-pan Microlepidoptera 1: Micropterigidae/Urmotten (Lepidoptera, Zeugloptera). Entomofauna Suppl. 9(2): 13-20, 6 figs., 1 Pl.
- 4668. Mey, W.,** 2006, Revision of the genus *Phyllobrostis* Staudinger, 1859 (Lepidoptera, Lyonetiidae). Dt. ent. Z. 53 (1): 114-147, figs.
- 4669. Meyer, M. & A. Pelles,** 1981, Atlas provisoire des Insectes du Grand-Duché du Luxembourg. Lepidoptera, Première partie: Rhopalocera. 147pp. 109 maps. Luxemburg (ISSN 0251-2424).
- 4670. Meyer, M.,** 1991, Les Lépidoptères de la région macaronésienne I. Papilionoidea des Açores: "Checklist et observations en juillet-aout 1990 (Lepidoptera, Rhopalocera). Linneana Belgica 13(3): 99-116, figs.
- 4671. Meyer, M.,** 1991, Les Lépidoptères de la région macaronésienne II. Liste des Macro-Hétérocères observés en juillet-
- aout 1990 aux Açores (Lepidoptera, Geometridae, Sphingidae, Noctuidae). Linneana Belgica 13(3): 117-134, figs.
- 4672. Meyer, M.,** 1993, Die Lepidoptera der makaronesischen Region III. Die Tagfalter des nördlichen Makaronesiens (Madeira, Azoren) aus biogeographischer Sicht (Papilionoidea). Atalanta 24(1/2): 121-162, Taf. vi-xiii.
- 4673. Meyrick, E.,** 1884, On the classification of Australian Pyralidina. Trans. ent. Soc. London 1884: 61-80.
- 4674. Meyrick, E.,** 1886, Descriptions of Lepidoptera from the South Pacific. Trans. ent. Soc. London 1886 (3): 189-296.
- 4675. Meyrick, E.,** 1887, On Pyralidina from Australia and the South Pacific. Trans. ent. Soc. London 1887 (3): 185-268.
- 4676. Meyrick, E.,** 1887, Description of some exotic Microlepidoptera. Trans. ent. Soc. Lond. 1887 (3): 269-280.
- 4677. Meyrick, E.,** 1889, On some Lepidoptera from New Guinea. Trans. ent. Soc. London (4): 455-522.
- 4678. Meyrick, E.,** 1890, On the classification of the Pyralidina of the European fauna. Trans. ent. Soc. London 1890: 429-492, Pl. xv.
- 4679. Meyrick, E.,** 1892, On the classification of the Geometrina of the European fauna. Trans. ent. Soc. London 1892: 53-140, Tab. iii.
- 4680. Meyrick, E.,** 1892, Classification by structure of imago. Entomologist's Rec. J. Var. 3: 104-106.
- 4681. Meyrick, E.,** 1894, On a collection of Lepidoptera from Upper Burma. Trans. ent. Soc. London 1894: 1-29.
- 4682. Meyrick, E.,** 1897, On Lepidoptera from the Malay Archipelago. Trans. ent. Soc. London 1897 (1): 69-92.
- 4683. Meyrick, E.,** 1902, Three new Lepidoptera from Aden. Entomologist's mon. Mag. 38: 175-176.
- 4684. Meyrick, E.,** 1908, Descriptions of African Microlepidoptera. Proc. zool. Soc. London. 1908: 716-756.
- 4685. Meyrick, E.,** 1909, New South African Microlepidoptera. Ann. S. Afr. Mus. 5: 349-379.
- 4686. Meyrick, E.,** 1910, Descriptions of Transvaal Microlepidoptera 1. Ann. Transv. Mus. 2: 1-28, 8 pls.
- 4687. Meyrick, E.,** 1910, New South African Microlepidoptera. Ann. S. Afr. Mus. 5: 411-417.
- 4688. Meyrick, E.,** 1912, Descriptions of Transvaal Microlepidoptera. Ann. Trans. Mus. 3: 63-83.
- 4689. Meyrick, E.,** 1912, New South African Microlepidoptera. Ann. S. Afr. Mus. 10: 53-74.
- 4690. Meyrick, E.,** 1912, Adelidae, Micropterygidae, Gracillariidae. [in] Wagner, H., Lepidopterorum Catalogus Pars 6. 68pp. Dr. W. Junk Berlin.
- 4691. Meyrick, E.,** 1912-1916, Exotic Microlepidoptera, vol. 1. 640pp.
- 4692. Meyrick, E.,** 1913, Carposinidae, Heliodinidae, Glyphipterygidae. [in] Wagner, H., Lepidopterorum Catalogus Pars 13. 53pp. Dr. W. Junk Berlin.
- 4693. Meyrick, E.,** 1913, Descriptions of South African Microlepidoptera IV. Ann. Transv. Mus. 3: 267-336.
- 4694. Meyrick, E.,** 1914, New South African Microlepidoptera. Ann. S. Afr. Mus. 10: 243-257.
- 4695. Meyrick, E.,** 1916-1923, Exotic Microlepidoptera, vol. 2. 640pp.
- 4696. Meyrick, E.,** 1917, Descriptions of South African Microlepidoptera. Ann. S. Afr. Mus. 17: 1-21.
- 4697. Meyrick, E.,** 1920, Descriptions of South African Microlepidoptera. Ann. S. Afr. Mus. 17: 273-315.
- 4698. Meyrick, E.,** 1923, Three new Microlepidoptera from Cyprus. Entomologist 56: 277-278.
- 4699. Meyrick, E.,** 1923-1930, Exotic Microlepidoptera, vol. 3. 640 pp.
- 4700. Meyrick, E.,** 1925, Descriptions of twenty-four new Egyptian Microlepidoptera. Bull. Soc. ent. Egypte 1925: 206-219.
- 4701. Meyrick, E.,** 1926, Microlepidoptera from Northern Sarawak. J. Sarawak Mus. 3: 147-168.
- 4702. Meyrick, E.,** 1926, New South African Microlepidoptera. Ann. S. Afr. Mus. 23: 325-351.
- 4703. Meyrick, E.,** 1927, A new genus and a new species of Tineidae from Italian Somaliland. Boll. Soc. ent. ital. 59: 161.

- 4704.** Meyrick, E., 1928, A revised handbook of British Lepidoptera. 914 pp. Biddles Ltd. Great Britain.
- 4705.** Meyrick, E., 1930-1936, Exotic Microlepidoptera, vol. 4. 642pp.
- 4706.** Meyrick, E., 1932, Entomological Expedition to Abyssinia, 1926-7. Trans. R. ent. Soc. Lond. 80 (1): 107-120.
- 4707.** Meyrick, E., 1936-1937, Exotic Microlepidoptera, vol. 5. 160pp.
- 4708.** Meyrick, E., 1938, New Javanese Lepidoptera. Dt. ent. Z., Iris 52: 73-88.
- 4709.** Meyrick, E., 1938, Papuan Microlepidoptera. Trans. R. ent. Soc. Lond. 87: 503-528.
- 4710.** Meyrick, E., 1939, New Microlepidoptera, with notes on others. Trans. R. ent. Soc. Lond. 89: 47-62.
- 4711.** Miatleuski, J., Ivinskis, P. & V. Karalius, 2002, *Smerinthus cinerascens* Staudinger, 1879 status novus (Lepidoptera, Sphingidae). Esperiana 9: 49-53, pl. 5.
- 4712.** Michener, C. D., 1952, The Saturniidae (Lepidoptera) of the Western Hemisphere: morphology, phylogeny, and classification. Bull. Am. Mus. Nat. Hist. 98: 335-502, 5 Pls.
- 4713.** Migdoll, I., 1987, Veldgids tot die Skoenlappers van Suider-Afrika. 256pp. Struik House, Kaapstad.
- 4714.** Migranov, M., 1991, Die Tagfalter Baschkiriens. 132pp. Ufa.
- 4715.** Migranov, M., 1992, A new species of genus *Callophrys* (Lepidoptera, Lycaenidae) from the Southern Urals. Zool. zhurn. 71: 135-139.
- 4716.** Mikkola, K. & K. Spitzer, 1983, Lepidoptera associated with peatlands in central and northern Europe: a synthesis. Nota lepid. 6 (4): 216-229, 4 figs.
- 4717.** Mikkola, K., 1960, *Laphygma exigua* Hb. (Lep., Agrotidae) - vaeltajayökönen tavattu Suomessa vv. 1958-1959. Ann. ent. Fenn. 26: 81-83.
- 4718.** Mikkola, K., 1967, Immigrations of Lepidoptera recorded in Finland in the years 1946-66, in relation to air currents. Ann. ent. Fenn. 33: 65-99.
- 4719.** Mikkola, K., 1968, Transportation by air of *Nomophila noctuella* Schiff. (Lep., Pyralididae) to Greenland from North America in 1954. Ent. Medd. 36: 413-414.
- 4720.** Mikkola, K., 1968, *Hydroecia ultima* Holst (Lep., Noctuidae) in Finland. Ann. ent. Fenn. 34: 474-477.
- 4721.** Mikkola, K., 1970, The interpretation of long-range migrations of *Spodoptera exigua* Hb. (Lepidoptera, Noctuidae). J. Anim. Ecol. 39: 593-598.
- 4722.** Mikkola, K., 1971, The migratory habit of *Lymantria dispar* (Lep., Lymantriidae) adults of continental Eurasia in the light of a flight to Finland. Acta ent. Fenn. 28: 107-120.
- 4723.** Mikkola, K., 1975, Frequencies of melanic forms of *Oligia* moths (Lepidoptera, Noctuidae) as a measure of atmospheric pollution in Finland. Ann. zool. Fenn. 12: 197-204.
- 4724.** Mikkola, K., 1977, The flight speed of *Charaxes jasius* (Lepidoptera, Nymphalidae). Notul. ent. 57: 125-126.
- 4725.** Mikkola, K., 1977, Local polymorphism in *Xanthia togata* (Lepidoptera, Noctuidae). Notul. ent. 57: 19-20.
- 4726.** Mikkola, K., 1979, Resting site selection by *Oligia* and *Biston* moths (Lepidoptera, Noctuidae, Geometridae). Ann. ent. Fenn. 45: 81-87.
- 4727.** Mikkola, K., 1980, Apollo takaisin istuttamalla? (Reimplantation of *Parnassius apollo*?). Suomen Luonto 39: 203.
- 4728.** Mikkola, K., 1980, Origin and genetics of industrial melanism of *Oligia strigilis* (L.) in Finland (Lepidoptera, Noctuidae). Ent. scand. 11: 1-8.
- 4729.** Mikkola, K., 1980, Two new noctuid species from Northern Europe: *Polia sabmeana* n. sp. and *Xylomoia strix* n. sp. (Lepidoptera, Noctuidae: Hadeninae and Amphipyrrinae). Notulae Ent. 60: 217-222.
- 4730.** Mikkola, K., 1980, Bericht über die Insektenwanderungen im Jahre 1979 in Finland. Atalanta 11: 176-180.
- 4731.** Mikkola, K., 1980, Sää ja perhosten vaellukset kesällä 1980 (Weather and migrations of Lepidoptera in 1980). Baptria 5: 88-97.
- 4732.** Mikkola, K., 1981, Ausgestorbene und abnehmende Schmetterlinge Finnlands. Beih. Veröff. Naturschutz Landschaftspflege Bad. Württ. 21: 19-22.
- 4733.** Mikkola, K., 1981, Notes on some Geometrid and Noctuid species described by J. F. Fabricius (Lepidoptera). Ent. scand. 12: 433-436.
- 4734.** Mikkola, K., 1982, *Eupithecia expallidata* (Lepidoptera, Geometridae) new to Fennoscandia with notes on the taxonomy of the *E. absinthiata* - complex. Notul. ent. 62: 13-23.
- 4735.** Mikkola, K., 1982, Bericht über die Insektenwanderungen im Jahre 1980 in Finland. Atalanta 13: 27-33.
- 4736.** Mikkola, K., 1982, Bericht über die Insektenwanderungen im Jahre 1981 in Finland. Atalanta 13: 91-95.
- 4737.** Mikkola, K., 1983, Bericht über die Insektenwanderungen im Jahre 1982 in Finland. Atalanta 14: 96-103.
- 4738.** Mikkola, K., 1983, *Perhostutkimuksia Länsi-Siperiassa* (Lepidopterological investigations in western Siberia). Baptria 8: 1-6.
- 4739.** Mikkola, K., 1983, *Scoliopteryx aksuana* Sheljuzhko, 1955 - species (Lepidoptera, Noctuidae). Ent. scand. 14: 81-84.
- 4740.** Mikkola, K., 1984, Bericht über die Insektenwanderungen im Jahre 1983 in Finland. Atalanta 15: 73-78.
- 4741.** Mikkola, K., 1985, The Geometroidea and Noctuoidea described by Carl Clerck (Lepidoptera). Ent. scand. 16: 121-129.
- 4742.** Mikkola, K., 1986, Tower spreading, a handy method for provisional field-preparation of Microlepidoptera. Notulae Ent. 66: 101-102.
- 4743.** Mikkola, K., 1987, *Selidosema plumarium* new to northern Europe (Lepidoptera, Geometridae). Notulae Ent. 67: 147-150.
- 4744.** Mikkola, K., 1987, Pattern of noctuid species common between the extremities of the Palaearctic Zone: a result of glacial and postglacial movements. Tinea 12: 310-315.
- 4745.** Mikkola, K., 1992, Lock-and-key mechanisms in the inner genitalia of *Apamea* moths (Lepidoptera, Noctuidae). Syst. Ent. 17: 145-153.
- 4746.** Mikkola, K., 1993, *Lithophane hepatica* (Clerck, 1759) - a valid combination (Lepidoptera, Noctuidae). Nota lepid. 16: 139-144.
- 4747.** Mikkola, K., 1994, Inferences about the function of genitalia in the genus *Eupithecia*, with description of a new organ (Lepidoptera, Geometridae). Nota lepid. (suppl.) 5: 73-78.
- 4748.** Mikkola, K., 1996, Diversities and zoogeographic relationships of Noctuidae from the Northern Palaearctic: The Finnish fauna. - International moth monitoring scheme. Tema-Nord 1996: 630, 8-12.
- 4749.** Mikkola, K., 1997, Population trends of Finnish Lepidoptera during 1961-1996. Ent. fenn. 8: 121-143.
- 4750.** Mikkola, K., 1997, *Apamea yunnana* sp. n. (Lepidoptera, Noctuidae) from Northern Yunnan, China. Ent. fenn. 8: 83-85, figs.
- 4751.** Mikkola, K., 1998, Revision of the genus *Xylomoia* Staudinger (Lepidoptera, Noctuidae) with descriptions of two new species. Syst. Ent. 23: 173-186, 2 Tab., 28 figs.
- 4752.** Mikkola, K., Lafontaine, J. D. & P. Grotenfelt, 1987, A revision of the Holarctic *Chersotis anderegii* complex (Lepidoptera, Noctuidae). Nota lepid. 10 (3): 140-157, 6 figs.
- 4753.** Mikkola, K., Varga, Z. & P. Gyulai, 1995, *Apamea nekrasovi*, a new species of Noctuidae (Lepidoptera) from the Pamir Mountains. Folia ent. hung. 56: 115-118, figs.
- 4754.** Miljanowsky, Y. S., 1964, Lepidopterous fauna of Abchasiya. Proc. Sukhumi eth. oil. cult. res. station. 5: 91-190.
- 4755.** Miller, A., 1994, Eine neue Subspecies von *Euthalia aconthea* Cramer aus Sulawesi (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 104(5): 102-104, 2 Abb.
- 4756.** Miller, E., 1923, Lépidoptères, rapports des environs de Kagysman dans le district de Cars. Bull. Soc. ent. Moscou 2: 81-118.

- 4757. Miller, J.S.,** 1987, Phylogenetic studies in the Papilioninae (Lepidoptera). Bull. Am. Mus. Nat. Hist. 186 (4): 365-512.
- 4758. Miller, L.D. & S.C. Collins,** 1997, A review of the genus *Gamia* Holland, 1896 (Lepidoptera, Hesperidae, Hesperinae), with the description of a new species. Metamorphosis 8(4): 147-159, 2 Pls., 18 figs.
- 4759. Millière, M.P.,** 1859-1864, Iconographie et description de Chénilles et Lépidoptères inédits. Tome I. Lyon.
- 4760. Millière, M.P.,** 1864-1868, Iconographie et description de Chénilles et Lépidoptères inédits. Tome II. Lyon.
- 4761. Millière, M.P.,** 1869-1874, Iconographie et description de Chénilles et Lépidoptères inédits. Tome III. Lyon.
- 4762. Millière, M.P.,** 1886, Chénilles nouvelles Lépidoptères nouveaux ou peu connus. Annls Soc. ent. Fr. 1886: 5-10, pl.1.
- 4763. Millière, M.P.,** 1887, Lépidoptères nouveaux ou peu connus Chénilles nouvelles. Annls Soc. ent. Fr. 1887: 215-221, pl.5.
- 4764. Minet, J.,** 1986, Ebauche d'une classification moderne de l'ordre des Lépidoptères. Alexanor 14: 291-313.
- 4765. Minet, J.,** 1990, Remaniement partiel de la classification des Gelechioidea, essentiellement en fonction de caractères pré-imaginaux (Lepidoptera, Ditrysia). Alexanor 16 (4) (1989): 239-255, figs.
- 4766. Minet, J.,** 1991, Tentative reconstruction of the ditrysian phylogeny (Lepidoptera: Glossata). Ent. scand. 22: 69-95.
- 4767. Mironov, V.,** 2001, New and scarce European Eupithecia species (Geometridae). Nota lepid. 24 (1/2): 21-28, figs.
- 4768. Mironov, V.,** 2003, The Geometrid Moths of Europe Vol. 4 Larentiinae II. 462 pp., figs. Pls. Apollo Books.
- 4769. Mironov, V.G.,** 1986, New and little known species of Geometrid moths (Lepidoptera, Geometridae) from the centre of Tien Shan. Trudy vses. ent. Obshch. 67: 94-100, figs.
- 4770. Mironov, V.G.,** 1988, A new species of Eupithecia Curt. from Transcaucasia (Lepidoptera, Geometridae). Ent. Obozr. 1988 (2): 369-371, 4 figs.
- 4771. Mironov, V.G.,** 1989, New and less known species of Eupithecia Curt. (Lepidoptera, Geometridae) from Central Asia. Ent. Obozr. 1989 (2): 369-375 figs.
- 4772. Mirzayans, H. & M. Abai,** 1974, The Oak trees Lepidoptera in Iran. J. ent. Soc. Iran 1: 161-167.
- 4773. Miskin, W.H.,** 1876, Descriptions of new species of Australian diurnal Lepidoptera. Trans. ent. Soc. London 1876 (3): 451-457.
- 4774. Mitter, C. & E. Silverfine,** 1987, On the systematic position of Catocala Schrank (Noctuidae). Syst. Ent. 13: 67-84, figs.
- 4775. Mokhles, A.,** 1984, Calendrier des périodes de vol des Rhopalocères du Maroc. Nota lepid. 7 (3): 257-263.
- 4776. Mollet, B.,** 2001, A new subgenus of the genus *Zygaenoprocris* Hampson, 1900 (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 52: 51-53, 3 figs.
- 4777. Moltrecht, A.,** 1909, Neues aus dem Amurland. Ent. Z., Stuttgart 22: 184.
- 4778. Monfort, A.,** 1987, Distribution et statut des Papilionidae du Rwanda. Lambillionea 87: 145-153.
- 4779. Monoz Sariot, G.M.,** 1995, Mariposas diurnas de la provincia de Granada. 165 pp. 209 figs. Granada.
- 4780. Moore, F.,** 1865, List of Diurnal Lepidoptera collected by Capt. A. M. Lang in the N.W. Himalayas. Proc. 35: 486-509, Pl. 30-31.
- 4781. Moore, F.,** 1874, List of Diurnal Lepidoptera collected in Cashmere Territory by Capt. R.B. Reed, 12th Regt., with descriptions of new species. Proc. zool. Soc. Lond. 1874: 264-274, Pl. xliii.
- 4782. Moore, F.,** 1877, The lepidopterous fauna of the Andaman and Nicobar Islands. Proc. zool. Soc. Lond. 1877: 580-632, Pls.
- 4783. Moore, F.,** 1878, Descriptions of new species of Lepidoptera collected by the late Dr. F. Stoliczka during the Indian-Government Mission to Yarkund in 1873. Ann. Mag. nat. Hist. 1878: 227-237.
- 4784. Moore, F.,** 1878, List of Lepidopterous insects collected by the late R. Swinhoe in the island of Hainan. Proc. zool. Soc. Lond. 1878: 695-705.
- 4785. Moore, F.,** 1881, Descriptions of new Asiatic diurnal Lepidoptera. Trans. ent. Soc. London 1881 (3): 305-313.
- 4786. Moore, F.,** 1881, Description of new genera and species of asiatic Nocturnal Lepidoptera. Proc. zool. Soc. London 1881: 326-380.
- 4787. Moore, F.,** 1883, A monograph of Limnaina and Euploeina, two groups of diurnal Lepidoptera belonging to the subfamily Euploeinae, with descriptions of new genera and species. Pt. I. Limnaina. Proc. zool. Soc. Lond. 53: 201-252, Pls. 29-32.
- 4788. Moore, F.,** 1883, A monograph of Limnaina and Euploeina, two groups of diurnal Lepidoptera belonging to the subfamily Euploeinae, with descriptions of new genera and species. Pt. II. Euploeina. Proc. zool. Soc. Lond. 53: 253-324.
- 4789. Moore, F.,** 1901-1903, Lepidoptera Indica 5. Rhopalocera; Nymphalidae, Riodinidae, Papilionidae. vii + 248 pp., 85 pls. London.
- 4790. Morishita, K.,** 1979, On Evans' The Identification of Indian Butterflies 1932. Chou Chou 2 (6): 1-74, 4 pls.
- 4791. Morishita, K.,** 1994, Notes on the butterflies of Thailand and southern part of Vietnam. Tyo to Ga 45 (2): 121-123.
- 4792. Moriuti, S. & K. Yashuda,** 1983, Stathmopoda masinissa Meyrick and Eretmocera impactella (Walker) (Lepidoptera, Stathmopodidae) new to the fauna of Thailand. Appl. Ent. Zool. 18: 431-432.
- 4793. Moriuti, S.,** 1971, A revision of the world species of Thecobathra (Lepidoptera, Yponomeutidae). Kontyu 39: 230-251.
- 4794. Moriuti, S.,** 1977, Fauna Japonica: Yponomeutidae s.lat. (Insecta, Yponomeutidae). iv + 327 pp. 95 pls. 583 figs. Keigaku Publishing Co., Tokyo.
- 4795. Moriuti, S.,** 1982, A new and an unrecorded species of Thecobathra Meyrick (Lepidoptera, Yponomeutidae) from Thailand. Tyo To Ga 33: 61-64.
- 4796. Moriuti, S.,** 1982, A redescription of Callithrinca Meyrick (Lepidoptera, Yponomeutidae), with a new species from Thailand. Tyo to Ga 33: 65-69, fig.
- 4797. Moriuti, S.,** 1982, A new Argysthia (Lepidoptera, Argysthiidae) from Thailand. Akitu (n.ser.) (48): 1-4, figs.
- 4798. Moriuti, S.,** 1983, Angoonopteryx siamensis, a new genus and species of Yponomeutidae (Lepidoptera), from Thailand. Bull. Univ. Osaka Pref. (B) 35: 11-15, figs.
- 4799. Moriuti, S.,** 1984, A new Acrolepiopsis (Lepidoptera, Acrolepiidae) from Thailand. Tyo to Ga 35: 28-32, figs.
- 4800. Moriuti, S.,** 1984, A new Agriothera (Lepidoptera, Amphitheridae) from Thailand. Kontyu, Tokyo 52: 407-410, figs.
- 4801. Moriuti, S.,** 1985, Records of four species of Aeolanthus (Lepidoptera, Gelechioidea) from Thailand. Tyo to Ga 36: 91-96, figs.
- 4802. Moriuti, S.,** 1985, A new and unrecorded species of Casmara Walker (Lepidoptera, Oecophoridae) from Thailand. Tinea 12 (2): 11-16.
- 4803. Moriuti, S.,** 1987, Two new species of Ypsolopha Latreille (Lepidoptera, Yponomeutidae) from Thailand. [in] Kuroko, H. & S. Moriuti, Microlepidoptera of Thailand 1: 97-102, figs. University of Osaka.
- 4804. Moriuti, S.,** 1989, Eleven new species of Gerontha from Southeast Asia, with notes on others (Lepidoptera, Tineidae). [in] Moriuti, S., Microlepidoptera of Thailand 2: 87-112, 45 figs.
- 4805. Moriuti, S., Saito, T. & A. Lewvanich,** 1985, Thai species of Periacma Meyrick and its allied two new genera (Lepidoptera, Oecophoridae). Bull. Univ. Osaka Pref. (B) 37: 19-50, figs.
- 4806. Moriuti, S., Saito, T. & A. Lewvanich,** 1989, Thai species of the Oecophorinae genera Periacma, Irepacma and Ripeacma (Lepidoptera, Oecophoridae). [in] Moriuti, S., Microlepidoptera of Thailand 2: 113-152, University of Osaka.
- 4807. Morkzecki, S.,** 1902, Naturgeschichte der Cledeobia moldavica Esp. (Microlepidoptera). Allg. Z. Ent. 7: 85-89, 5 figs.

- 4808. Mortera, H.,** 1996, Catalogo de los Lepidopteros Ropaloceros de Asturias. Bol. Soc. ent. Aragon. 13: 3-5.
- 4809. Mosher, E.,** 1916, A Classification of the Lepidoptera based on characters of the pupa. Bull. Ill. St. Lab. nat. Hist. 12: 1-158, figs.
- 4810. Motono, A. & N. Negishi,** 1989, Butterflies of Laos. 215pp. Kiriara Shoten, Tokyo.
- 4811. Mottet, P.,** 1985, Nouvelle localité de *M. deserticola* dans le Haut Atlas. Bull. Cercle lépid. belges 14: 13-17, 64-65.
- 4812. Moucha, J. & J. Zahradnik,** 1969, *Papilio machaon* L. et *Chaerocampa alecto* L. deux Lépidoptères nuisibles et remarques sur d'autres espèces de l'île de Chypre. Alexanor 6: 146-149, 2 figs.
- 4813. Moucha, J.,** 1953, La distribution géographique de la *Leptidea morsei* Fent. en Europe (Lep., Pieridae). Bull. Soc. ent. Mulhouse 1953: 1-5.
- 4814. Moucha, J.,** 1954, Contribution a la connaissance du *Papilio machaon* L. de Palestine- Lep. Papilionidae. Bull. Soc. ent. Mulhouse 1954: 69-75, 7 figs.
- 4815. Moucha, J.,** 1954, Insecta Houskeana: Lepidoptera. Acta ent. Mus. natn. Pragae 28 [1952]: 185-207.
- 4816. Moucha, J.,** 1957, Über *Papilio machaon* L. im Nahen Osten (Lepidoptera, Papilionidae). Acta ent. Mus. natn. Pragae 31: 167-170.
- 4817. Moucha, J.,** 1966, Zur Kenntnis der Schmetterlingsfauna Jugoslawiens (Lepidoptera). Ent. Nachr., Dresden 10(4): 49-53.
- 4818. Moulton, J. C.,** 1923, On butterflies from Pulo Condore. J. Nat. Hist. Soc. Siam 6 (1): 127-134.
- 4819. Mracek, Z. & A. Schulte,** 1991, *Colias grumi* burchana nov. ssp., eine neue Unterart von *Colias grumi* Alpherakyi [sic] aus der Provinz Qinghai (China) (Lepidoptera, Pieridae). Nachr. ent. Ver. Apollo (N.F.) 12(3): 163-165, 4 Abb.
- 4820. Mracek, Z.,** 1989, Contribution a la connaissance des Lépidoptères diurnes de la Iakoutie (Lepidoptera, Rhopalocera et Hesperidae). Linneana Belgica 12(4): 138-188, figs.
- 4821. Mucho, W. H.,** 1960, Eindrücke einer Sammelreise nach der Türkei. Ent. Z., Frankf. a. M. 70: 176-180, 181-188, 199-201, 207-210, 7 Abb.
- 4822. Munroe, E. & A. Mutuura,** 1971, Geographical distribution of Pyraustinae (Lepidoptera, Pyralidae) of temperate East Asia. Tyo to Ga 22(1/2): 1-6, 6 maps.
- 4823. Munroe, E. & M. Schaffer,** 1980, A Revision of Vitessidia Rothschild & Jordan and Vitessa Moore (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 39(4): 241-360, 318 figs.
- 4824. Munroe, E.,** 1959, Canadian species of Dioryctria Zeller (Lepidoptera: Pyralidae). Can. Ent. 91 (2): 65-72, 12 figs.
- 4825. Munroe, E.,** 1960, New Tropical Pyraustinae (Lepidoptera, Pyralidae). Can. Ent. 92: 164-173, figs.
- 4826. Munroe, E.,** 1961, The classification of the Papilionidae (Lepidoptera). Can. Ent. Suppl. 17: 1-51.
- 4827. Munroe, E.,** 1968, New Pyralidae (Lepidoptera) from the Papuan region II. Can. Ent. 100: 394-401, 12 figs.
- 4828. Munroe, E.,** 1970, Types of Nymphulinae, Scopariinae, Cybalomiinae, Odontiinae, Evergestinae, and Pyraustinae (Lepidoptera, Pyralidae) in the Zoological Institute, Academy of Sciences of the USSR, Leningrad, with selections of lectotypes. Can. ent. 102: 1025-1035.
- 4829. Munroe, E.,** 1977, Synopsis of Heortia Lederer, with descriptions of a new species and a new subspecies (Lepidoptera, Pyralidae: Odontiinae). Can. ent. 109: 429-441, 20 figs.
- 4830. Munroe, E.,** 1977, Two species of Palpita Hübner described by Janse, with descriptions of new species (Lepidoptera, Pyralidae, Pyraustinae). Can. ent. 109: 67-76, 15 figs.
- 4831. Munroe, E., Diakonoff, A. & E. L. Martin,** 1958, Catalogue of Snellen's types of Pyralidae, with selections of Lectotypes. Tijdschr. Ent. 101 (2): 65-88.
- 4832. Murayama, S.,** 1984, Notes on some butterflies of North Thailand and China. New Ent. 31 (4): 1-6.
- 4833. Murria, E. & G. King,** 1999, Observaciones sobre la biología de *Antigastra catalaunalis* (Duponchel, 1833) en el valle medio del Ebro, Espana (Lepidoptera, Pyralidae, Pyraustinae). Shilap Revta lepid. 27 (105): 139-143, figs.
- 4834. Murzin, V. S.,** 1986, Butterflies (Lepidoptera, Rhopalocera) of the Badkhyz Nature Reserve (Turkmenistan). Trudy vses. ent. Obshch. 67: 125-130.
- 4835. Mutuura, A. & E. Munroe,** 1970, Taxonomy and distribution of the European Corn Borer and allied species: Genus Ostrinia (Lepidoptera, Pyralidae). Mem. ent. Soc. Can. 71: 1-112, 661 figs.
- 4836. Mutuura, A.,** 1972, Morphology of the female genitalia in Lepidoptera, and its taxonomic significance. Can. ent. 104(7): 1055-1071, 24 figs.
- 4837. Müller, A.,** 1992, Eine neue Idea und ein Hybrid zwischen *Hebomoia leucippe* und *H. glaucippe* (Lepidoptera, Danaidae, Pieridae). Ent. Z., Frankf. a. M. 102: 302-304, 3 Abb.
- 4838. Müller, G.,** 1992, Winterbeobachtungen von Tagfaltern auf Zypern. Atalanta 23(1/2): 81-83.
- 4839. Müller, G.,** 2001, Winterbeobachtungen von Tagfaltern auf Zypern (Lepidoptera, Diurna). Atalanta 32 (1/2): 80-82, figs.
- 4840. Müller, O. F.,** 1764, Fauna insectorum Fridrichsdalina sive methodica descriptio insectorum agri Fridrichsdalensis... xxiv+96pp. Hafniae et Lipsiae.
- 4841. Müting, D. & E. Müting,** 1980, Reiseeindrücke aus Nordwest-Pakistan (Chitral und oberes Kaghan-Tal). Ent. Z., Frankf. a. M. 90(3): 17-28, 3 Abb.
- 4842. Müting, D.,** 1970, Hindukusch-Expedition zum Autocator. 300km zu Fuss und Pferd durch das Hochgebirge Afghanistans auf der Suche nach einem seltenen Schmetterling. Deutsche Aertzblatt- Aertzliche Mitteilungen 67(20): 1548-1555, 8 Abb.
- 4843. Müting, D.,** 1971, *Colias*-Fang in Iran und Afghanistan (Lep., Pieridae). Ent. Z., Frankf. a. M. 81(19): 209-216, 3 Abb.
- 4844. Ménétriés, E.,** 1848, Description des insectes recueillis par feu Lehmann. Mém. Acad. Sci. St.-Petersb. 6: 273-300, Pl. vi., St.-Petersbourg.
- 4845. Ménétriés, E.,** 1855, Enumeratio corporum animalium musei imperialis academie scientiarum Petropolitanae, Classis Insectorum, Ordo Lepidopterorum 1: xvi + 97 + [3] pp. 6 Pls. St. Petersburg.
- 4846. Ménétriés, E.,** 1857, Enumeratio corporum animalium musei imperialis academie scientiarum Petropolitanae, Classis Insectorum, Ordo Lepidopterorum 2: 98 pp. 8 Pls. Petropoli.
- 4847. Ménétriés, E.,** 1858, Sur quelques Lépidoptères du gouvernement Jakoutsk. Bull. phys. math. Acad. Sci. St. Petersburg. 17: 213-220.
- 4848. Ménétriés, E.,** 1859, Verzeichniss von Insecten aus der Gegend Nachitschewan und dem nördlichen Persien. Nouv. Mém. Soc. imp. Nat. Mosc. 12: 247.
- 4849. Ménétriés, E.,** 1859, Sur les Lépidoptères de Lenkoran et de Talyche. Bull. phys. Acad. Sci. St.-Petersb. 17: 313-316.
- 4850. Ménétriés, E.,** 1859, Sur quelques Lépidoptères du gouvernement Jakoutsk. Bull. phys. Acad. Sci. St.-Petersb. 17: 494-500.
- 4851. Mérit, X. & V. Mérit,** 1998, Contribution a la connaissance lépidoptérique de d'Ile de Crete (Lepidoptera). Linneana Belgica 16(7): 291-297, figs.
- 4852. Mérit, X. & V. Mérit,** 1998, L'élevage de Dysauxes famula (Freyer, 1836) (Lepidoptera, Syntomidae). Linneana Belgica 16(7): 298-300, 3 figs.
- 4853. Möschler, H. B.,** 1862, Neue südrussische Schmetterlinge. Wien. ent. Monatschr. 6: 139-143, Taf. 1.
- 4854. Nakamura, I. & S. A. Ae,** 1977, Prolonged pupal diapause of *Papilio alexanor*: arid zone adaptation directed by larval host plant. Ann. ent. Soc. Am. 70: 481-484.
- 4855. Nakamura, I.,** 1975, Descriptions of two new species of butterflies (Lepidoptera, Lycaenidae) from the South Sinai. J. Ent. (B) 44 (3): 283-295, 29 figs.
- 4856. Nakamura, I.,** 1977, On the identity of some of the Lycaenidae species (Lep.) described by Francis Walker (1870) from the Egypt and the Sinai. Entomologist's Gaz. 28: 9-14.
- 4857. Nakamura, I.,** 1979, On the supposed distribution of *Euchloe falloui* (Allard) (Pieridae) in Somaliland: a critical review. Nota lepid. 2 (1/2): 45-48.

- 4858. Nakamura, M.**, 1976, Some Notodontidae from Malaysia and Brunei (Lepidoptera). Tyo to Ga 27: 35-42.
- 4859. Nakano, S.**, 1989, Some remarkable butterflies from Thailand (3). Gekhan Mushi 217: 20-21.
- 4860. Nakano, S.**, 1990, Some remarkable butterflies from Thailand (4). Gekhan Mushi 236: 18-19, pl. 1.
- 4861. Namvar, P. & H. Alipanah**, 2002, *Diaphania indica* (Saunders) (Pyralidae, Pyraustinae) as a first report for Lepidoptera fauna of Iran. Appl. Ent. phytopath. 70 (1): 92-93.
- 4862. Nardelli, U. & B. Giandolfo**, 2000, Biologische und ethologische Angaben über eine der am wenigsten bekannten Lymantriiden von Sizilien: *Orgyia dubia acerii* Ragusa, 1923 (Lepidoptera, Lymantriidae). Nachr. ent. Ver. Apollo (N.F.) 21 (2): 123-128, figs.
- 4863. Nardelli, U.**, 1993, Zur Biologie einer wenig bekannten Zerynthiinae: *Allanacstria caucasica tkatschukovi* Sheljuzhko (Lepidoptera, Papilionidae). Ent. Z., Frankf. a. M. 103(22): 409-415, 7 Abb.
- 4864. Naufock, A.**, 1929, *Procris anatolica* sp.n. Mitt. münch. ent. Ges. 19: 94-96, 2 figs.
- 4865. Naufock, A.**, 1935, *Procris pfeifferi* sp.n. Mitt. münch. ent. Ges. 25(1): 7-8.
- 4866. Naumann, C.M. & S. Naumann**, 1980, Neue Zygaenen aus den Aufsammlungen W. Eckweiler's aus dem Iran (Lepidoptera, Zygaenidae). Mitt. ent. Ges. Basel 30(2): 47-54, 16 Abb.
- 4867. Naumann, C.M. & W.G. Tremewan**, 1984, Das Biospecies-Konzept in seiner Anwendung auf die Gattung *Zygaena* Fabricius, 1775 (Insecta, Lepidoptera, Zygaenidae). Spixiana 7 (2): 161-193, 24 figs.
- 4868. Naumann, C.M. & W.G. Tremewan**, 1991, A new subspecies of *Zygaena* (*Zygaena*) *rhodamanthus* (Esper, [1789]) from southern Portugal (Lepidoptera: Zygaenidae). Entomologist's Gaz. 42: 85-88.
- 4869. Naumann, C.M. & W.G. Tremewan**, 1991, The type-material and type-locality of *Zygaena* (*Agrumenia*) *fausta faustina* Ochsenheimer, 1808 (Lepidoptera: Zygaenidae). Entomologist's Gaz. 42: 157-160.
- 4870. Naumann, C.M. & W.G. Tremewan**, 1994, The holotype of *Zygaena glasunovi* Grun-Grshimailo, 1893 (Lepidoptera: Zygaenidae). Entomologist's Gaz. 45: 123-126.
- 4871. Naumann, C.M.**, 1966, *Zygaena* (Subg. *Zygaena* F.) problematica nov.sp. Z. wien. ent. Ges. 51: 10-19, Pls., fig.
- 4872. Naumann, C.M., Ockenfels, P., Francke, W., Schmidt, F. & J. Schmitz**, 1991, Reactions of *Zygaena* moths (Lepidoptera: Zygaenidae) to volatile compounds of *Knautia arvensis*. Ent. gen. 15: 255-264.
- 4873. Naumann, C.M., Schurian, K.G. & J.-C. Weiss**, 1993, Notes on the ecology and early stages of *Zygaena* (*Mesembrynus*) *lydia* Staudinger, 1887 (Lepidoptera, Zygaenidae). Entomologist's Gaz. 44: 225-229, 2 figs.
- 4874. Naumann, S. & C.M. Naumann**, 1978, Eine neue ostanatolische Unterart der *Zygaena* (*Zygaena*) *loti* (Denis & Schiffmüller, 1775) (Lep., Zygaenidae). Ent. Z., Frankf. a.M. 88: 37-40, figs.
- 4875. Naumann, S. & C.M. Naumann**, 1980, Ein Beitrag zur Kenntnis der Zygaenen-Fauna Nord- und Ost-Anatoliens (Lep., Zygaenidae). Entomofauna 1: 302-353, figs.
- 4876. Naumann, S. & W.A. Nässig**, 1995, *Samia peigleri* n.sp., eine neue Saturniide von Sulawesi, Indonesien (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 16(1): 13-27, figs.
- 4877. Naumann, S. & W.A. Nässig**, 1998, Two new species of *Antheraea* (*Antheraea*) of the helferi-group from Eastern Indonesia (Lepidoptera, Saturniidae). Neue ent. Ver. Apollo N.F. 18(4): 319-330, 9 figs.
- 4878. Naumann, S. U. Brosch**, 2005, Zur Verbreitung der hearseyi-Gruppe (Lepidoptera, Brahmaeidae, *Brahmaea* Walker, 1855) in Indonesien und auf den Philippinen. Galathea 21 (2): 97-104, figs.
- 4879. Naumann, S.**, 1994, Bemerkungen zu einer rotbraunen Form von *Antheraea brunei* Allen & Holloway, 1985 sowie zu den Präimaginalstadien der Art (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 15(3): 359-362, 2 Abb.
- 4880. Nazari, V.**, 2003, Butterflies of Iran. 598pp., 74 Pls., maps. National Museum of Natural History, Department of Environment I.R. Iran [in Persian].
- 4881. Neave, S.A.**, 1904, On a large collection of *Rhopalocera* from the shores of the Victoria Zyanza. Novit. zool. 11: 323-363, 1 Pl.
- 4882. Nekrutenko, Y.P. & G. Pljushch**, 1986, Ein neuer Fundort von *Agrodiaetus poseidon* (Herrich-Schäffer, 1851) im Krim. Vestn. zool. 1986(4): 41.
- 4883. Nekrutenko, Y.P. & R.M.E. Effendi**, 1980, A new species of *Tomares* from Talysh Mountains (Lycaenidae). Nota lepid. 3(1/2): 69-72, 8 figs.
- 4884. Nekrutenko, Y.P. & R.M.E. Effendi**, 1983, A review of *Lycaena phoenicurus* - group (Lepidoptera, Lycaenidae) with description of a new species from Azerbaidjan. Vestn. zool. 1983 (4): 8-15.
- 4885. Nekrutenko, Y.P.**, 1973, On the taxonomic position of the Caucasian form of *Callophrys rubi* L. (Lycaenidae). Dopov. Akad. Nauk. ukr. RSR. (B) (10): 949-952.
- 4886. Nekrutenko, Y.P.**, 1974, Comparative notes on certain West-Palaearctic species of *Agriades*, with description of a new subspecies *Agriades pyrenaicus* from Turkey. J. Lepid. Soc. 28: 278-288, figs.
- 4887. Nekrutenko, Y.P.**, 1977, An undescribed taxon of *Polyommatus eros-eroides* group from Caucasus major. Dokl. Akad. Nauk. UkrSSR 6: 183-185, figs.
- 4888. Nekrutenko, Y.P.**, 1978, Two new subspecies of the lycaenid butterfly Subfamily Strymoninae (Lepidoptera, Lycaenidae) from East Georgia and West Azerbaijan. Dopov. Akad. Nauk UkrSSR (Ser.B) 1: 82-87, figs.
- 4889. Nekrutenko, Y.P.**, 1980, Revisional notes on lycaenid butterfly species assigned to *Ultraarcia* Beuret (Lycaenidae). Nota lepid. 2(4): 55-68, 16 figs.
- 4890. Nekrutenko, Y.P.**, 1983, Revisiya roda *Hyracana* (Lepidoptera, Lycaenidae). Vestn. zool. 1983 (3): 7-16, figs.
- 4891. Nekrutenko, Y.P.**, 1983, Obsor golubianok gruppy *Lycaena phoenicurus* (Lepidoptera, Lycaenidae) s opisaniem novogo vida is Azerbaidjana. Vestn. zool. 1983 (4): 8-15, figs.
- 4892. Nekrutenko, Y.P.**, 1984, Revisiya tipovich eksempliarov gruppy *Lycaena phoenicurus* (Lepidoptera, Lycaenidae). Vestn. zool. 1984 (6): 43-49, figs.
- 4893. Nekrutenko, Y.P.**, 1985, The Lepidoptera *Rhopalocera* of Crimea. 152pp. Pls. Kiev [in Ukrain.].
- 4894. Nekrutenko, Y.P.**, 1985, New blue butterfly taxa from Transcaucasia and Middle Asia. Vestn. Zool. 1985 (4): 29-35, figs. [in Ukrain.].
- 4895. Nekrutenko, Y.P.**, 1987, A new genus of the subfamily Lethinae (Lepidoptera, Satyridae). Vestn. Zool. 1987 (2): 83-85.
- 4896. Nekrutenko, Y.P.**, 1988, *Esperarge* Nekrutenko (Lepidoptera, Satyridae), nom.n. pro *Esperella* Nekrutenko 1987. Vestn. Zool. 1988(1): 50.
- 4897. Nekrutenko, Y.P.**, 1990, Kafkasya Kelebekleri-I. 213 pp., 32 pls., 106 figs.
- 4898. Nekrutenko, Y.P.**, 2000, A catalogue of the type specimens of Palaearctic Riodinidae and Lycaenidae (Lepidoptera) deposited in the collection of the Museum für Naturkunde der Humboldt Universität zu Berlin. Nota lepid. 23 (3/4): 192-352.
- 4899. Nel, J. & G.C. Luquet**, 1981, La veritable plante-hôte de *Brenthis hecate* Schiff.: *Filipendula vulgaris* Moench (Lep., Nymphalidae). Alexanor 12 (2): 77-83, figs.
- 4900. Nel, J.**, 1982, Sur la biologie de *Pseudophilotes baton* Bergstr. en Provence (Lep., Lycaenidae). Alexanor 12(7): 327-329, figs.
- 4901. Nel, J.**, 1991, Sur la plasticité écologique et la biologie de quelques Lépidoptères (*Rhopalocera*) du sud-est méditerranéen de la France (première partie). Linneana Belgica 13(4): 159-220, 22 figs.
- 4902. Nel, J.**, 1995, Sur les premiers états et la biologie d'*Oxyptilus jaeckhi* Bigot & Picard, 1991 (Lepidoptera, Pterophoridae). Alexanor 18 (7) (1994): 411-414, 1A-B figs.
- 4903. Nel, J.**, 1995, Découverte d'authentiques *Stenoptilia manni* (Zeller, 1852) en France (Lepidoptera, Pterophoridae). Alexanor 18 (7) (1994): 433-439, 6 figs.

- 4904. Nel, J.,** 2000, Le statut et la protection de deux sous-espèces de Rhopalocères en Provence maritime (Lepidoptera Papilionidae et Lycaenidae). *Alexandria* 21(1): 43-49.
- 4905. Neuburger, W.,** 1900, *Lycaena menalcas* ab. *amasina*. *Illte. Z. Ent.* (23): 370.
- 4906. Neuburger, W.,** 1903, *Chrysophanus ochimus* H.S. var. *hyrcana* Neubgr. *Societas ent.*: 59.
- 4907. Neukirchen, W.M.,** 1992, Ein neues Taxon der Gattung *Polyura* (Lepidoptera, Nymphalidae). *Ent. Z., Frankf. a. M.* 102: 286-288, 1 Abb.
- 4908. Neukirchen, W.M.,** 1992, Zwei neue Papilionidae (Lepidoptera) aus Indonesien. *Ent. Z., Frankf. a. M.* 102: 259-263, 2 Abb.
- 4909. Neukirchen, W.M.,** 1993, *Trogonoptera brookiana mariae* n. subsp., eine neue Subspecies von den Batu-Inseln, Indonesien (Lepidoptera, Papilionidae). *Ent. Z., Frankf. a. M.* 103: 335-338, 2 Abb.
- 4910. Neunzig, H.H.,** 1986, The moths of America North of Mexico including Greenland. *Pyraloidea, Pyralidae* (part) *Phycitinae* (part) - *Acrobasis* and allies. Fasc. 15 (2): xii + 113 pp. 11 Taf. 23 Textfigs. Washington.
- 4911. Neustetter, H.,** 1938, Eine neue *Lycaena* aus Dalmatien. *Ent. Rdsch.* 55: 315-316.
- 4912. Newland, C.B.,** 1898, The hibernating stage of *Dryas paphia*. *Entomologist's Rec. J. Var.* 10: 280.
- 4913. Newland, C.B.,** 1901, Lepidoptera in the Frensham district. *Entomologist's Rec. J. Var.* 13: 107-109.
- 4914. Newnham, F.B.,** 1894, Larvae of *Macroglossum stellatarum*. *Entomologist's Rec. J. Var.* 5: 14.
- 4915. Newnham, F.B.,** 1894, A probable new species of *Euchloe*. *Entomologist's Rec. J. Var.* 5: 97.
- 4916. Niceville, L.,** 1897, Notes on Javan Lepidoptera Rhopalocera. *Berl. ent. Z.* 42 (1/2): 127-128.
- 4917. Nicholl, M. de la B.,** 1899, Butterfly hunting in Dalmatia, Montenegro, Bosnia and Hercegovina. *Entomologist's Rec. J. Var.* 11: 1-8.
- 4918. Nicholl, M. de la B.,** 1900, Bulgarian Butterflies. *Entomologist's Rec. J. Var.* 12: 29-34, 64-69.
- 4919. Nicholl, M. de la B.,** 1901, Butterflies of the Lebanon. *Trans. ent. Soc. Lond.* 1901: 75-97.
- 4920. Nicholl, M. de la B.,** 1901, Butterflies in the Lebanon. *Entomologist's Rec. J. Var.* 13: 169-173, 205-209. map.
- 4921. Nicholl, M. de la B.,** 1902, The Lepidoptera of Bosnia and Montenegro. *Entomologist's Rec. J. Var.* 14: 141-146.
- 4922. Nicholson, C.,** 1893, Autumnal collecting in the New Forest. *Entomologist's Rec. J. Var.* 4: 10-12.
- 4923. Nicholson, C.,** 1893, Aberrations of British butterflies. *Entomologist's Rec. J. Var.* 4: 189-191, pl.
- 4924. Nicholson, C.,** 1894, The life history of *Ocnieria dispar*. *Entomologist's Rec. J. Var.* 5: 236-240.
- 4925. Nicholson, W.E.,** 1895, Note on the life-history of *Thecla roboris* Esp. *Entomologist's Rec. J. Var.* 7: 186-187.
- 4926. Nicholson, W.E.,** 1896, Lepidoptera from Lapland. *Entomologist's Rec. J. Var.* 8: 294-295.
- 4927. Niculescu, E.V.,** 1981, Sur la position du genre *Archon* Hübner dans la classification. *Bull. Soc. ent. Mulhouse* 1981: 59-60.
- 4928. Nicéville, L. de,** 1897, Description of a new *Papilio* from Bali of the *nox* group. *Ann. Mag. nat. Hist.* (6) 20: 225-226.
- 4929. Nielsen, E.S.,** 1979, A review of cladistic classification as applied to Lepidoptera. *Nota lepid.* 2(1/2): 49-52, fig.
- 4930. Nielsen, E.S., Robinson, G.S. & D.L. Wagner,** 2000, Ghost-moths of the world: a global inventory and bibliography of the Exoporia (Mnesarchaeoidea and Hepialoidea) (Lepidoptera). *J. nat. Hist.* 34: 823-878.
- 4931. Nielsen, S.E.,** 1981, A taxonomic revision of the species of *Alloclemensia* n. gen. (Lepidoptera: Incurvariidae s. str.). *Ent. scand.* 12: 271-294, 66 figs.
- 4932. Niepelt, W.,** 1911, Neue palaearktische Macrolepidopteren. *Int. ent. Z.* 5(38): 274-275.
- 4933. Niepelt, W.,** 1926, Eine neue *Antheraea* von Celebes. *Int. ent. Z.* 19(48): 386-387.
- 4934. Niepelt, W.,** 1931, Neue Formen exotischer Lepidopteren. *Int. ent. Z.* 24: 485-486, 1 Taf.
- 4935. Nieukerken, E.J.v.,** 1986, A provisional phylogenetic check-list of the western palaearctic Nepticulidae, with data on hostplants (Lepidoptera). *Ent. scand.* 17: 1-27.
- 4936. Nieukerken, E.J.v.,** 1986, Systematics and phylogeny of Holarctic genera of Nepticulidae (Lepidoptera, Heteroneura, Monotrysia). *Zool. Verh.* 236: 1-93, figs.
- 4937. Nieukerken, E.J.v., Lastuvka, A. & Z. Lastuvka,** 2004, Annotated catalogue of the Nepticulidae and Opostegidae of the Iberian Peninsula (Lepidoptera, Nepticuloidea). *Shilap Revta. lepid.* 32 (127): 211-260, 30 figs.
- 4938. Nieukerken, E.J.v. & R. Johansson,** 1987, Identity of hitherto doubtful species names in European Nepticulidae (Lepidoptera). *Zool. Meded.* 61 (32): 459-474.
- 4939. Nieukerken, E.J.v. & R. Johansson,** 2003, The *Quercus* feeding *Stigmella* species of West Palaearctic: New species, key and distribution (Lepidoptera, Nepticulidae). *Tijdschr. Ent.* 146: 307-370, 3 Tab., 179 figs.
- 4940. Nieuwenhuis, E.J.,** 1969, A New *Danaus* species from Central Celebes. *Ent. Ber., Amst.* 29: 18-19.
- 4941. Nihira, I., Hashimoto, S. & S. Kawamura,** 1986, Several new subspecies of butterflies from Sulu islands, southern Philippines. *Cho Cho* 9(6): 27-35, figs.
- 4942. Nishimura, M.,** 1995, Notes on some Papilionidae from Indo-China (1). *Trans. lepid. Soc. Japan* 46 (3): 153-158.
- 4943. Nishimura, M.,** 1999, A review of the genus *Aemona* Hewitson (Lepidoptera, Nymphalidae) with descriptions of a new genus and a new species from north Myanmar. *Trans. lepid. Soc. Japan* 50 (1): 1-15.
- 4944. Noack, H.,** 1939, Über die echte *Hemerophila serraria* Costa (Lep., Geom.). *Ent. Rdsch.* 56 (25): 265-268, 8 Abb.
- 4945. Noel-Davidson, D.M. & J.J. Macbeth,** 1938, The butterflies of Siam. *J. Nat. Hist. Soc. Siam, Suppl.* 11 (2): 67-111.
- 4946. Noori, P.,** 1988, Codling moth in Bakhtaran Province (1981-1983). *Ent. phyt. Appl.* 55(1/2): 17-23; 83-91 (persian pages).
- 4947. Nordmann, A. von,** 1851, Die im Gebiete der Fauna taurico-caucasica beobachteten Schmetterlinge. *Bull. Soc. imp. Nat. Moscou* 24: 395-428.
- 4948. Nordström, F., Opheim, M. & K.J. Valle,** 1955, De fennoskandiska dagfjärilarnas utbredning. *Lunds Univ. Arsskr.* N.F. Avd. 2, 51(1): 1-177.
- 4949. Nordström, F., Wahlgren, E. & D. Tullgren,** 1941, Svenska Fjärilar. Stockholm.
- 4950. Nordström, F.,** 1928, Entomologische Ergebnisse der Schwedische kamschatka-Expedition 1920-1922. Lepidoptera. *I. Diurna. Arch. Zool.* 19A, 21: 1-10.
- 4951. Nordström, F.,** 1935, Schwedisch-chinesische wissenschaftliche Expedition nach den nordwestlichen Provinzen Chinas 21. Lepidoptera *I. Diurna*, 2. *Sphinges*. *Ark. Zool.* 27A (7): 1-37.
- 4952. Noreika, R.,** 1998, *Phyllonorycter issikii* (Kumata) (Lepidoptera, Gracillariidae) in Lithuania. *Acta zool. Lituanica*
- 4953. Noreyka, R.V. & R.K. Puplesis,** 1992, Description of new species of moths of the family Gracillariidae (Lepidoptera) from Azerbaijan and Central Asia and the synonymy of *Gracillaria impictipennella* Grsm. *Ent. Obozr.* 71 (2): 414-421 [engl. transl. *Ent. rev.* 74(5): 43-51, 13 figs., 1995]
- 4954. Noreyka, R.V.,** 1991, Review of the fauna of Leafblotch Miners (Lepidoptera, Gracillariidae) of Turkmenia. *Ent. Obozr.* 1991 (2): 429-443, 10 figs. [transl. *Ent. Rev.* 1993: 17-34, 10 figs.]
- 4955. Nupponen, K.,** 2005, Notes on Palaearctic Scythrididae, with description of two new species (Lepidoptera, Scythrididae). *Ent. fennica* 16 (3): 165-174, figs.
- 4956. Nupponen, K.,** 2005, The description of *Scythris arenicola* sp.n., from the Southern Ural Mountains (Lepidoptera, Scythrididae). *Ent. fennica* 16 (3): 179-182, figs.
- 4957. Nupponen, K., Jürivete, U. & Pototski, A.,** 2005, Records of scythridids from Southeastern Kazakhstan, with description of five new species (Lepidoptera, Scythrididae). *Ent. fennica* 16 (2): 65-73, figs.

- 4958.** Nurse, C.G., 1904, *Papilio machaon* in Baluchistan. J. Bomb. nat. Hist. Soc. 15: 723.
- 4959.** Nuss, M. & A. Kallies, 2001, *Titanio caradjae* (Rebel, 1902) comb.n., transferred from Brachodidae (Sesiioidea) to Crambidae (Pyraloidea). Nota lepid. 24 (3): 33-39, figs.
- 4960.** Nuss, M. & W. Speidel, 1999, A new crambid moth species from the north-eastern part of Turkey (Crambidae, Crambinae). Nota lepid. 22 (2): 155-159, figs.
- 4961.** Nuss, M., 2003, *Afriscoparia* - a new genus of Scopariine from southern Africa (Insecta, Lepidoptera, Pyraloidea, Crambidae). Ent. Abh. 61 (1): 109-115, figs.
- 4962.** Nuss, M., 2005, Revision of *Evergestis anatalis* (Staudinger, 1892) comb. rev. from Central Asia (Pyraloidea, Crambidae, Evergestinae). Nota lepid. 28 (1): 17-23.
- 4963.** Nuss, M., Karsholt, O. & M. Meyer, 1997, A taxonomic revision of the Scopariinae from the Macaronesian Region (Lepidoptera, Pyraloidea, Crambidae). Ent. Scand. 65: 159-163.
- 4964.** Nuss, M., Sobczyk, T. & R. Bläsius, 2006, The taxonomy and life history of *Epimetasia monotona* (Amsel, 1953) (comb.n.) from Northwest Africa (Pyraloidea, Crambidae, Odontiinae, Odontiini). Nota lepid. 29 (1/2): 37-47, figs.
- 4965.** Nuyda, J. & Y. Takanami, 1990, A new *Arhopala* from Luzon in the Philippines (Lepidoptera, Lycaenidae). Futao 5: 8-9, 1 fig.
- 4966.** Nye, I.W.B., 1975, The Generic Names of the World vol. I Noctuoidea (part): Noctuidae, Agaristidae, and Nolidae. 568pp. British Museum (Natural History) London.
- 4967.** Nye, I.W.B., Karsholt, O. & E.S. Nielsen, 1977, Proposed conservation of *Tinea bjerkanrella* Thunberg, 1783 and *Phalaena* (Noctua) *cardui* Hübner, 1790, by suppression of *Phalaena* (*Tortrix*) *cardui* Ström, 1783 (Insecta, Lepidoptera). Z.N.(S.) 2204. Bull. zool. Nom. 34: 106-108. [See also Opinion 1227 in Bull. zool. Nom. 39: 233-234, 1982].
- 4968.** Nässig, W.A. & C.G. Treadaway, 1988, Bemerkungen über die *Loepa*-Arten der Philippinen (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 9(3): 159-176, 14 Abb.
- 4969.** Nässig, W.A. & C.G. Treadaway, 1997, Neue Saturniiden von den Philippinen (Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 17 (4): 323-366, figs.
- 4970.** Nässig, W.A. & C.G. Treadaway, 1997, Eine neue Unterart aus der *selenae*-Gruppe der Gattung *Actias* von den Philippinen (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 18(1): 89-100, 16 Abb.
- 4971.** Nässig, W.A. & C.G. Treadaway, 1998, The Saturniidae (Lepidoptera) of the Philippines. Nachr. ent. Ver. Apollo, Suppl. 17: 223-424, figs.
- 4972.** Nässig, W.A. & R.E.J. Lampe, 1989, Neue Erkenntnisse über die Gattung *Lemaireia*: 2. Eine neue Art der Gattung *Lemaireia* von Mindanao (Philippinen). Nachr. ent. Ver. Apollo (N.F.) 10(3): 239-250, 31 Abb.
- 4973.** Nässig, W.A. & R.G. Oberprieler, 1994, Notes on the systematic position of *Sinobirma malaisei* (Bryk, 1944) and the genera *Tagoropsis*, *Maltagorea*, and *Pseudanthraea* (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 15 (3): 369-382, figs.
- 4974.** Nässig, W.A. & R.S. Peigler, 1984, The life-history of *Actias maenas* (Saturniidae). J. Lepid. Soc. 38(2): 114-123.
- 4975.** Nässig, W.A., 1980, Ein Beitrag zur Kenntnis der Saturniidae und Brahmaeidae des Irans und der Türkei (Lepidoptera) I. Brahmaeidae. Nachr. ent. Ver. Apollo (N.F.) 1 (3/4): 77-91, figs.
- 4976.** Nässig, W.A., 1981, Ein Beitrag zur Kenntnis der Saturniidae und Brahmaeidae des Irans und der Türkei (Lepidoptera) 2. Saturniidae. Nachr. ent. Ver. Apollo (N.F.) 2 (1): 1-39, figs.
- 4977.** Nässig, W.A., 1983, Die Präimaginalstadien von *Attacus casesar* [sic] Maassen im Vergleich mit einigen verwandten Arten sowie deren Wehrdrüsen (Lep. Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 3(4): 129-152, 7 Abb.
- 4978.** Nässig, W.A., 1983, Ergänzende Bemerkungen zur Verbreitung von *Aglia tau* L. in Südeuropa (Lepidoptera: Saturniidae, Agliinae). Neue ent. Nachr. 6: 67-68.
- 4979.** Nässig, W.A., 1989, Systematisches Verzeichnis der Gattung *Cricula* Walker, 1855 (Lepidoptera, Saturniidae). Ent. Z., Frankf. a. M. 99: 181-192, 193-207, Abb.
- 4980.** Nässig, W.A., 1994, Vorschlag für ein neues Konzept der Gattung *Saturnia* Schrank, 1802 (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 15(3): 253-266.
- 4981.** Nässig, W.A., 1994, Notes on the systematics of the *maenas*-group of the genus *Actias* Leach, 1815 (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 15(3): 327-338.
- 4982.** Nässig, W.A., 1994, Vorläufige Anmerkungen zur Saturniiden- und Brahmaeidenfauna von Vietnam mit Neubeschreibungen (Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 15(3): 339-358.
- 4983.** Nässig, W.A., 1994, Zur Präimaginalmorphologie von *Saturnia* (*Rinaca*) *zuleika* und *S. (R.) thibeta* sowie Anmerkungen zu den *Salassinae* (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 15 (3): 409-438, 35 figs.
- 4984.** Nässig, W.A., 1995, Revisional notes on Philippine Eupterotidae: *Sarmalia* Walker, 1866 another new synonym of *Eupterote* Hübner [1822] (Lepidoptera, Eupterotidae). Nachr. ent. Ver. Apollo (N.F.) Suppl. 14: 119-124, 1 fig.
- 4985.** Nässig, W.A., 1996, A new, unexpected species of *Lemaireia* Nässig & Holloway, 1987 from the South of Vietnam (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 17(3): 275-282, figs.
- 4986.** Oberprieler, R.G. & N.J. Duke, 1994, The life history and immature stages of *Spiramiopsis comma* Hampson, 1901 (Lepidoptera, Bombycoidea), with comments on its taxonomic position and on preimaginal characters of the Bombycoidea. Nachr. ent. Ver. Apollo (N.F.) 15(3): 199-244, 16 figs.
- 4987.** Oberthür, C., 1869, *Thais deyrrollei*. Petites Nouv. Ent. 1869: 7.
- 4988.** Oberthür, C., 1872, Catalogue raisonné des Lépidoptères rapportés par M. Théophile Deyrolle de son exploration scientifique en Asie Mineure. Revue Mag. zool. 23: 480-488.
- 4989.** Oberthür, C., 1876, Etude sur la fauna des Lépidoptères de l'Algérie. Etud. ent. 1: 1-74, 4 Pls.
- 4990.** Oberthür, C., 1876, Espèces nouvelles de Lépidoptères recueillis en Chine par M. l'abbé A. David. Etud. ent. 2: 1-34, 4 Pls.
- 4991.** Oberthür, C., 1878, Etude sur la Faune des Lépidoptères de la cote orientale d'Afrique. Etud. ent. 3: 1-36, Pls.
- 4992.** Oberthür, C., 1878, Catalogue raisonné des Papilionidae de la collection de Ch. Oberthür. Etud. ent. 4: 1-117, Pls.
- 4993.** Oberthür, C., 1879, Diagnoses espèces nouvelles Lépidoptères d'île Askold.
- 4994.** Oberthür, C., 1880, Faune des Lépidoptères de l'île Askold (prem. partie). Etud. ent. 5: 1-88, 9 Pls.
- 4995.** Oberthür, C., 1880, Spedizione Italiana nell'Africa Equatoriale. Annali Mus. civ. Stor. nat. Giacomo Doria 15: 129-186, 1 Pl., 1 map.
- 4996.** Oberthür, C., 1881, Lépidoptères de Chine. Etud. ent. 6: 9-22, Pls. 7-9.
- 4997.** Oberthür, C., 1881, Lépidoptères d'Algérie. Etud. ent. 6: 41-96, Pls. 2, 3, 11.
- 4998.** Oberthür, C., 1883, Spedizione Italiana nell'Africa Equatoriale. Annali Mus. civ. Stor. nat. Giacomo Doria 18: 709-740, 1 Pl.
- 4999.** Oberthür, C., 1884, *Smerinthus davidi* sp.n. Annls Soc. ent. Fr. 1884: xi-xii.
- 5000.** Oberthür, C., 1884, Observations sur les Lépidoptères des Pyrénées. Etud. ent. 8: 7-51, Pl. 1.
- 5001.** Oberthür, C., 1884, Lépidoptères du Thibet. Etud. ent. 9: 7-22, Pl. 1, 2.
- 5002.** Oberthür, C., 1884, Lépidoptères de Mantschourie. Etud. ent. 9: 23-26, Pl. 2 figs. 7, 8.
- 5003.** Oberthür, C., 1884, Sphingide de nouveau d'Asie Mineure. Etud. ent. 9: 29-30.
- 5004.** Oberthür, C., 1884, Lépidoptères d'Algérie. Etud. ent. 9: 33-40, Pl. 3.
- 5005.** Oberthür, C., 1887, Nouvelles Lépidoptères du Thibet. Etud. Ent. 11: 13-35, 7 Pls.
- 5006.** Oberthür, C., 1890, Lépidoptères d'Algérie. Etud. Ent. 13: 17-33.

- 5007. Oberthür,C.,** 1890, Lépidoptères du Chine. Etüd. Ent. 13: 35-45, Pls.
- 5008. Oberthür,C.,** 1891, Lépidoptères du genre Parnassius. Etüd. Ent. 14: 1-18, Pls.
- 5009. Oberthür,C.,** 1891, Nouveaux Lépidoptères d'Asie. Etüd. Ent. 15: 1-25, Pls.
- 5010. Oberthür,C.,** 1893, Lépidoptères recueillis au Tonkin. Etüd. Ent. 17: 1-15.
- 5011. Oberthür,C.,** 1893, Lépidoptères d'Afrique. Etüd. Ent. 17: 17-33, Pls.
- 5012. Oberthür,C.,** 1893, Lépidoptères d'Asie. Etüd. Ent. 18: 11-49, Pls.
- 5013. Oberthür,C.,** 1894, Lépidoptères d'Europe, d'Algerie, d'Asie et d'Océanie. Etüd. Ent. 19: 1-38, Pls.
- 5014. Oberthür,C.,** 1899, Spring Lepidoptera in North-West France. Entomologist's Rec. J. Var. 11: 194.
- 5015. Oberthür,C.,** 1909, Notes pour
- 5016. Oberthür,C.,** 1909, Notes pour servir a établir la Faune Française et Algérienne des Lépidoptères. Etüd. lepid. comp. 3: 101-404, Pls. xi-xxvi.
- 5017. Oberthür,C.,** 1910, Notes pour servir a etabir la faune française et algérienne des Lépidoptères. Etüd. lepid. comp. 4: 232, Pl.50.
- 5018. Oberthür,C.,** 1914, Faune des Lépidoptères de la Barbarie. Etüd. lepid. comp. 10: 42-45.
- 5019. Oberthür,C.,** 1919, *Xylocampa lithorhiza* mustapha. Etüd. lepid. comp. 16: 164, pl.xdvi, fig. 4124. Rennes.
- 5020. Obratzsov,N.S.,** 1931, *Acidalia orientalis* Alph. bona species. Int. ent. Z. 25(23): 235-238, 5 Abb.
- 5021. Obratzsov,N.S.,** 1935, *Lycaena* (*Aricia*) *allous* Hb. und östlichen Rassen. Folia zool. hydrobiol. 8: 141-150.
- 5022. Obratzsov,N.S.,** 1936, Nouvelles races de *Lycaena* (*Lysandra*) *thersites* Cant. Lambillionea 36: 11-18.
- 5023. Obratzsov,N.S.,** 1937, Studien über die paläarktischen Amaten V. Zur geographischen Variabilität von *Amata nigricornis* Alph. Ent. Rdsch. 54: 449-452, 462-466, 14 figs.
- 5024. Obratzsov,N.S.,** 1952, Zur Revision der Synaphe-Arten der moldavica- und bombycalis-Gruppe (Lepidoptera, Pyralidae). Mitt. münch. ent. Ges. 42: 87-109, 10 Abb. Taf.1.
- 5025. Obratzsov,N.S.,** 1952, Neue palaearktische Eucosmini-Arten (Lepidoptera, Tortricidae). Z. wien. ent. Ges. 37: 122-129, 5 Abb.
- 5026. Obratzsov,N.S.,** 1953, Systematische Aufstellung und Bemerkungen über die palaearktischen Arten der Gattung *Dichrorampha* Gn. (Lepidoptera, Tortricidae). Mitt. münch. ent. Ges. 43: 10-100, 50 Abb.
- 5027. Obratzsov,N.S.,** 1957, Some new species of *Ceryx* Wallengren (Lepidoptera, Ctenuchidae). Tijdschr. Ent. 100(1): 67-71.
- 5028. Obratzsov,N.S.,** 1961, *Osthelderiella amardiana* neue Gauttung und Art der Tribus *Laspeyresiini* (Lepidoptera, Tortricidae). Mitt. münch. ent. Ges. 51: 150-153, Taf.xii figs. 3-4, 2 Abb.
- 5029. Obratzsov,N.S.,** 1961, Zwei neue und zwei wenig bekannte palaearktische *Argyroproce*-Arten (Lepidoptera, Tortricidae). Mitt. münch. ent. Ges. 51: 154-158, Taf.xii-xv.
- 5030. Obratzsov,N.S.,** 1966, On the correct usage of two names of the genus-group in the Tortricidae, with the proposal of a new generic name (Lepidoptera). Entomologist's Gaz. 17: 141-147.
- 5031. Obratzsov,N.S.,** 1966, Die palaearktischen *Amata*-Arten (Lepidoptera, Ctenuchidae). Veröff. zool. Stsamm. München 10: 1-383, Taf.
- 5032. Ockenfels,P., Naumann,C.M. & W.Francke,** 1993, Die Rolle von Blüteninhaltsstoffen und ihren Derivaten im Paarungsverhalten von *Zygaena trifolii* (Lepidoptera: Zygaenidae). Verh. Dt. zool. Ges. 86: 266.
- 5033. Ockenfels,P., Prinz,J. & C.M.Naumann,** 1993, Reactions of *Aleioides* cf. *assimilis* (Hymenoptera: Braconidae) to the larval foodplant of its host *Zygaena trifolii* (Esper, 1783) (Lepidoptera: Zygaenidae). Entomologist's Gaz. 44: 125-133.
- 5034. Oemig,S.,** 1978, Eine neue Subspecies von *Satyrus favonius* aus dem Iran (Lepidoptera, Satyridae). Ent. Z., Frankf. a. M. 88(22): 251-253, 1 Abb.
- 5035. Oemig,S.,** 1982, Obituary- Nachruf- In Memoriam Willem L. Blom, 3.11.1906 - 29.3.1982. Nota lepid. 5 (4): 207-208, fig.
- 5036. Ohya,A. & T.Inomata,** 1988, Geographical and individual variation of the genus *Parnassius* Latreille, 1804.- Illustration of selected insects in the World. Series A: 18-29. Tokio (Mushi-Sha, Nakano).
- 5037. Ohya,A.,** 1988, Description of a new subspecies of the genus *Parnassius* Latreille from Tien-Shan Mts. U.S.S.R. Gekkan-Mushi 203:10-11, figs.
- 5038. Okagaki,H., Sibatani,A., Ogata,M. & Okada,Y.,** 1955, Male genitalia of Lepidoptera: Morphology and Nomenclature II. Morphological significance of sacculus and furca. Ann. ent. Soc. Am. 48: 438-443, Pl.1-2, 13 figs.
- 5039. Okano,M.,** 1964, New and little known moths from Formosa (5). Tohoku Konchu Kenkyu 1: 41-45.
- 5040. Okuba,K.,** 1980, A new butterfly of the genus *Elymnias* from Mindanao, the Philippines (Lepidoptera, Satyridae). Trans. lepid. Soc. Japan 31(1/2): 60-62, figs.
- 5041. Okubu,K.,** 1983, Butterflies of Tioman Island, West Malaysia, with the description of new subspecies. Tyo to Ga 33: 168-184, 47 figs.
- 5042. Okyar,Z. & N.Aktaş,** 1999, Trakya Bölgesi Geometridae Türlerinin Taksonomik ve Faunistik Yönden Araştırılması Tr. J. Zoology 23 (Ek 1) (1996): 99-132, figs. [A study with numerous nomenclatural errors!]
- 5043. Okyar,Z. & N.Aktaş,** 2006, Identification of butterfly (Lepidoptera, Rhopalocera) fauna of Gökçeada and Bozcaada, Turkey. Pak. J. Biol. Sci. 9 (1): 76-79.
- 5044. Olivares,J., Jutzeler,D. & R.Leestmans,** 1999, *Arethusa* *boabdil* (Rambur, 1840) de la prov. de Grenade, Andalousie: une bonne espece ! (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belg. 17 (4): 135-154, pls., figs.
- 5045. Olivier,A. & J.G.Coutsis,** 1995, Rhopalocera of Turkey 13. Sympatry and supposed gene exchange between *Maniola telmessia* (Zeller, 1847) and *Maniola halicarnassus* Thomson, 1990 on the Bodrum Peninsula (SW Turkey) vs. evidence for their specific distinctness: two sides of the same coin (Lep.) Entomobrochure 7: 1-60, figs.
- 5046. Olivier,A. & J.G.Coutsis,** 1997, A revision of the superspecies *Hipparchia azorina* and of the *Hipparchia aristaeus* group (Nymphalidae, Satyrinae). Nota lepid. 20 (3/4): 150-292.
- 5047. Olivier,A. & R.de Prins,** 1996, The butterflies of the Greek island of Kos: asynthesis (Lepidoptera, Hesperioidea, Papilionoidea). Nota lepid. 19(3/4): 185-211.
- 5048. Olivier,A. & W.O.de Prins,** 1989, Taxonomy and geographical variation of *Hipparchia mersina* (Staudinger, 1871) with notes on its ecology and phenology (Lepidoptera, Nymphalidae, Satyrinae). Phegea 17(4): 169-221, 69 figs.
- 5049. Olivier,A. & Y.P.Nekrutenko,** 2000, The butterflies described by Johann Christoph Friedrich Klug (1775-1856) in his *Symbolae Physicae, Insecta* (Lep., Pieridae, Lycaenidae, Nymphalidae): An annotated review, with catalogue of the existing types. Dt. ent. Z. 47: 95-104.
- 5050. Olivier,A.,** 1987, Catalogue of the butterflies of the Greek islands in the collection of the Instituut voor Taxonomische Zoölogie (Zoologisch Museum) Amsterdam (Lepidoptera, Hesperioidea & Papilionoidea). Phegea 15 (2): 77-88; 15 (3): 165-170.
- 5051. Olivier,A.,** 1988, The butterflies of the Greek island of Limnos (Lepidoptera: Hesperioidea & Papilionoidea). Phegea 16 (2): 33-42, 1 fig., 1 Tab.
- 5052. Olivier,A.,** 1993, The Butterflies of the Greek Island of Rodos: taxonomy, faunistics, ecology and phenology with a tentative synthesis on the biogeography of the butterflies of Kriti, Karpathos, Rodos, the Eastern Aegean islands and Kypros...Antwerpen.
- 5053. Olivier,A.,** 1994, New data on the butterflies of the Greek island of Simi (Lepidoptera: Hesperioidea & Papilionoidea). Phegea 22(3): 85-88.
- 5054. Olivier,A.,** 1996, Notes on the taxonomic status and supposed biogeographic affinity of the *Pseudochazara anthelea*

- (Hübner,[1824]) populations from Kipros (Cyprus) and from the Greek island of Kos (Lepidoptera, Nymphalidae Satyrinae). *Phegea* 24 (1): 5-12, 2 Pls.
- 5055. Olivier,A.,** 1996, The butterflies of the Greek island of Kalimnos (Lepidoptera: Hesperioidea & Papilionoidea). *Phegea* 24 (4): 149-156, 1 fig.
- 5056. Olivier,A.,** 1997, The butterflies of the Greek Island of Léros (Lepidoptera, Hesperioidea, Papilionoidea). *Phegea* 25 (3): 123-128, 1 fig.
- 5057. Olivier,A.,** 1998, The Butterflies of the Bodrum Peninsula (Province of Muğla, Turkey): a review. *Entomologist's Gaz.* 49 (1): 21-34.
- 5058. Olivier,A.,** 2000, Discovery of the types of *Polyommatus* (*Agrodiaetus*) *actis* and its taxonomic consequences (Lycaenidae). *Nota lepid.* 23 (2): 86-118, figs.
- 5059. Olivier,A., Poorten,D.v.d., & W. de Prins,** 1994, Conspicuous aberrations and gynandromorphs of some Greek and Turkish butterflies (Lepidoptera, Pieridae, Lycaenidae). *Phegea* 22(3): 102-104, pl.
- 5060. Olivier,A., Poorten,v.d.,D., W. de Prins,** 1998, Rhopalocera and Grypocera of Turkey 16. Taxonomic notes on *Plebeius christophi* and *Plebeius idas* in northeastern Turkey (Lepidoptera, Lycaenidae). *Phegea* 26 (3): 87-102, 2 Pls.
- 5061. Olivier,A., Prins de,W., Poorten,v.d.,D. & J.Puplesiene,** 1999, On the identity of *Polyommatus* (*Agrodiaetus*) *dama*, with lectotype designation and redescription of its karyotype (Lycaenidae). *Nota lepid.* 22 (3): 197-211, figs.
- 5062. Olivier,A., Puplesiene,J., Poorten,v.d.,D., Prins de,W. & Wiemer,M.,** 1999, Revision of some taxa of the *Polyommatus* (*Agrodiaetus*) *transcaspicus* group with description of a new species from Central Anatolia (Lepidoptera, Lycaenidae). *Phegea* 27 (1): 1-24, 2 Pls.
- 5063. Olivier,A., Puplesiene,J., Poorten,v.d.,D., Prins de,W. & Wiemer,M.,** 1999, Additions and corrections to "Revision of some taxa of the *Polyommatus* (*Agrodiaetus*) *transcaspicus* group with description of a new species from Central Anatolia (Lepidoptera, Lycaenidae)". *Phegea* 27 (2): 79.
- 5064. Oorschot, H.v., Brink, H.v.d. & B.v. Oorschot,** 1984, Rhopalocera of Turkey. 1.Records of *Cupido minimus* (Fuessly, 1775) and description of *C.minimus albocilia* n.ssp. (Lepidoptera, Lycaenidae). *Ent. Ber., Amst.* 44 (9): 140-144,figs.
- 5065. Oorschot, H.v., Brink, H.v.d. & B.v. Oorschot,** 1985, Rhopalocera of Turkey. 2.Records *Satyrus marcidus* (Riley, 1921) and description of *S.marcidus mardinus* n.ssp. (Lepidoptera, Lycaenidae). *Ent. Ber., Amst.* 45(10): 45-149, figs.
- 5066. Oorschot, H.v., Brink, H.v.d. & B.v. Oorschot,** 1987, Rhopalocera of Turkey. 3.Geographical variation of *Pseudochazara anthele* (Hübner) and description of *P.anthele selcuki* n.ssp. (Lepidoptera, Satyridae). *Ent. Ber., Amst.* 47(6): 91-95, figs.
- 5067. Oorschot, H.v., Brink, H.v.d.,** 1991, Rhopalocera of Turkey. 6. On the geographical variation of *Satyrus ilicis* (Esper) with description of *S.ilicis zabni* n. ssp. from South East Turkey (Lepidoptera, Lycaenidae). *Ent. Ber., Amst.* 51(3): 38-43, figs.
- 5068. Oorschot,H.v. & H.v.d.Brink,** 1989, Rhopalocera of Turkey 4. The specific problem of *Melitaea didyma* (Esper,1779) and *M. transcaucasica* (Turati,1919) (Lepidoptera, Nymphalidae). *Nota lepid.* 12(3): 183-186.
- 5069. Oorschot,H.v. & H.v.d.Brink,** 1994, Rhopalocera of Turkey 12. On the geographical variation of *Melitaea collina* Lederer,1861 with description of *Melitaea collina lokmani* n.ssp. from South East Turkey (Lepidoptera, Nymphalidae). *Phegea* 22(2): 53-60, 2 pls., 5 figs.
- 5070. Oorschot,H.v. & S.Wagener,** 1990, Rhopalocera of Turkey 5. *Boloria caucasica* and *Boloria graeca* in Turkey (Lepidoptera, Nymphalidae). *Ent. Ber., Amst.* 50 (9): 113-121, 18 figs. 2 Tab.
- 5071. Opheim,M.,** 1951, Macro-Lepidoptera from Central Norway. *Norsk ent. Tidskr.* 8: 91-123.
- 5072. Opheim,M.,** 1953, Notes on the genus *Pyrgus* Hb. (Lepidoptera, Grypocera). *Astarte* 4:1-13, 6 figs.
- 5073. Opheim,M.,** 1956, Notes on the subgenus *Ateleomorpha* Warren (Lepidoptera, Hesperidae). *Astarte* 14: 1-14, 29 figs.
- 5074. Orhant,G.,** 2000, Description of a new species of the genus *Janis Walker* (Eupterotidae) from Thailand. *Tinea* 16 (3): 149-150.
- 5075. Orhant,G.E.R.J.,** 1996, A contribution to knowledge of the moth fauna of Malaysia (Lepidoptera, Notodontidae). *Tinea* 14 (4): 254-255.
- 5076. Orhant,G.E.R.J.,** 2000, Two new Indo-Australian Lithosiinae (Lepidoptera, Arctiidae). *Tinea* 16 (4): 246-249.
- 5077. Osada,S., Uemura,Y. & J.Uehara,** 1999, An illustrated checklist of the butterflies of Laos P.D.R. 240pp. 143pls. Mokuyo-sha. Tokyo.
- 5078. Osthelder,L.,** 1932, Noctuidae Acronyctinae. [in] Osthelder,L. & E.Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien.* Mitt. münch. ent. Ges. 22 (2): 83-87.
- 5079. Osthelder,L.,** 1933, Noctuidae (Fortsetzung und Schluß). [in] Osthelder,L. & E.Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien.* Mitt. münch. ent. Ges. 23 (2): 45-102.
- 5080. Osthelder,L.,** 1935, Microlepidopteren (Fortsetzung). [in] Osthelder,L. & E.Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien.* Mitt. münch. ent. Ges. 25(2): 56-58; 25(3): 67-90.
- 5081. Osthelder,L.,** 1935, Pyralidae. [in] Osthelder,L. & E.Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien.* Mitt. münch. ent. Ges. 24 (3): 73-104.
- 5082. Osthelder,L.,** 1938, Neue Kleinfalter aus dem Tahte Soleiman in Nord-Persien (Lep.). Mitt. münch. ent. Ges. 28: 17-29.
- 5083. Osthelder,L.,** 1940, Microlepidopteren. [In] Osthelder,L. & E.Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien.* Mitt. münch. ent. Ges. 30 (1): 112-116.
- 5084. Osthelder,L.,** 1940, Nachtrag Noctuidae. [in] Osthelder,L. & E.Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien.* Mitt. münch. ent. Ges. 30(1):107-111.
- 5085. Osthelder,L.,** 1941, Beitrag zur Kleinschmetterlingsfauna Kretas. Mitt. münch. ent. Ges. 31 (2): 365-370, Taf.v.
- 5086. Osthelder,L.,** 1951, Pyralidae- Tineidae, [in] Daniel,F., Forster, W. & L.Osthelder, *Beiträge zur Lepidopterenfauna Mazedoniens.* Veröff. zool. StSamml. Münch. 2: 55-77.
- 5087. Owada,M. & Y.Kishida,** 1989, Moths of the genus *Trabala* (Lepidoptera, Lasiocampidae) from Thailand. *Bull. natn. Sci. Mus. Tokyo* 15 (1): 33-45, 22 figs.
- 5088. Owada,M.,** 1985, Descriptions of three new species of *Hermonassa* (Lepidoptera, Noctuidae) from Thailand. *Tinea* 12 (3): 11-16.
- 5089. Owada,M., Horie,K. & D.Xue,** 1999, Three new chalcosiine moths of the genus *Achelura* (Lepidoptera, Zygaenidae) from the northern Indo-Chinese Peninsula and southwestern China. *Tinea* 16 (1): 20-28.
- 5090. Owen,D.F. & D.A.S.Smith,** 1992, A new subspecies of *Hipparchia wyssii* Christ (Lepidoptera, Nymphalidae, Satyrinae) from Gran Canaria, Canary Islands. *Entomologist's Gaz.* 42: 253-256, figs.
- 5091. Ozbek,H., Güçlü,Ş., R.Hayat,** 1996, Kuzeydoğu tarım bölgesinde taş çekirdekli meyve ağaçlarında bulunan fitofag ve predatör böcek türleri. *Tr. J. Agric. Forestry* 20: 267-282.
- 5092. Özdikmen,H.,** 2005, *Clarkeophlebia* nom. nov., a replacement name for the genus *Acanthophlebia* Clarke,1986 (Lepidoptera, Gelechioidea) non Towns,1983. *New Zealand J. Zool.* 32: 53-54.
- 5093. Özdikmen,H. & S.Seven,** 2006, New substitute names for two Ennominae genera (Lepidoptera, Geometridae). *Munis Ent. Zool.* 1 (2): 253-256.
- 5094. Özdikmen,H. & S.Seven,** 2006, Objective replacement names for *Eriocera* Guenée,1852, *Lobocheilos* Hampson,1891 and *Himella Grote*,1874 (Lepidoptera, Noctuidae). *Munis Ent. Zool.* 1 (1): 123-128.
- 5095. Packard,A.S.,** 1890, Notes on some points in the external structure and phylogeny of lepidopterous larvae. *Proc. Boston Soc. nat. Hist.* 25: 83-114, 2 Pls.
- 5096. Packard,A.S.,** 1895, On a new classification of the Lepidoptera. *Amer. Nat.* 1895: 636-647, 788-803, 15 figs.

- 5097. Packard, A.S.,** 1895, On the phylogeny of the Lepidoptera. Zool. Anz. 18: 228-236, 1 pl.
- 5098. Page, M.,** 1987, Notes on the classification of the antiphates group of *Graphium Scopoli*, 1777. Papilio Int. 4: 229-250, 5 Pls.
- 5099. Page, M.G.P. & C.G. Treadaway,** 1995, Revision of the classification of *Pachliopta aristolochiae* (Fabricius, 1775) (Lepidoptera, Papilionidae) with special reference to the Philippine Islands. Nachr. ent. Ver. Apollo (N.F.) Suppl. 14: 125-148, 23 figs.
- 5100. Page, M.G.P. & C.G. Treadaway,** 1997, Revision of the classification of *Pachliopta phlegon* (C. & R. Felder, 1864), *P. buraki* Koçak, 1983 and *P. leytensis* Murayama, 1978 (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo N.F. 17(4): 377-392, figs.
- 5101. Pagenstecher, A.,** 1886, Heteroceren der Insel Ceram. Dt. ent. Z., Iris 1: 41-44.
- 5102. Pagenstecher, A.,** 1886, Dr. Adolf Roessler. Nekrolog. Stettin ent. Ztg. 47: 19-22.
- 5103. Pagenstecher, A.,** 1890, Heteroceren der Insel Palawan. Dt. ent. Z., Iris 3: 1-33.
- 5104. Pagenstecher, A.,** 1897, Lepidopteren. [in] Kükenthal, Ergebnisse einer zoologischen Forschungsreise in den Molluken und in Borneo. Abh. Senkenb. naturf. Ges. 23: 353-467, 3 Taf.
- 5105. Pagenstecher, A.,** 1900, Über die geographische Verbreitung der Tagfalter im malayischen Archipel. Jb. nassau. Ver. Naturk. 53: 87-200.
- 5106. Pagenstecher, A.,** 1902, Wissenschaftliche Resultate der Reise des Freiherrn Carlo von Erlanger durch Süd-Schoa, die Galla und Somaliländer in 1900 und 1901. Tagfalter. Jb. nassau. Ver. Naturk. 55: 113-204, Taf. II.
- 5107. Pagenstecher, A.,** 1903, Wissenschaftliche Resultate der Reise des Freiherrn Carlo von Erlanger durch Süd-Schoa, die Galla und Somaliländer in 1900 und 1901. Sphingiden und Bombyciden. Jb. nassau. Ver. Naturk. 56: 3-28, Taf. I.
- 5108. Pagenstecher, A.,** 1909, *Parnassius apollo* L. im Jura. Ent. Z., Stuttgart 22: 185-187, 188-190.
- 5109. Pagenstecher, A.,** 1911, Libytheidae. [in] Aurivillius, C. & H. Wagner, *Lepidopterorum Catalogus Pars 3*. 12pp. Dr. W. Junk Berlin.
- 5110. Pagenstecher, A.,** 1911, Callidulidae. [in] Aurivillius, C. & H. Wagner, *Lepidopterorum Catalogus Pars 2*. 14pp. Dr. W. Junk Berlin.
- 5111. Pages, J. & J.-F. Charmeux,** 1997, *Apatura ilia*, "nouvelle" espece pour la faune turquie (Lepidoptera, Nymphalidae). Alexanor 19(7): 454.
- 5112. Pages, J. & J.-F. Charmeux,** 1997, Description d'un *Lycene* nouveau du Pakistan: *Albulina farazi* sp.n. Alexanor 19(7): 483-484, 1 fig.
- 5113. Pages, J.,** 1994, Description d'un *Lycene* nouveau de Turquie: *Agrodiaetus charmeuxi* sp.n. (Lepidoptera, Lycaenidae). Alexanor 18(4): 194-196, 8 figs.
- 5114. Pai, J.W. & H.Y. Wang,** 1998, Swallowtail butterflies in China. 256pp. pls.
- 5115. Palik, E.,** 1980, The protection and reintroduction in Poland [sic] of *Parnassius apollo* Linnaeus (Papilionidae). Nota lepid. 2(4): 163-164.
- 5116. Palm, E.,** 1986, Nordeuropas pyralider. Danmarks Dyreliv 3: 287 pp., Pls.
- 5117. Palm, E.,** 1989, Nordeuropas Prydvinger (Lepidoptera, Oecophoridae) - med særligt henblik på den danske fauna. Danmarks Dyreliv 4: 247 pp., Pls.
- 5118. Pamperis, L.N.,** 1997, The Butterflies of Greece. 574 pp., A. Bastas, D. Plessas Graphic Arts, Athen (ISBN 960-7418-20-4).
- 5119. Parenti, U.,** 2000, A Guide to the Microlepidoptera of Europe. 426pp. 156 Pls. 43 figs. Museo Regionale di Scienze Naturali, Torino.
- 5120. Parenti, U.,** 2001, The Elachistid moths of the Löbbecke Museum of Düsseldorf (Lepidoptera, Elachistidae). Revta lepid. 29 (115): 249-254, figs.
- 5121. Parenti, U.,** 2002, Corrections and additions to the Checklist of European Elachistidae (Lepidoptera, Elachistidae). Revta lepid. 30 (118): 149-153, figs.
- 5122. Parenti, U.,** 2002, Corrections and additions to the Checklist of European Elachistidae (Lepidoptera, Elachistidae) (Lepidoptera, Elachistidae). Shilap Revta lepid. 30 (118): 149-153.
- 5123. Parenzan, P.,** 1975, Contributi alla conoscenza della lepidotterofauna dell'Italia meridionale. I. Rhopalocera di Puglia e di Lucania. Entomologica, Bari 11: 87-154.
- 5124. Park, K.-T. & S.-Y. Sim,** 2000, New records of Blastobasidae (Lepidoptera) from Korea with description of a new species. Korean J. Biol. Sci. 4: 245-250, figs.
- 5125. Park, K.-T. & S.-S. Kim,** 1998, Atlas of butterflies in Korea. 381pp. 467 figs., maps.
- 5126. Park, K.-T.,** 2001, A new species of the genus *Tisis* (Lepidoptera, Lecithoceridae) from Thailand. Korean J. Syst. Zool. 17: 59-63, figs.
- 5127. Park, K.-T.,** 2002, A revision of the genus *Nosphistica* Meyrick (Lepidoptera, Lecithoceridae). Zool. Stud. 41 (3): 251-262, figs.
- 5128. Park, K.-T.,** 2002, Taxonomic review of the genus *Torodora* Meyrick in Thailand, with descriptions of fifteen new species (Lepidoptera, Lecithoceridae). Insecta Koreana 19 (2):
- 5129. Park, K.-T.,** 2003, Three new species of the genus *Tisis* Walker from Malaysia (Sarawak), with notes on some little known species (Lepidoptera, Lecithoceridae). Insecta Koreana 20 (1):
- 5130. Park, K.-T.,** 2003, Two new species of the genus *Tisis* from Thailand and notes on *Tisis elegans* (Insecta Lepidoptera, Lecithoceridae). Species Divers. 8 (3):
- 5131. Park, K.-T.,** 2005, Genus *Tisis* Walker in the Malaysian Borneo, with descriptions of three new species (Lepidoptera, Lecithoceridae). J. Asia-Pac. Ent. 8(1):
- 5132. Parker, R.,** 1983, The butterflies of Cyprus. Entomologist's Gaz. 34: 17-53.
- 5133. Parsons, M.,** 1991, Butterflies of the Bulolo-Wau Valley. 280pp., Pls. Bishop Museum, Honolulu.
- 5134. Parsons, M.,** 1999, Butterflies of Papua New Guinea. Their systematics and biology. vi+737pp., m26+139 Pls. Academic Press, San Diego & London.
- 5135. Passerin d'Entrèves, P.,** 1976, Revisione degli Scitrididi (Lepidoptera, Scythrididae) paleartici II. - I tipi di *Scythris* del Muséum National Histoire Naturelle di Parigi. Boll. Mus. Zool. Univ. Torino 3: 27-70, figs.
- 5136. Passerin d'Entrèves, P.,** 1979, Revisione degli Scitrididi (Lepidoptera, Scythrididae) paleartici IV. - I tipi di *Scythris* dell'Istituto Espanol de Entomologia di Madrid. Boll. Mus. Zool. Univ. Torino 3: 83-90, figs.
- 5137. Passerin d'Entrèves, P.,** 1980, Revisione degli Scitrididi (Lepidoptera, Scythrididae) paleartici V. - I tipi di *Scythris* del Naturhistorisches Museum di Vienna. Boll. Mus. Zool. Univ. Torino 5: 41-60, figs.
- 5138. Passerin d'Entrèves, P.,** 1986, Lepidoptera: Scythrididae of Saudi Arabia (Part 1). Fauna Saudi Arabia 8: 256-261.
- 5139. Passerin d'Entrèves, P.,** 1990, Una nueva especie del genero *Episcythis* Amsel, 1939: *Episcythis zuninoi* n.sp. (Lepidoptera, Scythrididae). Shilap Revta lepid. 18 (71): 223-226, 2 figs.
- 5140. Patocka, J.,** 1994, Die Puppen der mittel- und westeuropäischen Spanner aus der Tribus Lobophorini (Lepidoptera, Geometridae, Larentiinae). Ent. Ber., Amst. 54(12): 217-223, 46 Abb.
- 5141. Patocka, J.,** 1994, Die Puppen der mittel- und westeuropäischen Spanner aus der Tribus Asthenini (Lepidoptera, Geometridae, Larentiinae). Ent. Ber., Amst. 54(2): 13-19, Abb.
- 5142. Paukstadt, U. & L.H. Paukstadt,** 1986, Die Präimaginalstadien von *Brahmia hearseyi* (White, 1861) (Lep., Brahmaeidae). Ent. Z., Frankf. a. M. 96(11): 145-160.
- 5143. Paukstadt, U. & L.H. Paukstadt,** 1990, Beschreibung des bisher unbekannten Männchens von *Saturnia* (*Eriogyna*) *pinatanai* Lampe, 1989 aus Thailand (Lepidoptera, Saturniidae). Ent. Z., Frankf. a. M. 100 (13): 250-252.
- 5144. Paukstadt, U. & L.H. Paukstadt,** 1993, Beitrag zur Kenntnis der Variabilität von *Attacus dohertyi*-Faltern von Timor, Indonesien (Lepidoptera, Saturniidae). Ent. Z., Frankf. a. M. 103(24): 459-464, 3 Abb.

- 5145. Paukstadt, U. & L.H. Paukstadt,** 1999, *Antheraea* (*Antheraea*) *ulrichbroschi* n.sp., eine neue Saturniide von West Malaysia (Lepidoptera, Saturniidae). *Galathea Suppl.* 6: 90-98, figs.
- 5146. Paukstadt, U. & U. Brosch,** 1996, Zwei neue Arten der Gattung *Antheraea* Hübner, [1819] von der Insel Mindoro Philippinen (Lepidoptera, Saturniidae). *Ent. Z., Frankf. a. M.* 106(12): 513-519, Abb.
- 5147. Paukstadt, U.,** 1994, Wegen *Attacus dohertyi* (Lepidoptera, Saturniidae) nach Timor, östliche Kleine Sundainseln - ein entomologischer Reisebericht. *Ent. Z., Frankf. a. M.* 104(7): 125-140, 9 Abb.
- 5148. Paukstadt, U.,** 1996, Beobachtungen zu Sphingiden-Wanderungen im Golf von Thailand, Südchinesisches Meer (Lepidoptera, Sphingidae). *Atalanta* 27(1/2): 109-110.
- 5149. Paukstadt, U., Naumann, S., Paukstadt, L.H. & T. Bouyer,** 1995, Beschreibung des unbekannten Weibchens von *Samia peigleri* Naumann & Nässig 1995 von Sulawesi, Indonesien (Lepidoptera, Saturniidae). *Ent. Z., Frankf. a. M.* 105: 485-487, 2 Abb.
- 5150. Paukstadt, U., Paukstadt, L.H. & U. Brosch,** 1998, *Antheraea* (*Antheraea*) *myanmarensis* n.sp., eine neue Saturniide von Südostasien (Lepidoptera, Saturniidae). *Ent. Z., Essen* 108 (2): 57-64, figs.
- 5151. Paukstadt, U., Paukstadt, L.H. & U. Brosch,** 1999, *Antheraea* (*Antheraea*) *steinkeorum* n.sp. eine neue Saturniide von Südostasien (Lepidoptera, Saturniidae). *Galathea Suppl.* 6: 81-89, figs.
- 5152. Paukstadt, U., Peigler, R.S. & L.H. Paukstadt,** 1993, *Samia yayukae* n.sp., eine neue Saturniide (Lepidoptera) von Flores, Indonesien. *Ent. Z., Frankf. a. M.* 103(13): 229-235, 5 Abb.
- 5153. Paulus, H.F. & K. Rose,** 1971, Zur *Lycaeniden*-fauna des Libanon. *Ent. Z., Frankf. a. M.* 81 (1/3): 1-21, 10 Abb.
- 5154. Pazuki, A.,** 1976, The male genitalia of Lepidoptera and its taxonomic value. *J. ent. Soc. Iran* 3(1/2): 9-13, 18 figs in persian text.
- 5155. Pearson, D.H.,** 1898, Pupation of *Aglais urticae*. *Entomologist's Rec. J. Var.* 10: 310.
- 5156. Peigler, R.S.,** 1989, A Revision of the Indo-Australian genus *Attacus*. xi+167pp. *Lepid. Res. Found. California*.
- 5157. Peile, H.D.,** 1921, The Butterflies of Mesopotamia. *J. Bomb. nat. Hist. Soc.* 28: 50-70, 345-369, Pl.
- 5158. Peile, H.D.,** 1937, A Guide to the collecting Butterflies of India. 283 pp. *Staples Press Ltd. London*.
- 5159. Peks, H.,** 1990, Das Noctuidae-Typenmaterial der Sammlung Peks (Lepidoptera). *Esperiana* 1: 421-426.
- 5160. Pelletier, J.,** 1978, Révision des especes du genre *Marcipa* Walker (Lepidoptera, Noctuidae, Ophiderinae). *Mém. Mus. nat. Hist. Nat. (N.S.) (Ser. A., Zool.)* 110: 1-143, 158 figs., 6 Pls.
- 5161. Pelzer, A.,** 1982, Zur Kenntnis der frühen Stände von *Hyles centralasiae* siehe (Püngeler) (Sphingidae). *Nota lepid.* 5 (2/3): 134-140, 10 figs.
- 5162. Pendlebury, H.M.,** 1923, Notes on the Lepidoptera Rhopalocera taken in Nakon Sri Tamarat, Peninsular Siam. *J. fed. Malay. St. Mus.* 11: 21-48.
- 5163. Pendlebury, H.M.,** 1933, Notes and new records of butterflies from the Malay Peninsula. *J. fed. Malay. St. Mus.* 17 (2): 377-401.
- 5164. Perrette, L.,** 1998, Sur la présence de *Rheumaptera subhastata* (Nolken, 1870) dans le massif vosgien (Lepidoptera, Geometridae). *Linneana Belgica* 16(8): 341-342, figs.
- 5165. Peschke, R. & C. Eisner,** 1934, *P. delphius* Ev. subsp. affinis (subsp. nova). *Parnassiana* 3: 40-41, figs. 5-6.
- 5166. Peschke, R.,** 1934, Neubeschreibungen und Ergänzungen der paläarktischen Lepidopterenfauna I. *Int. ent. Z.* 28 (34): 430-432.
- 5167. Peschke, R.,** 1938, Neubeschreibungen. *Ent. Rdsch.* 55: 155.
- 5168. Peschke, R.,** 1938, Neubeschreibungen. *Ent. Rdsch.* 55: 228.
- 5169. Petersen, G. & R. Gaedike,** 1975, Beiträge zur Insektenfauna der DDR: Lepidoptera Nachträge I (Tineidae, Epermeniidae, Acrolepiidae). *Ent. Ber. Berlin* 1975: 75 - 79.
- 5170. Petersen, G. & R. Gaedike,** 1982, Insects of Saudi Arabia. Lepidoptera: Fam. Tineidae. *Fauna Saudi Arabia* 4: 333-346, figs.
- 5171. Petersen, G. & R. Gaedike,** 1985, Die Microlepidopteren Zyperns 2. Teil: Tineidae (Lepidoptera). *Reichenbachia* 23(7): 29-34, 12 Abb.
- 5172. Petersen, G.,** 1959, Ergebnisse der Untersuchung indeterminierter paläarktischer Tineiden aus dem Zoologischen Museum Berlin und der Sammlung H.G. Amsel/Karlsruhe (Lep.). *Dt. ent. Z. (N.F.)* 6(1/3): 152-159, 3 Abb.
- 5173. Petersen, G.,** 1959, Tineidae [in] Amsel, H.G., Irakische Kleinschmetterlinge II. *Bull. Soc. ent. Egypte* 43: 70-73, Taf. ix.
- 5174. Petersen, G.,** 1960, Zwei neue paläarktische Tineiden aus dem Iran (Lepidoptera). *Stuttg. Beitr. Naturk.* 34: 1-3, 1 Abb.
- 5175. Petersen, G.,** 1962, Beitrag zur Kenntnis der südeuropäischen Tineiden (Lepidoptera, Tineidae). *Beitr. naturk. Forsch. SWDtl.* 21(2): 205-220, 15 Abb.
- 5176. Petersen, G.,** 1963, Revision der paläarktischen Arten der Gattung *Catabola* Durr. (Lepidoptera, Tineidae). *Beitr. Ent.* 13(1/2): 168-173, 2 Taf.
- 5177. Petersen, G.,** 1963, 2. Beitrag zur Kenntnis der Tineiden von Afghanistan (Lepidoptera, Tineidae). *Beitr. Ent.* 13(1/2): 176-188, 7 figs.
- 5178. Petersen, G.,** 1964, Tineiden von Karatschi (Pakistan), Fars (SW-Iran) und den Bahrein-Inseln (Lepidoptera, Tineidae). *Beitr. naturk. Forsch. SWDtl.* 23(2): 111-122, 11 Abb.
- 5179. Petersen, G.,** 1965, Revision der Gattungen *Rhodobates* Ragonot und *Pachyarthra* Amsel (Lepidoptera, Tineidae). *Beitr. Ent.* 15(1/2): 87-100, 23 figs.
- 5180. Petersen, G.,** 1968, Beitrag zur Kenntnis der ostmediterranen Tineiden (Lepidoptera, Tineidae, exclus. Nemapogoninae). *Acta ent. bohemoslov.* 65: 52-66, 15 figs.
- 5181. Petersen, G.,** 1971, Beitrag zur Kenntnis der Tineiden von Iran und Pakistan (Lepidoptera, Tineidae). *Beitr. Ent.* 21(3/6): 267-271, 2 figs.
- 5182. Petersen, G.,** 1986, Revision der Gattung *Gephyristis* Meyrick (Lepidoptera, Tineidae, Hieroxestinae). *Beitr. Ent.* 36: 53-62, figs.
- 5183. Petersen, M. & D. Bartsch,** 1998, Ein Beitrag zur Sesienfauna Griechenlands (Lepidoptera, Sesiidae). *Esperiana* 6: 50-55.
- 5184. Petersen, W.,** 1887, Die Lepidopteren-Fauna des arktischen Gebietes von Europa und die Eiszeit. 141 S., St. Petersburg.
- 5185. Petersen, W.,** 1901, Zum Morphogenese der doppelten Bursa copulatrix bei Schmetterlingen. *Allg. Z. Ent.* 6: 323-325, 4 figs.
- 5186. Petersen, W.,** 1902, Lepidopterenfauna von Esthland mit Berücksichtigung der benachbarten Gebiete. 217 pp., Reval.
- 5187. Petersen, W.,** 1902, Bemerkungen zur Systematik der Schmetterlinge. *Allg. Z. Ent.* 7: 500-506, 534-539.
- 5188. Petersen, W.,** 1924, Lepidopterenfauna von Estland (Esti). Bde 1,2. Reval.
- 5189. Pfeiffer, E.,** 1926-1927, Ein Beitrag zur Insektenfauna von Kleinasien (Anatolien). *Mitt. münch. ent. Ges.* 16: 99-110; 17: 35-55, 76-91.
- 5190. Pfeiffer, E.,** 1931, Einleitung. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. *Mitt. münch. ent. Ges.* 21 (2): 68-81.
- 5191. Pfeiffer, E.,** 1931-1932, Diurnae. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. *Mitt. münch. ent. Ges.* 21 (2): 81-86; 22 (1): 17-32, 22(2): 38-51 Taf. ii-iv.
- 5192. Pfeiffer, E.,** 1938, Notizen über persische *Lycaenidae* (Lepid.). *Mitt. münch. ent. Ges.* 28 (2): 188-195, Taf. iv.
- 5193. Pfeiffer, H.,** 1938, *Hesperia sao* Hb. ab. extrema ab. nov. m. *Ent. Rdsch.* 55: 244, 6 Abb.
- 5194. Pfister, H.,** 1961, Beiträge zur Kenntnis der Phaloniden- und Tortricidenfauna Nordbayerns. *Mitt. münch. ent. Ges.* 51: 1-57.
- 5195. Pholboon, P.,** 1965, A host list of the insects of Thailand. 149pp. Thai Dept. Agriculture & U.S. Operations Mission to Thailand, Bangkok.

- 5196. Phupathanaphong, L.,** 1987, Aristolochiaceae, [in] Smitinand, T. & K. Larsen, Flora of Thailand 5 (1): 1-31, 19 figs. Bangkok.
- 5197. Picard, J.,** 1948, Nouvelles races d'Hesperiidae françaises. Revue fr. lépid. 11: 324-328.
- 5198. Picard, J.,** 1950, Hespérides du Maroc. Bull. Soc. Sci. nat. Maroc 28: 110-135.
- 5199. Piepers, M.C. & P.C.T. Snellen,** 1879, Lepidoptera van Celebes. Tijdschr. Ent. 22: 1-66, Pl. 6-10.
- 5200. Piepers, M.C. & P.C.T. Snellen,** 1880, Nieuwe Pyraliden op het eiland Celebes gevonden. Tijdschr. Ent. 23: 1-54.
- 5201. Piepers, M.C.,** 1900, Enumeration des Lépidoptères Heteroceres recueillis à Java. Tijdschr. Ent. 43: 12-18, 4 Taf.
- 5202. Pierce, F.N.,** 1914, The Genitalia of the Group Geometridae of the Lepidoptera of the British Islands. An account of the morphology of the male claspings organs and the corresponding organs of the female. xxvii+84pp. 48 Pls. Middlesex, England.
- 5203. Pierrat, V. & T. Porion,** 1988, *Parnassius przewalskii humboldti* subspecies nova. Bull. Soc. Sci. Nat., Venette 59: 1-2.
- 5204. Pierrat, V.,** 1990, Une nouvelle race de *Parnassius imperator*: *Parnassius imperator jiyetiani* subsp. nova. Bull. Soc. Sci. Nat., Venette 67: 5-6.
- 5205. Pierre, J.,** 1977, Nymphalidae (Acraeinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 109-110.
- 5206. Pierre, J.,** 1984, Nymphalidae (Acraeinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc. II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 62-63.
- 5207. Pinker, R.,** 1954, Eine interessante Sesie aus Mazedonien. Z. wien. ent. Ges. 39: 182-185, 1 Abb.
- 5208. Pinker, R.,** 1956, Erkenntnisse, Gewonnen bei Beobachtungen mazedonischer Psychiden. Fragm. balcan. 1 (25): 201-205, Abb.
- 5209. Pinker, R.,** 1956, *Orhodiella ragusae* Failla-Ted. in Mazedonien. Fragm. balcan. 1 (24): 197-200, Abb.
- 5210. Pinker, R.,** 1956, Beschreibung der Raupen einiger pontischer und mediterraner Heteroceren. Z. wien. ent. Ges. 41 (10): 265-270, 1 Taf., 6 Abb.
- 5211. Pinker, R.,** 1957, Lebensraum und Verhalten von *Euchloe charlonia* Donz. in Mazedonien. Z. wien. ent. Ges. 42 (6): 81-85 1 Taf., 2 Abb.
- 5212. Pinker, R.,** 1958, Beobachtungen in der Treska Schlucht in Mazedonien; Beschreibung einer neuen *Eupithecia* Curt. Fragm. balcan. 2 (12): 91-96, 9 figs.
- 5213. Pinker, R.,** 1968, Die Lepidopterenfauna Mazedoniens III. Geometridae. 72S. Prirodonaučen Muzej Skopje.
- 5214. Pinker, R.,** 1968, Der Lebensraum von *Pieris cheiranthi* Hbn. und die Einwanderung und Ausbreitung der *Catopsilia florella* F. auf den Kanaren. ArbGem. öst. Ent. 20: 22-25.
- 5215. Pinker, R.,** 1976, Über kleinasiatische *Eupithecia* und deren Zusammenhänge mit jenen aus Mazedonien (Lepidoptera, Geometridae). Z. ArbGem. öst. Ent. 28 (1/3): 1-6, 23 figs.
- 5216. Pinratana, B.A. & J.N. Eliot,** 1992, Butterflies in Thailand Vol. One Papilionidae and Danaidae. Third & revised Edn. vi+78 pp. 92 Pls. Brothers of St. Gabriel in Thailand.
- 5217. Pinratana, B.A. & J.N. Eliot,** 1996, Butterflies in Thailand Vol. Three Nymphalidae (Second and revised Edition). vii + 140 pp., 84 pls. Brothers of St. Gabriel in Thailand.
- 5218. Pinratana, B.A. & R.E.J. Lampe,** 1990, Moths of Thailand Vol. One Saturniidae. iv + 47pp., 44 Pls. Brothers of St. Gabriel in Thailand, Bangkok.
- 5219. Pinratana, B.A.,** 1981, Butterflies in Thailand Vol. Four Lycaenidae. viii + 216 pp. 36 pls. Brothers of St. Gabriel in Thailand.
- 5220. Pinratana, B.A.,** 1983, Butterflies in Thailand Vol. Two Pieridae and Amathusiidae (Revised Edition). v + 71 pp., 48 pls. Brothers of St. Gabriel in Thailand.
- 5221. Pinratana, B.A.,** 1985, Butterflies in Thailand Vol. Five Hesperidae. vi + 152 pp., 40 pls. Brothers of St. Gabriel in Thailand.
- 5222. Pinratana, B.A.,** 1988, Butterflies in Thailand Vol. Six Satyridae Libytheidae and Riodinidae. viii + 61 pp., 44 pls. Brothers of St. Gabriel in Thailand.
- 5223. Piskunov, V.I.,** 1987, A review of the genus *Neofriseria* (Lepidoptera, Gelechiidae) with description of a new species from Turkmen S.S.R. Vestn. Zool. 1987(2): 8-14, figs.
- 5224. Piskunov, V.I.,** 1987, Three new species of gelechiid moths (Lepidoptera, Gelechiidae) from the fauna of the U.S.S.R. Zool. Zh. 66(1): 147-150, figs.
- 5225. Pittaway, A.R. & I.J. Kitching,** 2000, Notes on selected species of hawkmoths (Lepidoptera: Sphingidae) from China, Mongolia and the Korean Peninsula. Tinea 16 (3): 170-211.
- 5226. Pittaway, A.R.,** Winged jewels of the desert. Ahlan Wasahlan 11 (12): 26-30.
- 5227. Pittaway, A.R.,** Observations on the hostplant preferences of *Laotloe populi* (Linnaeus, 1758) (Lepidoptera: Sphingidae). Entomologist 115 (2): 124-128.
- 5228. Pittaway, A.R.,** 1976, Hyles (Celerio) *tithymali* (Lep., Sphingidae). Bull. Amat. Ent. Soc., 35: 54-57.
- 5229. Pittaway, A.R.,** 1976, Great Peacocks. Bull. Amat. Ent. Soc., 35: 142-144.
- 5230. Pittaway, A.R.,** 1979, Arabian Novelty. Bull. Amat. Ent. Soc. 38: 126-128.
- 5231. Pittaway, A.R.,** 1979, On *Rethera komarovi* *manifica* (Brandt) (Lep., Sphingidae). Entomologist's Gaz. 30: 3-6.
- 5232. Pittaway, A.R.,** 1979, The butterflies and Hawk-Moths of eastern Saudi Arabia. Proc. Br. ent. Nat. Hist. Soc. 12: 90-101, Pl. 7, 1 map.
- 5233. Pittaway, A.R.,** 1980, Butterflies (Lepidoptera) of Qatar, April-June, 1979. Entomologist's Gaz. 31: 103-111, Pl.
- 5234. Pittaway, A.R.,** 1981, Further notes on the butterflies and Hawkmoths (Lepidoptera) of Eastern Saudi Arabia. Entomologist's Gaz. 32: 27-35, 1 fig.
- 5235. Pittaway, A.R.,** 1982, Hyles *hippophaes hippophaes* (Esper) (Lep., Sphingidae). Entomologist's Gaz. 33: 97-99.
- 5236. Pittaway, A.R.,** 1982, Notes on the subspecies and biology of *Clarina kotschy* (Kollar, [1849]), (Lep., Sphingidae). Entomologist's Gaz. 33: 173-174.
- 5237. Pittaway, A.R.,** 1983, Of foodplants and Hawkmoths. Bull. Amat. Ent. Soc. 42: 64-69.
- 5238. Pittaway, A.R.,** 1983, An Annotated Checklist of the Western Palaearctic Sphingidae (Lepidoptera). Entomologist's Gaz. 34: 67-85, 39 maps, figs.
- 5239. Pittaway, A.R.,** 1985, Lepidoptera: Rhopalocera of western Saudi Arabia. Fauna Saudi Arabia 7: 172-197, figs.
- 5240. Pittaway, A.R.,** 1986, Butterfly beauties of the Arabian desert - swallowtails. Al Diyafah 1(2): 46-51.
- 5241. Pittaway, A.R.,** 1987, The Arabian Sphinx. Ahlan Wasahlan 11 (7): 42-45.
- 5242. Pittaway, A.R.,** 1993, The Hawkmoths of the Western Palaearctic. 240 pp. 20 pls. 60 figs., 58 maps. Harley Books, London.
- 5243. Pittaway, A.R.,** 1995, Sphingidae of the western Palaearctic; their ecology and biogeography. London, UK; PhD Thesis, Imperial College of Science, Technology & Medicine.
- 5244. Pittaway, A.R., Larsen, T.B., Clarke, C.A., Smith, C.R., et al.,** 1994, *Papilio saharae* Oberthür, 1879 specifically distinct from *P. machaon* Linnaeus, 1758 (Lepidoptera, Papilionidae). Entomologist's Gaz. 45: 223-249, 24 figs.
- 5245. Plante, J.,** 1983, Deux nouvelles Bryopolia Brsn. d'Afghanistan (Lepidoptera, Noctuidae, Cuclinae). Lambillionea 82: 86-89.
- 5246. Plante, J.,** 1991, Un nouveau *Cryphia* Hübner du Pakistan (Lep., Noctuidae, Acronictinae). Alexanor 17 (1): 57-58, figs.
- 5247. Plante, J.,** 1992, Two new species of the placida-group of the genus *Aletia* Hübner (Lepidoptera, Noctuidae, Hadeninae). Tyo to Ga 43 (3): 217-220, figs.
- 5248. Plantrou, J. & P.-C. Rougeot,** 1984, Description de nouvelles formes + de *Charaxes galawadiwosi* Plantrou & Rougeot, [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc. II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 65-67, Pl.
- 5249. Platt, E.E.,** 1921, List of food-plants of some South African lepidopterous larvae. South Afr. J. Nat. Hist. 3: 65-138.

- 5250.** Plötz,C., 1879, Hesperina Herr.-Sch. Stettin ent. Ztg. 40: 175-180.
- 5251.** Plötz,C., 1881, Die Hesperinen-Gattung Eudamus und ihre Arten. Stettin ent. Ztg. 42: 500-504.
- 5252.** Plötz,C., 1882, Einige Hesperinen-Gattungen und deren Arten. Berl. ent. Z. 26 (1): 71-82.
- 5253.** Plötz,C., 1882-1883, Die Hesperinen-Gattung Hesperia Aut. und ihre Arten. Stettin ent. Ztg. 43: 314-344, 436-456: 44: 26-64, 195-233.
- 5254.** Plötz,C., 1884, Die Hesperinen-Gattung Telesto Bsd. und ihre Arten. Stettin ent. Ztg. 44: 376-384.
- 5255.** Plötz,C., 1884, Die Gattung Cyclopides Hübn. und ihre Arten. Stettin ent. Ztg. 44: 389.
- 5256.** Plötz,C., 1884, Die Hesperinen-Gattung Ismene Sw. und ihre Arten. Stettin ent. Ztg. 44: 51-66.
- 5257.** Plötz,C., 1884, Die Hesperinen-Gattung Thymelicus Hüb. und ihre Arten. Stettin ent. Ztg. 44: 284-290.
- 5258.** Plötz,C., 1884, Die Hesperinen-Gattung Apaustus Hüb. und ihre Arten. Stettin ent. Ztg. 44: 151-166.
- 5259.** Plötz,C., 1884, Die Hesperinen-Gattung Plastingia Butl. und ihre Arten. Stettin ent. Ztg. 44: 145-150.
- 5260.** Plötz,C., 1884, Die Hesperinen-Gattung Isoleinon Feld. und ihre Arten. Stettin ent. Ztg. 44: 385-386.
- 5261.** Plötz,C., 1884, Die Hesperinen-Gattung Carterocephalus Led. und ihre Arten. Stettin ent. Ztg. 44: 386-388.
- 5262.** Plötz,C., 1884, Die Gattung Abantis Hopf. Stettin ent. Ztg. 44: 388-389.
- 5263.** Plötz,C., 1884, Die Hesperinen-Gattung Butleria Kirby und ihre Arten. Stettin ent. Ztg. 44: 290-295.
- 5264.** Plötz,C., 1886, Nachtrag und Berichtigungen zu den Hesperinen. Stettin ent. Ztg. 47: 83-117.
- 5265.** Poda,N., 1761, Insecta Musei Graecensis. 139 pp., 2 pls. Graz.
- 5266.** Pohier,F., 1981, Les especes du groupe de Lysandra coridon Poda dans la région de Jaca (Province de Huesca, Espagne) (suite) (Lep., Lycaenidae). Alexanor 12(2): 87-94; 12(4): 184-192.
- 5267.** Polak,S. & R. Verovnik, 1998, A contribution to the knowledge of the butterfly fauna of Dhofar - Sultanate of Oman (Lepidoptera: Rhopalocera). Acta ent. Slovenica 6(1): 55-65, 2 figs.
- 5268.** Poltavsky,A.N. & A.V.Nekrasov, 2002, The Noctuid moths of the South of Russia and Northern Caucasus (Lepidoptera). Esperiana 9: 21-47, pls.
- 5269.** Poltavsky,A.N., Nekrasov,A.V., Petchen,V.I. & E.A.Hatchikov, 1997, The Noctuidae fauna of Turkmenia (Lepidoptera). Phegea 25(4): 173-183, 4 figs.
- 5270.** Ponomarenko,M.G. & E.A.Beljaev, 2000, New species of the genus Micropterix Hubner (Lepidoptera, Micropterigidae) from the Sikhote-Alin Range. Tinea 16 (4): 250-251.
- 5271.** Ponomarenko,M.G., 1989, Review of moths of the genus Anarsia Z. (Lepidoptera, Gelechiidae) of the USSR. Ent. Obozr. 1989 (3): 628-641, 22 figs.
- 5272.** Ponomarenko,M.G., 2000, New species and new synonym of the genus Metanarsia Staudinger (Lepidoptera, Gelechiidae). Tinea 16 (4): 218-221.
- 5273.** Poole,R.W., 1989, Noctuidae (Parts 1-3) [in] Heppner,J.B., Lepidopterorum Catalogus (New Series). Fascicle 118. xii + 1314 pp. E.J.Brill / Flora & Fauna Publications, Leiden. New York. Kobenhavn. Köln.
- 5274.** Poorten,D.v.d. & S.Cuvelier, 1997, Melitaea aurelia new for Greece (Lepidoptera, Nymphalidae). Phegea 25(2): 89-90, 3 figs.
- 5275.** Poorten,D.v.d., Dils,J. & J.Ganev, 1987, Gonepteryx farinosa Zeller,1847, new to Bulgaria (Lepidoptera, Pieridae). Phegea 15(2):89.
- 5276.** Poorten,D.van der, 1982, Interessante dagvlingerwaarnemingen in Griekenland, Juli 1981. Phegea 10: 77-87.
- 5277.** Poorten,D.van der, 1984, On the occurrence of Kretania eurypilus Freyer on the peloponesos (Lycaenidae, Plebejinae). Nota lepid. 7 (2): 164-170, 8 figs.
- 5278.** Popescu-Gorj,A. & A.Constantinescu, 1973, New Subspecies of Euclasta (Lep., Pyraustinae) from Madagascar and China. Trav. Mus. Hist. nat. "Gr.Antipa" 14: 173-183, 7 figs.
- 5279.** Popescu-Gorj,A. & A.Constantinescu, 1977, Revision of the Genus Euclasta Lederer (Lepidoptera, Pyraustinae) A Taxonomic and Zoogeographic Study. Trav. Mus. Hist. nat. "Gr.Antipa" 18: 157-245, 97 figs.
- 5280.** Popescu-Gorj,A. & I.Capuse, 1964, Microsphecia myrmosaeformis Herrich-Schäffer en Roumanie (Lepidoptera-Aegeriidae). Bull. Annls. Soc. r. ent. Belg. 100(26): 331-345, 10 figs.
- 5281.** Popescu-Gorj,A. & I.Capuse, 1969, Revision de Paranthrene tabaniformis Rott. (Lepidoptera, Aegeriidae) et des especes Europeennes apparentees. Bull. mens. Soc. linn. Lyon 38 (9): 315-328, 11 figs.
- 5282.** Popescu-Gorj,A., 1977, Nouvelles données pour la connaissance des Lépidoptères de la Fam. Noctuidae de Roumanie. Trav. Mus. Hist. nat. "Gr.Antipa" 18: 141-156, 13 figs.
- 5283.** Popescu-Gorj,A., 1984, Crossotocera wagnerella Zerny a less known species new to Romania's fauna. Trav. Mus. Hist. nat. "Gr.Antipa" 26: 107-109, figs.
- 5284.** Por,F.D., 1975, An outline of the zoogeography of the Levant. Zool. script. 4: 5-20.
- 5285.** Postaus,R.B., 1900, Butterflies of the Rhone Valley. Entomologist's Rec. J. Var. 12: 50-51.
- 5286.** Postaus,R.D., 1897, Polyommatus iolas in Switzerland. Entomologist's Rec. J. Var. 9: 40-41.
- 5287.** Poulton,E.B., 1899, Hypolimnas misippus Linn., taken in the Atlantic Ocean. Entomologist's Rec. J. Var. 11: 80-81.
- 5288.** Poulton,E.B., 1900, Hypolimnas misippus captured at sea. Entomologist's Rec. J. Var. 12: 315-316.
- 5289.** Poulton,E.B., 1916, On a collection of moths made in Somaliland by Mr. W.Feather. Proc. zool. Soc. Lond. 1916: 91: 91-182, 2 Pls.
- 5290.** Povolny,D. & Z.Sustek, 1988, Versuch einer numerisch-taxonischen Lösung der phylogenetischen Beziehungen im Rahmen des Gelechioiden Tribus Gnorimoschemini (Lepidoptera). Staphia 16: 209-247.
- 5291.** Povolny,D., 1956, Die äusseren Genitalien der Lepidopteren und ihre taxonomische Bedeutung. Pr. brn. Zakl. csl. Akad. Ved. 28: 315-345, 4 figs.
- 5292.** Povolny,D., 1967, Reisebericht und Charakteristik des Sammelgebietes. Cas. morav. Mus. Brne 52 (suppl.): 12-31, figs.
- 5293.** Povolny,D., 1972, Zur Fauna der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae) im Iran Acta ent. bohemoslov. 69(3): 186-206, 22 Abb.
- 5294.** Povolny,D., 1977, Neue Funde von Gnorimoschemini (Lepidoptera, Gelechiidae) aus Iran und Afghanistan. Acta ent. bohemoslov. 74(5): 322-338, 26 figs.
- 5295.** Povolny,D., 1980, Insects of Saudi Arabia. Lepidoptera: Fam. Gelechiidae. Tribus Gnorimoschemini. Fauna Saudi Arabia 2: 241-251, figs.
- 5296.** Povolny,D., 1981, Insects of Saudi Arabia. Lepidoptera: Fam. Gelechiidae. Tribus Gnorimoschemini (Part 2). Fauna Saudi Arabia 3: 417-424, figs.
- 5297.** Povolny,D., 1982, Zur artspezifischen Identität mancher westpaläarktischer Gnorimoschemini (Gelechiidae). Nota lepid. 5 (2/3): 121-132, 8 Abb.
- 5298.** Povolny,D., 1983, Insects of Saudi Arabia. Lepidoptera: Fam. Oecophoridae. Fauna Saudi Arabia 5: 288-292, figs.
- 5299.** Povolny,D., 1984, Drei neue Arten der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae) aus Asien. Nota lepid. 7 (3): 264-270, 3 Abb.
- 5300.** Povolny,D., 1986, Insects of Saudi Arabia. Lepidoptera: Fam. Gelechiidae. Tribus Gnorimoschemini (Part 3). Fauna Saudi Arabia 8: 249-255, figs.
- 5301.** Povolny,D., 1991, Zur heutigen Kenntnis von Nahrungspflanzen der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta Univ. Agric. (Brno) 38: 191-204.
- 5302.** Povolny,D., 1991, Morphologie, Systematik und Phylogenie der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta Sci. Natur. Acad. Sci. Bohemoslov. Brno (N.S.) 25: 1-61.

- 5303. Povolny,D.,** 1994, New taxa and records of *Gnorimoschema* Busck and *Gobipalpa* Povolny from Palaearctic Asia (Lepidoptera, Gelechiidae). Ent. fenn. 5(1): 57-64, 11 figs.
- 5304. Povolny,D.,** 2000, Four new Nearctic species of the genus *Tuta* Strand, 1910 (Lepidoptera, Gelechiidae). Shilap Revta lepid. 28 (110): 213-225, pls.
- 5305. Povolny,D.,** 2003, Description of twenty five new Nearctic species of the genus *Gnorimoschema* Busck, 1900 (Lepidoptera, Gelechiidae). Shilap Revta lepid. 31 (124): 285-315, pls.
- 5306. Prideaux,R.M.,** 1901, Some notes on sexual dimorphism in the scaling of *Colias* edusa. Entomologist's Rec. J. Var. 13: 141-142, pl. iv.
- 5307. Prins W.de & D.v.d.Poorten,** 1996, Additions and corrections to "Die Tagfalter der Türkei". 2. Interesting observations of butterflies in Turkey during the 38th expedition of the "Werkgroep Grieks-Turkse dagvlinders" (Lepidoptera: Lycaenidae). Phegea 24(1): 25-32, 4 figs. Pl.2.
- 5308. Prins,W.O.de, Kok,N.J.J. & F.Turelinckx,** 1984, A fortnight's visit to Morocco in April 1983. Nota lepid. 7 (1): 71-83, 5 figs.
- 5309. Prins,W.de & D.v.d.Poorten,** 1995, Rhopalocera and Grypocera of Turkey 14. Taxonomic Revision of the *Pyrgus alveus* (Hübner, [1803]) complex from Greece to West China, with description of two new species from southern Turkey (Lepidoptera, Hesperidae). Phegea 23(1): 1-44, pls., figs.
- 5310. Prins,W.de & D.van der Poorten,** 1981, Een nieuwe *Pseudochazara*-soort voor de wetenschap uit Noordoost-Griekenland. Phegea 10: 7-21.
- 5311. Prins,W.de & J. de Prins,** 2005, World Catalogue of Insects. vol. 6 Gracillariidae 502 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark.
- 5312. Prins,W.de,** 1984, A new *Tischeria* species from Morocco (Lepidoptera, Tischeriidae). Nota lepid. 7 (2): 171-177, 10 figs.
- 5313. Prins,W.de,** 1998, Catalogue of the Lepidoptera of Belgium. 236pp.
- 5314. Prins,W.de, Poorten,D.v.d. & A.Riemis,** 1994, *Nymphalis vaualbum* ([Denis & Schiffermüller], 1775) confirmed for the fauna of Turkey (Lepidoptera, Nymphalidae). Phegea 22(3): 99-100, pl.
- 5315. Prins,W.de, Poorten,D.v.d., et al.,** 1991, Rhopalocera of Turkey. 7. On a new species of *Polyommatus* Latreille, 1804 subgenus *Agrodiaetus* Hübner, [1822] from north-eastern Turkey (Lepidoptera, Lycaenidae). Phegea 19(4): 141-148, 18 figs.
- 5316. Prola,C., Provera,P., Racheli,T. & V.Sbordoni,** 1978, I. Macrolepidotteri della Appennino Centrale Parte I. Diurna, Bombyces e Sphinges. Fragm. ent., Roma 14: 1-217.
- 5317. Prout,A.E.,** 1921, Notes on some Noctuidae in the Joicey collection with descriptions of new species. Ann. Mag. nat. Hist. (9) 8: 1-33, 7 pls.
- 5318. Prout,A.E.,** 1925, Some Malayan Noctuidae from the Raffles Museum, Singapore. Ann. Mag. nat. Hist. (9) 16: 395-405.
- 5319. Prout,A.E.,** 1926, Noctuidae from central Buru. Entomologist 59: 62-81.
- 5320. Prout,A.E.,** 1926, Noctuid moths from some of the mountains of Sarawak. J. Sarawak Mus. 3: 211-241, 1 Pl.
- 5321. Prout,A.E.,** 1928, Noctuid moths from some of the mountains of Sarawak. J. Sarawak Mus. 3: 461-503, 2 Pls.
- 5322. Prout,A.E.,** 1929, Three new Noctuidae from Fiji. Ann. Mag. nat. Hist. 10 (3): 597-599.
- 5323. Prout,A.E.,** 1933, A new *Simplicia* (Lep., Noct.) from Fiji. Stylops 2: 85.
- 5324. Prout,L.B.,** 1954, New species of African Geometridae. Entomologist 87: 182-189.
- 5325. Prout,L.B.,** 1894, *Coremia ferrugaria* Haw. and *C. unidentaria* Haw. Entomologist's Rec. J. Var. 5: 111-112, 115-123.
- 5326. Prout,L.B.,** 1894, Apterous females and winter emergence. Entomologist's Rec. J. Var. 5: 147-148.
- 5327. Prout,L.B.,** 1894, Notes on the life-history of *Melanippe rivata* and *M. sociata*. Entomologist's Rec. J. Var. 5: 294-296.
- 5328. Prout,L.B.,** 1895, Synonymic notes on *Acidalia humiliata* and *A. dilutaria*. Entomologist's Rec. J. Var. 6: 131-134.
- 5329. Prout,L.B.,** 1895, The British representatives of the genus *Caradrina*. Entomologist's Rec. J. Var. 6: 198-204, 223-228.
- 5330. Prout,L.B.,** 1901, Corrections in generic nomenclature. Entomologist's Rec. J. Var. 13: 183-184.
- 5331. Prout,L.B.,** 1901, Some new Geometrid varieties and aberrations. Entomologist's Rec. J. Var. 13: 336.
- 5332. Prout,L.B.,** 1901, The lepidopterological books of the nineteenth century. Entomologist's Rec. J. Var. 13: 20-26.
- 5333. Prout,L.B.,** 1901, Sesiidae or Aegeriidae. Entomologist's Rec. J. Var. 13: 122-124.
- 5334. Prout,L.B.,** 1913, Contributions to a knowledge of the subfamilies Oenochrominae and Hemitheinae of Geometridae. Novit. zool. 20: 388-443.
- 5335. Prout,L.B.,** 1913, New South African Geometridae. Ann. Transv. Mus. 3 (4): 194-225, Pl. xii.
- 5336. Prout,L.B.,** 1914, H. Sauter's Formosa-Ausbeute. Geometridae (Lep.). Ent. Mitt. 3(7/8): 236-249, (9): 259-273.
- 5337. Prout,L.B.,** 1916, Fam. Geometridae, [in] Poulton, E.B., On a collection of moths made in Somaliland by Mr. W. Feather. Proc. zool. Soc. Lond. 1916: 141-163, Pl.
- 5338. Prout,L.B.,** 1917, New African Geometridae. Novit. zool. 24: 428-436.
- 5339. Prout,L.B.,** 1917, On new and insufficiently known Indo-Australian Geometridae. Novit. zool. 24: 293-317.
- 5340. Prout,L.B.,** 1918, New Lepidoptera in the Joicey Collection. Ann. Mag. nat. Hist. (9) 2: 412-418.
- 5341. Prout,L.B.,** 1918, New Lepidoptera in the Joicey Collection. Ann. Mag. nat. Hist. (9) 1: 18-32.
- 5342. Prout,L.B.,** 1918, New Heterocera in the Joicey Collection. Ann. Mag. nat. Hist. (9) 1: 312-318.
- 5343. Prout,L.B.,** 1919, New and insufficiently-known moths in the Joicey Collection. Ann. Mag. nat. Hist. (9) 3: 165-190.
- 5344. Prout,L.B.,** 1921, Moths of Mesopotamia and N.W. Persia, Pt. III. Geometridae. J. Bombay nat. Hist. Soc. 28 (1): 187-191.
- 5345. Prout,L.B.,** 1929, New Geometridae from Fiji. Ann. Mag. nat. Hist. (10) 3: 595-597.
- 5346. Prout,L.B.,** 1929, Three new Noctuidae from Fiji. Ann. Mag. nat. Hist. 10 (3): 597-599.
- 5347. Prout,L.B.,** 1929-1938, Die Spannerartigen Nachtfalter [in] Seitz, A., Die Gross-Schmetterlinge der Erde Bd. 16. Alfred Kernen Verlag. Stuttgart.
- 5348. Prout,L.B.,** 1931, A new palaearctic *Chesias* (Lepidoptera, Geometridae). Ann. Mag. nat. Hist. (10) 8: 554.
- 5349. Prout,L.B.,** 1958, New Species of Indo-Australian Geometridae. Bull. Br. Mus. (Nat. Hist.) Ent. 6(12): 365-463, 72 figs.
- 5350. Przegendza,[A.],** 1936, Beschreibung der Raupe von *Zyg. dorycnii* O. subsp. *wagneriana* Reiss. Ent. Rdsch. 53: 351-352.
- 5351. Präse,H.,** 1982, Neue Ergebnisse zur Faunistik der Microlepidoptera in Bayern. NachrBl. bayer. Ent. 31(1): 3-12.
- 5352. Präse,H.,** 1988, Bemerkungen zur *Cydia succendana*-Gruppe im Alpen- und Mediterranraum (Lepidoptera, Tortricidae). Staphia 16: 257-271, 11 Abb.
- 5353. Pupliesiene,J. & A.Olivier,** 2000, The karyotype and chromosome number of *Polyommatus buzulmavi* (Lycaenidae). Nota lepid. 23 (1): 71-77, figs.
- 5354. Pupliesiene,J. & R.Noreika,** 1993, A brief karyological review of the Gracillariidae (Lepidoptera). Phegea 21(2): 55-63, 23 figs.
- 5355. Pupliesiene,Y.V.,** 1993, Brief survey of karyotypes of mining moths (Lepidoptera). Ent. Obozr. 72(2): 295-303 [engl. transl. Ent. rev. 73(1): 17-25, 3 figs., 1994]
- 5356. Puplesis,R. & A.Diskus,** 1996, First record of the genus *Etainia* Beirne from Central Asia with descriptions of two new species and some provisional notes on the world fauna (Lepidoptera, Nepticulidae). Phegea 24(1): 41-48, 10 figs.
- 5357. Puplesis,R. & A.Diskus,** 1996, A review of the *Stigmella sorbi* species-group with descriptions of two new species

- from Turkmenistan and Tadzhikistan (Lepidoptera, Nepticulidae). *Phegea* 24(4): 171-182, 15 figs.
- 5358. Puplesis, R.K. & G.D. Robinson,** 1999, Revision of the Oriental Opostegidae (Lepidoptera) with general comments on phylogeny within the family. *Bull. nat. Hist. Mus. Lond. (Ent.)* 68 (1): 1-92, 179 figs.
- 5359. Puplesis, R.K.,** 1986, New species of the nepticulid moths (Lep., Opostegidae) from southern Far East and Tadzhikistan. *Trudy zool. Inst. Leningr.* 134(1985): 59-72, figs.
- 5360. Puplesis, R.K.,** 1988, New species of plant mining Lepidoptera (Nepticulidae, Tischeriidae) from Central Asia. *Staphia* 16: 273-290, 24 figs.
- 5361. Puplesis, R.K.,** 1990, The genus *Acalyptris* Meyrick (Lepidoptera, Nepticulidae) in the USSR. Distribution and taxonomy. *Nota lepid.* 13(1): 62-88, 41 figs.
- 5362. Puplesis, R.K., Seksjaeva, S., Noreika, R. & J. Puplesiene,** 1992, Some leaf-mining Lepidoptera from the Aksu Dzhabagly Reserve (western Tian Shan) with descriptions of four new species (Lepidoptera, Nepticulidae, Bucculatricidae). *Nota lepid.* 15(1): 47-64, 29 figs.
- 5363. Püngeler, R.,** 1899, Neue Macrolepidopteren aus Central-Asien. *Dt. ent. Z., Iris* 12: 95-106, 288-299.
- 5364. Püngeler, R.,** 1900, Neue Macrolepidopteren aus Central-Asien. *Dt. ent. Z., Iris* 13: 115-123.
- 5365. Püngeler, R.,** 1901, Neue Macrolepidopteren aus Central-Asien. *Dt. ent. Z., Iris* 14: 177-191.
- 5366. Püngeler, R.,** 1902, Neue Macrolepidopteren aus Central-Asien. *Dt. ent. Z., Iris* 15: 147-160.
- 5367. Püngeler, R.,** 1903, *Deilephila siehei* n.sp. *Berl. ent. Z.* 47 (1902): 235-238, Taf.iii.
- 5368. Püngeler, R.,** 1903, Zur Naturgeschichte der *Lygris peloponnesiaca* Rbl. *Berl. ent. Z.* 48: 321-322.
- 5369. Püngeler, R.,** 1903, Neue palaearctische Macrolepidopteren. *Dt. ent. Z., Iris* 16: 286-301, Taf. vi.
- 5370. Püngeler, R.,** 1906, Neue Palaearctische Macrolepidopteren. *Dt. ent. Z., Iris* 19: 78-98.
- 5371. Püngeler, R.,** 1914, Neue Palaearctische Macrolepidopteren. *Dt. ent. Z., Iris* 28: 37-55, 2 Taf.
- 5372. Püngeler, R.,** 1925, Neue palaearctische Makrolepidopteren. *Dt. ent. Z., Iris* 39: 231-233, Taf.III.
- 5373. Püngeler, R.,** 1925, *Chondrostega osthelderi* Püng. n.sp. *Mitt. münch. ent. Ges.* 15: 96.
- 5374. Quail, A.,** 1897, Neurulation of the *Rhopalocera*. *Entomologist's Rec. J. Var.* 9: 4-5, Pl.
- 5375. Quail, A.,** 1903, On the antennae of *Hepialidae* - Lepidoptera Jugatae. *Trans. Ent. Soc. Lond.* 1903 (4): 499-509, Pl.19.
- 5376. Quivron, D.,** 1993, Prospections en juillet 1989 dans le massif du Mont Ventoux et sur ses cntreforts septentrionaux (Lepidoptera, Rhopalocera). *Alexanor* 18(1): 3-6.
- 5377. Quivron, D.,** 2000, *Cacyreus marshalli* Btlr en Haute-Provence (Lepidoptera Lycaenidae). *Alexanor* 21 (1): 79-80, fig. 1.
- 5378. Racheli, L. & T. Racheli,** 2006, Distributional records of Brahmaeidae and Saturniidae species from Laos (Lepidoptera, Brahmaeidae, Saturniidae). *Shilap Revta lepid.* 34 (133): 81-82.
- 5379. Racheli, T. & L. Pariset,** 1992, II. Genere *Battus* *Tassonomia e Storia Naturale* (Lepidoptera, Papilionidae). *Fragm. Ent., Roma* 23 (suppl.): 1-163, 27 Tav.
- 5380. Racheli, T.,** 1980, Papilionoidea and Hesperioidea (Lepidoptera) collected during 1976 in Fars, south Iran. *Nota lepid.* 3(1/2): 73-89.
- 5381. Racheli, T.,** 1989, On a new subspecies of *Parides anchises* from the Huallaga region Peru (Lepidoptera, Papilionidae). *Fragm. ent., Roma* 21 (2): 137-144, figs.
- 5382. Racheli, T.,** 1990, Una nuova sottospecie di *Zygaena sedi* (Fabricius, 1787) di Turchia (Lepidoptera, Zygaenidae). *Fragm. ent., Roma* 22 (2): 289-293, figs.
- 5383. Racheli, T.,** 1991, Notes on Venezuelan *Parides* with description of new subspecies (Lepidoptera, Papilionidae). *Fragm. ent., Roma* 23 (1): 45-52, figs.
- 5384. Racheli, T.,** 1992, Distributional and taxonomic notes on *Parides phosphorus* (Bates, 1861) (Lepidoptera, Papilionidae). *Fragm. ent., Roma* 23 (2): 287-297, figs.
- 5385. Radzhabova, Z.,** 1986, Preliminary communication on moths (Lepidoptera, Noctuidae) occurring in the regions of Leninabad. *Izv. Akad. Nauk. TadzhSSR. Oth. Biol. Nauk* 1986(2): 65-67, figs.
- 5386. Ragonot, E.L. & G.F. Hampson,** 1901, Monographie des Phycitinae et Galleriinae II. [in] Romanoff, N.M., *Mém. lépid.* 8: xiv + 602 pp. 31 Taf. St. Petersburg.
- 5387. Ragonot, E.L.,** 1887, Diagnoses d'espèces nouvelles de Phycitidae d'Europe et des pays limitrophes. *Annls Soc. ent Fr.* 7 (6): 224-260.
- 5388. Ragonot, E.L.,** 1888, Nouveaux genres et espèces de Phycitidae et des Galleriidae. 52pp. Paris.
- 5389. Ragonot, E.L.,** 1890, Essai sur la classification des Pyralites. *Annls Soc. ent. Fr.* (6) 10: 435-546, Taf. 5-8.
- 5390. Ragonot, E.L.,** 1891, Essai sur la classification des Pyralites. Note supplémentaire et rectificative. *Annls Soc. ent. Fr.* (6) 11: 599-662.
- 5391. Ragonot, E.L.,** 1893, Monographie des Phycitinae et Galleriinae I. [in] Romanoff, N.M., *Mém. lépid.* 7: lvi + 658 pp. 26 Taf. St. Petersburg.
- 5392. Ragonot, E.L.,** 1895, Microlépidoptères de la Haute-Syrie récoltés par M. Ch. Delagrange, et descriptions des espèces nouvelles. *Bull. Soc. ent. Fr.* 1895: xciv-cix.
- 5393. Ragonot, M.E.L.,** 1887, Note sur la *Coleophora amethystinella* Rag. et sur les especes de son groupe. *Annls Soc. ent. Fr.* 1887: 222-224, pl.5.
- 5394. Raineri, V.,** 1994, Some considerations on the genus *Thetidia* and description oof a new genus *Antonechloris* gen.nov. (Lepidoptera, Geometridae). *Atalanta* 25(1/2): 365-372, 13 figs.
- 5395. Rakosy, L.,** 1997, Die Noctuiden Rumäniens (Lepidoptera, Noctuidae). 648 pp., 821 Abb., 651 Karte, 30 Taf.
- 5396. Rambur, M.P.,** 1837-1842, Faune entomologique de l'Andalusie. Bertrand, Paris.
- 5397. Rambur, M.P.,** 1858, Catalogue systématique des Lépidoptères de l'Andalusie. Ballière, Paris.
- 5398. Ramos, V.E. & B. Morallo-Rejesus,** 1980, The occurrence of *Helicoverpa assulta* (Guenée) in the Philippines. *Philippine Ent.* 4(3): 141-148, figs.
- 5399. Rangnow, H.,** 1911, Lebensweise und Zucht einer neuen palaearktischen Noctuide. *Polia philippi Püng.* *Int. ent. Z.* 4(43): 231-233.
- 5400. Rappaz, R.,** 1979, Les Papillons du Valais. 377pp. Pillet, Martigny.
- 5401. Razowski, J. & J. Wojtusiak,** 2006, Tortricidae from Venezuela (Lepidoptera, Tortricidae). *Shilap Revta lepid.* 34 (133): 35-79, figs.
- 5402. Razowski, J. & V. Becker,** 1993, Revision of the cochylinae genus *Lasiothyris* Meyrick (Lepidoptera, Tortricidae), with a description of 8 new species. *Acta zool. cracov.* 36 (1): 121-136, 23 figs.
- 5403. Razowski, J.,** 1958, *Acleris heringi* n.sp. (Lepidoptera, Tortricidae) - a new species from Central Asia. *Polskie Pismo ent.* 27: 139-140, fig.
- 5404. Razowski, J.,** 1959, European species of *Cnephasiini* (Lepidoptera, Tortricidae). *Acta zool. cracov.* 4: 179-423, pls. 27-67.
- 5405. Razowski, J.,** 1959, Some remarks on *Phaloniidae* (Lepidoptera). *Polski Pismo ent.* 29: 437-446, figs.
- 5406. Razowski, J.,** 1960, Studies on the *Cochylidae* (Lepidoptera) Part II The genera of the Palaearctic *Cochylidae*. *Polski Pismo ent.* 30: 281-356, figs.
- 5407. Razowski, J.,** 1960, Studies on the *Cochylidae* (Lepidoptera) Part III. On some species from the collection of Dr. S. Toll. *Polski Pismo ent.* 30: 397-402, figs.
- 5408. Razowski, J.,** 1960, The genitalia of some Asiatic Tortricidae (Lepidoptera) described by E. Meyrick. *Polski Pismo ent.* 30: 381-396, figs.
- 5409. Razowski, J.,** 1960, Remarks on the types of some African Tortricidae (Lepidoptera). *Polski Pismo ent.* 30: 169-172, figs.
- 5410. Razowski, J.,** 1961, Studies on *Cochylidae* (Lepidoptera) Part VI. Remarks on types of some *Cochylidae*. *Polski Pismo ent.* 31: 301-319, figs.

- 5411. Razowski, J.,** 1961, Studien über die Cochyliidae (Lepidoptera) Teil V. Cochyliidae Typen im Naturhistorischen Museum in Wien. Z. wien. ent. Ges. 46: 23-28, 14 Abb.
- 5412. Razowski, J.,** 1963, Tortricoidea (Lepidoptera) from Iran. Acta zool. cracov. 8: 251-277, figs.
- 5413. Razowski, J.,** 1965, The Palaearctic Cnephasiini (Lepidoptera, Tortricidae). Acta zool. cracov. 10 (3): 199-343, pls. 12-26.
- 5414. Razowski, J.,** 1966, Ergebnisse einer österreichischen lepidopterologischen Sammelreise nach Syrien und dem Libanon Teil IV. Tortricoidea. Z. wien. ent. Ges. 51: 72-79, 9 Abb.
- 5415. Razowski, J.,** 1966, World fauna of the Tortricini (Lepidoptera, Tortricidae). Panstwowe Wydawnictwo Naukowe, Krakowie.
- 5416. Razowski, J.,** 1967, Afghanische Wickler-Arten (Lepidoptera, Tortricidae und Cochyliidae). Beitr. naturk. SWDTl. 26(3): 91-108, 50Abb.
- 5417. Razowski, J.,** 1968, Revision of the generic group Agapeta Hübner (Lepidoptera, Cochyliidae). Acta zool. cracov. 13: 73-102, figs.
- 5418. Razowski, J.,** 1968, Revision of the generic group Eupoecilia Stephens (Lepidoptera, Cochyliidae). Acta zool. cracov. 13: 103-130, figs.
- 5419. Razowski, J.,** 1968, Revision of the generic group Cochylis Treitschke (Lepidoptera, Cochyliidae). Acta zool. cracov. 13: 131-148, figs.
- 5420. Razowski, J.,** 1968, Revision of the generic group Cochylidia Obraztsov (Lepidoptera, Cochyliidae). Polski Pismo ent. 38: 3-8, figs.
- 5421. Razowski, J.,** 1970, Cochyliidae, [in] Amsel, H.E. et al., Microlepidoptera Palaearctica 3: xiv + 529 pp., 161 Taf., Wien.
- 5422. Razowski, J.,** 1970, A short catalogue of the Palaearctic Cochyliidae (Lepidoptera). Acta zool. cracov. 15: 341-400.
- 5423. Razowski, J.,** 1972, The results of Dr. Z. Kaszab Zoological Expedition to Mongolia Nr. 273. Tortricidae and Cochyliidae (Lepidoptera). Acta zool. cracov. 17 (6): 131-161.
- 5424. Razowski, J.,** 1972, Manchurian Tortricoidea (Lepidoptera). Acta zool. cracov. 17 (5): 123-129, figs.
- 5425. Razowski, J.,** 1974, Descriptions of four new species of the Tortricini (Lepidoptera, Tortricidae). Acta zool. cracov. 19 (8): 147-154, 9 figs.
- 5426. Razowski, J.,** 1974, Phylogeny and classification of Lepidoptera. Acta zool. cracov. 19(1): 1-18, 1 fig.
- 5427. Razowski, J.,** 1977, Catalogue of the generic names used in Tortricidae (Lepidoptera). Acta zool. cracov. 22 (6): 207-296.
- 5428. Razowski, J.,** 1978, Notes on Pandemis Hübner (Lepidoptera, Tortricidae) with descriptions of new species. Acta zool. cracov. 23 (4): 55-66, 29 figs.
- 5429. Razowski, J.,** 1982, The Cochyliidii Fauna of the Palaearctic Region in relation to that of the remaining regions (Tortricidae). Nota lepid. 5 (4): 171-176.
- 5430. Razowski, J.,** 1983, The Cnephasia Group of genera (Tortricidae) with description of new taxa. Nota lepid. 6 (4): 230-234, 4 figs.
- 5431. Razowski, J.,** 1983, Descriptions of new Cnephasia Curtis (Tortricidae). Nota lepid. 6 (4): 235-238, 10 figs.
- 5432. Razowski, J.,** 1983, New species of Aethes Billberg (Tortricidae). Nota lepid. 6 (4): 239-243, 10 figs.
- 5433. Razowski, J.,** 1983, Notes on Fulvoclysis Obr. (Tortricidae) with description of one new species. Nota lepid. 6 (1): 38-40, 2 figs.
- 5434. Razowski, J.,** 1984, Tortricini, [in] Amsel, H.E. et al., Microlepidoptera Palaearctica 6: xvi + 376 pp., 101 Taf., Wien.
- 5435. Razowski, J.,** 1987, The genera of Tortricidae (Lepidoptera), Part I. Palaearctic Chlidanotinae and Tortricinae. Acta zool. cracov. 30 (11): 141-355.
- 5436. Razowski, J.,** 1989, Miscellaneous notes on Tortricidae. Nota lepid. 11 (4): 285-289, 6 figs.
- 5437. Razowski, J.,** 1989, The genera of Tortricidae Part II. Palaearctic Olethreutinae. Acta zool. cracov. 32 (7): 107-328.
- 5438. Razowski, J.,** 1991, The catalogue of the species of Tortricidae (Lepidoptera), Part I. Palaearctic Chlidanotinae and Tortricinae: Cochylini, Tortricini, Ceracini, Cnephasiini. Acta zool. cracov. 34 (1): 99-162.
- 5439. Razowski, J.,** 1991, Notes on cochyline genus Phtheochroa Stephens (Lepidoptera, Tortricidae) with descriptions of new American species. Acta zool. cracov. 34 (1): 163-187, figs.
- 5440. Razowski, J.,** 1991, Second revision of Henricus Busck, 1943 (Lepidoptera, Tortricidae). Shilap Revta lepid. 19 (73): 53-66, figs.
- 5441. Razowski, J.,** 1992, Palaearctic elements in the Cochylini fauna of the Oriental Region (Lepidoptera, Tortricidae). Nota lepid. 14 (4) (1991): 324-331.
- 5442. Razowski, J.,** 1992, Tortricidae (Lepidoptera) from Vietnam Contribution I. Shilap Revta lepid. 20 (78): 107-119, figs.
- 5443. Razowski, J.,** 1993, The catalogue of the species of Tortricidae (Lepidoptera), Part II. Palaearctic Sparganothini Euliini Ramapesiini and Archipini. Acta zool. cracov. 35 (3): 665-703.
- 5444. Razowski, J.,** 1993, Cochylini (Lepidoptera, Tortricidae) of the Ethiopian Region. Acta zool. cracov. 36 (1): 137-159, 40 figs.
- 5445. Razowski, J.,** 1993, Cochylini (Lepidoptera, Tortricidae) from Peru and Bolivia. Acta zool. cracov. 36 (1): 161-181, 41 figs.
- 5446. Razowski, J.,** 1993, Revision of the Apotoforma Busck, 1934 (Lepidoptera, Tortricidae), with descriptions of four other Tortricini species. Acta zool. cracov. 36 (1): 183-197, 19 figs.
- 5447. Razowski, J.,** 1995, The catalogue of the species of Tortricidae (Lepidoptera), Part III. Afrotropical Chlidanotinae and Tortricinae: Phricanthini, Cochylini and Tortricini. Acta zool. cracov. 38 (2): 183-193.
- 5448. Razowski, J.,** 1995, The catalogue of the species of Tortricidae (Lepidoptera), Part IV. Palaearctic Olethreutinae: Microcorsini, Bactrini, Endotherini and Olethreutini. Acta zool. cracov. 38 (2): 285-324.
- 5449. Razowski, J.,** 1995, Proeulia Clarke, 1962, the Western Neotropical Tortricidae genus (Lepidoptera), with descriptions of five new species and two allied genera. Acta zool. cracov. 38 (2): 271-283, figs.
- 5450. Razowski, J.,** 1999, Catalogue of the species of Tortricidae Part V. Palaearctic Eucosmina and Enarmoniina (Insecta, Lepidoptera). Shilap Revta lepid. 27 (108): 437-506.
- 5451. Razowski, J.,** 1999, Discovery of Rhopobota Lederer, 1859 (Lepidoptera, Tortricidae) in the Neotropical Region, with description of four new species. Acta zool. Cracov. 42 (2): 349-353, figs.
- 5452. Razowski, J.,** 2000, Catalogue of the species of Tortricidae Part VI: Nearctic Chlidanotinae and Tortricinae (Lepidoptera, Tortricidae). Shilap Revta lepid. 28 (109): 5-62.
- 5453. Razowski, J.,** 2001, Die Tortriciden (Lepidoptera, Tortricidae) Mitteleuropas. Bestimmung Verbreitung Flugstandort Lebensweise der Raupen. 319 S., 151 Taf., 24 Farbtaf. Bratislava
- 5454. Razowski, J.,** 2004, Notes on Brachioxena Diakonoff, 1968 with list of its species (Lepidoptera, Tortricidae). Shilap Revta lepid. 32 (127): 179-181, 1 fig.
- 5455. Rebel, H. & A. Rogenhofer,** 1894, Zur Lepidopterenfauna der Canaren. Annln. naturh. Mus. Wien 9(1): 43-44.
- 5456. Rebel, H. & H. Zerny,** 1916, Wissenschaftliche Ergebnisse der mit Unterstützung der kaiserlichen Akademie der Wissenschaften in Wien aus der Erbschaft Treitl von F. Werner unternommenen zoologischen Expedition nach dem Anglo-Aegyptischen Sudan (Kordofan) 1914 I. Lepidoptera. Denkschr. Akad. Wiss. Wien 93: 423-446, Taf.
- 5457. Rebel, H. & H. Zerny,** 1931, Die Lepidopterenfauna Albanien (mit Berücksichtigung der Nachbargebiete). Denkschr. Akad. Wiss. Wien 103: 37-161, 1 Taf., 1 Karte, 10 textfigs.
- 5458. Rebel, H.,** 1891, Meyrick's Pyralidinen Classification. Stettin ent. Ztg. 52 (4/6): 103-116.
- 5459. Rebel, H.,** 1891, Beitrag zur Microlepidopteren-Fauna Dalmatiens. Verh. zool.-bot. Ges. Wien 41: 610-639.
- 5460. Rebel, H.,** 1892, Zwei Geometriden Classificationen. Stettin ent. Ztg. 53: 247-268.

- 5461. Rebel,H.,** 1893, Neue oder wenig gekannte Microlepidopteren des palaearktischen Faunengebietes. Stettin ent. Ztg. 54 (1/3): 37-59.
- 5462. Rebel,H.,** 1898, Über eine Rhopaloceren-Ausbeute aus Deutsch-Neu-Guinea. Termés füzetek 21: 368-379, Tab.xvi-xix.
- 5463. Rebel,H.,** 1899, Beitrag zur Lepidopterenfauna Unter-Aegyptens. Dt. ent. Z., Iris 26: 65-92, 11 figs.
- 5464. Rebel,H.,** 1899, Diagnosen neuer Lepidopteren aus Südarabien und von der Insel Sokotra. Sber. Akad. Wiss. Wien 1899(27): 359-361.
- 5465. Rebel,H.,** 1900, Zur Auffassung der Lemoniiden als selbständige Lepidopteren-familie. Ent. Nachr. 26(4): 49-51.
- 5466. Rebel,H.,** 1900, Acidalia metohiensis nov. spec. Verh. zool.- bot. Ges. Wien 50: 451-452.
- 5467. Rebel,H.,** 1901, Über eine neue von Herrn Max Korb in Westasien gesammelte Lepidopterenformen. Annln naturh. Mus. Wien 16: 165-169.
- 5468. Rebel,H.,** 1901, Neue palaearctische Tineen. Dt. ent. Z., Iris 13(2): 161-188.
- 5469. Rebel,H.,** 1901, Eine neue Noctuide von der Sinai-Halbinsel. Dt. ent. Z., Iris 13: 68-70, Taf.2
- 5470. Rebel,H.,** 1901, Colias aurorina taurica. Verh. zool.- bot. Ges. Wien 51: 310-311.
- 5471. Rebel,H.,** 1901, II.Theil: Famil. Pyralidae-Micropterygidae. [in] Staudinger,O. & H.Rebel, Catalog der Lepidopteren des palaearktischen Faunengebietes. 368S. Berlin.
- 5472. Rebel,H.,** 1901, Neue palaearktische Tineen. Dt. ent. Z., Iris 13: 169-174.
- 5473. Rebel,H.,** 1902, Euxoa (Agrotis) canariensis, eine neue Noctuide von den Canarischen Inseln. Annln naturh. Mus. Wien. 17: 58-60.
- 5474. Rebel,H.,** 1902, Neue Pyraliden, Pterophoriden und Tineen des palaearktischen Faunengebietes. Dt. ent. Z., Iris 15 (1): 100-126, Taf. iv [published on May 1st 1903].
- 5475. Rebel,H.,** 1902-1905, Lepidopteren aus Morea. Berl. ent. Z. 47 (1902): 83-110; 48 (1903): 243-249; 50 (1905): 291-314.
- 5476. Rebel,H.,** 1903, Neue Pyraliden aus Algerien und Westasien. Dt. ent. Z., Iris 16: 1-8, figs.
- 5477. Rebel,H.,** 1903, Studien über die Lepidopterenfauna der Balkanländer I.Theil. Bulgarien und Ostrumelien. Annln naturh. Mus. Wien 18: 117-346.
- 5478. Rebel,H.,** 1904, Studien über die Lepidopterenfauna der Balkanländer II.Theil. Bosnien- Herzegowina. Annln naturh. Mus. Wien 19: 97-377.
- 5479. Rebel,H.,** 1904, Sitematski spisak Lepidoptera (Lepirova) Bosnei Hercegovine. Glasn. zemalj. Mus. Bosni Herceg. 16: 375-416.
- 5480. Rebel,H.,** 1905, Lepidopteren, [in] Penther,A. & Zedebauer,E., Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annln naturh. Mus. Wien 20 (2/3): 189-219.
- 5481. Rebel,H.,** 1906, [Beschreibungen lepidopterischen Arten von Kreta, Aegypten und Teneriffe]. Verh. zool.- bot. Ver. Wien 56: 232-238, Abb.
- 5482. Rebel,H.,** 1907, Lepidopteren aus Südarabien und von der Insel Sokotra. Denkschr. Akad. Wiss. Wien 71(2): 31-130, 1 Taf., 39 Abb.
- 5483. Rebel,H.,** 1908, Eine Lepidopterenausbeute welche vom Herrn Karl Ritter v. Blumencron im Hochsommer des verflossenen Jahres im nordöstlichen Kleinasien (Pontus) namentlich in der Umgebung Trapezunts gemacht wurde. Verh. zool.- bot. Ges. Wien 58:(82)- (85).
- 5484. Rebel,H.,** 1909, Bericht über eine kleine Lepidopterenausbeute, welche Herr Karl Ritter v. Blumencron im Juni 1908 in Fol. Maden bei Trapezunt gemacht. Verh. zool.- bot. Ges. Wien 59:(235)-(236).
- 5485. Rebel,H.,** 1910, Beitrag zur Lepidopterenfauna der Ionischen Inseln. Verh. zool.- bot. Ges. Wien 1910: 418-431.
- 5486. Rebel,H.,** 1910, Lepidopteren aus dem Monte Maggiore in Istrien. Jb. Ent. Ver. Wien 21: 97-110.
- 5487. Rebel,H.,** 1911, Die Lepidopterenfauna von Herkulesbad und Orşova. Annln naturh. Mus. Wien 25(3/4): 253-430.
- 5488. Rebel,H.,** 1911, Lepidopteren aus dem Monte Maggiore in Istrien. I. Nachtrag. Jb. Ent. Ver. Wien 22: 227-240.
- 5489. Rebel,H.,** 1911, Die Lepidopterenfauna von Herkulesbad und Orsov. Annln naturh. Mus. Wien 25: 253-430, Taf.vii.
- 5490. Rebel,H.,** 1911, Parnassius apollo auerspergi nov. subspec. Verh. zool.- bot. Ges. Wien 61:(44)-(46).
- 5491. Rebel,H.,** 1911, Nachtrag zur Lepidopterenfauna von Korfu. Verh. zool.- bot. Ges. Wien 1911: 12-15.
- 5492. Rebel,H.,** 1911, Beitrag zur Lepidopterenfauna von Syrien. Verh. zool.- bot. Ges. Wien 61: (142)-(156), figs.
- 5493. Rebel,H.,** 1912, Lepidopteren aus dem Monte Maggiore in Istrien. II. Nachtrag. Jb. Ent. Ver. Wien 23: 177-205.
- 5494. Rebel,H.,** 1913, Studien über die Lepidopterenfauna der Balkanländer III.Theil. Sammelergebnisse aus Montenegro, Albanien, Mazedonien und Thrazien. Annln naturh. Mus. Wien 28: 281-334.
- 5495. Rebel,H.,** 1914, Über eine Mikrolepidopterenausbeute aus dem westlichen Thian-Shan-Gebiet. Dt. ent. Z., Iris 28: 271-278.
- 5496. Rebel,H.,** 1914, Zur Lepidopterenfauna Albanien. Jber. naturw. Orient. Ver. 18/19: 37-43.
- 5497. Rebel,H.,** 1914, Wissenschaftliche Ergebnisse der Expedition R. Grauer nach Zentralafrika Dezember 1909-Februar 1911. Lepidopteren. Annln naturh. Mus. Wien 28: 219-294, 8 Taf.
- 5498. Rebel,H.,** 1915, Neuer Beitrag zur Lepidopterenfauna der Samoa-Inseln. Jb. Hamb. wiss. Aust. 32, Beiheft 2: 121-157, 1 Taf.
- 5499. Rebel,H.,** 1916, Die Lepidopterenfauna Kretas. Annln naturh. Mus. Wien 30: 66-172.
- 5500. Rebel,H.,** 1917, Eine Lepidopterenausbeute aus dem Amanusgebirge (Alman Dagh). Sb. Akad. Wiss. Wien Abt.I: 126 (4/5): 243-282.
- 5501. Rebel,H.,** 1917, Lepidopteren aus Neu-Montenegro. Sb. Akad. wiss. Wien A.I. 126: 765-813.
- 5502. Rebel,H.,** 1917, Beschreibung einer Anzahl neuer Mikrolepidopterenarten aus der Familie der Gelechiiden. Verh. zool.- bot. Ges. Wien 67: (49)-(55).
- 5503. Rebel,H.,** 1918, Lepidopteren aus Mittelalbanien. Z. öst. EntVer. 3(8): 1-15.
- 5504. Rebel,H.,** 1919, Axia (Cimelia) margarita Hb. und eine neue Lepidopterenfamilie Axiidae. Verh. zool.- bot. Ges. Wien 69: (111)-(114).
- 5505. Rebel,H.,** 1920, Lepidopterologische Nachträge zu einigen ostmediterranen Insularfaunen. Jber. Wien. ent. Ver. 30: 37-
- 5506. Rebel,H.,** 1927, Beitrag zur Lepidopterenfauna der Insel Cypern. Verh. zool.- bot. Ges. Wien 1927: (58)-(63), Abb.
- 5507. Rebel,H.,** 1928, Zur Lepidopterenfauna Cyperns V. Verh. zool.- bot. Ges. Wien 1928: (29)-(34), Abb.
- 5508. Rebel,H.,** 1932, Pyralidae-Gelechiidae, [in] Wagner,F., Vierter (V.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 26 (18): 187-191.
- 5509. Rebel,H.,** 1932, Griechische Lepidopteren. Z. öst. EntVer. 17(8): 53-56.
- 5510. Rebel,H.,** 1933, Lepidopteren aus der Umgebung Ankaras. I.Theil Annln naturh. Mus. Wien 46: 1-13, 1 pl., 2 figs.
- 5511. Rebel,H.,** 1933, Neue Lepidopteren aus Ankara. Z. öst. EntVer. 18: 23-24.
- 5512. Rebel,H.,** 1934, Neue Lepidopteren aus Mazedonien. Z. öst. EntVer. 19(4): ,Taf.2.
- 5513. Rebel,H.,** 1935, Neue Microlepidopteren aus Kleinasien. Mitt. münch. ent. Ges. 25: 39-41.
- 5514. Rebel,H.,** 1936, Lepidopteren aus der Umgebung Ankaras. 2.Theil Annln naturh. Mus. Wien 47: 43-58.
- 5515. Rebel,H.,** 1936, Zoologische Ergebnisse einer Dodekanesreise von O.Wittstein 1935. Lepidoptera. Sitz. Akad. Wiss. Wien K.I 145: 19-33.
- 5516. Rebel,H.,** 1937, Griechische Lepidopteren V. Z. öst. EntVer. 22(10):93-95.

- 5517. Rebel, H.,** 1937, Neue europäische Tortriciden und Tineiden. Z. öst. EntVer. 22(5): 41-48, Taf.ii, 10 figs.
- 5518. Rebel, H.,** 1938, Zur Lepidopterenfauna Kretas. Dt. ent. Z., Iris 52: 30-36.
- 5519. Rebel, H.,** 1940, Zur Kenntnis einiger Subfamilien der Psychiden. Z. wien. entVer. 25: 59-65, 73-76, Taf.xi.
- 5520. Reche, C.,** 1978, *Opopanax chironium* Koch, plante nourriciere de *Papilio alexanor* Esper. Entomops 45: 145-146.
- 5521. Redondo, V.,** 1990, Las Mariposas y Falenas en Aragon. 228pp. 24 figs. 26 Pls. 194 Cartes. Zaragosa, Espagne.
- 5522. Reeves, P.A.,** 1966-1967, Notes on the butterflies of Khao Yai National Park. Parts I, II. Nat. Hist. Bull. Siam Soc. 21: 1-20; *ibid.* 22: 119-135.
- 5523. Reeves, P.A.,** 1967, Notes on the butterflies along the Kwai Noi between Sai Yok and Wang Po. Nat. Hist. Bull. Siam Soc. 22: 143-149.
- 5524. Reh, L.,** 1925, Handbuch der Pflanzenkrankheiten. Vierter Band Tierische Schädlinge an Nutzpflanzen. Erster Teil, Vierte Auflage. 483 S., 218 Abb. Berlin.
- 5525. Rehnelt, K.,** 1983, Notiz über *Colias*-Fundorte (Pieridae, Lep.). Nota lepid. 6 (4): 244-245.
- 5526. Rehnelt, S. & K.Rehnelt,** 1972, Ein Fund von *Colias erate* in Griechenland (Lep., Pieridae). Ent. Z., Frankf. a. M. 82(14): 159-160.
- 5527. Rehnelt, S. & K.Rehnelt,** 1972, Ein Fund von *Colias erate* in Griechenland (Lep., Pieridae). Ent. Z., Frankf. a. M. 82(14): 159-160.
- 5528. Reich, P.,** 1935, *Callimorpha dominula* L. (Lepidoptera, Callimorphinae). Ent. Rdsch. 53(1): 8-10, (2): 30-31.
- 5529. Reich, P.,** 1936, Neue Arctiidae. Ent. Rdsch. 53: 418-424.
- 5530. Reich, P.,** 1938, Neue Arctiiden. Ent. Rdsch. 55: 192-195, 205-207, 8 Abb.
- 5531. Reid, W.,** 1892, Times of flight of the species in the genus *Crambus*. Entomologist's Rec. J. Var. 3: 16, 140-141.
- 5532. Reinhardt, K.,** 1992, Tagfalterbeobachtungen auf Korsika mit einem Fund von *Danaus chrysippus* L. Atalanta 23 (1/2): 75-79.
- 5533. Reinhardt, R.,** 1969, Eine indirekte Beobachtung einer *Pieris*-Wanderung. Atalanta 2(7): 209-210.
- 5534. Reinhardt, R.,** 1982, Übersicht zur Tagfalterfauna der DDR. Nota lepid. 5 (4): 177-190.
- 5535. Reinhardt, R.,** 2001, Kleine Ergänzungen zur Tagfalterfauna der Türkei (Lepidoptera, Rhopalocera). Atalanta 32 (3/4): 399-400.
- 5536. Reiss, G.,** 1976, A New Subspecies of *Zygaena* (*Zygaena*) *osterodensis* Reiss (Lep., Zygaenidae) from the Region of Lake Van, Turkey. Entomologist's Gaz. 27: 31-32, pl.2, figs.3-4.
- 5537. Reiss, H. & G.Reiss,** 1969, Beitrag zur Verbreitung der *Zygaena* (*Agrumenia*) *ganymedes* H.-S., und der *Zygaena* (*A.*) *laetifica* H.-S. der *olivieri* Gruppe (Lep.). Stuttg. Beitr. Naturk. 205:1-7, Pls.
- 5538. Reiss, H. & G.Reiss,** 1973, On the *Zygaena* Fauna of the Neighbourhood of Lake Van in Asia Minor (Lep., Zygaenidae). Entomologist's Rec. J. Var. 85: 191-196, pls.14-15.
- 5539. Reiss, H. & W.G.Tremewan,** 1967, A Systematic Catalogue of the genus *Zygaena* Fabricius (Lepidoptera, Zygaenidae). [In] Schimitschek, E., Series Entomologica vol. 2, xvi+329 pp. Dr. W. Junk-Den Haag.
- 5540. Reiss, H.,** 1929, Neue Zygaenen Rassen von Kleinasien. Int. ent. Z. 23: 148, 151-152.
- 5541. Reiss, H.,** 1930-1931, Familie Zygaenidae. [in] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 1-50. Stuttgart.
- 5542. Reiss, H.,** 1932, Altes und neuer über *Zygaena corycia*, *Z. graslini*, *Z. cambysea* und *Z. cuvieri*. Int. ent. Z. 26: 269-280, Pl.
- 5543. Reiss, H.,** 1933, Nachträge und Berichtigungen zum Supplementband 2. Familie Zygaenidae, [in] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 249-278. Stuttgart.
- 5544. Reiss, H.,** 1935, Neues über asiatische Zygaenen, im besonderen die Zygaenen-Fauna von Ak-Schehir in Kleinasien. Int. ent. Z. 29: 121-124, 139-142, 149-151, 159-161, 186-192, 207-209, 221-223, 229-232, 1 Pl.
- 5545. Reiss, H.,** 1935, *Zygaena formosa* H.-S., *kotzschii* nov.subsp. Int. ent. Z. 28: 489-491.
- 5546. Reiss, H.,** 1936, Ein Zygaenenfund aus der Tertiärzeit. Ent. Rdsch. 53: 554-556, Taf.vii.
- 5547. Reiss, H.,** 1937-1938, Neues über die Zygaenenfauna des Elbursgebirges und ihre Beziehungen zu den Faunen Nordafrikas und der Pyrenäen-Halbinsel- Nachtrag. Ent. Rdsch. 55: 18-19, 30-32, 40-42, figs.
- 5548. Reiss, H.,** 1938, Die Zygaenen der Umgebung von Chiraz (Provinz Fars) in Südiran. Ent. Rdsch. 55: 249-254, 290-292, 310-314, Abb.
- 5549. Reiss, H.,** 1938, Weiterer Ausschnitt über die Zygaenen-Fauna des Elbursgebirges. Mitt. münch. ent. Ges. 38: 164-169.
- 5550. Reiss, H.,** 1953, Über drei Zygaenen die als regressive Endemiten bezeichnet werden können, deren Entstehung vermutlich in der Pliozänzeit erfolgte. Z. wien. ent. Ges. 38: 131-141, Taf.8-10.
- 5551. Reiss, H.,** 1960, *Zygaena manlia* Lep., subsp. *taftanica* subsp.n. (Lepidoptera). Ent. Z., Frankf. a. M. 70(7): 76-79, 6 Abb.
- 5552. Reiss, H.,** 1961, Über *Zygaena araratensis* Reiss im besonderen Festlegung des Lectotypus. Ent. Z., Frankf. a. M. 71: 205-208, 242-245.
- 5553. Reisser, H.,** 1936, Neue Heteroceren aus der Sierra de Gredos. Ent. Rdsch. 53: 37-42, 60-63, 77-80, 89-93, 106-109, 125-128, 135-138, 145-147, 152-156, 7 figs., 4 Taf.
- 5554. Reisser, H.,** 1939, Beiträge zur Kenntnis der Sterrhinae (Lep., Geom.) I. *Sterrhia palaestinensis* (Stck.) *peluraria* subsp.nov. Z. öst. EntVer. 24: 26-27.
- 5555. Reisser, H.,** 1954, G. de Lattin: Türkiye Kelebekleri Hakkında I. (Türkische Lepidopteren I.), Ist.Üniv.Fen Fak. Mecmuası (Rev. de la faculté des sciences de l'Univ. d'Istanbul 1950, p.301-331, 2 Taf. 9 Abb.(Sep.) und *dto.*, *ibid.*, Tome xvi, Fasc.1, 1951, p.45-73, 1 Taf., 8 Ab. Z. wien. ent. Ges. 39: 44-45.
- 5556. Reisser, H.,** 1957, Beiträge zur Kenntnis der Sterrhinae (Lepidoptera, Geometridae) III. Über *Problepsis ocellata* Friv. und ihre ersten Stände. Z. wien. ent. Ges. 42: 161-172.
- 5557. Reisser, H.,** 1958, Ergebnisse der Österreichischen Iran-Expedition 1949/50 Lepidoptera I. (Macrolepidoptera). Sber. Akad. Wiss. Wien, Abt.1 167: 519-551, 9 Taf., 1 Karte.
- 5558. Reisser, H.,** 1971, Beiträge zur Kenntnis der Sterrhinae (Lep., Geometridae), VIII. Liste der von Dr.U. Roesler in Nordgriechenland und im westlichen Kleinasien gesammelten Arten. Ent. Z., Frankf. a. M. 81(3): 21-24.
- 5559. Reissinger, E.,** 1959, Zur Taxonomie einiger Formen von *Colias australis*, insbesondere des Lectotypus von *Colias hyale australis* Verity (1911). NachrBl. bayer. Ent. 8 (12): 113-122.
- 5560. Reissinger, E.,** 1960, Die Unterscheidung von *Colias hyale* L. und *Colias australis* Verity.- Zugleich ein Beitrag zum Wanderfalterproblem. Ent. Z., Frankf. a. M. 70(11/14): 117-131, 133-140, 148-156, 160-162.
- 5561. Reissinger, E.,** 1962, Eine neue Methode zur Festlegung von Wanderbewegungen am Beispiel von *Colias hyale* (L.) und *Colias australis* Verity.- 2. Beitrag zum Wanderfalterproblem. NachrBl. bayer. Ent. 11 (10/11): 97-100, 106-111.
- 5562. Reissinger, E.,** 1963, Ergänzungen und Berichtigungen zum Thema *Colias hyale* (L.) und *Colias australis* Verity.- 3. Beitrag zum Wanderfalterproblem. Ent. Z., Frankf. a. M. 73(3): 23-28.
- 5563. Reissinger, E.,** 1964, Beobachtungen und Nachweis eines gerichteten Wanderfluges von *Colias hyale* (L.) und *Colias australis* Verity (Lep., Pierid.) am 15. und 16. September 1962 bei Heilbronn durch H.Wanner. Atalanta 1(2): 49-53, Abb.
- 5564. Reissinger, E.J.,** [1990], Checkliste Pieridae Duponchel, 1835 (Lepidoptera) der Westpalaearktis (Europa, Nordwestafrika, Kaukasus, Kleinasien). Atalanta 20 (1989): 149-185.
- 5565. Retzlaff, H.,** 1973, Ein Beitrag zur Psychiden-Fauna Jugoslawisch-Mazedoniens. Ent. Z., Frankf. a. M. 83: 77-80.
- 5566. Retzlaff, H.,** 1991, Zur Verbreitung von *Cerocala sana* Staudinger, 1901, n der Türkei (Lep., Noctuidae). Mitt. Arb. Gem. Ostwestf. - Lipp. Ent. 7 (2): 75-76.
- 5567. Reverdin, J.L.,** 1909, *Pieris rapae*, L., and *P. manni*, Mayer. Entomologist's Rec. J. Var. 21: 149-150, Pl.xiii.

- 5568. Reverdin, J.L.,** 1910, *Carcharodus althaeae* Hb. et *Carcharodus baeticus* Rambur. Bull. Soc. ent. Fr. 1910: 335-336.
- 5569. Reverdin, J.L.,** 1916, *Adopea nova, mihi*, species nov. Bull. Soc. lepid. Geneve 3: 122-128, pl. 7, 8.
- 5570. Rezbanyai, L. & A. Hausmann,** 2000, Über *Mythimna* (*Morphopoliana*) *languida* (Walker, 1858), eine neue, tropische Wanderfalterart Europas und ihre Fundangaben in Nord- und Süditalien (Lepidoptera, Noctuidae). Atalanta 31 (1/2): 77-85, 4 Abb.
- 5571. Rezbanyai, L.,** 1978, Eine Lösung für die *Horisme* (*Phibalapteryx*) *tersata-testaceata*-Frage: *Horisme laurinata* Schawerda 1919 bona species mit der forma nova *griseata*. Mitt. ent. Ges. Basel 28 (3): 57-71.
- 5572. Rezbanyai, L.,** 1980, *Horisme laurinata* Schawerda, 1919 bona species auch in Ungarn nachgewiesen. Folia ent. hung. 41(33): 371-373.
- 5573. Rezbanyai, L.,** 1980, Die Genitalien von *Scotopteryx bipunctaria* und *S. octodurensis*, sowie allerlei Wissenswerthes über die letztgenannte Art (Lepidoptera, Geometridae). Ent. Z., Frankf. a. M. 90(4): 33-46, 6 Abb.
- 5574. Rezbanyai, L.,** 1981, Zur Verbreitung der *Horisme*-Arten *tersata* Denis & Schiffermüller 1775 und *laurinata* Schawerda 1919 in Europa (Geometridae). Nota lepid. 4(4): 159-166, 1 Foto, 4 Karte.
- 5575. Rezbanyai-Reser, L.,** 1984, Fauna Centrohelveticæ. Zur Insektenfauna von Gersau-Oberholz, Kanton Schwyz III. Lepidoptera I. "Macrolepidoptera". Ent. Ber., Luzern 12: 1-127.
- 5576. Rezbanyai-Reser, L.,** 1997, Chersotis-Studien 1. Revision de transiens-stridula-Gruppe (Süd-Ural und Mittelasien) mit der Beschreibung von sp.n. *cortifera* und *altajensis* sowie ssp.n. *uralica* (Lepidoptera, Noctuidae). Ent. Ber., Luzern 38: 155-170, Abb.
- 5577. Rezbanyai-Reser, L.,** 1997, Vier neue *Oligia*-Arten, *pseudodubia* (NW-Kaukasus) und *turcia* (Türkei), sowie *suleiman* und *vandarban* (Nord-Iran) (Lepidoptera, Noctuidae). Ent. Ber., Luzern 37: 149-169, Abb.
- 5578. Rhe-Philipe, G.W.V. de,** 1917, Butterflies of Lahore. J. Bomb. nat. Hist. Soc. 25: 136-142.
- 5579. Ribbe, C.,** 1886, Beitrag zur Kenntnis der Lepidopteren-Fauna der Aru-Inseln. Dt. ent. Z., Iris 1: 73-90.
- 5580. Ribbe, C.,** 1887, Beitrag zur Kenntnis der Lepidopteren-Fauna von Batjan. Dt. ent. Z., Iris 1: 203-205.
- 5581. Ribbe, C.,** 1889, Beiträge zur Lepidopteren-Fauna von Gross-Ceram. Dt. ent. Z., Iris 2: 187-265.
- 5582. Ribbe, C.,** 1910, Beiträge zu einer Lepidopteren-Fauna von Andalusien (Süd Spanien). Macrolepidopteren. Dt. ent. Z., Iris 23 (Beiheft 2): 97-228.
- 5583. Richter, W.,** 1963, Bericht über eine Sammelreise in Äthiopien 1959/60 (Ergebnisse der Entomologischen Reise Willi Richter, Stuttgart, in Äthiopien 1959/60- Nr.5). Stuttg. Beitr. Naturk. 111: 1-12, 8 Abb.
- 5584. Riding, W.S.,** 1893, Life history of *Dasycampa rubiginea*. Entomologist's Rec. J. Var. 4: 1-3.
- 5585. Riding, W.S.,** 1895, Notes on a specimen of *Orrhodia erythrocephala* var. *glabra* recently taken in Devonshire. Entomologist's Rec. J. Var. 6: 51-53.
- 5586. Riedl, T.,** 1966, Matériaux pour la connaissance des Momphides paléarctiques (Lepidoptera) Part IV. Momphides nouveaux ou peu connus de la région paléarctique occidentale. Bull. ent. pol. 36: 75-84, figs.
- 5587. Riedl, T.,** 1978, Sur la repartition de certains Momphidae s.l. dans la région Méditerranéenne (Lepidoptera). Mitt. ent. Ges. Basel 28: 72-75.
- 5588. Riemis, A.,** 1992, Geometridae of Turkey 2. *Lomasipilis opis bithynica* ssp.n. a new for Turkey (Lepidoptera, Geometridae). Phegea 20 (4): 131-135, figs.
- 5589. Riemis, A.,** 1992, Geometridae of Turkey 1. Description of a new species from Eastern Turkey in the genus *Aplocera* Fletcher [sic!] (Lepidoptera, Geometridae). Phegea 20(2): 75-78, 3 figs.
- 5590. Riemis, A.,** 1993, A short visit to Syria in May 1992 (Lepidoptera). Phegea 21(3): 93-95.
- 5591. Riemis, A.,** 1994, Geometridae of Turkey 3. A provisional list of the Geometridae of Turkey (Lepidoptera). Phegea 22(1): 15-22.
- 5592. Riemis, A.,** 1995, Geometridae of Turkey 4. *Menophra trypanaria* (Wiltshire, 1948), a new species for the Turkish fauna, with description of the male (Lepidoptera). Phegea 23(3): 137-140, 10 figs.
- 5593. Riemis, A.,** 1996, Geometridae of Turkey, 5. Data on 38 new Turkish Geometridae species (Lepidoptera). Phegea 24(2): 83-87.
- 5594. Riemis, A.,** 1997, Geometridae of Turkey 6. Description of a new species from eastern Turkey in the genus *Scotopteryx* Hübner (Lepidoptera, Geometridae). Phegea 25(1): 31-34, 3 figs.
- 5595. Riesen, A.,** 1891, Zur systematische Stellung der Gattung *Namangana* Stgr. Stettin ent. Ztg. 52(1/3): 14-15.
- 5596. Riley, N.D. & Corbet, A.S.,** 1938, A revision of the Malayan species of *Jamides* Hübner (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. Lond. 87 (5): 147-158, 17 figs. 1 Pl.
- 5597. Riley, N.D. & E.J. Godfrey,** 1921, Some undescribed *Rhopalocera* from Siam. J. nat. Hist. Soc. Siam 4 (3): 167-190.
- 5598. Riley, N.D.,** 1920, A note on some African *Rhopalocera*. Entomologist 53: 73-75.
- 5599. Riley, N.D.,** 1921, Some undescribed *Rhopalocera* from Mesopotamia and N.W. Persia; and other notes. Ann. Mag. nat. Hist. (9) 8: 590-600.
- 5600. Riley, N.D.,** 1922, The genus *Amblypodia* auctorum (de Niceville, Moore, Swinhoe, etc.) nec Horsfield. Entomologist 55: 25-29, 51-53.
- 5601. Riley, N.D.,** 1925, The species usually referred to the genus *Cigaritis* Boisd. Novit. zool. 32: 70-95, figs.
- 5602. Riley, N.D.,** 1925, New *Rhopalocera* from Siam and Hainan. Entomologist 58: 140-143.
- 5603. Riley, N.D.,** 1926, Descriptions of three new Lepidoptera. Entomologist's mon. Mag. 62: 277-279, pls. 2, 3.
- 5604. Riley, N.D.,** 1928, Two new local races of *Euchloe*. Entomologist 61: 136-137.
- 5605. Riley, N.D.,** 1931, Two new *Charaxes* from Southern Arabia. Entomologist 64: 279-280.
- 5606. Riley, N.D.,** 1932, New African and Arabian Butterflies. Ann. Mag. nat. Hist. (10) 10: 137-152, Pl. 8, 9.
- 5607. Riley, N.D.,** 1932, Descriptions of new Siamese *Rhopalocera*. J. Siam Soc. Nat. Hist., Suppl. 8 (4): 249-254, pl. 22.
- 5608. Riley, N.D.,** 1934, Report on the Insecta collected by Colonel R. Meinert-Hagen in the Ahaggar Mountains. IV. Lepidoptera. Ann. Mag. nat. Hist. (10) 13: 175-181.
- 5609. Riley, N.D.,** 1938, Descriptions of new or little known South African *Rhopalocera* (Lepidoptera). Trans. R. ent. Soc. London 87 (10): 233-245, 2 pls.
- 5610. Riley, N.D.,** 1939, Notes on Oriental *Theclinae* (Lep., Lycaenidae) with descriptions of new species. Novit. Zool. 41: 355-361.
- 5611. Riley, N.D.,** 1939, A new species of *Armandia* (Lep., Papilionidae). Entomologist 72: 207-208, 1 pl.
- 5612. Riley, N.D.,** 1939, *Armandia mansfieldi* (nota). Entomologist 72: 267.
- 5613. Riotte, J.C.E.,** 1974, Kurze Notiz zur Kenntnis der nordamerikanischen *Orgyia* (Lep., Lymantriidae) nebst Designation einer neuen Art. Ent. Z., Frankf. a. M. 84 (9): 94-95.
- 5614. Riotte, J.C.E.,** 1976, Kurze Notiz zur Kenntnis einer neuen Art der Gattung *Orgyia* von Papua New Guinea und Australien (Lep., Lymantriidae). Ent. Z., Frankf. a. M. 86 (9): 89-93, 1 Abb.
- 5615. Riotte, J.C.E.,** 1978, Bemerkungen zur Kenntnis einiger endemischer Spanner von Hawaii (Lep., Geometridae). Ent. Z., Frankf. a. M. 88 (8): 77-82, Abb.
- 5616. Riotte, J.C.E.,** 1979, Zur Gattungszugehörigkeit von "*Theretra*" *brunnea* (Lep., Spingidae). Ent. Z., Frankf. a. M. 89 (20): 225-230, 3 Abb.
- 5617. Riotte, J.C.E.,** 1980, Eine weitere neue Art der Gattung *Kauaiina* (Lep., Geometridae). Ent. Z., Frankf. a. M. 90 (16): 173-175, 2 Abb.
- 5618. Riotte, J.C.E.,** 1989, Anmerkungen zur Nomenklatur einiger nordamerikanischer *Orgyia* (Lepidoptera, Lymantriidae). Ent. Z., Frankf. a. M. 99 (13): 177-178.
- 5619. Riotte, J.C.E.,** 1989, Eine neue Art der Gattung *Kauaiina* vom Alakai Swamp, Kauai, Hawaii (Lepidoptera, Geometridae). Ent. Z., Frankf. a. M. 99: 318-320, 2 Abb.

- 5620. Riotte, J.C.E.,** 1990, Noch eine neue Art der Gattung Kauaiina von der Insel Maui (Hawaiian Islands) (Lepidoptera, Geometridae). Ent. Z., Frankf. a. M. 100: 62-65, 3 Abb.
- 5621. Riotte, J.C.E.,** 1994, Eine neue Art des Hippotion velox- Species-Komplexes (Lepidoptera, Sphingidae). Ent. Z., Frankf. a. M. 104 (15): 293-299, 8 Abb.
- 5622. Robbe, H.,** 1892, Insectes du Bengale Occidental 17. Liste d'une collection de Lépidoptères. Annls Soc. ent. Belg. 36: 122-131.
- 5623. Robbe, H.,** 1892, Lépidoptères du Congo. Description de deux nouvelles espèces et de deux nouvelles variétés. Annls Soc. ent. Belg. 36: 132-134.
- 5624. Roberts, T.J.,** 2001, The butterflies of Pakistan. 200pp. 65 pls. Oxford Univ. Press, Karachi.
- 5625. Robertson, R.B.,** 1895, Lepidoptera in the Cheltenham district. Entomologist's Rec. J. Var. 6: 239-240.
- 5626. Robinet, J.,** 1984, Contribution aus connaissances biologiques et éthologiques sur Lemonia dumi (Lep., Lemoniidae). Nota lepid. 7 (3): 286-296, figs.
- 5627. Robinson, G.S. & E.S.Nielsen,** 1983, The Microlepidoptera described by Linnaeus and Clerck. Syst. Ent. 8: 191-242.
- 5628. Robinson, G.S. & E.S.Nielsen,** 1993, Tineid genera of Australia (Lepidoptera). Monographs on Australian Lepidoptera 2: xv+344 pp. 734 figs. CSIRO Publ., Melbourne.
- 5629. Robinson, G.S. & K.R.Tuck,** 1997, Phylogeny and composition of the Hieroxestinae (Lepidoptera, Tineidae). Syst. Ent. 22: 363-396, figs.
- 5630. Robinson, G.S.,** 1975, Macrolepidoptera of Fiji and Rotuma: A Taxonomic and Biogeographic Study. 362 pp. Maps, figs. Clasley.
- 5631. Robinson, G.S.,** 1976, The preparation of slides of Lepidoptera genitalia with special reference to the Microlepidoptera. Entomologist's Gaz. 27: 127-132.
- 5632. Robinson, G.S.,** 1977, Sesiidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 20.
- 5633. Robinson, G.S.,** 1982, The Palaearctic Tineidae (Lepidoptera) described by Daniel Lucas. Entomologist's Gaz. 33: 175-180.
- 5634. Robinson, G.S.,** 1986, Fungus moths: a review of the Scardiinae (Lepidoptera, Tineidae). Bull. Br. Mus. nat. Hist. (Ent.) 52 (2): 37-181, figs.
- 5635. Robinson, G.S., Ackery, P.R., Kitching, I.J., Beccaloni, G.W. & L.M.Hernandez,** 2005, Hosts - a database of hostplants of the World's Lepidoptera (<http://intern.nhm.ac.uk/jdsml/research-curation/projects/hostplants/index.dsm>)> Natural History Museum, London.
- 5636. Robinson, G.S., Tuck, K.R. & M.Shaffer,** 1994, A field guide to the smaller moths of south-east Asia. 306 pp. 51 figs., 31 pls. Malaysian Nature Society, Kuala Lumpur.
- 5637. Robinson, R.,** 1971, Lepidoptera Genetics. Pergamon Press, Oxford.
- 5638. Robson, J.E.,** 1892, The genus Hepialus. Entomologist's Rec. J. Var. 3: 52-56, 77-79, 100-101.
- 5639. Roeber, J.,** 1896, Ein neuer Trypanus aus dem paläarktischen Gebiete. Ent. Nachr. 22: 3-4.
- 5640. Roell, L.,** 1956, Unter mazedonischen und griechischen Schmetterlingen. Ent. Z., Frankf. a. M. 66: 161-168, 170-182.
- 5641. Roepke, W.,** 1909, Lebensweise und Zucht von Polyommatus baeticus L. auf Java. Ent. Z., Stuttgart 23(39): 170-171.
- 5642. Roepke, W.,** 1943, On the genera Dudusa Walk. and Tarsoplepis Butl. in the Dutch East Indies (Lepidoptera, Notodontidae). Tijdschr. Ent. 86: 77-83.
- 5643. Roepke, W.,** 1949, The Genus Nyctemera Hübner. Trans. R. ent. Soc. Lond. 100(2): 47-70, 14 figs., 2 Pls.
- 5644. Roepke, W.,** 1953, Four Lasiocampids from Java (Lepidoptera, Heterocera). Tijdschr. Ent. 96: 95-97.
- 5645. Roepke, W.,** 1956, Some new or little known Lepidoptera Heterocera from Indonesia and New Guinea, II. Tijdschr. Ent. 99(1/2): 23-29, 2 Pls., figs.
- 5646. Roepke, W.,** 1957, The Genus Nyctemera Huebner II. Tijdschr. Ent. 100(2): 147-178, 12 figs. Pls. 8-9.
- 5647. Roepke, W.,** 1957, The Cossids of the Malay Region (Lepidoptera, Heterocera). Verh. Akad. Wet. Amst. (Afd. Natuurk.) (2) 52: 3-60.
- 5648. Roesler, R.-U. & P.V.Küppers,** 1975, Beiträge zur Kenntnis der Insektenfauna Sumatras Teil 3: Drei neue Schwärmer-Formen (Lepidoptera, Sphingidae). Ent. Z., Frankf. a. M. 85 (16): 177-186, 5 Abb.
- 5649. Roesler, R.-U. & P.V.Küppers,** 1976, Beiträge zur Kenntnis der Insektenfauna Sumatras Teil 4: Fünf neue Cyana-Arten (Lepidoptera, Arctiidae). Ent. Z., Frankf. a. M. 86 (15): 161-170, 6 Abb.
- 5650. Roesler, R.-U. & P.V.Küppers,** 1977, Beiträge zur Kenntnis der Insektenfauna Sumatras: Zur Ethologie und Geobiologie der Schwärmer Sumatras (Lepidoptera, Sphingidae). Bonn. zool. Beitr. 28: 160-197, 19 Abb.
- 5651. Roesler, R.-U. & P.V.Küppers,** 1979, Die Phycitinae (Lepidoptera: Pyralidae) von Sumatra; Taxonomie Teil A. Beitr. naturk. Forsch. SüdWtl. Beih. 3: 1-249, 7 Abb. 36 Taf.
- 5652. Roesler, R.-U. & P.V.Küppers,** 1981, Die Phycitinae (Lepidoptera: Pyralidae) von Sumatra; Taxonomie Teil B, Ökologie und Geobiologie. Beitr. naturk. Forsch. SüdWtl. Beih. 4: 1-282, 4 Abb. 42 Taf.
- 5653. Roesler, R.-U.,** 1967, Beschreibung einiger neuer Taxa der Lithosiinae (Lepidoptera) aus der Paläarkt. Z. wien. ent. Ges. 52: 67-76, 1 Taf, 14 Abb.
- 5654. Roesler, R.-U.,** 1968, Phycitinen-Studien IV (Lep., Pyralidae). Ent. Z., Frankf. a. M. 78(20): 225-239, 14 Abb.
- 5655. Roesler, R.-U.,** 1969, Phycitinen-Studien (Lepidoptera) III. Bonn. zool. Beitr. 20 (1/3): 257-265, figs.
- 5656. Roesler, R.-U.,** 1971, In Memoriam Dozent Dr. Stanislaw Bleszynski. Ent. NachrBl. 18 (1): 33-36.
- 5657. Roesler, R.-U.,** 1973, Trifine Acrobasiina (1. Teilband der Phycitinae). [in] Amsel, H.G. et al., Microlepidoptera Palaearctica vol.4. Textband, xvi + 752 S., 145 Abb.; Tafelband 137 S., 37 Abb., 38 Farbtaf., 121 SW-Taf., 11 Verbreitungstab. Verlag G. Fromme Co. Wien.
- 5658. Roesler, R.-U.,** 1978, Die Wertigkeit von Merkmalen bei phylogenetischen Untersuchungen am Beispiel der Pyraloidea. Nota lepid. 1(3): 99-105, 4 Abb.
- 5659. Roesler, R.-U.,** 1983, Die Phycitinae von Sumatra (Lepidoptera, Pyralidae). [in] Diehl, E.W., Heterocera Sumatrana 3: 1-136, 69 Taf.
- 5660. Roesler, R.-U.,** 1987, Taxonomische Neuorientierung für einige Genera der Phycitinae (Pyraloidea). Articulata 2 (10): 393-398.
- 5661. Roesler, R.-U.,** 1987, Die Gattung Conobathra Meyrick, 1886 (Lepidoptera, Pyraloidea: Phycitinae) in der Palaearktis - Taxonomische Neuorientierung und Beschreibung neuer Taxa. Ent. Z., Frankf. a. M. 97 (3): 17-26, 4 Abb.
- 5662. Roesler, R.-U.,** 1987, Die bisher als Rhodophaea geläufige Gattung Trachycera Ragonot, 1893 (Lepidoptera, Pyraloidea, Phycitinae) in der Palaearktis - Taxonomische Neuorientierung und Beschreibung neuer Taxa. Ent. Z., Frankf. a. M. 97 (21): 305-319, 10 Abb.
- 5663. Roesler, R.-U.,** 1988, Die Gattung Eurhodope Hübner, [1825] 1816 (Lepidoptera, Pyraloidea, Phycitinae) in der Palaearktis - Taxonomische Neuorientierung und Beschreibung einer neuen Art. Ent. Z., Frankf. a. M. 98 (1/2): 1-11, 8 Abb.
- 5664. Roesler, R.-U.,** 1988, Die Gattung Acrobasis Zeller, 1839 in der Palaearktis (Lepidoptera, Pyraloidea, Phycitinae) Taxonomische Neuorientierung und Beschreibung neuer Taxa. Entomofauna 9 (8): 201-223, 10 Abb.
- 5665. Roesler, R.-U.,** 1988, Die bisher als Pristophorodes geläufigen Genera Asalebria Amsel, 1953, Ocrisiodes Amsel, 1950 in der Palaearktis. Taxonomische Neuorientierung und Beschreibung neuer Taxa (Lepidoptera, Pyraloidea, Phycitinae). Entomofauna 9 (24): 461-492, 22 Abb.
- 5666. Roesler, R.-U.,** 1989, Die Artengruppe um die als Christophia beschriebene Epiparhia dattinella (Ragonot 1887) (Lepidoptera: Pyraloidea, Phycitinae) mit Beschreibung dreier neuer Taxa. Ent. Z., Frankf. a. M. 99(1/2): 1-15, 13 Abb.

- 5667. Roesler, R.-U.**, 1989, Zwei neue Phycitinen-Arten (Lepidoptera, Pyraloidea) der Gattung *Amechidia* Amsel 1961 aus Afghanistan und dem Iran. Ent. Z., Frankf. a. M. 99: 169-176, 5 Abb.
- 5668. Roesler, R.-U.**, 1989, Drei neue Phycitinen-Arten (Lepidoptera, Pyraloidea) der Gattung *Dentitegumia* Amsel, 1961 aus Turkestan und dem Iran. Ent. Z., Frankf. a. M. 99(20): 289-300, 10 Abb.
- 5669. Roesler, R.-U.**, 1993, Quadrifine Acrobasiina Erster Teil (2. Teilband der Phycitinae). [in] Amsel, H.G., Microlepidoptera Palaearctica vol.8 (Text & Tafeln). Verlag G.Braun, Karlsruhe.
- 5670. Roessler, A.**, 1866, Verzeichniss der Schmetterlinge Herzogthums Nassau, mit besonderer Berücksichtigung der biologischen Verhältnisse und der Entwicklungsgeschichte. 342S., Wiesbaden (Nieder).
- 5671. Roessler, A.**, 1877, Verzeichniss um Bilbao gefundener Schmetterlinge. Stettin ent. Ztg. 38: 255.
- 5672. Roessler, A.**, 1881, Die Schuppenflügler (Lepidopteren) des kgl. Regierungsbezirks Wiesbaden und ihre Entwicklungsgeschichte. Jb. nassau. Ver. Naturk. 33/34: 1-393.
- 5673. Rogenhofer, A.F. & J.Mann**, 1873, Neue Lepidopteren gesammelt von Herrn J. Haberhauer. Verh. zool.-bot. Ges. Wien 23: 569-574.
- 5674. Rogenhofer, A.F.**, 1881, *Sarothripa nilotica* m. Eine neue Nycteolide aus Egypten. Verh. zool.-bot. Ges. Wien 31: 26-27.
- 5675. Rogenhofer, A.F.**, 1895, Dr.Cajetan Freiherr v..Felder. Dt. ent. Z., Iris 7: 336.
- 5676. Roine, A.**, 2000, Butterflies of Europe 2.0. CD-ROM.
- 5677. Romanoff, N.M.**, 1879, Quelques observations sur les Lépidoptères de la partie du Haut-Plateau Armenien, comprise entre Alexandropol, Kars et Erzeroum. Horae Soc. ent. ross. 14: 483-495, Taf.iii.
- 5678. Romanoff, N.M.**, 1884-1887, Les Lépidoptères de la Transcaucasie. [in] Romanoff, Mém. lépid. 1: 1-92, Pls.; 2: 1-118, Pls.; 3: 1-49, Pls.
- 5679. Romei, E.**, 1925, Remarks to notes on collecting in Spain. Entomologist's Rec. J. Var. 37: 46.
- 5680. Romei, E.**, 1927, Notes of collecting in Spain in 1925-1926. Entomologist's Rec. J. Var. 39: 107-109, 127-129, 136-138.
- 5681. Romei, E.**, 1927, Contribuzione alla conoscenza alcuni Lepidotteri della Tripolitania. Boll. Lab. Zool. gen. agr. R. Scuola Agric. Portici 20: 270-281.
- 5682. Romei, E.**, 1943, Le farfalle diurne dell'Alto Appennino. Atti Soc. tosc. Sci. nat. 52: 1-24.
- 5683. Rondou, J.P.**, 1903, Catalogue raisonne des Lepidopteres des Pyrenees. Acta Soc. linn. Bordeaux 57: 177-355.
- 5684. Rondou, J.P.**, 1916, Lepidopteres nouveaux pur la faune Pyreneenne. Acta Soc. linn. Bordeaux 69: 1-179.
- 5685. Rondou, J.P.**, 1932, Catalogue des Lépidoptères des Pyrénées. Annls Soc. ent. Fr. 101: 165-244.
- 5686. Ronkay, G. & L.Ronkay**, 1992, Taxonomic studies on the Palaearctic Cuculliae Part V. The stigmatophora-Group (Lepidoptera, Noctuidae). Acta zool. hung. 38 (3/4): 345-358, 28 figs.
- 5687. Ronkay, L. & G.Behounek**, 1996, Revision of the *Thysanoplusia intermixta*-group (*Thysanoplusia* Ichinose, 1973, s.str.) (Lepidoptera, Noctuidae, Plusiinae). Esperiana 4: 39-51, Abb., Taf.
- 5688. Ronkay, L. & Z.Varga**, 1985, Neue Noctuiden aus Armenien bzw. aus dem Kaukasus-Raum (Lepidoptera, Noctuidae). Z. ArbGem. öst. Ent. 36 (3/4): 86-94, 1 Taf., 5 Abb.
- 5689. Ronkay, L. & Z.Varga**, 1985, *Luperina diversa* (Staudinger, 1891) bona species, mit der Beschreibung zwei neuer subspecies (Lepidoptera, Noctuidae). Annls hist.-nat. Mus. natn. hung. 77: 207-216, 27 Abb., 1 Pl.
- 5690. Ronkay, L. & Z.Varga**, 1989, Studies on the Palaearctic Noctuidae. Sect. Amphipyrrinae, I. The genus *Pseudohadena* Alpheraky, 1889. The laciniosa group. Acta zool. hung. 35(3/4): 339-353, 19 figs. Pl.
- 5691. Ronkay, L. & Z.Varga**, 1990, Studies on the Palaearctic Noctuidae. Sect. Amphipyrrinae II. Investigations on the genus *Auchmis* Hübner (1821) 1816 with two new taxa (Lepidoptera, Noctuidae). Acta zool. Hung. 36: 121-134, figs.
- 5692. Ronkay, L. & Z.Varga**, 1993, Taxonomic studies on the genera *Pseudohadena* Alpheraky, 1889 and *Auchmis* Hübner, [1821] (Lepidoptera, Noctuidae) Part IV. Acta zool. hung. 39(1/4): 211-248, figs.
- 5693. Ronkay, L.**, 1984, Notes on the genus *Agrochola* Hübner, 1821 (Lepidoptera, Noctuidae). Part II. Acta zool. hung. 30 (1/2): 179-187, 9 figs.
- 5694. Ronkay, L.**, 1986, Taxonomic Studies on the genus *Autophila* Hübner, 1823. I. Acta zool. hung. 32(1/2): 141-159, 38 figs.
- 5695. Ronkay, L.**, 1986, On the taxonomy and zoogeography of some Palaearctic and Indo-Australian Plusiinae (Lepidoptera, Noctuidae). Annls hist.-nat. Mus. natn. hung. 78: 205-218, figs.
- 5696. Ronkay, L.**, 1989, Plusiinae (Lepidoptera, Noctuidae) from Vietnam. Folia ent. hung. 50: 119-135, 30 figs.
- 5697. Ronkay, L.**, 1989, Taxonomic Studies on the genus *Autophila* Hübner, 1823 (Lepidoptera, Noctuidae), II. Acta zool. hung. 35(1/2): 111-141, 74 figs.
- 5698. Ronkay, L.**, 1990, New Noctuidae taxa from Asia Minor and the Caucasus (Lepidoptera, Noctuidae). Annls hist.-nat. Mus. natn. hung. 82: 155-162, 17 figs.
- 5699. Ronkay, L.**, 1990, Taxonomic and zoogeographical studies on the subfamily Cuculliinae (Lepidoptera, Noctuidae). Part II. Esperiana 1: 471-497, 69 figs., pls.
- 5700. Ronkay, L.**, 1990, New taxa of the genus *Metalopha* Staudinger, 1892 (Lepidoptera, Noctuidae). Esperiana 1: 199-212, 26 figs., pl.8.
- 5701. Ronkay, L.**, 1997, Contribution to the knowledge of the Noctuidae fauna of Kuwait (Lepidoptera). Folia ent. hung. 58: 169-171.
- 5702. Ronkay, L.**, 2005, Revision of the genus *Lophoterges* Hampson, 1906 (s.l.) (Lepidoptera, Noctuidae, Cuculliinae) Part II. The Genus *Lophoterges* s.str. Acta zool. hung. 51 (1): 1-57, figs.
- 5703. Ronkay, L., Fabian, G., Herczig, B. & C.Szaboky**, 1990, Contributions to the Noctuidae fauna of Turkey (Lepidoptera). Annls hist.-nat. Mus. natn. hung. (1989) 81: 115-123, figs.
- 5704. Ronkay, L., Varga, Z. & G.Behounek**, 1991, Two new Cuculliinae species from the Pamir Mountains (Lepidoptera, Noctuidae). Entomofauna 12 (8): 105-116, 16 figs.
- 5705. Roos, P.H. & W.Arnscheid**, 1984, Zur Nomenklatur der nearktischen Arten des *Erebia youngi* / *dabanensis*-Komplexes (Lepidoptera, Satyridae). Beiträge zur Kenntnis der Erebiiden, xvi. Nota lepid. 7 (2): 178-179.
- 5706. Roos, P.H.**, 1977, Beitrag zur Biologie von *Hipparchia statilinus*. Ent. Z., Frankf. a. M. 87: 113-117.
- 5707. Roos, P.H.**, 1981, Die Präimaginalstadien der Satyriden 6. *Coenonympha arcania* (Linnaeus) (Lep., Satyridae). Ent. Z., Frankf. a. M. 91: 256-264, 4 Abb.
- 5708. Roos, P.H.**, 1993, Verbreitungsnachweise von Rhopalocera-Arten der Insel Sulawesi, Indonesien, außerhalb ihrer bis jetzt bekannten Areale 1. Papilionidae, Danaidae, Satyridae (Lepidoptera). Ent. Z., Frankf. a. M. 103(15): 261-280, 1 Abb.
- 5709. Roos, P.H.**, 1995, Verbreitungsnachweise von Rhopalocera-Arten der Insel Sulawesi, Indonesien, außerhalb ihrer bis jetzt bekannten Areale 2. (Lepidoptera: Papilionidae, Pieridae, Nymphalidae, Danaidae, Satyridae). Ent. Z., Frankf. a. M. 105(4): 57-76, 2 Abb.
- 5710. Roos, P.H.**, 1996, Eine neue Art der Gattung *Cirrochroa* Doubleday aus Südost-Sulawesi Indonesien (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 106(1): 30-36, 6 Abb.
- 5711. Rose, H.S. & H.S.Pooni**, 2004, Taxonomic studies on the family Tortricidae (Tortricidae, Lepidoptera) from North-West India I. Tribe Archipini. Entomon 29: 137-181, figs.
- 5712. Rose, K. & A.Schulte**, 1992, Ein Beitrag zur systematischen Stellung und subspezifischen Gliederung von *Colias arida* Alpheraky, 1889 (Lepidoptera, Pieridae). Nachr. ent. Ver. Apollo (N.F.) 13(2): 93-104, Taf.
- 5713. Rose, K. & K.G.Schurian**, 1976, Beiträge zur Kenntnis der Rhopaloceren Irans 6. Beitrag: Bemerkungen zu *Meleageria daphnis marcida* Led. J. ent. Soc. Iran 3(1/2): 81-83.
- 5714. Rose, K. & K.G.Schurian**, 1978], Beiträge zur Kenntnis der Rhopaloceren Irans. 8. Beitrag. Ein neues Lycaeniden-Genus (Lep., Lycaenidae) J. ent. Soc. Iran 4(1/2): 65-69.

- 5715. Rose, K.,** 1976, Entomologische Beobachtungen im Libanon. Nachr. ent. Ver. Apollo 1: 16-25.
- 5716. Rose, K.,** 1976, Lepidopterologische Beobachtungen auf La Palma (Kanarische Inseln). Atalanta 7(1): 31-33, 3 Abb.
- 5717. Rose, K.,** 1977, Vacciniina alcedo in Zentralanatolien, nebst Beschreibung einer neuen Unterart (Lep., Lycaenidae). Ent. Z., Frankf. a. M. 87: 62-65, figs.
- 5718. Rose, K.,** 1978, Zwei neue Unterarten von Agrodiaetus carmon aus der Türkei (Lep., Lycaenidae). Ent. Z., Frankf. a. M. 88(22): 245-251, 3 Abb.
- 5719. Rose, K.,** 1981, Auf Falterfang im Norden Pakistans. Nachr. ent. Ver. Apollo (N.F.) 2(2): 68-71.
- 5720. Rose, K.,** 1986, Zur Tagfalterfauna Israels und der besetzten Gebiete Westjordanien (Lep., Papilionoidea). Nachr. ent. Ver. Apollo (N.F.) 7(1): 1-9, 2 Abb.
- 5721. Rose, K.,** 1988, Zur Tagfalterfauna Israels: Eine Ergänzung (Lepidoptera, Rhopalocera). Nachr. ent. Ver. Apollo (N.F.) 8(3/4): 93-96.
- 5722. Rose, K.,** 1990, Eine neue Unterart von Parnassius staudingeri (Bang-Haas, 1882) aus China (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 11(3): 151-154, 1 Taf.
- 5723. Rose, K.,** 1991, Bemerkungen zu "Agrodiaetus (Sublysastra) eberti" Koçak, 1979 (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 11(4): 185-188.
- 5724. Rose, K.,** 1992, Eine neue Unterart von Parnassius patricius (Niepelt, 1911) aus Kasachstan. Atalanta 23(1/2): 119-122, 6 Abb.
- 5725. Rose, K.,** 1995, Zur Unterarten-Inflation in der Gattung Parnassius (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 16(2/3): 243-252, 1 Abb.
- 5726. Rose, K.,** 1997, Zur Verbreitung und subspezifischen Gliederung von Parnassius cephalus Grun-Grshimailo, 1891 und P. acdestis Grun-Grshimailo, 1891 in Tibet (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo N.F. 17(4): 393-404, figs.
- 5727. Rose, K., Schurian, K.G. & W. Eckweiler,** 1992, A further new subspecies of Polyommatus (Aricia) hyacinthus (Herrich-Schäffer, 1847) (Lepidoptera, Lycaenidae). Linneana Belgica 13(6): 341-346, figs.
- 5728. Rosen, K. von,** 1921, Die Rhopaloceren-Ausbeute der Pamir-Expedition des deutsch-österreichischen Alpenvereins. Mitt. münch. ent. Ges. 11: 83-100.
- 5729. Rosen, K. von,** 1929, Familie Papilio[nidae]. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 7-20. Stuttgart.
- 5730. Rostagno, F.,** 1900, Classificazione descrittiva dei Lepidotteri Italiani. Boll. Soc. zool. ital. 1900: 117-140, 222-239.
- 5731. Rothschild, W.L.,** 1921, Moths of Mesopotamia and N. W. Persia Part I. Noctuidae, Lemoniidae and Pyralidae. J. Bomb. nat. Hist. Soc. 28: 170-183.
- 5732. Rothschild, W.L. & K. Jordan,** 1893, Two new species of Lepidoptera from German New Guinea. Ann. Mag. nat. Hist. (6) 12: 455-457.
- 5733. Rothschild, W.L. & K. Jordan,** 1895, Some new forms of the genera Bizarda and Millionia. Novit. zool. 2: 464-465.
- 5734. Rothschild, W.L. & K. Jordan,** 1901, On some new or rare Oriental Lithosiinae. Novit. zool. 8: 409-424.
- 5735. Rothschild, W.L. & K. Jordan,** 1903, A revision of the lepidopterous family Sphingidae. Novit. zool. 9, suppl.: cxxv + 972 pp., 67 pls.
- 5736. Rothschild, W.L. & K. Jordan,** 1903, Some new African Papilios. Novit. zool. 10: 488-490.
- 5737. Rothschild, W.L. & K. Jordan,** 1903, Lepidoptera collected by Oscar Neumann in north-east Africa. Novit. zool. 10: 491-542; 12: 175-191.
- 5738. Rothschild, W.L. & K. Jordan,** 1905, Lepidoptera collected by Oscar Neumann in north-east Africa (continued). Novit. zool. 12: 175-191.
- 5739. Rothschild, W.L. & K. Jordan,** 1907, Lepidoptera aus Neu-Guinea. Dt. ent. Z. 1907: 189-198.
- 5740. Rothschild, W.L. & K. Jordan,** 1916, Corrections of and additions to our "Revision of the Sphingidae". Novit. zool. 23: 115-123, 3 figs.
- 5741. Rothschild, W.L. & K. Jordan,** 1916, Further corrections of and additions to our "Revision of the Sphingidae". Novit. zool. 23: 247-263, 14 figs.
- 5742. Rothschild, W.L.,** 1895, A revision of the Papilios of the eastern Hemisphere, exclusive of Africa. Novit. zool. 2: 167-463.
- 5743. Rothschild, W.L.,** 1895, Some notes on my revision of the Papilios of the eastern Hemisphere, exclusive of Africa. Novit. zool. 2: 503-504.
- 5744. Rothschild, W.L.,** 1895, Two new species of Rhopalocera from the Solomon Islands. Novit. zool. 2: 161-162.
- 5745. Rothschild, W.L.,** 1895, Notes on Saturniidae; with a preliminary revision of the family down to the genus Automeris and descriptions of some new species. Novit. zool. 2: 35-51.
- 5746. Rothschild, W.L.,** 1895, On Millionia and some allied genera of Geometridae. Novit. zool. 2: 493-498.
- 5747. Rothschild, W.L.,** 1895, On two moths and an aberration. Novit. zool. 2: 482.
- 5748. Rothschild, W.L.,** 1896, Further notes on my revision of the Papilios of the eastern Hemisphere, exclusive of Africa. Novit. zool. 3: 63-68.
- 5749. Rothschild, W.L.,** 1896, Descriptions of some new species of Lepidoptera, with remarks on some previously described forms. Novit. zool. 3: 600-603.
- 5750. Rothschild, W.L.,** 1896, Notes on Heterocera, with descriptions of new genera and species. Novit. zool. 3: 21-63, Pl.
- 5751. Rothschild, W.L.,** 1908, New Subspecies of Parnassius apollo. Novit. zool. 15: 390.
- 5752. Rothschild, W.L.,** 1908, New forms of Oriental Papilios. Novit. zool. 15: 165-174.
- 5753. Rothschild, W.L.,** 1909, Catalogue of the collection of Parnassiinae in the Tring Museum, with systematic notes. Novit. zool. 16 (1): 1-20.
- 5754. Rothschild, W.L.,** 1910, Catalogue of the Arctiinae in the Tring Museum, with notes and descriptions of new species. Novit. zool. 17 (1): 1-85; 17 (2): 113-171.
- 5755. Rothschild, W.L.,** 1910, Descriptions of new species of Arctiinae in the Tring Museum. Novit. zool. 17 (1): 172-188.
- 5756. Rothschild, W.L.,** 1911, A new Madagascar Arctiid. Ann. Mag. nat. Hist. (8) 8: 235.
- 5757. Rothschild, W.L.,** 1911, Two new Lepidoptera from New Guinea. Ann. Mag. nat. Hist. (8) 8: 233-234.
- 5758. Rothschild, W.L.,** 1911, Some new Algerian Lepidoptera. Ann. Mag. nat. Hist. (8) 8: 231-233.
- 5759. Rothschild, W.L.,** 1912, Verbesserungen und Zusätze zu den Cossiden. [in] Seitz, A., Die Gross-Schmetterlinge der Erde, Band 2, pp. 450-452. Stuttgart.
- 5760. Rothschild, W.L.,** 1912, New Lithosiinae. Novit. zool. 19: 212-246.
- 5761. Rothschild, W.L.,** 1912, New Syntomidae. Novit. zool. 19 (2): 151-186.
- 5762. Rothschild, W.L.,** 1913, Notes on Ixias undatus Butler with the description of the unknown female. Novit. zool. 20: 279.
- 5763. Rothschild, W.L.,** 1913, New Lithosiinae. Novit. zool. 20: 192-226.
- 5764. Rothschild, W.L.,** 1913, Some new Lepidoptera from German New Guinea. Novit. zool. 20: 278-279.
- 5765. Rothschild, W.L.,** 1915, On the Lepidoptera in the Tring Museum sent by Mr. A.S. Meek from the Admiralty Islands, Dampier, and Vulcan Islands. Novit. zool. 22: 192-208, 387-402.
- 5766. Rothschild, W.L.,** 1915, On Lepidoptera from the Islands of Ceram (Seran), Buru, Bali, and Misol. Novit. zool. 22: 105-144, 209-227.
- 5767. Rothschild, W.L.,** 1915, On the Lepidoptera collected in 1913-1914 by Herr Geyr von Schweppenburg on a journey to the Hoggar Mountains. Ann. Mag. nat. Hist. (8) 16: 247-258, 392-402.
- 5768. Rothschild, W.L.,** 1917, Some new moths of the families Arctiidae and Eupterotidae. Novit. zool. 24: 475-492.
- 5769. Rothschild, W.L.,** 1919, Description of a new genus and two new species of Heterocera. Ann. Mag. nat. Hist. (9) 3: 487-488.

- 5770. Rothschild, W.L.,** 1925, Description of a new Aegeriid Moth of the Genus *Trilochana*. *Ann. Mag. nat. Hist.* (9) 16: 208.
- 5771. Rothschild, W.L.,** 1925, Description of a new species of *Eligma* (Subfamily Sarrothripinae). *Ann. Mag. nat. Hist.* (9) 16: 269.
- 5772. Rothschild, W.L.,** 1925, List of Lepidoptera collected by Dr. E. Hartert and Herr Carl Hilgert in Cyrenaica in March, April, and May 1922. *Ann. Mag. nat. Hist.* (9) 16: 200-208.
- 5773. Rothschild, W.L.,** 1936, New species and subspecies of *Zygaenosis*. *Ann. Mag. nat. Hist.* (10) 17: 483-485.
- 5774. Rothschild, W.L.,** 1936, New species of *Chionaema*, *Asura* and *Miltochrista*. *Ann. Mag. nat. Hist.* (10) 17: 485-490.
- 5775. Rothschild, W.L.,** [1892], Notes on a collection of Lepidoptera made by William Doherty in Southern Celebes during August and September, 1891. Part I, Rhopalocera. *Dt. ent. Z., Iris* 5 (2): 429-442, Taf.
- 5776. Rothschild, W.L.,** [1894], Zwei neue Charaxes-Formen. *Dt. ent. Z., Iris* 6: 348-350.
- 5777. Rougeot, P.-C. & P. Capdeville,** 1967, Remarques sur les Apollons d'Espagne. *Alexanor* 5(2): 81-86.
- 5778. Rougeot, P.-C. & P. Capdeville,** 1968, Nouvelles observations sur *Parnassius apollo* L. en Espagne. *Alexanor* 5(7): 289-296.
- 5779. Rougeot, P.-C. & P. Capdeville,** 1969, Nouvelles remarques sur les Apollons d'Espagne (*Papilionidae*). *Alexanor* 6(1): 24-31.
- 5780. Rougeot, P.-C. & P. Capdeville,** 1972, Description d'une nouvelle sous-espece d'*Apollon* espagnol (*Papilionidae*). *Alexanor* 7(5): 204-206.
- 5781. Rougeot, P.-C. & P. Capdeville,** 1972, Bilan de six années de recherches sur les races ibériques de *Parnassius apollo* (*Papilionidae*). *Alexanor* 7(6): 243-252.
- 5782. Rougeot, P.-C.,** 1969, Contribution à l'étude des Lépidoptères Attacides d'Afghanistan description d'une sous-espece nouvelle. *Entomops* 13: 165-168, 2 figs.
- 5783. Rougeot, P.-C.,** 1971, Les Bombycoïdes (Lepidoptera-Bombycoidea) de l'Europe et du Bassin Méditerranéen. Tome 1. *Lemoniidae*, *Bombycidae*, *Brahmaeidae*, *Attacidae*, *Endromididae*. Faune de l'Europe et du Bassin Méditerranéen 5: 1-159, 197 figs., 2 pls. Paris.
- 5784. Rougeot, P.-C.,** 1973, Sur deux nouvelles espèces d'Attacides d'Afrique orientale (Lepidoptera, Attacidae). *Bull. Soc. ent. Fr.* 78: 334-336, 1 fig.
- 5785. Rougeot, P.-C.,** 1973, Paques entomologiques au Liban. *l'Entomologiste* 29 (1): 1-6, 5 figs.
- 5786. Rougeot, P.-C.,** 1975, Description de la femelle de *Charaxes brutus somalicus* Rothschild (Lep., Nymphalidae). *Bull. Soc. ent. Fr.* 80: 32.
- 5787. Rougeot, P.-C.,** 1975, Diagnoses de 3 nouvelles espèces de Lépidoptères Hétérocères d'Afrique orientale. *Lambillionia* 75(9/10): 68-71, 3 figs.
- 5788. Rougeot, P.-C.,** 1977, *Cossidae* [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 105: 17-19, Pl.2.
- 5789. Rougeot, P.-C.,** 1977, *Nymphalidae* (*Charaxinae*) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 105: 110-112, Pl.19.
- 5790. Rougeot, P.-C.,** 1977, *Cochlididae* [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 105: 20, Pl.15.
- 5791. Rougeot, P.-C.,** 1977, *Papilionidae* [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 105: 95-96.
- 5792. Rougeot, P.-C.,** 1977, *Eupterotidae*, *Brahmaeidae*, *Attacidae*, *Lasiocampidae*, *Sphingidae* [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 105: 83-94, Pls.
- 5793. Rougeot, P.-C.,** 1977, Description des espèces et sous-espèces nouvelles [*Pyrilidae*] [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 105: 25-29, Pls.
- 5794. Rougeot, P.-C.,** 1977, *Ctenuchidae* [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 105: 81-82, Pl.2.
- 5795. Rougeot, P.-C.,** 1977, *Uraniidae* (*Epipleminae*) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 105: 36.
- 5796. Rougeot, P.-C.,** 1977, *Thyrididae* [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 105: 30.
- 5797. Rougeot, P.-C.,** 1977, *Chrysopolomidae* [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 105: 21, Pl.2.
- 5798. Rougeot, P.-C.,** 1979, Note sur les *Micragone* du groupe de *M. nenia* (Westwood) (Lepidoptera, Attacidae). *Bull. mens. Soc. linn. Lyon* 48(6):
- 5799. Rougeot, P.-C.,** 1979, Diagnoses de trois Attacidae (Lepidoptera) Africains inédits. *Bull. mens. Soc. linn. Lyon* 48(5): 306-309, 6 figs.
- 5800. Rougeot, P.-C.,** 1980, On the Distribution of *Pieris brassicoides* Guérin (Lepidoptera, Pieridae) in Ethiopia. *Sinet* 3(2): 153-154.
- 5801. Rougeot, P.-C.,** 1983, Description d'un nouveau *Batuana* (Lepidoptera, Noctuidae, Trifinae) d'Ethiopie. *Bull. mens. Soc. linn. Lyon* 52(5): 167-168, 2 figs.
- 5802. Rougeot, P.-C.,** 1983, Lépidoptères du Haut-Simyen (Ethiopie du Nord). *Bull. mens. Soc. linn. Lyon* 52(7): 219-232, 18 figs.
- 5803. Rougeot, P.-C.,** 1984, *Thyrididae* [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 128: 10.
- 5804. Rougeot, P.-C.,** 1984, *Cochlididae* [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 128: 7.
- 5805. Rougeot, P.-C.,** 1984, *Satyridae* [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 128: 69-70.
- 5806. Rougeot, P.-C.,** 1984, *Pyrilidae* descriptions des espèces nouvelles [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 128: 8-9, pl.3.
- 5807. Rougeot, P.-C.,** 1984, *Ctenuchidae*, *Zygaenidae*, *Eupterotidae*, *Saturniidae*, *Lasiocampidae*, *Bombycidae*, *Drepanidae*, *Sphingidae* [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 128: 52-58, Pl.
- 5808. Rougeot, P.-C.,** 1984, *Papilionidae* [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 128: 60.
- 5809. Rougeot, P.-C.,** 1984, *Nymphalidae* (*Charaxinae*), 1) Liste des Espèces [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 128: 63-65.
- 5810. Rougeot, P.-C.,** 1984, *Epipleminae* [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 128: 12.
- 5811. Rougeot, P.-C., Bourgogne, J. & B. Laporte,** 1991, Les Lépidoptères Hétérocères d'Afrique Orientale. *Annls Soc. ent. Fr.* (N.S.) 27(4): 407-463, 171 figs.
- 5812. Rowland-Brown, H.R.,** 1899, *Susa* in June: A further contribution to the fauna of Piedmont. *Entomologist's Rec. J. Var.* 11: 290-293.
- 5813. Rowland-Brown, H.R.,** 1899, *Chrysophanus* dispar. *Entomologist's Rec. J. Var.* 11: 277-278.
- 5814. Rowland-Brown, H.R.,** 1900, *Digne* Revisited. *Entomologist's Rec. J. Var.* 12: 57-59, 93-95.
- 5815. Rowland-Brown, H.R.,** 1901, A butterfly hunt in the Cevennes. *Entomologist's Rec. J. Var.* 13: 309-313.
- 5816. Rowland-Brown, H.R.,** 1920, A supplementary note on the butterflies of south Macedonia. *Entomologist* 53: 106-109.
- 5817. Rowland-Brown, H.R.,** 1921, *Satyrus hermione* in Macedonia and some other Balkan butterflies. *Entomologist* 54: 123-124.
- 5818. Rungs, C.,** 1988, Liste-inventaire systématique et synonymique des Lépidoptères de Corse. *Alexanor* 15, suppl.: 1-86.

- 5819.** Rungs,C.E.E., 1972, Lépidoptères nouveaux du Maroc et de la Mauretanie. Bull. Mus. nat. Hist. nat. Paris Serie 3, Zoologie 46: 669-698.
- 5820.** Rungs,C.E.E., 1981, Catalogue raisonné des Lépidoptères du Maroc - II. Trav. Inst. Sci. (Ser. Zool.), Rabat. 40: 223-588.
- 5821.** Russell,A., 1901, Pupation of *Sphinx ligustri* larvae. Entomologist's Rec. J. Var. 13: 137-138.
- 5822.** Russell,S.G.C., 1895, Varieties of *Argynnis selene*. Entomologist's Rec. J. Var. 6: 269-270.
- 5823.** Russell,S.G.C., 1896, Habits of larva and pupa of *Thecla pruni*. Entomologist's Rec. J. Var. 8: 104.
- 5824.** Rutten,T. & O.Karsholt, 1998, *Bryotropha mundella* (Douglas): a new synonym of *Bryotropha umbrosella* (Zeller) (Lepidoptera, Gelechiidae). Tijdschr. Ent. 141: 109-114.
- 5825.** Rydon,A.H.B., 1971, The systematics of the Charaxidae (Lepidoptera, Nymphaloidea). Entomologist's Rec. J. Var. 83: 219-233, 283-287, 310-316, 336-341, 384-388, 3 Pls.
- 5826.** Rydon,A.H.B., 1982, Appendix. Taxonomic notes on some members of the Charaxes viola group, with descriptions of three new species from Yemen Arab Republic and Ethiopia (Lepidoptera, Nymphalidae, Charaxinae), [in], Larsen,T.B., The butterflies of the Yemen Arab Republic. Biol. Skr. Dan. Vid. Selsk. 23 (3): 63-76, 5 Pls.
- 5827.** Rydon,A.H.B., 1989, A new species of Charaxes from Southern Sudan. Lambillionea 89: 62-67.
- 5828.** Rühl,F., 1892-[1893], Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte. Erster Band: Tagfalter. 1-384S. Leipzig.
- 5829.** Röber,J., 1886, *Papilio alcidinus*. Dt. ent. Z., Iris 1: 30-31, Taf.I fig.1
- 5830.** Röber,J., 1886, Ein neuer Nachtschmetterling von Ceram. Dt. ent. Z., Iris 1: 40, Taf.II.
- 5831.** Röber,J., 1886, Ein paar neue Heterocera von Süd-Celebes. Dt. ent. Z., Iris 1: 29-30, Taf.I.
- 5832.** Röber,J., 1886, Neue Tagschmetterlinge der indo-australischen Fauna. Dt. ent. Z., Iris 1: 45-72, Taf.II-v.
- 5833.** Röber,J., 1896, Neue Schmetterlinge aus dem cilicischen Taurus. Ent. Nachr. 22: 81-84.
- 5834.** Röber,J., 1907, 2. Familie Pieridae Weisslinge, [in] Seitz,A., Die Gross-Schmetterlinge der Erde 1: 39-74, Taf.
- 5835.** Röber,J., 1936, Über einige afrikanische Charaxes-Arten und andere exotische Falter. Ent. Rdsch. 53: 575-580, 7 Abb.
- 5836.** Röber,J., 1939, Die Tagfalter der Insel Celebes. Dt. ent. Z., Iris 53: 89-117.
- 5837.** Röber,J., 1939, Über einige neue exotische Falter. Ent. Rdsch. 56(32): 357-358.
- 5838.** Rössler,R., 1900, Die Raupen der Grossschmetterlinge Deutschlands. 170pp. 2 Tab. B.G.Teubner, Leipzig.
- 5839.** Saalmüller,M., 1881, *Oecophora schmidii* n.sp. Stettin ent. Ztg. 42: 218-220.
- 5840.** Sabariego de la Plaza,E. & J.Aragonez de Ines, 1978, Los Papilionidae de Espana. Cuaderno 6: 1-42, 7 pl.
- 5841.** Sachkov,S.A., 2002, A new and a little-known species of *Scythris* Hübner,1825 (Lepidoptera, Scythrididae) from Kazakhstan and the Middle Volga, and three species of *Scythris* newly synonymised. Entomologist's Gaz. 53: 259-264, figs.
- 5842.** Saigusa,T. Nakanishi,H.S., Shima,H. & O.Yata, 1977, Phylogeny and biogeography of the subgenus *Graphium* Scopoli (Lepidoptera, Papilionidae, Graphium). Acta Rhopalocerotologica 1: 2-32.
- 5843.** Saitoh,K. & V.A.Lukhtanov, 1988, Some chromosomal aspects of *Brenthis hecate* [Denis & Schiffermüller],1775 from South Altai USSR (Lepidoptera, Nymphalidae). Nota lepid. 11 (3): 234-236, 2 figs.
- 5844.** Sakai,S., 1978, Butterflies from the Hindukush, Karakorum, Kashmir and Ladak, with Descriptions of two nes [sic!] Species and six Subspecies. Atalanta 9(1): 104-131, 69 figs.
- 5845.** Sakai,S., 1981, Butterflies of Afghanistan. 278pp. Tokyo.
- 5846.** Sala,G. & M.Bollino, 1991, *Papilio alexanor* Esper from Italian Maritime Alps: a new subspecies (Lepidoptera, Papilionidae). Atalanta 22(2/4): 75-79, Pls. xvii-xviii.
- 5847.** Sala,G. & M.Bollino, 1992, A new subspecies of *Parnassius mnemosyne* L. from Tosco-Emilian Apennines and considerations about populations of the same range (Lepidoptera, Papilionidae). Atalanta 23(1/2): 123-125, Pl.vi.
- 5848.** Sala,G. & M.Bollino, 1994, *Allancastris cerisyi* Godart,1822 in the Balkans: New subspecies and critical notes on the existing populations (Lepidoptera, Papilionidae). Atalanta 25(1/2): 151-160, 2 pls.
- 5849.** Sala,G. & M.Bollino, 1997, A contribution to the knowledge of the Papilionidae of Kriti Island (Lepidoptera, Papilionidae). Atalanta 28(1/2): 35-41.
- 5850.** Sala,G. & M.Bollino, 1997, A contribution to the knowledge of the Papilionidae of Rhodes Island (Lepidoptera, Papilionidae). Atalanta 28(1/2): 43-47.
- 5851.** Sala,G., 1997? I Lepidotteri Diurni del comprensorio Gardesano. 160pp. 32 col. pls. 169 maps. Sem Editrice, Salo, Italy.
- 5852.** Salazar,J.A. & L.M.Constantino, 2001, Synthesis of the colombian Charaxidae and description of new genera of South America: Rydonia, Annagrapha, Pseudocharaxes, Muysshondtia, Zikania (Lep., Nymphaloidea). Lambillionea 101 (2) Suppl.3: 344-366.
- 5853.** Salazar,J.A., 1989, Estudio preliminar sobre el registro de las especies y subespecies del genero *Prepona* B.,1836 (Lepidoptera, Nymphalidae) en Colombia (Parte I). Revta. lepid. 17 (68): 381-395.
- 5854.** Salazar,J.A., 1990, Estudio preliminar sobre el registro de las especies y subespecies del genero *Prepona* B.,1836 (Lepidoptera, Nymphalidae) en Colombia (Parte II). Revta. lepid. 18 (71): 267-272.
- 5855.** Salazar,J.A., 1990, Breves notas sobre dos poblaciones de *Papilio cacicus* Lucas,1852 en Colombia (Lepidoptera, Papilionidae). Shilap Revta lepid. 18 (71): 217-221, figs.
- 5856.** Salazar,J.A., 1991, Algunos Papilionidos miméticos de Colombia (Lepidoptera, Papilionidae). Revta. lepid. 19 (74): 93-110.
- 5857.** Salazar,J.A., 1991, Estudio preliminar sobre el registro de especies y subespecies pertenecientes a las subfamilias Zaretidinae y Anaeninae (sensu Rydon,1971) en Colombia (Parte I) (Lepidoptera, Charaxidae). Revta. lepid. 19 (75): 217-228.
- 5858.** Salazar,J.A., 1998, Estudio preliminar sobre el registro de especies y subespecies pertenecientes al genero *Memphis* Hübner,[1819] en Colombia (Lepidoptera, Nymphalidae). Revta. lepid. 26 (103): 165-173.
- 5859.** Salazar,J.A., 1999, Datos de recoleccion para 16 especies de Castnidos colombianos (Lep., Castniidae). Bol. cient. Mus. Hist. nat. U. Caldas 3: 43-51.
- 5860.** Salazar,J.A., 2001, Semblanzas lepidopterologicas con E. W. Schmitt-Mumm y su coleccion de mariposas. Bol. cient. Mus. Hist. nat. U. Caldas 5: 26-32.
- 5861.** Salazar,J.A., 2001, Las especies de los generos *Callicore* Hübner,[1819] *Paulogramma* Dillon,1948 y *Catagone* Dillon,1948, depositadas en la coleccion E. W. Schmidt-Mumm, Bogota, Colombia. Revta. lepid. 29 (114): 179-182.
- 5862.** Salazar,J.A., 2002, II. Los Papilionidae de la coleccion E.W.Schmidt-Mumm, Bogota, Colombia (Lepidoptera, Papilionidae). Revta. lepid. 30 (120): 301-310.
- 5863.** Salazar,J.A., 2002, IV. Pieridae de la coleccion E.W.Schmidt-Mumm y descripcion de tres nuevas subespecies (Lepidoptera, Pieridae). Revta. lepid. 30 (120): 325-340, figs.
- 5864.** Salazar,J.A., 2004, VII. Especies del genero *Caligo* Hübner,[1818] depositadas en la coleccion E.W.Schmidt-Mumm, Bogota, Colombia (Lepidoptera, Nymphalidae, Brassolinae). Revta lepid. 32 (125): 23-26, fig.
- 5865.** Salk,A. & J.-C.Weiss, 1998, Description d'un nouveau *Cupido* du nord du Pakistan (Lepidoptera, Lycaenidae). Linneana Belgica 16(6): 242-244, figs.
- 5866.** Salvin,O. & F.D.Godman, 1877, On a collection of Lepidoptera made by the Rev. G.Brown on Duke-of-York Island and its neighbourhood. Proc. zool. Soc. London 1877: 139-151.

- 5867.** Salvin, O., 1893, Description of a new genus and species of Papilionidae from Mexico. Trans. ent. Soc. London 1893 (3): 331-332.
- 5868.** Sammut, P., 2004, Capperia hellenica Adamczewski, 1951, new to the Maltese Islands (Lepidoptera, Pterophoridae). Shilap Revta. lepid. 32 (127): 195-197, fig.
- 5869.** Sammut, P. M., 1984, A systematic and synonymic list of the Lepidoptera of the Maltese Islands. Neue ent. Nachr. 13: 1-124.
- 5870.** Samodurov, G. D., Korolev, V. A. & W. W. Tshikolovez, 1996, Neue Taxa der Satyrinen-Gattung Hyponephele Muschamp, 1915 (Lepidoptera, Nymphalidae, Satyrinae) aus Mittelasien und Transkaukasien. Nachr. ent. Ver. Apollo (N.F.) 17(1): 21-40, 24 Abb.
- 5871.** Samodurov, G. D., Korolev, V. A. & W. W. Tshikolovez, 2001, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp, 1915 VII. Die Arten Hyponephele lycaon (Rott., 1775), H. pasimelas (Stgr., 1886), H. lycaonoides D. Weiss, 1978, H. przhewalskyi Dub. Sergeev & Zhdanko, 1994... (Lepidoptera, Satyridae). Atalanta 32 (1/2): 111-186, pls.
- 5872.** Samodurov, G. D., Korolev, V. A. & W. W. Tshikolovez, 1996, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp, 1915 II. Die Arten Hyponephele dysdora (Lederer, 1870), H. tristis (Grum-Grshimailo, 1899), H. prasilowi Lukhtanov, 1990, H. murzini Dubatolov, 1989 und H. jasavi Lukhtanov, 1990 (Lep.) Atalanta 27 (1/2): 223-252, Pls.
- 5873.** Samodurov, G. D., Korolev, V. A. & W. W. Tshikolovez, 1997, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp, 1915 III. Die Arten Hyponephele cadusia (Lederer, 1869), H. cadusina (Stgr., 1881), H. laeta (Stgr., 1886), H. pamira Lukh., 1990, H. kirghisa (Alph., 1881), H. sheljuzhkoii Sam. & Tsh., 1996... Atalanta 28(1/2): 49-96, Taf., figs.
- 5874.** Samodurov, G. D., Tshikolovez, W. W. & V. A. Korolev, 1995, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp, 1915 I. Die Arten Hyponephele haberhaueri (Stgr., 1886), H. germana (Stgr., 1887), H. maureri (Stgr., 1886), H. ruckbeili (Stgr., 1887) und H. interposita (Ersch., 1874) (Lep., Satyridae). Atalanta 26(1/2): 157-195, Pls.
- 5875.** Samodurov, G. D., Korolev, V. A. & W. W. Tshikolovez, 2000, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp, 1915 VI. Die Arten Hyponephele capella (Christoph, 1877), H. narica (Hübner, [1808-1813]), H. naricina (Staudinger, 1870), H. fusca (Stsh., 1960) und H. naricoides Gross, 1977 (Lep., Satyridae). Atalanta 31 (1/2): 135-170, figs., pls. x-xii.
- 5876.** Samodurov, G. D., Korolev, V. A. & W. W. Tshikolovez, 2000, Eine neue Unterart von Hyponephele hilaris (Staudinger, 1886) aus Kirgisien (Lepidoptera, Satyridae). Atalanta 31 (1/2): 160-162, figs.
- 5877.** Samraoui, B., 1998, Status and seasonal patterns of adult Rhopalocera (Lepidoptera) in north-eastern Algeria. Nachr. ent. Ver. Apollo (N.F.) 19(3/4): 285-298.
- 5878.** Samson, C., 1980, The butterflies of Santa Ana Island, with descriptions of new taxa from San Christobal Island, Solomon Islands. Tyto to Ga 30: 211-236.
- 5879.** Samuels, K. D. Z., 1986, Rhopalocera recorded in Andorra during 1981 and 1983. Entomologist's Rec. J. Var. 98: 11-21.
- 5880.** Sanetra, M. & C. David, 1995, Rejoinder to Bollino's & Sala's considerations about proposed synonymy of some Papilio alexanor subspecies. Nachr. ent. Ver. Apollo (N.F.) 16(2/3): 259-262.
- 5881.** Sanetra, M. & K. Fiedler, 1996, Behaviour and morphology of an aphytophagous lycaenid caterpillar Cigaritis (Apharitis) acamas Klug, 1834 (Lepidoptera, Lycaenidae). Nota lepid. 18 (1) (1995) 57-76.
- 5882.** Sanetra, M. & W. Peuker, 1993, Über die Zucht des Erdbeerbaumfalters Charaxes jasius (Linnaeus, 1767) (Lepidoptera, Nymphalidae). Nachr. ent. Ver. Apollo (N.F.) 13: 507-529, figs.
- 5883.** Sannino, L. & B. Espinosa, 2000, Comparative morphological study on pupae of Plusiinae and observations on the vice-like abdominal structures (Lepidoptera, Noctuidae). Atalanta 31 (1/2): 229-243, 8 figs.
- 5884.** Santisuk, T., 1987, Bignoniaceae, [in] Smitinand, T. & K. Larsen, Flora of Thailand 5 (1): 32-66, figs. Bangkok.
- 5885.** Sarikaya, O. & M. Avci, 2006, The occurrence of Choristoneura murinana in Abies cilicica forests in Asia Minor. Munis Ent. Zool. 1 (2): 289-296, figs.
- 5886.** Sasaki, A., 1999, Some additional notes on the scopariine moths from Taiwan, with description of a new species (Lepidoptera, Crambidae). Tinea 16 (1): 12-15.
- 5887.** Sato, R., 1991, Records of the genera Hypomecis, Cleora and Alcis (Geometridae, Ennominae) from Thailand, with descriptions of three new species and one new subspecies. Tyto to Ga 42 (4): 272-288, figs.
- 5888.** Sato, R., 1992, The genus Rikiosatoa (Lepidoptera, Geometridae) from Thailand, with taxonomic notes on two Chinese species. Jpn. J. Ent. 60 (3): 559-566, figs.
- 5889.** Sato, R., 1992, A new species of Menophra Moore (Lepidoptera, Geometridae) from Malaysia, with some taxonomic notes on the allied species. Tinea 13 (16): 165-170.
- 5890.** Sato, R., 1993, Further taxonomic notes on Amraica recursaria (Walker) (Lepidoptera, Geometridae) and its allies, with descriptions of two new species from Southeast Asia. Tyto to Ga 44 (2): 68-74, figs.
- 5891.** Sato, R., 1995, The genus Racotis Moore (Lepidoptera, Geometridae) from the Philippines, with descriptions of two new species. Tinea 14 (2): 89-92, figs.
- 5892.** Sato, R., 1996, Description of a new species closely related to Hypomecis cineracea (Moore) (Geometridae, Ennominae) from the Philippines. Tinea 14 (4): 256-259, figs.
- 5893.** Sato, R., 1996, Six new species of the genus Psilalcis Warren from Indo-Malayan region, with some taxonomic notes on the allied species. Tinea 15 (1): 55-68, figs.
- 5894.** Sato, R., 1996, Records of the Boarmiini (Geometridae, Ennominae) from Thailand III. Trans. lepid. Soc. Japan 47 (4): 223-236, figs.
- 5895.** Sato, R., 1999, Notes on some species of the Boarmiini (Geometridae, Ennominae) from Taiwan, with description of one new species. Tinea 16 (1): 29-40.
- 5896.** Sattler, K. & W. G. Tremewan, 1984, The Lepidoptera names of Denis & Schiffermüller - a case for stability. Nota lepid. 7 (3): 282-285.
- 5897.** Sattler, K., 1967, Ethmiidae, [in] Amsel, H. G., Gregor, F. H. Reisser (Ed.), Microlepidoptera Palaearctica vol. 2 (Text & Tafeln). Verlag Georg Fromme & Co. Wien.
- 5898.** Sattler, K., 1969, Bemerkungen zur Microlepidopterenfauna von Karachi (Pakistan). Z. Arb. Gem. öst. Ent. 21(4): 99-102.
- 5899.** Sattler, K., 1972, Anmerkungen zu Razowski, 1970, Cochyliidae, Microlepidoptera Palaearctica, Band 3. Dt. ent. Z. N.F. 19 (4/5): 287-299.
- 5900.** Sattler, K., 1973, A Catalogue of the family-group and genus-group names of the Gelechiidae, Holcopogonidae, Lecithoceridae and Symmocidae (Lepidoptera). Bull. Br. Mus. nat. Hist. (Ent.) 28 (4): 155-282.
- 5901.** Sattler, K., 1982, A review of the western palaearctic Gelechiidae (Lepidoptera) associated with Pistacia, Rhus and Cotinus (Anacardiaceae). Entomologist's Gaz. 33: 13-32, 3 figs.
- 5902.** Sattler, K., 1999, The systematic position of the genus Bagdadia (Gelechiidae). Nota lepid. 22 (4): 234-240.
- 5903.** Sauter, W. & P. Hättenschwiler, 1991, Zum System der palaearktischen Psychiden (Lep., Psychidae). I. Teil. Liste der palaearktischen Arten. Nota lepid. 14(1): 69-89.
- 5904.** Sauter, W., 1968, Hilfstabellen zur Bestimmung europäischer Lycaeniden (Lep., Lycaenidae). Mitt. ent. Ges. Basel (N.F.) 18: 1-18, figs.
- 5905.** Sauter, W., 1981, Interessante Neufunde von Microlepidopteren aus der Schweiz und Süddeutschland. Nota lepid. 4(3): 103-106.
- 5906.** Sauter, W., 1987, Zum System der westpalaearktischen Gracillariidae. Mitt. schweiz. ent. Ges. 60: 307-314.
- 5907.** Sauter, W., 1990, Zur Systematik der Gnophos-Gruppe (Lepidoptera, Geometridae). Nota lepid. 12 (4): 328-343, 6 Abb.
- 5908.** Schädewald, G., 1992, Beitrag zur Klärung der Melitaea britomartis-Gruppe (Lep., Nymphalidae). Esperiana 3: 545-551, Abb.
- 5909.** Schaefer, P. W., Suasa-ard, W., Kernasa, O. & B. Napompeth, 2005, Northernmost collection record of

- Lymantria narinda* (Lepidoptera, Lymantriidae) in Thailand: Males captured in (+)-Disparlure-Baited Traps. J. ent. Sci. 40 (2): 234-236.
- 5910. Schaffer, P.W. & Y. Kishida,** 1999, Capture of *Lymantria lucescens* males (Lepidoptera, Lymantriidae) in traps baited with sex pheromone components of *Lymantria monacha*. Tinea 16 (1): 50-51.
- 5911. Schaidler, P. & P. Jaksic,** 1989, Die Tagfalter von jugoslawisch Mazedonien Diurna (Rhopalocera und Hesperidae). 82 S., 46 Taf., 199 Karte. Ljubljana.
- 5912. Schaidler, P.,** 1980, Zur Verbreitung von *Gonepteryx farinosa* (Zeller, 1847) in jugoslawisch-Mazedonien. Atalanta 11: 66-68.
- 5913. Schaidler, P.,** 1983, Wanderfalterbeobachtungen in jugoslawisch Mazedonien im Frühjahr 1982 und 1983. Atalanta 14: 241-244.
- 5914. Schaidler, P.,** 1984, Ergänzungen zur Lepidopterenfauna der SR Mazedonien. Fragm. balcan. 12: 21-30.
- 5915. Schaus, W.,** 1892, Descriptions of new species of Lepidoptera Heterocera from Brazil, Mexico and Peru. Proc. zool. Soc. London 1892: 272-291.
- 5916. Schaus, W.,** 1902, Descriptions of new American butterflies. Proc. U. S. nat. Mus. 24 (1262): 383-460.
- 5917. Schaus, W.,** 1936, New species of Lasiocampidae from Neotropical countries. Ann. Mag. nat. Hist. (10) 7: 47-66, 192-210.
- 5918. Schawerda, K.,** 1908, Zur Lepidopterenfauna Bosniens und der Herzegowina. Verh. zool.-bot. Ges. Wien 58: 250-256.
- 5919. Schawerda, K.,** 1910, Nachtrag zur Lepidopterenfauna Bosniens und der Herzegowina. Verh. zool.-bot. Ges. Wien 60: 19-34.
- 5920. Schawerda, K.,** 1911-1921, Nachtrag zur Lepidopterenfauna Bosniens und der Herzegowina. Verh. zool.-bot. Ges. Wien 61: 80-90; 62: 138-148; 63: 141-178; 64: 349-378; 66: 227-254, 481-488; 68: 19-36; 71: 145-170.
- 5921. Schawerda, K.,** 1918, Elfter Nachtrag zur Lepidopterenfauna Bosniens und der Herzegowina. Verh. zool.-bot. Ges. Wien 68: 19-36.
- 5922. Schawerda, K.,** 1919, Neue Formen aus meiner Sammlung. Z. öst. EntVer. 4: 32.
- 5923. Schawerda, K.,** 1920, Lepidopteren-Ausbeute aus der Gegend von Lovrana und vom Monte Maggiore. Z. öst. EntVer. 5: 10-11, 20-31, 28-39, 36-43.
- 5924. Schawerda, K.,** 1923, *Neoris haraldi* species nova. Mitt. münch. ent. Ges. 13(6-10): 40.
- 5925. Schawerda, K.,** 1927, Kreuz und quer durch die schöne Insel Korsika. Dt. ent. Z., Iris 41: 205-235.
- 5926. Schawerda, K.,** 1928, Meine dritte Lepidopteren-Ausbeute aus den Hochgebirgen Korsikas. Z. öst. EntVer. 13: 41-49.
- 5927. Schawerda, K.,** 1929, Meine vierte Lepidopteren-Ausbeute aus den Hochgebirgen Korsikas. Z. öst. EntVer. 14: 28-29.
- 5928. Schawerda, K.,** 1932, *Phlyctaenodes osthelderi* species nova. Mitt. münch. ent. Ges. 22: 12-13; Z. öst. EntVer. 17: Taf. III fig. 16 [recte 15].
- 5929. Schawerda, K.,** 1937, Zwei neue Mikroheteroceren aus Mazedonien. Z. öst. EntVer. 22: 55-56.
- 5930. Schawerda, K.,** 1938, Miscellanea Lepidopterologica, Neubeschreibungen. Ent. Rdsch. 55: 469-471, 523-524, 554-555, 582-584.
- 5931. Schilde, J.,** 1886, Betrachtungen über die Variabilität in der Schmetterlings-Gattung *Pyrgus*. Berl. ent. Z. 30(1): 39-62, Taf. II.
- 5932. Schintlmeister, A.,** 1981, Fünf neue Notodontidae aus Sumatra. Atalanta 12: 285-291, figs.
- 5933. Schintlmeister, A.,** 1982, Verzeichnis der Notodontidae Europas und einiger angrenzender Gebiete. Nota lepid. 5 (4): 194-206.
- 5934. Schintlmeister, A.,** 1987, Beiträge zur Insektenfauna der DDR: Lepidoptera - Notodontidae. Beitr. Ent. 37 (1): 35-82.
- 5935. Schintlmeister, A.,** 1987, Ein Beitrag zur Nachtfalterfauna von Vietnam (Lepidoptera, Lymantriidae, Notodontidae). Entomofauna 8 (5): 53-67, 20 Abb.
- 5936. Schintlmeister, A.,** 1989, Zoogeographie der palaearktischen Notodontidae (Lepidoptera). Neue ent. Nachr. 25: 1-117, 20 Abb.
- 5937. Schintlmeister, A.,** 1989, A contribution to knowledge of the moths fauna of Thailand (Lepidoptera, Notodontidae, Lymantriidae). Tinea 12 (25): 215-230.
- 5938. Schintlmeister, A.,** 1993, Die Zahnspinner der Philippinen- Ergebnisse zweier Sammelreisen 1988 (Lepidoptera, Notodontidae). Nachr. ent. Ver. Apollo (N.F.) Suppl. 13: 99-174, 32 Taf.
- 5939. Schintlmeister, A.,** 1994, An annotated and illustrated check-list of the Lymantriidae of Sumatra with descriptions of new species (Lepidoptera, Lymantriidae). Heterocera Sumatr. 7: 113-180, figs.
- 5940. Schintlmeister, A.,** 1997, Moths of Vietnam with special reference to Mt. Fan-si-pan Family: Notodontidae. Entomofauna Suppl. 9 (4): 33-248, 22 genital pls., 36 col. pls.
- 5941. Schintlmeister, A.,** 1997, Moths of Vietnam with special reference to Mt. Fan-si-pan Introduction and collecting localities. Entomofauna Suppl. 9 (1): 1-12, figs.
- 5942. Schintlmeister, A.,** 1998, Notes on some asiatic Furcula Lamarck, 1816 (Lepidoptera, Notodontidae). Entomofauna 19 (2): 77-108, 4 Pls., textfigs., 4 maps.
- 5943. Schintlmeister, A.,** 2002, Das Genus *Paracerura* gen. n. und seine Arten in der orientalischen Region (Lepidoptera, Notodontidae). Nachr. ent. Ver. Apollo (N.F.) 23 (3): 105-117, figs.
- 5944. Schintlmeister, A.,** [1992], Die Zahnspinner Chinas (Lepidoptera, Notodontidae). Nachr. ent. Ver. Apollo, Suppl. 11: 1-343, 759 figs., 21 Karte.
- 5945. Schintlmeister, A., Dubatolov, V.V., Sviridov, A.V., et al.,** 1987, Verzeichnis und Verbreitung der Notodontidae der UdSSR (Lepidoptera). Nota lepid. 10 (2): 94-111, 4 Abb.
- 5946. Schleich,** 1886, Nekrolog [Prof. Hermann Conrad Wilhelm Hering]. Stettin ent. Ztg. 47: 178-182.
- 5947. Schmidlin, A.,** 1948-1949, Die Schmetterlingsfamilie Hesperidae (Dickkopffalter). Ent. Nachrbl. Burgdorf. 2: 63-70, 84-86, 88-91; 3: 3-11.
- 5948. Schmidlin, A.,** 1964, Übersicht über die europäischen Arten der Familie Geometridae (Lep.) Mitt. ent. Ges. Basel 14: 77-137.
- 5949. Schmidt, A. & M. Hassler,** 1986, Entomologische Eindrücke aus Mazedonien und Griechenland (Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 7(2/3): 91-124, 19 Abb.
- 5950. Schmidt, A.,** 1997, Zur aktuellen Situation des Mosel-Apollofalters *Parnassius apollo* ssp. *vinningensis* Stichel, 1899 (Lep., Papilionidae). Melanargia 9(2): 38-47.
- 5951. Schmidt, E.,** 1989, Eine neue Subspecies von *Papilio alexanor* (Lepidoptera, Papilionidae). Ent. Z., Frankf. a. M. 99(20): 300-302, 3 Abb.
- 5952. Schmidt-Koehl, W.,** 1969, Geographisch-faunistische u. systematisch-nomenklatorische Studien zur Macrolepidopteren-Fauna des Libanon sowie einzelner Gebiete der nordwestlichen und mittleren Türkei unter Berücksichtigung einer vergl. Betrachtung der Frühjahrsfauna von Ostsizilien. Abh. ArbGem. tier.-pflanz. geogr. Heimatf. Saarland 1: 32-88, 9 Abb.
- 5953. Schmidt-Koehl, W.,** 1978, Tagfalterbeobachtungen in Marokko (Mittlerer Atlas, Hohen Atlas) und in Südspanien (Sierra Nevada) im Juli und August 1977 (Insecta, Lepidoptera). Mitt. ent. Ges. Basel (N.F.) 28: 25-50, figs.
- 5954. Schmidt-Koehl, W.,** 1980, Geographisch-entomologische Studienreise nach Südgriechenland im Juli 1979. Atalanta 11(3): 212-233, 1 Abb.
- 5955. Schmidt-Koehl, W.,** 1984, Kurzbericht zu einigen Tagfalterarten des nordwestlichen Teiles der Türkei Mitte August 1983 (Insecta, Lepidoptera). Atalanta 15 (1/2): 104-108.
- 5956. Schnaider, J.,** 1939, *Paranthrene polonica* sp. n. Polskie pismo Ent. 16/17: 140-143.
- 5957. Schnaider, J., Schnaider, J. & Z. Schnaider,** 1961, Klucze do Oznaczania Owadów Polski XXVII. Motyle- Lepidoptera Zeszyt 37. Aegeriidae. 42pp., 6 Tab., 53 rys.

- 5958.** Schneider, D.H., 1794, Lapplandische Schmetterlinge. Schneider Magaz. 4: 409-440; 5: 583-593.
- 5959.** Scholz, A. & E. Jäckh, 1994, Taxonomie und Verbreitung der westpaläarktischen Alucita-Arten (Lepidoptera, Alucitidae). Alexanor 18(4): [3]-[63], 65 figs.
- 5960.** Scholz, A., 1996, Ein Beitrag zur Biologie und Verbreitung von Capperia lorana (Fuchs, 1895) (Lepidoptera Pterophoridae). Atalanta 27 (1/2): 411-419,
- 5961.** Scholz, A., 1997, Zwei neue, paläarktische Alucita-Arten (Lepidoptera, Alucitidae). Alexanor 20(1): 51-58, 13 figs.
- 5962.** Schoorl, J.W., 1990, A phylogenetic study on Cossidae (Lepidoptera, Ditrysia) based on external adult morphology. Zool. Verh. 263: 1-295, 138 figs., 1 pl., 33 tab.
- 5963.** Schouten, R.T.A., 1988, Revision of the species of the genus Euchromius Guenée, 1845 (Lepidoptera, Pyralidae, Crambinae) occurring in the Afrotropical Region. Zool. Verh. 244: 1-64, 91 figs.
- 5964.** Schroth, M., 1984 Die Makrolepidopteren aus der Umgebung von Hanau am Main (Hessen) Nachr. ent. Ver. Apollo, Suppl. 3: 1-83.
- 5965.** Schröder, C., 1901, Experimentelle Untersuchungen zur Vererbung von Charakteren im Larvenzustande I. Thepbroclysia (Eupithecia) vulgata Hw. Allg. Z. Ent. 6: 255-258, 2 figs.
- 5966.** Schröder, C., 1902, Die Untersuchung der männlichen Genitalanhänge als Kriterium für die Artberechtigung im Genus Eupithecia Curt. (Lep., Geometrae). Allg. Z. Ent. 7: 526-529, 10 figs.
- 5967.** Schröder, H. & C.G. Treadaway, 1978, Neues zur Gattung Deramas (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 88(16): 173-178, 3 Abb.
- 5968.** Schröder, H. & C.G. Treadaway, 1978, Neue Lepidoptera von den Philippinen, 4. Ent. Z., Frankf. a. M. 88(24): 269-279, 6 Abb.
- 5969.** Schröder, H. & C.G. Treadaway, 1978, Neue Lepidoptera von den Philippinen, 3. Ent. Z., Frankf. a. M. 88(14): 149-161, 6 Abb.
- 5970.** Schröder, H. & C.G. Treadaway, 1978, Beitrag zur Kenntnis zweier philippinischer Euploea-Arten (Lep., Danaidae). Ent. Z., Frankf. a. M. 88(23): 263-267, 2 Abb.
- 5971.** Schröder, H. & C.G. Treadaway, 1979, Neue Lepidoptera von den Philippinen, 5. Ent. Z., Frankf. a. M. 89(23): 260-264, 2 Abb.
- 5972.** Schröder, H. & C.G. Treadaway, 1979, Neue Lepidoptera von den Philippinen, 6. Ent. Z., Frankf. a. M. 89(24): 268-276, 4 Abb.
- 5973.** Schröder, H. & C.G. Treadaway, 1979, Eine weitere Unterart von Atrophaneura semperi (Lep., Papilionidae). Ent. Z., Frankf. a. M. 89(22): 249-251, 1 Abb.
- 5974.** Schröder, H. & C.G. Treadaway, 1979, Athyma obsoleta n.sp., eine bemerkenswerte Nymphalide von Mindanao, S-Philippinen (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 89(22): 254-256, 1 Abb.
- 5975.** Schröder, H. & C.G. Treadaway, 1980, Neue Lepidoptera von den Philippinen, 7. Ent. Z., Frankf. a. M. 90(21): 233-243, 5 Abb.
- 5976.** Schröder, H. & C.G. Treadaway, 1980, Ein weiteres Taxon der Amathuxidia amythaon von den Philippinen (Lep., Amathusiidae). Ent. Z., Frankf. a. M. 90(22): 254-256, 1 Abb.
- 5977.** Schröder, H. & C.G. Treadaway, 1980, Zur Kenntnis von Parantica phyle in SE-Luzon (Lep., Danaidae). Ent. Z., Frankf. a. M. 90(16): 169-172, 2 Abb.
- 5978.** Schröder, H. & C.G. Treadaway, 1980, Zwei neue Nymphaliden-Taxa von den Philippinen (Lep.). Ent. Z., Frankf. a. M. 90(24): 281-284, 2 Abb.
- 5979.** Schröder, H. & C.G. Treadaway, 1981, Tanaecia cocytus visayana n.subsp. von den zentralen Philippinen (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 91(23): 253-255, 1 Abb.
- 5980.** Schröder, H. & C.G. Treadaway, 1981, Eine bemerkenswerte Amathusiide (Lep.) von der Insel Negros, Philippinen. Ent. Z., Frankf. a. M. 91(24): 275-276, 1 Abb.
- 5981.** Schröder, H. & C.G. Treadaway, 1981, Neue Lepidoptera von den Philippinen, 8. Ent. Z., Frankf. a. M. 91(5): 41-45, 2 Abb.
- 5982.** Schröder, H. & C.G. Treadaway, 1982, Parantica sita santomasi n.subsp., ein bemerkenswerter Falter aus dem nördlichen Luzon, Philippinen (Lepidoptera, Danaidae). Ent. Z., Frankf. a. M. 92(24): 345-346, 1 Abb.
- 5983.** Schröder, H. & C.G. Treadaway, 1982, Neue Delias-Formen aus West Irian, Neuguinea (Lepidoptera, Pieridae). Ent. Z., Frankf. a. M. 92(23): 334-338, 3 abb.
- 5984.** Schröder, H. & C.G. Treadaway, 1982, Zwei bemerkenswerte Lepidopteren-Taxa aus Palawan (Lepidoptera, Pieridae, Lycaenidae). Ent. Z., Frankf. a. M. 92(21): 309-312, 2 Abb.
- 5985.** Schröder, H. & C.G. Treadaway, 1982, Zur Kenntnis von Euthalia alpheda Gadart (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 92(19): 275-280, 4 Abb.
- 5986.** Schröder, H. & C.G. Treadaway, 1982, Zwei weitere neue Unterarten von Euthalia alpheda (Godart) (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 92(20): 293-296, 2 Abb.
- 5987.** Schröder, H. & C.G. Treadaway, 1982, Neue Charaxes-Formen von den Philippinen (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 92(13): 169-178, 6 Abb.
- 5988.** Schröder, H. & C.G. Treadaway, 1983, Neue Lepidoptera von den Philippinen, 9. Ent. Z., Frankf. a. M. 93(11): 154-160, 4 Abb.
- 5989.** Schröder, H. & C.G. Treadaway, 1983, Neptis felisimilis n.sp. von Palawan (Philippinen) (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 93(23): 349-351, 1 Abb.
- 5990.** Schröder, H. & C.G. Treadaway, 1983, Zwei neue Euploea-Formen von der Insel Panay, Philippinen (Lep., Danaidae). Ent. Z., Frankf. a. M. 93(24): 353-356, 2 Abb.
- 5991.** Schröder, H. & C.G. Treadaway, 1984, Neue Lepidoptera von den Philippinen, 10. Ent. Z., Frankf. a. M. 94(23): 341-345, 3 Abb.
- 5992.** Schröder, H. & C.G. Treadaway, 1984, Die Population von Atrophaneura semperi der Insel Panay, Philippinen (Lep., Papilionidae). Ent. Z., Frankf. a. M. 94(24): 357-360, 1 Abb.
- 5993.** Schröder, H. & C.G. Treadaway, 1984, Eine neue Form von Delias levicki Rothschild (Lep., Pieridae). Ent. Z., Frankf. a. M. 94(4): 36-38, 1 Abb.
- 5994.** Schröder, H. & C.G. Treadaway, 1984, Terinos romeo n.sp. von der Insel Panay, Philippinen (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 94(18): 269-272, 2 Abb.
- 5995.** Schröder, H. & C.G. Treadaway, 1984, Zwei neue Lepidopteren-Taxa der Romblon-Gruppe, Philippinen (Lep., Papilionidae, Lycaenidae). Ent. Z., Frankf. a. M. 94(12): 168-172, 3 Abb.
- 5996.** Schröder, H. & C.G. Treadaway, 1985, Zur Kenntnis philippinischer Lycaenidae, 2 (Lepidoptera). Ent. Z., Frankf. a. M. 95(23): 347-350, 3 Abb.
- 5997.** Schröder, H. & C.G. Treadaway, 1986, Neue Taxa in den Gattungen Eliotia, Deramas und Una (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 96: 312-319, 6 Abb.
- 5998.** Schröder, H. & C.G. Treadaway, 1986, Zur Kenntnis philippinischer Lycaenidae, 3 (Lepidoptera). Ent. Z., Frankf. a. M. 96(22): 331-336, 4 Abb.
- 5999.** Schröder, H. & C.G. Treadaway, 1986, Choaspes estrella pallens n.subsp. von den zentralen Philippinen (Lepidoptera, Hesperidae). Ent. Z., Frankf. a. M. 96: 349-351, 1 Abb.
- 6000.** Schröder, H. & C.G. Treadaway, 1987, Eine weitere Form der Pyroneura liburnia von den Philippinen (Lepidoptera, Hesperidae). Ent. Z., Frankf. a. M. 97: 285-287, 2 Abb.
- 6001.** Schröder, H. & C.G. Treadaway, 1987, Ein weiterer Fund und Revalidierung von Elymnas beza kochi Semper, 1887 (Lepidoptera, Nymphalidae, Satyrinae). Ent. Z., Frankf. a. M. 97: 260-263, 1 Abb.
- 6002.** Schröder, H. & C.G. Treadaway, 1987, Gangara lebadea (Hewitson): erster Nachweis für die Philippinen (Lepidoptera, Hesperidae). Ent. Z., Frankf. a. M. 97: 295-297, 1 Abb.
- 6003.** Schröder, H. & C.G. Treadaway, 1987, Der Lectotypus von Bassarona piratica (Semper, 1887): Designation und taxonomische Konsequenzen innerhalb der Art (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 97: 345-350, 1 Abb.

- 6004.** Schröder, H. & C.G. Treadaway, 1988, Zur Kenntnis philippinischer Lycaenidae, 4 (Lepidoptera). Ent. Z., Frankf. a. M. 98(24): 353-360, 5 Abb.
- 6005.** Schröder, H. & C.G. Treadaway, 1988, Neue Lepidoptera von den Philippinen, 11. Ent. Z., Frankf. a. M. 98: 313-320, 4 Abb.
- 6006.** Schröder, H. & C.G. Treadaway, 1988, Neue philippinische Taxa der Gattung *Athyma* Westwood 1850 (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 98: 464-468, 5 Abb.
- 6007.** Schröder, H. & C.G. Treadaway, 1988, *Charaxes sangana* n.sp. von den Philippinen (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 98(22): 321-324, 2 Abb.
- 6008.** Schröder, H. & C.G. Treadaway, 1988, *Agatasa calydonia* (Hewitson) auf Luzon, Philippinen (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 98(23): 346-348, 1 Abb.
- 6009.** Schröder, H. & C.G. Treadaway, 1989, Zur Kenntnis philippinischer Lycaenidae, 5 (Lepidoptera). Ent. Z., Frankf. a. M. 99(19): 273-282, 8 Abb.
- 6010.** Schröder, H. & C.G. Treadaway, 1989, Neue Lepidopteren, insbesondere vom südlichen Sulu-Archipel. Ent. Z., Frankf. a. M. 99(22): 321-328, 6 Abb.
- 6011.** Schröder, H. & C.G. Treadaway, 1989, Neue Lepidopteren, insbesondere vom südlichen Sulu-Archipel, 2. Ent. Z., Frankf. a. M. 99(24): 353-364, 8 Abb.
- 6012.** Schröder, H. & C.G. Treadaway, 1989, Bemerkungen zu einigen Taxa der Gattung *Dacalana* Moore, 1884 (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 99: 216-222, 7 Abb.
- 6013.** Schröder, H. & C.G. Treadaway, 1989, Zwei neue *Charaxes*-Formen von den Philippinen (Lepidoptera Nymphalidae). Ent. Z., Frankf. a. M. 99: 350-352, 2 Abb.
- 6014.** Schröder, H. & C.G. Treadaway, 1990, Neue Lepidopteren, insbesondere vom südlichen Sulu-Archipel, 4. Ent. Z., Frankf. a. M. 100: 461-467, 5 Abb.
- 6015.** Schröder, H. & C.G. Treadaway, 1990, Vier neue Taxa in der Gattung *Euthalia* Hübn. (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 100: 437-443, 4 Abb.
- 6016.** Schröder, H. & C.G. Treadaway, 1990, Neue Lepidopteren, insbesondere vom südlichen Sulu-Archipel, 3. Ent. Z., Frankf. a. M. 100: 380-384, 3 Abb.
- 6017.** Schröder, H. & C.G. Treadaway, 1990, Zur Kenntnis philippinischer Lycaenidae, 6 (Lepidoptera). Ent. Z., Frankf. a. M. 100: 168-171, 2 Abb.
- 6018.** Schröder, H. & C.G. Treadaway, 1990, Zur Kenntnis philippinischer Lycaenidae, 7 (Lepidoptera). Ent. Z., Frankf. a. M. 100: 404-407, 2 Abb.
- 6019.** Schröder, H. & C.G. Treadaway, 1991, Drei bemerkenswerte Papilioniden-Taxa von den Philippinen (Lepidoptera). Ent. Z., Frankf. a. M. 101: 67-72, 5 Abb.
- 6020.** Schröder, H. & C.G. Treadaway, 1992, Zwei Nymphaliden-Neunachweise innerhalb der Philippinen (Lepidoptera). Ent. Z., Frankf. a. M. 102: 453-456, 2 Abb.
- 6021.** Schröder, H. & C.G. Treadaway, 1993, Neue Lepidoptera von den Philippinen, 12. Ent. Z., Frankf. a. M. 103: 465-471, 5 Abb.
- 6022.** Schröder, H. & C.G. Treadaway, 1994, Vorläufige Charakterisierung der *Delias* hapalina-Population der Owen Stanley Range, Papua Neuguinea (Lepidoptera, Pieridae). Ent. Z., Frankf. a. M. 104: 480-482, 1 Abb.
- 6023.** Schröder, H. & C.G. Treadaway, 1994, Zur Kenntnis der Gattung *Cyaniriodes* auf den Philippinen (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 104: 473-475, 2 Abb.
- 6024.** Schröder, H. & C.G. Treadaway, 1995, *Abisara* vom südlichen Sulu-Archipel (Lepidoptera, Riodinidae). Ent. Z., Frankf. a. M. 105: 192-194, 4 Abb.
- 6025.** Schröder, H. & C.G. Treadaway, 1996, Neue Lepidoptera von den Philippinen, 13. Ent. Z., Frankf. a. M. 106(9): 368-374, 5 Abb.
- 6026.** Schröder, H. & C.G. Treadaway, 2005, Eine weitere Unterart *Delias nuydaorum* Schröder, 1975 von Süd-Mindanao, Philippinen (Lepidoptera, Pieridae). Nachr. ent. Ver. Apollo (N.F.) 26 (1/2): 15-16, 5 Abb.
- 6027.** Schröder, H., 1975, Neue *Delias* aus Mindanao (Lep., Pieridae). Ent. Z., Frankf. a. M. 85(24): 265-269, 2 Abb.
- 6028.** Schröder, H., 1975, Eine bemerkenswerte *Appias*-Form von Mindanao (Lepidoptera, Pieridae). Ent. Z., Frankf. a. M. 85(22): 249-252, 4 Abb.
- 6029.** Schröder, H., 1975, *Danaus sita* von den Philippinen (Lep., Danaidae). Ent. Z., Frankf. a. M. 85(24): 270-272, 2 Abb.
- 6030.** Schröder, H., 1975, Eine neue afghanische Unterart des *Parnassius mnemosyne* (Lep., Parnassiidae). Ent. Z., Frankf. a. M. 85: 53-56, Abb.
- 6031.** Schröder, H., 1976, Neue Lepidoptera von den Philippinen. Ent. Z., Frankf. a. M. 86(24): 265-270, 3 Abb.
- 6032.** Schröder, H., 1976, *Danaus davidi* n.sp. von der Insel Negros, Philippinen (Lep., Danaidae). Ent. Z., Frankf. a. M. 86(11): 105-108, 1 Abb.
- 6033.** Schröder, H., 1976, Eine neue *Mycalesis*-Art aus Mindanao, Philippinen (Lep., Satyridae). Ent. Z., Frankf. a. M. 86(13): 137-141, 1 Abb.
- 6034.** Schröder, H., 1977, Zwei neue *Delias* der *sagessa*-Gruppe aus Neuguinea (Lep., Pieridae). Ent. Z., Frankf. a. M. 87(23): 265-271, 3 Abb.
- 6035.** Schröder, H., 1977, Zur Lepidopterenfauna der Inseln Sibuyan und Marinduque, Philippinen. Ent. Z., Frankf. a. M. 87(20): 221-230, 4 Abb.
- 6036.** Schröder, H., 1977, Neue Lepidoptera von den Philippinen, 2. Ent. Z., Frankf. a. M. 87(16): 177-183, 4 Abb.
- 6037.** Schröder, H., 1977, Zur Nomenklatur von *Papilio annae* Felder & Felder 1861 (Lep., Papilionidae). Ent. Z., Frankf. a. M. 87(14): 158-159.
- 6038.** Schröder, H., 1977, Neue und wenig bekannte Pieriden-Taxa von den Philippinen (Lep.). Ent. Z., Frankf. a. M. 87(15): 161-168, 4 Abb.
- 6039.** Schröder, H., C.G. Treadaway & H. Hayashi, 1981, Zur Kenntnis philippinischer Lycaenidae (Lep.). Ent. Z., Frankf. a. M. 91(24): 265-272, 5 Abb.
- 6040.** Schröder, H., Treadaway, C.G. & J. Nuyda, 1988, Zwei bislang unbekannte Nymphaliden-Taxa von den Philippinen (Lepidoptera). Ent. Z., Frankf. a. M. 98: 407-410, 2 Abb.
- 6041.** Schulte, A., 1958, *Philotes bavius macedonica* ssp. nov. (Lep., Rhopalocera). Biol. Glasn. 11: 73-75, fig.
- 6042.** Schulte, A., 1977, Une sous-espece nouvelle de *Colias marcopolo* Gr.-Grsh. Entomops 42: 35-36.
- 6043.** Schulte, A., 1988, Bemerkungen über *Colias*-Arten aus dem Alai. 1. *Colias christophi helialaica* n.ssp., eine neue Pieriden-Unterart aus dem östlichen Alai (UdSSR). Nachr. ent. Ver. Apollo (N.F.) 9(3): 149-150, Abb.
- 6044.** Schulte, A., 1988, Bemerkungen über *Colias*-Arten aus dem Alai. 2. Gibt es Freiland-Hybriden zwischen *Colias eogene* Fldr. 1865 und *Colias cocandica* Ersch. 1874? Nachr. ent. Ver. Apollo (N.F.) 9(3): 151-158, Abb.
- 6045.** Schulte, A., 1989, Einige neue Pieriden-Taxa aus dem Kaukasus, dem Pamir und Afghanistan. Nachr. ent. Ver. Apollo (N.F.) 10(4): 291-297, 1 Taf.
- 6046.** Schulte, A., 1991, Neue *Parnassius*-Unterarten aus der UdSSR (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 12(2): 99-105, 10 Abb.
- 6047.** Schulte, A., 1991, Zwei neue *Parnassius*-Unterarten aus einer China-Ausbeute 1990 (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 12(3): 181-186, Taf.
- 6048.** Schulte, A., 1992, Beschreibung einiger neuer *Parnassius*-Unterarten aus mehreren China-Ausbeuten 1991 (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 13(2a): 165-177, Taf.
- 6049.** Schultz, O., 1901, Aberrationen von *Jaspidea celsia* L. Allg. Z. Ent. 6: 183-185, fig.
- 6050.** Schultz, O., 1904, Gynandromorphe (hermaphroditische) Macrolepidopteren der palaearctischen Fauna IV. Berl. ent. Z. 49: 71-116.
- 6051.** Schultz, O., 1908, Über einige Färbungs- und Zeichnungsanomalien aus dem Genus *Melitaea*. Ent. Z., Stuttgart 22(23): 89-92.
- 6052.** Schultz, W., 1907, New Lepidoptera of the Philippine Islands. Philipp. J. Sci. 2(A): 361-375, 1 Pl.

- 6053.** Schultze, W., 1908, New and little known Lepidoptera of the Philippine Islands. Philipp. J. Sci. 3(1) A: 27-37, 1 pl., 13 figs.
- 6054.** Schultze, W., 1925, New and rare Philippine Lepidoptera. Philipp. J. Sci. 28(4): 567-575, 2 pls.
- 6055.** Schulze, S., 1904, Eine seltsame Ornithoptera. Ent. Z., Stuttgart 17(20): 77.
- 6056.** Schumacher, H., 1991, Paranthrene novaki auch im Arbeitsgebiet der Arbeitsgemeinschaft rheinisch-westfälischer Lepidopterologen. Melanargia 3 (3): 91-94.
- 6057.** Schurian, K.G. & A. Hornemann, 1992, Eine neue Bläulingsart für die Kanarischen Inseln: *Azanus ubaldus* Cramer, 1782 (Lep., Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 13: 187-190.
- 6058.** Schurian, K.G. & C. Häuser, 1981, Zoogeographie und subspezifische Gliederung der zentral- und ostanatolischen, sowie der iranischen *Meleageria*-Formen (Lepidoptera, Lycaenidae). Atalanta 12 (2): 101-111, 4 Abb.
- 6059.** Schurian, K.G. & K. Fiedler, 1994, Zur Biologie von *Polyommatus (Lysandra) dezinus* (de Freina & Witt) (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 14(4): 339-353, 9 figs., pl.
- 6060.** Schurian, K.G. & K. Fiedler, 1996, Adult behaviour and early stages of *Lycaena ochimus* (Herrich-Schäffer [1851]) (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 16(4): 329-343, 18 figs.
- 6061.** Schurian, K.G. & K. Rose, 1991, Contribution to the knowledge of *Polyommatus (Aricia) hyacinthus* (Herrich-Schäffer, 1847) and the description of a new subspecies (Lepidoptera, Lycaenidae). Linneana Belg. 13 (2): 80-93, Pls.
- 6062.** Schurian, K.G. & P. Hofmann, 1982, Die *Thersamonia*-Gruppe (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo, Suppl. 2: 1-59, 8 Abb. 2 Taf.
- 6063.** Schurian, K.G. & P. Hofmann, 1983, Entomologische Aufsammlungen und Beobachtungen bei Kızılcahamam (Türkei). Nachr. ent. Ver. Apollo (n.f.) 3(4): 111-127, 4 Abb.
- 6064.** Schurian, K.G. & W. Eckweiler, 1997, Wiederfund *Polyommatus (Agrodiaetus) dama* Staudinger, 1892 in der Türkei (Lepidoptera, Lycaenidae), [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus (Agrodiaetus)* species-group (Lep., Lycaenidae). Nachr. Ent. Ver. Apollo, Suppl. 16: 49-52.
- 6065.** Schurian, K.G. & W. Eckweiler, 1997, Wiederfund von *Polyommatus (Agrodiaetus) dama* Staudinger, 1892 in der Türkei (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.), Suppl. 16: 49-52.
- 6066.** Schurian, K.G. & W. Eckweiler, 1999, Eine neue Art des Subgenus *Agrodiaetus* Hübner, 1822 aus Ost-Iran (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 20 (2): 119-126, figs.
- 6067.** Schurian, K.G., 1973, Zur Biologie von *Lysandra hispana* H.-S. (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 83 (22): 251-256.
- 6068.** Schurian, K.G., 1974, Die Artzugehörigkeit von *Lysandra arragonensis* Gerh. und *L. bolivari* Romei (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 84 (5): 37-40.
- 6069.** Schurian, K.G., 1975, Zur Biologie von *Lysandra caelestissima* (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 84 (3): 34-38.
- 6070.** Schurian, K.G., 1975, Bemerkungen über *Pieris cheiranthi* (Lep., Pieridae). Ent. Z., Frankf. a. M. 85(22): 252-254.
- 6071.** Schurian, K.G., 1975, Bemerkungen über *Pieris cheiranthi*. Ent. Z., Frankf. a. M. 85: 252-256.
- 6072.** Schurian, K.G., 1976, Taxonomie und Biologie der *Vanessa indica vulcania* (Godart, 1819) (Lep., Nymphalidae). Atalanta 7(2): 85-87, 4 Abb.
- 6073.** Schurian, K.G., 1976, Zur Biologie von *Lysandra coridon manleyi* De Lesse (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 86 (6): 49-53.
- 6074.** Schurian, K.G., 1978, Zur Biologie von *Lysandra caucasica* (Lep., Lycaenidae). Ent. Z., Frankf. a. M. 88(22): 254-257.
- 6075.** Schurian, K.G., 1980, Beiträge zur Kenntnis der *Rhopaloceren* Irans 15. Beitrag: Bemerkungen zu den Präimaginalstadien von *Melanargia meda* Grun-Grushimailo (Lep., Satyridae). Ent. Z., Frankf. a. M. 90(18): 199-202, 2 Abb.
- 6076.** Schurian, K.G., 1980, Auf *Colias*-Fang in den Bergen Aserbaidschans. Nachr. ent. Ver. Apollo (N.F.) 1(1): 15-18.
- 6077.** Schurian, K.G., 1980, Lepidopterologische Aufsammlungen im Elbursgebirge. Nachr. ent. Ver. Apollo (N.F.) 1(2): 32-38.
- 6078.** Schurian, K.G., 1982, Beiträge zur Kenntnis der *Rhopaloceren* Irans: 18. Beitrag. Eine neue *Agrodiaetus*-Art aus Nordiran (Lep., Lycaenidae). Ent. Z., Frankf. a. M. 92(7): 92-96, 3 Abb.
- 6079.** Schurian, K.G., 1988, Neueinteilung des Subgenus *Lysandra* der Gattung *Polyommatus* Latreille (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 98 (10): 129-144.
- 6080.** Schurian, K.G., 1989, Revision der *Lysandra*-Gruppe des Genus *Polyommatus* Latr. (Lepidoptera, Lycaenidae). Neue ent. Nachr. 24: 1-181, 29 Taf.
- 6081.** Schurian, K.G., 1995, Die Biologie von *Polyommatus (Aricia) cramera* (Eschscholtz, 1821) von den Kanarischen Inseln (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo N.F. 16(1): 63-74, figs.
- 6082.** Schurian, K.G., 1996, A contribution to the biology of *Brenthis mofidii* (Wyatt, 1968). Linneana Belgica 15(8): 311-314, 8 figs.
- 6083.** Schurian, K.G., 1996, Beobachtungen zum Eiablageverhalten von *Cigaritis cilissa* (Lederer, 1861) (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 17(1): 111-112.
- 6084.** Schurian, K.G., 1999, Eiablagestrategien bei Bläulingen (Lepidoptera, Lycaenidae) 2. Das Eiablageverhalten von *Polyommatus (Agrodiaetus) admetus* (Esper, [1783]). Nachr. ent. Ver. Apollo (N.F.) 20 (2): 189-194, figs.
- 6085.** Schurian, K.G., 2001, Reisen in die Türkei Neue ent. Nachr. 51: 3-63, figs.
- 6086.** Schurian, K.G., Hagen, W. Ten & H.-G. Mark, 1999, Beitrag zur Biologie sowie Versuch einer taxonomischen Einordnung von *Plebeius (Vacciniina) loewii* (Zeller, 1847) (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 20(1): 1-16, figs.
- 6087.** Schurian, K.G., Hofmann, P. & A. Reif, A., 1991, Ergänzungen zur Tagfalterfauna von Kızılcahamam (Türkei). Nachr. ent. Ver. Apollo. (n.f.) 12(1): 57-67, 4 Abb.
- 6088.** Schurian, K.G., Oorschot, H.v. & H.v.d. Brink, 1992, *Polyommatus (Agrodiaetus) poseidon* (H.-S.) und *Polyommatus (Agrodiaetus) theresiae* sp. nov. aus der Türkei (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 12 (4): 217-232, Pl. 1, Abb. 9-10.
- 6089.** Schuurmans, J., 1976, De dagvlinders van Marokko. Phegea 4 (3): 33-55.
- 6090.** Schweitzer, A., 1912, Zwei neue Lokalrassen aus der Gattung *Parnassius*. Ent. Z., Stuttgart 25: 249-250.
- 6091.** Schwingenschuss, L., 1938-1939, Sechster Beitrag zur Lepidopterenfauna Inner- Anatoliens. Ent. Rdsch. 55: 141-147, 157-164, 173-177, 181-184, 199-202, 223-226, 299-300, 337-340, 411-412, 454-457, 532, 700; 56: 133-135, 250-252.
- 6092.** Schwingenschuss, L., 1939, Beitrag zur Fauna von Bithynien, besonders von Boli (jetzt Bolu). Ent. Rdsch. 56 (29): 325-328, (32): 358-360, (34): 383-384.
- 6093.** Schwingenschuss, L., 1939, Beitrag zur Fauna von Bithynien, besonders von Boli (jetzt Bolu). Ent. Z., Frankf. a. M. 49: 273-274, 281-283.
- 6094.** Schwingenschuss, L., 1939, Kleiner Beitrag zur Fauna der Umgebung Erzerums in Kleinasien. Z. öst. EntVer. 24 (7): 97-100.
- 6095.** Schwingenschuss, L., 1942, Eine Falterausbeute aus Sizilien. Z. Wien. entVer. 27: 177-184.
- 6096.** Schüssler, H., 1933, Saturniidae: 1. Subfam. Attacinae. [in] Strand, E., Lepidopterorum Catalogus Pars 55. 81pp. Dr. W. Junk Berlin.
- 6097.** Schütze, E., 1956, Eupitheciiden Studien VIII. Über *Eupithecia mesogrammata* Dietze und einige andere Eupitheciiden aus Nordiran (Lepidoptera, Geometridae). Z. wien. ent. Ges. 41: 324-339.
- 6098.** Schütze, E., 1956, Eupitheciiden Studien VII. Die semigraphata-Gruppe (Lepidoptera, Geometridae). Z. wien. ent. Ges. 41: 306-320, 328-334, Abb.

- 6099.** Schütze, E., 1958, Eupitheciiden Studien X. Die graphata-Gruppe (Lepidoptera, Geometridae). Ent. Z., Frankfurt a. M. 68: 49-64, 71-72, 82-88, 27 figs.
- 6100.** Schütze, E., 1961, Weitere Eupitheciiden aus Iran und Arabien (Lepidoptera, Geometridae). Mitt. münch. ent. Ges. 51: 58-71, 8 Taf.
- 6101.** Sclater, P. L., 1858, On the general geographical distribution of the class Aves. J. Proc. linn. Soc. Zool. 2: 130-145.
- 6102.** Scoble, M. J. & M. Krüger, 2002, A review of the genera of Macariini with a revised classification of the tribe. Zool. J. Linn. Soc. Lond. 134: 257-315.
- 6103.** Scoble, M. J., Pitkin, L. M., Parsons, M., Honey, M. R. & B. R. Pitkin, 1999, Geometrid Moths of the World. 1400pp. CSIRO Publishing, Collingwood & Apollo Books, Stenstrup.
- 6104.** Scopoli, J. A., 1763, Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linn. xxxvi+420 pp., 37 pls., Vindobonae, Trattner.
- 6105.** Scopoli, J. A., 1772, Observationes zoologicae. Ann. hist. nat. 5: 75-125.
- 6106.** Scopoli, J. A., 1786, Deliciae faunae et floriae insubrica. 3 vols. Monast. St. Salvaoris.
- 6107.** Scudder, S. H., 1875, Historical sketch of the generic names proposed for butterflies: a contribution to systematic nomenclature. Proc. am. Acad. Arts Sci., Boston 10: 91-293.
- 6108.** Sedych, K. F., 1980, Butterflies (Lepidoptera, Rhopalocera) of Transilvania. Ent. Obozr. 59 (4): 788-795, figs.
- 6109.** Seebolds, T., 1898, Beiträge zur Microlepidopterenfauna des Kaukasus, Taurus und Syriens. Dt. ent. Z., Iris 11: 20-32.
- 6110.** Seeldrayers, E., 1896, Lépidopteres nouveaux du Congo. Annls Soc. ent. Belg. 40: 499-503.
- 6111.** Seitz, A., 1909, Familie: Syntomidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 37-42, pls., Stuttgart.
- 6112.** Seitz, A., 1910, Familie: Arctiidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 43-108, pls., Stuttgart.
- 6113.** Seitz, A., 1912, Berichtigungen und Zusätze zu Band 2. [In] Seitz, A., Die Gross-Schmetterlinge der Erde. Band 2. pp. 444-447. Stuttgart.
- 6114.** Seitz, A., 1930, Familie Satyridae. Gattung: Mandarina Leech, Mycalesis Hbn., Lethe Hbn. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 129. Stuttgart.
- 6115.** Seitz, A., 1930, Familie Satyridae. Gattung: Argestina Ril. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 132. Stuttgart.
- 6116.** Seitz, A., 1930, Familie Danaidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 127. Stuttgart.
- 6117.** Seitz, A., 1933, Familie Cymatophoridae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 187-195. Stuttgart.
- 6118.** Seitz, A., 1936, Über Zygänenvorkommen. Ent. Rdsch. 53 (21): 291-294, (22): 302-304, (27): 384-387; (28): 397-400.
- 6119.** Seitz, A., 1936, Über Syntomidenvorkommen. Ent. Rdsch. 53: 523-528, 548-552.
- 6120.** Seki, Y. & Y. Takanami, 1990, Descriptions of new Lycaenidae (Lepidoptera) from Borneo and Sumatra. Gekkan-Mushi 231: 4-9, 21 figs.
- 6121.** Seki, Y., 1986, Lycaenidae of Ranong, Peninsular Thailand (Poritiinae, Theclinae & Curetinae). Yadoriga 125: 10-23.
- 6122.** Seksjaeva, S. V., 1994, New intrageneric groups within the genus Bucculatrix (Lepidoptera, Bucculatricidae) designated on the basis of the morphology of male genitalia. Ent. Obozr. 73(7/8): 114-122 [engl. transl. Ent. rev. 74(2): 111-119, 5 figs., 1995]
- 6123.** Semper, G., 1878, Diagnosen einiger neuer Tagfalter von den Philippinen und Bemerkungen über die Verbreitung einiger derselben. Verh. Ver. naturw. unterh. Hamburg 3: 106-116.
- 6124.** Semper, G., 1886-1892, Die Schmetterlinge der Philippinischen Inseln. Erster Band Die Tagfalter. Rhopalocera. 380 pp. 49+2 pls. C. W. Kreidel's Vlg. Wiesbaden.
- 6125.** Seok, D. M., 1939, A synonymic list of the butterflies of Korea. xxi + 391 pp., 2 Pls. Seoul.
- 6126.** Seven, S. & H. Özdikmen, 2005, Turneriella nom. nov., a replacement name for the genus Amblyzancle Turner, 1939 (Lepidoptera, Yponomeutoidea). New Zealand J. Zool. 32: 235.
- 6127.** Seven, S. & M. Bakowski, 1996, Soğuksu Milli Parkı (Ankara) Lepidoptera faunasına katkılar. Cent. ent. Stud., Priamus 7 (4): 156-170.
- 6128.** Seven, S. & M. Kemal, 2000, Additions to the local faunas of the diurnal Lepidoptera in the Province of Ankara (North Turkey). Cent. ent. Stud., Misc. Pap. 62: 1-7.
- 6129.** Seven, S. & M. Kemal, 2000, Additions to the diurnal lepidoptera fauna of the districts Çubuk and Kalecik (Ankara Prov., North Turkey). Cent. ent. Stud., Misc. Pap. 63: 1-5.
- 6130.** Seven, S. & S. Bulguur, 1991, A Bibliographical List of the homonymous generic names in Zoology based on S. A. Neave's Nomenclator Zoologicus (Vols. I-VII). Memoirs of the Centre for Entomological Studies 1:x+ 114pp. Ankara.
- 6131.** Seven, S., 1991, Trakya Lepidoptera faunası üzerine bibliyografik araştırmalar. Cent. ent. Stud., Priamus 6(1/2): 1-95.
- 6132.** Seven, S., 1993, Trakya Lepidoptera'sı Üzerine faunistik notlar. Cent. ent. Stud., Misc. Pap. 18: 4-8.
- 6133.** Seven, S., 1994, Kızılcahamam Kocaçay vadisi'nin diurnal Lepidopterlerinin ekolojisi ve faunası. Cent. ent. Stud., Priamus 7 (1/2): 3-62.
- 6134.** Seven, S., 1995, Trakya Lepidoptera faunasına katkılar. Cent. ent. Stud., Misc. Pap. 23/24: 1-13, 3 figs.
- 6135.** Seven, S., 1996, Türkiye Lepidoptera faunası ve ekolojisi Üzerine araştırmalar-I. Cent. ent. Stud., Priamus 8 (1/2): 1-52.
- 6136.** Seven, S., 1996, Uzak Doğudan bir Pterophoridae cinsinin nomenklatürü hakkında (Lepidoptera). Cent. ent. Stud., Priamus 7 (4): 171-172.
- 6137.** Seven, S., 1997, Afrika'dan bir Lycaenidae türünün nomenklatürü hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 48: 1-2, 1 harita.
- 6138.** Seven, S., 1997, Papilio machaon Linnaeus, 1758 türüyle ilgili bazı nomenklatür sorunları hakkında (Lepidoptera, Papilionidae). Cent. ent. Stud., Misc. Pap. 37: 1-3.
- 6139.** Seven, S., 1997, Batı Asya'da bulunan bazı Lycaenid taksonlarındaki sinonimler hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 43: 1-3.
- 6140.** Seven, S., 1997, Etiyopya ile Komşu Ülkelerinin Lycaenidae Türleri ve Bazı Taksonomik Notlar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 43: 3-8.
- 6141.** Seven, S., 1997, Negros (Filipinler) adasından yeni bir Noctuidae türü Donda sailendra Kobes, 1983 hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 44: 1-2, 1 harita.
- 6142.** Seven, S., 1997, Bazı Orta Asya Noctuidae taksonlarına ait nomenklatür notları (Lepidoptera). Cent. ent. Stud., Misc. Pap. 47: 6-8.
- 6143.** Seven, S., 1997, Metisella Hemming cinsinin Afrika'daki bir türünün nomenklatürü hakkında (Lepidoptera, Hesperidae). Cent. ent. Stud., Misc. Pap. 48: 2-3.
- 6144.** Seven, S., 2000, Tomares (nogelii) nogelii ssp. cesa (ssp.n.) [in] Koçak, A., Enkhere vilayitidiki kepineklirining sinonimik tizimligi (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 14.
- 6145.** Seven, S., 2000, Tomares (nogelii) dobrogensis ssp. uighurica (ssp.n.) [in] Koçak, A., Enkhere vilayitidiki kepineklirining sinonimik tizimligi (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 14.
- 6146.** Seven, S., 2000, Kırıkkale Lepidoptera faunası ekolojisi ve taksonomisi üzerine araştırmalar. Cent. ent. Stud., Priamus 10 (1/2): 1-101, 1 harita.
- 6147.** Seven, S., Hüseyinoğlu, Y., Kemal, M. & M. Özdemir, 2000, Recent collections of the diurnal Lepidoptera of the Soğuksu N.P. Işık Dağı (Kızılcahamam, Ankara Prov., N. Turkey). Cent. ent. Stud., Misc. Pap. 64: 1-6.
- 6148.** Seven, S., Özdemir, M., Özdemir, Y. & V. Bozkurt, 2005, On the species of Rhyacionia Hübner, [1825] (Lepidoptera, Tortricidae) in Turkey. Phytoparasitica 33 (2): 123-128, 2 Pls.
- 6149.** Seyer, H., 1938, Einige Erlebnisse von meiner Jugoslawienfahrt und der Fang einer neuen Papilio podalirius L.-Monstrosität (partitus). Ent. Rdsch. 55: 629-632, 656.

- 6150. Seyer, H.,** 1980, Ein bekannter Falter des südöstlichen Balkans bisher ohne Unterartnamen: *Anthocharis damone* n.ssp. *hollaenderi*. Mitt. ent. Ges. Basel 30: 1-3.
- 6151. Seyer, H.,** 1984, Der Rassenkreis von *Anthocharis damone* im Mittelmeerraum und eine neue Subspezies aus der Türkei (Lep., Pieridae). Ent. Z., Frankf. a. M. 94: 233-237, Abb. 2.
- 6152. Seyer, H.,** 1985, Der Rassenkreis von *Anthocharis damone* im Vorderen Orient und eine neue Subspezies von dort (Lep., Pieridae). Ent. Z., Frankf. a. M. 95: 20-23, 2 Abb.
- 6153. Seyer, H.,** 1988, *Euchloe belemia moslemi* ssp.n. de l'Iraq (Lepidoptera, Pieridae). Linneana Belgica 11: 329-332, figs.
- 6154. Seyer, H.,** 1990, *Papilio machaon saharae* Obth., 1879 (= *Papilio machaon rathjensi* Warnecke, 1932, syn.n.) auch für SW Marocco und Südjiemen nachgewiesen. Paiperlek 12: 21-22.
- 6155. Seymour, P.R.,** 1972, A revision of the genus *Masalia* (Lepidoptera, Heliothiidae). Bull. Br. Mus. nat. Hist. (Ent.) 27: 1-100, 10 pls. 11 maps.
- 6156. Shaffer, M.,** 1977, *Pyalidae* [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 22-24.
- 6157. Shaffer, M.,** 1984, *Pyalidae*, Déterminations [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc. II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 8.
- 6158. Sharpe, E.M.,** 1897, Descriptions of some new species of *Acraeidae* collected by Mr. F.J. Jackson at Ntebi, Uganda. Ann. Mag. nat. Hist. (6) 19: 581-582.
- 6159. Shchurov, V.I. & V.A. Lukhtanov,** 2001, Notes on the taxonomy of the genus *Kretania* (Beuret, 1959) with the description of a new species from the Black Sea Coast of Russia (Lepidoptera, Lycaenidae). Atalanta 32 (1/2): 217-225, figs., pls. xv, xvi.
- 6160. Sheldon, W.G.,** 1899, The *Lepidoptera* of Oban and District. Entomologist's Rec. J. Var. 11: 13-14.
- 6161. Sheldon, W.G.,** 1901, *Lepidoptera* in the Western Highlands. Entomologist's Rec. J. Var. 13: 135-136.
- 6162. Sheldon, W.G.,** 1901, *Colias hyale* hibernated and bred. Entomologist's Rec. J. Var. 13: 222-223.
- 6163. Sheljuzhko, L.,** 1908, Quelques formes nouvelles des Lépidoptères. Russk. ent. Obozr. 7 (1907): 232-233.
- 6164. Sheljuzhko, L.,** 1924, Uebersicht der kaukasischen Rassen von *Parnassius apollo* L. Mitt. münch. ent. Ges. 14: 42-54.
- 6165. Sheljuzhko, L.,** 1925, Neue Pieriden-Formen. Mitt. münch. ent. Ges. 15: 96-101.
- 6166. Sheljuzhko, L.,** 1926, Neue palaearktische Heteroceren. Dt. ent. Z., Iris 40: 1-10, 4 Abb.
- 6167. Sheljuzhko, L.,** 1928, Neue palaearktische Lycaeniden. Lepid. Rdsch. 2: 44-46, 9 figs.
- 6168. Sheljuzhko, L.,** 1929, Einige neue palaearktische Lepidopteren-Formen. Mitt. münch. ent. Ges. 19: 347-362, 14 Abb.
- 6169. Sheljuzhko, L.,** 1929, Einige Bemerkungen über *Melitaea ala* Stgr. Mitt. münch. ent. Ges. 19: 363-, 4 Abb., Taf. xxvii figs. 1-4.
- 6170. Sheljuzhko, L.,** 1931, Einige Randbemerkungen zum "Supplement" zu den "Gross-Schmetterlingen der Erde" herausgegeben von Dr. A. Seitz. Papilionidae und Pieridae. Int. ent. Z. 25: 69-74.
- 6171. Sheljuzhko, L.,** 1934, Eine neue *Callimorpha* dominula-Rasse aus dem Kaukasus. *Callimorpha dominula teberdina* (ssp. nov.). Ent. Z., Frankf. a. M. 48 (10): 73-75.
- 6172. Sheljuzhko, L.,** 1935, Einige neue und wenig bekannte Lepidopteren aus dem westlichen Tian-Shan. Mitt. münch. ent. Ges. 25 (2): 27-38, Taf. iii.
- 6173. Sheljuzhko, L.,** 1935, Ergänzende Notizen über *Zygaena sogdiana tshimganica* Holik. Ent. Rdsch. 53(1): 7-8.
- 6174. Sheljuzhko, L.,** 1935, Zwei neue *Parnassius*-Rassen aus Transkaukasien. Z. öst. EntVer. 20: 22-24, Taf.
- 6175. Sheljuzhko, L.,** 1935, Drei neue *Aegeriiden*arten aus Centralasien. Z. öst. EntVer. 20(7/8): 53-55, 64.
- 6176. Sheljuzhko, L.,** 1937, Lepidopterologische Ergebnisse meiner Reise nach dem Teberda-Gebiete (Nordwest-Kaukasus) Folia zool. Hydrobiol. 8: 117-140, Taf. 6.
- 6177. Sheljuzhko, L.,** 1956, Über *Parnassius mnemosyne teberdaensis* Eisner. Ent. Z., Frankf. a. M. 66: 213-214.
- 6178. Shibuya, J.,** 1928, The Systematic Study on the Formosan *Pyalidae*. J. Coll. Agric. Hokkaido Imp. Univ. 22(1): 1-300, 9 Pls.
- 6179. Shields, O.,** 1996, Geographic isolation in southwestern North American Butterflies (Lepidoptera, Rhopalocera). Nachr. ent. Ver. Apollo N.F. 17(1): 71-92.
- 6180. Shipp, J.W.,** 1894, Notes on some varieties of British Rhopalocera. Entomologist's Rec. J. Var. 5: 98-100.
- 6181. Shirozu, T. & H. Yamamoto,** 1956, A generic revision and phylogeny of the tribe Theclini (Lepidoptera, Lycaenidae). Sieboldia 4: 329-421, 35-85 Pls.
- 6182. Shirozu, T. & T. Saigusa,** 1971, A New Genus of the Subfamily Apaturinae (Nymphalidae). Butterfl. Moths 22 (1/2): 7-13, 4 figs.
- 6183. Shirozu, T.,** 1960, The butterflies of Formosa in colour. 8 + 479 pp. 76 pls. 479 text-figs. Osaka.
- 6184. Shlykov, O.V.,** 1988, List of Macrolepidoptera of Penza Province. Ent. Obozr. 1988: 48-61.
- 6185. Shshetkin, Y.L.,** 1980, *Guntia chorogica* gen. et sp.n. (Lepidoptera, Noctuidae, Cucullinae) from West Pamir. Zool. Zh. 59: 1254-1256.
- 6186. Shshetkin, Y.L.,** 1980, A new genus and a new species of Notodontidae (Lepidoptera) from Tajikistan. Ent. Obozr. 59(1): 161-165, figs.
- 6187. Shshetkin, Y.L.,** 1980, A new species of blue butterflies (Lepidoptera, Lycaenidae) from Tadzhikistan. Zool. Zh. 59(2): 303-305, figs.
- 6188. Shshetkin, Y.L.,** 1980, A new species of *Nola* (Lepidoptera, Nolidae) from Tadzhikistan. Izvestiya Akad. Nauk tadzhik. SSR 1980(4): 98-100, figs.
- 6189. Shshetkin, Y.Y.,** 1984, Two new subspecies of *Pseudothecia cyri*. Zool. Zh. 63(9): 1430-1432.
- 6190. Shshetkin, Y.Y., Kaabak, L.V. & P.G. Shshetkina,** 1986, Contribution to the Rhopalocera (Lepidoptera) of the Eastern Pamirs. Ent. Obozr. 66(1): 87-95.
- 6191. Shtandel, A.E.,** 1957, The diurnal butterflies (Lepidoptera, Rhopalocera) of Altai. Ent. Obozr. 36: 134-141 [in Russian].
- 6192. Shuxia, W. & Z. Zhemin,** 1997, Two new species and two new records of the genus *Ethmia* Hubner (Lepidoptera, Oecophoridae) from China. Entomotaxonomia 19(2): 135-138, 2 figs. [in Chinese, english summary].
- 6193. Sibatani, A.,** 1974, A new genus for two species of Lycaeninae (s.str.) (Lepidoptera, Lycaenidae). from Papua New Guinea. J. Aust. ent. Soc. 13: 95-110, 23 figs.
- 6194. Sich, A.,** 1901, Illustrations of Lepidoptera being imprints of impressions. Entomologist's Rec. J. Var. 13: 66-72.
- 6195. Sichel, G.,** 1962, *Hipparchia semele* (L.) ed *Hipparchia aristaeus* (Bon.) in Sicilia. Fragm. ent. 4: 43-47.
- 6196. Sick, H.,** 1941, Neue Cymatophoridae der Höneschen Ausbeuten (Lepid.). Dt. ent. Z. 1941: 1-9.
- 6197. Sieder, L. & F. Loebel,** 1951, *Psychidea bombycella* Schiff. und ihre Rassen. Z. wien. ent. Ges. 36: 33-44, 8 figs. 1 Taf.
- 6198. Sieder, L.,** 1956, *Reisseronia* gen. nov. (Lepidoptera, Psychidae). Z. wien. ent. Ges. 41: 162-170.
- 6199. Sieder, L.,** 1959, Neue palaearktische Psychiden (Lepidoptera, Psychidae). II. Eine neue Psychide aus dem Chelmosgebiet (Griechenland). Z. wien. ent. Ges. 44: 147-150, 7 figs.
- 6200. Sieder, L.,** 1959, Neue palaearktische Psychiden (Lepidoptera, Psychidae). I. Eine neue Psychide aus Afghanistan: *Sciopetris amseli* spec. nov. Z. wien. ent. Ges. 44: 145-147, figs. 8-10.
- 6201. Sieder, L.,** 1961, Eine neue Psychide aus dem Chelmosgebiet in Griechenland (Lepidoptera, Psychidae). Helleninae subfam. nov., *Hellenia* gen. nov. *culminella* spec. nov. Z. wien. ent. Ges. 46(9): 121-126, 3 figs. 1 Taf.
- 6202. Sieder, L.,** 1975, Eine neue Psychide auf der Insel Bujuk-Ada (Türkei) (Lepidoptera, Psychidae), *Massonia rassei* spec. nov. Ent. Ber., Amst. 35: 150-153, figs.
- 6203. Siegler, K.,** 1958, Sammelfahrt auf dem Balkan und in Kleinasien. Ent. Z., Frankf. a. M. 68: 65-71.

- 6204. Sieglinde & K.Rehnelt**, 1972, Ein Fund von *Colias erate* in Griechenland (Lep., Pieridae). *Societas ent.* 82(14): 159-160.
- 6205. Siepe, W.**, 1995, Die Praeimarginalstadien und die Aufzucht von *Polyommatus (Aricia) torulensis* Hesselbarth & Siepe, 1993 (Lepidoptera, Lycaenidae). *Phegea* 23 (3): 167-172, figs.
- 6206. Sievers, G.**, 1895, Hugo Christoph. *Dt. ent. Z., Iris* 7: 361-362.
- 6207. Simonyi, S.**, 1996, A new species of the genus *Rusina* Stephens, 1829 from Turkey (Lepidoptera, Noctuidae). *Folia ent. hung.* 57: 271-275, 12 figs.
- 6208. Sinev, S.Y. & V.A.Sruoga**, 1995, New species of mining moths (Lepidoptera, Elachistidae) from the Russian Far East. *Ent. Obozr.* 74(1): 120-137, figs. [engl. text: *Ent. Rev.* 75(3): 21-140, 27 figs., 1996].
- 6209. Sinev, S.Y.**, 1986, A List of Momphid moths (Lepidoptera, Momphidae) of the USSR fauna. *Trudy vses. ent. Obshch.* 67: 19-74.
- 6210. Sinev, S.Y.**, 1986, A review of blastobasid moths (Lepidoptera, Blastobasidae) in the fauna of U.S.S.R. *Trudy zool. Inst., Leningrad* 145: 53-71, figs.
- 6211. Sinev, S.Y.**, 1992, On the systematics and phylogeny of the Gelechioidea s.l. (Lepidoptera). *Ent. Obozr.* 71(1): 143-159 [engl. transl. *Ent. rev.* 72(2): 10-25, 1993].
- 6212. Sinev, S.Y.**, 1993, New and little known species of Blastobasidae (Lepidoptera) of the Palaearctic Region. *Ent. Obozr.* 72(2): 368-377 [engl. transl. *Ent. rev.* 73(1): 72-81, 8 figs., 1994].
- 6213. Sipahi, R.**, 1959, Antep Fıstıklığında *Pachypasa otus* Drury. *Bitki Koruma Bül.* 1(2): 46-49, 6 figs.
- 6214. Sişli, M.N.**, 1968, Ankarada *Aporia crataegi* L.'nin (Lepidoptera, Pieridae) göçü. *Bitki Koruma Bülteni* 8(1): 74-76, sek.
- 6215. Sjaak, J.C. et al.**, 2004, *Blastodacna libanotica* Diakonoff, 1939 - a pest on Pear in Turkey (Agonoxenidae). *Nota lepid.* 27 (1): 33-40.
- 6216. Skala, H.**, 1943, *Nepticula groschkei* spec. nov. *Z. wien. ent. Ges.* 28: 86.
- 6217. Skala, P.**, 2003, A new species of the genus *Satyrus* Latreille, 1810 from Iran (Lepidoptera, Nymphalidae). *Linneana Belg.* 19 (1): 35-40, figs.
- 6218. Skala, P.**, 2003, New taxa of the genus *Hyponphele* Muschamp, 1915 from Iran and Turkey (Lepidoptera, Nymphalidae). *Linneana Belg.* 19 (1): 41-50, figs.
- 6219. Skell, F.**, 1955, Ludwig Osthelder. *Mitt. münch. ent. Ges.* 45: 526-531.
- 6220. Skou, P.**, 1986, The Geometrid Moths of North Europe (Lepidoptera, Drepanidae and Geometridae). *Entomonograph* 6: 1-48, 24 Pls., Leiden & Copenhagen.
- 6221. Slamka, F.**, 1995, Die Zünslerfalter (Pyraloidea) Mitteleuropas. 112 pp. Pls. Prunella, Poprad-Tatry (Slowakia).
- 6222. Slivov, A.V.**, 1985, *Noctua haywardi balcanica* subsp.n. (Lepidoptera, Noctuidae). *Acta zool. bulg.* 27: 52-56.
- 6223. Slivov, A.V.**, 1995, A review of the species of the genus *Boloria* Moore, 1900 (Lepidoptera, Nymphalidae) from Bulgaria and description of a new subgenus and a new species. *Acta zool. bulg.* 48: 62-67.
- 6224. Smiles, K.H.**, 1972, A revision of the genus *Naroma* (Lepidoptera, Lymantriidae). *J. Ent. (B)* 41: 163-174, 22 figs.
- 6225. Smith, C.**, 1994, Butterflies of Nepal (revised edn.). Bangkok, Thailand.
- 6226. Smith, C.**, 1997, Butterflies of Royal Chitwan National Park Nepal. 80pp., figs. Bangkok.
- 6227. Smith, C.R. & R.I.Vane-Wright**, 2001, A review of the afrotropical species of the genus *Graphium* (Lepidoptera, Rhopalocera, Papilionidae). *Bull. nat. Hist. Mus. Lond. (Ent.)* 70 (2): 503-719, figs.
- 6228. Smith, J.B.**, 1900, A hundred new moths of the family Noctuidae. *Proc. U. S. natn. Mus.* Vol.22, N.1203: 413-495.
- 6229. Snellen, P.C.T.**, 1875, Drie nieuwe Choreutinen. *Tijdschr. Ent.* 18: 10-18, Pl.6 figs.5-7.
- 6230. Snellen, P.C.T.**, 1875, Vier nieuwe soorten van het genus *Nola* Leach. *Tijdschr. Ent.* 18: 1-9, Pl.6 figs.1-4.
- 6231. Snellen, P.C.T.**, 1879, Lepidoptera van Celebes verzameld door Mr.M.C.Piepers, met aantekeningen en beschrijving der nieuwe soorten. *Tijdschr. Ent.* 22: 61-138, 5 Pls.
- 6232. Snellen, P.C.T.**, 1881, Aanteekening over eenige Lepidoptera van Amboina en de Philippijnsche eilanden. *Tijdschr. Ent.* 24: 127-131.
- 6233. Snellen, P.C.T.**, 1882, De vlinders van Nederland, Microlepidoptera, 2 delen: xiii + 1196 pp. Brill, Leiden.
- 6234. Sobczyk, T.**, 2004, Beitrag zur Kenntnis der Typhoniini mit der Beschreibung von *Kalliesia irana* gen. et sp. n. aus dem Iran (Psychidae). *Nota lepid.* 27 (1): 19-31, figs.
- 6235. Sobczyk, T.**, 2004, Beitrag zur Kenntnis der Typhoniini mit der Beschreibung von *Kalliesia irana* gen. et sp. n. aus dem Iran (Psychidae). *Nota lepid.* 27 (1): 19-31.
- 6236. Sodoffsky, W.**, 1849, *Heliothis victorina*. *Stettin ent. Ztg.* 10: 130-131.
- 6237. Soffner, J.**, 1961, Entomologisches aus Nessebar (Bulgarien). *Ent. Z., Frankf. a. M.* 71(21): 237-241, 2 Abb.
- 6238. Soffner, J.**, 1965, *Lasiocampa eversmanni* in Bulgarien (Lepidoptera, Lasiocampidae). *Ent. Z., Frankf. a. M.* 75: 70.
- 6239. Soffner, J.**, 1967, Kleinschmetterlinge aus Bulgarien (Lep.). *Mitt. münch. ent. Ges.* 57: 102-122, Taf.V-VI.
- 6240. Solis, M.A.**, 1992, Checklist of the old world Epipaschiinae and related new world genera *Macalla* and *Epipaschia* (Pyrilidae). *J. Lep. Soc.* 46 (4): 280-297.
- 6241. Solis, M.A., Shen-Horn, Y., Goolsby, J.H., Wright, T., Pemberton, R., et al.**, 2005, *Siamusotima aranea*, a new Stem-Boring Musotimine (Lepidoptera, Crambidae) from Thailand feeding on *Lygodium flexuosum* (Schizaeaceae). *Annls ent. Soc. Am.* 98 (6): 887-899.
- 6242. Solyanikov, V.P.**, 1986, A new species of the psychid genus *Eumasia* Chret. (Lepidoptera, Psychidae) from Tajikistan. *Ent. Obozr.* 65(2): 403-406, figs.
- 6243. Solyanikov, V.P.**, 1993, New species of Bag Worm Moths (Lepidoptera, Psychidae) from Central Asia. *Ent. Obozr.* 72(3): 637-643 [engl. transl. *Ent. rev.* 73(4): 22-28, 5 figs., 1994].
- 6244. Someren, V.G.L.van & T.H.E.Jackson**, 1952, The *Charaxes etheocles-ethalion* complex: A tentative reclassification of the group (Lepidoptera, Nymphalidae). *Trans. R. ent. Soc. Lond.* 103(8): 257-284.
- 6245. Sommerer, M.D. & D.Stünig**, 1997, *Spolia Sumatrensis*: A new species of *Arichanna* Moore, 1868 and a new species of *Bracca exul* Herrich-Schäffer [1856] (Lep., Geometridae, Ennominae). *Heteroc. Sumatr.* 12: 17-27, 21 figs.
- 6246. Son, G.van**, 1939, A new species of the genus *Leptoneura* Wallengren (Lepidoptera, Rhopalocera) from the Zoutpansberg district. *Ann. Transv. Mus.* 20: 47-51, pl.1.
- 6247. Son, G.van**, 1939, Notes on the menestheus group of *Papilio* L. and the South African races of *Papilio ophidicephalus* Oberthür and a new variety. *Ann. Transv. Mus.* 20: 53-64, pls. 2-4.
- 6248. Son, G.van**, 1940, A new subspecies of *Leptoneura dingana* Trim. (Lepidoptera, Rhopalocera) from the Northern Transvaal. *J. ent. Soc. sth. Afr.* 3: 57-61.
- 6249. Son, G.van**, 1949, The butterflies of Southern Africa. Part 1. Papilionidae and Pieridae (Transvaal Museum Memoirs nr.3): vi + 237pp. 41 Pls. Pretoria.
- 6250. Sonnenburg, F. & Kordges**, 1997, Zur Verbreitung und Gefährdungssituation von *Maculinea nausithous* Bergsträsser, 1779 und *Maculinea teleius* Bergsträsser, 1779 in Nordrhein-Westfalen (Lepidoptera, Lycaenidae). *Decheniana* 150: 293-307.
- 6251. Sorhagen, L.**, 1901-1902, Grabowiana. Ein Nachtrag zu den Kleinschmetterlinge der Mark Brandenburg. *Allg. Z. Ent.* 6 (1901): 241-245, 276-279, 296-298, 311-314, 327-332, 343-347; 7 (1902): 19-25, 51-57, 77-81, 97-100.
- 6252. Sotshivko, A.V. & L.V.Kaabak**, 1996, A new subspecies of *Parnassius staudingeri* A.Bang-Haas, 1882 from the Sarykolsky Mountain Ridge in Tadjikistan (Lepidoptera, Papilionidae). *Atalanta* 27(1/2): 199-202, Pl.

- 6253.** South, R., 1962, The Butterflies of the British Isles. 212pp. 127 Pls. Frederick Warne Co. Ltd., London [originally published in 1906, with numerous subsequent reprints].
- 6254.** Sovinsky, V., 1905, *Callophrys rubi chalybeitincta* n.ssp. Russk. ent. Obozr. 5: 109.
- 6255.** Sovinsky, V., 1915, Notice sur les races caucasiens de *Lycaena damon* Schiff. Russk. ent. Obozr. 15: 383-391.
- 6256.** Spatenka, K. & I. Tosevski, 1994, *Bembecia guesnoni* spec.nov., a new species of clearwing moth from North India (Lepidoptera, Sesiidae). *Atalanta* 25(1/2): 313-316, Pl.XIIIa.
- 6257.** Spatenka, K. & K. Reshöft, 1989, Eine neue Art der Gattung *Bembecia* Hübner, 1819 aus Ost-Afghanistan (Lepidoptera, Sesiidae). *Entomofauna* 10 (10): 177-186, 4 figs.
- 6258.** Spatenka, K. & O. Gorbunov, 1992, Vier neue paläarktische Glasflügler (Sesiidae, Lepidoptera). *Entomofauna* 13 (23): 377-396, figs.
- 6259.** Spatenka, K. & Z. Lastuvka, 1997, Zur Verbreitung und Variabilität von *Paranthrene insolita* Le Cerf, 1914 (Lepidoptera, Sesiidae). *Nachr. ent. Ver. Apollo* (N.F.) 18 (1): 13-21, 6 figs.
- 6260.** Spatenka, K., 1987, Fünf neue paläarktische Glasflügler (Lepidoptera, Sesiidae). *Z. ArbGem. öst. Ent.* 39(1-2): 12-26, 4 Abb, 2 Tab.
- 6261.** Spatenka, K., 1992, Weitere neue paläarktische Sesiiden (Lepidoptera, Sesiidae). *Alexandor* 17 (7): 427-446, 19 figs.
D
- 6262.** Spatenka, K., Gorbunov, O., Lastuvka, Z., Tosevski, I. & Y. Arita, 1996, Die Futterpflanzen der paläarktischen Glasflügler (Lepidoptera, Sesiidae). *Nachr. ent. Ver. Apollo* (N.F.) Suppl. 17 (1): 1-20.
- 6263.** Spatenka, K., Petersen, M. & A. Kallies, 1997, Ergebnisse einer sesiidologischen Expedition 1994 nach Kasachstan und Kirgistan (Lepidoptera, Sesiidae). *Nachr. ent. Ver. Apollo* N.F. 17 (4): 405-422, figs.
- 6264.** Speidel, W. & C. M. Naumann, 2005, The systematic position of the genus *Cetola* Walker, 1855 (Lepidoptera, Noctuidae). *Ent. Z., Stutt.* 115 (1): 25-28, figs.
- 6265.** Speidel, W. & G. Behounek, 2005, The genus *Wittstrotia* gen.nov. (Lepidoptera, Noctuidae, Eustrotiinae). *Entomofauna* 26 (23): 393-408, figs.
- 6266.** Speidel, W. & L. Aarvik, 2002, Synonyms of European Tortricidae and Noctuidae, with special reference to the publications of Hübner, Geyer & Fröhlich. *Nota lepid.* 25 (1): 17-22.
- 6267.** Speidel, W. & M. Hassler, 1989, Die Schmetterlingsfauna der südlichen algerischen Sahara und ihrer Hochgebirge Hoggar und Tassili n'Ajjer (Lepidoptera). *Nachr. ent. Ver. Apollo* N.F. Suppl. 8: 1-156. Pls.
- 6268.** Speidel, W. & V. S. Kononenko, 1998, A review of the subfamilies Pantheinae and Acronictinae from North Vietnam with description of new species of *Tambana* Moore, 1882 and *Anacronicta* Warren, 1909 (Lepidoptera, Noctuidae). *Esperiana* 6: 547-566, Taf.
- 6269.** Speidel, W., 1982, Zwei neue Arten der Gattung *Parapoynx* Hübner, 1825 (Lepidoptera, Pyraloidea, Acentropinae). *Neue ent. Nachr.* 2: 12-17, figs.
- 6270.** Speidel, W., 1984, Revision der Acentropinae des paläarktischen Faunengebietes (Lepidoptera, Crambidae). *Neue ent. Nachr.* 12: 1-157, figs.
- 6271.** Speidel, W., 1989, Die Synonymie von *Pyrausta aerealis* (Hübner) (Lepidoptera, Crambidae). *Nachr. ent. Ver. Apollo* (N.F.) 10(2): 175-177.
- 6272.** Speidel, W., 1992, New Synonyms of Chinese Noctuids (Lep., Noctuidae). *Esperiana* 3: 9-15.
- 6273.** Speidel, W., 1998, The genus *Nymphicula* Snellen, [1880] in the Philippines (Lepidoptera, Crambidae, Acentropinae). *Esperiana* 6: 533-546, Taf., 22 figs., map.
- 6274.** Speidel, W., 2003, New species of aquatic moths from the Philippines (Lepidoptera, Crambidae). *Ins. Koreana* 20 (1): 7-49, figs.
- 6275.** Speidel, W., 2005, *Cetola naumanni* sp.n. from Thailand (Lepidoptera, Noctuidae). *Ent. Z., Stutt.* 115 (1): 13-14, figs.
- 6276.** Speidel, W., Fänger, H. & C. M. Naumann, 1997, On the systematic position of *Cocytia Boisduval*, 1828 (Lepidoptera, Noctuidae). *Dt. ent. Z. (N.F.)* 44 (1): 27-31, 6 figs.
- 6277.** Speyer, A. & A. Speyer, 1858, Die geographische Verbreitung der Schmetterlinge Deutschlands und der Schweiz. Erster Theil. Die Tagfalter, Schwärmer und Spinner (*Papilio*, *Sphinx* et *Bombyx* s.l.). Engelmann, Leipzig.
- 6278.** Speyer, A., 1879, Die Hesperiden-Gattungen des europäischen Faunengebietes II. Nachträge Das Flügelgeäder. *Stettin ent. Ztg.* 40: 477-500.
- 6279.** Speyer, A., 1879, Neue Hesperiden des paläarktischen Faunengebietes. *Stettin ent. Ztg.* 40: 342-352.
- 6280.** Spiller, A. J., 1880, Notes on the *Rhopalocera* of Natal. *Entomologist* 13: 1-5, 55-58, 80-83.
- 6281.** Spiller, A. J., 1882, Notes on the *Rhopalocera* of Natal. *Entomologist* 15: 5-10.
- 6282.** Spitzer, K., 1984, Notes on taxonomy and distribution of the genus *Gynaephora* Hübner, 1819 (Lymantriidae). *Nota lepid.* 7 (2): 180-183, 2 figs.
- 6283.** Spuler, A., 1910, Die Raupen der Schmetterlinge Europas. 60 Taf., Stuttgart.
- 6284.** Späth, M., 1992, Zwei neue Taxa der Gattung *Papilio* Linnaeus 1758 aus Indonesien (Lepidoptera, Papilionidae). *Ent. Z., Frankf. a. M.* 102(16): 289-293, 2 Abb.
- 6285.** Sruoga, V., 1997, A new species of *Perittia* Stainton (Lepidoptera, Elachistidae) from Central Asia. *Phegea* 25(3): 129-134, 16 figs.
- 6286.** Stainton, H. T., 1853, *Nepticula viscerella* Stainton. *Zoologist* 1853: 3958.
- 6287.** Stainton, H. T., 1854, Catalogue of British Micro-Lepidoptera-III. [In] British Museum, List of the Specimens of British Animals in the Collection of the British Museum 16: 1-199. London.
- 6288.** Stainton, H. T., 1856, Descriptions of three species of Indian Microlepidoptera. *Trans. ent. Soc. Lond. (n.s.)* (2) 3(8): 301-304.
- 6289.** Stainton, H. T., 1860, Description of South African Tineina collected by R. Trimen in 1858-9. *Trans. ent. Soc. London* 5(2): 220-223.
- 6290.** Stamm, K., 1963, Beitrag zur Lepidopterenfauna der Kanaren. *Ent. Z., Frankf. a. M.* 73: 45-52.
- 6291.** Stammeshaus, H. J. L. T., 1971, Some notes on the female genitalia of *Pieris rapae* L. and *Pieris manni* Mayer (Lepidoptera, Pieridae). *Ent. Ber.* 31: 13-16, 36 figs.
- 6292.** Stadel, A. E., 1960, On some butterflies (Lepidoptera) of the Palearctic Fauna. *Ent. Obozr.* 39: 693-696.
- 6293.** Standfuss, M., 1888, Lepidopterologisches. *Berl. ent. Z.* 32 (1): 233-246, Taf. iii.
- 6294.** Standfuss, M., 1888, Alte und neue Agrotiden der europäischen Fauna. *Dt. ent. Z. Iris* 1: 211-219, Taf. 10-11, 4 figs.
- 6295.** Stanta, R., 1995, *Dryobotodes tenebrosa* Esper, 1789 - nova vrsta za slovensko favno metuljev, najdena na gori Ükem krasu (Lepidoptera: Noctuidae). [*Dryobotodes tenebrosa* Esper, 1789 - a new species to the Slovenian moth fauna, found in the karst near Gorica (Lep., Noctuidae)]. *Acta ent. Slovenica* 3 (2): 105-108.
- 6296.** Stanta, R., 1996, *Dryobota labecula* Esper, 1788 - nova vrsta v slovenski favni metuljev (Lepidoptera: Noctuidae). [*Dryobota labecula* Esper, 1788 - new species to the Slovenian moth fauna (Lepidoptera: Noctuidae)]. *Acta ent. Slovenica* 4 (1): 37-39.
- 6297.** Stauder, H., 1921, Die Schmetterlingsfauna der illyro-adriatischen Festland- und Insel-zone (fauna illyro-adriatica). *Z. wiss. Insekt Biol.* 16: 143-153, 11 figs.
- 6298.** Stauder, H., 1922, *Parnassius apollo julianus* Stdr. subsp. n. *Ent. Anz.* 2: 135-136.
- 6299.** Stauder, H., 1924, Das Weib von *Syntomis herthula* Stdr. und eine zweite Generation der Art. *Mitt. münch. ent. Ges.* 14: 56-59.
- 6300.** Stauder, H., 1924, Neue Paläarktenformen II. *Mitt. münch. ent. Ges.* 14: 59-66.
- 6301.** Staudinger, O. & A. Bang-Haas, 1882, Über einige neue *Parnassius*- und andere Tagfalter-Arten Central Asiens. *Berl. ent. Z.* 26 (1): 161-177, 2 Taf.

- 6302.** Staudinger, O. & E. Schatz, 1884-1888, Exotische Schmetterlinge (21 parts). Exotische Tagfalter 1 (Text): vi + 333 pp. 2 (Plates): 100 pls.
- 6303.** Staudinger, O. & H. Rebel, 1901, I. Theil: Famil. Papilionidae-Hepialidae. [in] Staudinger, O. & H. Rebel, Catalog der Lepidopteren des palaearctischen Faunengebietes. xxxii+411 S. Berlin.
- 6304.** Staudinger, O., 1859, Diagnosen nebst kurzen Beschreibungen neuer andalusischer Lepidopteren. Stettin ent. Ztg. 20 (7/9): 211-259.
- 6305.** Staudinger, O., 1860, Pieris krueperi. Ein neuer europäischer Tagfalter. Wien. ent. Monatschr. 4: 19-20.
- 6306.** Staudinger, O., 1861, Macrolepidoptera. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. xvi+84 S. Dresden.
- 6307.** Staudinger, O., 1862, Die Arten der Lepidopteren-Gattung "Ino Leach" nebst einigen Vorbemerkungen über Localvarietäten. Stettin ent. Ztg. 23: 341-359.
- 6308.** Staudinger, O., 1862, Über einige neue griechische Lepidopteren. Stettin ent. Ztg. 23: 257-271.
- 6309.** Staudinger, O., 1870, Beitrag zur Lepidopterenfauna Griechenlands. Horae Soc. ent. ross. 7: 3-304, 3 Taf.
- 6310.** Staudinger, O., 1871, Macrolepidoptera. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren des europäischen Faunengebietes. xxxviii+200 S. Dresden.
- 6311.** Staudinger, O., 1874, Einige neue Lepidopteren des europäischen Faunengebietes. Stettin ent. Ztg. 35: 87-98.
- 6312.** Staudinger, O., 1878-1881, Lepidopteren-Fauna Kleinasien's. Horae Soc. ent. ross. 14: 176-482; 15: 159-435; 16: 65-135.
- 6313.** Staudinger, O., 1879, Ueber die Lepidopteren südöstlichen europäischen Russlands. Stettin ent. Ztg. 40: 315-328.
- 6314.** Staudinger, O., 1881, Beitrag zur Lepidopteren-Fauna Central-Asiens. Stettin ent. Ztg. 42(7/9): 253-275.
- 6315.** Staudinger, O., 1881, Beitrag zur Lepidopteren-Fauna Central-Asiens. Heterocera. Stettin ent. Ztg. 42(10/12): 393-424.
- 6316.** Staudinger, O., 1881, Rhopaloceren von Lepsa und dem Ala Tau. Stettin ent. Ztg. 42(7/9): 275-300.
- 6317.** Staudinger, O., 1882, Beitrag zur Lepidopteren-Fauna Central-Asiens. Heterocera. Stettin ent. Ztg. 43: 35-78.
- 6318.** Staudinger, O., 1886, Centralasiatische Lepidopteren. Stettin ent. Ztg. 47: 193-215, 225-256.
- 6319.** Staudinger, O., 1887, Einige neue Arten und Varietäten der Gattungen Sesia und Zygaena. Berl. ent. Z. 31(1): 29-42.
- 6320.** Staudinger, O., 1887, Centralasiatische Lepidopteren. Stettin ent. Ztg. 48: 49-102.
- 6321.** Staudinger, O., 1888, Centralasiatische Lepidopteren. Stettin ent. Ztg. 49: 1-65.
- 6322.** Staudinger, O., 1889, Lepidopteren der Insel Palawan. Dt. ent. Z., Iris 2: 3-180, 2 Taf.
- 6323.** Staudinger, O., 1889, Centralasiatische Lepidopteren. Stettin ent. Ztg. 50: 16-60.
- 6324.** Staudinger, O., 1889, Einige neue Cymothoe-Arten. Stettin ent. Ztg. 50: 412-422.
- 6325.** Staudinger, O., 1892, Neue Arten und Varietäten von palaarktischen Geometriden aus meiner Sammlung. Dt. ent. Z., Iris 5 (1): 141-260.
- 6326.** Staudinger, O., 1892, Zwei neue Charaxes-Arten. Dt. ent. Z., Iris 5 (1): 260-264.
- 6327.** Staudinger, O., 1892, Lepidopteren aus Tunis. Dt. ent. Z., Iris 5 (1): 277-300, Taf. III.
- 6328.** Staudinger, O., 1892, Lepidopteren des Kentei-Gebirges. Dt. ent. Z., Iris 5 (1): 300-393.
- 6329.** Staudinger, O., 1892, Die Macrolepidopteren des Amurgebietes. [in] Romanoff, Mém. lépid. 6: 83-658, Pls.
- 6330.** Staudinger, O., 1893, Beschreibung neuer palaarktischer Pyraliden. Dt. ent. Z., Iris 6: 71-82; ibid. 5: Taf. III.
- 6331.** Staudinger, O., 1894, Über Namens-Aenderungen. Dt. ent. Z., Iris 6: 368-369.
- 6332.** Staudinger, O., 1895, Neue Lepidopteren-Arten und Varietäten dem palaarktischen Faunengebiet. Dt. ent. Z., Iris 7: 241-296.
- 6333.** Staudinger, O., 1895, Über einige neuere und neue Tagfalter des indo-malayischen Faunengebietes. Dt. ent. Z., Iris 7: 341-358.
- 6334.** Staudinger, O., 1895, Berichtigungen. Dt. ent. Z., Iris 7: 376.
- 6335.** Staudinger, O., 1896, Beschreibung neuer Lepidopteren aus Tibet. Dt. ent. Z., Iris 8: 300-343.
- 6336.** Staudinger, O., 1896, Neue exotische Schmetterlinge. Dt. ent. Z., Iris 8: 366-379, 2 Pls.
- 6337.** Staudinger, O., 1897, Drei neue palaarktische Lepidopteren. Dt. ent. Z., Iris 10: 152-156, Taf. V.
- 6338.** Staudinger, O., 1897, Lepidopteren des Apfelgebirges. Dt. ent. Z., Iris 10: 320-344.
- 6339.** Staudinger, O., 1898, Vier neue Heteroceren aus Algerien und Tunesien. Dt. ent. Z., Iris 10: 265-270, Taf. IV.
- 6340.** Staudinger, O., 1898, Neue Lepidopteren aus Palestina. Dt. ent. Z., Iris 10: 271-319, Taf. IV.
- 6341.** Staudinger, O., 1900, Über Lepidopteren aus dem östlichen Thian Shan Gebiet. Dt. ent. Z., Iris 13: 331-351.
- 6342.** Staudinger, O., 1900, Zwei neue Palaearktische Heterocera. Dt. ent. Z., Iris 13: 112-114.
- 6343.** Staudinger, O., 1900, Neue Lepidopteren des palaearctischen Faunengebietes. Dt. ent. Z., Iris 12: 352-403.
- 6344.** Stchetkin, J.J. & J. Bohac, 1986, A study of the vertical distribution of diurnal moths in the Pamiro-Alai Region. Ziva 34(4): 146-149, figs.
- 6345.** Stchetkin, J.J., 1986, Turanana jurileonty sp.n., eine neue Blauling-Art aus Tadshikistan (Insecta, Lepidoptera, Lycaenidae). Senckenbergiana biol. 66(4/6): 251-254, figs.
- 6346.** Stchetkin, Y.L., 1979, Eine neue Pheosia aus Tadshikistan. Zool. Zh. 58(12): 1891-1893.
- 6347.** Stchetkin, Y.L., 1980, Eine neue Art und eine neue Gattung Zahnspinner (Lep., Notodontidae) aus Tadshikistan. Ent. Obozr. 59: 161-165.
- 6348.** Stchetkin, Y.Y. & L.V. Kaabak, 1985, A new subspecies of Parnassius charltonius Gray (Lepidoptera, Papilionidae) from eastern Pamir. Byulleten' Mosk. Obshch. Ispyt. Prir. (Otd. Biol.) 90(5): 41-44, figs.
- 6349.** Stchetkin, Y.Y., 1986, Exotic species new to the USSR territory, and new species of satyr butterflies (Lepidoptera, Satyridae) from the Pamirs. Byulleten' Mosk. Obshch. Ispyt. Prir. 91(3): 66-70, figs.
- 6350.** Stchetkin, Y.Y., 1986, New species of the blues (Lepidoptera, Lycaenidae) from Tajikistan. Zool. Zh. 65(7): 1092-1095, figs.
- 6351.** Stchetkin, Y.Y., 1986, Karanasa ansobica sp.n. (Lepidoptera, Satyridae) from Tajikistan. Zool. Zh. 65(5): 804-807, figs.
- 6352.** Stchetkin, Y.Y., 1988, A description of a new subspecies of Parnassius honrathi Stgr. (Lepidoptera, Papilionidae) from central Tajikistan. Ent. Obozr. 67(1): 160-161, figs.
- 6353.** Stearn, W.T., 1978, Botanical Latin. History, Grammar, Syntax, Terminology and Vocabulary (2nd ed.). xv+566pp. David & Charles Ltd. Newton Abbot. Devon.
- 6354.** Stefanelli, P., 1900, Nuovo catalogo illustrativo dei Lepidotteri Ropaloceri della Toscana. Bull. Soc. ent. ital. 32: 103pp.
- 6355.** Steiner, R. & G. Hermann, 1999, Freilandbeobachtungen zu Eiablageverhalten und -habitat des Wald-Wiesenvögelchens, Coenonympha hero (Linnaeus, 1761), und einer Flugstelle in Baden-Württemberg (Lepidoptera, Nymphalidae). Nachr. ent. Ver. Apollo (N.F.) 20 (2): 111-118, figs.
- 6356.** Steiniger, H., 1972, Wanderfalterbeobachtungen im Herbst 1970 und 1971 in Portugal. Atalanta 4(1): 43-56, 2 Abb.
- 6357.** Steiniger, H., 1984, Anmerkungen über den Beitrag zur Lepidopteren-Fauna des Großen Kaukasus von Alberti & Fritsch (1983) (Lep., Lycaenidae). Nota lepid. 7 (2): 98-100.
- 6358.** Stempffer, H., 1931, Contribution a l'étude de quelques especes du genre Lycaeides Hübner. Annls Soc. ent. Fr. 1931: 121-132, 3 Pls.

- 6359. Stempffer, H.,** 1948, Contribution a l'étude des Lycaenidae de la faune éthiopienne. *Revue fr. Ent.* 15: 185-196.
- 6360. Stempffer, H.,** 1967, The genera of the African Lycaenidae (Lepidoptera, Rhopalocera). *Bull. Br. Mus. (Nat. Hist.) Ent., Suppl.* 10: 1-322, figs.
- 6361. Stempffer, H.,** 1977, Lycaenidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 105: 102-103.
- 6362. Stengel, D.,** [1990], Drei neue Psychidae-Arten aus Griechenland und ein neuer Status für *Peloponnesia glaphyrella culminella* Sieder (Lepidoptera, Psychidae). *Atalanta* 20 (1989): 211-217, Abb.
- 6363. Stephens, J.F.,** 1827, [No title]. The retrospective *Rev. hist. Antiq. Mag.* (2) 1:230-245.
- 6364. Stephens, J.F.,** 1827-1835, Illustrations of British entomology; or, a synopsis of indigenous insects...Haustellata. 1 (1827-1828): 152pp., pls.1-12; 2 (1828-1829): 203pp., pls.13-24; 3 (1829-1831): 337pp., pls.25-32; 4 (1831-1835): 436pp., pls. 33-41. Baldwin & Cradock, London.
- 6365. Stephens, J.F.,** 1852, Catalogue of British Micro-Lepidoptera-II, [in] British Museum, List of the Specimens of British Animals in the Collection of the British Museum 12: 1-51. London.
- 6366. Stephens, J.F.,** 1852, Catalogue of British Micro-Lepidoptera-I. [in] British Museum, List of the Specimens of British Animals in the Collection of the British Museum 10: 1-103. London.
- 6367. Sterneck, J.,** 1929, *Prodromus der Schmetterlingsfauna Böhmens.* Karlsbad.
- 6368. Sterneck, J.,** 1932, Studien über Acidaliinae (Geometr.) I. *Z. öst. EntVer.* 17: 82-84.
- 6369. Sterneck, J.,** 1933, Studien über Acidaliinae (Geometr.) II. *Z. öst. EntVer.* 18: 63-68, Taf. xii.
- 6370. Steuer, H.,** 1973, Beitrage zur Kenntnis der Elachistiden (Lepidoptera) I. *Dt. ent. Z. (N.F.)* 20: 153-169.
- 6371. Stichel, H.,** Lepidoptera. [in] Wytsman, P., *Genera Insectorum Fasc. 59. Zerynthiinae.* Bruxelles.
- 6372. Stichel, H.,** 1904, Lepidoptera. [in] Wytsman, P., *Genera Insectorum Fasc. 20. Brassoliniinae.* Bruxelles.
- 6373. Stichel, H.,** 1905, Lepidoptera. [in] Wytsman, P., *Genera Insectorum Fasc. 31. Discophorinae.* Bruxelles.
- 6374. Stichel, H.,** 1907, Lepidoptera. [in] Wytsman, P., *Genera Insectorum Fasc. 58. Parnassiinae.* Bruxelles.
- 6375. Stichel, H.,** 1907, *Parnassius davidis alburnus* n.subspec. *Ent. Z., Stuttgart* 21: 132.
- 6376. Stichel, H.,** 1908, Die Lepidopteren-Gattung *Parnassius* Latreille mit besonderer Berücksichtigung der historischen, morphologischen und biologischen Verhältnisse. *Berl. ent. Z. (Sitzb. 1906)* 52: (15)-(26).
- 6377. Stichel, H.,** 1910-1911, Lepidoptera. [in] Wytsman, P., *Genera Insectorum Fasc. 112. Riodinidae.* Bruxelles.
- 6378. Stichel, H.,** 1911, Kritische Sichtung der Variationsstufen von *Pieris napi* L. im palaearktischen Gebiet (Lep., Rhop.). *Berl. ent. Z.* 55 (1910): 233-251.
- 6379. Stitz, H.,** 1899-1900, Der Genitalapparat der Microlepidopteren. *Zool. Jb. (Abt. Anat.)* 14: 135-176; 15: 385-434, taf.xx-xxiv.
- 6380. Stoll, C.,** 1780-[1782], [in] Cramer, P., *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America* 4 (part): 29-252 pp., 305-400 Pls. Amsterdam & Utrecht.
- 6381. Stoll, C.,** 1787-[1790] *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America* [supplement] viii+ [184] pp., 4 Pls. Amsterdam.
- 6382. Storage, L.,** 1947, *Papilio dardanus antinorii* Oberth. forma *vaccaroï nova*. *Annali Mus. civ. Stro. nat. Giacomo Doria* 63: 116-119, 1 Pl.
- 6383. Storage, L.,** 1948, Descrizione di nuove forme di Pieridae dell'Africa Orientale. *Annali Mus. civ. Stro. nat. Giacomo Doria* 63: 263-265.
- 6384. Storage, L.,** 1948, Descrizione di nuove forme Africane del Gen. *Charaxes* O. (Lepidoptera, Nymphalidae). *Annali Mus. civ. Stro. nat. Giacomo Doria* 63: 132-141.
- 6385. Storage, L.,** 1949, Lepidotteri diurni. *Annali Mus. civ. Stro. nat. Giacomo Doria* 64: 12-29.
- 6386. Storage, L.,** 1950, La sottospecie Abissina di *Euchrysops mauensis* Bethune-Baker (Lepidoptera, Lycaenidae). *Doriana* 1 (7): 2pp.
- 6387. Storage, L.,** 1952, Osseroazioni su *Papilio aethiops* R. & J. e *Papilio nireus pseudonireus* Felder, con descrizioni di nuove forme. *Annali Mus. civ. Stro. nat. Giacomo Doria* 66: 33-52.
- 6388. Storage, L.,** 1953, Appunti critici su alcuni Graphiini Africani. *Annali Mus. civ. Stro. nat. Giacomo Doria* 66: 252-264.
- 6389. Storage, L.,** 1953, Su alcune Lycaenidae Abissine del Museo di Genova (Lepidoptera). *Doriana* 1 (35): 4pp.
- 6390. Storage, L.,** 1953, Ropaloceri dell'Africa Orientale, III su alcune Pieridae dell'Africa Orientale de Museo di Genova. *Doriana* 1 (46): 7pp.
- 6391. Storage, L.,** 1954, Ropaloceri dell'Africa orientale- IV. sulla validità di *Anthene butleri* (Obth.) e sue razze (Lepidoptera, Lycaenidae). *Annali Mus. civ. Stro. nat. Giacomo Doria* 66: 313-323.
- 6392. Storage, L.,** 1955, Su alcune Papilionidae Africane, con descrizioni di nuove forme (Lepidoptera, Diurna). *Mem. Soc. ent. ital.* 33: 120-137.
- 6393. Storage, L.,** 1956, Ropaloceri dell'Africa orientale. VIII Su alcune Pieridae, con descrizioni di nuove forme. *Annali Mus. civ. Stro. nat. Giacomo Doria* 68: 335-350.
- 6394. Storage, L.,** 1962, L'Eserge antinorii Oberthür di *Papilio dardanus* Brown. *Boll. Soc. ent. ital.* 92: 68-73.
- 6395. Storage, L.,** 1962, Ropaloceri dell'Africa orientale IX. Le popolazioni nord-orientali di *Papilio dardanus antinorii* Oberthür. *Doriana* 3(120): 4pp.
- 6396. Storage, L.,** 1963, Note sul *Papilio dardanus antinorii* Oberthür, con descrizione di 8 Homotipi e d'una aberrazione Femminile inedita. *Boll. Soc. ent. ital.* 93: 21-30.
- 6397. Strand, E.,** 1901, Beitrag zur Schmetterlingsfauna Norwegens I. *Nyt. Mag. Naturvid.* 39:
- 6398. Strand, E.,** 1902, Beitrag zur Schmetterlingsfauna Norwegens II. *Nyt. Mag. Naturvid.* 40: 135-192.
- 6399. Strand, E.,** 1909, Lepidoptera von Eregli und Taurus in Kleinasien, gesammelt von Herrn J.Niedieck. *Int. ent. Z.* 3: 78-81.
- 6400. Strand, E.,** 1909, Lepidoptera aus Deutsch Ost-Afrika, gesammelt von Herrn Dr.C.Uhlig. *Int. ent. Z.* 3: 128-129.
- 6401. Strand, E.,** 1909, Zwei neue afrikanische Hesperiden. *Int. ent. Z.* 3: 176-177.
- 6402. Strand, E.,** 1909, Zum Vorkommen der Gattung *Thaumetopoea* Hb. in Afrika: *Thaumetopoea apologetica* Strand n.sp. *Int. ent. Z.* 3: 196-197.
- 6403. Strand, E.,** 1910, Familie: Lymantriidae, [in] Seitz, A., *Die Gross-Schmett. Erde* 2: 109-141, pls., Stuttgart.
- 6404. Strand, E.,** 1911, Familie: Thaumetopoeidae, [in] Seitz, A., *Die Gross-Schmett. Erde* 2: 143-145, pls., Stuttgart.
- 6405. Strand, E.,** 1911, Neue Grossschmetterlinge aus Abyssinien, gesammelt von Herrn A.Kostlan. *Ent. Rdsch.* 28(18): 137-141.
- 6406. Strand, E.,** 1911, Zwei neue afrikanische Heterocera der Gattungen *Phasicnecus* und *Thaumetopoea*. *Int. ent. Z.* 5(3): 17.
- 6407. Strand, E.,** 1911, Eine neue afrikanische Psychide. *Int. ent. Z.* 5(3): 17-18.
- 6408. Strand, E.,** 1912, Noctuidae: Agaristinae. [in] Aurivillius, C. & H.Wagner, *Lepidopterorum Catalogus Pars 5.* 82pp. Dr.W.Junk Berlin.
- 6409. Strand, E.,** 1914, Lepidoptera aus Ober-Aegypten und dem aegyptischen Sudan. *Arch. Naturg.* 1914 (A10): 95-112.
- 6410. Strand, E.,** 1914, H.Sauter's Formosa Ausbeute: Lymantriidae (Lep.) II. *Ent. Mitt.* 3 (11/12): 328-338.
- 6411. Strand, E.,** 1919, H.Sauter's Formosa Ausbeute: Pyralididae, Subfam. Sterictinae, Endotrichinae, Pyralidinae und Hydrocampinae (Lep.). *Ent. Mitt.* 8 (1/3): 49-62, 102-110, 129-135.
- 6412. Strand, E.,** 1922, Arctiidae: Subfam. Lithosiinae, [in] Wagner, F., *Lepidopterorum Catalogus Pars 26.* 501-899S. W.Junk, Berlin.
- 6413. Streltsov, A.N. & V.V.Dubatolov,** 1997, A new subspecies of *Syrichthus cribrellum* (Eversmann, 1841) from the

- Amur Province (Lepidoptera, Hesperidae). *Atalanta* 28 (1/2): 125-128, 4 figs.
- 6414. Stringer, H.,** 1929, Two new species of Tortricina (Lepidoptera). *Ann. Mag. nat. Hist.* 10 (3): 26-28.
- 6415. Ströhle, M.,** 1996, *Paranthrene insolita* Le Cerf, 1914 auch im Regensburger Jura, Oberpfalz, Bayern (Lepidoptera, Sesiidae). *Atalanta* 27 (1/2): 343-344.
- 6416. Stshetkin, Y. Y.,** 1984, Two new subspecies of *Pseudotheca cyri*. *Zool. Zh.* 63(9): 1430-1432.
- 6417. Stshetkin, Y. Y.,** 1985, A New species of *Satyrus* Latr., from Tajikistan (Lepidoptera, Satyridae). *Ent. Obozr.* 1985(3): 584-587, 3 figs.
- 6418. Stünig, D. & A. Hausmann,** 2002, *Abraxas* (*Calospilos*) *breueri* spec. nov., eine neue Geometridenart von den Philippinen. *Spixiana* 25 (2): 157-161, 4 figs.
- 6419. Stünig, D. & A. Hausmann,** 2002, *Inouea* gen. nov., a new genus from Philippines, with the type species *I. cyclobalia* (West, 1929) and two new species (Insecta, Lepidoptera, Geometridae, Ennominae). *Spixiana* 25 (2): 163-171, 17 figs.
- 6420. Stünig, D. & S. Wägenar,** 1989, Eine neue Unterart von *Archon apollinus* (Herbst, 1798) aus der europäischen Türkei (Lepidoptera, Papilionidae). *Nachr. ent. Ver. Apollo* (N.F.) 10(2): 133-142, 2 Taf.
- 6421. Stünig, D.,** 1994, On the identity of *Ourapteryx ebulata* Guenee, 1857, *O. multistrigaria* Walker, 1866, and *O. caschmirensis* Bastelberger, 1911, with description of two new species (Lepidoptera, Geometridae, Ennominae). *Nachr. ent. Ver. Apollo* (N.F.) 15 (1/2): 109-134, 37 figs.
- 6422. Stünig, D.,** 2000, Additional notes on the Ennominae of Nepal, with descriptions of eight new species (Geometridae). [in] Haruta, T., *Moths of Nepal* 6: 94-152, figs.
- 6423. Suffert, E.,** 1900, Eine neue Aberration des *Danaus dorippus* Klug. aus Deutsch-Ostafrika. *Berl. ent. Z.* 45 (1900): 115-116.
- 6424. Sugi, S.,** 1961, On the Japanese species of the genus *Calpe* Treit. (Lepidoptera, Noctuidae). *Kontyu* 29: 94-105.
- 6425. Sugi, S.,** 1987, The Thailand Notodontidae 1. *Tinea* 12 (Suppl.): 303-307.
- 6426. Sugisawa, S.,** 1991, *Parnassius epaphus*. Notes on a new subspecies of *Parnassius epaphus* Oberthür from Qinghai, China. *Gekkan-Mushi*, Tokyo 247: 1-2, 8-10.
- 6427. Sukhareva, I. L.,** 1976, New species of the noctuid moths (Lepidoptera, Noctuidae) from the Asiatic part of the USSR. *Proc. zool. Inst. USSR* 64: 58-67, 10 figs.
- 6428. Sulcs, A. & J. Viidalepp,** 1974, Verbreitung der Grossschmetterlinge im Baltikum. *Dt. ent. Z.* 21: 353-403.
- 6429. Suschkin, P. P.,** 1906, Über eine neue *Argynnis*-Form aus Tarbagatai. *Russk. ent. Obozr.* 6: 5-7.
- 6430. Suschkin, P. P.,** 1909, *Lycaena cyane tarbagata* n. subsp. *Ent. Rdsch.* 26: 59.
- 6431. Suschkin, P. P. & S. S. Tschetverikov,** 1907, Die Lepidopteren des Kreises Minussinsk, des westlichen Sajan und der westlichen Urjanchai-Steppe. *Horae Soc. ent. ross.* 38: 3-31.
- 6432. Sushkin, P.,** 1906, Über eine neue *Argynnis*-Form aus Tarbagatai. *Russk. ent. Obozr.* 6: 5-7.
- 6433. Sushkin, P.,** 1909, *Lycaena cyane tarbagata*, n. subsp. *Ent. Rdsch.* 26: 59.
- 6434. Sushkin, P.,** 1913, Zur anatomischen Begründung einiger paläarktischen Arten der Gattung *Melitaea* F. *Z. Wiss. Insektenbiol.* 9: 169-175, 285-289, 321-325, figs.
- 6435. Sutter, R. & J. Liska,** 2002, *Oegoconia uralskella corsa* ssp. n. (Insecta, Lepidoptera, Autostichidae). *Ent. Abh.* 60: 73-78.
- 6436. Sutter, R. & T. Karisch,** 2004, *Aethes eberti* n. sp. aus dem Iran (Lep., Tortricidae). *Ent. Nachr. Ber.* 48: 213-214, figs.
- 6437. Sutter, R.,** 1991, Beiträge zur Insektenfauna der DDR: Lepidoptera-Pterophoridae. *Beitr. Ent.* 41: 27-121, Abb.
- 6438. Sutter, R.,** 1994, Beiträge zur Insektenfauna Ostdeutschlands: Lepidoptera-Scythrididae. *Beitr. Ent.* 44(2): 261-318, 196 figs., 1 Diagr.
- 6439. Sutter, R.,** 1997, Beiträge zur Insektenfauna Ostdeutschlands: Lepidoptera-Ochsenheimeriidae. *Beitr. Ent.* 47 (1): 3-12, 27 figs.
- 6440. Sutter, R.,** 2003, Die Arten der Gattung *Oegoconia* Stainton, 1854 in Deutschland und ihre Verbreitung in Ostdeutschland. *Beitr. Ent.* 53 (2): 437-447, figs.
- 6441. Sutton, S. L.,** 1963, South Caspian Insect Fauna 1961. *Ann. Mag. nat. Hist.* (13) 6: 353-374, 8 figs., pl. xiv.
- 6442. Suwarnasak, K.,** 2005, Handbook of Butterflies (3rd. edn.). 224 pp., figs. Bangkok.
- 6443. Svendsen, P. & M. Fibiger,** 1998, New endemic taxa from Crete: *Cryphia omalosi*, sp. n. and *Chersotis larixia idai* subsp. n. (Noctuidae, Bryophilinae, Noctuinae). *Esperiana* 6: 469-471, figs.
- 6444. Svensson, I., et al.,** 1987, Catalogue Lepidopterorum Suecicae. Stockholm.
- 6445. Sviridov, A. V., Speidel, W. & K. Reshöft,** 1996, Eine neue Catocala-Art aus Afghanistan (Lepidoptera, Noctuidae). *Nachr. ent. Ver. Apollo* (N.F.) 17 (2): 191-199, 2 Abb.
- 6446. Swainson, W.,** 1820-1821, Zoological Illustrations, or original figures and descriptions of new, rare or interesting animals selected chiefly from the Classes of Ornithology, Entomology and Conchology, and arranged on the principles of Cuvier... vol. 1, London.
- 6447. Swainson, W.,** 1827, A sketch of natural affinities of the Lepidoptera Diurna of Latreille. *Phil. Mag. (n.s.)* 1(1): 180-188.
- 6448. Swanepoel, D. A.,** 1949, A new species of *Cupido* (Lycaenidae) from Zoutspansberg. *J. ent. Soc. Sth. Afr.* 12: 123-125, figs.
- 6449. Swinhoe, C.,** 1884, On Lepidoptera collected at Kurrahee. *Proc. zool. Soc. Lond.* 54: 503-529, 2 Pls.
- 6450. Swinhoe, C.,** 1885, List of Lepidoptera collected in southern Afghanistan. *Trans. ent. Soc. London* 1885: 337-355.
- 6451. Swinhoe, C.,** 1885, On the Lepidoptera of Bombay and the Deccan. Part I. Rhopalocera. *Proc. zool. Soc. Lond.* 1885: 124-148, pl. ix.
- 6452. Swinhoe, C.,** 1885, On the Lepidoptera of Bombay and the Deccan. Part II. Heterocera. *Proc. zool. Soc. Lond.* 1885: 287-307, pls. xx, xxi.
- 6453. Swinhoe, C.,** 1885, On the Lepidoptera of Bombay and the Deccan. Part III. Heterocera (continued). *Proc. zool. Soc. Lond.* 1885: 447-476, pls. xxvii, xxviii.
- 6454. Swinhoe, C.,** 1885, On the Lepidoptera of Bombay and the Deccan. Part IV. Heterocera (continued). *Proc. zool. Soc. Lond.* 1885: 852-886, pls. lvi, lvii.
- 6455. Swinhoe, C.,** 1886, On the Lepidoptera of Mhow, in Central India. *Proc. zool. Soc. Lond.* 1886: 421-465, pls. xl, xli.
- 6456. Swinhoe, C.,** 1887, On the Lepidoptera of Karachi and its neighbourhood. *J. Bomb. nat. Hist. Soc.* 2: 269-280.
- 6457. Swinhoe, C.,** 1889, On new Indian Lepidoptera, chiefly Heterocera. *Proc. zool. Soc. Lond.* 1889: 396-432, pls. xliii, xlv.
- 6458. Swinhoe, C.,** 1891, New species of Heterocera from the Khasia Hills Part I. *Trans. ent. Soc. Lond.* 1891 (4): 473-495, pl. xix.
- 6459. Swinhoe, C.,** 1891, New species of moths from Southern India. *Trans. ent. Soc. Lond.* 1891 (1): 133-154, pl. viii.
- 6460. Swinhoe, C.,** 1892, Catalogue of eastern and Australian Lepidoptera Heterocera in the collection of Oxford University Museum 1: 1-35.
- 6461. Swinhoe, C.,** 1893, A list of the Lepidoptera of the Khasi Hills. *Trans. ent. Soc. London* 1893 (3): 267-330.
- 6462. Swinhoe, C.,** 1897, New Eastern Heterocera. *Ann. Mag. nat. Hist.* (6) 19: 164-170.
- 6463. Swinhoe, C.,** 1897, New Eastern Lepidoptera. *Ann. Mag. nat. Hist.* (6) 19: 407-410.
- 6464. Swinhoe, C.,** 1899, New species of Oriental Lepidoptera. *Ann. Mag. nat. Hist.* 7 (3): 102-116.
- 6465. Swinhoe, C.,** 1903, A revision of the Old World Lymantriidae in the National Collection. *Trans. ent. Soc. London* 1903: 375-498.
- 6466. Swinhoe, C.,** 1904, New Species of Eastern, Australian and African Heterocera in the National Collection. *Trans. ent. Soc. London* 1904 (1): 139-158.
- 6467. Swinhoe, C.,** 1905, On new and little-known species of Eastern and Australian Lepidoptera. *Ann. Mag. nat. Hist.* (7) 16: 612-629.

- 6468. Swinhoe, C.,** 1906, New and little-known species of Heterocera from the East. *Ann. Mag. nat. Hist.* (7) 17: 379-383.
- 6469. Swinhoe, C.,** 1908, On the species of Hesperidae from the Indo-Malayan and African Regions, described by Herr Plötz, with descriptions of some new species. *Trans. ent. Soc. London* 1908 (1): 1-36, 3 Pls.
- 6470. Swinhoe, C.,** 1916, New Indo-Malayan Lepidoptera. *Ann. Mag. nat. Hist.* (8) 18: 209-221.
- 6471. Swinhoe, C.,** 1918, New species of Indo-Malayan Heterocera, and descriptions of genitalia, with reference to the geographical distribution of species resembling each other. *Ann. Mag. nat. Hist.* (9) 2: 65-95, Pl. vii-xi.
- 6472. Swinhoe, C.,** 1919, New Lycaenids Hesperids and two new species of the Noctuid family Acontiidae. *Ann. Mag. nat. Hist.* (9) 3: 314-319.
- 6473. Swinhoe, C.,** 1919, Indo-Malayan and Australian Noctuidae. *Ann. Mag. nat. Hist.* (9) 4: 118-127.
- 6474. Swinhoe, C.,** 1919, On the geographical distribution of the genus *Cosmophila*, a Noctuid of the family *Gonopteridae*. *Ann. Mag. nat. Hist.* (9) 3: 309-314, 2 Pls.
- 6475. Swinhoe, C.,** 1922-1923, A revision of the genera of the family *Liparidae*. *Ann. Mag. nat. Hist.* (9) 10: 449-484; (9) 11: 289-304, 400-442.
- 6476. Swinton, A. H.,** 1898, Butterflies seen in and around Jerusalem. *Entomologist's mon. Mag.* 34: 118-184.
- 6477. Szaboky, C.,** 2003, New data to the Microlepidoptera fauna of Hungary VI (Lepidoptera, Tortricidae, Gelechiidae). *Folia ent. hung.* 64: 356-357, 2 figs.
- 6478. Szent-Ivany, J.,** 1940, Zoologische Ergebnisse der Forschungsreise N. Vasvari's in Kleinasien, III. Lepidoptera. *Sitzung III. Klasse Ungar. Akad. Wiss.* 1940: 356-359.
- 6479. Takanami, Y. & A. Ballantine,** 1987, A new species of genus *Arhopala* from Luzon Island (Lepidoptera, Lycaenidae). *Tyo to Ga* 38(1): 1-3, 5 figs.
- 6480. Takanami, Y. & Y. Seki,** 1990, Notes on Lycaenidae from Borneo and Sumatra with description of a new species of genus *Allotinus* (Lepidoptera). *Futao* 5: 1-7, 1 Pl.
- 6481. Takanami, Y.,** 1984, Descriptions of four new subspecies of Lycaenidae from the Philippine. *Acta Rhopalocerologica* 6/7: 51-59, Pls.
- 6482. Takanami, Y.,** 1985, A new species of genus *Arhopala* and some other species from the Philippines (Lepidoptera, Lycaenidae). *Cho Cho* 8(8): 14-20, 8 figs.
- 6483. Takanami, Y.,** 1986, New records of *Una usta* (Distant) and *Loxura atymnus* (Stoll) from Sulawesi (Lepidoptera, Lycaenidae). *Gekkan-Mushi* 189: 23-25, 12 figs.
- 6484. Takanami, Y.,** 1986, Designation of Lectotype of *Deudorix diopites* Hewitson from the Philippines, with new status of *Rapala alcetas* (Staudinger) (Lepidoptera, Lycaenidae). *Tyo to Ga* 36(4): 185-189.
- 6485. Takanami, Y.,** 1987, A list of Lycaenidae (Lepidoptera) from Kepulauan Talaud in Indonesia. *Gekkan-Mushi* 191: 27-31, 13 figs.
- 6486. Takanami, Y.,** 1988, A list of Lycaenidae (Lepidoptera) captured by Mr. Syun-Ichi Kawamura in Sulu Archipelago, the Philippines. *Gekkan-Mushi* 208: 17-21, 17 figs.
- 6487. Takanami, Y.,** 1988, A new species and a new subspecies of Lycaenidae (Lepidoptera) from the Philippines. *xxxxxx* 23(4): 38-40, 5 figs.
- 6488. Takanami, Y.,** 1989, [A list of Lycaenidae from Sumbawa in the Lesser Sunda Islands, captured by Mr. K. Maruyama]. *xxxxxx* 24(3): 36-40, 18 figs.
- 6489. Takanami, Y.,** 1990, Miscellaneous notes on Lycaenidae (Lepidoptera) from South-east Asia (I). *Tyo to Ga* 41(2): 67-78, 25 figs.
- 6490. Takanami, Y.,** 1992, Notes on some species of the genus *Rapala* (Lepidoptera, Lycaenidae) from Sulawesi, with the description of a new species. *Tyo to Ga* 43(3): 193-202, 26 figs.
- 6491. Takanami, Y.,** 1992, A new species of genus *Rapala* (Lepidoptera, Lycaenidae) from Sumba, Indonesia. *Tyo to Ga* 43(2): 147-148, 3 figs.
- 6492. Takanami, Y.,** 1992, A new subspecies of *Jamides abdul* (Distant) (Lepidoptera, Lycaenidae) from Simeulue Island, Indonesia. *Tyo to Ga* 43(1): 83-85, 4 figs.
- 6493. Takanami, Y.,** 1992, On some type specimens of *Nacaduba* and *Prosotas* (Lepidoptera, Lycaenidae) preserved in Staatliches Museum für Tierkunde, Dresden. *Tyo to Ga* 43(1): 47-52, 11 figs.
- 6494. Takanami, Y.,** 1992, An additional catalogue on the type specimens of Lycaenidae (Lepidoptera) from South East Asia, preserved in Museum für Naturkunde der Humboldt-Universität zu Berlin. *Tyo to Ga* 43(1): 35-46, 25 figs.
- 6495. Takanami, Y.,** 1994, A new species of genus *Sinthusia* (Lepidoptera, Lycaenidae) from Sumatra. *Tyo to Ga* 45(1): 17-20, 5 figs.
- 6496. Takanami, Y.,** 1994, Three new species of Lycaenidae (Lepidoptera) from Sulawesi. *Tyo to Ga* 45(1): 5-10, 11 figs.
- 6497. Talbot, G.,** 1926, On some families of Heterocera collected in Sarawak. *J. Sarawak Mus.* 3: 129-146, 1 Pl.
- 6498. Talbot, G.,** 1928-1937, A Monograph of the Pierine Genus *Delias*. 656 pp. 71 Pls. London.
- 6499. Talbot, G.,** 1932, Lepidoptera from British Somaliland collected by C. L. Collenette. *Bull. Hill Mus., Witley* 4: 182-188.
- 6500. Talbot, G.,** 1935, New Species and Forms of African Lycaenidae (Lep., Rhopalocera). *Entomologist's mon. Mag.* 71: 69-78, 115-127, 147-153, 3 Pls.
- 6501. Talbot, G.,** 1936, Notes upon some butterflies from Siam, with descriptions of new races and form. *Entomologist* 69: 56-60.
- 6502. Talbot, G.,** 1939, Revisional notes on the genus *Colotis* Hübn. (Lepid., Pieridae) with a systematic list. *Trans. R. ent. Soc. Lond.* 88: 173-233.
- 6503. Talbot, G.,** 1939, Butterflies, [in] Sewell, R. B. S., The Fauna of British India including Ceylon and Burma. Volume 1. xxix + 600 pp., 3 Pls. Taylor and Francis, London.
- 6504. Talbot, G.,** 1940, Revisional notes on the genus *Amauris* Hübner (Lepidoptera). *Trans. R. ent. Soc. Lond.* 90 (10): 319-336.
- 6505. Talbot, G.,** 1941, Revisional notes on the genus *Idea* Fabr. (Lep., Rhop. Danaidae). *Trans. R. ent. Soc. Lond.* 91 (4): 105-117.
- 6506. Talbot, G.,** 1943, Revisional notes on *Anaphaeis* Hübn. and *Belenois* Hübn., with descriptions of some new forms (Lep., Rhop., Pieridae). *Ann. Mag. nat. Hist.* (11) 10: 305-336.
- 6507. Talbot, G.,** 1943, On some types of Pieridae described by Boisduval. *Ann. Mag. nat. Hist.* (11) 10: 136-139.
- 6508. Talbot, G.,** 1943, The species of the cocytus group of the genus *Euthalia* Hbn. *Entomologist* 76: 7-10.
- 6509. Talbot, G.,** 1944, A preliminary revision of the genus *Mylothris* Hübn. (1819) (Lep., Rhop. Pieridae). *Trans. R. ent. Soc. Lond.* 94 (2): 155-185, Tab. 1, Pl. 1.
- 6510. Tams, W. H. T. & J. Bowden,** 1953, A revision of the African species of *Sesamia* Guenée and related genera (Agrotidae, Lepidoptera). *Bull. ent. Res.* 43: 645-678, 6 Pls.
- 6511. Tams, W. H. T.,** 1924, List of the moth collected in Siam by E. J. Godfrey B. S. C., F. E. S. *J. Nat. Hist. Soc. Siam* 6 (3): 229-289, pl. 17.
- 6512. Tams, W. H. T.,** 1925, African Lasiocampidae: Notes and new species. *Ann. Mag. nat. Hist.* (9) 16: 552-561.
- 6513. Tams, W. H. T.,** 1925, List of the moths collected in Arabia by Captain R. E. Cheseman, with descriptions of four new species. *Ann. Mag. nat. Hist.* 9 (15): 144-152, 1 Pl.
- 6514. Tams, W. H. T.,** 1926, A New species of *Lycophotia* (Noctuidae, Agrotinae) from Cyprus. *Entomologist's Rec. J. Var.* 38: 129-130, 1 Pl.
- 6515. Tams, W. H. T.,** 1927, The elucidation of a muddle in the genus *Fentonina* (Notodontidae). *Entomologist* 60: 52-53.
- 6516. Tams, W. H. T.,** 1928, New Species of Lepidoptera Heterocera in the Collections of the British Museum (Natural History). *Ann. Mag. nat. Hist.* (10) 1: 624-633.
- 6517. Tams, W. H. T.,** 1929, A new species of the African genus *Mallocampa* (Lasiocampidae). *Ann. Mag. nat. Hist.* (10) 3: 211-212, figs.
- 6518. Tams, W. H. T.,** 1929, New African Lasiocampidae. *Ann. Mag. nat. Hist.* (10) 3: 145-162.

- 6519. Tams, W.H.T.,** 1931, African Lasiocampidae: a correction, and the description of a new species of *Pachypasa*. *Ann. Mag. nat. Hist.* (10) 8: 36-37, Pl.I.
- 6520. Tams, W.H.T.,** 1935, Heterocera (Exclusive of Geometridae and the Microlepidoptera) [in] *Insects of Samoa and Other Samoan Terrestrial Arthropoda. Part III, Fasc.4.* British Museum (Natural History), London.
- 6521. Tams, W.H.T.,** 1938, Three new moths (Agrotidae, Pyralidae) of economic importance. *Bull. ent. Res.* 29 (1): 9-10, 1 Pl.
- 6522. Tarmann, G.,** 1977, Neue Funde von *Procris* (Lucasiterna) *horni* Alberti, 1937 (Lepidoptera, Zygaenidae). *Mitt. münch. ent. Ges.* 67: 91-94, 5 Abb.
- 6523. Tarrier, M. & R. Leestmans,** 1993, La répartition, l'habitat, la biocénose et l'écologie d'*Euchloe falloui* Allard (1867) Une nouvelle station au sud du Maroc (Lepidoptera, Pieridae). *Linneana Belgica* 14 (2): 63-72, 2 figs.
- 6524. Tarrier, M. & R. Leestmans,** 1994, *Euchloe falloui* Allard (1867) au Maroc (Lepidoptera, Pieridae) (seconde note). *Linneana Belgica* 14 (5): 257-268, figs.
- 6525. Tarrier, M.,** 1993, La Sierra de La Sagra: un écosystème-moèle du refuge méditerranéen (Lepidoptera, Rhopalocera et Zygaenidae). *Alexanor* 18 (1): 13-42.
- 6526. Tarrier, M.,** 1993, Catalogue commenté des Rhopalocères Papilionoidea et des Zygènes de la Province de Granade (Espagne). *Lambillionea* 2(2): 228-245.
- 6527. Tarrier, M.,** 1993, Catalogue des Lépidoptères de la sierra de Javalambre (Teruel, Espagne) I. La vallée de Camarena (Lepidoptera, Papilionoidea et Zygaenidae). *Alexanor* 18(5): 259-264.
- 6528. Tarrier, M.,** 1993, Nouvelles observations de *Chazara priouri* Pierret (1837) au Maroc (Lepidoptera, Nymphalidae, Satyridae). *Linneana Belg.* 14 (4): 217-226, figs.
- 6529. Tarrier, M.,** 1994, Notes ibériques (Lepidoptera, Papilionoidea et Zygaenidae). *Alexanor* 18(5): 259-264.
- 6530. Tarrier, M.,** 1995, Etat de conservation des populations ibériques repérées de *Parnassius apollo* L. (relevés 1985-1990) (Lepidoptera, Papilionidae). *Alexanor* 18(8): 451-463.
- 6531. Tarrier, M.,** 1996, Nouveaux taxa des Atlas marocains (Lepidoptera, Rhopalocera). *Alexanor* 19(4): 195-213, figs.
- 6532. Tarrier, M.,** 1996, Protection des habitats Feu la sierra d'Alfacar (?1834-1993) Une réserve naturelle tristement récréative. *Alexanor* 19(4): 252-256.
- 6533. Tarrier, M.,** 1998, *Cacyreus marshalli* Butler, 1898, espèce nouvelle pour la France, le Portugal et le Maroc (Lepidoptera, Lycaenidae). *Alexanor* 20 (3): 143-144.
- 6534. Tarrier, M.,** 2000, Cartographie des Rhopalocères Papilionoidea du Maroc. *Linneana Belg.* 17 (6): 255-264; 17 (7): 301-304, figs., maps.
- 6535. Tarrier, M., Arahou, M. & R. Leestmans,** 1994, Découverte de *Zerynthia rumina* (Linné, 1758) dans l'Anti-Atlas subsaharien marocain et contribution à une meilleure connaissance de l'espèce en Afrique du Nord (Lepidoptera, Papilionidae). *Linneana Belgica* 14 (8): 427-438, 2 Pls., figs.
- 6536. Tarrier, M.R.,** 1998, Une nouvelle localisation de *Plebejus* (Maurus) *vogelii* Oberthür, 1920 dans le Haut Atlas (Maroc) (Lepidoptera, Lycaenidae). *Linneana Belgica* 16 (8): 338-339, 2 figs.
- 6537. Tarrier, M.R.,** 2000, *Danaus plexippus* L. au Maroc (Lepidoptera, Nymphalidae Danainae). *Alexanor* 21 (1): 61-62.
- 6538. Tauber, A.F.,** 1970, Glaziale Reliktformen der Gattung *Maniola* (Lep. Satyridae) in Vorderasien. *Z. ArbGem. öst. Ent.* 22(4): 101-119, 13 Abb.
- 6539. Tax, M.H.,** 1989, Atlas van de Nederlandse dagvlinders. *Vlinderstichting/ Wageningen.*
- 6540. Ten Hagen, W. & W. Eckweiler,** 2000, Zur Taxonomie von *Lycaena* (Thersamonia) *lampon* (Lederer, 1870) und *L. (T.) lamponides* (Staudinger, 1901) stat. nov. (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 21 (2): 49-54, 19 Abb.
- 6541. Tengström, J.M.J. von,** 1848, Bidrag till Finnlands Fjäril-Fauna. *Notis. Sällsk. Faun. Fl. fenn. Förh.* 1: 69-164.
- 6542. Tengström, J.M.J. von,** 1859, Geometridae, Crambidae et Pyralidae Faunae Fenninae. *Notis. Sällsk. Faun. Fl. fenn. Förh.* 4: 145-154.
- 6543. Tengström, J.M.J. von,** 1859, Anmärkningar och Tilläg till Finnlands Småfjäril-Fauna. *Notis. Sällsk. Faun. Fl. fenn. Förh.* 4: 155-226.
- 6544. Tennent, W.J.,** 1985, Some records of spring butterflies in Cyprus in 1984. *Entomologist's Gaz.* 36: 105-109.
- 6545. Tennent, W.J.,** 1988, Some observations on the Brown and Blue forms of female *Lysandra punctifera* Oberthür and *Agrodiaetus amanda* abdelaziz Blachier (Lepidoptera, Lycaenidae). *Entomologist's Gaz.* 39: 13-14.
- 6546. Tennent, W.J.,** 1991, Notes on some Borneo hawk moths (Lepidoptera, Sphingidae) including *Eupanacra hollowayi* sp.n. and *Macroglossum amoenum* Rothschild & Jordan new to Borneo. *Entomologist's Rec. J. Var.* 103: 223-235.
- 6547. Tennent, W.J.,** 1992, The hawk moths (Lepidoptera, Sphingidae) of Hong-Kong and Southeast China. *Entomologist's Rec. J. Var.* 104: 88-112, pl. 1-5.
- 6548. Tennent, W.J.,** 1993, Notes on some Moroccan butterflies in late summer 1991. *Entomologist's Gaz.* 44(1): 21-29.
- 6549. Tennent, W.J.,** 1993, An illustrated note on the genus *Lasiommata* Westwood, 1841 (Lepidoptera, Satyridae) in North Africa. *Entomologist's Gaz.* 44(4): 265-270.
- 6550. Tennent, W.J.,** 1993, Selected notes on some Algerian and Moroccan butterflies in 1992 including *Coenonympha austauti* Oberthür, 1881, new to Morocco. *Entomologist's Gaz.* 44: 257-262.
- 6551. Tennent, W.J.,** 1994, Previously unrecorded hostplants of three endemic North African Lycaenid butterflies (Lepidoptera, Lycaenidae). *Linneana Belgica* 14(8): 421-426, 4 figs.
- 6552. Tennent, W.J.,** 1994, The *Berberia abdelkader* (Pierret, 1837) enigma: a review of named forms; comments; a solution offered (Satyridae). *Nota lepid.* 16(3/4): 295-320.
- 6553. Tennent, W.J.,** 1995, A new subspecies of *Plebejus martini* Allard, 1867 (Lepidoptera, Lycaenidae) from the Rif Mountains of Morocco. *Entomologist's Gaz.* 46(2): 121-124.
- 6554. Tennent, W.J.,** 1995, Field observations of the "hilltopping" phenomenon in north-west Africa and an introduction to "ravining" (Lepidoptera, Rhopalocera). *Entomologist's Rec. J. Var.* 106: 57-68.
- 6555. Tennent, W.J.,** 1995, *Danaus chrysippus* Linnaeus, 1758: a review of records and present status in the Maghreb countries of Morocco, Algeria and Tunisia (Danainae). *Nota lepid.* 17 (3/4): 201-216.
- 6556. Tennent, W.J.,** 1995, Further notes on *Berberia* de Lesse species in North Africa and confirmation that *B. abdelkader* Pierret, 1837 and *B. lambessanus* Staudinger, 1901 are significantly distinct (Satyridae). *Nota lepid.* 17 (3/4): 217-219.
- 6557. Tennent, W.J.,** 1996, The Tunisian Rhopalocera (Lepidoptera) of Alexandre Chnéour (1884-1977). *Entomologist's Gaz.* 47(3): 157-168.
- 6558. Tennent, W.J.,** 1999, Two new *Arhopala* Boisduval taxa from the Solomon Islands, and resolution of the status of *A. tindali* Ribbe and *A. styx* Evans (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 20 (2): 195-206, figs.
- 6559. Tennent, W.J.,** 1999, Notes on some Solomon Islands *Papilio* Linnaeus, with descriptions of four new subspecies (Lepidoptera, Papilionidae). *Nachr. ent. Ver. Apollo* (N.F.) 20 (2): 207-230, figs.
- 6560. Teobaldelli, A.,** 1976, I Macrolepidotteri del Maceratese e dei Monti Sibillini (Appennino Umbro-Marchigiano). *Note Appunti sperimentali Ent. Agr.* 16: 81-346, 1 carte, 40 figs. 10 Pls., Perugia.
- 6561. Teobaldelli, A.,** 1978, Macrolepidotteri della Riserva Naturale di Torricchio. *La Riserva Naturale di Torricchio* 3: 1-181.
- 6562. Teobaldelli, A.,** 1979, Lépidoptères capturés en Val d'Aoste. *Alexanor* 11(3): 98-104.
- 6563. Terzani, F.,** 1982, *Coenonympha elbana* Staudinger. *Boll. Soc. ent. ital.* 114 (4/7): 117.
- 6564. Thapanya, D.,** 2004, Biodiversity of riparian Insects and their conversation in montane Chiang Mai Thailand. xxvi+178 pp. Doctoral Thesis, Chiang Mai University, [unpublished].
- 6565. The International Commission on Zoological Nomenclature,** 1985, International Code of Zoological

- Nomenclature (3rd edn). Adopted by the XX. General Assembly of the International Union of Biological Sciences. London.
- 6566. Theobaldelli, A.,** 1976, Macrolepidotteri del Maceratese e dei Monti Sibillini. Note Sper. ent. Agrar. 16: 81-346.
- 6567. Thiaucourt, P.,** 1977, Notodontidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 36-39, Pl.18.
- 6568. Thiaucourt, P.,** 1984, Notodontidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 12-13, Pl.8.
- 6569. Thiaucourt, P.,** 2003, Note sur le genre Hemipteros Schaus, 1920 (Lepidoptera, Notodontidae). Alexanor 22 (6) (2002): 339-356, pls., figs.
- 6570. Thieme, O.,** 1904, Zwei unbeschriebene Euploeen der Insel Nias. Berl. ent. Z. 49: 163-164.
- 6571. Thieme, O.,** 1904, Eine neue Alaena aus Deutsch Ost-Afrika. Berl. ent. Z. 49: 164, Taf.I, fig.2.
- 6572. Thieme, O.,** 1907, Familie Lemoniidarum supplementa cum notis (Lepidoptera, Rhopalocera). Berl. ent. Z. 51 (1): 1-16, pl.1
- 6573. Thierry-Mieg, P.,** 1910, Descriptions de Lépidoptères nouveaux. Naturaliste 32: 34-119.
- 6574. Thomas, C.D. & H.C.Mallory,** 1985, Oviposition records and larval foodplants of butterflies in the Atlas Mountains of Morocco. J. Res. lepid. 24(1): 76-79.
- 6575. Thomas, W. & D.Goodger,** 1993, Aloa Walker, 1855 and Amsacta Walker, 1855 two distinct genera of Arctiidae (Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 13 (3a): 297-305, 6 figs.
- 6576. Thomas, W. & K.Cerny,** 1993, Die Arctiiden von Ladakh und Sanskar (Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 13 (3a): 279-284.
- 6577. Thomas, W. & K.Cerny,** 1993, Revision der punctata-Gruppe der Gattung Spilosoma (Lepidoptera, Arctiidae). Nachr. ent. Ver. Apollo (N.F.) 13 (3a): 285-296, 4 Abb.
- 6578. Thomas, W. & Reshöft, K.,** 1983, Zur Biologie von Ocnogyna afghanicola Ebert 1974 (Lepidoptera, Arctiidae). Andrias 3: 71-72.
- 6579. Thomas, W.,** 1983, Eine neue Callimorpha dominula Unterart aus der Osttürkei (Lep., Arctiidae). Ent. Z., Frankf. a. M. 93 (8): 107-110, Abb.
- 6580. Thomas, W.,** 1987, Gonerda watsoni spec. nov. (Lep., Arctiidae). Nachr. ent. Ver. Apollo (N.F.) 7 (4): 125-131, 6 Abb.
- 6581. Thomas, W.,** 1988, Callimorpha splendidior Tams eine eigene Art (Lepidoptera, Arctiidae). Nachr. ent. Ver. Apollo (N.F.) 9(3): 177-186, 4 Abb.
- 6582. Thomas, W.,** 1989, Bemerkungen zur Gattung Carcinopyga (Lep., Arctiidae) und zu Carcinopyga lichenigera Felder (Beiträge zur Arctiiden Systematik-4). Atalanta 19: 139-147, 3 Abb.
- 6583. Thomas, W.,** 1990, Die Gattung Lemyra (Lepidoptera, Arctiidae). Nachr. ent. Ver. Apollo (N.F.) Suppl. 9: 1-83, 105 Abb.
- 6584. Thomson, G.,** 1959, Maniola (Epinephele) jurtina (L.) (Lep. Satyridae) and its forms. Entomologist's Rec. J. Var. 81: 7-14, 51-58, 83-90, Pl.
- 6585. Thomson, G.,** 1973, Geographical variation of Maniola jurtina (L.) (Lepidoptera, Satyridae). Tijdschr. Ent. 116(12): 185-227, 2 Pl.
- 6586. Thomson, G.,** 1992, Egg surface morphology of Maniolina butterflies (Lepidoptera, Nymphalidae, Satyrinae). Atalanta 23(1/2): 195-214, 42 figs.
- 6587. Thureau, F.,** 1903, Neue Lepidopteren aus Ost- und Central Afrika in Königl. zoologischen Museum zu Berlin. Berl. ent. Z. 48: 301-314.
- 6588. Thureau, F.,** 1904, Busseola sorghicida, eine neue Ost-Afrikanische Noctuide. Berl. ent. Z. 49: 55-58.
- 6589. Thurner, J.,** 1936, Einige bemerkenswerte Lepidopterenfunde aus Mazedonien. Z. öst. EntVer. 21: 6-7.
- 6590. Thurner, J.,** 1938, Die Schmetterlinge der Orchid-Gegend in Mazedonien. Izv. tsarsk. prirodnauch. Inst. Sof. 11: 121-179.
- 6591. Thurner, J.,** 1948, Die Schmetterlinge Kärntens und Osttirols. Faunistik und Ökologie. Carinthia II, 10. Sonderheft: 1-200, figs.
- 6592. Thurner, J.,** 1964, Die Lepidopterenfauna jugoslawisch Mazedoniens I. Rhopalocera, Grypocera und Noctuidae. 159 S. Prirodonaucen Muzej Skopje.
- 6593. Thurner, J.,** 1967, Lepidopteren aus Morea. Ein weiterer Beitrag zur Fauna des Peloponnes (Griechenland). Z. wien. ent. Ges. 52: 5-23, 50-58.
- 6594. Thust, R. & E.Brockmann,** 1993, Nachweis von Pyrgus trevevicensis germanicus Renner, 1991 (Lepidoptera, Hesperidae) in Südtüringen. Nachr. ent. Ver. Apollo N.F. 14(3): 281-288, Abb.
- 6595. Thöny, H.,** 1995, Beitrag zur Schmetterlingsfauna der Region Ingolstadt/Eichsätt. Facetta Suppl. 1: 1-255S. Abb.
- 6596. Thöny, H.,** 1996, Zwei neue Arten aus Nord Vietnam, Trisuloides gerri sp.n. und Panthea ronnyi sp.n. (Lepidoptera, Noctuidae, Pantheinae). Facetta 13 (2): 31-36, figs.
- 6597. Tikhonov, V.,** 1994, Neue und wenig bekannte Entephria-Arten aus dem Kaukasus (Lepidoptera, Geometridae). Atalanta 25(1/2): 381-388, Taf.XVla.
- 6598. Tikhonov, V.,** 1994, Zwei neue Geometriden-Arten aus dem Kaukasus (Lepidoptera, Geometridae). Atalanta 25(1/2): 373-379, Pl.XVlb.
- 6599. Tillyard, R.J.,** 1917, The wing-venation of Lepidoptera (preliminary report). Proc. linn. Soc. N. S. Wales 42: 167-174, 7 figs. 1 pl.
- 6600. Tillyard, R.J.,** 1918, The Micropterygidae not of the Jugate type (Lep.). Ent. News. 29(3): 90, [1] fig.
- 6601. Tillyard, R.J.,** 1918, The Panorpid Complex, Part I. The wing-coupling apparatus with special references to the Lepidoptera. Proc. linn. Soc. N. S. Wales 43: 26-319, 16 figs., pl.
- 6602. Tillyard, R.J.,** 1918, Jugo-frenate genera of Micropterygidae. Proc. ent. Soc. Lond. 1918: liii-liv. figs.a,b.
- 6603. Tillyard, R.J.,** 1919, On the morphology and systematic position of the family Micropterygidae (sens. lat.). Proc. linn. Soc. N. S. Wales 44: 95-136, 1 Pl., 4 figs.
- 6604. Tillyard, R.J.,** 1923, On the mouth-parts of the Micropterygidae (Order Lepidoptera). Trans. ent. Soc. London 1923: 181-206, 12 figs.
- 6605. Tite, G.E.,** 1959, The genus Catochrysops. Entomologist 92: 201-212.
- 6606. Tite, G.E.,** 1959, New species of, and notes on, the genus Lepidochrysops (Lepidoptera, Lycaenidae). Entomologist 92: 158-163, figs.
- 6607. Tite, G.E.,** 1961, A new species of the genus Cacyreus (Lepidoptera, Lycaenidae). Entomologist 94: 112-113, 5 figs.
- 6608. Titova, V.,** 1976, Die Tagfalter der Saisan-Gegend und des Tschilikinski-Tales.- Sovremennye problemy zoologii i sovershenstvovanie metodiki ee prepodavaniya, Perm: 149-150.
- 6609. Tokar, Z. & L.Gozmany,** 2004, Review of the palaearctic species of Dirhinosisia Rebel, 1905 (Lepidoptera, Gelechiidae). Acta zool. hung. 50 (1): 63-74, figs.
- 6610. Toll, S. & H.G.Amsel,** 1967, Coleophoriden aus Afghanistan (Lepidoptera, Coleophoridae). Beitr. naturk. SWDtl. 26(3): 5-16, Taf.
- 6611. Toll, S.,** 1947, Beitrag zur Mikrolepidopterenfauna von Nordost-Persien. Z. wien. ent. Ges. 32: 107-116, 3 Taf., 44 figs.
- 6612. Toll, S.,** 1959, Neue Coleophora-Arten aus Iran (Lepidoptera) (Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956 - Nr.38). Stuttg. Beitr. Naturk. 29: 1-6, 5 Abb.
- 6613. Toll, S.,** 1961, Studien über die Genitalien einigen Coleophoridae XX. Beschreibung neuer Coleophoridae aus Österreich, Bulgarien, Spanien und Portugal. Z. wien. ent. Ges. 46: 161-168, 23 Abb.
- 6614. Toll, S.,** 1962, Materialien zur Kenntnis der palaearktischen Arten der Familie Coleophoridae. Acta zool. cracov. 7 (16): 577-720, 133 figs.
- 6615. Tolman, T. & R.Lewington,** 1997, Butterflies of Britain and Europe. 320pp., 104 pls., 429 maps. Harper Collins Publ. London.

- 6616. Tolman, T.,** 1993, The natural history, ecology and distribution of *Turanana panagaea* (Herrich-Schäffer, [1851]) and *Lycaena thetis* (Klug, 1834) in Greece (Lepidoptera, Lycaenidae). *Phegea* 21(3): 81-92, 1 Pl.
- 6617. Tolman, T.,** 1994, The larval host-plant of *Kretania eurypilus* (Freyer, 1852) in the Taygetos mountains of the Peloponnese, Greece (Lepidoptera, Lycaenidae). *Linneana Belgica* 14(7): 363-366, 6 figs.
- 6618. Tolman, T.,** 1994, The larval host-plant of *Satyrion ledereri* (Boisduval, 1848) on the Greek island of Samos (Lepidoptera: Lycaenidae). *Phegea* 22(3): 89-95, 6 figs.
- 6619. Tomonaga, M.,** 1998, *Anthocharis* of the World. *Yadoriga* 176: 2-19, figs. 21-24.
- 6620. Toropov, S.A.,** 1996, *Rhopalocera* (Diurna), [in] Shukurov, E.D. et al., *Genetical Fund Cadastre of Kyrgyzstan*. Volume III, 216-228 pp. Bishkek.
- 6621. Tosevski, I.,** 1987, A supplement to the present knowledge of the genus *Paranthrene* Hübner, 1819 on the territory of Yugoslavia. *Acta Mus. maced. sci. nat.* 18 (7/153): 177-197.
- 6622. Toulgoet, H.de,** 1977, *Arctiidae* et *Nolidae* [in] Rougeot, *Missions Entomologiques en Ethiopie 1973-1975*. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 105: 68-81, Pls.
- 6623. Toulgoet, H.de,** 1978, Description de nouvelles *Arctiides* africaines et révision partielle du genre *Galtara* F. Walker (Lep., *Arctiidae*, *Arctiinae*, *Nyctemerinae*). *Bull. Soc. ent. Fr.* 83: 213-224, 16 figs.
- 6624. Toulgoet, H.de,** 1978, Description de Nouvelles *Arctiides* Africaines (Lepidopteres, *Arctiidae*) (3e note). *Nouv. Rev. Ent.* 8: 219-230, 11 figs.
- 6625. Toulgoet, H.de,** 1978, *Arctiidae* Arfcains - Note de Nomenclature. *Nouv. Rev. Ent.* 8: 377.
- 6626. Toulgoet, H.de,** 1979, Remarques sur la variation de la structure Génitale chez *Galtara elongata* (Swinhoe) (Lep., *Arctiidae*, *Nyctemerinae*). *Alexanor* 9(4): 171-175, 5 figs.
- 6627. Toulgoet, H.de,** 1980, Un curieux cas de Convergence (Lepidopteres, *Arctiidae*, *Arctiinae*). *Alexanor* 11(8): 351-353, 6 figs.
- 6628. Toulgoet, H.de,** 1981, Description d'une nouvelle *Arctiide* d'Amérique Centrale avec creation d'un genre nouveau (Lepidoptera, *Arctiidae*). *Alexanor* 12 (2): 63-66, 4 figs.
- 6629. Toulgoet, H.de,** 1984, *Arctiidae* [in] Rougeot, *Missions Entomologiques en Ethiopie 1976-1982*. Fasc. II. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 128: 50-51.
- 6630. Traugott-Olsen, E.,** 1990, Descriptions of four new species of *Elachistidae* (Lepidoptera) and diagnoses of *Elachista pollutella* Duponchel, 1843 and *E. constitella* Frey, 1859. *Shilap Revta lepid.* 18 (71): 273-285, figs.
- 6631. Traugott-Olsen, E.,** 1992, The *Elachista dispunctella* (Duponchel, 1843) complex with descriptions of new taxa (Lepidoptera, *Elachistidae*). *Shilap Revta lepid.* 20 (79): 197-316, figs.
- 6632. Trautmann, W.,** 1903, Zwei neue Macro-Lepidopterenformen. *Ent. Z., Stuttgart* 16(20): 78-79.
- 6633. Treadaway, C.G. & W.A. Nässig,** 1997, Anmerkungen zur Larissa-Gruppe und zu *Antheraea mindoroensis* Brosch & Paukstadt, 1996 auf den Philippinen (Lepidoptera, *Saturniidae*). *Ent. Z., Essen* 107:
- 6634. Treadaway, C.G.,** 1986, Einige Beobachtungen zur Larvalbiologie philippinischer *Cricula trifenestrata* Helfer (Lep., *Saturniidae*). *Ent. Z., Frankfurt a.M.* 96(13): 190-192.
- 6635. Treadaway, C.G.,** 1995, Checklist of the butterflies of the Philippine Islands (Lepidoptera, *Rhopalocera*). *Nachr. ent. Ver. Apollo* (N.F.) Suppl. 14: 7-118, 91 figs.
- 6636. Treitschke, F.,** 1825, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom V (1), 414 pp. Leipzig.
- 6637. Treitschke, F.,** 1826, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom V (2), 417 pp. Leipzig.
- 6638. Treitschke, F.,** 1826, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom V (3), 419 pp. Leipzig.
- 6639. Treitschke, F.,** 1827, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom VI (1), 444 pp. Leipzig.
- 6640. Treitschke, F.,** 1828, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom VI (2), 319 pp. Leipzig.
- 6641. Treitschke, F.,** 1829, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom VII, 257 pp. Leipzig.
- 6642. Treitschke, F.,** 1830, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom VII, 312 pp. Leipzig.
- 6643. Treitschke, F.,** 1832, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom IX (1), 272 pp. Leipzig.
- 6644. Treitschke, F.,** 1833, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom IX (2), 294 pp. Leipzig.
- 6645. Treitschke, F.,** 1834, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom X (1), 286 pp. Leipzig.
- 6646. Treitschke, F.,** 1835, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom X (2), 340 pp. Leipzig.
- 6647. Treitschke, F.,** 1835, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom X (3), 302 pp. Leipzig.
- 6648. Trematerra, P. & O. Karsholt,** [1997], New records for the Greek and Spanish fauna (Lepidoptera, *Tortricidae*). *Boll. Zool. agr. Bachic. Ser. II*, 28 (1996): 141-147.
- 6649. Tremewan, W.G. & C.M. Naumann,** 1989, A revision of *Zygaena* (*Agrumenia*) *magiana* Staudinger, 1889 (Lepidoptera: *Zygaenidae*). *Entomologist's Gaz.* 40: 114-123, Pl. 11-12, 8 figs.
- 6650. Tremewan, W.G. & C.M. Naumann,** 1999, Notes on the biology and ecology of *Zygaena* (*Mesembrynus*) *centaureae* Fischer von Waldheim, 1832 (Lepidoptera, *Zygaenidae*). *Linneana Belgica* 17(1): 42-45, 6 figs.
- 6651. Tremewan, W.G. & W.B.L. Manley,** 1965, Notes on species of the genus *Zygaena* Fabricius (Lepidoptera: *Zygaenidae*) from South-west France and Spain with descriptions of new subspecies. *Entomologist's Rec. J. Var.* 77: 3-11.
- 6652. Tremewan, W.G.,** 1961, Notes on *Zygaena* species with descriptions of new subspecies from Spain (Lepidoptera, *Zygaenidae*). *Entomologist's Rec. J. Var.* 73: 1-8.
- 6653. Tremewan, W.G.,** 1961, The subgenera of the genus *Zygaena* Fabricius, Lepidoptera: *Zygaenidae*. *Entomologist's Rec. J. Var.* 73: 200-203.
- 6654. Tremewan, W.G.,** 1963, A new subspecies and further records of the genus *Zygaena* Fabricius (Lepidoptera: *Zygaenidae*) from south-west France and Spain. *Entomologist's Rec. J. Var.* 75: 251-254.
- 6655. Tremewan, W.G.,** 1963, Notes on *Zygaena* species from south-west France and Spain with descriptions of three new subspecies (Lepidoptera: *Zygaenidae*). *Entomologist's Rec. J. Var.* 75: 1-10, Pl. 1, 21 figs.
- 6656. Tremewan, W.G.,** 1963, On a small collection of *Zygaena* Fabricius from the Lebanon (Lepidoptera: *Zygaenidae*). *Entomologist's Rec. J. Var.* 75: 168-170, fig. 1.
- 6657. Tremewan, W.G.,** 1964, The *Silvicola* Burgeff group of the genus *Zygaena* Fabricius (Lep. *Zygaenidae*). *Entomologist's Rec. J. Var.* 76: 1-10, 46-54, 74-82.
- 6658. Tremewan, W.G.,** 1966, On some type specimens of the genus *Zygaena* Fabricius (Lepidoptera: *Zygaenidae*) in the British Museum (Natural History). *Entomologist's Rec. J. Var.* 78: 28-37, Pl. 1, 18 figs.
- 6659. Tremewan, W.G.,** 1969, Further records of *Zygaena* Fabricius (Lep. *Zygaenidae*) from Turkey. *Proc. Br. ent. Nat. Hist. Soc.* 1969: 103-106.
- 6660. Tremewan, W.G.,** 1975, On *Zygaena* Fabricius (Lep. *Zygaenidae*) from Iran. *Entomologist's Gaz.* 26: 229-248, Pl. 6, 12 figs.
- 6661. Tremewan, W.G.,** 1976, Nomenclatural notes on British *Zygaenidae* (Lepidoptera). *Entomologist's Gaz.* 27: 149-154.
- 6662. Tremewan, W.G.,** 1976, Further notes on *Zygaena* Fabricius Lep., *Zygaenidae* from Iran. *Entomologist's Gaz.* 27: 215-220, 8 figs.
- 6663. Tremewan, W.G.,** 1977, On *Zygaena* Fabricius (Lep., *Zygaenidae*) collected in Iran in 1976. *Entomologist's Gaz.* 28: 223-227, 5 figs.

- 6664. Tremewan, W.G.,** 1977, On the biology of *Zygaena* (*Mesembrynus*) *cuvieri* Boisduval (Lep., *Zygaenidae*). Entomologist's Gaz. 28: 17-19, 6 figs.
- 6665. Tremewan, W.G.,** 1978, On the biology of *Zygaena* (*Mesembrynus*) *cambysea* Lederer (Lepidoptera, *Zygaenidae*). Entomologist's Gaz. 29: 47-50, 8 figs.
- 6666. Tremewan, W.G.,** 1979, On *Zygaena* Fabricius (Lepidoptera, *Zygaenidae*) from Iran. Entomologist's Gaz. 30: 249-256, 31 figs.
- 6667. Tremewan, W.G.,** 1980, On the systematic position of *Zygaena* (*Agrumenia*) *essenii* Blom (Lepidoptera, *Zygaenidae*). Entomologist's Gaz. 31: 126-128, 9 figs.
- 6668. Tremewan, W.G.,** 1981, Ergebnisse d. 2. Innsbrucker Lepidopterologengespr. 4./5. Oktober 1980 zum Thema "Die purpuralis-Gruppe des Genus *Zygaena* Fabr., 1775 (Sg. *Mesembrynus* Hbn., [1819]) (Lep., *Zygaenidae*) The identity of the numinal taxon *Sphinx minos* [Denis & Schiff., 1775]. Entomofauna 2(21): 239-244, 2 figs.
- 6669. Tremewan, W.G.,** 1981, Ergebnisse d. 2. Innsbrucker Lepidopterologengespr. 4./5. Oktober 1980 zum Thema "Die purpuralis-Gruppe des Genus *Zygaena* Fabr., 1775 (Sg. *Mesembrynus* Hbn., [1819]) (Lep., *Zygaenidae*) On the correct authors of two species-group taxa in the genus *Zygaena* Fabr. Entomofauna 2(20): 231-237.
- 6670. Tremewan, W.G.,** 1981, Ergebnisse d. 2. Innsbrucker Lepidopterologengespr. 4./5. Oktober 1980 zum Thema "Die purpuralis-Gruppe des Genus *Zygaena* Fabr., 1775 (Sg. *Mesembrynus* Hbn., [1819]) (Lep., *Zygaenidae*) On the validity of the genus-group name *Mesembrynus* Hübner, [1819]. Entomofauna 2(19): 223-227.
- 6671. Triberti, P.,** 1984, Notes on some species of *Caloptilia* Hb. described by O. Staudinger (Lep., *Gracillariidae*). Dt. ent. Z. (N.F.) 31 (1/3): 9-14, 5 figs.
- 6672. Triberti, P.,** 1985, A revision of the genus *Aspilapteryx* Spuler (Lepidoptera, *Gracillariidae*). Z. ArbGem. öst. Ent. 37 (1/2): 1-16, 8 Pls.
- 6673. Triberti, P.,** 1987, *Parornix compsumpta* sp.n., a new species of *Gracillariidae* from South-eastern Europa (Lepidoptera, *Gracillariidae*). NachrBl. bayer. Ent. 36 (2): 50-52, 6 Abb.
- 6674. Triberti, P.,** 2001, *Acrocercops tacita* n.sp. from the Eastern Mediterranean region (Lepidoptera, *Gracillariidae*). Boll. Mus. civic. Stor. Nat. Verona 25: 95-100.
- 6675. Trimen, R.,** 1862, On some new species of South African butterflies. Trans. ent. Soc. London (3) 1: 279-291, 1 pl.
- 6676. Trimen, R.,** 1862, On some new species of South African butterflies, collected in British Kaffraria by W.S.M. D'Urban Esq., during 1860-1861. Trans. ent. Soc. London (3) 1: 398-406.
- 6677. Trimen, R.,** 1862, *Rhopalocera Africae Australis*. 1: xii+190pp. 1pl. Cape Town.
- 6678. Trimen, R.,** 1865, *Rhopalocera Africae Australis*. 2: 225-340 pp. 1pl. Cape Town.
- 6679. Trimen, R.,** 1870, Notes on butterflies collected by J.H. Bowker, Esq., in Basuto-Land, south Africa; with descriptions of some new species. Trans. ent. Soc. London 1870: 341-390, 1 pl.
- 6680. Trimen, R.,** 1879, On some hitherto undescribed butterflies inhabiting Southern Africa. Trans. ent. Soc. London 1879 (4): 323-346.
- 6681. Trimen, R.,** 1881, On some new species of *Rhopalocera* from Southern Africa. Trans. ent. Soc. London 1881 (3): 433-445.
- 6682. Trimen, R.,** 1881, On some new species of *Rhopalocera* from South Africa. Trans. ent. Soc. London 1881: 433-445.
- 6683. Trimen, R.,** 1883, Descriptions of twelve new species of South African Lepidoptera *Rhopalocera*. Trans. ent. Soc. London 1883: 347-363.
- 6684. Trimen, R.,** 1887-1889, South African Butterflies. 3 vols.
- 6685. Trimen, R.,** 1891, On some recent additions to the list of South African butterflies. Trans. ent. Soc. London 1891 (1): 169-178.
- 6686. Trimen, R.,** 1898, On some new or little-known species of African butterflies. Trans. ent. Soc. London 1898: 1-16, 1 pl.
- 6687. Trusch, R. & S. Erlacher,** [2003], Taxonomic changes in the geometrid moths taxon *Dyscia* Hübner, [1825] (Lepidoptera, *Geometridae*, *Ennominae*). Eur. J. Ent. 99 (4): 529-541.
- 6688. Tschugunov, S.,** 1916, Zur Lepidopteren-Fauna der Vorberge des Kusnezki-Alatau. Russk. ent. Obozr. 16: 97-105.
- 6689. Tshikolovets, V.V.,** 1991, Verzeichnis der Tagfalter Usbekistans (Lepidoptera, *Rhopalocera*). Atalanta 22(2/4): 93-116.
- 6690. Tshikolovets, V.V.,** 1992, Eine übersicht über das *Lycaeniden*-Subgenus *Paragrodiaetus* in Kirgisien, Usbekistan und Tadshikistan mit der Beschreibung von *Polyommatus* (*Paragrodiaetus*) *pulchra chaburobata* subsp. nov. (Lepidoptera, *Lycaenidae*, *Polyommatae*). Atalanta 23(1/2): 159-168, pl. ix.
- 6691. Tshikolovets, V.V.,** 1992, Eine kommentierte Artenliste der Tagfalter des Transalaj-Gebirges (Pamir-Alaj) nebst Beschreibung der *Erebia* *progne samodurovi* subsp. nov. (Lepidoptera, *Rhopalocera*). Atalanta 23(1/2): 169-193, pl. x.
- 6692. Tshikolovets, V.V.,** 1992, Eine kommentierte Artenliste der Tagfalter des Vantsch-Gebirges (Pamir) (Lepidoptera, *Rhopalocera*). Atalanta 23(1/2): 139-157, Taf. viii.
- 6693. Tshikolovets, V.V.,** 1997, The Butterflies of Pamir (Lepidoptera, *Rhopalocera*). 282 pp. 36 pls. Frantisek Slamka Ed. Bratislava, Rep. Slovakia.
- 6694. Tshikolovets, V.V.,** 1997, New blue butterfly taxa from Central Asia (Lepidoptera, *Lycaenidae*) - Communication 4. Phegea 25(3): 117-121, 17 figs.
- 6695. Tshikolovets, V.V.,** 1998, The butterflies of Turkmenistan. 240 pp., 24 pls. 157 maps. Kiev & Brno.
- 6696. Tshistjakov, Y.A. & K.-T. Park,** 1999, New species of *Sericophara* Christoph (Lepidoptera, *Thyrididae*) from Korea. Tinea 16 (2): 73-75.
- 6697. Tshistjakov, Y.A. & V.V. Zolotuhin,** 1994, Species of *Lasiocampidae* of Russia and adjacent countries. Ent. Obozr. 73(2): 321-330 [engl. transl. Ent. rev. 74(3): 69-79, 25 figs., 1995]
- 6698. Tsou, T.H.,** 1914, Homology of the body setae of some lepidopterous larvae. Trans. Am. mic. Soc. 33: 223-260, 4 pls.
- 6699. Tsukiyama, H.,** 1979, *Hesperiidae* from the Philippines. Tsu-i-So 226: 1-6.
- 6700. Tuck, K.R.,** 1990, A taxonomic revision of the Malaysian and Indonesian species of *Archips* Hübner (Lepidoptera, *Tortricidae*). Ent. scand. 21: 179-196, figs.
- 6701. Turati, E. & A. Fiori,** 1930, *Lepidotteri di Rodi*. Mem. Soc. ent. ital. 9: 196-214.
- 6702. Turati, E.,** 1921, *Lepidotteri di Cirenaica*. Atti Soc. ital. Sci. nat. 60: 211-229.
- 6703. Turner, A.J.,** 1904, A Classification of the Australian *Lymantriidae*. Trans. ent. Soc. London 1904(3): 469-481.
- 6704. Turner, H.J.,** 1925, A new form of *Sarothrips* *revayana* race *columbana* nova. Entomologist's Rec. J. Var. 37: 77-78.
- 6705. Turner, J.,** 1914, Notes on the *Coleophoridae*. Entomologist's Rec. J. Var. 26: 193.
- 6706. Turner, J.,** 1964, Die Lepidopterenfauna Jugoslawisch Mazedoniens I. *Rhopalocera*, *Grypocera* und *Noctuidae*. Prirodnauchen Muzej, Skopje.
- 6707. Turner, J.R.G.,** 1963, Geographical variation and evolution in the males of the butterfly *Papilio dardanus* Brown (Lepidoptera, *Papilionidae*). Trans. R. ent. Soc. Lond. 115(9): 239-259, 9 figs.
- 6708. Tusov, V.K. [ed.],** 2000, Families *Libytheidae* - *Lycaenidae*. Guide to the butterflies of Russia and adjacent territories (Lepidoptera, *Rhopalocera*) 2. 579pp., Pls. Pensoft Publ., Sofia.
- 6709. Tusov, V.K.,** 1993, The synonymic list of butterflies from the ex-USSR. 74pp., Rosagroservice, Moskau.
- 6710. Tusov, V.K.,** 1997, Family: *Pieridae*, [in] Tusov, V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, *Rhopalocera*) 1. 480 pp., Pls. Pensoft Publ., Sofia.
- 6711. Tusov, V.K.,** 1997, Introduction, [in] Tusov, V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, *Rhopalocera*) 1. 480 pp., Pls. Pensoft Publ., Sofia.
- 6712. Tutt, J.W.,** 1892, The *Pterophorina*. Entomologist's Rec. J. Var. 3: 32-35.
- 6713. Tutt, J.W.,** 1892, Classification by neuration. Entomologist's Rec. J. Var. 3: 50-51.
- 6714. Tutt, J.W.,** 1892, [Reply to "Classification by structure of imago by E. Meyrick"]. Entomologist's Rec. J. Var. 3: 106-111.

- 6715.** Tutt, J.W., 1893, The genus *Xanthia*: with notes on variation, habits and affinities. Entomologist's Rec. J. Var. 4: 25-28, 69-71, 93-96.
- 6716.** Tutt, J.W., 1893, The pupae of *Satyridae*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 191-192.
- 6717.** Tutt, J.W., 1893, On the pupal wing in butterflies, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 193-195.
- 6718.** Tutt, J.W., 1893, The antennae of *Gonepteryx rhamni*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 195.
- 6719.** Tutt, J.W., 1893, Pupae of *Parnassius apollo*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 169.
- 6720.** Tutt, J.W., 1893, Succinti occasionally changed into *Suspensi*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 169.
- 6721.** Tutt, J.W., 1893, Gregarious habit in *Melitaea cinxia*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 169.
- 6722.** Tutt, J.W., 1893, Contraction of abdominal segments ventrally in *Argynnis aglaia*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 169.
- 6723.** Tutt, J.W., 1893, Tubercles in young larvae, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 169-170.
- 6724.** Tutt, J.W., 1893, The segmental condition of the head in young larvae of *Lasiommata megera*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 170.
- 6725.** Tutt, J.W., 1893, Embryo in egg of *L. megera*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 170.
- 6726.** Tutt, J.W., 1893, Improbability of regular hibernation of *Cynthia cardui* in Britain, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 170.
- 6727.** Tutt, J.W., 1893, Effect of high spring temperature on the eggs, larvae and pupae of butterflies, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 170-171.
- 6728.** Tutt, J.W., 1893, Slow colour changes in the pupal wing of *Lasiommata megera*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 217-218.
- 6729.** Tutt, J.W., 1893, Pupal wing of *L. megera*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 218.
- 6730.** Tutt, J.W., 1893, Sudden emergence of the imago and dehiscence of the pupa of *L. megera*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 218.
- 6731.** Tutt, J.W., 1893, Dehiscence of *Satyrid* pupae, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 218-219.
- 6732.** Tutt, J.W., 1893, Dimorphism in pupae of *L. aegeria* and *L. megera*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 219.
- 6733.** Tutt, J.W., 1893, The imaginal and pupal antennae of *Lasiommata megera*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 219-220.
- 6734.** Tutt, J.W., 1893, Pupal wing of *Vanessa atalanta*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 220.
- 6735.** Tutt, J.W., 1893, Medio-dorsal row of tubercular points in pupa of *Vanessa atalanta*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 220.
- 6736.** Tutt, J.W., 1893, Dehiscence of spines, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 220.
- 6737.** Tutt, J.W., 1893, Newly-hatched larva of *Vanessa urticae*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 220.
- 6738.** Tutt, J.W., 1893, A day's entomologizing in the Paris environs (Bagneux). Entomologist's Rec. J. Var. 4: 238-240.
- 6739.** Tutt, J.W., 1893, A few days' collecting in the Western Highlands. Entomologist's Rec. J. Var. 4: 285-288.
- 6740.** Tutt, J.W., 1893, Chrysalides of *Melitaei*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 290.
- 6741.** Tutt, J.W., 1893, Chrysalides of *Argynni*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 290.
- 6742.** Tutt, J.W., 1893, Pupa of *Argynnis niobe*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 291.
- 6743.** Tutt, J.W., 1893, Chrysalides of *Vanessid*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 291.
- 6744.** Tutt, J.W., 1893, Third brood of *Chrysophanus phlaeas*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 291.
- 6745.** Tutt, J.W., 1893, Second broods of some *Vanessa* species, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 291.
- 6746.** Tutt, J.W., 1893, Pupal development and colour of imago. Entomologist's Rec. J. Var. 4: 311-315.
- 6747.** Tutt, J.W., 1894, The life-history of a lepidopterous Insect, comparing some account of its morphology and physiology. I. Classification. Entomologist's Rec. J. Var. 5: 65-68, 89-92.
- 6748.** Tutt, J.W., 1894, The life-history of a lepidopterous Insect, comparing some account of its morphology and physiology. I. The ovum or Egg. Entomologist's Rec. J. Var. 5: 113-115, 137-146, 165-169.
- 6749.** Tutt, J.W., 1894, John Jenner Weir. Entomologist's Rec. J. Var. 5: 103-105.
- 6750.** Tutt, J.W., 1894, [Anonymous]. Entomologist's Rec. J. Var. 5: 173-174.
- 6751.** Tutt, J.W., 1894, The life-history of a lepidopterous Insect, comparing some account of its morphology and physiology IV. Embryology. Entomologist's Rec. J. Var. 5: 192-195, 210-217, 241-247.
- 6752.** Tutt, J.W., 1894, Notes on the variation of *Spilosoma mendica* with some thoughts on the ancestral type of the genus. Entomologist's Rec. J. Var. 5: 185-189.
- 6753.** Tutt, J.W., 1894, Butterfly catching in the neighbourhood of Mont Blanc. Entomologist's Rec. J. Var. 5: 233-235.
- 6754.** Tutt, J.W., 1895, The classification of the British butterflies. Entomologist's Rec. J. Var. 7: 250-253.
- 6755.** Tutt, J.W., 1895, How *Colias edusa* winters. Entomologist's Rec. J. Var. 7: 250-253.
- 6756.** Tutt, J.W., 1895, The genera in the subfamily *Lycaeninae* applied to British species. Entomologist's Rec. J. Var. 7: 219-221.
- 6757.** Tutt, J.W., 1895, The life-history of a lepidopterous Insect, comparing some account of its morphology and physiology. V. The larva or Caterpillar. Entomologist's Rec. J. Var. 6: 81-83.
- 6758.** Tutt, J.W., 1895, The life-history of a lepidopterous Insect, comparing some account of its morphology and physiology III. Parthenogenesis or Agamogenesis. Entomologist's Rec. J. Var. 5 (1894): 289-294; 6 (1895): 4-8.
- 6759.** Tutt, J.W., 1895, Above Lake Bourget. Entomologist's Rec. J. Var. 6: 168-172.
- 6760.** Tutt, J.W., 1895, Notes on the habits and variation of *Lithosia lutarella* and its variety *pygmeola*. Entomologist's Rec. J. Var. 6: 217-222.
- 6761.** Tutt, J.W., 1896, Egg of *Enodia hyperanthus*. Entomologist's Rec. J. Var. 8: 213-214.
- 6762.** Tutt, J.W., 1896, Egg of *Epinephele janira*. Entomologist's Rec. J. Var. 8: 214.
- 6763.** Tutt, J.W., 1896, Egg of *Hipparchia semele*. Entomologist's Rec. J. Var. 8: 214.
- 6764.** Tutt, J.W., 1896, Egg of *Pamphila comma*. Entomologist's Rec. J. Var. 8: 239-240.
- 6765.** Tutt, J.W., 1896, Newly hatched larva of *Hipparchia semele*. Entomologist's Rec. J. Var. 8: 265-266.
- 6766.** Tutt, J.W., 1896, The Blue Butterflies of a Kentish hillside. Entomologist's Rec. J. Var. 8: 49-51.

6767. Tutt, J.W., 1896, The Large Copper Butterfly (*Chrysophanus dispar*). Entomologist's Rec. J. Var. 8: 57-65.
6768. Tutt, J.W., 1896, The hibernating stages of British butterflies. Entomologist's Rec. J. Var. 8: 97-102.
6769. Tutt, J.W., 1896, The pupa of *Coenonympha pamphilus*, with notes on its colour changes just previous to the emergence of the imago. Entomologist's Rec. J. Var. 8: 161-162.
6770. Tutt, J.W., 1896, Notes on the life-history of *Enodia hyperantus*. Entomologist's Rec. J. Var. 8: 164-167.
6771. Tutt, J.W., 1896, On a small collection of Lepidoptera made in the neighbourhood of Aix-les-Bains. Entomologist's Rec. J. Var. 8: 233-236.
6772. Tutt, J.W., 1896, Contributions to the fauna of Dauphiné Alps-I. Entomologist's Rec. J. Var. 8: 253-260.
6773. Tutt, J.W., 1896, A small collection of Lepidoptera from Lapland. Entomologist's Rec. J. Var. 8: 289-293.
6774. Tutt, J.W., 1896, On the hibernation of certain British butterflies in the imago state [sic]. Entomologist's Rec. J. Var. 8: 210-204.
6775. Tutt, J.W., 1896, Entomological reminiscences of the Tyrol. I. A day in the Mendel Pass. Entomologist's Rec. J. Var. 7(3): 49-52.
6776. Tutt, J.W., 1897, Contributions to the fauna of Dauphiné Alps-II. Entomologist's Rec. J. Var. 9: 13-16.
6777. Tutt, J.W., 1897, Contributions to the fauna of Dauphiné Alps-III. Entomologist's Rec. J. Var. 9: 52-55.
6778. Tutt, J.W., 1897, Contributions to the fauna of Dauphiné Alps-IV. Entomologist's Rec. J. Var. 9: 79-82.
6779. Tutt, J.W., 1897, Contributions to the fauna of Dauphiné Alps-VIII. Entomologist's Rec. J. Var. 9: 202-203.
6780. Tutt, J.W., 1897, The Rhopalocera found in the Basses-Alpes (Digne) in April. Entomologist's Rec. J. Var. 9: 221-226.
6781. Tutt, J.W., 1897, On a collection of spring Rhopalocera made in the Riviera, with some considerations concerning the hibernating of certain butterflies. Entomologist's Rec. J. Var. 9: 249-255, 279-282.
6782. Tutt, J.W., 1897, Notes on the larva of *Saturnia pyri*. Entomologist's Rec. J. Var. 9: 112-114.
6783. Tutt, J.W., 1897, Hibernating stage of *Argynnis aglaia*. Entomologist's Rec. J. Var. 9: 116-117.
6784. Tutt, J.W., 1897, Description of lepidopterous eggs. Entomologist's Rec. J. Var. 9: 117.
6785. Tutt, J.W., 1897, The development of the wing, wing-scales and their pigments in butterflies and moths. Entomologist's Rec. J. Var. 9: 131-135, 159-162, 198-200, Pl.3.
6786. Tutt, J.W., 1897, Description of eggs of Lepidoptera. Entomologist's Rec. J. Var. 9: 146-148.
6787. Tutt, J.W., 1897, *Gonepteryx cleopatra*, *Gonepteryx rhamni*, *Leucophasia duponcheli*, *Leucophasia sinapis*. Entomologist's Rec. J. Var. 9: 205-207.
6788. Tutt, J.W., 1897, Notes on the eggs of certain Lepidoptera. Entomologist's Rec. J. Var. 9: 236-237.
6789. Tutt, J.W., 1897, Descriptions of eggs of Lepidoptera. Entomologist's Rec. J. Var. 9: 261-264.
6790. Tutt, J.W., 1897, Descriptions of lepidopterous eggs. Entomologist's Rec. J. Var. 9: 290-292.
6791. Tutt, J.W., 1898, Descriptions of lepidopterous eggs. Entomologist's Rec. J. Var. 10: 15-16.
6792. Tutt, J.W., 1898, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 10: 183-184.
6793. Tutt, J.W., 1898, Descriptions of eggs of Lepidoptera. Entomologist's Rec. J. Var. 10: 276-277.
6794. Tutt, J.W., 1898, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 10: 305-306.
6795. Tutt, J.W., 1898, Collecting in the forest of Fontainebleau in June 1897. Entomologist's Rec. J. Var. 10: 65-68.
6796. Tutt, J.W., 1898, Contributions to the fauna of Piedmont-I. Entomologist's Rec. J. Var. 10: 89-91, 118-120.
6797. Tutt, J.W., 1899, Contributions to the fauna of Piedmont. The butterflies of Pre St.Didier. Entomologist's Rec. J. Var. 11: 226-230.
6798. Tutt, J.W., 1899, The Lepidoptera of Simplon Pass. Entomologist's Rec. J. Var. 11: 253-255.
6799. Tutt, J.W., 1899, *Plebeius argus* and *Plebeius aegon*. Entomologist's Rec. J. Var. 11: 38-39.
6800. Tutt, J.W., 1899, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 11: 219-220.
6801. Tutt, J.W., 1899, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 11: 246-247.
6802. Tutt, J.W., 1899, The Lepidoptera of St. Michel de Maurienne. Entomologist's Rec. J. Var. 11: 168-172.
6803. Tutt, J.W., 1899, The Lepidoptera of the little St. Bernard Pass. Entomologist's Rec. J. Var. 11: 197-200.
6804. Tutt, J.W., 1899-1900, British Lepidoptera. 2 vols. London.
6805. Tutt, J.W., 1899-1901, Migration and dispersal of Insects: Lepidoptera. Entomologist's Rec. J. Var. 11 (1899): 319-324; 12 (1900): 13-16, 69-72, 127-128, 154-159, 182-186, 206-209, 236-238, 253-257; 13 (1901): 97-102, 124-125, 145-147, 198-201.
6806. Tutt, J.W., 1899-1914, A natural history of the British Lepidoptera. 11 vols. London.
6807. Tutt, J.W., 1900, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 12: 356-357.
6808. Tutt, J.W., 1900, On the generic name *Micropteryx* (*Micropteryx*), Hub. Entomologist's Rec. J. Var. 12: 314-315.
6809. Tutt, J.W., 1900, The Lepidoptera in the Hautes-Alpes: Abries. Entomologist's Rec. J. Var. 12: 226-229, 258-262, 318-320.
6810. Tutt, J.W., 1901, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 13: 137.
6811. Tutt, J.W., 1901, Reported hybridity among the Sesiides. Entomologist's Rec. J. Var. 13: 174-175.
6812. Tutt, J.W., 1901, The position of *Lemonia* (*Crateronyx*) *dumi*. Entomologist's Rec. J. Var. 13: 167-168.
6813. Tutt, J.W., 1901, Abundance of Lepidoptera at Gresy-sur-Aix in August 1900. Entomologist's Rec. J. Var. 13: 88-91.
6814. Tutt, J.W., 1901, *Lasiocampa quercus* var. *meridionalis* n.var. Entomologist's Rec. J. Var. 13: 113-114.
6815. Tutt, J.W., 1901, Practical hints for the field lepidopterist. 116pp. Elliot Stock, London.
6816. Tutt, J.W., 1904, *Coenonympha mathewi* n.sp. Entomologist's Rec. J. Var. 16: 308-309.
6817. Tutt, J.W., 1908, *Everes alcetas* (*coretas*) as a distinct species from *Everes argiades*. Entomologist's Rec. J. Var. 20(10): 231-237, 264-266.
6818. Tutt, J.W., 1908, Notes on *Everes argiades*, and its ab.*alcetas* Hb. (=coretas Ochs.). Entomologist's Rec. J. Var. 18: 129-132.
6819. Tutt, J.W., 1909, The generic subdivision of the Lycaenid tribe *Plebeii*. Entomologist's Rec. J. Var. 21: 107-180.
6820. Ubolcholaket, A., 1987, Gentianaceae, [in] Smitinand, T. & K. Larsen, Flora of Thailand 5 (1): 72-92, figs. Bangkok.
6821. Urbahn, E. & H. Urbahn, 1939, Die Schmetterlinge Pommerns mit einem vergleichenden Überblick über den Ostseeraum. Stettin ent. Ztg. 100: 185-826.
6822. Urbahn, E., 1966, Ergebnisse der Albanien-Expedition 1961 des Deutschen Entomologischen Institutes (Lepidoptera: Geometridae). Beitr. Ent. Bd.16, Nr.(3/4): 407-446, fig.1.
6823. Urbahn, E., 1971, *Lithostege obliquata*- eine neue Geometride aus Turkmenien (Lep., Geometridae). Ent. Z., Frankf. a. M. 81(17): 193-196, 2 Abb.
6824. Urbahn, E., 1971, Eine neue *Anaitis*-Art aus Transkaukasien: *Anaitis uniformata* n.sp. Ent. Z., Frankf. a. M. 81 (21): 244-247, Abb.
6825. Urbahn, E., 1974, Neues über *Anaitis uniformata* Urbahn und *A.praeformata* Hbn. (Lep., Geometridae). Ent. Z., Frankf. a. M. 84 (6): 53-58, 3 Abb.
6826. Ustjuzhanin, P.Y., 1996, Plume moths of Siberia and the Russian Far East (Lepidoptera, Pterophoridae). Atalanta 27 (1/2): 345-409, 6 Pls.
6827. Ustjuzhanin, P.Y., 2001, New species, distribution records and synonymies of Plume Moths (Lepidoptera,

- Pterophoridae) from the Palaearctic Region. *Nota lepid.* 24 (3): 11-32.
- 6828.** Uygun, N., et al., 1995, A serious citrus pest: Citrus leafminer, *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae). *Türk. J. Ent.* 19: 247-252.
- 6829.** Uygun, N., et al., 1997, Studies on biological control of *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae) in Turkey. Integrated Control in Citrus Fruit Crops, IOBC wprs Bulletin 20: 96-101.
- 6830.** Uzun, S., 1987, Parasites of *Pieris brassicae* (L.) (Lepidoptera, Pieridae) which is harmful on cabbage and cauliflower around Izmir. *Türk Bitki Koruma Derg.* 11(4): 237-245, figs.
- 6831.** Uémura, Y. & S. Yamaguchi, 1982, A Revisional study on the genus *Acrophtalmia* Felder (C.) & Felder (R.) (Lepidoptera, Satyridae). *Mem. Tsukada Coll.* 4: 26-37, 8 figs., Pls. 5-6.
- 6832.** Uémura, Y., 1982, Studies on the Celebesian *Pandocus*-Group Shirozu & Shima, 1979, Section of the Satyrid Genus *Ypthima* Hübner (Lepidoptera). *Mem. Tsukada Coll.* 4: 38-44, figs., Pl.
- 6833.** Uémura, Y., 1984, A Synonymic List of the Formosan species of the genus *Mycalesis* Hübner (Lepidoptera, Satyridae). *Trans. Shikoku Ent. Soc.* 16(4): 45-51.
- 6834.** Uémura, Y., 1984, A List of the *Ypthima* species (Lepidoptera, Satyridae) described by Matsumura, with Lectotype designations. *Tyo to Ga* 35(3): 135-137.
- 6835.** Uémura, Y., 1985, A Revision of the Asian *asterope*-Group of the genus *Ypthima* Hübner (Lepidoptera, Satyridae). *Tyo to Ga* 35(4): 174-188, 17 figs.
- 6836.** Uémura, Y., 1985, Identification guide to the Thai-Malayan species of the mineus-group of *Mycalesis* (Lepidoptera, Satyridae). *Yadoriga* 123: 2-9, 5 figs.
- 6837.** Uémura, Y., 1986, Identification guide to the species of the genus *Ypthima* (Lepidoptera, Satyridae) from Thailand and Nepal. *Yadoriga* 127: 26-133, 21 figs.
- 6838.** Uémura, Y., 1986, Identification guide to the species of the genus *Amathusia* (Lepidoptera, Satyridae, Amathusiinae). *Yadoriga* 125: 2-8, 6 figs.
- 6839.** Uémura, Y., 1987, Description of a new species of the genus *Bletogona* Felder (C) & Felder (R.) (Lepidoptera, Satyridae). *Mem. Tsukada Coll.* 5: 17-22, 6 figs., Pl.
- 6840.** Uémura, Y., 1992, Description of a new species of the genus *Acrophtalmia* Felder (C) & Felder (R.) (Lepidoptera, Satyridae). *Bull. Toyosato Mus. Ent.* 1: 1-4, figs.
- 6841.** Uémura, Y., 1993, Descriptions of two hitherto unknown females of Satyrid Butterflies from Sulawesi (Celebes) and Kabaena, Indonesia (Lepidoptera, Satyridae). *Bull. Toyosato Mus. Ent.* 2: 1-4, figs.
- 6842.** Uémura, Y., 1994, Redescription and Lectotype Designation of *Ypthima argillosa* Snellen (Lepidoptera, Satyridae). *Bull. Toyosato Mus. Ent.* 3: 1-4, figs.
- 6843.** Uémura, Y., 1995, Two new subspecies of *Morphopsis* (Lepidoptera, Satyridae) from Irian Jaya. *Bull. Toyosato Mus. Ent.* 4: 1-4, figs.
- 6844.** Uémura, Y., 1996, Description of a new satyrid genus allied to *Ypthima* Hübner and *Austroypthima* Holloway (Lepidoptera, Satyridae). *Bull. Toyosato Mus. Ent.* 5: 1-2, 4 figs.
- 6845.** Ünlü, L. & S. Kornoşor, 2003, Şanlıurfa ilinde saptanan Noctuidae (Lepidoptera) familyası türleri ve morfolojik özellikleri. *J. Agric. Fac. HR U.* 7 (3/4): 19-28.
- 6846.** Valentine, P., 1991, Australian Tropical Butterflies. iii+71pp. Frith & Frith Books, Queensland
- 6847.** Vallantin, H., 1894, Lépidoptère nouveau d'Algérie. *Epinephele* Ida, var. *Cecilia*. *Naturaliste, Paris* 16(2) 8(185): 260.
- 6848.** Valletta, A., 1980, The butterflies of Maltese Islands and their dwindling habitats. *Nota lepid.* 2(4): 165-166.
- 6849.** Valletta, A., 1980, The butterflies of the Maltese Islands and their dwindling habitats. *Nota lepid.* 2 (4): 165-166.
- 6850.** Vane-Wright, R.I. & P.R. Ackery, 1984, The Biology of Butterflies. 429pp. 34 figs. Princeton University Press, New Jersey.
- 6851.** Vane-Wright, R.I. & R. de Jong, 2003, The butterflies of Sulawesi: annotated checklist for a critical island fauna. *Zool. Verh., Leiden* 343: 1267, figs.
- 6852.** Vane-Wright, R.I. & R.L. Smiles, 1975, The species of the genus *Zethera* Felder (Lepidoptera, Nymphalidae, Satyrinae). *J. Ent.* (B) 44: 81-100.
- 6853.** Vanholder, B., 1999, *Cacyreus marshalli* ontgint nieuwe biotopen. *Nieuwsbrief Belgisch Trekvinderonderzoek* 13 (1): 5-6.
- 6854.** Vardikyan, S.A., 1985, New geometrid species of the genus *Eupithecia* Curt. (Lepidoptera, Geometridae) from the SSR of Armenia. *Doklady Akad. Nauk. armyan SSR* 81 (1): 45-48.
- 6855.** Vardikyan, S.A., 1985, Atlas of the genital apparatus of Geometer Moths (Geometridae, Lepidoptera) of SSR Armenia. *Akad. Nauk. Arm. Inst. Zool.*, 136pp., 99 Pls. Erevan [in Russian].
- 6856.** Varga, Z. & G. Santha, 1973, Verbreitung und taxonomische Gliederung der Euphydryas *matura* L. (Lep.: Nymphalidae) in SO-Europa (Euphydryas-Studien, I.) *Acta univ. debrecen (Ser.2) Biologica* 10/11: 213-231, figs.
- 6857.** Varga, Z. & I. Gyulai, 1978, Die Faunenelemente-Einteilung der Noctuiden Ungarns und die Verteilung der Faunenelemente in den Lokalfaunen. *Acta univ. debrecen (Ser.2) Biologica* 15: 257-295.
- 6858.** Varga, Z. & L. Ronkay, 1989, Taxonomical notes on the genus *Victrix* Staudinger, 1879 (Lepidoptera, Noctuidae) I. The description of a new subgenus two new species and a new subspecies. *Nota lepid.* 12 (1):
- 6859.** Varga, Z. & L. Ronkay, 1991, Taxonomic Studies on the palaearctic Noctuidae (Lepidoptera) I. New taxa from Asia. *Acta zool. hung.* 37(3/4): 263-312, 113 figs. Pls. 1-3.
- 6860.** Varga, Z. & L. Ronkay, 1991, Taxonomical notes on the genus *Victrix* Staudinger, 1879 (Lepidoptera, Noctuidae), II. The subgenus *Rasihia* Kocak. *Nota lepid.* 14 (2): 144-170, figs.
- 6861.** Varga, Z. & L. Ronkay, 1996, New and revised taxa of the genera *Chersotis* Boisduval, 1840 and *Dichagyris* Lederer, 1857 from Central Asia (Lepidoptera, Noctuidae, Noctuinae). *Esperiana* 4: 103-132, 83 figs., 2 Pls.
- 6862.** Varga, Z. & P. Gyulai, 1995, A new subspecies of *Bryopolia tsvetaevi* Varga et Ronkay from the Hissar Mountains. *Folia ent. hung.* 56: 211-214, figs.
- 6863.** Varga, Z. & P. Gyulai, 2001, New species of the genera: *Euxoa*, *Dichagyris* and *Chersotis* from Central Asia (Lepidoptera, Noctuidae, Noctuinae). *Esperiana* 8: 771-790, figs.
- 6864.** Varga, Z. & P. Gyulai, 2002, New taxa of Noctuidae, Hadeninae from West and Central Asia. *Esperiana* 9: 229-230, 517, Pl. 20.
- 6865.** Varga, Z., 1967, Contribution to the taxonomy of *Melitaea phoebe* Schiff. in Southeastern Europe, with description two new subspecies. *Acta univ. debrecen (Ser.2) Biologica* 5: 119-137, 31 figs.
- 6866.** Varga, Z., 1972, Die Erebie (Lepidoptera, Satyridae) der Balkanhalbinsel und der Karpaten III. Die Verbreitung und subspezifische Gliederung von *Erebia pandrose* (Bkh., 1788), nebst Beschreibung einer neuen Unterart: *E. pandrose ambicolorata* ssp. nova. *Acta univ. debrecen (Ser.2) Biologica* (1971) 9: 227-235, 8 Abb.
- 6867.** Varga, Z., 1972, *Boloria pales* (Denis & Schiffermüller) und *Boloria graeca* (Stgr); ihre Verbreitung und taxonomische Gliederung in der Balkanhalbinsel. *Acta univ. debrecen (Ser.2) Biologica* (1971) 9: 211-220.
- 6868.** Varga, Z., 1972, Die Erebie (Lepidoptera, Satyridae) der Balkanhalbinsel und der Karpaten II. Die Verbreitung und subspezifische Gliederung von *Erebia epiphron* Knoch, 1783 mit Beschreibung einer neuen Unterart: *E. epiphron infernalis* ssp. nova. *Acta univ. debrecen (Ser.2) Biologica* (1971) 9: 221-226.
- 6869.** Varga, Z., 1975, Eine Noctuiden-Ausbeute aus Ost-Anatolien (Lep.). *Ent. Z., Frankf. a. M.* 85: 172-174.
- 6870.** Varga, Z., 1975, Zoogeographische Gliederung der palaarktischen Orealfauna. *Verh. des Sechsten Int. Symp. über Entomofaunistik in Mitteleuropa*: pp. 263-284, 6 Abb. Junk & The Hague.
- 6871.** Varga, Z., 1975, Geographische Isolation und Subspeziation bei den Hochgebirgs-lepidopteren der Balkanhalbinsel. *Acta ent. Jugosl.* 11: 5-39.
- 6872.** Varga, Z., 1977, Das Prinzip der areal-analytischen Methode in der Zoogeographie und die Faunenelemente-Einteilung

- der europäischen Tagschmetterlinge (Lepidoptera, Diurna). Acta univ. debrecen (Ser.2) Biologica 14: 223-285, 33 Abb.
- 6873. Varga,Z.,** 1979, Neue Noctuiden aus der Sammlung Vartian (Wien), II. Z. ArbGem. öst. Ent. 31 (1/2): 1-12, 7 Abb. 1 Taf.
- 6874. Varga,Z.,** 1980, Ein neuer Fundort von *Hipparchia volgensis delattini* Kudrna, 1975 (Satyridae). Nota lepid. 2(4): 167-168.
- 6875. Varga,Z.,** 1990, Zwei neue Noctuidae-Arten aus Zentralasien (Lepidoptera, Noctuidae). Esperiana 1: 499-502, 5 figs.
- 6876. Varga,Z.,** 1990, New species of Noctuidae from Afghanistan and adjacent territories I. The genera *Euxoa* Hübner [1821] 1816, *Dichagyris* Lederer 1857, *Rhyacia* Hübner [1821] 1816 and *Chersotis* Boisduval 1840 (Lepidoptera, Noctuidae, Noctuinae). Esperiana 1: 167-198, 188 figs., 7 pls.
- 6877. Varga,Z.,** 1992, Taxonomic notes on the genus *Haderonia* Staudinger, 1896, with descriptions of one new genus and four new species (Lepidoptera, Noctuidae). Acta zool. hung. 38(1/2): 95-112, 60 figs.
- 6878. Varga,Z.,** 1993, Beiträge zur Kenntnis der Gattung *Dichagyris* Lederer, 1857 (Lepidoptera, Noctuidae) I. Acta zool. hung. 39(1/4): 289-300, figs.
- 6879. Varga,Z.,** 1995, Geographical patterns of the biological diversity in the Palaearctic Region and the Carpathian Basin. Acta zool. hung. 41 (2): 71-92, 3 figs., 2 Tab.
- 6880. Varga,Z.,** 1996, Biogeography and evolution of orear Lepidoptera in the Palaearctic. Acta zool. hung. 42 (4): 289-330, 12 figs.
- 6881. Varga,Z.,** 1996, New species and subspecies of *Dichagyris*, *Chersotis* and *Rhyacia* (Lepidoptera, Noctuidae) from Central Asia. Acta zool. hung. 42 (3): 195-230, figs.
- 6882. Varga,Z., Gyulai,P. & J.Miatleuski,** 2002, New species of Noctuidae, Noctuinae from Iran and Central Asia. Esperiana 9: 207-225, 516, pls.19,20.
- 6883. Varga,Z., Ronkay,L. & H.Hacker,** 1990, Revision of the genus *Bryopolia* Boursin, 1954 (Lepidoptera, Noctuidae). Esperiana 1: 427-469, 121 figs.
- 6884. Vari,L.,** 1961, South African Lepidoptera Vol.1. Lithocolletidae. xx+238pp., 112pls. Transvaal Museum, Pretoria.
- 6885. Vari,L., Kroon,D.M & M.Krüger,** 2002, Classification and checklist of the species of Lepidoptera recorded in Southern Africa. 384pp. Simple Solution Ltd. Australia.
- 6886. Varin,G.,** 1961, *Fabriciana auresiana* Fruhstorfer et sa sous-espèce marocaine *buckwelli* Varin (Lepidopteres, Nymphalidae). C.R. Soc. Sci. nat. phys. Maroc. 6: 125-126.
- 6887. Vartian,E.A.,** 1963, Eine neue Celama Hb. aus Afghanistan (Lepidoptera, Nolidae). Z. wien. ent. Ges. 48: 131-132.
- 6888. Vasilenko,S.V.,** 1993, Drei seltene Spannerarten (Lepidoptera, Geometridae) aus Turkmenistan. Actias 1: 119-120.
- 6889. Vasilenko,S.V.,** 1995, Neue Arten der *Aplocera plagiata* (Linnaeus, 1758) Gruppe aus den Gebirgen Mittelasiens (Lepidoptera, Geometridae). Atalanta 26 (1/2): 303-310.
- 6890. Vasilenko,S.V.,** 1995, Neue Arten der *Aplocera plagiata* (Linnaeus, 1758) Gruppe aus den Gebirgen Mittelasiens (Lepidoptera, Geometridae). Atalanta 26(1/2): 303-310, 3 Abb.
- 6891. Vasilenko,S.V.,** 1995, Review of Geometer species of the *Xanthorhoe sajanaria* group (Lepidoptera, Geometridae). Ent. Obozr. 74(3): 662-668, figs. [engl. text: Ent. Rev. 75(9): 12-18, 18 figs., 1996].
- 6892. Vasilenko,S.V.,** 1999, Die seltenen Spannerarten (Lepidoptera: Geometridae) aus Turkmenistan. Russ. ent. J. 7 (1998) (3/4): 221-224.
- 6893. Vasilenko,S.V.,** 2001, New and little known Geometrid Moths (Lepidoptera, Geometridae) from Russian Altai. Ent. Obozr. 80 (5): 538-544, figs.
- 6894. Veenakumari,K. Mohanraj,R. & W.A.Nässig,** 1996, *Cricula andamanica* Jordan, 1909 (Lepidoptera, Saturniidae) - an endemic wild silk moth from the Andaman islands, India. Nachr. ent. Ver. Apollo N.F. 17(3): 225-258, figs.
- 6895. Velez,J.H. & J.A.Salazar,** 1991, Mariposas de Colombia. 167pp. Villegas Eds. Bogota.
- 6896. Verhulst,J.,** 1991, Description d'une nouvelle espèce de *Colias* de Chine. Lambillionea 91(2): 113-126.
- 6897. Verhulst,J.,** 1993, Fiches spécifiques des *Colias* F. (*Colias* Data sheets) (Lepidoptera, Pieridae). Dixieme fiche. *Colias chlorocoma*. Lambillionea 93: 39-50, 11 figs. 2 Pls. 1 map.
- 6898. Verhulst,J.,** 1994, Expedition entomologique au nord-est de la Turquie, du 3 au 26 Juillet 1991. Bull. Cerc. Lépid. Belg. 23(24): 71-94, 1 Map, 20 figs.
- 6899. Verhulst,J.,** 1994, Contribution a la connaissance des Lépidopteres de l'île de Gran Canaria dans l'archipel canarien (Lepidoptera, Rhopalocera, Hesperidae, Sphingidae). Linneana Belgica 14(6): 303-314, Pls.
- 6900. Verity,R. & E.Turati,** 1911, Faunula Valderiensis nell'alta valle del Gesso (Alpi Maritime). Boll. Soc. ent. ital. 42 (1910): 171-265.
- 6901. Verity,R. & E.Turati,** 1912, Faunula Valderiensis nell'alta valle del Gesso (Alpi Maritime). Boll. Soc. ent. ital. 43 (1911): 168-236.
- 6902. Verity,R.,** 1903, Lepidotteri Ropaloceri scoperti recentemente in Toscana. Riv. Ist. Domenge-Rossi 1(1/2): 3-10.
- 6903. Verity,R.,** 1904, Elenco di Lepidotteri raccolti nell'Appennino Pistoies (700 metri) (15 Luglio- 3 Settembre 1903). Boll. Soc. ent. ital. 36: 58-93.
- 6904. Verity,R.,** 1905, Elenco di Lepidotteri raccolti sul litorale del Lucchese (Forte dei Marmi). Boll. Soc. ent. ital. 36 (1904): 123-170.
- 6905. Verity,R.,** 1905-1911, Rhopalocera palaearctica. Papilionidae et Pieridae. 86+368 pp. 2+12+72 pls. Firenze.
- 6906. Verity,R.,** 1906, Elenco di Lepidotteri raccolti della Vallombrosa (Appennino-Toscano) (800-900 metri). Boll. Soc. ent. ital. 38: 20-51.
- 6907. Verity,R.,** 1909, Elenco di Lepidotteri Ropaloceri raccolti nell'Isola Elba. Boll. Soc. ent. ital. 40: 106-116.
- 6908. Verity,R.,** 1911, Alcuni Lepidotteri inediti o non ancora figurati. Boll. Soc. ent. ital. 42 (1910): 266-281.
- 6909. Verity,R.,** 1911, Races inedites de Satyridae europeens. Bull. Soc. ent. Fr. 1911: 311-314.
- 6910. Verity,R.,** 1913, Revision of the Linnean types of palaearctic Rhopalocera. J. Linn. Soc. (Zool.) 32: 173-191.
- 6911. Verity,R.,** 1914, Dates of Publication of "Rhopalocera Palaearctica". Novit. zool. 21: 426.
- 6912. Verity,R.,** 1915, Elenco di Lepidotteri Ropaloceri raccolti dell'Alto Appennino Pistoies (900-2000 m. circa). Boll. Soc. ent. ital. 45 (1913): 139-154.
- 6913. Verity,R.,** 1916, Le variazioni geografiche della "*Lycaena coridon*" Poda nell'Italia centrale. Boll. Soc. ent. ital. 46 (1914): 128-133.
- 6914. Verity,R.,** 1916, Faunula della provincia di Macerata (Marche). Boll. Soc. ent. ital. 47 (1915): 45-78.
- 6915. Verity,R.,** 1916, The British races of butterflies: their relationship and nomenclature. Entomologist's Rec. J. Var. 28: 73-80, 97-102, 128-133, 165-174.
- 6916. Verity,R.,** 1917, Nuove osservazioni sui Lepidotteri Ropaloceri dell'Isola d'Elba. Boll. Soc. ent. ital. 48 (1916): 175-192.
- 6917. Verity,R.,** 1925, New races and forms of Palaearctic Gypocera. Entomologist's Rec. J. Var. 37: 41-44, 54-57, 72-76.
- 6918. Verity,R.,** 1929, The asiatic origins of the Western palaearctic Rhopalocera exemplified by *Melitaea didyma* Esp. Entomologist's Rec. J. Var. 41: 31-34, 39-43, 63-67, 72-76, 89-91, 111-118, 127-132.
- 6919. Verity,R.,** 1931, On the geographical variations and evolution of *Lycaeides argus* L. (Lycaenidae). Dt. ent. Z., Iris 45: 30-69.
- 6920. Verity,R.,** 1932, The geographical Variations of *Boloria euphrosyne* L. Entomologist's Rec. J. Var. 44: 110-115, 119-121.
- 6921. Verity,R.,** 1934-1936, The lowland races of butterflies of the Upper Rhone Valley. Entomologist's Rec. J. Var. 46 (suppl.): 1-40; 47 (suppl.): 41-76; 48 (suppl.): 77-90.
- 6922. Verity,R.,** 1935, Races de *Lysandra thesites* (Lep., Cant.) Champ. et de *Plebeius sephyrus* Friv. de l'Asie Mineure. Bull. Soc. ent. Fr. 40: 243-245.

- 6923. Verity, R.,** 1936, *Polyommatus parameleager*, another "blue" from Persia. *Entomologist's Rec. J. Var.* 48: 130.
- 6924. Verity, R.,** 1936, *Lysandra corona*, a new "blue" from Persia. *Entomologist's Rec. J. Var.* 48: 106-107.
- 6925. Verity, R.,** 1936-1937, The butterfly races of Macedonia. *Entomologist's Rec. J. Var. (suppl.)* 48 (1936): 1-8; 49 (1937): 9-22.
- 6926. Verity, R.,** 1937, Variation of *Eumenis allionii* G.H.: fatua Freyer. *Entomologist's Rec. J. Var.* 49: 99-101.
- 6927. Verity, R.,** 1937, Des variations géographiques de l'*Eumenis briseis* L. *Lambillionea* 37: 4-14, 50-63.
- 6928. Verity, R.,** 1937-1938, Variation of some butterflies in Anterior Asia and in Morocco. *Entomologist's Rec. J. Var.* 49 (11) (suppl.): (1)-(4); (12) (suppl.): (5)-(8); 50 (5) (suppl.): (9)-(12); (6) (suppl.): (13)-(15).
- 6929. Verity, R.,** 1938, Butterfly races and *Zygaena* of Macedonia. *Entomologist's Rec. J. Var.* 50 (suppl.): 1-16.
- 6930. Verity, R.,** 1938-1939, Supplement to the "Butterfly races and *Zygaena* of Macedonia". *Entomologist's Rec. J. Var. (suppl.)* 50 (1938): 1-16; 51 (1939): 17-20.
- 6931. Verity, R.,** 1939, Race persane du *Palaeoloweia tityrus* Poda, 1761 = *dorilis* Hufnagel, 1766 = *dorilis* (par lapsus) Stdr., 1861. *Lambillionea* 39: 183-186.
- 6932. Verity, R.,** 1939, Essai sur la distinction des especes du groupe de *Lysandra coridon* Poda. *Lambillionea* 39: 210-222.
- 6933. Verity, R.,** 1940, Le Farfalle Diurne d'Italia. vol.1. Firenze.
- 6934. Verovnik, R.,** 1997, Notes on butterflies collected in Indonesia in September and October 1992 (Lepidoptera, Papilionidae, Pieridae, Danaidae, Lycaenidae). *Opusc. zool. flumin.* 156: 1-14.
- 6935. Vicent, J.,** 1913, Description d'une nouvelle *Catocala* de Syrie. *Bull. Soc. ent. Fr.* (1913): 431-432.
- 6936. Vidal Fernandez, E.H.,** 1991, Guia de las Mariposas Diurnas de Galicia. 219pp. 144 figs. Diputacion Provincial de A Coruna, Espagne.
- 6937. Viejo, J.L. & J. Templado,** 1986, Los pieridos, satiridos y ninfalidos (Lep.) de la region de Madrid en Relacion con las formaciones vegetales. *Graellsia* 42: 237-265.
- 6938. Viette, P.,** 1949, Les Ophideres du Pacifique (Lepidoptera, Noctuidae). *Revue fr. Ent.* 15: 209-220, figs.
- 6939. Viette, P.,** 1977, Hepialidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 105: 16.
- 6940. Viette, P.,** 1979, Réflexions sur les classifications en sous-ordres de l'Ordre des Lepidoptera. *Bull. Soc. ent. Fr.* 84(3/4): 68-78.
- 6941. Viette, P.E.L.,** 1951, Les Noctuidae Noctuinae (Lep.) de la Nouvelle Calédonie et des Nouvelles Hébrides. *Annls Soc. ent. Fr.* 118: 29-50.
- 6942. Viidalepp, J. & V. Mironov,** 2006, *Pasiphila hyrcanica* sp.n. (Geometridae, Larentiinae) - a new species from Azerbaijan and Iran. *Nota lepid.* 28 (3/4): 197-201, figs.
- 6943. Viidalepp, J.R.,** 1988, [in] H. Remm, Fauna Pyadenis gor Credney Azii [The Geometrid fauna of the mountains of Central Asia]. Institut Zoologii & Botaniki 1988: 1-211, Tab.1-3, 8 Pls., 42 figs. [in Russian].
- 6944. Viidalepp, Y.R.,** 1977, A list of Geometridae (Lepidoptera) of the USSR, II. *Ent. Obozr.* 56 (3): 564-576.
- 6945. Viidalepp, Y.R.,** 1986, The subfamily Alsophilinae (Lepidoptera, Geometridae) of the U.S.S.R. fauna I. *Akad. Nauk S.S.S.R., Vladivostok* 1986: 57-69, figs.
- 6946. Vis, R. & H.A. Coene,** 1987, Lepidopterological investigations in Kashmir and Ladakh (India). *Nota lepid.* 10 (1): 5-24, 9 figs.
- 6947. Vives Moreno, A.,** 1988, Catalogo Mundial Sistemático y de Distribucion de la Familia Coleophoridae Hübner, [1825] (Insecta, Lepidoptera). *Bol. San. Veg.* 12: 1-196.
- 6948. Vives Moreno, A.,** 1994, Catalogo sistemático y sinonímico de los lepidópteros de la península Ibérica y Baleares (Insecta, Lepidoptera) (segunda Parte) 775pp. Ministerio de Agricultura, Pesca y Alimentacion. Madrid.
- 6949. Vives Moreno, A.,** 1999, Contribucion al conocimiento de la familia Pterolonchidae Meyrick, 1920. Los tipos de Edward Meyrick conservados en el Transvaal Museum de Pretoria y en el British Museum (Natural History) de Londres (Lepidoptera, Pterolonchidae, Holcopogonidae). *Revta lepid.* 27 (108): 539-547, figs.
- 6950. Voelschow, A.,** 1902, Die Zucht der Seidenspinner. 83pp. 45 Abb. 7 Taf., Schwerin.
- 6951. Vojnits, A.M. & E. de Laever,** 1978, Eupithecini from Korea and China (Lepidoptera). *Acta zool. hung.* 24 (1/2): 225-252, 27 figs.
- 6952. Vojnits, A.M.,** 1969, A new Central European *Gnophos* subspecies *Gnophos ambiguata tatrensis* n.ssp. (Lepidoptera, Geometridae). *Opusc. zool., Budapest* 9: 375-377.
- 6953. Vojnits, A.M.,** 1973, *Eupithecia submelanochroa* sp.n. A new Eupithecia species from Asia (Lepidoptera, Geometridae). *Folia ent. hung.* 26: 209-215, figs.
- 6954. Vojnits, A.M.,** 1982, New Eupithecia species from the Asiatic regions of the Soviet Union and Iran. *Acta zool. hung.* 28 (3/4): 403-420, 21 figs.
- 6955. Vojnits, A.M.,** 1982, A revision of the "Eupithecia innotata group", I. (Lepidoptera, Geometridae). *Annls. hist. nat. Mus. natn. Hung.* 74: 217-239, figs.
- 6956. Vojnits, A.M.,** 1987, Notes on Eupithecia (Lepidoptera, Geometridae). *Articulata* 3 (1): 33-39.
- 6957. Vorbrott, C. & J. Müller-Rutz,** 1911, 1914 Die Schmetterlinge der Schweiz. Bde. 1, 2. Verlag Wyss. Bern.
- 6958. Vorbrott, C.,** 1921, Die Schmetterlinge der Schweiz. *Mitt. schweiz. ent. Ges.* 13(3/4): 175-206.
- 6959. Vorbrott, C.,** 1928, Alpine Bestandteile der Schmetterlingsfauna des Hochjura. *Int. ent. Z.* 22: 217-234.
- 6960. Vorbrott, C.,** 1928, Die Schmetterlinge von Zermatt. *Dt. ent. Z., Iris* 42: 7-130.
- 6961. Vorbrott, C.,** 1931, Tessiner und Misoxer Schmetterlinge. 193 S., 2 Taf., Bern.
- 6962. Vos, R. de & K. Cerny,** 1999, A review of the Philippine species of the genus *Nyctemera* Hübner [1820] with descriptions of new species and subspecies (Lepidoptera, Arctiidae, Nyctemerinae). *Nachr. ent. Ver. Apollo (N.F.)* 20 (2): 133-188, 49 figs.
- 6963. Vos, R. de,** 1995, A revision of *Nyctemera consobrina* (Hopffer, 1874) with redescrptions of three subspecies (Lepidoptera, Arctiidae, Nyctemerinae). *Nachr. ent. Ver. Apollo N.F.* 16(1): 81-93, figs.
- 6964. Vos, R. de,** 1996, *Nyctemera pseudokala* sp.nov. and *N. mastigiti* sp.nov., two new species from Indonesia (Lepidoptera, Arctiidae, Nyctemerinae). *Nachr. ent. Ver. Apollo N.F.* 17 (3): 301-311, figs.
- 6965. Vos, R. de,** 1997, A revision of *Nyctemera kebeae* (Bethune-Baker, 1904) (with descriptions of two new subspecies) and *N. warmasina* (Bethune-Baker, 1910) (Lepidoptera, Arctiidae, Nyctemerinae). *Nachr. ent. Ver. Apollo (N.F.)* 18 (1): 1-12, 10 figs.
- 6966. Vos, R. de,** 1999, Trekvlinders in 1998 (negenvijftigste jaarverslag). *Ent. Ber., Amst.* 59: 173-185.
- 6967. Vos, R. de,** 2000, Trekvlinders in 1999 (zestigste jaarverslag). *Ent. Ber., Amst.* 60 (12): 217-230, Tab., 2 figs.
- 6968. Wagener, S. & F.J. Gross,** 1976, Eine neue Unterart von *Melitaea arduinna* aus Ostanatolien (Lep., Nymphalidae). *Ent. Z., Frankf. a. M.* 86 (20): 229-232, 1 Abb.
- 6969. Wagener, S.,** 1952, Beitrag zur Lepidopterenfauna des Hohen Atlas in Marokko. *Ent. Z., Frankf. a. M.* 62: 97-102.
- 6970. Wagener, S.,** 1974, Ergebnisse der tschechoslowakisch-iranischen entomologischen Expedition nach dem Iran 1970 (mit Angaben über einige Sammelresultate in Anatolien) Nr. 9. Lepidoptera, Satyridae: Genus *Melanargia* Meigen, 1828. *Acta ent. Mus. natn. Pragae (suppl.)* 6: 99-104, 2 Abb.
- 6971. Wagener, S.,** 1975, 4. Beitrag. Die vorderasiatischen Formen der *Melanargia russiae* (Esper, 1784), [in] Ebert, G. et al., Beitrage zur Kenntnis der Rhopaloceren Irans. *J. ent. Soc. Iran, Suppl.* 1: 47-62, figs.
- 6972. Wagener, S.,** 1976, Beiträge zur Kenntnis der Rhopaloceren Irans 5. Beitrag: *Melanargia evartianae* species nova aus Nord-Iran (Lepidoptera, Satyridae). *J. ent. Soc. Iran* 3(1/2): 75-80, 3 Abb.

- 6973.** Wagener, S., 1976, *Melanargia larissa lesbina* subspecies nova (Lepidoptera, Satyridae). NachrBl. bayer. Ent. 25(3): 40-43, fig.
- 6974.** Wagener, S., 1977, Bemerkungen zu den Parnassius-Formen des Apennin aus geographisch-ökologischer Sicht (Papilionidae). Nota lepid. 1(1): 23-37, map.
- 6975.** Wagener, S., 1983, Zwei neue *Melanargia*-Formen aus Anatolien. Atalanta 14 (3): 247-299, Abb.
- 6976.** Wagener, S., 1983, *Brenthis ino schmitzi* ssp.n. aus Nordost-Anatolien (Lepidoptera, Nymphalidae). Entomofauna 4(7): 109-117, figs.
- 6977.** Wagener, S., 1983, Zur Taxonomie, Nomenklatur und Verbreitung von *Melanargia titea* (Klug, 1832) (Lepidoptera, Satyridae). Nota lepid. 6 (2/3): 175-188, 32 figs.
- 6978.** Wagener, S., 1984, Struktur und Skulptur der Eihüllen einiger *Melanargia*-Arten (Lepidoptera, Satyridae). Andrias 3: 73-96, Abb.
- 6979.** Wagener, S., 1988, What are the valid names for the two genetically different taxa currently included within *Pontia daplidice* (Linnaeus, 1758)? (Lepidoptera, Pieridae). Nota lepid. 11(1): 21-38.
- 6980.** Wagener, S., 1988, Wer hat als Autor des Gattungsnamens *Parnassius* (Lepidoptera, Papilionidae) zu gelten? Nota lepid. 11(3): 237-238.
- 6981.** Wagener, S., [1990], 10 Thesen zum Arten- und Biotopschutz der Schmetterlinge. Atalanta 20 (1989): 131-133.
- 6982.** Wagner, F., 1913, Neue Heteroceren aus Centralasien. Int. ent. Z. 7: 2-7.
- 6983.** Wagner, F., 1913, Beitrag zur Lepidopterenfauna des Ilgebiets sowie des Sary-Dschas (Asia centr.). Ent. Mitt. 2: 22-30, 50-62, 88-95, 112-126, 153-158, 185-190, 244-254, 285-288, 15 figs.
- 6984.** Wagner, F., 1930, Zweiter (III.) Beitrag zur Lepidopterenfauna Inner-Anatoliens. Int. ent. Z. 23: 545-555, Taf.
- 6985.** Wagner, F., 1931, Dritter (IV.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 24(45): 467-474; (46): 475-485; (47): 487-492, Taf.
- 6986.** Wagner, F., 1931, Neue Heteroceren aus Kleinasien. Int. ent. Z. 25: 367-371.
- 6987.** Wagner, F., 1932, Vierter (V.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 26: 178-183, 185-187, figs. Taf.
- 6988.** Wagner, F., 1933, Die ersten Stände zweier kleinasiatischer Lepidopteren und Beschreibung einer neuen Form. Z. öst. EntVer. 18: 88-90.
- 6989.** Wagner, F., 1936, Zwei neue Noctuiden aus Nordpersien. Z. öst. EntVer. 21: 73-75.
- 6990.** Wagner, F., 1937, Drei weitere Neuheiten aus Nord-Persien. Z. öst. EntVer. 22: 21-24, 5 figs.
- 6991.** Wagner, F., 1937, Einige weitere persische Neuheiten (Lep.) Z. öst. EntVer. 22: 61-63, 5 figs.
- 6992.** Wagner, H. & R. Pfitzner, 1911, Hepialidae. [in] Aurivillius, C. & H. Wagner, Lepidopterorum Catalogus Pars 4. 26pp. Dr. W. Junk Berlin.
- 6993.** Wagner, H., 1913-1919, Sphingidae, [in] Wagner, H., Lepid. Cat., Pars 12 (1913), Pars 18 (1914), Pars 21 (1915), Pars 23 (1919). 440 pp., Berlin.
- 6994.** Wagner, W.H. & D.F. Grether, 1948, The butterflies of the Admiralty Islands. Proc. U.S. Nat. Mus. 98 (3227): 163-186.
- 6995.** Wakeham-Dawson, A. & P. Spurdens, 1994, Anomalous blue butterflies of the genus *Agrodiaetus* Hübner (Lepidoptera, Lycaenidae) in southern Greece. Entomologist's Gaz. 45: 13-20, 5 figs.
- 6996.** Wakeham-Dawson, A., 1996, How useful are male genitalia as taxonomic characters in the genus *Pseudochazara* de Lesse, 1951 (Lepidoptera, Satyridae)? Entomologist's Gaz. 47: 227-237, 9 figs. 3 Tab.
- 6997.** Wakeham-Dawson, A., 1996, Interesting butterflies in northern Greece, June 1996. Entomologist's Gaz. 47: 247-251.
- 6998.** Wakeham-Dawson, A., 1997, Discriminant analysis of androconia in the genus *Pseudochazara* de Lesse, 1951 (Lepidoptera, Satyridae). Entomologist's Gaz. 48: 37-46.
- 6999.** Wakeham-Dawson, A., Parker, R., John, E. & R.L.H. Dennis, 2003, Comparison of the male genitalia and androconia of *Pseudochazara anthelea acamanthis* (Rebel, 1916) from Cyprus *Pseudochazara anthelea anthelea* (Hübner, 1824) from mainland Turkey and *Pseudochazara anthelea amalthea* (Friv., 1845) from mainland Greece... Nota lepid. 25 (4): 251-263, 4 Tab., 6 figs.
- 7000.** Walker, F., 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 8: 76-265. London.
- 7001.** Walker, F., 1862, Characters of undescribed Lepidoptera in the collection of W.W. Saunders, Esq. Trans. ent. Soc. London (Ser. 3) 1: 70-128.
- 7002.** Walker, F., 1864, List of the specimens of lepidopterous insects in the collection of the British Museum 31, Supplement. 321 pp., London.
- 7003.** Walker, F., 1870, A list of the Lepidoptera collected by J.K. Lord, Esq., in Egypt, along the African shore of the Red Sea, and in Arabia; with description of the species new to science. Entomologist 5: 123-134.
- 7004.** Walker, J.J., 1898, The Butterflies of the Chatham district. Entomologist's Rec. J. Var. 10: 100-103.
- 7005.** Wallace, A.R., 1865, On the phenomena of variation and geographical distribution as illustrated by the Papilionidae of the Malay Region. Trans. linn. Soc. London 25 (1): 1-71.
- 7006.** Wallengren, H.D.J., 1856, Kafferlandets Macrolepidopter-Fauna. Akad. Afh. Lund. 1856: 1-78.
- 7007.** Wallengren, H.D.J., 1857, Lepidoptera Rhopalocera in terra caffrorum Annis 1838-1845 collecta af J.A. Wahlberg. K. svenska VetenskAkad. Handl. 2(4): 1-55.
- 7008.** Wallengren, H.D.J., 1865, Heterocer-Fjaerilar samlade i Kafferlandet af J.A. Wahlberg. K. svenska VetenskAkad. Handl. 5(4): 1-157.
- 7009.** Wallengren, H.D.J., 1872, Bidrag till Södra Afrikas Fjaerilfauna. Öfvers. K. VetenskAkad. Förh. 29 (3): 41-61.
- 7010.** Wallengren, H.D.J., 1875, Insecta Transvaaliensia. Öfvers. K. VetenskAkad. Förh. 32 (1): 83-137.
- 7011.** Wallengren, H.D.J., 1875, Insecta Transvaaliensia-Bidrag till Transvaalska Republikens; Södra Afrika insektfauna. fversigt af Kongl. Vetensk. Akad. Förh. 32: 83-137.
- 7012.** Walsingham, M.A. & G.F. Hampson, 1896, On moths collected at Aden and in Somaliland. Proc. zool. Soc. Lond. 1896: 257-283, Pl. 10.
- 7013.** Walsingham, M.A., 1881, On the Tortricidae, Tineidae, and Pterophoridae of South Africa. Trans. ent. Soc. London 1881: 219-288, pl. x-xiii.
- 7014.** Walsingham, M.A., 1891, African Microlepidoptera. Trans. ent. Soc. London 1891: 63-132, 5 pls.
- 7015.** Walsingham, M.A., 1891, African Micro-Lepidoptera. Trans. ent. Soc. London 1891: 63-132, Pls. 3-7.
- 7016.** Walsingham, M.A., 1898, Descriptions of a new Micropterygid genus and species, and a new Eriocraniid species from N. America. Entomologist's Rec. J. Var. 10(7): 162-163, Pl. 2.
- 7017.** Walsingham, M.A., 1900, Descriptions of the new Microlepidoptera from Sokotra and "Abd el Kuri". Bull. Lpool. Mus. 3: 1-7.
- 7018.** Walsingham, M.A., 1900, Asiatic Tortricidae. Ann. Mag. nat. Hist. 7 (5): 368-386, 451-490; 7 (6): 121-137, 234-243, 333-341, 401-409, 429-448.
- 7019.** Walsingham, R.H. & J.H. Durrant, 1898, Note on Goeze's Beiträge. Entomologist's mon. Mag. 34: 180.
- 7020.** Walther, K., Camillo, R.A. & S. Stänz, 1997, A preliminary and annotated list of Lepidoptera-Butterflies (Papilionoidea) and moths (Hesperiidae, Sphingidae, Saturniidae) - recorded from the Kingdom of Lesotho, Southern Africa. Metamorphosis 8(3): 109-130.
- 7021.** Wang, M. G.-H. Huang, 2005, Two new species of the genus *Camptoloma* (Lepidoptera, Noctuidae) from China. Florida Ent. 88 (1): 34-37, figs.
- 7022.** Wang, S. & H. Li, 2005, The genus *Irepacma* (Lepidoptera, Oecophoridae) from China, checklist, key to the species and descriptions of new species. Acta zool. hung. 51 (2): 125-133, figs.

- 7023.** Wang, S.S. & H.-H. Li, 2005, A taxonomic study on *Endotricha* Zeller (Lepidoptera, Pyralidae, Pyralinae) in China. *Insect Sci.* 12: 297-305, figs.
- 7024.** Ward, C., 1871, Descriptions of new species of African diurnal Lepidoptera. *Entomologist's mon. Mag.* 8: 34-36, 58-60, 81-82, 118-122.
- 7025.** Ward, C., 1873, Descriptions of new species of African Lepidoptera. *Entomologist's mon. Mag.* 10: 59-60, 151-152.
- 7026.** Warnecke, G., 1925, Noch einmal über *Gonepteryx aspasia* Mén. *Mitt. münch. ent. Ges.* 15: 100-101.
- 7027.** Warnecke, G., 1929, Eine neue Pararge-Art aus Süd-Arabien: *Pararge felix* n.spec. *Warn. (Lep., Rhopalocera).* *Int. ent. Z.* 22: 365-367, 2 Abb.
- 7028.** Warnecke, G., 1930, Die Gross-Schmetterlinge der hamburgischen Sud-Arabien Expedition C.Rathjens - H. von Wissmann. *Mitt. münch. ent. Ges.* 20: 21-40.
- 7029.** Warnecke, G., 1932, Über eine Rasse der *Papilio machaon* L. aus Arabien - einer neuen, dem ersten mit Fluggebiet südlich des Wendekreises, n. ssp. *rathjensi* Warnecke aus Südwest-Arabien. *Int. ent. Z.* 25: 473-476.
- 7030.** Warnecke, G., 1933, Ein zweiter Beitrag zur Kenntnis der Macrolepidopteren-Fauna Südwest-Arabiens. (Ergebnisse einer 2. Expedition Dr. Rathjens nahe dem Jemen und einer Expedition Dr. v. Wißmann nach dem Wadi Hadramaut 1931). *Mitt. münch. ent. Ges.* 23: 27-32.
- 7031.** Warnecke, G., 1935, Über das Ei von *Parnassius nordmanni* Mén. *Parnassiana* 3: 65-66.
- 7032.** Warnecke, G., 1938, Bemerkungen zu einigen Arten der Nolinae (Lepidoptera, Arctiidae) II. Beitrag. *Ent. Rdsch.* 55: 472-476.
- 7033.** Warnecke, G., 1938, Bemerkungen zu einigen Arten der Nolinae (Lepidoptera, Arctiidae). *Ent. Rdsch.* 55: 293-297, Abb.
- 7034.** Warnecke, G., 1938, *Lycaena amanda* Schn., ein in Norddeutschland in der Ausbreitung befindlicher Tagfalter. *Ent. Rdsch.* 55: 245-249, Karte.
- 7035.** Warnecke, G., 1941, Über *Calamia* (Luceria) *virens* (Lep., Noctuidae) und ihre "Form" *immaculata* Stgr. *Z. wien. entVer.* 26: 99-104.
- 7036.** Warnecke, G., 1943, Über die Lepidopterologische Literatur des Kaukasus. *Z. wien. ent. Ges.* 28: 169-176.
- 7037.** Warnecke, G., 1954, Über postglaziale Arealdisjunktionen europäischer Makrolepidopteren. *Dt. ent. Tagung, Hamburg:* 33-47.
- 7038.** Warnecke, G., 1959, Verzeichnis der borealpinen Lepidopteren. *Z. wien. ent. Ges.* 44: 17-26.
- 7039.** Warnecke, G., 1959, *Colias hyale* L. als "Wanderfalter". *NachrBl. bayer. Ent.* 8 (9): 81-84.
- 7040.** Warnecke, G., 1961, Rezente Arealvergrößerungen bei Schmetterlingen. *Bonn. Zool. Beitr.* 12: 113-141.
- 7041.** Warren, A.D., 2003, Partial list of the literature related to Mexican butterflies. Corvallis, Oregon, Published by the Author. 34pp.
- 7042.** Warren, B.C.S., 1910, Some butterflies of the Black Forest and Rhine Plain. *Entomologist's Rec. J. Var.* 22: 1-93.
- 7043.** Warren, B.C.S., 1913, *Agriades thersites*, its distribution and variation in the Rhone Valley. *Entomologist's Rec. J. Var.* 25: 253-256.
- 7044.** Warren, B.C.S., 1913, Notes on *Pieris manni* and other entomological subjects. *Entomologist's Rec. J. Var.* 25: 305-306.
- 7045.** Warren, B.C.S., 1920, The Swiss species of the genus *Hesperia*. *Entomologist's Rec. J. Var.* 32: 45-52, 78-83, 85-88, 117-121, 125-130, pl.3
- 7046.** Warren, B.C.S., 1923, Six weeks among the butterflies of Eastern Switzerland. *Entomologist's Rec. J. Var.* 35: 73-79, 96-101, pl.1.
- 7047.** Warren, B.C.S., 1924, A new European Skipper *Hesperia freija* sp.n. *Proc. ent. Soc. Lond.* 1924: lvi-lvii. Pl.B.
- 7048.** Warren, B.C.S., 1925, Preliminary description of a new Spanish race of *Powellia sao*. *Entomologist's Rec. J. Var.* 37: 77.
- 7049.** Warren, B.C.S., 1926, Monograph of the tribe Hesperii (European species) with revised classification of the subfamily Hesperinae (Palearctic species) based on the genital armatures of the males. *Trans. ent. Soc. Lond.* 74: 1-170, Pls.
- 7050.** Warren, B.C.S., 1927, Notes on the Spanish form of *Hesperia cinarae* Rbr. *Entomologist's Rec. J. Var.* 39: 81-82.
- 7051.** Warren, B.C.S., 1928, Notes on the proposed substitution of *Erebia alecto* Hb for *E. nerine* Fr. *Entomologist's Rec. J. Var.* 40: 129-130.
- 7052.** Warren, B.C.S., 1928, Notes on a migration of *Colias croceus*. *Entomologist's Rec. J. Var.* 40: 140-141.
- 7053.** Warren, B.C.S., 1930, A definition of the satyrid genera *Erebia*, *Callerebia*, *Paralasa* and *Erebomorpha*. *Entomologist's Rec. J. Var.* 42: 103-107.
- 7054.** Warren, B.C.S., 1931, *Melitaea varia* Meyer-Dür. *Entomologist's Rec. J. Var.* 43: 6-8.
- 7055.** Warren, B.C.S., 1935, Supplementary notes on the structural characteristics of *Pyrgus freija* (Warren, 1924). *Trans. R. ent. Soc. Lond.* 83: 127-129, Pl.vii.
- 7056.** Warren, B.C.S., 1935, Notes on a new subspecies of *Erebia callias*. *Entomologist's Rec. J. Var.* 47: 3-4.
- 7057.** Warren, B.C.S., 1936, Monograph of the genus *Erebia*. vii+407pp. 104 Pls. Br. Mus. (Nat. Hist.), London.
- 7058.** Warren, B.C.S., 1938, The flying-habits of butterflies when paired. *Entomologist* 71: 114-117.
- 7059.** Warren, B.C.S., 1938, On the racial variability of *Erebia melancholica* H.-S. *Entomologist* 71: 246-250.
- 7060.** Warren, B.C.S., 1939, On the names given to *Erebia* species by de Prunner. *Dt. ent. Z., Iris* 53: 32-35.
- 7061.** Warren, B.C.S., 1942, Genus *Pandoriana* gen. nov. A preliminary description. *Entomologist* 75: 245-246.
- 7062.** Warren, B.C.S., 1944, Review of the classification of the Argynnidi: with a systematic revision of the genus *Boloria*. *Trans. R. ent. Soc. Lond.* 94: 1-101, Pls.
- 7063.** Warren, B.C.S., 1948, On the race of *Erebia epiphron* indigenous in the British Isles. *Entomologist* 81: 181-186.
- 7064.** Warren, B.C.S., 1949, A note on the central European races of *Papilio machaon* and their nomenclature. *Entomologist* 82: 150-153.
- 7065.** Warren, B.C.S., 1949, A note on *Erebia dromulus* Stgr. *Entomologist* 82: 190.
- 7066.** Warren, B.C.S., 1951, *Erebia simo* Grun-Grshimailo: a species distinct from *Erebia fasciata* Butler. *Entomologist* 84: 73-77.
- 7067.** Warren, B.C.S., 1951, Speciation in the genus *Colias*: with special reference to *C. hyale* and *C. australis*. *Lambillionea* 50 (1950): 90-98, pls.v-vi.
- 7068.** Warren, B.C.S., 1952, A new species of *Erebia* from S.E. Tibet. *Entomologist* 85: 17-18.
- 7069.** Warren, B.C.S., 1953, Three unrecognized species of the *Pyrgus*. *Entomologist* 86: 90-103.
- 7070.** Warren, B.C.S., 1954, A note on the genitalia of *Colias australis*. *Entomologist's Rec. J. Var.* 66: 36, pl.1.
- 7071.** Warren, B.C.S., 1954, *Erebia tyndarus* Esp. and *Erebia cassioides* Rein. & Hohenw. two distinct species. *Entomologist's mon. Mag.* 90: 129-131.
- 7072.** Warren, B.C.S., 1955, *Erebia tyndarus* and allied species: the solution of some long-outstanding problems. *Entomologist* 88: 227-231, 252-259.
- 7073.** Warren, B.C.S., 1957, Hitherto overlooked anatomical data concerning the genital structure in *Rhopalocera*. *Trans. R. ent. Soc. Lond.* 109: 361-377, pls.1-3.
- 7074.** Warren, B.C.S., 1961, *Erebia melas carpathicola* Popescu-Gorj & Alexinschi in west Transylvania. *Entomologist* 94: 171-172.
- 7075.** Warren, B.C.S., 1961, Structural characteristics of *Erebia sudetica* and *Erebia melampus*. *Entomologist's Rec. J. Var.* 73: 188-189, pl.vi.
- 7076.** Warren, B.C.S., 1961, The androconial scales and their bearing on the question of speciation in the genus *Pieris*. *Ent. Tidskr.* 82: 121-148, pls.1-3.
- 7077.** Warren, B.C.S., 1963, *Pieris bryoniae dubiosa* Röber and notes on the variation in the androconia of *Pieris* species. *Entomologist's Rec. J. Var.* 75: 125-129, pl.3.

- 7078. Warren, B.C.S.,** 1970, On three North African species of *Pieris*: *P. maura* Vty., *P. atlantica* Rothsch., *P. segonzaci* Le Cerf. Entomologist's Rec. J. Var. 82: 221-230, pls.xi-xii.
- 7079. Warren, B.C.S.,** 1971, On the Persian forms of *Pieris pseudorapae* Vty. Entomologist's Rec. J. Var. 83: 365-369, pl.xiii.
- 7080. Warren, B.C.S.,** 1978, Autobiography with an autobiographical note. Nota lepid. 1(2): 77-81.
- 7081. Warren, E.J.M.,** 1983, A note on *Pyrgus warrenensis* Verity its history and distribution (Hesperiidae). Nota lepid. 6 (1): 61-64, fig.
- 7082. Warren, W. & N.C.Rothschild,** 1905, Lepidoptera from the Sudan. Novit. zool. 12: 21-33, figs.
- 7083. Warren, W.,** 1888, On Lepidoptera collected by Major Yerbury in Western India in 1886 and 1887. Proc. zool. Soc. Lond. 1888: 292-339.
- 7084. Warren, W.,** 1893, On new genera and species of moths of the family Geometridae from India in the collection of H.J.Elwes. Proc. zool. Soc. Lond. 1893: 341-434, pls.
- 7085. Warren, W.,** 1894, New genera and species of Geometridae. Novit. zool. 1: 366-466.
- 7086. Warren, W.,** 1894, New genera and species of Indian Geometridae. Novit. zool. 1: 678-682.
- 7087. Warren, W.,** 1895, New species and genera of Geometridae in the Tring Museum. Novit. zool. 2: 82-159.
- 7088. Warren, W.,** 1896, New Geometridae in the Tring Museum. Novit. zool. 3: 99-148.
- 7089. Warren, W.,** 1896, New Indian Epipleminae and Geometridae. Novit. zool. 3: 307-321.
- 7090. Warren, W.,** 1896, New species of Drepanulidae, Thyrididae, Uraniidae, Epipleminae and Geometridae in the Tring Museum. Novit. zool. 3: 335-419.
- 7091. Warren, W.,** 1896, New genera and species of Pyralidae, Thyrididae and Epipleminae. Ann. Mag. nat. Hist. (6) 17: 94-106, 131-150, 202-216.
- 7092. Warren, W.,** 1897, New genera and species of Drepanulidae, Thyrididae, Epipleminae, Uraniidae and Geometridae in the Tring Museum. Novit. zool. 4: 195-262.
- 7093. Warren, W.,** 1903, Two new species of the Wady el Natron, Egypt. Entomologist 36: 225-226.
- 7094. Warren, W.,** 1909-1913, Familia Noctuidae, [in] Seitz, A., Die Gross-Schmett. Erde 3: pp. 9-444, Taf., Stuttgart.
- 7095. Warren, W.,** 1911, Descriptions of some new Geometridae and Pyralidae from South Africa. Ann. S. Afr. Mus. 10 (1): 19-30.
- 7096. Warren, W.,** 1914, Descriptions of new species of Lepidoptera Heterocera in the South African Museum. Ann. S. Afr. Mus. 10: 467-508, 2 pls.
- 7097. Warren, W.,** 1915, New Palaearctic and Eastern Noctuidae in the Tring Museum. Novit. zool. 22: 147-153.
- 7098. Watanabe, M.,** 1992, Egg maturation in laboratory-reared females of the Swallowtail butterfly, *Papilio xuthus* L. (Lepidoptera, Papilionidae), feeding on different concentration solutions of sugar. Zool. Sci. 9 (1): 133-141.
- 7099. Watanabe, Y.,** 1990, A new species of genus *Parnassius* Latreille from Tibet, China (Lepidoptera, Papilionidae). Notes Eurasian Insects 1: 2-6.
- 7100. Watanasit, S.,** 1984, A survey of the butterflies at Tarutao National Park, Satun. Songklanakarin J. Sci. Technol. 6: 47-52.
- 7101. Watanasit, S.,** 1995, Survey of insects in peat swamp of Phuket Island, Southern Thailand. Songklanakarin J. Sci. Technol. 17 (3): 299-311.
- 7102. Watanasit, S., Pramual, C., Permkam, S. & S.Thong-Aree,** 2004, Geometrid moths (Lepidoptera, Geometridae) in Hala-Bala Wildlife Sanctuary, Narathiwat Province. Songklanakarin J. Sci. Technol. 26 (2): 197-210, figs.
- 7103. Waterhouse, G.A.,** 1904, On three collections of Rhopalocera from Fiji, and one from Samoa. Trans. ent. Soc. London 1904(3): 491-495.
- 7104. Watkins, H.T.G.,** 1921, Moths of Mesopotamia and N. W. Persia Part II. Sphingidae & Bombyces. J. Bomb. nat. Hist. Soc. 28: 184-186.
- 7105. Watkins, H.T.G.,** 1927, Butterflies from N.W.Yunnan. Ann. Mag. nat. Hist. (9) 19: 313-344, 512.
- 7106. Watkins, H.T.G.,** 1928, New species of *Parhestina* (Lep., Nymphalidae). Ann. Mag. nat. Hist. (10) 2: 91-93.
- 7107. Watson, A.,** 1957, A revision of the genus *Tridrepana* Swinhoe. Bull. Br. Mus. (Nat. Hist.) Ent. 4: 409-500, 155 figs. 2 pls.
- 7108. Watson, A.,** 1961, A Taxonomic Study of some Indo-Australian Drepanidae (Lepidoptera). Bull. Br. Mus. (Nat. Hist.) Ent. 10 (8): 315-348, 69 figs., Pls.65-66.
- 7109. Watson, A.,** 1965, A revision of the Ethiopian Drepanidae (Lepidoptera). Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 3: 1-177, 18 pls. 7 maps.
- 7110. Watson, A.,** 1971, An illustrated Catalog of the Neotropical Arctiinae types in the United States National Museum (Lepidoptera, Arctiidae). Part 1. Smith. Contr. Zool. 50: 1-361.
- 7111. Watson, A.,** 1973, An illustrated Catalog of the Neotropical Arctiinae types in the United States National Museum (Lepidoptera, Arctiidae). Part 2. Smith. Contr. Zool. 128: 1-160, 106 Pls.
- 7112. Watson, E.Y.,** 1893, A proposed classification of the Hesperidae, with a revision of the genera. Proc. zool. Soc. Lond. 1893: 3-132, 3 Pls.
- 7113. Wegner, H.,** 2002, Herbst- und Frühjahrsobservationen zur Noctuidae-Fauna in Nord-Griechenland (Lepidoptera, Noctuidae). Esperiana 9: 7-20.
- 7114. Wehrli, E. & H.Zerny,** 1933, [in] Zerny, H., Lepidopteren aus dem nördlichen Libanon (Fortsetzung) Geometridae- Sarothripidae. Dt. ent. Z., Iris 47: 85-102.
- 7115. Wehrli, E.,** 1926, Eine neue Gnophosart aus Anatolien. Mitt. münch. ent. Ges. 16: 95-98.
- 7116. Wehrli, E.,** 1929, Zwei neue Nychiodes-Arten (Lepid., Geometridae). Int. ent. Z. 22 (42): 385-387.
- 7117. Wehrli, E.,** 1929, Über die Arten und Formen der Gattung *Nychiodes* Led. Mitt. münch. ent. Ges. 19: 29-35, 38-56, Taf.III,IV.
- 7118. Wehrli, E.,** 1929, Ueber die paläarktischen Arten der Gattung *Ellopiopsis* Tr. (Lepidopt., Geometr.). Mitt. münch. ent. Ges. 19: 311-323, 2 Taf.
- 7119. Wehrli, E.,** 1929, Zwei neue Eupitheciiden aus der Ausbeute des Herrn E. Pfeiffer, München, aus dem Taurus (Lepidoptera, Geometridae). Mitt. münch. ent. Ges. 19: 324-328, Taf.xxiv, xxv, 4 figs.
- 7120. Wehrli, E.,** 1931, Einige neue paläarktische Geometriden aus Syrien, Algerien und Sicilien (Lepid., Het.). Mitt. münch. ent. Ges. 21 (2): 41-46.
- 7121. Wehrli, E.,** 1932, Neue Psychiden und Geometriden (Lepidopteren). Ent. Rdsch. 49: 454-457.
- 7122. Wehrli, E.,** 1932, Neue Geometriden-Arten und -Rassen (Lepid. Het.) von der Maras-Expedition L. Osthelder u. E.Pfeiffer, München. Mitt. münch. ent. Ges. 22: 3-11.
- 7123. Wehrli, E.,** 1932, Psychidae. [In] Osthelder, L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 22(2): 74.
- 7124. Wehrli, E.,** 1933, Die neuen Geometriden-Arten der holländischen Karakorum-Expedition 1929-1930. Ent. Rdsch. 50: 102-104, 121-122, 6 figs.
- 7125. Wehrli, E.,** 1933, Familie Psychidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 211-226. Stuttgart.
- 7126. Wehrli, E.,** 1934, Nachträge und Berichtigungen zum Supplementband 2. Familie Psychidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 286-287. Stuttgart.
- 7127. Wehrli, E.,** 1934, Über unbekannte alte und neue Sterrhinae (Acidaliinae) (Lepid. Het.). Ent. Z., Frankf. a. M. 47: 156, 159-161, 166-167, 12 figs.
- 7128. Wehrli, E.,** 1934, Über neue paläarktische Geometrinae und ein neues Subgenus. Int. ent. Z. 27: 533-536, pl.
- 7129. Wehrli, E.,** 1934, Die Geometriden der Ausbeute des Herrn Ernst Pfeiffer und Herrn L.Osthelder München aus Marasch und Bertiz Jaila, Achyr Dagh, Südost Taurus. [In] Osthelder, L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 24 (1): 1-18, 2 Pls.

- 7130. Wehrli, E.,** 1936, Neue Gattungen, Subgenera, Arten und Rassen. Ent. Rdsch. 53: 513-516, 562-568, 11 figs.
- 7131. Wehrli, E.,** 1938, Nachtrag zu meiner Arbeit in Nr.31 d. J. Seite 354. Ent. Rdsch. 55: 433-435.
- 7132. Wehrli, E.,** 1938, Neue Gattungen, Untergattungen, Arten und Rassen von Geometriden (Lep.). Ent. Rdsch. 55: 354-360.
- 7133. Wehrli, E.,** 1939, Neue Gattungen, Arten und Rassen aus China und Transkaukasien. Ent. Rdsch. 56 (33): 363-366.
- 7134. Wehrli, E.,** 1939, Einige neue Arten und Rassen aus dem südwestlichen Iran und aus dem Irak, sowie ein neues Subgenus aus dem letzteren (Lepidoptera, Geometridae). Mitt. münch. ent. Ges. 29 (1): 69-77.
- 7135. Wehrli, E.,** 1939-1954, Subfamilie: Geometrinae. [In] Seitz, A., Die Gross-Schmetterlinge der Erde (Suppl.) 4: 254-685, Pls. Stuttgart.
- 7136. Wehrli, E.,** 1941, Neue Arten und Rassen aus dem Iran und aus China (Lep., Geometridae). Mitt. münch. ent. Ges. 31: 1064-1071.
- 7137. Wehrli, E.,** 1950, Die Einteilung der Gattung *Dyscia* Hbn. Ent. Ber., Amst. 13: 77-80, 6 figs.
- 7138. Weidemann, H.J.,** 1986, 1988, Tagfalter. Entwicklung, Lebensweise, Biologie, Ökologie, Biotopschutz. Band 1 (1986). Papilionidae, Pieridae, Lycaenidae. 286S. 240 Farbfotos. Band 2 (1988). Lycaenidae, Riodinidae, Nymphalidae, Satyridae, Hesperidae. 372S. 360 Farbfotos. JNN-Naturführer
- 7139. Weidenhoffer, Z. & J.Klir,** 2000, A new species of *Plebejus* Kluk, 1780 from Iran (Lepidoptera, Lycaenidae). Linneana Belg. 17 (7): 289-292, figs.
- 7140. Weidenhoffer, Z. & J.Vanek,** 1977, Beitrag zur Biologie von *Tomares romanovi* und *Tomares callimachus* (Lep.: Lycaenidae). Ent. Z., Frankf. a. M. 87 (12): 131-134, 3 Abb.
- 7141. Weidenhoffer, Z. & W.Eckweiler,** 1988, Notes on the status of *Armenia hyrcanica* (Riley, 1939) (Lepidoptera, Lycaenidae). Nota lepid. 10(4): 241-246, 3 figs.
- 7142. Weidlich, M.,** 1989, Abriss der Psychidenfauna bulgarisch Mazedoniens mit der Erstbeschreibung des Weibchen und Sackes von *Reisseronia nigriciliella* (Rebel, 1934) (Lepidoptera, Psychidae). NachrBl. bayer. Ent. 38: 1-12.
- 7143. Weidner, H.,** 1936, Die Beziehungen zwischen Stammesgeschichte und Eigenentwicklung der Schmetterlinge. Ent. Rdsch. 53: 581-588, 589-591, 6 Abb.
- 7144. Weigel, K.-H.,** 1984, *Zygaena* (*Mesembrynus*) *lydia* (Staudinger, 1887), mit Beschreibung einer neuen Unterart (Lepidoptera, Zygaenidae). Entomofauna 5: 53-67, 26 figs. 1 map.
- 7145. Weir, J.J.,** 1893, Professor John O. Westwood. Entomologist's Rec. J. Var. 4: 24.
- 7146. Weisert, F.,** 1998, *Catocala catei* sp.nov., eine neue Noctuide aus der Türkei (Lepidoptera, Noctuidae). Z. ArbGem. öst. Ent. 50 (3/4): 125-126, figs.
- 7147. Weisert, F.,** 1998, Österreichische Turkmenistan-Expedition 1993 und 1996. Beitrag zur Kenntnis der Lepidopterenfauna Zentralasien (3.Teil). Z. ArbGem. öst. Ent. 50 (3/4): 125-126, figs.
- 7148. Weiss, D. & P.Skala,** 2000, A new subspecies of *Hyponephele* Muschamp, 1915 from western Turkey (Lepidoptera, Satyridae). Atalanta 31 (1/2): 129-133, pls.viii-ix.
- 7149. Weiss, D. & V.Major,** 2000, A new species of the genus *Melitaea* Fabricius, 1807 from Iran (Lepidoptera, Nymphalidae). Atalanta 31 (1/2): 123-128, pls.v-vii.
- 7150. Weiss, D. & Z.Mracek,** 1989, A new species of the genus *Colias* (Lepidoptera, Pieridae) from Yakutia. Nachr. ent. Ver. Apollo (N.F.) 10(4): 281-290, Taf.
- 7151. Weiss, D.,** 1978, A new species of the genus *Hyponephele* Muschamp 1915 from West Iran (Lepidoptera, Satyridae). Atalanta 9(3): 230-233, figs.
- 7152. Weiss, D.,** 1980, Eine neue Unterart von *Parnassius tienschanicus* Oberthür aus Kirgisien. Atalanta 11: 18-19, fig.
- 7153. Weiss, D.,** 1990, Results of the Czechoslovak-Iranian entomological expeditions to Iran 1970, 1973 and 1977. Together with results of collection made in Anatolia (Lepidoptera, Rhopalocera). Acta ent. Mus. natn. Pragae 43: 215-236.
- 7154. Weiss, D.,** 1990, Results of Czechoslovak-Iranian Entomological Expeditions to 1970, 1973 and 1977 (together with results of collections made in Anatolia). Lepidoptera Rhopalocera. Acta ent. Mus. natn. Pragae 43: 215-235, 4 Taf.
- 7155. Weiss, D.,** 1990, A new species of *Parnassius* Latreille from the Himalayas (Lepidoptera, Papilionidae, Parnassiinae). Acta ent. Mus. natn. Pragae 43: 329-333.
- 7156. Weiss, J.-C. & F.Michel,** 1989, Description de nouveaux taxa du genre *Parnassius* provenant du Tibet (Chine) (Lepidoptera, Papilionidae). Bull. Soc. Sci. Nat. 61: 5-19.
- 7157. Weiss, J.-C.,** 1975, Neufjours de chases en Macédoine Yugoslave et au Monténégro. Alexanor 9: 125-131.
- 7158. Weiss, J.-C.,** 1977, *Lycaena helle* Schiff. et *Proclissiana eunomia* Esper dans les Vosges. Description d'une nouvelle sous-espèce de *Lycaena helle* Schiff. (Lepidoptera, Lycaenidae). Linneana Belgica 6(10): 253-256, figs.
- 7159. Weiss, J.-C.,** 1980, Le genre *Pseudochazara* de Lesse en Europe et en Afrique du Nord Description d'une sous-espèce nouvelle de *Ps. hippolyte* Esper (Lepidoptera Satyridae). Linneana Belgica 8(3): 98-108, 3 Pls.
- 7160. Weiss, J.-C.,** 1985, Liste commentée des Lépidoptères d'Alsace-Lorraine (2.note). Linneana Belgica 10(3): 125-141.
- 7161. Weiss, J.-C.,** 1991, Etude des conséquences écologiques de la déprise agricole dans les vallées du Parc Naturel Régional des Vosges du Nord. Etude comparative de l'entomofaune (Lepidoptera). Linneana Belgica 13(3): 135-156, figs.
- 7162. Weiss, J.-C.,** 1991-1992, The Parnassiinae of the World. 2 pts. 48pp + 87pp. Pls.
- 7163. Werneburg, A.,** 1865, Über das Lepidopteren-Genus *Colias*, wie es in Staudinger's Catalog aufgestellt ist. Stettin ent. Ztg. 26: 272-288.
- 7164. Werny, K.,** [1967], Untersuchen über die Systematik der Tribus Thyatirini, Macrothyatirini, Habrosynini und Tetheini (Lepidoptera, Thyatiridae). Inaugural-Dissertation, Universität des Saarlandes.
- 7165. West, R.J.,** 1929, Description of a new species of Siberian Arctiidae. Ann. Mag. nat. Hist. (10) 3: 194.
- 7166. West, R.J.,** 1929, Descriptions of new species of Japanese Formosan and Philippine Geometridae. Novit. zool. 35: 105-131.
- 7167. West, R.J.,** 1931, Descriptions of new species of Japanese, Formosan and Philippine Pyralidae. Novit. zool. 36: 206-219.
- 7168. West, R.J.,** 1937, Descriptions of new species of Limacodidae. Ann. Mag. nat. Hist. (10) 20: 77-87, Pl.II.
- 7169. Westwood, J.O.,** 1841-1845, Arcana Entomologica, or illustrations of new, rare, and interesting exotic insects. Tom. 1 (1841-1843), 188 pp., 48 pls.; Tom. 2 (1843-1845), 191 pp., 48 pls. London.
- 7170. Westwood, J.O.,** 1842, Insectorum novorum Centuria. Ann. Mag. nat. Hist. 9: 36-39, 118-120.
- 7171. Weymer, G.,** 1885, Exotische Schmetterlingen (3): Beitrag zur Lepidopteren-Fauna von Nias. Stettin ent. Ztg. 46: 257-285, 2 pls.
- 7172. Weymer, G.,** 1902, Zwei neue Tagfalter aus Neuguinea. Ent. Z., Stuttgart 16(2): 5-6.
- 7173. Whalley, P.E.S.,** 1961, A Revision of two species complexes in the *Pyraustinae* (Lepidoptera, Pyralidae) 1. *histricalis* complex of the genus *Cotachena* Moore. Bull. Br. Mus. (Nat. Hist.) Ent. 10(3): 99-104, 3 figs., Pl.3.
- 7174. Whalley, P.E.S.,** 1961, A Revision of the *Syngamia floridalis* Zell. complex with the description of a new species. Bull. Br. Mus. (Nat. Hist.) Ent. 10(3): 105-111, 4 figs, Pl.4.
- 7175. Whalley, P.E.S.,** 1963, A Revision of the World species of the genus *Endotricha* Zeller (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 13 (11): 395-454, 37 Pls., 314 figs.
- 7176. Whalley, P.E.S.,** 1964, Catalogue of the *Gallerinae* (Lepidoptera, Pyralidae) with descriptions of new genera and species. Acta zool. cracov. 9(10): 561-618, figs.
- 7177. Whalley, P.E.S.,** 1964, A new genus and species of *Pyralinae* from Africa (Lepidoptera, Pyralidae). Jl. E. Africa nat. Hist. Soc. 24: 47-52, 3 pls.
- 7178. Whalley, P.E.S.,** 1970, A synonymic catalogue of the genera of *Phycitinae* (Lepidoptera, Pyralidae). Bull. Br. Mus. nat. Hist. (Ent.) 25: 31-72. London.

- 7179. Whalley, P.E.S.,** 1971, The Thyrididae of Africa and its islands. A taxonomic and zoogeographic study. Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 17: 1-198, 68 pls. 73 maps.
- 7180. Whalley, P.E.S.,** 1971, A revision of the genus *Canaea* Walker (Lepidoptera, Thyrididae). Bull. Br. Mus. (Nat. Hist.) Ent. 26: 161-179, 12 Pls.
- 7181. Whalley, P.E.S.,** 1973, The genus *Etiella* Zeller (Lepidoptera, Pyralidae): A zoogeographic and taxonomic study. Bull. Br. Mus. (Nat. Hist.) Ent. 28 (1): 1-21, 1 textfig., 7 maps, 15 Pls.
- 7182. Whalley, P.E.S.,** 1976, Tropical Leaf Moths. A monograph of the subfamily Striglininae (Lepidoptera, Thyridae). 194 pp. 68 pls., 1 fig. 2 tab., 8 maps. Brit. Mus. Nat. Hist. London.
- 7183. Wheeler, G.,** 1899-1900, Three seasons among Swiss butterflies. Entomologist's Rec. J. Var. 11(1899): 309-315, 12(1900): 4-9.
- 7184. Wheeler, G.,** 1901, A fourth season among Swiss butterflies. Entomologist's Rec. J. Var. 13: 117-121.
- 7185. Wheeler, G.,** 1903, The butterflies of Switzerland and the Alps of the Central Europe. Elliott Stock, London.
- 7186. Wheeler, G.,** 1913, What is *Polyommatus ariana* Moore? Ent. Rec. 1913: 198-200.
- 7187. White, A.,** 1842, Notice of two new species of *Papilio* (*P. varuna* and *Isvara*) from Penang. Entomologist 1: 280.
- 7188. Whitebread, S.E.,** 1984, A new species of *Perittia* Stainton from Switzerland (Elachistidae). Nota lepid. 7 (3): 271-281, 15 figs.
- 7189. Whittle, P.A.,** 1985, An annotated check-list of the butterflies of Lesotho. National University of Lesotho, Roma.
- 7190. Wiegell, K.-H.,** 1984, *Zygaena* (*Mesembrynus*) *lydia* (Staudinger, 1887) mit Beschreibung einer neuen Unterart (Lepidoptera, Zygaenidae). Entomofauna 5(5): 53-67, 26 figs.
- 7191. Wiemers, M. & J. de Prins,** 2004, *Polyommatus* (*Agrodiaetus*) *paulae* sp. nov. (Lepidoptera, Lycaenidae) from Northwest Iran, discovered by means of molecular, karyological and morphological methods. Ent. Z. 114 (4): 155-162, figs.
- 7192. Wiemers, M.,** 1982, Tagfalterbeobachtungen in Dalmatien/Jugoslawien. Atalanta 13(3): 217-224, Abb.
- 7193. Wiemers, M.,** 1983, Tagfalterbeobachtungen in Mittelgriechenland im August 1982. Nachr. ent. Ver. Apollo (N.F.) 4(2): 25-58, 16 Abb.
- 7194. Wiemers, M.,** 1987, Eine Zucht von *Erebia styx* *triglites* Fruhst. (Lep., Satyridae) vom Monte Baldo. Nachr. ent. Ver. Apollo (N.F.) 7 (4): 143-148, 13 Abb.
- 7195. Wiemers, M.,** 1991, *Hipparchia wyssii* (Christ, 1889) Komplex: Beitrag zur Morphologie, Biologie, Ökologie und Verbreitung auf den Kanarischen Inseln (Lepidoptera, Satyridae). Nota lepid. 14(3): 255-278.
- 7196. Wiemers, M.,** 1992, *Pieris brassicae* *brassicae* (Linnaeus, 1758) auf Lanzarote- Erstnachweis für die Kanarischen Inseln. Atalanta 23(1/2): 103-106, 4 Abb.
- 7197. Wiener, L.,** 2003, Butterfly list Queen Sirikit Botanical Garden, July-August 2003. BGO Newsletter 11: 11-12.
- 7198. Wileman, A.E. & H. Stringer,** 1929, Seven new species of Tortricina from Formosa and the Philippine Islands. Entomologist 62: 65-68.
- 7199. Wileman, A.E. & R.J. West,** 1928, New species of Heterocera from Formosa and the Philippines. Ann. Mag. nat. Hist. (10) 2: 214-224.
- 7200. Wileman, A.E. & R.J. West,** 1928, New species of Philippine Noctuidae. Ann. Mag. nat. Hist. (10) 2: 526-535.
- 7201. Wileman, A.E. & R.J. West,** 1928, Descriptions of a new genus of Nolinae from the Philippine Islands. Entomologist 61: 203-207.
- 7202. Wileman, A.E. & R.J. West,** 1928, Descriptions of a new genus and five new species of Nolinae (Lepidoptera, Heterocera) from Formosa and the Philippine Islands. Entomologist 61: 275-278.
- 7203. Wileman, A.E. & R.J. West,** 1929, Descriptions of eight new species of Formosan, Indian, Japanese, and the Philippine Nolinae (Lepidoptera, Heterocera, Family Arctiidae). Ann. Mag. nat. Hist. (10) 3: 187-194.
- 7204. Wileman, A.E. & R.J. West,** 1930, Descriptions of new species of Japanese, Formosan, and Philippine Noctuidae (Heterocera). Entomologist 63: 35-38, 62-65, 108-110, 161-163.
- 7205. Wileman, A.E. & R. South,** 1918, A new species of the genus *Parallelia* Hübn. from the Philippines. Entomologist 51: 193.
- 7206. Wileman, A.E. & R. South,** 1919, New species of Pyralidae from Formosa. Entomologist 52: 267-268.
- 7207. Wileman, A.E. & R. South,** 1919, New species of Lithosiidae and Nolidae from the Philippines. Entomologist 52: 268-271.
- 7208. Wileman, A.E. & R. South,** 1920, New species of Noctuidae from the Philippines. Entomologist 53: 121-124, 271-274.
- 7209. Wileman, A.E. & R. South,** 1921, Seven new moths from the Philippines. Entomologist 54: 273-274.
- 7210. Wileman, A.E. & R. South,** 1921, Four new moths from the Philippines. Entomologist 54: 237-238.
- 7211. Wileman, A.E. & R. South,** 1921, New species of Noctuinae and Hypeninae from the Philippines. Entomologist 54: 202-205.
- 7212. Wileman, A.E.,** 1910-1911, New Lepidoptera-Heterocera from Formosa. Entomologist 43: 136-139, 285-291, 309-313, 344-349; 44: 174-176.
- 7213. Wileman, A.E.,** 1914, Some new species of Lepidoptera from Formosa. Entomologist 47: 266-268.
- 7214. Wileman, A.E.,** 1914, New species of Heterocera from Formosa. Entomologist 47: 318-323.
- 7215. Wileman, A.E.,** 1916, Three new species of Lepidoptera from the Philippines. Entomologist 49: 132-133.
- 7216. Wileman, A.E.,** 1922, On a new species of genus *Calpe* from Japan. Entomologist 55: 197-199.
- 7217. Willemse, L.,** 1975, Distribution records of Rhopalocera in the Greek mainland and Crete. Ent. Ber., Amst. 35: 141-149.
- 7218. Willemse, L.,** 1977, *Kirinia climene* (Esper, 1786), new to Greece (Lep., Satyridae). Ent. Ber., Amst. 37: 148-151, 2 figs.
- 7219. Willemse, L.,** 1980, Some interesting faunistic data of Rhopalocera in Greece. Ent. Ber., Amst. 40: 156-158.
- 7220. Willemse, L.,** 1981, More about the distribution of Rhopalocera in Greece. Ent. Ber., Amst. 41: 41-47.
- 7221. Williams, M.C.,** 1996, New larval foodplant records for some South African Butterflies. Metamorphosis 7(3): 131-135.
- 7222. Wilson, E.O. W.L. Brown,** 1953, The subspecies concept and its taxonomic application. Syst. zool. 2: 97-110.
- 7223. Wiltshire, E.P. & A. Legrain,** 1997, *Bufoidia* n.gen. (Lepidoptera, Lasiocampidae), its Arabian taxa, and their affinity to other moths of the family Lasiocampidae. Fauna of Saudi Arabia 16: 327-339.
- 7224. Wiltshire, E.P.,** 1936, A new species of *Earias* Hb. (Lepidoptera, Noctuidae). Entomologist 69: 239-240.
- 7225. Wiltshire, E.P.,** 1936, More notes on the early stages of Syrian Lepidoptera. Entomologist's Rec. J. Var. 48: 9-11.
- 7226. Wiltshire, E.P.,** 1938, Notes on the winter flight; in mild climates, of vernal and autumnal moths. Entomologist's Rec. J. Var. 50: 144-146.
- 7227. Wiltshire, E.P.,** 1939, Lepidoptera of a Bagdad Orchard. Entomologist's Rec. J. Var. 51: 13-17.
- 7228. Wiltshire, E.P.,** 1939, [in] Ellison, R.E. & E.P. Wiltshire, The Lepidoptera of the Lebanon: with notes on their season and distribution Part II. Heterocera and Part III. Pyralidae and Microlepidoptera. Trans. R. ent. Soc. Lond. 88 (1): 23-56, Pl. I
- 7229. Wiltshire, E.P.,** 1940, The Lepidoptera of the Lebanon. Addendum. Proc. R. ent. Soc. Lond. (B) 9: 79-82.
- 7230. Wiltshire, E.P.,** 1940, Some notes on migrant Lepidoptera in Syria, Iraq and Iran. Entomologist 73: 231-234.
- 7231. Wiltshire, E.P.,** 1940, Early stages of oriental palaearctic Lepidoptera, IV. Entomologist's Rec. J. Var. 52: 69-74, pl. iv.
- 7232. Wiltshire, E.P.,** 1941, The summer flight; in cold climates of vernal and autumnal Lepidoptera. Entomologist's Rec. J. Var. 53: 4-7.

- 7233. Wiltshire, E.P.,** 1941, The phenological classification of Palaearctic Lepidoptera. A preliminary essay. *Entomologist's Rec. J. Var.* 53: 101-106.
- 7234. Wiltshire, E.P.,** 1941, New Lepidoptera from S.W. Iran. *J. Bomb. nat. Hist. Soc.* 42(2): 472-477, 1 pl.
- 7235. Wiltshire, E.P.,** 1941, Mesopotamian Desert Lepidoptera. *J. Bomb. Nat. Hist. Soc.* 42(4): 826-842.
- 7236. Wiltshire, E.P.,** 1943, Substitute food-plants. *Entomologist's Rec. J. Var.* 55: 79-85.
- 7237. Wiltshire, E.P.,** 1943, Some more new Lepidoptera from S.W. Iran, with their life histories. *J. Bomb. nat. Hist. Soc.* 44(2): 247-251, 1 Pl.
- 7238. Wiltshire, E.P.,** 1943, Early stages of Oriental Palaearctic Lepidoptera V. *J. Bomb. nat. Hist. Soc.* 43(4): 621-634, 2 pls.
- 7239. Wiltshire, E.P.,** 1944, Two visit to the Hammar lake, with a discussion of S. Iraqi marsh fauna. *Entomologist's Rec. J. Var.* 56: 14-16.
- 7240. Wiltshire, E.P.,** 1944, The butterflies and moths (Lepidoptera) of Iraq. Baghdad.
- 7241. Wiltshire, E.P.,** 1946, Middle East Lepidoptera: New forms and species, vii. *Entomologist's Rec. J. Var.* 58: 25-31, Pls.
- 7242. Wiltshire, E.P.,** 1946, Middle East Lepidoptera, V. A new genus, a new species, and two new races from Iran, with taxonomic notes on other Persian Heterocera. *Proc. R. ent. Soc. Lond. (B)* 15 (9/10): 118-128, pl.1
- 7243. Wiltshire, E.P.,** 1947, New species and forms from Egypt and Arabia. *Bull. Soc. Fouad Ier Ent.* 31(1): 3-11, 15 figs.
- 7244. Wiltshire, E.P.,** 1947, Middle East Lepidoptera VI. Two fine new species from Southern Sinai. *Bull. Soc. Fouad Ier Ent.* 31(1): 1-2, 1 Pl.
- 7245. Wiltshire, E.P.,** 1948, The Lepidoptera of the Kingdom of Egypt, Part I. *Bull. Soc. Fouad Ier Ent.* 32: 203-298, Pls.
- 7246. Wiltshire, E.P.,** 1949, The Lepidoptera of the Kingdom of Egypt, Part II. *Bull. Soc. Fouad Ier Ent.* 33: 381-460, Pls.
- 7247. Wiltshire, E.P.,** 1949, Middle East Lepidoptera, IX [X]. New species and forms from Arabia and Persia, with a description of the genus *Tamsola* from Iraq. *Bull. Soc. Fouad I Ent.* 33: 353-372, Pls., figs.
- 7248. Wiltshire, E.P.,** 1949, Some more new records of Lepidoptera from Cyprus, Iraq and Iran. *Entomologist's Rec. J. Var.* 61: 73-76.
- 7249. Wiltshire, E.P.,** 1951, A year on a Tigris Island. *J. Bomb. nat. Hist. Soc.* 49(4): 637-660, 3 pls., figs. map.
- 7250. Wiltshire, E.P.,** 1952, Early stages of Palaearctic Lepidoptera, X. *Bull. Soc. Fouad Ier Ent.* 36: 175-186, Pl.
- 7251. Wiltshire, E.P.,** 1952, Lepidoptera recently taken in Arabia. *Bull. Soc. Fouad Ier Ent.* 36: 135-174, Pl., 5 text-figs.
- 7252. Wiltshire, E.P.,** 1953, Narrative of a trek and of natural history observations in Kashmir in May-June 1942. *J. Bomb. nat. Hist. Soc.* 51(4): 825-838, 2 Pls.
- 7253. Wiltshire, E.P.,** 1953, Middle East Lepidoptera, XII. Two new species from South-West Persia (Iran). *Proc. R. ent. Soc. Lond. (B)* 22(11/12): 217-219, 2 figs.
- 7254. Wiltshire, E.P.,** 1956, Middle East Lepidoptera, XIII. Two new species from Jordan. *Entomologist* 89: 237-240, pl. v.
- 7255. Wiltshire, E.P.,** 1957, Erste Stände palaearktischer Lepidopteren. XI. *Z. wien. ent. Ges.* 42: 149-155, Taf. 12.
- 7256. Wiltshire, E.P.,** 1957, The Lepidoptera of Iraq. Nicholas Kaye Ltd. London.
- 7257. Wiltshire, E.P.,** 1958, New species and forms of Lepidoptera from Afghanistan and Iraq. *J. Bomb. nat. Hist. Soc.* 55(2): 228-237, 1 Pl., figs.
- 7258. Wiltshire, E.P.,** 1961, A New Genus, eight New Species, seven New Forms, and Notes on the Lepidoptera of Saudi Arabia, Bahrain, and Iran. *J. Bomb. nat. Hist. Soc.* 58(3): 608-631, 3 figs., 4 Pls.
- 7259. Wiltshire, E.P.,** 1962, Early stages of old world Lepidoptera- XII. *J. Bomb. nat. Hist. Soc.* 59(3): 778-779, 4 pls.
- 7260. Wiltshire, E.P.,** 1964, The Lepidoptera of Bahrain. *J. Bomb. nat. Hist. Soc.* 61(1): 119-141, 3 pls.
- 7261. Wiltshire, E.P.,** 1964, Geometridae new for Turkey discovered in 1939-1942 by J. Romieux (Middle East Lepidoptera xvii). *Mitt. ent. Ges. Basel* 14: 151-153.
- 7262. Wiltshire, E.P.,** 1966, Österreichische entomologische Iran-Afghanistan Expeditionen. Beiträge zur Lepidopterenfauna, Teil 10. Subfamilien Larentiinae und Ennomiinae (s.l.) (Lep., Geometridae). Middle East Lepidoptera XXIII. *Z. wien. ent. Ges.* 51: 138-151, 2 Taf., 20 figs.
- 7263. Wiltshire, E.P.,** 1966, Österreichische entomologische Iran-Afghanistan-Expeditionen. Beiträge zur Lepidopterenfauna 6. Subfamilien Alsophilinae und Geometrinae (Lepidoptera, Geometridae) Middle East Lepidoptera xxi. *Z. wien. ent. Ges.* 51: 27-32, Taf. 2.
- 7264. Wiltshire, E.P.,** 1967, Middle East Lepidoptera XX. A third contribution to the fauna of Afghanistan. *Beitr. naturk. Forsch. SWDtl.* 26(3): 137-169, 16 pls.
- 7265. Wiltshire, E.P.,** 1967, Middle East Lepidoptera XXIV. *Beihania*, a new noctuid genus from Southern Arabia, with two new species from Arabia and Somaliland. *J. Bomb. nat. Hist. Soc.* 64(2): 232-237, 6 figs.
- 7266. Wiltshire, E.P.,** 1968, Middle East Lepidoptera, xxviii. Three new species and a new race, from the Lebanon, Sudan and Karakoram. *Entomologist* 101: 162-167, 4 figs. Pl. II.
- 7267. Wiltshire, E.P.,** 1969, Beiträge zur Kenntnis der Fauna Afghanistans. Quadrifinae, Noctuidae (Lep.) (Middle East Lepidoptera XXX). *Cas. morav. Mus. Brne* 54 (suppl.): 431-446, 3 figs.
- 7268. Wiltshire, E.P.,** 1970, A review of the genus *Pericyma* Herrich-Schäffer and neighbouring genera (Noctuidae). *Veröff. zool. St. Samml. München* 14: 92-111, figs.
- 7269. Wiltshire, E.P.,** 1970, Some new Jaspidiinae and Catocalinae mainly from the Sudan (Noctuidae). *Veröff. zool. St. Samml. München* 14: 112-119, figs.
- 7270. Wiltshire, E.P.,** 1971, Österreichische Expedition nach Persien und Afghanistan. Beiträge zur Lepidopterenfauna, Teil 15. Noctuidae-Quadrifinae (Middle East Lepidoptera, XXVII). *Annln naturh. Mus. Wien* 75: 627-649, 2 pls.
- 7271. Wiltshire, E.P.,** 1971, Middle East Lepidoptera xxix. Noctuidae Quadrifinae. *Beitr. naturk. Forsch. SüdWtl.* 30(1): 57-63, figs.
- 7272. Wiltshire, E.P.,** 1976, Early stages of Palaearctic Lepidoptera, XIV. *Cucullia minogenica* Rebel (Noctuidae), and some closely relatives; with a provisional key to the known larvae of the *C. verbasci* L. group. *Proc. Br. ent. Nat. Hist. Soc.* 1976: 26-32, 2 pls.
- 7273. Wiltshire, E.P.,** 1976, Middle East Lepidoptera, xxxiii. Some new Lasiocampidae, Noctuidae, Geometridae and Limacodidae. *Z. ArbGem. öst. Ent.* 27(3/4): 73-84, 7 figs. 2 Pls.
- 7274. Wiltshire, E.P.,** 1977, Middle East Lepidoptera, XXXVII. Notes on the Spodoptera litura (F.)- Group (Noctuidae-Trifinae). *Proc. Br. ent. Nat. Hist. Soc.* 1977: 92-96, 7 figs.
- 7275. Wiltshire, E.P.,** 1977, Early stages of Palaearctic Lepidoptera, XV. Notes on certain closely related European *Eriogaster* (Germ.) (Lasiocampidae) larvae. *Proc. Br. ent. Nat. Hist. Soc.* 1977: 98-99, pl. 12.
- 7276. Wiltshire, E.P.,** 1980, Insects of Saudi Arabia. Lepidoptera: Fam. Cossidae, Zygaenidae, Sesiidae, Lasiocampidae, Bombycidae, Sphingidae, Thaumetopoeidae, Thyretidae, Notodontidae, Geometridae, Lymantriidae, Noctuidae, Ctenuchidae. *Fauna Saudi Arabia* 2: 179-240, figs.
- 7277. Wiltshire, E.P.,** 1980, A hermaphrodite Large Blue (*Maculinea arion* (L.)- Lep., Lycaenidae). *Proc. Br. ent. nat. Hist. Soc.* 1980: 30-32, 3 figs., Pl. 8.
- 7278. Wiltshire, E.P.,** 1982, Insects of Saudi Arabia. Lepidoptera: Fam. Cossidae, Zygaenidae, Sesiidae, Lasiocampidae, Bombycidae, Sphingidae, Thaumetopoeidae, Thyretidae, Notodontidae, Geometridae, Lymantriidae, Noctuidae, Ctenuchidae (Part 2). *Fauna Saudi Arabia* 4: 271-332, figs.
- 7279. Wiltshire, E.P.,** 1983, Insects of Saudi Arabia. Lepidoptera: Fam. Cossidae, Zygaenidae, Sesiidae, Lasiocampidae, Bombycidae, Sphingidae, Thaumetopoeidae, Thyretidae, Notodontidae, Geometridae, Lymantriidae, Noctuidae, Ctenuchidae (Part 3). *Fauna Saudi Arabia* 5: 293-332, figs.

- 7280. Wiltshire, E.P.,** 1985, Middle East Lepidoptera xlv. *Eupithecia penultima* sp.n. (Geometridae) from central Iraq. Entomologist's Gaz. 36: 263-267, Pl.9, 6 figs.
- 7281. Wiltshire, E.P.,** 1985, New Geometridae from Africa, with a list of additions to the Lepidoptera fauna of the Sudan (Lepidoptera, Geometridae). Entomofauna 6 (2): 9-22, 8+10 figs.
- 7282. Wiltshire, E.P.,** 1990, *Dyscia senecai* sp.n. from Libya, with notes on some other N. African *Dyscia* species (Geometridae, Ennominae). Nota lepid. 12(4): 354-365, 17 figs., 1 Tab.
- 7283. Wiltshire, E.P.,** 1990, An illustrated annotated catalogue of the Macro-Heterocera of Saudi Arabia. Fauna Saudi Arabia 11: 91-250, 561 figs.
- 7284. Wiltshire, E.P.,** 1993, Middle East Lepidoptera 50: Notes on some hitherto misunderstood forms near *Polymixis bischoffii* (Herrich-Schäffer, 1850) (Noctuidae). Nota lepid. 15 (3/4): 257-267, 13 figs.
- 7285. Wiltshire, E.P.,** 1994, Arabian Lepidoptera: A Supplement to the Catalogue of Saudi Arabian Macro-Heterocera. Fauna Saudi Arabia 14: 113-136, figs.
- 7286. Wipking, W. & C.M.Naumann,** 1992, Diapause and related phenomena in zygaenid moths. In Dutreix, C. et al. (eds): Recent advances in burnet moth research (Lepidoptera, Zygaenidae). Proc. of the 4th Symposium on Zygaenidae, Nantes 11-13 Sept. 1987. pp.197-228.
- 7287. Witt, T.,** 1974, *Peridea korbi* Rebel, bona species, und ihre Rassen (Lep., Notodontidae). Z. ArbGem. öst. Ent. 24(3): 89-102, 2 Taf.
- 7288. Witt, T.,** 1979, *Lemonia pia friedeli* n.ssp. (Lepidoptera, Lemoniidae). Z. ArbGem. öst. Ent. 31(1/2): 17-20, figs.
- 7289. Witt, T.,** 1980, Melanismus und geographische Variabilität bei *Notodonta dromedarius* (Linné, 1767) (Lepidoptera, Notodontidae). Entomofauna 1(7): 73-91, Abb.
- 7290. Witt, T.,** 1980, Die Verbreitung und Rassenbildung von *Ocnogyna parasita* (Hübner, 1790) (Lepidoptera, Arctiidae). Mitt. münch. ent. Ges. 69: 133-165, 59 figs.
- 7291. Witt, T.,** 1981, *Trichiura veranae* sp.n. (Lepidoptera, Lasiocampidae). Entomofauna 2(23): 263-284, figs.
- 7292. Witt, T.,** 1982, Die Verbreitung von *Lasiocampa grandis* (Rogenhofer, 1891) in Europa (Lepidoptera, Lasiocampidae). NachrBl. bayer. Ent. 31(2): 27-31, map.
- 7293. Wolfe, J.,** 1896, The egg-laying of *Hipparchia semele*. Entomologist's Rec. J. Var. 8: 266-267.
- 7294. Wnukowsky, W. & W.Ermolajew,** 1935, Beiträge zur Lepidopteren-Fauna des Gebietes der oberen Stromung des Flusses Obj (West Sibirien). Folia zool. hydrobiol. 7(2): 269-282.
- 7295. Wnukowsky, W.,** 1929, Einige Nomenklatur-Notizen über die paläarktischen Lepidopteren. Zool. Anz. 83: 221-224.
- 7296. Wnukowsky, W.,** 1935, Neue Angaben über die Lepidopteren-Fauna des Tomsker Bezirks (West-Sibirien). Folia zool. hydrobiol. 7(2): 221-238.
- 7297. Wnukowsky, W.,** 1935, Contribution a la faune des Lepidopteres de la Siberie. Lambillionea 6: 129-139.
- 7298. Wocke, M.,** 1861, Microlepidoptera. [in] Staudinger, O. & M.Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. 85-192S. Dresden.
- 7299. Wocke, M.,** 1864, Ein Beitrag zur Lepidopterenfauna Norwegens. Stettin ent. Ztg. 25: 166-192, 201-220.
- 7300. Wocke, M.,** 1871, Microlepidoptera. [in] Staudinger, O. & M.Wocke, Catalog der Lepidopteren des europäischen Faunengebiets. 201-426S. Dresden.
- 7301. Wojtusik, R.J. & W.Niesiolowski,** 1947, Lepidoptera of the Central Caucasus, collected during the Polish Alpine Expedition in 1935, with ecological and zoogeographical remarks. I. Part. Macrolepidoptera. Pr. Muz. przyr., Krakow 6: 1-74, Pls. xi, xii.
- 7302. Wolf, P.,** 1927, Die Großschmetterlinge Schlesiens. Breslau.
- 7303. Wolf, W.,** 1988, Prodromus der Lepidopterenfauna Nordbayerns. Neue ent. Nachr. 23: 5-161.
- 7304. Wolfe, J.J.,** 1896, Notes on the early-stages of some British butterflies. Entomologist's Rec. J. Var. 8: 4-5.
- 7305. Wolfsberger, J.,** 1966, Die Macrolepidopterenfauna des Gardaseegebietes. (6. Beitrag zur Kenntnis der Lepidopterenfauna der Südalpen). Mem. Mus. civic. Stor. Nat. Verona 13: 1-385, xvi Taf.
- 7306. Wolfsberger, J.,** 1971, Die Macrolepidopteren-Fauna des Monte Baldo in Oberitalien. Mem. Mus. civic. Stor. Nat. Verona, Mem. Serie 4: 1-335, 20 Taf.
- 7307. Wollaston, T.F.,** 1879, Notes on the Lepidoptera of St. Helena, with descriptions of new species. Ann. Mag. nat. Hist. (5) 3: 219-235, 329-343, 415-441.
- 7308. Woltusiak, R.J. & H.Wojtusik,** 1947, Przyczynki do znajomości fauny motyli wschodniej części Litwy. Fragm. faun. Mus. zool. Pol. 5 (11): 159-182.
- 7309. Wood, H.L.,** 1896, Description of the ovum of *Zephyrus betulae*. Entomologist's Rec. J. Var. 8: 186-187.
- 7310. Wood, H.L.,** 1897, Pupa of *Nemeobius lucina*. Entomologist's Rec. J. Var. 9: 336-337.
- 7311. Worms, C.G.M.de,** 1967, Three weeks in Cyprus, April-May 1967. Entomologist's Rec. J. Var. 79: 245-249.
- 7312. Wu,** 1998, Genus *Tisis* Walker from Malaysia and Indonesia (Lepidoptera, Lecithoceridae), with description of three new species. Zool. Stud. 37 (3):
- 7313. Wu, C. & K.-T.Park** 1999, A taxonomic review of the family Lecithoceridae (Lepidoptera) in Sri Lanka. 1. The subfamily Torodorinae: Genera *Torodora* and allies. Tinea 16 (1): 61-72.
- 7314. Wyatt, C.W. & K.Omoto,** 1963, Auf der Jagd nach *Parnassius autocrator* Avin. Z. wien. ent. Ges. 48: 163-170, 3 Abb.
- 7315. Wyatt, C.W. & K.Omoto,** 1966, New Lepidoptera from Afghanistan. Entomops 5: 138-167, 6: 170-200, figs.
- 7316. Wyatt, C.W.,** 1952, Einige neue Tagfalterformen aus Marokko. Z. wien. ent. Ges. 37: 173-176, Taf. 21-24.
- 7317. Wyatt, C.W.,** 1952, Einige neue Tagfalterrassen aus Spanien.
- 7318. Wyatt, C.W.,** 1954, Eine neue Rasse von *Parnassius apollo* L. aus Nordspanien. Z. wien. ent. Ges. 49: 154-156.
- 7319. Wyatt, C.W.,** 1956, Lepidoptera collecting in the Atlas mountain of Morocco. Lepidopterists' News 10 (6): 214-222.
- 7320. Wyatt, C.W.,** 1959, Eine neue Rasse von *Papilio machaon* L. vom Mt. Everest-Gebiet. Z. wien. ent. Ges. 44: 97-98, Taf. 4.
- 7321. Wyatt, C.W.,** 1960, Eine neue Rasse von *Parnassius simo* Gray. Z. wien. ent. Ges. 45: 18-19, Taf. 6.
- 7322. Wyatt, C.W.,** 1961, Additions to the *Rhopalocera* of Afghanistan with descriptions of new species and subspecies. J. Lepidopterist's Soc. 15 (1): 1-18, 3 Pls.
- 7323. Wyatt, C.W.,** 1961, Zwei für das paläarktische Faunengebiet neue Tagfalterarten. Z. wien. ent. Ges. 46: 97-100, Taf. 5.
- 7324. Wyatt, C.W.,** 1961, Eine neue *Parnassius*-Rasse aus Nordamerika. Z. wien. ent. Ges. 46: 144-146, Taf. 11.
- 7325. Wyatt, C.W.,** 1964, Eine neue Rasse von *Parnassius apollo* L. aus Nordspanien. Z. wien. ent. Ges. 49: 154-156, Taf. 17.
- 7326. Wyatt, C.W.,** 1966, Eine neue *Erebia*-Art aus Alaska. Z. wien. ent. Ges. 51: 93-94, 2 Abb.
- 7327. Wyatt, C.W.,** 1968, Eine neue Rasse von *Brenthis hecate* W.V. aus Iran. Z. wien. ent. Ges. 53: 29-30, 4 figs.
- 7328. Wyatt, C.W.,** 1968, Huit jours en automne au Maroc. Alexanor 5: 327-329.
- 7329. Wyatt, C.W.,** 1969, Eine neue Rasse von *Parnassius phoebus* L. aus Kanada. Z. wien. ent. Ges. 54: 132-133, Taf. 15.
- 7330. Wyatt, C.W.,** 1975, Description de deux nouvelles races d'Afghanistan de *Parnassius* (Lep., Papilionidae). Entomops 36: 105-109, 3 figs.
- 7331. Wytsman, P.,** 1902, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 4. Leptocircinae. Bruxelles.
- 7332. Wüst, P.,** 1996, Wanderfalter im Nestos-Delta, Mazedonien, Griechenland, 1988-1993. Migrant Lepidoptera species in the Nestos-Delta, Macedonia, Greece, 1988-1993 (Insecta, Lepidoptera). Atalanta 27 (1/2): 165-173.
- 7333. Yagishita, A. & S.Morita,** 1996, On the genus *Delias* from Mindanao Island, Philippines. Butterflies 13: 46-59, fig.
- 7334. Yakovlev, R.V. & V.V.Doroshkin,** 2005, New data of Macrolepidoptera for the fauna of Mongolia II (Insecta, Lepidoptera). Atalanta 35 (3/4): 390-398, figs.

- 7335.** Yakovlev, R.V., 2005, Cossidae of Thailand, Part I. *Atalanta* 35 (3/4): 335-351, figs.
- 7336.** Yakovlev, R.V., 2005, Cossidae of Thailand, Part 2 (Lepidoptera, Cossidae). *Atalanta* 35 (3/4): 383-389, figs.
- 7337.** Yakovlev, R.V., 2005, New taxa of Cossidae from SE. Asia (Lepidoptera, Cossidae). *Atalanta* 35 (3/4): 369-382, figs.
- 7338.** Yakovlev, R.V., 2005, New data about Carpenter Moths of China (Lepidoptera, Cossidae). *Atalanta* 35 (3/4): 353-356, figs.
- 7339.** Yakovlev, R.V., 2005, Two new genera of Carpenter Moths from the Palaearctic (Lepidoptera, Cossidae). *Atalanta* 35 (3/4): 357-368, figs.
- 7340.** Yakovlev, R.V., 2005, Cossidae (Lepidoptera) of Andaman Islands (India). *Tinea* 18 (4): 261-269, figs.
- 7341.** Yamamoto, A. & S. Takei, 1982, A New Species of the Genus *Delias* from Mindanao, the Philippines (Lepidoptera, Pieridae). *Tyo to Ga* 32 (3/4): 160-163.
- 7342.** Yamanaka, H., 2000, The Japanese species of the genus *Trachycera* Ragonot (Lepidoptera, Phycitinae), with descriptions of three new species. *Tinea* 16 (4): 232-239.
- 7343.** Yano, K., 1963, Taxonomic and biological studies of Pterophoridae of Japan (Lep.). *Pacific Ins. (Honolulu)* 5 (1): 65-209, figs.
- 7344.** Yaroklev, R.V., 1998, Record of *Neolycaena falkovitshi* (Zhdanko et Korshunov, 1985) (Lepidoptera, Lycaenidae) in the north-east of the Altai Republic. *Russ. ent. J.* 6 (1997) (1/2): 126.
- 7345.** Yata, O., 1989, A revision of the Old World species of the genus *Eurema* Hübner (Lepidoptera, Pieridae). Part I. Phylogeny and zoogeography of the subgenus *Terias* Swainson and descriptions of the subgenus *Eurema* Hübner. *Bull. Kitakyushu Mus. Nat. Hist.* 9: 1-103, 24 pls.
- 7346.** Yata, O., 1991, A revision of the Old World species of the genus *Eurema* Hübner (Lepidoptera, Pieridae). Part 2. Descriptions of the *smila*, the *hapale*, the *ada*, and the *sari* (part) groups. *Bull. Kitakyushu Mus. Nat. Hist.* 10: 1-51, 21 pls.
- 7347.** Yata, O., 1992, A revision of the Old World species of the genus *Eurema* Hübner (Lepidoptera, Pieridae). Part 3. Description of the *sari* group (part). *Bull. Kitakyushu Mus. Nat. Hist.* 11: 1-77, 30 pls.
- 7348.** Yata, O., 1994, A revision of the Old World species of the genus *Eurema* Hübner (Lepidoptera, Pieridae). Part 4. Description of the *hecabe* group (part). *Bull. Kitakyushu Mus. Nat. Hist.* 13: 59-105, pls. 5-35.
- 7349.** Yazaki, K., 1995, The genus *Tanaorhinus* Butler (Lepidoptera, Geometridae) from Wallacea. *Tinea* 14 (2): 123-129, figs.
- 7350.** Yazaki, K., 1996, The genus *Agathia* (Lepidoptera, Geometridae) of Wallacea. *Tinea* 14 (4): 237-253, figs.
- 7351.** Yazaki, K., 1997, Three new species of *Dooabia* Warren (Geometridae). *Tinea* 15 (2): 106-118, figs.
- 7352.** Yazaki, K., 1999, Two new species of *Spaniocentra* (Lepidoptera, Geometridae). *Tinea* 16 (1): 16-19.
- 7353.** Yen, S.-H., Jean, J. & P.-S. Yang, 1996, On two *Artona* species from Taiwan (Lepidoptera, Zygaenidae, Procrinae). *Entomologist's Gaz.* 47: 99-108, 26 figs.
- 7354.** Yen, S.-H. & P.-S. Yang, 1997, Two new genera of Chalcosiinae (Zygaenidae) from eastern Palaearctic Asia. *Trans. lepid. Soc. Jpn.* 48: 243-263, figs.
- 7355.** Yen, S.-H. & P.-S. Yang, 1998, The genus *Soritia* of Taiwan (Zygaenidae, Chalcosiinae, Chalcosiini). *Tinea* 15: 207-220, figs.
- 7356.** Yen, S.-H., 2003, A new species of *Eterusia* Hope, 1841 (Lepidoptera, Zygaenidae, Chalcosiinae) from Mindanao and Seram. *Ent. Z.* 2003: 121-126, figs.
- 7357.** Yen, S.-H., 2003, Phylogenetic reconstruction and systematics of Chalcosiinae (Lepidoptera, Zygaenidae). PhD disst. Dept. Biol. Sci. Imp. College London. UK.
- 7358.** Yen, S.-H., 2004, Nomenclatural and systematic problems surrounding *Eterusia aedeia* (Linnaeus, 1763) (Lepidoptera: Zygaenidae, Chalcosiinae). *Zool. Stud.* 43 (1): 20-34, figs.
- 7359.** Yerbury, J.W., 1892, The butterflies of Aden and neighbourhood, with some notes on their habits. *J. Bombay nat. Hist. Soc.* 7: 207-218.
- 7360.** Yermolayev, V.P., 1993, Moth of the genus *Parornix* Spuler (Lepidoptera, Gracilariidae) of the Far East. *Ent. Obozr.* 72 (3): 644-647 [engl. transl. *Ent. rev.* 73(4): 29-33, fig., 1994].
- 7361.** Yokohama, M. & M. Wakabayashi, 1968, Coloured illustrations of the butterflies of Japan. 178 pp., 74 Pls. Osaka.
- 7362.** Yoshimatsu, S.-I., M. Hreblay, 1996, A new species of the genus *Mythimna* Ochsenheimer (Lepidoptera, Noctuidae) from Thailand. *Trans. lepid. Soc. Japan* 47 (1): 13-16, figs.
- 7363.** Yoshimoto, H., 1982, Notes on the genus *Chandata*, with descriptions of three new species from Nepal and Taiwan (Lepidoptera, Noctuidae). *Tyo to Ga* 32: 138-146.
- 7364.** Yoshimoto, H., 1987, Discovery of *Chaeopsestis ludovicæ* Le Cerf, 1941 from North Thailand, with a redescription of the genus (Lepidoptera, Thyatiridae). *Tyo to Ga* 38: 239-242.
- 7365.** Yoshimoto, H., 1996, Records of Thyatiridae from Thailand (Lepidoptera). *Tinea* 14 (4): 279-286.
- 7366.** Yoshimoto, H., 1999, Descriptions of three new species of *Diehlea* Kobes (Noctuidae, Chloephorinae) from Wallacea. *Trans. lepid. Soc. Japan* 50 (2): 122-127, figs.
- 7367.** Yoshimoto, H., 1999, Description of a new species of *Artena* Walker (Noctuidae, Catocalinae) from the Philippines. *Tinea* 16 (1): 9-11.
- 7368.** Yoshimoto, H., 1999, A new species of the genus *Othreis* Hübner (Noctuidae, Ophiderinae) from Myanmar. *Trans. lepid. Soc. Japan* 50 (1): 60-62.
- 7369.** Yoshimoto, H., 2000, A new species of *Episparis* Walker (Noctuidae, Ophiderinae) from the Philippines. *Tinea* 16 (1): 4-8.
- 7370.** Yoshiyasu, Y., 1980, A systematic study of the genus *Nymphicula* Snellen from Japan ((Lepidoptera, Pyralidae). *Tyo to Ga* 31 (1/2): 1-28, figs.
- 7371.** Yoshiyasu, Y., 1983, A study of Thailand Nymphulinae (Lepidoptera, Pyralidae) (1) Description of *Paracataclysta* n.gen. *Akitsu (n.ser.)* (5): 1-6.
- 7372.** Yoshiyasu, Y., 1983, A study of Thailand Nymphulinae (Lepidoptera, Pyralidae) 2. Notes on genera *Nymphula* and *Parapoynx*. *Tinea* 11 (13): 117-124.
- 7373.** Yoshiyasu, Y., 1984, A study of Thailand Nymphulinae (Lepidoptera, Pyralidae) (3) Two new species of *Eristena* Warren. *Tyo to Ga* 35: 1-9, figs.
- 7374.** Yoshiyasu, Y., 1985, A new species from Thailand and redescription of the genus *Cymoriza* (Lepidoptera, Pyralidae). *Akitsu (n.ser.)* (76): 1-6.
- 7375.** Yoshiyasu, Y., 1987, The Nymphulinae (Lepidoptera, Pyralidae) from Thailand, with descriptions of a new genus and six new species. [in] Kuroko, H. & S. Moriuti, *Microlepidoptera of Thailand* 1: 133-184, University of Osaka.
- 7376.** Yoshiyasu, Y., 1997, Descriptions of three *Nymphicula* species from the Philippines (Lepidoptera, Crambidae). *Esakia* (37): 161-172, figs.
- 7377.** Yu Feng, H. & J.A. Powell, 2004, Phylogenetic relationships within Heliodinidae and Systematics of Moths formerly assigned to Heliodines Stainton (Lepidoptera, Yponomeutoidea). Publisher Univ of California Press.
- 7378.** Yuan, D. & G.S. Robinson, 1993, *Caloptilia* leaf-miner moths (Gracilariidae) of South-East Asia. *Bull. nat. Hist. Mus. Lond. (Ent.)* 62 (1): 1-37, figs.
- 7379.** Zagulyaev, A.K. & N.A. Blumental, 1994, New species of the genus *Agdistis* Hübner (Lepidoptera, Pterophoridae) from Central Asia. *Ent. Obozr.* 73 (1): 128-135 [engl. transl. *Ent. rev.* 74(1): 25-32, 3 figs., 1995]
- 7380.** Zagulyaev, A.K. & V.V. Filippova, 1976, The new and little known species of the Plume Moths (Lepidoptera, Pterophoridae) of the fauna of the USSR. *Proc. zool. Inst. USSR* 64: 36-40, figs.
- 7381.** Zagulyaev, A.K., 1961, The moths of the genus *Triaxomera* Zag. (Lepidoptera, Tineidae, Nemapogoninae). *Zool. Zh.* 40: 36-51, figs.
- 7382.** Zagulyaev, A.K., 1962, Revision of the palaearctic species of the genus *Nemapogon* Schr. (Lepidoptera, Tineidae). *Ent. Obozr.* 41: 182-189, figs.
- 7383.** Zagulyaev, A.K., 1962, A new genus of fungal moths. *Archinemapogon* gen. n. and its new species (Lepidoptera, Tineidae). *Zool. Zh.* 41: 1041-1047, figs.

- 7384. Zagulyaev, A.K.,** 1965, A Revision of palaearctic moths of the tribe Cephimallotini (Lepidoptera, Tineidae). Zool. Zh. 44: 386-395, figs.
- 7385. Zagulyaev, A.K.,** 1965, New species of the genus *Scardia* (Lepidoptera, Tineidae). Ent. Obozr. 44: 411-413, figs.
- 7386. Zagulyaev, A.K.,** 1975, Fauna of the U.S.S.R. Nasekomye Cheshuekrylye, vol.4 no 5 Nastoyashchie Moli (Tineidae). 547pp., figs. Nauka Publishers, Leningrad.
- 7387. Zagulyaev, A.K.,** 1982, New and little known species of moths (Lepidoptera, Tineidae, Micropterigidae, Pterophoridae) of the USSR and adjacent territories. Ent. Obozr. 1982: [engl. transl. Ent. Rev. 1983 (1): 93-109, 20 figs.
- 7388. Zagulyaev, A.K.,** 1985, New species of moths (Lepidoptera: Psychidae, Thyrididae, Pterophoridae) from the U.S.S.R. Ent. Obozr. 64 (4): 773-788, figs.
- 7389. Zagulyaev, A.K.,** 1986, On the fauna of pterophorids (Lepidoptera, Pterophoridae) of Central Asia. Trudy vses. ent. Obshch. 67: 76-94, figs.
- 7390. Zagulyaev, A.K.,** 1987, New and little known moths (Lepidoptera; Micropterigidae, Psychidae, Thyrididae, Pterophoridae) of the fauna of the U.S.S.R. -III. Ent. Obozr. 66 (2): 353-368, figs.
- 7391. Zagulyaev, A.K.,** 1993, New species of Microlepidoptera (Lepidoptera, Micropterigidae, Tineidae and Psychidae) of the fauna of Russia and adjacent countries, VI. Ent. Obozr. 72 (1): 119-133 [engl. transl. Ent. rev. 74(4): 1-16, 12 figs., 1995]
- 7392. Zagulyaev, A.K.,** 1994, New and little known species of moths (Lepidoptera, Micropterigidae, Eriocraniidae, Psychidae, Tineidae, and Alucitidae) of the fauna of Russia and adjacent countries, VII. Ent. Obozr. 73 (1): 114-127 [engl. transl. Ent. rev. 74(1): 11-24, 9 figs., 1995]
- 7393. Zagulyaev, A.K.,** 1995, New and little known moths (Lepidoptera, Eriocottidae, Alucitidae, Thyridae) of the fauna of Russia and neighboring territories, VIII. Ent. Obozr. 74 (1): 105-119, figs. [engl. text: Ent. Rev. 75(3): 6-20, 8 figs., 1996].
- 7394. Zagulyaev, A.K.,** 1995, New and little-known species of moth-like Lepidopterans (Lepidoptera: Psychidae, Tineidae, Pterophoridae, Alucitidae) of the fauna of Russia and neighboring territories, IX. Ent. Obozr. 74 (1): 105-119, figs. [in Russian]
- 7395. Zagulyaev, A.K.,** 1999, New and little known moths (Lepidoptera, Thyrididae, Brachodidae) of the fauna of Russia and neighboring territories XI. Ent. Obozr. 78 (4): 896-909, figs.
- 7396. Zahiri, R. & M. Fibiger,** 2006, A new species of *Amphipoea* Billberg, 1820 from northwestern Iran (Lepidoptera, Noctuidae). Zootaxa 1244: 33-39, figs.
- 7397. Zaidi, M.I. & I. Salleh,** 1997, Butterflies from Banggi Island, Sabah (Lepidoptera, Rhopalocera). Serangga 2(2): 209-211.
- 7398. Zangheri, P.,** 1923, Fauna di Romagna. Lepidotteri. Mém. Soc. ent. Genova 2: 13-49.
- 7399. Zeller, P.C.,** 1839, Versuch einer naturgemässen Eintheilung der Schaben. Tinea. Isis 1839 (2): 243-349.
- 7400. Zeller, P.C.,** 1841, Vorläufer einer vollständigen Naturgeschichte der Pterophoriden. Isis 1841: 755-795, 827-893.
- 7401. Zeller, P.C.,** 1843, *Asopia lienigialis* and *Crambus lienigellus* zwei neue Falterarten. Stettin ent. Ztg. 3: 139-143.
- 7402. Zeller, P.C.,** 1844, Monographie des Genus *Hyponomeuta*. Isis 1844 (3): 198-238, 2 Pls.
- 7403. Zeller, P.C.,** 1846, Die knotenhornigen Phyciden. Isis 1846 (10): 175-302.
- 7404. Zeller, P.C.,** 1847, Verzeichniss der vom Professor Dr. Loew in der Türkei und Asien gesammelten Lepidoptera. Isis, Leipzig 1847: 3-39.
- 7405. Zeller, P.C.,** 1848, Die Gallerien und nachthornigen Phyciden. Isis 1848: 569-618, 641-691, 721-754. Leipzig.
- 7406. Zeller, P.C.,** 1849, Beitrag zur Kenntniss der Coleophoren. Linn. Ent. 4: 191-416.
- 7407. Zeller, P.C.,** 1849, Verzeichniss der von Herrn Jos. Mann beobachteten Toscanischen Microlepidopteren. Stettin ent. Ztg. 10: 200-223, 231-256, 275-287, 312-317.
- 7408. Zeller, P.C.,** 1850, Verzeichniss der von Herrn Jos. Mann beobachteten Toscanischen Microlepidopteren. Stettin ent. Ztg. 11: 59-64, 134-136, 139-162, 195-212.
- 7409. Zeller, P.C.,** 1851, Drei Schabengattungen: *Incurvaria*, *Micropteryx* und *Nemophora*. Linn. Ent. 5: 301-362.
- 7410. Zeller, P.C.,** 1852, Lepidoptera Microptera quae J.A. Wahlberg in Caffrorum terra collegit. K. svenska Vetensk. Akad. Handl. 1852: 1-120.
- 7411. Zeller, P.C.,** 1854, Die Depressarien und einige ihnen nahe stehenden Gattungen. Linn. Ent. 9: 189-403, Tab.2.
- 7412. Zeller, P.C.,** 1867, Einige von Herrn Pickard Cambridge, besonders in Aegypten und Palaestina gesammelte Mikrolepidopteren. Stettin ent. Ztg. 28: 365-387.
- 7413. Zerkowicz, A.,** 1946, The Lepidoptera of Portugal. Jl. N. Y. ent. Soc. 54: 51-261.
- 7414. Zerny, H.,** 1914, Über paläarktische Pyraliden des k. k. naturhistorischen Hofmuseums in Wien. Annln. naturh. Mus. Wien 28: 295-348, 2 Taf.
- 7415. Zerny, H.,** 1915, Zwei neue paläarktische Noctuiden. Verh. zool.- bot. Ges. Wien 65: (222)-(225), 2 figs.
- 7416. Zerny, H.,** 1916, Die Beschreibung einer neuen paläarktischen Pyralide. Verh. zool.- bot. Ges. Wien 66: (147)-(149), 2 figs.
- 7417. Zerny, H.,** 1916, Neue Heteroceren aus der Sammlung des k. k. naturhistorischen Hofmuseums in Wien. Annln naturh. Mus. Wien. 30: 173-195, 1 Pl.
- 7418. Zerny, H.,** 1916, Beschreibung einer neuen paläarktischen Pyralide: *Tegostoma stangei* n.sp. Verh. zool.- bot. Ges. Wien 66: (147)-(149), figs.
- 7419. Zerny, H.,** 1927, Die Lepidopteren-Fauna von Albarracin in Aragonien. Eos 3: 299-488, 2 Pls.
- 7420. Zerny, H.,** 1927, Die Lepidopterenfauna von Algeciras und Gibraltar in Süd-Andalusien. Dt. ent. Z., Iris 41: 83-146.
- 7421. Zerny, H.,** 1927, *Pammene cupressana* nov. spec. Verh. zool.- bot. Ges. Wien 77: (4)-(5).
- 7422. Zerny, H.,** 1930, Pyralidae-Tineidae. [In] Wagner, F., Zweiter (III.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 25 (2): 16-22.
- 7423. Zerny, H.,** 1932, Lepidopteren aus dem nördlichen Libanon. Dt. ent. Z., Iris 46: 157-191.
- 7424. Zerny, H.,** 1933, Lepidopteren aus dem nördlichen Libanon (Fortsetzung) Sphingidae- Drepanidae. Dt. ent. Z., Iris 47: 60-66.
- 7425. Zerny, H.,** 1933, [in] Zerny, H., Lepidopteren aus dem nördlichen Libanon (Fortsetzung) Zygaenidae- Aegeriidae. Dt. ent. Z., Iris 47: 104-106.
- 7426. Zerny, H.,** 1934, Lepidopteren aus dem nördlichen Libanon (Fortsetzung) Pyralidae- Adelidae. Dt. ent. Z., Iris 48: 1-28.
- 7427. Zerny, H.,** 1935, Eine neue Noctuide von der Balkanhalbinsel. Z. öst. EntVer. 20: 74-75.
- 7428. Zerny, H.,** 1935, Die Lepidopterenfauna des Grossen Atlas in Marokko und seiner Randgebiete. Mém. Soc. Sci. nat. Maroc. 42: 1-157.
- 7429. Zerny, H.,** 1939-1940, Mikrolepidopteren aus dem Elburs-Gebirge in Nord-Iran. Z. Wien. ent. Ver. 24 (1939): 129-160, 24 (1939): 171-175, 24 (1940): 20-24, 42-47, Taf.xi.
- 7430. Zetterstedt, J.W.,** 1839-1840, Insecta Lapponica descripta, iv+1140 pp., [1839] pp.1-1014; 1840 pp.1015-1140. Lipsiae.
- 7431. Zeuner, F.E.,** 1943, On recent and fossil *Pseudonacليا* Butler (Lep., Amatidae). Ann. Mag. nat. Hist. (11) 10: 140-144, 2 figs.
- 7432. Zhdanko, A.B.,** 1977, Die Tagfalter (Lepidoptera, Rhopalocera) des nordwestlichen Teils des Ketmen-Gebirges. Poleznye nasekomye Kasachstana, Alma-Ata: 135-142 [in Russian].
- 7433. Zhdanko, A.B.,** 1977, Seltene und endemische Tagfalterarten des Nordtienschan und ihr Schutz. Poleznye nasekomye Kasachstana, Alma-Ata: 143-148 [in Russian].
- 7434. Zhdanko, A.B.,** 1977, Einige Besonderheiten der Biologie von *Papilio machaon* L. Poleznye nasekomye Kasachstana, Alma-Ata: 149-151 [in Russian].
- 7435. Zhdanko, A.B.,** 1979, Altitudinal distribution of the butterflies (Lepidoptera, Rhopalocera) in Transili-Alatau. Novosti entomologii Kasachstana, Alma-Ata: 79-84 [in Russian].

- 7436. Zhdanko, A.B.,** 1980, Eine ökologisch-faunistische Übersicht der Tagfalter (Lepidoptera, Rhopalocera) Südkasachstans. Trudy inst. zool. AN KazSSR 39: 67-76 [in Russian].
- 7437. Zhdanko, A.B.,** 1983, Altitudinal distribution of the butterflies (Lepidoptera, Rhopalocera) in the mountains of northern Tien Shan and southern Altai. Ent. Obozr. 62: 716-727 [in Russian].
- 7438. Zhdanko, A.B.,** 1983, A key to the lycaenid genera (Lepidoptera, Lycaenidae) of the USSR, based on the characters of the male genitalia. Ent. Obozr. 62 (1): 131-152, figs., engl. summ. [in Russian].
- 7439. Zhdanko, A.B.,** 1984, Review of the genus *Turanana* Bet.-Bak. with descriptions *T. tatjana* sp.n. and *Otaria* subgen.n. (Lepidoptera, Lycaenidae) from Kazakhstan. Trudy zool. Inst. Leningr. 122: 98-105, figs. [in Russian].
- 7440. Zhdanko, A.B.,** 1986, Seltene Tagfalter Kasachstans. Redkie zhivotnye Kasachstana: 232-237 [in Russian].
- 7441. Zhdanko, A.B.,** 1990, Evolution der palaarktischen Lycaeniden der Unterfamilie Lycaenidae. - Uspekhi entomologii SSSR: nasekomye pereponchatokrylye i cheshuekrylye, Leningrad: 162-164.
- 7442. Zhdanko, A.B.,** 1990, New species and subspecies of the Lycaenidae (Lepidoptera) from Asiatic part of the USSR and North Iran. Ent. Obozr. 69 (1): 134-143, figs. [in Russian].
- 7443. Zhdanko, A.B.,** 1992, Noviy vid Tolostogolovki roda *Spialia* Swinh. (Lepidoptera, Hesperidae) iz Kazakstana. Proc. Zool. Inst. St. Petersburg 248: 184-186, 2 figs. [in Russian].
- 7444. Zhdanko, A.B.,** 1993, Systematics biology and distribution of the lycaenids of the genus *Athamanthia* Zhd. (Lepidoptera, Lycaenidae). Ent. Obozr. 72 (3): 664-674, figs., engl. summ. [in Russian].
- 7445. Zhdanko, A.B.,** 1993, Systematics and distribution of *Thersamonolycaena* Vrt. (Lepidoptera, Lycaenidae). Ent. Obozr. 72(1): 134-142, 18 figs. [in Russian].
- 7446. Zhdanko, A.B.,** 1994, Systematics and distribution of Lycaenidae of the genus *Thersamon* (Lepidoptera) [sic]. Ent. Obozr. 73(1): 144-152, 21 figs. [in Russian].
- 7447. Zhdanko, A.B.,** 1994, *Farsia* subgen.n.- A new subgenus of the genus *Vacciniina* (Lycaenidae, Lepidoptera) from the Middle Asia. Ent. Obozr. 73: 151-154, figs. [in Russian].
- 7448. Zhdanko, A.B.,** 1994, *Polyommatus icadius* (Lepidoptera, Lycaenidae), its taxonomy, biology and distribution. Zool. Zh. 73(4): 80-83, 2 figs. [in Russian].
- 7449. Zhdanko, A.B.,** 1994, New genera and species of the Lycaenidae (Lepidoptera) from Asia. Selevinia 2: 94-95.
- 7450. Zhdanko, A.B.,** 1994, New species of the Lycaenidae (Lepidoptera) from Asia. Selevinia 1: 73-74.
- 7451. Zhdanko, A.B.,** 1994, Novije nakodki dnevnih baboček (Rhopalocera) v semirečje. Selevinia 2: 69 [in Russian].
- 7452. Zhdanko, A.B.,** 1995, New genus and species of the Hairstreaks (Lycaenidae, Lepidoptera) from Central Asia. Zool. Zh. 74 (10): 120-124, 2 figs., engl. summ. [in Russian].
- 7453. Zhdanko, A.B.,** 1995, On the systematics of the genera *Lycaena* F. and *Heliophorus* Geyer (Lepidoptera, Lycaenidae). Ent. Obozr. 74 (3): 652-661, figs. engl. summ. [in Russian].
- 7454. Zhdanko, A.B.,** 1996, A new genus of Hairstreaks (Lepidoptera, Lycaenidae) from Eastern Asia. Zool. Zh. 75 (5): [engl. text: Ent. Rev. 76 (2): 296-298, 1996].
- 7455. Zhdanko, A.B.,** 1996, A new genus of *Atara* (Lepidoptera, Lycaenidae) from Eastern Asia. Zool. Zh. 75: 783-786, 4 figs. [in Russian].
- 7456. Zhdanko, A.B.,** 1996, New species of the genus *Callophrys* (Lepidoptera, Lycaenidae) from Kopet Dag. Selevinia 1996:....
- 7457. Zhdanko, A.B.,** 1997, Lycaenid foodplants in Kazakhstan and Middle Asia (Lepidoptera, Lycaenidae). Atalanta 28 (1/2): 97-110.
- 7458. Zhdanko, A.B.,** 1997, On nomenclature of some Palaearctic Lycaenidae. Zoosyst. ross. 5 (2): 312.
- 7459. Zhdanko, A.B.,** 1998, New species of the genera *Callophrys* Billb. and *Polyommatus* Latr. (Lepidoptera, Lycaenidae) from Asia and Caucasus. Vestn. Kaz. Univ. 5: 46-52, figs. [in Russian].
- 7460. Zhdanko, A.B.,** 1998, Type specimens of *Bidaspa caerulea* and *Atara micans* (Lepidoptera, Lycaenidae) and taxonomy of some genera from the tribe Deudorini. Zool. Zh. 77 (11): 1297-1304, figs. [in Russian].
- 7461. Zhdanko, A.B.,** 1998, Review of the nominative subgenus *Neolycaena* (Lepidoptera, Lycaenidae) with description of a new species from Tajikistan. Zool. Zh. 77 (2): 196-201, figs., engl. summ. [in Russian].
- 7462. Zhdanko, A.B.,** 1998, A review of the lycaenid genus *Neolycaena* de Niceville, 1890 (Lepidoptera, Lycaenidae) with description of new subspecies. Ent. Obozr. 77 (3): 639-662, figs. [in Russian].
- 7463. Zhuravlev, S.,** 1910, Materialien zur lepidopterologischen Fauna von Uralsk und anderen Gegenden des Uralsk-Gebietes. Horae Soc. ent. ross. 39: 415-463.
- 7464. Ziegler, F.,** 1911, August Riesen. Berl. ent. Z. 55 (1910): 264.
- 7465. Ziegler, H.,** 1989, Biologie und Verbreitung von "*Euchloe simpsonia*" (Boisduval, 1828) in der Schweiz (Lep., Pieridae). Atalanta 19: 53-69, Taf.
- 7466. Ziegler, H.,** 1990, Beitrag zur Kenntnis der Biologie sowie Beschreibung der ersten Stände von *Gonepteryx eversi* Rehnelt, 1974 (Lep., Pieridae). Atalanta 21 (1/2): 109-119, Taf.
- 7467. Zilli, A.,** 1992, Remarks on the taxonomic value of male abdominal brush-organs: the case of *Apamea moroccana* (Zerny, 1934), bona sp. (Lepidoptera, Noctuidae). Esperiana 3: 19-32, figs.
- 7468. Zilli, A.,** 1992, *Autophila rosea* (Staudinger, 1888) new for the European fauna (Lepidoptera, Noctuidae). Folia ent. hung. 52: 187-188.
- 7469. Zilli, A.,** 1994, Remarks on European *Myxinia* Species (Lepidoptera, Noctuidae). Atalanta 25 (1/2): 359-364.
- 7470. Zincken, J.L.T.F.,** 1831, Beitrag zur Insekten-Fauna von Java. Nova Acta physico-med. [Leop. Carol.] 15 (1): 129-194, pls. 14-16.
- 7471. Zolotuhin, V.V. & Bro. A. Pinratana,** 2005, Moths of Thailand vol. Four Lasiocampidae. 205 pp., 28 Pls. Bangkok.
- 7472. Zolotuhin, V.V. & I.Y. Kostjuk,** 2000, *Phantosoma witti* gen. et sp. nov., a new autumn lasiocampid moth from Turkmenistan (Lasiocampidae). Nota lepid. 141-146, figs.
- 7473. Zolotuhin, V.V. & T.J. Witt,** 2000, The Camptolominae of Vietnam and adjacent territories (Lepidoptera, Noctuidae). Entomofauna Suppl. 11 (1): 1-10, 2 pls.
- 7474. Zolotuhin, V.V. & T.J. Witt,** 2000, The Mirinidae of Vietnam (Lepidoptera) Entomofauna Suppl. 11 (2): 13-23, 30 figs.
- 7475. Zolotuhin, V.V. & T.J. Witt,** 2000, The Lasiocampidae of Vietnam. Entomofauna Suppl. 11 (3): 25-104, 28 figs., 14 pls.
- 7476. Zolotuhin, V.V. & T.J. Witt,** 2005, Contribution to the knowledge of Indonesian Lasiocampidae (Lepidoptera). Tinea 19 (1): 59-68, figs.
- 7477. Zolotuhin, V.V. & V.V. Dubatolov,** 1992, A new species of Lasiocampidae from Tajikistan (Lepidoptera). Atalanta 23 (1/2): 215-217, 4 figs.
- 7478. Zolotuhin, V.V.,** 1992, An annotated Checklist of the Lasiocampidae of the Caucasus (Lepidoptera). Atalanta 23 (1/2): 225-243, 18 map.
- 7479. Zolotuhin, V.V.,** 1993, *Lemoniidae* (Lepidoptera) of the Caucasus. Ent. Obozr. 73 (2): 94-101 [engl. transl. Ent. rev. 73(5): 148-155, 3 figs., 1994]
- 7480. Zolotuhin, V.V.,** 1994, New and little known species of the genus *Phyllodesma* Hbn. (Lepidoptera, Lasiocampidae). Ent. Obozr. 73 (1): 136-143 [engl. transl. Ent. rev. 74(1): 33-40, 4 figs., 1995]
- 7481. Zolotuhin, V.V.,** 1994, New and little known Lepidoptera Heterocera (Lasiocampidae, Nolidae) from Russia and adjacent territories. Zool. Zh. 73 (10): 62-71 [engl. transl. Ent. rev. 74(8): 84-93, 6 figs., 1995]
- 7482. Zolotuhin, V.V.,** 1994, To the biology and morphology of *Sphingonaepiopsis kuldjaensis* Graeser, 1892 (Lepidoptera, Sphingidae). Atalanta 25 (1/2): 245-259, 21 figs.
- 7483. Zolotuhin, V.V.,** 1995, An annotated checklist of the Lasiocampidae of Kazakhstan and Middle Asia (Lepidoptera). Atalanta 26 (1/2): 273-290, 5 figs., 14 maps.

- 7484.** Zolotuhin,V.V., 1995, To a study of asiatic Lasiocampidae 1. The Lasiocampidae of Thailand. *Tinea* 14 (3): 157-170, figs.
- 7485.** Zolotuhin,V.V., 1996, Notes on Chinese Lepidoptera (Lasiocampidae, Endromididae, Bombycidae) with description of a new species. *Nachr. ent. Ver. Apollo (N.F.)* 16 (4): 373-386, 14 figs.
- 7486.** Zolotuhin,V.V., 1996, *Thumatha monochroa* spec.nov. a new species of arctiid moth from south-eastern Kazakhstan (Lepidoptera, Arctiidae). *Atalanta* 27 (1/2): 339-341, 2 figs.
- 7487.** Zolotuhin,V.V., 1996, Studies in Asiatic Lasiocampidae 2. On the status of *Stenophylloides javanus* Draeseke,1941 (Lepidoptera, Lasiocampidae). *Atalanta* 27 (1/2): 335-338, Pl. figs.
- 7488.** Zolotuhin,V.V., 1997, Die Verbreitung von *Proserpinus proserpina* (Pallas,1772) in Osteuropa und Mittelasien (Lepidoptera, Sphingidae). *Atalanta* 28 (1/2): 129-134.
- 7489.** Zolotuhin,V.V., 1997, To a study of asiatic Lasiocampidae 3. Short taxonomic notes on *Paralebeda Aurivillius*,1894 (Lepidoptera). *Entomofauna* 17 (13): 245-256, 5 figs., 2 Pls.
- 7490.** Zolotuhin,V.V., 1997, New and little known moths (Lepidoptera, Carposinidae, Drepanidae, Thyatiridae) in fauna of Russia and adjacent territories. *Ent. Obozr.* 76 (3).
- 7491.** Zolotuhin,V.V., 1998, Further synonymic notes in the Lasiocampidae with the description of a new *Euthrix*-species (Lepidoptera, Lasiocampidae). *Entomofauna* 19 (2): 53-74, 23 figs.
- 7492.** Zolotuhin,V.V., 1999, *Bhima* Moore,1888 is junior subjective synonym of *Pyrosis* Oberthür,1880 (Lepidoptera, Lasiocampidae). *Atalanta* 29 (1/4): 283-284.
- 7493.** Zolotuhin,V.V., 2000, To a study of Asiatic Lasiocampidae (Lepidoptera) 4. Genus *Micropacha* Roepke,1953. *Tinea* 16 (3): 151-160.
- 7494.** Zolotuhin,V.V., Treadaway,C.G. & T.J.Witt, 1998, The Lasiocampidae (Lepidoptera) of the Philippines. *Nachr. ent. Ver. Apollo, Suppl.* 17: 133-222, figs.
- 7495.** Zukowsky,B., 1929, Neue europäische Aegeriidae. *Int. ent. Z.* 23: 20-22.
- 7496.** Zukowsky,B., 1935, Sammelfahrt ins bulgarische Macedonien 1931 (Lep.). *Int. ent. Z.* 28 (48): 587-591, 29 (1): 3-8, 29 (3): 33-36, 29 (4): 45-48, 29 (6): 70-72, 29 (7): 77-78.
- 7497.** Zukowsky,B., 1936, Neue Arten und Formen der paläarktischen Familien Aegeriidae und Cossidae (Lep.). *Ent. Rdsch.* 53: 534-537, Abb.
- 7498.** Zukowsky,B., 1937, Zwei Reisen nach Griechenland. II. Parnassos- und Vjeluchigebirge 1933 (Lep.). *Ent. Z., Frankf. a. M.* 51: 257-261, 268-272, 287-288.
- 7499.** Zukowsky,B., 1937, Reisebericht über entomologische Aufsammlungen im nordöstlichen Anatolien (westliches Armenien) 1934 (Lep.). *Ent. Rdsch.* 55: 1-6, 13-14, 27-30, 37-40.
- 7500.** Zukowsky,B., 1937, Zwei Reisen nach Griechenland. I. Vjeluchigebirge 1932 (Lep.). *Ent. Z., Frankf. a. M.* 51: 109-113, 128-131, 141-144, 152-155.
- 7501.** Zukowsky,B., 1938, Herbstreise nach Kleinasien, Nordost-Anatolien und zilizischer Taurus (Lep.). *Ent. Rdsch.* 55: 529-531, 623-627, 648-651, 657-659, 708.
- 7502.** Zukowsky,B., 1941, Siwas und Akschehir 1937 (Lep.). *Ent. Z., Frankf. a. M.* 54: 266-272.
- 7503.** Züllich,R., 1936-1937, Beitrag zur Macrolepidopterenfauna des Rilgebirges in Bulgarien. *Z. öst. EntVer.* 21 (1936): 17-19, 24-28, 35-36, 49-55, 68-73; 22 (1937): 16-19.

Chapter 5

"Cefayı kim çekerse, cevheri o alır taştan
Cevheri alıncaya kadar, çok işler geçer baştan"

Anonymous Uighurian People Poem

Original References to the Genus- and Species Group Names of the Lepidoptera

by

Ahmet Ömer Koçak Muhabbet Kemal Selma Seven

Abstract: Chapter 5: Original references to the genus- and species group names of the Lepidoptera [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World-I. *Cent. ent. Stud., Memoirs* 3-4: 1268-1588. The partial results of the project "Bibliography of the Lepidoptera (BL)" are given in this Chapter. Totally 14572 items [stand 1 May 2007] are listed alphabetically according the author names and date of the publications.

Original References to the Genus- and Species Group Names of the Lepidoptera

1. **Acraea (Abananote) intensa gerardolamas Kemal & Koçak,2007** (Acraeidae) *Acraea (Abananote) intensa* ssp. *gerardolamas* Kemal & Koçak,2007, Centr. ent. Stud., Misc. Pap. 105: 3 (nomen novum pro *radiata* Hewitson,1868 nec Gn.,1865).
2. **Acraea (Actinote) Hübner,[1819]** (Acraeidae) *Actinote* Hübner,[1819], Verz. bekannt. Schmett. (2): 27. Type-species: *Papilio thalia* Linnaeus,1758, by subsequent designation by the Commission by the Ruling given under its Plenary Powers in Opinion 214 (1954, Opin. int. Comm. zool. Nom. 4: 41-50).
3. **Acraea (Actinote) encedon (Linnaeus,1758)** (Acraeidae) *Papilio encedon* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 488. Type(s): "Indiis" [Patria falsa]; [Africa].
4. **Acraea (Actinote) encedon encedon (Linnaeus,1758)** (Acraeidae) *Papilio encedon* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 488. Type(s): "Indiis" [Patria falsa]; [Africa].
5. **Acraea (Actinote) encedon rathjensi Le Doux,1933** (Acraeidae) *Acraea encedon rathjensi* Le Doux,1933, Mitt. münch. ent. Ges. 23: 35. Syntypes: Yemen: Musemir-Aden; San'a.
6. **Acraea (Actinote) eponina (Cramer,[1780])** (Acraeidae) *Papilio eponina* Cramer,[1780], Utitl. Kapellen 3: 138, pl.268, figs.C,D. Syntypes: [Sierra Leone]: Sierra Leona.
7. **Acraea (Actinote) eponina eponina (Cramer,[1780])** (Acraeidae) *Papilio eponina* Cramer,[1780], Utitl. Kapellen 3: 138, pl.268, figs.C,D. Syntypes: [Sierra Leone]: Sierra Leona.
8. **Acraea (Actinote) humilis Sharpe,1897** (Acraeidae) *Acraea humilis* Sharpe,1897, Ann. Mag. nat. Hist. (6) 19: 582. Type(s): Uganda: Ntebi, November-December 1895, Mr. F.J.Jackson leg.
9. **Acraea (Actinote) ntebiae Sharpe,1897** (Acraeidae) *Acraea ntebiae* Sharpe,1897, Ann. Mag. nat. Hist. (6) 19: 581-582. Type(s): Uganda: Ntebi, November-December 1895, Mr. F.J.Jackson leg.
10. **Acraea (Actinote) ntebiae ntebiae Sharpe,1897** (Acraeidae) *Acraea ntebiae* Sharpe,1897, Ann. Mag. nat. Hist. (6) 19: 581-582. Type(s): Uganda: Ntebi, November-December 1895, Mr. F.J.Jackson leg.
11. **Acraea (Actinote) thalia (Linnaeus,1758)** (Acraeidae) *Papilio thalia* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 467.
12. **Acraea (s.str.) Fabricius,1807** (Acraeidae) *Acraea* Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: *Papilio horta* Linnaeus,1764, Mus. Lud. Ulr.: 234, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 101.
13. **Acraea (s.str.) atatis Pierre,2004** (Acraeidae) *Acraea (s.str.) atatis* Pierre,2004, Bull. Soc. ent. Fr. 109 (1): 73-76.
14. **Acraea (s.str.) barberi Trimen,1881** (Acraeidae) *Acraea barberi* Trimen,1881, Trans. ent. Soc. London 1879 (3): 433-435. Syntypes ♂♂: South Africa: Transvaal: North of Pretoria.
15. **Acraea (s.str.) cepheus (Linnaeus,1758)** (Acraeidae) *Papilio cepheus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 487. Type(s): India.
16. **Acraea (s.str.) cepheus cepheus (Linnaeus,1758)** (Acraeidae) *Papilio cepheus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 487. Type(s): India.
17. **Acraea (s.str.) chilo Godman,1880** (Acraeidae) *Acraea chilo* Godman,1880, [in] Godman & Distant, Proc. zool. Soc. Lond. 1880: 184, pl.19, fig.4,5. Syntypes: [Ethiopia]: Abyssinia: Kalamet, Sebka valley.
18. **Acraea (s.str.) chilo chilo Godman,1880** (Acraeidae) *Acraea chilo* Godman,1880, [in] Godman & Distant, Proc. zool. Soc. Lond. 1880: 184, pl.19, fig.4,5. Syntypes: [Ethiopia]: Abyssinia: Kalamet, Sebka valley.
19. **Acraea (s.str.) doubledayi Guérin-Méneville,1849** (Acraeidae) *Acraea doubledayi* Guérin-Méneville,1849, [in] Lefebvre, Voyage en Abyssinie (4) 6 (Zoologie): 378. Type(s): [Ethiopié]: Abyssinié.
20. **Acraea (s.str.) doubledayi azvaki D'Abrera,1980** (Acraeidae) *Acraea doubledayi azvaki* D'Abrera,1980, Butterflies Afrotropical Region: 142, 2 figs. Syntypes ♂♂: Southern Yemen.
21. **Acraea (s.str.) doubledayi doubledayi Guérin-Méneville,1849** (Acraeidae) *Acraea doubledayi* Guérin-Méneville,1849, [in] Lefebvre, Voyage en Abyssinie (4) 6 (Zoologie): 378. Type(s): [Ethiopié]: Abyssinié.
22. **Acraea (s.str.) egina areca Mabilie,1888** (Acraeidae) *Acraea areca* Mabilie,1888, Annls Soc. ent. Fr. (6) 8: Bull.: 169. Type: Tanzania: Bagamayo (Zanzibar).
23. **Acraea (s.str.) lygus Druce,1875** (Acraeidae) *Acraea lygus* Druce,1875, Proc. zool. Soc. London 1875: 408. Type: Angola.
24. **Acraea (s.str.) neobule Doubleday,[1847]** (Acraeidae) *Acraea neobule* Doubleday,[1847], [in] Doubleday & Westwood, Genera diurn. lepid.: pl.19, fig.3; ibid. [1848]: 140. Type: Congo.
25. **Acraea (s.str.) neobule neobule Doubleday,[1847]** (Acraeidae) *Acraea neobule* Doubleday,[1847], [in] Doubleday & Westwood, Genera diurn. lepid.: pl.19, fig.3; ibid. [1848]: 140. Type: Congo.
26. **Acraea (s.str.) scalivittata kiellandianus Koçak,1996** (Acraeidae) *Acraea (Acraea) scalivittata* ssp. *kiellandianus* Koçak,1996, Cent. ent. Stud. Misc. Pap. 27/28: 12 (nomen novum pro *kiellandi* Collins,1990 nec Carcasson,1964).
27. **Acraea (s.str.) terpsicore (Linnaeus,1758)** (Acraeidae) *Papilio terpsicore* Linnaeus,1758, Syst. Nat. 10 (1): 466. Type(s): "Habitat in Asia".
28. **Acraea (s.str.) terpsicore terpsicore (Linnaeus,1758)** (Acraeidae) *Papilio terpsicore* Linnaeus,1758, Syst. Nat. 10 (1): 466. Type(s): "Habitat in Asia".
29. **Acraea (s.str.) zetes (Linnaeus,1758)** (Acraeidae) *Papilio zetes* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 487. Type(s): India.
30. **Acraea (s.str.) zetes zetes (Linnaeus,1758)** (Acraeidae) *Papilio zetes* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 487. Type(s): India.
31. **Acraea Fabricius,1807** (Acraeidae) *Acraea* Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: *Papilio horta* Linnaeus,1764, Mus. Lud. Ulr.: 234, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 101.
32. **Pareba Doubleday,[1848]** (Acraeidae) *Pareba* Doubleday,[1848], Gen diurn. Lep. (1): 142. Type-species: *Papilio vesta* Fabricius,1787, Mantissa Ins. 2: 14, by monotypy.
33. **Pareba issoria (Hübner,[1819])** (Acraeidae) *Telchinia issoria* Hübner,[1819], Verz. bekannt. Schmett.: 27, nr.220.
34. **Pareba issoria anomala (Kollar,[1844])** (Acraeidae) *Acraea anomala* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 425, Taf.3 figs.3,4. Type(s): Kaschmir.
35. **Pareba issoria issoria (Hübner,[1819])** (Acraeidae) *Telchinia issoria* Hübner,[1819], Verz. bekannt. Schmett.: 27, nr.220.
36. **Adela antilyca (Meyrick,1936)** (Adelidae) *Nemotois antilyca* Meyrick,1936, Exot. Microlepid. 5: 42. Syntypes 6♂ 2♀: Iraq: Diana, April-May, E.P. Wiltshire leg.
37. **Adela cuprella ([Denis & Schiffermüller],1775)** (Adelidae) *Tinea cuprella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 320. Type(s): [Austria]: Vienna district.
38. **Adela mutabilella Küppers,1980** (Adelidae) *Adela mutabilella* Küppers,1980, Untersuchungen zur Taxonomie und Phylogenie der Westpaläarktischen Adelinae: 245, figs. Holotype ♂: [China: Uighur Ili]: "Turan" (Mus. Leiden).
39. **Adela reaumurella (Linnaeus,1758)** (Adelidae) *Phalaena reaumurella* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 540. Type(s): Europa.
40. **Adela violella ([Denis & Schiffermüller],1775)** (Adelidae) *Tinea violella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): [Austria]: Vienna district.
41. **Cauchas anatolica (Rebel,1902)** (Adelidae) *Adela anatolica* Rebel,1902, Dt. ent. Z., Iris 15(1): 125, Taf.iv fig.13 [1903]. Type ♂: [Türkei]: [Konya Pr.]: "Ak Chehir" (leg. Korb, coll. Caradja).
42. **Cauchas fibulella ([Denis & Schiffermüller],1775)** (Adelidae) *Tinea fibulella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 143. Type(s): [Austria]: Vienna district.

43. **Cauchas leucocerella (Scopoli,1763)** (Adelidae) Phalaena leucocerella Scopoli,1763, Entomologia Carniolica: 255. Type(s): [Slovenien]: Carniolia [Krain].
44. **Cauchas tridesma (Meyrick,1912)** (Adelidae) Adela tridesma Meyrick,1912, Genera Ins. 133: 10. Type: Turkey: Amasia (BMNH).
45. **Ceromitia trigoniferella (Walsingham,1881)** (Adelidae) Nemophora trigoniferella Walsingham,1881, Trans. ent. Soc. London 1881: 246, pl.11 fig.15.
46. **Ceromitia turpisella (Walker,1863)** (Adelidae) Nemophora turpisella Walker,1863, List Specimens lepid Insects Colln Br. Mus. 28: 497.
47. **Ceromitia wahlbergi Zeller,1852** (Adelidae) Ceromitia wahlbergi Zeller,1852, K. svenska VetenskAkad. Handl. 73: 92.
48. **Nematopogon pilella ([Denis & Schiffermüller],1775)** (Adelidae) Tinea pilella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): [Austria]: Vienna district.
49. **Nematopogon swammerdamella (Linnaeus,1758)** (Adelidae) Phalaena swammerdamella Linnaeus,1758, Syst Nat. (Edn.10) 1: 540. Type(s): Europa.
50. **Nemophora aurisparsella Walker,1863** (Adelidae) Nemophora aurisparsella Walker,1863, List Specimens lepid Insects Colln Br. Mus. 28: 506.
51. **Nemophora chrysochraon (Razowski,1978)** (Adelidae) Adela chrysochraon Razowski,1978, Monog. Faun. Polsky 8: 85, figs.
52. **Nemophora decisella Walker,1863** (Adelidae) Nemophora decisella Walker,1863, List Specimens lepid Insects Colln Br. Mus. 28: 505. Type: Sumatra.
53. **Nemophora degeerella (Linnaeus,1758)** (Adelidae) Phalaena degeerella Linnaeus,1758, Syst Nat. (Edn.10) 1: 540. Type(s): Sweden.
54. **Nemophora fasciella (Fabricius,1775)** (Adelidae) Alucita fasciella Fabricius,1775, Syst. Ent.: 670. Type(s): "Anglia".
55. **Nemophora minimella ([Denis & Schiffermüller],1775)** (Adelidae) Tinea minimella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 319. Type(s): [Austria]: Vienna district.
56. **Asota caricae (Fabricius,1775)** (Aganaidae) Noctua caricae Fabricius,1775, Syst. Ent.: 596. Type(s): India orientalis, on Ficus.
57. **Asota ficus (Fabricius,1775)** (Aganaidae) Noctua ficus Fabricius,1775, Syst. Ent.: 595. Type(s): India orientalis, on Ficus racemosa.
58. **Asota paphos (Fabricius,1787)** (Aganaidae) Noctua paphos Fabricius,1787, Mant. Ins 2: 137.
59. **Asota producta (Butler,1875)** (Aganaidae) Hypsa producta Butler,1875, Trans. ent. Soc. Lond. 1875: 320.
60. **Blastodacna libanotica Diakonoff,1939** (Agonoxenidae) Blastodacna libanotica Diakonoff,1939, Tijdschr. Ent. 82: 78-80, figs. Holotype ♂: Syria, Lebanon: Aley, 600m, 15.ii.1933 (A.S.Talhok leg.).
61. **Heinemannia festivella ([Denis & Schiffermüller],1775)** (Agonoxenidae) Tinea festivella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 319. Type(s): [Austria]: Vienna district.
62. **Alucita cymatodactyla Zeller,1852** (Alucitidae) Alucita cymatodactyla Zeller,1852, Linn. Ent. 6: 413. Lectotype ♀: [Croatien]: Dalmat[ien] (Scholz & Jäckh,1994: [14]).
63. **Alucita grammodactyla Zeller,1841** (Alucitidae) Alucita grammodactyla Zeller,1841, Isis 1841: 869, Tab.4 figs.39,40. Lectotype ♂: [Deutschland]: Frankfurt (Scholz & Jäckh,1994: [28]).
64. **Alucita hexadactyla Linnaeus,1758** (Alucitidae) Alucita hexadactyla Linnaeus,1758, Syst Nat. (Edn.10) 1: 542. Type(s): Europa.
65. **Alucita huebneri Wallengren,1859** (Alucitidae) Alucita huebneri Wallengren,1859, Svensk. Vet.-Akad. Handl. 3(2): 24. Type(s): [Mitteleuropa] (Scholz & Jäckh,1994:[20]).
66. **Alucita palodactyla Zeller,1847** (Alucitidae) Alucita palodactyla Zeller,1847, Isis 1847: 908. Lectotype ♂: Sizilien: Syracus und Messina.
67. **Alucita tridentata Scholz & Jäckh,1994** (Alucitidae) Alucita tridentata Scholz & Jäckh,1994, Alexanor 18(4): [24], figs. Holotype ♂: Turcia: Asia minor: 50km östl. Istanbul 50m.
68. **Alucita zonodactyla Zeller,1847** (Alucitidae) Alucita zonodactyla Zeller,1847, Isis 1847: 908. Type ♀: Sizilien: Syracus.
69. **Aemona lena Atkinson,1871** (Amathusiidae) Aemona lena Atkinson,1871, Proc. zool. Soc. London 1871: 215.
70. **Aemona lena lena Atkinson,1871** (Amathusiidae) Aemona lena Atkinson,1871, Proc. zool. Soc. London 1871: 215.
71. **Amathusia Fabricius,1807** (Amathusiidae) Amathusia Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 279. Type-species: Papilio phidippus Linnaeus,1763, by monotypy.
72. **Amathusia phidippus (Linnaeus,1763)** (Amathusiidae) Papilio phidippus Linnaeus,1763, Amoen. Acad. 6: 402. Type: Java.
73. **Amathusia phidippus phidippus (Linnaeus,1763)** (Amathusiidae) Papilio phidippus Linnaeus,1763, Amoen. Acad. 6: 402. Type: Java.
74. **Amathuxidia Staudinger,[1887]** (Amathusiidae) Amathuxidia Staudinger,[1887], Exot. Schmett. 1(1): 88. Type-species: Amathusia amynthaon Doubleday,1847, by monotypy.
75. **Amathuxidia amynthaon negrosensis Schröder & Treadaway,1980** (Amathusiidae) Amathuxidia amynthaon negrosensis Schröder & Treadaway,1980, Ent. Z., Frankf. a. M. 90 (22): 254-256, Abb.1. Holotypus ♀: Philippinen: Negros or.
76. **Discophora dodong Schröder & Treadaway,1981** (Amathusiidae) Discophora dodong Schröder & Treadaway,1981, Ent. Z., Frankf. a. M. 91(24): 275-276, Abb.1. Holotypus ♂: Philippinen: Negros or.: Bais, 200m
77. **Discophora simplex Staudinger,1889** (Amathusiidae) Discophora simplex Staudinger,1889, Dt. ent. Z., Iris 2: 42. Syntypes 3 ♂ 1 ♀: [Philippines]: Palawan (leg. Platen).
78. **Faunis phaon phaon (Erichson,1834)** (Amathusiidae) Drusilla phaon Erichson,1834, Nova Acta Acad. nat. Cur. 16: 401, Pl.50 figs.1,1a. Type: Philippines.
79. **Morpho Fabricius,1807** (Amathusiidae) Morpho Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 280. Type-species: Papilio achilles Linnaeus,1758, by subsequent designaton by Westwood,[1858], [in] Doubleday, Gen. diurn. Lep. (2): 341.
80. **Stichophthalma godfreyi Rothschild,1916** (Amathusiidae) Stichophthalma godfreyi Rothschild,1916, Ann. Mag. nat. Hist. 22: 474. Type ♀: [Thailand]: W.Siam: 40 mls NW Kanburi.
81. **Stichophthalma godfreyi godfreyi Rothschild,1916** (Amathusiidae) Stichophthalma godfreyi Rothschild,1916, Ann. Mag. nat. Hist. 22: 474. Type ♀: [Thailand]: W.Siam: 40 mls NW Kanburi.
82. **Stichophthalma louisa Wood-Mason,1871** (Amathusiidae) Stichophthalma louisa Wood-Mason,1871, Proc. asiat. Soc. Beng. 1871: 163.
83. **Stichophthalma louisa louisa Wood-Mason,1871** (Amathusiidae) Stichophthalma louisa Wood-Mason,1871, Proc. asiat. Soc. Beng. 1871: 163.
84. **Stichophthalma louisa siamensis Rothschild,1916** (Amathusiidae) Stichophthalma louisa ssp. siamensis Rothschild,1916, Novit. zool. 23: 308. Type: Siam.
85. **Taenaris horsfieldi plateni Staudinger,1889** (Amathusiidae) Tenaris horsfieldi var. plateni Staudinger,1889, Dt. ent. Z., Iris 2: 43-44. Syntypes: [Philippines]: Palawan (leg. Platen).
86. **Thauria aliris siamensis Rothschild,1916** (Amathusiidae) Thauria lathyi ssp. siamensis Rothschild,1916, Ann. Mag. nat. Hist. (8) 17: 475. Type: Siam.
87. **Zeuxidia amethysta victrix Staudinger,1889** (Amathusiidae) Zeuxidia amethystus var.? victrix Staudinger,1889, Dt. ent. Z., Iris 2: 41-42. Syntypes 15 ♂ 2 ♀: [Philippines]: Palawan (leg. Platen).
88. **Zeuxidia semperi semperi C.Felder & R.Felder,1861** (Amathusiidae) Zeuxidia semperi C.Felder & R.Felder,1861, Wien. ent. Monatschr. 5: 304. Type: Luzon.
89. **Acantharctia aurivillii Bartel,1903** (Arctiidae) Acantharctia aurivillii Bartel,1903, Dt. ent. Z., Iris 16: 194. Syntypes: "Nyassa".
90. **Acerbia alpina (Quensel,1802)** (Arctiidae) Bombyx alpina Quensel,1802, [in] Acerbi, Travels through Sweden, Finnland and Lapland to North Cape, 1798 & 1799 2: 253.
91. **Acerbia alpina alpina (Quensel,1802)** (Arctiidae) Bombyx alpina Quensel,1802, [in] Acerbi, Travels through Sweden, Finnland and Lapland to North Cape, 1798 & 1799 2: 253.
92. **Agylla alboluteola Rothschild,1912** (Arctiidae) Agylla alboluteola Rothschild,1912, Novit. zool. 19: 226. Type: India: Assam.
93. **Agylla bipars (Moore,1878)** (Arctiidae) Vamuna bipars Moore,1878, Proc. zool. Soc. London 1878: 10, pl.1 fig.11. Type: Sikkim.
94. **Amerila affinis (Rothschild,1910)** (Arctiidae) Rhodogastria affinis Rothschild,1910, Novit. zool. 17: 184. Type ♂: "South Africa" (Tring Mus.).
95. **Amerila bipartita (Rothschild,1910)** (Arctiidae) Rhodogastria bipartita Rothschild,1910, Novit. zool. 17: 186. Type ♂: "Tauta (Taveta), East Africa" (Tring Mus.).

96. *Amerila magnifica* (Rothschild,1910) (Arctiidae) Rhodogastria magnifica Rothschild,1910, Novit. zool. 17: 183. Type ♂: "British East Africa" (Tring Mus.).
97. *Amerila roseibarba* (Druce,1901) (Arctiidae) Rhodogastria roseibarba Druce,1901, Ann. Mag. nat. Hist. (7) 7: 74. Type: Zula "Sooloo Islands".
98. *Amsactartia radiosa* (Pagenstecher,1903) (Arctiidae) Amsacta radiosa Pagenstecher,1903, Jb. nassau Ver. Nat. 56: 13. Type ♀: N.E.Africa: Davassum.
99. *Arctia caja* (Linnaeus,1758) (Arctiidae) Phalaena caja Linnaeus,1758, Syst. Nat. (Edn.10)1: 500-501. Syntypes: [Europa].
100. *Arctia caja caja* (Linnaeus,1758) (Arctiidae) Phalaena caja Linnaeus,1758, Syst. Nat. (Edn.10)1: 500-501. Syntypes: [Europa].
101. *Arctia caja martinhoneyi* Dubatolov & Gurko,[2006] (Arctiidae) Arctia martinhoneyi Dubatolov & Gurko,[2006], Atalanta 36 (3/4): 539, pl.16 fig.4-7. Holotype ♂: Pakistan: Azad Jammu Kashmir, NW Junkar, 3000-3400m (SZM).
102. *Arctia caja orientalis* Moore,1878 (Arctiidae) Arctia orientalis Moore,1878, Ann. Mag. nat. Hist. (5) 1: 230-231. Type: Cashmere: Sonamurg (Stoliczka).
103. *Arctia caja sajana* O.Bang-Haas,1927 (Arctiidae) Arctia caja ssp. sajana O.Bang-Haas,1927, Horae Macrolepid. 1: 72, Tab.2 fig.6. Type: [Russia]: Sajan Mont. "Tunkinsk Weißgebirge", südwestl. Irkutsk, Juli, 2000m.
104. *Arctia caja wiskotti* Staudinger,1879 (Arctiidae) Arctia caja var. wiskotti Staudinger,1879, Horae Soc. ent. ross. 14: 333-334. Syntypes: [Türkei]: Amasia (Jenikeui-Hochebene) [dedicated to Mr. Max Wiskott (Breslau)].
105. *Arctia flavia* (Fuessly,1779) (Arctiidae) Phalaena flavia Fuessly,1779, Mag. f. Ent. 2: 70, Taf.I fig.11.
106. *Arctia flavia flavia* (Fuessly,1779) (Arctiidae) Phalaena flavia Fuessly,1779, Mag. f. Ent. 2: 70, Taf.I fig.11.
107. *Arctia intercalaris* (Eversmann,1843) (Arctiidae) Euprepia intercalaris Eversmann,1843, Bull. Soc. Imp. Nat. Moscou 16 (3): 544, Pl.10 figs. 1a,b.
108. *Arctia intercalaris alpherakyi* Staudinger,1886 (Arctiidae) Arctia intercalaris var. alpherakyi Staudinger,1886, Entomologist's mon. Mag. 22: 258.
109. *Arctia intercalaris intercalaris* (Eversmann,1843) (Arctiidae) Euprepia intercalaris Eversmann,1843, Bull. Soc. Imp. Nat. Moscou 16 (3): 544, Pl.10 figs. 1a,b.
110. *Arctia ladakensis* (O.Bang-Haas,1927) (Arctiidae) Oroncus ladakensis O.Bang-Haas,1927, Horae Macrolepid. 1: 116. Syntypes ♂♂: Ladak: Sham, Chalsi, 5000m, 18. Juli.
111. *Arctia rueckbeili* Püngeler,1901 (Arctiidae) Arctia rueckbeili Püngeler,1901, Dt. ent. Z., Iris 14: 190, Taf.3 fig.11.
112. *Arctia rueckbeili rueckbeili* Püngeler,1901 (Arctiidae) Arctia rueckbeili Püngeler,1901, Dt. ent. Z., Iris 14: 190, Taf.3 fig.11.
113. *Argina astrea* (Drury,[1773]) (Arctiidae) Phalaena astrea Drury,[1773], Illust. nat. Hist. exot. Insects 2: index, 11, pl.6 fig.3.
114. *Argina astrea astrea* (Drury,[1773]) (Arctiidae) Phalaena astrea Drury,[1773], Illust. nat. Hist. exot. Insects 2: index, 11, pl.6 fig.3.
115. *Asura Walker,1854* (Arctiidae) Asura Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 484. Type-species: Asura cervicalis Walker,1854, by subsequent designation by Kirby,1892.
116. *Asura arenaria* Rothschild,1913 (Arctiidae) Asura arenaria Rothschild,1913, Novit. zool. 20: 205. Type ♂: [Papua New Guinea]: Kumusi River, NE British New Guinea (A.S.Meek).
117. *Asura basitessellata* Rothschild,1913 (Arctiidae) Asura basitessellata Rothschild,1913, Novit. zool. 20: 206. Syntypes ♂♂: [Papua New Guinea]: Kumusi River, NE British New Guinea (A.S.Meek).
118. *Asura calamaria* (Moore,1888) (Arctiidae) Setina calamaria Moore,1888, Proc. zool. Soc. London 1888: 392. Type: Burma.
119. *Asura calamaria mediopuncta* Rothschild,1913 (Arctiidae) Asura calamaria ssp. mediopuncta Rothschild,1913 Novit. zool. 20: 211. Syntypes ♂♂: [India]: Assam, Khasia Hills.
120. *Asura cervicalis* Walker,1854 (Arctiidae) Asura cervicalis Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 484. Syntypes: Australia: Tasmania, New Holland.
121. *Asura chrysomela* Hampson,1905 (Arctiidae) Asura chrysomela Hampson,1905, Ann. Mag. nat. Hist. (7) 15: 438. Type: Solomons.
122. *Asura citrinopuncta* Rothschild,1913 (Arctiidae) Asura citrinopuncta Rothschild,1913, Novit. zool. 20: 206. Syntypes ♂♂: [Papua New Guinea]: Kumusi River, NE British New Guinea (A.S.Meek).
123. *Asura euprepioides* (Walker,1862) (Arctiidae) Hypocrita euprepioides Walker,1862, J. linn. Soc. Lond. 6: 102.
124. *Asura fruhstorferi* (Aurivillius,1894) (Arctiidae) Lyclene fruhstorferi Aurivillius,1894, Ent. Tidskr. 15: 172.
125. *Asura griseotincta* Rothschild,1913 (Arctiidae) Asura griseotincta Rothschild,1913, Novit. zool. 20: 206. Type ♀: S.W.Borneo: Pontianak.
126. *Asura infumata rufotincta* Rothschild,1913 (Arctiidae) Asura infumata ssp. rufotincta Rothschild,1913 Novit. zool. 20: 214. Syntypes ♂♂: [India]: Assam, Khasia Hills.
127. *Asura lacteoflava* Rothschild,1913 (Arctiidae) Asura lacteoflava Rothschild,1913, Novit. zool. 20: 208. Syntypes ♂♂: N.W.India: Dalhousie.
128. *Asura lacteoflava aureata* Rothschild,1913 (Arctiidae) Asura lacteoflava ssp. aureata Rothschild,1913, Novit. zool. 20: 208. Type ♂: [India]: Assam, Khasia Hills.
129. *Asura lacteoflava lacteoflava* Rothschild,1913 (Arctiidae) Asura lacteoflava Rothschild,1913, Novit. zool. 20: 208. Syntypes ♂♂: N.W.India: Dalhousie.
130. *Asura liparidia* Rothschild,1913 (Arctiidae) Asura liparidia Rothschild,1913, Novit. zool. 20: 206. Syntypes ♂♂: [Papua New Guinea]: Kumusi River, NE British New Guinea (A.S.Meek).
131. *Asura punctata* Rothschild,1913 (Arctiidae) Asura punctata Rothschild,1913, Novit. zool. 20: 207. Type ♂: [India]: Khasia Hills, Assam.
132. *Asura roseogrisea* Rothschild,1913 (Arctiidae) Asura roseogrisea Rothschild,1913, Novit. zool. 20: 208. Syntypes ♂♂: [Myanmar]: Lower Burma.
133. *Asura strigatula* Rothschild,1913 (Arctiidae) Asura strigatula Rothschild,1913, Novit. zool. 20: 209. Type ♂: [India]: Assam, Khasia Hills.
134. *Asura unifascia* Rothschild,1913 (Arctiidae) Asura unifascia Rothschild,1913, Novit. zool. 20: 207. Type ♂: [Sri Lanka]: Ceylon, Kandy.
135. *Asura unipuncta* (Leech,1890) (Arctiidae) Setina unipuncta Leech,1890, Entomologist 23: 82. Syntypes: China.
136. *Asuridia metaphae* Hampson,1900 (Arctiidae) Asuridia metaphae Hampson,1900, Cat. Lep. Phalaenae Br. Mus. 2: 413, pl.29 fig.20. Type: Sikkim
137. *Atolmis rubricollis* (Linnaeus,1758) (Arctiidae) Phalaena rubricollis Linnaeus,1758, Syst. Nat. (Edn.10)1: 511. Type(s): Europa.
138. *Axiopoea maura* (Eichwald,1830) (Arctiidae) Bombyx maura Eichwald,1830, Zoologia specialis 2: 196. Syntypes: [Turkmenistan]: Krasnowodsk.
139. *Axiopoea maura maura* (Eichwald,1830) (Arctiidae) Bombyx maura Eichwald,1830, Zoologia specialis 2: 196. Syntypes: [Turkmenistan]: Krasnowodsk.
140. *Barsine Walker,1854* (Arctiidae) Barsine Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 546. Type-species: Barsine defecta Walker,1854, by subsequent designation by Kirby,1892.
141. *Barsine cuneonotata* (Walker,1855) (Arctiidae) Anmatho cuneonotata Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 3: 759. Type: Ceylon.
142. *Barsine eccentricis* (Meyrick,1894) (Arctiidae) Miltiochrista eccentricis Meyrick,1894, Trans. ent. Soc. London 1894: 3. Syntypes 2♂: [Myanmar]: Upper Burma: Koni.
143. *Barsine maculifasciata* (Hampson,1894) (Arctiidae) Miltiochrista maculifasciata Hampson,1894, [in] Blanford,W.T., The Fauna of British India, Moths 2: 110-111. Type ♀: [Myanmar]: Burma (BMNH).
144. *Callimorpha dominula* (Linnaeus,1758) (Arctiidae) Phalaena dominula Linnaeus,1758, Syst. Nat. (Edn.10)1: 509. Syntypes: [Europa].
145. *Callimorpha dominula bithynica* Staudinger,1871 (Arctiidae) Callimorpha dominula var. bithynica Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (Edn.2): 56. Type(s): [Türkei]: Bithynien [Bursa].
146. *Callimorpha dominula dominula* (Linnaeus,1758) (Arctiidae) Phalaena dominula Linnaeus,1758, Syst. Nat. (Edn.10)1: 509. Syntypes: [Europa].
147. *Callimorpha dominula italica* Standfuss,1884 (Arctiidae) Callimorpha dominula var. italica Standfuss,1884, CorrBl. Ent. Ver., Iris 1: 26, Taf.1 fig.9. Type: Italia: Piemont.
148. *Callimorpha dominula kurdistanica* Thomas,1983 (Arctiidae) Callimorpha dominula ssp. kurdistanica Thomas,1983, Ent.

- Z., Frankf. a. M. 93 (8): 107-110, Abb. 1-4. Holotype ♂: Türkiye: Hakkarî, vic. Üzümcü, 1200-1400m 7-11.vii.1979 leg. E. Görgner (SMF).
- 149. *Callimorpha dominula lusitanica* Staudinger, 1894** (Arctiidae) *Callimorpha dominula* var. *lusitanica* Staudinger, 1894, Dt. ent. Z., Iris 7: 256. Type(s): Portugal.
- 150. *Callimorpha dominula persica* Le Cerf, 1913** (Arctiidae) *Callimorpha dominula* ssp. *persica* Le Cerf, 1913, Ann. Hist. nat. Paris Ent. 2: 82, Pl.1 fig.10. Type ♀: Iran: Serdob-e-bali.
- 151. *Callimorpha dominula persona* (Hübner, 1790)** (Arctiidae) *Phalaena persona* Hübner, 1790, Beitr. Eur. Schmett. 2(4): 97, Taf.4 (V).
- 152. *Callimorpha dominula pompalis* Nitschke, [1926]** (Arctiidae) *Callimorpha dominula* ssp. *pompalis* Nitschke, [1926], Verh. zool.-bot. Ges. Wien 74/75: (65).
- 153. *Callimorpha dominula postochrea* Stauder, 1925** (Arctiidae) *Callimorpha dominula* ssp. *postochrea* Stauder, 1925, Societas Ent. 40: 7. Type(s): Monte Faito.
- 154. *Callimorpha dominula rossica* Kolenati, 1846** (Arctiidae) *Callimorpha dominula* var. *rossica* Kolenati, 1846, Mel. Ent. 5: 95.
- 155. *Carcinopyga lindti* Cerny, 1986** (Arctiidae) *Carcinopyga lindti* Cerny, 1986, Neue ent. Nachr. 19 (1/2): 31.
- 156. *Carcinopyga lindti lindti* Cerny, 1986** (Arctiidae) *Carcinopyga lindti* Cerny, 1986, Neue ent. Nachr. 19 (1/2): 31.
- 157. *Chelis ferghana dubatolov*, 1988** (Arctiidae) *Chelis ferghana* Dubatolov, 1988, Taksonomiya zhivotnykh Sibiri, Novosibirsk: 92, fig.1n, 2e.
- 158. *Chelis ferghana ferghana* Dubatolov, 1988** (Arctiidae) *Chelis ferghana* Dubatolov, 1988, Taksonomiya zhivotnykh Sibiri, Novosibirsk: 92, fig.1n, 2e.
- 159. *Chelis maculosa* (Gerning, 1780)** (Arctiidae) *Bombyx maculosa* Gerning, 1780, Frankf. Beitr. wiss. Z.: 862. Type(s): Deutschland: Frankfurt a. Main.
- 160. *Chelis maculosa arragonensis* (Staudinger, 1894)** (Arctiidae) *Arctia maculosa* var. *aragonensis* Staudinger, 1894, Dt. ent. Z., Iris 1894: 256. Syntypes: Spanien: Aragonien.
- 161. *Chelis maculosa maculosa* (Gerning, 1780)** (Arctiidae) *Bombyx maculosa* Gerning, 1780, Frankf. Beitr. wiss. Z.: 862. Type(s): Deutschland: Frankfurt a. Main.
- 162. *Chelis maculosa slivnoensis* (Rebel, 1903)** (Arctiidae) *Arctia maculosa* var. *slivnoensis* Rebel, 1903, Annln. naturh. Mus. Wien 18: 275. Type(s): Bulgarien: Sliven.
- 163. *Chelis reticulata* (Christoph, 1887)** (Arctiidae) *Arctia maculosa* var. *reticulata* Christoph, 1887, Stettin ent. Ztg. 48: 163.
- 164. *Chelis reticulata reticulata* (Christoph, 1887)** (Arctiidae) *Arctia maculosa* var. *reticulata* Christoph, 1887, Stettin ent. Ztg. 48: 163.
- 165. *Chelis reticulata transcaucasica* Dubatolov, 1988** (Arctiidae) *Chelis reticulata* ssp. *transcaucasica* Dubatolov, 1988, Taksonomiya zhivotnykh Sibiri, Novosibirsk: 92, fig.2d.
- 166. *Chrysorabdia bivitta* (Walker, 1856)** (Arctiidae) *Lithosia bivitta* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1682.
- 167. *Coscinia cribraria* (Linnaeus, 1758)** (Arctiidae) *Phalaena cribraria* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 507. Type(s): [Europa].
- 168. *Coscinia cribraria cribraria* (Linnaeus, 1758)** (Arctiidae) *Phalaena cribraria* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 507. Type(s): [Europa].
- 169. *Cretonotos brunipennis* Bartel, 1903** (Arctiidae) *Cretonotos brunipennis* Bartel, 1903, Dt. ent. Z., Iris 16: 195. Syntypes: [Tanzania]: "Udjidi".
- 170. *Cretonotos flavidus* Bartel, 1903** (Arctiidae) *Cretonotos flavidus* Bartel, 1903, Dt. ent. Z., Iris 16: 196. Syntypes: [Namibia].
- 171. *Cretonotos gangis* (Linnaeus, 1763)** (Arctiidae) *Phalaena gangis* Linnaeus, 1763, Centuria insectorum rariorum: 27, nr.82. Type: [Indonesia]: Java.
- 172. *Cretonotos gangis gangis* (Linnaeus, 1763)** (Arctiidae) *Phalaena gangis* Linnaeus, 1763, Centuria insectorum rariorum: 27, nr.82. Type: [Indonesia]: Java.
- 173. *Cretonotos transiens* (Walker, 1855)** (Arctiidae) *Spilosoma transiens* Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 3: 675.
- 174. *Cretonotos transiens transiens* (Walker, 1855)** (Arctiidae) *Spilosoma transiens* Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 3: 675.
- 175. *Cyana coccinea* (Moore, 1878)** (Arctiidae) *Bizone coccinea* Moore, 1878, Proc. zool. Soc. London 1878: 28, pl.3 fig.14. Type: Sikkim.
- 176. *Cyana distincta* (Rothschild, 1912)** (Arctiidae) *Chionaema distincta* Rothschild, 1912, Novit. zool. 19: 245. Type: Sikkim.
- 177. *Cyana hamata* (Walker, 1854)** (Arctiidae) *Bizone hamata* Walker, 1854, List Specimens lepid. Insects Colln Br. Mus. 2: 549.
- 178. *Cyana inconclusa* (Walker, 1862)** (Arctiidae) *Bizone inconclusa* Walker, 1862, J. linn. Soc. (Zool.) 6: 120.
- 179. *Cybosia mesomella* (Linnaeus, 1758)** (Arctiidae) *Phalaena mesomella* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 535. Type(s): [Europa].
- 180. *Cymbalophora rivularis* (Ménétriés, 1832)** (Arctiidae) *Chelonia rivularis* Ménétriés, 1832, Catalogue raisonné des objects Zool. Caucase...: 263-264. Type(s): [Russia]: Alpes du Caucase.
- 181. *Cymbalophora rivularis rivularis* (Ménétriés, 1832)** (Arctiidae) *Chelonia rivularis* Ménétriés, 1832, Catalogue raisonné des objects Zool. Caucase...: 263-264. Type(s): [Russia]: Alpes du Caucase.
- 182. *Diacrisia sannio* (Linnaeus, 1758)** (Arctiidae) *Phalaena sannio* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 506. Type(s): Europa.
- 183. *Diacrisia sannio caucasica* Schaposchnikoff, 1904** (Arctiidae) *Diacrisia sannio caucasica* Schaposchnikoff, 1904, Ezhegod. Zool. Mus. Imp. Akad. Nauk 9: 253.
- 184. *Diacrisia sannio mortua* (Staudinger, 1887)** (Arctiidae) *Nemeophila russula* var. *mortua* Staudinger, 1887, Stettin ent. Ztg. 48: 78.
- 185. *Diacrisia sannio sannio* (Linnaeus, 1758)** (Arctiidae) *Phalaena sannio* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 506. Type(s): Europa.
- 186. *Diaphora mendica* (Linnaeus, 1761)** (Arctiidae) *Phalaena mendica* Linnaeus, 1761, Fauna Suecica (2): 299, nr.1127. Type(s): Suecia.
- 187. *Diaphora mendica mendica* (Linnaeus, 1761)** (Arctiidae) *Phalaena mendica* Linnaeus, 1761, Fauna Suecica (2): 299, nr.1127. Type(s): Suecia.
- 188. *Disparctia vittata* (Druce, 1898)** (Arctiidae) *Spilarctia vittata* Druce, 1898, Ann. Mag. nat. Hist. (7) 1: 211. Type ♂: "West Africa, Mongo-ma-Lobah (Mus.Druce)".
- 189. *Eilema caniola* (Hübner, [1808])** (Arctiidae) *Bombyx caniola* Hübner, [1808], Samml. eur. Schmett. 3: pl.51, fig.220. Type: Europa.
- 190. *Eilema complana* (Linnaeus, 1758)** (Arctiidae) *Phalaena complana* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 512. Type(s): [Europa].
- 191. *Eilema costalis* (Zeller, 1847)** (Arctiidae) *Lithosia costalis* Zeller, 1847, Isis 1847: 16. Type ♀: [Türkei]: Brussa [Bursa].
- 192. *Eilema griseola* (Hübner, [1803])** (Arctiidae) *Bombyx griseola* Hübner, [1803], Samml. eur. Schmett. 3: pl.23, fig.97. Type: Europa.
- 193. *Eilema lutarella* (Linnaeus, 1758)** (Arctiidae) *Phalaena lutarella* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 535. Type(s): Europa.
- 194. *Eilema palliatella* (Scopoli, 1763)** (Arctiidae) *Phalaena palliatella* Scopoli, 1763, Entomologia Carniolica: 248. Type(s): [Slovenien]: Carniolia [Krain].
- 195. *Eilema pseudocomplana* (Daniel, 1939)** (Arctiidae) *Lithosia pseudocomplana* Daniel, 1939, Mitt. münch. ent. Ges. 29: 48-49, fig.3. Holotype ♂: [Türkei]: Anatolia c.: Ak-Chehir, Sultan Dag.
- 196. *Eilema sororcula* (Hufnagel, 1766)** (Arctiidae) *Phalaena sororcula* Hufnagel, 1766, Berl. Mag. 3: 398. Type(s): Deutschland: Berlin.
- 197. *Eospilarctia lewisi* (Butler, 1885)** (Arctiidae) *Seirarctia lewisi* Butler, 1885, Cistula Ent. 3: 115. Type: Japan.
- 198. *Epatolmis caesarea* (Goeze, 1781)** (Arctiidae) *Phalaena caesarea* Goeze, 1781, Ent. Beytr. 3 (3): 63.
- 199. *Epatolmis caesarea caesarea* (Goeze, 1781)** (Arctiidae) *Phalaena caesarea* Goeze, 1781, Ent. Beytr. 3 (3): 63.
- 200. *Epicallia villica* (Linnaeus, 1758)** (Arctiidae) *Phalaena villica* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 501. Syntypes: [Europa].
- 201. *Epicallia villica confluens* (Romanoff, 1884)** (Arctiidae) *Arctia villica confluens* Romanoff, 1884, [in] Romanoff, Mem. lepid. 1: 87-88, pl.4 fig.9. Lectotype ♂: "Lenkoran", designated by Dubatolov, 1996, Ent. Obozr. 75 (2): 344 (ZIP).
- 202. *Epicallia villica villica* (Linnaeus, 1758)** (Arctiidae) *Phalaena villica* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 501. Syntypes: [Europa].
- 203. *Eucharia festiva* (Hufnagel, 1766)** (Arctiidae) *Phalaena festiva* Hufnagel, 1766, Berl. Mag. 3: 416. Type(s): Deutschland: Berlin.
- 204. *Eucharia festiva festiva* (Hufnagel, 1766)** (Arctiidae) *Phalaena festiva* Hufnagel, 1766, Berl. Mag. 3: 416. Type(s): Deutschland: Berlin.
- 205. *Eugoa basipuncta* (Hampson, 1891)** (Arctiidae) *Padenia basipuncta* Hampson, 1891, Illustr. typical Specimens lepid. Heterocera Colln Br. Mus. 8: 49.

- 206. *Eugoa similis* Rothschild,1913** (Arctiidae) *Eugoa similis* Rothschild,1913, Novit. zool. 20: 221. Type ♂: [Malaysia]: Perak.
- 207. *Euplagia quadripunctaria* (Poda,1761)** (Arctiidae) *Phalaena quadripunctaria* Poda,1761, Insecta Mus. Graecensis: 89. Type(s): {Austria}: Graz.
- 208. *Euplagia quadripunctaria quadripunctaria* (Poda,1761)** (Arctiidae) *Phalaena quadripunctaria* Poda,1761, Insecta Mus. Graecensis: 89. Type(s): {Austria}: Graz.
- 209. *Euplagia splendidior* (Tams,1922)** (Arctiidae) *Callimorpha quadripunctaria* ssp. *splendidior* Tams,1922, Entomologist 55: 196-197. Holotype ♂: Iran: N.W. Persia: Harir.
- 210. *Euplagia splendidior splendidior* (Tams,1922)** (Arctiidae) *Callimorpha quadripunctaria* ssp. *splendidior* Tams,1922, Entomologist 55: 196-197. Holotype ♂: Iran: N.W. Persia: Harir.
- 211. *Eyrallpenus meinhofi* (Bartel,1903)** (Arctiidae) *Spilosoma meinhofi* Bartel,1903, Dt. ent. Z., Iris 16: 213. Syntypes: [tanzaia]: "Zanzibar, Kiungani".
- 212. *Hemonia orbiferana* (Walker,1863)** (Arctiidae) *Heminia* [sic] *orbiferana* Walker,1863, List 28: 426.
- 213. *Hemonia rotundata* (Snellen,1879)** (Arctiidae) *Pitane rotundata* Snellen,1879, Tijdschr. Ent. 22: 90.
- 214. *Hyphantria cunea* (Drury,[1773])** (Arctiidae) *Phalaena cunea* Drury,[1773], Illustr. nat. Hist. exot. Ins. 2: Idx. 1(1): 36, Pl.18 fig.4. Type(s): N.America.
- 215. *Hyphantria cunea cunea* (Drury,[1773])** (Arctiidae) *Phalaena cunea* Drury,[1773], Illustr. nat. Hist. exot. Ins. 2: Idx. 1(1): 36, Pl.18 fig.4. Type(s): N.America.
- 216. *Hyphoraia aulica* (Linnaeus,1758)** (Arctiidae) *Phalaena aulica* Linnaeus,1758, Syst. Nat. (Edn.10)1: 505. Type(s): Europa.
- 217. *Hyphoraia aulica aulica* (Linnaeus,1758)** (Arctiidae) *Phalaena aulica* Linnaeus,1758, Syst. Nat. (Edn.10)1: 505. Type(s): Europa.
- 218. *Hyphoraia aulica testudinarioides* (Sovinsky,1905)** (Arctiidae) *Arctia aulica* var. *testudinarioides* Sovinsky,1905, Russk. ent. Obozr. 5 (3/4): 109-110.
- 219. *Lacydes spectabilis* (Tauscher,1806)** (Arctiidae) *Noctua spectabilis* Tauscher,1806, Mém. Soc. nat. Univ. imp. Moscou 1: 212 fig. Type(s): Russia.
- 220. *Lacydes spectabilis spectabilis* (Tauscher,1806)** (Arctiidae) *Noctua spectabilis* Tauscher,1806, Mém. Soc. nat. Univ. imp. Moscou 1: 212 fig. Type(s): Russia.
- 221. *Lemyra alleni* Thomas,1990** (Arctiidae) *Lemyra alleni* Thomas,1990, Nachr. ent. Ver. Apollo (N.F.) Suppl. 9: 36-37, figs. Holotype ♂: Thailand: Khao Yai Nat. Park 1200m, 7.ii. 1986, M.G.Allen leg. (BMNH).
- 222. *Lemyra maculifascia* (Walker,1855)** (Arctiidae) *Spilosoma maculifascia* Walker,1855, List 3: 676. Type: Java.
- 223. *Lithosia quadra* (Linnaeus,1758)** (Arctiidae) *Phalaena quadra* Linnaeus,1758, Syst. Nat. (Edn.10)1: 511. Syntype(s): [Europa].
- 224. *Macaduma torticella* Walker,1866** (Arctiidae) *Macaduma torticella* Walker,1866, List 35: 1705.
- 225. *Macrobrochis borneensis* Roepke,1938** (Arctiidae) *Macrobrochis borneensis* Roepke,1938, Ent. Z., Frankf. a. M. 52: 53.
- 226. *Macrobrochis gigas* (Walker,1854)** (Arctiidae) *Lithosia gigas* Walker,1854, List 2: 494.
- 227. *Maurica joiceyi* (Talbot,1928)** (Arctiidae) *Ocnogyna joiceyi* Talbot,1928, Bull. Hill Mus. 2: 32. Type: Morocco: Atlas Mts.
- 228. *Maurica joiceyi joiceyi* (Talbot,1928)** (Arctiidae) *Ocnogyna joiceyi* Talbot,1928, Bull. Hill Mus. 2: 32. Type: Morocco: Atlas Mts.
- 229. *Maurica joiceyi monticola* (Reisser,1934)** (Arctiidae) *Phragmatobia joiceyi* ssp. *monticola* Reisser,1934, Eos 9: 273. Type: Marokko, Rif, A'Faska.
- 230. *Miltochrista coccinea* Rothschild,1913** (Arctiidae) *Miltochrista coccinea* Rothschild,1913, Novit. zool. 20: 215. Type ♂: [India]: Assam, Khasia Hills.
- 231. *Miltochrista cornicornutata* Holloway,1982** (Arctiidae) *Miltochrista cornicornutata* Holloway,1982, [in] Barlow, An introduction to the moths of S.E. Asia: 213. Holotype ♂: Malaysia: W. Pahang.
- 232. *Miltochrista defecta* (Walker,1854)** (Arctiidae) *Barsine defecta* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 546. Type: Nepal.
- 233. *Miltochrista germana* Rothschild,1913** (Arctiidae) *Miltochrista germana* Rothschild,1913, Novit. zool. 20: 214. Type ♂: [India]: Assam, Khasia Hills.
- 234. *Miltochrista irregularis* Rothschild,1913** (Arctiidae) *Miltochrista irregularis* Rothschild,1913, Novit. zool. 20: 215. Type ♀: [China]: Hainan, Youbai.
- 235. *Miltochrista miniata* (Forster,1771)** (Arctiidae) *Phalaena miniata* Forster,1771, Nova Species Insectorum: 75.
- 236. *Miltochrista parameia* Rothschild,1913** (Arctiidae) *Miltochrista parameia* Rothschild,1913, Novit. zool. 20: 214. Syntypes: ♂♂: [Vietnam]: Tonkin: Mauson Mountains, 2300m.
- 237. *Muscula muscula* (Staudinger,1899)** (Arctiidae) *Lithosia muscula* Staudinger,1899, Dt. ent. Z., Iris 12: 156. Type(s): [Türkei]: Gjaur Dag [Amanos].
- 238. *Muscula muscula muscula* (Staudinger,1899)** (Arctiidae) *Lithosia muscula* Staudinger,1899, Dt. ent. Z., Iris 12: 156. Type(s): [Türkei]: Gjaur Dag [Amanos].
- 239. *Nebractia semiramis* (Staudinger,1892)** (Arctiidae) *Arctia* (Spilactia) *semiramis* Staudinger,1892, Dt. ent. Z., Iris 4: 161. Type ♂: [Türkei]: Kleinasien: [Erzincan]: Egin [=Kemaliye].
- 240. *Nebractia semiramis semiramis* (Staudinger,1892)** (Arctiidae) *Arctia* (Spilactia) *semiramis* Staudinger,1892, Dt. ent. Z., Iris 4: 161. Type ♂: [Türkei]: Kleinasien: [Erzincan]: Egin [=Kemaliye].
- 241. *Nebractia wiltshirei* (Toulgoet,1962)** (Arctiidae) *Spilosoma wiltshirei* Toulgoet,1962, Bull. Soc. ent. Fr. 67: 129, figs. Type: Cashmir.
- 242. *Nudaria mundana* (Linnaeus,1761)** (Arctiidae) *Phalaena mundana* Linnaeus,1761, Fauna Suecica (2): 349. Type(s): Sweden.
- 243. *Nyctemera adversata* (Schaller,1788)** (Arctiidae) *Phalaena adversata* Schaller,1788, Beytr. ges. exot. Pap. Naturf. (Jena) 23: 54.
- 244. *Nyctemera adversata adversata* (Schaller,1788)** (Arctiidae) *Phalaena adversata* Schaller,1788, Beytr. ges. exot. Pap. Naturf. (Jena) 23: 54.
- 245. *Ocnogyna* (Somatotrichia) *anatolica* Witt,1980** (Arctiidae) *Ocnogyna anatolica* Witt,1980, Mitt. münch. ent. Ges. 69: 154-156, Abb.52. Holotype ♂: Türkei: Südöstl. Erzincan, Pülümür, 1500m.
- 246. *Ocnogyna* (Somatotrichia) *anatolica anatolica* Witt,1980** (Arctiidae) *Ocnogyna anatolica* Witt,1980, Mitt. münch. ent. Ges. 69: 154-156, Abb.52. Holotype ♂: Türkei: Südöstl. Erzincan, Pülümür, 1500m.
- 247. *Ocnogyna* (Somatotrichia) *parasita* (Hübner,1790)** (Arctiidae) *Phalaena parasita* Hübner,1790, Beitr. Gesch. Schmett. 2(2): 42. Type(s): [Austria]: Wien.
- 248. *Ocnogyna* (Somatotrichia) *parasita parasita* (Hübner,1790)** (Arctiidae) *Phalaena parasita* Hübner,1790, Beitr. Gesch. Schmett. 2(2): 42. Type(s): [Austria]: Wien.
- 249. *Ocnogyna* (s.str.) *advena* (Fabricius,1787)** (Arctiidae) *Bombyx advena* Fabricius,1787, Mant. Ins. 2: 123. Type: [Nordafrika].
- 250. *Ocnogyna* (s.str.) *advena advena* (Fabricius,1787)** (Arctiidae) *Bombyx advena* Fabricius,1787, Mant. Ins. 2: 123. Type: [Nordafrika].
- 251. *Ocnogyna* (s.str.) *baetica* (Rambur,1836)** (Arctiidae) *Trichosoma baetica* Rambur,1836, Annls Soc. ent. Fr. 5: 587.
- 252. *Ocnogyna* (s.str.) *baetica baetica* (Rambur,1836)** (Arctiidae) *Trichosoma baetica* Rambur,1836, Annls Soc. ent. Fr. 5: 587.
- 253. *Ocnogyna* (s.str.) *bellieri* (Lederer,1855)** (Arctiidae) *Arctia bellieri* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 203. Syntypes: [Libanon]: Beirut.
- 254. *Ocnogyna* (s.str.) *bellieri bellieri* (Lederer,1855)** (Arctiidae) *Arctia bellieri* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 203. Syntypes: [Libanon]: Beirut.
- 255. *Ocnogyna* (s.str.) *corsica* (Rambur,1832)** (Arctiidae) *Trichosoma corsica* Rambur,1832, Annls Soc. ent. Fr. 1: 272. Type: Corsica.
- 256. *Ocnogyna* (s.str.) *corsica corsica* (Rambur,1832)** (Arctiidae) *Trichosoma corsica* Rambur,1832, Annls Soc. ent. Fr. 1: 272. Type: Corsica.
- 257. *Ocnogyna* (s.str.) *corsica sardoa* Staudinger,1870** (Arctiidae) *Ocnogyna corsica* var. *sardoa* Staudinger,1870, Berl. ent. Z. 14: 105. Syntypes: Sardinien.
- 258. *Ocnogyna* (s.str.) *cypriaca* O.Bang-Haas,1934** (Arctiidae) *Ocnogyna loewii cypriaca* O.Bang-Haas,1934, Ent. Z., Frankf. a. M. 48: 48.
- 259. *Ocnogyna* (s.str.) *cypriaca cypriaca* O.Bang-Haas,1934** (Arctiidae) *Ocnogyna loewii cypriaca* O.Bang-Haas,1934, Ent. Z., Frankf. a. M. 48: 48.

- 260. *Ocnogyna* (s.str.) *herrichi* Staudinger, 1879** (Arctiidae) *Ocnogyna herrichi* Staudinger, 1879, Horae Soc. ent. ross. 14: 337. Syntypes: [Türkei]: Taurus; [Libanon]: Beirut.
- 261. *Ocnogyna* (s.str.) *herrichi herrichi* Staudinger, 1879** (Arctiidae) *Ocnogyna herrichi* Staudinger, 1879, Horae Soc. ent. ross. 14: 337. Syntypes: [Türkei]: Taurus; [Libanon]: Beirut.
- 262. *Ocnogyna* (s.str.) *loewii* (Zeller, 1846)** (Arctiidae) *Trichosoma loewii* Zeller, 1846, Stettin ent. Ztg. 7:9. Type(s): [Türkei]: Kleinasien: Tal südlich Istenas.
- 263. *Ocnogyna* (s.str.) *loewii loewii* (Zeller, 1846)** (Arctiidae) *Trichosoma loewii* Zeller, 1846, Stettin ent. Ztg. 7:9. Type(s): [Türkei]: Kleinasien: Tal südlich Istenas.
- 264. *Ocnogyna* (s.str.) *mutabilis* Turati, 1924** (Arctiidae) *Ocnogyna mutabilis* Turati, 1924, Atti Soc. ital. Sci. nat. 63: [42] 26.
- 265. *Ocnogyna* (s.str.) *mutabilis mutabilis* Turati, 1924** (Arctiidae) *Ocnogyna mutabilis* Turati, 1924, Atti Soc. ital. Sci. nat. 63: [42] 26.
- 266. *Ocnogyna* (s.str.) *zoraida* (De Graslin, [1837])** (Arctiidae) *Chelonia zoraida* De Graslin, [1837], Annls Soc. ent. Fr. 5: 561.
- 267. *Ocnogyna* (s.str.) *zoraida hemigena* (De Graslin, 1850)** (Arctiidae) *Chelonia hemigena* De Graslin, 1850, Annls Soc. ent. Fr. 8: 402. Syntypes: South France: Vernet-les-Bains.
- 268. *Ocnogyna* (s.str.) *zoraida zoraida* (De Graslin, [1837])** (Arctiidae) *Chelonia zoraida* De Graslin, [1837], Annls Soc. ent. Fr. 5: 561.
- 269. *Olepa ricini* (Fabricius, 1775)** (Arctiidae) *Bombyx ricini* Fabricius, 1775, Syst. Ent.: 583. Type(s): India orientalis.
- 270. *Oroncus* (s.str.) *tancrei* (Staudinger, 1887)** (Arctiidae) *Arctia tancrei* Staudinger, 1887, Stettin ent. Ztg. 48: 81-82. Syntypes: [Kirgizistan]: Issyk-Kul.
- 271. *Oroncus* (s.str.) *tancrei tancrei* (Staudinger, 1887)** (Arctiidae) *Arctia tancrei* Staudinger, 1887, Stettin ent. Ztg. 48: 81-82. Syntypes: [Kirgizistan]: Issyk-Kul.
- 272. *Ovenna agonchae* (Plötz, 1880)** (Arctiidae) *Lithosia agonchae* Plötz, 1880, Stettin ent. Ztg. 41: 80. Type: Agoncha.
- 273. *Ovenna hailesellassiei* Birket-Smith, 1965** (Arctiidae) *Ovenna hailesellassiei* Birket-Smith, 1965, Pap. Fac. Sci. Haile Sellassis Univ. (C) 1: 105, figs. Type: Ethiopia.
- 274. *Ovenna simplex* Birket-Smith, 1965** (Arctiidae) *Ovenna simplex* Birket-Smith, 1965, Pap. Fac. Sci. Haile Sellassis Univ. (C) 1: 101, figs. Type: Ethiopia.
- 275. *Ovenna subgriseola* (Strand, 1912)** (Arctiidae) *Eilema subgriseola* Strand, 1912, Arch. f. Naturk. (A7): 178. Type: [Equatorial Guinea]: Spanisch Guinea.
- 276. *Ovenna vicaria* (Walker, 1854)** (Arctiidae) *Lithosia vicaria* Walker, 1854, List 2: 505.
- 277. *Paidia* (Conjuncta) *conjuncta* (Staudinger, 1892)** (Arctiidae) *Nudaria murina* var. *conjuncta* Staudinger, 1892, Dt. ent. Z., Iris 4: 249-250. Syntypes 10♂ 1♀: [Türkei]: Mardin.
- 278. *Paidia* (Conjuncta) *conjuncta conjuncta* (Staudinger, 1892)** (Arctiidae) *Nudaria murina* var. *conjuncta* Staudinger, 1892, Dt. ent. Z., Iris 4: 249-250. Syntypes 10♂ 1♀: [Türkei]: Mardin.
- 279. *Paidia albescens* (Staudinger, 1892)** (Arctiidae) *Nudaria murina* var. *albescens* Staudinger, 1892, Dt. ent. Z., Iris 4: 250. Syntypes: [Türkei]: Antiochia [=Antakya], Hadjin [=Saimbeyli].
- 280. *Paidia cinerascens* (Herrich-Schäffer, [1847])** (Arctiidae) *Nudaria cinerascens* Herrich-Schäffer, [1847], Syst. Bearb. Schmett. Eur. 2: 162, fig. 143. Type(s): Türkei [Bursa] (Staudinger, 1879: 329).
- 281. *Paidia rica* (Freyer, [1855])** (Arctiidae) *Lithosia rica* Freyer, [1855], Neuere Beitr. Schmett. 7: 73, Tab. 642.
- 282. *Palaearctia erschoffii selmonsii* (Böttcher, 1905)** (Arctiidae) *Arctia erschoffii* var. *selmonsii* Böttcher, 1905, Ent. Z., Stuttg. 19 (12): 62, figs. 18-21. Syntypes ♂♂: [Kirgizistan]: "Naryn".
- 283. *Palaearctia ferghana variabilis* (Daniel, 1966)** (Arctiidae) *Micrarctia variabilis* Daniel, 1966, Mitt. münch. ent. Ges. 56: 161-163, fig. Holotype ♂: Afghanistan: Anjuman Pass, 3900-4300m, 8-12. August 1963, K. Omoto leg. (ZSM).
- 284. *Palaearctia marxi* (O. Bang-Haas, 1927)** (Arctiidae) *Micrarctia kindermanni* ssp. *marxi* O. Bang-Haas, 1927, Horae Macrolepid. 1: 68, Taf. 8 fig. 51. Type ♂: [India]: "Bashahr Staten, Poo nordöstl. Simla".
- 285. *Palaearctia marxi marxi* (O. Bang-Haas, 1927)** (Arctiidae) *Micrarctia kindermanni* ssp. *marxi* O. Bang-Haas, 1927, Horae Macrolepid. 1: 68, Taf. 8 fig. 51. Type ♂: [India]: "Bashahr Staten, Poo nordöstl. Simla".
- 286. *Parasemia plantaginis* (Linnaeus, 1758)** (Arctiidae) *Phalaena plantaginis* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 501. Syntypes: [Europa].
- 287. *Parasemia plantaginis carbonelli* De Freina, 1993** (Arctiidae) *Parasemia plantaginis* ssp. *carbonelli* De Freina, 1993, Linneana Belgica 14 (3): 159, 162, figs. 16-24. Holotype ♂: Turkey: Hakkari Prov., Altın Dağları, 3000m 11.vii.1991, leg. F. Carbonell (Witt Mus.).
- 288. *Parasemia plantaginis plantaginis* (Linnaeus, 1758)** (Arctiidae) *Phalaena plantaginis* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 501. Syntypes: [Europa].
- 289. *Pareuchaetes aurata* (Butler, 1875)** (Arctiidae) *Euchaetes aurata* Butler, 1875, Cist. Ent. 2: 38. Type: Brazil: Espirito Santo.
- 290. *Pelosia muscerda* (Hufnagel, 1766)** (Arctiidae) *Phalaena muscerda* Hufnagel, 1766, Berl. Mag. 3: 400. Type(s): Deutschland: Berlin.
- 291. *Pericallia matronula* (Linnaeus, 1758)** (Arctiidae) *Phalaena matronula* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 509. Type(s): Germania.
- 292. *Pericallia matronula matronula* (Linnaeus, 1758)** (Arctiidae) *Phalaena matronula* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 509. Type(s): Germania.
- 293. *Pericallia picta* (Walker, 1864)** (Arctiidae) *Deiopeia picta* Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 31: 263. Type: Burma.
- 294. *Pericallia tripartita* (Walker, 1855)** (Arctiidae) *Aloa tripartita* Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 3: 706. Syntypes: Burma: Moulmein, China: Hainan.
- 295. *Phragmatobia coelestina* Püngeler, 1904** (Arctiidae) *Phragmatobia coelestina* Püngeler, 1904, Societ. Ent. 19: 121.
- 296. *Phragmatobia fuliginosa* (Linnaeus, 1758)** (Arctiidae) *Phalaena fuliginosa* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 509. Syntypes: [Europa].
- 297. *Phragmatobia fuliginosa fuliginosa* (Linnaeus, 1758)** (Arctiidae) *Phalaena fuliginosa* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 509. Syntypes: [Europa].
- 298. *Phragmatobia fuliginosa pulverulenta* (Alpheraky, 1889)** (Arctiidae) *Spilosoma fuliginosa* var. *pulverulenta* Alpheraky, 1889, [in] Romanoff, Mem. lépid. 5: 84. Lectotype ♀: N Ost Tibet [Qinghai, Burhan Budai Shan], leg. Przewalsky, designated by Dubatolov, 1996 (ZIP).
- 299. *Phragmatobia placida* (Frigalsky, 1835)** (Arctiidae) *Euprepia placida* Frigalsky, 1835, Köslések a balkany vidékén tett terms. utazásról. 2: 271, pl. 7 f. 5. Type(s): [Bulgaria]: Philippopolis.
- 300. *Phragmatobia placida placida* (Frigalsky, 1835)** (Arctiidae) *Euprepia placida* Frigalsky, 1835, Köslések a balkany vidékén tett terms. utazásról. 2: 271, pl. 7 f. 5. Type(s): [Bulgaria]: Philippopolis.
- 301. *Rajendra Moore*, 1879** (Arctiidae) *Rajendra Moore*, 1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr W.S. Atkinson (1): 43. Type-species: *Rajendra lativitta* Moore, 1879, by original designation.
- 302. *Rajendra vittata* Moore, 1879** (Arctiidae) *Rajendra vittata* Moore, 1879, Proc. zool. Soc. London 1879: 396, pl. 32 fig. 12.
- 303. *Rhodogastris omissa* Rothschild, 1910** (Arctiidae) *Rhodogastris omissa* Rothschild, 1910, Novit. zool. 17: 184.
- 304. *Rhyaria purpurata* (Linnaeus, 1758)** (Arctiidae) *Phalaena purpurata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 505. Type(s): [Europa].
- 305. *Rhyaria purpurata purpurata* (Linnaeus, 1758)** (Arctiidae) *Phalaena purpurata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 505. Type(s): [Europa].
- 306. *Setina ramosa* (Fabricius, 1793)** (Arctiidae) *Bombyx ramosa* Fabricius, 1793, Ent. Syst. 3 (1): 463. Type(s): Italia.
- 307. *Setina roscida* ([Denis & Schiffermüller], 1775)** (Arctiidae) *Noctua roscida* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 68. Type(s): [Austria]: Vienna district.
- 308. *Spilarctia lutea* (Hufnagel, 1766)** (Arctiidae) *Phalaena lubricipeda lutea* Hufnagel, 1766, Berl. Mag. 2: 412. Type(s): Deutschland: Berlin.
- 309. *Spilarctia lutea lutea* (Hufnagel, 1766)** (Arctiidae) *Phalaena lubricipeda lutea* Hufnagel, 1766, Berl. Mag. 2: 412. Type(s): Deutschland: Berlin.
- 310. *Spilarctia montana* (Guérin-Méneville, 1843)** (Arctiidae) *Arctia montana* Guérin-Méneville, 1843, [in] Delessert, M.A., Souvenirs d'un Voyage dans l'Inde de 1834 a 1839: 92, Pl. 26 figs. 3, 3a. Type ♂: Inde: "Neelgheris" (BMNH).
- 311. *Spilarctia strigatulum* (Walker, 1855)** (Arctiidae) *Spilosoma strigatula* Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 3: 613. Type: Burma.

- 312. *Spilosoma brunneomixtum* Tougoet,1971** (Arctiidae) MG
- 313. *Spilosoma butti* (Rothschild,1910)** (Arctiidae) *Proschaliphora butti* Rothschild,1910, Novit. zool. 17: 180. Syntypes 1♂ 1♀: [South Africa]: Natal: Foot of Nieuwveld Mountains 5mls NW Beaufort West; Weenen (Mrs. Butt) (Tring Mus.).
- 314. *Spilosoma dissimilis* Distant,1897** (Arctiidae) *Spilosoma dissimilis* Distant,1897, Ann. Mag. nat. Hist. (6) 20: 198. Syntypes: South Africa: Transvaal: Pretoria.
- 315. *Spilosoma jacksoni* (Rothschild,1910)** (Arctiidae) *Seiractia jacksoni* Rothschild,1910, Novit. zool. 17: 176. Syntypes 2♂ 1♀: [Kenya]: Nairobi to Mount Kenia (Tring Mus.).
- 316. *Spilosoma jordani* Debauche,1938** (Arctiidae) *jordani* Debauche,1938
- 317. *Spilosoma lubricipedum* (Linnaeus,1758)** (Arctiidae) *Phalaena lubricipeda* Linnaeus,1758, Syst. Nat. (Edn.10)1: 505-506. Lectotype ♂: [Europa], designated by Mikkola & Honey,1993.
- 318. *Spilosoma lubricipedum lubricipedum* (Linnaeus,1758)** (Arctiidae) *Phalaena lubricipeda* Linnaeus,1758, Syst. Nat. (Edn.10)1: 505-506. Lectotype ♂: [Europa], designated by Mikkola & Honey,1993.
- 319. *Spilosoma neglectum* (Rothschild,1910)** (Arctiidae) *Iacrisia neglecta* Rothschild,1910, Novit. zool. 17: 121. Type: Sikkim.
- 320. *Spilosoma rava* (Druce,1898)** (Arctiidae) *Spilactia rava* Druce,1898, Ann. Mag. nat. Hist. (7) 1: 211-212. Type ♀: "West Africa, Gambia (Mus.Druce)".
- 321. *Spilosoma rava rava* (Druce,1898)** (Arctiidae) *Spilactia rava* Druce,1898, Ann. Mag. nat. Hist. (7) 1: 211-212. Type ♀: "West Africa, Gambia (Mus.Druce)".
- 322. *Spilosoma unimaculatum* Bartel,1903** (Arctiidae) *Spilosoma unimaculata* Bartel,1903, Dt. ent. Z., Iris 16: 185. Syntypes: [Tanzania]: "Dar-es-Salaam".
- 323. *Spilosoma urticae* (Esper,[1789])** (Arctiidae) *Phalaena Bombyx urticae* Esper,[1789], Die Schmett. 3: 20, pl.83 fig.2.
- 324. *Spilosoma urticae urticae* (Esper,[1789])** (Arctiidae) *Phalaena Bombyx urticae* Esper,[1789], Die Schmett. 3: 20, pl.83 fig.2.
- 325. *Spiris striata* (Linnaeus,1758)** (Arctiidae) *Phalaena striata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 502. Type(s): Germania.
- 326. *Spiris striata striata* (Linnaeus,1758)** (Arctiidae) *Phalaena striata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 502. Type(s): Germania.
- 327. *Tancrea pardalina* Püngeler,1898** (Arctiidae) *Tancrea pardalina* Püngeler,1898, Societ. Ent. 13: 57.
- 328. *Tancrea pardalina pardalina* Püngeler,1898** (Arctiidae) *Tancrea pardalina* Püngeler,1898, Societ. Ent. 13: 57.
- 329. *Thumatha senex* (Hübner,[1808])** (Arctiidae) *Bombyx senex* Hübner,[1808], Samml. eur. Schmett. 3: pl.55, figs.236,237. Syntypes: Europa.
- 330. *Tyria jacobaeae* (Linnaeus,1758)** (Arctiidae) *Phalaena jacobaeae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 511. Type(s): [Europa].
- 331. *Utetheisa (Atasca) pellex* (Linnaeus,1758)** (Arctiidae) *Phalaena Noctua pellex* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 510. Type(s): India.
- 332. *Utetheisa (Atasca) pellex pellex* (Linnaeus,1758)** (Arctiidae) *Phalaena Noctua pellex* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 510. Type(s): India.
- 333. *Utetheisa (s.str.) ornatrix* (Linnaeus,1758)** (Arctiidae) *Phalaena Noctua ornatrix* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 511. Type(s): America.
- 334. *Utetheisa (s.str.) pulchella* (Linnaeus,1758)** (Arctiidae) *Phalaena pulchella* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 534. Syntypes: Europa, Mauritania.
- 335. *Utetheisa (s.str.) pulchella pulchella* (Linnaeus,1758)** (Arctiidae) *Phalaena pulchella* Linnaeus,1758, Syst. Nat. (Edn.10)1: 534. Syntypes: Europa, Mauritania.
- 336. *Utetheisa (s.str.) pulchelloides marshallorum* Rothschild,1910** (Arctiidae) *Utetheisa pulchelloides marshallorum* Rothschild,1910, Novit. zool. 17: 182. Syntypes 4♂ 5♀: Marshall Islands, Oceania (Tring Mus.).
- 337. *Utetheisa (s.str.) sumatrana* Rothschild,1910** (Arctiidae) *Utetheisa sumatrana* Rothschild,1910, Novit. zool. 17: 182. Syntypes 3♂: [Indonesia]: "Deli, North-East Sumatra" (Tring Mus.).
- 338. *Watsonarctia deserta* (Bartel,1902)** (Arctiidae) *Arctia casta* var. *deserta* Bartel,1902, Dt. ent. Z., Iris 15: 226. Syntypes: Russland: Südural.
- 339. *Watsonarctia deserta deserta* (Bartel,1902)** (Arctiidae) *Arctia casta* var. *deserta* Bartel,1902, Dt. ent. Z., Iris 15: 226. Syntypes: Russland: Südural.
- 340. *Watsonarctia deserta karduchena* (De Freina,1983)** (Arctiidae) *Eucharia deserta* ssp. *karduchena* De Freina,1983, Mitt. münch. ent. Ges. 72: 105-107, Abb.20. Holotype ♂: [Türkei]: Tokat:Çamlıbel Paß, 1600m.
- 341. *Abrota* Moore,1857** (Argynnidæ) *Abrota* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (I): 176. Type-species: *Abrota ganga* Moore,1857, by monotypy.
- 342. *Abrota ganga* Moore,1857** (Argynnidæ) *Abrota ganga* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (I): 178, Tb. 6a, fig.1.
- 343. *Abrota ganga ganga* Moore,1857** (Argynnidæ) *Abrota ganga* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (I): 178, Tb. 6a, fig.1.
- 344. *Aglais Dalman*,1816** (Argynnidæ) *Aglais Dalman*,1816, K. svenska Vetensk-Akad. Handl., Stockholm 1816 (1): 56. Type-species: *Papilio urticae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 477, by original designation.
- 345. *Aglais ichnusa* (Hübner,[1824])** (Argynnidæ) *Papilio ichnusa* Hübner,[1824], Samml. eur. Schmett. 1: pl.170, fig.840. Type(s): [Korsika].
- 346. *Aglais ichnusa ichnusa* (Hübner,[1824])** (Argynnidæ) *Papilio ichnusa* Hübner,[1824], Samml. eur. Schmett. 1: pl.170, fig.840. Type(s): [Korsika].
- 347. *Aglais kaschmirensis* (Kollar,[1844])** (Argynnidæ) *Vanessa kaschmirensis* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 442, Pl.11 figs. 3, 4. Type(s): [India]: Kaschmir.
- 348. *Aglais kaschmirensis aesis* (Fruhstorfer,1912)** (Argynnidæ) *Vanessa caschmirensis aesis* Fruhstorfer,1912, [in] Seitz, Die Gross-Schmett. Erde 9: 527.
- 349. *Aglais kaschmirensis kaschmirensis* (Kollar,[1844])** (Argynnidæ) *Vanessa kaschmirensis* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 442, Pl.11 figs. 3, 4. Type(s): [India]: Kaschmir.
- 350. *Aglais ladakensis* (Moore,1878)** (Argynnidæ) *Vanessa ladakensis* Moore,1878, Ann. Mag. nat. Hist. 5(1): 227-228. Syntypes: [India]: Ladak, Gogra; [China]: Yarkund, Karatagh lake.
- 351. *Aglais ladakensis ladakensis* (Moore,1878)** (Argynnidæ) *Vanessa ladakensis* Moore,1878, Ann. Mag. nat. Hist. 5(1): 227-228. Syntypes: [India]: Ladak, Gogra; [China]: Yarkund, Karatagh lake.
- 352. *Aglais nixa* (Groum-Grshimailo,1890)** (Argynnidæ) *Vanessa urticae* var. *nixa* Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 426. Syntypes: Tadjikistan: South of Darvaz: Khoubou-rabat, 9000ft. Lectotype ♂: "Hissar Mt." designated by Murzin,2000 [in] Tusov, et al. Guide Butts. Russia 2: 30-31 (BMNH).
- 353. *Aglais nixa nixa* (Groum-Grshimailo,1890)** (Argynnidæ) *Vanessa urticae* var. *nixa* Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 426. Syntypes: Tadjikistan: South of Darvaz: Khoubou-rabat, 9000ft. Lectotype ♂: "Hissar Mt." designated by Murzin,2000 [in] Tusov, et al. Guide Butts. Russia 2: 30-31 (BMNH).
- 354. *Aglais rizana* (Moore,1872)** (Argynnidæ) *Vanessa rizana* Moore,1872, Proc. zool. Soc. Lond. 1872: 559. Syntypes: India: Kunawur.
- 355. *Aglais rizana rizana* (Moore,1872)** (Argynnidæ) *Vanessa rizana* Moore,1872, Proc. zool. Soc. Lond. 1872: 559. Syntypes: India: Kunawur.
- 356. *Aglais urticae* (Linnaeus,1758)** (Argynnidæ) *Papilio urticae* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 477. Type(s): [Sweden (Verity,1950)].
- 357. *Aglais urticae chinensis* (Leech,1892)** (Argynnidæ) *Vanessa urticae* var. *chinensis* Leech,1892, Butts. China, Japan Corea: 227.
- 358. *Aglais urticae chinganensis* (Kleinschmidt,1929)** (Argynnidæ) *Aglais urticae chinganensis* Kleinschmidt,1929, Falco 25: 13. Type(s): Chingangebirge.
- 359. *Aglais urticae kansuensis* Kleinschmidt,1927** (Argynnidæ) *Aglais urticae kansuensis* Kleinschmidt,1927, Falco 23: 4. Type(s): China: Kansu: Lanchowfu.
- 360. *Aglais urticae obtusa* O.Bang-Haas,1927** (Argynnidæ) *Aglais urticae* ssp. *obtusa* O.Bang-Haas,1927, Horae Macrolepidopt. 1: 115. Syntypes 2♂: China: Kansu sept. occ.: Hsining, Tatung Tal, Alpenzone.
- 361. *Aglais urticae turcica* (Staudinger,1871)** (Argynnidæ) *Vanessa urticae* var. *turcica* Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 16: Syntypes: Südl. Balkanhalbinsel; [Türkei]: Asia Minor.
- 362. *Aglais urticae turcicoides* (Staudinger,1901)** (Argynnidæ) *Vanessa urticae* var. *turcicoides* Staudinger,1901, Cat. Lepid. palaearkt.

Faunengeb. 3(1): 25 (nomen novum pro urticoides Alpheraky nec Fischer-Waldheim. Type(s): [Iran]: Hyrcania.

363. Aglais urticae urticae (Linnaeus,1758) (Argynnidae) Papilio urticae Linnaeus,1758, Syst. Nat. (Edn.10) 1: 477. Type(s): [Sweden (Verity,1950)].

364. Aldania Moore,[1896] (Argynnidae) Aldania Moore,[1896], Lepid. ind. 3 (26): 46. Type-species: Diadema raddei Bremer,1861, Bull. Acad. Sci. St. Petersburg. 3: 467, by original designation.

365. Aldania raddei (Bremer,1861) (Argynnidae) Diadema raddei Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 467. Syntypes: Russia: Bureja-Gebirge.

366. Aldania raddei raddei (Bremer,1861) (Argynnidae) Diadema raddei Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 467. Syntypes: Russia: Bureja-Gebirge.

367. Amuriana Korshunov & Dubatolov,1984 (Argynnidae) Amuriana Korshunov & Dubatolov,1984, Nov. Maloizvestiye Vidy Fauny Sib. 17: 52. Type-species: Adolias schreckii Ménéttriés,1858, by original designation (nomen novum pro Bremeria Moore,[1896] nec Alpheraky,1892).

368. Amuriana schreckii (Ménéttriés,1858) (Argynnidae) Adolias schreckii Ménéttriés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 215, nr.12. Syntypes: Russia: Amur.

369. Amuriana schreckii schreckii (Ménéttriés,1858) (Argynnidae) Adolias schreckii Ménéttriés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 215, nr.12. Syntypes: Russia: Amur.

370. Antanartia schaeneia (Trimen,1879) (Argynnidae) Eurema schaeneia Trimen,1879, Trans. ent. Soc. London 1879 (4): 329-331. Syntypes: South Africa: Cape Colony, Bathurst, King William's Town, Kafirland: Baschee R., Natal: Durban, Transvaal: Potchefotroom, Lydenburg.

371. Antanartia schaeneia schaeneia (Trimen,1879) (Argynnidae) Eurema schaeneia Trimen,1879, Trans. ent. Soc. London 1879 (4): 329-331. Syntypes: South Africa: Cape Colony, Bathurst, King William's Town, Kafirland: Baschee R., Natal: Durban, Transvaal: Potchefotroom, Lydenburg.

372. Apatura Fabricius,1807 (Argynnidae) Apatura Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 280. Type-species: Papilio iris Linnaeus,1758, Syst. Nat. (Ed.10) 1: 476, by subsequent designation by Curtis, 1831, Brit. Ent. 8: pl.338.

373. Apatura ambica Kollar,[1844] (Argynnidae) Apatura ambica Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 431, Taf.8 figs.3,4. Type(s): Kaschmir.

374. Apatura ambica ambica Kollar,[1844] (Argynnidae) Apatura ambica Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 431, Taf.8 figs.3,4. Type(s): Kaschmir.

375. Apatura ilia ([Denis & Schiffermüller],1775) (Argynnidae) Papilio ilia [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 172. Type(s): [Austria]: Vienna district.

376. Apatura ilia ilia ([Denis & Schiffermüller],1775) (Argynnidae) Papilio ilia [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 172. Type(s): [Austria]: Vienna district.

377. Apatura iris (Linnaeus,1758) (Argynnidae) Papilio iris Linnaeus,1758, Syst. Nat. (Edn.10) 1: 476. Type(s): Angliae &c.

378. Apatura iris barnica Verity,1927 (Argynnidae) Apatura iris barnica Verity,1927, Bull. Soc. ent. Fr. 1927: 176. Syntypes: Spain: Barcelona, S. Antoni de Villamajor.

379. Apatura iris iris (Linnaeus,1758) (Argynnidae) Papilio iris Linnaeus,1758, Syst. Nat. (Edn.10) 1: 476. Type(s): Angliae &c.

380. Apatura metis Freyer,1829 (Argynnidae) Apatura metis Freyer,1829, Beitr. Gesch. eur. Schmett. 2: 67, Tab.67, fig.1. Syntypes: Ungarn: Pecs (Fünfkirschen).

381. Apatura metis bunea Herrich-Schäffer,[1845] (Argynnidae) Apatura ilia var. bunea Herrich-Schäffer,[1845], Syst. Bearb. Schmett. Eur. 1: 45, figs.161-165. Syntypes: [Südöstl. Russia]: "aus dem Caucasus" (? patria falsa).

382. Apatura metis irtyschika Korshunov,1982 (Argynnidae) Apatura metis ssp. irtyschika Korshunov,1982, Gelminty, kleshchi i nasekomye, Novosibirsk: 88. Holotype ♂: Kazachstan: Pavlodar Prov., Katschiry.

383. Apatura metis metis Freyer,1829 (Argynnidae) Apatura metis Freyer,1829, Beitr. Gesch. eur. Schmett. 2: 67, Tab.67, fig.1. Syntypes: Ungarn: Pecs (Fünfkirschen).

384. Araschnia Hübner,[1819] (Argynnidae) Araschnia Hübner,[1819], Verz. bekannt. Schmett. (3): 37. Type-species: Papilio levana Linnaeus,1758, Syst. Nat. (Ed.10)1: 480, by subsequent

designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 117.

385. Araschnia burejana Bremer,1861 (Argynnidae) Araschnia burejana Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 466. Syntypes: Russia: Bureja-Gebirge.

386. Araschnia burejana burejana Bremer,1861 (Argynnidae) Araschnia burejana Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 466. Syntypes: Russia: Bureja-Gebirge.

387. Araschnia levana (Linnaeus,1758) (Argynnidae) Papilio levana Linnaeus,1758, Syst. Nat. (Edn.10) 1: 480. Type(s): Europae australioris.

388. Araschnia levana levana (Linnaeus,1758) (Argynnidae) Papilio levana Linnaeus,1758, Syst. Nat. (Edn.10) 1: 480. Type(s): Europae australioris.

389. Argynnis (Argyreus) Scopoli,1777 (Argynnidae) Argyreus Scopoli,1777, Introd. Hist. nat.: 431. Type-species: Papilio niphe Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 785, by subsequent designation by Reuss,1928, Int. ent. Z. 22: 146.

390. Argynnis (Argyreus) hyperbicus (Linnaeus,1763) (Argynnidae) Papilio hyperbicus Linnaeus,1763, Amoenitates Academicae seu dissertationes physicae... 6: 408. Type(s): China.

391. Argynnis (Argyreus) hyperbicus hyperbicus (Linnaeus,1763) (Argynnidae) Papilio hyperbicus Linnaeus,1763, Amoenitates Academicae seu dissertationes physicae... 6: 408. Type(s): China.

392. Argynnis (Argyreus) hyperbicus neumanni Rothschild,1903 (Argynnidae) Argynnis hyperbicus ssp. neumanni Rothschild,1903, Novit. zool. 9: 596, nr.5. Syntype: [Ethiopia]: Abyssinia: Kaffa, Schoa.

393. Argynnis (Argyronome) Hübner,[1819] (Argynnidae) Argyronome Hübner,[1819], Verz. bekannt. Schmett. (2): 32. Type-species: Papilio laodice Pallas,1771, Reise durch verschied. Prov. Russisch. Reichs 1: 471, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci, Boston 10: 120.

394. Argynnis (Argyronome) laodice (Pallas,1771) (Argynnidae) Papilio laodice Pallas,1771, Reise verschied. Prov. russ. Reiches 1: 470. Type(s): Russia: Südrussland.

395. Argynnis (Argyronome) laodice laodice (Pallas,1771) (Argynnidae) Papilio laodice Pallas,1771, Reise verschied. Prov. russ. Reiches 1: 470. Type(s): Russia: Südrussland.

396. Argynnis (Argyronome) laodice rudra Moore,1857 (Argynnidae) Argynnis rudra Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 157, nr. 325. Type(s): Himalaya.

397. Argynnis (Argyronome) ruslana Motschulsky,1866 (Argynnidae) Argynnis ruslana Motschulsky,1866, Bull. Soc. imp. Nat. Moscou 39: 117. Type(s): Russia: Amur.

398. Argynnis (Argyronome) ruslana ruslana Motschulsky,1866 (Argynnidae) Argynnis ruslana Motschulsky,1866, Bull. Soc. imp. Nat. Moscou 39: 117. Type(s): Russia: Amur.

399. Argynnis (Childrena) Hemming,1931 (Argynnidae) Childrena Hemming,1931, Proc. R. ent. Soc. Lond. (B) 12: 30. Type-species: Argynnis childreni Gray,1831, by designation through Section (i) (replacement names) of Article 67.

400. Argynnis (Childrena) childreni Gray,1831 (Argynnidae) Argynnis childreni Gray,1831, Zool. Misc. 1831: 33. Type(s): Himalayas.

401. Argynnis (Childrena) childreni childreni Gray,1831 (Argynnidae) Argynnis childreni Gray,1831, Zool. Misc. 1831: 33. Type(s): Himalayas.

402. Argynnis (Childrena) childreni sakontala Kollar,[1844] (Argynnidae) Argynnis sakontala Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 439, Taf.12. Type(s): Kaschmir.

403. Argynnis (Damora) Nordmann,1851 (Argynnidae) Damora Nordmann,1851, Bull. Soc. imp. Nat. Moscou 24 (4): 439. Type-species: Damora paulina Nordmann,1851, by monotypy.

404. Argynnis (Damora) sagana Doubleday,1847 (Argynnidae) Argynnis sagana Doubleday,1847, Genera diurn. lepid.: pl.21 fig.1. Type(s): China.

405. Argynnis (Damora) sagana relictia Korshunov,1984 (Argynnidae) Argynnis sagana ssp. relictia Korshunov,1984, New and little known species of Siberia, Novosibirsk: 59. Holotype: Russia: [Kusnezki-Alatau]: Gornaja Schorija, Mras-Su.

406. Argynnis (Damora) sagana sagana Doubleday,1847 (Argynnidae) Argynnis sagana Doubleday,1847, Genera diurn. lepid.: pl.21 fig.1. Type(s): China.

407. Argynnis (Fabriciana) Reuss,1920 (Argynnidae) Fabriciana Reuss,1920, Ent. Mitt. 9: 92, nota. Type-species: Papilio niobe Linnaeus,1758, Syst. Nat. (Ed.10)1: 481, by original designation.

- 408. Argynnis (Fabriciana) adippe (Rottemburg,1775)** (Argynnidæ) Papilio adippe Rottemburg,1775, Naturforscher 6: 13. Neotype ♂: Austria: Mödling bei Wien (designated by Hemming, Riley & Verity, 1958, Appendix to Opinion 501 (ICZN)).
- 409. Argynnis (Fabriciana) adippe adippe (Rottemburg,1775)** (Argynnidæ) Papilio adippe Rottemburg,1775, Naturforscher 6: 13. Neotype ♂: Austria: Mödling bei Wien (designated by Hemming, Riley & Verity, 1958, Appendix to Opinion 501 (ICZN)).
- 410. Argynnis (Fabriciana) adippe cannelata Peschke,1934** (Argynnidæ) Argynnis adippe ssp. cannelata Peschke,1934, Int. ent. Z. 28 (34): 431. Syntypes 33♂ 19♀: [Pakistan]: "Baltistan: Gilgit, 6000 Fuß".
- 411. Argynnis (Fabriciana) adippe pallescens Butler,1873** (Argynnidæ) Argynnis pallescens Butler,1873, Cist. ent. 1: 164. Type(s): Hakodadi.
- 412. Argynnis (Fabriciana) adippe persephone Hemming,1934** (Argynnidæ) Argynnis cydippe persephone Hemming,1934, Stylops 3 (5): 97-98 (nomen novum pro Argynnis adippe race pallida Evans,1912 nec Argynnis freija var. pallida Elwes,1899).
- 413. Argynnis (Fabriciana) adippe taurica Staudinger,1878** (Argynnidæ) Argynnis adippe var. taurica Staudinger,1878, Horae Soc. ent. ross. 14: 272. Syntypes: [Türkei]: Taurus.
- 414. Argynnis (Fabriciana) adippe tianschanica Alpheraky,1881** (Argynnidæ) Argynnis adippe var. tianschanica Alpheraky,1881, Horae Soc. ent. ross. 16: 412. Syntypes: [China]: Tian-Chian [Tengri Tagh], Jouldousse.
- 415. Argynnis (Fabriciana) adippe vorax Butler,1871** (Argynnidæ) Argynnis vorax Butler,1871, Trans. ent. Soc. Lond. 1871: 403. Type(s): China: Shanghai.
- 416. Argynnis (Fabriciana) adippe xanthodippe Fixsen,1887** (Argynnidæ) Argynnis adippe var. xanthodippe Fixsen,1887, [in] Romanoff, Mém. lépid. 3: 307. Type(s): Korea.
- 417. Argynnis (Fabriciana) adippe xipe Groum-Grshimailo,1891** (Argynnidæ) Argynnis adippe var. xipe Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 457. Syntypes: [China]: Qingai: Amdo, in montibus Dshachar.
- 418. Argynnis (Fabriciana) adippe zarewna Fruhstorfer,1912** (Argynnidæ) Argynnis adippe zarewna Fruhstorfer,1912, [in] Seitz, Die Grossschmett. 9: 515. Type(s): Russia: Irkutsk.
- 419. Argynnis (Fabriciana) argyrospilata Kotzsch,1938** (Argynnidæ) Argynnis argyrospilata Kotzsch,1938, Ent. Rdsch. 55: 360, [2 figs.] Syntypes 3♂♂: [Afghanistan]: Chodja-Mahomed, 2800-3000m.
- 420. Argynnis (Fabriciana) argyrospilata argyrospilata Kotzsch,1938** (Argynnidæ) Argynnis argyrospilata Kotzsch,1938, Ent. Rdsch. 55: 360, [2 figs.] Syntypes 3♂♂: [Afghanistan]: Chodja-Mahomed, 2800-3000m.
- 421. Argynnis (Fabriciana) auresiana Fruhstorfer,1908** (Argynnidæ) Argynnis adippe ssp. auresiana Fruhstorfer,1908, Int. ent. Z. 2: 69. Syntypes: Algier: Auresberge.
- 422. Argynnis (Fabriciana) auresiana astrifera (Higgins,1965)** (Argynnidæ) Fabriciana auresiana ssp. astrifera Higgins,1965, Entomologist 98: 12. Holotype ♂: High Atlas, Mt. Toubkal, 9000ft. (BMNH).
- 423. Argynnis (Fabriciana) auresiana auresiana Fruhstorfer,1908** (Argynnidæ) Argynnis adippe ssp. auresiana Fruhstorfer,1908, Int. ent. Z. 2: 69. Syntypes: Algier: Auresberge.
- 424. Argynnis (Fabriciana) auresiana buckwelli (Varin,1961)** (Argynnidæ) Fabriciana auresiana ssp. buckwelli Varin,1961, C.R. Soc. Sci. nat. Phys. Maroc. 27: 125. Type: Morocco.
- 425. Argynnis (Fabriciana) auresiana hassani Weiss,1979** (Argynnidæ) Fabriciana auresiana ssp. hassani Weiss,1979, Entomops 48: 271-274.
- 426. Argynnis (Fabriciana) elisa Godart,[1823]** (Argynnidæ) Argynnis elisa Godart,[1823], [in] Latreille & Godart, Ency. Méth. [Zool.] 9 (suppl.): 817. Type(s): Corse.
- 427. Argynnis (Fabriciana) elisa elisa Godart,[1823]** (Argynnidæ) Argynnis elisa Godart,[1823], [in] Latreille & Godart, Ency. Méth. [Zool.] 9 (suppl.): 817. Type(s): Corse.
- 428. Argynnis (Fabriciana) jainadeva Moore,1865** (Argynnidæ) Argynnis jainadeva Moore,1865, Proc. zool. Soc. Lond. 1865: 495-496, Pl.30 fig.1. Syntypes: India: Upper Kunawur.
- 429. Argynnis (Fabriciana) jainadeva jainadeva Moore,1865** (Argynnidæ) Argynnis jainadeva Moore,1865, Proc. zool. Soc. Lond. 1865: 495-496, Pl.30 fig.1. Syntypes: India: Upper Kunawur.
- 430. Argynnis (Fabriciana) nerippe Felder,1862** (Argynnidæ) Argynnis nerippe Felder,1862, Wien. ent. Monatschr. 6: 24, nr.9. Type(s): Japonia.
- 431. Argynnis (Fabriciana) nerippe coreana Butler,1882** (Argynnidæ) Argynnis coreana Butler,1882, Ann. Mag. nat. Hist. (5) 9: 15. Syntypes ♂♀: N.E. Corea: Posiette Bay; Hakodate.
- 432. Argynnis (Fabriciana) nerippe nerippe Felder,1862** (Argynnidæ) Argynnis nerippe Felder,1862, Wien. ent. Monatschr. 6: 24, nr.9. Type(s): Japonia.
- 433. Argynnis (Fabriciana) niobe (Linnaeus,1758)** (Argynnidæ) Papilio niobe Linnaeus,1758, Syst. Nat. (Edn.10) 1: 481. Type(s): [Sweden (Verity,1950)].
- 434. Argynnis (Fabriciana) niobe chinensis (Belter,1931)** (Argynnidæ) Fabriciana niobe ssp. chinensis Belter,1931, Ent. Z., Frankf. a. M. 45 (4): 62-63. Syntypes 4♂: China: Szetschwan: Kunkalashan (in coll. Pfeiffer & Belter).
- 435. Argynnis (Fabriciana) niobe gigantea Staudinger,1871** (Argynnidæ) Argynnis niobe var. gigantea Staudinger,1871, Cat. Eur. Faunengeb. 2 (1): 21, nr.266c (nomen novum pro niobe Led.,1869 [nec Linnaeus,1758] Horae: 82) Syntypes: [Iran]: "Hyrkania".
- 436. Argynnis (Fabriciana) niobe herse (Hufnagel,1766)** (Argynnidæ) Papilio herse Hufnagel,1766, Berl. Mag. 2: 82, nr.51. Type(s): Germany: Berlin.
- 437. Argynnis (Fabriciana) niobe niobe (Linnaeus,1758)** (Argynnidæ) Papilio niobe Linnaeus,1758, Syst. Nat. (Edn.10) 1: 481. Type(s): [Sweden (Verity,1950)].
- 438. Argynnis (Fabriciana) niobe orientalis Alpheraky,1881** (Argynnidæ) Argynnis niobe var. orientalis Alpheraky,1881, Horae Soc. ent. ross. 16: 410-411. Syntypes ♂♀: [China]: Tian-Chian [Tengri Tagh].
- 439. Argynnis (Fabriciana) niobe ornata Staudinger,1901** (Argynnidæ) Argynnis (Fabriciana) niobe v. (et ab.) ornata Staudinger,1901, Cat. Lepid. Palaearct. Faunengeb. 3(1): 38. Syntypes 5♂ 4♀: "Ferg.m. (Alai m.) Hyrc. ab.".
- 440. Argynnis (Fabriciana) niobe tekkensis Christoph,1893** (Argynnidæ) Argynnis niobe var. tekkensis Christoph,1893, Dt. ent. Z., Iris 6 (1): 87. Syntypes: [Turkmenistan]: Achal-Tekke Gebiet.
- 441. Argynnis (Pandoriana) Warren,1942** (Argynnidæ) Pandoriana Warren,1942, Entomologist 75: 245-246. Type-species: Papilio maja Cramer,[1775], Uitl. Kapellen 1(1): 39, Pl.25, figs. B, C, by original designation.
- 442. Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775)** (Argynnidæ) Papilio pandora [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 176. Type(s): Austria: Vienna district.
- 443. Argynnis (Pandoriana) pandora argentifasciata Kotzsch,1938** (Argynnidæ) Argynnis pandora ssp. argentifasciata Kotzsch,1938, Ent. Rdsch. 55: 9. Syntypes: Afghanistan: westl. Hindu Kush: Andarab.
- 444. Argynnis (Pandoriana) pandora pandora ([Denis & Schiffermüller],1775)** (Argynnidæ) Papilio pandora [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 176. Type(s): Austria: Vienna district.
- 445. Argynnis (Pandoriana) pandora seitzi (Fruhstorfer,1908)** (Argynnidæ) Argynnis maja ssp. seitzi Fruhstorfer,1908, Int. ent. Z. 2: 69. Syntypes: Algier.
- 446. Argynnis (Proacidalia) Reuss,1926** (Argynnidæ) Proacidalia Reuss,1926, Dt. ent. Z. 1926 (1): 69. Type-species: Argynnis clara Blanchard,[1844], by original designation.
- 447. Argynnis (Proacidalia) clara Blachier,[1844]** (Argynnidæ) Argynnis clara Blachier,[1844], Jacquem. Voy. Inde 4: 20, nr.14 Pl.2 figs. 2,3. Syntypes: India, Himalayas.
- 448. Argynnis (Proacidalia) clara clara Blachier,[1844]** (Argynnidæ) Argynnis clara Blachier,[1844], Jacquem. Voy. Inde 4: 20, nr.14 Pl.2 figs. 2,3. Syntypes: India, Himalayas.
- 449. Argynnis (Proacidalia) clara clarina Staudinger,1901** (Argynnidæ) Argynnis clara var. clarina Staudinger,1901, Cat. lepid. palaearct. Faunengeb. 3(1): 38, nr.228a. Type(s): [China]: [Tsinghai]: Amdo.
- 450. Argynnis (Protodryas) Reuss,1928** (Argynnidæ) Protodryas Reuss,1928, Int. ent. Z. 22: 146. Type-species: Argynnis kamala Moore,1857, by designation through Section (i) (replacement names) of Article 67.
- 451. Argynnis (Protodryas) anadyomene C.Felder & R.Felder,1861** (Argynnidæ) Argynnis anadyomene C.Felder & R.Felder,1861, Wien. ent. Monatschr. 6: 25, nr. 13. Types: Ningpo.
- 452. Argynnis (Protodryas) anadyomene anadyomene C.Felder & R.Felder,1861** (Argynnidæ) Argynnis anadyomene C.Felder & R.Felder,1861, Wien. ent. Monatschr. 6: 25, nr. 13. Types: Ningpo.

453. *Argynnis (Protodryas) kamala* Moore, 1857 (Argynnidæ) *Argynnis kamala* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 156, nr. 324. Type(s): Himalaya boreo-occ.
454. *Argynnis (Protodryas) kamala kamala* Moore, 1857 (Argynnidæ) *Argynnis kamala* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 156, nr. 324. Type(s): Himalaya boreo-occ.
455. *Argynnis (Speyeria) Scudder*, 1872 (Argynnidæ) *Speyeria* Scudder, 1872, 4th Ann. Rep. Peabody Acad. Sc. 1871: 44. Type-species: *Papilio idalia* Drury, [1773], by original designation.
456. *Argynnis (Speyeria) aglaja (Linnaeus, 1758)* (Argynnidæ) *Papilio aglaja* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 481. Type(s): [Sweden (Verity, 1950)].
457. *Argynnis (Speyeria) aglaja aglaja (Linnaeus, 1758)* (Argynnidæ) *Papilio aglaja* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 481. Type(s): [Sweden (Verity, 1950)].
458. *Argynnis (Speyeria) aglaja alaicola* Verity, 1935 (Argynnidæ) *Argynnis aglaja* ssp. *alaicola* Verity, 1935, Entomologist 68: 202. Syntypes: Sarawschan sept., Raigowodsk; Syr Darya: Aulie Ata: Ala Tau occ., 2500m.
459. *Argynnis (Speyeria) aglaja ashretha* Evans, 1912 (Argynnidæ) *Argynnis aglaja ashretha* Evans, 1912, J. Bombay nat. Hist. Soc. 21: 582. Syntypes: [Pakistan]: South Chitral, Ashreth valley.
460. *Argynnis (Speyeria) aglaja auxo Jachontov*, 1909 (Argynnidæ) *Argynnis aglaja auxo* Jachontov, 1909, Russk. ent. Obozr. 8 (1908): 287. Syntypes: Russia: Nord-Kaukasus: Pjatigorsk.
461. *Argynnis (Speyeria) aglaja ottomana* Röber, 1896 (Argynnidæ) *Argynnis aglaja* var. *ottomana* Röber, 1896, Ent. Nachr. 22(6): 82. Syntypes: [Türkei]: [Mersin Pr.]: Karli Boghas.
462. *Argynnis (Speyeria) alexandra Ménétriés*, 1832 (Argynnidæ) *Argynnis alexandra* Ménétriés, 1832, Catalogue raisonné des objets de Zoologie recueillis...: 246. Syntypes: Caucasus.
463. *Argynnis (Speyeria) alexandra alexandra Ménétriés*, 1832 (Argynnidæ) *Argynnis alexandra* Ménétriés, 1832, Catalogue raisonné des objets de Zoologie recueillis...: 246. Syntypes: Caucasus.
464. *Argynnis (Speyeria) aphrodite (Fabricius, 1787)* (Argynnidæ) *Papilio aphrodite* Fabricius, 1787, Mant. Ins. 2: 62. Neotype ♂: [U.S.A.]: New York, designated by Dos Passos, 1947 (AMNH).
465. *Argynnis (Speyeria) aphrodite aphrodite (Fabricius, 1787)* (Argynnidæ) *Papilio aphrodite* Fabricius, 1787, Mant. Ins. 2: 62. Neotype ♂: [U.S.A.]: New York, designated by Dos Passos, 1947 (AMNH).
466. *Argynnis (Speyeria) vitatha* Moore, 1874 (Argynnidæ) *Argynnis vitatha* Moore, 1874, Proc. zool. Soc. Lond. 1874: 568. Syntypes: "Cashmere, N. side of Rajdangan Pass and Gurais (Capt. H.B. Hellard)".
467. *Argynnis (Speyeria) vitatha vitatha* Moore, 1874 (Argynnidæ) *Argynnis vitatha* Moore, 1874, Proc. zool. Soc. Lond. 1874: 568. Syntypes: "Cashmere, N. side of Rajdangan Pass and Gurais (Capt. H.B. Hellard)".
468. *Argynnis (s.str.) Fabricius*, 1807 (Argynnidæ) *Argynnis* Fabricius, 1807, Mag. f. Insektenk. (Illiger) 6: 283. Type-species: *Papilio paphia* Linnaeus, 1758, Syst. Ent. (Ed. 10) 1: 481, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 440.
469. *Argynnis (s.str.) paphia (Linnaeus, 1758)* (Argynnidæ) *Papilio paphia* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 481. Type(s): [Sweden (Verity, 1950)].
470. *Argynnis (s.str.) paphia delila* Röber, 1896 (Argynnidæ) *Argynnis paphia* var. *delila* Röber, 1896, Ent. Nachr. 22 (6): 83. Syntypes: [Türkei]: Gülek.
471. *Argynnis (s.str.) paphia masandaranensis* Gross & Ebert, 1975 (Argynnidæ) *Argynnis paphia* ssp. *masandaranensis* Gross & Ebert, 1975, J. Soc. ent. Iran (suppl.) 1: 30, figs. 34, 35. Holotype ♂: Iran: Mazandaran: Now Shahr, 25m.
472. *Argynnis (s.str.) paphia paphia (Linnaeus, 1758)* (Argynnidæ) *Papilio paphia* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 481. Type(s): [Sweden (Verity, 1950)].
473. *Argynnis (s.str.) zenobia* Leech, 1890 (Argynnidæ) *Argynnis zenobia* Leech, 1890, Entomologist 23: 188. Type(s): China.
474. *Argynnis (s.str.) zenobia penelope* Staudinger, 1892 (Argynnidæ) *Argynnis zenobia penelope* Staudinger, 1892, Dt. ent. Z., Iris 4: 339. Syntypes: [Russia].
475. *Argynnis (s.str.) zenobia zenobia* Leech, 1890 (Argynnidæ) *Argynnis zenobia* Leech, 1890, Entomologist 23: 188. Type(s): China.
476. *Argynnis Fabricius*, 1807 (Argynnidæ) *Argynnis* Fabricius, 1807, Mag. f. Insektenk. (Illiger) 6: 283. Type-species: *Papilio paphia* Linnaeus, 1758, Syst. Ent. (Ed. 10) 1: 481, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 440.
477. *Ariadne merione luzonia (C. Felder & R. Felder, [1867])* (Argynnidæ) *Ergolis luzonia* Felder & Felder, [1867], Reise Novarra 3: 450. Type(s): Luzon.
478. *Ariadne taeniata (C. Felder & R. Felder, 1861)* (Argynnidæ) *Ergolis taeniata* C. Felder & R. Felder, 1861, Wien. ent. Monatschr. 5(10): 303. Type ♂: Luzon.
479. *Ariadne taeniata taeniata (C. Felder & R. Felder, 1861)* (Argynnidæ) *Ergolis taeniata* C. Felder & R. Felder, 1861, Wien. ent. Monatschr. 5(10): 303. Type ♂: Luzon.
480. *Asterocampa idya argus (Bates, 1864)* (Argynnidæ) *Apatura argus* Bates, 1864, Entomologist's mon. Mag. 1: 130.
481. *Athyma (Tacoraesa) asura tarpa* Staudinger, 1889 (Argynnidæ) *Athyma tarpa* Staudinger, 1889, Dt. ent. Z., Iris 2: 66-67. Syntypes 1♂ 1♀: [Philippinen]: Palawan.
482. *Athyma (Tatisia) cama (Moore, [1858])* (Argynnidæ) *Athyma cama* Moore, [1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 174, nr. 357, pl. 5a, fig. 5. Type(s): India borealis.
483. *Athyma (Tatisia) cama cama (Moore, [1858])* (Argynnidæ) *Athyma cama* Moore, [1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 174, nr. 357, pl. 5a, fig. 5. Type(s): India borealis.
484. *Athyma (Tatisia) opalina (Kollar, [1844])* (Argynnidæ) *Limnitis opalina* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 427.
485. *Athyma (Tatisia) opalina opalina (Kollar, [1844])* (Argynnidæ) *Limnitis opalina* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 427.
486. *Athyma (Tatisia) selenophora (Kollar, [1844])* (Argynnidæ) *Limnitis selenophora* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 426, Taf. 7, figs. 1, 2. Type(s): Kaschmir.
487. *Athyma (Tatisia) selenophora selenophora (Kollar, [1844])* (Argynnidæ) *Limnitis selenophora* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 426, Taf. 7, figs. 1, 2. Type(s): Kaschmir.
488. *Athyma (s.str.) Westwood*, [1850] (Argynnidæ) *Athyma* Westwood, [1850], [in] Doubleday, Gen. diurn. Lep. (2): 272. Type-species: *Papilio leucothoe* Linnaeus, 1758, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 123.
489. *Athyma (s.str.) perius (Linnaeus, 1758)* (Argynnidæ) *Papilio perius* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 471. Type(s): India.
490. *Athyma (s.str.) perius perius (Linnaeus, 1758)* (Argynnidæ) *Papilio perius* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 471. Type(s): India.
491. *Athyma Westwood*, [1850] (Argynnidæ) *Athyma* Westwood, [1850], [in] Doubleday, Gen. diurn. Lep. (2): 272. Type-species: *Papilio leucothoe* Linnaeus, 1758, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 123.
492. *Athyma alcamene alcamene* C. Felder & R. Felder, 1863 (Argynnidæ) *Athyma alcamene* Felder & Felder, 1863, Wien. ent. Monatschr. 7: 118. Type: Mindanao.
493. *Athyma godmani godmani* Staudinger, 1889 (Argynnidæ) *Athyma godmani* Staudinger, 1889, Dt. ent. Z., Iris 2: 68. Syntypes: 3♂♂: [Philippinen]: Palawan.
494. *Athyma kasa kasa* Moore, 1858 (Argynnidæ) *Athyma kasa* Moore, 1858, Proc. zool. Soc. Lond. 1858: 19, Pl. 51 fig. 6. Type: Philippine.
495. *Athyma separata separata* Staudinger, 1889 (Argynnidæ) *Athyma separata* Staudinger, 1889, Dt. ent. Z., Iris 2: 69-70. Type ♂: [Philippinen]: Palawan.
496. *Athyma speciosa speciosa* Staudinger, 1889 (Argynnidæ) *Athyma speciosa* Staudinger, 1889, Dt. ent. Z., Iris 2: 70-72. Syntypes: ♂♂: [Philippinen]: Palawan.
497. *Athyma venata* Staudinger, 1889 (Argynnidæ) *Athyma venata* Staudinger, 1889, Dt. ent. Z., Iris 2: 68-69. Syntypes: ♂♂: [Philippinen]: Palawan.
498. *Athymodes* Moore, [1896] (Argynnidæ) *Athymodes* Moore, [1896], Lepid. ind. 3 (25): 10. Type-species: *Athyma nycteis* Ménétriés, 1858, by original designation.
499. *Athymodes nycteis (Ménétriés, 1858)* (Argynnidæ) *Athyma* [sic] *nycteis* Ménétriés, 1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 215. Syntypes: Russia: Amur.

- 500. *Athymodes nycteis nycteis* (Ménétriés, 1858)** (Argynnidæ) *Atyma* [sic] *nycteis* Ménétriés, 1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 215. Syntypes: Russia: Amur.
- 501. *Auzakia* Moore, [1898]** (Argynnidæ) *Auzakia* Moore, [1898], Lepid. ind. 3 (32): 146, 148. Type-species: *Limenitis danava* Moore, 1857, by monotypy.
- 502. *Auzakia danava* (Moore, 1857)** (Argynnidæ) *Limenitis danava* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 180, t.6a fig.2.
- 503. *Auzakia danava danava* (Moore, 1857)** (Argynnidæ) *Limenitis danava* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 180, t.6a fig.2.
- 504. *Bhagadatta austenia* (Moore, 1872)** (Argynnidæ) *Lebadea austenia* Moore, 1872, Proc. zool. Soc. London 1872: 560, pl.32 fig.1.
- 505. *Bimbisara* Moore, [1898]** (Argynnidæ) *Bimbisara* Moore, [1898], Lepid. ind. 3(32): 146. Type-species: *Neptis amba* Moore, 1858, by original designation.
- 506. *Bimbisara sankara* (Kollar, [1844])** (Argynnidæ) *Limenitis sankara* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 428. Type(s): India: Masuri.
- 507. *Bimbisara sankara sankara* (Kollar, [1844])** (Argynnidæ) *Limenitis sankara* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 428. Type(s): India: Masuri.
- 508. *Boloria* (Clossiana) Reuss, 1920** (Argynnidæ) *Clossiana* Reuss, 1920, Ent. Mitt. 9: 192, nota. Type-species: *Papilio selene* [Denis & Schiffermüller], 1775, Ankündigung eines syst. Werkes Schmett. Wienergegend: 321, by original designation.
- 509. *Boloria* (Clossiana) *alberta* (Edwards, 1890)** (Argynnidæ) *Argynnis alberta* Edwards, 1890, Can. Ent. 22: 113-114. Lectotype ♂: Laggan, Alberta, designated by Brown, 1965 (CM).
- 510. *Boloria* (Clossiana) *angarensis* (Erschoff, 1870)** (Argynnidæ) *Argynnis angarensis* Erschoff, 1870, Bull. Soc. Nat. Moscou 43(1): 112. Syntypes: Russia: Provincia Irkutzensis.
- 511. *Boloria* (Clossiana) *angarensis angarensis* (Erschoff, 1870)** (Argynnidæ) *Argynnis angarensis* Erschoff, 1870, Bull. Soc. Nat. Moscou 43(1): 112. Syntypes: Russia: Provincia Irkutzensis.
- 512. *Boloria* (Clossiana) *angarensis herzi* (Wnukowsky, 1927)** (Argynnidæ) *Argynnis* (Brentis) *angarensis* ssp. *herzi* Wnukowsky, 1927, Mitt. münch. ent. Ges. 17: 70. Syntypes: Russia: Siberia septentrionalis-orientalis (Jakutsk).
- 513. *Boloria* (Clossiana) *astarte* (Doubleday & Hewitson, [1847])** (Argynnidæ) *Melitaea astarte* Doubleday & Hewitson, [1847], Genera diurn. Lepid. 1: pl.23 fig.5. Type: [United States: Rocky Mts.] (BMNH).
- 514. *Boloria* (Clossiana) *astarte astarte* (Doubleday & Hewitson, [1847])** (Argynnidæ) *Melitaea astarte* Doubleday & Hewitson, [1847], Genera diurn. Lepid. 1: pl.23 fig.5. Type: [United States: Rocky Mts.] (BMNH).
- 515. *Boloria* (Clossiana) *astarte erschovi* (Korshunov & Gorbunov, 1995)** (Argynnidæ) *Boloria astarte* ssp. *erschovi* Korshunov & Gorbunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 108. Holotype: Russia: Lena river: Khaptagai.
- 516. *Boloria* (Clossiana) *chariclea* (Schneider, 1794)** (Argynnidæ) *Papilio chariclea* Schneider, 1794, Schneider Magaz. 5: 588. Type(s): Lapland.
- 517. *Boloria* (Clossiana) *chariclea chariclea* (Schneider, 1794)** (Argynnidæ) *Papilio chariclea* Schneider, 1794, Schneider Magaz. 5: 588. Type(s): Lapland.
- 518. *Boloria* (Clossiana) *dia* (Linnaeus, 1767)** (Argynnidæ) *Papilio dia* Linnaeus, 1767, Syst. Nat. (Edn.12) 1(2): 785. Type(s): Austria.
- 519. *Boloria* (Clossiana) *dia dia* (Linnaeus, 1767)** (Argynnidæ) *Papilio dia* Linnaeus, 1767, Syst. Nat. (Edn.12) 1(2): 785. Type(s): Austria.
- 520. *Boloria* (Clossiana) *distincta* (Gibson, 1920)** (Argynnidæ) *Brenthis distincta* Gibson, 1920, Canad. Arct. Exped. 1913-1918 3(1) (1) (Lepidoptera): 25. Syntypes: [Canada]: "Harrington creek, Yukon Territory".
- 521. *Boloria* (Clossiana) *distincta distincta* (Gibson, 1920)** (Argynnidæ) *Brenthis distincta* Gibson, 1920, Canad. Arct. Exped. 1913-1918 3(1) (1) (Lepidoptera): 25. Syntypes: [Canada]: "Harrington creek, Yukon Territory".
- 522. *Boloria* (Clossiana) *distincta machati* Korshunov, 1987** (Argynnidæ) *Clossiana distincta machati* Korshunov, 1987, Nasekomye kleshchi i gelminty, Novosibirsk: 10. Holotype ♂: Russia: Polarural.
- 523. *Boloria* (Clossiana) *epithore uslui* (Koçak, 1984)** (Argynnidæ) *Clossiana epithore* ssp. *uslui* Koçak, 1984, Priamus 3 (3): 96 (nomen novum pro borealis Perkins, 1973 nec borealis Staudinger, 1861).
- 524. *Boloria* (Clossiana) *erda* (Christoph, 1893)** (Argynnidæ) *Argynnis erda* Christoph, 1893, Dt. ent. Z., Iris 6: 87. Syntypes ♂♀: [Russia]: [Siberia]: Vilui.
- 525. *Boloria* (Clossiana) *erda erda* (Christoph, 1893)** (Argynnidæ) *Argynnis erda* Christoph, 1893, Dt. ent. Z., Iris 6: 87. Syntypes ♂♀: [Russia]: [Siberia]: Vilui.
- 526. *Boloria* (Clossiana) *euphrosyne* (Linnaeus, 1758)** (Argynnidæ) *Papilio euphrosyne* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 481. Syntypes: Europe, N. America; [Sweden (Verity, 1950)].
- 527. *Boloria* (Clossiana) *euphrosyne euphrosyne* (Linnaeus, 1758)** (Argynnidæ) *Papilio euphrosyne* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 481. Syntypes: Europe, N. America; [Sweden (Verity, 1950)].
- 528. *Boloria* (Clossiana) *euphrosyne umbra* (Seitz, 1908)** (Argynnidæ) *Argynnis euphrosyne* f. *umbra* Seitz, 1908, [in] Seitz, A., Die Gross-Schmett. Erde 1: 229 (67h). Type(s): [Russia]: Sibirien: Sajan.
- 529. *Boloria* (Clossiana) *franciscana* (Verhulst, 1999)** (Argynnidæ) *Clossiana franciscana* Verhulst, 1999, Lambillionea 99: 213-220.
- 530. *Boloria* (Clossiana) *freija* (Thunberg, 1791)** (Argynnidæ) *Papilio freija* Thunberg, 1791, Diss. Ent. sist. Ins. Svecica 2: 34, Taf.5 fig.14. Type(s): Schweden.
- 531. *Boloria* (Clossiana) *freija freija* (Thunberg, 1791)** (Argynnidæ) *Papilio freija* Thunberg, 1791, Diss. Ent. sist. Ins. Svecica 2: 34, Taf.5 fig.14. Type(s): Schweden.
- 532. *Boloria* (Clossiana) *freija jakutensis* (Wnukowsky, 1927)** (Argynnidæ) *Argynnis* (Brentis) *freija* ssp. *jakutensis* Wnukowsky, 1927, Mitt. münch. ent. Ges. 17: 70. Syntypes: Russia: Siberia septentrionalis-orientalis (Jakutsk).
- 533. *Boloria* (Clossiana) *freija pallida* (Elwes, 1899)** (Argynnidæ) *Argynnis freija* var. *pallida* Elwes, 1899, Trans. ent. Soc. Lond. 1899: 338. Syntypes: [Russia]: South East Altay: "south of Kuch Agatch".
- 534. *Boloria* (Clossiana) *frigga* (Thunberg, 1791)** (Argynnidæ) *Papilio frigga* Thunberg, 1791, Diss. Ent. sist. Ins. Svecica 2: 33. Type(s): Lapland.
- 535. *Boloria* (Clossiana) *frigga alpestris* (Elwes, 1899)** (Argynnidæ) *Argynnis frigga* var. *alpestris* Elwes, 1899, Trans. ent. Soc. Lond. 1899: 340. Syntypes: Russia: Suoth East Altay: "Tchuja Mountains".
- 536. *Boloria* (Clossiana) *frigga annae* (Suschkin, 1906)** (Argynnidæ) *Argynnis frigga annae* Suschkin, 1906, Revue russk. Ent. 6: 5. Syntypes: [Kazachstan]: "die alpine Region der Kette Saur am Berge Musstau", "zwischen Uidene und Tschagan-Obo".
- 537. *Boloria* (Clossiana) *frigga frigga* (Thunberg, 1791)** (Argynnidæ) *Papilio frigga* Thunberg, 1791, Diss. Ent. sist. Ins. Svecica 2: 33. Type(s): Lapland.
- 538. *Boloria* (Clossiana) *improba* (Butler, 1877)** (Argynnidæ) *Argynnis improba* Butler, 1877, Entomologist's mon. Mag. 12: 206. Syntypes: Arctic America.
- 539. *Boloria* (Clossiana) *improba improba* (Butler, 1877)** (Argynnidæ) *Argynnis improba* Butler, 1877, Entomologist's mon. Mag. 12: 206. Syntypes: Arctic America.
- 540. *Boloria* (Clossiana) *iphigenia* (Graeser, 1888)** (Argynnidæ) *Argynnis iphigenia* Graeser, 1888, Berl. ent. Z. 32 (1): 90-92. Syntypes: Russia: Amurland: Nicolajefsk.
- 541. *Boloria* (Clossiana) *iphigenia iphigenia* (Graeser, 1888)** (Argynnidæ) *Argynnis iphigenia* Graeser, 1888, Berl. ent. Z. 32 (1): 90-92. Syntypes: Russia: Amurland: Nicolajefsk.
- 542. *Boloria* (Clossiana) *jerdoni* (Lang, 1868)** (Argynnidæ) *Argynnis jerdoni* Lang, 1868, Entomologist's mon. Mag. 5: 34.
- 543. *Boloria* (Clossiana) *jerdoni jerdoni* (Lang, 1868)** (Argynnidæ) *Argynnis jerdoni* Lang, 1868, Entomologist's mon. Mag. 5: 34.
- 544. *Boloria* (Clossiana) *matveevi* (Gorbunov & Korshunov, 1995)** (Argynnidæ) *Clossiana matveevi* Gorbunov & Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 109. Holotype: Russia: Altay: Aktash, 2700m.
- 545. *Boloria* (Clossiana) *matveevi matveevi* (Gorbunov & Korshunov, 1995)** (Argynnidæ) *Clossiana matveevi* Gorbunov & Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 109. Holotype: Russia: Altay: Aktash, 2700m.
- 546. *Boloria* (Clossiana) *oscarus* (Eversmann, 1844)** (Argynnidæ) *Argynnis oscarus* Eversmann, 1844, Bull. Soc. Nat.

Moscou 17: 588, Pl.14 figs.1a,b. Syntypes: Russia: in provincia Irkuzkiensi.

547. *Boloria (Clossiana) oscarus oscarus* (Eversmann,1844) (Argynnis) *Argynnis oscarus* Eversmann,1844, Bull. Soc. Nat. Moscou 17: 588, Pl.14 figs.1a,b. Syntypes: Russia: in provincia Irkuzkiensi.

548. *Boloria (Clossiana) polaris* (Boisduval,1829) (Argynnis) *Argynnis polaris* Boisduval,1829, Eur. lepid. Index meth.: 15. Syntypes: "Cap Nord".

549. *Boloria (Clossiana) polaris polaris* (Boisduval,1829) (Argynnis) *Argynnis polaris* Boisduval,1829, Eur. lepid. Index meth.: 15. Syntypes: "Cap Nord".

550. *Boloria (Clossiana) selene* ([Denis & Schiffermüller],1775) (Argynnis) *Papilio selene* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 321. Type(s): [Austria]: Vienna district.

551. *Boloria (Clossiana) selene lucetia* (Fruhstorfer,1916) (Argynnis) *Argynnis selene* ssp. *lucetia* Fruhstorfer,1916, Archiv Naturg. (A2) 82: 19. Syntypes: Japan.

552. *Boloria (Clossiana) selene selene* ([Denis & Schiffermüller],1775) (Argynnis) *Papilio selene* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 321. Type(s): [Austria]: Vienna district.

553. *Boloria (Clossiana) selenis* (Eversmann,1837) (Argynnis) *Argynnis selenis* Eversmann,1837, Bull. Soc. Nat. Moscou 10(1): 10. Russia: Kasanischer Gourv.

554. *Boloria (Clossiana) selenis selenis* (Eversmann,1837) (Argynnis) *Argynnis selenis* Eversmann,1837, Bull. Soc. Nat. Moscou 10(1): 10. Russia: Kasanischer Gourv.

555. *Boloria (Clossiana) selenis sibirica* (Erschoff,1870) (Argynnis) *Argynnis selenis* var. *sibirica* Erschoff,1870, Bull. Soc. Nat. Moscou 43(1): 112. Syntypes: Russia: Altai, Sibérie orientale.

556. *Boloria (Clossiana) thore* (Hübner,[1803]) (Argynnis) *Papilio thore* Hübner,[1803], Samml. eur. Schmett. 1: figs. 571-573. Type(s): [Tiroler Alpen].

557. *Boloria (Clossiana) thore borealis* (Staudinger,1861) (Argynnis) *Argynnis thore* var. *borealis* Staudinger,1861, Cat. lepid. Eur. 1: 9.

558. *Boloria (Clossiana) thore hypercala* (Fruhstorfer,1907) (Argynnis) *Argynnis thore hypercala* Fruhstorfer,1907, Int. ent. Z. 21: 164.

559. *Boloria (Clossiana) thore thore* (Hübner,[1803]) (Argynnis) *Papilio thore* Hübner,[1803], Samml. eur. Schmett. 1: figs. 571-573. Type(s): [Tiroler Alpen].

560. *Boloria (Clossiana) titania* (Esper,[1793]) (Argynnis) *Papilio titania* Esper,[1793], Die Schmett. 1(2): Forts. Tagschmett.: Taf.103, fig.4. Syntypes: [Piedmont].

561. *Boloria (Clossiana) titania bivina* (Fruhstorfer,1908) (Argynnis) *Argynnis amathusia* ssp. *bivina* Fruhstorfer,1908, Int. ent. Z. 1: 310. Syntypes: Südrussland: Saratow.

562. *Boloria (Clossiana) titania staudingeri* (Wnukowsky,1929) (Argynnis) *Brenthis amathusia* subsp. *staudingeri* Wnukowsky,1929, Zool. Anz. 83: 222 (nomen novum pro subsp. *sibirica* Staudinger,1892, Dt. ent. Z., Iris 5: 330; nec *selenis* subsp. *sibirica* Erschoff,1870, Bull. Soc. Nat. Moscou 1870: 112).

563. *Boloria (Clossiana) titania titania* (Esper,[1793]) (Argynnis) *Papilio titania* Esper,[1793], Die Schmett. 1(2): Forts. Tagschmett.: Taf.103, fig.4. Syntypes: [Piedmont].

564. *Boloria (Clossiana) tritonia* (Boeber,1812) (Argynnis) *Papilio tritonia* Boeber,1812, Mém. Soc. Nat. Moscou 3: 20, Tab.1 figs.1,2. Syntypes: Russia: "Sibérie".

565. *Boloria (Clossiana) tritonia tritonia* (Boeber,1812) (Argynnis) *Papilio tritonia* Boeber,1812, Mém. Soc. Nat. Moscou 3: 20, Tab.1 figs.1,2. Syntypes: Russia: "Sibérie".

566. *Boloria (Proclassiana) reuss*,1926 (Argynnis) *Proclassiana* Reuss,1926, Dt. ent. Z. 1926 (1): 69. Type-species: *Papilio aphirape* Hübner,[1800], by original designation.

567. *Boloria (Proclassiana) erubescens* (Staudinger,1901) (Argynnis) *Argynnis hegemon* var. *erubescens* Staudinger,1901, Cat. lepid. palaeart. Faunengeb. 3(1): 35, nr.209a. Type(s): [China: Uigur A.R.]: Korla (alp?).

568. *Boloria (Proclassiana) erubescens chotana* (O.Bang-Haas,1915) (Argynnis) *Argynnis hegemon* var. *chotana* O.Bang-Haas,1915, Dt. ent. Z., Iris 29: 100. Syntypes 2♂ 1♀: [China: Uigur A.R.]: Chotan.

569. *Boloria (Proclassiana) erubescens erubescens* (Staudinger,1901) (Argynnis) *Argynnis hegemon* var. *erubescens* Staudinger,1901, Cat. lepid. palaeart. Faunengeb. 3(1): 35, nr.209a. Syntypes: [China: Uigur Ili]: Korla (alp?)

570. *Boloria (Proclassiana) erubescens haberhaueri* (Hemming,1933) (Argynnis) *Argynnis haberhaueri* Hemming,1933, Entomologist 66: 275-276 (nom. nov. pro hegemon Stgr.,1881 nec Godart,[1819]. Syntypes: Ala-Tau, Margelan, Tianschan [Tengri Tagh].

571. *Boloria (Proclassiana) erubescens houri* Wyatt,1961 (Argynnis) *Boloria hegemon* ssp. *hour* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 8, figs. Holotype ♂: Afghanistan: Bala Quran, Hindu Kush Mts., Anjuman valley, 14300ft.

572. *Boloria (Proclassiana) erubescens tienschanica* (Wagner,1913) (Argynnis) *Argynnis hegemon* var. *tienschanica* Wagner,1913, Ent. Mitt. 2: 114. Syntypes: [Kasachstan: Taldy-Kurgan]: Uitas-Kette; [China: Uighur Ili]: Juldus (Tienschan).

573. *Boloria (Proclassiana) eunomia* (Esper,[1799]) (Argynnis) *Papilio eunomia* Esper,[1799], Die Schmett. 1(2): Forts. Tagschmett.: Taf.110, fig.5. Syntypes: Prussia.

574. *Boloria (Proclassiana) eunomia asiatica* (Staudinger,1901) (Argynnis) *Argynnis aphirape* var. *asiatica* Staudinger,1901, Cat. lepid. palaeart. Faunengeb. 3(1): 34, nr.202a. (nomen novum pro *ossianus* Staudinger nec Herbst). Syntypes: [Russia]: Sib. m. (Alt; Saj; Kent.); Amur.

575. *Boloria (Proclassiana) eunomia eunomia* (Esper,[1799]) (Argynnis) *Papilio eunomia* Esper,[1799], Die Schmett. 1(2): Forts. Tagschmett.: Taf.110, fig.5. Syntypes: Prussia.

576. *Boloria (Proclassiana) eunomia ossianus* (Herbst,1800) (Argynnis) *Papilio ossianus* Herbst,1800, [in] Jablonsky, Natursyst. Ins. (Schmett.) 10: Pl.270 figs.4-5. Syntypes: [Lapponia] (Kirby,1871: 162).

577. *Boloria* (s.str.) *Moore*,[1900] (Argynnis) *Boloria* Moore,[1900], Lepid. ind. 4(48): 243. Type-species: *Papilio pales* [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wiener Gegend: 177, by original designation.

578. *Boloria* (s.str.) *alaskensis* (Holland,1900) (Argynnis) *Brenthis pales* var. *alaskensis* Holland,1900, Ent. News 11: 383. Type ♂: mountains between Forty-Mile and Mission Creeks.

579. *Boloria* (s.str.) *alaskensis alaskensis* (Holland,1900) (Argynnis) *Brenthis pales* var. *alaskensis* Holland,1900, Ent. News 11: 383. Type ♂: [Alaska]: mountains between Forty-Mile and Mission Creeks.

580. *Boloria* (s.str.) *alaskensis sedykhi* Cormier,1977 (Argynnis) *Boloria alaskensis* ssp. *sedykhi* Cormier,1977, Alexanor 10: 46. Holotype ♂: [Russia]: "Oural polaire".

581. *Boloria* (s.str.) *aquilonaris* (Stichel,1908) (Argynnis) *Argynnis pales aquilonaris* Stichel,1908, Berl. ent. Z. 53: 81, Pl.3 fig.5. Syntypes 3♂: Gellivara.

582. *Boloria* (s.str.) *aquilonaris alethea* (Hemming,1934) (Argynnis) *Argynnis pales alethea* Hemming,1934, Stylops 3: 97 (nomen novum pro *Papilio arsilache* Hübner,1799, Samml. eur. Schmett.: pl.7 figs.36,37 nec *Papilio arsilache* Esper,[1780], Die Schmett. 1(2): pl.56 fig.5. Type: Lower Franconia: Neustadt an der Aisch.

583. *Boloria* (s.str.) *aquilonaris aquilonaris* (Stichel,1908) (Argynnis) *Argynnis pales aquilonaris* Stichel,1908, Berl. ent. Z. 53: 81, Pl.3 fig.5. Syntypes 3♂: Gellivara.

584. *Boloria* (s.str.) *caucasica* (Lederer,1852) (Argynnis) *Argynnis arsilache* var. *caucasica* Lederer,1852, Verh. zool.- bot. Ver. Wien 2: 22 (nomen novum pro *arsilache* H.-Sch.). Syntypes: "Kaukasus".

585. *Boloria* (s.str.) *caucasica caucasica* (Lederer,1852) (Argynnis) *Argynnis arsilache* var. *caucasica* Lederer,1852, Verh. zool.- bot. Ver. Wien 2: 22 (nomen novum pro *arsilache* H.-Sch.). Syntypes: "Kaukasus".

586. *Boloria* (s.str.) *generator* (Staudinger,1886) (Argynnis) *Argynnis pales* var. *generator* Staudinger,1886, Stettin ent. Ztg. 47: 235. Syntypes ♂♂: [Usbekistan]: Alai (Margelan), Usgent, Namangan; [Kirgizistan]: Osch; [China]: Tianschan [Tengri Tagh].

587. *Boloria* (s.str.) *generator generator* (Staudinger,1886) (Argynnis) *Argynnis pales* var. *generator* Staudinger,1886, Stettin ent. Ztg. 47: 235. Syntypes ♂♂: [Usbekistan]: Alai (Margelan), Usgent, Namangan; [Kirgizistan]: Osch; [China]: Tianschan [Tengri Tagh].

588. *Boloria* (s.str.) *generator juldussica* (Wagner,1913) (Argynnis) *Argynnis pales* var. *juldussica* Wagner,1913, Ent. Mitt. 2: 115. Syntypes: [China: Uighur Ili]: Juldus-Gebiete.

589. *Boloria* (s.str.) *generator korla* (Fruhstorfer,1903) (Argynnis) *Argynnis pales* var. *korla* Fruhstorfer,1903, Dt. ent. Z., Iris 16: 306. Syntypes ♂♂: [China: Uighur Ili]: Korla.

- 590. *Boloria (s.str.) graeca* (Staudinger,1870)** (Argynnis) *Boloria* *argynnis* pales var. *graeca* Staudinger,1870, Horae Soc. ent. ross. 7: 61, Pl.1 fig.4. Syntypes: Griechenland.
- 591. *Boloria (s.str.) graeca balcanica* (Rebel,1903)** (Argynnis) *Boloria* *argynnis* pales var. *balcanica* Rebel,1903, Annln. naturh. Mus. Wien 18: 169. Syntypes: Bulgarien: auf dem Gipfel des Vitos, 2000m.
- 592. *Boloria (s.str.) graeca brogotarus* (Fruhstorfer,1909)** (Argynnis) *Boloria* *argynnis* pales ssp. *brogotarus* Fruhstorfer,1909, Int. ent. Z. 3: 112. Syntypes: France: Alpes Maritimes: Col di Tenda.
- 593. *Boloria (s.str.) graeca graeca* (Staudinger,1870)** (Argynnis) *Boloria* *argynnis* pales var. *graeca* Staudinger,1870, Horae Soc. ent. ross. 7: 61, Pl.1 fig.4. Syntypes: Griechenland.
- 594. *Boloria (s.str.) graeca karina* Van Oorschot & Wagener,1990** (Argynnis) *Boloria* *argynnis* pales ssp. *karina* Van Oorschot & Wagener, 1990, Ent. Ber., Amst. 50 (9): 117-120, figs. Holotype ♂: Turkey: Erzurum Prov., Palandöken Mts. (ITZA).
- 595. *Boloria (s.str.) napaea* (Hoffmannsegg,1804)** (Argynnis) *Boloria* *argynnis* *napaea* Hoffmannsegg,1804, Illiger, Magazin f. Insektenk. 3: 196. Type(s): [Austria: Tyrolean Alps] (cf. Warren,1944: 42).
- 596. *Boloria (s.str.) napaea altaica* (Groum-Grshimailo,1893)** (Argynnis) *Boloria* *argynnis* pales (isis) var. *altaica* Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 128. Syntypes: [Russia]: "In montibus Altaicis (fluv. Kara-kaba)".
- 597. *Boloria (s.str.) napaea napaea* (Hoffmannsegg,1804)** (Argynnis) *Boloria* *argynnis* *napaea* Hoffmannsegg,1804, Illiger, Magazin f. Insektenk. 3: 196. Type(s): [Austria: Tyrolean Alps] (cf. Warren,1944: 42).
- 598. *Boloria (s.str.) napaea pustagi* Korshunov & Ivonin,1995** (Argynnis) *Boloria* *argynnis* *altaica* ssp. *pustagi* Korshunov & Ivonin,1995, [in] Korshunov & Gorbunov,1995, The butterflies of the Asian part of Russia, Rhopalocera: 109. Holotype: Russia: Gornaya Choria, vic. Cheregech, Mt. Pustag 1000-1300m.
- 599. *Boloria (s.str.) pales* ([Denis & Schiffermüller],1775)** (Argynnis) *Boloria* *argynnis* *pales* [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wiener Gegend: 177. Type(s): [Austria]: Vienna district.
- 600. *Boloria (s.str.) pales banghaasi* Seitz,1909** (Argynnis) *Boloria* *argynnis* *pales* f. *banghaasi* Seitz,1909, Die Gross-Schmett. Erde 1: 230, pl.68a. Syntypes: [Russia]: Kentei Gebirge.
- 601. *Boloria (s.str.) pales baralacha* (Moore,1882)** (Argynnis) *Boloria* *argynnis* *baralacha* Moore,1882, Proc. zool. Soc. Lond. 1882: 242, pl.xi, figs. 1,1a. Type ♂: Ladak, [Baralacha Pass].
- 602. *Boloria (s.str.) pales contempta* (Zerny,1931)** (Argynnis) *Boloria* *argynnis* *pales* ssp. *contempta* Zerny,1931, [in] Rebel & Zerny,1931, Denkschr. Akad. Wiss. Wien 103(2): 70. Syntypes: [Yugoslavia]: Montenegro; Albania.
- 603. *Boloria (s.str.) pales eupales* (Fruhstorfer,1903)** (Argynnis) *Boloria* *argynnis* *pales* *eupales* Fruhstorfer,1903, Societas Ent. 18: 124. Syntypes 3♂ 5♀: Khamba-Jong.
- 604. *Boloria (s.str.) pales lucida* (O.Bang-Haas,1927)** (Argynnis) *Boloria* *argynnis* *pales* ssp. *lucida* O.Bang-Haas,1927, Horae Macrolepid. 1: 52, t.5 fig.18. Syntypes ♂♀: China: [Qinghai]: Richtofen mont., westl. Liang-tschou, 2500m.
- 605. *Boloria (s.str.) pales nitida* Warren,1944** (Argynnis) *Boloria* *argynnis* *pales* ssp. *nitida* Warren,1944, Trans. R. ent. Soc. Lond. 94(1): 62-63, Pl.38 figs.230-233. Holotype ♂: Baltistan: Chogo Lungma.
- 606. *Boloria (s.str.) pales pales* ([Denis & Schiffermüller],1775)** (Argynnis) *Boloria* *argynnis* *pales* [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wiener Gegend: 177. Type(s): [Austria]: Vienna district.
- 607. *Boloria (s.str.) pales palina* (Fruhstorfer,1903)** (Argynnis) *Boloria* *argynnis* *pales* *palina* Fruhstorfer,1903, Dt. ent. Z., Iris 16: 306. Syntypes: [China]: Ta-Tsien-Lou, Siao-Lou.
- 608. *Boloria (s.str.) pales palustris* (Fruhstorfer,1909)** (Argynnis) *Boloria* *argynnis* *pales* ssp. *palustris* Fruhstorfer,1909, Int. ent. Z. 3: 112. Syntypes: Schweiz. Simplon, Arolla, Engadin; Piemont, Cognetal.
- 609. *Boloria (s.str.) pales pyrenesmiscens* Warren,1944** (Argynnis) *Boloria* *argynnis* *pales* ssp. *pyrenesmiscens* Warren,1944, Trans. R. ent. Soc. Lond. 94(1): 79-80, Pl.44, figs.296-297, Pl.45 figs.298-301. Holotype ♂: Gavarnie.
- 610. *Boloria (s.str.) pales rilaensis* Varga,1972** (Argynnis) *Boloria* *argynnis* *pales* ssp. *rilaensis* Varga,1972, Acta Univ. debrecen (ser.2) Biologica 9 (1971): 215, Abb. Holotype ♂: Bulgarien: Rila Gebirge, Malak Macsi Vrh, 2300-2474m
- 611. *Boloria (s.str.) pales sifanica* (Groum-Grshimailo,1891)** (Argynnis) *Boloria* *argynnis* *pales* var. *sifanica* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 456. Syntypes: [China]: [Tsinghai]: Amdo, Sining-Schan, Dshachar.
- 612. *Boloria (s.str.) pales tatsienlouna* Reuss,1925** (Argynnis) *Boloria* *argynnis* *pales* *tatsienlouna* Reuss,1925, Int. ent. Z. 19: 280. Type ♂: [China]: Ta-tsien-lu.
- 613. *Boloria (s.str.) sipora* (Moore,1874)** (Argynnis) *Boloria* *argynnis* *sipora* Moore,1874, Proc. zool. Soc. Lond. 1874: 568-569, pl.lxvi, fig.11. Syntypes ♂♀: Cashmere, near Gungabul lake, at foot of Haramook Peak.
- 614. *Boloria (s.str.) sipora sipora* (Moore,1874)** (Argynnis) *Boloria* *argynnis* *sipora* Moore,1874, Proc. zool. Soc. Lond. 1874: 568-569, pl.lxvi, fig.11. Syntypes ♂♀: Cashmere, near Gungabul lake, at foot of Haramook Peak.
- 615. *Boloria* Moore,[1900]** (Argynnis) *Boloria* *argynnis* *pales* [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wiener Gegend: 177, by original designation.
- 616. *Brenthis* Hübner,[1819]** (Argynnis) *Brenthis* *argynnis* *hecate* [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wiener Gegend: 179, by subsequent designation by Scudder,1872, 4th Ann. Rep. Peabody Acad. Sci. 1871: 45
- 617. *Brenthis daphne* (Bergsträsser,1780)** (Argynnis) *Brenthis* *argynnis* *daphne* Bergsträsser,1780, Nomencl. Besch. Ins. 4: 32, Taf. 86 figs. 1,2. Type(s): Deutschland: [Hanau-Münzenberg].
- 618. *Brenthis daphne daphne* (Bergsträsser,1780)** (Argynnis) *Brenthis* *argynnis* *daphne* Bergsträsser,1780, Nomencl. Besch. Ins. 4: 32, Taf. 86 figs. 1,2. Type(s): Deutschland: [Hanau-Münzenberg].
- 619. *Brenthis daphne mediofusca* (Bryk,1946)** (Argynnis) *Brenthis* *argynnis* *daphne* ssp. *mediofusca* Bryk,1946, Arkiv. zool. 38 A(3): 41. Holotype ♂: Korea: Motojondo.
- 620. *Brenthis hecate* ([Denis & Schiffermüller],1775)** (Argynnis) *Brenthis* *argynnis* *hecate* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wiener Gegend: 179. Type(s): [Austria]: Vienna district.
- 621. *Brenthis hecate alaica* (Staudinger,1886)** (Argynnis) *Brenthis* *argynnis* *hecate* var. *alaica* Staudinger,1886, Stettin ent. Ztg. 47: 236. Syntypes: [Usbekistan]: Alai.
- 622. *Brenthis hecate hecate* ([Denis & Schiffermüller],1775)** (Argynnis) *Brenthis* *argynnis* *hecate* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wiener Gegend: 179. Type(s): [Austria]: Vienna district.
- 623. *Brenthis hecate transcaucasica* Wnukowsky,1929** (Argynnis) *Brenthis* *argynnis* *hecate* var. *transcaucasica* Wnukowsky,1929, Zool. Anz. 83: 222-223. (nomen nov. pro caucasica Stgr.,1871 nec Lederer,1852).
- 624. *Brenthis hecate warreni* Kudrna,1974** (Argynnis) *Brenthis* *argynnis* *hecate* ssp. *warreni* Kudrna,1974, Entomologist's Gaz. 25(2): 95-96, figs. 11-16. Holotype ♂: [Russia]: S.-E.Altay, Tchuya Valley, 1200-1800m.
- 625. *Brenthis ino* (Rottemburg,1775)** (Argynnis) *Brenthis* *argynnis* *ino* Rottemburg,1775, Naturforscher 6: 19, Taf. 1 figs. 3,4. Type(s): Deutschland: Berlin, Landsberg an der Warthe.
- 626. *Brenthis ino adalberti* (Fruhstorfer,1916)** (Argynnis) *Brenthis* *argynnis* *ino* ssp. *adalberti* Fruhstorfer,1916, Archiv Naturg. (A2) 82: 19 (nomen novum pro sibirica Seitz,1908 nec Erschoff,1870).
- 627. *Brenthis ino amurensis* Staudinger,1887** (Argynnis) *Brenthis* *argynnis* *ino* var. *amurensis* Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 146. Syntypes: Russia: Amur: Blagoweschtschensk; Askold.
- 628. *Brenthis ino erilda* De Sagarra,1926** (Argynnis) *Brenthis* *argynnis* *ino* rassa *erilda* De Sagarra,1926, Butll. Inst. catal. Hist. nat. 25: 270. Type: Spain: Roiuela del Tremedal (Arago). 1700m (MCNB).
- 629. *Brenthis ino ino* (Rottemburg,1775)** (Argynnis) *Brenthis* *argynnis* *ino* Rottemburg,1775, Naturforscher 6: 19, Taf. 1 figs. 3,4. Type(s): Deutschland: Berlin, Landsberg an der Warthe.
- 630. *Brenthis ino paidicus* (Fruhstorfer,1907)** (Argynnis) *Brenthis* *argynnis* *ino* ssp. *paidicus* Fruhstorfer,1907, Int. ent. Z. 21: 163.
- 631. *Brenthis ino pyrenaica* De Sagarra,1926** (Argynnis) *Brenthis* *argynnis* *ino* rassa *pyrenaica* De Sagarra,1926, Butll. Inst. catal. Hist. nat. 25: 270-271. Type: Spain: Salardu, a la vall d'Aran (MCNB).
- 632. *Brenthis ino schmitzi* Wagener,1983** (Argynnis) *Brenthis* *argynnis* *ino* ssp. *schmitzi* Wagener,1983, Entomofauna 4 (7): 109-117, Taf.1 figs. 10-12. Holotype ♂: Türkei: Bayburt/ Erzurum: Kopdağı Geçidi (in coll. Wagener).
- 633. *Brenthis ino tarnis* (Fruhstorfer,1916)** (Argynnis) *Brenthis* *argynnis* *ino* ssp. *tarnis* Fruhstorfer,1916, Archiv Naturg. (A2) 82: 19. Syntypes: [Russia]: Ussuri.

- 634. *Brenthis ino vitimensis* Wnukowsky, 1929** (Argynnisidae) *Brenthis ino* ssp. *vitimensis* Wnukowsky, 1929, Zool. Anz. 83: 223 (nom. nov. pro *Argynnis ino* subsp. *borealis* Staudinger [sic], 1908 [in] Seitz, Die Groß-Schmett. Erde 1: 235; nec *Argynnis thore* Hb. subsp. *borealis* Staudinger, 1861).
- 635. *Brenthis mofidii* Wyatt, 1968** (Argynnisidae) *Brenthis* *hecate* ssp. *mofidii* Wyatt, 1968, Z. Wien. ent. Ges. 53: 30, figs. Holotype ♂: Iran: Elbursgeb.: Darband, 2250m (in coll. Wyatt)
- 636. *Brenthis mofidii mofidii* Wyatt, 1968** (Argynnisidae) *Brenthis* *hecate* ssp. *mofidii* Wyatt, 1968, Z. Wien. ent. Ges. 53: 30, figs. Holotype ♂: Iran: Elbursgeb.: Darband, 2250m (in coll. Wyatt)
- 637. *Brenthis mofidii zabensis* Leestmans & Carbonell, 1993** (Argynnisidae) *Brenthis mofidii* ssp. *zabensis* Leestmans & Carbonell, 1993, Linneana Belg. 14 (3): 128, pl.1 figs.5-8. Holotype ♂: Turquie: Hakkari Prov., Dez. (MHNP).
- 638. *Byblia hübnere*, [1819]** (Argynnisidae) *Byblia* *hübneri*, [1819], Verz. bekannt. Schmett. (2): 28. Type-species: *Papilio ilithyia* Drury, [1773], by monotypy.
- 639. *Byblia anvata* (Boisduval, 1833)** (Argynnisidae) *Hypanis anvata* Boisduval, 1833, Nouv. Annls Mus. Hist. Nat. Paris 2: 204, pl.7 fig.5. Type(s): [Malagasy Republic]: Madagascar.
- 640. *Byblia anvata acheloia* (Wallengren, 1857)** (Argynnisidae) *Hypanis acheloia* Wallengren, 1857, K. svenska VetenskAkad. Handl., Stockholm (n.f.) 2 (4): 29. Type(s): [South Africa]: Caffraria.
- 641. *Byblia anvata anvata* (Boisduval, 1833)** (Argynnisidae) *Hypanis anvata* Boisduval, 1833, Nouv. Annls Mus. Hist. Nat. Paris 2: 204, pl.7 fig.5. Type(s): [Malagasy Republic]: Madagascar.
- 642. *Byblia ilithyia* (Drury, [1773])** (Argynnisidae) *Papilio ilithyia* Drury, [1773], Ill. ex. Ent. 2: Pl.17 figs. 1,2.
- 643. *Byblia ilithyia ilithyia* (Drury, [1773])** (Argynnisidae) *Papilio ilithyia* Drury, [1773], Ill. ex. Ent. 2: Pl.17 figs. 1,2.
- 644. *Calinaga moorei*, 1857** (Argynnisidae) *Calinaga* *moorei*, 1857, [in] Horsfield & Moore, Cat. lepid. Ins. Mus. East India Coy 81: 162. Types-species: *Calinaga buddha* Moore, 1857, by monotypy.
- 645. *Calinaga buddha* Moore, 1857** (Argynnisidae) *Calinaga* *buddha* Moore, 1857, [in] Horsfield & Moore, Cat. lepid. Ins. Mus. East India Coy 81: 162, 163 pl.3a fig.5.
- 646. *Cethosia gabina* Weymer, 1883** (Argynnisidae) *Cethosia* *gabina* Weymer, 1883, Ent. Nachr. 1883: 191. Type: Nias.
- 647. *Cethosia gabina gabina* Weymer, 1883** (Argynnisidae) *Cethosia gabina* Weymer, 1883, Ent. Nachr. 1883: 191. Type: Nias.
- 648. *Cethosia luzonica luzonica* C.Felder & R.Felder, 1863** (Argynnisidae) *Cethosia luzonica* C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7: 107. Type: Luzon.
- 649. *Charaxes ochsenheimeri*, 1816** (Argynnisidae) *Charaxes* *ochsenheimeri*, 1816, Schmett. Eur. 4: 18. Type-species: *Papilio jasius* Linnaeus, 1767, Syst. Nat. (Ed.12) 1(2): Errata, by monotypy.
- 650. *Charaxes acuminatus* Thureau, 1903** (Argynnisidae) *Charaxes acuminatus* Thureau, 1903, Berl. ent. Z. 48: 139, pl.2 fig.12. Type: [Tanzania]: "Langenburg".
- 651. *Charaxes acuminatus acuminatus* Thureau, 1903** (Argynnisidae) *Charaxes acuminatus* Thureau, 1903, Berl. ent. Z. 48: 139, pl.2 fig.12. Type: [Tanzania]: "Langenburg".
- 652. *Charaxes amycus amycus* C.Felder & R.Felder, 1861** (Argynnisidae) *Charaxes amycus* C.Felder & R.Felder, 1861, Wien. ent. Monatschr. 5: 303. Type: Luzon.
- 653. *Charaxes amycus negrosensis* Schröder & Treadaway, 1982** (Argynnisidae) *Charaxes amycus negrosensis* Schröder & Treadaway, 1982, Ent. Z., Frankf. a. M. 92(13): 177-178, Abb.6. Holotypus ♂: Philippinen: Negros: Mt. Canlaon 1000m.
- 654. *Charaxes bernstorffii* Rydon, 1982** (Argynnisidae) *Charaxes bernstorffii* Rydon, 1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 63-68, pl.3 figs. 1,2; text-figs. 1,2,5. Holotype ♂: Yemen: Jabal Bura, Suq as Sabt, 900m. (BMNH).
- 655. *Charaxes bernstorffii bernstorffii* Rydon, 1982** (Argynnisidae) *Charaxes bernstorffii* Rydon, 1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 63-68, pl.3 figs. 1,2; text-figs. 1,2,5. Holotype ♂: Yemen: Jabal Bura, Suq as Sabt, 900m. (BMNH).
- 656. *Charaxes hadrianus molleti* Koçak, 1996** (Argynnisidae) *Charaxes hadrianus* ssp. *molleti* Koçak, 1996, Cent. ent. Stud. Misc. Pap. 27/28: 12 (nomen novum pro *orientalis* Mollet, 1975 nec Lanz, 1896).
- 657. *Charaxes hansalii* C.Felder & R.Felder, [1867]** (Argynnisidae) *Charaxes hansalii* C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 446, Taf.59 figs.3,4. Syntypes ♂: [Ethiopia]: Africa septentrionali-orientalis: Bogos.
- 658. *Charaxes hansalii hansalii* C.Felder & R.Felder, [1867]** (Argynnisidae) *Charaxes hansalii* C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 446, Taf.59 figs.3,4. Syntypes ♂: [Ethiopia]: Africa septentrionali-orientalis: Bogos.
- 659. *Charaxes jasius* (Linnaeus, 1767)** (Argynnisidae) *Papilio jasius* Linnaeus, 1767, Syst. Nat. (Edn.12) 1(2): Errata (replacement name for *jason* Linnaeus, 1767). Type(s): Barbaria.
- 660. *Charaxes jasius jasius* (Linnaeus, 1767)** (Argynnisidae) *Papilio jasius* Linnaeus, 1767, Syst. Nat. (Edn.12) 1(2): Errata (replacement name for *jason* Linnaeus, 1767). Type(s): Barbaria.
- 661. *Charaxes jasius septentrionalis* Verity, 1913** (Argynnisidae) *Charaxes jasius septentrionalis* Verity, 1913, J. linn. Soc. (Zool.) 32: 180. Syntypes 2♂ 1♀: [Italy: Toscana, Lucca]: Forte dei Marmi.
- 662. *Charaxes macleayi iringae* Kielland, 1990** (Argynnisidae) *Charaxes macleayi* ssp. *iringae* Kielland, 1990, Butterflies of Tanzania: 106, pl. 24, gen. figs. 77-78. Holotype ♂: Tanzania: Iringa, Mwanihana Forest, 1200m (J.Kielland leg.) (BMNH).
- 663. *Charaxes varanes* (Cramer, [1777])** (Argynnisidae) *Papilio varanes* Cramer, [1777], Utitl. Kapellen 2: 100, pl.160 figs. D,E. Type(s): [South Africa]: "sur l'Isle Amboine and sur la Cote de Coromandel" [patria falsa] (cf. Ackery, 1995: 460).
- 664. *Charaxes varanes bertrami* Riley, 1931** (Argynnisidae) *Charaxes varanes* ssp. *bertrami* Riley, 1931, Entomologist 64: 279. Holotype ♂: Oman: Wadi Arbort, N.E. of Salalah.
- 665. *Charaxes varanes varanes* (Cramer, [1777])** (Argynnisidae) *Papilio varanes* Cramer, [1777], Utitl. Kapellen 2: 100, pl.160 figs. D,E. Type(s): [South Africa]: "sur l'Isle Amboine and sur la Cote de Coromandel" [patria falsa] (cf. Ackery, 1995: 460).
- 666. *Charaxes varanes vologeses* (Mabille, 1876)** (Argynnisidae) *Palla vologeses* Mabille, 1876, Bull. Soc. zool. Fr. 1: 280. Syntypes: Zaire: Congo, Landana.
- 667. *Charaxes xipharex maudei* Joicey & Talbot, 1918** (Argynnisidae) *Charaxes maudei* Joicey & Talbot, 1918, Proc. zool. Soc. London 1917: 271-272. Type ♀: German East Africa: Lindi (ex coll. Suffert).
- 668. *Cirrochroa surya siamensis* Fruhstorfer, 1906** (Argynnisidae) *Cirrochroa surya* ssp. *siamensis* Fruhstorfer, 1906, Wien. ent. Ztg. 25: 323. Type: [Thailand]: Bangkok.
- 669. *Cirrochroa tyche* C.Felder & R.Felder, 1861** (Argynnisidae) *Cirrochroa tyche* C.Felder & R.Felder, 1861, Wien. ent. Monatschr. 5(10): 301. Type ♂: Mindoro.
- 670. *Cirrochroa tyche tyche* C.Felder & R.Felder, 1861** (Argynnisidae) *Cirrochroa tyche* C.Felder & R.Felder, 1861, Wien. ent. Monatschr. 5(10): 301. Type ♂: Mindoro.
- 671. *Cupha erymanthis andamanica* Moore, 1900** (Argynnisidae) *Cupha erymanthis* ssp. *andamanica* Moore, 1900, Lepid. India 4: 208, pl.363 fig.7. Type: South Andamans.
- 672. *Cupha erymanthis disjuncta* (Weymer, 1885)** (Argynnisidae) *Messaras erymanthis disjuncta* Weymer, 1885, Stettin ent. Ztg. 46: 263. Type: Insel Nias.
- 673. *Cynthia semperi semperi* (Staudinger, 1889)** (Argynnisidae) *Euthalia semperi* Staudinger, 1889, Dt. ent. Z., Iris 2: 77-78. Syntypes: [Philippinen]: Palawan.
- 674. *Cynthia fabricius*, 1807** (Argynnisidae) *Cynthia* *fabricius*, 1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: *Papilio cardui* Linnaeus, 1758, Syst. Nat. (Ed.10) 1: 475, by subsequent designation by Westwood, 1840, Introd. class. Ins. 2, syn.: 87.
- 675. *Cynthia cardui* (Linnaeus, 1758)** (Argynnisidae) *Papilio cardui* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 475. Syntypes: Europa, Africa [Sweden (Verity, 1950)].
- 676. *Cynthia cardui cardui* (Linnaeus, 1758)** (Argynnisidae) *Papilio cardui* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 475. Syntypes: Europa, Africa [Sweden (Verity, 1950)].
- 677. *Cynthia virginiensis* (Drury, [1773])** (Argynnisidae) *Papilio virginiensis* Drury, [1773], Ill. ex. Ent. 2: Pl.5 fig. 1. Type(s): America sept.
- 678. *Cynthia virginiensis virginiensis* (Drury, [1773])** (Argynnisidae) *Papilio virginiensis* Drury, [1773], Ill. ex. Ent. 2: Pl.5 fig. 1. Type(s): America sept.
- 679. *Cyrestis* (s.str.) *thyodamas* Boisduval, 1836** (Argynnisidae) *Cyrestis thyodamas* Boisduval, 1836, [in] Cuvier, Règne Anim., Ins. 2: t.138 fig.4.
- 680. *Cyrestis* (s.str.) *thyodamas afghana* Martin, 1903** (Argynnisidae) *Cyrestis thyodamas afghana* Martin, 1903, Dt. ent. Z., Iris 17: 86.
- 681. *Cyrestis* (s.str.) *thyodamas thyodamas* Boisduval, 1836** (Argynnisidae) *Cyrestis thyodamas* Boisduval, 1836, [in] Cuvier, Règne Anim., Ins. 2: t.138 fig.4.
- 682. *Cyrestis* Boisduval, 1832** (Argynnisidae) *Cyrestis* Boisduval, 1832 [in] d'Urville, Voy. "Astrolabe", Ent. 1(Lép.): 117.

Type-species: *Papilio thyonaeus* Cramer, [1779], by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 152.

683. *Cyrestis maenalis obscurior* Staudinger, 1889 (Argynnidæ) *Cyrestis maenalis* var. *obscurior* Staudinger, 1889, Dt. ent. Z., Iris 2: 53. Syntypes: ♂♂: [Philippinen]: Palawan.

684. *Cyrestis nivea superbus* Staudinger, 1889 (Argynnidæ) *Cyrestis fadorensis* var. *superbus* Staudinger, 1889, Dt. ent. Z., Iris 2: 53-54. Syntypes: ♂♂: [Philippinen]: Palawan.

685. *Cyrestis themire siamensis* Fruhstorfer, 1898 (Argynnidæ) *Cyrestis periander* ssp. *siamensis* Fruhstorfer, 1898, Societas Ent. 13: 74.

686. *Diagora Snellen*, 1894 (Argynnidæ) *Diagora Snellen*, 1894, Tijdschr. Ent. 37: 67. Type-species: *Apatura japonica* Felder & Felder, 1862, by subsequent designation by Hemming, 1934, Stylops 3: 143.

687. *Diagora assimilis* (Linnaeus, 1758) (Argynnidæ) *Papilio assimilis* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 479. Type(s): Asia.

688. *Diagora assimilis assimilis* (Linnaeus, 1758) (Argynnidæ) *Papilio assimilis* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 479. Type(s): Asia.

689. *Dilipa Moore*, 1857 (Argynnidæ) *Dilipa Moore*, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 201. Type-species: *Apatura ? morgiana* Westwood, [1850], by monotypy.

690. *Dilipa fenestra* Leech, 1891 (Argynnidæ) *Dilipa fenestra* Leech, 1891, Entomologist 24 (suppl.): 26.

691. *Dilipa fenestra fenestra* Leech, 1891 (Argynnidæ) *Dilipa fenestra* Leech, 1891, Entomologist 24 (suppl.): 26.

692. *Dilipa morgiana* (Westwood, [1850]) (Argynnidæ) *Apatura ? morgiana* Westwood, [1850], [in] Doubleday, Gen. diurn. Lep.: 305, nr. 22, note. Type(s): India.

693. *Dilipa morgiana morgiana* (Westwood, [1850]) (Argynnidæ) *Apatura ? morgiana* Westwood, [1850], [in] Doubleday, Gen. diurn. Lep.: 305, nr. 22, note. Type(s): India.

694. *Doleschallia bisaltide kara* Tytler, 1940 (Argynnidæ) *Doleschallia bisaltide* ssp. *kara* Tytler, 1940, J. Bombay nat. Hist. Soc. 42: 119. Type: India.

695. *Doleschallia bisaltide merguiana* Evans, 1924 (Argynnidæ) *Doleschallia bisaltide* var. *merguiana* Evans, 1924, J. Bombay nat. Hist. Soc. 30: 83. Type: [Myanmar]: Mergui.

696. *Doleschallia bisaltide siamensis* Fruhstorfer, 1912 (Argynnidæ) *Doleschallia bisaltide* ssp. *siamensis* Fruhstorfer, 1912, [in] Seitz, Gross-Schmett. Erde 9: 557. Type: Siam.

697. *Eriboea Hübner*, [1819] (Argynnidæ) *Eriboea Hübner*, [1819], Verz. bekannt. Schmett. (3): 46. Type-species: *Papilio etheocles* Cramer, [1777], by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 166.

698. *Euapatura Ebert*, 1971 (Argynnidæ) *Euapatura Ebert*, 1971, Beitr. naturk. Forsch. SWDtl. 30(1): 65. Type-species: *Euapatura mirza* Ebert, 1971, Beitr. naturk. Forsch. SWDtl. 30(1): 65, by original designation.

699. *Euapatura mirza* Ebert, 1971 (Argynnidæ) *Euapatura mirza* Ebert, 1971, Beitr. naturk. Südwdtl. 30(1): 66-69, figs. 1-4, Pl. 1, figs. 1-3. Holotype ♂: Iran: Avaj, nordöstl. Hamadan.

700. *Euapatura mirza mirza* Ebert, 1971 (Argynnidæ) *Euapatura mirza* Ebert, 1971, Beitr. naturk. Südwdtl. 30(1): 66-69, figs. 1-4, Pl. 1, figs. 1-3. Holotype ♂: Iran: Avaj, nordöstl. Hamadan.

701. *Euphydryas (Eurodryas) Higgins*, 1978 (Argynnidæ) *Eurodryas Higgins*, 1978, Entomologist's Gaz. 29: 114. Type-species: *Papilio aurinia* Rottemburg, 1775, by original designation.

702. *Euphydryas (Eurodryas) asiatica* (Staudinger, 1881) (Argynnidæ) *Melitaea aurinia* var. *asiatica* Staudinger, 1881, Stettin ent. Ztg. 42: 287-288. Syntypes ♂♂: [Dschungar] Ala Tau.

703. *Euphydryas (Eurodryas) asiatica alexandrina* (Staudinger, 1887) (Argynnidæ) *Melitaea aurinia* var. *alexandrina* Staudinger, 1887, Stettin ent. Ztg. 48: 52-53. Syntypes 20 ♂♂: [Kirgizistan]: Alexandergebirge.

704. *Euphydryas (Eurodryas) asiatica asiatica* (Staudinger, 1881) (Argynnidæ) *Melitaea aurinia* var. *asiatica* Staudinger, 1881, Stettin ent. Ztg. 42: 287-288. Syntypes ♂♂: [Dschungar] Ala Tau.

705. *Euphydryas (Eurodryas) asiatica narina* (Oberthür, 1909) (Argynnidæ) *Melitaea aurinia* var. *narina* Oberthür, 1909, Etüd. lépid. comp. 3: 230. Type(s): Naryn.

706. *Euphydryas (Eurodryas) aurinia* (Rottemburg, 1775) (Argynnidæ) *Papilio aurinia* Rottemburg, 1775, Naturforscher 6: 5. Type(s): France: Paris.

707. *Euphydryas (Eurodryas) aurinia aurinia* (Rottemburg, 1775) (Argynnidæ) *Papilio aurinia* Rottemburg, 1775, Naturforscher 6: 5. Type(s): France: Paris.

708. *Euphydryas (Eurodryas) aurinia beckeri* (Lederer, 1853) (Argynnidæ) *Melitaea beckeri* Lederer, 1853, Verh. zool.-bot. Ver. Wien 2: 39. Type(s): Spanien: Cadiz.

709. *Euphydryas (Eurodryas) aurinia bulgarica* (Fruhstorfer, 1917) (Argynnidæ) *Melitaea aurinia* ssp. *bulgarica* Fruhstorfer, 1917, Arch. Naturgesch. (A) 82(2) (1916): 6. Syntypes: Bulgarien: Rila, Rhodope Mts.

710. *Euphydryas (Eurodryas) aurinia jungei* Gross & Ebert, 1975 (Argynnidæ) *Euphydryas aurinia* ssp. *jungei* Gross & Ebert, 1975, J. ent. Soc. Iran, Suppl. 1: 34, figs. 40, 41. Holotype ♂: Iran: Elburs S-Seite: Fascham, N. Teheran, 1700-1900m (in coll. Junge).

711. *Euphydryas (Eurodryas) aurinia laeta* (Christoph, 1893) (Argynnidæ) *Melitaea aurinia* var. *laeta* Christoph, 1893, Dt. ent. Z., Iris 6: 86. Syntypes ♂♂: [Russia]: Siberia or., Vilui.

712. *Euphydryas (Eurodryas) aurinia meropedebilis* (Oberthür, 1925) (Argynnidæ) *Melitaea artemis* merope debilis Oberthür, 1909, Etüd. lépid. comp. 3: 228. Type(s): Pyrenées Orient.; Basses Alpes; Rennes [quadrinomial, unavailable name!].

713. *Euphydryas (Eurodryas) aurinia provincialis* (Boisduval, 1828) (Argynnidæ) *Melitaea aurinia* var. *provincialis* Boisduval, 1828, Index meth.: 17. Type(s): France: Provence.

714. *Euphydryas (Eurodryas) aurinia sareptana* (Staudinger, 1861) (Argynnidæ) *Melitaea artemis* var. *sareptana* Staudinger, 1861, Cat. lepid. Eur. 1: 8. Syntypes 3 ♂♂ 3 ♀♀: [Russia]: Sarepta [Wolgograd] (ZMHB) (cf. Hesselbarth 1995: 1018) [Description: "affinis v. orientalis"].

715. *Euphydryas (Eurodryas) aurinia siberica* (Staudinger, 1861) (Argynnidæ) *Melitaea artemis* var. *siberica* Staudinger, 1861, Cat. Lep. Eur. 1: 7 (nomen novum pro desfontainesii sensu Fischer de Waldh.). Type(s): Siberia.

716. *Euphydryas (Eurodryas) aurinia tenebricosa* (O. Bang-Haas, 1927) (Argynnidæ) *Melitaea aurinia* ssp. *tenebricosa* O. Bang-Haas, 1927, Horae Macrolepid. 1: 51, t. 5 fig. 16. Syntypes 2 ♀♀: China sept. occ.: Kansu: Richthofen mont., westl. Liang-tschou, 2500m.

717. *Euphydryas (Eurodryas) banghaasi* (Seitz, 1908) (Argynnidæ) *Melitaea aurinia banghaasi* Seitz, 1908, Die Gross-Schmett. Erde 1: 214. Syntypes: [Russia: Süd-Sibirien]: Kentei-Gebirge.

718. *Euphydryas (Eurodryas) banghaasi banghaasi* (Seitz, 1908) (Argynnidæ) *Melitaea aurinia banghaasi* Seitz, 1908, Die Gross-Schmett. Erde 1: 214. Syntypes: [Russia: Süd-Sibirien]: Kentei-Gebirge.

719. *Euphydryas (Eurodryas) davidi* (Oberthür, 1881) (Argynnidæ) *Melitaea artemis* var. *davidi* Oberthür, 1881, Etüd. ent. 6: 52. Type(s): Chine.

720. *Euphydryas (Eurodryas) davidi davidi* (Oberthür, 1881) (Argynnidæ) *Melitaea artemis* var. *davidi* Oberthür, 1881, Etüd. ent. 6: 52. Type(s): Chine.

721. *Euphydryas (Eurodryas) desfontainii* (Godart, [1819]) (Argynnidæ) *Argynnis desfontainii* Godart, [1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 278, nr. 46. Type(s): Algerie.

722. *Euphydryas (Eurodryas) desfontainii baetica* (Rambur, 1858) (Argynnidæ) *Melitaea baetica* Rambur, 1858, Cat. Syst. lepid. Andalousie: 11, pl. 1 figs. 3, 4. Type(s): Spain: Andalusia.

723. *Euphydryas (Eurodryas) desfontainii desfontainii* (Godart, [1819]) (Argynnidæ) *Argynnis desfontainii* Godart, [1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 278, nr. 46. Type(s): Algerie.

724. *Euphydryas (Eurodryas) desfontainii gibrati* (Oberthür, 1922) (Argynnidæ) *Melitaea desfontainii* var. *gibrati* Oberthür, 1922, Etüd. lépid. comp. 19: 46., figs. 4418-4422. Syntypes: Morocco: Zehroun mts.

725. *Euphydryas (Eurodryas) orientalis* (Herrich-Schäffer, [1845]) (Argynnidæ) *Melitaea orientalis* Herrich-Schäffer, [1845], Syst. Bearb. Schmett. Eur. 1: 163, figs. 265-266; ibid. 1 ([1851]) (Nachtrag): 6. Syntypes: Amasia (Typenmaterial unbekannt (cf. Hesselbarth, 1995: 1017)).

726. *Euphydryas (Eurodryas) orientalis orientalis* (Herrich-Schäffer, [1845]) (Argynnidæ) *Melitaea orientalis* Herrich-Schäffer, [1845], Syst. Bearb. Schmett. Eur. 1: 163, figs. 265-266; ibid. 1 ([1851]) (Nachtrag): 6. Syntypes: Amasia (Typenmaterial unbekannt (cf. Hesselbarth, 1995: 1017)).

727. *Euphydryas (Hypodryas) Higgins*, 1978 (Argynnidæ) *Hypodryas Higgins*, 1978, Entomologist's Gaz. 29: 110. Type-species: *Papilio maturna* Linnaeus, 1758, by original designation.

- 728. Euphydryas (Hypodryas) cynthia (Denis & Schiffermüller, 1775)** (Argynnidæ) Papilio cynthia [Denis & Schiffermüller, 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 179. Type(s): [Austria]: Vienna district.
- 729. Euphydryas (Hypodryas) cynthia alpicola (Galvagni, 1918)** (Argynnidæ) Melitaea cynthia alpicola Galvagni, 1918, Jb. Wien. ent. Ver. 28: 134. Syntypes: Österreich: Brenner.
- 730. Euphydryas (Hypodryas) cynthia cynthia (Denis & Schiffermüller, 1775)** (Argynnidæ) Papilio cynthia [Denis & Schiffermüller, 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 179. Type(s): [Austria]: Vienna district.
- 731. Euphydryas (Hypodryas) iduna (Dalman, 1816)** (Argynnidæ) Melitaea iduna Dalman, 1816, K. svenska VetenskAkad. Handl. 37: 75. Type(s): Lappland.
- 732. Euphydryas (Hypodryas) iduna alferakyi Korshunov, 1996** (Argynnidæ) Euphydryas (Hypodryas) iduna ssp. alferakyi Korshunov, 1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 25. Holotype: Russia: Yakutia: 18km ENE. Khandyga.
- 733. Euphydryas (Hypodryas) iduna iduna (Dalman, 1816)** (Argynnidæ) Melitaea iduna Dalman, 1816, K. svenska VetenskAkad. Handl. 37: 75. Type(s): Lappland.
- 734. Euphydryas (Hypodryas) iduna inexpectata (Sheljuzhko, 1934)** (Argynnidæ) Melitaea iduna ssp. inexpectata Sheljuzhko, 1934, Z. öst. Ent. Ver. 19: 30, Taf. 4 figs. 1, 2. Syntypes: [Russia]: [Kabardino-Balkaria]: Teberda, 2700m.
- 735. Euphydryas (Hypodryas) iduna sajana Higgins, 1950** (Argynnidæ) Euphydryas iduna mod. sajana Higgins, 1950, Trans. R. ent. Soc. Lond. 101 (12): 445. Syntypes: [Russia]: Sajan Mts. (Tunkinsk Weissberge).
- 736. Euphydryas (Hypodryas) iduna semenovi Korshunov & Ivonine, 1996** (Argynnidæ) Euphydryas (Hypodryas) iduna ssp. semenovi Korshunov & Ivonine, 1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 24. Holotype: Russia: Khakssia: Bobrovaya, Sarala river.
- 737. Euphydryas (Hypodryas) intermedia (Ménétriés, 1859)** (Argynnidæ) Melitaea maturna var. intermedia Ménétriés, 1859, [in] Schrenck, Reisen und Forschungen im Amur-Lande 2 (1): 22. Syntypes: Russia: Amur.
- 738. Euphydryas (Hypodryas) intermedia intermedia (Ménétriés, 1859)** (Argynnidæ) Melitaea maturna var. intermedia Ménétriés, 1859, [in] Schrenck, Reisen und Forschungen im Amur-Lande 2 (1): 22. Syntypes: Russia: Amur.
- 739. Euphydryas (Hypodryas) intermedia wolfsbergeri (Frey, 1880)** (Argynnidæ) Melitaea maturna var. wolfsbergeri Frey, 1880, Lepid. Schweiz. 27. Syntypes: Southern Alps of Europe.
- 740. Euphydryas (Hypodryas) maturna (Linnaeus, 1758)** (Argynnidæ) Papilio maturna Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 408. Type(s): Schweden (cf. Verity, 1950; Higgins, 1950).
- 741. Euphydryas (Hypodryas) maturna adamczewskyi Kryzwicki, 1967** (Argynnidæ) Euphydryas maturna ssp. adamczewskyi Kryzwicki, 1967, Annl. zool. Warszawa 2581: 114-115. Holotype: Poland: N.E. Poland: Białowieża.
- 742. Euphydryas (Hypodryas) maturna idunides (Fruhstorfer, 1917)** (Argynnidæ) Melitaea maturna ssp. idunides Fruhstorfer, 1917, Arch. Naturgesch. (A) 82(2) (1916): 3. Syntypes: Bosnia: MaklenPaß.
- 743. Euphydryas (Hypodryas) maturna maturna (Linnaeus, 1758)** (Argynnidæ) Papilio maturna Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 408. Type(s): Schweden (cf. Verity, 1950; Higgins, 1950).
- 744. Euphydryas (Hypodryas) maturna ornivora Varga, 1968** (Argynnidæ) Euphydryas maturna ssp. ornivora Varga, 1968, [in] Gozmany, Fauna Hungariae: Diurna. Holotype: Ungarn: Harsborkorhegy in den Buda'er Bergen.
- 745. Euphydryas (Hypodryas) maturna partiensis Varga & Santha, 1973** (Argynnidæ) Euphydryas maturna ssp. partiensis Varga & Santha, 1973, Acta univ. debrecen (Ser. 2) Biologica 10/11: 225, figs. Holotype ♂: Ungarn: Guth'er Wald bei Debrecen.
- 746. Euphydryas (Hypodryas) maturna staudingeri (Wnukowsky, 1929)** (Argynnidæ) Melitaea maturna subsp. staudingeri Wnukowsky, 1929, Zool. Anz. 83: 221-222 (nomen novum pro subsp. uralensis Staudinger, 1871, [in] Staudinger & Wocke, Cat. Lepid. Eur. 2(1): 17; nec M. arduinna subsp. uralensis Eversmann, 1851).
- 747. Euphydryas (Hypodryas) maturna tenuireticulosa Varga & Santha, 1973** (Argynnidæ) Euphydryas maturna ssp. tenuireticulosa Varga & Santha, 1973, Acta univ. debrecen (Ser. 2) Biologica 10/11: 225, figs. Holotype ♂: Finnland: Myrskylä, Pakylä (NWMB).
- 748. Euphydryas (Hypodryas) maturna urbani (Hirschke, 1901)** (Argynnidæ) Melitaea maturna urbani Hirschke, 1901, Jb. Wien. EntVer. 11: 85. Syntypes: Österreich: Salzachtal bei Salzburg.
- 749. Euphydryas Scudder, 1872** (Argynnidæ) Euphydryas Scudder, 1872, 4th Ann. Rep. Peabody Acad. Sc. 1871: 48. Type-species: Papilio phaeton Drury, [1773], by original designation.
- 750. Euripus consimilis eurinus Fruhstorfer, 1903** (Argynnidæ) Euripus consimilis eurinus Fruhstorfer, 1903, [in] Seitz, Die Gross-Schmett. Erde 9: 710.
- 751. Eurytela Boisduval, 1833** (Argynnidæ) Eurytela Boisduval, 1833, Nouv. Ann. Mus. Hist. nat., Paris 2 (2): 202. Type-species: Papilio dryope Cramer, [1775], by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 175.
- 752. Eurytela dryope (Cramer, [1775])** (Argynnidæ) Papilio dryope Cramer, [1775], Utitl. Kapellen 1: 125, pl. 78 figs. E, F. Type(s): la Cote de Guinée.
- 753. Eurytela dryope brittoni Gabriel, 1954** (Argynnidæ) Eurytela dryope ssp. brittoni Gabriel, 1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 359. Holotype ♂: Yemen: Usaifira, 4500ft. (BMHN).
- 754. Eurytela dryope dryope (Cramer, [1775])** (Argynnidæ) Papilio dryope Cramer, [1775], Utitl. Kapellen 1: 125, pl. 78 figs. E, F. Type(s): la Cote de Guinée.
- 755. Euthalia (Aconthea) aconthea (Cramer, [1777])** (Argynnidæ) Papilio aconthea Cramer, [1777], Utitl. Kapellen 2: pl. 134, figs. D, G. Type(s): Java.
- 756. Euthalia (Aconthea) aconthea aconthea (Cramer, [1777])** (Argynnidæ) Papilio aconthea Cramer, [1777], Utitl. Kapellen 2: pl. 134, figs. D, G. Type(s): Java.
- 757. Euthalia (Aconthea) alpheda liaoi Schröder & Treadaway, 1982** (Argynnidæ) Euthalia alpheda ssp. liaoi Schröder & Treadaway, 1982, Ent. Z., Frankf. a. M. 92(19): 275-276, Abb. 1. Holotypus ♂: Philippinen: Panay: Antique, Mt. Madjaan, 500m.
- 758. Euthalia (Aconthea) garuda (Moore, 1857)** (Argynnidæ) Adolias garuda Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 186, nr. 374.
- 759. Euthalia (Aconthea) garuda garuda (Moore, 1857)** (Argynnidæ) Adolias garuda Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 186, nr. 374.
- 760. Euthalia (Bassarona) Moore, [1897]** (Argynnidæ) Bassarona Moore, [1897], Lepid. ind. 3(27): 49, 59. Type-species: Adolias teuta Doubleday, [1848], by original designation.
- 761. Euthalia (Bassarona) confucius (Westwood, [1850])** (Argynnidæ) Adolias confucius Westwood, [1850], [in] Doubleday, Gen. diurn. Lep.: 291, nr. 16, note. Type(s): China.
- 762. Euthalia (Bassarona) confucius confucius (Westwood, [1850])** (Argynnidæ) Adolias confucius Westwood, [1850], [in] Doubleday, Gen. diurn. Lep.: 291, nr. 16, note. Type(s): China.
- 763. Euthalia (Bassarona) piratica negrosiana Schröder & Treadaway, 1987** (Argynnidæ) Bassarona piratica negrosiana Schröder & Treadaway, 1987, Ent. Z., Frankf. a. M. 97: 349-350. Holotypus ♂: Philippinen: Negros or.
- 764. Euthalia (Dophla) evelina chloe Schröder & Treadaway, 1990** (Argynnidæ) Dophla evelina ssp. chloe Schröder & Treadaway, 1990, Ent. Z., Frankf. a. M. 100: 464-465, Abb. 3. Holotypus ♂: Philippinen: Romblon Group, Sibuyan Isl. Jao Asan, 200m.
- 765. Euthalia (s.str.) lubentina tsukada Koçak, 1996** (Argynnidæ) Euthalia lubentina ssp. tsukada Koçak, 1996, Cent. ent. Stud., Misc. Pap. 27 /28: 8 (nomen novum pro Euthalia lubentina mindorana Tsukada, 1991 nec Euthalia lusiada mindorana Fruhstorfer, 1899).
- 766. Euthalia Hübner, [1819]** (Argynnidæ) Euthalia Hübner, [1819], Verz. bekannt. Schmett. (3): 41. Type-species: Papilio lubentina Cramer, [1777], by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 176.
- 767. Euthalia lusiada lusiada (C. Felder & R. Felder, 1863)** (Argynnidæ) Adolias lusiada C. Felder & R. Felder, 1863, Wien. ent. Monatschr. 7: 119. Type: Luzon.
- 768. Euthalia lusiada schoenigi Schröder & Treadaway, 1978** (Argynnidæ) Euthalia lusiada schoenigi Schröder & Treadaway, 1978, Ent. Z., Frankf. a. M. 88(24): 273-275, Abb. 3. Holotypus ♀: Philippinen: Negros, Amlan, 800m.
- 769. Hamanumida Hübner, [1819]** (Argynnidæ) Hamanumida Hübner, [1819], Verz. bekannt. Schmett. (2): 18. Type-species: Papilio

meleagris Cramer,[1775], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 183.

770. Hamanumida daedalus (Fabricius,1775) (Argynnidæ) Papilio daedalus Fabricius,1775, Syst. Ent.: 482. Type(s): Guinea.

771. Hamanumida daedalus daedalus (Fabricius,1775) (Argynnidæ) Papilio daedalus Fabricius,1775, Syst. Ent.: 482. Type(s): Guinea.

772. Helcyra C.Felder,1860 (Argynnidæ) Helcyra C.Felder,1860, S.B. Akad. Wiss. Wien 40: 450. Type-species: Helcyra chionippe C.Felder,1860, by monotypy.

773. Helcyra superba Leech,1890 (Argynnidæ) Helcyra superba Leech,1890, Entomologist 23: 189.

774. Helcyra superba superba Leech,1890 (Argynnidæ) Helcyra superba Leech,1890, Entomologist 23: 189.

775. Hestina Westwood,[1850] (Argynnidæ) Hestina Westwood,[1850], [in] Doubleday, Gen. diurn. Lep. (2): 281. Type-species: Papilio assimilis Linnaeus,1758, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 189.

776. Hestina nama (Doubleday,1845) (Argynnidæ) Diadema nama Doubleday,1845, Ann. Mag. nat. Hist. 16: 232. Type(s): India borealis.

777. Hestina nama nama (Doubleday,1845) (Argynnidæ) Diadema nama Doubleday,1845, Ann. Mag. nat. Hist. 16: 232. Type(s): India borealis.

778. Hypolimnas Hübner,[1819] (Argynnidæ) Hypolimnas Hübner,[1819], Verz. bekannt. Schmett. (3): 45. Type-species: Papilio pipleis Linnaeus,1758, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 194.

779. Hypolimnas anomala (Wallace,1869) (Argynnidæ) Diadema anomala Wallace,1869, Trans. ent. Soc. London 1869: 285.

780. Hypolimnas anomala anomala (Wallace,1869) (Argynnidæ) Diadema anomala Wallace,1869, Trans. ent. Soc. London 1869: 285.

781. Hypolimnas bolina (Linnaeus,1758) (Argynnidæ) Papilio bolina Linnaeus,1758, Syst. Nat. (Edn.10) 1: 479. Type(s): "India"; recte [Java], see Corbet,1949.

782. Hypolimnas bolina bolina (Linnaeus,1758) (Argynnidæ) Papilio bolina Linnaeus,1758, Syst. Nat. (Edn.10) 1: 479. Type(s): "India"; recte [Java], see Corbet,1949.

783. Hypolimnas misippus (Linnaeus,1764) (Argynnidæ) Papilio misippus Linnaeus,1764, Museum Ludovicae Ulrica: 264. Type(s): "America" [Patria falsa]; [Indonesia: Java].

784. Hypolimnas misippus misippus (Linnaeus,1764) (Argynnidæ) Papilio misippus Linnaeus,1764, Museum Ludovicae Ulrica: 264. Type(s): "America" [Patria falsa]; [Indonesia: Java].

785. Inachis Hübner,[1819] (Argynnidæ) Inachis Hübner,[1819], Verz. bekannt. Schmett. (3):37. Type-species: Papilio io Linnaeus,1758, Syst. Nat. (Edn.10)1: 472, by monotypy.

786. Inachis io (Linnaeus,1758) (Argynnidæ) Papilio io Linnaeus,1758, Syst. Nat. (Edn.10) 1: 472. Type(s): [Sweden (Verity,1950)].

787. Inachis io io (Linnaeus,1758) (Argynnidæ) Papilio io Linnaeus,1758, Syst. Nat. (Edn.10) 1: 472. Type(s): [Sweden (Verity,1950)].

788. Issoria Hübner,[1819] (Argynnidæ) Issoria Hübner,[1819], Verz. bekannt. Schmett. (2): 31. Type-species: Papilio lathonia Linnaeus,1758, Syst. Nat. (Edn.10)1: 481, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10:198.

789. Issoria altissima (Elwes,1882) (Argynnidæ) Argynnis altissima Elwes,1882, Proc. zool. Soc. Lond. 1882: 403. Type(s): Sikkim.

790. Issoria altissima altissima (Elwes,1882) (Argynnidæ) Argynnis altissima Elwes,1882, Proc. zool. Soc. Lond. 1882: 403. Type(s): Sikkim.

791. Issoria baumanni orientalis Kielland,1990 (Argynnidæ) Issoria baumanni ssp. orientalis Kielland,1990, Butterflies of Tanzania: 143, pl. 42. Holotype ♂: Tanzania: Mufindi, Luisenga, 1750m (J.Kielland leg.) (BMNH).

792. Issoria eugenia (Eversmann,1847) (Argynnidæ) Argynnis eugenia Eversmann,1847, Bull. Soc. Nat. Moscou 20(3): 68. Type(s): in provincia Irkutskensi [Irkutsker Gebiet].

793. Issoria eugenia eugenia (Eversmann,1847) (Argynnidæ) Argynnis eugenia Eversmann,1847, Bull. Soc. Nat. Moscou 20(3): 68. Type(s): in provincia Irkutskensi [Irkutsker Gebiet].

794. Issoria eugenia montana (A.Bang-Haas,1906) (Argynnidæ) Argynnis montana A.Bang-Haas,1906, Dt. ent. Z., Iris 19: 127.

795. Issoria eugenia rhea (Groum-Grshimailo,1891) (Argynnidæ) Argynnis eugenia var. rhea Groum-Grshimailo,1891,

Horae Soc. ent. ross. 25: 456. Syntypes: [China: Qingai]: Amdo, in montibus ad lacum Kuku-Noor et in Njan-Schan centrali.

796. Issoria gemmata (Butler,1881) (Argynnidæ) Argynnis gemmata Butler,1881, Ann. Mag. nat. Hist. 7: 32.

797. Issoria gemmata gemmata (Butler,1881) (Argynnidæ) Argynnis gemmata Butler,1881, Ann. Mag. nat. Hist. 7: 32.

798. Issoria hanningtoni imatonga (Riley,1932) (Argynnidæ) Argynnis hanningtoni ssp. imatonga Riley,1932, Ann. Mag. nat. Hist. (10) 10: 138-139, pl.viii figs. 2,3. Holotype ♂: South Sudan: Imatong Mts. (Col. & Mrs. Hamilton leg.) (BMNH).

799. Issoria issaea (Moore,1857) (Argynnidæ) Argynnis issaea Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 156, nr.323.

800. Issoria issaea issaea (Moore,1857) (Argynnidæ) Argynnis issaea Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 156, nr.323.

801. Issoria lathonia (Linnaeus,1758) (Argynnidæ) Papilio lathonia Linnaeus,1758, Syst. Nat. (Edn.10) 1: 481. Type(s): [Sweden (Verity,1950)].

802. Issoria lathonia lathonia (Linnaeus,1758) (Argynnidæ) Papilio lathonia Linnaeus,1758, Syst. Nat. (Edn.10) 1: 481. Type(s): [Sweden (Verity,1950)].

803. Kallima Doubleday,[1849] (Argynnidæ) Kallima Doubleday,[1849], Gen. diurn. Lep. (2): 52, pl.52 figs. 2,3. Type-species: Paphia paralekta Horsfield,[1828], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 200.

804. Kallima inachis huegelii (Kollar,[1844]) (Argynnidæ) Paphia hügelii Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 432, Taf.9.

805. Kallima inachis siamensis Fruhstorfer,1913 (Argynnidæ) Kallima inachis ssp. siamensis Fruhstorfer,1913, [in] Seitz, Gross-Schmett. Erde 9: 565.

806. Kaniska Moore,[1899] (Argynnidæ) Kaniska Moore,[1899], Lepid. ind. 4 (41): 91. Type-species: Papilio canace Linnaeus,1763, by original designation.

807. Kaniska canace (Linnaeus,1763) (Argynnidæ) Papilio canace Linnaeus,1763, Amoenitates Academicæ seu dissertationes physicae... 6: 406.

808. Kaniska canace canace (Linnaeus,1763) (Argynnidæ) Papilio canace Linnaeus,1763, Amoenitates Academicæ seu dissertationes physicae... 6: 406.

809. Kaniska canace himalaya (Evans,1924) (Argynnidæ) Vanessa canace var. himalaya Evans,1924, J. Bombay nat. Hist. Soc. 30: 85. Type: India.

810. Lachnoptera ayresii Trimen,1879 (Argynnidæ) Lachnoptera ayresii Trimen,1879, Trans. ent. Soc. London 1879 (4): 326-329. Syntypes: South Africa: Natal (Pinetown, Little Umhlanga).

811. Lebadea martha paulina Staudinger,1889 (Argynnidæ) Lebadea martha var. paulina Staudinger,1889, Dt. ent. Z., Iris 2: 57-58. Syntypes: [Philippinen]: Palawan.

812. Lelecella Hemming,1929 (Argynnidæ) Lelecella Hemming,1929, Proc. R. ent. Soc. Lond. (B) 8: 39. Type-species: Zanessa limenitoides Oberthür,1890, by designation through Section (i) (replacement names) of Article 67.

813. Lelecella limenitoides (Oberthür,1890) (Argynnidæ) Lelex limenitoides Oberthür,1890, Etüd. Ent. 13: 39.

814. Lelecella limenitoides limenitoides Oberthür,1890 (Argynnidæ) Lelex limenitoides Oberthür,1890, Etüd. Ent. 13: 39.

815. Lexias panopus Felder,1861 (Argynnidæ) Lexias panopus Felder,1861, Wien. ent. Monatschr. 5: 302. Type: Luzon.

816. Lexias panopus panopus Felder,1861 (Argynnidæ) Lexias panopus Felder,1861, Wien. ent. Monatschr. 5: 302. Type: Luzon.

817. Lexias satrapes Felder,1861 (Argynnidæ) Lexias satrapes Felder,1861, Wien. ent. Monatschr. 5: 302. Type: Luzon.

818. Lexias satrapes amlana Jumalon,1970 (Argynnidæ) Lexias satrapes amlana: Treadaway, 1995, Nachr. ent. Ver. Apollo, Suppl. 14: 36

819. Lexias satrapes satrapes Felder,1861 (Argynnidæ) Lexias satrapes Felder,1861, Wien. ent. Monatschr. 5: 302. Type: Luzon.

820. Limenitis (Azuritis) reducta Staudinger,1901 (Argynnidæ) Limenitis camilla var. reducta Staudinger,1901, Cat. Lepid. Palaearct. Faunengeb. 3(1): 22,nr.135a. Syntypes: [Armenia]: Arm. or; [Iran]: Hyrc. Lectotype ♂: Azerbaidjan: Hankynda, designated by Wagener,1995, Die Tagfalter der Türkei: 978.

821. Limenitis (Azuritis) reducta herculeana Stichel,[1908] (Argynnidæ) Limenitis reducta ssp. herculeana Stichel,[1908], [in]

Seitz, Die Gross-Schmett. Erde 1: 183, Taf.57c. Syntypes: Dalmatien, Südfrankreich.

822. *Limnitis (Azuritis) reducta prodiga* Fruhstorfer, 1909 (Argynnisidae) *Limnitis reducta* ssp. *prodiga* Fruhstorfer, 1909, Int. ent. Z. 3: 94. Syntypes: Savoyen: Saleve.

823. *Limnitis (Azuritis) reducta reducta* Staudinger, 1901 (Argynnisidae) *Limnitis camilla* var. *reducta* Staudinger, 1901, Cat. Lepid. Palaearct. Faunengeb. 3(1): 22, nr.135a. Syntypes: [Armenia]: Arm. or; [Iran]: Hyrc. Lectotype ♂: Azerbaidjan: Hankynda, designated by Wagener, 1995, Die Tagfalter der Türkei: 978.

824. *Limnitis (Ladoga) camilla (Linnaeus, 1764)* (Argynnisidae) *Papilio camilla* Linnaeus, 1764, Museum Ludovicae Ulrica: 304. Type(s): Germania.

825. *Limnitis (Ladoga) camilla camilla (Linnaeus, 1764)* (Argynnisidae) *Papilio camilla* Linnaeus, 1764, Museum Ludovicae Ulrica: 304. Type(s): Germania.

826. *Limnitis (s.str.) albomaculata* Leech, 1891 (Argynnisidae) *Limnitis albomaculata* Leech, 1891, Entomologist 24 (suppl.): 28.

827. *Limnitis (s.str.) albomaculata albomaculata* Leech, 1891 (Argynnisidae) *Limnitis albomaculata* Leech, 1891, Entomologist 24 (suppl.): 28.

828. *Limnitis (s.str.) amphyssa Ménétériés, 1858* (Argynnisidae) *Limnitis amphyssa* Ménétériés, 1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 215. Syntypes: Russia: Amur.

829. *Limnitis (s.str.) amphyssa amphyssa Ménétériés, 1858* (Argynnisidae) *Limnitis amphyssa* Ménétériés, 1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 215. Syntypes: Russia: Amur.

830. *Limnitis (s.str.) cattoni berchmansi* Kotzsch, 1929 (Argynnisidae) *Limnitis cattoni* ssp. *berchmansi* Kotzsch, 1929, Ent. Z., Frankf. a. M. 43 (12): 205, figs. 6, 7. Syntypes 2♂: [China]: Kansu [Qinghai]: Lassa, 45km nordwestlich Sining, July 2300m (Steyler Missionsmuseum).

831. *Limnitis (s.str.) ciocolatina Poujade, 1886* (Argynnisidae) *Limnitis ciocolatina* Poujade, 1886, Bull. Soc. ent. Fr. (6)5: 209.

832. *Limnitis (s.str.) ciocolatina ciocolatina* Poujade, 1886 (Argynnisidae) *Limnitis ciocolatina* Poujade, 1886, Bull. Soc. ent. Fr. (6)5: 209.

833. *Limnitis (s.str.) cleopas Oberthür, 1893* (Argynnisidae) *Limnitis cleopas* Oberthür, 1893, Etüd. Ent. 1893: 16.

834. *Limnitis (s.str.) cleopas cleopas* Oberthür, 1893 (Argynnisidae) *Limnitis cleopas* Oberthür, 1893, Etüd. Ent. 1893: 16.

835. *Limnitis (s.str.) cottini Oberthür, 1883* (Argynnisidae) *Limnitis cottini* Oberthür, 1883, Etüd. Ent. 1883: 17.

836. *Limnitis (s.str.) cottini cottini* Oberthür, 1883 (Argynnisidae) *Limnitis cottini* Oberthür, 1883, Etüd. Ent. 1883: 17.

837. *Limnitis (s.str.) doerriesi Staudinger, 1892* (Argynnisidae) *Limnitis doerriesi* Staudinger, 1892, [in] Romanoff, Mém. Lepid. 6: 173, pl.14 figs. 1a, b. Syntypes: [Russia: Ussuri]: Sutschan Gebiete (Partizansk).

838. *Limnitis (s.str.) doerriesi doerriesi* Staudinger, 1892 (Argynnisidae) *Limnitis doerriesi* Staudinger, 1892, [in] Romanoff, Mém. Lepid. 6: 173, pl.14 figs. 1a, b. Syntypes: [Russia: Ussuri]: Sutschan Gebiete (Partizansk).

839. *Limnitis (s.str.) elwesi Oberthür, 1883* (Argynnisidae) *Limnitis elwesi* Oberthür, 1883, Bull. Soc. ent. Fr. 1883: 128.

840. *Limnitis (s.str.) elwesi elwesi* Oberthür, 1883 (Argynnisidae) *Limnitis elwesi* Oberthür, 1883, Bull. Soc. ent. Fr. 1883: 128.

841. *Limnitis (s.str.) helmanni Lederer, 1853* (Argynnisidae) *Limnitis helmanni* Lederer, 1853, Verh. zool.- bot. Ver. Wien 3: 356, Taf.1 fig.4. Syntypes: Russia: Altai (Ustbuchtarminsk an der Mündung des Fl. Buchtarma).

842. *Limnitis (s.str.) helmanni helmanni* Lederer, 1853 (Argynnisidae) *Limnitis helmanni* Lederer, 1853, Verh. zool.- bot. Ver. Wien 3: 356, Taf.1 fig.4. Syntypes: Russia: Altai (Ustbuchtarminsk an der Mündung des Fl. Buchtarma).

843. *Limnitis (s.str.) homeyeri Tancre, 1881* (Argynnisidae) *Limnitis homeyeri* Tancre, 1881, Ent. Nachr. 7: 120. Type: Russia: [Amur Region]: "Blagoweschtschensk: Raddefskaja".

844. *Limnitis (s.str.) homeyeri homeyeri* Tancre, 1881 (Argynnisidae) *Limnitis homeyeri* Tancre, 1881, Ent. Nachr. 7: 120. Type: Russia: [Amur Region]: "Blagoweschtschensk: Raddefskaja".

845. *Limnitis (s.str.) lepechini Erschoff, 1874* (Argynnisidae) *Limnitis lepechini* Erschoff, 1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 14, pl.1, fig.10. Syntypes: [Uzbekistan]: [Samarkand], "...circa Maracanda (2150') volat junio mense".

846. *Limnitis (s.str.) lepechini gilgitica* Tytler, 1926 (Argynnisidae) *Limnitis lepechini* ssp. *gilgitica* Tytler, 1926, J. Bomb.

nat. Hist. Soc. 31: 581, pl.iii fig.6. Syntypes: [Pakistan]: Chitral, Gilgit, Astor, Chilas, Kargan valley, Hazara, etc.

847. *Limnitis (s.str.) lepechini lepechini* Erschoff, 1874 (Argynnisidae) *Limnitis lepechini* Erschoff, 1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 14, pl.1, fig.10. Syntypes: [Uzbekistan]: [Samarkand], "...circa Maracanda (2150') volat junio mense".

848. *Limnitis (s.str.) moltrechti Kardakov, 1928* (Argynnisidae) *Limnitis moltrechti* Kardakov, 1928, Ent. Mitt. 27 (4): 269. Type: Russia: [Ussuri region]: "Narva".

849. *Limnitis (s.str.) moltrechti moltrechti* Kardakov, 1928 (Argynnisidae) *Limnitis moltrechti* Kardakov, 1928, Ent. Mitt. 27 (4): 269. Type: Russia: [Ussuri region]: "Narva".

850. *Limnitis (s.str.) populi (Linnaeus, 1758)* (Argynnisidae) *Papilio populi* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 476. Type(s): [Sweden (Verity, 1950)].

851. *Limnitis (s.str.) populi enapius* Fruhstorfer, 1908 (Argynnisidae) *Limnitis populi* ssp. *enapius* Fruhstorfer, 1908, Int. ent. Z. 2 (8): 50. Holotype ♂: [Russia]: Altai.

852. *Limnitis (s.str.) populi populi (Linnaeus, 1758)* (Argynnisidae) *Papilio populi* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 476. Type(s): [Sweden (Verity, 1950)].

853. *Limnitis (s.str.) sinensium Oberthür, 1879* (Argynnisidae) *Limnitis sinensium* Oberthür, 1879, Etüd. Ent. 2: 25.

854. *Limnitis (s.str.) sinensium sengei* Kotzsch, 1929 (Argynnisidae) *Limnitis sinensium* ssp. *sengei* Kotzsch, 1929, Ent. Z., Frankf. a. M. 43 (12): 205, figs. 4, 5. Type 1♂: [China]: Kansu [Qinghai]: Lassa, 45km nordwestlich Sining, July 2300m (Steyler Missionsmuseum).

855. *Limnitis (s.str.) sinensium sinensium* Oberthür, 1879 (Argynnisidae) *Limnitis sinensium* Oberthür, 1879, Etüd. Ent. 2: 25.

856. *Limnitis (s.str.) sydyi Lederer, 1853* (Argynnisidae) *Limnitis sydyi* Lederer, 1853, Verh. zool.- bot. Ver. Wien 3: 357, Taf. 1 fig.3. Syntypes: [Kazachstan]: Ustbuchtarminsk an der Mündung des Flusses Buchtarma.

857. *Limnitis (s.str.) sydyi sydyi* Lederer, 1853 (Argynnisidae) *Limnitis sydyi* Lederer, 1853, Verh. zool.- bot. Ver. Wien 3: 357, Taf. 1 fig.3. Syntypes: [Kazachstan]: Ustbuchtarminsk an der Mündung des Flusses Buchtarma.

858. *Limnitis (s.str.) trivena Moore, 1864* (Argynnisidae) *Limnitis trivena* Moore, 1864, Entomologist's mon. Mag. 1864: 133. Type(s): India: N.W.Himalaya: Simla.

859. *Limnitis (s.str.) trivena hydaspes* Moore, 1874 (Argynnisidae) *Limnitis hydaspes* Moore, 1874, Proc. zool. Soc. Lond. 1874: 270, pl.xliii fig.2. Syntypes ♂♀: Cashmere.

860. *Limnitis (s.str.) trivena pallida* Tytler, 1926 (Argynnisidae) *Limnitis trivena* ssp. *pallida* Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 581, figs. Type: India: Simla.

861. *Limnitis (s.str.) trivena trivena* Moore, 1864 (Argynnisidae) *Limnitis trivena* Moore, 1864, Entomologist's mon. Mag. 1864: 133. Type(s): India: N.W.Himalaya: Simla.

862. *Limnitis Fabricius, 1807* (Argynnisidae) *Limnitis Fabricius*, 1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: *Papilio populi* Linnaeus, 1758, by subsequent designation by Dalman, 1816, K. svenska VetenskAkad. Handl., Stockholm 1816 (1): 55.

863. *Mallika Collins & T.Larsen, 1991* (Argynnisidae) *Mallika Collins & T.Larsen*, 1991, Butterflies of Kenya: 443. Type-species: *Kallima jacksoni* Sharpe, 1896, by original designation.

864. *Mallika jacksoni (Sharpe, 1896)* (Argynnisidae) *Kallima jacksoni* Sharpe, 1896, Ann. Mag. nat. Hist. (6) 17: 127. Type: Kenya: "Kavirondo".

865. *Mallika jacksoni jacksoni (Sharpe, 1896)* (Argynnisidae) *Kallima jacksoni* Sharpe, 1896, Ann. Mag. nat. Hist. (6) 17: 127. Type: Kenya: "Kavirondo".

866. *Melitaea (Cinclidia) (phoebe) phoebe (Goeze, 1779)* (Argynnisidae) *Papilio phoebe* Goeze, 1779, Ent. Beyträge 3(1): 365.

867. *Melitaea (Cinclidia) (phoebe) phoebe changaica* Seitz, 1909 (Argynnisidae) *Melitaea phoebe* changaica Seitz, 1909, Die Grossschmett. 1: 217. Type(s): Mongolia: Changai.

868. *Melitaea (Cinclidia) (phoebe) phoebe corythalia* (Esper, [1781]) (Argynnisidae) *Papilio corythalia* Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: Taf.61, figs.4, 5.

869. *Melitaea (Cinclidia) (phoebe) phoebe gaisericus* Hemming, 1941 (Argynnisidae) *Melitaea phoebe* gaisericus Hemming, 1941, Proc. R. ent. Soc. Lond. (B) 10: 207 (nomen novum pro *M. phoebe* leechi Roth., 1917 nec Alph., 1895).

- 870. Melitaea (Cinclidia) (phoebe) phoebe occitanica Staudinger, 1871** (Argynnidae) Melitaea phoebe var. occitanica Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 18. Type(s): Italia.
- 871. Melitaea (Cinclidia) (phoebe) phoebe ornata Christoph, 1893** (Argynnidae) Melitaea phoebe var. ornata Christoph, 1893, Dt. ent. Z., Iris 6: 87. Type(s): [Russia]: Südural: Guberla.
- 872. Melitaea (Cinclidia) (phoebe) phoebe phoebe (Goeze, 1779)** (Argynnidae) Papilio phoebe Goeze, 1779, Ent. Beyträge 3(1): 365.
- 873. Melitaea (Cinclidia) (phoebe) phoebe saturata Staudinger, 1892** (Argynnidae) Melitaea phoebe var. saturata Staudinger, 1892, Dt. ent. Z., Iris 5: 323. Syntypes: [Russia]: Kentei-Gebirge.
- 874. Melitaea (Cinclidia) (phoebe) phoebe sextilis Jachontov, 1909** (Argynnidae) Melitaea phoebe var. sextilis Jachontov, 1909, Russk. ent. Obozr. 8 (1908): 285. Syntypes (destroyed): Nordkaukasus: Zheleznovodsk.
- 875. Melitaea (Cinclidia) (phoebe) punica Oberthür, 1876** (Argynnidae) Melitaea phoebe var. punica Oberthür, 1876, Etüd. Ent. 1: 25. Syntypes: Algerië: Lambessa.
- 876. Melitaea (Cinclidia) (phoebe) punica punica Oberthür, 1876** (Argynnidae) Melitaea phoebe var. punica Oberthür, 1876, Etüd. Ent. 1: 25. Syntypes: Algerië: Lambessa.
- 877. Melitaea (Cinclidia) (phoebe) punica telona Fruhstorfer, 1908** (Argynnidae) Melitaea phoebe ssp. telona Fruhstorfer, 1908, Int. ent. Z. 1: 310. [Israel]: Jerusalem.
- 878. Melitaea (Cinclidia) Hübner, [1819]** (Argynnidae) Cinclidia Hübner, [1819], Verz. bekannt. Schmett. (2): 29. Type-species: Papilio phoebe [Denis & Schiffermüller], 1775, by subsequent designation by Scudder, 1875, Bull. Buffalo Soc. nat. Sci. 2: 266.
- 879. Melitaea (Cinclidia) aetherie (Hübner, [1826])** (Argynnidae) Papilio aetherie Hübner, [1826], Samml. eur. Schmett. 1: pl. 177, figs. 875-878. Syntypes: Europa.
- 880. Melitaea (Cinclidia) aetherie aetherie (Hübner, [1826])** (Argynnidae) Papilio aetherie Hübner, [1826], Samml. eur. Schmett. 1: pl. 177, figs. 875-878. Syntypes: Europa.
- 881. Melitaea (Cinclidia) aetherie algerica Staudinger, [1892]** (Argynnidae) Melitaea aetherie var. algerica Staudinger, [1892], [in] Rühl, F., Die palaearkt. Grossschmett. Naturg. 1: 389-390. Type(s): Algerien.
- 882. Melitaea (Cinclidia) collina Lederer, 1861** (Argynnidae) Melitaea collina Lederer, 1861, Wien. ent. Monatschr. 5: 148, pl. 1 figs. 4, 5. Syntypes: [Türkei]: Antiochia [=Antakya].
- 883. Melitaea (Cinclidia) collina collina Lederer, 1861** (Argynnidae) Melitaea collina Lederer, 1861, Wien. ent. Monatschr. 5: 148, pl. 1 figs. 4, 5. Syntypes: [Türkei]: Antiochia [=Antakya].
- 884. Melitaea (Cinclidia) collina lokmani Oorschot & Brink, 1994** (Argynnidae) Melitaea collina ssp. lokmani Oorschot & Brink, 1994, Phegea 22 (2): 53-60, pl. 1, 2 figs. 1-9; pl. 3 fig. 2. Holotype ♂: Turkey: Şırnak Prov., 8 km E. of Uludere, 1700-1900m. (ITZA).
- 885. Melitaea (Cinclidia) consulis Wiltshire, 1941** (Argynnidae) Melitaea consulis Wiltshire, 1941, J. Bombay nat. Hist. Soc. 42: 473, figs. 1, 2. Holotype ♂: Iran: on a mountain close to Shiraz, 8000-9000ft. (BMNH).
- 886. Melitaea (Cinclidia) consulis consulis Wiltshire, 1941** (Argynnidae) Melitaea consulis Wiltshire, 1941, J. Bombay nat. Hist. Soc. 42: 473, figs. 1, 2. Holotype ♂: Iran: on a mountain close to Shiraz, 8000-9000ft. (BMNH).
- 887. Melitaea (Cinclidia) scotosia Butler, 1878** (Argynnidae) Melitaea scotosia Butler, 1878, Cistula Ent. 2: 282. Syntypes: Japan: Tokyo.
- 888. Melitaea (Cinclidia) scotosia butleri Higgins, 1940** (Argynnidae) Melitaea scotosia ssp. butleri Higgins, 1940, Entomologist 73: 53. Holotype ♂: China: Pekin.
- 889. Melitaea (Cinclidia) scotosia scotosia Butler, 1878** (Argynnidae) Melitaea scotosia Butler, 1878, Cistula Ent. 2: 282. Syntypes: Japan: Tokyo.
- 890. Melitaea (Cinclidia) sibina Alpheraky, 1881** (Argynnidae) Melitaea phoebe var. sibina Alpheraky, 1881, Horae Soc. ent. ross. 16: 400-403, Taf. 14 fig. 13. Syntypes ♂♂: [China: Uighur Ili]: Kuldja, Sibo, Khuir-Souimoune.
- 891. Melitaea (Cinclidia) sibina sibina Alpheraky, 1881** (Argynnidae) Melitaea phoebe var. sibina Alpheraky, 1881, Horae Soc. ent. ross. 16: 400-403, Taf. 14 fig. 13. Syntypes ♂♂: [China: Uighur Ili]: Kuldja, Sibo, Khuir-Souimoune.
- 892. Melitaea (Cinclidia) tangigharuensis De Freina, 1980** (Argynnidae) Melitaea tangigharuensis De Freina, 1980, Atalanta 11 (1): 13-17, Abb. Holotype ♂: Afghanistan: Kabul Fluß, Tang-i-Gharu-Schlucht, 1600m. (in coll. Freina).
- 893. Melitaea (Cinclidia) tangigharuensis tangigharuensis De Freina, 1980** (Argynnidae) Melitaea tangigharuensis De Freina, 1980, Atalanta 11 (1): 13-17, Abb. Holotype ♂: Afghanistan: Kabul Fluß, Tang-i-Gharu-Schlucht, 1600m. (in coll. Freina).
- 894. Melitaea (Cinclidia) turkmanica Higgins, 1940** (Argynnidae) Melitaea turkmanica Higgins, 1940, Entomologist 73: 51-52. Holotype ♂: [Turkmenia]: Askhabad (in Tring Museum).
- 895. Melitaea (Cinclidia) turkmanica turkmanica Higgins, 1940** (Argynnidae) Melitaea turkmanica Higgins, 1940, Entomologist 73: 51-52. Holotype ♂: [Turkmenia]: Askhabad (in Tring Museum).
- 896. Melitaea (Cinclidia) turkmanica vedica Nekrutenko, 1975** (Argynnidae) Melitaea vedica Nekrutenko, 1975, J. lepid. Soc. 29: 102-105, figs. 1-6. Holotype ♂: Armenia: Naturreservat Chosrov, Vedi (ZIMP).
- 897. Melitaea (Didymaeformis) Verity, 1950** (Argynnidae) Didymaeformis Verity, 1950, Farfalle diurne d'Italia 4: 89, 90. Type-species: Papilio didyma Esper, [1777], by original designation.
- 898. Melitaea (Didymaeformis) acraeina Staudinger, 1886** (Argynnidae) Melitaea acraeina Staudinger, 1886, Stettin ent. Ztg. 47: 233-234. Syntypes: [Usbekistan]: Fergana, Kokand.
- 899. Melitaea (Didymaeformis) acraeina acraeina Staudinger, 1886** (Argynnidae) Melitaea acraeina Staudinger, 1886, Stettin ent. Ztg. 47: 233-234. Syntypes: [Usbekistan]: Fergana, Kokand.
- 900. Melitaea (Didymaeformis) ala Staudinger, 1881** (Argynnidae) Melitaea didyma var. ala Staudinger, 1881, Stettin ent. Ztg. 42: 290-291. Syntypes: Lepsinsk, Dchungarischer Alatau.
- 901. Melitaea (Didymaeformis) ala ala Staudinger, 1881** (Argynnidae) Melitaea didyma var. ala Staudinger, 1881, Stettin ent. Ztg. 42: 290-291. Syntypes: Lepsinsk, Dchungarischer Alatau.
- 902. Melitaea (Didymaeformis) ala bicolor Sushkin, 1913** (Argynnidae) Melitaea ala ssp. bicolor Sushkin, 1913, Z. Wiss. Insektenbiol. 9: 172. Syntypes: [Kirgizistan]: Umgebung Naryn.
- 903. Melitaea (Didymaeformis) ala determinata Bryk, 1940** (Argynnidae) Melitaea ala ssp. determinata Bryk, 1940, Folia Zool. hydrobiol. Riga 10: 349, pl. 5 fig. 39, 40. Holotype ♂: [Uighur Ili]: Thian-Shan [Tengri Tagh]: Fu-Shu-Shi, 2100m.
- 904. Melitaea (Didymaeformis) ala sheljuzhkoi Bryk, 1940** (Argynnidae) Melitaea ala ssp. sheljuzhkoi Bryk, 1940, Folia Zool. hydrobiol. Riga 10: 348, pl. 5 fig. 48. Holotype ♂: [Uighur Ili]: Kuldscha.
- 905. Melitaea (Didymaeformis) ala strandi Bryk, 1940** (Argynnidae) Melitaea ala ssp. strandi Bryk, 1940, Folia Zool. hydrobiol. Riga 10: 350, pl. 5 fig. 44, 47. Holotype ♂: [Uighur A.R.]: Urumschi, Nan Shan 2500m.
- 906. Melitaea (Didymaeformis) alraschid Higgins, 1941** (Argynnidae) Melitaea ambrisia ssp. alraschid Higgins, 1941, Trans. R. ent. Soc. Lond. 91: 259-260, pl. 16 fig. 5. Holotype ♂: "Persia" [patria falsa]. [Tadjikistan: Ghissarsky Mts.] (cf. Tusov & Churkin, 2000: 67).
- 907. Melitaea (Didymaeformis) alraschid alraschid Higgins, 1941** (Argynnidae) Melitaea ambrisia ssp. alraschid Higgins, 1941, Trans. R. ent. Soc. Lond. 91: 259-260, pl. 16 fig. 5. Holotype ♂: "Persia" [patria falsa]. [Tadjikistan: Ghissarsky Mts.] (cf. Tusov & Churkin, 2000: 67).
- 908. Melitaea (Didymaeformis) ambrisia Higgins, 1935** (Argynnidae) Melitaea ambrisia Higgins, 1935, Entomologist 68: 112. Holotype: [Uzbekistan]: Turkestan, Marghilan.
- 909. Melitaea (Didymaeformis) ambrisia ambrisia Higgins, 1935** (Argynnidae) Melitaea ambrisia Higgins, 1935, Entomologist 68: 112. Holotype: [Uzbekistan]: Turkestan, Marghilan.
- 910. Melitaea (Didymaeformis) athene Staudinger, 1881** (Argynnidae) Melitaea athene Staudinger, 1881, Stettin ent. Ztg. 42: 266. Syntypes: ?Saisan.
- 911. Melitaea (Didymaeformis) athene athene Staudinger, 1881** (Argynnidae) Melitaea athene Staudinger, 1881, Stettin ent. Ztg. 42: 266. Syntypes: ?Saisan.
- 912. Melitaea (Didymaeformis) casta Kollar, [1849]** (Argynnidae) Melitaea casta Kollar, [1849], Denkschr. Akad. Wiss. Wien 1: 52. Type(s): [Iran]: Persia [Shiraz].
- 913. Melitaea (Didymaeformis) casta casta Kollar, [1849]** (Argynnidae) Melitaea casta Kollar, [1849], Denkschr. Akad. Wiss. Wien 1: 52. Type(s): [Iran]: Persia [Shiraz].
- 914. Melitaea (Didymaeformis) casta salki Weiss & Leestmans, 2000** (Argynnidae) Melitaea casta ssp. salki Weiss & Leestmans, 2000, Linn. Belgica 17 (8): 335-338, figs. Holotype ♂: Iran: Esfahan: S.-O. de Daran, Fereidun Sahr, 2600m, 19.vii.1999 J.-C. Weiss leg (NMNHL).

- 915. *Melitaea (Didymaeformis) casta wiltshirei* Higgins, 1941** (Argynnidæ) *Melitaea wiltshirei* Higgins, 1941, Trans. R. ent. Soc. Lond. 91: 237-238, figs. 53-55. Holotype ♂: Iran: Alvand, 8000ft.
- 916. *Melitaea (Didymaeformis) chitralensis* Moore, 1901** (Argynnidæ) *Melitaea chitralensis* Moore, 1901, Lepid. Ind. 5: 9. Syntypes: [Pakistan]: Chitral.
- 917. *Melitaea (Didymaeformis) chitralensis chitralensis* Moore, 1901** (Argynnidæ) *Melitaea chitralensis* Moore, 1901, Lepid. Ind. 5: 9. Syntypes: [Pakistan]: Chitral.
- 918. *Melitaea (Didymaeformis) deserticola* Kirby, 1877** (Argynnidæ) *Melitaea didyma* var. *deserticola* Kirby, 1877, Zool. Rec., Insecta, Lepidoptera: 152 (by indication of *Melitaea didyma* ab. *deserticola* Oberthür, 1876, Etüd. Ent. 1: 25, pl. iii fig. 1. Type(s): Algeria: Biskra.
- 919. *Melitaea (Didymaeformis) deserticola deserticola* Kirby, 1877** (Argynnidæ) *Melitaea didyma* var. *deserticola* Kirby, 1877, Zool. Rec., Insecta, Lepidoptera: 152 (by indication of *Melitaea didyma* ab. *deserticola* Oberthür, 1876, Etüd. Ent. 1: 25, pl. iii fig. 1. Type(s): Algeria: Biskra.
- 920. *Melitaea (Didymaeformis) deserticola macromaculata* Belter, 1934** (Argynnidæ) *Melitaea deserticola* ssp. *macromaculata* Belter, 1934, Arb. morph. tax. Ent. 1: 106. Syntypes: North Libanon.
- 921. *Melitaea (Didymaeformis) deserticola scotti* Higgins, 1941** (Argynnidæ) *Melitaea abyssinica* ssp. *scotti* Higgins, 1941, Trans. R. ent. Soc. Lond. 91(7): 236, Pl. 16 figs. 11, 12. Holotype ♂: [Yemen]: Western Aden Protectorate: Jebel Jihaf, western face, 6600ft.
- 922. *Melitaea (Didymaeformis) didyma* (Esper, [1779])** (Argynnidæ) *Papilio didyma* Esper, [1779], Die Schmett. 1: 365. Type(s): [Germany]: Bavaria: Uffenheim.
- 923. *Melitaea (Didymaeformis) didyma alpina* Staudinger, 1861** (Argynnidæ) *Melitaea didyma* var. *alpina* Staudinger, 1861, Cat. lepid. Eur. 1: 8 (nomen novum pro *fascelis* var. HS.267 (?268)).
- 924. *Melitaea (Didymaeformis) didyma didyma* (Esper, [1779])** (Argynnidæ) *Papilio didyma* Esper, [1779], Die Schmett. 1: 365. Type(s): [Germany]: Bavaria: Uffenheim.
- 925. *Melitaea (Didymaeformis) didyma geminella* Bryk, 1940** (Argynnidæ) *Melitaea didyma* ssp. *geminella* Bryk, 1940, Folia Zool. hydrobiol. Riga 10: 332, pl. 4 fig. 33. Holotype ♂: [Uighur A.R.]: Kuldscha.
- 926. *Melitaea (Didymaeformis) didyma manoni* Hanus, 1996** (Argynnidæ) *Melitaea didyma* ssp. *manoni* Hanus, 1996, Atalanta 27 (1/2): 207, Abb. Holotype ♂: Kirghizia, Kadzhi Say, 1610m, south shore of Issyk-Kul (in coll. Hanus).
- 927. *Melitaea (Didymaeformis) didyma meridionalis* Staudinger, 1870** (Argynnidæ) *Melitaea didyma* var. *meridionalis* Staudinger, 1870, Horae Soc. ent. ross. 7: 60. Syntypes: Griechenland: Parnassus.
- 928. *Melitaea (Didymaeformis) didyma mixta* Evans, 1912** (Argynnidæ) *Melitaea (Melitaea) trivia mixta* Evans, 1912, J. Bombay nat. Hist. Soc. 21: 583. Holotype ♂: [Pakistan]: Chitral (in BMHN).
- 929. *Melitaea (Didymaeformis) didyma neera* Fischer de Waldheim, 1840** (Argynnidæ) *Melitaea didyma* var. *neera* Fischer de Waldheim, 1840, Bull. Soc. nat. Moscou 13 (3): 81. Type(s): Russia: Wolga.
- 930. *Melitaea (Didymaeformis) didyma occidentalis* Staudinger, 1861** (Argynnidæ) *Melitaea didyma* var. *occidentalis* Staudinger, 1861, Cat. lepid. Eur. 1: 8 (nomen novum pro *cinxia* Hbn. 869-70, etc.).
- 931. *Melitaea (Didymaeformis) didyma turkestanica* Sheljuzhko, 1929** (Argynnidæ) *Melitaea didyma* ssp. *turkestanica* Sheljuzhko, 1929, Mitt. münch. ent. Ges. 19: 354 (nomen novum pro *uranica* Staudinger, 1886 nec Erschoff, 1874). Syntypes: Margelan, Osch, Usgent.
- 932. *Melitaea (Didymaeformis) didymina* Staudinger, 1895** (Argynnidæ) *Melitaea didyma* var. *didymina* Staudinger, 1895, Dt. ent. Z., Iris 8: 347. Syntypes: [Mongolia]: Changai Mts., Uliassutai.
- 933. *Melitaea (Didymaeformis) didymina didymina* Staudinger, 1895** (Argynnidæ) *Melitaea didyma* var. *didymina* Staudinger, 1895, Dt. ent. Z., Iris 8: 347. Syntypes: [Mongolia]: Changai Mts., Uliassutai.
- 934. *Melitaea (Didymaeformis) didymina higginsii* Sakai, 1978** (Argynnidæ) *Melitaea didymina* ssp. *higginsii* Sakai, 1978, Atalanta 9(1): 116, fig. Holotype ♂: Afghanistan: NE-Hindukusch: Bala Quran, Anjuman valley, 3500m.
- 935. *Melitaea (Didymaeformis) didymoides* Eversmann, 1847** (Argynnidæ) *Melitaea didymoides* Eversmann, 1847, Bull. Soc. Nat. Moscou 20 (2): 67, Pl. I figs. 3, 4. Syntypes: Russia: Kiachta (Kentei).
- 936. *Melitaea (Didymaeformis) didymoides didymoides* Eversmann, 1847** (Argynnidæ) *Melitaea didymoides* Eversmann, 1847, Bull. Soc. Nat. Moscou 20 (2): 67, Pl. I figs. 3, 4. Syntypes: Russia: Kiachta (Kentei).
- 937. *Melitaea (Didymaeformis) didymoides latonia* Groum-Grshimailo, 1891** (Argynnidæ) *Melitaea didyma* var. *latonia* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 455. Syntypes: [China]: Kansu: Chuan-Che (Huang-Ho).
- 938. *Melitaea (Didymaeformis) didymoides pekinensis* Seitz, 1906** (Argynnidæ) *Melitaea didymoides pekinensis* Seitz, 1906, Die Grossschmett. Erde 1: 219. Type(s): North China: Pechili.
- 939. *Melitaea (Didymaeformis) enarea* Fruhstorfer, 1916** (Argynnidæ) *Melitaea didyma* ssp. *enarea* Fruhstorfer, 1916, Arch. Naturg. 82 (A) 2: 11. Syntypes: [Tadjikistan]: Pamirs: Garm, Gebirge Peter der Große.
- 940. *Melitaea (Didymaeformis) enarea enarea* Fruhstorfer, 1916** (Argynnidæ) *Melitaea didyma* ssp. *enarea* Fruhstorfer, 1916, Arch. Naturg. 82 (A) 2: 11. Syntypes: [Tadjikistan]: Pamirs: Garm, Gebirge Peter der Große.
- 941. *Melitaea (Didymaeformis) enarea gromenкои* Kolesnichenko, 1999** (Argynnidæ) *Melitaea enarea* ssp. *gromenкои* Kolesnichenko, 1999, Atalanta 30 (1/4): 110-112, pl. vii figs. 32-34. Holotype ♂: Kirghizia: 15km. NW from Dzhalal-Abad, Kara-Kianyr Mts., 1200m.
- 942. *Melitaea (Didymaeformis) enarea ishkashima* Sheljuzhko, 1929** (Argynnidæ) *Melitaea didyma* ssp. *ishkashima* Sheljuzhko, 1929, Mitt. münch. ent. Ges. 19: 359, Taf. 27 figs. 13, 14. Syntypes: Kishlak Njut (Ishkashimsky Mts.).
- 943. *Melitaea (Didymaeformis) enarea permuta* Tusov, 1993** (Argynnidæ) *Melitaea ala permuta* Tusov, 1993, The synonymic list of butterflies from the ex-USSR: 48. Type(s): Gissar, S. Gissar.
- 944. *Melitaea (Didymaeformis) fascelis* (Fabricius, 1787)** (Argynnidæ) *Papilio fascelis* Fabricius, 1787, Mant. Ins. 2: 58-59, nr. 570. Syntypes: [Russia]: Russia australiori.
- 945. *Melitaea (Didymaeformis) fascelis catapelia* Staudinger, 1886** (Argynnidæ) *Melitaea fascelis* var. *catapelia* Staudinger, 1886, Stettin ent. Ztg. 47: 231. Syntypes: Uzbekistan: Samarkand.
- 946. *Melitaea (Didymaeformis) fascelis fascelis* (Fabricius, 1787)** (Argynnidæ) *Papilio fascelis* Fabricius, 1787, Mant. Ins. 2: 58-59, nr. 570. Syntypes: [Russia]: Russia australiori.
- 947. *Melitaea (Didymaeformis) fascelis nana* Staudinger, 1871** (Argynnidæ) *Melitaea trivia* v. *nana* Staudinger, 1871, Cat. Eur. Faunengeb. 2 (1): 18.
- 948. *Melitaea (Didymaeformis) fascelis robertsi* Butler, 1880** (Argynnidæ) *Melitaea robertsi* Butler, 1880, Proc. zool. Soc. London 50: 406, Pl. 39 fig. 2. Syntypes: Afghanistan: Rokeran bei Kandahar (BMNH).
- 949. *Melitaea (Didymaeformis) fascelis singularia* Korshunov, 1995** (Argynnidæ) *Melitaea fascelis* ssp. *singularia* Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 92-93. Holotype: Mongolia: lake Khoubsougoul.
- 950. *Melitaea (Didymaeformis) fascelis uvarovi* Gorbunov, 1995** (Argynnidæ) *Melitaea uvarovi* Gorbunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 93. Holotype: Russia: Orenburg: Donskoye.
- 951. *Melitaea (Didymaeformis) fergana* Staudinger, 1882** (Argynnidæ) *Melitaea fergana* Staudinger, 1882, Berl. ent. Z. 26(1): 168-170. Syntypes: [Kirgizistan]: Alai-Gebirge, Osch.
- 952. *Melitaea (Didymaeformis) fergana fergana* Staudinger, 1882** (Argynnidæ) *Melitaea fergana* Staudinger, 1882, Berl. ent. Z. 26(1): 168-170. Syntypes: [Kirgizistan]: Alai-Gebirge, Osch.
- 953. *Melitaea (Didymaeformis) fergana hyrcana* Staudinger, 1882** (Argynnidæ) *Melitaea fergana* var. *hyrcana* Staudinger, 1882, Berl. ent. Z. 26(1): 169. Syntypes: [Iran]: Nordpersien: Schakuh, 4000m.
- 954. *Melitaea (Didymaeformis) fergana jacobsoni* Higgins, 1941** (Argynnidæ) *Melitaea fergana* ssp. *jacobsoni* Higgins, 1941, Trans. R. ent. Soc. Lond. 91 (7): 257. Holotype ♂: [Tadjikistan]: Pamir, Maz River (in BMHN).
- 955. *Melitaea (Didymaeformis) fergana ketmeana* Lukhtanov, 1999** (Argynnidæ) *Melitaea fergana* ssp. *ketmeana* Lukhtanov, 1999, Atalanta 30 (1/4): 145-146. Holotype ♂: Kasachstan: Alma-Ata Gebiet, Ketmen Gebirge, Kolshat (in EMEM).
- 956. *Melitaea (Didymaeformis) fergana maracandica* Staudinger, 1882** (Argynnidæ) *Melitaea fergana* var. *maracandica*

Staudinger, 1882, Berl. ent. Z. 26(1): 169. Syntypes: [Uzbekistan]: Hazret Sultan Gebirge.

957. Melitaea (Didymaeformis) fergana oxuana Lukhtanov, 1999 (Argynnidae) Melitaea fergana ssp. oxuana Lukhtanov, 1999, Atalanta 30 (1/4): 147. Holotype ♂: Tadschikistan: Ost-Pamir, Sarykol Gebirge, Dunkeidyk, 3750m. (in EMEM).

958. Melitaea (Didymaeformis) fergana terskeana Lukhtanov, 1999 (Argynnidae) Melitaea fergana ssp. terskeana Lukhtanov, 1999, Atalanta 30 (1/4): 146. Holotype ♂: Kirgisien: Terskey Alatau, Barskaun Pass (in EMEM).

959. Melitaea (Didymaeformis) infernalis Groum-Grshimailo, 1891 (Argynnidae) Melitaea saxatilis var. infernalis Groum-Grshimailo, 1891, Horae soc. ent. ross. 25: 455-456. Syntypes: [Uighur Ili]: "In montibus Boro-Choro (Thian -Schan or.) [Tengri Tagh], in limine Umkangol".

960. Melitaea (Didymaeformis) infernalis infernalis Groum-Grshimailo, 1891 (Argynnidae) Melitaea saxatilis var. infernalis Groum-Grshimailo, 1891, Horae soc. ent. ross. 25: 455-456. Syntypes: [Uighur Ili]: "In montibus Boro-Choro (Thian -Schan or.) [Tengri Tagh], in limine Umkangol".

961. Melitaea (Didymaeformis) interposita Rothschild, 1913 (Argynnidae) Melitaea didyma interposita Rothschild, 1913, Novit. Zool. 20: 115. Holotype ♂: Algeria: Aures Mts.

962. Melitaea (Didymaeformis) interposita interposita Rothschild, 1913 (Argynnidae) Melitaea didyma interposita Rothschild, 1913, Novit. Zool. 20: 115. Holotype ♂: Algeria: Aures Mts.

963. Melitaea (Didymaeformis) interrupta Kolenati, 1846 (Argynnidae) Melitaea didyma var. interrupta Kolenati, 1846, Meletemata entomologica Insecta Caucasi: 86. Syntypes: Caucasia, Transcaucasia.

964. Melitaea (Didymaeformis) interrupta interrupta Kolenati, 1846 (Argynnidae) Melitaea didyma var. interrupta Kolenati, 1846, Meletemata entomologica Insecta Caucasi: 86. Syntypes: Caucasia, Transcaucasia.

965. Melitaea (Didymaeformis) kotshubeji Sheljuzhko, 1929 (Argynnidae) Melitaea ala ssp. kotshubeji Sheljuzhko, 1929, Mitt. münch. ent. Ges. 19: 364, Taf. 27 fig. 1-4. Syntypes: [Tadjikistan]: Toupshak (Peter the Great Mts.).

966. Melitaea (Didymaeformis) kotshubeji bundeli Kolesnichenko, 1999 (Argynnidae) Melitaea kotshubeji ssp. bundeli Kolesnichenko, 1999, Atalanta 30 (1/4): 98-100, pl. vi figs. 12-13. Holotype ♂: [Kirgizistan]: Alaisky Mts., near Daraut-Kurgan, 3000m. (in ZMMU).

967. Melitaea (Didymaeformis) kotshubeji kotshubeji Sheljuzhko, 1929 (Argynnidae) Melitaea ala ssp. kotshubeji Sheljuzhko, 1929, Mitt. münch. ent. Ges. 19: 364, Taf. 27 fig. 1-4. Syntypes: [Tadjikistan]: Toupshak (Peter the Great Mts.).

968. Melitaea (Didymaeformis) kotshubeji kugarti Kolesnichenko, 1999 (Argynnidae) Melitaea kotshubeji ssp. kugarti Kolesnichenko, 1999, Atalanta 30 (1/4): 100-101, pl. vi figs. 14-17. Holotype ♂: [Kirgizistan]: Fergansky Mts., Kugart river, 2000m. (ZMMU).

969. Melitaea (Didymaeformis) latonigena Eversmann, 1847 (Argynnidae) Melitaea latonigena Eversmann, 1847, Bull. Soc. nat. Moscou 20(2): 66, Pl. I figs. 1, 2. Type(s): Irkutsk. Kentei Mts.

970. Melitaea (Didymaeformis) latonigena latonigena Eversmann, 1847 (Argynnidae) Melitaea latonigena Eversmann, 1847, Bull. Soc. nat. Moscou 20(2): 66, Pl. I figs. 1, 2. Type(s): Irkutsk. Kentei Mts.

971. Melitaea (Didymaeformis) lunulata Staudinger, 1901 (Argynnidae) Melitaea saxatilis var. lunulata Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 30. Syntypes: [Kirgizistan]: Issyk-Kul occ. (Alexander Mt.).

972. Melitaea (Didymaeformis) lunulata lunulata Staudinger, 1901 (Argynnidae) Melitaea saxatilis var. lunulata Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 30. Syntypes: [Kirgizistan]: Issyk-Kul occ. (Alexander Mt.).

973. Melitaea (Didymaeformis) lunulata merke Lukhtanov, 1999 (Argynnidae) Melitaea lunulata ssp. merke Lukhtanov, 1999, Atalanta 30 (1/4): 147-148. Holotype ♂: Kasachstan: Kirgisisches Gebirge, Merke Fluss, 2900m. (in coll. Zoologisches Institut, St. Petersburg).

974. Melitaea (Didymaeformis) lutko Evans, 1932 (Argynnidae) Melitaea robertsi lutko Evans, 1932, Indian Butts. (2): 185. Type(s): [Pakistan]: Chitral.

975. Melitaea (Didymaeformis) lutko lutko Evans, 1932 (Argynnidae) Melitaea robertsi lutko Evans, 1932, Indian Butts. (2): 185. Type(s): [Pakistan]: Chitral.

976. Melitaea (Didymaeformis) lutko mimetica Higgins, 1940 (Argynnidae) Melitaea lutko [sic] mimetica Higgins, 1940, Entomologist 73: 52. Holotype ♂: [Pakistan]: Baluchistan: Khojak, 6500ft. (in BMNH).

977. Melitaea (Didymaeformis) mauretanica Oberthür, 1909 (Argynnidae) Melitaea didyma mauretanica Oberthür, 1909, Etüd. lépid. comp. 3: 243. Syntypes: Algeria, Southern Spain.

978. Melitaea (Didymaeformis) mauretanica mauretanica Oberthür, 1909 (Argynnidae) Melitaea didyma mauretanica Oberthür, 1909, Etüd. lépid. comp. 3: 243. Syntypes: Algeria, Southern Spain.

979. Melitaea (Didymaeformis) ninae Sheljuzhko, 1935 (Argynnidae) Melitaea ala ssp. ninae Sheljuzhko, 1935, Mitt. münch. ent. Ges. 25: 27. Syntypes: [Uzbekistan]: Tschimgan.

980. Melitaea (Didymaeformis) ninae ninae Sheljuzhko, 1935 (Argynnidae) Melitaea ala ssp. ninae Sheljuzhko, 1935, Mitt. münch. ent. Ges. 25: 27. Syntypes: [Uzbekistan]: Tschimgan.

981. Melitaea (Didymaeformis) perseae Kollar, [1849] (Argynnidae) Melitaea perseae Kollar, [1849], Denkschr. Akad. Wiss. Wien 1: 52. Type(s): [Iran]: Persia [Shiraz].

982. Melitaea (Didymaeformis) perseae dodgsoni Grose-Smith, 1887 (Argynnidae) Melitaea dodgsoni Grose-Smith, 1887, Ann. Mag. nat. Hist. (5) 20: 130. Syntypes: Baluchistan: Gwashki, 8600ft.

983. Melitaea (Didymaeformis) perseae montium Belter, 1934 (Argynnidae) Melitaea montium Belter, 1934, Arb. morph. tax. Ent. 1: 107. Syntypes: Syria.

984. Melitaea (Didymaeformis) perseae paphlagonia Fruhstorfer, 1916 (Argynnidae) Melitaea didyma ssp. paphlagonia Fruhstorfer, 1916, Arch. Naturg. 82 (A) 2: 10-11. Syntypes: [Turkmenia]: Arwas, Transcaspien.

985. Melitaea (Didymaeformis) perseae perseae Kollar, [1849] (Argynnidae) Melitaea perseae Kollar, [1849], Denkschr. Akad. Wiss. Wien 1: 52. Type(s): [Iran]: Persia [Shiraz].

986. Melitaea (Didymaeformis) romanovi Groum-Grshimailo, 1891 (Argynnidae) Melitaea romanovi Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 454. Syntypes: [China]: Amdo, Chuan-Che.

987. Melitaea (Didymaeformis) romanovi romanovi Groum-Grshimailo, 1891 (Argynnidae) Melitaea romanovi Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 454. Syntypes: [China]: Amdo, Chuan-Che.

988. Melitaea (Didymaeformis) saxatilis Christoph, 1873 (Argynnidae) Melitaea didyma var. saxatilis Christoph, 1873, Horae Soc. ent. ross. 10: 28. Syntypes: [Iran]: Nordpersien: Schahkuh, 10000-12000ft.

989. Melitaea (Didymaeformis) saxatilis sassanides Higgins, 1935 (Argynnidae) Melitaea sassanides Higgins, 1935, Entomologist 68: 112. Holotype ♂: Iran: North Persia, Mount Demavend (BMNH).

990. Melitaea (Didymaeformis) saxatilis saxatilis Christoph, 1873 (Argynnidae) Melitaea didyma var. saxatilis Christoph, 1873, Horae Soc. ent. ross. 10: 28. Syntypes: [Iran]: Nordpersien: Schahkuh, 10000-12000ft.

991. Melitaea (Didymaeformis) shandura Evans, 1924 (Argynnidae) Melitaea shandura Evans, 1924, J. Bombay nat. Hist. Soc. 30: 90. Holotype ♂: [Pakistan]: Chitral, Shandur lake, 11000ft.

992. Melitaea (Didymaeformis) shandura pavlitzkajana Sheljuzhko, 1943 (Argynnidae) Melitaea pavlitzkajana Sheljuzhko, 1943, Mitt. münch. ent. Ges. 33 (1): 75-77, Taf. vii figs. 1-4. Syntypes 2♂ 5♀: [Tadjikistan]: Pamir: Ruschan: Berg-Kette Jazgulem, oberhalb der Schlucht des Rav-dara-Flusses, 3600m. (Zool. Mus. Kiev).

993. Melitaea (Didymaeformis) shandura shandura Evans, 1924 (Argynnidae) Melitaea shandura Evans, 1924, J. Bombay nat. Hist. Soc. 30: 90. Holotype ♂: [Pakistan]: Chitral, Shandur lake, 11000ft.

994. Melitaea (Didymaeformis) sutschana Staudinger, 1892 (Argynnidae) Melitaea didyma var. sutschana Staudinger, 1892, [in] Romanoff, Mém. Lépid. 6: 183. Syntypes: Russia: Siberia: Sutschan.

995. Melitaea (Didymaeformis) sutschana graeseri Gorbunov, 1995 (Argynnidae) Melitaea sutschana ssp. graeseri Gorbunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 92.

996. Melitaea (Didymaeformis) sutschana graeseri Gorbunov, 1995 (Argynnidae) Melitaea sutschana ssp. graeseri Gorbunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 92. Holotype: Russia: Sachalin: Youjnosakhalinsk.

997. Melitaea (Didymaeformis) sutschana sutschana Staudinger, 1892 (Argynnidae) Melitaea didyma var. sutschana

Staudinger, 1892, [in] Romanoff, Mém. Lépid. 6: 183. Syntypes: Russia: Siberia: Sutschan.

998. Melitaea (s.str.) Fabricius, 1807 (Argynnidæ) Melitaea Fabricius, 1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: Papilio cinxia Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 480, by subsequent designation by Westwood, 1840, Introd. Class. Ins. 2, syn.: 88.

999. Melitaea (s.str.) amoenula C.Felder & R.Felder, [1867] (Argynnidæ) Melitaea amoenula C.Felder & R.Felder, [1867], Reise Fregatte "Novara" (Zool.) 2(2): 392. Type(s): Ladak: Rupshu.

1000. Melitaea (s.str.) amoenula amoenula C.Felder & R.Felder, [1867] (Argynnidæ) Melitaea amoenula C.Felder & R.Felder, [1867], Reise Fregatte "Novara" (Zool.) 2(2): 392. Type(s): Ladak: Rupshu.

1001. Melitaea (s.str.) arcesia Bremer, 1864 (Argynnidæ) Melitaea arcesia Bremer, 1864, Mém. Acad. imp. Sci. St. Petersb. 1864: 15, Pl. I fig. 7. Type(s): Russia: Siberia: Lake Baikal.

1002. Melitaea (s.str.) arcesia arcesia Bremer, 1864 (Argynnidæ) Melitaea arcesia Bremer, 1864, Mém. Acad. imp. Sci. St. Petersb. 1864: 15, Pl. I fig. 7. Type(s): Russia: Siberia: Lake Baikal.

1003. Melitaea (s.str.) arcesia balbita Moore, 1874 (Argynnidæ) Melitaea balbita Moore, 1874, Proc. zool. Soc. Lond. 1874: 268, pl. 43 fig. 5. Syntypes ♂♂: Kashmir: Soonamurg, Goochais valley.

1004. Melitaea (s.str.) arcesia bellona Leech, 1892 (Argynnidæ) Melitaea bellona Leech, 1892, Butts. China Japan and Corea 1: 219, Pl. 24 figs. 1-5. Type(s): China: Szechuan: Chow-pin-sa.

1005. Melitaea (s.str.) arcesia irma Higgins, 1941 (Argynnidæ) Melitaea arcesia irma Higgins, 1941, Trans. R. Soc. ent. Lond. 91: 309-310. Syntypes ♂♂: West Nepal: Limotang, Yakpa, Torpa, Sakse Jula, Dunga, Yanga, Sata, Barang-Se, Suna Takpa, Mo-Chu, Nang-Mu; [China]: Western Tibet: Limi, Gyangri.

1006. Melitaea (s.str.) arcesia jezebel Oberthür, 1896 (Argynnidæ) Melitaea jezebel Oberthür, 1896, Etud. Ent. 11: 17. Type(s): China: Szechuan: Ta-Tsien-Lu.

1007. Melitaea (s.str.) arcesia minor Elwes, 1899 (Argynnidæ) Melitaea arcesia var. minor Elwes, 1899, Trans. ent. Soc. Lond. 1899: 334. Type(s): Russia: Altai Mts.

1008. Melitaea (s.str.) arcesia sikkimensis Moore, 1901 (Argynnidæ) Melitaea sikkimensis Moore, 1901, Lepid. Ind. 5: 5. Type(s): Sikkim, Chumbi, Tibet.

1009. Melitaea (s.str.) arcesia sindura Moore, 1865 (Argynnidæ) Melitaea sindura Moore, 1865, Proc. zool. Soc. Lond. 1865: 465, Pl. 30 fig. 2. Type(s): N.W. Himalaya: Kong-Ma Pass.

1010. Melitaea (s.str.) arduinna (Fabricius, 1787) (Argynnidæ) Papilio arduinna Fabricius, 1787, Mant. Ins. 2: 60, nr. 577. Type(s): [Russia]: Russia australiori.

1011. Melitaea (s.str.) arduinna arduinna (Fabricius, 1787) (Argynnidæ) Papilio arduinna Fabricius, 1787, Mant. Ins. 2: 60, nr. 577. Type(s): [Russia]: Russia australiori.

1012. Melitaea (s.str.) arduinna evanescens Staudinger, 1886 (Argynnidæ) Melitaea arduinna var. evanescens Staudinger, 1886, Stettin ent. Ztg. 47: 230-231. Syntypes ♂♂: [Iran]: Nordpersien; [Usbekistan]: Samarkand, Margelan; [Kasachstan]: Saisan; [Türkei]: Diarbekim [sic!] [Diyarbakir].

1013. Melitaea (s.str.) arduinna kocaki Wägener & Gross, 1976 (Argynnidæ) Melitaea arduinna ssp. kocaki Wägener & Gross, 1976, Ent. Z., Frankf. a. M. 86 (20): 229-232, Abb. 1. Holotype ♂: Türkei: Prov. Hakkari, Zab-Tal (coll. Wägener).

1014. Melitaea (s.str.) asteroida Staudinger, 1881 (Argynnidæ) Melitaea asteroida Staudinger, 1881, Stettin ent. Ztg. 42: 292. Syntypes: Ala Tau.

1015. Melitaea (s.str.) asteroida asteroida Staudinger, 1881 (Argynnidæ) Melitaea asteroida Staudinger, 1881, Stettin ent. Ztg. 42: 292. Syntypes: Ala Tau.

1016. Melitaea (s.str.) asteroida uighurica Kemal, 1998 (Argynnidæ) Melitaea asteroida ssp. uighurica Kemal, 1998, Cent. ent. Stud., Misc. Pap. 55/56: 6 (nom. nov. pro Melitaea asteroida v. maculata Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 33. Syntypes: [China: Uighur A.R.]: Chamyl, nec Bremer & Gray, 1853

1017. Melitaea (s.str.) asteroida variegata Staudinger, 1901 (Argynnidæ) Melitaea asteroida var. variegata Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 33, nr. 200c. Syntypes: [China: Uighur A.R.]: Thian c.s. [Tengri Tagh] (Boro-Choro).

1018. Melitaea (s.str.) avinovi Sheljuzhko, 1914 (Argynnidæ) Melitaea arduinna ssp. avinovi Sheljuzhko, 1914, Dt. ent. Z., Iris 26: 20. figs. 2-5. Syntypes 3♂ 3♀: [Tadjikistan]: südwestl. Pamir: Ishkashim (in Bergen bei kishlak Njut).

1019. Melitaea (s.str.) avinovi avinovi Sheljuzhko, 1914 (Argynnidæ) Melitaea arduinna ssp. avinovi Sheljuzhko, 1914, Dt. ent.

Z., Iris 26: 20. figs. 2-5. Syntypes 3♂ 3♀: [Tadjikistan]: südwestl. Pamir: Ishkashim (in Bergen bei kishlak Njut).

1020. Melitaea (s.str.) balba Evans, 1912 (Argynnidæ) Melitaea (Melicta) sindura balba Evans, 1912, J. Bombay nat. Hist. Soc. 21: 582. Syntypes: [Pakistan]: Chitral.

1021. Melitaea (s.str.) balba balba Evans, 1912 (Argynnidæ) Melitaea (Melicta) sindura balba Evans, 1912, J. Bombay nat. Hist. Soc. 21: 582. Syntypes: [Pakistan]: Chitral.

1022. Melitaea (s.str.) cinxia (Linnaeus, 1758) (Argynnidæ) Papilio cinxia Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 480. Type(s): [Sweden (Verity, 1950)].

1023. Melitaea (s.str.) cinxia amardea Groum-Grshimailo, 1895 (Argynnidæ) Melitaea cinxia var. amardea Groum-Grshimailo, 1895, Horae Soc. ent. ross. 29: 291. Syntypes: [Iran]: Elburs (Demavend).

1024. Melitaea (s.str.) cinxia arelatia Fruhstorfer, 1910 (Argynnidæ) Melitaea cinxia ssp. arelatia Fruhstorfer, 1910, Ent. Z., Stuttgart 24: 144. Frankreich: Dauphine: La Grave.

1025. Melitaea (s.str.) cinxia atlantis Le Cerf, 1923 (Argynnidæ) Melitaea cinxia atlantis Le Cerf, 1923, Bull. Soc. ent. Fr. 1923: 224. Type(s): Morocco: Grand Atlas.

1026. Melitaea (s.str.) cinxia cinxia (Linnaeus, 1758) (Argynnidæ) Papilio cinxia Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 480. Type(s): [Sweden (Verity, 1950)].

1027. Melitaea (s.str.) cinxia clarissa Staudinger, 1901 (Argynnidæ) Melitaea cinxia var. clarissa Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 29, nr. 177c. Syntypes: [Türkei]: Antiochia, Mardin; Tura occident.

1028. Melitaea (s.str.) cinxia eupompe Hemming, 1933 (Argynnidæ) Melitaea cinxia eupompe Hemming, 1933, Entomologist 66: 276 (nomen novum pro algerica Oberthür, 1914 nec Heyne, [1893]). Type: Algeria: Sebdou.

1029. Melitaea (s.str.) cinxia pallidior Oberthür, 1909 (Argynnidæ) Melitaea cinxia pallidior Oberthür, 1909, Et. Lépid. comp 3: 234. Type(s): Alps.

1030. Melitaea (s.str.) cinxia pseudoclarissa De Sagarra, 1930 (Argynnidæ) Melitaea cinxia var. pseudoclarissa De Sagarra, 1930, Buttl. Inst. Catal. Hist. nat. 10: 114.

1031. Melitaea (s.str.) diamina (Lang, 1789) (Argynnidæ) Papilio diamina Lang, 1789, Verz. Schmett. Gegend Augsburg. (2): 44. Type(s): Deutschland: Heibron.

1032. Melitaea (s.str.) diamina alpestris Fruhstorfer, 1917 (Argynnidæ) Melitaea dictynna alpestris Fruhstorfer, 1917, Arch. Naturg. 82 (A) (2): 14. Syntypes: Southern Schweiz.

1033. Melitaea (s.str.) diamina badukensis Alberti, 1969 (Argynnidæ) Melitaea diamina ssp. badukensis Alberti, 1969, Dt. ent. Z. (N.F.) 16 (1/3): 193-194, Taf. I figs. 5a, 6a. Holotype ♂: [Russia]: Nordwestkaukasus: Baduksee, 2000m. (in coll. Alberti).

1034. Melitaea (s.str.) diamina codinai De Sagarra, 1932 (Argynnidæ) Melitaea diamina codinai Sagarra, 1932, Buttl. Inst. Catal. Hist. nat. 10: 115. Type: N. Spain, Tortosa.

1035. Melitaea (s.str.) diamina diamina (Lang, 1789) (Argynnidæ) Papilio diamina Lang, 1789, Verz. Schmett. Gegend Augsburg. (2): 44. Type(s): Deutschland: Heibron.

1036. Melitaea (s.str.) diamina erycina Lederer, 1853 (Argynnidæ) Melitaea dictynna var. erycina Lederer, 1853, Verh. zool.-bot. Ver. Wien 3: 357. Syntypes: Russia: Altai, Ustbuchtarmisnk an der Flusses Buchtarma.

1037. Melitaea (s.str.) diamina erycinides Staudinger, 1892 (Argynnidæ) Melitaea diamina var. erycinides Staudinger, 1892, Dt. ent. Z., Iris 5: 326. Syntypes: [Russia]: Kentei Mts.

1038. Melitaea (s.str.) diamina hebe (Borkhausen, 1793) (Argynnidæ) Papilio hebe Borkhausen, 1793, Rheinisches Mag. 1: 270 (nomen novum pro dictynna Esper).

1039. Melitaea (s.str.) diamina vernetensis Rondou, 1902 (Argynnidæ) Melitaea diamina var. vernetensis Rondou, 1902, Act. Soc. linn. Bordeaux 57: 24. Type(s): France: Pyrenees or., Vernet-les-Bains.

1040. Melitaea (s.str.) minerva Staudinger, 1881 (Argynnidæ) Melitaea minerva Staudinger, 1881, Stettin ent. Ztg. 42: 289. Syntypes ♂♂: [Kasachstan]: Dschungarischer Ala Tau.

1041. Melitaea (s.str.) minerva minerva Staudinger, 1881 (Argynnidæ) Melitaea minerva Staudinger, 1881, Stettin ent. Ztg. 42: 289. Syntypes ♂♂: [Kasachstan]: Dschungarischer Ala Tau.

1042. Melitaea (s.str.) minerva ssp. (Argynnidæ) Melitaea minerva ssp.: Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 166-167. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Panjao 1♂ between Surtu and top of Mt. Shah Fuladi, 5000m.

- 1043. *Melitaea (s.str.) pallas* Staudinger, 1886** (Argynnidæ) *Melitaea minerva* var. *pallas* Staudinger, 1886, Stettin ent. Ztg. 47: 235. Syntypes: Osch, Usgent, Namangan.
- 1044. *Melitaea (s.str.) pallas pallas* Staudinger, 1886** (Argynnidæ) *Melitaea minerva* var. *pallas* Staudinger, 1886, Stettin ent. Ztg. 47: 235. Syntypes: Osch, Usgent, Namangan.
- 1045. *Melitaea (s.str.) solona Alpheraky, 1881*** (Argynnidæ) *Melitaea solona* Alpheraky, 1881, Horae Soc. ent. ross. 16 (3/4): 404. Syntypes: "Kounguesse, Jouldousse". Lectotype ♂: [W.China: Uighur A.R.]: "Kounguesse valley" (Kouldja), designated by Churkin, et al., 2000.
- 1046. *Melitaea (s.str.) solona evadne* Hemming, 1934** (Argynnidæ) *Melitaea asteroida* evadne Hemming, 1934, Stylops 3: 98 (nomen novum pro *Melitaea asteroida* var. *pallida* Staudinger, 1901 nec *Melitaea pallida* Edwards, 1864). Syntypes: [Kirgizistan]: Osch, Issyk-Kul.
- 1047. *Melitaea (s.str.) solona solona* Alpheraky, 1881** (Argynnidæ) *Melitaea solona* Alpheraky, 1881, Horae Soc. ent. ross. 16 (3/4): 404. Syntypes: "Kounguesse, Jouldousse". Lectotype ♂: [W.China: Uighur A.R.]: "Kounguesse valley" (Kouldja), designated by Churkin, et al., 2000.
- 1048. *Melitaea (s.str.) sultanensis* Staudinger, 1886** (Argynnidæ) *Melitaea parthenie* var. *sultanensis* Staudinger, 1886, Stettin ent. Ztg. 47: 234-235. Syntypes: [Usbekistan]: Samarkand.
- 1049. *Melitaea (s.str.) sultanensis balbina* Tytler, 1926** (Argynnidæ) *Melitaea balba* ssp. *balbina* Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 583. [Pakistan]: Shandur Pass.
- 1050. *Melitaea (s.str.) sultanensis elisabethae* Avinoff, 1910** (Argynnidæ) *Melitaea elisabethae* Avinoff, 1910, Horae Soc. ent. ross. 39: 235. Syntypes: [Tadjikistan]: South Pamir.
- 1051. *Melitaea (s.str.) sultanensis gabrielae* Achtelik, 1999** (Argynnidæ) *Melitaea gabrielae* Achtelik, 1999, Atalanta 30 (1/4): 73-75, Taf. i, ii Abb. 7, 8. Holotype ♂: Tadjikistan: Darvar-Chorzatvscach. (MAKB).
- 1052. *Melitaea (s.str.) sultanensis sebastiani* Achtelik, 1999** (Argynnidæ) *Melitaea sebastiani* Achtelik, 1999, Atalanta 30 (1/4): 66-67, Taf. i, ii Abb. 3, 4. Holotype ♂: Kirghisia: Mt. Alai, Isfara Fluss 4000m. (MAKB).
- 1053. *Melitaea (s.str.) sultanensis sultanensis* Staudinger, 1886** (Argynnidæ) *Melitaea parthenie* var. *sultanensis* Staudinger, 1886, Stettin ent. Ztg. 47: 234-235. Syntypes: [Usbekistan]: Samarkand.
- 1054. *Melitaea (s.str.) turanica Erschoff, 1874*** (Argynnidæ) *Melitaea athalia* ab. *turanica* Erschoff, 1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 47, pl. 1, fig. 11, 12. Syntypes: [Uzbekistan]: Samarkand.
- 1055. *Melitaea (s.str.) turanica turanica* Erschoff, 1874** (Argynnidæ) *Melitaea athalia* ab. *turanica* Erschoff, 1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 47, pl. 1, fig. 11, 12. Syntypes: [Uzbekistan]: Samarkand.
- 1056. *Melitaea Fabricius, 1807*** (Argynnidæ) *Melitaea Fabricius*, 1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: *Papilio cinxia* Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 480, by subsequent designation by Westwood, 1840, Introd. Class. Ins. 2, syn.: 88.
- 1057. *Melitaea kuchi* Wyatt, 1961** (Argynnidæ) *Melitaea kuchi* Wyatt, 1961, J. Lepidopterist's Soc. 15(1): 7-8, figs. Holotype ♂: Afghanistan: N. of Koh-i-Baba Mts., Band-i-Amir, Hazarajat, 11500ft.
- 1058. *Melitaea kuchi kuchi* Wyatt, 1961** (Argynnidæ) *Melitaea kuchi* Wyatt, 1961, J. Lepidopterist's Soc. 15(1): 7-8, figs. Holotype ♂: Afghanistan: N. of Koh-i-Baba Mts., Band-i-Amir, Hazarajat, 11500ft.
- 1059. *Melitaea ludmilla* Churkin, Kolesnichenko & Tusov, 2000** (Argynnidæ) *Melitaea ludmilla* Churkin, Kolesnichenko & Tusov, 2000, Helios 1: 74. Holotype ♂: Kirgizistan: Kirghizsky Mts., Alamedin river, 3000-3200m.
- 1060. *Melitaea ludmilla ludmilla* Churkin, Kolesnichenko & Tusov, 2000** (Argynnidæ) *Melitaea ludmilla* Churkin, Kolesnichenko & Tusov, 2000, Helios 1: 74. Holotype ♂: Kirgizistan: Kirghizsky Mts., Alamedin river, 3000-3200m.
- 1061. *Melitaea paludani* Clench & Shoumatoff, 1956** (Argynnidæ) *Melitaea paludani* Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 166-167. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Marak, 4500m.
- 1062. *Melitaea paludani paludani* Clench & Shoumatoff, 1956** (Argynnidæ) *Melitaea paludani* Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 166-167. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Marak, 4500m.
- 1063. *Melitaea sarvistana* Wiltshire, 1941** (Argynnidæ) *Melitaea phoebe* ssp. *sarvistana* Wiltshire, 1941, J. Bombay nat. Hist. Soc. 42: 473-474, fig. 3. Holotype ♂: Iran: Sarvistan, south-east of the Shiraz Salt Lake (in coll. Wiltshire).
- 1064. *Melitaea sarvistana sarvistana* Wiltshire, 1941** (Argynnidæ) *Melitaea phoebe* ssp. *sarvistana* Wiltshire, 1941, J. Bombay nat. Hist. Soc. 42: 473-474, fig. 3. Holotype ♂: Iran: Sarvistan, south-east of the Shiraz Salt Lake (in coll. Wiltshire).
- 1065. *Mellicta* Billberg, 1820** (Argynnidæ) *Mellicta* Billberg, 1820, Enum. Ins. Mus. Billb.: 77. Type-species: *Papilio athalia* Rottemburg, 1775, Der Naturforscher 6: 5, by subsequent designation by Moore, [1901], Lep. ind. 5(49): 2.
- 1066. *Mellicta alatauca* (Staudinger, 1881)** (Argynnidæ) *Mellicta parthenie* var. *alatauca* Staudinger, 1881, Stettin ent. Ztg. 42: 291. Syntypes: [Kasachstan]: Dschungarischer Ala Tau.
- 1067. *Mellicta alatauca alatauca* (Staudinger, 1881)** (Argynnidæ) *Mellicta parthenie* var. *alatauca* Staudinger, 1881, Stettin ent. Ztg. 42: 291. Syntypes: [Kasachstan]: Dschungarischer Ala Tau.
- 1068. *Mellicta ambigua* (Ménétriés, 1859)** (Argynnidæ) *Melitaea athalia* var. *ambigua* Ménétriés, 1859, [in] Schrenk's Reisen und Forschungen in Amurland: 24, pl. 2 fig. 4. Type(s): [Russia]: Amurland: Djai [near Blagoveshchensk]. (Type lost (Higgins, 1955, Trans. R. ent. Soc. Lond. 106: 29)).
- 1069. *Mellicta ambigua ambigua* (Ménétriés, 1859)** (Argynnidæ) *Melitaea athalia* var. *ambigua* Ménétriés, 1859, [in] Schrenk's Reisen und Forschungen in Amurland: 24, pl. 2 fig. 4. Type(s): [Russia]: Amurland: Djai [near Blagoveshchensk]. (Type lost (Higgins, 1955, Trans. R. ent. Soc. Lond. 106: 29)).
- 1070. *Mellicta ambigua kenteana* (Seitz, 1909)** (Argynnidæ) *Melitaea athalia* kenteana Seitz, 1909, Die Gross-Schmett. Erde 1: 222, Taf. 67a. Type(s): Russia: Kentei Mts.
- 1071. *Mellicta asteria* (Freyer, 1828)** (Argynnidæ) *Melitaea asteria* Freyer, 1828, Beitr. eur. Schmett. 1: 115, pl. 36, fig. 1. Type: Chur.
- 1072. *Mellicta asteria asteria* (Freyer, 1828)** (Argynnidæ) *Melitaea asteria* Freyer, 1828, Beitr. eur. Schmett. 1: 115, pl. 36, fig. 1. Type: Chur.
- 1073. *Mellicta athalia* (Rottemburg, 1775)** (Argynnidæ) *Papilio athalia* Rottemburg, 1775, Naturforscher 6: 5. Type(s): [France: Paris].
- 1074. *Mellicta athalia athalia* (Rottemburg, 1775)** (Argynnidæ) *Papilio athalia* Rottemburg, 1775, Naturforscher 6: 5. Type(s): [France: Paris].
- 1075. *Mellicta athalia biedermani* (Querici, 1932)** (Argynnidæ) *Melitaea athalia* biedermani Querici, 1932, Mus. barcin. Sci. nat. Op. 16: 128. Holotype ♂: Portugal: Sierra de Estrela, Covilha (Mus. Cat. Barcelona).
- 1076. *Mellicta athalia boris* (Fruhstorfer, 1917)** (Argynnidæ) *Melitaea athalia* ssp. *boris* Fruhstorfer, 1917, Societas ent. 32: 19. Syntypes: Bulgaria: Rhodope Mts.
- 1077. *Mellicta athalia celadussa* (Fruhstorfer, 1910)** (Argynnidæ) *Melitaea athalia* ssp. *celadussa* Fruhstorfer, 1910, Societas ent. 25: 51. Syntypes 7♂♂: Frankreich: Alpes-Maritimes: Col de Tenda.
- 1078. *Mellicta athalia norvegica* (Aurivillius, 1888)** (Argynnidæ) *Melitaea athalia* var. *norvegica* Aurivillius, 1888, Nordens Fjärilar: 30. Type(s): Norway: Dovrefjeld.
- 1079. *Mellicta athalia reticulata* Higgins, 1955** (Argynnidæ) *Mellicta athalia* mod. *reticulata* Higgins, 1955, Trans. R. ent. Soc. Lond. 106: 21, pl. I fig. 12. Holotype ♂: [Russia]: Altai cent. mont.
- 1080. *Mellicta aurelia* (Nickerl, 1850)** (Argynnidæ) *Melitaea aurelia* Nickerl, 1850, Syn. Lepid. Fauna Bohmens: 12 (nom. nov. pro *parthenie* Bkh., 1788 nec Bergstr., 1780). Type(s): Germany: Breslau.
- 1081. *Mellicta aurelia aurelia* (Nickerl, 1850)** (Argynnidæ) *Melitaea aurelia* Nickerl, 1850, Syn. Lepid. Fauna Bohmens: 12 (nom. nov. pro *parthenie* Bkh., 1788 nec Bergstr., 1780). Type(s): Germany: Breslau.
- 1082. *Mellicta aurelia ciscaucasica* (Rjabov, 1926)** (Argynnidæ) *Melitaea aurelia* ssp. *ciscaucasica* Rjabov, 1926, Bull. Sci. Inst. expl. Reg. Cauc. Nord Vladicauc. 1: 291. Lectotype ♂: North Ossetia: Lars vill., Karda Fluss, designated by Nekrutenko, 1995 [in] Hesselbarth et al., 1995, Tagfalter der Türkei: 1061 (ZIMP).
- 1083. *Mellicta aurelia distans* Higgins, 1955** (Argynnidæ) *Mellicta aurelia* ssp. *distans* Higgins, 1955, Trans. R. ent. Soc. Lond. 106(1): 80-81, Pls. I, II fig. 13. Holotype ♂: [China: Uighur A.R.]: Tekkes valley, in the north-western Thian-Shan [Tengri Tagh], leg. Ledlow (BMNH).
- 1084. *Mellicta aurelia imitatrix* (Verity, 1932)** (Argynnidæ) *Melitaea parthenie* race *imitatrix* Verity, 1932, Entomologist's Rec. J. Var. 44: 28. Syntypes: Italy: Piedmont, Oulz, Monte Musine.
- 1085. *Mellicta britomartis* (Assmann, 1847)** (Argynnidæ) *Melitaea britomartis* Assmann, 1847, Ent. Z., Breslau Lep. (1) 1: 2. Type(s): Breslau.

- 1086. *Melicta britomartis amurensis* (Staudinger,1892)** (Argynnidæ) *Melicta aurelia* var. *amurensis* Staudinger,1892, [in] Romanoff, Mém. Lépid. 6: 186. Syntypes: Russia: Raddefskaja, Sutschan, Ussuri, Baikal.
- 1087. *Melicta britomartis aureliaeformis* (Verity,1917)** (Argynnidæ) *Melicta athalia aureliaeformis* Verity,1917, Boll. Soc. ent. ital. 48 (1916): 186, footnote. Type: Venaria, Turin.
- 1088. *Melicta britomartis britomartis* (Assmann,1847)** (Argynnidæ) *Melicta britomartis* Assmann,1847, Ent. Z., Breslau Lep. (1) 1: 2. Type(s): Breslau.
- 1089. *Melicta caucasogenita* Verity,1930** (Argynnidæ) *Melicta athalia caucasigenita* Verity,1930, Entomologist's Rec. J. Var. 42: 134 (nomen nov. pro *caucasica* Stgr.,1861).
- 1090. *Melicta caucasogenita caucasogenita* Verity,1930** (Argynnidæ) *Melicta athalia caucasigenita* Verity,1930, Entomologist's Rec. J. Var. 42: 134 (nomen nov. pro *caucasica* Stgr.,1861).
- 1091. *Melicta centralasiae* (Wnukowsky,1929)** (Argynnidæ) *Melicta aurelia* ssp. *centralasiae* Wnukowsky,1929, Zool. Anz. 83: 222 (nomen novum pro *Melicta aurelia* var. *mongolica* Staudinger,1892, Dt. ent. Z., Iris 5: 327 nec *Melicta maturna* var. *mongolica* Staudinger,1892, op.cit.,321). Syntypes: Russia: Kentei.
- 1092. *Melicta centralasiae centralasiae* (Wnukowsky,1929)** (Argynnidæ) *Melicta aurelia* ssp. *centralasiae* Wnukowsky,1929, Zool. Anz. 83: 222 (nomen novum pro *Melicta aurelia* var. *mongolica* Staudinger,1892, Dt. ent. Z., Iris 5: 327 nec *Melicta maturna* var. *mongolica* Staudinger,1892, op.cit.,321). Syntypes: Russia: Kentei.
- 1093. *Melicta deione* (Geyer,[1832])** (Argynnidæ) *Papilio deione* Geyer,[1832], Samml. eur. Schmett.: figs. 947-950. Syntypes: Swiss Alps (fide Hemming,A.F.).
- 1094. *Melicta deione berisalii* (Rühl,[1891])** (Argynnidæ) *Melicta athalia* var. *berisalii* Rühl,[1891], Die palaearkt. Grossschmett. Naturg. 1: 406. Type(s): Simplon.
- 1095. *Melicta deione deione* (Geyer,[1832])** (Argynnidæ) *Papilio deione* Geyer,[1832], Samml. eur. Schmett.: figs.947-950. Syntypes: Swiss Alps (fide Hemming,A.F.).
- 1096. *Melicta deione nitida* (Oberthür,1909)** (Argynnidæ) *Melicta deione nitida* Oberthür,1909, Et. lépid. comp. 3: 254; ibid. 10: 105, figs. 2305-2306. Syntypes: Algérie: Sebdu.
- 1097. *Melicta menetriesi* (Caradja,1895)** (Argynnidæ) *Melicta parthenie* var. *menetriesi* Caradja,1895, Dt. ent. Z., Iris 8: 50 (nomen novum pro *Melicta orientalis* Mén.,1859, Schrenk's Reisen und Forschungen in Amurland: 24, pl.2 fig.5; nec *Melicta orientalis* H.-S.,1843). Type(s): Kamschatka, Amur (Bouri).
- 1098. *Melicta menetriesi menetriesi* (Caradja,1895)** (Argynnidæ) *Melicta parthenie* var. *menetriesi* Caradja,1895, Dt. ent. Z., Iris 8: 50 (nomen novum pro *Melicta orientalis* Mén.,1859, Schrenk's Reisen und Forschungen in Amurland: 24, pl.2 fig.5; nec *Melicta orientalis* H.-S.,1843). Type(s): Kamschatka, Amur (Bouri).
- 1099. *Melicta parthenoides* (Keferstein,1851)** (Argynnidæ) *Melicta parthenoides* Keferstein,1851, Stettin ent. Ztg. 12: 244 (nomen novum pro *Argynnis parthenie* Godart,1819 nec *Papilio parthenie* Bergsträßer,1779). Syntypes: France: Havre, Auxerre and Chartres (cf. Verity).
- 1100. *Melicta parthenoides bolivari* (De Sagarra,1930)** (Argynnidæ) *Melicta parthenie* var. *bolivari* De Sagarra,1930, Buttl. Inst. Catal. Hist. nat. (2) 10: 115. Holotype ♂: Spain: San Rafael-Segovia (MCB).
- 1101. *Melicta parthenoides parthenoides* (Keferstein,1851)** (Argynnidæ) *Melicta parthenoides* Keferstein,1851, Stettin ent. Ztg. 12: 244 (nomen novum pro *Argynnis parthenie* Godart,1819 nec *Papilio parthenie* Bergsträßer,1779). Syntypes: France: Havre, Auxerre and Chartres (cf. Verity).
- 1102. *Melicta plotina* (Bremer,1861)** (Argynnidæ) *Melicta plotina* Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 465. Syntypes: Russia: Siberia.
- 1103. *Melicta plotina plotina* (Bremer,1861)** (Argynnidæ) *Melicta plotina* Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 465. Syntypes: Russia: Siberia.
- 1104. *Melicta protomedia* (Ménétriés,1858)** (Argynnidæ) *Melicta protomedia* Ménétriés,1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 214, nr.6. Type(s): Russia: Amur.
- 1105. *Melicta protomedia protomedia* (Ménétriés,1858)** (Argynnidæ) *Melicta protomedia* Ménétriés,1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 214, nr.6. Type(s): Russia: Amur.
- 1106. *Melicta rebeli* (Wnukowsky,1929)** (Argynnidæ) *Melicta asteria* ssp. *rebeli* Wnukowsky,1929, Zool. Anz. 83: 222 (nomen novum pro ssp. *altaica* Staudinger,1901, Cat. lepid. Palaearkt. Faunengeb. 3(1): 34; nec *M. didyma* ssp. *altaica* Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 127.
- 1107. *Melicta rebeli rebeli* (Wnukowsky,1929)** (Argynnidæ) *Melicta asteria* ssp. *rebeli* Wnukowsky,1929, Zool. Anz. 83: 222 (nomen novum pro ssp. *altaica* Staudinger,1901, Cat. lepid. Palaearkt. Faunengeb. 3(1): 34; nec *M. didyma* ssp. *altaica* Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 127.
- 1108. *Melicta varia* (Meyer-Dür,1851)** (Argynnidæ) *Melicta parthenie* var. *varia* Meyer-Dür,1851, Denkschr. allgem. schweiz. Ges. Naturf. 12: 133. Type(s): Schweiz: Graubünden Alpen.
- 1109. *Melicta varia varia* (Meyer-Dür,1851)** (Argynnidæ) *Melicta parthenie* var. *varia* Meyer-Dür,1851, Denkschr. allgem. schweiz. Ges. Naturf. 12: 133. Type(s): Schweiz: Graubünden Alpen.
- 1110. *Moduza jumaloni* (Schröder,1976)** (Argynnidæ) *Limenitis jumaloni* Schröder,1976, Ent. Z., Frankf. a. M. 86(24): 267-269, Abb.2. Holotype ♂: Philippinen: Negros or., Murcia.
- 1111. *Moduza jumaloni jumaloni* (Schröder,1976)** (Argynnidæ) *Limenitis jumaloni* Schröder,1976, Ent. Z., Frankf. a. M. 86(24): 267-269, Abb.2. Holotype ♂: Philippinen: Negros or., Murcia.
- 1112. *Moduza mata Moore,1858*** (Argynnidæ) *Limenitis mata* Moore,1858, Ann. Mag. nat. Hist. (3) 1: 48. Type: Manilla.
- 1113. *Moduza mata mata Moore,1858*** (Argynnidæ) *Limenitis mata* Moore,1858, Ann. Mag. nat. Hist. (3) 1: 48. Type: Manilla.
- 1114. *Moduza procris pausanias* (Staudinger,1889)** (Argynnidæ) *Limenitis pausanias* Staudinger,1889, Dt. ent. Z., Iris 2: 58. Syntypes: ♂♀: [Philippinen]: Palawan.
- 1115. *Neptis (Lasippa) illigera* (Eschscholtz,1821)** (Argynnidæ) *Neptis illigera* Eschscholtz, 1821, Kotzeb. Reise 3: 212, Pl.8 figs.17a,b. Type: Manilla.
- 1116. *Neptis (Lasippa) illigera illigera* (Eschscholtz,1821)** (Argynnidæ) *Neptis illigera* Eschscholtz, 1821, Kotzeb. Reise 3: 212, Pl.8 figs.17a,b. Type: Manilla.
- 1117. *Neptis (Pantoporia) Hübner,[1819]*** (Argynnidæ) *Pantoporia Hübner*,[1819], Verz. bekannt. Schmett. (3): 44. Type-species: *Papilio hordonia* Stoll,[1790], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 238.
- 1118. *Neptis (Pantoporia) cyrilla* (C.Felder & R.Felder,1863)** (Argynnidæ) *Neptis cyrilla* C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7: 114. Type: Luzon.
- 1119. *Neptis (Pantoporia) cyrilla cyrilla* (C.Felder & R.Felder,1863)** (Argynnidæ) *Neptis cyrilla* C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7: 114. Type: Luzon.
- 1120. *Neptis (Pantoporia) dama* (Moore,1858)** (Argynnidæ) *Athyma dama* Moore, 1858, Proc. zool. Soc. Lond. 1858: 19, Pl.51 fig.5. Type: Manila.
- 1121. *Neptis (Pantoporia) dama dama* (Moore,1858)** (Argynnidæ) *Athyma dama* Moore, 1858, Proc. zool. Soc. Lond. 1858: 19, Pl.51 fig.5. Type: Manila.
- 1122. *Neptis (Pantoporia) epira luzonensis* Eliot,1969** (Argynnidæ) *Pantoporia epira* ssp. *luzonensis* Eliot,1969, Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 15: 36, pl.3 fig.26. Holotype ♂: [Philippines]: N. Luzon: Lepanto (BMNH).
- 1123. *Neptis (s.str.) Fabricius,1807*** (Argynnidæ) *Neptis Fabricius*,1807, Mag. f. Insektenk. (Illiger) 6: 282. Type-species: *Papilio aceris* Esper,[1783], Die Schmett. 1(Bd.2) Forts. Tagschmett.: 142, pl.81, figs.3,4, by subsequent designation by Crotch,1872, Cistula ent. 1: 66.
- 1124. *Neptis (s.str.) alwina* (Bremer & Grey,1853)** (Argynnidæ) *Limenitis alwina* Bremer & Grey,1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 7-8, Tab.I fig.4. Type: China: [Pekin].
- 1125. *Neptis (s.str.) alwina alwina* (Bremer & Grey,1853)** (Argynnidæ) *Limenitis alwina* Bremer & Grey,1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 7-8, Tab.I fig.4. Type: China: [Pekin].
- 1126. *Neptis (s.str.) ananta Moore,[1858]*** (Argynnidæ) *Neptis ananta* Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 166, pl.4a fig.3.
- 1127. *Neptis (s.str.) ananta ananta Moore,[1858]*** (Argynnidæ) *Neptis ananta* Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 166, pl.4a fig.3.
- 1128. *Neptis (s.str.) cymela cymela* C.Felder & R.Felder,1863** (Argynnidæ) *Neptis cymela cymela* C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7(4): 112. Type ♀: Luzon.
- 1129. *Neptis (s.str.) goochii Trimen,1879*** (Argynnidæ) *Neptis goochii* Trimen,1879, Trans. ent. Soc. London 1879 (4): 336-337. Syntypes: South Africa: Natal: Little Umhlanga.
- 1130. *Neptis (s.str.) mahendra Moore,1872*** (Argynnidæ) *Neptis mahendra* Moore,1872, Proc. zool. Soc. Lond. 42: 560, pl.xxxii fig.3.

- 1131. *Neptis* (s.str.) *mahendra mahendra* Moore,1872** (Argynnidæ) *Neptis mahendra* Moore,1872, Proc. zool. Soc. Lond. 42: 560, pl.xxxii fig.3.
- 1132. *Neptis* (s.str.) *mindorana mindorana* C.Felder & R.Felder,1863** (Argynnidæ) *Neptis mindorana* C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7(4): 110. Type: Luzon.,
- 1133. *Neptis* (s.str.) *nashona aagaardi* Riley,1932** (Argynnidæ) *Neptis nashona* ssp. *aagaardi* Riley,1932, J. Siam Soc. nat. Hist. Suppl. 8: 249-250, pl.22 fig.6. Holotype ♂: [Thailand]: Chiangmai Prov., N. Siam, Doi Suthep (4500ft.) leg. C.J.Aagaard.
- 1134. *Neptis* (s.str.) *pampanga pampanga* C.Felder & R.Felder,1863** (Argynnidæ) *Neptis pampanga* Felder & Felder,1863, Wien. ent. Monatschr. 7(4): 111 Type: Luzon.,
- 1135. *Neptis* (s.str.) *philyra Ménétériés,1858*** (Argynnidæ) *Neptis philyra* Ménétériés,1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 214, nr.7. Syntypes: Russia: Amur.
- 1136. *Neptis* (s.str.) *philyra philyra* Ménétériés,1858** (Argynnidæ) *Neptis philyra* Ménétériés,1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 214, nr.7. Syntypes: Russia: Amur.
- 1137. *Neptis* (s.str.) *philyroides Staudinger,1887*** (Argynnidæ) *Neptis philyroides* Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 146. Syntypes: Russia: Radeffka: Philyra; Ussuri.
- 1138. *Neptis* (s.str.) *philyroides philyroides* Staudinger,1887** (Argynnidæ) *Neptis philyroides* Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 146. Syntypes: Russia: Radeffka: Philyra; Ussuri.
- 1139. *Neptis* (s.str.) *pratti* (Leech,1890)** (Argynnidæ) *Limnitis pratti* Leech,1890, Entomologist 23: 34. Type(s): China.
- 1140. *Neptis* (s.str.) *pratti coreana* (Matsumura,1927)** (Argynnidæ) *Limnitis pratti* ssp. *coreana* Matsumura,1927, Insecta Matsumura 1: 165-166, Pl.v f.14. Type ♀: Korea: Shokoji.
- 1141. *Neptis* (s.str.) *pratti eximia* (Moltrecht,1909)** (Argynnidæ) *Limnitis eximia* Moltrecht,1909, Ent. Z., Stuttgart 22: 184. Syntypes ♂♀: Russia: Wladiwostok.
- 1142. *Neptis* (s.str.) *pratti pratti* (Leech,1890)** (Argynnidæ) *Limnitis pratti* Leech,1890, Entomologist 23: 34. Type(s): China.
- 1143. *Neptis* (s.str.) *pryeri* Butler,1871** (Argynnidæ) *Neptis pryeri* Butler,1871, Trans. ent. Soc. Lond. 1871: 403. Type(s): China: Shanghai.
- 1144. *Neptis* (s.str.) *pryeri pryeri* Butler,1871** (Argynnidæ) *Neptis pryeri* Butler,1871, Trans. ent. Soc. Lond. 1871: 403. Type(s): China: Shanghai.
- 1145. *Neptis* (s.str.) *rivularis* (Scopoli,1763)** (Argynnidæ) *Papilio rivularis* Scopoli,1763, Entomologia Carniolica:165. Type(s): [Slovenien]: Carniola [Krain]; Graz(Austria) (Higgins & Riley,1970:83).
- 1146. *Neptis* (s.str.) *rivularis ludmilla* (Boisduval,1848)** (Argynnidæ) *Limnitis ludmilla* Boisduval,1848, Annls Soc. ent. Fr. (2) 6: xxix. Syntypes: pied du Caucase.
- 1147. *Neptis* (s.str.) *rivularis magnata* (Heyne,[1895])** (Argynnidæ) *Neptis lucilla* var. *magnata* Heyne,[1895], [in] Rühl, Die palaearkt. Grossschmett. 1: 776. Syntypes: Mongolei.
- 1148. *Neptis* (s.str.) *rivularis rivularis* (Scopoli,1763)** (Argynnidæ) *Papilio rivularis* Scopoli,1763, Entomologia Carniolica: 165. Type(s): [Slovenien]: Carniola [Krain]; Graz(Austria) (Higgins & Riley,1970:83).
- 1149. *Neptis* (s.str.) *sappho* (Pallas,1771)** (Argynnidæ) *Papilio sappho* Pallas,1771, Reise versch. Prov. russ. Reiches 1: 471. Type(s): Russia: Wolga.
- 1150. *Neptis* (s.str.) *sappho sappho* (Pallas,1771)** (Argynnidæ) *Papilio sappho* Pallas,1771, Reise versch. Prov. russ. Reiches 1: 471. Type(s): Russia: Wolga.
- 1151. *Neptis* (s.str.) *serena Overlaet,1955*** (Argynnidæ) *Neptis serena* Overlaet,1955, Exploration du Parc National de l'Upemba 27: 89, figs. 37a,b, 32. Holotype: Zaire: Kaziba.
- 1152. *Neptis* (s.str.) *serena annah* T.Larsen,1982** (Argynnidæ) *Neptis serena* ssp. *annah* Larsen,1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 31, pl.2 fig.5. Holotype ♂: yemen: Udayin, Wadi Annah, 1400m (BMNH).
- 1153. *Neptis* (s.str.) *serena serena* Overlaet,1955** (Argynnidæ) *Neptis serena* Overlaet,1955, Exploration du Parc National de l'Upemba 27: 89, figs. 37a,b, 32. Holotype: Zaire: Kaziba.
- 1154. *Neptis* (s.str.) *speyeri* Staudinger,1887** (Argynnidæ) *Neptis speyeri* Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 145, pl.7 figs.3a,b. Syntypes: Russia: Ussuri.
- 1155. *Neptis* (s.str.) *speyeri speyeri* Staudinger,1887** (Argynnidæ) *Neptis speyeri* Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 145, pl.7 figs.3a,b. Syntypes: Russia: Ussuri.
- 1156. *Neptis* (s.str.) *thisbe Ménétériés,1858*** (Argynnidæ) *Neptis thisbe* Ménétériés,1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 214, nr.8. Syntypes: Russia: Amur.
- 1157. *Neptis* (s.str.) *thisbe thisbe* Ménétériés,1858** (Argynnidæ) *Neptis thisbe* Ménétériés,1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 214, nr.8. Syntypes: Russia: Amur.
- 1158. *Neptis* (s.str.) *yerburii Butler,1886*** (Argynnidæ) *Neptis yerburii* Butler, 1886, Proc. zool. Soc. Lond. 1886: 360. Type ♂: [Pakistan]: Murree.
- 1159. *Neptis* (s.str.) *yerburii yerburii* Butler,1886** (Argynnidæ) *Neptis yerburii* Butler, 1886, Proc. zool. Soc. Lond. 1886: 360. Type ♂: [Pakistan]: Murree.
- 1160. *Neptis* *Fabricius,1807*** (Argynnidæ) *Neptis Fabricius*,1807, Mag. f. Insektenk. (Illiger) 6: 282. Type-species: *Papilio aceris* Esper,[1783], Die Schmett. 1(Bd.2) Forts. Tagschmett.: 142, pl.81, figs.3,4, by subsequent designation by Crotch,1872, Cistula ent. 1: 66.
- 1161. *Nymphalis* *Kluk,1802*** (Argynnidæ) *Nymphalis Kluk*,1802, Zwierr. Hist. nat. pocz. gospod. 4: 86. Type-species: *Papilio polychloros* Linnaeus,1758, Syst. Nat. (Ed.10)1: 477, by subsequent designation by Hemming, 1933, Entomologist 66: 223.
- 1162. *Nymphalis antiopa* (Linnaeus,1758)** (Argynnidæ) *Papilio antiopa* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 476. Type(s): America.
- 1163. *Nymphalis antiopa antiopa* (Linnaeus,1758)** (Argynnidæ) *Papilio antiopa* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 476. Type(s): America.
- 1164. *Nymphalis polychloros* (Linnaeus,1758)** (Argynnidæ) *Papilio polychloros* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 477. Type(s): [Sweden (Verity,1950)].
- 1165. *Nymphalis polychloros polychloros* (Linnaeus,1758)** (Argynnidæ) *Papilio polychloros* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 477. Type(s): [Sweden (Verity,1950)].
- 1166. *Nymphalis vaualbum* ([Denis & Schiffermüller],1775)** (Argynnidæ) *Papilio vaualbum* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wiener Gegend: 176. (nomen nudum).
- 1167. *Nymphalis vaualbum vaualbum* ([Denis & Schiffermüller],1775)** (Argynnidæ) *Papilio vaualbum* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wiener Gegend: 176. (nomen nudum).
- 1168. *Nymphalis xanthomelas* (Esper,[1781])** (Argynnidæ) *Papilio xanthomelas* Esper,[1781], Die Schmett. 1(2): 77, pl.63, fig.4. Type(s): Wien.
- 1169. *Nymphalis xanthomelas ferveens* (Stichel,[1908])** (Argynnidæ) *Vanessa xanthomelas ferveens* Stichel,1908, [in] Seitz,A., Die Gross-Schmett. Erde 1: 205. Type(s): "Kleinasien bis zum Himalaya"(pro *fervida* Staudinger,1901 nec Standfuss,1896). Lectotype ♂: [Türkei]: Hadjin (designated by Wagener,1995: 1012 (in ZMHB)).
- 1170. *Nymphalis xanthomelas xanthomelas* (Esper,[1781])** (Argynnidæ) *Papilio xanthomelas* Esper,[1781], Die Schmett. 1(2): 77, pl.63, fig.4. Type(s): Wien.
- 1171. *Paduca fasciata* (C.Felder & R.Felder,1860)** (Argynnidæ) *Atella fasciata* Felder & Felder, 1860, Wien. ent. Monatschr. 4: 234.
- 1172. *Paduca fasciata fasciata* (C.Felder & R.Felder,1860)** (Argynnidæ) *Atella fasciata* C.Felder & R.Felder, 1860, Wien. ent. Monatschr. 4: 234.
- 1173. *Phalanta* *Horsfield,[1829]*** (Argynnidæ) *Phalanta* Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): pl.7. Type-species: *Papilio phalantha* Drury,[1773], by monotypy.
- 1174. *Phalanta phalantha* (Drury,[1773])** (Argynnidæ) *Papilio phalantha* Drury,[1773], Ill. ex. Ent. 2: Pl. 21 figs. 1,2. Syntypes: India.
- 1175. *Phalanta phalantha aethiopica* (Rothschild & Jordan,1903)** (Argynnidæ) *Atella phalantha* ssp. *aethiopica* Rothschild & Jordan,1903, Novit. zool. 10: 505. [Ethiopia]: Gillet Mt., Somaliland.
- 1176. *Phalanta phalantha granti* (Rothschild & Jordan,1903)** (Argynnidæ) *Atella phalantha* ssp. *granti* Rothschild & Jordan,1903, Novit. zool. 10: 505. Syntypes 2♂: [Yemen]: Sokotra.
- 1177. *Phalanta phalantha phalantha* (Drury,[1773])** (Argynnidæ) *Papilio phalantha* Drury,[1773], Ill. ex. Ent. 2: Pl. 21 figs. 1,2. Syntypes: India.
- 1178. *Polygonia* (Comma) *Rennie,1832*** (Argynnidæ) *Comma Rennie*,1832, Conspectus Butts Moths: 8. Type-species: *Papilio c-album* Linnaeus,1758, by monotypy.
- 1179. *Polygonia* (Comma) *c-album* (Linnaeus,1758)** (Argynnidæ) *Papilio c-album* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 477. Type(s): [Sweden (Verity,1950)].

- 1180. Polygonia (Comma) c-album c-album (Linnaeus,1758)** (Argynnidæ) Papilio c-album Linnaeus,1758, Syst. Nat. (Edn.10) 1: 477. Type(s): [Sweden (Verity,1950)].
- 1181. Polygonia (Comma) egea (Cramer,[1775])** (Argynnidæ) Papilio egea Cramer,[1775], Uitl. Kapellen 1: 124; Pl. 78 figs.C,D. Syntypes: [Turkey]: [Istanbul]: Constantinopel; [İzmir]: Smyrna (nec Polygonia egea Fabricius,1775; cf. ICZN Art. 58, Opinion 516).
- 1182. Polygonia (Comma) egea egea (Cramer,[1775])** (Argynnidæ) Papilio egea Cramer,[1775], Uitl. Kapellen 1: 124; Pl. 78 figs.C,D. Syntypes: [Turkey]: [Istanbul]: Constantinopel; [İzmir]: Smyrna (nec Papilio egea Fabricius,1775; cf. ICZN Art. 58, Opinion 516).
- 1183. Polygonia (Comma) interposita Staudinger,1881** (Argynnidæ) Polygonia c-album var. interposita Staudinger,1881, Stettin ent. Ztg. 42: 286. Syntypes: [Kasachstan]: [Dschungarischer Alatau]: Lepsa.
- 1184. Polygonia (Comma) interposita interposita Staudinger,1881** (Argynnidæ) Polygonia c-album var. interposita Staudinger,1881, Stettin ent. Ztg. 42: 286. Syntypes: [Kasachstan]: [Dschungarischer Alatau]: Lepsa.
- 1185. Polygonia (Comma) tibetana Elwes,1888** (Argynnidæ) Polygonia c-album var. tibetana Elwes,1888, Trans. ent. Soc. Lond. 1888: 197, Pl.10 fig.1. Type(s): China: Tibet.
- 1186. Polygonia (Comma) tibetana tibetana Elwes,1888** (Argynnidæ) Polygonia c-album var. tibetana Elwes,1888, Trans. ent. Soc. Lond. 1888: 197, Pl.10 fig.1. Type(s): China: Tibet.
- 1187. Polygonia (Comma) undina (Groum-Grshimailo,1890)** (Argynnidæ) Vanessa undina Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 424, pl.17 fig.1. Syntypes: [Kirghizistan]: Oche [Osch].
- 1188. Polygonia (Comma) undina undina (Groum-Grshimailo,1890)** (Argynnidæ) Vanessa undina Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 424, pl.17 fig.1. Syntypes: [Kirghizistan]: Oche [Osch].
- 1189. Polygonia (s.str.) c-aureum (Linnaeus,1758)** (Argynnidæ) Papilio c-aureum Linnaeus,1758, Syst. Nat. (Edn.10) 1: 477.
- 1190. Polygonia (s.str.) c-aureum c-aureum (Linnaeus,1758)** (Argynnidæ) Papilio c-aureum Linnaeus,1758, Syst. Nat. (Edn.10) 1: 477.
- 1191. Polygonia Hübner,[1819]** (Argynnidæ) Polygonia Hübner,[1819], Verz. bekannt. Schmett. (3):36. Type-species: Papilio c-aureum Linnaeus,1758, Syst. Nat. (Edn.10)1: 477, by subsequent designation by Scudder,1872, 4th Ann. Rep. Peabody Acad. Arts Sci. 1872: 30.
- 1192. Polyura Billberg,1820** (Argynnidæ) Polyura Billberg,1820, Enum. Ins. Mus. Billb.: 79. Type-species: Papilio pyrrhus Linnaeus,1758, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 255.
- 1193. Polyura athamas (Drury,[1773])** (Argynnidæ) Papilio athamas Drury,[1773], Ill. ex. Ent. 2: Pl.2 fig.4. Type(s): India.
- 1194. Polyura athamas athamas (Drury,[1773])** (Argynnidæ) Papilio athamas Drury,[1773], Ill. ex. Ent. 2: Pl.2 fig.4. Type(s): India.
- 1195. Polyura dolon (Westwood,1848)** (Argynnidæ) Charaxes dolon Westwood,1848, Cabinet Orient. Ent.: 55, pl.27 figs.2,3. Type(s): Sikkim.
- 1196. Polyura dolon dolon (Westwood,1848)** (Argynnidæ) Charaxes dolon Westwood,1848, Cabinet Orient. Ent.: 55, pl.27 figs.2,3. Type(s): Sikkim.
- 1197. Precis (Junonia) almana (Linnaeus,1758)** (Argynnidæ) Papilio almana Linnaeus,1758, Syst. Nat. (Edn.10) 1: 472. Type(s): Asia.
- 1198. Precis (Junonia) almana almana (Linnaeus,1758)** (Argynnidæ) Papilio almana Linnaeus,1758, Syst. Nat. (Edn.10) 1: 472. Type(s): Asia.
- 1199. Precis (Junonia) atlites (Linnaeus,1763)** (Argynnidæ) Papilio atlites Linnaeus,1763, Amoen. Acad. 6: 407.
- 1200. Precis (Junonia) chorimene (Guérin-Ménéville,[1844])** (Argynnidæ) Vanessa chorimene Guérin-Ménéville,[1844], Icon. règne anim. G. Cuvier, Ins.: 476. Type(s): Sénégal: les bords de la riviere Casamance.
- 1201. Precis (Junonia) chorimene chorimene (Guérin-Ménéville,[1844])** (Argynnidæ) Vanessa chorimene Guérin-Ménéville,[1844], Icon. règne anim. G. Cuvier, Ins.: 476. Type(s): Sénégal: les bords de la riviere Casamance.
- 1202. Precis (Junonia) hedonia (Linnaeus,1764)** (Argynnidæ) Papilio hedonia Linnaeus,1764, Mus. Ulr.: 279. Type: ?Malayana.
- 1203. Precis (Junonia) hedonia hedonia (Linnaeus,1764)** (Argynnidæ) Papilio hedonia Linnaeus,1764, Mus. Ulr.: 279. Type: ?Malayana.
- 1204. Precis (Junonia) hedonia ida (Cramer,[1775])** (Argynnidæ) Papilio ida Cramer,[1775], Uitl. Kapellen 1: Pl.42 C,D; Stoll, [1782], ibidem 4: Pl. 374 C,D. Syntypes: Java, Penang.
- 1205. Precis (Junonia) hierta (Fabricius,1798)** (Argynnidæ) Papilio hierta Fabricius,1798, Suppl. ent. syst.: 424. Type(s): [China]: Lingting.
- 1206. Precis (Junonia) hierta cebrene Trimen,1870** (Argynnidæ) Junonia crebrene Trimen,1870, Trans. ent. Soc. Lond. 1870: 353. Type(s): South Africa: Basuto-land.
- 1207. Precis (Junonia) hierta hierta (Fabricius,1798)** (Argynnidæ) Papilio hierta Fabricius,1798, Suppl. ent. syst.: 424. Type(s): [China]: Lingting.
- 1208. Precis (Junonia) iphita (Cramer,[1779])** (Argynnidæ) Papilio iphita Cramer,[1779], Uitl. Kapellen 3: pl.209, figs.C,D.
- 1209. Precis (Junonia) iphita adelaida (Staudinger,1889)** (Argynnidæ) Precis iphita var? adelaida Staudinger,1889, Dt. ent. Z., Iris 2: 51-52. Syntypes: 100♂♂: [Philippinen]: Palawan.
- 1210. Precis (Junonia) iphita iphita (Cramer,[1779])** (Argynnidæ) Papilio iphita Cramer,[1779], Uitl. Kapellen 3: pl.209, figs.C,D.
- 1211. Precis (Junonia) limnoria (Klug,1845)** (Argynnidæ) Vanessa limnoria Klug,1845, [in] Ehrenberg, Symb. Phys. Ins. 1: Pl.48 figs. 6,7. Type(s): In Arabia felici.
- 1212. Precis (Junonia) limnoria limnoria (Klug,1845)** (Argynnidæ) Vanessa limnoria Klug,1845, [in] Ehrenberg, Symb. Phys. Ins. 1: Pl.48 figs. 6,7. Type(s): In Arabia felici.
- 1213. Precis (Junonia) limnoria niveitictus Gabriel,1954** (Argynnidæ) Precis limnoria ssp. niveitictus Gabriel,1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 361, pl.xviii fig.3. Holotype ♂: Yemen: Western Aden Protectorate: Jebel Harir, 5200ft. (BMHN).
- 1214. Precis (Junonia) oenone (Linnaeus,1758)** (Argynnidæ) Papilio oenone Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Type(s): Asia.
- 1215. Precis (Junonia) oenone oenone (Linnaeus,1758)** (Argynnidæ) Papilio oenone Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Type(s): Asia.
- 1216. Precis (Junonia) orithya (Linnaeus,1758)** (Argynnidæ) Papilio orithya Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Type(s): India.
- 1217. Precis (Junonia) orithya cheesmani Riley,1925** (Argynnidæ) Precis orithya ssp. cheesmani Riley,1925, Ann. Mag. nat. Hist. (9) 15: 151, pl.10, figs.5,6. Holotype: Saudi Arabia: Hufuf.
- 1218. Precis (Junonia) orithya here (Lang,1884)** (Argynnidæ) Junonia here Lang,1884, Entomologist 17: 207. Syntypes: [Yemen]: Aden.
- 1219. Precis (Junonia) orithya madagascariensis Guenée,1865** (Argynnidæ) Precis madagascariensis Guenée,1865, [in] Vinson, Voy. Madag.: 37.
- 1220. Precis (Junonia) orithya orithya (Linnaeus,1758)** (Argynnidæ) Papilio orithya Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Type(s): India.
- 1221. Precis (Junonia) orithya swinhoei (Butler,1885)** (Argynnidæ) Junonia swinhoei Butler,1885, Ann. Mag. nat. Hist. 1885: 308.
- 1222. Precis (s.str.) tugela Trimen,1879** (Argynnidæ) Precis tugela Trimen,1879, Trans. ent. Soc. London 1879 (4): 334-336. Syntypes 1♂ 2♀: South Africa: Natal: Krantz kop, Tunjumbili; Transvaal: Leydenburg [Lydenburg].
- 1223. Precis (s.str.) tugela tugela Trimen,1879** (Argynnidæ) Precis tugela Trimen,1879, Trans. ent. Soc. London 1879 (4): 334-336. Syntypes 1♂ 2♀: South Africa: Natal: Krantz kop, Tunjumbili; Transvaal: Leydenburg [Lydenburg].
- 1224. Precis Hübner,[1819]** (Argynnidæ) Precis Hübner,[1819], Verz. bekannt. Schmett. (3): 33. Type-species: Papilio octavia Cramer,[1777], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 256.
- 1225. Pseudacraea acholica Riley,1932** (Argynnidæ) Pseudacraea acholica Riley,1932, Ann. Mag. nat. Hist. (10) 10: 139-140, pl.viii fig. 1. Holotype ♂: South Sudan: Mongalla Prov., Lotti (Acholi Hills) (Major F. Moysey leg.) (BMNH).
- 1226. Pseudacraea acholica acholica Riley,1932** (Argynnidæ) Pseudacraea acholica Riley,1932, Ann. Mag. nat. Hist. (10) 10: 139-140, pl.viii fig. 1. Holotype ♂: South Sudan: Mongalla Prov., Lotti (Acholi Hills) (Major F. Moysey leg.) (BMNH).
- 1227. Pseudergolis C.Felder & R.Felder,[1867]** (Argynnidæ) Pseudergolis C.Felder & R.Felder,[1867], Reise Fregatte "Novarra", lep., Rhop. (3): 404. Type-species: Pseudergolis avesta Felder & Felder,[1867], by monotypy.

- 1228. *Pseudergolis wedah* (Kollar,[1844])** (Argynnidæ) Ariadne wedah Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 437. Type(s): Kaschmir.
- 1229. *Pseudergolis wedah wedah* (Kollar,[1844])** (Argynnidæ) Ariadne wedah Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 437. Type(s): Kaschmir.
- 1230. *Pseudohypolimnas* Moore,[1898]** (Argynnidæ) Pseudohypolimnas Moore,[1898], Lepid. ind. 3(32): 146. Type-species: *Athyma punctata* Leech, 1890, by original designation.
- 1231. *Rohana parisatis siamensis* (Fruhstorfer,1913)** (Argynnidæ) *Apatura parisatis* ssp. *siamensis* Fruhstorfer, 1913, [in] Seitz, Gross-Schmett. Erde 9: 698, pl. 115a. Type: Siam.
- 1232. *Rohana rhea rhea* (C.Felder & R.Felder,1863)** (Argynnidæ) *Apatura rhea* C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7: 120.
- 1233. *Salamis Boisduval*,1833** (Argynnidæ) *Salamis* Boisduval, 1833, Nouv. Ann. Mus. Hist. nat., Paris 2 (2): 194. Type-species: *Salamis angustina* Boisduval, 1833, by monotypy.
- 1234. *Salamis anacardii* (Linnaeus,1758)** (Argynnidæ) *Papilio anacardii* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 467. Type(s): [West Africa].
- 1235. *Salamis anacardii anacardii* (Linnaeus,1758)** (Argynnidæ) *Papilio anacardii* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 467. Type(s): [West Africa].
- 1236. *Salamis anacardii nebulosa* Trimen,1881** (Argynnidæ) *Salamis nebulosa* Trimen, 1881, Trans. ent. Soc. London 1881 (3): 441-443. Syntypes 1 ♂ 2 ♀: South Africa: St. Lucia Bay, in Zululand (Colonel H. Tower leg.).
- 1237. *Sephisa* Moore,1882** (Argynnidæ) *Sephisa* Moore, 1882, Proc. zool. Soc. Lond. 1882: 240. Type-species: *Limenitis dichroa* Kollar,[1844], by designation through Section (i) (replacement names) of Article 67.
- 1238. *Sephisa dichroa* (Kollar,[1844])** (Argynnidæ) *Limenitis dichroa* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 429, Taf.8 figs.1,2. Type(s): Kaschmir.
- 1239. *Sephisa dichroa dichroa* (Kollar,[1844])** (Argynnidæ) *Limenitis dichroa* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 429, Taf.8 figs.1,2. Type(s): Kaschmir.
- 1240. *Sephisa princeps* (Fixsen,1887)** (Argynnidæ) *Apatura princeps* Fixsen, 1887, [in] Romanoff, Mém. lépid. 3: 289. Type(s): Korea: "Pung-Tung".
- 1241. *Sephisa princeps princeps* (Fixsen,1887)** (Argynnidæ) *Apatura princeps* Fixsen, 1887, [in] Romanoff, Mém. lépid. 3: 289. Type(s): Korea: "Pung-Tung".
- 1242. *Sevenia Koçak*,1996** (Argynnidæ) *Sevenia* Koçak, 1996, Cent. ent. Stud., Misc. Pap. 27/28: 13. Type-species: *Crenis madagascariensis* Boisduval, 1833, by original designation (nomen novum pro *Sallya* Hemming, 1964 nec Yochelson, 1956).
- 1243. *Sevenia morantii* (Trimen,1881)** (Argynnidæ) *Crenis morantii* Trimen, 1881, Trans. ent. Soc. London 1881 (3): 439-441. Monotype ♀: South Africa: Pinetown (Natal) (W. Morant leg.).
- 1244. *Sevenia morantii morantii* (Trimen,1881)** (Argynnidæ) *Crenis morantii* Trimen, 1881, Trans. ent. Soc. London 1881 (3): 439-441. Monotype ♀: South Africa: Pinetown (Natal) (W. Morant leg.).
- 1245. *Siproeta trayja Hübner*,[1823]** (Argynnidæ) *Siproeta trayja* Hübner,[1823], Samml. exot. Schmett. 2. pl.[48].
- 1246. *Stibochiona* Butler,[1869]** (Argynnidæ) *Stibochiona* Butler,[1869], Proc. zool. Soc. Lond. 1868 (3): 614. Type-species: *Hypolimnas coresia* Hübner,[1826], by original designation.
- 1247. *Stibochiona nicea* (Gray,1846)** (Argynnidæ) *Adolias nicea* Gray, 1846, Descriptions and figures of some new lepidopterous insects chiefly from Nepaul: 13, t.12 fig.1. Syntypes: Nepaul.
- 1248. *Stibochiona nicea nicea* (Gray,1846)** (Argynnidæ) *Adolias nicea* Gray, 1846, Descriptions and figures of some new lepidopterous insects chiefly from Nepaul: 13, t.12 fig.1. Syntypes: Nepaul.
- 1249. *Symbrenthia Hübner*,[1819]** (Argynnidæ) *Symbrenthia* Hübner,[1819], Verz. bekannt. Schmett. (3): 43. Type-species: *Symbrenthia hippocle* Hübner,[1819], by monotypy.
- 1250. *Symbrenthia hypselis* (Godart,[1824])** (Argynnidæ) *Vanessa hypselis* Godart,[1824], [in] Latreille & Godart, Ency. Méth. [Zool.] 9 (suppl.): 818.
- 1251. *Symbrenthia hypselis hypselis* (Godart,[1824])** (Argynnidæ) *Vanessa hypselis* Godart,[1824], [in] Latreille & Godart, Ency. Méth. [Zool.] 9 (suppl.): 818.
- 1252. *Symbrenthia niphanda* Moore,1872** (Argynnidæ) *Symbrenthia niphanda* Moore, 1872, Proc. zool. Soc. Lond. 1872: 559. Syntypes: Sikkim.
- 1253. *Symbrenthia niphanda niphanda* Moore,1872** (Argynnidæ) *Symbrenthia niphanda* Moore, 1872, Proc. zool. Soc. Lond. 1872: 559. Syntypes: Sikkim.
- 1254. *Tacola larymna negrosiana* (Schröder & Treadaway,1988)** (Argynnidæ) *Athyma larymna negrosiana* Schröder & Treadaway, 1988, Ent. Z., Frankf. a. M. 98: 314, Abb. 1. Holotypus ♀: Philippinen: Negros: Mambucal, 2000ft.
- 1255. *Tanaecia lupina howarthi* Jumalon,1975** (Argynnidæ) *Tanaecia howarthi* Jumalon, 1975, Trans. Lep. Soc. Jap. 26 (2): 56. Holotype: Philippines: Negros Isl.
- 1256. *Tarratia gutama* (Moore,1858)** (Argynnidæ) *Athyma gutama* Moore, 1858, Proc. zool. Soc. Lond. 1858: 20, Pl.51 fig. 7. Type: Manilla.
- 1257. *Tarratia gutama gutama* (Moore,1858)** (Argynnidæ) *Athyma gutama* Moore, 1858, Proc. zool. Soc. Lond. 1858: 20, Pl.51 fig. 7. Type: Manilla.
- 1258. *Terinos clarissa lucia* Staudinger,1889** (Argynnidæ) *Terinos lucilla* var. *lucia* Staudinger, 1889, Dt. ent. Z., Iris 2: 45-46. Syntypes: [Philippinen]: Palawan.
- 1259. *Thaleropsis Staudinger*,1871** (Argynnidæ) *Thaleropsis* Staudinger, 1871, [in] Staudinger & Wocke, Cat. Lepid. eur. Faunengeb. (2): 17. Type-species: *Vanessa ionia* Fischer de Waldheim & Eversmann, 1851, Entomographia Imp. ross. 5: 111, pl.13, figs.1,2, by monotypy.
- 1260. *Thaleropsis ionia* (Eversmann,1851)** (Argynnidæ) *Vanessa ionia* Eversmann, 1851, [in] Fischer de Waldheim & Eversmann, Entomographia Imp. ross. 5: 111, pl.13, figs.1,2. Lectotype ♂: [Turkey]: Amasia (Nekrutenko, 1995 [in] Hesselbarth et al., Die Tagfalter der Türkei: 970).
- 1261. *Thaleropsis ionia ionia* (Eversmann,1851)** (Argynnidæ) *Vanessa ionia* Eversmann, 1851, [in] Fischer de Waldheim & Eversmann, Entomographia Imp. ross. 5: 111, pl.13, figs.1,2. Lectotype ♂: [Turkey]: Amasia (Nekrutenko, 1995 [in] Hesselbarth et al., Die Tagfalter der Türkei: 970).
- 1262. *Timelea maculata* (Bremer & Grey,1852)** (Argynnidæ) *Melitaea maculata* Bremer & Grey, 1852, [in] Motschulsky, Etüd. Ent. 1: 59.
- 1263. *Vagrans sinha* (Kollar,[1844])** (Argynnidæ) *Terinos sinha* Kollar,[1844], [in] Hügel, Kaschmir 4(2): 438.
- 1264. *Vagrans sinha sinha* (Kollar,[1844])** (Argynnidæ) *Terinos sinha* Kollar,[1844], [in] Hügel, Kaschmir 4(2): 438.
- 1265. *Vanessa Fabricius*,1807** (Argynnidæ) *Vanessa* Fabricius, 1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: *Papilio atalanta* Linnaeus, 1758, Syst. Nat. (Ed.10) 1: 478, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 354, 440.
- 1266. *Vanessa atalanta* (Linnaeus,1758)** (Argynnidæ) *Papilio atalanta* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 478. Type(s): [Sweden (Verity, 1950)].
- 1267. *Vanessa atalanta atalanta* (Linnaeus,1758)** (Argynnidæ) *Papilio atalanta* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 478. Type(s): [Sweden (Verity, 1950)].
- 1268. *Vanessa atalanta rubria* (Fruhstorfer,1909)** (Argynnidæ) *Pyrameis atalanta rubria* Fruhstorfer, 1909, Int. ent. Z. 3: 44. Lectotype ♂: "Mexico", designated by Field, 1971, Smithsonian Contr. zool. 84: 17 (MNH).
- 1269. *Vanessa indica* (Herbst,1794)** (Argynnidæ) *Papilio atalanta indica* Herbst, 1794, [in] Jablonsky, Natursyst. Ins. (Schmett.) 7: Taf.180, figs. 1,2. Type(s): India bor.
- 1270. *Vanessa indica indica* (Herbst,1794)** (Argynnidæ) *Papilio atalanta indica* Herbst, 1794, [in] Jablonsky, Natursyst. Ins. (Schmett.) 7: Taf.180, figs. 1,2. Type(s): India bor.
- 1271. *Vanessa samani* Hagen,1896** (Argynnidæ) *Vanessa samani* Hagen, 1896, Dt. ent. Z., Iris 9: 165. Type: Sumatra.
- 1272. *Vanessa vulcania* Godart,[1819]** (Argynnidæ) *Vanessa vulcania* Godart,[1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 320. Type(s): Canaries.
- 1273. *Vanessa vulcania vulcania* Godart,[1819]** (Argynnidæ) *Vanessa vulcania* Godart,[1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 320. Type(s): Canaries.
- 1274. *Zalapia* Moore,[1897]** (Argynnidæ) *Zalapia* Moore,[1897], Lepid. ind. 3(27): 49. Type-species: *Adolias patala* Kollar,[1844], by original designation.
- 1275. *Zalapia patala* (Kollar,[1844])** (Argynnidæ) *Adolias patala* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 435. Type(s): Kaschmir.

- 1276. *Zalapia patala patala* (Kollar,[1844])** (Argynnidae) Adolias patala Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 435. Type(s): Kaschmir.
- 1277. *Amselina emir* (Gozmany,1961)** (Autostichidae) Eremica emir Gozmany,1961, Acta zool. Acad. Sci. Hung. 7 (1/2): 104-106, fig.s Holotype ♂: [Turkey]: Ak-chehir, Tschiftlik.
- 1278. *Amselina minorita* (Gozmany,1968)** (Autostichidae) Eremicamima minorita Gozmany,1968, Z. Wien. ent. Ges. 53: 24-26, fig.3. Holotype ♂: [Türkei]: Anatolia: Egridir, 1600m. 27-28.7.63, leg. Arenberger (NHMW).
- 1279. *Amselina olympi* (Gozmany,1957)** (Autostichidae) Symmoca olympi Gozmany,1957, Annls. hist.- nat. Mus. nat. hung. (N.S.) 8: 337. Holotype: Turkey: Bolu.
- 1280. *Amselina parapsesta* Gozmany,1986** (Autostichidae) Amselina parapsesta Gozmany,1986, Entomofauna 7(14): 204-205, figs.4,5. Holotype ♂: [Turkey]: Asia min. [Ankara]: Kizilcahamam (NHMW).
- 1281. *Apiletria (Aretascetis) Meyrick,1936*** (Autostichidae) Aretascetis Meyrick,1936, Exot. Micr. 5: 47. Type-species: Aretascetis endopercna Meyrick,1936, by original designation.
- 1282. *Apiletria (Aretascetis) apaurta* Gozmany,1965** (Autostichidae) Apiletria apaurta Gozmany,1965, Acta zool. Hung. 11: 118-119. Type ♀: [Iraq]: Rayat leg. Wiltshire (Tring Museum).
- 1283. *Apiletria (Aretascetis) endopercna* (Meyrick,1936)** (Autostichidae) Aretascetis endopercna Meyrick,1936, Exot. Microlepid. 5: 47. Syntypes 7♂♂: Iraq: Mosul desert, Diana, Rayat, Bagdad.
- 1284. *Apiletria (Aretascetis) purulentella* Stainton,1867** (Autostichidae) Apiletria purulentella Stainton,1867, Tineina Syria Asia Minor: 43-44. Lectotype ♂: Palestine: Plains of Jordan (BMNH).
- 1285. *Apiletria (Xystoceros) Meyrick,1914*** (Autostichidae) Xystoceros Meyrick,1914, Exot. Micr. 1: 253. Type-species: Xystoceros tripleura Meyrick,1914, by original designation.
- 1286. *Apiletria (s.str.) Lederer,1855*** (Autostichidae) Apiletria Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 231. Type-species: Apiletria luella Lederer,1855, ibidem 5: 231, pl.4 fig.13, by monotypy.
- 1287. *Apiletria Lederer,1855*** (Autostichidae) Apiletria Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 231. Type-species: Apiletria luella Lederer,1855, ibidem 5: 231, pl.4 fig.13, by monotypy.
- 1288. *Aprominta arenbergeri* Gozmany,1968** (Autostichidae) Aprominta arenbergeri Gozmany,1968, Z. Wien. ent. Ges. 53: 23-24, fig.2. Holotype ♂: [Türkei]: Asia minor: ndl. tarsus, ca.800m 12.8.1965 leg. M. u. E. Arenberger (NHMW).
- 1289. *Arragonia anatolica* Gozmany,1986** (Autostichidae) Arragonia anatolica Gozmany,1986, Entomofauna 7(14): 206-207, fig.8. Holotype ♂: Türkei: Mersin: Mut 4km NW, 300m (coll. Derra).
- 1290. *Charadraula cassandra* Gozmany,1967** (Autostichidae) Charadraula cassandra Gozmany,1967, Acta zool. hung. 13: 275, fig.2. Holotype ♂: Syrien: Aleppo: "Shar Deresy Haleb" (NHML).
- 1291. *Charadraula parcella* (Lederer,1855)** (Autostichidae) Hapsifera parcella Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 228, Taf.4 fig.12. Lectotype ♂: [Libanon]: "Beirut", designated by Gozmany,2000 (ZMB).
- 1292. *Charadraula parcella parcella* (Lederer,1855)** (Autostichidae) Hapsifera parcella Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 228, Taf.4 fig.12. Lectotype ♂: [Libanon]: "Beirut", designated by Gozmany,2000 (ZMB).
- 1293. *Deroxena venosulella* (Möschler,1862)** (Autostichidae) Depressaria venosulella Möschler,1862, Wien. ent. Monatschr. 6: 142, pl.1. fig.15.
- 1294. *Donaspastus djinn* Gozmany,1963** (Autostichidae) Donaspastus djinn Gozmany,1963, Acta zool. Hung. 9: 120-122, figs. Holotype ♂: Libanon: 15km O von Batrun (Kasy & Vartian leg.) (NHMW).
- 1295. *Dysspastus cinerascens* Gozmany,1968** (Autostichidae) Dysspastus cinerascens Gozmany,1968, Z. Wien. ent. Ges. 53: 26-28, fig.5. Holotype ♂: [Türkei]: Asia minor: Tekir Tepesi, Taurus, 13.8.65, leg. M. u. E. Arenberger (NHMW).
- 1296. *Hecestoptera kyra* Gozmany,1961** (Autostichidae) Hecestoptera kyra Gozmany,1961, Acta zool. Acad. sci. Hung. 7(1/2): 101-102, fig. Holotype ♂: [Turkey]: Wan [Van] 2000m.
- 1297. *Holcopogon Staudinger,1879*** (Autostichidae) Holcopogon Staudinger,1879, Horae Soc. ent. ross. 15: 330. Type-species: Holcopogon helveolellus Staudinger,1879, by monotypy.
- 1298. *Megasymmoca Gozmany,1963*** (Autostichidae) Megasymmoca Gozmany,1963, Acta zool. Hung. 9: 78-79. Type-species: Megasymmoca forsteri Gozmany,1963, by original designation.
- 1299. *Megasymmoca sindbad* Gozmany,1963 (?)** (Autostichidae) Megasymmoca ? sindbad Gozmany,1963, Acta zool. Hung. 9: 92, fig. Holotype ♂: Iran: Fars: Str. Chiraz- Kazeroun, Fort Sineh Sefid, 2200m, leg. Brandt (coll. de Lattin) [unavailable name as proposed conditionally].
- 1300. *Nukusa* Gozmany,1963** (Autostichidae) Nukusa Gozmany,1963, Acta zool. Hung. 9: 69. Type-species: lampros praeditella Rebel,1891, by original designation.
- 1301. *Oegoconia quadripuncta* (Haworth,[1828])** (Autostichidae) Recurvaria quadripuncta Haworth,[1828], Lepid. Br. 4: 557.
- 1302. *Pantacordis pantsa* (Gozmany,1963)** (Autostichidae) Eremica pantsa Gozmany,1963, Acta zool. Hung. 9: 126, fig. Holotype ♂: [Macedonia]: Ochrid, Sveti Rasmus (coll. Klimesch).
- 1303. *Symmocantha sparsella* (De Joannis,1891)** (Autostichidae) Symmoca sparsella De Joannis,1891, Bull. Soc. ent. Fr. 1891: lxxxiv. Type: Syrie [Liban]: Beyrouth.
- 1304. *Symmoca contristella* Caradja,1920** (Autostichidae) Symmoca contristella Caradja,1920, Dt. ent. Z., Iris 34: 119. Syntypes 2♂: [Türkei]: Ak Chehir (leg. Korb).
- 1305. *Symmoca crocodesma* Meyrick,1911** (Autostichidae) Symmoca crocodesma Meyrick,1911, Ann. Transv. Mus. 3(1): 70. Type ♂: [South Africa]: Woodbush Village (Swierstra) (coll. Meyrick).
- 1306. *Symmoca deprinsi* Gozmany,2001** (Autostichidae) Symmoca deprinsi Gozmany,2001, Phegea 29 (4): 122-124, figs. Holotype ♂: Turkey: Asia Minor: Antalya, Palaz Dağı 1500m, NE Akseki, 18.vii.1994, H.v.Oorschot, H.v.d.Brink, D.v.d.Poorten, W. de Prins leg. (IZMA).
- 1307. *Symmoca salinata* Gozmany,1986** (Autostichidae) Symmoca salinata Gozmany,1986, Entomofauna 7 (14): 202-203, fig.3. Holotype ♂: [Turkey]: Anatolien: [Konya]: Ereğli, Salzsteppe (NHMH).
- 1308. *Symmoca straminella* Gozmany,1986** (Autostichidae) Symmoca straminella Gozmany,1986, Entomofauna 7(14): 201-202, fig.1. Holotype ♂: [Turkey]: Syria sept. Taurus m.: Marasch [Maras], 700-900m (ZSM).
- 1309. *Symmoca tristella* Caradja,1920** (Autostichidae) Symmoca tristella Caradja,1920, Dt. ent. Z., Iris 34: 119. Syntypes 2♂: [Spanien]: Lanjaron.
- 1310. *Symmocoides don* (Gozmany,1963)** (Autostichidae) Donaspastus don Gozmany,1963, Acta zool. Hung. 9: 118-119, figs. 54,55. Holotype ♂: Hispania: Madrid: Escorial (leg. Escalera) (HNHMB).
- 1311. *Turatia rhyodes* (Meyrick,1909)** (Autostichidae) Nothris rhyodes Meyrick,1909, Ann. Transv. Mus. 2: 16, Pl.5 fig.8. Type: [South Africa]: Pretoria: Rietfontein.
- 1312. *Turatia rhyodes rhyodes* (Meyrick,1909)** (Autostichidae) Nothris rhyodes Meyrick,1909, Ann. Transv. Mus. 2: 16, Pl.5 fig.8. Type: [South Africa]: Pretoria: Rietfontein.
- 1313. *Turatia scaeocentra* (Meyrick,1921)** (Autostichidae) Holcopogon scaeocentra Meyrick,1921, Ann. Transv. Mus. 8: 93. Type: "Portugiesisch Ostafrika": Bela Vista.
- 1314. *Turatia scaeocentra scaeocentra* (Meyrick,1921)** (Autostichidae) Holcopogon scaeocentra Meyrick,1921, Ann. Transv. Mus. 8: 93. Type: "Portugiesisch Ostafrika": Bela Vista.
- 1315. *Turatia turpicula* Gozmany,2000** (Autostichidae) Turatia turpicula Gozmany,2000, Spixiana 23 (3): 280-281, fig.2. Holotype ♀: "S.W.Africa, Swakopmund iii. 1959, leg. G.Hobohm" (ZSM).
- 1316. *Blastobasis Zeller,1855*** (Blastobasidae) Blastobasis Zeller,1855, Linn. ent. 10: 171. Type-species: Oecophora phycidella Zeller,1839, Isis Oken, Leipzig 1839:193, by subsequent designation by Walsingham,1897, Proc. zool. Soc. Lond. 1897: 91.
- 1317. *Blastobasis eridryas* Meyrick,1932** (Blastobasidae) Blastobasis eridryas Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 114. Syntypes 2♂: [Ethiopia]: Mt. Chillalo (BMNH).
- 1318. *Blastobasis industria* Meyrick,1913** (Blastobasidae) Blastobasis industria Meyrick,1913, Ann. Transv. Mus. 3: 314.
- 1319. *Blastobasis ochromorpha* Meyrick,1925** (Blastobasidae) Blastobasis ochromorpha Meyrick,1925, Exot. Microlepid. 3: 145.
- 1320. *Cladobrostitis melitricha* Meyrick,1921** (Blastobasidae) Cladobrostitis melitricha Meyrick,1921, Exot. Microlepid. 2: 410.
- 1321. *Holcocera Clemens,1863*** (Blastobasidae) Holcocera Clemens,1863, Proc. ent. Soc. Philad. 2: 121. Type-species: Holcocera chalcoprontella Clemens,1863, ibidem 2: 122, by subsequent designation by Walsingham,1907, Proc. U.S. natn. Mus. 33: 200.

- 1322. *Holcocera pulvere* (Meyrick,1907)** (Blastobasidae) Blastobasis pulvere Meyrick,1907, J. Bombay Soc. nat. Hist. 18: 151.
- 1323. *Hypatopa tianshanica* Sinev,1993** (Blastobasidae) Hypatopa tianshanica Sinev,1993, Ent. Rev. 72 (2): 372.
- 1324. *Sinevina scythrella* (Sinev,1986)** (Blastobasidae) Holcoceroides scythrella Sinev,1986, Trudy zool. Inst., Leningr. 145: 66.
- 1325. *Bombyx mori* (Linnaeus,1758)** (Bombycidae) Phalaena Bombyx mori Linnaeus,1758, Syst. Nat. 10 (1): 499-500. Type(s): "Habitat in Moro Chine".
- 1326. *Gnathocinara Dierl,1978*** (Bombycidae) Gnathocinara Dierl,1978, Spixiana 1 (3): 266. Type-species: Ocina situla Van Eecke,1929, by original designation.
- 1327. *Gnathocinara situla* (Van Eecke,1929)** (Bombycidae) Ocina situla Van Eecke,1929, Zool. Meded. 12: 62, figs. Type: Sumatra.
- 1328. *Mustilia gerontica* West,1932** (Bombycidae) Mustilia gerontica West,1932, Novit. zool. 37: 216.
- 1329. *Mustilia hepatica* Moore,1879** (Bombycidae) Mustilia hepatica Moore,1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr W.S. Atkinson (1): 82.
- 1330. *Ocinara bifurcula* Dierl,1978** (Bombycidae) Ocina bifurcula Dierl,1978, Spixiana 1 (3): 238, fig. Holotype: Sumatra.
- 1331. *Trilocha varians* (Walker,1855)** (Bombycidae) Naprepa varians Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1153.
- 1332. *Brachodes Guenée,1845*** (Brachodidae) Brachodes Guenée,1845, Annls Soc. ent. Fr. (2) 3: 311. Type-species: Brachodes vernetella Guenée,1845, ibidem (2) 3: 311, by monotypy.
- 1333. *Brachodes candefacta* (Lederer,1858)** (Brachodidae) Atychia candefacta Lederer,1858, Wien. ent. Monatschr. 2: 151, Taf.4 fig.9. Type ♀: Syria: Damask.
- 1334. *Brachodes compar* (Staudinger,1879)** (Brachodidae) Atychia compar Staudinger,1879, Horae Soc. ent. ross. 15: 265-266. Syntypes 2♂: [Türkei]: Amasia (Kerasdere); Taurus.
- 1335. *Brachodes diacona* (Lederer,1858)** (Brachodidae) Atychia diacona Lederer,1858, Wien. ent. Monatschr. 2: 151, Taf.4 fig.10. Type ♂: Syria: Damask.
- 1336. *Brachodes flagellatus* Kallies,2002** (Brachodidae) Brachodes flagellatus Kallies,2002, Nachr. ent. Ver. Apollo (N.F.) 23 (3): 159-160, figs.; 23 (4): 166. Holotype ♂: China: Tibet, Yung la, 5100-5300m 13/14.vi.1999 leg. K.Huber (TLMF).
- 1337. *Brachodes infandus* (Meyrick,1920)** (Brachodidae) Atychia infanda Meyrick,1920, Ann. S. Afr. Mus. 17: 294. Syntypes 3♂♂: South Africa: "Cape Colony: Gt. Winthoek, 4500ft."
- 1338. *Brachodes nycteropis* (Meyrick,1920)** (Brachodidae) Atychia nycteropis Meyrick,1920, Ann. S. Afr. Mus. 17: 294-295. Monotype ♂: South Africa: "Cape Colony: Gt. Winthoek, 4500ft."
- 1339. *Brachodes tristis* (Staudinger,1879)** (Brachodidae) Atychia tristis Staudinger,1879, Horae Soc. ent. ross. 15: 266-267. Type ♂: [Türkei]: Taurus (leg. Haberhauer).
- 1340. *Patissa xanthoperas* (Hampson,1895)** (Brachodidae) Scirpophaga xanthoperas Hampson,1895, Proc. zool. Soc. London 1895: 913. Type: Sumatra.
- 1341. *Phycodes Guenée,1852*** (Brachodidae) Phycodes Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 6: 389. Type-species: Phycodes hirudinicornis Guenée,1852, ibidem 6: 389, pl.13 fig.5, by monotypy.
- 1342. *Phycodes chalcocrossa* Meyrick,1909** (Brachodidae) Phycodes chalcocrossa Meyrick,1909, J. Bombay nat. Hist. Soc. 19: 424. Lectotype ♀: Saudi Arabia, designated by Clarke,1969 (BMNH).
- 1343. *Phycodes radiata* (Ochsenheimer,1808)** (Brachodidae) Chimaera radiata Ochsenheimer,1808, Schmett. Eur. 2: 5. Type(s): [sic!] Austria, Vienna; recte India (cf. Diakonoff,1986: 219).
- 1344. *Brahmaea* (s.str.) *christophi* Staudinger,1879** (Brahmaeidae) Brahmaea christophi Staudinger,1879, Horae Soc. ent. ross. 14: 360. Syntypes: [Azerbaijan]: Lenkoran.
- 1345. *Brahmaea* (s.str.) *christophi christophi* Staudinger,1879** (Brahmaeidae) Brahmaea christophi Staudinger,1879, Horae Soc. ent. ross. 14: 360. Syntypes: [Azerbaijan]: Lenkoran.
- 1346. *Brahmaea* (s.str.) *ledereri* Rogenhofer,1873** (Brahmaeidae) Brahmaea ledereri Rogenhofer,1873, Verh. Zool.- bot. Ges. Wien 23: 754. Type: Cilik. Taurus, Külek.
- 1347. *Brahmaea* (s.str.) *ledereri ledereri* Rogenhofer,1873** (Brahmaeidae) Brahmaea ledereri Rogenhofer,1873, Verh. Zool.- bot. Ges. Wien 23: 754. Type: Cilik. Taurus, Külek.
- 1348. *Spiramiopsis comma* Hampson,1901** (Brahmaeidae) Spiramiopsis comma Hampson,1901, Trans. ent. Soc. London 1901: 191-192, fig. Type ♂: [South Africa]: C.Colony: Kowie R., Grahamstown (Dr.Becker leg.).
- 1349. *Bucculatrix Zeller,1839*** (Bucculatricidae) Bucculatrix Zeller,1839, Isis Oken, Leipzig 1839: 214. Type-species: Lyonetia albedinella Zeller,1839, ibidem 1839: 216, by subsequent designation by Walsingham,1914, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4: 345.
- 1350. *Bucculatrix anthemidella* Deschka,1972** (Bucculatricidae) Bucculatrix anthemidella Deschka,1972, Ent. Z., Frankf. a. M. 82: 86, fig. Holotype ♂: Türkiye: Ankara Prov., Kızılcahamam (coll. Glaser).
- 1351. *Bucculatrix basifuscella* Staudinger,1880** (Bucculatricidae) Bucculatrix basifuscella Staudinger,1880, Horae Soc. ent. ross. 15: 416-417. Syntypes 3♂: [Türkei]: Amasia (Caraman).
- 1352. *Bucculatrix infans* Staudinger,1880** (Bucculatricidae) Bucculatrix infans Staudinger,1880, Horae Soc. ent. ross. 15: 418-419. Type ♂: [Türkei]: Amasia (Kerasdere).
- 1353. *Bucculatrix oppositella* Staudinger,1880** (Bucculatricidae) Bucculatrix oppositella Staudinger,1880, Horae Soc. ent. ross. 15: 417-418. Syntypes ♂♂: [Türkei]: Amasia.
- 1354. *Caloschemia monolifera* Mabilie,1878** (Callidulidae) Caloschemia monolifera Mabilie,1878, Bull. Soc. zool. Fr. 3: 86. Type(s): Madagascar.
- 1355. *Caloschemia monolifera monolifera* Mabilie,1878** (Callidulidae) Caloschemia monolifera Mabilie,1878, Bull. Soc. zool. Fr. 3: 86. Type(s): Madagascar.
- 1356. *Petavia niasica* (Pagenstecher,1887)** (Callidulidae) Callidula petavius var. niasica Pagenstecher,1887, J. nassau. Ver. Nat. 40: 232, pl. 2 figs. 17,18. Type: Nias.
- 1357. *Pterothysanus laticilia* Walker,1854** (Callidulidae) Pterothysanus laticilia Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 401.
- 1358. *Pterothysanus laticilia laticilia* Walker,1854** (Callidulidae) Pterothysanus laticilia Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 401.
- 1359. *Carposina candace* Meyrick,1932** (Carposinidae) Carposina candace Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 114. Type ♀: [Ethiopia]: Jem-Jem Forest.
- 1360. *Carposina diampyx* Diakonoff,1989** (Carposinidae) Carposina diampyx Diakonoff,1989, Zool. Verh. 251: 57, figs. Holotype ♂: Armenia: Geghard, 1700m, 40km E of Erivan (Kasy & Vartian leg.) (MNHV).
- 1361. *Meridarchis scyroides* Meyrick,1916** (Carposinidae) Meridarchis scyroides Meyrick,1916, Exot. Microlepid. 2: 30. Type: India.
- 1362. *Tascina metallica* Pagenstecher,1890** (Castniidae) Tascina metallica Pagenstecher,1890, Dt. ent. Z., Iris 3: 3-4. Syntypes 2♂ 1♀: [Philippines]: Palawan.
- 1363. *Anthophila fabriciana* (Linnaeus,1767)** (Choreutidae) Phalaena fabriciana Linnaeus,1767, Syst. Nat. (Edn.12): 880, nr.324 Type(s): Sweden.
- 1364. *Brenthia albipunctata* Arita,1987** (Choreutidae) Brenthia albipunctata Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 16-16, figs. Holotype ♂: Thailand: Kanchanaburi, Erawan, 600m (UOP).
- 1365. *Brenthia angoonae* Arita,1987** (Choreutidae) Brenthia angoonae Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 28-29, figs. Holotype ♂: Thailand: Chiang Mai, Fang, 450m (UOP).
- 1366. *Brenthia Chiangmaiensis* Arita,1987** (Choreutidae) Brenthia Chiangmaiensis Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 21-22, figs. Holotype ♂: Thailand: Chiang Mai, Fang, 450m (UOP).
- 1367. *Brenthia dendronympha* Meyrick,1937** (Choreutidae) Brenthia dendronympha Meyrick,1937, Exot. Microlepid. 5: 125. Type: India.
- 1368. *Brenthia flava* Arita,1987** (Choreutidae) Brenthia flava Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 18-20, figs. Holotype ♂: Thailand: Chiang Mai, Doi Pui, 1300m (UOP).
- 1369. *Brenthia karsholti* Arita,1987** (Choreutidae) Brenthia karsholti Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 17-18, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 700m (ZMC).
- 1370. *Brenthia khaoyaiensis* Arita,1987** (Choreutidae) Brenthia khaoyaiensis Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 22-23, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP).

- 1371. *Brenthia kurokoi* Arita, 1987** (Choreutidae) *Brenthia kurokoi* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 32-33, figs. Holotype ♂: Thailand: Kanchanaburi, Erawan, 600m (UOP).
- 1372. *Brenthia multipunctata* Arita, 1987** (Choreutidae) *Brenthia multipunctata* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 26-27, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP).
- 1373. *Brenthia octopunctata* Arita, 1987** (Choreutidae) *Brenthia octopunctata* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 23-24, figs. Holotype ♂: Thailand: Chiang Mai, Doi Suthep NP, 22.vii.1981 (UOP).
- 1374. *Brenthia punctata* Arita, 1987** (Choreutidae) *Brenthia punctata* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 24-25, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP).
- 1375. *Brenthia saitoi* Arita, 1987** (Choreutidae) *Brenthia saitoi* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 29-30, figs. Holotype ♂: Thailand: Kanchanaburi, Tham Than Lot, 800m (UOP).
- 1376. *Brenthia siamensis* Arita, 1987** (Choreutidae) *Brenthia siamensis* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 27-28, figs. Holotype ♂: Thailand: Chantanaburi, Phliu, 30m (UOP).
- 1377. *Brenthia similis* Arita, 1987** (Choreutidae) *Brenthia similis* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 33-34, figs. Holotype ♂: Thailand: Chantanaburi, Phliu, 30m (UOP).
- 1378. *Brenthia subflava* Arita, 1987** (Choreutidae) *Brenthia subflava* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 20, figs. Holotype ♂: Thailand: Chiang Mai, Fang, 450m (UOP).
- 1379. *Brenthia subsimilis* Arita, 1987** (Choreutidae) *Brenthia subsimilis* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 31, figs. Holotype ♂: Thailand: Kanchanaburi, Tham Than Lot, 800m (UOP).
- 1380. *Brenthia thaiensis* Arita, 1987** (Choreutidae) *Brenthia thaiensis* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 20-21, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP).
- 1381. *Choreutis Hübner*, [1825]** (Choreutidae) *Choreutis Hübner*, [1825], Verz. bekannter Schmett.: 373. Type-species: *Phalaena pariana* Clerck, 1759, Icon Insect. rariorum 1: pl.10 fig.9, by subsequent designation by Walsingham, 1908, Proc. zool. Soc. Lond. 1907: 987.
- 1382. *Choreutis argyrastra* Meyrick, 1932** (Choreutidae) *Choreutis argyrastra* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 115. Syntypes 2♀: [Ethiopia]: Mt. Zukwala (BMNH).
- 1383. *Choreutis euclista* (Meyrick, 1918)** (Choreutidae) *Simaethis euclista* Meyrick, 1918, Exot. Microlepid. 2: 192. Type: Burma.
- 1384. *Choreutis irradiata* Meyrick, 1913** (Choreutidae) *Choreutis irradiata* Meyrick, 1913, Exot. Microlepid. 1: 67. Type ♀: [Turkey]: Asia Minor: Alma Dag.
- 1385. *Litobrenthia trimaculata* Arita, 1987** (Choreutidae) *Litobrenthia trimaculata* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 9-10, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP).
- 1386. *Litobrenthia affinis* Arita, 1987** (Choreutidae) *Litobrenthia affinis* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 14-15, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP).
- 1387. *Litobrenthia albifasciata* Arita, 1987** (Choreutidae) *Litobrenthia albifasciata* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 13-14, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP).
- 1388. *Litobrenthia doiinthanonensis* Arita, 1987** (Choreutidae) *Litobrenthia doiinthanonensis* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 12-13, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP, 1200-1300m (ZMC).
- 1389. *Litobrenthia minima* Arita, 1987** (Choreutidae) *Litobrenthia minima* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 8-9, figs. Holotype ♂: Thailand: Kanchanaburi, Mae La Mun, 400m (UOP).
- 1390. *Litobrenthia nakhonnayokensis* Arita, 1987** (Choreutidae) *Litobrenthia nakhonnayokensis* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 15-16, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP).
- 1391. *Litobrenthia quadrimaculata* Arita, 1987** (Choreutidae) *Litobrenthia quadrimaculata* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 11-12, figs. Holotype ♂: Thailand: Kanchanaburi, Tham Than Lot, 800m (UOP).
- 1392. *Litobrenthia yoshiyasui* Arita, 1987** (Choreutidae) *Litobrenthia yoshiyasui* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 10-11, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP).
- 1393. *Millieria Ragonot*, 1874** (Choreutidae) *Millieria Ragonot*, 1874, Annls Soc. ent. Fr. (5) 4 (Bull.): clxxiii. Type-species: *Choreutis dolosalis* Heydenreich, 1851, Lepid. eur. Cat. meth. (Syst. Verz. eur. Schmett.) (Edn 3): 63. by original designation.
- 1394. *Prochoreutis Diakonoff & Heppner*, 1980** (Choreutidae) *Prochoreutis Diakonoff & Heppner*, 1980, Ent. Ber., Amst. 40: 196. Type-species: *Pyrallis myllerana* Fabricius, 1794, Ent. Syst. 3(2): 277, by original designation.
- 1395. *Prochoreutis myllerana* (Fabricius, 1794)** (Choreutidae) *Pyrallis myllerana* Fabricius, 1794, Ent. Syst. 3 (2): 277. Type(s): Sweden.
- 1396. *Prochoreutis sehestediana* (Fabricius, 1777)** (Choreutidae) *Pyrallis sehestediana* Fabricius, 1777, Genera Ins.: 293. Type(s): Kiel.
- 1397. *Saptha cypridia* Meyrick, 1910** (Choreutidae) *Saptha cypridia* Meyrick, 1910, Trans. ent. Soc. London 1910: 462. Type: Borneo.
- 1398. *Saptha smaragdita* Meyrick, 1905** (Choreutidae) *Saptha smaragdita* Meyrick, 1905, J. Bombay nat. Hist. Soc. 16: 610. Type: Ceylon.
- 1399. *Tebenna Billberg*, 1820** (Choreutidae) *Tebenna Billberg*, 1820, Enumeratio Insect. Mus. G.J. Billberg: 90. Type-species: *Tinea bjerkandrella* Thunberg, 1784, Diss. ent. sistens Insecta Suecica (1): 24, figs, by subsequent designation by Bradley, 1966, Entomologist's Gaz. 17: 220.
- 1400. *Axia (Epicimelia) theresiae* (Korb, 1900)** (Cimeliidae) *Epicimelia theresiae* Korb, 1900, Dt. ent. Z., Iris 12: 300-302. Syntypes: [Türkei]: Konia.
- 1401. *Axia (Epicimelia) theresiae malatyensis* Amsel, 1979** (Cimeliidae) *Axia theresiae* ssp. *malatyensis* Amsel, 1979, Atalanta 10 (1): 73-74, figs. Holotype ♂: Türkiye: Prov. Malatya, Resadiye Gecidi 1500m, leg. S. Wagener (in coll. Wagener).
- 1402. *Axia (Epicimelia) theresiae schellhornae* Amsel, 1979** (Cimeliidae) *Axia theresiae* ssp. *schellhornae* Amsel, 1979, Atalanta 10 (1): 70-73, figs. Holotype ♂: NW-Iran: Rezaieh 12km westl., 1350m (LNK); 2♂ (paratypes) NE-Türkei: Prov. Kars, Kağızman 1400m, leg. A. Koçak (in coll. Cesa).
- 1403. *Axia (Epicimelia) theresiae theresiae* (Korb, 1900)** (Cimeliidae) *Epicimelia theresiae* Korb, 1900, Dt. ent. Z., Iris 12: 300-302. Syntypes: [Türkei]: Konia.
- 1404. *Axia (Epicimelia) theresiae tischendorffi* (O. Bang-Haas, 1927)** (Cimeliidae) *Epicimelia theresiae* ssp. *tischendorffi* O. Bang-Haas, 1927, Horae Macrolepidopt. 1: 82, t.9 fig.16. Type ♀: Syrien: Aleppo, leg. General-konsul von Tischendorff.
- 1405. *Ussara semicoronis* Meyrick, 1932** (Cimeliidae) *Ussara semicoronis* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 115. Syntypes 2♂: [Ethiopia]: Jem-Jem Forest (BMNH).
- 1406. *Augasma aeratellum* (Zeller, 1839)** (Coleophoridae) *Elachista aeratella* Zeller, 1839, Isis 1839: 212.
- 1407. *Coleophora Hübner*, 1822** (Coleophoridae) *Coleophora Hübner*, 1822, Syst.-alphab. Verz.: 67-75, 77-79. Type-species: *Tinea anatipennella* Hübner, 1796, Samml. eur. Schmett. 8: 68, pl.27 fig.186, by subsequent designation by Kirby, 1897, Handbk Order Lepid. 5: 309.
- 1408. *Coleophora albidella* ([Denis & Schiffermüller], 1775)** (Coleophoridae) *Tinea albidella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): [Austria]: Vienna district.
- 1409. *Coleophora albipennella* Staudinger, 1879** (Coleophoridae) *Coleophora albipennella* Staudinger, 1879, Horae Soc. ent. ross. 15: 359-360. Type ♂: [Türkei]: Amasia.
- 1410. *Coleophora albotitae* Rebel, 1935** (Coleophoridae) *Coleophora albotitae* Rebel, 1935, Mitt. münch. ent. Ges. 25 (3): 86-87. Syntypes: [Türkei]: Maraş, Yeşildere (ZSM).
- 1411. *Coleophora alnifoliae* Barasch, 1934** (Coleophoridae) *Coleophora alnifoliae* Barasch, 1934, Dt. ent. Z. 1934: 36.
- 1412. *Coleophora amethystinella* Ragonot, 1885** (Coleophoridae) *Coleophora amethystinella* Ragonot, 1885, Bull. Soc. ent. Fr. 1885: 181. Lectotype ♂: France: Cannes (Baldizzone, 1979: 76).
- 1413. *Coleophora arctostaphyli* Meder, 1934** (Coleophoridae) *Coleophora arctostaphyli* Meder, 1934, Int. ent. Z. 27: 490.
- 1414. *Coleophora arenbergeri* Glaser, 1981** (Coleophoridae) *Coleophora arenbergeri* Glaser, 1981, Z. ArbGem. öst. Ent. 32(3/4): 133-135, 6Abb. Holotype ♂: Türkiye: Konya: Karapınar, 995m.

- 1415. Coleophora argyrella Herrich-Schäffer, 1861** (Coleophoridae) Coleophora argyrella Herrich-Schäffer, 1861, Neue Schmett. 3: 31, fig. 157. Syntypes 1♂ 2♀: [Russia]: Sarepta.
- 1416. Coleophora audeoudi Rebel, 1935** (Coleophoridae) Coleophora audeoudi Rebel, 1935, Mitt. Schweiz. ent. Ges. 16: 443-444. Holotype ♂: [Türkei]: [Konya Prov.]: Akschehir (leg. Wagner) (NHMW).
- 1417. Coleophora badiipennella (Duponchel, 1843)** (Coleophoridae) Ornix badiipennella Duponchel, 1843, Hist. nat. Lepid. Fr. Suppl. 4: 22, 346.
- 1418. Coleophora bivittella Staudinger, 1879** (Coleophoridae) Coleophora bivittella Staudinger, 1879, Horae Soc. ent. ross. 15: 363-364. Syntypes: [Türkei]: Amasia (Kerasdere).
- 1419. Coleophora breviscula Staudinger, 1880** (Coleophoridae) Coleophora breviscula Staudinger, 1880, Horae Soc. ent. ross. 15: 377-378. Type ♂: [Türkei]: Amasia (Kerasdere).
- 1420. Coleophora confusa Staudinger, 1880** (Coleophoridae) Coleophora confusa Staudinger, 1880, Horae Soc. ent. ross. 15: 372-374. Syntypes 3♂♂: [Türkei]: Amasia.
- 1421. Coleophora coracipennella (Hübner, 1796)** (Coleophoridae) Tinea coracipennella Hübner, 1796, Samml. eur. Schmett.: Taf. 30 fig. 208. Type(s): Europa.
- 1422. Coleophora cuprariella Zeller, 1847** (Coleophoridae) Coleophora cuprariella Zeller, 1847, Isis 1847: 36. Type ♂: [Türkei]: Mermeriza [Marmaris].
- 1423. Coleophora echinella Staudinger, 1879** (Coleophoridae) Coleophora echinella Staudinger, 1879, Horae Soc. ent. ross. 15: 364-365. Syntypes: [Türkei]: Amasia (Caraman).
- 1424. Coleophora efflua Meyrick, 1911** (Coleophoridae) Coleophora efflua Meyrick, 1911, Ann. Transv. Mus. 3(1): 78. Type ♂: [South Africa]: Woodbush Village (Swierstra) (coll. Meyrick).
- 1425. Coleophora flavipennella (Duponchel, 1843)** (Coleophoridae) Ornix flavipennella Duponchel, 1843, Hist. nat. Lepid. Fr. Suppl. 4: 338.
- 1426. Coleophora frischella (Linnaeus, 1758)** (Coleophoridae) Phalaena Tinea frischella Linnaeus, 1758, Syst. Nat. 10 (1): 541. Type(s): "Habitat in Europa".
- 1427. Coleophora fuscicornis Zeller, 1847** (Coleophoridae) Coleophora fuscicornis Zeller, 1847, Isis 1847: 37. Type ♂: [Türkei]: Caracasu [Karacasu].
- 1428. Coleophora fuscocuprella Herrich-Schäffer, 1855** (Coleophoridae) Coleophora fuscocuprella Herrich-Schäffer, 1855, Syst. Bearb. Schmett. Eur. 5: 230.
- 1429. Coleophora gallurella Amsel, 1952** (Coleophoridae) Coleophora gallurella Amsel, 1952, Fragm. Ent. 1 (1): 131, fig. 37. Lectotype ♂: Sardaigne: Tempio Pausania (LNK).
- 1430. Coleophora granulosella Staudinger, 1880** (Coleophoridae) Coleophora granulosella Staudinger, 1880, Horae Soc. ent. ross. 15: 379. Syntypes 4♂♂: [Türkei]: Amasia.
- 1431. Coleophora gryhipennella (Hübner, 1796)** (Coleophoridae) Tinea gryhipennella Hübner, 1796, Samml. eur. Schmett.: Taf. 30, fig. 206 Type(s): Europa.
- 1432. Coleophora hydrolapathella Hering, 1924** (Coleophoridae) Coleophora hydrolapathella Hering, 1924, Tijdschr. Ent. 64: 179.
- 1433. Coleophora idaeella Hofmann, 1869** (Coleophoridae) Coleophora idaeella Hofmann, 1869, Stettin ent. Ztg. 30: 187.
- 1434. Coleophora inusitatella Caradja, 1920** (Coleophoridae) Coleophora inusitatella Caradja, 1920, Dt. ent. Z., Iris 34: 150. Syntypes: [Türkei]: Konia; [Spain]: Cuenca, Sierra Nevada.
- 1435. Coleophora kabulensis Baldizzzone, 1994** (Coleophoridae) AF PK Qu
- 1436. Coleophora leucaula Meyrick, 1911** (Coleophoridae) Coleophora leucaula Meyrick, 1911, Ann. Transv. Mus. 3(1): 78. Type ♂: [South Africa]: Woodbush Village (Swierstra) (TMP).
- 1437. Coleophora limosipennella (Duponchel, 1843)** (Coleophoridae) Ornix limosipennella Duponchel, 1843, Hist. nat. Lepid. Fr. Suppl. 4: 296.
- 1438. Coleophora luteolella Staudinger, 1880** (Coleophoridae) Coleophora luteolella Staudinger, 1880, Horae Soc. ent. ross. 15: 380. Syntypes ♂♀: [Türkei]: Amasia.
- 1439. Coleophora lutipennella (Zeller, 1838)** (Coleophoridae) Ornix lutipennella Zeller, 1838, Isis 1838: 713. Lectotype ♂, designated by Baldizzzone, 1994, Coleophoridae Irano-Anatolica: 11 (BMNH).
- 1440. Coleophora milvipennis Zeller, 1839** (Coleophoridae) Coleophora milvipennis Zeller, 1839, Isis 1839: 208.
- 1441. Coleophora miserella Staudinger, 1880** (Coleophoridae) Coleophora miserella Staudinger, 1880, Horae Soc. ent. ross. 15: 380. Type ♀: [Türkei]: Amasia (Caraman).
- 1442. Coleophora necessaria Staudinger, 1880** (Coleophoridae) Coleophora necessaria Staudinger, 1880, Horae Soc. ent. ross. 15: 370. Type ♂: [Türkei]: Amasia.
- 1443. Coleophora obviella Rebel, 1914** (Coleophoridae) Coleophora obviella Rebel, 1914, Verh. zool.- bot. Ges. Wien 64: 178. Lectotype ♂: [Slovenien]: Carnie, Wippach (Baldizzzone, 1982: 428).
- 1444. Coleophora occatella Staudinger, 1880** (Coleophoridae) Coleophora occatella Staudinger, 1880, Horae Soc. ent. ross. 15: 376-377. Syntypes: [Türkei]: Amasia.
- 1445. Coleophora ochripennella Zeller, 1849** (Coleophoridae) Coleophora ochripennella Zeller, 1849, Linn. Ent. 4: 408.
- 1446. Coleophora pennella ([Denis & Schiffermüller], 1775)** (Coleophoridae) Tinea pennella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): [Austria]: Vienna district.
- 1447. Coleophora prunifoliae Doets, 1944** (Coleophoridae) Coleophora prunifoliae Doets, 1944, Z. Wien. ent. Ges. 29: 103.
- 1448. Coleophora scariphota Meyrick, 1911** (Coleophoridae) Coleophora scariphota Meyrick, 1911, Ann. Transv. Mus. 3(1): 78-79. Syntypes 2♀: [South Africa]: Haenertsburg (Swierstra) (TMP).
- 1449. Coleophora serratella (Linnaeus, 1761)** (Coleophoridae) Phalaena serratella Linnaeus, 1761, Fauna Suecica 1761: 369.
- 1450. Coleophora siccifolia Stainton, 1856** (Coleophoridae) Coleophora siccifolia Stainton, 1856, Ent. Ann. 1856: 37.
- 1451. Coleophora stramentella Zeller, 1849** (Coleophoridae) Coleophora stramentella Zeller, 1849, Linn. ent. 4: 274.
- 1452. Coleophora tauricella Staudinger, 1880** (Coleophoridae) Coleophora tauricella Staudinger, 1880, Horae Soc. ent. ross. 15: 374-375. Type ♀: [Türkei]: Taurus.
- 1453. Coleophora trifissella Rebel, 1910** (Coleophoridae) Coleophora trifissella Rebel, 1910, Verh. zool.- bot. Ges. Wien 60: 32, fig. 5.
- 1454. Coleophora trigeminella Fuchs, 1881** (Coleophoridae) Coleophora trigeminella Fuchs, 1881, Stettin ent. Ztg. 42: 462.
- 1455. Coleophora tristella Staudinger, 1879** (Coleophoridae) Coleophora tristella Staudinger, 1879, Horae Soc. ent. ross. 15: 362-363. Type ♂: [Türkei]: Amasia.
- 1456. Coleophora tyrhaenica Amsel, 1952** (Coleophoridae) Coleophora tyrhaenica Amsel, 1952, Fragm. Ent. 1 (1): 130, fig. 34. Holotype ♂: Sardaigne: Aritzo (LNK).
- 1457. Coleophora uliginosella Glitz, 1872** (Coleophoridae) Coleophora uliginosella Glitz, 1872, Stettin ent. Ztg. 33: 23.
- 1458. Coleophora univittella Staudinger, 1880** (Coleophoridae) Coleophora univittella Staudinger, 1880, Horae Soc. ent. ross. 15: 368. Syntypes 2 ex: [Türkei]: Bosz-Dagh.
- 1459. Coleophora vacciniella Herrich-Schäffer, 1861** (Coleophoridae) Coleophora vacciniella Herrich-Schäffer, 1861, Corresp. Bl. Samml. Ins. Schmett. 2: 135.
- 1460. Coleophora vestianella (Linnaeus, 1758)** (Coleophoridae) Phalaena Tinea vestianella Linnaeus, 1758, Syst. Nat. 10 (1): 536. Type(s): "Habitat in Vestimentis".
- 1461. Enscepastra machinopis Meyrick, 1936** (Coleophoridae) Enscepastra machinopis Meyrick, 1936, Exot. Microlepid. 5: 63. Type ♂: Iraq: Diana, 2800ft. (E.P. Wiltshire leg.).
- 1462. Metriotes lutarea (Haworth, [1828])** (Coleophoridae) Porrectaria lutarea Haworth, [1828], Lep. Br. 4: 537.
- 1463. Alloclita xylodesma Meyrick, 1911** (Cosmopterigidae) Alloclita xylodesma Meyrick, 1911, Ann. Transv. Mus. 3(1): 72-73. Type ♀: [South Africa]: Waterberg (Jutzzencka) (TMP).
- 1464. Allotalanta Meyrick, 1913** (Cosmopterigidae) Allotalanta Meyrick, 1913, Exot. Microlepid. 1: 114. Type-species: Allotalanta autophaea Meyrick, 1913, by monotypy.
- 1465. Allotalanta autophaea Meyrick, 1913** (Cosmopterigidae) Allotalanta autophaea Meyrick, 1913, Exot. Microlepid. 1: 114. Syntypes 2♂: [Turkey]: Asia Minor: Taurus Mts. (BMNH).
- 1466. Ascalenia Wocke, [1876]** (Cosmopterigidae) Ascalenia Wocke, [1876], [in] Heinemann, Schmett. Dtl. Schweiz (2) 2(2): 421. Type-species: Laverna vanella Frey, 1860, Linn. ent. 14: 197, by monotypy.
- 1467. Ascalenia pachnodes (Meyrick, 1917)** (Cosmopterigidae) Cholutis pachnodes Meyrick, 1917, Exot. Microlepid. 2: 44. Lectotype ♀: India: Bengal: Pusa, designated by Kasy, 1969: 346 (BMNH).

- 1468. *Ascalenia secretifera* Meyrick, 1932** (Cosmopterigidae) *Ascalenia secretifera* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 113. Syntypes 3♂♂: [Ethiopia]: Mt. Chillalo (BMNH).
- 1469. *Ascalenia signatella* Chrétien, 1915** (Cosmopterigidae) *Ascalenia acaciella* var. *signatella* Chrétien, 1915, Annl. Soc. ent. Fr. 84: 352. Lectotype ♂: Tunis: Gafsa, designated by Kasy, 1969: 368 (MNHN).
- 1470. *Ascalenia thoracista* (Meyrick, 1915)** (Cosmopterigidae) *Cholotis thoracista* Meyrick, 1915, Exot. Microlepid. 1: 327. Type: Ceylon.
- 1471. *Ascalenia vanella* (Frey, 1860)** (Cosmopterigidae) *Laverna vanella* Frey, 1860, Linn. Ent. 14: 197. Lectotype ♀: Baden (SW-Deutschland), designated by Kasy, 1969: 342 (BMNH).
- 1472. *Calycobathra* Meyrick, 1891** (Cosmopterigidae) *Calycobathra* Meyrick, 1891, Entomologist's mon. Mag. 2 (2): 59. Type-species: *Calycobathra acarapa* Meyrick, 1891, by monotypy.
- 1473. *Coccidiphila* Danilevsky, 1950** (Cosmopterigidae) *Coccidiphila* Danilevsky, 1950, Ent. Obozr. 31: 48. Type-species: *Coccidiphila gerasimovi* Danilevsky, 1950, ibidem 31: 49 figs 1-6, by original designation.
- 1474. *Coccidiphila particiae* J. Nel & A. Nel, 2000** (Cosmopterigidae) *Coccidiphila particiae* J. Nel & A. Nel, 2000, Bull. Soc. ent. Fr. 105 (4): 381-385.
- 1475. *Cosmopterix* Hübner, [1825]** (Cosmopterigidae) *Cosmopterix* Hübner, [1825], Verz. bekannter Schmett.: 429. Type-species: *Tinea zieglarella* Hübner, [1810], Samml. eur. Schmett. 8: pl. 44, fig. 306, by subsequent designation by the ICZN, 1969, Bull. zool. Nom. 25 ???
- 1476. *Cosmopterix plesiasta* Meyrick, 1919** (Cosmopterigidae) *Cosmopterix plesiasta* Meyrick, 1919, Exot. Microlepid. 2: 284. Type: Costa Rica.
- 1477. *Cosmopteryx epismaragda* Meyrick, 1932** (Cosmopterigidae) *Cosmopteryx epismaragda* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 113. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH).
- 1478. *Eteobalea* Hodges, 1962** (Cosmopterigidae) *Eteobalea* Hodges, 1962, Entomologica am. (N.S.) 42: 10, 66. Type-species: *Gelechia sexnotella* Chambers, 1878, Bull. U.S. geol. geogr. Surv. Territ. 4: 88, by original designation.
- 1479. *Eteobalea sumptuosella* (Lederer, 1855)** (Cosmopterigidae) *Elachista sumptuosella* Lederer, 1855, Verh. zool.-bot. Ges. Wien 5: 234. Type: Libanon: Beirut.
- 1480. *Eumenodora tetrachorda* Meyrick, 1924** (Cosmopterigidae) *Eumenodora tetrachorda* Meyrick, 1924, Exot. Microlepid. 3: 91. Type: India.
- 1481. *Labdia oxychlora* Meyrick, 1932** (Cosmopterigidae) *Labdia oxychlora* Meyrick, 1932, Exot. Microlepid. 4: 314. Type: Siera Leone.
- 1482. *Labdia semicoccinea* (Stainton, 1859)** (Cosmopterigidae) *Cosmopteryx semicoccinea* Stainton, 1859, Trans. ent. Soc. London 1859: 123. Type: Java.
- 1483. *Labdia stibogramma* Meyrick, 1924** (Cosmopterigidae) *Labdia stibogramma* Meyrick, 1924, Exot. Microlepid. 3: 90. Type: Kuala Lumpur.
- 1484. *Labdia trichaeola* Meyrick, 1933** (Cosmopterigidae) *Labdia trichaeola* Meyrick, 1933, Exot. Microlepid. 4: 427. Type: Java.
- 1485. *Limnaecia acontophora* Meyrick, 1922** (Cosmopterigidae) *Limnaecia acontophora* Meyrick, 1922, Exot. Microlepid. 2: 573. Type ♀: Philippines: Manila.
- 1486. *Limnaecia chromaturga* (Meyrick, 1915)** (Cosmopterigidae) *Xestocasis chromaturga* Meyrick, 1915, Exot. Microlepid. 1: 316. Type: Ceylon.
- 1487. *Limnaecia recidiva* Meyrick, 1911** (Cosmopterigidae) *Limnaecia recidiva* Meyrick, 1911, Ann. Transv. Mus. 3(1): 71. Type ♀: [South Africa]: Waterberg (Juttenzcka) (TMP).
- 1488. *Limnoecia combota* Meyrick, 1921** (Cosmopterigidae) *Limnoecia combota* Meyrick, 1921, Exot. Microlepid. 2: 454. Type ♂: [Iraq]: "Baghdad".
- 1489. *Neomariania rebeli* (Walsingham, 1894)** (Cosmopterigidae) *Laverna rebeli* Walsingham, 1894, Trans. ent. Soc. London 1894: 554. Type: Madeira.
- 1490. *Pancalia* Stephens, 1829** (Cosmopterigidae) *Pancalia* Stephens, 1829, Nom. Br. Insects: 49. Type-species: *Phalaena leuvenhoekella* Linnaeus, 1761, Fauna Suecica (Edn 2): 361, by subsequent designation by Curtis, 1830, Br. Ent. 7: folio 304.
- 1491. *Pancalia leuvenhoekella* (Linnaeus, 1761)** (Cosmopterigidae) *Phalaena leuvenhoekella* Linnaeus, 1761, Fauna Suec.: 361, nr. 1400.
- 1492. *Pancalia nodosella* Mann, 1854** (Cosmopterigidae) *Pancalia nodosella* Mann, 1854, Verh. zool.-bot. Ver. Wien 4: 586. Lectotype ♂: Fiume (designated by Gaedike, 1967, Beitr. Ent. 17: 372) (NHMW).
- 1493. *Pyroderces* Herrich-Schäffer, [1853]** (Cosmopterigidae) *Pyroderces* Herrich-Schäffer, [1853], Syst. Bearbeitung Schmett. Eur. 5: 12, 47; 1853, ibidem 6: Microlepid. pl. 13 figs. 29, 30. Type-species: *Pyroderces goldeggella* Herrich-Schäffer, [1853], ibidem 6: Microlepid. pl. 13 figs. 29, 30, by monotypy.
- 1494. *Pyroderces centropecta* Meyrick, 1931** (Cosmopterigidae) *Pyroderces centropecta* Meyrick, 1931, Exot. Microlepid. 4: 52. Type: Malaya.
- 1495. *Pyroderces centrophanes* (Meyrick, 1915)** (Cosmopterigidae) *Anatrachyntis centrophanes* Meyrick, 1915, Exot. Microlepid. 1: 325. Type: India.
- 1496. *Pyroderces falcata* (Stainton, 1859)** (Cosmopterigidae) *Gracilaria ? falcata* Stainton, 1859, Trans. ent. Soc. London (N.S.) 5: 121. Type: Calcutta.
- 1497. *Pyroderces simplex* Walsingham, 1891** (Cosmopterigidae) *Pyroderces simplex* Walsingham, 1891, Trans. ent. Soc. London 1891: 19, pl. 6 fig. 58. Syntypes ♂♂: Gambia.
- 1498. *Sorhagenia* Spuler, 1910** (Cosmopterigidae) *Sorhagenia* Spuler, 1910, Schmett. Eur. 2: 384. Type-species: *Elachista rhamnella* Zeller, 1839, Isis Oken, Leipzig 1839: 211, by monotypy.
- 1499. *Stagmatophora callistrepta* (Meyrick, 1917)** (Cosmopterigidae) *Pyroderces callistrepta* Meyrick, 1917, Exot. Microlepid. 2: 38. Type: India.
- 1500. *Stagmatophora phanoptila* Meyrick, 1911** (Cosmopterigidae) *Stagmatophora phanoptila* Meyrick, 1911, Ann. Transv. Mus. 3(1): 70. Syntypes 2♂♂: [South Africa]: Haenertsburg (Swierstra) (coll. Meyrick).
- 1501. *Syntomaula simulatella* (Walker, 1864)** (Cosmopterigidae) *Cryptolechia simulatella* Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 29: 747. Type: Borneo.
- 1502. *Tolliella* Riedl, 1969** (Cosmopterigidae) *Tolliella* Riedl, 1969, Polskie Pismo ent. 39: 798. Type-species: *Stagmatophora fulguritella* Ragonot, 1895, Annl. Soc. ent. Fr. 64 (Bull.): cviii, by original designation.
- 1503. *Vulcaniella* Riedl, 1965** (Cosmopterigidae) *Vulcaniella* Riedl, 1965, Polskie Pismo ent. 35: 439. Type-species: *Elachista pomposella* Zeller, 1839, Isis Oken, Leipzig 1839: 212, by original designation.
- 1504. *Vulcaniella glaseri* (Riedl, 1966)** (Cosmopterigidae) *Stagmatophora glaseri* Riedl, 1966, Mitt. ent. Ges. Basel 16: 108. Holotype ♂: [Türkei: Ankara Prov.]: "Asia min., Turcia, Kızılcahamam, 925m" (LNK).
- 1505. *Arctiocossus striolatus* (Rothschild, 1912)** (Cossidae) *Cossus striolatus* Rothschild, 1912, [in] Seitz, A., Die Gross-Schmett. Erde 2: 551. Type: [Türkei]: Magnesia [Manisa].
- 1506. *Azygophleps nurella* Swinhoe, 1894** (Cossidae) *Azygophleps nurella* Swinhoe, 1894, Ann. Mag. nat. Hist. (6) 14: 440. Type: India: Cherra Punji.
- 1507. *Azygophleps regia* (Staudinger, 1892)** (Cossidae) *Zeuzera (?) regia* Staudinger, 1892, Dt. ent. Z., Iris 4: 253-254, Taf. iii fig. 6. Syntypes: [Türkei]: Hadjin [=Saimbeyli] (J.J. Manissadjian leg.).
- 1508. *Azygophleps scalaris* (Fabricius, 1775)** (Cossidae) *Phalaena scalaris* Fabricius, 1775, Syst. Ent.: 590.
- 1509. *Catopta alpherakyi* (Christoph, 1885)** (Cossidae) *Endagria alpherakyi* Christoph, 1885, [in] Romanoff, Mem. lepid. 2: 3-4, pl. ii fig. 1. Syntypes: [Azerbaijan]: Ordubad.
- 1510. *Catopta cossoides* (Graeser, 1892)** (Cossidae) *Endagria cossoides* Graeser, 1892, Berl. ent. Z. 37 (3): 300-301. Type ♂: [Kirgizistan]: Alexander Gebirge.
- 1511. *Catopta cossoides cossoides* (Graeser, 1892)** (Cossidae) *Endagria cossoides* Graeser, 1892, Berl. ent. Z. 37 (3): 300-301. Type ♂: [Kirgizistan]: Alexander Gebirge.
- 1512. *Chalcidica minea* (Cramer, [1777])** (Cossidae) *Phalaena minea* Cramer, [1777], Uitl. Kapellen 2: 52, pl. 131 fig. D.
- 1513. *Chalcidica minea hyphinoe* (Cramer, [1777])** (Cossidae) *Phalaena hyphinoe* Cramer, [1777], Uitl. Kapellen 2: 91, pl. 154 fig. B.
- 1514. *Chalcidica minea minea* (Cramer, [1777])** (Cossidae) *Phalaena minea* Cramer, [1777], Uitl. Kapellen 2: 52, pl. 131 fig. D.
- 1515. *Cossulinus argentatus* (Staudinger, 1887)** (Cossidae) *Cossulus argentatus* Staudinger, 1887, Stettin ent. Ztg. 48: 91. Type ♂: [Türkei]: "Alexandropol (südwestl. Caucasus Gebiete, Armenien)".
- 1516. *Cossulinus argentatus argentatus* (Staudinger, 1887)** (Cossidae) *Cossulus argentatus* Staudinger, 1887, Stettin ent. Ztg. 48:

91. Type ♂: [Türkei]: "Alexandropol (südwestl. Caucasus Gebiete, Armenien)".
- 1517. *Cossulinus lignosus* (Brandt,1938)** (Cossidae) Hypopta lignosus Brandt,1938, Ent. Rdsch. 55: 699, Taf.v figs. 46,47. Syntypes: Iran: Sine Sefid, Mian-Kotal Commee.
- 1518. *Cossulinus lignosus lignosus* (Brandt,1938)** (Cossidae) Hypopta lignosus Brandt,1938, Ent. Rdsch. 55: 699, Taf.v figs. 46,47. Syntypes: Iran: Sine Sefid, Mian-Kotal Commee.
- 1519. *Cossus araraticus* Teich,1896** (Cossidae) *Cossus araraticus* Teich,1896, Stettin ent. Ztg. 57: 28. Type: [Türkei]: "İğdir" [İğdir].
- 1520. *Cossus bohatschi* Püngeler,1898** (Cossidae) *Cossus bohatschi* Püngeler,1898, Societas Ent. 13: 57. Syntypes ♂♀: [China: Uighur A.R.]: "Ili flumen".
- 1521. *Cossus cossus* (Linnaeus,1758)** (Cossidae) *Phalaena cossus* Linnaeus,1758, Syst. Nat. (Edn.10)1: 504. Type(s): [Europa].
- 1522. *Cossus cossus afghanistanus* Daniel,1953** (Cossidae) *Cossus cossus* ssp. *afghanistanus* Daniel,1953, Mitt. münch. ent. Ges. 43: 256-257, Tab.7 figs. 1,2. Holotype ♂: Afghanistan: Wardik, 7.vii.1950, Volk leg. (ZSM).
- 1523. *Cossus cossus albescens* Kitt,1925** (Cossidae) *Cossus cossus albescens* Kitt,1925, Z. Öst. Ent. Ver. 10: 29. Type ♀: Spanien: Albarracin (coll. Bubacek).
- 1524. *Cossus cossus armeniacus* Rothschild,1912** (Cossidae) *Cossus cossus* ssp. *armeniaca* Rothschild,1912, [in] Seitz,A., Die Gross-Schmett. 2: 451. Type ♀: [Türkei: Adana Prov.]: "Hadjin" [Saimbeyli] (Tring Museum).
- 1525. *Cossus cossus chinensis* Rothschild,1912** (Cossidae) *Cossus cossus* ssp. *chinensis* Rothschild,1912, [in] Seitz,A., Die Gross-Schmett. 2: 451. Type: China: Tsingtau.
- 1526. *Cossus cossus cossus* (Linnaeus,1758)** (Cossidae) *Phalaena cossus* Linnaeus,1758, Syst. Nat. (Edn.10)1: 504. Type(s): [Europa].
- 1527. *Cossus cossus kossai* Wiltshire,1957** (Cossidae) *Cossus cossus* ssp. *kossai* Wiltshire,1957, Lepidoptera of Iraq: 145, pl. v figs. 1-3. Holotype ♂: Iraq: Shaqlawa 2500ft. (coll. Wiltshire).
- 1528. *Cossus cossus omrana* Wiltshire,1957** (Cossidae) *Cossus cossus* ssp. *omrana* Wiltshire,1957, Lepidoptera of Iraq: 144-145, pl. v figs. 4-5. Holotype ♂: Iraq: Haj Omran 6000ft. (coll. Wiltshire).
- 1529. *Cossus divisa* Rothschild,1912** (Cossidae) *Cossus divisa* Rothschild,1912, [in] Seitz, Gross-Schmett. Erde 2: 451. Type: Türkei: "Panangan".
- 1530. *Cossus funkei* (Röber,1896)** (Cossidae) *Trypanus funkei* Röber,1896, Ent. Nachr. 22: 3. Type ♂: [Türkei]: Gülek, 750m. (leg. Funke).
- 1531. *Cossus nigrescens* (Rothschild,1912)** (Cossidae) *Holcocerus nigrescens* Rothschild,1912, [in] Seitz, Gross-Schmett. Erde 2: 451. Type: "Karagaitau".
- 1532. *Dyspessa albina* Rothschild,1912** (Cossidae) *Dyspessa albina* Rothschild,1912, [in] Seitz, Gross-Schmett. Erde 2: 452. Type ♀: [China: Uighur A.R.]: "Baldscuan (Turkestan)" (Tring Museum).
- 1533. *Dyspessa emilia* (Staudinger,1879)** (Cossidae) *Endagria emilia* Staudinger,1879, Horae Soc. ent. ross. 14: 347-348. Syntypes: [Türkei]: Amasia (Kerasdere).
- 1534. *Dyspessa hethitica* Daniel,1932** (Cossidae) *Dyspessa hethitica* Daniel,1932, Mitt. münch. ent. Ges. 22: 16. Synypes 1♂ 5♀: [Türkei]: "Marasch in Nordsyrien" (ZSM).
- 1535. *Dyspessa salicicola aschabadensis* Daniel,1953** (Cossidae) *Dyspessa salicicola* ssp. *aschabadensis* Daniel,1953, Mitt. münch. ent. Ges. 43: 260-261, Pl.vii fig.10. Holotype ♂: [Turkmenistan]: Asia centr., Aschabad (coll. Tancre) (ZSM).
- 1536. *Dyspessa saxicola* (Christoph,1885)** (Cossidae) *Endagria saxicola* Christoph,1885, [in] Romanoff, Mem. lepid. 2: 5-6, pl.i fig.1. Syntypes: [Azerbaidjan]: Orudbad.
- 1537. *Dyspessa serica* Brandt,1938** (Cossidae) *Dyspessa serica* Brandt,1938, Ent. Rdsch. 55: 699, Taf.v figs.48-49. Syntypes: Iran: [Fras]: Sine Sefid.
- 1538. *Dyspessa thianshanica* Daniel,1964** (Cossidae) *Dyspessa thianshanica* Daniel,1964, Mitt. münch. ent. Ges. 54: 219, Taf.v, figs.79-81. Holotype ♂: [China: Uighur A.R.]: Aksu, coll. Tancre (ZSM).
- 1539. *Dyspessa tristis* A.Bang-Haas,1912** (Cossidae) *Dyspessa tristis* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 110, Tab.vi fig.4. Syntypes ♂: [Kirgizistan]: Karagai-tau.
- 1540. *Dyspessa ulula* (Borkhausen,1790)** (Cossidae) *Phalaena ulula* Borkhausen,1790, Naturg. Eur. Schmett. 3: 142. Type: Germany: Frankfurt.
- 1541. *Dyspessa ulula ulula* (Borkhausen,1790)** (Cossidae) *Phalaena ulula* Borkhausen,1790, Naturg. Eur. Schmett. 3: 142. Type: Germany: Frankfurt.
- 1542. *Dyspessacossus hadjinensis* Daniel,1953** (Cossidae) *Dyspessacossus hadjinensis* Daniel,1953, Mitt. münch. ent. Ges. 43: 258-259, Pl.vii fig.4. Holotype ♂: [Türkei]: Asia min., Hadjin [=Saimbeyli], 16.vii. (coll. Daniel).
- 1543. *Dyspessacossus hadjinensis hadjinensis* Daniel,1953** (Cossidae) *Dyspessacossus hadjinensis* Daniel,1953, Mitt. münch. ent. Ges. 43: 258-259, Pl.vii fig.4. Holotype ♂: [Türkei]: Asia min., Hadjin [=Saimbeyli], 16.vii. (coll. Daniel).
- 1544. *Holcocerus brunneogriseus* Daniel,1949** (Cossidae) *Holcocerus brunneogriseus* Daniel,1949, Mitt. münch. ent. Ges. 35/39: 238. Type ♂: [China: Uighur A.R.]: "Thian Shan" (coll. Merzbacher) (ZSM).
- 1545. *Holcocerus mongolicus* (Erschoff,1882)** (Cossidae) *Cossus mongolicus* Erschoff,1882, Horae Soc. ent. ross. 17: 33, Taf.1 fig.34. Type ♂: [China: Uighur A.R.]: Kuldja.
- 1546. *Lamellocossus terebrus* (Denis,1785)** (Cossidae) *Phalaena terebra* Denis,1785, in Fuessly, Neues Mag. Lieb. Ent. 2:377.
- 1547. *Meharia incurvariella* Chrétien,1915** (Cossidae) *Blalia vittata* Rungs,1942, Bull. Soc. Sci. nat. Maroc 22: 174.
- 1548. *Meharia persica* (Wiltshire,1946)** (Cossidae) *Blalia vittata* ssp. *persica* Wiltshire,1946, Proc. R. Ent. Soc. Lond. (B): 15: 120, Pl.1 figs. J,K. Holotype ♂: [Iran]: Shiraz, 5000ft (coll. Wiltshire).
- 1549. *Paracossus pinratanai* Yakovlev,2005** (Cossidae) *Paracossus pinratanai* Yakovlev,2005, Atalanta 35 (3/4): 383-384, figs. Holotype ♂: North Thailand: Chiang Mai, 1800m 4km S of Lop Dong, 6.xi.2002, leg.B.Herczig & G.Ronkay (coll. Armin Hauenstein).
- 1550. *Parahypopta caestrum* (Hübner,[1808])** (Cossidae) *Bombyx caestrum* Hübner,[1808], Samml. eur. Schmett. 3, Bombyces: Tab.46 fig.199. Type(s): Europa.
- 1551. *Parahypopta caestrum caestrum* (Hübner,[1808])** (Cossidae) *Bombyx caestrum* Hübner,[1808], Samml. eur. Schmett. 3, Bombyces: Tab.46 fig.199. Type(s): Europa.
- 1552. *Phragmacossia libani* Daniel,1933** (Cossidae) *Phragmacossia libani* Daniel,1933, Dt. ent. Z., Iris 47: 107-108, Taf.1 Abb.33. Syntypes 3♂: Libanon: Bscharre (coll. Daniel).
- 1553. *Semagystia cuhensis* De Freina,1994** (Cossidae) *Semagystia cuhensis* De Freina,1994, Atalanta 25 (1/2): 321-324, figs. Holotype ♂: [Türkei]: Prov. Erzurum, Kop Dağı Geçidi, 2400m, 5.vii.1986 leg. Pavlas (Mus. Witt).
- 1554. *Stygia mosulensis* Daniel,1965** (Cossidae) *Stygia mosulensis* Daniel,1965, Mitt. münch. ent. Ges. 55: 80-81, Taf.II fig.1. Holotype ♀: Iraq: Mosul desert, vi.35 (leg. & coll. Wiltshire).
- 1555. *Stygioides Bruand,1853*** (Cossidae) *Stygioides* Bruand,1853, Mém. Soc. Emul. Doubs (2) 3: 18. Type-species: *Stygia colchica* Herrich-Schäffer,1851, Syst. Bearbeitung Schmett. Eur. 2: Hepialides & Cossides pl.2, fig.10, by monotypy.
- 1556. *Stygioides tricolor* (Lederer,1858)** (Cossidae) *Stygia tricolor* Lederer,1858, Wien. ent. Monatschr. 2: 143, Taf.2 fig.4. Type ♀: Syria: Damask.
- 1557. *Xyleutes ceramicus* (Walker,1865)** (Cossidae) *Zeuzera ceramicus* Walker,1865, List 32: 587.
- 1558. *Zeuzera coffeae* Nietner,1861** (Cossidae) *Zeuzera coffeae* Nietner,1861, Enemies of Coffee Tree: 21-22.
- 1559. *Zeuzera conferta* Walker,1856** (Cossidae) *Zeuzera conferta* Walker,1856, List 7: 1536.
- 1560. *Zeuzera lineata* Gaede,1933** (Cossidae) *Zeuzera lineata* Gaede,1933, [in] Seitz, Gross-Schmett. Erde 10: 812.
- 1561. *Amata aequipuncta* (Turati,1917)** (Ctenuchidae) *Syntomis aequipuncta* Turati,1917, Atti Soc. ital. Sci. Nat. 56: 216, 224, t.2 figs. 17-20. Holotype ♂: [Turkey]: Eibes [Akbes] (coll. Turati).
- 1562. *Amata aequipuncta aequipuncta* (Turati,1917)** (Ctenuchidae) *Syntomis aequipuncta* Turati,1917, Atti Soc. ital. Sci. Nat. 56: 216, 224, t.2 figs. 17-20. Holotype ♂: [Turkey]: Eibes [Akbes] (coll. Turati).
- 1563. *Amata aequipuncta maraschi* (Daniel,1939)** (Ctenuchidae) *Syntomis aequipuncta* ssp. *maraschi* Daniel,1939, Mitt. münch. ent. ges. 29: 86, t.2 figs.15-16. Holotype ♂: [Türkei]: Marasch (Nordsyrien) (ZSM).
- 1564. *Amata alicia* (Butler,1876)** (Ctenuchidae) *Syntomis alicia* Butler,1876, J. linn. Soc. Lond., Zool. 12: 348. Type: Abyssinia (Harris leg.) (BMNH).
- 1565. *Amata annulata* (Fabricius,1775)** (Ctenuchidae) *Zygaena annulata* Fabricius,1775, Syst. Ent.: 551. Type(s): Nova Hollandia.

- 1566. *Amata aserbeidjana* (De Freina,1982)** (Ctenuchidae) Syntomis aserbeidjana De Freina,1982, NachrBl. bayer. Ent. 31 (3): 58-62, Abb. 18-21. Holotype ♂: Iran: Azarshar, SW. Tabriz, 7.76 (leg. Czipka).
- 1567. *Amata banghaasi* Obratsov,1966** (Ctenuchidae) *Amata* (Syntomis) banghaasi Obratsov,1966, Veröff. zool. Stsaml. Münch. 10: 358 (nomen novum pro caspia Alpheraky,1892 nec Stgr.,1877).
- 1568. *Amata caerulescens* (Druce,1898)** (Ctenuchidae) Syntomis caerulescens Druce,1898, Ann. Mag. nat. Hist. (7) 1: 146. Syntypes 2♂: "East Africa, Delagoa Bay (Monteiro, Mus. Druce)".
- 1569. *Amata cuprizonata* (Hampson,1901)** (Ctenuchidae) Syntomis cuprizonata Hampson,1901, Ann. Mag. nat. Hist. 8 (7): 168. Type: [Kenya]: British East Africa.
- 1570. *Amata discata* (Druce,1898)** (Ctenuchidae) Syntomis discata Druce,1898, Ann. Mag. nat. Hist. (7) 1: 147. Type ♀: [Tanzania]: "East Africa, Dar-es-Salaam (Mus. Druce)".
- 1571. *Amata edwardsii* (Butler,1876)** (Ctenuchidae) Syntomis edwardsii Butler,1876, J. linn. Soc. Lond., Zool. 12: 346. Type: [Taiwan]: Formosa (coll. Moore).
- 1572. *Amata elisa* (Butler,1876)** (Ctenuchidae) Syntomis elisa Butler,1876, J. linn. Soc. Lond., Zool. 12: 347. Syntypes: Sarawak (Wallace leg.) (BMNH).
- 1573. *Amata flaviguttata* (Hampson,1900)** (Ctenuchidae) Syntomis flaviguttata Hampson,1900, J. Bomb. nat. Hist. Soc. 13: 50, Pl.B fig.2. Type: [Pakistan]: N.W.Himalaya: Chitral.
- 1574. *Amata hakkariana* (De Freina,1982)** (Ctenuchidae) Syntomis hakkariana De Freina,1982, NachrBl. bayer. Ent. 31 (3): 54-57, Abb. 7-11. Holotype ♂: Kleinasien: Prov. Hakkari: Zab-Tal, 30km SW Hakkari, 1200-1300m, 4-13.6.81 (De Freina leg. & coll.).
- 1575. *Amata hydatina* (Butler,1876)** (Ctenuchidae) Syntomis hydatina Butler,1876, J. linn. Soc. Lond., Zool. 12: 346. Type: [India]: Calcutta (Dick leg.) (coll.F.Moore).
- 1576. *Amata johanna* (Butler,1876)** (Ctenuchidae) Syntomis johanna Butler,1876, J. linn. Soc. Lond., Zool. 12: 348. Type: [South Africa]: "Knysna" (Trimen leg.) (BMNH).
- 1577. *Amata khasiana* (Butler,1876)** (Ctenuchidae) Syntomis khasiana Butler,1876, J. linn. Soc. Lond., Zool. 12: 345-346. Type: [India]: Khasia Hills (G.-Austen leg.) (coll.F.Moore).
- 1578. *Amata libanotica* (A.Bang-Haas,1906)** (Ctenuchidae) Syntomis libanotica A.Bang-Haas,1906, Dt. ent. Z., Iris 19: 142. Holotype ♂: Libanon: Dliba (=Delepta) (ZMB).
- 1579. *Amata lucina* (Butler,1876)** (Ctenuchidae) Syntomis lucina Butler,1876, J. linn. Soc. Lond., Zool. 12: 345. Type: Nepal (Hardwicke leg.) (BMNH).
- 1580. *Amata mestrallii antilibanotica* Obratsov,1966** (Ctenuchidae) *Amata* (Syntomis) mestrallii ssp. antilibanotica Obratsov,1966, Veröff. zool. Stsaml. Münch. 10: 350-351, figs. Holotype ♂: [Syria]: Antilibanon: Zebdani (ZSM).
- 1581. *Amata mestrallii palaestinae* (Hampson,1898)** (Ctenuchidae) Syntomis mestrallii ab. palaestinae Hampson,1898, Cat. lepid. Phalaena Br. Mus. 1: 110. Type: Palestina (BMNH).
- 1582. *Amata passalis* (Fabricius,1781)** (Ctenuchidae) *Zygaena* passalis Fabricius,1781, Spec. Ins. 2: 159.
- 1583. *Amata phegea* (Linnaeus,1758)** (Ctenuchidae) *Sphinx* phegea Linnaeus,1758, Syst. Nat. (Edn.10) 1: 494. Type(s): Germania.
- 1584. *Amata rossica* (Turati,1917)** (Ctenuchidae) Syntomis rossica Turati,1917, Atti Soc. ital. Sci. Nat. 56: 219, 228, t.4 fig. 4. Type ♂: Russia: Saratow (coll. Turati).
- 1585. *Amata sperbius* (Fabricius,1787)** (Ctenuchidae) *Zygaena* sperbius Fabricius,1787, Mant. Ins. 2: 103.
- 1586. *Amata tanina* (De Freina,1982)** (Ctenuchidae) Syntomis tanina De Freina,1982, NachrBl. bayer. Ent. 31 (3): 48-52, Abb. 1-5. Holotype ♂: Kleinasien: Prov. Hakkari: tanin Tanin Pass, 2200m, 10.7.1981 (De Freina leg. & coll.).
- 1587. *Amata taurica* (Turati,1917)** (Ctenuchidae) Syntomis taurica Turati,1917, Atti Soc. ital. Sci. Nat. 56: 221, 231, t.4 fig. 12. Type(s): [Turkey]: Taurus.
- 1588. *Amata transcaspica* Obratsov,1941** (Ctenuchidae) *Amata* (Syntomis) transcaspica Obratsov,1941, Univ. Kijev. Acta Mus. Zool. 1 (1939): 138 et seq. Type ♂: [Turkmenistan]: Krasnowodsk (coll. Sheljuzhko).
- 1589. *Amata wiltshirei* Bytinski-Salz,1939** (Ctenuchidae) *Amata* wiltshirei Bytinski-Salz,1939, Entomologist's Rec. J. Var. 51: 150, t.10 figs.3-4. Lectotype ♂: Iraq: Rayat, designated by Obratsov,1966 (coll. Daniel).
- 1590. *Amata wiltshirei kordestana* De Freina & Ten Hagen,2003** (Ctenuchidae) *Amata* wiltshirei ssp. kordestana De Freina & Ten Hagen,2003, Linneana Belg. 19 (1): 52-57, figs. Holotype ♂: Iran: Kordestan: Stra. Saghez-Baneh, 21 NE Baneh, 1950m, vii.1976. Ebert & Falkner leg. (LNK).
- 1591. *Amata wiltshirei wiltshirei* Bytinski-Salz,1939** (Ctenuchidae) *Amata* wiltshirei Bytinski-Salz,1939, Entomologist's Rec. J. Var. 51: 150, t.10 figs.3-4. Lectotype ♂: Iraq: Rayat, designated by Obratsov,1966 (coll. Daniel).
- 1592. *Apisa arabica* Warnecke,1934** (Ctenuchidae) *Apisa* arabica Warnecke,1934, Mitt. münch. ent. Ges. 25: 63.
- 1593. *Caeneressa brithyris* (Druce,1898)** (Ctenuchidae) Syntomis brithyris Druce,1898, Ann. Mag. nat. Hist. (7) 1: 146-147. Type ♀: "North East Borneo (Pryer, Mus. Druce)".
- 1594. *Callitomis dimorpha* Bytinski-Salz,1939** (Ctenuchidae) *Callitomis* dimorpha Bytinski-Salz,1939, Entomologist's Rec. J. Var. 51: 149, Pl.10 figs.13,14. Holotype ♂: [Turkey]: "Agri-Dagh" (coll. Bytinski-Salz).
- 1595. *Ceryx diptera* (Fabricius,1775)** (Ctenuchidae) *Zygaena* diptera Fabricius,1775, Syst. Ent.: 555. Type(s): India orientalis.
- 1596. *Dysauxes ancilla* (Linnaeus,1767)** (Ctenuchidae) *Phalaena* ancilla Linnaeus,1767, Syst. Nat. (Edn. 12): 835. Type(s): Germania.
- 1597. *Dysauxes famula* (Freyer,1836)** (Ctenuchidae) *Lithosia* famula Freyer,1836, Neuere Beitr. 2: 143. Type(s): [Slovenien]: Fiume [Rijeka].
- 1598. *Dysauxes punctata* (Fabricius,1781)** (Ctenuchidae) *Bombyx* punctata Fabricius,1781, Spec. Ins. 2: 207. Type(s): Italien.
- 1599. *Dysauxes punctata punctata* (Fabricius,1781)** (Ctenuchidae) *Bombyx* punctata Fabricius,1781, Spec. Ins. 2: 207. Type(s): Italien.
- 1600. *Dysauxes punctata servula* (Berce,1862)** (Ctenuchidae) *Naclia* servula Berce,1862, Annls Soc. ent. Fr. (4) 2: 386. Syntypes: France: Hyères.
- 1601. *Dysauxes syntomida* (Staudinger,1892)** (Ctenuchidae) *Naclia* syntomida Staudinger,1892, Dt. ent. Z., Iris 4: 248-249. Syntypes ♂♀: [Türkei]: Mardin.
- 1602. *Eressa Walker*,1854** (Ctenuchidae) *Eressa* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 1: 149. Type-species: *Glaucopis* (*Eressa*) *confinis* Walker,1854, by monotypy.
- 1603. *Eressa confinis* (Walker,1854)** (Ctenuchidae) *Glaucopis* (*Eressa*) *confinis* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 1: 149. Type: North India.
- 1604. *Eressa confinis confinis* (Walker,1854)** (Ctenuchidae) *Glaucopis* (*Eressa*) *confinis* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 1: 149. Type: North India.
- 1605. *Euchromia elegantissima* (Wallengren,1861)** (Ctenuchidae) *Charidea* elegantissima Wallengren,1861, Eugenies Resa: 360.
- 1606. *Euchromia guineensis* (Fabricius,1775)** (Ctenuchidae) *Zygaena* guineensis Fabricius,1775, Syst. Ent.: 551. Type(s): Guinea.
- 1607. *Euchromia lethe* (Fabricius,1775)** (Ctenuchidae) *Zygaena* lethe Fabricius,1775, Syst. Ent.: 553. Type(s): Africa.
- 1608. *Hyalaethea metaphaea* Druce,1898** (Ctenuchidae) *Hyalaethea* metaphaea Druce,1898, Ann. Mag. nat. Hist. (7) 1: 147. Type ♀: "Aola, Guadalcanar Island, Solomon group (C.M.Woodford, Mus. Druce)".
- 1609. *Psichotoe duvauceli* Boisduval,1829** (Ctenuchidae) *Psichotoe* duvauceli Boisduval,1829, Monogr. Zygaen.: 129, pl.8 fig.5,6.
- 1610. *Cyclidia dictyaria* (Swinhoe,1899)** (Cyclidiidae) *Euchera* dictyaria Swinhoe,1899, Ann. Mag. nat. Hist. (7) 3: 111. Type: N.W. India: Kangra.
- 1611. *Cyclidia orciferaria* Walker,1860** (Cyclidiidae) *Cyclidia* orciferaria Walker,1860, List Specimens lepid. Insects Colln Br. Mus. 20: 56. Type: N.China.
- 1612. *Cyclidia substigmatica modesta* Bryk,1943** (Cyclidiidae) *Cyclidia* substigmatica ssp. modesta Bryk,1943, Ark. Zool. 34A (13): 3, pl.1 figs. Type: [Myanmar]: Burma.
- 1613. *Amauris* (*Amaura*) *albimaculata* Butler,1875** (Danaiidae) *Amauris* echeria var. *albimaculata* Butler,1875, Ann. Mag. nat. Hist. (4) 16: 394.
- 1614. *Amauris* (*Amaura*) *albimaculata albimaculata* Butler,1875** (Danaiidae) *Amauris* echeria var. *albimaculata* Butler,1875, Ann. Mag. nat. Hist. (4) 16: 394.
- 1615. *Amauris* (*Amaura*) *albimaculata chirindana* Talbot,1941** (Danaiidae) *Amauris* *albimaculata* *chirindana* Talbot,1941, Entomologist's mon. Mag. 77: 211.
- 1616. *Amauris* (*Amauris*) *niavius dominicanus* Trimen,1879** (Danaiidae) *Amauris* *dominicanus* Trimen,1879, Trans. ent. Soc. London 1879 (4): 323-324. Syntypes: South Africa: Natal: Durban; Quilimane, Zambesi.

- 1617. Chittira Moore,[1880]** (Danaiidae) Chittira Moore,[1880], Lep. Ceylon 1 (1): 8. Type-species: Danais fumata Butler,1866, Proc. zool. Soc. Lond. 1866: 52, by original designation.
- 1618. Danaus (Anosia) Hübner,[1816]** (Danaiidae) Anosia Hübner,[1816], Verz. bekannt. Schmett. (1): 16. Type-species: Papilio gilippus Cramer,[1775], Utitl. Kapellen 1(3): 41, Pl. 26, figs. E, F, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci, Boston 10: 113.
- 1619. Danaus (Anosia) chrysippus (Linnaeus,1758)** (Danaiidae) Papilio chrysippus Linnaeus,1758, Syst. Nat. (Ed.10) 1: 471. Syntypes: Aegyptio, America [S. China (Tolman,1997)].
- 1620. Danaus (Anosia) chrysippus chrysippus (Linnaeus,1758)** (Danaiidae) Papilio chrysippus Linnaeus,1758, Syst. Nat. (Ed.10) 1: 471. Syntypes: Aegyptio, America [S. China (Tolman,1997)].
- 1621. Danaus (Salatura) melanippus edmondii (Lesson,1837)** (Danaiidae) Danais edmondii Lesson,1837, Boug. Voy. Thet. 1.44 fig.3
- 1622. Danaus (s.str.) Kluk,1802** (Danaiidae) Danaus Kluk,1802, Zwierz. Hist. nat. pocz. gospod. 4: 84. Type-species: Papilio plexippus Linnaeus,1758, Syst. Nat. (Ed.10)1: 471, by subsequent designation by Hemming,1933, Entomologist 66: 222.
- 1623. Danaus (s.str.) plexippus (Linnaeus,1758)** (Danaiidae) Papilio plexippus Linnaeus,1758, Syst. Nat. (Ed.10) 1: 471. Type(s): America septentrionalis.
- 1624. Danaus (s.str.) plexippus plexippus (Linnaeus,1758)** (Danaiidae) Papilio plexippus Linnaeus,1758, Syst. Nat. (Ed.10) 1: 471. Type(s): America septentrionalis.
- 1625. Danaus Kluk,1802** (Danaiidae) Danaus Kluk,1802, Zwierz. Hist. nat. pocz. gospod. 4: 84. Type-species: Papilio plexippus Linnaeus,1758, Syst. Nat. (Ed.10)1: 471, by subsequent designation by Hemming,1933, Entomologist 66: 222.
- 1626. Euploea (Crastia) Hübner,[1816]** (Danaiidae) Crastia Hübner,[1816], Verz. bekannt. Schmett. (1): 16. Type-species: Papilio core Cramer,[1780], Utitl. Kapellen 3 (23): 133, Pl. 266, figs. E, F, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci, Boston 10: 148.
- 1627. Euploea (Crastia) core (Cramer,[1780])** (Danaiidae) Papilio core Cramer,[1780], Utitl. Kapellen 3: pl.266 figs. E,F.
- 1628. Euploea (Crastia) core core (Cramer,[1780])** (Danaiidae) Papilio core Cramer,[1780], Utitl. Kapellen 3: pl.266 figs. E,F.
- 1629. Euploea (Salpinx) Hübner,[1819]** (Danaiidae) Salpinx Hübner,[1819], Verz. bekannt. Schmett. (2): 17. Type-species: Limnas nemertes Hübner,[1807], Samml. exot. Schmett. 1: pl. [26], by monotypy.
- 1630. Euploea (Salpinx) klugii Moore,[1858]** (Danaiidae) Euploea klugii Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 130, nr.258. Type(s): Bootan.
- 1631. Euploea (Salpinx) klugii klugii Moore,[1858]** (Danaiidae) Euploea klugii Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 130, nr.258. Type(s): Bootan.
- 1632. Euploea (Salpinx) klugii kollari C.Felder & R.Felder,[1867]** (Danaiidae) Euploea kollari C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep. Rhop. (3): 325. Type(s): patria incognita.
- 1633. Euploea (Stictoploea) Butler,[1878]** (Danaiidae) Stictoploea Butler,[1878], J. linn. Soc. Lond., Zool. 14: 291, 301. Type-species: Euploea gloriosa Butler,1866, Proc. zool. Soc. Lond. 1866: 293, Pl.29 fig.4, by original designation.
- 1634. Euploea (Stictoploea) mulciber (Cramer,[1777])** (Danaiidae) Papilio mulciber Cramer,[1777], Utitl. Kapellen 2: pl.127 figs. C,D.
- 1635. Euploea (Stictoploea) mulciber mulciber (Cramer,[1777])** (Danaiidae) Papilio mulciber Cramer,[1777], Utitl. Kapellen 2: pl.127 figs. C,D.
- 1636. Euploea Fabricius,1807** (Danaiidae) Euploea Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 280. Type-species: Papilio corus Fabricius,1793, Ent. Syst.3(1): 41, by subsequent designation by the Commission under the Plenary Powers in Opinion 163.
- 1637. Euploea blossomae blossomae Schaus,1929** (Danaiidae) Euploea blossomae Schaus,1929, Proc. ent. Soc. Wash. 31: 20. Type: Luzon.
- 1638. Euploea blossomae corazonae Schröder,1977** (Danaiidae) Euploea sibulanensis ssp. corazonae Schröder,1977, Ent. Z., Frankf. a. M. 87(16): 178-179, Abb.1. Holotypus ♂: Philippinen: Negros: Mt. Canlaon 4000ft.
- 1639. Euploea doubledayi evalida (Swinhoe,1899)** (Danaiidae) Penoa evalida Swinhoe,1899, Ann. Mag. nat. Hist. (7) 3: 103. Syntypes: [Malaysia]: "Perak. Many examples" (BMNH).
- 1640. Euploea eunice eunice (Godart,[1819])** (Danaiidae) Danais eunice Godart,[1819], Ency. Méth. 9: 177.
- 1641. Idea leuconoe siamensis (Godfrey,1916)** (Danaiidae) Hestia leuconoe ssp. siamensis Godfrey,1916, J. nat. Hist. Soc. Siam 2: 117. Syntypes ♂♀: [Thailand]: Siam: Nong Khor (Hup-Bon).
- 1642. Ideopsis gaura cesa Kemal & Koçak,2005** (Danaiidae) Ideopsis gaura ssp. cesa Kemal & Koçak,2005, Cent. ent. Stud., Misc. Pap. xx: xx. pro Ideopsis gaura ssp. palawana Fruhstorfer,1910, [in] Seitz, Gross-Schmett. Erde 9: 216 nec Ideopsis vulgaris var. palawana (Staudinger,1889). Type: Philippines: Palawan.
- 1643. Ideopsis vulgaris palawana (Staudinger,1889)** (Danaiidae) Danais vulgaris var. palawana Staudinger,1889, Dt. ent. Z., Iris 2: 27. Syntypes: [Philippines]: Palawan.
- 1644. Parantica Moore,[1880]** (Danaiidae) Parantica Moore,[1880], Lep. Ceylon 1(1). Type-species: Papilio aglea Stoll,[1782], [in] Cramer, Utitl. Kapellen 4(32): 173, Pl.377 fig.E, by original designation.
- 1645. Parantica aglea (Stoll,[1782])** (Danaiidae) Papilio aglea Stoll,[1782], [in] Cramer, Utitl. Kapellen 4: pl.377, fig. E.
- 1646. Parantica aglea aglea (Stoll,[1782])** (Danaiidae) Papilio aglea Stoll,[1782], [in] Cramer, Utitl. Kapellen 4: pl.377, fig. E.
- 1647. Parantica aglea melanoides Moore,1883** (Danaiidae) Parantica melanoides Moore,1883, Proc. zool. Soc. Lond. 1883: 247. Type ♂: Nepal.
- 1648. Parantica aspasia (Fabricius,1787)** (Danaiidae) Papilio aspasia Fabricius,1787, Mant. Ins. 2: 15.
- 1649. Parantica aspasia aspasia (Fabricius,1787)** (Danaiidae) Papilio aspasia Fabricius,1787, Mant. Ins. 2: 15.
- 1650. Parantica aspasia viridana (Corbet,1942)** (Danaiidae) Danaus aspasia ssp. viridana Corbet,1942, Ann. Mag. nat. Hist. (11) 9: 268. Holotype ♂: [Indonesia]: Sipora (BMNH).
- 1651. Parantica davidi (Schröder,1976)** (Danaiidae) Danaus davidi Schröder,1976, Ent. Z., Frankf. a. M. 86(11): 106-108, Abb.1. Holotype ♂: Philippinen: Negros: Mt. Canlaon 6900ft.
- 1652. Parantica luzonensis (C.Felder & R.Felder,1863)** (Danaiidae) Danais luzonensis C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7(4): 106. Type ♀: Luzon.
- 1653. Parantica luzonensis luzonensis (C.Felder & R.Felder,1863)** (Danaiidae) Danais luzonensis C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7(4): 106. Type ♀: Luzon.
- 1654. Parantica melaneus (Cramer,[1775])** (Danaiidae) Papilio melaneus Cramer,[1775], Utitl. Kapellen 1: pl.30 fig.D.
- 1655. Parantica melaneus melaneus (Cramer,[1775])** (Danaiidae) Papilio melaneus Cramer,[1775], Utitl. Kapellen 1: pl.30 fig.D.
- 1656. Parantica melaneus plataniston (Fruhstorfer,1910)** (Danaiidae) Danaida melaneus plataniston Fruhstorfer,1910, [in] Seitz, Die Gross-Schmett Erde 9: 210. Syntypes: Himalayas.
- 1657. Parantica sita (Kollar,[1844])** (Danaiidae) Danais sita Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 424, pl.vi. Type(s): Kashmir.
- 1658. Parantica sita ethologa (Swinhoe,1899)** (Danaiidae) Caduga ethologa Swinhoe,1899, Ann. Mag. nat. Hist. (7) 3: 102. Syntypes: [Malaysia]: "Perak. Many examples" (BMNH).
- 1659. Parantica sita sita (Kollar,[1844])** (Danaiidae) Danais sita Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 424, pl.vi. Type(s): Kashmir.
- 1660. Tirumala Moore,[1880]** (Danaiidae) Tirumala Moore,[1880], Lep. Ceylon 1 (1): 4. Type-species: Papilio limniace Cramer,[1775], Utitl. Kapellen 1(5): 92, Pl.59, figs. D,E, by original designation.
- 1661. Tirumala hamata (Macleay,1827)** (Danaiidae) Euploea hamata Macleay,1827, Kings Austral. 2: 451.
- 1662. Tirumala hamata hamata (Macleay,1827)** (Danaiidae) Euploea hamata Macleay,1827, Kings Austral. 2: 451.
- 1663. Tirumala limniace (Cramer,[1775])** (Danaiidae) Papilio limniace Cramer,[1775], Utitl. Kapellen 1: pl.59 figs. D,E.
- 1664. Tirumala limniace leopardus (Butler,1866)** (Danaiidae) Danais limniace var. leopardus Butler,1866, Proc. zool. Soc. Lond. 1866: 52. Syntypes: North India.
- 1665. Tirumala limniace limniace (Cramer,[1775])** (Danaiidae) Papilio limniace Cramer,[1775], Utitl. Kapellen 1: pl.59 figs. D,E.
- 1666. Tirumala petiverana (Doubleday,[1847])** (Danaiidae) Danais limniace var. petiverana Doubleday,[1847], Gen. diurn. Lepid. 1: 93. pl. 12 fig.1. Type: Africa.
- 1667. Tirumala petiverana petiverana (Doubleday,[1847])** (Danaiidae) Danais limniace var. petiverana Doubleday,[1847], Gen. diurn. Lepid. 1: 93. pl. 12 fig.1. Type: Africa.

- 1668. *Tirumala septentrionis* (Butler,1874)** (Danaiidae) Danaia septentrionis Butler,1874, Entomologist's mon. Mag. 11: 163. Syntypes: Nepal.
- 1669. *Klimeschia Amsel*,1938** (Douglassiidae) *Klimeschia* Amsel,1938, Dt. ent. Z. Iris 52: 89. Type-species: *Klimeschia lutumella* Amsel,1938, ibidem 52:89, fig., by original designation.
- 1670. *Klimeschia vibratoria* (Mann,1862)** (Douglassiidae) *Tinagma vibratoria* Mann,1862, Wien. ent. Monatschr. 6: 404, Taf.3 fig.15. Type ♂: [Türkei]: Kleinasien: Brussa [Bursa].
- 1671. *Tinagma Zeller*,1839** (Douglassiidae) *Tinagma* Zeller,1839, Isis Oken Leipzig 1839: 203. Type-species: *Aechmia perdicella* Zeller,1839, ibidem 1839: 204, by subsequent designation by Fletcher,1929, Mem. Dep. Agric. India (Ent.) 11: 223.
- 1672. *Tinagma columbellum* (Staudinger,1880)** (Douglassiidae) *Douglasia columbella* Staudinger,1880, Horae Soc. ent. ross. 15: 383-384. Syntypes 2♂: [Türkei]: Amasia (Kerasdere).
- 1673. *Tinagma grisescens* Stainton,1867** (Douglassiidae) *Tinagma grisescens* Stainton,1867, Tineina of Syria and Asia minor: 51. Type ♂: "Palaestina" (BMNH).
- 1674. *Tinagma klimeschi* Gaedike,1987** (Douglassiidae) *Tinagma klimeschi* Gaedike,1987, Nota lepid. 10 (3): 158-162, figs. Holotype ♂: Insel Rhodos, Faliraki 14.iv.1986 (leg. & coll. Klimesch).
- 1675. *Tinagma minutissimum* (Staudinger,1880)** (Douglassiidae) *Douglasia* (?) *minutissima* Staudinger,1880, Horae Soc. ent. ross. 15: 384-385. Type ♀: [Türkei]: Amasia (Kerasdere).
- 1676. *Agnidra fuscilinea* (Watson,1961)** (Drepanidae) *Albara fuscilinea* Watson,1961, Bull. Br. Mus. (Nat. Hist.) Ent. 10: 326. Holotype: Malaya (BMNH).
- 1677. *Albara hollowayi* Watson,1970** (Drepanidae) *Albara hollowayi* Watson,1970, Entomologist 103: 255.
- 1678. *Albara reversaria* Walker,1866** (Drepanidae) *Albara reversaria* Walker,1866, List 35: 1567.
- 1679. *Cilix Leach*,[1815]** (Drepanidae) *Cilix* Leach,[1815], [in] Brewster, Edinburgh Encycl. 9 (1830): 135. Type-species: *Bombyx compressa* Fabricius,1777, by monotypy.
- 1680. *Cilix asiatica* A.Bang-Haas,1907** (Drepanidae) *Cilix* *glaucata* var. *asiatica* A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 70. Syntypes: [Türkei]: "Klein-Asien: Syrien: Mardin, Amasia".
- 1681. *Cilix glaucata* (Scopoli,1763)** (Drepanidae) *Phalaena glaucata* Scopoli,1763, Ent. Carniolica: 221.
- 1682. *Cilix glaucata glaucata* (Scopoli,1763)** (Drepanidae) *Phalaena glaucata* Scopoli,1763, Ent. Carniolica: 221.
- 1683. *Ditrigona conflexaria* (Walker,1861)** (Drepanidae) *Acidalia conflexaria* Walker,1861, List 23: 758.
- 1684. *Ditrigona titana* Wilkinson,1968** (Drepanidae) *Ditrigona titana* Wilkinson,1968, Trans. zool. Soc. Lond. 31: 453, figs. Holotype: China: Yunnan, Likiang.
- 1685. *Drapetodes magnifica* Swinhoe,1902** (Drepanidae) *Drapetodes magnifica* Swinhoe,1902, Trans. ent. Soc. Lond. 1902: 589. Holotype ♀: Singapore.
- 1686. *Drapetodes magnifica denotata* Watson,1961** (Drepanidae) *Drapetodes magnifica* ssp. *denotata* Watson,1961, Bull. Br. Mus. nat. Hist. (Ent.) 10(8): 323. Holotype ♂: Borneo: Kariorang.
- 1687. *Drepana falcatoria* (Linnaeus,1758)** (Drepanidae) *Phalaena falcatoria* Linnaeus,1758, Syst. Nat. (Edn 10) 1: 519. Type(s): [Europe].
- 1688. *Falcaria lacertinaria* (Linnaeus,1758)** (Drepanidae) *Phalaena lacertinaria* Linnaeus,1758, Syst. Nat. (Edn 10) 1: 519. Type(s): [Europe].
- 1689. *Gogana Walker*,[1866]** (Drepanidae) *Gogana* Walker,[1866], List Specimens lepid. Insects Colln Br. Mus. 34: 1219. Type-species: *Gogana specularis* Walker,[1866], by monotypy.
- 1690. *Gogana specularis* Walker,[1866]** (Drepanidae) *Gogana specularis* Walker,[1866], List Specimens lepid. Insects Colln Br. Mus. 34: 1220. Type: Borneo, Sarawak.
- 1691. *Teldenia angustifascia* Watson,1961** (Drepanidae) *Teldenia angustifascia* Watson,1961, Bull. Br. Mus. nat. Hist. (Ent.) 10(8): 319-323, figs. Holotype ♂: [Indonesia]: W.Celebes: Paloe, Tompoe, 2700ft.
- 1692. *Teldenia latilinea* Watson,1961** (Drepanidae) *Teldenia latilinea* Watson,1961, Bull. Br. Mus. nat. Hist. (Ent.) 10(8): 318-319, figs. Holotype ♂: [Indonesia]: W.Celebes: Paloe, Lindoe, 3700ft.
- 1693. *Watsonalla cultaria* (Fabricius,1775)** (Drepanidae) *Phalaena cultaria* Fabricius,1775, Syst. Ent.: 621. Type(s): Germania.
- 1694. *Dudgeonea leucosticta* Hampson,1900** (Dudgeoniidae) *Dudgeonea leucosticta* Hampson,1900, J. Bombay Soc. nat. Hist. 13: 227.
- 1695. *Elachista anatoliensis* Traugott-Olsen,1990** (Elachistidae) *Elachista anatoliensis* Traugott-Olsen,1990, Shilap Revta lepid. 18 (71): 216-217, figs. Holotype ♂: Turkey: Prov. Ankara: "Kizilcahamam" [Kızılcahamam] (leg. Friedel) (TLMF).
- 1696. *Elachista atrisquamosa* Staudinger,1880** (Elachistidae) *Elachista atrisquamosa* Staudinger,1880, Horae Soc. ent. ross. 15: 406. Type ♂: [Türkei]: Amasia (Kerasdere).
- 1697. *Elachista blancelli* Traugott-Olsen,1992** (Elachistidae) *Elachista blancelli* Traugott-Olsen,1992, Shilap Revta lepid. 20 (79): 216-217, figs. Holotype ♂: Turkey: Prov. Ankara: "20km NW Kizilcahamam" [Kızılcahamam] (leg. M.Fibiger) (ZMUC).
- 1698. *Elachista chionella* Mann,1861** (Elachistidae) *Elachista chionella* Mann,1861, Wien. ent. Monatschr. 5: 193. Lectotype ♂: [Türkei]: Amasia (Nielsen & Traugott-Olsen, 1978:15).
- 1699. *Elachista deceptricula* Staudinger,1880** (Elachistidae) *Elachista deceptricula* Staudinger,1880, Horae Soc. ent. ross. 15: 409-410. Lectotype ♂: [Türkei]: Amasia, Caraman (Nielsen & Traugott-Olsen, 1978:11).
- 1700. *Elachista delocharis* Meyrick,1932** (Elachistidae) *Elachista delocharis* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 115. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH).
- 1701. *Elachista gebzeensis* Traugott-Olsen,1990** (Elachistidae) *Elachista gebzeensis* Traugott-Olsen,1990, Entomologist's Gaz. 41: 62-63, figs. Holotype ♂: Turkey: [Kocaeli]: Ismit, Gebze.
- 1702. *Elachista melancholica* Frey,1859** (Elachistidae) *Elachista melancholica* Frey,1859, Linn. Ent. 13: 259. Syntypes: [Türkei]: Brussa.
- 1703. *Elachista minusculella* Traugott-Olsen,1992** (Elachistidae) *Elachista minusculella* Traugott-Olsen,1992, Shilap Revta lepid. 20 (79): 215-216, figs. Holotype ♂: Turkey: "50km östl., Istanbul" [Kocaeli Prov.] (leg. M. & U.Glaser) (ZMUC).
- 1704. *Elachista pollutissima* Staudinger,1880** (Elachistidae) *Elachista pollutissima* (n.sp.?) Staudinger,1880, Horae Soc. ent. ross.15: 411. Lectotype ♂: [Türkei]: Amasia, Caraman (Nielsen & Traugott-Olsen, 1978:13).
- 1705. *Elachista turkensis* Traugott-Olsen,1990** (Elachistidae) *Elachista turkensis* Traugott-Olsen,1990, Entomologist's Gaz. 41: 61-62, figs. Holotype ♂: Turkey: [Ankara]: Tuzgölü, 1100m.
- 1706. *Gautengia Kemal & Koçak*,2006** (Elachistidae) *Gautengia Kemal & Koçak*,2006, Cent. ent. Stud., Misc. Pap. 99: 4 (nomen novum pro Pretoriana Traugott-Olsen,1996 nec Curran,1938 non Uvarov,1922).
- 1707. *Kearfottina Kemal & Koçak*,2006** (Elachistidae) *Kearfottina Kemal & Koçak*,2006, Cent. ent. Stud., Misc. Pap. 99: 4 (nomen novum pro Kearfottia Traugott-Olsen,1996 nec Fern.,1904).
- 1708. *Stephensia brunnichella* (Linnaeus,1767)** (Elachistidae) *Phalaena brunnichella* Linnaeus,1767, Syst. Nat. (Edn. 12) 2: 898. Lectotype ♂: Lusitania [Portugal], designated by Traugott-Olsen & Nielsen,1977; 45.
- 1709. *Stephensia calpella* (Walsingham,1908)** (Elachistidae) *Perittia calpella* Walsingham,1908, Entomologist's mon. Mag. 44: 54. Lectotype ♂: Spain: Gibraltar, designated by Nielsen & Traugott-Olsen,1978 (BMNH).
- 1710. *Stephensia cunilae* Braun,1930** (Elachistidae) *Stephensia cunilae* Braun,1930, Trans. am. ent. Soc. 56: 9. Type: U.S.A.: Ohio, Adams County (coll. Braun).
- 1711. *Stephensia unipunctella* Nielsen & Traugott-Olsen,1978** (Elachistidae) *Stephensia unipunctella* Nielsen & Traugott-Olsen,1978, Entomologist's Gaz. 29: 194-196, figs. 7,8. Holotype ♂: Spain: "Hispania, Barcelona, Avinyonet, 27.ix.1973" (P. L. Holst leg.). (ZMC).
- 1712. *Endromis versicolora* (Linnaeus,1758)** (Endromidae) *Phalaena Bombyx versicolora* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 499. Type(s): Europa.
- 1713. *Endromis versicolora versicolora* (Linnaeus,1758)** (Endromidae) *Phalaena Bombyx versicolora* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 499. Type(s): Europa.
- 1714. *Epermenia (Epermeniola) thailandica* Gaedike,1987** (Epermeniidae) *Epermenia (Epermeniola) thailandica* Gaedike,1987, Tinea Suppl. 12: 155-157.
- 1715. *Epermenia (s.str.) Hübner*,[1825]** (Epermeniidae) *Epermenia*,[1825], Verz. bekannter Schmett.: 418. Type-species: *Tinea pontificella* Hübner,1796, Samml. eur. Schmett. 8: 56, pl.26 fig.181, by monotypy.
- 1716. *Epermenia (s.str.) orientalis* Gaedike,1966** (Epermeniidae) *Epermenia orientalis* Gaedike,1966, Reichenbachia 6(20): 151-154, 5 figs. Holotype ♂: Iraq: SW Iraq: O.v.Rutba.

- 1717. Epermenia (s.str.) pontificella (Hübner,1796)** (Epermeniidae) *Tinea pontificella* Hübner,1796, Samml. eur. Schmett.: Taf.26 Abb.181.
- 1718. Epermenia (s.str.) vartianae (Gaedike,1971)** (Epermeniidae) *Cataplectica vartianae* Gaedike,1971, Beitr. Ent. 11 (1/2): 43-45, figs. Holotype ♂: SO-Afghanistan: Safed Koh, Südseite Kofkei, 2350m, leg. Vartian (coll. W. Glaser).
- 1719. Epermenia (s.str.) wockeella (Staudinger,1880)** (Epermeniidae) *Chauliodus wockeellus* Staudinger,1880, Horae Soc. ent. ross. 15: 282. Type ♀: [Türkei]: Amasia (Kerasdere) (ZMB).
- 1720. Epermenia Hübner,[1825]** (Epermeniidae) *Epermenia*,[1825], Verz. bekannter Schmett.: 418. Type-species: *Tinea pontificella* Hübner,1796, Samml. eur. Schmett. 8: 56, pl.26 fig.181, by monotypy.
- 1721. Ochromolopis xeropa (Meyrick,1909)** (Epermeniidae) *Temelucha xeropa* Meyrick,1909, Ann. Transv. Mus. 2(1): 25-26, Pl.viii fig.3. Type ♀: South Africa: [Transvaal: Gauteng]: "Albert Mine, Pretoria District", January (TMP).
- 1722. Phaulernis Meyrick,1895** (Epermeniidae) *Phaulernis* Meyrick,1895, Handbk Br. Lepid.: 690. Type-species: *Aechmia dentella* Zeller,1839, Isis Oken, Leipzig 1839: 204, by monotypy.
- 1723. Burmeia Minet,2002** (Epicopeiidae) *Burmeia* Minet,2002, Annl. Soc. ent. Fr. (n.s.) 38 (4): 470. Type-species: *Burmeia leesi* Minet,2002, by original designation.
- 1724. Burmeia leesi Minet,2002** (Epicopeiidae) *Burmeia leesi* Minet,2002, Annl. Soc. ent. Fr. (n.s.) 38 (4): 473-475, figs. Holotype ♂: [Myanmar]: N.Burma: Htawgaw, 10000ft. H.C.Tytler leg. (BMNH).
- 1725. Epicopeia albofasciata Djakonov,1926** (Epicopeiidae) *Epicopeia albofasciata* Djakonov,1926, Rev. Russk. Ent. 20: 284. Holotype ♀: Russia: Ussuri: Spasskaya Distr.
- 1726. Epicopeia battaka Dohrn,1895** (Epicopeiidae) *Epicopeia battaka* Dohrn,1895, Stettin ent. Ztg. 56: 207. Type ♀: Indonesia: Sumatra, Sinabung.
- 1727. Epicopeia caroli Janet,1909** (Epicopeiidae) *Epicopeia caroli* Janet,1909, [in] Seitz, Die Gross-Schmett. Erde 2: 36.
- 1728. Epicopeia polydora Westwood,1841** (Epicopeiidae) *Epicopeia polydora* Westwood,1841, Arcan. Ent. 1: 19, pl.5 fig.1. Type: [India]: Assam.
- 1729. Fulgoraecia atra (Pagenstecher,1900)** (Epiyropidae) *Orgyia atra* Pagenstecher,1900, Zoologica 12 (29): 41. Type: Neu-Pommern.
- 1730. Compsoctena ostracitis (Meyrick,1913)** (Eriocottidae) *Compsoctena primella* Zeller,[1854], Svenk. Vetensk. Akad. verh. 1852: 86. Lectotype ♂: "Caffraria", designated by Viette,1956, Ark. Zool. (N.S.) 8: 531-532 (RMS).
- 1731. Compsoctena primella Zeller,[1854]** (Eriocottidae) *Compsoctena primella* Zeller,[1854], Svenk. Vetensk. Akad. verh. 1852: 86. Lectotype ♂: "Caffraria", designated by Viette,1956, Ark. Zool. (N.S.) 8: 531-532 (RMS).
- 1732. Deuterotinea axiurga (Meyrick,1922)** (Eriocottidae) *Cronodoxa axiurga* Meyrick,1922, Exot. Microlepid. 2: 602. Holotype ♂: Syria: Ghazir (MNHNP).
- 1733. Eriocottis Zeller,1847** (Eriocottidae) *Eriocottis Zeller*,1847, Isis Oken, Leipzig 1847: 812. Type-species: *Eriocottis fuscaneella* Zeller,1847, ibidem 1847: 813, by monotypy.
- 1734. Eriocottis fuscaneella Zeller,1847** (Eriocottidae) *Eriocottis fuscaneella* Zeller,1847, Isis Oken, Leipzig 1847: 813.
- 1735. Dyseriocrania Meess,1910** (Eriocraniidae) *Dyseriocrania* Meess,1910, in Spuler, Schmett. Eur. 2: 483. Type-species: *Tinea subpurpurella* Haworth,1828, Lepid. Br.: 571, by monotypy.
- 1736. Dyseriocrania subpurpurella (Haworth,[1828])** (Eriocraniidae) *Tinea subpurpurella* Haworth,[1828], Lep. Br.: 571. Type(s): England.
- 1737. Heringocrania chrysolepidella (Zeller,1851)** (Eriocraniidae) *Micropteryx chrysolepidella* Zeller,1851, Linn. Ent. 5: 342-343. Syntypes: [Österreich]: Wien.
- 1738. Ethmia Hübner,[1819]** (Ethmiidae) *Ethmia* Hübner,[1819], Verz. bekannter Schmett.: 163. Type-species: *Tinea aurifluella* Hübner,[1810], Samml. eur. Schmett. 8: pl.44 fig.302, by monotypy.
- 1739. Ethmia alba (Amsel,1949)** (Ethmiidae) *Wiltshirea alba* Amsel,1949, Bull. Soc. Fouad I. Ent. 33: 317, Pl.10 figs.68, Pl.11 fig. 76. Holotype ♂: SW-Khuzistan: Ahwaz (coll. Wiltshire).
- 1740. Ethmia amasina (Staudinger,1879)** (Ethmiidae) *Psecadia amasina* Staudinger,1879, Horae Soc. ent. ross. 15: 291-292. Syntypes ♂♀: [Türkei]: Amasia (Kerasdere), Lectotype ♂, designated by Sattler (1967: 108) (ZMHU).
- 1741. Ethmia andalusica (Staudinger,1879)** (Ethmiidae) *Psecadia chrysopyga* var. *andalusica* Staudinger,1879, Horae Soc. ent. ross. 15: 296. Type ♀: [Spanien]: Granada.
- 1742. Ethmia argopa Meyrick,1910** (Ethmiidae) *Ethmia argopa* Meyrick,1910, Trans. ent. Soc. London 1910: 461. Type: Malacca.
- 1743. Ethmia assamensis (Butler,1879)** (Ethmiidae) *Hyponeutea assamensis* Butler,1879, Trans. ent. Soc. London 1879: 6. Type ♀: India: Assam: Cachar (BMNH).
- 1744. Ethmia bipunctella (Fabricius,1775)** (Ethmiidae) *Tinea bipunctella* Fabricius,1775, Syst. Ent.: 668. Type(s): Saxonia.
- 1745. Ethmia candidella (Alpheraky,1908)** (Ethmiidae) *Psecadia pusiella* var. *candidella* Alpheraky,1908, Horae Soc. ent. ross.38: 616-617. Syntypes: Russia: Taganrog.
- 1746. Ethmia candidella candidella (Alpheraky,1908)** (Ethmiidae) *Psecadia pusiella* var. *candidella* Alpheraky,1908, Horae Soc. ent. ross.38: 616-617. Syntypes: Russia: Taganrog.
- 1747. Ethmia caradjae (Rebel,1907)** (Ethmiidae) *Psecadia caradjae* Rebel,1907, Dt. ent. Z., Iris 19: 237. Type ♂: [Türkei]: "Amasia mont." (MHNGAB).
- 1748. Ethmia chrysopyga staudingeri (Rebel,1901)** (Ethmiidae) *Psecadia staudingeri* Rebel,1901, Dt. ent. Z., Iris 13: 171. Lectotype ♀: [Türkei]: "Malatia", designated by Sattler,1967 Microlepid. Palaearkt. 2: 97 (MHUB).
- 1749. Ethmia coscineutis Meyrick,1911** (Ethmiidae) *Ethmia coscineutis* Meyrick,1911, Ann. Transv. Mus. 3(1): 76. Syntypes 2♂♂: [South Africa]: Waterberg (Jutrencka); Durban (Natal) (Leigh) (coll. Meyrick).
- 1750. Ethmia dactylia Meyrick,1911** (Ethmiidae) *Ethmia dactylia* Meyrick,1911, Ann. Transv. Mus. 3(1): 76-77. Type ♀: [South Africa]: [Gauteng]: Rooiplaat, Pretoria District (Swierstra) (TMP).
- 1751. Ethmia defreinai Ganey,1984** (Ethmiidae) *Ethmia defreinai* Ganey,1984, Articulata 2(4): 81, fig. Holotype ♂: Türkiye: [Isparta]: [D]edegöl Dag, 1200-1400m.
- 1752. Ethmia fumidella (Wocke,1850)** (Ethmiidae) *Psecadia fumidella* Wocke,1850, Übersicht Arb. Veränd. schles. Ges. vaterl. Kult 1849: 70. Type(s): [Ungarn] (Sattler,1967).
- 1753. Ethmia fumidella fumidella (Wocke,1850)** (Ethmiidae) *Psecadia fumidella* Wocke,1850, Übersicht Arb. Veränd. schles. Ges. vaterl. Kult 1849: 70. Type(s): [Ungarn] (Sattler,1967).
- 1754. Ethmia fumidella turcica De Lattin,1963** (Ethmiidae) *Ethmia fumidella* ssp. *turcica* De Lattin,1963, Beitr. naturk. SüdWdtl. 22: 58, Taf. 5 figs. 5-8. Holotype ♂: Türkiye: Marasch, Syr. sept. Taurus c. 6-900m, iv.1930 (coll. Osthelder) (ZSM).
- 1755. Ethmia haemorrhoidella (Eversmann,1844)** (Ethmiidae) *Yponomeuta haemorrhoidella* Eversmann,1844, Fauna lepidopt. volgo-uralens.: 565. Syntypes: Russia: Wolga.
- 1756. Ethmia hakkarica Koçak,1986** (Ethmiidae) *Ethmia hakkarica* Koçak,1986, Priamus 4 (1/2): 61-63, 3 figs. Holotype ♂: Turkey: Hakkari: Üzümcü, 1200m, 16.v.1976 (A.Koçak leg.) (coll. Cesa).
- 1757. Ethmia infelix Meyrick,1914** (Ethmiidae) *Ethmia infelix* Meyrick,1914, [in] Wagner, Lepid. Cat. 19: 29 (pro confusella Rbl.). Lectotype ♂: [Türkei]: Mardin (Sattler,1967: 106).
- 1758. Ethmia iranella Zerny,1940** (Ethmiidae) *Ethmia bipunctella* ssp. *iranella* Zerny,1940, Z. Wien. EntVer. 25: 43. Lectotype ♂: [Iran]: Elburs: Rehne-Demawend, 2600m (Sattler,1967:93).
- 1759. Ethmia lecmima Sattler,1967** (Ethmiidae) *Ethmia lecmima* Sattler,1967, Microlepid Palaearkt. 2: 60-61, Taf.2 fig.3. Holotype ♂: O-Afghanistan: Sarobi 1100m, leg. Ebert (LNK).
- 1760. Ethmia lugubris (Staudinger,1879)** (Ethmiidae) *Psecadia chrysopyga* var. *lugubris* Staudinger,1879, Horae Soc. ent. ross. 15: 296. Type ♂: Balkan.
- 1761. Ethmia lybiella (Ragonot,1892)** (Ethmiidae) *Psecadia lybiella* Ragonot,1892, Bull. Soc. ent. Fr. 1892: 82. Lectotype ♂: Tunesien: Gabes, designated by Sattler,1967 (MNHNP).
- 1762. Ethmia mongolica (Rebel,1901)** (Ethmiidae) *Psecadia mongolica* Rebel,1901, Dt. ent. Z., Iris 13 (2): 171-172. Type ♀: "Mongolie, Mad. Putanin".
- 1763. Ethmia pseudosecythrella (Rebel,1902)** (Ethmiidae) *Psecadia pseudosecythrella* Rebel,1902, Dt. ent. Z., Iris 15(1): 116-117, Taf.iv fig.8 [1903]. Type ♀: [Türkei]: [Konya Pr.]: "Konia" (leg. Korb, coll. Caradja).
- 1764. Ethmia pusiella (Linnaeus,1758)** (Ethmiidae) *Phalaena* *Tinea pusiella* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 534. Type(s): Germania.

- 1765. *Ethmia quadrinotella* (Mann,1861)** (Ethmiidae) *Anesychia quadrinotella* Mann,1861, Wien. ent. Monatschr. 5: 191, Taf.3 fig.8. Lectotype ♂: [Türkei]: Amasia, designated by Sattler,1967: 53.
- 1766. *Ethmia quadrinotella quadrinotella* (Mann,1861)** (Ethmiidae) *Anesychia quadrinotella* Mann,1861, Wien. ent. Monatschr. 5: 191, Taf.3 fig.8. Lectotype ♂: [Türkei]: Amasia, designated by Sattler,1967: 53.
- 1767. *Ethmia similis* Sattler,1967** (Ethmiidae) *Ethmia similis* Sattler,1967, Microlepid. Palaeart. 2: 101, Taf.6 fig.40 Holotype ♂: [Türkei]: Kleinasien: Mardin.
- 1768. *Ethmia suspecta* Sattler,1867** (Ethmiidae) *Ethmia suspecta* Sattler,1967, Microlepid. palaeart. 2: 103, figs. Holotype ♂: Kleinasien: Malatia (BMNH).
- 1769. *Ethmia tamaridella* (Rebel,1907)** (Ethmiidae) *Psecadia tamaridella* Rebel,1907, Denkschr. Akad. Wiss. Wien 71 (2): 96. Holotype ♂ Sokotra: Gubbet, Shoab (leg. O.Simony) (NHMW).
- 1770. *Ethmia terminella* T.B.Fletcher,1938** (Ethmiidae) *Ethmia terminella* Fletcher,1938, Entomologist's rec. J. Var. 50: 53 (pro *T. sexpunctella* Hbn.). Type(s): [S.Deutschland].
- 1771. *Ethmia treitschkeella* (Staudinger,1879)** (Ethmiidae) *Psecadia treitschkeella* Staudinger,1879, Horae Soc. ent. ross. 15: 294-295. Syntypes 1♂ 1♀: [Türkei]: Amasia (Caraman).
- 1772. *Ethmia tripunctella* (Staudinger,1879)** (Ethmiidae) *Psecadia tripunctella* Staudinger,1879, Horae Soc. ent. ross. 15: 292-293. Lectotype ♂: [Türkei]: Amasia, designated by Sattler,1967: 131.
- 1773. *Ethmia tripunctella rayatella* (Amsel,1959)** (Ethmiidae) *Ethmia* ? *rayatella* Amsel,1959, Bull. Soc. ent. Egypte 43: 67, Taf.7 fig.2; Taf.9 fig.9. Holotype ♂: Irak: Kurdistan: Rayat, Haj Omran, 2-13.vi.56, 5000-6000ft., E.P.Wiltshire leg. (LNK).
- 1774. *Ethmia tripunctella tripunctella* (Staudinger,1879)** (Ethmiidae) *Psecadia tripunctella* Staudinger,1879, Horae Soc. ent. ross. 15: 292-293. Lectotype ♂: [Türkei]: Amasia, designated by Sattler,1967: 131.
- 1775. *Ethmia vidua* (Staudinger,1879)** (Ethmiidae) *Psecadia vidua* Staudinger,1879, Horae Soc. ent. ross. 15: 296. Type ♂: [Kazachstan]: Saisan (ZMHU).
- 1776. *Ethmia vittabella* (Christoph,1877)** (Ethmiidae) *Psecadia vittabella* Christoph,1877, Horae Soc. ent. ross. 12: 292, pl.8 fig.65.
- 1777. *Eupterote axesta* Swinhoe,1894** (Eupterotidae) *Eupterote axesta* Swinhoe,1894, Trans. ent. Soc. Lond. 1894: 157.
- 1778. *Eupterote dulcinea* Swinhoe,1901** (Eupterotidae) *Eupterote dulcinea* Swinhoe,1901, Ann. Mag. nat. Hist. (7) 8: 123.
- 1779. *Eupterote orientalis* (Fabricius,1793)** (Eupterotidae) *Bombyx orientalis* Fabricius,1793, Ent. Syst. 3 (1): 422. Type(s): India orientalis.
- 1780. *Eupterote testacea* Walker,1855** (Eupterotidae) *Eupterote testacea* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 4: 906.
- 1781. *Ganisa gyraleus* Orhant,2000** (Eupterotidae) *Ganisa gyraleus* Orhant,2000, Tinea 16 (3): 149.
- 1782. *Melanothrix nymphaliaria* (Walker,1866)** (Eupterotidae) *Gnophos* ? *nymphaliaria* Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 30: 1698. Type: Indonesia: Java.
- 1783. *Melanothrix nymphaliaria nymphaliaria* (Walker,1866)** (Eupterotidae) *Gnophos* ? *nymphaliaria* Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 30: 1698. Type: Indonesia: Java.
- 1784. *Acanthophila* Heinemann,1870** (Gelechiidae) *Acanthophila* Heinemann,1870, Schmett. Dtl. Schweiz 2 (2): 320. Type-species: *Gelechia alacella* Zeller,1839, Isis Oken, Leipzig 1839: 199, by monotypy.
- 1785. *Acompsia* Hübner,[1825]** (Gelechiidae) *Acompsia* Hübner,[1825], Verz. bekannter Schmett.: 409. Type-species: *Phalaena cinerella* Clerck,1759, Icon. Insect. rariorum 1: pl.11 fig.6, by subsequent designation by Duponchel,1838, in Godart & Duponchel, Hist. ant. Lépid. Papillons Fr. 11: 19.
- 1786. *Acompsia tripunctella* ([Denis & Schiffmüller],1775)** (Gelechiidae) *Tinea tripunctella* [Denis & Schiffmüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 319. Type(s): [Austria]: Vienna district.
- 1787. *Allotephusa lathridia* (Meyrick,1909)** (Gelechiidae) *Tephusa lathridia* Meyrick,1909, Ann. Transv. Mus. 2(1): 11, pl.iv figs.5,6. Syntypes 1♂ 2♀: South Africa: Transvaal: Pretoria.
- 1788. *Altenia wagneriella* (Rebel,1926)** (Gelechiidae) *Gelechia wagneriella* Rebel,1926, Verh. zool.- bot. Ges. Wien 74/75: (108). Lectotype ♂: [Croatia]: Dalmatia, "Gravosa", designated by Sattler,1982 (NHMW).
- 1789. *Anacampsis* Curtis,1827** (Gelechiidae) *Anacampsis* Curtis,1827, Br. Ent. 4: folio 189. Type-species: *Phalaena populella* Clerk,1759, Icon. Insect. rariorum 1: pl.11 fig.5, by original designation.
- 1790. *Anacampsis obscurella* ([Denis & Schiffmüller],1775)** (Gelechiidae) *Tinea obscurella* [Denis & Schiffmüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): [Austria]: Vienna district.
- 1791. *Anacampsis panormitella* (Caradja,1920)** (Gelechiidae) *Tachyptilia panormitella* Caradja,1920, Dt. ent. Z., Iris 34: 106. Syntypes 2 ex: [Türkei]: "Brussa" [Bursa].
- 1792. *Anarsia* (s.str.) Zeller,1839** (Gelechiidae) *Anarsia* Zeller,1839, Isis Oken, Leipzig 1839: 190. Type-species: *Tinea spartiella* Schrank,1802, Fauna Boica 2(2): 104, by subsequent designation by Meyrick,1925, in Wytsman, Genera Insect. 184: 153.
- 1793. *Anarsia* (s.str.) gravata Meyrick,1911** (Gelechiidae) *Anarsia gravata* Meyrick,1911, Ann. Transv. Mus. 3(1): 68. Type ♂: [South Africa]: Woodbush Village (Swierstra) (TMP).
- 1794. *Apatetris* Staudinger,1879** (Gelechiidae) *Apatetris* Staudinger,1879, Horae Soc. ent. ross. 15: 316-317. Type-species: *Apatetris mirabella* Staudinger,1880, by monotypy.
- 1795. *Apatetris mirabella* Staudinger,1879** (Gelechiidae) *Apatetris mirabella* Staudinger,1879, Horae Soc. ent. ross. 15: 317-318. Type ♂: [Türkei]: Amasia (Tokatdere, Tschalan degirmeni).
- 1796. *Aponoea* Walsingham,1905** (Gelechiidae) *Aponoea* Walsingham,1905, Entomologist's mon. Mag. 41: 125. Type-species: *Aponoea obtusipalpis* Walsingham,1905, ibid. 41: 125, by original designation and monotypy.
- 1797. *Aproaerema* Durrant,1897** (Gelechiidae) *Aproaerema* Durrant,1897, Entomologist's mon. Mag. 33: 221. Type-species: *Tinea anthyllidella* Hübner,[1813], Samml. eur. Schmett. 8: pl.48 fig.330, by original designation.
- 1798. *Argolamprotes micella* ([Denis & Schiffmüller],1775)** (Gelechiidae) *Tinea micella* [Denis & Schiffmüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): [Austria]: Vienna district.
- 1799. *Aristotelia* Hübner,[1825]** (Gelechiidae) *Aristotelia* Hübner,[1825], Verz. bekannter Schmett.: 424. Type-species: *Tinea decurtella* Hübner,[1813], Samml. eur. Schmett. 8: pl.45 fig.311, by monotypy.
- 1800. *Aristotelia bolschewickiella* Caradja,1920** (Gelechiidae) *Aristotelia bolschewickiella* Caradja,1920, Dt. ent. Z., Iris 34: 109-110. Syntypes 30♂♂: [Kazachstan]: Uralsk.
- 1801. *Aristotelia decoratella* (Staudinger,1880)** (Gelechiidae) *Ergatis decoratella* Staudinger,1880, Horae Soc. ent. ross. 15: 320-321. Syntypes: [Türkei]: Bursa; Sicilia, Lissa.
- 1802. *Aristotelia euprepella* Zerny,1934** (Gelechiidae) *Aristotelia euprepella* Zerny,1934, Dt. ent. Z., Iris 48: 20. Syntypes: Libanon: Bscharre; [Türkei]: Marasch (NMHW).
- 1803. *Aristotelia jactatrix* Meyrick,1926** (Gelechiidae) *Aristotelia jactatrix* Meyrick,1926, Exot. Microlepid. 3: 272. Type ♂: [Turkey]: "Asia Minor: Marasch" (leg. Caradja).
- 1804. *Aristotelia osthelderi* Rebel,1935** (Gelechiidae) *Aristotelia osthelderi* Rebel,1935, Mitt. münch. ent. Ges. 25: 40. Type ♂: [Türkei]: [Konya]: Akşehir, 1200m, 15.ix.1934.
- 1805. *Aristotelia parvula* (Staudinger,1879)** (Gelechiidae) *Doryphora parvula* Staudinger,1879, Horae Soc. ent. ross. 15: 323-324. Type ♀: [Türkei]: Amasia (Kerasdere).
- 1806. *Aristotelia punctatella* (Staudinger,1879)** (Gelechiidae) *Doryphora punctatella* Staudinger,1879, Horae Soc. ent. ross. 15: 321-322. Type ♂: [Türkei]: Amasia (Kerasdere).
- 1807. *Aroga* Busck,1914** (Gelechiidae) *Aroga* Busck,1914, Proc. U.S. natn. Mus. 47: 13. Type-species: *Gelechia paraplutella* Busck,1910, Proc. ent. Soc. Wash. 11: 181, by original designation.
- 1808. *Aroga peperistis* (Meyrick,1926)** (Gelechiidae) *Gelechia peperistis* Meyrick,1926, Exot. Microlepid. 3: 277. Syntypes 2♂♂: [Turkey]: "Asia Minor: Taurus Mts." (BMNH).
- 1809. *Asbolistis* Meyrick,1936** (Gelechiidae) *Asbolistis* Meyrick,1936, Exot. Microlepid. 5: 49. Type-species: *Asbolistis chthoniopa* Meyrick,1936, by monotypy.
- 1810. *Asbolistis chthoniopa* Meyrick,1936** (Gelechiidae) *Asbolistis chthoniopa* Meyrick,1936, Exot. Microlepid. 5: 49. Type ♂: Iraq: Rayat, July, E.P.Wiltshire leg.
- 1811. *Athrips mouffetella* (Linnaeus,1758)** (Gelechiidae) *Phalaena mouffetella* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 540. Syntypes: [Sweden].
- 1812. *Athrips tigrina* (Christoph,1877)** (Gelechiidae) *Teleia tigrina* Christoph,1877, Horae Soc. ent. ross. 12: 296, pl.8 fig.68.

Lectotype ♀: Turkemistan: Krasnowodsk (BMNH), designated by Sattler (1978).

1813. *Brachmia dimidiella* ([Denis & Schiffmüller],1775) (Gelechiidae) *Tinea dimidiella* [Denis & Schiffmüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 141. Type(s): [Austria]: Vienna district.

1814. *Brachmia verberata* Meyrick,1911 (Gelechiidae) *Brachmia verberata* Meyrick,1911, Ann. Transv. Mus. 3(1): 68. Syntypes ♂♀: [South Africa]: Haenertsburg and Woodbush Village (Swierstra) (coll. Meyrick & TMP).

1815. *Bryotropha Heinemann,1870* (Gelechiidae) *Bryotropha Heinemann,1870*, Schmett. Dtl. Schweiz (2) 2 (1): 233. Type-species: *Tinea terrella* [Denis & Schiff.],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140, by subsequent designation by Meyrick,1925, in Wytzman, Genera Insect. 184: 73.

1816. *Bryotropha sabulosella* (Rebel,1905) (Gelechiidae) *Lita sabulosella* Rebel,1905, Annln. naturh. Mus. Wien 20: 211-212. Type ♀: [Türkei]: Erdschias Geb. (Gereme) (NHMW).

1817. *Bryotropha terrella* ([Denis & Schiffmüller],1775) (Gelechiidae) *Tinea terrella* [Denis & Schiffmüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): [Austria]: Vienna district.

1818. *Carpatolechia humeralis* (Zeller,1839) (Gelechiidae) *Gelechia humeralis* Zeller,1839, Isis Leipzig 1839: 200. Lectotype ♀: Poland: Siesia, Glogow, designated by Sattler (1982:20) (BMNH).

1819. *Caryocolum Gregor & Povolny,1954* (Gelechiidae) *Caryocolum Gregor & Povolny,1954*, Zool. ent. Listy 3: 87. Type-species: *Gelechia leucomelanella* Zeller,1839, Isis Oken, Leipzig 1839: 198, by original designation.

1820. *Chionodes Hübner,[1825]* (Gelechiidae) *Chionodes Hübner,[1825]*, Verz. bekannter Schmett.: 420. Type-species: *Tinea luctificella* Hübner,[1813], Samml. eur. Schmett. 8: pl.45 fig.312, by subsequent designation by Meyrick,1925, in Wytzman, Genera Insect. 184: 73.

1821. *Chionodes distinctella* (Zeller,1839) (Gelechiidae) *Gelechia distinctella* Zeller,1839, Isis Leipzig 1839: 199. Lectotype ♂: Poland: Zielona Gora (Glogau), designated by Huemer & Sattler,1995, Beitr. Ent. 45: 42 (BMNH).

1822. *Chionodes hayreddini* Koçak,1986 (Gelechiidae) *Chionodes hayreddini* Koçak,1986, Priamus 4: 57 (nomen novum pro *Gelechia ochripalpella* Frey,1880 nec Zeller,1873). Lectotype ♂: Italy: Südtirol, above Trafoi, road to Stelvio, 1500m, designated by Huemer & Sattler,1995, Beitr. Ent. 45: 47 (BMNH).

1823. *Chrysoesthia Hübner,[1825]* (Gelechiidae) *Chrysoesthia Hübner,[1825]*, Verz. bekannter Schmett.: 422. Type-species: *Tinea zinckenella* Hübner,[1813], Samml. eur. Schmett. 8: pl.59 figs 401, 402, by subsequent designation by Meyrick,1925, in Wytzman, Genera Insect. 184: 40.

1824. *Chrysoesthia drurella* (Fabricius,1775) (Gelechiidae) *Tinea drurella* Fabricius,1775, Syst. Ent.: 666. Type(s): "Hafnia".

1825. *Chrysoesthia verrucosa* Tokar,1999 (Gelechiidae) *Chrysoesthia verrucosa* Tokar,1999, Die Palpenmotten Mitteleuropas: 23-24, figs. Holotype ♂: Bohemia mer., Hodejovice (SMBB).

1826. *Coloptilia T.B.Fletcher,1940* (Gelechiidae) *Coloptilia T.B.Fletcher,1940*, Entomologist's Rec. J. Var. 52: 17. Type-species: *Colopteryx conchylidella* Hofmann, 1898, Dt. ent. Z. Iris 10: 239, by monotypy.

1827. *Coloptilia conchylidella* (Hofmann,[1898]) (Gelechiidae) *Colopteryx conchylidella* Hofmann,[1898], Dt. ent. Z., Iris 10: 239-240, fig. Type ♂: [Türkei]: Angora [Ankara].

1828. *Crossobela* Meyrick,1923 (Gelechiidae) *Crossobela* Meyrick,1923, Exot. Microlepid. 3: 34. Type-species: *Crossobela barysphena* Meyrick,1923, by original designation.

1829. *Crossobela trinotella* (Herrich-Schäffer,[1856]) (Gelechiidae) *Mesophleps trinotella* Herrich-Schäffer,[1856], Neue Schmett. Eur. angrenzenden Ländern 1: 6, fig.46.

1830. *Deltophora maculata* (Staudinger,1879) (Gelechiidae) *Teleia maculata* Staudinger,1879, Horae Soc. ent. ross. 15: 314-316. Syntypes: [Türkei]: Amasia (Kerasdere).

1831. *Dichomeris Hübner,1818* (Gelechiidae) *Dichomeris Hübner,1818*, Zutr. Samml. exot. Schmett. 1: 25. Type-species: *Dichomeris ligulella* Hubner,1818, ibidem 1: 25, figs 143, 144, by subsequent designation by, Walsingham 1911, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4: 87.

1832. *Dichomeris barbella* ([Denis & Schiffmüller],1775) (Gelechiidae) *Tinea barbella* [Denis & Schiffmüller],1775,

Ankündigung syst. Werkes Schmett. Wienergegend: 136. Type(s): [Austria]: Vienna district.

1833. *Dichomeris derasella* ([Denis & Schiffmüller],1775) (Gelechiidae) *Tinea derasella* [Denis & Schiffmüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): [Austria]: Vienna district.

1834. *Dichomeris syndyas* Meyrick,1926 (Gelechiidae) *Dichomeris syndyas* Meyrick,1926, Exot. Microlepid. 3: 286. Syntypes 2 ♂♂: "Asia Minor (Raddé)".

1835. *Dirhinosisia cervinella* (Eversmann,1844) (Gelechiidae) *Lita cervinella* Eversmann,1844, Fauna Volga-Ural.: 585. Lectotype ♂: [Russia]: [Orenburgskaya Obl.], Spasskoe (ZIAP), designated by Tokar & Gozmany,2004.

1836. *Dirhinosisia unifasciella* (Rebel,1929) (Gelechiidae) *Rhinosisia unifasciella* Rebel,1929, Mitt. münch. ent. Ges. 19: 204. Type ♂: [Konya Pr.]: "Ak.-Ch. Tschiftlik" [Akşehir, Çiftlik] (NHMW).

1837. *Ephysteris* (s.str.) Meyrick,1908 (Gelechiidae) *Ephysteris* Meyrick,1908, Proc. zool. Soc. Lond. 1908: 724. Type-species: *Ephysteris chersaea* Meyrick,1908, ibidem 1908: 725, by monotypy.

1838. *Ephysteris* (s.str.) *promptella* (Staudinger,1859) (Gelechiidae) *Gelechia promptella* Staudinger,1859, Stettin net. Ztg. 20: 241. Syntypes: Spanien: Chiclana.

1839. *Epiparasia incertella* (Herrich-Schäffer,1861) (Gelechiidae) *Anacampsis ? incertella* Herrich-Schäffer,1861, Neue Schmett. 3: 31, fig.156. Type ♀: [Russia]: Sarepta.

1840. *Erikssonella permagna* (Meyrick,1920) (Gelechiidae) *Compsolechia permagna* Meyrick,1920, Ann. S. Afr. Mus. 17: 285. Monotype ♂: South Africa: Transvaal: Junction of Limpopo and Marico rivers (Eriksson leg.).

1841. *Eulamprotes Bradley,1971* (Gelechiidae) *Eulamprotes* Bradley,1971, Entomologist's Gaz. 22:27. Type-species: *Tinea atrella* [Denis & Schiff.],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140, by subsequent designation by Walsingham,1909, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4: 23.

1842. *Eulamprotes atrella* ([Denis & Schiffmüller],1775) (Gelechiidae) *Tinea atrella* [Denis & Schiffmüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): [Austria]: Vienna district.

1843. *Eulamprotes wilkella* (Linnaeus,1758) (Gelechiidae) *Phalaena Tinea wilkella* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 541. Type(s): Europa.

1844. *Evippe Chambers,1873* (Gelechiidae) *Evippe* Chambers,1873, Can. Ent. 5: 185. Type-species: *Evippe prunifoliella* Chambers, 1873, ibidem 5: 186, by monotypy.

1845. *Evippe haberlandi* Amsel,1961 (Gelechiidae) *Evippe haberlandi* Amsel,1961, Beitr. naturk. Forsch. SWDtl. 20 (2): 99-102, Abb.1-2. Holotype ♂: Afghanistan: Herat, 5.5.1956 (leg. & coll. Wiltshire).

1846. *Evippe penicillata* Amsel,1961 (Gelechiidae) *Evippe penicillata* Amsel,1961, Beitr. naturk. Forsch. SWDtl. 20 (2): 102-103, Abb.3. Holotype ♂: [Türkei]: Syria sept., Taurus, Marasch, 700-900m, vi. 1929 (coll. Osthelder).

1847. *Exoteleia dodecella* (Linnaeus,1758) (Gelechiidae) *Phalaena dodecella* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 539.

1848. *Filatima Busck,1939* (Gelechiidae) *Filatima* Busck,1939, Proc. U.S. natn. Mus. 86: 568,575. Type-species: *Gelechia serotinella* Busck, 1903, ibidem 25: 882, by original designation.

1849. *Gelechia ? machinata* (Meyrick,1929) (Gelechiidae) *Telphusa machinata* Meyrick,1929, Exot. Microlepid. 3: 488. Type: India: Assam.

1850. *Gelechia Hübner,[1825]* (Gelechiidae) *Gelechia Hübner,[1825]*, Verz. bekannt. Schmett.:415. Type-species: *Tinea rhombella* [Denis & Schiff.], 1775, Ankündigung syst. Werkes Schmett. Wienergegend:139, by subsequent designation by Walsingham,1911, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4:59.

1851. *Gelechia bathrosticta* Meyrick,1936 (Gelechiidae) *Gelechia bathrosticta* Meyrick,1936, Exot. Microlepid. 5: 43. Type ♂: Iraq: Mosul desert, June, E.P. Wiltshire leg.

1852. *Gelechia dujardini* Huemer,1991 (Gelechiidae) *Gelechia dujardini* Huemer,1991, Nota lepid. 14 (2): 127-129, fig. Holotype ♂: [Croatia]: Yugoslavien, Insel Krk, Umg. Punat (TLMF).

1853. *Gelechia mediterranea* Huemer,1991 (Gelechiidae) *Gelechia mediterranea* Huemer,1991, Nota lepid. 14 (2): 125-126, fig. Holotype ♂: Greece: Hellas, Lakonia 7km SW Monemvasia (ZMUC).

1854. *Gelechia pistaciae* Filipjev,1934 (Gelechiidae) *Gelechia pistaciae* Filipjev,1934, Trudy zool. Inst. Leningr. 2: 17, figs.6-9.

Lectotype ♂: [Turkmenistan]: Kushka, designated by Sattler, 1982 (ZIANP).

1855. *Gelechia repetitrix* Meyrick, 1931 (Gelechiidae) *Gelechia repetitrix* Meyrick, 1931, Exot. Microlepid. 4: 60. Syntypes 2♂: Turkey: "Angora" [Ankara] (Sureya Bey leg.) (BMNH).

1856. *Gelechia rhombella* ([Denis & Schiffermüller], 1775) (Gelechiidae) *Tinea rhombella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): [Austria]: Vienna district.

1857. *Gelechia sestertiella* Herrich-Schäffer, 1854 (Gelechiidae) *Gelechia sestertiella* Herrich-Schäffer, 1854, Syst. Bearb. Schmett. Eur. 5: Taf. 66 fig. 487 [uninominal], 186.

1858. *Gelechia stramentella* (Rebel, 1935) (Gelechiidae) *Bryotropha stramentella* Rebel, 1935, Mitt. münch. ent. Ges. 25: 39-40. Syntypes 2♂: [Türkei]: [Konya Pr.]: Aksehir, 1200-1500m. viii-16.ix.1934.

1859. *Gelechia turpella* ([Denis & Schiffermüller], 1775) (Gelechiidae) *Tinea turpella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): [Austria]: Vienna district.

1860. *Gnorimoschema* Busck, 1900 (Gelechiidae) *Gnorimoschema* Busck, 1900, Proc. U.S. natn. Mus. 23: 227. Type-species: *Gelechia gallaesolidaginis* Riley, 1869, Rep. noxious, beneficial & other Insects, Missouri 1: 173, fig. 96, pl. 2 figs 1, 2, by original designation.

1861. *Gnorimoschema antiquum* Povolny, 1966 (Gelechiidae) *Gnorimoschema antiquum* Povolny, 1966, Ark. Zool. (2) 18 (15): 400-402. Holotype ♂: SO.-Frankreich, Durance-Tal, St. Crépin, 900m (leg. coll. Amsel).

1862. *Gnorimoschema antiquum montanum* Povolny, 1966 (Gelechiidae) *Gnorimoschema antiquum* ssp. *montanum* Povolny, 1966, Ark. Zool. (2) 18 (15): 402. Syntypes ♀♂: N. Afghanistan, Nord-Iran, Elbursgebirge, Keredj.

1863. *Gnorimoschema tetrameris* (Meyrick, 1926) (Gelechiidae) *Gelechia tetrameris* Meyrick, 1926, Exot. Microlepid. 3: 277. Syntypes 2♂: [Turkey]: "Asia Minor: Marasch" (leg. Caradja).

1864. *Harpagidia* Ragonot, 1895 (Gelechiidae) *Harpagidia* Ragonot, 1895, Bull. Soc. ent. Fr. 1895: cvii. Type-species: *Harpagidia pallidibasella* Ragonot, 1895, ibid. 1895: cvii, by monotypy.

1865. *Harpagidia magnetella* (Staudinger, [1871]) (Gelechiidae) *Gelechia magnetella* Staudinger, [1871], Berl. ent. Z. 14: 310.

1866. *Helcystogramma evliyacelebii* (Koçak, 1986) (Gelechiidae) *Brachmia evliyacelebii* Koçak, 1986, Priamus 4 (1/2): 57 (nomen novum pro *trimaculella* Chambers, 1874 nec Pack., 1867).

1867. *Holcophora* Staudinger, [1871] (Gelechiidae) *Holcophora* Staudinger, [1871], Berl. ent. Z. 14: 313. Type-species: *Holcophora statices* Staudinger, [1871], by monotypy.

1868. *Horridivalva* Sattler, 1967 (Gelechiidae) *Horridivalva* Sattler, 1967, Beitr. naturk. Forsch. SWDtl. 26(3): 88. Type-species: *Horridivalva tenuiella* Sattler, 1967, by original designation.

1869. *Hypatima spathota* Meyrick, 1913 (Gelechiidae) *Chelaria spathota* Meyrick, 1913, J. Bombay nat. Hist. Soc. 22: 165.

1870. *Inotica* Meyrick, 1913 (Gelechiidae) *Inotica* Meyrick, 1913, Exot. Microlepid. 1: 65. Type-species: *Inotica gaesata*, Meyrick, 1913, ibidem 1: 66, by monotypy.

1871. *Isophrictis* Meyrick, 1917 (Gelechiidae) *Isophrictis* Meyrick, 1917, Entomologist's mon. Mag. 53: 113. Type-species: *Tinea striatella* [Denis & Schiff.], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135, by original designation.

1872. *Isophrictis striatella* ([Denis & Schiffermüller], 1775) (Gelechiidae) *Tinea striatella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): [Austria]: Vienna district.

1873. *Istrianis brucinella* (Mann, 1872) (Gelechiidae) *Gelechia brucinella* Mann, 1872, Verh. zool.-bot.-Ges. Wien 22: 37. Syntypes: [Türkei]: Brussa, "aus Tamarix-Gallen".

1874. *Iwaruna* Gozmany, 1957 (Gelechiidae) *Iwaruna* Gozmany, 1957, Acta zool. hung. 3: 125. Type-species: *Iwaruna heringi* Gozmany, 1957, by original designation.

1875. *Megacraspedus* Zeller, 1839 (Gelechiidae) *Megacraspedus* Zeller, 1839, Isis Oken, Leipzig 1839: 189. Type-species: *Ypsolophus dolosellus* Zeller, 1839, ibidem 1839: 190, by subsequent designation by Walsingham, 1909, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4: 21.

1876. *Megacraspedus cuencellus* Caradja, 1920 (Gelechiidae) *Megacraspedus cuencellus* Caradja, 1920, Dt. ent. Z., Iris 34: 117. Type 1♂: [Spanien]: Cuenca.

1877. *Mesophleps* Hübner, [1825] (Gelechiidae) *Mesophleps* Hübner, [1825], Verz. bekannter Schmett.: 406. Type-species: *Tinea*

silacella Hubner, 1796, Samml. eur. Schmett. 8: 37, pl. 17 fig. 117, by subsequent designation by Meyrick, 1925, in Wytsman, Genera Insect. 184: 168.

1878. *Metzneria* Zeller, 1839 (Gelechiidae) *Metzneria* Zeller, 1839, Isis Oken Leipzig 1839: 197. Type-species: *Gelechia paucipunctella* Zeller, 1839, ibidem 1839: 202, by subsequent designation by Walsingham & Durrant, 1899, Entomologist's mon. Mag. 35: 200.

1879. *Metzneria aestivella* (Zeller, 1839) (Gelechiidae) *Metzneria aestivella* Zeller, 1839, Isis 1839: 202. Lectotype ♂: Schlesien: Glogau (Bradley, 1966).

1880. *Metzneria agraphella* (Ragonot, 1895) (Gelechiidae) *Parasia agraphella* Ragonot, 1895, Annls Soc. ent. Fr. 64: 106. Type ♀: [Turkey]: "Haute-Syrie: Akbes". (MNHNP).

1881. *Metzneria albiramosella* (Christoph, 1885) (Gelechiidae) *Parasia albiramosella* Christoph, 1885, [in] Romanoff, Mém. lépid. 2: 159. Lectotype ♂: Ashkabad (BMNH).

1882. *Metzneria aprilella* (Herrich-Schäffer, [1854]) (Gelechiidae) *Parasia aprilella* Herrich-Schäffer, [1854], Schmett. Eur. 5: 207. Type: [Türkei]: Brussa (verloren).

1883. *Metzneria artificella* (Herrich-Schäffer, 1861) (Gelechiidae) *Anacamptis artificella* Herrich-Schäffer, 1861, Neue Schmett. 3: 31, fig. 158. Type(s): [Russia]: Sarepta.

1884. *Metzneria aspretella* (Lederer, 1869) (Gelechiidae) *Parasia aspretella* Lederer, 1869, Horae Soc. ent. ross. 6: 92, t. 5 fig. 12. Lectotype ♂: [Iran]: Astrabad [Gorgan], designated by Englert, 1974 (ZMB).

1885. *Metzneria castiliella* (Möschler, 1866) (Gelechiidae) *Parasia castiliella* Möschler, 1866, Berl. ent. Z. 10: 142. Lectotype ♀: Spanien: Andalusien, designated by Englert (1974: 396) (ZMB).

1886. *Metzneria diamondi* Amsel, 1949 (Gelechiidae) *Metzneria diamondi* Amsel, 1949, Bull. Soc. Fouad I Ent. 33: 321, t. 9 fig. 63. Lectotype ♂: Iraq: Kerbela Wüste, leg. Wiltshire (LNK).

1887. *Metzneria diffusella* Englert, 1974 (Gelechiidae) *Metzneria diffusella* Englert, 1974, Z. angew. Ent. 75: 39-400, figs. Holotype ♂: Südfrankreich: Gallia mer., Esterel 200m, (coll. K. Burmann).

1888. *Metzneria ehikeella* Gozmany, 1954 (Gelechiidae) *Metzneria ehikeella* Gozmany, 1954, Ann. hist. nat. Mus. hung. Budapest (n.f.) 5: 276. Holotype ♂: Hungary: Agaseghaza.

1889. *Metzneria hilarella* Caradja, 1920 (Gelechiidae) *Metzneria hilarella* Caradja, 1920, Dt. ent. Z., 34: 95. Lectotype ♂: Spanien: Cuenca (MGAB).

1890. *Metzneria intestinella* (Mann, 1864) (Gelechiidae) *Parasia intestinella* Mann, 1864, Wien. ent. Monatschr. 8: 187, Taf. 4 fig. 15. Lectotype ♂: Türkei: Bursa, designated by Sattler, 1974 (NHMW).

1891. *Metzneria lappella* (Linnaeus, 1758) (Gelechiidae) *Phalaena lappella* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 537. Lectotype (BMNH).

1892. *Metzneria littorella* (Douglas, 1850) (Gelechiidae) *Gelechia littorella* Douglas, 1850, Trans. ent. Soc. London 1: 67. Lectotype ♂: Isle of Wight, designated by Sattler (1974: 397) (BMNH).

1893. *Metzneria metzneriella* Stainton, 1851 (Gelechiidae) *Metzneria metzneriella* Stainton, 1851, Cat. Br. Tin. Suppl.: 5. Type(s):-. (cf. Englert, 1974: 403).

1894. *Metzneria neuropterella* Zeller, 1839 (Gelechiidae) *Metzneria neuropterella* Zeller, 1839, Isis 1839: 202. Holotype ♀: Ungarn (BMNH).

1895. *Metzneria paucipunctella* (Zeller, 1839) (Gelechiidae) *Metzneria paucipunctella* Zeller, 1839, Isis 1839: 202. Lectotype ♂: Schlesien, Glogau (Englert, 1974: 390).

1896. *Metzneria riadella* Englert, 1974 (Gelechiidae) *Metzneria riadella* Englert, 1974, Z. angew. Ent. 75: 398, fig. Holotype ♂: [Saudi] Arabia, Riad, 700m (LNK).

1897. *Metzneria staehelinella* Englert, 1974 (Gelechiidae) *Metzneria staehelinella* Englert, 1974, Z. angew. Ent. 75: 405, fig. Holotype ♂: Südfrankreich, St. Rémy (BMNH).

1898. *Metzneria subflavella* Englert, 1974 (Gelechiidae) *Metzneria subflavella* Englert, 1974, Z. angew. Ent. 75: 409-410, fig. Holotype ♂: SO-Frankreich: St. Crépin, Amsel leg. (LNK).

1899. *Metzneria tenuiella* (Mann, 1864) (Gelechiidae) *Gelechia tenuiella* Mann, 1864, Wien. ent. Monatschr. 8: 186, Taf. 4 fig. 16. Lectotype ♂: Spalato, designated by Sattler, 1974, Z. angew. Ent. 75: 391 (NHMW).

1900. *Metzneria torosulella* Rebel, 1893 (Gelechiidae) *Metzneria torosulella* Rebel, 1893, Stettin ent. Ztg. 54: 49. Holotype ♂: Spanien: Albarracin, coll. Siebold (Mus. Madrid).

- 1901. *Metzneria tristella* Rebel, 1901** (Gelechiidae) *Metzneria tristella* Rebel, 1901, Dt. ent. Z., Iris 13: 164. Lectotype ♂: Spanien: Cuenca, Aragonien, designated by Englet, 1974 (NHMW).
- 1902. *Mirificarma (Montivaga) montivaga* (Walsingham, 1904)** (Gelechiidae) *Gelechia montivaga* Walsingham, 1904, Entomologist's mon. Mag. 40: 221. Lectotype ♂: Algeria, designated by Pitkin, 1984.
- 1903. *Mirificarma (s.str. (Interrupta)) cabezella* (Chrétien, 1925)** (Gelechiidae) *Gelechia maculatella* f. *cabezella* Chrétien, 1925: 245. Lectotype ♂: Spain [Segovia], designated by Sattler, 1961 (MNHN).
- 1904. *Mirificarma (s.str. (Interrupta)) monticolella* (Rebel, 1931)** (Gelechiidae) *Lita acuminatella* f. *monticolella* Rebel, 1931, 147, 160. Lectotype ♂: Albania, designated by Pitkin, 1984: 37.
- 1905. *Mirificarma (s.str. (s.str.)) eburnella* ([Denis & Schiffermüller], 1775)** (Gelechiidae) *Tinea eburnella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): [Austria]: Vienna district.
- 1906. *Mirificarma (s.str. (s.str.)) rhodoptera* (Mann, 1866)** (Gelechiidae) *Gelechia rhodoptera* Mann, 1866, Verh. zool.-bot. Ges. Wien 16: 353, pl. 1 fig. 10. Type ♂: Romania (NM).
- 1907. *Mirificarma Gozmany, 1955*** (Gelechiidae) *Mirificarma Gozmany, 1955*, Annls hist.-nat. Mus. natn. hung. (S.N.) 6: 308, 309, 313. Type-species: *Tinea maculatella* Hübner, 1796, Samml. eur. Schmett. 8: 60, pl. 24 fig. 162, by original designation.
- 1908. *Monochroa Heinemann, 1870*** (Gelechiidae) *Monochroa Heinemann, 1870*, Schmett. Dtl. Schweiz (2) 2 (1): 308. Type-species: *Tinea tenebrella* Hübner, [1817], Samml. eur. Schmett. 8: pl. 65 fig. 434, by monotypy.
- 1909. *Neofaculta Gozmany, 1955*** (Gelechiidae) *Neofaculta Gozmany, 1955*, Annls hist.-nat. Mus. natn. hung. (S.N.) 6: 308, 309, 312. Type-species: *Gelechia infernella* Herrich-Schäffer, 1854, Syst. Bearbeitung Schmett. Eur. 5: 162, 177; pl. 77 fig. 584, by original designation.
- 1910. *Neofriseria Sattler, 1960*** (Gelechiidae) *Neofriseria Sattler, 1960*, Dt. ent. Z. (N.F.) 7: 16, 17, 48. Type-species: *Lita peliella* Treitschke, 1835, in Ochsenheimer, Schmett. Eur. 10 (3): 198, by original designation.
- 1911. *Neofriseria sceptorhora* (Meyrick, 1926)** (Gelechiidae) *Gelechia sceptorhora* Meyrick, 1926, Exot. Microlepid. 3: 276. Type ♀: [Turkey]: "Asia Minor: Kasikoparan (leg. Korb)".
- 1912. *Nothris Hübner, [1825]*** (Gelechiidae) *Nothris Hübner, [1825]*, Verz. bekannter Schmett.: 411. Type-species: *Tinea verbascella* [Denis & Schiff.], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136, by subsequent designation by Meyrick, 1925, in Wytzman, Genera Insect. 184: 97.
- 1913. *Nothris sabulosella* Rebel, 1935** (Gelechiidae) *Nothris sabulosella* Rebel, 1935, Mitt. münch. ent. Ges. 25: 41. Syntypes ♂: [Türkei]: [Konya]: Akşehir, 1200m.
- 1914. *Nothris sulcella* Staudinger, 1879** (Gelechiidae) *Nothris sulcella* Staudinger, 1879, Horae Soc. ent. ross. 15: 328-330. Syntypes: [Türkei]: Amasia.
- 1915. *Onebala hibisci* (Stainton, 1859)** (Gelechiidae) *Gelechia hibisci* Stainton, 1859, Trans. ent. Soc. London (2) 5: 117.
- 1916. *Ornativálva Gozmany, 1955*** (Gelechiidae) *Ornativálva Gozmany, 1955*, Annls hist.-nat. Mus. natn. hung. (S.N.) 6: 308, 309, 310. Type-species: *Gelechia plutelliformis* Staudinger, 1859, Ent. Ztg. Stettin 20: 239, by original designation.
- 1917. *Ornativálva erubescens* (Walsingham, 1904)** (Gelechiidae) *Gelechia erubescens* Walsingham, 1904, Entomologist's mon. Mag. 40: 265. Lectotype ♀: Algeria: Biskra (Sattler, 1976).
- 1918. *Ornativálva heluanensis* (Debski, 1913)** (Gelechiidae) *Teleia heluanensis* Debski, 1913, Bull. Soc. ent. Egypte 1913: 111. Syntypes: Egypt: Heluan (NHMW).
- 1919. *Ornativálva iranella* Sattler, 1967** (Gelechiidae) *Ornativálva iranella* Sattler, 1967, Beitr. naturk. Forsch. SWDtl. 26(3): 44, figs. Holotype ♂: Iran: S.O. Iran: Djiroft, Anbar-Abad (LNK).
- 1920. *Ornativálva longiductella* Sattler, 1967** (Gelechiidae) *Ornativálva longiductella* Sattler, 1967, Beitr. naturk. Forsch. SWDtl. 26(3): 40, figs. Holotype ♂: Algerien: Hammam-es-Salahin (BMNH).
- 1921. *Ornativálva ochraceofusca* Sattler, 1967** (Gelechiidae) *Ornativálva ochraceofusca* Sattler, 1967, Beitr. naturk. Forsch. SWDtl. 26(3): 77, pl. 18 f. 74. Holotype ♂: Afghanistan: Kabul: W. Charikar.
- 1922. *Ornativálva ornatella* Sattler, 1967** (Gelechiidae) *Ornativálva ornatella* Sattler, 1967, Beitr. naturk. Forsch. SWDtl. 26(3): 78, pls., figs. Holotype ♂: Afghanistan: Herat, 970m.
- 1923. *Ornativálva roseosuffusella* Sattler, 1967** (Gelechiidae) *Ornativálva roseosuffusella* Sattler, 1967, Beitr. naturk. Forsch. SWDtl. 26(3): 42, figs. Holotype ♂: Iran: Khuzistan: Shadegan (LNK).
- 1924. *Palumbina Rondani, 1876*** (Gelechiidae) *Palumbina Rondani, 1876*, Boll. Soc. ent. ital. 8: 22. Type-species: *Palumbina terebintella*, Rondani, 1876 ibidem 8: 23, by monotypy.
- 1925. *Palumbina guerinii* (Stainton, [1857])** (Gelechiidae) *Stathmopoda guerinii* Stainton, [1857], Entomologist's Annu. 1858: 152, fig. 5. Type ♀: [France] (BMNH).
- 1926. *Parachronistis destillans* (Meyrick, 1918)** (Gelechiidae) *Telphusa destillans* Meyrick, 1918, Exot. Microlepid. 2: 133. Type: India: Assam.
- 1927. *Paristhmia barathrodes* Meyrick, 1909** (Gelechiidae) *Paristhmia barathrodes* Meyrick, 1909, Ann. Transv. Mus. 2(1): 13, pl. v fig. 1. Type ♂: South Africa: Transvaal: Pretoria.
- 1928. *Pexicopia Common, 1958*** (Gelechiidae) *Pexicopia Common, 1958*, Aust. J. Zool. 6: 271, 278. Type-species: *Gelechia desmanthes* Lower, 1898, Proc. Linn. Soc. N.S.W. 23: 51, by original designation.
- 1929. *Platyedra* Meyrick, 1895** (Gelechiidae) *Platyedra* Meyrick, 1895, Handbk Br. Lepid.: 605. Type-species: *Gelechia vilella* Zeller, 1847, Isis Oken, Leipzig 1847: 845, by monotypy.
- 1930. *Pogochaetia Staudinger, 1879*** (Gelechiidae) *Pogochaetia Staudinger, 1879*, Horae Soc. ent. ross. 15: 310. Type-species: *Pogochaetia solitaria* Staudinger, 1879, bu monotypy.
- 1931. *Pogochaetia solitaria* Staudinger, 1879** (Gelechiidae) *Pogochaetia solitaria* Staudinger, 1879, Horae Soc. ent. ross. 15: 310-311. Syntypes 2♂ 2♀: [Türkei]: Amasia (Caraman).
- 1932. *Polyhymno paracma* Meyrick, 1909** (Gelechiidae) *Polyhymno paracma* Meyrick, 1909, Ann. Transv. Mus. 2(1): 15, pl. v fig. 5. Syntypes 2♂ 2♀: South Africa: Transvaal: Pretoria.
- 1933. *Prolita Leraut, 1993*** (Gelechiidae) *Prolita Leraut, 1993*, Alexanor 18 (3): 182. Type-species: *Lita zebrella* Treitschke, 1833, by original designation.
- 1934. *Pseudotelphusa Janse, 1958*** (Gelechiidae) *Pseudotelphusa* Janse, 1958, Moths S. Afr. 6: 68. Type-species: *Telphusa probata* Meyrick, 1909, Ann. Transv. Mus. 2: 11, pl. 4 fig. 4, by original designation.
- 1935. *Pseudotelphusa probata* (Meyrick, 1909)** (Gelechiidae) *Telphusa probata* Meyrick, 1909, Ann. Transv. Mus. 2(1): 11, pl. iv fig. 4. Syntypes ♂♀: South Africa: Transvaal: Pretoria.
- 1936. *Psoricoptera Stainton, 1854*** (Gelechiidae) *Psoricoptera Stainton, 1854*, Insecta Br. (Lepid. Tineina): 76, 100. Type-species: *Gelechia gibbosella* Zeller, 1839, Isis Oken, Leipzig 1839: 202, by monotypy.
- 1937. *Ptocheuusa Heinemann, 1870*** (Gelechiidae) *Ptocheuusa Heinemann, 1870*, Schmett. Dtl. Schweiz (2) 2 (1): 288. Type-species: *Gelechia inopella* Zeller, 1839, Isis Oken, Leipzig 1839: 201, by subsequent designation by Meyrick, 1925, in Wytzman, Genera Insect. 184: 41.
- 1938. *Recurvaria Haworth, 1828*** (Gelechiidae) *Recurvaria Haworth, 1828*, Lepid. Br.: 547. Type-species: *Tinea nanella* [Denis & Schiff.], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 141, by subsequent designation by Walsingham, 1910, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4: 43.
- 1939. *Recurvaria leucatella* (Linnaeus, 1761)** (Gelechiidae) *Phalaena leucatella* Linnaeus, 1761, Fauna Suecica: 369.
- 1940. *Recurvaria nanella* ([Denis & Schiffermüller], 1775)** (Gelechiidae) *Tinea nanella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 141. Type(s): [Austria]: Vienna district.
- 1941. *Schneidereria Weber, 1957*** (Gelechiidae) *Schneidereria Weber, 1957*, Mitt. schweiz. Ent. Ges. 30: 68. Type-species: *Schneidereria pistaciella* Weber, 1957, by original designation.
- 1942. *Schneidereria pistacicola* (Danilevsky, 1955)** (Gelechiidae) *Recurvaria pistaciicola* Danilevsky, 1955, Ent. Obozr. 34: 111, figs. Syntypes ♂♀: [Turkmenistan]: Kushka (ZIANP).
- 1943. *Schneidereria pistaciella* Weber, 1957** (Gelechiidae) *Schneidereria pistaciella* Weber, 1957, Mitt. schweiz. Ent. Ges. 30: 68. Holotype ♀: Syria: Ain et Tine, ca 40km NE of Damascus, larva on *Pistacia vera* (ETH, Zürich).
- 1944. *Scrobipalpa (Ergasiola) Povolny, 1967*** (Gelechiidae) *Ergasiola Povolny, 1967*, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 232. Type-species: *Phthorimaea ergasima* Meyrick, 1916, Exot. Microlepid. 1: 568, by original designation.
- 1945. *Scrobipalpa (Ilseopsis) acuminatella* (Sircom, 1850)** (Gelechiidae) *Gelechia acuminatella* Sircom, 1850, Zoolog. App.: 72.
- 1946. *Scrobipalpa (Ilseopsis) arogantella* Povolny, 1967** (Gelechiidae) *Scrobipalpa (Eusrobipalpa) arogantella* Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 213, figs. 7, 8. Holotype ♂: NO.-Afghanistan: Khinch-e-Andarab, 3500-4000m leg. Ebert.

- 1947. Scrobipalpa (Ilseopsis) artemisiella (Treitschke, 1833)** (Gelechiidae) Lita artemisiella Treitschke, 1833, Schmiett. Eur. 9: 97.
- 1948. Scrobipalpa (Ilseopsis) artemisiella syriaca Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) artemisiella ssp. syriaca Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 214. Holotype ♂: Syria: 25km W. v. Damaskus.
- 1949. Scrobipalpa (Ilseopsis) brahmiella (Heyden, 1862)** (Gelechiidae) Gelechia brahmiella Heyden, 1862, Stettin ent. Ztg. 23: 175.
- 1950. Scrobipalpa (Ilseopsis) chetitiva Povolny, 1974** (Gelechiidae) Scrobipalpa (Eusrobipalpa) chetitiva Povolny, 1974, Acta ent. bohemoslov. 71(4): 246-248, figs. Holotype ♂: [Türkei]: [Ankara]: Tuzgölü N.
- 1951. Scrobipalpa (Ilseopsis) disjunctella (Staudinger, 1859)** (Gelechiidae) Gelechia disjunctella Staudinger, 1859, Stettin ent. Ztg. 20: 241. Lectotype ♂: Spanien: Granada (ZMB), designated by Povolny, 1967.
- 1952. Scrobipalpa (Ilseopsis) divisella (Rebel, 1936)** (Gelechiidae) Lita divisella Rebel, 1936, Mitt. münch. ent. Ges. 25: 74. Lectotype ♂: [Türkei]: Asia min.c., Akschehir, Tschiftlik (coll. Wagner) (NHMW), designated by Povolny, 1967.
- 1953. Scrobipalpa (Ilseopsis) ebertiana Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) ebertiana Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 216, fig. 27. Holotype ♀: SW.-Afghanistan: Registan Wüste, Darweshan, 500m., leg. Ebert.
- 1954. Scrobipalpa (Ilseopsis) ephysteroides Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) ephysteroides Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 216-217, figs. 23, 24. Holotype ♂: [Afghanistan]: Khurd-Kabul, leg. Kasy & Vartian.
- 1955. Scrobipalpa (Ilseopsis) eremica Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) eremica Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 217, figs. 25, 26. Holotype ♂: Iran: 70km N.v. Isfahan, 1700m, leg. Kasy & Vartian.
- 1956. Scrobipalpa (Ilseopsis) gregori Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) gregori Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 218, figs. 31, 32. Holotype ♂: Afghanistan: Khurd-Kabul, 1900m, leg. Kasy & Vartian.
- 1957. Scrobipalpa (Ilseopsis) heratella Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) heratella Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 218-219, fig. 33. Holotype ♂: Afghanistan: Herat, 970m, leg. Amsel.
- 1958. Scrobipalpa (Ilseopsis) indignella (Staudinger, 1879)** (Gelechiidae) Bryotropha indignella Staudinger, 1879, Horae Soc. ent. ross. 15: 308-309. Syntypes 6 ex: [Türkei]: Amasia.
- 1959. Scrobipalpa (Ilseopsis) kasyvartianella Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) kasyvartianella Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 219-220, figs. 35, 36. Holotype ♂: Nord-Iran: Berge östl. v. Semnan, leg. Kasy & Vartian.
- 1960. Scrobipalpa (Ilseopsis) klimeschi Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) klimeschi Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 220-221, figs. 37-39. Holotype ♂: [Austria]: Teriol sept., Innsbruck, leg. Burmann.
- 1961. Scrobipalpa (Ilseopsis) magnificella Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) magnificella Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 221, figs. 42-45. Holotype ♂: Syria: Karjeten, NO.-Damaskus, leg. Kasy & Vartian.
- 1962. Scrobipalpa (Ilseopsis) parvipulex (Walsingham, 1911)** (Gelechiidae) Lita parvipulex Walsingham, 1911, Entomologist's mon. Mag. 47: 13. Holotype ♂: Algeria: Hammam-es-Salahin.
- 1963. Scrobipalpa (Ilseopsis) perinoides Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) perinoides Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 222, fig. 59. Holotype ♀: [Saudi Arabia]: Arabia centr., Riad, 700m, leg. E. Diehl.
- 1964. Scrobipalpa (Ilseopsis) pulchra Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) pulchra Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 223-224, figs. 64-68. Holotype ♀: Afghanistan: Bamian, leg. Kasy & Vartian.
- 1965. Scrobipalpa (Ilseopsis) scrobipalpulina Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) scrobipalpulina Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 226-227, fig. 80. Holotype ♂: Nord-Iran: Berge östl. v. Semnan, leg. Kasy & Vartian.
- 1966. Scrobipalpa (Ilseopsis) semnani Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) semnani Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 227, fig. 81. Holotype ♀: Nord-Iran: Berge östl. v. Semnan, leg. Kasy & Vartian.
- 1967. Scrobipalpa (Ilseopsis) substricta Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) substricta Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 229-230, figs. 97, 98. Holotype ♂: Iran: Derbend, 25km N. v. Teheran, 2000m, leg. Kasy & Vartian.
- 1968. Scrobipalpa (Ilseopsis) tineiformis Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) tineiformis Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 230, fig. 99. Holotype ♀: Pakistan: Umgebung Flughafen v. Karachi, leg. E. & A. Vartian.
- 1969. Scrobipalpa (Ilseopsis) voltinelloides Povolny, 1967** (Gelechiidae) Scrobipalpa (Eusrobipalpa) voltinelloides Povolny, 1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 231-232, figs. 111-113. Holotype ♂: [Israel]: Jericho, leg. Amsel.
- 1970. Scrobipalpa (s.str.) anatolica Povolny, 1973** (Gelechiidae) Scrobipalpa anatolica Povolny, 1973, Acta ent. bohemoslov. 70(2): 103-105, Abb. Holotype ♂: [Türkei]: [Konya]: Anatolien: Ereğli Salzsteppe.
- 1971. Scrobipalpa (s.str.) halophila Povolny, 1973** (Gelechiidae) Scrobipalpa halophila Povolny, 1973, Acta ent. bohemoslov. 70(2): 105-107, Abb. Holotype ♂: [Türkei]: [Ankara]: Anatolien: Tuzgölü N.
- 1972. Scrobipalpa (s.str.) heretica Povolny, 1973** (Gelechiidae) Scrobipalpa heretica Povolny, 1973, Acta ent. bohemoslov. 70(2): 107-108, Abb. Holotype ♂: [Türkei]: [Ankara], Strasse Ankara-Kayseri, 1000m.
- 1973. Scrobipalpa (s.str.) meteorica Povolny, 1984** (Gelechiidae) Scrobipalpa meteorica Povolny, 1984, Nota lepid. 7(3): 268-270, figs. Holotype ♂: [Türkei]: Asia min. Anatolien: Tuz Gölü N. Ufer.
- 1974. Scrobipalpa (s.str.) nana Povolny, 1973** (Gelechiidae) Scrobipalpa nana Povolny, 1973, Acta ent. bohemoslov. 70(2): 108-111, Abb. Holotype ♂: [Türkei]: [Ankara]: Strasse Ankara-Kayseri, 1000m.
- 1975. Scrobipalpa Janse, 1951** (Gelechiidae) Scrobipalpa Janse, 1951, Moths S. Afr. 5: 199. Type-species: Gelechia heliopa Lower, 1900, Proc. Linn. Soc. N.S.W. 25: 417, by original designation.
- 1976. Scrobipalpula Povolny, 1964** (Gelechiidae) Scrobipalpula Povolny, 1964, Cas. čsl. Spol. ent. 61: 339. Type-species: Gelechia psilella Herrich-Schäffer, 1854, Syst. Bearbeitung Schmiett. Eur. 5: 162, 171, by original designation.
- 1977. Sitotroga Heinemann, 1870** (Gelechiidae) Sitotroga Heinemann, 1870, Schmiett. Dtl. Schweiz (2) 2(1): 287. Type-species: Alucita cerealella Olivier, 1789, Encycl. Méth. Hist. nat. 4 (Insectes 1): 121, by monotypy.
- 1978. Sophronia Hübner, [1825]** (Gelechiidae) Sophronia Hübner, [1825], Verz. bekannter Schmiett.: 407. Type-species: Tinea illustrella, Hübner, 1796, Samml. eur. Schmiett. 8: 46, pl. 23 fig. 158, by monotypy.
- 1979. Sophronia humerella ([Denis & Schiffermüller], 1775)** (Gelechiidae) Tinea humerella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmiett. Wienergegend: 137. Type(s): [Austria]: Vienna district.
- 1980. Stenolechia Meyrick, 1894** (Gelechiidae) Stenolechia Meyrick, 1894, Entomologist's mon. Mag. 30: 230. Type-species: Phalaena gemmella Linnaeus, 1758, Syst. Nat. (Edn 10) 1: 539, by subsequent designation by Meyrick, 1925, in Wytzman, Genera Insect. 184: 51.
- 1981. Stenolechia gemmella (Linnaeus, 1758)** (Gelechiidae) Phalaena Tinea gemmella Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 539. Type(s): Habitat intra Quercus folia.
- 1982. Stenolechia sagittella Caradja, 1920** (Gelechiidae) Stenolechia sagittella Caradja, 1920, Dt. ent. Z., Iris 34: 110-111. Type ♂: [Türkei]: Marasch.
- 1983. Stenolechoides pseudogemmellus Elsner, [1996]** (Gelechiidae) Stenolechia pseudogemmellus Elsner, [1996], Klapalekiana 31 (1995): 77.
- 1984. Stenovalva Amsel, 1955** (Gelechiidae) Stenovalva Amsel, 1955, Bull. Inst. r. Sci. nat. Belg. 31 (83): 9. Type-species: Stenovalva ghorella Amsel, 1955, by original designation.
- 1985. Stenovalva disclusa (Meyrick, 1923)** (Gelechiidae) Telphusa disclusa Meyrick, 1923, Exot. Microlepid. 3: 16. Type ♀: [Israel]: Jerusalem (BMNH).
- 1986. Stomopteryx Heinemann, 1870** (Gelechiidae) Stomopteryx Heinemann, 1870, Schmiett. Dtl. Schweiz. (2) 2 (1): 324. Type-species: Gelechia detersella Zeller, 1847, Isis Oken, Leipzig 1847: 846, by monotypy.
- 1987. Stomopteryx ochrosema Meyrick, 1932** (Gelechiidae) Stomopteryx ochrosema Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 113. Type ♂: [Ethiopia]: Addis Alam, 8000ft. (BMNH).
- 1988. Stomopteryx yunusemrei Koçak, 1986** (Gelechiidae) Stomopteryx yunusemrei Koçak, 1986, Priamus 4 (1/2): 58 (nomen novum pro submissella Frey, 1880 nec Stt., 1859).

- 1989. *Streyella anguinella* (Herrich-Schäffer, 1861)** (Gelechiidae) *Gelechia anguinella* Herrich-Schäffer, 1861, Neue Schmett. 3: 31, fig. 159. Type(s): [Russia]: Sarepta.
- 1990. *Struempelia Amsel, 1977* (Gelechiidae)** *Struempelia Amsel, 1977*, Beitr. naturk. Forsch. SüdWtl. 36: 232. Type-species: *Struempelia renatella* Amsel, 1977, by original designation and monotypy.
- 1991. *Syncopacma Meyrick, 1925* (Gelechiidae)** *Syncopacma Meyrick, 1925*, in Wytzman, Genera Insect. 184: 14, 72. Type-species: *Telphusa acrophylla* Meyrick, 1911, Ann. Transv. Mus. 3: 65, by original designation.
- 1992. *Syncopacma maraschella* (Caradja, 1920)** (Gelechiidae) *Anacampsis maraschella* Caradja, 1920, Dt. ent. Z., Iris 34: 107. Type ♂: [Türkei]: Marasch.
- 1993. *Syncopacma rebeliella* (Caradja, 1920)** (Gelechiidae) *Anacampsis polychromella* [bona sp.?] var. *rebeliella* Caradja, 1920, Dt. ent. Z., Iris 34: 109. Syntypes 2♂♂: [Türkei]: Marasch.
- 1994. *Syncopacma semicostella* (Staudinger, 1871)** (Gelechiidae) *Gelechia semicostella* Staudinger, 1871, Berl. ent. Z. 14: 311. Lectotype ♂: Russia: Sarepta [=Krasnoarmeysk], designated by Sattler, 1986 (ZMHU).
- 1995. *Syncopacma splendens* (Staudinger, 1881)** (Gelechiidae) *Anacampsis splendens* Staudinger, 1881, Horae Soc. ent. ross. 16: 90-91. Type ♀: [Türkei]: Amasia (leg. J. Manissadjian).
- 1996. *Syncopacma syncrita* (Meyrick, 1926)** (Gelechiidae) *Stomopteryx syncrita* Meyrick, 1926, Exot. Microlepid. 3: 281. Syntypes 2♂♂: [Türkei]: "Asia Minor: Marasch" (leg. Caradja).
- 1997. *Teleiodes Sattler, 1960* (Gelechiidae)** *Teleiodes Sattler, 1960*, Dt. ent. Z. (N.F.) 7: 16, 17, 63. Type-species: *Tinea vulgella* [Denis & Schiff.], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139, by subsequent designation by Meyrick, 1925, in Wytzman, Genera Insect. 184: 69.
- 1998. *Teleiodes vulgella* ([Denis & Schiffermüller], 1775)** (Gelechiidae) *Tinea vulgella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): [Austria]: Vienna district.
- 1999. *Teleiopsis Sattler, 1960* (Gelechiidae)** *Teleiopsis Sattler, 1960*, Dt. ent. Z. (N.F.) 7: 16, 17, 66. Type-species: *Recurvaria diffinis* Haworth, 1828, Lepid. Br.: 551, by original designation.
- 2000. *Teleiopsis terebinthinella* (Herrich-Schäffer, 1856)** (Gelechiidae) *Gelechia terebinthinella* Herrich-Schäffer, [1856], Syst. Bearb. Schmett. Eur. 6: 40. Type(s): [Türkei]: Brussa [Bursa].
- 2001. *Telphusa Chambers, 1872* (Gelechiidae)** *Telphusa Chambers, 1872*, Can. Ent. 4: 132. Type-species: *Telphusa curvistrigella* Chambers, 1872, ibidem 4: 133, by monotypy.
- 2002. *Telphusa comedonella* (Staudinger, 1880)** (Gelechiidae) *Teleia comedonella* Staudinger, 1880, Horae Soc. ent. ross. 15: 312-313. Syntypes 4♂♂: [Türkei]: Külek (Taurus) (coll. Lederer).
- 2003. *Telphusa mersinella* (Staudinger, 1879)** (Gelechiidae) *Teleia mersinella* Staudinger, 1879, Horae Soc. ent. ross. 15: 313-314. Type [without abdomen]: [Türkei]: Mersin (coll. Lederer).
- 2004. *Telphusa pistaciae* Sattler, 1982** (Gelechiidae) *Telphusa pistaciae* Sattler, 1982, Entomologist's Gaz. 33: 17-20. Holotype ♂: Iran: Kerman Province, Rafsanjan (BMNH).
- 2005. *Thiotricha acrantha* Meyrick, 1908** (Gelechiidae) *Thiotricha acrantha* Meyrick, 1908, J. Bombay nat. Hist. Soc. 18: 440. Type: India: Assam.
- 2006. *Tila Povolny, 1965* (Gelechiidae)** *Tila Povolny, 1965*, Acta ent. bohemoslovaca 62: 485. Type-species: *Lita capsophilella* Chrétien, 1900, Bull. Soc. ent. Fr. 1900: 223, by original designation.
- 2007. *Tila sequanda* Povolny, 1974** (Gelechiidae) *Tila sequanda* Povolny, 1974, Acta ent. bohemoslov. 71(4): 243-246, figs. Holotype ♂: [Türkei]: [Samsun]: Djanik.
- 2008. *Trichotaphe centracma* Meyrick, 1923** (Gelechiidae) *Trichotaphe centracma* Meyrick, 1923, Exor. Microlepid. 3: 4. Type ♀: India: Bombay, Gujarat: Kharaghoda (BMNH).
- 2009. *Turcopalpa Povolny, 1973* (Gelechiidae)** *Turcopalpa Povolny, 1973*, Acta ent. bohemoslovaca 70: 98. Type-species: *Turcopalpa glaseri* Povolny, 1973, ibidem 70: 100, figs 1, 16, 24, by original designation.
- 2010. *Turcopalpa glaseri* Povolny, 1973** (Gelechiidae) *Turcopalpa glaseri* Povolny, 1973, Acta ent. bohemoslov. 70(2): 100-103, Abb. Holotype ♂: [Türkei]: [Konya]: Ereğli, Salzsteppe.
- 2011. *Vadenia ribbeella* (Caradja, 1920)** (Gelechiidae) *Nevadia ribbeella* Caradja, 1920, Dt. ent. Z., Iris 34: 118. Type ♂: [Spanien]: Sierra Nevada.
- 2012. *Vladimirea Povolny, 1967* (Gelechiidae)** *Vladimirea Povolny, 1967*, Acta ent. Mus. natn. Pragae 37: 148. Type-species: *Vladimirea wiltshirei* Povolny, 1967, by original designation.
- 2013. *Xenolechia Meyrick, 1895* (Gelechiidae)** *Xenolechia Meyrick, 1895*, Handbk. br. Lepid.: 583. Type-species: *Anacampsis aethiops* Humphreys & Westwood, 1845, Br. Moths Transformations 2: 192, pl. 107 f. 13, by subsequent designation by Walsingham, 1911, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4: 56.
- 2014. *"Chloroclystis" derasata* (Bastelberger, 1905)** (Geometridae) *Gullaca derasata* Bastelberger, 1905, Ent. Z., Frankf. a. M. 19 (14): 77. Holotype ♂: Madagascar: Nosy Be (SMF).
- 2015. *"Chloroclystis" derasata jansei* L.B. Prout, 1937** (Geometridae) *Chloroclystis jansei* L.B. Prout, 1937, [in] Seitz, A., The Macrolepid. World 16: 109, pl. 11i. Holotype ♂: [South Africa]: Transvaal: Barberton (BMNH).
- 2016. *"Chloroclystis" rubicunda* L.B. Prout, 1934** (Geometridae) *Chloroclystis rubicunda* L.B. Prout, 1934, Stylops 3 (11): 255. Holotype ♂: Fiji: Vunidawa (BMNH).
- 2017. *"Chloroclystis" rubrinotata* (W. Warren, 1893)** (Geometridae) *Eupithecia rubrinotata* W. Warren, 1893, Proc. zool. Soc. Lond. 1893: 384, pl. 30 fig. 22. Type ♀: India: Sikkim (BMNH).
- 2018. *"Chloroclystis" ruptiscripta* (W. Warren, 1904)** (Geometridae) *Rhinoprora ruptiscripta* W. Warren, 1904, Novit. zool. 10: 267. Holotype ♂: [Philippines]: Luzon, 5000-6000ft (BMNH).
- 2019. *"Chloroclystis" socotrensis* Herbulot, 1994** (Geometridae) *Chloroclystis socotrensis* Herbulot, 1994, Lambillionea 94 (3): 391, fig. 4. Holotype ♂: [Yemen]: Sokotra, massif cristallin central, 300-1000m (coll. Herbulot).
- 2020. *"Chloroclystis" tortuosa* West, 1929** (Geometridae) *Chloroclystis tortuosa* West, 1929, Novit. zool. 35: 129. Holotype ♂: Philippines: Luzon, Benguet, Pauai, Haight's Place, 7000ft (BMNH).
- 2021. *Abaciscus karsholti* Sato, 1996** (Geometridae) *Abaciscus karsholti* Sato, 1996, Trans. lepid. Soc. Japan 47 (4): 230, figs. 6, 22. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon National Park, 1600m (ZMUC).
- 2022. *Abaciscus tsinlingensis cesa* Koçak & Kemal, 2001** (Geometridae) *Abaciscus tsinlingensis* ssp. *cesa* Koçak & Kemal, 2001, Misc. Pap., Cent. ent. Stud. 77: 1 (nomen novum pro yangtseina Wehrli, 1943 nec Wehrli, 1943). Syntypes: China: Yunnan: Li-kiang.
- 2023. *Abraxas (Calospilos) metallica* Inoue, 1994** (Geometridae) *Abraxas (Calospilos) metallica* Inoue, 1994, Tinea 14 (1): 21, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon, 2571m. (BMNH).
- 2024. *Abraxas (Calospilos) oblongostigma* Inoue, 1994** (Geometridae) *Abraxas (Calospilos) oblongostigma* Inoue, 1994, Tinea 14 (1): 22, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon, South Ridge, 1650m (BMNH).
- 2025. *Abraxas (Calospilos) sylvata* (Scopoli, 1763)** (Geometridae) *Phalaena sylvata* Scopoli, 1763, Entomologia Carniolica: 220. Type(s): [Slovenien]: Carniolia [Krain].
- 2026. *Abraxas (s.str.) aritai* Inoue, 1994** (Geometridae) *Abraxas aritai* Inoue, 1994, Tinea 14 (1): 21, figs. 3, 4, 10, 14, 18. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon (BMNH).
- 2027. *Abraxas (s.str.) atrolivens* Inoue, 1994** (Geometridae) *Abraxas atrolivens* Inoue, 1994, Tinea 14 (1): 20, figs. 1, 2, 9, 13, 17. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon, 2571m (BMNH).
- 2028. *Abraxas (s.str.) grossulariatus* (Linnaeus, 1758)** (Geometridae) *Phalaena grossulariata* Linnaeus, 1758, Syst. Nat. (Edn. 10): 525. Syntypes: [Europa], in Ribes, Grossularia, Amygdalus.
- 2029. *Abraxas wehrlii* Bytinski-Salz & Brandt, 1937** (Geometridae) *Abraxas wehrlii* Bytinski-Salz & Brandt, 1937, Entomologist's Rec. J. Var. 49: 14-15. Syntypes 5♂♂ 4♀: Iran: Keredj.
- 2030. *Acanthovalva capensis* M. Krüger, 2001** (Geometridae) *Acanthovalva capensis* Krüger, 2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 36, figs. 27, 502, 746, 970. Holotype ♂: [South Africa: Northern Cape]: Nababiep, 13-14.viii.1961, van Son & Vari leg.
- 2031. *Acanthovalva inconspicua* (Hübner, 1819)** (Geometridae) *Geometra inconspicua* Hübner, [1819], Samml. eur. Schmett. 5: pl. 97, fig. 500. Type(s): Europa.
- 2032. *Acanthovalva itremo* M. Krüger, 2001** (Geometridae) *Acanthovalva itremo* Krüger, 2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 36-37, figs. 28, 503, 747. Holotype ♂: Madagascar: Centre, massif de l'itremo 1615m., 7/12.i.1973, P. Griveaud leg. (MNHN).
- 2033. *Acanthovalva magna* M. Krüger, 2001** (Geometridae) *Acanthovalva magna* Krüger, 2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 35-36, figs. 26, 501. Holotype ♂: Tanzania: Katesh, 5900 ft., 29.vi.1965 leg. Szunyoygyhy (BMNH).

- 2034.** *Achrosis berytana* (Rebel,1911) (Geometridae) *Prionia berytana* Rebel,1911, Verh. zool.-bot. Ges. Wien 61 (7/8): (145). Holotype ♂: [Lebanon]: Beirut.
- 2035.** *Achrosis lithosiaria* (Walker,1862) (Geometridae) *Omiza lithosiaria* Walker,1862, List Specimens lepid. Insects Colln Br. Mus. 24: 1085. Syntypes: [Borneo]: Sarawak (OUM).
- 2036.** *Achrosis recitata* Holloway,[1994] (Geometridae) *Achrosis recitata* Holloway,[1994], Malay Nat. J. 47: 34, pl.2 figs.77,78. Holotype ♂: [Borneo]: Sabah, Mt. Kinabalu, Power Station 1760m (BMNH).
- 2037.** *Actenochroma musicicoloraria* (Walker,[1863]) (Geometridae) *Hypochroma musicicoloraria* Walker,[1863], List Specimens lepid. Insects Colln Br. Mus. 26: 1543. Syntypes ♀♀: [India]: Darjeeling (BMNH).
- 2038.** *Adactylotis contaminaria* (Hübner,[1813]) (Geometridae) *Geometra contaminaria* Hübner,[1813], Samml. eur. Schmett. 5: pl.68, fig.356. Type(s): Europa.
- 2039.** *Adactylotis gesticularia* (Hübner,[1817]) (Geometridae) *Geometra gesticularia* Hübner,[1817], Samml. eur. Schmett. 5: pl.92, figs.472,473. Syntypes: Europa.
- 2040.** *Adactylotis gesticularia inquinataria* (Boisduval,1840) (Geometridae) *Cabera inquinataria* Boisduval,1840, Genera Index meth. eur. Lepid.: 219. Syntypes: Spain.
- 2041.** *Adactylotis gesticularia ungemachi* (Lucas,1933) (Geometridae) *Itame ungemachi* Lucas,1933, Bull. Soc. ent. Fr. 38 (13): 196. Syntypes: Morocco: Harcha (Zemmour); Ain Leuh.
- 2042.** *Adalbertia castiliaria* (Staudinger,1900) (Geometridae) *Numeria castiliaria* Staudinger,1900, Dt. ent. Z., Iris 12: 392. Type ♂: [Spain]: [Castilla]: San Ildefonso.
- 2043.** *Adalbertia castiliaria castiliaria* (Staudinger,1900) (Geometridae) *Numeria castiliaria* Staudinger,1900, Dt. ent. Z., Iris 12: 392. Type ♂: [Spain]: [Castilla]: San Ildefonso.
- 2044.** *Adalbertia castiliaria cazorlensis* Exposito,1984 (Geometridae) *Adalbertia castiliaria* ssp. *cazorlensis* Exposito,1984, Revta Lepid. 12 (3): 204. Holotype ♂: [Spain]: [Castilla]: Sierra de Cazorla, Fuente del Oso.
- 2045.** *Adeixis baeckeae* Holloway,1979 (Geometridae) *Adeixis baeckeae* Holloway,1979, Lepidoptera New Caledonia: 261-262, figs. Holotype ♂, pupa: New Caledonia: Grand Lac 250m.
- 2046.** *Adeixis inostentata* (Walker,1861) (Geometridae) *Panagra inostentata* Walker,1861, List specimens lepid. Insects Colln Br. Mus 23: 1012.
- 2047.** *Adeixis major* Holloway,1979 (Geometridae) *Adeixis major* Holloway,1979, Lepidoptera New Caledonia: 262-264, figs. Holotype ♂: New Caledonia: Grand Lac 250m.
- 2048.** *Adeixis montana* Holloway,1979 (Geometridae) *Adeixis montana* Holloway,1979, Lepidoptera New Caledonia: 264, figs. Holotype ♂: New Caledonia: Mt. des Sources, 760m.
- 2049.** *Aelochroma hypochromaria caledonica* Holloway,1979 (Geometridae) *Aelochroma hypochromaria caledonica* Holloway,1979, Lepidoptera New Caledonia: 271, figs. Holotype ♂: New Caledonia: Mt.Koghis, 600m.
- 2050.** *Aethalura punctulata* ([Denis & Schiffermüller],1775) (Geometridae) *Geometra punctulata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 106. Type(s): [Austria]: Vienna district.
- 2051.** *Agathia codina australis* L.B.Prout,1916 (Geometridae) *Agathia codina* ssp. *australis* Prout,1916, Novit. zool. 23: 200. Syntypes: [Malaysia]: Penang; N. Borneo, Kinabalu (BMNH).
- 2052.** *Agathia laetata* (Fabricius,1794) (Geometridae) *Phalaena laetata* Fabricius,1794, Ent. Syst. 3 (2): 164. Syntypes: India (ZMUC).
- 2053.** *Agathia lycaenaria* (Kollar,[1844]) (Geometridae) *Geometra lycaenaria* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4 (2): 486. Type: [India], Himalayas Masuri [Mussooree].
- 2054.** *Agriopis* Hübner,[1825] (Geometridae) *Agriopis* Hübner,[1825], Verz. bekannter Schmett.:.
- 2055.** *Agriopis ankariae syriaca* (Wehrli,1934) (Geometridae) *Erannis ankariae* ssp. *syriaca* Wehrli,1934, Mitt. münch. ent. Ges. 24: 41. Syntypes 2♂: [Türkei]: Akbes, Malatia (leg. Höfer).
- 2056.** *Agriopis brumaria* (Borkhausen,1794) (Geometridae) *Phalaena brumaria* Borkhausen,1794, Naturg. eur. Schmett. 5: 214.
- 2057.** *Albinospila floresaria* (Walker,1866) (Geometridae) *Geometra floresaria* Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1604. Syntypes ♀♀: [Indonesia]: Flores (OUM).
- 2058.** *Alcis Curtis*,1826 (Geometridae) *Alcis Curtis*,1826, Br. Ent. 3: 113. Type-species: *Phalaena repandata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 524, by original designation.
- 2059.** *Alcis chiangmaiensis* Sato,1991 (Geometridae) *Alcis chiangmaiensis* Sato,1991, Tyo to Ga 42 (4): 283, figs. 15,30. Holotype ♂: Thailand: Chiang Mai, Doi Pakia, 1500m (UOS).
- 2060.** *Alcis chiangmaiensis chiangmaiensis* Sato,1991 (Geometridae) *Alcis chiangmaiensis* Sato,1991, Tyo to Ga 42 (4): 283, figs. 15,30. Holotype ♂: Thailand: Chiang Mai, Doi Pakia, 1500m (UOS).
- 2061.** *Alcis macroclara* Sato,1993 (Geometridae) *Alcis macroclara* Sato,1993, Tinea 13 (Suppl.3): 11, pl 35 figs. 11,12. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon (UOS).
- 2062.** *Alcis pammicra* (L.B.Prout,1925) (Geometridae) *Cleora pammicra* L.B.Prout,1925, Novit. zool. 32: 57.
- 2063.** *Alcis repandata* (Linnaeus,1758) (Geometridae) *Phalaena repandata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 524. Type(s): Europa.
- 2064.** *Alcis songarica* (Alpheraky,1883) (Geometridae) *Boarmia songarica* Alpheraky,1883, Horae Soc. ent. ross. 17: 176-178, Tab. viii fig.73. Syntypes 2♂: [China: Uighur A.R.]: Archane (6500ft.).
- 2065.** *Alcis songarica songarica* (Alpheraky,1883) (Geometridae) *Boarmia songarica* Alpheraky,1883, Horae Soc. ent. ross. 17: 176-178, Tab. viii fig.73. Syntypes 2♂: [China: Uighur A.R.]: Archane (6500ft.).
- 2066.** *Alcis songarica variolaria* (Staudinger,1892) (Geometridae) *Boarmia variolaria* Staudinger,1892, Dt. ent. Z., Iris 5: 174. Syntypes: Margelan? Alai.
- 2067.** *Alcis variegata cesa* Koçak & Kemal,2001 (Geometridae) *Alcis variegata* ssp. *cesa* Koçak & Kemal,2001, Misc. Pap., Cent. ent. Stud. 77: 2 (nomen novum pro subochrearia Wileman & South,1917 nec Leech,1897). Type ♂: [Taiwan]: Formosa, Arizan (BMNH).
- 2068.** *Aleucis mimetes* (Wehrli,1932) (Geometridae) *Bapta mimetes* Wehrli,1932, Mitt. münch. ent. Ges. 22: 7-8. Syntypes 133♂♀: [Türkei]: Syr. Taurus, Marasch [Kahramanmaraş].
- 2069.** *Aleucis orientalis* (Staudinger,1892) (Geometridae) *Hybernina (Anhibernina) orientalis* Staudinger,1892, Dt. ent. Z., Iris 5: 170-171. Syntypes 2♂: [Türkei]: Amasia; [Israel]: Jerusalem.
- 2070.** *Allochrostes biornata* L.B.Prout,1913 (Geometridae) *Allochrostes biornata* L.B.Prout,1913, Ann. Transv. Mus. 3 (4): 196, pl.12 fig.38. Holotype ♂: [South Africa]: [Transvaal]: Waterberg district (TMP).
- 2071.** *Almabiston brunnea* Djakonov,1952 (Geometridae) *Almabiston brunnea* Djakonov,1952, Ent. Obozr. 32: 273, figs. Syntypes 6♂: Kazakhstan: Alma Ata.
- 2072.** *Alsophila Hübner*,[1825] (Geometridae) *Alsophila* Hübner,[1825], Verz. bekannter Schmett.: 321. Type-species: *Geometra aescularia* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 102, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 257.
- 2073.** *Alsophila aceraria* ([Denis & Schiffermüller],1775) (Geometridae) *Geometra aceraria* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 102. Type(s): [Austria]: Vienna district.
- 2074.** *Alsophila hirsutaria* (Fabricius,1781) (Geometridae) *hirsutaria* Fabricius,1781, Spec. Ins. 2: 508. Type(s): Europe [emend. hirtaria Fabricius,1776].
- 2075.** *Amblychia rotundata* Semper,1901 (Geometridae) *Amblychia rotundata* Semper,1901, Reisen Archipel. Philipp. (2) 6: 611, pl.64 figs.1,2. Syntypes ♂♀: Philippines: Luzon, Mindanao.
- 2076.** *Amorphogynia* W.Warren,1894 (Geometridae) *Amorphogynia* W.Warren,1894, Novit. zool. 1: 429. Type-species: *Boarmia necessaria* Zeller,1849, Stettin ent. Ztg. 10: 206, by original designation.
- 2077.** *Amorphogynia necessaria* (Zeller,1849) (Geometridae) *Boarmia necessaria* Zeller,1849, Stettin ent. Ztg. 10(7): 206 (nom nov. pro *B.hirtaria* var. Zeller,1847, Isis:18). Type ♂: [Türkei]: Ephesus.
- 2078.** *Angerona prunaria* (Linnaeus,1758) (Geometridae) *Phalaena prunaria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 520. Type(s): [Europa], in *Prunus spinosa*.
- 2079.** *Anizozyga caledonica* (Thierry-Mieg,1915) (Geometridae) *Felicia caledonica* Thierry-Mieg,1915, Miscnea ent. 22: 40.
- 2080.** *Anticlea badiata* (Lang,1789) (Geometridae) *Phalaena badiata* Lang,1789, Verz. Schmett.: 188.
- 2081.** *Anticlea derivata* ([Denis & Schiffermüller],1775) (Geometridae) *Geometra derivata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district.
- 2082.** *Anticlea querulata* (Püngeler,1904) (Geometridae) *Larentia querulata* Püngeler,1904, Dt. ent. Z., Iris 16 (2): 294, pl.6 figs.12,12a. Syntypes 2♂ 1♀: [China: Uighur A.R.]: N. of Korla.

- 2083. *Antitrygodes cuneilinea* (Walker, [1863])** (Geometridae) Geometra cuneilinea Walker, [1863], List Specimens lepid. Insects Colln Br. Mus. 26: 1752. Syntypes ♀♀: "Hindostan" (OUM).
- 2084. *Apeira syringaria* (Linnaeus, 1758)** (Geometridae) Phalaena syringaria Linnaeus, 1758, Syst. Nat. (Edn.10): 521. Syntypes: [Europa], in Syringa, Jasminum.
- 2085. *Aphilopota euodia* L.B.Prout, 1954** (Geometridae) Aphilopota euodia L.B.Prout, 1954, Entomologist 87: 186. Holotype ♂: [South Africa]: [Transvaal]: Northern Transvaal, Louis Trichardt (TMP).
- 2086. *Aplasta Hübner, [1823]*** (Geometridae) Aplasta Hübner, [1823], Verz. bekannter Schmett.: 304. Type-species: Phalaena ononaria Fuessly, 1783, Arch. Insectengesch. 3: pl.17, by subsequent designation by Prout, 1910, in Wytzman, Genera Insect. 104: 67.
- 2087. *Aplasta ononaria* (Fuessly, 1783)** (Geometridae) Phalaena ononaria Fuessly, 1783, Arch. Insectengesch. 3: pl.17 figs. 1-5. Syntypes: [Europe].
- 2088. *Aplasta ononaria faecaturia* (Hübner, [1819])** (Geometridae) Geometra faecaturia Hübner, [1819], Samml. eur. Schmett. 5 (1): pl.97 fig.503. Type: Europa.
- 2089. *Aplocera Stephens, 1827*** (Geometridae) Aplocera Stephens, 1827, Retrospective Review (2) 1: 243. Type-species: Phalaena plagiata Linnaeus, 1758.
- 2090. *Aplocera annexata* (Freyer, [1830])** (Geometridae) Larentia annexata Freyer, [1830], Beitr. Gesch. eur. Schmett. 3: 122, Tab.132 Syntypes: [Ukraine]: Odessa.
- 2091. *Aplocera annexata annexata* (Freyer, [1830])** (Geometridae) Larentia annexata Freyer, [1830], Beitr. Gesch. eur. Schmett. 3: 122, Tab.132 Syntypes: [Ukraine]: Odessa.
- 2092. *Aplocera annexata iranica* (Schwingenschuss, 1955)** (Geometridae) Anaitis annexata iranica Schwingenschuss, 1955, Z. Wien. ent. Ges. 40 (8): 230. Syntypes: [Iran]: Persia.
- 2093. *Aplocera columbata* (Metzner, 1845)** (Geometridae) Geom[etra] columbata Metzner, 1845, Stettin ent. Ztg. 6(6): 188-189. Type(s): [Türkei]: Turcia europaea.
- 2094. *Aplocera dervenaria* Mentzer, 1981** (Geometridae) Aplocera dervenaria Mentzer, 1981, Ent. scand. 12 (1): 54, figs.5,6,15. Holotype ♂: Macedonia: Derven Pass (EMS).
- 2095. *Aplocera efformata* (Guenée, [1858])** (Geometridae) Anaitis efformata Guenée, [1858], [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gen. Lepid.) 10: 500. Type ♂: Syria.
- 2096. *Aplocera fraternata* (Herrich-Schäffer, 1861)** (Geometridae) Anaitis fraternata Herrich-Schäffer, 1861, Neue Schmett. 3: 27, fig.131. Type(s): [Türkei]: "Brussa und vom Olympe".
- 2097. *Aplocera fraudulentata* (Herrich-Schäffer, 1861)** (Geometridae) Anaitis fraudulentata Herrich-Schäffer, 1861, Neue Schmett. 3: 26, fig.129-130. Syntypes: [Türkei]: Brussa; Balkan (Lederer leg.).
- 2098. *Aplocera guneyi* Riemis, 1992** (Geometridae) Aplocera guneyi Riemis, 1992, Phegea 20 (2): 75, figs. Holotype ♂: Turkey: Bitlis: Kuzgunkiran Geçidi, 2200-2300m (ITZA).
- 2099. *Aplocera mundata* (Staudinger, 1892)** (Geometridae) Anaitis mundata Staudinger, 1892, Dt. ent. Z., Iris 5: 216-217. Syntypes: [Lebanon]: Beirut.
- 2100. *Aplocera mundulata* (Guenée, [1858])** (Geometridae) Anaitis mundulata Guenée, [1858], [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gen. Lepid.) 10: 496. Syntypes 2♂ 1♀: [Lebanon]: Beyrouth.
- 2101. *Aplocera musculata* (Staudinger, 1892)** (Geometridae) Anaitis musculata Staudinger, 1892, Dt. ent. Z., Iris 5: 218-219, Taf.2 f.19. Syntypes: [Türkei]: Amasia, Karahisar, Malatia, Kaisarie, Charput.
- 2102. *Aplocera numidaria* (Herrich-Schäffer, [1852])** (Geometridae) Larentia numidaria Herrich-Schäffer, [1852], Syst. Bearb. Schmett. Eur. 6 (55): 80; ibid. 1851, 3: pl.84 fig.514 [uninominal]. Syntypes: Türkei: Amasia.
- 2103. *Aplocera obsitaria* (Lederer, 1853)** (Geometridae) Anaitis obsitaria Lederer, 1853, Verh. zool.- bot. Ver. Wien 3: 264-265. Syntypes 2♀: [Türkei]: Diarbekir.
- 2104. *Aplocera obsitaria anatolica* (Wehrli, 1931)** (Geometridae) Anaitis obsitaria ssp. anatolica Wehrli, 1931, Mitt. münch. ent. Ges. 21: 43. Syntypes 3♂ 3♀: [Türkei]: Akschehir, leg. F. Wagner (NHMW).
- 2105. *Aplocera obsitaria evanescens* (Wehrli, 1931)** (Geometridae) Anaitis obsitaria ssp. evanescens Wehrli, 1931, Mitt. münch. ent. Ges. 21: 43. Syntypes 48♂♀: [Türkei]: Durnalay bei Marasch, Bertiz Jaila, 1800m (ZSM).
- 2106. *Aplocera obsitaria obsitaria* (Lederer, 1853)** (Geometridae) Anaitis obsitaria Lederer, 1853, Verh. zool.- bot. Ver. Wien 3: 264-265. Syntypes 2♀: [Türkei]: Diarbekir.
- 2107. *Aplocera opificata* (Lederer, 1870)** (Geometridae) Anaitis opificata Lederer, 1870, Annls Soc. ent. Belg. 13: 40,49, pl.2 fig.3. Syntypes: [Azerbaidjan]: Elisabethopol [=Kirovabad].
- 2108. *Aplocera palumbata* Mentzer, 1981** (Geometridae) Aplocera palumbata Mentzer, 1981, Ent. scand. 12 (1): 55, figs.8,9,16-18. Holotype ♂: Iran: Elburs Mountains: Nissa, 2200m.
- 2109. *Aplocera plagiata* (Linnaeus, 1758)** (Geometridae) Phalaena plagiata Linnaeus, 1758, Syst. Nat. (Edn.10): 526. Type(s): Europa.
- 2110. *Aplocera plagiata cypria* (L.B.Prout, 1937)** (Geometridae) Anaitis plagiata ssp. cypria L.B.Prout, 1937, [in] Seitz, A., Die Gross-Schmett. Erde 4 (suppl.): 86 (9a). Type ♂: Cyprus: Limassol (BMNH).
- 2111. *Apocheima hispidarium* (Denis & Schiffmüller, 1775)** (Geometridae) Geometra hispidaria [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 99. Type(s): [Austria]: Vienna district.
- 2112. *Apocheima hispidarium hispidarium* (Denis & Schiffmüller, 1775)** (Geometridae) Geometra hispidaria [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 99. Type(s): [Austria]: Vienna district.
- 2113. *Apochima diaphanaria* (Püngeler, 1904)** (Geometridae) Zamacra diaphanaria Püngeler, 1904, Dt. ent. Z., Iris 16: 295, pl.6 fig.14. Type ♀: [Iran]: Persia.
- 2114. *Apochima diaphanaria rjabovi* (Wehrli, 1936)** (Geometridae) Zamacra diaphanaria ssp. rjabovi Wehrli, 1936, Mitt. münch. ent. Ges. 26: 34, pl.2 figs.2,6. Syntypes 6♂: [Armenia]: Nefram; [Türkei]: Umg. Wan, 2500m.
- 2115. *Apochima flabellaria* (Heeger, 1838)** (Geometridae) Amphidasis flabellaria Heeger, 1838, Beiträge zur Schmett.: 6, pl.1 figs. 6-11. Syntypes: [Italia]: Sicilia: Palermo.
- 2116. *Apocolotois almatensis* (Djakonov, 1952)** (Geometridae) Neocolotois almatensis Djakonov, 1952, Ent. Obozr. 32: 271, figs. Syntypes: [Kazachstan]: Alma-Ata, Zailisky Alatau, River Malaya, Almatinka (ZRAS).
- 2117. *Apocolotois smirnovi* (Romanoff, 1885)** (Geometridae) Aspilates smirnovi Romanoff, 1885, Mém. lépid. 2: 106-107, pl.5 fig.8. Type ♂: [Georgia]: environs de Tiflis (M.Smirnov leg.).
- 2118. *Apostegania rectilineata* (Swinhoe, 1906)** (Geometridae) Ptochophyle rectilineata Swinhoe, 1906, Ann. mag. Nat. Hist. (7) 17: 554. Holotype ♀: Sumatra, Padang (BMNH).
- 2119. *Apostegania rectilineata rectilineata* (Swinhoe, 1906)** (Geometridae) Ptochophyle rectilineata Swinhoe, 1906, Ann. mag. Nat. Hist. (7) 17: 554. Holotype ♀: Sumatra, Padang (BMNH).
- 2120. *Archiearis Hübner, [1823]*** (Geometridae) Archiearis Hübner, [1823], Verz. bekannter Schmett.: 280. Type-species: Phalaena parthenias Linnaeus, 1761, Fauna Suecica (Edn.2): 308, by subsequent designation by Hulst, 1896, Trans. Am. ent. Soc. 23: 317.
- 2121. *Archiearis notha* (Hübner, [1803])** (Geometridae) Noctua notha Hübner, [1803], Samml. eur. Schmett. 4: pl.74, figs.343,344. Syntypes: Europa.
- 2122. *Argyrophora chrysophylax* M.Krüger, 1999** (Geometridae) Argyrophora chrysophylax M.Krüger, 1999, Ann. Transv. Mus. 36 (32): 434, figs. Holotype ♂: Tanzania: Iringa, Tanganyika Territory (TMP).
- 2123. *Argyrophora confluens* M.Krüger, 1999** (Geometridae) Argyrophora confluens M.Krüger, 1999, Ann. Transv. Mus. 36 (32): 433, figs. Holotype ♂: Zimbabwe: Inyanga (TMP).
- 2124. *Argyrophora leucochrysa* M.Krüger, 1999** (Geometridae) Argyrophora leucochrysa M.Krüger, 1999, Ann. Transv. Mus. 36 (32): 436-438, figs. Holotype ♂: Lesotho: Pass of Guns 3100m (TMP).
- 2125. *Argyrophora retifera* M.Krüger, 1999** (Geometridae) Argyrophora retifera M.Krüger, 1999, Ann. Transv. Mus. 36 (32): 441-442, figs. Holotype ♂: Lesotho: Sehlabathebe Park (TMP).
- 2126. *Argyrophora rhampsinitos* M.Krüger, 1999** (Geometridae) Argyrophora rhampsinitos M.Krüger, 1999, Ann. Transv. Mus. 36 (32): 433-434, figs. Holotype ♂: Zimbabwe: S. Rhodesia: Vumba (TMP).
- 2127. *Argyrophora stramineata* M.Krüger, 1999** (Geometridae) Argyrophora stramineata M.Krüger, 1999, Ann. Transv. Mus. 36 (32): 442-443, figs. Holotype ♂: Zimbabwe: South Africa: Northern Cape: Studer's Pass, Garies (TMP).
- 2128. *Argyrophora variabilis* M.Krüger, 1999** (Geometridae) Argyrophora variabilis M.Krüger, 1999, Ann. Transv. Mus. 36 (32): 438-441, figs. Holotype ♂: South Africa: Gauteng: Suikerbosrand Nat. (TMP).

- 2129. *Artemidora alpherakyi* Wagner, 1918** (Geometridae) *Artemidora alpherakyi* Wagner, 1918, Z. öst. EntVer. 3 (5): 45. Syntypes: [China: Uighur A.R.]: Juldus, Koungheesse.
- 2130. *Artiora evonymaria* (Hübner, [1799])** (Geometridae) *Geometra evonymaria* Hübner, [1799], Samml. eur. Schmett. 5: pl. 6, fig. 31. Type: Europa.
- 2131. *Ascotis imparata* (Walker, 1860)** (Geometridae) *Boarmia imparata* Walker, 1860, List Specimens lepid. Insects Colln Br. Mus. 21: 372. Type ♀: Nepal (BMNH).
- 2132. *Ascotis selenaria* ([Denis & Schiffermüller], 1775)** (Geometridae) *Geometra selenaria* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 101. Type(s): [Austria]: Vienna district.
- 2133. *Asovia Alpheraky*, 1908** (Geometridae) *Asovia Alpheraky*, 1908, Horae Soc. ent. ross. 38: 604. Type-species: *Boarmia maeoticaria* Alpheraky, 1876, by monotypy.
- 2134. *Asovia maeoticaria* (Alpheraky, 1876)** (Geometridae) *Boarmia maeoticaria* Alpheraky, 1876, Trudy russk. ent. Obshch. 10: 38. Syntypes ♂♂: [Ukraine]: Taganrog.
- 2135. *Aspitates acuminaria* (Eversmann, 1851)** (Geometridae) *Ennomos acuminaria* Eversmann, 1851, Bull. Soc. Nat. Moscou 24 (2): 636. Syntypes: [Kazakhstan]: Noor-Saisan.
- 2136. *Aspitates albaria* (Bartel, 1903)** (Geometridae) *Aspilates albaria* Bartel, 1903, Dt. ent. Z., Iris 15 (2): 221. Syntypes: Russia: Ural Mts.
- 2137. *Aspitates insignis* Alpheraky, 1883** (Geometridae) *Aspitates insignis* Alpheraky, 1883, Horae Soc. ent. ross. 17: 185-186, Tab. viii fig. 72. Type ♂: [China: Uighur A.R.]: Archane (7000ft.).
- 2138. *Aspitates kozhantchikovi* (Munroe, 1963)** (Geometridae) *Aspilates kozhantchikovi* Munroe, 1963, Can. Ent. 95 (3): 264, figs. Holotype ♂: Russia: Siberia: Minusinsk (BMNH).
- 2139. *Aspitates ochrearia* (Rossi, 1794)** (Geometridae) *Phalaena ochrearia* Rossi, 1794, Fauna Etrusca 2: 33, pl. 7N. Syntypes: Italy: Etrusca.
- 2140. *Aspitates quadripunctata* (Goeze, 1781)** (Geometridae) *Phalaena quadripunctata* Goeze, 1781, Ent. Beyr. 3(3): 388, nr. 94.
- 2141. *Aspitates quadripunctata quadripunctata* (Goeze, 1781)** (Geometridae) *Phalaena quadripunctata* Goeze, 1781, Ent. Beyr. 3(3): 388, nr. 94.
- 2142. *Asthena* Hübner, [1825]** (Geometridae) *Asthena* Hübner, [1825], Verz. bekannter Schmett.: 310. Type-species: *Geometra candidata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 110, by subsequent designation by Guenée, 1857, Hist. nat. Insectes 9: 435.
- 2143. *Asthena albulata* (Hufnagel, 1767)** (Geometridae) *Phalaena albulata* Hufnagel, 1767, Berl. Mag. 4:
- 2144. *Barrama impunctata* W. Warren, 1897** (Geometridae) *Barrama impunctata* W. Warren, 1897, Novit. zool. 4: 28. Syntypes 10 ♂♂ 2 ♀♀: [South Africa]: Natal, Weenen (BMNH).
- 2145. *Berta zygophyxia* L.B. Prout, 1912** (Geometridae) *Berta chrysolineata* ssp. *zygophyxia* Prout, 1912, [in] Wytzman, Genera Insect. 129: 234. Lectotype ♀: Singapore (BMNH).
- 2146. *Berta zygophyxia zygophyxia* L.B. Prout, 1912** (Geometridae) *Berta chrysolineata* ssp. *zygophyxia* Prout, 1912, [in] Wytzman, Genera Insect. 129: 234. Lectotype ♀: Singapore (BMNH).
- 2147. *Biston betularius* (Linnaeus, 1758)** (Geometridae) *Phalaena betularia* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 521. Syntypes: [Europa], in *Betula*, Ulmus, Rosa.
- 2148. *Biston luculentus* Inoue, 1992** (Geometridae) *Biston luculentus* Inoue, 1992, Bull. Fac. domest. Sci. Otsuma Won. Univ. 28: 171-176, figs. Holotype ♂: Thailand: Chanthaburi, Khao Soi Dao, 400m (UOS).
- 2149. *Biston regalis* Moore, 1888** (Geometridae) *Biston regalis* Moore, 1888, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr. Atkinson: 234.
- 2150. *Biston stratiarius* (Hufnagel, 1767)** (Geometridae) *Phalaena stratiaria* Hufnagel, 1767, Berl. Mag. 4: 514, 622. Type(s): Deutschland: Berlin.
- 2151. *Blepharoctenucha virescens* (Butler, 1880)** (Geometridae) *Hemerophila virescens* Butler, 1880, Ann. Mag. nat. Hist. (5) 6: 126.
- 2152. *Blepharoctenucha virescens virescens* (Butler, 1880)** (Geometridae) *Hemerophila virescens* Butler, 1880, Ann. Mag. nat. Hist. (5) 6: 126.
- 2153. *Bupalus piniarius* (Linnaeus, 1758)** (Geometridae) *Phalaena piniaria* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 520. Type(s): [Europa], in *Pinus*.
- 2154. *Cabera leptographa* Wehrli, 1936** (Geometridae) *Cabera leptographa* Wehrli, 1936, Ent. Rdsch. 53 (40): 564. Syntypes 1 ♂ 1 ♀: Afghanistan: Southern Bucharas, Kuliah.
- 2155. *Cabera pusaria* (Linnaeus, 1758)** (Geometridae) *Phalaena pusaria* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 522. Type(s): Europa.
- 2156. *Caledophia pauli* Holloway, 1979** (Geometridae) *Caledophia pauli* Holloway, 1979, Lepidoptera New Caledonia: 266, figs. Holotype ♂: New Caledonia: Plaine des Lacs, 240m.
- 2157. *Campaea honoraria* ([Denis & Schiffermüller], 1775)** (Geometridae) *Geometra hononaria* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 315. Type(s): [Austria]: Vienna district.
- 2158. *Campptogramma bilineatum* (Linnaeus, 1758)** (Geometridae) *Phalaena Geometra bilineata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 525. Type(s): "Habitat in Suecia".
- 2159. *Campptogramma bilineatum bilineatum* (Linnaeus, 1758)** (Geometridae) *Phalaena Geometra bilineata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 525. Type(s): "Habitat in Suecia".
- 2160. *Campptogramma grisescens* (Staudinger, 1892)** (Geometridae) *Cidaria bilineata* var.? *grisescens* Staudinger, 1892, Dt. ent. Z., Iris 5: 246-248. Syntypes: [Türkei]: Amasia, Tokat; Griechenland.
- 2161. *Carsia lythoxylata* (Hübner, [1799])** (Geometridae) *Geometra lythoxylata* Hübner, [1799], Samml. eur. Schmett. 5: pl. 42, fig. 218. Type: Europa.
- 2162. *Carsia lythoxylata christophi* (L.B. Prout, 1937)** (Geometridae) *Anaitis lythoxylata* ssp. *christophi* L.B. Prout, 1937, [in] Seitz, A., Die Gross-Schmett. Erde 4 (suppl.): 86. Syntypes 4 ♂♂: Transcaucasien: Manglis (coll. Christoph) (BMNH).
- 2163. *Carsia perpetuata* (Lederer, 1870)** (Geometridae) *Anaitis perpetuata* Lederer, 1870, Annls Soc. ent. belg. 13: 40, 50, pl. 11 fig. 4. Syntypes 2 ♂♂: [Georgia]: Achalziche.
- 2164. *Casilda antophilaria* (Hübner, [1813])** (Geometridae) *Geometra antophilaria* Hübner, [1813], Samml. eur. Schmett. 5: pl. 84, fig. 433. Type: Europa.
- 2165. *Casilda antophilaria antophilaria* (Hübner, [1813])** (Geometridae) *Geometra antophilaria* Hübner, [1813], Samml. eur. Schmett. 5: pl. 84, fig. 433. Type: Europa.
- 2166. *Casilda rosearia* (Treitschke, 1828)** (Geometridae) *Aspilates rosearia* Treitschke, 1828, Schmett. Eur. 6(2): 298. Syntypes: [Griechenland]: Corfu.
- 2167. *Cataclysmes Hübner*, [1825]** (Geometridae) *Cataclysmes* Hübner, [1825], Verz. bekannter Schmett.: 329. Type-species: *Geometra riguada* Hübner, [1813], Samml. eur. Schmett. 5: pl. 69 fig. 358, by monotypy.
- 2168. *Cataclysmes riguada* (Hübner, [1813])** (Geometridae) *Geometra riguada* Hübner, [1813], Samml. eur. Schmett. 5: pl. 69, fig. 358. Type: Europa.
- 2169. *Cataclysmes riguada riguada* (Hübner, [1813])** (Geometridae) *Geometra riguada* Hübner, [1813], Samml. eur. Schmett. 5: pl. 69, fig. 358. Type: Europa.
- 2170. *Catarhoe cuculata* (Hufnagel, 1767)** (Geometridae) *Phalaena cuculata* Hufnagel, 1767, Berl. Mag. 4: 602. Type(s): Deutschland: Berlin.
- 2171. *Catarhoe hortulanaria* (Staudinger, 1879)** (Geometridae) *Cidaria hortulanaria* Staudinger, 1879, Horae Soc. ent. ross. 14: 470-471. Type ♂: [Türkei]: Amasia.
- 2172. *Catarhoe mosulensis* (Schawerda, 1924)** (Geometridae) *Cidaria mosulensis* Schawerda, 1924, Verh. zool.-bot. Ges. Wien 73: (160), fig. 7. Syntypes: [Iraq]: Mosul.
- 2173. *Catarhoe permixtaria* (Guenée, [1858])** (Geometridae) *Melanippe permixtaria* Guenée, [1858], Spec. Gén. Lépid. 10(2): 404. Type(s): [Lebanon]: Beyrut.
- 2174. *Catarhoe putridaria* (Herrich-Schäffer, [1852])** (Geometridae) *Larentia putridaria* Herrich-Schäffer, [1852], Syst. Bearb. Schmett. Eur. 6: 78, fig. 536. Type(s): [Aserbaidjan]: Elisabethpol [=Kirovabad].
- 2175. *Catarhoe rubidata* ([Denis & Schiffermüller], 1775)** (Geometridae) *Geometra rubidata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district.
- 2176. *Catarhoe rubidata rubidata* ([Denis & Schiffermüller], 1775)** (Geometridae) *Geometra rubidata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district.
- 2177. *Celerena palawanica* Pagenstecher, 1890** (Geometridae) *Celerena palawanica* Pagenstecher, 1890, Dt. ent. Z., Iris 3: 31. Syntypes 1 ♂ 1 ♀: [Philippines]: Palawan.

- 2178. Chelotephrina M.Krüger,1999** (Geometridae) Chelotephrina Krüger,1999 [in] Staude,H., Metamorphosis 10 (3): 115. Type-species: Chelotephrina acorema Krüger,1999, by monotypy.
- 2179. Chelotephrina acorema M.Krüger,1999** (Geometridae) Chelotephrina acorema Krüger,1999, Metamorphosis 10 (3): 115, fig.113. Monotype ♂: South Africa: KwaZulu-Natal: Creighton, Hlabeni Forest Reserve, Mist Forest, 1500m, 19-21.12.1992 H.S.Staude leg.
- 2180. Chesias legatella ([Denis & Schiffermüller],1775)** (Geometridae) Tinea legatella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 319. Type(s): [Austria]: Vienna district.
- 2181. Chesias leuconeura L.B.Prout,1931** (Geometridae) Chesias leuconeura L.B.Prout,1931, Ann. Mag. nat. Hist. (10) 8: 554. Syntypes 2♂: [Turkey]: Angora [Ankara] (BMNH).
- 2182. Chesias rheimatica L.B.Prout,1937** (Geometridae) Chesias rheimatica L.B.Prout,1937, [in] Seitz,A., Die Gross-Schmett. Erde 4 (suppl.): 85. Type ♂: Cyprus: Limassol (Mavromoustakis leg.) (BMNH).
- 2183. Chesias rufata (Fabricius,1775)** (Geometridae) Phalaena rufata Fabricius,1775, Syst. Ent.: 633. Type(s): Anglia.
- 2184. Chesistege korbi (Bohatsch,1909)** (Geometridae) Chesias korbi Bohatsch,1909, Jb. Wien. ent. Ver. 20: 164. Syntypes: [Türkei]: Kasikoparan near Takaltu Dag, 2000m.
- 2185. Chiasmia (Godonela) Boisduval,1840** (Geometridae) Godonela Boisduval,1840, Genera Index meth. eur. Lepid.: 186. Type-species: Geometra aestimaria Hübner,[1809] (replacement name for Pharmacia Hbn.).
- 2186. Chiasmia (Godonela) aestimaria (Hübner,[1809])** (Geometridae) Geometra aestimaria Hübner,[1809], Samml. eur. Schmett. 5: pl.64 fig.333. Type(s): Europa.
- 2187. Chiasmia (Godonela) aestimaria aestimaria (Hübner,[1809])** (Geometridae) Geometra aestimaria Hübner,[1809], Samml. eur. Schmett. 5: pl.64 fig.333. Type(s): Europa.
- 2188. Chiasmia (Godonela) aestimaria kuldschana Scoble,1999** (Geometridae) Semiothisa aestimaria [aestimaria] var. kuldschana Wehrli,1940, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 384 (31d). Syntypes: [China: Uighur A.R.]: Kuldja.
- 2189. Chiasmia (Godonela) eleonora (Cramer,[1780])** (Geometridae) Phalaena eleonora Cramer,[1780], Uitl. Kapellen 3: 172, pl.288 figs.E,F. Syntypes: [India]: Cote de Coromandel.
- 2190. Chiasmia (Godonela) grandis M.Krüger,2001** (Geometridae) Chiasmia grandis Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 198-199, figs.347,348, 674, 895. Holotype ♂: [Zaire]: Go, Uelle District, Africa, Congo Belge, Coll. Micheli (NMKE).
- 2191. Chiasmia (Godonela) parastreniata M.Krüger,2001** (Geometridae) Chiasmia parastreniata Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 195, figs.333-336, 669. Holotype ♂: [Tanzania]: Tanganyika, Chulwe, iv.1966, 20.vii.1966; leg. J. Kielland (NMKE).
- 2192. Chiasmia (Godonela) syriacaria (Staudinger,1871)** (Geometridae) Macaria aestimaria var. syriacaria Staudinger,1871, [in] Staudinger & Wock, Cat. lepid. eur. Faunengeb. (2): 160. Syntypes: Syria, Cyprus.
- 2193. Chiasmia abyssinica M.Krüger,2001** (Geometridae) Chiasmia abyssinica Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 183, figs.311, 882. Holotype ♂: [Ethiopia]: Abyssinie, Harrar, 1934; leg. J. Maurel (Muséum Paris, MNHN).
- 2194. Chiasmia acutiapex M.Krüger,2001** (Geometridae) Chiasmia acutiapex Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 173, figs.276, 277, 643. Holotype ♂: Tanzania: Africa, Tanzania, Usa River, 3900ft., ix-ii.1965-66; leg. J.Szunyoghy (BMNH).
- 2195. Chiasmia adelpha M.Krüger,2001** (Geometridae) Chiasmia adelpha Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 150, figs.226, 619, 845. Holotype ♂: [Cameroon]: Forêt de Bafut Nguemba 7,5km S.E. de Bamenda, 2230m, 04.iv.1972; leg. C. Herbulot (C.Herbulot coll.).
- 2196. Chiasmia aureobrunnea M.Krüger,2001** (Geometridae) Chiasmia aureobrunnea Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 205-206, figs.364, 365, 682, 902. Holotype ♂: Uganda: Kayonza, Kigezi, iii.1967; leg. R.C. Otieno (BMNH).
- 2197. Chiasmia boarmioides M.Krüger,2001** (Geometridae) Chiasmia boarmioides Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 223-224, figs.405-407, 698, 919, 1018. Holotype ♂: [Zimbabwe]: Buby river, 19.x.1990; leg. N.J. Duke (NMBZ).
- 2198. Chiasmia bomfordi M.Krüger,2001** (Geometridae) Chiasmia bomfordi Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 142-143, figs.206, 608, 993. Holotype ♂: [Zimbabwe]: S. Rhodesia, Marandellas, i.1960; leg. P.Bomford (NMBZ).
- 2199. Chiasmia brunnescens M.Krüger,2001** (Geometridae) Chiasmia brunnescens Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 139-140, figs.196, 197, 604, 832, 991. Holotype ♂: [South Africa, Eastern Cape]: Cape, Aliwal North, 11.iv.1981; leg. G. van Son (Duke coll.).
- 2200. Chiasmia clathrata (Linnaeus,1758)** (Geometridae) Phalaena clathrata Linnaeus,1758, Syst. Nat. (Edn.10)1: 524. Type(s): Europa.
- 2201. Chiasmia clathrata punctata (A.Bang-Haas,1910)** (Geometridae) Phasiane clathrata var. punctata A.Bang-Haas,1910, Dt. ent. Z., Iris 24: 49. Syntypes: [China: Uighur A.R.]: Juldus.
- 2202. Chiasmia deceptrix M.Krüger,2001** (Geometridae) Chiasmia deceptrix Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 175-176, figs.283-285, 646, 871, 1005. Holotype ♂: [Zimbabwe]: S.Rhodesia, Harare (Salisbury), 24.iii.1968; leg. A.J. Duke (BMNH, ZSBS, NMBZ).
- 2203. Chiasmia deleta M.Krüger,2001** (Geometridae) Chiasmia deleta Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 143-144, figs.209, 601, 993. Holotype ♂: [Zimbabwe]: S. Rhodesia, Melfort Siding, Bromley, 07.v.1968; leg. C.Gibbis (NMBZ).
- 2204. Chiasmia dodoma M.Krüger,2001** (Geometridae) Chiasmia dodoma Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 129, figs.176, 593. Holotype ♂: [Tanzania]: Dodoma, Tanganyika, 50 mil. S., 12.iii.1950; leg. N. Mitton.
- 2205. Chiasmia evansi M.Krüger,2001** (Geometridae) Chiasmia evansi Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 173, figs.278, 868. Holotype ♀: [Kenya]: Marigat, Kenya, Colony, 4000ft., 14.viii.1950; Loruk, N. Lake Baringo 3500ft., 14.viii.1950; leg. R.T.Evans (NMKE).
- 2206. Chiasmia furcata (W.Warren,1897)** (Geometridae) Tephria furcata W.Warren,1897, Novit. zool. 4: 112. Syntypes 1♂ 1♀: [South Africa]: Natal, Weenen (BMNH).
- 2207. Chiasmia hunyani M.Krüger,2001** (Geometridae) Chiasmia hunyani Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 142, figs.202, 203, 607, 835, 992. Holotype ♂: [Zimbabwe]: S. Rhodesia, Hunyani River, 13.viii.1978; leg. N.J.Duke.
- 2208. Chiasmia inquinata M.Krüger,1999** (Geometridae) Chiasmia inquinata Krüger,1999, [in] Staude,H., Metamorphosis 10 (3): 116, fig. 140. Monotype ♂: South Africa: KwaZulu-Natal: Maphelana, 7-14.12.1991.
- 2209. Chiasmia insulicola M.Krüger,2001** (Geometridae) Chiasmia insulicola Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 168, figs.266-268, 640, 865. Holotype ♂: [Madagascar]: Station Perinet, 149km E. Tananarivo, i.1933; leg. N.d'Olsouffeff, Rothschild Bequest (BMNH).
- 2210. Chiasmia iringa M.Krüger,2001** (Geometridae) Chiasmia iringa Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 145, figs.214, 613. Holotype ♂: [Tanzania]: Iringa, Tanganyika 40 miles S., 10.iii.1950; leg. N.Mitton.
- 2211. Chiasmia kenya M.Krüger,2001** (Geometridae) Chiasmia kenya Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 179, figs.297-299, 651, 876. Holotype ♂: [Kenya]: Kenya Colony, Isiolo, iv-v.1951; leg. Mrs. Adamson (NMKE).
- 2212. Chiasmia kilifi M.Krüger,2001** (Geometridae) Chiasmia kilifi Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 174, figs.279, 869. Holotype ♀: Kenya: Kilifi, vi.1949; (NMKE).
- 2213. Chiasmia malgassofusca M.Krüger,2001** (Geometridae) Chiasmia malgassofusca Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 157, figs.235, 236, 625, 850. Holotype ♂: Madagascar: Est, environs de Perinet, 910m, forêt d'Analamazotra 24.xi.1954; leg. P. Viette (MNHN).
- 2214. Chiasmia maronga M.Krüger,2001** (Geometridae) Chiasmia maronga Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 195, figs.333-336, 669. Holotype ♂: Moçambique: Maronga forest 20°03'S33°09', 06-11.ix.1972; leg. R.H. Jones.
- 2215. Chiasmia melsetter M.Krüger,2001** (Geometridae) Chiasmia melsetter Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 142-143, figs.204, 205, 836, 992. Holotype ♀: [Zimbabwe]: S. Rhodesia, Melsetter, 21.xi.1968; leg. N.J.Duke.
- 2216. Chiasmia morogoro M.Krüger,2001** (Geometridae) Chiasmia morogoro Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 241, figs.433,434, 934. Holotype ♀: [Tanzania]: Deutsch Ost Afrika, Morogoro, leg. S.G. Reuss (ZMHB).

- 2217. *Chiasmia multistrigata liliput* M.Krüger,2001** (Geometridae) *Chiasmia multistrigata* ssp. *liliput* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 220-221, figs.398, 1016. Holotype ♂: [Namibia]: Katima Mulilo, E. Caprivi, 20-28.x.1970; leg. A. Strydom (BMNH, NMBZ, SMWN).
- 2218. *Chiasmia murina* M.Krüger,2001** (Geometridae) *Chiasmia murina* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 141, figs.200, 201, 606, 834, 992. Holotype ♂: Zimbabwe: Laurenceville, Vumba, 18-22.x.1989; leg. N.J.Duke (NMBZ).
- 2219. *Chiasmia neolivorosa* M.Krüger,2001** (Geometridae) *Chiasmia neolivorosa* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 160, figs.245, 629, 854. Holotype ♂: Madagascar: Sud-Ouest, Lambomakandro 50m, Tulear, 16.vii.1957; leg. P. Griveaud (MNHN).
- 2220. *Chiasmia nevilledukei* M.Krüger,2001** (Geometridae) *Chiasmia nevilledukei* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 150-151, figs.227, 620, 997. Holotype ♂: Zimbabwe: Laurenceville, Vumba, 10-15.x.1990; leg. N.J. Duke.
- 2221. *Chiasmia ngami* M.Krüger,2001** (Geometridae) *Chiasmia ngami* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 135, figs.186, 827, 987. Holotype ♀: Botswana: Thamalakane River, Maun, Ngamiland, 15.xii.1968; leg. Pinhey & Falcon (NMBZ).
- 2222. *Chiasmia nubilata* (W.Warren,1897)** (Geometridae) *Hyostomodes nubilata* W.Warren,1897, Novit. zool. 4: 252, pl.5 fig.11. Syntypes 1♂ 1♀: British East Africa [Kenya]: [Ukamba] Muani (BMNH).
- 2223. *Chiasmia orientalis* M.Krüger,2001** (Geometridae) *Chiasmia orientalis* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 179-180, figs.300-302, 652, 877, 1006. Holotype ♂: [Moçambique]: Portuguese East Africa, Dondo, 12.ix.1954; leg. H. Cookson (BMNH, NMKE).
- 2224. *Chiasmia paucimacula* M.Krüger,2001** (Geometridae) *Chiasmia paucimacula* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 161-162, figs.247, 631, 856, 1003. Holotype ♂: [Zimbabwe]: S. Rhodesia, Mutare (Umtali) District, 19.iii.1933; leg. P.A. Sheppard (NMBZ), (ZSBS).
- 2225. *Chiasmia peremarginata* M.Krüger,2001** (Geometridae) *Chiasmia peremarginata* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 202-203, figs.357, 679. Holotype ♂: Cameroon: Cameroon, Mont Kala, 18km W. de Yaounde 900-1100m, 30.iii.1975; leg. C. Herbulot (coll.).
- 2226. *Chiasmia pinheyi* M.Krüger,2001** (Geometridae) *Chiasmia pinheyi* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 143, figs.207, 208, 609, 837, 993. Holotype ♂: [Zimbabwe]: S. Rhodesia, Marowe River, Brondesbury Park, Inyanga, 13.ii.1978; leg. E. Pinhey (NMBZ), (ZMHB).
- 2227. *Chiasmia simplex* M.Krüger,2001** (Geometridae) *Chiasmia simplex* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 174-175, figs.280, 281, 644, 870. Holotype ♂: Tanzania: Tanzania septentrionalis, Oldeani, 09.xii.1961; leg. J. Kiellad (ZSBS).
- 2228. *Chiasmia somalica* M.Krüger,2001** (Geometridae) *Chiasmia somalica* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 137, figs.192, 830. Holotype ♀: Somalia: Afgoi, iv-v.1978 (Simonetta) (MZF).
- 2229. *Chiasmia sororcula* (W.Warren,1897)** (Geometridae) *Azata sororcula* W.Warren,1897, Novit. zool. 4: 105. Holotype ♀: [Malawi]: Upper Shire District, Zomba (BMNH).
- 2230. *Chiasmia subcurvaria* (Mabille,1898)** (Geometridae) *Tephрина subcurvaria* Mabille,1898, Anns Soc. ent. Fr. 66 (2/3): 228. Holotype ♀: Afrique occidentale (BMNH).
- 2231. *Chiasmia subcurvaria subcurvaria* (Mabille,1898)** (Geometridae) *Tephрина subcurvaria subcurvaria* Mabille,1898, Anns Soc. ent. Fr. 66 (2/3): 228. Holotype ♀: Afrique occidentale (BMNH).
- 2232. *Chiasmia suthepensis* (Bänziger & D.S.Fletcher,1988)** (Geometridae) *Semiothisa suthepensis* Bänziger & D.S.Fletcher,1988, Revue suisse Zool. 95 (4): 938, figs. Holotype ♂: Thailand: Chiang Mai, Mae Nai, Doi Suthep-Pui, 1150m (BMNH).
- 2233. *Chiasmia triangulata* (Hampson,1891)** (Geometridae) *Gonodola* [sic!] *triangulata* Hampson,1891, Illust. typical Specimens Lepid. Heterocera Colln Br. Mus. 8: 29, 112, pl.151 figs.4,10. Lectotype ♂: [India]: Nilgiri distr.: N. slopes 3500ft (BMNH).
- 2234. *Chiasmia trinotatula* M.Krüger,2001** (Geometridae) *Chiasmia trinotatula* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 133, figs.184, 185, 599, 825. Holotype ♂: [Ethiopia]: Kabarutar, 50 mil. S. of Lake Tana, 6800ft., 20.iii.1926; leg. R.E.Cheeseman (BMNH).
- 2235. *Chiasmia vau* (L.B.Prout,1913)** (Geometridae) *Macaria vau* L.B.Prout,1913, Ann. Transv. Mus. 3 (4): 217, pl.12 fig.16. Holotype ♀: [South Africa: Transvaal]: Soutpansberg District: Thabina (TMP).
- 2236. *Chiasmia zobrysi* M.Krüger,2001** (Geometridae) *Chiasmia zobrysi* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 221-222, figs.401, 402, 696, 917, 1017. Holotype ♂: [Namibia]: S.W.A. Windhoek District, Farm Valencia 42, 14-24.iv.1972; leg. Strydom & Jones (BMNH, SWMN).
- 2237. *Chloeres boisensis* Holloway,1979** (Geometridae) *Chloeres boisensis* Holloway,1979, Lepidoptera New Caledonia: 273, figs. Holotype ♂: New Caledonia: Port Boise, 20m.
- 2238. *Chlorissa pretiosaria* Staudinger,1877** (Geometridae) *Nemoria pretiosaria* Staudinger,1877, Stettin ent. Ztg. 38 (/6): 202. Type ♂: Kaukasus.
- 2239. *Chlorissa viridata* (Linnaeus,1758)** (Geometridae) *Phalaena viridata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 523. Type(s): [Europa] in Quercus.
- 2240. *Chloroclysta Hübner*,[1825]** (Geometridae) *Chloroclysta* Hübner,[1825], Verz. bekannter Schmett.: 332. Type-species: *Phalaena miata* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 526, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 283.
- 2241. *Chloroclysta miata* (Linnaeus,1758)** (Geometridae) *Phalaena miata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 526. Type(s): Europa.
- 2242. *Chloroclysta siterata* (Hufnagel,1767)** (Geometridae) *Phalaena siterata* Hufnagel,1767, Berl. Mag. 4: 522. Type(s): Deutschland: Berlin.
- 2243. *Chloroclysta truncata* (Hufnagel,1767)** (Geometridae) *Phalaena truncata* Hufnagel,1767, Berl. Mag. 4: 602, 625. Type(s): Deutschland: Berlin.
- 2244. *Chloroclystis Hübner*,[1825]** (Geometridae) *Chloroclystis* Hübner,[1825], Verz. bekannter Schmett.: 323. Type-species: *Geometra coronata* Hübner,[1813], Samml. eur. Schmett. 5: pl.72 fig.372,373, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 263.
- 2245. *Chlorocoma eucela* L.B.Prout,1922** (Geometridae) *Chlorocoma eucela* L.B.Prout,1922, Ann. Transv. Mus. 8 (3): 151. Holotype ♂: [South Africa: Gauteng]: Pretoria (TMP).
- 2246. *Chlorocoma octoplagiata* Holloway,1979** (Geometridae) *Chlorocoma octoplagiata* Holloway,1979, Lepidoptera New Caledonia: 273-275, figs. Holotype ♂: New Caledonia: Mt.Mou, 1100m.
- 2247. *Cidaria Treitschke*,1825** (Geometridae) *Cidaria* Treitschke,1825
- 2248. *Cinglis andalusaria* Wagner,1935** (Geometridae) *Cinglis andalusaria* Wagner,1935, Z. öst. EntVer. 20 (3): 17, pl.1. Syntypes: 1♂ 1♀: [Spain]: Andalusia, Murcia.
- 2249. *Cinglis humifusaria* (Eversmann,1837)** (Geometridae) *Fidonia humifusaria* Eversmann,1837, Bull. Soc. imp. Nat. Moscou 1837 (6): 57. Syntypes: Russia: Volga.
- 2250. *Cleora Curtis*,1825** (Geometridae) *Cleora* Curtis,1825, Br. Ent. 2: 88. Type-species: *Geometra cinctaria* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 101, by original designation.
- 2251. *Cleora betularia* (Warren,1897)** (Geometridae) *Chogada betularia* Warren,1897, Novit. zool. 4: 93. Lectotype ♂: South Africa (BMNH).
- 2252. *Cleora betularia betularia* (Warren,1897)** (Geometridae) *Chogada betularia* Warren,1897, Novit. zool. 4: 93. Lectotype ♂: South Africa (BMNH).
- 2253. *Cleora cinctaria* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra cinctaria* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 101. Type(s): [Austria]: Vienna district.
- 2254. *Cleora herbuloti* (D.S.Fletcher,1958)** (Geometridae) *Neocleora herbuloti* D.S.Fletcher,1958, Ruwenzori Exped. 1952 1(6): 136, figs. 44,85,214. Holotype ♂: Uganda: Kigezi, 5500ft (BMNH).
- 2255. *Cleora herbuloti phaea* D.S.Fletcher,1967** (Geometridae) *Cleora herbuloti* ssp. *phaea* D.S.Fletcher,1967, Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 8: 40, pl.5 figs. 219-222. Holotype ♂: South Africa: [Limpopo]: Entabeni, nr. Louis Trichardt (BMNH).
- 2256. *Cleora munda* (Warren,1899)** (Geometridae) *Chogada munda* Warren,1899, Novit. zool. 6: 52. Type ♀: [South Africa]: Zululand: Edukumbaan Hills (BMNH).
- 2257. *Cleora munda munda* (Warren,1899)** (Geometridae) *Chogada munda* Warren,1899, Novit. zool. 6: 52. Type ♀: [South Africa]: Zululand: Edukumbaan Hills (BMNH).
- 2258. *Cleora nigrisparsalis* (Janse,1932)** (Geometridae) *Neocleora nigrisparsalis* Janse,1932, The Moths of South Africa 1: 270,

pl.8 fig.5, text-figs.100. Holotype ♂: [Zimbabwe]: South Rhodesia: Umtali (TMP).

2259. *Cleora nigrisparsalis nigrisparsalis* (Janse,1932) (Geometridae) *Neocleora nigrisparsalis* Janse,1932, The Moths of South Africa 1: 270, pl.8 fig.5, text-figs.100. Holotype ♂: [Zimbabwe]: South Rhodesia: Umtali (TMP).

2260. *Cleora pendleburyi* L.B.Prout,1929 (Geometridae) *Cleora pendleburyi* L.B.Prout,1929, Novit. zool. 35: 70. Syntypes: [Malaysia]: Selangor, Bukit Kutu, 3500ft. (BMNH).

2261. *Cleora venustaria thaiensis* Sato,1991 (Geometridae) *Cleora venustaria* ssp. *thaiensis* Sato,1991, Tyo to Ga 42 (4): 279, figs. Holotype ♂: Thailand: Chiang Mai, Doi Pakia, 1500m (UOS).

2262. *Cleorodes lichenarius* (Hufnagel,1767) (Geometridae) *Phalaena lichenaria* Hufnagel,1767, Berl. Mag. 4: 512. Type(s): Deutschland: Berlin.

2263. *Cleta perpusillaria* (Eversmann,1847) (Geometridae) *Acidalia perpusillaria* Eversmann,1847, Bull. Soc. imp. Moscou 20 (2/3): 82, pl.6 fig.7. Lectotype ♂: Russia: Sarepta [Krasnoarmeysk] (ZISP).

2264. *Colocleora faceta* (L.B.Prout,1934) (Geometridae) *Cerurographa faceta* L.B.Prout,1934, Novit. zool. 34: 117. Holotype ♂: [South Africa]: Natal, National Park (BMNH).

2265. *Colostygia Hübner*,[1825] (Geometridae) *Colostygia Hübner*,[1825], Verz. bekannter Schmett.: 328. Type-species: *Geometra turbata* Hübner,[1799], Samml. eur. Schmett. 5: pl.49 fig.255, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 292.

2266. *Colostygia olivata* (Denis & Schiffermüller,1775) (Geometridae) *Geometra olivata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 112. Type(s): [Austria]: Vienna district.

2267. *Colotois Hübner*,[1823] (Geometridae) *Colotois Hübner*,[1823], Verz. bekannter Schmett.:

2268. *Comibaena Hübner*,[1823] (Geometridae) *Comibaena Hübner*,[1823], Verz. bekannter Schmett.: 284. Type-species: *Geometra bajularia* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 97, by subsequent designation by Moore,[1887], Lepid. Ceylon 3: 433.

2269. *Comibaena bajularia* (Denis & Schiffermüller,1775) (Geometridae) *Geometra bajularia* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 97. Type(s): [Austria]: Vienna district.

2270. *Comibaena mariae* (Lucas,1888) (Geometridae) *Iodis mariae* Lucas,1888, Proc. Linn. Soc. N.S.Wales (2)3: 1266. Type(s): Australia: Queensland.

2271. *Comostola leucomerata caledonica* Holloway,1979 (Geometridae) *Comostola leucomerata* ssp. *caledonica* Holloway,1979, Lepidoptera New Caledonia: 275-276, figs. Holotype ♂: New Caledonia: R. Bleue, 180m.

2272. *Comostola thalassias* Holloway,1979 (Geometridae) *Comostola thalassias* Holloway,1979, Lepidoptera New Caledonia: 276, figs. Holotype ♂: New Caledonia: Sarraméa, 160m.

2273. *Comostolopsis capensis* (Warren,1899) (Geometridae) *Aplodes capensis* Warren,1899, Novit. zool. 6: 291. Holotype ♂: [South Africa]: Cape Town (BMNH).

2274. *Compsoptera caesaraugustanus* Redondo,1995 (Geometridae) *Compsoptera caesaraugustanus* Redondo,1995, Boln. Soc. ent. aragon. 9: 14, figs. Holotype ♂: Spain: Aragon, Prov. Zaragoza, Alf

2275. *Conchylodes distelitis* L.B.Prout,1930 (Geometridae) *Conchylodes distelitis* L.B.Prout,1930, [in] Seitz,A. Gross-Schmett. Erde 16: 36, pl.4c. Type: [Zimbabwe]: Bulawayo (BMNH).

2276. *Cosmorhoe Hübner*,[1825] (Geometridae) *Cosmorhoe Hübner*,[1825], Verz. bekannter Schmett.: 326. Type-species: *Phalaena ocellata* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 527, by subsequent designation by Bode,1907, Mitt. Roermuseum. Hildesh. 22: 26.

2277. *Cosmorhoe ocellata* (Linnaeus,1758) (Geometridae) *Phalaena ocellata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 527. Type(s): Europa.

2278. *Costaconvexa Agenjo*,1949 (Geometridae) *Costaconvexa Agenjo*,1949

2279. *Costaconvexa polygrammata* (Borkhausen,1794) (Geometridae) *Phalaena polygrammata* Borkhausen,1794, Natur. eur. Schmett. 5: 560. Syntypes: Europa.

2280. *Crocallis (Dzhugesia) rjabovi* Wehrli,1936 (Geometridae) *Crocallis rjabovi* Wehrli,1936, Ent. Rdsch. 145. Syntypes 1♂ 1♀: [Armenia]: Arax Fluss, Dzhuga.

2281. *Crocallis (s.str.) elinguarina* (Linnaeus,1758) (Geometridae) *Phalaena elinguarina* Linnaeus,1758, Syst. Nat. (Edn.10)1: 520-521. Type(s): [Europa], in Pyrus.

2282. *Crocallis (s.str.) inexpectata* Warnecke,1940 (Geometridae) *Crocallis inexpectata* Warnecke,1940, Mitt. münch. ent. Ges. 30 (3): 1054. Type ♂: [Türkei]: Amasya, 400m.

2283. *Crocallis (s.str.) tusciaria transcaucasica* Wehrli,1940 (Geometridae) *Crocallis tusciaria* ssp. *transcaucasica* Wehrli,1940, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 347 (27e). Syntypes: Armenia: Negram, am Flusse Arax (leg. Rjabov).

2284. *Cryoepa bajaran* (Denis & Schiffermüller,1775) (Geometridae) *Geometra bajaran* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 315. Type(s): [Austria]: Vienna district.

2285. *Culpinia prouti* (Thierry-Mieg,1913) (Geometridae) *Thalara prouti* Thierry-Mieg,1913, Feuille jeun Nat. (5) 43: 180. Syntypes 2♂: [Turkey]: "Syria: Akbes" (MNHN).

2286. *Cusiala boarmoides* Moore,[1887] (Geometridae) *Cusiala boarmoides* Moore,[1887], Lepid. Ceylon 3: 407.

2287. *Cyclophora Hübner*,1822 (Geometridae) *Cyclophora Hübner*,1822, Syst.-alphab. Verz.: 41, 43. Type-species: *Phalaena albipunctata* Hufnagel,1767, Berl. Mag. 4: 526, by subsequent designation by Moore,[1887], Lepid. Ceylon 3: 442.

2288. *Cyclophora annularia* (Fabricius,1775) (Geometridae) *Phalaena annularia* Fabricius,1775, Syst. Ent.: 625. Type(s): Germania.

2289. *Cyclophora linearia* (Hübner,[1799]) (Geometridae) *Geometra linearia* Hübner,[1799], Samml. eur. Schmett. 5: pl.13, fig.68. Type: Europa.

2290. *Cyclophora punctaria* (Linnaeus,1758) (Geometridae) *Phalaena punctaria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 522. Type(s): Finlandia.

2291. *Cyclophora punctaria punctaria* (Linnaeus,1758) (Geometridae) *Phalaena punctaria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 522. Type(s): Finlandia.

2292. *Cyclophora pupillaria* (Hübner,[1799]) (Geometridae) *Geometra pupillaria* Hübner,[1799], Samml. eur. Schmett. 5: pl.13, fig.69. Type: Europa.

2293. *Cyclophora quercimontaria* (Bastelberger,1897) (Geometridae) *Zonosoma quercimontaria* Bastelberger,1897, Stettin ent. Ztg. 58: 120. Syntypes: Deutschland: Rheingau: Eichberg.

2294. *Cyclophora quercimontaria quercimontaria* (Bastelberger,1897) (Geometridae) *Zonosoma quercimontaria* Bastelberger,1897, Stettin ent. Ztg. 58: 120. Syntypes: Deutschland: Rheingau: Eichberg.

2295. *Cyclophora sympathica* (Alpheraky,1883) (Geometridae) *Timandra sympathica* Alpheraky,1883, Horae Soc. ent. ross. 17: 166-168, Tab.viii fig.76. Type ♂: [China: Uighur A.R.]: Khorgosse.

2296. *Dasycorsa modesta* (Staudinger,1879) (Geometridae) *Dasycephala modesta* Staudinger,1879, Horae Soc. ent. ross. 14: 445. Type ♀: [Türkei]: Taurus (Haberhauer leg.).

2297. *Dasyteroma Staudinger*,1892 (Geometridae) *Dasyteroma* Staudinger,1892, Dt. ent. Z., Iris 5: 168. Type-species: *Dasyteroma thaumasia* Staudinger,1892, Dt. ent. Z., Iris 5: 168-170, Taf.ii fig.10. Syntypes 3♀: [Spain]: "San Ildefonso (Castilien)", by monotypy.

2298. *Dasyteroma thaumasia* Staudinger,1892 (Geometridae) *Dasyteroma thaumasia* Staudinger,1892, Dt. ent. Z., Iris 5: 168-170, Taf.ii fig.10. Syntypes 3♀: [Spain]: "San Ildefonso (Castilien)".

2299. *Derambila pellucida* Holloway,1979 (Geometridae) *Derambila pellucida* Holloway,1979, Lepidoptera New Caledonia: 266-268, figs. Holotype ♂: New Caledonia: R. Bleue, 180m.

2300. *Dicrognophos amanensis* (Wehrli,1934) (Geometridae) *Gnophos snelleni* ssp. *amanensis* Wehrli,1934, Mitt. münch. ent. Ges. 24: 50. Syntypes 2♂: [Türkei]: Marasch: DülDül Dag.

2301. *Digrammia ladakhensis* (Herbulot,1985) (Geometridae) *Asmate ladakhensis* Herbulot,1985, Alexanor 13 (8): 354, fig.2. Holotype ♂: Ladakh, Kargil, 3000m, 9/19. vii.1982, J.Plante leg. (coll. Herbulot).

2302. *Digrammia tancrearia* (Staudinger,1892) (Geometridae) *Phasiane tancrearia* Staudinger,1892, Dt.ent.Z., Iris 5: 201. Syntypes 7♂: [China: Uighur A.R.]: Kuldja; [Tadjikistan]: Transalai [Pamirs].

2303. *Dindica polyphaenaria* (Guenée,[1858]) (Geometridae) *Hypochroma polyphaenaria* Guenée,[1858], [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 9: 280. Type ♂: "Inde" (BMNH).

2304. *Drepanogynis arcuifera* L.B.Prout,1934 (Geometridae) *Drepanogynis arcuifera* L.B.Prout,1934, Novit. zool. 34: 115. Holotype ♂: South Africa: [Natal]: Natal National Park (BMNH).

- 2305. *Drepanogynis costipicta* (L.B.Prout,1932)** (Geometridae) *Sicyodes costipicta* L.B.Prout,1932, Revue Zool. Bot. afr. 21 (3): 244. Holotype ♂: Congo Belge [Zaire]: 31 km from Kindu (MRAC).
- 2306. *Drepanogynis costipicta olearis* L.B.Prout,1938** (Geometridae) *Sicyodes costipicta* ssp. *olearis* L.B.Prout,1938, [in] Seitz, A., Gross Schm. Erde 16: 136, pl.13e. Holotype ♂: [South Africa]: Transvaal: Nelspruit (TMP).
- 2307. *Drepanogynis devia* (L.B.Prout,1913)** (Geometridae) *Apleroneura devia* L.B.Prout,1913, Ann. Transv. Mus. 3 (4): 210, pl.12 fig.12. Holotype ♂: [South Africa: Transvaal]: Woodbush Village (BMNH).
- 2308. *Drepanogynis epione* (L.B.Prout,1917)** (Geometridae) *Apleroneura epione* L.B.Prout,1917, Ann. Transv. Mus. 3 (4): 213, pl.12 fig.5. Holotype: South Africa: [Mpumalanga]: Barberton (TMP).
- 2309. *Drepanogynis mixtaria* Guenée,[1858]** (Geometridae) *Drepanogynis mixtaria* Guenée,[1858], [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gen. Lepid.) 9: 93. Lectotype ♂: [South Africa]: Cap de Bonne-Esperance (MNHNP).
- 2310. *Drepanopterula Hedicke*,1923** (Geometridae) *Drepanopterula Hedicke*,1923, Dt. ent. Z. (N.F.) 1923: 72. Type-species: *Hypoplectis zanoni* Turati,1919 (replacement name).
- 2311. *Drepanopterula limaria* (Christoph,1885)** (Geometridae) *Epione limaria* Christoph,1885, [in] Romanoff, Mém. lepid. 2: 97, pl.5 fig.6. Type ♀: [Azerbaijan]: Ordubad.
- 2312. *Dyscia* (*Calodyscia*) *innocentaria osmanica* (Wagner,1931)** (Geometridae) *Scodiona sicanaria* ssp. *osmanica* Wagner,1931, Int. ent. Z. 24 (47): 490. Syntypes: [Türkei]: Akschehir.
- 2313. *Dyscia* (*Iberafrina*) *penulataria* (Hübner,[1819])** (Geometridae) *Geometra penulataria* Hübner,[1819], Samml. eur. Schm. 5: pl.98 figs.507-508. Syntypes: Europa.
- 2314. *Dyscia* (*Iberafrina*) *rungsii* Herbulot,1981** (Geometridae) *Dyscia rungsii* Herbulot,1981, Alexanor 12 (2): 95-96, fig. Holotype ♂: Maroc: Tuneliat, 25.2.1937, 1465m (coll. D.Lucas, in coll.Herbulot).
- 2315. *Dyscia* (*Rjabovana*) *negramma* Wehrli,1953** (Geometridae) *Dyscia negramma* Wehrli,1953, [in] Seitz, Gross-Schm. Erde 4 (suppl.): 667, pl.52h. Syntypes: Armenia: Darasham, Negram.
- 2316. *Dyscia* (*Warneckeella*) *malatyana* (Wehrli,1934)** (Geometridae) *Dyscia malatyana* Werli,1934, Int. ent. Z. 27: 535-536, fig.19. Syntypes 3♂: [Türkei]: Malatya: Tecde.
- 2317. *Dyscia* (*Warneckeella*) *malatyana malatyana* (Wehrli,1934)** (Geometridae) *Dyscia malatyana* Werli,1934, Int. ent. Z. 27: 535-536, fig.19. Syntypes 3♂: [Türkei]: Malatya: Tecde.
- 2318. *Dyscia* (s.str.) *Hübner*,[1825]** (Geometridae) *Dyscia* Hübner,[1825], Verz. bekannter Schm. 1: 314. Type-species: *Geometra conspersaria* [Denis & Schiffermüller],1775.
- 2319. *Dyscia* (s.str.) *conspersaria* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra conspersaria* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schm. Wienergegend: Type(s): [Austria]: Vienna district.
- 2320. *Dyscia* (s.str.) *conspersaria sultanica* Wehrli,1936** (Geometridae) *Dyscia conspersaria* ssp. *sultanica* Wehrli,1936, Mitt. münch. ent. Ges. 26 (1): 36, pl.2 fig.5. Syntypes 11♂ [Türkei]: Anatolien: [Konya Prov.]: Sultan Dag.
- 2321. *Dyscia* (s.str.) *simplicaria* Rebel,1939** (Geometridae) *Dyscia* (*Scodiona*) *simplicaria* Rebel,1939, Mitt. münch. ent. Ges. 29 (4): 539, pl.15 fig.5. Holotype ♂: Cyprus: Limassol.
- 2322. *Dyscia raunaria* (Freyer,1851)** (Geometridae) *Cabera raunaria* Freyer,1851, Neuere Beitr. Schm. 6 (97): 160, pl.582, fig.3,4. Syntypes: [Slovenia]: Laibach [Ljubljana].
- 2323. *Dysphania militaris* (Linnaeus,1758)** (Geometridae) *Phalaena militaris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 505.
- 2324. *Dysphania militaris militaris* (Linnaeus,1758)** (Geometridae) *Phalaena militaris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 505.
- 2325. *Ecliptopera fastigata* (Püngeler,1909)** (Geometridae) *Larentia fastigata* Püngeler,1909, Dt. ent. Z., Iris 21 (4): 301, pl.4 fig.26. Syntypes ♂♂: [Uzbekistan]: Ferghana, [China: Uighur A.R.]: Kuldja, Togus-torau.
- 2326. *Ecliptopera silaceata* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra silaceata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schm. Wienergegend: 113. Type(s): [Austria]: Vienna district.
- 2327. *Ectropis bistortata* (Goeze,1781)** (Geometridae) *Phalaena bistortata* Goeze,1781, Ent. Beytr. 3 (3): 438.
- 2328. *Ectropis delosaria* (Walker,[1863])** (Geometridae) *Tephrosia delosaria* Walker,[1863], List Specimens lepid. Insects Colln Br. Mus. 26: 1541. Type ♀: South Africa (BMNH).
- 2329. *Eilicrinia Hübner*,[1823]** (Geometridae) *Eilicrinia* Hübner,[1823], Verz. bekannter Schm. 287. Type-species: *Phalaena cordiaria* Hübner,1790, Beitr. Gesch. Schm. 2(1):31, pl.(1) 4, fig.Z, by subsequent designation by Guenée,1857 [in] Boisduval & Guenée, Hist. nat. Insectes 10: 64.
- 2330. *Eilicrinia cordiaria* (Hübner,1790)** (Geometridae) *Phalaena cordiaria* Hübner,1790, Beitr. Gesch. Schm. 2(1): 31, Tab.4 fig.Z.
- 2331. *Eilicrinia rosearia* A.Bang-Haas,1907** (Geometridae) *Eilicrinia rosearia* A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 85, pl.3 fig.1. Syntypes: [China: Uighur A.R.]: Kaschgar.
- 2332. *Eilicrinia subcordaria* (Herrich-Schäffer,[1852])** (Geometridae) *Macaria subcordaria* Herrich-Schäffer,[1852], Syst. Bearb. Schm. Eur. 6:71, fig.446. Type(s): [Türkei]: Türkei.
- 2333. *Eilicrinia subcordaria acardia* Stichel,1911** (Geometridae) *Eilicrinia acardia* Stichel,1911, Z. Wiss. InsektBiol. 6:162, fig.12. Type: [Iran]: Sultanabad [=Arrak].
- 2334. *Eilicrinia trinotata* (Metzner,1845)** (Geometridae) *Geometra trinotata* Metzner,1845, Stettin ent. Ztg. 6(6): 184-186. Syntypes: [Türkei]: Turcia europaea.
- 2335. *Elophos* (*Parietaria*) *dilucidaria* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra dilucidaria* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schm. Wienergegend: 315. Type(s): [Austria]: Vienna district.
- 2336. *Elophos* (*Parietaria*) *serotinarum* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra serotinarum* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schm. Wienergegend: 315. Type(s): [Austria]: Vienna district.
- 2337. *Ematurga atomaria* (Linnaeus,1758)** (Geometridae) *Phalaena atomaria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 521. Type(s): [Europa], in Tilia.
- 2338. *Ematurga atomaria atomaria* (Linnaeus,1758)** (Geometridae) *Phalaena atomaria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 521. Type(s): [Europa], in Tilia.
- 2339. *Ematurga atomaria iliaria* Alpheraky,1883** (Geometridae) *Ematurga atomaria* var. *iliaria* Alpheraky,1883, Horae Soc. ent. ross. 17: 181-182. Syntypes: [China: Uighur A.R.]: "toute la vallée de l'Ili".
- 2340. *Enanthyperythra* Wehrli,1937** (Geometridae) *Enanthyperythra* Wehrli,1937, Ent. Z., Frankf. a. M. 51: 117. Type-species: *Hypoplectis legataria* Herrich-Schäffer,[1852], by original designation (proposed as subgenus of *Anthyperythra* Swinhoe,1891).
- 2341. *Enanthyperythra legataria* (Herrich-Schäffer,[1852])** (Geometridae) *Hypoplectis legataria* Herrich-Schäffer,[1852], Syst. Bearb. Schm. Eur. 6 (55): 71. Syntypes: [Europe?].
- 2342. *Enanthyperythra legataria legataria* (Herrich-Schäffer,[1852])** (Geometridae) *Hypoplectis legataria* Herrich-Schäffer,[1852], Syst. Bearb. Schm. Eur. 6 (55): 71. Syntypes: [Europe?].
- 2343. *Enanthyperythra legataria transcaucasica* Wehrli,1937** (Geometridae) *Enanthyperythra legataria* ssp. *transcaucasica* Wehrli,1937, Ent. Z., Frankf. a. M. 51: 117. Syntypes 5♂ 2♀: [Azerbaijan]: Ordubad.
- 2344. *Encoma Swinhoe*,1904** (Geometridae) *Encoma Swinhoe*,1904, Trans. ent. Soc. London 1904: 523. Type-species: *Encoma irisaria* Swinhoe,1904, by original designation.
- 2345. *Encoma irisaria* Swinhoe,1904** (Geometridae) *Encoma irisaria* Swinhoe,1904, Trans. ent. Soc. London 1904: 523. Type: [Kenya: El Burgon], Mile 478, Uganda Railway.
- 2346. *Enconista Lederer*,1853** (Geometridae) *Enconista Lederer*,1853, Verh. zool.- bot. Ver. Wien 3 (Abh.): 180, 226, 234. Type-species: *Fidonia perspersaria* Duponchel,[1830], by subsequent designation by Joannis,1912.
- 2347. *Enconista miniosaria* (Duponchel,1829)** (Geometridae) *Boarmia miniosaria* Duponchel,1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 368, pl. 160, fig.4. Syntypes: [France]: near Valenciennes.
- 2348. *Encryphia frontisignata acornuta* Holloway,1979** (Geometridae) *Encryphia frontisignata* ssp. *acornuta* Holloway,1979, Lepidoptera New Caledonia: 268, figs. Holotype ♂: New Caledonia: Grand Lac 250m.
- 2349. *Ennomos* (*Deuteronomos*) *erosarius* (Hübner,1790)** (Geometridae) *Phalaena erosaria* Hübner,1790, Beitr. Gesch. Schm. 2 (4): 100,128, (4) 4: fig.Z.
- 2350. *Ennomos* (*Deuteronomos*) *fraxineti* Wiltshire,1947** (Geometridae) *Ennomos* ? *effractaria* ssp. *fraxineti* Wiltshire,1947, Entomologist's Rec. J. Var. 59: 111, pl.v fig.11. Holotype ♂: Tehran: Darband, 6000ft.

- 2351. Ennomos (Deuteronomos) lissochilus L.B.Prout,1929** (Geometridae) Deuteronomos lissochila L.B.Prout,1929, Novit. zool. 35: 149. Holotype ♂: Cyprus: Platres, 4000ft (BMNH).
- 2352. Ennomos (Deuteronomos) quercarius (Hübner,[1813])** (Geometridae) Geometra quercaria Hübner,[1813], Samml. eur. Schmett. 5: pl.80, figs.411,412. Syntypes: Europa.
- 2353. Ennomos (Deuteronomos) quercarius dryadarius Rambur,1866** (Geometridae) Ennomos dryadaria Rambur,1866, Cat. syst. Lepid. Andalousie 2: pl.17, fig.1. Type ♂: Spain: Grenada (HERB).
- 2354. Ennomos (Deuteronomos) quercarius olivarius Brandt,1938** (Geometridae) Ennomos olivaria Brandt,1938, Ent. Rdsch. 55: 597, figs. 254-258. Syntypes: Iran: Fort Mian Kotal: Sine Sefid (NHRS).
- 2355. Ennomos (s.str.) duercki Reisser,1958** (Geometridae) Ennomos duercki Reisser,1958, Z. Wien. ent. Ges. 43 (7): 114, pl. 3 figs. Holotype ♂: Crete: Silva Rouwa, Mons Ida, 1300m.
- 2356. Ennomos (s.str.) effractarius Freyer,[1842]** (Geometridae) Ennomos effractaria Freyer,[1842], Neuere Beitr. Schmett. 4: 112, Taf.353. Type(s): [Russland]: Sarepta.
- 2357. Ennomos (s.str.) quercinarius (Hufnagel,1767)** (Geometridae) Phalaena quercinaria Hufnagel,1767, Berl. Mag. 4: 520, 624. Type(s): Deutschland: Berlin.
- 2358. Ennomos (s.str.) zandi Wiltshire,1947** (Geometridae) Ennomos ? effractaria ssp. or f. zandi Wiltshire,1947, Entomologist's Rec. J. Var. 59: 111, pl.v fig.12. Holotype ♂: SW Iran: Shiraz, 5000ft.
- 2359. Entephria bastelbergeri (Püngeler,1902)** (Geometridae) Larentia bastelbergeri Püngeler,1902, Dt. ent. Z., Iris 15: 155, pl.5 figs. 25,26. Syntypes: [Kirgisistan]: Issyk-Kul, Alexander Mts.
- 2360. Entephria caesiata ([Denis & Schiffermüller],1775)** (Geometridae) Geometra caesiata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 112. Type(s): [Austria]: Vienna district.
- 2361. Entephria calcephila Tikhonov,1994** (Geometridae) Entephria calcephila Tikhonov,1994, Atalanta 25 (1/2): 386, pl.3 figs. Holotype ♂: [Russia]: Nordkaukasus: Kabardino-Balkaria, Fl. Karasu, 2000m (ZRAS).
- 2362. Entephria catochra (L.B.Prout,1939)** (Geometridae) Cidaria (Entephria) catochra L.B.Prout,1939, [in] Seitz, Gross-Schmett. Erde 4 (Suppl.): 249 (18i). Syntypes 2♂ 2♀: Iran: Damavand, Hashtar, Kendevar Pass 2600-3100m (BMNH).
- 2363. Entephria chorogensis Viidalepp,1988** (Geometridae) Entephria chorogensis Viidalepp,1988, Fauna pyadenits gor Srednei Azii: 69, pl.1 fig.8; text-pl. 11 figs.1,2. Holotype ♂: Tadjikistan: SW Pamir, Khorog, Botanical Garden.
- 2364. Entephria expiata (Püngeler,1904)** (Geometridae) Larentia expiata Püngeler,1904, Dt. ent. Z., Iris 16: 292, pl.6 fig.9. Type ♂: [China: Uighur A.R.]: Aksu.
- 2365. Entephria ignorata (Staudinger,1892)** (Geometridae) Cidaria ignorata Staudinger,1892, Dt. ent. Z., Iris 5: 235-236. Type: [Russia]: [Daghestan]: Kuruksch.
- 2366. Entephria intermediaria (Alpheraky,1883)** (Geometridae) Cidaria intermediaria Alpheraky,1883, Horae Soc. ent. ross. 17: 211. Syntypes: [China: Uighur A.R.]: Archane 7000ft, Jouldousse 8000ft.
- 2367. Entephria polata occata (Püngeler,1904)** (Geometridae) Larentia occata Püngeler,1904, Dt. ent. Z., Iris 16: 294, pl.6 fig.11. Syntypes: [China: Uighur A.R.]: Korla.
- 2368. Epilobophora Inoue,1943** (Geometridae) Epilobophora Inoue,1943, Trans. Kansai ent. Soc. 12 (2): 9. Type-species: Lobophora obscuraria Leech,1891, by original designation.
- 2369. Epilobophora sabinata (Geyer,[1831])** (Geometridae) Geometra sabinata Geyer,[1831], [in] Hübner, Samml. eur. Schmett. 5: pl.106, figs.550,551. Syntypes: Europa.
- 2370. Epilobophora sabinata sabinata (Geyer,[1831])** (Geometridae) Geometra sabinata Geyer,[1831], [in] Hübner, Samml. eur. Schmett. 5: pl.106, figs.550,551. Syntypes: Europa.
- 2371. Epilobophora sabinata teriolensis (Kitt,1932)** (Geometridae) Nothopteryx sabinata var. teriolensis Kitt,1932, Verh. zool.-bot. Ges. 82: 99, fig.2. Syntypes: Österreich: Ötztal.
- 2372. Epione repandaria (Hufnagel,1767)** (Geometridae) Phalaena repandaria Hufnagel,1767, Berl. Mag. 4:
- 2373. Epirranthis diversata ([Denis & Schiffermüller],1775)** (Geometridae) Geometra diversata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 315. Type(s): [Austria]: Vienna district.
- 2374. Epirrhoe Hübner,[1825]** (Geometridae) Epirrhoe Hübner,[1825], Verz. bekannter Schmett.: 328. Type-species: Geometra rivata Hübner,[1813], Samml. eur. Schmett. 5: pl.79 fig.409, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 279.
- 2375. Epirrhoe alternata (Müller,1764)** (Geometridae) Phalaena alternata Müller,1764, Fauna Insectorum Friedrichsdalina: 51. Type(s): [Denmark]: Friedrichsdal [Seeland].
- 2376. Epirrhoe alternata alternata (Müller,1764)** (Geometridae) Phalaena alternata Müller,1764, Fauna Insectorum Friedrichsdalina: 51. Type(s): [Denmark]: Friedrichsdal [Seeland].
- 2377. Epirrhoe alternata dubiosata (Alpheraky,1883)** (Geometridae) Cidaria sociata var. dubiosata Alpheraky,1883, Horae Soc. ent. ross. 17: 216-218. Syntypes 7♂ 1♀: [China: Uighur A.R.]: Kouguesse.
- 2378. Epirrhoe fulminata (Alpheraky,1883)** (Geometridae) Cidaria fulminata Alpheraky,1883, Horae Soc. ent. ross. 17: 218-219, Tab.viii. fig.68. Syntypes: [China: Uighur A.R.]: Kouguesse.
- 2379. Epirrhoe galiata ([Denis & Schiffermüller],1775)** (Geometridae) Geometra galiata [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district.
- 2380. Epirrhoe molluginata (Hübner,[1813])** (Geometridae) Geometra molluginata Hübner,[1813], Samml. eur. Schmett. 5: pl.71, fig.371. Type: Europa.
- 2381. Epirrhoe pupillata orientalis (Osthelder,1913)** (Geometridae) Larentia pupillata var. orientalis Osthelder,1913, Mitt. münch. ent. Ges. 4 (9/10): 73. Syntypes: Thian Schan.
- 2382. Epirrhoe rivata (Hübner,[1813])** (Geometridae) Geometra rivata Hübner,[1813], Samml. eur. Schmett. 5: pl.79, fig.409. Type: Europa.
- 2383. Epirrhoe tristata (Linnaeus,1758)** (Geometridae) Phalaena tristata Linnaeus,1758, Syst. Nat. (Edn.10): Type(s): Europa.
- 2384. Epirrita Hübner,[1822]** (Geometridae) Epirrhita Hübner,[1822]
- 2385. Epirrita dilutata ([Denis & Schiffermüller],1775)** (Geometridae) Geometra dilutata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109. Type(s): [Austria]: Vienna district.
- 2386. Epirrita nebulata (Thunberg,1784)** (Geometridae) Geometra nebulata Thunberg,1784, Dissertatio Ent. sistens Insecta Svecica 1: 12. Lectotype 1 ex: [Sweden] (Karsholt ♂ Nielsen, 1985: 451).
- 2387. Epitherina Wehrli,1938** (Geometridae) Epitherina Wehrli,1938, Ent. Rdsch. 55: 354. Type-species: Epitherina rhodopoleos Wehrli,1938, by monotypy.
- 2388. Epitherina bahmana (Wiltshire,1943)** (Geometridae) Erannis bahmana Wiltshire,1943, J. Bombay nat. Hist. Soc. 44 (2): 249. Holotype ♂: [Iran]: Fars: South of Shiraz, Muk Pass (Gir-i Bahman).
- 2389. Epitherina ghirshimani (Wiltshire,1944)** (Geometridae) Boarmia ghirshimani Wiltshire,1944, Entomologist's Rec. J. Var. 56: 98, fig. Holotype ♀: [Iran]: Fars: near Kazerun, Shapur Gorge (Tang-i-Chugan), 3000ft.
- 2390. Epitherina kuznetsovi Viidalepp,[1992]** (Geometridae) Epitherina kuznetsovi Viidalepp,[1992], [in] Myartseva, Ecology and distribution of Insects in Turkmenistan: 125, fig.4. Holotype ♀: Turkmenistan (ZRAS).
- 2391. Epitherina rhodopoleos Wehrli,1938** (Geometridae) Epitherina rhodopoleos Wehrli,1938, Ent. Rdsch. 55: 355. Holotype ♀: [Iran]: Persia: Shiraz, 1700m (BMNH).
- 2392. Erannis Hübner,[1825]** (Geometridae) Erannis Hübner,[1825], Verz. bekannter Schmett.:
- 2393. Erannis caspica Laszlo,2003** (Geometridae) Erannis caspica Laszlo,2003, Acta zool. hung. 49: 156-159, figs. Holotype ♂: Iran: Ghilan, 15km sw Rasht, Disku 200m (HNHM).
- 2394. Erannis declinans (Staudinger,1879)** (Geometridae) Hybernia declinans Staudinger,1879, Horae Soc. ent. ross. 14: 448. Syntypes 8♂ 4♀: [Türkei]: Amasia, Taurus.
- 2395. Erannis kashmirensis Laszlo,2003** (Geometridae) Erannis kashmirensis Laszlo,2003, Acta zool. hung. 49: 154-156, figs. Holotype ♂: Pakistan, Kashmir, Deosai Mts. Bubin, 3150m (HNHM).
- 2396. Erastria leucicolor (Butler,1875)** (Geometridae) Hyperythra leucicolor Butler,1875, Ann. Mag. nat. Hist. (4) 16: 417. Syntypes: [South Africa]: Natal (BMNH).
- 2397. Ereboromorpha fulguraria Walker,1860** (Geometridae) Ereboromorpha fulguraria Walker,1860, List Specimens lepid. Insects Colln Br. Mus. 21: 495.
- 2398. Euchoeca Hübner,[1823]** (Geometridae) Euchoeca Hübner,[1823], Verz. bekannter Schmett.: 298. Type-species: Geometra hepararia Hübner,[1799], Samml. eur. Schmett. 5: pl.11 fig.58, by

subsequent designation by Fletcher, 1979, Generic names of moths of the world 3: 79.

2399. *Eucrostes Hübner*, [1823] (Geometridae) *Eucrostes Hübner*, [1823], Verz. bekannter Schmett.: 283. Type-species: *Geometra fimbriolaria Hübner*, [1817], Samml. eur. Schmett. 5: pl.91 fig.468, by subsequent designation by Prout, 1912, in Wytsman, Genera Insect. 129: 245.

2400. *Eugnesia correspondens* W.Warren, 1897 (Geometridae) *Eugnesia correspondens* W.Warren, 1897, Novit. zool. 4: 76-77. Type ♂: Philippines: Luzon.

2401. *Eulithis Hübner*, [1821] (Geometridae) *Eulithis Hübner*, [1821]

2402. *Eulithis mellinata* (Fabricius, 1787) (Geometridae) *Phalaena mellinata* Fabricius, 1787, Mant. Ins. 2: 206. Type(s): Austria.

2403. *Eulithis peloponnesiaca* (Rebel, 1902) (Geometridae) *Lygris peloponnesiaca* Rebel, 1902, Berl. ent. Z. 47 (1/2): 97, fig. Syntypes 2♂ 2♀: [Griechenland]: Taygetos, 1200m (NHMW).

2404. *Eulithis prunata* (Linnaeus, 1758) (Geometridae) *Phalaena prunata* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 526. Type(s): [Europa].

2405. *Eulithis pyraliata* ([Denis & Schiffermüller], 1775) (Geometridae) *Geometra pyraliata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 117. Type(s): [Austria]: Vienna district.

2406. *Eulycia grisea* (Warren, 1897) (Geometridae) *Eubyja grisea* Warren, 1897, Novit. zool. 4: 91. Type ♀: British Central Africa [Malawi]: Zomba.

2407. *Eulycia grisea grisea* (Warren, 1897) (Geometridae) *Eubyja grisea* Warren, 1897, Novit. zool. 4: 91. Type ♀: British Central Africa [Malawi]: Zomba.

2408. *Eulycia subpunctata* (Warren, 1897) (Geometridae) *Eubyja subpunctata* Warren, 1897, Novit. zool. 4: 91. Type ♂: [South Africa]: Natal, Weenen (BMNH).

2409. *Eumelea rosalia degener* W.Warren, 1894 (Geometridae) *Eumelea degener* Warren, 1894, Novit. zool. 1: 375. Type : Loyalty Island: Lifu.

2410. *Eumera Staudinger*, 1892 (Geometridae) *Eumera Staudinger*, 1892, Dt. ent. Z., Iris 5: 162. Type-species: *Eumera regina Staudinger*, 1892, Dt. ent. Z., Iris 5: 162-164, Taf.ii fig.8. Syntypes 3♂ 1♀: [Türkei]: Amasia; [Croatien]: Zara, by monotypy.

2411. *Eumera hoeferi* Wehrli, 1934 (Geometridae) *Eumera hoferi* Wehrli, 1934, Mitt. münch. ent. Ges. 24: 39-40. Syntypes 2♂: [Türkei]: "Malatia, Kurdistan", 20.ix. C.Höfer leg. (ZFMK).

2412. *Eumera hoeferi hoeferi* Wehrli, 1934 (Geometridae) *Eumera hoferi hoferi* Wehrli, 1934, Mitt. münch. ent. Ges. 24: 39-40. Syntypes 2♂: [Türkei]: "Malatia, Kurdistan", 20.ix. C.Höfer leg. (ZFMK).

2413. *Eumera hoeferi transcaucasica* Wehrli, 1940 (Geometridae) *Eumera hoferi* ssp. *transcaucasica* Wehrli, 1940, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 326 (24i). Syntypes: [Armenia]: Dzhuga, Arax Fluss, leg. Rjabov.

2414. *Eumera mulier* L.B.Prout, 1929 (Geometridae) *Eumera mulier* L.B.Prout, 1929, Novit. zool. 35: 149. Holotype ♀: Cyprus: Nicosia (BMNH).

2415. *Eumera regina* Staudinger, 1892 (Geometridae) *Eumera regina* Staudinger, 1892, Dt. ent. Z., Iris 5: 162-164, Taf.2 fig.8. Syntypes 3♂ 1♀: [Türkei]: Amasia; [Croatien]: Zara.

2416. *Eumera turcosyrica* Wehrli, 1932 (Geometridae) *Eumera regina* ssp. *turcosyrica* Wehrli, 1932, Mitt. münch. ent. Ges. 22: 9. Syntypes 15♂ 5♀: [Türkei]: Marasch, Akbes, Akschehir (ZFMK).

2417. *Eunychiodes* Wehrli, 1941 (Geometridae) *Eunychiodes* Wehrli, 1941

2418. *Euphyia Hübner*, [1825] (Geometridae) *Euphyia Hübner*, [1825], Verz. bekannter Schmett.: 326. Type-species: *Geometra picata Hübner*, [1813], Samml. eur. Schmett. 5: pl.84 fig.435, by subsequent designation by Hulst, 1896, Trans. Am. ent. Soc. 23: 283.

2419. *Euphyia chalusata* Wiltshire, 1970 (Geometridae) *Euphyia chalusata* Wiltshire, 1970, Annln naturh. Mus. Wien 74: 374-375, Taf.2 fig.7. Holotype ♂: Iran: N.Iran, S.v.Chalus 2000m.

2420. *Euphyia intersecta* (Staudinger, 1882) (Geometridae) *Cidaria intersecta* Staudinger, 1882, Stettin ent. Ztg. 43: 71. Type ♂: [Kazachstan]: Saisan.

2421. *Euphyia intersecta intersecta* (Staudinger, 1882) (Geometridae) *Cidaria intersecta* Staudinger, 1882, Stettin ent. Ztg. 43: 71. Type ♂: [Kazachstan]: Saisan.

2422. *Euphyia sintenisi* (Staudinger, 1892) (Geometridae) *Cidaria sintenisi* Staudinger, 1892, Dt. ent. Z., Iris 5: 242-243. Type ♂: [Türkei]: [Elazığ]: Charput [=Harput] (M.Sintenis leg.).

2423. *Eupithecia abietaria* (Goeze, 1781) (Geometridae) *Phalaena abietaria* Goeze, 1781, Ent. Beytr. 3 (3): 439. Syntypes: -.

2424. *Eupithecia adscriptaria macedoniata* Pinker, 1976 (Geometridae) *Eupithecia adscriptaria* ssp. *macedoniata* Pinker, 1976, Z. ArbGem. öst. Ent. 28 (1/3): 1. Holotype ♂: Macedonia: Ochrid, Treskaschlucht (coll. Pinker).

2425. *Eupithecia albosparsata* Joannis, 1891 (Geometridae) *Eupithecia albosparsata* Joannis, 1891, Bull. Soc. ent. Fr. 1891: lxxxi. Syntypes: [Turquie]: Césarée [Kayseri Prov.] (MNHNP).

2426. *Eupithecia alliaria* Staudinger, 1870 (Geometridae) *Eupithecia alliaria* Staudinger, 1870, Berl. ent. Z. 14: 129. Syntypes: Ungarn: Umg. Ofens.

2427. *Eupithecia amasina* Bohatsch, 1893 (Geometridae) [*Eupithecia*] *amasina* Bohatsch, 1893, Dt. ent. Z., Iris 6: 1-2. Syntypes: [Türkei]: Amasia [uninominal, unavailable name!].

2428. *Eupithecia arenbergeri* Pinker, 1976 (Geometridae) *Eupithecia arenbergeri* Pinker, 1976, Z. ArbGem. öst. Ent. 28 (1/3): 5. Holotype ♂: [Turkey]: Pontisches Gebirge, Ziganapaß, 1500m (F.Kasy leg) (coll. Pinker).

2429. *Eupithecia babur* Koçak & Kemal, 2001 (Geometridae) *Eupithecia babur* Koçak & Kemal, 2001, Misc. Pap., Cent. ent. Stud. 77: 6 (replacement name for nova Vojnits, 1974 nec Vojnits & Delaever, 1973). Holotype ♂: China: North Yunnan, Li-kiang.

2430. *Eupithecia bastelbergeri* Dietze, 1913 (Geometridae) *Eupithecia bastelbergeri* Dietze, 1913, Biologie der Eupitheciien 1: pl.73 fig.360. Syntypes: [Kirgizistan]: Turkestan, Naryn.

2431. *Eupithecia brunneata* Staudinger, 1900 (Geometridae) *Eupithecia brunneata* Staudinger, 1900, Dt. ent. Z., Iris 12: 400, pl.5 fig.11. Syntypes: [Türkei]: Mardin; [Israel]: Engeddi.

2432. *Eupithecia caeruleata* Favre, 1899 (Geometridae) *Eupithecia venosata* var. *caeruleata* Favre, 1899, Faune des Macro-Lepid du Valais: 305. Syntypes: Switzerland: Mt. Chemin, Mt. Ravoire, Sion.

2433. *Eupithecia caeruleata caeruleata* Favre, 1899 (Geometridae) *Eupithecia venosata* var. *caeruleata* Favre, 1899, Faune des Macro-Lepid du Valais: 305. Syntypes: Switzerland: Mt. Chemin, Mt. Ravoire, Sion.

2434. *Eupithecia calligraphata* Wagner, 1929 (Geometridae) *Eupithecia calligraphata* Wagner, 1929, Mitt. münch. ent. Ges. 19: 183-184, pl.2. fig.24, Type 1♂: [Türkei]: Tschiftlik [=Çiftlik] (Akşehir) (NHMW).

2435. *Eupithecia cerussaria* (Lederer, 1855) (Geometridae) *Cidaria cerussaria* Lederer, 1855, Verh. zool.- bot. Ges. Wien 5: 215, pl.3 fig.9. Syntypes: [Libanon]: Beirut.

2436. *Eupithecia crenata* Vojnits, 1975 (Geometridae) *Eupithecia crenata* Vojnits, 1975, Acta zool. hung. 21 (1/2): 238, fig.4. Holotype ♀: [Azerbaidjan]: Ordubad (TMB).

2437. *Eupithecia cretacea* (Packard, 1874) (Geometridae) *Larentia cretacea* Packard, 1874, 6th Ann. Rep. Trustees Peab. Acad. Sci.: 40. Lectotype ♀: [U.S.A.]: California, Sierra Nevada (MCZ).

2438. *Eupithecia denotata* (Hübner, [1813]) (Geometridae) *Geometra denotata* Hübner, [1813], Samml. eur. Schmett. 5: pl.88, fig.455. Type: Europa.

2439. *Eupithecia denticulata* (Treitschke, 1828) (Geometridae) *Larentia denticulata* Treitschke, 1828, Die Schmett. Eur. 6 (2): 132. Lectotype ♂: Ungarn: Ofen (HNHM).

2440. *Eupithecia denticulata anatolicata* Pinker, 1976 (Geometridae) *Eupithecia denticulata* ssp. *anatolicata* Pinker, 1976, Z. ArbGem. öst. Ent. 28 (1/3): 6. Holotype ♂: [Turkey]: Kizilcahamam, Anat., (coll. Pinker).

2441. *Eupithecia distinctaria* Herrich-Schäffer, [1848] (Geometridae) *Eupithecia distinctaria* Herrich-Schäffer, [1848], Syst. Bearb. Schmett. Eur. 3: 121, 131, f.162-163. Syntypes: [Deutschland]: Regensburg.

2442. *Eupithecia dohertyi fletcher* Koçak & Kemal, 2001 (Geometridae) *Eupithecia dohertyi* ssp. *fletcher* Koçak & Kemal, 2001, Misc. Pap., Cent. ent. Stud. 77: 5 (replacement name for *fumata* Fletcher, 1951 nec Taylor, 1910). Holotype ♂: Cameroon: Onyanga, 8100ft.

2443. *Eupithecia dubiosa* Dietze, 1910 (Geometridae) *Eupithecia dodoneata* f. *dubiosa* Dietze, 1910, Biologie der Eupitheciien 1: pl.78 fig. 769, 770; ibid. (1913) 2: 141. Lectotype ♀: Libanon: Beirut.

2444. *Eupithecia eberti* Vojnits, 1978 (Geometridae) *Eupithecia eberti* Vojnits, 1978, Acta zool. Acad. Sci. Hung. 24: 436-437, figs. Holotype ♂: Iran: Kuh i Mirabi.

- 2445. *Eupithecia euxinata* Bohatsch,1893** (Geometridae) [*Eupithecia*] *oxycedrata* var. *euxinata* Bohatsch,1893, Dt. ent. Z., Iris 6: 4-5. Syntypes: [Türkei]: Amasia; [Ukraine]: Krim: Livadia [uninominal, unavailable name!].
- 2446. *Eupithecia extraversaria* Herrich-Schäffer,[1852]** (Geometridae) *Eupithecia extraversaria* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 77, fig.543. Type(s):-.
- 2447. *Eupithecia extremata* (Fabricius,1787)** (Geometridae) *Phalaena extremata* Fabricius,1787, Mant. Ins. 2: 211, nr.118. Type(s): Austria.
- 2448. *Eupithecia furcata* Staudinger,1879** (Geometridae) *Eupithecia furcata* Staudinger,1879, Horae Soc. ent. ross. 14: 479. Type: [Türkei]: "Amasia: Caraman, Jenikeui-Hochebene".
- 2449. *Eupithecia fuscicostata* Christoph,1887** (Geometridae) *Eupithecia fuscicostata* Christoph,1887, [in] Romanoff, Mem. lepid. 3: 11, pl.1 fig.6. Type ♂: Azerbaidzhan: Gueroussi [Karabagh] (ZISP).
- 2450. *Eupithecia graphata* (Treitschke,1828)** (Geometridae) *Cidaria graphata* Treitschke,1828, Schmett. Eur. 6 (2): 144. Lectotype ♂: Hungary, Budapest.
- 2451. *Eupithecia gratiosata* Herrich-Schäffer,1861** (Geometridae) *Eupithecia gratiosata* Herrich-Schäffer,1861, Neue Schmett. 3: 27, fig.135. Type(s): Patria incognita.
- 2452. *Eupithecia herbulot* Koçak & Kemal,2001** (Geometridae) *Eupithecia herbulot* Koçak & Kemal,2001, Misc. Pap., Cent. ent. Stud. 77: 5 (replacement name for *decussata* Herbulot,1997 nec Donovan,1999). Holotype ♀: Cameroon: Kumbo prefecture, 5km E of Oku, 2120m.
- 2453. *Eupithecia himalaya* Koçak & Kemal,2001** (Geometridae) *Eupithecia himalaya* Koçak & Kemal,2001, Misc. Pap., Cent. ent. Stud. 77: 6 (replacement name for *sempiterna* Vojnits,1987 nec Vojnits,1984). Holotype ♀: Nepal.
- 2454. *Eupithecia icterata* (Villers,1789)** (Geometridae) *Phalaena icterata* Villers,1789, Carol. Linn. ent. 2: 382. Syntypes: France: Gallia.
- 2455. *Eupithecia impurata* (Hübner,[1813])** (Geometridae) *Geometra impurata* Hübner,[1813], Samml. eur. Schmett. 5: pl.67, fig.347. Type: Europa.
- 2456. *Eupithecia inconspicua* Bohatsch,1893** (Geometridae) [*Eupithecia*] *inconspicua* Bohatsch,1893, Dt. ent. Z., Iris 6: 12-13. Syntypes: [Türkei]: Amasia, Hadjin [=Saimbeyli]; [Aserbaidjan]: Orudbad [uninominal, unavailable name!].
- 2457. *Eupithecia indigata* (Hübner,[1813])** (Geometridae) *Geometra indigata* Hübner,[1813], Samml. eur. Schmett. 5: pl.77, fig.399. Type: Europa.
- 2458. *Eupithecia indigata hamamata* Pinker,1976** (Geometridae) *Eupithecia indigata* ssp. *hamamata* Pinker,1976, Z. ArbGem. öst. Ent. 28 (1/3): 2, figs. Holotype ♂: [Turkey]: Anatolien: "Kizilcahamam, Soug-Su" (coll. Pinker).
- 2459. *Eupithecia innotata* (Hufnagel,1767)** (Geometridae) *Phalaena innotata* Hufnagel,1767, Berl. Mag. 4: 616. Type(s): Deutschland: Berlin.
- 2460. *Eupithecia iranica* Koçak & Kemal,2001** (Geometridae) *Eupithecia iranica* Koçak & Kemal,2001, Misc. Pap., Cent. ent. Stud. 77: 6 (replacement name for *inquinata* Schütze,1961 nec Fletcher,1950). Holotype ♂: Iran: Belutschistan: Iranshar.
- 2461. *Eupithecia irriguata* (Hübner,[1813])** (Geometridae) *Geometra irriguata* Hübner,[1813], Samml. eur. Schmett. 5: pl.77, fig.397. Type: Europa.
- 2462. *Eupithecia irriguata kurdica* L.B.Prout,1939** (Geometridae) *Eupithecia irriguata* ssp. *kurdica* L.B.Prout,1939, [in] Seitz,A., Die Gross-Schmett. Erde 4 (suppl.): 186 Taf. 14f. Syntypes 8♂ 3♀: [Türkei]: "Kurdistan: Malatya", 6-10.April 1932, Prof. de Ajtaii Korvac leg. (BMNH).
- 2463. *Eupithecia irriguata staudingeri* (Staudinger & Rebel,1901)** (Geometridae) *Tephroclystia staudingeri* Staudinger & Rebel,1901, Cat. Lepid. Palaearct. Faunengeb. 3 (1): 309, nr. 3534. Type: Syria [Libanon: Beirut].
- 2464. *Eupithecia keredjana* Brandt,1938** (Geometridae) *Eupithecia keredjana* Brandt,1938, Ent. Rdsch. 55: 701-702, figs. 429-430. Syntypes: Iran: Keredj, im Oktober.
- 2465. *Eupithecia kunzi* Pinker,1976** (Geometridae) *Eupithecia kunzi* Pinker,1976, Z. ArbGem. öst. Ent. 28 (1/3): 4, fig.20. Holotype ♂: [Turkey]: Anatolien: Kizilcahamam (coll. Pinker).
- 2466. *Eupithecia lacteolata* Dietze,1906** (Geometridae) *Eupithecia lacteolata* Dietze,1906, Dt. ent. Z., Iris 19: 56, pl.1 fig.1. Syntypes: [Türkei]: Kasikoparan.
- 2467. *Eupithecia laquaearia* Herrich-Schäffer,[1848]** (Geometridae) *Eupithecia laquaearia* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 3: 124, f.181-182. Syntypes: [Deutschland]: Regensburg.
- 2468. *Eupithecia limbata* Staudinger,1879** (Geometridae) *Eupithecia limbata* Staudinger,1879, Horae Soc. ent. ross. 14:476. Syntypes: [Türkei]: Amasia (Kerasdere).
- 2469. *Eupithecia limbata tomillata* Chrétien,1904** (Geometridae) *Eupithecia irritaria* Staudinger,1892, Dt. ent. Z., Iris 5: 253-254. Syntypes: [Türkei]: Erzerum; Kasikoparan (Christoph and Radde leg.).
- 2470. *Eupithecia linariata* (Fabricius,1787)** (Geometridae) *Phalaena linariata* Fabricius,1787, Mant. Ins. 2: 207, nr.185. Type(s): [Wien].
- 2471. *Eupithecia lithographata* Christoph,1887** (Geometridae) *Eupithecia lithographata* Christoph,1887, [in] Romanoff, Mém. lépid. 3: 9-11, pl.1 fig.5. Type ♀: [Azerbaidzhan]: Ordoubad.
- 2472. *Eupithecia lutosaria* Bohatsch,1893** (Geometridae) [*Eupithecia*] *plumbeolata* var. *lutosaria* Bohatsch,1893, Dt. ent. Z., Iris 6:29. Syntypes: [Georgia]: Achalzich [uninominal, unavailable name!].
- 2473. *Eupithecia marasa* Wehrli,1932** (Geometridae) *Eupithecia marasa* Wehrli,1932, Mitt. münch. ent. Ges. 22: 6-7. Syntypes 3♂ 1♀: [Türkei]: Syr. Taurus, Marasch [Kahramanmaraş], 600-900m.
- 2474. *Eupithecia marginata* Staudinger,1892** (Geometridae) *Eupithecia marginata* Staudinger,1892, Dt. ent. Z., Iris 5: 257-258. Syntypes: [China]: Kuldja.
- 2475. *Eupithecia mesogrammata* Dietze,1908** (Geometridae) *Eupithecia mesogrammata* Dietze,1908, Dt. ent. Z., Iris 21: pl.2 fig.26. Syntypes: [Iran: Schahkuh (Prout,1914: 278)].
- 2476. *Eupithecia minusculata* (Alpheraky,1883)** (Geometridae) *Eupithecia minusculata* Alpheraky,1883, Horae Soc. ent. ross. 17: 225-227, Tab. ix fig. 91. Type ♀: [China: Uighur A.R.]: Kuldja.
- 2477. *Eupithecia mitigata* Dietze,1906** (Geometridae) *Eupithecia mitigata* Dietze,1906, Dt. ent. Z., Iris 19: pl.2 figs.18,19. Lectotype: China: Uighur A.R.: Lob Noor.
- 2478. *Eupithecia nepalica* Koçak & Kemal,2001** (Geometridae) *Eupithecia nepalica* Koçak & Kemal,2001, Misc. Pap., Cent. ent. Stud. 77: 6 (replacement name for *tenebricosa* Vojnits,1983 nec Schaus,1913). Syntypes ♂♀: Nepal: Junbesi, 2750m.
- 2479. *Eupithecia nigritaria* Staudinger,1879** (Geometridae) *Eupithecia nigritaria* Staudinger,1879, Horae Soc. ent. ross. 14: 480-481. Type: [Türkei]: Taurus.
- 2480. *Eupithecia novata* Dietze,1903** (Geometridae) *Eupithecia novata* Dietze,1903, Dt. ent. Z., Iris 16: 348, pl.3 fig. 22. Syntypes: [Türkei]: Taurus.
- 2481. *Eupithecia oblongata* (Thunberg,1784)** (Geometridae) *Geometra oblongata* Thunberg,1784, Diss. ent. sistens Insecta Suecica 1: 14. Lectotype ♂ (UZIU).
- 2482. *Eupithecia oblongata oblongata* (Thunberg,1784)** (Geometridae) *Geometra oblongata* Thunberg,1784, Diss. ent. sistens Insecta Suecica 1: 14. Lectotype ♂ (UZIU).
- 2483. *Eupithecia ochrovittata* Christoph,1887** (Geometridae) *Eupithecia ochrovittata* Christoph,1887, [in] Romanoff, Mém. lépid. 3: 7-9, pl.1 fig.3. Syntypes 2♂: [Armenia]: Erivan.
- 2484. *Eupithecia opistographata* Dietze,1906** (Geometridae) *Eupithecia ultimaria* f. *opistographata* Dietze,1906, Dt. ent. Z., Iris 19: 66. Syntypes 3♂: [China: Uighur A.R.]: Aksu (MNHU).
- 2485. *Eupithecia orphnata* W.Petersen,1909** (Geometridae) *Eupithecia orphnata* W.Petersen,1909, Dt. ent. Z., Iris 22 (4): 257, pl.16 fig.67. Syntypes: Austro-Hungary.
- 2486. *Eupithecia parallelaria* Bohatsch,1893** (Geometridae) [*Eupithecia*] *unedonata* var. *parallelaria* Bohatsch,1893, Dt. ent. Z., Iris 6: 22. Lectotype: Corsica (TMP) [uninominal, unavailable name!].
- 2487. *Eupithecia paupera* Vojnits,1982** (Geometridae) *Eupithecia paupera* Vojnits,1982, Anls hist.-nat. Mus. natn. hung. 74: 221, figs.3,5. Holotype ♂: China: [Uighur A.R.]: Sinkiang: Kuldja (MNHU).
- 2488. *Eupithecia pimpinellata* (Hübner,[1813])** (Geometridae) *Geometra pimpinellata* Hübner,[1813], Samml. eur. Schmett. 5: pl.86 figs. 443,444. Syntypes: Europa.
- 2489. *Eupithecia pinkeri* Mironov,1991** (Geometridae) *Eupithecia pinkeri* Mironov,1991, Beitr. Ent. 41 (2): 371, figs. 1-9. Holotype ♂: [Turkey]: East Anatolia: Gürün (NHMW).
- 2490. *Eupithecia praesignata* Bohatsch,1893** (Geometridae) [*Eupithecia*] *praesignata* Bohatsch,1893, Dt. ent. Z., Iris 6: 21. Syntypes 5 ex.: Transalai, Achal Tekke, Osch, Margelan; [uninominal, unavailable name!].

- 2491. *Eupithecia pseudocastigata* Pinker, 1976** (Geometridae)
Eupithecia pseudocastigata Pinker, 1976, Z. ArbGem. öst. Ent. 28 (1/3): 4-5, fig. 21. Holotype ♂: [Turkey]: Anatolien: Kizilcahamam (coll. Pinker).
- 2492. *Eupithecia pusillata* (Fabricius, 1787)** (Geometridae)
Phalaena pusillata Fabricius, 1787, Mant. Ins. 2: 212, nr. 224. Type(s): Austria.
- 2493. *Eupithecia pusillata pusillata* (Fabricius, 1787)** (Geometridae)
Phalaena pusillata Fabricius, 1787, Mant. Ins. 2: 212, nr. 224. Type(s): Austria.
- 2494. *Eupithecia quercetica* L.B. Prout, 1938** (Geometridae)
Eupithecia quercetica L.B. Prout, 1938, [in] Seitz, Gross-Schmett. Erde 3(suppl.): 204 (14i). Syntypes 2♂: Libanon: Arayah.
- 2495. *Eupithecia quercetica quercetica* L.B. Prout, 1938** (Geometridae)
Eupithecia quercetica L.B. Prout, 1938, [in] Seitz, Gross-Schmett. Erde 3(suppl.): 204 (14i). Syntypes 2♂: Libanon: Arayah.
- 2496. *Eupithecia rebeli* Bohatsch, 1893** (Geometridae)
[*Eupithecia*] *rebeli* Bohatsch, 1893, Dt. ent. Z., Iris 6: 23-25. Syntypes: Samarkand, Namangan, Kuldja, Alai. [uninominal, unavailable name!].
- 2497. *Eupithecia reisserata* Pinker, 1976** (Geometridae)
Eupithecia reisserata Pinker, 1976, Z. ArbGem. öst. Ent. 28 (1/3): 2-3, figs. Holotype ♂: [Turkey]: Anatolien: Kizilcahamam (coll. Pinker).
- 2498. *Eupithecia scalptata* Christoph, 1885** (Geometridae)
Eupithecia scalptata Christoph, 1885, [in] Romanoff, Mém. Lépid. 2: 134, pl. 7 fig. 4. Syntypes ♂: [Turkmenistan]: Ashkabad; [Azerbaijan]: Ordubad.
- 2499. *Eupithecia schungqar* Koçak & Kemal, 2001** (Geometridae)
Eupithecia schungqar Koçak & Kemal, 2001, Misc. Pap., Cent. ent. Stud. 77: 6 (replacement name for *mystica* Vojnits, 1988 nec Dietze, 1910). Holotype: Tadjikistan: Horog, 2300m.
- 2500. *Eupithecia semigraphata arida* Dietze, 1910** (Geometridae)
Eupithecia semigraphata f. *arida* Dietze, 1910, Biol. Eupitheciæ 1: pl. 76 figs. 603-605; ibidem 1913, 2: 105. Syntypes: 9♂♂: Türkei: Taurus, Zeitun,...
- 2501. *Eupithecia separata* Staudinger, 1879** (Geometridae)
Eupithecia separata Staudinger, 1879, Horae Soc. ent. ross. 14: 476-478. Type: [Türkei]: Amasia.
- 2502. *Eupithecia siata* Brandt, 1938** (Geometridae)
Eupithecia siata Brandt, 1938, Ent. Rdsch. 55: 701, figs. 427-428. Syntypes: Iran: Comee, im August.
- 2503. *Eupithecia silenicolata* Mabille, 1867** (Geometridae)
Eupithecia silenicolata Mabille, 1867, Annls Soc. ent. Fr. (4) 6: 562, pl. 8 figs. Lectotype ♀: Corsica: Bastia (ZSM).
- 2504. *Eupithecia silenicolata perdistincta* Wehrli, 1933** (Geometridae)
Eupithecia silenicolata perdistincta Wehrli, 1933, [in] Zerny, Dt. ent. Z., Iris 47 (2): 95, pl. 1 fig. 21. Syntypes: Libanon: Beyrouth (ZFMK, NHMW).
- 2505. *Eupithecia silenicolata silenicolata* Mabille, 1867** (Geometridae)
Eupithecia silenicolata Mabille, 1867, Annls Soc. ent. Fr. (4) 6: 562, pl. 8 figs. Lectotype ♀: Corsica: Bastia (ZSM).
- 2506. *Eupithecia silenicolata soultanabadi* Brandt, 1941** (Geometridae)
Eupithecia silenicolata ssp. *soultanabadi* Brandt, 1941, Mitt. münch. ent. Ges. 31: 875, pl. 29 fig. 27. Type ♀: Iran: Soultanabad (NHRS).
- 2507. *Eupithecia spissilineata* (Metzner, 1846)** (Geometridae)
Larentia (*Eupithecia*) *spissilineata* Metzner, 1846, Stettin ent. Ztg. 7: 241-242. Type(s): [Türkei]: Turcia, europäische Türkei.
- 2508. *Eupithecia subfenestrata* Staudinger, 1892** (Geometridae)
Eupithecia subfenestrata Staudinger, 1892, Dt. ent. Z., Iris 5: 259-260. Syntypes: [Georgia]: Achalzich.
- 2509. *Eupithecia subfuscata* (Haworth, [1809])** (Geometridae)
Phalaena subfuscata Haworth, [1809], Lepid. Brit.: 360. Syntypes: Britannia.
- 2510. *Eupithecia subfuscata subfuscata* (Haworth, [1809])** (Geometridae)
Phalaena subfuscata Haworth, [1809], Lepid. Brit.: 360. Syntypes: Britannia.
- 2511. *Eupithecia subpulchrata* Alpheraky, 1883** (Geometridae)
Eupithecia subpulchrata Alpheraky, 1883, Horae Soc. ent. ross. 17: 221-223, Tab. viii fig. 75. Type ♂: [China: Uighur A.R.]: Kuldja.
- 2512. *Eupithecia subsequaria* Herrich-Schäffer, [1852]** (Geometridae)
Eupithecia subsequaria Herrich-Schäffer, [1852], Syst. Bearb. Schmett. Eur. 6: 76, 77, f. 520, 521, 543. Syntypes: [Türkei]: Amasia.
- 2513. *Eupithecia subumbrata* ([Denis & Schiffermüller], 1775)** (Geometridae)
Geometra subumbrata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 110. Type(s): [Austria]: Vienna district.
- 2514. *Eupithecia subumbrata iliata* Schütze, 1956** (Geometridae)
Eupithecia subumbrata ssp. *iliata* Schütze, 1956, Z. Wien. ent. Ges. 41: 318. Holotype ♂: Ferghana: Gouldscha leg. Korb.
- 2515. *Eupithecia subumbrata subumbrata* ([Denis & Schiffermüller], 1775)** (Geometridae)
Geometra subumbrata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 110. Type(s): [Austria]: Vienna district.
- 2516. *Eupithecia succenturiata* (Linnaeus, 1758)** (Geometridae)
Phalaena succenturiata Linnaeus, 1758, Syst. Nat. (Edn. 10): 528. Type(s): Europa.
- 2517. *Eupithecia succenturiata succenturiata* (Linnaeus, 1758)** (Geometridae)
Phalaena succenturiata Linnaeus, 1758, Syst. Nat. (Edn. 10): 528. Type(s): Europa.
- 2518. *Eupithecia syriacata* Staudinger, 1879** (Geometridae)
Eupithecia syriacata Staudinger, 1879, Horae Soc. ent. ross. 14: 478. Syntypes 2♂: [Lebanon]: Beirut.
- 2519. *Eupithecia undata* (Freyer, [1840])** (Geometridae)
Larentia undata Freyer, [1840], Neuere Beitr. Schmett. 4: 54, Taf. 323.
- 2520. *Eupithecia venezuela* Koçak & Kemal, 2001** (Geometridae)
Eupithecia venezuela Koçak & Kemal, 2001, Misc. Pap., Cent. ent. Stud. 77: 6 (replacement name for *fumosa* Warren, 1906 nec Hulst, 1896). Syntypes ♂♂: Venezuela: Aroa.
- 2521. *Eupithecia venosata* (Fabricius, 1787)** (Geometridae)
Phalaena venosata Fabricius, 1787, Mant. Ins. 2: 209, nr. 205. Type(s): Austria: [Wien].
- 2522. *Eupithecia venosata venosata* (Fabricius, 1787)** (Geometridae)
Phalaena venosata Fabricius, 1787, Mant. Ins. 2: 209, nr. 205. Type(s): Austria: [Wien].
- 2523. *Eupithecia vojnitzi* Koçak & Kemal, 2001** (Geometridae)
Eupithecia vojnitzi Koçak & Kemal, 2001, Misc. Pap., Cent. ent. Stud. 77: 5 (replacement name for *depressa* Vojnits, 1984 nec 1979). Holotype ♂: [China]: North Yunnan, A-tun-tse, 4500m (TMB).
- 2524. *Eustroma Hübner*, [1825]** (Geometridae)
Hübner, [1825], Verz. bekannter Schmett.: 335. Type-species: *Geometra reticulata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 114, by subsequent designation by Warren, 1893, Proc. zool. Soc. Lond. 1893: 335.
- 2525. *Eustroma mardinata* (Staudinger, [1895])** (Geometridae)
Lygris mardinata Staudinger, [1895], Dt. ent. Z., Iris 7: 293-294, pl. 9 fig. 19. Syntypes 2♂ 1♀: [Türkei]: Mardin.
- 2526. *Eustroma reticulata* ([Denis & Schiffermüller], 1775)** (Geometridae)
Geometra reticulata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 114. Type(s): [Austria]: Vienna district.
- 2527. *Fascellina pinratana* Inoue, 1992** (Geometridae)
Fascellina pinratana Inoue, 1992, Bull. Fac. domest. Sci. Otsuma Wom. Univ. 28: 181-183, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon, 15 ii 1986 A Pinratana leg. (coll. Inoue).
- 2528. *Geometra* Linnaeus, 1758** (Geometridae)
Geometra Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 519. Type-species: *Phalaena papilionaria* Linnaeus, 1758, ibidem 1: 522, by subsequent designation by ICZN (Opinion 450).
- 2529. *Geometra papilionaria* (Linnaeus, 1758)** (Geometridae)
Phalaena papilionaria Linnaeus, 1758, Syst. Nat. (Edn. 10): 522. Type(s): [Europa] in Thymus?
- 2530. *Geometra purissima* Wiltshire, 1966** (Geometridae)
Geometra purissima Wiltshire, 1966, Z. Wien. ent. Ges. 51 (1/2): 28, pl. 2 fig. 1. Holotype ♂: Afghanistan: Nuristan: 25km NW Barikot, 1800m.
- 2531. *Glossotrophia* (Bicalcarella) Hausmann, 1993** (Geometridae)
Bicalcarella Hausmann, 1993, Mitt. münch. ent. Ges. 83: 92. Type-species: *Glossotrophia terminata* Wiltshire, 1966, by original designation [proposed originally as a subgenus of *Glossotrophia* Prout, 1913].
- 2532. *Glossotrophia* (Bicalcarella) *terminata* Wiltshire, 1966** (Geometridae)
Glossotrophia terminata Wiltshire, 1966, Z. Wien. ent. Ges. 51 (9/11): 130, figs. Holotype ♀: Afghanistan: Nuristan, Barikot, 25km N. v. Barikot 1800m 12-17.vii.1963 leg. Kasy & Vartian (BMNH).
- 2533. *Glossotrophia* (Libanonia) Hausmann, 1993** (Geometridae)
Libanonia Hausmann, 1993, Mitt. münch. ent. Ges. 83: 86-87. Type-species: *Glossotrophia asellaria* ssp. *semitata* Prout, 1913, by original designation [proposed originally as a subgenus of *Glossotrophia* Prout, 1913].
- 2534. *Glossotrophia* (Libanonia) *rufotinctata* (L.B. Prout, 1913)** (Geometridae)
Glossotrophia rufotinctata L.B. Prout, 1913, [in] Seitz, A., Die Gross-Schmett. Erde : 83. Syntypes 2♂: [China: Uighur A.R.]: "Aksu, Ost-Turkestan" (coll. Püngeler).

- 2535. Glossotrophia (Libanonia) sacraia semitata (L.B.Prout,1913)** (Geometridae) *Glossotrophia romanaria* ssp. *semitata* L.B.Prout,1913, [in] Seitz,A., Die Gross-Schmett. 4: 84. Type ♂: [Libanon]: Baalbek (BMNH).
- 2536. Glossotrophia (s.str.) diffinaria L.B.Prout,1913** (Geometridae) *Glossotrophia diffinaria* L.B.Prout,1913, [in] Seitz,A., Die Gross-Schmett. Erde 4: 83 (nomen novum pro luridata Staudinger nec Zeller).
- 2537. Glossotrophia (s.str.) diffinaria diffinaria L.B.Prout,1913** (Geometridae) *Glossotrophia diffinaria* L.B.Prout,1913, [in] Seitz,A., Die Gross-Schmett. Erde 4: 83 (nomen novum pro luridata Staudinger nec Zeller).
- 2538. Glossotrophia (s.str.) eurata L.B.Prout,1913** (Geometridae) *Glossotrophia eurata* L.B.Prout,1913, [in] Seitz,A., Die Gross-Schmett. Erde 4: 83. Syntypes 1♂ 1♀: [Turkmenistan]: "Arwas bei Askhabad"; [Iran]: "Schahkuh".
- 2539. Glossotrophia (s.str.) eurata eurata L.B.Prout,1913** (Geometridae) *Glossotrophia eurata* L.B.Prout,1913, [in] Seitz,A., Die Gross-Schmett. Erde 4: 83. Syntypes 1♂ 1♀: [Turkmenistan]: "Arwas bei Askhabad"; [Iran]: "Schahkuh".
- 2540. Gnopharmia colchidaria (Lederer,1870)** (Geometridae) *Gnophos colchidaria* Lederer,1870, Annls Soc. ent. Belg. 13: 39,48-49, pl.2 fig.1. Type: [Georgia]: Achalziche.
- 2541. Gnopharmia colchidaria colchidaria (Lederer,1870)** (Geometridae) *Gnophos colchidaria* Lederer,1870, Annls Soc. ent. Belg. 13: 39,48-49, pl.2 fig.1. Type: [Georgia]: Achalziche.
- 2542. Gnopharmia colchidaria degeneraria Staudinger,1892** (Geometridae) *Gnopharmia colchidaria* var. *degeneraria* Staudinger,1892, Dt. ent. Z., Iris 5: 183. Syntypes 4♂ 1♀: [Turkmenistan]: Ashkabad.
- 2543. Gnopharmia colchidaria melanotaenia Wehrli,1938** (Geometridae) *Gnopharmia colchidaria* ssp. *melanotaenia* Wehrli,1938, Ent. Rdsch. 55: 434. Syntypes 8♂ 9♀: [Armenia]: russisch-Armenien: Migry & Dzuga, Aralfluss, leg. Rjabov (ZML).
- 2544. Gnopharmia erema Wehrli,1939** (Geometridae) *Gnopharmia erema* Wehrli,1939, Mitt. münch. ent. Ges. 29 (1): 71. Holotype ♂: Irak: Kerbela Wüste.
- 2545. Gnopharmia irakensis Wehrli,1938** (Geometridae) *Gnopharmia irakensis* Wehrli,1938, Ent. Rdsch. 55 (37): 433. Syntypes 1♂ 2♀: [Iraq]: Rowanduz.
- 2546. Gnopharmia kasrunensis Wehrli,1939** (Geometridae) *Gnopharmia kasrunensis* Wehrli,1939, Mitt. münch. ent. Ges. 39: 70-71. Holotype ♂: Iran: Südwest Iran: Kasrun, 900-1240m.
- 2547. Gnopharmia objectaria Staudinger,1892** (Geometridae) *Gnopharmia colchidaria* var. *objectaria* Staudinger,1892, Dt. ent. Z., Iris 5: 181-183. Syntypes : [Türkei]: Mardin; [Turkmenistan]: Achal-Tekke.
- 2548. Gnopharmia rubraria Staudinger,1892** (Geometridae) *Gnopharmia rubraria* Staudinger,1892, Dt. ent. Z., Iris 5: 184-185, Taf.2 f.12. Syntypes: [Türkei]: Maraş, Aintab; [Israel]: Jerusalem.
- 2549. Gnophos (?) siculus Wehrli,1931** (Geometridae) *Gnophos variegata* ssp. *sicula* Wehrli,1931, Mitt. münch. ent. Ges. 21: 45. Syntypes 4♂: [Italy]: Sizilien; Catania (coll. Wehrli).
- 2550. Gnophos (Cnestrognophos) ali Brandt,1938** (Geometridae) *Gnophos ali* Brandt,1938, Ent. Rdsch. 55: 621, figs. 387-391. Syntypes: Iran: [Fars]: Comèe.
- 2551. Gnophos (Cnestrognophos) libanoticus Wehrli,1931** (Geometridae) *Gnophos libanotica* Wehrli,1931, Mitt. münch. ent. Ges. 21: 45. Syntypes 10♂: Libanon: Bscharre, leg. E. Pfeiffer (ZSM).
- 2552. Gnophos (Cnestrognophos) rjabovi Wehrli,1929** (Geometridae) *Gnophos rjabovi* Wehrli,1939, Mitt. münch. ent. Ges. 29(1): 77. Holotype 1♂: [Azarbayejan]: Ordubad, 1600-1700m.
- 2553. Gnophos (Cnestrognophos) rjabovi alvandicus Wehrli,1939** (Geometridae) *Gnophos [rjabovi]* ssp. *alvandica* Wehrli,1939, Mitt. münch. ent. Ges. 29(1):77. Holotype ♂: [Iran]: Irak (sic!), [Hamadan]: Alvand, 3000m.
- 2554. Gnophos (Cnestrognophos) rjabovi rjabovi Wehrli,1939** (Geometridae) *Gnophos rjabovi* Wehrli,1939, Mitt. münch. ent. Ges. 29(1): 77. Holotype 1♂: [Azarbayejan]: Ordubad, 1600-1700m.
- 2555. Gnophos (Cnestrognophos) stachyphorus hamadanus Wehrli,1939** (Geometridae) *Gnophos stachyphora* ssp. *hamadana* Wehrli,1939, Mitt. münch. ent. Ges. 29(1): 75. Holotype ♂: [Iran]: Hamadan: Alvand,2000m; Paratype: [Irak]: Rowanduz.
- 2556. Gnophos (Cnestrognophos) subtilus Brandt,1938** (Geometridae) *Gnophos subtila* Brandt,1938, Ent. Rdsch. 55: 632, figs. 392-398. Syntypes: Iran: Keredj.
- 2557. Gnophos (Dicrognophos) anophaeus Wehrli,1939** (Geometridae) *Gnophos anophaea* Wehrli,1939, Mitt. münch. ent. Ges. 29(1): 76-77. Monotype 1♀: [Iran]: [Hamadan]: Alvand,3300m.
- 2558. Gnophos (Dicrognophos) choristus Wehrli,1939** (Geometridae) *Gnophos chorista* Wehrli,1939, Mitt. münch. ent. Ges. 29(1): 75-76. Monotype 1♀: Irak: Rowanduz.
- 2559. Gnophos (Dicrognophos) culminatus Brandt,1938** (Geometridae) *Gnophos culminata* Brandt,1938, Ent. Rdsch. 55: 620, figs. 413-414. Syntypes: Iran: [Fars]: Barm i Firus.
- 2560. Gnophos (Dicrognophos) elahi Brandt,1938** (Geometridae) *Gnophos elahi* Brandt,1938, Ent. Rdsch. 55: 620, figs. 409-412. Syntypes: Iran: [Fars]: Comèe.
- 2561. Gnophos (Dicrognophos) gorgatus Brandt,1938** (Geometridae) *Gnophos gorgata* Brandt,1938, Ent. Rdsch. 55: 617-620, figs. 404-408. Syntypes: Iran: [Fars]: Comèe, Sine-Sefid.
- 2562. Gnophos (Dicrognophos) orthogonius Wehrli,1939** (Geometridae) *Gnophos orthogonia* Wehrli,1939, Mitt. münch. ent. Ges. 29(1): 72. Monotype 1♂: [Iran]: Schiras: Tschteba.
- 2563. Gnophos (Dicrognophos) wiltshirei Wehrli,1938** (Geometridae) *Gnophos wiltshire* Wehrli,1938, Ent. Rdsch. 55: 356. Syntypes 1♂ 1♀: [Iraq]: Rowanduz, Rayat, leg. coll. Wiltshire
- 2564. Gnophos (Euchrognophos) symmictus Wehrli,1953** (Geometridae) *Gnophos symmicta* Wehrli,1953, [in] Seitz,A., Die Gross-Schmett. Erde 4 (Suppl.): 604. Syntypes 1♂ 1♀: [Russia]: North Kaukasus: Mashuk, River Zeja (ZFMK).
- 2565. Gnophos (Rhipignophos) vastarius Staudinger,1892** (Geometridae) *Gnophos vastaria* Staudinger,1892, Dt. ent. Z., Iris 5: 189-190. Syntypes 2♂ 3♀: [Kirgizistan]: "Issyk Kul (Centralasien)".
- 2566. Gnophos (Sacrognophos) sacrarius Staudinger,[1895]** (Geometridae) *Gnophos sacraia* Staudinger,[1895], Dt. ent. Z., Iris 7: 292-293. Syntypes 3♂ 8♀: [Israel]: Jerusalem (Paulus leg.).
- 2567. Gnophos (Trilobignophos) pollinarius hypotaenius Wehrli,1939** (Geometridae) *Gnophos pollinaria* ssp. *hypotaenia* Wehrli,1939, Mitt. münch. ent. Ges. 29(1): 74-75. Type ♂: [Iran]: [Hamadan]: Mt.Alvand, 3000m.
- 2568. Gnophos (Zystrognophos) sericarius Alpheraky,1883** (Geometridae) *Gnophos sericaria* Alpheraky,1883, Horae Soc. ent. ross. 17: 180-181, Tab.viii fig.80. Syntypes 1♂ 1♀: [China: Uighur A.R.]: Archane.
- 2569. Gnophos (s.str.) Treitschke,1825** (Geometridae) *Gnophos Treitschke*,1825, [in] Ochsenheimer, Schmett. Eur. 5 (2): 432. Type-species: *Geometra furvata* [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 110.
- 2570. Gnophos (s.str.) furvatus ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra furvata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 108. Type(s): [Austria]: Vienna district.
- 2571. Gnophos (s.str.) obfuscatus ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra obfuscata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 108. Type(s): [Austria]: Vienna district.
- 2572. Gnophos Treitschke,1825** (Geometridae) *Gnophos Treitschke*,1825, [in] Ochsenheimer, Schmett. Eur. 5 (2): 432. Type-species: *Geometra furvata* [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 110.
- 2573. Gnophos argillata Brandt,1938** (Geometridae) *Gnophos argillata* Brandt,1938, Ent. Rdsch. 55: 620-621, fig. 415. Syntypes: Iran: [Fars]: Comèe.
- 2574. Gnophos pelengi Brandt,1938** (Geometridae) *Gnophos pelengi* Brandt,1938, Ent. Rdsch. 55: 620, figs. 416-417. Syntypes: Iran: [Fars]: Barm i Firus.
- 2575. Gnophos subsignarius Staudinger,1892** (Geometridae) *Gnophos mucidaria* var.? *subsignaria* Staudinger,1892, Dt. ent. Z., Iris 5: 190-191. Syntypes: [Spain]: Malaga; Frankreich: Digne, Montpellier.
- 2576. Gymnoscelis dearmata (Dietze,1904)** (Geometridae) *Eupithecia dearmata* Dietze,1904, Dt. ent. Z., Iris 16: 358, pl. 3 fig. 35. Syntypes: [Türkei]: Mesopotamia: Mardin.
- 2577. Gypsochroa Hübner,[1825]** (Geometridae) *Gypsochroa Hübner*,[1825], Verz. bekannter Schmett.: 337. Type-species: *Geometra renitidata* Hübner,[1817], Samml. eur. Schmett. 5: pl.94 fig.485, by subsequent designation by Prout,1910, in Wytsman, Genera Insect. 104: 72.
- 2578. Gypsochroa renitidata (Hübner,[1817])** (Geometridae) *Geometra renitidata* Hübner,[1817], Samml. eur. Schmett. 5: pl.94, figs.485,486. Syntypes: Europa.

- 2579. *Heliomata glarearia* (Brahm,1791)** (Geometridae)
Phalaena glarearia Brahm,1791, Ins. Kal. 2 (1): 320, nr.205.
- 2580. *Heliothea (Apetovia) iliensis* Alpheraky,1883** (Geometridae) *Heliothea iliensis* Alpheraky,1883, Horae Soc. ent. ross. 17: 189-191, Tab. ix fig.88. Syntypes ♂♂: [China: Uighur A.R.]: Kouguesse 4500ft.
- 2581. *Heliothea (Apetovia) iliensis iliensis* Alpheraky,1883** (Geometridae) *Heliothea iliensis* Alpheraky,1883, Horae Soc. ent. ross. 17: 189-191, Tab. ix fig.88. Syntypes ♂♂: [China: Uighur A.R.]: Kouguesse 4500ft.
- 2582. *Hemioplisis amoenaria* Pagenstecher,1890** (Geometridae)
Hemioplisis amoenaria Pagenstecher,1890, Dt. ent. Z., Iris 3: 28-29. Type ♂: [Philippines]: Palawan.
- 2583. *Hemithea acaudata* Holloway,1979** (Geometridae)
Hemithea acaudata Holloway,1979, Lepidoptera New Caledonia: 276, figs. Holotype ♂: New Caledonia: Tiebaghi, 330m.
- 2584. *Herochroma thaiensis* (Inoue,1992)** (Geometridae)
Archaeobalbis flavibasalis ssp. *thaiensis* Inoue,1992, Bull. Fac. domest. Sci. Otsu Univ. 28: 156, fig.13. Holotype ♂: Thailand: Chiang Mai, Doi Suthep (BMNH).
- 2585. *Heteralex rectilineata* (Guenée,1858)** (Geometridae)
Idiodes asplataria Pagenstecher,1890, Dt. ent. Z., Iris 3: 25. Type 1 ex: [Philippines]: Palawan.
- 2586. *Heterostegane contessellata* (L.B.Prout,1926)** (Geometridae) *Lomographa contessellata* L.B.Prout,1926, Novit. zool. 33: 32. Holotype ♀: Malaysia: Borneo: Penungah (BMNH).
- 2587. *Heterostegania thamia* L.B.Prout,1926** (Geometridae)
Heterostegania thamia L.B.Prout,1926, J. Bombay nat. Hist. Soc. 31 (3): 788, pl.1 fig.10. Syntypes: [Myanmar]: Burma, Htawgaw (BMNH).
- 2588. *Hierochthonia alexandrarum* L.B.Prout,1912** (Geometridae) *Hierochthonia ? alexandrarum* L.B.Prout,1912, [in] Wytzman, Genera Insect. 129: 205, pl.5 fig.7. Holotype ♀: [Kirgizistan]: Alexander Mountains.
- 2589. *Hierochthonia debonii* Krüger,1939** (Geometridae)
Hierochthonia debonii Krüger,1939, Ann. Mus. libico Stor. nat. 1: 352, pl. 16 figs. 109, 110. Holotype ♂: [Libya]: West Sirtica.
- 2590. *Hierochthonia pulverata* (W.Warren,1901)** (Geometridae)
Microloxia pulverata W.Warren,1901, Novit. zool. 8: 193. Syntypes 2♂: [Lebanon]: Syria: Beirut (BMNH).
- 2591. *Hierochthonia semitaria* (Püngeler,1902)** (Geometridae)
Eucrostis semitaria Püngeler,1902, Dt. ent. Z., Iris 14: 333. Syntypes ♂♂: Palestine (MNHU).
- 2592. *Holoterpna pruinosa* (Staudinger,1898)** (Geometridae)
Eucrostis pruinosa Staudinger,1898, Dt. ent. Z., Iris 10: 303. Lectotype ♂: [Israel]: Jerusalem (MNHU).
- 2593. *Horisme Hübner*,[1825]** (Geometridae) *Horisme Hübner*,[1825], Verz. bekannter Schmett.: 331. Type-species: *Geometra tersata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 272.
- 2594. *Horisme corticata pfeifferi* Wehrli,1931** (Geometridae)
Horisme corticata ssp. *pfeifferi* Wehrli,1931, Mitt. münch. ent. Ges. 21: 43-44. Syntypes >100♂♂: [Türkei]: Marasch, 600-1000m (ZSM).
- 2595. *Horisme milvaria* (Christoph,1893)** (Geometridae)
Cidaria milvaria Christoph,1893, Dt. ent. Z., Iris 6: 95-96. Syntypes ♂♂: [Azerbaidjan]: "Ordubad".
- 2596. *Horisme tersata* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra tersata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109. Type(s): [Austria]: Vienna district.
- 2597. *Horisme vitalbata* (Hübner,[1799])** (Geometridae)
Geometra vitalbata Hübner,[1799], Samml. eur. Schmett. 5: pl.52, fig.269. Type: Europa.
- 2598. *Hydrelia sylvata* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra sylvata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109. Type(s): [Austria]: Vienna district.
- 2599. *Hydria cervicalis* (Scopoli,1763)** (Geometridae) *Phalaena cervicalis* Scopoli,1763, Entomologia Carniolica: 216. Type(s): [Slovenien]: Carniolia [Krain].
- 2600. *Hydria undulata* (Linnaeus,1758)** (Geometridae)
Phalaena undulata Linnaeus,1758, Syst. Nat. (Edn.10)1: 524. Type(s): [Europa], in *Salix caprea*.
- 2601. *Hydriomena Hübner*,[1825]** (Geometridae) *Hydriomena Hübner*,[1825], Verz. bekannter Schmett.: 322. Type-species: *Geometra elutata* Hübner,[1799], Samml. eur. Schmett. 5: pl.43 fig.224, by subsequent designation by Meyrick,1917, Trans. N.Z. Inst. 49: 255.
- 2602. *Hydriomena coerulea* (Fabricius,1777)** (Geometridae)
Phalaena coerulea Fabricius,1777, Genera Ins.: 288. Type(s): Hamburg.
- 2603. *Hydriomena furcata* (Thunberg,1784)** (Geometridae)
Geometra furcata Thunberg,1784, Dissertatio Ent. sistens Insecta Svecica 1: 13. Lectotype ♀: Sweden: Upsala (Karsholt & Nielsen, 1985: 4446)
- 2604. *Hydriomena ruberata* (Freyer,[1831])** (Geometridae)
Acidalia ruberata Freyer,[1831], Neuere Beitr. Schmett. 1: 67, Taf.36.
- 2605. *Hylaea fasciaria* (Linnaeus,1758)** (Geometridae) *Phalaena fasciaria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 521. Type(s): [Europa].
- 2606. *Hyperythra flavaria* (Fabricius,1787)** (Geometridae)
Phalaena flavaria Fabricius,1787, Ins. Mant. 2: 187. Syntypes: India orientali.
- 2607. *Hyperythra swinhoei* Butler,1880** (Geometridae)
Hyperythra swinhoei Butler,1880, Ann. Mag. nat. Hist. (5) 5: 223. Holotype ♂: [Pakistan]: Kurrachee [Karachi] (BMNH).
- 2608. *Hypochrosis baenzigeri* Inoue,1982** (Geometridae)
Hypochrosis baenzigeri Inoue,1982, Tyo to Ga 32 (3/4): 164, figs. 1-4. Holotype ♂: Thailand: Khao Yai National Park, 19-20 vii.1966 H.Inoue leg. (BMNH).
- 2609. *Hypomecis delatina* (Swinhoe,1900)** (Geometridae)
Boarmia delatina Swinhoe,1900, Ann. Mag. nat. Hist. (7) 6: 308. Type ♀: [Myanmar]: Shan States, Koni (BMNH).
- 2610. *Hypomecis ectropodes* (L.B.Prout,1913)** (Geometridae)
Boarmia ectropodes L.B.Prout,1913, Ann. Transv. Mus. 3(4): 221, pl.12 fig.39. Holotype ♂: [South Africa]: Three Sisters (TMP).
- 2611. *Hypomecis humanitas* Sato,1988** (Geometridae)
Hypomecis humanitas Sato,1988, Heteroc. Sumatr. 2 (6): 130, fig. Holotype ♂: [Indonesia]: North Sumatra, Holzweg II, nr.Prapat 1050m E.W.Diehl leg. (BMNH).
- 2612. *Hypomecis kemal Koçak*,2006** (Geometridae) *Hypomecis kemal Koçak*,2006, Cent. ent. Stud., Misc. Pap. 102/103: 16 (nomen novum pro *exilis* Sato,1990 nec Wrr.,1900).
- 2613. *Hypomecis moriutii* Sato,1991** (Geometridae) *Hypomecis moriutii* Sato,1991, Tyo to Ga 42 (4): 275, figs.7-9, 25-27. Holotype ♂: Thailand: Petchabun, Lom Sak, Nam Nao, 800m (NSMT).
- 2614. *Hypomecis muhabbet Koçak*,2006** (Geometridae)
Hypomecis muhabbet Koçak,2006, Cent. ent. Stud., Misc. Pap. 102/103: 16 (nomen novum pro *diffusaria* Albers,1949 nec Wlk.,1860).
- 2615. *Hypomecis philippinensis* Sato,1996** (Geometridae)
Hypomecis philippinensis Sato,1996, Tinea 14 (4): 256, figs. 1,2,6. Holotype ♂: Philippines: Leyte (NSMT).
- 2616. *Hypomecis praeclarata* (Püngeler,1900)** (Geometridae)
Boarmia praeclarata Püngeler,1900, Dt. ent. Z., Iris 12: 297, pl.9 fig.18. Syntypes 2♂♂: Central Asia: Kuku Noor.
- 2617. *Hypomecis punctinalis* (Scopoli,1763)** (Geometridae)
Phalaena punctinalis Scopoli,1763, Entomologia Carniolica: 217. Type(s): [Slovenien]: Carniolia [Krain].
- 2618. *Hypomecis punctinalis punctinalis* (Scopoli,1763)** (Geometridae) *Phalaena punctinalis punctinalis* Scopoli,1763, Entomologia Carniolica: 217. Type(s): [Slovenien]: Carniolia [Krain].
- 2619. *Hypomecis roboraria* (Fabricius,1787)** (Geometridae)
Phalaena roboraria Fabricius,1787, Mant. Ins. 2: 187, nr.23. Type(s): [Wien].
- 2620. *Hypomecis stueningi* Sato,1991** (Geometridae)
Hypomecis stueningi Sato,1991, Tyo to Ga 42 (4): 274, figs. 5,6,2324. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP, 1600m (ZMUC).
- 2621. *Hyposcotis (?) armenia* (Wehrli,1953)** (Geometridae)
Gnophos (Cnestrognophos) adjectaria ssp. *armenia* Wehrli,1953, [in] Seitz, Gross-Schmett. Erde 4 (suppl.): 610 (50e). Syntypes: Armenia; [Turkmenistan]: Ashkabad (ZFMK).
- 2622. *Hyposcotis (?) assoi* Redondo & Gaston,1997** (Geometridae) *Gnophos assoi* Redondo & Gaston,1997, Revta aragon. ent. 6: 156, figs. 1-4, 9-11. Holotype ♂: Spain: Prov. Zaragoza (Aragon), Torralba de los Frailes, 1050m.
- 2623. *Hyposcotis (?) mutilata* (Staudinger,1879)** (Geometridae)
Gnophos mutilata Staudinger,1879, Horae Soc. ent. ross. 14: 457. Type ♂: [Türkei]: Amasia (Johann leg.).
- 2624. *Hyposcotis (Charissa) obscurata* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra obscurata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 108. Type(s): [Austria]: Vienna district.
- 2625. *Hyposcotis (Costignophos) pullata* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra pullata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 108. Type(s): [Austria]: Vienna district.

- 2626. *Hyposcotis (Euchrognophos) dubitaria* (Staudinger,1892)** (Geometridae) Gnophos ? dubitaria Staudinger,1892, Dt. ent. Z., Iris 5: 192-193. Syntypes: [Iran]: Schahrud; [Türkei]: Mardin.
- 2627. *Hyposcotis (Euchrognophos) effendii Viidalepp & Piriev,1993*** (Geometridae) AZ
- 2628. *Hyposcotis (Euchrognophos) nannodes* (Wehrli,1936)** (Geometridae) Gnophos nannodes Wehrli,1936, Am. Papillons 1936: 151-152. Syntypes 9♂ 1♀: [Türkei]: "Wan Umgebung kurdistan", 1900-2200m (ZSM).
- 2629. *Hyposcotis (Euchrognophos) subtaurica* (Wehrli,1932)** (Geometridae) Gnophos variegata var. subtaurica Wehrli,1932, Mitt. münch. ent. Ges. 22 (1): 9. Syntypes 23♂ 7♀: [Türkei]: Marasch, Akbes; [Lebanon]: Beirut (ZFMK).
- 2630. *Hyposcotis (Kemtrognothos) mardinaria* Staudinger,1901** (Geometridae) Gnophos obscuraria var. mardinaria Staudinger,1901, Cat. Lep. palaearkt. Faunengeb. 3(1): 345, nr.3931d. Type(s): [Türkei]: Mardin.
- 2631. *Hyposcotis (Kemtrognothos) onustaria* (Herrich-Schäffer,[1852])** (Geometridae) Scodion onustaria Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6:73, figs. 496-497. Syntypes: [Türkei]: Amasia.
- 2632. *Hyposcotis (Kemtrognothos) zeitunaria* (Staudinger,1901)** (Geometridae) Gnophos obscuraria var. zeitunaria Staudinger,1901, Cat. Lep. palaearkt. Faunengeb. 3(1):344,nr.3931c. Type(s): [Türkei]: Taur.m.or. [=Zeitun].
- 2633. *Hyposcotis (Neognophina) Wehrli,1946*** (Geometridae) Neognophina Wehrli,1946, Revue fr. Lépidopt. 10: 241. Type-species: Gnophos intermedia Wehrli,1917, by original designation.
- 2634. *Hyposcotis (s.str.) Hübner,[1825]*** (Geometridae) Hyposcotis Hübner,[1825], Verz. bekannt. Schmett.: 314. Type-species: Geometra mucidaria Hübner,[1799], by subsequent designation by Prout,1904, Entomologist's Rec. J. Var. 16: 122.
- 2635. *Hyposcotis Hübner,[1825]*** (Geometridae) Hyposcotis Hübner,[1825], Verz. bekannt. Schmett.: 314. Type-species: Geometra mucidaria Hübner,[1799], by subsequent designation by Prout,1904, Entomologist's Rec. J. Var. 16: 122.
- 2636. *Hypoxystis pluviana* (Fabricius,1787)** (Geometridae) Phalaena pluviana Fabricius,1787, Mant. Ins. 2: 192, nr.65. Type(s): Halae Saxonum.
- 2637. *Idaea admiranda* Hausmann,2004** (Geometridae) Idaea admiranda Hausmann,2004, The Geometrid Moths of Europe 2: 66-67, figs. Holotype ♂: SO Türkei: Urfa 8km W Siverek 700m, 9-10.vi.1974, leg. Gross (EMEM).
- 2638. *Idaea affinitata* (A.Bang-Haas,1907)** (Geometridae) Acidalia affinitata A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 82. Syntypes 2♂ 3♀: Libanon: Syrien.
- 2639. *Idaea albitorquata* (Püngeler,1909)** (Geometridae) Acidalia albitorquata Püngeler,1909, Dt. ent. Z., Iris 21 (4): 293, pl.4 fig.10. Syntypes: [Griechenland]: Peloponnes: Timrys; Kalavryta; [Türkei]: Aidin [Aydın]; Amasia [Amasya]; [Italia]: Sicilia, Ficuzza.
- 2640. *Idaea albitorquata albitorquata* (Püngeler,1909)** (Geometridae) Acidalia albitorquata Püngeler,1909, Dt. ent. Z., Iris 21 (4): 293, pl.4 fig.10. Syntypes: [Griechenland]: Peloponnes: Timrys; Kalavryta; [Türkei]: Aidin [Aydın]; Amasia [Amasya]; [Italia]: Sicilia, Ficuzza.
- 2641. *Idaea albitorquata maculifera* Hausmann,1994** (Geometridae) Idaea albitorquata ssp. maculifera Hausmann,1994, Z. ArbGem. öst. Ent. 46: 86, figs. 2,12. Holotype ♀: Cyprus: Paphos (ZSBS).
- 2642. *Idaea albitorquata madoniensis* Hausmann,1993** (Geometridae) Idaea albitorquata ssp. madoniensis Hausmann,1993, Naturalista sicil. (4) 17 (1/2): 87. Holotype ♂: Sicily Madonie, 1200m (ZSBS).
- 2643. *Idaea alicantaria* (Reisser,1963)** (Geometridae) Sterrha alicantaria Reisser,1963, Z. wien. ent. Ges. 48 (3): 45, pl.13 figs. 2,4. Holotype ♀: [Spain]: Alicante.
- 2644. *Idaea allongata* (Staudinger,1898)** (Geometridae) Acidalia allongata Staudinger,1898, Dt. ent. Z., Iris 10: 308, pl.4 fig.32. Type ♂: [Israel]: Jerusalem.
- 2645. *Idaea aureolaria* ([Denis & Schiffermüller],1775)** (Geometridae) Geometra aureolaria [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 102. Type(s): [Austria]: Vienna district.
- 2646. *Idaea aversata* (Linnaeus,1758)** (Geometridae) Phalaena aversata Linnaeus,1758, Syst. Nat. (Edn.10)1: 526. Type(s): Finlandia.
- 2647. *Idaea biselata* (Hufnagel,1767)** (Geometridae) Phalaena biselata Hufnagel,1767, Berl. Mag. 4 (6): 618. Syntypes: [Deutschland]: Berlin.
- 2648. *Idaea blaesii* Lenz & Hausmann,1992** (Geometridae) Idaea blaesii Lenz & Hausmann,1992, Mitt. münch. ent. Ges. 82: 47, figs.1-10. Holotype ♂: Portugal: SE Algarve, 15km N of Vilamoura (ZSBS).
- 2649. *Idaea brazilia* Koçak & Kemal,2006** (Geometridae) Idaea brazilia Koçak & Kemal,2006, Cent. ent. Stud., Misc. Pap. 102/103: 15 (nomen novum pro ochraria Schaus,1901 nec Fisch.-Rösl.,1836).
- 2650. *Idaea bustilloi* (Agenjo,1967)** (Geometridae) Sterrha bustilloi Agenjo,1967, Eos 42 (3/4): 299, figs. Holotype ♂: Spain: Provincia Madrid: Vaciamadrid, 540m (MNM).
- 2651. *Idaea calunetaria* (Staudinger,1859)** (Geometridae) Acidalia calunetaria Staudinger,1859, Stettin ent. Ztg. 20 (7/9): 217. Syntypes: [Spanien]: Andalusia: Chiclana (MNHU).
- 2652. *Idaea camparia* (Herrich-Schäffer,[1852])** (Geometridae) Acidalia camparia Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 65. Type(s): [Türkei]: Smyrna [=Izmir].
- 2653. *Idaea camparia camparia* (Herrich-Schäffer,[1852])** (Geometridae) Acidalia camparia Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 65. Type(s): [Türkei]: Smyrna [=Izmir].
- 2654. *Idaea camparia cossurata* (Milliere,[1875])** (Geometridae) Eupithecia cossurata Milliere,[1875], [in] Ragusa, Boll. Soc. ent. ital. 7 (4): 254. Syntypes: [France]: Cannes.
- 2655. *Idaea capnaria* (Püngeler,1909)** (Geometridae) Acidalia capnaria Püngeler,1909, Dt. ent. Z., Iris 21: 292, pl.4 fig.9. Holotype ♂: [Lebanon]: Beirut (MNHU).
- 2656. *Idaea capnaria capnaria* (Püngeler,1909)** (Geometridae) Acidalia capnaria Püngeler,1909, Dt. ent. Z., Iris 21: 292, pl.4 fig.9. Holotype ♂: [Lebanon]: Beirut (MNHU).
- 2657. *Idaea carvalhoi* Herbulot,1979** (Geometridae) Idaea carvalhoi Herbulot,1979, Alexanor 11 (4): 178, fig.3. Holotype ♀: France: Baume, Var, les Arcs (HERB).
- 2658. *Idaea circuitaria* (Hübner,[1819])** (Geometridae) Geometra circuitaria Hübner,[1819], Samml. eur. Schmett. 5: pl.97, fig.499. Type: Europa.
- 2659. *Idaea consanguinaria* (Lederer,1853)** (Geometridae) Acidalia consanguinaria Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 256-257. Syntypes: Spalato; [Türkei]: Brussa [=Bursa].
- 2660. *Idaea consanguinaria consanguinaria* (Lederer,1853)** (Geometridae) Acidalia consanguinaria Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 256-257. Syntypes: Spalato; [Türkei]: Brussa [=Bursa].
- 2661. *Idaea consociata* (Staudinger,1900)** (Geometridae) Acidalia consociata Staudinger,1900, Dt. ent. Z., Iris 12: 390, pl.6 fig.10. Lectotype ♀: [Türkei]: Mardin (MNHU).
- 2662. *Idaea consolidata* (Lederer,1853)** (Geometridae) Acidalia consolidata Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 257. Syntypes: [Türkei]: Brussa [=Bursa].
- 2663. *Idaea degeneraria* (Hübner,[1799])** (Geometridae) Geometra degeneraria Hübner,[1799], Samml. eur. Schmett. 5: pl.11, fig.57. Type: Europa.
- 2664. *Idaea descitaria* (Christoph,1893)** (Geometridae) Acidalia descitaria Christoph,1893, Dt. ent. Z., Iris 6: 94. Syntypes: [Russia]: Sarepta, Guberli, Ural, Taganrog; [Turkmenistan]: Ashkhabad; [China Uighur A.R.]: Kuldsha.
- 2665. *Idaea determinata* (Staudinger,1876)** (Geometridae) Acidalia determinata Staudinger,1876, [in] Kalchberg, Stettin ent. Ztg. 37(4/6): 141-142. Syntypes: [Italia]: Sicilien.
- 2666. *Idaea detritaria* (Staudinger,1897)** (Geometridae) Acidalia detritaria Staudinger,1897, Dt. ent. Z., Iris 10: 180, Pl.4 fig.4. Lectotype ♂: Palestina: Haifa (MNHU).
- 2667. *Idaea dilutaria* (Hübner,[1799])** (Geometridae) Geometra dilutaria Hübner,[1799], Samml. eur. Schmett. 5: pl.19, fig.100. Type: Europa.
- 2668. *Idaea dimidiata* (Hufnagel,1767)** (Geometridae) Phalaena dimidiata Hufnagel,1767, Berl. Mag. 4: 602. Type(s): Deutschland: Berlin.
- 2669. *Idaea efflorata* Zeller,1849** (Geometridae) Idaea efflorata Zeller,1849, Stettin ent. Ztg. 10: 218-219.
- 2670. *Idaea elongaria* (Rambur,1833)** (Geometridae) Acidalia elongaria Rambur,1833, Annl. Soc. ent. Fr. 2 (1): 38, pl.2 fig.20. Syntypes: [France]: Corsica: Ajaccio.
- 2671. *Idaea elongaria antitaurica* (Wehrli,1932)** (Geometridae) Ptychopoda elongaria ssp. antitaurica Wehrli,1932, Mitt. münch. ent. Ges. 22: 4. Syntypes: [Türkei]: [Kahramanmaraş]: Seitun [Süleymanlı]; Libanon: Bscharre (ZSM).

- 2672. *Idaea emargianata* (Linnaeus,1758)** (Geometridae) Phalaena emarginata Linnaeus,1758, Syst. Nat. (Edn.10)1: 524. Type(s): Europa.
- 2673. *Idaea epaphrodita* (Wehrli,1934)** (Geometridae) Sterrha epaphrodita Wehrli,1934, Ent. Z., Frankf.a.M. 47(20): 167, figs.4,8. Syntypes ♂♂: [Libanon]: Syrien: Beirut (coll. Werhli).
- 2674. *Idaea figuraria* (A.Bang-Haas,1907)** (Geometridae) Acidalia figuraria A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 80, Taf.iii fig.21. Syntypes ♀♀: Algeria: Süd-Oran.
- 2675. *Idaea filicata* (Hübner,[1799])** (Geometridae) Geometra filicata Hübner,[1799], Samml. eur. Schmett. 5: pl.46, fig.238. Type: Europa.
- 2676. *Idaea flaveolaria* (Hübner,[1809])** (Geometridae) Geometra flaveolaria Hübner,[1809], Samml. eur. Schmett. 5: pl.66, fig.341. Type: Europa.
- 2677. *Idaea holliata* (Homberg,1909)** (Geometridae) Acidalia holliata Homberg,1909, Bull. Soc. ent. Fr. 1909 (13): 229. Syntypes ♂♂: [Turquie]: Akbes.
- 2678. *Idaea humiliata* (Hufnagel,1767)** (Geometridae) Phalaena humiliata Hufnagel,1767, Berl. Mag. 4: 614. Type(s): Deutschland: Berlin.
- 2679. *Idaea inquinata* (Scopoli,1763)** (Geometridae) Phalaena inquinata Scopoli,1763, Entomologia Carniolica: 230. Type(s): [Slovenien]: Carniolia [Krain].
- 2680. *Idaea intermedia* (Staudinger,1879)** (Geometridae) Acidalia intermedia Staudinger,1879, Horae Soc. ent. ross. 14: 436. Syntypes ♂♂: [Türkei]: Amasia (Kerasdere).
- 2681. *Idaea laevigata* (Scopoli,1763)** (Geometridae) Phalaena laevigata Scopoli,1763, Entomologia Carniolica: 230. Type(s): Carniolia.
- 2682. *Idaea mediaria* (Hübner,[1819])** (Geometridae) Geometra mediaria Hübner,[1819], Samml. eur. Schmett. 5: pl.97, fig.502. Type: Europa.
- 2683. *Idaea metohiensis* (Rebel,1900)** (Geometridae) Acidalia metohiensis Rebel,1900, Verh. zool.-bot. Ges. Wien 50: 451-452. Syntypes ♂♂: [Bosnia-Herzegovina]: Hercegovina: Metohia: Gacko.
- 2684. *Idaea moniliata* ([Denis & Schiffermüller],1775)** (Geometridae) Geometra moniliata [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 117. Type(s): [Austria]: Vienna district.
- 2685. *Idaea muricata* (Hufnagel,1767)** (Geometridae) Phalaena muricata Hufnagel,1767, Berl. Mag. 4:606,625. Type(s): Deutschland: Berlin.
- 2686. *Idaea nitidata* (Herrich-Schäffer,1861)** (Geometridae) Acidalia nitidata Herrich-Schäffer,1861, Neue Schmett. 3: 28, fig.142. Syntypes: [Romania]: Mehadia.
- 2687. *Idaea ochrata* (Scopoli,1763)** (Geometridae) Phalaena ochrata Scopoli,1763, Entomologia Carniolica: 227. Type(s): Carniolia.
- 2688. *Idaea ossiculata* (Lederer,1871)** (Geometridae) Acidalia ossiculata Lederer,1871, Horae Soc. ent. ross. 8: 18, pl.2 fig.5. Syntypes: [Türkei]: Kulek; [Iran]: Astrabad [Gorgan].
- 2689. *Idaea ostrinaria* (Hübner,[1813])** (Geometridae) Geometra ostrinaria Hübner,[1813], Samml. eur. Schmett. 5: pl.83, fig.430. Type: Europa.
- 2690. *Idaea palaestinensis* (Sterneck,1933)** (Geometridae) Ptychopoda palaestinensis Sterneck,1933, Z. öst. EntVer. 18: 65-66, figs. Syntypes: [Israel]: Haifa, Jerusalem, Jericho.; Libanon.
- 2691. *Idaea pallidata* ([Denis & Schiffermüller],1775)** (Geometridae) Geometra pallidata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 110. Type(s): [Austria]: Vienna district.
- 2692. *Idaea pectinata* (Sterneck,1933)** (Geometridae) Ptychopoda pectinata Sterneck,1933, Z. öst. EntVer. 18: 66-68, figs. Syntypes ♂♂ 12♀: [Israel]: Jericho, Jordanbrücke.
- 2693. *Idaea politaria* (Hübner,[1799])** (Geometridae) Geometra politaria Hübner,[1799], Samml. eur. Schmett. 5: pl.12, fig.61. Type: Europa.
- 2694. *Idaea proclivata* (Fuchs,1902)** (Geometridae) Acidalia proclivata Fuchs,1902, Stettin ent. Ztg. 63: 317. Syntypes: Armenien.
- 2695. *Idaea purpureomarginata* (Bohatsch,1880)** (Geometridae) Geometra sylvestriaria Hübner,[1799], Samml. eur. Schmett. 5: pl.18, fig.94. Type: Europa.
- 2696. *Idaea roseofasciata* (Christoph,1882)** (Geometridae) Acidalia roseofasciata Christoph,1882, Horae Soc. ent. ross. 17: 114. Syntypes: [Azerbaïdchan]: Ordubad.
- 2697. *Idaea rufaria* (Hübner,[1799])** (Geometridae) Geometra rufaria Hübner,[1799], Samml. eur. Schmett. 5: pl.21, fig.112. Type: Europa.
- 2698. *Idaea ruficostata* Zeller,1847** (Geometridae) *Idaea ruficostata* Zeller,1847, Stettin ent. Ztg. 10: 215-216.
- 2699. *Idaea rusticata* ([Denis & Schiffermüller],1775)** (Geometridae) Geometra rusticata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district.
- 2700. *Idaea saida* (Wiltshire,1968)** (Geometridae) Scopula saida Wiltshire,1968, Entomologist 101: 166-167, fig. Holotype ♂: Lebanon: Shweir, 4000ft, 1.vii.33, leg. Wiltshire (BMNH).
- 2701. *Idaea seriata* (Schränk,1802)** (Geometridae) Phalaena seriata Schränk,1802, Fauna boica 2 (2): 57. Syntypes: Deutschland: Bayern: Ingolstadt.
- 2702. *Idaea sericeata* (Hübner,[1813])** (Geometridae) Geometra sericeata Hübner,[1813], Samml. eur. Schmett. 5: pl.78, fig.404. Type: Europa.
- 2703. *Idaea serpentata* (Hufnagel,1767)** (Geometridae) Phalaena serpentata Hufnagel,1767, Berl. Mag.
- 2704. *Idaea sodaliaria* (Herrich-Schäffer,[1852])** (Geometridae) Acidalia sodaliaria Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 65.
- 2705. *Idaea subpurpurata* (Staudinger,1900)** (Geometridae) Acidalia subpurpurata Staudinger,1900, Dt. ent. Z., Iris 12:387, pl.6 fig.19. Syntypes: [Turkey]: Mardin, Karacadağ, Akbes; Lebanon.
- 2706. *Idaea textaria* (Lederer,1861)** (Geometridae) Acidalia textaria Lederer,1861, Wien. ent. Monatschr. 5: 153, pl.2, fig.3. Type: [Turkey]: Antiochia [=Antakya].
- 2707. *Idaea tineata* (Thierry-Mieg,1911)** (Geometridae) Acidalia tineata Thierry-Mieg,1911, Annls Soc. ent. belg. 54: 468. Syntypes: [Turkey]: Akbes.
- 2708. *Idaea trigeminata tenuirussata* (Zerny,1933)** (Geometridae) Ptychopoda trigeminata ssp. tenuirussata Zerny,1933, Dt. ent. Z., Iris 47: 91. Syntypes ♂♂: Lebanon: Bscharre (NMHW).
- 2709. *Idaea vivaecuador* Koçak & Kemal,2006** (Geometridae) *Idaea vivaecuador* Koçak & Kemal,2006, Cent. ent. Stud., Misc. Pap. 102/103: 15 (nomen novum pro fimbriata W.Warren,1900 nec [Den. & Schiff.],1775).
- 2710. *Isopenia trisinuata* W.Warren,1897** (Geometridae) Isopenia trisinuata W.Warren,1897, Novit. Zool. 4: 56. Syntypes ♂♂ 2♀: [South Africa]: Natal: Weenen (BMNH).
- 2711. *Isturgia arizeloides* M.Krüger,1999** (Geometridae) *Isturgia arizeloides* Krüger,1999, [in] Staude,H., Metamorphosis 10 (3): 115, fig.115. Monotype ♀: South Africa: North West Province: Pilanesberg National Park, Bophuthatswana, 1200m, 17.9.1993 H.S.Staude leg.
- 2712. *Isturgia berytaria* (Staudinger,1892)** (Geometridae) Halia berytaria Staudinger,1892, Dt. ent. Z., Iris 5: 200. Syntypes 9♂ 2♀: [Lebanon]: Beirut.
- 2713. *Isturgia limbaria* (Fabricius,1775)** (Geometridae) Phalaena limbaria Fabricius,1775, Syst. Ent.: 624. Syntypes: England (BMNH).
- 2714. *Isturgia roraria* (Fabricius,[1776])** (Geometridae) Phalaena roraria Fabricius,[1776], Genera Insect.: 285. Syntypes: Europe.
- 2715. *Isturgia spodiaria* (Lefèbvre,1832)** (Geometridae) Fidonia spodiaria Lefèbvre,1832, Magasin Zool. Paris Class 9: unpaginated, pl. 8. Syntypes 2♂ 2♀: Italia: Sicilia: Val di Noto.
- 2716. *Isturgia tengistanica* (Brandt,1938)** (Geometridae) Euconista tengistanica Brandt,1938, Ent. Rdsch. 55: 634. Type ♀: Iran: Kemaredj.
- 2717. *Iulotrichia muhabbet* Koçak,2006** (Geometridae) *Iulotrichia muhabbet* Koçak,2006, Cent. ent. Stud., Misc. Pap. 102/103: 15 (nomen novum pro decursaria Walker,1860 nec Wlk.,1860).
- 2718. *Jodis* Hübner,[1823]** (Geometridae) *Jodis* Hübner,[1823], Verz. bekannter Schmett.: 286. Type-species: Geometra aeruginaria [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 314, by subsequent designation by Guenée,1857, Hist. nat. Ins. 9: 355.
- 2719. *Jodis lactearia* (Linnaeus,1758)** (Geometridae) Phalaena lactearia Linnaeus,1758, Syst. Nat. (Edn.10)1: 519. Type(s): Europa.
- 2720. *Jordanisca* Wehrli,1943** (Geometridae) *Jordanisca* Wehrli,1943, [in] Seitz,A., Die Gross-Schmett. Erde 4 (Suppl.): 524. Type-species: Boarmia tenuisaria Staudinger,1900, by original designation.
- 2721. *Jordanisca tenuisaria* (Staudinger,1900)** (Geometridae) Boarmia tenuisaria Staudinger,1900, Dt. ent. Z., Iris 12: 394, pl.5 fig.3. Syntypes ♂: [Transjordan]: Lower Jordan valley.

- 2722. Kuldja Alpheraky,1883** (Geometridae) Kuldja Alpheraky,1883, Horae Soc. ent. ross. 17: 206-207. Type-species: Kuldja staudingeri Alpheraky,1883, by monotypy.
- 2723. Kuldja staudingeri Alpheraky,1883** (Geometridae) Kuldja staudingeri Alpheraky,1883, Horae Soc. ent. ross. 17: 207-209, Tab. ix fig.94. Syntypes ♂♂: [China: Uighur A.R.]: Kuldja, Kounguesse.
- 2724. Lampropteryx suffumata ([Denis & Schiffermüller],1775)** (Geometridae) Geometra suffumata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 316. Type(s): [Austria]: Vienna district.
- 2725. Larerannis marginaria (Fabricius,1777)** (Geometridae) Phalaena marginaria Fabricius,1777, Genera Ins.: 286. Type(s): Hamburg.
- 2726. Ligdia adustata (Fabricius,1787)** (Geometridae) Phalaena adustata Fabricius,1787, Mant. Ins. 2: 205, nr.172. Type(s): Austria: [Wien].
- 2727. Limeria macraria Staudinger,1892** (Geometridae) Limeria macraria Staudinger,1892, Dt. ent. Z., Iris 5: 195, pl.2 fig.14. Syntypes 4♂ 2♀: Russia: Sarepta [Krasnoarmeysk].
- 2728. Lithostege Hübner,[1825]** (Geometridae) Lithostege Hübner,[1825], Verz. bekannter Schmett.: 337. Type-species: Geometra duplicaria Hübner,[1799], Samml. eur. Schmett. 5: pl.40 fig.208, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 259.
- 2729. Lithostege ancyrana L.B.Prout,1938** (Geometridae) Lithostege ancyrana L.B.Prout,1938, [in] Seitz,A., Die Gross Schmett. Erde 4 (suppl.): 239. Taf.6(i). Holotype ♂: [Türkei]: Angora [=Ankara] (BMNH).
- 2730. Lithostege bosporaria (Herrich-Schäffer,[1848])** (Geometridae) Chesias bosporaria Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 3: 182, fig. 327. Type(s): [Türkei]: Constantinopel [=Istanbul].
- 2731. Lithostege buxtoni L.B.Prout,1920** (Geometridae) Lithostege buxtoni L.B.Prout,1920, Novit. zool. 27: 312. Syntypes ♂♂: [Iran]: Persia: Hamadan, Kangavar, 5000ft. (BMNH).
- 2732. Lithostege chaoticaria (Alpheraky,1897)** (Geometridae) Anisopteryx chaoticaria Alpheraky,1897, [in] Romanoff, Mem. lepid. 9: 55, pl.4 figs.20,21. Type ♂: [Uighur Ili]: Nan-Chan Mts.
- 2733. Lithostege coassata stepparia (Boisduval,1848)** (Geometridae) Larentia stepparia Boisduval,1848, Bull. Soc. ent. Fr. 6 (2): 30. Syntypes: [Ukraine]: Odessa.
- 2734. Lithostege dissocyma L.B.Prout,1938** (Geometridae) Lithostege dissocyma L.B.Prout,1938, [in] Seitz,A., Die Gross-Schmett. Erde 4 (suppl.): 241, Taf. 17(b). Type ♀: [Iraq]: NE of Baghdad: Dyala Gorge (BMNH).
- 2735. Lithostege farinata (Hufnagel,1767)** (Geometridae) Phalaena farinata Hufnagel,1767, Berl. Mag. 4: 610. Type(s): Deutschland: Berlin.
- 2736. Lithostege flavicornata (Zeller,1847)** (Geometridae) Minoa flavicornata Zeller,1847, Isis 1847: 20. Syntypes: [Türkei]: Makri [=Fethiye].
- 2737. Lithostege griseata ([Denis & Schiffermüller],1775)** (Geometridae) Geometra griseata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 116. Type(s): [Austria]: Vienna district.
- 2738. Lithostege griseata gigantea Bytinski-Salz & Brandt,1937** (Geometridae) Lithostege griseata var. gigantea Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: 13. Syntypes 5♂ 3♀: Iran: Keredj.
- 2739. Lithostege mesoleucata Püngeler,1899** (Geometridae) Lithostege mesoleucata Püngeler,1899, Dt. ent. Z., Iris 12: 105. Syntypes 2♀: [China: Uighur A.R.]: Ili-Gebiet.
- 2740. Lithostege notata A.Bang-Haas,1906** (Geometridae) Lithostege notata A.Bang-Haas,1906, Dt. ent. Z., Iris 19: 138, pl.5 fig.16. Syntypes: Tunisia: Gafsa, Dehibat.
- 2741. Lithostege odessaria (Boisduval,1848)** (Geometridae) Siona odessaria Boisduval,1848, Bull. ent. Soc. Fr. 6 (2): 30. Syntypes: [Ukraine]: Odessa.
- 2742. Lobophora halterata (Hufnagel,1767)** (Geometridae) Phalaena halterata Hufnagel,1767, Berl. Mag. 4: 608, 626. Type(s): Deutschland: Berlin.
- 2743. Lomaspilis Hübner,[1825]** (Geometridae) Lomaspilis Hübner,[1825], Verz. bekannter Schmett.: 306. Type-species: Phalaena marginata Linnaeus,1758, Syst. Nat. (Edn.10) 1: 527, by subsequent designation by Grote,1902, Insektenbörse 19: 314.
- 2744. Lomaspilis marginata (Linnaeus,1758)** (Geometridae) Phalaena marginata Linnaeus,1758, Syst. Nat. (Edn.10)1: 527. Type(s): [Europa], in Corylus.
- 2745. Lomographa Hübner,[1825]** (Geometridae) Lomographa Hübner,[1825], Verz. bekannter Schmett.:
- 2746. Lomographa bimaculata (Fabricius,1775)** (Geometridae) Phalaena bimaculata Fabricius,1775, Syst. Ent.: 635. Type(s): Lipsia.
- 2747. Lomographa temerata ([Denis & Schiffermüller],1775)** (Geometridae) Geometra temerata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 116. Type(s): [Austria]: Vienna district.
- 2748. Lycia Hübner,[1825]** (Geometridae) Lycia Hübner,[1825], Verz. bekannter Schmett.:
- 2749. Lycia suleimania (Wehrli,1938)** (Geometridae) Apocheima (Hypapocheima) suleimania Wehrli,1938, Ent. Rdsch. 55: 355-356. Type 1♂: [Iraq]: Suleimanije, leg. Wiltshire.
- 2750. Lycia zonaria ([Denis & Schiffermüller],1775)** (Geometridae) Geometra zonaria [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 100. Type(s): [Austria]: Vienna district.
- 2751. Lythria Hübner,[1823]** (Geometridae) Lythria Hübner,[1823], Verz. bekannter Schmett.: 300. Type-species: Phalaena purpuraria Linnaeus,1758, Syst. Nat. (Edn.10) 1: 522, by monotypy.
- 2752. Lythria cruentaria (Hufnagel,1767)** (Geometridae) Phalaena cruentaria Hufnagel,1767, Berlin Mag. 4 (5): 516. Syntypes: Sweden (LSL).
- 2753. Lythria purpuraria (Linnaeus,1758)** (Geometridae) Phalaena purpuraria Linnaeus,1758, Syst. Nat. (Edn.10)1: Syntypes: [Europa], Quercus, Prunus spinosa.
- 2754. Lythria venustata Staudinger,1882** (Geometridae) Lythria venustata Staudinger,1882, Stettin ent. Ztg. 43: 64. Type ♂: [Kazachstan]: Saisan.
- 2755. Macaria alternata ([Denis & Schiffermüller],1775)** (Geometridae) Geometra alternata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 106. Type(s): [Austria]: Vienna district.
- 2756. Macaria wauaria (Linnaeus,1758)** (Geometridae) Phalaena wauaria Linnaeus,1758, Syst. Nat. (Edn.10)1: 522. Syntypes: [Europa], in Grossularia, Ribes rubrum.
- 2757. Macaria wauaria koraebia (Bryk,1949)** (Geometridae) KP KR
- 2758. Macaria wauaria wauaria (Linnaeus,1758)** (Geometridae) Phalaena wauaria Linnaeus,1758, Syst. Nat. (Edn.10)1: 522. Syntypes: [Europa], in Grossularia, Ribes rubrum.
- 2759. Martania Mironov,2000** (Geometridae) Martania Mironov,2000, Ent. Obozr. 79 (1): 117. Type-species: Emmelesia taeniata Stephens,1831, by original designation.
- 2760. Maxates coelataria (Walker,1861)** (Geometridae) Thalassodes coelataria Walker,1861, List 22: 552. Type: Ceylon.
- 2761. Maxates coelataria coelataria (Walker,1861)** (Geometridae) Thalassodes coelataria Walker,1861, List 22: 552. Type: Ceylon.
- 2762. Maxates coelataria trychera L.B.Prout,1933** (Geometridae) Maxates coelataria ssp. trychera L.B.Prout,1933, [in] Seitz, Gross-Schmett. Erde 12: 111, pl.13f. N.India.
- 2763. Megalycinia engys Wehrli,1939** (Geometridae) Hemerophila (Megalycinia) engys Wehrli,1939, Mitt. mulch. ent. Ges. 29 (1): 73-74. Monotype 1♂: Irak: Berserini, 1000m.
- 2764. Megalycinia scalaria (Christoph,1893)** (Geometridae) Hemerophila scalaria Christoph,1893, Dt. ent. Z., Iris 6: 95. Syntypes 2♂♂: [Azerbaidjan]: "Helenendorf".
- 2765. Melanthia Duponchel,1829** (Geometridae) Melanthia Duponchel,1829
- 2766. Melanthia procellata ([Denis & Schiffermüller],1775)** (Geometridae) Geometra procellata [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 114. Type(s): [Austria]: Vienna district.
- 2767. Menophra abruptaria (Thunberg,1792)** (Geometridae) Phalaena abruptaria Thunberg,1792, Dissertatio Ent. sistens Insect Svevica 4: 59. Lectotype ♂: Sweden (Karsholt & Nielsen, 1985: 439).
- 2768. Mesaster albidiscata W.Warren,1895** (Geometridae) Mesaster albidiscata W.Warren,1895, Novit. zool. 2: 145. Syntypes 2♂: [Indonesia]: Sumatra: Padang.
- 2769. Microbaena Hausmann,1996** (Geometridae) Microbaena Hausmann,1996, Nota lepid. 19 (1/2): 21. Type-species: Phorodesma pulchra Staudinger,1898, by original designation.
- 2770. Microbaena pulchra (Staudinger,1898)** (Geometridae) Phorodesma pulchra Staudinger,1898, Dt. ent. Z., Iris 10: 302, pl. 4 fig.27. Type ♂: [Palestina/Israel]: Jerusalem (MNHU).
- 2771. Microbaena pulchra minor Hausmann,1996** (Geometridae) Microbaena pulchra ssp. minor Hausmann,1996, Nota

lepid. 19 (1/2): 23, fig.146. Holotype ♂: Sudan: Kassala Prov., Erkowit, 1000-1300m (ZSBS).

2772. *Microbaena pulchra pulchra* (Staudinger,1898) (Geometridae) *Phorodesma pulchra* Staudinger,1898, Dt. ent. Z., Iris 10: 302, pl. 4 fig.27. Type ♂: [Palestina/Israel]: Jerusalem (MNHU).

2773. *Microbiston phaeothorax* Wehrli,1941 (Geometridae) *Microbiston phaeothorax* Wehrli,1941, [in] Seitz, Die Gross-Schmett. Erde 4 (suppl.): 427 (35f). Syntypes: [Russia]: Daghestan: Petrovsk-port; [Armenia]: Erivan, Para-Kar.

2774. *Microloxia herbaria* (Hübner,[1813]) (Geometridae) *Geometra herbaria* Hübner,[1813], Samml. eur. Schmett. 5: pl.79 fig.407. Type(s): Europa.

2775. *Minoa murinata* (Scopoli,1763) (Geometridae) *Phalaena murinata* Scopoli,1763, Entomologia Carniolica: 229. Type(s): [Slovenien]: Carniolia [Krain].

2776. *Minoa murinata murinata* (Scopoli,1763) (Geometridae) *Phalaena murinata* Scopoli,1763, Entomologia Carniolica: 229. Type(s): [Slovenien]: Carniolia [Krain].

2777. *Mixochlora prasinus nopporn* Koçak & Kemal,2006 (Geometridae) *Mixochlora prasinus* ssp. *nopporn* Koçak & Kemal,2006, Cent. ent. Stud., Misc. Pap. 102/103: 15 (nomen novum pro *vittata* Moore,1868 nec Thunberg,1784).

2778. *Myinodes constantina* Hausmann,1994 (Geometridae) *Myinodes constantina* Hausmann,1994, Nota lepid. 17 (1/2): 37, figs. Holotype ♂: Algeria: Lambese, Sari Lakdhar ben Laoues (ZFMK).

2779. *Myinodes interpunctaria* (Herrich-Schäffer,1839) (Geometridae) *Sterrhia interpunctaria* Herrich-Schäffer,1839, [in] Panzer, Faunae Insect. German. initia (165): pl.6. Syntypes: Sicilia.

2780. *Myinodes interpunctaria atlantica* Hausmann,1994 (Geometridae) *Myinodes interpunctaria* ssp. *atlantica* Hausmann,1994, Nota lepid. 17 (1/2): 36, figs. 2,3, 11a,15. Holotype ♂: Spain: Sierra Nevada, Alcolea (ZSBS).

2781. *Myinodes shohami* Hausmann,1994 (Geometridae) *Myinodes shohami* Hausmann,1994, Nota lepid. 17 (1/2): 38, figs. Holotype ♂: Jordan (north-east): Quasr el Hallabad, 500m (ZSBS).

2782. *Myrioblephara embolochroma* (L.B.Prout,1927) (Geometridae) *Ectropis embolochroma* L.B.Prout,1927, J. Bombay nat. Hist. Soc. 31: 935. Type ♂: Burma.

2783. *Narraga cappadocica* Herbulot,1943 (Geometridae) *Narraga cappadocica* Herbulot,1943, Bull. Soc. ent. Fr. 48 (6): 84. Holotype ♂: [Turkey]: [Kayseri Pr.]: Caesarea.

2784. *Narraga fasciolaria* (Hufnagel,1767) (Geometridae) *Phalaena fasciolaria* Hufnagel,1767, Berl. Mag. 4:

2785. *Narraga fasciolaria fasciolaria* (Hufnagel,1767) (Geometridae) *Phalaena fasciolaria* Hufnagel,1767, Berl. Mag. 4:

2786. *Narraga tessularia* (Metzner,1845) (Geometridae) *Geometra tessularia* Metzner,1845, Stettin ent. Ztg. 6(6): 186. Syntypes ♂♂: Russia.

2787. *Narraga tessularia ilia* Wehrli,1940 (Geometridae) *Narraga fasciolaria* var. *ilia* Wehrli,1940, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 394 (32a). Syntypes: [China: Uighur A.R.]: Kuldja; Ili Gebiet.

2788. *Narraga tessularia tessularia* (Metzner,1845) (Geometridae) *Geometra tessularia* Metzner,1845, Stettin ent. Ztg. 6(6): 186. Syntypes ♂♂: Russia.

2789. *Naxa textilis* Walker,1856 (Geometridae) *Naxa textilis* Walker,1856, List 7: 1743. Type: Sylhet.

2790. *Nebula adlata* (Staudinger,[1895]) (Geometridae) *Cidaria adlata* Staudinger,[1895], Dt. ent. Z., iris 7: 294-295. Syntypes: [Libanon]: Beirut.

2791. *Nebula apiciata* (Staudinger,1892) (Geometridae) *Cidaria apiciata* Staudinger,1892, Dt. ent. Z., Iris 5: 227-229. Syntypes: [Turkmenistan]: Achal-Tekke.

2792. *Nebula approximata* (Staudinger,1879) (Geometridae) *Cidaria approximata* Staudinger,1879, Horae Soc. ent. ross. 14: 466-469. Syntypes: [Türkei]: Amasia, Kerasdere.

2793. *Nebula fortificaria* A.Bang-Haas,1910 (Geometridae) *Larentia fortificaria* A.Bang-Haas,1910, Dt. ent. Z.,Iris 24:44, pl.4 fig.6. Type ♂: [China: Uighur A.R.]: Juldus.

2794. *Nebula impunctata* (Staudinger,1879) (Geometridae) *Cidaria impunctata* Staudinger,1879, Horae Soc. ent. ross. 14: 469. Type ♀: [Türkei]: Amasia.

2795. *Nebula ludificata* (Staudinger,1870) (Geometridae) *Cidaria ludificata* Staudinger,1870, Horae Soc. ent. ross. 7: 174, pl.2 fig.4. Syntypes: Grichenland.

2796. *Nebula numidiata* (Staudinger,1892) (Geometridae) *Cidaria numidiata* Staudinger,1892, Dt. ent. Z., Iris 5: 239, Taf.ii fig.22. Syntypes: [Algeria]: Prov. Constantine: Bone.

2797. *Nebula propagata* (Christoph,1893) (Geometridae) *Cidaria propagata* Christoph,1893, Dt. ent. Z., Iris 6: 95. Syntypes ♂♂: [Georgia]: Lagodechi; [Turkmenistan]: Nuchur, Tekke.

2798. *Nebula reclamata* (Prout,1914) (Geometridae) *Cidaria reclamata* Prout,1914, [in] Seitz,A., Die Gross-Schmett. Erde 4: 240, Taf. 13(a). Holotype ♂: [Iran]: Schahkuh, E. Persien (E.Funke leg.) (coll. Püngeler).

2799. *Nebula salicata* ([Denis & Schiffermüller],1775) (Geometridae) *Geometra salicata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109. Type(s): [Austria]: Vienna district.

2800. *Nebula schneideraria* (Lederer,1855) (Geometridae) *Cidaria schneideraria* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 214, Taf. 3 fig. 8. Syntypes: [Libanon]: Beirut.

2801. *Nebula tophaceata* ([Denis & Schiffermüller],1775) (Geometridae) *Geometra tophaceata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district.

2802. *Neognopharmia hoerhammeri* (Brandt,1938) (Geometridae) *Gnophos hörhammeri* Brandt,1938, Ent. Rdsch. 55: 616, figs. 338-342. Syntypes: Iran: Fort Mian Kotal, Sine-Sefid (NHRS).

2803. *Neognopharmia hoerhammeri hoerhammeri* (Brandt,1938) (Geometridae) *Gnophos hörhammeri* Brandt,1938, Ent. Rdsch. 55: 616, figs. 338-342. Syntypes: Iran: Fort Mian Kotal, Sine-Sefid (NHRS).

2804. *Nychiodes (Comeesia) admirabila* Brandt,1938 (Geometridae) *Nychiodes admirabila* Brandt,1938, Ent. Rdsch. 55: 598, figs.361-364. Syntypes: Iran: Fars: Fort Sine Sefid, Comèe.

2805. *Nychiodes (Eunychiodes) agatcha* Brandt,1938 (Geometridae) *Nychiodes agatcha* Brandt,1938, Ent. Rdsch. 55: 599, figs.329,330. Syntypes: Iran: Fars: Fort Sine Sefid.

2806. *Nychiodes (Eunychiodes) amygdalaria* (Herrich-Schäffer,[1848]) (Geometridae) *Gnophos amygdalaria* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 3: 82, fig.432. Type(s): [Griechenland]: Creta.

2807. *Nychiodes (Eunychiodes) amygdalaria amygdalaria* (Herrich-Schäffer,[1848]) (Geometridae) *Gnophos amygdalaria* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 3: 82, fig.432. Type(s): [Griechenland]: Creta.

2808. *Nychiodes (Eunychiodes) antiquaria* Staudinger,1892 (Geometridae) *Nychiodes lividaria* var. *antiquaria* Staudinger,1892, Dt. ent. Z., Iris 5: 171-172. Syntypes: [Uzbekistan]: Margelan, Namangan, Samarkand.

2809. *Nychiodes (Eunychiodes) antiquaria antiquaria* Staudinger,1892 (Geometridae) *Nychiodes lividaria* var. *antiquaria* Staudinger,1892, Dt. ent. Z., Iris 5: 171-172. Syntypes: [Uzbekistan]: Margelan, Namangan, Samarkand.

2810. *Nychiodes (Eunychiodes) divergaria* (Staudinger,1892) (Geometridae) *Nychiodes lividaria* var. *divergaria* Staudinger,1892, Dt. ent. Z., Iris 5: 171. Syntypes: [Türkei]: Mardin, Diarbekir.

2811. *Nychiodes (Eunychiodes) divergaria divergaria* (Staudinger,1892) (Geometridae) *Nychiodes lividaria* var. *divergaria* Staudinger,1892, Dt. ent. Z., Iris 5: 171. Syntypes: [Türkei]: Mardin, Diarbekir.

2812. *Nychiodes (Eunychiodes) farinosa* Brandt,1938 (Geometridae) *Nychiodes farinosa* Brandt,1938, Ent. Rdsch. 55: 599, figs.374-377. Syntypes: Iran: Fars: Comèe.

2813. *Nychiodes (Eunychiodes) leviata* Brandt,1938 (Geometridae) *Nychiodes variabila* ssp.? *leviata* Brandt,1938, Ent. Rdsch. 55: 599, figs.378-382. Syntypes: Iran: Fars: Sine Sefid.

2814. *Nychiodes (Eunychiodes) subfusca* Brandt,1938 (Geometridae) *Nychiodes subfusca* Brandt,1938, Ent. Rdsch. 55: 598, figs.370-373. Syntypes: Iran: Fars: Fort Sine Sefid, Comèe.

2815. *Nychiodes (Eunychiodes) subvirida* Brandt,1938 (Geometridae) *Nychiodes subvirida* Brandt,1938, Ent. Rdsch. 55: 598, figs.365-369. Syntypes: Iran: Fars: Tschurum, Chiraz, Fort Mian Kotal.

2816. *Nychiodes (Eunychiodes) subvirida subvirida* Brandt,1938 (Geometridae) *Nychiodes subvirida* Brandt,1938, Ent. Rdsch. 55: 598, figs.365-369. Syntypes: Iran: Fars: Tschurum, Chiraz, Fort Mian Kotal.

2817. *Nychiodes (Eunychiodes) variabila* Brandt,1938 (Geometridae) *Nychiodes variabila* Brandt,1938, Ent. Rdsch. 55: 599, figs.383-386. Syntypes: Iran: Fars: Fort Mian Kotal, Sine Sefid, Comèe.

2818. *Nychiodes (Fritzwagneria) persuavis* Wehrli,1929 (Geometridae) *Nychiodes persuavis* Wehrli,1929, Int. ent. Z. 22 (42): 385-386. Syntypes ♂♂: [Libanon]: Beirut (coll. Wehrli).

- 2819. Nychiodes (Fritzwagneria) rayatica Wiltshire, 1957** (Geometridae) *Nychiodes rayatica* Wiltshire, 1957, Lepidoptera of Iraq: 111-112, pl.iii fig.10, text-fig.6. Holotype ♂: Iraq: Rayat, Haj Omran (coll. Wiltshire).
- 2820. Nychiodes (Fritzwagneria) waltheri F.Wagner, 1919** (Geometridae) *Nychiodes obscuraria* var. *waltheri* F.Wagner, 1919, Dt. ent. Z., Iris 33: 110. Syntypes: Türkei: Istanbul.
- 2821. Nychiodes (Fritzwagneria) waltheri osthelderi Wehrli, 1929** (Geometridae) *Nychiodes waltheri* ssp. *osthelderi* Wehrli, 1929, Mitt. münch. ent. Ges. 19: 42, pl.3 fig.6. Type ♂: [Türkei]: Marasch [Kahramanmaraş] (ZSBS).
- 2822. Nychiodes (Fritzwagneria) waltheri saerdabica Wehrli, 1938** (Geometridae) *Nychiodes waltheri* ssp. *saerdabica* Wehrli, 1938, Ent. Rdsch. 55: 356. Syntypes 2♂ 1♀: [Iran]: Nordpersien: Tacht i Suleiman, Sárdab Tal, leg. Pfeiffer & Forster.
- 2823. Nychiodes (Fritzwagneria) waltheri syriaca Wehrli, 1929** (Geometridae) *Nychiodes waltheri* ssp. *syriaca* Wehrli, 1929, Mitt. münch. ent. Ges. 19: 41. Syntypes: [Türkei]: Akbes.
- 2824. Nychiodes (Fritzwagneria) waltheri transcaspia Wehrli, 1929** (Geometridae) *Nychiodes waltheri* var. *transcaspia* Wehrli, 1929, Int. ent. Z. 22 (42): 386. Syntypes: [Turkmenistan]: "Aschabat, Transcaspien" (ZFMK).
- 2825. Nychiodes (Fritzwagneria) waltheri waltheri F.Wagner, 1919** (Geometridae) *Nychiodes obscuraria* var. *waltheri* F.Wagner, 1919, Dt. ent. Z., Iris 33: 110. Syntypes: Türkei: Istanbul.
- 2826. Nychiodes (s.str.) andalusaria Staudinger, 1892** (Geometridae) *Nychiodes lividaria* var. *andalusaria* Staudinger, 1892, Dt. ent. Z., Iris 5: 173. Syntypes: [Spain]: Castilien.
- 2827. Nychiodes (s.str.) hispanica Wehrli, 1927** (Geometridae) *Nychiodes obscuraria* var. *hispanica* Wehrli, 1927, Dt. ent. Z., Iris 1927: 78.
- 2828. Nychiodes (s.str.) mauretanica Wehrli, 1929** (Geometridae) *Nychiodes mauretanica* Wehrli, 1929, Int. ent. Z. 22 (42): 386-387. Syntypes: Tunis, Ain Drahan; Algier, Lambese, Yakouren, Selo el Ghelem (coll. Wehrli).
- 2829. Oar pratana (Fabricius, 1794)** (Geometridae) *Phalaena pratana* Fabricius, 1794, Ent. Syst. 3(2): 161. Neotype ♂: Eastern Algeria (ZSM).
- 2830. Oar pratana pratana (Fabricius, 1794)** (Geometridae) *Phalaena pratana* Fabricius, 1794, Ent. Syst. 3(2): 161. Neotype ♂: Eastern Algeria (ZSM).
- 2831. Odezia atrata (Linnaeus, 1758)** (Geometridae) *Phalaena atrata* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 524. Type(s): Europa.
- 2832. Odontognophos Wehrli, 1951** (Geometridae) *Odontognophos* Wehrli, 1951, Lambillionea 51: 8. Type-species: *Gnophos dumetata* Treitschke, 1827, by original designation.
- 2833. Odontognophos zacharius (Staudinger, 1879)** (Geometridae) *Gnophos zacharia* Staudinger, 1879, Horae Soc. ent. ross. 14: 454-455. Type ♀: [Türkei]: Amasia.
- 2834. Odontognophos zacharius zacharius (Staudinger, 1879)** (Geometridae) *Gnophos zacharia* Staudinger, 1879, Horae Soc. ent. ross. 14: 454-455. Type ♀: [Türkei]: Amasia.
- 2835. Odontopera alienata Staudinger, 1892** (Geometridae) *Odontopera muscularia* var. *alienata* Staudinger, 1892, Dt. ent. Z., Iris 5: 164. Syntypes ♂♂: [Uzbekistan]: Margelan, Samarkand; [Kirgizistan]: Osch, Transalai.
- 2836. Odontopera blaisa (Wehrli, 1936)** (Geometridae) *Gonodontis blaisa* Wehrli, 1936, Ent. Rdsch. 54 (11): 128. Holotype ♂: [Pakistan]: Punjab, Rawalpindi (BMNH).
- 2837. Odontopera muscularia Staudinger, 1892** (Geometridae) *Odontopera muscularia* Staudinger, 1892, Dt. ent. Z., Iris 5: 164. Syntypes: [Uzbekistan]: Margelan, Samarkand; [Kirgizistan]: Osch, Alai, Transalai.
- 2838. Oenochroma unifasciata Holloway, 1979** (Geometridae) *Oenochroma unifasciata* Holloway, 1979, Lepidoptera New Caledonia: 269, figs. Holotype ♂: New Caledonia: Pic du Pin, 250m.
- 2839. Operophtera Hübner, [1825]** (Geometridae) *Operophtera* Hübner, [1825], Verz. bekannter Schmett.: 321. Type-species: *Phalaena brumata* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 529, by subsequent designation by Hulst, 1896, Trans. Am. ent. Soc. 23: 252.
- 2840. Operophtera brumata (Linnaeus, 1758)** (Geometridae) *Phalaena brumata* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 529. Type(s): [Europa].
- 2841. Opisthograptis luteolata (Linnaeus, 1758)** (Geometridae) *Phalaena luteolata* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 525. Type(s): [Europa], in *Oxyacanthus*.
- 2842. Opisthograptis niko (Christoph, 1893)** (Geometridae) *Rumia niko* Christoph, 1893, Dt. ent. Z., Iris 6:95. Type: [Georgia]: Swanetia.
- 2843. Ortaliella Hausmann, 1993** (Geometridae) *Ortaliella* Hausmann, 1993, Bonn. zool. Beitr. 44 (3/4): 226. Type-species: *Gnophos palaestinus* Calberla, 1891, by original designation.
- 2844. Ortaliella palaestinensis (Calberla, 1891)** (Geometridae) *Gnophos palaestinus* Calberla, 1891, Dt. ent. Z., Iris 4: 51-52. Syntypes: Palaestina, zw. jerusalem, Jericho und Nazareth.
- 2845. Ortaliella stonei (Hausmann, 1991)** (Geometridae) *Ecodonia* [sic] *stonei* Hausmann, 1991, Mitt. münch. ent. Ges. 81: 143, figs. Holotype ♂: Jordan: Petra (LNK).
- 2846. Orthonama Hübner, [1825]** (Geometridae) *Orthonama* Hübner, [1825], Verz. bekannter Schmett.: 331. Type-species: *Geometra lignata* Hübner, [1799], Samml. eur. Schmett. 5: pl.52 fig.270, by subsequent designation by Warren, 1895, Novit. zool. 2: 116.
- 2847. Orthostixis calcularia Lederer, 1853** (Geometridae) *Orthostixis calcularia* Lederer, 1853, Verh. zool.-bot. Ver. Wien 3: 260-261. Syntypes: [Aserbaidjan]: Elisabethpol; [Türkei]: Amasia.
- 2848. Orthostixis cinerea Rebel, 1916** (Geometridae) *Orthostixis cinerea* Rebel, 1916, Jb. Wien. ent. Ver. 26: 108. Lectotype ♂: Zypern: Nicosia (NHMW).
- 2849. Orthostixis cribraria (Hübner, [1799])** (Geometridae) *Geometra cribraria* Hübner, [1799], Samml. eur. Schmett. 5: pl.16, fig.83. Type: Europa.
- 2850. Orthostixis cribraria amanensis Wehrli, 1932** (Geometridae) *Orthostixis cribraria* ssp. *amanensis* Wehrli, 1932, Mitt. münch. ent. Ges. 22: 3. Syntypes 2♂: [Türkei]: Amanus, Döldül Dag, viii-ix.
- 2851. Orthostixis cribraria cribraria (Hübner, [1799])** (Geometridae) *Geometra cribraria* Hübner, [1799], Samml. eur. Schmett. 5: pl.16, fig.83. Type: Europa.
- 2852. Ourapteryx diminuta Inoue, 1993** (Geometridae) *Ourapteryx diminuta* Inoue, 1993, Tinea 13 (26): 270, figs. Holotype ♂: Thailand: Chiang Mai, Doi Suthep (BMNH).
- 2853. Ourapteryx karsholti Inoue, 1993** (Geometridae) *Ourapteryx karsholti* Inoue, 1993, Tinea 13 (26): 268, figs. Holotype ♂: Thailand: Loei, Phu Luang, 400-1500m (ZMUC).
- 2854. Ourapteryx malatyensis Wehrli, 1936** (Geometridae) *Ourapteryx malatyensis* Wehrli, 1936, Mitt. münch. ent. Ges. 26 (1): 33, pl.2 fig.1. Syntypes 12♂ 2♀: [Türkei]: Boli, 800m; Malatya- Tecde.
- 2855. Ourapteryx persica Ménétriés, 1832** (Geometridae) *Urapteryx* [sic] *persica* Ménétriés, 1832, Cat. zool. voyage Caucase: 267. Type ♂: [Azerbaidjan]: Lenkoran.
- 2856. Ourapteryx purissima Thierry-Mieg, 1905** (Geometridae) *Ourapteryx multistrigaria* var. *purissima* Thierry-Mieg, 1905, Naturaliste 29: 181. Syntypes 2♂ 2♀. [Kirghizistan]: Alexander Mts. (USNM).
- 2857. Ourapteryx sambucaria (Linnaeus, 1758)** (Geometridae) *Phalaena sambucaria* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 519. Type(s): [Europa], in *Sambucus*.
- 2858. Ourapteryx stueningi Inoue, 1993** (Geometridae) *Ourapteryx stueningi* Inoue, 1993, Tinea 13 (26): 268, figs. Holotype ♂: Chiang Mai, Doi Inthanon (ZFMK).
- 2859. Ozola plana (W. Warren, 1894)** (Geometridae) *Desmobathra plana* W. Warren, 1894, Novit. zool. 1: 380. Type: Loyalty Island: Lifu.
- 2860. Pachynemia Stephens, 1829** (Geometridae) *Pachynemia* Stephens, 1829
- 2861. Pachynemia hippocastanaria (Hübner, [1799])** (Geometridae) *Geometra hippocastanaria* Hübner, [1799], Samml. eur. Schmett. 5: pl.36, fig.186. Type: Europa.
- 2862. Pachyodes harutai Yazaki, 1992** (Geometridae) *Pachyodes harutai* Yazaki, 1992, Tinea 13 (Suppl.2): 7, pl.3 fig.4. Holotype ♂: Nepal: Mt. Phulchouki (NSMT).
- 2863. Pachyodes harutai harutai Yazaki, 1992** (Geometridae) *Pachyodes harutai* Yazaki, 1992, Tinea 13 (Suppl.2): 7, pl.3 fig.4. Holotype ♂: Nepal: Mt. Phulchouki (NSMT).
- 2864. Pachyodes harutai infuscatus Yazaki, 1992** (Geometridae) *Pachyodes harutai* ssp. *infuscatus* Yazaki, 1992, Tinea 13 (Suppl.2): 7, pl.3 fig.5. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon 2500m (NSMT).
- 2865. Pachyodes vigil (L.B. Prout, 1926)** (Geometridae) *Terpna vigil* L.B. Prout, 1926, J. Bombay nat. Hist. Soc. 31 (1): 131, pl.1 fig.12. Type ♂: [Myanmar]: Upper Burma, Hpimaw Fort (BMNH).
- 2866. Paraboardia Kramp, 1994** (Geometridae) *Paraboardia* Kramp, 1994, Folia Heydrovskiana 2 (7): 89. Type-species: *Boarmia viertlii* Bohatsch, 1883, by original designation.

- 2867. Parabormia viertlii (Bohatsch,1883)** (Geometridae)
Boarmia viertlii Bohatsch,1883, Wien. ent. Ztg. 2: 111. Syntypes ♂♂: Ungarn.
- 2868. Paradarisa consonaria (Hübner,[1799])** (Geometridae)
Geometra consonaria Hübner,[1799], Samml. eur. Schmett. 5: pl.30, fig.157. Type: Europa.
- 2869. Parectropis siamensis Sato,1996** (Geometridae)
Parectropis siamensis Sato,1996, Trans. lepid. Soc. Japan 47 (4): 231, figs.9,10. Holotype ♂: Thailand: Chiang Mai, Doi Pakia, 1500m (UOS).
- 2870. Pareulype Herbulot,1951** (Geometridae) Pareulype Herbulot,1951
- 2871. Pareulype berberata (Fabricius,1787)** (Geometridae)
Phalaena berberata Fabricius,1787, Mant. Ins. 2: 203, nr.154. Type(s): Austria.
- 2872. Pareulype berberata berberata (Fabricius,1787)** (Geometridae)
Phalaena berberata Fabricius,1787, Mant. Ins. 2: 203, nr.154. Type(s): Austria.
- 2873. Parortholitha moerdyki Herbulot,1980** (Geometridae)
Parortholitha moerdyki Herbulot,1960
- 2874. Pasiphila chloerata (Mabille,1870)** (Geometridae)
Eupithecia chloerata Mabille,1870, Petit. Nouv. 1870: 96. Type: Russland.
- 2875. Pasiphila rectangulata (Linnaeus,1758)** (Geometridae)
Phalaena rectangulata Linnaeus,1758, Syst. Nat. (Edn.10)1: 528. Type(s): Europa.
- 2876. Pellonia vibicaria (Linnaeus,1761)** (Geometridae)
Phalaena vibicaria Linnaeus,1761, Fauna Suecica (2): 323. Type(s): Sweden.
- 2877. Pellonia vibicaria vibicaria (Linnaeus,1761)** (Geometridae)
Phalaena vibicaria Linnaeus,1761, Fauna Suecica (2): 323. Type(s): Sweden.
- 2878. Pelurga Hübner,[1825]** (Geometridae) Pelurga Hübner,[1825], Verz. bekannter Schmett.: 335. Type-species: Phalaena comitata Linnaeus,1758, Syst. Nat. (Edn.10) 1: 526, by subsequent designation by Lhomme,1927, Amat. Papillons 3: 221.
- 2879. Pelurga comitata (Linnaeus,1758)** (Geometridae)
Phalaena comitata Linnaeus,1758, Syst. Nat. (Edn.10)1: 526. Type(s): Europa.
- 2880. Peratophya hyalinata (Kollar,[1844])** (Geometridae)
Idaea hyalinata Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4 (2): 491. Type: India, Massuri [Mussooree].
- 2881. Perconia strigillaria (Hübner,1787)** (Geometridae)
Phalaena strigillaria Hübner,1787, Beitr. Gesch. Schmett. 1 (2): 13, pl.2 fig.1. Syntypes ♂: Deutschland: Ausgburg.
- 2882. Peribatodes correptarius (Zeller,1847)** (Geometridae)
Boarmia correptaria Zeller,1847, Isis 1847: 18-19. Syntypes: [Turkey]: Pera [Istanbul], Smyrna [=Izmir].
- 2883. Peribatodes correptarius syrilibanoni (Wehrli,1931)** (Geometridae)
Boarmia syrilibanoni Wehrli,1931, Mitt. münch. ent. Ges. 21: 46. Type ♀: Libanon: Bscharre, leg. E. Pfeiffer (ZSM).
- 2884. Peribatodes inaequalis (Goeze,1781)** (Geometridae)
Phalaena gemmaria Brahm,1791, Ins. Kal. 2(1): 255.
- 2885. Peribatodes secundarius (Denis & Schiffermüller,1775)** (Geometridae)
Geometra secundaria [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 101. Type(s): [Austria]: Vienna district.
- 2886. Peribatodes umbrarius (Hübner,[1809])** (Geometridae)
Geometra umbraria Hübner,[1809], Samml. eur. Schmett. 5: pl.65, fig.340. Type: Europa.
- 2887. Peribatodes umbrarius syrianus (Wehrli,1943)** (Geometridae)
Peribatodes umbraria ssp. syriana Wehrli,1943, [in] Seitz, Die Gorrss-Schmett. Erde 4 (Suppl.): 483, pl.43 (a,b). Syntypes 6 ♂ 1 ♀: Iran: Kasrun.
- 2888. Perixera nesidica (L.B.Prout,1931)** (Geometridae)
Anisodes nesidica L.B.Prout,1931, Novit. zool. 37: 7. Holotype: Indonesia: Mentawai Archipelago: Siberut (BMNH).
- 2889. Perizoma Hübner,[1825]** (Geometridae) Perizoma Hübner,[1825], Verz. bekannter Schmett.: 327. Type-species: Geometra albulata [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109, by subsequent designation by Warren,1893, Proc. zool. Soc. Lond. 1893: 377.
- 2890. Perizoma albulata ([Denis & Schiffermüller],1775)** (Geometridae)
Geometra albulata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109. Type(s): [Austria]: Vienna district.
- 2891. Perizoma alchemillata (Linnaeus,1758)** (Geometridae)
Phalaena alchemillata Linnaeus,1758, Syst. Nat. (Edn.10)1: 526. Type(s): [Europa], in Achemillium.
- 2892. Perizoma bifaciata (Haworth,1809)** (Geometridae)
Phalaena bifaciata Haworth,1809, Lepid. Br. (2): 334. Syntypes: Britain (BMNH).
- 2893. Perizoma blandiata ([Denis & Schiffermüller],1775)** (Geometridae)
Geometra blandiata [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 316. Type(s): [Austria]: Vienna district.
- 2894. Perizoma flavofasciata (Thunberg,1792)** (Geometridae)
Phalaena flavofasciata Thunberg,1792, Dissertatio Ent. sistens Insecta Suecica 4: 62. Lectotype 1 ex: [Sweden] (Karsholt & Nielsen,1985: 445)
- 2895. Perizoma flavofasciata romieuxi Wiltshire,1964** (Geometridae)
Perizoma flavofasciata ssp. romieuxi Wiltshire,1964, Mitt. ent. Ges. Basel (N.F.) 14 (6): 152, fig. Holotype ♀: Turkey: Ankara: Dikmen Deresi.
- 2896. Perizoma gigas Wiltshire,1976** (Geometridae)
Perizoma gigas Wiltshire,1976, Z. ArbGem. öst. Ent. 27 (3/4): 80-81, pl.1 fig.7, pl.II fig.4. Holotype ♂: Turkey: Pontic Mts., north of Zigana Pass, 1500m, 9.vi.69 (F.Kasy leg) (NHMW).
- 2897. Perizoma hydrata (Treitschke,1829)** (Geometridae)
Acidalia hydrata Treitschke,1829, Die Schmett. Eur. 7: 217. Syntypes ♂♂: Bohemia & Saxonia (HNHM?)
- 2898. Perizoma lugdunaria (Herrich-Schäffer,1855)** (Geometridae)
Larentia lugdunaria Herrich-Schäffer,1855, Syst. Bearb. Schmett. Eur. 6(68): 139; ibid. 1856: pl.91 fig.565. Syntypes: France (Lyon).
- 2899. Perizoma parallelolineata (Retzius,1783)** (Geometridae)
Phalaena parallelo-lineata Retzius,1783, Genera et Species Insectorum: 42. Type(s): [Europe].
- 2900. Perizoma sagittata (Fabricius,1787)** (Geometridae)
Phalaena sagittata Fabricius,1787, Mant. Ins. 2: 210. Type(s): Austria.
- 2901. Perizoma verberata (Scopoli,1763)** (Geometridae)
Phalaena verberata Scopoli,1763, Entomologia Carniolica: 223. Type(s): [Slovenien]: Carniolia [Krain].
- 2902. Petrophora Hübner,[1811]** (Geometridae) Petrophora Hübner,[1811]
- 2903. Petrophora chlorosata (Scopoli,1763)** (Geometridae)
Phalaena chlorosata Scopoli,1763, Entomologia Carniolica: 222. Type(s): [Slovenien]: Carniolia [Krain].
- 2904. Phaioграмма etruscaria (Zeller,1849)** (Geometridae)
Geometra etruscaria Zeller,1849, Stettin ent. Ztg. 10 (7): 203. Syntypes 1 ♂ 3 ♀: [Italia]: Tuscany (BMNH).
- 2905. Phaioграмма faustinata (Millière,1868)** (Geometridae)
Nemoria faustinata Millière,1868, Iconogr. Descr. Chenilles Lépid. inédits 2 (21): 436, pl.96 figs.2-8. Syntypes: [Spain]: [Catalonia]: Barcelona.
- 2906. Phaioграмма polemia (Prout,1920)** (Geometridae)
Microloxia polemia Prout,1920, Novit. zool. 27: 300. Type ♀: [Iraq]: Kut-el-Amara (BMNH).
- 2907. Phaselia joestleinae Hausmann,1996** (Geometridae)
Phaselia joestleinae Hausmann,1996, Spixiana Suppl. 22: 6 figs. Holotype ♂: Turkey: Adana (ZSBS).
- 2908. Phaselia serrularia shurensis Wehrli,1941** (Geometridae)
Phaselia serrularia ssp. shurensis Wehrli,1941, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 466-467 (41c). Holotype ♂: [Kazachstan]: Kaptschugaj, Temir-Chan Shura Distrikt.
- 2909. Phibalapteryx Stephens,1829** (Geometridae)
Phibalapteryx Stephens,1829
- 2910. Phibalapteryx virgata (Hufnagel,1767)** (Geometridae)
Phalaena virgata Hufnagel,1767, Berl. Mag. 4:
- 2911. Phigalia armeniaca (Djakonov,1949)** (Geometridae)
Pterocera [sic!] (Metriocera) armeniaca Djakonov,1949, Ent. Obozr. 30 (3/4): 377, figs. 2b,4. Syntypes 4 ♂ 3 ♀: [Armenia]: "Bidimo, Tashkete".
- 2912. Phigalia declinata (Staudinger,1882)** (Geometridae)
Pterotocera declinata Staudinger,1882, Stettin ent. Ztg. 43: 59. Type ♂: [Kazachstan]: Saisan.
- 2913. Phigalia pedaria (Fabricius,1787)** (Geometridae)
Phalaena pedaria Fabricius,1787, Mant. Ins. 2: 191.
- 2914. Philere me Hübner,[1825]** (Geometridae) Philere me Hübner,[1825], Verz. bekannter Schmett.: 330. Type-species: Geometra rhamnata [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 276.
- 2915. Philere me instabilis (Alpheraky,1883)** (Geometridae)
Scotosia instabilis Alpheraky,1883, Horae Soc. ent. ross. 17: 201-203, Tab.ix fig.92. Syntypes ♂♂: [China: Uighur A.R.]: Khorgosse, Talki, Kounguesse.

- 2916. *Philereme senescens* (Staudinger,1892)** (Geometridae) *Scotosia senescens* Staudinger,1892, Dt. ent. Z., Iris 5: 223-224. Syntypes: [Iran]: Schahrud, Schahkuh, Tasch; [Türkei]: Malatia.
- 2917. *Philereme transversata* (Hufnagel,1767)** (Geometridae) *Phalaena transversata* Hufnagel,1767, Berl. Mag. 4:
- 2918. *Philereme vetulata* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra vetulata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109. Type(s): [Austria]: Vienna district.
- 2919. *Photoscotia palaeartica* (Staudinger,1882)** (Geometridae) *Trichopleura palaeartica* Staudinger,1882, Stettin ent. Ztg. 43: 68. Syntypes 6♂: [Kazachstan]: Saisan (Tarbagatai), Lepsa (Ala Tau); [Uzbekistan]: Margelan.
- 2920. *Phyllometra argentaria* (A.Bang-Haas,1910)** (Geometridae) *Egea argentaria* A.Bang-Haas,1910, Dt. ent. Z., Iris 24: 48. Syntypes 8♂: Tunis: Forum- Tatahouine.
- 2921. *Phyllometra culminaria* (Eversmann,1843)** (Geometridae) *Idaea culminaria* Eversmann,1843, Bull. Soc. imp. Nat. Moscou 16 (3): 552. Syntypes: [Russia]: Urals: Majo.
- 2922. *Phyllometra gracilaria* Boisduval,1840** (Geometridae) *Phyllometra gracilaria* Boisduval,1840, Genera Index meth. eur. lepid.: 193. Syntypes: Spain.
- 2923. *Phyllometra planaria* (Chrétien,1911)** (Geometridae) *Egea planaria* Chrétien,1911, Annls Soc. ent. Fr. 79 (4): 509. Holotype ♂: [Tunis]: Gafsa.
- 2924. *Phyllometra proutiana* Turati,1936** (Geometridae) *Phyllometra proutiana* Turati,1936, Atti. Soc. ital. Sci. nat. 75: 395, figs. 7,8. Syntypes: [Spain]: Aragon: Cuenca de Albarracin.
- 2925. *Phyllometra teneraria* (Staudinger,1892)** (Geometridae) *Egea teneraria* Staudinger,1892, Dt. ent. Z., Iris 5: 196. [China: Uighur A.R.]: Kuldja.
- 2926. *Pingasa chlora* (Stoll,[1782])** (Geometridae) *Phalaena chlora* Stoll,[1782], [in] Cramer, Uitl. Kapellen 4: 233, 248, pl.398 fig.C. Syntypes: [Indonesia]: Amboina.
- 2927. *Pingasa multispurcata* L.B.Prout,1913** (Geometridae) *Pingasa multispurcata* L.B.Prout,1913, Novit. zool. 20: 397. Type ♀: [Pakistan]: Rawal Pindi; Campbellpur (BMNH).
- 2928. *Pingasa rhadamaria victoria* L.B.Prout,1913** (Geometridae) *Pingasa victoria* L.B.Prout,1913, Novit. zool. 20: 398. Type ♀: [Zimbabwe]: Rhodesia: Victoria Falls; [South Africa]: Transvaal: Barberton.
- 2929. *Plagodis Hübner*,[1823]** (Geometridae) *Plagodis Hübner*,[1823], Verz. bekannter Schmett.: 294. Type-species: *Phalaena dolabraria* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 861, by monotypy.
- 2930. *Platyplepa bullifera* M.Krüger,2001** (Geometridae) *Platyplepa bullifera* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 68-69, figs.77, 770. Holotype ♂: [Kenya]: Langata/Nairobi, vi.1961; leg. D.Minter (NMKE).
- 2931. *Platyplepa curvigliadiata* M.Krüger,2001** (Geometridae) *Platyplepa curvigliadiata* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 81, figs.81, 544. Holotype ♂: Nigeria: Kajela, Kogin Kano Game reserve iv.1974; leg. H.Polizar (NMKE).
- 2932. *Platyplepa curvigliadiata curvigliadiata* M.Krüger,2001** (Geometridae) *Platyplepa curvigliadiata* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 81, figs.81, 544. Holotype ♂: Nigeria: Kajela, Kogin Kano Game reserve iv.1974; leg. H.Polizar (NMKE).
- 2933. *Platyplepa flava* M.Krüger,2001** (Geometridae) *Platyplepa flava* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 66-67, figs.73, 74, 539, 768, 976. Holotype ♂: [Namibia]: Valencia Farm, Rehoboth District, S.W.Africa, 7-17.v.1965; leg. J.H.Potgieter.
- 2934. *Platyplepa griseobrunnea* M.Krüger,2001** (Geometridae) *Platyplepa griseobrunnea* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 65, figs.71, 537, 767, 976. Holotype ♂: South Africa, [Noerthern Cape]: Nababiep, C[a]pe, 13.-14.viii.; leg. Vári & van Son (BMNH).
- 2935. *Platyplepa jordani* M.Krüger,2001** (Geometridae) *Platyplepa jordani* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 64, figs.67, 534, 974. Holotype ♂: [Namibia]: Sissekab, N.W. of Otavi, 1300m., 14.xi.1933; leg. K. Jordan (BMNH).
- 2936. *Platyplepa loranthiphaga* M.Krüger,2001** (Geometridae) *Platyplepa loranthiphaga* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 66, figs.72, 538, 975. Holotype ♂: [Namibia]: Abachaus, S.W. A[frica], iv.[19]44, 26.ii.44; leg. G. Hobohm.
- 2937. *Platyplepa macilenta* M.Krüger,2001** (Geometridae) *Platyplepa macilenta* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 65, figs.69, 70; 536, 76, 975. Holotype ♂: [South Africa]: [Eastern Cape]: Transkei, Umata, 24.xii.[19]89; leg. N.J.Duke.
- 2938. *Platyplepa mackayi* M.Krüger,2001** (Geometridae) *Platyplepa mackayi* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 69-70, figs.79, 542, 975. Holotype ♂: South Africa: [Eastren Cape]: Kirkwood, xii.1966; leg. D.MacKay (NMKE).
- 2939. *Platyplepa mackayi mackayi* M.Krüger,2001** (Geometridae) *Platyplepa mackayi* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 69-70, figs.79, 542, 975. Holotype ♂: South Africa: [Eastren Cape]: Kirkwood, xii.1966; leg. D.MacKay (NMKE).
- 2940. *Platyplepa persubtilis* M.Krüger,2001** (Geometridae) *Platyplepa persubtilis* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 67-68, figs.75, 76, 540, 769, 975. Holotype ♂: [South Africa, Transvaal]: [Mpumalanga]: Skukuza, 23.iii.1952; leg. Janse & Vári (BMNH).
- 2941. *Platyplepa pseudospurcata* M.Krüger,2001** (Geometridae) *Platyplepa pseudospurcata* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 69, figs.78, 541, 976. Holotype ♂: [South Africa, KwaZulu-Natal]: Muden, Natal, xii.1953; leg. H.Cookson (NMKE).
- 2942. *Platyplepa schistopenis* M.Krüger,2001** (Geometridae) *Platyplepa schistopenis* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 70, figs.80, 543. Holotype ♂: [Kenya]: Nairobi, iv.1958; leg. R. Carcasson (NMKE).
- 2943. *Platyplepa schistopenis schistopenis* M.Krüger,2001** (Geometridae) *Platyplepa schistopenis* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 70, figs.80, 543. Holotype ♂: [Kenya]: Nairobi, iv.1958; leg. R. Carcasson (NMKE).
- 2944. *Platyplepa uhlenhuthi* M.Krüger,2001** (Geometridae) *Platyplepa uhlenhuthi* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 64, figs.68, 535. Holotype ♂: [Ethiopia]: Dire Daoua, Abyssinia, iv.1936; leg. H. Uhlenhut (BMNH).
- 2945. *Plemyria Hübner*,[1825]** (Geometridae) *Plemyria Hübner*,[1825], Verz. bekannter Schmett.: 327. Type-species: *Geometra rubiginata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 114, by subsequent designation by Fletcher,1979, Generic names moths of the world 3:167
- 2946. *Plemyria rubiginata* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra rubiginata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district.
- 2947. *Plesioscotia pulchrata* (Alpheraky,1883)** (Geometridae) *Scotosia ? pulchrata* Alpheraky,1883, Horae Soc. ent. ross. 17: 204-206, Tab. ix fig.97. Syntypes 8♂: [China: Uighur A.R.]: Archane 6500ft, At-Ounkure Pass 10500ft.
- 2948. *Polymixinia lidjangina muhabbet* Koçak,2007** (Geometridae) *Polymixinia lidjangina* ssp. muhabbet Koçak,2007, Cent. ent. Stud., Misc. Pap. 105: xx (nomen novum pro decoloraria Leech,1897 nec Alph.1889). Syntypes: China: central and western provinces (BMNH).
- 2949. *Polystroma steelae* (L.B.Prout,1934)** (Geometridae) *Xanthorhoe steelae* L.B.Prout,1934, Novit. zool. 39: 107. Holotype ♂: [Sudan]: Darfur, Djebel Murra, Deriba lakes, 8000ft. (BMNH).
- 2950. *Pomasia reticulata* Hampson,1895** (Geometridae) *Pomasia reticulata* Hampson,1895, Fauna Br. India (Moths) 3: 387. Syntypes 8♂: [Myanmar]: Mergui, leg. Doherty (coll.Druce) (BMNH).
- 2951. *Povilasias Viidaleep*,1986** (Geometridae) *Povilasias Viidaleep*,1986, Trudy vses. ent. Obsch. 67: 105. Type-species: *Thera kashghara* Moore,1878, by original designation.
- 2952. *Povilasias kashghara* (Moore,1878)** (Geometridae) *Thera kashghara* Moore,1878, Ann. Mag. nat. Hist. (5) 1: 236. Type(s): [China: Uighur A.R.]: Yarkund, Chiklik, 14480ft (BMNH).
- 2953. *Prasinocyma aetheraea* (Debauche,1937)** (Geometridae) *Hemistola ? aetheraea* Debauche,1937, Ann. Mag. nat. Hist. (10) 20: 327, pl.7 fig.4. Holotype ♀: [Ethiopia]: Abyssinia: Addis Ababa, 8000ft (BMNH).
- 2954. *Prasinocyma albicosta rufitincta* W.Warren,1897** (Geometridae) *Prasinocyma rufitincta* W.Warren,1897, Novit. zool. 4: 44. Type(s): Loyalty Is.: Lifu.
- 2955. *Prasinocyma hailei* Debauche,1937** (Geometridae) *Prasinocyma hailei* Debauche,1937, Ann. Mag. nat. Hist. (10) 20: 323, pl.7 fig.5. Holotype ♂: [Ethiopia]: Abyssinia: Addis Ababa, 8000ft (BMNH).
- 2956. *Prasinocyma panchlora* L.B.Prout,1913** (Geometridae) *Prasinocyma panchlora* L.B.Prout,1913, Novit. zool. 20: 420. Type ♂: [South Africa]: Simonstown, Cape Colony (BMNH).
- 2957. *Prasinocyma shoa* Herbulot,1993** (Geometridae) *Prasinocyma shoa* Herbulot,1993, Bull. Soc. ent. Mulhouse 1993: 50. Holotype ♂: Ethiopia: Debre Zeit, 1800m (coll.Herbulot).

- 2958. *Prasinocyma thiaucourti* Herbulot, 1993** (Geometridae)
Prasinocyma thiaucourti Herbulot, 1993, Bull. Soc. ent. Mulhouse 1993: 50. Holotype ♂: Ethiopia: Debre Zeit, 1800m (coll. Herbulot).
- 2959. *Proteuchloris* Hausmann, 1996** (Geometridae)
Proteuchloris Hausmann, 1996, Nota lepid. 19 (1/2): 24. Type-species: *Geometra neriaris* Herrich-Schäffer, 1852, by original designation.
- 2960. *Proteuchloris neriaris* (Herrich-Schäffer, [1852])** (Geometridae)
Geometra neriaris Herrich-Schäffer, [1852], Syst. Bearb. Schmett. Eur. 6: 62, fig. 435. Type(s): [Griechenland]: Creta.
- 2961. *Protorhoe* Herbulot, 1951** (Geometridae)
Protorhoe Herbulot, 1951, Revue fr. Lepidopt. 13: 62. Type-species: *Melanippe unicolor* Guenée, [1858], by original designation.
- 2962. *Protorhoe avetianae* (Vardikjan, 1974)** (Geometridae)
Cidaria avetianae Vardikjan, 1974, Dokl. Akad. Nauk. armyan. SSR 58 (1): 48, pl. 1 figs. 1-3. Holotype ♂: Armenia: Megrin Region: Nyubadi.
- 2963. *Protorhoe corollaria* (Herrich-Schäffer, [1848])** (Geometridae)
Larentia corollaria Herrich-Schäffer, [1848], Syst. Bearb. Schmett. Eur. 3: 152, fig. 335. Type(s): -.
- 2964. *Protorhoe renodata* (Püngeler, 1909)** (Geometridae)
Larentia renodata Püngeler, 1909, Dt. ent. Z., Iris 21: 300, pl. 4 fig. 25. Syntypes ♂♀: [Turkmenistan]: Ashkabad.
- 2965. *Protosteira decolorata* Herbulot, 1984** (Geometridae)
Protosteira decolorata Herbulot, 1984, Mém. Mus. natn. Hist. nat. Paris (A) 128: 11, pl. 1 figs. 7, 9. Holotype ♂: Ethiopie: Semyen, Sankaber 3200m 13.xi.1981 (coll. Rougeot).
- 2966. *Prouticis artesiaria* ([Denis & Schiffermüller], 1775)** (Geometridae)
Geometra artesiaria [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 102. Type(s): [Austria]: Vienna district.
- 2967. *Pseudobiston inoue*, 1994** (Geometridae)
Pseudobiston Inoue, 1994, Tinea 14 (1): 5. Type-species: *Pseudobiston pinratanae* Inoue, 1994, by original designation.
- 2968. *Pseudobiston pinratanae* Inoue, 1994** (Geometridae)
Pseudobiston pinratanae Inoue, 1994, Tinea 14 (1): 6, figs. 1, 2, 5, 8. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon (BMNH).
- 2969. *Pseudopanthera hübnere*, [1823]** (Geometridae)
Pseudopanthera Hübner, [1823], Verz. bekannter Schmett.: 295. Type-species: *Phalaena macularia* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 521, by subsequent designation by Lhomme, [1929], Cat. Lépid. Fr. et Belg. 1: 398.
- 2970. *Pseudopanthera macularia* (Linnaeus, 1758)** (Geometridae)
Phalaena macularia Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 521. Type(s): Germania.
- 2971. *Pseudoterpna hübnere*, [1823]** (Geometridae)
Pseudoterpna Hübner, [1823], Verz. bekannter Schmett.: 285. Type-species: *Geometra cythisaria* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 97, by subsequent designation by Guenée, 1857, Hist. nat. Ins. 9: 339.
- 2972. *Pseudoterpna coronillaria* (Hübner, [1817])** (Geometridae)
Geometra coronillaria Hübner, [1817], Samml. eur. Schmett. 5: pl. 93, figs. 479-482. Syntypes: Europa.
- 2973. *Pseudoterpna coronillaria cinerascens* (Zeller, 1847)** (Geometridae)
Geometra cythisaria var. *cinerascens* Zeller, 1847, Isis 1947 (1): 18. Type ♂: [Turkey]: [Muğla Prov.]: "Mermeriza" (=Marmaris).
- 2974. *Pseudoterpna coronillaria coronillaria* (Hübner, [1817])** (Geometridae)
Geometra coronillaria Hübner, [1817], Samml. eur. Schmett. 5: pl. 93, figs. 479-482. Syntypes: Europa.
- 2975. *Pseudoterpna pruinata* (Hufnagel, 1767)** (Geometridae)
Phalaena pruinata Hufnagel, 1767, Berl. Mag. 4: 520, 625. Type(s): Deutschland: Berlin.
- 2976. *Psilalcis paraceptaria* Sato, 1996** (Geometridae)
Psilalcis paraceptaria Sato, 1996, Tinea 15 (1): 66, figs. 47-50. Holotype ♂: Thailand: Nakhon Sri Thammarat, Tha Sala, Kra Raw, Kan Leong, 650m; Khao Luang NP (NSMT).
- 2977. *Psilalcis postochrea* Sato, 1996** (Geometridae)
Psilalcis postochrea Sato, 1996, Tinea 15 (1): 59, figs. 29-32. Holotype ♂: Thailand: Nakhon Nayok, Khao yai, 800m (UOS).
- 2978. *Pterapherapteryx sexalata* (Retzius, 1783)** (Geometridae)
Phalaena sexalata Retzius, 1783, Genera et Species Insectorum: 50. Type(s): [Europe].
- 2979. *Pungeleria capreolaria* (Fabricius, 1787)** (Geometridae)
Phalaena capreolaria Fabricius, 1787, Mant. Ins. 2: 190, nr. 54. Type(s): [Wien].
- 2980. *Pydna badiaria* (Freyer, [1841])** (Geometridae)
Fidonia badiaria Freyer, [1841], Neuere Beitr. Schmett. 4: 115, Taf. 354 fig. 2. Type(s): [Russland]: Sarepta.
- 2981. *Pydna iranica* (Schwingsenschuss, 1939)** (Geometridae)
Rhodostrophia badiaria ssp. *iranica* Schwingsenschuss, 1939, Ent. Z., Frankf. a. M. 53 (25): 202. Syntypes 2♂ 3♀: Iran: Kendevan, Demavend, 3000m.
- 2982. *Racotis apodosima* L.B. Prout, 1931** (Geometridae)
Racotis apodosima L.B. Prout, 1931, Novit. zool. 36 (2): 171. Holotype ♂: Delagoa Bay (BMNH).
- 2983. *Racotis breijeri* (L.B. Prout, 1922)** (Geometridae)
Boarmia breijeri L.B. Prout, 1922, Ann. Transv. Mus. 8 (3): 171, pl. 1 fig. 14. Holotype ♂: [South Africa]: Transvaal, Nelspruit (BMNH).
- 2984. *Racotis incauta* (Prout, 1916)** (Geometridae)
Alcis incauta Prout, 1916, Ann. Transv. Mus. 5 (3): 176, pl. 25 fig. 35. Holotype ♂: [South Africa]: Transvaal, Barberton (BMNH).
- 2985. *Rheumaptera hastata* (Linnaeus, 1758)** (Geometridae)
Phalaena hastata Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 527. Type(s): Suecia.
- 2986. *Rhodesia depompata* L.B. Prout, 1913** (Geometridae)
Rhodesia depompata L.B. Prout, 1913, Novit. zool. 20: 434-435. Type ♂: [South Africa]: "Johannesburg (J.P. Cregoe)" (BMNH).
- 2987. *Rhodometra sacraria* (Linnaeus, 1767)** (Geometridae)
Phalaena sacraria Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 863. Syntypes: [Algeria]: Barbaria (LSL).
- 2988. *Rhodostrophia hübnere*, [1823]** (Geometridae)
Rhodostrophia Hübner, [1823], Verz. bekannter Schmett.: 300. Type-species: *Phalaena calabra* Petagna, 1786, Spec. Insect. ulterioris Calabriae: 38, fig. 23, by subsequent designation by Hampson, 1895, Fauna Br. India (Moths) 3: 455.
- 2989. *Rhodostrophia auctata* (Staudinger, 1879)** (Geometridae)
Pellonia auctata Staudinger, 1879, Horae Soc. ent. ross. 14: 441-443. Syntypes ♂♀: [Türkei]: Amasia (Maidan).
- 2990. *Rhodostrophia calabra* (Petagna, 1786)** (Geometridae)
Geometra calabra Petagna, 1786, Specimen Insectorum ulterionis Calabriae: 38, fig. 32. Type (s): Italia: Calabria.
- 2991. *Rhodostrophia calabra calabra* (Petagna, 1786)** (Geometridae)
Geometra calabra Petagna, 1786, Specimen Insectorum ulterionis Calabriae: 38, fig. 32. Type (s): Italia: Calabria.
- 2992. *Rhodostrophia calabra transcaucasica* Prout, 1920** (Geometridae)
Rhodostrophia calabra ssp. *transcaucasica* Prout, 1920, Novit. Zool. 27: 268. Syntypes 6♀: [Georgia]: Transcaucasus: Borjom.
- 2993. *Rhodostrophia cuprinaria* (Christoph, 1876)** (Geometridae)
Eusarca cuprinaria Christoph, 1876, Horae Soc. ent. ross. 12: 261, pl. 7 fig. 33. Syntypes ♂♀: [Iran]: Persia: Schahrud.
- 2994. *Rhodostrophia discopunctata* Amsel, 1935** (Geometridae)
Rhodostrophia discopunctata Amsel, 1935, Veröff. Dt. Kolon. u. Übersee-Mus. Bremen 1 (2): 243. Lectotype ♂: Israel: Kiriath Anavim nr. Jerusalem (coll. Püngeler, MNHU).
- 2995. *Rhodostrophia jacularia* (Hübner, [1813])** (Geometridae)
Geometra jacularia Hübner, [1813], Samml. eur. Schmett. 5: pl. 84 fig. 431. Type(s): Europa [? Southern Ural] (Hausmann, 2004).
- 2996. *Rhodostrophia sieversi* (Christoph, 1882)** (Geometridae)
Aspilates sieversi Christoph, 1882, Horae Soc. ent. ross. 17: 115. Syntypes ♂♀: [Azerbaidzhan: Nachtchivan]: Ordoubad.
- 2997. *Rhodostrophia staudingeri* (Alpheraky, 1883)** (Geometridae)
Eusarca staudingeri Alpheraky, 1883, Horae Soc. ent. ross. 17: 186-188, Tab. viii fig. 82. Syntypes ♂♀: [China: Uighur A.R.]: Tian-Chian (3500ft.) [Kuldja].
- 2998. *Rhodostrophia tabidaria* (Zeller, 1847)** (Geometridae)
Geometra tabidaria Zeller, 1847, Isis 1847 (7): 506. Syntypes 6♂♀: Griechenland; Türkei (BMNH).
- 2999. *Rhodostrophia tabidaria tabidaria* (Zeller, 1847)** (Geometridae)
Geometra tabidaria Zeller, 1847, Isis 1847 (7): 506. Syntypes 6♂♀: Griechenland; Türkei (BMNH).
- 3000. *Rhoptria guenée*, [1858]** (Geometridae)
Rhoptria Guenée, 1857
- 3001. *Rhoptria asperaria* (Hübner, [1817])** (Geometridae)
Geometra asperaria Hübner, [1817], Samml. eur. Schmett. 5: pl. 94, fig. 484. Type(s): Europa.
- 3002. *Rhoptria dolosaria* (Herrich-Schäffer, [1848])** (Geometridae)
Gnophos dolosaria Herrich-Schäffer, [1848], Syst. Bearb. Schmett. Eur. 3: 75, fig. 430. Type(s): [Griechenland]: Creta.
- 3003. *Rhoptria mardinata* (Staudinger, 1900)** (Geometridae)
Pseudognophos mardinata Staudinger, 1900, Dt. ent. Z., Iris 12: 395-396, pl. 6 fig. 12. Syntypes: [Türkei]: Mardin.
- 3004. *Rikiosatoa fucarioides* Sato, 1992** (Geometridae)
Rikiosatoa fucarioides Sato, 1992, Jap. J. Ent. 60 (3): 560, figs. 5, 6, 9. Holotype ♂: Thailand: Petchaburi, Lom Sak, Nam Nao 800m (NSMT).

- 3005. *Sarcinodes fortis* Yazaki, 1988** (Geometridae) *Sarcinodes fortis* Yazaki, 1988, Tyo to Ga 39 (4): 249, figs. Holotype ♂: Thailand: Loei: Phu Rua National Park, 1200m (NSMT).
- 3006. *Sarcinodes perakaria* Swinhoe, 1899** (Geometridae) *Sarcinodes perakaria* Swinhoe, 1899, Ann. Mag. nat. Hist. (7) 3: 110. Type ♀: [Malaysia]: "Perak".
- 3007. *Sarcinodes yazakii* Inoue, 1992** (Geometridae) *Sarcinodes yazakii* Inoue, 1992, Bull. Fac. domest. Sci. Otsuma Women's Univ. 28: 153, figs. Holotype ♂: Thailand: Chiang Mai, Doi Suthep, 8-10 vii 1966 leg. H. Inoue (BMNH).
- 3008. *Sauris fuscomarginata* Hashimoto, 1995** (Geometridae) *Sauris fuscomarginata* Hashimoto, 1995, Trans. lepid. Soc. Japan 46 (3): 129, figs. 1, 6-10. Holotype ♂: Thailand: Chiang Mai, Doi Pui, 1300m (UOS).
- 3009. *Schistostege decussata* [Denis & Schiffermüller, 1775]** (Geometridae) *Geometra decussata* [Denis & Schiffermüller, 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 107. Type(s): [Austria]: Vienna district.
- 3010. *Schistostege nubilaria* (Hübner, [1799])** (Geometridae) *Geometra nubilaria* Hübner, [1799], Samml. eur. Schmett. 5: pl. 41, fig. 215. Type: Europa.
- 3011. *Scopula ansulata characteristica* (Alpheraky, 1883)** (Geometridae) *Acidalia characteristica* Alpheraky, 1883, Horae Soc. ent. ross. 17: 62-163, Tab. ix fig. 87. Syntypes ♂♂: [China: Uighur A.R.]: Talki, 3-4000ft.
- 3012. *Scopula beckeraria* (Lederer, 1853)** (Geometridae) *Acidalia beckeraria* Lederer, 1853, Verh. zool.-bot. Ver. Wien 3: 258. Syntypes: [Aserbaidjan]: Elisabethpol [=Kirovabad]; [Russland]: Sarepta.
- 3013. *Scopula congruata* (Zeller, 1847)** (Geometridae) *Idea decorata* var. *congruata* Zeller, 1847, Isis 1847 (7): 508. Syntypes: Sicilia: Syracuse.
- 3014. *Scopula cumulata* (Alpheraky, 1883)** (Geometridae) *Acidalia cumulata* Alpheraky, 1883, Horae Soc. ent. ross. 17: 160-161, Tab. viii fig. 69. Type ♂: [China: Uighur A.R.]: Kuldja: Archane, 7000ft.
- 3015. *Scopula cumulata cumulata* (Alpheraky, 1883)** (Geometridae) *Acidalia cumulata* Alpheraky, 1883, Horae Soc. ent. ross. 17: 160-161, Tab. viii fig. 69. Type ♂: [China: Uighur A.R.]: Kuldja: Archane, 7000ft.
- 3016. *Scopula decorata* [Denis & Schiffermüller, 1775]** (Geometridae) *Geometra decorata* [Denis & Schiffermüller, 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 117. Type(s): [Austria]: Vienna district.
- 3017. *Scopula decorata aequata* (Staudinger, 1879)** (Geometridae) *Acidalia ornata* var. ? *aequata* Staudinger, 1879, Horae Soc. ent. ross. 14: 440. Type ♂: [Türkei]: Amasia (MNHU).
- 3018. *Scopula emma* (L.B. Prout, 1913)** (Geometridae) *Acidalia emma* L.B. Prout, 1913, [in] Seitz, Gross-Schmett. Erde 4: 75. Holotype ♂: [China]: Szechuan, Chungking (BMNH).
- 3019. *Scopula emma emma* (L.B. Prout, 1913)** (Geometridae) *Acidalia emma* L.B. Prout, 1913, [in] Seitz, Gross-Schmett. Erde 4: 75. Holotype ♂: [China]: Szechuan, Chungking (BMNH).
- 3020. *Scopula emma jordani* West, 1930** (Geometridae) *Idea jordani* West, 1930, Novit. zool. 35: 255. Holotype ♀: [Taiwan]: Formosa: Kanchirei, 1000ft.
- 3021. *Scopula emutaria* (Hübner, [1809])** (Geometridae) *Geometra emutaria* Hübner, [1809], Samml. eur. Schmett. 5: pl. 63, fig. 323. Type(s): Europa.
- 3022. *Scopula emutaria emutaria* (Hübner, [1809])** (Geometridae) *Geometra emutaria* Hübner, [1809], Samml. eur. Schmett. 5: pl. 63, fig. 323. Type(s): Europa.
- 3023. *Scopula emutaria subroseata* (Haworth, 1809)** (Geometridae) *Phalaena subroseata* Haworth, 1809, Lepid. Br. (2): 351. Syntypes: [United Kingdom]: Norfolk [Norfolk].
- 3024. *Scopula epigypsa* (Meyrick, 1886)** (Geometridae) *Trichoclada epigypsa* Meyrick, 1886, Trans. ent. Soc. London 1886 (3): 208. Holotype ♂: Fiji.
- 3025. *Scopula epigypsa epigypsa* (Meyrick, 1886)** (Geometridae) *Trichoclada epigypsa* Meyrick, 1886, Trans. ent. Soc. London 1886 (3): 208. Holotype ♂: Fiji.
- 3026. *Scopula flaccidaria* (Zeller, 1852)** (Geometridae) *Acidalia flaccidaria* Zeller, 1852, Stettin ent. Ztg. 13 (6): 184. Syntypes: Kleinasien.
- 3027. *Scopula flaccidaria flaccidaria* (Zeller, 1852)** (Geometridae) *Acidalia flaccidaria* Zeller, 1852, Stettin ent. Ztg. 13 (6): 184. Syntypes: Kleinasien.
- 3028. *Scopula floslactata* (Haworth, 1809)** (Geometridae) *Phalaena floslactata* Haworth, 1809, Lepid. Br. (2): 351. Type(s): [United Kingdom].
- 3029. *Scopula floslactata claudata* (Prout, 1913)** (Geometridae) *Acidalia floslactata* ssp. *claudata* Prout, 1913, [in] Seitz, Gross-Schmett. Erde 4: 67. Syntypes: Japan (BMNH).
- 3030. *Scopula floslactata floslactata* (Haworth, 1809)** (Geometridae) *Phalaena floslactata* Haworth, 1809, Lepid. Br. (2): 351. Type(s): [United Kingdom].
- 3031. *Scopula haematophaga* Bänziger & D.S. Fletcher, 1985** (Geometridae) *Scopula haematophaga* Bänziger & D.S. Fletcher, 1985, J. nat. Hist. 19: 856-857, figs. Holotype ♂: Thailand Chiang Mai Prov.: forest place near road Chiangmai- Chiangdao km 55, 380m 2.i.1982, leg. Bänziger (DEFACU).
- 3032. *Scopula imitaria* (Hübner, [1799])** (Geometridae) *Geometra imitaria* Hübner, [1799], Samml. eur. Schmett. 5: pl. 10, fig. 51. Type: Europa.
- 3033. *Scopula immistaria* (Herrich-Schäffer, [1852])** (Geometridae) *Acidalia immistaria* Herrich-Schäffer, [1852], Syst. Bearb. Schmett. Eur. 6: 68. Type(s): [Aserbaidjan]: Elisabethpol [=Kirovabad].
- 3034. *Scopula immistaria immistaria* (Herrich-Schäffer, [1852])** (Geometridae) *Acidalia immistaria* Herrich-Schäffer, [1852], Syst. Bearb. Schmett. Eur. 6: 68. Type(s): [Aserbaidjan]: Elisabethpol [=Kirovabad].
- 3035. *Scopula immorata* (Linnaeus, 1758)** (Geometridae) *Phalaena immorata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 528. Type(s): Europa.
- 3036. *Scopula immorata duercki* Sheljuzhko, 1955** (Geometridae) *Scopula immorata* ssp. *duercki* Sheljuzhko, 1955, Mitt. münch. ent. Ges. 45: 289. Holotype ♂: Spain: Castilia: Sierra de Gredos, Gredostal, 1600m (ZSBS).
- 3037. *Scopula immorata immorata* (Linnaeus, 1758)** (Geometridae) *Phalaena immorata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 528. Type(s): Europa.
- 3038. *Scopula immutata* (Linnaeus, 1758)** (Geometridae) *Phalaena immutata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 528. Type(s): Europa.
- 3039. *Scopula incanata* (Linnaeus, 1758)** (Geometridae) *Phalaena incanata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 528. Type(s): Europa.
- 3040. *Scopula iranaria* Bytinski-Salz & Brandt, 1937** (Geometridae) *Scopula iranaria* Bytinski-Salz & Brandt, 1937, Entomologist's Rec. J. Var. 49: 11-12. Syntypes 4♂ 2♀: Iran: Keredj.
- 3041. *Scopula lacriphaga* Bänziger & D.S. Fletcher, 1985** (Geometridae) *Scopula lacriphaga* Bänziger & D.S. Fletcher, 1985, J. nat. Hist. 19: 852-856, figs. Holotype ♂: Thailand Chiang Mai Prov.: forest place near road Chiangmai- Chiangdao km 55, 380m 4.vii.1981, leg. Bänziger (DEFACU).
- 3042. *Scopula luridata* (Zeller, 1847)** (Geometridae) *Idea luridata* Zeller, 1847, Isis 1847: 20-21. Type: [Griechenland]: Rhodus.
- 3043. *Scopula luridata luridata* (Zeller, 1847)** (Geometridae) *Idea luridata* Zeller, 1847, Isis 1847: 20-21. Type: [Griechenland]: Rhodus.
- 3044. *Scopula malayana* Bänziger & D.S. Fletcher, 1985** (Geometridae) *Scopula malayana* Bänziger & D.S. Fletcher, 1985, J. nat. Hist. 19: 858-860, figs. Holotype ♂: Malaysia: Perak: Padang Rengas 25.iii.1972, leg. Bänziger (BMNH).
- 3045. *Scopula marginepunctata* (Goeze, 1781)** (Geometridae) *Phalaena marginepunctata* Goeze, 1781, Ent. Beytr. 3(3): 385.
- 3046. *Scopula minorata* (Boisduval, 1833)** (Geometridae) *Geometra minorata* Boisduval, 1833, Nouv. Ann. Mus. Hist. nat. Paris 2: 263. Syntypes: Mauritius.
- 3047. *Scopula nemoraria* (Hübner, [1799])** (Geometridae) *Geometra nemoraria* Hübner, [1799], Samml. eur. Schmett. 5: pl. 17, fig. 89. Type(s): Europa.
- 3048. *Scopula nepheloperas* (L.B. Prout, 1916)** (Geometridae) *Acidalia* (Pylarge) *nepheloperas* L.B. Prout, 1916, Proc. zool. Soc. Lond. 1916: 150. Holotype ♂: [Somalia]: Somaliland: Sugli, Al Hills, 4700ft (BMNH).
- 3049. *Scopula nigropunctata* (Hufnagel, 1767)** (Geometridae) *Phalaena nigropunctata* Hufnagel, 1767, Berl. Mag. 4:
- 3050. *Scopula ochraceata* (Staudinger, 1901)** (Geometridae) *Acidalia rubiginata* var. *ochraceata* Staudinger, 1901, Cat. Lepid. Palaearkt. Faunengeb. 3(1): 273. nr. 3053a. Lectotype ♂: Russia: Sarepta (MNHU).

- 3051. *Scopula orientalis* (Alpheraky,1876)** (Geometridae) *Acidalia decorata* var. *orientalis* Alpheraky,1876, Trudy russk. ent. Obsch. 8: 197. Syntypes: Russia: Taganrog.
- 3052. *Scopula ornata* (Scopoli,1763)** (Geometridae) *Phalaena ornata* Scopoli,1763, Entomologia Carniolica: 219. Type(s): [Slovenien]: Carniolia [Krain].
- 3053. *Scopula ornata ornata* (Scopoli,1763)** (Geometridae) *Phalaena ornata* Scopoli,1763, Entomologia Carniolica: 219. Type(s): [Slovenien]: Carniolia [Krain].
- 3054. *Scopula rubiginata* (Hufnagel,1767)** (Geometridae) *Phalaena rubiginata* Hufnagel,1767, Berl. Mag. 3:610. Type(s): Deutschland: Berlin.
- 3055. *Scopula submutata* (Treitschke,1828)** (Geometridae) *Idea submutata* Treitschke,1828, Schmett. Eur. 6 (2): 277. Syntypes: Croatia.
- 3056. *Scopula submutata submutata* (Treitschke,1828)** (Geometridae) *Idea submutata* Treitschke,1828, Schmett. Eur. 6 (2): 277. Syntypes: Croatia.
- 3057. *Scopula subrubellata* Sterneck,1941** (Geometridae) *Scopula subrubellata* Sterneck,1941, Z. wien. EntVer. 26(3): 93. Syntypes: Turkestan.
- 3058. *Scopula subtilata* (Christoph,1867)** (Geometridae) *Acidalia subtilata* Christoph,1867, Stettin ent. Ztg. 28 (4/6): 236. Syntypes ♂♂: [Russia]: Sarepta.
- 3059. *Scopula taifica* Wiltshire,1982** (Geometridae) *taifica* Wiltshire,1982
- 3060. *Scopula ternata* Schrank,1802** (Geometridae) *Scopula ternata* Schrank,1802, Fauna boica 2 (2): 57. Syntypes: [Germania]: [Bayern]: Burghausen.
- 3061. *Scopula transcaspica* L.B.Prout,1935** (Geometridae) *Scopula submutata* ssp.? *transcaspica* L.B.Prout,1935, [in] Seitz, Gross-Schmett. Erde 3 (suppl.): 40 (5a). Syntypes 2♂: [Turkmenistan]: Ashkhabad.
- 3062. *Scopula transcaspica transcaspica* L.B.Prout,1935** (Geometridae) *Scopula submutata* ssp.? *transcaspica* L.B.Prout,1935, [in] Seitz, Gross-Schmett. Erde 3 (suppl.): 40 (5a). Syntypes 2♂: [Turkmenistan]: Ashkhabad.
- 3063. *Scopula turbidaria* (Hübner,[1819])** (Geometridae) *Geometra turbidaria* Hübner,[1819], Samml. eur. Schmett. 5: pl.97, fig.501. Type: Europa.
- 3064. *Scopula umbelaria* (Hübner,[1813])** (Geometridae) *Geometra umbelaria* Hübner,[1813], Samml. eur. Schmett. 5: pl.85, figs. 437, 438. Syntypes: Europa.
- 3065. *Scopula vigilata* (Wagner,1926)** (Geometridae) *Acidalia submutata* var. *vigilata* Wagner,1926, Z. öster. Ent. Ver. 11 (9): 84, 86, fig. Lectotype ♂: Sicilia: Palermo (BMNH).
- 3066. *Scopula virgulata* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra virgulata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 117. Type(s): [Austria]: Vienna district.
- 3067. *Scotopteryx Hübner*,[1825]** (Geometridae) *Scotopteryx Hübner*,[1825], Verz. bekannter Schmett.: 338. Type-species: *Geometra tenebraria* Hübner,[1809], Samml. eur. Schmett. 5: pl.64 fig.330, by monotypy.
- 3068. *Scotopteryx alfacaria* (Staudinger,1859)** (Geometridae) *Cidaria alfacaria* Staudinger,1859, Stettin ent. Ztg. 20: 219. Syntypes: [Spain]: Andalusia: Sierra de Alfacar.
- 3069. *Scotopteryx alfacaria albarracina* (Zerny,1927)** (Geometridae) *Ortholitha alfacaria albarracina* Zerny,1927, Eos 3 (3): 408. Syntypes: [Spain]: Sierra Nevada.
- 3070. *Scotopteryx alfacaria alfacaria* (Staudinger,1859)** (Geometridae) *Cidaria alfacaria* Staudinger,1859, Stettin ent. Ztg. 20: 219. Syntypes: [Spain]: Andalusia: Sierra de Alfacar.
- 3071. *Scotopteryx alfacaria transmarina* (Zerny,1934)** (Geometridae) *Ortholitha alfacaria transmarina* Zerny,1934, Z. öst. EntVer. 19 (6): 47. Syntypes: Morocco: Great Atlas: Tachdirt; Tizi n'Tachdirt, 2300-3100m.
- 3072. *Scotopteryx alpherakii* (Erschoff,1877)** (Geometridae) *Ortholitha alpherakii* Erschoff,1877, Horae Soc. ent. ross. 12: 338. Syntypes: Armenia.
- 3073. *Scotopteryx bipunctaria* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra bipunctaria* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 111. Type(s): [Austria]: Vienna district.
- 3074. *Scotopteryx chenopodiata* (Linnaeus,1758)** (Geometridae) *Phalaena chenopodiata* Linnaeus,1758, Syst. Nat. (Edn.10)1: Type(s): [Europa], in *Chenopodium*.
- 3075. *Scotopteryx chenopodiata chenopodiata* (Linnaeus,1758)** (Geometridae) *Phalaena chenopodiata* Linnaeus,1758, Syst. Nat. (Edn.10)1: Type(s): [Europa], in *Chenopodium*.
- 3076. *Scotopteryx coarctaria* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra coarctaria* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 102. Type(s): [Austria]: Vienna district.
- 3077. *Scotopteryx diana* Riemis,1997** (Geometridae) *Scotopteryx diana* Riemis,1997, Phegea 25(): 31, figs. Holotype ♂: Turkey: Bayburt Pr.: Kop Dağı Geçidi (West), 2400-2600m (ZMUA).
- 3078. *Scotopteryx elbursica* (Bytinski-Salz & Brandt,1937)** (Geometridae) *Ortholitha elbursica* Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: 12-13. Holotype ♀: Iran: Nissa.
- 3079. *Scotopteryx langi* (Christoph,1885)** (Geometridae) *Ortholitha langi* Christoph,1885, [in] Romanoff, Mém. lépid. 2: 108-110, pl.5 figs. 9a-b. Syntypes: [Turquie]: Kasikoparan.
- 3080. *Scotopteryx luridata* (Hufnagel,1767)** (Geometridae) *Phalaena luridata* Hufnagel,1767, Berl. Mag. 4:
- 3081. *Scotopteryx moeniata* (Scopoli,1763)** (Geometridae) *Phalaena moeniata* Scopoli,1763, Entomologia Carniolica: 226. Type(s): [Slovenien]: Carniolia [Krain].
- 3082. *Scotopteryx mucronata* (Scopoli,1763)** (Geometridae) *Phalaena mucronata* Scopoli,1763, Entomologia Carniolica: 222. Type(s): [Slovenien]: Carniolia [Krain].
- 3083. *Scotopteryx nebulata* (A.Bang-Haas,1907)** (Geometridae) *Ortholitha nebulata* A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 82-83, Taf.iii fig.4. Type 1♂: [Türkei: Gaziantep]: "Aintab (Klein-Asien)".
- 3084. *Scotopteryx sartata* (Alpheraky,1883)** (Geometridae) *Ortholitha sartata* Alpheraky,1883, Horae Soc. ent. ross. 17: 198-199, Tab. ix fig.99. Syntypes ♂♂: [China: Uighur A.R.]: Archane.
- 3085. *Scotopteryx sinensis* (Alpheraky,1883)** (Geometridae) *Ortholitha sinensis* Alpheraky,1883, Horae Soc. ent. ross. 17: 196-198, Tab. viii fig.74. Syntypes ♂♂: [China: Uighur A.R.]: Archane.
- 3086. *Scotopteryx subvicinaria* (Staudinger,1892)** (Geometridae) *Ortholitha subvicinaria* Staudinger,1892, Dt. ent. Z., Iris 5: 211. Syntypes ♂♂: "Caucasus, 1868" (ex coll. Lederer).
- 3087. *Selenia Hübner*,[1823]** (Geometridae) *Selenia Hübner*,[1823], Verz. bekannter Schmett.: 292. Type-species: *Geometra illunaria* Hübner,[1799], Samml. eur. Schmett. 5: pl.7 figs.36,37, by subsequent designation by Guenée,1857 [in] Boissduval & Guenée, Hist. nat. Insectes 9: 152.
- 3088. *Selenia dentaria* (Fabricius,1775)** (Geometridae) *Phalaena dentaria* Fabricius,1775; Syst. Ent.: 623. Type(s): Anglia.
- 3089. *Selenia lunularia kuldjiana* (Wehrli,1940)** (Geometridae) *Selenia lunaria* ssp. *kuldjiana* Wehrli,1940, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 327 (25b). Syntypes: [China: Uighur A.R.]: Kuldja.
- 3090. *Selenia tetralunaria* (Hufnagel,1767)** (Geometridae) *Phalaena tetralunaria* Hufnagel,1767, Berl. Mag. 4: 506. Type(s): Deutschland: Berlin.
- 3091. *Selidosema Hübner*,[1823]** (Geometridae) *Selidosema Hübner*,[1823]
- 3092. *Selidosema brunnearium syriacarium* Staudinger,1901** (Geometridae) *Selidosema ericetaria* var. *syriacaria* Staudinger,1901, Cat. Lepid. palaearkt. Faunengeb. 3(1): 351. Syntypes: Syria, [Türkei]: Pontus [Amasya].
- 3093. *Selidosema combustarium* Püngeler,1904** (Geometridae) *Selidosema combustaria* Püngeler,1904, Dt. ent. Z., Iris 16: 298, pl.6 fig.18. Holotype ♂: Palestine: Jordan Tal.
- 3094. *Selidosema modestarium* Püngeler,1914** (Geometridae) *Selidosema modestaria* Püngeler,1914, Dt. ent. Z., Iris 28: 52, pl.3 fig.16. Holotype ♂: [Kazachstan]: Baigacum.
- 3095. *Selidosema plumarium* ([Denis & Schiffermüller],1775)** (Geometridae) *Geometra plumaria* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 106. Type(s): [Austria]: Vienna district.
- 3096. *Selidosema plumarium amani* Wehrli,1932** (Geometridae) *Selidosema plumaria* ssp. *amani* Wehrli,1932, Mitt. münch. ent. Ges. 22: 10. Syntypes 5♂: [Türkei]: Amanus, Duldül Dag.
- 3097. *Selidosema rorarium* (Fabricius,1777)** (Geometridae) *Phalaena roraria* Fabricius,1777, Genera Ins.: 285. Type(s): Europa.
- 3098. *Selidosema tamsi* Rebel,1939** (Geometridae) *Selidosema tamsi* Rebel,1939, Mitt. münch. ent. Ges. 29: 539. Holotype ♂: Zypern: Platres (BMNH).
- 3099. *Semiothisa signaria* (Hübner,[1809])** (Geometridae) *Geometra signaria* Hübner,[1809], Samml. eur. Schmett. 5: pl.61, fig.313. Type: Europa.

- 3100. Shangrilana Inoue,1994** (Geometridae) Shangrilana Inoue,1994, Tinea 14 (1): 9. Type-species: Shangrilana paradisea Inoue,1994, by original designation.
- 3101. Shangrilana paradisea Inoue,1994** (Geometridae) Shangrilana paradisea Inoue,1994, Tinea 14 (1): 9. figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP (BMNH).
- 3102. Siona lineata (Scopoli,1763)** (Geometridae) Phalaena lineata Scopoli,1763, Entomologia Carniolica: 218. Type(s): [Slovenien]: Carniolia [Krain].
- 3103. Somatina dentifasciaria Inoue,1992** (Geometridae) Somatina dentifasciaria Inoue,1992, Bull. Fac. domest. Sci. Osuma Wom. Univ. 28: 185, figs.87-91. Holotype ♂: Thailand: Chiang Mai, Doi Suthep (BMNH).
- 3104. Somatina wiltshirei Prout,1938** (Geometridae) Somatina wiltshirei Prout,1938, [in] Seitz,A., Die Gross-Schmett. Erde 4 (suppl.): 220, Taf. 17(c). Syntypes ♂♂: [Iraq]: Rowanduz, Berserini Gorge; Iran: Fars: Ardekan-Talochosroe, 2600m (BMNH).
- 3105. Spargania luctuata ([Denis & Schiffermüller],1775)** (Geometridae) Geometra luctuata [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 316. Type(s): [Austria]: Vienna district.
- 3106. Stamnodes depeculata (Lederer,1870)** (Geometridae) Cidaria depeculata Lederer,1870, Annls Soc. ent. Belg. 13: 40,50-51, pl.2 fig.6. Syntypes: [Georgia]: Transcaucasie.
- 3107. Stamnodes depeculata depeculata (Lederer,1870)** (Geometridae) Cidaria depeculata Lederer,1870, Annls Soc. ent. Belg. 13: 40,50-51, pl.2 fig.6. Syntypes: [Georgia]: Transcaucasie.
- 3108. Stegania dilectaria (Hübner,1790)** (Geometridae) Phalaena dilectaria Hübner,1790, Beitr. Gesch. Schmett. 2(3): 76, Taf.4 fig.W.
- 3109. Stegania dilectaria trimaculoides (Wehrli,1931)** (Geometridae) Lomographa dilectaria ssp. trimaculoides Wehrli,1931, Mitt. münch. ent. Ges. 21: 44. Syntypes 70♂♂: [Türkei]: Marasch (ZSM).
- 3110. Stegania trimaculata (Villers,1789)** (Geometridae) Phalaena trimaculata Villers,1789, Linnaei Entomologia 2: 384.
- 3111. Stigma Alpheraky,1883** (Geometridae) Stigma Alpheraky,1883, Horae Soc. ent. ross. 17: 164. Type-species: Stigma kuldschaensis Alpheraky,1883, by monotypy.
- 3112. Stigma kuldschaensis Alpheraky,1883** (Geometridae) Stigma kuldschaensis Alpheraky,1883, Horae Soc. ent. ross. 17: 164-166, Tab.viii-ix, figs.83,98. Syntypes ♂♂: [China: Uighur A.R.]: Kuldja, 3500-12000ft.
- 3113. Stigma kuldschaensis kuldschaensis Alpheraky,1883** (Geometridae) Stigma kuldschaensis Alpheraky,1883, Horae Soc. ent. ross. 17: 164-166, Tab.viii-ix, figs.83,98. Syntypes ♂♂: [China: Uighur A.R.]: Kuldja, 3500-12000ft.
- 3114. Stueningia Hausmann,1993** (Geometridae) Stueningia Hausmann,1993, Bonn. zool. Beitr. 44 (3/4): 228-229. Type-species: Gnophos poggearia Lederer,1855, by original designation.
- 3115. Stueningia poggearia (Lederer,1855)** (Geometridae) Gnophos poggearia Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 212, t.3 fig.5. Type: [Lebanon]: Beirut.
- 3116. Stueningia poggearia meyi Hausmann,1993** (Geometridae) Stueningia poggearia ssp. meyi Hausmann,1993, Bonn. zool. Beitr. 44 (3/4): 230, Abb.4. Holotype ♂: Syria: 25km W Damascus, 2-3.vi.61, leg. Kasy & Vartian (ZSM).
- 3117. Stueningia poggearia poggearia (Lederer,1855)** (Geometridae) Gnophos poggearia Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 212, t.3 fig.5. Type: [Lebanon]: Beirut.
- 3118. Stueningia wolffi Hausmann,1993** (Geometridae) Stueningia wolffi Hausmann,1993, Bonn. zool. Beitr. 44 (3/4): 230-232, Abb.1. Holotype ♂: Türkei: S. Anatolien, Karapinar, 995m, 12.vi.69, leg. G. Friedel (ZSM).
- 3119. Stueningia wolffi taurica Hausmann,1993** (Geometridae) Stueningia wolffi ssp. taurica Hausmann,1993, Bonn. zool. Beitr. 44 (3/4): 232, Abb.2. Holotype ♂: [Türkei]: [Maraş Prov.]: "Taurus Marasch" (ZSM).
- 3120. Stueningia wolffi wolffi Hausmann,1993** (Geometridae) Stueningia wolffi Hausmann,1993, Bonn. zool. Beitr. 44 (3/4): 230-232, Abb.1. Holotype ♂: Türkei: S. Anatolien, Karapinar, 995m, 12.vi.69, leg. G. Friedel (ZSM).
- 3121. Synopsis Hübner,[1825]** (Geometridae) Synopsis Hübner,[1825], Verz. bekannter Schmett.:
- 3122. Synopsis sociaria (Hübner,[1799])** (Geometridae) Geometra sociaria Hübner,[1799], Samml. eur. Schmett. 5: pl.29, fig.155. Type: Europa.
- 3123. Tephрина arenacearia ([Denis & Schiffermüller],1775)** (Geometridae) Geometra arenacearia [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district.
- 3124. Tephрина hopfferaria (Staudinger,1879)** (Geometridae) Eubolia hopfferaria Staudinger,1879, Horae Soc. ent. ross. 14: 458-460. Syntypes: [Türkei]: Amasia (Caraman) (Emil & Johann leg.).
- 3125. Tephрина murinaria ([Denis & Schiffermüller],1775)** (Geometridae) Geometra murinaria [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district.
- 3126. Tephronia Hübner,[1825]** (Geometridae) Tephronia Hübner,[1825], Verz. bekannter Schmett.:
- 3127. Tephronia arenbergeri (Hausmann,1995)** (Geometridae) Eumannia arenbergeri Hausmann,1995, Mitt. münch. ent. Ges. 85: 107. Holotype ♂: Cyprus.
- 3128. Tephronia fumosata (Hausmann,1995)** (Geometridae) Eumannia fumosata Hausmann,1995, Mitt. münch. ent. Ges. 85: 74, figs. Holotype ♀: N. Jordanien: Wadi Sir, nr. Amman (BMNH).
- 3129. Tephronia oppositaria Mann,1864** (Geometridae) Tephronia oppositaria Mann,1864, Wien. ent. Monatschr. 8: 178-179, Taf.4 fig.4. Syntypes ♂♂: [Türkei]: Brussa [Bursa].
- 3130. Tephronia oppositaria oppositaria Mann,1864** (Geometridae) Tephronia oppositaria Mann,1864, Wien. ent. Monatschr. 8: 178-179, Taf.4 fig.4. Syntypes ♂♂: [Türkei]: Brussa [Bursa].
- 3131. Tephronia oranaria Staudinger,1892** (Geometridae) Tephronia oranaria Staudinger,1892, Dt. ent. Z., Iris 5: 179-180. Syntypes 3♂♂ 2♀: [Algeria]: Provinz Oran.
- 3132. Tephronia sepiaria (Hufnagel,1767)** (Geometridae) Phalaena sepiaria Hufnagel,1767, Berl. Mag. 4: 516, 624. Type(s): Deutschland: Berlin.
- 3133. Thaleria Hübner,[1823]** (Geometridae) Thaleria Hübner,[1823], Verz. bekannter Schmett.: 285. Type-species: Phalaena thymiararia Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 859, by subsequent designation by Moore,[1887], Lepid. Ceylon 3: 428.
- 3134. Thaleria fimbrialis (Scopoli,1763)** (Geometridae) Phalaena fimbrialis Scopoli,1763, Entomologia Carniolica: 216. Type(s): [Slovenien]: Carniolia [Krain].
- 3135. Thaleria fimbrialis fimbrialis (Scopoli,1763)** (Geometridae) Phalaena fimbrialis Scopoli,1763, Entomologia Carniolica: 216. Type(s): [Slovenien]: Carniolia [Krain].
- 3136. Thera (Pennithera) Viidalepp,1980** (Geometridae) Pennithera Viidalepp,1980
- 3137. Thera (Pennithera) firmata (Hübner,[1822])** (Geometridae) Geometra firmata Hübner,[1822], Samml. eur. Schmett. 5: pl.100, fig.515. Type: Europa.
- 3138. Thera (s.str.) cognata (Thunberg,1792)** (Geometridae) Phalaena cognata Thunberg,1792, Dissertatio Ent. sistens Insecta Svecica 4: 60. Lectotype ♀: Sweden (Karsholt & Nielsen, 1985: 441).
- 3139. Thera (s.str.) cupressata (Geyer,[1831])** (Geometridae) Chesias cupressata Freyer,[1830], Beitr. Gesch. eur. Schmett. 3: 49, Tab.108.
- 3140. Thera (s.str.) juniperata (Linnaeus,1758)** (Geometridae) Phalaena juniperata Linnaeus,1758, Syst. Nat. (Edn.10): 527. Type(s): [Europa], in Juniperus.
- 3141. Thera (s.str.) variata ([Denis & Schiffermüller],1775)** (Geometridae) Geometra variata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 110. Type(s): [Austria]: Vienna district.
- 3142. Thera (s.str.) vetustata ([Denis & Schiffermüller],1775)** (Geometridae) Geometra vetustata [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 114. Type(s): [Austria]: Vienna district.
- 3143. Therapis Hübner,[1823]** (Geometridae) Therapis Hübner,[1823], Verz. bekannter Schmett.: 288. Type-species: Geometra flavicaria [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 104, by subsequent designation by Fletcher,1979, [in] Nye, Generic names moths...3: 204.
- 3144. Therapis flavicaria ([Denis & Schiffermüller],1775)** (Geometridae) Geometra flavicaria [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district.
- 3145. Thera rupicaprararia ([Denis & Schiffermüller],1775)** (Geometridae) Geometra rupicaprararia [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 105. Type(s): [Austria]: Vienna district.

- 3146. *Thetidia correspondens* Alpheraky, 1883** (Geometridae) *Phorodesma fulminaria* var. *correspondens* Alpheraky, 1883, Horae Soc. ent. ross. 17: 157, Tab. ix fig. 85. Syntypes: [China: Uighur A.R.]: Kuldja: vallée de l'Ili (2000').
- 3147. *Thetidia eurythra* (L.B. Prout, 1935)** (Geometridae) *Aglossochloris crucigerata* ssp. *eurythra* Prout, 1935, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 18 (3c). Type ♀: Transjordan: Amman (BMNH).
- 3148. *Thetidia persica* Hausmann, 1996** (Geometridae) *Thetidia* (*Antonechloris*) *persica* Hausmann, 1996, Nota lepid. 19 (1/2): 27-29, figs. Holotype ♂: Iran: Elburs mts. c.s., Tacht i Suleiman, Sardab Tal (Vandarbad), 2500-2700m, leg. Pfeiffer & Forster (ZSM).
- 3149. *Thetidia plusiaria* Boisduval, 1840** (Geometridae) *Thetidia plusiaria* Boisduval, 1840, Genera Index meth. eur. Lepid.: 189. Syntypes: Spain, Algeria.
- 3150. *Thetidia prasinaria* (Eversmann, 1837)** (Geometridae) *Geometra prasinaria* Eversmann, 1837, Bull. Soc. imp. Nat. Moscou 1837 (6): 52. Syntypes: [Russia]: Orenburg, Volga, Kasan.
- 3151. *Thetidia radiata* Walker, [1863]** (Geometridae) *Thetidea* ? *radiata* Walker, [1863], List Specimens lepid. Insects Colln Br. Mus. 26: 1567. Type ♂: [India]: North Hindostan (BMNH).
- 3152. *Thetidia serraria* (Staudinger, 1892)** (Geometridae) *Phorodesma smaragdaria* var. ? *serraria* Staudinger, 1892, Dt. ent. Z., Iris 5: 141-142. Type ♀: [Kirgisistan]: "Transalai (Centralasien)".
- 3153. *Thetidia smaragdaria* (Fabricius, 1787)** (Geometridae) *Phalaena smaragdaria* Fabricius, 1787, Mant. Ins. 2: 192, nr. 67. Type(s): Austria.
- 3154. *Thetidia smaragdaria anomica* (Prout, 1935)** (Geometridae) *Euchloris smaragdaria* subsp. (?sp) *anomica* Prout, 1935, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 17 (3b). Type: [Kirgisistan]: Issyk-Kul (Bir-Basch) (Tring Mus.).
- 3155. *Thetidia smaragdularia* (Staudinger, 1892)** (Geometridae) *Phorodesma smaragdularia* Staudinger, 1892, Dt. ent. Z., Iris 5: 142-143. Syntypes 10♂: [Uzbekistan]: "Margelan"; [Kirgisistan]: "Transalai".
- 3156. *Timandra comae* Schmidt, 1931** (Geometridae) *Timandra amata* f. (spec. n?) *comae* Schmidt, 1931, Int. ent. Z. 25 (6): 57. Type ♂: Spain: Murcia, Alberca (TMB).
- 3157. *Trichopterigia viridilineata* Hashimoto, 1995** (Geometridae) *Trichopterigia viridilineata* Hashimoto, 1995, Trans. lepid. Soc. Japan 46 (3): 134-135. Holotype ♀: Thailand: Chiang Mai, Doi Inthanon, 2571m.
- 3158. *Trichopteryx polycommata* ([Denis & Schiffermüller], 1775)** (Geometridae) *Geometra polycommata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109. Type(s): [Austria]: Vienna district.
- 3159. *Triphosa Stephens*, 1829** (Geometridae) *Triphosa* Stephens, 1829
- 3160. *Triphosa agnata* Le Cerf, 1918** (Geometridae) *Triphosa agnata* Le Cerf, 1918, Bull. Mus. natn. Hist. nat. Paris 1918: 412. Holotype ♂: [Turquie]: "Césarée (Cappadoce)" (MNHNP).
- 3161. *Triphosa dubitata* (Linnaeus, 1758)** (Geometridae) *Phalaena dubitata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 524. Type(s): Europa.
- 3162. *Triphosa taochata* Lederer, 1870** (Geometridae) *Triphosa taochata* Lederer, 1870, Annl. Soc. ent. Belg. 13: 40, pl. 2 fig. 5. Syntypes: [Georgia]: Achalziche, Hankynda.
- 3163. *Venusia blomeri* (Curtis, 1832)** (Geometridae) *Melanippe blomeri* Curtis, 1832, Br. Ent. 9: folio 416, pl. 416. Syntypes: Britain: Durham, Castle Eden Dene.
- 3164. *Venusia blomeri blomeri* (Curtis, 1832)** (Geometridae) *Melanippe blomeri* Curtis, 1832, Br. Ent. 9: folio 416, pl. 416. Syntypes: Britain: Durham, Castle Eden Dene.
- 3165. *Wehrliola Strand*, 1932** (Geometridae) *Wehrliola* Strand, 1932, Folia zool. hydrobiol. 4: 147. Type-species: *Aspilates revocaria* Staudinger, 1892.
- 3166. *Wehrliola revocaria* (Staudinger, 1892)** (Geometridae) *Aspilates revocaria* Staudinger, 1892, Dt. ent. Z., Iris 5: 203-204, Taf. 2 f. 16. Type: [Lebanon]: Beirut.
- 3167. *Xandrames albofasciata* Moore, 1868** (Geometridae) *Xandrames albofasciata* Moore, 1868, Proc. zool. Soc. London 1867: 635.
- 3168. *Xandrames xanthos* Sato, 1996** (Geometridae) *Xandrames xanthos* Sato, 1996, Trans. lepid. Soc. Japan 47(4): 227, figs. 3, 4. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP 1600m 22-24.x.1984 (ZMC).
- 3169. *Xanthisthisa terna* Herbulot, 1984** (Geometridae) *Xanthisthisa terna* Herbulot, 1984, Mém. Mus. natn. Hist. nat. Paris (A) 128: 11, pl. 1 figs. 4, 10. Holotype ♂: Ethiopie: Shoa, Menagesha 3000m 4.xi.1981 (coll. Rougeot).
- 3170. *Xanthorhoe Hübner*, [1825]** (Geometridae) *Xanthorhoe* Hübner, [1825], Verz. bekannter Schmett.: 327. Type-species: *Geometra montanata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113, by subsequent designation by Warren, 1893, Proc. Zool. Soc. Lond. 1893: 376.
- 3171. *Xanthorhoe designata* (Hufnagel, 1767)** (Geometridae) *Phalaena designata* Hufnagel, 1767, Berl. Mag. 4:
- 3172. *Xanthorhoe fluctuata* (Linnaeus, 1758)** (Geometridae) *Phalaena fluctuata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 527. Type(s): [Europa].
- 3173. *Xanthorhoe inconsiderata* (Staudinger, 1892)** (Geometridae) *Cidaria inconsiderata* Staudinger, 1892, Dt. ent. Z., Iris 5: 226. Syntypes 2♂: [Türkei]: Amasia.
- 3174. *Xanthorhoe montanata* ([Denis & Schiffermüller], 1775)** (Geometridae) *Geometra montanata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district.
- 3175. *Xanthorhoe rectifasciaria* (Lederer, 1853)** (Geometridae) *Cidaria rectifasciaria* Lederer, 1853, Verh. zool.-bot. Ver. Wien 3: 265-266. Type ♂: [Aserbaidjan]: Elisabethopol [=Kirovabad].
- 3176. *Xanthorhoe rectifasciaria rector* Wiltshire, 1976** (Geometridae) *Xanthorhoe rectifasciaria* ssp. *rector* Wiltshire, 1976, Z. ArbGem. öst. Ent. 27 (3/4): 80, pl. I figs. 8a, b, pl. II fig. 3. Holotype ♂: Turkey: Pontic Mts., north of Zigana Pass, 1500m 9.vi.69 (F. Kasy leg.) (NHMW).
- 3177. *Xanthorhoe spadicearia* ([Denis & Schiffermüller], 1775)** (Geometridae) *Geometra spadicearia* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district.
- 3178. *Xanthorhoe tianschanica* (Alpheraky, 1883)** (Geometridae) *Cidaria tianschanica* Alpheraky, 1883, Horae Soc. ent. ross. 17: 213-215, Tab. viii figs. 70-71. Syntypes ♂♂: [China: Uighur A.R.]: Archane, Joudousse.
- 3179. *Xenochlorodes* W. Warren, 1897** (Geometridae) *Xenochlorodes* Warren, 1897, Novit. zool. 4: 47. Type-species: *Xenochlorodes pallida* Warren, 1897, ibidem 4: 47, by original designation.
- 3180. *Xenochlorodes olympiaria* (Herrich-Schäffer, [1852])** (Geometridae) *Geometra olympiaria* Herrich-Schäffer, [1852], Syst. Bearb. Schmett. Eur. 6: 63, fig. 539. Type(s): [Türkei]: Brussa [Bursa: Uludağ].
- 3181. *Zamarada triangularis* Pierre-Baltus, 2004** (Geometridae) *Zamarada triangularis* Pierre-Baltus, 2004, Bull. Soc. ent. Fr. 109 (5): 471.
- 3182. *Zerenopsis* R. Felder, 1874** (Geometridae) *Zerenopsis* Felder, 1874, [in] Felder & Rogenhofer, 1874, Reise öst. Fregatte Novarra (Zool.) 2 (Abt. 2): pl. 100 fig. 19. Type-species: *Zerenopsis leopardina* Felder, 1874, bu monotypy.
- 3183. *Zerenopsis leopardina* Felder, 1874** (Geometridae) *Zerenopsis leopardina* Felder, 1874, [in] Felder & Rogenhofer, 1874, Reise öst. Fregatte Novarra (Zool.) 2 (Abt. 2): 10, pl. 100 fig. 19. Syntypes ♂: [South Africa]: Natal (BMNH).
- 3184. *Zerenopsis lepida* (Walker, 1854)** (Geometridae) *Deiopeia lepida* Walker, 1854, List Specimens lepid. Insects Colln Br. Mus. 2: 571. Type: [South Africa]: Port Natal (BMNH).
- 3185. *Electrographa argentifasciata* (Arita, 1985)** (Glyphipterygidae) *Carmentina argentifasciata* Arita, 1985, Tyo to Ga 36: 87-90, figs.
- 3186. *Electrographa thiolychna* Meyrick, 1912** (Glyphipterygidae) *Electrographa thiolychna* Meyrick, 1912, Exot. Microlepid. 1: 63. Syntypes: [Myanmar]: Burma.
- 3187. *Glyphipterix Hübner*, [1825]** (Glyphipterygidae) *Glyphipterix* Hübner, [1825], Verz. bekannter Schmett.: 421. Type-species: *Tinea bergstrasserella* Fabricius, 1781, Species Insect. 2: 302, by subsequent designation by the ICZN, 1986, Bull. zool. Nom. 43: (Opinion 1418): 325.
- 3188. *Glyphipterix persica* Diakonoff, 1979** (Glyphipterygidae) *Glyphipterix persica* Diakonoff, 1979, Zool. Meded. 54 (21): 309-311, fig. Holotype ♂: Iran: Fars: 80km wetl. Shiraz (NHMW).
- 3189. *Glyphipterix pertenuis* Diakonoff, 1979** (Glyphipterygidae) *Glyphipterix pertenuis* Diakonoff, 1979, Zool. Meded. 54 (21): 306-307, fig. Holotype ♂: Tunesia: El Ariana (RMNH).
- 3190. *Acrocercops aeolella* (Meyrick, 1880)** (Gracillariidae) *Coriscium aeolellum* Meyrick, 1880, Proc. linn. Soc. N.S. Wales 5: 167.

- 3191. *Acrocercops heteroloba* Meyrick, 1932** (Gracillariidae) *Acrocercops heteroloba* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 116. Syntypes 2♂: [Ethiopia]: Jem-Jem Forest, 8000-9000ft. (BMNH).
- 3192. *Acrocercops horrens* Meyrick, 1932** (Gracillariidae) *Acrocercops horrens* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 116. Type ♂: [Ethiopia]: Jem-Jem Forest, over 8000ft. (BMNH).
- 3193. *Acrocercops orianassa* Meyrick, 1932** (Gracillariidae) *Acrocercops orianassa* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 116. Type ♂: [Ethiopia]: Mt. Zukwala, 9000ft. (BMNH).
- 3194. *Acrocercops symbolopsis* Meyrick, 1936** (Gracillariidae) *Acrocercops symbolopsis* Meyrick, 1936, Exot. Microlepid. 5: 35. Type ♀: [Thailand]: Siam (BMNH).
- 3195. *Aspilapteryx (Sabulopteryx) inquinata* Triberti, 1985** (Gracillariidae) *Aspilapteryx (Sabulopteryx) inquinata* Triberti, 1985, Z. ArbGem. öst. Ent. 37(1/2): 5-6, figs. Holotype ♂: [Türkei]: 40km östl. Ankara (NHMW).
- 3196. *Aspilapteryx (s.str.) seriata* (Meyrick, 1912)** (Gracillariidae) *Gracilaria seriata* Meyrick, 1912, Exot. Microlepid. 1: 27. Type ♂: [South Africa]: "Transvaal, Barberton".
- 3197. *Caloptilia (s.str.) braccatella* (Staudinger, 1870)** (Gracillariidae) *Gracilaria braccatella* Staudinger, 1870, Horae Soc. ent. ross. 7: 274. Lectotype ♀: [Türkei]: Smyrna [Izmir], designated by Triberti (1984) (ZMBH).
- 3198. *Caloptilia (s.str.) hemiconis* (Meyrick, 1894)** (Gracillariidae) *Antiolopha hemiconis* Meyrick, 1894, Trans. ent. Soc. Lond. 1894: 25. Syntypes 2♀: [Myanmar]: Upper Burma: Koni.
- 3199. *Caloptilia (s.str.) hemidactylella* ([Denis & Schiffmüller], 1775)** (Gracillariidae) *Tinea hemidactylella* [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 144. Type(s): [Austria]: Vienna district.
- 3200. *Caloptilia (s.str.) macropleura* (Meyrick, 1932)** (Gracillariidae) *Gracilaria macropleura* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 117. Type ♂: [Ethiopia]: Jem-Jem Forest.
- 3201. *Caloptilia (s.str.) pallescens* (Staudinger, 1880)** (Gracillariidae) *Gracilaria pallescens* Staudinger, 1880, Horae Soc. ent. ross. 15: 355-356. Type ♂: [Türkei]: Amasia (Caraman).
- 3202. *Ectropina citricula* (Meyrick, 1912)** (Gracillariidae) *Gracilaria citricula* Meyrick, 1912, Exot. Microlepid. 1: 26. Type ♂: [South Africa]: "Transvaal, Barberton".
- 3203. *Ectropina ligata* (Meyrick, 1912)** (Gracillariidae) *Gracilaria ligata* Meyrick, 1912, Exot. Microlepid. 1: 26-27. Type ♂: [South Africa]: "Transvaal, Barberton".
- 3204. *Eteoryctis syngamma* (Meyrick, 1914)** (Gracillariidae) *Acrocercops syngamma* Meyrick, 1914, J. Bombay nat. Hist. Soc. 23 (1): 184. Syntypes: India: Karwar [Karnataka], Kanara (BMNH).
- 3205. *Gracilaria chalcantes* Meyrick, 1894** (Gracillariidae) *Gracilaria chalcantes* Meyrick, 1894, Trans. ent. Soc. Lond. 1894: 25. Syntypes 2♂: [Myanmar]: Upper Burma: Koni.
- 3206. *Gracilaria syringella* (Fabricius, 1794)** (Gracillariidae) *Tinea syringella* Fabricius, 1794, Ent. Syst. 3 (2): 328. Syntypes: Germania.
- 3207. *Metacercops hexactis* (Meyrick, 1932)** (Gracillariidae) *Parectopa hexactis* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 117. Syntypes 3♂♂: [Ethiopia]: Jem-Jem Forest.
- 3208. *Micrurapteryx parvula* Amsel, 1935** (Gracillariidae) *Micrurapteryx parvula* Amsel, 1935, Mitt. zool. Mus. Berlin 20: 308, Taf. 12, fig. 149. Type: [Israel]: "Jordanbrücke".
- 3209. *Neurostrotia gunniella* (Busck, 1906)** (Gracillariidae) *Acrocercops gunniella* Busck, 1906, Proc. U. S. Nat. Mus. 30: 731. Type: [U.S.A.]: Texas: Brownsville (USNM).
- 3210. *Phyllocnistis Zeller, 1848*** (Gracillariidae) *Phyllocnistis* Zeller, 1848, Linn. ent. 3: 250, 264. Type-species: *Phyllocnistis suffusella* Zeller, 1848, ibidem 3: 266, figs 31-34, by subsequent designation by Hampson, 1918, Novit. zool. 25: 387.
- 3211. *Phyllocnistis citrella* Stainton, 1856** (Gracillariidae) *Phyllocnistis citrella* Stainton, 1856, Trans. ent. Soc. Lond. (n.s.) (2) 3(8): 302-303. Syntypes: India: Calcutta (BMNH).
- 3212. *Phyllonorycter anatolica* (Deschka, 1970)** (Gracillariidae) *Lithocolletis (Phyllonorycter) anatolica* Deschka, 1970, Polskie Pismo Ent. 40: 739-743, figs. Holotype ♂: [Türkei]: "Asia min., Turcia, Gebze (Izmit)", Glaser leg.
- 3213. *Phyllonorycter cydoniella* ([Denis & Schiffmüller], 1775)** (Gracillariidae) *Tinea cydoniella* [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 144. Type(s): [Austria]: Vienna district.
- 3214. *Phyllonorycter deleta* Staudinger, 1880** (Gracillariidae) *Phyllonorycter deleta* Staudinger, 1880, Horae Soc. ent. ross. 15: 413-414. Type ♂: [Türkei]: Amasia (Maidan).
- 3215. *Phyllonorycter flava* Deschka, 1975** (Gracillariidae) *Phyllonorycter flava* Deschka, 1975, Z. ArbGem. öst. Ent. 26 (2/4): 42-44, figs. Holotype ♂: [Türkei]: Asia min., Pülümür, südöstl. Erzincan 1500m, F.Kasy leg. (NHMW).
- 3216. *Phyllonorycter helianthemella* (Herrich-Schäffer, 1861)** (Gracillariidae) *Lithocolletis helianthemella* Herrich-Schäffer, 1861, Neue Schmett. 3: 20, fig. 115. Syntypes: [Deutschland]: Regensburg.
- 3217. *Phyllonorycter libanotica* (Deschka, 1972)** (Gracillariidae) *Lithocolletis (=Phyllonorycter) libanotica* Deschka, 1972, Ent. Ber., Amst. 32: 88-90, 3 figs. Holotype ♂: Libanon: 5km NO Beirut (Kasy & Vartian leg., 9.6.61).
- 3218. *Spulerina isonoma* (Meyrick, 1916)** (Gracillariidae) *Acrocercops isonoma* Meyrick, 1916, Exot. lepid. 1: 625. Type: India.
- 3219. *Heliodines Stainton, 1854*** (Heliodinidae) *Heliodines* Stainton, 1854, Insecta Br. (Lepid., Tineina): 243. Type-species: *Phalaena roesella* Linnaeus, 1758, Syst. Nat. (Edn 10) 1: 541, by monotypy.
- 3220. *Antispila metallella* ([Denis & Schiffmüller], 1775)** (Heliozelidae) *Tinea metallella* [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 144. Type(s): [Austria]: Vienna district.
- 3221. *Antihepalus antarcticus* (Wallengren, 1860)** (Hepialidae) *Hepialus antarcticus* Wallengren, 1860, Wien. ent. Monatschr. 4 (2): 43.
- 3222. *Endoclista chalybeatus* (Moore, 1879)** (Hepialidae) *Phassus chalybeatus* Moore, 1879, Proc. zool. Soc. London 1879: 412. Type: Darjeeling.
- 3223. *Endoclista signifer* (Walker, 1856)** (Hepialidae) *Phassus signifer* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1768.
- 3224. *Hepialus Fabricius, 1775*** (Hepialidae) *Hepialus* Fabricius, 1775, Syst. Ent.: 589. Type-species: *Phalaena humuli* Linnaeus, 1758, Syst. Nat. (Edn 10) 1: 508, by subsequent designation by Latreille, 1810, Considérations gén. Ordre nat. Anim.: 441.
- 3225. *Korscheltellus lupulinus* (Linnaeus, 1758)** (Hepialidae) *Phalaena lupulina* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 508. Type(s): Europa.
- 3226. *Leto venus* (Stoll, 1780)** (Hepialidae) *Phalaena venus* Stoll, [1780], [in] Cramer, Uitl. Kap. 3: pl. 286.
- 3227. *Pharmacis carna* ([Denis & Schiffmüller], 1775)** (Hepialidae) *Bombyx carna* [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 310. Type(s): [Austria]: Vienna district.
- 3228. *Pharmacis claudiae* Kristal, Hirneisen & Steiner, 1994** (Hepialidae) *Pharmacis claudiae* Kristal, Hirneisen & Steiner, 1994, Nota lepid. 17 (1/2): 54, figs. Holotype ♂: Italia: Italian Alps: Aosta (Valtournenche).
- 3229. *Triodia Hübner, 1820*** (Hepialidae) *Triodia* Hübner, [1820], Verz. bekannter Schmett.: 198. Type-species: *Phalaena sylvina* Linnaeus, 1761, Fauna Suecica (Edn 2): 306, by subsequent designation by Viette, 1949, Lambillionea 49: 103.
- 3230. *Triodia amasina* (Herrich-Schäffer, [1851])** (Hepialidae) *Hepialus amasina* Herrich-Schäffer, [1851], Syst. Bearb. Schmett. Eur. Taf. Hepial. fig. 7; ibid. 6: 30. Type(s): [Türkei]: Amasia.
- 3231. *Zenophassus Tindale, 1941*** (Hepialidae) *Zenophassus* Tindale, 1941, Rec. S. Aust. Mus. 7: 17. Type-species: *Hepialus schamyl* Christoph, 1888, Horae Soc. ent. ross. 22: 309, by original designation.
- 3232. *Zenophassus schamyl* (Christoph, 1888)** (Hepialidae) *Hepialus schamyl* Christoph, 1888, Horae Soc. ent. ross. 22: 309. Syntypes ♂♂: [Georgia]: Borshom; westl. Kaukasus.
- 3233. *Abantis Hopffer, 1855*** (Hesperiidae) *Abantis* Hopffer, 1855, Ber. Verhandl. K. Preuss. Akad. Wissenschaften Berlin 1855: 643. Type-species: *Abantis tettensis* Hopffer, 1855, ibid. 1855: 643, by monotypy.
- 3234. *Abantis contigua* Evans, 1937** (Hesperiidae) *Abantis venosa* ssp. *contigua* Evans, 1937, Catalogue African Hesperidae in the British Museum: 55. Holotype ♂: Uganda: Mabira Forest, Chagwe, 3600ft (BMNH).
- 3235. *Abantis contigua contigua* Evans, 1937** (Hesperiidae) *Abantis venosa* ssp. *contigua* Evans, 1937, Catalogue African Hesperidae in the British Museum: 55. Holotype ♂: Uganda: Mabira Forest, Chagwe, 3600ft (BMNH).
- 3236. *Acada Evans, 1937*** (Hesperiidae) *Acada* Evans, 1937, A Catalogue of African Hesperidae...: 108. Type-species: *Pamphila biseriata* Mabilie, 1893, by original designation.

- 3237. Acleros Mabilie,[1886]** (Hesperiidae) Acleros Mabilie,[1886], [in] Grandidier, Hist. phys. nat. pol. Madagascar 18 (2): pl.54. Type-species: Cyclopides leucopyga Mabilie,1877, by monotypy.
- 3238. Actinor E.Y.Watson,1893** (Hesperiidae) Actinor Watson,1893, Proc. zool. Soc. Lond. 1893: 92, 108. Type-species: Halpe radians Moore,1878, by original designation.
- 3239. Actinor radians (Moore,1878)** (Hesperiidae) Halpe radians Moore,1878, Proc. zool. Soc. Lond. 48 (3): 690, pl. 45 fig.1. Type ♂: India: Dharmasala (BMNH).
- 3240. Actinor radians radians (Moore,1878)** (Hesperiidae) Halpe radians Moore,1878, Proc. zool. Soc. Lond. 48 (3): 690, pl. 45 fig.1. Type ♂: India: Dharmasala (BMNH).
- 3241. Aeromachus De Nicéville,1890** (Hesperiidae) Aeromachus De Nicéville,1890, J. Bombay nat. Hist. Soc. 5(3): 214. Type-species: Thanaos stigmata Moore,1878, by original designation.
- 3242. Aeromachus inachus (Ménétriés,1858)** (Hesperiidae) Pyrgus inachus Ménétriés,1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 217, nr. 19. Syntypes: Russia: Amur.
- 3243. Aeromachus inachus inachus (Ménétriés,1858)** (Hesperiidae) Pyrgus inachus Ménétriés,1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 217, nr. 19. Syntypes: Russia: Amur.
- 3244. Aeromachus stigmatus (Moore,1878)** (Hesperiidae) Thanaos stigmata Moore,1878, Proc. zool. Soc. Lond. 48 (3): 694. Type ♂: India: Mussoorie (BMNH).
- 3245. Aeromachus stigmatus stigmatus (Moore,1878)** (Hesperiidae) Thanaos stigmata Moore,1878, Proc. zool. Soc. Lond. 48 (3): 694. Type ♂: India: Mussoorie (BMNH).
- 3246. Aguna metophis (Latreille,[1824])** (Hesperiidae) Hesperia metophis Latreille,[1824], Ency. Meth. 9: 729. Type: "Brasil".
- 3247. Aguna metophis metophis (Latreille,[1824])** (Hesperiidae) Hesperia metophis Latreille,[1824], Ency. Meth. 9: 729. Type: "Brasil".
- 3248. Alenia Evans,1935** (Hesperiidae) Alenia Evans,1935, [in] Carpenter, Trans. R. ent. Soc. Lond. 83 (3): 409. Type-species: Pyrgus sandaster Trimen,1868, by original designation.
- 3249. Ampittia Moore,[1882]** (Hesperiidae) Ampittia Moore,[1882], Lepid. Ceylon 1(4): 171. Type-species: Hesperia maro Fabricius,1798, Suppl. Ent. Syst.: 432, by original designation.
- 3250. Ampittia dioscorides (Fabricius,1793)** (Hesperiidae) Hesperia dioscorides Fabricius,1793, Ent. Syst. 3(1): 329. Type(s): Tranquebariae.
- 3251. Ampittia dioscorides dioscorides (Fabricius,1793)** (Hesperiidae) Hesperia dioscorides Fabricius,1793, Ent. Syst. 3(1): 329. Type(s): Tranquebariae.
- 3252. Andronymus Holland,1896** (Hesperiidae) Andronymus Holland,1896, Proc. zool. Soc. Lond. 1896: 80. Type-species: Pamphila philander Hopffer,1855, by original designation.
- 3253. Ankola Evans,1937** (Hesperiidae) Ankola Evans,1937, A Catalogue of African Hesperiidae...: 106. Type-species: Osmodes ? fan Holland,1894, by original designation.
- 3254. Apyrrothrix araxes araxes (Hewitson,1867)** (Hesperiidae) Erycides araxes Hewitson,1867, Descr. one-hundred new species, Hesp. (1): 2. Type: Mexico (BMNH).
- 3255. Apyrrothrix araxes arizonae Godman & Salvin,[1893]** (Hesperiidae) Pyrrhopyge araxes ssp. arizonae Godman & Salvin,[1893], Biol. Cent.-Americana, Lepid. Rhop. 2: 253. Holotype: U.S.A.: Graham Co., Arizona, nr. Fort Grant (BMNH).
- 3256. Artitropa Holland,1896** (Hesperiidae) Artitropa Holland,1896, Proc. zool. Soc. Lond. 1896: 92. Type-species: Pamphila erynnis Trimen,1862, by original designation.
- 3257. Astictopterus C.Felder & R.Felder,1860** (Hesperiidae) Astictopterus C.Felder & R.Felder,1860, Wien. ent. Monatschr. 4: 401. Type-species: Astictopterus jama Felder & Felder,1860, by subsequent designation by Butler,1870, Entomologist's mon. Mag. 7: 95.
- 3258. Aurina Evans,1937** (Hesperiidae) Aurina Evans,1937, A Catalogue of African Hesperiidae...: 2, 26. Type-species: Aurina dida Evans,1937, by original designation.
- 3259. Aurina dida Evans,1937** (Hesperiidae) Aurina dida Evans,1937, A Catalogue of African Hesperiidae...: 2, 26, pl.2 figs. 10,11. Type: Ivory Coast: "Dimbrok".
- 3260. Aurina dida dida Evans,1937** (Hesperiidae) Aurina dida Evans,1937, A Catalogue of African Hesperiidae...: 2, 26, pl.2 figs. 10,11. Type: Ivory Coast: "Dimbrok".
- 3261. Badamia Moore,[1881]** (Hesperiidae) Badamia Moore,[1881], Lep. Ceylon 1(4): 156. Type-species: Papilio exclamacionis Fabricius,1775, Syst. Ent.: 530, by original designation.
- 3262. Badamia exclamacionis (Fabricius,1775)** (Hesperiidae) Papilio exclamacionis Fabricius,1775, Syst. Ent.: 530. Type(s): India.
- 3263. Badamia exclamacionis exclamacionis (Fabricius,1775)** (Hesperiidae) Papilio exclamacionis Fabricius,1775, Syst. Ent.: 530. Type(s): India.
- 3264. Baoris Moore,[1881]** (Hesperiidae) Baoris Moore,[1881], Lep. Ceylon 1(4): 165. Type-species: Hesperia oceia Hewitson,1868, Descr. One Hundred new Spec. Hesp. (2): 31, by original designation.
- 3265. Bibasis Moore,[1881]** (Hesperiidae) Bibasis Moore,[1881], Lep. Ceylon 1(4): 160. Type-species: Goniloba sena Moore,[1866], Proc. zool. Soc. Lond. 1865: 778, by original designation.
- 3266. Bibasis aquilina (Speyer,1879)** (Hesperiidae) Ismene aquilina Speyer,1879, Stettin ent. Ztg. 40: 346-348. Syntypes 3♂ 2♀: [Russia]: Wladiwostok: Insel Ascold.
- 3267. Bibasis aquilina aquilina (Speyer,1879)** (Hesperiidae) Ismene aquilina Speyer,1879, Stettin ent. Ztg. 40: 346-348. Syntypes 3♂ 2♀: [Russia]: Wladiwostok: Insel Ascold.
- 3268. Bibasis jaina (Moore,[1866])** (Hesperiidae) Ismene jaina Moore,[1866], Proc. zool. Soc. Lond. 1865: 782. Syntypes: Sikkim.
- 3269. Bibasis jaina jaina (Moore,[1866])** (Hesperiidae) Ismene jaina Moore,[1866], Proc. zool. Soc. Lond. 1865: 782. Syntypes: Sikkim.
- 3270. Bibasis miracula Evans,1949** (Hesperiidae) Bibasis miracula Evans,1949, A Catalogue Hesperiidae from Europe Asia and Australia: 49. Type ♂: [China]: Kuantun, Fukien (BMNH).
- 3271. Bibasis miracula miracula Evans,1949** (Hesperiidae) Bibasis miracula Evans,1949, A Catalogue Hesperiidae from Europe Asia and Australia: 49. Type ♂: [China]: Kuantun, Fukien (BMNH).
- 3272. Bibasis oedipodea (Swainson,1820)** (Hesperiidae) Ismene oedipodea Swainson,1820, Zool. Illustr. 1: pl.16. Type ♂: Java.
- 3273. Bibasis oedipodea belesis (Mabilie,1876)** (Hesperiidae) Ismene belesis Mabilie,1876, Anns Soc. ent. Fr. (5) 6: 10, nr.12; 260, nr.2. Type(s): Java.
- 3274. Bibasis oedipodea oedipodea (Swainson,1820)** (Hesperiidae) Ismene oedipodea Swainson,1820, Zool. Illustr. 1: pl.16. Type ♂: Java.
- 3275. Bibasis oedipodea paltra Evans,1949** (Hesperiidae) Bibasis oedipodea ssp. paltra Evans,1949, A Catalogue Hesperiidae from Europe Asia and Australia: 46. Type ♂: [Philippines]: Mindanao (BMNH).
- 3276. Bibasis sena (Moore,[1866])** (Hesperiidae) Goniloba sena Moore,[1866], Proc. zool. Soc. Lond. 1865: 778. Type ♂: India: Bengal (BMNH).
- 3277. Bibasis sena palawana (Staudinger,1889)** (Hesperiidae) Ismene sena var. palawana Staudinger,1889, Dt. ent. Z., Iris 2: 139-140. Type ♀: [Philippines]: Palawan (leg. Platen).
- 3278. Bibasis sena sena (Moore,[1866])** (Hesperiidae) Goniloba sena Moore,[1866], Proc. zool. Soc. Lond. 1865: 778. Type ♂: India: Bengal (BMNH).
- 3279. Borbo Evans,1949** (Hesperiidae) Borbo Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 44, 436. Type-species: Hesperia borbonica Boisduval,1833, Nouv. Ann. Mus. Hist. nat. Paris 2(2): 213, Pl.9, figs. 5, 6, by original designation.
- 3280. Borbo binga (Evans,1937)** (Hesperiidae) Baoris binga Evans,1937, Catalogue African Hesperiidae in the British Museum: 178, pl.7 fig.107. Holotype ♂: Ivory Coast (Macoatana) (BMNH).
- 3281. Borbo borbonica (Boisduval,1833)** (Hesperiidae) Hesperia borbonica Boisduval,1833, Nouv. Ann. Mus. Hist. nat. Paris 2(2): 213, Pl.9, figs. 5, 6.
- 3282. Borbo borbonica borbonica (Boisduval,1833)** (Hesperiidae) Hesperia borbonica Boisduval,1833, Nouv. Ann. Mus. Hist. nat. Paris 2(2): 213, Pl.9, figs. 5, 6.
- 3283. Borbo borbonica zelleri (Lederer,1855)** (Hesperiidae) Hesperia zelleri Lederer, 1855, Verh. zool.- bot. Ver. Wien 5: 194. Syntypes: Lebanon: Beirut.
- 3284. Borbo chagwa (Evans,1937)** (Hesperiidae) Pelopidas chagwa Evans,1937, Catalogue African Hesperiidae in the British Museum: 183, pl.7 fig.114. Holotype ♂: Uganda: Mabire forest, Chagwé 3500ft (BMNH).
- 3285. Borbo fanta (Evans,1937)** (Hesperiidae) Pelopidas fanta Evans,1937, Catalogue African Hesperiidae in the British Museum: 181, pl.7 fig.109. Holotype ♂: Gold Coast (BMNH).
- 3286. Borbo fanta fanta (Evans,1937)** (Hesperiidae) Pelopidas fanta Evans,1937, Catalogue African Hesperiidae in the British Museum: 181, pl.7 fig.109. Holotype ♂: Gold Coast (BMNH).
- 3287. Borbo fatuellus (Hopffer,1855)** (Hesperiidae) Pamphila fatuellus Hopffer,1855, Ber. Verh. Akad. Wiss. Berlin 1855: 643. Type(s): Mossambique.

- 3288. *Borbo fatuellus fatuellus* (Hopffer,1855)** (Hesperiidae) Pamphila fatuellus Hopffer,1855, Ber. Verh. Akad. Wiss. Berlin 1855: 643. Type(s): Mossambique.
- 3289. *Borbo fatuellus thomea* (Evans,1937)** (Hesperiidae) Baoris fatuellus ssp. thomea Evans,1937, Catalogue African Hesperiidae in the British Museum: 177. Holotype ♂: Sao Thome (BMNH).
- 3290. *Borbo gemella* (Mabille,1884)** (Hesperiidae) Pamphila gemella Mabille,1884, Annls Soc. ent. Belg. 1884: 187. Syntypes: Madagascar.
- 3291. *Borbo gemella gemella* (Mabille,1884)** (Hesperiidae) Pamphila gemella Mabille,1884, Annls Soc. ent. Belg. 1884: 187. Syntypes: Madagascar.
- 3292. *Borbo liana* (Evans,1937)** (Hesperiidae) Pelopidas liana Evans,1937, Catalogue African Hesperiidae in the British Museum: 183, pl.7 fig.112. Holotype ♂: Sierra Leone (BMNH).
- 3293. *Borbo sirena* (Evans,1937)** (Hesperiidae) Pelopidas sirena Evans,1937, Catalogue African Hesperiidae in the British Museum: 181, pl.7 fig.110. Holotype ♂: Kenya (BMNH).
- 3294. *Brusa Evans*,1937** (Hesperiidae) Brusa Evans,1937, A Catalogue of African Hesperiidae...: 8, 173. Type-species: Parnara saxicola Neave,1910, by original designation.
- 3295. *Caenides Holland*,1896** (Hesperiidae) Caenides Holland,1896, Proc. zool. Soc. Lond. 1896: 85. Type-species: Hesperia dacela Hewitson,1876, by original designation.
- 3296. *Callegaris Aurivillius*,[1925]** (Hesperiidae) Callegaris Aurivillius,[1925], [in] Seitz,A., Die Grossschmett. Erde 13: 571. Type-species: Antigonus jamesoni Sharpe,1890, by monotypy.
- 3297. *Caprona Wallengren*,1857** (Hesperiidae) Caprona Wallengren,1857, K. svenska VetenskAkad. Handl., Stockholm (n.f.) 2(1), 4:51. Type-species: Caprona pillaana Wallengren,1857, op.cit., 51, by monotypy.
- 3298. *Caprona alida yerburyi* Evans,1949** (Hesperiidae) Caprona alida ssp. yerburyi Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 163. Holotype ♂: [Pakistan]: Punjab: Fateh Khan's bungalow, Kootur, Chittar Pahar (near Rawalpindi) (BMNH).
- 3299. *Caprona pillaana Wallengren*,1857** (Hesperiidae) Caprona pillaana Wallengren,1857, K. svenska VetenskAkad. Handl., Stockholm (n.f.) 2(1), 4: 51. Syntypes: Caffraria.
- 3300. *Caprona pillaana pillaana Wallengren*,1857** (Hesperiidae) Caprona pillaana Wallengren,1857, K. svenska VetenskAkad. Handl., Stockholm (n.f.) 2(1), 4: 51. Syntypes: Caffraria.
- 3301. *Carcharodus (Lavatheria) Verity*,1940** (Hesperiidae) Lavatheria Verity,1940, Le Farfalle diurn. d'Italia 1: 11,22. Type-species: Papilio lavatherae Esper, [1783], Die Schmett. 1(Bd 2) Forst. Tagschmett.: 148, pl.82, fig.4, by original designation.
- 3302. *Carcharodus (Lavatheria) boeticus* (Rambur,[1839])** (Hesperiidae) Syrichtus boeticus Rambur,[1839], Faune ent. Andalousie 2 (4): pl.12. Syntypes: Andalousie.
- 3303. *Carcharodus (Lavatheria) boeticus boeticus* (Rambur,[1839])** (Hesperiidae) Syrichtus boeticus Rambur,[1839], Faune ent. Andalousie 2 (4): pl.12. Syntypes: Andalousie.
- 3304. *Carcharodus (Lavatheria) lavatherae* (Esper,[1783])** (Hesperiidae) Papilio lavatherae Esper,[1783], Die Schmett. 1(2): 148-149, pl.82 fig.4. Syntypes: Frankreich; Schweiz.
- 3305. *Carcharodus (Lavatheria) lavatherae lavatherae* (Esper,[1783])** (Hesperiidae) Papilio lavatherae Esper,[1783], Die Schmett. 1(2): 148-149, pl.82 fig.4. Syntypes: Frankreich; Schweiz.
- 3306. *Carcharodus (Lavatheria) lavatherae tauricus Reverdin*,1915** (Hesperiidae) Carcharodus tauricus Reverdin,1915, Bull. Soc. lépid. Geneve 3(2): 103, Taf.5 figs.1,2. Syntypes: [Turquie]: Cilic. Taurus, Külek.
- 3307. *Carcharodus (Lavatheria) stauderi Reverdin*,1913** (Hesperiidae) Carcharodus stauderi Reverdin,1913, Bull. Soc. lépid. Geneve 2(4): 225-230, Pl.21 figs.5,12. Syntypes: Algérie: Constantine (El Kantara, El Kroubs, Djebel Aurès, Seboud).
- 3308. *Carcharodus (Lavatheria) stauderi ambiguus* (Verity,1925)** (Hesperiidae) Erynnis stauderi race ambigua Verity,1925, Entomologist's Rec. J. Var. 37: 43. Type ♀: [Turkey]: Akbes.
- 3309. *Carcharodus (Lavatheria) stauderi barcaeus* (Turati,1924)** (Hesperiidae) Erynnis barcaeus Turati,1924, Atti Soc. ital. Sci. Nat. 63: pl.1 figs.20,21. Syntypes: Libya: Cyrenaica.
- 3310. *Carcharodus (Lavatheria) stauderi obscuratus* (Verity,1925)** (Hesperiidae) Erynnis stauderi obscuratus Verity,1925, Entomologist's Rec. J. Var. 37: 44. Syntypes: Algeria.
- 3311. *Carcharodus (Lavatheria) stauderi ramses Reverdin*,1914** (Hesperiidae) Carcharodus ramses Reverdin,1914, Bull. Soc. lépid. Geneve 3: 38, Pl.3 fig.9. Syntypes: Egypte: Maryot pres d'Alexandrie.
- 3312. *Carcharodus (Lavatheria) stauderi stauderi Reverdin*,1913** (Hesperiidae) Carcharodus stauderi Reverdin,1913, Bull. Soc. lépid. Geneve 2(4): 225-230, Pl.21 figs.5,12. Syntypes: Algérie: Constantine (El Kantara, El Kroubs, Djebel Aurès, Seboud).
- 3313. *Carcharodus (Reverdinus) Ragusa*,1919** (Hesperiidae) Reverdinus Ragusa,1919, Nat. sicil. 23(7/12): 172. Type-species: Papilio altheae Hübner,[1803], Samml. eur. Schmett.: pl. Pap.90, figs.452-453. by subsequent designation by Lindsey,1925, Ann. ent. Soc. Amer. 18: 100.
- 3314. *Carcharodus (Reverdinus) dravira* (Moore,1874)** (Hesperiidae) Pyrgus dravira Moore, 1874, Proc. zool. Soc. Lond. 44: 576, pl.lxvii fig.5. Type ♀: Cashmere (Capt. H.B.Hellard).
- 3315. *Carcharodus (Reverdinus) dravira dravira* (Moore,1874)** (Hesperiidae) Pyrgus dravira Moore, 1874, Proc. zool. Soc. Lond. 44: 576, pl.lxvii fig.5. Type ♀: Cashmere (Capt. H.B.Hellard).
- 3316. *Carcharodus (Reverdinus) flocciferus* (Zeller,1847)** (Hesperiidae) Hesperia floccifera Zeller,1847, Isis (4): 286-287. Syntypes ♂♂: [Italien]: Sizilien: Syracus.
- 3317. *Carcharodus (Reverdinus) flocciferus flocciferus* (Zeller,1847)** (Hesperiidae) Hesperia floccifera Zeller,1847, Isis (4): 286-287. Syntypes ♂♂: [Italien]: Sizilien: Syracus.
- 3318. *Carcharodus (Reverdinus) flocciferus habiba* (Kaufmann,1955)** (Hesperiidae) Reverdinus floccifer ssp. habiba Kaufmann,1955, Mitt. Schweiz. ent. Ges. 28 (3): 288-290.
- 3319. *Carcharodus (Reverdinus) orientalis orientalis Reverdin*,1913** (Hesperiidae) Carcharodus orientalis Reverdin,1913, Bull. Soc. lépid. Geneve 2 (4): 232, Pl.21 fig.14; Pl.22 figs.1,8. Syntypes: Greece: Peloponnes (MHNG).
- 3320. *Carcharodus (Reverdinus) orientalis orientalis Reverdin*,1913** (Hesperiidae) Carcharodus orientalis Reverdin,1913, Bull. Soc. lépid. Geneve 2 (4): 232, Pl.21 fig.14; Pl.22 figs.1,8. Syntypes: Greece: Peloponnes (MHNG).
- 3321. *Carcharodus (s.str.) Hübner*,[1819]** (Hesperiidae) Carcharodus Hübner,[1819], Verz. bekannt. Schmett. (7): 110. Type-species: Papilio alcaeae Esper,[1780], by the Commission under its Plenary Power (Opinion 181 (1947, Opin. int. Comm. zool. Nom. 2: 589-621)).
- 3322. *Carcharodus (s.str.) alcaeae* (Esper,[1780])** (Hesperiidae) Papilio alcaeae Esper,[1780], Die Schmett. 1(2): 4, pl.51, fig.1. Type(s): Süddeutschland: Erlangen.
- 3323. *Carcharodus (s.str.) alcaeae alcaeae* (Esper,[1780])** (Hesperiidae) Papilio alcaeae Esper,[1780], Die Schmett. 1(2): 4, pl.51, fig.1. Type(s): Süddeutschland: Erlangen.
- 3324. *Carcharodus (s.str.) alcaeae gooraisa* Evans,1949** (Hesperiidae) Carcharodus alcaeae ssp. gooraisa Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 169. Holotype ♂: Kashmir: Goorais (BMNH).
- 3325. *Carcharodus (s.str.) alcaeae insolatrix* Evans,1949** (Hesperiidae) Carcharodus alcaeae ab. insolatrix Le Cerf,1913, p.70, pl.1 fig.8. Type 1♂: Mowary [infrasubsp.]; Carcharodus alcaeae ssp. insolatrix Evans,1949, Cat. Hesperiidae Europe Asia Australia Br. Mus.: 169.
- 3326. *Carcharodus (s.str.) alcaeae wissmanni* Warnecke,1934** (Hesperiidae) Carcharodus swinhoei ssp. wissmanni Warnecke,1934, Mitt. münch. Ent. Ges. 24: 20. Syntypes: Yemen: Wadi Hadramaut.
- 3327. *Carcharodus (s.str.) swinhoei* E.Y.Watson,1893** (Hesperiidae) Carcharodus swinhoei Watson,1893, Proc. zool. Soc. Lond. 1893: 65-67. Syntypes 6♂♂: [Pakistan]: "Biluchistan"; Afghanistan; [Pakistan]: "Thundiani, N.W.India" (BMNH).
- 3328. *Carcharodus (s.str.) swinhoei swinhoei* E.Y.Watson,1893** (Hesperiidae) Carcharodus swinhoei Watson,1893, Proc. zool. Soc. Lond. 1893: 65-67. Syntypes 6♂♂: [Pakistan]: "Biluchistan"; Afghanistan; [Pakistan]: "Thundiani, N.W.India" (BMNH).
- 3329. *Carcharodus (s.str.) tripolinus* (Verity,1925)** (Hesperiidae) Erynnis alcaeae tripolina Verity,1925, Entomologist's Rec. J. Var. 37: 54. Syntypes 6♂ 2♀: [Libya]: Tripolitania: Garian, 700m.
- 3330. *Carcharodus (s.str.) tripolinus tripolinus* (Verity,1925)** (Hesperiidae) Erynnis alcaeae tripolina Verity,1925, Entomologist's Rec. J. Var. 37: 54. Syntypes 6♂ 2♀: [Libya]: Tripolitania: Garian, 700m.
- 3331. *Carcharodus Hübner*,[1819]** (Hesperiidae) Carcharodus Hübner,[1819], Verz. bekannt. Schmett. (7):110. Type-species: Papilio alcaeae Esper,[1780], Die Schmett. 1(Bd 2) Forts Tagschmett.:4, pl.51 fig.3, by subsequent designation by ICZN, Op.181.
- 3332. *Carterocephalus Lederer*,1852** (Hesperiidae) Carterocephalus Lederer,1852, Verh. zool.-bot. Ver. Wien 2: 26. Type-species: Papilio paniscus Fabricius,1775, Syst. Ent.: 531. by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10:134.

- 3333. *Carterocephalus argyrostigmus* (Eversmann,1851)** (Hesperiidae) *Hesperia* (Steropas) *argyrostigma* Eversmann,1851, Bull. Soc. nat. Moscou 24 (2): 624-625. Syntypes ♂♀: Russia: "Irkoutzk et Kiachta".
- 3334. *Carterocephalus argyrostigmus argyrostigmus* (Eversmann,1851)** (Hesperiidae) *Hesperia* (Steropas) *argyrostigma* Eversmann,1851, Bull. Soc. nat. Moscou 24 (2): 624-625. Syntypes ♂♀: Russia: "Irkoutzk et Kiachta".
- 3335. *Carterocephalus christophi* Groum-Grshimailo,1891** (Hesperiidae) *Carterocephalus christophi* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 460-461. Syntypes ♂♀: [China: Qinghai]: Sinin-Schan.
- 3336. *Carterocephalus christophi christophi* Groum-Grshimailo,1891** (Hesperiidae) *Carterocephalus christophi* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 460-461. Syntypes ♂♀: [China: Qinghai]: Sinin-Schan.
- 3337. *Carterocephalus dieckmanni* Graeser,1888** (Hesperiidae) *Carterocephalus dieckmanni* Graeser,1888, Berl. ent. Z. 32 (1): 102-104. Syntypes 2♂: Russia: Wladiwostok.
- 3338. *Carterocephalus dieckmanni dieckmanni* Graeser,1888** (Hesperiidae) *Carterocephalus dieckmanni* Graeser,1888, Berl. ent. Z. 32 (1): 102-104. Syntypes 2♂: Russia: Wladiwostok.
- 3339. *Carterocephalus flavomaculatus* Oberthür,1887** (Hesperiidae) *Carterocephalus flavomaculatus* Oberthür,1887, Etüd. Ent. 11: 27-28, pl.2 fig.8. Type(s): Chine: Ta-Tsien-Lou.
- 3340. *Carterocephalus flavomaculatus flavomaculatus* Oberthür,1887** (Hesperiidae) *Carterocephalus flavomaculatus* Oberthür,1887, Etüd. Ent. 11: 27-28, pl.2 fig.8. Type(s): Chine: Ta-Tsien-Lou.
- 3341. *Carterocephalus niveomaculatus* Oberthür,1887** (Hesperiidae) *Carterocephalus niveomaculatus* Oberthür,1887, Etüd. Ent. 11: 27-28, pl.2 fig.8. Type(s): Chine: Ta-Tsien-Lou.
- 3342. *Carterocephalus niveomaculatus niveomaculatus* Oberthür,1887** (Hesperiidae) *Carterocephalus niveomaculatus* Oberthür,1887, Etüd. Ent. 11: 27-28, pl.2 fig.8. Type(s): Chine: Ta-Tsien-Lou.
- 3343. *Carterocephalus palaemon* (Pallas,1771)** (Hesperiidae) *Papilio palaemon* Pallas,1771, Reise versch. Prov. Russ. Reichs 1: 471. Type(s): Russia.
- 3344. *Carterocephalus palaemon albiguttatus* Christoph,1893** (Hesperiidae) *Carterocephalus palaemon* var. *albiguttatus* Christoph,1893, Dt. ent. Z., Iris 6: 87-88. Syntypes: [Russia]: Guberla, Vilui, Irkut.
- 3345. *Carterocephalus palaemon mandan* (Edwards,1863)** (Hesperiidae) *Hesperia mandan* Edwards,1863, Proc. ent. Soc. Philadelphia 2: 20-21. Neotype ♂: [Manitoba: Pine Ridge]: "Lake Winnipeg" (cf. Brown & Miller,1977, Trans. Am. Ent. Soc. 103: 261-263).
- 3346. *Carterocephalus palaemon palaemon* (Pallas,1771)** (Hesperiidae) *Papilio palaemon* Pallas,1771, Reise versch. Prov. Russ. Reichs 1: 471. Type(s): Russia.
- 3347. *Carterocephalus pulchrus ops* Groum-Grshimailo,1891** (Hesperiidae) *Carterocephalus ops* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 460. Syntypes ♂♀: [China]: "In montibus ad Dongar-tschen"
- 3348. *Carterocephalus silvicola* (Meigen,1829)** (Hesperiidae) *Hesperia silvicola* Meigen,1829, Syst. Besch. eur. Schmett. 2 (2): 65, Taf.55 figs. 7a,b,c. Syntypes: Braunschweig.
- 3349. *Carterocephalus silvicola silvicola* (Meigen,1829)** (Hesperiidae) *Hesperia silvicola* Meigen,1829, Syst. Besch. eur. Schmett. 2 (2): 65, Taf.55 figs. 7a,b,c. Syntypes: Braunschweig.
- 3350. *Celaenorrhinus Hübner,[1819]*** (Hesperiidae) *Celaenorrhinus Hübner*,[1819], Verz. bekannt. Schmett. (7): 106. Type-species: *Papilio eligijs* Stoll,[1781], [in] Cramer, Uitl. Kapellen 4(30): 123, Pl.354, fig.H, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci, Boston 10: 137.
- 3351. *Celaenorrhinus ambra* Evans,1937** (Hesperiidae) *Celaenorrhinus ambra* Evans,1937, Catalogue African Hesperiidae in the British Museum: 20-21, pl.1 fig.5. Holotype ♂: Madagascar: Foret d'Ambre, 3000ft. (BMNH).
- 3352. *Celaenorrhinus asmara palajava* (Staudinger,1889)** (Hesperiidae) *Plesioneura palajava* Staudinger,1889, Dt. ent. Z., Iris 2: 156. Syntypes 3♂: [Philippines]: Palawan (leg. Platen).
- 3353. *Celaenorrhinus bitjena* Evans,1937** (Hesperiidae) *Celaenorrhinus bitjena* Evans,1937, Catalogue African Hesperiidae in the British Museum: 23, pl.1 fig.6. Holotype ♂: Cameroons: Bitje (BMNH).
- 3354. *Celaenorrhinus dhanada* (Moore,[1866])** (Hesperiidae) *Plesioneura dhanada* Moore,[1866], Proc. zool. Soc. Lond. 1865: 789. Type(s): Bengal.
- 3355. *Celaenorrhinus dhanada dhanada* (Moore,[1866])** (Hesperiidae) *Plesioneura dhanada* Moore,[1866], Proc. zool. Soc. Lond. 1865: 789. Type(s): Bengal.
- 3356. *Celaenorrhinus illustris daroa* Evans,1937** (Hesperiidae) *Celaenorrhinus illustris* ssp. *daroa* Evans,1937, Catalogue African Hesperiidae in the British Museum: 23-24. Holotype ♂: Uganda: Daro forest, Toro, 4000ft (BMNH).
- 3357. *Celaenorrhinus leucocera* (Kollar,[1844])** (Hesperiidae) *Hesperia leucocera* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 454, pl. 18, figs. 3,4. Type ♀: Himalayas.
- 3358. *Celaenorrhinus leucocera leucocera* (Kollar,[1844])** (Hesperiidae) *Hesperia leucocera* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 454, pl. 18, figs. 3,4. Type ♀: Himalayas.
- 3359. *Celaenorrhinus mokezi separata* (Strand,1911)** (Hesperiidae) *Apallaga separata* Strand,1911, Ent. Rdsch. 1911: 28.
- 3360. *Celaenorrhinus nigropunctata netta* Evans,1937** (Hesperiidae) *Celaenorrhinus nigropunctata* ssp. *netta* Evans,1937, Catalogue African Hesperiidae in the British Museum: 25. Holotype ♂: Cameroons: Bitje (BMNH).
- 3361. *Celaenorrhinus ovalis* Evans,1937 (invalid name)** (Hesperiidae) *Celaenorrhinus medetrina* ssp. *ovalis* Evans,1937, Catalogue African Hesperiidae in the British Museum: 23. Holotype ♂: Congo: Upper Kasai (BMNH).
- 3362. *Celaenorrhinus ovalis ovalis* Evans,1937 (invalid name)** (Hesperiidae) *Celaenorrhinus medetrina* ssp. *ovalis* Evans,1937, Catalogue African Hesperiidae in the British Museum: 23. Holotype ♂: Congo: Upper Kasai (BMNH).
- 3363. *Celaenorrhinus perlustris mona* Evans,1937** (Hesperiidae) *Celaenorrhinus perlustris* ssp. *mona* Evans,1937, Catalogue African Hesperiidae in the British Museum: 24. Holotype ♂: Cameroons (BMNH).
- 3364. *Celaenorrhinus proxima toro* Evans,1937** (Hesperiidae) *Celaenorrhinus proxima* ssp. *toro* Evans,1937, Catalogue African Hesperiidae in the British Museum: 20. Holotype ♂: Uganda: Daro forest, Toro, 4000ft (BMNH).
- 3365. *Celaenorrhinus pulomaya* (Moore,[1866])** (Hesperiidae) *Plesioneura pulomaya* Moore,[1866], Proc. zool. Soc. Lond. 1865: 787. Type(s): Sikkim.
- 3366. *Celaenorrhinus pulomaya pulomaya* (Moore,[1866])** (Hesperiidae) *Plesioneura pulomaya* Moore,[1866], Proc. zool. Soc. Lond. 1865: 787. Type(s): Sikkim.
- 3367. *Celaenorrhinus ratna daphne* Evans,1949** (Hesperiidae) *Celaenorrhinus ratna* ssp. *daphne* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 95. Holotype ♂: [India]: N.W. Himalayas (Kumaon) (BMNH).
- 3368. *Celaenorrhinus zanza* Evans,1937** (Hesperiidae) *Celaenorrhinus zanza* Evans,1937, Catalogue African Hesperiidae in the British Museum: 20. Holotype ♂: Zanzibar (BMNH).
- 3369. *Ceratrachia* Butler,[1870]** (Hesperiidae) *Ceratrachia* Butler,[1870], Cat. diurn. Lep. Fabricius: 274. Type-species: *Papilio nothus* Fabricius,1787, by original designation.
- 3370. *Ceratrachia nothus* (Fabricius,1787)** (Hesperiidae) *Papilio nothus* Fabricius,1787, Mant. Ins. 2: 88. Type(s): America.
- 3371. *Ceratrachia nothus nothus* (Fabricius,1787)** (Hesperiidae) *Papilio nothus* Fabricius,1787, Mant. Ins. 2: 88. Type(s): America.
- 3372. *Choaspes* Moore,[1881]** (Hesperiidae) *Choaspes* Moore,[1881], Lep. Ceylon 1 (4): 158. Type-species: *Hesperia* (Thyme) *benjaminii* Guérin-Ménéville,1843, [in] Delessert, Souvenirs Voy. Inde (2): 79, Pl.22 fig. 2, by original designation.
- 3373. *Choaspes benjaminii* (Guérin-Ménéville,1843)** (Hesperiidae) *Hesperia* (Thyme) *benjaminii* Guérin-Ménéville,1843, [in] Delessert, Souvenirs Voy. Inde (2): 79, Pl.22 fig. 2.
- 3374. *Choaspes benjaminii benjaminii* (Guérin-Ménéville,1843)** (Hesperiidae) *Hesperia* (Thyme) *benjaminii* Guérin-Ménéville,1843, [in] Delessert, Souvenirs Voy. Inde (2): 79, Pl.22 fig. 2.
- 3375. *Choaspes benjaminii japonicus* (Murray,1875)** (Hesperiidae) *Ismene benjaminii* var. *japonica* Murray,1875, Entomologist's mon. Mag. 12: 4. Type(s): Japonia.
- 3376. *Choaspes benjaminii pallidus* Evans,1932** (Hesperiidae) *Choaspes benjaminii pallida* Evans,1932, Identification Indian Butterflies (edn.2): 321. Type(s): [Indonesia]: Sumatra.
- 3377. *Choaspes xanthopogon* (Kollar,[1844])** (Hesperiidae) *Hesperia xanthopogon* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 453, Taf.18 figs.1,2. Type(s): Kaschmir.

- 3378. *Chaospes xanthopogon xanthopogon* (Kollar,[1844])** (Hesperiidae) *Hesperia xanthopogon* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 453, Taf.18 figs.1,2. Type(s): Kaschmir.
- 3379. *Chondrolepis Mabilie,1904*** (Hesperiidae) *Chondrolepis Mabilie,1904*, [in] Wytsman,P.A.G., Genera Insectorum 17: 170. Type-species: *Pamphila murga* Mabilie,1890, by monotypy.
- 3380. *Coeliades Hübner,1818*** (Hesperiidae) *Coeliades Hübner,1818*, Zutr. z. Samml. exot. Schmett. 1: 31. Type-species: *Papilio forestan* Stoll,[1782], [in] Cramer, Uitl. Kapellen 4(33): 210, Pl.391 figs. E, F, by subsequent designation by Hemming,1935, Trans. R. ent. Soc. Lond. 83: 436.
- 3381. *Coeliades anchises* (Gerstraecker,1871)** (Hesperiidae) *Ismene anchises* Gerstraecker,1871, Arch. Naturg. 1871 (1): 358. Type(s): [Tanzania]: See Jipe [Zanzibar].
- 3382. *Coeliades anchises anchises* (Gerstraecker,1871)** (Hesperiidae) *Ismene anchises* Gerstraecker,1871, Arch. Naturg. 1871 (1): 358. Type(s): [Tanzania]: See Jipe [Zanzibar].
- 3383. *Coeliades anchises jucunda* (Butler,1881)** (Hesperiidae) *Hesperia jucunda* Butler,1881, Proc. zool. Soc. Lond. 1881: 179, pl.18 fig.8. Syntypes: Sokotra.
- 3384. *Coeliades fidia* Evans,1937** (Hesperiidae) *Coeliades fidia* Evans,1937, Catalogue African Hesperiidae in the British Museum: 13, pl.1 fig.2. Holotype ♂: Madagascar (Macoatana) (BMNH).
- 3385. *Coeliades fidia fidia* Evans,1937** (Hesperiidae) *Coeliades fidia* Evans,1937, Catalogue African Hesperiidae in the British Museum: 13, pl.1 fig.2. Holotype ♂: Madagascar (Macoatana) (BMNH).
- 3386. *Coeliades forestan* (Stoll,[1782])** (Hesperiidae) *Papilio forestan* Stoll,[1782], [in] Cramer, Uitl. Kap. 4: 210, pl.391 figs. E,F. Type(s): [Africa]: "Cote de Bengal" [patria falsa].
- 3387. *Coeliades forestan forestan* (Stoll,[1782])** (Hesperiidae) *Papilio forestan* Stoll,[1782], [in] Cramer, Uitl. Kap. 4: 210, pl.391 figs. E,F. Type(s): [Africa]: "Cote de Bengal" [patria falsa].
- 3388. *Coeliades keithloa kenya* Evans,1937** (Hesperiidae) *Coeliades kenya* Evans,1937, Catalogue African Hesperiidae in the British Museum: 14-15, pl.1 fig.3. Holotype ♂: Kenya: Mombasa (BMNH).
- 3389. *Coeliades libeon* (Druce,1875)** (Hesperiidae) *Ismene libeon* Druce,1875, Proc. zool. Soc. Lond. 1875: 416. Type: Angola.
- 3390. *Coeliades libeon libeon* (Druce,1875)** (Hesperiidae) *Ismene libeon* Druce,1875, Proc. zool. Soc. Lond. 1875: 416. Type: Angola.
- 3391. *Coeliades pisistratus* (Fabricius,1793)** (Hesperiidae) *Hesperia pisistratus* Fabricius,1793, Syst. Ent. 3 (1): 345. Type: [Africa]: "America" [patria falsa].
- 3392. *Coeliades pisistratus pisistratus* (Fabricius,1793)** (Hesperiidae) *Hesperia pisistratus* Fabricius,1793, Syst. Ent. 3 (1): 345. Type: [Africa]: "America" [patria falsa].
- 3393. *Coeliades rama* Evans,1937** (Hesperiidae) *Coeliades rama* Evans,1937, Catalogue African Hesperiidae in the British Museum: 13. Holotype ♂: Madagascar: Antakares (BMNH).
- 3394. *Coeliades rama rama* Evans,1937** (Hesperiidae) *Coeliades rama* Evans,1937, Catalogue African Hesperiidae in the British Museum: 13. Holotype ♂: Madagascar: Antakares (BMNH).
- 3395. *Coeliades ramanatek comorana* Evans,1937** (Hesperiidae) *Coeliades ramanatek* ssp. *comorana* Evans,1937, Catalogue African Hesperiidae in the British Museum: 12. Holotype ♂: Grand Comoro (BMNH).
- 3396. *Coladenia Moore,[1881]*** (Hesperiidae) *Coladenia Moore,[1881]*, Lep. Ceylon 1(4): 180. Type-species: *Plesioneura indrani* Moore,[1866], Proc. zool. Soc. Lond. 1865: 789, by original designation.
- 3397. *Coladenia indrani* (Moore,[1866])** (Hesperiidae) *Plesioneura indrani* Moore,[1866], Proc. zool. Soc. Lond. 1865: 789.
- 3398. *Coladenia indrani indrani* (Moore,[1866])** (Hesperiidae) *Plesioneura indrani* Moore,[1866], Proc. zool. Soc. Lond. 1865: 789.
- 3399. *Coladenia palawana* (Staudinger,1889)** (Hesperiidae) *Plesioneura atilia* var. *palawana* Staudinger,1889, Dt. ent. Z., Iris 2: 157. Type ♂: [Philippines]: Palawan (leg. Platen).
- 3400. *Coladenia palawana palawana* (Staudinger,1889)** (Hesperiidae) *Plesioneura atilia* var. *palawana* Staudinger,1889, Dt. ent. Z., Iris 2: 157. Type ♂: [Philippines]: Palawan (leg. Platen).
- 3401. *Daimio Murray,1875*** (Hesperiidae) *Daimio Murray,1875*, Entomologist's mon. Mag. 11: 171. Type-species: *Pyrgus tethys* Ménétériés,1857, by monotypy.
- 3402. *Daimio tethys* (Ménétériés,1857)** (Hesperiidae) *Pyrgus tethys* Ménétériés,1857, Enum. Corp. Anim. Mus. imp. Acad. Sci. Petrop., Cl. Ins., Lepid. 2: 126, Pl. 10, fig.8. Type(s): "Japon" [Itsu Peninsula, Honshu].
- 3403. *Daimio tethys moori* (Mabilie,1876)** (Hesperiidae) *Pterygospidea moori* Mabilie,1876, Bull. Soc. ent. Fr. (5) 6: 152. Type(s): Mou-pin.
- 3404. *Daimio tethys roona* Evans,1949** (Hesperiidae) *Daimio tethys* ssp. *roona* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 129. Holotype ♂: [China]: Se-Pin-Lou-Chan, Ya-Tcheou.
- 3405. *Daimio tethys tethys* (Ménétériés,1857)** (Hesperiidae) *Pyrgus tethys* Ménétériés,1857, Enum. Corp. Anim. Mus. imp. Acad. Sci. Petrop., Cl. Ins., Lepid. 2: 126, Pl. 10, fig.8. Type(s): "Japon" [Itsu Peninsula, Honshu].
- 3406. *Eagris Guenée,1863*** (Hesperiidae) *Eagris Guenée,1863*, [in] Maillard, Notes Ile Réunion 2 (Lép.): 6, 19. Type-species: *Thymele sabadius* Boisduval,1833, by monotypy.
- 3407. *Eagris sabadius* (Gray,[1832])** (Hesperiidae) *Hesperia sabadius* Gray,[1832], [in] Griffith,E., The animal kingdom...15: pl.99 fig.2.
- 3408. *Eagris sabadius sabadius* (Gray,[1832])** (Hesperiidae) *Hesperia sabadius* Gray,[1832], [in] Griffith,E., The animal kingdom...15: pl.99 fig.2.
- 3409. *Eogenes Mabilie,1909*** (Hesperiidae) *Eogenes Mabilie,1909*, [in] Seitz, Gross-Schmett. Erde 1: 349. Type-species: *Hesperia alcides* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6:38, by monotypy.
- 3410. *Eogenes alcides* Herrich-Schäffer,[1852]** (Hesperiidae) *Hesperia alcides* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur.6:38; ibidem 1:pl.7,figs.41-42. Syntypes: [Türkei]: Amasia.
- 3411. *Eogenes alcides ahriman* (Christoph,1884)** (Hesperiidae) *Hesperia ahriman* Christoph,1884, [in] Romanoff, Mém. lépid. 1: 106, Taf.6 fig.5a,b. Syntypes: [Turkmenistan]: "Nuchur" [Kopetdagh].
- 3412. *Eogenes alcides alcides* Herrich-Schäffer,[1852]** (Hesperiidae) *Hesperia alcides* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur.6:38; ibidem 1:pl.7,figs.41-42. Syntypes: [Türkei]: Amasia.
- 3413. *Eogenes alcides chitrala* Evans,1949** (Hesperiidae) *Eogenes alcides* ssp. *chitrala* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 271. Type ♂: [Pakistan]: Chitral. (BMNH).
- 3414. *Eogenes alcides uraka* Evans,1949** (Hesperiidae) *Eogenes alcides* ssp. *uraka* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 271. Type ♂: [Pakistan]: Baluchistan: Urak. (BMNH).
- 3415. *Eogenes leslei* Evans,1926** (Hesperiidae) *Eogenes alcides* f. *leslei* Evans,1912, J. Bombay nat. Hist. Soc. 21(3): 1007. Type ♂: [Pakistan]: Chitral. *Eogenes leslei* Evans,1926, J. Bombay nat. Hist. Soc. 21(1): ??
- 3416. *Eogenes leslei elama* Wiltshire,1941** (Hesperiidae) *Eogenes leslei* ssp. *elama* Wiltshire,1941, J. Bombay nat. Hist. Soc. 44: 251, pl., fig.10. Type ♂: Iran: South West Iran: Khuzistan: Maidan-i-Naftun, 6.vi.38 (leg. Wiltshire) (BMNH).
- 3417. *Eogenes leslei leslei* Evans,1926** (Hesperiidae) *Eogenes alcides* f. *leslei* Evans,1912, J. Bombay nat. Hist. Soc. 21(3): 1007. Type ♂: [Pakistan]: Chitral. *Eogenes leslei* Evans,1926, J. Bombay nat. Hist. Soc. 21(1): ??
- 3418. *Eretis Mabilie,1891*** (Hesperiidae) *Eretis Mabilie,1891*, Bull. C. R. Soc. ent. Belg. 35: lxxi. Type-species: *Eretis melania* Mabilie,1891, by monotypy.
- 3419. *Eretis buamba* Evans,1937** (Hesperiidae) *Eretis buamba* Evans,1937, Catalogue African Hesperiidae in the British Museum: 39, pl.2 fig.19. Holotype ♂: Uganda: Bugoma Forest, Unyoro, 3700ft. (BMNH).
- 3420. *Eretis buamba buamba* Evans,1937** (Hesperiidae) *Eretis buamba* Evans,1937, Catalogue African Hesperiidae in the British Museum: 39, pl.2 fig.19. Holotype ♂: Uganda: Bugoma Forest, Unyoro, 3700ft. (BMNH).
- 3421. *Eretis cameroni* Evans,1937** (Hesperiidae) *Eretis cameroni* Evans,1937, Catalogue African Hesperiidae in the British Museum: 38, pl.2 fig.16. Holotype ♂: Cameroon: Cameroons (Bitje) (BMNH).
- 3422. *Eretis cameroni cameroni* Evans,1937** (Hesperiidae) *Eretis cameroni* Evans,1937, Catalogue African Hesperiidae in the British Museum: 38, pl.2 fig.16. Holotype ♂: Cameroon: Cameroons (Bitje) (BMNH).
- 3423. *Eretis mitiana* Evans,1937** (Hesperiidae) *Eretis mitiana* Evans,1937, Catalogue African Hesperiidae in the British Museum: 39, pl.2 fig.17. Holotype ♂: Uganda: Between Mitiana and Entebbe, 3800ft. (BMNH).
- 3424. *Eretis mitiana mitiana* Evans,1937** (Hesperiidae) *Eretis mitiana* Evans,1937, Catalogue African Hesperiidae in the British

Museum: 39, pl.2 fig.17. Holotype ♂: Uganda: Between Mitiana and Entebbe, 3800ft. (BMNH).

3425. Eretis mixta Evans,1937 (Hesperiidae) *Eretis djaelaelae* ssp. *mixta* Evans,1937, Catalogue African Hesperidae in the British Museum: 37. Holotype ♂: Ethiopia: Abyssinia (Dire Daoua) (BMNH).

3426. Eretis mixta mixta Evans,1937 (Hesperiidae) *Eretis djaelaelae* ssp. *mixta* Evans,1937, Catalogue African Hesperidae in the British Museum: 37. Holotype ♂: Ethiopia: Abyssinia (Dire Daoua) (BMNH).

3427. Eretis vaga Evans,1937 (Hesperiidae) *Eretis vaga* Evans,1937, Catalogue African Hesperidae in the British Museum: 39, pl.2 fig.18. Holotype ♂: Cameroon: Cameroons (Bitje, Ja River) (BMNH).

3428. Eretis vaga vaga Evans,1937 (Hesperiidae) *Eretis vaga* Evans,1937, Catalogue African Hesperidae in the British Museum: 39, pl.2 fig.18. Holotype ♂: Cameroon: Cameroons (Bitje, Ja River) (BMNH).

3429. Erionota Mabilie,1878 (Hesperiidae) *Erionota Mabilie*,1878, Annls Soc. ent. Belg. 21: 34. Type-species: *Papilio thrax* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 794, by subsequent designation by Watson,1893, Proc. zool. Soc. Lond. 1893: 72, 86.

3430. Erynnis (Hesperopegasus) Seven,2002 (Hesperiidae) *Erynnis* (*Hesperopegasus*) *Seven*,2002, [in] Koçak & Kemal,2002, Cent. ent. Stud., Misc. Pap. 82/85: 27. Type-species: *Thanaos marloyi* Boisduval,1834, by original designation [proposed as subgenus].

3431. Erynnis (Hesperopegasus) marloyi (Boisduval,1834) (Hesperiidae) *Thanaos marloyi* Boisduval,1834, Icon. hist. Lépid. Europe 1: 241, pl.47 figs.6,7. Type ♂: Greece (BMNH).

3432. Erynnis (Hesperopegasus) marloyi marloyi (Boisduval,1834) (Hesperiidae) *Thanaos marloyi* Boisduval,1834, Icon. hist. Lépid. Europe 1: 241, pl.47 figs.6,7. Type ♂: Greece (BMNH).

3433. Erynnis (Hesperopegasus) max Evans,1949 (Hesperiidae) *Erynnis marloyi* ssp. *max* Evans,1949, Catalogue Hesperidae Eur. Asia Austr. Br. Mus.: 167. Holotype ♂: [Pakistan]: Beluchistan: Khojak (BMNH).

3434. Erynnis (Hesperopegasus) max max Evans,1949 (Hesperiidae) *Erynnis marloyi* ssp. *max* Evans,1949, Catalogue Hesperidae Eur. Asia Austr. Br. Mus.: 167. Holotype ♂: [Pakistan]: Beluchistan: Khojak (BMNH).

3435. Erynnis (Hesperopegasus) pathan Evans,1949 (Hesperiidae) *Erynnis marloyi* ssp. *pathan* Evans,1949, Catalogue Hesperidae Eur. Asia Austr. Br. Mus.: 168. Holotype ♂: [Pakistan]: Chitral, Utzun valley (BMNH).

3436. Erynnis (Hesperopegasus) pathan pathan Evans,1949 (Hesperiidae) *Erynnis marloyi* ssp. *pathan* Evans,1949, Catalogue Hesperidae Eur. Asia Austr. Br. Mus.: 168. Holotype ♂: [Pakistan]: Chitral, Utzun valley (BMNH).

3437. Erynnis (s.str.) Schrank,1801 (Hesperiidae) *Erynnis* Schrank,1801, Fauna boica 2(1): 152,157. Type-species: *Papilio tages* Linnaeus,1758, Syst. Nat. (Ed.10)1: 485. by subsequent designation by Scudder,1872, 4th Ann. Rep. Peabody Acad. Sci. 1871:71.

3438. Erynnis (s.str.) elbursina (Bytinski-Salz & Brandt,1937) (Hesperiidae) *Thanaos elbursina* Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: (3). Cotypes [Syntypes]: 2♂: Iran: Keredj, 1500m (in coll. Brandt).

3439. Erynnis (s.str.) elbursina elbursina (Bytinski-Salz & Brandt,1937) (Hesperiidae) *Thanaos elbursina* Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: (3). Cotypes [Syntypes]: 2♂: Iran: Keredj, 1500m (in coll. Brandt).

3440. Erynnis (s.str.) montanus (Bremer,1861) (Hesperiidae) *Pyrgus montanus* Bremer,1861, Bull. phys. math. Acad. imp. Sci. St. Petersb. 3: 556. Type(s): Russia: [Amur: Bureinsky Mts.]: "Bureja-Gebirge".

3441. Erynnis (s.str.) montanus montanus (Bremer,1861) (Hesperiidae) *Pyrgus montanus* Bremer,1861, Bull. phys. math. Acad. imp. Sci. St. Petersb. 3: 556. Type(s): Russia: [Amur: Bureinsky Mts.]: "Bureja-Gebirge".

3442. Erynnis (s.str.) pelias erebus (Groum-Grshimailo,1891) (Hesperiidae) *Nisoniades erebus* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 461. Syntypes ♂♂: [China: Qinghai]: *montibus Tetungensibus et in Sinin-Schan*.

3443. Erynnis (s.str.) popoviana (Nordmann,1851) (Hesperiidae) *Hesperia popoviana* Nordmann,1851, Bull. Soc. imp. Nat. Moscou 24 (4): 443. Syntypes: Umgegend von Kjachta [Kyakhta, Transbaikalia].

3444. Erynnis (s.str.) popoviana popoviana (Nordmann,1851) (Hesperiidae) *Hesperia popoviana* Nordmann,1851, Bull. Soc. imp. Nat. Moscou 24 (4): 443. Syntypes: Umgegend von Kjachta [Kyakhta, Transbaikalia].

3445. Erynnis (s.str.) tages (Linnaeus,1758) (Hesperiidae) *Papilio tages* Linnaeus,1758, Syst. Nat. (Edn.10)1: 485. Type(s): Europa.

3446. Erynnis (s.str.) tages cervantes (De Graslin,1836) (Hesperiidae) *Thanaos cervantes* De Graslin,1836, Annls Soc. ent. Fr. 5: 558, tb.17 figs.1,2. Syntypes: Spain: Andalusia.

3447. Erynnis (s.str.) tages tages (Linnaeus,1758) (Hesperiidae) *Papilio tages* Linnaeus,1758, Syst. Nat. (Edn.10)1: 485. Type(s): Europa.

3448. Erynnis (s.str.) tages unicolor (Freyer,1848) (Hesperiidae) *Hesperia unicolor* Freyer,1848, Neuere Beitr. Schmett. 6 (85): 37, Taf. 505, fig.1. Type(s): Griechenland: auf den griechischen Inseln.

3449. Fresna Evans,1937 (Hesperiidae) *Fresna* Evans,1937, A Catalogue of African Hesperidae...: 164. Type-species: *Hesperia netopha* Hewitson,1878, by original designation.

3450. Fulda Evans,1937 (Hesperiidae) *Fulda* Evans,1937, A Catalogue of African Hesperidae...: 86. Type-species: *Hesperia coroller* Boisduval,1833, by original designation.

3451. Galerga Mabilie,1898 (Hesperiidae) *Galerga Mabilie*,1898, Annls Soc. ent. Fr. 66: 210. Type-species: *Galerga hyposticta* Mabilie,1898, by monotypy.

3452. Gamia Holland,1896 (Hesperiidae) *Gamia* Holland,1896, Proc. zool. Soc. Lond. 1896: 84. Type-species: *Proteides palua* Holland,1891, by original designation.

3453. Gangara thyrsis (Fabricius,1775) (Hesperiidae) *Papilio thyrsis* Fabricius,1775, Syst. Ent.: 532. Type(s): "America".

3454. Gangara thyrsis thyrsis (Fabricius,1775) (Hesperiidae) *Papilio thyrsis* Fabricius,1775, Syst. Ent.: 532. Type(s): "America".

3455. Gegenes Hübner,1819 (Hesperiidae) *Gegenes Hübner*,1819, Verz. bekannt. Schmett. (7):107. Type-species: *Papilio pumilio* Hoffmannsegg,1803, Mag. f. Insektenk. (Illiger) 3: 202, by subsequent designation by ICZN.

3456. Gegenes gambica (Mabilie,1878) (Hesperiidae) *Pamphila gambica* Mabilie,1878, Petit. nouv. Ent. 2: 233. Type(s): "Senegambia".

3457. Gegenes gambica gambica (Mabilie,1878) (Hesperiidae) *Pamphila gambica* Mabilie,1878, Petit. nouv. Ent. 2: 233. Type(s): "Senegambia".

3458. Gegenes hottentota (Latreille,1824) (Hesperiidae) *Hesperia hottentota* Latreille,1824, [in] Latreille & Godart, Ency. méth., Zool. 9: 777. Type(s): [South Africa]: Cap de Bonne-Esperance.

3459. Gegenes hottentota hottentota (Latreille,1824) (Hesperiidae) *Hesperia hottentota* Latreille,1824, [in] Latreille & Godart, Ency. méth., Zool. 9: 777. Type(s): [South Africa]: Cap de Bonne-Esperance.

3460. Gegenes nostradamus (Fabricius,1793) (Hesperiidae) *Hesperia nostradamus* Fabricius,1793, Ent. syst. 3(1): 328-329. Type(s): Barbaria.

3461. Gegenes nostradamus nostradamus (Fabricius,1793) (Hesperiidae) *Hesperia nostradamus* Fabricius,1793, Ent. syst. 3(1): 328-329. Type(s): Barbaria.

3462. Gegenes pumilio (Hoffmannsegg,1804) (Hesperiidae) *Papilio pumilio* Hoffmannsegg,1804, Mag. f. Insektenk. (Illiger) 3: 202. Lectotype selected by Hemming,1964, Annot. lep. (3): 112 (Pl.5 fig.2 of Cyrilli's Ent. Neap. published in 1787).

3463. Gegenes pumilio pumilio (Hoffmannsegg,1804) (Hesperiidae) *Papilio pumilio* Hoffmannsegg,1804, Mag. f. Insektenk. (Illiger) 3: 202. Lectotype selected by Hemming,1964, Annot. lep. (3): 112 (Pl.5 fig.2 of Cyrilli's Ent. neap. published in 1787).

3464. Gomalia Moore,1879 (Hesperiidae) *Gomalia* Moore,1879, Proc. zool. Soc. Lond. 1879: 144. Type-species: *Gomalia albofasciata* Moore,1879, by monotypy.

3465. Gomalia elma (Trimen,1862) (Hesperiidae) *Pyrgus elma* Trimen,1862, Trans. ent. Soc. Lond. 1862: 288. Syntypes: Mossel Bay, Knysna, Plettenberg Bay- King William's Town, Cape of Good Hope.

3466. Gomalia elma albofasciata Moore,1879 (Hesperiidae) *Gomalia albofasciata* Moore, 1879, Proc. zool. Soc. Lond. 49: 144. Type: Ceylon. A single specimen captured between Kirrind and Werewille beyond Hambantotte, on the S.E.Coast (in coll. Capt. Wade).

3467. Gomalia elma elma (Trimen,1862) (Hesperiidae) *Pyrgus elma* Trimen,1862, Trans. ent. Soc. Lond. 1862: 288. Syntypes: Mossel Bay, Knysna, Plettenberg Bay- King William's Town, Cape of Good Hope.

3468. Gorgyra Holland,1896 (Hesperiidae) *Gorgyra* Holland,1896, Proc. zool. Soc. Lond. 1896: 31. Type-species: *Apaustus aburae* Plötz,1879, by original designation.

- 3469. Gretna Evans, 1937** (Hesperiidae) Gretna Evans, 1937, A Catalogue of African Hesperidae...: 7, 149. Type-species: *Hesperia cylindra* Hewitson, 1876, by original designation.
- 3470. Gyrogra Lindsey & Miller, 1965** (Hesperiidae) Gyrogra Lindsey & Miller, 1965, [in] Fox et al., Butterflies of Liberia: 84. Type-species: *Parnara* ? subnotata Holland, 1894, by original designation.
- 3471. Halpe palawea (Staudinger, 1889)** (Hesperiidae) *Pamphila homolea* var.? *palawea* Staudinger, 1889, Dt. ent. Z., Iris 2: 144. Syntypes 5♂: [Philippines]: Palawan (leg. Platen).
- 3472. Halpe palawea palawea (Staudinger, 1889)** (Hesperiidae) *Pamphila homolea* var.? *palawea* Staudinger, 1889, Dt. ent. Z., Iris 2: 144. Syntypes 5♂: [Philippines]: Palawan (leg. Platen).
- 3473. Hasora (Thridas-gr.) khoda haslia Swinhoe, 1899** (Hesperiidae) *Hasora haslia* Swinhoe, 1899, Ann. Mag. nat. Hist. (7) 3: 107-108. Syntypes 1♂ 5♀: [Australia]: "Brisbane".
- 3474. Hasora (s.str.) chromus (Cramer, [1782])** (Hesperiidae) *Papilio chromus* Cramer, [1782], Uitl. Kapellen 3(18): 37, Pl.214, figs. E, F.
- 3475. Hasora (s.str.) chromus chromus (Cramer, [1782])** (Hesperiidae) *Papilio chromus* Cramer, [1782], Uitl. Kapellen 3 (18): 37, Pl.214, figs. E, F.
- 3476. Hesperia Fabricius, 1793** (Hesperiidae) *Hesperia* Fabricius, 1793, Ent. Syst. 3(1): 258. Type-species: *Papilio comma* Linnaeus, 1758, Syst. Nat. (Ed.10)1: 484. by subsequent designation by Dalman, 1816, K. svenska VetenskAkad. Handl. 1816(2): 200.
- 3477. Hesperia comma (Linnaeus, 1758)** (Hesperiidae) *Papilio comma* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 484. Type(s): Europe.
- 3478. Hesperia comma comma (Linnaeus, 1758)** (Hesperiidae) *Papilio comma* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 484. Type(s): Europe.
- 3479. Hesperia comma dimila (Moore, 1874)** (Hesperiidae) *Pamphila dimila* Moore, 1874, Proc. zool. Soc. Lond. 44: 576. Syntypes ♂♀: Runang Pass, Busahir (S.E. side, about 13000ft.) (Capt. H.B.Hellard).
- 3480. Hesperia comma hibera (Verity, 1928)** (Hesperiidae) *Urbicula comma* race *hibera* Verity, 1928, Bull. Soc. ent. Fr. 1928: 125. Syntypes 1♂ 1♀: [Spain]: Aragon: [Prov. Teruel]: Albarracin, 1100m.
- 3481. Hesperia comma lato (Groum-Grshimailo, 1891)** (Hesperiidae) *Pamphila comma* var.? *lato* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 459. Type: [China: Qinghai: Amdo]: in montibus Dshachar.
- 3482. Hesperia comma lena Korshunov & Gorbunov, 1995** (Hesperiidae) *Hesperia comma* ssp. *lena* Korshunov & Gorbunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 39. Holotype: Russia: Sountar-Khayata Mts., Sountar valley.
- 3483. Hesperia comma mixta Alpheraky, 1881** (Hesperiidae) *Hesperia comma* var. *mixta* Alpheraky, 1881, Horae Soc. ent. ross. 16: 432. Syntypes ♂♀: [China: Uighur A.R.]: Kuldja, 8000-9000ft.
- 3484. Hesperia comma pallida (Staudinger, 1901)** (Hesperiidae) *Augiades comma* var. *pallida* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 92, nr.670c. Syntypes: Syr.; Taur.; Kurd. oc.; Pont.; Sic., Graec. Srp.
- 3485. Hesperia comma planula Korshunov, 1995** (Hesperiidae) *Hesperia comma* ssp. *planula* Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 40. Holotype: Russia: Novossibirsk: Karasouk, near Krotovaya-Liaga lake.
- 3486. Hesperia comma shandura Evans, 1949** (Hesperiidae) *Hesperia comma* ssp. *shandura* Evans, 1949, Catalogue Hesperidae Eur. Asia Austr. Br. Mus.: 349. Type ♂: [Pakistan]: Chitral, Shandur Pass (BMNH).
- 3487. Hesperia comma shushkini Korshunov, 1995** (Hesperiidae) *Hesperia comma* ssp. *shushkini* Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 40. Holotype: Russia: Altay: Tchoulitchmane valley.
- 3488. Heteropterus Duméril, 1806** (Hesperiidae) *Heteropterus* Duméril, 1806, Zool. analyt.: 271. Type-species: *Papilio aracinthus* Fabricius, 1777, by subsequent designation by Hemming, 1934, Gen. Names hol. Butts 1: 167, under Article 69(a) (ii) (3). Originally no nominal species cited.
- 3489. Heteropterus morpheus (Pallas, 1771)** (Hesperiidae) *Papilio morpheus* Pallas, 1771, Reise versch. Prov. Russ. Reichs 1: 471, nr.64. Type(s): Russia: circa Samaram (Samara, Central Wolga region).
- 3490. Heteropterus morpheus morpheus (Pallas, 1771)** (Hesperiidae) *Papilio morpheus* Pallas, 1771, Reise versch. Prov. Russ. Reichs 1: 471, nr.64. Type(s): Russia: circa Samaram (Samara, Central Wolga region).
- 3491. Hovala Evans, 1937** (Hesperiidae) *Hovala* Evans, 1937, A Catalogue of African Hesperidae...: 4, 64. Type-species: *Cyclopides pardalina* Butler, 1879, by original designation.
- 3492. Hyarotis Moore, [1881]** (Hesperiidae) *Hyarotis* Moore, [1881], Lep. Ceylon 1(4): 174. Type-species: *Papilio adrastus* Stoll, [1780], [in] Cramer, Uitl. Kapellen 4(27): 62, Pl.319, figs. F,G, by original designation.
- 3493. Hyarotis adrastus (Stoll, [1780])** (Hesperiidae) *Papilio adrastus* Stoll, [1780], [in] Cramer, Uitl. Kapellen 4(27): 62, Pl.319, figs. F,G.
- 3494. Hyarotis adrastus adrastus (Stoll, [1780])** (Hesperiidae) *Papilio adrastus* Stoll, [1780], [in] Cramer, Uitl. Kapellen 4(27): 62, Pl.319, figs. F,G.
- 3495. Hyarotis adrastus praba (Moore, [1866])** (Hesperiidae) *Plesioneura praba* Moore, [1866], Proc. zool. Soc. Lond. 1865: 790. Type(s): Bengal.
- 3496. Hypoleucis Mabilie, 1891** (Hesperiidae) *Hypoleucis* Mabilie, 1891, Bull. C. R. ent. Soc. Belg. 35: lxi. Type-species: *Hypoleucis tripunctata* Mabilie, 1891, by subsequent designation by Watson, 1893.
- 3497. Isoleinon C.Felder & R.Felder, 1862** (Hesperiidae) *Isoleinon* Felder & Felder, 1862, Wien. ent. Monatschr. 6: 30. Type-species: *Isoleinon lamprospilus* Felder & Felder, 1862, by monotypy.
- 3498. Isoleinon lamprospilus C.Felder & R.Felder, 1862** (Hesperiidae) *Isoleinon lamprospilus* Felder & Felder, 1862, Wiener ent. Monatschr. 6: 30, nr.31. Syntypes: Ningpo.
- 3499. Isoleinon lamprospilus lamprospilus C.Felder & R.Felder, 1862** (Hesperiidae) *Isoleinon lamprospilus* *Isoleinon lamprospilus* Felder & Felder, 1862, Wiener ent. Monatschr. 6: 30, nr.31. Syntypes: Ningpo.
- 3500. Katreus E.Y.Watson, 1893** (Hesperiidae) *Katreus* Watson, 1893, Proc. zool. Soc. Lond. 1893: 115. Type-species: *Asictopterus johnstonii* Butler, 1888, by original designation.
- 3501. Kedestes E.Y.Watson, 1893** (Hesperiidae) *Kedestes* Watson, 1893, Proc. zool. Soc. Lond. 1893: 96. Type-species: *Hesperia lepenula* Wallengren, 1857, by original designation.
- 3502. Kedestes lenis Riley, 1932** (Hesperiidae) *Kedestes lenis* Riley, 1932, Ann. Mag. nat. Hist. 10 (10): 150-151. Holotype ♂: [South Africa]: "Cape of Good Hope" (F. Graham leg.).
- 3503. Lepella Evans, 1937** (Hesperiidae) *Lepella* Evans, 1937, A Catalogue of African Hesperidae...: 4, 76. Type-species: *Hesperia lepeletier* Latreille, [1824], by original designation.
- 3504. Leptalina Mabilie, 1904** (Hesperiidae) *Leptalina* Mabilie, 1904, [in] Wytsman's Gen. Ins. 17 (B): 92, 110. Type-species: *Steropes unicolor* Bremer & Grey, [1852], [in] Motschulsky, Etüd. ent. 1: 61, by subsequent designation by Lindsey, 1925, Ann. ent. Soc. Amer. 18: 90.
- 3505. Leptalina unicolor (Bremer & Grey, [1852])** (Hesperiidae) *Steropes unicolor* Bremer & Grey, [1852], [in] Motschulsky, Etüd. ent. 1: 61.
- 3506. Leptalina unicolor unicolor (Bremer & Grey, [1852])** (Hesperiidae) *Steropes unicolor* Bremer & Grey, [1852], [in] Motschulsky, Etüd. ent. 1: 61.
- 3507. Leucochitonea Wallengren, 1857** (Hesperiidae) *Leucochitonea* Wallengren, 1857, K. svenska VetenskAkad. Handl. Stockholm (n.f.) 2 (1) 4: 52. Type-species: *Leucochitonea levubu* Wallengren, 1857, by subsequent designation by Wallengren, 1858.
- 3508. Leucochitonea levubu Wallengren, 1857** (Hesperiidae) *Leucochitonea levubu* Wallengren, 1857, K. svenska VetenskAkad. Handl. Stockholm (n.f.) 2 (1) 4: 52. Syntypes: [South Africa]: "Caffraria".
- 3509. Lobocla Moore, 1884** (Hesperiidae) *Lobocla* Moore, 1884, J. asiat. Soc. Bengal Pt.II 53 (1): 51. Type-species: *Plesioneura liliana* Atkinson, 1871, by original designation.
- 3510. Lobocla bifasciata (Bremer & Grey, 1853)** (Hesperiidae) *Eudamus bifasciatus* Bremer & Grey, 1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 10, Tab.iii fig.1. Syntypes: China: near Pekin.
- 3511. Lobocla bifasciata bifasciata (Bremer & Grey, 1853)** (Hesperiidae) *Eudamus bifasciatus* Bremer & Grey, 1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 10, Tab.iii fig.1. Syntypes: China: near Pekin.
- 3512. Lobocla liliana (Atkinson, 1871)** (Hesperiidae) *Plesioneura liliana* Atkinson, 1871, Proc. zool. Soc. Lond. 1871: 216, t.12 fig.2. Type(s): China: Yunnan.
- 3513. Lobocla liliana liliana (Atkinson, 1871)** (Hesperiidae) *Plesioneura liliana* Atkinson, 1871, Proc. zool. Soc. Lond. 1871: 216, t.12 fig.2. Type(s): China: Yunnan.
- 3514. Malaza Mabilie, 1904** (Hesperiidae) *Malaza* Mabilie, 1904, [in] Wytsman, P.A.G., Genera Insectorum 17: 95. Type-species:

Cyclopides catocalinus Mabilie,1878, by subsequent designation by Lindsey,1965, Butterflies of Liberia: 96.

3515. Matapa Moore,[1881] (Hesperiidae) Matapa Moore,[1881], Lep. Ceylon 1(4): 163. Type-species: Ismene aria Moore,[1866], Proc. zool. Soc. Lond. 1865: 784.

3516. Matapa aria (Moore,[1866]) (Hesperiidae) Ismene aria Moore,[1866], Proc. zool. Soc. Lond. 1865: 784. Type ♂: India: Bengal (BMNH).

3517. Matapa aria aria (Moore,[1866]) (Hesperiidae) Ismene aria Moore,[1866], Proc. zool. Soc. Lond. 1865: 784. Type ♂: India: Bengal (BMNH).

3518. Melphina Evans,1937 (Hesperiidae) Melphina Evans,1937, A Catalogue of African Hesperiidae...: 8, 162. Type-species: Parnara melphis Holland,1893, by original designation.

3519. Metisella Hemming,1934 (Hesperiidae) Metisella Hemming,1934, Stylops 3: 99. Type-species: Papilio metis Linnaeus,1764, by original designation.

3520. Meza Hemming,1939 (Hesperiidae) Meza Hemming,1939, Proc. R. ent. Soc. Lond. (B) 8: 39. Type-species: Hesperia meza Hewitson,1877, by original designation.

3521. Miraja Evans,1937 (Hesperiidae) Miraja Evans,1937, A Catalogue of African Hesperiidae...: 6, 133. Type-species: Trapezites varians Oberthür,1916, by original designation.

3522. Moltena Evans,1937 (Hesperiidae) Moltena Evans,1937, A Catalogue of African Hesperiidae...: 7, 139. Type-species: Proteides fiara Butler,1870, by original designation.

3523. Monza Evans,1937 (Hesperiidae) Monza Evans,1937, A Catalogue of African Hesperiidae...: 7, 160. Type-species: Goniloba cretacea Snellen,1872, by original designation.

3524. Mooreana Evans,1926 (Hesperiidae) Mooreana Evans,1926, J. Bombay nat. Hist. Soc. 31: 51. Type-species: Pterygospidea trichoneura Felder & Felder,1860, by original designation.

3525. Mooreana trichoneura (C.Felder & R.Felder,1860) (Hesperiidae) Pterygospidea trichoneura C.Felder & R.Felder,1860, Wien. ent. Monatschr. 4: 402, nr.31.

3526. Mooreana trichoneura pralaya (Moore,[1866]) (Hesperiidae) Pterygospidea pralaya Moore,[1866], Proc. zool. Soc. Lond. 1865: 779.

3527. Mooreana trichoneura trichoneura (C.Felder & R.Felder,1860) (Hesperiidae) Pterygospidea trichoneura C.Felder & R.Felder,1860, Wien. ent. Monatschr. 4: 402, nr.31.

3528. Mopala Evans,1937 (Hesperiidae) Mopala Evans,1937, A Catalogue of African Hesperiidae...: 7, 148. Type-species: Ismene ? orna Plötz,1879, by original designation.

3529. Muschampia Tutt,[1906] (Hesperiidae) Muschampia Tutt,[1906], Nat. Hist. Br. Butts 1: 218. Type-species: Papilio proto Esper,[1808], by original designation.

3530. Muschampia antonia (Speyer,1879) (Hesperiidae) Pyrgus antonia Speyer,1879, Stettin ent. Ztg. 40: 342-344. Syntypes 4♂ 2♀: [Kazachstan]: Saisan noor, See im Quellgebiet des Irtysh.

3531. Muschampia antonia antonia (Speyer,1879) (Hesperiidae) Pyrgus antonia Speyer,1879, Stettin ent. Ztg. 40: 342-344. Syntypes 4♂ 2♀: [Kazachstan]: Saisan noor, See im Quellgebiet des Irtysh.

3532. Muschampia antonia gigantea (Staudinger,1886) (Hesperiidae) Pyrgus antonia var. gigantea Staudinger,1886, Stettin ent. Ztg. 47: 255-256. Syntypes: [Uzbekistan]: Margelan, Usgent; [Kirgizistan]: Osch.

3533. Muschampia antonia shivaensis (Wyatt,1961) (Hesperiidae) Ramburia antonia ssp. shivaensis Wyatt,1961, J. Lepidopterist's Soc. 15(1): 17, figs. Holotype ♂: Afghanistan: Badakhshan: Shiva Mts., 6500-8000ft.

3534. Muschampia cribrellum (Eversmann,1841) (Hesperiidae) Hesperia cribrellum Eversmann,1841, Bull. Soc. nat. Moscou 1841 (1): 25.

3535. Muschampia cribrellum cribrellum (Eversmann,1841) (Hesperiidae) Hesperia cribrellum Eversmann,1841, Bull. Soc. nat. Moscou 1841 (1): 25.

3536. Muschampia cribrellum heilong (Streltsov & Dubatolov,1997) (Hesperiidae) Syrichtus cribrellum ssp. heilong Streltsov & Dubatolov,1997, Atalanta 28 81(2): 125-127, figs. Holotype ♂: Russia: Blagovestchensk: surroundings of lake Peschanoje.

3537. Muschampia gigas (Bremer,1864) (Hesperiidae) Hesperia gigas Bremer,1864, Mém. Acad. imp. Sci. St.-Petersb. 8: 96, pl.8 fig.3. Syntypes: Russia: [Kazan Distr., Ussuri Region]: "Bai Possiet und port Bruce".

3538. Muschampia gigas gigas (Bremer,1864) (Hesperiidae) Hesperia gigas Bremer,1864, Mém. Acad. imp. Sci. St.-Petersb. 8: 96,

pl.8 fig.3. Syntypes: Russia: [Kazan Distr., Ussuri Region]: "Bai Possiet und port Bruce".

3539. Muschampia kuenlunus (Groum-Grshimailo,1893) (Hesperiidae) Pyrgus gigas var. kuenlunus Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 129. Syntypes: [Tadjikistan]: "In montibus Transalaiensibus (Pamir) [Zaalaisky Mts.]; [China: Uighur A.R.]: "in montibus ad flumen Chuan-che".

3540. Muschampia kuenlunus kuenlunus (Groum-Grshimailo,1893) (Hesperiidae) Pyrgus gigas var. kuenlunus Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 129. Syntypes: [Tadjikistan]: "In montibus Transalaiensibus (Pamir) [Zaalaisky Mts.]; [China: Uighur A.R.]: "in montibus ad flumen Chuan-che".

3541. Muschampia leuzeae (Oberthür,1881) (Hesperiidae) Syrichthus leuzeae Oberthür,1881, Etüd. Ent. 6: 60, pl.iii fig.10. Syntypes: Algeri: Massara (BMNH).

3542. Muschampia leuzeae leuzeae (Oberthür,1881) (Hesperiidae) Syrichthus leuzeae Oberthür,1881, Etüd. Ent. 6: 60, pl.iii fig.10. Syntypes: Algeri: Massara (BMNH).

3543. Muschampia lutulentus (Groum-Grshimailo,1887) (Hesperiidae) Syrichthus lutulentus Groum-Grshimailo,1887, [in] Romanoff, Mém. Lépid. 3: 401. Syntypes: östliches Buchara [Kisil-Gasy in der Nähe des Liagar-Murda-Paß im Gissar Gebirge (cf. Lukhtanov & Lukhtanov,1994: 302)].

3544. Muschampia lutulentus jaxartensis Lukhtanov,1994 (Hesperiidae) Muschampia lutulentus ssp. jaxartensis Lukhtanov,1994, Herbiopoliana 3: 302-303, Taf. 51 fig. 16 Karte 386. Holotype ♂: Kasachstan: Tschimkenter Gebiet, Syrdarjanischer Karatau, Ujuk in der Nähe von Kentau, 500m (ZISP).

3545. Muschampia lutulentus lutulentus (Groum-Grshimailo,1887) (Hesperiidae) Syrichthus lutulentus Groum-Grshimailo,1887, [in] Romanoff, Mém. Lépid. 3: 401. Syntypes: östliches Buchara [Kisil-Gasy in der Nähe des Liagar-Murda-Paß im Gissar Gebirge (cf. Lukhtanov & Lukhtanov,1994: 302)].

3546. Muschampia musta Evans,1949 (Hesperiidae) Muschampia staudingeri ssp. musta Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 186. Type ♂: Afghanistan: [Kabul]: Paghman Mts., 8000ft. (BMNH).

3547. Muschampia musta loga Evans,1949 (Hesperiidae) Muschampia staudingeri ssp. loga Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 187. Type ♂: Afghanistan: Logar valley (BMNH).

3548. Muschampia musta musta Evans,1949 (Hesperiidae) Muschampia staudingeri ssp. musta Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 186. Type ♂: Afghanistan: [Kabul]: Paghman Mts., 8000ft. (BMNH).

3549. Muschampia musta phil Evans,1949 (Hesperiidae) Muschampia staudingeri ssp. phil Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 187. Type ♂: [Pakistan]: Baluchistan: Chotair, 4000ft. (BMNH).

3550. Muschampia nomas (Lederer,1855) (Hesperiidae) Hesperia nomas Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 193, Taf.1 fig.7. Syntypes: [Lebanon]: Beirut, am Hundflusse (ZMHB).

3551. Muschampia nomas nomas (Lederer,1855) (Hesperiidae) Hesperia nomas Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 193, Taf.1 fig.7. Syntypes: [Lebanon]: Beirut, am Hundflusse (ZMHB).

3552. Muschampia plurimacula (Christoph,1893) (Hesperiidae) Syrichthus staudingeri var. plurimacula Christoph,1893, Dt. ent. Z., Iris 6: 87. Type(s): [Iran]: Hyrcania, Schahrud.

3553. Muschampia plurimacula plurimacula (Christoph,1893) (Hesperiidae) Syrichthus staudingeri var. plurimacula Christoph,1893, Dt. ent. Z., Iris 6: 87. Type(s): [Iran]: Hyrcania, Schahrud.

3554. Muschampia poggei (Lederer,1858) (Hesperiidae) Hesperia poggei Lederer,1858, Wien. ent. Monatschr. 2: 141. Syntypes ♂♂: Syrien: "auf den Bergen um Damask".

3555. Muschampia poggei patta Evans,1949 (Hesperiidae) Muschampia poggei ssp. patta Evans,1949, Catalogue Hesperiidae Eur. Asia Australia Br. Mus.: 185. Type ♂: Afghanistan: Kuliab (BMNH).

3556. Muschampia poggei poggei (Lederer,1858) (Hesperiidae) Hesperia poggei Lederer,1858, Wien. ent. Monatschr. 2: 141. Syntypes ♂♂: Syrien: "auf den Bergen um Damask".

3557. Muschampia prometheus (Groum-Grshimailo,1890) (Hesperiidae) Pyrgus proteus var. prometheus Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 499-500, Pl.18 fig.1. Syntypes: [Tadjikistan]: Transalai.

3558. Muschampia prometheus prometheus (Groum-Grshimailo,1890) (Hesperiidae) Pyrgus proteus var. prometheus

Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 499-500, Pl. 18 fig. 1. Syntypes: [Tadikistan]: Transalai.

3559. *Muschampia proteides* (Wagner, 1929) (Hesperiidae) *Hesperia* proto ssp. *proteides* Wagner, 1929, Mitt. münch. ent. Ges. Taf. 2 fig. 26 Type ♂: [Türkei]: Akschehir [15 Febr. 1929].

3560. *Muschampia proteides proteides* (Wagner, 1929) (Hesperiidae) *Hesperia* proto ssp. *proteides* Wagner, 1929, Mitt. münch. ent. Ges. Taf. 2 fig. 26 Type ♂: [Türkei]: Akschehir [15 Febr. 1929].

3561. *Muschampia proteus* (Staudinger, 1886) (Hesperiidae) *Pyrgus* (*Syrichthus*) *proteus* Staudinger, 1886, Stettin ent. Ztg. 47: 253-254. Syntypes: [Uzbekistan]: Margelan, Namangan, Samarkand; [Kirgizistan]: Alai, Osch.

3562. *Muschampia proteus proteus* (Staudinger, 1886) (Hesperiidae) *Pyrgus* (*Syrichthus*) *proteus* Staudinger, 1886, Stettin ent. Ztg. 47: 253-254. Syntypes: [Uzbekistan]: Margelan, Namangan, Samarkand; [Kirgizistan]: Alai, Osch.

3563. *Muschampia protheon* (Rambur, 1858) (Hesperiidae) *Pamphila* *protheon* Rambur, 1858, Cat. lepid. Andalusie 1: 79, note. Syntypes: Russia mer. [Transbaikalia?]

3564. *Muschampia protheon protheon* (Rambur, 1858) (Hesperiidae) *Pamphila* *protheon* Rambur, 1858, Cat. lepid. Andalusie 1: 79, note. Syntypes: Russia mer. [Transbaikalia?]

3565. *Muschampia proto* (Ochsenheimer, 1808) (Hesperiidae) *Papilio* *proto* Ochsenheimer, 1808, Schmett. Eur. 1(2): 210. Type(s): Portugal.

3566. *Muschampia proto aragonensis* (De Sagarra, 1924) (Hesperiidae) *Hesperia* *proto* *aragonensis* De Sagarra, 1924, Buttl. Inst. catal. Hist. nat. (2) 4: 203-204. Syntypes: Spanien: Albarracin.

3567. *Muschampia proto fulvosatura* Verity, 1925 (Hesperiidae) *Muschampia* *proto* *fulvosatura* Verity, 1925, Entomologist's Rec. J. Var. 1925: 54-55. Syntypes: Algeria.

3568. *Muschampia proto proto* (Ochsenheimer, 1808) (Hesperiidae) *Papilio* *proto* Ochsenheimer, 1808, Schmett. Eur. 1(2): 210. Type(s): Portugal.

3569. *Muschampia staudingeri* (Speyer, 1879) (Hesperiidae) *Pyrgus* *staudingeri* Speyer, 1879, Stettin ent. Ztg. 40: 344-346. Syntypes 6♂: [Kazachstan]: Saisan noor, See im Quellgebiet des Irtysh.

3570. *Muschampia staudingeri staudingeri* (Speyer, 1879) (Hesperiidae) *Pyrgus* *staudingeri* Speyer, 1879, Stettin ent. Ztg. 40: 344-346. Syntypes 6♂: [Kazachstan]: Saisan noor, See im Quellgebiet des Irtysh.

3571. *Muschampia tersa* Evans, 1949 (Hesperiidae) *Muschampia* *tessellum* ssp. *tersa* Evans, 1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 181. Syntypes 1♂ Iraq Kurdistan; [Iran] Persia (Ordubad) [Azerbaidjan], Fars).

3572. *Muschampia tersa tersa* Evans, 1949 (Hesperiidae) *Muschampia* *tessellum* ssp. *tersa* Evans, 1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 181. Syntypes 1♂ Iraq Kurdistan; [Iran] Persia (Ordubad) [Azerbaidjan], Fars).

3573. *Muschampia tessellum* (Hübner, [1802]) (Hesperiidae) *Papilio* *tessellum* Hübner, [1802], Samml. eur. Schmett. 1: pl. 93, figs. 469-470. Syntypes: Europa.

3574. *Muschampia tessellum cribelloides* (Gaede, 1931) (Hesperiidae) *Hesperia* (*Tuttia*) *tessellum* *cribelloides* Gaede, 1931, [in] Seitz, A., Gross-Schmett. Erde 1 (suppl.): 312-313. Syntypes: Russia: Sarepta; [Kazachstan]: Uralsk.

3575. *Muschampia tessellum dilutior* (Heyne, [1895]) (Hesperiidae) *Pyrgus* *tessellum* var. *dilutior* Heyne, [1895], [in] Rühl, F., Die palaearkt. Grossschmett. 1: 661. Type(s): Mongolei.

3576. *Muschampia tessellum nigricans* (Mabille, 1909) (Hesperiidae) *Hesperia* *tessellum* f. *nigricans* Mabille, 1909, [in] Seitz, Gross-Schmett. Erde 1: 337. Type ♀: [China: Uighur A.R.]: Juldus.

3577. *Muschampia tessellum nobilis* (Staudinger, 1882) (Hesperiidae) *Pyrgus* (*Syrichthus*) *nobilis* Staudinger, 1882, Berl. ent. Z. 26(1): 176-177. Syntypes: [Uzbekistan]: Samarkand, bei Ferab.

3578. *Muschampia tessellum tessellum* (Hübner, [1802]) (Hesperiidae) *Papilio* *tessellum* Hübner, [1802], Samml. eur. Schmett. 1: pl. 93, figs. 469-470. Syntypes: Europa.

3579. *Mysoria ambigua* (Mabille & Boulet, 1908) (Hesperiidae) *ambigua* Mabille & Boulet, 1908

3580. *Netrobalane Mabille, 1903* (Hesperiidae) *Netrobalane* Mabille, 1903, [in] Wytzman, P.A.G., Genera Insectorum 17: 46, 76. Type-species: *Caprona canopus* Trimen, 1864, by monotypy.

3581. *Notocrypta De Nicéville, 1889* (Hesperiidae) *Notocrypta* De Nicéville, 1889, J. Bombay nat. Hist. Soc. 4: 188. Type-species: *Plesioneura curvifascia* Felder & Felder, 1862, by designation through Section (i) (replacement names) of Article 67.

3582. *Notocrypta feisthamelii alysos* (Moore, [1866]) (Hesperiidae) *Plesioneura* *alysos* Moore, [1866], Proc. zool. Soc. Lond. 1865: 789. Type(s): Bengal.

3583. *Ochlodes Scudder, 1872* (Hesperiidae) *Ochlodes* Scudder, 1872, 4th Ann. Rep. Peabody Acad. Sci. 1871: 78. Type-species: *Hesperia nemorum* Boisduval, 1852, Annls Soc. ent. Fr. (2) 10: 314, by original designation.

3584. *Ochlodes hyrcanus* (Christoph, 1893) (Hesperiidae) *Hesperia* *hyrcana* Christoph, 1893, Dt. ent. Z., Iris 6: 87. Syntypes: [Iran]: Hyrcania: Astrabad [=Gorgan]; [Aserbaidjan]: Lenkoran.

3585. *Ochlodes hyrcanus hyrcanus* (Christoph, 1893) (Hesperiidae) *Hesperia* *hyrcana* Christoph, 1893, Dt. ent. Z., Iris 6: 87. Syntypes: [Iran]: Hyrcania: Astrabad [=Gorgan]; [Aserbaidjan]: Lenkoran.

3586. *Ochlodes ochraceus* (Bremer, 1861) (Hesperiidae) *Pamphila* *ochracea* Bremer, 1861, Bull. Acad. imp. Sci. St. Petersb. 3: 47473. Syntypes: Russia: Amurland.

3587. *Ochlodes ochraceus ochraceus* (Bremer, 1861) (Hesperiidae) *Pamphila* *ochracea* Bremer, 1861, Bull. Acad. imp. Sci. St. Petersb. 3: 47473. Syntypes: Russia: Amurland.

3588. *Ochlodes subhyalinus* (Bremer & Grey, 1853) (Hesperiidae) *Hesperia* *subhyalina* Bremer & Grey, 1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 10-11, Tab. iii fig. 4. Syntypes: China: near Pekin.

3589. *Ochlodes subhyalinus pascus* Evans, 1949 (Hesperiidae) *Ochlodes* *subhyalina* ssp. *pasca* Evans, 1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 354. Holotype ♂: [India]: Khasi Hills (BMNH).

3590. *Ochlodes subhyalinus subhyalinus* (Bremer & Grey, 1853) (Hesperiidae) *Hesperia* *subhyalina* Bremer & Grey, 1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 10-11, Tab. iii fig. 4. Syntypes: China: near Pekin.

3591. *Ochlodes venatus* (Bremer & Grey, [1852]) (Hesperiidae) *Hesperia* *venata* Bremer & Grey, 1852, [in] Motschulsky, Etüd. Ent. 1: 161. Type(s): China.

3592. *Ochlodes venatus faunus* (Turati, 1905) (Hesperiidae) *Augiades* *faunus* Turati, 1905, Naturalista sicil. 18: 14, pl. 6 fig. 5, 9; pl. 7 fig. 3. Syntypes: Gavarnie (Pyrenees) [destroyed].

3593. *Ochlodes venatus septentrionalis* (Verity, 1919) (Hesperiidae) *Augiades* *venatus* race *septentrionalis* Verity, 1919, Entomologist's Rec. J. Var. 31: 28. Syntypes 2♂ 4♀: Inghilterra (=England).

3594. *Ochlodes venatus venatus* (Bremer & Grey, [1852]) (Hesperiidae) *Hesperia* *venata* Bremer & Grey, 1852, [in] Motschulsky, Etüd. Ent. 1: 161. Type(s): China.

3595. *Odontoptilum De Nicéville, 1890* (Hesperiidae) *Odontoptilum* De Nicéville, 1890, J. Bombay nat. Hist. Soc. 5: 217. Type-species: *Achlyodes sura* Moore, [1866], by original designation.

3596. *Odontoptilum angulatum* (C. Felder, 1862) (Hesperiidae) *Pterygospidea* *angulata* C. Felder, 1862, Verh. zool.-bot. Ges. Wien 12: 488, nr. 149. Syntypes: China.

3597. *Odontoptilum angulatum angulatum* (C. Felder, 1862) (Hesperiidae) *Pterygospidea* *angulata* C. Felder, 1862, Verh. zool.-bot. Ges. Wien 12: 488, nr. 149. Syntypes: China.

3598. *Osmodes Holland, 1892* (Hesperiidae) *Osmodes* Holland, 1892, Ann. Mag. nat. Hist. (6) 10: 291 et nota. Type-species: *Hesperia laronia* Hewitson, 1868, by original designation.

3599. *Osphantes Holland, 1896* (Hesperiidae) *Osphantes* Holland, 1896, Proc. zool. Soc. Lond. 1896: 46. Type-species: *Plastingia ogowena* Mabille, 1891, by original designation.

3600. *Paracleros Berger, 1978* (Hesperiidae) *Paracleros* Berger, 1978, Lambillionea 78: 6. Type-species: *Acleros biguttulus* Mabille, 1890, by original designation.

3601. *Pardaleodes Butler, 1870* (Hesperiidae) *Pardaleodes* Butler, 1870, Entomologist's mon. Mag. 7: 96. Type-species: *Papilio edipus* Stoll, [1781], by original designation.

3602. *Parnara Moore, [1881]* (Hesperiidae) *Parnara* Moore, [1881], Lep. Ceylon 1(4): 166. Type-species: *Eudamus guttatus* Bremer & Grey, [1852], [in] Motschulsky, Etüd. Ent. 1: 60, by original designation.

3603. *Parnara guttatus* (Bremer & Grey, [1852]) (Hesperiidae) *Eudamus* *guttatus* Bremer & Grey, [1852], [in] Motschulsky, Etüd. Ent. 1: 60.

3604. *Parnara guttatus guttatus* (Bremer & Grey, [1852]) (Hesperiidae) *Eudamus* *guttatus* Bremer & Grey, [1852], [in] Motschulsky, Etüd. Ent. 1: 60.

3605. *Parnara guttatus mangala* (Moore, [1866]) (Hesperiidae) *Hesperia* *mangala* Moore, [1866], Proc. zool. Soc. Lond. 1865: 792. Type(s): Bengal.

- 3606. *Parnara guttatus ormuzd* (Groum-Grshimailo,1888)** (Hesperiidae) *Pamphila ormuzd* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 307. Type ♂: Kabadian.
- 3607. *Parnara naso* (Fabricius,1798)** (Hesperiidae) *Hesperia naso* Fabricius,1798, Ent. Syst. Suppl.: 431. Type(s): [Mauritius].
- 3608. *Parnara naso bada* (Moore,1878)** (Hesperiidae) *Hesperia bada* Moore,1878, Proc. zool. Soc. Lond. 48 (3): 688. Type ♂: [Sri Lanka]: Ceylon (BMNH).
- 3609. *Parnara naso bigutta* Evans,1937** (Hesperiidae) *Parnara marchalii* ssp. *bigutta* Evans,1937, Catalogue African Hesperiidae in the British Museum: 187. Holotype ♂: Reunion (BMNH).
- 3610. *Parnara naso monasi* (Trimen,1889)** (Hesperiidae) *Pamphila monasi* Trimen,1889, South African Butterflies: 317. Syntypes: South Africa: Urban, Natal.
- 3611. *Parnara naso naso* (Fabricius,1798)** (Hesperiidae) *Hesperia naso* Fabricius,1798, Ent. Syst. Suppl.: 431. Type(s): [Mauritius].
- 3612. *Parnara naso podora* (Plötz,1884)** (Hesperiidae) *Platingia podora* Plötz,1884, Stettin ent. Ztg. 45: 150. Type(s): Senegal.
- 3613. *Parnara naso poutieri* (Boisduval,1833)** (Hesperiidae) *Hesperia poutieri* Boisduval,1833, Nouv. Anns. Mus. Hist. Nat. 2: 213. [Malagasy Republic]: "Tintingue, Sainte-Marie et a Foule-Pointe".
- 3614. *Paronymus Aurivillius*,[1925]** (Hesperiidae) *Paronymus Aurivillius*,[1925], [in] Seitz,A., Die Grossschmett. Erde 13: 520. Type-species: *Hesperia ligora* Hewitson,1876, by subsequent designation by Evans,1937.
- 3615. *Parosmodes* Holland,1896** (Hesperiidae) *Parosmodes* Holland,1896, Proc. zool. Soc. Lond. 1896: 45. Type-species: *Pamphila morantii* Trimen,1873, by original designation.
- 3616. *Pedesta* Hemming,1934** (Hesperiidae) *Pedesta* Hemming,1934, Entomologist 67: 38. Type-species: *Isoeteinon masuriensis* Moore,1878, by designation through Section (i) (replacement names) of Article 67.
- 3617. *Pedesta masuriensis* (Moore,1878)** (Hesperiidae) *Isoeteinon masuriensis* Moore,1878, Proc. zool. Soc. Lond. 48 (3): 693. Type ♂: India: Mussoorie (BMNH).
- 3618. *Pedesta masuriensis masuriensis* (Moore,1878)** (Hesperiidae) *Isoeteinon masuriensis* Moore,1878, Proc. zool. Soc. Lond. 48 (3): 693. Type ♂: India: Mussoorie (BMNH).
- 3619. *Pelopidas* Walker,1870** (Hesperiidae) *Pelopidas* Walker,1870, Entomologist 5: 56. Type-species: *Pelopidas midea* Walker,1870, Ibid. 5: 56, by monotypy.
- 3620. *Pelopidas agna* (Moore,1866)** (Hesperiidae) *Hesperia agna* Moore,[1866], Proc. zool. Soc. Lond. 1865: 791. Type(s): Bengal.
- 3621. *Pelopidas agna agna* (Moore,1866)** (Hesperiidae) *Hesperia agna* Moore,[1866], Proc. zool. Soc. Lond. 1865: 791. Type(s): Bengal.
- 3622. *Pelopidas mathias* (Fabricius,1798)** (Hesperiidae) *Hesperia mathias* Fabricius,1798, Suppl. Ent. Syst.: 433.
- 3623. *Pelopidas mathias mathias* (Fabricius,1798)** (Hesperiidae) *Hesperia mathias* Fabricius,1798, Suppl. Ent. Syst.: 433.
- 3624. *Pelopidas thrax* (Hübner,1821)** (Hesperiidae) *Gegenes thrax* Hübner,[1821], Samml. exot. Schmett. 2: pl.[150].
- 3625. *Pelopidas thrax thrax* (Hübner,1821)** (Hesperiidae) *Gegenes thrax* Hübner,[1821], Samml. exot. Schmett. 2: pl.[150].
- 3626. *Perrotia* Oberthür,1916** (Hesperiidae) *Perrotia* Oberthür,1916, Etüd. Lépid. comp. 11: 240. Type-species: *Perrotia albiplaga* Oberthür,1916, by subsequent designation by Evans,1937.
- 3627. *Phocides* Hübner,[1819]** (Hesperiidae) *Phocides* Hübner,[1819], Verz. bekannt. Schmett. (7): 103. Type-species: *Phocides cruentus* Hübner,[1819] (=Papilio palemon Cramer), by subsequent designation by Scudder,1875.
- 3628. *Phocides pigmalion* (Cramer,[1779])** (Hesperiidae) *Papilio pigmalion* Cramer,[1779], Uitl. Kapellen 3: 87. Type(s): "Surinam".
- 3629. *Phocides pigmalion okeechobee* (Worthington,1881)** (Hesperiidae) *Erycides pigmalion okeechobee* Worthington,1881, Papilio 1: 133. Type: Florida: Collier Co., Marco Island.
- 3630. *Phocides pigmalion pigmalion* (Cramer,[1779])** (Hesperiidae) *Papilio pigmalion* Cramer,[1779], Uitl. Kapellen 3: 87. Type(s): "Surinam".
- 3631. *Phocides polybius* (Fabricius,1793)** (Hesperiidae) *Papilio polybius* Fabricius,1793, Ent. Syst. 3: 337. Type(s): "Indiis".
- 3632. *Phocides polybius lilea* (Reakirt,[1867])** (Hesperiidae) *Erycides palemon lilea* Reakirt,[1867], Proc. Acad. Nat. Sci., Philadelphia 1866: 339. Type: "Mexico nr. Veracruz".
- 3633. *Phocides polybius polybius* (Fabricius,1793)** (Hesperiidae) *Papilio polybius* Fabricius,1793, Ent. Syst. 3: 337. Type(s): "Indiis".
- 3634. *Phocides urania* (Westwood,1852)** (Hesperiidae) *Erycides urania* Westwood,1852, Gen. diurn. Lepid. (2): 510. Type: "Mexico" (BMNH).
- 3635. *Pintara bowringi colorata* Devyatkin,1998** (Hesperiidae) *Pintara bowringi* ssp. *colorata* Devyatkin,1998, Neue ent. Nachr. 41: 296-298, figs. Holotype ♂: North Vietnam: Vinh Phu Prov., Tam Dao 200m, 26.x.1996, A.Monastyrskii leg.
- 3636. *Pintara capiloides* Devyatkin,1998** (Hesperiidae) *Pintara capiloides* Devyatkin,1998, Neue ent. Nachr. 41: 295-296, fig. Holotype ♂: Central Vietnam: Binh Tri Thien Prov., Bach-Ma NP, 25.vii.1996, A.Monastyrskii leg.
- 3637. *Platylesches* Holland,1896** (Hesperiidae) *Platylesches* Holland,1896, Proc. zool. Soc. Lond. 1896: 72. Type-species: *Parnara* ? picanini Holland,1894, by original designation.
- 3638. *Ploetzia* Saalmüller,1884** (Hesperiidae) *Ploetzia* Saalmüller,1884, Lepid. Madagascar 1: 115. Type-species: *Hesperia amygdalis* Mabilille,1877, by monotypy.
- 3639. *Polygonus manueli* Bell & Comstock,1948** (Hesperiidae) *Polygonus manueli* Bell & Comstock,1948, American Mus. Novitates 1379: 4-7. Holotype ♂: Brazil: Sta. Catharina: New Bremen (AMNH).
- 3640. *Polygonus manueli manueli* Bell & Comstock,1948** (Hesperiidae) *Polygonus manueli* Bell & Comstock,1948, American Mus. Novitates 1379: 4-7. Holotype ♂: Brazil: Sta. Catharina: New Bremen (AMNH).
- 3641. *Polytremis* Mabilille,1904** (Hesperiidae) *Polytremis* Mabilille,1904, [in] Wystman's Genera Insectorum 17(B): 136. Type-species: *Gegenes contigua* Mabilille,1877, by original designation.
- 3642. *Polytremis eltola* (Hewitson,1869)** (Hesperiidae) *Hesperia eltola* Hewitson,1869, Exot. Butts. 4: Hesperiidae, pl.4 fig.40.
- 3643. *Polytremis eltola eltola* (Hewitson,1869)** (Hesperiidae) *Hesperia eltola* Hewitson,1869, Exot. Butts. 4: Hesperiidae, pl.4 fig.40.
- 3644. *Polytremis pellucida* (Murray,1875)** (Hesperiidae) *Pamphila pellucida* Murray,1875, Entomologist's mon. Mag. 11: 172. Type ♂: Japan (BMNH).
- 3645. *Polytremis pellucida pellucida* (Murray,1875)** (Hesperiidae) *Pamphila pellucida* Murray,1875, Entomologist's mon. Mag. 11: 172. Type ♂: Japan (BMNH).
- 3646. *Polytremis zina* (Evans,1932)** (Hesperiidae) *Baoris zina* Evans,1932, Identification of Indian Butterflies (2): 415. Syntypes: "W. and C. China".
- 3647. *Polytremis zina zina* (Evans,1932)** (Hesperiidae) *Baoris zina* Evans,1932, Identification of Indian Butterflies (2): 415. Syntypes: "W. and C. China".
- 3648. *Potanthus* Scudder,1872** (Hesperiidae) *Potanthus* Scudder,1872, 4th Ann. Rep. Peabody Acad. Sc. 1871: 75. Type-species: *Hesperia omaha* Edwards,1863, by original designation.
- 3649. *Potanthus dara* (Kollar,[1844])** (Hesperiidae) *Hesperia dara* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 455. Type(s): Kaschmir.
- 3650. *Potanthus dara dara* (Kollar,[1844])** (Hesperiidae) *Hesperia dara* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 455. Type(s): Kaschmir.
- 3651. *Potanthus flavum* (Murray,1875)** (Hesperiidae) *Pamphila flava* Murray,1875, Entomologist's mon. Mag. 12: 4. Type(s): Japonia.
- 3652. *Potanthus flavum alcon* (Evans,1932)** (Hesperiidae) *Padraona flava alcon* Evans,1932, Identification of Indian Butterflies (2): 403. Syntypes: "Karens".
- 3653. *Potanthus flavum flavum* (Murray,1875)** (Hesperiidae) *Pamphila flava* Murray,1875, Entomologist's mon. Mag. 12: 4. Type(s): Japonia.
- 3654. *Potanthus pallida* (Evans,1932)** (Hesperiidae) *Padraona pseudomaesa pallida* Evans,1932, Identification of Indian Butterflies (2): 402. Syntypes: "Karens".
- 3655. *Potanthus pallida pallida* (Evans,1932)** (Hesperiidae) *Padraona pseudomaesa pallida* Evans,1932, Identification of Indian Butterflies (2): 402. Syntypes: "Karens".
- 3656. *Potanthus pseudomaesa clio* (Evans,1932)** (Hesperiidae) *Padraona cato clio* Evans,1932, Identification of Indian Butterflies (2): 402. Syntypes: [India]: Kulu to Sikkim.
- 3657. *Procampa* Holland,1892** (Hesperiidae) *Procampa* Holland,1892, Ann. Mag. nat. Hist. (6) 10: 293 et nota. Type-species: *Procampa rara* Holland,1892, ibid. (6) 10: 294, by original designation.
- 3658. *Procampa rara* Holland,1892** (Hesperiidae) *Procampa* rara Holland,1892, Ann. Mag. nat. Hist. (6) 10: 293 et nota. Type: [Gabon]: "Ogové Valley".
- 3659. *Prosopalpus* Holland,1896** (Hesperiidae) *Prosopalpus* Holland,1896, Proc. zool. Soc. Lond. 1896: 53. Type-species: *Cobalus duplex* Mabilille,1890, by original designation.

- 3660. *Proteides mercurius* (Fabricius,1787)** (Hesperiidae) *Papilio mercurius* Fabricius,1787, Mant. Ins. 2: 86. Lectotype: [French Guiana]: Cayenne (Kiel Museum).
- 3661. *Proteides mercurius mercurius* (Fabricius,1787)** (Hesperiidae) *Papilio mercurius* Fabricius,1787, Mant. Ins. 2: 86. Lectotype: [French Guiana]: Cayenne (Kiel Museum).
- 3662. *Proteides mercurius sanantonio* (Lucas,1857)** (Hesperiidae) *Eudamus sanantonio* Lucas,1857, [in] Sagra, Hist. Cuba 7: 626. Type: "Cuba" (MNHN).
- 3663. *Pseudoborbo bevani* (Moore,1878)** (Hesperiidae) *Hesperia bevani* Moore,1878, Proc. zool. Soc. Lond. 48 (3): 688. Type ♂: India: Moulmein (BMNH).
- 3664. *Pseudoborbo bevani bevani* (Moore,1878)** (Hesperiidae) *Hesperia bevani* Moore,1878, Proc. zool. Soc. Lond. 48 (3): 688. Type ♂: India: Moulmein (BMNH).
- 3665. *Pseudocoladenia dan* (Fabricius,1787)** (Hesperiidae) *Papilio dan* Fabricius,1787, Mant. Ins. 2: 88, nr. 798. Type(s): Tranquebariae.
- 3666. *Pseudocoladenia dan dan* (Fabricius,1787)** (Hesperiidae) *Papilio dan* Fabricius,1787, Mant. Ins. 2: 88, nr. 798. Type(s): Tranquebariae.
- 3667. *Pseudocoladenia dan decora* (Evans,1939)** (Hesperiidae) *decora* Evans,1939
- 3668. *Pseudocoladenia dan fatih* (Kollar,[1844])** (Hesperiidae) *Hesperia fatih* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 454, Taf.18 figs.5,6. Type(s): Kaschmir.
- 3669. *Pteroteinon E.Y.Watson,1893*** (Hesperiidae) *Pteroteinon* Watson,1893, Proc. zool. Soc. Lond. 1893: 7, 124. Type-species: *Hesperia lauffella* Hewitson,1868, by monotypy.
- 3670. *Pyrgus Hübner,[1819]*** (Hesperiidae) *Pyrgus* Hübner,[1819], Verz. bekannt. Schmett. (7): 109. Type-species: *Pyrgus alveolus* Hübner, [1803], Samml. eur. Schmett.: pl. Pap.92, figs.466,467. by subsequent designation by Westwood,1841, in Humprey & Westwood, Br. Butts Transformations (ed.1):12
- 3671. *Pyrgus aladaghensis* De Prins & Poorten,1995** (Hesperiidae) *Pyrgus aladaghensis* Prins & Poorten,1995, Phegea 23(1): 36-40, figs. Holotype ♂: Turkey: Niğde Pr.: Aladagh D., Eznevit v.,2800m.
- 3672. *Pyrgus aladaghensis aladaghensis* De Prins & Poorten,1995** (Hesperiidae) *Pyrgus aladaghensis* Prins & Poorten,1995, Phegea 23(1): 36-40, figs. Holotype ♂: Turkey: Niğde Pr.: Aladagh D., Eznevit v.,2800m.
- 3673. *Pyrgus alpinus* (Erschoff,1874)** (Hesperiidae) *Syrichthus alveus* var. *alpina* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 24, Pl.2 fig.18. Type: [Uzbekistan: Fergana]: Ktchi Alai (Kokand).
- 3674. *Pyrgus alpinus alichurensis* De Jong,1975** (Hesperiidae) *Pyrgus alpinus* ssp. *alichurensis* De Jong,1975, Zool. Meded. 49: 6. Holotype ♂: Koytezek Pass, S. Alichur Mts.
- 3675. *Pyrgus alpinus alpinus* (Erschoff,1874)** (Hesperiidae) *Syrichthus alveus* var. *alpina* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepid.): 24, Pl.2 fig.18. Type: [Uzbekistan: Fergana]: Ktchi Alai (Kokand). Neotype ♂: "North Alai: Isparjan", designated by Korb & de Jong,2000, Alexanor 21:84.
- 3676. *Pyrgus alpinus anubis* Korb,2000** (Hesperiidae) *Pyrgus alpinus* ssp. *anubis* Korb,2000, Alexanor 21: 85, fig.1. Holotype ♂: Kyrgyzstan: Mont. Kirghiz, vallée de Tschon Kuurtchak, Kysyl-Beles, 3500-3700m. (IZSP).
- 3677. *Pyrgus alpinus mustagatae* Alberti,1952** (Hesperiidae) *Pyrgus alpinus* ssp. *mustagatae* Alberti,1952, Z. Lepid. 2: 80. Holotype ♂: [China: Uighur A.R.]: Muztagh Ata (ZSM).
- 3678. *Pyrgus alveus* (Hübner,[1803])** (Hesperiidae) *Papilio alveus* Hübner,[1803], Samml. eur. Schmett. 1: pl.92 figs.461-463. Neotype ♂: Deutschl.: Münzinger Alb, Mehrstetten (Renner,1991).
- 3679. *Pyrgus alveus accreta* (Verity,1925)** (Hesperiidae) *Hesperia alveus* race *accreta* Verity,1925, Entomologist's Rec. J. Var. 37: 55. Syntypes 8♂: [France]: Hautes Pyrenées: Gedre.
- 3680. *Pyrgus alveus alveus* (Hübner,[1803])** (Hesperiidae) *Papilio alveus* Hübner,[1803], Samml. eur. Schmett. 1: pl.92 figs.461-463. Neotype ♂: Deutschland: Münzinger Alb, Mehrstetten (Renner,1991).
- 3681. *Pyrgus alveus centralitaliae* (Verity,1920)** (Hesperiidae) *Hesperia alveus* race *centralitaliae* Verity,1920, Entomologist's Rec. J. Var. 32: 4. Syntypes 2♂ 1♀: Italia centrale: Piceno: Monti Sibillini, 1200-1400m.
- 3682. *Pyrgus alveus iliensis* (Reverdin,1912)** (Hesperiidae) *Hesperia iliensis* Reverdin,1912, Bull. Soc. lépid. Genève 2: 155, t.16 figs.7-8, t.18 figs.1-2. Syntypes: [Kasachstan]: Turkestan oriental, dans la region d'Ili. Lectotype ♂: Turkestan: Ili Gebiet, designated by De Prins & Poorten,1995, Phegea 23: 6.
- 3683. *Pyrgus alveus jurassicus* (Warren,1926)** (Hesperiidae) *Hesperia alveus* race *jurassica* Warren,1926, Trans. ent. Soc. Lond. 74 81: 122, pl. xlii figs.9-12. Syntypes: France: Haute Savoie: Grand Salève; Eclépens (Vaud).
- 3684. *Pyrgus alveus kansuensis* (Reverdin,1927)** (Hesperiidae) *Hesperia alveus* ssp. *kansuensis* Reverdin,1927, [in] Bang-Haas,O., Horae Macrolepidopt. 1: 54-55, t.7 fig.29. Type ♂: China sept. occ.: Kansu, Richthofen mont., westl. Liang-tschou.
- 3685. *Pyrgus alveus reverdini* (Oberthür,1912)** (Hesperiidae) *Hesperia reverdini* Oberthür,1912, Etüd lépid. comp. 6: 72, pl.137 figs.1217. Syntypes: China: Szechwan: Ta-Tsien-Lou.
- 3686. *Pyrgus alveus scandinavicus* (Strand,1903)** (Hesperiidae) *Hesperia alveus* *scandinavicus* Strand,1903, Arch. Naturv. Christian 25: 6. Syntypes: Dovre.
- 3687. *Pyrgus alveus sifanicus* Groum-Grshimailo,1891** (Hesperiidae) *Pyrgus alveus* var. *sifanicus* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 459. Syntypes: [China]: Dshachar, Kuku Noor.
- 3688. *Pyrgus alveus speyeri* (Staudinger,1887)** (Hesperiidae) *Hesperia alveus* var. *speyeri* Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 153, pl.8 fig.5. Syntypes: Russia: Amurland.
- 3689. *Pyrgus andromedae* (Wallengren,1853)** (Hesperiidae) *Syrichthus andromedae* Wallengren,1853, Öfvers. K. Vetensk. Akad. Förh. 10: 25. Type(s): [Norway]: Dalarne.
- 3690. *Pyrgus andromedae andromedae* (Wallengren,1853)** (Hesperiidae) *Syrichthus andromedae* Wallengren,1853, Öfvers. K. Vetensk. Akad. Förh. 10: 25. Type(s): [Norway]: Dalarne.
- 3691. *Pyrgus armoricanus* (Oberthür,1910)** (Hesperiidae) *Syrichthus alveus* f. *armoricanus* Oberthür,1910, Etüd. Lépid. comp. 4: 411, pl.57 figs.509-517. Syntypes: France: Environs de Rennes.
- 3692. *Pyrgus armoricanus armoricanus* (Oberthür,1910)** (Hesperiidae) *Syrichthus alveus* f. *armoricanus* Oberthür,1910, Etüd. Lépid. comp. 4: 411, pl.57 figs.509-517. Syntypes: France: Environs de Rennes.
- 3693. *Pyrgus armoricanus persicus* (Reverdin,1913)** (Hesperiidae) *Hesperia persica* ? Reverdin,1913, Bull. Soc. lépid. Genève 2 (4): 218-224, 6 textfigs., Pl.21 fig.4; Pl.22 fig.9. Syntypes: [Iran]: Kuldars (North-East Iran) (MHNG).
- 3694. *Pyrgus armoricanus philonides* (Hemming,1931)** (Hesperiidae) *Hesperia armoricanus* ssp. *philonides* Hemming,1931, Ann. Mag. nat. Hist. 10 (8): 534. Holotype ♂: Lebanon.
- 3695. *Pyrgus badachschanus* (Alberti,1940)** (Hesperiidae) *Hesperia badachschanus* Alberti, 1940, Mitt. münch. ent. Ges. 30: 239.
- 3696. *Pyrgus badachschanus badachschanus* (Alberti,1940)** (Hesperiidae) *Hesperia badachschanus* Alberti, 1940, Mitt. münch. ent. Ges. 30: 239.
- 3697. *Pyrgus bieti* (Oberthür,1886)** (Hesperiidae) *Syrichthus bieti* Oberthür,1886, Etüd. ent. 11: 26, pl.vi fig.50. Type(s): Chine: Ta-Tsien-Lou.
- 3698. *Pyrgus bieti bieti* (Oberthür,1886)** (Hesperiidae) *Syrichthus bieti* Oberthür,1886, Etüd. ent. 11: 26, pl.vi fig.50. Type(s): Chine: Ta-Tsien-Lou.
- 3699. *Pyrgus bolkariensis* De Prins & Poorten,1995** (Hesperiidae) *Pyrgus bolkariensis* Prins & Poorten,1995, Phegea 23(1): 31-36, figs. Holotype ♂: Turkey: Taurus Mt., Bolkar D., Sivritepe, 3100m.
- 3700. *Pyrgus bolkariensis bolkariensis* De Prins & Poorten,1995** (Hesperiidae) *Pyrgus bolkariensis* Prins & Poorten,1995, Phegea 23(1): 31-36, figs. Holotype ♂: Turkey: Taurus Mt., Bolkar D., Sivritepe, 3100m.
- 3701. *Pyrgus cacaliae* (Rambur,[1839])** (Hesperiidae) *Hesperia cacaliae* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.8. Syntypes: Grande Chartreuse.
- 3702. *Pyrgus cacaliae cacaliae* (Rambur,1839)** (Hesperiidae) *Hesperia cacaliae* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.8. Syntypes: Grande Chartreuse.
- 3703. *Pyrgus carlinae* (Rambur,[1839])** (Hesperiidae) *Hesperia carlinae* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.8. Syntypes: Alpes.
- 3704. *Pyrgus carlinae carlinae* (Rambur,[1839])** (Hesperiidae) *Hesperia carlinae* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.8. Syntypes: Alpes.
- 3705. *Pyrgus carthami* (Hübner,[1813])** (Hesperiidae) *Papilio carthami* Hübner,[1813], Samml. eur. Schmett. 1: pl.143 figs. 721-723. Syntypes: Europa.

- 3706. *Pyrgus carthami carthami* (Hübner,[1813])** (Hesperiidae) *Papilio carthami* Hübner,[1813], Samml. eur. Schmett. 1: pl.143 figs. 721-723. Syntypes: Europa.
- 3707. *Pyrgus carthami microcarthami* (Verity,1928)** (Hesperiidae) *Hesperia carthami microcarthami* Verity,1928, Bull. Soc. ent. Fr. 1928: 140 (nomen novum pro *pyrenaica* Warren,1926 nec Tutt,1906).
- 3708. *Pyrgus carthami moeschleri* (Herrich-Schäffer,[1854])** (Hesperiidae) *Hesperia moeschleri* Herrich-Schäffer,[1854], Syst. Bearb. Schmett. Eur. 6: 175. Syntypes: Russia: Sarepta.
- 3709. *Pyrgus carthami pyrenaicus* (Warren,1926)** (Hesperiidae) *Hesperia carthami* race *pyrenaica* Warren,1926, Trans. ent. Soc. Lond. 74 (1): 69, pl. xxiii figs.9-10. Syntypes: France: Pyrenée, Gavarnie.
- 3710. *Pyrgus carthami valesiacus* Mabille,1876** (Hesperiidae) *Scelothrix carthami* var. *valesiaca* Mabille,1876, Bull. Soc. ent. Fr. (5) 6: 214. Type(s): Helvetia.
- 3711. *Pyrgus cashmirensis* Moore,1874** (Hesperiidae) *Pyrgus cashmirensis* Moore,1874, Proc. zool. Soc. Lond. 1874: 274, Pl. 42 fig.7. Type ♂: Kashmir (BMNH).
- 3712. *Pyrgus cashmirensis cashmirensis* Moore,1874** (Hesperiidae) *Pyrgus cashmirensis* Moore,1874, Proc. zool. Soc. Lond. 1874: 274, Pl. 42 fig.7. Type ♂: Kashmir (BMNH).
- 3713. *Pyrgus cashmirensis pseudoalpinus* Alberti,1952** (Hesperiidae) *Pyrgus cashmirensis* ssp. *pseudoalpina* Alberti,1952, Z. Lepid. 2: 85. Holotype ♂: [Pakistan]: Gilgit (in coll. Alberti).
- 3714. *Pyrgus cashmirensis pumilus* De Jong,1979** (Hesperiidae) *Pyrgus cashmirensis* ssp. *pumilus* De Jong,1979, Zool. Meded. 54: 71-72, pl.2 figs. 15-16. Holotype ♂: Afghanistan: Badakhshan: Nasher to Kotal-e-Kamkhas, 3000-3500m, leg. Brade & Naumann (CN).
- 3715. *Pyrgus centaureae* (Rambur,[1839])** (Hesperiidae) *Hesperia centaureae* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.8. Syntypes: Lappland.
- 3716. *Pyrgus centaureae centaureae* (Rambur,[1839])** (Hesperiidae) *Hesperia centaureae* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.8. Syntypes: Lappland.
- 3717. *Pyrgus centaureae kurenzovi* Korshunov,1995** (Hesperiidae) *Pyrgus centaureae* ssp. *kurenzovi* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 32 (nomen novum pro *sibirica* Kurenzov,1970 nec Reverdin,1911).
- 3718. *Pyrgus cinarae* (Rambur,[1839])** (Hesperiidae) *Hesperia cinarae* Rambur,[1839], Faune ent. Andalousie 2 (4): Pl.8, figs.4,5,j. Type(s): [Russia]: Sarepta (BMNH).
- 3719. *Pyrgus cinarae cinarae* (Rambur,[1839])** (Hesperiidae) *Hesperia cinarae* Rambur,[1839], Faune ent. Andalousie 2 (4): Pl.8, figs.4,5,j. Type(s): [Russia]: Sarepta (BMNH).
- 3720. *Pyrgus cirsii* (Rambur,[1839])** (Hesperiidae) *Hesperia cirsii* Rambur,[1839], Faune ent. Andalousie 2 (4): 315 (nota), Pl.8, figs.12,o. Monotype ♂: Fontainebleau (cf. Evans,1946: 190) (BMNH).
- 3721. *Pyrgus cirsii cirsii* (Rambur,[1839])** (Hesperiidae) *Hesperia cirsii* Rambur,[1839], Faune ent. Andalousie 2 (4): 315 (nota), Pl.8, figs.12,o. Monotype ♂: Fontainebleau (cf. Evans,1946: 190) (BMNH).
- 3722. *Pyrgus cirsii iberica* (Groum-Grshimailo,1893)** (Hesperiidae) *Scelothrix cynarae* var. *iberica* Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 384-385. Syntypes: Hispania.
- 3723. *Pyrgus darwazicus* Groum-Grshimailo,1890** (Hesperiidae) *Pyrgus alpina* var. *darwazica* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 502, Pl.21 fig.5. Type ♂: [Tadikistan]: Tuptschek (Darwaz mts) (BMNH).
- 3724. *Pyrgus darwazicus celsimontius* Kaufmann,1952** (Hesperiidae) *Pyrgus darwazica celsimontia* Kauffmann,1952, Z. Lepid. 2: 85-86, figs. 3-4. Holotype ♀: Afghanistan: Badakhshan: Sebak-Tal (ZSM).
- 3725. *Pyrgus darwazicus darwazicus* Groum-Grshimailo,1890** (Hesperiidae) *Pyrgus alpina* var. *darwazica* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 502, Pl.21 fig.5. Type ♂: [Tadikistan]: Tuptschek (Darwaz mts) (BMNH).
- 3726. *Pyrgus darwazicus distinctus* De Jong,1979** (Hesperiidae) *Pyrgus darwazicus* ssp. *distinctus* De Jong,1979, Zool. Meded. 54: 64-67, figs. Holotype ♂: Tadikistan: Khorog, 2700m. (RMNH).
- 3727. *Pyrgus dejeani* (Oberthür,1912)** (Hesperiidae) *Syrichthus dejeani* Oberthür,1912, Etüd. lépid. comp. 6: 66-67. Syntypes: Chine: Ta-Tsien-Lou.
- 3728. *Pyrgus dejeani dejeani* (Oberthür,1912)** (Hesperiidae) *Syrichthus dejeani* Oberthür,1912, Etüd. lépid. comp. 6: 66-67. Syntypes: Chine: Ta-Tsien-Lou.
- 3729. *Pyrgus jupei* (Alberti,1967)** (Hesperiidae) *Hesperia jupei* Alberti,1967, Dt. ent. Z. (n.f.) 14(5): 464-465, 3 pls., figs. Holotype ♂: [Russia]: Kaukasus: Kazbek.
- 3730. *Pyrgus jupei jupei* (Alberti,1967)** (Hesperiidae) *Hesperia jupei* Alberti,1967, Dt. ent. Z. (n.f.) 14(5): 464-465, 3 pls., figs. Holotype ♂: [Russia]: Kaukasus: Kazbek.
- 3731. *Pyrgus maculatus* (Bremer & Grey,1852)** (Hesperiidae) *Syrichthus maculatus* Bremer & Grey,1852, [in] Motschulsky, Etüd. Ent. 1: 61. Syntypes: [China: Beijing]: "environs de Pekin".
- 3732. *Pyrgus maculatus bocki* (Oberthür,1912)** (Hesperiidae) *Syrichthus maculatus bocki* Oberthür,1912, Etüd. lépid. comp. 6: 71, figs.1235-1236. Syntypes: Chine: Kiang Si.
- 3733. *Pyrgus maculatus maculatus* (Bremer & Grey,1852)** (Hesperiidae) *Syrichthus maculatus* Bremer & Grey,1852, [in] Motschulsky, Etüd. Ent. 1: 61. Syntypes: [China: Beijing]: "environs de Pekin".
- 3734. *Pyrgus maculatus thibetanus* (Oberthür,1891)** (Hesperiidae) *Syrichthus maculatus* var. *thibetanus* Oberthür,1891, Etüd. Ent. 15: 20, pl.iii fig.27. Type(s): Chine: Ta-Tsien-Lou.
- 3735. *Pyrgus malvae* (Linnaeus,1758)** (Hesperiidae) *Papilio malvae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 485. Type(s): [Europa].
- 3736. *Pyrgus malvae malvae* (Linnaeus,1758)** (Hesperiidae) *Papilio malvae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 485. Type(s): [Europa].
- 3737. *Pyrgus melotis* (Duponchel,[1834])** (Hesperiidae) *Hesperia melotis* Duponchel,[1834], [in] Godart,J.B., Hist. nat. Lépid. Pap. Fr. 1: 251, Pl. 42 figs.1,2. Type(s): Libanon (cf. Hesselbarth,1995: 224).
- 3738. *Pyrgus melotis graecus* (Oberthür,1910)** (Hesperiidae) *Syrichthus malvae* race *graeca* Oberthür,1910, Etüd. lépid. comp. 4: 394, 396 Pl.54. Holotype ♂: İzmir "Graec" in error (cf. Hesselbarth,1955: 226).
- 3739. *Pyrgus melotis melotis* (Duponchel,[1834])** (Hesperiidae) *Hesperia melotis* Duponchel,[1834], [in] Godart,J.B., Hist. nat. Lépid. Pap. Fr. 1: 251, Pl. 42 figs.1,2. Type(s): Libanon (cf. Hesselbarth,1995: 224).
- 3740. *Pyrgus melotis ponticus* (Reverdin,1914)** (Hesperiidae) *Hesperia pontica* Reverdin,1914, Bull. Soc. lépid. Genève 3(1): 66, Pl. 3 figs. 6,12; Pl.4 figs. 2,3. Syntypes: Turquie: Amasia (in MHNG).
- 3741. *Pyrgus numidus* (Oberthür,1910)** (Hesperiidae) *Syrichthus alveus numidus* Oberthür,1910, Etüd. lépid. comp. 4: 404, pl.50 figs.484-486. Syntypes: Algerie.
- 3742. *Pyrgus numidus numidus* (Oberthür,1910)** (Hesperiidae) *Syrichthus alveus numidus* Oberthür,1910, Etüd. lépid. comp. 4: 404, pl.50 figs.484-486. Syntypes: Algerie.
- 3743. *Pyrgus oberthuri* Leech,1891** (Hesperiidae) *Pyrgus oberthuri* Leech,1891, Entomologist 24 (suppl.): 59. Type(s): China: Wa Ssu Kow.
- 3744. *Pyrgus oberthuri delavayi* (Oberthür,1891)** (Hesperiidae) *Syrichthus delavayi* Oberthür,1891, Etüd. ent. 15: 20-21, pl. iii fig.31. Syntypes: Chine: Yunnan.
- 3745. *Pyrgus oberthuri oberthuri* Leech,1891** (Hesperiidae) *Pyrgus oberthuri* Leech,1891, Entomologist 24 (suppl.): 59. Type(s): China: Wa Ssu Kow.
- 3746. *Pyrgus onopordi* (Rambur,[1839])** (Hesperiidae) *Hesperia onopordi* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.8. Syntypes: Spain: Andalusie: Granada, etc.
- 3747. *Pyrgus onopordi onopordi* (Rambur,[1839])** (Hesperiidae) *Hesperia onopordi* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.8. Syntypes: Spain: Andalusie: Granada, etc.
- 3748. *Pyrgus schansiensis* (Reverdin,1915)** (Hesperiidae) *Hesperia schansiensis* Reverdin,1915, Bull. Soc. lépid. Genève 3: 109-112, pl.5 fig.3, pl.6 fig.5. Syntypes: China: Ta-tsing-schan (Schansi).
- 3749. *Pyrgus schansiensis schansiensis* (Reverdin,1915)** (Hesperiidae) *Hesperia schansiensis* Reverdin,1915, Bull. Soc. lépid. Genève 3: 109-112, pl.5 fig.3, pl.6 fig.5. Syntypes: China: Ta-tsing-schan (Schansi).
- 3750. *Pyrgus serratulae* (Rambur,[1839])** (Hesperiidae) *Hesperia serratulae* Rambur,[1839], Faune ent. Andalousie 2 (4): 318, Pl.8, figs.9,m. Type(s): Andalousie (BMNH).
- 3751. *Pyrgus serratulae alveoides* (Staudinger,1901)** (Hesperiidae) *Hesperia serratulae* var. *alveoides* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 96, nr.701c. Syntypes: [Libanon]: Syria.
- 3752. *Pyrgus serratulae balcanicus* (Warren,1926)** (Hesperiidae) *Hesperia serratulae* ssp. *balcanica* Warren,1926, Trans. ent. Soc. London 1926: 97. Syntypes: Yugoslavia: Montenegro: Cetinje (BMNH).

- 3753. *Pyrgus serratulae major* (Staudinger,1878)** (Hesperiidae) *Syrichthys serratulae* var. major Staudinger,1878, Horae Soc. ent. ross. 14: 292. Syntypes: [Türkei]: Amasia (ZMHB).
- 3754. *Pyrgus serratulae serratulae* (Rambur,[1839])** (Hesperiidae) *Hesperia serratulae* Rambur,[1839], Faune ent. Andalousie 2 (4): 318, Pl.8, figs.9,m. Type(s): Andalousie (BMNH).
- 3755. *Pyrgus serratulae sukhshini* Korshunov & Ivonine,1996** (Hesperiidae) *Pyrgus serratulae* ssp. sukhshini Korshunov & Ivonine,1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 11. Holotype: Altay: env. Tchibit, Tchouya valley.
- 3756. *Pyrgus serratulae uralensis* (Warren,1926)** (Hesperiidae) *Hesperia serratulae* ssp. uralensis Warren,1926, Trans. ent. Soc. Lond. 74 (1): 98, pl. xxix figs.1-6. Syntypes 2♂ 1♀: [Kazakhstan]: Uralsk.
- 3757. *Pyrgus sibiricus* (Reverdin,1911)** (Hesperiidae) *Hesperia sibirica* Reverdin,1911, Bull. Soc. lepid. Genève 2: 78, pl.11 figs.13-14; pl.13 fig.6. Type(s): Russie: Altai.
- 3758. *Pyrgus sibiricus sibiricus* (Reverdin,1911)** (Hesperiidae) *Hesperia sibirica* Reverdin,1911, Bull. Soc. lepid. Genève 2: 78, pl.11 figs.13-14; pl.13 fig.6. Type(s): Russie: Altai.
- 3759. *Pyrgus sidae* (Esper,[1784])** (Hesperiidae) *Papilio sidae* Esper,[1784], Die Schmett. 1(2): 178, pl.90 fig.3. Syntypes: Russia: Wolga.
- 3760. *Pyrgus sidae evansi* Alberti,1957** (Hesperiidae) *Pyrgus sidae* ssp. evansi Alberti,1957, Mitt. dt. ent. Ges. 16(2): 27. Holotype ♂: [Turkmenistan]: Arwas, Kopet Dag (in ZMHB).
- 3761. *Pyrgus sidae occiduus* (Verity,1925)** (Hesperiidae) *Hesperia sidae occidua* Verity,1925, Entomologist's Rec. J. Var. 37: 76 (nomen novum *Hesperia sidae occidentalis* Verity,1919 nec *Hesperia serratulae* Lucas,1910).
- 3762. *Pyrgus sidae sidae* (Esper,[1784])** (Hesperiidae) *Papilio sidae* Esper,[1784], Die Schmett. 1(2): 178, pl.90 fig.3. Syntypes: Russia: Wolga.
- 3763. *Pyrgus warrenensis* (Verity,1928)** (Hesperiidae) *Hesperia alveus* race warrenensis Verity,1928, Bull. Soc. ent. Fr. 1928: 140 [indication for specimens figured by Warren,1926, Trans. ent. Soc. Lond. 74: 120, pl.43]. Holotype ♂: Switzerland: Grisons.
- 3764. *Pyrgus warrenensis warrenensis* (Verity,1928)** (Hesperiidae) *Hesperia alveus* race warrenensis Verity,1928, Bull. Soc. ent. Fr. 1928: 140 [indication for specimens figured by Warren,1926, Trans. ent. Soc. Lond. 74: 120, pl.43]. Holotype ♂: Switzerland: Grisons.
- 3765. *Pyrroneura klanga klanga* Evans,1941** (Hesperiidae) *klanga* Evans,1941
- 3766. *Pyrrhiades* Lindsey & Miller,1965** (Hesperiidae) *Pyrrhiades* Lindsey & Miller,1965, [in] Fox et al., Butterflies of Liberia: 53. Type-species: *Papilio lucagus* Cramer,[1777], by original designation.
- 3767. *Pyrrhocalcia* Mabille,1904** (Hesperiidae) *Pyrrhocalcia* Mabille,1904, [in] Wytzman,P.A.G., Genera Insectorum 17: 85, 89. Type-species: *Papilio iphis* Drury,[1773], by subsequent designation by Lindsey,1965, Butterflies of Liberia: 99.
- 3768. *Pyrrhopyge* Hübner,[1819]** (Hesperiidae) *Pyrrhopyge* Hübner,[1819], Verz. bekannt. Schmett. (7): 103. Type-species: *Papilio bixae* Linnaeus,1758, by subsequent designation by Scudder,[1871].
- 3769. *Rhabdomantis* Holland,1896** (Hesperiidae) *Rhabdomantis* Holland,1896, Proc. zool. Soc. Lond. 1896: 44. Type-species: *Hesperia galatia* Hewitson,1868, by original designation.
- 3770. *Sancus* De Nicéville,1891** (Hesperiidae) *Sancus* De Nicéville,1891, J. Bombay nat. Hist. Soc. 6: 395. Type-species: *Astictopterus subfasciatus* Moore,[1879], by original designation.
- 3771. *Sancus fuligo* (Mabille,1876)** (Hesperiidae) *Tagiades fuligo* Mabille,1876, Annls Soc. ent. Fr. (5) 2: 271. Bull.: xxvi.
- 3772. *Sancus fuligo fuligo* (Mabille,1876)** (Hesperiidae) *Tagiades fuligo* Mabille,1876, Annls Soc. ent. Fr. (5) 2: 271. Bull.: xxvi.
- 3773. *Sancus fuligo subfasciatus* (Moore,[1879])** (Hesperiidae) *Astictopterus subfasciatus* Moore,[1879], Proc. zool. Soc. London 1878: 842. Syntypes ♂♀: [Myanmar]: Upper Tenasserim: Ahsown (coll. Wood-Mason).
- 3774. *Sarangesa* Moore,[1881]** (Hesperiidae) *Sarangesa* Moore,[1881], Lepid. Ceylon 1 (14): 176. Type-species: *Sarangesa albicilia* Moore,[1881], by monotypy.
- 3775. *Sarangesa brigida atra* Evans,1937** (Hesperiidae) *Sarangesa brigida* ssp. atra Evans,1937, Catalogue African Hesperiidae in the British Museum: 48. Holotype ♂: Uganda: Mpanga forest: Toro, 4800ft. (BMNH).
- 3776. *Sarangesa dasahara* (Moore,[1866])** (Hesperiidae) *Sarangesa dasahara* Moore,[1866], Proc. zool. Soc. Lond. 1865 (3): 787.
- 3777. *Sarangesa dasahara dasahara* (Moore,[1866])** (Hesperiidae) *Sarangesa dasahara* Moore,[1866], Proc. zool. Soc. Lond. 1865 (3): 787.
- 3778. *Sarangesa phidyle* (Walker,1870)** (Hesperiidae) *Cyclopides phidyle* Walker,1870, Entomologist 5: 56. Type(s): [Sudan]: Hor Tamanib.
- 3779. *Sarangesa phidyle phidyle* (Walker,1870)** (Hesperiidae) *Cyclopides phidyle* Walker,1870, Entomologist 5: 56. Type(s): [Sudan]: Hor Tamanib.
- 3780. *Sarangesa purendra* (Moore,1857)** (Hesperiidae) *Pyrgus purendra* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 250. Type ♂: India: Kangra.
- 3781. *Sarangesa purendra purendra* (Moore,1857)** (Hesperiidae) *Pyrgus purendra* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 250. Type ♂: India: Kangra.
- 3782. *Sarangesa ruona* Evans,1937** (Hesperiidae) *Sarangesa ruona* Evans,1937, Catalogue African Hesperiidae in the British Museum: 45, pl.2 fig.22. Holotype ♂: Nyasaland: Ruvo Valley, 1000-2000ft. (BMNH).
- 3783. *Sarangesa ruona ruona* Evans,1937** (Hesperiidae) *Sarangesa ruona* Evans,1937, Catalogue African Hesperiidae in the British Museum: 45, pl.2 fig.22. Holotype ♂: Nyasaland: Ruvo Valley, 1000-2000ft. (BMNH).
- 3784. *Sarangesa seineri durbana* Evans,1937** (Hesperiidae) *Sarangesa seineri* ssp. durbana Evans,1937, Catalogue African Hesperiidae in the British Museum: 44. Holotype ♂: Kaffraria: Natal (BMNH).
- 3785. *Satarupa* Moore,[1866]** (Hesperiidae) *Satarupa* Moore,[1866], Proc. zool. Soc. London [1866]: 780. Type-species: *Satarupa gopala* Moore,[1866], by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts. Sci., Boston 10: 265.
- 3786. *Satarupa nymphalis* (Speyer,1879)** (Hesperiidae) *Tagiades nymphalis* Speyer,1879, Stettin ent. Ztg. 40: 348-350. Syntypes: [Russia]: Wladiwostock.
- 3787. *Satarupa nymphalis nymphalis* (Speyer,1879)** (Hesperiidae) *Tagiades nymphalis* Speyer,1879, Stettin ent. Ztg. 40: 348-350. Syntypes: [Russia]: Wladiwostock.
- 3788. *Semalea* Holland,1896** (Hesperiidae) *Semalea* Holland,1896, Proc. zool. Soc. Lond. 1896: 64. Type-species: *Hesperia pulvina* Plötz,1879, by original designation.
- 3789. *Seseria* Matsumura,1919** (Hesperiidae) *Seseria* Matsumura,1919, Thous. Ins. Japan, Addit. 3: 683. Type-species: *Suastrus nigroguttatus* Matsumura,1910, by original designation.
- 3790. *Seseria dohertyi* (E.Y.Watson,1893)** (Hesperiidae) *Satarupa dohertyi* Watson,1893, Proc. zool. Soc. Lond. 1893: 46-47. Syntypes: [India]: "Kumaon" (leg. Doherty).
- 3791. *Seseria dohertyi dohertyi* (E.Y.Watson,1893)** (Hesperiidae) *Satarupa dohertyi* Watson,1893, Proc. zool. Soc. Lond. 1893: 46-47. Syntypes: [India]: "Kumaon" (leg. Doherty).
- 3792. *Seseria sambara* (Moore,[1866])** (Hesperiidae) *Satarupa sambara* Moore,[1866], Proc. zool. Soc. Lond. 1865: 781. Type(s): Sikkim.
- 3793. *Seseria sambara sambara* (Moore,[1866])** (Hesperiidae) *Satarupa sambara* Moore,[1866], Proc. zool. Soc. Lond. 1865: 781. Type(s): Sikkim.
- 3794. *Sovia* Evans,1949** (Hesperiidae) *Sovia* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 27, 246. Type-species: *Hesperilla lucasii* Mabille,1876, by original designation.
- 3795. *Spialia* (Neospialia) Koçak,1989** (Hesperiidae) *Neospialia* Koçak,1989, Priamus 5 (1/2): 67 (pro *Powellia* Tutt,1906 nec Maskell,1879). Type-species: *Papilio sertorius* Hofmannsegg,1804. by original designation.
- 3796. *Spialia* (Neospialia) orbifer (Hübner,[1823])** (Hesperiidae) *Papilio orbifer* Hübner,[1823], Samml. eur. Schmett. 1: pl.161 figs. 803-806. Syntypes: Europa.
- 3797. *Spialia* (Neospialia) orbifer carnea (Reverdin,1927)** (Hesperiidae) *Hesperia carnea* Reverdin,1927, [in] Bang-Haas,O., Horae Macrolepidopt. 1: 52-54, t.7 fig.28. Type ♀: Afghanistan: Pagmann mont., 30km wetsl. Kabul.
- 3798. *Spialia* (Neospialia) orbifer hilaris (Staudinger,1901)** (Hesperiidae) *Hesperia orbifer* var. hilaris Staudinger,1901, Cat. Lepid. palaeart. Faunengeb. 1:96. Syntypes: [Türkei]: Mardin; Syria.
- 3799. *Spialia* (Neospialia) orbifer lugens (Staudinger,1886)** (Hesperiidae) *Pyrgus orbifer* var. lugens Staudinger,1886, Stettin ent. Ztg. 47: 256. Syntypes: Fergana (Margelan, Osch, Namangan).
- 3800. *Spialia* (Neospialia) orbifer orbifer (Hübner,[1823])** (Hesperiidae) *Papilio orbifer* Hübner,[1823], Samml. eur. Schmett. 1: pl.161 figs. 803-806. Syntypes: Europa.

- 3801. *Spialia* (Neospialia) *orbifer pseudolugens* Gorbunov,1995** (Hesperiidae) *Spialia orbifer* ssp. *pseudolugens* Gorbunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 31. Holotype: Russia: Western Altay: vic. Tourgousoun, Osinovka valley.
- 3802. *Spialia* (Neospialia) *sertorius* (Hoffmannsegg,1804)** (Hesperiidae) *Papilio sertorius* Hoffmannsegg,1804, [in] Illiger's Mag. Insektenk. 3: 203.
- 3803. *Spialia* (Neospialia) *sertorius ali* (Oberthür,1881)** (Hesperiidae) *Syrichthus ali* Oberthür,1881, Etüd. Ent. 6: 61, pl.ii fig.3. Syntypes: Algérie: Lambese (BMNH).
- 3804. *Spialia* (Neospialia) *sertorius sertorius* (Hoffmannsegg,1804)** (Hesperiidae) *Papilio sertorius* Hoffmannsegg,1804, [in] Illiger's Mag. Insektenk. 3: 203.
- 3805. *Spialia* (Neospialia) *therapne* (Rambur,1832)** (Hesperiidae) *Hesperia therapne* Rambur,1832, Annls Soc. ent. Fr. 1832: pl.7 fig.4. Type: Corsica.
- 3806. *Spialia* (Neospialia) *therapne therapne* (Rambur,1832)** (Hesperiidae) *Hesperia therapne* Rambur,1832, Annls Soc. ent. Fr. 1832: pl.7 fig.4. Type: Corsica.
- 3807. *Spialia* (s.str.) *Swinhoe*,[1912]** (Hesperiidae) *Spialia Swinhoe*,[1912], [in] Moore, Lepid. india 10 (113): 99. Type-species: *Hesperia galba* Fabricius,1793, by original designation.
- 3808. *Spialia* (s.str.) *colotes* (Druce,1875)** (Hesperiidae) *Pyrgus colotes* Druce,1875, Proc. zool. Soc. Lond. 1875: 416. Syntypes: Angola.
- 3809. *Spialia* (s.str.) *colotes colotes* (Druce,1875)** (Hesperiidae) *Pyrgus colotes* Druce,1875, Proc. zool. Soc. Lond. 1875: 416. Syntypes: Angola.
- 3810. *Spialia* (s.str.) *colotes semiconfluens* De Jong,1978** (Hesperiidae) *Spialia colotes* ssp. *semiconfluens* De Jong,1978, Tijdschr. Ent. 121: 58. Holotype ♂: Somalia: Bihendula.
- 3811. *Spialia* (s.str.) *confusa* Evans,1937** (Hesperiidae) *Spialia confusa* Evans,1937, Catalogue African Hesperiidae in the British Museum: 60. Holotype ♂: Nyasaland (BMNH).
- 3812. *Spialia* (s.str.) *confusa confusa* Evans,1937** (Hesperiidae) *Spialia confusa* Evans,1937, Catalogue African Hesperiidae in the British Museum: 60. Holotype ♂: Nyasaland (BMNH).
- 3813. *Spialia* (s.str.) *confusa obscura* Evans,1937** (Hesperiidae) *Spialia confusa* ssp. *obscura* Evans,1937, Catalogue African Hesperiidae in the British Museum: 60. Holotype ♂: Kenya: Nairobi (BMNH).
- 3814. *Spialia* (s.str.) *delagoae* (Trimen,1898)** (Hesperiidae) *Pyrgus delagoae* Trimen,1898, Trans. ent. Soc. London 1898: 15. Syntypes: Mozambique: Delagoa Bay.
- 3815. *Spialia* (s.str.) *diomus* (Hopffer,1855)** (Hesperiidae) *Pyrgus diomus* Hopffer,1855, Ber. Verh. Akad. Wiss. Berlin 1855: 643. Type(s): Mossambique.
- 3816. *Spialia* (s.str.) *diomus diomus* (Hopffer,1855)** (Hesperiidae) *Pyrgus diomus* Hopffer,1855, Ber. Verh. Akad. Wiss. Berlin 1855: 643. Type(s): Mossambique.
- 3817. *Spialia* (s.str.) *doris* (Walker,1870)** (Hesperiidae) *Nisoniades doris* Walker,1870, Entomologist 5: 56. Type(s): [Djibouti]: Tajora.
- 3818. *Spialia* (s.str.) *doris amenophis* (Reverdin,1914)** (Hesperiidae) *Hesperia ? amenophis* Reverdin,1914, Bull. Soc. Lépid. Gênéve 3: 55, pl.3 figs.5,11. Syntypes: Egypt: Heliopolis, désert, Wedi Risled.
- 3819. *Spialia* (s.str.) *doris daphne* Evans,1949** (Hesperiidae) *Spialia doris* ssp. *daphne* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 177. Type ♂: [Morocco]: High Atlas, Ziz Valley leg. Miss Daphne Aubertin & R.E.Ellison (in BMHN).
- 3820. *Spialia* (s.str.) *doris doris* (Walker,1870)** (Hesperiidae) *Nisoniades doris* Walker,1870, Entomologist 5: 56. Type(s): [Djibouti]: Tajora.
- 3821. *Spialia* (s.str.) *doris evanidus* (Butler,1880)** (Hesperiidae) *Pyrgus evanidus* Butler,1880, Ann. Mag. nat. Hist. (5) 5: 223. Syntypes 2 ex.: [Pakistan]: Beloochistan, Hubb River, Sao.
- 3822. *Spialia* (s.str.) *galba* (Fabricius,1793)** (Hesperiidae) *Hesperia galba* Fabricius,1793, Ent. Syst. 3(1): 352. Type(s): Tranquebariae.
- 3823. *Spialia* (s.str.) *galba galba* (Fabricius,1793)** (Hesperiidae) *Hesperia galba* Fabricius,1793, Ent. Syst. 3(1): 352. Type(s): Tranquebariae.
- 3824. *Spialia* (s.str.) *geron* (E.Y.Watson,1893)** (Hesperiidae) *Hesperia geron* Watson,1893, Proc. zool. Soc. Lond. 1893: 65-67. Syntypes 6♂♂: [Pakistan]: "Quetta, Biluchistan" (leg. Watson in June) (BMNH).
- 3825. *Spialia* (s.str.) *geron geron* (E.Y.Watson,1893)** (Hesperiidae) *Hesperia geron* Watson,1893, Proc. zool. Soc. Lond. 1893: 65-67. Syntypes 6♂♂: [Pakistan]: "Quetta, Biluchistan" (leg. Watson in June) (BMNH).
- 3826. *Spialia* (s.str.) *mafa* (Trimen,1870)** (Hesperiidae) *Pyrgus mafa* Trimen,1870, Trans. ent. Soc. Lond. 1870: 386, pl.6 fig.12. Syntypes: Maseru, Koro-Koro, Potchefstroom, Trans-Vaal.
- 3827. *Spialia* (s.str.) *mafa higginsii* Evans,1937** (Hesperiidae) *Spialia mafa* ssp. *higginsii* Evans,1937, Catalogue African Hesperiidae in the British Museum: 62. Holotype ♂: Kenya: Mumias, 4000ft. (BMNH).
- 3828. *Spialia* (s.str.) *mafa mafa* (Trimen,1870)** (Hesperiidae) *Pyrgus mafa* Trimen,1870, Trans. ent. Soc. Lond. 1870: 386, pl.6 fig.12. Syntypes: Maseru, Koro-Koro, Potchefstroom, Trans-Vaal.
- 3829. *Spialia* (s.str.) *mangana* (Rebel,1899)** (Hesperiidae) *Hesperia* (*Pyrgus*) *mangana* Rebel,1899, Anz. Akad. Wiss. Wien 36: 359-360. Type ♀: [Yemen]: Ras Fartak.
- 3830. *Spialia* (s.str.) *mangana mangana* (Rebel,1899)** (Hesperiidae) *Hesperia* (*Pyrgus*) *mangana* Rebel,1899, Anz. Akad. Wiss. Wien 36: 359-360. Type ♀: [Yemen]: Ras Fartak.
- 3831. *Spialia* (s.str.) *osthelderi* (Pfeiffer,1932)** (Hesperiidae) *Hesperia* (*Powellia*) *osthelderi* Pfeiffer,1932, Mitt. münch. ent. Ges. 22 (2): 50. Syntypes ♂♂: [Turkey]: türkisch Nordsyrien: Marasch, 1000m.
- 3832. *Spialia* (s.str.) *osthelderi gecko* Evans,1949** (Hesperiidae) *Spialia osthelderi* ssp. *gecko* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 176. Holotype ♂: [Iran]: Hyrcania (BMNH).
- 3833. *Spialia* (s.str.) *osthelderi osthelderi* (Pfeiffer,1932)** (Hesperiidae) *Hesperia* (*Powellia*) *osthelderi* Pfeiffer,1932, Mitt. münch. ent. Ges. 22 (2): 50. Syntypes ♂♂: [Turkey]: türkisch Nordsyrien: Marasch, 1000m.
- 3834. *Spialia* (s.str.) *paula* (Higgins,1924)** (Hesperiidae) *Hesperia paula* Higgins,1924, Trans. ent. Soc. Lond. 72: 77, pl.8 fig.22, pl.9 fig.6. Holotype ♂: Zimbabwe: Bulawayo (BMNH).
- 3835. *Spialia* (s.str.) *phlomidis* (Herrich-Schäffer,[1845])** (Hesperiidae) *Hesperia phlomidis* Herrich-Schäffer,[1845], Syst. Bearb. Schmett. Eur. 1: 153, 164; Taf.2 figs.8,9. Type(s): aus der Türkei am Marmarameer".
- 3836. *Spialia* (s.str.) *phlomidis hermona* Evans,1956** (Hesperiidae) *Spialia phlomidis* ssp. *hermona* Evans,1956, Ann. Mag. nat. Hist. 9 (12): 750. Type ♂: Hermon Mt. (BMNH).
- 3837. *Spialia* (s.str.) *phlomidis phlomidis* (Herrich-Schäffer,[1845])** (Hesperiidae) *Hesperia phlomidis* Herrich-Schäffer,[1845], Syst. Bearb. Schmett. Eur. 1: 153, 164; Taf.2 figs.8,9. Type(s): aus der Türkei am Marmarameer".
- 3838. *Spialia* (s.str.) *spio* (Linnaeus,1764)** (Hesperiidae) *Papilio spio* Linnaeus,1764, Museum Ludovicae Ulricae: 338. Type(s): Congo.
- 3839. *Spialia* (s.str.) *spio spio* (Linnaeus,1764)** (Hesperiidae) *Papilio spio* Linnaeus,1764, Museum Ludovicae Ulricae: 338. Type(s): Congo.
- 3840. *Spialia* (s.str.) *struvei* (Püngeler,1914)** (Hesperiidae) *Hesperia struvei* Püngeler,1914, Dt. ent. Z., Iris 28: 37, Taf. 2 figs. 13,20. Syntypes: [China: Uighur A.R.]: Barkul.
- 3841. *Spialia* (s.str.) *struvei fetida* Zhdanko,1992** (Hesperiidae) *Spialia fetida* Zhdanko,1992, Proc. Zool. Inst. St. Petersburg. 248: 184-186, figs. 1,2. Holotype ♂: Kazakhstan: Mangyschlag.
- 3842. *Spialia* (s.str.) *struvei struvei* (Püngeler,1914)** (Hesperiidae) *Hesperia struvei* Püngeler,1914, Dt. ent. Z., Iris 28: 37, Taf. 2 figs. 13,20. Syntypes: [China: Uighur A.R.]: Barkul.
- 3843. *Spialia* (s.str.) *zebra* (Butler,1888)** (Hesperiidae) *Pyrgus zebra* Butler, 1888, Ann. Mag. nat. Hist. 1888: 206.
- 3844. *Spialia* (s.str.) *zebra bifida* (Higgins,1924)** (Hesperiidae) *Hesperia bifida* Higgins,1924, Trans. ent. Soc. Lond. 72: 111. Holotype ♂: Kenya: Nairobi (BMNH).
- 3845. *Spialia* (s.str.) *zebra zebra* (Butler,1888)** (Hesperiidae) *Pyrgus zebra* Butler, 1888, Ann. Mag. nat. Hist. 1888: 206.
- 3846. *Spialia* *Swinhoe*,[1912]** (Hesperiidae) *Spialia Swinhoe*,[1912], [in] Moore, Lepid. india 10 (113): 99. Type-species: *Hesperia galba* Fabricius,1793, by original designation.
- 3847. *Tagiades* (Nestus-gr) *menaka* (Moore,[1866])** (Hesperiidae) *Pterygospidea menaka* Moore,[1866], Proc. zool. Soc. Lond. 1865: 778. Type(s): Bengal.
- 3848. *Tagiades* (Nestus-gr) *menaka menaka* (Moore,[1866])** (Hesperiidae) *Pterygospidea menaka* Moore,[1866], Proc. zool. Soc. Lond. 1865: 778. Type(s): Bengal.
- 3849. *Tagiades* (s.str.) *flesus* (Fabricius,1781)** (Hesperiidae) *Papilio flesus* Fabricius,1781, Spec. Ins.: 155. Type(s): "Africa aequinoctiali".
- 3850. *Tagiades* (s.str.) *insularis* Mabilie,1876** (Hesperiidae) *Tagiades insularis* Mabilie,1876, Annls Soc. ent. Fr. (5) 6: 272. Type: "Madagascar".

- 3851. *Tagiades (s.str.) insularis grandis* Evans,1937** (Hesperiidae) *Tagiades insularis* ssp. *grandis* Evans,1937, Catalogue African Hesperidae in the British Museum: 28. Holotype ♂: Grand Comoro (BMNH).
- 3852. *Tagiades (s.str.) insularis insularis* Mabille,1876** (Hesperiidae) *Tagiades insularis* Mabille,1876, Anns Soc. ent. Fr. (5) 6: 272. Type: "Madagascar".
- 3853. *Tagiades (s.str.) insularis mayotta* Evans,1937** (Hesperiidae) *Tagiades insularis* ssp. *mayotta* Evans,1937, Catalogue African Hesperidae in the British Museum: 28. Holotype ♂: Grand Comoro: Mayotte (BMNH).
- 3854. *Tagiades (s.str.) parra gala* Evans,1949** (Hesperiidae) *Tagiades parra* ssp. *gala* Evans,1949, A Catalogue Hesperidae from Europe, Asia and Australia: 143-144. Type ♂: Sikkim (BMNH).
- 3855. *Tagiades (s.str.) parra naxos* Evans,1949** (Hesperiidae) *Tagiades parra* ssp. *naxos* Evans,1949, A Catalogue Hesperidae from Europe, Asia and Australia: 144. Type ♂: [Malaysia]: Perak, Lakatt and Pambou (BMNH).
- 3856. *Tagiades (s.str.) samboranus* Grose-Smith,1891** (Hesperiidae) *Tagiades samborana* Grose-Smith,1891, Ann. Mag. nat. Hist. (6) 7: 127. Type: Madagascar.
- 3857. *Tagiades (s.str.) samboranus rana* Evans,1937** (Hesperiidae) *Tagiades samborana* ssp. *rana* Evans,1937, Catalogue African Hesperidae in the British Museum: 29. Holotype ♂: Grand Comoro: Mayotte (BMNH).
- 3858. *Tagiades (s.str.) samboranus samboranus* Grose-Smith,1891** (Hesperiidae) *Tagiades samborana* Grose-Smith,1891, Ann. Mag. nat. Hist. (6) 7: 127. Type: Madagascar.
- 3859. *Tagiades Hübner,[1819]*** (Hesperiidae) *Tagiades Hübner*,[1819], Verz. bekannt. Schmett. (7): 108. Type-species: *Papilio japetus* Stoll,[1781], by subsequent designation by Butler,1870, Entomologist's mon. Mag. 7: 99.
- 3860. *Taractrocera* Butler,[1870]** (Hesperiidae) *Taractrocera* Butler,[1870], Cat. diurn. Lep. Fabricius Br. Mus.: 279. Type-species: *Hesperia maevius* Fabricius,1793, by monotypy.
- 3861. *Taractrocera danna* (Moore,1865)** (Hesperiidae) *Pamphila danna* Moore,1865, Proc. zool. Soc. Lond. 1865: 508, pl.30 fig.8. Type(s): India borealis. Simla.
- 3862. *Taractrocera danna danna* (Moore,1865)** (Hesperiidae) *Pamphila danna* Moore,1865, Proc. zool. Soc. Lond. 1865: 508, pl.30 fig.8. Type(s): India borealis. Simla.
- 3863. *Taractrocera maevius* (Fabricius,1793)** (Hesperiidae) *Hesperia maevius* Fabricius,1793, Ent. syst. 3(1): 352. Type(s): India orientali.
- 3864. *Taractrocera maevius maevius* (Fabricius,1793)** (Hesperiidae) *Hesperia maevius* Fabricius,1793, Ent. syst. 3(1): 352. Type(s): India orientali.
- 3865. *Taractrocera maevius sagara* (Moore,[1866])** (Hesperiidae) *Pamphila sagara* Moore,[1866], Proc. zool. Soc. Lond. 1865: 792. Type(s): Bengal.
- 3866. *Telicota* Moore,[1881]** (Hesperiidae) *Telicota* Moore,[1881], Lep. Ceylon 1(4): 169. Type-species: *Papilio colon* Fabricius,1775, by subsequent designation by the Commission under its Plenary Power.
- 3867. *Telicota ancilla* (Herrich-Schäffer,1869)** (Hesperiidae) *Pamphila ancilla* Herrich-Schäffer,1869, Stettin ent. Ztg. 1869: 79, nr.59.
- 3868. *Telicota ancilla ancilla* (Herrich-Schäffer,1869)** (Hesperiidae) *Pamphila ancilla* Herrich-Schäffer,1869, Stettin ent. Ztg. 1869: 79, nr.59.
- 3869. *Telicota bambusae* (Moore,1878)** (Hesperiidae) *Pamphila bambusae* Moore,1878, Proc. zool. Soc. Lond. 48 (3): Type ♂: India: Calcutta (BMNH).
- 3870. *Telicota bambusae bambusae* (Moore,1878)** (Hesperiidae) *Pamphila bambusae* Moore,1878, Proc. zool. Soc. Lond. 48 (3): Type ♂: India: Calcutta (BMNH).
- 3871. *Telicota colon* (Fabricius,1775)** (Hesperiidae) *Papilio colon* Fabricius,1775, Syst. Ent.: 531. Type(s): "India".
- 3872. *Telicota colon colon* (Fabricius,1775)** (Hesperiidae) *Papilio colon* Fabricius,1775, Syst. Ent.: 531. Type(s): "India".
- 3873. *Teniorhinus Holland,1892*** (Hesperiidae) *Teniorhinus* Holland,1892, Ann. Mag. nat. Hist. (6) 10: 292. Type-species: *Teniorhinus watsoni* Holland,1892, by monotypy.
- 3874. *Thymelicus Hübner,[1819]*** (Hesperiidae) *Thymelicus* Hübner,[1819], Verz. bekannt. Schmett. (8): 113. Type-species: *Papilio acteon* Rottemburg,1775, Der Naturforscher 6: 30. by subsequent designation by Butler,1870, Entomologist's mon. Mag. 7:94.
- 3875. *Thymelicus acteon* (Rottemburg,1775)** (Hesperiidae) *Papilio acteon* Rottemburg,1775, Naturforscher 6: 30. Type(s): Germany: Lansberg an der Warthe.
- 3876. *Thymelicus acteon acteon* (Rottemburg,1775)** (Hesperiidae) *Papilio acteon* Rottemburg,1775, Naturforscher 6: 30. Type(s): Germany: Lansberg an der Warthe.
- 3877. *Thymelicus acteon oranus* Evans,1949** (Hesperiidae) *Thymelicus acteon* ssp. *orana* Evans,1949, Catalogue Hesperidae Eur. Asia Austr. Br. Mus.: 167. Holotype ♀: Algeria: Oran.
- 3878. *Thymelicus hamza* (Oberthür,1876)** (Hesperiidae) *Hesperia hamza* Oberthür,1876, Etud. d'Ent. 1: 28-29, pl.3 figs.2a-c. Syntypes ♂♀: Algerie: Oran.
- 3879. *Thymelicus hamza hamza* (Oberthür,1876)** (Hesperiidae) *Hesperia hamza* Oberthür,1876, Etud. d'Ent. 1: 28-29, pl.3 figs.2a-c. Syntypes ♂♀: Algerie: Oran.
- 3880. *Thymelicus hamza novissimus* (Turati,1921)** (Hesperiidae) *Adopaea novissima* Turati,1921, Atti Soc. ital. Sci. Nat. 60: 221. Type(s): Libya: Fuchat.
- 3881. *Thymelicus hyrax* (Lederer,1861)** (Hesperiidae) *Hesperia hyrax* Lederer,1861, Wien. ent. Monatschr. 5: 149, pl.1, fig.6. Syntypes: [Türkei]: Antiochia [=Antakya]; Lectotype ♂: "Antiochia", designated by Nekrutenko,1995 [in] Hesselbarth, et al.: 154 (ZMHB).
- 3882. *Thymelicus hyrax hyrax* (Lederer,1861)** (Hesperiidae) *Hesperia hyrax* Lederer,1861, Wien. ent. Monatschr. 5: 149, pl.1, fig.6. Syntypes: [Türkei]: Antiochia [=Antakya]; Lectotype ♂: "Antiochia", designated by Nekrutenko,1995 [in] Hesselbarth, et al.: 154 (ZMHB).
- 3883. *Thymelicus leoninus tatsia* Evans,1949** (Hesperiidae) *Thymelicus leonina* ssp. *tatsia* Evans,1949, Catalogue Hesperidae Eur. Asia Austr. Br. Mus.: 346. Holotype ♂: China: Ta Tsien Lou (BMNH).
- 3884. *Thymelicus lineolus* (Ochsenheimer,1808)** (Hesperiidae) *Papilio lineola* Ochsenheimer,1808, Schmett. Eur. 1(2):230-231. Type(s): Germania.
- 3885. *Thymelicus lineolus kushanus* Wyatt,1961** (Hesperiidae) *Thymelicus lineola* ssp. *kushana* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 18, figs. Holotype ♂: Afghanistan: Badakhshan: Shiva Mts., 8500ft.
- 3886. *Thymelicus lineolus lineolus* (Ochsenheimer,1808)** (Hesperiidae) *Papilio lineola* Ochsenheimer,1808, Schmett. Eur. 1(2):230-231. Type(s): Germania.
- 3887. *Thymelicus novus* (Reverdin,1916)** (Hesperiidae) *Adopaea nova* Reverdin,1916, Bull. Soc. lépid. genevè 3 (3): 125, Pl.7 fig.1N. Syntypes ♂♂: [Turquie]: Amasya (MHNG).
- 3888. *Thymelicus novus novus* (Reverdin,1916)** (Hesperiidae) *Adopaea nova* Reverdin,1916, Bull. Soc. lépid. genevè 3 (3): 125, Pl.7 fig.1N. Syntypes ♂♂: [Turquie]: Amasya (MHNG).
- 3889. *Thymelicus stigma* (Staudinger,1886)** (Hesperiidae) *Thymelicus* (*Hesperia*) *stigma* Staudinger,1886, Stettin ent. Ztg. 47: 252-253. Syntypes: [Uzbekistan]: Samarkand.
- 3890. *Thymelicus stigma stigma* (Staudinger,1886)** (Hesperiidae) *Thymelicus* (*Hesperia*) *stigma* Staudinger,1886, Stettin ent. Ztg. 47: 252-253. Syntypes: [Uzbekistan]: Samarkand.
- 3891. *Thymelicus sylvaticus* (Bremer,1861)** (Hesperiidae) *Pamphila sylvatica* Bremer,1861, Bull. Acad. Imp. Sci. St. petersb. 3: 557. Syntypes: Russia: Ussuri.
- 3892. *Thymelicus sylvaticus sylvaticus* (Bremer,1861)** (Hesperiidae) *Pamphila sylvatica* Bremer,1861, Bull. Acad. Imp. Sci. St. petersb. 3: 557. Syntypes: Russia: Ussuri.
- 3893. *Thymelicus sylvestris* (Poda,1761)** (Hesperiidae) *Papilio sylvestris* Poda,1761, Insecta Musei Graecensis: 79. Type(s): [Austria]: Graz.
- 3894. *Thymelicus sylvestris sylvestris* (Poda,1761)** (Hesperiidae) *Papilio sylvestris* Poda,1761, Insecta Musei Graecensis: 79. Type(s): [Austria]: Graz.
- 3895. *Thymelicus sylvestris syriacus* (Tutt,[1905])** (Hesperiidae) *Adopaea flava* var. *syriaca* Tutt,[1905], Nat. Hist. Br. Butts. 1 (2): 107. Type ♂: Syria (BMNH).
- 3896. *Trapezites iacchus* (Fabricius,1775)** (Hesperiidae) *Papilio iacchus* Fabricius,1775, Syst. Ent.: 533. Type(s): "Nova Hollandia".
- 3897. *Trapezites iacchus iacchus* (Fabricius,1775)** (Hesperiidae) *Papilio iacchus* Fabricius,1775, Syst. Ent.: 533. Type(s): "Nova Hollandia".
- 3898. *Tsitana* Evans,1937** (Hesperiidae) *Tsitana* Evans,1937, A Catalogue of African Hesperidae...: 4, 75. Type-species: *Cyclopides tsita* Trimen,1870, by original designation.
- 3899. *Udaspes* Moore,[1881]** (Hesperiidae) *Udaspes* Moore,[1881], Lepid. Ceylon 1 (4): 177. Type-species: *Papilio folus* Cramer,[1775], by original designation.

- 3900. *Udaspes folus* (Cramer,[1775])** (Hesperiidae) *Papilio folus* Cramer,[1775], Uitl. Kapellen I: t.74, fig.F. Type(s): Regio Indica.
- 3901. *Udaspes folus folus* (Cramer,[1775])** (Hesperiidae) *Papilio folus* Cramer,[1775], Uitl. Kapellen I: t.74, fig.F. Type(s): Regio Indica.
- 3902. *Xanthodisca Aurivillius*,[1925]** (Hesperiidae) *Xanthodisca Aurivillius*,[1925], [in] Seitz,A., Die Grossschmett. Erde 13: 528. Type-species: *Asictopterus vibius* Hewitson,1878, by monotypy.
- 3903. *Xanthoneura Eliot*,1978** (Hesperiidae) *Xanthoneura Eliot*,1978, [in] Corbet & Pendlebury, The butterflies of Malay Peninsula (3rd rev. edn.): 383.
- 3904. *Zenonia Evans*,1935** (Hesperiidae) *Zenonia Evans*,1935, [in] Charpenter, Trans. R. ent. Soc. Lond. 83: 405. Type-species: *Pamphila zeno* Trimen,1864, by original designation.
- 3905. *Zophopetes Mabilie*,1904** (Hesperiidae) *Zophopetes Mabilie*,1904, [in] Wytsman,P.A.G., Genera Insectorum 17: 183. Type-species: *Pamphila dysmephila* Trimen,1868, by subsequent designation by Lindsey,1965, Butterflies of Liberia: 106.
- 3906. *Heterogynis andalusica Daniel*,1966** (Heterogynidae) *Heterogynis andalusica Daniel*,1966, Z. wien. ent. Ges. 51 (8): 101-103.
- 3907. *Heterogynis thomas Zilli*,1987** (Heterogynidae) *Heterogynis andalusica ssp. thomas Zilli*,1987, Fragm. Ent. Roma 20 (1): 33-43.
- 3908. *Himantopterus zaida* (Doubleday,1843)** (Himantopteridae) *Thymara zaida* Doubleday,1843, Zoologist 1: 198, fig. Type(s): North India.
- 3909. *Imma mackwoodii* (Moore,1887)** (Immidiae) *Davendra mackwoodii* Moore,1887, Lepid. Ceylon 3: 520, pl.211 fig.13. Type: Ceylon.
- 3910. *Imma semicitra Meyrick*,1937** (Immidiae) *Imma semicitra* Meyrick,1937, Exot. lepid. 5: 124. Type: India: Bombay (BMNH).
- 3911. *Moca auxobathra Meyrick*,1906** (Immidiae) *Moca auxobathra* Meyrick,1906, Trans. ent. Soc. London 1906: 188. Syntypes: Assam, Borneo, Celebes.
- 3912. *Excuvaria praelatella* ([Denis & Schiffermüller],1775)** (Incurvariidae) *Tinea praelatella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 320. Type(s): [Austria]: Vienna district.
- 3913. *Incurvaria Haworth*,1828** (Incurvariidae) *Incurvaria Haworth*,1828, Lepid. Br.: 559. Type-species: *Tinea mascullella* [Denis & Schiff.], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 143, by subsequent designation by Curtis,1836, Br. Ent. 13: folio 607.
- 3914. *Incurvaria mascullella* ([Denis & Schiffermüller],1775)** (Incurvariidae) *Tinea mascullella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 143. Type(s): [Austria]: Vienna district.
- 3915. *Lampronia koernerella* (Zeller,1839)** (Incurvariidae) *Tinea koernerella* Zeller,1839, Isis 1839: 183. Syntypes: Wien.
- 3916. *Argonestis flammans* (Hampson,1892)** (Lasiocampidae) *Bharetta flammans* Hampson,1892, [in] Blanford,W.T., The Fauna of British India including Ceylon and Burma Moths 1: 416. Type ♂: India: Manipur, 6000ft (Doherty) (coll. Elwes) (BMNH).
- 3917. *Bufoidia Wiltshire & Legrain*,1987** (Lasiocampidae) *Bufoidia Wiltshire & Legrain*,1987, Fauna Saudi Arabia 16: 327-339. Type-species: *Dendrolimus ledereri* Koçak,1981, by original designation.
- 3918. *Bufoidia ledereri* (Koçak,1981)** (Lasiocampidae) *Dendrolimus ledereri* Koçak,1981, Priamus 1(1): 12 (nomen novum pro *Bombyx bufo* Lederer,1861 nec Fabricius,1787).
- 3919. *Chondrostega osthelderi Püngeler*,1925** (Lasiocampidae) *Chondrostega osthelderi* Püngeler,1925, Mitt. münch. ent. Ges. 15: 96. Type ♂: [Türkei]: Kleinasien: Konia.
- 3920. *Chondrostega pastranum Lederer*,1858** (Lasiocampidae) *Chondrostega pastrana* Lederer,1858, Wien. ent. Monatschr. 2: 144, Taf.2 figs.6,7. Syntypes ♂♀: Syria: Damask; Libanon: Beirut.
- 3921. *Chondrostega pastranum palaestranum Staudinger*,1892** (Lasiocampidae) *Chondrostega pastrana* var. *palaestranum* Staudinger,1892, Dt. ent. Z., Iris 4: 258. Syntypes: Palaestina.
- 3922. *Chondrostega pastranum pastranum Lederer*,1858** (Lasiocampidae) *Chondrostega pastrana* Lederer,1858, Wien. ent. Monatschr. 2: 144, Taf.2 figs.6,7. Syntypes ♂♀: Syria: Damask; Libanon: Beirut.
- 3923. *Cosmotriche lobulina* ([Denis & Schiffermüller],1775)** (Lasiocampidae) *Bombyx lobulina* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 57. Type(s): [Austria]: Vienna district.
- 3924. *Crinocraspeda torrida* (Moore,1879)** (Lasiocampidae) *Gastropacha torrida* Moore,1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr. W.S. Atkinson (1): 76, pl.3 fig.19. Type ♂: India: Darjeeling (ZMHU).
- 3925. *Crinocraspeda torrida torrida* (Moore,1879)** (Lasiocampidae) *Gastropacha torrida* Moore,1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr. W.S. Atkinson (1): 76, pl.3 fig.19. Type ♂: India: Darjeeling (ZMHU).
- 3926. *Dendrolimus pini* (Linnaeus,1758)** (Lasiocampidae) *Phalaena Bombyx pini* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 498. Type(s): Habitat in Pino.
- 3927. *Eriogaster daralagesis Zolotuhin*,1991** (Lasiocampidae) *Eriogaster daralagesis* Zolotuhin,1991, Atalanta 22: 118-120, figs. Holotype ♂: Armenia: Daralagez, 20.ix.1963 (ZML).
- 3928. *Eriogaster lanestris* (Linnaeus,1758)** (Lasiocampidae) *Phalaena Bombyx lanestris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 499. Type(s): Habitat in Tilia, Pruno spinosa, Salice.
- 3929. *Eriogaster neogena ruckbeili* (Graeser,1892)** (Lasiocampidae) *Bombyx ruckbeili* Graeser,1892, Berl. ent. Z. 37 (3): 301-303. Syntypes 2♂ 1♀: [Kirgizistan]: Alexander Gebirge.
- 3930. *Eriogaster nippei De Freina*,1988** (Lasiocampidae) *Eriogaster nippei* De Freina,1988, Atalanta 18 (3/4): 382, Abb. Holotype ♂: [Türkei]: Kleinasien: Prov. Isparta: westl. Taurus, Kovada Gölü 1000m, April 1971, leg. Czipka (Mus. Witt).
- 3931. *Eriogaster pfeifferi Daniel*,1932** (Lasiocampidae) *Eriogaster pfeifferi* Daniel,1932, Mitt. münch. ent. Ges. 22: 15-16. Syntypes ♂♂: [Türkei]: "Marasch in Nordsyrien" (ZSM).
- 3932. *Euthrix potatoria* (Linnaeus,1758)** (Lasiocampidae) *Phalaena Bombyx potatoria* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 498. Type(s): Habitat in Gramine.
- 3933. *Gastropacha* (s.str.) *quercifolia* (Linnaeus,1758)** (Lasiocampidae) *Phalaena Bombyx quercifolia* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 497. Type(s): Habitat in Salice, Pruno spinosa, Pyro, Gramine.
- 3934. *Lasiocampa datini Mabilie*,1888** (Lasiocampidae) *Lasiocampa datini* Mabilie,1888, Bull. Soc. ent. Fr. 1888: 42.
- 3935. *Lasiocampa eversmanni* (Kindermann,1843)** (Lasiocampidae) *Gastropacha eversmanni* Kindermann,1843,[in] Eversmann, Bull. Mosc. 1843 (3): 542, Pl.10 figs. 2a-c.
- 3936. *Lasiocampa quercus* (Linnaeus,1758)** (Lasiocampidae) *Phalaena Bombyx quercus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 498. Type(s): Habitat in Quercu, Betula, Pruno spinosa.
- 3937. *Lasiocampa staudingeri Baker*,1885** (Lasiocampidae) *Lasiocampa staudingeri* Baker,1885, Entomologist's mon Mag. 21: 242.
- 3938. *Lasiocampa trifolii* ([Denis & Schiffermüller],1775)** (Lasiocampidae) *Bombyx trifolii* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 57. Type(s): [Austria]: Vienna district.
- 3939. *Libanopacha schwingenschussi Zerny*,1933** (Lasiocampidae) *Libanopacha schwingenschussi* Zerny,1933, Dt. ent. Z., Iris 47: 64-65, Taf.1 Abb. 24,29. Syntypes 5♂ 4♀: Libanon: Bscharre, 1900-2000m, an Astragalus (NMHW).
- 3940. *Macrothylacia rubi* (Linnaeus,1758)** (Lasiocampidae) *Phalaena Bombyx rubi* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 498-499. Type(s): Habitat in Rubo, Salice.
- 3941. *Malacosoma castrensis* (Linnaeus,1758)** (Lasiocampidae) *Phalaena Bombyx castrensis* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 500. Syntypes: Habitat in Salicibus, Pilosella, Jacea, Alchemilla, Euphorbia.
- 3942. *Malacosoma castrensis castrensis* (Linnaeus,1758)** (Lasiocampidae) *Phalaena Bombyx castrensis* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 500. Syntypes: Habitat in Salicibus, Pilosella, Jacea, Alchemilla, Euphorbia.
- 3943. *Malacosoma franconicum* ([Denis & Schiffermüller],1775) /*prima Staudinger*,1887** (Lasiocampidae) *Bombyx franconica* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 57. Type(s): [Austria]: Vienna district.
- 3944. *Malacosoma neustrium* (Linnaeus,1758)** (Lasiocampidae) *Phalaena Bombyx neustria* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 500. Syntypes: Habitat in Arboribus & Herbis.
- 3945. *Phyllodesma hyssarum Zolotuhin & Dubatolov*,1992** (Lasiocampidae) *Phyllodesma hyssarum* Zolotuhin & Dubatolov,1992, Atalanta 23 (1/2): 215-217, figs. Holotype ♂: Tadjikistan: Hissar Mts., Kondara Gorge, 11.v.1965, A.Tsvetaev leg. (IZUAS).
- 3946. *Sena cuneata* (Brandt,1938)** (Lasiocampidae) *Chilene cuneata* Brandt,1938, Ent. Rdsch. 55: 698, Taf.iv fig.19. Type ♂: Iran: [Fars]: Mian Kotal.

- 3947. *Sena proxima* (Staudinger,1894)** (Lasiocampidae) *Chilena proxima* Staudinger,1894, Dt. ent. Z., Iris 7: 268-269, pl.9 fig.7,8.
- 3948. *Streblote solitaria* Zolotuhin,1991** (Lasiocampidae) *Streblote solitaria* Zolotuhin,1991, Atalanta 22: 120-122, figs. Holotype ♂: Armenia: Ararat lowland, 3.viii.1955 (ZML).
- 3949. *Trabala vishnou* (Lefebvre,1827)** (Lasiocampidae) *Gastropacha vishnou* Lefebvre,1827, Zool. J. (3): 207. Type: India: Madras.
- 3950. *Trabala vishnou vishnou* (Lefebvre,1827)** (Lasiocampidae) *Gastropacha vishnou* Lefebvre,1827, Zool. J. (3): 207. Type: India: Madras.
- 3951. *Trichiura crataegi anatolica* Daniel,1956** (Lasiocampidae) *Trichiura crataegi* ssp. *anatolica* Daniel,1956, NachrBl. bayer. Ent. 5: 70-71. Holotype ♂: [Türkei]: "Syria sept., Taurus c., Marasch, xi.1930, 600-900m (leg. Kelebek Ahmet, coll. Daniel).
- 3952. *Trichiura verenae* Witt,1981** (Lasiocampidae) *Trichiura verenae* Witt,1981, Entomofauna 2 (23): 275-278, Abb. 10-11. Holotype ♂: [Türkei]: "Asia min., Kizilcahaman".
- 3953. *Ceuthomadarus Mann*,1864** (Lecithoceridae) *Ceuthomadarus Mann*,1864, Wien ent. Monatschr. 8: 188. Type-species: *Ceuthomadarus tenebrionellus* Mann,1864, ibidem 8: 188, pl.5 figs 1,2, by monotypy.
- 3954. *Coydalla interguttella* Walker,1864** (Lecithoceridae) *Coydalla interguttella* Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 30: 1038. Type: Borneo (BMNH).
- 3955. *Eurodachtha Gozmany*,1978** (Lecithoceridae) *Eurodachtha Gozmany*,1978, in Amsel et al., Microlepid. Palaearctica 5: 151. Type-species: *Lecithocera pallicornella* Staudinger,1859, Ent. Ztg. Stettin 20: 239, by original designation.
- 3956. *Homaloxestis Meyrick*,1910** (Lecithoceridae) *Homaloxestis Meyrick*,1910, J.Bombay nat. Hist. Soc. 20: 440. Type-species: *Homaloxestis endocoma* Meyrick,1910, ibidem 20: 441, by original designation.
- 3957. *Lecithocera Herrich-Schäffer*,[1853]** (Lecithoceridae) *Lecithocera Herrich-Schäffer*,[1853], Syst. Bearbeitung Schmett. Eur. 5: 11,45; 1853, ibidem 6: Microlepid. pl.12 figs. 10,11.
- 3958. *Odites (s.str.) ricinella* (Stainton,1859)** (Lecithoceridae) *Depressaria ? ricinella* Stainton,1859, Trans. ent. Soc. London (N.S.) 5: 116.
- 3959. *Spatulignatha hemichrysa* (Meyrick,1910)** (Lecithoceridae) *Lecithocera hemichrysa* Meyrick,1910, J. Bombay nat. Hist. Soc. 20: 447. Syntypes: Assam, China.
- 3960. *Tisis helioclina* (Meyrick,1894)** (Lecithoceridae) *Tipha helioclina* Meyrick,1894, Trans. ent. Soc. London 1894: 19. Syntypes 2♂♂: [Myanmar]: Upper Burma: Fort Stedman.
- 3961. *Torodora eupatris* (Meyrick,1910)** (Lecithoceridae) *Lecithocera eupatris* Meyrick,1910, J. Bombay nat. Hist. Soc. 20: 443. Type: India: Assam.
- 3962. *Lemonia ballioni* (Christoph,1888)** (Lemoniidae) *Crateronyx ballioni* Christoph,1888, Horae Soc. ent. ross. 22: 310. Syntypes ♂♂: [Russia]: Novo-Rossiisk.
- 3963. *Lemonia beirutica* Daniel,1965** (Lemoniidae) *Lemonia beirutica* Daniel,1965, Z. wien. ent. Ges. 50: 74, fig. Holotype ♂: [Lebanon]: östlich von Beirut, 1800m, 30.x.1963, leg. Vartian (ZSM).
- 3964. *Lemonia pauli* Staudinger,[1895]** (Lemoniidae) *Lemonia* (*Crateronyx*) *pauli* Staudinger,[1895], Dt. ent. Z., Iris 7: 267-268, Taf.ix fig.11. Syntypes 2♂♂: [Israel]: Jerusalem (Paulus leg.).
- 3965. *Lemonia peilei* Rothschild,1921** (Lemoniidae) *Lemonia peilei* Rothschild,1921, J. Bombay nat. Hist. Soc. 28: 174.
- 3966. *Lemonia peilei farsica* Wiltshire,1946** (Lemoniidae) *Lemonia peilei* ssp. *farsica* Wiltshire,1946, Proc. R. ent. Soc. Lond. (B) 15: 118, fig.
- 3967. *Lemonia peilei klapperichi* Wiltshire,1961** (Lemoniidae) *Lemoni* [sic] *peilei* ssp. *klapperichi* Wiltshire,1961, Beitr. naturk. Forsch. SW-Deutschl. 191 (3): 338, pl.iii fig.25. Holotype ♂: Afghanistan: Jebel Seratsch, Selang-mounth, 2000m (leg. & coll. Klapperich).
- 3968. *Lemonia peilei peilei* Rothschild,1924** (Lemoniidae) *Lemonia peilei* Rothschild,1924, J. Bombay nat. Hist. Soc. 28: 174.
- 3969. *Lemonia pia* Püngeler,1902** (Lemoniidae) *Lemonia pia* Püngeler,1902, Dt. ent. Z., Iris 14: 143. Syntypes 2♂♂: Palaestina: "Todten Meer".
- 3970. *Lemonia pia friedeli* Witt,1979** (Lemoniidae) *Lemonia pia* ssp. *friedeli* Witt,1979, Z. ArbGem. Öst. Ent. 31 (1/2): 17-20, Abb. 1-4,10. Holotype ♂: [Türkei]: As. min.: Gürün (coll. Witt).
- 3971. *Lemonia pia pia* Püngeler,1902** (Lemoniidae) *Lemonia pia* Püngeler,1902, Dt. ent. Z., Iris 14: 143. Syntypes 2♂♂: Palaestina: "Todten Meer".
- 3972. *Lemonia syriensis* Daniel,1953** (Lemoniidae) *Lemonia syriensis* Daniel,1953, Mitt. münch. ent. Ges. 43: 255-256, Taf.vii. fig.8. Holotype ♂: [Türkei]: Syria sept., Taurus, Marasch, 600-900m, xii.30, Kelebek leg. (coll. Daniel).
- 3973. *Lemonia taraxaci* ([Denis & Schiffermüller],1775)** (Lemoniidae) *Bombyx taraxaci* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 57. Type(s): [Austria]: Vienna district.
- 3974. *Libythea (Jera) labdaca laius* Trimen,1879** (Libytheidae) *Libythea laius* Trimen,1879, Trans. ent. Soc. London 1879 (4): 337-340. Syntypes: South Africa: Natal: Durban, Pinetown, Avoca, Illovo; Quilimane.
- 3975. *Libythea (s.str.) celtis* (Laicharting,1782)** (Libytheidae) *Papilio celtis* Laicharting,1782, [in] Fuessly, Arch Insektengesch. (2) (4): 1, pl.8 figs.1-3. Type(s): S.Tirol: Bolzano.
- 3976. *Libythea (s.str.) celtis celtis* (Laicharting,1782)** (Libytheidae) *Papilio celtis* Laicharting,1782, [in] Fuessly, Arch Insektengesch. (2) (4): 1, pl.8 figs.1-3. Type(s): S.Tirol: Bolzano.
- 3977. *Libythea (s.str.) celtis celtoides* Fruhstorfer,1909** (Libytheidae) *Libythea celtis* ssp. *celtoides* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 209. Syntypes 3♂♂: Süd-Japan: Tsushima, Nagasaki (in coll. Fruhstorfer).
- 3978. *Libythea (s.str.) celtis chinensis* Fruhstorfer,1909** (Libytheidae) *Libythea celtis* ssp. *chinensis* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 209. Syntypes: West-China: Ome-Shan (in coll. Fruhstorfer).
- 3979. *Libythea (s.str.) celtis formosana* Fruhstorfer,1909** (Libytheidae) *Libythea celtis* ssp. *formosana* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 209. Type ♂: Formosa: Horisha.
- 3980. *Libythea (s.str.) celtis matsumurae* Fruhstorfer,1909** (Libytheidae) *Libythea celtis* ssp. *matsumurae* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 209. Syntypes 3♂♂: Japan: Yesso, Sapporo (in coll. Fruhstorfer).
- 3981. *Libythea (s.str.) geoffroy philippina* Staudinger,1889** (Libytheidae) *Libythea geoffroyi* var. *philippina* Staudinger,1889, Dt. ent. Z., Iris 2: 87-89. Syntypes 9♂♂ 3♀: [Philippinen]: Palawan.
- 3982. *Libythea (s.str.) lepita* Moore,1857** (Libytheidae) *Libythea lepita* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 240, nr.519. Type(s): Bootan.
- 3983. *Libythea (s.str.) lepita lepita* Moore,1857** (Libytheidae) *Libythea lepita* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 240, nr.519. Type(s): Bootan.
- 3984. *Libythea (s.str.) myrrha* Godart,[1819]** (Libytheidae) *Libythea myrrha* Godart,[1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 171, nr.4.
- 3985. *Libythea (s.str.) myrrha myrrha* Godart,[1819]** (Libytheidae) *Libythea myrrha* Godart,[1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 171, nr.4.
- 3986. *Libythea Fabricius*,1807** (Libytheidae) *Libythea Fabricius*,1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: *Papilio celtis* Laicharting,1782, [in] Fuessly, Arch. Insectengesch. (2)(4):1, pl.8, f.1-3, by subsequent designation by Latreille,1810, Consid. gén. Anim. Crust. Arach. Ins.: 440
- 3987. *Altha adala* (Moore,1859)** (Limacodidae) *Narosa adala* Moore,1859, Cat. lepid. Mus. 2: 418, pl.11a fig.14, pl.21 figs.13,13a. Syntypes: Ceylon, Nagas, Nilgiris, Java.
- 3988. *Altha nivea* Walker,1862** (Limacodidae) *Altha nivea* Walker,1862, J. linn. Soc. Lond. (Zool.) 6: 173. Type: Sarawak.
- 3989. *Altha rufescens* Swinhoe,1893** (Limacodidae) *Altha rufescens* Swinhoe,1893, Ann. Mag. nat. Hist. (6) 12: 211.
- 3990. *Birtheosea bisura* (Moore,[1860])** (Limacodidae) *Parasa bisura* Moore,[1860], Cat. lepid. Mus. 2: 415, pl.11a fig.11.
- 3991. *Cania bandura* (Moore,1859)** (Limacodidae) *Parasa bandura* Moore,1859, Cat. lep. Mus. 2: 417, fig.9 t.11a.
- 3992. *Cania robusta* M.Hering,1931** (Limacodidae) *Cania bilinea* ssp. *robusta* M.Hering,1931, [in] Seitz, Die Gross-Schmett. Erde 10: 679. Type: Siao-Lou.
- 3993. *Cania sericea* Walker,1855** (Limacodidae) *Cania sericea* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1178.
- 3994. *Cania siamensis* Tams,1924** (Limacodidae) *Cania siamensis* Tams,1924, J. nat. Hist. Soc. Siam 6 (3): 280, pl.17 fig.14. Holotype ♀: [Thailand]: Chumporn, 3.1.16 (BMNH).
- 3995. *Chalocelis albiguttatus* (Snellen,1879)** (Limacodidae) *Limacodes albiguttatus* Snellen,1879, Tijdschr. Ent. 22: 118, pl.10 fig.1.

- 3996. *Cheromettia sumatrensis* (Heylaerts,1884)** (Limacodidae) *Nemeta sumatrensis* Heylaerts,1884, Compt. rend. Soc. ent. Belg. 28: 42.
- 3997. *Crothaema sericea* Butler,1880** (Limacodidae) *Crothaema sericea* Butler,1880, Ann. Mag. nat. Hist. (5) 5: 388ç Type: Madagascar.
- 3998. *Darna (Orthocraspeda) catenatus* (Snellen,1879)** (Limacodidae) *Limacodes catenatus* Snellen,1879, Tijdschr. Ent. 22: 121, pl.10 fig.3. Type: Celebes.
- 3999. *Darna (Orthocraspeda) furva* (Wileman,1911)** (Limacodidae) *Natada furva* Wileman,1911, Entomologist 44: 205. Type: Formosa.
- 4000. *Darna (Orthocraspeda) sordida* (Snellen,1900)** (Limacodidae) *Orthocraspeda sordida* Snellen,1900, Tijdschr. Ent. 43: 99 pl.3 figs. 2-4. Type: Java.
- 4001. *Darna (Orthocraspeda) trima* (Moore,[1860])** (Limacodidae) *Parasa trima* Moore,[1860], Cat. lepid. Mus. 2: 416, pl.2 fig.13. Syntypes: Sumatra, Pegu, Java.
- 4002. *Darna (Oxyplax) pallivitta* (Moore,1877)** (Limacodidae) *Miresa pallivitta* Moore,1877, Ann. Mag. nat. Hist. (4) 20: 93. Type: China: Shanghai.
- 4003. *Darna (Ploneta) cotesi* (Swinhoe,1893)** (Limacodidae) *Thosea cotesi* Swinhoe,1893, Ann. Mag. nat. Hist. (6) 12: 211. Type: India: Assam.
- 4004. *Darna (Ploneta) diducta* (Snellen,1900)** (Limacodidae) *Ploneta diducta* Snellen,1900, Tijdschr. Ent. 43: 106, pl.4 fig.9, pl.3 figs.7,8. Type: Java.
- 4005. *Darna (Ploneta) jasea* (Swinhoe,1899)** (Limacodidae) *Thosea jasea* Swinhoe,1899, Ann. Mag. nat. Hist. (7) 3: 111. Type ♀: [India]: "Kutyne, N.Kanara (coll. Davidson)."
- 4006. *Darna (s.str.) sybilla* (Swinhoe,1903)** (Limacodidae) *Thosea sybilla* Swinhoe,1903, Ann. Mag. nat. Hist. (7) 11: 502. Type: Siam.
- 4007. *Heterogenea asella* ([Denis & Schiffermüller],1775)** (Limacodidae) *Bombyx asella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 65. Type(s): [Austria]: Vienna district.
- 4008. *Iragoides conjuncta* (Walker,1855)** (Limacodidae) *Limacodes conjuncta* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1150. Syntypes: Nord-China, Sikkim, Rangoon, Pegu, Formosa.
- 4009. *Latoia inexpectata* (Staudinger,1895)** (Limacodidae) *Parasa inexpectata* Staudinger,1895, Dt. ent. Z., Iris 8: 293. Type: Akbes.
- 4010. *Miresa acallis* Swinhoe,1906** (Limacodidae) *Miresa acallis* Swinhoe,1906, Ann. Mag. nat. Hist. (7) 17: 548. Type: [Indonesia]: Sumatra.
- 4011. *Miresa alma* Druce,1898** (Limacodidae) *Miresa alma* Druce,1898, Ann. Mag. nat. Hist. (7) 1: 215. Type ♂: "New Caledonia (Mus. Druce)".
- 4012. *Miresa bracteata* Butler,1880** (Limacodidae) *Miresa bracteata* Butler,1880, Ann. Mag. nat. Hist. (5) 6: 64. Type: Sikkim: Darjeeling.
- 4013. *Miresa burmensis* M.Hering,1931** (Limacodidae) *Miresa burmensis* M.Hering,1931, [in] Seitz, Die Gross-Schmett. Erde 10: 682. Type: [Myanmar] Burma.
- 4014. *Miresa obscurimargo* Holloway,1979** (Limacodidae) *Miresa obscurimargo* Holloway,1979, Lepidoptera New Caledonia: 259, figs. Holotype ♂: New Caledonia: Pic du Pin, 300m.
- 4015. *Miresa sobrina* Druce,1898** (Limacodidae) *Miresa sobrina* Druce,1898, Ann. Mag. nat. Hist. (7) 1: 214-215. Type ♂: "New Caledonia (Mus. Druce)".
- 4016. *Narosa lacteola* Swinhoe,1890** (Limacodidae) *Narosa lacteola* Swinhoe,1890, Trans. ent. Soc. London 1890: 193.
- 4017. *Olona albistrigella* Snellen,1900** (Limacodidae) *Olona albistrigella* Snellen,1900, Tijdschr. Ent. 43: pl.3 fig.6. Type: Java.
- 4018. *Parasa bicolor* (Walker,1855)** (Limacodidae) *Neaera bicolor* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1142. Syntypes: Formosa, Sikkim, Burma, Java.
- 4019. *Parasa grandis* M.Hering,1931** (Limacodidae) *Parasa grandis* M.Hering,1931, [in] Seitz,A., Gross-Schmett. Erde 10: 696. Type: China.
- 4020. *Parasa herbifera* (Walker,1855)** (Limacodidae) *Nyssia herbifera* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1136. Syntypes: Simla, Nepal, Nilgiris.
- 4021. *Parasa lampira* West,1937** (Limacodidae) *Parasa lampira* West,1937, Ann. Mag. nat. Hist. (10) 20: 80, figs. Type: Sumatra.
- 4022. *Parasa lanceolata* M.Hering,1928** (Limacodidae) *Parasa lanceolata* M.Hering,1928, [in] Seitz, Gross-Schmett. Erde 14: 463, figs. Type: Tanganyika.
- 4023. *Parasa lepida* (Cramer,[1779])** (Limacodidae) *Phalaena lepida* Cramer,[1779], Uittl. Kapellen 2: 50, pl.130 fig.E.
- 4024. *Parasa pastoralis* Butler,1885** (Limacodidae) *Parasa pastoralis* Butler,1885, Ann. Mag. nat. Hist. (5) 6: 63.
- 4025. *Phocoderma velutina* (Kollar,1844)** (Limacodidae) *Gastropacha velutina* Kollar,1844, [in] Hügel, Kaschmir und Reich der Siek 4: 473.
- 4026. *Pseudonirmines cyanopasta* (Hampson,1910)** (Limacodidae) *Belippa cyanopasta* Hampson,1910, J. Bombay nat. Hist. Soc. 20: 110. Type: Burma.
- 4027. *Quasithosea sythoffi* (Snellen,1900)** (Limacodidae) *Thosea sythoffi* Snellen,1900, Tijdschr. Ent. 43: 70. Type: Java.
- 4028. *Scopelodes anthela* Swinhoe,1909** (Limacodidae) *Scopelodes anthela* Swinhoe,1909, Ann. Mag. nat. Hist. (8) 3: 95. Type: Java.
- 4029. *Scopelodes testacea* Butler,1886** (Limacodidae) *Scopelodes testacea* Butler,1886, Ann. Mag. nat. Hist. (5) 6: 3, pl.101 fig.5.
- 4030. *Setora fletcheri* Holloway,1987** (Limacodidae) *Setora fletcheri* Holloway,1987, Systematic account of south-east Asian Pest Limacodidae: 82.
- 4031. *Setora nitens* Walker,1855** (Limacodidae) *Setora nitens* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1069.
- 4032. *Setora tamsi* M.Hering,1931** (Limacodidae) *Setora tamsi* M.Hering,1931, [in] Seitz, Die Gross-Schmett. Erde 10: 711, figs. Type: Borneo.
- 4033. *Setothosea asigna* (Van Eecke,1929)** (Limacodidae) *Thosea asigna* Van Eecke,1929, Zool. Meded. 12: 113. Type: Sumatra.
- 4034. *Susica malayana* M.Hering,1931** (Limacodidae) *Susica malayana* M.Hering,1931, [in] Seitz,A. Die Gross-Schmett. Erde 10: 706, fig.
- 4035. *Susica pallida* Walker,1855** (Limacodidae) *Susica pallida* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1114. Lectotype: North India.
- 4036. *Susica sinensis* (Walker,1856)** (Limacodidae) *Tadema sinensis* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1759.
- 4037. *Thosea bipartita* M.Hering,1933** (Limacodidae) *Thosea bipartita* M.Hering,1933, Stylops 2: 214. Type: Siam.
- 4038. *Thosea loesa* (Moore,1859)** (Limacodidae) *Parasa loesa* Moore,1859, Cat. lepid. Mus. 2: 417, pl.11a fig.12. Syntypes: Formosa, India, Java.
- 4039. *Thosea lutea* Heylaerts,1890** (Limacodidae) *Thosea lutea* Heylaerts,1890, Annls. Soc. ent. Belg. 34: Bull., p.xxviii-xxix. Syntypes: [Indonesia]: Sumatra, Java.
- 4040. *Thosea rara* Swinhoe,1889** (Limacodidae) *Thosea rara* Swinhoe,1889, Proc. zool. Soc. London 1889: 408, pl.43 fig.9. Type: Burma: Thyetmyo.
- 4041. *Thosea sevastopuloi* Holloway,1987** (Limacodidae) *Thosea sevastopuloi* Holloway,1987, Systematic account of south-east Asian Pest Limacodidae: 52.
- 4042. *Thosea siamica* Holloway,1987** (Limacodidae) *Thosea siamica* Holloway,1987, Systematic account of south-east Asian Pest Limacodidae: 48.
- 4043. *Thosea vetusta* (Walker,1862)** (Limacodidae) *Nyssia vetusta* Walker,1862, J. linn. Soc. 6: 144. Syntypes: Sarawak, Sumatra.
- 4044. *Trichogyia gateri* West,1937** (Limacodidae) *Trichogyia gateri* West,1937, Ann. Mag. nat. Hist. (10) 20: 80, fig. Type: Malaya.
- 4045. "*Strymonidia neosinica neosinica*" Lee,1963** (Lycaenidae) *Strymonidia neosinica* Lee,1963, Acta zool. sinica 15(1): 105, pl.1 figs.9-10. Holotype ♂: China: Sinkiang [Uighur A.R.]. No precise collecting site, taxonomical status of this taxon needs further investigations.
- 4046. "*Strymonidia neosinica*" Lee,1963** (Lycaenidae) *Strymonidia neosinica* Lee,1963, Acta zool. sinica 15(1): 105, pl.1 figs.9-10. Holotype ♂: China: Sinkiang [Uighur A.R.]. No precise collecting site, taxonomical status of this taxon needs further investigations.
- 4047. *Actizera* Chapman,1910** (Lycaenidae) *Actizera* Chapman,1910, Trans. ent. Soc. Lond. 1910: 483. Type-species: *Lycaena atrigemmata* Butler,1878, by subsequent designaton by Hemming,1929, Ann. Mag. nat. Hist. (10) 3: 220.
- 4048. *Actizera lucida* (Trimen,1883)** (Lycaenidae) *Lycaena lucida* Trimen,1883, Trans. ent. Soc. Lond. 1883: 282. Syntypes: South Africa: Cape Colony, Kaffraria Proper, Natal, Transvaal.
- 4049. *Actizera lucida lucida* (Trimen,1883)** (Lycaenidae) *Lycaena lucida* Trimen,1883, Trans. ent. Soc. Lond. 1883: 282.

Syntypes: South Africa: Cape Colony, Kaffraria Proper, Natal, Transvaal.

4050. *Acytolepis Toxopeus*, 1927 (Lycaenidae) *Acytolepis Toxopeus*, 1927, Tijdschr. Ent. 70: 271, 288. Type-species: *Polyommatus puspa* Horsfield, [1828], by original designation.

4051. *Acytolepis puspa* (Horsfield, [1828]) (Lycaenidae) *Polyommatus puspa* Horsfield, [1828], Descr. Cat. Lepid. Ins. Mus. East India Coy (1): 67.

4052. *Acytolepis puspa gisca* (Fruhstorfer, 1910) (Lycaenidae) *Cyaniris puspa gisca* Fruhstorfer, 1910, Stettin ent. Ztg. 71 (1909): 285. Lectotype ♂: India, designated by Eliot & Kawazoe, 1983, Blue Butts Lycaenopsis Group: 174 (BMNH).

4053. *Acytolepis puspa puspa* (Horsfield, [1828]) (Lycaenidae) *Polyommatus puspa* Horsfield, [1828], Descr. Cat. Lepid. Ins. Mus. East India Coy (1): 67. Lectotype ♂: Java, designated by Eliot & Kawazoe, 1983, Blue Butts Lycaenopsis Group: 179 (BMNH).

4054. *Ahlbergia Bryk*, 1946 (Lycaenidae) *Ahlbergia Bryk*, 1946, Arkiv. Zool. 38A (3): 50. Type-species: *Lycaena ferrea* Butler, [1866], by designation through Section (i) (replacement names) of Article 67.

4055. *Ahlbergia frivaldskyi* (Lederer, 1855) (Lycaenidae) *Thecla frivaldskyi* Lederer, 1855, Verh. zool.-bot. Ver. Wien 5: 100, Taf. 1 f. 1. Syntypes: [Russia: Altai]: "Berge in der Nähe von Ust-Buchtarminsk".

4056. *Ahlbergia frivaldskyi arquata* Johnson, 1992 (Lycaenidae) *Ahlbergia arquata* Johnson, 1992, Neue ent. Nachr. 29: 27. Holotype: "E. Turkestan: Rietschensk" [?Kazachstan: Semiretschje] (cf. Lukhtanov, 1994, Herbiopoliana 3: 231).

4057. *Ahlbergia frivaldskyi frivaldskyi* (Lederer, 1855) (Lycaenidae) *Thecla frivaldskyi* Lederer, 1855, Verh. zool.-bot. Ver. Wien 5: 100, Taf. 1 f. 1. Syntypes: [Russia: Altai]: "Berge in der Nähe von Ust-Buchtarminsk".

4058. *Aloeides Hübner*, [1819] (Lycaenidae) *Aloeides Hübner*, [1819], Verz. bekannt. Schmett. (5) 73. Type-species: *Papilio pierus* Cramer, [1779], by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci, Boston 10: 107.

4059. *Amblypodia* Horsfield, [1829] (Lycaenidae) *Amblypodia* Horsfield, [1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 98. Type-species: *Thecla narada* Horsfield, [1828], by subsequent designation by Boisduval, 1870, Consid. Lépid. Guatemala: 14.

4060. *Ancema* Eliot, 1973 (Lycaenidae) *Ancema* Eliot, 1973, Bull. Br. Mus. nat. Hist. (Ent.) 28(6): 438. Type-species: *Camena ctesia* Hewitson, [1865], by designation through Section (i) (replacement names), Article 67.

4061. *Ancema ctesia* (Hewitson, [1865]) (Lycaenidae) *Camena ctesia* Hewitson, [1865], Ill. diurn. Lep., Lycaenidae 1 (text): 47-48; 2 (plates): pl. 20 figs. 1, 2.

4062. *Ancema ctesia ctesia* (Hewitson, [1865]) (Lycaenidae) *Camena ctesia* Hewitson, [1865], Ill. diurn. Lep., Lycaenidae 1 (text): 47-48; 2 (plates): pl. 20 figs. 1, 2.

4063. *Anthene Doubleday*, 1847 (Lycaenidae) *Anthene Doubleday*, 1847, List Specimens lepid. Insects Colln Br. Mus. 2: 27. Type-species: *Papilio larydas* Cramer, [1780], by subsequent designation by Hemming, 1933, Trans. R. ent. Soc. Lond. 83: 435.

4064. *Anthene amarah* (Guérin-Méneville, 1849) (Lycaenidae) *Polyommatus amarah* Guérin-Méneville, 1849, [in] Lefebvre, Voyage en Abyssinie (4) 6 (Zoologie): 384, pl. 11 figs. 5, 6. Type(s): [Ethiopié]: Abyssinie.

4065. *Anthene amarah amarah* (Guérin-Méneville, 1849) (Lycaenidae) *Polyommatus amarah* Guérin-Méneville, 1849, [in] Lefebvre, Voyage en Abyssinie (4) 6 (Zoologie): 384, pl. 11 figs. 5, 6. Type(s): [Ethiopié]: Abyssinie.

4066. *Anthene arora* T. Larsen, 1983 (Lycaenidae) *Anthene arora* Larsen, 1983, Butterflies of Saudi Arabia 5: 389, pl. 1 figs. 13-15. Holotype ♂: Yemen: Wadi Dahr, 2500m.

4067. *Anthene arora arora* T. Larsen, 1983 (Lycaenidae) *Anthene arora* Larsen, 1983, Butterflies of Saudi Arabia 5: 389, pl. 1 figs. 13-15. Holotype ♂: Yemen: Wadi Dahr, 2500m.

4068. *Anthene butleri* (Oberthür, 1880) (Lycaenidae) *Lycaena* (Lampides) *butleri* Oberthür, 1880, Annali Mus. civ. Stor. nat. Giacomo Doria 15: 170, pl. 1 fig. 2. Syntypes: Ethiopié: Mantek, Mahal-Uonz.

4069. *Anthene butleri arabicus* Gabriel, 1954 (Lycaenidae) *Anthene butleri* ssp. *arabicus* Gabriel, 1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 379-380. Holotype ♂: Yemen: Western Aden Protectorate: Jebel Jihaf, Shima, 7000ft. (BMNH)

4070. *Anthene butleri butleri* (Oberthür, 1880) (Lycaenidae) *Lycaena* (Lampides) *butleri* Oberthür, 1880, Annali Mus. civ. Stor. nat. Giacomo Doria 15: 170, pl. 1 fig. 2. Syntypes: Ethiopié: Mantek, Mahal-Uonz.

4071. *Anthene butleri livida* (Trimen, 1881) (Lycaenidae) *Lycaenesthes livida* Trimen, 1881, Trans. ent. Soc. London 1881 (4): 443-445. Syntypes ♂♀: South Africa: Grahamstown, Uitenhage (on Cannon Hill).

4072. *Anthene contrastata* (Ungemach, 1932) (Lycaenidae) *Lycaenesthes contrastata* Ungemach, 1932, Mém. Soc. Sci. nat. Maroc 32: 86-87, pl. 2 fig. 16. Type: [Ethiopié]: Abyssinie: Ouallaga: Bedellé.

4073. *Anthene contrastata contrastata* (Ungemach, 1932) (Lycaenidae) *Lycaenesthes contrastata* Ungemach, 1932, Mém. Soc. Sci. nat. Maroc 32: 86-87, pl. 2 fig. 16. Type: [Ethiopié]: Abyssinie: Ouallaga: Bedellé.

4074. *Antigius Sibatani* & Ito, 1942 (Lycaenidae) *Antigius Sibatani* & Ito, 1942, Tenthredo, Kyoto 3 (4): 318. Type-species: *Thecla attilla* Bremer, 1861, Bull. Acad. Sci. St. Petersb. 3: 469, by original designation.

4075. *Antigius attilla* (Bremer, 1861) (Lycaenidae) *Thecla attilla* Bremer, 1861, Bull. Acad. Sci. St. Petersb. 3: 469.

4076. *Antigius attilla attilla* (Bremer, 1861) (Lycaenidae) *Thecla attilla* Bremer, 1861, Bull. Acad. Sci. St. Petersb. 3: 469.

4077. *Araotes Doherty*, 1889 (Lycaenidae) *Araotes Doherty*, 1889, J. asiat. Soc. Bengal (2) 58 (4): 413. Type-species: *Myrina lapithis* Moore, 1857, by original designation.

4078. *Araragi Sibatani* & Ito, 1942 (Lycaenidae) *Araragi Sibatani* & Ito, 1942, Tenthredo, Kyoto 3 (4): 318. Type-species: *Thecla enthea* Janson, 1877, Cistula ent. 2: 157, by original designation.

4079. *Araragi enthea* (Janson, 1877) (Lycaenidae) *Thecla enthea* Janson, 1877, Cistula ent. 2: 157.

4080. *Araragi enthea enthea* (Janson, 1877) (Lycaenidae) *Thecla enthea* Janson, 1877, Cistula ent. 2: 157.

4081. *Arhopala dodonea* (Moore, 1857) (Lycaenidae) *Amblypodia dodonea* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 43, nr. 65, pl. 1a fig. 8.

4082. *Arhopala dodonea dodonea* (Moore, 1857) (Lycaenidae) *Amblypodia dodonea* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 43, nr. 65, pl. 1a fig. 8.

4083. *Arhopala ganesa* (Moore, 1857) (Lycaenidae) *Amblypodia ganesa* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 44, nr. 66 pl. 1 fig. 9.

4084. *Arhopala ganesa ganesa* (Moore, 1857) (Lycaenidae) *Amblypodia ganesa* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 44, nr. 66 pl. 1 fig. 9.

4085. *Arhopala rama* (Kollar, [1844]) (Lycaenidae) *Thecla rama* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 412, Taf. 4, figs. 1, 2. Type(s): Kaschmir.

4086. *Arhopala rama rama* (Kollar, [1844]) (Lycaenidae) *Thecla rama* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 412, Taf. 4, figs. 1, 2. Type(s): Kaschmir.

4087. *Artopoetes Chapman*, 1909 (Lycaenidae) *Artopoetes* Chapman, 1909, Proc. zool. Soc. Lond. 1909: 473. Type-species: *Lycaena pryri* Murray, 1873, Entomologist's mon. Mag. 10: 126, by monotypy.

4088. *Artopoetes pryri* (Murray, 1873) (Lycaenidae) *Lycaena pryri* Murray, 1873, Entomologist's mon. Mag. 10: 126. Type(s): Japonia.

4089. *Artopoetes pryri pryri* (Murray, 1873) (Lycaenidae) *Lycaena pryri* Murray, 1873, Entomologist's mon. Mag. 10: 126. Type(s): Japonia.

4090. *Axiocerses Hübner*, [1819] (Lycaenidae) *Axiocerses* Hübner, [1819], Verz. bekannt. Schmett. (5): 72. Type-species: *Papilio perion* Stoll, [1782], [in] Cramer, Uitl. Kapellen 4(32): 176, Pl. 379, figs. B, C, by monotypy.

4091. *Axiocerses amanga* (Westwood, 1881) (Lycaenidae) *Zeritis amanga* Westwood, 1881, [in] Oates' Matabeleland: 351. Type: [Zimbabwe]: "Gwailo River".

4092. *Axiocerses amanga amanga* (Westwood, 1881) (Lycaenidae) *Zeritis amanga* Westwood, 1881, [in] Oates' Matabeleland: 351. Type: [Zimbabwe]: "Gwailo River".

4093. *Axiocerses bambana orichalcea* Henning & Henning, 1996 (Lycaenidae) *Axiocerses bambana* ssp. *orichalcea* Henning & Henning, 1996, Metamorphosis Suppl. 1: 20-21, figs. Holotype ♂: Zambia: Mkushi (A. Heath leg.) (TMP).

4094. *Axiocerses bamptoni* Henning & Henning, 1996 (Lycaenidae) *Axiocerses bamptoni* Henning & Henning, 1996, Metamorphosis Suppl. 1: 33-34, figs. Holotype ♂: Malawi: Mulanje Crater (TMP).

4095. *Axiocerses callaghani* Henning & Henning, 1996 (Lycaenidae) *Axiocerses callaghani* Henning & Henning, 1996,

- Metamorphosis Suppl.1: 11, figs. Holotype ♂: Nigeria: Agbara Estate, Ogun State, 20.iii.1988 (C.J. Callaghan leg.) (TMP).
- 4096. *Axiocerses coalescens* Henning & Henning, 1996** (Lycaenidae) *Axiocerses coalescens* Henning & Henning, 1996, Metamorphosis Suppl.1: 27-28, figs. Holotype ♂: Zambia: Mitundu South, Mufulira (TMP).
- 4097. *Axiocerses collinsi* Henning & Henning, 1996** (Lycaenidae) *Axiocerses collinsi* Henning & Henning, 1996, Metamorphosis Suppl.1: 34-36, figs. Holotype ♂: Kenya: Shimba Hills (TMP).
- 4098. *Axiocerses croesus* (Trimen, 1862)** (Lycaenidae) Zeritis croesus Trimen, 1862, Trans. ent. Soc. London 3: 283. Type: [South Africa]: "King Williams Town" (Type could not be found (Henning & Henning, 1996)).
- 4099. *Axiocerses harpax* (Fabricius, 1775)** (Lycaenidae) *Papilio harpax* Fabricius, 1775, Syst. Ent., App.: 809. Type(s): Africa.
- 4100. *Axiocerses harpax harpax* (Fabricius, 1775)** (Lycaenidae) *Papilio harpax* Fabricius, 1775, Syst. Ent., App.: 809. Type(s): Africa.
- 4101. *Axiocerses harpax kadugli* Talbot, 1935** (Lycaenidae) *Axiocerses harpax* f. ? race kadugli Talbot, 1935, Entomologist's mon. Mag. 71: 120, pl.ii fig.9. Type ♂: Sudan: Kadugli, Nuba Hills between el Obeid and lake No.
- 4102. *Axiocerses heathi* Henning & Henning, 1996** (Lycaenidae) *Axiocerses heathi* Henning & Henning, 1996, Metamorphosis Suppl.1: 23, figs. Holotype ♂: Zambia: Ikelenge (TMP).
- 4103. *Axiocerses karinae* Henning & Henning, 1996** (Lycaenidae) *Axiocerses karinae* Henning & Henning, 1996, Metamorphosis Suppl.1: 28-29, figs. Holotype ♂: Malawi: Dzalanyama Forest Reserve (TMP).
- 4104. *Axiocerses kiellandi* Henning & Henning, 1996** (Lycaenidae) *Axiocerses kiellandi* Henning & Henning, 1996, Metamorphosis Suppl.1: 32-33, figs. Holotype ♂: Tanzania: Ifakara, Masagati Forest (TMP).
- 4105. *Axiocerses melanica* Henning & Henning, 1996** (Lycaenidae) *Axiocerses melanica* Henning & Henning, 1996, Metamorphosis Suppl.1: 24, figs. Holotype ♂: Zambia: Kalanghusa River (TMP).
- 4106. *Axiocerses melanica aurata* Henning & Henning, 1996** (Lycaenidae) *Axiocerses melanica* ssp. *aurata* Henning & Henning, 1996, Metamorphosis Suppl.1: 24-25, figs. Holotype ♂: Zambia: Zambezi Source 5000ft. (TMP).
- 4107. *Axiocerses melanica melanica* Henning & Henning, 1996** (Lycaenidae) *Axiocerses melanica* Henning & Henning, 1996, Metamorphosis Suppl.1: 24, figs. Holotype ♂: Zambia: Kalanghusa River (TMP).
- 4108. *Axiocerses punicea* (Grose-Smith, 1889)** (Lycaenidae) *Chrysorychia punicea* Grose-Smith, 1889, Ann. Mag. nat. Hist. 3 (6): 134. Type: Kenya: "Neighbourhood of Mombasa, East Coast of Africa".
- 4109. *Axiocerses punicea cruenta* (Trimen, 1894)** (Lycaenidae) *Chrysorychia cruenta* Trimen, 1894, Proc. zool. Soc. London 1894: 55, pl.6 fig.13. Type: [Zimbabwe]: "Mineni Valley".
- 4110. *Axiocerses punicea punicea* (Grose-Smith, 1889)** (Lycaenidae) *Chrysorychia punicea* Grose-Smith, 1889, Ann. Mag. nat. Hist. 3 (6): 134. Type: Kenya: "Neighbourhood of Mombasa, East Coast of Africa".
- 4111. *Axiocerses susannae* Henning & Henning, 1996** (Lycaenidae) *Axiocerses susannae* Henning & Henning, 1996, Metamorphosis Suppl.1: 15-16, figs. Holotype ♂: Zimbabwe: Harare, (Mulin leg.) (TMP).
- 4112. *Axiocerses tjoane* (Wallengren, 1857)** (Lycaenidae) *Chrysorychia tjoane* Wallengren, 1857, K. Svensk. vetensk. Handl. 2 (4): 44. Lectotype ♂: [South Africa]: "Caffraria" (designated by Henning & Henning, 1996) (BMNH).
- 4113. *Axiocerses tjoane rubescens* Henning & Henning, 1996** (Lycaenidae) *Axiocerses tjoane* ssp. *rubescens* Henning & Henning, 1996, Metamorphosis Suppl.1: 15, figs. 6, 15, 34, Pls. 1, 7, 8. Holotype ♂: Zambia: Mwinilunga 1600m 2.xi.1981 (leg. Bampton) (TMP).
- 4114. *Axiocerses tjoane tjoane* (Wallengren, 1857)** (Lycaenidae) *Chrysorychia tjoane* Wallengren, 1857, K. Svensk. vetensk. Handl. 2 (4): 44. Lectotype ♂: [South Africa]: "Caffraria" (designated by Henning & Henning, 1996) (BMNH).
- 4115. *Azanus* (Azanisis) Kemal, 2004** (Lycaenidae) *Azanus* (Azanisis) Kemal, 2004, Cent. ent. Stud., Misc. Pap. 88/89: 11. Type-species: *Papilio isis* Drury, 1773, by original designation.
- 4116. *Azanus* (s.str.) Moore, [1881]** (Lycaenidae) *Azanus* Moore, [1881], Lep. Ceylon 1(2): 79. Type-species: *Papilio ubaldus* Stoll, [1782], by original designation.
- 4117. *Azanus* (s.str.) *jesous* (Guérin-Ménéville, 1849)** (Lycaenidae) *Polyommatus jesous* Guérin-Ménéville, 1849, [in] Lefebvre, Voyage en Abyssinie (4) 6 (Zoologie): 383, pl.11 figs. 3, 4. Type(s): [Ethiopia]: Abyssinie.
- 4118. *Azanus* (s.str.) *jesous gamra* (Lederer, 1855)** (Lycaenidae) *Lycaena gamra* Lederer, 1855, Verh. zool.-bot. Ges. Wien 5: 189, Taf. 1, fig. 3. Type: [Lebanon]: Beirut.
- 4119. *Azanus* (s.str.) *jesous jesous* (Guérin-Ménéville, 1849)** (Lycaenidae) *Polyommatus jesous* Guérin-Ménéville, 1849, [in] Lefebvre, Voyage en Abyssinie (4) 6 (Zoologie): 383, pl.11 figs. 3, 4. Type(s): [Ethiopia]: Abyssinie.
- 4120. *Azanus* (s.str.) *mirza* (Plötz, 1880)** (Lycaenidae) *Lycaena mirza* Plötz, 1880, Stettin ent. Ztg. 41: 203. Syntypes: Cameroon: Victoria.
- 4121. *Azanus* (s.str.) *mirza mirza* (Plötz, 1880)** (Lycaenidae) *Lycaena mirza* Plötz, 1880, Stettin ent. Ztg. 41: 203. Syntypes: Cameroon: Victoria.
- 4122. *Azanus* (s.str.) *moriqwa* (Wallengren, 1857)** (Lycaenidae) *Lycaena moriqua* Wallengren, 1857, K. svenska VetenskAkad. Handl., Stockholm (n.f.) 2 (4): 39. Syntypes: [South Africa]: Caffraria.
- 4123. *Azanus* (s.str.) *moriqwa moriqua* (Wallengren, 1857)** (Lycaenidae) *Lycaena moriqua* Wallengren, 1857, K. svenska VetenskAkad. Handl., Stockholm (n.f.) 2 (4): 39. Syntypes: [South Africa]: Caffraria.
- 4124. *Azanus* (s.str.) *ubaldus* (Stoll, [1782])** (Lycaenidae) *Papilio ubaldus* Stoll, [1782], [in] Cramer, Uitl. Kapellen 4: 209, pl.390, figs. L, M. Type(s): India: Coromandel.
- 4125. *Azanus* (s.str.) *ubaldus ubaldus* (Stoll, [1782])** (Lycaenidae) *Papilio ubaldus* Stoll, [1782], [in] Cramer, Uitl. Kapellen 4: 209, pl.390, figs. L, M. Type(s): India: Coromandel.
- 4126. *Azanus* (s.str.) *uranus* Butler, 1886** (Lycaenidae) *Azanus uranus* Butler, 1886, Proc. zool. Soc. London 56: 366, nr.40, pl.xxxv fig.1.
- 4127. *Azanus* (s.str.) *uranus uranus* Butler, 1886** (Lycaenidae) *Azanus uranus* Butler, 1886, Proc. zool. Soc. London 56: 366, nr.40, pl.xxxv fig.1.
- 4128. *Azanus* Moore, [1881]** (Lycaenidae) *Azanus* Moore, [1881], Lep. Ceylon 1(2): 79. Type-species: *Papilio ubaldus* Stoll, [1782], by original designation.
- 4129. *Bindahara* Moore, 1881** (Lycaenidae) *Bindahara* Moore, 1881, Lepid. Ceylon 1 (3): 111. Type-species: *Hesperia phocides* Fabricius, 1793, by monotypy.
- 4130. *Brephidium* Scudder, 1876** (Lycaenidae) *Brephidium* Scudder, 1876, Bull. Buffalo Soc. nat. Sci. 3: 123. Type-species: *Lycaena exilis* Boisduval, 1852, by original designation.
- 4131. *Brephidium metophis* (Wallengren, 1860)** (Lycaenidae) *Lycaena metophis* Wallengren, 1860, Wien. ent. Monatschr. 4: 37.
- 4132. *Cacyreus* Butler, [1898]** (Lycaenidae) *Cacyreus* Butler, [1898], Proc. zool. Soc. Lond. 1897 (4): 845. Type-species: *Papilio lingueus* Stoll, [1782], by original designation.
- 4133. *Cacyreus marshalli* Butler, [1898]** (Lycaenidae) *Cacyreus marshalli* Butler, [1898], Proc. zool. Soc. Lond. 1897: 845, pl.50 fig.5. Syntypes: South Africa: Estcourt (4000ft), Frere (3800ft).
- 4134. *Cacyreus marshalli marshalli* Butler, [1898]** (Lycaenidae) *Cacyreus marshalli* Butler, [1898], Proc. zool. Soc. Lond. 1897: 845, pl.50 fig.5. Syntypes: South Africa: Estcourt (4000ft), Frere (3800ft).
- 4135. *Cacyreus niebuhri* T.Larsen, 1982** (Lycaenidae) *Cacyreus niebuhri* Larsen, 1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 43, pl.1, 2 fig.6 Holotype ♂: Yemen: Ibb Province, Jabal Bada'an, 2400m. (BMNH).
- 4136. *Cacyreus niebuhri niebuhri* T.Larsen, 1982** (Lycaenidae) *Cacyreus niebuhri* Larsen, 1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 43, pl.1, 2 fig.6 Holotype ♂: Yemen: Ibb Province, Jabal Bada'an, 2400m. (BMNH).
- 4137. *Cacyreus virilis* Stempffer, 1936** (Lycaenidae) *Cacyreus virilis* Stempffer, 1936, Bull. Soc. ent. Fr. 1936: 283.
- 4138. *Cacyreus virilis virilis* Stempffer, 1936** (Lycaenidae) *Cacyreus virilis* Stempffer, 1936, Bull. Soc. ent. Fr. 1936: 283.
- 4139. *Caleta caleta* (Hewitson, [1876])** (Lycaenidae) *Lycaena caleta* Hewitson, [1876], Exot. Butts. 5: pl.1 fig.1.
- 4140. *Caleta caleta argola* (Hewitson, [1876])** (Lycaenidae) *Lycaena argola* Hewitson, [1876], Exot. Butts. 5: pl.1 fig.7. Type: Philippines.
- 4141. *Caleta caleta caleta* (Hewitson, [1876])** (Lycaenidae) *Lycaena caleta* Hewitson, [1876], Exot. Butts. 5: pl.1 fig.1.

- 4142. *Caleta decidia* (Hewitson,[1876])** (Lycaenidae) *Lycaena decidia* Hewitson,[1876], Exot. Butts. 5: pl.1 fig.4. Type: India: Nilgiris.
- 4143. *Caleta decidia decidia* (Hewitson,[1876])** (Lycaenidae) *Lycaena decidia* Hewitson,[1876], Exot. Butts. 5: pl.1 fig.4. Type: India: Nilgiris.
- 4144. *Caleta elna* (Hewitson,[1876])** (Lycaenidae) *Lycaena elna* Hewitson,[1876], Exot. Butts. 5: pl.1 fig.8. Type: Java.
- 4145. *Caleta elna elna* (Hewitson,[1876])** (Lycaenidae) *Lycaena elna* Hewitson,[1876], Exot. Butts. 5: pl.1 fig.8. Type: Java.
- 4146. *Caleta elna elvira* (Fruhstorfer,1918)** (Lycaenidae) *Castalius elna* ssp. *elvira* Fruhstorfer,1918, Tijdschr. Ent. 61: 38. Syntypes: Sumatra, Borneo.
- 4147. *Callophrys Billberg,1820*** (Lycaenidae) *Callophrys Billberg,1820*, Enum. Ins. Mus. Billberg: 80. Type-species: *Papilio rubi* Linnaeus,1758, Syst. Nat. (Ed.10)1: 483, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10:132.
- 4148. *Callophrys armeniaca* Zhdanko,1998** (Lycaenidae) *Callophrys armeniaca* Zhdanko,1998, Vestn. Kaz. Univ. 6: 47-48, fig.5. Holotype ♂: Armenia: Aragatz, 2000m.
- 4149. *Callophrys armeniaca armeniaca* Zhdanko,1998** (Lycaenidae) *Callophrys armeniaca* Zhdanko,1998, Vestn. Kaz. Univ. 6: 47-48, fig.5. Holotype ♂: Armenia: Aragatz, 2000m.
- 4150. *Callophrys butleri* Miganov,1992** (Lycaenidae) *Callophrys butleri* Miganov,1992, Bulavousye cheshuekrylye Bashkirii: 89. Holotype: Russia: Südur: Kungaktau-Gebirge: Berg Jangudai.
- 4151. *Callophrys butleri butleri* Miganov,1992** (Lycaenidae) *Callophrys butleri* Miganov,1992, Bulavousye cheshuekrylye Bashkirii: 89. Holotype: Russia: Südur: Kungaktau-Gebirge: Berg Jangudai.
- 4152. *Callophrys chalybeitincta* Sovinsky,1905** (Lycaenidae) *Callophrys rubi* var. *chalybeitincta* Sovinsky,1905, Russk. ent. Obozr. 5: 109. Syntypes: [Russia]: Dagestan: Derbent; [Aserbaidjan]: Elisabethpol. Lectotype ♂: Derbenta (designated by Nekrutenko, [in] Hesselbarth,1995: 515).
- 4153. *Callophrys chalybeitincta chalybeitincta* Sovinsky,1905** (Lycaenidae) *Callophrys rubi* var. *chalybeitincta* Sovinsky,1905, Russk. ent. Obozr. 5: 109. Syntypes: [Russia]: Dagestan: Derbent; [Aserbaidjan]: Elisabethpol. Lectotype ♂: Derbenta (designated by Nekrutenko, [in] Hesselbarth,1995: 515).
- 4154. *Callophrys danchenkoi* Zhdanko,1998** (Lycaenidae) *Callophrys danchenkoi* Zhdanko,1998, Vestn. Kaz. Univ. 6: 48-49, fig.3. Holotype ♂: Azerbaidjan: Nachitchevan: Daralagez, 1100m.
- 4155. *Callophrys danchenkoi danchenkoi* Zhdanko,1998** (Lycaenidae) *Callophrys danchenkoi* Zhdanko,1998, Vestn. Kaz. Univ. 6: 48-49, fig.3. Holotype ♂: Azerbaidjan: Nachitchevan: Daralagez, 1100m.
- 4156. *Callophrys mystaphia* Miller,1913** (Lycaenidae) *Callophrys mystaphia* Miller,1913, Dt. ent. Z., Iris 26 (1912): 222. Syntypes 2♂♂ 2♀♀: [Türkei]: Kars: Novoja Nicolaewka. Lectotype ♂: Kağızman (Nekrutenko, [in] Hesselbarth,1995: 517).
- 4157. *Callophrys mystaphia mystaphia* Miller,1913** (Lycaenidae) *Callophrys mystaphia* Miller,1913, Dt. ent. Z., Iris 26 (1912): 222. Syntypes 2♂♂ 2♀♀: [Türkei]: Kars: Novoja Nicolaewka. Lectotype ♂: Kağızman (Nekrutenko, [in] Hesselbarth,1995: 517).
- 4158. *Callophrys paulae* Pfeiffer,1932** (Lycaenidae) *Callophrys paulae* Pfeiffer,1932, Mitt. münch. ent. Ges. 22: 30-31, Taf.3 fig.13. Type ♂: [Turkey]: türkisch Nordsyrien: Marasch [Kahramanmaraş], Achyr Dag, 1800-2000m.
- 4159. *Callophrys paulae paulae* Pfeiffer,1932** (Lycaenidae) *Callophrys paulae* Pfeiffer,1932, Mitt. münch. ent. Ges. 22: 30-31, Taf.3 fig.13. Type ♂: [Turkey]: türkisch Nordsyrien: Marasch [Kahramanmaraş], Achyr Dag, 1800-2000m.
- 4160. *Callophrys rubi* (Linnaeus,1758)** (Lycaenidae) *Papilio rubi* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 483. Type(s): [Sweden (Verity,1943)].
- 4161. *Callophrys rubi borealis* Krulikowsky,1890** (Lycaenidae) *Callophrys rubi* var. *borealis* Krulikowsky,1890, Bull. Soc. Nat. Moscou (N.S.) 4: 217. Syntypes: Russia: Kasan.
- 4162. *Callophrys rubi fervida* Staudinger,1901** (Lycaenidae) *Callophrys rubi* var. (gen aest?) *fervida* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 70. Syntypes: Iberia m., Maur.; Asia minor.
- 4163. *Callophrys rubi rubi* (Linnaeus,1758)** (Lycaenidae) *Papilio rubi* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 483. Type(s): [Sweden (Verity,1943)].
- 4164. *Callophrys rubi sibirica* (Heyne,[1895])** (Lycaenidae) *Thecla rubi* var. *sibirica* Heyne,[1895], [in] Rühl,F., Die Palaearkt. Grossschmett. Naturg. 1:740. Type(s): [Russia]: Südsibirien.
- 4165. *Callophrys suaveola* (Staudinger,1881)** (Lycaenidae) *Thecla rubi* var.? *suaveola* Staudinger,1881, Stettin ent. Ztg. 42(7/9): 279-280. Syntypes 4♂: Lepsa, Saisan. Lectotype ♂: [Kasachstan]: Lepsa [Dschungarischer Alatau] (designated by Bernardi, 1964: 276).
- 4166. *Callophrys suaveola suaveola* (Staudinger,1881)** (Lycaenidae) *Thecla rubi* var.? *suaveola* Staudinger,1881, Stettin ent. Ztg. 42(7/9): 279-280. Syntypes 4♂: Lepsa, Saisan. Lectotype ♂: [Kasachstan]: Lepsa [Dschungarischer Alatau] (designated by Bernardi, 1964: 276).
- 4167. *Callophrys titanus* Zhdanko,1998** (Lycaenidae) *Callophrys titanus* Zhdanko,1998, Vestn. Kaz. Univ. 6: 46-47, fig.2. Holotype ♂: Kazakhstan: 175km westl. Alma-Ata, Zhetyzhol Mts.
- 4168. *Callophrys titanus titanus* Zhdanko,1998** (Lycaenidae) *Callophrys titanus* Zhdanko,1998, Vestn. Kaz. Univ. 6: 46-47, fig.2. Holotype ♂: Kazakhstan: 175km westl. Alma-Ata, Zhetyzhol Mts.
- 4169. *Capys catharus* Riley,1932** (Lycaenidae) *Capys catharus* Riley,1932, Ann. Mag. nat. Hist. 10 (10): 144-145, pl. viii figs. 6,7. Holotype ♂: [Zaire]: Belgian Congo: Region de M'Pala, Tanganyika Prov., (R. P. Guillemé leg.) (BMNH).
- 4170. *Capys catharus catharus* Riley,1932** (Lycaenidae) *Capys catharus* Riley,1932, Ann. Mag. nat. Hist. 10 (10): 144-145, pl. viii figs. 6,7. Holotype ♂: [Zaire]: Belgian Congo: Region de M'Pala, Tanganyika Prov., (R. P. Guillemé leg.) (BMNH).
- 4171. *Capys penningtoni* Riley,1932** (Lycaenidae) *Capys penningtoni* Riley,1932, Ann. Mag. nat. Hist. 10 (10): 142-143, pl. viii figs. 4,5. Holotype ♂: [Zaire]: [South Africa]: Natal: Inhlozane, 4.x.30 (K. M. Pennington leg.) (BMNH).
- 4172. *Castalius Hübner,[1819]*** (Lycaenidae) *Castalius Hübner,[1819]*, Verz. bekannt. Schmett. (5): 70. Type-species: *Papilio rosimon* Fabricius,1775, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 135.
- 4173. *Catapaecilma Butler,1879*** (Lycaenidae) *Catapaecilma Butler,1879*, Trans. linn. Soc. Lond. (2) Zool. 1(8): 547. Type-species: *Hypochrysops elegans* Druce,1873, by monotypy.
- 4174. *Catochrysops Boisduval,1832*** (Lycaenidae) *Catochrysops Boisduval,1832* [in] d'Urville, Voy. "Astrolabe", Ent. 1 (Lép.): 8. Type-species: *Hesperia strabo* Fabricius,1793, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 136.
- 4175. *Catochrysops cnejus* (Fabricius,1798)** (Lycaenidae) *Hesperia cnejus* Fabricius,1798, Ent. Syst., Suppl.: 430. Type(s): India.
- 4176. *Catochrysops cnejus cnejus* (Fabricius,1798)** (Lycaenidae) *Hesperia cnejus* Fabricius,1798, Ent. Syst., Suppl.: 430. Type(s): India.
- 4177. *Catochrysops strabo* (Fabricius,1793)** (Lycaenidae) *Hesperia strabo* Fabricius,1793, Ent. Syst. 3(1): 287. Type(s): India orientali.
- 4178. *Catochrysops strabo strabo* (Fabricius,1793)** (Lycaenidae) *Hesperia strabo* Fabricius,1793, Ent. Syst. 3(1): 287. Type(s): India orientali.
- 4179. *Celastrina Tutt,1906*** (Lycaenidae) *Celastrina Tutt,1906*, Entomologist's Rec. J. Var. 18: 131. Type-species: *Papilio argiolus* Linnaeus,1758, by original designation.
- 4180. *Celastrina argiolus* (Linnaeus,1758)** (Lycaenidae) *Papilio argiolus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 483. Type ♀: Europa (Linnean coll. London) [gen.vern.].
- 4181. *Celastrina argiolus argiolus* (Linnaeus,1758)** (Lycaenidae) *Papilio argiolus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 483. Type ♀: Europa (Linnean coll. London) [gen.vern.].
- 4182. *Celastrina argiolus bieneri* Forster,1941** (Lycaenidae) *Celastrina argiolus* ssp. *bieneri* Forster,1941, Mitt. münch. ent. Ges. 31: 614, pl.21,22 figs.3,4. Holotype: U.S.S.R.: Transbaikalia (ZSM).
- 4183. *Celastrina argiolus caphis* (Fruhstorfer,1922)** (Lycaenidae) *Lycaenopsis argiolus caphis* Fruhstorfer,1922, [in] Seitz, A., Die Gross-Schmetterlinge der Erde 9: 871. Syntypes: China: Omei Shan and Ningpo.
- 4184. *Celastrina argiolus cinerea* (Edwards,1883)** (Lycaenidae) *Lycaena cinerea* Edwards,1883, *Papilio* 3: 8. Lectotype ♂: U.S.A. Arizona, designated by Brown (1970: 428) (CM,Pittsburgh).
- 4185. *Celastrina argiolus echo* (Edwards,1864)** (Lycaenidae) *Lycaena echo* Edwards,1864, Proc. ent. Soc. Philad. 2: 506. Neotype ♂: U.S.A. California, designated by Brown (1970:430) (CM,Pittsburgh).
- 4186. *Celastrina argiolus gozora* (Boisduval,1870)** (Lycaenidae) *Lycaena gozora* Boisduval,1870, Considerations sur les Lépidoptères envoyés du Guatemala a M. de l'Orza: 17. Syntypes: Guatemala.
- 4187. *Celastrina argiolus hypoleuca* (Kollar,[1849])** (Lycaenidae) *Lycaena hypoleuca* Kollar,[1849], Deksch. Akad. Wiss. Wien 1: 52. Type(s): [Iran]: Farsistan [=Shiraz] (NHMW?).

- 4188. *Celastrina argiolus ladon* (Cramer,[1780])** (Lycaenidae) Papilio ladon Cramer,[1780], Uitl. Kapellen: 141, pl.270 figs.D,E. Neotype ♂: U.S.A.: Maryland (AME, Sarasota), designated by Clench & Miller, 1980: 17, figs.910.
- 4189. *Celastrina argiolus ladonides* (De l'Orza,1869)** (Lycaenidae) Lycaena ladonides De l'Orza,1869, Lépid. japon. Expos. Int. 1867: 20. Syntypes: Japan.
- 4190. *Celastrina argiolus lucia* (Kirby,1837)** (Lycaenidae) Lycaena lucia Kirby,1837, [in] Richardson, J., Fauna Boreali-Americana or the zoology of the northern parts of British America... pt.4, Insects: 299, pl.3 figs. 8,9. Syntypes: Canada: Saskatchewan.
- 4191. *Celastrina argiolus mauretanica* (Rothschild,1925)** (Lycaenidae) Lycaena argiolus mauretanica Rothschild,1925, Novit. zool. 32: 214 (nomen novum pro algerica Oberthür,1915 nec Heyne,1895).
- 4192. *Celastrina argiolus* ssp.n.** (Lycaenidae) *Celastrina argiolus* ssp.n.: Eliot & Kawazoe,1983, Blue Butterflies of the Lycaenopsis Group: 219.
- 4193. *Celastrina argiolus sugurui* Eliot & Kawazoe,1984** (Lycaenidae) *Celastrina argiolus* ssp. sugurui Eliot & Kawazoe,1983, Blue Butterflies of the Lycaenopsis Group: 215, fig.1.59. Holotype ♂: Philippines: Luzon, 40km from Baguio, Asin hot spring, 460m. (NSM,Tokyo).
- 4194. *Celastrina filipjevi* (Riley,1934)** (Lycaenidae) Lycaenopsis filipjevi Riley,1934, Entomologist 67: 85, pl.1 figs.1-6. Holotype ♂: [Russia]: Ussuri (BMNH).
- 4195. *Celastrina filipjevi admirabilis* (Sugitani,1936)** (Lycaenidae) Lycaenopsis admirabilis Sugitani,1936, Zephyrus 6: 164, pl.9 figs. 7,10. Holotype ♂: North Korea: Fukuoka.
- 4196. *Celastrina filipjevi filipjevi* (Riley,1934)** (Lycaenidae) Lycaenopsis filipjevi Riley,1934, Entomologist 67: 85, pl.1 figs.1-6. Holotype ♂: [Russia]: Ussuri (BMNH).
- 4197. *Celastrina gigas* (Hemming,1928)** (Lycaenidae) Lycaenopsis gigas Hemming,1928, Proc. ent. Soc. Lond. 3: 30, pl.ii fig.5. Holotype ♂: [India]: Mussourie (H.D.Peile) (BMNH).
- 4198. *Celastrina gigas gigas* (Hemming,1928)** (Lycaenidae) Lycaenopsis gigas Hemming,1928, Proc. ent. Soc. Lond. 3: 30, pl.ii fig.5. Holotype ♂: [India]: Mussourie (H.D.Peile) (BMNH).
- 4199. *Celastrina huegelii* (Moore,1882)** (Lycaenidae) Cyaniris huegelii Moore,1882, Proc. zool. Soc. Lond. 1882: 244. Syntypes ♂♂: Kashmir, Simla, Masuri, Dharmasala.
- 4200. *Celastrina huegelii huegelii* (Moore,1882)** (Lycaenidae) Cyaniris huegelii Moore,1882, Proc. zool. Soc. Lond. 1882: 244. Syntypes ♂♂: Kashmir, Simla, Masuri, Dharmasala.
- 4201. *Celastrina kollari* (Westwood,[1852])** (Lycaenidae) Lycaena kollari Westwood,[1852], [in] Doubleday, Gen. diurn. Lep.: 491, nr. 69 (nomen novum pro coelestina Kollar,1848 nec Eversmann,1843). Syntypes: Kashmir.
- 4202. *Celastrina kollari iynteani* (de Nicéville,1884)** (Lycaenidae) Cyaniris iynteani de Nicéville,1884, J. Asiat. Soc. Bengal 52: 69, pl.1 figs.7a,b. Lectotype ♂: India: Sikkim, designated by Eliot & Kawazoe (1983: 217) (ZSI, Calcutta) [Wet season form].
- 4203. *Celastrina kollari kollari* (Westwood,[1852])** (Lycaenidae) Lycaena kollari Westwood,[1852], [in] Doubleday, Gen. diurn. Lep.: 491, nr. 69 (nomen novum pro coelestina Kollar,1848 nec Eversmann,1843). Syntypes: Kashmir.
- 4204. *Celastrina oreas* (Leech,1893)** (Lycaenidae) Cyaniris oreas Leech,1893, Butts China Corea Japan: 321, pl.31 figs.12,15. Lectotype ♂: China: Ta-Chien-Lu, designated by Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 237 (BMNH).
- 4205. *Celastrina oreas mirificus* (Sugitani,1936)** (Lycaenidae) Lycaenopsis mirificus Sugitani,1936, Zephyrus 6: 167, pl.9 figs. 11,12. Holotype ♂: North Korea: Fukuoka.
- 4206. *Celastrina oreas oreas* (Leech,1893)** (Lycaenidae) Cyaniris oreas Leech,1893, Butts China Corea Japan: 321, pl.31 figs.12,15. Lectotype ♂: China: Ta-Chien-Lu, designated by Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 237 (BMNH).
- 4207. *Celatoxia carna* (De Nicéville,1895)** (Lycaenidae) Cyaniris carna De Nicéville,1895, J. Bomb. nat. Hist. Soc. 9: 274.
- 4208. *Celatoxia carna carna* (De Nicéville,1895)** (Lycaenidae) Cyaniris carna De Nicéville,1895, J. Bomb. nat. Hist. Soc. 9: 274.
- 4209. *Cesa Seven*,1997** (Lycaenidae) Cesa Seven,1997, Cent. ent. Stud., Misc. Pap. 43: 4. Type-species: Spindasis waggae Sharpe,1898, by monotypy.
- 4210. *Chaetoprocta* De Nicéville,1890** (Lycaenidae) Chaetoprocta De Nicéville,1890, [in] Marshall & De Nicéville, Butts India Burmah Ceylon 3: 17, 311. Type-species: Dipsas odata Hewitson,[1865], by monotypy.
- 4211. *Chaetoprocta odata* (Hewitson,[1865])** (Lycaenidae) Dipsas odata Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 66, 2 (plates): pl.30 figs. 13,14.
- 4212. *Chaetoprocta odata odata* (Hewitson,[1865])** (Lycaenidae) Dipsas odata Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 66, 2 (plates): pl.30 figs. 13,14.
- 4213. *Cheritra* Moore,[1881]** (Lycaenidae) Cheritra Moore,[1881], Lep. Ceylon 1(3): 109. Type-species: Myrina jafra Godart,[1824], by original designation.
- 4214. *Cheritra freja* (Fabricius,1793)** (Lycaenidae) Hesperia freja Fabricius,1793, Ent. Syst. 3(1): 263. Type(s): Java.
- 4215. *Cheritra freja freja* (Fabricius,1793)** (Lycaenidae) Hesperia freja Fabricius,1793, Ent. Syst. 3(1): 263. Type(s): Java.
- 4216. *Chilades* (Freyeria) Courvoisier,1920** (Lycaenidae) Freyeria Courvoisier,1920, Dt. ent. Z., Iris 34:234. Lycaena trochylus Freyer,1845, Neue Beitr. Schmett. 5(74): 98,pl.440, fig.1, by monotypy.
- 4217. *Chilades* (Freyeria) putli (Kollar,[1844])** (Lycaenidae) Lycaena putli Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 422. Type(s): Kaschmir.
- 4218. *Chilades* (Freyeria) putli putli (Kollar,[1844])** (Lycaenidae) Lycaena putli Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 422. Type(s): Kaschmir.
- 4219. *Chilades* (Freyeria) trochylus (Freyer,[1843])** (Lycaenidae) Lycaena trochylus Freyer,[1843], Neuere Beitr. Schmett. 5(74): 98-99, Taf.440 fig.1. Syntypes: europäische Türkei.
- 4220. *Chilades* (Freyeria) trochylus trochylus (Freyer,[1843])** (Lycaenidae) Lycaena trochylus Freyer,[1843], Neuere Beitr. Schmett. 5(74): 98-99, Taf.440 fig.1. Syntypes: europäische Türkei.
- 4221. *Chilades* (Lachides) Nekrutenko,1984** (Lycaenidae) Lachides Nekrutenko,1984, Vestn. zool. 1984 (3): 30-31. Type-species: Lycaena galba Lederer,1855, by original designation.
- 4222. *Chilades* (Lachides) galba (Lederer,1855)** (Lycaenidae) Lycaena galba Lederer,1855, Verh. zool.-bot. Ver. Wien 5: 190, pl.1 fig.4. Syntypes: [Libanon]: Beirut.
- 4223. *Chilades* (Lachides) galba galba (Lederer,1855)** (Lycaenidae) Lycaena galba Lederer,1855, Verh. zool.-bot. Ver. Wien 5: 190, pl.1 fig.4. Syntypes: [Libanon]: Beirut.
- 4224. *Chilades* (Lachides) galba phiala (Groum-Grshimailo,1890)** (Lycaenidae) Lycaena phiala Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 366, Pl.21, fig.4.
- 4225. *Chilades* (Luthrodes) Druce,1895** (Lycaenidae) Luthrodes Druce,1895, Proc. zool. Soc. Lond. 1895 (3): 576. Type-species: Polyommatus cleotas Guérin-Ménéville,[1831], by original designation.
- 4226. *Chilades* (Luthrodes) pandava (Horsfield,[1829])** (Lycaenidae) Lycaena pandava Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 84, nr.19. Type(s): Java.
- 4227. *Chilades* (Luthrodes) pandava minuta (Evans,1932)** (Lycaenidae) Euchrysops pandava minuta Evans,1932, Identification of Indian Butterflies (2): 235. Syntypes: [Pakistan]: Sind, Baluchistan, N.W.F. Province, Punjab.
- 4228. *Chilades* (Luthrodes) pandava pandava (Horsfield,[1829])** (Lycaenidae) Lycaena pandava Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 84, nr.19. Type(s): Java.
- 4229. *Chilades* (s.str.) lajus (Stoll,[1780])** (Lycaenidae) Papilio lajus Stoll,[1780], [in] Cramer, Uitl. Kapellen 4: pl.319, figs. D,E.
- 4230. *Chilades* (s.str.) lajus lajus (Stoll,[1780])** (Lycaenidae) Papilio lajus Stoll,[1780], [in] Cramer, Uitl. Kapellen 4: pl.319, figs. D,E.
- 4231. *Chilades* (s.str.) parrhasius (Fabricius,1793)** (Lycaenidae) Hesperia parrhasius Fabricius,1793, Ent. Syst. 3(1): 289. Type(s): Java.
- 4232. *Chilades* (s.str.) parrhasius parrhasius (Fabricius,1793)** (Lycaenidae) Hesperia parrhasius Fabricius,1793, Ent. Syst. 3(1): 289. Type(s): Java.
- 4233. *Chilades* Moore,[1881]** (Lycaenidae) Chilades Moore,[1881], Lep. Ceylon 1 (2): 76. Type-species: Papilio lajus Stoll,[1780], by original designation.
- 4234. *Chloroselas* Butler,[1886]** (Lycaenidae) Chloroselas Butler,[1886], Proc. zool. Soc. Lond. 1885 (4): 765. Type-species: Chloroselas esmeralda Butler,[1886], by original designation.
- 4235. *Chloroselas argentea* Riley,1932** (Lycaenidae) Chloroselas argentea Riley,1932, Ann. Mag. nat. Hist. 10 (10): 145-146, pl. ix figs. 3,4. Holotype ♂: [Zimbabwe]: South Rhodesia: Xmas Pass, 3.xi.24 (E. W. Lannin leg.) (BMNH).

- 4236. *Chloroselas esmeralda* Butler,[1886]** (Lycaenidae) *Chloroselas esmeralda* Butler, [1886], Proc. zool. Soc. Lond. 55 (1885): 765, pl.xlvii fig.4. Type ♂: Somaliland: Zaila (Capt. Nurse).
- 4237. *Chloroselas esmeralda esmeralda* Butler,[1886]** (Lycaenidae) *Chloroselas esmeralda* Butler, [1886], Proc. zool. Soc. Lond. 55 (1885): 765, pl.xlvii fig.4. Type ♂: Somaliland: Zaila (Capt. Nurse).
- 4238. *Chloroselas pseudozeritis tytleri* Riley,1932** (Lycaenidae) *Chloroselas pseudozeritis* ssp. *tytleri* Riley,1932, Ann. Mag. nat. Hist. 10 (10): 147, pl. ix figs. 7,8. Holotype ♂: [Kenya]: East Africa: Tonjido 4500ft., (H.C.Tytler leg.) (BMNH).
- 4239. *Chloroselas taposana* Riley,1932** (Lycaenidae) *Chloroselas taposana* Riley,1932, Ann. Mag. nat. Hist. 10 (10): 146-147, pl. ix figs. 5,6. Holotype ♂: South Sudan: Taposa, Upper Nile Prov., near Akobo Post, Akobo River, 15.1.30 (Major F. Moysey) (BMNH).
- 4240. *Chrysoritis (Poecilmitis) Butler,1899*** (Lycaenidae) *Poecilmitis* Butler,1899, Entomologist 32: 78. Type-species: *Zeritis lycegenes* Trimen,1874, by original designation.
- 4241. *Chrysoritis (Thysbe) henningi* (Bampton,1981)** (Lycaenidae) *Poecilmitis henningi* Bampton,1981, Entomologist's Rec. J. Var. 93 (9/10): 189-191, pl.iv figs. 1,2,5,6. Holotype ♂: South Africa: Cape Province: Huis River Pass, near Calitzdorp, 2.xii.1975 (G.A.Henning leg.) (TMP).
- 4242. *Chrysoritis (s.str.) Butler,[1898]*** (Lycaenidae) *Chrysoritis* Butler,[1898], Proc. zool. Soc. Lond. 1897: 848. Type-species: *Zeritis oreas* Trimen,1891, by original designation.
- 4243. *Chrysoritis (s.str.) oreas* (Trimen,1891)** (Lycaenidae) *Zeritis oreas* Trimen,1891, Trans. ent. Soc. London 1891 (1): 176-178. Syntypes 18♂♂: South Africa: Natal, Drakensberg 7000ft.
- 4244. *Chrysoritis Butler,[1898]*** (Lycaenidae) *Chrysoritis* Butler,[1898], Proc. zool. Soc. Lond. 1897: 848. Type-species: *Zeritis oreas* Trimen,1891, by original designation.
- 4245. *Cigaritis Donzel,1847*** (Lycaenidae) *Cigaritis* Donzel,1847, Anns Soc. ent. Fr. (2) 5: 528. Type-species: *Cigaritis zohra* Donzel,1847, ibid. (2) 5: 528, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci, Boston 10: 142.
- 4246. *Cigaritis acamas* (Klug,1834)** (Lycaenidae) *Lycaena acamas* Klug,1834, [in] Ehrenberg, Symb. Phys. Ins. 4: pl.40 figs. 7-9. Lectotype ♀: Syria, designated by Olivier & Nekrutenko,2000.
- 4247. *Cigaritis acamas acamas* (Klug,1834)** (Lycaenidae) *Lycaena acamas* Klug,1834, [in] Ehrenberg, Symb. Phys. Ins. 4: pl.40 figs. 7-9. Lectotype ♀: Syria, designated by Olivier & Nekrutenko,2000.
- 4248. *Cigaritis acamas bellatrix* (Butler,1886)** (Lycaenidae) *Spindasis bellatrix* Butler,1886, Entomologist's mon. Mag. 2: 369. Type: Sudan: Suakim.
- 4249. *Cigaritis acamas chitralensis* (Riley,1925)** (Lycaenidae) *Apharitis acamas* ssp. *chitralensis* Riley,1925, Novit. zool. 32: 90-92. Syntypes ♂♂: [Pakistan]: [NWFP]: Chitral, Nagar 4000ft, Utzen Nullah, Drosh, etc..
- 4250. *Cigaritis acamas cypriaca* (Riley,1925)** (Lycaenidae) *Apharitis acamas* ssp. *cypriaca* Riley,1925, Novit. zool. 32: 89. Syntypes: Cyprus: Episkopis (junior synonym of *C. acamas acamas* Klug (vide Ackery,et al., 1995: 556).
- 4251. *Cigaritis acamas divisa* (Rothschild,1915)** (Lycaenidae) *Spindasis acamas* ssp. *divisa* Rothschild,1915, Ann. Mag. nat. Hist. (8) 16: 248. Type ♂: Sahara: Hoggar Mts.
- 4252. *Cigaritis acamas egyptiaca* (Riley,1925)** (Lycaenidae) *Apharitis acamas* ssp. *egyptiaca* Riley,1925, Novit. zool. 32: 88. Syntypes: Egypt: Mokaddam Hills; [Israel] Palestine: Ludd (junior synonym of *C. acamas acamas* Klug (vide Ackery,et al., 1995: 556).
- 4253. *Cigaritis acamas hypargyros* (Butler,1886)** (Lycaenidae) *Spindasis hypargyros* Butler,1886, Proc. zool. Soc. Lond. 1886: 369, Pl.35 fig. 3. Syntypes ♂♂: [Pakistan]: Campbellpore.
- 4254. *Cigaritis allardi Oberthür,1909*** (Lycaenidae) *Cigaritis allardi* Oberthür,1909, Études lépid. comp. 3: 401. Type: Algeria: Oran: Sebdu.
- 4255. *Cigaritis allardi allardi* Oberthür,1909** (Lycaenidae) *Cigaritis allardi* Oberthür,1909, Études lépid. comp. 3: 401. Type: Algeria: Oran: Sebdu.
- 4256. *Cigaritis allardi estherae* Brévignon,1985** (Lycaenidae) *Cigaritis allardi* ssp. *estherae* Brévignon,1985, Alexanor 13: 307-308. Holotype ♂: Morocco: Agadir.
- 4257. *Cigaritis allardi meridionalis* Riley,1925** (Lycaenidae) *Cigaritis allardi* ssp. *meridionalis* Riley,1925, Novit. zool. 32: 72. Syntypes 44♂ 20♀: Algeria: Djebel Mekter.
- 4258. *Cigaritis allardi occidentalis* Le Cerf,1923** (Lycaenidae) *Cigaritis allardi* ssp. *occidentalis* Le Cerf,1923, Bull. Soc. ent. Fr. 1923: 197. Syntypes: Morocco: Harscha, near Tedders.
- 4259. *Cigaritis cilissa Lederer,1861*** (Lycaenidae) *Cigaritis cilissa* Lederer,1861, Wien. ent. Monatschr. 5:147, pl.1 fig.1. Syntypes: [Türkei]: Mersin, Antiochia [=Antakya].
- 4260. *Cigaritis cilissa cilissa* Lederer,1861** (Lycaenidae) *Cigaritis cilissa* Lederer,1861, Wien. ent. Monatschr. 5:147, pl.1 fig.1. Syntypes: [Türkei]: Mersin, Antiochia [=Antakya].
- 4261. *Cigaritis elima* (Moore,1877)** (Lycaenidae) *Aphnaeus elima* Moore,1877, Ann. Mag. nat. Hist. 1877: 51.
- 4262. *Cigaritis elima elima* (Moore,1877)** (Lycaenidae) *Aphnaeus elima* Moore,1877, Ann. Mag. nat. Hist. 1877: 51.
- 4263. *Cigaritis elima uniformis* (Moore,1882)** (Lycaenidae) *Aphnaeus uniformis* Moore,1882, Proc. zool. Soc. Lond. 1882: 251. Type(s): [India: Kangra distr.]: "Mount Meru, Wurdhan" (BMNH).
- 4264. *Cigaritis epargyros* (Eversmann,1854)** (Lycaenidae) *Polyommatus epargyros* Eversmann,1854, Bull. Soc. imp. Nat. Moscou 27: 178-180, f.1,2. Syntypes: Südl. Kirghisensteppen, Aralsee, Sir-Darja.
- 4265. *Cigaritis epargyros epargyros* (Eversmann,1854)** (Lycaenidae) *Polyommatus epargyros* Eversmann,1854, Bull. Soc. imp. Nat. Moscou 27: 178-180, f.1,2. Syntypes: Südl. Kirghisensteppen, Aralsee, Sir-Darja.
- 4266. *Cigaritis epargyros marginalis* Riley,1921** (Lycaenidae) *Aphnaeus epargyros* ssp. *marginalis* Riley,1921, Ann. Mag. nat. Hist. 9(8): 598. Syntypes 4♂ 6♀: [Iraq]: Paitak, Suleimanyeh.
- 4267. *Cigaritis epargyros transcaspica* Staudinger,1901** (Lycaenidae) *Cigaritis acamas* var. *transcaspica* Staudinger,1901, Cat. Lepid. palaeart. Faunengeb. 1:76. Type(s): [Turkmenistan]: Tura occ.-mer.: Nuchur.
- 4268. *Cigaritis gilletti* (Riley,1925)** (Lycaenidae) *Apharitis gilletti* Riley,1925, Novit. zool. 32: 85, fig.6. Syntypes 2♂ 1♀: Somaliland (BMNH).
- 4269. *Cigaritis gilletti gilletti* (Riley,1925)** (Lycaenidae) *Apharitis gilletti* Riley,1925, Novit. zool. 32: 85, fig.6. Syntypes 2♂ 1♀: Somaliland (BMNH).
- 4270. *Cigaritis ictis* (Hewitson,[1865])** (Lycaenidae) *Aphneus ictis* Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 61, 2 (plates): pl.25 figs. 8,9. Syntypes: India borealis.
- 4271. *Cigaritis ictis ictis* (Hewitson,[1865])** (Lycaenidae) *Aphneus ictis* Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 61, 2 (plates): pl.25 figs. 8,9. Syntypes: India borealis.
- 4272. *Cigaritis lilacina* (Moore,1884)** (Lycaenidae) *Aphnaeus lilacinus* Moore,1884, J. Asiat. Soc. Bengal 1884: 28. Type ♀: India: Kussowli.
- 4273. *Cigaritis lilacina lilacina* (Moore,1884)** (Lycaenidae) *Aphnaeus lilacinus* Moore,1884, J. Asiat. Soc. Bengal 1884: 28. Type ♀: India: Kussowli.
- 4274. *Cigaritis lohita* (Horsfield,[1829])** (Lycaenidae) *Amblypodia lohita* Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 106, nr.38.
- 4275. *Cigaritis lohita lohita* (Horsfield,[1829])** (Lycaenidae) *Amblypodia lohita* Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 106, nr.38.
- 4276. *Cigaritis mozambica* (Bertolini,1850)** (Lycaenidae) *Thecla etolus* var. *mozambica* Bertolini,1850, Mem. Reale Acc. Sci. Ist. Bol. (1) 2: 177. Type(s): [Mozambique]: "Coste del Coromandel".
- 4277. *Cigaritis myrmecophila* Dumont,1922** (Lycaenidae) *Cigaritis myrmecophila* Dumont,1922, Bull. Soc. ent. Fr. 1922: 217. Syntypes: Tunisia: dunes de Tozeur-Nefta.
- 4278. *Cigaritis myrmecophila farsica* (Rose & Schurian,1977)** (Lycaenidae) *Apharitis myrmecophila* ssp. *farsica* Rose & Schurian,1977, Ent.Z.,Frankf.a.M. 87(14): 146-148,fig.1. Holotype ♂: Iran: Südiran: Dasht-i-Arjan.
- 4279. *Cigaritis myrmecophila myrmecophila* Dumont,1922** (Lycaenidae) *Cigaritis myrmecophila* Dumont,1922, Bull. Soc. ent. Fr. 1922: 217. Syntypes: Tunisia: dunes de Tozeur-Nefta.
- 4280. *Cigaritis nilus* (Hewitson,[1865])** (Lycaenidae) *Aphnaeus nilus* Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 62.
- 4281. *Cigaritis nilus nilus* (Hewitson,[1865])** (Lycaenidae) *Aphnaeus nilus* Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 62.
- 4282. *Cigaritis scotti* Gabriel,1954** (Lycaenidae) *Spindasis scotti* Gabriel,1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 378, pl.xviii fig.8. Holotype ♀: Yemen: Western Aden Protectorate: Wadi east of Jebel Ma'fari, 4200ft. (BMNH)
- 4283. *Cigaritis scotti scotti* Gabriel,1954** (Lycaenidae) *Spindasis scotti* Gabriel,1954, Br. Mus. Nat. Hist. exped. South-West

Arabia 1 (25): 378, pl.xviii fig.8. Holotype ♀: Yemen: Western Aden Protectorate: Wadi east of Jebel Ma'fari, 4200ft. (BMNH)

4284. *Cigaritis siphax* Lucas,1849 (Lycaenidae) *Cigaritis siphax* Lucas, 1849, Expl. Alg. Zool. 3: 362, nr.39, pl.1 fig.8. Type(s): Algeria.

4285. *Cigaritis siphax siphax* Lucas,1849 (Lycaenidae) *Cigaritis siphax* Lucas, 1849, Expl. Alg. Zool. 3: 362, nr.39, pl.1 fig.8. Type(s): Algeria.

4286. *Cigaritis somalina* Butler,1885 (Lycaenidae) *Spindasis somalina* Butler,1885, Proc. zool. Soc. Lond. 1885: 764, pl.47 fig.5. Synypes: Somalia: less than 80 miles S. of Berbera.

4287. *Cigaritis somalina somalina* Butler,1885 (Lycaenidae) *Spindasis somalina* Butler,1885, Proc. zool. Soc. Lond. 1885: 764, pl.47 fig.5. Synypes: Somalia: less than 80 miles S. of Berbera.

4288. *Cigaritis uighurica* Kemal & Koçak,2005 (Lycaenidae) *Cigaritis uighurica* Kemal & Koçak,2005, Cent. ent. Stud., Priamus 11 (3): 44. Holotype ♂: Turkey: Malatya Prov., Malatya 1100m, A. Koçak leg. (Cesa).

4289. *Cigaritis uighurica uighurica* Kemal & Koçak,2005 (Lycaenidae) *Cigaritis uighurica* Kemal & Koçak,2005, Cent. ent. Stud., Priamus 11 (3): 44. Holotype ♂: Turkey: Malatya Prov., Malatya 1100m, A. Koçak leg. (Cesa).

4290. *Cigaritis zohra* Donzel,1847 (Lycaenidae) *Cigaritis zohra* Donzel,1847, Anns Soc. ent. Fr. 1847: 528, Tab.8 figs. 5,6. Synypes: Algeria: Djebel Amour.

4291. *Cigaritis zohra jugurtha* Oberthür,1876 (Lycaenidae) *Cigaritis* var. *jugurtha* Oberthür,1876, Études d'Ent. 1: 21. Synypes: Algeria: Salda.

4292. *Cigaritis zohra littoralis* Riley,1925 (Lycaenidae) *Cigaritis zohra* ssp. *littoralis* Riley,1925, Novit. zool. 32: 75. Synypes 9♂ 9♀: Algeria: Oran.

4293. *Cigaritis zohra orientalis* Riley,1925 (Lycaenidae) *Cigaritis zohra orientalis* Riley,1925, Novit. zool. 32: 76. Type: Algeria: Boghari.

4294. *Cigaritis zohra zohra* Donzel,1847 (Lycaenidae) *Cigaritis zohra* Donzel,1847, Anns Soc. ent. Fr. 1847: 528, Tab.8 figs. 5,6. Synypes: Algeria: Djebel Amour.

4295. *Coreana* Tutt,[1907] (Lycaenidae) *Coreana* Tutt,[1907], Nat. Hist. Br. Butts. 2: 276. Type-species: *Thecla raphaelis* Oberthür,1880, by original designation.

4296. *Coreana raphaelis* (Oberthür,1880) (Lycaenidae) *Thecla raphaelis* Oberthür,1880, Etüd. ent. 5: 20, pl.5 fig.1.

4297. *Coreana raphaelis raphaelis* (Oberthür,1880) (Lycaenidae) *Thecla raphaelis* Oberthür,1880, Etüd. ent. 5: 20, pl.5 fig.1.

4298. *Creon* De Nicéville,[1896] (Lycaenidae) *Creon* De Nicéville,[1896], J. Bombay nat. Hist. Soc. 10 (2): 179. Type-species: *Polyommatus cleobis* Godart,[1864], by original designation.

4299. *Creon cleobis* (Godart,[1824]) (Lycaenidae) *Polyommatus cleobis* Godart,[1824], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 634. Type(s): India: Bengale.

4300. *Creon cleobis cleobis* (Godart,[1824]) (Lycaenidae) *Polyommatus cleobis* Godart,[1824], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 634. Type(s): India: Bengale.

4301. *Cupido* (Everes) Hübner,[1819] (Lycaenidae) *Everes* Hübner,[1819], Verz. bekannt. Schmett. (5):69. Type-species: *Papilio amyntas* [Denis & Schiffermüller],1775, Ankündung eines syst. Werkes Schmett. Wienergegend:185, by subsequent designation by Scudder,1872, 4th Ann. Rep. Peabody Acad. Sci. 1871:

4302. *Cupido* (Everes) *acaudata* (Lee,1963) (Lycaenidae) *Everes acaudata* Lee,1963, Acta zool. sinica 15(1): 104, pl.1 figs.3,4. Holotype ♂: Sinkiang [Uighur A.R.]. No precise collecting site. This proposal needs confirmation.

4303. *Cupido* (Everes) *acaudata acaudata* (Lee,1963) (Lycaenidae) *Everes acaudata* Lee,1963, Acta zool. sinica 15(1): 104, pl.1 figs.3,4. Holotype ♂: Sinkiang [Uighur A.R.]. No precise collecting site. This proposal needs confirmation.

4304. *Cupido* (Everes) *alcetas* (Hoffmannsegg,1804) (Lycaenidae) [*Papilio*] *alcetas* Hoffmannsegg,1804, Magazin Insektenk. (Illiger) 3: 205 (nomen novum pro *tiresias* Hübner,[1800] nec *tiresias* Rottentburg,1775).

4305. *Cupido* (Everes) *alcetas alcetas* (Hoffmannsegg,1804) (Lycaenidae) [*Papilio*] *alcetas* Hoffmannsegg,1804, Magazin Insektenk. (Illiger) 3: 205 (nomen novum pro *tiresias* Hübner,[1800] nec *tiresias* Rottentburg,1775).

4306. *Cupido* (Everes) *alcetas dilutior* (Verity,1934) (Lycaenidae) *Everes alcetas dilutior* Verity,1934, Entomologist's Rec. J. Var. 46 (suppl.): 34. Synypes: Italy: Firenze.

4307. *Cupido* (Everes) *argiades* (Pallas,1771) (Lycaenidae) *Papilio argiades* Pallas,1771, Reise durch die verschiedenen Provinzen des russischen Reiches 1:472. Type(s): Russia: Samara.

4308. *Cupido* (Everes) *argiades argiades* (Pallas,1771) (Lycaenidae) *Papilio argiades* Pallas,1771, Reise durch die verschiedenen Provinzen des russischen Reiches 1:472. Type(s): Russia: Samara.

4309. *Cupido* (Everes) *argiades hellotia* (Ménétriés,1857) (Lycaenidae) *Lycaena hellotia* Ménétriés,1857, Enum. anim. Mus. imp. Acad. Sci. Petropolitanae. Ins., Lepid. 2: 124, t.10 fig.6. Type(s): Japonia.

4310. *Cupido* (Everes) *argiades indica* (Evans,1932) (Lycaenidae) *Everes argiades indica* Evans,1932, Identification of Indian Butterflies (2): 219. Synypes: [Pakistan]: Chitral; [India]: Kumaon.

4311. *Cupido* (Everes) *argiades seitzi* (Wnukowsky,1928) (Lycaenidae) *Ununcula argiades seitzi* Wnukowsky,1928, Dt. ent. Z., Iris 42: 2 (nomen novum pro *amurensis* Heyne,[1895] nec Staudinger,1892). Type(s): Russia: Amurland.

4312. *Cupido* (Everes) *decolor* (Staudinger,1886) (Lycaenidae) *Lycaena argiades* var. *decolor* Staudinger,1886, Stettin ent. Ztg. 47: 203. Synypes ♂♀: [Uzbekistan]: Margelan.

4313. *Cupido* (Everes) *decolor decolor* (Staudinger,1886) (Lycaenidae) *Lycaena argiades* var. *decolor* Staudinger,1886, Stettin ent. Ztg. 47: 203. Synypes ♂♀: [Uzbekistan]: Margelan.

4314. *Cupido* (Everes) *decoloratus* (Staudinger,1886) (Lycaenidae) *Lycaena argiades* ab. (var.) *decoloratus* Staudinger,1886, Stettin ent. Ztg. 47(4/6): 203-204. Synypes: [Austria]: Wien; Ungarn, Bulgarien.

4315. *Cupido* (Everes) *decoloratus decoloratus* (Staudinger,1886) (Lycaenidae) *Lycaena argiades* ab. (var.) *decoloratus* Staudinger,1886, Stettin ent. Ztg. 47(4/6): 203-204. Synypes: [Austria]: Wien; Ungarn, Bulgarien.

4316. *Cupido* (Everes) *dipora* (Moore,1865) (Lycaenidae) *Lycaena dipora* Moore,1865, Proc. zool. Soc. Lond. 1865: 506, pl. fig.8.

4317. *Cupido* (Everes) *dipora dipora* (Moore,1865) (Lycaenidae) *Lycaena dipora* Moore,1865, Proc. zool. Soc. Lond. 1865: 506, pl. fig.8.

4318. *Cupido* (Everes) *shandura* (Evans,1932) (Lycaenidae) *Everes shandura* Evans,1932, Identification Indian Butts. (edn.2): 219. Synypes: [Pakistan]: Chitral, Shandur Pass.

4319. *Cupido* (Everes) *shandura shandura* (Evans,1932) (Lycaenidae) *Everes shandura* Evans,1932, Identification Indian Butts. (edn.2): 219. Synypes: [Pakistan]: Chitral, Shandur Pass.

4320. *Cupido* (Sinocupido) *Lee,1963* (Lycaenidae) *Sinocupido* Lee,1963, Acta zool. sinica 15(1): 104-105, pl.1 figs.5-8; pl.2 figs.15-16. Type-species: *Sinocupido lokiangensis* Chuan-Lung,1963, by original designation. Proposed originally as a genus. Its taxonomical status needs investigations.

4321. *Cupido* (Sinocupido) *lokiangensis* (Lee,1963) (Lycaenidae) *Sinocupido lokiangensis* Lee,1963, Acta zool. sinica 15(1): 105, pl.1 figs.5-8. Holotype ♂: China: Sinkiang [Uighur A.R.]. No precise collecting site. It needs further taxonomical investigation.

4322. *Cupido* (Sinocupido) *lokiangensis lokiangensis* (Lee,1963) (Lycaenidae) *Sinocupido lokiangensis* Lee,1963, Acta zool. sinica 15(1): 105, pl.1 figs.5-8. Holotype ♂: China: Sinkiang [Uighur A.R.]. No precise collecting site. It needs further taxonomical investigation.

4323. *Cupido* (s.str.) *Schrank,1801* (Lycaenidae) *Cupido* Schrank,1801, Fauna boica 2(1):153, 206. Type-species: *Papilio minimus* Fuessly,1775, Verz. bekannt. schweiz. Ins.:31, by subsequent designation by ICZN, Op.503.

4324. *Cupido* (s.str.) *alainus* (Staudinger,1887) (Lycaenidae) *Lycaena alaina* Staudinger,1887, Stettin ent. Ztg. 48: 50-51. Synypes 10 ♂♀: [Tadjikistan]: südlichen Alai (Transalai).

4325. *Cupido* (s.str.) *alainus alainus* (Staudinger,1887) (Lycaenidae) *Lycaena alaina* Staudinger,1887, Stettin ent. Ztg. 48: 50-51. Synypes 10 ♂♀: [Tadjikistan]: südlichen Alai (Transalai).

4326. *Cupido* (s.str.) *buddhista* (Alpheraky,1881) (Lycaenidae) [*Lycaena*] *buddhista* Alpheraky,1881, Horae Soc. ent. ross. 16: 393-395, Taf. 14 figs. 9, 10. Synypes ♂♀: [China]: Kuldja, 7000ft.

4327. *Cupido* (s.str.) *buddhista buddhista* (Alpheraky,1881) (Lycaenidae) [*Lycaena*] *buddhista* Alpheraky,1881, Horae Soc. ent. ross. 16: 393-395, Taf. 14 figs. 9, 10. Synypes ♂♀: [China]: Kuldja, 7000ft.

4328. *Cupido* (s.str.) *gisela* (Püngeler,1901) (Lycaenidae) *Lycaena gisela* Püngeler,1901, Dt. ent. Z., Iris 14: 180. Synypes: [Uighur A.R.]: Turkestan: Aksu.

- 4329. Cupido (s.str.) gisela gisela (Püngeler,1901)** (Lycaenidae) *Lycaena gisela* Püngeler,1901, Dt. ent. Z., Iris 14: 180. Syntypes: [Uighur A.R.]: Turkestan: Aksu.
- 4330. Cupido (s.str.) lorquini (Herrich-Schäffer,[1851])** (Lycaenidae) *Lycaena lorquini* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 6: 25. Type(s): Spain.
- 4331. Cupido (s.str.) lorquini lorquini (Herrich-Schäffer,[1851])** (Lycaenidae) *Lycaena lorquini* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 6: 25. Type(s): Spain.
- 4332. Cupido (s.str.) minimus (Fuessly,1775)** (Lycaenidae) *Papilio minimus* Fuessly,1775, Verzeichniss der ihm bekannten Schweizerischen Insekten: 31. Type(s): Schweiz.
- 4333. Cupido (s.str.) minimus albocilia Oorschot et al.,1984** (Lycaenidae) *Cupido minimus* ssp. *albocilia* Oorschot et al.,1984, Ent. Ber., Amst. 44: 142, figs. Holotype ♂: Turkey: Prov. Niğde: Aladağlar, 18km. SE. of Çamardı (ITZA).
- 4334. Cupido (s.str.) minimus alsoides (Gerhard,[1851])** (Lycaenidae) *Lycaena alsus* var. *alsoides* Gerhard,[1851], Versuch Monogr. eur. Schmett.: t.13, fig.3.
- 4335. Cupido (s.str.) minimus minimus (Fuessly,1775)** (Lycaenidae) *Papilio minimus* Fuessly,1775, Verzeichniss der ihm bekannten Schweizerischen Insekten: 31. Type(s): Schweiz.
- 4336. Cupido (s.str.) minimus trinacriae Verity,1919** (Lycaenidae) *Cupido minimus* race *trinacriae* Verity,1919, Entomologist's Rec. J. Var. 31: 47. Syntypes: [Italy]: Isola di Sicilia: Palermo: Monreale: San Martino, 800m.
- 4337. Cupido (s.str.) minimus tuzovi Zhdanko,1994** (Lycaenidae) *Cupido tuzovi* Zhdanko,1994, Selevinia (1): 73. Holotype ♂: Kazachstan: Saur mts.
- 4338. Cupido (s.str.) osiris (Meigen,[1829])** (Lycaenidae) *Polyommatus osiris* Meigen,[1829], Syst. Besch. eur. Schmett. 2:7, pl.46, figs. 3a,b.
- 4339. Cupido (s.str.) osiris majuspunctata (Verity,1934)** (Lycaenidae) *Argus sebrus* race *majuspunctata* Verity,1934, Entomologist's Rec. J. Var. 46 (Suppl.): (33)-(34). Syntypes 15♂♂ 10♀♀: [Turkey]: Akshehir.
- 4340. Cupido (s.str.) osiris osiris (Meigen,[1829])** (Lycaenidae) *Polyommatus osiris* Meigen,[1829], Syst. Besch. eur. Schmett. 2:7, pl.46, figs. 3a,b.
- 4341. Cupido (s.str.) pakistanus Salk & Weiss,1998** (Lycaenidae) *Cupido pakistanus* Salk & Weiss,1998, Linneana Belgica 16 (6): 242-244, figs.4-6. Holotype ♂: Nord Pakistan: Chitral/ Gilgit, Shandur pass 4100m.
- 4342. Cupido (s.str.) pakistanus pakistanus Salk & Weiss,1998** (Lycaenidae) *Cupido pakistanus* Salk & Weiss,1998, Linneana Belgica 16 (6): 242-244, figs.4-6. Holotype ♂: Nord Pakistan: Chitral/ Gilgit, Shandur pass 4100m.
- 4343. Cupido (s.str.) prosecusa (Erschoff,1874)** (Lycaenidae) *Lycaena prosecusa* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 13, Taf.1 fig.9. Syntypes: [Kasachstan]: Turkestan Gegend.
- 4344. Cupido (s.str.) prosecusa duplex (Alpheraky,1889)** (Lycaenidae) *Lycaena duplex* Alpheraky,1889, [in] Romanoff, Mém. Lépid. 5: 78. Syntypes: [Uighur A.R.]: zw. Aksu u. Lob-Nor, 3000 ft.
- 4345. Cupido (s.str.) prosecusa korlana (Staudinger,1901)** (Lycaenidae) *Lycaena prosecusa* var. *korlana* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 90, nr.643b. Syntypes: [China]: Tien-Shan c.m. (Korla).
- 4346. Cupido (s.str.) prosecusa prosecusa (Erschoff,1874)** (Lycaenidae) *Lycaena prosecusa* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 13, Taf.1 fig.9. Syntypes: [Kasachstan]: Turkestan Gegend.
- 4347. Cupido (s.str.) staudingeri (Christoph,1873)** (Lycaenidae) *Lycaena staudingeri* Christoph, 1873, Horae Soc. ent. ross. 10: 26-27, Tab.I figs. 5,6. Syntypes 2♂♂ 2♀♀: [Iran]: Nord-Persien: Tasch.
- 4348. Cupido (s.str.) staudingeri staudingeri (Christoph,1873)** (Lycaenidae) *Lycaena staudingeri* Christoph, 1873, Horae Soc. ent. ross. 10: 26-27, Tab.I figs. 5,6. Syntypes 2♂♂ 2♀♀: [Iran]: Nord-Persien: Tasch.
- 4349. Cupido Schrank,1801** (Lycaenidae) *Cupido* Schrank,1801, Fauna boica 2(1):153, 206. Type-species: *Papilio minimus* Fuessly,1775, Verz. bekannt. schweiz. Ins.:31, by subsequent designation by ICZN, Op.503.
- 4350. Cupidopsis Karsch,1895** (Lycaenidae) *Cupidopsis* Karsch,1895, Ent. Nachr. 21: 298. Type-species: *Lycaena jobates* Hopffer,1855, by original designation.
- 4351. Cupidopsis jobates (Hopffer,1855)** (Lycaenidae) *Lycaena jobates* Hopffer,1855, Ber. Verh. Akad. Wiss. Berlin 1855: 642.
- 4352. Cupidopsis jobates jobates (Hopffer,1855)** (Lycaenidae) *Lycaena jobates* Hopffer,1855, Ber. Verh. Akad. Wiss. Berlin 1855: 642.
- 4353. Cupidopsis mauritanica Riley,1932** (Lycaenidae) *Cupidopsis mauritanica* Riley,1932, Ann. Mag. nat. Hist. 10 (10): 141-142, pl. ix figs. 1,2. Holotype ♂: Mauretania: between Kiffa and Tidjida (Miss Mary Steele leg.).
- 4354. Curetis Hübner,[1819]** (Lycaenidae) *Curetis* Hübner,[1819], Verz. bekannt. Schmett. (7): 102. Type-species: *Papilio aescopus* Fabricius,1781, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 150.
- 4355. Curetis angulata Moore,1883** (Lycaenidae) *Curetis angulata* Moore, 1883, Proc. zool. Soc. Lond. 53: 522, pl.xlviii fig.2. Syntypes ♂♀: N. W. Himalayas.
- 4356. Curetis angulata angulata Moore,1883** (Lycaenidae) *Curetis angulata* Moore, 1883, Proc. zool. Soc. Lond. 53: 522, pl.xlviii fig.2. Syntypes ♂♀: N. W. Himalayas.
- 4357. Cyclyrius Butler,[1897]** (Lycaenidae) *Cyclirius* Butler,[1897], Proc. zool. Soc. Lond. 1896 (4): 830. Type-species: *Polyommatus webbianus* Brullé,[1840], by original designation.
- 4358. Cyclyrius webbianus (Brullé,[1840])** (Lycaenidae) *Polyommatus webbianus* Brullé,[1840], Hist. nat. Can. Ent.: 93, pl.4 figs.1,1a. Syntypes: [Spain]: Canary Islands.
- 4359. Cyclyrius webbianus webbianus (Brullé,[1840])** (Lycaenidae) *Polyommatus webbianus* Brullé,[1840], Hist. nat. Can. Ent.: 93, pl.4 figs.1,1a. Syntypes: [Spain]: Canary Islands.
- 4360. Dapidodigma Karsch,1895** (Lycaenidae) *Dapidodigma* Karsch,1895, Ent. Nachr. 21: 310. Type-species: *Papilio liger* Cramer,[1779], Uitl. Kap. 3 (22): 109, pl. 105, figs. E-F, by original designation.
- 4361. Desmolycaena Trimen,1898** (Lycaenidae) *Desmolycaena* Trimen,1898, Trans. ent. Soc. Lond. 1898: 7. Type-species: *Desmolycaena mazoensis* Trimen,1898, by original designation.
- 4362. Desmolycaena arabica Riley,1932** (Lycaenidae) *Desmolycaena arabica* Riley,1932, Ann. Mag. nat. Hist. 10 (10): 148-149, pl. ix figs. 9,10. Holotype ♂: Hadramaut 4000ft. (Lt.-Col. M.T.Boscawen leg.) (BMNH).
- 4363. Desmolycaena arabica arabica Riley,1932** (Lycaenidae) *Desmolycaena arabica* Riley,1932, Ann. Mag. nat. Hist. 10 (10): 148-149, pl. ix figs. 9,10. Holotype ♂: Hadramaut 4000ft. (Lt.-Col. M.T.Boscawen leg.) (BMNH).
- 4364. Deudorix (Virachola) Moore,[1881]** (Lycaenidae) *Virachola* Moore,[1881], Lep. Ceylon 1(3): 104. Type-species: *Deudorix perse* Hewitson,[1863], by original designation.
- 4365. Deudorix (Virachola) antalus (Hopffer,1855)** (Lycaenidae) *Dipsas antalus* Hopffer,1855, Ber. Verh. Akad. Wiss. Berlin 1855: 641. Type(s): Mossambique.
- 4366. Deudorix (Virachola) antalus antalus (Hopffer,1855)** (Lycaenidae) *Dipsas antalus* Hopffer,1855, Ber. Verh. Akad. Wiss. Berlin 1855: 641. Type(s): Mossambique.
- 4367. Deudorix (Virachola) dinochares Grose-Smith,1887** (Lycaenidae) *Deudorix dinochares* Grose-Smith,1887, Ann. Mag. nat. Hist. (5) 19: 64. Syntypes: Mozambique: Delagoa Bay.
- 4368. Deudorix (Virachola) dinochares dinochares Grose-Smith,1887** (Lycaenidae) *Deudorix dinochares* Grose-Smith,1887, Ann. Mag. nat. Hist. (5) 19: 64. Syntypes: Mozambique: Delagoa Bay.
- 4369. Deudorix (Virachola) livia (Klug,1834)** (Lycaenidae) *Lycaena livia* Klug,1834, [in] Ehrenberg, Symb. Phys. Ins. 1: Pl.40 figs. 3-6. Syntypes: [Egypt]: Kineh, Assuan; [Saudi Arabia]: Arabia.
- 4370. Deudorix (Virachola) livia livia (Klug,1834)** (Lycaenidae) *Lycaena livia* Klug,1834, [in] Ehrenberg, Symb. Phys. Ins. 1: Pl.40 figs. 3-6. Syntypes: [Egypt]: Kineh, Assuan; [Saudi Arabia]: Arabia.
- 4371. Deudorix (Virachola) perse Hewitson,[1863]** (Lycaenidae) *Deudorix perse* Hewitson,[1863], Ill. diurn. Lepid., Lycaenidae 1 (text): 18, nr.2, pl.8 figs. 24-26. Syntypes: India.
- 4372. Deudorix (Virachola) perse perse Hewitson,[1863]** (Lycaenidae) *Deudorix perse* Hewitson,[1863], Ill. diurn. Lepid., Lycaenidae 1 (text): 18, nr.2, pl.8 figs. 24-26. Syntypes: India.
- 4373. Deudorix (s.str.) Hewitson,[1863]** (Lycaenidae) *Deudorix* Hewitson,[1863], Ill. diurn. Lepid., Lycaenidae 1 (text): 16. Type-species: Moore,1857, by original designation.
- 4374. Deudorix (s.str.) epijarbas (Moore,[1858])** (Lycaenidae) *Dipsas epijarbas* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 32, nr.40.
- 4375. Deudorix (s.str.) epijarbas epijarbas (Moore,[1858])** (Lycaenidae) *Dipsas epijarbas* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 32, nr.40.

- 4376. Deudorix Hewitson,[1863]** (Lycaenidae) Deudorix Hewitson,[1863], Ill. diurn. Lepid., Lycaenidae 1 (text): 16. Type-species: Moore,1857, by original designation.
- 4377. Drina De Nicéville,1890** (Lycaenidae) Drina De Nicéville,1890, [in] Marshall & De Nicéville, Butts India Burmah Ceylon 3: 20, 442. Type-species: Myrina donina Hewitson,[1865], by original designation.
- 4378. Drupadia Moore,1884** (Lycaenidae) Drupadia Moore,1884, J. asiat. Soc. Bengal 2, 53 (1): 31. Type-species: Myrina ravindra Horsfield,[1829], by original designation.
- 4379. Eicochrysops Bethune-Baker,1924** (Lycaenidae) Eicochrysops Bethune-Baker,1924, Ann. Mag. nat. Hist. (9) 14: 132. Type-species: Eicochrysops eicotrochilus Bethune-Baker,1924, by original designation.
- 4380. Eooxylides Doherty,1889** (Lycaenidae) Eooxylides Doherty,1889, J. asiat. Soc. Bengal 2, 58 (4): 410 & nota. Type-species: Ooxylides tharis Geyer,[1837], by monotypy.
- 4381. Euaspa Moore,1884** (Lycaenidae) Euaspa Moore,1884, J. asiat. Soc. Bengal Pl.II 53 (1): 29. Type-species: Myrina milionia Hewitson,[1869], by original designation.
- 4382. Euaspa milionia (Hewitson,[1869])** (Lycaenidae) Myrina milionia Hewitson,[1869], Ill. diurn. Lepid., Lycaenidae 1 (text), Suppl.: 5; 2 (plates), Suppl.: suppl. pl.3 figs.79,80.
- 4383. Euaspa milionia milionia (Hewitson,[1869])** (Lycaenidae) Myrina milionia Hewitson,[1869], Ill. diurn. Lepid., Lycaenidae 1 (text), Suppl.: 5; 2 (plates), Suppl.: suppl. pl.3 figs.79,80.
- 4384. Euchrysops Butler,1900** (Lycaenidae) Euchrysops Butler,1900, Entomologist 33: 1. Type-species: Hesperia cnejus Fabricius,1798, by original designation.
- 4385. Euchrysops dolorosa (Trimen,1887)** (Lycaenidae) Lycaena dolorosa Trimen,1887, South African Butterflies 2: 41. Syntypes: [South Africa]: "Potchefstroom District; Natal: Estcourt, Biggarsberg, Blue Bank near Drakensberg, Kaffraria Pr.- Bashee R."
- 4386. Euchrysops lois (Butler,1886)** (Lycaenidae) Catochrysops lois Butler,1886, Proc. zool. Soc. Lond. 1885: 762. Syntypes: Somalia: Bunder Maria.
- 4387. Euchrysops lois lois (Butler,1886)** (Lycaenidae) Catochrysops lois Butler,1886, Proc. zool. Soc. Lond. 1885: 762. Syntypes: Somalia: Bunder Maria.
- 4388. Euchrysops malathana (Boisduval,1833)** (Lycaenidae) Lycaena malathana Boisduval,1833, Nouv. Annls Mus. Hist. Nat. Paris 2: 174. Syntypes: Madagascar.
- 4389. Euchrysops malathana malathana (Boisduval,1833)** (Lycaenidae) Lycaena malathana Boisduval,1833, Nouv. Annls Mus. Hist. Nat. Paris 2: 174. Syntypes: Madagascar.
- 4390. Euchrysops osiris (Hopffer,1855)** (Lycaenidae) Lycaena osiris Hopffer,1855, Ber. Verh. Akad. Wiss. Berlin 1855: 642. Type(s): Mossambique.
- 4391. Euchrysops osiris osiris (Hopffer,1855)** (Lycaenidae) Lycaena osiris Hopffer,1855, Ber. Verh. Akad. Wiss. Berlin 1855: 642. Type(s): Mossambique.
- 4392. Euchrysops philbyi Gabriel,1954** (Lycaenidae) Euchrysops philbyi Gabriel,1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 386, pl.xviii figs.6,7. Holotype ♂: Saudi Arabia: Hamuma. (BMNH)
- 4393. Euchrysops philbyi philbyi Gabriel,1954** (Lycaenidae) Euchrysops philbyi Gabriel,1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 386, pl.xviii figs.6,7. Holotype ♂: Saudi Arabia: Hamuma. (BMNH)
- 4394. Favonius Sibatani & Ito,1942** (Lycaenidae) Favonius Sibatani & Ito,1942, Tenthredo, Kyoto 3 (4): 327. Type-species: Dipsas orientalis Murray,1875, by original designation.
- 4395. Favonius orientalis (Murray,1875)** (Lycaenidae) Dipsas orientalis Murray,1875, Entomologist's mon. Mag. 11: 169. Syntypes: Japonia.
- 4396. Favonius orientalis orientalis (Murray,1875)** (Lycaenidae) Dipsas orientalis Murray,1875, Entomologist's mon. Mag. 11: 169. Syntypes: Japonia.
- 4397. Favonius taxila (Bremer,1861)** (Lycaenidae) Thecla taxila Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 470. Type(s): Russia: Amur.
- 4398. Favonius taxila taxila (Bremer,1861)** (Lycaenidae) Thecla taxila Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 470. Type(s): Russia: Amur.
- 4399. Glaucopsyche (Apelles) Hemming,1931** (Lycaenidae) Apelles Hemming,1931, Trans. ent. Soc. Lond. 79:323. Type-species: Polyommatus melanops Boisduval,[1828], Eur. Lepid. Index: 13, by original designation.
- 4400. Glaucopsyche (Apelles) astraea (Freyer,[1851])** (Lycaenidae) Lycaena astraea Freyer,[1851], Neuere Beitr. Schmett. 6(98): 161, Taf.583, figs.1,2. Type(s): Türkei: Amasia.
- 4401. Glaucopsyche (Apelles) astraea astraea (Freyer,[1851])** (Lycaenidae) Lycaena astraea Freyer,[1851], Neuere Beitr. Schmett. 6(98): 161, Taf.583, figs.1,2. Type(s): Türkei: Amasia.
- 4402. Glaucopsyche (Apelles) astraea eckweileri Koçak,1979** (Lycaenidae) Glaucopsyche astraea ssp.eckweileri Koçak,1979, Atalanta 10(4a): 310-311, figs. Holotype ♂: Turkey: Antalya Prov., Kohu Mts. (in coll. CESA).
- 4403. Glaucopsyche (Apelles) melanops (Boisduval,1828)** (Lycaenidae) Polyommatus melanops Boisduval,1828, Eur. lepid. Index: 13. Syntypes: France: Galloprov., circa Aix.
- 4404. Glaucopsyche (Apelles) melanops algerica (Heyne,[1895])** (Lycaenidae) Lycaena melanops var. algerica Heyne,[1895], [in] Rühl,F., Die Palaearkt. Grossschmett. Naturg. 1:768. Syntype(s): Algier: Nemours, Maeta, Lambessa.
- 4405. Glaucopsyche (Apelles) melanops alluaudi (Oberthür,1922)** (Lycaenidae) Lycaena melanops var. alluaudi Oberthür,1922, Etüd. lepid. comp. 19(1): 113. Syntypes: Grand-Atlas, Glaoui; Haute-Reraya entre Asni et Arround, 1600-2000m.
- 4406. Glaucopsyche (Apelles) melanops marchandii (Boisduval,1836)** (Lycaenidae) Argus marchandii Boisduval,1836, Revue ent. 2(3): 121, pl.27. Type(s): [Spain]: Environs de Barcelone".
- 4407. Glaucopsyche (Apelles) melanops melanops (Boisduval,1828)** (Lycaenidae) Polyommatus melanops Boisduval,1828, Eur. lepid. Index: 13. Syntypes: France: Galloprov., circa Aix.
- 4408. Glaucopsyche (Apelles) melanops williamsi (Hemming,1931)** (Lycaenidae) Apelles melanops williamsi Hemming,1931, Trans. ent. Soc. Lond. 79(2): 331-332, Pl.9 figs. 8,9. Holotype ♂: Portugal: Oporto.
- 4409. Glaucopsyche (Apelles) paphos (Chapman,1920)** (Lycaenidae) Glaucopsyche paphos Chapman,1920, Trans. ent. Soc. Lond. 1920 (1/2): 166-169, figs. Syntypes: Cyprus.
- 4410. Glaucopsyche (Apelles) paphos paphos (Chapman,1920)** (Lycaenidae) Glaucopsyche paphos Chapman,1920, Trans. ent. Soc. Lond. 1920 (1/2): 166-169, figs. Syntypes: Cyprus.
- 4411. Glaucopsyche (Bajluana) Korshunov,1990** (Lycaenidae) Bajluana Korshunov,1990, [in] Korshunov & Ivonin, Nov Maloizvestiye Vidy Fauny Sib. 22: 70. Type-species: Lycaena argali Elwes,1899, by original designation.
- 4412. Glaucopsyche (Bajluana) argali (Elwes,1899)** (Lycaenidae) Lycaena argali Elwes,1899, Trans. ent. Soc. Lond. 1899: 328. Syntypes: [Russia]: [Tschuja-Steppe in East Altai]: "mountains south of Kuch Agatch".
- 4413. Glaucopsyche (Bajluana) argali argali (Elwes,1899)** (Lycaenidae) Lycaena argali Elwes,1899, Trans. ent. Soc. Lond. 1899: 328. Syntypes: [Russia]: [Tschuja-Steppe in East Altai]: "mountains south of Kuch Agatch".
- 4414. Glaucopsyche (Bajluana) argali arkhar Lukhtanov,1990** (Lycaenidae) Glaucopsyche argali ssp. arkhar Lukhtanov,1990, Vestn. zool. 1990 (6): 21, figs. Holotype ♂: East Kasachstan: Saur mountain range, ca. Zaisan, 1000m.
- 4415. Glaucopsyche (s.str.) Scudder,1872** (Lycaenidae) Glaucopsyche Scudder,1872, 4th Ann. Rep. Peabody Acad. Sc. 1871: 54. Type-species: Polyommatus lygdamus Doubleday,1841, by original designation.
- 4416. Glaucopsyche (s.str.) aeruginosa (Staudinger,1881)** (Lycaenidae) Lycaena cyllarus var. aeruginosa Staudinger,1881, Stettin ent. Ztg. 42: 285-286. Type ♂: [Dschungar] Ala-Tau (cf. Hanus et al.,1997).
- 4417. Glaucopsyche (s.str.) aeruginosa aeruginosa (Staudinger,1881)** (Lycaenidae) Lycaena cyllarus var. aeruginosa Staudinger,1881, Stettin ent. Ztg. 42: 285-286. Type ♂: [Dschungar] Ala-Tau (cf. Hanus et al.,1997).
- 4418. Glaucopsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) Papilio alexis Poda,1761, Insecta Musei Graecensis...77. Type(s): [Austria]: Steiermark.
- 4419. Glaucopsyche (s.str.) alexis alexis (Poda,1761)** (Lycaenidae) Papilio alexis Poda,1761, Insecta Musei Graecensis...77. Type(s): [Austria]: Steiermark.
- 4420. Glaucopsyche (s.str.) alexis cyllarus (Rottemburg,1775)** (Lycaenidae) Papilio cyllarus Rottemburg,1775, Naturforscher 6: 20. Type(s): Germania.
- 4421. Glaucopsyche (s.str.) alexis lugens (Caradja,1893)** (Lycaenidae) Lycaena cyllarus var. lugens Caradja,1893, Dt. ent. Z., Iris 6: 177.

- 4422. *Glaucopsyche* (s.str.) *alexis maritimalpium* Verity,1928** (Lycaenidae) *Glaucopsyche cyllarus* race *maritimalpium* Verity,1928, Bull. Soc. ent. Fr. 1928: 141 (nomen novum pro *alpina* Turati & Verity,1911 nec Berce,1867).
- 4423. *Glaucopsyche* (s.str.) *alexis melanoposmater* Verity,1928** (Lycaenidae) *Glaucopsyche cyllarus* race *melanoposmater* Verity,1928, Bull. Soc. ent. Fr. (8): 141. Syntypes: Algeria: Oran, Aflou.
- 4424. *Glaucopsyche* (s.str.) *alexis pauper* Verity,1919** (Lycaenidae) *Glaucopsyche cyllarus* race *pauper* Verity,1919, Entomologist's Rec. J. Var. 31: 29. Syntypes: Italy: Firenze.
- 4425. *Glaucopsyche* (s.str.) *alexis tristis* (Gerhard,[1851])** (Lycaenidae) *Lycaena coelestina* var. *tristis* Gerhard,[1851], Versuch Mongr. eur. Lycaeniden (4): 9, Taf.15 figs. 4a,b. Type (s): "Türkei" (junior subj. synonym of *alexis* Poda,1761 cf. Hesselbarth,1995).
- 4426. *Glaucopsyche* (s.str.) *charybdis* (Staudinger,1886)** (Lycaenidae) *Lycaena charybdis* Staudinger,1886, Stettin ent. Ztg. 47: 226-227. Syntypes: [Usbekistan]: Margelan, Namangan.
- 4427. *Glaucopsyche* (s.str.) *charybdis charybdis* (Staudinger,1886)** (Lycaenidae) *Lycaena charybdis* Staudinger,1886, Stettin ent. Ztg. 47: 226-227. Syntypes: [Usbekistan]: Margelan, Namangan.
- 4428. *Glaucopsyche* (s.str.) *laetifica* (Püngeler,1898)** (Lycaenidae) *Lycaena laetifica* Püngeler,1898, Societas Ent. 13(8): 57. Syntypes: [China: Uighur A.R.]: Ili-Gebiet.
- 4429. *Glaucopsyche* (s.str.) *laetifica laetifica* (Püngeler,1898)** (Lycaenidae) *Lycaena laetifica* Püngeler,1898, Societas Ent. 13(8): 57. Syntypes: [China: Uighur A.R.]: Ili-Gebiet.
- 4430. *Glaucopsyche* (s.str.) *lycormas* (Butler,1868)** (Lycaenidae) *Polyommatus lycormas* Butler,1868, J. linn. Soc. Lond., Zool. 9: 57. Syntypes ♂♂: North Japan.
- 4431. *Glaucopsyche* (s.str.) *lycormas lederi* (A.Bang-Haas,1907)** (Lycaenidae) *Lycaena lycormas* var. *lederi* A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 69-70. Syntypes: [Russia]: Sajangebiete (Munku).
- 4432. *Glaucopsyche* (s.str.) *lycormas lycormas* (Butler,1868)** (Lycaenidae) *Polyommatus lycormas* Butler,1868, J. linn. Soc. Lond., Zool. 9: 57. Syntypes ♂♂: North Japan.
- 4433. *Glaucopsyche* (s.str.) *lygdamus* (Doubleday,1841)** (Lycaenidae) *Polyommatus lygdamus* Doubleday,1841, Entomologist 1: 209. Type: "pine forests of Georgia" (BMNH).
- 4434. *Glaucopsyche* (s.str.) *lygdamus lygdamus* (Doubleday,1841)** (Lycaenidae) *Polyommatus lygdamus* Doubleday,1841, Entomologist 1: 209.
- 4435. *Glaucopsyche* (s.str.) *seminigra* Howarth & Povolny,1976** (Lycaenidae) *Glaucopsyche seminigra* Howarth & Povolny,1976, Cas. morav. Mus. Brne 61: 144. Holotype ♂: Afghanistan: Central Afghanistan: Kabul, Sarobi 1000m (in coll. Povolny).
- 4436. *Glaucopsyche* (s.str.) *seminigra safidensis* Blom,1979** (Lycaenidae) *Glaucopsyche alexis* ssp. *safidensis* Blom,1979, Ent. Ber., Amst. 39: 186-187, figs.7-10. Holotype ♂: Iran: Hamadan: east of Hamadan, Avaj 2000-2300m (in coll. Blom).
- 4437. *Glaucopsyche* (s.str.) *seminigra seminigra* Howarth & Povolny,1976** (Lycaenidae) *Glaucopsyche seminigra* Howarth & Povolny,1976, Cas. morav. Mus. Brne 61: 144. Holotype ♂: Afghanistan: Central Afghanistan: Kabul, Sarobi 1000m (in coll. Povolny).
- 4438. *Heliophorus* (Kulua) *androcles* (Westwood,[1851])** (Lycaenidae) *Ilerda androcles* Westwood,[1851], [in] Doubleday, Genera diurn. lepid. (2): pl.75 fig.2; ibid. (2): 487 [1852]. Type (s): India: Silhet.
- 4439. *Heliophorus* (Kulua) *androcles androcles* (Westwood,[1851])** (Lycaenidae) *Ilerda androcles* Westwood,[1851], [in] Doubleday, Genera diurn. lepid. (2): pl.75 fig.2; ibid. (2): 487 [1852]. Type (s): India: Silhet.
- 4440. *Heliophorus* (Kulua) *androcles coruscans* (Moore,1882)** (Lycaenidae) *Ilerda coruscans* Moore,1882, Proc. zool. Soc. Lond. 1882: 248. Syntypes: [India]: N.W.Himalaya: Bisahur between Sarhan and Tranda; Dharmasala (in coll. Moore; BMNH).
- 4441. *Heliophorus* (Kulua) *bakeri* Evans,1927** (Lycaenidae) *Heliophorus bakeri* Evans,1927, Identification of Indian Butterflies (1): 158.
- 4442. *Heliophorus* (Kulua) *bakeri bakeri* Evans,1927** (Lycaenidae) *Heliophorus bakeri* Evans,1927, Identification of Indian Butterflies (1): 158.
- 4443. *Heliophorus* (Nesa) *sena* (Kollar,[1844])** (Lycaenidae) *Polyommatus sena* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 415, pl.5 figs.3,4. Syntypes: Kashmir.
- 4444. *Heliophorus* (Nesa) *sena sena* (Kollar,[1844])** (Lycaenidae) *Polyommatus sena* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 415, pl.5 figs.3,4. Syntypes: Kashmir.
- 4445. *Heliophorus* (s.str.) *Geyer*,[1832]** (Lycaenidae) *Heliophorus Geyer*,[1832], [in] Hübner, Zutr. z. Samml. exot. Schmett. 4: 40. Type-species: *Heliophorus belenus* Geyer,[1832], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 186.
- 4446. *Heliophorus* (s.str.) *langii* (Moore,1883)** (Lycaenidae) *Ilerda langii* Moore, 1883, Proc. zool. Soc. Lond. 53: 526. Type(s): [India]: N. W. Himalaya: Masuri.
- 4447. *Heliophorus* (s.str.) *langii langii* (Moore,1883)** (Lycaenidae) *Ilerda langii* Moore, 1883, Proc. zool. Soc. Lond. 53: 526. Type(s): [India]: N. W. Himalaya: Masuri.
- 4448. *Heliophorus* (s.str.) *tamu* (Kollar,[1844])** (Lycaenidae) *Polyommatus tamu* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 417, pl.5 figs.7,8. Syntypes: Kashmir.
- 4449. *Heliophorus* (s.str.) *tamu tamu* (Kollar,[1844])** (Lycaenidae) *Polyommatus tamu* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 417, pl.5 figs.7,8. Syntypes: Kashmir.
- 4450. *Heliophorus Geyer*,[1832]** (Lycaenidae) *Heliophorus Geyer*,[1832], [in] Hübner, Zutr. z. Samml. exot. Schmett. 4: 40. Type-species: *Heliophorus belenus* Geyer,[1832], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 186.
- 4451. *Helleia* Verity,1943** (Lycaenidae) *Helleia* Verity,1943, Farfalle diurn. d'Italia 2: 20, 48. Type-species: *Papilio helle* [Denis & Schiffmüller],1775, by original designation.
- 4452. *Helleia helle* ([Denis & Schiffmüller],1775)** (Lycaenidae) *Papilio helle* [Denis & Schiffmüller],1775, Ankündigung eines syst. Werkes Schmett. Wiener Gegend: 181. Type(s): Austria: Wienergegend.
- 4453. *Helleia helle helle* ([Denis & Schiffmüller],1775)** (Lycaenidae) *Papilio helle* [Denis & Schiffmüller],1775, Ankündigung eines syst. Werkes Schmett. Wiener Gegend: 181. Type(s): Austria: Wienergegend.
- 4454. *Helleia helle perrettei* (Weiss,1977)** (Lycaenidae) *Lycaena helle* ssp. *perrettei* Weiss,1977, Linneana Belg. 6 (10): 254-256, figs. Holotype ♂: France: Gérardmer (Vosges), 800m.
- 4455. *Helleia helle phintonis* (Fruhstorfer,1910)** (Lycaenidae) *Chrysophanus amphidamas phintonis* Fruhstorfer,1910, Ent. Z., Stuttgart 24(26): 144. Syntypes: Russia: Irkutsk.
- 4456. *Heodes* (Loweia) *Tutt*,[1906]** (Lycaenidae) *Loweia Tutt*,[1906], Nat. Hist. Br. Butts. 1: 314. Type-species: *Papilio dorilis* Hufnagel,1766, Berlin. Mag. 2: 68, by original designation.
- 4457. *Heodes* (Loweia) *tityrus* (Poda,1761)** (Lycaenidae) *Papilio tityrus* Poda,1761, Insecta Musei Graecensis: 77. Type(s): [Austria]: Graz.
- 4458. *Heodes* (Loweia) *tityrus catherinei* Verity,1948** (Lycaenidae) *Heodes tityrus catherinei* Verity,1948, Variations géographiques et saisonnières des papillons diurnes en France: 58. Syntypes 1♂ 3♀: [France: Hautes Pyrénées]: Val d'Heas, 1500m.
- 4459. *Heodes* (Loweia) *tityrus italorum* (Verity,1919)** (Lycaenidae) *Loweia dorilis* race *italorum* Verity,1919, Entomologist's Rec. J. Var. 31: 29. Syntypes 24♂ 5♀: Italia centrale: Lucca: Fiume Camaione, 300m.
- 4460. *Heodes* (Loweia) *tityrus opisthochros* (Verity,1939)** (Lycaenidae) *Palaeoloweia tityrus* race *opisthochros* Verity,1939, Lambillionea 39: 186. Syntypes 4♂ 1♀: Iran: Elbursgebirge: Nissa (Brandt leg.).
- 4461. *Heodes* (Loweia) *tityrus pallidepicta* (Verity,1934)** (Lycaenidae) *Palaeoloweia tityrus pallidepicta* Verity,1934, Entomologist's Rec. J. Var., Suppl. 46: 16. Syntypes: [France]: Vauluse: Mont Ventoux.
- 4462. *Heodes* (Loweia) *tityrus tityrus* (Poda,1761)** (Lycaenidae) *Papilio tityrus* Poda,1761, Insecta Musei Graecensis: 77. Type(s): [Austria]: Graz.
- 4463. *Heodes* (s.str.) *Dalman*,1816** (Lycaenidae) *Heodes Dalman*,1816, K. svenska VetenskAkad. Handl., Stockholm 1816 (1):63. Type-species: *Papilio virgaureae* Linnaeus,1758, Syst. Nat. (Ed.10)1: 484, by monotypy.
- 4464. *Heodes* (s.str.) *ottomanus* (Lefebvre,[1830])** (Lycaenidae) *Polyommatus ottomanus* Lefebvre,[1830], Magas. Zool. 1(1): text, Taf.19. Syntypes: [Turquie]: "route de Smirne a Constantinople, puis entre Moalitch et Dérékeuil, pres la mer de Marmara".
- 4465. *Heodes* (s.str.) *ottomanus ottomanus* (Lefebvre,[1830])** (Lycaenidae) *Polyommatus ottomanus* Lefebvre,[1830], Magas. Zool. 1(1): text, Taf.19. Syntypes: [Turquie]: "route de Smirne a Constantinople, puis entre Moalitch et Dérékeuil, pres la mer de Marmara".

- 4466. Heodes (s.str.) virgaureae (Linnaeus,1758)** (Lycaenidae) *Papilio virgaureae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 484. Syntypes: Europa, Africa; [Sweden (Verity,1943)].
- 4467. Heodes (s.str.) virgaureae alexandrae (Fruhstorfer,1909)** (Lycaenidae) *Chrysophanus virgaureae* ssp. *alexandrae* Fruhstorfer,1909, Int. ent. Z. 3: 120. Syntypes: [Russia]: Ural, Turgojak.
- 4468. Heodes (s.str.) virgaureae aureomicans (Heyne,1897)** (Lycaenidae) *Polyommatus virgaureae* var. *aureomicans* Heyne,1897, Societas ent. 12: 9. Type(s): [Türkei]: Mersina (südl. Kleinasien, Taurus).
- 4469. Heodes (s.str.) virgaureae caucasica (Jachontov,1909)** (Lycaenidae) *Chrysophanus virgaureae* var. *caucasica* Jachontov,1909, Russk. ent. Obozr. 8 (1908): 291. Syntypes: [Russia]: Caucasus septentrionalis. Beschtau.
- 4470. Heodes (s.str.) virgaureae chrysorhoas (Fruhstorfer,1917)** (Lycaenidae) *Chrysophanus virgaureae* ssp. *chrysorhoas* Fruhstorfer,1917, Dt. ent. Z., Iris 31: 33. Syntypes: Deutschland.
- 4471. Heodes (s.str.) virgaureae gravesica Verity,1929** (Lycaenidae) *Heodes virgaureae* gravesica Verity,1929, Bull. Soc. ent. Fr. 1929: 129. Syntypes 6 ♂♂ 12 ♀♀ [France: Cevennes]: Mt. Aigoual.
- 4472. Heodes (s.str.) virgaureae pelusiota (Fruhstorfer,1910)** (Lycaenidae) *Chrysophanus virgaureae* ssp. *pelusiota* Fruhstorfer,1910, Ent. Z., Stuttgart 24: 144. Syntypes: Italia: Aostatal: Cogne, Vieve.
- 4473. Heodes (s.str.) virgaureae pyrenemontana Verity,1929** (Lycaenidae) *Heodes virgaureae* pyrenemontana Verity,1929, Bull. Soc. ent. Fr. 1929: 131. Syntypes 10 ♂♂ [France]: Hautes Pyrenees: Gedre.
- 4474. Heodes (s.str.) virgaureae virgaureae (Linnaeus,1758)** (Lycaenidae) *Papilio virgaureae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 484. Syntypes: Europa, Africa; [Sweden (Verity,1943)].
- 4475. Heodes (s.str.) virgaureae virgaureola (Staudinger,1892)** (Lycaenidae) *Chrysophanus virgaureae* var. *virgaureola* Staudinger,1892, Dt. ent. Z., Iris 5: 314.
- 4476. Heodes Dalman,1816** (Lycaenidae) *Heodes Dalman*,1816, K. svenska VetenskAkad. Handl., Stockholm 1816 (1):63. Type-species: *Papilio virgaureae* Linnaeus,1758, Syst. Nat. (Ed.10)1: 484, by monotypy.
- 4477. Horaga Moore,[1881]** (Lycaenidae) *Horaga Moore*,[1881], Lep. Ceylon 1(3): 98. Type-species: *Thecla onyx* Moore,1857, by original designation.
- 4478. Horaga albimacula viola Moore,1882** (Lycaenidae) *Horaga viola* Moore,1882, Proc. zool. Soc. Lond. 52: 248. Syntypes ♂♀: [India]: Dharmasala (BMNH).
- 4479. Horaga onyx (Moore,[1858])** (Lycaenidae) *Thecla onyx* Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 30, nr.35.
- 4480. Horaga onyx onyx (Moore,[1858])** (Lycaenidae) *Thecla onyx* Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 30, nr.35.
- 4481. Hypolycaena C.Felder & R.Felder,1862** (Lycaenidae) *Hypolycaena C.Felder & R.Felder*,1862, Wien. ent. Monatschr. 6: 293. Type-species: *Myrina sipylus* C.Felder,1860, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 195.
- 4482. Hypolycaena pachalica Butler,1888** (Lycaenidae) *Hypolycaena (Tatura) pachalica* Butler,1888, Proc. zool. Soc. Lond. 1888: 69. Syntypes: [Uganda]: Wadelai.
- 4483. Hypolycaena pachalica pachalica Butler,1888** (Lycaenidae) *Hypolycaena (Tatura) pachalica* Butler,1888, Proc. zool. Soc. Lond. 1888: 69. Syntypes: [Uganda]: Wadelai.
- 4484. Hypolycaena philippus (Fabricius,1793)** (Lycaenidae) *Hesperia philippus* Fabricius,1793, Ent. Syst. 3(1): 283. Type(s): [Africa]; "India" [Patria falsa].
- 4485. Hypolycaena philippus philippus (Fabricius,1793)** (Lycaenidae) *Hesperia philippus* Fabricius,1793, Ent. Syst. 3(1): 283. Type(s): [Africa]; "India" [Patria falsa].
- 4486. Hypolycaena tearci Henning,1981** (Lycaenidae) *Hypolycaena tearci* Henning,1981, Entomologists's Rec. J. Var. 93: 55. Holotype: Mozambique: Amatongas Forest.
- 4487. Hypothecla Semper,1890** (Lycaenidae) *Hypothecla Semper*,1890, Reise Archipel. Philipp. II (5) (Schmett.) 1 (5): 204. Type-species: *Hypolycaena astyla* Felder & Felder,1862, by monotypy.
- 4488. Hyrcanana Bethune-Baker,1914** (Lycaenidae) *Hyrcanana Bethune-Baker*,1914, Entomologist's Rec. J. Var. 26: 135. Type-species: *Polyommatus caspius* Lederer,1870, by original designation.
- 4489. Hyrcanana caspia (Lederer,1869)** (Lycaenidae) *Polyommatus caspius* Lederer,1869, Horae Soc. ent. ross. 6: 76-77. Type ♂: [Iran]: Persien: Astrabad.
- 4490. Hyrcanana caspia afghana (Howarth & Povolny,1976)** (Lycaenidae) *Lycaena caspius* ssp. *afghana* Howarth & Povolny,1976, Cas. morav. Mus. Brne 61: 150-151. Holotype ♂: Afghanistan: Central Afghanistan: Kabul, Paghman (in coll.Haws).
- 4491. Hyrcanana caspia caspia (Lederer,1869)** (Lycaenidae) *Polyommatus caspius* Lederer,1869, Horae Soc. ent. ross. 6: 76-77. Type ♂: [Iran]: Persien: Astrabad.
- 4492. Hyrcanana evansi (De Nicéville,1902)** (Lycaenidae) *Lycaena evansi* De Nicéville,1902, J. Bombay nat. Hist. Soc. 14(2): 249. Type(s): [Pakistan]: Chitral.
- 4493. Hyrcanana evansi evansi (Nicéville,1902)** (Lycaenidae) *Lycaena evansi* De Nicéville,1902, J. Bombay nat. Hist. Soc. 14(2): 249. Type(s): [Pakistan]: Chitral.
- 4494. Hyrcanana sartha (Staudinger,1886)** (Lycaenidae) *Polyommatus sarthus* Staudinger,1886, Stettin ent. Ztg. 47: 202-203. Syntypes 3 ♂ 1 ♀: [Tadjikistan]: Ala-Gebirge, Kara Kasuk Pass.
- 4495. Hyrcanana sartha sartha (Staudinger,1886)** (Lycaenidae) *Polyommatus sarthus* Staudinger,1886, Stettin ent. Ztg. 47: 202-203. Syntypes 3 ♂ 1 ♀: [Tadjikistan]: Ala-Gebirge, Kara Kasuk Pass.
- 4496. Hyrcanana transiens (Staudinger,1886)** (Lycaenidae) *Polyommatus caspius* var. *transiens* Staudinger,1886, Stettin ent. Ztg. 47: 201. Syntypes: [Usbekistan]: Samarkand.
- 4497. Hyrcanana transiens transiens (Staudinger,1886)** (Lycaenidae) *Polyommatus caspius* var. *transiens* Staudinger,1886, Stettin ent. Ztg. 47: 201. Syntypes: [Usbekistan]: Samarkand.
- 4498. Iolana Bethune-Baker,1914** (Lycaenidae) *Iolana Bethune-Baker*,1914, Entomologist's Rec. J. Var. 26: 162. Type-species: *Lycaena iolas* Ochsenheimer,1816, by original designation.
- 4499. Iolana alfieri Wiltshire,1948** (Lycaenidae) *Iolana alfieri* Wiltshire, 1948, Bull. Soc. Fouad I Ent. 32: 219-220, fig.1; pl. I figs. 1,2. Holotype ♂: Egypt: South Sinai, Wadi el Rabaa (Gebel Katherine) 1500m. (leg. and in coll. A. Alfieri).
- 4500. Iolana alfieri alfieri Wiltshire,1948** (Lycaenidae) *Iolana alfieri* Wiltshire, 1948, Bull. Soc. Fouad I Ent. 32: 219-220, fig.1; pl. I figs. 1,2. Holotype ♂: Egypt: South Sinai, Wadi el Rabaa (Gebel Katherine) 1500m. (leg. and in coll. A. Alfieri).
- 4501. Iolana andreasi (Sheljuzhko,1919)** (Lycaenidae) *Lycaena iolas andreasi* Sheljuzhko,1919, Neue Beitr. Insektenk. 1: 129. Syntypes: [Turkmenistan]: "Firuza bei Askahabad".
- 4502. Iolana andreasi andreasi (Sheljuzhko,1919)** (Lycaenidae) *Lycaena iolas andreasi* Sheljuzhko,1919, Neue Beitr. Insektenk. 1: 129. Syntypes: [Turkmenistan]: "Firuza bei Askahabad".
- 4503. Iolana andreasi khayyami Bernardi,1964** (Lycaenidae) *Iolana iolas* ssp. *khayyami* Bernardi,1964, Alexanor 3: 212-214. Holotype ♂: Iran: Demavend, 2100-2400m.
- 4504. Iolana arjanica Rose,1979** (Lycaenidae) *Iolana iolas* ssp. *arjanica* Rose,1979, Atalanta 10(2): 155-157, figs.1,2. Holotype ♂: Iran: Fars: Shiraz: Dasht-e-Arjan, 2000-2200m.
- 4505. Iolana debilitata (Schultz,1905)** (Lycaenidae) *Lycaena iolas* var. *debilitata* Schultz,1905, Ent. Z., Frankf. a. M. 19: 18. Type(s): Algier.
- 4506. Iolana debilitata debilitata (Schultz,1905)** (Lycaenidae) *Lycaena iolas* var. *debilitata* Schultz,1905, Ent. Z., Frankf. a. M. 19: 18. Type(s): Algier.
- 4507. Iolana gigantea (Groum-Grshimailo,1895)** (Lycaenidae) *Lycaena gigantea* Groum-Grshimailo,1895, [in] Romanoff, Mém. lépid. 2: 215, nota 4; ibid. 1890, 4: 418, pl.9 figs. 8A, 8B. Syntypes: [Tadjikistan]: Alai, Utsch-Kurgan.
- 4508. Iolana gigantea gigantea (Groum-Grshimailo,1885)** (Lycaenidae) *Lycaena gigantea* Groum-Grshimailo,1895, [in] Romanoff, Mém. lépid. 2: 215, nota 4; ibid. 1890, 4: 418, pl.9 figs. 8A, 8B. Syntypes: [Tadjikistan]: Alai, Utsch-Kurgan.
- 4509. Iolana gigantea iphicles (Staudinger,1886)** (Lycaenidae) *Lycaena iphicles* Staudinger,1886, Stettin ent. Ztg. 47: 227. Syntypes: [Usbekistan]: Samarkand, Alai; [Kirgizistan]: Osh.
- 4510. Iolana gilgitica (Tytler,1926)** (Lycaenidae) *Polyommatus iolas* ssp. *gilgitica* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 586, pl.1 fig.16. Syntypes: [Pakistan]: Yasin, Gilgit.
- 4511. Iolana gilgitica gilgitica (Tytler,1926)** (Lycaenidae) *Polyommatus iolas* ssp. *gilgitica* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 586, pl.1 fig.16. Syntypes: [Pakistan]: Yasin, Gilgit.
- 4512. Iolana iolas (Ochsenheimer,1816)** (Lycaenidae) *Lycaena iolas* Ochsenheimer,1816, Schmett. Eur. 4: 144-145. Syntypes: Ungarn.
- 4513. Iolana iolas bureschi Hemming,1931** (Lycaenidae) *Iolana iolas* ssp. *bureschi* Hemming,1931, Trans. ent. Soc. London 79(2): 327-328. Holotype ♀: Bulgaria: Slivno.

- 4514. *Iolana iolas iolas* (Ochsenheimer,1816)** (Lycaenidae) *Lycaena iolas* Ochsenheimer,1816, Schmett. Eur. 4: 144-145. Syntypes: Ungarn.
- 4515. *Iolana iolas protogenes* (Fruhstorfer,1917)** (Lycaenidae) *Lycaena iolas* ssp. *protogenes* Fruhstorfer,1917, Dt. ent. Z., Iris 31: 31. Syntypes: Frankreich: Bases-Alpes: Digne.
- 4516. *Iolana lessei* Bernardi,1964** (Lycaenidae) *Iolana iolas* ssp. *lessei* Bernardi,1964, Alexanor 3: 276-277. Holotype ♂: Turquie: Amasia.
- 4517. *Iolaus (Argiolaus) crawshayi* (Butler,1901)** (Lycaenidae) *Argiolaus crawshayi* Butler,1901, Proc. zool. Soc. London 1900: 926, pl. lviii fig.3. Type ♀: [Kenya]: British East Africa: Kikuyu 6800ft. (R. Crawshay leg.) (BMNH).
- 4518. *Iolaus (Argiolaus) crawshayi crawshayi* (Butler,1901)** (Lycaenidae) *Argiolaus crawshayi* Butler,1901, Proc. zool. Soc. London 1900: 926, pl. lviii fig.3. Type ♀: [Kenya]: British East Africa: Kikuyu 6800ft. (R. Crawshay leg.) (BMNH).
- 4519. *Iolaus (Epamera) Druce,1891*** (Lycaenidae) *Epamera* Druce,1891, Ann. Mag. nat. Hist. (6) 8: 141. Type-species: *Iolaus sidus* Trimen,1864, by original designation.
- 4520. *Iolaus (Epamera) arborifera* (Butler,1901)** (Lycaenidae) *Epamera arborifera* Butler,1901, Proc. zool. Soc. London 1900: 927, pl. lviii fig.2. Type ♂: [Kenya]: British East Africa: Roromo, Kikuyu 6800ft. (R. Crawshay leg.) (BMNH).
- 4521. *Iolaus (Epamera) glaucus* (Butler,1886)** (Lycaenidae) *Iolaus glaucus* Butler,1886, Proc. zool. Soc. Lond. 55 (1885): 766. Syntypes: Somalia: Duder (Capt. Nurse).
- 4522. *Iolaus (Epamera) glaucus glaucus* (Butler,1886)** (Lycaenidae) *Iolaus glaucus* Butler,1886, Proc. zool. Soc. Lond. 55 (1885): 766. Syntypes: Somalia: Duder (Capt. Nurse).
- 4523. *Iolaus (Epamera) glaucus jordanus* (Staudinger,1897)** (Lycaenidae) *Iolaus jordanus* Staudinger,1897, Dt. ent. Z., Iris 10: 153-155, Taf.v, fig. 5. Syntypes: Palästina: Jordanthal.
- 4524. *Iolaus (Epamera) nursei* (Butler,1896)** (Lycaenidae) *Iolaus nursei* Butler,1896, Proc. zool. Soc. Lond. 66: 251, pl.10 fig. 16. Syntypes ♂♂: [Yemen]: Shaik Othman (Col. Yerbury, Capt. Nurse).
- 4525. *Iolaus (Epamera) nursei nursei* (Butler,1896)** (Lycaenidae) *Iolaus nursei* Butler,1896, Proc. zool. Soc. Lond. 66: 251, pl.10 fig. 16. Syntypes ♂♂: [Yemen]: Shaik Othman (Col. Yerbury, Capt. Nurse).
- 4526. *Iolaus (Stugeta) bowkeri* Trimen,1864** (Lycaenidae) *Iolaus bowkeri* Trimen,1864, Trans. ent. Soc. London (3) 2: 176. Type: [South Africa]: "Bashee River, Kaffraria".
- 4527. *Iolaus (Stugeta) bowkeri bowkeri* Trimen,1864** (Lycaenidae) *Iolaus bowkeri* Trimen,1864, Trans. ent. Soc. London (3) 2: 176. Type: [South Africa]: "Bashee River, Kaffraria".
- 4528. *Iolaus (Stugeta) bowkeri teari* (Dickson,1980)** (Lycaenidae) *Stugeta bowkeri* ssp. *tearei* Dickson,1980, Entomologist's Rec. J. Var. 91: 38, pl.1 figs.9-12. Holotype: South Africa: Transvaal: Zoutpan [=Saltpan, Zoutpansberg].
- 4529. *Iraota Moore,1881*** (Lycaenidae) *Iraota Moore*,1881, Lep. Ceylon 1(3): 101. Type-species: *Hesperia maecenas* Fabricius,1793, by monotypy.
- 4530. *Iraota timoleon* (Stoll,1790)** (Lycaenidae) *Papilio timoleon* Stoll,1790, [in] Cramer, Uitl. Kapellen, Suppl.: pl.32, fig. 4.
- 4531. *Iraota timoleon timoleon* (Stoll,1790)** (Lycaenidae) *Papilio timoleon* Stoll,1790, [in] Cramer, Uitl. Kapellen, Suppl.: pl.32, fig. 4.
- 4532. *Jamides Hübner,1819*** (Lycaenidae) *Jamides* Hübner,1819, Verz. bekannt. Schmett. (5): 71. Type-species: *Papilio bochus* Stoll,1782, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 199.
- 4533. *Jamides bochus* (Stoll,1782)** (Lycaenidae) *Papilio bochus* Stoll,1782, [in] Cramer, Uitl. Kapellen 4: pl.391, figs. C,D.
- 4534. *Jamides bochus bochus* (Stoll,1782)** (Lycaenidae) *Papilio bochus* Stoll,1782, [in] Cramer, Uitl. Kapellen 4: pl.391, figs. C,D.
- 4535. *Jamides celeno* (Cramer,1775)** (Lycaenidae) *Papilio celeno* Cramer,1775, Uitl. Kapellen 1: 51.
- 4536. *Jamides celeno celeno* (Cramer,1775)** (Lycaenidae) *Papilio celeno* Cramer,1775, Uitl. Kapellen 1: 51.
- 4537. *Japonica Tutt,1907*** (Lycaenidae) *Japonica* Tutt,1907, Nat. Hist. Br. Butts. 2: 277. Type-species: *Dipsas saepestriata* Hewitson,1865, Ill. diurn. Lep., Lycaenidae 1 (text): 67; 2 (plates): pl.26 figs.7,8, by original designation.
- 4538. *Japonica lutea* (Hewitson,1865)** (Lycaenidae) *Dipsas lutea* Hewitson,1865, Ill. diurn. Lep., Lycaenidae 1 (text): 67; 2 (plates): pl.26 figs.9,10. Type(s): Japonia.
- 4539. *Japonica lutea lutea* (Hewitson,1865)** (Lycaenidae) *Dipsas lutea* Hewitson,1865, Ill. diurn. Lep., Lycaenidae 1 (text): 67; 2 (plates): pl.26 figs.9,10. Type(s): Japonia.
- 4540. *Japonica saepestriata* (Hewitson,1865)** (Lycaenidae) *Dipsas saepestriata* Hewitson,1865, Ill. diurn. Lep., Lycaenidae 1 (text): 67; 2 (plates): pl.26 figs.7,8. Type(s): Japonia.
- 4541. *Japonica saepestriata saepestriata* (Hewitson,1865)** (Lycaenidae) *Dipsas saepestriata* Hewitson,1865, Ill. diurn. Lep., Lycaenidae 1 (text): 67; 2 (plates): pl.26 figs.7,8. Type(s): Japonia.
- 4542. *Laeosopis Rambur,1858*** (Lycaenidae) *Laeosopis* Rambur,1858, Cat. syst. Lépid. Andal.: 33. Type-species: *Papilio roboris* Esper,1793, by monotypy.
- 4543. *Laeosopis evippus demissa* Verity,1943** (Lycaenidae) *Laeosopis roboris* race *demissa* Verity,1943, Le farfalle diurne d'Italia 2: 342. Syntypes 1 ♂ 2 ♀: [France]: St.-Baume, 700m; Pyrenees-Orientales; Alp Maritime.
- 4544. *Laeosopis evippus lusitanica* Staudinger,1892** (Lycaenidae) *Laeosopis roboris* var. *lusitanica* Staudinger,1892, Dt. ent. Z., Iris 4: 232. Syntypes: Portugal: Lissabon.
- 4545. *Lampides Hübner,1819*** (Lycaenidae) *Lampides* Hübner,1819, Verz. bekannt. Schmett. (5): 70. Type-species: *Papilio boeticus* Linnaeus,1767, Syst. Nat. (Ed.12) 1(2): 789, by subsequent designation by Grote,1873, Bull. Buffalo Soc. nat. Sci. (3): 179.
- 4546. *Lampides boeticus* (Linnaeus,1767)** (Lycaenidae) *Papilio boeticus* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 789. Type(s): Barbaria [Algeria].
- 4547. *Lampides boeticus boeticus* (Linnaeus,1767)** (Lycaenidae) *Papilio boeticus* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 789. Type(s): Barbaria [Algeria].
- 4548. *Lepidochrysops Hedicke,1923*** (Lycaenidae) *Lepidochrysops* Hedicke,1923, Berl. ent. Z. 1923 (2): 226. Type-species: *Papilio parsimon* Fabricius,1775, by designation through Section (i) (replacement names) of Article 67.
- 4549. *Lepidochrysops arabicus* Gabriel,1954** (Lycaenidae) *Lepidochrysops arabicus* Gabriel,1954, Br. Mus. Nat. Hist. expd. South-West Arabia 1 (25): 384-385, pl.xviii figs.9,15,16. Holotype ♂: Yemen: Western Aden Protectorate: Jebel Jihaf, Shima, 7000ft. (BMNH).
- 4550. *Lepidochrysops arabicus arabicus* Gabriel,1954** (Lycaenidae) *Lepidochrysops arabicus* Gabriel,1954, Br. Mus. Nat. Hist. expd. South-West Arabia 1 (25): 384-385, pl.xviii figs.9,15,16. Holotype ♂: Yemen: Western Aden Protectorate: Jebel Jihaf, Shima, 7000ft. (BMNH).
- 4551. *Lepidochrysops forsskali* T.Larsen,1982** (Lycaenidae) *Lepidochrysops forsskali* Larsen,1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 50-51, pl.2 fig.10. Holotype ♂: Yemen: Ibb Province, Jabal Sumara, ca 2 km NE of Dalil village, 1900m. (BMNH).
- 4552. *Lepidochrysops forsskali forsskali* T.Larsen,1982** (Lycaenidae) *Lepidochrysops forsskali* Larsen,1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 50-51, pl.2 fig.10. Holotype ♂: Yemen: Ibb Province, Jabal Sumara, ca 2 km NE of Dalil village, 1900m. (BMNH).
- 4553. *Lepidochrysops haveni* T.Larsen,1983** (Lycaenidae) *Lepidochrysops haveni* Larsen,1983, Fauna Saudi Arabia 5: 407, pl.1 figs.9-11. Holotype ♂: Yemen: Hajjah, Wadi Sharas, 900m.
- 4554. *Lepidochrysops haveni haveni* T.Larsen,1983** (Lycaenidae) *Lepidochrysops haveni* Larsen,1983, Fauna Saudi Arabia 5: 407, pl.1 figs.9-11. Holotype ♂: Yemen: Hajjah, Wadi Sharas, 900m.
- 4555. *Lepidochrysops patricia* (Trimen,1887)** (Lycaenidae) *Lycaena patricia* Trimen & Bowker,1887, South African Butterflies 2: 20. Syntypes: Potchefstroom, Pretoria.
- 4556. *Lepidochrysops rossouwi* Henning & Henning,1994** (Lycaenidae) *Lepidochrysops rossouwi* Henning & Henning,1994. [in] Pringle, Henning & Ball [eds]. Pennington's butterflies of southern Africa (2nd edition): 256. Holotype ♂: South Africa: Stoffberg, Transvaal (TMP).
- 4557. *Lepidochrysops vansonii* (Swanepoel,1949)** (Lycaenidae) *Cupido* (*Lepidochrysops*) *vansonii* Swanepoel,1949, J. ent. Soc. sth. Afr. 12: 123. Type: South Africa: Transvaal, Soutpansberg, Vivo 3km W, Swartklip.
- 4558. *Leptotes Scudder,1876*** (Lycaenidae) *Leptotes* Scudder,1876, Bull. Buffalo Soc. nat. Sci. 3: 124. Type-species: *Lycaena theonus* Lucas,1857, [in] Sagra, Hist. fis. pol. nat. Isla Cuba 7: 611, pl. Art.16, figs. 8, 8a, 8b, by original designation.
- 4559. *Leptotes babaulti* (Stempffer,1935)** (Lycaenidae) *Syntarucus babaulti* Stempffer,1935, Mission Scientifique de l'Omo 2: 235, text-fig.9, pl.9 fig.7. Holotype: Kenya: Kitale.

- 4560. *Leptotes babaulti babaulti* (Stempffer,1935)** (Lycaenidae) Syntarucus babaulti Stempffer,1935, Mission Scientifique de l'Omo 2: 235, text-fig.9, pl.9 fig.7. Holotype: Kenya: Kitale.
- 4561. *Leptotes brevidentatus* (Tite,1958)** (Lycaenidae) Syntarucus brevidentatus Tite,1958, Entomologist 91: 189, text-fig.A, pl.2 figs.1,2. Holotype ♂: Tanzania: West shore of Lake Manyara.
- 4562. *Leptotes brevidentatus brevidentatus* (Tite,1958)** (Lycaenidae) Syntarucus brevidentatus Tite,1958, Entomologist 91: 189, text-fig.A, pl.2 figs.1,2. Holotype ♂: Tanzania: West shore of Lake Manyara.
- 4563. *Leptotes jeanneli* (Stempffer,1935)** (Lycaenidae) Syntarucus jeanneli Stempffer,1935, Mission Scientifique de l'Omo 2: 232, text-fig.7, pl.9 fig.6. Holotype: Kenya: Mont Elgon, 2470m.
- 4564. *Leptotes jeanneli jeanneli* (Stempffer,1935)** (Lycaenidae) Syntarucus jeanneli Stempffer,1935, Mission Scientifique de l'Omo 2: 232, text-fig.7, pl.9 fig.6. Holotype: Kenya: Mont Elgon, 2470m.
- 4565. *Leptotes pirithous* (Linnaeus,1767)** (Lycaenidae) Papilio pirithous Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 790. Type(s): Barbaria [Algeria].
- 4566. *Leptotes pirithous pirithous* (Linnaeus,1767)** (Lycaenidae) Papilio pirithous Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 790. Type(s): Barbaria [Algeria].
- 4567. *Leptotes pulchrus* (Murray,1874)** (Lycaenidae) Lycaena pulchra Murray,1874, Trans. ent. Soc. Lond. 1874: 524, Pl.10 figs.7,8. Syntypes: West Africa.
- 4568. *Leptotes pulchrus pulchrus* (Murray,1874).** (Lycaenidae) Lycaena pulchra Murray,1874, Trans. ent. Soc. Lond. 1874: 524, Pl.10 figs.7,8. Syntypes: West Africa.
- 4569. *Leptotes socotranus* (Ogilvie-Grant,1899)** (Lycaenidae) Tarucus socotranus Ogilvie-Grant,1899, Bull. Lpool. Mus. 2: 10. Type(s): Sokotra.
- 4570. *Leptotes socotranus socotranus* (Ogilvie-Grant,1899)** (Lycaenidae) Tarucus socotranus Ogilvie-Grant,1899, Bull. Lpool. Mus. : 10. Type(s): Sokotra.
- 4571. *Loxura Horsfield*,[1829]** (Lycaenidae) Loxura Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 119,120. Type-species: Papilio athymnus Stoll,[1780], by original designation.
- 4572. *Loxura athymnus* (Stoll,[1780])** (Lycaenidae) Papilio athymnus Stoll,[1780], [in] Cramer, Utitl. Kapellen 4: pl.331, figs. D,E.
- 4573. *Loxura athymnus athymnus* (Stoll,[1780])** (Lycaenidae) Papilio athymnus Stoll,[1780], [in] Cramer, Utitl. Kapellen 4: pl.331, figs. D,E.
- 4574. *Lycaena* (s.str.) *Fabricius*,1807** (Lycaenidae) Lycaena Fabricius,1807, Mag. f.Insektenk. (Illiger) 6: 285. Type-species: Papilio phlaeas Linnaeus,1761, Faun. suec. (ed.2): 285, by subsequent designation by Curtis,1828, Br. Ent. 5: pl.12.
- 4575. *Lycaena* (s.str.) *kiyokoae* Sakai,1978** (Lycaenidae) Lycaena kiyokoae Sakai,1978, Atalanta 9(1): 115, figs.11,12. Holotype: Afghanistan: Mt. Shahfuladi, 4000-4500m.
- 4576. *Lycaena* (s.str.) *kiyokoae kiyokoae* Sakai,1978** (Lycaenidae) Lycaena kiyokoae Sakai,1978, Atalanta 9(1): 115, figs.11,12. Holotype: Afghanistan: Mt. Shahfuladi, 4000-4500m.
- 4577. *Lycaena* (s.str.) *phlaeas* (Linnaeus,1761)** (Lycaenidae) Papilio phlaeas Linnaeus,1761, Fauna Suecica (2): 285. Type(s): Sweden, Westermannia.
- 4578. *Lycaena* (s.str.) *phlaeas abbottii* (Holland,1892)** (Lycaenidae) Chrysophanus abbottii Holland,1892, Entomologist (suppl.) 25: 90. Type: Eastern Africa.
- 4579. *Lycaena* (s.str.) *phlaeas americanus* Harris,1862** (Lycaenidae) Lycaena phlaeas americana Harris,1862, Rept. Ins. Inj. Veg.: 273. Type(s): Massachusetts (Type may be in MCZ or lost) [Miller & Brown,1981: 93].
- 4580. *Lycaena* (s.str.) *phlaeas arctodon* Ferris,1974** (Lycaenidae) Lycaena phlaeas ssp. arctodon Ferris,1974, Bull. Allyn Mus. (18): 4-5. Holotype ♂: U.S.A.: Montana: E side of Beartooth Pass, Carbon Co. (AME).
- 4581. *Lycaena* (s.str.) *phlaeas arethusa* (Wolley-Dod,1907)** (Lycaenidae) Chrysophanus phlaeas arethusa Wolley-Dod,1907, Canad. ent. 39: 169. Holotype ♂: Canada: Alberta: nr. Calgary (USNM).
- 4582. *Lycaena* (s.str.) *phlaeas chinensis* (Felder,1862)** (Lycaenidae) Chrysophanus phlaeas var. chinensis Felder & Felder,1862, Verh. zool.- bot. Ges. Wien 12: 488, nr.150. Type(s): China: Shanghai.
- 4583. *Lycaena* (s.str.) *phlaeas ethiopicus* (Poulton,1922)** (Lycaenidae) Heodes ethiopica Poulton,1922, Proc. ent. Soc. London 1921: 86. Type: Uganda: S.W. Uganda: high country near Lake Kivu and between it and the northern end of Tanganyika.
- 4584. *Lycaena* (s.str.) *phlaeas feildenii* (M'Lachan,1878)** (Lycaenidae) Chrysophanus phlaeas feildenii M'Lachan,1878, J. linn. Soc. (London) 14: 111. Type(s): Grand Land, Northwest Territories (Type unknown).
- 4585. *Lycaena* (s.str.) *phlaeas flavens* (Ford,1924)** (Lycaenidae) Heodes phlaeas ssp. flavens Ford,1924, Trans. ent. Soc. London 1923: 725-726. Type ♂: China: Tibet: Gyantse, Lhasa, 13000ft. (BMNH).
- 4586. *Lycaena* (s.str.) *phlaeas ganalicus* Gorbunov,1995** (Lycaenidae) Lycaena phlaeas ssp. ganalica Gorbunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 162. Holotype: Russia: Kamtschatka: Ganaly.
- 4587. *Lycaena* (s.str.) *phlaeas hypophlaeas* (Boisduval,1852)** (Lycaenidae) Polyommatus hypophlaeas Boisduval,1852, Annls Soc. ent. Fr. (2) 10: 291. Type: [U.S.A.]: "northern California". Holotype may be in USNM.
- 4588. *Lycaena* (s.str.) *phlaeas oxianus* (Groum-Grshimailo,1890)** (Lycaenidae) Polyommatus phlaeas var. oxiana Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 365. Syntypes: [Uzbekistan]: Bokhara.
- 4589. *Lycaena* (s.str.) *phlaeas phlaeas* (Linnaeus,1761)** (Lycaenidae) Papilio phlaeas Linnaeus,1761, Fauna Suecica (2): 285. Type(s): Sweden, Westermannia.
- 4590. *Lycaena* (s.str.) *phlaeas phlaeoides* (Staudinger,1901)** (Lycaenidae) Chrysophanus phlaeas v. phlaeoides Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3 (1): 74, nr. 512e. Syntypes: Madeira.
- 4591. *Lycaena* (s.str.) *phlaeas pseudophlaeas* (Lucas,1866)** (Lycaenidae) Chrysophanus pseudophlaeas Lucas,1866, Annls Soc. ent. Fr. (4) 5: 499. Syntypes: [Ethiopia]: Abyssinie.
- 4592. *Lycaena* (s.str.) *phlaeas shima Gabriel*,1954** (Lycaenidae) Lycaena phlaeas ssp. shima Gabriel,1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 388. Holotype ♂: Yemen: Western Aden Protectorate: Jebel Jihaf, Shima, 7000ft. (BMNH).
- 4593. *Lycaena* (s.str.) *phlaeas stygianus* (Butler,1880)** (Lycaenidae) Chrysophanus stygianus Butler,1880, Proc. zool. Soc. London 50: 408, pl.xxxix fig.5.
- 4594. *Lycaena* (s.str.) *phlaeas timeus* (Cramer,[1777])** (Lycaenidae) Papilio timeus Cramer,[1777], Utitl. Kapellen 2(16): 137, pl.186 figs. E,F. Syntypes ♀: [Turkey]: Smirne [=Izmir].
- 4595. *Lycaena* (s.str.) *svenhedini* (Nordstroem,1934)** (Lycaenidae) Chrysophanus svenhedini Nordstroem,1934, Ark. Zool. 27 A (7): 30-31. Syntypes: China: South Kansu.
- 4596. *Lycaena* (s.str.) *svenhedini svenhedini* (Nordstroem,1934)** (Lycaenidae) Chrysophanus svenhedini Nordstroem,1934, Ark. Zool. 27 A (7): 30-31. Syntypes: China: South Kansu.
- 4597. *Lycaena Fabricius*,1807** (Lycaenidae) Lycaena Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 285. Type-species: Papilio phlaeas Linnaeus,1761, Faun. suec. (ed.2): 285, by subsequent designation by Curtis,1828, Br. Ent. 5: pl.12.
- 4598. *Lycaena editha vurali* (Koçak,1984)** (Lycaenidae) Gaedies editha ssp. vurali Koçak,1984, Priamus 3 (3): 94-95 (nomen novum pro montana Field,1936 nec Meyer-Dür,1852).
- 4599. *Lycaenopsis C.Felder & R.Felder*,[1865]** (Lycaenidae) Lycaenopsis Felder & Felder,1865, Reise österr. Fregatte Novarra (2) (Rhopalocera): 257. Type-species: Lycaenopsis ananga Felder & Felder,1865, by original designation [Gender feminine].
- 4600. *Lycaenopsis haraldus* (Fabricius,1787)** (Lycaenidae) Papilio haraldus Fabricius,1787, Mant. Ins.: 82. Type ♂: [West Malaysia]: "India Orientali" (ZM,Copenhagen).
- 4601. *Lycaenopsis haraldus annamitica* Eliot & Kawazoe,1984** (Lycaenidae) Lycaenopsis haraldus ssp. annamitica Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 39, figs.12, 426, 427. Holotype ♂: Vietnam: Annam, Soul-Dau, par Nhatrang,1916 (R. Gallois leg.) (ex. Oberthür coll.) (BMNH).
- 4602. *Lycaenopsis haraldus cornuta* (Druce,1873)** (Lycaenidae) Cupido cornuta Druce,1873, Proc. zool. Soc. Lond. 1873: 349, pl.32 fig.5. Lectotype ♀: Borneo (BMNH) (designated by Eliot & Kawazoe, 1983: 38).
- 4603. *Lycaenopsis haraldus haraldus* (Fabricius,1787)** (Lycaenidae) Papilio haraldus Fabricius,1787, Mant. Ins.: 82. Type ♂: [West Malaysia]: "India Orientali" (ZM,Copenhagen).
- 4604. *Lycaenopsis haraldus renonga* Riley,1932** (Lycaenidae) Lycaenopsis haraldus ssp. renonga Riley,1932, J. Siam. Soc. nat. Hist. suppl. 8: 251, pl.22 fig.4. Holotype ♂: [Thailand]: Siam (BMNH).
- 4605. *Maculineaalcon* ([Denis & Schiffermüller],1775)** (Lycaenidae) Papilioalcon [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 182. Type(s): Austria: Wien (official name no.1480. ICZN, Opinion 503; 1958).

- 4606. *Maculinea alcon alcon* ([Denis & Schiffermüller],1775)** (Lycaenidae) *Papilio alcon* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 182. Type(s): Austria: Wien (official name no.1480. ICZN, Opinion 503; 1958).
- 4607. *Maculinea alcon jensejensis* (Sheljuzhko,1928)** (Lycaenidae) *Lycaena alcon* ssp. *jensejensis* Sheljuzhko,1928, Lepid. Rdsch. 2(4): 46, fig.5. Type ♂: [Russia]: Sibirien: Gouvern. Jensej, Umgebung Minussinsk: Tagarskij Ostrov.
- 4608. *Maculinea alcon nestae* (Higgins,1930)** (Lycaenidae) *Lycaena alcon* ssp. *nestae* Higgins,1930, Entomologist 63: 100, pl.2 fig.11. Syntypes 10♂ 7♀: Italy: Piedmonte, Limone 5000ft.
- 4609. *Maculinea alcon sebastos* (Rebel & Zerny,[1931])** (Lycaenidae) *Lycaena alcon* ssp. *sebastos* Rebel & Zerny,[1931], Denkschr. Akad. Wiss. Wien 103: 82., Taf. fig.11-12. Syntypes 5♂ 2♀: Albanien: Shkala e Bicajt, Beshtriq.
- 4610. *Maculinea alcon tolistus* (Fruhstorfer,1917)** (Lycaenidae) *Lycaena alcon* ssp. *tolistus* Fruhstorfer,1917, Dt. ent. Z., Iris 31: 4. Syntypes: Bosnien: Koronica.
- 4611. *Maculinea arion* (Linnaeus,1758)** (Lycaenidae) *Papilio arion* Linnaeus,1758, Syst. Nat. (Edn.10)1: 483. Type(s): Europa [Deutschland, Nürnberg].
- 4612. *Maculinea arion aglaophon* (Fruhstorfer,1915)** (Lycaenidae) *Lycaena arion* ssp. *aglaophon* Fruhstorfer,1915, Societas ent. 30: 68. Syntypes: Pyrenaeen.
- 4613. *Maculinea arion antesion* (Fruhstorfer,1917)** (Lycaenidae) *Lycaena arion* ssp. *antesion* Fruhstorfer,1917, Dt. ent. Z., Iris 31: 27.
- 4614. *Maculinea arion arion* (Linnaeus,1758)** (Lycaenidae) *Papilio arion* Linnaeus,1758, Syst. Nat. (Edn.10)1: 483. Type(s): Europa [Deutschland, Nürnberg].
- 4615. *Maculinea arion pyrenaefuscans* Verity,1948** (Lycaenidae) *Maculinea arion* race *pyrenaefuscans* Verity,1948, Les variations géographiques et saisonnières des papillons diurnes en France: 106. Syntypes: 5♂: [France: Hautes-Pyrénées]: Gedre.
- 4616. *Maculinea arion rueli* (Krulikovskiy,1882)** (Lycaenidae) *Lycaena arion* rueli Krulikovskiy,1882, Societas ent. 7: 1. Syntypes: Russie orientale: Kasan, Gouv. de Wiatka.
- 4617. *Maculinea cyanecula* (Eversmann,1848)** (Lycaenidae) *Lycaena cyanecula* Eversmann,1848, Bull. Soc. nat. Moscou 21(2): 207. Type(s): Russia: Kiachta im östlichen Sibirien.
- 4618. *Maculinea cyanecula cyanecula* (Eversmann,1848)** (Lycaenidae) *Lycaena cyanecula* Eversmann,1848, Bull. Soc. nat. Moscou 21(2): 207. Type(s): Russia: Kiachta im östlichen Sibirien.
- 4619. *Maculinea cyanecula taras* (Fruhstorfer,1915)** (Lycaenidae) *Lycaena arion* ssp. *taras* Fruhstorfer,1915, Societas ent. 30: 68. Type(s): Monti Aurunci: Petralia.
- 4620. *Maculinea cyanecula ussuriensis* (Sheljuzhko,1928)** (Lycaenidae) *Lycaena arion* ssp. *ussuriensis* Sheljuzhko,1928, Lepid. Rdsch. 2: figs.8,9. Holotype ♂: Russia: Ussuri: Novo-Kijevsk.
- 4621. *Maculinea nausithous* (Bergsträßer,[1779])** (Lycaenidae) *Papilio nausithous* Bergsträßer,[1779], Nomencl. Besch. Ins. 2: 70, Taf. 43 fig.1. Type(s): Deutschland: Hanau-Münzenberg. *Papilio nausithous* Bergsträßer,1779, Nomencl. Besch. Ins. 2: 70, Taf. 43 fig.1. Type(s): Deutschland: Hanau-Münzenberg.
- 4622. *Maculinea nausithous nausithous* (Bergsträßer,[1779])** (Lycaenidae) *Papilio nausithous* Bergsträßer,[1779], Nomencl. Besch. Ins. 2: 70, Taf. 43 fig.1. Type(s): Deutschland: Hanau-Münzenberg.
- 4623. *Maculinea rebeli* (Hirschke,1904)** (Lycaenidae) *Lycaena alcon* rebeli Hirschke,1904, Jb. Wien. ent. Ver. 15: 110-111. Type(s): Österreich.
- 4624. *Maculinea rebeli imitator* Tusov,2000** (Lycaenidae) *Maculinea alcon* ssp. *imitator* Tusov,2000, Guides Butts. Russia 2: 155 (nom. nov. pro *alconides* Korb,1997 (Alexanor 20(1): 63, figs.1-4. Holotype ♂: [Kirgizistan]: monts Alexandre: vallée de Chon-Kuurchak) nec Aurivillius,1888 non Dahlstrom,1899 (ZISP).
- 4625. *Maculinea rebeli monticola* (Staudinger,1901)** (Lycaenidae) *Lycaena alcon* var. *monticola* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 90, nr.644a. Syntypes: Caucasus, Helv., ?Pont., ?Lyd. mont. Locust typicus: [Georgia]: Achalziche (restricted by Hesselbarth, 1995: 576).
- 4626. *Maculinea rebeli rebeli* (Hirschke,1904)** (Lycaenidae) *Lycaena alcon* rebeli Hirschke,1904, Jb. Wien. ent. Ver. 15: 110-111. Type(s): Oesterreich.
- 4627. *Maculinea telejus* (Bergsträßer,[1779])** (Lycaenidae) *Papilio telejus* Bergsträßer,[1779], Nomencl. Besch. Ins. 2: 70, Taf. 43 figs.5,6. Syntypes: Deutschland: Hanau-Münzenberg.
- 4628. *Maculinea telejus obscurata* (Staudinger,1892)** (Lycaenidae) *Lycaena euphemus* var. *obscurata* Staudinger,1892, Dt. ent. Z., Iris 5: 320. Syntypes: Russia: Kentei-Gebirge.
- 4629. *Maculinea telejus telejus* (Bergsträßer,[1779])** (Lycaenidae) *Papilio telejus* Bergsträßer,[1779], Nomencl. Besch. Ins. 2: 70, Taf. 43 figs.5,6. Syntypes: Deutschland: Hanau-Münzenberg.
- 4630. *Maculinea telejus thersandrus* (Fruhstorfer,1917)** (Lycaenidae) *Lycaena telejus* ssp. *thersandrus* Fruhstorfer,1917, Dt. ent. Z., Iris 31: 26. Syntypes: Frankreich: Vaud: Eclepens.
- 4631. *Maculinea van Eecke,1915*** (Lycaenidae) *Maculinea van Eecke*,1915, Zool. Meded. Leiden 1: 28. Type-species: *Papilio alcon* [Denis & Schiffermüller],1775, by subsequent designation by Graves,1928, Entomologist's Rec. J. Var. 40 102.
- 4632. *Manto De Nicéville,1895*** (Lycaenidae) *Manto De Nicéville*,1895, J. Bombay nat. Hist. Soc. 9 (3): 312. Type-species: *Myrina hypoleuca* Hewitson,[1865], by original designation.
- 4633. *Margelycaena Koçak & Kemal,2001*** (Lycaenidae) *Margelycaena Koçak & Kemal*,2001, Cent. ent. Stud., Misc. Pap. 75: 2. Type-species: *Polyommatus phoenicurus* var. *margelanica* Staudinger,1881, by original designation.
- 4634. *Margelycaena euphratica* (Eckweiler,1989)** (Lycaenidae) *Lycaena* (Phoenicurusia) *euphratica* Eckweiler,1989, Nachr. ent. Ver. Apollo (N.F.) 10(2): 83-90, figs. Holotype ♂: Türkiye: Bingöl, 14-24km S Genç, 1200-1400m (ITZA).
- 4635. *Margelycaena euphratica euphratica* (Eckweiler,1989)** (Lycaenidae) *Lycaena* (Phoenicurusia) *euphratica* Eckweiler,1989, Nachr. ent. Ver. Apollo (N.F.) 10(2): 83-90, figs. Holotype ♂: Türkiye: Bingöl, 14-24km S Genç, 1200-1400m (ITZA).
- 4636. *Margelycaena margelanica* (Staudinger,1881)** (Lycaenidae) *Polyommatus phoenicurus* var. *margelanica* Staudinger,1881, Stettin ent. Ztg. 42: 282-283. Syntypes: [Usbekistan]: Margelan.
- 4637. *Margelycaena margelanica legezi* (Zhdanko,1999)** (Lycaenidae) *Phoenicurusia margelanica* ssp. *legezi* Zhdanko,1999, Tethys 1: 214. Holotype ♂: Tadjikistan.
- 4638. *Margelycaena margelanica margelanica* (Staudinger,1881)** (Lycaenidae) *Polyommatus phoenicurus* var. *margelanica* Staudinger,1881, Stettin ent. Ztg. 42: 282-283. Syntypes: [Usbekistan]: Margelan.
- 4639. *Margelycaena margelanica nigra* (Zhdanko,1999)** (Lycaenidae) *Phoenicurusia margelanica* ssp. *nigra* Zhdanko,1999, Tethys 1: 214. Holotype ♂: Kazakhstan: Zailiyskiy Alatau, Alma-Ata 1000m.
- 4640. *Micropsyche Mattoni,1981*** (Lycaenidae) *Micropsyche* Mattoni,1981, J. Res. Lepid. 18 (4): 256. Type-species: *Micropsyche ariana* Mattoni,1981, by original designation.
- 4641. *Micropsyche ariana Mattoni,1981*** (Lycaenidae) *Micropsyche ariana* Mattoni,1981, J. Res. Lepid. 18 (4): 256. Holotype: Afghanistan.
- 4642. *Micropsyche ariana ariana Mattoni,1981*** (Lycaenidae) *Micropsyche ariana* Mattoni,1981, J. Res. Lepid. 18 (4): 256. Holotype: Afghanistan.
- 4643. *Miletus ancon siamensis* (Godfrey,1916)** (Lycaenidae) *Gerydus ancon* ssp. *siamensis* Godfrey,1916, J. nat. Hist. Soc. Siam 2: 134. Syntypes: [Thailand]: Siam.
- 4644. *Miletus croton corus* Eliot,1961** (Lycaenidae) *Miletus croton* ssp. *corus* Eliot,1961, Bull. Raffles Mus. 26: 162. Holotype ♂: Ken District, Loi Mwe, 20.viii.1927 (ex Tytler coll.).
- 4645. *Miletus symethus* (Cramer,1777)** (Lycaenidae) *Papilio symethus* Cramer,1777, Uitl. Kapellen 2: Tab. cxlix, figs. B,C.
- 4646. *Myrina Fabricius,1807*** (Lycaenidae) *Myrina* Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 286. Type-species: *Papilio alcides* Cramer,[1776], by subsequent designation by Kirby,1870, J. linn. Soc. Lond., Zool. 10: 500.
- 4647. *Myrina silenus* (Fabricius,1775)** (Lycaenidae) *Papilio silenus* Fabricius,1775, Syst. Ent.: 531. Type(s): Sierra Leon Africae.
- 4648. *Myrina silenus ficedula* Trimen,1879** (Lycaenidae) *Myrina ficedula* Trimen,1879, Trans. ent. Soc. London 1879 (4): 340-342. Syntypes: South Africa: Cape Colony, Knysna Grahamstown, King William's Town Fort Warden, Kei River; Kafirland: Bashee R., Natal: Durban; Transvaal: Leydenburg.
- 4649. *Myrina silenus nzoiae* D'Abrera,1980** (Lycaenidae) *Myrina silenus* ssp. *nzoiae* D'Abrera,1980, Butterflies Afrotropical Region: 473. [treated as a subspecies; therefore nomenclaturally available].
- 4650. *Myrina silenus silenus* (Fabricius,1775)** (Lycaenidae) *Papilio silenus* Fabricius,1775, Syst. Ent.: 531. Type(s): Sierra Leon Africae.

- 4651. Neocheritra Distant, 1885** (Lycaenidae) *Neocheritra Distant, 1885*, Rhop. malayana: 252. Type-species: *Myrina amrita* Felder & Felder, 1860, by monotypy.
- 4652. Neolycaena (Rhymnaria) Zhdanko, 1983** (Lycaenidae) *Rhymnaria* Zhdanko, 1983, Ent. Obozr. 62 (1): 135, 150. Type-species: *Lycaena rhymnus* Eversmann, 1832, by original designation (proposed as a subgenus of *Neolycaena* De Nicev.).
- 4653. Neolycaena (Rhymnaria) aeto Zhdanko, [1996]** (Lycaenidae) *Neolycaena aeto* Zhdanko, [1996], Selevinia 1: 73. Holotype ♂: Tadjikistan...
- 4654. Neolycaena (Rhymnaria) aeto aeto Zhdanko, [1996]** (Lycaenidae) *Neolycaena aeto* Zhdanko, [1996], Selevinia 1: 73. Holotype ♂: Tadjikistan...
- 4655. Neolycaena (Rhymnaria) carbonaria (Groum-Grshimailo, 1890)** (Lycaenidae) *Lycaena tengstroemi* var. *carbonaria* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 387-388, pl.viii fig.9. Syntypes ♂♀: Goultscha.
- 4656. Neolycaena (Rhymnaria) carbonaria carbonaria (Groum-Grshimailo, 1890)** (Lycaenidae) *Lycaena tengstroemi* var. *carbonaria* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 387-388, pl.viii fig.9. Syntypes ♂♀: Goultscha.
- 4657. Neolycaena (Rhymnaria) connae Evans, 1932** (Lycaenidae) *Neolycaena connae* Evans, 1932, Identification Indian Butterflies (2): 247. Type(s): [Pakistan]: Baluchistan.
- 4658. Neolycaena (Rhymnaria) connae connae Evans, 1932** (Lycaenidae) *Neolycaena connae* Evans, 1932, Identification Indian Butterflies (2): 247. Type(s): [Pakistan]: Baluchistan.
- 4659. Neolycaena (Rhymnaria) davidi (Oberthür, 1881)** (Lycaenidae) *Lycaena tengstroemi* var. *davidi* Oberthür, 1881, Etüd. Ent. 6(3): 13, pl.8 fig.1. Syntypes: Russia: Tura.
- 4660. Neolycaena (Rhymnaria) davidi davidi (Oberthür, 1881)** (Lycaenidae) *Lycaena tengstroemi* var. *davidi* Oberthür, 1881, Etüd. Ent. 6(3): 13, pl.8 fig.1. Syntypes: Russia: Tura.
- 4661. Neolycaena (Rhymnaria) davidi tangutica (Groum-Grshimailo, 1891)** (Lycaenidae) *Lycaena tengstroemi* var. *tangutica* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 452. Syntypes: [China: Qinghai: Amdo]: Dshachar Mt.
- 4662. Neolycaena (Rhymnaria) eckweileri Lukhtanov, 1993** (Lycaenidae) *Neolycaena eckweileri* Lukhtanov, 1993, Atalanta 24: 65, figs. Holotype ♂: Kasachstan: Dschungarischer Alatau: Dshalanaschkol (175km E.Sharkent).
- 4663. Neolycaena (Rhymnaria) eckweileri eckweileri Lukhtanov, 1993** (Lycaenidae) *Neolycaena eckweileri* Lukhtanov, 1993, Atalanta 24: 65, figs. Holotype ♂: Kasachstan: Dschungarischer Alatau: Dshalanaschkol (175km E.Sharkent).
- 4664. Neolycaena (Rhymnaria) eckweileri transiliensis Lukhtanov, 1993** (Lycaenidae) *Neolycaena eckweileri* ssp. *transiliensis* Lukhtanov, 1993, Atalanta 24: 67, figs. Holotype ♂: Kasachstan: Transili-Alatau, Kaskelen.
- 4665. Neolycaena (Rhymnaria) falkovitshi Zhdanko & Korshunov, 1985** (Lycaenidae) *Neolycaena falkovitshi* Zhdanko & Korshunov, 1985, [in] Korshunov, Pauki i nasekomye Sibiri: 61. Holotype ♂: Russia: [Kemerovo Gebiet: Myski, Kusnezki Alatau]: Gornaja Schorija.
- 4666. Neolycaena (Rhymnaria) falkovitshi falkovitshi Zhdanko & Korshunov, 1985** (Lycaenidae) *Neolycaena falkovitshi* Zhdanko & Korshunov, 1985, [in] Korshunov, Pauki i nasekomye Sibiri: 61. Holotype ♂: Russia: [Kemerovo Gebiet: Myski, Kusnezki Alatau]: Gornaja Schorija.
- 4667. Neolycaena (Rhymnaria) iliensis (Groum-Grshimailo, 1891)** (Lycaenidae) *Lycaena tengstroemi* var. *iliensis* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 452. Syntypes: [China]: Ili: Sujdun [Süydong].
- 4668. Neolycaena (Rhymnaria) iliensis iliensis (Groum-Grshimailo, 1891)** (Lycaenidae) *Lycaena tengstroemi* var. *iliensis* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 452. Syntypes: [China]: Ili: Sujdun [Süydong].
- 4669. Neolycaena (Rhymnaria) irkuta Zhdanko, [1996]** (Lycaenidae) *Neolycaena irkuta* Zhdanko, [1996], Selevinia 1: 73. Holotype ♂: Russia: Irkut.
- 4670. Neolycaena (Rhymnaria) irkuta irkuta Zhdanko, [1996]** (Lycaenidae) *Neolycaena irkuta* Zhdanko, [1996], Selevinia 1: 73. Holotype ♂: Russia: Irkut.
- 4671. Neolycaena (Rhymnaria) kozlovi Zhdanko, [1996]** (Lycaenidae) *Neolycaena kozlovi* Zhdanko, [1996], Selevinia 2: 95. Holotype ♂: Mongolia: Gobi.
- 4672. Neolycaena (Rhymnaria) kozlovi kozlovi Zhdanko, [1996]** (Lycaenidae) *Neolycaena kozlovi* Zhdanko, [1996], Selevinia 2: 95. Holotype ♂: Mongolia: Gobi.
- 4673. Neolycaena (Rhymnaria) rhymnus (Eversmann, 1832)** (Lycaenidae) *Lycaena rhymnus* Eversmann, 1832, Nouv. Mém. Soc. nat. Moscou 2: 350, pl.19 figs.1,2. Lectotype ♂: Russia: Wolga Gebiet, Sergievsk (designated by Zhdanko, 1983, Ent Obozr. 62(1): 150).
- 4674. Neolycaena (Rhymnaria) rhymnus betpakdalensis Zhdanko, 1998** (Lycaenidae) *Neolycaena rhymnus* ssp. *betpakdalensis* Zhdanko, 1998, Ent. Obozr. 77 (3): 645. Holotype ♂: Kazakhstan: Betpakdal.
- 4675. Neolycaena (Rhymnaria) rhymnus rhymnus (Eversmann, 1832)** (Lycaenidae) *Lycaena rhymnus* Eversmann, 1832, Nouv. Mém. Soc. nat. Moscou 2: 350, pl.19 figs.1,2. Lectotype ♂: Russia: Wolga Gebiet, Sergievsk (designated by Zhdanko, 1983, Ent Obozr. 62(1): 150).
- 4676. Neolycaena (Rhymnaria) rufina Lukhtanov, 1994** (Lycaenidae) *Neolycaena rufina* Lukhtanov, 1994, Atalanta 25 (1/2): 200-202, Taf. Holotype ♂: Kasachstan: Dshungarischer Alatau, Katutau-Gebirge, Koibyn-Tal, 60km W. Dsharkent, 1000m.
- 4677. Neolycaena (Rhymnaria) rufina rufina Lukhtanov, 1994** (Lycaenidae) *Neolycaena rufina* Lukhtanov, 1994, Atalanta 25 (1/2): 200-202, Taf. Holotype ♂: Kasachstan: Dshungarischer Alatau, Katutau-Gebirge, Koibyn-Tal, 60km W. Dsharkent, 1000m.
- 4678. Neolycaena (Rhymnaria) sajana Zhdanko, [1996]** (Lycaenidae) *Neolycaena sajana* Zhdanko, [1996], Selevinia 2: 95. Holotype ♂: Russia: Sajan.
- 4679. Neolycaena (Rhymnaria) sajana sajana Zhdanko, [1996]** (Lycaenidae) *Neolycaena sajana* Zhdanko, [1996], Selevinia 2: 95. Holotype ♂: Russia: Sajan.
- 4680. Neolycaena (Rhymnaria) submontana Zhdanko, [1996]** (Lycaenidae) *Neolycaena submontana* Zhdanko, [1996], Selevinia 1: 74. Holotype ♂: Kazakhstan: Almaty, Zailisky Alatau.
- 4681. Neolycaena (Rhymnaria) submontana oschi Zhdanko, 1998** (Lycaenidae) *Neolycaena submontana* ssp. *oschi* Zhdanko, 1998, Ent. Obozr. 77 (3): 650. Holotype ♂: Kirgizistan: Osch.
- 4682. Neolycaena (Rhymnaria) submontana saurica Zhdanko, 1998** (Lycaenidae) *Neolycaena submontana* ssp. *saurica* Zhdanko, 1998, Ent. Obozr. 77 (3): 650. Holotype ♂: Kazakhstan: Tarbagatai, Saur Mts.
- 4683. Neolycaena (Rhymnaria) submontana submontana Zhdanko, [1996]** (Lycaenidae) *Neolycaena submontana* Zhdanko, [1996], Selevinia 1: 74. Holotype ♂: Kazakhstan: Almaty, Zailisky Alatau.
- 4684. Neolycaena (Rhymnaria) tengstroemi (Erschoff, 1874)** (Lycaenidae) *Lycaena tengstroemi* Erschoff, 1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 11, Taf.1 fig.8. Syntypes: [Kasachstan]: in der Kisilkum Wüste, am Syr-Darja.
- 4685. Neolycaena (Rhymnaria) tengstroemi balchaschensis Zhdanko, 1998** (Lycaenidae) *Neolycaena tengstroemi* ssp. *balchaschensis* Zhdanko, 1998, Ent. Obozr. 77 (3): 648-649. Holotype ♂: Kazakhstan: Balchasch.
- 4686. Neolycaena (Rhymnaria) tengstroemi kasakhstana Lukhtanov, 1990** (Lycaenidae) *Neolycaena tengstroemi* ssp. *kasakhstana* Lukhtanov, 1990, Vestn. zool. 1990 (6): 19-21, figs. Holotype ♂: West Kasachstan: Mangyshlak peninsula, Shetpe, 300m.
- 4687. Neolycaena (Rhymnaria) tengstroemi tengstroemi (Erschoff, 1874)** (Lycaenidae) *Lycaena tengstroemi* Erschoff, 1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 11, Taf.1 fig.8. Syntypes: [Kasachstan]: in der Kisilkum Wüste, am Syr-Darja.
- 4688. Neolycaena (s.str.) lunara Zhdanko, 1998** (Lycaenidae) *Neolycaena lunara* Zhdanko, 1998, Zool. Zh. 77 (2): 198-199, figs. 1,5; 2,3. Holotype ♂: Tadjikistan.
- 4689. Neolycaena (s.str.) lunara lunara Zhdanko, 1998** (Lycaenidae) *Neolycaena lunara* Zhdanko, 1998, Zool. Zh. 77 (2): 198-199, figs. 1,5; 2,3. Holotype ♂: Tadjikistan.
- 4690. Neolycaena (s.str.) medea Zhdanko, 1998** (Lycaenidae) *Neolycaena medea* Zhdanko, 1998, Zool. Zh. 77 (2): 196-198, figs. 1,6; 2,1. Holotype ♂: Kirgizistan: Terskey Alatau, Tamga, 2500m.
- 4691. Neolycaena (s.str.) medea medea Zhdanko, 1998** (Lycaenidae) *Neolycaena medea* Zhdanko, 1998, Zool. Zh. 77 (2): 196-198, figs. 1,6; 2,1. Holotype ♂: Kirgizistan: Terskey Alatau, Tamga, 2500m.
- 4692. Neolycaena (s.str.) olga Lukhtanov, 1999** (Lycaenidae) *Neolycaena (s.str.) olga* Lukhtanov, 1999, Atalanta 30 (1/4): 131-133,

- Taf. ixb, Abb.1-6. Holotype ♂: Kirgisien: Tienschan: Suusamyr-Kette, Kysyloi 30km W. Tschack, 1800m. (ZISP).
- 4693. Neolycaena (s.str.) olga olga Lukhtanov,1999** (Lycaenidae) Neolycaena (s.str.) olga Lukhtanov,1999, Atalanta 30 (1/4): 131-133, Taf. ixb, Abb.1-6. Holotype ♂: Kirgisien: Tienschan: Suusamyr-Kette, Kysyloi 30km W. Tschack, 1800m. (ZISP).
- 4694. Neolycaena (s.str.) pretiosa (Lang,1884)** (Lycaenidae) Lycaena pretiosa Lang,1884, Rhopalocera europa descripta delineata 1: 370. Type(s): [Uzbekistan]: Margelan.
- 4695. Neolycaena (s.str.) pretiosa pretiosa (Lang,1884)** (Lycaenidae) Lycaena pretiosa Lang,1884, Rhopalocera europa descripta delineata 1: 370. Type(s): [Uzbekistan]: Margelan.
- 4696. Neolycaena (s.str.) sinensis (Alpheraky,1881)** (Lycaenidae) Lycaena sinensis Alpheraky,1881, Horae Soc. ent. ross. 16: 383, pl.14 fig.7. Syntypes: [China: Uighur A.R.]: Kuldja.
- 4697. Neolycaena (s.str.) sinensis sinensis (Alpheraky,1881)** (Lycaenidae) Lycaena sinensis Alpheraky,1881, Horae Soc. ent. ross. 16: 383, pl.14 fig.7. Syntypes: [China: Uighur A.R.]: Kuldja.
- 4698. Neolycaena De Nicéville,1890** (Lycaenidae) Neolycaena De Nicéville,1890, Butts India Burmah Ceylon 3: 15, 64. Type-species: Lycaena sinensis Alpheraky,1881, by original designation.
- 4699. Neopithecops Distant,1884** (Lycaenidae) Neopithecops Distant,1884, Rhop. malayana: 197, 209. Type-species: Pithecops dharma Moore,[1881], by original designation [Gender masculine].
- 4700. Neopithecops zalmora (Butler,1870)** (Lycaenidae) Pithecops zalmora Butler,1870, Cat. diurn. Lep. Fabricius: 161.
- 4701. Neopithecops zalmora andamanus Eliot & Kawazoe,1984** (Lycaenidae) Neopithecops zalmora ssp. andamanus Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 45, figs. Holotype ♂: Andaman Is.: S. Andaman I. (M.L.Ferrar coll.) (BMNH).
- 4702. Neopithecops zalmora dharma (Moore,1881)** (Lycaenidae) Pithecops dharma Moore,1881, Lepid. Ceylon 1: 72, pl.34 fig.4. Type ♀: [Sri Lanka]: Ceylon (BMNH).
- 4703. Neopithecops zalmora pertimidis Toxopeus,1930** (Lycaenidae) Neopithecops pertimidis Toxopeus,1930, De soort als Functie van Plaatsen Tidj...: 106. Holotype ♂: Borneo.
- 4704. Neopithecops zalmora zalmora (Butler,1870)** (Lycaenidae) Pithecops zalmora Butler,1870, Cat. diurn. Lep. Fabricius: 161.
- 4705. Neozephyrus Sibatani & Ito,1942** (Lycaenidae) Neozephyrus Sibatani & Ito,1942, Tenthredo 3(4): 324. Type-species: Thecla taxila Bremer,1861, by original designation.
- 4706. Neozephyrus ataxus (Westwood,[1851])** (Lycaenidae) Dipsas ataxus Westwood,[1851], [in] Doubleday, Genera diurn. lepid. (2): pl.74, fig.7; ibid. (2): 480 [1852]. Type (s): India: Simla.
- 4707. Neozephyrus ataxus ataxus (Westwood,[1851])** (Lycaenidae) Dipsas ataxus Westwood,[1851], [in] Doubleday, Genera diurn. lepid. (2): pl.74, fig.7; ibid. (2): 480 [1852]. Type (s): India: Simla.
- 4708. Neozephyrus birupa (Moore,1877)** (Lycaenidae) Thecla birupa Moore,1877, Ann. Mag. nat. Hist. 20: 51.
- 4709. Neozephyrus birupa birupa (Moore,1877)** (Lycaenidae) Thecla birupa Moore,1877, Ann. Mag. nat. Hist. 20: 51.
- 4710. Neozephyrus japonicus (Murray,1875)** (Lycaenidae) Dipsas japonica Murray,1875, Entomologist's mon. Mag. 11: 169. Syntypes ♂♂: Japonia.
- 4711. Neozephyrus japonicus japonicus (Murray,1875)** (Lycaenidae) Dipsas japonica Murray,1875, Entomologist's mon. Mag. 11: 169. Syntypes ♂♂: Japonia.
- 4712. Neozephyrus smaragdinus (Bremer,1861)** (Lycaenidae) Thecla smaragdina Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 470. Type(s): Russia: Amur.
- 4713. Neozephyrus smaragdinus smaragdinus (Bremer,1861)** (Lycaenidae) Thecla smaragdina Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 470. Type(s): Russia: Amur.
- 4714. Neozephyrus souleana (Riley,1939)** (Lycaenidae) Thecla souleana Riley,1939, Novit. zool. 41: 357. Holotype ♂: West China: Szechuan: Talu distr.: Yaréngong (BMNH).
- 4715. Neozephyrus souleana souleana (Riley,1939)** (Lycaenidae) Thecla souleana Riley,1939, Novit. zool. 41: 357. Holotype ♂: West China: Szechuan: Talu distr.: Yaréngong (BMNH).
- 4716. Neozephyrus syla (Kollar,[1844])** (Lycaenidae) Thecla syla Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 414, Taf.4, figs.7,8. Type(s): Kaschmir.
- 4717. Neozephyrus syla syla (Kollar,[1844])** (Lycaenidae) Thecla syla Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 414, Taf.4, figs.7,8. Type(s): Kaschmir.
- 4718. Niphanda Moore,[1875]** (Lycaenidae) Niphanda Moore,[1875], Proc. zool. Soc. Lond. 1874 (4): 572. Type-species: Niphanda tessellata Moore,[1875], ibid. 1874: 572, pl.66 fig.6, by monotypy.
- 4719. Oraidium Bethune-Baker,1914** (Lycaenidae) Oraidium Bethune-Baker,1914, Trans. ent. Soc. London 1914: 331. Type-species: Lycaena barberae Trimen,1868, by original designation.
- 4720. Oreolyce (Arletta) Hemming,1935** (Lycaenidae) Arletta Hemming,1935, Stylops 4: 3. Type-species: Polyommatus vardhana Moore,[1875], designated through Section (i) (replacement names) of Article 67.
- 4721. Oreolyce (Arletta) vardhana (Moore,1874)** (Lycaenidae) Polyommatus vardhana Moore,1874, Proc. zool. Soc. Lond. 1874: 572-573, pl.lxvi fig. 5. Syntypes 4♂ 3♀: Busahir: Jako, valley of Rupin river. Lectotype ♂: India (BMNH), (designated by Eliot & Kawazoe, 1983: 35).
- 4722. Oreolyce (Arletta) vardhana nepalica (Forster,1980)** (Lycaenidae) Arletta vardhana ssp. nepalica Forster,1980, Spixiana 3 (1): 6, figs. 17-20. Holotype ♂: Nepal (ZSM).
- 4723. Oreolyce (Arletta) vardhana vardhana (Moore,1874)** (Lycaenidae) Polyommatus vardhana Moore,1874, Proc. zool. Soc. Lond. 1874: 572-573, pl.lxvi fig. 5. Syntypes 4♂ 3♀: Busahir: Jako, valley of Rupin river. Lectotype ♂: India (BMNH), (designated by Eliot & Kawazoe, 1983: 35).
- 4724. Oreolyce (s.str.) Toxopeus,1927** (Lycaenidae) Oreolyce Toxopeus,1927, Tijdschr. Ent. 70: 256, 277. Type-species: Lycaena quadriplaga Snellen,1892, by original designation.
- 4725. Oreolyce (s.str.) archena (Corbet,1940)** (Lycaenidae) Celastrina nearcha ssp. archena Corbet,1940, Proc. R. ent. Soc. Lond. (B) 9: 143. Holotype ♂: West Malaysia, 3500ft [1070m] (BMNH).
- 4726. Oreolyce (s.str.) archena archena (Corbet,1940)** (Lycaenidae) Celastrina nearcha ssp. archena Corbet,1940, Proc. R. ent. Soc. Lond. (B) 9: 143. Holotype ♂: West Malaysia, 3500ft [1070m] (BMNH).
- 4727. Oreolyce (s.str.) archena bouldoides Eliot & Kawazoe,1984** (Lycaenidae) Oreolyce (Oreolyce) archena ssp. bouldoides Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 32-33, figs. Holotype ♂: [Indonesia]: Sumatra: Liwa, 900-1400m (leg. W.Doherty) (BMNH).
- 4728. Oreolyce (s.str.) bouldi (Chapman,1912)** (Lycaenidae) Notarthrinus bouldi Chapman,1912, Entomologist's mon. Mag. 48: 103, pl.6 figs.1,2,5. Holotype ♂: Borneo: Sarawak (BMNH).
- 4729. Oreolyce (s.str.) bouldi bouldi (Chapman,1912)** (Lycaenidae) Notarthrinus bouldi Chapman,1912, Entomologist's mon. Mag. 48: 103, pl.6 figs.1,2,5. Holotype ♂: Borneo: Sarawak (BMNH).
- 4730. Oreolyce (s.str.) dohertyi (Tytler,1915)** (Lycaenidae) Cyaniris dohertyi Tytler,1915, J. Bombay nat. Hist. Soc. 24: 121, pl.4 figs. 45,46. Lectotype ♂: India: Naga Hills (BMNH) (designated by Eliot & Kawazoe, 1983: 33).
- 4731. Oreolyce (s.str.) dohertyi dohertyi (Tytler,1915)** (Lycaenidae) Cyaniris dohertyi Tytler,1915, J. Bombay nat. Hist. Soc. 24: 121, pl.4 figs. 45,46. Lectotype ♂: India: Naga Hills (BMNH) (designated by Eliot & Kawazoe, 1983: 33).
- 4732. Oreolyce (s.str.) nearcha (Fruhstorfer,1917)** (Lycaenidae) Lycaenopsis (Notarthrinus) quadriplaga ssp. nearcha Fruhstorfer,1917, Arch. Naturgesch. 82 (A) (1) 1916: 38, pl.1 fig.11. Lectotype ♂: [Indonesia]: Sumatra (BMNH) (designated by Eliot & Kawazoe, 1983: 29).
- 4733. Oreolyce (s.str.) nearcha nearcha (Fruhstorfer,1917)** (Lycaenidae) Lycaenopsis (Notarthrinus) quadriplaga ssp. nearcha Fruhstorfer,1917, Arch. Naturgesch. 82 (A) (1) 1916: 38, pl.1 fig.11. Lectotype ♂: [Indonesia]: Sumatra (BMNH) (designated by Eliot & Kawazoe, 1983: 29).
- 4734. Oreolyce (s.str.) quadriplaga (Snellen,1892)** (Lycaenidae) Lycaena quadriplaga Snellen,1892, J. Lepid. Soc. 26: 143. Lectotype ♂: [Indonesia]: Java: [East Java] (BMNH) (selected by de Jong, designated by Eliot & Kawazoe, 1983: 28).
- 4735. Oreolyce (s.str.) quadriplaga quadriplaga (Snellen,1892)** (Lycaenidae) Lycaena quadriplaga Snellen,1892, J. Lepid. Soc. 26: 143. Lectotype ♂: [Indonesia]: Java: [East Java] (BMNH) (selected by de Jong, designated by Eliot & Kawazoe, 1983: 28).
- 4736. Oreolyce Toxopeus,1927** (Lycaenidae) Oreolyce Toxopeus,1927, Tijdschr. Ent. 70: 256, 277. Type-species: Lycaena quadriplaga Snellen,1892, by original designation.
- 4737. Orthomiella ronkayana Balint,1997** (Lycaenidae) Orthomiella ronkayana Balint,1997, Folia ent hung. 58: 6-7, figs.

Holotype ♀: Nepal: Koshi, Taplejung area SW of Mamanke, 1700m (HNHM).

4738. Otnjukovia Zhdanko,1997 (Lycaenidae) Otnjukovia Zhdanko,1997, Zoosyst. ross. 5(2): 312. Type-species: Turanana (Otaria) tatjana Zhdanko,1984, Trudy zool. Inst. Leningr. 122: 104, designation through Section (i) of Article 67 (replacement name).

4739. Otnjukovia tatjana (Zhdanko,1984) (Lycaenidae) Turanana (Otaria) tatjana Zhdanko,1984, Trudy zool. Inst. Leningr. 122: 104. Holotype ♂: Kazakhstan: 11 km S Otar (170km W. Alma-Ata)".

4740. Otnjukovia tatjana tatjana (Zhdanko,1984) (Lycaenidae) Turanana (Otaria) tatjana Zhdanko,1984, Trudy zool. Inst. Leningr. 122: 104. Holotype ♂: Kazakhstan: 11 km S Otar (170km W. Alma-Ata)".

4741. Oxyliodes Hübner,[1819] (Lycaenidae) Oxyliodes Hübner,[1819], Verz. bekannt. Schmett. (5): 77. Type-species: Papilio faunus Drury,[1773], Ill. nat. Hist. 2: index et 2, pl.1, figs. 4,5., by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 234.

4742. Palaeochrysophanus candens (Herrich-Schäffer,[1845]) (Lycaenidae) Polyommatus candens Herrich-Schäffer,[1845], Syst. Bearb. Schmett. Eur. 1: 133, figs.240-243. Syntypes: [Türkei]: Brussa [Bursa, Uludagh].

4743. Palaeochrysophanus candens candens (Herrich-Schäffer,[1845]) (Lycaenidae) Polyommatus candens Herrich-Schäffer,[1845], Syst. Bearb. Schmett. Eur. 1: 133, figs.240-243. Syntypes: [Türkei]: Brussa [Bursa, Uludagh].

4744. Palaeochrysophanus candens candissima (Pfeiffer,1937) (Lycaenidae) Chrysophanus hippothoe ssp. candissima Pfeiffer,1937, Mitt. münch. ent. Ges. 27: 36. Holotype ♂: Iran: Elbursgebirge: Tacht-i-Suleiman- Gruppe, Kendevan-Pass, 3000m. (in coll. Pfeiffer) (ZSM).

4745. Palaeochrysophanus candens leonhardi (Fruhstorfer,1917) (Lycaenidae) Chrysophanus hippothoe ssp. leonhardi Fruhstorfer,1917, Ent. Rdsch. 34: 16. Syntypes: Bulgarien: Rila Mts.; Bosnien-Herzegowina: Vucijabara.

4746. Palaeochrysophanus candens pfeifferi (Beuret,1952) (Lycaenidae) Palaeochrysophanus candens ssp. pfeifferi Beuret,1952, Mitt. ent. Ges. Basel 2: 59-60. Syntypes: [Georgia]: Achalzich.

4747. Palaeochrysophanus hippothoe (Linnaeus,1761) (Lycaenidae) Papilio hippothoe Linnaeus,1761, Fauna Suecica: 274. Syntypes: Schweden.

4748. Palaeochrysophanus hippothoe hippothoe (Linnaeus,1761) (Lycaenidae) Papilio hippothoe Linnaeus,1761, Fauna Suecica: 274. Syntypes: Schweden.

4749. Palaeochrysophanus hippothoe sajana (Kozhantschikov,1923) (Lycaenidae) Chrysophanus hippothoe ssp. sajana Kozhantschikov,1923, Jb. Staatsmus. Minussinsk 1: 10. Type(s): Russia: Sajan Gebirge, Bubja-See, 1400m.

4750. Palaeochrysophanus hippothoe stiberi (Gerhard,1853) (Lycaenidae) Polyommatus stiberi Gerhard,1853, Versuch Monogr. eur. Schmett.: t.35, figs. 1a-b. Type(s): Lapponia.

4751. Palaeochrysophanus Verity,1943 (Lycaenidae) Palaeochrysophanus Verity,1943, Le Farfalle diurn. d'Italia 2: 23.64. Type-species: Papilio hippothoe Linnaeus,1761, Fauna suecica (ed.2): 274, by original designation.

4752. Palaeophilotes (Inderskia) panope (Eversmann,1851) (Lycaenidae) Lycaena panope Eversmann,1851, Bull. Soc. nat. Moscou 24 (2): 619. Syntypes ♂♀: "les steppes baignées de l'Oural inferieur" [Kasachstan: Indersk].

4753. Palaeophilotes (Inderskia) panope panope (Eversmann,1851) (Lycaenidae) Lycaena panope Eversmann,1851, Bull. Soc. nat. Moscou 24 (2): 619. Syntypes ♂♀: "les steppes baignées de l'Oural inferieur" [Kasachstan: Indersk].

4754. Palaeophilotes (s.str.) Forster,1938 (Lycaenidae) Palaeophilotes Forster,1938, Mitt. münch. ent. Ges. 28: 105. Type-species: Lycaena triphysina Staudinger,[1892], Dt. ent. Z., Iris 4: 235-236, Taf.III, fig.2, by original designation.

4755. Palaeophilotes (s.str.) triphysina (Staudinger,[1892]) (Lycaenidae) Lycaena triphysina Staudinger,[1892], Dt. ent. Z., Iris 4: 235-236, Taf.III, fig.2. Syntypes: [China: Uighur A.R.]: Kaschgar-Gebiet.

4756. Palaeophilotes (s.str.) triphysina triphysina (Staudinger,[1892]) (Lycaenidae) Lycaena triphysina Staudinger,[1892], Dt. ent. Z., Iris 4: 235-236, Taf.III, fig.2. Syntypes: [China: Uighur A.R.]: Kaschgar-Gebiet.

4757. Palaeophilotes Forster,1938 (Lycaenidae) Palaeophilotes Forster,1938, Mitt. münch. ent. Ges. 28: 105. Type-species: Lycaena triphysina Staudinger,[1892], Dt. ent. Z., Iris 4: 235-236, Taf.III, fig.2, by original designation.

4758. Pamela Hemming,1933 (Lycaenidae) Pamela Hemming,1933, Stylops 4: 3. Type-species: Listeria dudgeonii De Nicéville,1894, by designation through Section (i) (replacement names) of Article 67.

4759. Pentila tropicalis fuscipunctata Henning & Henning,1994 (Lycaenidae) Pentila tropicalis ssp. fuscipunctata Henning & Henning,1994, [in] Pringle et al.,1994, Pennington's Butts. Southern Africa (2nd Edn.): 127-128, pl.116. Holotype ♂: South Africa: Thohoyandou, Venda: Tchatchingo Potholes, 16 Apr.1988 Henning leg. (TMP).

4760. Phasis Hübner,[1819] (Lycaenidae) Phasis Hübner,[1819], Verz. bekannt. Schmett. (5): 73. Type-species: Papilio salmoneus Stoll,[1781], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 247.

4761. Phoenicurusia Verity,1943 (Lycaenidae) Phoenicurusia Verity,1943, Le Farfalle diurn. d'Italia 2: 21. Type-species: Polyommatus phoenicurus Lederer,1870, Horae Soc. ent. ross. 8: 8, pl.1 figs. 4,5, by original designation.

4762. Phoenicurusia alexandra (Püngeler,1901) (Lycaenidae) Chrysophanus athamantis var. alexandra Püngeler,1901, Dt. ent. Z., Iris 14: 179, Taf.2 figs.6, 6a, 6b. Syntypes: [Kirghizistan]: Alexander Gebirge.

4763. Phoenicurusia alexandra alexandra (Püngeler,1901) (Lycaenidae) Chrysophanus athamantis var. alexandra Püngeler,1901, Dt. ent. Z., Iris 14: 179, Taf.2 figs.6, 6a, 6b. Syntypes: [Kirghizistan]: Alexander Gebirge.

4764. Phoenicurusia alexandra darja (Zhdanko,1990) (Lycaenidae) Athamanthia alexandra ssp. darja Zhdanko,1990, Ent. Obozr. 69: 141-143. Holotype: [Kasachstan]: Syrdarja Karatau, Baigakum.

4765. Phoenicurusia alexandra zhanibeki (Zhdanko,1999) (Lycaenidae) Athamanthia alexandra ssp. zhanibeki Zhdanko,1999, Tethys 1: 215. Holotype ♂: Kazakhstan: Djarkent, 1200m.

4766. Phoenicurusia athamantis (Eversmann,1854) (Lycaenidae) Polyommatus athamantis Eversmann,1854, Bull. Soc. imp. Nat. Moscou 27: 180-181, figs.3,4. Syntypes: Südl. Kirghisen-Steppen; Aralsee.

4767. Phoenicurusia athamantis athamantis (Eversmann,1854) (Lycaenidae) Polyommatus athamantis Eversmann,1854, Bull. Soc. imp. Nat. Moscou 27: 180-181, figs.3,4. Syntypes: Südl. Kirghisen-Steppen; Aralsee.

4768. Phoenicurusia athamantis balucha (Howarth & Povolny,1976) (Lycaenidae) Lycaena athamantis ssp. balucha Howarth & Povolny,1976, Cas. morav. Mus. Brne 61: 150. Holotype ♂: Pakistan: Baluchistan: Old Urak (BMNH).

4769. Phoenicurusia athamantis iliensis (Staudinger,1886) (Lycaenidae) Polyommatus phoenicurus var. iliensis Staudinger,1886, Stettin ent. Ztg. 47: 203. Syntypes ♂♀: [China: Uigur A.R.]: Kuldja-District.

4770. Phoenicurusia athamantis povolnyi (Howarth & Povolny,1976) (Lycaenidae) Lycaena athamantis ssp. povolnyi Howarth & Povolny,1976, Cas. morav. Mus. Brne 61: 149-150. Holotype ♂: Afghanistan: Sarobi.

4771. Phoenicurusia dimorpha (Staudinger,1881) (Lycaenidae) Polyommatus dimorphus Staudinger,1881, Stettin ent. Ztg. 42: 282. Syntypes 1♂ 5♀: [Kasachstan]: Dschungarischer Alatau: Lepsa.

4772. Phoenicurusia dimorpha bogutena (Zhdanko,1990) (Lycaenidae) Athamanthia dimorpha ssp. bogutena Zhdanko,1990, Ent. Obozr. 69: 141. Holotype: Kasachstan: Sartugai im Boguty-Gebirge [Alma-Ata-Gebiet, 5km W. Tscharyn].

4773. Phoenicurusia dimorpha dimorpha (Staudinger,1881) (Lycaenidae) Polyommatus dimorphus Staudinger,1881, Stettin ent. Ztg. 42: 282. Syntypes 1♂ 5♀: [Kasachstan]: Dschungarischer Alatau: Lepsa.

4774. Phoenicurusia dimorpha funeraria (Nekrutenko,1984) (Lycaenidae) Lycaena dimorpha ssp. funeraria Nekrutenko,1984, Vestn. zool. 1984 (6): 47. Holotype ♂: [Uzbekistan]: Burtschmulla im Tschatkal-Gebirge.

4775. Phoenicurusia dimorpha infera (Nekrutenko,1984) (Lycaenidae) Lycaena dimorpha ssp. infera Nekrutenko,1984, Vestn. zool. 1984 (6): 47. Holotype ♂: [Uzbekistan]: Taschkent: Chumsan im Karshantau-Gebirge.

4776. Phoenicurusia dimorpha irghiza (Nekrutenko,1984) (Lycaenidae) Lycaena japhetica ssp. irghiza Nekrutenko,1984, Vestn. zool. 1984 (6): 31, figs. Holotype ♂: [Kasachstan]: Aktjubinsk: Irgiz.

4777. Phoenicurusia dimorpha turgena (Zhdanko,1990) (Lycaenidae) Athamanthia dimorpha ssp. turgena Zhdanko,1990, Ent.

Obozr. 69: 140. Holotype: Kasachstan: [85km E. Alma-Ata]: Transili-Alatau: Turgen Schlucht.

4778. *Phoenicurusia eitschbergeri* (Lukhtanov,1993) (Lycaenidae) *Athamanthia eitschbergeri* Lukhtanov,1993, Atalanta 24: 71. Holotype ♂: Kirghizistan: westl. Terskei-Alatau.

4779. *Phoenicurusia eitschbergeri eitschbergeri* (Lukhtanov,1993) (Lycaenidae) *Athamanthia eitschbergeri* Lukhtanov,1993, Atalanta 24: 71. Holotype ♂: Kirghizistan: westl. Terskei-Alatau.

4780. *Phoenicurusia issykkuli* (Zhdanko,1990) (Lycaenidae) *Athamanthia issykkuli* Zhdanko,1990, Ent. Obozr. 69 (1): 135, figs. 4,5. Holotype ♂: [Kirghizistan]: Issyk-Kul.

4781. *Phoenicurusia issykkuli issykkuli* (Zhdanko,1990) (Lycaenidae) *Athamanthia issykkuli* Zhdanko,1990, Ent. Obozr. 69 (1): 135, figs. 4,5. Holotype ♂: [Kirghizistan]: Issyk-Kul.

4782. *Phoenicurusia japhetica* (Nekrutenko & Effendi,1983) (Lycaenidae) *Lycaena japhetica* Nekrutenko & Effendi,1983, Vestn. zool. (4): 12, pl.1 figs. Holotype ♂: [Aserbaidjan]: Apsheeron, Tazakend, Dizavar-çay, 250m

4783. *Phoenicurusia japhetica japhetica* (Nekrutenko & Effendi,1983) (Lycaenidae) *Lycaena japhetica* Nekrutenko & Effendi,1983, Vestn. zool. (4): 12, pl.1 figs. Holotype ♂: [Aserbaidjan]: Apsheeron, Tazakend, Dizavar-çay, 250m

4784. *Phoenicurusia phoenicura* (Lederer,1870) (Lycaenidae) *Polyommatus phoenicurus* Lederer,1870, Horae Soc. ent. ross. 8: 8-9, Taf.I figs.4,5. Syntypes 13♂♂: [Iran]: Astrabad [=Gorgan]. Lectotype ♂, designated by Nekrutenko,1995 [in] Hesselbarth et al., p.499 (ZMHB).

4785. *Phoenicurusia phoenicura athamantides* (Eckweiler & Ten Hagen,2001) (Lycaenidae) *Lycaena* (*Phoenicurusia*) *phoenicurus* ssp. *athamantides* Eckweiler & Ten Hagen,2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 49-52, figs. Holotype ♂: Iran: Yazd, Shir Kuh, Sanich Abad, 30km SW Taft, 2800-3000m (SMFL).

4786. *Phoenicurusia phoenicura phoenicura* (Lederer,1870) (Lycaenidae) *Polyommatus phoenicurus* Lederer,1870, Horae Soc. ent. ross. 8: 8-9, Taf.I figs.4,5. Syntypes 13♂♂: [Iran]: Astrabad [=Gorgan]. Lectotype ♂, designated by Nekrutenko,1995 [in] Hesselbarth et al., p.499 (ZMHB).

4787. *Phoenicurusia phoenicura scintillans* (Christoph,1887) (Lycaenidae) *Polyommatus phoenicurus* var. *scintillans* Christoph,1887, Stettin ent. Ztg. 48: 162. Syntypes: [Turkmenistan]: Germob (Achal-Tekke Gebiet).

4788. *Phoenicurusia phoenicura transcaucasica* (Miller,1923) (Lycaenidae) *Chrysophanus phoenicurus transcaasicus* Miller,1923, Bull. Soc. ent. Moscou 2: 98. Syntypes: [Türkei]: Cars [Kars]: Kagyzman Tadanka-Tal, 1700-1800m.

4789. *Phoenicurusia rushanica* (Zhdanko,1990) (Lycaenidae) *Athamanthia rushanica* Zhdanko,1990, Ent. Obozr. 69 (1): 138, figs. 6,7. Holotype ♂: Tadjikistan: Pamir: Chorog, 2500m.

4790. *Phoenicurusia rushanica rushanica* (Zhdanko,1990) (Lycaenidae) *Athamanthia rushanica* Zhdanko,1990, Ent. Obozr. 69 (1): 138, figs. 6,7. Holotype ♂: Tadjikistan: Pamir: Chorog, 2500m.

4791. *Plebejus* (Alpherakya) *Zhdanko,1994* (Lycaenidae) *Pamiria* Zhdanko,1994, Selevinia 2: 94-95. Type-species: by original designation.

4792. *Plebejus* (Alpherakya) *bellonus* (Groum-Grshimailo,1888) (Lycaenidae) *Lycaena bellona* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 306. Syntypes ♂♂: Afghanistan: Roschan. Lectotype ♂: Koudara, designated by Balint,1999, Neue ent. Nachr. 46: 19 (BMNH).

4793. *Plebejus* (Alpherakya) *bellonus bellonus* (Groum-Grshimailo,1888) (Lycaenidae) *Lycaena bellona* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 306. Syntypes ♂♂: Afghanistan: Roschan. Lectotype ♂: Koudara, designated by Balint,1999, Neue ent. Nachr. 46: 19 (BMNH).

4794. *Plebejus* (Alpherakya) *devanicus* (Moore,1874) (Lycaenidae) *Polyommatus devanica* Moore,1874, Proc. zool. Soc. Lond. 1874: 573, pl.lxvi fig. 4. Syntypes: Ladak, Dras valley.

4795. *Plebejus* (Alpherakya) *devanicus devanicus* (Moore,1874) (Lycaenidae) *Polyommatus devanica* Moore,1874, Proc. zool. Soc. Lond. 1874: 573, pl.lxvi fig. 4. Syntypes: Ladak, Dras valley.

4796. *Plebejus* (Alpherakya) *devanicus kohibabaensis* (Sakai,1978) (Lycaenidae) *Polyommatus devanica* ssp. *kohibabaensis* Sakai,1978, Atalanta 9(1): 116, fig. Holotype ♂: Afghanistan: Paghman Mts., 3500-3800m.

4797. *Plebejus* (Alpherakya) *pilgram Balint & Johnson,1997* (Lycaenidae) *Plebejus pilgram* Balint & Johnson,1997, Neue ent.

Nachr. 40: 16, nota 12 (nomen novum pro *Lycaena serica* Groum-Grsh.,1902 nec Felder,1862).

4798. *Plebejus* (Alpherakya) *pilgram pilgram Balint & Johnson,1997* (Lycaenidae) *Plebejus pilgram* Balint & Johnson,1997, Neue ent. Nachr. 40: 16, nota 12 (nomen novum pro *Lycaena serica* Groum-Grsh.,1902 nec Felder,1862).

4799. *Plebejus* (Alpherakya) *sartoides* (Swinhoe,1910) (Lycaenidae) *Lycaena sartoides* Swinhoe,1910, [in] Moore,F., Lepid. Ind. 1910: 21-22. Syntypes: [Pakistan]: Chitral.

4800. *Plebejus* (Alpherakya) *sartoides sartoides* (Swinhoe,1910) (Lycaenidae) *Lycaena sartoides* Swinhoe,1910, [in] Moore,F., Lepid. Ind. 1910: 21-22. Syntypes: [Pakistan]: Chitral.

4801. *Plebejus* (Alpherakya) *sartus* (Alpherakya,1881) (Lycaenidae) *Lycaena sarta* Alpherakya,1881, Horae Soc. ent. ross. 16: 387-389, Taf. 14 fig. 8. Syntypes ♂♂: [China: Uighur A.R.]: Tian-Chian [Tengri Tagh].

4802. *Plebejus* (Alpherakya) *sartus sartus* (Alpherakya,1881) (Lycaenidae) *Lycaena sarta* Alpherakya,1881, Horae Soc. ent. ross. 16: 387-389, Taf. 14 fig. 8. Syntypes ♂♂: [China: Uighur A.R.]: Tian-Chian [Tengri Tagh].

4803. *Plebejus* (Kretania) *Beuret,1959* (Lycaenidae) *Kretania* Beuret,1959, Mitt. ent. Ges. Basel (n.f.) 9:83. Type-species: *Lycaena psylorita* Freyer,1845, Neue Beitr. Schmett. 5(79): 146, pl. 469, figs. 3-4, by original designation.

4804. *Plebejus* (Kretania) *carmon* (Gerhard,[1851]) (Lycaenidae) *Lycaena carmon* Gerhard,[1851], Versuch Monogr. eur. Schmett. (7):15,nr.58, pl.25 figs.1a-c. Syntypes: Türkei [=Amasya].

4805. *Plebejus* (Kretania) *carmon carmon* (Gerhard,[1851]) (Lycaenidae) *Lycaena carmon* Gerhard,[1851], Versuch Monogr. eur. Schmett. (7):15,nr.58, pl.25 figs.1a-c. Syntypes: Türkei [=Amasya].

4806. *Plebejus* (Kretania) *carmon euaemon* (Hemming,1931) (Lycaenidae) *Polyommatus euryphilus* ssp. *euaemon* Hemming,1931, Ann. Mag. nat. Hist. (10)8: 536. Holotype ♂: Lebanon: Mt. Hermon 1700m (in BMHN).

4807. *Plebejus* (Kretania) *carmon pelopides* Poorten,1984 (Lycaenidae) *Kretania euryphilus* ssp. *pelopides* Poorten,1984, Nota lepid. 7(2): 164-166, figs.1-6. Holotype ♂: Greece: Southern Peloponesos, 1900m. (VLCA).

4808. *Plebejus* (Kretania) *carmon zamotajlovi* (Shchurov & Lukhtanov,2001) (Lycaenidae) *Kretania zamotajlovi* Shchurov & Lukhtanov,2001, Atalanta 32 (1/2): 220-224, figs. Holotype ♂: Russia: Krasnodar territory, Black Sea coast, Abrau Peninsula, 120m (ZISP).

4809. *Plebejus* (Kretania) *csomai* (Balint,1992) (Lycaenidae) *Polyommatus* (Kretania) *csomai* Balint,1992, Linneana Belg. 13 (8): 434-438, figs. Holotype ♂: [Pakistan]: Chitral (BMNH).

4810. *Plebejus* (Kretania) *csomai csomai* (Balint,1992) (Lycaenidae) *Polyommatus* (Kretania) *csomai* Balint,1992, Linneana Belg. 13 (8): 434-438, figs. Holotype ♂: [Pakistan]: Chitral (BMNH).

4811. *Plebejus* (Kretania) *iranicus* (Forster,1938) (Lycaenidae) *Lycaena* (*Plebejus*) *euryphilus* ssp. *iranica* Forster,1938, Ent. Rdsch. 55: 216-217, figs. Holotype ♂: [Iran]: Persia sept., Elburs m. sept. Tacht i Suleiman, Vandarban-Tal 1900-2200m (ZSSM).

4812. *Plebejus* (Kretania) *iranicus iranica* (Forster,1938) (Lycaenidae) *Lycaena* (*Plebejus*) *euryphilus* ssp. *iranica* Forster,1938, Ent. Rdsch. 55: 216-217, figs. Holotype ♂: [Iran]: Persia sept., Elburs m. sept. Tacht i Suleiman, Vandarban-Tal 1900-2200m (ZSSM).

4813. *Plebejus* (Kretania) *psylorita* (Freyer,1845) (Lycaenidae) *Lycaena psylorita* Freyer,1845, Neuere Beitr. 5: pl. 469, figs. 3,4. Syntypes: Creta.

4814. *Plebejus* (Kretania) *psylorita psylorita* (Freyer,1845) (Lycaenidae) *Lycaena psylorita* Freyer,1845, Neuere Beitr. 5: pl. 469, figs. 3,4. Syntypes: Creta.

4815. *Plebejus* (Lycacides) *Hübner,[1819]* (Lycaenidae) *Lycacides* Hübner,[1819], Verz. bekannt. Schmett. (5): 69. Type-species: *Papilio argyrognomon* Bergträger,[1779], Nom. Besch. Ins. Graftschaft Hanau-Munzenburg 2: 76, pl.46, figs. 1-2, by subsequent designation by ICZN, Op. 169.

4816. *Plebejus* (Lycacides) *agnatus* (Staudinger,1889) (Lycaenidae) *Lycaena agnata* (christophi var.? Staudinger,1889, Stettin ent. Ztg. 50: 19-20. Syntypes 5♂ 2♀: [Kirgizistan]: in den Gebirgen südlich von Issyk-Kul.

4817. *Plebejus* (Lycacides) *agnatus agnatus* (Staudinger,1889) (Lycaenidae) *Lycaena agnata* (christophi var.? Staudinger,1889, Stettin ent. Ztg. 50: 19-20. Syntypes 5♂ 2♀: [Kirgizistan]: in den Gebirgen südlich von Issyk-Kul.

4818. *Plebejus* (Lycacides) *agnatus rognedus* (Groum-Grshimailo,1890) (Lycaenidae) *Lycaena christophi* var. *rogneda*

Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 376. Syntypes ♂♂: [China: Uighur A.R.]: "Kaschgar (environs de Myn-iola"; [Tadjikistan]: Darvaz: "Khingooob-Darya".

4819. Plebejus (Lycaeides) argyrognomon (Bergsträßer, 1779) (Lycaenidae) Papilio argyrognomon Bergsträßer, [1779], Nom. Besch. Ins. Graftschaft Hanau-Munzenburg 2: 76, pl. 46, figs. 1-2.

4820. Plebejus (Lycaeides) argyrognomon aeginus (Groum-Grshimailo, 1891) (Lycaenidae) Lycaena aegina Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 451. Syntypes: [China: Uighur A.R.]: Thian-Shan orientali [Tengri Tagh]: Boro-Choro mts.

4821. Plebejus (Lycaeides) argyrognomon argyrognomon (Bergsträßer, 1779) (Lycaenidae) Papilio argyrognomon Bergsträßer, [1779], Nom. Besch. Ins. Graftschaft Hanau-Munzenburg 2: 76, pl. 46, figs. 1-2.

4822. Plebejus (Lycaeides) argyrognomon dubius (Schulz, 1881) (Lycaenidae) Lycaena dubia Schulz, 1881, [in] Hering, Stettin ent. Ztg. 42: 135. Syntypes: [Deutschland]: Pommern: Garz.

4823. Plebejus (Lycaeides) argyrognomon ganssuensis (Groum-Grshimailo, 1891) (Lycaenidae) Lycaena argus var. ganssuensis Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 450-451. Syntypes: [China]: Kansu: Schin-tschjenj, Tetungensibus mont.

4824. Plebejus (Lycaeides) argyrognomon norvegicus (Nordström, 1935) (Lycaenidae) Lycaena argyrognomon norvegica Nordström, 1935, Norsk. Ent. Tidsskr. 1935: 87. Syntypes: Norwegen: Oslo; Lysaker.

4825. Plebejus (Lycaeides) argyrognomon praeterinsularis (Verity, 1921) (Lycaenidae) Plebejus insularis race praeterinsularis Verity, 1921, Entomologist's Rec. J. Var. 33: 175. Syntypes: Japan: Yokohama.

4826. Plebejus (Lycaeides) argyrognomon tapinaegus (Verity, 1948) (Lycaenidae) Lycaeides argyrognomon race tapinaegus Verity, 1948, Les variations géographiques et saisonnières des papillons diurnes en France: 117. Syntypes 2♂: [France]: Charente: Monthiers, s. Boème.

4827. Plebejus (Lycaeides) bergi Kusnezov, 1908 (Lycaenidae) Plebejus argyrognomon var. bergi Kusnezov, 1908, Izv. turkes. otd. imp. russ. geogr. obshch. 4(8): 107 Pl. 4a figs. 1-3. Lectotype ♂: [Kasachstan]: Northern shores of Aral Sea, designated by Zhdanko, 2000, Guide Butts. Russia 2: 168 (ZISP).

4828. Plebejus (Lycaeides) bergi bergi Kusnezov, 1908 (Lycaenidae) Plebejus argyrognomon var. bergi Kusnezov, 1908, Izv. turkes. otd. imp. russ. geogr. obshch. 4(8): 107 Pl. 4a figs. 1-3. Lectotype ♂: [Kasachstan]: Northern shores of Aral Sea, designated by Zhdanko, 2000, Guide Butts. Russia 2: 168 (ZISP).

4829. Plebejus (Lycaeides) christophi (Staudinger, 1874) (Lycaenidae) Lycaena christophi Staudinger, 1874, Stettin ent. Ztg. 35(1/3): 87-90. Syntypes: [Iran]: Schahrud; [Turkmenistan]: Krasnowodsk; Lectotype ♂: Iran: Schahrud (designated by Olivier, et al., 1998, Phegea 26 (3): 91) (ZMHB).

4830. Plebejus (Lycaeides) christophi bactrianus (Groum-Grshimailo, 1890) (Lycaenidae) Lycaena roxane var. et ab. bactriana Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 374. Syntypes ♂♂: [Tadjikistan]: Pamir.

4831. Plebejus (Lycaeides) christophi christophi (Staudinger, 1874) (Lycaenidae) Lycaena christophi Staudinger, 1874, Stettin ent. Ztg. 35(1/3): 87-90. Syntypes: [Iran]: Schahrud; [Turkmenistan]: Krasnowodsk; Lectotype ♂: Iran: Schahrud (designated by Olivier, et al., 1998, Phegea 26 (3): 91) (ZMHB).

4832. Plebejus (Lycaeides) christophi lesliei (Tytler, 1926) (Lycaenidae) Lycaena christophi ssp. lesliei Tytler, 1926, J. Bomb. nat. Hist. Soc. 31: 584, pl. i fig. 2. Syntypes 4♂ 2♀: [Pakistan]: Chitral (BMNH).

4833. Plebejus (Lycaeides) christophi nanshanicus (Forster, 1936) (Lycaenidae) Lycaena christophi ssp. nanshanica Forster, 1936, Mitt. münch. ent. Ges. 26(2): 84. Holotype ♂: [China]: Kansu: Richthofengebirge: Dingtsiangmiao Pass, 2800m.

4834. Plebejus (Lycaeides) christophi samudra (Moore, 1875) (Lycaenidae) Polyommatus samudra Moore, [1875], Proc. zool. Soc. Lond. 1874: 574, pl. lxvii, fig. 2. Syntypes: Gol and Skardo, Baltistan.

4835. Plebejus (Lycaeides) christophi tomyris (Groum-Grshimailo, 1890) (Lycaenidae) Lycaena tomyris Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 377-378, pl. vii fig. 5. Syntypes ♂♂: [Tadjikistan]: Transalai Mts., Aram riv.

4836. Plebejus (Lycaeides) christophi transcaucasicus (Rebel, 1901) (Lycaenidae) Lycaena argyrognomon var. transcaucasicus Rebel, 1901, Annln. naturh. Mus. Wien 16: 166-167. Syntypes 2♂ 3♀: [Armenia]: Eriwan; [Turkey]: Kulp (Tuzluca);

Lectotype ♀: [Turkey]: Kulp (designated by Olivier et al., 1998, Phegea 26 (3): 92) (ZSSM).

4837. Plebejus (Lycaeides) cleobis Bremer, 1861 (Lycaenidae) Plebejus cleobis Bremer, 1861, Mém. Acad. imp. Sci. St. Petersburg 3: 472. Lectotype ♂: Russia: [N. Transbaikal]: "Nord. Seite Baikal", designated by Samodurov et al., 2000, Guide Butts. Russia 2: 161 (ZISP).

4838. Plebejus (Lycaeides) cleobis cleobis Bremer, 1861 (Lycaenidae) Plebejus cleobis Bremer, 1861, Mém. Acad. imp. Sci. St. Petersburg 3: 472. Lectotype ♂: Russia: [N. Transbaikal]: "Nord. Seite Baikal", designated by Samodurov et al., 2000, Guide Butts. Russia 2: 161 (ZISP).

4839. Plebejus (Lycaeides) idas (Linnaeus, 1761) (Lycaenidae) Papilio idas Linnaeus, 1761, Fauna Suecica (2): 284. Type(s): Suecia.

4840. Plebejus (Lycaeides) idas aeginus (Groum-Grshimailo, 1891) (Lycaenidae) Lycaena aegina Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 451. Lectotype ♂: [China: Uighur A.R.]: Tien Chan [Tengri Tagh], Boro-Choro Mts. (BMNH) (designated by Balint, 1999, Neue ent. Nachr. 46: 8).

4841. Plebejus (Lycaeides) idas altarmenus (Forster, 1936) (Lycaenidae) Lycaena idas ssp. altarmena Forster, 1936, Mitt. münch. ent. Ges. 26 (2): 103-104. Syntypes: [Türkei]: Agri Dag; Lectotype ♀: [Georgia]: "Achalzich Chambobel" (designated by Olivier et al., 1998, Phegea 26 (3): 95) (ZSSM).

4842. Plebejus (Lycaeides) idas baldur (Hemming, 1934) (Lycaenidae) Lycaeides argyrognomon baldur Hemming, 1934, Stylops 3(9): 193 (nomen novum rpo Lycaena argyrognomon f. balcanica Züllich, 1929 nec Lycaena balkanica Freyer, [1844]). Syntypes: Bulgarien: Rilagebirge; [Bosna-Herzegowina]: Vucija bara.

4843. Plebejus (Lycaeides) idas bavaricus Forster, 1936 (Lycaenidae) Lycaena idas ssp. bavarica Forster, 1936, Mitt. münch. ent. Ges. 26(2): 90. Syntypes 32♂ 29♀: Deutschland: Bayern: südl. München, Wolfratshausen.

4844. Plebejus (Lycaeides) idas dalmatinus (Neustetter, 1938) (Lycaenidae) Lycaena argyrognomon ssp. dalmatina Neustetter, 1938, Ent. Rdsch. 55: 315-316. Syntypes: [Croatia]: Dalmatien: Biokovogebirge, oberhalb Makarska-Podgora, 600-1400m.

4845. Plebejus (Lycaeides) idas difficilis (Stauder, 1922) (Lycaenidae) Lycaena difficilis Stauder, 1922, Ent. Anz. 2 (10): 109-111. Syntypes 305♂ 89♀: Österreich: Arlberggebiet, Tirolerseite bei 1400m; Umgebung Innsbruck, an der Talsohle.

4846. Plebejus (Lycaeides) idas idas (Linnaeus, 1761) (Lycaenidae) Papilio idas Linnaeus, 1761, Fauna Suecica (2): 284. Type(s): Suecia.

4847. Plebejus (Lycaeides) idas magnalpinus Verity, 1927 (Lycaenidae) Plebejus idas race magnalpina Verity, 1927, Annls Soc. ent. Fr. 96: 10. Syntypes 10♂ 4♀: [Italy: Torino]: Alpi Cozie: Cesana, 1300m.

4848. Plebejus (Lycaeides) idas selda (Higgins, 1964) (Lycaenidae) Lycaeides idas ssp. selda Higgins, 1964, Entomologist 97: 199. Holotype ♂: Lebanon: Les Cèdres at 6500ft. (in coll. Higgins) (BMNH).

4849. Plebejus (Lycaeides) idas tshinganus Forster, 1936 (Lycaenidae) Lycaena idas ssp. tshingana Forster, 1936, Mitt. münch. ent. Ges. 26(2): 104-105. Syntypes: Westlichen Thian-Shan [Tengri Tagh]: mts. Bolshoi Tshingan, 1500-2000m.

4850. Plebejus (Lycaeides) lepidus Zhdanko, 2000 (Lycaenidae) Plebejus lepidus Zhdanko, 2000, [in] Tusov, et al., Guide Butts. Russia 2: 165-166, pl. 74 figs. 31-33. Holotype ♂: E. Kazakhstan: 15km E. of Aksuat (ZISP).

4851. Plebejus (Lycaeides) lepidus lepidus Zhdanko, 2000 (Lycaenidae) Plebejus lepidus Zhdanko, 2000, [in] Tusov, et al., Guide Butts. Russia 2: 165-166, pl. 74 figs. 31-33. Holotype ♂: E. Kazakhstan: 15km E. of Aksuat (ZISP).

4852. Plebejus (Lycaeides) maracandicus (Erschoff, 1874) (Lycaenidae) Lycaena aegon var. maracandica Erschoff, 1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 10. Syntypes: [Uzbekistan]: Kisilkum.

4853. Plebejus (Lycaeides) maracandicus caspicus (Forster, 1936) (Lycaenidae) Lycaena argyrognomon ssp. caspica Forster, 1936, Mitt. münch. ent. Ges. 26(2): 74. Syntypes: [Russia]: Sarepta, Guberla, Astrachan.

4854. Plebejus (Lycaeides) maracandicus maracandicus (Erschoff, 1874) (Lycaenidae) Lycaena aegon var. maracandica Erschoff, 1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 10. Syntypes: [Uzbekistan]: Kisilkum.

- 4855. Plebejus (Lycaeides) maracandicus planorum (Alpheraky,1881)** (Lycaenidae) [Lycaena] argus var. planorum Alpheraky,1881, Horae Soc. ent. ross. 16: 379-380. Syntypes: [China: Uighur A.R.]: Tian-Chian mts. [Tengri Tagh]: Kouldja, vallée de l'Ili Koungesse, 2500-9000ft.
- 4856. Plebejus (Lycaeides) mongolicus (Rühl,[1893])** (Lycaenidae) Lycaena argus var. mongolica Rühl,[1893], Palaearkt. Grossschmett. Naturg. 1: 235. Type (s): Centralasien. Neotype ♂: N. Mongolia: Darkhan, designated by Samodurov et al.,2000, [in] Tusov et al., Guide Butts. Russia 2: 166, pl. 83 figs. 26,27 (ZSBS).
- 4857. Plebejus (Lycaeides) mongolicus mongolicus (Rühl,[1893])** (Lycaenidae) Lycaena argus var. mongolica Rühl,[1893], Palaearkt. Grossschmett. Naturg. 1: 235. Type (s): Centralasien. Neotype ♂: N. Mongolia: Darkhan, designated by Samodurov et al.,2000, [in] Tusov et al., Guide Butts. Russia 2: 166, pl. 83 figs. 26,27 (ZSBS).
- 4858. Plebejus (Lycaeides) noah (Herz,1900)** (Lycaenidae) Lycaena noah Herz,1900, Annu. Mus. zool. St. Petersburg 5: 442. Syntypes: [Uzbekistan]: "Noah-Pairambar...Bucharen, Noah". Lectotype ♂: [?Nuratau Mts.], designated by Zhdanko,2000, Guide Butts. Russia 2: 169 (ZISP).
- 4859. Plebejus (Lycaeides) noah noah (Herz,1900)** (Lycaenidae) Lycaena noah Herz,1900, Annu. Mus. zool. St. Petersburg 5: 442. Syntypes: [Uzbekistan]: "Noah-Pairambar...Bucharen, Noah". Lectotype ♂: [?Nuratau Mts.], designated by Zhdanko,2000, Guide Butts. Russia 2: 169 (ZISP).
- 4860. Plebejus (Lycaeides) nushibi Zhdanko,2000** (Lycaenidae) Plebejus nushibi Zhdanko,2000, [in] Tusov, et al., Guide Butts. Russia 2: 163, pl.74 figs. 43-45. Holotype ♂: SE. Kazakhstan: Zailisky Alatau Mts. Kaskelen Gorge, 1500m. (ZISP).
- 4861. Plebejus (Lycaeides) nushibi nushibi Zhdanko,2000** (Lycaenidae) Plebejus nushibi Zhdanko,2000, [in] Tusov, et al., Guide Butts. Russia 2: 163, pl.74 figs. 43-45. Holotype ♂: SE. Kazakhstan: Zailisky Alatau Mts. Kaskelen Gorge, 1500m. (ZISP).
- 4862. Plebejus (Lycaeides) pseudoaegon (Butler,[1882])** (Lycaenidae) Lycaena pseudoaegon Butler,[1882], Proc. zool. Soc. Lond. 1882 (4): 851. Type(s): [Japan]: "Iburi, Hokkaido".
- 4863. Plebejus (Lycaeides) pseudoaegon pseudoaegon (Butler,[1882])** (Lycaenidae) Lycaena pseudoaegon Butler,[1882], Proc. zool. Soc. Lond. 1882 (4): 851. Type(s): [Japan]: "Iburi, Hokkaido".
- 4864. Plebejus (Lycaeides) pseudoaegon sinicus Forster,1936** (Lycaenidae) Lycaena argyrognomon ssp. sinica Forster,1936, Mitt. münch. ent. Ges. 26(2): 77-78. Holotype ♂: China: Szechuan: O-mi-sien.
- 4865. Plebejus (Lycaeides) pseudoaegon ussuriica (Forster,1936)** (Lycaenidae) Lycaena argyrognomon ssp. ussuriica Forster,1936, Mitt. münch. ent. Ges. 26(2): 80. Syntypes 12♂ 11♀: [Russia]: Nikolsk Ussurisk.
- 4866. Plebejus (Lycaeides) subsolanus (Eversmann,1851)** (Lycaenidae) Lycaena subsolanus Eversmann,1851, Bull. Soc. nat. Moscou 24 (2): 620-621. Lectotype ♂: Russia: "Irkoutzk" (ZISP).
- 4867. Plebejus (Lycaeides) subsolanus ida (Groum-Grshimailo,1891)** (Lycaenidae) Lycaena ida Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 451-452. Syntypes: [China]: Amdo, Dshachar.
- 4868. Plebejus (Lycaeides) subsolanus subsolanus (Eversmann,1851)** (Lycaenidae) Lycaena subsolanus Eversmann,1851, Bull. Soc. nat. Moscou 24 (2): 620-621. Lectotype ♂: Russia: "Irkoutzk" (ZISP).
- 4869. Plebejus (Lycaeides) uiguricus Zhdanko,2000** (Lycaenidae) Plebejus uiguricus Zhdanko,2000, Helios 1: 101. Holotype ♂: Kazakhstan: Bukombai, 20km SE, Karatozai, Kurshum Mts., S. Altai.
- 4870. Plebejus (Lycaeides) uiguricus uiguricus Zhdanko,2000** (Lycaenidae) Plebejus uiguricus Zhdanko,2000, Helios 1: 101. Holotype ♂: Kazakhstan: Bukombai, 20km SE, Karatozai, Kurshum Mts., S. Altai.
- 4871. Plebejus (Plebejides) Sauter,1968** (Lycaenidae) Plebejides Sauter,1968,
- 4872. Plebejus (Plebejides) allardi (Oberthür,1874)** (Lycaenidae) Lycaena allardii Oberthür,1874, Petit. nouv. ent. 1: 412. Syntypes: Algérie: Oran. Lectotype ♂: Sebdu (Oran) (designated by Balint,1999, Neue ent. Nachr. 46: 10) (BMNH).
- 4873. Plebejus (Plebejides) allardi allardi (Oberthür,1874)** (Lycaenidae) Lycaena allardii Oberthür,1874, Petit. nouv. ent. 1: 412. Syntypes: Algérie: Oran. Lectotype ♂: Sebdu (Oran) (designated by Balint,1999, Neue ent. Nachr. 46: 10) (BMNH).
- 4874. Plebejus (Plebejides) allardii antiatlasicus Tarrier,1996** (Lycaenidae) Plebejus allardii ssp. antiatlasicus Tarrier,1996, Alexanor 19(4): 198-201, figs. Holotype ♂: Maroc: Tiz-n-Tarakatine, 1600m. (ISR).
- 4875. Plebejus (Plebejides) beani Balint & Johnson,1997** (Lycaenidae) Plebejus beani Balint & Johnson,1997, Neue ent. Nachr. 40: 4 (nomen novum pro Lycaena pylaon ssp. indica Evans,1925 nec Lycaena indica Murray,1874). Syntypes: [Pakistan]: Baluchistan: Khojak Pass.
- 4876. Plebejus (Plebejides) beani beani Balint & Johnson,1997** (Lycaenidae) Plebejus beani Balint & Johnson,1997, Neue ent. Nachr. 40: 4 (nomen novum pro Lycaena pylaon ssp. indica Evans,1925 nec Lycaena indica Murray,1874). Syntypes: [Pakistan]: Baluchistan: Khojak Pass.
- 4877. Plebejus (Plebejides) brethertoni (Brown,1976)** (Lycaenidae) Plebejus pylaon ssp. brethertoni Brown,1976, Ent. Ber., Amst. 36: 46. Holotype ♂: Greece: Mt. Chelmos (Aroani Oros), 1800m. (in coll. J.Brown).
- 4878. Plebejus (Plebejides) brethertoni brethertoni (Brown,1976)** (Lycaenidae) Plebejus pylaon ssp. brethertoni Brown,1976, Ent. Ber., Amst. 36: 46. Holotype ♂: Greece: Mt. Chelmos (Aroani Oros), 1800m. (in coll. J.Brown).
- 4879. Plebejus (Plebejides) hespericus (Rambur,[1839])** (Lycaenidae) Polyommatus hespericus Rambur,[1839], Faune ent. Andalousie 2 (4): pl.10. Syntypes: Andalousie, Sierra d'Alfacar.
- 4880. Plebejus (Plebejides) hespericus galani Agenjo,1967** (Lycaenidae) Plebejus (Plebejus) pylaon ssp. galani Agenjo,1967, Eos 43: 21.
- 4881. Plebejus (Plebejides) hespericus hespericus (Rambur,[1839])** (Lycaenidae) Polyommatus hespericus Rambur,[1839], Faune ent. Andalousie 2 (4): pl.10. Syntypes: Andalousie, Sierra d'Alfacar.
- 4882. Plebejus (Plebejides) hespericus matildae Gomez Bustillo & Fernandez-Rubio,1972** (Lycaenidae) Plebejus (Plebejus) pylaon ssp. matildae Gomez Bustillo & Fernandez-Rubio,1972, Publ. Arch. Inst. Acl. 17: 23-24, figs. Holotype ♂: Spain: Prov. de Madrid, de Campo Real, 650m. (in G.Bustillo coll.).
- 4883. Plebejus (Plebejides) hespericus pardoi Gomez Bustillo & Fernandez-Rubio,1972** (Lycaenidae) Plebejus (Plebejus) pylaon ssp. pardoi Gomez Bustillo & Fernandez-Rubio,1972, Publ. Arch. Inst. Acl. 17: 24-26, figs. Holotype ♂: Spain: Prov. de Madrid, del Monte "El Regajal", Aranjuez, 680m (in G.Bustillo coll.).
- 4884. Plebejus (Plebejides) magnificus Balint,1987** (Lycaenidae) Plebejus (Plebejides) sephirus ssp. magnificus Balint,1987, Galathea 3: 101. Holotype ♂: Macedonia: Ochrida.
- 4885. Plebejus (Plebejides) magnificus magnificus Balint,1987** (Lycaenidae) Plebejus (Plebejides) sephirus ssp. magnificus Balint,1987, Galathea 3: 101. Holotype ♂: Macedonia: Ochrida.
- 4886. Plebejus (Plebejides) martini (Allard,1867)** (Lycaenidae) Lycaena martinii Allard,1867, Anns Soc. ent. Fr. 25: 319. Syntypes: Algeria: Lambessa.
- 4887. Plebejus (Plebejides) martini martini (Allard,1867)** (Lycaenidae) Lycaena martinii Allard,1867, Anns Soc. ent. Fr. 25: 319. Syntypes: Algeria: Lambessa.
- 4888. Plebejus (Plebejides) martini regularis Tennent,1995** (Lycaenidae) Plebejus martini ssp. regularis Tennent,1995, Entomologist's Gaz. 46(2): 121-124.
- 4889. Plebejus (Plebejides) martini ungemachi (Rothschild,1925)** (Lycaenidae) Lycaena allardi ssp. ungemachi Rothschild,1926, Bull. Soc. Sci. nat. Maroc 5 (1925): 333. Type: Morocco: Middle Atlas Mts.: Aghbalu Larbi.
- 4890. Plebejus (Plebejides) modicus Verity,1935** (Lycaenidae) Plebejus sephirus race modica Verity,1935, Bull. Soc. ent. Fr. 40: 245. Syntypes: [Turquie]: Ak-Chehir.
- 4891. Plebejus (Plebejides) modicus abchasicus Nekrutenko,1975** (Lycaenidae) Plebejus (Plebejides) pylaon ssp. abchasicus Nekrutenko,1975, J. Lepid. Soc. 29 (3): 151-153, figs.1,2,7-9. Holotype ♂: [Georgia]: SW Caucasus, Abkhasian A.S.S.R., Lake Ritsa vicinity, 500-800m (ZMKSU).
- 4892. Plebejus (Plebejides) modicus modicus Verity,1935** (Lycaenidae) Plebejus sephirus race modica Verity,1935, Bull. Soc. ent. Fr. 40: 245. Syntypes: [Turquie]: Ak-Chehir.
- 4893. Plebejus (Plebejides) nichollae (Elwes,1901)** (Lycaenidae) Lycaena zephyrus var. nicholli Elwes,1901, [in] Nicholl,M., Trans. ent. Soc. Lond. 1901 (1): 95-96. Syntypes: Lebanon: Anti-Lebanon, 3000-6000ft.

- 4894. *Plebejus (Plebejides) nichollae akbesianus* Oberthür, 1904** (Lycaenidae) *Lycaena zephyrus* var. *akbesiana* Oberthür, 1904, Lépid. comp. 1: 16, pl.2 figs. 21-22. Lectotype ♂: [Turquie]: Syrie, Akbes (designated by Balint, 1999, Neue ent. Nachr. 46: 9) (BMNH).
- 4895. *Plebejus (Plebejides) nichollae cleopatra* Hemming, 1934** (Lycaenidae) *Plebejus cleopatra* Hemming, 1934, Entomologist 67: 30. Type ♀: Palestine, Tel Khuweilfe, 11 miles north-west of Beersheba.
- 4896. *Plebejus (Plebejides) nichollae nichollae* Elwes, 1901** (Lycaenidae) *Lycaena zephyrus* var. *nicholli* Elwes, 1901, [in] Nicholl, M., Trans. ent. Soc. Lond. 1901 (1): 95-96. Syntypes: Lebanon: Anti-Lebanon, 3000-6000ft.
- 4897. *Plebejus (Plebejides) patriarcha* Balint, 1992** (Lycaenidae) *Plebejus (Plebejides) patriarcha* Balint, 1992, Atalanta 23 (1/2): 134-136, Pl.viii, figs. Holotype ♂: Tadjikistan: Darwas, Karnak (BMNH).
- 4898. *Plebejus (Plebejides) patriarcha patriarcha* Balint, 1992** (Lycaenidae) *Plebejus (Plebejides) patriarcha* Balint, 1992, Atalanta 23 (1/2): 134-136, Pl.viii, figs. Holotype ♂: Tadjikistan: Darwas, Karnak (BMNH).
- 4899. *Plebejus (Plebejides) philbyi* Graves, 1925** (Lycaenidae) *Plebejus sephyrus* ssp. *philbyi* Graves, 1925, Trans. ent. Soc. Lond. 1925: 55, pl.5 figs. 1,2. Syntypes 2♀: Transjordan: Petra.
- 4900. *Plebejus (Plebejides) philbyi philbyi* Graves, 1925** (Lycaenidae) *Plebejus sephyrus* ssp. *philbyi* Graves, 1925, Trans. ent. Soc. Lond. 1925: 55, pl.5 figs. 1,2. Syntypes 2♀: Transjordan: Petra.
- 4901. *Plebejus (Plebejides) pylaon (Fischer v. Waldheim, 1832)*** (Lycaenidae) *Lycaena pylaon* Fischer von Waldheim, 1832, Nouv. Mém. Soc. imp. Nat. Moscou 2: 357-358, pl.19 figs.5,6. Syntypes: [Russia]: Sarepta. Neotype ♂: Sarepta (Krasnoarmejsk) designated by Lukhtanov, 1990, Linneana belgica 12(7): 277-278 (ZSM).
- 4902. *Plebejus (Plebejides) pylaon forsteri* Balint, 1990** (Lycaenidae) *Plebejus (Plebejides) pylaon* ssp. *forsteri* Balint, 1990, Linneana Belg. 12 (7): 279-281. Holotype ♂: [Kazachstan]: Tien-Shan, vallée de la Kopa [Dshungarian Ala Tau].
- 4903. *Plebejus (Plebejides) pylaon katunensis* Balint & Lukhtanov, 1990** (Lycaenidae) *Plebejus (Plebejides) pylaon* ssp. *katunensis* Balint & Lukhtanov, 1990, Linneana Belgica 12 (7): 281-291, figs. Holotype ♂: [Russia]: U.R.S.S., Altai Central, Katun r., 1200m, 5km W. Katanda.
- 4904. *Plebejus (Plebejides) pylaon pylaon (Fischer de Waldheim, 1832)*** (Lycaenidae) *Lycaena pylaon* Fischer von Waldheim, 1832, Nouv. Mém. Soc. imp. Nat. Moscou 2: 357-358, pl.19 figs.5,6. Neotype ♂: [Russia]: U.R.S.S., Sarepta, designated by Balint, 1990, Linneana Belg. 12 (7): 277.
- 4905. *Plebejus (Plebejides) pylaon turcmenicus (Forster, 1936)*** (Lycaenidae) *Lycaena turcmenica* Forster, 1936, Mitt. münch. ent. Ges. 26: 55. Syntypes: [Turkmenistan]: Achal-Tekke, Jablonowka.
- 4906. *Plebejus (Plebejides) sephirus (Frivaldszky, 1835)*** (Lycaenidae) *Lycaena sephirus* Frivaldszky, 1835, Magy. Tud. tars. Evk. 2: 269. Syntypes: [Bulgaria]: Haemeus, Szliven (=Sliven).
- 4907. *Plebejus (Plebejides) sephirus sephirus (Frivaldszky, 1835)*** (Lycaenidae) *Lycaena sephirus* Frivaldszky, 1835, Magy. Tud. tars. Evk. 2: 269. Syntypes: [Bulgaria]: Haemeus, Szliven (=Sliven).
- 4908. *Plebejus (Plebejides) trappi (Verity, 1927)*** (Lycaenidae) *Plebejus sephyrus trappi* Verity, 1927, Annls Soc. ent. Fr. 96: 16 (nomen novum pro *Lycaena sephyrus lycidas* Trapp, 1863 nec *Polyommatus lycidas* Meigen, 1830).
- 4909. *Plebejus (Plebejides) trappi trappi (Verity, 1927)*** (Lycaenidae) *Plebejus sephyrus trappi* Verity, 1927, Annls Soc. ent. Fr. 96: 16 (nomen novum pro *Lycaena sephyrus lycidas* Trapp, 1863 nec *Polyommatus lycidas* Meigen, 1830).
- 4910. *Plebejus (Plebejides) usbekus* Forster, 1939** (Lycaenidae) *Plebejus pylaon usbeka* Forster, 1939, Dan. sci. Invest. Iran 1: 6. (nomen novum pro *zephyrinus* Staudinger, 1886 nec Christoph, 1884). Syntypes: [Usbekistan]: Samarkand.
- 4911. *Plebejus (Plebejides) usbekus usbekus* Forster, 1939** (Lycaenidae) *Plebejus pylaon usbeka* Forster, 1939, Dan. sci. Invest. Iran 1: 6. (nomen novum pro *zephyrinus* Staudinger, 1886 nec Christoph, 1884). Syntypes: [Usbekistan]: Samarkand.
- 4912. *Plebejus (Plebejides) zephyrinus (Christoph, 1884)*** (Lycaenidae) *Lycaena zephyrus* var. *zephyrinus* Christoph, 1884, [in] Romanoff, Mém. Lépid. 1: 102. Syntypes: [Turkmenistan]: Askhabad.
- 4913. *Plebejus (Plebejides) zephyrinus albertii* Nekrutenko, 1975** (Lycaenidae) *Plebejus (Plebejides) pylaon* ssp. *albertii* Nekrutenko, 1975, J. Lepid. Soc. 29 (3): 153-154, figs.3-6,10. Holotype ♂: [Russia]: NW Caucasus, Karachayevo-Cherkessian A.S.S.R., Teberda, Dzhamagat river valley, 1200-1300m (ZMKSU).
- 4914. *Plebejus (Plebejides) zephyrinus iranica* Koçak, 1980** (Lycaenidae) *Plebejus pylaon* ssp. *iranica* Koçak, 1980, Nota lepid. 2 (4): 141, nomen novum pro *Plebejus pylaon iranica* Forster, 1939, Lepidopteren aus Iran: 5, nec *Plebejus euryphilus iranica* Forster, 1938, Ent. Rdsch. 55: 216.
- 4915. *Plebejus (Plebejides) zephyrinus klausrosei* Balint, [1993]** (Lycaenidae) *Plebejus zephyrinus* ssp. *klausrosei* Balint, [1993], Ent. Obozr. 71 (4) (1992): 875, figs.55-58. Holotype ♂: Tadjikistan: Wachschi Chrebet (in coll. Rose).
- 4916. *Plebejus (Plebejides) zephyrinus ordubadi (Forster, 1938)*** (Lycaenidae) *Lycaena (Plebejus) pylaon* ssp. *ordubadi* Forster, 1938, Ent. Rdsch. 55: 238. Holotype ♂: [Aserbaidjan]: Russisch- Armenien: Ordubad, 900m.
- 4917. *Plebejus (Plebejides) zephyrinus solimanus (Forster, 1938)*** (Lycaenidae) *Lycaena (Plebejus) pylaon* ssp. *solimana* Forster, 1938, Ent. Rdsch. 55: 336. Holotype ♂: [Iran]: Elbursgebirge: Tacht-i-Suleiman, Vandarban.
- 4918. *Plebejus (Plebejides) zephyrinus tarbagataiensis* Balint, [1993]** (Lycaenidae) *Plebejus zephyrinus* ssp. *tarbagataiensis* Balint, [1993], Ent. Obozr. 71 (4) (1992): 875-876, figs. 69,70. Holotype ♂: [Kazachstan]: Kenderlik, S. Altai [Saur Gebirge], leg. Rückbeil, ex Tancre (in Elwes coll.).
- 4919. *Plebejus (Plebejides) zephyrinus zephyrinus (Christoph, 1884)*** (Lycaenidae) *Lycaena zephyrus* var. *zephyrinus* Christoph, 1884, [in] Romanoff, Mém. Lépid. 1: 102. Syntypes: [Turkmenistan]: Askhabad.
- 4920. *Plebejus (ardis-gr) baroghilus (Tytler, 1926)*** (Lycaenidae) *Lycaena baroghila* Tytler, 1926, J. Bomb. nat. Hist. Soc. 31: 583, pl.i fig.1. Syntypes 1♂ 1♀: [Pakistan]: Baroghil Pass (leg. Lieut.-Col.Lorimer).
- 4921. *Plebejus (ardis-gr) baroghilus baroghilus (Tytler, 1926)*** (Lycaenidae) *Lycaena baroghila* Tytler, 1926, J. Bomb. nat. Hist. Soc. 31: 583, pl.i fig.1. Syntypes 1♂ 1♀: [Pakistan]: Baroghil Pass (leg. Lieut.-Col.Lorimer).
- 4922. *Plebejus (ardis-gr) eversmanni (Lang, 1884)*** (Lycaenidae) *Lycaena eversmanni* Lang, 1884, Rhop. Europae 1: 370. Lectotype ♂: [Uzbekistan: W. Ghissar]: "Samarkand" designated by Balint, 1999.
- 4923. *Plebejus (ardis-gr) eversmanni badachshanus* Forster, 1972** (Lycaenidae) *Plebejus eversmanni* ssp. *badachshana* Forster, 1972, Ent. Z., Frankf. a. M. 82(20): 226-227, Abb. 1-2. Holotype ♂: Afghanistan: Badakhshan: Khinch-e-Andarab, 3500-4000m.
- 4924. *Plebejus (ardis-gr) eversmanni eversmanni (Lang, 1884)*** (Lycaenidae) *Lycaena eversmanni* Lang, 1884, Rhop. Europae 1: 370. Lectotype ♂: [Uzbekistan: W. Ghissar]: "Samarkand" designated by Balint, 1999.
- 4925. *Plebejus (ardis-gr) kwaja (Evans, 1932)*** (Lycaenidae) *Polyommatus hyrcana kwaja* Evans, 1932, Identification of Indian Butterflies (2): 227. Syntypes: [Pakistan]: Baluchistan.
- 4926. *Plebejus (ardis-gr) kwaja kwaja (Evans, 1932)*** (Lycaenidae) *Polyommatus hyrcana kwaja* Evans, 1932, Identification of Indian Butterflies (2): 227. Syntypes: [Pakistan]: Baluchistan.
- 4927. *Plebejus (s.str.) Kluk, 1802*** (Lycaenidae) *Plebejus Kluk*, 1802, Zwierz. Hist. nat. pocz. gospod. 4:89. Type-species: *Papilio argus* Linnaeus, 1758, Syst. Nat. (Ed.10)1: 483, by subsequent designation by Hemming, 1933, Entomologist 66: 224.
- 4928. *Plebejus (s.str.) argus (Linnaeus, 1758)*** (Lycaenidae) *Papilio argus* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 483. Syntypes: Europa, Africa.
- 4929. *Plebejus (s.str.) argus aegidion (Meisner, 1818)*** (Lycaenidae) *Papilio aegidion* Meisner, 1818, Naturw. Anz. 1: 88. Syntypes: Schweiz: Berner Alpen, Grimsel Pass.
- 4930. *Plebejus (s.str.) argus aegon ([Denis & Schiffermüller], 1775)*** (Lycaenidae) *Papilio aegon* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 185. Type(s): [Austria]: Vienna district.
- 4931. *Plebejus (s.str.) argus argus (Linnaeus, 1758)*** (Lycaenidae) *Papilio argus* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 483. Syntypes: Europa, Africa.
- 4932. *Plebejus (s.str.) argus caeruleus* Gorbunov, 1995** (Lycaenidae) *Plebejus argus* ssp. *caerulea* Gorbunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 176.
- 4933. *Plebejus (s.str.) argus clarasiaticus (Verity, 1931)*** (Lycaenidae) *Lycaenes argus* race *clarasiatica* Verity, 1931, Dt. ent. Z., Iris 45: 62. Syntypes 1♂ 1♀: [Russia]: Gouv. Irkutsk: Sajan mts. or. Mondy: Chulugaischa, 2600m.

- 4934. *Plebejus (s.str.) argus cleomenes* (Fruhstorfer,1910)** (Lycaenidae) *Lycaena argus* ssp. *cleomenes* Fruhstorfer,1910, Int. ent. Z. 4: 62. Syntypes: Krain.
- 4935. *Plebejus (s.str.) argus corsicus* (Bellier,1862)** (Lycaenidae) *Lycaena aegon* var. *corsica* Bellier,1862, Anns Soc. ent. Fr. (4) 2: 615, pl.14 fig.5. Lectotype ♂: Corse: Montagnes (designated by Balint,1999, Neue ent. Nachr. 46: 24) (BMNH).
- 4936. *Plebejus (s.str.) argus hypochionalpinus* (Verity,1931)** (Lycaenidae) *Lycaeides argus* race *hypochionalpina* Verity,1931, Dt. ent. Z., Iris 45: 52. Syntypes 4♂ 1♀: [France]: Basses-Alpes: Annot, 700m.
- 4937. *Plebejus (s.str.) argus itaforum* Verity,1919** (Lycaenidae) *Plebejus argus* race *itaforum* Verity,1919, Entomologist's Rec. J. Var. 31: 45. Syntypes 6♂ 6♀: Italy: Toscana: Appennino Pistoiese: Abetone, 1300m.
- 4938. *Plebejus (s.str.) argus lydiades* (Fruhstorfer,1910)** (Lycaenidae) *Lycaena argus* ssp. *lydiades* Fruhstorfer,1910, Int. ent. Z. 4: 62. Syntypes: France: Alpes-Maritimes: Menton.
- 4939. *Plebejus (s.str.) argus obensis* Forster,1936** (Lycaenidae) *Lycaena argus* ssp. *obensis* Forster,1936, Mitt. münche. ent. Ges. 26(2): 135. Syntypes: [Russia]: Barnaul, Westsibirien.
- 4940. *Plebejus (s.str.) argus orientalis* (Tutt,1909)** (Lycaenidae) *Lycaena argus* var. *orientalis* Tutt,1909, Nat. Hist. Br. Butts. 3 (8/9): 192-194. Syntypes: Asia Minor, Persia.
- 4941. *Plebejus (s.str.) argus orientaloides* (Verity,1931)** (Lycaenidae) *Lycaeides argus* race *orientaloides* Verity,1931, Dt. ent. Z., Iris 45: 48. Syntypes: North Iran.
- 4942. *Plebejus (s.str.) argus pamirus* (Forster,1936)** (Lycaenidae) *Lycaena argus* ssp. *pamira* Forster,1936, Mitt. münche. ent. Ges. 26(2): 138. Syntypes 3♂: [Tadjikistan]: Pamir: Kalailiabi-ob, 1700m.
- 4943. *Plebejus (s.str.) argus philomene* (Bergsträßer,[1779])** (Lycaenidae) *Papilio philomene* Bergsträßer,[1779], Nomencl. Besch. Ins. 2: Taf. 44 figs.6-8. Syntypes: Deutschland: Hanau-Münzenberg.
- 4944. *Plebejus (s.str.) argus sifanicus* (Groum-Grshimailo,1891)** (Lycaenidae) *Lycaena argus* var. *sifanica* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 450. Syntypes: [China]: mont. Dshachar.
- 4945. *Plebejus (s.str.) argus sophianus* (Verity,1931)** (Lycaenidae) *Lycaeides argus* race *sophiana* Verity,1931, Dt. ent. Z., Iris 45: 60. Syntypes: [Bulgaria]: 10km W. Sofia: Lulin, 2700ft.
- 4946. *Plebejus (s.str.) argus sultanus* (Forster,1936)** (Lycaenidae) *Lycaena argus* ssp. *sultana* Forster,1936, Mitt. münch. ent. Ges. 26(2): 128-129. Holotype ♂: [Türkei]: Akschehir: Sultan Dag, 1800-2000m.
- 4947. *Plebejus (s.str.) argus tscherkessicus* (Forster,1936)** (Lycaenidae) *Lycaena argus* ssp. *tscherkessica* Forster,1936, Mitt. münch. ent. Ges. 26(2): 128-129. Holotype ♂: [Russia]: Kaukasus sept., Teberda.
- 4948. *Plebejus (s.str.) argus wolgensis* (Forster,1936)** (Lycaenidae) *Lycaena argus* ssp. *wolgensis* Forster,1936, Mitt. münch. ent. Ges. 26(2): 132-133. Holotype ♂: [Russia]: Sarepta.
- 4949. *Plebejus (s.str.) dzhzaki* Zhdanko,2000** (Lycaenidae) *Plebejus dzhzaki* Zhdanko,2000, [in] Tusov, et al., Guide Butts. Russia 2: 159-160, pl.73 figs.40-42. Holotype ♂: Uzbekistan: Dzhzak region, near Buston (ZISP).
- 4950. *Plebejus (s.str.) dzhzaki dzhzaki* Zhdanko,2000** (Lycaenidae) *Plebejus dzhzaki* Zhdanko,2000, [in] Tusov, et al., Guide Butts. Russia 2: 159-160, pl.73 figs.40-42. Holotype ♂: Uzbekistan: Dzhzak region, near Buston (ZISP).
- 4951. *Plebejus Kluk*,1802** (Lycaenidae) *Plebejus Kluk*,1802, Zwierz. Hist. nat. pocz. gospod. 4:89. Type-species: *Papilio argus* Linnaeus,1758, Syst. Nat. (Ed.10)1: 483, by subsequent designation by Hemming, 1933, Entomologist 66: 224.
- 4952. *Polyommatus (Agriades (Parahimalaya)) jaloka* (Moore,[1874])** (Lycaenidae) *Polyommatus jaloka* Moore,[1875], Proc. zool. Soc. Lond. 1874: 573-574, pl.lxvi fig. 3. Syntypes: Rajdiangan Pass, Sursungar and Stakpila Passes, and Baitul, Cashmere.
- 4953. *Polyommatus (Agriades (Parahimalaya)) jaloka jaloka* (Moore,[1875])** (Lycaenidae) *Polyommatus jaloka* Moore,[1875], Proc. zool. Soc. Lond. 1874: 573-574, pl.lxvi fig. 3. Syntypes: Rajdiangan Pass, Sursungar and Stakpila Passes, and Baitul, Cashmere.
- 4954. *Polyommatus (Agriades (Parahimalaya)) janigena* (Riley,1923)** (Lycaenidae) *Lycaena janigena* Riley,1923, Trans. ent. Soc. London 1923: 475-476, pl. xxxvi figs.4,5. Syntypes 1♂ 1♀: "Nyenyam, 13,000ft" (BMNH).
- 4955. *Polyommatus (Agriades (Parahimalaya)) janigena janigena* (Riley,1923)** (Lycaenidae) *Lycaena janigena* Riley,1923, Trans. ent. Soc. London 1923: 475-476, pl. xxxvi figs.4,5. Syntypes 1♂ 1♀: "Nyenyam, 13,000ft" (BMNH).
- 4956. *Polyommatus (Agriades (Parahimalaya)) kurtjohnsoni* (Balint,1997)** (Lycaenidae) *Agriades kurtjohnsoni* Balint,1997, Neue ent. Nachr. 40: 47, Pls. 3-4 figs. 4-5. Holotype ♂: Nepal, Jargeng Khola 14000ft. (in BMHN).
- 4957. *Polyommatus (Agriades (Parahimalaya)) kurtjohnsoni kurtjohnsoni* Balint,1997** (Lycaenidae) *Agriades kurtjohnsoni* Balint,1997, Neue ent. Nachr. 40: 47, Pls. 3-4 figs. 4-5. Holotype ♂: Nepal, Jargeng Khola 14000ft. (in BMHN).
- 4958. *Polyommatus (Agriades (Parahimalaya)) morsheadi* (Evans,1923)** (Lycaenidae) *Lycaena morsheadi* Evans,1923, [in] Riley,N.D., Trans. ent. Soc. London 1923: 478. Syntypes 1♂ 1♀: Tasam 15,500ft., Phuse La 16,000ft (BMNH).
- 4959. *Polyommatus (Agriades (Parahimalaya)) morsheadi morsheadi* (Evans,1923)** (Lycaenidae) *Lycaena morsheadi* Evans,1923, [in] Riley,N.D., Trans. ent. Soc. London 1923: 478. Syntypes 1♂ 1♀: Tasam 15,500ft., Phuse La 16,000ft (BMNH).
- 4960. *Polyommatus (Agriades (s.str.)) Hübner*,[1819]** (Lycaenidae) *Agriades Hübner*,[1819], Verz. bekannt. Schmett. (5): 68. Type-species: *Papilio glandon* De Prunner,1798, Lepidopt. pedemont.: 76, by subsequent designation by ICZN, Op. 173.
- 4961. *Polyommatus (Agriades (s.str.)) aegagrus* (Christoph,1873)** (Lycaenidae) *Lycaena aegagrus* Christoph,1873, Horae Soc. ent. ross. 10: 24, Tab.1 figs. 3,4. Syntypes: [Iran]: Nord-Persien: Schahkuh.
- 4962. *Polyommatus (Agriades (s.str.)) aegagrus aegagrus* (Christoph,1873)** (Lycaenidae) *Lycaena aegagrus* Christoph,1873, Horae Soc. ent. ross. 10: 24, Tab.1 figs. 3,4. Syntypes: [Iran]: Nord-Persien: Schahkuh.
- 4963. *Polyommatus (Agriades (s.str.)) aquilo* (Boisduval,1832)** (Lycaenidae) *Argus aquilo* Boisduval,1832, Icones... pl.12 figs. 7,8.
- 4964. *Polyommatus (Agriades (s.str.)) aquilo aquilina* (Staudinger,1901)** (Lycaenidae) *Lycaena orbitulus* var. *aquilina* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 81. Syntypes: Norvegia: Lapland.
- 4965. *Polyommatus (Agriades (s.str.)) aquilo aquilo* (Boisduval,1832)** (Lycaenidae) *Argus aquilo* Boisduval,1832, Icones... pl.12 figs. 7,8.
- 4966. *Polyommatus (Agriades (s.str.)) aquilo wosnesenskyi* (Ménétriés,1855)** (Lycaenidae) *Lycaena wosnesenskyi* Ménétriés,1855, Enum. anim. Mus. imp. Acad. Sci. Petropolitanae. Ins., Lepid. 1: 95, t.4 fig.6. Type(s): Russia: Kamtschatka.
- 4967. *Polyommatus (Agriades (s.str.)) diodorus* (Bremer,1861)** (Lycaenidae) *Lycaena diodorus* Bremer,1861, Mém. Acad. imp. Sci. St. Petersburg 3: 471. Syntypes: Russia: "Nordseite des Baikal-Sees".
- 4968. *Polyommatus (Agriades (s.str.)) diodorus diodorus* (Bremer,1861)** (Lycaenidae) *Lycaena diodorus* Bremer,1861, Mém. Acad. imp. Sci. St. Petersburg 3: 471. Syntypes: Russia: "Nordseite des Baikal-Sees".
- 4969. *Polyommatus (Agriades (s.str.)) dis* (Groum-Grshimailo,1891)** (Lycaenidae) *Lycaena dis* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 453. Syntypes: [China]: Amdo.
- 4970. *Polyommatus (Agriades (s.str.)) dis dis* (Groum-Grshimailo,1891)** (Lycaenidae) *Lycaena dis* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 453. Syntypes: [China]: Amdo.
- 4971. *Polyommatus (Agriades (s.str.)) glandon* (De Prunner,1798)** (Lycaenidae) *Papilio glandon* De Prunner,1798, Lepidoptera Pedemontana: 76. Type ♀: [Italy]: Piedmont.
- 4972. *Polyommatus (Agriades (s.str.)) glandon glandon* (De Prunner,1798)** (Lycaenidae) *Papilio glandon* De Prunner,1798, Lepidoptera Pedemontana: 76. Type ♀: [Italy]: Piedmont.
- 4973. *Polyommatus (Agriades (s.str.)) glandon magnaglandon* (Verity,1949)** (Lycaenidae) *Agriades glandon magnaglandon* Verity,1949, Les variations géographiques et saisonnières des papillons diurnes en France 1/3: 134 (nomen novum pro *Lycaena orbitulus* oberthueri Stgr.,1901 nec Gr.-Grsh.,1887).
- 4974. *Polyommatus (Agriades (s.str.)) glandon orbitulinus* (Staudinger,1892)** (Lycaenidae) *Lycaena orbitulus* var. *orbitulinus* Staudinger,1892, Dt. ent. Z., Iris 5: 318. Syntypes: Russia: "Kentei-Gebirge".
- 4975. *Polyommatus (Agriades (s.str.)) pheretiades* (Eversmann,1843)** (Lycaenidae) *Lycaena pheretiades* Eversmann,1843, Bull. Soc. imp. Nat. Moscou 16(3): 537, pl.7 figs.3a,b. Syntypes: [Kasachstan]: Noor-Saisan.

- 4976. Polyommatus (Agriades (s.str.)) pheretiades andarabi (Forster,1937)** (Lycaenidae) *Lycaena pheretiades* ssp. *andarabi* Forster,1937, Mitt. münch. ent. Ges. 27: 61, Abb.28,29. Holotype ♂: Afghanistan: West-Hindukusch, Andarab, 4000-4500m.
- 4977. Polyommatus (Agriades (s.str.)) pheretiades dschagataicus (A.Bang-Haas,1915)** (Lycaenidae) *Lycaena pheretiades* var. *dschagataicus* A.Bang-Haas,1915, Dt. ent. Z., Iris 29: 100. Type(s): [China: Uighur A.R.]: Chotan.
- 4978. Polyommatus (Agriades (s.str.)) pheretiades pherecydes (Groum-Grshimailo,1890)** (Lycaenidae) *Lycaena pheretiades* var. *pherecydes* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 391, nota 193 (nom. nov. pro pheres Staudinger,1886 nec Bosiduval,1852). Syntypes: [Uzbekistan]: Namangan; [Kirgizistan/Tadjikistan]: südl. Alai (cf. Koçak,B.,1998).
- 4979. Polyommatus (Agriades (s.str.)) pheretiades pheretiades (Eversmann,1843)** (Lycaenidae) *Lycaena pheretiades* Eversmann,1843, Bull. Soc. imp. Nat. Moscou 16(3): 537, pl.7 figs.3a,b. Syntypes: [Kasachstan]: Noor-Saisan.
- 4980. Polyommatus (Agriades (s.str.)) pheretiades philebus (Fruhstorfer,1915)** (Lycaenidae) *Lycaena pheretiades* var. *philebus* Fruhstorfer,1915, Societas ent. 30: 73. Type(s): [China: Uighur A.R.]: Kaschgar.
- 4981. Polyommatus (Agriades (s.str.)) pheretiades tekessanus (Alpheraky,1897)** (Lycaenidae) *Lycaena pheretiades* var. *tekessanus* Alpheraky,1897, [in] Romanoff, Mém. Lépid. 9: 234, pl.12 fig.3. Syntypes: [China: Uighur A.R.]: flumen Tekesse.
- 4982. Polyommatus (Agriades (s.str.)) pyrenaicus (Boisduval,1840)** (Lycaenidae) *Lycaena orbitulus* var. *pyrenaica* Boisduval,1840, Gen. Index meth. eur. Lepid.: 11. Type(s): Pyren.
- 4983. Polyommatus (Agriades (s.str.)) pyrenaicus araraticus (Gerhard,1853)** (Lycaenidae) *Lycaena orbitulus* var. *araraticus* Gerhard,1853, Versuch Monogr. eur. Schmett. [5]: 11, Taf.18 figs.3a-c. Syntypes: Ararat (types vernichtet).
- 4984. Polyommatus (Agriades (s.str.)) pyrenaicus asturiensis (Oberthür,1910)** (Lycaenidae) *Lycaena pyrenaica* var. *asturiensis* Oberthür,1910, Etud. lepid. comp. 4: 293. Lectotype ♂: Asturias, Picos de Europe,2000m, designated by Balint,1999, Neue ent. Nachr. 46: 16 (BMNH).
- 4985. Polyommatus (Agriades (s.str.)) pyrenaicus dardanus (Freyer,[1844])** (Lycaenidae) *Lycaena dardanus* Freyer,[1844], Neuere Beitr. Schmett. 5:59, Taf.149,fig.2,3. Syntypes: Europ.Türkei [Herzegowina] (Nekrutenko,1974). Material unknown (Hesselbarth, 1995: 622). Lectotype ♂: Bursa (designated by Balint,1999, Neue ent. Nachr. 46: 25).
- 4986. Polyommatus (Agriades (s.str.)) pyrenaicus ergane (Higgins,1981)** (Lycaenidae) *Agriades pyrenaicus* ssp. *ergane* Higgins,1981, Entomologist's Gaz. 32: 231. Holotype ♂: Divnogorje, Lislinsky Region, Woronesch Distr. (Korshunov, 1984).
- 4987. Polyommatus (Agriades (s.str.)) pyrenaicus kudrnai (Koçak,1980)** (Lycaenidae) *Agriades pyrenaica* ssp. *kudrnai* Koçak,1980, Nota lepid. 2 (4): 142 (nomen novum pro *Lycaena orbitulus* rebeli Tuleschkov,1932 nec *Lycaena alcon* rebeli Hirschke,1904).
- 4988. Polyommatus (Agriades (s.str.)) pyrenaicus pyrenaicus (Boisduval,1840)** (Lycaenidae) *Lycaena orbitulus* var. *pyrenaica* Boisduval,1840, Gen. Index meth. eur. Lepid.: 11. Type(s): Pyren.
- 4989. Polyommatus (Agriades (s.str.)) pyrenaicus yusuf (Koçak & Seven,1995)** (Lycaenidae) *Agriades pyrenaicus* ssp. *yusuf* Koçak & Seven,1995, Cent. ent. Stud., Misc. Pap. 25: 2-3. Holotype ♂: Turkey: Kayseri, Erciyas Dağı 2200m (CESA).
- 4990. Polyommatus (Agriades (s.str.)) sikkimus (Bath,1900)** (Lycaenidae) *Lycaena pheretes* var. *sikkima* Bath,1900, Entomologist 33: 199. Lectotype ♂: Samdong, near Darjeeling, designated by Balint,1999, Neue ent. Nachr. 46: 59 (BMNH).
- 4991. Polyommatus (Agriades (s.str.)) sikkimus sikkimus (Bath,1900)** (Lycaenidae) *Lycaena pheretes* var. *sikkima* Bath,1900, Entomologist 33: 199. Lectotype ♂: Samdong, near Darjeeling, designated by Balint,1999, Neue ent. Nachr. 46: 59 (BMNH).
- 4992. Polyommatus (Agriades (s.str.)) walterforster Koçak,1996** (Lycaenidae) *Polyommatus (Agriades) walterforster* Koçak,1996, Cent. ent. Stud., Misc. Pap. 30/33: 15-16 (nomen novum pro *Agriades pheretiades* ssp. *forsteri* Sakai,1978 nec Pfeiffer,1938 (secondary homonym)). Holotype ♂: Afghanistan: Paghman Mt., 3300-3800m.
- 4993. Polyommatus (Agriades (s.str.)) walterforster walterforster Koçak,1996** (Lycaenidae) *Polyommatus (Agriades) walterforster* Koçak,1996, Cent. ent. Stud., Misc. Pap. 30/33: 15-16 (nomen novum pro *Agriades pheretiades* ssp. *forsteri* Sakai,1978 nec Pfeiffer,1938 (secondary homonym)). Holotype ♂: Afghanistan: Paghman Mt., 3300-3800m.
- 4994. Polyommatus (Albulina (Pamiria)) Zhdanko,1995** (Lycaenidae) *Pamiria* Zhdanko,1995, Zool. Zh. 74 (10): 122. Type-species: *Lycaena chrysopsis* Groum-Grshimailo,1888, by original designation.
- 4995. Polyommatus (Albulina (Pamiria)) chrysopsis (Groum-Grshimailo,1888)** (Lycaenidae) *Lycaena chrysopsis* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 306. Syntypes ♂♂: [Pakistan]: Hindukusch orient. [Hunza]. Lectotype ♂: Beik, designated by Balint,1993 [in] d'Abre,1993: 498 (BMNH).
- 4996. Polyommatus (Albulina (Pamiria)) chrysopsis chrysopsis (Groum-Grshimailo,1888)** (Lycaenidae) *Lycaena chrysopsis* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 306. Syntypes ♂♂: [Pakistan]: Hindukusch orient. [Hunza]. Lectotype ♂: Beik, designated by Balint,1993 [in] d'Abre,1993: 498 (BMNH).
- 4997. Polyommatus (Albulina (Pamiria)) farazi (Pagès & Charmeux,1997)** (Lycaenidae) *Albulina farazi* Pagès & Charmeux,1997, Alexanor 19(8): 483-484, figs. Holotype ♂: Pakistan: Chitral, 3000m
- 4998. Polyommatus (Albulina (Pamiria)) farazi farazi (Pagès & Charmeux,1997)** (Lycaenidae) *Albulina farazi* Pagès & Charmeux,1997, Alexanor 19(8): 483-484, figs. Holotype ♂: Pakistan: Chitral, 3000m
- 4999. Polyommatus (Albulina (Pamiria)) galathea (Blanchard,[1844])** (Lycaenidae) *Lycaena galathea* Blanchard,[1844], [in] Jacquemont, Voy. dans l'Inde, iv, Ins.: 21, t.1 figs. 5,6. Syntypes: Cashmir.
- 5000. Polyommatus (Albulina (Pamiria)) galathea galathea (Blanchard,[1844])** (Lycaenidae) *Lycaena galathea* Blanchard,[1844], [in] Jacquemont, Voy. dans l'Inde, iv, Ins.: 21, t.1 figs. 5,6. Syntypes: Cashmir.
- 5001. Polyommatus (Albulina (Pamiria)) issus (Zhdanko,1995)** (Lycaenidae) *Pamiria issa* Zhdanko,1995, Zool. Zh. 74 (10): 123, figs. Holotype ♂: Southern Pamir, Hindukush. "Tura".
- 5002. Polyommatus (Albulina (Pamiria)) issus issus (Zhdanko,1995)** (Lycaenidae) *Pamiria issa* Zhdanko,1995, Zool. Zh. 74 (10): 123, figs. Holotype ♂: Southern Pamir, Hindukush. "Tura".
- 5003. Polyommatus (Albulina (Pamiria)) lehanus Moore,1878** (Lycaenidae) *Polyommatus lehanus* Moore, 1878, Ann. Mag. nat. Hist. 5 (1): 230. Syntypes: [India]: Ladak, Leh 11538ft.
- 5004. Polyommatus (Albulina (Pamiria)) lehanus armathea (Fruhstorfer,1916)** (Lycaenidae) *Lycaena pheres* var. *armathea* Fruhstorfer,1916, Ent. Rdsch. 33: 18. Type(s): [China: Uighur A.R.]: Schahidullah in Süd-Chotan, 4500m.
- 5005. Polyommatus (Albulina (Pamiria)) lehanus artemis (Fruhstorfer,1916)** (Lycaenidae) *Lycaena pheres* var. *artemita* Fruhstorfer,1916, Ent. Rdsch. 33: 18. Type(s): Mustagata, Yarkend, Beik im Hindukusch.
- 5006. Polyommatus (Albulina (Pamiria)) lehanus asiaticus Elwes,1882** (Lycaenidae) *Lycaena pheretes* var. *asiatica* Elwes,1882, Proc. zool. Soc. Lond. 52 (4): 404. Lectotype ♀: Sikkim: Chumbi, designated by Balint,1999, Neue ent. Nachr. 46: 15 (BMNH).
- 5007. Polyommatus (Albulina (Pamiria)) lehanus lehanus Moore,1878** (Lycaenidae) *Polyommatus lehanus* Moore, 1878, Ann. Mag. nat. Hist. 5 (1): 230. Syntypes: [India]: Ladak, Leh 11538ft.
- 5008. Polyommatus (Albulina (Pamiria)) metallicus (C.Felder & R.Felder,[1865])** (Lycaenidae) *Lycaena metallica* C.Felder & R.Felder,[1865], Reise Fregatte "Novara", Lep. Rhop. (2): 283-284, Tab.xxxv fig.7,8. Syntypes ♂♂: Ladak.
- 5009. Polyommatus (Albulina (Pamiria)) metallicus metallicus (C.Felder & R.Felder,[1865])** (Lycaenidae) *Lycaena metallica* C.Felder & R.Felder,[1865], Reise Fregatte "Novara", Lep. Rhop. (2): 283-284, Tab.xxxv fig.7,8. Syntypes ♂♂: Ladak.
- 5010. Polyommatus (Albulina (Pamiria)) omphis (Moore,[1875])** (Lycaenidae) *Polyommatus omphisa* Moore,[1875], Proc. zool. Soc. Lond. 1874: 573, pl.lxvi fig.2. Syntypes ♂♂: Ladak: Dras valley.
- 5011. Polyommatus (Albulina (Pamiria)) omphis omphis (Moore,[1875])** (Lycaenidae) *Polyommatus omphisa* Moore,[1875], Proc. zool. Soc. Lond. 1874: 573, pl.lxvi fig.2. Syntypes ♂♂: Ladak: Dras valley.
- 5012. Polyommatus (Albulina (Pamiria)) selma Koçak,1996** (Lycaenidae) *Polyommatus (Albulina) selma* Koçak,1996, Cent. ent. Stud., Misc. Pap. 30/33: 16 (nomen novum pro *chitralensis* Tytler,1926 nec Swinhoe,1910).

- 5013. Polyommatus (Albulina (Pamiria)) selma selma Koçak,1996** (Lycaenidae) Polyommatus (Albulina) selma Koçak,1996, Cent. ent. Stud., Misc. Pap. 30/33: 16 (nomen novum pro chitralensis Tytler,1926 nec Swinhoe,1910).
- 5014. Polyommatus (Albulina (Patricius)) felicis (Oberthür,1887)** (Lycaenidae) Lycaena felicis Oberthür,1887, Etüd. Ent. 11: 21-22, Pl.7 fig.52. Syntypes: Chine: Ta-Tsien-Lou.
- 5015. Polyommatus (Albulina (Patricius)) felicis felicis (Oberthür,1887)** (Lycaenidae) Lycaena felicis Oberthür,1887, Etüd. Ent. 11: 21-22, Pl.7 fig.52. Syntypes: Chine: Ta-Tsien-Lou.
- 5016. Polyommatus (Albulina (Patricius)) gaborronkayi (Balint,1997)** (Lycaenidae) Albulina gaborronkayi Balint,1997, Neue ent. Nachr. 40: 48, Pls. Holotype ♂: [China]: S.E.Thibet: Ralung (in BMNH).
- 5017. Polyommatus (Albulina (Patricius)) gaborronkayi gaborronkayi (Balint,1997)** (Lycaenidae) Albulina gaborronkayi Balint,1997, Neue ent. Nachr. 40: 48, Pls. Holotype ♂: [China]: S.E.Thibet: Ralung (in BMNH).
- 5018. Polyommatus (Albulina (Patricius)) lucifera (Staudinger,1867)** (Lycaenidae) Lycaena lucifera Staudinger,1867, Stettin ent. Ztg. 28: 100. Syntypes: Ust-Kamengorsk, Altai.
- 5019. Polyommatus (Albulina (Patricius)) lucifera lucifera (Staudinger,1867)** (Lycaenidae) Lycaena lucifera Staudinger,1867, Stettin ent. Ztg. 28: 100. Syntypes: Ust-Kamengorsk, Altai.
- 5020. Polyommatus (Albulina (Patricius)) themis (Groum-Grshimailo,1891)** (Lycaenidae) Lycaena themis Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 451. Syntypes: [China]: Amdo: Sinin-Gebirge.
- 5021. Polyommatus (Albulina (Patricius)) themis themis (Groum-Grshimailo,1891)** (Lycaenidae) Lycaena themis Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 451. Syntypes: [China]: Amdo: Sinin-Gebirge.
- 5022. Polyommatus (Albulina (Patricius)) younghusbandi (Elwes,1906)** (Lycaenidae) Lycaena younghusbandi Elwes,1906, Proc. zool. Soc. Lond. 1906: 484, Pl. 36 fig.10. Syntypes ♂♂: [China]: Tibet: Gyantze.
- 5023. Polyommatus (Albulina (Patricius)) younghusbandi younghusbandi (Elwes,1906)** (Lycaenidae) Lycaena younghusbandi Elwes,1906, Proc. zool. Soc. Lond. 1906: 484, Pl. 36 fig.10. Syntypes ♂♂: [China]: Tibet: Gyantze.
- 5024. Polyommatus (Albulina (Plebejidea)) Koçak,1983** (Lycaenidae) Plebejidea Koçak,1983, Priamus 3 (1): 29. Type-species: Lycaena loewii Zeller,1847, by original designation. (proposed as a subgenus).
- 5025. Polyommatus (Albulina (Plebejidea)) afshar (Eckweiler,1998)** (Lycaenidae) Plebejus (Plebejidea) afshar Eckweiler,1998, Nachr. ent. Ver. Apollo (N.F.) 19(3/4): 229-233, figs. Holotype ♂: Iran: Khorasan: Kuh-e-Binalut, 15km SW Zoshk, 2300-2500m.
- 5026. Polyommatus (Albulina (Plebejidea)) afshar afshar (Eckweiler,1998)** (Lycaenidae) Plebejus (Plebejidea) afshar Eckweiler,1998, Nachr. ent. Ver. Apollo (N.F.) 19(3/4): 229-233, figs. Holotype ♂: Iran: Khorasan: Kuh-e-Binalut, 15km SW Zoshk, 2300-2500m.
- 5027. Polyommatus (Albulina (Plebejidea)) cyane (Eversmann,1837)** (Lycaenidae) Lycaena cyane Eversmann,1837, Bull. Soc. nat. Moscou 10(1): 22. Type(s): Russia: östlicher Orenburgischer Gouvernement.
- 5028. Polyommatus (Albulina (Plebejidea)) cyane cyane (Eversmann,1837)** (Lycaenidae) Lycaena cyane Eversmann,1837, Bull. Soc. nat. Moscou 10(1): 22. Type(s): Russia: östlicher Orenburgischer Gouvernement.
- 5029. Polyommatus (Albulina (Plebejidea)) cyane deserticola (Elwes,1899)** (Lycaenidae) Lycaena cyane var. deserticola Elwes,1899, Trans. ent. Soc. London 1899: 325. Syntypes: Russia: Altai, Tchuja Steppe.
- 5030. Polyommatus (Albulina (Plebejidea)) cyane ella (Bollow,1931)** (Lycaenidae) Lycaena cyane ella Bollow,1931, [in] Seitz, Die Gross-Schmett. Erde 1 (suppl.): 267. Type(s): [Kirgizistan]: Issyk-Kul.
- 5031. Polyommatus (Albulina (Plebejidea)) cyane maximus (O.Bang-Haas,1927)** (Lycaenidae) Lycaena cyane ssp.maxima O.Bang-Haas,1927, Horae Macrolepid. 1: 52, t.7 f.24,25. Syntypes: China sept. or.: Kansu: Lanchowfu.
- 5032. Polyommatus (Albulina (Plebejidea)) cyane tarbagata Suschkin,1909** (Lycaenidae) Lycaena cyane tarbagata Suschkin,1909, Ent. Rdsch. 26(10): 59. Type(s): [Kasachstan]: Tarbagatai.
- 5033. Polyommatus (Albulina (Plebejidea)) elvira (Eversmann,1854)** (Lycaenidae) Lycaena elvira Eversmann,1854, Bull. Soc. nat. Moscou 27 (2): 177. Syntypes: südlichen Kirgisensteppen [Südkasachstan, wahrscheinlich am Fluss Syrdarja] (cf. Lukhtanov,1994, Herbiopoliana 3: 278).
- 5034. Polyommatus (Albulina (Plebejidea)) elvira elvira (Eversmann,1854)** (Lycaenidae) Lycaena elvira Eversmann,1854, Bull. Soc. nat. Moscou 27 (2): 177. Syntypes: südlichen Kirgisensteppen [Südkasachstan, wahrscheinlich am Fluss Syrdarja] (cf. Lukhtanov,1994, Herbiopoliana 3: 278).
- 5035. Polyommatus (Albulina (Plebejidea)) ferganus (Staudinger,1881)** (Lycaenidae) Lycaena loewii var.? fergana Staudinger,1881, Stettin ent. Ztg. 42: 262. Syntypes: [Usbekistan]: Margelan.
- 5036. Polyommatus (Albulina (Plebejidea)) ferganus ferganus (Staudinger,1881)** (Lycaenidae) Lycaena loewii var.? fergana Staudinger,1881, Stettin ent. Ztg. 42: 262. Syntypes: [Usbekistan]: Margelan.
- 5037. Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) Lycaena loewii Zeller,1847, Isis 1847: 9-10. Syntypes ♂♂: [Türkei]: Makri [Fethiye].
- 5038. Polyommatus (Albulina (Plebejidea)) loewii afghanus Howarth & Povolny,1976** (Lycaenidae) Polyommatus loewii ssp. afghana Howarth & Povolny, 1976, Cas. morav. Mus. Brne 61: 142. Holotype ♂: Afghanistan: Arbarp, 10 miles W. of Kabul (BMNH).
- 5039. Polyommatus (Albulina (Plebejidea)) loewii antilbanoticus (Hemming,1929)** (Lycaenidae) Polyommatus loewii antilbanotica Hemming,1929, Proc. ent. Soc. Lond. 4: 4-5. Holotype ♂: [Lebanon]: Baalbek (in BMNH).
- 5040. Polyommatus (Albulina (Plebejidea)) loewii battenfeldi (Rose & Schurian,[1978])** (Lycaenidae) Plebejus loewii ssp. battenfeldi Rose & Schurian,[1978], J. ent. Soc. Iran 4 (1/2): 74-77, figs. Holotype ♂: Iran: Prov. Khuzestan, Sisakht, nördl. Yassudj, 2250m (in coll. K.Rose).
- 5041. Polyommatus (Albulina (Plebejidea)) loewii grossi (Rose,1975)** (Lycaenidae) Plebejus loewii ssp. grossi Rose,1975, J. ent. Soc. Iran, Suppl. 1: 45-47, figs. 62-64. Holotype ♂: Iran: Elburs S-Seite: Rudehen, 60km östl. Tehran, 1700-1800m. (in coll. Rose).
- 5042. Polyommatus (Albulina (Plebejidea)) loewii hoffmanni (Rose & Schurian,[1978])** (Lycaenidae) Plebejus loewii ssp. hoffmanni Rose & Schurian,[1978], J. ent. Soc. Iran 4 (1/2): 72-74, figs. Holotype ♂: Iran: Prov. Fars, Persepolis, 60km nördl. Shiraz, 1600m (in coll. K.Rose).
- 5043. Polyommatus (Albulina (Plebejidea)) loewii laura Evans,1932** (Lycaenidae) Polyommatus loewii laura Evans,1932, Identification of Indian Butterflies (2): 227. Lectotype ♂: Ladak, designated by Balint,1999, Neue ent. Nachr. 46: 41 (BMNH).
- 5044. Polyommatus (Albulina (Plebejidea)) loewii lockarti (Hemming,1929)** (Lycaenidae) Polyommatus loewii ssp. lockarti Hemming,1929,Proc. ent. Soc. Lond. 1929 (4): 3. Holotype ♂: Transjordan: Qasr Azraq (in BMNH).
- 5045. Polyommatus (Albulina (Plebejidea)) loewii loewii (Zeller,1847)** (Lycaenidae) Lycaena loewii Zeller,1847, Isis 1847: 9-10. Syntypes ♂♂: [Türkei]: Makri [Fethiye].
- 5046. Polyommatus (Albulina (Plebejidea)) loewii sanoga (Evans,1925)** (Lycaenidae) Lycaena loewii ssp. sanoga Evans,1925, J. Bomb. nat. Hist. Soc. 30: 346, pl.27 figs.23.5. Lectotype ♂: [Pakistan]: Chitral (leg. Major F.Wall) (BMNH), designated by Balint,1999, Neue ent. Nachr. 46: 56-57.
- 5047. Polyommatus (Albulina (Plebejidea)) loewii schwingenschussi (Pfeiffer,1937)** (Lycaenidae) Lycaena loewii ssp. schwingenschussi Pfeiffer,1937, Mitt. münch. ent. Ges. 27: 34-35. Holotype ♂: Iran: Demavend, Pelur 2000m.
- 5048. Polyommatus (Albulina (Plebejidea)) loewii uranicola (Walker,1870)** (Lycaenidae) Lampides uranicola Walker,1870, Entomologist 5: 52, nr.45 Syntypes: Egypt: Mt. Sinai, Wady Genneh.
- 5049. Polyommatus (Albulina (Plebejidea)) miris (Staudinger,1881)** (Lycaenidae) Lycaena miris Staudinger,1881, Stettin ent. Ztg. 42: 263-264. Syntypes ♂♂: [Iran]: Schahrud; [Kasachstan]: Lepsa, Saisan.
- 5050. Polyommatus (Albulina (Plebejidea)) miris miris (Staudinger,1881)** (Lycaenidae) Lycaena miris Staudinger,1881, Stettin ent. Ztg. 42: 263-264. Syntypes ♂♂: [Iran]: Schahrud; [Kasachstan]: Lepsa, Saisan.
- 5051. Polyommatus (Albulina (Plebejidea)) rosei (Eckweiler,1989)** (Lycaenidae) Plebejus (Vacciniina) rosei Eckweiler,1989, Nachr. ent. Ver. Apollo (N.F.) 10(2): 90-95, figs.

Holotype ♂: Osttürkei: Prov. Van: Kurubaş Geçidi, 1900-2000m, 12km südl. Van (in coll. Rose).

5052. Polyommatus (Albulina (Plebejidea)) rosei rosei (Eckweiler,1989) (Lycaenidae) Plebejus (Vacciniina) rosei Eckweiler,1989, Nachr. ent. Ver. Apollo (N.F.) 10(2): 90-95, figs. Holotype ♂: Osttürkei: Prov. Van: Kurubaş Geçidi, 1900-2000m, 12km südl. Van (in coll. Rose).

5053. Polyommatus (Albulina (Vacciniina)) Tutt,[1909] (Lycaenidae) Vacciniina Tutt,[1909], Nat. Hist. Br. Butts 3: 154. Type-species: Papilio optilete Knoch,1781, Beitr. Insektengesch. 1: 76, pl.5, figs.5-6, by original designation.

5054. Polyommatus (Albulina (Vacciniina)) alcedo (Christoph,1877) (Lycaenidae) Lycaena alcedo Christoph,1877, Horae Soc. ent. ross. 12: 233, pl.5 figs.3,4. Syntypes: [Iran]: Schahkuh, Schahrud. Lectotype ♀: [Iran]: Shahkuh (designated by Balint,1999, Neue ent. Nachr. 46: 9) (BMNH).

5055. Polyommatus (Albulina (Vacciniina)) alcedo alcedo (Christoph,1877) (Lycaenidae) Lycaena alcedo Christoph,1877, Horae Soc. ent. ross. 12: 233, pl.5 figs.3,4. Syntypes: [Iran]: Schahkuh, Schahrud. Lectotype ♀: [Iran]: Shahkuh (designated by Balint,1999, Neue ent. Nachr. 46: 9) (BMNH).

5056. Polyommatus (Albulina (Vacciniina)) alcedo ardasher (Eckweiler,1998) (Lycaenidae) Plebejus (Vacciniina) alcedo ssp. ardasher Eckweiler,1998, Nachr. ent. Ver. Apollo (N.F.) 19(3/4): 234-236, figs. Holotype ♂: Iran: Yazd: Shir Kuh, Deh Bala, S. Taft, 2600-2700m.

5057. Polyommatus (Albulina (Vacciniina)) alcedo zoro (Eckweiler,1998) (Lycaenidae) Plebejus (Vacciniina) alcedo ssp. zoro Eckweiler,1998, Nachr. ent. Ver. Apollo (N.F.) 19(3/4): 236-237, figs. Holotype ♂: Iran: Kerman: Sae-e-Siab, N. Kuhpayeh, 2700-2900m.

5058. Polyommatus (Albulina (Vacciniina)) antoninae Lukhtanov,1999 (Lycaenidae) Polyommatus antoninae Lukhtanov,1999, Atalanta 30 (1/4): 148-149. Holotype ♂: Kirgisien: West-Tienschan: Tschatkalski Gebirge, Tschaptschama Pass, 2850m. (in EMEM).

5059. Polyommatus (Albulina (Vacciniina)) antoninae antoninae Lukhtanov,1999 (Lycaenidae) Polyommatus antoninae Lukhtanov,1999, Atalanta 30 (1/4): 148-149. Holotype ♂: Kirgisien: West-Tienschan: Tschatkalski Gebirge, Tschaptschama Pass, 2850m. (in EMEM).

5060. Polyommatus (Albulina (Vacciniina)) balinti (D'Abrera,1993) (Lycaenidae) Plebejus (Vacciniina) balinti D'Abrera,1993, Butterflies of the Holarctic Region (3): 491, figs. Holotype ♂: [Turkmenistan]: "Tura" (BMNH).

5061. Polyommatus (Albulina (Vacciniina)) balinti balinti (D'Abrera,1993) (Lycaenidae) Plebejus (Vacciniina) balinti D'Abrera,1993, Butterflies of the Holarctic Region (3): 491, figs. Holotype ♂: [Turkmenistan]: "Tura" (BMNH).

5062. Polyommatus (Albulina (Vacciniina)) iris (Lang,1884) (Lycaenidae) Lycaena iris Lang,1884, Rhopalocera europa descripta delineata 1: 369. Lectotype ♂: Samarkand, designated by Balint,1999, Neue ent. Nachr. 46: 37 (BMNH).

5063. Polyommatus (Albulina (Vacciniina)) iris ashretha (Evans,1925) (Lycaenidae) Lycaena iris ssp. ashretha Evans,1925, J. Bombay nat. Hist. Soc. 30: 346, pl.27 fig.23,6. Lectotype ♂: [Pakistan]: Chitral: Ziarat, 8-9000ft., designated by Balint,1999, Neue ent. Nachr. 46: 15 (BMNH).

5064. Polyommatus (Albulina (Vacciniina)) iris dushanbe Lukhtanov,1999 (Lycaenidae) Polyommatus ashretha ssp. dushanbe Lukhtanov,1999, Atalanta 30 (1/4): 149-150. Holotype ♂: Tadschikistan: Dushanbe, 900m. (in coll. Zoologisches Institut, St. Petersburg).

5065. Polyommatus (Albulina (Vacciniina)) iris hanna Evans,1932 (Lycaenidae) Polyommatus iris hanna Evans,1932, Identification of Indian Butterflies (2): 227. Syntypes: [Pakistan]: Baluchistan.

5066. Polyommatus (Albulina (Vacciniina)) iris iris (Lang,1884) (Lycaenidae) Lycaena iris Lang,1884, Rhopalocera europa descripta delineata 1: 369. Lectotype ♂: Samarkand, designated by Balint,1999, Neue ent. Nachr. 46: 37 (BMNH).

5067. Polyommatus (Albulina (Vacciniina)) iris marlene (Hemming,1934) (Lycaenidae) Agriades glandon ssp. marlene Hemming,1934, Stylops 3: 193 (nomen novum pro Lycaena orbitulus astorica Tytler,1926, J. Bombay nat. Hist. Soc. 31: 585, figs. nec Lycaena astorica Evans,1925. Lectotype ♂: [Pakistan]: Astor, designated by Balint,1999: 16.

5068. Polyommatus (Albulina (Vacciniina)) morgianus (Kirby,1871) (Lycaenidae) Cupido morgiana Kirby,1871, Syn. Cat. Diurnal Lepid.: 369, nr.232 (pro hyrcana Led.,1869 nec Felder,1860).

5069. Polyommatus (Albulina (Vacciniina)) morgianus badgiri (Ten Hagen & Schurian,2001) (Lycaenidae) Plebejus (Vacciniina) morgianus ssp. badgiri Ten Hagen & Schurian,2001, Nachr. ent. Ver. Apollo (N.F.) 21 (4): 193, 196, figs.9-11,16. Holotype ♂: Iran: Yazd: Shir Kuh, südl. Deh Bala, 3000-3300m, 16.vii.1999, Ten Hagen leg. (SMFL).

5070. Polyommatus (Albulina (Vacciniina)) morgianus blomi (Rose & Schurian,1977) (Lycaenidae) Vacciniina hyrcana ssp. blomi Rose & Schurian,1977, Ent. Z., Frankf. a. M. 87(14): 148-150, Abb.2. Holotype ♂: Iran: Südiran: Fars, Dasht-e-Arjan, 2000-2200m (in coll. Rose).

5071. Polyommatus (Albulina (Vacciniina)) morgianus montetaftanus (Ten Hagen & Schurian,2001) (Lycaenidae) Plebejus (Vacciniina) morgianus ssp. montetaftanus Ten Hagen & Schurian,2001, Nachr. ent. Ver. Apollo (N.F.) 21 (4): 196-200, fig.17. Holotype ♂: Südost-Iran: Baludschistan: Kuh e Taftan, Varadj, 2200-2700m, 17-21.v.1978, Eckweiler leg. (SMFL).

5072. Polyommatus (Albulina (Vacciniina)) morgianus morgianus (Kirby,1871) (Lycaenidae) Cupido morgiana Kirby,1871, Syn. Cat. Diurnal Lepid.: 369, nr.232 (pro hyrcana Led.,1869 nec Felder,1860).

5073. Polyommatus (Albulina (Vacciniina)) morgianus vaneki (Weidenhoffer & Klir,2000) (Lycaenidae) Plebejus (Vacciniina) vaneki Weidenhoffer & Klir,2000, Linneana Belg. 17 (7): 289-290, figs.1.1, 2.1, 2.7-8. Holotype ♂: Iran: Prov. Esfahan: Kuhha Qohrud Mts., 10km east of Zefre, 2500-2700m (ZSM).

5074. Polyommatus (Albulina (Vacciniina)) omotoi (Forster,1972) (Lycaenidae) Vacciniina omotoi Forster,1972, Ent. Z., Frankf. a. M. 82(20): 231-232, Abb. 6-7. Holotype ♂: Afghanistan: Koh-i-Baba Mts., Panjao, 2700-3000m

5075. Polyommatus (Albulina (Vacciniina)) omotoi omotoi (Forster,1972) (Lycaenidae) Vacciniina omotoi Forster,1972, Ent. Z., Frankf. a. M. 82(20): 231-232, Abb. 6-7. Holotype ♂: Afghanistan: Koh-i-Baba Mts., Panjao, 2700-3000m

5076. Polyommatus (Albulina (Vacciniina)) optilete (Knoch,1781) (Lycaenidae) Papilio optilete Knoch,1781, Beitr. Insecten-Geschichte 1: 76, Tab.5 figs.5,6. Syntypes: [Germany]: Leipzig bei Schwickert (type probably lost).

5077. Polyommatus (Albulina (Vacciniina)) optilete cosanus Higgins,1930 (Lycaenidae) Polyommatus optilete ssp. cosana Higgins,1930, Entomologist 63: 126. Syntypes 8♂ 4♀: Italy: Piedmonte, Sestriere.

5078. Polyommatus (Albulina (Vacciniina)) optilete cyparissus (Hübner,[1813]) (Lycaenidae) Papilio cyparissus Hübner,[1813], Samml. eur. Schmett. 1: pl.129, figs. 654-657. Syntypes: Europa.

5079. Polyommatus (Albulina (Vacciniina)) optilete optilete (Knoch,1781) (Lycaenidae) Papilio optilete Knoch,1781, Beitr. Insecten-Geschichte 1: 76, Tab.5 figs.5,6. Syntypes: [Germany]: Leipzig bei Schwickert (type probably lost).

5080. Polyommatus (Albulina (Vacciniina)) optilete sibiricus (Staudinger,1892) (Lycaenidae) Lycaena optilete var. sibiricus Staudinger,1892, Dt. ent. Z., Iris 5: 317. Syntypes: Russia: "Kentei-Gebirge".

5081. Polyommatus (Albulina (Vacciniina)) rutilans (Staudinger,1886) (Lycaenidae) Lycaena rutilans Staudinger,1886, Stettin ent. Ztg. 47: 208-209, Syntypes: [Tadjikistan]: Südlich Alai.

5082. Polyommatus (Albulina (Vacciniina)) rutilans rutilans (Staudinger,1886) (Lycaenidae) Lycaena rutilans Staudinger,1886, Stettin ent. Ztg. 47: 208-209, Syntypes: [Tadjikistan]: Südlich Alai.

5083. Polyommatus (Albulina (Vacciniina)) sieversii (Christoph,1873) (Lycaenidae) Lycaena sieversii Christoph, 1873, Horae Soc. ent. ross. 10: 23, Tab.I figs. 1,2. Syntypes ♂♂: [Iran]: Nord-Persien: Schahkuh, 4000-10000ft.

5084. Polyommatus (Albulina (Vacciniina)) sieversii felicius Evans,1932 (Lycaenidae) Polyommatus sieversii felicia Evans,1932, Identification of Indian Butterflies (2): 227. Syntypes: [Pakistan]: Baluchistan.

5085. Polyommatus (Albulina (Vacciniina)) sieversii haberhaueri (Staudinger,1886) (Lycaenidae) Lycaena sieversii var. haberhaueri Staudinger,1886, Stettin ent. Ztg. 47: 206. Syntypes ♂♀: [Usbekistan]: Namangan, Samarkand.

5086. Polyommatus (Albulina (Vacciniina)) sieversii sieversii (Christoph,1873) (Lycaenidae) Lycaena sieversii Christoph, 1873,

Horae Soc. ent. ross. 10: 23, Tab.I figs. 1,2. Syntypes ♂♀: [Iran]: Nord-Persien: Schahkuh, 4000-10000ft.

5087. Polyommatus (Albulina (s.str.) Tutt,[1909] (Lycaenidae) *Albulina* Tutt,[1909], Nat. Hist. Br. Butts 3(6): 154. Type-species: *Papilio pheretes* Hübner,[1806], Samml. eur. Schmett. 1: 45 (nec Hoffmannsegg,1804; vide *Papilio orbitulus* De Prunner,1798), by original designation.

5088. Polyommatus (Albulina (s.str.) orbitulus (De Prunner,1798) (Lycaenidae) *Papilio orbitulus* De Prunner,1798, Lepidoptera Pedemontana: 75. Type(s): [Italy]: Piedmont.

5089. Polyommatus (Albulina (s.str.) orbitulus lobbichleri (Forster,1961) (Lycaenidae) *Albulina orbitulus* ssp. *lobbichleri* Forster,1961, Veröff. zool. StSamml. Münch. 6: 148-149, Taf.xiv figs.3,6. Holotype ♂: Nepal: Tukucha, 2500m. (ZSM).

5090. Polyommatus (Albulina (s.str.) orbitulus orbitulus (De Prunner,1798) (Lycaenidae) *Papilio orbitulus* De Prunner,1798, Lepidoptera Pedemontana: 75. Type(s): [Italy]: Piedmont.

5091. Polyommatus (Albulina (s.str.) orbitulus sajanus (Heyne,[1895]) (Lycaenidae) *Lycaena pheretes* var. *sajana* Heyne,[1895], [in] Rühl,F., Die Palaearkt. Grossschmett. Naturg. 1:757. Type(s): [Russia]: südliches Sibirien.

5092. Polyommatus (Albulina (s.str.) orbitulus tibetana (D'Abrera,1993) (Lycaenidae) *Albulina tibetana* D'Abrera,1993, Butts. Holarctic Region: 497, figs. Holotype ♂: [China]: Tibet, Sakithung, 12000ft (BMNH).

5093. Polyommatus (Albulina (s.str.) orbonus (Groum-Grshimailo,1891) (Lycaenidae) *Lycaena orbona* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 452. Syntypes ♂♀: [China]: Qinghai: In regione Amdo, in montibus ad Guj-duj.

5094. Polyommatus (Albulina (s.str.) pharis (Fawcett,1904) (Lycaenidae) *Lycaena pheretes* var. *pharis* Fawcett,1904, Proc. zool. Soc. Lond. 1904: 138, Pl.9 figs. 5, 5a. Syntypes ♂♀: [China]: Tibet: Khamba Jong, 15000ft.

5095. Polyommatus (Albulina (s.str.) pharis pharis (Fawcett,1904) (Lycaenidae) *Lycaena pheretes* var. *pharis* Fawcett,1904, Proc. zool. Soc. Lond. 1904: 138, Pl.9 figs. 5, 5a. Syntypes ♂♀: [China]: Tibet: Khamba Jong, 15000ft.

5096. Polyommatus (Aricia (Eumedonia)) Forster,1938 (Lycaenidae) *Eumedonia* Forster,1938, Mitt. münch. ent. Ges. 28: 113. Type-species: *Papilio eumedon* Esper,[1780], Die Schmett. 1(Bd.2) Forts. Tagschmett.: 16: pl.52, figs.2,3. by original designation.

5097. Polyommatus (Aricia (Eumedonia)) annulatus (Elwes,1906) (Lycaenidae) *Lycaena semiargus* var. *annulata* Elwes, 1906, Proc. zool. Soc. Lond. 1906: 484-485, Pl.36 figs. 11,12. Syntypes: China: Tibet: Gyantze. Lectotype ♂: Gyangste, 1 3000ft. (designated by Balint,1999, Neue ent. Nachr. 46: 12) (BMNH).

5098. Polyommatus (Aricia (Eumedonia)) annulatus annulatus (Elwes,1906) (Lycaenidae) *Lycaena semiargus* var. *annulata* Elwes, 1906, Proc. zool. Soc. Lond. 1906: 484-485, Pl.36 figs. 11,12. Syntypes: China: Tibet: Gyantze. Lectotype ♂: Gyangste, 1 3000ft. (designated by Balint,1999, Neue ent. Nachr. 46: 12) (BMNH).

5099. Polyommatus (Aricia (Eumedonia)) astoricus (Evans,1925) (Lycaenidae) *Lycaena astorica* Evans,1925, J. Bomb. nat. Hist. Soc. 30: 346. Lectotype ♂: Astor 9000ft, designated by Balint,1999, Neue ent. Nachr. 46: 15 (BMNH).

5100. Polyommatus (Aricia (Eumedonia)) astoricus astoricus (Evans,1925) (Lycaenidae) *Lycaena astorica* Evans,1925, J. Bomb. nat. Hist. Soc. 30: 346. Lectotype ♂: Astor 9000ft, designated by Balint,1999, Neue ent. Nachr. 46: 15 (BMNH).

5101. Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780]) (Lycaenidae) *Papilio eumedon* Esper,[1780], Die Schmett. 1 (Bd.2) Forts. Tagschmett.: 16: pl.52, figs.2,3.

5102. Polyommatus (Aricia (Eumedonia)) eumedon aladaghensis (Koçak,1979) (Lycaenidae) *Aricia (Eumedonia) eumedon* ssp. *aladaghensis* Koçak,1979, Atalanta 10(4a): 314-317 figs. Holotype ♂: Turkey: Niğde: Demirkazık, 1600-2500m (in coll.Cesa).

5103. Polyommatus (Aricia (Eumedonia)) eumedon antiquus (Heyne,[1895]) (Lycaenidae) *Lycaena eumedon* var. *antiqua* Heyne,[1895], [in] Rühl,F., Die Palaearkt. Grossschmett. Naturg. 1: 761. Type(s): Tura.

5104. Polyommatus (Aricia (Eumedonia)) eumedon belinus (De Prunner,1798) (Lycaenidae) *Papilio belinus* De Prunner,1798, Lepidoptera Pedemontana: 77. Type(s): [Italy]: Piedmont.

5105. Polyommatus (Aricia (Eumedonia)) eumedon eumedon (Esper,[1780]) (Lycaenidae) *Papilio eumedon* Esper,[1780], Die Schmett. 1(Bd.2) Forts. Tagschmett.: 16: pl.52, figs.2,3.

5106. Polyommatus (Aricia (Eumedonia)) eumedon fylgides (Gorbunov,1995) (Lycaenidae) *Eumedonia eumedon* ssp. *fylgides* Gorbunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 178. Holotype: Russia: Kamtschatka: Paratounka.

5107. Polyommatus (Aricia (Eumedonia)) eumedon grassoides (Eitschberger & Steiniger,1975) (Lycaenidae) *Eumedonia eumedon* ssp. *grassoides* Eitschberger & Steiniger,1975, Atalanta 6 (2): 113-115, figs. Holotype ♂: France: Grasse (Alpes-Maritimes) (in coll. Eitschberger).

5108. Polyommatus (Aricia (Eumedonia)) eumedon jermyni (Swinhoe,1910) (Lycaenidae) *Plebejus eumedon* var. *jermyni* Swinhoe,1910, [in] Moore,F., Lepid. Ind. 8: 89, pl.660 fig.2. Lectotype ♂: [Pakistan]: Gilgit, Babusar Pass, 10400ft. (BMNH), designated by Balint,1999, Neue ent. Nachr. 46: 39.

5109. Polyommatus (Aricia (Eumedonia)) eumedon mariensis (Eitschberger & Steiniger,1975) (Lycaenidae) *Eumedonia eumedon* ssp. *mariensis* Eitschberger & Steiniger,1975, Atalanta 6 (2): 116-119, figs. Holotype ♂: Espana: Almeria, Sierra de Maria, Barranco Agrio, 1400-2040m (in coll. Eitschberger).

5110. Polyommatus (Aricia (Eumedonia)) eumedon modestus (Nekrutenko,1972) (Lycaenidae) *Eumedonia eumedon* ssp. *modestus* Nekrutenko,1972, J. Lepid. Soc. 26(4): 215-218. Holotype ♂: [Georgia]: Abchasia: Ritsa Nature reserve, 1500-2500m.

5111. Polyommatus (Aricia (Eumedonia)) eumedon moenus (Eitschberger & Steiniger,1975) (Lycaenidae) *Eumedonia eumedon* ssp. *moenus* Eitschberger & Steiniger,1975, Atalanta 6 (2): 99-106, figs. Holotype ♂: Deutschland: Nordbayern: Thüringersheim, Rotlaufberg, 300m (in coll. Eitschberger).

5112. Polyommatus (Aricia (Eumedonia)) eumedon mylittus (Hemming,1931) (Lycaenidae) *Aricia chiron* ssp. *mylitta* Hemming,1931, Stylops 1: 12. Holotype ♂: Lebanon: Cedar Mts. (BMNH).

5113. Polyommatus (Aricia (Eumedonia)) eumedon namus Koçak & Kemal,2002 (Lycaenidae) *Polyommatus (Aricia (Eumedonia)) eumedon* ssp. *namus* Koçak & Kemal,2002, Cent. ent. Stud. Misc. Pap. 82/85: 20. Holotype ♂: Turkey: Van Prov. Karabel geçidinin doğu yamaçları, 2700-3000m, M.Kemal leg. (in coll. Cesa).

5114. Polyommatus (Aricia (Eumedonia)) eumedon sarykola (Sheljuzhko,1914) (Lycaenidae) *Lycaena eumedon* ssp. *sarykola* Sheljuzhko,1914, Dt. ent. Z., Iris 26: 21-22. Syntypes ♂♀: [Tadjikistan]: östl. Pamir: Tash-Kurgan, Sarykol-Gebirge.

5115. Polyommatus (Aricia (Eumedonia)) kogistanus (Groum-Grshimailo,1888) (Lycaenidae) *Lycaena kogistana* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 306. Syntypes ♂♀: Darwaz.

5116. Polyommatus (Aricia (Eumedonia)) kogistanus kogistanus (Groum-Grshimailo,1888) (Lycaenidae) *Lycaena kogistana* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 306. Syntypes ♂♀: Darwaz.

5117. Polyommatus (Aricia (Pseudoaricia)) Beuret,1959 (Lycaenidae) *Pseudoaricia Beuret*,1959, Mitt. ent. Ges. Basel (n.f.) 9:84. Type-species: *Polyommatus nicias* Meigen, 1829, Syst. Besch. eur. Schmett. 2(1): 10, pl.45, figs.3a,b. by original designation.

5118. Polyommatus (Aricia (Pseudoaricia)) hyacinthus (Herrich-Schäffer,[1847]) (Lycaenidae) *Lycaena hyacinthus* Herrich-Schäffer,[1847], Syst. Besch. Schmett. Eur. Papilionides: Taf.72 figs. 345-348; ibid. 6: 29. Type(s): "Aus der Türkei".

5119. Polyommatus (Aricia (Pseudoaricia)) hyacinthus hyacinthus (Herrich-Schäffer,[1847]) (Lycaenidae) *Lycaena hyacinthus* Herrich-Schäffer,[1847], Syst. Besch. Schmett. Eur. Papilionides: Taf.72 figs. 345-348; ibid. 6: 29. Type(s): "Aus der Türkei".

5120. Polyommatus (Aricia (Pseudoaricia)) isauricus (Staudinger,1871) (Lycaenidae) *Lycaena isaurica* Staudinger,1871, Berl. ent. Z. 14: 327-328. Syntypes 4♂: [Türkei]: [İçel]: Karli Boghas.

5121. Polyommatus (Aricia (Pseudoaricia)) isauricus dorsumstellae (Graves,1923) (Lycaenidae) *Polyommatus isaurica* ssp. *dorsum-stellae* Graves,1923, Entomologist 56: 156. Syntypes: Lebanon: Dhahr el Khodh (in BMNH).

5122. Polyommatus (Aricia (Pseudoaricia)) isauricus isauricus (Staudinger,1871) (Lycaenidae) *Lycaena isaurica* Staudinger,1871, Berl. ent. Z. 14: 327-328. Syntypes 4♂: [Türkei]: [İçel]: Karli Boghas.

5123. Polyommatus (Aricia (Pseudoaricia)) isauricus latimargo (Miller,1923) (Lycaenidae) *Lycaena isaurica* ab. *latimargo* Courvoisier,1913, Ent. Mitt. 2 (10): 291 (infrasubspecific name! Miller (1923, Izv. mork. ent. Obsch 2(2): 100) used subspecific category for *latimargo*). Type ♂: Türkiye: Kars: Kağızman (in NHMB).

- 5124. Polyommatus (Aricia (Pseudoaricia)) nicias (Meigen,1830)** (Lycaenidae) Polyommatus nicias Meigen,1830, Syst. Besch. eur. Schmett. 2: 10, af.45 figs.3a,b. Syntypes: Rhätische Alpen.
- 5125. Polyommatus (Aricia (Pseudoaricia)) nicias bittis (Fruhstorfer,1915)** (Lycaenidae) Lycaena donzelii bittis Fruhstorfer,1915, Societas Ent. 30: 73. Syntypes: Russia: Altai.
- 5126. Polyommatus (Aricia (Pseudoaricia)) nicias kolosovi (Korshunov,1995)** (Lycaenidae) Aricia nicias ssp. kolosovi Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 179 (nomen novum pro septentrionalis Krulikowsky,1909 nec Fuchs,1900).
- 5127. Polyommatus (Aricia (Pseudoaricia)) nicias nicias (Meigen,1830)** (Lycaenidae) Polyommatus nicias Meigen,1830, Syst. Besch. eur. Schmett. 2: 10, af.45 figs.3a,b. Syntypes: Rhätische Alpen.
- 5128. Polyommatus (Aricia (Pseudoaricia)) teberdinus (Sheljuzhko,1934)** (Lycaenidae) Lycaena teberdina Sheljuzhko,1934, Z. öst. EntVer. 19: 39-40, figs. 5-8. Syntypes: [Georgia]: Chatipara-Berg., 2200-2300m.
- 5129. Polyommatus (Aricia (Pseudoaricia)) teberdinus nahizericus (Eckweiler,1978)** (Lycaenidae) Aricia tebrdina ssp. nahizerica Eckweiler,1978, Nota lepid. 1 (3): 115-118, figs. 1-4. Holotype ♂: Türkiye: Erzurum Prov., Nahizer am Ovit Geçidi 1700-1900m.
- 5130. Polyommatus (Aricia (Pseudoaricia)) teberdinus teberdinus (Sheljuzhko,1934)** (Lycaenidae) Lycaena teberdina Sheljuzhko,1934, Z. öst. EntVer. 19: 39-40, figs. 5-8. Syntypes: [Georgia]: Chatipara-Berg., 2200-2300m.
- 5131. Polyommatus (Aricia (Pseudoaricia)) torulensis Hesselbarth & Siepe,1993** (Lycaenidae) Polyommatus (Aricia) torulensis Hesselbarth & Siepe,1993, Phegea 21 (2): 47-53, figs., Taf. Holotype ♂: Türkiye: Gümüşhane Prov., Demirkaynak, 1100-1150m. (ITZA).
- 5132. Polyommatus (Aricia (Pseudoaricia)) torulensis torulensis Hesselbarth & Siepe,1993** (Lycaenidae) Polyommatus (Aricia) torulensis Hesselbarth & Siepe,1993, Phegea 21 (2): 47-53, figs., Taf. Holotype ♂: Türkiye: Gümüşhane Prov., Demirkaynak, 1100-1150m. (ITZA).
- 5133. Polyommatus (Aricia (Ultraaricia)) Beuret,1959** (Lycaenidae) Ultraaricia Beuret,1959, Mitt. ent. Ges. Basel (n.f.) 9:84. Type-species: Lycaena anteros Freyer,1839, Neue. Beitr. Schmett. 1(45): 101, pl.265, fig.1. by original designation.
- 5134. Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838])** (Lycaenidae) Lycaena anteros Freyer,[1838], Neuere Beitr. Schmett. 3(45): 101, pl.265 fig.1 Syntypes: [Türkei]: Konstantinopel [=Istanbul].
- 5135. Polyommatus (Aricia (Ultraaricia)) anteros anteros (Freyer,[1838])** (Lycaenidae) Lycaena anteros Freyer,[1838], Neuere Beitr. Schmett. 3(45): 101, pl.265 fig.1 Syntypes: [Türkei]: Konstantinopel [=Istanbul].
- 5136. Polyommatus (Aricia (Ultraaricia)) anteros dombaiensis (Alberti,1969)** (Lycaenidae) Lycaena anteros ssp. dombaiensis Alberti,1969, Dt. ent. Z. (N.F.) 16 (1/3): 197, Taf. 2 fig.1c. Holotype ♂: Grosser Kaukasus: Dombai, Tschurtschur Pass, 2200-2900m (ZSSM).
- 5137. Polyommatus (Aricia (Ultraaricia)) bassoni (T.Larsen,1974)** (Lycaenidae) Aricia crassipuncta ssp. bassoni Larsen,1974, Butterflies of Lebanon: 172-174, Pl. 161. Holotype ♂: Lebanon: Jabal Qammoua, 1800m (raised to species category by Larsen,1995, Nota lepid. 17(3/4): 121-123).
- 5138. Polyommatus (Aricia (Ultraaricia)) bassoni bassoni (T.Larsen,1974)** (Lycaenidae) Aricia crassipuncta ssp. bassoni Larsen,1974, Butterflies of Lebanon: 172-174, Pl. 161. Holotype ♂: Lebanon: Jabal Qammoua, 1800m (raised to species category by Larsen,1995, Nota lepid. 17(3/4): 121-123).
- 5139. Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893)** (Lycaenidae) Lycaena anteros var. crassipuncta Christoph,1893, Dt. ent. Z., Iris 6: 86. Type(s): Armeniae rossicae [Türkei]: [İğdir Pr.]: Kasikoparan.
- 5140. Polyommatus (Aricia (Ultraaricia)) crassipunctus crassipunctus (Christoph,1893)** (Lycaenidae) Lycaena anteros var. crassipuncta Christoph,1893, Dt. ent. Z., Iris 6: 86. Type(s): Armeniae rossicae [Türkei]: [İğdir Pr.]: Kasikoparan.
- 5141. Polyommatus (Aricia (Ultraaricia)) crassipunctus mehmetcik Koçak & Kemal,2002** (Lycaenidae) Polyommatus (Aricia (Ultraaricia)) crassipunctus ssp. mehmetcik Koçak & Kemal,2002, Cent. ent. Stud., Misc. Pap. 82/85: 20. Holotype ♂: Turkey: Van Prov., Karabel geçidinin doğu yamaçları, 2700-3000m, M.Kemal leg. (in coll. Cesa).
- 5142. Polyommatus (Aricia (Ultraaricia)) morronensis elsaе (Wyatt,1952)** (Lycaenidae) Plebejus ramburi ssp. elsaе Wyatt,1952, Z. Wien. ent. Ges. 37: 206, Taf.26, figs.A2. Holotype ♂: Spanien: Nordspanien: Prov. Leon: Riano, 1700m. (LNK).
- 5143. Polyommatus (Aricia (Ultraaricia)) morronensis hesselbarthi (Manley,1970)** (Lycaenidae) Aricia morronensis ssp. hesselbarthi Manley,1970, Field Guide to the Butterflies and Burnets of Spain: 95, pl.31 fig.49; pl.32 figs. 1-3.
- 5144. Polyommatus (Aricia (Ultraaricia)) morronensis navarredondae (Wyatt,1952)** (Lycaenidae) Plebejus ramburi ssp. navarredondae Wyatt,1952, Z. Wien. ent. Ges. 37: 206, Taf.26, figs.A4. Holotype ♂: Spanien: Prov. Avila: Sierra de Gredos, 1000-1200m. (LNK).
- 5145. Polyommatus (Aricia (Ultraaricia)) morronensis ramburi (Verity,1913)** (Lycaenidae) Lycaena ramburi Verity,1913, J. linn. Soc., Zool. 32: 189 (nomen novum pro Lycaena idas Rambur,1842 nec Linnaeus,1761).
- 5146. Polyommatus (Aricia (Ultraaricia)) vandarbani (Pfeiffer,1937)** (Lycaenidae) Lycaena hyacinthus ssp. vandarbani Pfeiffer,1937, Mitt. münch. ent. Ges. 27: 35. Holotype ♂: Iran: Elbursgeb.: Tacht-i-Suleiman, Vandarban.
- 5147. Polyommatus (Aricia (Ultraaricia)) vandarbani vandarbani (Pfeiffer,1937)** (Lycaenidae) Lycaena hyacinthus ssp. vandarbani Pfeiffer,1937, Mitt. münch. ent. Ges. 27: 35. Holotype ♂: Iran: Elbursgeb.: Tacht-i-Suleiman, Vandarban.
- 5148. Polyommatus (Aricia (Umpria)) Zhdanko,1994** (Lycaenidae) Umpria Zhdanko,1994, Selevinia 2: 94-95. Type-species: by original designation.
- 5149. Polyommatus (Aricia (Umpria)) chinensis (Murray,1874)** (Lycaenidae) Lycaena chinensis Murray, 1874, Trans. ent. Soc. Lond. 1874: 523, pl.10 fig. 5. Type(s): China.
- 5150. Polyommatus (Aricia (Umpria)) chinensis chinensis (Murray,1874)** (Lycaenidae) Lycaena chinensis Murray, 1874, Trans. ent. Soc. Lond. 1874: 523, pl.10 fig. 5. Type(s): China.
- 5151. Polyommatus (Aricia (Umpria)) chinensis myrmecias (Christoph,1877)** (Lycaenidae) Lycaena myrmecias Christoph,1877, Horae Soc. ent. ross. 12: 235-236, Taf.v fig. 7. Syntypes: [Turkmenistan]: Krasnowodsk.
- 5152. Polyommatus (Aricia (Umpria)) scythissus (Nekrutenko,1985)** (Lycaenidae) Aricia scythissa Nekrutenko,1985, Vestn. zool. 1985 (4): 32, fig. 3 (1a,b) 4(3). Holotype ♂: Kirgizistan: östl. Terskei Ala-Tau: Molo-Schlucht.
- 5153. Polyommatus (Aricia (Umpria)) scythissus scythissus (Nekrutenko,1985)** (Lycaenidae) Aricia scythissa Nekrutenko,1985, Vestn. zool. 1985 (4): 32, fig. 3 (1a,b) 4(3). Holotype ♂: Kirgizistan: östl. Terskei Ala-Tau: Molo-Schlucht.
- 5154. Polyommatus (Aricia (s.str.)) Reichenbach,1817** (Lycaenidae) Aricia R.L.,1817, Jena allg. Lit.-Ztg. Jena 1(14): 280. Type-species: Papilio agestis [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wienergegend: 184, by subsequent designation by Tutt,1906, Entomologist's Rec. J. Var. 18: 1
- 5155. Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) Papilio agestis [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett, Wienergegend: 184. Type(s): [Austria]: Vienna district.
- 5156. Polyommatus (Aricia (s.str.)) agestis aestivus (Zeller,1847)** (Lycaenidae) Lycaena agestis var. aestiva Zeller, 1847, Isis 1847: 155. Lectotype ♂: Italy: Sicily, Aetna (designated by Balint,1999, Neue ent. Nachr. 46:8) (BMNH).
- 5157. Polyommatus (Aricia (s.str.)) agestis agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) Papilio agestis [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett, Wienergegend: 184. Type(s): [Austria]: Vienna district.
- 5158. Polyommatus (Aricia (s.str.)) agestis subcalidus (Verity,1920)** (Lycaenidae) Aricia medon race subcalida Verity,1920, Entomologist's Rec. J. Var. 32: 150. Syntypes ♂♂: Italia centrale: Lucca: Fiume Fegana, 500m.
- 5159. Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae) Hesperia artaxerxes Fabricius,1793, Ent. Syst. 3(1): 297, nr.129 Taf.63, fig.2. Type(s): England: Scotland.
- 5160. Polyommatus (Aricia (s.str.)) artaxerxes allous (Geyer,[1836])** (Lycaenidae) Papilio allous Geyer,[1836], [in] Hübner,J., Samml. eur. Schmett. 1: Taf.200 figs.988-992. Syntypes: Frankreich, Provence, Basses Alpes (Allos)
- 5161. Polyommatus (Aricia (s.str.)) artaxerxes artaxerxes (Fabricius,1793)** (Lycaenidae) Hesperia artaxerxes Fabricius,1793, Ent. Syst. 3(1): 297, nr.129 Taf.63, fig.2. Type(s): England: Scotland.

- 5162.** *Polyommatus (Aricia (s.str.)) artaxerxes lepsinskanus (Obraztsov,1935)* (Lycaenidae) *Lycaena allous* ssp. *inhonora* natio lepsinskana Obraztsov,1935, Folia zool. Hydrobiol. 8: 147. Syntypes: [Kazachstan]: Lepsinsk.
- 5163.** *Polyommatus (Aricia (s.str.)) artaxerxes macedonicus (Verity,1936)* (Lycaenidae) *Aricia montensis* race *macedonicus* Verity,1936, Entomologist's Rec. J. Var. 48 (Suppl.): (7). Syntypes 9♂♂: Greece: Olympos, Vermion above Naoussa (MZSF).
- 5164.** *Polyommatus (Aricia (s.str.)) artaxerxes montensis (Verity,1928)* (Lycaenidae) *Aricia medon montensis* Verity,1928, Bull. Soc. ent. Fr. 1928: 180 (nomen novum pro *Lycaena astrarche montana* Heyne,1895 nec *Lycaena acis* Meyer-Dür,1852).
- 5165.** *Polyommatus (Aricia (s.str.)) artaxerxes sarmatis (Groum-Grshimailo,1890)* (Lycaenidae) *Lycaena astrarche* var. *sarmatis* Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 393. Lectotype ♂: Russia: Ural, Sarda, designated by Balint,1999, Neue ent. Nachr. 46: 57 (BMNH).
- 5166.** *Polyommatus (Aricia (s.str.)) artaxerxes semimontensis (Verity,1928)* (Lycaenidae) *Aricia medon* race *semimontensis* Verity,1928, Bull. Soc. ent. Fr. 1928: 180. Syntypes 22♂♂: [Spain]: Catalonia: [Montseny]: Santa Fe, 1200m.
- 5167.** *Polyommatus (Aricia (s.str.)) artaxerxes sheljuzhkoii (Obraztsov,1935)* (Lycaenidae) *Lycaena allous* ssp. *sheljuzhkoii* Obraztsov, 1935, Folia zool. Hydrobiol. 8: 148. Syntypes 16♂♂ 3♀: Nordwestlicher Kaukasus, Teberda Gebiet.
- 5168.** *Polyommatus (Aricia (s.str.)) artaxerxes strandi (Obraztsov,1935)* (Lycaenidae) *Lycaena allous* ssp. *strandii* Obraztsov,1935, Folia zool. Hydrobiol. 8: 149. Syntypes: Russia: Sibirien: "Amur, Tomsk, Irkutsk, Tobolsk".
- 5169.** *Polyommatus (Aricia (s.str.)) artaxerxes turgaicus (Obraztsov,1935)* (Lycaenidae) *Lycaena allous* ssp. *turgaica* Obraztsov,1935, Folia zool. Hydrobiol. 8: 147. Syntypes: [Kazachstan]: "Ber-Tshogur" (Turgai Provinz).
- 5170.** *Polyommatus (Aricia (s.str.)) cramera (Eschscholtz, 1821)* (Lycaenidae) *Lycaena cramera* Eschscholtz,1821, Kotzeb. Reise 3: 217, pl.10 figs.26a,b. Syntypes: Canary Islands.
- 5171.** *Polyommatus (Aricia (s.str.)) cramera cramera (Eschscholtz,1821)* (Lycaenidae) *Lycaena cramera* Eschscholtz,1821, Kotzeb. Reise 3: 217, pl.10 figs.26a,b. Syntypes: Canary Islands.
- 5172.** *Polyommatus (Aricia) [Reichenbach],1817* (Lycaenidae) *Aricia* [Reichenbach],1817, Jena'sche Allgem. Lit. Ztg., Jena 14(1): 280. Type-species: *Papilio agestis* [Denis & Schiffermüller],1775, by subsequent designation by Tutt,1906, Entomologist's Rec. J. Var. 18: 131.
- 5173.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) Koçak & Kemal,2001* (Lycaenidae) *Actisia* Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 8. Type-species: *Lycaena actis* Herrich-Schäffer,[1851], by original designation.
- 5174.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) actis (Herrich-Schäffer,[1851])* (Lycaenidae) *Lycaena actis* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 1: Taf. 104 figs. 496-499 [uninominal]; ibidem 6, Nachr. Bd. 1: 24. Syntypes ♂♂: "aus Kleinasien" (MNHUB) (Olivier et al.,2000, Phegea 28 (2): 58).
- 5175.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) actis actis (Herrich-Schäffer,[1851])* (Lycaenidae) *Lycaena actis* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 1: Taf. 104 figs. 496-499 [uninominal]; ibidem 6, Nachr. Bd. 1: 24. Syntypes ♂♂: "aus Kleinasien" (MNHUB) (Olivier et al.,2000, Phegea 28 (2): 58).
- 5176.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) artvinensis (Carbonell,1997)* (Lycaenidae) *Agrodiaetus actis* ssp. *artvinensis* Carbonell,1997, Linneana Belg. 16 (4): 140-141, figs. Holotype ♂: [Turquie]: Erzurum Prov., gorge après Tortum, 1400m (MNHNP).
- 5177.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) artvinensis artvinensis (Carbonell,1997)* (Lycaenidae) *Agrodiaetus actis* ssp. *artvinensis* Carbonell,1997, Linneana Belg. 16 (4): 140-141, figs. Holotype ♂: [Turquie]: Erzurum Prov., gorge après Tortum, 1400m (MNHNP).
- 5178.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) cilicius (Carbonell,1998)* (Lycaenidae) *Agrodiaetus cilicius* Carbonell,1998, Linneana Belg. 16 (8): 346, figs. Holotype ♂: Turquie: Prov. Karaman / İçel: Sertavul geçidi, 1600m (MNHNP).
- 5179.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) cilicius bolkarensis (Carbonell,1998)* (Lycaenidae) *Agrodiaetus cilicius* ssp. *bolkarensis* Carbonell,1998, Linneana Belg. 16 (8): 346-347, figs. Holotype ♂: Turquie: Prov. Niğde: E. Çaykavak geçidi, 1400m (MNHNP).
- 5180.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) cilicius cilicius (Carbonell,1998)* (Lycaenidae) *Agrodiaetus cilicius* Carbonell,1998, Linneana Belg. 16 (8): 346, figs. Holotype ♂: Turquie: Prov. Karaman / İçel: Sertavul geçidi, 1600m (MNHNP).
- 5181.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii (Forster,1956)* (Lycaenidae) *Agrodiaetus damone* ssp. *firdussii* Forster,1956, Z. Wien. ent. Ges. 41: 58-59, pl.8,9 figs. Holotype ♂: [Iran]: Nordiran: Schahkuh, 1800-2000m.
- 5182.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii firdussii (Forster,1956)* (Lycaenidae) *Agrodiaetus damone* ssp. *firdussii* Forster,1956, Z. Wien. ent. Ges. 41: 58-59, pl.8,9 figs. Holotype ♂: Iran: Nordiran: Schahkuh, 1800-2000m.
- 5183.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii pseudactis (Forster,1960)* (Lycaenidae) *Agrodiaetus actis* ssp. *pseudactis* Forster,1960, Z. Wien. ent. Ges. 45: 107-109, figs. Holotype ♂: Armenia, mts. daralagez, pag. Martiros, ca.2000m.
- 5184.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) sertavulensis (Koçak,1979)* (Lycaenidae) *Agrodiaetus pseudactis* ssp. *sertavulensis* Koçak,1979, Atalanta 10(4a): 323, figs.30,31. Holotype ♂: Turkey: Konya Pr.: Sertavul Geçidi, 1600m (in coll. CESA).
- 5185.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) sertavulensis ernesti Eckweiler,1989* (Lycaenidae) *Polyommatus (Agrodiaetus)* *firdussii* ssp. *ernesti* Eckweiler,1989, Nachr. ent. Ver. Apollo (N.F.) 10(2): 97-101, figs. Holotype ♂: Türkei: Prov. Antalya, Elmalı, Kohu Dağları, Dokuz Gölü, 1700-2000m. (in coll. Eckweiler).
- 5186.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) sertavulensis sertavulensis (Koçak,1979)* (Lycaenidae) *Agrodiaetus pseudactis* ssp. *sertavulensis* Koçak,1979, Atalanta 10(4a): 323, figs.30,31. Holotype ♂: Turkey: Konya Pr.: Sertavul Geçidi, 1600m (in coll. CESA).
- 5187.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) sigberti Olivier, Poorten, Puplesiene & de Prins,2000* (Lycaenidae) *Polyommatus (Agrodiaetus)* *sigberti* Olivier, Poorten, Puplesiene & de Prins,2000, Phegea 28 (2): 67-71, figs. Holotype ♂: Turkey: Kayseri, Aladağlar E-side 34km S. Yahyali 2800-2900m (ISZMA).
- 5188.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) sigberti sigberti Olivier, Poorten, Puplesiene & de Prins, (Lycaenidae)* *Polyommatus (Agrodiaetus)* *sigberti* Olivier, Poorten, Puplesiene & de Prins,2000, Phegea 28 (2): 67-71, figs. Holotype ♂: Turkey: Kayseri, Aladağlar E-side 34km S. Yahyali 2800-2900m (ISZMA).
- 5189.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) Koçak & Seven,1998* (Lycaenidae) *Admetusia* Koçak & Seven,1998, Cent. ent. Stud., Misc. Pap. 49: 4. Type-species: *Papilio admetus* Esper,[1783], Die Schmett. 1(2): Forts. 148, Taf.82 figs. 2, 3, by original designation [proposed originally as a section].
- 5190.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])* (Lycaenidae) *Papilio admetus* Esper,[1783], Die Schmett. 1(2): Forts. 148, Taf.82 figs.2,3. Syntypes: Ungarn.
- 5191.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus admetus (Esper,[1783])* (Lycaenidae) *Papilio admetus* Esper,[1783], Die Schmett. 1(2): Forts. 148, Taf.82 figs.2,3. Syntypes: Ungarn.
- 5192.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus anatoliensis (Forster,1960)* (Lycaenidae) *Agrodiaetus admetus* ssp. *anatoliensis* Forster,1960, Ent. Z., Frankf.a.M. 70(3): 20-22. Holotype ♂: [Türkei]: Anatolien c.: Akshehir.
- 5193.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)* (Lycaenidae) *Lycaena (Hirsutina)* *ripperti* ssp. *alcestis* Zerny,1932, Dt. ent. Z., Iris 46: 186-187. Syntypes: Lebanon: Bscharre, 1400-1900m. Lectotype ♂: Liban: Cedern b. Becharré, 1900m (designated by Balint,1999, Neue ent. Nachr. 46: 9) (BMNH).
- 5194.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis alcestis (Zerny,1932)* (Lycaenidae) *Lycaena (Hirsutina)* *ripperti* ssp. *alcestis* Zerny,1932, Dt. ent. Z., Iris 46: 186-187. Syntypes: Lebanon: Bscharre, 1400-1900m. Lectotype ♂: Liban: Cedern b. Becharré, 1900m (designated by Balint,1999, Neue ent. Nachr. 46: 9) (BMNH).
- 5195.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) ardschirus (Brandt,1938)* (Lycaenidae) *Lycaena ardschira* Brandt,1938, Ent. Rdsch. 55: 672-673, Pl.4 figs.6-8. Syntypes: Iran: Comée, 2600m.
- 5196.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) ardschirus ardschirus (Brandt,1938)* (Lycaenidae) *Lycaena ardschira* Brandt,1938, Ent. Rdsch. 55: 672-673, Pl.4 figs.6-8. Syntypes: Iran: Comée, 2600m.
- 5197.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) aroaniensis (Brown,1976)* (Lycaenidae) *Agrodiaetus alcestis* ssp. *aroaniensis* Brown,1976, Entomologist's Gaz. 27: 78-82, pl.4 fig.2; pl.5 figs.7,8. Holotype ♂: Greece: Mt. Chelmos, Kamena Allonia, 1200m. (in coll. J.Brown).

- 5198. Polyommatus (s.str. (Agrodiaetus (Admetusia))) aroaniensis aroaniensis (Brown,1976)** (Lycaenidae) Agrodiaetus alcestis ssp. aroaniensis Brown,1976, Entomologist's Gaz. 27: 78-82, pl.4 fig.2; pl.5 figs.7,8. Holotype ♂: Greece: Mt. Chelmos, Kamena Allonia, 1200m. (in coll. J.Brown).
- 5199. Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938)** (Lycaenidae) Lycaena ripartii ssp. demavendi Pfeiffer,1938, Mitt. münch. ent. Ges. 28(2): 194. Holotype ♂: [Iran]: Ort Demavend (Tar-Tal), 2200-2500m.
- 5200. Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi amasyensis (De Lesse,1961)** (Lycaenidae) Agrodiaetus demavendi ssp. amasyensis De Lesse,1961, Revue fr. Ent. 28(2): 96, figs. Holotype ♂: Turquie: Amasya (in MHNP).
- 5201. Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi demavendi (Pfeiffer,1938)** (Lycaenidae) Lycaena ripartii ssp. demavendi Pfeiffer,1938, Mitt. münch. ent. Ges. 28(2): 194. Holotype ♂: [Iran]: Ort Demavend (Tar-Tal), 2200-2500m.
- 5202. Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi lorestanus Eckweiler,1997** (Lycaenidae) Polyommatus (Agrodiaetus) demavendi ssp. lorestanus Eckweiler,1997, Nachr. ent. Ver. Apollo, Suppl. 16: 8-9, figs. Holotype ♂: Iran: Lorestan Dorud Saravand, 2000-2300m.
- 5203. Polyommatus (s.str. (Agrodiaetus (Admetusia))) erivanensis (Forster,1960)** (Lycaenidae) Agrodiaetus ripartii ssp. erivanensis Forster,1960, Ent. Z., Frankf. a. M. 70(3): 19-20. Holotype ♂: [Armenia]: Eriwan (in ZSSM).
- 5204. Polyommatus (s.str. (Agrodiaetus (Admetusia))) erivanensis erivanensis (Forster,1960)** (Lycaenidae) Agrodiaetus ripartii ssp. erivanensis Forster,1960, Ent. Z., Frankf. a. M. 70(3): 19-20. Holotype ♂: [Armenia]: Eriwan (in ZSSM).
- 5205. Polyommatus (s.str. (Agrodiaetus (Admetusia))) erivanensis interjectus (De Lesse,1960)** (Lycaenidae) Agrodiaetus interjectus De Lesse,1960, Revue fr. Ent. 27(3): 253-257, pl.1 figs.6c; pl.2 figs.1-4. Holotype ♂: Turquie: Erzincan, 1200m.
- 5206. Polyommatus (s.str. (Agrodiaetus (Admetusia))) fabressei (Oberthür,1910)** (Lycaenidae) Lycaena rippertii f. geog. fabressei Oberthür,1910, Etüd. lepid. comp. 4 (1): 260. Syntypes ♂♂++: [Spain: Teruel]: "Albarracin" (BMNH).
- 5207. Polyommatus (s.str. (Agrodiaetus (Admetusia))) fabressei fabressei (Oberthür,1910)** (Lycaenidae) Lycaena rippertii f. geog. fabressei Oberthür,1910, Etüd. lepid. comp. 4 (1): 260. Syntypes ♂♂++: [Spain: Teruel]: "Albarracin" (BMNH).
- 5208. Polyommatus (s.str. (Agrodiaetus (Admetusia))) fabressei violetae (Gomez-Bustillo, Hermosa & Borrego,1979)** (Lycaenidae) Agrodiaetus violetae Gomez-Bustillo, Hermosa & Borrego,1979, Shilap Rev. Lepid. 7 (1): 51. Holotype ♂: Spain: Malaga: Sierra de Almijara, 1150m.
- 5209. Polyommatus (s.str. (Agrodiaetus (Admetusia))) galloi (Balletto & Toso,1979)** (Lycaenidae) Agrodiaetus galloi Balletto & Toso,1979, Nota lepid. 2 (1/2): 14-22, figs. Holotype ♂: Italy: Southern Italy: in the massif of Mount Pollino, Lucania. 1550m. (MCSNGD).
- 5210. Polyommatus (s.str. (Agrodiaetus (Admetusia))) galloi galloi (Balletto & Toso,1979)** (Lycaenidae) Agrodiaetus galloi Balletto & Toso,1979, Nota lepid. 2 (1/2): 14-22, figs. Holotype ♂: Italy: Southern Italy: in the massif of Mount Pollino, Lucania. 1550m. (MCSNGD).
- 5211. Polyommatus (s.str. (Agrodiaetus (Admetusia))) humedasae (Toso & Balletto,1976)** (Lycaenidae) Agrodiaetus humedasae Toso & Balletto,1976, Ann. Mus. Civ. Stor. Nat. Giacomo Doria 81: 125, fig. Holotype ♂: Italy: Valle Aosta: "dintorni di Cogne, 800-900m" (MCGD).
- 5212. Polyommatus (s.str. (Agrodiaetus (Admetusia))) humedasae humedasae (Toso & Balletto,1976)** (Lycaenidae) Agrodiaetus humedasae Toso & Balletto,1976, Ann. Mus. Civ. Stor. Nat. Giacomo Doria 81: 125, fig. Holotype ♂: Italy: Valle Aosta: "dintorni di Cogne, 800-900m" (MCGD).
- 5213. Polyommatus (s.str. (Agrodiaetus (Admetusia))) nephohiptamenos (Brown & Coutsis,1978)** (Lycaenidae) Agrodiaetus nephohiptamenos Brown & Coutsis,1978, Entomologist's Gaz. 29: 207-212, pl.12 figs. Holotype ♂: Greece: NE Greece, 1800m (in coll.J.Brown).
- 5214. Polyommatus (s.str. (Agrodiaetus (Admetusia))) nephohiptamenos nephohiptamenos (Brown & Coutsis,1978)** (Lycaenidae) Agrodiaetus nephohiptamenos Brown & Coutsis,1978, Entomologist's Gaz. 29: 207-212, pl.12 figs. Holotype ♂: Greece: NE Greece, 1800m (in coll.J.Brown).
- 5215. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) Lycaena ripartii Freyer,[1830], Neuere Beitr. Schmett. 3: 128, pl.133, fig.3. Type(s): Spain.
- 5216. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii budashkini Kolev & De Prins,1995** (Lycaenidae) Polyommatus (Agrodiaetus) budashkini Kolev & De Prins,1995, Phegea 23 (2): 121, figs. Holotype ♂: Ukraine: Crimea: Sudak (in coll. de Prins).
- 5217. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii exuberans (Verity,1926)** (Lycaenidae) Hirsutina admetus race exuberans Verity,1926, Entomologist's Rec. J. Var. 38: 121. Syntypes 4♂ 1♀: [Italy: Piemonte]: Alpi Cozie: Val Susa: Oulx [=Ulzio], 1100m.
- 5218. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii montanesus (Gomez-Bustillo,1971)** (Lycaenidae) Plebejus ripartii ssp. montanesa Gomez-Bustillo,1971, Soc. Cienc. Nat. Aranzadi, Publ. 19:8. Holotype ♂: Spain: Prov. Santander: T.M. de Valdeprado.
- 5219. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii paralcestis (Forster,1960)** (Lycaenidae) Agrodiaetus ripartii ssp. paralcestis Forster,1960, Ent. Z., Frankf. a. M. 70(3): 17-19. Holotype ♂: Türkei: Konya: Umg. Akşehir.
- 5220. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii pelopi (Brown,1976)** (Lycaenidae) Agrodiaetus ripartii ssp. pelopi Brown,1976, Ent. Ber., Amst. 36: 46-47. Holotype ♂: Greece: Peloponnes, Chelmos Mt. (in coll. J. Brown).
- 5221. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii ramonagenjo Koçak & Kemal,2001** (Lycaenidae) Polyommatus (s.str. (Admetusia)) ripartii ssp. ramonagenjo Koçak & Kemal,2001
- 5222. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii ripartii (Freyer,1830)** (Lycaenidae) Lycaena ripartii Freyer,[1830], Neuere Beitr. Schmett. 3: 128, pl.133, fig.3. Type(s): Spain.
- 5223. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii rippertii (Boisduval,1832)** (Lycaenidae) Polyommatus rippertii Boisduval, 1832, Icones hist. Lépid. 1: 68, pl.16 figs. 4-6. Syntypes: [France: Alpes de Haute Provence]: aux environs de Digne (BMNH?).
- 5224. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii tengritaghius Koçak & Kemal,2001** (Lycaenidae) Polyommatus (s.str. (Admetusia)) ripartii ssp. tengritaghius Koçak & Kemal,2001, Priamus 10 (3/4): 137. Holotype ♂: Kazakhstan: Gerbi Trans-Ili Alatau: Kordai Pass 1100m (in coll. Cesa).
- 5225. Polyommatus (s.str. (Agrodiaetus (Admetusia))) valiabadi (Rose & Schurian,[1978])** (Lycaenidae) Agrodiaetus rjabovi ssp. valiabadi Rose & Schurian,[1978], J. ent. Soc. Iran (1977) 4(1/2): 62-63, figs. Holotype ♂: Iran: Elburs N-Seite: Valiabad (in coll. Schurian).
- 5226. Polyommatus (s.str. (Agrodiaetus (Admetusia))) valiabadi rjabovianus (Koçak,1980)** (Lycaenidae) Agrodiaetus rjabovianus Koçak,1980, Nota lepid. 2(4): 142 (nomen nov. pro rjabovi Forster,1960 nec Obratzsov,1956).
- 5227. Polyommatus (s.str. (Agrodiaetus (Admetusia))) valiabadi valiabadi (Rose & Schurian,[1978])** (Lycaenidae) Agrodiaetus rjabovi ssp. valiabadi Rose & Schurian,[1978], J. ent. Soc. Iran (1977) 4(1/2): 62-63, figs. Holotype ♂: Iran: Elburs N-Seite: Valiabad (in coll. Schurian).
- 5228. Polyommatus (s.str. (Agrodiaetus (Antidolus))) Koçak & Kemal,2001** (Lycaenidae) Antidolus Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 9. Type-species: Lycaena antidolus Rebel,1901, by original designation.
- 5229. Polyommatus (s.str. (Agrodiaetus (Antidolus))) ainsae (Forster,1961)** (Lycaenidae) Agrodiaetus dolus ssp. ainsae Forster,1961, Z. Wien. ent. Ges. 46: 76, figs. Holotype ♂: Spanien: Pyrenäen: Ainsa.
- 5230. Polyommatus (s.str. (Agrodiaetus (Antidolus))) ainsae ainsae (Forster,1961)** (Lycaenidae) Agrodiaetus dolus ssp. ainsae Forster,1961, Z. Wien. ent. Ges. 46: 76, figs. Holotype ♂: Spanien: Pyrenäen: Ainsa.
- 5231. Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus (Rebel,1901)** (Lycaenidae) Lycaena dolus var. antidolus Rebel,1901, Annln naturh. Mus. Wien 16: 167. Syntypes 3♂: [Türkei]: [İğdir]: Kulp: Takaltu Dag [Kazikoparan]. Lectotype ♂, designated by Forster, 1961, Z. Wien. ent. Ges. 46: 111 (ZSM).
- 5232. Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus aereus Eckweiler,1998** (Lycaenidae) Polyommatus (Agrodiaetus) antidolus ssp. aereus Eckweiler,1998, Nachr. ent. Ver. Apollo (N.F.) 19 (3/4): 220-225, figs. Holotype ♂: Iran: Azarbayjan-e-Gharbi, Takab, 10 km. E. Takht-e-Soleyman, 2300m.
- 5233. Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus antidolus (Rebel,1901)** (Lycaenidae) Lycaena dolus var. antidolus

- Rebel, 1901, *Annln naturh. Mus. Wien* 16: 167. Syntypes 3♂: [Türkei]: [İğdir]: Kulp: Takaltu Dag [Kazikoparan]. Lectotype ♂, designated by Forster, 1961, *Z. Wien. ent. Ges.* 46: 111 (ZSM).
- 5234. Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus femininoides (Eckweiler, 1987)** (Lycaenidae) *Agrodiaetus antidolus* ssp. *femininoides* Eckweiler, 1987, *Acta ent. Mus. Nat. Pragae* 42: 49, figs. Holotype ♂: Iran: Elburs Mts., 8km N.E. Ziaran, 2400m.
- 5235. Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus pertekensis (Carbonell, 2003)** (Lycaenidae) *Agrodiaetus antidolus* ssp. *pertekensis* Carbonell, 2003, *Bull. Soc. ent. Fr.* 103 (5): 445.
- 5236. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dama (Staudinger, 1892)** (Lycaenidae) *Lycaena dama* Staudinger, [1892], *Dt. ent. Z.*, Iris 4: 234. Lectotype ♂: [Turkey, Malatya Prov.]: Malatya, [late July] 1884 leg. Manisadjian (MNHU), designated by Olivier et al., 1999, *Nota lepid.* 22 (3): 202, 204 figs. 2, 3.
- 5237. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dama dama (Staudinger, 1892)** (Lycaenidae) *Lycaena dama* Staudinger, [1892], *Dt. ent. Z.*, Iris 4: 234. Lectotype ♂: [Turkey, Malatya Prov.]: Malatya, [late July] 1884 leg. Manisadjian (MNHU), designated by Olivier et al., 1999, *Nota lepid.* 22 (3): 202, 204 figs. 2, 3.
- 5238. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dama karindus (Riley, 1921)** (Lycaenidae) *Lycaena dama* ssp. *karinda* Riley, 1921, *Ann. Mag. nat. Hist.* (9) 8: 597. Lectotype ♂: [Iran]: N.W. Persia: Karind Gorge, 6000ft. (Peile leg.) (BMNH), designated by Balint, 1999, *Neue ent. Nachr.* 46: 39.
- 5239. Polyommatus (s.str. (Agrodiaetus (Antidolus))) deebi (T. Larsen, 1974)** (Lycaenidae) *Agrodiaetus deebi* Larsen, 1974, *Alexandor* 8 (7): 305-307, fig. 3. Holotype ♂: Liban: Anti-Liban, Nabi Sbat, 1600m (MNHNP).
- 5240. Polyommatus (s.str. (Agrodiaetus (Antidolus))) deebi deebi (T. Larsen, 1974)** (Lycaenidae) *Agrodiaetus deebi* Larsen, 1974, *Alexandor* 8 (7): 305-307, fig. 3. Holotype ♂: Liban: Anti-Liban, Nabi Sbat, 1600m (MNHNP).
- 5241. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dolus (Hübner, 1823)** (Lycaenidae) *Papilio dolus* Hübner, [1823], *Samml. eur. Schmett.* 1: pl. 159, figs. 793-796. Syntypes: Europa.
- 5242. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dolus dolus (Hübner, 1823)** (Lycaenidae) *Papilio dolus* Hübner, [1823], *Samml. eur. Schmett.* 1: pl. 159, figs. 793-796. Syntypes: Europa.
- 5243. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dolus gargano (Wimmers, 1931)** (Lycaenidae) *Lycaena dolus* var. *gargano* Wimmers, 1932, *Ent. Z., Frankf. a. M.* 45 (7): 96. Syntypes ♂♂♀♀: [Italy: Puglia: Foggia]: Mte. Gargano.
- 5244. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dolus pseudovirgilius (De Lesse, 1962)** (Lycaenidae) *Agrodiaetus dolus* ssp. *pseudovirgilius* De Lesse, 1962, *Alexandor* 2 (7): 285. Holotype ♂: [Spain: Burgos]: "25km W. Burgos, près Villanueva de Aragon (MNHNP).
- 5245. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dolus virgilius (Oberthür, 1910)** (Lycaenidae) *Lycaena dolus* race *virgilia* Oberthür, 1910, *Etüd. lepid. comp.* 4 (1): 263. Syntypes 350♂♂♀♀: [Italy: Abruzzi e Molise: L'Aquila]: "Italie méridionale... Sulmona" (BMNH?).
- 5246. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dolus vittatus (Oberthür, 1892)** (Lycaenidae) *Lycaena dolus* f. *geog. vittata* Oberthür, 1892, *Bull. Soc. ent. Fr.* 1892: x. Syntypes 27♂♂♀♀: [France]: Lozère (BMNH?).
- 5247. Polyommatus (s.str. (Agrodiaetus (Antidolus))) fulgens (De Sagarra, 1926)** (Lycaenidae) *Hirsutina dolus* rassa *fulgens* De Sagarra, 1926, *Butll. Inst. catal. Hist. nat.* 25: 271-272. Type: Spain: Santa Coloma de Queralt (MCNB).
- 5248. Polyommatus (s.str. (Agrodiaetus (Antidolus))) fulgens fulgens (De Sagarra, 1926)** (Lycaenidae) *Hirsutina dolus* rassa *fulgens* De Sagarra, 1926, *Butll. Inst. catal. Hist. nat.* 25: 271-272. Type: Spain: Santa Coloma de Queralt (MCNB).
- 5249. Polyommatus (s.str. (Agrodiaetus (Antidolus))) hamadanensis (De Lesse, 1959)** (Lycaenidae) *Agrodiaetus dama* ssp. *hamadanensis* De Lesse, 1959, *Bull. Soc. ent. Mulhouse* 1959 (2): 14. Holotype ♂: Iran: Hamadan: col route Kazvin a Hamadan, 2350m. (MNHNP).
- 5250. Polyommatus (s.str. (Agrodiaetus (Antidolus))) hamadanensis hamadanensis (De Lesse, 1959)** (Lycaenidae) *Agrodiaetus dama* ssp. *hamadanensis* De Lesse, 1959, *Bull. Soc. ent. Mulhouse* 1959 (2): 14. Holotype ♂: Iran: Hamadan: col route Kazvin a Hamadan, 2350m. (MNHNP).
- 5251. Polyommatus (s.str. (Agrodiaetus (Antidolus))) hamadanensis splendens (Forster, 1961)** (Lycaenidae) *Polyommatus* (s.str. (Agrodiaetus)) *hamadanensis* (nom. nov. pro *Agrodiaetus* *hamadanensis* ssp. *splendens* Forster, 1961, *Z. Wien. ent. Ges.* 46: 46-47, pls. 12, 13 f. 24, nec *splendens* Stefanelli, 1904). Holotype ♂: Iran: Elbursgebirge: Keredj, 1800m (ZSM).
- 5252. Polyommatus (s.str. (Agrodiaetus (Antidolus))) hopfferi (Gerhard, 1851)** (Lycaenidae) *Lycaena hopfferi* Gerhard, [1851], *Versuch Monogr. eur. Schmett.* (6): 13, Taf. 21 figs. 2a-c. Type(s): Türkei [Turkey: Tokat] (destroyed).
- 5253. Polyommatus (s.str. (Agrodiaetus (Antidolus))) hopfferi hopfferi (Gerhard, 1851)** (Lycaenidae) *Lycaena hopfferi* Gerhard, [1851], *Versuch Monogr. eur. Schmett.* (6): 13, Taf. 21 figs. 2a-c. Type(s): Türkei [Turkey: Tokat] (destroyed).
- 5254. Polyommatus (s.str. (Agrodiaetus (Antidolus))) kurdistanicus (Forster, 1961)** (Lycaenidae) *Agrodiaetus antidolus* ssp. *kurdistanica* Forster, 1961, *Z. Wien. ent. Ges.* 46: 111, pl. 14, 15 fig. 17. Holotype ♂: [Türkei]: Van: Erek Dag, 2000-2500m, 17.8.1935, leg. Fuss (ZSSM).
- 5255. Polyommatus (s.str. (Agrodiaetus (Antidolus))) kurdistanicus kurdistanicus (Forster, 1961)** (Lycaenidae) *Agrodiaetus antidolus* ssp. *kurdistanica* Forster, 1961, *Z. Wien. ent. Ges.* 46: 111, pl. 14, 15 fig. 17. Holotype ♂: [Türkei]: Van: Erek Dag, 2000-2500m, 17.8.1935, leg. Fuss (ZSSM).
- 5256. Polyommatus (s.str. (Agrodiaetus (Antidolus))) larseni (Carbonell, 1994)** (Lycaenidae) *Agrodiaetus theresiae* ssp. *larseni* Carbonell, 1994, *Linneana Belg.* 14(6): 300-301, figs. Holotype ♂: Liban: Les Cedres 2000m (in MNHN).
- 5257. Polyommatus (s.str. (Agrodiaetus (Antidolus))) larseni larseni (Carbonell, 1994)** (Lycaenidae) *Agrodiaetus theresiae* ssp. *larseni* Carbonell, 1994, *Linneana Belg.* 14(6): 300-301, figs. Holotype ♂: Liban: Les Cedres 2000m (in MNHN).
- 5258. Polyommatus (s.str. (Agrodiaetus (Antidolus))) lycius (Carbonell, 1996)** (Lycaenidae) *Agrodiaetus lycius* Carbonell, 1996, *Linneana Belgica* 15(7): 281-285, 9 figs. Holotype ♂: Turquie: Antalya Prov. Elmali et Korkuteli, 1150m.
- 5259. Polyommatus (s.str. (Agrodiaetus (Antidolus))) lycius lycius (Carbonell, 1996)** (Lycaenidae) *Agrodiaetus lycius* Carbonell, 1996, *Linneana Belgica* 15(7): 281-285, 9 figs. Holotype ♂: Turquie: Antalya Prov. Elmali et Korkuteli, 1150m.
- 5260. Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer, 1837)** (Lycaenidae) *Lycaena menalcas* Freyer, [1837], *Neuere Beitr. Schmett.* 3: 46, Taf. 223, figs. 2, 3. Syntypes: Türkei: Konstantinopel [İstanbul] (BMNH).
- 5261. Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas menalcas (Freyer, 1837)** (Lycaenidae) *Lycaena menalcas* Freyer, [1837], *Neuere Beitr. Schmett.* 3: 46, Taf. 223, figs. 2, 3. Syntypes: Türkei: Konstantinopel [İstanbul] (BMNH).
- 5262. Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger, 1878)** (Lycaenidae) *Lycaena mithridates* Staudinger, 1878, *Horae Soc. ent. ross.* 14: 247-248. Syntypes 3♂: [Türkei]: Amasia.
- 5263. Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates mithridates (Staudinger, 1878)** (Lycaenidae) *Lycaena mithridates* Staudinger, 1878, *Horae Soc. ent. ross.* 14: 247-248. Syntypes 3♂: [Türkei]: Amasia.
- 5264. Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates saetosus (Pfeiffer, 1932)** (Lycaenidae) *Lycaena mithridates* ssp. *saetosus* Pfeiffer, 1932, *Mitt. münch. ent. Ges.* 22: 44, pl. 3 figs. 19, 20. Type ♂: [Türkei]: türkisch Nordsyrien: Marasch [Kahramanmaraş], Seitun [Süleymanli].
- 5265. Polyommatus (s.str. (Agrodiaetus (Antidolus))) morgani (Le Cerf, 1910)** (Lycaenidae) *Lycaena morgani* Le Cerf, [1910], *Bull. Mus. natn. Hist. nat. Paris* 3: 535-536. Syntypes 4♂ 2♀: [Iran]: Perse, Deh Tcheshma (MNHNP).
- 5266. Polyommatus (s.str. (Agrodiaetus (Antidolus))) morgani morgani (Le Cerf, 1910)** (Lycaenidae) *Lycaena morgani* Le Cerf, [1910], *Bull. Mus. natn. Hist. nat. Paris* 3: 535-536. Syntypes 4♂ 2♀: [Iran]: Perse, Deh Tcheshma (MNHNP).
- 5267. Polyommatus (s.str. (Agrodiaetus (Antidolus))) morgani sanandajensis (Carbonell, 2003)** (Lycaenidae) *Agrodiaetus morgani* ssp. *sanandajensis* Carbonell, 2003, *Bull. Soc. ent. Fr.* 103 (5): 445.
- 5268. Polyommatus (s.str. (Agrodiaetus (Antidolus))) peilei (Bethune-Baker, 1921)** (Lycaenidae) *Lycaena peilei* Bethune-Baker, 1921, *Entomologist's Rec. J. Var.* 33: 63. Syntypes: [Iran]: Karind Gorge.
- 5269. Polyommatus (s.str. (Agrodiaetus (Antidolus))) peilei peilei (Bethune-Baker, 1921)** (Lycaenidae) *Lycaena peilei* Bethune-Baker, 1921, *Entomologist's Rec. J. Var.* 33: 63. Syntypes: [Iran]: Karind Gorge.

- 5270.** *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *poseidon* (Herrich-Schäffer, [1851]) (Lycaenidae) *Lycaena poseidon* Herrich-Schäffer, [1851], Syst. Bearb. Schmett. Eur. 6: 24. Type(s): [Türkei]: Kleinasien: [Amasya].
- 5271.** *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *poseidon* (Herrich-Schäffer, [1851]) (Lycaenidae) *Lycaena poseidon* Herrich-Schäffer, [1851], Syst. Bearb. Schmett. Eur. 6: 24. Type(s): [Türkei]: Kleinasien: [Amasya].
- 5272.** *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *sennanensis* (De Lesse, 1959) (Lycaenidae) *Agrodiaetus hopfferi* ssp. *sennanensis* De Lesse, 1959, Bull. Mens. Soc. linn. Lyon 28 (5): 150-151. Holotype ♂: [Iran: Kordestan]: "Hamakasi (Iran W), route Sanandadj km 10" (MNHP).
- 5273.** *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *sennanensis sennanensis* (De Lesse, 1959) (Lycaenidae) *Agrodiaetus hopfferi* ssp. *sennanensis* De Lesse, 1959, Bull. Mens. Soc. linn. Lyon 28 (5): 150-151. Holotype ♂: [Iran: Kordestan]: "Hamakasi (Iran W), route Sanandadj km 10" (MNHP).
- 5274.** *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *theresia* Schurian et al., 1992 (Lycaenidae) *Polyommatus* (*Agrodiaetus*) *theresia* Schurian et al., 1992, Nachr. ent. Ver. Apollo (N.F.) 12(4): 227-231, col. pl., figs. 1-4. Holotype ♂: Turkey: Adana Prov., 6-18km N. Saimbeyli, 1600-1750m.
- 5275.** *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *theresia* Schurian et al., 1992 (Lycaenidae) *Polyommatus* (*Agrodiaetus*) *theresia* Schurian et al., 1992, Nachr. ent. Ver. Apollo (N.F.) 12(4): 227-231, col. pl., figs. 1-4. Holotype ♂: Turkey: Adana Prov., 6-18km N. Saimbeyli, 1600-1750m.
- 5276.** *Polyommatus* (s.str. (*Agrodiaetus* (*Dagmara*))) Koçak & Kemal, 2001 (Lycaenidae) *Dagmara* Koçak & Kemal, 2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 9. Type-species: *Lycaena dagmara* Groum-Grshimailo, 1888, by original designation.
- 5277.** *Polyommatus* (s.str. (*Agrodiaetus* (*Dagmara*))) *dagmarus* (Groum-Grshimailo, 1888) (Lycaenidae) *Lycaena dagmara* Groum-Grshimailo, 1888, Horae Soc. ent. ross. 22: 306. Syntypes: [Tadjikistan: Darwaz]: Khingob-Darya, près de Tob-Dara, 5500-7000ft. (ZIANP).
- 5278.** *Polyommatus* (s.str. (*Agrodiaetus* (*Dagmara*))) *dagmarus* dagmarus (Groum-Grshimailo, 1888) (Lycaenidae) *Lycaena dagmara* Groum-Grshimailo, 1888, Horae Soc. ent. ross. 22: 306. Syntypes: [Tadjikistan: Darwaz]: Khingob-Darya, près de Tob-Dara, 5500-7000ft. (ZIANP).
- 5279.** *Polyommatus* (s.str. (*Agrodiaetus* (*Dagmara*))) *pulchellus* Bernardi, 1951 (Lycaenidae) *Polyommatus pulchella* Bernardi, 1951, Bull. Soc. ent. Fr. 56 (2): 30 (nomen novum pro *pulchra* Sheljuzhko, 1928 nec Murray).
- 5280.** *Polyommatus* (s.str. (*Agrodiaetus* (*Dagmara*))) *pulchellus chaburobatus* Tschikolowez, 1992 (Lycaenidae) *Polyommatus* (*Paragrodiaetus*) *pulchra* ssp. *chaburobata* Tschikolowez, 1992, Atalanta 23 (1/2): 162. Holotype ♂: Tadjikistan: Darwaz Mts., Chaburobat Pass, 3500m (in coll. Tschikolowez).
- 5281.** *Polyommatus* (s.str. (*Agrodiaetus* (*Dagmara*))) *pulchellus pulchellus* Bernardi, 1951 (Lycaenidae) *Polyommatus pulchella* Bernardi, 1951, Bull. Soc. ent. Fr. 56 (2): 30 (nomen novum pro *pulchra* Sheljuzhko, 1928 nec Murray).
- 5282.** *Polyommatus* (s.str. (*Agrodiaetus* (*Damaia*))) Koçak & Kemal, 2001 (Lycaenidae) *Damaia* Koçak & Kemal, 2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 9. Type-species: *Lycaena dama* Staudinger, [1892], by original designation.
- 5283.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) Koçak & Kemal, 2001 (Lycaenidae) *Juldus* Koçak & Kemal, 2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 9. Type-species: *Lycaena kindermanni* var. *juldusa* Staudinger, 1886, by original designation.
- 5284.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *actinides* (Staudinger, 1886) (Lycaenidae) *Lycaena actis* var. *actinides* Staudinger, 1886, Stettin ent. Ztg. 47: 214-215. Syntypes: [Kirgizistan]: Südlich Alai.
- 5285.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *actinides actinides* (Staudinger, 1886) (Lycaenidae) *Lycaena actis* var. *actinides* Staudinger, 1886, Stettin ent. Ztg. 47: 214-215. Syntypes: [Kirgizistan]: Südlich Alai.
- 5286.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *actinides weidenhofferi* Eckweiler, 1997 (Lycaenidae) *Polyommatus* (*Agrodiaetus*) *actinides* ssp. *weidenhofferi* Eckweiler, 1997, Nachr. ent. Ver. Apollo, Suppl. 16: 13, figs. Holotype ♂: Kirgizia: Kirgizskii Ridge, Ala-Archa-Ak-Sai, 2000m (in coll. Eckweiler).
- 5287.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *afghanicus* (Forster, 1973) (Lycaenidae) *Agrodiaetus afghanica* Forster, 1973, Ent. Z., Frankf.a.M. 83(18): 209-211, figs. Holotype ♂: Afghanistan: Val Panjshir sup., 2800-3400m.
- 5288.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *afghanicus afghanicus* (Forster, 1973) (Lycaenidae) *Agrodiaetus afghanica* Forster, 1973, Ent. Z., Frankf.a.M. 83(18): 209-211, figs. Holotype ♂: Afghanistan: Val Panjshir sup., 2800-3400m.
- 5289.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *faramarzii Skala, 2001* (Lycaenidae) *Polyommatus* (*Agrodiaetus*) *faramarzii* Skala, 2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 101-102, figs. 1-4. Holotype ♂: Iran: Cahar Mahall- o- Bahtiyari, Zarde Kuh massive 3000m 12 vii 2000 leg. Skala (ZSM).
- 5290.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *faramarzii faramarzii* Skala, 2001 (Lycaenidae) *Polyommatus* (*Agrodiaetus*) *faramarzii* Skala, 2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 101-102, figs. 1-4. Holotype ♂: Iran: Cahar Mahall- o- Bahtiyari, Zarde Kuh massive 3000m 12 vii 2000 leg. Skala (ZSM).
- 5291.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *hyrsz* Koçak & Kemal, 2001 (Lycaenidae) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *hyrsz* Koçak & Kemal, 2001, Cent. ent. Stud., Misc. pap. 78 / 79: 9. Holotype ♂: Kirgizistan: Terskey Alatau, Przewalsk, Karakol vadisi, 1850-2150m (coll. Cesa).
- 5292.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *hyrsz* *hyrsz* Koçak & Kemal, 2001 (Lycaenidae) *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *hyrsz* Koçak & Kemal, 2001, Cent. ent. Stud., Misc. pap. 78 / 79: 9. Holotype ♂: Kirgizistan: Terskey Alatau, Przewalsk, Karakol vadisi, 1850-2150m (coll. Cesa).
- 5293.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *iphigenides* (Staudinger, 1886) (Lycaenidae) *Lycaena kindermanni* var. *iphigenides* Staudinger, 1886, Stettin ent. Ztg. 47: 214. Syntypes 4♂: [Usbekistan]: Namangan, Margelan; Lectotype ♂: "Namangan" (designated by Forster, 1960).
- 5294.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *iphigenides iphigenides* (Staudinger, 1886) (Lycaenidae) *Lycaena kindermanni* var. *iphigenides* Staudinger, 1886, Stettin ent. Ztg. 47: 214. Syntypes 4♂: [Usbekistan]: Namangan, Margelan; Lectotype ♂: "Namangan" (designated by Forster, 1960).
- 5295.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *iphigenides ishkashimicus* Stchetkin, 1986 (Lycaenidae) *Polyommatus iphigenia* ssp. *ishkashimicus* Stchetkin, 1986, Zool. Zh. 65 (7): 1093. Holotype ♂: [Tadjikistan: Pamir Mts.]: Chorog, 3500-3700m (ZMMG).
- 5296.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *iphigenides karatavicus* Lukhtanov, 1990 (Lycaenidae) *Polyommatus* (*Agrodiaetus*) *iphigenides* ssp. *karatavica* Lukhtanov, 1990, Vestn. zool. Syrdaryinsky Karatau, ca. Mynzhilki, 1800m.
- 5297.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *juldus* (Staudinger, 1886) (Lycaenidae) *Lycaena kindermanni* var. *juldusa* Staudinger, 1886, Stettin ent. Ztg. 47: 213. Syntypes: [China: Uighur A.R.]: Juldus-Gebirge [Tengri Tagh].
- 5298.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *juldus* *juldus* (Staudinger, 1886) (Lycaenidae) *Lycaena kindermanni* var. *juldusa* Staudinger, 1886, Stettin ent. Ztg. 47: 213. Syntypes: [China: Uighur A.R.]: Juldus-Gebirge [Tengri Tagh].
- 5299.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *juldus* *kasachstanus* Lukhtanov & Dantchenko, 1994 (Lycaenidae) *Polyommatus* (*Agrodiaetus*) *juldusa* ssp. *kasachstanus* Lukhtanov & Dantchenko, 1994, Herbiopoliana 3: 286, Taf. 56 figs. 12, 13. Holotype ♂: Kasachstan: Dschungarischer Alatau, Katutau, Koibyn-Tal. 800-2000m. (ZISP).
- 5300.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *juldus* *kirgisorum* Lukhtanov & Dantchenko, 1994 (Lycaenidae) *Polyommatus* (*Agrodiaetus*) *juldusa* ssp. *kirgisorum* Lukhtanov & Dantchenko, 1994, Herbiopoliana 3: 286, Taf. 56 figs. 14, 15. Holotype ♂: Kirgisien: Kirgisisches Gebirge: Schamsi, 1750m. (ZISP).
- 5301.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *juldus* *rucebeili* (Forster, 1960) (Lycaenidae) *Agrodiaetus iphigenia* ssp. *f. alt?* *rucebeili* Forster, 1960, Z. Wien. ent. Ges. 45: 126-128, Taf. 10, 11, figs. 21, 22. Holotype ♂: [China: Uighur A.R.]: Ost-Turkestan: Aksu, 1900m. (ZSM).
- 5302.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *melanius* (Staudinger, 1886) (Lycaenidae) *Lycaena kindermanni* var. *melania* Staudinger, 1886, Stettin ent. Ztg. 47: 213-214. Syntypes 2♂: [Tadjikistan]: südlichen Alai.
- 5303.** *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *melanius melanius* (Staudinger, 1886) (Lycaenidae) *Lycaena kindermanni* var.

melania Staudinger, 1886, Stettin ent. Ztg. 47: 213-214. Syntypes 2♂: [Tadjikistan]: südlichen Alai.

5304. Polyommatus (s.str. (Agrodiaetus (Juldus))) muelleriae Eckweiler, 1997 (Lycaenidae) Polyommatus (Agrodiaetus) muelleriae Eckweiler, 1997, Nachr. ent. Ver. Apollo, Suppl. 16: 11-12, figs. Holotype ♂: Pakistan: Chitral, Birmoglasht, 2700-2900m (in coll. Eckweiler).

5305. Polyommatus (s.str. (Agrodiaetus (Juldus))) muelleriae muelleriae Eckweiler, 1997 (Lycaenidae) Polyommatus (Agrodiaetus) muelleriae Eckweiler, 1997, Nachr. ent. Ver. Apollo, Suppl. 16: 11-12, figs. Holotype ♂: Pakistan: Chitral, Birmoglasht, 2700-2900m (in coll. Eckweiler).

5306. Polyommatus (s.str. (Agrodiaetus (Juldus))) phyllides (Staudinger, 1886) (Lycaenidae) Lycaena phyllis var. phyllides Staudinger, 1886, Stettin ent. Ztg. 47: 225. Syntypes: [Usbekistan]: Margelan, Namangan, Samarkand; [Kirgizistan]: Osh.

5307. Polyommatus (s.str. (Agrodiaetus (Juldus))) phyllides askhabadicus (Forster, 1960) (Lycaenidae) Agrodiaetus phyllis ssp. askhabadica Forster, 1960, Z. Wien. ent. Ges. 45: 135-136, figs. Holotype ♂: [Turkmenia]: Transkaspien: Kuschka.

5308. Polyommatus (s.str. (Agrodiaetus (Juldus))) phyllides kentaensis Lukhtanov, 1990 (Lycaenidae) Polyommatus (Agrodiaetus) phyllides ssp. kentaensis Lukhtanov, 1990, Vestn. zool. 1990 (6): 22, figs. Holotype ♂: Kasachstan: Chimkent distr.: Syrdaryinsky Karatau, Boyaldyr valley, 700m.

5309. Polyommatus (s.str. (Agrodiaetus (Juldus))) phyllides phyllides (Staudinger, 1886) (Lycaenidae) Lycaena phyllis var. phyllides Staudinger, 1886, Stettin ent. Ztg. 47: 225. Syntypes: [Usbekistan]: Margelan, Namangan, Samarkand; [Kirgizistan]: Osh.

5310. Polyommatus (s.str. (Agrodiaetus (Juldus))) poseidonides (Staudinger, 1886) (Lycaenidae) Lycaena poseidon var. poseidonides Staudinger, 1886, Stettin ent. Ztg. 47: 225. Syntypes 4♂: [Usbekistan]: Samarkand, Südl. Alai.

5311. Polyommatus (s.str. (Agrodiaetus (Juldus))) poseidonides danilevskiy Dantchenko, 1994 (Lycaenidae) Polyommatus (Agrodiaetus) ischkaschimicus ssp. danilevskiy Dantchenko, 1994, Atalanta 25 (1/2): 204-205, pl.viib figs. 1-4. Holotype ♂: Tadjikistan, Ghissar mountain range, Anzob Pass 3000m.

5312. Polyommatus (s.str. (Agrodiaetus (Juldus))) poseidonides florencae (Tytler, 1926) (Lycaenidae) Lycaena florencae Tytler, 1926, J. Bomb. nat. Hist. Soc. 31: 583, pl.i fig.4. Syntypes 2♂: [Pakistan]: Baroghil Pass (leg. Lieut.-Col. Lorimer).

5313. Polyommatus (s.str. (Agrodiaetus (Juldus))) poseidonides poseidonides (Staudinger, 1886) (Lycaenidae) Lycaena poseidon var. poseidonides Staudinger, 1886, Stettin ent. Ztg. 47: 225. Syntypes 4♂: [Usbekistan]: Samarkand, Südl. Alai.

5314. Polyommatus (s.str. (Agrodiaetus (Juldus))) poseidonides rickmersi (Forster, 1956) (Lycaenidae) Agrodiaetus caerulea ssp. rickmersi Forster, 1956, Z. Wien. ent. Ges. 41: 48-49, figs. Holotype ♂: [Tadjikistan]: Pamir: Muskulak, 3600-4000m.

5315. Polyommatus (s.str. (Agrodiaetus (Juldus))) praeactinides (Forster, 1960) (Lycaenidae) Agrodiaetus actis ssp. praeactinides Forster, 1960, Z. Wien. ent. Ges. 41: 111, figs. Holotype ♂: [Kasachstan]: Mts. Karatau, pag. Vyssokoje (Prov. Syr-Darja).

5316. Polyommatus (s.str. (Agrodiaetus (Juldus))) praeactinides praeactinides (Forster, 1960) (Lycaenidae) Agrodiaetus actis ssp. praeactinides Forster, 1960, Z. Wien. ent. Ges. 41: 111, figs. Holotype ♂: [Kasachstan]: Mts. Karatau, pag. Vyssokoje (Prov. Syr-Darja).

5317. Polyommatus (s.str. (Agrodiaetus (Juldus))) shahrami Skala, 2001 (Lycaenidae) Polyommatus (Agrodiaetus) shahrami Skala, 2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 102-103, figs. 9-12. Holotype ♂: Iran: Cahar Mahall- o- Bahtiyari, Zarde Kuh massive 3000m 12 vii 2000 leg. Skala (ZSM).

5318. Polyommatus (s.str. (Agrodiaetus (Juldus))) shahrami shahrami Skala, 2001 (Lycaenidae) Polyommatus (Agrodiaetus) shahrami Skala, 2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 102-103, figs. 9-12. Holotype ♂: Iran: Cahar Mahall- o- Bahtiyari, Zarde Kuh massive 3000m 12 vii 2000 leg. Skala (ZSM).

5319. Polyommatus (s.str. (Agrodiaetus (Musa))) Koçak & Kemal, 2001 (Lycaenidae) Musa Koçak & Kemal, 2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 10. Type-species: Polyommatus (Agrodiaetus) musa Koçak & Hosseinpour, 1996, by original designation.

5320. Polyommatus (s.str. (Agrodiaetus (Musa))) ectabanensis (De Lesse, 1963) (Lycaenidae) Agrodiaetus altivagans ssp. ectabanensis De Lesse, 1963, Alexanor 3 (4): 167. Holotype ♂: Iran: Hamadan: col route Kazvin a Hamadan (Iran W), 2350m (MNHNP).

5321. Polyommatus (s.str. (Agrodiaetus (Musa))) ectabanensis ectabanensis (De Lesse, 1963) (Lycaenidae) Agrodiaetus altivagans ssp. ectabanensis De Lesse, 1963, Alexanor 3 (4): 167. Holotype ♂: Iran: Hamadan: col route Kazvin a Hamadan (Iran W), 2350m (MNHNP).

5322. Polyommatus (s.str. (Agrodiaetus (Musa))) ectabanensis gorbunovi Dantchenko & Lukhtanov, 1994 (Lycaenidae) Polyommatus (Agrodiaetus) gorbunovi Dantchenko & Lukhtanov, 1994, Atalanta 25 (1/2): 207-208, Pl.8 figs.1-4. Holotype ♂: Azerbaidzhan: Talysh Mts., Zuvand, Mistan 1900m.

5323. Polyommatus (s.str. (Agrodiaetus (Musa))) erzindjanensis (Carbonell, 2002) (Lycaenidae) Agrodiaetus erzindjanensis Carbonell, [2003], Bull. Soc. ent. Fr. 107 (2002) (5): 524. Holotype ♂: Spikör geçidi.

5324. Polyommatus (s.str. (Agrodiaetus (Musa))) musa Koçak & Hosseinpour, 1996 (Lycaenidae) Polyommatus (Agrodiaetus) cyaneus ssp. musa Koçak & Hosseinpour, 1996, Priamus 7(3): 117 (nomen novum pro brandti Forster, 1956 nec Pfeiffer, 1938).

5325. Polyommatus (s.str. (Agrodiaetus (Musa))) musa esfahensis (Carbonell, 2000) (Lycaenidae) Agrodiaetus musa ssp. esfahensis Carbonell, 2000, Linneana Belg. 17 (5): 215, figs. Holotype ♂: Iran: Esfahan: Qamsar, 2200-2300m. (MNHNP).

5326. Polyommatus (s.str. (Agrodiaetus (Musa))) musa musa Koçak & Hosseinpour, 1996 (Lycaenidae) Polyommatus (Agrodiaetus) cyaneus ssp. musa Koçak & Hosseinpour, 1996, Priamus 7(3): 117 (nomen novum pro brandti Forster, 1956 nec Pfeiffer, 1938).

5327. Polyommatus (s.str. (Agrodiaetus (Musa))) pfeifferi (Brandt, 1938) (Lycaenidae) Lycaena pfeifferi Brandt, 1938, Ent. Rdsch. 55: 671, Pl.4 figs.1-3. Syntypes: Iran: Barm-i-Firus, 3750m; Elbursgebirge: Nissa.

5328. Polyommatus (s.str. (Agrodiaetus (Musa))) pfeifferi astyages Skala, 2001 (Lycaenidae) Polyommatus (Agrodiaetus) pfeifferi ssp. astyages Skala, 2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 104, figs. 21-24. Holotype ♂: Iran: Esfahan, Khounsar 2950-3100m 16 vii 2000 leg. Skala (ZMFL).

5329. Polyommatus (s.str. (Agrodiaetus (Musa))) pfeifferi pfeifferi (Brandt, 1938) (Lycaenidae) Lycaena pfeifferi Brandt, 1938, Ent. Rdsch. 55: 671, Pl.4 figs.1-3. Syntypes: Iran: Barm-i-Firus, 3750m; Elbursgebirge: Nissa.

5330. Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster, 1956) (Lycaenidae) Agrodiaetus damone ssp. wagneri Forster, 1956, Z. Wien. ent. Ges. 41: 55. Holotype ♂: [Türkei]: Anatolien: Akshehir.

5331. Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri maraschi (Forster, 1956) (Lycaenidae) Agrodiaetus damone ssp. maraschi Forster, 1956, Z. Wien. ent. Ges. 41: 57-58, figs. Holotype ♂: [Türkei]: Syria sept., Taurus, Marasch.

5332. Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri wagneri (Forster, 1956) (Lycaenidae) Agrodiaetus damone ssp. wagneri Forster, 1956, Z. Wien. ent. Ges. 41: 55. Holotype ♂: [Türkei]: Anatolien: Akshehir.

5333. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) Rose & Schurian, [1978] (Lycaenidae) Paragrodiaetus Rose & Schurian, [1978], J. ent. Soc. Iran 4: 68. Type-species: Lycaena glaucias Lederer, 1871, by original designation [proposed originally as a subgenus].

5334. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) avinovi Stchetkin, 1980 (Lycaenidae) Polyommatus avinovi Stchetkin, 1980, Zool. zh. 59 (2): 303, fig. Holotype ♂: [Tadjikistan]: Peter I. Mts.: Chazor-Tshashma, 2100m (ZIANP).

5335. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) avinovi avinovi Stchetkin, 1980 (Lycaenidae) Polyommatus avinovi Stchetkin, 1980, Zool. zh. 59 (2): 303, fig. Holotype ♂: [Tadjikistan]: Peter I. Mts.: Chazor-Tshashma, 2100m (ZIANP).

5336. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) avinovi dangara Eckweiler, 1997 (Lycaenidae) Polyommatus (Agrodiaetus) avinovi ssp. dangara Eckweiler, 1997, Nachr. ent. Ver. Apollo (N.F.) Suppl. 16: 20-21, figs. Holotype ♂: Tadjikistan: Dangara (in coll. Eckweiler).

5337. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) baltazardi (De Lesse, 1962) (Lycaenidae) Agrodiaetus baltazardi De Lesse, 1962, Alexanor 2 (8): 310. Holotype ♂: Iran: Kerman: Kuh-i-Lalihzar, 3200m (MNHNP).

5338. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) baltazardi baltazardi (De Lesse, 1962) (Lycaenidae) Agrodiaetus baltazardi De Lesse, 1962, Alexanor 2 (8): 310. Holotype ♂: Iran: Kerman: Kuh-i-Lalihzar, 3200m (MNHNP).

- 5339. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) bogra Evans,1932** (Lycaenidae) Polyommatus actis bogra Evans,1932, Identification Indian Butterflies (2): 231. Syntypes ♂♂: [Pakistan]: Baluchistan, >7000ft. Lectotype ♂, designated by Balint,1999, Neue ent. Nachr. 46: 19 (BMNH).
- 5340. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) bogra afghanistanus (Forster,1972)** (Lycaenidae) Agrodiaetus damone ssp. afghanistana Forster,1972, Ent. Z., Frankf. a. M. 82(20): 232-235, fig.9. Holotype ♂: Afghanistan: Kabul, 1800m.
- 5341. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) bogra bogra Evans,1932** (Lycaenidae) Polyommatus actis bogra Evans,1932, Identification Indian Butterflies (2): 231. Syntypes ♂♂: [Pakistan]: Baluchistan, >7000ft.
- 5342. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) bogra taftanus Eckweiler,1997** (Lycaenidae) Polyommatus (Agrodiaetus) bogra ssp. taftanus Eckweiler,1997, Nachr. ent. Ver. Apollo, Suppl. 16: 14-16, figs. Holotype ♂: Iran: Beludschistan: Kuh-e-Taftan, Varaj, 2200-2700m.
- 5343. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) eckweileri Ten Hagen,1998** (Lycaenidae) Polyommatus (Agrodiaetus) eckweileri Ten Hagen,1998, Nachr. ent. Ver. Apollo (N.F.) 18 (4): 315-318, Abb. 1-4. Holotype ♂: Iran: Kashan: Qamsar, Ghorod Janin Paß, 2500-2600m (SMF).
- 5344. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) eckweileri eckweileri Ten Hagen,1998** (Lycaenidae) Polyommatus (Agrodiaetus) eckweileri Ten Hagen,1998, Nachr. ent. Ver. Apollo (N.F.) 18 (4): 315-318, Abb. 1-4. Holotype ♂: Iran: Kashan: Qamsar, Ghorod Janin Paß, 2500-2600m (SMF).
- 5345. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) erschoffii (Lederer,1869)** (Lycaenidae) Lycaena erschoffii Lederer,1869, Horae Soc. ent. ross. 6: 80, Taf.4 figs. 4-5. Syntypes ♂♂: [Iran: Elburs Mts.]: "Hadschyabad und Schaku".
- 5346. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) erschoffii erschoffii (Lederer,1869)** (Lycaenidae) Lycaena erschoffii Lederer,1869, Horae Soc. ent. ross. 6: 80, Taf.4 figs. 4-5. Syntypes ♂♂: [Iran: Elburs Mts.]: "Hadschyabad und Schaku".
- 5347. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) erschoffii pashtu Eckweiler,1997** (Lycaenidae) Polyommatus (Agrodiaetus) erschoffii ssp. pashtu Eckweiler,1997, Nachr. ent. Ver. Apollo (N.F.) Suppl. 16: 16-17, fig. Holotype ♂: Afghanistan: Kotale Altumur 2900m (coll.Eckweiler).
- 5348. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) erschoffii tahirides Eckweiler,1998** (Lycaenidae) Polyommatus (Agrodiaetus) erschoffii ssp. tahirides Eckweiler,1998, Nachr. ent. Ver. Apollo (N.F.) 19(3/4): 225-228, figs. Holotype ♂: Iran: Khorasan: Kuh-e-Sorkh (Ost), S. Kallehmenar, 45km. S. Fariman, 2300-2400m.
- 5349. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) erschoffii tekkeanus (Christoph,1887)** (Lycaenidae) Lycaena erschoffii var. tekkeana Christoph,1887, [in] Romanoff, Mém. lépid. 3: 52, pl.3 fig.1. Holotype ♂: [Turkmenistan]: Kopet Mts., "aus dem Gebirge bei Ashkabad" (ZIANP).
- 5350. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) frauvaritanae Balint,1997** (Lycaenidae) Polyommatus frauvaritanae Balint,1997, Neue ent. Nachr. 40: 49, Pls. Holotype ♂: Afghanistan: Band-i Amir, 3000m. (in NHMW).
- 5351. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) frauvaritanae frauvaritanae Balint,1997** (Lycaenidae) Polyommatus frauvaritanae Balint,1997, Neue ent. Nachr. 40: 49, Pls. Holotype ♂: Afghanistan: Band-i Amir, 3000m. (in NHMW).
- 5352. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) glaucias (Lederer,1871)** (Lycaenidae) Lycaena glaucias Lederer,1871, Horae Soc. ent. ross. 8: 10, Taf.I figs. 6,7. Syntypes: [Iran]: Astrabad [=Gorgan].
- 5353. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) glaucias glaucias (Lederer,1871)** (Lycaenidae) Lycaena glaucias Lederer,1871, Horae Soc. ent. ross. 8: 10, Taf.I figs. 6,7. Syntypes: [Iran]: Astrabad [=Gorgan].
- 5354. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) klausshuriani Ten Hagen,1999** (Lycaenidae) Polyommatus (Agrodiaetus) klausshuriani Ten Hagen,1999, Nachr. ent. Ver. Apollo (N.F.) 20 (1): 19-23, figs. Holotype ♂: Iran: Mazanderan, Elburs, vic. Veresk, 1800-2000m (SMFL).
- 5355. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) klausshuriani klausshuriani Ten Hagen,1999** (Lycaenidae) Polyommatus (Agrodiaetus) klausshuriani Ten Hagen,1999, Nachr. ent. Ver. Apollo (N.F.) 20 (1): 19-23, figs. Holotype ♂: Iran: Mazanderan, Elburs, vic. Veresk, 1800-2000m (SMFL).
- 5356. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) magnificus (Groum-Grshimailo,1885)** (Lycaenidae) Lycaena magnifica Groum-Grshimailo,1885, [in] Romanoff, Mém. lépid. 2: 232. Syntypes: [Tadjikistan: Trans-Alai]: "in einem kleinen schluchtartigen Thale, eine Werst weit von Kitschi-Karamuk".
- 5357. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) magnificus magnificus (Groum-Grshimailo,1885)** (Lycaenidae) Lycaena magnifica Groum-Grshimailo,1885, [in] Romanoff, Mém. lépid. 2: 232. Syntypes: [Tadjikistan: Trans-Alai]: "in einem kleinen schluchtartigen Thale, eine Werst weit von Kitschi-Karamuk".
- 5358. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) nadirus (Moore,1884)** (Lycaenidae) Lycaena nadira Moore, 1884, J. asiat. Soc. Beng. 53 (2): 24. Type ♀: Afghanistan: Kabul.
- 5359. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) nadirus nadirus (Moore,1884)** (Lycaenidae) Lycaena nadira Moore, 1884, J. asiat. Soc. Beng. 53 (2): 24. Type ♀: Afghanistan: Kabul.
- 5360. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) shirkuhensis Ten Hagen & Eckweiler,2001** (Lycaenidae) Polyommatus (Agrodiaetus) shirkuhensis Ten Hagen & Eckweiler,2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 53-56, Abb. 5-8, 14. Holotype ♂: Iran: Yazd, Shir Kuh, Deh Bala S. Taft, 2600-2900m (SMFL).
- 5361. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) shirkuhensis shirkuhensis Ten Hagen & Eckweiler,2001** (Lycaenidae) Polyommatus (Agrodiaetus) shirkuhensis Ten Hagen & Eckweiler,2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 53-56, Abb. 5-8, 14. Holotype ♂: Iran: Yazd, Shir Kuh, Deh Bala S. Taft, 2600-2900m (SMFL).
- 5362. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) tenhageni Schurian & Eckweiler,1999** (Lycaenidae) Polyommatus (Agrodiaetus) tenhageni Schurian & Eckweiler,1999, Nachr. ent. Ver. Apollo (N.F.) 20 (2): 120-123, figs. Holotype ♂: Iran: Khorasan, Kuh-e-Sorkh, nördl. Torbat-e-Heydariyeh, Paß S. Robat Sang, 1800m (SMFL).
- 5363. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) tenhageni tenhageni Schurian & Eckweiler,1999** (Lycaenidae) Polyommatus (Agrodiaetus) tenhageni Schurian & Eckweiler,1999, Nachr. ent. Ver. Apollo (N.F.) 20 (2): 120-123, figs. Holotype ♂: Iran: Khorasan, Kuh-e-Sorkh, nördl. Torbat-e-Heydariyeh, Paß S. Robat Sang, 1800m (SMFL).
- 5364. Polyommatus (s.str. (Agrodiaetus (Peileia))) Koçak & Kemal,2001** (Lycaenidae) Peileia Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 10. Type-species: Polyommatus peilei Bethune-Baker,1921, by original designation.
- 5365. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) Koçak & Kemal,2001** (Lycaenidae) Phyllisia Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 10. Type-species: Lycaena damon var. phyllis Christoph,1877, by original designation.
- 5366. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi (De Lesse,1959)** (Lycaenidae) Agrodiaetus baytopi De Lesse, 1959, Bull. Soc. ent. Mulhouse 1959 (7/9): 44-48, figs.1-8. Holotype ♂: Turquie: Ağrı Prov., Doğubayazıt (MHNP).
- 5367. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi baytopi (De Lesse,1959)** (Lycaenidae) Agrodiaetus baytopi De Lesse, 1959, Bull. Soc. ent. Mulhouse 1959 (7/9): 44-48, figs.1-8. Holotype ♂: Turquie: Ağrı Prov., Doğubayazıt (MHNP).
- 5368. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi ilkkursun Koçak & Kemal,2001** (Lycaenidae) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi ssp. ilkkursun Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 10. Holotype ♂: Türkiye: Van: Çatak 35km N, 2000-2200m (coll. Cesa).
- 5369. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) darius Eckweiler & Ten Hagen,1998** (Lycaenidae) Polyommatus (Agrodiaetus) darius Eckweiler & Ten Hagen,1998, Nachr. ent. Ver. Apollo (N.F.) 19 (2): 110-112, Abb. 1-6. Holotype ♂: Iran: Demavend, Polur, 2400m (in coll. Eckweiler).
- 5370. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) darius darius Eckweiler & Ten Hagen,1998** (Lycaenidae) Polyommatus (Agrodiaetus) darius Eckweiler & Ten Hagen,1998, Nachr. ent. Ver. Apollo (N.F.) 19 (2): 110-112, Abb. 1-6. Holotype ♂: Iran: Demavend, Polur, 2400m (in coll. Eckweiler).
- 5371. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) darius masulensis Ten Hagen & Schurian,2000** (Lycaenidae) Polyommatus (Agrodiaetus) darius ssp. masulensis Ten Hagen & Schurian,2000, Nachr. ent. Ver. Apollo N.F. 21 (2): 113-115, figs. 1-6. Holotype ♂: Iran: Azarbaygan-e Sharqi, 20km NW Masuleh, 2300-2400m (SMFL).

- 5372. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) igisizilim Koçak & Kemal, 2001** (Lycaenidae) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) igisizilim Koçak & Kemal, 2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 10. Holotype ♂: Türkiye: Van: Bahçesaray, Karabel geçidi, 2700m (coll. Cesa).
- 5373. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) igisizilim Koçak & Kemal, 2001** (Lycaenidae) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) igisizilim Koçak & Kemal, 2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 10. Holotype ♂: Türkiye: Van: Bahçesaray, Karabel geçidi, 2700m (coll. Cesa).
- 5374. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphicarmon Eckweiler & Rose, 1993** (Lycaenidae) Polyommatus (Agrodiaetus) iphigenia ssp. iphicarmon Eckweiler & Rose, 1993, Nachr. ent. Ver. Apollo N.F. 13(3a): 360-361, figs. Holotype ♂: Türkiye: Isparta, Eğirdir, Aksu, Dedegöl Dağ, 1500-1800m.
- 5375. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphicarmon iphicarmon Eckweiler & Rose, 1993** (Lycaenidae) Polyommatus (Agrodiaetus) iphigenia ssp. iphicarmon Eckweiler & Rose, 1993, Nachr. ent. Ver. Apollo N.F. 13(3a): 360-361, figs. Holotype ♂: Türkiye: Isparta, Eğirdir, Aksu, Dedegöl Dağ, 1500-1800m.
- 5376. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphidamon (Staudinger, 1899)** (Lycaenidae) Lycaena damone var. iphidamon Staudinger, 1899, Dt. ent. Z., Iris 12: 144. Lectotype ♂: [Iran]: Schakuh, designated by Forster, 1960, Z. Wien. ent. Ges. 45: 118.
- 5377. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphidamon iphidamon (Staudinger, 1899)** (Lycaenidae) Lycaena damone var. iphidamon Staudinger, 1899, Dt. ent. Z., Iris 12: 144. Lectotype ♂: [Iran]: Schakuh, designated by Forster, 1960, Z. Wien. ent. Ges. 45: 118.
- 5378. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer, [1847])** (Lycaenidae) Lycaena iphigenia Herrich-Schäffer, [1847], Syst. Bearb. Schmett. Eur. 1: pl.73, fig.354; [1851], ibid.6:24. Syntypes: Türkiye: [Bursa, Uludağ].
- 5379. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia araratensis (De Lesse, 1957)** (Lycaenidae) Agrodiaetus araratensis De Lesse, 1957, Lambillionea 57: 66-69. Holotype ♂: Turquie: Hama Dag, 2400m; Ağrı Mt. 2800-3200m. (MHNP).
- 5380. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia barthae (Pfeiffer, 1932)** (Lycaenidae) Lycaena iphigenia ssp. barthae Pfeiffer, 1932, Mitt. münch. ent. Ges. 22:47, Pl.4 figs.6,20. Holotype ♂: [Türkei]: türkisch Nordsyrien: Marasch, 600-900m (ZSM).
- 5381. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia iphigenia (Herrich-Schäffer, [1847])** (Lycaenidae) Lycaena iphigenia Herrich-Schäffer, [1847], Syst. Bearb. Schmett. Eur. 1: pl.73, fig.354; [1851], ibid.6:24. Syntypes: Türkiye: [Bursa, Uludağ].
- 5382. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia nonacriensis (Brown, 1977)** (Lycaenidae) Agrodiaetus iphigenia ssp. nonacriensis Brown, 1977, Entomologist's Gaz. 28 (1): 3. Holotype ♂: Greece: Peloponnesos: Mountains of N. Peloponnesos, 1200m (in coll. J. Brown).
- 5383. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) mofidii (De Lesse, 1963)** (Lycaenidae) Agrodiaetus mofidii de Lesse, 1963, Alexanor 3: 34-35. Holotype ♂: Iran: Kopet Dag: Koutchan, 1800m.
- 5384. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) mofidii mofidii (De Lesse, 1963)** (Lycaenidae) Agrodiaetus mofidii de Lesse, 1963, Alexanor 3: 34-35. Holotype ♂: Iran: Kopet Dag: Koutchan, 1800m.
- 5385. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis (Christoph, 1877)** (Lycaenidae) Lycaena damon var. phyllis Christoph, 1877, Horae Soc. ent. ross. 12: 237-238, Taf.v fig. 9,10. Lectotype ♂: [Iran: Elburs]: "bei Schahkuh", designated by Eckweiler & Ten Hagen, 1998, Nachr. ent. Ver. Apollo 19 (2): 113 (MNHU).
- 5386. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis dagestanicus (Forster, 1960)** (Lycaenidae) Agrodiaetus phyllis ssp. dagestanica Forster, 1960, Z. Wien. ent. Ges. 45: 134, Taf.10,11,fig.28. Holotype ♂: [Russia]: Dagestan: Chodzhah-machi (ZSM).
- 5387. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis nekrutenkoi Dantchenko & Lukhtanov, 1994** (Lycaenidae) Polyommatus (Agrodiaetus) phyllis ssp. nekrutenkoi Dantchenko & Lukhtanov, 1994, Atalanta 25 (1/2): 210-211, pl.viii figs.13-16. Holotype ♂: Azerbaidzhan, East Caucasus: Mt. Duibrar (ZISP).
- 5388. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis phyllis (Christoph, 1877)** (Lycaenidae) Lycaena damon var. phyllis Christoph, 1877, Horae Soc. ent. ross. 12: 237-238, Taf.v fig. 9,10. Lectotype ♂: [Iran: Elburs]: "bei Schahkuh", designated by Eckweiler & Ten Hagen, 1998, Nachr. ent. Ver. Apollo 19 (2): 113 (MNHU).
- 5389. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis wolfgangeckweiler Koçak & Kemal, 2000** (Lycaenidae) Polyommatus (s.str. (Agrodiaetus)) phyllis ssp. wolfgangeckweiler Koçak & Kemal, 2000, Centr. ent. Stud., Misc. Pap. 62: 7. Nomen novum pro sheljuzhkoï Forster, 1960 nec Obratzov, 1935. Holotype ♂ (for sheljuzhkoï Forster, 1960): Armenien: Mt.Daralagez.
- 5390. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis zeitunus (Forster, 1960)** (Lycaenidae) Agrodiaetus phyllis ssp. zeituna Forster, 1960, Z. Wien. ent. Ges. 45: 129-130, Taf.10,11 fig.23. Holotype ♂: [Türkei]: Zeitun [=Süleymanlı] (ZSM).
- 5391. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) posthumus (Christoph, 1877)** (Lycaenidae) Lycaena damon var. posthumus Christoph, 1877, Horae Soc. ent. ross. 12: 238-239, Taf.v fig.11. Lectotype ♂: [Iran: Elburs]: "auf dem Schahkuh-Gebirge", designated by Eckweiler & Ten Hagen, 1998, Nachr. ent. Ver. Apollo 19 (2): 113 (MNHU).
- 5392. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) posthumus birunii Eckweiler & Ten Hagen, 1998** (Lycaenidae) Polyommatus (Agrodiaetus) posthumus ssp. birunii Eckweiler & Ten Hagen, 1998, Nachr. ent. Ver. Apollo 19 (2): 116-118. Holotype ♂: Iran: Elburs Gebirge: 15km E. Firuzkuh Pass 2300-2400m (in coll. Eckweiler).
- 5393. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) posthumus posthumus (Christoph, 1877)** (Lycaenidae) Lycaena damon var. posthumus Christoph, 1877, Horae Soc. ent. ross. 12: 238-239, Taf.v fig.11. Lectotype ♂: [Iran: Elburs]: "auf dem Schahkuh-Gebirge", designated by Eckweiler & Ten Hagen, 1998, Nachr. ent. Ver. Apollo 19 (2): 113 (MNHU).
- 5394. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) rovshani Dantchenko & Lukhtanov, 1994** (Lycaenidae) Polyommatus (Agrodiaetus) rovshani Dantchenko & Lukhtanov, 1994, Atalanta 25 (1/2): 208-209, Pl.8, figs.5-8. Holotype ♂: Azerbaidzhan, Talysh Mts., Zuvand, Mistan 1900m.
- 5395. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) rovshani rovshani Dantchenko & Lukhtanov, 1994** (Lycaenidae) Polyommatus (Agrodiaetus) rovshani Dantchenko & Lukhtanov, 1994, Atalanta 25 (1/2): 208-209, Pl.8, figs.5-8. Holotype ♂: Azerbaidzhan, Talysh Mts., Zuvand, Mistan 1900m.
- 5396. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) tankeri (De Lesse, 1960)** (Lycaenidae) Agrodiaetus tankeri De Lesse, 1960, Bull. Soc. ent. Mulhouse 1960 (10): 76-77. Holotype ♂: Turquie: Gümüşhane: Kop Dağı Geçidi, 2400-2600m. (MHNP).
- 5397. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) tankeri tankeri (De Lesse, 1960)** (Lycaenidae) Agrodiaetus tankeri De Lesse, 1960, Bull. Soc. ent. Mulhouse 1960 (10): 76-77. Holotype ♂: Turquie: Gümüşhane: Kop Dağı Geçidi, 2400-2600m. (MHNP).
- 5398. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse, 1957)** (Lycaenidae) Agrodiaetus vanensis De Lesse, 1957, Lambillionea 1957 (9/10): 69-71. Holotype ♂: Turquie: Agri: Dogubayazit, 2100m. (MHNP).
- 5399. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis vanensis (De Lesse, 1957)** (Lycaenidae) Agrodiaetus vanensis De Lesse, 1957, Lambillionea 1957 (9/10): 69-71. Holotype ♂: Turquie: Agri: Dogubayazit, 2100m. (MHNP).
- 5400. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) Koçak & Kemal, 2001** (Lycaenidae) Transcaspia Koçak & Kemal, 2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 11. Type-species: Lycaena kindermannii var. transcaspica Staudinger, 1899, by original designation.
- 5401. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) altivagans (Forster, 1956)** (Lycaenidae) Agrodiaetus altivagans Forster, 1956, Z. Wien. ent. Ges. 41: 60, pl.8,9 figs. Holotype ♂: Armenien: Daralagez: Jarzud, supra pag.Martiros.
- 5402. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) altivagans altivagans (Forster, 1956)** (Lycaenidae) Agrodiaetus altivagans Forster, 1956, Z. Wien. ent. Ges. 41: 60, pl.8,9 figs. Holotype ♂: Armenien: Daralagez: Jarzud, supra pag.Martiros.
- 5403. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) anticarmon (Koçak, 1983)** (Lycaenidae) Agrodiaetus anticarmon Koçak, 1983, Priamus 3 (1): 34-35. Holotype ♂: East Turkey: [Hakkari Prov., Şemdinli] (in coll.Cesa).
- 5404. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) anticarmon anticarmon (Koçak, 1983)** (Lycaenidae) Agrodiaetus anticarmon Koçak, 1983, Priamus 3 (1): 34-35. Holotype ♂: East Turkey: [Hakkari Prov., Şemdinli] (in coll.Cesa).
- 5405. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) arasarani (Carbonell & Naderi, 2000)** (Lycaenidae) Agrodiaetus arasarani Carbonell & Naderi, 2000, Linneana Belg. 17 (5): 218-219,

figs. Holotype ♂: Iran: Azarbayejan-e- Sharqi: Arasbaran 1600-2200m. (Mus. Hist. nat. Karaj, Iran).

5406. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) arasbarani arasbarani (Carbonell & Naderi,2000) (Lycaenidae) *Agrodiaetus arasbarani* Carbonell & Naderi,2000, Linneana Belg. 17 (5): 218-219, figs. Holotype ♂: Iran: Azarbayejan-e- Sharqi: Arasbaran 1600-2200m. (Mus. Hist. nat. Karaj, Iran).

5407. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) aserbeidschanus (Forster,1956) (Lycaenidae) *Agrodiaetus transcaspica* ssp. *aserbeidschana* Forster,1956, Z. Wien. ent. Ges. 41: 72-74, figs. Holotype ♂: Armenia: Mts. Zangezur, pag. Kadzharantz (pr. mts. Kapudzhich).

5408. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) aserbeidschanus aserbeidschanus (Forster,1956) (Lycaenidae) *Agrodiaetus transcaspica* ssp. *aserbeidschana* Forster,1956, Z. Wien. ent. Ges. 41: 72-74, figs. Holotype ♂: Armenia: Mts. Zangezur, pag. Kadzharantz (pr. mts. Kapudzhich).

5409. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) caeruleus (Staudinger,1871) (Lycaenidae) *Lycaena damon* var.? *caerulea* Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 13. Syntypes ♂♀: [Iran]: Hyrcanien alp. [Astrabad].

5410. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) caeruleus caeruleus (Staudinger,1871) (Lycaenidae) *Lycaena damon* var.? *caerulea* Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 13. Syntypes ♂♀: [Iran]: Hyrcanien alp. [Astrabad].

5411. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) caeruleus khoshyeilagi (Blom,1979) (Lycaenidae) *Agrodiaetus khoshyeilagi* Blom,1979, Ent. Ber., Amst. 39: 12, figs.8,9. Holotype ♂: Iran: Mazandaran Prov., Khosh Yeilaq, Kuh-e-Sovar, 2000-2500m (in coll. Blom).

5412. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) damonides (Staudinger,1899) (Lycaenidae) *Lycaena damone* var. *damonides* Staudinger,1899, Dt. ent. Z., Iris 12: 138-139. Lectotype ♂: [Azerbaijan: Nachitschevan]: Ordubat [recte Ordubad] (MNHUB).

5413. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) damonides damonides (Staudinger,1899) (Lycaenidae) *Lycaena damone* var. *damonides* Staudinger,1899, Dt. ent. Z., Iris 12: 138-139. Lectotype ♂: [Azerbaijan: Nachitschevan]: Ordubat [recte Ordubad] (MNHUB).

5414. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) dizinensis (Schurian,1982) (Lycaenidae) *Agrodiaetus dizinensis* Schurian,1982, Ent. Z., Frankf. a. M. 92(7): 92, fig. Holotype ♂: [Iran]: elburz mts., Prov. Teheran, Dizin bei Gajereh, 3500m.

5415. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) dizinensis dizinensis (Schurian,1982) (Lycaenidae) *Agrodiaetus dizinensis* Schurian,1982, Ent. Z., Frankf. a. M. 92(7): 92, fig. Holotype ♂: [Iran]: elburz mts., Prov. Teheran, Dizin bei Gajereh, 3500m.

5416. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) elbursicus (Forster,1956) (Lycaenidae) *Agrodiaetus transcaspica* ssp. *elbursica* Forster,1956, Z. Wien. ent. Ges. 41: 74-76, figs. Holotype ♂: [Iran]: Persia sept., Elburs mts. c., Kendevan-Paß, 2800-3000m.

5417. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) elbursicus elbursicus (Forster,1956) (Lycaenidae) *Agrodiaetus transcaspica* ssp. *elbursica* Forster,1956, Z. Wien. ent. Ges. 41: 74-76, figs. Holotype ♂: [Iran]: Persia sept., Elburs mts. c., Kendevan-Paß, 2800-3000m.

5418. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) elbursicus zapvadi (Carbonell,1993) (Lycaenidae) *Agrodiaetus elbursica* ssp. *zapvadi* Carbonell,1993, Linneana Belgica 14 (2): 94-103, fig.H, Taf.2 figs.1-3. Holotype ♂: Turquie: Van: Güzelsu 2100m (MHNP).

5419. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) eurytilos (Gerhard,[1851]) (Lycaenidae) *Lycaena eurytilos* Gerhard,[1851], Versuch Monogr. eur. Schmett.: 11, Pl.20 figs.1a-c. Syntypes: "Türkei". Neotype ♂: Turkey: Tokat Prov., Çamlıbel 1300m, selected by Koçak,2000, Misc. Pap. 65/66: 9 (CESA).

5420. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) eurytilos eurytilos (Gerhard,[1851]) (Lycaenidae) *Lycaena eurytilos* Gerhard,[1851], Versuch Monogr. eur. Schmett.: 11, Pl.20 figs.1a-c. Syntypes: "Türkei". Neotype ♂: Turkey: Tokat Prov., Çamlıbel 1300m, selected by Koçak,2000, Misc. Pap. 65/66: 9 (CESA).

5421. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) guezelmavi Olivier et al.,1999 (Lycaenidae) *Polyommatus (Agrodiaetus)* *guezelmavi* Olivier et al.,1999, Phegea 27(1): 5-7, figs. Holotype ♂: Turkey: Konya, Taşkent, Palaz Dağı, 1500-1600m (ISZMA).

5422. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) guezelmavi guezelmavi Olivier et al.,1999 (Lycaenidae) *Polyommatus (Agrodiaetus)* *guezelmavi* Olivier et al.,1999, Phegea 27(1): 5-7, figs. Holotype ♂: Turkey: Konya, Taşkent, Palaz Dağı, 1500-1600m (ISZMA).

5423. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) huberti (Carbonell,1993) (Lycaenidae) *Agrodiaetus huberti* Carbonell,1993, Linneana belg. 14(2): 91, figs. Holotype ♂: Turquie: 15km N. Agri, 1700m (MNHN).

5424. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) huberti huberti (Carbonell,1993) (Lycaenidae) *Agrodiaetus huberti* Carbonell,1993, Linneana belg. 14(2): 91, figs. Holotype ♂: Turquie: 15km N. Agri, 1700m (MNHN).

5425. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) kendevari (Forster,1956) (Lycaenidae) *Agrodiaetus carmon* ssp. *kendevari* Forster,1956, Z. Wien. ent. Ges. 41: 88-89, figs. Holotype ♂: [Iran]: Pers. Elbursgeb., Kendevanpaß, 2600-3100m.

5426. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) kendevari kendevari (Forster,1956) (Lycaenidae) *Agrodiaetus carmon* ssp. *kendevari* Forster,1956, Z. Wien. ent. Ges. 41: 88-89, figs. Holotype ♂: [Iran]: Pers. Elbursgeb., Kendevanpaß, 2600-3100m.

5427. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) kendevari pseudoxerxes (Forster,1956) (Lycaenidae) *Agrodiaetus carmon* ssp. *pseudoxerxes* Forster,1956, Z. Wien. ent. Ges. 41: 118-119, figs. Holotype ♂: [Iran]: Persia s., Elburs mts., Schahkuh.

5428. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) kunchuy Koçak,1999 (Lycaenidae) *Polyommatus (s.str. (Agrodiaetus))* *kunchuy* Koçak,1999, Cent. ent. Stud. 59: 5-6, figs. Holotype ♂: Turkey: Ankara Prov., Çal Dağı, 1100m. (in coll. Cesa).

5429. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) kunchuy kunchuy Koçak,1999 (Lycaenidae) *Polyommatus (s.str. (Agrodiaetus))* *kunchuy* Koçak,1999, Cent. ent. Stud. 59: 5-6, figs. Holotype ♂: Turkey: Ankara Prov., Çal Dağı, 1100m. (in coll. Cesa).

5430. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) ninae (Forster,1956) (Lycaenidae) *Agrodiaetus transcaspica* ssp. *ninae* Forster,1956, Z. Wien. ent. Ges. 41: 70, pls.8,9 figs. 23,24. Holotype ♂: Armenia: Mts. Daralagez: Gürtshin.

5431. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) ninae ninae (Forster,1956) (Lycaenidae) *Agrodiaetus transcaspica* ssp. *ninae* Forster,1956, Z. Wien. ent. Ges. 41: 70, pls.8,9 figs. 23,24. Holotype ♂: Armenia: Mts. Daralagez: Gürtshin.

5432. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) shamil (Dantchenko,2000) (Lycaenidae) *Agrodiaetus shamil* Dantchenko,2000, [in] Tusov et al., Guide Butts. Russia 2: 199-200, pl. 80 figs. 25-27. Holotype ♂: NE. Caucasus: Daghestan, vicinity of Gunib, 1800m (ZSBS).

5433. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) shamil shamil (Dantchenko,2000) (Lycaenidae) *Agrodiaetus shamil* Dantchenko,2000, [in] Tusov et al., Guide Butts. Russia 2: 199-200, pl. 80 figs. 25-27. Holotype ♂: NE. Caucasus: Daghestan, vicinity of Gunib, 1800m (ZSBS).

5434. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) surakovi Dantchenko & Lukhtanov,1994 (Lycaenidae) *Polyommatus (Agrodiaetus)* *carmon* ssp. *surakovi* Dantchenko & Lukhtanov,1994, Atalanta 25 (1/2): 209, figs. Holotype ♂: Azerbaidzhan: Nakhichevan, Buzgov, 1000m. (in coll. Dantchenko).

5435. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) surakovi surakovi Dantchenko & Lukhtanov,1994 (Lycaenidae) *Polyommatus (Agrodiaetus)* *carmon* ssp. *surakovi* Dantchenko & Lukhtanov,1994, Atalanta 25 (1/2): 209, figs. Holotype ♂: Azerbaidzhan: Nakhichevan, Buzgov, 1000m. (in coll. Dantchenko).

5436. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) transcaspicus (Heyne,[1895]) (Lycaenidae) *Lycaena damon* var. *transcaspica* Heyne,[1895], [in] Rühl,F., Die Palaearkt. Grossschmett. Naturg. 1:764. Type(s): [Turkmenistan]: Achal Tekke.

5437. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) transcaspicus difficillimus (Forster,1956) (Lycaenidae) *Agrodiaetus transcaspica* ssp. *difficillima* Forster,1956, Z. Wien. ent. Ges. 41:76-77, Pl.10,11 figs. Holotype ♂: Iran: Nordpersien: Schahkuh.

5438. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) transcaspicus firuze (Carbonell,1993) (Lycaenidae) *Agrodiaetus ninae* ssp. *firuze* Carbonell,1993, Linneana Belg. 14 (2): 103, figs. Holotype ♂: Turquie: Gümüşhane: Kelkit, 1550m (MHNHP).

5439. Polyommatus (s.str. (Agrodiaetus (Transcaspium))) transcaspicus kotzschii (Forster,1956) (Lycaenidae) *Agrodiaetus*

transcaspica ssp. kotszchi Forster, 1956, Z. Wien. ent. Ges. 41: 78-79, pls. 10-11 figs. 6,7. Holotype ♂: Iran: Kuh-i-Mirabi, 2200m.

5440. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) transcaspicus transcaspicus (Heyne, [1895]) (Lycaenidae) Lycaena damon var. transcaspica Heyne, [1895], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 764. Type(s): [Turkmenistan]: Achal Tekke.

5441. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) turcicola (Koçak, 1977) (Lycaenidae) Agrodiaetus (s.str.) transcaspica ssp. turcicola Koçak, 1977, Atalanta 8 (1): 55-56, figs. 17-20. Holotype ♂: Turkey: Van Prov.: vicinity of Van, 1800m (in coll. Cesa).

5442. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) turcicola turcicola (Koçak, 1977) (Lycaenidae) Agrodiaetus (s.str.) transcaspica ssp. turcicola Koçak, 1977, Atalanta 8 (1): 55-56, figs. 17-20. Holotype ♂: Turkey: Van Prov.: vicinity of Van, 1800m (in coll. Cesa).

5443. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) turcicus (Koçak, 1977) (Lycaenidae) Agrodiaetus turcicus Koçak, 1977, Atalanta 8 (1): 54-55, figs. 13-16, 23. Holotype ♂: Turkey: Kars Pr.: Kağızman-Cumaçay, 2500m (in coll. Cesa).

5444. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) turcicus turcicus (Koçak, 1977) (Lycaenidae) Agrodiaetus turcicus Koçak, 1977, Atalanta 8 (1): 54-55, figs. 13-16, 23. Holotype ♂: Turkey: Kars Pr.: Kağızman-Cumaçay, 2500m (in coll. Cesa).

5445. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) yurinekrutenko (Koçak, 1996) (Lycaenidae) Polyommatus (Agrodiaetus) yurinekrutenko Koçak, 1996, Cent. ent. Stud., Misc. Pap. 30/33: 23 (nomen novum pro ciscaucasus Forster, 1956 nec Jachontov, 1914). Holotype ♂: [Russia: Caucasus]: "Ciscaucasia, Kislovodsk".

5446. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) yurinekrutenko yurinekrutenko (Koçak, 1996) (Lycaenidae) Polyommatus (Agrodiaetus) yurinekrutenko Koçak, 1996, Cent. ent. Stud., Misc. Pap. 30/33: 23 (nomen novum pro ciscaucasus Forster, 1956 nec Jachontov, 1914). Holotype ♂: [Russia: Caucasus]: "Ciscaucasia, Kislovodsk".

5447. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) zarathustra Eckweiler, 1997 (Lycaenidae) Polyommatus (Agrodiaetus) zarathustra Eckweiler, 1997, Nachr. ent. Ver. Apollo, Suppl. 16: 9-10, figs. Holotype ♂: Iran: Lorestan, Dorud, Saravand 2000-2300m (in coll. Eckweiler).

5448. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) zarathustra zarathustra Eckweiler, 1997 (Lycaenidae) Polyommatus (Agrodiaetus) zarathustra Eckweiler, 1997, Nachr. ent. Ver. Apollo, Suppl. 16: 9-10, figs. Holotype ♂: Iran: Lorestan, Dorud, Saravand 2000-2300m (in coll. Eckweiler).

5449. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) zardensis Schurian & Ten Hagen, 2001 (Lycaenidae) Polyommatus (s.str. (Agrodiaetus)) zardensis Schurian & Ten Hagen, 2001, Nachr. ent. Ver. Apollo, N.F. 22 (1): 1-4, 5 figs. Holotype ♂: Iran: Esfahan, 25km südlich Daran, 2400-2450m leg. & in coll. Schurian.

5450. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) zardensis zardensis Schurian & Ten Hagen, 2001 (Lycaenidae) Polyommatus (s.str. (Agrodiaetus)) zardensis Schurian & Ten Hagen, 2001, Nachr. ent. Ver. Apollo, N.F. 22 (1): 1-4, 5 figs. Holotype ♂: Iran: Esfahan, 25km südlich Daran, 2400-2450m leg. & in coll. Schurian.

5451. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) Koçak & Kemal, 2001 (Lycaenidae) Xerxesia Koçak & Kemal, 2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 11. Type-species: Lycaena damone var. xerxes Staudinger, 1899, by original designation.

5452. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) barmifiruze (Carbonell, 2000) (Lycaenidae) Agrodiaetus barmifiruze Carbonell, 2000, Linneana Belg. 17 (5): 213-215, figs. Holotype ♂: Iran: Fars: Ardekan, route de Komeh 2650-2900m. (MNHN).

5453. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) barmifiruze barmifiruze (Carbonell, 2000) (Lycaenidae) Agrodiaetus barmifiruze Carbonell, 2000, Linneana Belg. 17 (5): 213-215, figs. Holotype ♂: Iran: Fars: Ardekan, route de Komeh 2650-2900m. (MNHN).

5454. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger, 1899) (Lycaenidae) Lycaena damone var. cyanea Staudinger, 1899, Dt. ent. Z., Iris 12: 142. Lectotype ♂: Hankynda, designated by Forster, 1956, Z. Wien. ent. Z. 41: 85 (MNHU).

5455. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus cyaneus (Staudinger, 1899) (Lycaenidae) Lycaena damone var. cyanea Staudinger, 1899, Dt. ent. Z., Iris 12: 142. Lectotype ♂: Hankynda, designated by Forster, 1956, Z. Wien. ent. Z. 41: 85 (MNHU).

5456. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus damalis (Riley, 1921) (Lycaenidae) Lycaena damone ssp. damalis Riley, 1921, Ann. Mag. nat. Hist. (9) 8: 597. Lectotype ♂: [Iran]: N.W. Persia: Karind Gorge, 6000ft (designated by Balint, 1999, Neue ent. Nachr. 46: 25) (BMNH).

5457. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus kermansis (De Lesse, 1962) (Lycaenidae) Agrodiaetus cyanea ssp. kermansis De Lesse, 1962, Alexanor 2 (8): 311. Holotype ♂: Iran: Kerman: Kuh-i-Lalihzar (Kerman), Iran sud-est, 2800m (MNHN).

5458. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus paracyaneus (De Lesse, 1963) (Lycaenidae) Agrodiaetus cyanea ssp. paracyaneus De Lesse, 1963, Revue fr. Ent. 30 (3): 178. Holotype ♂: Iran: Hamadan: col entre Kazvin et Hamadan, 2350m. (MNHN).

5459. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) merhaba De Prins, 1991 (Lycaenidae) Polyommatus (Agrodiaetus) merhaba De Prins, 1991, Phegea 19 (4): 141-148, pl. 1, 2 figs. 1-18. Holotype ♂: Turkey: Artvin Prov., Çoruh valley, 7km NW. of Kılıçkaya 1000m (ITZA).

5460. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) merhaba merhaba De Prins, 1991 (Lycaenidae) Polyommatus (Agrodiaetus) merhaba De Prins, 1991, Phegea 19 (4): 141-148, pl. 1, 2 figs. 1-18. Holotype ♂: Turkey: Artvin Prov., Çoruh valley, 7km NW. of Kılıçkaya 1000m (ITZA).

5461. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) xerxes (Staudinger, 1899) (Lycaenidae) Lycaena damone var. xerxes Staudinger, 1899, Dt. ent. Z., Iris 12: 143. Lectotype ♂: [Iran]: Schahrud, designated by Forster, 1956, Z. Wien. ent. Z. 41: 85 (MNHU).

5462. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) xerxes xerxes (Staudinger, 1899) (Lycaenidae) Lycaena damone var. xerxes Staudinger, 1899, Dt. ent. Z., Iris 12: 143. Lectotype ♂: [Iran]: Schahrud, designated by Forster, 1956, Z. Wien. ent. Z. 41: 85 (MNHU).

5463. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles (Herrich-Schäffer, [1844]) (Lycaenidae) Lycaena damocles Herrich-Schäffer, [1844], Syst. Bearb. Schmett. Eur. 1: 113, figs. 214-217. Neotype ♂: Südliches Russland: Guberli im Südural 220km SEE Orenburg, designated by Dantchenko & Lukhtanov, 1993, Atalanta 24 (1/4): 79.

5464. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles damocles (Herrich-Schäffer, [1844]) (Lycaenidae) Lycaena damocles Herrich-Schäffer, [1844], Syst. Bearb. Schmett. Eur. 1: 113, figs. 214-217. Neotype ♂: Südliches Russland: Guberli im Südural 220km SEE Orenburg, designated by Dantchenko & Lukhtanov, 1993, Atalanta 24 (1/4): 79.

5465. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles krymaeus (Sheljuzhko, 1928) (Lycaenidae) Lycaena damone ssp. krymaeus Sheljuzhko, 1928, Lepid. Rdsch. 2(4): 45-46. Syntypes 4♂: [Ukraine]: Krym: ? Umg. Kertsh u. Staryj Krym.

5466. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles rossicus Dantchenko & Lukhtanov, 1993 (Lycaenidae) Polyommatus (Agrodiaetus) damocles ssp. rossicus Dantchenko & Lukhtanov, 1993, Atalanta 24 (1/4): 80. Holotype ♂: Russia: Saratov-Gebiet, Volks-Umgebung (ZMSP).

5467. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles tortumensis (Carbonell, 2003) (Lycaenidae) Agrodiaetus damocles ssp. tortumensis Carbonell, 2003, Bull. Soc. ent. Fr. 103 (2): 175.

5468. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles urartua (Carbonell, 2003) (Lycaenidae) Agrodiaetus damocles ssp. urartua Carbonell, 2003, Bull. Soc. ent. Fr. 103 (2): 175.

5469. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller], 1775) (Lycaenidae) Papilio damon [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 182. Type(s): [Austria]: Vienna district.

5470. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon acutus (Agenjo, [1973]) (Lycaenidae) Plebejus (Agrodiaetus) damon ssp. acuta Agenjo, [1973], Graellsia 26 (1971): 30. Holotype ♂: Spain: Burgos: Paramo de Masa, 1001m.

5471. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ausonius (Verity, 1914) (Lycaenidae) Lycaena damon ausonia Verity, 1914, Bull. Soc. ent. ital. 45: 232. Syntypes: Italy: Marche: Piceno, Massiccio Sibillini, Bolognola, Dintorni di Bolognola, 1200-1400m.

5472. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon biton (Sulzer, 1776) (Lycaenidae) Papilio biton Sulzer, 1776, Abgekürzte Geschichte der Insecten: 146, Taf. 18, fig. 9. Syntypes: [Switzerland]: "aus der Schweiz".

5473. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon cabreræ (De Sagarra, 1930) (Lycaenidae) Hirsutina damon razza

- cabrerae De Sagarra, 1930, Butletti Inst. Catal. Hist. Nat. (2) 10 (7): 118. Syntypes 2♂♂: Spain: Cabrera... Sant Pere de Montgrony" (MCTB).
- 5474. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon clarior (Verity, 1943)** (Lycaenidae) Agrodiaetus damon race clarior Verity, 1943, Le farfalle diurne d'Italia 2: 326. Syntypes 4♂♂ 7♀♀: Suisse: Neuchatel: Dombresson.
- 5475. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon damon ([Denis & Schiffermüller], 1775)** (Lycaenidae) Papilio damon [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 182. Type(s): [Austria]: Vienna district.
- 5476. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ferreti (Favre, 1903)** (Lycaenidae) Lycaena damon var. ferreti Favre, 1903, Mitt. schweiz. ent. Ges. 11 (1), suppl.: 5. Syntypes: Schweiz: Valais: "Gd Ferret ou Ferrex".
- 5477. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon kotshubeji (Sovinsky, [1916])** (Lycaenidae) Lycaena damon ssp. kotshubeji Sovinsky, [1916], Russk. ent. Obozr. 15(3): 388-389. Syntypes ♂♂: Türkei: Kars: Kağızman (in ZMKU).
- 5478. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon merzbacheri (Courvoisier, 1913)** (Lycaenidae) Lycaena damon f. merzbacheri Courvoisier, 1913, Ent. Mitt. 2(10): 293. Syntypes: Dscharkent (infrasubspecific name!).
- 5479. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon mongolensis (Koçak, 1980)** (Lycaenidae) Agrodiaetus damon ssp. mongolensis Koçak, 1980, Nota lepid. 2(4): 142 (nomen novum pro mongolica Kurenzov, 1970 nec Rühl, [1893]). Holotype ♂: Mongolia: "iz severnoi Mongolii".
- 5480. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon nogueræ (De Sagarra, 1924)** (Lycaenidae) Hirsutina damon rassa nogueræ De Sagarra, 1924, Butletti Inst. Catal. Hist. Nat. (2) 4 (9): 203. Holotype ♂: [Spain: Teruel]: Noguera (Arago), 1400m. (MCTB).
- 5481. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon rufosaturior Verity, 1943** (Lycaenidae) Agrodiaetus damon race rufosaturior Verity, 1943, Le farfalle diurne d'Italia 2: 328. Syntypes 10♂♂ 8♀♀: [Italy: Torino]: Alpi Cozie: Val Susa: Oulx [=Ulzio], 1100m.
- 5482. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon zhicharevi (Sovinsky, [1916])** (Lycaenidae) Lycaena damon ssp. zhicharevi Sovinsky, [1916], Russk. ent. Obozr. 15(3): 384. Synypes 51♂♂ 19♀♀: Russia: Kislovodsk.
- 5483. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone (Eversmann, 1841)** (Lycaenidae) Lycaena damone Eversmann, 1841, Bull. Soc. nat. Moscou 14 (1): 18. Lectotype ♂: [Russia]: Wolga-Gebiet, Sergiewsk (110km NE. Samara) (ZISP).
- 5484. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone altaicus (Elwes, 1899)** (Lycaenidae) Lycaena damone ssp. altaica Elwes, 1899, Trans. ent. Soc. Lond. 1899 (3): 327. Syntypes: [Russia]: Altai: Tchuja, Bashkaus valley, Ongadai. Lectotype ♂: Ongodai (Altai Mts.) (designated by Balint, 1999, Neue ent. Nachr. 46: 11) (BMNH).
- 5485. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone bogdoolensis Dantchenko & Lukhtanov, 1997** (Lycaenidae) Polyommatus (Agrodiaetus) damone ssp. bogdoolensis Dantchenko & Lukhtanov, 1997, Nachr. ent. Ver. Apollo, Suppl. 16: 33-34, figs. Holotype ♂: West Mongolia: Altai, Khovd region, the mountains North to Kobdo River, leg. Groum-Grshimailo (in ZIMP).
- 5486. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone damone (Eversmann, 1841)** (Lycaenidae) Lycaena damone Eversmann, 1841, Bull. Soc. nat. Moscou 14 (1): 18. Lectotype ♂: [Russia]: Wolga-Gebiet, Sergiewsk (110km NE. Samara) (ZISP).
- 5487. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone irinae Dantchenko, 1997** (Lycaenidae) Polyommatus (Agrodiaetus) damone ssp. irinae Dantchenko, 1997, Nachr. ent. Ver. Apollo, Suppl. 16: 30-33, figs. Holotype ♂: Russia: Volga Region: Kamyschin, vic. Olkhovka (in ZSBS).
- 5488. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone pljushtchi Budashkin & Lukhtanov, 1993** (Lycaenidae) Polyommatus (Agrodiaetus) pljushtchi Budashkin & Lukhtanov, 1993, Atalanta 24 (1/4): 86. pl.v figs. 1-4. Holotype ♂: Ukraine: Krim: Aj-Petri-Jaila (ZISP).
- 5489. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone tanais Dantchenko & Pljushtch, 1993** (Lycaenidae) Polyommatus (Agrodiaetus) damone ssp. tanais Dantchenko & Pljushtch, 1993, Atalanta 24 (1/4): 78. Holotype ♂: Ukraine: Donezk-Gebiet, Umgebung von Kramatorsk, Belenjkoe (ZMUM).
- 5490. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone walteri Dantchenko & Lukhtanov, 1993** (Lycaenidae) Polyommatus (Agrodiaetus) damone ssp. walteri Dantchenko & Lukhtanov, 1993, Atalanta 24 (1/4): 79-80. Holotype ♂: Nordwestmongolei: Ureg-Nur (DMM).
- 5491. Polyommatus (s.str. (Agrodiaetus (s.str.))) stempfferi (Brandt, 1938)** (Lycaenidae) Lycaena stempfferi Brandt, 1938, Ent. Rdsch. 55: 671-672, Pl. 4 figs. 4-5. Syntypes: Iran: Am Gipfel des Barm-i-Firus, 3750m.
- 5492. Polyommatus (s.str. (Agrodiaetus (s.str.))) stempfferi goletanus Skala, 2002** (Lycaenidae) Polyommatus (Agrodiaetus) stempfferi ssp. goletanus Skala, 2002, Linneana belg. 18 (6): 295-298, figs. Holotype ♂: Iran: Esfahan: Fereidun Shar, 3700-3900m, 30.vii.-1.viii.2001, leg. Skala (ZSM).
- 5493. Polyommatus (s.str. (Agrodiaetus (s.str.))) stempfferi jaffar Skala, 2002** (Lycaenidae) Polyommatus (Agrodiaetus) stempfferi ssp. jaffar Skala, 2002, Linneana belg. 18 (6): 299, figs. Holotype ♂: Iran: Khuzistan/ Bahtari: Kuh-e- Haft Cheshmeh, 3800-4000m, 19-22.vii.2001, leg. Skala (ZSM).
- 5494. Polyommatus (s.str. (Agrodiaetus (s.str.))) stempfferi stempfferi (Brandt, 1938)** (Lycaenidae) Lycaena stempfferi Brandt, 1938, Ent. Rdsch. 55: 671-672, Pl. 4 figs. 4-5. Syntypes: Iran: Am Gipfel des Barm-i-Firus, 3750m.
- 5495. Polyommatus (s.str. (Agrodiaetus (s.str.))) stempfferi zoroaster Skala, 2002** (Lycaenidae) Polyommatus (Agrodiaetus) stempfferi ssp. zoroaster Skala, 2002, Linneana belg. 18 (6): 293-294, figs. Holotype ♂: Iran: Yazd: Shir Kuh, S. Deh Bala, 3000-3300m, 16.vii.1999 leg. Schurian (ZSM).
- 5496. Polyommatus (s.str. (Agrodiaetus)) Hübner, 1822** (Lycaenidae) Agrodiaetus Hübner, 1822, Syst. alph. Verz.: 1-10. Type-species: Papilio damon [Denis & Schiffermüller], 1775, by subsequent designation by Hemming, 1934, Gen. Names hol. Butts 1: 109.
- 5497. Polyommatus (s.str. (Cyaniris)) Dalman, 1816** (Lycaenidae) Cyaniris Dalman, 1816, K. svenska VetenskAkad. Handl., 1816(1): 63. Type-species: Cyaniris argianus Dalman, 1816, ibid.: 95, by monotypy.
- 5498. Polyommatus (s.str. (Cyaniris)) bellis (Freyer, [1842])** (Lycaenidae) Lycaena bellis Freyer, [1842], Neuere Beitr. Schmett. 5: 26, Taf. 398, figs. 1, 2. Type(s): Türkei. Lectotype ♂: Suburbs of Istanbul (designated by Balint, 1999, Neue ent. Nachr. 46: 18-19) (BMNH).
- 5499. Polyommatus (s.str. (Cyaniris)) bellis antiochena (Lederer, 1861)** (Lycaenidae) Lycaena antiochena Lederer, 1861, Wien. ent. Monatschr. 5 (5): 148, Taf. 1 figs. 2, 3. Syntypes: Antiochia.
- 5500. Polyommatus (s.str. (Cyaniris)) bellis bellis (Freyer, [1842])** (Lycaenidae) Lycaena bellis Freyer, [1842], Neuere Beitr. Schmett. 5: 26, Taf. 398, figs. 1, 2. Type(s): Türkei. Lectotype ♂: Suburbs of Istanbul (designated by Balint, 1999, Neue ent. Nachr. 46: 18-19) (BMNH).
- 5501. Polyommatus (s.str. (Cyaniris)) bellis mohammad Koçak & Hosseinpour, 1996** (Lycaenidae) Polyommatus (Cyaniris) bellis ssp. mohammad Koçak & Hosseinpour, 1996, Cent. ent. Stud., Misc. Pap. 30/33: 18. Holotype ♂: Iran: Tehran, Dizin 3200m. (in coll. CESA).
- 5502. Polyommatus (s.str. (Cyaniris)) bellis nurmuhammet Kemal & Koçak, 2005** (Lycaenidae) Polyommatus (s.str. (Cyaniris)) bellis nurmuhammet Kemal & Koçak, 2005, Cent. ent. Stud., Priamus 11 (3): 50. Holotype ♀: Turkey: Van Prov., Çatak: Narlı Meşeliği 1600m, M. Kemal & A. Koçak leg. (Cesa).
- 5503. Polyommatus (s.str. (Cyaniris)) persephatta (Alpheraky, 1881)** (Lycaenidae) Lycaena persephatta Alpheraky, 1881, Horae Soc. ent. ross. 16: 395-396. Taf. 14 fig. 11. Syntypes ♂♂: [China]: Kuldja.
- 5504. Polyommatus (s.str. (Cyaniris)) persephatta minshelkensis Lukhtanov, 1990** (Lycaenidae) Polyommatus persephatta ssp. minshelkensis Lukhtanov, 1990, Vestn. zool. 1990 (6): 21, fig. Holotype ♂: Kasachstan: Chimkent distr.: Syrdaryinsky Karatau, ca. Mynzhilki, 1800m.
- 5505. Polyommatus (s.str. (Cyaniris)) persephatta minutus (Groum-Grshimailo, 1890)** (Lycaenidae) Lycaena persephatta var. minuta Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 415, pl.x fig. 3. Syntypes: [Tadjikistan]: Mt. Alai, Toupetschek.
- 5506. Polyommatus (s.str. (Cyaniris)) persephatta persephatta (Alpheraky, 1881)** (Lycaenidae) Lycaena persephatta Alpheraky, 1881, Horae Soc. ent. ross. 16: 395-396. Taf. 14 fig. 11. Syntypes ♂♂: [China]: Kuldja.
- 5507. Polyommatus (s.str. (Cyaniris)) semiargus (Rottemburg, 1775)** (Lycaenidae) Papilio semiargus Rottemburg, 1775, Naturforscher 6: 20. Type(s): [Deutschland]: Halle.
- 5508. Polyommatus (s.str. (Cyaniris)) semiargus altaianus (Tutt, [1909])** (Lycaenidae) Cyaniris semiargus var. altaiana

- Tutt,[1909], Nat. Hist. Br. Butts. 10: 270. Lectotype ♂: Tien Chan: Yir Madan (designated by Balint,1999, Neue ent. Nachr. 46: 10) (BMNH).
- 5509. *Polyommatus* (s.str. (*Cyaniris*)) *semiargus balcanicus* (Tutt,[1909])** (Lycaenidae) *Cyaniris semiargus* var. *balcanica* Tutt,[1909], Nat. Hist. Br. Butts. 10: 272. Syntypes: [Bosnia-Herzegovina]: Bosnia; Bulgaria. Lectotype ♂: S.W. Bulgaria: Rilo Dag (designated by Balint,1999, Neue ent. Nachr. 46: 17) (BMNH).
- 5510. *Polyommatus* (s.str. (*Cyaniris*)) *semiargus ferganus* (Tutt,[1909])** (Lycaenidae) *Cyaniris semiargus* var. *fergana* Tutt,[1909], Nat. Hist. Br. Butts. 10: 271. Lectotype ♂: [Uzbekistan]: Namangan (designated by Balint,1999, Neue ent. Nachr. 46: 31) (BMNH).
- 5511. *Polyommatus* (s.str. (*Cyaniris*)) *semiargus maroccanus* (Lucas,1920)** (Lycaenidae) *Lycaena semiargus* var. *maroccana* Lucas,1920, Bull. Soc. ent. Fr. 1920 (17): 298. Type(s): Maroc: Meknez, 1800m.
- 5512. *Polyommatus* (s.str. (*Cyaniris*)) *semiargus semiargus* (Rottemburg,1775)** (Lycaenidae) *Papilio semiargus* Rottemburg,1775, Naturforscher 6: 20. Type(s): [Deutschland].
- 5513. *Polyommatus* (s.str. (*Cyaniris*)) *semiargus uralensis* (Tutt,[1909])** (Lycaenidae) *Cyaniris semiargus* var. *uralensis* Tutt,[1909], Nat. Hist. Br. Butts. 10: 270. Lectotype ♂: [Russia]: Miashk (designated by Balint,1999, Neue ent. Nachr. 46: 62) (BMNH).
- 5514. *Polyommatus* (s.str. (*Lysandra*)) *Hemming,1933*** (Lycaenidae) *Lysandra Hemming,1933*, Entomologist 66: 277. Type-species: *Papilio coridon* Poda,1761, by selection through Section (i) (replacement names) of Article 67.
- 5515. *Polyommatus* (s.str. (*Lysandra*)) *albicans* (Gerhard,[1851])** (Lycaenidae) *Lycaena corydon* var. *albicans* Gerhard,[1851], Versuch Monogr. eur. Schmett.: 17, Pl.31 figs.2a-d. Syntypes: Spanien. Neotype ♂: Granada (selected by Schurian,1988) (ZMB).
- 5516. *Polyommatus* (s.str. (*Lysandra*)) *albicans albicans* (Gerhard,[1851])** (Lycaenidae) *Lycaena corydon* var. *albicans* Gerhard,[1851], Versuch Monogr. eur. Schmett.: 17, Pl.31 figs.2a-d. Syntypes: Spanien. Neotype ♂: Granada (selected by Schurian,1988) (ZMB). (verschollen).
- 5517. *Polyommatus* (s.str. (*Lysandra*)) *albicans berber* (Le Cerf,1932)** (Lycaenidae) *Lycaena coridon berber* Le Cerf,1932, 163. Bull. Soc. ent. Fr. 37: 163.
- 5518. *Polyommatus* (s.str. (*Lysandra*)) *bellargus* (Rottemburg,1775)** (Lycaenidae) *Papilio bellargus* Rottemburg,1775, Naturforscher 6:25. Type(s): Deutschland.
- 5519. *Polyommatus* (s.str. (*Lysandra*)) *bellargus bellargus* (Rottemburg,1775)** (Lycaenidae) *Papilio bellargus* Rottemburg,1775, Naturforscher 6:25. Type(s): Deutschland.
- 5520. *Polyommatus* (s.str. (*Lysandra*)) *bellargus etruscus* (Verity,1919)** (Lycaenidae) *Agriades thetis* race *etrusca* Verity,1919, Entomologist's Rec. J. Var. 31: 29-30. Syntypes 9♂ 15♀: Italy: Toscana: Firenze,Pian di Mugnone, 200m.
- 5521. *Polyommatus* (s.str. (*Lysandra*)) *bellargus inalpinus* (Verity,1919)** (Lycaenidae) *Agriades thetis* race *inalpina* Verity,1919, Entomologist's Rec. J. Var. 31: 29. Syntypes 4♂ 3♀: [Switzerland]: Vallese.
- 5522. *Polyommatus* (s.str. (*Lysandra*)) *caelestissimus* (Verity,1921)** (Lycaenidae) *Agriades coridon* race *caelestissima* Verity,1921, Entomologist's Rec. J. Var. 33: 191. Syntypes 5♂ 1♀: Spain: [Teruel]: Albarracin, Tragacete.
- 5523. *Polyommatus* (s.str. (*Lysandra*)) *caelestissimus caelestissimus* (Verity,1921)** (Lycaenidae) *Agriades coridon* race *caelestissima* Verity,1921, Entomologist's Rec. J. Var. 33: 191. Syntypes 5♂ 1♀: Spain: [Teruel]: Albarracin, Tragacete.
- 5524. *Polyommatus* (s.str. (*Lysandra*)) *coridon* (Poda,1761)** (Lycaenidae) *Papilio coridon* Poda,1761, Insecta Musei Graecensis: 77-78. Type(s): [Austria]: Graz.
- 5525. *Polyommatus* (s.str. (*Lysandra*)) *coridon apenninus* Zeller,1847** (Lycaenidae) *Polyommatus corydon* var. *apennina* Zeller,1847, Isis 1847: 148. Lectotype ♂: Italien: Perugia, Foligno (designated by Schurian,1988: 130) (BMNH).
- 5526. *Polyommatus* (s.str. (*Lysandra*)) *coridon borussius* (Dadd,1908)** (Lycaenidae) *Lycaena corydon* *borussia* Dadd,1908, Proc. ent. Soc. Lonon 1908: 13. Type(s): [Deutschland]: Ostpreussen: Berlin und Osterode.
- 5527. *Polyommatus* (s.str. (*Lysandra*)) *coridon coridon* (Poda,1761)** (Lycaenidae) *Papilio coridon* Poda,1761, Insecta Musei Graecensis: 77-78. Type(s): [Austria]: Graz.
- 5528. *Polyommatus* (s.str. (*Lysandra*)) *coridon menendezpelayoi* (Agenjo,1956)** (Lycaenidae) *Plebejus* (*Lysandra*) *coridon* *menendezpelayoi* Agenjo,1956, Graellsia 14: 80.
- 5529. *Polyommatus* (s.str. (*Lysandra*)) *coridon nufrellensis* (Schurian,1977)** (Lycaenidae) *Lysandra coridon* ssp. *nufrellensis* Schurian,1977, Ent. Z., Frankf. a. M. 87 (3): 13-18. Holotype ♂: Insel Korsika: Westseite Mufrella, 1900-2200m. (in coll. Schurian).
- 5530. *Polyommatus* (s.str. (*Lysandra*)) *corydonius* (Herrich-Schäffer,[1852])** (Lycaenidae) *Lycaena corydonius* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 27, ibidem 1: pl.123 figs.595-596. Syntypes: Türkei; Südrussland. Neotype ♂: [Azerbaidjan]: Helenendorf, designated by Schurian (1988: 139) (NHMW).
- 5531. *Polyommatus* (s.str. (*Lysandra*)) *corydonius caucasicus* (Lederer,1870)** (Lycaenidae) *Lycaena corydon* var. *caucasica* Lederer,1870, Annls Soc. ent. Belg. 13: 23. Syntypes: Transcaucasie. Lectotype ♂, designated by Schurian (1988: 139).
- 5532. *Polyommatus* (s.str. (*Lysandra*)) *corydonius ciscaucasicus* (Jachontov,1914)** (Lycaenidae) *Lysandra corydon* *ciscaucasica* Bollow,1931, [in] Seitz,A., Die Gross-Schmett. Erde 1 (suppl.): 284. Russia: Nordkaukasus: Zheleznowodsk, Kislowodsk.
- 5533. *Polyommatus* (s.str. (*Lysandra*)) *corydonius corydonius* (Herrich-Schäffer,[1852])** (Lycaenidae) *Lycaena corydonius* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 27, ibidem 1: pl.123 figs.595-596. Syntypes: Türkei; Südrussland. Neotype ♂: [Azerbaidjan]: Helenendorf, designated by Schurian (1988: 139) (NHMW).
- 5534. *Polyommatus* (s.str. (*Lysandra*)) *dezinus Freina & Witt,1983*** (Lycaenidae) *Lysandra dezinus* Freina & Witt, 1983, Entomofauna 4 (14): 182-187. Holotype ♂: Türkei: Hakkari Prov., Dez-Tal, 1500-1800m (in coll. Freina).
- 5535. *Polyommatus* (s.str. (*Lysandra*)) *dezinus dezinus* Freina & Witt,1983** (Lycaenidae) *Lysandra dezinus* Freina & Witt, 1983, Entomofauna 4 (14): 182-187. Holotype ♂: Türkei: Hakkari Prov., Dez-Tal, 1500-1800m (in coll. Freina).
- 5536. *Polyommatus* (s.str. (*Lysandra*)) *hispanus* (Herrich-Schäffer,1852)** (Lycaenidae) *Lycaena corydon* var. *hispana* Herrich-Schäffer,1852, Syst. Bearb. Schmett. Eur. 6: 27, Taf.2104 figs.500-501. Lectotype ♂: [Barcelona] (Lederer,1852: 37) (designated by Schurian,1988) (ZMHUB).
- 5537. *Polyommatus* (s.str. (*Lysandra*)) *hispanus hispanus* (Herrich-Schäffer,1852)** (Lycaenidae) *Lycaena corydon* var. *hispana* Herrich-Schäffer,1852, Syst. Bearb. Schmett. Eur. 6: 27, Taf.2104 figs.500-501. Lectotype ♂: [Barcelona] (Lederer,1852: 37) (designated by Schurian,1988) (ZMHUB).
- 5538. *Polyommatus* (s.str. (*Lysandra*)) *hispanus semperi* (Agenjo,1956)** (Lycaenidae) *Plebejus* (*Lysandra*) *coridon* (*hispana*) *semperi* Agenjo,1956, Graellsia 24: 47. Holotype ♂: Spain: Prov. Alicante, El Liriet, Benidorm.
- 5539. *Polyommatus* (s.str. (*Lysandra*)) *melamarinus* (Dantchenko,2000)** (Lycaenidae) *Lysandra melamarina* Dantchenko,2000, [in] Tusov et al., Guide Butts. Russia 2: 187-188, pl.75 figs. 28-30. Holotype ♂: W. Caucasus: Lazarevskoe (SDM).
- 5540. *Polyommatus* (s.str. (*Lysandra*)) *melamarinus melamarinus* (Dantchenko,2000)** (Lycaenidae) *Lysandra melamarina* Dantchenko,2000, [in] Tusov et al., Guide Butts. Russia 2: 187-188, pl.75 figs. 28-30. Holotype ♂: W. Caucasus: Lazarevskoe (SDM).
- 5541. *Polyommatus* (s.str. (*Lysandra*)) *ossmar* (Gerhard,[1851])** (Lycaenidae) *Lycaena corydon* var. *ossmar* Gerhard,[1851], Versuch Monogr. eur. Schmett.: 17 Pl. 31 figs. 4a-c. Syntypes: Türkei. Neotype ♂: "Amasia", designated by Schurian,1989, Neue ent. Nachr. 24:70 (in coll. Staudinger) (MNHb).
- 5542. *Polyommatus* (s.str. (*Lysandra*)) *ossmar ankara* (Schurian & Hoffmann,1983)** (Lycaenidae) *Lysandra ankara* Schurian & Hoffmann,1983, Nachr. ent. Ver. Apollo (N.F.) 3(4): 121-124, Abb.2,3. Holotype ♂: Türkei: Ankara, Kızılcahamam: Kargasekmez Geçidi 1100-1400m. (in coll. Schurian).
- 5543. *Polyommatus* (s.str. (*Lysandra*)) *ossmar olympicus* Lederer,1852** (Lycaenidae) *Lycaena corydon* var. *olympica* Lederer,1852, Verh. zool.- bot. Ver. Wien 2: 20, 36, Nachtrag: 53. Lectotype ♂: [Türkei]: Olymp bei Bursa (Uludağ) (designated by Schurian,1988: 136) (NHMW).
- 5544. *Polyommatus* (s.str. (*Lysandra*)) *ossmar ossmar* (Gerhard,[1851])** (Lycaenidae) *Lycaena corydon* var. *ossmar* Gerhard,[1851], Versuch Monogr. eur. Schmett.: 17 Pl. 31 figs. 4a-c. Syntypes: Türkei. Neotype ♂: "Amasia", designated by Schurian,1989, Neue ent. Nachr. 24:70 (in coll. Staudinger) (MNHb).

- 5545. Polyommatus (s.str. (Lysandra)) philippi (Brown & Coutsis,1978)** (Lycaenidae) *Lysandra philippi* Brown & Coutsis,1978, Entomologist's Gaz. 29: 201-206, pl.12 figs.1,2, text-figs. 1-4. Holotype ♂: Greece: mountains of NE.Greece: 900m (in coll. J.Brown).
- 5546. Polyommatus (s.str. (Lysandra)) philippi philippi (Brown & Coutsis,1978)** (Lycaenidae) *Lysandra philippi* Brown & Coutsis,1978, Entomologist's Gaz. 29: 201-206, pl.12 figs.1,2, text-figs. 1-4. Holotype ♂: Greece: mountains of NE.Greece: 900m (in coll. J.Brown).
- 5547. Polyommatus (s.str. (Lysandra)) punctiferus (Oberthür,1876)** (Lycaenidae) *Lycaena adonis* var. *punctifera* Oberthür,1876, Études d'Ent. 1: 23. Type ♂: Algerie: Lambèze.
- 5548. Polyommatus (s.str. (Lysandra)) punctiferus punctiferus (Oberthür,1876)** (Lycaenidae) *Lycaena adonis* var. *punctifera* Oberthür,1876, Études d'Ent. 1: 23. Type ♂: Algerie: Lambèze.
- 5549. Polyommatus (s.str. (Lysandra)) sheikh (Dantchenko,2000)** (Lycaenidae) *Lysandra sheikh* Dantchenko,2000, [in] Tusov et al., Guide Butts. Russia 2: 188-189, pl.75 figs. 40-42. Holotype ♂: N.E. Caucasus: Dagestan: vicinity of Gunib, 1800m. (SDM).
- 5550. Polyommatus (s.str. (Lysandra)) sheikh sheikh (Dantchenko,2000)** (Lycaenidae) *Lysandra sheikh* Dantchenko,2000, [in] Tusov et al., Guide Butts. Russia 2: 188-189, pl.75 figs. 40-42. Holotype ♂: N.E. Caucasus: Dagestan: vicinity of Gunib, 1800m. (SDM).
- 5551. Polyommatus (s.str. (Lysandra)) syriacus (Tutt,1914)** (Lycaenidae) *Agriades coridon* var. *syriaca* Tutt,1914, Nat. Hist. Br. Butts 4: 58-59. Syntypes: Lebanon: Antilebanon. Lectotype ♂: "Afka, Libanon, 6000ft Nicholl", designated by Schurian,1989, Neue ent. Nachr. 24:88 (BMNH).
- 5552. Polyommatus (s.str. (Lysandra)) syriacus burak Koçak,1992** (Lycaenidae) *Lysandra syriaca* ssp. *burak* Koçak,1992, Cent. ent. Stud., Misc. Pap. 16: 6-7. Holotype ♂: Turkey: İçel: Çamalan 850m (in coll. CESA).
- 5553. Polyommatus (s.str. (Lysandra)) syriacus syriacus (Tutt,1914)** (Lycaenidae) *Agriades coridon* var. *syriaca* Tutt,1914, Nat. Hist. Br. Butts 4: 58-59. Syntypes: Lebanon: Antilebanon. Lectotype ♂: "Afka, Libanon, 6000ft Nicholl", designated by Schurian,1989, Neue ent. Nachr. 24:88 (BMNH).
- 5554. Polyommatus (s.str. (Meleageria)) De Sagarra,1925** (Lycaenidae) *Meleageria* De Sagarra,1925, Bull. Inst. catal. Hist. nat. (2) 5: 271. Type-species: *Papilio meleager* Esper,[1777], by monotypy.
- 5555. Polyommatus (s.str. (Meleageria)) daphnis (Denis & Schiffermüller,1775)** (Lycaenidae) *Papilio daphnis* [Denis & Schiff.],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 182. Type(s): [Austria]: Vienna district.
- 5556. Polyommatus (s.str. (Meleageria)) daphnis brandti (Pfeiffer,1938)** (Lycaenidae) *Lycaena meleager* ssp. *brandti* Pfeiffer,1938, Mitt. münch. ent. Ges. 28 (2): 191. Syntypes: [Iran]: Südeite des Kendeven-Passes; Demavend im Elbursgebirge (ZSSM).
- 5557. Polyommatus (s.str. (Meleageria)) daphnis daphnis (Denis & Schiffermüller,1775)** (Lycaenidae) *Papilio daphnis* [Denis & Schiff.],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 182. Type(s): [Austria]: Vienna district.
- 5558. Polyommatus (s.str. (Meleageria)) daphnis elamitus (Le Cerf,1913)** (Lycaenidae) *Lycaena meleager* var. *elamita* Le Cerf,1913, Annl. Hist. nat. deleg. Perse 2(2): 65, Pl.2 figs. 23,24. Syntypes: Iran: Lorestan, Arabistan.
- 5559. Polyommatus (s.str. (Meleageria)) daphnis hayesi (T.Larsen,1974)** (Lycaenidae) *Meleageria daphnis* ssp. *hayesi* Larsen,1974, Alexanor 8 (7): 304-305, fig.2. Holotype ♂: Liban: Anti-Liban, Nabi-Sbat, 1600m (MNHN).
- 5560. Polyommatus (s.str. (Meleageria)) daphnis marcidus (Lederer,1871)** (Lycaenidae) *Lycaena marcida* Lederer,1871, Horae Soc. ent. ross. 8: 10-11, Taf.1 fig.8. Syntypes 2♂: [Iran]: Persien: Astrabad [Gorgan].
- 5561. Polyommatus (s.str. (Meleageria)) daphnis marteniana (De Sagarra,1926)** (Lycaenidae) *Meleageria meleager* rassa *marteniana* De Sagarra,1926, Butll. Inst. Catalana Hist. Nat. (2) 5: 271. Type: Santa Coloma de Queralt (S.Novellas leg) (MCNB).
- 5562. Polyommatus (s.str. (Meleageria)) daphnis narsanus (Alberti,1973)** (Lycaenidae) *Lycaena meleager* ssp. *narsana* Alberti,1973, Atalanta (Würzburg) 4B: 380-393. Holotype ♂: Northwest-Kaukasus, Dzhemagat-Tal, 1200-1800m. (ZSSM).
- 5563. Polyommatus (s.str. (Meleageria)) daphnis versicolor (Heyne,[1895])** (Lycaenidae) *Lycaena meleager* var. *versicolor* Heyne,[1895], [in] Rühl,F., Die palaearkt. Grossschmett. Naturg. 1: 764. Type(s): Amasia, Mesopotamien.
- 5564. Polyommatus (s.str. (Neolysandra)) Koçak,1977** (Lycaenidae) *Neolysandra* Koçak,1977, Atalanta 8 (1): 52. Type-species: *Lycaena diana* Miller,1912, by original designation.
- 5565. Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) *Lycaena coelestina* Eversmann,1843, Bull. Soc. imp. Nat. Moscou 16 (3): 535. Syntypes: Russia: südlichen Ural.
- 5566. Polyommatus (s.str. (Neolysandra)) coelestinus alticola (Christoph,1893)** (Lycaenidae) *Lycaena coelestina* var. *alticola* Christoph,1893, Dt. ent. Z., Iris 6: 86. Syntypes: Armeniae rossicae [Türkei]: Urmus, Kasikoparan. Lectotype ♂: Kasikoparan (designated by Nekrutenko in Hesselbarth,1995: 652); Balint's (1999: 11) designation is invalid.
- 5567. Polyommatus (s.str. (Neolysandra)) coelestinus coelestinus (Eversmann,1843)** (Lycaenidae) *Lycaena coelestina* Eversmann,1843, Bull. Soc. imp. Nat. Moscou 16 (3): 535. Syntypes: Russia: südlichen Ural.
- 5568. Polyommatus (s.str. (Neolysandra)) coelestinus hera (Eckweiler & Schurian,1980)** (Lycaenidae) *Neolysandra coelestina* ssp. *hera* Eckweiler & Schurian,1980, Atalanta 11(1):71. Holotype ♂: Giechenland: Chelmos Gebirge, Zachlorou, 1500-1700m. (in coll. Eckweiler).
- 5569. Polyommatus (s.str. (Neolysandra)) coelestinus hofizi (Bernardi,1964)** (Lycaenidae) *Lysandra coelestina* ssp. *hofizi* Bernardi,1964, Alexanor 3: 274 (nomen novum pro *Lycaena coelestina* iranica Pfeiffer,1938 nec *Lycaena euryphilus* iranica Forster,1938).
- 5570. Polyommatus (s.str. (Neolysandra)) coelestinus ponticus (Courvoisier,1911)** (Lycaenidae) *Lycaena pontica* Courvoisier,1911, Dt. ent. Z., Iris 25: 107, pl.2 f.12. Type ♂: [Türkei]: Amasia (in NHMB).
- 5571. Polyommatus (s.str. (Neolysandra)) coronus (Verity,1936)** (Lycaenidae) *Lysandra corona* Verity,1936, Entomologist's Rec. J. Var. 48: 106. Syntypes: [Iran]: Elburs mt.: Kendeven, 3000m.
- 5572. Polyommatus (s.str. (Neolysandra)) coronus coronus (Verity,1936)** (Lycaenidae) *Lysandra corona* Verity,1936, Entomologist's Rec. J. Var. 48: 106. Syntypes: [Iran]: Elburs mt.: Kendeven, 3000m.
- 5573. Polyommatus (s.str. (Neolysandra)) diana (Miller,[1913])** (Lycaenidae) *Lycaena diana* Miller,[1913], Dt. ent. Z., Iris 26: 220-221. Syntypes 7♂ 3♀: [Türkei]: [Kars: Kağızman]: Kagyzman, umg. Bergsee Tschangle. Lectotype ♂: Kağızman (designated by Nekrutenko, in Hesselbarth,1995: 655).
- 5574. Polyommatus (s.str. (Neolysandra)) diana diana (Miller,[1913])** (Lycaenidae) *Lycaena diana* Miller,[1913], Dt. ent. Z., Iris 26: 220-221. Syntypes 7♂ 3♀: [Türkei]: [Kars: Kağızman]: Kagyzman, umg. Bergsee Tschangle. Lectotype ♂: Kağızman (designated by Nekrutenko, in Hesselbarth,1995: 655).
- 5575. Polyommatus (s.str. (Neolysandra)) ellisoni (Pfeiffer,1931)** (Lycaenidae) *Lycaena ellisoni* Pfeiffer,1931, Mitt. münch. ent. Ges. 21: 65. Syntypes ♂♀: Lebanon: Cedar Mts., Bsharre.
- 5576. Polyommatus (s.str. (Neolysandra)) ellisoni ellisoni (Pfeiffer,1931)** (Lycaenidae) *Lycaena ellisoni* Pfeiffer,1931, Mitt. münch. ent. Ges. 21: 65. Syntypes ♂♀: Lebanon: Cedar Mts., Bsharre.
- 5577. Polyommatus (s.str. (Neolysandra)) fatima Eckweiler & Schurian,1980** (Lycaenidae) *Neolysandra coelestina* ssp. *fatima* Eckweiler & Schurian,1980, Atalanta 11 (1): 72, Abb.4,5. Holotype ♂: Türkei: Hakkari, Bercelem Yaylasi 2500-2800m. (in coll. Eckweiler).
- 5578. Polyommatus (s.str. (Neolysandra)) fatima fatima Eckweiler & Schurian,1980** (Lycaenidae) *Neolysandra coelestina* ssp. *fatima* Eckweiler & Schurian,1980, Atalanta 11 (1): 72, Abb.4,5. Holotype ♂: Türkei: Hakkari, Bercelem Yaylasi 2500-2800m. (in coll. Eckweiler).
- 5579. Polyommatus (s.str. (Plebicula)) Higgins,1969** (Lycaenidae) *Plebicula* Higgins,1969, Entomologist 102: 67. Type-species: *Papilio argester* Bergsträßer,[1779], by original designation.
- 5580. Polyommatus (s.str. (Plebicula)) abdelaziz (Blachier,1908)** (Lycaenidae) *Lycaena amandus* var. *abdelaziz* Blachier, 1908, Annl. Soc. ent. Fr. 77: 218, Syntypes: [High] Atlas Mts. (Morocco).
- 5581. Polyommatus (s.str. (Plebicula)) abdelaziz abdelaziz (Blachier,1908)** (Lycaenidae) *Lycaena amandus* var. *abdelaziz* Blachier, 1908, Annl. Soc. ent. Fr. 77: 218, Syntypes: [High] Atlas Mts. (Morocco).
- 5582. Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) *Papilio amandus* Schneider,1792, Neuestes Mag. 4:428. Type(s): Sweden.

- 5583. Polyommatus (s.str. (Plebicula)) amandus achainus (Brown,1977)** (Lycaenidae) Plebicula amanda ssp. achaina Brown,1977, Entomologist's Gaz. 28: 166-167. Holotype ♂: Greece: Mt.Chelmos: Boros Vrisi,1000m.
- 5584. Polyommatus (s.str. (Plebicula)) amandus agathon Godart,[1824]** (Lycaenidae) Polyommatus agathon Godart,[1824], Encyc. méth. 9(2): 695. Syntypes: France: Paris.
- 5585. Polyommatus (s.str. (Plebicula)) amandus amandus (Schneider,1792)** (Lycaenidae) Papilio amandus Schneider,1792, Neuestes Mag. 4:428. Type(s): Sweden.
- 5586. Polyommatus (s.str. (Plebicula)) amandus amatus (Groum-Grshimailo,1890)** (Lycaenidae) Lycaena amanda var. amata Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 403. Lectotype ♂: [Tadjikistan]: Transalai: Baldjouan (designated by Balint,1999, Neue ent. Nachr. 46: 11) (BMNH).
- 5587. Polyommatus (s.str. (Plebicula)) amandus amurensis (Staudinger,1892)** (Lycaenidae) Lycaena amanda var. amurensis Staudinger,1892, [in] Romanoff, Mém. Lépid. 6: 162. Syntypes: Russia: Amur.
- 5588. Polyommatus (s.str. (Plebicula)) amandus antheus Hemming,1932** (Lycaenidae) Polyommatus amandus ssp. anthea Hemming,1932, Entomologist 65: 268. Holotype ♂: Lebanon: Ain Zahalta, 7000ft. (According to Hesselbarth et al. (1995) invalid).
- 5589. Polyommatus (s.str. (Plebicula)) amandus brendus Hemming,1932** (Lycaenidae) Polyommatus amandus ssp. brenda Hemming,1932, Entomologist 65: 269. Holotype ♂: Lebanon: Ain Zahalta, 1900-3000m.
- 5590. Polyommatus (s.str. (Plebicula)) amandus isias (Fruhstorfer,1910)** (Lycaenidae) Lycaena amandus ssp. isias Fruhstorfer,1910, Societas ent. 25: 47. Syntypes: France: Alpes-Maritimes: Moulinet bei Menton.
- 5591. Polyommatus (s.str. (Plebicula)) amandus orientalis (Staudinger,1901)** (Lycaenidae) Lycaena amanda var. orientalis Staudinger,1901, Cat. Lepid. palaeart. Faunengeb. 1:85. Syntypes: Pontus; Armenia; Hyrcania. Lectotype ♂: Turquie: Amasia (designated by Bernardi,1964: 273-74) (ZMHB).
- 5592. Polyommatus (s.str. (Plebicula)) amandus tova Higgins,1948** (Lycaenidae) Polyommatus amandus ssp. tova Higgins,1948, Entomologist 81: 50-51. Holotype ♂: Spain: Granada, Sierra Nevada, 5500ft. (in coll. Higgins).
- 5593. Polyommatus (s.str. (Plebicula)) amandus turensis (Heyne,[1895])** (Lycaenidae) Lycaena amanda var. turensis Heyne,[1895], [in] Rühl,F., Die Palaearkt. Grossschmett. Naturg.1: 762. Type(s): [Turkmenistan]: Tura.
- 5594. Polyommatus (s.str. (Plebicula)) atlanticus (Elwes,1906)** (Lycaenidae) Lycaena hylas var. atlantica Elwes,1906 [in] Meade-Waldo, Trans. ent. Soc. London 53: 380, pl.19 figs.5,6. Lectotype ♂: Morocco: Imentalla, Atlas Mts., 5500ft., designated by Balint,1999, Neue ent. Nachr. 46: 16 (BMNH).
- 5595. Polyommatus (s.str. (Plebicula)) atlanticus atlanticus (Elwes,1906)** (Lycaenidae) Lycaena hylas var. atlantica Elwes,1906 [in] Meade-Waldo, Trans. ent. Soc. London 53: 380, pl.19 figs.5,6. Lectotype ♂: Morocco: Imentalla, Atlas Mts., 5500ft., designated by Balint,1999, Neue ent. Nachr. 46: 16 (BMNH).
- 5596. Polyommatus (s.str. (Plebicula)) atlanticus weiss Dujardin,1977** (Lycaenidae) Polyommatus atlanticus ssp. weiss Dujardin,1977, Entomops 43: 93-100.
- 5597. Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) Papilio dorylas [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 322. Type(s): [Austria]: Vienna district.
- 5598. Polyommatus (s.str. (Plebicula)) dorylas armenus (Staudinger,1871)** (Lycaenidae) Lycaena hylas var. armena Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 12. Type(s): Armenia. Lectotype ♂: [Georgia]: Achalzich (designated by Nekrutenko,1995 [in] Hesselbarth, et al., Tagfalter der Türkei: 658 (ZMHB).
- 5599. Polyommatus (s.str. (Plebicula)) dorylas dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) Papilio dorylas [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 322. Type(s): [Austria]: Vienna district.
- 5600. Polyommatus (s.str. (Plebicula)) escheri (Hübner,[1823])** (Lycaenidae) Papilio escheri Hübner,[1823], Samml. eur. Schmett. I: pl.160, figs.799-800. Type(s): Europa. "Var,S.France" (Verity,1943; Higgins & Riley,1970: 297).
- 5601. Polyommatus (s.str. (Plebicula)) escheri agenjoi Higgins,1948** (Lycaenidae) Polyommatus escheri race agenjoi Higgins,1948, Entomologist 81: 52. Holotype ♂: Spain: Granada, Sierra Nevada, 8500ft. (in coll. Higgins).
- 5602. Polyommatus (s.str. (Plebicula)) escheri ahmar (Le Cerf,1928)** (Lycaenidae) Lycaena escheri ssp. ahmar Le Cerf, 1928, Encycl. ent. (B) 3: 117. Holotype ♂: Morocco: Moyen Atlas.
- 5603. Polyommatus (s.str. (Plebicula)) escheri balestrei (Fruhstorfer,1910)** (Lycaenidae) Lycaena escheri ssp. balestrei Fruhstorfer,1910, Societas ent. 25: 48. Syntypes: France: Alpes-Maritimes: Moulinet bei Menton.
- 5604. Polyommatus (s.str. (Plebicula)) escheri dalmaticus (Speyer,1882)** (Lycaenidae) Agrodiaetus dalmatica Speyer,1882, Stettin ent. Ztg. 43(7/9): 381. Type(s): [Croatia]: Dalmatien (Type unknown).
- 5605. Polyommatus (s.str. (Plebicula)) escheri escheri (Hübner,[1823])** (Lycaenidae) Papilio escheri Hübner,[1823], Samml. eur. Schmett. I: pl.160, figs.799-800. Type(s): Europa. "Var,S.France" (Verity,1943; Higgins & Riley,1970: 297).
- 5606. Polyommatus (s.str. (Plebicula)) escheri helenae (Oberthür,1910)** (Lycaenidae) Lycaena escheri var. helenae Oberthür,1910, Etüd. lépid. comp. 4: 218, pl.49 figs.415,416. Lectotype ♂: Charente-inférieure, Dompierres-Mer (BMNH), designated by Balint,1999, Neue ent. Nachr. 46: 35.
- 5607. Polyommatus (s.str. (Plebicula)) golgus (Hübner,[1813])** (Lycaenidae) Papilio golgus Hübner,[1813], Samml. eur. Schmett. 1: pl.136, figs. 688-689. Syntypes: Europa.
- 5608. Polyommatus (s.str. (Plebicula)) golgus golgus (Hübner,[1813])** (Lycaenidae) Papilio golgus Hübner,[1813], Samml. eur. Schmett. 1: pl.136, figs. 688-689. Syntypes: Europa.
- 5609. Polyommatus (s.str. (Plebicula)) nivescens (Kefersteine,1851)** (Lycaenidae) Lycaena nivescens Kefersteine,1851, Stettin ent. Ztg. 1851: 309. Type: Spain: Sierra de Alfacar, Granada.
- 5610. Polyommatus (s.str. (Plebicula)) nivescens nivescens (Kefersteine,1851)** (Lycaenidae) Lycaena nivescens Kefersteine,1851, Stettin ent. Ztg. 1851: 309. Type: Spain: Sierra de Alfacar, Granada.
- 5611. Polyommatus (s.str. (Sublysandra)) Koçak,1977** (Lycaenidae) Sublysandra Koçak,1977, Atalanta 8 (1): 52-53. Type-species: Polyommatus candalus Herrich-Schäffer,[1851], by original designation.
- 5612. Polyommatus (s.str. (Sublysandra)) adulterinus Heydemann,1954** (Lycaenidae) Polyommatus adulterinus Heydemann,1954, Z. Wien. ent. Ges. 39: 425-426. Holotype ♂: Afghanistan: Kabul.
- 5613. Polyommatus (s.str. (Sublysandra)) adulterinus adulterinus Heydemann,1954** (Lycaenidae) Polyommatus adulterinus Heydemann,1954, Z. Wien. ent. Ges. 39: 425-426. Holotype ♂: Afghanistan: Kabul.
- 5614. Polyommatus (s.str. (Sublysandra)) aedon (Christoph,1877)** (Lycaenidae) Lycaena aedon Christoph,1877, Horae Soc. ent. ross. 12: 236-237, Taf.v fig.8. Syntypes: [Iran]: Schahkuh.
- 5615. Polyommatus (s.str. (Sublysandra)) aedon aedon (Christoph,1877)** (Lycaenidae) Lycaena aedon Christoph,1877, Horae Soc. ent. ross. 12: 236-237, Taf.v fig.8. Syntypes: [Iran]: Schahkuh.
- 5616. Polyommatus (s.str. (Sublysandra)) aedon araxianus (Koçak,1980)** (Lycaenidae) Agrodiaetus (Sublysandra) myrrhus ssp. araxiana Koçak,1980, Atalanta 11 (4): 266-267, figs. 6-9. Holotype ♂: Turkey: Kars: Akçay, 1500-1700m.
- 5617. Polyommatus (s.str. (Sublysandra)) aedon myrrhinus (Staudinger,1901)** (Lycaenidae) Lycaena myrrha var. myrrhina Staudinger,1901, Cat. Lepid. Palaeart. Faunengeb.1: 85. Type(s): [Türkei]: Gümüşhane.
- 5618. Polyommatus (s.str. (Sublysandra)) cornelius (Freyer,[1850])** (Lycaenidae) Lycaena cornelia Freyer,[1850], Neuere Beitr. Schmett. 6: 145, Taf. 572, fig.1. Type(s): Türkei, Amasia.
- 5619. Polyommatus (s.str. (Sublysandra)) cornelius anaticus (Koçak,1975)** (Lycaenidae) Lysandra anaticus Koçak,1975, Atalanta 6(1): 31-34, figs.1-5. Holotype ♂: Turkey: Erzincan Pr.: Danz Dağı, 2800m (in coll. Cesa).
- 5620. Polyommatus (s.str. (Sublysandra)) cornelius cornelius (Freyer,[1850])** (Lycaenidae) Lycaena cornelia Freyer,[1850], Neuere Beitr. Schmett. 6: 145, Taf. 572, fig.1. Type(s): Türkei, Amasia.
- 5621. Polyommatus (s.str. (Sublysandra)) cornelius delerei Heydemann,1954** (Lycaenidae) Polyommatus candalus var. delerei Heydemann,1954, Z. Wien. ent. Ges. 39: 424-425, Taf. 36 Abb. 16,17. Syntypes: Afghanistan: Kabul u. Darulfunun.

- 5622. Polyommatus (s.str. (Sublysandra)) isauricoides (Graves,1923)** (Lycaenidae) *Polyommatus candalus* ssp. *isauricoides* Graves,1923, Entomologist 61: 155-156. Syntypes 8♂ 3♀: Lebanon: Husn Niha; J.Sannin; Ain Ata; Akfa.
- 5623. Polyommatus (s.str. (Sublysandra)) isauricoides isauricoides (Graves,1923)** (Lycaenidae) *Polyommatus candalus* ssp. *isauricoides* Graves,1923, Entomologist 61: 155-156. Syntypes 8♂ 3♀: Lebanon: Husn Niha; J.Sannin; Ain Ata; Akfa.
- 5624. Polyommatus (s.str. (Sublysandra)) muetingi (Balint,1992)** (Lycaenidae) *Agrodiaetus muetingi* Balint,1992, Linneana Belg. 13 (8): 405-407, figs.8,9. Holotype ♂: Afghanistan: Vicinity of Kabul, 2500m (HNHM).
- 5625. Polyommatus (s.str. (Sublysandra)) muetingi muetingi (Balint,1992)** (Lycaenidae) *Agrodiaetus muetingi* Balint,1992, Linneana Belg. 13 (8): 405-407, figs.8,9. Holotype ♂: Afghanistan: Vicinity of Kabul, 2500m (HNHM).
- 5626. Polyommatus (s.str. (Sublysandra)) myrrhus (Herrich-Schäffer,[1852])** (Lycaenidae) *Lycaena myrrha* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6:26; ibid. 1: figs.508-511. Syntypes: [Türkei]: Kleinasien [=Amasya].
- 5627. Polyommatus (s.str. (Sublysandra)) myrrhus cinyraeus (Nekrutenko & Effendi,1979)** (Lycaenidae) *Lysandra cinyraea* Nekrutenko & Effendi,1979, Dopovidi Akad. Nauk. UkrRSR Ser.B. 7: 581-584, fig.1. Holotype ♂: [Azerbaidjan]: Nachitschewan, Daralagez Gebirge, Umgebung des Dorfes Kjukju 2000m (SIZK).
- 5628. Polyommatus (s.str. (Sublysandra)) myrrhus hakkariensis (Koçak,1977)** (Lycaenidae) *Agrodiaetus (Sublysandra) candalus* ssp. *hakkariensis* Koçak, 1977, Atalanta 8 (1): 53, figs. 11-12. Holotype ♂: Turkey: Hakkari Prov., Üzümcü, 1300m. (CESA).
- 5629. Polyommatus (s.str. (Sublysandra)) myrrhus myrrhus (Herrich-Schäffer,[1852])** (Lycaenidae) *Lycaena myrrha* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6:26; ibid. 1: figs.508-511. Syntypes: [Türkei]: Kleinasien [=Amasya].
- 5630. Polyommatus (s.str. (Sublysandra)) nuksani (Forster,1937)** (Lycaenidae) *Lycaena candalus* ssp. *nuksani* Forster,1937, Mitt. münch. ent. Ges. 27: 62-63, Abb.1-3. Holotype ♂: Afghanistan: Nordost-Hindukusch, Nuksan Pass Nordseite, 3500-4000m.
- 5631. Polyommatus (s.str. (Sublysandra)) nuksani nuksani (Forster,1937)** (Lycaenidae) *Lycaena candalus* ssp. *nuksani* Forster,1937, Mitt. münch. ent. Ges. 27: 62-63, Abb.1-3. Holotype ♂: Afghanistan: Nordost-Hindukusch, Nuksan Pass Nordseite, 3500-4000m.
- 5632. Polyommatus (s.str. (Thersitesia)) Koçak & Seven,1998** (Lycaenidae) *Thersitesia* Koçak & Seven,1998, Cent. ent. Stud., Misc. Pap. 49: 4. Type-species: *Argus thersites* Canterer,[1835], Hist. Nat. Lépid. Rhop. et Bas-Rhin...: 53-54, Pl.11, figs. 1,2, by original designation (proposed as a section).
- 5633. Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) *Argus thersites* Canterer,[1835], Hist. nat. Lépid. Rhop. Pap. diurn. Dép...: 53, pl.11, figs.1,2. Syntypes: NW.France: Vosges, etc.
- 5634. Polyommatus (s.str. (Thersitesia)) thersites ardavdanus (Obraztsov,1936)** (Lycaenidae) *Lycaena thersites* ssp. *ardavdana* Obraztsov,1936, Lambillionea 36: 15. Syntypes 3♂: [Ukraine]: Crimée.
- 5635. Polyommatus (s.str. (Thersitesia)) thersites gandzhanus (Obraztsov,1936)** (Lycaenidae) *Lycaena thersites* ssp. *gandzhana* Obraztsov,1936, Lambillionea 36: 17. Syntypes: 2♂ 3♀: [Azerbaidjan]: Gandzha (Jelisavetpol) (A.Kastshenko leg.); Adzhi-Kent.
- 5636. Polyommatus (s.str. (Thersitesia)) thersites hypanicus (Obraztsov,1936)** (Lycaenidae) *Lycaena thersites* ssp. *hypanica* Obraztsov,1936, Lambillionea 36: 14. Syntypes 6♂ 3♀: [Russia]: env. Nikolajev sur le Bug meridional: Varvarovka; Malaja Korenicha.
- 5637. Polyommatus (s.str. (Thersitesia)) thersites josephinus (De Sagarra,1924)** (Lycaenidae) *Agriades thersites* rassa *josephina* De Sagarra,1924, Butl. Inst. catal. Hist. nat. 24: 202. Type: Spain: Albarracin (Arago), 1100m Querci leg. (MCNB).
- 5638. Polyommatus (s.str. (Thersitesia)) thersites karatshaicus (Obraztsov,1936)** (Lycaenidae) *Lycaena thersites* ssp. *karatshaica* Obraztsov,1936, Lambillionea 36: 15-16. Syntypes 4♂: [Russia]: Teberda, Prov. Karatshaj.
- 5639. Polyommatus (s.str. (Thersitesia)) thersites ketshevanus (Obraztsov,1936)** (Lycaenidae) *Lycaena thersites* ssp. *ketshevana* Obraztsov,1936, Lambillionea 36: 17-18. Syntypes 2♂ 1♀: [Turquie]: Ketshevan, Kars Prov., Kagyzman.
- 5640. Polyommatus (s.str. (Thersitesia)) thersites narzanus (Obraztsov,1936)** (Lycaenidae) *Lycaena thersites* ssp. *narzana* Obraztsov,1936, Lambillionea 36: 16-17. Syntypes 5♂ 6♀: [Russia]: Kislovodsk.
- 5641. Polyommatus (s.str. (Thersitesia)) thersites orientis (Sheljuzhko,1928)** (Lycaenidae) *Lycaena thersites orientis* Sheljuzhko,1928, Lep. Rdsch. 2: 128 (nom. nov. pro *Lycaena thersites orientalis* Chapman,1913, Trans. ent. Soc. Lond. 60 (4):675, nec *Lycaena amandus orientalis* Staudinger,1901, Cat. lepid. pal. Faun. 3 (1):85). Syntypes: Altai.
- 5642. Polyommatus (s.str. (Thersitesia)) thersites rjabovi (Obraztsov,1936)** (Lycaenidae) *Lycaena thersites* ssp. *rjabovi* Obraztsov,1936, Lambillionea 36: 16. Syntypes ♂♀: [Russia]: Dagestan, Kumtor kale, Derbent, Machatsh-kala.
- 5643. Polyommatus (s.str. (Thersitesia)) thersites sheljuzhkoianus (Obraztsov,1936)** (Lycaenidae) *Lycaena thersites* ssp. *sheljuzhkoiana* Obraztsov,1936, Lambillionea 36: 12-13. Syntypes 7♂ 3♀: Grèce: Megaspoleon et Messourion 650-1200m.; 1♂: Grèce: Mt. Chelmos.
- 5644. Polyommatus (s.str. (Thersitesia)) thersites thersites (Canterer,[1835])** (Lycaenidae) *Argus thersites* Canterer,[1835], Hist. nat. Lépid. Rhop. Pap. diurn. Dép...: 53, pl.11, figs.1,2. Syntypes: France: Vosges, etc.
- 5645. Polyommatus (s.str. (Thersitesia)) thersites zhicharevi (Obraztsov,1936)** (Lycaenidae) *Lycaena thersites* ssp. *zhicharevi* Obraztsov,1936, Lambillionea 36: 13. Syntypes ♂♀: [Russia]: Charkov.
- 5646. Polyommatus (s.str.) Latreille,1804** (Lycaenidae) *Polyommatus Latreille*,1804, Nouv. Dict. Hist. nat. 24(tab.): 185,200. Type-species: *Papilio icarus* Rottemburg,1775, Der Naturforscher 6:31, by subsequent designation by ICZN, Op.270.
- 5647. Polyommatus (s.str.) abdon Aistleitner & Aistleitner,1994** (Lycaenidae) *Polyommatus abdon* Aistleitner & Aistleitner,1994, Atalanta 25 (1/2): 215-222, Abb. Holotype ♂: Hispania: Prov. Albacete, Sra. de Alcaraz, Pto. de Cructillas, 1300-1400m (in coll. Aistleitner).
- 5648. Polyommatus (s.str.) abdon abdon Aistleitner & Aistleitner,1994** (Lycaenidae) *Polyommatus abdon* Aistleitner & Aistleitner,1994, Atalanta 25 (1/2): 215-222, Abb. Holotype ♂: Hispania: Prov. Albacete, Sra. de Alcaraz, Pto. de Cructillas, 1300-1400m (in coll. Aistleitner).
- 5649. Polyommatus (s.str.) aloisi Balint,1988** (Lycaenidae) *Polyommatus aloisi* Balint,1988, Atalanta 18: 385-387, figs.1-3. Holotype ♂: Mongolia: Ömnögovi aimak, Govi Altay, Mts. Gurvan Sayhan uul, valley Alyut am, 2400m (HNHM).
- 5650. Polyommatus (s.str.) aloisi aloisi Balint,1988** (Lycaenidae) *Polyommatus aloisi* Balint,1988, Atalanta 18: 385-387, figs.1-3. Holotype ♂: Mongolia: Ömnögovi aimak, Govi Altay, Mts. Gurvan Sayhan uul, valley Alyut am, 2400m (HNHM).
- 5651. Polyommatus (s.str.) amor (Lang,1884)** (Lycaenidae) *Lycaena eros* var. *amor* Lang,1884, Rhopalocera europaea descripta & delineata: 371. Lectotype ♂: Samarkand. (designated by Balint,1999, Neue ent. Nachr. 46: 11) (BMNH).
- 5652. Polyommatus (s.str.) amor amor (Lang,1884)** (Lycaenidae) *Lycaena eros* var. *amor* Lang,1884, Rhopalocera europaea descripta & delineata: 371. Lectotype ♂: Samarkand. (designated by Balint,1999, Neue ent. Nachr. 46: 11) (BMNH).
- 5653. Polyommatus (s.str.) amor annamaria Balint,1992** (Lycaenidae) *Polyommatus (s.str.) annamaria* Balint,1992, Linneana Belg. 13(8): 424-428, 3 figs. Holotype ♂: [Tajikistan]: Pamirs, Blankulu (BMNH).
- 5654. Polyommatus (s.str.) amor wiskotti (Courvoisier,1910)** (Lycaenidae) [*Lycaena*] *icarus* f. *wiskotti* Courvoisier, 1910, Ent. Z., Frankf. a. M. 24: 141. Type(s): [Kirgizistan]: Naryn. (unavailable name!).
- 5655. Polyommatus (s.str.) andronicus Coutsis & Ghalvalas,1995** (Lycaenidae) *Polyommatus andronicus* Coutsis & Ghalvalas,1995, Phegea 23 (3): 147-156, figs. Holotype ♂: Greece: Macedonia, Drama district, Mt. Falakro 1700m. (in coll. Coutsis).
- 5656. Polyommatus (s.str.) andronicus andronicus Coutsis & Ghalvalas,1995** (Lycaenidae) *Polyommatus andronicus* Coutsis & Ghalvalas,1995, Phegea 23 (3): 147-156, figs. Holotype ♂: Greece: Macedonia, Drama district, Mt. Falakro 1700m. (in coll. Coutsis).
- 5657. Polyommatus (s.str.) arianus Moore,[1866]** (Lycaenidae) *Polyommatus ariana* Moore,[1866], Proc. zool. Soc. London (1865) 35: 504, pl.31 fig.2. Syntypes: [India]: Kunawur, 8000-10000ft. Lectotype ♂, designated by Balint,1999, Neue ent. Nachr. 46: 14 (BMNH).
- 5658. Polyommatus (s.str.) arianus arianus Moore,[1866]** (Lycaenidae) *Polyommatus ariana* Moore,[1866], Proc. zool. Soc.

London (1865) 35: 504, pl.31 fig.2. Syntypes: [India]: Kunawur, 8000-10000ft.

5659. Polyommatus (s.str.) boisduvalii (Herrich-Schäffer,[1844]) (Lycaenidae) *Lycaena boisduvalii* Herrich-Schäffer,[1844], Syst. Bearb. Schmett. Eur. 1: pl.2 figs.7-9. Syntypes: Russia: "aus dem südlichen Russland".

5660. Polyommatus (s.str.) boisduvalii boisduvalii (Herrich-Schäffer,[1844]) (Lycaenidae) *Lycaena boisduvalii* Herrich-Schäffer,[1844], Syst. Bearb. Schmett. Eur. 1: pl.2 figs.7-9. Syntypes: Russia: "aus dem südlichen Russland".

5661. Polyommatus (s.str.) boisduvalii krziwitskyi Koçak & Kemal,2001 (Lycaenidae) *Polyommatus (s.str.) boisduvalii* ssp. *krziwitskyi* Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 75: 2 (nomen novum pro *orientalis* Krziwitsky,1983 nec Staudinger,1901).

5662. Polyommatus (s.str.) bollandi Dumont,1998 (Lycaenidae) *Polyommatus bollandi* Dumont,1998, Linneana belg. 16(8): 335-336, figs. Holotype ♂: Turquie: Hatay: Kizildağ, 1500m.

5663. Polyommatus (s.str.) bollandi bollandi Dumont,1998 (Lycaenidae) *Polyommatus bollandi* Dumont,1998, Linneana belg. 16(8): 335-336, figs. Holotype ♂: Turquie: Hatay: Kizildağ, 1500m.

5664. Polyommatus (s.str.) buzulmavi Carbonell,1991 (Lycaenidae) *Polyommatus buzulmavi* Carbonell, 1991, Linneana Belg. 13 (4): 223, pls.1,2,4. Holotype ♂: Turquie: Hakkari, Dez, 1400-2200m (MHNP).

5665. Polyommatus (s.str.) buzulmavi buzulmavi Carbonell,1991 (Lycaenidae) *Polyommatus buzulmavi* Carbonell, 1991, Linneana Belg. 13 (4): 223, pls.1,2,4. Holotype ♂: Turquie: Hakkari, Dez, 1400-2200m (MHNP).

5666. Polyommatus (s.str.) ciloicus De Freina & Witt,1983 (Lycaenidae) *Polyommatus ciloicus* De Freina & Witt,1983, Entomofauna 4(14): 187-196, figs.6,10. Holotype ♂: [Türkei]: Hakkari Pr.: Dez Tal, 1500-1800m.

5667. Polyommatus (s.str.) ciloicus ciloicus De Freina & Witt,1983 (Lycaenidae) *Polyommatus ciloicus* De Freina & Witt,1983, Entomofauna 4(14): 187-196, figs.6,10. Holotype ♂: [Türkei]: Hakkari Pr.: Dez Tal, 1500-1800m.

5668. Polyommatus (s.str.) erigone (Groum-Grshimailo,1890) (Lycaenidae) *Lycaena erigone* Groum-Grshimailo,1890, [in] Romanoff, Mém. lepid. 4: 396. Syntypes: [Tadjikistan: East Pamir]: "... rive du Tschatschakty,...l'Ak-Baital meridional..".

5669. Polyommatus (s.str.) erigone erigone (Groum-Grshimailo,1890) (Lycaenidae) *Lycaena erigone* Groum-Grshimailo,1890, [in] Romanoff, Mém. lepid. 4: 396. Syntypes: [Tadjikistan: East Pamir]: "... rive du Tschatschakty,...l'Ak-Baital meridional..".

5670. Polyommatus (s.str.) eroides (Frivaldsky,1835) (Lycaenidae) *Lycaena eroides* Frivaldsky,1835, Köslések a balkany vidékén tett természetudományi utazásról.: 270, pl.7 f.3. Type(s): Balkany.

5671. Polyommatus (s.str.) eroides eroides (Frivaldsky,1835) (Lycaenidae) *Lycaena eroides* Frivaldsky,1835, Köslések a balkany vidékén tett természetudományi utazásról.: 270, pl.7 f.3. Type(s): Balkany.

5672. Polyommatus (s.str.) eros (Ochsenheimer,1808) (Lycaenidae) *Papilio eros* Ochsenheimer,1808, Schmett. Eur. 1(2): 42. Syntypes: Tyroler und Schweizer Alpen.

5673. Polyommatus (s.str.) eros eros (Ochsenheimer,1808) (Lycaenidae) *Papilio eros* Ochsenheimer,1808, Schmett. Eur. 1(2): 42. Syntypes: Tyroler und Schweizer Alpen.

5674. Polyommatus (s.str.) eros micreros Verity,1949 (Lycaenidae) *Polyommatus eros* race *micreros* Verity,1949, Les variations géographiques et saisonnières des Papillons diurnes en France: 148. Syntypes: France: Pyrenees: Vernet-les-Bains: Col Vert.

5675. Polyommatus (s.str.) eros wazirus Evans,1932 (Lycaenidae) *Polyommatus eros* wazirus Evans,1932, Identification Indian Buttw (edn.2): 232. Type(s): [Pakistan]: Waziristan, Razmak.

5676. Polyommatus (s.str.) erotides (Staudinger,1892) (Lycaenidae) *Lycaena eros* var. *erotides* Staudinger,1892, Dt. ent. Z., Iris 5: 319. Syntypes: Russia: "Kentei-Gebirge".

5677. Polyommatus (s.str.) erotides amdoensis (Wnukowsky,1929) (Lycaenidae) *Lycaena thyonius* ssp. *amdoensis* Wnukowsky,1929, Zool. Anz. 83: 221 (nomen novum pro *helenae* Gr.-Grsh.,1891 nec Staudinger,1862).

5678. Polyommatus (s.str.) erotides erotides (Staudinger,1892) (Lycaenidae) *Lycaena eros* var. *erotides* Staudinger,1892, Dt. ent. Z., Iris 5: 319. Syntypes: Russia: "Kentei-Gebirge".

5679. Polyommatus (s.str.) erotulus Nekrutenko,1985 (Lycaenidae) *Polyommatus eroides* ssp. *erotulus* Nekrutenko,1985,

Vestn. zool. (4): 34 pl.3 f.2a,b. Holotype ♂: Azerbaidjan: Talysch: Zuvand, Mistan 2000m.

5680. Polyommatus (s.str.) erotulus erotulus Nekrutenko,1985 (Lycaenidae) *Polyommatus eroides* ssp. *erotulus* Nekrutenko,1985, Vestn. zool. (4): 34 pl.3 f.2a,b. Holotype ♂: Azerbaidjan: Talysch: Zuvand, Mistan 2000m.

5681. Polyommatus (s.str.) erotulus molleti Carbonell,[1994] (Lycaenidae) *Polyommatus molleti* Carbonell,[1994], Linneana Belg. 14(4): 230, Pl. Holotype ♂: Turquie: Niğde Pr. Bolkar Mt. 2900-3000m (in MHNP).

5682. Polyommatus (s.str.) forsteri (Pfeiffer,1938) (Lycaenidae) *Lycaena eroides* ssp. *forsteri* Pfeiffer,1938, Mitt. münch. ent. Ges. 28(2): 193-194, fig. Holotype ♂: [Iran]: Tacht i Suleiman (Särdab-Tal).

5683. Polyommatus (s.str.) forsteri forsteri (Pfeiffer,1938) (Lycaenidae) *Lycaena eroides* ssp. *forsteri* Pfeiffer,1938, Mitt. münch. ent. Ges. 28(2): 193-194, fig. Holotype ♂: [Iran]: Tacht i Suleiman (Särdab-Tal).

5684. Polyommatus (s.str.) forsteri yildizae Koçak,1977 (Lycaenidae) *Polyommatus eroides* ssp. *yildizae* Koçak,1977, Atalanta 8(1): 50-51, figs. Holotype ♂: Turkey: Gümüşhane, Kop Dağı 2500m (in coll. CESA).

5685. Polyommatus (s.str.) gracilis (Evans,1912) (Lycaenidae) *Lycaena (Phengaris) sarta* *gracilis* Evans,1912, J. Bombay nat. Hist. Soc. 21: 984. Syntypes: [Pakistan]: Chitral.

5686. Polyommatus (s.str.) gracilis gracilis (Evans,1912) (Lycaenidae) *Lycaena (Phengaris) sarta* *gracilis* Evans,1912, J. Bombay nat. Hist. Soc. 21: 984. Syntypes: [Pakistan]: Chitral.

5687. Polyommatus (s.str.) hunza (Groum-Grshimailo,1890) (Lycaenidae) *Lycaena hunza* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid.4: 397, figs. Syntypes: [Pakistan]: Himalaya occ.: Moustag, Beik, Kounjout.

5688. Polyommatus (s.str.) hunza hunza (Groum-Grshimailo,1890) (Lycaenidae) *Lycaena hunza* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid.4: 397, figs. Syntypes: [Pakistan]: Himalaya occ.: Moustag, Beik, Kounjout.

5689. Polyommatus (s.str.) icadius (Groum-Grshimailo,1890) (Lycaenidae) *Lycaena icarus* var. *icadius* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 402. Syntypes: [Pakistan]: Mont Kounjout.

5690. Polyommatus (s.str.) icadius balletto Koçak,1996 (Lycaenidae) *Polyommatus (s.str.) kashgarensis* ssp. *balletto* Koçak,1996, Cent. ent. Stud., Misc. Pap. 30/33: 29 (nomen novum pro *Polyommatus alaicus* Balletto & Nekrutenko,1986 nec *Polyommatus thersamon* var. *alaica* Groum-Grshimailo,1888).

5691. Polyommatus (s.str.) icadius icadius (Groum-Grshimailo,1890) (Lycaenidae) *Lycaena icarus* var. *icadius* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 402. Syntypes: [Pakistan]: Mont Kounjout.

5692. Polyommatus (s.str.) icarus (Rottemburg,1775) (Lycaenidae) *Papilio icarus* Rottemburg,1775, Naturforscher 6: 21. Type(s): Saxonia.

5693. Polyommatus (s.str.) icarus (Rottemburg,1775), ssp. (Lycaenidae) *Papilio icarus* Rottemburg,1775, Naturforscher 6: 21. Type(s): Saxonia.

5694. Polyommatus (s.str.) icarus celinus (Austaut,1879) (Lycaenidae) *Lycaena celina* Austaut,1879, Petit nouv. Ent. 2 (nr.212): 293. Type(s): Algérie: Sidi-Bel-Abbés.

5695. Polyommatus (s.str.) icarus fugitivus (Butler,1881) (Lycaenidae) *Lycaena fugitiva* Butler,1881, Proc. zool. Soc. London 51 (3): 606. Lectotype ♂: [Pakistan]: Beluchistan: Quetta (BMNH), designated by Balint,1999, Neue ent. Nachr. 46: 32.

5696. Polyommatus (s.str.) icarus icarus (Rottemburg,1775) (Lycaenidae) *Papilio icarus* Rottemburg,1775, Naturforscher 6: 21. Type(s): Saxonia.

5697. Polyommatus (s.str.) icarus korshunovi Gorbunov,1995 (Lycaenidae) *Polyommatus icarus* ssp. *korshunovi* Gorbunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 184. Holotype: Russia: Tuva, Erzine River.

5698. Polyommatus (s.str.) icarus napaea (Groum-Grshimailo,1891) (Lycaenidae) *Lycaena napaea* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 453-454. Type ♂: [China: Uighur A.R.]: Boro-Choro Mt., Ludshan.

5699. Polyommatus (s.str.) icarus omelkoi Dubatolov & Korshunov,1995 (Lycaenidae) *Polyommatus icarus* ssp. *omelkoi* Dubatolov & Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 184. Holotype: Russia: Ussuri: Anoutchino, 14km N. Tchernichevka.

- 5700. *Polyommatus* (s.str.) *icarus sardoa* (Wagner,1909)** (Lycaenidae) *Lycaena icarus* var. *sardoa* Wagner,1909, Ent. Z., Stuttgart 23 (4): 17. Syntypes 4♂ 2♀: Sardinien: Laconi.
- 5701. *Polyommatus* (s.str.) *icarus zelleri* Verity,1919** (Lycaenidae) *Polyommatus icarus* race *zelleri* Verity,1919, Entomologist's Rec. J. Var. 31: 44 (nomen novum pro *Polyommatus icarus* ab. *meridionalis* Tutt,1909). Type(s): Southern Italia.
- 5702. *Polyommatus* (s.str.) *juno* Hemming,1933** (Lycaenidae) *Polyommatus icarus* ssp. *juno* Hemming,1933, Entomologist 66: 7-8. Holotype ♂: Lebanon: Sannin.
- 5703. *Polyommatus* (s.str.) *juno juno* Hemming,1933** (Lycaenidae) *Polyommatus icarus* ssp. *juno* Hemming,1933, Entomologist 66: 7-8. Holotype ♂: Lebanon: Sannin.
- 5704. *Polyommatus* (s.str.) *kaabaki* Korb,2000** (Lycaenidae) *Polyommatus kaabaki* Korb,2000, Alexanor 21 (1): 54-56, figs. 10,16. Holotype ♂: Russia: Altai Meridional, Oukok, Djazator (IZSP).
- 5705. *Polyommatus* (s.str.) *kaabaki kaabaki* Korb,2000** (Lycaenidae) *Polyommatus kaabaki* Korb,2000, Alexanor 21 (1): 54-56, figs. 10,16. Holotype ♂: Russia: Altai Meridional, Oukok, Djazator (IZSP).
- 5706. *Polyommatus* (s.str.) *kamtschadalus taimyrensis* Korshunov,1982** (Lycaenidae) *Polyommatus eros* ssp. *taimyrensis* Korshunov,1982, Poleznye i vrednye nasekomye Sibiri: 84. Holotype: Russia: Fluss Rynmaja im Taimyr.
- 5707. *Polyommatus* (s.str.) *menelaos* Brown,1976** (Lycaenidae) *Polyommatus menelaos* Brown,1976, Entomologist's Gaz. 27: 82-83, pl.4 figs.3,5; pl.5 fig.9,10. Holotype ♂: Greece: Langadha, Mt. Taygetos, 1400m. (in coll. J.Brown).
- 5708. *Polyommatus* (s.str.) *menelaos menelaos* Brown,1976** (Lycaenidae) *Polyommatus menelaos* Brown,1976, Entomologist's Gaz. 27: 82-83, pl.4 figs.3,5; pl.5 fig.9,10. Holotype ♂: Greece: Langadha, Mt. Taygetos, 1400m. (in coll. J.Brown).
- 5709. *Polyommatus* (s.str.) *meoticus* Zhdanko & Stshurov,1998** (Lycaenidae) *Polyommatus meoticus* Zhdanko & Stshurov,1998, Vestn. Kaz. Univ. 6: 49-52, figs.7,9. Holotype ♂: Russia: Adegeya: North- West Caucasus, Azish Mts., 1350m.
- 5710. *Polyommatus* (s.str.) *meoticus meoticus* Zhdanko & Stshurov,1998** (Lycaenidae) *Polyommatus meoticus* Zhdanko & Stshurov,1998, Vestn. Kaz. Univ. 6: 49-52, figs.7,9. Holotype ♂: Russia: Adegeya: North- West Caucasus, Azish Mts., 1350m.
- 5711. *Polyommatus* (s.str.) *omotoi* Forster,1972** (Lycaenidae) *Polyommatus candalus* ssp. *omotoi* Forster,1972, Ent. Z., Frankf. a. M. 82(20): 228, 229-230, Abb. 3-4. Holotype ♂: Afghanistan: Badakhshan: Bela Kuran, 3200-3500m.
- 5712. *Polyommatus* (s.str.) *omotoi omotoi* Forster,1972** (Lycaenidae) *Polyommatus candalus* ssp. *omotoi* Forster,1972, Ent. Z., Frankf. a. M. 82(20): 228, 229-230, Abb. 3-4. Holotype ♂: Afghanistan: Badakhshan: Bela Kuran, 3200-3500m.
- 5713. *Polyommatus* (s.str.) *persicus* (Bienert,1870)** (Lycaenidae) *Lycaena icarus* var. *persica* Bienert,1870, Lepid. Ergebn. Reise in Persien: 29: Syntypes: [Iran]: Khorasan: Nishapur, Saebzevar, Meschhet. Lectotype ♂: "Persia", designated by Nekrutenko,1988 (ZMHU).
- 5714. *Polyommatus* (s.str.) *persicus kashgharensis* Moore,1878** (Lycaenidae) *Polyommatus kashgharensis* Moore, 1878, Ann. Mag. nat. Hist. 5 (1): 230. Type ♂: [China: Uighur A.R.]: Yarkund, Yangihissar, 4320ft.
- 5715. *Polyommatus* (s.str.) *persicus persicus* (Bienert,1870)** (Lycaenidae) *Lycaena icarus* var. *persica* Bienert,1870, Lepid. Ergebn. Reise in Persien: 29: Syntypes: [Iran]: Khorasan: Nishapur, Saebzevar, Meschhet. Lectotype ♂: "Persia", designated by Nekrutenko,1988 (ZMHU).
- 5716. *Polyommatus* (s.str.) *persicus turanicus* Heyne,[1895]** (Lycaenidae) *Lycaena icarus* var. *turanica* Heyne,[1895], [in] Rühl,F., Die palaearkt. Grossschmett. 1: 761. Type (s): Tura.
- 5717. *Polyommatus* (s.str.) *pseuderos* (Moore,1879)** (Lycaenidae) *Lycaena pseuderos* Moore,1879, Proc. zool. Soc. Lond. 1879: 138.
- 5718. *Polyommatus* (s.str.) *pseuderos biluchus* (Moore,1884)** (Lycaenidae) *Lycaena bilucha* Moore, 1884, J. asiat. Soc. Beng. 53 (2) (1): 24. Type ♂: [Pakistan]: S. Beluchistan: Chaman. Lectotype ♂, designated by Balint,1999, Neue ent. Nachr. 46: 19 (BMNH).
- 5719. *Polyommatus* (s.str.) *pseuderos nepalensis* Forster,1961** (Lycaenidae) *Polyommatus nepalensis* Forster,1961, Veröff. zool. StSamml. Münch. 6: 149-150, Taf.xiv figs.1,2,4,5. Holotype ♂: Nepal: Mustangbhot, Gargompa, 4000m. (ZSM).
- 5720. *Polyommatus* (s.str.) *pseuderos pseuderos* (Moore,1879)** (Lycaenidae) *Lycaena pseuderos* Moore,1879, Proc. zool. Soc. Lond. 1879: 138.
- 5721. *Polyommatus* (s.str.) *stigmatiferus* Courvoisier,1903** (Lycaenidae) *Polyommatus eros* *stigmatifera* Courvoisier,1903, Mitt. schweiz. ent. Ges. 11: 23. Type(s): [China: Uighur A.R.]: Kuldja.
- 5722. *Polyommatus* (s.str.) *stigmatiferus stigmatiferus* Courvoisier,1903** (Lycaenidae) *Polyommatus eros* *stigmatifera* Courvoisier,1903, Mitt. schweiz. ent. Ges. 11: 23. Type(s): [China: Uighur A.R.]: Kuldja.
- 5723. *Polyommatus* (s.str.) *stoliczkanus* C.Felder & R.Felder,[1865]** (Lycaenidae) *Lycaena stoliczkana* C.Felder & R.Felder,[1865], Reise Fregatte "Novara", Lep. Rhop. (2): 283, Tab.xxxv fig.10,11. Syntypes ♂♂: Ladak.
- 5724. *Polyommatus* (s.str.) *stoliczkanus janetae* Evans,1927** (Lycaenidae) *Polyommatus eros* race *janetae* Evans,1927, Tijdschr. Ent. 70: 161-162. Syntypes 57♂♀: [Pakistan]: Khunjerah, Ghujerab, Batura, 3000-4500m.
- 5725. *Polyommatus* (s.str.) *stoliczkanus stoliczkanus* C.Felder & R.Felder,[1865]** (Lycaenidae) *Lycaena stoliczkana* C.Felder & R.Felder,[1865], Reise Fregatte "Novara", Lep. Rhop. (2): 283, Tab.xxxv fig.10,11. Syntypes ♂♂: Ladak.
- 5726. *Polyommatus* (s.str.) *sutlejus* (Moore,1882)** (Lycaenidae) *Lycaena sutleja* Moore,1882, Proc. zool. Soc. Lond. 1882: 246-247. Type ♂: India: Kangra district.
- 5727. *Polyommatus* (s.str.) *sutlejus sutlejus* (Moore,1882)** (Lycaenidae) *Lycaena sutleja* Moore,1882, Proc. zool. Soc. Lond. 1882: 246-247. Type ♂: India: Kangra district.
- 5728. *Polyommatus* (s.str.) *tshetverikovi* Nekrutenko,1977** (Lycaenidae) *Polyommatus eroides* ssp. *tshetverikovi* Nekrutenko,1977, Dopov. Akad. Nauk. ukrRSR Ser.B(1977): 180-181, figs. Holotype ♂: Caucasus: Teberda.
- 5729. *Polyommatus* (s.str.) *tshetverikovi tshetverikovi* Nekrutenko,1977** (Lycaenidae) *Polyommatus eroides* ssp. *tshetverikovi* Nekrutenko,1977, Dopov. Akad. Nauk. ukrRSR Ser.B(1977): 180-181, figs. Holotype ♂: Caucasus: Teberda.
- 5730. *Polyommatus* (s.str.) *venus* (Staudinger,1886)** (Lycaenidae) *Lycaena venus* Staudinger,1886, Stettin ent. Ztg. 47: 211. Syntypes 10♂ 6♀: Südl. Alai. Lectotype ♂: "Alai", designated by Lukhtanov,1994, Herbiopoliana 3: 272 (ZMHUB).
- 5731. *Polyommatus* (s.str.) *venus lama* (Groum-Grshimailo,1891)** (Lycaenidae) *Lycaena eros* var. *lama* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 453. Syntypes: [China: Qinghai: Amdo]: Tetungensibus, Schin-tschenj.
- 5732. *Polyommatus* (s.str.) *venus venus* (Staudinger,1886)** (Lycaenidae) *Lycaena venus* Staudinger,1886, Stettin ent. Ztg. 47: 211. Syntypes 10♂ 6♀: Südl. Alai. Lectotype ♂: "Alai", designated by Lukhtanov,1994, Herbiopoliana 3: 272 (ZMHUB).
- 5733. *Polyommatus* *Latreille,1804*** (Lycaenidae) *Polyommatus Latreille,1804*, Nouv. Dict. Hist. nat. 24(tab.): 185,200. Type-species: *Papilio icarus* Rottemburg,1775, Der Naturforscher 6:31, by subsequent designation by ICZN, Op.270.
- 5734. *Praephilotes* *Forster,1938*** (Lycaenidae) *Praephilotes* Forster,1938, Mitt. münch. ent. Ges. 28: 105. Type-species: *Lycaena anthracias* Christoph,1877, by original designation.
- 5735. *Praephilotes anthracias* (Christoph,1877)** (Lycaenidae) *Lycaena anthracias* Christoph,1877, Horae Soc. ent. ross. 12: 239-240, Taf.v fig. 12. Syntypes: [Turkmenistan]: Krasnowodsk.
- 5736. *Praephilotes anthracias anthracias* (Christoph,1877)** (Lycaenidae) *Lycaena anthracias* Christoph,1877, Horae Soc. ent. ross. 12: 239-240, Taf.v fig. 12. Syntypes: [Turkmenistan]: Krasnowodsk.
- 5737. *Praephilotes violacea* Howarth & Povolny,1976** (Lycaenidae) *Praephilotes violacea* Howarth & Povolny,1976, Cas. morav. Mus. Brne 61: 143. Holotype ♂: Afghanistan: East Afghanistan: Nangrahar, Tor-Khama (in coll. Povolny).
- 5738. *Praephilotes violacea violacea* Howarth & Povolny,1976** (Lycaenidae) *Praephilotes violacea* Howarth & Povolny,1976, Cas. morav. Mus. Brne 61: 143. Holotype ♂: Afghanistan: East Afghanistan: Nangrahar, Tor-Khama (in coll. Povolny).
- 5739. *Pratapa* *Moore,[1881]*** (Lycaenidae) *Pratapa* Moore,[1881], Lep. Ceylon 1(3): 108. Type-species: *Amblypodia deva* Moore,1857, by original designation.
- 5740. *Pratapa icetas* (Hewitson,[1865])** (Lycaenidae) *Iolaus icetas* Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 44, 2 (plates): pl.18 figs. 6,7.

- 5741. *Pratapa icetas icetas* (Hewitson,[1865])** (Lycaenidae) *Iolaus icetas* Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 44, 2 (plates): pl.18 figs. 6,7.
- 5742. *Protantigius Shirozu & Yamamoto,1956*** (Lycaenidae) *Protantigius Shirozu & Yamamoto,1956*, Sieboldia 1 (4): 339, 357. Type-species: *Drina superans* Oberthür,1914, by original designation.
- 5743. *Protantigius superans* (Oberthür,1914)** (Lycaenidae) *Drina superans* Oberthür,1914, Etüd. lépid. comp. 9 (2): 54-55, pl. 255 figs. 2155-2156.
- 5744. *Protantigius superans superans* (Oberthür,1914)** (Lycaenidae) *Drina superans* Oberthür,1914, Etüd. lépid. comp. 9 (2): 54-55, pl. 255 figs. 2155-2156.
- 5745. *Pseudophilotes Beuret,1958*** (Lycaenidae) *Pseudophilotes Beuret,1958*, Mitt. ent. Ges. Basel (n.f.) 8(6):100. Type-species: *Papilio baton* Bergsträßer,[1779], Nom. Ins.3:18, pl.60, figs.6-8, by original designation.
- 5746. *Pseudophilotes abencerragus* (Pierret,1837)** (Lycaenidae) *Argus abencerragus* Pierret,1837, Annl. Soc. ent. Fr. 9: 21, pl.1 fig.7. Syntypes: Oran.
- 5747. *Pseudophilotes abencerragus abencerragus* (Pierret,1837)** (Lycaenidae) *Argus abencerragus* Pierret,1837, Annl. Soc. ent. Fr. 9: 21, pl.1 fig.7. Syntypes: Oran.
- 5748. *Pseudophilotes abencerragus amelia* (Hemming,1927)** (Lycaenidae) *Turania amelia* Hemming,1927, Entomologist 60: 277. Holotype ♂: Portugal: Alemtejo.
- 5749. *Pseudophilotes abencerragus nabataeus* (Graves,1925)** (Lycaenidae) *Turania baton* ssp. *nabataeus* Graves, 1925, Trans. ent. Soc. Lond. 1925: 62, pl.5 fig.5. Syntypes ♂: Transjordan: Petra.
- 5750. *Pseudophilotes barbaggiae* De Prins & Poorten,1982** (Lycaenidae) *Pseudophilotes barbaggiae* De Prins & Poorten,1982, Phegea 10 (2): 61-76, figs. Holotype ♂: Italy: Sardinia, Gennargentu massive.
- 5751. *Pseudophilotes barbaggiae barbaggiae* De Prins & Poorten,1982** (Lycaenidae) *Pseudophilotes barbaggiae* De Prins & Poorten,1982, Phegea 10 (2): 61-76, figs. Holotype ♂: Italy: Sardinia, Gennargentu massive.
- 5752. *Pseudophilotes baton* (Bergsträßer,[1779])** (Lycaenidae) *Papilio baton* Bergsträßer,[1779], Nom. Ins. 3: 18, pl.60, figs. 6-8.
- 5753. *Pseudophilotes baton albonotata* (De Sagarra,1926)** (Lycaenidae) *Scolitantides baton* rassa albonotata De Sagarra,1926,1926, Butll. Inst. Cat. 1926 (2), 6: 137. Syntypes: Espana: Barcelona, Llinas.
- 5754. *Pseudophilotes baton baton* (Bergsträßer,[1779])** (Lycaenidae) *Papilio baton* Bergsträßer,[1779], Nom. Ins. 3: 18, pl.60, figs. 6-8.
- 5755. *Pseudophilotes baton occidentalis* (Hemming,1929)** (Lycaenidae) *Turanana baton* ssp. *occidentalis* Hemming,1929, Entomologist 62: 29-30, Pls. Holotype ♂: Northern Portugal: Oporto.
- 5756. *Pseudophilotes baton panoptes* (Hübner,[1813])** (Lycaenidae) *Papilio panoptes* Hübner,[1813], Samml. eur. Schmett. 1: pl.132, figs. 670-673. Syntypes: Europa.
- 5757. *Pseudophilotes baton praepanoptes* (Verity,1928)** (Lycaenidae) *Turania hylas praepanoptes* Verity,1928, Bull. Soc. ent. Fr. 1928: 143. Syntypes 2♂: [France]: Pyrenees--Orientales: Ambollos.
- 5758. *Pseudophilotes sinaicus* Nakamura,1975** (Lycaenidae) *Pseudophilotes sinaicus* Nakamura,1975, J. Ent. (B) 44 (3): 290-294, figs. Holotype ♂: Egypt: South Sinai: Wadi Shag, 1850m (BMNH).
- 5759. *Pseudophilotes sinaicus sinaicus* Nakamura,1975** (Lycaenidae) *Pseudophilotes sinaicus* Nakamura,1975, J. Ent. (B) 44 (3): 290-294, figs. Holotype ♂: Egypt: South Sinai: Wadi Shag, 1850m (BMNH).
- 5760. *Pseudophilotes vicrama* (Moore,1865)** (Lycaenidae) *Polyommatus vicrama* Moore,1865, Proc. zool. Soc. London 35: 505, pl.31, fig.6. Syntypes: Tibet: Shipkee; [India]: Middle Kunawur: Cheeni.
- 5761. *Pseudophilotes vicrama astabene* (Hemming,1932)** (Lycaenidae) *Philotes vicrama astabene* Hemming,1932, Entomologist 65: 181 (nomen nov. pro clara Stgr.,1901).
- 5762. *Pseudophilotes vicrama cashmirensis* (Moore,1874)** (Lycaenidae) *Scolitantides cashmirensis* Moore,1874, Proc. zool. Soc. Lond. 1874: 272. Syntypes: N.E. Cashmere: Soonamurg.
- 5763. *Pseudophilotes vicrama schiffermuelleri* (Hemming,1929)** (Lycaenidae) *Turanana vicrama* ssp. *schiffermuelleri* Hemming,1929, Entomologist 62: 61, Taf.1 figs.6,8; Taf.2 figs.19-22. Holotype ♂: Austria: Deutsch-Altenburg (BMNH).
- 5764. *Pseudophilotes vicrama vicrama* (Moore,1865)** (Lycaenidae) *Polyommatus vicrama* Moore,1865, Proc. zool. Soc. London 35: 505, pl.31, fig.6. Syntypes: Tibet: Shipkee; [India]: Middle Kunawur: Cheeni.
- 5765. *Pseudotajuria* Eliot,1973** (Lycaenidae) *Pseudotajuria* Eliot,1973, Bull. Br. Mus. nat. Hist. Ent. 28 (6): 451. Type-species: *Tajuria donatana* De Nicéville,1888, by original designation.
- 5766. *Pseudozizeeria Beuret,1955*** (Lycaenidae) *Pseudozizeeria* Beuret,1955, Mitt. ent. Ges. Basel (n.f.) 5: 125. Type-species: *Lycaena maha* Kollar,[1844], by original designation.
- 5767. *Pseudozizeeria maha* (Kollar,[1844])** (Lycaenidae) *Lycaena maha* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 422. Type(s): Kaschmir.
- 5768. *Pseudozizeeria maha maha* (Kollar,[1844])** (Lycaenidae) *Lycaena maha* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 422. Type(s): Kaschmir.
- 5769. *Quercusia Verity,1943*** (Lycaenidae) *Quercusia* Verity,1943, Le Farfalle diurn. d'Italia 2: 343. Type-species: *Papilio quercus* Linnaeus,1758, Syst. Nat. (Ed.10)1: 482. by original designation.
- 5770. *Quercusia quercus* (Linnaeus,1758)** (Lycaenidae) *Papilio quercus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 482. Type(s): [England (Verity,1943)].
- 5771. *Quercusia quercus ibericus* (Staudinger,1901)** (Lycaenidae) *Zephyrus quercus* var. *iberica* Staudinger,1901, Cat. lepid. palaeart. Faunengeb. 3 (1): 71 (nom. nov. pro *quercus* Obth. nec Linnaeus). Syntypes: Maur., Ib. c. et m.
- 5772. *Quercusia quercus quercus* (Linnaeus,1758)** (Lycaenidae) *Papilio quercus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 482. Type(s): [England (Verity,1943)].
- 5773. *Rapala Moore,[1881]*** (Lycaenidae) *Rapala* Moore,[1881], Lep. Ceylon 1(3): 105. Type-species: *Thecla varuna* Horsfield,[1829], by original designation.
- 5774. *Rapala arata* (Bremer,1861)** (Lycaenidae) *Thecla arata* Bremer,1861, Bull. Acad. imp. Sci. St. Petersburg. 3: 470.
- 5775. *Rapala arata arata* (Bremer,1861)** (Lycaenidae) *Thecla arata* Bremer,1861, Bull. Acad. imp. Sci. St. Petersburg. 3: 470.
- 5776. *Rapala caerulea* (Bremer & Grey,1853)** (Lycaenidae) *Thecla caerulea* Bremer & Grey,1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 8, nr.9. Type: China: Pekin.
- 5777. *Rapala caerulea caerulea* (Bremer & Grey,1853)** (Lycaenidae) *Thecla caerulea* Bremer & Grey,1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 8, nr.9. Type: China: Pekin.
- 5778. *Rapala iarbus* (Fabricius,1787)** (Lycaenidae) *Papilio iarbus* Fabricius,1787, Mant. Ins. 2: 68, nr. 648. Type(s): Siam.
- 5779. *Rapala iarbus iarbus* (Fabricius,1787)** (Lycaenidae) *Papilio iarbus* Fabricius,1787, Mant. Ins. 2: 68, nr. 648. Type(s): Siam.
- 5780. *Rapala iarbus sorya* (Kollar,[1844])** (Lycaenidae) *Thecla sorya* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 414, Taf.5, figs.1,2. Type(s): Kaschmir.
- 5781. *Rapala micans* (Bremer & Grey,1853)** (Lycaenidae) *Thecla micans* Bremer & Grey,1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 9 nr.30. Syntypes: China: Pekin.
- 5782. *Rapala micans micans* (Bremer & Grey,1853)** (Lycaenidae) *Thecla micans* Bremer & Grey,1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 9 nr.30. Syntypes: China: Pekin.
- 5783. *Rapala micans selira* (Moore,1874)** (Lycaenidae) *Deudorix selira* Moore,1874, Proc. zool. Soc. Lond. 1874: 272.
- 5784. *Rapala nissa* (Kollar,[1844])** (Lycaenidae) *Thecla nissa* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 412, Taf.4, figs.3,4. Type(s): Kaschmir.
- 5785. *Rapala nissa nissa* (Kollar,[1844])** (Lycaenidae) *Thecla nissa* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 412, Taf.4, figs.3,4. Type(s): Kaschmir.
- 5786. *Rapala varuna* (Horsfield,[1829])** (Lycaenidae) *Thecla varuna* Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 91, nr.24. Type(s): Java.
- 5787. *Rapala varuna varuna* (Horsfield,[1829])** (Lycaenidae) *Thecla varuna* Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 91, nr.24. Type(s): Java.
- 5788. *Ritra* De Nicéville,1890** (Lycaenidae) *Ritra* De Nicéville,1890, [in] Marshall & De Nicéville, Butts India Burmah Ceylon 3: 411, nota. Type-species: *Sithon aurea* Druce,1873, by original designation.
- 5789. *Rubrapterus Korshunov,1987*** (Lycaenidae) *Rubrapterus* Korshunov,1987, Nov. Maloizvestiye Vidy Fauny Sib. 19: 9. Type-species: *Lycaena bavius* Eversmann,1832, by original designation.

- 5790. *Rubrapterus bavius* (Eversmann,1832)** (Lycaenidae) *Lycaena bavius* Eversmann,1832, Nouv. Mém. Soc. imp. Nat. Moscou 2: 349-350. figs.3,4. Syntypes: [Russia]: Baschkiriae.
- 5791. *Rubrapterus bavius bavius* (Eversmann,1832)** (Lycaenidae) *Lycaena bavius* Eversmann,1832, Nouv. Mém. Soc. imp. Nat. Moscou 2: 349-350. figs.3,4. Syntypes: [Russia]: Baschkiriae.
- 5792. *Rubrapterus bavius egeus* (Herrich-Schäffer,1852)** (Lycaenidae) *Lycaena egea* Herrich-Schäffer,1852, Syst. Bearb. Schmett. Eur. 6: 25; [1847], ibid. Taf.74 figs. 357-360 (uninomial). Type(s): Türkei (Types unknown).
- 5793. *Rubrapterus bavius eitschbergeri* (Koçak,1975)** (Lycaenidae) *Pseudophilotes bavius* ssp. *eitschbergeri* Koçak,1975, Atalanta 6 (1): 50-51, figs. Holotype ♂: Turkey: South-Eastern Turkey: Urfa Prov.: district of Çamlidere, 700m (in coll. Cesa).
- 5794. *Rubrapterus bavius fatma* (Oberthür,1890)** (Lycaenidae) *Lycaena bavius* var. *fatma* Oberthür,1890, Etüd. Ent. 13: 19, pl.vii figs.50,51. Syntypes: Algerie: Djebel-Aurès, au voisinage de Lambèse.
- 5795. *Rubrapterus bavius masal* Koçak,1998** (Lycaenidae) *Rubrapterus bavius* ssp. *masal* Koçak,1998, Cent. ent. Stud., Misc. Pap. 57: 7-8. Holotype ♂: Turkey: Tunceli Prov., Ovacık, Munzur Dağları, 1800m (CESA).
- 5796. *Rubrapterus bavius oenapae* (Koçak,1975)** (Lycaenidae) *Pseudophilotes bavius* ssp. *oenapae* Koçak,1975, Atalanta 6 (1): 51-52, figs.3,4,7,8. Holotype ♂: Turkey: Central Turkey: Ankara Prov.: district of Beynam, 1200m (in coll. Cesa).
- 5797. *Rubrapterus bavius vanicola* (Koçak,1977)** (Lycaenidae) *Pseudophilotes bavius* ssp. *vanicola* Koçak,1977, Atalanta 8(1): 47-48, f.1-4. Holotype ♂: Turkey: Van Pr.: Çatak, 2000m.
- 5798. *Rysops Eliot,1973*** (Lycaenidae) *Rysops Eliot,1973*, Bull. Br. Mus. nat. Hist. (Ent.) 28 (6): 445, 452. Type-species: *Lycaena scintilla* Mabille,1877, by original designation.
- 5799. *Satyrium (Nordmannia) Tutt,[1907]*** (Lycaenidae) *Nordmannia Tutt,[1907]*, Nat. Hist. Br. Butts 2: 143. Type-species: *Lycaena myrtale* Klug,1834, by original designation.
- 5800. *Satyrium (Nordmannia) abdominalis* (Gerhard,[1850])** (Lycaenidae) *Thecla abdominalis* Gerhard,[1850], Versuch Monogr. eur. Schmett.: 4, Pl.4 figs.3a-c. Syntypes: [Aserbaidjan]: Elisabethpol [=Kirovabad].
- 5801. *Satyrium (Nordmannia) abdominalis abdominalis* (Gerhard,[1850])** (Lycaenidae) *Thecla abdominalis* Gerhard,[1850], Versuch Monogr. eur. Schmett.: 4, Pl.4 figs.3a-c. Syntypes: [Aserbaidjan]: Elisabethpol [=Kirovabad].
- 5802. *Satyrium (Nordmannia) acaciae* (Fabricius,1787)** (Lycaenidae) *Papilio acaciae* Fabricius,1787, Mant. Ins. 2: 69. Type(s): Russia australiori.
- 5803. *Satyrium (Nordmannia) acaciae acaciae* (Fabricius,1787)** (Lycaenidae) *Papilio acaciae* Fabricius,1787, Mant. Ins. 2: 69. Type(s): Russia australiori.
- 5804. *Satyrium (Nordmannia) armenum* (Rebel,1901)** (Lycaenidae) *Thecla myrtale* var. *armena* Rebel,1901, Annln naturh. Mus. Wien 16: 165-166. Syntypes: [Türkei]: [Kars Pr.]: Kasikoparan.
- 5805. *Satyrium (Nordmannia) armenum armenum* (Rebel,1901)** (Lycaenidae) *Thecla myrtale* var. *armena* Rebel,1901, Annln naturh. Mus. Wien 16: 165-166. Syntypes: [Türkei]: [Kars Pr.]: Kasikoparan.
- 5806. *Satyrium (Nordmannia) esculi* (Hübner,[1804])** (Lycaenidae) *Papilio esculi* Hübner,[1824], Samml. eur. Schmett. 1: pl.109, figs. 559-560. Syntypes: Europa.
- 5807. *Satyrium (Nordmannia) esculi esculi* (Hübner,[1804])** (Lycaenidae) *Papilio esculi* Hübner,[1824], Samml. eur. Schmett. 1: pl.109, figs. 559-560. Syntypes: Europa.
- 5808. *Satyrium (Nordmannia) esculi ilicioides* (Gerhard,[1850])** (Lycaenidae) *Thecla aesculi* var. *ilicioides* Gerhard,[1850], Versuch Monogr. eur. Schmett.: t.4, figs. 4-5.
- 5809. *Satyrium (Nordmannia) esculi mauretanicum* (Staudinger,1892)** (Lycaenidae) *Thecla ilicis* var. *mauretanica* Staudinger,1892, Dt. ent. Z., Iris 5: 279. Syntypes: Algerien: Prov. Cosntantine: Collo; Tunis.
- 5810. *Satyrium (Nordmannia) ilicis* (Esper,[1779])** (Lycaenidae) *Papilio ilicis* Esper,[1779], Die Schmett. 1(1):353; [1789], ibid. (suppl.): 28 pl.98 figs.11,12. Syntypes: Deutschland: Erlangen.
- 5811. *Satyrium (Nordmannia) ilicis cerri* (Hübner,[1824])** (Lycaenidae) *Papilio cerri* Hübner,[1824], Samml. eur. Schmett. 1: pl.175, figs. 863-866. Syntypes: Europa.
- 5812. *Satyrium (Nordmannia) ilicis ilicis* (Esper,[1779])** (Lycaenidae) *Papilio ilicis* Esper,[1779], Die Schmett. 1(1):353; [1789], ibid. (suppl.): 28 pl.98 figs.11,12. Syntypes: Deutschland: Erlangen.
- 5813. *Satyrium (Nordmannia) marcidum* (Riley,1921)** (Lycaenidae) *Strymon marcidus* Riley,1921, Ann. Mag. nat. Hist. 8: 600. Type ♀: Iran: Kermanshah, Harir, Karind Gorge (in BMHN).
- 5814. *Satyrium (Nordmannia) marcidum marcidum* (Riley,1921)** (Lycaenidae) *Strymon marcidus* Riley,1921, Ann. Mag. nat. Hist. 8: 600. Type ♀: Iran: Kermanshah, Harir, Karind Gorge (in BMHN).
- 5815. *Satyrium (Nordmannia) marcidum mardinum* Oorschot et al.,1985** (Lycaenidae) *Satyrium marcidus* ssp. *mardinus* Oorschot et al.,1985, Ent. Ber., Amst. 45(10): 145-149, 3 figs. Holotype ♂: Turkey: Mardin 1000-1100m. (in ITZA).
- 5816. *Satyrium (Nordmannia) myrtale* (Klug,1834)** (Lycaenidae) *Lycaena myrtale* Klug,1834, [in] Ehrenberg, Symbolae Physicae...Insecta 4: Taf.40 figs. 15,16. Type(s): [Lebanon]: "Syria".
- 5817. *Satyrium (Nordmannia) myrtale myrtale* (Klug,1834)** (Lycaenidae) *Lycaena myrtale* Klug,1834, [in] Ehrenberg, Symbolae Physicae...Insecta 4: Taf.40 figs. 15,16. Type(s): [Lebanon]: "Syria".
- 5818. *Satyrium (Nordmannia) zabni* Oorschot & Brink,1991** (Lycaenidae) *Satyrium ilicis* ssp. *zabni* Oorschot & Brink,1991, Ent. Ber., Amst. 51 (3): 38-43, 5 figs. Holotype ♂: Turkey: Hakkari prov., 35-40km. E. Uludere, 1200-1300m. (ITZA).
- 5819. *Satyrium (Nordmannia) zabni zabni* Oorschot & Brink,1991** (Lycaenidae) *Satyrium ilicis* ssp. *zabni* Oorschot & Brink,1991, Ent. Ber., Amst. 51 (3): 38-43, 5 figs. Holotype ♂: Turkey: Hakkari prov., 35-40km. E. Uludere, 1200-1300m. (ITZA).
- 5820. *Satyrium (Strymonidia) Tutt,[1908]*** (Lycaenidae) *Strymonidia Tutt,[1908]*, Nat. Hist. Br. Butts 2: 483. Type-species: *Thecla thalia* Leech,[1893], by designation through Section (i) (replacement names) of Article 67.
- 5821. *Satyrium (Strymonidia) pruni* (Linnaeus,1758)** (Lycaenidae) *Papilio pruni* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 482. Type(s): [Europa].
- 5822. *Satyrium (Strymonidia) pruni pruni* (Linnaeus,1758)** (Lycaenidae) *Papilio pruni* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 482. Type(s): [Europa].
- 5823. *Satyrium (Strymonidia) prunoides* (Staudinger,1887)** (Lycaenidae) *Thecla prunoides* Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 129, Taf.6 figs.1a-b. Syntypes: Russia: "Wladiwostok".
- 5824. *Satyrium (Strymonidia) prunoides prunoides* (Staudinger,1887)** (Lycaenidae) *Thecla prunoides* Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 129, Taf.6 figs.1a-b. Syntypes: Russia: "Wladiwostok".
- 5825. *Satyrium (Strymonidia) spini* (Fabricius,1787)** (Lycaenidae) *Papilio spini* Fabricius,1787, Mant. Ins. 2: 68. Syntypes: Germania.
- 5826. *Satyrium (Strymonidia) spini bofilii* (De Sagarra,1924)** (Lycaenidae) *Strymon spini* rassa *bofilii* De Sagarra,1924, Butl. Inst. catal. Hist. nat. 24: 200. Type: Spain: Albarracin (Arago), 1100m, Querci leg. (MCNB).
- 5827. *Satyrium (Strymonidia) spini melantho* (Klug,1834)** (Lycaenidae) *Lycaena melantho* Klug,1834, [in] Ehrenberg, Symbolae Physicae...Insecta 4: Taf.40 figs. 10,11. Type(s): [Lebanon]: "Syria".
- 5828. *Satyrium (Strymonidia) spini spini* (Fabricius,1787)** (Lycaenidae) *Papilio spini* Fabricius,1787, Mant. Ins. 2: 68. Syntypes: Germania.
- 5829. *Satyrium (Strymonidia) w-album* (Knoch,1782)** (Lycaenidae) *Papilio w-album* Knoch,1782, Beitr. Insecten-Geschichte 2: 85, Tab.6 figs.1,2. Syntypes: [Germany]: Leipzig bei Schwickert.
- 5830. *Satyrium (Strymonidia) w-album w-album* (Knoch,1782)** (Lycaenidae) *Papilio w-album* Knoch,1782, Beitr. Insecten-Geschichte 2: 85, Tab.6 figs.1,2. Syntypes: [Germany]: Leipzig bei Schwickert.
- 5831. *Satyrium (Superflua) Strand,1910*** (Lycaenidae) *Superflua Strand,1910*, Ent. Rdsch. 27: 162. Type-species: *Thecla sassanides* Kollar,[1849], selection through Section (i) of Article 67.
- 5832. *Satyrium (Superflua) acaudatum* (Staudinger,1901)** (Lycaenidae) *Thecla lunulata* var. *acaudata* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 70, nr.470a. Syntypes: [Uzbekistan]: Fergana; Lectotype ♂: "Margelan", designated by Luukhtanov,1995, Nachr. ent. Ver. Apollo (N.F. 16(1): 51-52 (ZMB)).
- 5833. *Satyrium (Superflua) acaudatum acaudatum* (Staudinger,1901)** (Lycaenidae) *Thecla lunulata* var. *acaudata* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 70, nr.470a. Syntypes: [Uzbekistan]: Fergana; Lectotype ♂: "Margelan", designated by Luukhtanov,1995, Nachr. ent. Ver. Apollo (N.F. 16(1): 51-52 (ZMB)).
- 5834. *Satyrium (Superflua) deria* (Moore,1865)** (Lycaenidae) *Thecla deria* Moore, 1865, Proc. zool. Soc. Lond. 35: 507, pl.xxxi fig.11. Type(s): India: Upper Kunawur, upper Spiti River, 11000ft.

- 5835. *Satyrum (Superflua) goniopertum* Lukhtanov,1995** (Lycaenidae) *Satyrum (Superflua) goniopertum* Lukhtanov,1995, Nachr. ent. Ver. Apollo N.F. 16(1): 52-57, figs. Holotypus ♂: Usbekistan: südwestl. Teil des Gissar-Gebirges, Tuda, 2400m.
- 5836. *Satyrum (Superflua) goniopertum goniopertum* Lukhtanov,1995** (Lycaenidae) *Satyrum (Superflua) goniopertum* Lukhtanov,1995, Nachr. ent. Ver. Apollo N.F. 16(1): 52-57, figs. Holotypus ♂: Usbekistan: südwestl. Teil des Gissar-Gebirges, Tuda, 2400m.
- 5837. *Satyrum (Superflua) hyrcanicum* (Riley,1939)** (Lycaenidae) *Strymon ledereri* ssp. *hyrcanica* Riley,1939, Novit. zool. 41: 360. Holotype ♂: [Iran]: N.E.Persia: Hyrcania.
- 5838. *Satyrum (Superflua) hyrcanicum badachshanicum* (Stshetkin,1984)** (Lycaenidae) *Pseudothecla cyri* ssp. *badachshanica* Stshetkin,1984, Zool. Zh. 63(6): 1430-1432. Holotype ♂: Afghanistan: Badakhshan.
- 5839. *Satyrum (Superflua) hyrcanicum cyri* Nekrutenko,1978** (Lycaenidae) *Pseudothecla ledereri* ssp. *cyri* Nekrutenko,1978, Dokl. Akad. Nauk UkrSSR (B) (1): 85, figs. Holotype ♂: [Azeibaidjan]: Jenikend, north Chanlar Kura r.
- 5840. *Satyrum (Superflua) hyrcanicum hyrcanicum* (Riley,1939)** (Lycaenidae) *Strymon ledereri* ssp. *hyrcanica* Riley,1939, Novit. zool. 41: 360. Holotype ♂: [Iran]: N.E.Persia: Hyrcania.
- 5841. *Satyrum (Superflua) hyrcanicum seravshanicum* (Stshetkin,1984)** (Lycaenidae) *Pseudothecla cyri* ssp. *seravshanica* Stshetkin,1984, Zool. Zh. 63(6): 1430-1432. Holotype ♂: [Tadjikistan]: Zeravshanskij Range, Western Pamir.
- 5842. *Satyrum (Superflua) jebelum* (Nakamura,1975)** (Lycaenidae) *Strymonidia jebelia* Nakamura,1975, J. Ent. (B) 44 (3): 283-290, figs. Holotype ♂: Egypt: South Sinai: Jebel Babu, 2000m (BMNH).
- 5843. *Satyrum (Superflua) jebelum jebelum* (Nakamura,1975)** (Lycaenidae) *Strymonidia jebelia* Nakamura,1975, J. Ent. (B) 44 (3): 283-290, figs. Holotype ♂: Egypt: South Sinai: Jebel Babu, 2000m (BMNH).
- 5844. *Satyrum (Superflua) khowari* Charmeux,2004** (Lycaenidae) *Satyrum (Superflua) khowari* Charmeux,2004, Phegea 32 (1): 9-10, figs. Holotype ♂: Pakistan: Chitral, vallee du Bumburet, 2600m, 9.viii.1996, J.Pages leg. (MNHNP).
- 5845. *Satyrum (Superflua) ledereri* (Boisduval,1848)** (Lycaenidae) *Lycaena ledereri* Boisduval,1848, Annls Soc. ent. Fr. 1848: xxix. Type(s): [Russia]: Caucase.
- 5846. *Satyrum (Superflua) ledereri christianae* Olivier,1989** (Lycaenidae) *Satyrum (Superflua) ledereri* ssp. *christianae* Olivier,1989, Phegea 17 (1): 8-17, figs. Holotype ♂: Greece: Samos, Mt. Karvouni, 1150m, 11.vi.1988, leg. A.Olivier (ITZA).
- 5847. *Satyrum (Superflua) ledereri ledereri* (Boisduval,1848)** (Lycaenidae) *Lycaena ledereri* Boisduval,1848, Annls Soc. ent. Fr. 1848: xxix. Type(s): [Russia]: Caucase.
- 5848. *Satyrum (Superflua) ledereri nazeri* (T.Larsen,1974)** (Lycaenidae) *Fixsenia ledereri* ssp. *nazeri* Larsen,1974, Alexanor 8: 301-302, f.1. Holotype ♂: Liban: Jabal Kesrouan, 1600m (MNHNP).
- 5849. *Satyrum (Superflua) lunulatum* (Erschoff,1874)** (Lycaenidae) *Thecla lunulata* Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 7, Taf.1 fig.5. Syntypes: Zaravshan-Thal.
- 5850. *Satyrum (Superflua) lunulatum lunulatum* (Erschoff,1874)** (Lycaenidae) *Thecla lunulata* Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 7, Taf.1 fig.5. Syntypes: Zaravshan-Thal.
- 5851. *Satyrum (Superflua) mirabilis* (Erschoff,1874)** (Lycaenidae) *Thecla mirabilis* Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 7, Taf.1 fig.4. Syntypes: Zaravshan-Thal.
- 5852. *Satyrum (Superflua) sassanides* (Kollar,[1849])** (Lycaenidae) *Thecla sassanides* Kollar,[1849], Deksch. Akad. Wiss. Wien 1: 51. Type(s): [Iran]: Farsistan [=Shiraz].
- 5853. *Satyrum (Superflua) sassanides sassanides* (Kollar,[1849])** (Lycaenidae) *Thecla sassanides* Kollar,[1849], Deksch. Akad. Wiss. Wien 1: 51. Type(s): [Iran]: Farsistan [=Shiraz].
- 5854. *Satyrum Scudder,1876*** (Lycaenidae) *Satyrum Scudder,1876*, Bull. Buffalo Soc. nat. Sci. 3:106. Type-species: *Lycaena fuliginosa* Edwards,1861, Proc. Acad. nat. Sci. Philad. 1861: 164, by original designation.
- 5855. *Scolitantides Hübner,[1819]*** (Lycaenidae) *Scolitantides Hübner,[1819]*, Verz. bekannt. Schmett. (5):68. Type-species: *Papilio battus* [Denis & Schiffermüller],1775, Ankündung eines syst. Werkes Schmett. Wienergegend:185, by subsequent designation by Hemming,1934, Gen. Names hol. Butts.1:110.
- 5856. *Scolitantides orion* (Pallas,1771)** (Lycaenidae) *Papilio orion* Pallas,1771, Reise durch die verschiedenen Provinzen des russischen Reiches 1: 471. Type(s): Russia: Sysranj prope Wolga.
- 5857. *Scolitantides orion orion* (Pallas,1771)** (Lycaenidae) *Papilio orion* Pallas,1771, Reise durch die verschiedenen Provinzen des russischen Reiches 1: 471. Type(s): Russia: Sysranj prope Wolga.
- 5858. *Scolitantides orion orithya* (Groum-Grshimailo,1892)** (Lycaenidae) *Lycaena orion* var. *orithya* Groum-Grshimailo,1892, Horae Soc. ent. ross. 25: 452. Syntypes: [China: Amdo]: "in valle fluminis Sininensis".
- 5859. *Scolitantides orion parvula* (De Sagarra,1926)** (Lycaenidae) *Scolitantides orion rassa parvula* De Sagarra,1926, Butll. Inst. Catalana Hist. Nat. (2) 5: 272. Type: Catalogne, Esplugas de Francoli (MCNB).
- 5860. *Scolitantides orion tytleri* Evans,1924** (Lycaenidae) *Scolitantides orion* ssp. *tytleri* Evans,1924, J. Bombay nat. Hist. Soc. 29: 973. Type: Tibet: Lhasa 200km S.E., Gyantse (H.C.Tytler leg.,1911) (BMNH).
- 5861. *Scolitantides orion ultraornata* Verity,1937** (Lycaenidae) *Scolitantides orion* race *ultraornata* Verity,1937, Entomologist's Rec. J. Var. 49: 72. Syntypes 8♂ 6♀: Finlandia: Sortavala, Riekkalansaari.
- 5862. *Semanga Distant,1884*** (Lycaenidae) *Semanga Distant,1884*, Rhop. malayana: 233, 239. Type-species: *Ilerda ? superba* Druce,1873, by original designation.
- 5863. *Semanga superba siamensis* Talbot,1936** (Lycaenidae) *Semanga superba* ssp. *siamensis* Talbot,1936, Entomologist 69: 58. Type: Siam.
- 5864. *Shijimiaeoides Beuret,1958*** (Lycaenidae) *Shijimiaeoides Beuret,1958*, Mitt. ent. Ges. Basel (n.f.) 8 (6): 100. Type-species: *Lycaena barine* Leech,1893, by original designation.
- 5865. *Shijimiaeoides divina* (Fixsen,1887)** (Lycaenidae) *Lycaena divina* Fixsen,1887, [in] Romanoff, Mém. lépid. 3: 286-288, pl.13 figs. 5a,b. Syntypes: Korea.
- 5866. *Shijimiaeoides divina barine* (Leech,1893)** (Lycaenidae) *Lycaena barine* Leech,1893, Butts China Japan Corea (2): 304, pl.31 fig.14.
- 5867. *Shijimiaeoides divina divina* (Fixsen,1887)** (Lycaenidae) *Lycaena divina* Fixsen,1887, [in] Romanoff, Mém. lépid. 3: 286-288, pl.13 figs. 5a,b. Syntypes: Korea.
- 5868. *Shirozua Sibatani & Ito,1942*** (Lycaenidae) *Shirozua Sibatani & Ito,1942*, Tenthredo, Kyote 3 (4): 322. Type-species: *Thecla jonasi* Janson,1877, by original designation.
- 5869. *Shirozua jonasi* (Janson,1887)** (Lycaenidae) *Thecla jonasi* Janson,1877, Cistula ent. 2: 157.
- 5870. *Shirozua jonasi jonasi* (Janson,1887)** (Lycaenidae) *Thecla jonasi* Janson,1877, Cistula ent. 2: 157.
- 5871. *Sinia Forster,1940*** (Lycaenidae) *Sinia Forster,1940*, Mitt. münch. ent. Ges. 30: 875, 876. Type-species: *Glaucopsyche (Sinia) leechi* Forster,1940, ibid. 30: 875, pl.22,23 figs.6,7, by original designation.
- 5872. *Sinia lanty* (Oberthür,1887)** (Lycaenidae) *Lycaena lanty* Oberthür,1887, Etüd. Ent. 11: 21, pl.7 fig.53. Syntypes ♂♀: Chine: Ta-Tsien-Lou.
- 5873. *Sinia lanty lanty* (Oberthür,1887)** (Lycaenidae) *Lycaena lanty* Oberthür,1887, Etüd. Ent. 11: 21, pl.7 fig.53. Syntypes ♂♀: Chine: Ta-Tsien-Lou.
- 5874. *Sinthusa Moore,1884*** (Lycaenidae) *Sinthusa Moore,1884*, J. asiat. Soc. Bengal Pt.II 53 (1): 33. Type-species: *Thecla nasaka* Horsfield,[1829], by original designation.
- 5875. *Sinthusa chandrana* (Moore,1882)** (Lycaenidae) *Hypolycaena chandrana* Moore, 1882, Proc. zool. Soc. Lond. 52: 249, pl.xi figs.2,2a. Type ♂: India: Lahul (BMNH).
- 5876. *Sinthusa chandrana chandrana* (Moore,1882)** (Lycaenidae) *Hypolycaena chandrana* Moore, 1882, Proc. zool. Soc. Lond. 52: 249, pl.xi figs.2,2a. Type ♂: India: Lahul (BMNH).
- 5877. *Sinthusa nasaka* (Horsfield,[1829])** (Lycaenidae) *Thecla nasaka* Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 91, nr.23. Type(s): Java.
- 5878. *Sinthusa nasaka nasaka* (Horsfield,[1829])** (Lycaenidae) *Thecla nasaka* Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 91, nr.23. Type(s): Java.
- 5879. *Suasa De Nicéville,1890*** (Lycaenidae) *Suasa De Nicéville,1890*, Butts India Burmah Ceylon 3: 18, 386. Type-species: *Myrina lisides* Hewitson,[1863], by original designation.

- 5880. *Symoptera* Karsch, 1895** (Lycaenidae) *Symoptera* Karsch, 1895, Ent. Nachr. 21: 308. Type-species: *Symoptera melanomitra* Karsch, 1895, by original designation.
- 5881. *Tajuria* Moore, [1881]** (Lycaenidae) *Tajuria* Moore, [1881], Lep. Ceylon 1(3): 108. Type-species: *Hesperia longinus* Fabricius, 1798, by original designation.
- 5882. *Tajuria diaeus* (Hewitson, [1865])** (Lycaenidae) *Iolaus diaeus* Hewitson, [1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 45, 2 (plates): pl. 20 figs. 26-28. Syntypes: India.
- 5883. *Tajuria diaeus diaeus* (Hewitson, [1865])** (Lycaenidae) *Iolaus diaeus* Hewitson, [1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 45, 2 (plates): pl. 20 figs. 26-28. Syntypes: India.
- 5884. *Tajuria illurgis* (Hewitson, 1869)** (Lycaenidae) *Iolaus illurgis* Hewitson, 1869, Ill. diurn. Lepid., Suppl.: 10, nr. 26, pl. 4 figs. 37-38. Syntypes: Sikkim.
- 5885. *Tajuria illurgis illurgis* (Hewitson, 1869)** (Lycaenidae) *Iolaus illurgis* Hewitson, 1869, Ill. diurn. Lepid., Suppl.: 10, nr. 26, pl. 4 figs. 37-38. Syntypes: Sikkim.
- 5886. *Tajuria jehana* Moore, 1883** (Lycaenidae) *Tajuria jehana* Moore, 1883, Proc. zool. Soc. Lond. 53: 529, pl. xlix fig. 7. Syntypes ♂♂: Lucknow.
- 5887. *Tajuria jehana jehana* Moore, 1883** (Lycaenidae) *Tajuria jehana* Moore, 1883, Proc. zool. Soc. Lond. 53: 529, pl. xlix fig. 7. Syntypes ♂♂: Lucknow.
- 5888. *Talicauda nyseus macbethi* Riley, 1932** (Lycaenidae) *Talicauda macbethi* Riley, 1932, J. Siam Soc. nat. Hist., Suppl. 8: 251-252, pl. 22 figs. 7, 8. Holotype ♀: [Thailand]: E. Siam: Lat Bua Kao, on the Korat line, 7.2.1929 leg. Mr. J.J. McBeth.
- 5889. *Tarucus* (s.str.) *alteratus* Moore, 1882** (Lycaenidae) *Tarucus alteratus* Moore, 1882, Proc. zool. Soc. Lond. 1882: 245, pl. 12 figs. 4, 4a. Syntypes: [India]: N.W. Himalaya; Dharmasala.
- 5890. *Tarucus* (s.str.) *alteratus alteratus* Moore, 1882** (Lycaenidae) *Tarucus alteratus* Moore, 1882, Proc. zool. Soc. Lond. 1882: 245, pl. 12 figs. 4, 4a. Syntypes: [India]: N.W. Himalaya; Dharmasala.
- 5891. *Tarucus* (s.str.) *balkanicus* (Freyer, [1843])** (Lycaenidae) *Lycaena balkanica* Freyer, [1843], Neuere Beitr. Schmett. 5(71): 63, Taf. 421 figs. 1, 2. Type(s): Türkei.
- 5892. *Tarucus* (s.str.) *balkanicus balkanicus* (Freyer, [1843])** (Lycaenidae) *Lycaena balkanica* Freyer, [1843], Neuere Beitr. Schmett. 5(71): 63, Taf. 421 figs. 1, 2. Type(s): Türkei.
- 5893. *Tarucus* (s.str.) *callinarus* Butler, 1886** (Lycaenidae) *Tarucus callinara* Butler, 1886, Ann. Mag. nat. Hist. (5) 18: 185, nr. 24.
- 5894. *Tarucus* (s.str.) *callinarus callinarus* Butler, 1886** (Lycaenidae) *Tarucus callinara* Butler, 1886, Ann. Mag. nat. Hist. (5) 18: 185, nr. 24.
- 5895. *Tarucus* (s.str.) *extricatus* Butler, 1886** (Lycaenidae) *Tarucus extricatus* Butler, 1886, Proc. zool. Soc. Lond. 1886: 366, pl. 35 fig. 2. Syntypes ♂♂: [Pakistan]: Campbellpore; Kurrachee.
- 5896. *Tarucus* (s.str.) *extricatus extricatus* Butler, 1886** (Lycaenidae) *Tarucus extricatus* Butler, 1886, Proc. zool. Soc. Lond. 1886: 366, pl. 35 fig. 2. Syntypes ♂♂: [Pakistan]: Campbellpore; Kurrachee.
- 5897. *Tarucus* (s.str.) *grammicus* (Grose-Smith & Kirby, 1893)** (Lycaenidae) *Lycaenesthes graminicus* Grose-Smith & Kirby, 1893, [in] Grose-Smith & Kirby, 1892-1897, Rhopalocera exotica, being illustrations of new, rare and unfigured species of butterflies 2: 102, pl. 23 figs. 3, 4. Syntypes: [Kenya]: Mombasa.
- 5898. *Tarucus* (s.str.) *grammicus graminicus* (Grose-Smith & Kirby, 1893)** (Lycaenidae) *Lycaenesthes graminicus* Grose-Smith & Kirby, 1893, [in] Grose-Smith & Kirby, 1892-1897, Rhopalocera exotica, being illustrations of new, rare and unfigured species of butterflies 2: 102, pl. 23 figs. 3, 4. Syntypes: [Kenya]: Mombasa.
- 5899. *Tarucus* (s.str.) *hazarus* Evans, 1932** (Lycaenidae) *Tarucus venosus* hazara Evans, 1932, Identification Indian Butterflies (2): 215. Syntypes: [Pakistan]: Abbotabad (mile 6 Thundiani Road).
- 5900. *Tarucus* (s.str.) *hazarus hazarus* Evans, 1932** (Lycaenidae) *Tarucus venosus* hazara Evans, 1932, Identification Indian Butterflies (2): 215. Syntypes: [Pakistan]: Abbotabad (mile 6 Thundiani Road).
- 5901. *Tarucus* (s.str.) *indicus* Evans, 1932** (Lycaenidae) *Tarucus theophrastus indica* Evans, 1932, Identification Indian Butterflies (2): 216. Syntypes: [Pakistan]: Baluchistan; [India]: Punjab, Kathiawar, Rajputana.
- 5902. *Tarucus* (s.str.) *indicus indicus* Evans, 1932** (Lycaenidae) *Tarucus theophrastus indica* Evans, 1932, Identification Indian Butterflies (2): 216. Syntypes: [Pakistan]: Baluchistan; [India]: Punjab, Kathiawar, Rajputana.
- 5903. *Tarucus* (s.str.) *nara* (Kollar, [1844])** (Lycaenidae) *Lycaena nara* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 421. Type(s): Kaschmir.
- 5904. *Tarucus* (s.str.) *nara nara* (Kollar, [1844])** (Lycaenidae) *Lycaena nara* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 421. Type(s): Kaschmir.
- 5905. *Tarucus* (s.str.) *quadratus* Ogilvie-Grant, 1899** (Lycaenidae) *Tarucus quadratus* Ogilvie-Grant, 1899, Bull. Lpool. Mus. 2: 10. Syntypes: Sokotra.
- 5906. *Tarucus* (s.str.) *quadratus* Ogilvie-Grant, 1899** (Lycaenidae) *Tarucus quadratus* Ogilvie-Grant, 1899, Bull. Lpool. Mus. 2: 10. Syntypes: Sokotra.
- 5907. *Tarucus* (s.str.) *quadratus quadratus* Ogilvie-Grant, 1899** (Lycaenidae) *Tarucus quadratus* Ogilvie-Grant, 1899, Bull. Lpool. Mus. 2: 10. Syntypes: Sokotra.
- 5908. *Tarucus* (s.str.) *rosaceus* (Austaut, 1885)** (Lycaenidae) *Lycaena theophrastus* var. *rosacea* Austaut, 1885, Naturaliste 7 (18): 141. Syntypes: Alderia: entre El-Arricha et le Maroc.
- 5909. *Tarucus* (s.str.) *rosaceus rosaceus* (Austaut, 1885)** (Lycaenidae) *Lycaena theophrastus* var. *rosacea* Austaut, 1885, Naturaliste 7 (18): 141. Syntypes: Alderia: entre El-Arricha et le Maroc.
- 5910. *Tarucus* (s.str.) *theophrastus* (Fabricius, 1793)** (Lycaenidae) *Hesperia theophrastus* Fabricius, 1793, Ent. Syst. 3(1): 281. Type(s): Morocco.
- 5911. *Tarucus* (s.str.) *theophrastus theophrastus* (Fabricius, 1793)** (Lycaenidae) *Hesperia theophrastus* Fabricius, 1793, Ent. Syst. 3(1): 281. Type(s): Morocco.
- 5912. *Tarucus* (s.str.) *venosus* Moore, 1882** (Lycaenidae) *Tarucus venosus* Moore, 1882, Proc. zool. Soc. Lond. 52: 245-246, pl. 12 f. 6. Syntypes: [India]: Dharmshala.
- 5913. *Tarucus* (s.str.) *venosus venosus* Moore, 1882** (Lycaenidae) *Tarucus venosus* Moore, 1882, Proc. zool. Soc. Lond. 52: 245-246, pl. 12 f. 6. Syntypes: [India]: Dharmshala.
- 5914. *Tarucus* Moore, [1881]** (Lycaenidae) *Tarucus* Moore, [1881], Lep. Ceylon 1(3): 81. Type-species: *Hesperia theophrastus* Fabricius, 1793, Ent. Syst. 3(1): 281, by original designation.
- 5915. *Thecla* Fabricius, 1807** (Lycaenidae) *Thecla* Fabricius, 1807, Mag. f. Insektenk. (Illiger) 6: 286. Type-species: *Papilio betulae* Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 482, by subsequent designation by Swainson, [1821], Zool. Illustr. 1(2): pl. 69.
- 5916. *Thecla betulae* (Linnaeus, 1758)** (Lycaenidae) *Papilio betulae* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 482. Type(s): [Sweden] (Verity, 1947)].
- 5917. *Thecla betulae betulae* (Linnaeus, 1758)** (Lycaenidae) *Papilio betulae* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 482. Type(s): [Sweden] (Verity, 1947)].
- 5918. *Thecla ziha* (Hewitson, 1865)** (Lycaenidae) *Dipsas ziha* Hewitson, [1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 65; 2 (plates): pl. 26 figs. 4, 5.
- 5919. *Thecla ziha ziha* (Hewitson, [1865])** (Lycaenidae) *Dipsas ziha* Hewitson, [1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 65; 2 (plates): pl. 26 figs. 4, 5.
- 5920. *Thersamolycaena* (Alciphronia) Koçak, 1992** (Lycaenidae) *Alciphronia* Koçak, 1992, Cent. ent. Stud., Misc. Pap. 16: 2. Type-species: *Papilio alciphron* Rottemburg, 1775, by original designation (proposed originally as a subgenus of the genus *Heodes* Dalman, 1816).
- 5921. *Thersamolycaena* (Alciphronia) *alciphron* (Rottemburg, 1775)** (Lycaenidae) *Papilio alciphron* Rottemburg, 1775, Naturforscher 6: 11. Type(s): Deutschland: Berlin.
- 5922. *Thersamolycaena* (Alciphronia) *alciphron alciphron* (Rottemburg, 1775)** (Lycaenidae) *Papilio alciphron* Rottemburg, 1775, Naturforscher 6: 11. Type(s): Deutschland: Berlin.
- 5923. *Thersamolycaena* (Alciphronia) *alciphron gordius* (Sulzer, 1776)** (Lycaenidae) *Papilio gordius* Sulzer, 1776, Abgekürzte Geschichte der Insecten: 146, Taf. 18, figs. 7, 8. Type(s): [Switzerland]: Graubünden.
- 5924. *Thersamolycaena* (Alciphronia) *alciphron insignis* (De Sagarra, 1924)** (Lycaenidae) *Loweia alciphron* rassa insignis De Sagarra, 1924, Butl. Inst. catal. Hist. nat. 24: 201. Type: Spain: Albarracin (Arago), 1100m Querci leg. (MCNB).
- 5925. *Thersamolycaena* (Alciphronia) *alciphron melibaeus* (Staudinger, 1878)** (Lycaenidae) *Polyommatus alciphron* var. *melibaeus* Staudinger, 1878, Horae Soc. ent. ross. 14: 231-232. Syntypes: [Türkei]: Amasia: Kyschlatschky, Jenikeui. Lectotype ♂: Amasia (designated by Wagener, 1995: 479) (ZMHB).
- 5926. *Thersamolycaena* (Alciphronia) *alciphron naryna* (Oberthür, 1910)** (Lycaenidae) *Chrysophanus alciphron* var. *naryna* Oberthür, 1910, Etüd. lépid. comp. 4: 115, pl. 49 fig. 407. Syntypes: [Kasachstan]: Semirechensee: Fort-Naryn.

- 5927. Thersamolycaena (Alciphronia) alciphron rubidus Korshunov,1995** (Lycaenidae) Heodes alciphron ssp. rubidus Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 164. Holotype: Russia: Tchita.
- 5928. Thersamolycaena (Alciphronia) alciphron veronicus (Fruhstorfer,1917)** (Lycaenidae) Chrysophanus alciphron ssp. veronicus Fruhstorfer,1917, Ent. Rdsch. 34: 17. Syntypes: France: Pyrenäen: Gedre.
- 5929. Thersamolycaena (s.str.) aeolides Churkin,1999** (Lycaenidae) Thersamonolycaena aeolides Churkin,1999, Atalanta 29 (1/4): 125, pl.iv fig.1. Holotype ♂: Ghissar, Fanskie Mts.
- 5930. Thersamolycaena (s.str.) aeolides aeolides Churkin,1999** (Lycaenidae) Thersamonolycaena aeolides Churkin,1999, Atalanta 29 (1/4): 125, pl.iv fig.1. Holotype ♂: Ghissar, Fanskie Mts.
- 5931. Thersamolycaena (s.str.) aeolus (Wyatt,1961)** (Lycaenidae) Lycaena aeolus Wyatt,1961, J. Lepidopterist's Soc. 15(1): 17, figs. Holotype ♀: Afghanistan: Bala Quran, Anjuman valley, Hindukush Mts., 14300ft.
- 5932. Thersamolycaena (s.str.) aeolus aeolus (Wyatt,1961)** (Lycaenidae) Lycaena aeolus Wyatt,1961, J. Lepidopterist's Soc. 15(1): 17, figs. Holotype ♀: Afghanistan: Bala Quran, Anjuman valley, Hindukush Mts., 14300ft.
- 5933. Thersamolycaena (s.str.) dabrerai (Balint,1996)** (Lycaenidae) Lycaena dabrerai Balint,1996, Linneana Belg. 15 (6): 237-239, figs.1,2,5,7. Holotype ♂: Mongolia: Bajanchongor aimak: Cagan Bogd u, Toorin bulag 13km O. von Grenzposten Cagan-bulag, 1500m (HNHM).
- 5934. Thersamolycaena (s.str.) dabrerai dabrerai (Balint,1996)** (Lycaenidae) Lycaena dabrerai Balint,1996, Linneana Belg. 15 (6): 237-239, figs.1,2,5,7. Holotype ♂: Mongolia: Bajanchongor aimak: Cagan Bogd u, Toorin bulag 13km O. von Grenzposten Cagan-bulag, 1500m (HNHM).
- 5935. Thersamolycaena (s.str.) dispar ([Haworth],1802)** (Lycaenidae) Papilio dispar [Haworth],1802, Prodr. Lepid. Br.: 3,nr.44, nota. Type(s): Anglia: [Cambridgeshire and Huntingdonshire] (Frohawke,1924).
- 5936. Thersamolycaena (s.str.) dispar dispar ([Haworth],1802)** (Lycaenidae) Papilio dispar [Haworth],1802, Prodr. Lepid. Br.: 3,nr.44, nota. Type(s): Anglia: [Cambridgeshire and Huntingdonshire] (Frohawke,1924).
- 5937. Thersamolycaena (s.str.) dispar festivus (Krulikowsky,1909)** (Lycaenidae) Chrysophanus dispar var. festivus Krulikowsky,1909, Revue russk. Ent. 9: 300. Syntypes: Russia orientalis [Vjatka Gebiet] (cf. Lukhtanov,1994, Herbiopoliana 3: 238).
- 5938. Thersamolycaena (s.str.) dispar rutilus (Werneburg,1864)** (Lycaenidae) [Polyommatus] rutilus Werneburg,1864, Beitr. Schmett. 1: 391 (nomen novum pro Papilio hippothoe Ochsenheimer,1808 nec Linnaeus,1761). Syntypes: Süddeutschland, Italien, Schweden.
- 5939. Thersamolycaena (s.str.) pavana (Horsfield,1829)** (Lycaenidae) Lycaena pavana Horsfield,1829, Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 77, nr.12. Type(s): Java.
- 5940. Thersamolycaena (s.str.) pavana pavana (Horsfield,1829)** (Lycaenidae) Lycaena pavana Horsfield,1829, Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 77, nr.12. Type(s): Java.
- 5941. Thersamolycaena (s.str.) splendens (Staudinger,1881)** (Lycaenidae) Polyommatus splendens Staudinger,1881, Stettin ent. Ztg. 42: 280-281. Syntypes 20♂♀: [Kasachstan]: Dschungarischer Alatau, Lepsa.
- 5942. Thersamolycaena (s.str.) splendens splendens (Staudinger,1881)** (Lycaenidae) Polyommatus splendens Staudinger,1881, Stettin ent. Ztg. 42: 280-281. Syntypes 20♂♀: [Kasachstan]: Dschungarischer Alatau, Lepsa.
- 5943. Thersamolycaena Verity,1957** (Lycaenidae) Thersamolycaena Verity,1957, Entomologist's Rec. J. Var. 69: 225 (pro Disparia Verity,1943 nec Nagano,1916). Type-species: Papilio dispar Haworth,1802, Prodr. Lep. Br.: 3 & nota. by original designation.
- 5944. Thersamonia (Mirzakhania) Koçak,1996** (Lycaenidae) Mirzakhania Koçak,1996, Priamus 7 (4): 144. Type-species: Chrysophanus kasyapa Moore,1865, by original designation (Mirzakhania is proposed as a subgenus of Thersamolycaena Verity,1957).
- 5945. Thersamonia (Mirzakhania) kasyapa (Moore,1865)** (Lycaenidae) Chrysophanus kasyapa Moore,1865, Proc. zool. Soc. London 35: 506-507, pl.31 fig.10. Syntypes: [India]: Lower Kunawur, 7-8000 feet.
- 5946. Thersamonia (Mirzakhania) kasyapa kasyapa (Moore,1865)** (Lycaenidae) Chrysophanus kasyapa Moore,1865, Proc. zool. Soc. London 35: 506-507, pl.31 fig.10. Syntypes: [India]: Lower Kunawur, 7-8000 feet.
- 5947. Thersamonia (s.str.) Verity,1919** (Lycaenidae) Thersamonia Verity,1919, Entomologist's Rec. J. Var. 31: 28. Type-species: Papilio thersamon Esper.,1784, Die Schmett. 1 (Bd.2) Forts. Tagschmett.: 176, pl.89, fig.6, by original designation.
- 5948. Thersamonia (s.str.) aditya (Moore,1874)** (Lycaenidae) Chrysophanus aditya Moore,1874, Proc. zool. Soc. Lond. 1874: 571-572. Syntypes: "Dras Valley (between Tashgam and Korkitchoor), Ladak (Capt. H.B.Hellard)".
- 5949. Thersamonia (s.str.) aditya aditya (Moore,1874)** (Lycaenidae) Chrysophanus aditya Moore,1874, Proc. zool. Soc. Lond. 1874: 571-572. Syntypes: "Dras Valley (between Tashgam and Korkitchoor), Ladak (Capt. H.B.Hellard)".
- 5950. Thersamonia (s.str.) alaica (Groum-Grshimailo,1888)** (Lycaenidae) Polyommatus thersamon var. alaica Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 305-306. Type(s): [Kirgizistan]: Alai [Malyi Karamyk river, near Daraut-Kurgan].
- 5951. Thersamonia (s.str.) alaica alaica (Groum-Grshimailo,1888)** (Lycaenidae) Polyommatus thersamon var. alaica Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 305-306. Type(s): [Kirgizistan]: Alai [Malyi Karamyk river, near Daraut-Kurgan].
- 5952. Thersamonia (s.str.) alpherakii (Groum-Grshimailo,1888)** (Lycaenidae) Polyommatus alpherakii Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 305. Type ♂: [Pakistan]: Hindukusch orient. [Hunza].
- 5953. Thersamonia (s.str.) alpherakii alpherakii (Groum-Grshimailo,1888)** (Lycaenidae) Polyommatus alpherakii Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 305. Type ♂: [Pakistan]: Hindukusch orient. [Hunza].
- 5954. Thersamonia (s.str.) asabinus (Gerhard,1850)** (Lycaenidae) Polyommatus asabinus Gerhard,1850, Versuch Monogr. eur. Schmett.: 3: 7, Taf.9 figs.3a-c. Type(s): [Türkei]: Amasya.
- 5955. Thersamonia (s.str.) asabinus asabinus (Gerhard,1850)** (Lycaenidae) Polyommatus asabinus Gerhard,1850, Versuch Monogr. eur. Schmett.: 3: 7, Taf.9 figs.3a-c. Type(s): [Türkei]: Amasya.
- 5956. Thersamonia (s.str.) asabinus satraps (Staudinger,1878)** (Lycaenidae) Polyommatus satraps Staudinger,1878, Horae Soc. ent. ross. 14: 230-231. Lectotype ♂: [Türkei]: Taurus, Külek (designated by Nekrutenko, in Hesselbarth,1995: 494).
- 5957. Thersamonia (s.str.) asabinus tauricus (Heyne,1895)** (Lycaenidae) Polyommatus asabinus var. tauricus Heyne,1895, [in] Rühl,F., Die palaearkt. Grossschmett. Naturg. 1: 744. Type(s): [Türkei]: Taurus.
- 5958. Thersamonia (s.str.) attila Zhdanko,1990** (Lycaenidae) Thersamonia attila Zhdanko,1990, Ent. Obozr. 69 (1): 140, fig.10. Holotype ♂: [China: Uighur A.R.]: Kaschgaria.
- 5959. Thersamonia (s.str.) attila attila Zhdanko,1990** (Lycaenidae) Thersamonia attila Zhdanko,1990, Ent. Obozr. 69 (1): 140, fig.10. Holotype ♂: [China: Uighur A.R.]: Kaschgaria.
- 5960. Thersamonia (s.str.) eberti (Forster,1972)** (Lycaenidae) Lycaena lampon ssp. eberti Forster,1972, Ent. Z., Frankf.a.M. 82(20):225-226, fig.5. Holotype ♂: Afghanistan: Band-i-Amir 2900-3100m.
- 5961. Thersamonia (s.str.) eberti eberti (Forster,1972)** (Lycaenidae) Lycaena lampon ssp. eberti Forster,1972, Ent. Z., Frankf.a.M. 82(20):225-226, fig.5. Holotype ♂: Afghanistan: Band-i-Amir 2900-3100m.
- 5962. Thersamonia (s.str.) kefersteinii (Gerhard,1850)** (Lycaenidae) Polyommatus kefersteinii Gerhard,1850, Versuch Monogr. eur. Schmett.: 7, pl.9 figs.4a-c. Syntypes: Türkei [=Amasya].
- 5963. Thersamonia (s.str.) kefersteinii hyrcana (Neuburger,1903)** (Lycaenidae) Chrysophanus ochimus var. hyrcana Neuburger,1903, Societas ent. 18(8): 59. Syntypes: [Iran]: Hyrcania.
- 5964. Thersamonia (s.str.) kefersteinii kefersteinii (Gerhard,1850)** (Lycaenidae) Polyommatus kefersteinii Gerhard,1850, Versuch Monogr. eur. Schmett.: 7, pl.9 figs.4a-c. Syntypes: Türkei [=Amasya].
- 5965. Thersamonia (s.str.) kefersteinii oculiferus (Nekrutenko,1977)** (Lycaenidae) Heodes (Thersamonia) ochimus ssp. oculiferus Nekrutenko,1977, Dop. Akad. Nauk. Ukr.RSR, Ser. 3(5): 457-460. Holotype ♂: Georgia: Rustavi Aspindza district, 1200m.
- 5966. Thersamonia (s.str.) kefersteinii sahandensis Schurian & Hofmann,1982** (Lycaenidae) Thersamonia kefersteinii ssp. sahandensis Schurian & Hofmann,1982, Nachr. ent. Ver. Apollo, Suppl.2: 22-23, figs. Holotype ♂: Iran: 25km S.E. of Tabriz, Gombar, Sahand Dag 8500-10500ft., leg. C.Wyatt (LNK).

- 5967. Thersamonia (s.str.) kurdistanica (Riley,1921)** (Lycaenidae) Heodes thersamon ssp. kurdistanica Riley,1921, Ann. Mag. nat. Hist. 8: 598. Syntypes: Iran: Harir, Karind Gorge and Kermanshah (BMNH).
- 5968. Thersamonia (s.str.) kurdistanica kurdistanica (Riley,1921)** (Lycaenidae) Heodes thersamon ssp. kurdistanica Riley,1921, Ann. Mag. nat. Hist. 8: 598. Syntypes: Iran: Harir, Karind Gorge and Kermanshah (BMNH).
- 5969. Thersamonia (s.str.) lampon (Lederer,1870)** (Lycaenidae) Polyommatus lampon Lederer,1870, Horae Soc. ent. ross. 8: 8, Taf.I figs. 2,3. Syntypes 9♂ 4♀: [Iran]: Astrabad [=Gorgan].
- 5970. Thersamonia (s.str.) lampon lampon (Lederer,1870)** (Lycaenidae) Polyommatus lampon Lederer,1870, Horae Soc. ent. ross. 8: 8, Taf.I figs. 2,3. Syntypes 9♂ 4♀: [Iran]: Astrabad [=Gorgan].
- 5971. Thersamonia (s.str.) lamponides (Staudinger,1901)** (Lycaenidae) Chrysophanus lampon var. lamponides Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3 (2): 73. Lectotype ♂: [Iran: Schahkuh]: Hadschyabad leg. Haberhauer (MNHU).
- 5972. Thersamonia (s.str.) lamponides lamponides (Staudinger,1901)** (Lycaenidae) Chrysophanus lampon var. lamponides Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3 (2): 73. Lectotype ♂: [Iran: Schahkuh]: Hadschyabad leg. Haberhauer (MNHU).
- 5973. Thersamonia (s.str.) phoebus (Blachier,1905)** (Lycaenidae) Chrysophanus phoebus Blachier,1905, Bull. Soc. ent. Fr. 74: 212. Syntypes: L'Atlas marocain.
- 5974. Thersamonia (s.str.) phoebus phoebus (Blachier,1905)** (Lycaenidae) Chrysophanus phoebus Blachier,1905, Bull. Soc. ent. Fr. 74: 212. Syntypes: L'Atlas marocain.
- 5975. Thersamonia (s.str.) solskyi (Erschoff,1874)** (Lycaenidae) Polyommatus solskyi Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5)3: 8, pl.1 f.7. Syntypes: [Usbekistan]: Samarkand.
- 5976. Thersamonia (s.str.) solskyi solskyi (Erschoff,1874)** (Lycaenidae) Polyommatus solskyi Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5)3: 8, pl.1 f.7. Syntypes: [Usbekistan]: Samarkand.
- 5977. Thersamonia (s.str.) thersamon (Esper,[1784])** (Lycaenidae) Papilio thersamon Esper,[1784], Die Schmett. 1 (Bd.2) Forts. Tagschmett.: 176, pl.89, fig.6 Type(s): [Russia]: Sarepta.
- 5978. Thersamonia (s.str.) thersamon persica (Bienert,1870)** (Lycaenidae) Polyommatus thersamon var. persica Bienert,1870, Lepid. Ergebn. Reise in Persien: 28. Type(s): [Iran]: Persien: NW.Meschchet.
- 5979. Thersamonia (s.str.) thersamon thersamon (Esper,[1784])** (Lycaenidae) Papilio thersamon Esper,[1784], Die Schmett. 1 (Bd.2) Forts. Tagschmett.: 176, pl.89, fig.6 Type(s): [Russia]: Sarepta.
- 5980. Thersamonia (s.str.) thetis (Klug,1834)** (Lycaenidae) Lycaena thetis Klug,1834, [in] Ehrenberg, Symb. Phys. Ins. 4: pl.40 figs. 17,18. Syntypes: Syria.
- 5981. Thersamonia (s.str.) thetis elbursina (Pfeiffer,1937)** (Lycaenidae) Chrysophanus thetis ssp. elbursina Pfeiffer,1937, Mitt. münch. ent. Ges. 27: 36. Holotype ♂: Iran: Elbursgebirge: Kendevar Pass, 2700m.
- 5982. Thersamonia (s.str.) thetis ignitus (Herrich-Schäffer,1852)** (Lycaenidae) Polyommatus ignitus Herrich-Schäffer,1852, Syst. Bearb. Schmett. Eur. 6: 32, Taf. 69, fig.323. Syntypes: [Türkei]: Ararat.
- 5983. Thersamonia (s.str.) thetis thetis (Klug,1834)** (Lycaenidae) Lycaena thetis Klug,1834, [in] Ehrenberg, Symb. Phys. Ins. 4: pl.40 figs. 17,18. Syntypes: Syria.
- 5984. Thersamonia (s.str.) thetis zahaltensis (Graves,1910)** (Lycaenidae) Chrysophanus thetis var. zahaltensis Graves,1910, Entomologist's Rec. J. Var. 22: 273. Syntypes ♂♂: [Lebanon]: Ain Zahalta.
- 5985. Thersamonia Verity,1919** (Lycaenidae) Thersamonia Verity,1919, Entomologist's Rec. J. Var. 31: 28. Type-species: Papilio thersamon Esper,[1784], Die Schmett. 1 (Bd.2) Forts. Tagschmett.: 176, pl.89, fig.6, by original designation.
- 5986. Thestor Hübner,[1819]** (Lycaenidae) Thestor Hübner,[1819], Verz. bekannt. Schmett. (5): 73. Type-species: Papilio petalus Cramer,[1779], Utitl. Kap. 3 (31): 84, pl.243, figs.C.D., by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 281.
- 5987. Thestor camdeboo Dickson & Wykeham,1994** (Lycaenidae) Thestor camdeboo Dickson & Wykeham,1994, [in] Pringle & Henning,1994, Pennington's Butterflies of southern Africa (2nd Edn.): 148-149, pl.117. Holotype ♂: South Africa: Eastern Cape Prov., Camdeboo Mountain, nr Aberdeen, 11 Nov. 1982 (coll. Pringle).
- 5988. Thestor camdeboo camdeboo Dickson & Wykeham,1994** (Lycaenidae) Thestor camdeboo Dickson & Wykeham,1994, [in] Pringle & Henning,1994, Pennington's Butterflies of southern Africa (2nd Edn.): 148-149, pl.117. Holotype ♂: South Africa: Eastern Cape Prov., Camdeboo Mountain, nr Aberdeen, 11 Nov. 1982 (coll. Pringle).
- 5989. Thestor dicksoni warreni Ball,1994** (Lycaenidae) Thestor dicksoni ssp. warreni Ball,1994, [in] Pringle & Henning,1994, Pennington's Butterflies of southern Africa (2nd Edn.): 143, pl.156. Holotype ♂: South Africa: Western Cape Prov., 10km. west of Graafwater, 100m, 17 Apr.1991 (J.B.Ball leg.) (TMP).
- 5990. Thestor malagas Dickson & Wykeham,1994** (Lycaenidae) Thestor malagas Dickson & Wykeham,1994, [in] Pringle & Henning,1994, Pennington's Butterflies of southern Africa (2nd Edn.): 143-145, pl.117. Holotype ♂: South Africa: Western Cape Prov., Langebaan, 14 Mar. 1991 (T.Waters leg.) (BMNH).
- 5991. Thestor malagas malagas Dickson & Wykeham,1994** (Lycaenidae) Thestor malagas Dickson & Wykeham,1994, [in] Pringle & Henning,1994, Pennington's Butterflies of southern Africa (2nd Edn.): 143-145, pl.117. Holotype ♂: South Africa: Western Cape Prov., Langebaan, 14 Mar. 1991 (T.Waters leg.) (BMNH).
- 5992. Thestor rooibergensis Heath,1994** (Lycaenidae) Thestor rooibergensis Heath,1994, [in] Pringle & Henning,1994, Pennington's Butterflies of southern Africa (2nd Edn.): 146-147, pl.156. Holotype ♂: South Africa: Western Cape Prov., Rooiberg Mountain, 24 Oct. 1990 (A.Heath leg.) (TMP).
- 5993. Thestor rooibergensis rooibergensis Heath,1994** (Lycaenidae) Thestor rooibergensis Heath,1994, [in] Pringle & Henning,1994, Pennington's Butterflies of southern Africa (2nd Edn.): 146-147, pl.156. Holotype ♂: South Africa: Western Cape Prov., Rooiberg Mountain, 24 Oct. 1990 (A.Heath leg.) (TMP).
- 5994. Thestor yildizae Koçak,1983** (Lycaenidae) Thestor yildizae Koçak,1983, Priamus 3 (1): 39 (nomen novum pro Thestor obscurus Van Son,1941 nec Thestor nogelii var. obscura Rühl,[1893]).
- 5995. Thestor yildizae yildizae Koçak,1983** (Lycaenidae) Thestor yildizae Koçak,1983, Priamus 3 (1): 39 (nomen novum pro Thestor obscurus Van Son,1941 nec Thestor nogelii var. obscura Rühl,[1893]).
- 5996. Ticherra De Nicéville,1887** (Lycaenidae) Ticherra De Nicéville,1887, Proc. zool. Soc. Lond. 1887 (3): 457. Type-species: Myrina acte Moore,1857, by original designation.
- 5997. Ticherra acte (Moore,[1858])** (Lycaenidae) Myrina acte Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 47, nr.77.
- 5998. Ticherra acte acte (Moore,[1858])** (Lycaenidae) Myrina acte Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 47, nr.77.
- 5999. Tomares (nogelii) dobrogensis (Caradja,1895)** (Lycaenidae) Thestor nogelii var. dobrogensis Caradja,1895, Dt. ent. Z., Iris 8: 34. Syntypes: Rumänien: Dobrudscha, Tultscha (Tulcea).
- 6000. Tomares (nogelii) dobrogensis dobrogensis (Caradja,1895)** (Lycaenidae) Thestor nogelii var. dobrogensis Caradja,1895, Dt. ent. Z., Iris 8: 34. Syntypes: Rumänien: Dobrudscha, Tultscha (Tulcea).
- 6001. Tomares (nogelii) dobrogensis monotona (Schwingsenschuss,1939)** (Lycaenidae) Thestor nogelii ssp. monotona Schwingsenschuss,1939, Ent. Rdsch. 56: 328. Syntypes: [Türkei]: Bolu: 2km nördl. von Bolu (bei einem Friedhof); 7km südl. von Bolu (Umg. der Therme), an Astragalus ponticus (Typen in coll. Schwingsenschuss).
- 6002. Tomares (nogelii) dobrogensis uighurica Koçak, Seven & Kemal,2000** (Lycaenidae) Tomares (nogelii) dobrogensis ssp. uighurica Koçak, Seven & Kemal,2000, Cent. ent. Stud., Misc. Pap. 65/67: 14. Holotype ♂: Turkey: Ankara Prov., Ayaş Mts. (in coll. Cesa).
- 6003. Tomares (nogelii) nesimachus (Oberthür,1893)** (Lycaenidae) Thestor nesimachus Oberthür,1893, Etud. Ent. 18: 14,pl.2, fig.30. Syntypes: [Turquie]: [Hatay]: Akbes.
- 6004. Tomares (nogelii) nesimachus nesimachus (Oberthür,1893)** (Lycaenidae) Thestor nesimachus Oberthür,1893, Etud. Ent. 18: 14,pl.2, fig.30. Syntypes: [Turquie]: [Hatay]: Akbes.
- 6005. Tomares (nogelii) nogelii (Freyer,[1851])** (Lycaenidae) Lycaena nogelii Freyer,[1851], Neuere Beitr. Schmett. 6(96): 148-149, Taf.574 figs.1,2. Syntypes ♂♀: [Türkei]: Amasia.
- 6006. Tomares (nogelii) nogelii aurantiaca (Staudinger,1901)** (Lycaenidae) Thestor nogelii var. aurantiaca Staudinger,1901, Cat. lepid. Palaearct. Faunengeb. 1:72. Syntypes: [Türkei]: Kaisarie, Aintab [=Gaziantep].
- 6007. Tomares (nogelii) nogelii cesa Koçak, Seven & Kemal,2000** (Lycaenidae) Tomares (nogelii) nogelii ssp. cesa Koçak, Seven & Kemal,2000, Cent. ent. Stud., Misc. Pap. 65/67: 14. Holotype ♂: Turkey: Elazığ Prov., Hazer lake north-eastern banks 1250m (in coll.Cesa).

- 6008. Tomares (nogelii) nogelii nogelii (Freyer,[1851])** (Lycaenidae) *Lycaena nogelii* Freyer,[1851], Neuere Beitr. Schmett. 6(96): 148-149, Taf.574 figs.1,2. Syntypes ♂♂: [Türkei]: Amasia.
- 6009. Tomares (nogelii) nogelii obscura (Rühl,[1893])** (Lycaenidae) *Thestor nogelii* var. *obscura* Rühl,[1893], Palaearkt. Grossschmett. Naturg. 1 (4): 199. Syntypes: Russisch-Armenien (in coll.Rühl) (?MZSF).
- 6010. Tomares Rambur,[1840]** (Lycaenidae) *Tomares Rambur*,[1840], Faune ent. Andalusie 2 (5): 261. Type-species: *Papilio ballus* Fabricius,1787, Mantissa Ins. 2: 80, by monotypy.
- 6011. Tomares ballus (Fabricius,1787)** (Lycaenidae) *Papilio ballus* Fabricius,1787, Mant. Ins. 2: 80, nr. 719. Type(s): Hispania.
- 6012. Tomares ballus ballus (Fabricius,1787)** (Lycaenidae) *Papilio ballus* Fabricius,1787, Mant. Ins. 2: 80, nr. 719. Type(s): Hispania.
- 6013. Tomares callimachus (Eversmann,1848)** (Lycaenidae) *Lycaena callimachus* Eversmann,1848, Bull. Soc. Nat. Moscou 21: 208.
- 6014. Tomares callimachus callimachus (Eversmann,1848)** (Lycaenidae) *Lycaena callimachus* Eversmann,1848, Bull. Soc. Nat. Moscou 21: 208.
- 6015. Tomares callimachus dentata (Staudinger,[1892])** (Lycaenidae) *Thestor callimachus* var. *dentata* Staudinger,[1892], Dt. ent. Z., Iris 4: 233. Type(s): [Türkei]: Mardin.
- 6016. Tomares callimachus hafis (Kollar,[1849])** (Lycaenidae) *Polyommatus hafis* Kollar,[1849], Dekschr. Akad. Wiss. Wien 1: 51. Type ♀: [Iran]: Farsistan [=Shiraz].
- 6017. Tomares desinens Nekrutenko & Effendi,1980** (Lycaenidae) *Tomares desinens* Nekrutenko & Effendi,1980, Nota lepid. 3(1/2): 69-72, figs.1-8. Holotype ♂: [Azerbaidjan]: Talysch mts. Zuvand: Hili-Dara,1800m.
- 6018. Tomares desinens desinens Nekrutenko & Effendi,1980** (Lycaenidae) *Tomares desinens* Nekrutenko & Effendi,1980, Nota lepid. 3(1/2): 69-72, figs.1-8. Holotype ♂: [Azerbaidjan]: Talysch mts. Zuvand: Hili-Dara,1800m.
- 6019. Tomares desinens mekep Koçak & Kemal,2005** (Lycaenidae) *Tomares desinens* ssp. *mekep* Koçak & Kemal,2005, Cent. ent. Stud., Priamus 11 (3): 53-54. Holotype ♂: Turkey: Van Prov., Çatak, Narlı Meşeliği 1600m 10 5 2003, A.Koçak & M.Kemal leg. (Cesa).
- 6020. Tomares fedtschenkoi (Erschoff,1874)** (Lycaenidae) *Thestor fedtschenkoi* Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 8, Taf.1 fig.6. Syntypes: [Uzbekistan]: Samarkand.
- 6021. Tomares fedtschenkoi alpina (Groum-Grshimailo,1890)** (Lycaenidae) *Thestor fedtschenkoi* var. *alpina* Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 357-358. Syntypes: [Tadjikistan]: Pamir: "Akwai-Polousak, dans le mont Darwaz, 9500ft".
- 6022. Tomares fedtschenkoi fedtschenkoi (Erschoff,1874)** (Lycaenidae) *Thestor fedtschenkoi* Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 8, Taf.1 fig.6. Syntypes: [Uzbekistan]: Samarkand.
- 6023. Tomares mauretanicus (Lucas,1849)** (Lycaenidae) *Polyommatus mauretanicus* Lucas, 1849, Expl. Alg. Zool. 3: 360, nr.39, pl.1 fig.3. Type(s): Algeria.
- 6024. Tomares mauretanicus mauretanicus (Lucas,1849)** (Lycaenidae) *Polyommatus mauretanicus* Lucas, 1849, Expl. Alg. Zool. 3: 360, nr.39, pl.1 fig.3. Type(s): Algeria.
- 6025. Tomares romanovi (Christoph,1882)** (Lycaenidae) *Thestor romanovi* Christoph,1882, Horae Soc. ent. ross. 17 (1/2): 106. Lectotype ♂: [Azerbaidjan]: Nachitschewan: Ordubad (designated by Nekrutenko,1995 [in] Hesselbarth et al., 1995: 506 (ZIMP)).
- 6026. Tomares romanovi cachetinus Nekrutenko,1978** (Lycaenidae) *Tomares romanovi* ssp. *cachetinus* Nekrutenko,1978, Dokl. Akad. NaukUkrSSR (Ser.B) (1): 87, fig.7; textfigs. 2g,d,v. Holotype ♂: Georgia: East Georgia: Waschlowai Nature reserve, Pantischara (ZISK).
- 6027. Tomares romanovi cyprius (Stichel,1911)** (Lycaenidae) *Thestor romanovi* ssp. *cyprius* Stichel,1911, Z. Wiss. InsektenBiol. 6: 76-77. Syntypes: [Iran]: Persien: Sutanabad, 3000-3500m.
- 6028. Tomares romanovi maculifera (Staudinger,[1892])** (Lycaenidae) *Thestor romanovi* var. *maculifera* Staudinger,[1892], Dt. ent. Z., Iris 4: 233. Syntypes: [Türkei]: Mardin.
- 6029. Tomares romanovi romanovi (Christoph,1882)** (Lycaenidae) *Thestor romanovi* Christoph,1882, Horae Soc. ent. ross. 17 (1/2): 106. Lectotype ♂: [Azerbaidjan]: Nachitschewan: Ordubad (designated by Nekrutenko,1995 [in] Hesselbarth et al., 1995: 506 (ZIMP)).
- 6030. Tomares telemachus Zhdanko,2000** (Lycaenidae) *Tomares telemachus* Zhdanko,2000, [in] Tusov et al., Guide Butts. Russia 2: 121-122, pl. 56 figs. 29-31. Holotype ♂: [Turkmenistan]: Kopet Dag, 70km E of Ashkhabad, Karachaudan, 800m (ZISP).
- 6031. Tomares telemachus telemachus Zhdanko,2000** (Lycaenidae) *Tomares telemachus* Zhdanko,2000, [in] Tusov et al., Guide Butts. Russia 2: 121-122, pl. 56 figs. 29-31. Holotype ♂: [Turkmenistan]: Kopet Dag, 70km E of Ashkhabad, Karachaudan, 800m (ZISP).
- 6032. Tongeia Tutt,[1908]** (Lycaenidae) *Tongeia Tutt*,[1908], Nat. Hist. Br. Butts 3: 41, 43. Type-species: *Lycaena fischeri* Eversmann,1843, by original designation.
- 6033. Tongeia fischeri (Eversmann,1843)** (Lycaenidae) *Lycaena fischeri* Eversmann,1843, Bull. Soc. nat. Moscou 16(3): 537. Type(s): Russia: Ural.
- 6034. Tongeia fischeri fischeri (Eversmann,1843)** (Lycaenidae) *Lycaena fischeri* Eversmann,1843, Bull. Soc. nat. Moscou 16(3): 537. Type(s): Russia: Ural.
- 6035. Turanana Bethune-Baker,1916** (Lycaenidae) *Turanana Bethune-Baker*,1916, Ann. Mag. nat. Hist. (8) 17: 379. Type-species: *Lycaena cytis* Christoph,1877, by designation through Section (i) (replacement names) of Article 67.
- 6036. Turanana anisophtalma (Kollar,[1849])** (Lycaenidae) *Lycaena anisophtalma* Kollar,[1849], Dekschr. Akad. Wiss. Wien 1: 51-52. Type ♀: [Iran]: Farsistan [=Shiraz].
- 6037. Turanana anisophtalma anisophtalma (Kollar,[1849])** (Lycaenidae) *Lycaena anisophtalma* Kollar,[1849], Dekschr. Akad. Wiss. Wien 1: 51-52. Type ♀: [Iran]: Farsistan [=Shiraz].
- 6038. Turanana cytis (Christoph,1877)** (Lycaenidae) *Lycaena cytis* Christoph,1877, Horae Soc. ent. ross. 12: 234-235, pl.5 figs.5,6. Syntypes: [Iran]: Schahkuh.
- 6039. Turanana cytis cytis (Christoph,1877)** (Lycaenidae) *Lycaena cytis* Christoph,1877, Horae Soc. ent. ross. 12: 234-235, pl.5 figs.5,6. Syntypes: [Iran]: Schahkuh.
- 6040. Turanana cytis kurdistan Eckweiler,1984** (Lycaenidae) *Turanana cytis* ssp. *kurdistan* Eckweiler,1984, Nachr. ent. Ver. Apollo(N.F.) 5(2/3):66-67, figs.2,3. Holotype ♂: Türkei: Hakkari: Cilo, 3100m
- 6041. Turanana dushak Dubatolov,1989** (Lycaenidae) *Turanana dushak* Dubatolov,1989, Proc. zool. Inst. USSR 200: 136-137, fig.1. Holotype ♂: Turkmenia: Kopet Dag.
- 6042. Turanana dushak dushak Dubatolov,1989** (Lycaenidae) *Turanana dushak* Dubatolov,1989, Proc. zool. Inst. USSR 200: 136-137, fig.1. Holotype ♂: Turkmenia: Kopet Dag.
- 6043. Turanana endymion (Freyer,[1850])** (Lycaenidae) *Lycaena endymion* Freyer,[1850], Neuere Beitr. 6: 145, Taf. 572 figs. 2,3. Syntypes: Türkei: Amasia.
- 6044. Turanana endymion ahasveros (Bytinski-Salz & Brandt,1937)** (Lycaenidae) *Lycaena (Glaucopsyche) panagaea* ssp. *ahasveros* Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: (2). Cotypes [Syntypes] ♂♂: Iran: Keredj, 1700m (in coll. Bytinski-Salz & Brandt).
- 6045. Turanana endymion endymion (Freyer,[1850])** (Lycaenidae) *Lycaena endymion* Freyer,[1850], Neuere Beitr. 6: 145, Taf. 572 figs. 2,3. Syntypes: Türkei: Amasia.
- 6046. Turanana endymion taygetica (Rebel,1902)** (Lycaenidae) *Lycaena panagaea* var. *taygetica* Rebel,1902, Berl. ent. Z. 47: 90. Syntypes 1♂ 2♀: Greece: Taygetos, 2100m.
- 6047. Turanana grumi (Forster,1937)** (Lycaenidae) *Glaucopsyche grumi* Forster,1937, Mitt. münch. ent. Ges. 27: 58-59 (nom. nov. pro *alaica* Groum-Grshimailo nec Staudinger). Lectotype ♂: Afghanistan: Nuksan Pass, figured by Forster (1937, Taf.4 fig.30), designated by Zhdanko,1997, Zoosyst. Ross. 5(2):312.
- 6048. Turanana grumi grumi (Forster,1937)** (Lycaenidae) *Glaucopsyche grumi* Forster,1937, Mitt. münch. ent. Ges. 27: 58-59 (nom. nov. pro *alaica* Groum-Grshimailo nec Staudinger). Lectotype ♂: Afghanistan: Nuksan Pass, figured by Forster (1937, Taf.4 fig.30), designated by Zhdanko,1997, Zoosyst. Ross. 5(2):312.
- 6049. Turanana jurileontyi Shchetkin,1986** (Lycaenidae) *Turanana jurileontyi* Shchetkin, 1986, Senckenberg. biol. 66: 251-254, figs.
- 6050. Turanana jurileontyi jurileontyi Shchetkin,1986** (Lycaenidae) *Turanana jurileontyi* Shchetkin, 1986, Senckenberg. biol. 66: 251-254, figs.
- 6051. Turanana kugitangi Zhdanko,1984** (Lycaenidae) *Trudy zool. Inst. Leningr.* 122: 104-105. Holotype ♂: Turkmenistan: East Turkmenia, Kugitangtai.

- 6052. Turanana kugitangi kugitangi Zhdanko,1984** (Lycaenidae) Trudy zool. Inst. Leningr. 122: 104-105. Holotype ♂: Turkmenistan: East Turkmenia, Kugitangtai.
- 6053. Turanana laspura (Evans,1932)** (Lycaenidae) Polyommatus cytis laspura Evans,1932, Identification of Indian Butterflies (2): 227. Syntypes: [Pakistan]: Chitral.
- 6054. Turanana laspura (Evans,1932)** (Lycaenidae) Polyommatus cytis laspura Evans,1932, Identification of Indian Butterflies (2): 227. Syntypes: [Pakistan]: Chitral.
- 6055. Turanana mizildigara Tshikolovets,1997** (Lycaenidae) Turanana mizildigara Tshikolovets,1997, Phegea 25(3): 117-121, figs. Holotype ♂: Tadjikistan: Gorno-Badakhshanskaya, Ishkashimskiy Mts. river Sangdzhegar, mazar Mizildigar, 3600m.
- 6056. Turanana mizildigara mizildigara Tshikolovets,1997** (Lycaenidae) Turanana mizildigara Tshikolovets,1997, Phegea 25(3): 117-121, figs. Holotype ♂: Tadjikistan: Gorno-Badakhshanskaya, Ishkashimskiy Mts. river Sangdzhegar, mazar Mizildigar, 3600m.
- 6057. Turanana panaegides (Staudinger,1886)** (Lycaenidae) Lycaena panaegides Staudinger,1886, Stettin ent. Ztg. 47: 206-207. Syntypes: [Usbekistan]: Samarkand.
- 6058. Turanana panaegides alaica (Staudinger,1886)** (Lycaenidae) Lycaena panaegides var. alaica Staudinger,1886, Stettin ent. Ztg. 47: 206-207. Syntypes: [Usbekistan]: Margelan.
- 6059. Turanana panaegides panaegides (Staudinger,1886)** (Lycaenidae) Lycaena panaegides Staudinger,1886, Stettin ent. Ztg. 47: 206-207. Syntypes: [Usbekistan]: Samarkand.
- 6060. Turanana panagaides tshatkalica Stshetkin,1984** (Lycaenidae) Turanana panagaides ssp. tshatkalica Stshetkin,1984, Dokl. Akad. Nauk Tadzhik SSR 27 (5): 291. Holotype : Tshimgan im Tshatkal-Gebirge.
- 6061. Tuxentius T.Larsen,1982** (Lycaenidae) Tuxentius Larsen,1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 45-47. Type-species: Lycaena melaena Trimen,1887, by original designation.
- 6062. Udara (Penudara) Eliot & Kawazoe,1984** (Lycaenidae) Penudara Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 13, 152. Type-species: Polyommatus albocaeruleus Moore,1879, by original designation [proposed as a subgenus of Udara Tox.].
- 6063. Udara (Penudara) albocaerulea (Moore,1879)** (Lycaenidae) Polyommatus albocaeruleus Moore,1879, Proc. zool. Soc. London 1879: 139. Syntypes ♂♀: Nepal, Deyra Doon. Lectotype ♂: India, designated by Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 153 (BNMH).
- 6064. Udara (Penudara) albocaerulea albocaerulea (Moore,1879)** (Lycaenidae) Polyommatus albocaeruleus Moore,1879, Proc. zool. Soc. London 1879: 139. Syntypes ♂♀: Nepal, Deyra Doon. Lectotype ♂: India, designated by Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 153 (BNMH).
- 6065. Udara (s.str.) Toxopeus,1928** (Lycaenidae) Udara Toxopeus,1928, Tijdschr. Ent. 71: 181, 219. Type-species: Polyommatus dilectus Moore,1879, Proc. zool. Soc. Lond. 1879: 139, by original designation.
- 6066. Udara (s.str.) dilecta (Moore,1879)** (Lycaenidae) Polyommatus dilectus Moore,1879, Proc. zool. Soc. London 1879: 139. Syntypes ♂♀: Nepal; N. Cachar. Lectotype ♂: Nepal, designated by Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 85 (BMNH).
- 6067. Udara (s.str.) dilecta dilecta (Moore,1879)** (Lycaenidae) Polyommatus dilectus Moore,1879, Proc. zool. Soc. London 1879: 139. Syntypes ♂♀: Nepal; N. Cachar. Lectotype ♂: Nepal, designated by Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 85 (BMNH).
- 6068. Ussuriana Tutt,[1907]** (Lycaenidae) Ussuriana Tutt,[1907], Nat. Hist. Br. Butts. 2: 276. Type-species: Thecla michaelis Oberthür,1880, by original designation.
- 6069. Vansomerena Heath,1997** (Lycaenidae) Vansomerena Heath,1997, Metamorphosis Suppl.2: 13. Type-species: Desmolycaena rogersi Riley,1932, by original designation.
- 6070. Vansomerena rogersi (Riley,1932)** (Lycaenidae) Desmolycaena rogersi Riley,1932, Ann. Mag. nat. Hist. 10 (10): 149-150, pl. ix figs. 11-14. Holotype ♂: [Tanzania]: Tanganyika Terr. Kongwa, W. of Dar-es-Salaam (Oxford Univ. Museum).
- 6071. Wagimo Sibatani & Ito,1942** (Lycaenidae) Wagimo Sibatani & Ito,1942, Tenthredo, Kyoto 3 (4): 319. Type-species: Thecla signata Butler,[1882], by original designation.
- 6072. Zeltus De Nicéville,1890** (Lycaenidae) Zeltus De Nicéville,1890, Butts India Burmah Ceylon 3: 399. Type-species: Papilio etolus Fabricius,1787, by original designation.
- 6073. Zintha Eliot,1973** (Lycaenidae) Zintha Eliot,1973, Bull. Br. Mus. nat. Hist. Ent. 28 (6): 453. Type-species: Lycaena hintza Trimen,1864, by original designation.
- 6074. Zintha hintza (Trimen,1864)** (Lycaenidae) Lycaena hintza Trimen,1864, Trans. ent. Soc. London (3) 2: 177. Type: South Africa: "British Kaffraria".
- 6075. Zintha hintza hintza (Trimen,1864)** (Lycaenidae) Lycaena hintza Trimen,1864, Trans. ent. Soc. London (3) 2: 177. Type: South Africa: "British Kaffraria".
- 6076. Zintha hintza krooni (Dickson,1973)** (Lycaenidae) Castalius hintza ssp. krooni Dickson,1973, Entomologist's Rec. J. Var. 85: 137, pl.9 figs.1-4. Holotype: Namibia: "Otavi".
- 6077. Zintha hintza resplendens (Butler,1876)** (Lycaenidae) Castalius resplendens Butler,1876, Ann. Mag. nat. Hist. (4) 18: 484. Syntypes: [Ethiopia]: "Atbara".
- 6078. Zizeeria Chapman,1910** (Lycaenidae) Zizeeria Chapman,1910, Trans. ent. Soc. Lond. 1910: 480,482. Type-species: Polyommatus karsandra Moore,1865, Proc. zool. Soc. Lond. 1865(2):505, pl.31, fig.7, by original designation.
- 6079. Zizeeria karsandra (Moore,1865)** (Lycaenidae) Polyommatus karsandra Moore,1865, Proc. zool. Soc. London 35: 505, pl.31, fig.7. Type: [India]: NW.India: from Oudh to the Punjab.
- 6080. Zizeeria karsandra karsandra (Moore,1865)** (Lycaenidae) Polyommatus karsandra Moore,1865, Proc. zool. Soc. London 35: 505, pl.31, fig.7. Type: [India]: NW.India: from Oudh to the Punjab.
- 6081. Zizeeria knysna (Trimen,1862)** (Lycaenidae) Lycaena knysna Trimen,1862, Trans. ent. Soc. Lond. (3) 1: 282. Syntypes: South Africa: Cape Town, Knysna, Plettenberg Bay, King William's Town, Graham's Town, Keiskamma River, near Bodiam, Port Elisabeth.
- 6082. Zizeeria knysna knysna (Trimen,1862)** (Lycaenidae) Lycaena knysna Trimen,1862, Trans. ent. Soc. Lond. (3) 1: 282. Syntypes: South Africa: Cape Town, Knysna, Plettenberg Bay, King William's Town, Graham's Town, Keiskamma River, near Bodiam, Port Elisabeth.
- 6083. Zizina Chapman,1910** (Lycaenidae) Zizina Chapman,1910, Trans. ent. Soc. Lond. 1910: 482. Type-species: Polyommatus labradus Godart,[1824], by original designation.
- 6084. Zizina antanossa (Mabille,1877)** (Lycaenidae) Lycaena antanossa Mabille,1877, Bull. Soc. ent. Fr. (5)7: 72. Syntypes: Madagascar.
- 6085. Zizina antanossa antanossa (Mabille,1877)** (Lycaenidae) Lycaena antanossa Mabille,1877, Bull. Soc. ent. Fr. (5)7: 72. Syntypes: Madagascar.
- 6086. Zizina otis (Fabricius,1787)** (Lycaenidae) Papilio otis Fabricius,1787, Mant. Ins. 2: 73, nr.689. Type(s): China.
- 6087. Zizina otis indica (Murray,1874)** (Lycaenidae) Lycaena indica Murray, 1874, Trans. ent. Soc. Lond. 1874: 525, pl.10 figs. 2,3.
- 6088. Zizina otis otis (Fabricius,1787)** (Lycaenidae) Papilio otis Fabricius,1787, Mant. Ins. 2: 73, nr.689. Type(s): China.
- 6089. Zizina otis sangra (Moore,1865)** (Lycaenidae) Polyommatus sangra Moore,1865, Proc. zool. Soc. London 1865: 772, pl.41 f.8. Type: Bengal.
- 6090. Zizula Chapman,1910** (Lycaenidae) Zizula Chapman,1910, Trans. ent. Soc. Lond. 1910: 483. Type-species: Lycaena gaika Trimen,1862, by original designation.
- 6091. Zizula hylax (Fabricius,1775)** (Lycaenidae) Papilio hylax Fabricius,1775, Syst. Ent.: 526. Type(s): India orientali.
- 6092. Zizula hylax hylax (Fabricius,1775)** (Lycaenidae) Papilio hylax Fabricius,1775, Syst. Ent.: 526. Type(s): India orientali.
- 6093. Albarracina warionis (Oberthür,1881)** (Lymantriidae) Bombyx warionis Oberthür,1881, Etud. Ent. 6: 75. Syntypes: Algerie: Oran.
- 6094. Albarracina warionis syriaca Standfuss,[1890]** (Lymantriidae) Albarracina korbi var. syriaca Standfuss,[1890], Dt. ent. Z., Iris 2: 266. [Israel]: Palestina: Jaffa.
- 6095. Albarracina warionis warionis (Oberthür,1881)** (Lymantriidae) Bombyx warionis Oberthür,1881, Etud. Ent. 6: 75. Syntypes: Algerie: Oran.
- 6096. Amphekes Collenette,1936** (Lymantriidae) Amphekes Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 332. Type-species: Amphekes gymna Collenette,1936, by original designation.
- 6097. Amphekes gymna Collenette,1936** (Lymantriidae) Amphekes gymna Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 333, pl.7 fig.1. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6098. Arctornis cecconimena Collenette,1936** (Lymantriidae) Arctornis cecconimena Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 330, pl.7 fig.3. Holotype ♂: China: North Yunnan, Likiang (ZMB).

- 6099. *Arctornis cloanges* Collenette, 1936** (Lymantriidae) *Arctornis cloanges* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 331-332, pl. 7 fig. 4. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6100. *Arctornis cygna* (Moore, 1879)** (Lymantriidae) *Redoa cygna* Moore, 1879, Proc. zool. Soc. London 1879: 401. Syntypes ♂♀: India: N.E. Bengal.
- 6101. *Arctornis gelasphora* Collenette, 1936** (Lymantriidae) *Arctornis gelasphora* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 331. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6102. *Arctornis xanthochila* Collenette, 1936** (Lymantriidae) *Arctornis xanthochila* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 330-331, pl. 7 fig. 2. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6103. *Aroa substrigosa* Walker, 1855** (Lymantriidae) *Aroa substrigosa* Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 4: 794. Syntypes: Silhet, Java, Hong-Kong.
- 6104. *Calliteara abietis* ([Denis & Schiffermüller], 1775)** (Lymantriidae) *Bombyx abietis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 55. Type(s): [Austria]: Vienna district.
- 6105. *Calliteara horsfieldii* (Saunders, 1851)** (Lymantriidae) *Arctia horsfieldii* Saunders, 1851, Trans. ent. Soc. London 1851: 162, pl. 12 figs. 1, 2.
- 6106. *Casama innotata* (Walker, 1855)** (Lymantriidae) *Spilosoma innotata* Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 3: 674. Type: Egypt.
- 6107. *Cispia charma* Swinhoe, 1899** (Lymantriidae) *Cispia charma* Swinhoe, 1899, Ann. Mag. nat. Hist. (7) 3: 112. Type ♂: [India]: "Karwar" (coll. Davidson).
- 6108. *Dasorgyia Staudinger, 1881*** (Lymantriidae) *Dasorgyia Staudinger, 1881*, Stettin ent. Ztg. 42: 405-406. Type-species: *Dasychira pumila* Staudinger, 1881, by monotypy.
- 6109. *Dasorgyia pumila* (Staudinger, 1881)** (Lymantriidae) *Dasychira pumila* Staudinger, 1881, Stettin ent. Ztg. 42: 405-406. Syntypes 2♂: [Kazakhstan]: Saisan.
- 6110. *Dasorgyia selenophora pamirica* Strand, 1911** (Lymantriidae) *Dasorgyia selenophora f. pamirica* Strand, 1911, [in] Seitz, A., Gross-Schmett. Erde. 2: 120 (22b). Type: [Tadjikistan]: Pamir.
- 6111. *Dasychira cyrteschata* Collenette, 1939** (Lymantriidae) *Dasychira cyrteschata* Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 337, pl. 12 figs. 2, 3. Holotype ♂: [China]: N. Yunnan, A-tun-tse (coll. Höne).
- 6112. *Dasychira feminula likiangensis* Collenette, 1936** (Lymantriidae) *Dasychira feminula ssp. likiangensis* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 339-340, pl. 7 fig. 19. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6113. *Dasychira glaucinoptera batangensis* Collenette, 1939** (Lymantriidae) *Dasychira glaucinoptera ssp. batangensis* Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 336 pl. 12 fig. 8. Holotype ♂: [China]: Tibet, Batang 3800m (coll. Höne).
- 6114. *Dasychira hoenei* Collenette, 1936** (Lymantriidae) *Dasychira hoenei* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 340, pl. 7 fig. 15. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6115. *Dasychira pilodes* Collenette, 1936** (Lymantriidae) *Dasychira pilodes* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 342-343, pl. 7 fig. 12. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6116. *Dasychira planozona* Collenette, 1936** (Lymantriidae) *Dasychira planozona* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 343-344, pl. 7 fig. 18. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6117. *Dasychira polysphena* Collenette, 1936** (Lymantriidae) *Dasychira polysphena* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 338-339, pl. 7 fig. 17. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6118. *Dasychira psolobalia* Collenette, 1936** (Lymantriidae) *Dasychira psolobalia* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 341, pl. 7 fig. 9. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6119. *Dasychira pytna* (Druce, 1898)** (Lymantriidae) *Oecura pytna* Druce, 1898, Ann. Mag. nat. Hist. (7) 1: 210. Type ♂: "West Africa, Gambia (Mus. Druce)".
- 6120. *Dasychira simiolus* Collenette, 1936** (Lymantriidae) *Dasychira simiolus* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 338, pl. 7 fig. 11. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6121. *Dicallomera nivalis obscurata* (Staudinger, [1900])** (Lymantriidae) *Dasychira nivalis* var. *obscurata* Staudinger, [1900], Dt. ent. Z., Iris 12: 337-338. Syntypes: [China: Uighur A.R.]: Chamyl [Kumul].
- 6122. *Euproctis aroa* (Bethune-Baker, 1904)** (Lymantriidae) *Porthesia aroa* Bethune-Baker, 1904, Novit. zool. 11: 397-398. Type: Papua New Guinea. Aroa river.
- 6123. *Euproctis brachychlaena* Collenette, 1936** (Lymantriidae) *Euproctis brachychlaena* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 335, pl. 7 fig. 13. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6124. *Euproctis callichlaena* Collenette, 1936** (Lymantriidae) *Euproctis callichlaena* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 337, pl. 7 fig. 14. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6125. *Euproctis chrysorrhoea* (Linnaeus, 1758)** (Lymantriidae) *Phalaena Bombyx chrysorrhoea* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 502. Type(s): "Habitat in Pomonae arboribus, Quercu, Alno".
- 6126. *Euproctis chrysosoma* Collenette, 1939** (Lymantriidae) *Euproctis chrysosoma* Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 332, pl. 12 figs. 11, 14. Holotype ♂: [China]: Tse-Kou, SW of Ta-tien-lou (BMNH).
- 6127. *Euproctis conistica* Collenette, 1936** (Lymantriidae) *Euproctis conistica* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 336-337, pl. 7 fig. 5. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6128. *Euproctis corbetti* Tams, 1928** (Lymantriidae) *Euproctis corbetti* Tams, 1928, Ann. Mag. nat. Hist. (10) 1: 628. Type ♂: Malaysia: Kuala Lumpur.
- 6129. *Euproctis diploxutha* Collenette, 1939** (Lymantriidae) *Euproctis diploxutha* Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 333, pl. 12 fig. 4. Holotype ♂: [China]: W. Yunnan, Teng-yueh-ting (BMNH).
- 6130. *Euproctis electrophanes* Collenette, 1936** (Lymantriidae) *Euproctis electrophanes* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 335, pl. 7 fig. 7. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6131. *Euproctis flava* (Fabricius, 1775)** (Lymantriidae) *Bombyx flava* Fabricius, 1775, Syst. Ent.: 574.
- 6132. *Euproctis flavata* (Stoll, 1780)** (Lymantriidae) *Phalaena flavata* Stoll, 1780, [in] Cramer, Uitl. Kapellen 4: 36, pl. 307C. Type: Samarang, Java.
- 6133. *Euproctis flavipennis* Snellen, 1879** (Lymantriidae) *Euproctis flavipennis* Snellen, 1879, Tijdschr. Ent. 22: 107. Type: Mangkasar.
- 6134. *Euproctis fraterna* (Moore, 1883)** (Lymantriidae) *Artaxa fraterna* Moore, 1883, Lepid. Ceylon 2: 85. Type: [Sri Lanka]: Ceylon.
- 6135. *Euproctis glaphyra* Collenette, 1936** (Lymantriidae) *Euproctis glaphyra* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 333, pl. 7 fig. 6. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6136. *Euproctis hapala* Collenette, 1932** (Lymantriidae) *Euproctis hapala* Collenette, 1932, Novit. zool. 38: 61, pl. 1 fig. 16. Type ♀: Malaysia: Pahang.
- 6137. *Euproctis hypoenops* Collenette, 1939** (Lymantriidae) *Euproctis hypoenops* Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 329-330, pl. 12 fig. 2. Holotype ♂: [China]: Tibet Batang, 3800m.
- 6138. *Euproctis leucorhabda* Collenette, 1939** (Lymantriidae) *Euproctis leucorhabda* Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 336, pl. 12 fig. 1. Holotype ♀: Philippines: West Samar, Antiago valley.
- 6139. *Euproctis lunata* Walker, 1855** (Lymantriidae) *Euproctis lunata* Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 4: 837.
- 6140. *Euproctis magna* (Swinhoe, 1891)** (Lymantriidae) *Somena magna* Swinhoe, 1891, Trans. ent. Soc. London 1891: 479. Type: India: Khasia Hills.
- 6141. *Euproctis melania* (Staudinger, 1892)** (Lymantriidae) *Porthesia melania* Staudinger, 1892, Dt. ent. Z., Iris 4: 255-256. Syntypes: [Türkei]: Amasia, Malatia, Mardin.
- 6142. *Euproctis melanochroma* Collenette, 1939** (Lymantriidae) *Euproctis melanochroma* Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 333, pl. 12 fig. 16. Holotype ♂: Philippines: Luzon, Prov. Benguet, Sapiangao (BMNH).
- 6143. *Euproctis merhaba* Koçak & Kemal, 2006** (Lymantriidae) *Euproctis aroa* Bethune-Baker, 1904, Novit. zool. 11: 401. Type ♀: Papua New Guinea: Aroa river.
- 6144. *Euproctis parva* Collenette, 1939** (Lymantriidae) *Euproctis parva* Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 330, pl. 12 fig. 10. Holotype ♂: [China]: Shaowu: Fukien (coll. Höne).
- 6145. *Euproctis pinoptera* Collenette, 1939** (Lymantriidae) *Euproctis pinoptera* Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 332, pl. 12 fig. 15. Holotype ♂: [Vietnam]: Upper Tonkin, Prov. Laokay: Muong-Khuong, 900-1000m (BMNH).
- 6146. *Euproctis plana* Walker, 1856** (Lymantriidae) *Euproctis plana* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1731.
- 6147. *Euproctis producta* Walker, 1863** (Lymantriidae) *Euproctis producta* Walker, 1863, Proc. zool. Soc. London 1863: 168. Type: Madagascar.

- 6148. Euproctis schaliphora Collenette, 1936** (Lymantriidae) Euproctis schaliphora Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 334, pl. 7 fig. 10. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6149. Euproctis scintillans (Walker, 1856)** (Lymantriidae) Somana scintillans Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1734.
- 6150. Euproctis scintillans scintillans (Walker, 1856)** (Lymantriidae) Somana scintillans Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1734.
- 6151. Euproctis semisignata (Walker, 1865)** (Lymantriidae) Cispia semisignata Walker, 1865, List Specimens lepid. Insects Colln Br. Mus. 32: 356.
- 6152. Euproctis similis (Fuessly, 1775)** (Lymantriidae) Phalaena similis Fuessly, 1775, Verz. Schweiz. Ins.: 35. Type(s): Schweiz.
- 6153. Euproctis subnotata (Walker, 1865)** (Lymantriidae) Orvasca subnotata Walker, 1865, List Specimens lepid. Insects Colln Br. Mus. 32: 502.
- 6154. Euproctis tanaocera Collenette, 1939** (Lymantriidae) Euproctis tanaocera Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 331, pl. 12 fig. 13. Holotype ♂: [China]: Moupin.
- 6155. Euproctis telephanes Collenette, 1939** (Lymantriidae) Euproctis telephanes Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 335, pl. 12 fig. 5, 17. Holotype ♂: [China]: Kiang-su, Nanking (BMNH).
- 6156. Euproctis tridens Collenette, 1939** (Lymantriidae) Euproctis tridens Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 334, pl. 12 fig. 7. Holotype ♂: [China]: N. Yunnan: A-tun-tse (coll. Höne).
- 6157. Euproctis tristicta Collenette, 1939** (Lymantriidae) Euproctis tristicta Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 334-335, pl. 12 fig. 9. Holotype ♂: [Vietnam]: Upper Tonkin, Muong-Kuong, Prov. Laokay.
- 6158. Euproctis varians (Walker, 1855)** (Lymantriidae) Artaxa varians Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 4: 796.
- 6159. Euproctis virgo Swinhoe, 1903** (Lymantriidae) Euproctis virgo Swinhoe, 1903, Trans. ent. Soc. London 1903: 398. Type: [Myanmar]; Upper Burma: Mandalang.
- 6160. Euproctis virguncula Walker, 1855** (Lymantriidae) Euproctis virguncula Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 4: 836.
- 6161. Euproctis yunnana Collenette, 1939** (Lymantriidae) Euproctis yunnana Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 330-331, pl. 12 fig. 6. Holotype ♂: [China]: W. Yunnan, Teng-yueh-ting (BMNH).
- 6162. Grammoa striata Aurivillius, [1905]** (Lymantriidae) Grammoa striata Aurivillius, [1905], Ark. Zool. 2 (4): 51, fig. 36. Type: Kamerun.
- 6163. Himala argentea (Walker, 1855)** (Lymantriidae) Redoa argentea Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 4: 827. Type ♂: India: Kangra.
- 6164. Ilema vaneckei (Collenette, 1932)** (Lymantriidae) Dasychira vaneckei Collenette, 1932, Novit. zool. 38: 86.
- 6165. Imaus munda (Walker, 1855)** (Lymantriidae) Lymantria munda Walker, 1855, List 4: 875.
- 6166. Laelia batoides whitei (Druce, 1898)** (Lymantriidae) Oecura whitei Druce, 1898, Ann. Mag. nat. Hist. (7) 1: 209. Type ♀: "West Africa, Old Calabar (White, Mus. Druce)".
- 6167. Leucoma impressa Snellen, 1877** (Lymantriidae) Leucoma impressa Snellen, 1877, Tijdschr. Ent. 20: 8.
- 6168. Leucoma salicis (Linnaeus, 1758)** (Lymantriidae) Phalaena salicis Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 502.
- 6169. Leucoma salicis salicis (Linnaeus, 1758)** (Lymantriidae) Phalaena salicis Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 502.
- 6170. Leucoma sartus (Erschoff, 1874)** (Lymantriidae) Ocnaria sartus Erschoff, 1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 24, Pl. 2 fig. 32.
- 6171. Leucoma surtur (A. Bang-Haas, 1912)** (Lymantriidae) Stilpnotia surtur A. Bang-Haas, 1912, Dt. ent. Z., Iris 26: 107. Syntypes: [Uighur Ili]: Juldus-Gebiet.
- 6172. Leucoma wiltshirei Collenette, 1938** (Lymantriidae) Leucoma Hübner, 1822
- 6173. Lymantria alexandrae Schintlmeister, 1994** (Lymantriidae) Lymantria alexandrae Schintlmeister, 1994, Heteroc. Sumatr. 7: 124.
- 6174. Lymantria argyrochroa Collenette, 1936** (Lymantriidae) Lymantria argyrochroa Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 345, pl. 7 fig. 16. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6175. Lymantria asoetria Hübner, 1826** (Lymantriidae) Lymantria asoetria Hübner, 1826, Samml. exot. Schmett. 2: pl. 178, figs. 1-4.
- 6176. Lymantria barlowi Schintlmeister, 1994** (Lymantriidae) Lymantria barlowi Schintlmeister, 1994, Heteroc. Sumatr. 7: 125.
- 6177. Lymantria beatrix (Stoll, [1790])** (Lymantriidae) Phalaena beatrix Stoll, [1790], Utitl. Kapellen 5: 173, pl. 40 fig. 2.
- 6178. Lymantria brunneiplaga Swinhoe, 1903** (Lymantriidae) Lymantria brunneiplaga Swinhoe, 1903, Trans. ent. Soc. London 1903: 491.
- 6179. Lymantria destituta (Staudinger, 1892)** (Lymantriidae) Ocnaria destituta Staudinger, 1892, Dt. ent. Z., Iris 4: 256-257. Type 1♂: [Türkei]: Mardin, 12. Juni (Manissadjian's collector).
- 6180. Lymantria dispar (Linnaeus, 1758)** (Lymantriidae) Phalaena dispar Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 501.
- 6181. Lymantria ganara Moore, [1860]** (Lymantriidae) Lymantria ganara Moore, [1860], Cat. lepid. Insects E Ind. Co. 2: 344.
- 6182. Lymantria hera Druce, 1898** (Lymantriidae) Lymantria hera Druce, 1898, Ann. Mag. nat. Hist. (7) 1: 209. Syntypes 1♂ 1♀: [Tanzania]: "East Africa, Dar-es-Salaam (Mus. Druce)".
- 6183. Lymantria hollowayi Schintlmeister, 1994** (Lymantriidae) Lymantria hollowayi Schintlmeister, 1994, Heteroc. Sumatr. 7: 123.
- 6184. Lymantria inordinata Walker, 1865** (Lymantriidae) Lymantria inordinata Walker, 1865, List 32: 368.
- 6185. Lymantria kita Collenette, 1932** (Lymantriidae) Lymantria kita Collenette, 1932, Novit. zool. 38: 97.
- 6186. Lymantria kobesi Schintlmeister, 1994** (Lymantriidae) Lymantria kobesi Schintlmeister, 1994, Heteroc. Sumatr. 7: 125.
- 6187. Lymantria lapidicola urbicola Staudinger, 1879** (Lymantriidae) Lymantria lapidicola var. urbicola Staudinger, 1879, Horae Soc. ent. ross. 14: 352-353. Syntypes: [Türkei]: Amasia (Kerasdere).
- 6188. Lymantria marginalis Walker, 1862** (Lymantriidae) Lymantria marginalis Walker, 1862, J. linn. Soc. (Zool.) 6: 131.
- 6189. Lymantria minora Van Eecke, 1928** (Lymantriidae) Lymantria minora Van Eecke, 1928, Zool. Mede., Leiden 11: 105.
- 6190. Lymantria narindra Moore, [1860]** (Lymantriidae) Lymantria narindra Moore, [1860], Cat. lepid. Ins. Mus. E. Ind. Co. 2: 342.
- 6191. Lymantria panthera (Van Eecke, 1928)** (Lymantriidae) Dura panthera Van Eecke, 1928, Zool. Meded., Leiden 11: 137.
- 6192. Lymantria rhabdota Collenette, 1949** (Lymantriidae) Lymantria rhabdota Collenette, 1949, Ann. Mag. nat. Hist. (12) 1: 728.
- 6193. Lymantria semicincta (Walker, 1855)** (Lymantriidae) Alope semicincta Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 3: 620. Type: North India.
- 6194. Lymantria serva (Fabricius, 1793)** (Lymantriidae) Bombyx serva Fabricius, 1793, Ent. Syst. 3 (1): 474. Type(s): India orientalis.
- 6195. Lymantria servula Collenette, 1936** (Lymantriidae) Lymantria servula Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 344-345, pl. 7 fig. 8. Holotype ♂: China: North Yunnan, Likiang (ZMB).
- 6196. Lymantria singapura Swinhoe, 1906** (Lymantriidae) Lymantria singapura Swinhoe, 1906, Ann. Mag. nat. Hist. (7) 17: 547. Type: Singapura (BMNH).
- 6197. Lymantria strigata Aurivillius, 1894** (Lymantriidae) Lymantria strigata Aurivillius, 1894, Ent. Tidskr. 15 (2): 172.
- 6198. Lymantria sublunata (Rothschild, 1920)** (Lymantriidae) Dasychira sublunata Rothschild, 1920, J. fed. Malay St. Mus. 8 (3): 132.
- 6199. Marblepsis flabellaria (Fabricius, 1787)** (Lymantriidae) Phalaena flabellaria Fabricius, 1787, Mant. Ins. 2: 188. Type(s): Africa.
- 6200. Melanothrix alternans Pagenstecher, 1890** (Lymantriidae) Melanothrix alternans Pagenstecher, 1890, Dt. ent. Z., Iris 3: 13. Type ♀: [Philippines]: Palawan.
- 6201. Naroma signifera Walker, 1856** (Lymantriidae) Naroma signifera Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1744. Type ♂: Sierra Leone.
- 6202. Naroma varipes (Walker, 1865)** (Lymantriidae) Hysibada varipes Walker, 1865, List Specimens lepid. Insects Colln Br. Mus. 32: 498. Type ♀: [South Africa]: Natal.
- 6203. Numenes siletti Walker, 1855** (Lymantriidae) Numenes siletti Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 3: 663.
- 6204. Numenes siletti siletti Walker, 1855** (Lymantriidae) Numenes siletti Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 3: 663.
- 6205. Ocnaria Hübner, [1819]** (Lymantriidae) Ocnaria Hübner, [1819], Verz. bekannt. Schmett. 158. Type-species: Bombyx

rubea [Denis & Schiffermüller], 1775, by subsequent designation by Kirby, 1892.

6206. *Ocneria audeoudi* Brandt, 1938 (Lymantriidae) *Ocneria audeoudi* Brandt, 1938, Ent. Rdsch. 55: 674-675, Taf. iv figs. 12, 13. Syntypes: Iran: Fars: Sine Sefid.

6207. *Ocneria insolita* Brandt, 1938 (Lymantriidae) *Ocneria insolita* Brandt, 1938, Ent. Rdsch. 55: 674, fig. 425. Type ♂: Iran: Fars: Mian-Kotal.

6208. *Ocneria iranica* Brandt, 1938 (Lymantriidae) *Ocneria iranica* Brandt, 1938, Ent. Rdsch. 55: 674, Taf. iv figs. 14, 15. Syntypes: Iran: Fars: Sine Sefid, Mian-Kotal.

6209. *Ocneria rubea* ([Denis & Schiffermüller], 1775) (Lymantriidae) *Bombyx rubea* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 51. Type(s): [Austria]: Vienna district.

6210. *Ocneria terebynthina* Staudinger, [1895] (Lymantriidae) *Ocneria terebynthina* Staudinger, [1895], Dt. ent. Z., Iris 7: 259-260. Syntypes ♂♂: [Türkei]: Mardin.

6211. *Ocneroglypta* Staudinger, 1892 (Lymantriidae) *Ocneroglypta* Staudinger, 1892, Dt. ent. Z., Iris 4: 254. Type-species: *Ocneroglypta amanda* Staudinger, 1892, by monotypy.

6212. *Ocneroglypta amanda* Staudinger, 1892 (Lymantriidae) *Ocneroglypta amanda* Staudinger, 1892, Dt. ent. Z., Iris 4: 254-255. Type 1♂: [Türkei]: Mardin (Manissadjian).

6213. *Ogoa Walker*, 1856 (Lymantriidae) *Ogoa* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1763. Type-species: *Ogoa simplex* Walker, 1856, by monotypy.

6214. *Ogoa simplex* Walker, 1856 (Lymantriidae) *Ogoa simplex* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1763. Type: [South Africa]: [Durban]: Port Natal.

6215. *Olene inclusa* (Walker, 1856) (Lymantriidae) *Dasychira inclusa* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1737. Type: Java (BMNH).

6216. *Olene inclusa inclusa* (Walker, 1856) (Lymantriidae) *Dasychira inclusa* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1737. Type: Java (BMNH).

6217. *Olene mendosa* Hübner, [1823] (Lymantriidae) *Olene mendosa* Hübner, [1823], Samml. exot. Schmett. Zutr. 2: 19, nr. 147, figs. 293-294.

6218. *Orgyia flavolimbata* Staudinger, 1881 (Lymantriidae) *Orgyia flavolimbata* Staudinger, 1881, Stettin ent. Ztg. 42: 404. Syntypes ♂♂: [Kazachstan]: Saisan.

6219. *Orgyia ochrolimbata* Staudinger, 1881 (Lymantriidae) *Orgyia ochrolimbata* Staudinger, 1881, Stettin ent. Ztg. 42: 405. Syntypes 2 ex: "südwestl. Caucasus".

6220. *Orgyia trigotephras orientalis* Staudinger, 1901 (Lymantriidae) *Orgyia trigotephras* var. *orientalis* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 114, nr. 888e. Syntypes: [Türkei]: "Taur. or. m. (Akbes); Ant; Syr; Pal."

6221. *Orgyia turbata* Butler, 1879 (Lymantriidae) *Orgyia turbata* Butler, 1879, Trans. linn. Soc. London (2) 1: 560.

6222. *Pantana terminata* (Walker, 1865) (Lymantriidae) *Genusa terminata* Walker, 1865, List Specimens lepid. Insects Colln Br. Mus. 32: 340

6223. *Perina nuda* (Fabricius, 1787) (Lymantriidae) *Bombyx nuda* Fabricius, 1787, Mantissa Insectorum 2: 119. Type: India, on *Amaranthus spinosus*.

6224. *Pirga transvalensis* Janse, 1915 (Lymantriidae) *Pirga transvalensis* Janse, 1915, Ann. Transv. Mus. 5(1): 13, pl. iii fig. 1. Type: [South Africa]: "Kalkbank (Zoutpansberg District)" (coll. Janse) (TMP).

6225. *Psalis pennatula* (Fabricius, 1793) (Lymantriidae) *Bombyx pennatula* Fabricius, 1793, Ent. Syst. 3 (1): 465. Type(s): India orientalis.

6226. *Redoa submarginata* Walker, 1855 (Lymantriidae) *Redoa submarginata* Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 4: 826.

6227. *Scarpona lerwa* (Swinhoe, 1899) (Lymantriidae) *Topomesa lerwa* Swinhoe, 1899, Ann. Mag. nat. Hist. (7) 3: 111-112. Type ♂: [India]: "Castle Rock, Karwar" (coll. Davidson).

6228. *Uliolepis* Warren, 1897 (Lymantriidae) *Uliolepis* Warren, 1897, Novit. zool. 4: 385. Type-species: *Uliolepis pilosa* Warren, 1897, by original designation (originally proposed in the Geometridae but transferred to the Lymantriidae by Prout in 1938).

6229. *Uliolepis signatoria* (Christoph, 1893) (Lymantriidae) *Ocneria signatoria* Christoph, 1893, Dt. ent. Z., Iris 6: 88. [Azerbaijan]: Transcaucasi, Eldar.

6230. *Bedellia* Stainton, 1849 (Lyoniidae) *Bedellia* Stainton, 1849, Attempt Syst. Cat. Br. Tineidae Pterophoridae: 23. Type-species: *Bedellia orpheella* Stainton, 1849, ibidem: 23, by monotypy.

6231. *Leucoptera* Hübner, [1825] (Lyoniidae) *Leucoptera* Hübner, [1825], Verz. bekannter Schmett.: 426. Type-species: *Tinea spartifoliella* Hübner, [1813], Samml. eur. Schmett. 8: pl. 49, fig. 335, by subsequent designation by Walsingham, 1914, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4: 348.

6232. *Leucoptera aceris* (Fuchs, 1903) (Lyoniidae) *Cemiostoma aceris* Fuchs, 1903, Stettin ent. Ztg. 64: 245-247. Lectotype ♂: Deutschland: Mittelrhein, Bornich, designated by Mey, 1994: 207 (HNHM).

6233. *Leucoptera andalusica* Mey, 1994 (Lyoniidae) *Leucoptera andalusica* Mey, 1994, Dt. ent. Z., N.F. 41: 196-198, figs. Holotype ♂: Spanien: Prov. Malaga, 14 km westl. Algeciras, 200 m leg. M. & W. Glaser (MNHB).

6234. *Leucoptera karsholti* Mey, 1994 (Lyoniidae) *Leucoptera karsholti* Mey, 1994, Dt. ent. Z., N.F. 41: 211. Holotype ♂: Marokko: Asni, 1000-1400 m (MNHB).

6235. *Leucoptera malifoliella* (Costa, [1836]) (Lyoniidae) *Elachista malifoliella* Costa, [1836], Fauna del Regno di Napoli: 239. Type(s): Italien: Neapel.

6236. *Leucoptera nieukerkeni* Mey, 1994 (Lyoniidae) *Leucoptera nieukerkeni* Mey, 1994, Dt. ent. Z., N.F. 41: 208-209, figs. Holotype ♂: Griechenland: Vardhousia, Anatoli 5 km SE Mamara (MNML).

6237. *Lyonetia clerkella* (Linnaeus, 1758) (Lyoniidae) *Phalaena clerkella* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 542.

6238. *Lyonetia prunifoliella* (Hübner, 1796) (Lyoniidae) *Tinea prunifoliella* Hübner, 1796, Samml. eur. Schmett. Tineae: fig. 191. Type(s): Europa.

6239. *Lypusa maurella* ([Denis & Schiffermüller], 1775) (Lypusidae) *Tinea maurella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): [Austria]: Vienna district.

6240. *Metarbela alluaudi* Le Cerf, 1914 (Metarbelidae) *Metarbela alluaudi* Le Cerf, 1914, Bull. Soc. ent. Fr. 83: 104. Type: British East Africa.

6241. *Metarbela haberlandorum* I. Lehmann, 1997 (Metarbelidae) *Metarbela haberlandorum* I. Lehmann, 1997, Nache. ent. Ver. Apollo (N.F.) 18 (1): 47-51, figs. Holotype ♂: Kenya, Kwale District, Kaya Muhaka 45 km, I. Lehmann leg. (BMNH).

6242. *Squamura Heylaerts*, 1890 (Metarbelidae) *Squamura Heylaerts*, 1890, Annl. Soc. ent. Belg. 34: Bull., p. xxvi. Type-species: *Squamura maculata* Heylaerts, 1890, by monotypy.

6243. *Squamura disciplaga* (Swinhoe, 1901) (Metarbelidae) *Arbela disciplaga* Swinhoe, 1901, Ann. Mag. nat. Hist. (7) 7: 469.

6244. *Squamura maculata* Heylaerts, 1890 (Metarbelidae) *Squamura maculata* Heylaerts, 1890, Annl. Soc. ent. Belg. 34: Bull., p. xxvi-xxvii. Type ♂: [Indonesia]: Fort de Kock (Sumatra), leg. Van Riemsdyk.

6245. *Micropterixina* Zagulyaev, 1983 (Micropterigidae) *Micropterixina* Zagulyaev, 1983, Ent. Obozr. 62: 113. Type-species: *Micropterix amasiella* Staudinger, 1880, Horae Soc. ent. ross. 15: 421, by original designation.

6246. *Micropterixina amasiella* (Staudinger, 1880) (Micropterigidae) *Micropterix amasiella* Staudinger, 1880, Horae Soc. ent. ross. 15: 421-422. Syntypes 2♂: [Türkei]: Amasia.

6247. *Micropterix* Hübner, [1825] (Micropterigidae) *Micropterix* Hübner, [1825], Verz. bekannter Schmett.: 426. Type-species: *Tinea podevinella* Hübner, [1813], Samml. eur. Schmett. 8: pl. 50 fig. 342, by subsequent designation by Meyrick, 1912, in Wytzman, Genera Insect. 132: 6.

6248. *Micropterix klimeschi* Heath, 1973 (Micropterigidae) *Micropterix klimeschi* Heath, 1973, Entomologist's Gaz. 24: 4-5, figs. 3-4. Holotype ♂: [Turkey]: Asia minor, Dedegöl Dag, 1700 m, leg. J. Heath (coll. Klimesch).

6249. *Micropterix minimella* Heath, 1973 (Micropterigidae) *Micropterix minimella* Heath, 1973, Entomologist's Gaz. 24: 3-4, figs. Holotype ♂: [Spain]: Mallorca, Ins. Balear, Paguera, leg. J. Heath (coll. Klimesch).

6250. *Micropterix tunbergella* (Fabricius, 1787) (Micropterigidae) *Tinea tunbergella* Fabricius, 1787, Mantissa Insectorum 2: 253. Type: Kilia.

6251. *Mirina confucius* Zolotuhin & Witt, 2000 (Mirinidae) *Mirina confucius* Zolotuhin & Witt, 2000, Entomofauna Suppl. 11: 15-

17. Holotype ♂: N.Vietnam: Mt. Fan-si-pan, N-Seite Cha-pa (=Sapa), 1600m leg. Schintlmeister & Sinjaev (MWM).
- 6252. Mompha (Anybia) epilobiella (Roemer,1794)** (Momphidae) *Alucita epilobiella* Roemer,1794, Berlin Naturf. Schrift. 11: 162.
- 6253. Mompha (Lophoptilus) Sircom,1848** (Momphidae) *Lophoptilus Sircom*,1848, Zoologist 6(63): 2037. Type-species: *Lophoptilus staintoni* Sircom,1848, ibidem 6(63): 2037, by monotypy.
- 6254. Mompha (Lophoptilus) miscella ([Denis & Schiffermüller],1775)** (Momphidae) *Tinea miscella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): [Austria]: Vienna district.
- 6255. Mompha (Psacaphora) locupletella ([Denis & Schiffermüller],1775)** (Momphidae) *Tinea locupletella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 141. Type(s): [Austria]: Vienna district.
- 6256. Mompha (Psacaphora) raschkiella (Zeller,1839)** (Momphidae) *Elachista raschkiella* Zeller,1839, Isis 1839: 211. Lectotype (BMNH).
- 6257. Mompha (s.str.) Hübner,[1825]** (Momphidae) *Mompha Hübner*,[1825], Verz. bekannter Schmett.: 414. Type-species: *Tinea conturbatella* Hübner,[1819], Samml. eur. Schmett. 8: pl.67 fig. 450, by subsequent designation by Walsingham & Durrant,1909, Entomologist's mon. Mag. 45: 173.
- 6258. Mompha (s.str.) bradleyi Riedl,1965** (Momphidae) *Mompha bradleyi* Riedl,1965, Polski Pismo Ent. 35: 447. Holotype ♂: Pologne: Szczecin-Dabie (BMNH).
- 6259. Mompha (s.str.) fulvescens (Haworth,[1828])** (Momphidae) *Recurvaria fulvescens* Haworth,[1828], Lep. Brit.: 554. Lectotype (BMNH).
- 6260. Mompha (s.str.) lacteella (Stephens,1834)** (Momphidae) *Anacampsis lacteella* Stephens,1834, Il. Brit. Ent. 4: 210. Lectotype (BMNH).
- 6261. Mompha (s.str.) ochraceella (Curtis,1839)** (Momphidae) *Laverna ochraceella* Curtis,1839, Brit. Ent.: 16, pl.735.
- 6262. Mompha (s.str.) propinquella (Stainton,1851)** (Momphidae) *Elachista propinquella* Stainton,1851, Suppl. Cat. Brit. Tin.: 8. Lectotype (BMNH).
- 6263. Mompha (s.str.) sturnipennella (Treitschke,1833)** (Momphidae) *Ornix sturnipennella* Treitschke,1833, Schmett. Eur. 9: 209.
- 6264. Mompha (s.str.) subbistrigella (Haworth,[1828])** (Momphidae) *Tinea subbistrigella* Haworth,[1828], Lep. Brit.: 581.
- 6265. Mompha (s.str.) subdivisella Bradley,1951** (Momphidae) *Mompha subdivisella* Bradley,1951, Entomologist's Gaz. 2: 177. Holotype ♂: Britain: Merton, Norfolk (BMNH).
- 6266. Ectoedemia (Fomoria) groschkei (Skala,1943)** (Nepticulidae) *Nepticula groschkei* Skala,1943, Z. wien. ent. Ges. 28: 86.
- 6267. Ectoedemia (Fomoria) luisae (Klimesch,1978)** (Nepticulidae) *Fomoria luisae* Klimesch,1978, Z. ArbGem. öst. Ent. 29 (3/4): 89-91, 6 Abb. Holotype ♂: [Türkei]: Turcia: [İstanbul]: Belgrad Orm[an]i, 200m.
- 6268. Ectoedemia Busck,1907** (Nepticulidae) *Ectoedemia Busck*,1907, Proc. ent. Soc. Wash. 8:97. Type-species: *Ectoedemia populella* Buck,1907, ibidem 8:98, by original designation.
- 6269. Enteucha Meyrick,1915** (Nepticulidae) *Enteucha Meyrick*,1915, Trans. ent. Soc. Lond. 1915: 241. Type-species: *Enteucha cyanochlora* Meyrick,1915, by monotypy
- 6270. Fomoria Beirne,1945** (Nepticulidae) *Fomoria Beirne*,1945, Proc. R. Ir. Acad. 50 (B): 208. Type-species: *Nepticula weaveri* Stainton,1855, Entomologist's Annu 1855 (Edn 1): 49, frontispiece fig.5, by original designation.
- 6271. Stigmella Schrank,1802** (Nepticulidae) *Stigmella Schrank*,1802, Fauna Boica 2(2): 169. Type-species: *Phalaena anomalella* Goeze,1783, Ent. Beyträge 3(4): 168, by subsequent designation by Walsingham,1908, Proc. zool. Soc. Lond. 1907: 1008.
- 6272. Stigmella alicia (Meyrick,1928)** (Nepticulidae) *Nepticula alicia* Meyrick,1928, Exot. Microlepid. 3: 461-462. Type 1 ex: [Thailand]: Siam: Lampang, February, "on train at night" (Alice MacKie) (BMNH).
- 6273. Stigmella aurella (Fabricius,1775)** (Nepticulidae) *Tinea aurella* Fabricius,1775; Syst. Ent.: 666. Type(s): Lipsia, on Pomona arboribus.
- 6274. Stigmella ulmivora (Fologne,1860)** (Nepticulidae) *Nepticula ulmivora* Fologne,1860, Ent. Wkly Intell. 8: 92.
- 6275. Stigmella viscerella (Stainton,1853)** (Nepticulidae) *Nepticula viscerella* Stainton,1853, Zoologist 1853: 3958.

- 6276. Trifurcula Zeller,1848** (Nepticulidae) *Trifurcula Zeller*,1848, Linn. ent. 3: 249,330. Type-species: *Trifurcula pallidella* Zeller,1848, ibidem 3:332, figs 51,52, by subsequent designation by Tutt,1899, Br. Lepid. 1:355.
- 6277. Abrostola agnorista Dufay,1956** (Noctuidae) *Abrostola agnorista* Dufay,1956, Revue fr. Lépid. 15: 152. Holotype ♂: [France]: Provence: Nice.
- 6278. Abrostola asclepiadis (Lang,1789)** (Noctuidae) *Phalaena asclepiadis* Lang,1789, Verz. Schmett. Augsb.: 155.
- 6279. Abrostola clarissa (Staudinger,1900)** (Noctuidae) *Plusia triplasia* var. *clarissa* Staudinger,1900, Dt. ent. Z., Iris 12: 381. Syntypes 5♂ 3♀: [Türkei]: Amasia, Mardin, Eibes [Akbes]; [Israel]: Jerusalem.
- 6280. Abrostola triplasia (Linnaeus,1758)** (Noctuidae) *Phalaena triplasia* Linnaeus,1758, Syst. Nat. (Edn.10)1: 517. Type(s): [Europa].
- 6281. Acantholipes regularis (Hübner,[1813])** (Noctuidae) *Noctua regularis* Hübner,[1813], Samml. eur. Schmett. 2, Noctuae: Taf.128 fig.588 Type(s): Europa.
- 6282. Acantholipes regularis regularis (Hübner,[1813])** (Noctuidae) *Noctua regularis* Hübner,[1813], Samml. eur. Schmett. 2, Noctuae: Taf.128 fig.588 Type(s): Europa.
- 6283. Achaea janata (Linnaeus,1758)** (Noctuidae) *Phalaena janata* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 527. Type: Indiis (LS).
- 6284. Achaea serva (Fabricius,1775)** (Noctuidae) *Noctua serva* Fabricius,1775; Syst. Ent.: 593. Type(s): Nova Hollandia.
- 6285. Acontia biskrensis orientalis (Brandt,1939)** (Noctuidae) *Tarache biskrensis* ssp. *orientalis* Brandt,1939, Ent. Rdsch. 56: 245, fig.2. Syntypes: Iran: Laristan, Balutichistan.
- 6286. Acontia lucida (Hufnagel,1766)** (Noctuidae) *Phalaena lucida* Hufnagel,1766, Berl. Mag. 3(3): 302. Type(s): Berlin.
- 6287. Acontia nitidula (Fabricius,1787)** (Noctuidae) *Bombyx nitidula* Fabricius,1787, Mantissa Insectorum 2: 126. Type: [India]: Coromandel.
- 6288. Acontia titania (Esper,[1798])** (Noctuidae) *Phalaena titania* Esper,[1798], Die Schmett. 4(2/2): 36, Tab.190, Noct.111, fig.2. Syntypes: [Russia]: Taurien [Südrussland].
- 6289. Acosmetia Stephens,1829** (Noctuidae) *Acosmetia Stephens*,1829, Nom. Br. Insects: 43. Type-species: *Noctua caliginosa* Hübner,[1813], Samml. eur. Schmett. 4: pl.100 fig.474, by subsequent designation by Curtis,1831, Br. Ent. 8: 356.
- 6290. Acosmetia caliginosa (Hübner,[1813])** (Noctuidae) *Noctua caliginosa* Hübner,[1813], Samml. eur. Schmett. 4: pl.100 fig.474. Type(s): Europe.
- 6291. Acrapex taurica (Staudinger,1900)** (Noctuidae) *Tapinostola taurica* Staudinger,1900, Dt. ent. Z., Iris 12: 374. Syntypes: [Turkey]: Maraş, Akbes.
- 6292. Acronicta (Hyboma) strigosa ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua strigosa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 88. Type(s): [Austria]: Vienna district.
- 6293. Acronicta (Hyboma) strigosa strigosa ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua strigosa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 88. Type(s): [Austria]: Vienna district.
- 6294. Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) *Noctua megacephala* Fabricius,1787, Mant. Ins. 2: 175, nr.261. Type(s): [Wien].
- 6295. Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) *Phalaena aceris* Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993.
- 6296. Acronicta (Triaena) aceris aceris (Linnaeus,1758)** (Noctuidae) *Phalaena aceris* Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993.
- 6297. Acronicta (Triaena) aceris judaea (Staudinger,1901)** (Noctuidae) *Acronicta cuspis* var. *judaea* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 131. Syntypes: Palaestina.
- 6298. Acronicta (Triaena) alni (Linnaeus,1767)** (Noctuidae) *Phalaena alni* Linnaeus,1767, Syst. Nat. (Edn.13): 845. Lectotype ♀, designated by Mikkola & Honey,1993.
- 6299. Acronicta (Triaena) leporina (Linnaeus,1758)** (Noctuidae) *Phalaena leporina* Linnaeus,1758, Syst. Nat. (Edn.10)1: 510. Lectotype ♂: [Europa], designated by Mikkola & Honey,1993.
- 6300. Acronicta (Triaena) leporina leporina (Linnaeus,1758)** (Noctuidae) *Phalaena leporina* Linnaeus,1758, Syst. Nat. (Edn.10)1: 510. Lectotype ♂: [Europa], designated by Mikkola & Honey,1993.
- 6301. Acronicta (Triaena) pasiphae Draudt,1936** (Noctuidae) *Acronicta pasiphae* Draudt,1936, Ent. Rdsch. 53: 457-458, Taf.a2. Syntypes: [Türkei]: Amanus (Düldül-Dagh).

- 6302. *Acronicta (Triaena) psi* (Linnaeus,1758)** (Noctuidae) *Phalaena psi* Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993.
- 6303. *Acronicta (Triaena) psi psi* (Linnaeus,1758)** (Noctuidae) *Phalaena psi* Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993.
- 6304. *Acronicta (Triaena) tridens* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua tridens* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 67. Type(s): [Austria]: Vienna district.
- 6305. *Acronicta (Viminia) auricoma* (Fabricius,1787)** (Noctuidae) *Noctua auricoma* Fabricius,1787, Mant. Ins. 2: 174, nr.256. Type(s): Austria: [Wien].
- 6306. *Acronicta (Viminia) euphorbiae* (Denis,1785)** (Noctuidae) *Phalaena euphorbiae* Denis,1785, [in] Fuessly, Neues Mag. Lieb. Ent. 2: 378.
- 6307. *Acronicta (Viminia) orientalis* Mann,1862** (Noctuidae) *Acronicta orientalis* Mann,1862, Wien. ent. Monatschr. 6: 370-371, Taf.3 fig.4 Syntypes 2♂: [Türkei]: Brussa [Bursa].
- 6308. *Acronicta (Viminia) rumicis* (Linnaeus,1758)** (Noctuidae) *Phalaena rumicis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Lectotype ♂: [Europa], designated by Mikkola & Honey,1993.
- 6309. *Acronicta (Viminia) saadi* Brandt,1938** (Noctuidae) *Acronicta saadi* Brandt,1938, Ent. Rdsch. 55: 498, figs. 50-54. Syntypes: Iran: [Fars]: "Fort Sine-Sefid, Comée".
- 6310. *Actebia praecox* (Linnaeus,1758)** (Noctuidae) *Phalaena praecox* Linnaeus,1758, Syst. Nat. (Edn.10)1:517. Type(s): [Europa].
- 6311. *Actebia praecox praecox* (Linnaeus,1758)** (Noctuidae) *Phalaena praecox* Linnaeus,1758, Syst. Nat. (Edn.10)1:517. Type(s): [Europa].
- 6312. *Actinotia polyodon* (Clerck,1759)** (Noctuidae) [*Phalaena*] *polyodon* Clerck,1759, Icones Ins. 1: Pl.11 fig.2.
- 6313. *Actinotia radiosa* (Esper,[1804])** (Noctuidae) *Phalaena radiosa* Esper,[1804], Die Schmett. (2): 62, Noct.116 pl.195 fig.1. Type(s): [Italy]: Genoa.
- 6314. *Adisura straminea* Hampson,1902** (Noctuidae) *Adisura straminea* Hampson,1902, Ann. S. Afr. Mus. 2: 258. Type ♂: South Africa: N'Gamiland (BMNH).
- 6315. *Aedia funesta* (Esper,[1786])** (Noctuidae) *Phalaena funesta* Esper,[1786], Die Schmett.: 72, pl.188 fig.6. Type(s): [Deutschland]: Frankfurt a.Main.
- 6316. *Aedia leucomelas* (Linnaeus,1758)** (Noctuidae) *Phalaena leucomelas* Linnaeus,1758, Syst. Nat. (Edn.10)1: 518. Type(s): Europa.
- 6317. *Aedophron phlebophora* Lederer,1858** (Noctuidae) *Aedophron phlebophora* Lederer,1858, Wien. ent. Monatschr. 2: 144, Taf.2 fig.9. Type ♀: Syrien: Damask.
- 6318. *Aedophron rhodites* (Eversmann,1851)** (Noctuidae) *Heliothis rhodites* Eversmann,1851, Bull. Soc. imp. nat. Moscou 24: 635. Type(s): [Russia]: Sarepta: [shores of Black Sea].
- 6319. *Aegle diatemna* Boursin,1962** (Noctuidae) *Aegle diatemna* Boursin,1962, Z. Wien. ent. Ges. 47: 183-185, Taf.18 fig.4. Holotype ♂: [Türkei]: Mardin.
- 6320. *Aegle gratiosa* (Staudinger,1892)** (Noctuidae) *Metoponia gratiosa* Staudinger,1892, Dt. ent. Z., Iris 4: 325-326. Type ♂: [Türkei]: Mardin.
- 6321. *Aegle nubila* (Staudinger,1892)** (Noctuidae) *Metoponia nubila* Staudinger,1892, Dt. ent. Z., Iris 4: 326-327. Syntypes 2♀: [Türkei]: Mardin.
- 6322. *Agrapha accentifera* (Lefebvre,1827)** (Noctuidae) *Plusia accentifera* Lefebvre,1827, Mém. Soc. linn. Paris 1827: 96, pl.5 f.2. Type(s): [Italy]: Sicily, Madoniers Mts.
- 6323. *Agrochola (Alpichola) egorovi* (Bang-Haas,1934)** (Noctuidae) *Amathes (Orthosia) egorovi* Bang-Haas,1934, Ent. Z., Frankf.a.M. 48: 56. Syntypes: [Russia]: Daghestan, Chodzhal-Machi, 3200m.
- 6324. *Agrochola (Alpichola) egorovi egorovi* (Bang-Haas,1934)** (Noctuidae) *Amathes (Orthosia) egorovi* Bang-Haas,1934, Ent. Z., Frankf.a.M. 48: 56. Syntypes: [Russia]: Daghestan, Chodzhal-Machi, 3200m.
- 6325. *Agrochola (Alpichola) egorovi laciniatae* Wiltshire,1958** (Noctuidae) *Agrochola egorovi* ssp. *laciniatae* Wiltshire,1958, J. Bombay Nat. Hist. Soc. 55: 233. Holotype ♂: Iraq: Erbil: Haj Omran, 1830m.
- 6326. *Agrochola (Alpichola) fibigeri* Hacker & Moberg,1989** (Noctuidae) *Agrochola fibigeri* Hacker & Moberg,1989, Nota lepid. 12 (2): 130, figs. Holotype ♂: Griechenland: Mt. Chelmos, oberhalb Kalavryta, 2150m. (coll. Moberg).
- 6327. *Agrochola (Alpichola) janhillmanni* Hacker & Moberg,1989** (Noctuidae) *Agrochola janhillmanni* Hacker & Moberg,1989, Nota lepid. 12 (2): 128, figs. Holotype ♂: Türkei: Hakkari: Tanin Dağları, Elkek geçidi, 2200m, 7km nnö. Uludere, 15.ix.1985 (leg. coll. Hacker).
- 6328. *Agrochola (Alpichola) lactiflora* (Draudt,1934)** (Noctuidae) *Amathes lactiflora* Draudt,1934, [in] Seitz, Die Gross-Schmett. Erde 3 (suppl.): 151. Syntypes: [Türkei]: Diarbekir.
- 6329. *Agrochola (Alpichola) lactiflora lactiflora* (Draudt,1934)** (Noctuidae) *Amathes lactiflora* Draudt,1934, [in] Seitz, Die Gross-Schmett. Erde 3 (suppl.):151. Syntypes: [Türkei]: Diarbekir.
- 6330. *Agrochola (Alpichola) wautieri* Dufay,1975** (Noctuidae) *Agrochola wautieri* Dufay,1975, Bull. Soc. linn. Lyon 44 (5): 150-153, figs. Holotype ♂: Macédoine: env. Carino, rive du Lac Prespansko, 24.ix.1974 (leg. & coll. C.Dufay).
- 6331. *Agrochola (Alpichola?) gratiosa* (Staudinger,1882)** (Noctuidae) *Orthosia gratiosa* Staudinger,1881, Horae Soc. ent. ross. 16: 76. Syntypes: [Türkei]: Amasia.
- 6332. *Agrochola (Anchoscelis) deleta* (Staudinger,1881)** (Noctuidae) *Orthosia nitida* var. *deleta* Staudinger,1881, Horae Soc. ent. ross. 16: 75. Syntypes: [Türkei]: Amasia.
- 6333. *Agrochola (Anchoscelis) helvola* (Linnaeus,1758)** (Noctuidae) *Phalaena helvola* Linnaeus,1758, Syst. Nat. (Edn.10)1: 507. Type(s): Finlandia.
- 6334. *Agrochola (Anchoscelis) helvola helvola* (Linnaeus,1758)** (Noctuidae) *Phalaena helvola* Linnaeus,1758, Syst. Nat. (Edn.10)1: 507. Type(s): Finlandia.
- 6335. *Agrochola (Anchoscelis) humilis* (Fabricius,1787)** (Noctuidae) *Noctua humilis* Fabricius,1787, Mant. Ins. 2: 146, nr.89. Type(s): [Wien].
- 6336. *Agrochola (Anchoscelis) humilis anatolica* Pinker,1980** (Noctuidae) *Agrochola humilis* ssp. *anatolica* Pinker,1980, Z. ArbGem. öst. Ent. 31: 74, figs. Holotype ♂: Türkei: Ankara: Kizilcahamam (leg & coll. Pinker).
- 6337. *Agrochola (Anchoscelis) humilis humilis* (Fabricius,1787)** (Noctuidae) *Noctua humilis* Fabricius,1787, Mant. Ins. 2: 146, nr.89. Type(s): [Wien].
- 6338. *Agrochola (Anchoscelis) hypotaenia* (Bytinski-Salz,1936)** (Noctuidae) *Amathes hypotaenia* Bytinski-Salz,1936, Entomologist's Rec. J. Var. 48: 3-4. Holotype ♀: [Libanon]: Syria: Beirut.
- 6339. *Agrochola (Anchoscelis) imitata* Ronkay,1984** (Noctuidae) *Agrochola (Anchoscelis?) imitata* Ronkay,1984, Acta zool. Hung. 30: 186-187, figs. Holotype ♂: Iraq: Zawita Dohuk, leg. G.Topal & F.Zilahy (HNHMB).
- 6340. *Agrochola (Anchoscelis) kindermannii* (Fischer v. Röslerstamm,[1841])** (Noctuidae) *Orthosia kindermanni* Fischer von Röslerstamm,[1841], Abb. Ber. Erg. Schmettk. 1: 77, pl.36 figs.1a-c. Type(s): Fiume.
- 6341. *Agrochola (Anchoscelis) litura* (Linnaeus,1761)** (Noctuidae) *Phalaena litura* Linnaeus,1761, Fauna Suecica (2): 230. Lectotype ♂: "Holmia" [Stockholm], designated by Mikkola & Honey,1993.
- 6342. *Agrochola (Anchoscelis) litura litura* (Linnaeus,1761)** (Noctuidae) *Phalaena litura* Linnaeus,1761, Fauna Suecica (2): 230. Lectotype ♂: "Holmia" [Stockholm], designated by Mikkola & Honey,1993.
- 6343. *Agrochola (Anchoscelis) lota* (Clerck,1759)** (Noctuidae) [*Phalaena*] *lota* Clerck,1759, Icon. Ins. rariorum Pl.8, fig.1. Type: Schweden.
- 6344. *Agrochola (Anchoscelis) lota lota* (Clerck,1759)** (Noctuidae) [*Phalaena*] *lota* Clerck,1759, Icon. Ins. rariorum Pl.8, fig.1. Type: Schweden.
- 6345. *Agrochola (Anchoscelis) macilenta* (Hübner,[1809])** (Noctuidae) *Noctua macilenta* Hübner,[1809], Samml. eur. Schmett., Noct. 2: Taf.89, fig.418. Type(s): [Europa].
- 6346. *Agrochola (Anchoscelis) macilenta macilenta* (Hübner,[1809])** (Noctuidae) *Noctua macilenta* Hübner,[1809], Samml. eur. Schmett., Noct. 2: Taf.89, fig.418. Type(s): [Europa].
- 6347. *Agrochola (Anchoscelis) nitida* (Fabricius,1787)** (Noctuidae) *Noctua nitida* Fabricius,1787, Mant. Ins. 2: 141-142, nr.58. Type(s): [Wien].
- 6348. *Agrochola (Anchoscelis) occulta* Hacker,1996** (Noctuidae) *Agrochola (Anchoscelis) occulta* Hacker,1996, Esperiana 4: 456-457, figs. Holotype ♂: Türkei: Amanus s., Düldül Dag (Yüksek Dag), Jeschil dere, xi.1932 (ZSM).

- 6349. *Agrochola (Anchoscelis) oropotamica* (Wiltshire,1941)** (Noctuidae) *Amathes oropotamica* Wiltshire,1941, J. Bombay nat. Hist. Soc. 42: 475, fig.11. Type(s): Iran.
- 6350. *Agrochola (Anchoscelis) oropotamica oropotamica* (Wiltshire,1941)** (Noctuidae) *Amathes oropotamica* Wiltshire,1941, J. Bombay nat. Hist. Soc. 42: 475, fig.11. Type(s): Iran.
- 6351. *Agrochola (Anchoscelis) osthelderi* Boursin,1951** (Noctuidae) *Agrochola osthelderi* Boursin,1951, Z. Wien. ent. Ges. 36: 159, pl.12 fig.1. Holotype ♂: [Türkei]: Asia minor: Marasch.
- 6352. *Agrochola (Anchoscelis) pauli* (Staudinger,1892)** (Noctuidae) *Orthosia kindermannii* var. *pauli* Staudinger,1892, Dt. ent. Z., Iris 4: 301-302. Syntypes 10♂♂: [Israel]: Jerusalem (Paulus leg.).
- 6353. *Agrochola (Anchoscelis) rupicapra* (Staudinger,1879)** (Noctuidae) *Orthosia rupicapra* Staudinger,1879, Horae Soc. ent. ross. 14: 390-392. Syntypes 1♂ 2♀: [Türkei]: Taurus (Haberhauer leg.).
- 6354. *Agrochola (Anchoscelis) thurneri* Boursin,1953** (Noctuidae) *Agrochola thurneri* Boursin,1953, Z. Wien. ent. Ges. 38: 64.
- 6355. *Agrochola (Frivaldskeyla) mansueta* (Herrich-Schäffer,1850)** (Noctuidae) *Cerastis manusetta* Herrich-Schäffer,1850, Syst. Bearb. Schmett. Eur. 2: 322. Syntypes: [Türkei]: Küsten Marmarameer.
- 6356. *Agrochola (Propenistra) laevis* (Hübner,1803)** (Noctuidae) *Noctua laevis* Hübner,1803, Samml. eur. Schmett., Noctuae: Taf.34 fig.163. Type(s): [Europa].
- 6357. *Agrochola (Sunira) circellaris* (Hufnagel,1766)** (Noctuidae) *Phalaena circellaris* Hufnagel,1766, Berl. Mag. 3(3): 404. Type(s): [Germany]: Berlin.
- 6358. *Agrochola (s.str.) pistacina* (Goeze,1781)** (Noctuidae) *Phalaena pistacina* Goeze,1781, Ent. Beytr. 3(3): 213, nr.121.
- 6359. *Agrochola (s.str.) pistacina pistacina* (Goeze,1781)** (Noctuidae) *Phalaena pistacina* Goeze,1781, Ent. Beytr. 3(3): 213, nr.121.
- 6360. *Agrochola albirena doiinthanoni* Hreblay & L.Ronkay,1999** (Noctuidae) *Agrochola albirena* ssp. *doiinthanoni* Hreblay & L.Ronkay,1999, Esperiana 7: 526, figs. Holotype ♂: Thailand: Chiang Mai, Mt. Doi Inthanon NP, 2300m 11.xi.1998, leg. Tibor Csovari & Laszlo Mikus (coll.Hreblay).
- 6361. *Agrochola siamica* Hreblay & L.Ronkay,1999** (Noctuidae) *Agrochola siamica* Hreblay & L.Ronkay,1999
- 6362. *Agrotis (Crassagrotis) Beck*,1991** (Noctuidae) *Crassagrotis Beck*,1991, Atalanta 22: 180. Type-species: *Noctua crassa* Hübner,1803, by original designation.
- 6363. *Agrotis (Crassagrotis) obesa* (Boisduval,1829)** (Noctuidae) *Noctua obesa* Boisduval,1840, Genera meth. index Eur. Lep. (Add.): 3. Type(s): Europa.
- 6364. *Agrotis (Crassagrotis) obesa obesa* (Boisduval,1829)** (Noctuidae) *Noctua obesa* Boisduval,1840, Genera meth. index Eur. Lep. (Add.): 3. Type(s): Europa.
- 6365. *Agrotis (Leucagrotis) Beck*,1991** (Noctuidae) *Leucagrotis Beck*,1991, Atalanta 22: 181. Type-species: *Agrotis graslini* Rambur,1848, by original designation.
- 6366. *Agrotis (Putagrotis) Beck*,1991** (Noctuidae) *Putagrotis Beck*,1991, Atalanta 22: 181. Type-species: *Noctua puta* Hübner,1803, by original designation.
- 6367. *Agrotis (Putagrotis) herzogii* (Rebel,1911)** (Noctuidae) *Agrotis haifae herzogii* Rebel,1911, Verh. zool.-bot. Ges. Wien 61:[143]: Syntypes: Libanon: Chebak.
- 6368. *Agrotis (Putagrotis) herzogii herzogii* Rebel,1911** (Noctuidae) *Agrotis haifae herzogii* Rebel,1911, Verh. zool.-bot. Ges. Wien 61:[143]: Syntypes: Libanon.
- 6369. *Agrotis (Putagrotis) puta* (Hübner,1803)** (Noctuidae) *Noctua puta* Hübner,1803, Samml. eur. Schmett., Noct. 2: Taf.52, fig.255. Type: [Europa].
- 6370. *Agrotis (Putagrotis) syricola* Berio,1936** (Noctuidae) *Agrotis puta* ssp. *syricola* Berio,1936, Annali Mus. civ. Stor. nat. Giacomo Doria 59:81. Syntypes: [Turkey]: Maraş, Akşehir.
- 6371. *Agrotis (s.str.) biconicus* Kollar,1844** (Noctuidae) *Agrotis biconica* Kollar,1844, [in] Hügel F.v.,Kashmir.. 4 (2): 480. Type(s): [India]: Himalaya: Massuri.
- 6372. *Agrotis (s.str.) bifurca grossi* Hacker & Kuhna,1986** (Noctuidae) *Agrotis grossi* Hacker & Kuhna,1986, Nota lepid. 9 (3/4): 180-181, Taf.1 fig.1,2. Holotype ♂: Türkiye: Van Prov.: 6km SE Güzelzu [Güzelsu], 2300m, 11.ix.1985 (leg. & coll. Hacker).
- 6373. *Agrotis (s.str.) bitriangulus* Hampson,1902** (Noctuidae) *Agrotis bitriangula* Hampson,1902, Ann. S. Afr. Mus. 2: 261. Type: South Africa: Transkei (Miss F.Barrett leg.) (BMNH).
- 6374. *Agrotis (s.str.) cinerea* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua cinerea* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district.
- 6375. *Agrotis (s.str.) clavis* (Hufnagel,1766)** (Noctuidae) *Phalaena clavis* Hufnagel,1766, Berl. Mag. 4 (2): 426. Type(s): [Germany]: Berlin.
- 6376. *Agrotis (s.str.) clavis clavis* (Hufnagel,1766)** (Noctuidae) *Phalaena clavis* Hufnagel,1766, Berl. Mag. 4 (2): 426. Type(s): [Germany]: Berlin.
- 6377. *Agrotis (s.str.) desertorum* Boisduval,1840** (Noctuidae) *Agrotis desertorum* Boisduval,1840, Genera Index meth. Eur. Lep.: 111. Syntypes: [Russia]: Südrussland.
- 6378. *Agrotis (s.str.) desertorum cursoriodes* (Hampson,1903)** (Noctuidae) *Euxoa cursoriodes* Hampson,1903, Cat. Lepid. Phal. Br. Mus. 4: 226, pl. lxii fig.27. Type: Syria.
- 6379. *Agrotis (s.str.) desertorum desertorum* Boisduval,1840** (Noctuidae) *Agrotis desertorum* Boisduval,1840, Genera Index meth. Eur. Lep.: 111. Syntypes: [Russia]: Südrussland.
- 6380. *Agrotis (s.str.) exclamatonis* (Linnaeus,1758)** (Noctuidae) *Phalaena exclamatonis* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 515. Lectotype ♂: Europa, designated by Mikkola & Honey,1993.
- 6381. *Agrotis (s.str.) haifae* Staudinger,1897** (Noctuidae) *Agrotis haifae* Staudinger,1897, Dt. ent. Z., Iris 10: 168, Taf.iv fig.8. Syntypes: [Israel]: Haifa.
- 6382. *Agrotis (s.str.) ipsilon* (Hufnagel,1766)** (Noctuidae) *Phalaena ipsilon* Hufnagel,1766, Berl. Mag. 4 (2): 416. Type(s): [Germany]: Berlin.
- 6383. *Agrotis (s.str.) isopleura* Hampson,1902** (Noctuidae) *Agrotis isopleura* Hampson,1902, Ann. S. Afr. Mus. 2: 261. Type ♀: [Zimbabwe]: Mashonaland: Salisbury [Harare] (Marshall leg.) (BMNH).
- 6384. *Agrotis (s.str.) perirrorata* Hampson,1902** (Noctuidae) *Agrotis perirrorata* Hampson,1902, Ann. S. Afr. Mus. 2: 262. Syntypes: [Zimbabwe]: Mashonaland: Salisbury [Harare] (Marshall); South Africa: Natal Estcourt (Hutchinson), Transkei (Miss F.Barrett) (BMNH).
- 6385. *Agrotis (s.str.) psammocharis* Boursin,1950** (Noctuidae) *Agrotis psammocharis* Boursin,1950, Arkiv Zool. 1 (23): 355-356, Taf.1 fig.1. Holotype ♂: [Iran]: Persien: Keredj, Elbursgebirge, Oktober 1937 (F.Brandt leg.) (coll.Boursin).
- 6386. *Agrotis (s.str.) ripae* (Hübner,1823)** (Noctuidae) *Noctua ripae* Hübner,1823, Samml. eur. Schmett., Noct. 2: Taf.151, figs.702-703. Syntypes: [Europa].
- 6387. *Agrotis (s.str.) ripae ripae* (Hübner,1823)** (Noctuidae) *Noctua ripae* Hübner,1823, Samml. eur. Schmett., Noct. 2: Taf.151, figs.702-703. Syntypes: [Europa].
- 6388. *Agrotis (s.str.) sardzeana* Brandt,1941** (Noctuidae) *Agrotis sardzeana* Brandt,1941, Mitt. münch. ent. Ges. 31: 840, Taf.23 fig.6. Syntypes: Iran: Bender Tschabahar, Sardze.
- 6389. *Agrotis (s.str.) scruposa* (Draudt,1936)** (Noctuidae) *Rhyacia scruposa* Draudt,1936, Ent. Rdsch. 53: 468, Taf.iv c1. Syntypes 2♂ 1♀: [Türkei]: Siwas.
- 6390. *Agrotis (s.str.) segetum* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua segetum* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend:81,t.1,f.3. Type(s): [Austria]: Vienna district.
- 6391. *Agrotis (s.str.) trux* (Hübner,1824)** (Noctuidae) *Noctua trux* Hübner,1824, Samml. eur. Schmett., Noct. 2: Taf.155, figs.723-725. Syntypes: [France]: Wallis.
- 6392. *Agrotis (s.str.) trux trux* (Hübner,1824)** (Noctuidae) *Noctua trux* Hübner,1824, Samml. eur. Schmett., Noct. 2: Taf.155, figs.723-725. Syntypes: [France]: Wallis.
- 6393. *Albocosta musiva* (Hübner,1803)** (Noctuidae) *Noctua musiva* Hübner,1803, Samml. eur. Schmett., Noct. 2: Taf.25, fig.118. Type: [Europa].
- 6394. *Albocosta musiva musiva* (Hübner,1803)** (Noctuidae) *Noctua musiva* Hübner,1803, Samml. eur. Schmett., Noct. 2: Taf.25, fig.118. Type: [Europa].
- 6395. *Allophyes asiatica* (Staudinger,1892)** (Noctuidae) *Miselia oxyacanthae* var. *asiatica* Staudinger,1892, Dt. ent. Z., Iris 4: 283-284. Syntypes: [Türkei]: Amasia.
- 6396. *Allophyes asiatica asiatica* (Staudinger,1892)** (Noctuidae) *Miselia oxyacanthae* var. *asiatica* Staudinger,1892, Dt. ent. Z., Iris 4:283. Syntypes: [Turkey]: Amasia.
- 6397. *Allophyes benedictina* (Staudinger,1892)** (Noctuidae) *Miselia oxyacanthae* var. *benedictina* Staudinger,1892, Dt. ent. Z., Iris 4: 283-284. Syntypes: [Lebanon]: Beirut.

- 6398. *Allophyes benedictina benedictina* (Staudinger,1892)** (Noctuidae) *Miselia oxyacanthae* var. *benedictina* Staudinger,1892, Dt. ent. Z., Iris 4: 283-284. Syntypes: [Lebanon]: Beirut.
- 6399. *Allophyes metaxys* Boursin,1953** (Noctuidae) *Allophyes metaxys* Boursin,1953, Mitt. münch. ent. Ges. 43:245. Holotype: Turkey: Marasch.
- 6400. *Allophyes oxyacanthae* (Linnaeus,1758)** (Noctuidae) *Phalaena oxyacanthae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Type(s): [Europa].
- 6401. *Allophyes renalis* (Wiltshire,1941)** (Noctuidae) *Meganephria renalis* Wiltshire,1941, J. Bombay nat. Hist. Soc. 42: 475, pl. fig.6. Holotype ♀: Iran: [Fars]: Sineh Sefid.
- 6402. *Allophyes renalis armeniaca* (Boursin,1944)** (Noctuidae) *Meganephria renalis* ssp. *armeniaca* Boursin,1944, Revue fr. Ent. 10: 77, pl.2 fig.2. Holotype ♂: [Nachitchevan]: Negram, sur l'Araxe, 13.x.31, Rjabov leg. (NHMP).
- 6403. *Allophyes renalis renalis* (Wiltshire,1941)** (Noctuidae) *Meganephria renalis* Wiltshire,1941, J. Bombay nat. Hist. Soc. 42: 475, pl. fig.6. Holotype ♀: Iran: [Fars]: Sineh Sefid.
- 6404. *Amazonides fumicolor* (Hampson,1902)** (Noctuidae) *Agrotis fumicolor* Hampson,1902, Ann. S. Afr. Mus. 2: 262-263. Type: [Zimbabwe]: Mashonaland: Salisbury [Harare] (Marshall) (BMNH).
- 6405. *Amephana aurita* (Fabricius,1787)** (Noctuidae) *Noctua aurita* Fabricius,1787, Mant. Ins. 2: 179. Type(s): Hispania.
- 6406. *Amephana dalmatica* (Rebel,1919)** (Noctuidae) *Cleophana dejeani dalmatica* Rebel,1919, Verh. zool.-bot. Ges. Wien 69:107. Syntypes: Dalmatien.
- 6407. *Ammonoconia aholai* Fibiger,1996** (Noctuidae) *Ammonoconia aholai* Fibiger,1996, Esperiana 4: 269-271, 8 figs. Holotype ♂: Cyprus, K.K.T.C., Akkicek, 700m, 27.xii.1993, M.Ahola leg., coll.M.Fibiger.
- 6408. *Ammonoconia caecimacula* (Fabricius,1787)** (Noctuidae) *Noctua caecimacula* Fabricius,1787, Mant. Ins. 2: 158, nr.158. Type(s): Austria.
- 6409. *Ammonoconia caecimacula caecimacula* (Fabricius,1787)** (Noctuidae) *Noctua caecimacula* Fabricius,1787, Mant. Ins. 2: 158, nr.158. Type(s): Austria.
- 6410. *Ammonoconia senex* (Geyer,1828)** (Noctuidae) *Noctua senex* Geyer,1828, in Hübner, Samml. eur. Schmett., Noct.2: Taf.160, figs. 749-750. Syntype: Fiume [=Rijeka].
- 6411. *Ammopolia Boursin,1955*** (Noctuidae) *Ammopolia Boursin,1955*, Bull. mens. Soc. linn. Lyon 24: 219. Type-species: *Orthosia witzennmanni* Standfuss,1890, by original designation.
- 6412. *Ammopolia witzennmanni* (Standfuss,1890)** (Noctuidae) *Orthosia witzennmanni* Standfuss,1890, Mitt. schweiz. ent. Ges. 8: 233. Syntypes ♂: France: Basses-Alpes, Digne.
- 6413. *Amphipoea oculea* (Linnaeus,1761)** (Noctuidae) *Phanaena oculea* Linnaeus,1761, Fauna Suecica: 321. Lectotype ♀: Sweden, designated by Mikkola & Honey,1993.
- 6414. *Amphipoea oculea oculea* (Linnaeus,1761)** (Noctuidae) *Phanaena oculea* Linnaeus,1761, Fauna Suecica: 321. Lectotype ♀: Sweden, designated by Mikkola & Honey,1993.
- 6415. *Amphipyra berbera* Rungs,1949** (Noctuidae) *Amphipyra pyramidea* ssp. *berbera* Rungs,1949, Bull. Soc. sci. Nat. Maroc 25/27: 330, pl.7 fig.3,5. Holotype ♂: Morocco: Moyen Atlas, Ifrane.
- 6416. *Amphipyra berbera svenssoni* D.S.Fletcher,1968** (Noctuidae) *Amphipyra berbera* ssp. *svenssoni* Fletcher,1968, Entomologist's Gaz. 19: 102.
- 6417. *Amphipyra boursini* Hacker,1998** (Noctuidae) *Amphipyra boursini* Hacker,1998, Esperiana 6: 196, fig. Holotype ♂: Türkiye: Marasch, 600-1000m vii.1930 (ZSM).
- 6418. *Amphipyra cancellata* Warren,1911** (Noctuidae) *Amphipyra cancellata* Warren,1911, [in] Seitz, Gross-Schmett. 3: 160 (38e). Syntypes: [Turkmenistan]: "Tedschen-Oase, Merv, West-Turkestan".
- 6419. *Amphipyra livida* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua livida* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 85. Type(s): [Austria]: Vienna district.
- 6420. *Amphipyra micans* Lederer,1857** (Noctuidae) *Amphipyra micans* Lederer,1857, Wien. ent. Monatschr. 1:94. Type(s): [Libanon]: Beirut.
- 6421. *Amphipyra molybdea* Christoph,1867** (Noctuidae) *Amphipyra molybdea* Christoph,1867, Stettin ent. Ztg. 28: 235. Type(s): [Russia]: Sarepta.
- 6422. *Amphipyra perflua* (Fabricius,1787)** (Noctuidae) *Noctua perflua* Fabricius,1787, Mant. Ins. 2: 179, nr.280. Type(s): Austria.
- 6423. *Amphipyra pyramidea* (Linnaeus,1758)** (Noctuidae) *Phalaena pyramidea* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 518. Type(s): Europa.
- 6424. *Amphipyra stix* Herrich-Schäffer,[1850]** (Noctuidae) *Amphipyra stix* Herrich-Schäffer,[1850], Syst. Bearb. Schmett. Eur.2:324. Syntypes: [Türkei]: Marmarameer.
- 6425. *Amphipyra submicans kautti* Hacker,1998** (Noctuidae) *Amphipyra submicans* ssp. *kautti* Hacker,1998, Esperiana 6: 194-195, figs. Holotype ♂: Niğde Pr.: Toros Mts., Ala-Dag, Demirkazık, 2800m 27.viii.1995 (P.Kautt leg., coll. Hacker).
- 6426. *Amphipyra tetra* (Fabricius,1787)** (Noctuidae) *Noctua tetra* Fabricius,1787, Mant. Ins. 2: 138, nr.31. Type(s): Austria.
- 6427. *Amphipyra tetra pallida* Staudinger,1901** (Noctuidae) *Amphipyra tetra* var. *pallida* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 200, nr.2048a. Syntypes: [Türkei]: "Pont; Syr"; [Iran]: "Hyrc".
- 6428. *Amphipyra tragopoginis* (Clerck,1759)** (Noctuidae) [*Phalaena*] *tragopoginis* Clerck,1759, Icones Ins. rariorum 1: Taf.1 fig.5. Sweden.
- 6429. *Amphipyra turcomana* Staudinger,1888** (Noctuidae) *Amphipyra tragopoginis* var. *turcomana* Staudinger,1888, Stettin Ent. Ztg. 49: 32. Syntypes: [Usbekistan]: Samarkand, Margelan; [Turkmenistan]: Achal-Tekke
- 6430. *Anadevidia peponis* (Fabricius,1775)** (Noctuidae) *Noctua peponis* Fabricius,1775, Syst. Ent.: 608. Type(s): India orientalis.
- 6431. *Anagnia subfascia* Walker,1854** (Noctuidae) *Anagnia subfascia* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 446. Type: E.Indies (BMNH).
- 6432. *Anaplectoides prasina* (Goeze,1781)** (Noctuidae) *Phalaena prasina* Goeze,1781, Ent. Beytr. 3 (3): 217, nr.161.
- 6433. *Anarta myrtilli* (Linnaeus,1761)** (Noctuidae) *Phalaena myrtilli* Linnaeus,1761, Fauna Suecica: 311, nr.1168. Lectotype ♂: Sweden, designated by Mikkola & Honey,1993.
- 6434. *Anisoneura aluco* (Fabricius,1775)** (Noctuidae) *Noctua aluco* Fabricius,1775, Syst. Ent.: 591. Type(s): China.
- 6435. *Anomis flava* (Fabricius,1775)** (Noctuidae) *Noctua flava* Fabricius,1775, Syst. Ent.: 601. Type: "India orientali".
- 6436. *Anomis fructusterebrans* Bänziger,1986** (Noctuidae) *Anomis fructusterebrans* Bänziger,1986, Nat. Hist. Bull. Siam Soc. 34 (1): 59-64, figs. Holotype ♂: Thailand: Chiang Mai Prov.: Chiang Dao NW Pass, 1150m 28.x.1985, leg. Bänziger (BMNH).
- 6437. *Antarchaea baischi* Hacker,1996** (Noctuidae) *Antarchaea baischi* Hacker,1996, Esperiana 4: 308-309, figs. Holotype ♂: Türkiye: Adana, 12km nördl. Pozanti, 1100m, 21.v.1993 (leg. & coll. Baisch).
- 6438. *Antarchaea conicephala* (Staudinger,1870)** (Noctuidae) *Thalpochares conicephala* Staudinger,1870, Berl. ent. Z. 14: 121. Syntypes: [Spanien]: Catalonia, Malaga; Macedonia; [Iran]: Persia.
- 6439. *Antarchaea numisma* (Hübner,[1803])** (Noctuidae) *Noctua numisma* Hübner,[1803], Samml. eur. Schmett. 4, Noctuae: Tab.55 fig.270. Type(s): Europa.
- 6440. *Antennola impura wiltshirei* (Warnecke,1939)** (Noctuidae) *Nola impura* ssp. *wiltshirei* Warnecke,1939, Trans. R. ent. Soc. Lond. 88: 26. Syntypes: Lebanon: Schweir, Beirut.
- 6441. *Antholopha gloriosa* (Staudinger,1892)** (Noctuidae) *Metalopha gloriosa* Staudinger,1892, Dt. ent. Z.,Iris 4: 314. Syntypes: [Türkei]: Aintab[=Gaziantep]; Hadjin[=Saimbeyli]. [Israel]: Jerusalem.
- 6442. *Antholopha gloriosa gloriosa* (Staudinger,1892)** (Noctuidae) *Metalopha gloriosa* Staudinger,1892, Dt. ent. Z.,Iris 4: 314. Syntypes: [Türkei]: Aintab[=Gaziantep]; Hadjin[=Saimbeyli]. [Israel]: Jerusalem.
- 6443. *Anthraxia eriopoda* (Herrich-Schäffer,[1851])** (Noctuidae) *Ophiura eriopoda* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2: 403. Type(s): [Türkei]: Brussa [Bursa].
- 6444. *Antitype chi* (Linnaeus,1758)** (Noctuidae) *Phalaena chi* Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Lectotype ♂: [Europa], designated by Mikkola & Honey,1993.
- 6445. *Anumeta arax* Fibiger,1995** (Noctuidae) *Anumeta arax* Fibiger,1995, Nota lepid. 17 (3/4): 107-111, figs. Holotype ♂: Turkey: [İğdir Pr.]: "Turkish Armenia", 10km NW Aralık, 825m 22.vii.1989 leg. & coll. Fibiger.
- 6446. *Apamea anceps* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua anceps* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 81. Type(s): [Austria]: Vienna district.
- 6447. *Apamea aquila* Donzel,1837** (Noctuidae) *Apamea aquila* Donzel,1837, Annls Soc. ent. Fr. 6: 476, Pl.18 fig.6.
- 6448. *Apamea baischi* (Hacker,1989)** (Noctuidae) *Apamea baischi* Hacker,1989, Herbiopoliana 2: 256-257, Taf.7 fig. Holotype ♂:

Griechenland: Parnassos Oros, Umg. Delphi, 500-700m, 9.v.1984 (leg. Baisch, coll. Hacker).

- 6449. *Apamea crenata* (Hufnagel,1766)** (Noctuidae) Phalaena crenata Hufnagel,1766, Berl. Mag. 3(4): 402. Type(s): Germany: Berlin.
- 6450. *Apamea ferrago* (Eversmann,1837)** (Noctuidae) Xanthia ferrago Eversmann,1837, Bull. Soc. imp. nat. Moscou 1837: 41. Type(s): Russland: Kasan.
- 6451. *Apamea ferrago ferrago* (Eversmann,1837)** (Noctuidae) Xanthia ferrago Eversmann,1837, Bull. Soc. imp. nat. Moscou 1837: 41. Type(s): Russland: Kasan.
- 6452. *Apamea furva* ([Denis & Schiffermüller],1775)** (Noctuidae) Noctua furva [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 81. Type(s): [Austria]: Vienna district.
- 6453. *Apamea furva furva* ([Denis & Schiffermüller],1775)** (Noctuidae) Noctua furva [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 81. Type(s): [Austria]: Vienna district.
- 6454. *Apamea illyria* Freyer,1846** (Noctuidae) *Apamea illyria* Freyer,1846, Neuere Beitr. Schmett. 6: 5, Tab. 483, fig.2 Type(s): Illyrien.
- 6455. *Apamea indiges* (Turati,1926)** (Noctuidae) *Parastichtis indiges* Turati,1926, Atti Soc. ital. Sci. nat. Mus. Civ. Stor. Nat. Milano 65: 40.
- 6456. *Apamea lateritia* (Hufnagel,1766)** (Noctuidae) Phalaena lateritia Hufnagel,1766, Berl. Mag. 3(3): 306. Type(s): Germany: Berlin.
- 6457. *Apamea lateritia lateritia* (Hufnagel,1766)** (Noctuidae) Phalaena lateritia Hufnagel,1766, Berl. Mag. 3(3): 306. Type(s): Germany: Berlin.
- 6458. *Apamea leucodon* (Eversmann,1837)** (Noctuidae) *Hadena leucodon* Eversmann,1837, Bull. Soc. imp. nat. Moscou 1837: 37. Syntypes: Astrachan, Sarepta.
- 6459. *Apamea leucodon leucodon* (Eversmann,1837)** (Noctuidae) *Hadena leucodon* Eversmann,1837, Bull. Soc. imp. nat. Moscou 1837: 37. Syntypes: Astrachan, Sarepta.
- 6460. *Apamea lithoxylaea* (Fabricius,1787)** (Noctuidae) Noctua lithoxylaea Fabricius,1787, Mant. Ins. 2: 182, nr.299. Type(s): [Wien].
- 6461. *Apamea lithoxylaea lithoxylaea* (Fabricius,1787)** (Noctuidae) Noctua lithoxylaea Fabricius,1787, Mant. Ins. 2: 182, nr.299. Type(s): [Wien].
- 6462. *Apamea maraschi maraschi* (Draudt,1934)** (Noctuidae) *Parastichtis monoglypha* f. *maraschi* Draudt,1934, [in] Seitz, Die Gross-Schmett. Erde 3 (suppl.): 157. Syntypes: [Türkei]: "Marasch" [Kahramanmaraş].
- 6463. *Apamea monoglypha* (Hufnagel,1766)** (Noctuidae) Phalaena monoglypha Hufnagel,1766, Berl. Mag. 3(3): 308. Type(s): Germany: Berlin.
- 6464. *Apamea oblonga* (Haworth,1809)** (Noctuidae) Noctua oblonga Haworth,[1809], Lepid. Br.: 188. Type(s): England.
- 6465. *Apamea platinea* (Treitschke,1825)** (Noctuidae) *Polia platinea* Treitschke,1825, Schmett. Eur. 5(2): 34. Type(s): [Austria]: Baden bei Wien.
- 6466. *Apamea platinea aurora* (Brandt,1938)** (Noctuidae) *Crymodes platinea* ssp. *aurora* Brandt,1938, Ent. Rdsch. 55: 518. Syntypes: Iran: Barm-i Firuz.
- 6467. *Apamea platinea binaloudi* (Brandt,1941)** (Noctuidae) *Crymodes platinea* ssp. *binaloudi* Brandt,1941, Mitt. münch. ent. Ges. 31: 848. Syntypes: Iran: [Khorassan]: Kouh i Binaloud, 3000-3300m.
- 6468. *Apamea platinea montana* (Herrich-Schäffer,1852)** (Noctuidae) *Polia montana* Herrich-Schäffer,1852, Syst. Bearb. Schmett. Eur. 6: 55.
- 6469. *Apamea platinea platinea* (Treitschke,1825)** (Noctuidae) *Polia platinea* Treitschke,1825, Schmett. Eur. 5(2): 34. Type(s): [Austria]: Baden bei Wien.
- 6470. *Apamea polyglypha* (Staudinger,1892)** (Noctuidae) *Hadena monoglypha* var.? *polyglypha* Staudinger,1892, Dt. ent. Z., Iris 4: 286. Syntypes ♂♂: Palestina: Jerusalem (leg. Paulus).
- 6471. *Apamea polyglypha polyglypha* (Staudinger,1892)** (Noctuidae) *Hadena monoglypha* var.? *polyglypha* Staudinger,1892, Dt. ent. Z., Iris 4: 286. Syntypes ♂♂: Palestina: Jerusalem (leg. Paulus).
- 6472. *Apamea pyxina* (A.Bang-Haas,1910)** (Noctuidae) *Luceria pyxina* A.Bang-Haas,1910, Dt. ent. Z., Iris 24: 39. Type(s): Uralsk.
- 6473. *Apamea pyxina pyxina* (A.Bang-Haas,1910)** (Noctuidae) *Luceria pyxina* A.Bang-Haas,1910, Dt. ent. Z., Iris 24: 39. Type(s): Uralsk.
- 6474. *Apamea pyxina sassanidica* Hacker,1990** (Noctuidae) *Apamea pyxina* ssp. *sassanidica* Hacker,1990, Neue ent. Nachr. 27: 463.

Holotype ♂: Türkei: Van: Güzeldere Geçidi, 2700m, 11.vii.1986 (leg. & coll. Weigert).

- 6475. *Apamea remissa* (Hübner,[1809])** (Noctuidae) Noctua remissa Hübner,[1809], Samml. eur. Schmett. 4, Noctuae: Tab.90, fig.423. Type(s): Europa.
- 6476. *Apamea sordens* (Hufnagel,1766)** (Noctuidae) Phalaena sordens Hufnagel,1766, Berl. Mag. 3(3): 306. Type(s): Germany: Berlin.
- 6477. *Apamea syriaca* (Osthelder,1933)** (Noctuidae) *Parastichtis monoglypha* ssp. *syriaca* Osthelder,1933, Mitt. münch. ent. Ges. 23: 70. Syntypes: [Türkei]: Maraş, Durnali.
- 6478. *Apamea unanimitis* (Hübner,[1813])** (Noctuidae) Noctua unanimitis Hübner,[1813], Samml. eur. Schmett. 4, Noctuae: Tab. 120, fig.556. Type(s): Europa.
- 6479. *Apaustis rupicola* ([Denis & Schiffermüller],1775)** (Noctuidae) Noctua rupicola [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 90. Type(s): [Austria]: Vienna district.
- 6480. *Apoestes noe* Ronkay,1990** (Noctuidae) *Apoestes noe* Ronkay,1990, Annls hist.-nat. natn. Hung. 82: 157-161, figs. Holotype ♂: [Türkei]: "Syria sept., Taurus, Marasch" (coll. Bartha) (HNHM).
- 6481. *Apoestes phantasma* (Eversmann,1843)** (Noctuidae) *Amphipyra phantasma* Eversmann,1843, Bull. Soc. imp. Nat. Mosc. 16: 546. Lectotype ♂: Russia: "Altai, coll. Eversmann", designated by Ronkay,1990 (ZIASL).
- 6482. *Apoestes spectrum* (Esper,[1787])** (Noctuidae) Phalaena spectrum Esper,[1787], Die Schmett. 4(1): 131, Tab.100 Noct.21 figs.3,4. Syntypes: Süditalien.
- 6483. *Aporophyla australis* (Boisduval,1829)** (Noctuidae) *Xylina australis* Boisduval,1829, Genera Index meth. Eur. Lep. Add.:6. Type(s): [France]: Gallo prov.
- 6484. *Aporophyla canescens* (Duponchel,1826)** (Noctuidae) Noctua canescens Duponchel,1826, Hist. nat. Lépid. pap. France 6:422. Syntypes: [France]: Castelnau.
- 6485. *Aporophyla haasi* Staudinger,1892** (Noctuidae) *Aporophyla haasi* Staudinger,1892, Dt. ent. Z., Iris 4: 280-281. Syntypes 3♂ 2♀: Spanien: San Ildefonso (Alt-Castilien).
- 6486. *Aporophyla lutulenta* ([Denis & Schiffermüller],1775)** (Noctuidae) Noctua lutulenta [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 81. Type(s): [Austria]: Vienna district.
- 6487. *Aporophyla nigra* (Haworth,[1809])** (Noctuidae) Noctua nigra Haworth,[1809], Lep. Br. 2:192. Type(s): England.
- 6488. *Aporophyla nigra nigra* (Haworth,1809)** (Noctuidae) Noctua nigra Haworth,[1809], Lep. Br. 2:192. Type(s): England.
- 6489. *Apsarasa radians* (Westwood,1848)** (Noctuidae) *Apatela radians* Westwood,1848, Cab. Or. Ent.: 58, pl.28 fig.4.
- 6490. *Archanaera cervina* Warren,1911** (Noctuidae) *Archanaera cervina* Warren,1911, [in] Seitz, Gross-Schmett. Erde 3: 238 (49k). Type♂: [Kirgizistan]: "Ketmen Tjube, Sussamyr-Berge in Turkestan".
- 6491. *Archanaera dissoluta taurica* Lehmann,1998** (Noctuidae) *Archanaera dissoluta* ssp. *taurica* Lehmann,1998, Esperiana 6: 374-375, fig. Holotype ♀: Türkei: Prov. Antalya: Aksu, 21. v.1986 (leg. P. Vitek, coll. Lehmann).
- 6492. *Archanaera insoluta* Warren,1911** (Noctuidae) *Archanaera insoluta* Warren,1911, [in] Seitz, Gross-Schmett. Erde 3: 238 (49k). Syntypes 3♀: [Turkmenistan]: "Oasen Tedschen (Transkaspien)".
- 6493. *Arcyophora sylvatica* Büttiker,1959** (Noctuidae) *Arcyophora sylvatica* Büttiker,1959, Acta trop. 16: 357. Type: Cambodia.
- 6494. *Arenostola deserticola modesta* (Staudinger,1900)** (Noctuidae) *Calamia modesta* Staudinger,1900, Dt. ent. Z., Iris 12: 372. Syntypes: Palaestina: Jordantal, Totes Meer.
- 6495. *Arenostola unicolor wiltshirei* Hacker,1996** (Noctuidae) *Arenostola unicolor* ssp. *wiltshirei* Hacker,1996, Esperiana 4: 303-304, figs. Holotype ♂: Türkei: Prov. Van, 5km. W.Gevaş, 1700-1800m, leg. Kautt & Weisz (coll. Hacker).
- 6496. *Argyrogramma signata* (Fabricius,1775)** (Noctuidae) Noctua signata Fabricius,1775, Syst. Ent.: 608, nr.62. Type: India.
- 6497. *Ariathisa abyssinia* (Guenée,1852)** (Noctuidae) *Spodoptera abyssinia* Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. Noct. 1: 154. Type(s): [Ethiopia]: Abyssinia.
- 6498. *Ariathisa abyssinia abyssinia* (Guenée,1852)** (Noctuidae) *Spodoptera abyssinia* Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. Noct. 1: 154. Type(s): [Ethiopia]: Abyssinia.
- 6499. *Armada clio* (Staudinger,1884)** (Noctuidae) *Acontia clio* Staudinger,1884, [in] Romanoff, Mém. lépid. 1: 145, pl.9 fig.4.

Lectotype ♂: [Turkmenistan]: Ashkabat, designated by Wiltshire (1979, Revision of the Armadini: 73) (MNHUB).

6500. Armada clio pakistana Wiltshire, 1979 (Noctuidae) Armada clio ssp. pakistana Wiltshire, 1979, Revision of the Armadini: 73, figs. Holotype ♂: Pakistan: 150km SW of Quetta, 900m, 13.vi.1965, Kasy & Vartian leg. (NHMW).

6501. Asteroscopus sphinx (Hufnagel, 1766) (Noctuidae) Phalaena sphinx Hufnagel, 1766, Berl. Mag. 3 (3): 400. Type(s): [Germany]: Berlin.

6502. Asteroscopus syriaca (Warren, 1910) (Noctuidae) Brachionycha syriaca Warren, 1910, [in] Seitz, Die Gross-Schmett. Erde 3: 121. Type: [Türkei]: Akbes.

6503. Atethmia ambusta (Fabricius, 1787) (Noctuidae) Noctua ambusta Fabricius, 1787, Mant. Ins. 2: 152, nr. 129. Type(s): [Wien].

6504. Atethmia ambusta ambusta (Fabricius, 1787) (Noctuidae) Noctua ambusta Fabricius, 1787, Mant. Ins. 2: 152, nr. 129. Type(s): [Wien].

6505. Atethmia ambusta syriaca Osthelder, 1933 (Noctuidae) Atethmia ambusta ssp. syriaca Osthelder, 1933, Mitt. münch. ent. Ges. 23: 68-69. Syntypes: [Türkei]: Maraş.

6506. Atethmia borjomensis (Romanoff, 1885) (Noctuidae) Cirrhoedia borjomensis Romanoff, 1885, Mem. leipd. 2: 61. Syntypes: [Georgia]: Borjom.

6507. Atethmia centrigo (Haworth, 1809) (Noctuidae) Noctua centrigo Haworth, [1809], Lepid. Br.: 236. Type(s): England.

6508. Atethmia centrigo centrigo (Haworth, 1809) (Noctuidae) Noctua centrigo Haworth, [1809], Lepid. Br.: 236. Type(s): England.

6509. Atethmia centrigo maculifera (Staudinger, 1892) (Noctuidae) Cirrhoedia xerampelina var. maculifera Staudinger, 1892, Dt. ent. Z., Iris 4: 299. Syntypes: Palestina: Jerusalem.

6510. Atethmia centrigo pallida (Staudinger, 1892) (Noctuidae) Cirrhoedia xerampelina var. pallida Staudinger, 1892, Dt. ent. Z., Iris 4: 299. Syntypes: [Türkei]: Amasia.

6511. Atethmia obscura Osthelder, 1933 (Noctuidae) Atethmia obscura Osthelder, 1933, Mitt. münch. ent. Ges. 23: 69. Syntypes 5♂ 3♀: [Türkei]: Maraş.

6512. Athetis delecta (Moore, 1881) (Noctuidae) Caradrina delecta Moore, 1881, Proc. zool. Soc. London 181: 349, pl. 38 fig. 15. Type: Darjeeling (MNHU, Berlin).

6513. Athetis pallustris (Hübner, 1808) (Noctuidae) Noctua pallustris Hübner, [1808], Samml. eur. Schmett. Noct. 2 Taf. 79 fig. 367. Type(s): Europa.

6514. Attatha regalis (Moore, 1872) (Noctuidae) Hypercampa regalis Moore, 1872, Proc. zool. Soc. London 1872: 575, pl. 33 fig. 7.

6515. Atypha pulmonaris (Esper, 1790) (Noctuidae) Phalaena pulmonaris Esper, [1790], Die Schmett. 4(2/1): 499. Type(s): Deutschland: Erlangen.

6516. Atypha pulmonaris pulmonaris (Esper, 1790) (Noctuidae) Phalaena pulmonaris Esper, [1790], Die Schmett. 4(2/1): 499. Type(s): Deutschland: Erlangen.

6517. Auchmis (s.str.) curva (Staudinger, 1889) (Noctuidae) Rhiza ? curva Staudinger, 1889, Stettin ent. Ztg. 50: 46-47. Syntypes 2♂ 3♀: [Kirgizistan]: "südlich vom Issyk-Kul".

6518. Audea subligata Distant, 1902 (Noctuidae) Audea subligata Distant, 1902, Entomologist 35: 212. Type: [South Africa]: Transvaal: Lydenburg district (Pret. Mus. and coll. Dist.).

6519. Autoba brachygonia (Hampson, 1910) (Noctuidae) Eublemma brachygonia Hampson, 1910, Cat. lepid. Phalaenae Br. Mus. 10: 166, pl. 153 fig. 24.

6520. Autographa aemula ([Denis & Schiffermüller], 1775) (Noctuidae) Noctua aemula [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 314. Type(s): [Austria]: Vienna district.

6521. Autographa bractea ([Denis & Schiffermüller], 1775) (Noctuidae) Noctua bractea [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 314. Type(s): [Austria]: Vienna district.

6522. Autographa gamma (Linnaeus, 1758) (Noctuidae) Phalaena gamma Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 513. Lectotype ♀: [Europa], designated by Mikkola & Honey, 1993.

6523. Autographa jota (Linnaeus, 1758) (Noctuidae) Phalaena jota Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 513. Type(s): Germania.

6524. Autophila (Cheiropheanes) anaphanes Boursin, 1940 (Noctuidae) Autophila anaphanes Boursin, 1940, Mitt. münch. ent. Ges. 30: 522-523, Taf. xi fig. 78. Holotype ♂: Libanon: Shweir l.viii.33 Wiltshire leg. (coll. Boursin).

6525. Autophila (Cheiropheanes) anaphanes anaphanes Boursin, 1940 (Noctuidae) Autophila anaphanes Boursin, 1940, Mitt.

münch. ent. Ges. 30: 522-523, Taf. xi fig. 78. Holotype ♂: Libanon: Shweir l.viii.33 Wiltshire leg. (coll. Boursin).

6526. Autophila (Cheiropheanes) anaphanes cypriaca Boursin, 1940 (Noctuidae) Autophila anaphanes ssp. cypriaca Boursin, 1940, Mitt. münch. ent. Ges. 30: 523-524, Taf. xi fig. 79. Holotype ♂: Cypern, Kyrenia (Glaßner leg.) (coll. Magyar Nemzeti Múzeum).

6527. Autophila (Cheiropheanes) chamaepheanes Boursin, 1940 (Noctuidae) Autophila chamaepheanes Boursin, 1940, Mitt. münch. ent. Ges. 30: 528-529, Taf. xi fig. 86. Holotype ♂: [Azerbaidshan]: Transkaukasien (Elisabethpol) (coll. Schwingenschuss).

6528. Autophila (Cheiropheanes) chamaepheanes chamaepheanes Boursin, 1940 (Noctuidae) Autophila chamaepheanes Boursin, 1940, Mitt. münch. ent. Ges. 30: 528-529, Taf. xi fig. 86. Holotype ♂: [Azerbaidshan]: Transkaukasien (Elisabethpol) (coll. Schwingenschuss).

6529. Autophila (Cheiropheanes) cymaenotaenia Boursin, 1940 (Noctuidae) Autophila cymaenotaenia Boursin, 1940, Mitt. münch. ent. Ges. 30: 525-526, Taf. xi fig. 81. Holotype ♂: Tunesien: Maknassy (Dumont leg.) (coll. Boursin).

6530. Autophila (Cheiropheanes) eremocharis Boursin, 1940 (Noctuidae) Autophila eremocharis Boursin, 1940, Mitt. münch. ent. Ges. 30: 527-528, Taf. xi fig. 85. Holotype ♂: [China: Uighur A.R.]: "Ak-su, chinesisch-Turkestan" (Rückbeil leg., 1910) (coll. Püngeler) (BM).

6531. Autophila (Cheiropheanes) eremocharis eremocharis Boursin, 1940 (Noctuidae) Autophila eremocharis Boursin, 1940, Mitt. münch. ent. Ges. 30: 527-528, Taf. xi fig. 85. Holotype ♂: [China: Uighur A.R.]: "Ak-su, chinesisch-Turkestan" (Rückbeil leg., 1910) (coll. Püngeler) (BM).

6532. Autophila (Cheiropheanes) ligaminosa (Eversmann, 1851) (Noctuidae) Amphipyra ligaminosa Eversmann, 1851, Bull. Soc. imp. nat. Moscou 24: 630. Syntypes: Georgien, Armenien.

6533. Autophila (Cheiropheanes) ligaminosa ligaminosa (Eversmann, 1851) (Noctuidae) Amphipyra ligaminosa Eversmann, 1851, Bull. Soc. imp. nat. Moscou 24: 630. Syntypes: Georgien, Armenien.

6534. Autophila (Cheiropheanes) myriospea Boursin, 1940 (Noctuidae) Autophila myriospea Boursin, 1940, Mitt. münch. ent. Ges. 30: 524-525, Taf. xi fig. 80. Holotype ♂: China: T'sien-fo-tung (MNHP).

6535. Autophila (Cheiropheanes) pauli Boursin, 1940 (Noctuidae) Autophila pauli Boursin, 1940, Mitt. münch. ent. Ges. 30: 526-527, Taf. xi fig. 82. Holotype ♂: Palästina: Totes Meer (Paulus leg.) (coll. Boursin).

6536. Autophila (Cheiropheanes) tancrei Boursin, 1940 (Noctuidae) Autophila tancrei Boursin, 1940, Mitt. münch. ent. Ges. 30: 530-531, Taf. xi fig. 88. Holotype ♀: [China: Uighur A.R.]: "Lob-nor (Zentralasien) (coll. Draudt; ex coll. Tancrei).

6537. Autophila (Cheiropheanes) tancrei tancrei Boursin, 1940 (Noctuidae) Autophila tancrei Boursin, 1940, Mitt. münch. ent. Ges. 30: 530-531, Taf. xi fig. 88. Holotype ♀: [China: Uighur A.R.]: "Lob-nor (Zentralasien) (coll. Draudt; ex coll. Tancrei).

6538. Autophila (Cheiropheanes) tetrastigma Boursin, 1940 (Noctuidae) Autophila tetrastigma Boursin, 1940, Mitt. münch. ent. Ges. 30: 527-528, Taf. xi fig. 87. Holotype ♂: [Kazachstan]: Dscharkent [Taldi Kurgan]: Ili-Geb. [iet], (Rückbeil leg., 1903) (coll. Püngeler) (BM).

6539. Autophila (Cheiropheanes) tetrastigma tetrastigma Boursin, 1940 (Noctuidae) Autophila tetrastigma Boursin, 1940, Mitt. münch. ent. Ges. 30: 527-528, Taf. xi fig. 87. Holotype ♂: [Kazachstan]: Dscharkent [Taldi Kurgan]: Ili-Geb. [iet], (Rückbeil leg., 1903) (coll. Püngeler) (BM).

6540. Autophila (s.str.) banghaasi Boursin, 1940 (Noctuidae) Autophila bang-haasi Boursin, 1940, Mitt. münch. ent. Ges. 30: 517, Taf. 11 figs. 69, 70. Holotype ♂: [Türkei]: Ak-Chehir: Sultandagh, 1500-1700m (leg. Pfeiffer, coll. Boursin).

6541. Autophila (s.str.) banghaasi banghaasi Boursin, 1940 (Noctuidae) Autophila bang-haasi Boursin, 1940, Mitt. münch. ent. Ges. 30: 517, Taf. 11 figs. 69, 70. Holotype ♂: [Türkei]: Ak-Chehir: Sultandagh, 1500-1700m (leg. Pfeiffer, coll. Boursin).

6542. Autophila (s.str.) dilucida (Hübner, 1808) (Noctuidae) Noctua dilucida Hübner, [1808], Samml. eur. Schmett. 4, Noctuae: Tab. 82 fig. 383. Type(s): Europa.

6543. Autophila (s.str.) einsleri Amsel, 1935 (Noctuidae) Autophila einsleri Amsel, 1935, Zoogeographica 2: 274. Syntypes: Georgskolster, Jericho, Ain Karim, Jordanbrücke.

6544. Autophila (s.str.) einsleri cyprogena Boursin, 1940 (Noctuidae) Autophila luxuriosa ssp. cyprogena Boursin, 1940, Mitt.

münch. ent. Ges. 30: 519, Taf.11 fig.71. Holotype ♂: Cyprus: Patres (Capt. K.J. Hayward leg.) (BMNH).

6545. *Autophila* (s.str.) *einsleri* Amsel,1935 (Noctuidae) *Autophila einsleri* Amsel,1935, Zoogeographica 2: 274. Syntypes: Georgskolster, Jericho, Ain Karim, Jordanbrücke.

6546. *Autophila* (s.str.) *einsleri taurica* Boursin,1940 (Noctuidae) *Autophila luxuriosa* ssp. *taurica* Boursin,1940, Mitt. münch. ent. Ges. 30: 519-520, Taf.11 fig.72. Holotype ♂: [Turkey]: Marasch: Amanus, Yüsekdağ.

6547. *Autophila* (s.str.) *hirsutula* (Alpheraky,[1894]) (Noctuidae) *Spintherops hirsutula* Alpheraky,[1894], Dt. ent. Z., Iris 6: 347. Type ♂: [China: Uighur A.R.]: "Kaschgaria".

6548. *Autophila* (s.str.) *iranica* L.Ronkay,1989 (Noctuidae) *Autophila iranica* L.Ronkay,1989, Acta zool. hung. 35: 119-121, figs. Holotype ♂: W-Iran: Kordestan: Baneh-Marivan, 1950m (LNK).

6549. *Autophila* (s.str.) *libanotica* (Staudinger,1901) (Noctuidae) *Apopetes dilucida* var. *libanotica* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 251. Syntypes: Lebanon.

6550. *Autophila* (s.str.) *libanotica libanotica* (Staudinger,1901) (Noctuidae) *Apopetes dilucida* var. *libanotica* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 251. Syntypes: Lebanon.

6551. *Autophila* (s.str.) *simplex* (Staudinger,1888) (Noctuidae) *Spintherops simplex* Staudinger,1888, Stett. ent. Ztg. 49: 64. Syntypes: [China: Uighur A.R.]: Kulджа.

6552. *Avatha* *discolor* (Fabricius,1794) (Noctuidae) *Noctua discolor* Fabricius,1794, Ent. Syst. 3 (2): 50. Type: India: Tranquebariae.

6553. *Axyia* *putris* (Linnaeus,1761) (Noctuidae) *Phalaena putris* Linnaeus,1761, Fauna Suec. (Edn.2): 315. Type(s): Schweden.

6554. *Baorisa* *hieroglyphica* Moore,1882 (Noctuidae) *Baorisa hieroglyphica* Moore,1882, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr. Atkinson: 133, pl.4 fig. 14. Type: India, Siikim, Darjeeling.

6555. *Basistriga* *flammatra* ([Denis & Schiffermüller],1775) (Noctuidae) *Noctua flammatra* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district.

6556. *Basistriga* *flammatra flammatra* ([Denis & Schiffermüller],1775) (Noctuidae) *Noctua flammatra* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district.

6557. *Batracharta* *albistrigosa* W.Warren,1915 (Noctuidae) *Batracharta albistrigosa* W.Warren,1915, Novit. zool. 22: 147. Syntypes 2♂: [India]: Assam: Khasia Hills.

6558. *Behouneikia* *freyeri* (Frivaldsky,1835) (Noctuidae) *Xylina freyeri* Frivaldsky,1835, Tarsas Tud. Akad. Evkönyv. 2:273. Syntypes: Balkans.

6559. *Beihania* *Wiltshire*,1967 (Noctuidae) *Beihania Wiltshire*,1967, J. Bomb. Nat. Hist. Soc. 64 (2): 232-233. Type-species: *Metoponrhis anatoides* Warnecke,1937, by original designation.

6560. *Beihania* *anartoides* (Warnecke,1937) (Noctuidae) *Metoponrhis anatoides* Warnecke,1937, Mitt. münch. ent. Ges. 27: 47, Pl.3 fig. 1.

6561. *Beihania* *cuculliella* Wiltshire,1967 (Noctuidae) *Beihania cuculliella* Wiltshire,1967, J. Bomb. Nat. Hist. Soc. 64 (2): 234-235, figs. Holotype ♂: Saudi Arabia: Mecca, 8.iv.32, leg. H.St.J. Philby (BMNH).

6562. *Beihania* *hyatti* Wiltshire,1967 (Noctuidae) *Beihania hyatti* Wiltshire,1967, J. Bomb. Nat. Hist. Soc. 64 (2): 235-237, figs. Holotype ♀: Somaliland, 2200ft., iv.1929, leg. M.Portal Hyatt (BMNH).

6563. *Belciades* *sugii* Kononenko,1997 (Noctuidae) *Belciades sugii* Kononenko,1997, Tinea 15: 110, fig.7, 13, 14. Holotype ♂: Thailand: Chiang Mai, Fang, Doi Angkhang.

6564. *Bena* *africana* (W.Warren,1913) (Noctuidae) *Hylophilina africana* W.Warren,1913, [in] Seitz, Gross-Schmett. Erde 3: 298, pl.53m. Holotype ♀: Tunis: Ain Draham (BMNH).

6565. *Blasticorhinus* *varius* Yoshimoto,1993 (Noctuidae) *Blasticorhinus varius* Yoshimoto,1993, Tinea 13 (Suppl.3): 74, pl.53 figs.1,2. Holotype: Nepal: Godavari.

6566. *Blepharita* *satura* ([Denis & Schiffermüller],1775) (Noctuidae) *Noctua satura* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 83. Type(s): [Austria]: Vienna district.

6567. *Boursinia* *candida* (Boursin,1964) (Noctuidae) *Anamecia candida* Boursin,1964, Z. wien. ent. Ges. 49: 34-35, figs. Holotype ♂: Pakistan: Karachi (Flughafen) (coll. Vartian).

6568. *Boursinia* *deceptrix* (Staudinger,1900) (Noctuidae) *Pseudohadena deceptrix* Staudinger,1900, Dt. ent. Z., Iris 12: 369.

Syntypes 1♂ 1♀: Palestina; Lectotype ♂, designated by Hacker,2001 (NMHU).

6569. *Boursinia* *ferdovsi* (Brandt,1941) (Noctuidae) *Catamecia ferdovsi* Brandt,1941, Mitt. münch. ent. Ges. 31: 852, fig.38. Syntypes: Iran: Laristan, Bender Tchahbahar.

6570. *Boursinia* *lithoxylea* (A.Bang-Haas,1912) (Noctuidae) *Hypomecia lithoxylea* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 157. Syntypes: Algerien: Batna.

6571. *Boursinia* *oxygramma* Brandt,1938 (Noctuidae) *Boursinia oxygramma* Brandt,1938, Ent. Rdsch. 55: 522, figs. 88. Syntypes: Iran: [Fars]: Fort Sine Sefid.

6572. *Boursinia* *symmicta* Brandt,1938 (Noctuidae) *Boursinia symmicta* Brandt,1938, Ent. Rdsch. 55: 519, figs. 85-87. Syntypes: Iran: Keredj.

6573. *Brachygalea* *albolineata* (Blachier,1905) (Noctuidae) *Calophasia albolineata* Blachier,1905, Bull. Soc. ent. Fr. 1905: 53. Type: Tunis: Gafsa.

6574. *Brachygalea* *kalchbergi* (Staudinger,1897) (Noctuidae) *Polia kalchbergi* Staudinger,1897, Dt. ent. Z., Iris 10: 172, Taf.iv fig.10. Lectotype ♂: Palestina: Haifa, designated by Hacker,2001 (NMHU).

6575. *Brachylomia* *uralensis urartua* Hacker & Kuhna,1986 (Noctuidae) *Brachylomia urartua* Hacker & Kuhna,1986, Nota lepid. 9 (3/4): 180-181, Taf.1 fig.1,2. Holotype ♂: Türkei: Prov. Tunceli, 15km N. Pülümür, 1800m, 20.ix.1981 (leg. & coll. Kuhna).

6576. *Brachylomia* *viminalis* (Fabricius,1777) (Noctuidae) *Noctua viminalis* Fabricius,1777, Gen. Ins.: 284. Type(s): Germania.

6577. *Brana* *cara* Yoshimoto,2001 (Noctuidae) *Brana cara* Yoshimoto,2001, Trans. lepid. Soc. Japan 52 (4): 250, fig.

6578. *Brandtaxia* *discalis* (Brandt,1941) (Noctuidae) *Sidemia ? discalis* Brandt,1941, Mitt. münch. ent. Ges. 31: 850, fig.37. Syntypes: Iran: Fort Sengan.

6579. *Brandtina* *Bytinski-Salz & Brandt*,1937 (Noctuidae) *Brandtina Bytinski-Salz & Brandt*,1937, Entomologist's Rec. J. Var. 49 (9): (11). Type-species: *Brandtina albonigra* Bytinski-Salz & Brandt,1937, by monotypy.

6580. *Brandtina* *albonigra* Bytinski-Salz & Brandt,1937 (Noctuidae) *Brandtina albonigra* Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49 (9): (11). Holotype ♂: [Iran]: Persia: Nissa, 2300m.

6581. *Brephos* *decora* (Linnaeus,1764) (Noctuidae) *Phalaena decorata* Linnaeus,1764, Mus. Ulr.: 382. Type: South Africa: ? Cape.

6582. *Brithys* *encausta* (Hübner,[1808]) (Noctuidae) *Noctua encausta* Hübner,[1808], Samml. eur. Schmett. 2: Taf.84, fig.392. Type(s): Europa.

6583. *Bryomima* *carducha* Staudinger,1900 (Noctuidae) *Bryomima carducha* Staudinger,1900, Dt. ent. Z., Iris 12: 357. Syntypes: [Türkei]: Mardin.

6584. *Bryomima* *defreina* Hacker,[1987] (Noctuidae) *Bryomima defreina* Hacker,[1987], Spixiana 9 (1): 47-48, figs. Holotype ♂: [Türkei]: Hakkari, tanin Dağları, W-Seite, Elkek geçidi, 2300m, 6km NO Uludere 26.vi.1984 (leg. Wolf, coll. Hacker).

6585. *Bryomima* *dilutior rosea* Brandt,1941 (Noctuidae) *Bryomima carducha* ssp. *rosea* Brandt,1941, Mitt. münch. ent. Ges. 31: 848. Syntypes: Iran: [Belutschistan]: Kouh i Taftan.

6586. *Bryomima* *hakkariensis* De Freina & Hacker,1985 (Noctuidae) *Bryomima hakkariensis* De Freina & Hacker,1985, Entomofauna 6 (19): 252-254, figs. Holotype ♂: [Türkei]: Kleinasien: Hakkari: Tanin-Tanin Paß, 2000-2300m, 12-13.7.83 (leg. & coll. De Freina).

6587. *Bryomima* *luteosordida* Osthelder,1933 (Noctuidae) *Bryomima luteosordida* Osthelder,1933, Mitt. münch. ent. Ges. 23: 62-63. Syntypes: [Türkei]: Maraş, Duldül Dağ.

6588. *Callopietria* *latreillei* (Duponchel,1827) (Noctuidae) *Noctua latreillei* Duponchel,1827, [in] Godart & Duponchel, Hist. nat. Lépid. Pap. Fr. 7: 327.

6589. *Calocucullia* *celsiae* (Herrich-Schäffer,1850) (Noctuidae) *Cucullia celsiae* Herrich-Schäffer,[1850], Syst. Bearb. Schmett. Eur. 2:311. Syntypes: [Greece]: Saloniki [=Selanik].

6590. *Calocucullia* *celsiae levantina* Hacker,2001 (Noctuidae) *Calocucullia celsiae* ssp. *levantina* Hacker,2001, Esperiana 8: 119, pl.24 fig.11. Holotype ♂: W. Israel: Even Menakhem, 700m, 20km E Nahariya, 15.ii.1999, leg. Müller (ZSM).

6591. *Calogramma* *picta* (Guérin-Méneville,1838) (Noctuidae) *Polia picta* Guérin-Méneville,1838, Voyage de Coquille (Zool.) 2: 285.

6592. *Calophasia* *angularis* Chretien,1911 (Noctuidae) *Calophasia angularis* Chretien,1911, Annls Soc. ent. Fr. 79: 504. Type: Tunis: Gafsa.

- 6593. Calophasia barthae** Wagner, 1929 (Noctuidae) Calophasia barthae Wagner, 1929, Mitt. münch. ent. Ges. 19: 79. Syntypes: [Turkey]: Akşehir.
- 6594. Calophasia lunula** (Hufnagel, 1766) (Noctuidae) Phalaena lunula Hufnagel, 1766, Berl. Mag. 3(3): 394. Type(s): [Germany]: Berlin.
- 6595. Calophasia lunula lunula** (Hufnagel, 1766) (Noctuidae) Phalaena lunula Hufnagel, 1766, Berl. Mag. 3(3): 394. Type(s): [Germany]: Berlin.
- 6596. Calophasia opalina** (Esper, [1796]) (Noctuidae) Calocasia opalina Esper, [1796], Die Schmett. 4(2/2): 11, Taf. 182, fig. 3. Type(s): Italien.
- 6597. Calophasia platyptera** (Esper, [1788]) (Noctuidae) Phalaena platyptera Esper, [1788], Die Schmett. 4(2): 396, Taf. 130, fig. 5. Type(s): [Germany]: Frankfurt.
- 6598. Calymma communimacula** ([Denis & Schiffermüller], 1775) (Noctuidae) Noctua communimacula [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 85. Type(s): [Austria]: Vienna district.
- 6599. Calymma communimacula communimacula** ([Denis & Schiffermüller], 1775) (Noctuidae) Noctua communimacula [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 85. Type(s): [Austria]: Vienna district.
- 6600. Calymma communimacula gracilis** Osthelder, 1933 (Noctuidae) Calymma communimacula ssp. gracilis Osthelder, 1933, Mitt. münch. ent. Ges. 23: 86. Syntypes: [Türkei]: Maraş, Yüksek Dag.
- 6601. Calyptra bicolor** (Moore, 1883) (Noctuidae) Calpe bicolor Moore, 1883, Proc. zool. Soc. London 1883: 19.
- 6602. Calyptra eustrigata** Hampson, 1926 (Noctuidae) Calpe eustrigata Hampson, 1926, Descr. lepid. Phalaen. Br. Mus.: 377.
- 6603. Calyptra thalictri** (Borkhausen, 1790) (Noctuidae) Phalaena thalictri Borkhausen, 1790, Syst. Besch. Eur. Schmett. 3: 425.
- 6604. Camptoloma carum** Kishida, 1996 (Noctuidae) Camptoloma carum Kishida, 1996, Tinea 14 (4): 268-270.
- 6605. Camptoloma interioratum** (Walker, 1864) (Noctuidae) Numenes interiorata Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 31: 290. Type: [China]: Shanghai
- 6606. Camptoloma interioratum binotatum** Butler, 1881 (Noctuidae) Camptoloma interiorata ssp. binotatum Butler, 1881, Ann. Mag. nat. Hist. (5) 7: 35. Type: India: Assam (BMNH).
- 6607. Camptoloma interioratum interioratum** (Walker, 1864) (Noctuidae) Numenes interiorata Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 31: 290. Type: [China]: Shanghai
- 6608. Camptoloma vanata behouneki** Zolotuhin & Witt, 2000 (Noctuidae) behouneki Zolotuhin & Witt, 2000
- 6609. Caradrina (Boursinidrina) panurgia** (Boursin, 1939) (Noctuidae) Elaphria (Hymenodrina) panurgia Boursin, 1939, Ent. Rdsch. 56: 292, Taf. iv. figs. 9.10. Holotype ♂: Iran: Fars, Str. Chiraz-Kazeroun, Fort Sine-Sefid, ca. 2200m ix. 37 (F. Brandt leg.) (coll. Brandt).
- 6610. Caradrina (Boursinidrina) parvaspersa** (Boursin, 1936) (Noctuidae) Athetis parvaspersa Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 92. Holotype ♂: Iraq: Rayat, Wiltshire leg.
- 6611. Caradrina (Boursinidrina) rjabovi** (Boursin, 1936) (Noctuidae) Athetis rjabovi Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 91. Holotype ♂: Armenie: Njuvady, pres Migry sur l'Araxe (Armenie) (leg. Rjabov) (coll. Boursin).
- 6612. Caradrina (Boursinidrina) rjabovi rjabovi** (Boursin, 1936) (Noctuidae) Athetis rjabovi Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 91. Holotype ♂: Armenie: Njuvady, pres Migry sur l'Araxe (Armenie) (leg. Rjabov) (coll. Boursin).
- 6613. Caradrina (Boursinidrina) surchica** (Boursin, 1937) (Noctuidae) Eremodrina (Hymenodrina) surchica Boursin, 1937, Ent. Rdsch. 54: 430-431. Holotype ♂: Iraq: Rowanduz, 8. Oct. 1936, (leg. & coll. Wiltshire).
- 6614. Caradrina (Boursinidrina) syriaca** (Staudinger, 1892) (Noctuidae) Caradrina vicina var. ? syriaca Staudinger, 1892, Dt. ent. Z., Iris 4: 294-295. Syntypes 1 ♂ 5 ♀: [Libanon]: Syrien (Beirut).
- 6615. Caradrina (Boursinidrina) wiltshirei** (Boursin, 1936) (Noctuidae) Athetis wiltshirei Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 92. Holotype ♂: Iraq: Rayat, Wiltshire leg.
- 6616. Caradrina (Eremodrina) agenjoi** (Boursin, 1936) (Noctuidae) Athetis agenjoi Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 89. Holotype ♂: [Turkey]: [Maraş Prov.]: Zeitun [=Süleymanlı] (lost in Mus. Madrid). Neotype ♂: Afghanistan: Prov. Kadaghan: Salang pass, designated by Hacker (2004: 250).
- 6617. Caradrina (Eremodrina) alfieri** (Boursin, 1937) (Noctuidae) Eremodrina (? Eremodrina) alfieri Boursin, 1937, Ent. Rdsch. 54: 439-440. Holotype ♀: [Egypt]: Umg. Arad (Sinai), 22. Nov. 1926 (A. Kauer leg.; coll. Alfieri).
- 6618. Caradrina (Eremodrina) armeniaca** (Boursin, 1936) (Noctuidae) Athetis clara ssp. armeniaca Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 94. Holotype ♂: Armenie: Negram, Rjabov leg. (coll. Boursin).
- 6619. Caradrina (Eremodrina) armeniaca armeniaca** (Boursin, 1936) (Noctuidae) Athetis clara ssp. armeniaca Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 94. Holotype ♂: Armenie: Negram, Rjabov leg. (coll. Boursin).
- 6620. Caradrina (Eremodrina) asymmetrica** (Boursin, 1936) (Noctuidae) Athetis asymmetrica Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 88. Holotype ♂: [Turkmenistan]: Germob env. Askhabad (coll. Boursin).
- 6621. Caradrina (Eremodrina) avis** (Pinker, 1980) (Noctuidae) Caradrina (Eremodrina) avis Pinker, 1980, Z. ArbGem. öst. Ent. 31: 68. Holotype ♂: Türkei: Gürün, 1700m (leg. & coll. Pinker).
- 6622. Caradrina (Eremodrina) belucha** (Swinhoe, 1885) (Noctuidae) Caradrina belucha Swinhoe, 1885, Trans. ent. Soc. London 1885: 348. Syntypes: [Pakistan]: Quetta.
- 6623. Caradrina (Eremodrina) draudti** (Boursin, 1936) (Noctuidae) Athetis draudti Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 89. Holotype ♂: [Turkey]: Lac de Van (Armenie turquie) (coll. Boursin).
- 6624. Caradrina (Eremodrina) draudti draudti** (Boursin, 1936) (Noctuidae) Athetis draudti Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 89. Holotype ♂: [Turkey]: Lac de Van (Armenie turquie) (coll. Boursin).
- 6625. Caradrina (Eremodrina) eremocosma** (Boursin, 1937) (Noctuidae) Eremodrina (Eremodrina) eremocosma Boursin, 1937, Ent. Rdsch. 54: 438-439. Holotype ♂: Iran: Luristan, Kala-Zendj, 550m, 150km nnö. v. Ahwaz, Oktober 1935 (A. Dumez leg.) (MNHNP).
- 6626. Caradrina (Eremodrina) eucrinospila** (Boursin, 1936) (Noctuidae) Athetis eucrinospila Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 88. Holotype ♂: [Turkmenistan]: Askhabad (ZMB).
- 6627. Caradrina (Eremodrina) gilva orientalis** (Boursin, 1936) (Noctuidae) Athetis gilva ssp. orientalis Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 93. Holotype ♂: Turquie: Ak-Chehir (leg. & coll. Schwingschuss).
- 6628. Caradrina (Eremodrina) hedychroa** (Boursin, 1936) (Noctuidae) Athetis hedychroa Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 90-91. Holotype ♂: Liban: Bscharré (Wiltshire leg).
- 6629. Caradrina (Eremodrina) inumbrata** (Staudinger, 1900) (Noctuidae) Agrotis inumbrata Staudinger, 1900, Dt. ent. Z., Iris 12: 363. Syntypes: [Türkei]: Zeitun [=Süleymanlı].
- 6630. Caradrina (Eremodrina) inumbrata inumbrata** (Staudinger, 1900) (Noctuidae) Agrotis inumbrata Staudinger, 1900, Dt. ent. Z., Iris 12: 363. Syntypes: [Türkei]: Zeitun [=Süleymanlı].
- 6631. Caradrina (Eremodrina) melanurina** (Staudinger, 1901) (Noctuidae) Agrotis melanura var. melanurina Staudinger, 1901, Cat. Lep. Palaearkt. Faunengeb. 3 (1): 146. Syntypes 2 ♂ 3 ♀: Palestina (NHMU).
- 6632. Caradrina (Eremodrina) pertinax** (Staudinger, 1879) (Noctuidae) Caradrina pertinax Staudinger, 1879, Horae Soc. ent. ross. 14: 387. Syntypes: [Turkey]: Amasia.
- 6633. Caradrina (Eremodrina) roxana** Boursin, 1937 (Noctuidae) Eremodrina (Eremodrina) roxana Boursin, 1937, Ent. Rdsch. 54: 438. Holotype ♂: [Uzbekistan]: Kara-Tjube, Südost-Samarkand (Virigin leg.) (ZMSP).
- 6634. Caradrina (Eremodrina) salzi** (Boursin, 1936) (Noctuidae) Athetis salzi Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 89-90. Holotype ♂: [Turkey]: Malatya-Tecde (Kurdistan ture) (coll. Boursin).
- 6635. Caradrina (Eremodrina) turatii** (Boursin, 1936) (Noctuidae) Athetis turatii Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 90. Holotype ♂: [Kirgizistan]: Isyk-Kul (ZMH); Allotype ♀: [China: Uighr A.R.]: Korla.
- 6636. Caradrina (Eremodrina) vicina** (Staudinger, 1870) (Noctuidae) Caradrina vicina Staudinger, 1870, Berl. ent. Z. 14: 118. Lectotype ♂: [Russia]: Sarepta (MNHU).
- 6637. Caradrina (Eremodrina) vicina rosea** (Boursin, 1936) (Noctuidae) Athetis vicina ssp. rosea Boursin, 1936, Bull. Soc. ent. Fr. 1936 (6): 93. Holotype ♂: Liban: Sannin (leg. & coll. Wiltshire).
- 6638. Caradrina (Eremodrina) vicina vicina** (Staudinger, 1870) (Noctuidae) Caradrina vicina Staudinger, 1870, Berl. ent. Z. 14: 118. Lectotype ♂: [Russia]: Sarepta (MNHU).
- 6639. Caradrina (Eremodrina) xanthorhoda** Boursin, 1937 (Noctuidae) Eremodrina (Eremodrina) xanthorhoda Boursin, 1937, Ent.

Rdsch. 54: 437. Holotype ♂: Iran: Elbursgebirge, Rehne, Demavend, 2600m, (Schwingenschuss leg., coll. Boursin).

6640. Caradrina (Eremodrina) zernyi (Boursin,1936) (Noctuidae) Athetis zernyi Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 87. Holotype ♂: Russie meridionale: Sarepta (coll. Boursin).

6641. Caradrina (Eremodrina) zernyi debilis (Boursin,1936) (Noctuidae) Athetis zernyi ssp. debilis Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 88. Holotype ♂: Iraq: Rowanduz (Wiltshire leg.).

6642. Caradrina (Eremodrina) zernyi zernyi (Boursin,1936) (Noctuidae) Athetis zernyi Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 87. Holotype ♂: Russie meridionale: Sarepta (coll. Boursin).

6643. Caradrina (Kalchbergiana) ingrata (Staudinger,1897) (Noctuidae) Caradrina ingrata Staudinger,1897, Dt. ent. Z., Iris 10: 175, Taf.iv fig.13. Syntypes: Palestina: Haifa; [Libanon]: Beirut.

6644. Caradrina (Paradrina) amseli (Boursin,1936) (Noctuidae) Athetis amseli Boursin,1936, Bull. Soc. ent. Fr. 1936 (12): 225-226. Holotype ♂: Palestine: Jericho (Amsel leg.).

6645. Caradrina (Paradrina) boursini ellisoni (Boursin,1937) (Noctuidae) Eremodrina (Paradrina) ellisoni Boursin,1937, Ent. Rdsch. 54: 431-432. Holotype ♂: Libanon: Cedar Mts., Bscharré, 15. Aug.1931 (leg. & coll. Ellison).

6646. Caradrina (Paradrina) clavipalpis (Scopoli,1763) (Noctuidae) Phalaena clavipalpis Scopoli,1763, Entomologia Carniolica: 213. Type(s): [Slovenien]: Carniolia [Krain].

6647. Caradrina (Paradrina) flavirena (Guenée,1852) (Noctuidae) Caradrina flavirena Guenée,1852, [in] Boisduval & Guenée, Hist. Nat. Ins., Noctuelites 1: 250. Type(s):-.

6648. Caradrina (Paradrina) flavirena zobeidah (Boursin,1937) (Noctuidae) Eremodrina (Paradrina) zobeidah Boursin,1937, Ent. Rdsch. 54: 431-432. Holotype ♂: Iraq: Baghdad (leg. & coll. Wiltshire).

6649. Caradrina (Paradrina) hypostigma (Boursin,1932) (Noctuidae) Athetis hypostigma Boursin,1932, Int. ent. Z. 23: 245-246, fig. Syntypes 3♂ 2♀: Libanon: Bscharre (coll. Osthelder & Boursin).

6650. Caradrina (Paradrina) scotoptera (Püngeler,1914) (Noctuidae) Athetis scotoptera Püngeler,1914, Dt. ent. Z., Iris 28: 47. Syntypes: Palaestina.

6651. Caradrina (Paradrina) suscijania Mentzer,1981 (Noctuidae) Paradrina suscijania Mentzer,1981, Ent. Scand. 12: 403. Holotype : Croatia: Susanj, Karlobag.

6652. Caradrina (Paradrina) suscijania cilicia Hacker,1992 (Noctuidae) Paradrina cilicia Hacker,1992, Esperiana 3: 438-439, figs. Holotype ♂: Türkei: Niğde Prov., Ala Dag, Demirkazık, 2900-3100m (leg. Kautt, coll. Hacker).

6653. Caradrina (Paradrina) wulschlegeli schwingenschussi (Boursin,1936) (Noctuidae) Athetis wulschlegeli ssp. schwingenschussi Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 94. Holotype ♂: [Turquie]: Bolu, 800m (Pfeiffer leg.) (coll. Boursin).

6654. Caradrina (Platyperigea) albina (Eversmann,1848) (Noctuidae) Caradrina albina Eversmann,1848, Bull. Soc. imp. Nat. Moscou 21: 215. Lectotype ♂: Südrussland (MNHU).

6655. Caradrina (Platyperigea) albina albina (Eversmann,1848) (Noctuidae) Caradrina albina Eversmann,1848, Bull. Soc. imp. Nat. Moscou 21: 215. Lectotype ♂: Südrussland (MNHU).

6656. Caradrina (Platyperigea) aspersa (Rambur,1834) (Noctuidae) Caradrina aspersa Rambur,1834, Annls Soc. ent. Fr. 1834: 385, Pl.8 fig.3.

6657. Caradrina (Platyperigea) montana rougemonti Spuler,1908 (Noctuidae) Caradrina rougemonti Spuler,1908, Schmiett. Eur. 3: 231, Taf.29, fig.32.

6658. Caradrina (Platyperigea) sogdiana (Boursin,1936) (Noctuidae) Athetis sogdiana Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 92. Holotype ♂: [Uzbekistan]: Kara-Tioubé, sud-est Samarkand (Turkestan) (coll. Boursin).

6659. Caradrina (Platyperigea) terrea (Freyer,[1840]) (Noctuidae) Caradrina terrea Freyer,[1840], Neuere Beitr. Schmiett. 4: 26, Taf. 303 figs.3,4. Syntypes: [Russia]: Sarepta.

6660. Caradrina (Platyperigea) terrea matrona (Ronkay & Varga,1985) (Noctuidae) Caradrina (Platyperigea) terrea ssp. matrona Ronkay & Varga,1985, Z. ArbGem. öst. Ent. 36 (3/4): 91-92, Taf.1 figs.16-17. Holotype ♂: [Armenia]: Armenische SSR, Geghard 40km O.v.Eriwan (NWMB).

6661. Caradrina (Platyperigea) terrea terrea (Freyer,1840) (Noctuidae) Caradrina terrea Freyer,[1840], Neuere Beitr. Schmiett. 4: 26, Taf. 303 figs.3,4. Syntypes: [Russia]: Sarepta.

6662. Caradrina (Platyperigea) warneckei (Boursin,1936) (Noctuidae) Athetis warneckei Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 91. Holotype ♂: [Kazachstan]: [Dschungar] Ala-Tau (coll. Boursin).

6663. Caradrina (s.str.) agrotina (Staudinger,1892) (Noctuidae) Amphidrina agrotina Staudinger,1892, Dt. ent. Z., Iris 4: 293-294, Taf.iii fig.11. Syntypes: [Türkei]: Amasia, Eibes.

6664. Caradrina (s.str.) morpheus (Hufnagel,1766) (Noctuidae) Phalaena morpheus Hufnagel,1766, Berl. Mag. 3(3): 302. Type(s): Germany: Berlin.

6665. Cardepiia additamenta Hacker,1998 (Noctuidae) Cardepiia additamenta Hacker,1998, Esperiana 6: 814-815, figs. Holotype ♂: Kazachstan: Batkul Lake, leg. Miatleuski (coll. Gyulai).

6666. Cardepiia affinis europaea Hacker,1998 (Noctuidae) Cardepiia deserticola ssp. europaea Hacker,1998, Esperiana 6: 802-803, figs. Holotype ♂: Spanien: Murcia, Aguilas, 0m, 19.ix.1981, leg. Calle, (coll. Hacker).

6667. Cardepiia affinis iatnana Hacker,1998 (Noctuidae) Cardepiia deserticola ssp. iatnana Hacker,1998, Esperiana 6: 803, figs. Holotype ♂: Zypern: Saltsee westl. Limassol, 22-27.vii.1981, M. & E. Arenberger leg. (coll. Hacker).

6668. Cardepiia arenbergeri Pinker,1974 (Noctuidae) Cardepiia arenbergeri Pinker,1974, Z. ArbGem. öst. Ent. 24:112. Holotype: Turkey: Ankara: Tuzgölü.

6669. Cardepiia deserticola Hampson,1905 (Noctuidae) Cardepiia irroror ssp. deserticola Hampson,1905, Cat. lepid. Phalaenae Br. Mus. 5: 235. Type: Syria.

6670. Cardepiia hartigi Parenzan,1981 (Noctuidae) Cardepiia hartigi Parenzan,1981, Entomologica Bari 16: 97. Holotype: Italia: Südtalia.

6671. Cardepiia irrisoria (Erschoff,1874) (Noctuidae) Mamestra irrisoria Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2: 42, Taf.iv fig.53. Syntypes: [Kazachstan]: Syr Darja, Turkestan.

6672. Cardepiia sociabilis (Graslin,1850) (Noctuidae) Hadenia sociabilis Graslin,1850, Annls Soc. ent. Fr. 8: 412, Pl. 10 fig. 13. Syntypes: France: E. Pyrenees.

6673. Cardepiia sociabilis canescens Hacker,1998 (Noctuidae) Cardepiia sociabilis ssp. canescens Hacker,1998, Esperiana 6: 790-791, figs. Holotype ♂: Türkei: [Ankara Prov.]: Tuz Gölü, Nordufer 7-9.vii.1970 leg. Friedel (coll. Hacker).

6674. Cardepiia sociabilis deserticola Hampson,1905 (Noctuidae) Cardepiia irroror ssp. deserticola Hampson,1905, Cat. lepid. Phalaenae Br. Mus. 5: 235. Type: Syria.

6675. Cardepiia sociabilis sociabilis (Graslin,1850) (Noctuidae) Hadenia sociabilis Graslin,1850, Annls Soc. ent. Fr. 8: 412, Pl. 10 fig. 13. Syntypes: France: E. Pyrenees.

6676. Cardepiia sociabilis socialis Hacker,1998 (Noctuidae) Cardepiia sociabilis ssp. socialis Hacker,1998, Esperiana 6: 791-792, figs. Holotype ♂: NW-Iran: Marand, 2.viii.1977, Thomas leg. (coll. Hacker).

6677. Carea angulata (Fabricius,1793) (Noctuidae) Bombyx angulata Fabricius,1793, Ent. Syst. 3 (1): 481. Type(s): India orientalis.

6678. Catamecia jordana Staudinger,1898 (Noctuidae) Catamecia jordana Staudinger,1898, Dt. ent. Z., Iris 10: 288, Taf.iv fig.23. Syntypes 12♂♂: Palestina: Jordantal; Lectotype ♂, designated by Hacker,2001 (NHMU).

6679. Cataphia alchymista ([Denis & Schiffermüller],1775) (Noctuidae) Noctua alchymista [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmiett. Wienergegend: 89. Type(s): [Austria]: Vienna district.

6680. Cataphia alchymista alchymista ([Denis & Schiffermüller],1775) (Noctuidae) Noctua alchymista [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmiett. Wienergegend: 89. Type(s): [Austria]: Vienna district.

6681. Catocala (Ephesia) nymphaea (Esper,[1787]) (Noctuidae) Phalaena nymphaea Esper,[1787], Die Schmiett. 4:158, Tab.105 Noct. 26 fig.4. Type(s): [France]: Lion.

6682. Catocala (Ephesia) nymphaea nymphaea (Esper,[1787]) (Noctuidae) Phalaena nymphaea Esper,[1787], Die Schmiett. 4:158, Tab.105 Noct. 26 fig.4. Type(s): [France]: Lion.

6683. Catocala (s.str.) abacta Staudinger,1900 (Noctuidae) Catocala abacta Staudinger,1900, Dt. ent. Z., Iris 13: 113. Syntypes: [Turkey]: Maraş.

6684. Catocala (s.str.) aestimabilis Staudinger,1892 (Noctuidae) Catocala aestimabilis Staudinger,1892, Dt. ent. Z., Iris 4: 330-332, Taf. iv fig.12. Syntypes: [China: Uighur A.R.]: Kysil-Jart im Kaschgar Gebiet.

6685. Catocala (s.str.) afghana Swinhoe,1885 (Noctuidae) Catocala afghana Swinhoe,1885, Trans. ent. Soc. London 1885: 352, pl.ix fig.8. Syntypes: [Pakistan]: Quetta; Gwal.

- 6686. *Catocala* (s.str.) *brandti* Hacker & Kautt,1999** (Noctuidae) *Catocala brandti* Hacker & Kautt,1999, Esperiana 7: 430-431, figs. Holotype ♂: Iran: Esfahan: 57km S. Borujen 3km S Dorahan, 1950m, 8.vi.1997 (leg. Hofmann & Kautt) (coll. Hacker).
- 6687. *Catocala* (s.str.) *brandti brandti* Hacker & Kautt,1999** (Noctuidae) *Catocala brandti* Hacker & Kautt,1999, Esperiana 7: 430-431, figs. Holotype ♂: Iran: Esfahan: 57km S. Borujen 3km S Dorahan, 1950m, 8.vi.1997 (leg. Hofmann & Kautt) (coll. Hacker).
- 6688. *Catocala* (s.str.) *brandti schaideri* Habeler & Hacker,1999** (Noctuidae) *Catocala brandti* ssp. *schaideri* Habeler & Hacker,1999, Esperiana 7: 431-432, figs. Holotype ♂: Griechenland: Prov. Epirus, Umg. v Igoumenitsa, 100m (leg. Habeler) (TLMF).
- 6689. *Catocala* (s.str.) *catei* Weisert,1998** (Noctuidae) *Catocala catei* Weisert,1998, Z. ArbGem. öst. Ent. 50 (3/4): 125-126. Holotype ♂: Türkei: Prov. Tunceli: 15km NW.Tunceli, 1050m, 7-9.viii.1992 (leg. Kautt & Weisz) (coll. Weisert).
- 6690. *Catocala* (s.str.) *conjuncta* (Esper,[1787])** (Noctuidae) *Phalaena conjuncta* Esper,[1787], Die Schmett. 4: 129, Tab.100 Noct. 21, fig.1,2. Syntypes: Südtalien.
- 6691. *Catocala* (s.str.) *conversa* (Esper,1783)** (Noctuidae) *Phalaena conversa* Esper,[1787], Die Schmett. 4:368, Tab.105 Noct. 26B fig. 1-3. Syntypes: Italia: Florenz.
- 6692. *Catocala* (s.str.) *dilecta* (Hübner,[1808])** (Noctuidae) *Noctua dilecta* Hübner,[1808], Samml. eur. Schmett. Noct.2: Taf.83 fig.388 Type(s): Europa.
- 6693. *Catocala* (s.str.) *elocata* (Esper,[1787])** (Noctuidae) *Phalaena elocata* Esper,[1787], Die Schmett. 4: 127, Tab.99 Noct.20 fig. 1,2. Syntypes: [Deutschland]: Erlangen, Uffenheim.
- 6694. *Catocala* (s.str.) *elocata elocata* (Esper,[1787])** (Noctuidae) *Phalaena elocata* Esper,[1787], Die Schmett. 4: 127, Tab.99 Noct.20 fig. 1,2. Syntypes: [Deutschland]: Erlangen, Uffenheim.
- 6695. *Catocala* (s.str.) *fraxini* (Linnaeus,1758)** (Noctuidae) *Phalaena fraxini* Linnaeus,1758, Syst. Nat. (Edn.10)1: 512. Type(s): [Europa].
- 6696. *Catocala* (s.str.) *fredi* Bytinski-Salz & Brandt,1937** (Noctuidae) *Catocala fredi* Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: 7-9. Syntypes 5♂ 1♀: Iran: Keredj, 1400m.
- 6697. *Catocala* (s.str.) *fulminea* (Scopoli,1763)** (Noctuidae) *Phalaena fulminea* Scopoli,1763, Entomologia Carniolica: 206. Type(s): [Slovenien]: Carniolia [Krain].
- 6698. *Catocala* (s.str.) *hymenaea* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua hymenaea* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 91. Type(s): [Austria]: Vienna district.
- 6699. *Catocala* (s.str.) *lesbia* Christoph,1887** (Noctuidae) *Catocala lesbia* Christoph,1887, Stettin ent. Ztg. 48: 165.
- 6700. *Catocala* (s.str.) *lupina* Herrich-Schäffer,[1851]** (Noctuidae) *Catocala lupina* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2:409. Type(s): [Russia]: Sarepta.
- 6701. *Catocala* (s.str.) *lupina lupina* Herrich-Schäffer,[1851]** (Noctuidae) *Catocala lupina* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2:409. Type(s): [Russia]: Sarepta.
- 6702. *Catocala* (s.str.) *luscini* Brandt,1938** (Noctuidae) *Catocala luscini* Brandt,1938, Ent. Rdsch. 55: 560, figs.129-132. Syntypes: Iran: Fort Mian-Kotal.
- 6703. *Catocala* (s.str.) *mesopotamica* Kuznesov,1903** (Noctuidae) *Catocala mesopotamica* Kuznesov,1903, Revue Russk. Ent. 3: 74. Type: Turkey: Mardin.
- 6704. *Catocala* (s.str.) *neonympha* (Esper,[1805])** (Noctuidae) *Phalaena neonympha* Esper,[1805], Die Schmett. 4(2/2): 75 Taf.198 Noct.119 fig.1,2. Type(s): Russia: Sarepta.
- 6705. *Catocala* (s.str.) *neonympha neonympha* (Esper,[1805])** (Noctuidae) *Phalaena neonympha* Esper,[1805], Die Schmett. 4(2/2): 75 Taf.198 Noct.119 fig.1,2. Type(s): Russia: Sarepta.
- 6706. *Catocala* (s.str.) *neonympha osthelderensis* Hacker,1990** (Noctuidae) *Catocala neonympha osthelderensis* Hacker,1990, Neue. ent. Nachr. 27:325. nom.nov. pro syriaca Osth.,1933 nec Schultz,1909 Type:Türkei:Maraş.
- 6707. *Catocala* (s.str.) *neonympha variegata* (Warren,1913)** (Noctuidae) *Mormonia neonympha* ssp. *variegata* Warren,1913, [in] Seitz,A. Die Gross-Schmett. Erde 3: 303 (54c). Syntypes: "Sanka, Thian-shan, Ketmen Tjube, Sussamyr-Bergen, Uralsk".
- 6708. *Catocala* (s.str.) *nupta* (Linnaeus,1767)** (Noctuidae) *Phalaena nupta* Linnaeus,1767, Syst. Nat. (Edn.12)1: 84. Syntypes: Germania, Nordfrika.
- 6709. *Catocala* (s.str.) *nymphagoga* (Esper,[1787])** (Noctuidae) *Phalaena nymphagoga* Esper,[1787], Die Schmett. 4:159, Tab.105 Noct. 26 fig.4. Type(s): [France]: Lion.
- 6710. *Catocala* (s.str.) *nymphagoga kurdistan* Hacker,1999** (Noctuidae) *Catocala nymphagoga* ssp. *kurdistan* Hacker,1999, Esperiana 7: 432-433, figs. Holotype ♂: Türkei: Prov. Bingöl, Kuruca Geçidi, 1700m, 23.vii.1984 (leg. & coll. Hacker).
- 6711. *Catocala* (s.str.) *nymphagoga nymphagoga* (Esper,[1787])** (Noctuidae) *Phalaena nymphagoga* Esper,[1787], Die Schmett. 4:159, Tab.105 Noct. 26 fig.4. Type(s): [France]: Lion.
- 6712. *Catocala* (s.str.) *promissa* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua promissa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 90. Type(s): [Austria]: Vienna district.
- 6713. *Catocala* (s.str.) *puerpera* (Giorna,1791)** (Noctuidae) *Chysis puerpera* Giorna,1791, Cat. Ent. Torino: 142. Type(s): Turin.
- 6714. *Catocala* (s.str.) *puerpera orientalis* Staudinger,1877** (Noctuidae) *Catocala puerpera* var. *orientalis* Staudinger,1877, Stettin ent. Ztg. 38: 202. Syntypes: Sarepta, Astrachan.
- 6715. *Catocala* (s.str.) *puerpera pudica* Moore,1879** (Noctuidae) *Catocala pudica* Moore,1879, Results Second Yarkend Mission Lepid.: 12. Syntypes: Ladak, Pashkyum.
- 6716. *Catocala* (s.str.) *puerpera puerpera* (Giorna,1791)** (Noctuidae) *Chysis puerpera* Giorna,1791, Cat. Ent. Torino: 142. Type(s): Turin.
- 6717. *Catocala* (s.str.) *puerpera syriaca* Schultz,1909** (Noctuidae) *Catocala puerpera* var. *syriaca* Schultz,1909, Ent. Z., Stuttgart 22: 169. Type(s): Beirut.
- 6718. *Catocala* (s.str.) *puerpera tarbagata* Schultz,1909** (Noctuidae) *Catocala puerpera* var. *tarbagata* Schultz,1909, Ent. Z., Stuttgart 22: 169. Type(s): Beirut.
- 6719. *Catocala* (s.str.) *sponsa* (Linnaeus,1767)** (Noctuidae) *Phalaena sponsa* Linnaeus,1767, Syst. Nat. (Edn.12)1: 841. Type(s): Germania.
- 6720. *Catocala* (s.str.) *viviannae* Hacker & Kautt,1996** (Noctuidae) *Catocala viviannae* Hacker & Kautt,1996, Esperiana 4: 306-308, figs. Holotype ♂: [Türkei]:Prov. Tunceli, 1050m, 7-9.viii.1992, leg. Kautt, coll. Hacker.
- 6721. *Catocala* (s.str.) *weiserti* Hacker,1999** (Noctuidae) *Catocala weiserti* Hacker,1999, Esperiana 7: 433-434, figs. Holotype ♂: Türkei: Prov. Ankara: Kızılcahamam, Kuruca Geçidi, 28.viii.-3.ix. 1971 (leg. Frieder) (ZSM).
- 6722. *Catocala* (s.str.) *wolff* Hacker,1999** (Noctuidae) *Catocala wolff* Hacker,1999, Esperiana 7: 434-435, figs. Holotype ♂: Türkei: Prov. Hakkari: Çiğil suyu-Tal, 1100m 22km SW Hakkari, 28.vi.1984 (leg. Wolf) (ZSM).
- 6723. *Cerapteryx graminis* (Linnaeus,1758)** (Noctuidae) *Phalaena graminis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 506. Type(s): [Europa].
- 6724. *Cerapteryx graminis graminis* (Linnaeus,1758)** (Noctuidae) *Phalaena graminis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 506. Type(s): [Europa].
- 6725. *Cerapteryx megala* (Alpheraky,1882)** (Noctuidae) *Charaas graminis* var. *megala* Alpheraky,1882, Horae Soc. ent. ross. 17: 64. [China: Uighur A.R.]: Archane.
- 6726. *Cerapteryx megala tugani* Ronkay,1990** (Noctuidae) *Cerapteryx megala* ssp. *tugani* Ronkay,1990, Annls hist.-nat. natn. Hung. 82: 155, figs. Holotype ♂: Russia: Chechen-Ingous ASSR, Caucasus N, Kezenoi-am, 2100m (HNHM).
- 6727. *Cerastis leucographa* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua leucographa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 83. Type(s): [Austria]: Vienna district.
- 6728. *Cerastis rubricosa* (Fabricius,1787)** (Noctuidae) *Noctua rubricosa* Fabricius,1787, Mant. Ins. 2: 176, nr.265. Type(s): [Wien].
- 6729. *Cetola naumanni* Speidel,2005** (Noctuidae) *Cetola naumanni* Speidel,2005, Ent. Z., Stutt. 115 (1): 13-14, figs. Holotype ♂: Thailand: Changwat Nan, 25km N of Bo Luang, 1150m, 3.ii.2000, leg. M.Hreblay (coll. Behounek).
- 6730. *Chalciope mygdon* (Cramer,[1777])** (Noctuidae) *Phalaena mygdon* Cramer,[1777], Utitl. Kapellen 2: 94, pl.250, fig.D. Type: "Surinam" [patria falsa] [Oriental Region].
- 6731. *Charanyca trigrammica* (Hufnagel,1766)** (Noctuidae) *Phalaena trigrammica* Hufnagel,1766, Berl. Mag. 4(2):408. Type(s): Deutschland: Berlin.
- 6732. *Chasmina tibialis* (Fabricius,1775)** (Noctuidae) *Bombyx tibialis* Fabricius,1775; Syst. Ent.: 578. Type(s): Nova Hollandia.

- 6733. Chazaria incarnata (Freyer,1838)** (Noctuidae) *Heliopsis incarnata* Freyer,1838, Neue. Beitr. Schmett. 3:91, Tab. 256, fig. 4. Type(s): [Türkei]: Konstantinopel [=Istanbul].
- 6734. Chersotis alpestris (Boisduval,1837)** (Noctuidae) *Agrotis alpestris* Boisduval,[1837], Icon. Hist. Lépid. Eur. 2: Taf. 76, figs.4,5. Syntypes: [Europa].
- 6735. Chersotis alpestris ponticola (Draudt,1936)** (Noctuidae) *Rhyacia alpestris* ssp. *ponticola* Draudt,1936, Ent. Rdsch. 53: 469, Taf.iv b3. Syntypes: [Türkei]: Ak-schehir (Sultan-Dagh).
- 6736. Chersotis anatolica (Draudt,1936)** (Noctuidae) *Rhyacia elegans* ssp. *anatolica* Draudt,1936, Ent. Rdsch. 53: 469. Syntypes: [Türkei]: Ak-schehir (Sultan-Dagh).
- 6737. Chersotis andereggi (Boisduval,1837)** (Noctuidae) *Agrotis andereggi* Boisduval,[1837], Icon. Hist. Lépid. Eur.2: Taf.76, fig.6. Type(s): [Europa].
- 6738. Chersotis binaloudi Brandt,1941** (Noctuidae) *Chersotis binaloudi* Brandt,1941, Mitt. münch. ent. Ges. 31: 845, fig.27. Syntypes ♂♂: Iran: [Khorassan]: Kouh i Binaloud, 3000-3300m.
- 6739. Chersotis cuprea (Denis & Schiffermüller,1775)** (Noctuidae) *Noctua cuprea* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 91. Type(s): [Austria]: Vienna district.
- 6740. Chersotis cuprea cuprea (Denis & Schiffermüller,1775)** (Noctuidae) *Noctua cuprea* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 91. Type(s): [Austria]: Vienna district.
- 6741. Chersotis ebertorum Koçak,1980** (Noctuidae) *Chersotis ebertorum* Koçak,1980, Nota lepid. 2: 144 (pro *maraschi* Corti & Draudt,1933 nec Corti & Draudt,1933 (p.58)). Syntypes: Turkey: Maraş.
- 6742. Chersotis fimbriola (Esper,1798)** (Noctuidae) *Phalaena fimbriola* Esper,[1798], Die Schmett. 4(2/2): 53, Taf.193, fig.3. Type(s): Ungarn: [Budapest].
- 6743. Chersotis fimbriola tuna Koçak,1991** (Noctuidae) *Chersotis fimbriola* ssp. *tuna* Koçak,1991, Cent. ent. Stud., Misc. Pap. 10: 2 (nomen novum pro *forsteri* Thurner,1964 nec *Sheljuzhko*,1955).
- 6744. Chersotis friedeli Pinker,1974** (Noctuidae) *Chersotis friedeli* Pinker,1974, Z. ArbGem. öst. Ent. 24: 111, fig. Holotype: Turkey: [Ankara]: Tuzgözü.
- 6745. Chersotis gratissima (Corti,1932)** (Noctuidae) *Agrotis gratissima* Corti,1932, Int. ent. Z. 26:152. Syntypes: [Turkey]: Akşehir.
- 6746. Chersotis illauta (Draudt,1936)** (Noctuidae) *Agrotis (Dichagyris) illauta* Draudt,1936, Ent. Rdsch. 53: 465, Taf.iv b1. Syntypes ♂♂ 2♀: [Türkei]: Ak-schehir (Sultan-Dagh); Maraş.
- 6747. Chersotis laeta (Rebel,1904)** (Noctuidae) *Agrotis fimbriola* var. *laeta* Rebel,1904, Annln naturh. Mus. Wien 19:209. Syntypes: [Turkey]: Konia; Libanon.
- 6748. Chersotis laeta laeta (Rebel,1904)** (Noctuidae) *Agrotis fimbriola* var. *laeta* Rebel,1904, Annln naturh. Mus. Wien 19:209. Syntypes: [Turkey]: Konia; Libanon.
- 6749. Chersotis larixia (Guenée,1852)** (Noctuidae) *Agrotis larixia* Guenée,1852, [in] Boisduval & Guenée, Hist. Nat. Ins., Noct.1: 310. Type(s): [France]: Alpes de Digne.
- 6750. Chersotis larixia erebina (Boursin,1940)** (Noctuidae) *Rhyacia larixia* ssp. *erebina* Boursin,1940, Mitt. münch. ent. Ges. 30: 495-496, Taf.9 f.38. Holotype ♂: [Russia]: Daghestan: Kurusch, 2500m.
- 6751. Chersotis larixia larixia (Guenée,1852)** (Noctuidae) *Agrotis larixia* Guenée,1852, [in] Boisduval & Guenée, Hist. Nat. Ins., Noct.1: 310. Type(s): [France]: Alpes de Digne.
- 6752. Chersotis margaritacea (Villers,1789)** (Noctuidae) *Phalaena margaritacea* de Villers,1789, Linn. Ent.2: 272, Taf.5, fig.16. Type(s): Europa.
- 6753. Chersotis margaritacea margaritacea (Villers,1789)** (Noctuidae) *Phalaena margaritacea* de Villers,1789, Linn. Ent.2: 272, Taf.5, fig.16. Type(s): Europa.
- 6754. Chersotis multangula (Hübner,1803)** (Noctuidae) *Noctua multangula* Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf. 25, fig.116. Type: [Europa].
- 6755. Chersotis multangula multangula (Hübner,1803)** (Noctuidae) *Noctua multangula* Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf. 25, fig.116. Type: [Europa].
- 6756. Chersotis nitens Brandt,1941** (Noctuidae) *Chersotis nitens* Brandt,1941, Mitt. münch. ent. Ges. 31: 845, fig.26. Type(s): Iran: [Khorassan]: Kouh i Binaloud, 2500m.
- 6757. Chersotis ocellina (Denis & Schiffermüller,1775)** (Noctuidae) *Noctua ocellina* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 313. Type(s): [Austria]: Vienna district.
- 6758. Chersotis rectangula (Fabricius,1787)** (Noctuidae) *Noctua rectangula* Fabricius,1787, Mant. Ins. 2: 155, nr.144. Type(s): [Wien].
- 6759. Chersotis rectangula rectangula (Fabricius,1787)** (Noctuidae) *Noctua rectangula* Fabricius,1787, Mant. Ins. 2: 155, nr.144. Type(s): [Wien].
- 6760. Chersotis ronkayorum Fibiger Hacker & Varga,1992** (Noctuidae) *Chersotis ronkayorum* Fibiger Hacker & Varga,1992, Esperiana 3: 440-444, figs. Holotype ♂: Türkei: Niğde Prov., Ala Dag, Demirkazık, 2900-3100m (leg. Kautt, coll. Hacker).
- 6761. Chersotis sarhada Brandt,1941** (Noctuidae) *Chersotis sarhada* Brandt,1941, Mitt. münch. ent. Ges. 31: 845-846, fig.24. Syntypes ♂♀: Iran: [Belutschistan]: Kouh i Taftan, 2800-3000m; Soultanabad.
- 6762. Chersotis semna (Püngeler,1906)** (Noctuidae) *Agrotis semna* Püngeler,1906, Dt. ent. Z., Iris 19:85. Syntypes: [Turkmenistan]: Aschabad.
- 6763. Chersotis stenographa Varga,1979** (Noctuidae) *Chersotis stenographa* Varga,1979, Z. ArbGem. öst. Ent. 31 (1/2): 6-7, figs. Holotype ♀: Armenien: Geghard, 40km O. v. Erewan, 1700m, leg. & coll. Vartian.
- 6764. Chersotis sterilis (Brandt,1938)** (Noctuidae) *Agrotis (Chersotis) sterilis* Brandt,1938, Ent. Rdsch. 55: 503, figs. 99-101. Syntypes: Iran: [Fars]: "Comée (Barm i Firus)".
- 6765. Chersotis zukowskyi (Draudt,1936)** (Noctuidae) *Agrotis (Chersotis) zukowskyi* Draudt,1936, Ent. Rdsch. 53: 466, Taf.iv b5. Type ♂: [Türkei]: Siwas (coll. Zukowsky, Hamburg).
- 6766. Chersotis zukowskyi zukowskyi (Draudt,1936)** (Noctuidae) *Agrotis (Chersotis) zukowskyi* Draudt,1936, Ent. Rdsch. 53: 466, Taf.iv b5. Type ♂: [Türkei]: Siwas (coll. Zukowsky, Hamburg).
- 6767. Chionoxantha margarita Brandt,1938** (Noctuidae) *Chionoxantha margarita* Brandt,1938, Ent. Rdsch. 55: 560, figs. 183-186. Syntypes: Iran: [Fars]: Fort Mian-Kotal.
- 6768. Chionoxantha staudingeri (Standfuss,1892)** (Noctuidae) *Erastria staudingeri* Standfuss,1892, [in] Romanoff, Mém. Lépid. 6: 667. Type(s): [Türkei]: Mardin.
- 6769. Chloantha elbursica (Boursin,1968)** (Noctuidae) *Actinotia elbursica* Boursin,1968, Entomops 11: 94, fig. Holotype ♂: [Iran]: Darekroudbar (Vallee de Roudbar), Sabatku, Prov. Mazanderan, Mts. Elburs, 21 Mai 1931 (F.Steinbacher leg) (BMNH).
- 6770. Chloantha hypericii (Fabricius,1787)** (Noctuidae) *Noctua hypericii* Fabricius,1787, Mant. Ins. 2: 167, nr.217. Type(s): Austria: [Wien].
- 6771. Chloantha hypericii hypericii (Fabricius,1787)** (Noctuidae) *Noctua hypericii* Fabricius,1787, Mant. Ins. 2: 167, nr.217. Type(s): Austria: [Wien].
- 6772. Chrysodeixis chalcites (Esper,1789)** (Noctuidae) *Phalaena chalcites* Esper,[1789], Die Schmett. 4 (2): Abschnitt 1: pl.141 fig.3; [1805], ibidem: 447. Type(s): Italia.
- 6773. Chrysodeixis goergneri Behounek & L.Ronkay,1999** (Noctuidae) *Chrysodeixis goergneri* Behounek & L.Ronkay,1999, Spixiana 2 (2): 114-115, figs. Holotype ♂: Malaysia: Perak Prov., NNE Jelei leg. Görgner (Coll. MNKV).
- 6774. Chrysodeixis keili Behounek & L.Ronkay,1999** (Noctuidae) *Chrysodeixis keili* Behounek & L.Ronkay,1999, Spixiana 2 (2): 116-117, figs. Holotype ♂: S-Thailand, Khao Lak NP, 100km nördl. Phuket, 50m leg. Kheil (coll. Behounek).
- 6775. Chrysodeixis politus Dufay,1970** (Noctuidae) *Chrysodeixis politus* Dufay,1970, Bull. Soc. linn. Lyon 39: 103. Holotype ♀: Indonesia: Sumatra (ZSM).
- 6776. Cleoceris scoriacea (Esper,1789)** (Noctuidae) *Phalaena scoriacea* Esper,[1789], Die Schmett. 3(3): 22, Taf. 83, figs.4,5. Syntypes: Germany.
- 6777. Cleoceris scoriacea scoriacea (Esper,1789)** (Noctuidae) *Phalaena scoriacea* Esper,[1789], Die Schmett. 3(3): 22, Taf. 83, figs.4,5. Syntypes: Germany.
- 6778. Cleoceris scoriacea subcanentis Hacker,1990** (Noctuidae) *Cleoceris scoriacea* ssp. *subcanentis* Hacker,1990, Neue ent. Nachr. 27: 455, figs. Holotype ♂: Türkei: Prov. Erzurum, Aras Tal, 11km N Söylemez, 1850m 29.ix.1986 (leg. & coll. Hacker).
- 6779. Cleonymia (Serryvania) opposita (Lederer,1870)** (Noctuidae) *Cleophana opposita* Lederer,1870, Annls Soc. ent. Belg. 13: 47. Syntypes: Transcaucasie.
- 6780. Cleonymia (s.str.) baetica (Rambur,1837)** (Noctuidae) *Cleophana baetica* Rambur,1837, Faune ent. Andalousie 2: pl.18 fig.4. Type: Spain: Andalousie.

- 6781. *Cleonymia* (s.str.) *baetica baetica* (Rambur,1837)** (Noctuidae) *Cleophana baetica* Rambur,1837, Faune ent. Andalousie 2: pl.18 fig.4. Type: Spain: Andalusia.
- 6782. *Cleonymia* (s.str.) *baetica orientalis* G.Ronkay & L.Ronkay,1995** (Noctuidae) *Cleonymia* (s.str.) *baetica* ssp. *orientalis* G.Ronkay & L.Ronkay,1995, Noct. Eur. 7: 83, pl.2 fig.20. Type ♂: Turkey: Taurus, Marasch (TMB).
- 6783. *Clytie* (Hypoglaucitis) *infrequens moses* (Staudinger,1895)** (Noctuidae) *Hypoglaucitis moses* Staudinger,1895, Dt. ent. Z., Iris 7: 284. Syntypes: Cairo, Jaffa.
- 6784. *Clytie* (s.str.) *arenosa nabataea* Hampson,1913** (Noctuidae) *Clytie nabataea* Hampson,1913, Cat. lepid. Phalaenae Br. Mus. 13: 296, pl.232 fig.4. Type(s): Palaestina.
- 6785. *Clytie* (s.str.) *haifae* (Habich,1905)** (Noctuidae) *Pseudophia haifae* Habich,1905, Verh. zool.- bot. Ges. Wien 55: 21. Syntypes: Haifa.
- 6786. *Clytie* (s.str.) *sancta* (Staudinger,1898)** (Noctuidae) *Pseudophia sancta* Staudinger,1898, Dt. ent. Z., Iris 10: 301. Syntypes: Palestina: Jordantal.
- 6787. *Clytie* (s.str.) *scotorrhiza* Hampson,1913** (Noctuidae) *Clytie scotorrhiza* Hampson,1913, Cat. lepid. Phalaenae Br. Mus. 13: 290, pl.231 fig.15. Type(s): Palaestina: Totes Meer.
- 6788. *Clytie* (s.str.) *syriaca* (Bugnion,1837)** (Noctuidae) *Ophiusa syriaca* Bugnion,1837, Annls Soc. ent. Fr. 1837: 442. Neotype: Turkey: Adana: Feke 6km N, 100m, leg. Hacker (ZSM).
- 6789. *Clytie* (s.str.) *terrulenta* (Christoph,1893)** (Noctuidae) *Pseudophia terrulenta* Christoph,1893, Dt. ent. Z., Iris 6:93. Syntypes: [Aserbaidjan]: Helenendorf [=Kirovabad]; Eldar.
- 6790. *Clytie* (s.str.) *terrulenta gentilis* (Staudinger,1898)** (Noctuidae) *Pseudophia gentilis* Staudinger,1898, Dt. ent. Z., Iris 10: 300, Taf.ix fig.21. Syntypes: Messra, Totes Meer, Wadi Kelt.
- 6791. *Clytie* (s.str.) *terrulenta terrulenta* (Christoph,1893)** (Noctuidae) *Pseudophia terrulenta* Christoph,1893, Dt. ent. Z., Iris 6:93. Syntypes: [Aserbaidjan]: Helenendorf [=Kirovabad]; Eldar.
- 6792. *Coenophila miniago* (Freyer,[1839])** (Noctuidae) *Xanthia miniago* Freyer,1840, Neue. Beitr. Schmett. 4:28, Tab.304 fig.4 Type(s): [Russia]: Sarepta.
- 6793. *Colobochyla* (Caspicastra) *platyzona* (Lederer,1870)** (Noctuidae) *Madopa platyzona* Lederer,1870, Annls Soc. ent. Belg. 13: 47.
- 6794. *Colobochyla* (Caspicastra) *platyzona capnoessa* Zerny,1915** (Noctuidae) *Eulocastra* (Thalerastra) *capnoessa* Zerny,1915, Verh. zool.- bot. Ges. Wien 65: (222)-(223), fig.1. Type ♂: [Turkmenistan]: Transkaspien (ex coll. Hansen).
- 6795. *Colobochyla* (Caspicastra) *platyzona platyzona* (Lederer,1870)** (Noctuidae) *Madopa platyzona* Lederer,1870, Annls Soc. ent. Belg. 13: 47.
- 6796. *Colobochyla* (s.str.) *salicalis* ([Denis & Schiffermüller],1775)** (Noctuidae) *Pyalis salicalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district.
- 6797. *Colobochyla* Hübner,[1825]** (Noctuidae) *Colobochyla* Hübner,[1825], Verz. bekannt. Schmett.: 344. Type-species: *Pyalis salicalis* [Denis & Schiffermüller],1775, by monotypy.
- 6798. *Colocasia coryli* (Linnaeus,1758)** (Noctuidae) *Phalaena coryli* Linnaeus,1758, Syst. Nat. (Edn.10)1: 503. Syntypes: Europa.
- 6799. *Colpocheilopteryx callichroma* (Distant,1901)** (Noctuidae) *Eutelia callichroma* Distant,1901, Entomologist 34: 284-285. Type(s): [South Africa]: Lydenburg district.
- 6800. *Conistra* (Dasycampa) *erythrocephala* (Fabricius,1787)** (Noctuidae) *Noctua erythrocephala* Fabricius,1787, Mant. Ins. 2: 148-149, nr.104. Type(s): Germania.
- 6801. *Conistra* (Dasycampa) *rubiginea* (Fabricius,1787)** (Noctuidae) *Noctua rubiginea* Fabricius,1787, Mant. Ins. 2: 142, nr.59. Type(s): [Wien].
- 6802. *Conistra* (s.str.) *acutula* (Staudinger,1892)** (Noctuidae) *Orthodia acutula* Staudinger,1892, Dt. ent. Z., Iris 4: 302-304. Syntypes 21♂♂: [Israel]: Jerusalem (Paulus leg.).
- 6803. *Conistra* (s.str.) *asiatica* Pinker,1980** (Noctuidae) *Conistra asiatica* Pinker,1980, Z. ArbGem. öst. Ent. 31: 72, figs. Holotype ♂: Türkei: Ankara: Kizilcahamam (leg & coll. Pinker).
- 6804. *Conistra* (s.str.) *ligula* (Esper,1791)** (Noctuidae) *Phalaena ligula* Esper,[1791], Die Schmett. 4(2): 595, Taf. 166, fig.2. Type(s): Tyrol.
- 6805. *Conistra* (s.str.) *metria* Boursin,1940** (Noctuidae) *Conistra metria* Boursin,1940, Mitt. münch. ent. Ges. 30: 514, Taf.ix fig.35. Holotype ♀: [Turkmenistan]: Ashkhabad (coll. Boursin).
- 6806. *Conistra* (s.str.) *ragusae* (Failla-Tedaldi,1890)** (Noctuidae) *Heteromorpha ragusae* Failla-Tedaldi,1890, Naturalista sicil. 10: 30, Pl.1 figs.6,7. Syntypes: [Italia]: Sicilia: Madonie.
- 6807. *Conistra* (s.str.) *ragusae archaia* Pinker,1980** (Noctuidae) *Conistra* (Dasycampa) *ragusae* ssp. *archaia* Pinker,1980, Z. ArbGem. öst. Ent. 31: 72-73, figs. Holotype ♂: Türkei: Ankara: Kizilcahamam (leg & coll. Pinker).
- 6808. *Conistra* (s.str.) *rubiginosa* (Scopoli,1763)** (Noctuidae) *Phalaena rubiginosa* Scopoli,1763, Ent. Carn.: 213.
- 6809. *Conistra* (s.str.) *torrida* (Lederer,1857)** (Noctuidae) *Cerastis torrida* Lederer,1857, Wien. ent. Monatschr. 1: 81. Syntypes: Italien: Sicilien: Palermo.
- 6810. *Conistra* (s.str.) *torrida pinkeri* Hacker,1988** (Noctuidae) *Conistra torrida* ssp. *pinkeri* Hacker,1988, Atalanta 18 (3/4): 349, Taf.2 figs.3,4. Holotype ♂: [Türkei]: [Karaman Prov.]: Sertavul Geçidi, N-Seite 1500m 28 km S Karaman, 27.x.1984 (leg. Schreier, coll. Hacker).
- 6811. *Conistra* (s.str.) *torrida torrida* (Lederer,1857)** (Noctuidae) *Cerastis torrida* Lederer,1857, Wien. ent. Monatschr. 1: 81. Syntypes: Italien: Sicilien: Palermo.
- 6812. *Conistra* (s.str.) *vaccinii* (Linnaeus,1761)** (Noctuidae) *Phalaena vaccinii* Linnaeus,1761, Fauna Suecica (2): 320. Type(s): Schweden.
- 6813. *Conistra* (s.str.) *veronicae* (Hübner,[1813])** (Noctuidae) *Noctua veronicae* Hübner,[1813], Samml. eur. Schmett., Noct. 2: Taf.116, fig.541. Type(s): [Europa].
- 6814. *Cornutiplusia circumflexa* (Linnaeus,1767)** (Noctuidae) *Phalaena circumflexa* Linnaeus,1767, Syst. Nat. (Edn.12) 1: 844. Type(s): Europa.
- 6815. *Cosmia* (Calymnia) *trapezina* (Linnaeus,1758)** (Noctuidae) *Phalaena trapezina* Linnaeus,1758, Syst. Nat. (Edn.10)1: 510. Type(s): [Europa].
- 6816. *Cosmia* (s.str.) *affinis* (Linnaeus,1767)** (Noctuidae) *Phalaena affinis* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 848. Type(s): [Europa].
- 6817. *Cosmia* (s.str.) *confinis* Herrich-Schäffer,[1849]** (Noctuidae) *Cosmia confinis* Herrich-Schäffer,[1849], Syst. Bearb. Schmett. Eur. 2: 224. Type(s): Türkei.
- 6818. *Cosmia* (s.str.) *diffinis* (Linnaeus,1767)** (Noctuidae) *Phalaena diffinis* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 848. Type(s): Lusitania.
- 6819. *Cosmia* (s.str.) *pyralina* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua pyralina* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 88. Type(s): [Austria]: Vienna district.
- 6820. *Cosmophila flava* (Fabricius,1775)** (Noctuidae) *Noctua flava* Fabricius,1775; Syst. Ent.: 601. Type(s): India orientali.
- 6821. *Craniophora harmandi* (Poujade,1898)** (Noctuidae) *Acronycta harmandi* Poujade,1898, Bull. Soc. ent. Fr. 1898: 229, fig. Type: Sikkim.
- 6822. *Craniophora ligustri* (Fabricius,1787)** (Noctuidae) *Noctua ligustri* Fabricius,1787, Mant. Ins. 2: 244, nr.172. Type(s): Austria: [Wien].
- 6823. *Craniophora pontica* (Staudinger,1879)** (Noctuidae) *Acronycta pontica* Staudinger,1879, Horae Soc. ent. ross. 14: 364-365. Type ♂: [Türkei]: Amasia (Kerasdere).
- 6824. *Craniophora pontica pontica* (Staudinger,1879)** (Noctuidae) *Acronycta pontica* Staudinger,1879, Horae Soc. ent. ross. 14: 364-365. Type ♂: [Türkei]: Amasia (Kerasdere).
- 6825. *Cruriopsis albomaculata* Kishida,1993** (Noctuidae) *Cruriopsis albomaculata* Kishida,1993, Gekkan Mushi 269: 12, pl.1 fig.11. Holotype ♂: Thailand: Chiang Mai: Doi Suthep.
- 6826. *Cryphia* (Bryoleuca) *argentacea* (Bytinsky-Salz & Brandt,1937)** (Noctuidae) *Bryophila argentacea* Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: 4-5. Holotype ♂: Iran: Keredj,1400m.
- 6827. *Cryphia* (Bryoleuca) *labecula* (Lederer,1855)** (Noctuidae) *Bryophila labecula* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 204, Taf.2 fig.10. Type(s): Beirut.
- 6828. *Cryphia* (Bryoleuca) *orthogramma* Boursin,1954** (Noctuidae) *Cryphia orthogramma* Boursin,1954, Z. Wien. ent. Ges. 39: 81.
- 6829. *Cryphia* (Bryoleuca) *petrea contristans* (Lederer,1857)** (Noctuidae) *Bryophila contristans* Lederer,1857, Wien. ent. Monatschr. 1: 92. Syntypes: Lebanon: Beirut.
- 6830. *Cryphia* (Bryoleuca) *raddei* Boursin,1953** (Noctuidae) *Cryphia raddei* Boursin,1953, Mitt. münch. ent. Ges. 43: 251. Holotype : Türkei: Dshafar-Aga.

- 6831. Cryphia (Bryoleuca) raptricula** ([Denis & Schiffermüller],1775) (Noctuidae) Noctua raptricula [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district.
- 6832. Cryphia (Bryoleuca) raptricula raptricula** ([Denis & Schiffermüller],1775) (Noctuidae) Noctua raptricula [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district.
- 6833. Cryphia (Bryoleuca) rectilinea** (W.Warren,1909) (Noctuidae) Metachrostis rectilinea W.Warren,1909, [in] Seitz, Die Gross-Schmett. Erde 3: 22. Type(s): [Israel]: Haifa.
- 6834. Cryphia (Bryoleuca) seladona** (Christoph,1885) (Noctuidae) Bryophila seladona Christoph,1885, [in] Romanoff, Mém. lépid. 2: 28. Type(s): [Türkei]: Kazikoparan.
- 6835. Cryphia (Bryoleuca) seladona burgeffi** (Draudt,1931) (Noctuidae) Bryophila burgeffi Draudt,1931, [in] Seitz, Gross-Schmett. Erde 3 (suppl.): 19. Type(s): Mazedonien.
- 6836. Cryphia (Bryoleuca) seladona seladona** (Christoph,1885) (Noctuidae) Bryophila seladona Christoph,1885, [in] Romanoff, Mém. lépid. 2: 28. Type(s): [Türkei]: Kazikoparan.
- 6837. Cryphia (Bryoleuca) strobinoi** Dujardin,1972 (Noctuidae) Cryphia strobinoi Dujardin,1972, Entomops 25: 3. Holotype: Greece: Kykladen.
- 6838. Cryphia (Bryoleuca) tephrocharis** Boursin,1954 (Noctuidae) Cryphia tephrocharis Boursin,1954, Z. wien. ent. Ges. 39: 85-87, Taf.7 figs.1,2. Holotype ♂: [Türkei]: Malatya-Tecde (Kleinasien) (coll. Boursin).
- 6839. Cryphia (Bryoleuca) thamanaea** (Hampson,1908) (Noctuidae) Bryophila thamanaea Hampson,1908, Cat. Lepid. Phal. Br. Mus. 7: 642-643, pl.cxxii fig.28. Type ♂: [Iran]: Persia: Schahkuh (coll. Püngeler).
- 6840. Cryphia (Bryophila) maeonis** (Lederer,1865) (Noctuidae) Bryophila maeonis Lederer,1865, Annls Soc. ent. Belg. 9:78. Syntypes: [Türkei]: Boz Dag.
- 6841. Cryphia (Bryophila) maeonis maeonis** (Lederer,1865) (Noctuidae) Bryophila maeonis Lederer,1865, Annls Soc. ent. Belg. 9:78. Syntypes: [Türkei]: Boz Dag.
- 6842. Cryphia (Bryophila) occidentalis** (Osthelder,1933) (Noctuidae) Bryophila centralis ssp. occidentalis Osthelder,1933, Mitt. münch. ent. Ges. 33 (2): 46. Syntypes 1♂ 2♀: [Türkei]: Marasch (ZSM).
- 6843. Cryphia (Bryophila) paulina** (Staudinger,1892) (Noctuidae) Bryophila paulina Staudinger,1892, Dt. ent. Z., Iris 4: 265-266. Type 4♂ 1♀: [Israel]: Jerusalem (Paulus leg.).
- 6844. Cryphia (Bryophila) paulina paulina** (Staudinger,1892) (Noctuidae) Bryophila paulina Staudinger,1892, Dt. ent. Z., Iris 4: 265-266. Type 4♂ 1♀: [Israel]: Jerusalem (Paulus leg.).
- 6845. Cryphia (Bryophila) salomonis** Boursin,1954 (Noctuidae) Cryphia salomonis Boursin,1954, Z. wien. ent. Ges. 39: 87-88, Taf.7 figs.3,4. Holotype ♂: Iran: Elbursgeb. Tacht i Suleiman, Särdaab-Tal (Vandarban), 2500-2700m. (ZSM).
- 6846. Cryphia (Bryophila) zeta** Plante,1991 (Noctuidae) Cryphia (Bryophila) zeta Plante,1991, Alexanor 17 (1): 57-58, figs. Holotype ♂: Pakistan: Prov. Gilgit, route de Khunjerab Pass, 3km S de Gulmit, 2450m, 18.vii.1990, F.Aulombard & J. Plante leg. (coll. Plante).
- 6847. Cryphia (Bryopsis) muralis** (Forster,1771) (Noctuidae) Phalaena muralis Forster,1771, Novae Species Insect.: 74. Type(s): England.
- 6848. Cryphia (Euthales) algae** (Fabricius,1775) (Noctuidae) Noctua algae Fabricius,1775, Syst. Ent.: 614. Type(s): Germania.
- 6849. Cryphia (Euthales) ochsi** (Boursin,1941) (Noctuidae) Bryophila ochsi Boursin,1941, Mitt. münch. ent. Ges. 31: 316. Holotype ♂.
- 6850. Cryphia (s.str.) amygdalina** Boursin,1963 (Noctuidae) Cryphia amygdalina Boursin,1963, Z. Wien. ent. Ges. 48: 155, figs. Holotype ♂: Griechenland: Peloponnes.
- 6851. Cryphia (s.str.) eberti** Boursin,1961 (Noctuidae) Cryphia (Bryoleuca) distincta ssp. eberti Boursin,1961, Beitr. naturk. Forsch. SW-Dtl. 19 (3): 384 Taf.v figs. 4,5. Holotype ♂: Afghanistan: Sarobi, 1100m, 7. Juni 1957 (Ebert leg.) (ZSM).
- 6852. Cryphia (s.str.) receptricula** (Hübner,[1803]) (Noctuidae) Noctua receptricula Hübner,[1803], Samml. eur. Schmett., Noctuae: Taf. 6 fig.27. Type(s): [Europa].
- 6853. Crypsotidia glaucata** (Holland,1897) (Noctuidae) Eublemma glaucata Holland,1897, [in] Donaldson Smith's through unknown African countries: 415. Holotype ♀: Somaliland: "Sheikh Husein" (CMP).
- 6854. Crypsotidia maculifera** (Staudinger,1898) (Noctuidae) Hydrilla maculifera Staudinger,1898, Dt. ent. Z., Iris 10: 287, Taf.4 fig.22. Syntypes: Jaffa.
- 6855. Cryptastria fuscomarginata** (Bethune-Baker,1906) (Noctuidae) Zethes fuscomarginata Bethune-Baker,1906, Novit. zool. 13: 272. Type: New Guinea: Dinawa.
- 6856. Csorbatype thailandica** Hreblay & L.Ronkay,1999 (Noctuidae) Csorbatype thailandica Hreblay & L.Ronkay,1999, Esperiana 7: 551-552, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP, 2300m, leg. M.Hreblay (coll.Hreblay).
- 6857. Ctenoceratoda ? /Bryopolia ? chiklika** (Moore,1878) (Noctuidae) Taeniocampa chiklika Moore,1878, Ann. Mag. nat. Hist. 1878: 234. Type: [China: Uighur A.R.]: Yarkund, SE of Chiklik (BMNH).
- 6858. Cucullia (Shargacucullia) lanceolata anceps** Staudinger,1881 (Noctuidae) Cucullia anceps Staudinger,1881, Horae Soc. ent. ross. 16: 78. Syntypes: [Turkey]: Amasia.
- 6859. Cucullia (Shargacucullia) lychnitis** (Rambur,1833) (Noctuidae) Cucullia lychnitis Rambur,1833, Annls Soc. ent. Fr. 2:17. Type(s): France: Corse.
- 6860. Cucullia (Shargacucullia) lychnitis albicans** Wiltshire,1976 (Noctuidae) Cucullia (Shargacucullia) lychnitis ssp. albicans Wiltshire,1976, Z. ArbGem. öst. Ent. 27: 77 (nomen novum pro Cucullia lychnitis albescens Wiltshire,1968 nec Cucullia albescens Moore,1881).
- 6861. Cucullia (Shargacucullia) prenanthis** Boisduval,1840 (Noctuidae) Cucullia prenanthis Boisduval,1840, Genera Index Meth. Eur. Lépid.: 154. Syntypes: [France]: Alpes Delph.
- 6862. Cucullia (Shargacucullia) strigicosta** Boursin,1940 (Noctuidae) Cucullia strigicosta Boursin,1940, Mitt. münch. ent. Ges. 30: 501-502, Taf.ix figs.46,48. Holotype ♂: Iraq: Baghdad: Djebel Darawishka 250m, Kizil-Robat nr. Khannikin (Wiltshire leg.) (coll.Boursin).
- 6863. Cucullia (Shargacucullia) verbasci** (Linnaeus,1758) (Noctuidae) Phalaena verbasci Linnaeus,1758, Syst. Nat. (Edn.10)1: 515. Type(s): [Europa].
- 6864. Cucullia (s.str.) absinthii** (Linnaeus,1761) (Noctuidae) Phalaena absinthii Linnaeus,1761, Fauna Suecica (2): 314. Type(s): Schweden.
- 6865. Cucullia (s.str.) amota** Alpheraky,1887 (Noctuidae) Cucullia amota Alpheraky,1887, Stettin ent. Ztg. 48: 171. Syntypes: Turkestan.
- 6866. Cucullia (s.str.) anifurca** (Goeze,1781) (Noctuidae) Phalaena anifurca Goeze,1781, Ent. Beytr. 3(3): 203, nr.54.
- 6867. Cucullia (s.str.) anifurca anifurca** (Goeze,1781) (Noctuidae) Phalaena anifurca Goeze,1781, Ent. Beytr. 3(3): 203, nr.54.
- 6868. Cucullia (s.str.) argentea** (Hufnagel,1766) (Noctuidae) Phalaena argentea Hufnagel,1766, Berl. Mag. 3: 286. Type(s): Germania: Berlin.
- 6869. Cucullia (s.str.) argentea argentea** (Hufnagel,1766) (Noctuidae) Phalaena argentea Hufnagel,1766, Berl. Mag. 3: 286. Type(s): Germania: Berlin.
- 6870. Cucullia (s.str.) argentina** (Fabricius,1787) (Noctuidae) Noctua argentina Fabricius,1787, Mant. Ins. 2: 162, nr.185. Type(s): Russia: Russia australiori.
- 6871. Cucullia (s.str.) artemisiae** (Hufnagel,1766) (Noctuidae) Phalaena artemisiae Hufnagel,1766, Berl. Mag. 3: 292. Type(s): Germania: Berlin.
- 6872. Cucullia (s.str.) artemisiae artemisiae** (Hufnagel,1766) (Noctuidae) Phalaena artemisiae Hufnagel,1766, Berl. Mag. 3: 292. Type(s): Germania: Berlin.
- 6873. Cucullia (s.str.) asteris** ([Denis & Schiffermüller],1775) (Noctuidae) Noctua asteris [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 312. Type(s): [Austria]: Vienna district.
- 6874. Cucullia (s.str.) behouneki** Hacker & Ronkay,1988 (Noctuidae) Cucullia behouneki Hacker & Ronkay,1988, Nota lepid. 11(1): 39-42, figs. Holotype ♂: Türkiye: Erzurum: Palandöken Dağ, 2600-2800m.
- 6875. Cucullia (s.str.) behouneki behouneki** Hacker & Ronkay,1988 (Noctuidae) Cucullia behouneki Hacker & Ronkay,1988, Nota lepid. 11(1): 39-42, figs. Holotype ♂: Türkiye: Erzurum: Palandöken Dağ, 2600-2800m.
- 6876. Cucullia (s.str.) behouneki korsosi** Ronkay,1990 (Noctuidae) Cucullia behouneki ssp. korsosi Ronkay,1990, Annls hist.-nat. natn. Hung. 82: 156-157. Holotype ♂: Russia: E. Caucasus, Daghestan ASSR, Kurush Station 2400m (leg. Z.Korsos) (HNHM).

- 6877. *Cucullia* (s.str.) *biornata* Fischer v. Waldheim, 1840** (Noctuidae) *Cucullia* biornata Fischer v. Waldheim, 1840, Bull. Soc. imp. Nat. Moscou 1840: 83, Taf. 3 fig.3.
- 6878. *Cucullia* (s.str.) *calendulae* Treitschke, 1835** (Noctuidae) *Cucullia* chamomillae var. *calendulae* Treitschke, 1835, Schmett. Eur. 10 (2): 127. Syntypes: Italia: Sicilia.
- 6879. *Cucullia* (s.str.) *chamomillae* ([Denis & Schiffermüller], 1775)** (Noctuidae) *Noctua* chamomillae [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 73. Type(s): [Austria]: Vienna district.
- 6880. *Cucullia* (s.str.) *chamomillae* *chamomillae* ([Denis & Schiffermüller], 1775)** (Noctuidae) *Noctua* chamomillae [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 73. Type(s): [Austria]: Vienna district.
- 6881. *Cucullia* (s.str.) *dracunculi* (Hübner, [1813])** (Noctuidae) *Noctua* dracunculi Hübner, [1813], Samml. eur. Schmett., Noct. 2: Taf. 127, fig. 586. Type(s): [Europa].
- 6882. *Cucullia* (s.str.) *formosa* Rogenhofer, 1860** (Noctuidae) *Cucullia* formosa Rogenhofer, 1860, Verh. zool.-bot. Ges. Wien 10: 775.
- 6883. *Cucullia* (s.str.) *fraudatrix* Eversmann, 1837** (Noctuidae) *Cucullia* fraudatrix Eversmann, 1837, Bull. Soc. imp. Nat. Moscou 1837: 43.
- 6884. *Cucullia* (s.str.) *gnaphalii* (Hübner, [1813])** (Noctuidae) *Noctua* gnaphalii Hübner, [1813], Samml. eur. Schmett., Noct. 2: Taf. 126, figs. 582-583. Syntypes: [Europa].
- 6885. *Cucullia* (s.str.) *hemidiaphana* Graeser, 1892** (Noctuidae) *Cucullia* hemidiaphana Graeser, 1892, Berl. ent. Z. 37 (3): 313-315. Syntypes 2♂ 1♀: [Kirgizistan]: Alexander Gebirge.
- 6886. *Cucullia* (s.str.) *kasyi* Wiltshire, 1976** (Noctuidae) *Cucullia* kasyi Wiltshire, 1976, Z. ArbGem. öst. Ent. 27: 75-77 fig. Holotype ♂: S. Iran: Roodan nr. Bander Abbas, 9.iii.1973 (NHMW).
- 6887. *Cucullia* (s.str.) *khorrassana* Brandt, 1941** (Noctuidae) *Cucullia* khorrassana Brandt, 1941, Mitt. münch. ent. Ges. 31: 846-847, fig. 31. Syntypes: Iran: [Khorassan]: Kouh i Binaloud, 2500m.
- 6888. *Cucullia* (s.str.) *lactea* (Fabricius, 1787)** (Noctuidae) *Noctua* lactea Fabricius, 1787, Mant. Ins. 2: 182, nr. 297.
- 6889. *Cucullia* (s.str.) *lucifuga* (Hübner, [1803])** (Noctuidae) *Noctua* lucifuga Hübner, [1803], Samml. eur. Schmett. 4, Noctuae: Tab. 54, fig. 262. Type(s): Europa.
- 6890. *Cucullia* (s.str.) *mediogrisea* W. Warren, 1911** (Noctuidae) *Cucullia* mediogrisea W. Warren, 1911, Novit. zool. 18: 140. Type: India.
- 6891. *Cucullia* (s.str.) *minogenica* Rebel, 1916** (Noctuidae) *Cucullia* minogenica Rebel, 1916, Verh. zool.-bot. Ges. Wien 66: 127.
- 6892. *Cucullia* (s.str.) *mixta* Freyer, 1841** (Noctuidae) *Cucullia* mixta Freyer, 1841, Neuere Beitr. Schmett. 4: 111, Tab. 352, fig. 3. Type(s): [Russia]: Sarepta.
- 6893. *Cucullia* (s.str.) *praecana* Eversmann, 1843** (Noctuidae) *praecana* Eversmann, 1843, Bull. Soc. imp. nat. Moscou 16: 549. Syntypes: Russia: Ural.
- 6894. *Cucullia* (s.str.) *ronkayi* Hacker & Pinker, 1987** (Noctuidae) *Cucullia* mixta ssp. *ronkayi* Hacker & Pinker, 1987, Z. ArbGem. öst. Ent. 38 (3/4): 107-109, Abb. Holotype ♂: Östtürkei: Prov. Van, Güzeldere Pass, 2900m 30.vi-3-vii.1984 (leg. & coll. Huber).
- 6895. *Cucullia* (s.str.) *santolinae* Rambur, 1834** (Noctuidae) *Cucullia* santolinae Rambur, 1834, Annls Soc. ent. Fr. 3: 387, Pl. 8, figs. 4, 4a. Syntypes: [France]: Korsica.
- 6896. *Cucullia* (s.str.) *santonici* (Hübner, [1813])** (Noctuidae) *Noctua* santonici Hübner, [1813], Samml. eur. Schmett. Noct. 2: Taf. 127 fig. 584, 585. Syntypes: Europa.
- 6897. *Cucullia* (s.str.) *scopariae* Dorfmeister, 1853** (Noctuidae) *Cucullia* scopariae Dorfmeister, 1853, Verh. zool.-bot. Ver. Wien 3: 413.
- 6898. *Cucullia* (s.str.) *sublutea* Graeser, 1892** (Noctuidae) *Cucullia* sublutea Graeser, 1892, Berl. ent. Z. 37 (3): 312-313. Type ♀: [China: Uighur A.R.]: Kaschgar.
- 6899. *Cucullia* (s.str.) *tanaceti* (Goeze, 1781)** (Noctuidae) *Phalaena* tanaceti Goeze, 1781, Ent. Beytr. 3(3): 211, nr. 102.
- 6900. *Cucullia* (s.str.) *tecca* Püngeler, 1906** (Noctuidae) *Cucullia* tecca Püngeler, 1906, Dt. ent. Z., Iris 19: 96. Syntypes: [Turkmenistan]: Ashabad.
- 6901. *Cucullia* (s.str.) *umbratica* (Linnaeus, 1758)** (Noctuidae) *Phalaena* umbratica Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 515. Type(s): [Europa].
- 6902. *Cucullia* (s.str.) *umbratica umbratica* (Linnaeus, 1758)** (Noctuidae) *Phalaena* umbratica Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 515. Type(s): [Europa].
- 6903. *Cyclodes omma* (Hoeven, 1840)** (Noctuidae) *Erebus omma* Hoeven, 1840, Tijdschr. Naturl. Gesch. Physiol. 7: 281, pl. 7 fig. 7. Type: [Indonesia]: Java.
- 6904. *Cyrebia adili* (Koçak, 1987)** (Noctuidae) *Chersotis adili* Koçak, 1987, Priamus 4: 121, fig. Holotype ♂: Turkey: Rize Prov.: Çamlıhemşin: Amlakit yaylası (coll. Cesa).
- 6905. *Cyrebia anachoreta* (Herrich-Schäffer, [1851])** (Noctuidae) *Agrotis anachoreta* Herrich-Schäffer, [1851], Syst. Bearb. Schmett. Eur. 2: 349. Syntypes: Türkei.
- 6906. *Cyrebia anachoreta anachoreta* (Herrich-Schäffer, 1851)** (Noctuidae) *Agrotis anachoreta* Herrich-Schäffer, [1851], Syst. Bearb. Schmett. Eur. 2: 349. Syntypes: Türkei.
- 6907. *Cyrebia luperinoides* Guenée, 1852** (Noctuidae) *Cyrebia luperinoides* Guenée, 1852, [in] Boisduval & Guenée, Hist. nat. Ins. Lep., Noct. 2: 196. Syntypes: [Russia]: Südrussland.
- 6908. *Dasypolia* (Dasymixis) *diva* L. Ronkay & Varga, 1990** (Noctuidae) *Dasypolia* (Dasymixis) *diva* L. Ronkay & Varga, 1990, Esperiana 1: 481-482, figs. Holotype ♂: Turkey: Ağrı Prov., 7km E Aydıntepe, 2200m, 12-13.x.1989, Csorba & G. Ronkay leg. & coll.
- 6909. *Dasypolia* (Dasythorax) *anartina* (Püngeler, 1901)** (Noctuidae) *Dasythorax anartinus* Püngeler, 1901, Dt. ent. Z., Iris 14: 185. Syntypes: [China: Uighur A.R.]: Aksu.
- 6910. *Dasypolia* (Dasythorax) *poliana* (Staudinger, 1889)** (Noctuidae) *Dasythorax polianus* Staudinger, 1889, Stettin ent. Ztg. 50: 38. Syntypes 3♂: [Kirgizistan]: "südlich vom Issyk-Kul (Rückbeil leg.)."
- 6911. *Dasypolia* (s.str.) *dichroa* L. Ronkay & Varga, 1985** (Noctuidae) *Dasypolia* ferdinandi ssp. *dichroa* L. Ronkay & Varga, 1985, Z. ArbGem. öst. Ent. 36 (3/4): 89-90, Taf. 1 fig. 13. Holotype ♂: [Turkey]: Asia min., "Apfelberge" 10km. östl. Kirikkale 10.xi.1977 leg. Friedel (ZSM).
- 6912. *Dasypolia* (s.str.) *dichroa dichroa* L. Ronkay & Varga, 1985** (Noctuidae) *Dasypolia* ferdinandi ssp. *dichroa* L. Ronkay & Varga, 1985, Z. ArbGem. öst. Ent. 36 (3/4): 89-90, Taf. 1 fig. 13. Holotype ♂: [Turkey]: Asia min., "Apfelberge" 10km. östl. Kirikkale 10.xi.1977 leg. Friedel (ZSM).
- 6913. *Dasypolia* (s.str.) *ferdinandi transcaucasica* L. Ronkay & Varga, 1985** (Noctuidae) *Dasypolia* ferdinandi ssp. *transcaucasica* L. Ronkay & Varga, 1985, Z. ArbGem. öst. Ent. 36 (3/4): 88-89, Taf. 1. figs. 10, 11. Holotype ♂: [Armenia]: Armenische SSR: Sevan, 2000m (leg. Merkl & Ronkay) (NWMB).
- 6914. *Dasypolia* (s.str.) *templi* (Thunberg, 1792)** (Noctuidae) *Noctua templi* Thunberg, 1792, Diss. Ent. Sist. Ins. Suec. 3: 56. Type(s): Schweden.
- 6915. *Dasypolia* (s.str.) *templi anatolica* Hacker, 1990** (Noctuidae) *Dasypolia* templi ssp. *anatolica* Hacker, 1990, Neue ent. Nachr. 27: 456-457, figs. Holotype ♂: Türkei: Prov. Konya, Sultandagları, 1400m, 13km S Akşehir, 29.x.1984 (leg. & coll. Schreier).
- 6916. *Dasypolia* (s.str.) *templi armeniaca* L. Ronkay & Varga, 1985** (Noctuidae) *Dasypolia* templi ssp. *armeniaca* L. Ronkay & Varga, 1985, Z. ArbGem. öst. Ent. 36 (3/4): 87, Taf. 1. figs. 4, 5. Holotype ♂: [Armenia]: Armenische SSR, Aragats-Geb., Antarat, Meteorol Station, 1956m (leg. & coll. Varga).
- 6917. *Dasypolia* (s.str.) *templi centralasiae* Hacker, 1992** (Noctuidae) *Dasypolia* templi ssp. *centralasiae* Hacker, 1992, Esperiana 3: 160, fig. Holotype ♀: Chinesisch Turkestan: Dzhungarien: Tyschkan, 23.iv.1984, leg. Danilewsky (coll. Thöny).
- 6918. *Dasypolia* (s.str.) *templi templi* (Thunberg, 1792)** (Noctuidae) *Noctua templi* Thunberg, 1792, Diss. Ent. Sist. Ins. Suec. 3: 56. Type(s): Schweden.
- 6919. *Dasypolia* (s.str.) *templi vecchimentium* L. Ronkay & Varga, 1985** (Noctuidae) *Dasypolia* templi ssp. *vecchimentium* L. Ronkay & Varga, 1985, Z. ArbGem. öst. Ent. 36 (3/4): 88, Taf. 1. fig. 6. Holotype ♂: Bulgaria: NW-Stara Planina, Belogradcik, 700m (leg. Ronkay & Meszaros) (NWMB).
- 6920. *Deltote bankiana* (Fabricius, 1775)** (Noctuidae) *Pyrallis bankiana* Fabricius, 1775; Syst. Ent.: 645. Type(s): Anglia.
- 6921. *Desertoplusia bella* (Christoph, 1887)** (Noctuidae) *Plusia bella* Christoph, 1887, Stettin ent. Ztg. 48: 164. Syntypes: [Turkmenistan]: Ashabad.
- 6922. *Desertoplusia colornata* Varga & L. Ronkay, 1991** (Noctuidae) *Desertoplusia colornata* Varga & L. Ronkay, 1991, Acta zool. Hung. 37: 305-307, figs. pl. 3 figs. 42-43. Holotype ♂: Turkey: Ağrı Pr., 7km W. of Aydıntepe, 2200m (leg. G. Laszlo & G. Ronkay) (coll. Ronkay).
- 6923. *Diachrysia chrysis* (Linnaeus, 1758)** (Noctuidae) *Phalaena chrysis* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 513. Type(s): [Europa].
- 6924. *Diachrysia chrysis chrysis* (Linnaeus, 1758)** (Noctuidae) *Phalaena chrysis* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 513. Type(s): [Europa].

- 6925. *Diarsia brunnea* ([Denis & Schiffmüller],1775)** (Noctuidae) *Noctua brunnea* [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 83. Type(s): [Austria]: Vienna district.
- 6926. *Diarsia fletcheri* Boursin,1969** (Noctuidae) *Diarsia fletcheri* Boursin,1969, Entomops 15: 215-217, figs. Holotype ♂: [Pakistan]: Thundiani (BMNH).
- 6927. *Diarsia florida* (Schmidt,1859)** (Noctuidae) *Noctua florida* Schmidt,1859, Stettin ent. Ztg. 20: 46. Syntypes: [Deutschland]: [Wismar, Macklenburg].
- 6928. *Diarsia florida perturbata* Hacker,1987** (Noctuidae) *Diarsia florida* ssp. *perturbata* Hacker,1987, Atalanta 18: 127, Taf.2 fig.3. Holotype ♂: [Türkei]: Prov. Van: Güzeldere-Pass, 2600-2700m 5.vii.1979 (leg. Gross, coll. Eitschberger).
- 6929. *Diarsia mendica* (Fabricius,1775)** (Noctuidae) *Noctua mendica* Fabricius,1775, Syst. Ent.: 611. Type(s): Germania.
- 6930. *Diarsia mendica mendica* (Fabricius,1775)** (Noctuidae) *Noctua mendica* Fabricius,1775, Syst. Ent.: 611. Type(s): Germania.
- 6931. *Diarsia nyei* Boursin,1969** (Noctuidae) *Diarsia nyei* Boursin,1969, Entomops 15: 218-219, figs. Holotype ♂: India: Dharmasala (BMNH).
- 6932. *Diarsia rubi* (Vieweg,1790)** (Noctuidae) *Noctua rubi* Vieweg,1790, Tab. Verz. Brand. Schmett. 2: 57. Type(s): [Germany]: Berlin.
- 6933. *Dichagyris* (Grisyigoga) *candelisequa* ([Denis & Schiffmüller],1775)** (Noctuidae) *Noctua candelisequa* [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 72. Type(s): [Austria]: Vienna district.
- 6934. *Dichagyris* (Grisyigoga) *candelisequa achaemenidica* Hacker,1990** (Noctuidae) *Dichagyris* (s.str.) *candelisequa* ssp. *achaemenidica* Hacker,1990, Neue ent. Nachr. 27: 439. Holotype ♂: Türkiye: Prov. Bingöl, Pass n. Başköy, 2200m, 23km NW Karlıova, 24.vii.1984, (leg. & coll. Hacker) [name dedicated to Achaemenian Emperor of Persia].
- 6935. *Dichagyris* (Grisyigoga) *candelisequa candelisequa* ([Denis & Schiffmüller],1775)** (Noctuidae) *Noctua candelisequa* [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 72. Type(s): [Austria]: Vienna district.
- 6936. *Dichagyris* (Grisyigoga) *candelisequa rana* (Lederer,1853)** (Noctuidae) *Agrotis rana* Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 367. Syntypes: [Kazachstan]: Altai.
- 6937. *Dichagyris* (Yigoga) *eureteocles* (Boursin,1940)** (Noctuidae) *Agrotis eureteocles* Boursin,1940, Mitt. münch. ent. Ges. 30: 482, Taf.8 f.15. Holotype ♂: Armenia: Darasham am Araxes.
- 6938. *Dichagyris* (Yigoga) *flavina* (Herrich-Schäffer,1852)** (Noctuidae) *Agrotis flavina* Herrich-Schäffer,1852, Syst. Bearb. Schmett. Eur. 6: 59. Syntypes: [Türkei]: Kleinasien.
- 6939. *Dichagyris* (Yigoga) *flavina flavina* (Herrich-Schäffer,1852)** (Noctuidae) *Agrotis flavina* Herrich-Schäffer,1852, Syst. Bearb. Schmett. Eur. 6: 59. Syntypes: [Türkei]: Kleinasien.
- 6940. *Dichagyris* (Yigoga) *forcipula* ([Denis & Schiffmüller],1775)** (Noctuidae) *Noctua forcipula* [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district.
- 6941. *Dichagyris* (Yigoga) *forcipula amasicola* (Koçak,1980)** (Noctuidae) *Yigoga nigrescens* ssp. *amasicola* Koçak,1980, Nota lepid. 2: 144 (nomen novum pro amasina Turati,1919 nec Staudinger,1901). Syntypes: Turkey: Amasia.
- 6942. *Dichagyris* (Yigoga) *forcipula forcipula* ([Denis & Schiffmüller],1775)** (Noctuidae) *Noctua forcipula* [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district.
- 6943. *Dichagyris* (Yigoga) *hackeri* (Fibiger,1992)** (Noctuidae) *Yigoga hackeri* Fibiger,1992, Esperiana 3: 447-449, figs. Holotype ♂: Turkey: Taurus, Mersin Prov., Güzeloluk, 1400m, leg. & coll. Fibiger.
- 6944. *Dichagyris* (Yigoga) *iranicola* (Koçak,1980)** (Noctuidae) *Yigoga forcipula iranicola* Koçak,1980, Nota lepid. 2: 144 (nomen novum pro hircana Corti & Draudt,1933 nec Staudinger,1900). Syntypes: [Turkmenistan]: Ashabad.
- 6945. *Dichagyris* (Yigoga) *latipennis* (Püngeler,1909)** (Noctuidae) *Euxoa latipennis* Püngeler,1909, Dt. ent. Z., Iris 21: 286. Syntypes: Iligebiet, Dscharkent.
- 6946. *Dichagyris* (Yigoga) *latipennis latipennis* (Püngeler,1909)** (Noctuidae) *Euxoa latipennis* Püngeler,1909, Dt. ent. Z., Iris 21: 286. Syntypes: Iligebiet, Dscharkent.
- 6947. *Dichagyris* (Yigoga) *latipennis occidentalis* (Hacker,1987)** (Noctuidae) *Yigoga latipennis* ssp. *occidentalis* Hacker,1987, Atalanta 17 (1/4): 13. Holotype ♂: Türkiye: Ankara Prov., Tuz Gölü N-Ufer, 10.ic.1971 (leg. Friedel) (ZSM).
- 6948. *Dichagyris* (Yigoga) *lupinus* (Brandt,1941)** (Noctuidae) *Agrotis lupinus* Brandt,1941, Mitt. münch. ent. Ges. 31: 840-841, fig.9. Type(s): Iran: [Khorassan]: Kouh i Binaloud, 3300m.
- 6949. *Dichagyris* (Yigoga) *lutescens* (Eversmann,1844)** (Noctuidae) *Agrotis lutescens* Eversmann,1844, Bull. Soc. imp. Nat. Moscou 3: 591. Syntypes: Russia: Südrussland: Ural, Orenburg.
- 6950. *Dichagyris* (Yigoga) *nachadira* (Brandt,1941)** (Noctuidae) *Ogygia* (?) *improcera* ssp. *nachadira* Brandt,1941, Mitt. münch. ent. Ges. 31: 842, fig. 22. Type(s): Iran: [Belutschistan]: Kouh i Taftan, 2800-3300m.
- 6951. *Dichagyris* (Yigoga) *nachadira nachadira* (Brandt,1941)** (Noctuidae) *Ogygia* (?) *improcera* ssp. *nachadira* Brandt,1941, Mitt. münch. ent. Ges. 31: 842, fig. 22. Type(s): Iran: [Belutschistan]: Kouh i Taftan, 2800-3300m.
- 6952. *Dichagyris* (Yigoga) *nachadira pseudorientis* (Boursin,1952)** (Noctuidae) *Ogygia nachadira* ssp. *pseudorientis* Boursin,1952, Z. lepid. 2: 52. Holotype ♂: Türkiye: Kayseri.
- 6953. *Dichagyris* (Yigoga) *nigrescens* (Hofner,1888)** (Noctuidae) *Agrotis nigrescens* Höfner,1888, Societas ent. 2: 121. Syntypes: [Germany]: Wolfsburg.
- 6954. *Dichagyris* (Yigoga) *nigrescens nigrescens* (Höfner,1888)** (Noctuidae) *Agrotis nigrescens* Höfner,1888, Societas ent. 2: 121. Syntypes: [Germany]: Wolfsburg.
- 6955. *Dichagyris* (Yigoga) *nigrescens robustior* (Corti & Draudt,1933)** (Noctuidae) *Agrotis forcipula robustior* Corti & Draudt,1933, [in] Seitz,A., Die Gross Schmett. Erde 3 (suppl.): 55. Syntypes: [Türkei]: Marasch.
- 6956. *Dichagyris* (Yigoga) *orientis* (Alpheraky,1882)** (Noctuidae) *Agrotis signifera* var. *orientis* Alpheraky,1882, Horae Soc. ent. ross. 17:54. Syntypes: [China]: Kouldja.
- 6957. *Dichagyris* (Yigoga) *orientis orientis* (Alpheraky,1882)** (Noctuidae) *Agrotis signifera* var. *orientis* Alpheraky,1882, Horae Soc. ent. ross. 17:54. Syntypes: [China]: Kouldja.
- 6958. *Dichagyris* (Yigoga) *orientis pygmaea* (Hampson,1903)** (Noctuidae) *Euxoa pygmaea* Hampson,1903, Catalogue lepid. Phalaenae Br. Mus. 4: 336. Type: Syr-Darja.
- 6959. *Dichagyris* (Yigoga) *romanovi* (Christoph,1885)** (Noctuidae) *Agrotis romanovi* Christoph,1885, [in] Romanoff,N.M., Mém. lépid. 2: 37. [Türkei]: Kazikoparan.
- 6960. *Dichagyris* (Yigoga) *serraticornis* (Staudinger,1898)** (Noctuidae) *Agrotis ochrina* var. *serraticornis* Staudinger,1898, Dt. ent. Z., Iris 10: 274. Lectotype ♂: Spain: Castille (Fibiger, 1990:127).
- 6961. *Dichagyris* (Yigoga) *serraticornis serraticornis* (Staudinger,1898)** (Noctuidae) *Agrotis ochrina* var. *serraticornis* Staudinger,1898, Dt. ent. Z., Iris 10: 274. Lectotype ♂: Spain: Castille (Fibiger, 1990:127).
- 6962. *Dichagyris* (Yigoga) *signifera* ([Denis & Schiffmüller],1775)** (Noctuidae) *Noctua signifera* [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district.
- 6963. *Dichagyris* (Yigoga) *signifera farsistana* (Brandt,1938)** (Noctuidae) *Agrotis signifera* ssp. *farsistana* Brandt,1938, Ent. Rdsch. 55: 502. Type ♂: Iran: [Fars]: Fort Sine Sefid, Comee.
- 6964. *Dichagyris* (Yigoga) *sincera* (De Freina & Hacker,1985)** (Noctuidae) *Yigoga celsicola* ssp. *sincera* De Freina & Hacker,1985, Entomofauna 6 (19): 242-245, Abb. 1-2. Holotype ♂: [Türkei]: Kleinasien: Hakkari: Tanin Tanin Paß, 2000-2300m, 12-13.7.83 (leg. & coll. De Freina).
- 6965. *Dichagyris* (Yigoga) *truculenta* (Lederer,1853)** (Noctuidae) *Agrotis truculenta* Lederer,1853, Verh. zool.-bot. Ver. 3: 367. Syntypes: [Kazachstan]: Vorberge Altai.
- 6966. *Dichagyris* (Yigoga) *truculenta khorassana* (Brandt,1941)** (Noctuidae) *Ogygia truculenta* ssp. *chorassana* Brandt,1941, Mitt. münch. ent. Ges. 31: 841-842. Type(s): Iran: [Khorassan]: Kouh i Binaloud bei Meched, 3000m.
- 6967. *Dichagyris* (Yigoga) *truculenta taftanica* (Brandt,1941)** (Noctuidae) *Ogygia truculenta* ssp. *taftanica* Brandt,1941, Mitt. münch. ent. Ges. 31: 842. Type(s): Iran: [Belutschistan]: Kouh i Taftan, 3000m.
- 6968. *Dichagyris* (Yigoga) *truculenta toxistigma* (Hampson,1903)** (Noctuidae) *Lycophotia toxistigma* Hampson,1903, Catalogue lepid. Phalaenae Br. Mus. 4: 549. Type: Syria.
- 6969. *Dichagyris* (Yigoga) *truculenta truculenta* (Lederer,1853)** (Noctuidae) *Agrotis truculenta* Lederer,1853, Verh. zool.-bot. Ver. 3: 367. Syntypes: [Kazachstan]: Vorberge Altai.
- 6970. *Dichagyris* (Yigoga) *weigerti* Hacker & Varga,1990** (Noctuidae) *Dichagyris* (Yigoga) *weigerti* Hacker & Varga,1990, Neue

ent. Nachr. 27: 441-447, figs. Holotype ♂: Türkei: Prov. Van, Güzeldere Geçidi 2700m, 11.vii.1986 (leg. & coll. Weigert).

6971. *Dichagyris (Yigoga) wiltshirei* (Boursin,1936) (Noctuidae) *Agrotis (Ogygia) wiltshirei* Boursin,1936, Bull. Soc. ent. Fr. 1936: 224, fig. Holotype ♂: Irak: Rayat, Wiltshire leg & coll.

6972. *Dichagyris (s.str.) amoena* (Staudinger,1892) (Noctuidae) *Agrotis amoena* Staudinger,1892, Dt. ent. Z., Iris 4: 267-248. Syntypes 9♂: [Türkei]: Amasia.

6973. *Dichagyris (s.str.) amoena amoena* (Staudinger,1892) (Noctuidae) *Agrotis amoena* Staudinger,1892, Dt. ent. Z., Iris 4: 267-248. Syntypes 9♂: [Türkei]: Amasia.

6974. *Dichagyris (s.str.) anastasia* (Draudt,1936) (Noctuidae) *Agrotis anastasia* Draudt,1936, Ent. Rdsch. 53: 462, Taf.e1. Syntypes: [Türkei]: Van, Marasch; Iraq: Rowanduz.

6975. *Dichagyris (s.str.) argentea darius* (Boursin,1940) (Noctuidae) *Agrotis (Dichagyris) argentea ssp. darius* Boursin,1940, Mitt. münch. ent. Ges. 30: 485, Taf.8 figs.20,21. Holotype ♂: Iran: Kerdj, 1400m.

6976. *Dichagyris (s.str.) armeniaca* Kozhantshikov,1929 (Noctuidae) *Dichagyris armeniaca* Kozhantshikov,1929, Bull. Mus. Georg. Tiflis 5: 93. Type: Armenia: Migry.

6977. *Dichagyris (s.str.) cataleipa* Varga,1993 (Noctuidae) *Dichagyris cataleipa* Varga,1993, Acta zool. Hung. 39:290-292,figs. Holotype ♂: Turkey: Sivas: Ziyaret geçidi,1950-2050m.

6978. *Dichagyris (s.str.) celebrata* (Alpheraky,1897) (Noctuidae) *Agrotis celebrata* Alpheraky,1897, [in] Romanoff, Mem. Lep. 9:209. Syntypes: [Turkmenistan]: Achal-Tekke.

6979. *Dichagyris (s.str.) celebrata celebrata* (Alpheraky,1897) (Noctuidae) *Agrotis celebrata* Alpheraky,1897, [in] Romanoff, Mem. Lep. 9:209. Syntypes: [Turkmenistan]: Achal-Tekke.

6980. *Dichagyris (s.str.) contermina* (Corti,1929) (Noctuidae) *Lycophotia renigera* var. *contermina* Corti,1929, Dt. ent. Z., Iris 43: 169. Syntypes: Syrien: Aleppo.

6981. *Dichagyris (s.str.) devota* (Christoph,1884) (Noctuidae) *Agrotis devota* Christoph,1884, [in] Romanoff,N.M., Mém. Lépid. 1: 116, fig. Syntypes: [Turkmenistan]: Achal Tekke.

6982. *Dichagyris (s.str.) elbursica* (Draudt,1937) (Noctuidae) *Rhyacia elbursica* Draudt,1937, [in] Seitz,A., Die Gross Schmett. Erde 3 (suppl.): 250. Syntypes: Iran: Elbursgebirge.

6983. *Dichagyris (s.str.) elbursica elbursica* (Draudt,1937) (Noctuidae) *Rhyacia elbursica* Draudt,1937, [in] Seitz,A., Die Gross Schmett. Erde 3 (suppl.): 250. Syntypes: Iran: Elbursgebirge.

6984. *Dichagyris (s.str.) erubescens* (Staudinger,1892) (Noctuidae) *Agrotis renigera* var. *erubescens* Staudinger,1892, Dt. ent. Z., Iris 4: 268. Syntypes: [Türkei]: Aintab [=Gaziantep], Mardin, Malatia.

6985. *Dichagyris (s.str.) erubescens erubescens* (Staudinger,1892) (Noctuidae) *Agrotis renigera* var. *erubescens* Staudinger,1892, Dt. ent. Z., Iris 4: 268. Syntypes: [Türkei]: Aintab [=Gaziantep], Mardin, Malatia.

6986. *Dichagyris (s.str.) fredii* (Brandt,1938) (Noctuidae) *Agrotis (Dichagyris) fredii* Brandt,1938, Ent. Rdsch. 55: 503, figs. 105. Syntypes: Iran: [Fars]: "Fort Sine-Sefid".

6987. *Dichagyris (s.str.) griseus* Staudinger,1879 (Noctuidae) *Dichagyris melanura* var. *griseus* Staudinger,1879, Horae Soc. ent. ross. 14: 427. Syntypes: [Iran]: Nordpersien: Schahrud.

6988. *Dichagyris (s.str.) griseus griseus* Staudinger,1879 (Noctuidae) *Dichagyris melanura* var. *griseus* Staudinger,1879, Horae Soc. ent. ross. 14: 427. Syntypes: [Iran]: Nordpersien: Schahrud.

6989. *Dichagyris (s.str.) humilis* (Boursin,1940) (Noctuidae) *Agrotis (Dichagyris) humilis* Boursin,1940, Mitt. münch. ent. Ges. 30: 488, Taf.8 figs. 25,26. Holotype ♂: Iran: Elbursgebirge: Kendevan, 3000m.

6990. *Dichagyris (s.str.) humilis humilis* (Boursin,1940) (Noctuidae) *Agrotis (Dichagyris) humilis* Boursin,1940, Mitt. münch. ent. Ges. 30: 488, Taf.8 figs. 25,26. Holotype ♂: Iran: Elbursgebirge: Kendevan, 3000m.

6991. *Dichagyris (s.str.) leucomelas* Brandt,1941 (Noctuidae) *Dichagyris leucomelas* Brandt,1941, Mitt. münch. ent. Ges. 31: 843, fig.15. Syntypes: Iran: [Belutschistan]: Kouh i Taftan, 2000-2800m; Fort Sengan, 1800m; [Khorassan]: Kouh i Binaloud bei Meched.

6992. *Dichagyris (s.str.) melanura* (Kollar,1846) (Noctuidae) *Agrotis melanura* Kollar,1846, [in] Carrara, La Dalmazia descritta: 99. Type(s): Dalmatia: Dubrovnik (Ragusa).

6993. *Dichagyris (s.str.) melanura melanura* (Kollar,1846) (Noctuidae) *Agrotis melanura* Kollar,1846, [in] Carrara, La Dalmazia descritta: 99. Type(s): Dalmatia: Dubrovnik (Ragusa).

6994. *Dichagyris (s.str.) paisa* (Brandt,1938) (Noctuidae) *Agrotis (Dichagyris) paisa* Brandt,1938, Ent. Rdsch. 55: 502-503, fig. 102. Type ♂: Iran: [Fars]: "Comee".

6995. *Dichagyris (s.str.) poecilopetala* (Varga,1979) (Noctuidae) *Ochropleura (Dichagyris) poecilopetala* Varga,1979, Z. ArbGem. öst. Ent. 31 (1/2): 5, Taf.1 fig.7. Holotype ♂: N-Iran, Täbris, 22.5.1970 (leg. & coll. Vartian).

6996. *Dichagyris (s.str.) psammochroa* (Boursin,1940) (Noctuidae) *Agrotis (Dichagyris) psammochroa* Boursin,1940, Mitt. münch. ent. Ges. 30: Taf.8 fig.23. Holotype ♂: Iran: Elbursgebirge: Pelur, 2000m.

6997. *Dichagyris (s.str.) psammochroa psammochroa* (Boursin,1940) (Noctuidae) *Agrotis (Dichagyris) psammochroa* Boursin,1940, Mitt. münch. ent. Ges. 30: Taf.8 fig.23. Holotype ♂: Iran: Elbursgebirge: Pelur, 2000m.

6998. *Dichagyris (s.str.) renigera* (Hübner,[1808]) (Noctuidae) *Noctua renigera* Hübner,[1808], Samml. eur. Schmett., Noct. 2: Taf. 82, fig. 384. Type: [Europa].

6999. *Dichagyris (s.str.) renigera renigera* (Hübner,[1808]) (Noctuidae) *Noctua renigera* Hübner,[1808], Samml. eur. Schmett., Noct. 2: Taf. 82, fig. 384. Type: [Europa].

7000. *Dichagyris (s.str.) rubidior* (Corti,1933) (Noctuidae) *Agrotis (Dichagyris) squalidior ssp. rubidior* Corti,1933, Dt. ent. Z., Iris 47: 69. Syntypes ♂♂: Libanon: Bcharre (NMHW).

7001. *Dichagyris (s.str.) squalidior* (Staudinger,1901) (Noctuidae) *Agrotis squalorum* var. *squalidior* Staudinger,1901, Cat. Lep. palaearkt. Fauneng. 3(1): 146. Syntypes: [Türkei]: Taurus c. & m. or.

7002. *Dichagyris (s.str.) squalidior damascina* (Boursin,1963) (Noctuidae) *Ochropleura squalidior ssp. damascina* Boursin,1963, Bull. Soc. linn. Lyon 1963: 254. Holotype ♂: Syrie: 20km NE de Damas.

7003. *Dichagyris (s.str.) squalidior squalidior* (Staudinger,1901) (Noctuidae) *Agrotis squalorum* var. *squalidior* Staudinger,1901, Cat. Lep. palaearkt. Fauneng. 3(1): 146. Syntypes: [Türkei]: Taurus c. & m. or.

7004. *Dichagyris (s.str.) squalorum* (Eversmann,1856) (Noctuidae) *Agrotis squalorum* Eversmann,1856, Bull. Soc. imp. Nat.Moscou 29 (2): 221. Syntypes: [Russia]: Wolga, Ural.

7005. *Dichagyris (s.str.) squalorum squalorum* (Eversmann,1856) (Noctuidae) *Agrotis squalorum* Eversmann,1856, Bull. Soc. imp. Nat.Moscou 29 (2): 221. Syntypes: [Russia]: Wolga, Ural.

7006. *Dichagyris (s.str.) taftana* Brandt,1941 (Noctuidae) *Dichagyris taftana* Brandt,1941, Mitt. münch. ent. Ges. 31: 844, fig.10. Syntypes: Iran: [Belutschistan]: Kouh i Taftan, 3000-3300m.

7007. *Dichagyris (s.str.) terminicincta* (Corti & Draudt,1933) (Noctuidae) *Agrotis terminicincta* Corti & Draudt,1933, Dt. ent. Z., Iris 47: 70. Syntypes: Lebanon: Besharre, 1400m.

7008. *Dichagyris (s.str.) terminicincta phaenotaenia* (Boursin,1940) (Noctuidae) *Agrotis (Dichagyris) terminicincta ssp. phaenotaenia* Boursin,1940, Mitt. münch. ent. Ges. 30: 484, Taf.8 f.18. Holotype ♂: Armenia: Erivan.

7009. *Dichagyris (s.str.) terminicincta terminicincta* (Corti & Draudt,1933) (Noctuidae) *Agrotis terminicincta* Corti & Draudt,1933, Dt. ent. Z., Iris 47: 70. Syntypes: Lebanon: Besharre, 1400m.

7010. *Dichagyris (s.str.) tyrannus beluchus* Brandt,1941 (Noctuidae) *Dichagyris tyrannus ssp. beluchus* Brandt,1941, Mitt. münch. ent. Ges. 31: 843, fig.13. Syntypes: Iran: [Belutschistan]: Kouh i Taftan, 2500-2800m.

7011. *Dichagyris (s.str.) vallesiaca* (Boisduval,[1837]) (Noctuidae) *Agrotis vallesiaca* Boisduval,[1837], Icon. Hist. Lépid. Eur. 2: Taf.78, fig.3. Type(s): [France]: [Wallis].

7012. *Dichagyris (s.str.) vallesiaca opulenta* Brandt,1941 (Noctuidae) *Dichagyris (subsqualorum) Kozh.?* *opulenta* Brandt,1941, Mitt. münch. ent. Ges. 31: 843, fig.12. Syntypes: Iran: [Belutschistan]: Kouh i Taftan, 2500-3300m.

7013. *Dichagyris (s.str.) zeituna* (Staudinger,1900) (Noctuidae) *Agrotis hadjina* var.? *zeituna* Staudinger,1900, Dt. ent. Z., Iris 12: 361-362, Taf. vi, fig.6. Syntypes: [Türkei]: Zeitun [=Süleymanlı].

7014. *Dichagyris humilis elvendi* (Boursin,1940) (Noctuidae) *Agrotis humilis ssp. elvendi* Boursin,1940, Mitt. münch. ent. Ges. 30: 490. Holotype ♂: Iran: Hamadan: Elvend mt., 3000m.

7015. *Dichonia aeruginea* (Hübner,[1803]) (Noctuidae) *Noctua aeruginea* Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf.80, fig.374. Type: [Europa].

- 7016. *Dichonia aeruginea aeruginea* (Hübner,[1808])** (Noctuidae) Noctua aeruginea Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf.80, fig.374. Type: [Europa].
- 7017. *Dichonia aeruginea tephroptila* (Warren,1910)** (Noctuidae) Lithophane tephroptila Warren,1910, [in] Seitz, Gross-Schmett. Erde 3: 126-127 (31b). Type ♀: [Türkei]: Amasia (Tring Museum).
- 7018. *Dichonia convergens* ([Denis & Schiffermüller],1775)** (Noctuidae) Noctua convergens [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 84. Type(s): [Austria]: Vienna district.
- 7019. *Dichonia convergens convergens* ([Denis & Schiffermüller],1775)** (Noctuidae) Noctua convergens [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 84. Type(s): [Austria]: Vienna district.
- 7020. *Dichromia triplicalis* Walker,1859** (Noctuidae) Dichromia triplicalis Walker,1859, List 16: 16. Type: S.India.
- 7021. *Dicycla oo* (Linnaeus,1758)** (Noctuidae) Phalaena oo Linnaeus,1758, Syst. Nat. (Edn.10)1: 507. Type(s): [Europa].
- 7022. *Diloba caeruleocephala* (Linnaeus,1758)** (Noctuidae) Phalaena caeruleocephala Linnaeus,1758, Syst. Nat. (Edn.10)1: 504. Type(s): [Europa].
- 7023. *Donda sailendra* Kobes,1983** (Noctuidae) Donda sailendra Kobes,1983, Heterocera Sumatrana 2: 4-5, Abb. Holotype ♂: [Indonesia]: Sumatra: Prapat-Holzweg.
- 7024. *Drasteria altivaga* (Alpheraky,[1894])** (Noctuidae) Leucanitis altivaga Alpheraky,[1894], Dt. ent. Z., Iris 6: 347. Type ♂: [China: Uighur A.R.]: "Kaschgaria, Alt. 9000ft".
- 7025. *Drasteria cailino* (Lefebvre,1827)** (Noctuidae) Heliiothis cailino Lefebvre,1827, Mem. Soc. linn. Paris 6:94. Type(s): [Italia]: Sicilia.
- 7026. *Drasteria cailino cailino* (Lefebvre,1827)** (Noctuidae) Heliiothis cailino Lefebvre,1827, Mem. Soc. linn. Paris 6:94. Type(s): [Italia]: Sicilia.
- 7027. *Drasteria caucasica* (Kolenati,1846)** (Noctuidae) Euclidia caucasica Kolenati,1846, Meletemata Ent. 5: 104. Syntypes: [Georgia]: Caucaso Lhesgico & Iberia.
- 7028. *Drasteria kabyalaria columbina* (Brandt,1941)** (Noctuidae) Leucanitis kabyalaria ssp. columbina Brandt,1941, Mitt. münch. ent. Ges. 31: 855. Syntypes: Iran: [Belutschistan]: Bender Tchahbahar.
- 7029. *Drasteria philippina* (Austaut,1880)** (Noctuidae) Leucanitis philippina Austaut,1880, Lepid. Nat.: 237. Syntypes: Algerie: Oran.
- 7030. *Drasteria saisani* (Staudinger,1882)** (Noctuidae) Leucanitis saisani Staudinger,1882, Stettin ent. Ztg. 43:53. Syntypes: [Kasachstan]: Saisan.
- 7031. *Drasteroides leprosa* (Brandt,1938)** (Noctuidae) Armada leprosa Brandt,1938, Ent. Rdsch. 55: 561, figs. 191-194. Syntypes: Iran: [Fars]: "Fort Sine-Sefid".
- 7032. *Drasteroides medialis leuconephra* (Brandt,1938)** (Noctuidae) Armada leuconephra Brandt,1938, Ent. Rdsch. 55: 560, figs. 202-208. Syntypes: Iran: [Fars]: "Fort Sine-Sefid, Mian-Kotal, Comée".
- 7033. *Dryobota labecula* (Esper,[1788])** (Noctuidae) Phalaena labecula Esper,[1788], Die Schmett. 4(2): 393, Tab.129 Noct.50 fig.5. Syntypes: Tyrol, Erlangen.
- 7034. *Dryobotodes (Dichonioxa) tenebrosa* (Esper,[1789])** (Noctuidae) Phalaena tenebrosa Esper,[1789], Die Schmett. 4(2): 451, Tab.142 Noct.63, fig.2. Syntypes: [Germany]: Erlangen.
- 7035. *Dryobotodes (s.str.) carbonis* (Wagner,1931)** (Noctuidae) Dryobota roboris carbonis Wagner,1931, Int. ent. Z. 25: 368. Syntypes: [Türkei]: Akşehir.
- 7036. *Dryobotodes (s.str.) contermina* (Graeser,1892)** (Noctuidae) Dryobota contermina Graeser,1892, Berl. ent. Z. 37 (3): 308-310. Syntypes 1♂ 1♀: [Kirgizistan]: Alexander Gebirge.
- 7037. *Dryobotodes (s.str.) eremita* (Fabricius,1775)** (Noctuidae) Noctua eremita Fabricius,1775, Syst. Ent.: 616. Type(s): Lipsiae.
- 7038. *Dryobotodes (s.str.) monochroma* (Esper,1790)** (Noctuidae) Phalaena monochroma Esper,[1790], Die Schmett. 4(2/1): 521, Taf.155,fig.6. Type(s): [Italy]: Florenz.
- 7039. *Dryobotodes (s.str.) servadeii* Parenzan,1982** (Noctuidae) Dryobotodes servadeii Parenzan,1982, Mem. Soc. ent. ital. Genova 60(1981): 279-286, figs. Holotype ♂: Italia: Monte Camplo (Taranto), 410m.
- 7040. *Dypterygia scabriuscula* (Linnaeus,1758)** (Noctuidae) Phalaena scabriuscula Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Type(s): Europa.
- 7041. *Dyrzela incrassata* Walker,1858** (Noctuidae) Dyrzela incrassata Walker,1858, List 15: 1759.
- 7042. *Dyrzela plagiata* Walker,1858** (Noctuidae) Dyrzela plagiata Walker,1858, List 15: 1758.
- 7043. *Dysmilichia erastrioides* Brandt,1938** (Noctuidae) Dysmilichia erastrioides Brandt,1938, Ent. Rdsch. 55: 557, figs. 179-182. Syntypes: Iran: [Fars]: Tschurum.
- 7044. *Dysmilichia gigantea* Brandt,1941** (Noctuidae) Dysmilichia ? gigantea Brandt,1941, Mitt. münch. ent. Ges. 31: 851-852, fig.40. Syntypes: Iran: Tahte Malek, Bender Tchahbahar.
- 7045. *Dysmilichia mira* (Brandt,1938)** (Noctuidae) Armada mira Brandt,1938, Ent. Rdsch. 55: 567, fig. 181. Syntypes: Iran: [Fars]: Dalaki.
- 7046. *Dysmilichia phaulopsis* Brandt,1938** (Noctuidae) Dysmilichia phaulopsis Brandt,1938, Ent. Rdsch. 55: 549,552 fig. 159. Syntypes: Iran: [Fars]: Dalaki.
- 7047. *Earias chlorophyllana* Staudinger,1892** (Noctuidae) Earias chlorophyllana Staudinger,1892, Dt. ent. Z., Iris 4: 249. Type: [Türkei]: Mardin.
- 7048. *Earias clorana* (Linnaeus,1761)** (Noctuidae) Phalaena clorana Linnaeus,1761, Fauna Suecica (2): 343. Type(s): Schweden.
- 7049. *Earias insulana* (Boisduval,1833)** (Noctuidae) Tortix insulana Boisduval,1833, Fauna Ent. Madag. 1833: 121, Pl. 16,9. Type: Mauritius.
- 7050. *Earias syriacana* Bartel,1903** (Noctuidae) Earias syriacana Bartel,1903, Dt. ent. Z., Iris 16: 215. Type(s): [Libanon]: Beirut.
- 7051. *Earias vernana* (Fabricius,1787)** (Noctuidae) Pyralis vernana Fabricius,1787, Mant. Ins. 2: 225, nr.8. Type(s): Austria: [Wien].
- 7052. *Egira anatolica* (Hering,1933)** (Noctuidae) Xylomiges conspilaris ssp. anatolica Hering,1933, Int. ent. Z. 26(37/38): 412. Syntypes 3♂ 4♀: [Türkei]: Ankara.
- 7053. *Egira conspilaris* (Linnaeus,1758)** (Noctuidae) Phalaena conspilaris Linnaeus,1758, Syst. Nat. (Edn.10)1: 515. Type(s): Europa.
- 7054. *Eicomorpha antiqua* Staudinger,1888** (Noctuidae) Eicomorpha antiqua Staudinger,1888, Stettin ent. Ztg. 49: 24. Syntypes: [Usbekistan]: Namangan, Samarkand, Transalai.
- 7055. *Eicomorpha kurdestanica* De Freina & Hacker,1985** (Noctuidae) Eicomorpha kurdestanica De Freina & Hacker,1985, Entomofauna 6 (19): 246-249, Abb. 4-6. Holotype ♂: [Türkei]: Kleinasien: Hakkari, 15km NW Yüksekova, vic. Süstü 1900m, 10-11.6.81 (leg. & coll. De Freina).
- 7056. *Eligma narcissus* (Cramer,1775)** (Noctuidae) Phalaena narcissus Cramer,1775, Uitl. Kapellen 1: 116, pl.73 figs. E,F. Syntypes: China.
- 7057. *Emmelia trabealis* (Scopoli,1763)** (Noctuidae) Phalaena trabealis Scopoli,1763, Entomologia Carniolica: 240. Type(s): [Slovenien]: Carniolia [Krain].
- 7058. *Enargia abluta arenaria* (Bartel,1903)** (Noctuidae) Cosmia abluta arenaria Bartel,1903, Dt. ent. Z., Iris 15: 210. Syntypes: Russland: Südural, Orenburg.
- 7059. *Enargia contacta* (Graeser,1892)** (Noctuidae) Dyschorista contacta Graeser,1892, Berl. ent. Z. 37: 310-312. Syntypes 2♂ 2♀: [Kirgizistan]: Alexander Gebirge.
- 7060. *Enargia paleacea* (Esper,[1788])** (Noctuidae) Phalaena paleacea Esper,[1788], Die Schmett. 4 (1): 323, Tab.122, Noct. 43 figs.3,4. Syntypes: Germania: Erlangen.
- 7061. *Enargia pinkeri* De Freina & Hacker,1985** (Noctuidae) Enargia pinkeri De Freina & Hacker,1985, Entomofauna 6 (19): 256-258, Abb. 21-23. Holotype ♂: [Türkei]: Kleinasien: Ankara: Kizilcahamam, 10km S Güvem, 1000m, 5-6.7.81 (leg. De Freina, coll. Hacker).
- 7062. *Epharmottomena eremophila* (Rebel,1895)** (Noctuidae) Armada eremophila Rebel,1895, Verh. zool.- bot. Ges. Wien 45: 350. Lectotype ♂: Algeria: Ouargl. Ghard (designated by Wiltshire,1979).
- 7063. *Epilecta linogrisea* ([Denis & Schiffermüller],1775)** (Noctuidae) Noctua linogrisea [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 79. Type(s): [Austria]: Vienna district.
- 7064. *Epipsammia boursini* Wiltshire,1957** (Noctuidae) Epipsammia boursini Wiltshire,1957, Lepidoptera of Iraq: 83-84, pl.II fig. 20, text-fig.5. Holotype ♂: Iraq: Shaqlawa, 17.iv.53 (coll. Wiltshire).
- 7065. *Epipsammia cretacea* (Staudinger,1888)** (Noctuidae) Namangana cretacea Staudinger,1888, Stettin ent. Ztg. 49: 29. Syntypes: [Uzbekistan]: namangan.

- 7066. *Episema glaucina* (Esper,[1789])** (Noctuidae) *Phalaena glaucina* Esper,[1789], Die Schmett. 3(1): 11, Taf.81, figs.4,5. Syntypes: [Germany]: Frankfurt.
- 7067. *Episema korsakovi* (Christoph,1885)** (Noctuidae) *Agrotis korsakovi* Christoph,1885, [in] Romanoff, Mem. Lep. 2: 44, fig. Syntypes: [Aserbaidjan]: Helenendorf [=Kirovabad].
- 7068. *Episema korsakovi korsakovi* (Christoph,1885)** (Noctuidae) *Agrotis korsakovi* Christoph,1885, [in] Romanoff, Mem. Lep. 2: 44, fig. Syntypes: [Aserbaidjan]: Helenendorf [=Kirovabad].
- 7069. *Episema korsakovi levantina* Hacker,2001** (Noctuidae) *Episema korsakovi* ssp. *levantina* Hacker,2001, Esperiana 8: 194-195, figs. Holotype ♂: "Palestina", ex coll. Staudinger, probably Israel: Jerusalem (NHMU).
- 7070. *Episema tersa* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua tersa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 312. Type(s): [Austria]: Vienna district.
- 7071. *Erebus caprimulgus* (Fabricius,1775)** (Noctuidae) *Noctua caprimulgus* Fabricius,1775; Syst. Ent.: 591. Type(s): China.
- 7072. *Erebus ephesteris* (Hübner,[1823])** (Noctuidae) *Nyctipao ephesteris* Hübner,[1823], Verz. bekannt. Schmett.: 272. Type(s): terra incognita.
- 7073. *Erebus sumbana* (Swinhoe,1918)** (Noctuidae) *Argiva sumbana* Swinhoe,1918, Ann. Mag. nat. Hist. 9(2): 82, fig.16. Type(s): [Indonesia]: Sumba Island.
- 7074. *Eremobastis judaica* (Staudinger,1898)** (Noctuidae) *Apamea judaica* Staudinger,1898, Dt. ent. Z., Iris 10: 281, Taf.iv fig.20. Syntypes: Palestina: Jordantal; Lectotype ♂, designated by Hacker,2001 (NHMU).
- 7075. *Eremobia asiatica* Draudt,1936** (Noctuidae) *Eremobia ochroleuca* ssp. *asiatica* Draudt,1936, Ent. Rdsch. 53: 492. Holotype ♀: [Türkei]: Ak-sehir (Sultan Daghi).
- 7076. *Eremobia asiatica asiatica* (Draudt,1936)** (Noctuidae) *Eremobia ochroleuca* ssp. *asiatica* Draudt,1936, Ent. Rdsch. 53: 492. Holotype ♀: [Türkei]: Ak-sehir (Sultan Daghi).
- 7077. *Eremobia ochroleuca* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua ochroleuca* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 87. Type(s): [Austria]: Vienna district.
- 7078. *Eremobia ochroleuca ochroleuca* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua ochroleuca* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 87. Type(s): [Austria]: Vienna district.
- 7079. *Eremotrachea* Hacker,2001** (Noctuidae) *Eremotrachea* Hacker,2001, Esperiana 8: 220. Type-species: *Epunda bacheri* Püngeler,1902, by original designation.
- 7080. *Eriopygodes discalis* Brandt,1938** (Noctuidae) *Eriopygodes discalis* Brandt,1938, Ent. Rdsch. 55: 517, figs. 62-64. Syntypes: Iran: [Fars]: Fort Sine Sefid.
- 7081. *Eriopygodes imbecilla* (Fabricius,1794)** (Noctuidae) *Noctua imbecilla* Fabricius,1794, Ent. Syst. 3(2): 113. Type(s): [Deutschland]: Kiliae [=Kiel].
- 7082. *Erythrophaia* Staudinger,1892** (Noctuidae) *Erythrophaia* Staudinger,1892, Dt. ent. Z., Iris 4: 316. Type-species: *Erythrophaia eudoxia* Staudinger,1892, by monotypy.
- 7083. *Erythrophaia eudoxia* Staudinger,1892** (Noctuidae) *Erythrophaia eudoxia* Staudinger,1892, Dt. ent. Z., Iris 4: 316, pl.4 fig.9. Syntypes ♂♂: [China]: Kaschgar, Kyzil-Jart (MNHUB).
- 7084. *Eublemma (Coccidiphaga) scitula* (Rambur,1833)** (Noctuidae) *Erastria scitula* Rambur,1833, Annls Soc. ent. Fr. 2: 26. Syntypes: Corsica.
- 7085. *Eublemma (Glossodice) agnella* (Brandt,1938)** (Noctuidae) *Porphyria agnella* Brandt,1938, Ent. Rdsch. 55: 559, fig. 143. Syntypes: Iran: [Fars]: Tschurum.
- 7086. *Eublemma (Glossodice) apicipunctalis* (Brandt,1939)** (Noctuidae) *Porphyria apicipunctalis* Brandt,1939, Ent. Rdsch. 56: 244, fig.12. Syntypes: Iran: Laristan: Sardze Umg.; Balutchistan: Bender Tschahbahar, Tahte Malek.
- 7087. *Eublemma (Glossodice) polygramma* (Duponchel,[1842])** (Noctuidae) *Anthophila polygramma* Duponchel,[1842], Hist. nat. Léop. Pap. Fr. 3: 519. Syntypes: France: Digne, Lyon; Schweiz: Wallis.
- 7088. *Eublemma (Glossodice) pseudopistota* (Brandt,1938)** (Noctuidae) *Porphyria pseudopistota* Brandt,1938, Ent. Rdsch. 55: 559, figs. 161-164. Syntypes: Iran: [Fars]: Fort Sine-Sefid.
- 7089. *Eublemma (albida-gr.) draudti* (Bytinski-Salz & Brandt,1937)** (Noctuidae) *Porphyria draudti* Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: 5-6. Holotype ♂: Iran: Keredj,1400m.
- 7090. *Eublemma (albida-gr.) gratissima* (Staudinger,1892)** (Noctuidae) *Thalpochara albida* var. *gratissima* Staudinger,1892, Dt. ent. Z., Iris 4: 317. Syntypes: [Türkei]: Hadjin, Mardin, Amasia: [Lebanon]: Beirut.
- 7091. *Eublemma (bifasciata-gr.) bifasciata* (Moore,1881)** (Noctuidae) *Thalpochara bifasciata* Moore,1881, Proc. zool. Soc. London 1881: 371. Type: India: [Uttar Pradesh]: Punjab, Allahabad (Hellard leg., coll. Moore) (BMNH).
- 7092. *Eublemma (bulla-gr.) suppara* (Staudinger,1892)** (Noctuidae) *Thalpochara suppara* Staudinger,1892, Dt. ent. Z., Iris 4: 320. Syntypes: [Türkei]: Mersin, Taurus, Gjaur Daghi, Malatia.
- 7093. *Eublemma (candidana-gr.) bifasciata bifasciata* (Moore,1881)** (Noctuidae) *Thalpochara bifasciata* Moore,1881, Proc. zool. Soc. London 1881: 371. Type: India: [Uttar Pradesh]: Punjab, Allahabad (Hellard leg., coll. Moore) (BMNH).
- 7094. *Eublemma (candidana-gr.) candidana* (Fabricius,1794)** (Noctuidae) *Phalaena candidana* Fabricius,1794, Ent. Syst. 3(2): 245. Type(s): Mospeliae.
- 7095. *Eublemma (candidana-gr.) minutata* (Fabricius,1794)** (Noctuidae) *Phalaena minutata* Fabricius,1794, Ent. Syst. 3(2): 205. Type(s): Halae [Halle].
- 7096. *Eublemma (candidana-gr.) taftana* (Brandt,1941)** (Noctuidae) *Porphyria taftana* Brandt,1941, Mitt. münch. ent. Ges. 31: 854, fig.94 [sic!] (=49). Syntypes: Iran: Belutchistan: Kouh i Taftan.
- 7097. *Eublemma (candidana-gr.) viridula* (Guenée,1841)** (Noctuidae) *Micra viridula* Guenée,1841, Annls Soc. ent. Fr. 1841: 249. Type(s): Ungarn.
- 7098. *Eublemma (chlorotica-gr.) chlorotica* (Lederer,1858)** (Noctuidae) *Thalpochara chlorotica* Lederer,1858, Wien. ent. Monatschr. 2: 144-145, Taf.3 fig.1. Type ♂: "Libanon".
- 7099. *Eublemma (chlorotica-gr.) pseudoviridis* (Brandt,1939)** (Noctuidae) *Porphyria pseudoviridis* Brandt,1939, Ent. Rdsch. 56: 242-243, fig.4. Syntypes: Iran: Fort Sengan.
- 7100. *Eublemma (debilis-gr.) microptera* (Brandt,1939)** (Noctuidae) *Porphyria microptera* Brandt,1939, Ent. Rdsch. 56: 243-244, fig.10. Syntypes: Iran: Bender Tschahbahar.
- 7101. *Eublemma (debilis-gr.) murati* (Brandt,1939)** (Noctuidae) *Porphyria murati* Brandt,1939, Ent. Rdsch. 56: 243, fig.9. Syntypes: Iran: Bender Tschahbahar.
- 7102. *Eublemma (ostrina-gr.) ostrina* (Hübner,[1808])** (Noctuidae) *Noctua ostrina* Hübner,[1808], Samml. eur. Schmett. 4, Noctuae: Tab.85, fig.399. Type(s): Europa.
- 7103. *Eublemma (pallidula-gr.) boursini* (Bytinski-Salz & Brandt,1937)** (Noctuidae) *Porphyria* [sic!] *boursini* Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: 6. Holotype ♂: Iran: Keredj,1400m.
- 7104. *Eublemma (pallidula-gr.) leucanides* (Staudinger,1889)** (Noctuidae) *Thalpochara leucanides* Staudinger,1889, Stettin ent. Ztg. 50: 55-56. Syntypes 16♂ 4♀: [Kirgizistan]: "südlich vom Issyk-Kul (Rückbeil leg.)."
- 7105. *Eublemma (pallidula-gr.) pallidula mardina* (Staudinger,1901)** (Noctuidae) *Thalpochara pallidula* var. *mardina* Staudinger,1901, Cat. lepid. palaearct. Faunengeb. 1: 229. Syntypes: [Türkei]: Mardin; Armenia.
- 7106. *Eublemma (parva-gr.) parva* (Hübner,[1808])** (Noctuidae) *Noctua parva* Hübner,[1808], Samml. eur. Schmett., Noctuae: Taf.77 fig. 356. Type(s): [Europa].
- 7107. *Eublemma (parva-gr.) parvodes* (Brandt,1939)** (Noctuidae) *Porphyria parvodes* Brandt,1939, Ent. Rdsch. 56: 244, fig.11. Syntypes: Iran: Bender Tschahbahar.
- 7108. *Eublemma (ragusana-gr.) ragusana* (Freyer,1844)** (Noctuidae) *Anthophila ragusana* Freyer,1844, Neuere Beitr. Schmett. 5: 92, Taf. 437 fig.1.
- 7109. *Eublemma (rosina-gr.) caelestis* (Brandt,1938)** (Noctuidae) *Porphyria caelestis* Brandt,1938, Ent. Rdsch. 55: 558-559, figs. 168-171. Syntypes: Iran: [Fars]: Fort Sine-Sefid, Comèe.
- 7110. *Eublemma (rosina-gr.) parallela* (Freyer,1842)** (Noctuidae) *Anthophila parallela* Freyer,1842, Neuere Beitr. Schmett. 4: 123, Tab. 360, fig.2. Type(s): [Russia]: Sarepta.
- 7111. *Eublemma (rosina-gr.) purpurina* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua purpurina* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 88. Type(s): [Austria]: Vienna district.
- 7112. *Eublemma (rosina-gr.) rosina* (Hübner,[1803])** (Noctuidae) *Noctua rosina* Hübner,[1803], Samml. eur. Schmett. 4, Noctuae: Tab. 61 fig.299. Type(s): Europa.

- 7113. Eublemma (rosina-gr.) rosina rosina (Hübner,[1803])** (Noctuidae) Noctua rosina Hübner,[1803], Samml. eur. Schmett. 4, Noctuae: Tab. 61 fig.299. Type(s): Europa.
- 7114. Eublemma (siticulosa-gr.) nives (Brandt,1938)** (Noctuidae) Porphyria nives Brandt,1938, Ent. Rdsch. 55: 559-560, figs. 172-174. Syntypes: Iran: [Fars]: Fort Sine-Sefid.
- 7115. Eublemma (siticulosa-gr.) siticulosa (Lederer,1858)** (Noctuidae) Thalpochara siticulosa [sic] Lederer,1858, Wien. ent. Monatschr. 2: 145, Taf.3 fig.2. Syntypes: Syria: Damask.
- 7116. Eublemma epigramma (Staudinger,1889)** (Noctuidae) Thalpochara epigramma Staudinger,1889, Stettin ent. Ztg. 50: 53-54. Syntypes 2♂ 1♀: [Kirgizistan]: "südlich vom Issyk-Kul (Rückbeil leg.)".
- 7117. Eublemma pannonica (Freyer,1840)** (Noctuidae) Anthophila pannonica Freyer,1840, Neuere Beitr. Schmett. 4: 67, Taf.330, figs.3,4. Syntypes: Unterungarn.
- 7118. Eublemma supuncta (Staudinger,1892)** (Noctuidae) Thalpochara supuncta Staudinger,1892, Dt. ent. Z., Iris 4: 319-320. Syntypes: [Türkei]: Marasch, Mardin.
- 7119. Eublemma transmittens (Christoph,1893)** (Noctuidae) Thalpochara transmittens Christoph,1893, Dt. ent. Z., Iris 6: 93. Syntypes: [Turkey]: Kasikoparan.
- 7120. Eucarta amethystina (Hübner,[1803])** (Noctuidae) Noctua amethystina Hübner,[1803], Samml. eur. Schmett. 2: Taf.14 fig.69. Type: Europa.
- 7121. Eucarta virgo (Treitschke,1835)** (Noctuidae) Abrostola virgo Treitschke,1835, Schmett. Eur. 10 (2): 130. Syntypes: Syrmien.
- 7122. Eucarta virgo roseonitens (Sheljuzhko,1927)** (Noctuidae) Callogonia virgo roseonitens Sheljuzhko,1927, Lep. Rdsch. 1: 135. Type: [Georgia]: Batum.
- 7123. Euchalcia (Pseudochalcia) kitchingi Hacker & Ronkay,1992** (Noctuidae) Euchalcia (Pseudochalcia) kitchingi Hacker & Ronkay,1992, Esperiana 3: 459-461, figs. Holotype ♂: Türkiye: Hakkari, Tanin Tanin Dağları, Elkek geçidi W-Seite 2300m, 6km ENE Uludere, 26.vi.1984, leg. Weigert (coll. Weigert).
- 7124. Euchalcia (s.str.) altaica Dufay,1968** (Noctuidae) Euchalcia altaica Dufay,1968, Veröff. zool. Staats. Münch. 12: 39-42, Pl.1 fig.4. Holotype ♂: [Russia]: Ongadai, Altai Mts. (ZMB).
- 7125. Euchalcia (s.str.) annemaria De Freina & Hacker,1985** (Noctuidae) Euchalcia annemaria De Freina & Hacker,1985, Entomofauna 6 (19): 258-260, Abb. 25-27. Holotype ♂: [Türkei]: Hakkari: Altin Dağları, E. Suvarihalil Pass, 2400m, 40kmWSW Hakkari, 27.6.1984 (leg. Wolf, coll. Hacker).
- 7126. Euchalcia (s.str.) augusta (Staudinger,1892)** (Noctuidae) Plusia augusta Staudinger,1892, Dt. ent. Z., Iris 4: 309-310, Taf. iv fig.5. Lectotype ♂: [Türkei]: Aintab [=Gaziantep] (designated by Dufay,1968) (ZMB).
- 7127. Euchalcia (s.str.) augusta augusta (Staudinger,1892)** (Noctuidae) Plusia augusta Staudinger,1892, Dt. ent. Z., Iris 4: 309-310, Taf. iv fig.5. Lectotype ♂: [Türkei]: Aintab [=Gaziantep] (designated by Dufay,1968) (ZMB).
- 7128. Euchalcia (s.str.) augusta wolffi Hacker & Ronkay,1992** (Noctuidae) Euchalcia (s.str.) augusta ssp. wolffi Hacker & Ronkay,1992, Esperiana 3: 469-470, figs. Holotype ♀: Turkey, Prow. Elazığ, Hazer lake, NE shore, 1220m, 8.vi.1986, W.Wolf leg. (coll. Hacker).
- 7129. Euchalcia (s.str.) biezankoi (Alberti,1965)** (Noctuidae) Plusia (Euchalcia) biezankoi Alberti,1965, Dt. ent. Z. (N.F.) 12 (4/5): 365-368, figs. Holotype ♂: Russia: "Sarepta".
- 7130. Euchalcia (s.str.) biezankoi biezankoi (Alberti,1965)** (Noctuidae) Plusia (Euchalcia) biezankoi Alberti,1965, Dt. ent. Z. (N.F.) 12 (4/5): 365-368, figs. Holotype ♂: Russia: "Sarepta".
- 7131. Euchalcia (s.str.) biezankoi defreinae Hacker,[1987]** (Noctuidae) Euchalcia biezankoi [sic!] ssp. defreinae Hacker,[1987], Atalanta 17 (1/4): 58. Holotype ♂: [Türkei]: Prov. Van, 30km. N, Güzeldere Geçidi 2700-2800m, 7-9.vii.1980 (leg. & coll. de Freina).
- 7132. Euchalcia (s.str.) chalcophanes Dufay,1963** (Noctuidae) Euchalcia chalcophanes Dufay,1963, Bull. Soc. linn. Lyon 1963: 69-70. Holotype ♂: Iran: Elburs Mts.
- 7133. Euchalcia (s.str.) consona (Fabricius,1787)** (Noctuidae) Noctua consona Fabricius,1787, Mant. Ins. 2: 163. Type(s): Austria.
- 7134. Euchalcia (s.str.) emichi (Rogenhofer,1873)** (Noctuidae) Plusia emichi Rogenhofer,1873, Verh. zool.-bot. Ges. Wien 23: 569-570. Syntypes ♂♂: [Türkei]: "am Gjaur Dag 8Amanus, 4000".
- 7135. Euchalcia (s.str.) hedeia Dufay,1978** (Noctuidae) Euchalcia hedeia Dufay,1978, Bull. mens. Soc. linn. Lyon 47 (2): 71-72, fig.1. Holotype ♂: [Türkei]: Anatolie orientale, Van Gölü env. 1800m, 1/31.vii.1965, H.Noack leg (LNK).
- 7136. Euchalcia (s.str.) herrichi Staudinger,1861** (Noctuidae) Euchalcia herrichi Staudinger,1861, Stettin ent. Ztg. 22: 288. Lectotype ♂: [Kazachstan]: Saisan: Lepsa (ZMB).
- 7137. Euchalcia (s.str.) kautti Hacker & Ronkay,1992** (Noctuidae) Euchalcia (s.str.) kautti Hacker & Ronkay,1992, Esperiana 3: 466-469, figs. Holotype ♀: W-Türkei: İçel, 900m, 45km N. Tarsus, 11-12.v.1990, H. & P. Kautt leg. (coll. Hacker).
- 7138. Euchalcia (s.str.) maria (Staudinger,1892)** (Noctuidae) Plusia maria Staudinger,1892, Dt. ent. Z., Iris 4: 311. Syntypes 4♂: [Israel]: Jerusalem.
- 7139. Euchalcia (s.str.) paulina (Staudinger,1892)** (Noctuidae) Plusia paulina Staudinger,1892, Dt. ent. Z., Iris 4: 310-311. Lectotype ♂: [Israel]: Jerusalem (Paulus leg.) (designated by Dufay,1968) (ZMB).
- 7140. Euchalcia (s.str.) stilpna Dufay,1969** (Noctuidae) Euchalcia stilpna Dufay,1969, Opusc. zool. 110: 1-4, fig.1. Holotype ♀: Iran: Prov. Tehran, Gatschar, Gharib leg (ZSM).
- 7141. Euchalcia (s.str.) taurica (Osthelder,1933)** (Noctuidae) Phytometra consona ssp. taurica Osthelder,1933, Mitt. münch. ent. Ges. 23: 97. Syntypes: [Türkei]: Maraş, Durnali, Bertiz Jaila.
- 7142. Euchalcia (s.str.) uralensis (Eversmann,1842)** (Noctuidae) Plusia illustris var. uralensis Eversmann,1842, Bull. Soc. nat. Moscou 1842: 553.
- 7143. Euchalcia (s.str.) variabilis obscurior (Alberti,1965)** (Noctuidae) Plusia variabilis ssp. obscurior Alberti,1965, Dt. ent. Z. (N.F.) 12 (4/5): 368. Holotype ♂: Russia: "Dombai, 1650m" (ZMB).
- 7144. Euclidia glyphica (Linnaeus,1758)** (Noctuidae) Phalaena glyphica Linnaeus,1758, Syst. Nat. (Edn.10)1: 510. Type(s):[Europa].
- 7145. Eudocima cajeta (Cramer,1779)** (Noctuidae) Phalaena cajeta Cramer,1779, Utitl. Kapellen 1: 48, pl.30 fig.A-C. Type(s): India: Coromandel.
- 7146. Eugnorisma (Metagnorisma) depuncta (Linnaeus,1761)** (Noctuidae) Phalaena depuncta Linnaeus,1761, Fauna Suecica (2):321. Type(s): Schweden.
- 7147. Eugnorisma (Metagnorisma) pontica (Staudinger,1892)** (Noctuidae) Agrotis depuncta var. pontica Staudinger,1892, Dt. ent. Z., Iris 4: 267-268. Syntypes: [Türkei]: Amasia.
- 7148. Eugnorisma (Metagnorisma) pontica pontica (Staudinger,1892)** (Noctuidae) Agrotis depuncta var. pontica Staudinger,1892, Dt. ent. Z., Iris 4: 267. Syntypes: [Türkei]: Amasia.
- 7149. Eugnorisma (Metagnorisma) rafidain (Boursin,1936)** (Noctuidae) Rhyacia rafidain Boursin,1936, Bull. Soc. ent. Fr. 1936 (12): 224-225. Holotype ♀: Iraq: Bagdad, Wiltshire leg. & coll.
- 7150. Eugnorisma (s.str.) chaldaica (Boisduval,1840)** (Noctuidae) Orthosia chaldaica Boisduval,1840, Genera Index Meth.: 140, Lectotype ♂: [Russia]: Sarepta, designated by Varga & Ronkay,1994, Acta zool. hung. 40: 89-91, (coll. Corti) (NHMB).
- 7151. Eugnorisma (s.str.) conformis (Swinhoe,1885)** (Noctuidae) Agrotis conformis Swinhoe,1885, Trans. ent. Soc. London 1885: 349-350, pl.ix fig.5. Type: [Pakistan: Baluchistan]: Quetta.
- 7152. Eugnorisma (s.str.) eminens (Lederer,1855)** (Noctuidae) Graphophora eminens Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 106, Taf.1 fig.5. Syntypes: [Kazachstan]: Altai.
- 7153. Eugnorisma (s.str.) eminens eminens (Lederer,1855)** (Noctuidae) Graphophora eminens Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 106, Taf.1 fig.5. Syntypes: [Kazachstan]: Altai.
- 7154. Eugnorisma (s.str.) enargiaris (Draudt,1936)** (Noctuidae) Xestia enargiaris Draudt,1936, Ent. Rdsch. 53: 469-470, Taf.iv e4. Syntypes 3♂: [Türkei]: Marasch.
- 7155. Eugnorisma (s.str.) insignata columbina (Draudt,1936)** (Noctuidae) Agrotis insignata ssp. columbina Draudt,1936, Ent. Rdsch. 53: 467, Taf.iv b2. Type ♂: [Türkei]: Sultan Dag (Ak-schehir); Wan (trans.).
- 7156. Eugnorisma (s.str.) kurdistan Hackner, Kuhna & Gross,1986** (Noctuidae) Eugnorisma kurdistan Hackner, Kuhna & Gross,1986, Mitt. münch. ent. Ges. 76: 89-90, Taf.2, figs. 9-10; Taf.6 figs.43-45. Holotype ♂: [Türkei]: Prov. Bingöl, Buğlan Geçidi, 1650-1800m (leg. Kuhna, coll. Hacker).
- 7157. Eugnorisma (s.str.) kurdistan isabellina Varga & Ronkay,1987** (Noctuidae) Eugnorisma caerulea ssp. isabellina Varga & Ronkay,1987, Acta zool. Hung. 33: 210. Holotype ♂: Iran: Elbursgebirge.
- 7158. Eugnorisma (s.str.) kurdistan kurdistan Hackner, Kuhna & Gross,1986** (Noctuidae) Eugnorisma kurdistan Hackner, Kuhna & Gross,1986, Mitt. münch. ent. Ges. 76: 89-90, Taf.2, figs. 9-10; Taf.6 figs.43-45. Holotype ♂: [Türkei]: Prov. Bingöl, Buğlan Geçidi, 1650-1800m (leg. Kuhna, coll. Hacker).

- 7159. Eugnorisma (s.str.) leuconeura (Hampson,1918)** (Noctuidae) *Lycophotia leuconeura* Hampson,1918, Novit. zool. 25: 113. Type: Persia: Kerman.
- 7160. Eugnorisma (s.str.) semiramis (Boursin,1940)** (Noctuidae) *Rhyacia semiramis* Boursin,1940, Mitt. münch. ent. Ges. 30: 491, Taf.9 fig.28. Holotype ♀: Iraq: Berserini (Kurdistan), 9.v.36 (leg. & coll. Wiltshire).
- 7161. Eugnorisma (s.str.) semiramis farsica (Boursin,1940)** (Noctuidae) *Rhyacia semiramis* ssp. *farsica* Boursin,1940, Mitt. münch. ent. Ges. 30: 492, Taf.9 fig.29. Holotype ♂: Iran: Fars: Strasse Chiraz-Kazeroun, Fort Sine Sefid, 2200m, 15.x.37 (leg. & coll. F.Brandt).
- 7162. Eugnorisma (s.str.) semiramis semiramis (Boursin,1940)** (Noctuidae) *Rhyacia semiramis* Boursin,1940, Mitt. münch. ent. Ges. 30: 491, Taf.9 fig.28. Holotype ♀: Iraq: Berserini (Kurdistan), 9.v.36 (leg. & coll. Wiltshire).
- 7163. Eugraphe sigma ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua sigma* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 78. Type(s): [Austria]: Vienna district.
- 7164. Eulocastra Butler,1886** (Noctuidae) *Eulocastra* Butler,1886, Trans. ent. Soc. London 1886: 419. Type-species: *Eulocastra fasciata* Butler,1886, by monotypy.
- 7165. Eulocastra aethiops (Distant,1898)** (Noctuidae) *Tarache aethiops* Distant,1898, Ann. Mag. nat. Hist. (7) 1: 223. Syntypes: [South Africa Republic]: Transvaal; Pretoria.
- 7166. Eulocastra bryophiloides Brandt,1938** (Noctuidae) *Eulocastra bryophiloides* Brandt,1938, Ent. Rdsch. 55: 553. Syntypes: Iran: Fars.
- 7167. Eulocastra diaphora (Staudinger,1879)** (Noctuidae) *Erastria* ? *diaphora* Staudinger,1879, Horae Soc. ent. ross. 14: 415-416. Type ♀: [Türkei]: Amasia (Kerasdere).
- 7168. Eulocastra monozona Hampson,1910** (Noctuidae) *Eulocastra monozona* Hampson,1910, Cat. lepid. Phalaenae Br. Mus. 10: 626. Type: Gambia.
- 7169. Eulocastra tapina Hampson,1910** (Noctuidae) *Eulocastra tapina* Hampson,1910, Cat. lepid. Phalaenae Br. Mus. 10: 630. Type: Palaestina.
- 7170. Eulocastra undulata (Snellen,1880)** (Noctuidae) *Erastria undulata* Snellen,1880, Veth's Midden-Sumatra, Lepid.: 45. Type(s): [Indonesia]: Sumatra.
- 7171. Euplexia lucipara (Linnaeus,1758)** (Noctuidae) *Phalaena lucipara* Linnaeus,1758, Syst. Nat. (Edn.10)1: 518. Type(s): Europa.
- 7172. Eupsilia transversa (Hufnagel,1766)** (Noctuidae) *Phalaena transversa* Hufnagel,1766, Berl. Mag. 3(3): 418. Type(s): [Germany]: Berlin.
- 7173. Eurois occulta (Linnaeus,1758)** (Noctuidae) *Phalaena occulta* Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Type(s): Europa.
- 7174. Eurois occulta occulta (Linnaeus,1758)** (Noctuidae) *Phalaena occulta* Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Type(s): Europa.
- 7175. Eustrotia marginata (Walker,1866)** (Noctuidae) *Earias marginata* Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1775. Type: Java.
- 7176. Eutelia adoratrix (Staudinger,1892)** (Noctuidae) *Eurhipia adoratrix* Staudinger,1892, Dt. ent. Z., Iris 4: 308. Syntypes ♂♂: [Libanon]: Beirut; [Türkei]: Amasia; Lectotype ♂, designated by Hacker (2001, Esperiana 8: pl.7 fig.18) from Beirut (NHMU).
- 7177. Eutelia adulatrix (Hübner,[1813])** (Noctuidae) *Noctua adulatrix* Hübner,[1813], Samml. eur. Schmett. 4, Noctuae: Tab.111 fig.517. Type(s): Europa.
- 7178. Euxoa (Chorisagrotis) adumbrata (Eversmann,1842)** (Noctuidae) *Agrotis adumbrata* Eversmann,1842, Bull. Soc. Imp. nat. Moscou 1842: 543. Syntypes: [Russia]: Kasan, Vorberge Ural.
- 7179. Euxoa (Chorisagrotis) adumbrata adumbrata (Eversmann,1842)** (Noctuidae) *Agrotis adumbrata* Eversmann,1842, Bull. Soc. Imp. nat. Moscou 1842: 543. Syntypes: [Russia]: Kasan, Vorberge Ural.
- 7180. Euxoa (Chorisagrotis) adumbrata friedeli Pinker,1980** (Noctuidae) *Euxoa friedeli* Pinker,1980, Z. ArbGem. öst. Ent. 31: 65-66. Holotype ♂: Türkei: Gürün, 1700m (leg. & coll. Pinker).
- 7181. Euxoa (Chorisagrotis) lidia (Stoll,1782)** (Noctuidae) *Phalaena lidia* Stoll,[1782] [in] Cramer, Uitl. Kapel. 4: 222, Taf.396 f.D. Type(s): Berbice.
- 7182. Euxoa (Chorisagrotis) lidia lidia (Stoll,1782)** (Noctuidae) *Phalaena lidia* Stoll,[1782] [in] Cramer, Uitl. Kapel. 4: 222, Taf.396 f.D. Type(s): Berbice.
- 7183. Euxoa (Orosagrotis) foeda (Lederer,1855)** (Noctuidae) *Agrotis foeda* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 107, Taf.1 fig.6. Syntypes: [Kazachistan]: "Altai".
- 7184. Euxoa (Pleonectopoda) hilaris (Freyer,1838)** (Noctuidae) *Agrotis hilaris* Freyer,1838, Neuere Beitr. Schmett. 3: 89, Tab.255 fig.4. Type(s): [Türkei]: Konstantinopel [=Istanbul].
- 7185. Euxoa (Pleonectopoda) hilaris hikmeti Koçak,1989** (Noctuidae) *Euxoa hilaris* ssp. *hikmeti* Koçak,1989, Priamus 4 (4): 158-159. Holotype ♂: Turkey: Ankara Prov. Ayaş Mts., Akyatak 1250m, 27 6 1986 A.Koçak leg. (Cesa).
- 7186. Euxoa (s.str.) adjemi Brandt,1941** (Noctuidae) *Euxoa adjemi* Brandt,1941, Mitt. münch. ent. Ges. 31: 837, fig.1. Syntypes: Iran: Soultanabad.
- 7187. Euxoa (s.str.) adjemi adjemi Brandt,1941** (Noctuidae) *Euxoa adjemi* Brandt,1941, Mitt. münch. ent. Ges. 31: 837, fig.1. Syntypes: Iran: Soultanabad.
- 7188. Euxoa (s.str.) anaemica Draudt,1936** (Noctuidae) *Euxoa anaemica* Draudt,1936, Ent. Rdsch. 53: 460-461. Syntypes 2♂ 1♀: [Türkei]: Wan, Dorf Chorawanis, 2000m.
- 7189. Euxoa (s.str.) anarmodia (Staudinger,1897)** (Noctuidae) *Agrotis* ? *anarmodia* Staudinger,1897, Dt. ent. Z., Iris 10: 170-171, Taf. iv fig.9. Syntypes 1♂ 1♀: [Israel]: Haifa.
- 7190. Euxoa (s.str.) anatolica Draudt,1936** (Noctuidae) *Euxoa mendelis* ssp. *anatolica* Draudt,1936, Ent. Rdsch. 53: 459. Syntypes: [Türkei]: Ak-sehir.
- 7191. Euxoa (s.str.) aneucta Brandt,1938** (Noctuidae) *Euxoa aneucta* Brandt,1938, Ent. Rdsch. 55: 499,502, fig. 80. Type ♂: Iran: Barm-i Firuz, 3750m.
- 7192. Euxoa (s.str.) aneucta binaloudica Brandt,1941** (Noctuidae) *Euxoa aneucta* ssp. *binaloudica* Brandt,1941, Mitt. münch. ent. Ges. 31: 838. Syntypes: Iran: [Khorassan]: Kouh i Binaloud, 3300m.
- 7193. Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua aquilina* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district.
- 7194. Euxoa (s.str.) aquilina actinea Kozhantshikov,1929** (Noctuidae) *Euxoa actinea* Kozhantshikov,1929, Ann. Mus. zool. Acad. Sci. nat. uSSR 1929: 174. Syntypes: [Russia]: Semiretschje, Ural; [Kirghizistan]: Naryn.
- 7195. Euxoa (s.str.) aquilina aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua aquilina* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district.
- 7196. Euxoa (s.str.) aquilina obeliscata (Wagner,1929)** (Noctuidae) *Agrotis tritici* var. *obeliscata* Wagner,1929, Mitt. münch. ent. Ges. 19: 74. Syntypes: [Türkei]: Akşehir.
- 7197. Euxoa (s.str.) aquilina rabiosa Corti,1931** (Noctuidae) *Euxoa aquilina* var. *rabiosa* Corti,1931, [in] Seitz, Die Gross-Schmett. Erde 3 (suppl.): 27. Syntypes: Zentralasien.
- 7198. Euxoa (s.str.) aquilina titschacki Corti,1929** (Noctuidae) *Euxoa titschacki* Corti,1929, Dt. ent. Z., Iris 43:171. Syntypes: [Israel]: Jerusalem, Jordantal; [Turkmenistan]: Ashabad.
- 7199. Euxoa (s.str.) basigramma (Staudinger,1870)** (Noctuidae) *Agrotis basigramma* Staudinger,1870, Berl. ent. Z. 14:111. Type(s): [Russia]: Sarepta.
- 7200. Euxoa (s.str.) basigramma asiaeminoris Koçak,1991** (Noctuidae) *Euxoa basigramma* ssp. *asiaeminoris* Koçak,1991, Cent. ent. Stud., Misc. Pap. 10: 1 (ab. *asiaeminoris* Strand,1915 raised to the subspecific level).
- 7201. Euxoa (s.str.) basigramma basigramma Staudinger,1870** (Noctuidae) *Agrotis basigramma* Staudinger,1870, Berl. ent. Z. 14:111. Type(s): [Russia]: Sarepta.
- 7202. Euxoa (s.str.) birivia ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua birivia* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 71. Type(s): [Austria]: Vienna district.
- 7203. Euxoa (s.str.) bogdanovi Erschoff,1874** (Noctuidae) *Leucania bogdanovi* Erschoff,1874, [in] Fedtschenko, Reise in Turkestan: 45. Syntypes: ...
- 7204. Euxoa (s.str.) canariensis diamondi Boursin,1940** (Noctuidae) *Euxoa canariensis* ssp. *diamondi* Boursin,1940, Mitt. münch. ent. Ges. 30: 474, Taf.8 f.1-3. Holotype ♂: Iraq: Wüste von Kərbela, Habbayah im Westen von Bagdad (Wiltshire leg. & coll.).
- 7205. Euxoa (s.str.) canariensis mauretania (A.Bang-Haas,1910)** (Noctuidae) *Agrotis mauretania* A.Bang-Haas,1910, Dt. ent. Z., Iris 24: 36. Syntypes: Algeria: Südoran.

- 7206. *Euxoa* (s.str.) *cespitis* (Swinhoe,1885)** (Noctuidae) *Agrotis cespitis* Swinhoe,1885, Trans. ent. Soc. London 1885: 349. Type(s): [Pakistan: Baluchistan]: Quetta.
- 7207. *Euxoa* (s.str.) *christophi* (Staudinger,1870)** (Noctuidae) *Agrotis christophi* Staudinger,1870, Berl. ent. Z. 14: 110. Type(s): [Russia]: Sarepta.
- 7208. *Euxoa* (s.str.) *christophi cappadocica* (Hacker,1988)** (Noctuidae) *Euxoa christophi* ssp. *cappadocica* Hacker,1988, Atalanta 18: 340. Holotype: Türkei: ...
- 7209. *Euxoa* (s.str.) *christophi christophi* (Staudinger,1870)** (Noctuidae) *Agrotis christophi* Staudinger,1870, Berl. ent. Z. 14: 110. Type(s): [Russia]: Sarepta.
- 7210. *Euxoa* (s.str.) *cos* (Hübner,[1824])** (Noctuidae) *Noctua cos* Hübner,[1824], Samml. eur. Schmett., Noct. 2: Taf.154, fig.720. Type: [France]: Wallis.
- 7211. *Euxoa* (s.str.) *cos cos* (Hübner,[1824])** (Noctuidae) *Noctua cos* Hübner,[1824], Samml. eur. Schmett., Noct. 2: Taf.154, fig.720. Type: [France]: Wallis.
- 7212. *Euxoa* (s.str.) *cursoria* (Hufnagel,1766)** (Noctuidae) *Phalaena cursoria* Hufnagel,1766, Berl. Mag. 4(2): 416. Type(s): Germany: Berlin.
- 7213. *Euxoa* (s.str.) *decora* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua decora* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 313. Type(s): [Austria]: Vienna district.
- 7214. *Euxoa* (s.str.) *decora hackeri* Fibiger & Moberg,1990** (Noctuidae) *Euxoa decora* ssp. *hackeri* Fibiger & Moberg,1990, Noctuidae Eur.1:
- 7215. *Euxoa* (s.str.) *decora kuraschensis* Boursin,1940** (Noctuidae) *Euxoa decora* ssp. *kuraschensis* Boursin,1940, Mitt. münch. ent. Ges. 30:478, Taf.8 f.10. Holotype ♂: [Russia]: Daghestan: Kurasch, Schakh Dagh,3200m.
- 7216. *Euxoa* (s.str.) *decora macedonica* (Thurner,1936)** (Noctuidae) *Agrotis decora* ssp. *macedonica* Thurner,1936, Z. öst. EntVer. 21: 13.
- 7217. *Euxoa* (s.str.) *decora olympica* (Touleschkov,1951)** (Noctuidae) *Agrotis decora olympica* Tuleschkov,1951, Bull. Inst. zool. Akad. Bulg. Sci. 1:327. Syntypes: Greece: Olympus.
- 7218. *Euxoa* (s.str.) *deserta* (Staudinger,1870)** (Noctuidae) *Agrotis deserta* Staudinger,1870, Berl. ent. Z. 14: 112. Syntypes: Russia: Sarepta.
- 7219. *Euxoa* (s.str.) *deserta deserta* (Staudinger,1870)** (Noctuidae) *Agrotis deserta* Staudinger,1870, Berl. ent. Z. 14: 112. Syntypes: Russia: Sarepta.
- 7220. *Euxoa* (s.str.) *deserta glaseri* Varga,1979** (Noctuidae) *Euxoa* (s.str.) *deserta* ssp. *glaseri* Varga,1979, Z. ArbGem öst. Ent. 31 (1/2): 2, Taf.1 fig.2. Holotype ♂: [Türkei]: Anatolien, Tuz Gölü N-Ufer, 4-14.9.1967 (leg. Glaser, coll. Vartian).
- 7221. *Euxoa* (s.str.) *deserta hamadanensis* Varga,1979** (Noctuidae) *Euxoa* (s.str.) *deserta* ssp. *hamadanensis* Varga,1979, Z. ArbGem öst. Ent. 31 (1/2): 3, Taf.1 fig.3. Holotype ♂: N-Iran: 50km N Hamadan, 2.10.1965 (leg. & coll. Vartian).
- 7222. *Euxoa* (s.str.) *designata* Brandt,1941** (Noctuidae) *Euxoa sigmata* ssp. *designata* Brandt,1941, Mitt. münch. ent. Ges. 31: 839, fig. 4. Syntypes: Iran: Fars: Barm i Firus, 2600m.
- 7223. *Euxoa* (s.str.) *diaphora* Boursin,1928** (Noctuidae) *Euxoa diaphora* Boursin,1928, Ency. ent. (B3) 3: 60, pl.5 figs.3-4. Holotype ♂: [Kasachstan]: Uralsk.
- 7224. *Euxoa* (s.str.) *distinguenda* (Lederer,1857)** (Noctuidae) *Agrotis distinguenda* Lederer,1857, Noctuiden Europas: 221. Syntypes: [France]: Wallis; [Kasachstan]: Altai.
- 7225. *Euxoa* (s.str.) *distinguenda distinguenda* Lederer,1857** (Noctuidae) *Agrotis distinguenda* Lederer,1857, Noctuiden Europas: 221. Syntypes: [France]: Wallis; [Kasachstan]: Altai.
- 7226. *Euxoa* (s.str.) *dsheiron* Brandt,1938** (Noctuidae) *Euxoa dsheiron* Brandt,1938, Ent. Rdsch. 55: 499, fig. 81. Type ♂: Iran: Keredj.
- 7227. *Euxoa* (s.str.) *emolliens* Warren,1909** (Noctuidae) *Euxoa emolliens* Warren,1909, [in] Seitz, Die Gross-Schmett. Erde 3:28.
- 7228. *Euxoa* (s.str.) *glabella* (Wagner,1930)** (Noctuidae) *Agrotis glabella* Wagner,1930, Int. ent. Z. 23: 551. Syntypes: [Türkei]: Akşehir.
- 7229. *Euxoa* (s.str.) *hastifera* (Donzel,1847)** (Noctuidae) *Agrotis hastifera* Donzel,1847, Annls Soc. ent. Fr. (2)5: 525, Taf.8 figs.1,2. Syntypes: [France]: Digne.
- 7230. *Euxoa* (s.str.) *hastifera geghardica* Varga,1979** (Noctuidae) *Euxoa hastifera* ssp. *geghardica* Varga,1979, Z. ArbGem. öst. Ent. 31: 1. Holotype: [Armenia]: Geghard, 40km O v. Erewan, 1700m (leg. & coll. Vartian).
- 7231. *Euxoa* (s.str.) *hastifera hastifera* (Donzel,1837)** (Noctuidae) *Agrotis hastifera* Donzel,1847, Annls Soc. ent. Fr. (2)5: 525, Taf.8 figs.1,2. Syntypes: [France]: Digne.
- 7232. *Euxoa* (s.str.) *heringi* Christoph,1877** (Noctuidae) *Agrotis heringi* Christoph,1877, Horae Soc. ent. ross. 12: 248. Syntypes: Iran: Schahkuh.
- 7233. *Euxoa* (s.str.) *heringi heringi* (Christoph,1877)** (Noctuidae) *Agrotis heringi* Christoph,1877, Horae Soc. ent. ross. 12: 248. Syntypes: Iran: Schahkuh.
- 7234. *Euxoa* (s.str.) *heringi maronitica* Wiltshire,1939** (Noctuidae) *Euxoa heringi* ssp. *maronitica* Wiltshire,1939, Trans. R. ent. Soc. Lond.88: 31. Holotype: Lebanon:...
- 7235. *Euxoa* (s.str.) *homicida* (Staudinger,1900)** (Noctuidae) *Agrotis homicida* Staudinger,1900, Dt. ent. Z., Iris 12: 363, Taf.vi, fig.7. Syntypes: [Türkei]: Zeitun [=Süleymanli]; Amasia, Konia. Etymology: "Zur Erinnerung an den Massenmord der Armenier bei Zeitun so benannt".
- 7236. *Euxoa* (s.str.) *homicida homicida* (Staudinger,1900)** (Noctuidae) *Agrotis homicida* Staudinger,1900, Dt. ent. Z., Iris 12: 363, Taf.vi, fig.7. Syntypes: [Türkei]: Zeitun [=Süleymanli]; Amasia, Konia. Etymology: "Zur Erinnerung an den Massenmord der Armenier bei Zeitun so benannt".
- 7237. *Euxoa* (s.str.) *hypochlora afghanica* Boursin,1964** (Noctuidae) *Euxoa hypochlora* ssp. *afghanica* Boursin,1964, Veröff. zool. Staatssamml. Münch. 8:11. Holotype: Afghanistan:...
- 7238. *Euxoa* (s.str.) *implexa* Püngeler,1904** (Noctuidae) *Euxoa implexa* Püngeler,1904, Societas Ent. 19: 122.
- 7239. *Euxoa* (s.str.) *luteomixta* (Wagner,1932)** (Noctuidae) *Agrotis luteomixta* Wagner,1932, Int. ent. Z. 25:151. Syntypes: [Türkei]: Akşehir.
- 7240. *Euxoa* (s.str.) *malickyi* Varga,1979** (Noctuidae) *Euxoa heringi* ssp. *malickyi* Varga,1990, [in] Fibiger, Noctuidae Europaeae 1. Noctuidae I: 57, figs. Holotype ♂: Greece: Crete: Idaeon, Anthron.
- 7241. *Euxoa* (s.str.) *mandalgobi* Gyulai & Varga,1999** (Noctuidae) *Euxoa mandalgobi* Gyulai & Varga,1999, Esperiana 7: 690-691 figs. Holotype ♂: Mongolia: Dundgobi aimak, 20km. N of Mandalgobi, leg.P.Gyulai & A.Garai, coll. P.Gyulai.
- 7242. *Euxoa* (s.str.) *mobergi* Fibiger,1990** (Noctuidae) *Euxoa* (*Euxoa*) *mobergi* Fibiger,1990, Noctuidae Europaeae 1. Noctuidae I: 197-199, figs. Holotype ♂: Turkey: Nevşehir: Ürgüp 10km W, Göreme.
- 7243. *Euxoa* (s.str.) *moechilla* Püngeler,1906** (Noctuidae) *Euxoa moechilla* Püngeler,1906, Dt. ent. Z., Iris 19: 81. Type ♂: [China: Uighur A.R.]: Aksu.
- 7244. *Euxoa* (s.str.) *mustelina* (Christoph,1877)** (Noctuidae) *Agrotis mustelina* Christoph,1877, Horae Soc. ent. ross. 12:249. Syntypes: Iran: Schahkuh.
- 7245. *Euxoa* (s.str.) *mustelina centralis* (Staudinger,1889)** (Noctuidae) *Agrotis mustelina* var. *centralis* Staudinger,1889, Stettin ent. Ztg. 50: 34. Syntypes: [Kirgizistan]: Issykul; [Kasachstan]: Saisan, Altai.
- 7246. *Euxoa* (s.str.) *mustelina mustelina* (Christoph,1877)** (Noctuidae) *Agrotis mustelina* Christoph,1877, Horae Soc. ent. ross. 12:249. Syntypes: Iran: Schahkuh.
- 7247. *Euxoa* (s.str.) *nigricans* (Linnaeus,1761)** (Noctuidae) *Phalaena nigricans* Linnaeus,1761, Fauna Suecica (2): 322. Type(s): Sweden.
- 7248. *Euxoa* (s.str.) *obelisca* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua obelisca* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district.
- 7249. *Euxoa* (s.str.) *obelisca obelisca* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua obelisca* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district.
- 7250. *Euxoa* (s.str.) *ochrogaster rossica* (Staudinger,1881)** (Noctuidae) *Agrotis islandica* var. *rossica* Staudinger,1881, Stettin ent. Ztg. 42: 419. Syntypes: [Usbekistan]: Margelan; [Kasachstan]: Saisan; [Russia]: Ural.
- 7251. *Euxoa* (s.str.) *perierga* Brandt,1938** (Noctuidae) *Euxoa perierga* Brandt,1938, Ent. Rdsch. 55: 499. Syntypes: Iran: Fars: Sine-Sefid.
- 7252. *Euxoa* (s.str.) *perierga dichagyroides* Varga,1979** (Noctuidae) *Euxoa perierga* ssp. *dichagyroides* Varga,1979, Z. ArbGem. öst. Ent. 31: 3. Holotype ♂: Afghanistan: Band-i-Amir, 3000m 30.7.1963 (leg. Kasy & Vartian, coll. Vartian).
- 7253. *Euxoa* (s.str.) *perierga dolomedes* Boursin,1940** (Noctuidae) *Euxoa perierga* ssp. *dolomedes* Boursin,1940, Mitt. münch.

- ent. Ges. 30: 476, Taf.8 f.7,8. Holotype ♂: Iran: Fars: Comée, Barm i Firus, 2600m (F.Brandt leg. & coll.).
- 7254. *Euxoa* (s.str.) *perierga haloeremialis* Varga,1979** (Noctuidae) *Euxoa perierga* ssp. *haloeremialis* Varga,1979, Z. ArbGem. öst. Ent. 31: 4. Holotype ♀: [Türkei]: [Ankara Prov.]: Anatolien, Tuz Gölü N-Ufer, 3-12.9.1976 (leg. Glaser, coll. Vartian).
- 7255. *Euxoa* (s.str.) *perierga kendeveni* Boursin,1940** (Noctuidae) *Euxoa perierga* ssp. *kendeveni* Boursin,1940, Mitt. münch. ent. Ges. 30: 477, Taf.8 f.9.. Holotype ♂: Iran: Elbursgebirge: Kendeven, 3000m.
- 7256. *Euxoa* (s.str.) *perierga perierga* Brandt,1938** (Noctuidae) *Euxoa perierga* Brandt,1938, Ent. Rdsch. 55: 499. Syntypes: Iran: Fars: Sine-Sefid.
- 7257. *Euxoa* (s.str.) *plumbina* (Wagner,1913)** (Noctuidae) *Agrotis plumbina* Wagner,1913, Int. ent. Z. 7:2. Syntypes: [Kasachstan]: Iligebiet.
- 7258. *Euxoa* (s.str.) *rebeli* (Wagner,1913)** (Noctuidae) *Agrotis rebeli* Wagner,1913, Int. ent. Z. 7:3. Syntypes: Iligebiet, Djarkent.
- 7259. *Euxoa* (s.str.) *recussa* (Hübner,[1817])** (Noctuidae) *Noctua recussa* Hübner,[1817], Samml. eur. Schmett., Noct. 2:Taf.138, fig.630. Type: [Europa].
- 7260. *Euxoa* (s.str.) *recussa recussa* (Hübner,[1817])** (Noctuidae) *Noctua recussa* Hübner,[1817], Samml. eur. Schmett., Noct. 2:Taf.138, fig.630. Type: [Europa].
- 7261. *Euxoa* (s.str.) *robiginosa* (Staudinger,[1895])** (Noctuidae) *Agrotis robiginosa* Staudinger,[1895], Dt. ent. Z, Iris 7: 271-272. Syntypes ♂♂: [Israel]: Jerusalem (Paulus leg.).
- 7262. *Euxoa* (s.str.) *rubrior* Pinker,1980** (Noctuidae) *Euxoa rubrior* Pinker,1980, Z. ArbGem. öst. Ent. 31: 66. Holotype ♂: Türkei: Gürün, 1700m (leg & coll. Pinker).
- 7263. *Euxoa* (s.str.) *scurrilis* Draudt,1937** (Noctuidae) *Euxoa scurrilis* Draudt,1937, in Seitz, Die Gross-Schmett. Erde 3(suppl.):268. Syntypes: [Iran]: Elbursgebirge...
- 7264. *Euxoa* (s.str.) *segnilis* (Duponchel,1836)** (Noctuidae) *Agrotis segnilis* Duponchel,1836, Hist. Nat. Lep. Pap. France, suppl. 3: 649. Type(s): Balkangebirge.
- 7265. *Euxoa* (s.str.) *segnilis cortii* (Wagner,1930)** (Noctuidae) *Agrotis cortii* Wagner,1930, Int. ent. Z. 24: 549. Type(s): [Türkei]: Akşehir.
- 7266. *Euxoa* (s.str.) *segnilis segnilis* (Duponchel,1836)** (Noctuidae) *Agrotis segnilis* Duponchel,1836, Hist. Nat. Lep. Pap. France, suppl. 3: 649. Type(s): Balkangebirge.
- 7267. *Euxoa* (s.str.) *subdecora* Hampson,1903** (Noctuidae) *Euxoa subdecora* Hampson,1903, Cat. Lepid. Phal. Br. Mus. 4: 233. Syntypes: [Turkey]: Pontus [=Amasya]; [Usbekistan]: ?Ferghana; [Kirgh.]: Issykul.
- 7268. *Euxoa* (s.str.) *sulcifera* (Christoph,1893)** (Noctuidae) *Agrotis sulcifera* Christoph,1893, Dt. ent. Z., Iris 6: 91. Type(s): [Türkei]: Kasikoparan.
- 7269. *Euxoa* (s.str.) *temera* (Hübner,[1808])** (Noctuidae) *Noctua temera* Hübner,[1808], Samml. eur. Schmett., Noct.2: Taf.84, fig.393. Type: [Europa].
- 7270. *Euxoa* (s.str.) *tritici* (Linnaeus,1761)** (Noctuidae) *Phalaena tritici* Linnaeus,1761, Fauna Suec. (Edn.2): 320. Type(s): Sweden.
- 7271. *Euxoa* (s.str.) *tritici tritici* (Linnaeus,1761)** (Noctuidae) *Phalaena tritici* Linnaeus,1761, Fauna Suec. (Edn.2): 320. Type(s): Sweden.
- 7272. *Euxoa* (s.str.) *vitta* (Esper,[1789])** (Noctuidae) *Phalaena vitta* Esper,[1789], Die Schmett. 4(2):Taf.143, f.6. Type(s): [Germany]: Erlangen].
- 7273. *Euxoa* (s.str.) *vitta hercegoviensis* (Schawerda,1938)** (Noctuidae) *Agrotis vitta hercegovinensis* Schawerda,1938, Ent. Rdsch. 55: 470. Syntypes: [Bosnia-Herzegowina]: Mostar.
- 7274. *Euxoa* (s.str.) *waltharii* (Corti,1931)** (Noctuidae) *Euxoa waltharii* Corti,1931, in Seitz, Die Gross-Schmett. Erde 3(suppl): 25. Syntypes: [China: Uighur A.R.]: Kuldja, Turkestan; [Kirghizistan]: Naryn.
- 7275. *Euxoa* (s.str.) *waltharii waltharii* (Corti,1931)** (Noctuidae) *Euxoa waltharii* Corti,1931, in Seitz, Die Gross-Schmett. Erde 3(suppl): 25. Syntypes: [China: Uighur A.R.]: Kuldja, Turkestan; [Kirghizistan]: Naryn.
- 7276. *Euxoa* (s.str.) *zernyi* Boursin,1944** (Noctuidae) *Euxoa zernyi* Boursin,1944, Revue Fr. Ent. 10: 159. Holotype: [Russia]: Orenburg.
- 7277. *Evisa schawerdae* kurdistan Boursin,1940** (Noctuidae) *Evisa schawerdae* ssp. *kurdistan* Boursin,1940, Mitt. münch. ent. Ges. 30: 506-508, Taf.9 figs. 43,44. Holotype ♂: Iraq: Berserini (zw. Rowanduz u. Rayat) (Wiltshire leg.) (coll. Boursin).
- 7278. *Evisa schawerdae* reisseri Wiltshire,1952** (Noctuidae) *Evisa reisseri* Wiltshire,1952, Bull. Soc. Fouad I Ent. 36: 192, Pl. fig.25. Holotype ♂: Iran: Fars: SW Persia: 50mls S. Shiraz, Hunaifagan, 5500ft. (coll. Wiltshire).
- 7279. *Evisa schawerdae* syriaca Boursin,1940** (Noctuidae) *Evisa schawerdae* f.ssp. *syriaca* Boursin,1940, Mitt. münch. ent. Ges. 30: 508, Taf.9 fig.45. Holotype ♀: [Libanon]: "Beyrut (Syrien)" (coll. Boursin).
- 7280. *Exophila rectangularis* (Hübner,[1828])** (Noctuidae) *Noctua rectangularis* Hübner,[1828], Samml. eur. Schmett. 4, Noctuae: Tab. 159 figs.743,744. Syntypes: Europa.
- 7281. *Fredina esmeralda* Brandt,1939** (Noctuidae) *Fredina esmeralda* Brandt,1939, Ent. Rdsch. 56: 242, fig.6. Syntypes: Iran: Bender Tschahbahar.
- 7282. *Gnamptonyx* Hampson,1894** (Noctuidae) *Gnamptonyx* Hampson,1894, Fauna Br. India (Moths) 2: 432, 478. Type-species: Homoptera vilis Walker,1865, by original designation.
- 7283. *Gnamptonyx innexa* (Walker,1858)** (Noctuidae) *Alamis innexa* Walker,1858, List Specimens lepid. Insects Colln Br. Mus. 15: 1797. Syntypes: Cap Verde Isl.
- 7284. *Gnamptonyx vilis* (Walker,1865)** (Noctuidae) *Homoptera vilis* Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 33: 889. Type ♀: [India]: Punjab (BMNH).
- 7285. *Goniophila polymima* De Joannis,1929** (Noctuidae) *Goniophila polymima* De Joannis,1929, Anns Soc. ent. Fr. 98: 381, pl.1 fig.15. Type: Viet Nam: Tonkin, Cho ganh.
- 7286. *Gonospileia triquetra* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua triquetra* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 94. Type(s): [Austria]: Vienna district.
- 7287. *Gonospileia triquetra triquetra* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua triquetra* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 94. Type(s): [Austria]: Vienna district.
- 7288. *Gortyna cervago* Eversmann,1844** (Noctuidae) *Gortyna cervago* Eversmann,1844, Bull. Soc. imp. Nat. Moscou 3: 594.
- 7289. *Gortyna flavago* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua flavago* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 86. Type(s): [Austria]: Vienna district.
- 7290. *Gortyna hethitica* Hacker,Kuhna & Gross,1986** (Noctuidae) *Gortyna hethitica* Hacker,Kuhna & Gross,1986, Mitt. münch. ent. Ges. 76: 118-119, figs. Holotype ♂: Türkei: [Ardahan]: 8km westl. Göle, 2000m. 23.9.1981 (leg. Kuhna, coll. Hacker).
- 7291. *Gortyna moesiaca* Herrich-Schäffer,[1849]** (Noctuidae) *Gortyna moesiaca* Herrich-Schäffer,[1849], Syst. Bearb. Schmett. Eur. 2: 218.
- 7292. *Gortyna moesiaca euxinia* Hacker,[1987]** (Noctuidae) *Gortyna moesiaca* ssp. *euxinia* Hacker,[1987], Atalanta 17 (1/4): 53, Taf. 11 figs. 3,4, Taf. 2 figs.a-e. Holotype ♂: [Türkei]: Prov. Ağrı, Tahir Geçidi 2600m, 10.ix.1985 (leg. & coll. Hacker).
- 7293. *Gortyna osmana* Hacker & Kuhna,1986** (Noctuidae) *Gortyna osmana* Hacker & Kuhna,1986, Nota lepid. 9 (3/4): 184-187, Taf.1 figs.5,6,8. Holotype ♂: Türkei: Tunceli: 15km n. Pülümür, 1800m, 20.ix.1981 (leg. Kuhna, coll. Hacker).
- 7294. *Gortyna puengeleri* (Turati,1909)** (Noctuidae) *Hydroecia puengeleri* Turati,1909, Natur. Sicil. 21: 98.
- 7295. *Gracillina prosthena* Hampson,1924** (Noctuidae) *Gracillina prosthena* Hampson,1924, Entomologist 57: 182. Type: Singapore.
- 7296. *Grammodes bifasciata* (Petagna,1786)** (Noctuidae) *Noctua bifasciata* Petagna,1788, Spec. Ins. Ult. Calabr.:38. Type(s): [Italia]: Calabria.
- 7297. *Grammodes geometrica* (Fabricius,1775)** (Noctuidae) *Noctua geometrica* Fabricius,1775, Ent. Syst.: 599. Type: India oriental.
- 7298. *Grammodes stolidia* (Fabricius,1775)** (Noctuidae) *Noctua stolidia* Fabricius,1775, Syst. Ent.:599. Type(s): India orientali.
- 7299. *Graphantha* (Dysgraphhadena) *commoda* (Staudinger,1889)** (Noctuidae) *Rhiza commoda* Staudinger,1889, Stettin ent. Ztg. 50: 44-45. Syntypes 4♂ 3♀: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.).
- 7300. *Graphiphora augur* (Fabricius,1775)** (Noctuidae) *Noctua augur* Fabricius,1775, Syst. Ent.: 604. Type(s): Germania.
- 7301. *Gripesia aprilina* (Linnaeus,1758)** (Noctuidae) *Phalaena aprilina* Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Type(s): Europa.

- 7302. *Gripesia aprilina aprilina* (Linnaeus,1758)** (Noctuidae) *Phalaena aprilina* Linnaeus,1758, Syst. Nat. (Edn.10): 514. Type(s): Europa.
- 7303. *Gripesia pinkeri* (Kobes,1973)** (Noctuidae) *Gripesia pinkeri* Kobes,1973, Ent. Z., Frankf.a.M. 83: 228, fig. Holotype ♂: Turkey: Ankara: Kizilcahamam.
- 7304. *Gripesia wegneri* Kobes & Fibiger,2003** (Noctuidae) *Gripesia wegneri* Kobes & Fibiger,2003, Nachr. ent. Ver. Apollo (N.F.) 24 (4): 211-214, figs. Holotype ♂: Graecia: Thracia: Kirki / Alexandropoli, 300m, 25.x.2002, H. Wegner leg. (NHMW).
- 7305. *Hada persa* (Alpheraky,1897)** (Noctuidae) *Mamestra persa* Alpheraky,1897, [in] Romanoff, Mem. Lep. 9:212. Syntypes: [Iran]: Nordiran: Demavend.
- 7306. *Hada persa armeniaca* Hacker, Huber & Kuhna,1988** (Noctuidae) *Hada persa* ssp. *armeniaca* Hacker, Huber & Kuhna,1988, Atalanta 18 (3/4): 342, Taf.2 fig.1. Holotype ♂: [Türkei]: Van Prov.: Güşeldere Geçidi, 2700m 21.vi.1985 (leg. & coll. Huber).
- 7307. *Hada persa persa* (Alpheraky,1897)** (Noctuidae) *Mamestra persa* Alpheraky,1897, [in] Romanoff, Mem. Lep. 9:212. Syntypes: [Iran]: Nordiran: Demavend.
- 7308. *Hadena (Anepia) christophi* (Möschler,1862)** (Noctuidae) *Dianthoecia christophi* Möschler,1862, Wien. ent. Monatschr. 6: 235. Type ♀: Russia: Sarepta.
- 7309. *Hadena (Anepia) corrupta* (Herz,1898)** (Noctuidae) *Dianthoecia corrupta* Herz,1898, Dt. ent. Z., Iris 1: 256. Syntypes: Lenagebiet: Wilui; Altai, Ortu Pamir; Sidemi.
- 7310. *Hadena (Anepia) corrupta corrupta* (Herz,1898)** (Noctuidae) *Dianthoecia corrupta* Herz,1898, Dt. ent. Z., Iris 1: 256. Syntypes: Lenagebiet: Wilui; Altai, Ortu Pamir; Sidemi.
- 7311. *Hadena (Anepia) dianthoecioides* (Boursin,1940)** (Noctuidae) *Kuruschia dianthoecioides* Boursin,1940, Mitt. münch. ent. Ges. 30: 499, Taf.9 fig.40. Holotype ♂: [Russia]: "Kurusch Dag" (Daghestan), 2500m (coll. Boursin).
- 7312. *Hadena (Anepia) esperi* Hacker,1992** (Noctuidae) *Hadena* [Anepia] *esper* Hacker,1992, Esperiana 3: 292-294, figs. Holotype ♂: Türkiye: Ağrı Prov., Tahir geçidi, 2550m 29.vii.1984 (leg. & coll. Hacker).
- 7313. *Hadena (Anepia) eximia* (Staudinger,1896)** (Noctuidae) *Dianthoecia eximia* Staudinger,1896, Dt. ent. Z., 8: 319, Taf.6 fig. 7. Syntypes: [China: Uighur A.R.]: zw. Lob Noor u. Kuku Noor.
- 7314. *Hadena (Anepia) eximia eximia* (Staudinger,1896)** (Noctuidae) *Dianthoecia eximia* Staudinger,1896, Dt. ent. Z., 8: 319, Taf.6 fig. 7. Syntypes: [China: Uighur A.R.]: zw. Lob Noor u. Kuku Noor.
- 7315. *Hadena (Anepia) irregularis* (Hufnagel,1766)** (Noctuidae) *Phalaena irregularis* Hufnagel,1766, Berl. Mag. 3(2): 394. Type(s): [Germany]: Berlin.
- 7316. *Hadena (Anepia) musculina* (Staudinger,1892)** (Noctuidae) *Dianthoecia musculina* Staudinger,1892, Dt. ent. Z., Iris 4: 272-273. Type 1♀: [Türkei]: Malatia, 16. Juni (Manissadjian leg.).
- 7317. *Hadena (Anepia) neglecta* Hacker,1992** (Noctuidae) *Hadena* [Anepia] *neglecta* Hacker,1992, Esperiana 3: 290, 292, figs. Holotype ♂: Türkiye: Van Prov., Güşeldere Geçidi, 3000m 30.vi.1980 (leg. Thöny, coll. Hacker).
- 7318. *Hadena (Anepia) nevadae* (Draudt,1933)** (Noctuidae) *Dianthoecia nevadae* Draudt,1933, Ent. Rdsch. 50: 306, fig.2. Taf.1 fig.1. Neotype ♂: Hispana: Andalusica, Sierra Nevada, El Parador Nat., 2500m 21.vii.1980 (leg. Traugott-Olsen) (Zool. Mus., Copenhagen).
- 7319. *Hadena (Anepia) perplexa* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua perplexa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 313. Type(s): [Austria]: Vienna district.
- 7320. *Hadena (Anepia) perplexa perplexa* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua perplexa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 313. Type(s): [Austria]: Vienna district.
- 7321. *Hadena (Anepia) ruetimeyeri* Boursin,1951** (Noctuidae) *Hadena ruetimeyeri* Boursin,1951, Mitt. schweiz. Ent. Ges. 24: 401, figs. 1,2,8. Holotype ♂: France: Pyrénées orientales: Porté, 1700m.
- 7322. *Hadena (Anepia) sancta* (Staudinger,1859)** (Noctuidae) *Dianthoecia sancta* Staudinger,1859, Stettin ent. Ztg. 20: 213. Syntypes: Spanien: Cerro de Santa Anna (Chiclana).
- 7323. *Hadena (Anepia) sancta sancta* (Staudinger,1859)** (Noctuidae) *Dianthoecia sancta* Staudinger,1859, Stettin ent. Ztg. 20: 213. Syntypes: Spanien: Cerro de Santa Anna (Chiclana).
- 7324. *Hadena (Anepia) sancta turca* Koçak,1991** (Noctuidae) *Hadena silenes* ssp. *turca* Koçak,1991, Cent. ent. Stud., Misc. Pap. 10: 3 (nomen novum pro anatolica Berio,1978 nec Rebel,1933).
- 7325. *Hadena (Anepia) silenes* (Hübner,[1822])** (Noctuidae) *Noctua silenes* Hübner,[1822], Samml. eur. Schmett. Noct. 2:Taf.143, fig.653. Type(s): Europa.
- 7326. *Hadena (Anepia) silenes mesopotamica* Hacker,1992** (Noctuidae) *Hadena (Anepia) silenes* ssp. *mesopotamica* Hacker,1992, Esperiana 3: 339, figs. Holotype ♂: Türkiye: Prov. Adiyaman, 500m Akıncılar 30.iv.1987 (leg. Schreier, coll. Hacker).
- 7327. *Hadena (Anepia) silenes silenes* (Hübner,[1822])** (Noctuidae) *Noctua silenes* Hübner,[1822], Samml. eur. Schmett. Noct. 2:Taf.143, fig.653. Type(s): Europa.
- 7328. *Hadena (Anepia) syriaca* (Osthelder,1933)** (Noctuidae) *Harmodia lepida* ssp. *syriaca* Osthelder,1933, Mitt. münch. ent. Ges. 23 (2): 47. Syntypes: [Türkei]: Marasch.
- 7329. *Hadena (Anepia) syriaca podolica* (Kremsky,1937)** (Noctuidae) *Harmodia podolica* Kremsky,1937, Ann. Mus. zool. Polonici 11: 481, Tab. 57 figs.1-8. Holotype ♂: [Polen]: Dzwonogrod, Wolczkow (PMZW).
- 7330. *Hadena (Anepia) syriaca syriaca* (Osthelder,1933)** (Noctuidae) *Harmodia lepida* ssp. *syriaca* Osthelder,1933, Mitt. münch. ent. Ges. 23 (2): 47. Syntypes: [Türkei]: Marasch.
- 7331. *Hadena (Anepia) wolfi* Hacker,1992** (Noctuidae) *Hadena (Anepia) wolfi* Hacker,1992, Esperiana 3: 289-290, figs. Holotype ♂: Türkiye: Hakkari Prov., Altın Dağları =Seite, Suvarihalil Geçidi, 2400m 27.vi.1984 (leg. Wolf, coll. Hacker).
- 7332. *Hadena (Maschukia) pumila* (Staudinger,1879)** (Noctuidae) *Dianthoecia pumila* Staudinger,1879, Horae Soc. ent. ross. 14: 378. Syntypes 3♂: [Türkei]: Amasia (Kerasdere).
- 7333. *Hadena (Maschukia) pumila pumila* (Staudinger,1879)** (Noctuidae) *Dianthoecia pumila* Staudinger,1879, Horae Soc. ent. ross. 14: 378. Syntypes 3♂: [Türkei]: Amasia (Kerasdere).
- 7334. *Hadena (Pinkericola) cappadocia* Hacker,1987** (Noctuidae) *Hadena cappadocia* Hacker,1987, Atalanta 18: 170-171, figs. Holotype ♂: Türkiye: Prov. Sivas: 5km w. Gürün 1700m, 2.viii.1984 (leg. & coll. Hacker).
- 7335. *Hadena (Pinkericola) pygmaea* (Boursin,1962)** (Noctuidae) *Hadena pygmaea* Boursin,1962, Z. Wien. ent. Ges. 47: 162. Holotype ♂: [Türkei]: Akbulak, Geröllzone, 3000m (ZSM).
- 7336. *Hadena (Pinkericola) tephroleuca* (Boisduval,1833)** (Noctuidae) *Polia tephroleuca* Boisduval,1833, Annls Soc. ent. Fr. 1833: 374, Pl.14,fig.4. Syntypes: Chamouny, Lausanne.
- 7337. *Hadena (Pinkericola) tephroleuca tephroleuca* (Boisduval,1833)** (Noctuidae) *Polia tephroleuca* Boisduval,1833, Annls Soc. ent. Fr. 1833: 374, Pl.14,fig.4. Syntypes: Chamouny, Lausanne.
- 7338. *Hadena (Pinkericola) vulpecula* (Brandt,1938)** (Noctuidae) *Lasiestra vulpecula* Brandt,1938, Ent. Rdsch. 55: 701, fig.426. Syntypes ♂♂: Iran: [Fars]: Barm i Firus (Comée).
- 7339. *Hadena (s.str.(Albimaculia)) adriana* (Schawerda,1921)** (Noctuidae) *Dianthoecia armeriae* var. *adriana* Schawerda,1921, Dt. ent. Z., Iris 25: 9. Lectotype ♂: Kroatien: Zengg, designated by Hacker,1996.
- 7340. *Hadena (s.str.(Albimaculia)) albimacula* (Borkhausen,1792)** (Noctuidae) *Phalaena albimacula* Borkhausen,1792, Naturg. eur. Schmett. 4: 149. Type(s): [Austria]: Wienergegend.
- 7341. *Hadena (s.str.(Albimaculia)) albimacula albimacula* (Borkhausen,1792)** (Noctuidae) *Phalaena albimacula* Borkhausen,1792, Naturg. eur. Schmett. 4: 149. Type(s): [Austria]: Wienergegend.
- 7342. *Hadena (s.str.(Albimaculia)) albimacula excelsa* Hacker,1996** (Noctuidae) *Hadena (Hadena) albimacula* ssp. *excelsa* Hacker,1996, Esperiana 5: 168, figs. Holotype ♂: Afghanistan: Hazaradjat, Koh-i-Baba, Shah Fuladi, 3500m, leg. Ebert (ZSM).
- 7343. *Hadena (s.str.(Albimaculia)) albimacula nivalis* Hacker,1996** (Noctuidae) *Hadena (Hadena) albimacula* ssp. *nivalis* Hacker,1996, Esperiana 5: 169, figs. Holotype ♀: Pakistan: Hunza, Naltar, 2800m (leg. & coll. Weigert).
- 7344. *Hadena (s.str.(Albimaculia)) cavalla* Pinker,1980** (Noctuidae) *Hadena cavalla* Pinker,1980, Z. ArbGem. öst. Ent. 31: 66. Holotype ♀: Turkey: O-Anatolien: Gürün, 1700m (NHMW).
- 7345. *Hadena (s.str.(Albimaculia)) defreinae* thoenyi Hacker,1996** (Noctuidae) *Hadena (Hadena) defreinae* ssp. *thoenyi* Hacker,1996, Esperiana 5: 163, figs. Holotype ♂: Türkiye: Prov. Van, Güşeldere geçidi, 2770m 21.vi.1985 (leg. Thöny, coll. Hacker).

- 7346. *Hadena* (s.str.(*Albimaculia*)) *gueneei* (Staudinger,1901)** (Noctuidae) *Dianthoecia gueneei* Staudinger,1901, Cat. Lepid. Palaearkt. Faunengeb. 3(1): 163. Syntypes: Zypern, Taurus, Antiochia, Mardin, Bithynien. Lectotype ♀: Turkey: Mardin, designated by Hacker,1996 (NHMU).
- 7347. *Hadena* (s.str.(*Albimaculia*)) *humilis* (Christoph,1893)** (Noctuidae) *Mamestra chrysozona* var. *humilis* Christoph,1893, Dt. ent. Z., Iris 6: 92. Syntypes: [Georgia]: Borshom; [Azerbaidjan]: Ordubad; [Türkei]: Kazikoparan.
- 7348. *Hadena* (s.str.(*Albimaculia*)) *secreta* Hacker,1996** (Noctuidae) *Hadena* (*Hadena*) *secreta* Hacker,1996, Esperiana 5: 164-165, figs. Holotype ♂: [Russland]: Caucasus, San 2300m, (leg. Herczig et al.) (HNHM).
- 7349. *Hadena* (s.str.(*Anatoliden*)) *draudti* (Brandt,1938)** (Noctuidae) *Harmodia draudti* Brandt,1938, Ent. Rdsch. 55: 504, figs. 106-108. Syntypes: Iran: [Fars]: Barm i Firus.
- 7350. *Hadena* (s.str.(*Anatoliden*)) *mesolampra* (Brandt,1938)** (Noctuidae) *Harmodia mesolampra* Brandt,1938, Ent. Rdsch. 55: 504, figs. 111,113,114. Syntypes: Iran: [Fars]: Comée (2600m).
- 7351. *Hadena* (s.str.(*Anatoliden*)) *staudingeri* (Wagner,1931)** (Noctuidae) *Dianthoecia gueneei* ab. *staudingeri* Wagner,1931, Int. ent. Z. 24: 149. Type(s): [Türkei]: Akschehir.
- 7352. *Hadena* (s.str.(*Caeshadena*)) *caesia* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua caesia* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 82. Type(s): [Austria]: Vienna district.
- 7353. *Hadena* (s.str.(*Caeshadena*)) *vanensis* Hacker,1996** (Noctuidae) *Hadena vanensis* Hacker,1996, Esperiana 5: 398-399, Taf.N fig.18. Holotype ♀: Türkiye: Prov. Van: [Çatak]: Kayaboğaz, 2.vi.1989 (leg. Podlussany) (HNHM).
- 7354. *Hadena* (s.str.(*Clarhadena*)) *cimelia* (Brandt,1938)** (Noctuidae) *Harmodia cimelia* Brandt,1938, Ent. Rdsch. 55: 504-505, figs. 109-111. Syntypes: Iran: [Fars]: Comee.
- 7355. *Hadena* (s.str.(*Clarhadena*)) *clara transiens* (Draudt,1936)** (Noctuidae) *Harmodia caesia* ssp. *transiens* Draudt,1936, Ent. Rdsch. 53: 471. Syntypes: [Türkei]: Ak-schehir (Sultan Dagħ).
- 7356. *Hadena* (s.str.(*Clarhadena*)) *drenowski* (Rebel,1930)** (Noctuidae) *Mamestra drenowski* Rebel,1930, Verh. zool.- bot. Ges. Wien 80: (12).
- 7357. *Hadena* (s.str.(*Clarhadena*)) *drenowskii drenowskii* (Rebel,1930)** (Noctuidae) *Mamestra drenowski* Rebel,1930, Verh. zool.- bot. Ges. Wien 80: (12).
- 7358. *Hadena* (s.str.(*Dianthoecia*)) *bicruris* (Hufnagel,1766)** (Noctuidae) *Phalaena bicruris* Hufnagel,1766, Berl. Mag. 3(1): 301. Neotype ♂: Deutschland: Berlin.
- 7359. *Hadena* (s.str.(*Dianthoecia*)) *impressa* (Esper,[1790])** (Noctuidae) *Phalaena impressa* Esper,[1790], Die Schmett. 4 (2/1): 502, Tab. 152, fig. 3. "Tyrol".
- 7360. *Hadena* (s.str.(*Filograna*)) *filograna* (Esper,[1788])** (Noctuidae) *Phalaena filograna* Esper,[1788], Die Schmett. 4(2/1): Taf.130, fig.4. Type(s): Inspruk.
- 7361. *Hadena* (s.str.(*Filograna*)) *filograna filograna* (Esper,[1788])** (Noctuidae) *Phalaena filograna* Esper,[1788], Die Schmett. 4(2/1): Taf.130, fig.4. Type(s): Inspruk.
- 7362. *Hadena* (s.str.(*Hadenobilis*)) *archaica* Hacker,1996** (Noctuidae) *Hadena* (*Hadena*) *archaica* Hacker,1996, Esperiana 5: 243-244, figs. Holotype ♀: Spanien: Sierra Nevada, 1600m, leg. Traugott-Olsen (coll. Fibiger).
- 7363. *Hadena* (s.str.(*Hadenobilis*)) *chrysographa* Hacker,1996** (Noctuidae) *Hadena* (*Hadena*) *chrysographa* Hacker,1996, Esperiana 5: 211-212, figs. Holotype ♂: Türkiye: Agri Prov., 5km E of Sarican, 1800m, leg. & coll. Hreblay.
- 7364. *Hadena* (s.str.(*Hadenobilis*)) *melanochroa* (Staudinger,1892)** (Noctuidae) *Dianthoecia filigrama* var. *melanochroa* Staudinger,1892, Dt. ent. Z., Iris 4: 273-274. Syntypes 10♂♂: [Türkei]: Kara Hissar [=Şebinkarahisar], Amasia, Hadjin.
- 7365. *Hadena* (s.str.(*Hadenobilis*)) *melanochroa melanochroa* (Staudinger,1892)** (Noctuidae) *Dianthoecia filigrama* var. *melanochroa* Staudinger,1892, Dt. ent. Z., Iris 4: 273-274. Syntypes 10♂♂: [Türkei]: Kara Hissar [=Şebinkarahisar], Amasia, Hadjin.
- 7366. *Hadena* (s.str.(*Hadenobilis*)) *tristis* (Draudt,1934)** (Noctuidae) *Dianthoecia luteocincta* f. *tristis* Draudt,1934, Ent. Rdsch. 51: 58. Neotype ♀: Türkiye: Van, Güzeldere geçidi, 2700m, 26.vi.1990, leg. Kautt (coll. Hacker).
- 7367. *Hadena* (s.str.(*Hadenobilis*)) *tristis magna* Hacker,1996** (Noctuidae) *Hadena* (*Hadena*) *tristis* ssp. *magna* Hacker,1996, Esperiana 5: 242-243, figs. Holotype ♂: NO.-Iran: Kuh-i Mirabi, Waldzone, 1800-1900m (ZSM).
- 7368. *Hadena* (s.str.(*Hadenobilis*)) *tristis tristis* (Draudt,1934)** (Noctuidae) *Dianthoecia luteocincta* f. *tristis* Draudt,1934, Ent. Rdsch. 51: 58. Neotype ♀: Türkiye: Van, Güzeldere geçidi, 2700m, 26.vi.1990, leg. Kautt (coll. Hacker).
- 7369. *Hadena* (s.str.(*Hadenobilis*)) *vulcanica clarescens* (Draudt,1936)** (Noctuidae) *Harmodia clarescens* Draudt,1936, Ent. Rdsch. 53: 470-471, Taf. iv c2. Syntypes: [Türkei]: Ak-schehir (Sultan Dagħ); Amanus, Siwas.
- 7370. *Hadena* (s.str.(*Luteocincta*)) *ignicola* (Warren,1910)** (Noctuidae) *Harmodia ignicola* Warren,1910,[in] Seitz, Gross-Schmett. Erde 3: 76 (18f). Type ♀: Nord Afghanistan: Kuliab-Provinz.
- 7371. *Hadena* (s.str.(*Luteocincta*)) *lucida* (Brandt,1938)** (Noctuidae) *Harmodia luteocincta* ssp. *lucida* Brandt,1938, Ent. Rdsch. 55: 505, figs. 115-117. Type ♂: Iran: [Fars]: Comée.
- 7372. *Hadena* (s.str.(*Luteocincta*)) *lucida lucida* (Brandt,1938)** (Noctuidae) *Harmodia luteocincta* ssp. *lucida* Brandt,1938, Ent. Rdsch. 55: 505, figs. 115-117. Type ♂: Iran: [Fars]: Comée.
- 7373. *Hadena* (s.str.(*Luteocincta*)) *luteocincta* (Rambur,1834)** (Noctuidae) *Polia luteocincta* Rambur,1834, Annls Soc. ent. Fr.1834: 382. Syntypes: [France]: Lyon, Montpellier.
- 7374. *Hadena* (s.str.(*Luteocincta*)) *luteocincta luteocincta* (Rambur,1834)** (Noctuidae) *Polia luteocincta* Rambur,1834, Annls Soc. ent. Fr.1834: 382. Syntypes: [France]: Lyon, Montpellier.
- 7375. *Hadena* (s.str.(*Magnolihadena*)) *magnolii* (Boisduval,1828)** (Noctuidae) *Polia magnolii* Boisduval,1828, Eur. Lépid. Ind. Meth.: 73. Type(s): Gallia meridionalis.
- 7376. *Hadena* (s.str.(*Magnolihadena*)) *magnolii fabiani* Hacker,1996** (Noctuidae) *Hadena* (s.str.) *magnolii* ssp. *fabiani* Hacker,1996, Esperiana 5: 60-61, figs. Holotype ♂: Turkmenistan: Ai-Dere (HNHM).
- 7377. *Hadena* (s.str.(*Miselia*)) *cailinita* (Draudt,1934)** (Noctuidae) *Harmodia cailinita* Draudt,1934, [in] Seitz, Die Gross Schmett. Erde 3 (suppl.): 105, Taf.131 Lectotype ♂: Kirgisistan: Issyk-kul, ex coll. Püngeler (NHMU), designated by Hacker,1996.
- 7378. *Hadena* (s.str.(*Miselia*)) *compta* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua compta* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 70. Type(s): [Austria]: Vienna district.
- 7379. *Hadena* (s.str.(*Miselia*)) *compta compta* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua compta* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 70. Type(s): [Austria]: Vienna district.
- 7380. *Hadena* (s.str.(*Miselia*)) *compta persica* (Schwingenschuss,1938)** (Noctuidae) *Harmodia compta* ssp. *persica* Schwingenschuss,1938, Ent. Z., Frankf. a. M. 53: 152. Holotype ♂: [Iran]: Elbursgebirge, Kendevanpass, 2800m leg. Schwingenschuss (NÖLM).
- 7381. *Hadena* (s.str.(*Miselia*)) *thomasi* Hacker,1996** (Noctuidae) *Hadena* (*Hadena*) *thomasi* Hacker,1996, Esperiana 5: 90-91, figs. Holotype ♂: Indien: Jammu & Kashmir, Zanskar, Pensi-La, 4100m, leg. J.C.Weiss (coll. Hacker).
- 7382. *Hadena* (s.str.(*Miselia*)) *thomasi nuristana* Hacker,1996** (Noctuidae) *Hadena* (*Hadena*) *thomasi* ssp. *nuristana* Hacker,1996, Esperiana 5: 91-92, figs. Holotype ♀: O.-Afghanistan: Pr. Kunar, Barg e Matal, Dandizenor Mts., 3100m (leg. & coll. C.Naumann).
- 7383. *Hadena* (s.str.(*Miselia*)) *weigerti* Hacker,1996** (Noctuidae) *Hadena* (*Hadena*) *weigerti* Hacker,1996, Esperiana 5: 93, figs. Holotype ♂: Pakistan: Kaghan valley, Saiful Maluk, 3200m, 3.viii.1987 (leg. & coll. Weigert).
- 7384. *Hadena* (s.str.(*Montanohadena*)) *montana* (Brandt,1941)** (Noctuidae) *Harmodia montana* Brandt,1941, Mitt. münch. ent. Ges. 31: 846, fig.30. Syntypes 2♀: Iran: [Khorassan]: Kouh i Binaloud, 3400m.
- 7385. *Hadena* (s.str.(*Montanohadena*)) *montana montana* (Brandt,1941)** (Noctuidae) *Harmodia montana* Brandt,1941, Mitt. münch. ent. Ges. 31: 846, fig.30. Syntypes 2♀: Iran: [Khorassan]: Kouh i Binaloud, 3400m.
- 7386. *Hadena* (s.str.(*Montanohadena*)) *pseudohyrcana* De Freina & Hacker,1985** (Noctuidae) *Hadena pseudohyrcana* De Freina & Hacker,1985, Entomofauna 6 (19): 249, Abb. 8-10. Holotype ♂: [Türkei]: Kleinasien: Van Prov.: Güzeldere Pass, 2700-2800m, 8-9.7.80 (leg. et coll. De Freina).

- 7387. *Hadena* (s.str.(*Turkihadena*)) *rjabovi* (Idrisov,1961)** (Noctuidae) *Harmodia rjabovi* Idrisov,1961, Gosudar. Univ. Imeni V. I. Lenina 7: 84. Type: Armenia: Alaghez, 8000ft.
- 7388. *Hadena* (s.str.(*Zeteolyga*)) *confusa* (Hufnagel,1766)** (Noctuidae) *Phalaena confusa* Hufnagel,1766, Berl. Mag. 3(3): 414. Type(s): [Germany]: Berlin.
- 7389. *Hadena* (s.str.(*Zeteolyga*)) *confusa* *confusa* (Hufnagel,1766)** (Noctuidae) *Phalaena confusa* Hufnagel,1766, Berl. Mag. 3(3): 414. Type(s): [Germany]: Berlin.
- 7390. *Haderonia longicornis* (Graeser,1892)** (Noctuidae) *Mamestra longicornis* Graeser,1892, Berl. ent. Z. 37: 306-308. Syntypes 3♂: [China: Uighur A.R.]: Kaschgar (Nia Fluss); [Tadjikistan]: Kysyl-Jart.
- 7391. *Haderonia tancrei* (Graeser,1892)** (Noctuidae) *Mamestra tancrei* Graeser,1892, Berl. ent. Z. 37: 305-306. Syntypes ♂♂: [Kirgizistan]: Alexander Gebirge.
- 7392. *Haderonia thermolimna* Boursin,1964** (Noctuidae) *Haderonia thermolimna* Boursin,1964, Z. Wien. ent. Ges. 49: 174-175, Taf.22. Holotype ♂: [Kirgizistan]: "Issyk-Kul (Russisch-Turkestan)" (ZSM).
- 7393. *Haderonia turpis* (Staudinger,[1900])** (Noctuidae) *Phoebophilus turpis* Staudinger,[1900], Dt. ent. Z., Iris 12: 341, Taf.vii fig.8. Syntypes ♂♂: [China: Uighur A.R.]: Chamyl [Kumul].
- 7394. *Hadjina carcaroda* (Distant,1901)** (Noctuidae) *Xanthoptera carcaroda* Distant,1901, Entomologist 34: 284. Type(s): [South Africa]: Lydenburg district.
- 7395. *Hadjina lutosa* Staudinger,1892** (Noctuidae) *Hadjina lutosa* Staudinger,1892, Dt. ent. Z., Iris 4: 286-288, Taf.iv fig.1. Syntypes: [Türkei]: Hadjin [=Saimbeyli], Mardin (Manissadjian's collector Katscher Oghle leg.).
- 7396. *Hadjina lutosa lutosa* Staudinger,1892** (Noctuidae) *Hadjina lutosa* Staudinger,1892, Dt. ent. Z., Iris 4: 286-288, Taf.iv fig.1. Syntypes: [Türkei]: Hadjin [=Saimbeyli], Mardin (Manissadjian's collector Katscher Oghle leg.).
- 7397. *Hadula* (*Aglossestra*) *deserticola* (Hampson,1905)** (Noctuidae) *Aglossestra deserticola* Hampson,1905, Cat. lepid. Phalaenae Br. Mus. 5: 225, fig.38. Type: Egypt: Suez.
- 7398. *Hadula* (*Calocestra* (*Dianthus*)) *dianthi* (Tauscher,1809)** (Noctuidae) *Noctua dianthi* Tauscher,1809, Mém. Soc. imp. Nat. Moscou 1: 316. Lectotype ♂: Russia: Sarepta, designated by Hacker (1998: 717) (ZIN).
- 7399. *Hadula* (*Calocestra* (*Dianthus*)) *dianthi dianthi* (Tauscher,1809)** (Noctuidae) *Noctua dianthi* Tauscher,1809, Mém. Soc. imp. Nat. Moscou 1: 316. Lectotype ♂: Russia: Sarepta, designated by Hacker (1998: 717) (ZIN).
- 7400. *Hadula* (*Calocestra* (*Dianthus*)) *dianthi lukhtanovorum* Hacker,1998** (Noctuidae) *Hadula* (*Calocestra*) *dianthi* ssp. *lukhtanovorum* Hacker,1998, Esperiana 6: 720-721, figs. Holotype ♂: Kirgisistan: Transalai, Aram-Kungei 2800m (coll. Gyulai).
- 7401. *Hadula* (*Calocestra* (*Furculia*)) *eversmanni* (Staudinger,1900)** (Noctuidae) *Mamestra eversmanni* Staudinger,1900, Dt. ent. Z., Iris 12: 367, Taf.vi fig.14 Syntypes: [China: Uighur A.R.]: Korla, Lectotype designated by Hacker (1998: 669) (MNHU).
- 7402. *Hadula* (*Calocestra* (*Furculia*)) *furcula* (Staudinger,1889)** (Noctuidae) *Mamestra furcula* Staudinger,1889, Stettin ent. Ztg. 50: 36-38. Syntypes: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.), Lectotype ♂, designated by Hacker (1998: 672) (MNHU).
- 7403. *Hadula* (*Calocestra* (*Furculia*)) *furcula furcula* (Staudinger,1889)** (Noctuidae) *Mamestra furcula* Staudinger,1889, Stettin ent. Ztg. 50: 36-38. Syntypes: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.), Lectotype ♂, designated by Hacker (1998: 672) (MNHU).
- 7404. *Hadula* (*Calocestra* (*Hadufurca*)) *colletti* (Schneider,1876)** (Noctuidae) *Dianthoecia colletti* Schneider,1876, Enum. Ins. Norveg.: 56. Syntypes: Norvegische Alpen.
- 7405. *Hadula* (*Calocestra* (*Hadufurca*)) *colletti colletti* (Schneider,1876)** (Noctuidae) *Dianthoecia colletti* Schneider,1876, Enum. Ins. Norveg.: 56. Syntypes: Norvegische Alpen.
- 7406. *Hadula* (*Calocestra* (*Hadufurca*)) *colletti originalis* Hacker,1998** (Noctuidae) *Hadula* (*Calocestra*) *colletti* ssp. *originalis* Hacker,1998, Esperiana 6: 686-687, figs. Holotype ♂: Türkei: Van Prov. Güzeldere Pass, 2700m, 26.vi.1990 leg. H. & P. Kautt (coll. Hacker).
- 7407. *Hadula* (*Calocestra* (*Hadufurca*)) *farnhami* (Grote,1873)** (Noctuidae) *Mamestra farnhami* Grote,1873, Bull. Buffalo Soc. Nat. Sc. 1: 103, Pl.3 fig.2. Type ♂: [U.S.A.]: Colorado Territory (BMNH).
- 7408. *Hadula* (*Calocestra* (*Hadufurca*)) *farnhami palaeartica* Hacker,1998** (Noctuidae) *Hadula* (*Calocestra*) *farnhami* ssp. *palaeartica* Hacker,1998, Esperiana 6: 689, figs. Holotype ♂: Kirghisien: Alai-Kette, Alplager Dugoba, leg. & coll. Nekrasov.
- 7409. *Hadula* (*Calocestra* (*Hadufurca*)) *farnhami shandura* Hacker,1998** (Noctuidae) *Hadula* (*Calocestra*) *farnhami* ssp. *shandura* Hacker,1998, Esperiana 6: 691-693, figs. Holotype ♂: Nordpakistan: Shandur Pass, 3600m 21.vi.1992 (leg. Hreblay & Csorba) (coll. Hreblay).
- 7410. *Hadula* (*Calocestra* (*Hadufurca*)) *furca* (Eversmann,1852)** (Noctuidae) *Hadena furca* Eversmann,1852, Bull. Soc. Imp. nat. Moscou 25: 154. Syntypes: Russia: Siberia: Irkutsk (ZIN).
- 7411. *Hadula* (*Calocestra* (*Hadufurca*)) *furca furca* (Eversmann,1852)** (Noctuidae) *Hadena furca* Eversmann,1852, Bull. Soc. Imp. nat. Moscou 25: 154. Syntypes: Russia: Siberia: Irkutsk (ZIN).
- 7412. *Hadula* (*Calocestra* (*Hadumelanopa*)) *diodonta* (Püngeler,1906)** (Noctuidae) *Anartomorpha diodonta* Püngeler,1906, Dt. ent. Z., Iris 19: 80 Taf.6 fig.18. Holotype ♂: [China: Uighur A.R.]: Lob-Noor (MNHU).
- 7413. *Hadula* (*Calocestra* (*Hadumendax*)) *hoplites* (Staudinger,1901)** (Noctuidae) *Mamestra armata* var. *hoplites* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 160, nr. 1505a. Type(s): [Turkmenistan]: Tura.
- 7414. *Hadula* (*Calocestra* (*Hadumendax*)) *hoplites hoplites* (Staudinger,1901)** (Noctuidae) *Mamestra armata* var. *hoplites* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 160, nr. 1505a. Type(s): [Turkmenistan]: Tura.
- 7415. *Hadula* (*Calocestra* (*Hadumendax*)) *mendax* (Staudinger,1879)** (Noctuidae) *Hadena mendax* Staudinger,1879, Horae Soc. ent. ross. 14: 383. Syntypes: [Türkei]: Amasia; Lectotype ♂, designated by Hacker (1998: 703) (MNHU).
- 7416. *Hadula* (*Calocestra* (*Hadumendax*)) *mendax mendax* (Staudinger,1879)** (Noctuidae) *Hadena mendax* Staudinger,1879, Horae Soc. ent. ross. 14: 383. Syntypes: [Türkei]: Amasia; Lectotype ♂, designated by Hacker (1998: 703) (MNHU).
- 7417. *Hadula* (*Calocestra* (*Hadumendax*)) *mendax phoenicica* Hacker,1998** (Noctuidae) *Hadula* (*Calocestra*) *mendax* ssp. *phoenicica* Hacker,1998, Esperiana 6: 707, fig. Holotype ♂: N-Israel: Mt. Meron 1200m, 21.iv.1987 (leg. Müller) (ZSM).
- 7418. *Hadula* (*Calocestra* (*Hadumendax*)) *mendica* (Staudinger,[1895])** (Noctuidae) *Mamestra mendica* Staudinger,[1895], Dt. ent. Z., Iris 7: 272-273, Taf. ix fig.18. Syntypes 3♂ 2♀: [Turkey]: Hadjin [=Saimbeyli], Mardin; Lectotype ♂ [Hadjin], designated by Hacker (1998: 699) (MNHU).
- 7419. *Hadula* (*Calocestra* (*Hadumendax*)) *mendica mendosa* Hacker,1998** (Noctuidae) *Hadula* (*Calocestra*) *mendica* ssp. *mendosa* Hacker,1998, Esperiana 6: 701-702, figs. Holotype ♂: Türkei: Prov. Kars: Asagi Dag, 1600m, 3km S. Akçay, leg. Wolf (coll. Hacker).
- 7420. *Hadula* (*Calocestra* (*Hadupugnax*)) *latemarginata* (Wiltshire,1976)** (Noctuidae) *Discestra trifolii* ssp. *latemarginata* Wiltshire,1976, Z. ArbGem. öst. Ent. 27: 75, fig. Holotype ♂: Turkey: Pontic Mts., Zigana Pass 2000m, 8.vi.1969 (NHMW).
- 7421. *Hadula* (*Calocestra* (*Hadupugnax*)) *pugnax intermedia* Pinker,1980** (Noctuidae) *Discestra pugnax* ssp. *intermedia* (bona species?) Pinker,1980, Z. ArbGem. öst. Ent. 31: 70-71, figs. Holotype ♂: Türkei: Gürün, 1700m (leg. & coll. Pinker).
- 7422. *Hadula* (*Calocestra* (*Hadutrifolium*)) *trifolii* (Hufnagel,1766)** (Noctuidae) *Phalaena trifolii* Hufnagel,1766, Berl. Mag. 3(3): 398. Type(s): [Germany]: Berlin.
- 7423. *Hadula* (*Calocestra* (*Stigmosa*)) *explicata* (Sukhareva,1976)** (Noctuidae) *Namangana explicata* Sukhareva,1976, Proc. Zool. Inst. Acad. Sci. USSR 64: 60, figs.2,3. Holotype ♂: [Kazachstan]: Süd.-Kasachstan, Ai-Darle, 1.v.1909 (leg. Kozhantschikov) (ZIN).
- 7424. *Hadula* (*Calocestra* (*Stigmosa*)) *sodae* (Boisduval,1829)** (Noctuidae) *Mamestra sodae* Boisduval,1829, Eur. lepid. Index meth. Err. & Add.: 5. Type: France: [Montpellier].
- 7425. *Hadula* (*Calocestra* (*Stigmosa*)) *sodae sodae* (Boisduval,1829)** (Noctuidae) *Mamestra sodae* Boisduval,1829, Eur. lepid. Index meth. Err. & Add.: 5. Type: France: [Montpellier].
- 7426. *Hadula* (*Calocestra* (*Stigmosa*)) *stigmosa* (Christoph,1887)** (Noctuidae) *Mamestra stigmosa* Christoph,1887, [in] Romanoff, Mem. Lep. 3:70. Syntypes: [Russia]: Sarepta; [Turkmenistan]: Kisil-Arwat.
- 7427. *Hadula* (*Calocestra* (*Stigmosa*)) *stigmosa stigmosa* (Christoph,1887)** (Noctuidae) *Mamestra stigmosa* Christoph,1887, [in] Romanoff, Mem. Lep. 3:70. Syntypes: [Russia]: Sarepta; [Turkmenistan]: Kisil-Arwat.

- 7428. *Hadula (Cardiestra) vassilini* (O.Bang-Haas,1927)** (Noctuidae) *Discestra* (Mamestra) *vassilini* O.Bang-Haas,1927, Horae Macrolepid. 1: 85, Taf.10 fig.25. Holotype ♂: [Azerbaijanshan]: Transcaucasus: Elisabethpol (leg. Vassilini) (MNHU).
- 7429. *Hadula (Ptochicestra) Hacker*,1998** (Noctuidae) *Ptochicestra* Hacker,1998, Esperiana 6: 634. Type-species: *Mamestra ptochica* Püngeler,1900, by original designation.
- 7430. *Hadula (Ptochicestra) osmana* Hacker,1998** (Noctuidae) *Hadula* (*Ptochicestra*) *osmana* Hacker,1998, Esperiana 6: 636-637, figs. Holotype ♂: Türkiye: Prov. Kars, Arastal, 1100m 25km östl. Gagizman, 25.vii.1992 (leg. & coll. Petersen)
- 7431. *Hadula (Pulchrohadula) Hacker*,1998** (Noctuidae) *Pulchrohadula* Hacker,1998, Esperiana 6: 760. Type-species: *Hadena triphaenopsis* Oberthür,1893, by original designation.
- 7432. *Hadula (s.str. (Habulorum)) sabulorum* (Alpheraky,1882)** (Noctuidae) *Mamestra sabulorum* Alpheraky,1882, Horae Soc. ent. ross. 17: 69, Taf.3 fig.58. Lectotype ♂: [China: Uighur A.R.]: Kouldja, Khorgos, iii.1879, designated by Hacker,1998, Esperiana 6: 609 (ZIN).
- 7433. *Hadula (s.str. (Habulorum)) sabulorum sabulorum* (Alpheraky,1882)** (Noctuidae) *Mamestra sabulorum* Alpheraky,1882, Horae Soc. ent. ross. 17: 69, Taf.3 fig.58. Lectotype ♂: [China: Uighur A.R.]: Kouldja, Khorgos, iii.1879, designated by Hacker,1998, Esperiana 6: 609 (ZIN).
- 7434. *Hadula (s.str. (Habulorum)) sabulorum segnis* (Püngeler,1906)** (Noctuidae) *Scotogramma segnis* Püngeler,1906, Dt. ent. Z., Iris 19: 90, Taf.6 fig.17. [China: Uighur A.R.]: Lob-Noor (MNHU).
- 7435. *Hadula (s.str. (Insolita)) insolita* Staudinger,1889** (Noctuidae) *Hadula insolita* Staudinger,1889, Stettin ent. Ztg. 50: 44-45. Syntypes: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.).
- 7436. *Hadula (s.str. (Insolita)) insolita insolita* Staudinger,1889** (Noctuidae) *Hadula insolita* Staudinger,1889, Stettin ent. Ztg. 50: 44-45. Syntypes: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.).
- 7437. *Hadula (s.str. (Insolita)) insolita uigurica* Hacker,1998** (Noctuidae) *Hadula* (s.str.) *insolita* ssp. *uigurica* Hacker,1998, Esperiana 6: 599-600, figs. Holotype ♀: Kazakhstan: Süd Altaj, Slavianska, Naryn Gebirge 4200m (leg. V.Lukhtanov) (coll. Gyulai).
- 7438. *Hadula (s.str. (Insolita)) ultramontana* Gyulai & Hacker,1998** (Noctuidae) *Hadula* (s.str.) *ultramontana* Gyulai & Hacker,1998, Esperiana 6: 607-608, figs. Holotype ♀: China [Uighur A.R.]: Altun Shan [Altun Tagh], 50km S-E Miran City, 4000m, 30.vii-2.viii.1996 (coll. Gyulai).
- 7439. *Hadula* Staudinger,1889** (Noctuidae) *Hadula* Staudinger,1889, Stettin ent. Ztg. 50: 43. Type-species: *Hadula insolita* Staudinger,1889, by monotypy.
- 7440. *Hadulomorpha picteti* (Staudinger,1882)** (Noctuidae) *Ala picteti* Staudinger,1882, Stettin ent. Ztg. 1882: 49.
- 7441. *Haemerostia renalis* (Hübner,[1813])** (Noctuidae) *Pylalis renalis* Hübner,[1813], Samml. eur. Schmett. Pylal.2: Taf.24 fig.157. Type(s): Europa.
- 7442. *Hakkaria varga* (Hacker,[1987])** (Noctuidae) *Polymixis varga* Hacker,[1987], Atalanta 17 (1/4): 42, Taf. 12 figs. 16. Holotype ♂: [Türkei]: [Prov. Şırnak]: "Prov. Hakkari, Tanin Tanin Dağları, Elkek Geçidi, 2200m, 7km NNE Uludere, 15.ix.1985" (leg. & coll. Hacker).
- 7443. *Hecatera bicolorata* (Hufnagel,1766)** (Noctuidae) *Phalaena bicolorata* Hufnagel,1766, Berl. Mag. 3(3): 410. Type(s): [Germany]: Berlin.
- 7444. *Hecatera cappa* (Hübner,[1809])** (Noctuidae) *Noctua cappa* Hübner,[1809], Samml. eur. Schmett., Noct. 2: Taf.95, fig. 447. Type: [Europa].
- 7445. *Hecatera rhodocharis* (Brandt,1938)** (Noctuidae) *Polia rhodocharis* Brandt,1938, Ent. Rdsch. 55: 503-504, figs. 55-61. Syntypes: Iran: [Fars]: Comèe; Barm-i Firuz.
- 7446. *Hecatera rhodocharis herkia* (Wiltshire,1957)** (Noctuidae) *Mamestra rhodocharis* ssp. *herkia* Wiltshire,1957, Lepidoptera of Iraq: 63, Pl.I fig.19, text-fig.2. Syntypes ♂♂: Iraq: Hajji Omran (coll. Wiltshire).
- 7447. *Hecatera rhodocharis rhodocharis* (Brandt,1938)** (Noctuidae) *Polia rhodocharis* Brandt,1938, Ent. Rdsch. 55: 503-504, figs. 55-61. Syntypes: Iran: [Fars]: Comèe; Barm-i Firuz.
- 7448. *Hecatera spinaciae* (Vieweg,1790)** (Noctuidae) *Noctua spinaciae* Vieweg,1790, Tab. Verz. Brand. Schmett. 2:70. Type(s): [Germany]: Berlin.
- 7449. *Helicoverpa armigera* (Hübner,[1808])** (Noctuidae) *Noctua armigera* Hübner,[1808], Samml. eur. Schmett., Noct. 2: Taf.79, fig.370. Type: [Europa].
- 7450. *Helicoverpa armigera armigera* (Hübner,[1808])** (Noctuidae) *Noctua armigera* Hübner,[1808], Samml. eur. Schmett., Noct. 2: Taf.79, fig.370. Type: [Europa].
- 7451. *Helicoverpa armigera conferta* (Walker,1857)** (Noctuidae) *Heliothis conferta* Walker,1857, List 11: 688. Lectotype ♀: New Zealand (designated by Matthews,1999).
- 7452. *Helicoverpa assulta* (Guenée,1852)** (Noctuidae) *Heliothis assulta* Guenée,1852, [in] Boisduval & Guenée, Hist. Nat. Ins., Noct. 2: 178. Lectotype ♂: Tahiti (designated by Viette,1951). (MNHNP).
- 7453. *Heliocheilus multiradiata* (Hampson,1902)** (Noctuidae) *Raghava multiradiata* Hampson,1902, Ann. S. Afr. Mus. 2: 257. Syntypes ♂♂: "British East Africa: Eb Urru, Athi R."; [Zimbabwe]: Mashonaland: Salisbury [Harare]; South Africa: Transvaal (BMNH).
- 7454. *Heliothobus reticulata* (Goeze,1781)** (Noctuidae) *Phalaena reticulata* Goeze,1781, Ent. Beytr. 3(3): 254. Type(s):-.
- 7455. *Heliothobus reticulata reticulata* (Goeze,1781)** (Noctuidae) *Phalaena reticulata* Goeze,1781, Ent. Beytr. 3(3): 254. Type(s):-.
- 7456. *Heliothobus texturata* (Alpheraky,1892)** (Noctuidae) *Mamestra texturata* Alpheraky,1892, Horae Soc. ent. ross. 26:446. Syntypes: [China]: Tibet, Amdo.
- 7457. *Heliothis (Masalia) leucosticta* (Hampson,1902)** (Noctuidae) *Timora leucosticta* Hampson,1902, Ann. S. Afr. Mus. 2: 256. Type ♂: South Africa: N'Gamiland (BMNH).
- 7458. *Heliothis (Masalia) perstriata fuscostrata* (Brandt,1941)** (Noctuidae) *Timora fuscostrata* Brandt,1941, Mitt. münch. ent. Ges. 31: 854, fig.43. Syntypes: Iran: Laristan; Belutchistan: Tahte Malek, Bender Tchahbahar.
- 7459. *Heliothis (Masalia) philbyi* (Brandt,1941)** (Noctuidae) *Timora philbyi* Brandt,1941, Mitt. münch. ent. Ges. 31: 853-854, fig.44. Syntypes: Iran: Laristan; Sardze Umg.; Belutchistan: Tahte Malek.
- 7460. *Heliothis (Masalia) transvaalica* (Distant,1902)** (Noctuidae) *Timora transvaalica* Distant,1902, Entomologist 35: 212. Type: [South Africa: Gauteng]: Transvaal: Johannesburg (J.Hyde).
- 7461. *Heliothis nubigera Herrich-Schäffer*,[1851]** (Noctuidae) *Heliothis nubigera* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2:366. Type(s): Kleinasien.
- 7462. *Heliothis ononis* (Fabricius,1787)** (Noctuidae) *Noctua ononis* Fabricius,1787, Mant. Ins. 2: 143, nr.66a. Type(s): [Wien].
- 7463. *Heliothis peltigera* (Denis & Schiffermüller,1775)** (Noctuidae) *Noctua peltigera* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district.
- 7464. *Heliothis virescens* (Fabricius,1781)** (Noctuidae) *Noctua virescens* Fabricius,1781, Spec. Ins. 2: 216.
- 7465. *Heliothis viriplaca* (Hufnagel,1766)** (Noctuidae) *Phalaena viriplaca* Hufnagel,1766, Berl. Mag. 4(2): 406. Type(s): [Germany]: Berlin.
- 7466. *Hemiexarnis berezkii iuguma* (Brandt,1938)** (Noctuidae) *Agrotis (Ogygia) iuguma* Brandt,1938, Ent. Rdsch. 55: 502, figs. 103-104. Syntypes 2♂: Iran: Barm-i Firuz.
- 7467. *Hemiexarnis moechilla* (Püngeler,1906)** (Noctuidae) *Euxoa moechilla* Püngeler,1906, Dt. ent. Z., Iris 19: 81, pl.6 fig.13. Type ♂: [China: Uighur A.R.]: E.Turkestan: Aksu (MNHU,Berlin).
- 7468. *Heptapotamia Alpheraky,1882*** (Noctuidae) *Heptapotamia* Alpheraky,1882, Horae Soc. ent. ross. 17: 75. Type-species: *Heptapotamia eustratii* Alpheraky,1882, by monotypy.
- 7469. *Heptapotamia eustratii* Alpheraky,1882** (Noctuidae) *Heptapotamia eustratii* Alpheraky,1882, Horae Soc. ent. ross. 17: 75-76, Tab.iii fig.57. Syntypes ♂♂: [Kazakhstan]: Balkasche, Arganat (Semiretschié) (leg. Eustrate Scaramanga).
- 7470. *Heptapotamia eustratii eustratii* Alpheraky,1882** (Noctuidae) *Heptapotamia eustratii* Alpheraky,1882, Horae Soc. ent. ross. 17: 75-76, Tab.iii fig.57. Syntypes ♂♂: [Kazakhstan]: Balkasche, Arganat (Semiretschié) (leg. Eustrate Scaramanga).
- 7471. *Herminia grisealis* (Denis & Schiffermüller,1775)** (Noctuidae) *Pylalis grisealis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district.
- 7472. *Herminia nigricaria* Osthelder,1933** (Noctuidae) *Herminia nigricaria* Osthelder,1933, Mitt. münch. ent. Ges. 23: 101-102. Syntypes 2♂ 4♀: [Türkei]: Düldül Dagh.
- 7473. *Herminia proxima* Christoph,1893** (Noctuidae) *Herminia proxima* Christoph,1893, Dt. ent. Z., Iris 6: 94. Syntypes: [Azerbaijanshan]: Ordubad.

- 7474. *Herminia proxima proxima* Christoph, 1893** (Noctuidae) *Herminia proxima* Christoph, 1893, Dt. ent. Z., Iris 6: 94. Syntypes: [Aserbaidjan]: Ordubad.
- 7475. *Hermonassa doiinthanon* Owada, 1985** (Noctuidae) *Hermonassa doiinthanon* Owada, 1985, Tinea 12 (3): 18, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP (UOP).
- 7476. *Hermonassa siamensis* Owada, 1985** (Noctuidae) *Hermonassa siamensis* Owada, 1985, Tinea 12: 22, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon (UOP).
- 7477. *Hermonassa thailandica* Owada, 1985** (Noctuidae) *Hermonassa thailandica* Owada, 1985, Tinea 12: 20, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon (UOP).
- 7478. *Heterographa puengeleri* Bartel, 1904** (Noctuidae) *Heterographa puengeleri* Bartel, 1904, Dt. ent. Z., Iris 17: 161. Syntypes: Palestina: Jordantal.
- 7479. *Heterographa tetrastigma* Brandt, 1941** (Noctuidae) *Heterographa tetrastigma* Brandt, 1941, Mitt. münch. ent. Ges. 31: 850, fig. 34. Syntypes: Iran: Bender Tschabahr.
- 7480. *Himalistra Hacker & Ronkay, 1993*** (Noctuidae) *Himalistra Hacker & Ronkay*, 1992, Esperiana 3: 194-196. Type-species: *Orrhodia eriophora* Püngeler, 1901, by original designation.
- 7481. *Himalistra eriophora* (Püngeler, 1901)** (Noctuidae) *Orrhodia eriophora* Püngeler, 1901, Dt. ent. Z., Iris 14: 186, Taf. iii fig. 16. Holotype ♀: Ost-Turkestan: Aksu (leg. Rückbeil, 1900) (NHMU).
- 7482. *Himalistra eriophora eriophora* (Püngeler, 1901)** (Noctuidae) *Orrhodia eriophora* Püngeler, 1901, Dt. ent. Z., Iris 14: 186, Taf. iii fig. 16. Holotype ♀: Ost-Turkestan: Aksu (leg. Rückbeil, 1900) (NHMU).
- 7483. *Himalistra eriophora perspicua* (Püngeler, 1925)** (Noctuidae) *Conistra* (*Orrhodia*) *eriophora* var. *perspicua* Püngeler, 1925, Dt. ent. Z., Iris 39: 233. Holotype ♀: Ost-Turkestan: Chamil-Hami [Kumul] (leg. Rückbeil, 1908) (NHMU).
- 7484. *Hoplodrina ambigua* (Denis & Schiffermüller, 1775)** (Noctuidae) *Noctua ambigua* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 77. Type(s): [Austria]: Vienna district.
- 7485. *Hoplodrina ambigua ambigua* (Denis & Schiffermüller, 1775)** (Noctuidae) *Noctua ambigua* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 77. Type(s): [Austria]: Vienna district.
- 7486. *Hoplodrina blanda* (Denis & Schiffermüller, 1775)** (Noctuidae) *Noctua blanda* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district.
- 7487. *Hoplodrina blanda blanda* (Denis & Schiffermüller, 1775)** (Noctuidae) *Noctua blanda* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district.
- 7488. *Hoplodrina blanda robusta* Boursin, 1940** (Noctuidae) *Hoplodrina blanda* ssp. *robusta* Boursin, 1940, Mitt. münch. ent. Ges. 30: 536. Syntypes: Iran Sept., Elburs-Geb., Tacht i Suleiman, Särdaab Tal (Hasankif) 1000-1400m; Vandarban 2500-2700m (coll. Pfeiffer) (ZSM).
- 7489. *Hoplodrina levis* (Staudinger, 1888)** (Noctuidae) *Caradrina alsines* var. *levis* Staudinger, 1888, Stettin ent. Ztg. 49: 29. Syntypes: [Usbekistan]: Namangan, Margelan.
- 7490. *Hoplodrina octogenaria* (Goeze, 1781)** (Noctuidae) *Phalaena octogenaria* Goeze, 1781, Ent. Beytr. 3(3): 227.
- 7491. *Hoplodrina pfeifferi* (Boursin, 1932)** (Noctuidae) *Athetis pfeifferi* Boursin, 1932, Int. ent. Z. 23: 247-248, fig. Syntypes 2♂: Libanon: Bscharre (NHMW).
- 7492. *Hoplodrina respersa* (Denis & Schiffermüller, 1775)** (Noctuidae) *Noctua respersa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 314. Type(s): [Austria]: Vienna district.
- 7493. *Hoplodrina superstes* (Ochsenheimer, 1816)** (Noctuidae) *Caradrina superstes* Ochsenheimer, 1816, Schmett. Eur. 4: 80. Type(s): Europa.
- 7494. *Hypena (s.str.) obsitalis* (Hübner, 1813)** (Noctuidae) *Pyalis obsitalis* Hübner, [1813], Samml. eur. Schmett. 6, Pyralides: Tab. 25 figs. 164, 165; Tab. 28 fig. 179. Syntypes: Europa; Neotype ♂: [Kroatien]: Dalmatia merid., Gravosa Schwingenschuss leg. (NHMW) (designated by Lödl, 1994).
- 7495. *Hypena amica* (Butler, 1878)** (Noctuidae) *Dichromia amica* Butler, 1878, Ill. Type Spec. Lepid. Het. Colln. Br. Mus. 2: 55. Type(s): Japan: Yokohama.
- 7496. *Hypena crassalis* (Fabricius, 1787)** (Noctuidae) *Phalaena crassalis* Fabricius, 1787, Mant. Ins. 2: 317. Type(s): Austria.
- 7497. *Hypena munitalis* Mann, 1861** (Noctuidae) *Hypena munitalis* Mann, 1861, Wien. ent. Monatschr. 5: 158. Type ♂: [Türkei]: Amasia.
- 7498. *Hypena palpalis* (Hübner, 1796)** (Noctuidae) *Pyalis palpalis* Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 2 fig. 9. Type(s): Europa.
- 7499. *Hypena proboscidalis* (Linnaeus, 1758)** (Noctuidae) *Phalaena proboscidalis* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 533. Type(s): Europa.
- 7500. *Hypena rostralis* (Linnaeus, 1758)** (Noctuidae) *Phalaena rostralis* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 533. Type(s): [Europa].
- 7501. *Hypena sagitta* (Fabricius, 1775)** (Noctuidae) *Noctua sagitta* Fabricius, 1775; Syst. Ent.: 597. Type(s): India.
- 7502. *Hypeuthina fulgurita* Lederer, 1855** (Noctuidae) *Hypeuthina fulgurita* Lederer, 1855, Verh. zool.-bot. Ges. Wien 5: 199. Type(s): [Lebanon]: Beirut.
- 7503. *Hypocala deflorata* (Fabricius, 1794)** (Noctuidae) *Noctua deflorata* Fabricius, 1794, Ent. Syst. 3 (2): 127. Type(s): India orientali.
- 7504. *Hypocala rostrata* (Fabricius, 1794)** (Noctuidae) *Noctua rostrata* Fabricius, 1794, Ent. Syst. 3 (2): 127. Type(s): India orientali.
- 7505. *Hypopyra vespertilio* (Fabricius, 1787)** (Noctuidae) *Noctua vespertilio* Fabricius, 1787, Mantissa Insectorum 2: 136. Type: Tranquebariae.
- 7506. *Hypsophila tamerlana* Staudinger, 1901** (Noctuidae) *Hypsophila jugorum* var. *tamerlana* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 220. Syntypes: [China: Uighur A.R.]: Korla, Kaschgär, Thian or. (trans.).
- 7507. *Hyssia cavernosa* (Eversmann, 1852)** (Noctuidae) *Orthosia cavernosa* Eversmann, 1852, Bull. Soc. imp. nat. Moscou 15: 547. Syntypes: [Russia]: Ural, Kasan.
- 7508. *Hyssia cavernosa cavernosa* (Eversmann, 1842)** (Noctuidae) *Orthosia cavernosa* Eversmann, 1852, Bull. Soc. imp. nat. Moscou 15: 547. Syntypes: [Russia]: Ural, Kasan.
- 7509. *Idia calvaria* (Denis & Schiffermüller, 1775)** (Noctuidae) *Noctua calvaria* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 71. Type(s): [Austria]: Vienna district.
- 7510. *Idia calvaria calvaria* (Denis & Schiffermüller, 1775)** (Noctuidae) *Noctua calvaria* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 71. Type(s): [Austria]: Vienna district.
- 7511. *Iontha umbrina* Doubleday, 1842** (Noctuidae) *Iontha umbrina* Doubleday, 1842, Entomologist 1: 298. Type: [Bangladesh]: Silhet.
- 7512. *Ipimorpha subtusa* (Fabricius, 1787)** (Noctuidae) *Noctua subtusa* Fabricius, 1787, Mant. Ins. 2: 152-153, nr. 130. Type(s): [Wien].
- 7513. *Iranada ornata* (Brandt, 1938)** (Noctuidae) *Armada ornata* Brandt, 1938, Ent. Rdsch. 55: 561, figs. 195-199. Syntypes: Iran: Fort Mian-Kotal.
- 7514. *Iranada tarachoides* (Bytinski-Salz & Brandt, 1937)** (Noctuidae) *Armada tarachoides* Bytinski-Salz & Brandt, 1937, Entomologist's Rec. J. Var. 49: 9. Syntypes 3♂ 1♀: Iran: Keredj, 1600m.
- 7515. *Iranada turcorum* (Zerny, 1915)** (Noctuidae) *Armada turcorum* Zerny, 1915, Verh. zool.-bot. Ges. Wien 65: 223. Syntypes: Sinai, Haifa.
- 7516. *Iranada turcorum turcorum* (Zerny, 1915)** (Noctuidae) *Armada turcorum* Zerny, 1915, Verh. zool.-bot. Ges. Wien 65: 223. Syntypes: Sinai, Haifa.
- 7517. *Isolasia chlorata* Hreblay & L. Ronkay, 1999** (Noctuidae) *Isolasia chlorata* Hreblay & L. Ronkay, 1999, Esperiana 7: 541, figs. Holotype ♂: Thailand: Chiang Mai, Doi Phahompok, 18km NW of Fang 2100m, 7.xii.1998, leg. M. Hreblay (coll. Hreblay).
- 7518. *Janthinea divalis* Staudinger, 1892** (Noctuidae) *Janthinea divalis* Staudinger, 1892, Dt. ent. Z., Iris 4: 312-313, Taf. iv fig. 6. Syntypes: [Türkei]: Malatia.
- 7519. *Janthinea friwaldskii* (Duponchel, 1835)** (Noctuidae) *Heliopsis friwaldskii* Duponchel, 1835, Anns Soc. ent. Fr. 4: 633. Syntypes: Balkan.
- 7520. *Jodia croceago* (Fabricius, 1787)** (Noctuidae) *Noctua croceago* Fabricius, 1787, Mant. Ins. 2: 159, nr. 163. Type(s): [Wien].
- 7521. *Karmanica chosroes* (Brandt, 1938)** (Noctuidae) *Antitype chosroes* Brandt, 1938, Ent. Rdsch. 55: 518, fig. 91. Syntypes 2♀: Iran: [Fars]: Chiraz.
- 7522. *Kocakina fidelis* (Grote, 1874)** (Noctuidae) *Himella fidelis* Grote, 1874, Proc. Acad. nat. Sci. Phil. 1874: 200.
- 7523. *Kocakina Özdikmen & Seven, 2006*** (Noctuidae) *Kocakina Özdikmen & Seven*, 2006, Mun. Ent. Zool. 1(1): 125-126. Type-species: *Himella fidelis* Grote, 1874, by original designation.

- 7524. *Lacanobia (Dianobia) dissimilis* (Knoch,1781)** (Noctuidae) *Phalaena dissimilis* Knoch,1781, Beitr. Insektengesch. 1:57, tab.4, figs.1-4.
- 7525. *Lacanobia (Dianobia) histrio* (Goeze,1781)** (Noctuidae) *Phalaena histrio* Goeze,1781, Ent. Beytr. 3(3): 206, nr.64.
- 7526. *Lacanobia (Dianobia) thalassina* (Hufnagel,1766)** (Noctuidae) *Phalaena thalassina* Hufnagel,1766, Berl. Mag. 3(3): 298. Type(s):[Germany]: Berlin.
- 7527. *Lacanobia (Diataraxia) blenna* (Hübner,[1824])** (Noctuidae) *Noctua blenna* Hübner,[1824], Samml. eur. Schmett. Noct.2: Taf.152, fig.706. Type(s): Europa.
- 7528. *Lacanobia (Diataraxia) oleracea* (Linnaeus,1758)** (Noctuidae) *Phalaena oleracea* Linnaeus,1758, Syst. Nat. (Edn.10)1: 517. Type(s): [Europa].
- 7529. *Lacanobia (Diataraxia) praedita* (Hübner,[1813])** (Noctuidae) *Noctua praedita* Hübner,[1813], Samml. eur. Schmett. Noct.2: Taf. 130 fig.595. Type(s): Europa.
- 7530. *Lacanobia (Diataraxia) softa* (Staudinger,1898)** (Noctuidae) *Mamestra softa* Staudinger,1898, Dt. ent. Z., Iris 10: 275, Taf.4 fig.15.
- 7531. *Lacanobia (s.str.) w-latinum* (Hufnagel,1766)** (Noctuidae) *Phalaena w-latinum* Hufnagel,1766, Berl. Mag. 3(3): 292. Type(s): [Germany]: Berlin.
- 7532. *Lampra fimbriata* (Schreber,1759)** (Noctuidae) *Phalaena fimbriata* Schreber,1759, Nova Species Insectorum: 13, fig.9. Type(s): [Deutschland]: Halae [=Halle].
- 7533. *Lamprostricta culta* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua culta* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 70. Type(s): [Austria]: Vienna district.
- 7534. *Lamprostricta culta albescens* Hacker,1990** (Noctuidae) *Lamprostricta culta* ssp. *albescens* Hacker,1990, Neue ent. Nachr. 27: 457-458, figs. Holotype ♂: Türkei: Prov. Nevşehir: Göreme, 10km W Ürgüp, 1200m, 20.vii.1984 (leg. & coll. Hacker).
- 7535. *Lamprostricta culta culta* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua culta* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 70. Type(s): [Austria]: Vienna district.
- 7536. *Lasionycta proxima* (Hübner,[1809])** (Noctuidae) *Noctua proxima* Hübner,[1809], Samml. eur. Schmett., Noct. 2: Taf.87, fig.409. Type: [Schweiz]: Wallis].
- 7537. *Laspeyria flexula* ([Denis & Schiffermüller],1775)** (Noctuidae) *Bombyx flexula* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 64. Type(s): [Austria]: Vienna district.
- 7538. *Leucania canariensis* Rebel,1894** (Noctuidae) *Leucania putrida* Staudinger,1889, Stettin ent. Ztg. 50: 48. Syntypes: [Kirgizistan]: Issyk-kul; [Uzbekistan]: Margelan.
- 7539. *Leucania comma* (Linnaeus,1761)** (Noctuidae) *Phalaena comma* Linnaeus,1761, Fauna Suecica (2): 316. Type(s): Schweden.
- 7540. *Leucania herriichi* Herrich-Schäffer,[1849]** (Noctuidae) *Leucania herriichi* Herrich-Schäffer,[1849], Syst. Bearb. Schmett. Eur. 2: 238, Taf.66 fig.341. Type(s): [Türkei]: Bosphorus.
- 7541. *Leucania loreyi* (Duponchel,1827)** (Noctuidae) *Noctua loreyi* Duponchel,1827, Hist. nat. Lépid. Pap. France 7: 81, pl.105 fig.7. Type(s): [France]: Dijon.
- 7542. *Leucania obsoleta* (Hübner,[1803])** (Noctuidae) *Noctua obsoleta* Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf. 48, fig.233. Type: [Europa].
- 7543. *Leucania palaestinae* Staudinger,1897** (Noctuidae) *Leucania putrida* var. *palaestinae* Staudinger,1897, Dt. ent. Z., Iris 10: 174, Taf. iv figs. 11,12. Syntypes: Palaestina: Haifa.
- 7544. *Leucania punctosa* (Treitschke,1825)** (Noctuidae) *Simyra punctosa* Treitschke,1825, Schmett. Eur. 5(2): 287. Type(s): Mulzer in Unsbach.
- 7545. *Leucania punctosa punctosa* (Treitschke,1825)** (Noctuidae) *Simyra punctosa* Treitschke,1825, Schmett. Eur. 5(2): 287. Type(s): Mulzer in Unsbach.
- 7546. *Leucania putrescens* (Hübner,[1824])** (Noctuidae) *Noctua putrescens* Hübner,[1824], Samml. eur. Schmett., Noct. 2: Taf.156, figs.730-731. Syntypes: [Europa].
- 7547. *Leucochlaena fallax reticularis* Gyulai & L.Ronkay,1995** (Noctuidae) *Leucochlaena fallax* ssp. *reticularis* Gyulai & L.Ronkay,1995, Folia ent. hung. 56: 30-33, figs. Holotype ♂: Turkey: Sivas Prov., Ziyaret pass, 1910m 5-6.09.1991 leg. & coll. P.Gyulai.
- 7548. *Leucochlaena hoerhammeri* (Wagner,1931)** (Noctuidae) *Heliophobus hoerhammeri* Wagner,1931, Int. ent. Z. 25: 367. Type: [Türkei]: Akşehir.
- 7549. *Leucochlaena jordana* Draudt,1934** (Noctuidae) *Leucochlaena hispida jordana* Draudt,1934, [in] Seitz, Die Gross-Schmett. Erde 3 (suppl.): 131. Type(s): [Israel]: Jordantal.
- 7550. *Leucochlaena muscosa* (Staudinger,1892)** (Noctuidae) *Epunda muscosa* Staudinger,1892, Dt. ent. Z., Iris 4: 281-282. Syntypes 5♂: [Türkei]: Amasia, ?Maraş, ?Malatia.
- 7551. *Leucochlaena muscosa muscosa* (Staudinger,1892)** (Noctuidae) *Epunda muscosa* Staudinger,1892, Dt. ent. Z., Iris 4: 281-282. Syntypes 5♂: [Türkei]: Amasia, ?Maraş, ?Malatia.
- 7552. *Leucochlaena muscosa rasilis* Draudt,1933** (Noctuidae) *Leucochlaena rasilis* Draudt,1933, Ent. Rdsch. 50: 167, Taf.2 fig.6. Type ♂: Palaestina: Jerusalem (Dilb) (Wutzdorff leg.).
- 7553. *Lithophane franclemonti* Metzler,1998** (Noctuidae) *Lithophane franclemonti* Metzler,1998, J. Lep. Soc. 52: 2. Holotype ♂: Ohio: Wyandot Co., Pitt Township (USNM).
- 7554. *Lithophane lamda* (Fabricius,1787)** (Noctuidae) *Noctua lamda* Fabricius,1787, Mantissa Insectorum 2: 174. Type: Germania.
- 7555. *Lithophane lapidea* (Hübner,[1808])** (Noctuidae) *Noctua lapidea* Hübner,[1808], Samml. eur. Schmett. 4, Noctuae: Tab. 82, fig.382. Type(s): Europa.
- 7556. *Lithophane ledereri* (Staudinger,1892)** (Noctuidae) *Xylina ledereri* Staudinger,1892, Dt. ent. Z., Iris 4: 304-305. Syntypes: [Türkei]: Amasia (Kindermann leg.).
- 7557. *Lithophane ornitopus* (Hufnagel,1766)** (Noctuidae) *Phalaena ornitopus* Hufnagel,1766, Berl. Mag. 3(3): 304. Type(s): [Germany]: Berlin.
- 7558. *Lithophane semibrunnea* (Haworth,1809)** (Noctuidae) *Noctua semibrunnea* Haworth,[1809], Lep. Br. 2:171. Type(s): England.
- 7559. *Lithophane semibrunnea semibrunnea* (Haworth,1809)** (Noctuidae) *Noctua semibrunnea* Haworth,[1809], Lep. Br. 2:171. Type(s): England.
- 7560. *Lithophane semibrunnea wiltshirei* Boursin,1962** (Noctuidae) *Lithophane semibrunnea* ssp. *wiltshirei* Boursin,1962, Z. wien. ent. Ges. 47: 92-94, figs. Holotype ♂: [Türkei]: Ost-Anatolien: Malatya-Tecde, April (NHMW).
- 7561. *Lithophasia cyaxares* Wiltshire,1957** (Noctuidae) *Lithophasia cyaxares* Wiltshire,1957, Lepidoptera of Iraq: 69-70. Holotype ♂: Iraq: Haj Omran, near Rayat, 2-13.vi.56 (coll. Wiltshire).
- 7562. *Lithophasia venosula* Staudinger,1892** (Noctuidae) *Lithophasia venosula* Staudinger,1892, Dt. ent. Z., Iris 4: 305-306, Taf. iv fig.3. Syntypes ♂♀: [Libanon]: Beirut.
- 7563. *Lophoptera huma* (Swinhoe,1903)** (Noctuidae) *Lophoptera huma* Swinhoe,1903, Fasc. Malay. Zool. 1: 75. Type: Thailand: Biserat.
- 7564. *Lophoterges (Fibigeres) hoerhammeri* (Wagner,1931)** (Noctuidae) *Lithocampa millierei* var. *hoerhammeri* Wagner,1931, Int. ent. Z. 25: 367. Holotype ♂: [Türkei]: Ak-chehir (ZSM).
- 7565. *Luperina diversa* (Staudinger,1892)** (Noctuidae) *Apamea dumerilii* var. *diversa* Staudinger,1892, Dt. ent. Z., Iris 4: 284-285. Syntypes: [Türkei]: Amasia, Diarbekir.
- 7566. *Luperina diversa diversa* (Staudinger,1892)** (Noctuidae) *Apamea dumerilii* var. *diversa* Staudinger,1892, Dt. ent. Z., Iris 4: 284. Syntypes: [Türkei]: Amasia, Diarbekir.
- 7567. *Luperina dumerilii* (Duponchel,1826)** (Noctuidae) *Noctua dumerilii* Duponchel,1826, Hist. nat. Lépid. Pap. Fr. 6: 277. Type(s): Paris.
- 7568. *Luperina dumerilii sancta* (Staudinger,1892)** (Noctuidae) *Apamea dumerilii* var. *sancta* Staudinger,1892, Dt. ent. Z., Iris 4: 285. Syntypes: [Israel]: Jerusalem.
- 7569. *Luperina grzimeki* Hacker,1989** (Noctuidae) *Luperina grzimeki* Hacker,1989, Atalanta 19 (1/4): 174-176, figs. Holotype ♂: Aegten: Mariput, El Agomi, 16.ix.1974, leg. Zouhar (ZSM).
- 7570. *Luperina koshantschikovi amplificata* Hacker,1990** (Noctuidae) *Luperina koshantschikovi* ssp. *amplificata* Hacker,1990, Neue ent. Nachr. 27: 460-461, figs. Holotype ♂: Türkei: [Kırkkale]: Köprüköy, 10.vii.1970 leg. Pinker (NHMW).
- 7571. *Luperina rjabovi* (Kljutschko,1967)** (Noctuidae) *Palluperina rjabovi* Kljutschko,1967, Ent. Obozr. 46: 871. Holotype: [Russia]: Daghestan.
- 7572. *Luperina rubella* (Duponchel,1835)** (Noctuidae) *Orthosia rubella* Duponchel,1835, Hist. nat. Lépid. Pap. Fr. Suppl.3: 249. Type(s): S.France.
- 7573. *Luperina rubella rubella* (Duponchel,1835)** (Noctuidae) *Orthosia rubella* Duponchel,1835, Hist. nat. Lépid. Pap. Fr. Suppl.3: 249. Type(s): S.France.
- 7574. *Luperina testacea* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua testacea* [Denis & Schiffermüller],1775,

Ankündigung syst. Werkes Schmett. Wienergegend: 81. Type(s): [Austria]: Vienna district.

7575. *Lycophorus ankarensis* (Rebel,1931) (Noctuidae) *Episema ankarensis* Rebel,1931, Annln naturh. Mus. Wien 46:7. Syntypes: Turkey: Ankara.

7576. *Lycophorus tischendorfi* (Püngeler,1915) (Noctuidae) *Euxoa tischendorfi* Püngeler,1915, Dt. ent. Z., Iris 29: pl.3 figs.21,22. Syntypes: Syrien: Aleppo (cf. Koçak,1991, Misc. Pap. 10: 1).

7577. *Lycophotia porphyrea* ([Denis & Schiffermüller],1775) (Noctuidae) *Noctua porphyrea* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 83. Type(s): [Austria]: Vienna district.

7578. *Lygephila cracca* (Fabricius,1787) (Noctuidae) *Noctua cracca* Fabricius,1787, Mant. Ins. 2: 154, nr.137. Type(s): [Wien].

7579. *Lygephila ludicra* (Hübner,1790) (Noctuidae) *Phalaena ludicra* Hübner,1790, Beitr. Gesch. Schmett. 2(4): 95,128, Taf.(4)3 fig.R.

7580. *Lygephila lusoria* (Linnaeus,1758) (Noctuidae) *Phalaena lusoria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 506. Type(s): Germania.

7581. *Lygephila lusoria amasina* (Staudinger,1879) (Noctuidae) *Toxocampa lusoria* var. *amasina* Staudinger,1879, Horae Soc. ent. ross. 14: 428. Syntypes: [Türkei]: Amasia (Kerasdere).

7582. *Lygephila lusoria lusoria* (Linnaeus,1758) (Noctuidae) *Phalaena lusoria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 506. Type(s): Germania.

7583. *Lygephila pallida* (A.Bang-Haas,1907) (Noctuidae) *Toxocampa pallida* A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 77. Syntypes: Aintab [Gaziantep]; Zeitun [Süleymanli].

7584. *Lygephila pastinum* (Treitschke,1826) (Noctuidae) *Ophiura pastinum* Treitschke,1826, Schmett. Eur. 5(3): 297. Syntypes: Wien.

7585. *Lygephila procax* (Hübner,[1813]) (Noctuidae) *Noctua procax* Hübner,[1813], Samml. eur. Schmett., Noctuae: Taf.109, fig.510. Type(s): [Europa].

7586. *Lygephila schachtii* Behounek & Hacker,1986 (Noctuidae) *Lygephila schachtii* Behounek & Hacker,1986, Entomofauna 7: 42, figs. Holotype ♂: Türkei: Hakkari.

7587. *Lygephila viciae* (Hübner,[1822]) (Noctuidae) *Noctua viciae* Hübner,[1822], Samml. eur. Schmett. Noct.3: Tab.146 fig.671-673. Syntypes: Europa.

7588. *Lygniodes plateni* Pagenstecher,1890 (Noctuidae) *Lygniodes plateni* Pagenstecher,1890, Dt. ent. Z., Iris 3: 18-19. Syntypes 1♂ 1♀: [Philippines]: Palawan.

7589. *Lygniodes vampyrus* (Fabricius,1794) (Noctuidae) *Noctua vampyrus* Fabricius,1794, Ent. Syst. 3 (2): 14.

7590. *Macdunnoughia* (Sclerogenia) *jessica* (Butler,1878) (Noctuidae) *Plusia jessica* Butler,1878, Ann. Mag. nat. Hist. (5) 1: 201.

7591. *Mamestra brassicae* (Linnaeus,1758) (Noctuidae) *Phalaena brassicae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Type(s): [Europa].

7592. *Mamestra brassicae brassicae* (Linnaeus,1758) (Noctuidae) *Phalaena brassicae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Type(s): [Europa].

7593. *Maraschia Osthelder,1933* (Noctuidae) *Maraschia Osthelder,1933*, Mitt. münch. ent. Ges. 23: 76. Type-species: *Maraschia griseocens* Osthelder,1933, ibid. 23: 76-77, by monotypy.

7594. *Maraschia griseocens* Osthelder,1933 (Noctuidae) *Maraschia griseocens* Osthelder,1933, Mitt. münch. ent. Ges. 23: 76-77. Syntypes 2♂ 1♀: [Türkei]: Maraş.

7595. *Margelana flavidior* Wagner,1831 (Noctuidae) *Margelana flavidior* Wagner,1831, Int. ent. Z. 25: 36.

7596. *Margelana ochrea* Brandt,1941 (Noctuidae) *Margelana flavidior* ssp. *ochrea* Brandt,1941, Mitt. münch. ent. Ges. 31: 850-851. Syntypes: Iran: [Khorassan]: Kouh i Binaloud bei Meched, 2500-3000m.

7597. *Maurilia iconica* (Walker,1857) (Noctuidae) *Anomis iconica* Walker,1857, List 13: 992.

7598. *Megalodes eximia* (Freyer,1845) (Noctuidae) *Cosmia eximia* Freyer,1845, Neuere Beitr. Schmett. 5: 104. Tab. 442 fig. 3. Type(s): [Türkei]: europäische Türkei.

7599. *Megalodes eximia eximia* (Freyer,1845) (Noctuidae) *Cosmia eximia* Freyer,1845, Neuere Beitr. Schmett. 5: 104. Tab. 442 fig. 3. Type(s): [Türkei]: europäische Türkei.

7600. *Megalodes eximia proluxa* Draudt,1933 (Noctuidae) *Megalodes proluxa* Draudt,1933, Ent. Rdsch. 50: 187. Syntypes: Palestina: Jerusalem.

7601. *Megalodes eximia tengistana* Brandt,1938 (Noctuidae) *Megalodes tengistana* Brandt,1938, Ent. Rdsch. 55: 553, fig. 190. Syntypes: Iran: Tschurum.

7602. *Meganephria bimaculosa* (Linnaeus,1767) (Noctuidae) *Phalaena bimaculosa* Linnaeus,1767, Syst. Nat. (Edn.12)1: 856. Type(s): Germany.

7603. *Meganephria bimaculosa bimaculosa* (Linnaeus,1767) (Noctuidae) *Phalaena bimaculosa* Linnaeus,1767, Syst. Nat. (Edn.12)1: 856. Type(s): Germany.

7604. *Meganephria bimaculosa pontica* Draudt,1936 (Noctuidae) *Meganephria bimaculosa* ssp. *pontica* Draudt,1936, Ent. Rdsch. 53: 492, Taf. iv d3. Syntypes: [Türkei]: Akschehir (Sultan Dag).

7605. *Meganola albula* ([Denis & Schiffermüller],1775) (Noctuidae) *Noctua albula* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 69. Type(s): [Austria]: Vienna district.

7606. *Meganola asperalis* Villers,1789 (Noctuidae) *Phalaena asperalis* de Villers, 1789, Linn. Ent. 2: 451.

7607. *Meganola gigantula* (Staudinger,1879) (Noctuidae) *Nola gigantula* Staudinger,1879, Horae Soc. ent. ross. 14: 328. Type ♀: [Türkei]: Amasia.

7608. *Meganola nanula* (Wiltshire,1961) (Noctuidae) *Roeselia nanula* Wiltshire,1961, Beitr. naturk. Forsch. SW-Deutschl. 19 (3): 338-339, pl.ii figs.4,6,7. Holotype ♂: Afghanistan: Badachschan, Kabul vicinity 1740m, 14.v.52 (leg. & coll. Klapperich).

7609. *Meganola strigula* ([Denis & Schiffermüller],1775) (Noctuidae) *Noctua strigula* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 69. Type(s): [Austria]: Vienna district.

7610. *Meganola taurica* (Daniel,1935) (Noctuidae) *Roeselia taurica* Daniel,1935, Mitt. münch. ent. Ges. 25: 42. Holotype ♀: [Türkei]: Amanus, Dül-Dül Dag.

7611. *Meganola togatalis* (Hübner,1796) (Noctuidae) *Pyalis togatalis* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.20 fig.131. Type(s): Europa.

7612. *Meganocytyia Hreblay & L.Ronkay,1998* (Noctuidae) *Meganocytyia Hreblay & L.Ronkay,1998*, Tinea 15 (Suppl.1): 207. Type-species: *Meganocytyia forcipata* Hreblay & L.Ronkay,1998, by original designation.

7613. *Mekrania punctalis* Brandt,1941 (Noctuidae) *Mekrania punctalis* Brandt,1941, Mitt. münch. ent. Ges. 31: 856-857, fig.55. Syntypes: Iran: [Belutchistan]: Bender Tchahbahar.

7614. *Melanchra persicariae* (Linnaeus,1761) (Noctuidae) *Phalaena persicariae* Linnaeus,1761, Fauna Suecica (2): 319. Type(s): Schweden.

7615. *Melanchra persicariae persicariae* (Linnaeus,1761) (Noctuidae) *Phalaena persicariae* Linnaeus,1761, Fauna Suecica (2): 319. Type(s): Schweden.

7616. *Melanchra pisi* (Linnaeus,1758) (Noctuidae) *Phalaena pisi* Linnaeus,1758, Syst. Nat. (Edn.10)1: 517. Type(s): [Europa].

7617. *Mentaxya atritegula* (Hampson,1902) (Noctuidae) *Agrotis atritegula* Hampson,1902, Ann. S. Afr. Mus. 2: 261. Type ♂: South Africa: Transvaal (BMNH).

7618. *Mesapamea (Resapamea) hedeni* (Graeser,1888) (Noctuidae) *Hadena hedeni* Graeser,1888, Berl. ent. Z. 32: 333. Type(s): Amurland.

7619. *Mesapamea (Resapamea) hedeni hedeni* (Graeser,1888) (Noctuidae) *Hadena hedeni* Graeser,1888, Berl. ent. Z. 32: 333. Type(s): Amurland.

7620. *Mesapamea (Resapamea) hedeni vargai* Hacker,1988 (Noctuidae) *Mesapamea hedeni* ssp. *vargai* Hacker,1988, Atalanta 18 (3/4): 351, Taf.2 figs.5,6. Holotype ♂: [Türkei]: Erzurum Prov.: Kopdağı Geçidi, 2400m, 10-14.vii.1983, (leg. Thomas, coll. Peks).

7621. *Mesapamea (s.str.) didyma* (Esper,[1788]) (Noctuidae) *Phalaena didyma* Esper,[1788], Die Schmett. 4: 378, Taf.126 Noct. 47 fig.7 Type(s): Erlangen.

7622. *Mesapamea (s.str.) secalis* (Linnaeus,1758) (Noctuidae) *Phalaena secalis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 519. Type(s): [Europa].

7623. *Mesapamea (s.str.) vaskeni kazbekiana* Ronkay & Varga,1985 (Noctuidae) *Mesapamea vaskeni* ssp. *kazbekiana* Ronkay & Varga,1985, Z. ArbGem. öst. Ent. 36 (3/4): 91, Taf.1 fig.14. Holotype ♂: [Georgia]: UdSSR, Grusien: Kazbegi 1900m (leg.Ronkay) (NWMB).

7624. *Mesogona acetosellae* (Goeze,1781) (Noctuidae) *Phalaena acetosellae* Goeze,1781, Ent. Beytr. 3(3): 218, nr.175.

7625. *Mesogona oxalina* (Hübner,[1803]) (Noctuidae) *Noctua oxalina* Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf. 45, figs. 219. Type: [Europa].

7626. *Mesoligia furuncula* ([Denis & Schiffermüller],1775) (Noctuidae) *Noctua furuncula* [Denis & Schiffermüller],1775,

Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district.

7627. Mesoligia literosa (Haworth,[1809]) (Noctuidae) Noctua literosa Haworth,[1809], Lepid. Br.: 213. Type(s): England.

7628. Mesoligia literosa kutchilou (Brandt,1939) (Noctuidae) Oligia literosa ssp. kutchilou Brandt,1939, Ent. Rdsch. 56: 88. Type ♂: Iran: Fars: Comèe.

7629. Mesoligia literosa literosa (Haworth,[1809]) (Noctuidae) Noctua literosa Haworth,[1809], Lepid. Br.: 213. Type(s): England.

7630. Mesoligia literosa minorasia Rezbanyai-Reser,1998 (Noctuidae) Mesoligia literosa ssp. minorasia Rezbanyai-Reser,1998, Ent. Ber., Luzern40: 112-113, figs. Holotype ♂: Türkei: Asia minor: [Sivas Prov.]: Gürün leg. Friedel (ZSM).

7631. Mesoligia literosa siciliana Rezbanyai-Reser,1998 (Noctuidae) Mesoligia literosa ssp. siciliana Rezbanyai-Reser,1998, Ent. Ber., Luzern 40: 113-114, figs. Holotype ♂: Italia: Sicilia: Mistretta, Mercuore, 700m (leg. Klimsch).

7632. Metachrostis sefidi (Brandt,1938) (Noctuidae) Leptosia sefidi Brandt,1938, Ent. Rdsch. 55: 558, figs. 140-142. Syntypes: Iran: [Fars]: Fort Mian-Kotal.

7633. Metachrostis velox (Hübner,[1813]) (Noctuidae) Noctua velox Hübner,[1813], Samml. eur. Schmett. 4, Noctuae: Tab.108 fig.507. Type(s): Europa.

7634. Metaegle gratiosa (Staudinger,1892) (Noctuidae) Metoponia gratiosa Staudinger,1892, Dt. ent. Z., Iris 4: 325. Syntypes: [Türkei]: Mardin.

7635. Metaegle pallida (Staudinger,1892) (Noctuidae) Metoponia pallida Staudinger,1892, Dt. ent. Z., Iris 4: 323. Syntypes: [Türkei]: Mardin.

7636. Metalopha ingloria Draudt,1933 (Noctuidae) Metalopha ingloria Draudt,1933, Ent. Rdsch. 50: 159-160, Taf.2 fig.5. Syntypes: Palaestina: Jerusalem (Dilb).

7637. Metalopha liturata (Christoph,1887) (Noctuidae) Megalodes liturata Christoph,1887, [in] Romanoff, Mem. Lep. 3:89. Syntypes: [Iran]: Shahrud. [Turkmenistan]: Aschabad.

7638. Metalopha liturata liturata (Christoph,1887) (Noctuidae) Megalodes liturata Christoph,1887, [in] Romanoff, Mem. Lep. 3:89. Syntypes: [Iran]: Shahrud. [Turkmenistan]: Aschabad.

7639. Metopoceras (s.str.) delicata (Staudinger,1898) (Noctuidae) Nudifrons delicata Staudinger,1898, Dt. ent. Z., iris 10: 291. Synpses: Jerusalem?

7640. Metopoceras (s.str.) solitudo (Brandt,1938) (Noctuidae) Synthymia solitudo Brandt,1938, Ent. Rdsch. 55: 553, figs. 165-166. Syntypes: Iran: Dalaki.

7641. Metopodicha ernesti Draudt,1936 (Noctuidae) Metopodicha ernesti Draudt,1936, Ent. Rdsch. 53: 492, Taf. iv 5c. Type: [Türkei]: Achyr-Dagh (Marasch).

7642. Metoponrhis albirena (Christoph,1887) (Noctuidae) Photodes albirena Christoph,1887, [in] Romanoff, Mém. Léop. 3: 87. Lectotype ♂: [Turkmenistan]: Askhabad, designated by Rjabov, [in] Wiltshire,1979 (ZI).

7643. Metoponrhis albirena albirena (Christoph,1887) (Noctuidae) Photodes albirena Christoph,1887, [in] Romanoff, Mém. Léop. 3: 87. Lectotype ♂: [Turkmenistan]: Askhabad, designated by Rjabov, [in] Wiltshire,1979 (ZI).

7644. Metoponrhis karakumensis (Gerasimov,1931) (Noctuidae) Armada karakumensis Gerasimov,1931, Mitt. münch. ent. Ges. 21 (2): 62. Type: [Turmenistan]: Karakum (ZI).

7645. Metoponrhis karakumensis karakumensis (Gerasimov,1931) (Noctuidae) Armada karakumensis Gerasimov,1931, Mitt. münch. ent. Ges. 21 (2): 62. Type: [Turmenistan]: Karakum (ZI).

7646. Metoponrhis karakumensis kasyi Wiltshire,1971 (Noctuidae) Metoponrhis karakumensis ssp. kasyi Wiltshire,1971, 640. Holotype ♂: Iran: N.O.Iran: Jusufabad (NHMW).

7647. Metopoplus boursini Brandt,1938 (Noctuidae) Metopoplus boursini Brandt,1938, Ent. Rdsch. 55: 552, figs. 118-122. Syntypes: Iran.

7648. Metopoplus excelsa (Christoph,1885) (Noctuidae) Clidia excelsa Christoph,1885 [in] Romanoff, Mém. Lépid. 2: Taf.13 fig.4. Type(s): [Iran]: Schahkuh.

7649. Micragrotis interstriata (Hampson,1902) (Noctuidae) Agrotis interstriata Hampson,1902, Ann. S. Afr. Mus. 2: 264. Syntypes: [Zimbabwe]: Mashonaland: Salisbury (Marshall); South Africa: Natal: Karkloof, Weenen (Marshall); Cape Colony: Transkei (Miss F.Barrett) (BMNH).

7650. Micragrotis puncticostata (Hampson,1902) (Noctuidae) Agrotis puncticostata Hampson,1902, Ann. S. Afr. Mus. 2: 263.

Syntypes ♂♂: [Kenya]: British East Africa: Athi R. (Betton); South Africa: Natal: Estcourt (Hutchinson) (BMNH).

7651. Micragrotis strigibasis (Hampson,1902) (Noctuidae) Agrotis strigibasis Hampson,1902, Ann. S. Afr. Mus. 2: 264-265. Syntypes: [Kenya]: British East Africa: Athi-ya-Mawe (Betton); [Zimbabwe]: Mashonaland: Salisbury [Harare] (Marshall); South Africa: Cape Colony: Annshaw (Miss F.Barrett) (BMNH).

7652. Micronola Amsel,1935 (Noctuidae) Micronola Amsel,1935, Veröff. Dt.-kolon.Ubersee-Mus. Bremen 1: 215. Type-species: Micronola wadicola Amsel,1935, by monotypy.

7653. Micronola wadicola Amsel,1935 (Noctuidae) Micronola wadicola Amsel,1935, Veröff. Dt.-kolon.Ubersee-Mus. Bremen 1: 215, Taf.12 fig."5,16. Type ♂: Palaestina: Jericho (LNK).

7654. Microxestis wutzdorffi (Püngeler,1907) (Noctuidae) Euxestis wutzdorffi Püngeler,1907, Dt. ent. Z., Iris 19: 223, pl.vii fig.5. Type: Palästina: Jordantal.

7655. Mimeugoa bifasciata (Hampson,1894) (Noctuidae) Anachrostis bifasciata Hampson,1894, Fauna Br. India (Moths) 2: 100.

7656. Minucia bimaculata pulchrior Wiltshire,1957 (Noctuidae) Minucia bimaculata ssp. pulchrior Wiltshire,1957, Lepidoptera of Iraq: 93, fig. Holotype ♂: S.W.Iran Firuzabad, Tang-Ab (coll. Wiltshire).

7657. Mniotype adusta (Esper,[1790]) (Noctuidae) Phalaena adusta Esper,[1790], Die Schmett. 4(2): 483, Taf.149, fig.1,2. Syntypes: [Germany]: Frankfurt.

7658. Mniotype inthanoni Hreblay & L.Ronkay,1999 (Noctuidae) Mniotype inthanoni Hreblay & L.Ronkay,1999, Esperiana 7: 551, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP, 2300m leg. M.Hreblay (coll.Hreblay).

7659. Mniotype inthanoni inthanoni Hreblay & L.Ronkay,1999 (Noctuidae) Mniotype inthanoni Hreblay & L.Ronkay,1999, Esperiana 7: 551, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP, 2300m leg. M.Hreblay (coll.Hreblay).

7660. Mniotype johanna (Staudinger,1898) (Noctuidae) Polia johanna Staudinger,1898, Dt. ent. Z., Iris 10: 281, Taf.iv fig.19. Syntypes: Jordanthal, Lectotype ♂, designated by Hacker (2001: 211) (NHMU).

7661. Mniotype lama dubiosa (A.Bang-Haas,1912) (Noctuidae) Hadenia lama var. dubiosa A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 149. Syntypes: [China: Uighur A.R.]: Yarkend, Mustagata.

7662. Mniotype solieri (Boisduval,1840) (Noctuidae) Hadenia solieri Boisduval,1940, Genera Index Méth. Eur. Lépid.: 120. Syntypes: S.France, Sicilie.

7663. Mniotype solieri solieri (Boisduval,1840) (Noctuidae) Hadenia solieri Boisduval,1940, Genera Index Méth. Eur. Lépid.: 120. Syntypes: S.France, Sicilie.

7664. Mocis frugalis (Fabricius,1775) (Noctuidae) Noctua frugalis Fabricius,1775, Syst. Ent.: 601. Type: India.

7665. Mocis undata (Fabricius,1775) (Noctuidae) Noctua undata Fabricius,1775, Syst. Ent.: 600. Type(s): India orientalis.

7666. Moma alpium (Osbeck,1778) (Noctuidae) Phalaena alpium Osbeck,1778, Götheb. Wet. Sam. Handl. Westensk. Afd. 1: 52.

7667. Mormo maura (Linnaeus,1758) (Noctuidae) Phalaena maura Linnaeus,1758, Syst. Nat. (Edn.10): 512. Type(s): Mauritania.

7668. Myana sapor Swinhoe,1884 (Noctuidae) Myana sapor Swinhoe,1884, Proc. zool. Soc. London 1884: 522. Type(s): [Pakistan: Karachi]: Kurrachee.

7669. Mythimna (Aletia) alopecuri (Boisduval,1840) (Noctuidae) Leucania alopecuri Boisduval,1840, Genera Index meth. Eur. Lep.:132. Type(s): [Russia]: Taganrog.

7670. Mythimna (Aletia) congrua (Hübner,[1817]) (Noctuidae) Noctua congrua Hübner,[1817], Samml. eur. Schmett., Noct. 2:Taf.135, fig.616. Type: [Europa].

7671. Mythimna (Aletia) conigera ([Denis & Schiffermüller],1775) (Noctuidae) Noctua conigera [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 84. Type(s): [Austria]: Vienna district.

7672. Mythimna (Aletia) consanguis (Guenée,1852) (Noctuidae) Hadenia consanguis Guenée,1852, [in] Boisduval & Guenée, Hist. Nat. Ins., Noct. 2: 97. Type(s): Inde centrale.

7673. Mythimna (Aletia) deserticola (Bartel,1903) (Noctuidae) Leucania deserticola Bartel,1903, Dt. ent. Z., Iris 15:204. Syntypes: [Russia]: Süduräl: Orenburg.

7674. Mythimna (Aletia) flavostigma (Bremer,1861) (Noctuidae) Xanthia flavo-stigma Bremer,1861, Bull. Acad. Imp. Sci. St.Petersburg 3:488. Syntypes: [Russia]: Ussuri.

7675. Mythimna (Aletia) impura (Hübner,[1808]) (Noctuidae) Noctua impura Hübner,[1808], Samml. eur. Schmett., Noct.2: Taf.85, fig.396. Type: [Europa].

- 7676. Mythimna (Aletia) impura impura (Hübner,[1808])** (Noctuidae) Noctua impura Hübner,[1808], Samml. eur. Schmett., Noct.2: Taf.85, fig.396. Type: [Europa].
- 7677. Mythimna (Aletia) intolerabilis Hreblay,1992** (Noctuidae) Mythimna (Aletia) intolerabilis Hreblay,1992, Esperiana 3: 522-524, figs. Holotype ♂: China: [Uighur A.R.]: N-Sinkiang, Wu-lu-mu-ch'i [Urumchi] (coll. Plante).
- 7678. Mythimna (Aletia) l-album (Linnaeus,1767)** (Noctuidae) Phalaena l-album Linnaeus,1767, Syst. Nat. (Edn.12): 850. Type(s): [Europa].
- 7679. Mythimna (Aletia) melania (Staudinger,1889)** (Noctuidae) Leucania melania Staudinger,1889, Stettin ent. Ztg. 50: 48. Syntypes: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.).
- 7680. Mythimna (Aletia) pallens (Linnaeus,1758)** (Noctuidae) Phalaena pallens Linnaeus,1758, Syst. Nat. (Edn.10): 510. Type(s): Europa.
- 7681. Mythimna (Aletia) pudorina ([Denis & Schiffermüller],1775)** (Noctuidae) Noctua pudorina [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 85. Type(s): [Austria]: Vienna district.
- 7682. Mythimna (Aletia) sassanidica (Hacker,1986)** (Noctuidae) Aletia sassanidica Hacker,1986, Spixiana 9 (1): 43-44, figs. Holotype ♂: Türkei:Tokat / Sivas: Çamlıbel geçidi, 1700-1900m, 11.-30.vi.1980 (leg. & coll. De Freina).
- 7683. Mythimna (Aletia) scirpi (Duponchel,1836)** (Noctuidae) Leucania scirpi Duponchel,1836, Hist. nat. Lépid. Pap. France, Suppl.3: 349. Syntypes: [France]: Montpellier; Korsica.
- 7684. Mythimna (Aletia) sicula (Treitschke,1835)** (Noctuidae) Leucania sicula Treitschke,1835, Schmett. Eur. 10(2): 90. Type(s): [Italy]: Palermo.
- 7685. Mythimna (Aletia) straminea (Treitschke,1825)** (Noctuidae) Leucania straminea Treitschke,1825, Schmett. Eur. 5 (2): 297. Lectotype ♂: Österreich (UNHM).
- 7686. Mythimna (Aletia) vitellina (Hübner,[1808])** (Noctuidae) Noctua vitellina Hübner,[1808], Samml. eur. Schmett.,Noct.2: Taf.81, fig.379. Type: [Europa].
- 7687. Mythimna (Hyphilare) albipuncta (Fabricius,1787)** (Noctuidae) Noctua albipuncta Fabricius,1787, Mant. Ins. 2: 178, nr.275. Type(s): [Wien].
- 7688. Mythimna (Hyphilare) ferrago (Fabricius,1787)** (Noctuidae) Noctua ferrago Fabricius,1787, Mant. Ins. 2: 160, nr.170. Type(s): [Germany]: Kiliae [=Kiel].
- 7689. Mythimna (Morphopoliana) Hreblay,1996** (Noctuidae) Morphopoliana Hreblay,1996, Esperiana 4: 134. Type-species: Hadenia consanguis Guenée,1852, by original designation [proposed as subgenus of Mythimna O.].
- 7690. Mythimna (Morphopoliana) languida (Walker,1858)** (Noctuidae) Hadenia languida Walker,1858, List Specimens lepid. Insects Colln Br. Mus. 15: 1728. Syntypes: [South Africa]: Natal.
- 7691. Mythimna (Pseudaletia) unipuncta (Haworth,[1809])** (Noctuidae) Noctua unipuncta Haworth,[1809], Lep. Br. 2: 174. Type(s): England.
- 7692. Mythimna flammea (Curtis,1828)** (Noctuidae) Melia flammea Curtis,1828, Brit. Ent. 5: 50 (201).
- 7693. Naenia typica (Linnaeus,1758)** (Noctuidae) Phalaena typica Linnaeus,1758, Syst. Nat. (Ed.10): 518. Type(s): [Europa].
- 7694. Nanaguna albisecta Hampson,1905** (Noctuidae) Nanaguna albisecta Hampson,1905, Ann. Mag. nat. Hist. (7) 16: 583-584. Type ♀: [Sri Lanka]: Ceylon, Puttalam (BMNH).
- 7695. Neachrostia lobbichleri Wiltshire,1968** (Noctuidae) Neachrostia lobbichleri Wiltshire,1968, Entomologist 101: 166, Pl.2 fig.6, Gen. fig.3. Holotype ♂: [Pakistan]: N.W.Karakoram, Hunza-Nagar Dabaié, 3000m, 25.vii.1959, F.Lobbichler leg. (ZSM).
- 7696. Nekrasovia Ronkay & Varga,1993** (Noctuidae) Nekrasovia Ronkay & Varga,1993, Acta zool. Hung. 39: 230-231. Type-species: Auchmis crassicornis Boursin,1960, by original designation.
- 7697. Nezonicta Varga & Ronkay,1991** (Noctuidae) Nezonicta Varga & Ronkay,1991, Acta zool. Hung. 37: 275. Type-species: Thargelia pusilla Püngeler,1900, by original designation.
- 7698. Nezonicta obtusa Varga & Ronkay,1991** (Noctuidae) Nezonicta obtusa Varga & Ronkay,1991, Acta zool. Hung. 37: 275-279, Pl.ii figs.16-17. Holotype ♂: Turkey: Prov. Sivas: Gürün, 1500m, 25.iv.1989 leg. G. Fabian & L.Ronkay (HNHM).
- 7699. Nezonicta pusilla (Püngeler,1900)** (Noctuidae) Thargelia pusilla Püngeler,1900, Dt. ent. Z., Iris 13: 118. Syntypes: [Turkmenistan]: Aschabad.
- 7700. Noctua (Euschesis) interjecta (Hübner,[1803])** (Noctuidae) Noctua interjecta Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf.23, fig.107. Type: [Europa].
- 7701. Noctua (Euschesis) interjecta interjecta (Hübner,[1803])** (Noctuidae) Noctua interjecta Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf.23, fig.107. Type: [Europa].
- 7702. Noctua (Euschesis) janthina ([Denis & Schiffermüller],1775)** (Noctuidae) Noctua janthina [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 78. Type(s): [Austria]: Vienna district.
- 7703. Noctua (Latanoctua) orbona (Hufnagel,1766)** (Noctuidae) Phalaena orbona Hufnagel,1766, Berl. Mag. 3(3): 304. Type(s): [Germany]: Berlin.
- 7704. Noctua (Paranoctua) comes (Hübner,[1813])** (Noctuidae) Noctua comes Hübner,[1813], Samml. eur. Schmett., Noct. 2: Taf.111, fig.521 Type:[Europa].
- 7705. Noctua (Paranoctua) warreni (Lödl,1987)** (Noctuidae) Noctua warreni Lödl,1987, Nota lepid. 10 (3): 164-173, 12 figs. Holotype ♂: Cypern: Platreae.
- 7706. Noctua (s.str.) pronuba (Linnaeus,1758)** (Noctuidae) Phalaena pronuba Linnaeus,1758, Syst. Nat. (Edn.10): 512. Type(s): [Europa].
- 7707. Noctua (s.str.) tertia Mentzer, Moberg & Fibiger,1991** (Noctuidae) Noctua tertia Mentzer, Moberg & Fibiger,1991, Nota lepid. 14 (1): 37-39, figs. Holotype ♂: Bulgaria: SW Bulgaria,Kozuch pr. Petric, 17.ix.1983 (leg. & coll. E. v. Mentzer).
- 7708. Nodaria nodosalis (Herrich-Schäffer,[1851])** (Noctuidae) Herminia nodosalis Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur.: 385, Noctuides pl.118 fig.605 [1852]. Type(s): [Italy]: Sizilien.
- 7709. Nola chlamitulalis (Hübner,[1813])** (Noctuidae) Pyralis chlamitulalis Hübner,[1813], Samml. eur. Schmett. 6, Pyralides: Tab. 25 fig.160. Type(s): Europa.
- 7710. Nola cicatricalis (Treitschke,1835)** (Noctuidae) Hercyna cicatricalis Treitschke,1835, Schmett. Eur. 10(3): 39.
- 7711. Nola cucullatella (Linnaeus,1758)** (Noctuidae) Phalaena cucullatella Linnaeus,1758, Syst. Nat. (Edn.10): 537. Type(s): [Europa].
- 7712. Nola harouni (Wiltshire,1951)** (Noctuidae) Celama harouni Wiltshire,1951, J. Bombay nat. Hist. Soc. 49: 653, fig. Holotype ♂: Iraq: Basra.
- 7713. Nola scabralis (Walker,1865)** (Noctuidae) Tribunta scabralis Walker,1865, List Specimens lepid. Insects Colln. Br. Mus. 34: 1507. Type: Australia: N.S.Wales.
- 7714. Nola subchlamydula Staudinger,1870** (Noctuidae) Nola subchlamydula Staudinger,1870, Horae Soc. ent. ross. 7: 107-109, Tab.1 figs.6,7. Syntypes ♂♂: Griechenland: Attica.
- 7715. Nycteola asiatica (Krulikovsky,1904)** (Noctuidae) Sarthothrips revayana var. asiatica Krulikovsky,1904, Revue Ent. Russk. 4: 91. Type(s): [Turkmenistan]: Transkaspien.
- 7716. Nycteola columbana (Turner,1925)** (Noctuidae) Sarthothrips revayana columbana Thurner,1925, Entomologist's Rec. J. Var. 37: 77. Type(s): France: Haute Loire.
- 7717. Nycteola eremostola Dufay,1961** (Noctuidae) Nycteola eremostola Dufay,1961, Dt. ent. Z. (N.F.) 8: 436. Holotype ♂: [Kasachstan]: Saisan.
- 7718. Nycteola revayana (Scopoli,1772)** (Noctuidae) Phalaena revayana Scopoli,1772, Annu. hist. nat. Leipzig 5: 116. Type(s): Hungaria: Schemnitz.
- 7719. Nycteola sicilana (Fuchs,1899)** (Noctuidae) Sarthothrips undulana var. sicilana Fuchs,1899, Jb. Nassau. Ver. Naturk. 52: 128. Type(s): Sizilien.
- 7720. Nyctycia attila Hreblay & L.Ronkay,1999** (Noctuidae) Nyctycia attila Hreblay & L.Ronkay,1999, Esperiana 7: 537, figs. Holotype ♂: Thailand: Chiang Mai, 20km NW Sop Kha, 2km S of Kop Dong, 1800m, 5 xii 1998, leg. M.Hreblay (coll.Hreblay).
- 7721. Ochroleura leucogaster (Freyer,1831)** (Noctuidae) Noctua leucogaster Freyer,1831, Neuere Beitr. Schmett. 1: 38, Tab.21, fig.1. Type(s): [Austria]: Wien.
- 7722. Ochroleura plecta (Linnaeus,1761)** (Noctuidae) Phalaena plecta Linnaeus,1761, Fauna Suecica (2): 321. Type(s): Sweden.
- 7723. Ochroleura staudingeri (Koçak,1981)** (Noctuidae) Hermonassa staudingeri Koçak,1981, Priamus 1 (1): 13 (nomen novum pro Agrotis modesta Staudinger,1895, Dt. ent. Z., Iris 8: 309 nec Agrotis modesta Moore,[1881]). Syntypes 2♂: [China: Uighur A.R.]: Lob Noor; Kuku Noor.
- 7724. Odice arcuinna (Hübner,1790)** (Noctuidae) Phalaena arcuinna Hübner,1790, Beitr. Gesch. Schmett. 2(4): 93, Taf.2, fig.O.

- 7725. *Odice arcuinna arcuinna* (Hübner, [1790])** (Noctuidae) Phalaena arcuinna Hübner, 1790, Beitr. Gesch. Schmett. 2(4): 93, Taf. 2, fig. O.
- 7726. *Odice suava* (Hübner, [1813])** (Noctuidae) Noctua suava Hübner, [1813], Samml. eur. Schmett. 4, Noctuae: Tab. 125 fig. 578. Type(s): Europa.
- 7727. *Odice suava suava* (Hübner, [1813])** (Noctuidae) Noctua suava Hübner, [1813], Samml. eur. Schmett. 4, Noctuae: Tab. 125 fig. 578. Type(s): Europa.
- 7728. *Odontelia ochrea* Warren, 1910** (Noctuidae) Odontelia ochrea Warren, 1910, [in] Seitz, Gross-Schmett. 3: 81 (20b). Type ♂: [China]: Uighur A.R.: Kuldja (BMNH).
- 7729. *Odontestis ? dubiosa* (Brandt, 1941)** (Noctuidae) Calpe ? dubiosa Brandt, 1941, Mitt. münch. ent. Ges. 31: 855-856, fig. 53. Syntypes 2♂: Iran: [Belutschistan]: Bender Tchahbahar.
- 7730. *Oglasa arcuata* (Fabricius, 1787)** (Noctuidae) Noctua arcuata Fabricius, 1787, Mantissa Insectorum 2: 145. Type: Tranquebariae.
- 7731. *Oglasa hypenoides* (Moore, 1881)** (Noctuidae) Cosmia hypenoides Moore, 1881, Proc. zool. Soc. Lond. 1881: 354, pl. 38 fig. 19. Type: India: [Meghalaya]: Parisnath Hills.
- 7732. *Oligia latruncula* ([Denis & Schiffermüller], 1775)** (Noctuidae) Noctua latruncula [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district.
- 7733. *Oligia latruncula latruncula* ([Denis & Schiffermüller], 1775)** (Noctuidae) Noctua latruncula [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district.
- 7734. *Oligia strigilis* (Linnaeus, 1758)** (Noctuidae) Phalaena strigilis Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 516. Type(s): Europa.
- 7735. *Oligia versicolor* (Borkhausen, 1792)** (Noctuidae) Phalaena versicolor Borkhausen, 1792, Naturg. Eur. Schmett. 4: 188. Syntypes: Deutschland: Hessen.
- 7736. *Olivenebula subsericata* (Herrich-Schäffer, 1861)** (Noctuidae) Polyphaenis subsericata Herrich-Schäffer, 1861, Neue Schmett. 3: 26, fig. 124. Type(s): [Griechenland]: Rhodus.
- 7737. *Ommatophora luminosa* (Cramer, 1780)** (Noctuidae) Phalaena luminosa Cramer, 1780, Uitl. Kapellen 3: 147, pl. 274 fig. D. Type: [Indonesia]: Java.
- 7738. *Omphalestra mesomelana* (Hampson, 1902)** (Noctuidae) Agrotis mesomelana Hampson, 1902, Ann. S. Afr. Mus. 2: 263. Syntypes ♂♂: South Africa: Natal: Estcourt (Hutchinson), Transkei (Miss F. Barrett) (BMNH).
- 7739. *Omphalophana antirrhinii* (Hübner, [1803])** (Noctuidae) Noctua antirrhinii Hübner, [1803], Samml. eur. Schmett., Noct. 2: Taf. 52, fig. 253. Type: [Europa].
- 7740. *Omphalophana durnalayana* Osthelder, 1933** (Noctuidae) Omphalophana durnalayana Osthelder, 1933, Mitt. münch. ent. Ges. 23: 52-53. Syntypes: [Türkei]: Maraş, Düldül Dag.
- 7741. *Omphalophana pauli* (Staudinger, 1892)** (Noctuidae) Cleophana pauli Staudinger, 1892, Dt. ent. Z., Iris 4: 306-308, Taf. iv fig. 4. Syntypes 2♂ 1♀: [Israel]: Jerusalem (Paulus leg.); Lectotype ♂, designated by Hacker, 2001, Esperiana 8: pl. 9 fig. 2 (NHMU).
- 7742. *Oncocnemis confusa* (Freyer, [1839])** (Noctuidae) Amphipyra confusa Freyer, [1839], Neuere Beitr. Schmett. 4: 26. Type(s): [Russia]: Sarepta.
- 7743. *Oncocnemis erythropis* Brandt, 1938** (Noctuidae) Oncocnemis erythropis Brandt, 1938, Ent. Rdsch. 55: 517, figs. 70-74. Syntypes: Iran: [Fars]: Fort Sine Sefid, Comèe.
- 7744. *Oncocnemis exacta mongolica* Staudinger, 1897** (Noctuidae) Oncocnemis exacta var. mongolica Staudinger, 1897, Dt. ent. Z., Iris 9: 260. Syntypes: Mongolia: Schurangin-gol.
- 7745. *Oncocnemis fuscipicta* Wiltshire, 1976** (Noctuidae) Oncocnemis fuscipicta Wiltshire, 1976, Z. ArbGem. öst. Ent. 27: 77-79, figs. Holotype ♂: Iraq: Kurdistan: Shaqlawa 2500ft. 13.x.1953 (coll. Wiltshire).
- 7746. *Oncocnemis idioglypha* Brandt, 1938** (Noctuidae) Oncocnemis [sic!] idioglypha Brandt, 1938, Ent. Rdsch. 55: 518, figs. 65-69. Syntypes: Iran: [Fars]: Comèe.
- 7747. *Oncocnemis nigricula* (Eversmann, 1847)** (Noctuidae) Hadenia nigricula Eversmann, 1847, Bull. Soc. imp. Nat. Moscou 20: 79. Syntypes: [Russia]: Südrussland: Orenburg, Ural.
- 7748. *Oncocnemis nigricula araratica* G. Ronkay & L. Ronkay, 1995** (Noctuidae) Oncocnemis nigricula ssp. araratica G. Ronkay & L. Ronkay, 1995, Noct. Eur. 7: 54, pl. 3 figs. 23, 24; gen figs. 45, 46, 149. Holotype ♀: Armenia: Aragats Mts. (TMB).
- 7749. *Oncocnemis strioligera* Lederer, 1853** (Noctuidae) Oncocnemis strioligera Lederer, 1853, Verh. zool.-bot. Ver. Wien 3: 368. Type(s): [Russia]: Altai.
- 7750. *Oncocnemis strioligera anatolica* Hacker, [1987]** (Noctuidae) Oncocnemis strioligera ssp. anatolica Hacker, [1987], Atalanta 17 (1/4): 17. Holotype ♂: Türkei: [Karaman Prov.]: Sertavul Geçidi, 28km S. Karaman, 1550m, 3.ix.1983 (leg. & coll. Hacker).
- 7751. *Oncocnemis strioligera strioligera* Lederer, 1853** (Noctuidae) Oncocnemis strioligera Lederer, 1853, Verh. zool.-bot. Ver. Wien 3: 368. Type(s): [Russia]: Altai.
- 7752. *Ophiusa lunaris* (Goeze, 1781)** (Noctuidae) Phalaena lunaris Goeze, 1781, Ent. Beytr. 3(3): 224.
- 7753. *Ophiusa tirhaca* (Cramer, [1777])** (Noctuidae) Phalaena tirhaca Cramer, [1777], Uitl. Kapellen 2: 116. Type(s): [South Africa]: Kap Horn.
- 7754. *Ophiusa wiskotti* (Püngeler, 1902)** (Noctuidae) Pseudophia wiskotti Püngeler, 1902, Dt. ent. Z., Iris 14: 332. Syntypes: Palaestina: Totes Meer.
- 7755. *Opigena huberi* Hacker, 1999** (Noctuidae) Opigena huberi Hacker, 1999, Esperiana 7: 426-428, figs. Holotype ♂: Türkei: Prov. Erzurum: Palandöken Dağı 4km S. Erzurum, 2200m, 8.ix.1985 (leg. & coll. Hacker).
- 7756. *Opigena polygona* (Fabricius, 1787)** (Noctuidae) Noctua polygona Fabricius, 1787, Mant. Ins. 2: 176, nr. 267. Type(s): [Wien].
- 7757. *Opigena polygona chersotimorpha* Ronkay & Varga, 1985** (Noctuidae) Opigena polygona ssp. chersotimorpha Ronkay & Varga, 1985, Z. ArbGem. öst. Ent. 36 (3/4): 86-87, Taf. 1. figs. 1, 2. Holotype ♂: [Armenia]: Armenische SSR, Geghard, 40km O. v. Erewan, 1700m, (leg. Kasy & Vartian) (coll. Vartian).
- 7758. *Opigena polygona polygona* (Fabricius, 1787)** (Noctuidae) Noctua polygona Fabricius, 1787, Mant. Ins. 2: 176, nr. 267. Type(s): [Wien].
- 7759. *Oraesia ? albescens* (Gaede, 1940)** (Noctuidae) Calpe albescens Gaede, 1940, [in] Seitz, A., Die Gross-Schmett. Erde 15: 332, pl. 38 (h).
- 7760. *Oraesia ? cerne* (Fawcett, 1916)** (Noctuidae) Calpe cerne Fawcett, 1916, Proc. zool. Soc. London 1916: 723, pl. 1 fig. 22.
- 7761. *Oraesia ? wintgensi* (Strand, 1909)** (Noctuidae) Calpe wintgensi Strand, 1909, Dt. ent. Z., Iris 22: 116.
- 7762. *Oraesia provocans* Walker, [1858]** (Noctuidae) Oraesia provocans Walker, [1858], List Specimens lepid. Insects Colln Br. Mus. 12: 943.
- 7763. *Oraesia rectistria* Guenée, 1852** (Noctuidae) Oraesia rectistria Guenée, 1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 6: 363.
- 7764. *Orbona fragariae* (Vieueg, 1790)** (Noctuidae) Noctua fragariae Vieueg, 1790, Tabl. Verz. Brand. Schmett. 2: 56.
- 7765. *Orectis proboscidata* (Herrich-Schäffer, 1851)** (Noctuidae) Helia proboscidata Herrich-Schäffer, [1851], Syst. Bearb. Schmett. Eur. 2: 430. Syntypes: Ungarn.
- 7766. *Oria musculosa* (Hübner, [1808])** (Noctuidae) Noctua musculosa Hübner, [1808], Samml. eur. Schmett. 4, Noctuae: Tab. 78 fig. 363. Type(s): Europa.
- 7767. *Orthosia (Dioszeghyana) Hreblay, 1993*** (Noctuidae) Dioszeghyana Hreblay, 1993, Acta zool. Hung. 39 (1/4): 80-81. Type-species: Monima schmidtii Dioszeghy, 1935, by original designation (proposed originally as genus).
- 7768. *Orthosia (Dioszeghyana) schmidtii* (Dioszeghy, 1935)** (Noctuidae) Orthosia schmidtii Dioszeghy, 1935, Mitt. Siebenbürg. Ver. Nat. Weiss. 83: 128, Taf. 1. Syntypes: Rumänien: Transsylvanien: Borosjeno [=Ineu].
- 7769. *Orthosia (Dioszeghyana) schmidtii pinkeri* Hreblay & Varga, 1993** (Noctuidae) Dioszeghyana schmidtii ssp. pinkeri Hreblay & Varga, 1993, Acta zool. Hung. 39(1/4): 81-82. Holotype ♂: Türkei: Prov. Ankara, Dutözü köyü, 1300m, 1.v.1989, leg. & coll. Hreblay.
- 7770. *Orthosia (Dioszeghyana) schmidtii schmidtii* (Dioszeghy, 1935)** (Noctuidae) Orthosia schmidtii Dioszeghy, 1935, Mitt. Siebenbürg. Ver. Nat. Weiss. 83: 128, Taf. 1. Syntypes: Rumänien: Transsylvanien: Borosjeno [=Ineu].
- 7771. *Orthosia (Euchoristea) limbata* (Butler, 1879)** (Noctuidae) Apamea limbata Butler, 1879, Ann. Mag. nat. Hist. (5) 4: 360.
- 7772. *Orthosia (Euchoristea) limbata limbata* (Butler, 1879)** (Noctuidae) Apamea limbata Butler, 1879, Ann. Mag. nat. Hist. (5) 4: 360.
- 7773. *Orthosia (Monima) cerasi* (Fabricius, 1775)** (Noctuidae) Noctua cerasi Fabricius, 1775, Syst. Ent.: 600. Syntypes: [England]: Anglia; [Germany]: Germaniae.

- 7774. Orthosia (Monima) dalmatica (Wagner,1909)** (Noctuidae) *Taeniacampa cerasi* var. *dalmatica* Wagner,1909, Ent. Z., Frankf. a.M. 23: 18. Lectotype ♂: Dalmatia: Zara (Hreblay, 1993: 74).
- 7775. Orthosia (Monima) imitabilis Hreblay,1993** (Noctuidae) *Orthosia (Monima) imitabilis* Hreblay,1993, Acta zool. Hung. 39 (1/4): 76-77, figs. Holotype ♂: USSR, Türmeia, Kopet Dag Mts., 800-900m, 5km NW of Tutlikala, 22.iv.1991 G.Csorba, G. Fabian, B. Herczig, M.Hreblay, G. Ronkay (coll. Hreblay).
- 7776. Orthosia (Monima) populeti (Fabricius,1781)** (Noctuidae) *Bombyx populeti* Fabricius,1781, Spec. Ins. 2: 201. Type(s): [Norway]: Norwegiae.
- 7777. Orthosia (Monima) pulverulenta (Esper,[1786])** (Noctuidae) *Phalaena pulverulenta* Esper,[1786], Die Schmett. 3:386, Tab. 76, figs.5,6. Syntypes: [Germany]: [Erlangen].
- 7778. Orthosia (Monima) pulverulenta illustris Hreblay,1993** (Noctuidae) *Orthosia (Monima) cruda* ssp. *illustris* Hreblay,1993, Acta zool. Hung. 39 (1/4): 78-79, figs. Holotype ♂: Türkei: Adana Prov., 5km W of Damlama 15.iv.1990 (leg. & coll. Hreblay).
- 7779. Orthosia (Monima) sordescens Hreblay,1993** (Noctuidae) *Orthosia (Monima) sordescens* Hreblay,1993, Acta zool. Hung. 39: 79-80, figs. Holotype ♂: Russia: N.Kaukasus, Stavropol, leg. Tikhonov (coll. M.Hreblay).
- 7780. Orthosia (Semiophora) gothica (Linnaeus,1758)** (Noctuidae) *Phalaena gothica* Linnaeus,1758, Syst. Nat. (Edn.10): 516. Type(s): [Europa].
- 7781. Orthosia (s.str.) incerta (Hufnagel,1766)** (Noctuidae) *Phalaena incerta* Hufnagel,1766, Berl. Mag. 3 (3): 298. Type(s): [Germany]: Berlin.
- 7782. Orthosia (s.str.) malickyi Hacker,1992** (Noctuidae) *Orthosia malickyi* Hacker,1992, Esperiana 3: 187, figs. Holotype ♂: Nordthailand: Doi Inthanon, 2300m, 6.1.1990, leg. Chantaramongkol & Malicky (coll. Hacker).
- 7783. Orthosia Ochsenheimer,1816** (Noctuidae) *Orthosia Ochsenheimer*,1816, Schmett. Eur. 4: 79. Type-species: *Noctua instabilis* [Denis & Schiffmüller],1775, Ankündigung syst. Werkes. Schmett. Wienergegend: 76, by subsequent designation by Curtis,1828, Br. Ent. 5: 237.
- 7784. Orthosia gracilis (Fabricius,1787)** (Noctuidae) *Noctua gracilis* Fabricius,1787, Mant. Ins. 2: 148, nr.98. Type(s): [Wien].
- 7785. Orthosia rubricosa (Esper,[1786])** (Noctuidae) *Phalaena rubricosa* Esper, [1786], Die Schmett. 2(3):381, Tab.75 figs.3-4. Syntypes: [Germany]: [Erlangen], [Mittelfranken]: Neustadt.
- 7786. Ostheldera gracilis (Osthelder,1933)** (Noctuidae) *Pfeifferella gracilis* Osthelder,1933, Mitt. münch. ent. Ges. 23: 54. Syntypes: [Turkey]: Maraş.
- 7787. Oxicesta geographica (Fabricius,1787)** (Noctuidae) *Noctua geographica* Fabricius,1787, Mantissa Insectorum 2: 167. Type: Austria.
- 7788. Oxyodes scrobiculata (Fabricius,1775)** (Noctuidae) *Noctua scrobiculata* Fabricius,1775, Syst. Ent.: 252. Type(s): "India Orientalii".
- 7789. Oxytripia orbiculosa noctivolans Pinker,1980** (Noctuidae) *Oxytripia noctivolans* Pinker,1980, Z. ArbGem. öst. Ent. 31: 71, figs. Holotype ♂: Türkei: Gürün, 1700m (leg & coll. Pinker).
- 7790. Ozarba lascivalis (Lederer,1855)** (Noctuidae) *Choreutis lascivalis* Lederer,1855, Verh. zool.- bot. Wien 5: Type ♂: [Libanon]: Beirut.
- 7791. Ozarba moldavicola (Herrich-Schäffer,[1851])** (Noctuidae) *Acontia moldavicola* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur.: 419, Noctuides pl.44 figs.224,225. Type(s): [Czechoslovakia]: Moldau.
- 7792. Pamparama G.Ronkay & L.Ronkay,1995** (Noctuidae) *Pamparama G.Ronkay & L.Ronkay*,1995, Noct. Eur. 7: 26. Type-species: *Acronycta acuta* Freye,[1837], by original designation.
- 7793. Pamparama acuta (Freyer,[1837])** (Noctuidae) *Acronycta acuta* Freyer,[1837], Neue. Beitr. Schmett. 3:88, Tab.255 fig.3. Type(s): [Turkey]: Konstantinopel [=Istanbul].
- 7794. Panolis flammea ([Denis & Schiffmüller],1775)** (Noctuidae) *Noctua flammea* [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 87. Type(s): [Austria]: Vienna district.
- 7795. Papestra biren (Goeze,1781)** (Noctuidae) *Phalaena biren* Goeze,1781, Ent. Beytr. 3(3): 206. Type(s): -.
- 7796. Paracentropus cyrus (Brandt,1938)** (Noctuidae) *Scythocentropus cyrus* Brandt,1938, Ent. Rdsch. 55: 523, figs. 92-95. Syntypes: Iran: [Fars]: Fort Sine Sefid.
- 7797. Paracolax tristalis (Fabricius,1794)** (Noctuidae) *Phalaena tristalis* Fabricius,1794, Ent. Syst. 3(2): 224. Lectotype: Italy (Mikkola, 1981, Ent. scand. 12: 436).
- 7798. Paraegle ochracea (Erschoff,1874)** (Noctuidae) *Metoponia ochracea* Erschoff,1874, [in] Fedtschenko, Travels in Turkestan 2(5), Lepidoptera: 53, pl.3 fig.52. Type(s): [Usbekistan]: Kisil-kum desert.
- 7799. Paraegle subochracea (Staudinger,1892)** (Noctuidae) *Metoponia ochracea* var. *subochracea* Staudinger,1892, Dt. ent. Z., Iris 4: 324. Syntypes 20♂♀: [Türkei]: Mardin.
- 7800. Parallelia algira (Linnaeus,1767)** (Noctuidae) *Phalaena algira* Linnaeus,1767, Syst. Nat. (Edn.12): 836. Type(s): Algeria.
- 7801. Parallelia stuposa (Fabricius,1794)** (Noctuidae) *Noctua stuposa* Fabricius,1794, Ent. Syst. 3 (2): 42. Type: India oriental.
- 7802. Paranyctycia minima Hreblay & L.Ronkay,1999** (Noctuidae) *Paranyctycia minima* Hreblay & L.Ronkay,1999, Esperiana 7: 544, figs. Holotype ♂: Thailand: Chiang Mai, 20km NW Sop Kha, 1800m, leg. M.Hreblay (coll.Hreblay).
- 7803. Paranyctycia rubiculosa Hreblay & L.Ronkay,1999** (Noctuidae) *Paranyctycia rubiculosa* Hreblay & L.Ronkay,1999, Esperiana 7: 543-544, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP, 2300m, leg. T.Csovári & L.Mikus (coll.Hreblay).
- 7804. Parascotia detersa (Staudinger,1892)** (Noctuidae) *Boletobia detersa* Staudinger,1892, Dt. ent. Z., Iris 4: 333. Syntypes: [Türkei]: Antiochia [=Antakya], Hadjin [=Saimbeyli], Taurus.
- 7805. Parascotia fuliginaria (Linnaeus,1761)** (Noctuidae) *Phalaena fuliginaria* Linnaeus,1761, Fauna Suecica: 327. Type(s): Sweden: Suecia.
- 7806. Parascotia robiginosa (Staudinger,1892)** (Noctuidae) *Boletobia robiginosa* Staudinger,1892, Dt. ent. Z., Iris 4: 332. Syntypes: [Türkei]: Amasia, Hadjin [=Saimbeyli], Maraş.
- 7807. Parastichtis corticea (Esper,[1800])** (Noctuidae) *Phalaena corticea* Esper,[1800], Die Schmett. 4: 463, Tab. 145 figs. 2,3.
- 7808. Parastichtis corticea corticea (Esper,[1800])** (Noctuidae) *Phalaena corticea* Esper,[1800], Die Schmett. 4: 463, Tab. 145 figs. 2,3.
- 7809. Parastichtis suspecta (Hübner,[1817])** (Noctuidae) *Noctua suspecta* Hübner,[1817], Samml. eur. Schmett. 4, Noctuae: Tab.138 fig.633. Type(s): Europa.
- 7810. Parexarnis chlorophaia (Boursin,1940)** (Noctuidae) *Rhyacia chlorophaia* Boursin,1940, Mitt. münch. ent. Ges. 30: 493, Taf.ix fig.31. Holotype ♂: [Turkmenistan]: "Umgebung von Askhabad (Turkestan)" (coll.Boursin).
- 7811. Parexarnis figulina (Draudt,1936)** (Noctuidae) *Agrotis figulina* Draudt,1936, Ent. Rdsch. 53: 467, Taf.iv c3. Type ♀: [Türkei]: Ak-Schehir, Sultan Dag.
- 7812. Parexarnis laetifica (Staudinger,1889)** (Noctuidae) *Agrotis ala* var.? *laetifica* Staudinger,1889, Stettin ent. Ztg. 50: 29-30. Syntypes ♂♂: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.).
- 7813. Parexarnis obsoleta (Corti,1933)** (Noctuidae) *Agrotis candida obsoleta* Corti,1933, Dt. ent. Z., Iris 47: 68. Syntypes: Lebanon: Bescharré,1400m.
- 7814. Parexarnis taurica (Staudinger,1879)** (Noctuidae) *Agrotis birivia* var.? *taurica* Staudinger,1879, Horae Soc. ent. ross. 14: 370-371. Type ♀: [Türkei]: "aus dem Taurus" (leg. Haberhauer).
- 7815. Parexarnis violetta (Staudinger,1888)** (Noctuidae) *Agrotis violetta* Staudinger,1888, Stettin ent. Ztg. 49: 3-4. Syntypes 2♀: [Uzbekistan]: Samarkand; [Kirgizistan]: Alexander Gebirge (Maurer leg.).
- 7816. Pechipogo strigilata (Linnaeus,1758)** (Noctuidae) *Phalaena strigilata* Linnaeus,1758, Syst. Nat. (Edn.10): 528. Type(s): Europa.
- 7817. Pericyma albidentaria (Freyer,1842)** (Noctuidae) *Acidalia albidentaria* Freyer,1842, Neuere Beitr. Schmett. 4:115, Tab.354 fig.1. Type(s): [Russia]: Südrussland.
- 7818. Peridroma saucia (Hübner,[1808])** (Noctuidae) *Noctua saucia* Hübner,[1808], Samml. eur. Schmett., Noct. 2: Taf.81, fig.378. Type: [Europa].
- 7819. Perigrapha (Anorthoa) munda ([Denis & Schiffmüller],1775)** (Noctuidae) *Noctua munda* [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 76. Type(s): [Austria]: Vienna district.
- 7820. Perigrapha (Opacographa (Turcographa)) mundoides (Boursin,1940)** (Noctuidae) *Monima rorida* ssp. *mundoides* Boursin,1940, Mitt. münch. ent. Ges. 30: 501. Holotype ♀: Lebanon: Toura (LNK).

- 7821. Perigrapha (Opacographa (Turcographa)) rorida (Frivaldsky,1835)** (Noctuidae) Orthosia rorida Frivaldsky,1835, Tarsas. Tud. Akad. Evköny. 2: 272. Type(s): Balkans.
- 7822. Perigrapha (Opacographa (Turcographa)) rorida rorida (Frivaldsky,1835)** (Noctuidae) Orthosia rorida Frivaldsky,1835, Tarsas. Tud. Akad. Evköny. 2: 272. Type(s): Balkans.
- 7823. Perigrapha (Opacographa (s.str.)) cilissa Püngeler,1917** (Noctuidae) Perigrapha cilissa Püngeler,1917, Mitt. münch. ent. Ges. 8: 19. Type ♂: [Türkei]: Taurus.
- 7824. Perigrapha (Opacographa (s.str.)) draudti Hacker,1992** (Noctuidae) Perigrapha draudti Hacker,1992, Esperiana 3: 185-186, figs. Holotype ♂: Nordthailand: Doi Inthanon Lichtfalle, Bang Khun Klang 1200m, 21.1.1990, leg. Chantaromongkol & Malicky (coll. Hacker).
- 7825. Perigrapha (Opacographa) wimmeri Hacker,1996** (Noctuidae) Perigrapha (Opacographa) wimmeri Hacker,1996, Esperiana 4: 297, figs. Holotype ♂: Zypern: Umg. Paphos, leg. Wimmer (coll. Hacker).
- 7826. Perigrapha (s.str.) i-cinctum ([Denis & Schiffermüller],1775)** (Noctuidae) Noctua i-cinctum [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 78. Type(s): [Austria]: Vienna district.
- 7827. Perigrapha (s.str.) i-cinctum hethitica Hacker,1992** (Noctuidae) Perigrapha i-cinctum ssp. hethitica Hacker,1992, Esperiana 3: 438, figs. Holotype ♂: Türkei: Sivas Prov., Çamlıbel geçidi, 1650m, (leg. Kautt, coll. Hacker).
- 7828. Perigrapha (s.str.) i-cinctum i-cinctum ([Denis & Schiffermüller],1775)** (Noctuidae) Noctua i-cinctum [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 78. Type(s): [Austria]: Vienna district.
- 7829. Periphanes delphinii (Linnaeus,1758)** (Noctuidae) Phalaena delphinii Linnaeus,1758, Syst. Nat. (Edn.10)1: 518. Type(s): [Europa].
- 7830. Periphanes victorina (Sodoffsky,1849)** (Noctuidae) Heliothis victorina Sodoffsky,1849, Stettin ent. Ztg. 10:130. Syntypes: Kaukasus.
- 7831. Phleboeis sureyae (Rebel,1931)** (Noctuidae) Agrotis sureyae Rebel,1931, Annln naturh. Mus. Wien 46:[5]. Syntypes: [Türkei]: Ankara.
- 7832. Phleboeis sureyae kuhnae (Hacker,[1987])** (Noctuidae) Yigoga sureyae ssp. kuhnae Hacker,[1987], Atalanta 17: 14, fig. Holotype ♂: Ost-Türkei: Prov. Elazığ, Hazar-See, 1300m, 19 ix.1981 (leg. & coll. Kuhna).
- 7833. Phleboeis sureyae sureyae (Rebel,1931)** (Noctuidae) Agrotis sureyae Rebel,1931, Annln naturh. Mus. Wien 46:[5]. Syntypes: [Türkei]: Ankara.
- 7834. Phlogophora meticulosa (Linnaeus,1758)** (Noctuidae) Phalaena meticulosa Linnaeus,1758, Syst. Nat. (Edn.10)1: 513. Type(s): [Europa].
- 7835. Phlogophora scita (Hübner,1790)** (Noctuidae) Noctua scita Hübner,1790, Beitr. Gesch. Schmett. 2(2): (35) Taf.(2)1, fig.A. Type(s): [Europa].
- 7836. Photedes captiuncula (Treitschke,1825)** (Noctuidae) Apamea captiuncula Treitschke,1825, Schmett. Eur. 5(2): 96. Type(s): Steiermark.
- 7837. Photedes contumax (Püngeler,1902)** (Noctuidae) Namangana contumax Püngeler,1902, Dt. ent. Z., Iris 15: 15, pl.5 fig.17. Syntypes 3♂: [China : Uighur A.R.]: Tarim (MNHUB).
- 7838. Photedes fluxa (Hübner,[1809])** (Noctuidae) Noctua fluxa Hübner,[1809], Samml. eur. Schmett. 4, Noctuae: Tab. 88 fig.413. Type(s): Europa.
- 7839. Photedes improba (Staudinger,[1900])** (Noctuidae) Tapinostola improba Staudinger,[1900], Dt. ent. Z., Iris 12: 343. Type ♂: [China: Uighur A.R.]: Chamyl [Kumul].
- 7840. Photedes urbahni (Boursin,1956)** (Noctuidae) Arenostola urbahni Boursin,1956, Mitt. münch. ent. Ges. 46: 306-307, Taf.xiii. Holotype ♂: [Kirgizistan]: "Issyk-Kul m."
- 7841. Phyllophila melacheila (Staudinger,1896)** (Noctuidae) Erastria ? melacheila Staudinger,1896, Dt. ent. Z., Iris 8: 299. Type ♀: [Türkei]: Kleinasien: Akbes.
- 7842. Phyllophila oblitterata (Rambur,1833)** (Noctuidae) Anthophila oblitterata Rambur,1833, Annls Soc. ent. Fr. 2: 27, pl.2 fig.17. Type(s): Corsica.
- 7843. Phytometra viridaria (Clerck,1759)** (Noctuidae) [Phalaena] viridaria Clerck,1759, Icones Insectorum rariorum : Taf.9 fig.12. Type(s): Sweden.
- 7844. Pindara illibata (Fabricius,1775)** (Noctuidae) Noctua illibata Fabricius,1775, Syst. Ent.: 592. Type(s): India.
- 7845. Plecoptera inquinata (Lederer,1857)** (Noctuidae) Madopa inquinata Lederer,1857, Wien. ent. Monatschr.1:98. Type(s): [Lebanon]: Beirut.
- 7846. Plusia festucae (Linnaeus,1758)** (Noctuidae) Phalaena festucae Linnaeus,1758, Syst. Nat. (Edn.10)1: 513. Type(s): [Europa].
- 7847. Plusidia cheiranthi (Tauscher,1809)** (Noctuidae) Noctua cheiranthi Tauscher,1809, Mém. Soc. imp. Nat. Moscou 2: 322, pl.20 fig.6. Type(s): Russia: Waskuntschatskoi.
- 7848. Polia bombycina (Hufnagel,1766)** (Noctuidae) Phalaena bombycina Hufnagel,1766, Berl. Mag. 3(3): 410. Type(s): [Germany]: Berlin.
- 7849. Polia hepatica (Clerck,1759)** (Noctuidae) [Phalaena] hepatica Clerck,1759, Icon. Ins. rariorum Pl.8, fig.3. Type: Schweden.
- 7850. Polia nebulosa (Hufnagel,1766)** (Noctuidae) Phalaena nebulosa Hufnagel,1766, Berl. Mag. 4(2): 418. Type(s): [Germany]: Berlin.
- 7851. Polia sagittigera (Hufnagel,1766)** (Noctuidae) Phalaena sagittigera Hufnagel,1766, Berl. Mag. 3(3): 410. Type(s): [Germany]: Berlin.
- 7852. Polia sagittigera sagittigera (Hufnagel,1766)** (Noctuidae) Phalaena sagittigera Hufnagel,1766, Berl. Mag. 3(3): 410. Type(s): [Germany]: Berlin.
- 7853. Polia serratilinea Ochsenheimer,1816** (Noctuidae) Polia serratilinea Ochsenheimer,1816, Schmett. Eur. 4: 74. Type(s): -.
- 7854. Polia serratilinea serratilinea (Treitschke,1825)** (Noctuidae) Polia serratilinea Ochsenheimer,1816, Schmett. Eur. 4: 74. Type(s): -.
- 7855. Polychrysis moneta (Fabricius,1787)** (Noctuidae) Noctua moneta Fabricius,1787, Mantissa Insectorum 2: 162. Type: Austria.
- 7856. Polymixis (Bischoffia) alaschja Hacker,1996** (Noctuidae) Polymixis alaschja Hacker,1996, Esperiana 4: 299-300, figs. Holotype ♂: Zypern: Troodos Gebirge, sd. Lania, 600m, 24.x.1989 leg. Arenberger (coll. Hacker).
- 7857. Polymixis (Bischoffia) bischoffi (Herrich-Schäffer,1850)** (Noctuidae) Polia bischoffi Herrich-Schäffer,[1850], Syst. Bearb. Schmett. Eur. 2:265. Type(s): [Turkey]: Konstantinopel [=Istanbul].
- 7858. Polymixis (Bischoffia) bischoffi bischoffi (Herrich-Schäffer,1850)** (Noctuidae) Polia bischoffi Herrich-Schäffer,[1850], Syst. Bearb. Schmett. Eur. 2:265. Type(s): [Turkey]: Konstantinopel [=Istanbul].
- 7859. Polymixis (Bischoffia) culoti (Schawerda,1921)** (Noctuidae) Hadenia bischoffi var. culoti Schawerda,1921, Mitt. münch. ent. Ges. 11: 71.
- 7860. Polymixis (Bischoffia) culoti culoti (Schawerda,1921)** (Noctuidae) Hadenia bischoffi var. culoti Schawerda,1921, Mitt. münch. ent. Ges. 11: 71.
- 7861. Polymixis (Brandticola) dubiosa (Brandt,1938)** (Noctuidae) Antitype dubiosa Brandt,1938, Ent. Rdsch. 55: 518, fig. 89. Holotype ♂: Iran: [Tehran]: Keredj (NRS).
- 7862. Polymixis (Brandticola) dubiosa dubiosa (Brandt,1938)** (Noctuidae) Antitype dubiosa Brandt,1938, Ent. Rdsch. 55: 518, fig. 89. Holotype ♂: Iran: [Tehran]: Keredj (NRS).
- 7863. Polymixis (Brandticola) dubiosa roseotincta (Brandt,1941)** (Noctuidae) Antitype dubiosa ssp. roseotincta Brandt,1941, Mitt. münch. ent. Ges. 31: 847-848. Syntypes: Iran: Soultanabad, Laristan Sardze Umg.
- 7864. Polymixis (Eremophysa) apotheina (Brandt,1938)** (Noctuidae) Sidemia apotheina Brandt,1938, Ent. Rdsch. 55: 522-523, figs. 82-84. Syntypes ♂: Iran: [Tehran]: Keredj.
- 7865. Polymixis (Eremophysa) apotheina apotheina (Brandt,1938)** (Noctuidae) Sidemia apotheina Brandt,1938, Ent. Rdsch. 55: 522-523, figs. 82-84. Syntypes ♂: Iran: [Tehran]: Keredj.
- 7866. Polymixis (Eremophysa) apotheina exspectata (Hacker,[1987])** (Noctuidae) Eremophysa apotheina ssp. exspectata Hacker,[1987], Atalanta 18: 143, Taf. 3 figs.3-6. Holotype ♂: Türkei: Prov. Kars, Araç-Tal [Aras], 7km ö. Karakurt, 1600m 27.ix.1986 (leg. & coll. Hacker).
- 7867. Polymixis (Eremophysa) apotheina laristana (Brandt,1941)** (Noctuidae) Sidemia apotheina ssp. laristana Brandt,1941, Mitt. münch. ent. Ges. 31: 850. Syntypes: Iran: Lorestan: Sardze Umg.
- 7868. Polymixis (Eremophysa) gracilis (Brandt,1941)** (Noctuidae) Sidemia gracilis Brandt,1941, Mitt. münch. ent. Ges. 31: 849, fig.35. Syntypes: Iran: Lorestan: Sardze Umg.; Bender Tchahbahar.
- 7869. Polymixis (Eremophysa) hedygramma (Brandt,1941)** (Noctuidae) Sidemia hedygramma Brandt,1941, Mitt. münch. ent. Ges.

31: 849, fig.36. Syntypes: Iran: Lorestan: Sardze Umg.; Bender Tchahbahar.

7870. Polymixis (Myxinia) flavicincta ([Denis & Schiffermüller],1775) (Noctuidae) *Noctua flavicincta* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 72. Type(s): [Austria]: Vienna district.

7871. Polymixis (Myxinia) perchrysa Hacker & Ronkay,1992 (Noctuidae) *Polymixis (Myxinia) perchrysa* Hacker & Ronkay,1992, Esperiana 3: 488-489, figs. Holotype ♂: Turkey: Ağrı Prov., Karasu-Aras Dağları, 7km E Aydıntepe 13.x.1989 (G.Csorba & R. Ronkay leg.) (coll. Ronkay).

7872. Polymixis (Myxinia) philippi (Püngeler,1911) (Noctuidae) Antitype (Polia) philippi Püngeler,1911, [in] Stichel et al., 160, fig.9. Syntypes 10♂ 10♀: [Iran]: Persia: Sultanabad.

7873. Polymixis (Myxinia) rufocincta (Geyer,1828) (Noctuidae) *Noctua rufocincta* Geyer,[1828], [in] Hübner, Samml. eur. Schmett. 2, Noctuae: Taf.160, figs.747-748. Syntypes: Fiume [=Rijeka].

7874. Polymixis (Myxinia) rufocincta rufocincta (Geyer,[1828]) (Noctuidae) *Noctua rufocincta* Geyer,[1828], [in] Hübner, Samml. eur. Schmett. 2, Noctuae: Taf.160, figs.747-748. Syntypes: Fiume [=Rijeka].

7875. Polymixis (Parabrachionycha) Hacker,1990 (Noctuidae) *Polymixis (Parabrachionycha) Hacker,1990*, Neue ent. Nachr. 27: 453-454. Type-species: *Brachionycha atossa* Wiltshire,1941, by original designation.

7876. Polymixis (Parabrachionycha) atossa centralasiae Hacker & Behounek,1990 (Noctuidae) *Polymixis (Parabrachionycha) atossa ssp. centralasiae* Hacker & Behounek,1990, Neue ent. Nachr. 27: 454-455. Holotype ♂: [Tadjikistan]: Pamir: Chorog (ZSM).

7877. Polymixis (Parabrachionycha) atossa derraï Hacker,1990 (Noctuidae) *Polymixis (Parabrachionycha) atossa ssp. derraï* Hacker,1990, Neue ent. Nachr. 27: 451-453, figs. Holotype ♂: Türkei, Prov. Kars, Arastal, 7km östl. Karakurt, 1400m, 29.ix.1988 (leg. & coll. Derra).

7878. Polymixis (Serpimixis) serpentina (Treitschke,1825) (Noctuidae) *Miselia serpentina* Treitschke,1825, Schmett. Eur. 5(1):399. Syntypes: [Croatia]: Fiume [=Rijeka].

7879. Polymixis (s.str.) manisadjiani (Staudinger,1881) (Noctuidae) *Polia manisadjiani* Staudinger,1881, Horae Soc. ent. ross. 16: 73. Syntypes ♂♂: [Türkei]: Amasia.

7880. Polymixis (s.str.) manisadjiani manisadjiani (Staudinger,1882) (Noctuidae) *Polia manisadjiani* Staudinger,1881, Horae Soc. ent. ross. 16: 73. Syntypes ♂♂: [Türkei]: Amasia.

7881. Polymixis (s.str.) paravarga Ronkay,1990 (Noctuidae) *Polymixis paravarga* Ronkay,1990, Annl. hist. -nat. Mus. natn. hung. 81: 120, figs. Holotype ♂: Turkey: Prov. Ankara, Tuz Gölü, 1000m, 9km N Şereflikoçhisar, 9.x.1988 leg. Fabian, Herczig, Ronkay & Szaböky (HNHMB).

7882. Polymixis (s.str.) polymita (Linnaeus,1761) (Noctuidae) *Phalaena polymita* Linnaeus,1761, Fauna Suec.(Edn.2):321. Type(s): Schweden.

7883. Polymixis (s.str.) rebecca (Staudinger,1892) (Noctuidae) *Polia rebecca* Staudinger,1892, Dt. ent. Z., Iris 4: 282-283. Syntypes ♂♂: [Israel]: Jerusalem (Paulus leg.).

7884. Polymixis (s.str.) rjabovi (Boursin,1944) (Noctuidae) *Crino rjabovi* Boursin,1944, Revue Fr. Ent. 10: 77. Holotype: [Armenien]: Araxtal.

7885. Polymixis (s.str.) rosinae (Bohatsch,1908) (Noctuidae) *Leucochlaena rosinae* Bohatsch,1908, Jb. ent. Ver. Wien 19:11. Syntypes: [Turkey]: [İğdir]: Kulp.

7886. Polymixis (s.str.) subvenusta (Püngeler,1906) (Noctuidae) Antitype subvenusta Püngeler,1906, Dt. ent. Z., Iris 19: 9. Syntypes: Jerusalem.

7887. Polyphaenis monophaeis Brandt,1938 (Noctuidae) *Polyphaenis monophaeis* Brandt,1938, Ent. Rdsch. 55: 548, figs.133-137. Syntypes: Iran.

7888. Polyphaenis propinqua Staudinger,1895 (Noctuidae) *Polyphaenis sericata* var. *propinqua* Staudinger,1895, Dt. ent. Z., Iris 8: 298. Syntypes 2♂: [Türkei]: Kleinasien: Akbes.

7889. Polypogon lunalis (Scopoli,1763) (Noctuidae) *Phalaena lunalis* Scopoli,1763, Entomologia Carniolica: 241. Type(s): Carniolia.

7890. Polypogon plumigeris (Hübner,[1825]) (Noctuidae) *Pechipogo plumigeris* Hübner,[1825], Verz. bekannt. Schmett.: 345. Type(s): Europa.

7891. Polypogon tentacularia (Linnaeus,1758) (Noctuidae) *Phalaena tentacularia* Linnaeus,1758, Syst. Nat. (Edn.10):1: 522. Type(s): Europa.

7892. Polypogon zelleris (Wocke,1850) (Noctuidae) *Herminia zelleris* Wocke,1850, Z. Ent., Breslau: pl.4 fig.14.

7893. Powellinia carthalina (Christoph,1893) (Noctuidae) *Agrotis carthalina* Christoph,1893, Dt. ent. Z., Iris 6: 91. Syntypes: Transcaucasia: Tabitzkhuri et Masram.

7894. Powellinia lasserei (Oberthür,1881) (Noctuidae) *Luperina lasserei* Oberthür,1881, Etudes ent. comp. 6:86. Syntypes: Algeria: Magenta.

7895. Powellinia lasserei lasserei (Oberthür,1881) (Noctuidae) *Luperina lasserei* Oberthür,1881, Etudes ent. comp. 6:86. Syntypes: Algeria: Magenta.

7896. Powellinia margelanoides (Boursin,1944) (Noctuidae) *Agrotis margelanoides* Boursin,1944, Revue fr. Ent. 10: 159, fig. Holotype: [Israel]: mer Morte.

7897. Powellinia pierreti (Bugnion,1837) (Noctuidae) *Episema pierreti* Bugnion,1837, Annl. Soc. ent. Fr. 6: 441. Type: Egypt: Alexandria.

7898. Powellinia pierreti matritensis (Vasquez,1905) (Noctuidae) *Heliophobus pierreti matritensis* Vasquez,1905, Boln R. Soc. esp. Hist. nat. 5: 115-116. Type: Spain: Madrid: Rivas.

7899. Powellinia pierreti pierreti (Bugnion,1837) (Noctuidae) *Episema pierreti* Bugnion,1837, Annl. Soc. ent. Fr. 6: 441. Type: Egypt: Alexandria.

7900. Praestilbia armeniaca Staudinger,1892 (Noctuidae) *Praestilbia armeniaca* Staudinger,1892, Dt. ent. Z., Iris 4: 288-289, Taf.iii fig.10. Syntypes: [Türkei]: Amasia; [Griechenland]: Parnass.

7901. Prodotis boisdeffrii palaestinensis (Staudinger,1898) (Noctuidae) *Leucanitis boisdeffrii* var. *palaestinensis* Staudinger,1898, Dt. ent. Z., Iris 10: 299. Syntypes: Palaestina: Jordan Thal, Totes Meer.

7902. Proruca (Aproruca) recurrens (Hampson,1902) (Noctuidae) *Proruca recurrens* Hampson,1902, Ann. S. Afr. Mus. 2: 360-361. Type ♀: South Africa: N'Gamiland (Lugard leg.) (BMNH).

7903. Proruca (s.str.) Distant,1901 (Noctuidae) *Proruca Distant,1901*, Entomologist 34: 284. Type-species: *Proruca harmonica* Distant,1901, by monotypy.

7904. Proruca (s.str.) harmonica Distant,1901 (Noctuidae) *Proruca harmonica* Distant,1901, Entomologist 34: 284. Type(s): [South Africa]: Pretoria.

7905. Proruca Distant,1901 (Noctuidae) *Proruca Distant,1901*, Entomologist 34: 284. Type-species: *Proruca harmonica* Distant,1901, by monotypy.

7906. Protexarnis confinis (Staudinger,1881) (Noctuidae) *Agrotis confinis* Staudinger,1881, Stettin ent. Ztg. 42: 422. Syntypes: Russia: Saisan, Lepsa.

7907. Protexarnis opioleuca (Staudinger,1881) (Noctuidae) *Agrotis opioleuca* Staudinger,1881, Stettin ent. Ztg. 42: 423. Syntypes 2♂ 1♀: [Iran]: Shahkuh.

7908. Protexarnis persica (Staudinger,1897) (Noctuidae) *persica* Staudinger,1897

7909. Protexarnis squalidiformis (Corti & Draudt,1933) (Noctuidae) *Rhyacia squalidiformis* Corti & Draudt,1933, [in] Seitz, Die Gross-Schmett. Erde 3 (suppl.): 69, Pl.9i. Type(s): [Türkei]: Amasia.

7910. Protodeltote pygarga (Hufnagel,1766) (Noctuidae) *Phalaena pygarga* Hufnagel,1766, Berl. Mag. 3(3): 308. Type(s): Germany: Berlin.

7911. Protoschinia scutosa ([Denis & Schiffermüller],1775) (Noctuidae) *Noctua scutosa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district.

7912. Proxenus lepigone (Möschler,1860) (Noctuidae) *Hydrilla lepigone* Möschler,1860, Wien. ent. Monatschr. 4: 273.

7913. Pseudenargia deleta (Osthelder,1933) (Noctuidae) *Enargia regina* ssp. *deleta* Osthelder,1933, Mitt. münch. ent. Ges. 23: 78. Syntypes: Türkei: Maraş.

7914. Pseudenargia regina (Staudinger,1892) (Noctuidae) *Cosmia regina* Staudinger,1892, Dt. ent. Z., Iris 4: 297-299, Taf.iv fig.2. Syntypes: [Türkei]: Amasia, Gjaur Dagh [Maraş].

7915. Pseudeustrotia candidula ([Denis & Schiffermüller],1775) (Noctuidae) *Noctua candidula* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district.

7916. Pseudeustrotia deceptoris (Scopoli,1763) (Noctuidae) *Phalaena deceptoris* Scopoli,1763, Entomologia Carniolica: 214. Type(s): Carniolia.

7917. Pseudochalcia inconspicua (Graeser,1892) (Noctuidae) *Plusia inconspicua* Graeser,1892, Berl. ent. Z. 37: 315-316. Syntypes 2♂ 1♀: [Kirgizistan]: Alexander Gebirge.

- 7918. *Pseudocopicucullia syrtana* (Mabille,1888)** (Noctuidae) *Cucullia syrtana* Mabille,1888, Bull. Soc. ent. Fr. 1888: 11. Syntypes: Tunesien: Gabes.
- 7919. *Pseudocopicucullia syrtana iranica* Brandt,1941** (Noctuidae) *Pseudocopicucullia syrtana* ssp. *iranica* Brandt,1941, Mitt. münch. ent. Ges. 31: 847. Syntypes: Iran: Laristan and Bender Tchahbahar.
- 7920. *Pseudocopicucullia syrtana syrtana* (Mabille,1888)** (Noctuidae) *Cucullia syrtana* Mabille,1888, Bull. Soc. ent. Fr. 1888: 11. Syntypes: Tunesien: Gabes.
- 7921. *Pseudohadena* (s.str.) *gnorima hololampra* Ronkay & Varga,1989** (Noctuidae) *Pseudohadena* *gnorima* ssp. *hololampra* Ronkay & Varga,1989, Acta zool. Hung. 35: 349-350, figs.12-13. Holotype ♂: [Armenia]: "Russisch Armenien, Geghard, 1700m, 40km östl. Eriwan" (Kasy & Vartian leg.) (coll. Vartian).
- 7922. *Pseudohadena* (s.str.) *gnorima peregovitsi* Ronkay & Varga,1989** (Noctuidae) *Pseudohadena* *gnorima* ssp. *peregovitsi* Ronkay & Varga,1989, Acta zool. Hung. 35: 350-351, figs.14-15. Holotype ♂: Mongolia, Govi Altay Aimak, Mts. Adz Bogd Uul, valley lh gol, 2100m, leg. Peregovits & Varga (HNHM).
- 7923. *Pseudohadena* (s.str.) *immunis* (Staudinger,1889)** (Noctuidae) *Luperina immunis* Staudinger,1889, Stettin ent. Ztg. 50: 40-41. Syntypes: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.).
- 7924. *Pseudohadena* (s.str.) *laciniosa* (Christoph,1887)** (Noctuidae) *Chloantha laciniosa* Christoph,1887,[in] Romanoff, Mém. lépid. 3: 77, pl.4 fig.4. Syntypes: [Turkmenistan]: Germob.
- 7925. *Pseudohadena* (s.str.) *laciniosa hethitica* Ronkay & Varga,1989** (Noctuidae) *Pseudohadena* *laciniosa* ssp. *hethitica* Ronkay & Varga,1989, Acta zool. Hung. 35: 346-347, figs. Holotype ♂: [Turkey]: Asia min. c., Ak-Ch.-Tschiftlik (HNHM).
- 7926. *Pseudohadena* (s.str.) *laciniosa laciniosa* (Christoph,1887)** (Noctuidae) *Chloantha laciniosa* Christoph,1887,[in] Romanoff, Mém. lépid. 3: 77, pl.4 fig.4. Syntypes: [Turkmenistan]: Germob.
- 7927. *Pseudohadena* (s.str.) *minuta Püngeler,1900*** (Noctuidae) *Pseudohadena* *minuta* Püngeler,1900, Dt. ent. Z., Iris 12 293. Syntypes: [Turkmenistan]: Merv; Ili Gebiet.
- 7928. *Pseudohadena* (s.str.) *pexa* (Staudinger,1889)** (Noctuidae) *Luperina pexa* Staudinger,1889, Stettin ent. Ztg. 50: 41-42. Syntypes 3♂ 2♀: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.).
- 7929. *Pseudohadena* (s.str.) *xanthophanes rhodocyanea* Boursin,1963** (Noctuidae) *Pseudohadena* *xanthophanes* ssp. *rhodocyanea* Boursin,1963, Bull. mens. Soc. linn. Lyon 33: 261. Holotype ♂: [China: Uighur A.R.]: "Asie centrale, Altyn-Tagh (chaîne de montagnes bordant le Takla-makan au sud) (coll. Museum de Paris)".
- 7930. *Pseudoxestia apfelbecki* (Rebel,1901)** (Noctuidae) *Hiptelia apfelbecki* Rebel,1901, Verh. zool.- bot. Ges. Wien 51: 798. Type: Bosnia_Herzegowina.
- 7931. *Pseudozarba bipartita* (Herrich-Schäffer,1850)** (Noctuidae) *Apamea bipartita* Herrich-Schäffer,1850, Syst. Bearb. Schmett. Eur. 2: 285. Type: Sizilien.
- 7932. *Pyrocleptria cora* (Eversmann,1837)** (Noctuidae) *Heliothis cora* Eversmann,1837, Bull. Soc. nat. Moscou 1837: 47.
- 7933. *Pyrois cinnamomea* (Goeze,1781)** (Noctuidae) *Phalaena cinnamomea* Goeze,1781, Ent. Beytr. 3 (3): 205. Type(s): Europa.
- 7934. *Pyrois effusa* (Boisduval,1828)** (Noctuidae) *Amphipyra effusa* Boisduval,1828, Eur. lepid. Index Meth.: 68. Type(s): Italia: Sicilia.
- 7935. *Pyrrhia treitschkii* (Frivaldszky,1835)** (Noctuidae) *Heliotis treitschkii* Frivaldszky,1835, Tarsas. tud. Akad. Evkönyv. 2:273. Syntypes: [Bulgaria]: Slivno.
- 7936. *Pyrrhia umbra* (Hufnagel,1766)** (Noctuidae) *Phalaena umbra* Hufnagel,1766, Berl. Mag. 3(3): 294. Type(s): [Germany]: Berlin.
- 7937. *Recophora beata* (Staudinger,1892)** (Noctuidae) *Metopoceras* (?) *beata* Staudinger,1892, Dt. ent. Z., Iris 4: 274, Taf. iii fig. 9. Type 1♂: [Türkei]: Hadjin, 20.Juni 1890 (Manissadjian leg.).
- 7938. *Recophora hreblayi* Hacker & L.Ronkay,2002** (Noctuidae) *Recophora hreblayi* Hacker & L.Ronkay,2002, Esperiana 9: 254-255, figs. Holotype ♂: Türkei: Prov. Hakkari, oberhalb Ogul, 2100m (16km S. Hakkari), 29.vi.1984, leg. F. Wolf (coll. Hacker).
- 7939. *Rhizedra lutosa* (Hübner,1803)** (Noctuidae) *Noctua lutosa* Hübner,[1803], Samml. eur. Schmett. 4, Noctuae: Tab.48 fig.232. Type(s): Europa.
- 7940. *Rhizedra lutosa lutosa* (Hübner,1803)** (Noctuidae) *Noctua lutosa* Hübner,[1803], Samml. eur. Schmett. 4, Noctuae: Tab.48 fig.232. Type(s): Europa.
- 7941. *Rhyacia* (Epipsilia) *cervantes* (Reisser,1935)** (Noctuidae) *Rhyacia* *cervantes* Reisser,1935, Ent. Rdsch. 53: 41.
- 7942. *Rhyacia* (Epipsilia) *cervantes vargai* (Fibiger,1993)** (Noctuidae) *Rhyacia* *latens* ssp. *pontica* Draudt,1936, Ent. Rdsch. 53: 468, Taf.iv e5. Syntypes 3♂: [Türkei]: Ak-schehir (Sultan-Dagh).
- 7943. *Rhyacia* (Epipsilia) *griseus* (Fabricius,1794)** (Noctuidae) *Noctua griseus* Fabricius,1794, Ent. Syst. 3 (2): 110.
- 7944. *Rhyacia* (Epipsilia) *latens* (Hübner,[1809])** (Noctuidae) *Noctua* *latens* Hübner,[1809], Samml. eur. Schmett., Noct. 2: Taf.89, fig.419. Type: [Europa].
- 7945. *Rhyacia* (Epipsilia) *latens hyrcana* (Staudinger,1900)** (Noctuidae) *Agrotis griseus* var. *hyrcana* Staudinger,1900, Dt. ent. Z., Iris 12: 340. Syntypes: [Iran]: Hadschyabad, Schahkuh.
- 7946. *Rhyacia* (s.str.) *arenacea* (Hampson,1907)** (Noctuidae) *Epipsilia arenacea* Hampson,1907, Ann. Mag. nat. Hist. (7) 19: 245. Type: Pakistan: Quetta.
- 7947. *Rhyacia* (s.str.) *decorata* (Staudinger,1881)** (Noctuidae) *Agrotis decorata* Staudinger,1881, Stettin ent. Ztg. 42: 414. Type ♂: [Kazachstan]: "Tarbagatai".
- 7948. *Rhyacia* (s.str.) *electra* (Staudinger,1888)** (Noctuidae) *Agrotis electra* Staudinger,1888, Stettin ent. Ztg. 49: 6-7. Syntypes 1♂ 1♀: [Uzbekistan]: Margelan (Alai).
- 7949. *Rhyacia* (s.str.) *helvetina* (Boisduval,1833)** (Noctuidae) *Noctua helvetina* Boisduval,1833, Annl. Soc. ent. Fr. 1833: 376. Syntypes: Valais Alps.
- 7950. *Rhyacia* (s.str.) *helvetina banghaasi* Boursin,1940** (Noctuidae) *Rhyacia helvetina* ssp. *banghaasi* Boursin,1940, Mitt. münch. ent. Ges. 30: 495 (nomen novum pro *gilva* Bang-Haas,1910 nec Donzel,1837). Syntypes: [Türkei]: "Aintab" [Gaziantep] (MNHUB).
- 7951. *Rhyacia* (s.str.) *helvetina deliciosa* Brandt,1938** (Noctuidae) *Rhyacia helvetina* ssp. *deliciosa* Brandt,1938, Ent. Rdsch. 55: 503. Syntypes : Iran: [Fars]: Barm i Firus.
- 7952. *Rhyacia* (s.str.) *helvetina helvetina* (Boisduval,1833)** (Noctuidae) *Noctua helvetina* Boisduval,1833, Annl. Soc. ent. Fr. 1833: 376. Syntypes: Valais Alps.
- 7953. *Rhyacia* (s.str.) *helvetina rjabovi* Boursin,1940** (Noctuidae) *Rhyacia helvetina* ssp. *rjabovi* Boursin,1940, Mitt. münch. ent. Ges. 30: 495, Taf.viii fig.27. Holotype ♀: [Russia]: Daghestan: Bazar-Djuzi (prope Khanaluk), 3000m (leg. Rjabov, coll. Boursin) (LNK).
- 7954. *Rhyacia* (s.str.) *ignobilis* (Staudinger,1888)** (Noctuidae) *Agrotis ignobilis* Staudinger,1888, Stettin ent. Ztg. 49: 7-8. Syntypes 3♂: [Kirgizistan]: Issyk-Kul (Tancré leg.).
- 7955. *Rhyacia* (s.str.) *junonia* (Staudinger,1881)** (Noctuidae) *Agrotis junonia* Staudinger,1881, Stettin ent. Ztg. 42: 415-416. Type ♂: [Kazachstan]: "Saisan" (MNHUB).
- 7956. *Rhyacia* (s.str.) *junonia junonia* (Staudinger,1881)** (Noctuidae) *Agrotis junonia* Staudinger,1881, Stettin ent. Ztg. 42: 415-416. Type ♂: [Kazachstan]: "Saisan" (MNHUB).
- 7957. *Rhyacia* (s.str.) *lucipeta* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua lucipeta* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 71. Type(s): [Austria]: Vienna district.
- 7958. *Rhyacia* (s.str.) *musculus* (Staudinger,1889)** (Noctuidae) *Agrotis musculus* Staudinger,1889, Stettin ent. Ztg. 50: 30-31. Syntypes ♂♂: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.).
- 7959. *Rhyacia* (s.str.) *nyctymerides* (O.Bang-Haas,1922)** (Noctuidae) *Agrotis nyctymerina* var. *nyctymerides* O.Bang-Haas,1922, Dt. ent. Z., Iris 36: 5. Type(s): Issyk-Kul.
- 7960. *Rhyacia* (s.str.) *parnassiphila* (Staudinger,1881)** (Noctuidae) *Agrotis parnassiphila* Staudinger,1881, Stettin ent. Ztg. 42: 414-415. Type ♂: [Kazachstan]: "Ala Tau" (MNHUB).
- 7961. *Rhyacia* (s.str.) *simulans* (Hufnagel,1766)** (Noctuidae) *Phalaena simulans* Hufnagel,1766, Berl. Mag. 3 (3): 396. Type(s): [Germany]: Berlin.
- 7962. *Rhyacia* (s.str.) *subdecora* (Staudinger,1888)** (Noctuidae) *Agrotis subdecora* Staudinger,1888, Stettin ent. Ztg. 49: 7. Syntypes 4♂: [Uzbekistan]: Margelan (Haberhauer leg.).
- 7963. *Rhyagla lacernaria* (Hübner,[1813])** (Noctuidae) *Geometra lacernaria* Hübner,[1813], Samml. eur. Schmett. 5, Geometrae: Tab.82 fig.422. Type(s): Europa.
- 7964. *Rivula sericealis* (Scopoli,1763)** (Noctuidae) *Phalaena sericealis* Scopoli,1763, Entomologia Carniolica: 242. Type(s): [Slovenien]: Carniolia [Krain].
- 7965. *Saragossa porosa* (Eversmann,1854)** (Noctuidae) *Orthosia porosa* Eversmann,1854, Bull. Moscou 1854: 186.
- 7966. *Saragossa siccanorum* (Staudinger,1870)** (Noctuidae) *Mamestra siccanorum* Staudinger,1870, Berl. ent. Z. 14: 114. Syntypes: [Russia]: Sarepta.

- 7967. Sarbena Walker, 1862** (Noctuidae) *Sarbena Walker*, 1862, J. Proc. linn. Soc. (Zool.) 6: 137. Type-species: *Sarbena lignifera* Walker, 1862, by monotypy.
- 7968. Sarbena hollowayi Laszlo, Ronkay, Witt, 2004** (Noctuidae) *Sarbena hollowayi* Laszlo, Ronkay, Witt, 2004, Entomofauna 25 (18): 285-291, figs. Holotype ♂: Vietnam: Nghe An, Distr. Que Phong, Ban Khom, 280m (MWM).
- 7969. Sarbena lignifera Walker, 1862** (Noctuidae) *Sarbena lignifera* Walker, 1862, J. Proc. Linn. Soc. (Zool.) 6: 137. Lectotype ♂: Borneo, Sarawak, designated by Swinhoe.
- 7970. Schinia cardui (Hübner, 1790)** (Noctuidae) *Phalaena cardui* Hübner, 1790, Beitr. Gesch. Schmett. 2(4): 84, 127, Taf. 4, fig. B.
- 7971. Schinia cognata (Freyer, 1833)** (Noctuidae) *Heliothis cognata* Freyer, 1833, Neuere Beitr. Schmett. 2: 24, Tab. 110, fig. 1. Type(s): Ungarn.
- 7972. Schrankia taenialis (Hübner, 1809)** (Noctuidae) *Pylalis taenialis* Hübner, 1809, Samml. eur. Schmett. 6, Pylalides: Tab. 23 fig. 151. Type(s): Europa.
- 7973. Scodionyx Staudinger, 1900** (Noctuidae) *Scodionyx* Staudinger, 1900, Dt. ent. Z., Iris 12: 397. Type-species: *Scodionyx mysticus* Staudinger, 1900, by monotypy.
- 7974. Scodionyx mysticus Staudinger, 1900** (Noctuidae) *Scodionyx mysticus* Staudinger, 1900, Dt. ent. Z., Iris 12: 397. Syntypes: Palaestina: Totes Meer.
- 7975. Scoliopteryx libatrix (Linnaeus, 1758)** (Noctuidae) *Phalaena libatrix* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 507. Type(s): [Europa].
- 7976. Scotochrosta pulla ([Denis & Schiffermüller], 1775)** (Noctuidae) *Noctua pulla* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 76. Type(s): [Austria]: Vienna district.
- 7977. Scotochrosta pulla pulla ([Denis & Schiffermüller], 1775)** (Noctuidae) *Noctua pulla* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 76. Type(s): [Austria]: Vienna district.
- 7978. Scythrocentropus misella (Püngeler, 1907)** (Noctuidae) *Margelana misella* Püngeler, 1907, Dt. ent. Z., Iris 19: 219. Syntypes: Iligebiet; [China]: Kuldja.
- 7979. Serrodes partita (Fabricius, 1775)** (Noctuidae) *Noctua partita* Fabricius, 1775, Syst. Ent.: 604. Type(s): India.
- 7980. Sesamia cretica Lederer, 1857** (Noctuidae) *Sesamia cretica* Lederer, 1857, Noct. Eur.: 124. Type(s): [Greece]: Creta: Candia.
- 7981. Sesamia lacteola (Christoph, 1893)** (Noctuidae) *Leucania lacteola* ? Christoph, 1893, Dt. ent. Z., Iris 6: 92. Type: [Turkey]: Kasikoparan.
- 7982. Sesamia nonagrioides (Lefebvre, 1827)** (Noctuidae) *Cossus nonagrioides* Lefebvre, 1827, Mem. Soc. linn. Paris 6: 98. Type(s): Sicilia: Palermo.
- 7983. Sideridis (Aneda) rivularis (Fabricius, 1775)** (Noctuidae) *Noctua rivularis* Fabricius, 1775, Syst. Ent.: 613. Type(s): [Germany]: Sachsen.
- 7984. Sideridis (Conisania) evestigata (Draudt, 1936)** (Noctuidae) *Epia evestigata* Draudt, 1936, Ent. Rdsch. 53: 490-491. Holotype ♀: [Türkei]: Ankara (leg. Noack); Co-type: Siwas (leg. Zukowsky).
- 7985. Sideridis (Luteohadena) literata subfusca Hacker, 1996** (Noctuidae) *Conisania (Luteohadena) literata* ssp. *subfusca* Hacker, 1996, Esperiana 5: 643-644 Taf. Y fig. 2. Holotype ♂: Türkiye: Prov. Ankara: Lake Tuz Gölü, 8km N. Şereflikoçhisar 1100m, 5-6.v.1989 (leg. Fabian & Ronkay) (HNHM).
- 7986. Sideridis (Luteohadena) luteago ([Denis & Schiffermüller], 1775)** (Noctuidae) *Noctua luteago* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 86. Type(s): [Austria]: Vienna district.
- 7987. Sideridis (Luteohadena) luteago luteago ([Denis & Schiffermüller], 1775)** (Noctuidae) *Noctua luteago* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 86. Type(s): [Austria]: Vienna district.
- 7988. Sideridis (Luteohadena) luteago meridionalis (Brandt, 1938)** (Noctuidae) *Harmodia luteago* ssp. *meridionalis* Brandt, 1938, Ent. Rdsch. 55: 505. Syntypes: Iran: [Fars]: Fort Sine Sefid.
- 7989. Sideridis (s.str.) demotica (Püngeler, 1902)** (Noctuidae) *Mamestra demotica* Püngeler, 1902, Dt. ent. Z., Iris 15: 148, taf. 5 figs. 8, 9. Type ♂: [China: Uighur A.R.]: Aksu.
- 7990. Sideridis (s.str.) egena (Lederer, 1853)** (Noctuidae) *Hadena egena* Lederer, 1853, Verh. zool.-bot. Ver. Wien 3: 371. Syntypes: [Kasachstan]: Kirghisensteppe; [Russia]: Sibirien.
- 7991. Sideridis (s.str.) implexa (Hübner, 1809)** (Noctuidae) *Noctua implexa* Hübner, 1809, Samml. eur. Schmett. Noct. 2: Taf. 88 fig. 414. Type(s): Europa.
- 7992. Sideridis (s.str.) lampira (Schawerda, 1913)** (Noctuidae) *Leucania evidens* var. *lampira* Schawerda, 1913, Verh. zool.-bot. Ges. Wien 63: 157. Syntypes: [Bosnia-Herzegovina]: Bosnien, Herzegowina, Mojstrana.
- 7993. Sideridis (s.str.) simplex (Staudinger, 1889)** (Noctuidae) *Polia simplex* Staudinger, 1889, Stettin ent. Ztg. 50: 39-40. Syntypes 2♂ 3♀: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.).
- 7994. Simplicia caeneusalis (Walker, 1859)** (Noctuidae) *Sophronia caeneusalis* Walker, 1859, List Specimens lepid. Insects Colln Br. Mus. 16: 94. Type: Australia.
- 7995. Simyra albovenosa (Goeze, 1781)** (Noctuidae) *Phalaena albovenosa* Goeze, 1781, Ent. Beytr. 3(3):
- 7996. Simyra albovenosa albovenosa (Goeze, 1781)** (Noctuidae) *Phalaena albovenosa* Goeze, 1781, Ent. Beytr. 3(3):
- 7997. Simyra dentinosa Freyer, 1839** (Noctuidae) *Simyra dentinosa* Freyer, 1839, Neuere Beitr. Schmett. 3: 97, Tab. 263 fig. 2, 3. Type(s): [Türkei]: Konstantinopel [Istanbul].
- 7998. Simyra nervosa ([Denis & Schiffermüller], 1775)** (Noctuidae) *Noctua nervosa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 85. Type(s): [Austria]: Vienna district.
- 7999. Simyra nervosa lactea Hacker & Kautt, 1999** (Noctuidae) *Simyra nervosa* ssp. *lactea* Hacker & Kautt, 1999, Esperiana 7: 429 figs. Holotype ♂: Iran: Fars: vic. Eqlid, 2300m (coll. Hacker, ZSM).
- 8000. Simyra nervosa nervosa ([Denis & Schiffermüller], 1775)** (Noctuidae) *Noctua nervosa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 85. Type(s): [Austria]: Vienna district.
- 8001. Simyra renimaculata (Osthelder, 1932)** (Noctuidae) *Arsilonche renimaculata* Osthelder, 1932, Mitt. münch. ent. Ges. 22 (2): 83-84. Syntypes ♂♂: [Türkei]: Marasch, Duldül Dag (ZSM).
- 8002. Spaelotis demavendi (F. Wagner, 1937)** (Noctuidae) *Rhyacia demavendi* Wagner, 1937, Z. öst. EntVer. 22: 61. Syntypes: Iran: Elbursgebirge.
- 8003. Spaelotis ravidia ([Denis & Schiffermüller], 1775)** (Noctuidae) *Noctua ravidia* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district.
- 8004. Spaelotis ravidia ravidia ([Denis & Schiffermüller], 1775)** (Noctuidae) *Noctua ravidia* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district.
- 8005. Sphingomorpha chlorea (Cramer, 1779)** (Noctuidae) *Phalaena chlorea* Cramer, 1779, Uitl. Kapellen 2: 12, pl. 104 C. Type(s): Surinam [patria falsa].
- 8006. Spodoptera exiguum (Hübner, 1808)** (Noctuidae) *Noctua exigua* Hübner, 1808, Samml. eur. Schmett. Noct. 2, Taf. 78 fig. 362. Type(s): Europa.
- 8007. Spodoptera littoralis (Boisduval, 1833)** (Noctuidae) *Hadena littoralis* Boisduval, 1833, Faune ent. Madagascar: 91, Taf. 13 fig. 8. Syntypes: Maurica, Bourbon, Madagascar.
- 8008. Spodoptera liturum (Fabricius, 1775)** (Noctuidae) *Noctua litura* Fabricius, 1775, Syst. Ent.: 601. Type(s): India orientalis.
- 8009. Standfussiana defessa (Lederer, 1858)** (Noctuidae) *Agrotis defessa* Lederer, 1858, Wien. ent. Monatschr. 2: 144, Taf. 2 fig. 8. Syntypes 3♂: Libanon: "Gipfel des Libanon".
- 8010. Standfussiana lucerneae (Linnaeus, 1758)** (Noctuidae) *Phalaena lucerneae* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 510. Type(s): Europa.
- 8011. Standfussiana lucerneae kuruschicola (Boursin, 1940)** (Noctuidae) *Rhyacia lucerneae* ssp. *kuruschicola* Boursin, 1940, Mitt. münch. ent. Ges. 30: 495, Taf. 9 f. 37. Holotype ♂: [Russia]: Daghestan: Kurusch, 2500m.
- 8012. Standfussiana nictymera (Boisduval, 1837)** (Noctuidae) *Agrotis nictymera* Boisduval, 1837, Icon. Hist. Lépid. Eur. 2: Taf. 78, figs. 1, 2. Type(s): Europa.
- 8013. Stenodrina aeschista Boursin, 1937** (Noctuidae) *Stenodrina aeschista* Boursin, 1937, Ent. Rdsch. 54: 430. Holotype ♂: Turkey: Amasia (coll. Boursin).
- 8014. Stenodrina agramma Brandt, 1938** (Noctuidae) *Stenodrina agramma* ? Brandt, 1938, Ent. Rdsch. 55: 549, fig. 187. Syntypes : Iran: [Fars]: Comée.
- 8015. Stilbia andalusiaca Staudinger, 1892** (Noctuidae) *Stilbia anomala* var. *andalusiaca* Staudinger, 1892, Dt. ent. Z., Iris 4: 289-290. Syntypes: [Spanien]: Andalusien: Granada.

- 8016.** *Stilbia syriaca* Staudinger, 1892 (Noctuidae) *Stilbia anomala* var. *syriaca* Staudinger, 1892, Dt. ent. Z., Iris 4: 290. Syntypes: [Libanon]: Beirut.
- 8017.** *Stilbina hypaenides* Staudinger, 1892 (Noctuidae) *Stilbina hypaenides* Staudinger, 1892, Dt. ent. Z., Iris 4: 290. Syntypes: [Libanon]: Beirut; [Israel]: Jerusalem.
- 8018.** *Syngrapha interrogationis* (Linnaeus, 1758) (Noctuidae) *Phalaena interrogationis* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 513. Type(s): Europa.
- 8019.** *Synthymia fixa* (Fabricius, 1787) (Noctuidae) *Noctua fixa* Fabricius, 1787, Mantissa Insectorum 2: 147. Type: Gibraltar.
- 8020.** *Tamsola tarda* Wiltshire, 1946 (Noctuidae) *Tamsola tarda* Wiltshire, 1946, Entomologist's Rec. J. Var. 58: 31. Holotype: Iraq: Rowanduz Gorge.
- 8021.** *Tathorhynchus camerounica* Hayes, 1980 (Noctuidae) *Tathorhynchus camerounica* Hayes, 1980, Proc. Br. Ent. nat. Hist. Soc. 1980: 29, figs. 17, 18, 27. Holotype ♂: Cameroun: Mt. Cameroon, Mann's Quelle, 7400ft. M. Steele leg.
- 8022.** *Tathorhynchus exsiccatu* (Lederer, 1855) (Noctuidae) *Spintherops exsiccata* Lederer, 1855, Verh. zool.-bot. Ver. Wien 5: 204, pl. 2 fig. 12. Type ♂: Lebanon: Beirut (MNHUB).
- 8023.** *Tathorhynchus exsiccatu fallax* Swinhoe, 1902 (Noctuidae) *Tathorhynchus fallax* Swinhoe, 1902, Ann. Mag. nat. Hist. (7) 9: 423. Type ♀: Australia: Roebourne (BMNH).
- 8024.** *Teinoptera oliva* (Staudinger, [1895]) (Noctuidae) *Cleophana oliva* Staudinger, [1895], Dt. ent. Z., Iris 7: 279. Syntypes 20 ♂♂: [Türkei]: nördl. Kleinasien (Paphlagonien), Kastamuni, Tosie (Tusia).
- 8025.** *Teinoptera olivina* (Herrich-Schäffer, [1852]) (Noctuidae) *Cleophana olivina* Herrich-Schäffer, [1852], Syst. Bearb. Schmett. Eur. 6 (Nachtrag): 57, Taf. 113, fig. 578. Type(s): [Turkey]: Kleinasien.
- 8026.** *Thalpophila matura* (Hufnagel, 1766) (Noctuidae) *Phalaena matura* Hufnagel, 1766, Berl. Mag. 3(4): 414. Type(s): Germany: Berlin.
- 8027.** *Thalpophila matura matura* (Hufnagel, 1766) (Noctuidae) *Phalaena matura* Hufnagel, 1766, Berl. Mag. 3(4): 414. Type(s): Germany: Berlin.
- 8028.** *Thiacidas postica* Walker, 1855 (Noctuidae) *Thiacidas postica* Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1028. Type: Nepal.
- 8029.** *Tholera cespitis* (Goeze, 1781) (Noctuidae) *Phalaena cespitis* Goeze, 1781, Ent. Beytr. 3(3): 217, nr. 155.
- 8030.** *Tholera cespitis armena* Hacker, [1987] (Noctuidae) *Tholera cespitis* ssp. *armena* Hacker, [1987], Atalanta 17 (1/4): 42, Taf. 12 figs. 13, 14, Taf. 13 fig. 19. Holotype ♂: [Türkei]: Prov. Erzurum, Palandöken Dağı 4km S. Erzurum, 2200m, 8. ix. 1985 (leg. & coll. Hacker).
- 8031.** *Tholera cespitis cespitis* (Goeze, 1781) (Noctuidae) *Phalaena cespitis* Goeze, 1781, Ent. Beytr. 3(3): 217, nr. 155.
- 8032.** *Tholera decimalis* (Poda, 1761) (Noctuidae) *Phalaena decimalis* Poda, 1761, Insecta Musei Graecensis: 92. Type(s): [Austria]: Graz.
- 8033.** *Thria robusta* Walker, [1858] (Noctuidae) *Thria robusta* Walker, [1858], List Specimens lepid. Insects Colln Br. Mus. 13: 1112. Syntypes: South Africa.
- 8034.** *Thyas coronata* (Fabricius, 1775) (Noctuidae) *Noctua coronata* Fabricius, 1775, Syst. Ent.: 596. Type(s): China.
- 8035.** *Thysanoplusia* (s.str.) *orichalcea* (Fabricius, 1775) (Noctuidae) *Noctua orichalcea* Fabricius, 1775, Syst. Ent.: 607.
- 8036.** *Tinolius hypsanus* Swinhoe, 1889 (Noctuidae) *Tinolius hypsanus* Swinhoe, 1889, Proc. zool. Soc. Lond. 1889: 405. Type: North India, Sikkim.
- 8037.** *Trachea atriplicis* (Linnaeus, 1758) (Noctuidae) *Phalaena atriplicis* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 517. Type(s): [Europa].
- 8038.** *Trichanarta mausi* (Püngeler, 1904) (Noctuidae) *Anarta mausi* Püngeler, 1904, Dt. ent. Z., Iris 19: 130. Syntypes: [China: Uighur A.R.]: Altyn-Tagh (MNHU).
- 8039.** *Trichoplusia arachnoides* (Distant, 1901) (Noctuidae) *Plusia arachnoides* Distant, 1901, Entomologist 34: 285. Type(s): [South Africa]: Pretoria.
- 8040.** *Trichoplusia ni* (Hübner, [1803]) (Noctuidae) *Noctua ni* Hübner, [1803], Samml. eur. Schmett. 4, Noctuae: Tab. 58 fig. 284. Type(s): Europa.
- 8041.** *Trichosea champa* (Moore, 1879) (Noctuidae) *Moma champa* Moore, 1879, Proc. zool. Soc. Lond. 1879: 403, pl. 33 fig. 2. Syntypes: India: [Himachal Pradesh]: Dharmasala (BMNH).
- 8042.** *Trichosilia plumbea* (Alpheraky, 1887) (Noctuidae) *Agrotis birivia* var. *plumbea* Alpheraky, 1887, Stettin ent. Z. 48: 168. Syntypes: [China: Uighur A.R.]: Turkestan.
- 8043.** *Trichospolas arterialis* Draudt, 1936 (Noctuidae) *Trichospolas arterialis* Draudt, 1936, Ent. Rdsch. 53: 470, Taf. iv e2. Syntypes 1 ♂ 1 ♀: [Russia]: Daghestan, St. Kum-Torkale (Rjabov leg.).
- 8044.** *Trisateles emortualis* (Denis & Schiffermüller, 1775) (Noctuidae) *Pyralis emortualis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district.
- 8045.** *Trisuloides sericea* Butler, 1881 (Noctuidae) *Trisuloides sericea* Butler, 1881, Ann. Mag. nat. Hist. (5) 7: 36. Syntypes: India: [Meghalaya]: W. Bengal (BMNH).
- 8046.** *Turacina warreni* (Warren, 1911) (Noctuidae) *Turacina warreni*, 1911, [in] Seitz, Gross-Schmett. 3: 248. Type-species: *Bryophila ceratopyga* Püngeler, 1902, by original designation.
- 8047.** *Turacina ceratopyga* (Püngeler, 1902) (Noctuidae) *Bryophila ceratopyga* Püngeler, 1902, Dt. ent. Z., Iris 15: 149, pl. 5 fig. 16. Syntypes 2 ♀♀: [Turkmenistan]: Merw (MNHUB).
- 8048.** *Turanica haeretica* (Püngeler, 1902) (Noctuidae) *Polia haeretica* Püngeler, 1902, Dt. ent. Z., Iris 15: 153, pl. 5 fig. 12. Syntypes 2 ♂♂: [Turkmenistan]: Ashabad (MNHUB).
- 8049.** *Tympanistes rufimacula* W. Warren, 1916 (Noctuidae) *Tympanistes rufimacula* W. Warren, 1916, Novit. zool. 23: 220. Type: India: Assam.
- 8050.** *Tyta luctuosa* ([Denis & Schiffermüller], 1775) (Noctuidae) *Noctua luctuosa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Wiener Gegend: 90. Type(s): [Austria]: Wien.
- 8051.** *Ulochlaena hirta* (Hübner, [1813]) (Noctuidae) *Noctua hirta* Hübner, [1813], Samml. eur. Schmett. Noct. 2: Taf. 128 fig. 591. Type(s): Europa.
- 8052.** *Ulotrichopus tinctipennis stertzi* (Püngeler, 1907) (Noctuidae) *Audea stertzi* Püngeler, 1907, Dt. ent. Z., Iris 19: 225. Syntypes: Palaestina, Totes Meer.
- 8053.** *Urbona leucophaea* (Walker, [1863]) (Noctuidae) *Acontia leucophaea* Walker, [1863], J. linn. Soc. (Zool.) 7: 49.
- 8054.** *Valeria carducha* (Wiltshire, 1957) (Noctuidae) *Antitype carducha* Wiltshire, 1957, Lepidoptera of Iraq: 72-73, Pl. iv fig. 15, text-fig. 4. Holotype ♂: Iraq: Kurdistan: Shaqlawa, 2500ft, 7-11. iv. 53 (coll. Wiltshire).
- 8055.** *Valeria kartalea* Kuhna & Schmitz, 1997 (Noctuidae) *Valeria kartalea* Kuhna & Schmitz, 1997, Jb. naturw. Ver. Wuppertal 5: 94-99.
- 8056.** *Valeria oleagina* (Esper, [1786]) (Noctuidae) *Phalaena Bombyx oleagina* Esper, [1786], Die Schmett. 2(3): 300, Tab. 60, fig. 4.
- 8057.** *Valeria oleagina oleagina* (Esper, [1786]) (Noctuidae) *Phalaena Bombyx oleagina* Esper, [1786], Die Schmett. 2(3): 300, Tab. 60, fig. 4.
- 8058.** *Valeria oleagina syriaca* Osthelder, 1933 (Noctuidae) *Valeria oleagina* ssp. *syriaca* Osthelder, 1933, Mitt. münch. ent. Ges. 23: 60. Syntypes 8 ♂ 1 ♀: [Türkei]: Maraş.
- 8059.** *Valerietta boursini* De Freina & Hacker, 1985 (Noctuidae) *Valerietta boursini* De Freina & Hacker, 1985, Entomofauna 6 (19): 254-256, Abb. 18, 20. Holotype ♂: [Türkei]: Kleinasien: Hakkari: Zab-Tal, 25km SW Beytüşşebap, 1350m, 5.6.82 (leg. De Freina, coll. Hacker).
- 8060.** *Valerietta bulgarica* (Drenowski, 1953) (Noctuidae) *Crypsedra niphopasta* ssp. *bulgarica* Drenowski, 1953, Bull. Inst. Zool. Acad. Bulg. Sci. 2: 373-376. Neotype ♂: Bulgaria, Arkutino, 3. viii. 1973, leg. Z. Varga (coll. Hreblay) (designated by Hreblay, 1992, Esperiana 3: 237).
- 8061.** *Valerietta forsteri* Draudt, 1938 (Noctuidae) *Valerietta forsteri* Draudt, 1938, Mitt. münch. ent. Ges. 28: 30. Holotype ♂: N-Iran: Elbursgebirge, Vandarban (ZSM).
- 8062.** *Valerietta niphopasta* (Hampson, 1906) (Noctuidae) *Lamprostricta niphopasta* Hampson, 1906, Cat. lepid. Phalaenae Br. Mus. 6: 313. Syntypes: [Turkey]: Syria: Akbes (BMNH).
- 8063.** *Victrix (Rasihia) Koçak*, 1989 (Noctuidae) *Rasihia Koçak*, 1989, Priamus 5(3): 103-104. Type-species: *Bryophila conspersa* Christoph, 1893, by original designation.
- 8064.** *Victrix (Rasihia) boursini* (Draudt, 1936) (Noctuidae) *Oedibrya boursini* Draudt, 1936, Ent. Rdsch. 53: 459, Taf. d4. Syntypes 3 ♂♂: [Türkei]: Wan, Dorf Kelitschik, 2000m (destroyed).
- 8065.** *Victrix (Rasihia) commixta* (Warren, 1909) (Noctuidae) *Metachrostis commixta* Warren, 1909, [in] Seitz, Gross-Schmett. Erde 3: 22-23 (4i). Syntypes 1 ♂ 1 ♀: Nord-Afghanistan: Provinz Kuliab (Tring Mus.)

- 8066. *Victrix (Rasihia) conspersa* (Christoph,1893)** (Noctuidae) *Bryophila conspersa* Christoph,1893, Dt. ent. Z., Iris 6: 89. Type(s): [Turkmenistan]: Aschabad.
- 8067. *Victrix (Rasihia) duelduelica* (Osthelder,1932)** (Noctuidae) *Bryophila tabora* ssp. *düldülica* Osthelder,1932, Mitt. münch. ent. Ges. 22 (2): 86-87. Syntypes: [Türkei]: Marasch, Düldül Dag (ZSM).
- 8068. *Victrix (Rasihia) hackeri* Varga & Ronkay,1991** (Noctuidae) *Victrix (Rasihia) hackeri* Varga & Ronkay,1991, Nota lepid. 14 (2): 168-170, figs. Holotype ♂: Turkey: Bitlis Prov., Basor-Tal, 1400m, 25km SW Bitlis, 16.ix.1985, Hacker leg. (coll. Hacker).
- 8069. *Victrix (Rasihia) illustris* Varga & Ronkay,1991** (Noctuidae) *Victrix (Rasihia) illustris* Varga & Ronkay,1991, Nota lepid. 14 (2): 157-159 [f. *illustris* Boursin,1969 raised to specific rank!].
- 8070. *Victrix (Rasihia) klapperichi* Hacker,2001** (Noctuidae) *Victrix klapperichi* Hacker,2001, Esperiana 8: 31, pl.2 fig.8. Holotype ♂: "O-Jordanien, Amman, 800m, 1.10.1957, leg. J.Klapperich (LSNK)".
- 8071. *Victrix (Rasihia) marginelota* (de Joannis,1888)** (Noctuidae) *Bryophila marginelota* de Joannis,1888, Annls Soc. ent. Fr. 1888: 271. Type(s): Syrie: Beyrouth.
- 8072. *Victrix (Rasihia) tabora* (Staudinger,1892)** (Noctuidae) *Bryophila tabora* Staudinger,1892, Dt. ent. Z., Iris 4: 264-265. Type 1♀: [Türkei]: Aintab [= Gaziantep], 5 September (Manissadjian leg.).
- 8073. *Victrix* (s.str.) *artaxias* Varga & Ronkay,1989** (Noctuidae) *Victrix* (s.str.) *artaxias* Varga & Ronkay,1989; Nota lepid. 12 (1): 77-78, figs. Holotype ♂: Armenia: Geghard, 1700m 3-11.9.1975, leg. & coll. Vartian (in the hellenistic nema of Armenian King, Artashes I, founder of Unit. Arm. Kingdom in the 2nd century).
- 8074. *Victrix* (s.str.) *gracilis* (Wagner,1931)** (Noctuidae) *Amelina gracilis* Wagner,1931, Int. ent. Z. 25: 369. Type ♂: Akshehir (destroyed). Neotype ♂: [Turkey: Ankara Prov.]: Asia min., Tuz Gölü, N-Ufer, 4-10.9.1971, Friedel leg. (ZSM).
- 8075. *Victrix* (s.str.) *karsiana lithoxys* Ronkay & Varga,1989** (Noctuidae) *Victrix* (s.str.) *karsiana* ssp. *lithoxys* Ronkay & Varga,1989, Nota lepid.12 (1): 74-75, figs. 9-10. Holotype ♂: [Turkey]: Asia min. Kızılcahamam, Çam Koru, 1400m, 25-27.8.1971, Friedel leg. (ZSM).
- 8076. *Wiltshireola* Hacker,2001** (Noctuidae) *Wiltshireola* Hacker,2001, Esperiana 8: 230. Type-species: *Agrochola disrupta* Wiltshire,1952, by original designation.
- 8077. *Xanthia (Cirrhia) gilvago* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua gilvago* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 87. Type(s): [Austria]: Vienna district.
- 8078. *Xanthia (Cirrhia) gilvago gilvago* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua gilvago* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 87. Type(s): [Austria]: Vienna district.
- 8079. *Xanthia (Cirrhia) ocellaris* (Borkhausen,1792)** (Noctuidae) *Phalaena ocellaris* Borkhausen,1792, Naturg. eur. Schmett. 4: 647. Type(s).
- 8080. *Xanthia (Cirrhia) ocellaris ocellaris* (Borkhausen,1792)** (Noctuidae) *Phalaena ocellaris* Borkhausen,1792, Naturg. eur. Schmett. 4: 647. Type(s).
- 8081. *Xanthia (Tiliacea) aurago* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua aurago* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 86. Type(s): [Austria]: Vienna district.
- 8082. *Xanthia (Tiliacea) cypreago* (Hampson,1906)** (Noctuidae) *Cosmia cypreago* Hampson,1906, Cat. Lepid. Phalaenae Br. Mus. 6: 506. Type(s): Cyprus.
- 8083. *Xanthia icteritia* (Hufnagel,1766)** (Noctuidae) *Phalaena icteritia* Hufnagel,1766, Berl. Mag. 3(3): 296. Type(s): Germany: Berlin.
- 8084. *Xanthia sulphurago* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua sulphurago* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 86. Type(s): [Austria]: Vienna district.
- 8085. *Xenophysa junctimacula* (Christoph,1887)** (Noctuidae) *Agrotis junctimacula* Christoph,1887, [in] Romanoff,N.M., Mém. lépid. 3: 57, Taf.3 fig.11. Syntypes: [Iran]: Schahkuh; [Turkmenistan]: Aschabad.
- 8086. *Xenophysa monastica* Boursin,1969** (Noctuidae) *Xenophysa monastica* Boursin,1969, Entomops 15: 224-225, figs. Holotype ♂: Afghanistan central, Dasht-i Nawar, Hokak, 2950m (coll. Vartian):.
- 8087. *Xenophysa xenogramma* Boursin,1969** (Noctuidae) *Xenophysa xenogramma* Boursin,1969, Entomops 15: 223-224, figs. Holotype ♂: Afghanistan central, Band-i Amir, 3000m (coll. Vartian):.
- 8088. *Xestia (Megasema) ashworthii artvina* De Freina & Hacker,1985** (Noctuidae) *Xestia ashworthii* ssp. *artvina* De Freina & Hacker,1985, Entomofauna 6 (19): 245-246, Abb.3. Holotype ♂: [Türkei]: Kleinasien: Artvin 5 km E, Heveg (=Yaylalar), 1800m, 3-8.8.83 (leg. De Freina & coll. Hacker).
- 8089. *Xestia (Megasema) ashworthii candelarum* (Staudinger,1871)** (Noctuidae) *Agrotis candelarum* Staudinger,1871, [in] Staudinger & Wocke, Cat. lepid. Eur. Faunengeb. (2): 82.
- 8090. *Xestia (Megasema) c-nigrum* (Linnaeus,1758)** (Noctuidae) *Phalaena c-nigrum* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Type(s): Europa.
- 8091. *Xestia (Megasema) ditrapezium* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua ditrapezium* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 312. Type(s): [Austria]: Vienna district.
- 8092. *Xestia (Megasema) triangulum* (Hufnagel,1766)** (Noctuidae) *Phalaena triangulum* Hufnagel,1766, Berl. Mag. 3(3): 306. Type(s): [Germany]: Berlin.
- 8093. *Xestia* (s.str.) *baja* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua baja* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 77. Type(s): [Austria]: Vienna district.
- 8094. *Xestia* (s.str.) *castanea* (Esper,[1798])** (Noctuidae) *Phalaena (Noctua) castanea* Esper,[1798], Die Schmett. 4 (2): Taf. 187, figs. 8-11. Syntypes: [Germany]: Erlangen.
- 8095. *Xestia* (s.str.) *castanea castanea* (Esper,[1798])** (Noctuidae) *Phalaena (Noctua) castanea* Esper,[1798], Die Schmett. 4 (2): Taf. 187, figs. 8-11. Syntypes: [Germany]: Erlangen.
- 8096. *Xestia* (s.str.) *cohaesa* (Herrich-Schäffer,[1849])** (Noctuidae) *Caradrina cohaesa* Herrich-Schäffer,[1849], Syst. Bearb. Schmett. Eur. 2:209. Syntypes: Südeuropa.
- 8097. *Xestia* (s.str.) *ochreago* (Hübner,[1809])** (Noctuidae) *Noctua ochreago* Hübner,[1809], Samml. eur. Schmett., Noct. 2: Taf. 92, fig.431. Type: [Europa].
- 8098. *Xestia* (s.str.) *palaestinensis* (Kalchberg,1898)** (Noctuidae) *Agrotis xanthographa* var. *palaestinensis* Kalchberg,1898, Dt. ent. Z., Iris 10: 168.
- 8099. *Xestia* (s.str.) *palaestinensis argyrea* (Boursin,1969)** (Noctuidae) *Amathes argyrea* Boursin,1969, Entomops 15: 219-221, figs. Holotype ♂: Afghanistan: Band-i Amir, 3600m (coll. Vartian).
- 8100. *Xestia* (s.str.) *pallidago* (Staudinger,1900)** (Noctuidae) *Xanthia pallidago* Staudinger,1900, Dt. ent. Z., Iris 12: 377. Syntype: [Turkey]: Zeitun [=Süleymanli].
- 8101. *Xestia* (s.str.) *rhomboidea* (Esper,[1790])** (Noctuidae) *Phalaena rhomboidea* Esper,[1790], Die Schmett. 4(2/1): 485, Taf.149, fig.3. Type(s): [Germany]: Schwaben, Unteressendorf.
- 8102. *Xestia* (s.str.) *sareptana* (Herrich-Schäffer,[1851])** (Noctuidae) *Noctua sareptana* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2: 359. Syntypes: [Russia]: Sarepta.
- 8103. *Xestia* (s.str.) *sareptana sareptana* (Herrich-Schäffer,[1851])** (Noctuidae) *Noctua sareptana* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2: 359. Syntypes: [Russia]: Sarepta.
- 8104. *Xestia* (s.str.) *trifida* (Fischer v. Waldheim,1820)** (Noctuidae) *Noctua trifida* Fischer v. Waldheim,1820, Entomographie de la Russie: 200. Syntypes: Russia: Sarepta.
- 8105. *Xestia* (s.str.) *xanthographa* ([Denis & Schiffermüller],1775)** (Noctuidae) *Noctua xanthographa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 83. Type(s): [Austria]: Vienna district.
- 8106. *Xylena exsoleta* (Linnaeus,1758)** (Noctuidae) *Phalaena exsoleta* Linnaeus,1758, Syst. Nat. (Edn.10)1: 515. Type(s): [Europa].
- 8107. *Xylena exsoleta exsoleta* (Linnaeus,1758)** (Noctuidae) *Phalaena exsoleta* Linnaeus,1758, Syst. Nat. (Edn.10)1: 515. Type(s): [Europa].
- 8108. *Xylena lunifera* Warren,1910** (Noctuidae) *Xylina lunifera* Warren,1910, [in] Seitz, Gross-Schmett. Erde 3: 127-128 (31e). Type ♂: [Türkei]: Amasia.
- 8109. *Xylena lunifera lunifera* Warren,1910** (Noctuidae) *Xylina lunifera* Warren,1910, [in] Seitz, Gross-Schmett. Erde 3: 127-128 (31e). Type ♂: [Türkei]: Amasia.
- 8110. *Xylena minima* Hacker,1992** (Noctuidae) *Xylena minima* Hacker,1992, Esperiana 3: 189-191,figs. Holotype ♂: Nordthailand: Doi Inthanon, Lichtfalle, Bang Khun Klang 1200m, 21.1.1990, leg. Chantaramongkol & Malicky (coll. Hacker).

- 8111. *Xylena vetusta* (Hübner, [1813])** (Noctuidae) Noctua vetusta Hübner, [1813], Samml. eur. Schmett., Noct. 2: Taf. 97, fig. 459. Type: [Europa].
- 8112. *Xylomoia apameaoides* (Hacker, 1989)** (Noctuidae) Photodes apameaoides Hacker, 1989, Atalanta 19 (1/4): 174, Taf. 3 figs. 5, 8a. Holotype ♂: Türkei: Hakkari Prov.: 15 km nw Yüksekova, vic. Süstü (=Sakitan), 1900 m. 15-16.vii.1980, leg. de Freina, coll. Hacker.
- 8113. *Zekelita* (Ravalita) ravalis (Herrich-Schäffer, [1852])** (Noctuidae) Hypena ravalis Herrich-Schäffer, [1852], Syst. Bearb. Schmett. Eur. 2: 425. Type(s): [Türkei]: Amasia.
- 8114. *Zekelita* (Rhynchodontodes) antiqualis (Hübner, [1809])** (Noctuidae) Pyralis antiqualis Hübner, [1809], Samml. eur. Schmett. 6, Pyralides: Tab. 23 fig. 152. Type(s): Europa.
- 8115. *Zekelita* (Rhynchodontodes) mardinalis (Staudinger, 1892)** (Noctuidae) Hypena mardinalis Staudinger, 1892, Dt. ent. Z., Iris 4: 336-337. Syntypes 13♂♂: [Türkei]: Mardin.
- 8116. *Zekelita* (Rhynchodontodes) orientis (Brandt, 1938)** (Noctuidae) Hypenodes orientis Brandt, 1938, Ent. Rdsch. 55: 569, figs. 152, 153. Syntypes: Iran: Tschurum.
- 8117. *Zethes brandti* Janzon, 1977** (Noctuidae) Zethes brandti Janzon, 1977, Ent. scand. 8: 173-175, figs. Holotype ♂: Iran: Fars: Chiraz-Kazeroun, Fort Sine Sefid, 2200 m (coll. Brandt).
- 8118. *Zethes insularis* Rambur, 1833** (Noctuidae) Zethes insularis Rambur, 1833, Annls Soc. ent. Fr. 2: 29. Syntypes: [France]: Korsica.
- 8119. *Zethes narghisa* Brandt, 1938** (Noctuidae) Zethes narghisa Brandt, 1938, Ent. Rdsch. 55: 568, figs. 149-151. Syntypes ♂♂: Iran: [Fars]: Fort Sine-Sefid, Mian-Kotal.
- 8120. *Zethes nemea* Brandt, 1938** (Noctuidae) Zethes nemea Brandt, 1938, Ent. Rdsch. 55: 568-569, figs. 144-148. Syntypes: Iran: [Fars]: Fort Sine-Sefid, Mian-Kotal.
- 8121. *Allata* (s.str.) argentifera Walker, 1862** (Notodontidae) Allata argentifera Walker, 1862, J. linn. Soc. Lond., Zool. 6: 140. Type(s): [Malaysia]: Borneo: Sawarak.
- 8122. *Allata* (s.str.) benderi Dierl, 1976** (Notodontidae) Allata benderi Dierl, 1976, Ent. Z., Frankf. a. M. 86: 209. Holotype ♂: Sumatra.
- 8123. *Allata racquela* Schintlmeister, 1993** (Notodontidae) Allata racquela Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 109.
- 8124. *Antheua aurifodinae* (Distant, 1902)** (Notodontidae) Rigema aurifodinae Distant, 1902, Entomologist 35: 212. Syntypes: [South Africa]: Transvaal: Johannesburg, Pretoria (Pret. Mus.).
- 8125. *Armiana odrana* (Schaus, 1928)** (Notodontidae) Pydna odrana Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 86. Type(s): Mindanao.
- 8126. *Armiana ordgara* (Schaus, 1928)** (Notodontidae) Norraca ordgara Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 89. Type(s): Luzon.
- 8127. *Armiana sabulosa luzonica* (Schintlmeister, 1993)** (Notodontidae) Ceira sabulosa ssp. luzonica Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106.
- 8128. *Armiana semperi* Schintlmeister, 1993** (Notodontidae) Ceira semperi Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106.
- 8129. *Armiana ubalvia* (Schaus, 1928)** (Notodontidae) Pydna ubalvia Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 86. Type(s): Luzon.
- 8130. *Benbowia orientalis* Schintlmeister, 1993** (Notodontidae) Benbowia orientalis Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106, 127 figs. Holotype ♂: Philippines: Mindanao: Bukidnon, 40 km NW Maramag, Dalongdong, 800 m, leg. Cerny & Schintlmeister (coll. Schintlmeister).
- 8131. *Benbowia orientalis orientalis* Schintlmeister, 1993** (Notodontidae) Benbowia orientalis Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106, 127 figs. Holotype ♂: Philippines: Mindanao: Bukidnon, 40 km NW Maramag, Dalongdong, 800 m, leg. Cerny & Schintlmeister (coll. Schintlmeister).
- 8132. *Benbowia orientalis septentrionalis* Schintlmeister, 1993** (Notodontidae) Benbowia orientalis ssp. septentrionalis Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106, 128, figs. Holotype ♂: Philippines: Luzon: Quezon, Quezon Forest Nat. Park leg. Cerny & Schintlmeister (coll. Schintlmeister).
- 8133. *Benbowia virescens* (Moore, 1879)** (Notodontidae) Stauropus virescens Moore, 1879, Proc. zool. Soc. Lond. 1879: 404. Type(s): [India]: Darjeeling.
- 8134. *Besida vinvalva* Schaus, 1928** (Notodontidae) Besida vinvalva Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 83. Type(s): Mindanao.
- 8135. *Besida xylinata* Walker, 1865** (Notodontidae) Besida xylinata Walker, 1865, List Specimens lepid. Insects Colln Br. Mus. 32: 456. Type(s): [Indonesia]: Java.
- 8136. *Bireta longivitta* Walker, 1856** (Notodontidae) Bireta longivitta Walker, 1856, List 7: 1754.
- 8137. *Calyptronotum gualberta* (Schaus, 1928)** (Notodontidae) Fentonia gualberta Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 77. Type(s): Mindanao.
- 8138. *Calyptronotum singapura* (Gaede, 1930)** (Notodontidae) Pseudofentonia singapura Gaede, 1930, [in] Seitz, Großschmett. Erde 10: 624. Type(s): Singapur.
- 8139. *Cerasana anceps* Walker, 1862** (Notodontidae) Cerasana anceps Walker, 1862, J. linn. Soc. Lond. (Zool.) 6: 123. Type(s): [Malaysia]: Borneo: Sarawak.
- 8140. *Cerasana basipuncta* (Semper, 1896)** (Notodontidae) Nadata basipuncta Semper, 1896, Reisen Archipel Philipp. Semper (2): 410. Syntypes: Mindanao, Bohol.
- 8141. *Cerura* (Neocerura) liturata (Walker, 1855)** (Notodontidae) Cerura liturata Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 5: 988. Syntypes: [Bangladesh]: Sylhet, [India]: Madras.
- 8142. *Cerura* (Neocerura) liturata liturata (Walker, 1855)** (Notodontidae) Cerura liturata Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 5: 988. Syntypes: [Bangladesh]: Sylhet, [India]: Madras.
- 8143. *Cerura* (s.str.) przewalskii (Alpheraky, 1882)** (Notodontidae) Harpyia przewalskii Alpheraky, 1882, Horae Soc. ent. ross. 17: 38-40, Tab. I fig. 37. Syntypes ♂: [China: Uighur A.R.]: "Khorgosse".
- 8144. *Cerura* (s.str.) przewalskii amseli De Lattin, Becker, Roesler, 1974** (Notodontidae) Cerura vinula ssp. amseli De Lattin, Becker, Roesler, 1974, Ent. Z., Frankf. a. M. 84 (9): 88-90, fig. Holotype ♂: Afghanistan: Koh-i-Baba, Panjao Umg., leg. Ebert (ZSM).
- 8145. *Cerura* (s.str.) przewalskii przewalskii (Alpheraky, 1882)** (Notodontidae) Harpyia przewalskii Alpheraky, 1882, Horae Soc. ent. ross. 17: 38-40, Tab. I fig. 37. Syntypes ♂: [China: Uighur A.R.]: "Khorgosse".
- 8146. *Cerura* (s.str.) vinula (Linnaeus, 1758)** (Notodontidae) Phalaena vinula Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 499.
- 8147. *Cerura* (s.str.) vinula benderi De Lattin, Becker, Roesler, 1974** (Notodontidae) Cerura vinula ssp. benderi De Lattin, Becker, Roesler, 1974, Ent. Z., Frankf. a. M. 84 (9): 86-88, figs. Holotype ♂: Miramare, Rhodes, 22.4.1962, leg. Tams (BMNH).
- 8148. *Cerura* (s.str.) vinula irakana (Heydemann Schulte & Remane, 1963)** (Notodontidae) Cerura vinula ssp. irakana Heydemann Schulte & Remane, 1963, Mitt. münch. ent. Ges. 53: 90-91. Holotype ♂: Iraq: Abu-Ghraib (coll. Heydemann).
- 8149. *Cerura* Schrank, 1802** (Notodontidae) Cerura Schrank, 1802, Fauna Boica 2(2): 155. Type-species: Phalaena vinula Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 499, by subsequent designation by Curtis, 1827, Br. Ent. 4: 193.
- 8150. *Clostera Samouelle*, 1819** (Notodontidae) Clostera Samouelle, 1819, Entomologist's useful Compendium: 247. Type-species: Phalaena curtula Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 503, by subsequent designation by Curtis, 1838, Br. Ent. 15: 715.
- 8151. *Clostera anachoreta* (Fabricius, 1787)** (Notodontidae) Bombyx anachoreta Fabricius, 1787, Mantissa Insectorum 2: 120. Type: Austria, on Salix, Populus.
- 8152. *Clostera curtula* (Linnaeus, 1758)** (Notodontidae) Phalaena curtula Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 503.
- 8153. *Clostera dorsalis* (Walker, 1862)** (Notodontidae) Ichtyura dorsalis Walker, 1862, J. linn. Soc. Lond., Zool. 6: 134. Type(s): Borneo.
- 8154. *Clostera fulgurita* (Walker, 1865)** (Notodontidae) Ichtyura fulgurita Walker, 1865, List Specimens lepid. Insects Colln Br. Mus. 32: 433. Type: E. India.
- 8155. *Clostera hildora* (Schaus, 1928)** (Notodontidae) Clostera hildora Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 90. Type(s): Luzon.
- 8156. *Clostera obscurior* (Staudinger, 1887)** (Notodontidae) Pygaera pigra var. obscurior Staudinger, 1887, Stettin ent. Ztg. 48: 102. Syntypes: [China: Uighur A.R.]: Kuldja.
- 8157. *Clostera pigra staudingeri* Koçak, 1980** (Notodontidae) Clostera pigra ssp. staudingeri Koçak, 1980, Commun Fac. Sci. Univ. Ankara (C3) 24: 8 (nomen novum pro Pygaera pigra var. ferruginea Staudinger, 1901 nec Ichtyura ferruginea Moore, 1865).
- 8158. *Coscodaca acharista* (West, 1932)** (Notodontidae) Spatalia acharista West, 1932, Novit. zool. 37: 210. Type(s): Luzon.
- 8159. *Dicranura Reichenbach*, 1817** (Notodontidae) Dicranura Reichenbach, 1817, Jena allg. Lit.-Ztg. 1(36): 282. Type-species: Noctua

ulmi [Denis & Schiffermüller], 1775, Ankündigung eines syst. Werkes Schmett. Wienergegend: 66, by monotypy.

8160. *Dicranura ulmi* ([Denis & Schiffermüller], 1775) (Notodontidae) *Noctua ulmi* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 66. Type(s): [Austria]: Vienna district.

8161. *Drymonia Hübner*, [1819] (Notodontidae) *Drymonia Hübner*, [1819], Verz. bekannter Schmett.: 144. Type-species: *Bombyx dodonea* [Denis & Schiffermüller], 1775, Ankündigung eines syst. Werkes Schmett. Wienergegend: 49, by subsequent designation by Curtis, 1839, Br. Ent. 16: 755.

8162. *Drymonia dodonea* ([Denis & Schiffermüller], 1775) (Notodontidae) *Bombyx dodonea* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 49. Type(s): [Austria]: Vienna district.

8163. *Drymonia querna* (Fabricius, 1787) (Notodontidae) *Bombyx querna* Fabricius, 1787, Mantissa Insectorum 2: 122. Type: Austria.

8164. *Dudusa minor* Schintlmeister, 1993 (Notodontidae) *Dudusa minor* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 104, 110 Taf. Holotype ♂: Philippinen: Luzon: Quezon: Tanawan.

8165. *Dudusa vethi borneensis* Roepke, 1943 (Notodontidae) *Dudusa borneensis* Roepke, 1943, Tijdschr. Ent. 36: 79. Holotype: Borneo.

8166. *Epistauropus apiculatus* (Rothschild, 1917) (Notodontidae) *Stauropus apiculatus* Rothschild, 1917, Novit. zool. 24: 245. Type(s): [Malaysia]: Penang.

8167. *Formofentonia orbifer madena* (Schaus, 1928) (Notodontidae) *Chadisa madena* Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 81. Type(s): Java.

8168. *Furcula Lamarck*, 1816 (Notodontidae) *Furcula Lamarck*, 1816, Hist. nat. Anim. sans Vertèbres 3: 581. Type-species: [Phalaena] *furcula* Clerck, 1759, Icones Insect. rariorum 1: pl.9 fig.9, by absolute tautonymy.

8169. *Furcula petri ludoviciae* (Püngeler, 1901) (Notodontidae) *Cerura ludoviciae* Püngeler, 1901, Dt. ent. Z., Iris 14: 180, pl.2 fig.15. Type: [China: Uighur A.R.]: Turkestan.

8170. *Gangarides flavescens* Schintlmeister, 1997 (Notodontidae) *Gangarides flavescens* Schintlmeister, 1997, Entomofauna Suppl.9 (4): 54, figs. Holotype ♂: N. Vietnam: Tam Dao, 60km NW Hanoi, 900m, secondary forest, 1-5.v.1993, leg. Sinjaev (coll. Schintlmeister).

8171. *Gangarides rosea* (Walker, 1865) (Notodontidae) *Apona rosea* Walker, 1865, List Specimens lepid. Insects Colln Br. Mus. 32: 513. Type(s): Himalaya.

8172. *Gangarides rufinus* Schintlmeister, 1997 (Notodontidae) *Gangarides rufinus* Schintlmeister, 1997, Entomofauna Suppl.9 (4): 53, figs. Holotype ♂: Thailand: Chiang Mai, Doi Pui, 19.vii.1989 leg. Cotton (coll. Schintlmeister).

8173. *Gangarides sugii* Schintlmeister, 1993 (Notodontidae) *Gangarides sugii* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 104, 112, Taf. Holotype ♂: Philippinen: Mindanao: Bukidnon, 800m.

8174. *Gargetta nagaensis* Hampson, 1892 (Notodontidae) *Gargetta nagaensis* Hampson, 1892, Fauna Br. India (Moths) 1: 135. Type ♂: India: Naga Hills, 6000ft (Doherty) (coll. Elwes).

8175. *Ginshachia bronacha* (Schaus, 1928) (Notodontidae) *Spatalia bronacha* Schaus, 1928, Proc. U. S. Nat. Mus. 73 (19): 73. Type: Java.

8176. *Ginshachia bronacha bronacha* (Schaus, 1928) (Notodontidae) *Spatalia bronacha* Schaus, 1928, Proc. U. S. Nat. Mus. 73 (19): 73. Type: Java.

8177. *Gluphisia oxiana* (Djakonov, 1929) (Notodontidae) *Paraglyphisia oxiana* Djakonov, 1929, Ann. Mus. Zool. Acad. Sci. USSR 27: 220, pl.15 figs.1-9, pl.15 fig.12. Syntypes: [Turkestan/Usbekistan]: Amu Darja.

8178. *Harpyia Ochsenheimer*, 1810 (Notodontidae) *Harpyia Ochsenheimer*, 1810, Schmett. Eur. 3: 19. Type-species: *Bombyx milhauseri* Fabricius, 1775, Syst. Ent.: 577, by subsequent designation by Blanchard, [1847], [in] Cuvier, Regne Animal (Insectes) 2: title page & pl. 153.

8179. *Harpyia milhauseri* (Fabricius, 1775) (Notodontidae) *Bombyx milhauseri* Fabricius, 1775; Syst. Ent.: 577. Type(s): [Germania]: Dresden.

8180. *Hexafrenum maternalis* Schintlmeister, 1993 (Notodontidae) *Hexafrenum maternalis* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108,

8181. *Hexafrenum maternalis maternalis* Schintlmeister, 1993 (Notodontidae) *Hexafrenum maternalis* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108,

8182. *Hexafrenum maternalis pseudomaterialis* Schintlmeister, 1993 (Notodontidae) *Hexafrenum maternalis* ssp. *pseudomaterialis* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108,

8183. *Hexafrenum sp.* (Notodontidae) *Hexafrenum sp.*: Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108.

8184. *Hexafrenum synthesina* Schintlmeister, 1993 (Notodontidae) *Hexafrenum synthesina* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108,

8185. *Higena distincta* Schintlmeister, 1993 (Notodontidae) *Higena distincta* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108,

8186. *Higena similis* Schintlmeister, 1993 (Notodontidae) *Higena similis* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108,

8187. *Higena similis cebuensis* Schintlmeister, 1993 (Notodontidae) *Higena similis* ssp. *cebuensis* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108,

8188. *Higena similis luzonensis* Schintlmeister, 1993 (Notodontidae) *Higena similis* ssp. *luzonensis* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108,

8189. *Higena similis mindanaensis* Schintlmeister, 1993 (Notodontidae) *Higena similis* ssp. *mindanaensis* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108,

8190. *Higena similis mindorensis* Schintlmeister, 1993 (Notodontidae) *Higena similis* ssp. *mindorensis* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108,

8191. *Higena similis similis* Schintlmeister, 1993 (Notodontidae) *Higena similis* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108,

8192. *Hyperaeschra pallida* Butler, 1880 (Notodontidae) *Hyperaeschra pallida* Butler, 1880, Ann. Mag. nat. Hist. (5) 6: 65. Type(s): [India]: Darjeeling.

8193. *Hyperaeschrella familiaris* Schintlmeister, 1993 (Notodontidae) *Hyperaeschrella familiaris* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108,

8194. *Hyperaeschrella occidentalis* Schintlmeister, 1993 (Notodontidae) *Hyperaeschrella occidentalis* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108,

8195. *Kamalia Koçak & Kemal*, 2006 (Notodontidae) *Kamalia Koçak & Kemal*, 2006, Cent. ent. Stud., Misc. Pap. 104: 3 (nomen novum pro *Paracerura* Schintlmeister, 2002 nec Deharveng & Olivier, 1994).

8196. *Kamalia robusta* (Schintlmeister, 1993) (Notodontidae) *Cerura* (s.str.) *robusta* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106.

8197. *Kamalia rosea* (Schintlmeister, 1993) (Notodontidae) *Cerura* (s.str.) *rosea* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106,

8198. *Khasidonta picta* (Hampson, 1900) (Notodontidae) *Notodonta picta* Hampson, 1900, J. Bombay nat. Hist. Soc. 13: 42. Type: India: Khasia Hills.

8199. *Leucodonta bicoloria* ([Denis & Schiffermüller], 1775) (Notodontidae) *Bombyx bicoloria* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 49. Type(s): [Austria]: Vienna district.

8200. *Liparopsis dypna* Schaus, 1928 (Notodontidae) *Liparopsis dypna* Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 84. Type(s): Mindanao.

8201. *Loda lunae* Schintlmeister, 1993 (Notodontidae) *Loda lunae* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108,

8202. *Maguila maguila* (Schaus, 1928) (Notodontidae) *Fentonia maguila* Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 80. Type(s): Philippines: Mindanao: Surigao.

8203. *Medanella subterminalis* Kiriakoff, 1974 (Notodontidae) *Medanella subterminalis* Kiriakoff, 1974, Veröff. zool. StSamml. Münch. 17: 401, text-fig.20, pl.4 fig.2. Holotype ♂: Sumatra: Dolok Merangir.

8204. *Megaceramis Hampson*, 1893 (Notodontidae) *Megaceramis Hampson*, 1893, Fauna Br. India (Moths) 1: 167. Type-species: *Megaceramis lamprolepis* Hampson, 1893, ibid. 1: 167-168, by original designation.

8205. *Megaceramis lamprolepis* Hampson, 1893 (Notodontidae) *Megaceramis lamprolepis* Hampson, 1893, Fauna Br. India (Moths) 1: 167-168. Type ♂: "Sikhim" (coll. Elwes).

- 8206. Megashachia brunnea Cai, 1985** (Notodontidae) Megashachia brunnea Cai, 1985, Acta Ent. Sinica 28: 314, fig. 1. Holotype: S.E. China.
- 8207. Megashachia brunnea equidarum (Bänziger, 1988)** (Notodontidae) Tarsolipsis equidarum Bänziger, 1988, Nat. Hist. Bull. Siam Soc. 36: 25-26, figs. Holotype ♂: Thailand: Chiang Mai Prov., Fang Distr. Doi Ang Khang, 1450m, 15. iv. 1986 Bänziger leg. (DEFACU).
- 8208. Mesophalera philippinica Schintlmeister, 1993** (Notodontidae) Mesophalera philippinica Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107.
- 8209. Mesophalera philippinica mindanaensis Schintlmeister, 1993** (Notodontidae) Mesophalera philippinica ssp. mindanaensis Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107.
- 8210. Mesophalera philippinica philippinica Schintlmeister, 1993** (Notodontidae) Mesophalera philippinica Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107.
- 8211. Micromelalopha argentea Schintlmeister, 1993** (Notodontidae) Micromelalopha argentea Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 109.
- 8212. Micromelalopha celebesa palawana Schintlmeister, 1993** (Notodontidae) Micromelalopha celebesa ssp. palawana Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 109.
- 8213. Micromelalopha elachista (West, 1932)** (Notodontidae) Ichtyura elachista West, 1932, Novit. zool. 37: 214. Type(s): Luzon.
- 8214. Micromelalopha pamina Schintlmeister, 1993** (Notodontidae) Micromelalopha pamina Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 109.
- 8215. Neopheosia fasciata (Moore, 1888)** (Notodontidae) Pheosia fasciata Moore, 1888, Proc. zool. Soc. Lond. 1888: 401. Type(s): [India]: Dharmasala.
- 8216. Neopheosia fasciata fasciata (Moore, 1888)** (Notodontidae) Pheosia fasciata Moore, 1888, Proc. zool. Soc. Lond. 1888: 401. Type(s): [India]: Dharmasala.
- 8217. Neopheosia fasciata obscura Schintlmeister, 1993** (Notodontidae) Neopheosia fasciata ssp. obscura Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107, 132. Pls. Holotype ♂: Philippinen: Mindanao, Bukidnon, Dalondong, leg. Cerny & Schintlmeister (coll. Schintlmeister).
- 8218. Nerice dispar (Cai, 1979)** (Notodontidae) Chokaia dispar Cai, 1979, Acta Ent. Sinica 22: 464. Holotype: China.
- 8219. Notodonta Ochsenheimer, 1810** (Notodontidae) Notodonta Ochsenheimer, 1810, Schmett. Eur. 3: 45. Type-species: Phalaena dromedarius Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 827, by subsequent designation by Curtis, 1839, Br. Ent. 16: 739.
- 8220. Notodonta tritophus (Denis & Schiffermüller, 1775)** (Notodontidae) Bombyx tritophus [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 63. Type(s): [Austria]: Vienna district.
- 8221. Notodonta ziczac pallida Grünberg, 1912** (Notodontidae) Notodonta ziczac ssp. pallida Grünberg, 1912, [in] Seitz, A., Gross-Schmett. Erde 2: 300 (45g). Syntypes: "Zentral-Asien".
- 8222. Omichlis diversa Schintlmeister, 1993** (Notodontidae) Omichlis diversa Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105.
- 8223. Omichlis similis Schintlmeister, 1993** (Notodontidae) Omichlis similis Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105.
- 8224. Oxoia smaragdiplena (Walker, 1862)** (Notodontidae) Exaereta smaragdiplena Walker, 1862, J. linn. Soc. Lond. (Zool.) 6: 134. Type(s): [Malaysia: Borneo]: Sarawak.
- 8225. Paradyrmonia Kiriakoff, 1967** (Notodontidae) Paradyrmonia Kiriakoff, 1967, [in] Wytsman, Genera Insect. 217(B): 122. Type-species: Notodonta vittata Staudinger, 1892, Dt. ent. Z., Iris 4: 262, by original designation.
- 8226. Paradyrmonia vittata (Staudinger, 1892)** (Notodontidae) Notodonta vittata Staudinger, 1892, Dt. ent. Z., Iris 4: 262-264. Type 1♂: [Türkei]: Hadjin (Antitaurus), 14 Mai 1888 (Manissadjian's collector).
- 8227. Parasinga lichenina (Butler, 1880)** (Notodontidae) Somera lichenina Butler, 1880, Ann. Mag. nat. Hist. (5) 7: 67. Type(s): Borneo.
- 8228. Parasinga viridescens Schintlmeister, 1993** (Notodontidae) Parasinga viridescens Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107.
- 8229. Peridea Stephens, 1828** (Notodontidae) Peridea Stephens, 1828, Illust. Br. Ent. (Haustellata) 2: 32. Type-species: Bombyx serrata Thunberg, 1792, Diss. ent. sistens Insect Suecica (3): 47, by monotypy.
- 8230. Peridea murina Kiriakoff, 1974** (Notodontidae) Peridea murina Kiriakoff, 1974, Veröff. zool. Staatsamml. München 17: 402-403, figs. Holotype ♂: Nord-Iran: Gorgantal, 50km östl. Mindudasht, 460m leg. & coll. E. Vartian
- 8231. Phalera bucephala (Linnaeus, 1758)** (Notodontidae) Phalaena bucephala Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 508.
- 8232. Phalera bucephaloides syriaca Zerny, 1933** (Notodontidae) Phalera bucephaloides ssp. syriaca Zerny, 1933, Dt. ent. Z., Iris 47: 62-63. Syntypes: Libanon: Bscharre; Palestina: Haifa (NHMW).
- 8233. Phalera combusta (Walker, 1855)** (Notodontidae) Phalera combusta Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1092. Type(s): India.
- 8234. Phalera erconvalda Schaus, 1928** (Notodontidae) Phalera erconvalda Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 78. Type(s): Luzon.
- 8235. Phalera mangholda Schaus, 1928** (Notodontidae) Phalera mangholda Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 79. Type(s): Mindanao.
- 8236. Phalera melantata West, 1932** (Notodontidae) Phalera melantata West, 1932, Novit. zool. 37: 212. Type(s): Luzon.
- 8237. Phalera surigaona Schaus, 1928** (Notodontidae) Phalera surigaona Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 83. Type(s): Mindanao.
- 8238. Pheosia Hübner, [1819]** (Notodontidae) Pheosia Hübner, [1819], Verz. bekannter Schmett.: 145. Type-species: Phalaena dictaea Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 826, by subsequent designation by Hampson, [1893], Fauna Br. India (Moths) 1: 160.
- 8239. Pheosia gnoma (Fabricius, 1777)** (Notodontidae) Bombyx gnoma Fabricius, 1777, Genera Ins.: 279. Type(s): Hamburg.
- 8240. Phycidopsis philippinica Schintlmeister, 1993** (Notodontidae) Phycidopsis philippinica Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105.
- 8241. Porsica benderoides Schintlmeister, 1993** (Notodontidae) Porsica benderoides Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105.
- 8242. Porsica intermediata Schintlmeister, 1993** (Notodontidae) Porsica intermediata Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105.
- 8243. Porsica punctifascia (Hampson, 1897)** (Notodontidae) Gargetta punctifascia Hampson, 1897, J. Bombay nat. Hist. Soc. 11: 281. Type: India: Assam.
- 8244. Pseudallata laticostalis (Hampson, 1900)** (Notodontidae) Spatalia laticostalis Hampson, 1900, J. Bombay nat. Hist. Soc. 13: 43, pl. B fig. 15.
- 8245. Pseudofentonia (Disparia) mediopallens (Sugi, 1989)** (Notodontidae) Disparia mediopallens Sugi, 1989, Tinea 12: 220. Holotype: Thailand.
- 8246. Pseudosomera inexpecta Schintlmeister, 1989** (Notodontidae) Pseudosomera inexpecta Schintlmeister, 1989, Tinea 12: 219. Holotype: Thailand.
- 8247. Pseudostauropus plagosus Gaede, 1930** (Notodontidae) Pseudostauropus plagosus Gaede, 1930, [in] Seitz, Großschmett. Erde 10: 631. Type(s): Malaya.
- 8248. Ptilodontella Kiriakoff, 1967** (Notodontidae) Ptilodontella Kiriakoff, 1967, [in] Wytsman, Genera Insect. 217(B): 176. Type-species: Bombyx cucullina [Denis & Schiffermüller], 1775, Ankündigung eines syst. Werkes Schmett. Wienergegend: 311, by original designation.
- 8249. Ptilodontella cucullina (Denis & Schiffermüller, 1775)** (Notodontidae) Bombyx cucullina [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 311. Type(s): [Austria]: Vienna district.
- 8250. Ptilophora kashgara Moore, 1878** (Notodontidae) Ptilophora kashgara Moore, 1878, Ann. Mag. nat. Hist. (5) 1: 231. Syntypes: [China: Uighur A.R.]: Turkistan or.: Kasghar.
- 8251. Ptilophora plumigera (Denis & Schiffermüller, 1775)** (Notodontidae) Bombyx plumigera [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 61. Type(s): [Austria]: Vienna district.
- 8252. Quadricalcarifera basivirens Schintlmeister, 1993** (Notodontidae) Quadricalcarifera basivirens Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107.
- 8253. Quadricalcarifera fasciata malayana Nakamura, 1976** (Notodontidae) Quadricalcarifera fasciata ssp. malayana Nakamura, 1976, Trans. lepid. Soc. Japan 27: 39.
- 8254. Quadricalcarifera palladina (Schaus, 1928)** (Notodontidae) Stauropus palladina Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 76. Type(s): Mindanao.

- 8255. *Quadricalcarifera pamela* Schintlmeister, 1993** (Notodontidae) *Quadricalcarifera pamela* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107.
- 8256. *Quadricalcarifera perdix* (Moore, 1879)** (Notodontidae) *Dasychira perdix* Moore, 1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr W.S. Atkinson (1): 58. Type: N. India.
- 8257. *Quadricalcarifera perdix perdix* (Moore, 1879)** (Notodontidae) *Dasychira perdix* Moore, 1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr W.S. Atkinson (1): 58. Type: N. India.
- 8258. *Quadricalcarifera scensus* Schintlmeister, 1997** (Notodontidae) *Quadricalcarifera scensus* Schintlmeister, 1997, Entomofauna Suppl. 9 (4): 95, Pls. Holotype ♂: N. Vietnam, Mai-chau, 25km SE Moc-chau, 1400m, 20° 50'N 104° 40'E, 14-18.xi.1994, leg. Sinjaev & Simonov (coll. Schintlmeister).
- 8259. *Quadricalcarifera spitzeri* Schintlmeister, 1987** (Notodontidae) *Quadricalcarifera spitzeri* Schintlmeister, 1987, Entomofauna 8 (5): 55-57, fig. Holotype ♂: Vietnam sept., Tam Dao, 950m, 23.v.1982 leg. K. Spitzer.
- 8260. *Quadricalcarifera umbrosa* Matsumura, 1927** (Notodontidae) *Quadricalcarifera umbrosa* Matsumura, 1927, J. Coll. Agric. Hokkaido Imp. Univ. 19: 6. Type(s): Taiwan.
- 8261. *Quadricalcarifera umbrosa umbrosa* Matsumura, 1927** (Notodontidae) *Quadricalcarifera umbrosa* Matsumura, 1927, J. Coll. Agric. Hokkaido Imp. Univ. 19: 6. Type(s): Taiwan.
- 8262. *Quadricalcarifera viridipicta* (Wileman, 1910)** (Notodontidae) *Stauropus viridipicta* Wileman, 1910, Entomologist 43: 312. Type: Taiwan.
- 8263. *Ramesa bhutanica* (Bänziger, 1988)** (Notodontidae) *Poncetia bhutanica* Bänziger, 1988, Nat. Hist. Bull. Siam Soc. 36: 32-37, figs. Holotype ♂: Bhutan: Dudgeon, 2500m ft. 14.vii.1895 (BMNH).
- 8264. *Ramesa bovoculosugens* (Bänziger, 1988)** (Notodontidae) *Poncetia bovoculosugens* Bänziger, 1988, Nat. Hist. Bull. Siam Soc. 36: 37, figs. Holotype ♂: Thailand: Chiang Mai Prov., Doi Suthep-Pui NP, Huay Kao [Zoo], 350m 22.ix.1973, Bänziger leg. (DEFACU).
- 8265. *Ramesa doisuthepica* (Bänziger, 1988)** (Notodontidae) *Poncetia doisuthepica* Bänziger, 1988, Nat. Hist. Bull. Siam Soc. 36: 37-38, figs. Holotype ♂: Thailand: Chiang Mai Prov., Doi Suthep-Pui NP, 1150m 12.xi.1987, Bänziger leg. (DEFACU).
- 8266. *Ramesa huaykacaoensis* (Bänziger, 1988)** (Notodontidae) *Poncetia huaykacaoensis* Bänziger, 1988, Nat. Hist. Bull. Siam Soc. 36: 28-32, figs. Holotype ♂: Thailand: Chiang Mai Prov., Doi Suthep Pui NP, Huay Kao [Zoo], 350m 11.x.73, Bänziger leg. (DEFACU).
- 8267. *Ramesa lacrimisaddicta* (Bänziger, 1989)** (Notodontidae) *Poncetia lacrimisaddicta* Bänziger, 1989, Nat. Hist. Bull. Siam Soc. 37: 32-37, figs. Holotype ♂: Thailand: Chiang Mai Prov., Chiang Dao Distr. Doi Chiang Dao 1150m, 1.vi.1988, Bänziger leg. (DEFACU).
- 8268. *Ramesa siamica* (Bänziger, 1988)** (Notodontidae) *Poncetia siamica* Bänziger, 1988, Nat. Hist. Bull. Siam Soc. 36: 27-28, figs. Holotype ♂: Thailand: Chiang Mai Prov., Chiang Dao, NW Pass 1150m 25.vi.1986, Bänziger leg. (DEFACU).
- 8269. *Rhegmaphila standfuss*, 1888** (Notodontidae) *Rhegmaphila standfuss*, 1888, Berl. ent. Z. 32: 239. Type-species: *Clostera alpina* Bellier, 1881, Anns Soc. ent. Fr. (5)10: 367, pl.11 figs. 10-10a, by monotypy.
- 8270. *Rhegmaphila alpina osmana* Friedel, 1967** (Notodontidae) *Rhegmaphila alpina* ssp. *osmana* Friedel, 1967, Z. wien. ent. Ges. 52: 82. Holotype ♂: Türkei: Ankara: Kızılcahamam.
- 8271. *Rodneya cernyi* Schintlmeister, 1993** (Notodontidae) *Rodneya cernyi* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107.
- 8272. *Salicleta barasamphia* Schaus, 1928** (Notodontidae) *Salicleta barasamphia* Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 87. Type(s): Luzon.
- 8273. *Salicleta nonagrioides* Walker, 1862** (Notodontidae) *Salicleta nonagrioides* Walker, 1862, J. linn. Soc. Lond. (Zool.) 6: 124. Type(s): [Malaysia]: Borneo: Sarawak.
- 8274. *Somera virens* Dierl, 1976** (Notodontidae) *Somera virens* Dierl, 1976, Ent. Z., Frankf. a. M. 86: 84. Holotype: Sumatra.
- 8275. *Somera virens virens* Dierl, 1976** (Notodontidae) *Somera virens* Dierl, 1976, Ent. Z., Frankf. a. M. 86: 84. Holotype: Sumatra.
- 8276. *Somera virens watsoni* Schintlmeister, 1997** (Notodontidae) *Somera virens* ssp. *watsoni* Schintlmeister, 1997, Entomofauna Suppl. 9 (4): 99-100, Pl. Holotype ♂: Assam, Cerrapunji, Oct. 1893 (BMNH).
- 8277. *Somera viridifusca celebica* Schintlmeister, 1993** (Notodontidae) *Somera viridifusca* ssp. *celebica* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105, 114, Taf. Holotype ♂: Sulawesi: Tompoe, Paloe.
- 8278. *Somera viridifusca luzonensis* Schintlmeister, 1993** (Notodontidae) *Somera viridifusca* ssp. *luzonensis* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105, 113, Taf. Holotype ♂: Philippinen: Luzon: Benguet.
- 8279. *Somera viridifusca sumatrana* Schintlmeister, 1993** (Notodontidae) *Somera viridifusca* ssp. *sumatrana* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105, 113 Taf. Holotype ♂: Indonesia: Sumatra: Pakkat.
- 8280. *Spatalia Hübner*, [1819]** (Notodontidae) *Spatalia Hübner*, [1819], Verz. bekannter Schmett.: 145. Type-species: *Bombyx argentina* [Denis & Schiffermüller], 1775, Ankündigung eines syst. Werkes Schmett. Wienergegend: 62, 249, pls. by subsequent designation by Kirby, 1892, Syn. Cat. Lepid. Heter.: 604.
- 8281. *Spatalia argentina* (Denis & Schiffermüller), 1775** (Notodontidae) *Bombyx argentina* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 62, Tab. Ia-b fig. 2. Type(s): [Austria]: Vienna district.
- 8282. *Stauropitis briachisia* (Schaus, 1928)** (Notodontidae) *Stauropus briachisia* Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 75. Type(s): Mindanao.
- 8283. *Stauropus Germar*, 1812** (Notodontidae) *Stauropus Germar*, 1812, Diss. sistens Bombycum Species (2): 45. Type-species: *Phalaena fagi* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 508, by monotypy.
- 8284. *Stauropus alternus brunneus* Schintlmeister, 1991** (Notodontidae) *Stauropus alternus* ssp. *brunneus* Schintlmeister, 1991, Nachr. ent. Ver., Apollo, Suppl. 12: 106.
- 8285. *Stauropus fagi* (Linnaeus, 1758)** (Notodontidae) *Phalaena fagi* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 508.
- 8286. *Stauropus fagi fagi* (Linnaeus, 1758)** (Notodontidae) *Phalaena fagi* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 508.
- 8287. *Stauropus hannemanni* Schintlmeister, 1991** (Notodontidae) *Stauropus hannemanni* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106.
- 8288. *Stauropus hannemanni similis* Schintlmeister, 1991** (Notodontidae) *Stauropus hannemanni* ssp. *similis* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106.
- 8289. *Stauropus major* Van Eecke, 1929** (Notodontidae) *Stauropus major* Van Eecke, 1929, Zool. Meded., Leiden 12: 166. Type(s): Sumatra.
- 8290. *Stauropus nephodes* West, 1932** (Notodontidae) *Stauropus nephodes* West, 1932, Novit. zool. 37: 212. Type(s): Luzon.
- 8291. *Tarsolepsis elephantorum* Bänziger, 1986** (Notodontidae) *Tarsolepsis elephantorum* Bänziger, 1986, Nat. Hist. Bull. Siam Soc. 36: 19-25, figs. Holotype ♂: Thailand: Chiang Mai Prov., Huay Kao, Zoo, foot of Doi Suthep 350m, 16.v.1973, Bänziger leg. (DEFACU).
- 8292. *Tarsolepsis kochi* Semper, 1896** (Notodontidae) *Tarsolepsis kochi* Semper, 1896, Reisen Archipel Philipp. Semper (2): 409. Syntypes: Mindanao.
- 8293. *Tarsolepsis remicauda* Butler, 1872** (Notodontidae) *Tarsolepsis remicauda* Butler, 1872, Ann. Mag. nat. Hist. (4) 10: 125, pl. 8. Type: Java.
- 8294. *Tarsolepsis splendida* Schintlmeister, 1993** (Notodontidae) *Tarsolepsis splendida* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 104, 110-111, Taf. Holotype ♂: Philippinen: N-Luzon: Talubin.
- 8295. *Tarsolepsis taiwana* Wileman, 1910** (Notodontidae) *Tarsolepsis taiwana* Wileman, 1910, Entomologist 43: 188. Syntypes: Taiwan; Lectotype ♂: Rantaizan, 7600ft.
- 8296. *Teleclita cathana* (Schaus, 1928)** (Notodontidae) *Neopheosia cathana* Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 81. Syntypes: Mindanao, Luzon.
- 8297. *Thaïla cinerascens* Kiriakoff, 1974** (Notodontidae) *Thaïla cinerascens* Kiriakoff, 1974, Veröff. zool. Staatssaml. München 17: 415-416, figs. Holotype ♂: Siam (Thailand): Khzo Yzi, ii.1973, leg. E. Diehl (coll. Bender).
- 8298. *Turnaca (Ambadra) fajardoi* Schintlmeister, 1993** (Notodontidae) *Turnaca (Ambadra) fajardoi* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105.
- 8299. *Turnaca (Ambadra) sibena* Schintlmeister, 1993** (Notodontidae) *Turnaca (Ambadra) sibena* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105.
- 8300. *Turnaca (Ambadra) suriga* Schaus, 1928** (Notodontidae) *Turnaca (Ambadra) suriga* Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 88. Type(s): Mindanao.

- 8301. Turnaca (s.str.) fortunatorum Schintlmeister,1993** (Notodontidae) Turnaca (s.str.) fortunatorum Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105.
- 8302. Turnaca (s.str.) pantaena Schaus,1928** (Notodontidae) Turnaca pantaena Schaus,1928, Proc. U.S. natn. Mus. 73(19): 88. Type(s): Luzon.
- 8303. Vaneekia pallidifascia (Hampson,1893)** (Notodontidae) Stauropus pallidifascia Hampson,1893, Fauna Br. India (Moths) 1: 151. Type(s): Himalaya.
- 8304. Vaneekia pallidifascia pallidifascia (Hampson,1893)** (Notodontidae) Stauropus pallidifascia Hampson,1893, Fauna Br. India (Moths) 1: 151. Type(s): Himalaya.
- 8305. Zaranga pannosa Moore,1884** (Notodontidae) Zaranga pannosa Moore,1884, Trans. ent. Soc. London. 1884: 357. Type: India.
- 8306. Zerafia laportei Thiaucourt,1984** (Notodontidae) Zerafia laportei Thiaucourt,1984, Mém. Mus. natn. Hist. nat. Paris (A) 128: 12-13, Pl.8 fig.104, textfig.1. Holotype ♀: Djibouti: Randa.
- 8307. Agonopterix arenella ([Denis & Schiffermüller],1775)** (Oecophoridae) Tinea arenella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): [Austria]: Vienna district.
- 8308. Agonopterix atomella ([Denis & Schiffermüller],1775)** (Oecophoridae) Tinea atomella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): [Austria]: Vienna district.
- 8309. Agonopterix laterella ([Denis & Schiffermüller],1775)** (Oecophoridae) Tinea laterella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): [Austria]: Vienna district.
- 8310. Agonopterix ocellana (Fabricius,1775)** (Oecophoridae) Pyralis ocellana Fabricius,1775; Syst. Ent.: 652. Type(s): Anglia.
- 8311. Agonopterix ordubadensis Hannemann,1959** (Oecophoridae) Agonopterix ordubadensis Hannemann,1959, Dt. ent. Z., N.F. 6 (1/3): 34-36, 1-2 Abb. Holotype ♂: [Azerbaidzhan]: "Armenia ross., Ordubad, 1882" leg. Christoph (coll.Toll, Katowice).
- 8312. Agonopterix pavida (Meyrick,1913)** (Oecophoridae) Depressaria pavida Meyrick,1913, Exot. Microlepid. 1: 114. Type ♀: [Turkey]: Asia Minor: Taurus Mts. (BMNH).
- 8313. Agonopterix putridella ([Denis & Schiffermüller],1775)** (Oecophoridae) Tinea putridella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138. Type(s): [Austria]: Vienna district.
- 8314. Agonopterix rutana (Fabricius,1794)** (Oecophoridae) Pyralis rutana Fabricius,1794, Ent. Syst. 3 (2): 286.
- 8315. Agonopterix subumbellana Hannemann,1959** (Oecophoridae) Agonopterix subumbellana Hannemann,1959, Dt. ent. Z., N.F. 6 (1/3): 42, Abb.12,13. Holotype ♂: [Turkey]: "Armenia ross. Kasicoporan [Kazikoparan], 1.viii.1882 leg. Christoph (coll.Toll, Katowice).
- 8316. Agonopterix xyleuta (Meyrick,1913)** (Oecophoridae) Depressaria xyleuta Meyrick,1913, Exot. Microlepid. 1: 115. Type ♂: [Turkey]: Asia Minor: Taurus Mts. (BMNH).
- 8317. Alabonia Hübner,[1825]** (Oecophoridae) Alabonia Hübner,[1825], Verz. bekannter Schmett.: 418. Type-species: Phalaena geoffrella Linnaeus,1767, Syst. Nat. (Edn 12) 1: 896, by subsequent designation by Westwood,1840, Intro. mod. Classif. Insects 2 (Synopsis Genera Br. Insects): 110.
- 8318. Anchinia Hübner,[1825]** (Oecophoridae) Anchinia Hübner,[1825], Verz. bekannter Schmett.: 409. Type-species: Tinea verrucella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138, by subsequent designation by Meyrick,1922, in Wytsman, Genera Insect. 180:63.
- 8319. Anchinia daphnella ([Denis & Schiffermüller],1775)** (Oecophoridae) Tinea daphnella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136. Type(s): [Austria]: Vienna district.
- 8320. Anchinia laureolella afghanica Lvovsky,1997** (Oecophoridae) Anchinia laureolella ssp. afghanica Lvovsky,1997, Atalanta 28 (1/2): 174, fig. Holotype ♂: SO-Afghanistan: Safed Koh, S-Seite Shahidan 2700m 21.vi.1966 leg. H.G.Amsel (LNK).
- 8321. Anchinia laureolella iranica Lvovsky,1997** (Oecophoridae) Anchinia laureolella ssp. iranica Lvovsky,1997, Atalanta 28 (1/2): 173-174, fig. Holotype ♂: W-Iran: 51km. westl. Kermanshah, 1500m Quercetum, 17.vi.1975, leg. H.G.Amsel (LNK).
- 8322. Bisigna procerella ([Denis & Schiffermüller],1775)** (Oecophoridae) Tinea procerella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): [Austria]: Vienna district.
- 8323. Borkhausenia trigutta (Christoph,1888)** (Oecophoridae) Oecophora trigutta Christoph,1888, Horae Soc. ent. ross. 22: 314. Syntypes ♂♂: [Georgia]: Borshom.
- 8324. Carcina quercana (Fabricius,1775)** (Oecophoridae) Pyralis quercana Fabricius,1775; Syst. Ent.: 652. Type(s): Saxonia, on Quercus.
- 8325. Cephalispheira denisella ([Denis & Schiffermüller],1775)** (Oecophoridae) Tinea denisella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138. Type(s): [Austria]: Vienna district.
- 8326. Cephalispheira ferrugella ([Denis & Schiffermüller],1775)** (Oecophoridae) Tinea ferrugella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): [Austria]: Vienna district.
- 8327. Crossotocera Zerny,1930** (Oecophoridae) Crossotocera Zerny,1930, [in] Wagner, Int. ent. Z. 25 (2): 20. Type-species: Crossotocera wagnerella Zerny,1930, by monotypy.
- 8328. Crossotocera wagnerella Zerny,1930** (Oecophoridae) Crossotocera wagnerella Zerny,1930, [in] Wagner, Int. ent. Z. 25(2): 20. Syntypes 2♂ 1♀: [Türkei]: Akschehir [Akşehir].
- 8329. Depressaria albipunctella ([Denis & Schiffermüller],1775)** (Oecophoridae) Tinea albipunctella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 319. Type(s): [Austria]: Vienna district.
- 8330. Depressaria daucella ([Denis & Schiffermüller],1775)** (Oecophoridae) Tinea daucella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): [Austria]: Vienna district.
- 8331. Depressaria depressana (Fabricius,1775)** (Oecophoridae) Pyralis depressana Fabricius,1775; Syst. Ent.: 655. Type(s): not mentioned.
- 8332. Depressaria depressana amasiella Staudinger,1879** (Oecophoridae) Depressaria depressana var. amasiella Staudinger,1879, Horae Soc. ent. ross. 15: 300. Syntypes: [Türkei]: Amasia (Kerasdere).
- 8333. Depressaria floridella Mann,1864** (Oecophoridae) Depressaria floridella Mann,1864, Wien. ent. Monatschr. 8: 186, Taf.4 fig.14. Type(s): [Türkei]: Brussa [Bursa].
- 8334. Depressaria obolucha Meyrick,1936** (Oecophoridae) Depressaria obolucha Meyrick,1936, Exot. Microlepid. 5: 51. Type ♀: Iraq: Ser Amadia, 6000ft., August (E.P.Wiltshire leg.).
- 8335. Depressaria pavida Meyrick,1913** (Oecophoridae) pavida Meyrick,1913
- 8336. Depressaria xyleuta Meyrick,1913** (Oecophoridae) Depressaria xyleuta Meyrick,1913, Exot. Microlepid. 1: 115. Type ♂: [Turkey]: "Asia Minor: Taurus Mts."
- 8337. Depressaria zelleri Staudinger,1879** (Oecophoridae) Depressaria zelleri Staudinger,1879, Horae Soc. ent. ross. 15: 300-301. Syntypes 3♂ 1♀: [Türkei]: Amasia (Caraman).
- 8338. Diurnea fagella ([Denis & Schiffermüller],1775)** (Oecophoridae) Tinea fagella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): [Austria]: Vienna district.
- 8339. Diurnea lipsiella ([Denis & Schiffermüller],1775)** (Oecophoridae) Tinea lipsiella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138. Type(s): [Austria]: Vienna district.
- 8340. Epicallima formosella ([Denis & Schiffermüller],1775)** (Oecophoridae) Tinea formosella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): [Austria]: Vienna district.
- 8341. Eratophyes Diakonoff,1975** (Oecophoridae) Eratophyes Diakonoff,1975, Ent. Ber., Amst. 35: 187-189. Type-species: Eratophyes aleatrix Diakonoff,1975, ibid 35: 187-189, 2 figs., by original designation.
- 8342. Esperia sulphurella (Fabricius,1775)** (Oecophoridae) Alucita sulphurella Fabricius,1775, Syst. Ent.: 670. Type(s): "Anglia".
- 8343. Harpella eseliensis ? Rebel,1908** (Oecophoridae) Harpella eseliensis Rebel,1908, Verh. zool.- bot. Ges. Wien 58: (84)-(85). Type ♀: [Türkei]: [Giresun Prov.]: "Eseli" [Eynesil] (NHMW).
- 8344. Horridopalpus radiatus (Staudinger,1879)** (Oecophoridae) Depressaria radiata Staudinger,1879, Horae Soc. ent. ross. 15: 302-303. Syntypes: [Türkei]: Amasia (Caraman).
- 8345. Irepacma torrida (Meyrick,1894)** (Oecophoridae) Phaeosaces torrida Meyrick,1894, Trans. ent. Soc. London 1894: 19. Syntypes 3♂♂: [Myanmar]: Upper Burma: Koni.
- 8346. Luquetia lobella ([Denis & Schiffermüller],1775)** (Oecophoridae) Tinea lobella [Denis & Schiffermüller], 1775,

Ankündigung syst. Werkes Schmett. Wienergegend: 138. Type(s): [Austria]: Vienna district.

8347. *Oecophora (Oecophoreola) Lvovsky,1995* (Oecophoridae) *Oecophoreola* Lvovsky,1995, Ent. Obozr. 74: 141. Type-species: *Lampros kindermanni* Herrich-Schäffer, [1852], by original designation.

8348. *Periacta chlorodesma* Meyrick,1894 (Oecophoridae) *Periacta chlorodesma* Meyrick,1894, Trans. ent. Soc. Lond. 1894: 22. Type ♂: [Myanmar]: Upper Burma: Koni.

8349. *Pleurota armeniella* Caradja,1920 (Oecophoridae) *Pleurota armeniella* Caradja,1920, Dt. ent. Z., Iris 34: 123. Syntypes 2♂: [Türkei]: Kasikoparan (coll. Caradja).

8350. *Pleurota eximia Lederer,1861* (Oecophoridae) *Pleurota eximia* Lederer,1861, Wien. ent. Monatschr. 5: 154, Taf.2 fig.5. Type(s): [Türkei]: Mersin.

8351. *Pleurota issicella* Staudinger,1880 (Oecophoridae) *Pleurota issicella* Staudinger,1879, Horae Soc. ent. ross. 15: 344-345. Syntypes 3♂: [Türkei]: Mersin (leg. & coll. Lederer).

8352. *Pleurota lineata* Toll,1947 (Oecophoridae) *Pleurota lineata* Toll,1947, Z. Wien. ent. Ges. 32: 114, Taf.4 fig.24. Type ♂: Iran: Kuh-i-Mirabi Gebirge (coll. Toll).

8353. *Pleurota malatya* H.Back,1973 (Oecophoridae) *Pleurota malatya* Back,1973, Untersuchungen Syst. Zoogeogr. *Pleurota*:64, figs. Holotype ♂: [Türkei]: Kleinasien: Malatya.

8354. *Pleurota marginella* ([Denis & Schiffermüller],1775) (Oecophoridae) *Tinea marginella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 319. Type(s): [Austria]: Vienna district.

8355. *Pleurota metricella* (Zeller,1847) (Oecophoridae) *Anchinia metricella* Zeller,1847, Isis 1847: 34, 822. Lectotype ♂: [Griechenland]: Rhodos, designated by Back,1973: 205.

8356. *Pleurota montalbella* Zerny,1934 (Oecophoridae) *Pleurota montalbella* Zerny,1934, Dt. ent. Z., Iris 48: 22-23, Taf.1 figs. 12,13. Syntypes: Libanon: Bscharre.

8357. *Pleurota nobilella* Rebel,1900 (Oecophoridae) *Pleurota honorella* var. *nobilella* Rebel,1900, Dt. ent. Z., Iris 13: 169. Syntypes 1♂ 1♀: Spanien: Murcia.

8358. *Pleurota obtusella* Rebel,1917 (Oecophoridae) *Pleurota obtusella* Rebel,1917, Verh. zool.- bot. Ges. Wien 67: (53). Type ♂: [China: Uighur A.R.]: "Tuldja 84" [Kuldja] (NHMW).

8359. *Pleurota proteella* Staudinger,1880 (Oecophoridae) *Pleurota proteella* Staudinger,1880, Horae Soc. ent. ross. 15: 340. Syntypes 4♂ 1♀: [Libanon]: Beirut (leg. & coll. Zach).

8360. *Pleurota pungitiella* Herrich-Schäffer,1854 (Oecophoridae) *Pleurota pungitiella* Herrich-Schäffer, [1854], Syst. Bearb. Schmett. Eur. 5: 146. Type(s): Istrien: Monte Maggiore.

8361. *Pleurota pyropella* ([Denis & Schiffermüller],1775) (Oecophoridae) *Tinea pyropella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): [Austria]: Vienna district.

8362. *Pleurota pyropella pyropella* ([Denis & Schiffermüller],1775) (Oecophoridae) *Tinea pyropella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): [Austria]: Vienna district.

8363. *Pleurota simplex* Staudinger,1880 (Oecophoridae) *Pleurota simplex* Staudinger,1879, Horae Soc. ent. ross. 15: 345-346. Syntypes 2♂ 1♀: Libanon: Beirut.

8364. *Pleurota subpyropella* Staudinger,1880 (Oecophoridae) *Pleurota subpyropella* Staudinger,1880, Horae Soc. ent. ross. 15: 336-337. Syntypes 3♂: [Türkei]: Amasia.

8365. *Pleurota syriaca* Staudinger,1880 (Oecophoridae) *Pleurota schlaegeriella* var. *syriaca* Staudinger,1879, Horae Soc. ent. ross. 15: 339. Syntypes 6♂ 2♀: [Libanon]: Beirut (leg. & coll. Lederer u. Zach).

8366. *Pseudatemelia sordida* (Staudinger,1879) (Oecophoridae) *Oecophora sordida* Staudinger,1879, Horae Soc. ent. ross. 15: 350-351. Type ♂: [Türkei]: Amasia (Jenikeui-Hochebene).

8367. *Schiffermuelleria irroratella* (Staudinger,1879) (Oecophoridae) *Oecophora irroratella* Staudinger,1879, Horae Soc. ent. ross. 15: 351-352. Type ♂: [Türkei]: Amasia (Jenikeui-Hochebene).

8368. *Semioscopis steinkellneriana* ([Denis & Schiffermüller],1775) (Oecophoridae) *Tortrix steinkellneriana* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 130. Type(s): [Austria]: Vienna district.

8369. *Telechrysis* Toll,1956 (Oecophoridae) *Telechrysis* Toll,1956, Annls zool. Warsz. 16: 178, 180(key). Type-species:

Recurvaria tripuncta Haworth,1828 Lepid. Br.: 557, by original designation.

8370. *Tonica terasella* Walker,1864 (Oecophoridae) *Tonica terasella* Walker,1864, List 29: 788.

8371. *Tubuliferola flavifrontella* ([Denis & Schiffermüller],1775) (Oecophoridae) *Tinea flavifrontella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 143. Type(s): [Austria]: Vienna district.

8372. *Opostega* Zeller,1839 (Opostegidae) *Opostega* Zeller,1839, Isis Oken, Leipzig 1839: 214. Type-species: *Elachista salaciella* Treitschke,1833, in Ochsenheimer, Schmett. Eur. 9 (2): 180, by subsequent designation by Walsingham,1914, Biologia cent.-am. (Zool.) Lepid. -Heterocera 4:349

8373. *Archon* Hübner,1822 (Papilionidae) *Archon* Hübner,1822, Syst.-alph. Verz.: 2,6,8,9. Type-species: *Papilio thia* Hübner, [1806], Samml. eur. Schmett.: pl. Pap.124, figs. 635-636; [1806], ibid. (Ziefer):60. by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 117.

8374. *Archon apollinaris* (Staudinger,1892) (Papilionidae) *Doritis apollinus* var. *apollinaris* Staudinger, [1892], Dt. ent. Z., Iris 4: 225. Syntypes: [Türkei]: nordöstlichen Kleinasien: Goman Otti, 1500m.

8375. *Archon apollinaris apollinaris* (Staudinger,1892) (Papilionidae) *Doritis apollinus* var. *apollinaris* Staudinger, [1892], Dt. ent. Z., Iris 4: 225. Syntypes: [Türkei]: nordöstlichen Kleinasien: Goman Otti, 1500m.

8376. *Archon apollinus* (Herbst,1798) (Papilionidae) *Papilio apollinus* Herbst,1798, [in] Jablonsky, Natursyst. Ins. (Schmett.) 9: 156, pl.250, figs.5-8. Syntypes: [Turkey]: Ourlac [Urla (İzmir)]. Neotype: İzmir (de Freina,1985)

8377. *Archon apollinus amasinus* (Staudinger,1901) (Papilionidae) *Doritis apollinus* var. *amasina* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 4, nr.13c. Syntypes: [Türkei]: Pont.; Kurd. oc.

8378. *Archon apollinus apollinus* (Herbst,1798) (Papilionidae) *Papilio apollinus* Herbst,1798, [in] Jablonsky, Natursyst. Ins. (Schmett.) 9: 156, pl.250, figs.5-8. Syntypes: [Turkey]: Ourlac [Urla (İzmir)]. Neotype: İzmir (de Freina,1985).

8379. *Archon apollinus bellargus* (Staudinger,1892) (Papilionidae) *Doritis apollinus* var. *bellargus* Staudinger, [1892], Dt. ent. Z., Iris 4: 226. Syntypes: [Türkei]: [Antakya]: südlich Antiochia, Kessab.

8380. *Archon apollinus drusicus* De Freina & Leestmans,2003 (Papilionidae) *Archon apollinus* ssp. *drusicus* De Freina & Leestmans,2003, Linneana Belg. 19 (1): 26-31, figs. Holotype ♂: Syrie: Djebel ed Druz, 7km N.-E. de Shahba, env. de Shaqqa, 1250m, 10-11.iv.88 (coll. de Freina) (ZSM).

8381. *Archon apollinus forsteri* Koçak,1977 (Papilionidae) *Archon apollinus* ssp. *forsteri* Koçak,1977, NachrBl. bayer. Ent. 26(3): 55-60, figs. Holotype ♂: Turkey: Kastamonu, Ödemiş.

8382. *Archon apollinus nikodemusi* Stünig & Wagener,1989 (Papilionidae) *Archon apollinus* ssp. *nikodemusi* Stünig & Wagener,1989, Nachr. ent. Ver. Apollo (N.F.) 10(2): 135-142, Abb. Holotype ♂: Türkei: Istanbul: Anbarlı-Çekmece (40km westl. Istanbul), ca.60m. (ZFMK).

8383. *Archon apollinus thracicus* (Buresch,1915) (Papilionidae) *Doritis apollinus* var. *thracica* Buresch, 1915, Spis. bulg. Akad. Nauk (Sofia) 12: 39. Syntypes: [Turkey]: Kuru Dag (on the boundary of the provinces Çanakkale and Edirne in Turkey-in-Europe) (NHMS, RNHL).

8384. *Archon apollinus wagneri* Koçak,1976 (Papilionidae) *Archon apollinus* ssp. *wagneri* Koçak,1976, Atalanta 7: 43-44, figs. 3-4. Holotype ♂: Turkey: Maraş Prov.: Pazarcık, 720m, 19.iii.1974, A.Koçak leg. (Cesa).

8385. *Archon apollinus wyatti* Koçak,1976 (Papilionidae) *Archon apollinus* ssp. *wyatti* Koçak,1976, Atalanta 7: 42-43, figs. 1-2. Holotype ♂: Turkey: Isparta Prov.: vicinity of Eğirdir lake, 1000m, 1.v.1973 leg. A.Koçak (Cesa).

8386. *Atrophaneura* (Pharmacophagus) Haase,1892 (Papilionidae) *Pharmacophagus* Haase,1892, Bibl. zool. 8: 120. Type-species: *Papilio antenor* Drury, [1773], by subsequent designation by Kirby,1896 [in] Allen's Nat. Libr., Lepid. 2: 306.

8387. *Atrophaneura* (Pharmacophagus) antenor (Drury, [1773]) (Papilionidae) *Papilio antenor* Drury, [1773], Ill. nat. Hist. 2: index et 4, pl.3 fig.1.

8388. *Atrophaneura* (Pharmacophagus) antenor antenor (Drury, [1773]) (Papilionidae) *Papilio antenor* Drury, [1773], Ill. nat. Hist. 2: index et 4, pl.3 fig.1.

- 8389.** *Atrophaneura* (s.str. (Byasa)) **Moore, 1882** (Papilionidae) Byasa Moore, 1882, Proc. zool. Soc. Lond. 1882: 258. Type-species: *Papilio philoxenus* Gray, 1831, by original designation.
- 8390.** *Atrophaneura* (s.str. (Byasa)) **adamsoni** (Grose-Smith, 1886) (Papilionidae) *Papilio adamsoni* Grose-Smith, 1886, Ann. Mag. nat. Hist. (5) 18: 149. Syntypes ♂: [Myanmar]: Saluen R., S. Shan States.
- 8391.** *Atrophaneura* (s.str. (Byasa)) **adamsoni adamsoni** (Grose-Smith, 1886) (Papilionidae) *Papilio adamsoni* Grose-Smith, 1886, Ann. Mag. nat. Hist. (5) 18: 149. Syntypes ♂: [Myanmar]: Saluen R., S. Shan States.
- 8392.** *Atrophaneura* (s.str. (Byasa)) **alcinous** (Klug, 1836) (Papilionidae) *Papilio alcinous* Klug, 1836, Neue Schmett.: Taf. 1, Abb. 1-4. Type(s): Japonia.
- 8393.** *Atrophaneura* (s.str. (Byasa)) **alcinous alcinous** (Klug, 1836) (Papilionidae) *Papilio alcinous* Klug, 1836, Neue Schmett.: Taf. 1, Abb. 1-4. Type(s): Japonia.
- 8394.** *Atrophaneura* (s.str. (Byasa)) **alcinous mausonensis** (Fruhstorfer, 1901) (Papilionidae) *Papilio alcinous* ssp. *mausonensis* Fruhstorfer, 1901, Societ. Ent. Syntypes: [Vietnam]: Nord-Tonkin: Mau-Son Gebirge.
- 8395.** *Atrophaneura* (s.str. (Byasa)) **alcinous nana** Draeseke, 1923 (homonym!) (Papilionidae) *Papilio ab. nana* Draeseke, 1923, Dt. ent. Z., Iris 37: 56.
- 8396.** *Atrophaneura* (s.str. (Byasa)) **alcinous tytleri** (Evans, 1923) (Papilionidae) *Byasa alcinous tytleri* Evans, 1923, J. Bomb. nat. Hist. Soc. 29: 233, 245. Syntypes: India: Manipur (nomen novum pro *Papilio alcinous impediens* Tytler, 1915 nec Rothschild, 1895).
- 8397.** *Atrophaneura* (s.str. (Byasa)) **crassipes** (Oberthür, 1893) (Papilionidae) *Papilio crassipes* Oberthür, 1893, Etüd. Ent. 17: 2, pl. 4 figs. 38, 38a. Syntypes: Tonkin.
- 8398.** *Atrophaneura* (s.str. (Byasa)) **crassipes crassipes** (Oberthür, 1883) (Papilionidae) *Papilio crassipes* Oberthür, 1893, Etüd. Ent. 17: 2, pl. 4 figs. 38, 38a. Syntypes: Tonkin.
- 8399.** *Atrophaneura* (s.str. (Byasa)) **daemonius** (Alpheraky, 1895) (Papilionidae) *Papilio daemonius* Alpheraky, 1895, Dt. ent. Z., Iris 8: 180-181. Syntypes ♂♂: [China]: "montagnes Kham, près de Batang" (leg. Potanine).
- 8400.** *Atrophaneura* (s.str. (Byasa)) **daemonius daemonius** (Alpheraky, 1895) (Papilionidae) *Papilio daemonius* Alpheraky, 1895, Dt. ent. Z., Iris 8: 180-181. Syntypes ♂♂: [China]: "montagnes Kham, près de Batang" (leg. Potanine).
- 8401.** *Atrophaneura* (s.str. (Byasa)) **dasarada** (Moore, 1857) (Papilionidae) *Papilio dasarada* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 96.
- 8402.** *Atrophaneura* (s.str. (Byasa)) **dasarada barata** (Rothschild, 1908) (Papilionidae) *Papilio philoxenus ab. barata* Rothschild, 1908, Novit. Zool. 15: 168.
- 8403.** *Atrophaneura* (s.str. (Byasa)) **dasarada dasarada** (Moore, 1857) (Papilionidae) *Papilio dasarada* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 96.
- 8404.** *Atrophaneura* (s.str. (Byasa)) **dasarada ravana** (Moore, 1857) (Papilionidae) *Papilio ravana* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 96.
- 8405.** *Atrophaneura* (s.str. (Byasa)) **impediens** (Rothschild, 1895) (Papilionidae) *Papilio alcinous impediens* Rothschild, 1895, Novit. zool. 2: 272. Type: China: Ta-Tsien-Lou.
- 8406.** *Atrophaneura* (s.str. (Byasa)) **impediens impediens** (Rothschild, 1895) (Papilionidae) *Papilio alcinous impediens* Rothschild, 1895, Novit. zool. 2: 272. Type: China: Ta-Tsien-Lou.
- 8407.** *Atrophaneura* (s.str. (Byasa)) **laos** Riley & Godfrey, 1921 (Papilionidae) *Atrophaneura laos* Riley & Godfrey, 1921, J. nat. Hist. Soc. Siam 4 (3): 168, pl. 4 fig. 1. Type ♂: [Laos]: French Laos, Ban Na Sao, 1920. Feb. 23 (BMNH).
- 8408.** *Atrophaneura* (s.str. (Byasa)) **laos laos** Riley & Godfrey, 1921 (Papilionidae) *Atrophaneura laos* Riley & Godfrey, 1921, J. nat. Hist. Soc. Siam 4 (3): 168, pl. 4 fig. 1. Type ♂: [Laos]: French Laos, Ban Na Sao, 1920. Feb. 23 (BMNH).
- 8409.** *Atrophaneura* (s.str. (Byasa)) **latreillei** (Donovan, 1826) (Papilionidae) *Papilio latreillei* Donovan, 1826, Naturalist's Repository 4: pl. 140. Type(s): Nepal.
- 8410.** *Atrophaneura* (s.str. (Byasa)) **latreillei afghana** Howarth & Povolny, 1973 (Papilionidae) *Atrophaneura* (Parides) *latreillei* ssp. *afghana* Howarth & Povolny, 1973, Cas. morav. Mus. Brne 58: 140-141, figs. Holotype ♂: Afghanistan: Nangrahar, Jalalabad, 580m.
- 8411.** *Atrophaneura* (s.str. (Byasa)) **latreillei kabrua** (Tytler, 1915) (Papilionidae) *Papilio kabrua* Tytler, 1915, J. Bombay nat. Hist. Soc. 23 (3): 513. Type: India: Naga Hills.
- 8412.** *Atrophaneura* (s.str. (Byasa)) **latreillei latreillei** (Donovan, 1826) (Papilionidae) *Papilio latreillei* Donovan, 1826, Naturalist's Repository 4: pl. 140. Type(s): Nepal.
- 8413.** *Atrophaneura* (s.str. (Byasa)) **mencius** (Felder, 1862) (Papilionidae) *Papilio mencius* Felder, 1862, Wien. ent. Monatschr. 6: 22. Type: China: Ningpo.
- 8414.** *Atrophaneura* (s.str. (Byasa)) **mencius mencius** (Felder, 1862) (Papilionidae) *Papilio mencius* Felder, 1862, Wien. ent. Monatschr. 6: 22. Type: China: Ningpo.
- 8415.** *Atrophaneura* (s.str. (Byasa)) **mencius tsinlingshani** (Rosen, 1929) (Papilionidae) *Papilio mencius* ssp. *tsinlingshani* Rosen, 1929, [in] Seitz, Gross-Schmett. Erde 1 (suppl.): 7. Syntypes: [China]: Ost-Kansu Tsinlingsshan (Liogang u. Hweisi).
- 8416.** *Atrophaneura* (s.str. (Byasa)) **nevillei** (Wood-Mason, 1882) (Papilionidae) *Papilio nevillei* Wood-Mason, 1882, Ann. Mag. nat. Hist. (5) 9: 105. Type(s): Cachar.
- 8417.** *Atrophaneura* (s.str. (Byasa)) **nevillei nevillei** (Wood-Mason, 1882) (Papilionidae) *Papilio nevillei* Wood-Mason, 1882, Ann. Mag. nat. Hist. (5) 9: 105. Type(s): Cachar.
- 8418.** *Atrophaneura* (s.str. (Byasa)) **plutonius** (Oberthür, 1876) (Papilionidae) *Papilio plutonius* Oberthür, 1876, Etüd. d'Ent. 2: 16. Syntypes ♂♂: China: Moupin.
- 8419.** *Atrophaneura* (s.str. (Byasa)) **plutonius plutonius** (Oberthür, 1876) (Papilionidae) *Papilio plutonius* Oberthür, 1876, Etüd. d'Ent. 2: 16. Syntypes ♂♂: China: Moupin.
- 8420.** *Atrophaneura* (s.str. (Byasa)) **polyeuctes** (Doubleday, 1842) (Papilionidae) *Papilio polyeuctes* Doubleday, 1842, [in] Gray's Zool. Misc. (5): 74. Type: Sylhet.
- 8421.** *Atrophaneura* (s.str. (Byasa)) **polyeuctes lama** (Oberthür, 1876) (Papilionidae) *Papilio lama* Oberthür, 1876, Etüd. Ent. 2: 15, pl. 3 fig. 1. Syntypes: Chine: [Szechuan]: Moupin.
- 8422.** *Atrophaneura* (s.str. (Byasa)) **polyeuctes letincius** (Fruhstorfer, 1908) (Papilionidae) *Papilio philoxenus letincius* Fruhstorfer, 1908, Ent. Z., Stuttgart 22 (18): 72. Type (s): N.W. India.
- 8423.** *Atrophaneura* (s.str. (Byasa)) **polyeuctes polyeuctes** (Doubleday, 1842) (Papilionidae) *Papilio polyeuctes* Doubleday, 1842, [in] Gray's Zool. Misc. (5): 74. Type: Sylhet.
- 8424.** *Atrophaneura* (s.str. (Byasa)) **polyeuctes punchi** (O. Bang-Haas, 1933) (Papilionidae) *Papilio philoxenus punchi* O. Bang-Haas, 1933, Ent. Z., Frankf. a. M. 46(24): 261. Syntypes ♂♂: West Kashmir: Punch State.
- 8425.** *Atrophaneura* (s.str. (Losaria)) **Moore, [1902]** (Papilionidae) *Losaria* Moore, [1902], Lep. ind. 5 (57): 184. Type-species: *Papilio coon* Fabricius, 1793, by original designation.
- 8426.** *Atrophaneura* (s.str. (Losaria)) **coon** (Fabricius, 1793) (Papilionidae) *Papilio coon* Fabricius, 1793, Ent. syst. 3 (1): 10.
- 8427.** *Atrophaneura* (s.str. (Losaria)) **coon coon** (Fabricius, 1793) (Papilionidae) *Papilio coon* Fabricius, 1793, Ent. syst. 3 (1): 10.
- 8428.** *Atrophaneura* (s.str. (Losaria)) **coon delianus** (Fruhstorfer, 1895) (Papilionidae) *Papilio doubledayi* var. *delianus* Fruhstorfer, 1895, Ent. Nachr. 1895: 196. Syntypes: Sumatra.
- 8429.** *Atrophaneura* (s.str. (Losaria)) **coon doubledayi** (Wallace, 1865) (Papilionidae) *Papilio doubledayi* Wallace, 1865, Trans. linn. Soc. Lond. 25 (1): 42, note. Syntypes ♂♂: [Myanmar]: Moulmein.
- 8430.** *Atrophaneura* (s.str. (Losaria)) **coon sambilanga** (Doherty, 1886) (Papilionidae) *Papilio doubledayi* var. *sambilanga* Doherty, 1886, J. Asiat. Soc. Beng. 1886: 263, nr. 20. Syntypes: Great Nicobar.
- 8431.** *Atrophaneura* (s.str. (Losaria)) **neptunus** (Guérin-Méneville, [1840]) (Papilionidae) *Papilio neptunus* Guérin-Méneville, [1840], Revue zool. (Soc. Cuv.): 343. Type(s): Malaya Peninsula.
- 8432.** *Atrophaneura* (s.str. (Losaria)) **neptunus fehri** (Honrath, 1891) (Papilionidae) *Papilio neptunus* var. *fehri* Honrath, 1891, Berl. ent. Z. 36: 432. Syntypes: [Indonesia]: Nias Island.
- 8433.** *Atrophaneura* (s.str. (Losaria)) **neptunus muadder** (Koçak & Kemal, 2000) (Papilionidae) *Pachliopta neptunus* *muadder* Koçak & Kemal, 2000, Centr. ent. Stud., Misc. Pap. 71: 3 (nomen novum pro *sumatrana* Hagen, [1894] (p. 21) nec *sumatrana* Hagen, [1894] (p. 20)).
- 8434.** *Atrophaneura* (s.str. (Losaria)) **neptunus neptunus** (Guérin-Méneville, [1840]) (Papilionidae) *Papilio neptunus* Guérin-Méneville, [1840], Revue zool. (Soc. Cuv.): 343. Type(s): Malaya Peninsula.
- 8435.** *Atrophaneura* (s.str. (Losaria)) **rhodifer** (Butler, 1876) (Papilionidae) *Papilio rhodifer* Butler, 1876, Entomologist's mon. Mag. 13: 57. Syntypes: [India]: Andaman Isl.

- 8436. *Atrophaneura* (s.str. (*Losaria*)) *rhodifer rhodifer* (Butler,1876)** (Papilionidae) *Papilio rhodifer* Butler,1876, Entomologist's mon. Mag. 13: 57. Syntypes: [India]: Andaman Isl.
- 8437. *Atrophaneura* (s.str. (*Pachliopta*)) *Reakirt*,[1865]** (Papilionidae) *Pachliopta Reakirt*,[1865], Proc. ent. Soc. Philad. 3: 503. Type-species: *Papilio diphilus* Esper,[1793], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 235.
- 8438. *Atrophaneura* (s.str. (*Pachliopta*)) *antiphus* (Fabricius,1793)** (Papilionidae) *Papilio antiphus* Fabricius,1793, Ent. Syst. 3(1): 10, nr.28. Type(s): India.
- 8439. *Atrophaneura* (s.str. (*Pachliopta*)) *antiphus acuta* (Druce,1873)** (Papilionidae) *Papilio acuta* Druce,1873, Proc. zool. Soc. London 1873: 358. Syntypes: North Borneo.
- 8440. *Atrophaneura* (s.str. (*Pachliopta*)) *antiphus antiphus* (Fabricius,1793)** (Papilionidae) *Papilio antiphus* Fabricius,1793, Ent. Syst. 3(1): 10, nr.28. Type(s): India.
- 8441. *Atrophaneura* (s.str. (*Pachliopta*)) *antiphus elioti* (Page & Treadaway,1995)** (Papilionidae) *Pachliopta antiphus* ssp. *elioti* Page & Treadaway,1995, N.Achr. ent. Ver., Apollo Suppl.14: 137, figs.8-11. Holotype ♂: Philippines: Bud Siasi, 900m (coll. Treadaway).
- 8442. *Atrophaneura* (s.str. (*Pachliopta*)) *antiphus kameiros* (Fruhstorfer,1911)** (Papilionidae) *Papilio aristolochiae* ssp. *kameiros* Fruhstorfer,1911, Ent. Rdsch. 28 (23): 178. Syntypes 1♂ 2♀: [Indonesia]: Insel Nias.
- 8443. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae* (Fabricius,1775)** (Papilionidae) *Papilio aristolochiae* Fabricius,1775, Syst. Ent.: 443. Type(s): Indiae orientalis.
- 8444. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae aristolochiae* (Fabricius,1775)** (Papilionidae) *Papilio aristolochiae* Fabricius,1775, Syst. Ent.: 443. Type(s): Indiae orientalis.
- 8445. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae asteris* (Rothschild,1908)** (Papilionidae) *Papilio asteris* Rothschild,1908, Novit. zool. 15 (1): 167.
- 8446. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae austrosundanus* (Rothschild,1895)** (Papilionidae) *Papilio aristolochiae* ssp. *austrosundanus* Rothschild,1895, Novit. zool. 2: 249-250. Syntypes 12♂ 3♀: Sambawa.
- 8447. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae camorta* (Moore,1877)** (Papilionidae) *Papilio aristolochiae* var. *camorta* Moore,1877, Proc. zool. Soc. Lond. 1877: 592. Type ♀: Kamorta.
- 8448. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae ceylonica* (Moore,1881)** (Papilionidae) *Menelaides ceylonicus* Moore,1881, Lepid. Ceylon 1: 151, pl.57 fig.2. Syntypes: Ceylon.
- 8449. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae kondulana* (Evans,1932)** (Papilionidae) *Tros aristolochiae kondulana* Evans,1932, Identification Indian Butterflies (edn.2): 45. Type(s): South Nicobars.
- 8450. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae sawi* (Evans,1932)** (Papilionidae) *Tros aristolochiae sawi* Evans,1932, Identification Indian Butterflies (edn.2): 44. Type(s): Car Nicobars.
- 8451. *Atrophaneura* (s.str. (*Pachliopta*)) *atropos* (Staudinger,1888)** (Papilionidae) *Papilio antiphus* var? *atropos* Staudinger,1888, Dt. ent. Z., Iris 1: 276-277. Syntypes: 1♂ 7♀: [Philippinen]: Palawan.
- 8452. *Atrophaneura* (s.str. (*Pachliopta*)) *atropos atropos* (Staudinger,1888)** (Papilionidae) *Papilio antiphus* var? *atropos* Staudinger,1888, Dt. ent. Z., Iris 1: 276-277. Syntypes: 1♂ 7♀: [Philippinen]: Palawan.
- 8453. *Atrophaneura* (s.str. (*Pachliopta*)) *hector* (Linnaeus,1758)** (Papilionidae) *Papilio hector* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 459, nr.2. Type(s): Indiae.
- 8454. *Atrophaneura* (s.str. (*Pachliopta*)) *hector hector* (Linnaeus,1758)** (Papilionidae) *Papilio hector* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 459, nr.2. Type(s): Indiae.
- 8455. *Atrophaneura* (s.str. (*Pachliopta*)) *jophon* (Gray,[1853])** (Papilionidae) *Papilio jophon* Gray,[1853], Cat. Lepid. Ins. Br. Mus. 1: 10, nr.35, pl.4 fig.4. Type: "Ceylon".
- 8456. *Atrophaneura* (s.str. (*Pachliopta*)) *jophon jophon* (Gray,[1853])** (Papilionidae) *Papilio jophon* Gray,[1853], Cat. Lepid. Ins. Br. Mus. 1: 10, nr.35, pl.4 fig.4. Type: "Ceylon".
- 8457. *Atrophaneura* (s.str. (*Pachliopta*)) *kotzebuea* (Eschscholtz,1821)** (Papilionidae) *Papilio kotzebuea* Eschscholtz,1821, Kotzeb. Reise 3: 202, Tab.1 figs. 2a,b. Type: "Manilla".
- 8458. *Atrophaneura* (s.str. (*Pachliopta*)) *kotzebuea bilara* (Page & Treadaway,1995)** (Papilionidae) *Pachliopta kotzebuea* ssp. *bilara* Page & Treadaway,1995, Neue ent. Nachr., Apollo Suppl. 14: 144-146, figs. 20-23. Holotype ♂: Philippines: Bohol: Bilar (coll. Treadaway).
- 8459. *Atrophaneura* (s.str. (*Pachliopta*)) *kotzebuea deseileus* (Fruhstorfer,1911)** (Papilionidae) *Papilio aristolochiae* ssp. *deseileus* Fruhstorfer, 1911, Ent. Rdsch. 28 (23): 178. Syntypes ♂♀: [Philippinen]: Mindoro.
- 8460. *Atrophaneura* (s.str. (*Pachliopta*)) *kotzebuea kotzebuea* (Eschscholtz,1821)** (Papilionidae) *Papilio kotzebuea* Eschscholtz,1821, Kotzeb. Reise 3: 202, Tab.1 figs.2a,b. Type: Manilla.
- 8461. *Atrophaneura* (s.str. (*Pachliopta*)) *kotzebuea mataconga* (Page & Treadaway,1995)** (Papilionidae) *Pachliopta kotzebuea* ssp. *mataconga* Page & Treadaway,1995, Neue ent. Nachr., Apollo Suppl. 14: 142-143, figs. 14-15. Holotype ♂: Philippines: S. Luzon: Matacong (coll. Treadaway).
- 8462. *Atrophaneura* (s.str. (*Pachliopta*)) *kotzebuea tindongani* (Page & Treadaway,1995)** (Papilionidae) *Pachliopta kotzebuea* ssp. *tindongani* Page & Treadaway,1995, Neue ent. Nachr., Apollo Suppl. 14: 141-142, figs. 12-13. Holotype ♂: Philippines: N.E.Luzon: Sierra Madre, Sulong River (coll. Treadaway).
- 8463. *Atrophaneura* (s.str. (*Pachliopta*)) *kotzebuea treadaway* (Koçak & Kemal,2000)** (Papilionidae) *Pachliopta kotzebuea* ssp. *treadaway* Koçak & Kemal,2000, Cent. ent. Stud., Misc. Pap. 65/66: 11 (nomen novum pro *Papilio* (Menelaides) *aristolochiae* var. *philippus* Semper,1891 nec *Papilio philippus* Wallace,1865 [P. lorquinianus philippus]).
- 8464. *Atrophaneura* (s.str. (*Pachliopta*)) *liris* (Godart,[1819])** (Papilionidae) *Papilio liris* Godart,[1819], Ency. méth. 9: 72, 132. Type(s): Timor.
- 8465. *Atrophaneura* (s.str. (*Pachliopta*)) *liris damaricus* (Fruhstorfer,1908)** (Papilionidae) *Papilio liris* ssp. *damaricus* Fruhstorfer,1908, Int. ent. Z. 2 (8): 49-50. Syntypes 3♂ 1♀: Insel Damar.
- 8466. *Atrophaneura* (s.str. (*Pachliopta*)) *liris deridderi* Neukirschen,1992** (Papilionidae) *Pachliopta liris* ssp. *deridderi* Neukirschen,1992, Ent. Z., Frankf. a. M. 102: 261-263, Abb.2. Holotype ♂: Indonesien: Baray Darya-Gruppe, Serua Is. (ZMHUB).
- 8467. *Atrophaneura* (s.str. (*Pachliopta*)) *liris gaetus* (Fruhstorfer,1908)** (Papilionidae) *Papilio liris* ssp. *gaetus* Fruhstorfer,1908, Int. ent. Z. 2 (8): 49. Syntypes 2♂: Insel Savu.
- 8468. *Atrophaneura* (s.str. (*Pachliopta*)) *liris navigator* (Fruhstorfer,1908)** (Papilionidae) *Papilio liris* ssp. *navigator* Fruhstorfer,1908, Int. ent. Z. 2 (8): 49. Syntypes 2♂: Insel Babber.
- 8469. *Atrophaneura* (s.str. (*Pachliopta*)) *liris pallidus* (Rothschild,1895)** (Papilionidae) *Papilio liris* ssp. *pallidus* Rothschild,1895, Novit. zool. 2: 236. Syntypes: Letti (10♂ 3♀); Moa (2♂) (leg. Doherty).
- 8470. *Atrophaneura* (s.str. (*Pachliopta*)) *liris velificatus* (Fruhstorfer,1908)** (Papilionidae) *Papilio liris* ssp. *velificatus* Fruhstorfer,1908, Int. ent. Z. 2 (8): 50. Syntypes: Insel Roma, östl. Wetter.
- 8471. *Atrophaneura* (s.str. (*Pachliopta*)) *liris wetterensis* (Rothschild,1895)** (Papilionidae) *Papilio liris* ssp. *wetterensis* Rothschild,1895, Novit. zool. 2: 236. Syntypes 2♂ 1♀: Wetter (leg. W.Doherty).
- 8472. *Atrophaneura* (s.str. (*Pachliopta*)) *mariae* (Semper,1878)** (Papilionidae) *Papilio mariae* Semper,1878, Verh. Ver. naturw. Unterh. Hamburg 3: 115. Syntypes: Philippines.
- 8473. *Atrophaneura* (s.str. (*Pachliopta*)) *mariae almae* (Semper,1891)** (Papilionidae) *Papilio* (Menelaides) *almae* Semper,1891, Philipp. Tagfalter: 270, nr. 396, Taf.46 fig.6. Syntypes 2 ex: Philippines: Polillo.
- 8474. *Atrophaneura* (s.str. (*Pachliopta*)) *mariae mariae* (Semper,1878)** (Papilionidae) *Papilio mariae* Semper,1878, Verh. Ver. naturw. Unterh. Hamburg 3: 115. Syntypes: Philippines.
- 8475. *Atrophaneura* (s.str. (*Pachliopta*)) *oreon* (Doherty,1891)** (Papilionidae) *Papilio* (Menelaides) *oreon* Doherty,1891, J. asiat. Soc. Bengal 1891: 192, nr. 109. Type(s): [Indonesia]: Sumba Island.
- 8476. *Atrophaneura* (s.str. (*Pachliopta*)) *oreon godmani* (Röber,1891)** (Papilionidae) *Papilio godmani* Röber,1891, Tijdschr. Ent. 34: 271. Syntypes: Alor IIs.
- 8477. *Atrophaneura* (s.str. (*Pachliopta*)) *oreon oreon* (Doherty,1891)** (Papilionidae) *Papilio* (Menelaides) *oreon* Doherty,1891, J. asiat. Soc. Bengal 1891: 192, nr. 109. Type(s): [Indonesia]: Sumba Island.
- 8478. *Atrophaneura* (s.str. (*Pachliopta*)) *pandiyana* (Moore,1881)** (Papilionidae) *Papilio pandiyana* Moore,1881, Trans. Ent. Soc. London 1881: 313. Type: India: Travancore.
- 8479. *Atrophaneura* (s.str. (*Pachliopta*)) *pandiyana pandiyana* (Moore,1881)** (Papilionidae) *Papilio pandiyana* Moore,1881, Trans. Ent. Soc. London 1881: 313. Type: India: Travancore.

- 8480.** *Atrophaneura* (s.str. (*Pachliopta*)) *phlegon* (C.Felder & R.Felder, 1864) (Papilionidae) *Papilio phlegon* C.Felder & R.Felder, 1864, Verh. zool.-bot. Ges. Wien 14: 326. Type: Mindanao.
- 8481.** *Atrophaneura* (s.str. (*Pachliopta*)) *phlegon phlegon* (C.Felder & R.Felder, 1864) (Papilionidae) *Papilio phlegon* C.Felder & R.Felder, 1864, Verh. zool.-bot. Ges. Wien 14: 326. Type: Mindanao.
- 8482.** *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus* (Linnaeus, 1763) (Papilionidae) *Papilio polydorus* Linnaeus, 1763, Amoen. Acad. 6: 401, nr. 50. Type(s): "India".
- 8483.** *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus dampierensis* (Hagen, 1897) (Papilionidae) *Papilio polydorus dampierensis* Hagen, 1897, Jb. Nass. Ver. Nat. 50: 50, nr. 6. Syntypes: Dampier Island.
- 8484.** *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus godartianus* (Lucas, 1852) (Papilionidae) *Papilio godartianus* Lucas, 1852, Revue Zool. 1852: 129, T. 10, fig. 1. "Iles de Océan Pacifique".
- 8485.** *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus leodamas* (Wallace, 1865) (Papilionidae) *Papilio leodamas* Wallace, 1865, Trans. linn. Soc. 25: 43.
- 8486.** *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus novobritanicus* (Rothschild, 1895) (Papilionidae) *Papilio polydorus* ssp. *novobritanicus* Rothschild, 1895, Novit. zool. 2: 242-243. Syntypes: [Papua New Guinea]: New Britain (2♂ 5♀); Duke of York Island (2♂).
- 8487.** *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus polydaemon* (Mathew, 1887) (Papilionidae) *Papilio polydaemon* Mathew, 1887, Trans. ent. Soc. Lond. 1887 (1): 48-49. Type ♂: Solomon Islands: Ugi.
- 8488.** *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus queenslandicus* (Rothschild, 1895) (Papilionidae) *Papilio polydorus* ssp. *queenslandicus* Rothschild, 1895, Novit. zool. 2: 240. Syntypes: [Australia]: Queensland (3♂ 3♀); Thursday Island (2♂).
- 8489.** *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus septentrionalis* (Rothschild, 1895) (Papilionidae) *Papilio polydorus* ssp. *septentrionalis* Rothschild, 1895, Novit. zool. 2: 240. Syntypes 1♂ 3♀: Halmahera (Doherty leg., August).
- 8490.** *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus tenimberensis* (Rothschild, 1895) (Papilionidae) *Papilio polydorus* ssp. *tenimberensis* Rothschild, 1895, Novit. zool. 2: 239-240. Syntypes 3♂ 5♀: Tenimber Isl. (Doherty leg. June-July).
- 8491.** *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus thessalia* (Swinhoe, 1893) (Papilionidae) *Menelaides thessalia* Swinhoe, 1893, Ann. Mag. nat. Hist. (6): 12: 258. Type: Key Is.
- 8492.** *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus ulawaensis* (Joicey & Talbot, 1918) (Papilionidae) *Papilio polydorus* ssp. ? *ab. ulawaensis* Joicey & Talbot, 1918, Proc. zool. Soc. London 1917: 272. Type ♀: North Solomons: Ulawa Island (ex. coll. Grose-Smith).
- 8493.** *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus utuanensis* (Ribbe, 1898) (Papilionidae) *Papilio polydorus utuanensis* Ribbe, 1898, Dt. ent. Z., Iris 1898: 68. Syntypes: New Ireland, Duke of York Isl.
- 8494.** *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus vulcanicus* (Rothschild, 1915) (Papilionidae) *Papilio polydorus* ssp. *vulcanicus* Rothschild, 1915, Novit. zool. 22: 193. Syntypes 5♂ 8♀: Vulcan Island.
- 8495.** *Atrophaneura* (s.str. (*Pachliopta*)) *polyphontes* (Boisduval, 1836) (Papilionidae) *Papilio polyphontes* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 268, nr. 91. Type(s): Celebes.
- 8496.** *Atrophaneura* (s.str. (*Pachliopta*)) *polyphontes polyphontes* (Boisduval, 1836) (Papilionidae) *Papilio polyphontes* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 268, nr. 91. Type(s): Celebes.
- 8497.** *Atrophaneura* (s.str. (*Pachliopta*)) *polyphontes rosea* (Oberthür, 1879) (Papilionidae) *Papilio polyphontes* var. *rosea* Oberthür, 1879, Etüd. Ent. 4: 113, nr. 59. Syntypes: [Indonesia]: Celebes.
- 8498.** *Atrophaneura* (s.str. (*Pachliopta*)) *schadenbergi* (Semper, 1891) (Papilionidae) *Papilio* (Menelaides) *schadenbergi* Semper, 1891, Philipp. Tagfalter: 269, Taf. 44 fig. 1; Taf. 45 fig. 5. Syntypes ♂♀: Philippines: N. Luzon: Babuyanes.
- 8499.** *Atrophaneura* (s.str. (*Pachliopta*)) *schadenbergi micholitzii* (Semper, 1891) (Papilionidae) *Papilio* (Menelaides) *schadenbergi* var. *micholitzii* Semper, 1891, Philipp. Tagfalter: 269, Taf. 44 fig. 2; Taf. 45 fig. 6. Syntypes ♂♀: Philippines: N. Luzon.
- 8500.** *Atrophaneura* (s.str. (*Pachliopta*)) *schadenbergi schadenbergi* (Semper, 1891) (Papilionidae) *Papilio* (Menelaides) *schadenbergi* *schadenbergi* Semper, 1891, Philipp. Tagfalter: 269, Taf. 44 fig. 1; Taf. 45 fig. 5. Syntypes ♂♀: Philippines: N. Luzon: Babuyanes.
- 8501.** *Atrophaneura* (s.str. (*Pangerana*)) *Moore*, 1886 (Papilionidae) *Pangerana* Moore, 1886, J. linn. Soc. Lond., Zool. 21: 51. Type-species: *Papilio varuna* White, 1842, by monotypy.
- 8502.** *Atrophaneura* (s.str. (*Pangerana*)) *aidoneus* (Doubleday, 1845) (Papilionidae) *Papilio aidoneus* Doubleday, 1845, Ann. Mag. nat. Hist. 16: 178. Type(s): India.
- 8503.** *Atrophaneura* (s.str. (*Pangerana*)) *aidoneus aidoneus* (Doubleday, 1845) (Papilionidae) *Papilio aidoneus* Doubleday, 1845, Ann. Mag. nat. Hist. 16: 178. Type(s): India.
- 8504.** *Atrophaneura* (s.str. (*Pangerana*)) *hageni* (Rogenhofer, 1889) (Papilionidae) *Papilio hageni* Rogenhofer, 1889, Verh. zool.-bot. Ges. Wien 39: 1. Type ♂: Indonesia: Sumatra.
- 8505.** *Atrophaneura* (s.str. (*Pangerana*)) *hageni hageni* (Rogenhofer, 1889) (Papilionidae) *Papilio hageni* Rogenhofer, 1889, Verh. zool.-bot. Ges. Wien 39: 1. Type ♂: Indonesia: Sumatra.
- 8506.** *Atrophaneura* (s.str. (*Pangerana*)) *kuehni* (Honrath, 1886) (Papilionidae) *Papilio kuehni* Honrath, 1886, Berl. ent. Z. 30: 294, Taf. 6 fig. 1, 1a. Syntypes ♂♀: [Indonesia]: E. Celebes: Tombugu.
- 8507.** *Atrophaneura* (s.str. (*Pangerana*)) *kuehni kuehni* (Honrath, 1886) (Papilionidae) *Papilio kuehni* Honrath, 1886, Berl. ent. Z. 30: 294, Taf. 6 fig. 1, 1a. Syntypes ♂♀: [Indonesia]: E. Celebes: Tombugu.
- 8508.** *Atrophaneura* (s.str. (*Pangerana*)) *noctis* (Hewitson, 1859) (Papilionidae) *Papilio noctis* Hewitson, 1859, Proc. zool. Soc. London 1859: 423, Pl. 66 fig. 5, 6.
- 8509.** *Atrophaneura* (s.str. (*Pangerana*)) *noctula* (Westwood, 1872) (Papilionidae) *Papilio noctula* Westwood, 1872, Trans. ent. Soc. London 1872: 90, Pl. 4 fig. 3. Type(s): Borneo.
- 8510.** *Atrophaneura* (s.str. (*Pangerana*)) *nox* (Swainson, [1822]) (Papilionidae) *Papilio nox* Swainson, [1822], Zool. Illustr. (1) 2 (20): pl. 102. Type(s): Java.
- 8511.** *Atrophaneura* (s.str. (*Pangerana*)) *nox erebus* (Wallace, 1865) (Papilionidae) *Papilio erebus* Wallace, 1865, Trans. linn. Soc. 25: 41. Syntypes: Malacca: Borneo.
- 8512.** *Atrophaneura* (s.str. (*Pangerana*)) *nox nox* (Swainson, [1822]) (Papilionidae) *Papilio nox* Swainson, [1822], Zool. Illustr. (1) 2 (20): pl. 102.
- 8513.** *Atrophaneura* (s.str. (*Pangerana*)) *priapus* (Boisduval, 1836) (Papilionidae) *Papilio priapus* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 190, nr. 3.
- 8514.** *Atrophaneura* (s.str. (*Pangerana*)) *priapus dilutus* (Fruhstorfer, 1895) (Papilionidae) *Papilio dilutus* Fruhstorfer, 1895, Ent. Nachr. 1895: 169. Syntypes: East Java.
- 8515.** *Atrophaneura* (s.str. (*Pangerana*)) *priapus priapus* (Boisduval, 1836) (Papilionidae) *Papilio priapus* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 190, nr. 3.
- 8516.** *Atrophaneura* (s.str. (*Pangerana*)) *semperi* (C.Felder & R.Felder, 1861) (Papilionidae) *Papilio semperi* C.Felder & R.Felder, 1861, Wien. ent. Monatschr. (5): 297. Syntypes: Philippines: Luzon: Polillo.
- 8517.** *Atrophaneura* (s.str. (*Pangerana*)) *semperi albofasciata* (Semper, 1892) (Papilionidae) *Papilio* (*Atrophaneura*) *semperi* var. *albofasciata* Semper, 1892, Philipp. Tagfalter: 273. Syntypes: Philippines: Panay, Mindoro.
- 8518.** *Atrophaneura* (s.str. (*Pangerana*)) *semperi melanotus* (Staudinger, 1889) (Papilionidae) *Papilio semperi* var. *melanotus* Staudinger, 1889, Dt. ent. Z., Iris 2: 13. Type ♀: [Philippines]: Palawan.
- 8519.** *Atrophaneura* (s.str. (*Pangerana*)) *semperi semperi* (C.Felder & R.Felder, 1861) (Papilionidae) *Papilio semperi* C.Felder & R.Felder, 1861, Wien. ent. Monatschr. (5): 297. Syntypes: Philippines: Luzon: Polillo.
- 8520.** *Atrophaneura* (s.str. (*Pangerana*)) *semperi supernotatus* (Rothschild, 1895) (Papilionidae) *Papilio semperi* ssp. *supernotatus* Rothschild, 1895, Novit. Zool. 2: 257. Holotype ♀: [Philippines]: Bohol; paratypes from "Samar, Mindanao, Panaon, Camiguin, Siargao".
- 8521.** *Atrophaneura* (s.str. (*Pangerana*)) *sycorax* (Grose-Smith, 1885) (Papilionidae) *Papilio sycorax* Grose-Smith, 1885, Entomologist's mon. Mag. 21: 251. Type: Indonesia: Sumatra.
- 8522.** *Atrophaneura* (s.str. (*Pangerana*)) *sycorax egertoni* (Distant, 1886) (Papilionidae) *Papilio egertoni* Distant, 1886, Ann. Mag. nat. Hist. (5) 17: 251. Type: Perak.
- 8523.** *Atrophaneura* (s.str. (*Pangerana*)) *sycorax sycorax* (Grose-Smith, 1885) (Papilionidae) *Papilio sycorax* Grose-Smith, 1885, Entomologist's mon. Mag. 21: 251. Type ♀: Indonesia: Sumatra.
- 8524.** *Atrophaneura* (s.str. (*Pangerana*)) *varuna* (White, 1842) (Papilionidae) *Papilio varuna* White, 1842, Entomologist 1: 280. Type(s): Penang.
- 8525.** *Atrophaneura* (s.str. (*Pangerana*)) *varuna astorion* (Westwood, 1842) (Papilionidae) *Papilio astorion* Westwood, 1842, Ann. Mag. nat. Hist. 9: 37. Type(s): Sylhet.

- 8526. *Atrophaneura* (s.str. (*Pangerana*)) *varuna* *varuna* (White,1842)** (Papilionidae) *Papilio varuna* White,1842, Entomologist 1: 280. Type(s): Penang.
- 8527. *Atrophaneura* (s.str. (*Pangerana*)) *zaleucus* (Hewitson,1865)** (Papilionidae) *Papilio zaleucus* Hewitson,1865, Exot. Butts. 3: Pl.7 figs. 24,25.
- 8528. *Atrophaneura* (s.str. (*Pangerana*)) *zaleucus* *zaleucus* (Hewitson,1865)** (Papilionidae) *Papilio zaleucus* Hewitson,1865, Exot. Butts. 3: Pl.7 figs. 24,25.
- 8529. *Atrophaneura* *Reakirt*,[1865]** (Papilionidae) *Atrophaneura* Reakirt,[1865], Proc. ent. Soc. Philad. 3: 446. Type-species: *Atrophaneura erythrosoma* Reakirt,[1865], *ibid.* 3: 447, by monotypy.
- 8530. *Battus* *polystictus* *galenus* (Fruhstorfer,1907)** (Papilionidae) *Papilio polystictus galenus* Fruhstorfer,1907, Stettin ent. Ztg. 68: 296. Type: "Surinam" [patria falsa].
- 8531. *Bhutanitis* *Atkinson*,1873** (Papilionidae) *Bhutanitis* Atkinson,1873, Proc. zool. Soc. Lond. 1873: 570. Type-species: *Bhutanitis lidderdalii* Atkinson,1873, by monotypy.
- 8532. *Bhutanitis lidderdalii* *Atkinson*,1873** (Papilionidae) *Bhutanitis lidderdalii* Atkinson,1873, Proc. zool. Soc. Lond. 1873: 570, pl.50. Type ♂: Bhutan: Buxa, 6000ft. (leg. Lidderdale).
- 8533. *Bhutanitis lidderdalii lidderdalii* *Atkinson*,1873** (Papilionidae) *Bhutanitis lidderdalii* Atkinson,1873, Proc. zool. Soc. Lond. 1873: 570, pl.50. Type ♂: Bhutan: Buxa, 6000ft. (leg. Lidderdale).
- 8534. *Bhutanitis ludlowi* *Gabriel*,1942** (Papilionidae) *Bhutanitis ludlowi* Gabriel,1942, Entomologist 75: 189.
- 8535. *Bhutanitis ludlowi ludlowi* *Gabriel*,1942** (Papilionidae) *Bhutanitis ludlowi* Gabriel,1942, Entomologist 75: 189.
- 8536. *Bhutanitis mansfieldi* (Riley,1939)** (Papilionidae) *Armandia mansfieldi* Riley,1939, Entomologist 72: 207.
- 8537. *Bhutanitis mansfieldi mansfieldi* (Riley,1939)** (Papilionidae) *Armandia mansfieldi* Riley,1939, Entomologist 72: 207.
- 8538. *Bhutanitis thaidina* (Blanchard,1871)** (Papilionidae) *Armandia thaidina* Blanchard,1871, C. R. Acad. Sci., Paris 72: 809, nota 3.
- 8539. *Bhutanitis thaidina thaidina* (Blanchard,1871)** (Papilionidae) *Armandia thaidina* Blanchard,1871, C. R. Acad. Sci., Paris 72: 809, nota 3.
- 8540. *Chilasa* (Agehana) *Matsumura*,1936** (Papilionidae) *Agehana* Matsumura,1936, Ins. matsumur. 10 (3): 86. Type-species: *Papilio maraho* Shiraki & Sonan,1934, Zephyrus 5 (4): 177, by original designation.
- 8541. *Chilasa* (Agehana) *elwesi* *Leech*,1889** (Papilionidae) *Papilio elwesi* Leech,1889, Trans. ent. Soc. Lond. 1889: 113, t.7 fig.1. Type ♂: China: Kiu-Kiang.
- 8542. *Chilasa* (Agehana) *elwesi elwesi* *Leech*,1889** (Papilionidae) *Papilio elwesi* Leech,1889, Trans. ent. Soc. Lond. 1889: 113, t.7 fig.1. Type ♂: China: Kiu-Kiang.
- 8543. *Chilasa* (Agehana) *maraho* *Shiraki & Sonan*,1934** (Papilionidae) *Papilio maraho* Shiraki & Sonan,1934, Zephyrus 5 (4): 177. Type: Formosa.
- 8544. *Chilasa* (s.str. (*Cadugoides*)) *Moore*,1882** (Papilionidae) *Cadugoides* Moore,1882, Proc. zool. Soc. Lond. 1882: 260. Type-species: *Papilio agestor* Gray,1831, by original designation.
- 8545. *Chilasa* (s.str. (*Cadugoides*)) *agestor* (Gray,1831)** (Papilionidae) *Papilio agestor* Gray,1831, Zool. Misc. 1831: 32. Type(s): "Sumatra" (err.).
- 8546. *Chilasa* (s.str. (*Cadugoides*)) *agestor agestor* (Gray,1831)** (Papilionidae) *Papilio agestor* Gray,1831, Zool. Misc. 1831: 32. Type(s): "Sumatra" (err.).
- 8547. *Chilasa* (s.str. (*Cadugoides*)) *agestor agestorides* (Fruhstorfer,1909)** (Papilionidae) *Papilio agestor* ssp. *agestorides* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 190. Syntypes: Tibet (?), SW-China, Lou-Tse-Kiang (in coll. Fruhstorfer).
- 8548. *Chilasa* (s.str. (*Cadugoides*)) *agestor chiraghshahi* (Bang-Haas,1933)** (Papilionidae) *Papilio agestor* ssp. *chiraghshahi* Bang-Haas,1933, Ent. Z., Frankf.a. M. 46(24): 261. Type ♂: West Kashmir, Punch State, Jhelum River.
- 8549. *Chilasa* (s.str. (*Cadugoides*)) *agestor cresconius* (Fruhstorfer,1909)** (Papilionidae) *Papilio agestor* ssp. *cresconius* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 190. Syntypes 12♂: "Oberbirma, Assam" (in coll. Fruhstorfer).
- 8550. *Chilasa* (s.str. (*Cadugoides*)) *agestor govindra* (Moore,1864)** (Papilionidae) *Papilio govindra* Moore,1864 [in] Lang & Moore, Entomologist's mon. Mag. 1: 101. Type: N.W.India.
- 8551. *Chilasa* (s.str. (*Cadugoides*)) *agestor matsumurae* (Fruhstorfer,1908)** (Papilionidae) *Papilio agestor* ssp. *matsumurae* Fruhstorfer,1908, Int. ent. Z. 2: 282. Type ♂: Formosa: Horisha (in coll. Fruhstorfer).
- 8552. *Chilasa* (s.str. (*Cadugoides*)) *agestor restricta* (Leech,1893)** (Papilionidae) *Papilio agestor* var. *restricta* Leech,1893, Butt. China: 557, t.35 fig.5. Type ♀: China: Chang-Yang.
- 8553. *Chilasa* (s.str. (*Cadugoides*)) *agestor teruyoeae* Shinkai,1996** (Papilionidae) *Chilasa agestor* ssp. *teruyoeae* Shinkai,1996, Futao 23: 16, pl.4 figs. 1-6. Holotype: N. Vietnam: Mt. Pia Oac 1911m, A. Shinkai leg. (coll. Morita).
- 8554. *Chilasa* (s.str. (*Cadugoides*)) *epycides* (Hewitson,1864)** (Papilionidae) *Papilio epycides* Hewitson,1864, Ill. exot. Butts. 2: Pap., pl.6 fig.16. Type: N.India (BMNH).
- 8555. *Chilasa* (s.str. (*Cadugoides*)) *epycides curiatus* (Fruhstorfer,1901)** (Papilionidae) *Papilio epycides curiatus* Fruhstorfer,1901, Dt. ent. Z., Iris 14 (2): 349. Type: [Myanmar] (BMNH).
- 8556. *Chilasa* (s.str. (*Cadugoides*)) *epycides epycides* (Hewitson,1864)** (Papilionidae) *Papilio epycides* Hewitson,1864, Ill. exot. Butts. 2: Pap., pl.6 fig.16. Type: N.India (BMNH).
- 8557. *Chilasa* (s.str. (*Cadugoides*)) *epycides hypochroa* (Jordan,1909)** (Papilionidae) *Papilio epycides hypochroa* Jordan,1909, [in] Seitz,A., Gross-Schmett. Erde 9: 41. Type(s): [Myanmar]: Shan States.
- 8558. *Chilasa* (s.str. (*Cadugoides*)) *slateri* (Hewitson,[1859])** (Papilionidae) *Papilio slateri* Hewitson,[1859], Ill. exot. Butts. 2 (3): pl. [2] fig.9. Syntypes: Darjiling (BMNH).
- 8559. *Chilasa* (s.str. (*Cadugoides*)) *slateri perses* (De Nicéville,1894)** (Papilionidae) *Papilio* (Menamopsis) *perses* De Nicéville,1894, J. Asiat. Soc. Bengal (2) 63 (1): 46, nr.40, t.4 fig.7. Syntypes: [Indonesia]: N. E. Sumatra.
- 8560. *Chilasa* (s.str. (*Cadugoides*)) *slateri slateri* (Hewitson,[1859])** (Papilionidae) *Papilio slateri* Hewitson,[1859], Ill. exot. Butts. 2 (3): pl. [2] fig.9. Syntypes: Darjiling (BMNH).
- 8561. *Chilasa* (s.str. (*Cadugoides*)) *slateri tavoyanus* (Butler,1882)** (Papilionidae) *Papilio tavoyanus* Butler,1882, Ann. Mag. nat. Hist. 5 (10): 373.
- 8562. *Chilasa* (s.str. (*laglaizei-gr*)) *laglaizei* (Depuiset,1877)** (Papilionidae) *Papilio laglaizei* Depuiset,1877, Bull. Soc. ent. Fr. 1877: 171. Type(s): New Guinea.
- 8563. *Chilasa* (s.str. (*laglaizei-gr*)) *laglaizei laglaizei* (Depuiset,1877)** (Papilionidae) *Papilio laglaizei* Depuiset,1877, Bull. Soc. ent. Fr. 1877: 171. Type(s): New Guinea.
- 8564. *Chilasa* (s.str. (*laglaizei-gr*)) *toboroi* (Ribbe,1907)** (Papilionidae) *Papilio toboroi* Ribbe,1907, Dt. ent. Z., Iris 20: 59, Taf.5 fig.1. Type(s): Bougainville Isl.
- 8565. *Chilasa* (s.str. (*laglaizei-gr*)) *toboroi toboroi* (Ribbe,1907)** (Papilionidae) *Papilio toboroi* Ribbe,1907, Dt. ent. Z., Iris 20: 59, Taf.5 fig.1. Type(s): Bougainville Isl.
- 8566. *Chilasa* (s.str. (s.str.)) *clytia* (Linnaeus,1758)** (Papilionidae) *Papilio clytia* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 479. Type(s): India.
- 8567. *Chilasa* (s.str. (s.str.)) *clytia clytia* (Linnaeus,1758)** (Papilionidae) *Papilio clytia* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 479. Type(s): India.
- 8568. *Chilasa* (s.str. (s.str.)) *clytia echidna* (Boisduval,[1836])** (Papilionidae) *Papilio echidna* Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 378.
- 8569. *Chilasa* (s.str. (s.str.)) *clytia palephatides* (Fruhstorfer,1911)** (Papilionidae) *Papilio clytia* ssp. *palephatides* Fruhstorfer,1911, Ent. Rdsch. 28 (23): 178. Syntypes: [Philippines]: Mindoro Is.
- 8570. *Chilasa* (s.str. (s.str.)) *clytia panopinus* (Staudinger,1889)** (Papilionidae) *Papilio panope* var. *panopinus* Staudinger,1889, Dt. ent. Z., Iris 2: 9-10. Syntypes 30♂♂: [Philippines]: Palawan.
- 8571. *Chilasa* (s.str. (s.str.)) *paradoxa* (Zincken,1831)** (Papilionidae) *Papilio paradoxa* Zincken,1831, Nova Acta Acad. nat. Cur. 15 (1): 162.
- 8572. *Chilasa* (s.str. (s.str.)) *paradoxa aenigma* (Wallace,1865)** (Papilionidae) *Papilio aenigma* Wallace,1865, Trans. linn. Soc. 25: 60, pl.7 fig.3. Syntypes: Borneo.
- 8573. *Chilasa* (s.str. (s.str.)) *paradoxa niasicus* (Rothschild,1895)** (Papilionidae) *Papilio paradoxus* ssp. *niasicus* Rothschild,1895, Novit. zool. 2: 372. Syntypes 3♂ 1♀: [Indonesia]: Nias Island.
- 8574. *Chilasa* (s.str. (s.str.)) *paradoxa paradoxa* (Zincken,1831)** (Papilionidae) *Papilio paradoxa* Zincken,1831, Nova Acta Acad. nat. Cur. 15 (1): 162.
- 8575. *Chilasa* (s.str. (s.str.)) *paradoxa telearchus* (Hewitson,1852)** (Papilionidae) *Papilio telearchus* Hewitson,1852,

Trans. ent. Soc. London (ser.ii) 2: 22, pl.6 fig.3. Syntypes: Mont. Kasiyae.

8576. Chilasa (s.str. (s.str.)) paradoxa telesicles (Felder,1864) (Papilionidae) Papilio telesicles Felder,1864, Verh. zool.- bot. Ges. Wien 14: 308, nr. 273. Syntypes: Borneo.

8577. Chilasa (s.str. (veiovis-gr)) veiovis (Hewitson,1865) (Papilionidae) Papilio veiovis Hewitson,1865, Ill. exot. Butts. 3: Pap., t.7 fig.20. Syntypes: [Indonesia]: Menado.

8578. Chilasa (s.str. (veiovis-gr)) veiovis veiovis (Hewitson,1865) (Papilionidae) Papilio veiovis Hewitson,1865, Ill. exot. Butts. 3: Pap., t.7 fig.20. Syntypes: [Indonesia]: Menado.

8579. Chilasa Moore,[1881] (Papilionidae) Chilasa Moore,[1881], Lep. Ceylon 1 (4): 153. Type-species: Papilio dissimilis Linnaeus,1758, Syst. Nat. (Edn.10) 1: 479, by original designation.

8580. Cressida Swinhoe,1832 (Papilionidae) Cressida Swinhoe,1832, Zool. Illustr. (2) 3 (21): pl.94. Type-species: Swinhoe,1832, Zool. Illustr. (2) 3 (21): pl.94, by subsequent designation by Bryk,1929, [in] Strand, E., Lep. Cat. 35: 8.

8581. Eurytides Hübner,[1821] (Papilionidae) Eurytides Hübner,[1821], Samml. exot. Schmett. 2: pl.[92]. Type-species: Eurytides iphitas Hübner,[1821], by monotypy.

8582. Graphium (Arisbe (adamastor-gr.)) adamastor (Boisduval,1836) (Papilionidae) Papilio adamastor Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 371, nr.216.

8583. Graphium (Arisbe (adamastor-gr.)) adamastor adamastor (Boisduval,1836) (Papilionidae) Papilio adamastor Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 371, nr.216.

8584. Graphium (Arisbe (adamastor-gr.)) auriger (Butler,1876) (Papilionidae) Papilio auriger Butler,1876, Entomologist's mon. Mag. 13: 57. Syntypes: "Gaboon".

8585. Graphium (Arisbe (adamastor-gr.)) auriger auriger (Butler,1876) (Papilionidae) Papilio auriger Butler,1876, Entomologist's mon. Mag. 13: 57. Syntypes: "Gaboon".

8586. Graphium (Arisbe (adamastor-gr.)) aurivilliusi (Seeldrayers,1896) (Papilionidae) Papilio aurivilliusi Seeldrayers,1896, Annls Soc. ent. Belg. 40: 499, 1 fig. Type: [Zaire]: "Congo".

8587. Graphium (Arisbe (adamastor-gr.)) aurivilliusi aurivilliusi (Seeldrayers,1896) (Papilionidae) Papilio aurivilliusi Seeldrayers,1896, Annls Soc. ent. Belg. 40: 499, 1 fig. Type: [Zaire]: "Congo".

8588. Graphium (Arisbe (adamastor-gr.)) poggianus (Honrath,1884) (Papilionidae) Papilio poggianus Honrath,1884, Berl. ent. Z. 28: 210, pl.7 fig.9. Type(s): "Guinea" (patria falsa!).

8589. Graphium (Arisbe (adamastor-gr.)) poggianus poggianus (Honrath,1884) (Papilionidae) Papilio poggianus Honrath,1884, Berl. ent. Z. 28: 210, pl.7 fig.9. Type(s): "Guinea" (patria falsa!).

8590. Graphium (Arisbe (angolanus-gr.)) angolanus (Goeze,1779) (Papilionidae) Papilio angolanus Goeze,1779, Ent. Beytr. 3 (1): 87. Type(s): "Angolae".

8591. Graphium (Arisbe (angolanus-gr.)) angolanus angolanus (Goeze,1779) (Papilionidae) Papilio angolanus Goeze,1779, Ent. Beytr. 3 (1): 87. Type(s): "Angolae".

8592. Graphium (Arisbe (angolanus-gr.)) angolanus baronis (Ungemach,1932) (Papilionidae) Papilio pylades ssp. baronis Ungemach,1932, Mém. Soc. Sci. Nat. Maroc 32: 21, pl.1 fig.1. Type: Ethiopia: "Baro, 14 Mai 25" (MNHP).

8593. Graphium (Arisbe (angolanus-gr.)) endochus (Boisduval,1836) (Papilionidae) Papilio endochus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 243, nr. 68. Type(s): Madagascar.

8594. Graphium (Arisbe (angolanus-gr.)) endochus endochus (Boisduval,1836) (Papilionidae) Papilio endochus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 243, nr. 68. Type(s): Madagascar.

8595. Graphium (Arisbe (angolanus-gr.)) morania (Angas,[1849]) (Papilionidae) Papilio morania Angas,[1849], The kafirs illustrated in a series...: [52], pl.30 fig.1. Lectotype ♂: [South Africa]: "Natal and the Zulu Country", designated by Smith & Vane-Wright,2001.

8596. Graphium (Arisbe (angolanus-gr.)) morania morania (Angas,[1849]) (Papilionidae) Papilio morania Angas,[1849], The kafirs illustrated in a series...: [52], pl.30 fig.1. Lectotype ♂: [South Africa]: "Natal and the Zulu Country", designated by Smith & Vane-Wright,2001.

8597. Graphium (Arisbe (angolanus-gr.)) ridleyanus (White,1843) (Papilionidae) Papilio ridleyanus White,1843, Ann. Mag. nat. Hist. 12: 262. Lectotype ♂: Zaire: "Zaire", designated by Smith & Vane-Wright,2001 (BMNH).

8598. Graphium (Arisbe (angolanus-gr.)) ridleyanus ridleyanus (White,1843) (Papilionidae) Papilio ridleyanus White,1843, Ann. Mag. nat. Hist. 12: 262. Lectotype ♂: Zaire: "Zaire", designated by Smith & Vane-Wright,2001 (BMNH).

8599. Graphium (Arisbe (angolanus-gr.)) schaffgotschi (Niepelt,1927) (Papilionidae) Papilio morania ssp. schaffgotschi Niepelt,1927, 53, fig. Holotype ♂: [Namibia]: "Deutsch-Südwest Afrika" (BMNH).

8600. Graphium (Arisbe (angolanus-gr.)) schaffgotschi schaffgotschi (Niepelt,1927) (Papilionidae) Papilio morania ssp. schaffgotschi Niepelt,1927, 53, fig. Holotype ♂: [Namibia]: "Deutsch-Südwest Afrika" (BMNH).

8601. Graphium (Arisbe (angolanus-gr.)) taboranus (Oberthür,1886) (Papilionidae) Papilio taboranus Oberthür,1886, Bull. Soc. ent. Fr. 6: cxiv. Type ♀: Tanzania: "Tabora, dans l'Ounyanyambé" (BMNH).

8602. Graphium (Arisbe (angolanus-gr.)) taboranus taboranus (Oberthür,1886) (Papilionidae) Papilio taboranus Oberthür,1886, Bull. Soc. ent. Fr. 6: cxiv. Type ♀: Tanzania: "Tabora, dans l'Ounyanyambé" (BMNH).

8603. Graphium (Arisbe (antheus-gr.)) antheus (Cramer,[1779]) (Papilionidae) Papilio antheus Cramer,[1779], Uitl. Kap. 3: 71, pl.234, figs.B,C. Syntypes: [Africa]: "Eiland, Amboina".

8604. Graphium (Arisbe (antheus-gr.)) antheus antheus (Cramer,[1779]) (Papilionidae) Papilio antheus Cramer,[1779], Uitl. Kap. 3: 71, pl.234, figs.B,C. Syntypes: [Africa]: "Eiland, Amboina".

8605. Graphium (Arisbe (antheus-gr.)) colonna (Ward,1873) (Papilionidae) Papilio colonna Ward,1873, Entomologist's mon. Mag. 10: 151. Lectotype: [Kenya]: "East Africa, Ribé", designated by Smith & Vane-Wright,2001 (BMNH).

8606. Graphium (Arisbe (antheus-gr.)) colonna colonna (Ward,1873) (Papilionidae) Papilio colonna Ward,1873, Entomologist's mon. Mag. 10: 151. Lectotype: [Kenya]: "East Africa, Ribé", designated by Smith & Vane-Wright,2001 (BMNH).

8607. Graphium (Arisbe (antheus-gr.)) evombar (Boisduval,1836) (Papilionidae) Papilio evombar Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 254, nr. 78. Lectotype ♂: "Madagascar", designated by Paulian & Viette,1968 (BMNH).

8608. Graphium (Arisbe (antheus-gr.)) evombar evombar (Boisduval,1836) (Papilionidae) Papilio evombar Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 254, nr. 78. Lectotype ♂: "Madagascar", designated by Paulian & Viette,1968 (BMNH).

8609. Graphium (Arisbe (antheus-gr.)) evombar viossati Collins,1997 (Papilionidae) Graphium evombar ssp. viossati Collins,1997, [in] d'Abrera, Butterflies Afrotropical Region: 56-57, fig. Holotype ♂: Comoro Islands: "Foret de Moya, S.E.Anjouan, 900m, Feb. 1991" (ABRI).

8610. Graphium (Arisbe (antheus-gr.)) gudenusi (Rebel,1911) (Papilionidae) Papilio gudenusi Rebel,1911, Annln. naturh. Mus. Wien 24: 409, pl.13 figs.1,2. Lectotype ♂: [Zaire]: Urwalde am Nordwestufer des Tanganika-Sees", designated by Smith & Vane-Wright,2001 (NHMW).

8611. Graphium (Arisbe (antheus-gr.)) gudenusi gudenusi (Rebel,1911) (Papilionidae) Papilio gudenusi Rebel,1911, Annln. naturh. Mus. Wien 24: 409, pl.13 figs.1,2. Lectotype ♂: [Zaire]: Urwalde am Nordwestufer des Tanganika-Sees", designated by Smith & Vane-Wright,2001 (NHMW).

8612. Graphium (Arisbe (antheus-gr.)) illyris (Hewitson,1873) (Papilionidae) Papilio illyris Hewitson,1873, Entomologist's mon. Mag. 9: 232. Lectotype ♂: Ghana: "Gold Coast", designated by Smith & Vane-Wright,2001 (BMNH).

8613. Graphium (Arisbe (antheus-gr.)) illyris flavisparsus (Fruhstorfer,1903) (Papilionidae) Papilio illyris ssp. flavisparsus Fruhstorfer,1903, Stettin ent. Ztg. 64: 359. Type ♂: [Equatorial Guinea]. [Bioko]: "Fernando Po".

8614. Graphium (Arisbe (antheus-gr.)) illyris girardeau Guilbot & Plantrou,1978 (Papilionidae) Papilio illyris ssp. girardeau Guilbot & Plantrou,1978, Bull. Soc. ent. Fr. 83: 70. Holotype ♂: Central African Republic: Bangui.

- 8615. Graphium (Arisbe (antheus-gr.)) illyris hamatus (Joicey & Talbot, 1918)** (Papilionidae) *Papilio illyris* ssp. *hamatus* Joicey & Talbot, 1918, Proc. zool. Soc. Lond. 1917: 271. Holotype ♂: Tanzania: "German East Africa" (BMNH).
- 8616. Graphium (Arisbe (antheus-gr.)) illyris illyris (Hewitson, 1873)** (Papilionidae) *Papilio illyris* Hewitson, 1873, Entomologist's mon. Mag. 9: 232. Lectotype ♂: Ghana: "Gold Coast", designated by Smith & Vane-Wright, 2001 (BMNH).
- 8617. Graphium (Arisbe (antheus-gr.)) junodi (Trimen, 1893)** (Papilionidae) *Papilio junodi* Trimen, 1893, Trans. ent. Soc. London 1893: 138. Lectotype ♀: Mozambique: Mprakwen, Delagoa Bay, designated by Le Cerf, 1924 (BMNH).
- 8618. Graphium (Arisbe (antheus-gr.)) junodi junodi (Trimen, 1893)** (Papilionidae) *Papilio junodi* Trimen, 1893, Trans. ent. Soc. London 1893: 138. Lectotype ♀: Mozambique: Mprakwen, Delagoa Bay, designated by Le Cerf, 1924 (BMNH).
- 8619. Graphium (Arisbe (antheus-gr.)) kirbyi (Hewitson, 1872)** (Papilionidae) *Papilio kirbyi* Hewitson, 1872, Entomologist's mon. Mag. 9: 146-147. Lectotype ♂: [Nigeria]: "Lagos", designated by Smith & Vane-Wright, 2001 (BMNH) [patria falsa!].
- 8620. Graphium (Arisbe (antheus-gr.)) kirbyi kirbyi (Hewitson, 1872)** (Papilionidae) *Papilio kirbyi* Hewitson, 1872, Entomologist's mon. Mag. 9: 146-147. Lectotype ♂: [Nigeria]: "Lagos", designated by Smith & Vane-Wright, 2001 (BMNH) [patria falsa!].
- 8621. Graphium (Arisbe (antheus-gr.)) polistratus (Grose-Smith, 1889)** (Papilionidae) *Papilio polistratus* Grose-Smith, 1889, Ann. Mag. nat. Hist. (6) 3: 121. Type ♀: [Kenya]: "in the neighbourhood of Mombasa". (BMNH).
- 8622. Graphium (Arisbe (antheus-gr.)) polistratus polistratus (Grose-Smith, 1889)** (Papilionidae) *Papilio polistratus* Grose-Smith, 1889, Ann. Mag. nat. Hist. (6) 3: 121. Type ♀: [Kenya]: "in the neighbourhood of Mombasa". (BMNH).
- 8623. Graphium (Arisbe (philonoe-gr.)) philonoe (Ward, 1873)** (Papilionidae) *Papilio philonoe* Ward, 1873, Entomologist's mon. Mag. 10: 152. Syntypes: [Kenya]: "East Africa, Ribé".
- 8624. Graphium (Arisbe (philonoe-gr.)) philonoe philonoe (Ward, 1873)** (Papilionidae) *Papilio philonoe* Ward, 1873, Entomologist's mon. Mag. 10: 152. Syntypes: [Kenya]: "East Africa, Ribé".
- 8625. Graphium (Arisbe (polices-gr.)) biokoensis Gauthier, 1984** (Papilionidae) *Graphium polices* ssp. *biokoensis* Gauthier, 1984, Ent. Z., Frankf.a.M. 94: 31, fig. 5. Holotype ♂: Equatorial Guinea: Insel Bioko leg. J.G.Canu (coll. Gauthier).
- 8626. Graphium (Arisbe (polices-gr.)) biokoensis biokoensis Gauthier, 1984** (Papilionidae) *Graphium polices* ssp. *biokoensis* Gauthier, 1984, Ent. Z., Frankf.a.M. 94: 31, fig. 5. Holotype ♂: Equatorial Guinea: Insel Bioko leg. J.G.Canu (coll. Gauthier).
- 8627. Graphium (Arisbe (polices-gr.)) liponesco (Suffert, 1904)** (Papilionidae) *Papilio polices* ssp. *liponesco* Suffert, 1904, 107. Lectotype ♂: Togo: "Hinterland von Togo", designated by Le Cerf, 1924 (BMNH).
- 8628. Graphium (Arisbe (polices-gr.)) liponesco liponesco (Suffert, 1904)** (Papilionidae) *Papilio polices* ssp. *liponesco* Suffert, 1904, 107. Lectotype ♂: Togo: "Hinterland von Togo", designated by Le Cerf, 1924 (BMNH).
- 8629. Graphium (Arisbe (polices-gr.)) polices (Cramer, 1775)** (Papilionidae) *Papilio polices* Cramer, [1775], Utitl. Kap. 1: 61, pl. 37 figs. A, B. Syntypes: [Africa]: "Surinamen".
- 8630. Graphium (Arisbe (polices-gr.)) polices polices (Cramer, 1775)** (Papilionidae) *Papilio polices* Cramer, [1775], Utitl. Kap. 1: 61, pl. 37 figs. A, B. Syntypes: [Africa]: "Surinamen".
- 8631. Graphium (Arisbe (polices-gr.)) polices teloi Hecq, 1999** (Papilionidae) *Graphium polices* ssp. *teloi* Hecq, 1999, Lambillionea 99: 517-518, figs. 3-4. Holotype ♂: Central African Republic: Région du Nord, P.N., Brenda 12.xii.1998 leg. J. Tello (MRAC).
- 8632. Graphium (Arisbe (polices-gr.)) porthaon (Hewitson, 1865)** (Papilionidae) *Papilio porthaon* Hewitson, 1865, Exot. Butts. 3: *Papilio* pl. 7 figs. 21, 22. Lectotype ♂: [Mozambique]: "Zambesi", designated by Smith & Vane-Wright, 2001 (BMNH).
- 8633. Graphium (Arisbe (polices-gr.)) porthaon mackiei Collins & T. Larsen, 1991** (Papilionidae) *Graphium porthaon* ssp. *mackiei* Collins & T. Larsen, 1991, [in] Larsen, Butterflies of Kenya: 119, 438, pl. 4 fig. 27i. Holotype ♂: Kenya: "Meru Forest" (NMN).
- 8634. Graphium (Arisbe (polices-gr.)) porthaon porthaon (Hewitson, 1865)** (Papilionidae) *Papilio porthaon* Hewitson, 1865, Exot. Butts. 3: *Papilio* pl. 7 figs. 21, 22. Lectotype ♂: [Mozambique]: "Zambesi", designated by Smith & Vane-Wright, 2001 (BMNH).
- 8635. Graphium (Arisbe (polices-gr.)) porthaon tanganyikae Kielland, 1978** (Papilionidae) *Graphium porthaon* ssp. *tanganyikae* Kielland, 1978, Tijdschr. Ent. 121: 161, pl. 6 figs. 21-24. Holotype ♂: Tanzania: Kigoma, Kasoge, 12.x.1969 (leg. J. Kielland) (BMNH).
- 8636. Graphium (Arisbe (s.str.)) cyrnus (Boisduval, 1836)** (Papilionidae) *Papilio cyrnus* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 239, nr. 63. Type(s): Madagascar.
- 8637. Graphium (Arisbe (s.str.)) cyrnus cyrnus (Boisduval, 1836)** (Papilionidae) *Papilio cyrnus* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 239, nr. 63. Type(s): Madagascar.
- 8638. Graphium (Arisbe (s.str.)) leonidas (Fabricius, 1793)** (Papilionidae) *Papilio leonidas* Fabricius, 1793, Syst. Ent. 3 (1): 35. Type(s): "Africa" (official name number: 2007, Opinion 823, ICZN, 1967).
- 8639. Graphium (Arisbe (s.str.)) leonidas leonidas (Fabricius, 1793)** (Papilionidae) *Papilio leonidas* Fabricius, 1793, Syst. Ent. 3 (1): 35. Type(s): "Africa" (official name number: 2007, Opinion 823, ICZN, 1967).
- 8640. Graphium (Arisbe (s.str.)) leonidas pelopidas Oberthür, 1879** (Papilionidae) *Papilio leonidas* var. *pelopidas* Oberthür, 1879, Etüd. Ent. 4: 55. Type ♂: [Tanzania]: "Tchouaka (Zanguebar)" (BMNH).
- 8641. Graphium (Arisbe (s.str.)) leonidas santamarthae (Joicey & Talbot, 1927)** (Papilionidae) *Papilio leonidas* ssp. *santa-marthae* Joicey & Talbot, 1927, Ency. Ent. 2: 12. Type ♂: "St. Principe" (BMNH).
- 8642. Graphium (Arisbe (s.str.)) leonidas thomasi (Le Cerf, 1924)** (Papilionidae) *Papilio leonidas* ssp. *thomasi* Le Cerf, 1924, Bull. Mus. nat. Hist. Nat. Paris 30: 137. Type ♀: "San Thome" (MNHN).
- 8643. Graphium (Arisbe) Hübner, [1819]** (Papilionidae) *Arisbe* Hübner, [1819], Verz. bekannt. Schmett. (6): 89. Type-species: *Papilio leonidas* Fabricius, 1793, by subsequent designation by ICZN.
- 8644. Graphium (Pathysa (Paranticopsis)) Wood-Mason & De Nicéville, 1887** (Papilionidae) *Paranticopsis* Wood-Mason & De Nicéville, 1887, J. asiat. Soc. Bengal (2) 55 (4): 376. Type-species: *Papilio macareus* Godart, [1819], by monotypy.
- 8645. Graphium (Pathysa (Paranticopsis)) delesserti (Guérin-Méneville, 1839)** (Papilionidae) *Papilio delesserti* Guérin-Méneville, 1839, Revue Zool. 1839: 233. Type(s): Penang.
- 8646. Graphium (Pathysa (Paranticopsis)) delesserti delesserti (Guérin-Méneville, 1839)** (Papilionidae) *Papilio delesserti* Guérin-Méneville, 1839, Revue Zool. 1839: 233. Type(s): Penang.
- 8647. Graphium (Pathysa (Paranticopsis)) delesserti palawanus (Staudinger, 1889)** (Papilionidae) *Papilio laodocus* var. *palawanus* Staudinger, 1889, Dt. ent. Z., Iris 2: 6. Syntypes ♂♂: [Philippinen]: Palawan.
- 8648. Graphium (Pathysa (Paranticopsis)) delesserti verbigenus (Fruhstorfer, 1911)** (Papilionidae) *Papilio delesserti* ssp. *verbigenus* Fruhstorfer, 1911, Ent. Rdsch. 28 (23): 178. Syntypes: Banguay.
- 8649. Graphium (Pathysa (Paranticopsis)) deucalion (Boisduval, 1836)** (Papilionidae) *Papilio deucalion* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 375, nr. 221. Type(s): Celebes.
- 8650. Graphium (Pathysa (Paranticopsis)) deucalion deucalion (Boisduval, 1836)** (Papilionidae) *Papilio deucalion* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 375, nr. 221. Type(s): Celebes.
- 8651. Graphium (Pathysa (Paranticopsis)) ebertorum Koçak, 1983** (Papilionidae) *Graphium ebertorum* Koçak, 1983, Priamus 2 (4): 165 (nomen novum pro *Papilio megaera* Staudinger, 1888 nec *Papilio megaera* Linnaeus, 1767).
- 8652. Graphium (Pathysa (Paranticopsis)) ebertorum ebertorum Koçak, 1983** (Papilionidae) *Graphium ebertorum* Koçak, 1983, Priamus 2 (4): 165 (nomen novum pro *Papilio megaera* Staudinger, 1888 nec *Papilio megaera* Linnaeus, 1767).
- 8653. Graphium (Pathysa (Paranticopsis)) encelades (Boisduval, 1836)** (Papilionidae) *Papilio encelades* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 376, nr. 222. Type(s): Celebes.
- 8654. Graphium (Pathysa (Paranticopsis)) encelades encelades (Boisduval, 1836)** (Papilionidae) *Papilio encelades* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 376, nr. 222. Type(s): Celebes.

- 8655. Graphium (Pathysa (Paranticopsis)) idaeoides (Hewitson,1855)** (Papilionidae) Papilio idaeoides Hewitson,1855, Ill. exot. Butts. 1: pl.1 fig.2. Type(s): Philippine Islands.
- 8656. Graphium (Pathysa (Paranticopsis)) idaeoides idaeoides (Hewitson,1855)** (Papilionidae) Papilio idaeoides Hewitson,1855, Ill. exot. Butts. 1: pl.1 fig.2. Type(s): Philippine Islands.
- 8657. Graphium (Pathysa (Paranticopsis)) macareus (Godart,[1819])** (Papilionidae) Papilio macareus Godart,[1819], Ency. méth. 9 (1): 76, nr.144. Type(s): Java.
- 8658. Graphium (Pathysa (Paranticopsis)) macareus albinovanus (Fruhstorfer,1908)** (Papilionidae) Papilio macareus ssp. albinovanus Fruhstorfer,1908, Int. ent. Z. 2: 238. Type: [Indonesia]: Bali.
- 8659. Graphium (Pathysa (Paranticopsis)) macareus burmensis Moonen,1984** (Papilionidae) Graphium macareus burmensis Moonen,1984, Papilio int. 1 (3): 47.
- 8660. Graphium (Pathysa (Paranticopsis)) macareus indicus (Rothschild,1895)** (Papilionidae) Papilio macareus ssp. indicus Rothschild,1895, Novit. zool. 2: 457. Syntypes: Sikkim (1♂), Khasia Hills (8♂ 1♀), Shan States (2♂), Tenasserim, Malacca ?
- 8661. Graphium (Pathysa (Paranticopsis)) macareus lioneli (Fruhstorfer,1902)** (Papilionidae) Papilio macareus ssp. lioneli Fruhstorfer,1902, Societ. Ent. 16: 73. Type(s): Assam.
- 8662. Graphium (Pathysa (Paranticopsis)) macareus macareus (Godart,[1819])** (Papilionidae) Papilio macareus Godart,[1819], Ency. méth. 9 (1): 76, nr.144. Type(s): Java.
- 8663. Graphium (Pathysa (Paranticopsis)) macareus macaristus (Grose-Smith,1887)** (Papilionidae) Papilio macaristus Grose-Smith,1887, Ann. Mag. nat. Hist. (5) 20: 434. Syntypes: Borneo.
- 8664. Graphium (Pathysa (Paranticopsis)) macareus mitis (Jordan,1909)** (Papilionidae) Papilio macareus ssp. mitis Jordan,1909, [in] Seitz, A., Gross-Schmett. Erde 9: 104. Type: Hainan.
- 8665. Graphium (Pathysa (Paranticopsis)) macareus xanthosoma (Staudinger,1889)** (Papilionidae) Papilio macareus var. xanthosoma Staudinger,1889, Dt. ent. Z., Iris 2: 7. Syntypes: Sumatra.
- 8666. Graphium (Pathysa (Paranticopsis)) megarus (Westwood,1841)** (Papilionidae) Papilio megarus Westwood,1841, Arcana ent. (2): 98.
- 8667. Graphium (Pathysa (Paranticopsis)) megarus fleximacula (Rothschild,1895)** (Papilionidae) Papilio megarus ssp. fleximacula Rothschild,1895, Novit. zool. 2: 460-461. Syntypes 1♂ 1♀: Banguay Isl. (in coll. Staudinger).
- 8668. Graphium (Pathysa (Paranticopsis)) megarus marthae (Toxopeus,1938)** (Papilionidae) Papilio megarus ssp. marthae Toxopeus,1938, Ent. Meded. Ned. Ind. 4: 17, fig. Type: [Indonesia]: Java.
- 8669. Graphium (Pathysa (Paranticopsis)) megarus megapenthes (Fruhstorfer,1902)** (Papilionidae) Papilio megarus ssp. megapenthes Fruhstorfer,1902, Dt. ent. Z., Iris 12: 162. Syntypes: Tonkin: Than-Moi; Süd-Annam: Xom-Gom.
- 8670. Graphium (Pathysa (Paranticopsis)) megarus megarus (Westwood,1841)** (Papilionidae) Papilio megarus Westwood,1841, Arcana ent. (2): 98.
- 8671. Graphium (Pathysa (Paranticopsis)) megarus sagittiger (Fruhstorfer,1901)** (Papilionidae) Papilio megarus ssp. sagittiger Fruhstorfer,1901, Societ. Ent. (14): Syntypes: North Borneo.
- 8672. Graphium (Pathysa (Paranticopsis)) ramaceus (Westwood,1872)** (Papilionidae) Papilio ramaceus Westwood,1872, Trans. ent. Soc. London 1872: 95, pl.5 fig.3. Syntypes: Borneo.
- 8673. Graphium (Pathysa (Paranticopsis)) ramaceus ramaceus (Westwood,1872)** (Papilionidae) Papilio ramaceus Westwood,1872, Trans. ent. Soc. London 1872: 95, pl.5 fig.3. Syntypes: Borneo.
- 8674. Graphium (Pathysa (Paranticopsis)) stratocles C.Felder & R.Felder,1861** (Papilionidae) Papilio stratocles C.Felder & R.Felder,1861, Wien. ent. Monatschr. 5: 298. Syntypes: "Mindanao".
- 8675. Graphium (Pathysa (Paranticopsis)) stratocles stratocles C.Felder & R.Felder,1861** (Papilionidae) Papilio stratocles C.Felder & R.Felder,1861, Wien. ent. Monatschr. 5: 298. Syntypes: "Mindanao".
- 8676. Graphium (Pathysa (Paranticopsis)) thule (Wallace,1865)** (Papilionidae) Papilio thule Wallace,1865, Trans. linn. Soc. London 25: 63.
- 8677. Graphium (Pathysa (Paranticopsis)) thule thule (Wallace,1865)** (Papilionidae) Papilio thule Wallace,1865, Trans. linn. Soc. London 25: 63.
- 8678. Graphium (Pathysa (s.str.)) Reakirt,[1865]** (Papilionidae) Pathysa Reakirt,[1865], Proc. ent. Soc. Philad. 3: 503. Type-species: Papilio antiphates Cramer,[1775], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 242.
- 8679. Graphium (Pathysa (s.str.)) agetes (Westwood,1843)** (Papilionidae) Papilio agetes Westwood,1843, Arcana ent. 2 (14): 23, pl.55, figs.1,2.
- 8680. Graphium (Pathysa (s.str.)) agetes agetes (Westwood,1843)** (Papilionidae) Papilio agetes Westwood,1843, Arcana ent. 2 (14): 23, pl.55, figs.1,2.
- 8681. Graphium (Pathysa (s.str.)) agetes insularis (Staudinger,[1895])** (Papilionidae) Papilio agetes var. insularis Staudinger,[1895], Dt. ent. Z., Iris 7: 349-350. Syntypes: [Indonesia]: Sumatra; Borneo: Kina Balu.
- 8682. Graphium (Pathysa (s.str.)) androcles (Boisduval,1836)** (Papilionidae) Papilio androcles Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 249, nr. 73. Type(s): Celebes.
- 8683. Graphium (Pathysa (s.str.)) androcles androcles (Boisduval,1836)** (Papilionidae) Papilio androcles Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 249, nr. 73. Type(s): Celebes.
- 8684. Graphium (Pathysa (s.str.)) androcles cleomenes (Fruhstorfer,1911)** (Papilionidae) Papilio androcles ssp. cleomenes Fruhstorfer,1911, Ent. Rdsch. 28 (23): 178. Syntypes: Sula Mangoli.
- 8685. Graphium (Pathysa (s.str.)) antiphates (Cramer,[1775])** (Papilionidae) Papilio antiphates Cramer,[1775], Uitl. Kapellen 1: pl.72 A,B. Type(s): India.
- 8686. Graphium (Pathysa (s.str.)) antiphates antiphates (Cramer,[1775])** (Papilionidae) Papilio antiphates Cramer,[1775], Uitl. Kapellen 1: pl.72 A,B. Type(s): India.
- 8687. Graphium (Pathysa (s.str.)) antiphates ceylonicus (Eimer,1889)** (Papilionidae) Papilio antiphates ceylonicus Eimer,1889, Artbild. Schmett.: 149. Syntypes: Ceylon.
- 8688. Graphium (Pathysa (s.str.)) antiphates naira (Moore,1903)** (Papilionidae) Pathysa naira Moore,1903, Lepid. ind. 6: 22, pl.475 figs.1,1a. Syntypes: South India.
- 8689. Graphium (Pathysa (s.str.)) antiphates pompilius (Fabricius,1787)** (Papilionidae) Papilio pompilius Fabricius,1787, Mant. Ins. 2: 8. Type(s): India.
- 8690. Graphium (Pathysa (s.str.)) aristeus (Cramer,[1782])** (Papilionidae) Papilio aristeus Cramer,[1782], Uitl. Kapellen 4: 60, t.318 figs.E,F. Syntypes: Amboina.
- 8691. Graphium (Pathysa (s.str.)) aristeus anticrates (Doubleday,1846)** (Papilionidae) Papilio anticrates Doubleday,1846, Ann. Mag. nat. Hist. 18: 371. Type(s): Sylhet.
- 8692. Graphium (Pathysa (s.str.)) aristeus aristeus (Cramer,[1782])** (Papilionidae) Papilio aristeus Cramer,[1782], Uitl. Kapellen 4: 60, t.318 figs.E,F. Syntypes: Amboina.
- 8693. Graphium (Pathysa (s.str.)) aristeus hermocrates (C.Felder & R.Felder,[1865])** (Papilionidae) Papilio hermocrates C.Felder & R.Felder,[1865], Reise Navarra 1: 57, nr.44 pl.12 fig.e. Type(s): Philippines: Luzon.
- 8694. Graphium (Pathysa (s.str.)) aristeus parmatius (Gray,[1853])** (Papilionidae) Papilio parmatius Gray,[1853], Cat. lepid. Ins. Br. Mus. 1: 30, nr.141 pl.3 fig.2. Type(s): Australia.
- 8695. Graphium (Pathysa (s.str.)) aristeus paron (Godman & Salvin,1879)** (Papilionidae) Papilio paron Godman & Salvin,1879, Proc. zool. Soc. London 1879: 654. Syntypes: New Ireland.
- 8696. Graphium (Pathysa (s.str.)) decolor (Staudinger,1888)** (Papilionidae) Papilio antiphates var. decolor Staudinger,1888, Dt. ent. Z., Iris 1: 279. Syntypes: ♂♂: Philippinen: Palawan.
- 8697. Graphium (Pathysa (s.str.)) decolor decolor (Staudinger,1888)** (Papilionidae) Papilio antiphates var. decolor Staudinger,1888, Dt. ent. Z., Iris 1: 279. Syntypes: ♂♂: Philippinen: Palawan.
- 8698. Graphium (Pathysa (s.str.)) decolor neozebraica Page,1987** (Papilionidae) Graphium decolor ssp. neozebraica Page,1987, Papilio Int 4 (1/2): 238-239, figs. 26-30. Holotype ♀: Philippines: N. Luzon (BMNH).
- 8699. Graphium (Pathysa (s.str.)) decolor sibuyana Page,1987** (Papilionidae) Graphium decolor ssp. sibuyana Page,1987, Papilio Int 4 (1/2): 239-240, figs. 34-37. Holotype ♂: Philippines: Romblon: Sibuyan Mt. (coll. Treadaway).
- 8700. Graphium (Pathysa (s.str.)) decolor tigris (Semper,1893)** (Papilionidae) Papilio antiphates form.B. tigris Semper,1893, Philipp. Tagfalt.: 284, t.48, fig. Syntypes: S.E. Mindanao.
- 8701. Graphium (Pathysa (s.str.)) dorcus (De Haan,1840)** (Papilionidae) Papilio dorcus De Haan,1840, Verh. Nat. Ges. Ned. overz. bez., Zool. 1840: 35, pl.7 fig.4.
- 8702. Graphium (Pathysa (s.str.)) dorcus dorcus (De Haan,1840)** (Papilionidae) Papilio dorcus De Haan,1840, Verh. Nat. Ges. Ned. overz. bez., Zool. 1840: 35, pl.7 fig.4.

- 8703. Graphium (Pathysa (s.str.)) euphrates (C.Felder & R.Felder,1862)** (Papilionidae) Papilio euphrates C.Felder & R.Felder,1862, Wien. ent. Monatschr. 6: 283.
- 8704. Graphium (Pathysa (s.str.)) euphrates bohollensis Page,1987** (Papilionidae) Graphium euphrates ssp. bohollensis Page,1987, Papilio Int 4 (1/2): 234, figs. 14,15. Holotype ♂: Philippines: Bilar, Bohol.
- 8705. Graphium (Pathysa (s.str.)) euphrates buhisanus Page,1987** (Papilionidae) Graphium euphrates ssp. busihanus Page,1987, Papilio Int 4 (1/2): 233-234, figs. 10,11,13,17. Holotype ♂: Philippines: Cebu: Busihan (coll. Treadaway).
- 8706. Graphium (Pathysa (s.str.)) euphrates euphrates (C.Felder & R.Felder,1862)** (Papilionidae) Papilio euphrates Felder,1862, Wien. ent. Monatschr. 6: 283.
- 8707. Graphium (Pathysa (s.str.)) euphrates ornatus (Rothschild,1895)** (Papilionidae) Papilio ornatus Rothschild,1895, Novit. zool. 2: 414-415. Syntypes 8♂: [Indonesia]: Halmahera.
- 8708. Graphium (Pathysa (s.str.)) swinhoei (Moore,1878)** (Papilionidae) Papilio swinhoei Moore,1878, Proc. zool. Soc. London 1878: 697. Syntypes: China: Hainan.
- 8709. Graphium (Pathysa (s.str.)) swinhoei swinhoei (Moore,1878)** (Papilionidae) Papilio swinhoei Moore,1878, Proc. zool. Soc. London 1878: 697. Syntypes: China: Hainan.
- 8710. Graphium (Pazala (s.str.)) Moore,1888** (Papilionidae) Pazala Moore,1888, Descr. new Ind. Lep. Coll. Atkinson (3): 283. Type-species: Papilio glycerion Gray,1831, by original designation.
- 8711. Graphium (Pazala (s.str.)) alebion (Gray,[1853])** (Papilionidae) Papilio alebion Gray,[1853], Cat. lepid. Ins. Br. Mus. 1: 30, nr.15, pl.13 fig.6. Syntypes: North China.
- 8712. Graphium (Pazala (s.str.)) alebion alebion (Gray,[1853])** (Papilionidae) Papilio alebion Gray,[1853], Cat. lepid. Ins. Br. Mus. 1: 30, nr.15, pl.13 fig.6. Syntypes: North China.
- 8713. Graphium (Pazala (s.str.)) alebion timur (Ney,1911)** (Papilionidae) Papilio tamerlanus timur Ney,1911, Ent. Z., Stuttgart 24: 252. Syntypes: China: Szetschuan: Tatsienlu.
- 8714. Graphium (Pazala (s.str.)) eurous (Leech,1893)** (Papilionidae) Papilio eurous Leech,1893, Butts. China, Japan and Korea: 521, t.32, fig.3. Syntypes: Central China: Chang Yang.
- 8715. Graphium (Pazala (s.str.)) eurous asakurae (Matsumura,1907)** (Papilionidae) Papilio asakurae Matsumura,1907, Trans. Sapporo Nat. Hist. Soc. 1907: 67, 75, t.1 fig.4.
- 8716. Graphium (Pazala (s.str.)) eurous caschmirensis (Rothschild,1895)** (Papilionidae) Papilio glycerion ssp. caschmirensis Rothschild,1895, Novit. zool. 2: 407-408. Syntypes 7♂: Cashmere and North-West India.
- 8717. Graphium (Pazala (s.str.)) eurous eurous (Leech,1893)** (Papilionidae) Papilio eurous Leech,1893, Butts. China, Japan and Korea: 521, t.32, fig.3. Syntypes: Central China: Chang Yang.
- 8718. Graphium (Pazala (s.str.)) incertus (O.Bang-Haas,1927)** (Papilionidae) Cosmodesmus tamerlanus ssp. incertus O.Bang-Haas,1927, Horae Macrolepidopt. 1: 1, t.5 f.3. Syntypes: China mer. occ.: Szetschuan, Tatsienlu, Tsekou, Siaolu.
- 8719. Graphium (Pazala (s.str.)) incertus incertus (O.Bang-Haas,1927)** (Papilionidae) Cosmodesmus tamerlanus ssp. incertus O.Bang-Haas,1927, Horae Macrolepidopt. 1: 1, t.5 f.3. Syntypes: China mer. occ.: Szetschuan, Tatsienlu, Tsekou, Siaolu.
- 8720. Graphium (Pazala (s.str.)) mandarinus (Oberthür,1879)** (Papilionidae) Papilio glycerion var. mandarinus Oberthür,1879, Etüd. Ent. 4: 115, n.165. Syntypes: China: Moupin, Kuy Tseu.
- 8721. Graphium (Pazala (s.str.)) mandarinus mandarinus (Oberthür,1879)** (Papilionidae) Papilio glycerion var. mandarinus Oberthür,1879, Etüd. Ent. 4: 115, n.165. Syntypes: China: Moupin, Kuy Tseu.
- 8722. Graphium (Pazala (s.str.)) paphus (De Nicéville,1886)** (Papilionidae) Papilio paphus De Nicéville,1886, J. Asiat. Soc. Bengal 55: 254, pl.11 fig.6. Syntypes: Sikkim.
- 8723. Graphium (Pazala (s.str.)) paphus paphus (De Nicéville,1886)** (Papilionidae) Papilio paphus De Nicéville,1886, J. Asiat. Soc. Bengal 55: 254, pl.11 fig.6. Syntypes: Sikkim.
- 8724. Graphium (Pazala (s.str.)) tamerlanus (Oberthür,1876)** (Papilionidae) Papilio tamerlanus Oberthür,1876, Etüd. Ent. 2: 13, pl.2 fig.1. Type(s): China: Moupin.
- 8725. Graphium (Pazala (s.str.)) tamerlanus taliensis (O.Bang-Haas,1927)** (Papilionidae) Cosmodesmus tamerlanus ssp. taliensis O.Bang-Haas,1927, Horae Macrolepidopt. 1: 2, t.5 f.4. Type ♂: China mer. occ.: Jünnan, Tali.
- 8726. Graphium (Pazala (s.str.)) tamerlanus tamerlanus (Oberthür,1876)** (Papilionidae) Papilio tamerlanus Oberthür,1876, Etüd. Ent. 2: 13, pl.2 fig.1. Type(s): China: Moupin.
- 8727. Graphium (s.str. (Eurypleana)) arycles (Boisduval,1836)** (Papilionidae) Papilio arycles Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 231, nr.51. Type(s): Java or Sumatra.
- 8728. Graphium (s.str. (Eurypleana)) arycles arycles (Boisduval,1836)** (Papilionidae) Papilio arycles Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 231, nr.51. Type(s): Java or Sumatra.
- 8729. Graphium (s.str. (Eurypleana)) arycles masal Koçak & Kemal,2000** (Papilionidae) Graphium (s.str.) arycles masal Koçak & Kemal,2000, Centr. ent. Stud., Misc. Pap. 71: 5 (nomen novum pro sphinx Fruhstorfer,1899 nec Fabricius,1775).
- 8730. Graphium (s.str. (Eurypleana)) bathycles tereus (Fruhstorfer,1908)** (Papilionidae) Papilio bathycles ssp. tereus Fruhstorfer,1908, Ent. Z., Stuttgart 22: 222. Syntypes 9♂: [China]: Hainan (coll. Fruhstorfer).
- 8731. Graphium (s.str. (Eurypleana)) chironides (Honrath,1884)** (Papilionidae) Papilio chiron var. chironides Honrath,1884, Berl. ent. Z. 28: 397, pl.10 fig. 4. Syntypes: Sikkim.
- 8732. Graphium (s.str. (Eurypleana)) chironides chironides (Honrath,1884)** (Papilionidae) Papilio chiron var. chironides Honrath,1884, Berl. ent. Z. 28: 397, pl.10 fig. 4. Syntypes: Sikkim.
- 8733. Graphium (s.str. (Eurypleana)) doson (C.Felder & R.Felder,1864)** (Papilionidae) Papilio doson C.Felder & R.Felder,1864, Verh. zool.- bot. Ges. 14: 305.
- 8734. Graphium (s.str. (Eurypleana)) doson actor (Fruhstorfer,1907)** (Papilionidae) Papilio doson ssp. actor Fruhstorfer,1907, Ent. Z., Stuttgart 21: 209.
- 8735. Graphium (s.str. (Eurypleana)) doson aykut Koçak & Kemal,2000** (Papilionidae) Graphium doson ssp. aykut Koçak & Kemal,2000, Cent. ent. Stud., Misc. Pap. 65/66: 11 (nomen novum pro Papilio mikado Leech,1887 nec Papilio machaon var. micado Pagenstecher,1875).
- 8736. Graphium (s.str. (Eurypleana)) doson doson (C.Felder & R.Felder,1864)** (Papilionidae) Papilio doson C.Felder & R.Felder,1864, Verh. zool.- bot. Ges. 14: 305.
- 8737. Graphium (s.str. (Eurypleana)) doson eurypylides (Staudinger,1895)** (Papilionidae) Papilio jason var. eurypylides Staudinger,1895, Dt. ent. Z., Iris 7: 350. Syntypes: [Indonesia]: Sambawa.
- 8738. Graphium (s.str. (Eurypleana)) doson rubroplaga (Rothschild,1895)** (Papilionidae) Papilio eurypylus ssp. rubroplaga Rothschild,1895, Novit. zool. 2: 504 (nomen novum pro telephus Weymer,1885 nec Felder,1865). Syntypes 4♂: [Indonesia]: Nias Isl.
- 8739. Graphium (s.str. (Eurypleana)) eurypylus (Linnaeus,1758)** (Papilionidae) Papilio eurypylus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 464, nr. 37. Type: "Indiis"(err.) Moluccas. (Mus. Lud. Ulr.).
- 8740. Graphium (s.str. (Eurypleana)) eurypylus acheron (Moore,1885)** (Papilionidae) Papilio acheron Moore,1885, Ann. Mag. Nat. Hist. (5) 16: 120. Syntypes: India: N.E.Bengal.
- 8741. Graphium (s.str. (Eurypleana)) eurypylus aloricus (Fruhstorfer,1909)** (Papilionidae) Papilio eurypylus ssp. aloricus Fruhstorfer,1909, Ent. Z., Stuttgart 22: 170. Syntypes: [Indonesia]: Alor Isl.
- 8742. Graphium (s.str. (Eurypleana)) eurypylus arctofasciatus (Lathy,1899)** (Papilionidae) Papilio eurypylus arctofasciatus Lathy,1899, Entomologist 1899: 148.
- 8743. Graphium (s.str. (Eurypleana)) eurypylus eurypylus (Linnaeus,1758)** (Papilionidae) Papilio eurypylus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 464, nr. 37. Type: "Indiis"(err.) Moluccas. (Mus. Lud. Ulr.).
- 8744. Graphium (s.str. (Eurypleana)) eurypylus extensus (Rothschild,1895)** (Papilionidae) Papilio eurypylus ssp. extensus Rothschild,1895, Novit. zool. 2: 430. Type ♂: [Papua New Guinea]: New Ireland Island; New Britain (in coll. Grose-Smith).
- 8745. Graphium (s.str. (Eurypleana)) eurypylus gordion (C.Felder & R.Felder,[1865])** (Papilionidae) Papilio gordion Felder & Felder,[1865], Reise Novarra 1: 66, nr.50. Syntypes: Philippines: Luzon.
- 8746. Graphium (s.str. (Eurypleana)) eurypylus insularius (Rothschild,1896)** (Papilionidae) Papilio eurypylus ssp. insularius Rothschild,1896, Novit. zool. 3: 92. Syntypes: Kalao Djampea.
- 8747. Graphium (s.str. (Eurypleana)) eurypylus juba (Fruhstorfer,1908)** (Papilionidae) Papilio eurypylus ssp. juba

- Fruhstorfer, 1908, Ent. Z., Stuttgart 22: 222. Syntypes 9♂: [China]: Hainan (coll. Fruhstorfer).
- 8748. Graphium (s.str. (Eurypyleana)) eurypylus kaicola Koçak, 1983** (Papilionidae) *Graphium eurypylus kaicola* Koçak, 1983, Priamus 2 (4): 164 (nomen novum pro *Papilio melampus* Rothschild, 1896 nec *Papilio melampus* Fuessly, 1775).
- 8749. Graphium (s.str. (Eurypyleana)) eurypylus lycaonides (Rothschild, 1895)** (Papilionidae) *Papilio eurypylus* ssp. *lycaonides* Rothschild, 1895, Novit. zool. 2: 430-431. Syntypes ♂♂: [Papua New Guinea & Indonesia]: Dutch New Guinea, Humboldt Bay; Ati-Ati-Onin; coast near Arfak; Waigeu; Aru; Ferguson Isl., d'Entrecasteaux Isl.
- 8750. Graphium (s.str. (Eurypyleana)) eurypylus mecisteus Distant, 1885** (Papilionidae) *Papilio mecisteus* Distant, 1885, Rhopalocera Malayana: 361, nr. 24 fig. 108.
- 8751. Graphium (s.str. (Eurypyleana)) eurypylus sallastinus (Fruhstorfer, 1903)** (Papilionidae) *Papilio eurypylus* ssp. *sallastinus* Fruhstorfer, 1903, Berl. ent. Z. 47 (1902): 208. Syntypes 4♂ 1♀: Sumba.
- 8752. Graphium (s.str. (Eurypyleana)) eurypylus sallastius (Staudinger, 1895)** (Papilionidae) *Papilio eurypylus* var. *sallastius* Staudinger, 1895, Dt. ent. Z., Iris 7: 351. Syntypes: [Indonesia]: Wetter, Sambawa.
- 8753. Graphium (s.str. (Eurypyleana)) eurypylus sangirus (Oberthür, 1879)** (Papilionidae) *Papilio sangirus* Oberthür, 1879, Trans. ent. Soc. Lond. 1879: 229, t. 8 fig. 1 Type 8s: [Indonesia]: North of Celebes, Sangir Island.
- 8754. Graphium (s.str. (Eurypyleana)) eurypylus subhi Koçak & Kemal, 2000** (Papilionidae) *Graphium* (s.str.) *eurypylus subhi* Koçak & Kemal, 2000, Centr. ent. Stud., Misc. Pap. 71: 5 (nomen novum pro *lycaon* Felder & Felder, [1865] nec Kuhn, 1774).
- 8755. Graphium (s.str. (Eurypyleana)) eurypylus telephus (Wallace, 1865)** (Papilionidae) *Papilio telephus* Wallace, 1865, Trans. linn. Soc. Lond. 25: 67, nr. 116 t. 7 fig. 4. Syntypes: [Indonesia]: Celebes.
- 8756. Graphium (s.str. (Eurypyleana)) evemon (Boisduval, 1836)** (Papilionidae) *Papilio evemon* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 234, nr. 55. Type(s): India.
- 8757. Graphium (s.str. (Eurypyleana)) evemon evemon (Boisduval, 1836)** (Papilionidae) *Papilio evemon* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 234, nr. 55. Type(s): India.
- 8758. Graphium (s.str. (Eurypyleana)) evemon eventus (Fruhstorfer, 1908)** (Papilionidae) *Papilio evemon* ssp. *eventus* Fruhstorfer, 1908, Ent. Z., Stuttgart 22: 222. Syntypes: Borneo (13♂), Natuna (3♂), Sumatra (5♂), Malay Halbinsel (2♂♂) (coll. Fruhstorfer).
- 8759. Graphium (s.str. (Eurypyleana)) meyeri (Hopffer, 1874)** (Papilionidae) *Papilio meyeri* Hopffer, 1874, Stettin ent. Ztg. 35: 19, nr. 8. Syntypes: [Indonesia]: Celebes.
- 8760. Graphium (s.str. (Eurypyleana)) meyeri meyeri (Hopffer, 1874)** (Papilionidae) *Papilio meyeri* Hopffer, 1874, Stettin ent. Ztg. 35: 19, nr. 8. Syntypes: [Indonesia]: Celebes.
- 8761. Graphium (s.str. (Macfarlaneana)) agamemnon (Linnaeus, 1758)** (Papilionidae) *Papilio agamemnon* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 462. Type(s): Asia.
- 8762. Graphium (s.str. (Macfarlaneana)) agamemnon admiralis (Rothschild, 1915)** (Papilionidae) *Papilio agamemnon* ssp. *admiralis* Rothschild, 1915, Novit. zool. 22: 195. Syntypes 3♂ 5♀: Manus, Admiralty Isl.
- 8763. Graphium (s.str. (Macfarlaneana)) agamemnon agamemnon (Linnaeus, 1758)** (Papilionidae) *Papilio agamemnon* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 462. Type(s): Asia.
- 8764. Graphium (s.str. (Macfarlaneana)) agamemnon amannisa Koçak & Kemal, 2000** (Papilionidae) *Graphium* (s.str.) *agamemnon amannisa* Koçak & Kemal, 2000, Centr. ent. Stud., Misc. Pap. 71: 5 (nomen novum pro *baweana* Hagen, 1896 nec Hagen, 1896; *aelius* Fruhstorfer, 1903 nec *aelia* Hoffmannsegg, 1804).
- 8765. Graphium (s.str. (Macfarlaneana)) agamemnon argynnus (Druce, 1888)** (Papilionidae) *Papilio argynnus* Druce, 1888, Ann. Mag. nat. Hist. (6) 2: 235. Syntypes: Key Is.
- 8766. Graphium (s.str. (Macfarlaneana)) agamemnon atropictus Fruhstorfer, 1904** (Papilionidae) *Papilio agamemnon* ssp. *atropictus* Fruhstorfer, 1904, Berl. ent. Z. 49: 195. Syntypes: [Indonesia]: Engano.
- 8767. Graphium (s.str. (Macfarlaneana)) agamemnon comodus (Fruhstorfer, 1903)** (Papilionidae) *Papilio agamemnon* ssp. *comodus* Fruhstorfer, 1903, Berl. ent. Z. 47 (1902): 218 (nomen novum for *celebensis* Fickert, 1889 nec Wallace, 1865). Syntypes 4♂ 3♀: Nord u. S. Celebes, Sula, Sanghir.
- 8768. Graphium (s.str. (Macfarlaneana)) agamemnon decoratus (Rothschild, 1895)** (Papilionidae) *Papilio agamemnon* ssp. *decoratus* Rothschild, 1895, Novit. zool. 2: 452. Syntypes 2♀: Nicobar Islands (Kamorta), Andaman Islands (?).
- 8769. Graphium (s.str. (Macfarlaneana)) agamemnon exilis (Rothschild, 1895)** (Papilionidae) *Papilio agamemnon* ssp. *exilis* Rothschild, 1895, Novit. zool. 2: 451-452. Type 1♀: "Tenimber Islands"; Dammer, Timor, Wetter, Flores, Sumba, Sambawa.
- 8770. Graphium (s.str. (Macfarlaneana)) agamemnon guttatus (Rothschild, 1895)** (Papilionidae) *Papilio agamemnon* ssp. *guttatus* Rothschild, 1895, Novit. zool. 2: 453. Type 1♂: "Halmahera"; Ternate.
- 8771. Graphium (s.str. (Macfarlaneana)) agamemnon ligatus (Rothschild, 1895)** (Papilionidae) *Papilio agamemnon* ssp. *ligatus* Rothschild, 1895, Novit. zool. 2: 451. Syntypes: "New Guinea, Waigeu Island, Aru Islands, Queensland, Woodlark Island (?)"
- 8772. Graphium (s.str. (Macfarlaneana)) agamemnon neopommeranus (Honrath, 1887)** (Papilionidae) *Papilio agamemnon* var. *neopommeranus* Honrath, 1887, Berl. ent. Z. 31: 350, t. 6 fig. 4. Syntypes: Neue Pommern (=New Britain).
- 8773. Graphium (s.str. (Macfarlaneana)) agamemnon pulo (Evans, 1932)** (Papilionidae) *Zetides agamemnon pulo* Evans, 1932, Identification Indian Butterflies (edn. 2): 56. Type(s): South Nicobars.
- 8774. Graphium (s.str. (Macfarlaneana)) agamemnon rufopenus (Fruhstorfer, 1898)** (Papilionidae) *Papilio agamemnon* ssp. *rufopenus* Fruhstorfer, 1898, Berl. ent. Z. 42: 310. Syntypes: [Indonesia]: Nias Island.
- 8775. Graphium (s.str. (Macfarlaneana)) agamemnon salomonis (Rothschild, 1895)** (Papilionidae) *Papilio agamemnon* ssp. *salomonis* Rothschild, 1895, Novit. zool. 2: 453-454. Type 1♂: "Salomon Islands: Guadalcanal Island"; New Georgia, Alu.
- 8776. Graphium (s.str. (Macfarlaneana)) macfarlanei (Butler, 1877)** (Papilionidae) *Papilio macfarlanei* Butler, 1877, Proc. zool. Soc. London 1877: 471, nr. 30. Syntypes: New Guinea.
- 8777. Graphium (s.str. (Macfarlaneana)) macfarlanei admiralia (Rothschild, 1915)** (Papilionidae) *Papilio macfarlanei* ssp. *admiralia* Rothschild, 1915, Novit. zool. 22: 195. Syntypes 7♀: Manus, Admiralty Islands.
- 8778. Graphium (s.str. (Macfarlaneana)) macfarlanei macfarlanei (Butler, 1877)** (Papilionidae) *Papilio macfarlanei* Butler, 1877, Proc. zool. Soc. London 1877: 471, nr. 30. Syntypes: New Guinea.
- 8779. Graphium (s.str. (Macfarlaneana)) macfarlanei seminigra (Butler, 1882)** (Papilionidae) *Zetides seminigra* Butler, 1882, Ann. Mag. nat. Hist. (5) 10: 153, nr. 30. Syntypes: New Britain.
- 8780. Graphium (s.str. (Wallaceana)) browni (Godman & Salvin, 1879)** (Papilionidae) *Papilio browni* Godman & Salvin, 1879, Proc. zool. Soc. London 1879: 655. Syntypes: New Ireland.
- 8781. Graphium (s.str. (Wallaceana)) browni browni (Godman & Salvin, 1879)** (Papilionidae) *Papilio browni* Godman & Salvin, 1879, Proc. zool. Soc. London 1879: 655. Syntypes: New Ireland.
- 8782. Graphium (s.str. (Wallaceana)) hicetaon (Mathew, 1886)** (Papilionidae) *Papilio hicetaon* Mathew, 1886, Proc. zool. Soc. London 1886: 350. Syntypes: Ugi Is.
- 8783. Graphium (s.str. (Wallaceana)) hicetaon hicetaon (Mathew, 1886)** (Papilionidae) *Papilio hicetaon* Mathew, 1886, Proc. zool. Soc. London 1886: 350. Syntypes: Ugi Is.
- 8784. Graphium (s.str. (Wallaceana)) wallacei (Hewitson, 1859)** (Papilionidae) *Papilio wallacei* Hewitson, 1859, Ill. exot. Butts. 2: pl. 3 fig. 7. Type(s): New Guinea.
- 8785. Graphium (s.str. (Wallaceana)) wallacei wallacei (Hewitson, 1859)** (Papilionidae) *Papilio hicetaon* Mathew, 1886, Proc. zool. Soc. London 1886: 350. Syntypes: Ugi Is.
- 8786. Graphium (s.str. (Zetides)) Hübner, [1819]** (Papilionidae) *Zetides Hübner*, [1819], Verz. bekannt. Schmett. (6): 85. Type-species: *Papilio sarpedon* Linnaeus, 1758, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 292.
- 8787. Graphium (s.str. (Zetides)) cloanthus (Westwood, 1841)** (Papilionidae) *Papilio cloanthus* Westwood, 1841, Arc. Ent. 1: 42, Pl. 11 fig. 2.
- 8788. Graphium (s.str. (Zetides)) cloanthus cloanthus (Westwood, 1841)** (Papilionidae) *Papilio cloanthus* Westwood, 1841, Arc. Ent. 1: 42, Pl. 11 fig. 2.
- 8789. Graphium (s.str. (Zetides)) cloanthus kuge (Fruhstorfer, 1908)** (Papilionidae) *Papilio cloanthus* ssp. *kuge* Fruhstorfer, 1908, Ent. Z., Stuttgart 22: 119. Syntypes: [Taiwan]: Chip-Chip (Juni).
- 8790. Graphium (s.str. (Zetides)) cloanthus nyghmat Koçak & Kemal, 2000** (Papilionidae) *Graphium cloanthus* ssp. *nyghmat* Koçak & Kemal, 2000, Centr. ent. Stud., Misc. Pap. 65/66: 11 (nomen novum pro

Papilio cloanthus var. *clymenus* Leech, 1893 nec *Papilio clymenus* Stoll, [1782]).

8791. Graphium (s.str. (Zetides)) codrus auratus (Rothschild, 1898) (Papilionidae) *Papilio codrus* ssp. *auratus* Rothschild, 1898, Novit. zool. 5: 218. Syntypes: St. Gabriel.

8792. Graphium (s.str. (Zetides)) codrus celebensis (Wallace, 1865) (Papilionidae) *Papilio codrus* ssp. *celebensis* Wallace, 1865, Trans. linn. Soc. Lond. 25: 64. Syntypes: Celebes: Sulla Is.

8793. Graphium (s.str. (Zetides)) codrus gilolensis (Wallace, 1865) (Papilionidae) *Papilio codrus gilolensis* Wallace, 1865, Trans. linn. Soc. Lond. 25: 64. Syntypes: Batjan, Gilolo.

8794. Graphium (s.str. (Zetides)) codrus melanthus (C.Felder & R.Felder, 1862) (Papilionidae) *Papilio melanthus* Felder & Felder, 1862, Wien. ent. Monatschr. 6: 283.

8795. Graphium (s.str. (Zetides)) codrus pisidice (Godman & Salvin, 1888) (Papilionidae) *Papilio pisidice* Godman & Salvin, 1888, Ann. Mag. nat. Hist. (6) 1: 100. Syntypes: Maleita.

8796. Graphium (s.str. (Zetides)) codrus segonax (Godman & Salvin, 1878) (Papilionidae) *Papilio segonax* Godman & Salvin, 1878, Proc. zool. Soc. London 1878: 734. Syntypes: North Ireland.

8797. Graphium (s.str. (Zetides)) megasthenes (Mathew, 1889) (Papilionidae) *Papilio megasthenes* Mathew, 1889, Trans. ent. Soc. London 1889: 314. Syntypes: New Caledonia: Noumea.

8798. Graphium (s.str. (Zetides)) megasthenes megasthenes (Mathew, 1889) (Papilionidae) *Papilio megasthenes* Mathew, 1889, Trans. ent. Soc. London 1889: 314. Syntypes: New Caledonia: Noumea.

8799. Graphium (s.str. (Zetides)) saltanat Koçak & Kemal, 2000 (Papilionidae) *Graphium* (s.str.) *cloanthus saltanat* Koçak & Kemal, 2000, Centr. ent. Stud., Misc. Pap. 71: 4 (nomen novum pro *sumatranus* Hagen, [1894] nec *sumatranus* Hagen, [1894] (p.20,21)).

8800. Graphium (s.str. (Zetides)) saltanat Koçak & Kemal, 2000 (Papilionidae) *Graphium* (s.str.) *cloanthus saltanat* Koçak & Kemal, 2000, Centr. ent. Stud., Misc. Pap. 71: 4 (nomen novum pro *sumatranus* Hagen, [1894] nec *sumatranus* Hagen, [1894] (p.20,21)).

8801. Graphium (s.str. (Zetides)) sarpedon (Linnaeus, 1758) (Papilionidae) *Papilio sarpedon* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 461. Type(s): Asia.

8802. Graphium (s.str. (Zetides)) sarpedon anthedon (Felder, 1864) (Papilionidae) *Papilio anthedon* Felder, 1864, Verh. zool.-bot. Ges. Wien 14: 305, 350; nr. 217, 124. Syntypes: Amboina.

8803. Graphium (s.str. (Zetides)) sarpedon cesa Koçak & Kemal, 2000 (Papilionidae) *Graphium* (s.str.) *sarpedon cesa* Koçak & Kemal, 2000, Centr. ent. Stud., Misc. Pap. 71: 5 (nomen novum pro *timorensis* Rothschild, 1896 nec Felder, 1864).

8804. Graphium (s.str. (Zetides)) sarpedon choredon (Felder, 1864) (Papilionidae) *Papilio choredon* Felder, 1864, Verh. zool.-bot. Ges. Wien 14: 305, 350; nr. 218, 123. Syntypes: Australia, New Guinea, Waigeu, Woodlark.

8805. Graphium (s.str. (Zetides)) sarpedon coelius (Fruhstorfer, 1898) (Papilionidae) *Papilio sarpedon* ssp. *coelius* Fruhstorfer, 1898, Berl. ent. Z. 42: 224. Syntypes: Sula, Mangoli.

8806. Graphium (s.str. (Zetides)) sarpedon connectens (Fruhstorfer, 1908) (Papilionidae) *Papilio sarpedon* ssp. *connectens* Fruhstorfer, 1908, Ent. Z., Stuttgart 22: 46. Syntypes: Formosa.

8807. Graphium (s.str. (Zetides)) sarpedon crudus (Rothschild, 1898) (Papilionidae) *Papilio sarpedon* ssp. *crudus* Rothschild, 1898, Novit. zool. 5:

8808. Graphium (s.str. (Zetides)) sarpedon impar Rothschild, 1895 (Papilionidae) *Papilio sarpedon* ssp. *impar* Rothschild, 1895, Novit. zool. 2: 443-444. Syntypes: Solomon Islands: New Georgia.

8809. Graphium (s.str. (Zetides)) sarpedon imparilis Rothschild, 1895 (Papilionidae) *Papilio sarpedon* ssp. *imparilis* Rothschild, 1895, Novit. zool. 2: 443. Syntypes: 7♂: New Britain, New Ireland, Duke of York.

8810. Graphium (s.str. (Zetides)) sarpedon isander (Godman & Salvin, 1888) (Papilionidae) *Papilio isander* Godman & Salvin, 1888, Ann. Mag. nat. Hist. (6) 1: 211. Syntypes: Guadalcanar Is.: Aola.

8811. Graphium (s.str. (Zetides)) sarpedon milon (C.Felder & R.Felder, 1865) (Papilionidae) *Papilio milon* C.Felder & R.Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (1): 62, nr.48. Syntypes: Celebes.

8812. Graphium (s.str. (Zetides)) sarpedon nipponus (Fruhstorfer, 1903) (Papilionidae) *Papilio sarpedon* ssp. *nipponus* Fruhstorfer, 1903, Berl. ent. Z. 47 (1902): 215. Syntypes: Japan: Liu-Kiu, Okinawa, Nagasaki.

8813. Graphium (s.str. (Zetides)) sarpedon rufofervidus (Fruhstorfer, 1898) (Papilionidae) *Papilio sarpedon* ssp. *rufofervidus*

Fruhstorfer, 1898, Berl. ent. Z. 42: 305. Syntypes: [Indonesia]: Nias Island.

8814. Graphium (s.str. (Zetides)) sarpedon sarpedon (Linnaeus, 1758) (Papilionidae) *Papilio sarpedon* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 461. Type(s): Asia.

8815. Graphium (s.str. (Zetides)) sarpedon semifasciatus (Honrath, 1888) (Papilionidae) *Papilio sarpedon* var. *semifasciatus* Honrath, 1888, Ent. Nachr.: 161. Type(s): China: Szechuan.

8816. Graphium (s.str. (Zetides)) sarpedon teredon (C.Felder & R.Felder, 1865) (Papilionidae) *Papilio teredon* C.Felder & R.Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (1): 61-62. Syntypes: [Sri Lanka]: Ceylon.

8817. Graphium (s.str. (mendana-gr)) mendana (Godman & Salvin, 1888) (Papilionidae) *Papilio mendana* Godman & Salvin, 1888, Ann. Mag. nat. Hist. (6) 1: 212. Syntypes: Guadalcanar Is.

8818. Graphium (s.str. (mendana-gr)) mendana mendana (Godman & Salvin, 1888) (Papilionidae) *Papilio mendana* Godman & Salvin, 1888, Ann. Mag. nat. Hist. (6) 1: 212. Syntypes: Guadalcanar Is.

8819. Graphium Scopoli, 1777 (Papilionidae) *Graphium* Scopoli, 1777, Introd. Hist. nat.: 433. Type-species: *Papilio sarpedon* Linnaeus, 1758, by subsequent designation by Hemming, 1933, Entomologist 66: 199.

8820. Heraclides thoas (Linnaeus, 1771) (Papilionidae) *Papilio thoas* Linnaeus, 1771, Mantissa Plant. 2: 536 Type(s): "Surinam".

8821. Heraclides thoas thoas (Linnaeus, 1771) (Papilionidae) *Papilio thoas* Linnaeus, 1771, Mantissa Plant. 2: 536 Type(s): "Surinam".

8822. Hypermnestra Ménétries, 1848 (Papilionidae) *Hypermnestra Ménétries*, 1848, Descr. Ins. rec. feu Lehmann: explic. pl.6 fig.1. Type-species: *Ismene helios* Nickerl, 1846, by subsequent designation through Section (i) of Art.67.

8823. Hypermnestra helios (Nickerl, 1846) (Papilionidae) *Ismene helios* Nickerl, 1846, Stettin ent. Ztg. 7: 208, Pl.[3], figs.A-D.

8824. Hypermnestra helios ariana Wyatt, 1961 (Papilionidae) *Hypermnestra helios* ssp. *ariana* Wyatt, 1961, J. Lepidopterist's Soc. 15(1): 2-3, figs. Holotype ♂: Afghanistan: Bamian, N. of Koh-i-Baba Mts., 8300ft.

8825. Hypermnestra helios balucha (Moore, 1906) (Papilionidae) *Parnassius balucha* Moore, 1906, Ann. Mag. nat. Hist. (7) 18: 47. Type ♂: [Pakistan]: Baluchistan.

8826. Hypermnestra helios helios (Nickerl, 1846) (Papilionidae) *Ismene helios* Nickerl, 1846, Stettin ent. Ztg. 7: 208, Pl.[3], figs.A-D.

8827. Iphiclides Hübner, [1819] (Papilionidae) *Iphiclides* Hübner, [1819], Verz. bekannter Schmett. (6): 82. Type-species: *Papilio podalirius* Linnaeus, 1758, Syst. Nat. (Ed.10) 1: 463, nota, by subsequent designation by Scudder, 1872, 4th Ann. Rep. Peabody Acad. Sci. 1871: 65.

8828. Iphiclides podalirius (Oberthür, 1890) (Papilionidae) *Papilio podalirius* var. *podalirius* Oberthür, 1890, Etüd. Ent. 13: 37, Pl.9 fig.99.

8829. Iphiclides podalirius podalirius (Oberthür, 1890) (Papilionidae) *Papilio podalirius* var. *podalirius* Oberthür, 1890, Etüd. Ent. 13: 37, Pl.9 fig.99.

8830. Iphiclides podalirius (Linnaeus, 1758) (Papilionidae) *Papilio podalirius* Linnaeus, 1758, Syst. Nat. (Ed.10) 1: 463, nota. Syntypes: Europae austr. & Africae. Lectotype: Italy, Tuscany (ICZN, Op.263).

8831. Iphiclides podalirius centralasiae (Rosen, 1929) (Papilionidae) *Papilio* (Cosmodesmus) *podalirius* ssp. *centralasiae* Rosen, 1929 [in] Seitz, Gross-Schmett. Erde 1 (suppl.): 14. Syntypes: Tian-Schan; [Kazachstan]: Ili-Gebiet: nördl. Dscharkent.

8832. Iphiclides podalirius feisthamelii (Duponchel, 1832) (Papilionidae) *Papilio feisthamelii* Duponchel, 1832, [in] Godart, Hist. nat. Lépid. Fr., Suppl. 1 (diurnes): 7, pl.1 fig.1.

8833. Iphiclides podalirius lotteri (Oberthür, 1879) (Papilionidae) *Papilio podalirius* var. *lotteri* Oberthür, 1879, Etüd. d'Ent. 4: 64. Type(s): Algeria: Sidi-bel-Abbes [without description but indication to Aoustaut's name as "lotteri").

8834. Iphiclides podalirius persica (Verity, [1911]) (Papilionidae) *Papilio podalirius* form *persica* Verity, [1911], Rhopalocera Palaearct.: 291, Tab. 60 fig.5. Type(s): [Iran]: "Gulhak en Perse". Taxonomical status needs investigation.

8835. Iphiclides podalirius podalirius (Linnaeus, 1758) (Papilionidae) *Papilio podalirius* Linnaeus, 1758, Syst. Nat. (Ed.10) 1: 463, nota. Syntypes: Europae austr. & Africae. Lectotype ♂: Italy, Tuscany (ICZN, Op. 263).

8836. Iphiclides podalirius smyrnensis (Eimer, 1889) (Papilionidae) *Papilio podalirius* var. *smyrnensis* Eimer, 1889, Die Artbildung und Verwandtschaft bei den Schmetterlingen...1: 94, fig.M.

Type(s): [Türkei]: Smyrna [İzmir]. Taxonomical status needs investigation.

8837. *Iphiclidus podalirius virgatus* (Butler,1865) (Papilionidae) *Papilio virgatus* Butler,1865, Proc. zool. Soc. Lond. 35: 430-431, pl.25 f.1. Type(s): Syria: Damascus (in BMNH). Taxonomical status needs investigation.

8838. *Lamproptera curius* (Fabricius,1787) (Papilionidae) *Papilio curius* Fabricius,1787, Mant. Ins. 2: 9, nr.71.

8839. *Lamproptera curius curius* (Fabricius,1787) (Papilionidae) *Papilio curius* Fabricius,1787, Mant. Ins. 2: 9, nr.71.

8840. *Lamproptera curius libelluloides* (Fruhstorfer,1898) (Papilionidae) *Leptocircus curius* ssp. *libelluloides* Fruhstorfer,1898, Berl. ent. Z. 43: 179-180. Type: [Indonesia]: Nias.

8841. *Lamproptera curius walkeri* (Moore,1902) (Papilionidae) *Leptocircus curius* ssp. *walkeri* Moore,1902, Lepid. Ind. 5: 37. Syntypes: Hongkong, Tonkin, Hainan.

8842. *Lamproptera meges* (Zincken,1831) (Papilionidae) *Papilio meges* Zincken,1831, Nova Acta Acad. Nat. Cur. 15: 161, t.15 fig.8.

8843. *Lamproptera meges decius* C.Felder & R.Felder,1862 (Papilionidae) *Lamproptera decius* C.Felder & R.Felder, 1862, Wien. ent. Monatschr. 6: 284. Type: Philippines.

8844. *Lamproptera meges ennius* C.Felder & R.Felder,[1865] (Papilionidae) *Lamproptera ennius* C.Felder & R.Felder,[1865], Reise Navarra 1:2, t.21b. Syntypes: Celebes.

8845. *Lamproptera meges meges* (Zincken,1831) (Papilionidae) *Papilio meges* Zincken,1831, Nova Acta Acad. Nat. Cur. 15: 161, t.15 fig.8.

8846. *Lamproptera meges niasicus* (Jordan,1909) (Papilionidae) *Leptocircus meges* ssp. *niasicus* Jordan,1909, [in] Seitz,A., Gross-Schmett. Erde: 108. Type: Nias.

8847. *Lamproptera meges pallidus* (Fruhstorfer,1909) (Papilionidae) *Leptocircus meges* ssp. *pallidus* Fruhstorfer,1909, Societ. ent. 24: 76. Syntypes: Tonkin.

8848. *Lamproptera meges virescens* Butler,1870 (Papilionidae) *Lamproptera virescens* Butler,1870, Catalogue Fabr.: 259.

8849. *Luehdorfia Crüger*,1878 (Papilionidae) *Luehdorfia* Crüger,1878, Verh. Ver. naturw. Unterhalt. Hamburg 3: 128. Type-species: *Luehdorfia eximia* Crüger,1878, ibid. 3: 128, by monotypy.

8850. *Luehdorfia japonica* Leech,1889 (Papilionidae) *Luehdorfia japonica* Leech,1889, Entomologist 22: 25, pl.1 fig.1.

8851. *Luehdorfia japonica japonica* Leech,1889 (Papilionidae) *Luehdorfia japonica* Leech,1889, Entomologist 22: 25, pl.1 fig.1.

8852. *Luehdorfia puziloi* (Erschoff,1872) (Papilionidae) *Thais puziloi* Erschoff,1872, Horae Soc. ent. ross. 8: 315. Syntypes 6♂♂: Russia: "environs du fleuve Oussouri".

8853. *Luehdorfia puziloi coreana* Matsumura,1927 (Papilionidae) *Luehdorfia puziloi* ssp. *coreana* Matsumura,1927, Insecta Matsumurana 1: 163. Syntypes 2♀: Korea: Kaishu, Heizan.

8854. *Luehdorfia puziloi puziloi* (Erschoff,1872) (Papilionidae) *Thais puziloi* Erschoff,1872, Horae Soc. ent. ross. 8: 315. Syntypes 6♂♂: Russia: "environs du fleuve Oussouri".

8855. *Meandrusa* Moore,1888 (Papilionidae) *Meandrusa* Moore,1888, Descr. new ind. Lep. Coll. Atkinson (3): 284. Type-species: *Papilio* *evan* Doubleday, 1845, by original designation.

8856. *Meandrusa lachinus* (Fruhstorfer,1901) (Papilionidae) *Papilio gyas* ssp. *lachinus* Fruhstorfer,1901, Dt. ent. Z., Iris 11: 292-293. Syntypes: Sikkim.

8857. *Meandrusa lachinus lachinus* (Fruhstorfer,1901) (Papilionidae) *Papilio gyas* ssp. *lachinus* Fruhstorfer,1901, Dt. ent. Z., Iris 11: 292-293. Syntypes: Sikkim.

8858. *Meandrusa payeni* (Boisduval,[1836]) (Papilionidae) *Papilio payeni* Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 235.

8859. *Meandrusa payeni evan* (Doubleday,1845) (Papilionidae) *Papilio* *evan* Doubleday,1845, Ann. Mag. nat. Hist. 16: 235.

8860. *Meandrusa payeni payeni* (Boisduval,[1836]) (Papilionidae) *Papilio payeni* Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 235.

8861. *Meandrusa sciron* (Leech,1890) (Papilionidae) *Papilio sciron* Leech,1890, Entomologist 23: 192. Syntypes: W. China.

8862. *Meandrusa sciron nagamasai* Okano,1986 (Papilionidae) *Meandrusa gyas* ssp. *nagamasai* Okano,1986, Tokurana 11 (2): 2.

8863. *Meandrusa sciron sciron* (Leech,1890) (Papilionidae) *Papilio sciron* Leech,1890, Entomologist 23: 192. Syntypes: W. China.

8864. *Papilio* (s.str. (Alexanoria)) Koçak & Kemal,2002 (Papilionidae) *Papilio* (s.str. (Alexanoria)) Koçak & Kemal,2002, Cent. ent. Stud., Misc. Pap. 82/85: 2. Type-species: *Papilio alexanor*

Esper,[1800], by original designation [proposed as a section of *Papilio* Linnaeus,1758, s.str.].

8865. *Papilio* (s.str. (Alexanoria)) *alexanor* Esper,[1800] (Papilionidae) *Papilio alexanor* Esper,[1800], Die Schmett., Suppl. 1.1: 89, Taf.110 fig.1 (nom. nov. pro *Papilio polydamas* De Prunner,1798) Type(s): "Nice en Provence" (ex De Prunner,1798: 69).

8866. *Papilio* (s.str. (Alexanoria)) *alexanor alexanor* Esper,[1800] (Papilionidae) *Papilio alexanor* Esper,[1800], Die Schmett., Suppl. 1.1: 89, Taf.110 fig.1 (nom. nov. pro *Papilio polydamas* De Prunner,1798) Type(s): "Nice en Provence" (ex De Prunner,1798: 69).

8867. *Papilio* (s.str. (Alexanoria)) *alexanor atticus* Verity,[1911] (Papilionidae) *Papilio alexanor* race *attica* Verity,[1911], Rhopalocera Palaearctica: 294, Pl. LII fig.1. Syntypes 2♂: Greece: Attica (in ZMSF).

8868. *Papilio* (s.str. (Alexanoria)) *alexanor eitschbergeri* Bollino & Sala,1992 (Papilionidae) *Papilio alexanor* ssp. *eitschbergeri* Bollino & Sala,1992, Atalanta 23(1/2): 127-131, Abb. Holotype ♂: Griechenland: Insel Samos Manolates, 700m. (in coll. Bollino).

8869. *Papilio* (s.str. (Alexanoria)) *alexanor hazarajatica* Wyatt,1961 (Papilionidae) *Papilio alexanor* ssp. *hazarajatica* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 2, figs. Holotype ♂: Afghanistan: S. of Band-i-Amir, W. of Koh-i-Baba Mts., Joshanak valley, 9500ft.

8870. *Papilio* (s.str. (Alexanoria)) *alexanor judaeus* Staudinger,[1894] (Papilionidae) *Papilio alexanor* var. *judaeus* Staudinger,[1894], Dt. ent. Z., Iris 6: 369 (nomen novum pro *Papilio alexanor* var. *maccabaeus* Staudinger,[1892] nec *Papilio macareus* var. *maccabaeus* Staudinger,1888 aus Palawan). Syntypes: Palqestina.

8871. *Papilio* (s.str. (Alexanoria)) *alexanor orientalis* Romanoff,1884 (Papilionidae) *Papilio alexanor* var. *orientalis* Romanoff,1884, [in] Romanoff, Mém. Lépid. 1: 41-43, pl.5 f.1. Type ♀: [Aserbaidjan]: Transcaucasie: Ordoubad.

8872. *Papilio* (s.str. (Alexanoria)) *alexanor voldemar* Kreuzberg,1989 (Papilionidae) *Papilio alexanor* ssp. *voldemar* Kreuzberg,1989, Vestn. Zool. 1989: 39, fig.8. Holotype ♂: [Usbekistan]: UsbekSSR: Karzantau mountain range, Aktash valley, 1200m.

8873. *Papilio* (s.str.) *Linnaeus*,1758 (Papilionidae) *Papilio* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 458. Type-species: *Papilio machaon* Linnaeus,1758, Syst. Nat. (Ed.10)1: 462, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 350, 440.

8874. *Papilio* (s.str.) *hippocrates* C.Felder & R.Felder,1864 (Papilionidae) *Papilio hippocrates* C.Felder & R.Felder,1864, Verh. zool.-bot. Ges. Wien 14: 314, nr. 356.

8875. *Papilio* (s.str.) *hippocrates hippocrates* C.Felder & R.Felder,1864 (Papilionidae) *Papilio hippocrates* C.Felder & R.Felder,1864, Verh. zool.-bot. Ges. Wien 14: 314, nr. 356.

8876. *Papilio* (s.str.) *hospiton* Génè,1839 (Papilionidae) *Papilio hospiton* Génè,1839, Mem. Accad. Torin. 1839: 43, tab.2 figs.20,21. Syntypes: [Italia]: Sardinia: Tortoli.

8877. *Papilio* (s.str.) *hospiton hospiton* Génè,1839 (Papilionidae) *Papilio hospiton* Génè,1839, Mem. Accad. Torin. 1839: 43, tab.2 figs.20,21. Syntypes: [Italia]: Sardinia: Tortoli.

8878. *Papilio* (s.str.) *machaon* Linnaeus,1758 (Papilionidae) *Papilio machaon* Linnaeus,1758, Syst. Nat. (Ed 10)1: 462. Type(s): Europe.

8879. *Papilio* (s.str.) *machaon alpherakyi* O.Bang-Haas,1933 (Papilionidae) *Papilio machaon* ssp. *alpherakyi* O.Bang-Haas,1933, Ent. Z., Frankf. a. M. 47: 90. Type(s): China: Kansu.

8880. *Papilio* (s.str.) *machaon alpicae* Seyer,1974 (Papilionidae) *Papilio machaon* *machaon alpicae* Verity,[1911], Rhopalocera Palaearct.: 295 Syntypes 1♂ 1♀: Italia: Piemonte (infrasubsp. name); *Papilio machaon* ssp. *alpicae* Seyer,1974, Mitt. ent. Ges. Basel 24: 88.

8881. *Papilio* (s.str.) *machaon annae* Gistel,1857 (Papilionidae) *Papilio annae* Gistel,1857, Vacuna 2 (2): 603.

8882. *Papilio* (s.str.) *machaon asiaticus* Ménétériés,1855 (Papilionidae) *Papilio machaon* var. *asiatica* Ménétériés,1855, Enum. Corp. Anim. Mus. Petersb. 1: 70.

8883. *Papilio* (s.str.) *machaon britannicus* Seitz,1906 (Papilionidae) *Papilio machaon* *britannicus* Seitz,1906, [in] Seitz,A., Die Gross-Schmett. Erde 1: 12. Syntypes: England: "Sumpfdistricke von Norfolk und Cambridgeshire".

8884. *Papilio* (s.str.) *machaon centralis* Staudinger,1886 (Papilionidae) *Papilio machaon* var. *centralis* Staudinger,1886, Stettin ent. Ztg. 47: 193-194. Syntypes ♂♀: [Usbekistan]: Margelan, Samarkand.

8885. *Papilio* (s.str.) *machaon emihippocrates* Talbot,1939 (Papilionidae) *Papilio machaon* *emihippocrates* Talbot,1939, [in] Sewell,R.B.S., Fauna Br. India, Butterflies 1: 196-197. Syntypes: Nepal.

- 8886. *Papilio* (s.str.) *machaon emisphyrus* Verity,1919** (Papilionidae) *Papilio machaon* race *emisphyrus* Verity,1919, Entomologist's Rec. J. Var. 31: 88. Syntypes 1♂ 1♀: [Italy]: Firenze.
- 8887. *Papilio* (s.str.) *machaon giganteus* Eller,1936** (Papilionidae) *Papilio machaon giganteus* Eller,1936, Abh. bayer. Akad. Wiss. N.F. 36.
- 8888. *Papilio* (s.str.) *machaon gorganus* Fruhstorfer,1922** (Papilionidae) *Papilio machaon gorganus* Fruhstorfer,1922, Ent. Rdsch. 39: 13.
- 8889. *Papilio* (s.str.) *machaon hispanicus* Eller,1936** (Papilionidae) *Papilio machaon* ssp. *hispanicus* Eller,1936, Abh. bayer. Akad. Wiss. N.F. ??
- 8890. *Papilio* (s.str.) *machaon kamtschadalus* Alpheraky,1897** (Papilionidae) *Papilio machaon* var. *kamtschadalus* Alpheraky,1897, [in] Romanoff, Mém. lépid. 9: 301, Pl.4 fig.1. Type(s): Russia: Kamtschatka.
- 8891. *Papilio* (s.str.) *machaon kaolimachaon* Bryk,1946** (Papilionidae) *Papilio machaon* ssp. *kaolimachaon* Bryk,1946, Arkiv. Zool. 38A (3): 9-10. Holotype ♂: Korea.
- 8892. *Papilio* (s.str.) *machaon ladakensis* Moore,1886** (Papilionidae) *Papilio ladakensis* Moore,1886, J. Asiat. Soc. Beng. 53 2(1): 46. Type: Ladak.
- 8893. *Papilio* (s.str.) *machaon machaon* Linnaeus,1758** (Papilionidae) *Papilio machaon* Linnaeus,1758, Syst. Nat. (Ed 10)1: 462. Type(s): Europe.
- 8894. *Papilio* (s.str.) *machaon mauretanicus* Eller,1936** (Papilionidae) *Papilio machaon machaon mauretanica* Verity,[1908], Rhopalocera Palaearct.: 12. Syntypes 3♂: [Algeria]: Alger. *Papilio machaon* ssp. *mauretanicus* Eller,1936, Abh. bayer. Akad. Wiss. N.F. 36.
- 8895. *Papilio* (s.str.) *machaon maximus* Eller,1936** (Papilionidae) *Papilio machaon machaon maxima* Verity,[1911], Rhopalocera Palaearct.: 296. Syntypes: [Marocco]: Tanger (infrasubsp. name). *Papilio machaon* ssp. *maximus* Eller,1936, Abh. bayer. Akad. Wiss. N.F. 36 (available).
- 8896. *Papilio* (s.str.) *machaon muetingi* Seyer,1976** (Papilionidae) *Papilio machaon* ssp. *muetingi* Seyer,1976, Mitt. ent. Ges. Basel 26: 74. Holotype ♂: Iran: "Elburs-Gebirge, Sporthotel Dizin 2000m".
- 8897. *Papilio* (s.str.) *machaon oreinus* Sheljuzhko,1919** (Papilionidae) *Papilio machaon* var. *oreinus* Sheljuzhko,1919, Neue Beitr. Syst. Insekten. 1: 124.
- 8898. *Papilio* (s.str.) *machaon orientis* Verity,[1911]** (Papilionidae) *Papilio machaon orientis* Verity,[1911], Rhopalocera Palaearct.: 321. Syntypes: [Russia]: Sajan Mt. Tounkoun.
- 8899. *Papilio* (s.str.) *machaon penjabensis* Eimer,1895** (Papilionidae) *Papilio machaon penjabensis* Eimer,1895, Artbildung und Verwandtschaft bei den Schmetterlingen 2: 104. Syntypes: [India]: Dehra Dun, Allahabad.
- 8900. *Papilio* (s.str.) *machaon rinpoche* Wyatt,1959** (Papilionidae) *Papilio machaon* ssp. *rinpoche* Wyatt,1959, Z. Wien. ent. Ges. 44: 98, Taf.4. Holotype ♂: Nepal: Kloster Thyangboché, Solu Khumbu, etwa 15km südl. vom Mt. Everest, 3850m.
- 8901. *Papilio* (s.str.) *machaon rizvangu* Koçak & Kemal,2000** (Papilionidae) *Papilio* (s.str.) *machaon rizvangu* Koçak & Kemal,2000, Centr. ent. Stud., Misc. Pap. 71: 2 (nomen novum pro *chinensis* Eller,1936 nec Rothschild,1895). Syntypes: China: Szechuan, Traku, Venchuah.
- 8902. *Papilio* (s.str.) *machaon sculda* Peschke,1934** (Papilionidae) *Papilio machaon* ssp. *sculda* Peschke,1934, Int. ent. Z. 28 (34): 430-431. Syntypes 12♂ 8♀: [Pakistan]: "Provinz Gilgit, Baltistan, Berg Karga, 9000 Fuß"
- 8903. *Papilio* (s.str.) *machaon sphyrus* Hübner,[1823]** (Papilionidae) *Papilio sphyrus* Hübner,[1823], Samml. eur. Schmett. I: Abb. 775-776. Type(s): Europe.
- 8904. *Papilio* (s.str.) *machaon syriacus* Pfeiffer,1931** (Papilionidae) *Papilio machaon* ssp. *syriacus* Pfeiffer,1931, Mitt. münch. ent. Ges. 21: 81. Syntypes: [Türkei]: türkisch Nordsyrien: Aksu Ebene, Durnaly.
- 8905. *Papilio* (s.str.) *machaon vargaianus* Seyer,1974** (Papilionidae) *Papilio machaon* ssp. *vargaianus* Seyer,1974, Mitt. ent. Ges. Basel 24: 80-82, Abb. Holotypus ♂: Ungarn: Halap, 15km ostwärts Debrecen, 120m.
- 8906. *Papilio* (s.str.) *machaon verityi* Fruhstorfer,1907** (Papilionidae) *Papilio machaon verityi* Fruhstorfer,1907, Ent. Z., Stuttgart 22 (18): 301. Syntypes: China: Yunnan.
- 8907. *Papilio* (s.str.) *polyxenes* Fabricius,1775** (Papilionidae) *Papilio polyxenes* Fabricius,1775, Syst. Ent.: 444. Type(s): "America". "Type may be lost" (Miller & Brown,1981).
- 8908. *Papilio* (s.str.) *polyxenes asterius* Stoll,[1782]** (Papilionidae) *Papilio asterius* Stoll,[1782], [in] Cramer, Uitl. Kapellen 4: 194. Syntypes: New York, Carolina, Virginia.
- 8909. *Papilio* (s.str.) *polyxenes polyxenes* Fabricius,1775** (Papilionidae) *Papilio polyxenes* Fabricius,1775, Syst. Ent.: 444. Type(s): "America". "Type may be lost" (Miller & Brown,1981).
- 8910. *Papilio* (s.str.) *saharae Oberthür,1879*** (Papilionidae) *Papilio machaon* var. *saharae* Oberthür,1879, Etud. Ent. 4: 68. Type ♂: Laghouat.
- 8911. *Papilio* (s.str.) *saharae rathjensi* Warnecke,1932** (Papilionidae) *Papilio machaon* ssp. *rathjensi* Warnecke,1932, Int. ent. Z. 25: 473. Syntypes: Yemen: San'a.
- 8912. *Papilio* (s.str.) *saharae saharae* Oberthür,1879** (Papilionidae) *Papilio machaon* var. *saharae* Oberthür,1879, Etud. Ent. 4: 68. Type ♂: Laghouat.
- 8913. *Papilio brevicauda* Saunders,1869** (Papilionidae) *Papilio brevicauda* Saunders,1869, [in] Packard, Guide Ins.: 278 (nota). Holotype ♂: Newfoundland (CNC).
- 8914. *Papilio brevicauda brevicauda* Saunders,1869** (Papilionidae) *Papilio brevicauda* Saunders,1869, [in] Packard, Guide Ins.: 278 (nota). Holotype ♂: Newfoundland (CNC).
- 8915. *Papilio joanae* Heitzman,[1973]** (Papilionidae) *Papilio joanae* Heitzman,[1973], J. Res. Lepid. 12: 3-7. Holotype ♂: Missouri: Warsaw, Benton Co. (AMNH).
- 8916. *Papilio joanae joanae* Heitzman,[1973]** (Papilionidae) *Papilio joanae* Heitzman,[1973], J. Res. Lepid. 12: 3-7. Holotype ♂: Missouri: Warsaw, Benton Co. (AMNH).
- 8917. *Parides anchises koenigi* T.Racheli,1989** (Papilionidae) *Parides anchises* ssp. *koenigi* T.Racheli,1989, Fragm. ent., Roma 21 (2): 140-143, figs. Holotype ♂: Peru: Huanuco, Rio Huallaga, Tingo Maria, 600m, leg. Serrano.
- 8918. *Parides erlases keithi* T.Racheli,1991** (Papilionidae) *Parides erlases* ssp. *keithi* T.Racheli,1991, Fragm. Ent. 23 (1): 46-47, figs. Holotype ♂: Venezuela: Tachira, Palmira, La Flautera, 1200m 14.viii.1982, Borges leg. (coll. Racheli).
- 8919. *Parides panares tachira* T.Racheli,1991** (Papilionidae) *Parides panares* ssp. *tachira* T.Racheli,1991, Fragm. Ent. 23 (1): 47-51, figs. Holotype ♂: Venezuela: Tachira, San Cristobal, Chorro del Indio, 1150m 28.iv.1982, Baiocchi leg. (coll. Racheli).
- 8920. *Parides phosphorus vavi* T.Racheli,1992** (Papilionidae) *Parides phosphorus* ssp. *vavi* T.Racheli,1992, Fragm. ent., Roma 23 (2): 294-296, figs. Holotype ♂: Peru: San Martin, Tarapoto (MHN, Peru).
- 8921. *Parnassius (Driopa) Korshunov,1988*** (Papilionidae) *Driopa* Korshunov,1988, [in] Zolotareno, Taksonomija zhiwotnych Sibiri. Nowje i maloizvestnyje widy fauny Sibiri, 20: 65. Type-species: *Papilio mnemosyne* Linnaeus,1758, by original designation.
- 8922. *Parnassius (Driopa) ariadne* Lederer,1853** (Papilionidae) *Parnassius ariadne* Lederer,1853, Verh. zool.- bot Ver. Wien 3: 354. Syntypes: [Kazachstan]: Südwestl. Altai [Buchtarma river].
- 8923. *Parnassius (Driopa) ariadne ariadne* Lederer,1853** (Papilionidae) *Parnassius ariadne* Lederer,1853, Verh. zool.- bot Ver. Wien 3: 354. Syntypes: [Kazachstan]: Südwestl. Altai [Buchtarma river].
- 8924. *Parnassius (Driopa) ariadne clarus* Bryk & Eisner,1932** (Papilionidae) *Parnassius clarus* ssp. *clarus* Bryk & Eisner,1932, Parnassiana 2: 91-92. Holotype ♂: Russland: [Kazachstan]: Saur Gebirge, Tarbagatai.
- 8925. *Parnassius (Driopa) eversmanni* [Ménétriés],1850** (Papilionidae) *Parnassius eversmanni* [Ménétriés],1850 [in] Siemaschko, Russkaya fauna, fasc.17, Lep. Tab. 4, fig.5. Type(s): Russia: [Siberia]: Kansk.
- 8926. *Parnassius (Driopa) eversmanni eversmanni* [Ménétriés],1850** (Papilionidae) *Parnassius eversmanni* [Ménétriés],1850 [in] Siemaschko, Russkaya fauna, fasc.17, Lep. Tab. 4, fig.5. Type(s): Russia: [Siberia]: Kansk.
- 8927. *Parnassius (Driopa) eversmanni felderi* Bremer,1861** (Papilionidae) *Parnassius felderi* Bremer,1861, Bull. Acad. imp. Sci. St. Petersb. 3: 464. Syntypes: Russia: Amur Region: "Raddeevka".
- 8928. *Parnassius (Driopa) eversmanni lacinia* Hemming,1934** (Papilionidae) *Parnassius eversmanni lacinia* Hemming,1934, Stylops 3: 198 (nomen novum pro *Parnassius eversmanni altaicus* Verity,1911 Rhopalocera Palaearct.: 319 nec *Parnassius phoebus* var. *intermedius* f. *altaicus* Ménétriés,1859). Syntypes: [Russia]: SE.Altai: Tchuja Mts.
- 8929. *Parnassius (Driopa) eversmanni meridionalis* Eisner,1978** (Papilionidae) *Parnassius eversmanni* ssp. *meridionalis* Eisner,1978, Zool. Meded. 53 (11): 109, Taf.2 figs.9,10. Holotype ♂: Canada: British Columbia.

- 8930. Parnassius (Driopa) hoenei (Schweitzer,1912)** (Papilionidae) Parnassius stubbendorffii var. hoenei Schweitzer,1912, Ent. Z., Stuttgart 25: 249-250.
- 8931. Parnassius (Driopa) hoenei hoenei (Schweitzer,1912)** (Papilionidae) Parnassius stubbendorffii var. hoenei Schweitzer,1912, Ent. Z., Stuttgart 25: 249-250.
- 8932. Parnassius (Driopa) mnemosyne (Linnaeus,1758)** (Papilionidae) Papilio mnemosyne Linnaeus,1758, Syst. Nat. (Edn.10) 1: 465. Type(s): Finlandia.
- 8933. Parnassius (Driopa) mnemosyne adolphi Bryk,1911** (Papilionidae) Parnassius mnemosyne var. adolphi Bryk,1911, Societas ent. 26: 60. Holotype ♂: [Iran]: Luristan: Sultanabad (in coll. RNHL).
- 8934. Parnassius (Driopa) mnemosyne ariovistus Fruhstorfer,1911** (Papilionidae) Parnassius mnemosyne ssp. ariovistus Fruhstorfer,1911, Societas ent. 25: 96. Syntypes: Süddeutschland: Urach, Lautertal bei Ulm, Neu-Ulm.
- 8935. Parnassius (Driopa) mnemosyne athene Stichel,1906** (Papilionidae) Parnassius mnemosyne ssp. athene Stichel,1906, Berl. ent. Z. 51 (1): 88-89. Type ♂: Griechenland: Chelmos.
- 8936. Parnassius (Driopa) mnemosyne bucharanus Bryk,1912** (Papilionidae) Parnassius mnemosyne var. bucharanus Bryk,1912, Societas ent. 27: 101. Holotype ♂: [Usbekistan]: Buchara, Hissar-Gebirge (in coll. RNHL).
- 8937. Parnassius (Driopa) mnemosyne bulgarica Eisner,1936** (Papilionidae) Parnassius mnemosyne ssp. bulgarica Eisner,1936, Parnassiana 4: 9. Holotype ♂: Bulgaria: Nordost-Bulgarien: Pisanec am Lom (in coll. RNHL).
- 8938. Parnassius (Driopa) mnemosyne bureschi Bryk,1921** (Papilionidae) Parnassius mnemosyne bureschi Bryk,1921, Ent. Tidskr. 42: 114. Holotype ♂: [Macedonia]: Hudowa (in coll. RNHL).
- 8939. Parnassius (Driopa) mnemosyne caucasia Verity,[1911]** (Papilionidae) Parnassius mnemosyne race caucasia Verity,[1911], Rhopalocera Palaearct.: 320, Tab.lxxii fig. 33. Syntypes: Caucase, Kouban. Lectotype ♂: [Georgia]: Kouban (designated by Nekrutenko,1990) (in MZSF).
- 8940. Parnassius (Driopa) mnemosyne craspedontis Fruhstorfer,1909** (Papilionidae) Parnassius mnemosyne var. craspedontis Fruhstorfer,1909, Ent. Z., Stutt. 22: 192. Syntypes: Südrussland: Saratow.
- 8941. Parnassius (Driopa) mnemosyne cupido Bryk & Eisner,1934** (Papilionidae) Parnassius mnemosyne cupido Bryk & Eisner,1934, Parnassiana 3:3: 8. Holotype ♂: Yugoslavia: Belastica-Planina (in coll. RNHL).
- 8942. Parnassius (Driopa) mnemosyne daghestanus Bryk & Eisner,1934** (Papilionidae) Parnassius mnemosyne daghestanus Bryk & Eisner,1934, Parnassiana 3: 39. Holotype ♀: Russia: Daghestan Bogos-Kette, Tindi (in coll. RNHL).
- 8943. Parnassius (Driopa) mnemosyne danilovi Bryk & Eisner,1934** (Papilionidae) Parnassius mnemosyne danilovi Bryk & Eisner,1934, Parnassiana 3: 12. Holotype ♂: [Usbekistan]: Fergana: Andijan (in coll. RNHL).
- 8944. Parnassius (Driopa) mnemosyne delgrandprincipe Bryk,1912** (Papilionidae) Parnassius mnemosyne var. delgrandprincipe Bryk,1912, Societas ent. 27(20): 88, figs. 15-17. Syntypes: [Georgia]: Ardshara: Borzhomi.
- 8945. Parnassius (Driopa) mnemosyne dinianus (Fruhstorfer,1908)** (Papilionidae) Parnassius mnemosyne ssp. dinianus Fruhstorfer,1908, Int. ent. Z. 2: 17. Syntypes: Südfrankreich: Digne.
- 8946. Parnassius (Driopa) mnemosyne drenowskyi Bryk & Eisner,1934** (Papilionidae) Parnassius mnemosyne drenowskyi Bryk & Eisner,1934, Parnassiana 3: 9. Holotype ♂: Bulgaria: Varna, Klein-Galata (in coll. RNHL).
- 8947. Parnassius (Driopa) mnemosyne elbursia Eisner,1937** (Papilionidae) Parnassius mnemosyne ssp. elbursia Eisner,1937, Parn. 5: 16. Holotype ♂: Iran: Tacht-i-Soleiman.
- 8948. Parnassius (Driopa) mnemosyne falsus Bryk,1912** (Papilionidae) Parnassius mnemosyne falsus Bryk,1912, Societas ent. 27: 53. Holotype ♂: [Usbekistan]: Fergana; [Kazachstan]: [Dshambul] "Aulie-Ata" (in coll. RNHL).
- 8949. Parnassius (Driopa) mnemosyne gallicus Bryk & Eisner,1930** (Papilionidae) Parnassius mnemosyne ssp. gallicus Bryk & Eisner,1930, Societas Ent. 45: 4. Holotype ♂: Frankreich: Savoie: Bonnéval-sur-Arc.
- 8950. Parnassius (Driopa) mnemosyne gigantea Staudinger,1886** (Papilionidae) Parnassius mnemosyne var. gigantea Staudinger,1886, Stettin ent. Ztg. 47: 197-198. Syntypes: [Usbekistan]: Margelan, Usgent, Namangan, Samarkand; [Kirgizistan]: Osch.
- 8951. Parnassius (Driopa) mnemosyne kromeri Schröder,1975** (Papilionidae) Parnassius mnemosyne ssp. kromeri Schröder,1975, Ent. Z., Frankf. a. M. 85: 53-56, Abb. Holotype ♂: Afghanistan: Ost-Andarab, Parandev-Paß, südöstl. Banu, 3700m.
- 8952. Parnassius (Driopa) mnemosyne leonhardiana Fruhstorfer,1917** (Papilionidae) Parnassius mnemosyne leonhardiana Fruhstorfer,1917, Arch. Naturgesch. 82(2): 25. Holotype ♂: [Bosnia-Herzegowina]: Maklen-Pass (in coll. RNHL).
- 8953. Parnassius (Driopa) mnemosyne libanoticus Bryk,1914** (Papilionidae) Parnassius mnemosyne ssp. libanoticus Bryk,1914, Societas ent. 29: 68. Holotype ♂: Libanon (in coll. RNHL).
- 8954. Parnassius (Driopa) mnemosyne mneme Bryk & Eisner,1932** (Papilionidae) Parnassius mnemosyne mneme Bryk & Eisner,1932, Parnassiana 2: 76. Holotype ♂: Turkestan: Karagaitau-Narynsk (in coll. RNHL).
- 8955. Parnassius (Driopa) mnemosyne mnemosyne (Linnaeus,1758)** (Papilionidae) Papilio mnemosyne Linnaeus,1758, Syst. Nat. (Edn.10) 1: 465. Type(s): Finlandia.
- 8956. Parnassius (Driopa) mnemosyne nubiliosus Christoph,1873** (Papilionidae) Parnassius mnemosyne var. nubiliosus Christoph,1873, Horae Soc. ent. ross. 10: 19. Syntypes: [Iran]: Nord-Persien: Hadschyabad, Tasch.
- 8957. Parnassius (Driopa) mnemosyne orientalis Rothschild,1918** (Papilionidae) Parnassius mnemosyne ssp. orientalis Rothschild,1918, Novit. zool. 25: 224. Syntypes: [Kirgizistan]: Alexander Mts. [Kirgisski Chrebet].
- 8958. Parnassius (Driopa) mnemosyne problematicus Bryk,1912** (Papilionidae) Parnassius mnemosyne problematicus Bryk,1912, Societas ent. 27: 89. Holotype ♂: Kuldschur.
- 8959. Parnassius (Driopa) mnemosyne pytanina Bryk,1923** (Papilionidae) Parnassius mnemosyne pytanina Bryk,1923, Lepid. Cat. 24(27): 188. Holotype ♀: Alai (in coll. RNHL).
- 8960. Parnassius (Driopa) mnemosyne rjabovi Sheljuzhko,1935** (Papilionidae) Parnassius mnemosyne rjabovi Sheljuzhko,1935, Z. öst EntVer. 20: 22. Holotype ♂: Armenia: Eriwan: Daratshitshag.
- 8961. Parnassius (Driopa) mnemosyne sarafschanus Bryk & Eisner,1932** (Papilionidae) Parnassius mnemosyne sarafschanus Bryk & Eisner,1932, Parnassiana 2: 2: 74. Holotype ♂: [Tadjikistan]: Sarafschan, Dukdan (in coll. RNHL).
- 8962. Parnassius (Driopa) mnemosyne sheljuzhkoii Bryk,1914** (Papilionidae) Parnassius mnemosyne ssp. sheljuzhkoii Bryk,1912, Societas ent. 27: 64-66, fig. Syntypes 1♂ 1♀: [Türkei]: Kilikischer Taurus (in ZMKU).
- 8963. Parnassius (Driopa) mnemosyne tadschikistanus Bryk,1932** (Papilionidae) Parnassius mnemosyne ssp. tadschikistanus Bryk,1932, Parnassiana 2: 46, 74, 75.
- 8964. Parnassius (Driopa) mnemosyne taleschensis Ebert,1975** (Papilionidae) Parnassius mnemosyne ssp. taleschensis Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 6-7, 2 figs. Holotype ♂: Iran: NW-Iran, Talesch-Wald (Talysh), Staatsforst von Asalem bei Haschtpar ca.30km westl. der Küste, ca.1400m.
- 8965. Parnassius (Driopa) mnemosyne teberdaensis Eisner,1954** (Papilionidae) Parnassius mnemosyne ssp. teberdaensis Eisner,1954, Zool. Meded. 33: 46. Holotype ♂: Russia: Teberda.
- 8966. Parnassius (Driopa) mnemosyne tjumensis Kreuzberg,1989** (Papilionidae) Parnassius mnemosyne ssp. tjumensis Kreuzberg,1989, Vestn. zool. 1989 (6): 36, fig.5. Holotype ♂: Russia: West Sibirien: Tjumen Gebiet, Ingair station, 50km NE von Tobolsk.
- 8967. Parnassius (Driopa) mnemosyne ugrjumovi Bryk,1914** (Papilionidae) Parnassius mnemosyne var. ugrjumovi Bryk,1914, Berl. ent. Z. 58: 201. Holotype ♂: Russia: Wiatka, Jelabuga (in coll. RNHL).
- 8968. Parnassius (Driopa) mnemosyne uralka Bryk,1921** (Papilionidae) Parnassius mnemosyne var. uralka Bryk,1921, Ent. Tidskr. 42: 115. Holotype ♂: Russia: Ural, Uralka (in coll. RNHL).
- 8969. Parnassius (Driopa) mnemosyne valentinae Sheljuzhko,1943** (Papilionidae) Parnassius mnemosyne valentinae Sheljuzhko,1943, Z. Wien. ent. Ges. 28: 81. Syntypes: [Uzbekistan]: Karzhantau-Gebirge.
- 8970. Parnassius (Driopa) mnemosyne vernetanus (Fruhstorfer,1908)** (Papilionidae) Parnassius mnemosyne vernetanus Fruhstorfer,1908, Int. ent. Z. 2: 17 (nomen novum pro pyrenaica Turati,1907 nec Harcourt,1896).
- 8971. Parnassius (Driopa) mnemosyne viidaleppi Kesküla & Luig,1997** (Papilionidae) Parnassius mnemosyne ssp. viidaleppi

Kesküla & Luig, 1997, Atalanta 28(1/2): 18-20, Pl. Holotype ♂: Estonia: Põlvamaa, Suur-Taevaskoda (in Museum of Zoology, Tartu University).

8972. Parnassius (Driopa) nordmanni [Ménétries], [1850] (Papilionidae) Parnassius nordmanni [Ménétries], [1850], [in] Siemaschko, J., Russkaja Fauna..., Insekten (6) 17: Taf. 4 fig. 4. Lectotype ♂: Georgia: Adshara Mts. (now Mescheti Mts.), designated by Nekrutenko, [in] Nekrutenko & Kerzhner, 1986: 776-777 (ZIP).

8973. Parnassius (Driopa) nordmanni nordmanni [Ménétries], [1850] (Papilionidae) Parnassius nordmanni [Ménétries], [1850], [in] Siemaschko, J., Russkaja Fauna..., Insekten (6) 17: Taf. 4 fig. 4. Lectotype ♂: Georgia: Adshara Mts. (now Mescheti Mts.), designated by Nekrutenko, [in] Nekrutenko & Kerzhner, 1986: 776-777 (ZIP).

8974. Parnassius (Driopa) nordmanni thomai De Freina, 1980 (Papilionidae) Parnassius nordmanni ssp. thomai De Freina, 1980, NachrBl. bayer. Ent. 29 (3): 50-62, Abb. 1-3. Holotype ♂: Türkei: Rize Provinz: Kaçkar Massiv, 3100-3300m (in coll. De Freina).

8975. Parnassius (Driopa) orleans Oberthür, 1891 (Papilionidae) Parnassius orleans Oberthür, 1891, Etüd. Ent. 14: 8-9, pl. 1 fig. 2. Type ♀: Chiné: Litang, Ta-Tsien-Lou.

8976. Parnassius (Driopa) orleans augur Bryk & Eisner, 1932 (Papilionidae) Parnassius orleans ssp. augur Bryk & Eisner, 1932, Parnassiana 2: 34, Holotype ♂: China: Kansu: südl. Lanchowfu, Khodung-po.

8977. Parnassius (Driopa) orleans ephebus Bryk, 1938 (Papilionidae) Parnassius orleans ssp. ephebus Bryk, 1938, Parnassiana 6: 5. Holotype ♂: China: Yunnan: A-tun-tse.

8978. Parnassius (Driopa) orleans harusphex Bryk, 1943 (Papilionidae) Parnassius orleans ssp. harusphex Bryk, 1943, Mitt. münch. ent. Ges. 33: 28. Holotype ♂: China: Batang: Alpine Zone.

8979. Parnassius (Driopa) orleans janseni O. Bang-Haas, 1938 (Papilionidae) Parnassius orleans ssp. janseni O. Bang-Haas, 1938, Parnassiana 5: 57. Syntypes ♂♂: China: Min-shan, Pullov Mts.

8980. Parnassius (Driopa) orleans johanna Bryk, 1932 (Papilionidae) Parnassius orleans ssp. johanna Bryk, 1932, Parnassiana 2: 67, Holotype ♂: China: Schensi: Taipa-shan.

8981. Parnassius (Driopa) orleans lictor Bryk & Eisner, 1937 (Papilionidae) Parnassius orleans ssp. lictor Bryk & Eisner, 1937, Parnassiana 4: 58. Holotype ♂: China: Qinghai: Burkhan-Buddha Kette, Nomohun Pass.

8982. Parnassius (Driopa) orleans niki Bryk & Eisner, 1932 (Papilionidae) Parnassius orleans ssp. niki Bryk & Eisner, 1932, Parnassiana 2: 100 Holotype ♂: China: Süd-Ost Szechwan: Omisien.

8983. Parnassius (Driopa) orleans orleans Oberthür, 1891 (Papilionidae) Parnassius orleans Oberthür, 1891, Etüd. Ent. 14: 8-9, pl. 1 fig. 2. Type ♀: Chiné: Litang, Ta-Tsien-Lou.

8984. Parnassius (Driopa) stubbendorffii Ménéties, 1849 (Papilionidae) Parnassius stubbendorffii Ménéties, 1849, Mem. Acad. Imp. Sci. St.-Petersbourg, ser. 6, sci. nat., 6 (4): 273, pl. 6 fig. 2. Lectotype: Russia: [Siberia]: "Kansk" (designated by Nekrutenko & Kerzhner, 1986, Ent. Obozr. 1986 (4): 775).

8985. Parnassius (Driopa) stubbendorffii baeckeri Kotsch, 1929 (Papilionidae) Parnassius (Driopa) stubbendorffii ssp. baeckeri Kotsch, 1929, Ent. Z., Frankf. a. M. 43 (12): 205, fig. 1. Syntypes ♂♂: [China]: Kansu [Qinghai]: Lassa, 45km nordwestlich Sining und Nyamen, July 27000m.

8986. Parnassius (Driopa) stubbendorffii kaoligena Bryk, 1946 (Papilionidae) Parnassius stubbendorffii ssp. kaoligena Bryk, 1946, Ark. Zool. 38A (3): 12-13, taf. II figs. 5, 6. Holotype ♂: Korea.

8987. Parnassius (Driopa) stubbendorffii kjoensoengensis Bryk, 1932 (Papilionidae) Parnassius stubbendorffii ssp. kjoensoengensis Bryk, 1932, Parnassiana 2: 47. Holotype ♂: Korea: Umgebung Sei-Shin, Kjongsong.

8988. Parnassius (Driopa) stubbendorffii kosterini Kreuzberg & Pljush, 1992 (Papilionidae) Parnassius stubbendorffii ssp. kosterini Kreuzberg & Pljush, 1992, Vestn. Zool. 199: 79-80, figs. Holotype ♂: Russia: Madagan distr.

8989. Parnassius (Driopa) stubbendorffii stubbendorffii Ménéties, 1849 (Papilionidae) Parnassius stubbendorffii Ménéties, 1849, Mem. Acad. Imp. Sci. St.-Petersbourg, ser. 6, sci. nat., 6 (4): 273, pl. 6 fig. 2. Lectotype: Russia: [Siberia]: "Kansk" (designated by Nekrutenko & Kerzhner, 1986, Ent. Obozr. 1986 (4): 775).

8990. Parnassius (Driopa) stubbendorffii typicus Bryk, 1914 (Papilionidae) Parnassius stubbendorffii ssp. typica Bryk, 1914, Int. ent. Z. 8: 12. Holotype ♀: Russia: Altai: Ongodai.

8991. Parnassius (Kailasius) autocrator Avinoff, 1913 (Papilionidae) Parnassius charltonius ssp. autocrator Avinoff, 1913, Horae Soc. ent. ross. 40 (5): 16-17, Pl. II fig. 5. Type ♀: [Tadjikistan]: Darwas, Gushnon Pass.

8992. Parnassius (Kailasius) autocrator autocrator Avinoff, 1913 (Papilionidae) Parnassius charltonius ssp. autocrator Avinoff, 1913, Horae Soc. ent. ross. 40 (5): 16-17, Pl. II fig. 5. Type ♀: [Tadjikistan]: Darwas, Gushnon Pass.

8993. Parnassius (Kailasius) charltonius Gray, [1853] (Papilionidae) Parnassius charltonius Gray, [1853], Cat. Lepid. Ins. Br. Mus.: 77, pl. 12 fig. 7. Syntypes: [India]: Kumaon (after Riley).

8994. Parnassius (Kailasius) charltonius amabilis Bryk & Eisner, 1932 (Papilionidae) Parnassius charltonius ssp. amabilis Bryk & Eisner, 1932, Parnassiana 2: 8. Holotype ♀: India: Kangra: Rohtang Pass.

8995. Parnassius (Kailasius) charltonius bryki Haude, 1912 (Papilionidae) Parnassius charltonius var. bryki Haude, 1912, Societas Ent. 27: 78, fig. Syntypes: [India]: Nilang Pass, 16000ft.

8996. Parnassius (Kailasius) charltonius charltonius Gray, [1853] (Papilionidae) Parnassius charltonius Gray, [1853], Cat. Lepid. Ins. Br. Mus.: 77, pl. 12 fig. 7. Syntypes: [India]: Kumaon (after Riley).

8997. Parnassius (Kailasius) charltonius corporaali Bryk, 1935 (Papilionidae) Parnassius charltonius ssp. corporaali Bryk, 1935, Wis. Erg. Niedel. Exped. Karakorum 1: 338. Holotype ♀: Ladak: Karakorum, Saser Pass.

8998. Parnassius (Kailasius) charltonius deckerti Verity, [1907] (Papilionidae) Parnassius charltonius forme deckerti Verity, [1907], Rhpalocera Palaearctica: 19, fig. 14. Kashmir, 4200-4800m., Lamayuru, westl. Leh.

8999. Parnassius (Kailasius) charltonius ducalis Boulet & Le Cerf, 1912 (Papilionidae) Parnassius charltonius ducalis Boulet & Le Cerf, 1912, Bull. Soc. ent. Fr. 1912: 143. Syntypes: [Pakistan]: Chitral.

9000. Parnassius (Kailasius) charltonius eisnerianus Bryk, 1931 (Papilionidae) Parnassius charltonius ssp. eisnerianus Bryk, 1931, Parnassiana 1 (5): 1. Holotype ♂: Ladak: Rupshu.

9001. Parnassius (Kailasius) charltonius ella Bryk, 1932 (Papilionidae) Parnassius charltonius ssp. ella Bryk, 1932, Parnassiana 2: 49. Holotype ♂: Baltistan: Bura-Deosai.

9002. Parnassius (Kailasius) charltonius flaugeri Eisner, 1978 (Papilionidae) Parnassius charltonius ssp. flaugeri Eisner, 1978, Zool. Meded. 53 (11): 107-108, Taf. 1 figs. 1, 2. Holotype ♂: [Pakistan]: Kohistan: Babusar Pass, 4000m.

9003. Parnassius (Kailasius) charltonius kabiri Eisner & Naumann, 1980 (Papilionidae) Parnassius charltonius ssp. kabiri Eisner & Naumann, 1980, Zool. Verh. 178: 26-27, Taf. 8, Abb. 23. Holotype ♂: Afghanistan: Badakhshan, 5km N. Kol-e-Shewa, Darrah-e-Merim-bisti, 3500m.

9004. Parnassius (Kailasius) charltonius mistericus Kaabak, Sotshivko & Titov, 1996 (Papilionidae) Parnassius charltonius ssp. mistericus Kaabak, Sotshivko & Titov, 1996, Atalanta 27 (1/2): 195-197, figs. Holotype ♂: Tadjikistan: South-East Pamir, Western spurs of Sarykolsky Mts. Dunkeldyk lake 4300m. (in coll. Sotshivko).

9005. Parnassius (Kailasius) charltonius naimus Eisner & Naumann, 1980 (Papilionidae) Parnassius charltonius ssp. naimus Eisner & Naumann, 1980, Zool. Verh. 178: 26, Taf. 8, Abb. 24. Holotype ♂: Afghanistan: Badakhshan, vic. Jurm.

9006. Parnassius (Kailasius) charltonius nuristanus Eisner & Naumann, 1980 (Papilionidae) Parnassius charltonius ssp. nuristanus Eisner & Naumann, 1980, Zool. Verh. 178: 24-25, Taf. 8, Abb. 21; Taf. 9 Abb. 22. Holotype ♂: Afghanistan: Nuristan: Kunar: ob. Lindai-Sin-Tal, vic. Barg-e-Matal, 4000m.

9007. Parnassius (Kailasius) charltonius otto Bryk & Eisner, 1932 (Papilionidae) Parnassius charltonius ssp. otto Bryk & Eisner, 1932, Parnassiana 2: 66. Holotype ♂: Gya-Ladak: Tagalang Pass.

9008. Parnassius (Kailasius) charltonius robertjan (Eisner, 1959) (Papilionidae) Kailasius charltonius ssp. robertjan Eisner, 1959, Zool. Meded. 36: 256. Holotype ♂: [Pakistan]: Chitral, Baroghil Pass.

9009. Parnassius (Kailasius) charltonius romanovi Groum-Grshimailo, 1888 (Papilionidae) Parnassius romanovi Groum-Grshimailo, 1888, Horae Soc. ent. ross. 22: 303. Syntypes ♂♂: Transalai.

9010. Parnassius (Kailasius) charltonius sakai Eisner, 1978 (Papilionidae) Parnassius charltonius ssp. sakai Eisner, 1978, Zool. Meded. 53 (11): 108, Taf. 1 figs. 3, 4. Holotype ♂: Kashmir: Kolahoi Mt., 3800m.

- 9011. Parnassius (Kailasius) charltonius serenissimus Bryk, 1932** (Papilionidae) *Parnassius charltonius* ssp. *serenissimus* Bryk, 1932, *Parnassiana* 2: 49. Holotype ♂: India: Cashmir: Pir Panjal.
- 9012. Parnassius (Kailasius) charltonius vaporosus Avinoff, 1913** (Papilionidae) *Parnassius charltonius* ssp. *vaporosus* Avinoff, 1913, *Horae Soc. ent. ross.* 40 (5): 15-16, Pl. ii fig. 4. Type ♀: [Tadjikistan]: "montibus Darvazi orientalis".
- 9013. Parnassius (Kailasius) charltonius voighti O. Bang-Haas, 1927** (Papilionidae) *Parnassius charltonius* ssp. *voighti* O. Bang-Haas, 1927, *Horae Macrolepid.* 1: 38, Pl. 3 fig. 13. Syntypes 7♂: Afghanistan: Paghman Mt. 30km N. Kabul, am an Suchas Pass, 3500m.
- 9014. Parnassius (Kailasius) charltonius wernickei Kotsch, 1936** (Papilionidae) *Parnassius charltonius* ssp. *wernickei* Kotsch, 1936, *Parnassiana* 4: 6. Holotype ♂: Afghanistan: Ost-Hindukusch, Nuksan Pass, 3500-4000m.
- 9015. Parnassius (Kailasius) imperator Oberthür, 1883** (Papilionidae) *Parnassius imperator* Oberthür, 1883, *Bull. Soc. ent. Fr.* 1883: 77. Type(s): China.
- 9016. Parnassius (Kailasius) imperator aino Bryk, 1932** (Papilionidae) *Parnassius imperator* ssp. *aino* Bryk, 1932, *Parnassiana* 2: 5. Holotype ♂: China: [Yunnan]: Mekong valley, Kagurpu.
- 9017. Parnassius (Kailasius) imperator augustus Fruhstorfer, 1903** (Papilionidae) *Parnassius imperator* ssp. *augustus* Fruhstorfer, 1903, *Societas Ent.* 18: 113, 124-125. Syntypes: Tibet: Khambajong, 40 miles north of Sikkim border, 15000ft.
- 9018. Parnassius (Kailasius) imperator cedermarki Bryk, 1943** (Papilionidae) *Parnassius imperator* ssp. *cedermarki* Bryk, 1943, *Mitt. münch. ent. Ges.* 33: 32. Holotype ♂: China: Szechuan: Batang, Alpine Zone.
- 9019. Parnassius (Kailasius) imperator evansi Bryk, 1932** (Papilionidae) *Parnassius imperator* ssp. *evansi* Bryk, 1932, *Parnassiana* 2: 5. Holotype ♀: [China]: Tibet mer. or.: Tsona.
- 9020. Parnassius (Kailasius) imperator gigas Kotsch, 1932** (Papilionidae) *Parnassius imperator* ssp. *gigas* Kotsch, 1932, *Ent. Z., Frankf. a. M.* 45: 267. Holotype ♂: China: Sikingshan: Sincheng.
- 9021. Parnassius (Kailasius) imperator imperator Oberthür, 1883** (Papilionidae) *Parnassius imperator* Oberthür, 1883, *Bull. Soc. ent. Fr.* 1883: 77. Type(s): China.
- 9022. Parnassius (Kailasius) imperator imperatrix Alpheraky, 1897** (Papilionidae) *Parnassius imperator* var. *imperatrix* Alpheraky, 1897, [in] Romanoff, *Mém. Lépid.* 9: 230. Holotype ♂: China: Humboldt Kette, Oulan-Bulak.
- 9023. Parnassius (Kailasius) imperator imposantus Schulte, 1991** (Papilionidae) *Parnassius imperator* ssp. *imposantus* Schulte, 1991, *Nachr. ent. Ver. Apollo (N.F.)* 12(3): 183, Abb. Holotype ♂: China: Gansu: nordwestl. Qilian-Shan (Richthofen-Geb.) 50km südwestl. Jiayuguan, Zoulang Nanshan, 3700m. leg. Helia (in coll. Schulte).
- 9024. Parnassius (Kailasius) imperator jiyetiani Pierrat, 1990** (Papilionidae) *Parnassius imperator* ssp. *jiyetiani* Pierrat, 1990, *Bull. Soc. Sci. Nat., Venette* 67: 5-6.
- 9025. Parnassius (Kailasius) imperator musageta Groum-Grshimailo, 1891** (Papilionidae) *Parnassius imperator* var. *musageta* Groum-Grshimailo, 1891, *Horae Soc. ent. ross.* 25: 446-447. Type(s): [China: Qinghai]: Amdo: Chuan-che.
- 9026. Parnassius (Kailasius) imperator musetta Bryk & Eisner, 1932** (Papilionidae) *Parnassius imperator* ssp. *musetta* Bryk & Eisner, 1932, *Parnassiana* 2: 7. Holotype ♀: China: Kansu: Lanchowfu.
- 9027. Parnassius (Kailasius) imperator regina Bryk & Eisner, 1932** (Papilionidae) *Parnassius imperator* ssp. *regina* Bryk & Eisner, 1932, *Parnassiana* 2: 7. Holotype ♂: China: Kansu: Minshan, Tauho.
- 9028. Parnassius (Kailasius) imperator regulus Bryk & Eisner, 1932** (Papilionidae) *Parnassius imperator* ssp. *regulus* Bryk & Eisner, 1932, *Parnassiana* 2: 6. Holotype ♂: China: Kansu: west. v. Liangtschou, Shekou.
- 9029. Parnassius (Kailasius) imperator rex O. Bang-Haas, 1928** (Papilionidae) *Parnassius imperator* ssp. *rex* O. Bang-Haas, 1928, *Ent. Z., Frankf. a. M.* 42: 60. Holotype ♂: China: Qinghai: Tatungsche Berge.
- 9030. Parnassius (Kailasius) imperator sultan Bryk & Eisner, 1932** (Papilionidae) *Parnassius imperator* ssp. *sultan* Bryk & Eisner, 1932, *Parnassiana* 2: 34. Holotype ♂: China: Kansu: Khodung-po.
- 9031. Parnassius (Kailasius) imperator uxorius (Eisner, 1966)** (Papilionidae) *Tadumia (Eukoramus) imperator* ssp. *uxoria* Eisner, 1966, *Zool. Verh.* 81: 57 (nomen novum pro *Parnassius imperator tyrannus* Bang-Haas, 1935). Syntypes: China: Kansu: Lussa (Lassar?) 50km S. von Sining.
- 9032. Parnassius (Kailasius) imperator venustus Stichel, 1906** (Papilionidae) *Parnassius imperator* ssp. *venustus* Stichel, 1906, *Berl. ent. Z.* 51 (1): 91. Type ♂: Turkestan: Samarkand (patria?).
- 9033. Parnassius (Kailasius) inopinatus (Kotsch, 1940)** (Papilionidae) *Kailasius inopinatus* Kotsch, 1940, *Ent. Z., Frankf. a. M.* 54: 17. Holotype ♂: Nordwest Afghanistan: Firuskuhi Kette.
- 9034. Parnassius (Kailasius) inopinatus inopinatus (Kotsch, 1940)** (Papilionidae) *Kailasius inopinatus* Kotsch, 1940, *Ent. Z., Frankf. a. M.* 54: 17. Holotype ♂: Nordwest Afghanistan: Firuskuhi Kette.
- 9035. Parnassius (Kailasius) inopinatus muetingi Wyatt, 1975** (Papilionidae) *Parnassius inopinatus* ssp. *muetingi* Wyatt, 1975, *Entomops* 36: 105-107, figs. Holotype ♂: Afghanistan: Paktia: Surkhei Pass, 3200m.
- 9036. Parnassius (Kailasius) loxias Püngeler, 1901** (Papilionidae) *Parnassius loxias* Püngeler, 1901, *Dt. ent. Z., Iris* 14: 178, Pl. 1 figs. 5, 6. Syntypes: [China: Uighur A.R.]: Gebirge nördl. Aksu.
- 9037. Parnassius (Kailasius) loxias loxias Püngeler, 1901** (Papilionidae) *Parnassius loxias* Püngeler, 1901, *Dt. ent. Z., Iris* 14: 178, Pl. 1 figs. 5, 6. Syntypes: [China: Uighur A.R.]: Gebirge nördl. Aksu.
- 9038. Parnassius (Kailasius) loxias raskemensis Avinoff, 1916** (Papilionidae) *Parnassius loxias* ssp. *raskemensis* Avinoff, 1916, *Trans. ent. Soc. Lond.* 1915: 359-360, Pl. lii, fig. 10. Type ♀: [China: Uighur A.R.]: "Kiliang Pass", [5040m, north. Schahidulla, westl. Raskem Mountains].
- 9039. Parnassius (Kailasius) loxias tashkorensis Kreuzberg, 1983** (Papilionidae) *Parnassius* (s.lat.) *loxias tashkorensis* Kreuzberg, 1983, *Acta Mus. reg. Sci. Nat.* 18: 159-160, figs. Holotype ♂: [Kirgizistan]: Zentrales Tian-Shan [Tengri Tagh], Kaindy-Katta, Massiv Utsh-Tshat.
- 9040. Parnassius (Koramus) accestis ? liudongi Huang, 1999** (Papilionidae) *Parnassius liudongi* Huang, 1999, *Lambillionea* 99: 335-337. Type: Xinjiang Prov.: Tianshan (?) (cf. Rose, 2005, *Neue ent. Ver. Apollo* 26 (1/2): 40).
- 9041. Parnassius (Koramus) accestis Groum-Grshimailo, 1891** (Papilionidae) *Parnassius delphius* var. *accestis* Groum-Grshimailo, 1891, *Horae Soc. ent. ross.* 25: 445. Syntypes: [China: Qinghai]: Amdo, Sining-Gebirge.
- 9042. Parnassius (Koramus) accestis accestis Groum-Grshimailo, 1891** (Papilionidae) *Parnassius delphius* var. *accestis* Groum-Grshimailo, 1891, *Horae Soc. ent. ross.* 25: 445. Syntypes: [China: Qinghai]: Amdo, Sining-Gebirge.
- 9043. Parnassius (Koramus) accestis christianae Rose, 1997** (Papilionidae) *Parnassius accestis* ssp. *christianae* Rose, 1997, *Nachr. ent. Ver. Apollo (N.F.)* 17(4): 402-403, figs. Holotype ♂: China: Osttibet: Lacki-La, 4800m, nordöstl. Qamdo und südwestl. Jomda (=Gyamda) leg. Westphal (in coll. Rose).
- 9044. Parnassius (Koramus) accestis cinerosus Stichel, 1907** (Papilionidae) *Parnassius accestis cinerosus* Stichel, 1907, [in] Seitz, *Die Gross-Schmett. Erde* 1: 33-34. Syntypes: China: Amdo (Sining), Tongho.
- 9045. Parnassius (Koramus) accestis felix (Eisner, 1958)** (Papilionidae) *Koramus accestis* ssp. *felix* Eisner, 1958, *Zool. Meded.* 36: 110. Holotype ♂: China: Tibet.
- 9046. Parnassius (Koramus) accestis hades Bryk, 1932** (Papilionidae) *Parnassius accestis* ssp. *hades* Bryk, 1932, *Parnassiana* 2: 5, 6.
- 9047. Parnassius (Koramus) accestis irenaepphilus Bryk, 1943** (Papilionidae) *Parnassius accestis* ssp. *irenaepphilus* Bryk, 1943, *Mitt. münch. ent. Ges.* 33:
- 9048. Parnassius (Koramus) accestis ivetae Rose & Bieber, 2005** (Papilionidae) *Parnassius accestis* ssp. *ivetae* Rose & Bieber, 2005, *Atalanta* 36 (1/2): 123-126, figs. Holotype ♂: China: Tibet, 60km S. of Saga, 5000-5300m, 7-8 vi 2004, leg. Bieber (NHNMP).
- 9049. Parnassius (Koramus) accestis ladakensis Avinoff, 1916** (Papilionidae) *Parnassius accestis* ssp. *ladakensis* Avinoff, 1916, *Trans. ent. Soc. Lond.* 1915: 354-355, Pl. lii fig. 7. Type ♀: "Shera-la (East Ladak)".
- 9050. Parnassius (Koramus) accestis lathonius Bryk, 1913** (Papilionidae) *Parnassius accestis* ssp. *lathonius* Bryk, 1913, *Arch. Naturg.* 79(6): 123. Syntypes: Tibet: Gyantse.
- 9051. Parnassius (Koramus) accestis peeblesi Bryk, 1932** (Papilionidae) *Parnassius accestis* ssp. *peeblesi* Bryk, 1932, *Parnassiana* 2: 19.
- 9052. Parnassius (Koramus) accestis peschkei Eisner, 1933** (Papilionidae) *Parnassius accestis* ssp. *peschkei* Eisner, 1933, *Entomologist* 66: 169. Holotype ♂: India: Baltistan, La Songa.

- 9053. Parnassius (Koramius) accestis rupshuana** Avinoff, 1916 (Papilionidae) Parnassius accestis ssp. rupshuana Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 354, Pl.iii figs.5,6. Syntypes ♂♂: "Rupshu, Tagalang-la, 17,000-18,000 feet, vii".
- 9054. Parnassius (Koramius) accestis vogti** (O.Bang-Haas, 1938) (Papilionidae) Koramius accestis ssp. vogti O.Bang-Haas, 1938, Parnassiana 5: 58. Holotype: China: Minshan, Pullow montes.
- 9055. Parnassius (Koramius) delphius** (Eversmann, 1843) (Papilionidae) Doritis delphius Eversmann, 1843, Bull. Soc. Nat. Moscou 16: 541, t.7, figs.1a,b. Type(s): Altai [patria falsa]; [Kazachstan]: Dschungarischer Alatau.
- 9056. Parnassius (Koramius) delphius abramovi** O.Bang-Haas, 1915 (Papilionidae) Parnassius delphius var. abramovi O.Bang-Haas, 1915, Dt. ent. Z., Iris 29: 97, 164, Taf.5 fig.18. Syntypes: [China: Uighur A.R.]: Kwen Lun mont. bei Shahidulla, südwestl. Chotan.
- 9057. Parnassius (Koramius) delphius affinis** Peschke & Eisner, 1934 (Papilionidae) Parnassius delphius ssp. affinis Peschke & Eisner, 1934, Parnassiana 3: 40. Holotype ♂: [Pakistan]: Gilgit: Doubounni-montes.
- 9058. Parnassius (Koramius) delphius albulus** Honrath, 1889 (Papilionidae) Parnassius delphius var. albulus Honrath, 1889, Berl. ent. Z. 33: 161. Syntypes: "Alai, östl. Osch" [patria falsa]; [Uighur A.R.]: Tengri Tagh].
- 9059. Parnassius (Koramius) delphius cardinalina** Avinoff, 1916 (Papilionidae) Parnassius delphius ab. cardinalina Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 356, Pl.iii fig.3 [infrasubspecific name!].
- 9060. Parnassius (Koramius) delphius chitralica** Avinoff, 1912 (Papilionidae) Parnassius delphius ssp. chitralica Avinoff, 1912 [nec Verity, 1911], Horae Soc. ent. ross. 40 (5): 17. Type(s): [Pakistan]: "Chandur" [Shandur Pass].
- 9061. Parnassius (Koramius) delphius cretatus** Sheljuzhko, 1914 (Papilionidae) Parnassius delphius ssp. cretatus Sheljuzhko, 1914, Dt. ent. Z., Iris 26: 18-19, fig.1. Type ♀: [Tadjikistan]: Pamir centr.
- 9062. Parnassius (Koramius) delphius darvasica** Avinoff, 1916 (Papilionidae) Parnassius delphius ssp. darvasica Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 358, Pl.liv, fig.3. Type ♀: [Uzbekistan]: "Darvas (Buchara)".
- 9063. Parnassius (Koramius) delphius delphius** (Eversmann, 1843) (Papilionidae) Doritis delphius Eversmann, 1843, Bull. Soc. Nat. Moscou 16: 541, t.7, figs.1a,b. Type(s): Altai [patria falsa]; [Kazachstan]: Dschungarischer Alatau.
- 9064. Parnassius (Koramius) delphius djamila** (Eisner & Naumann, 1980) (Papilionidae) Koramius delphius ssp. djamila Eisner & Naumann, 1980, Zool. Verh. 178: 22, Taf.8 Abb.18. Holotype ♂: Afghanistan: Prov. Badakhshan 15km NE Baharak, Kotal-e-Zardeu, Darr-e-Hazar-Tshashma, 3100m.
- 9065. Parnassius (Koramius) delphius dolabella** Fruhstorfer, 1904 (Papilionidae) Parnassius delphius ssp. dolabella Fruhstorfer, 1904, Ent. Z., Stuttgart 18 (8): 29-30. Syntypes 3♂: [China: Uighur A.R.]: "Kaschgar".
- 9066. Parnassius (Koramius) delphius imitator** Bryk & Eisner, 1932 (Papilionidae) Parnassius delphius ssp. imitator Bryk & Eisner, 1932, Parnassiana 2: 105. Holotype ♀: [Tadjikistan]: Pamir: Beik Pass.
- 9067. Parnassius (Koramius) delphius kafir** Avinoff, 1916 (Papilionidae) Parnassius delphius ssp. kafir Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 357, Pl.iii figs. 8,9. Syntypes ♂♂: [Pakistan]: Chitral: "in the mountains between Kila- Drosh and Kafiristan".
- 9068. Parnassius (Koramius) delphius kasachstanus** O.Bang-Haas, 1933 (Papilionidae) Parnassius delphius ssp. kasachstana O.Bang-Haas, 1933, Ent. Z., Frankf. a. M. 46(24): 262. Syntypes: [Kasachstan]: Talas Gebirge
- 9069. Parnassius (Koramius) delphius kohibaba** Clench & Shoumatoff, 1956 (Papilionidae) Parnassius delphius ssp. kohibaba Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 179. Holotype ♂: Afghanistan: Hindukush: Koh-i-Baba Range.
- 9070. Parnassius (Koramius) delphius mamaievi** Avinoff, 1916 (Papilionidae) Parnassius delphius var. mamaievi Avinoff, 1916, Trans. ent. Soc. London 1915: 357, pl.53 figs.5,6. Syntypes: [Ladak]: "Südseite des Karakorum Passes" (O.Bang-Haas, 1915: 98).
- 9071. Parnassius (Koramius) delphius namanganus** Staudinger, 1886 (Papilionidae) Parnassius delphius var. namanganus Staudinger, 1886, Stettin ent. Ztg. 47: 195. Syntypes: [Uzbekistan]: Namangan.
- 9072. Parnassius (Koramius) delphius noxinfervus** (Eisner & Naumann, 1980) (Papilionidae) Koramius delphius ssp. noxinfervus Eisner & Naumann, 1980, Zool. Verh. 178: 23, Taf.8 Abb.19. Holotype ♂: Afghanistan: Prov. Badakhshan: Khwahan (Darwaz), Kotal-e-Kamkhas, 3000-3500m.
- 9073. Parnassius (Koramius) delphius pontifex** (Bryk & Eisner, 1932) (Papilionidae) Koramius delphius ssp. pontifex Bryk & Eisner, 1932, Parnassiana 2: 42. Holotype ♀: Dschebogly-Gebirge: Kaindy-Pass.
- 9074. Parnassius (Koramius) delphius shigarensis** O.Bang-Haas, 1935 (Papilionidae) Parnassius delphius ssp. shigarensis O.Bang-Haas, 1935, Ent. Z., Frankf. a. M. 49: 111. Holotype ♂: [Pakistan]: Baltistan: n.ö. von Shigar, Baltoro-montes.
- 9075. Parnassius (Koramius) delphius workmani** Avinoff, 1916 (Papilionidae) Parnassius delphius ssp. workmani Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 357. Holotype ♀: [Pakistan]: "Near the Saltoro Glacier in Baltistan".
- 9076. Parnassius (Koramius) jacobsoni** Avinoff, 1913 (Papilionidae) Parnassius delphius ssp. jacobsoni Avinoff, 1913, Horae Soc. ent. ross. 40 (5): 20, Pl.ii figs. 8,9. Syntypes ♂♂: [Tadjikistan]: "Pamiro centrali" Zentral Pamir: Pshart Pass, Kisil-jar, Pamirski Post.
- 9077. Parnassius (Koramius) jacobsoni jacobsoni** Avinoff, 1913 (Papilionidae) Parnassius delphius ssp. jacobsoni Avinoff, 1913, Horae Soc. ent. ross. 40 (5): 20, Pl.ii figs. 8,9. Syntypes ♂♂: [Tadjikistan]: "Pamiro centrali" Zentral Pamir: Pshart Pass, Kisil-jar, Pamirski Post.
- 9078. Parnassius (Koramius) jacobsoni micha** (Eisner, 1975) (Papilionidae) Koramius delphius ssp. micha Eisner, 1975, Zool. Meded. 49(8): 82-83, fig. Holotype ♂: [Afghanistan]: Salang-Pass.
- 9079. Parnassius (Koramius) jacobsoni ruth** Kotsch, 1936 (Papilionidae) Parnassius delphius ssp. ruth Kotsch, 1936, Parnassiana 4: 5. Holotype ♂: Afghanistan: Hindukush or., Nuksan Pass.
- 9080. Parnassius (Koramius) maximinus** Staudinger, 1891 (Papilionidae) Parnassius delphius var. maximinus Staudinger, 1891, Dt. ent. Z., Iris 4: 158. Syntypes: Gebirge südlich Taschkent.
- 9081. Parnassius (Koramius) maximinus legezina** Bergmann, 1995 (Papilionidae) Parnassius maximinus ssp. legezina Bergmann, 1995, Atalanta 26 (1/2): 140-141, Abb.1,2,4. Holotype ♂: Usbekistan: westl. Tian-Shan [Tengri Tagh], Kuraminski-Kette, Kamtschik-Pass, 1600-2000m (in coll. A.Bergmann).
- 9082. Parnassius (Koramius) maximinus maximinus** Staudinger, 1891 (Papilionidae) Parnassius delphius var. maximinus Staudinger, 1891, Dt. ent. Z., Iris 4: 158. Syntypes: Gebirge südlich Taschkent.
- 9083. Parnassius (Koramius) patricius** Niepelt, 1911 (Papilionidae) Parnassius patricius Niepelt, 1911, Int. ent. Z. 5 (38): 274. Syntypes 2♀: [Kirgizistan]: "Thian-schan Gebirge [Tengri Tagh], Turkestan".
- 9084. Parnassius (Koramius) patricius exclamationis** Avinoff, 1921 (Papilionidae) Parnassius accestis ssp. ab. exclamationis Avinoff, 1921, [in] Oberthür, Etüd. lepid. comp. 19(2): 56, 58, 68, 196, Pl.548, figs.4633-4634. Type ♂: [China: Uighur A.R.]: Musart Pass.
- 9085. Parnassius (Koramius) patricius kardakovi** Bryk & Eisner, 1930 (Papilionidae) Parnassius patricius ssp. kardakovi Bryk & Eisner, 1930, Mitt. dt. ent. Ges. 1: 8, figs.1,2. Syntypes ♂♂: [Kirgizistan]: Kungei-Ala-Tau, 3200-3700m.
- 9086. Parnassius (Koramius) patricius luedwigi** Kreuzberg, 1989 (Papilionidae) Parnassius patricius ssp. luedwigi Kreuzberg, 1989, Vestn. zool. 1989 (6): 37, fig.6. Holotype ♂: [Kirgizistan]: Kirghiz SSR: Chatkal mountain range, Mamek Pass, 3600m.
- 9087. Parnassius (Koramius) patricius lukhtanovi** Rose, 1992 (Papilionidae) Parnassius patricius ssp. lukhtanovi Rose, 1992, Atalanta 23 (1/2): 120, Taf.5 figs.1-4. Holotype ♂: kasachstan: Narynkol Gebiet, Kokpak, 3600-4000m.
- 9088. Parnassius (Koramius) patricius patricius** Niepelt, 1913 (Papilionidae) Parnassius patricius Niepelt, 1911, Int. ent. Z. 5 (38): 274. Syntypes 2♀: [Kirgizistan]: "Thian-schan Gebirge [Tengri Tagh], Turkestan".
- 9089. Parnassius (Koramius) patricius priamus** Bryk, 1914 (Papilionidae) Parnassius patricius priamus Bryk, 1914, Societas Ent. 29: 18. Syntypes ♂♂: [China: Uighur A.R.]: Aksu-Tal, Chantengri.
- 9090. Parnassius (Koramius) patricius uzyngyrus** Weiss, 1979 (Papilionidae) Parnassius patricius ssp. uzyngyrus Weiss, 1979, Atalanta 10(1): 77-80. Holotype ♂: Kirgizistan: Uzungyr Mts.
- 9091. Parnassius (Koramius) staudingeri** A.Bang-Haas, 1882 (Papilionidae) Parnassius staudingeri A.Bang-Haas, 1882, Berl. ent. Z. 26(1): 163-164, pl.2 figs.7,8. Syntypes: [Uzbekistan]: Hazret-Sultan Gebirge, südlich von Samarkand.
- 9092. Parnassius (Koramius) staudingeri dunkeldykus** Sotshivko & Kaabak, 1996 (Papilionidae) Parnassius staudingeri ssp.

dunkeldykus Sotshivko & Kaabak, 1996, Atalanta 27 (1/2): 199-201, figs. Holotype ♂: Tadjikistan: South-East Pamir, Western spurs of Sarykolsky Mts. Dunkeldyk lake 4300m. (in coll. Sotshivko).

9093. Parnassius (Koramius) staudingeri hissaricus (Eisner, 1968) (Papilionidae) Koramius staudingeri ssp. hissaricus Eisner, 1968, Zool. Meded. 43(2): 13, figs.

9094. Parnassius (Koramius) staudingeri hodja O. Bang-Haas, 1915 (Papilionidae) Parnassius delphius var. hodja O. Bang-Haas, 1915, Dt. ent. Z., Iris 29: 164. Syntypes: Buchara: Hodja-Barku, südl. Liangar-Mourda-Passes; Tuptschek Moräne [hodja was proposed by Avinov, 1913 as quadrinomial name; therefore unavailable!].

9095. Parnassius (Koramius) staudingeri maximiliani Heinkele, 2000 (Papilionidae) Parnassius staudingeri ssp. maximiliani Heinkele, 2000, Galathea 16 (2): 64-68, Abb. Holotype ♂: Afghanistan: Mt Yamak, Anjuman Pass, 3500-4000m (ZSM).

9096. Parnassius (Koramius) staudingeri mustagata Rose, 1990 (Papilionidae) Parnassius staudingeri ssp. mustagata Rose, 1990, Nachr. ent. Ver. Apollo (N.F.) 11(3): 152, Abb. Holotype ♂: China: Xinjiang [Uighur A.R.]: Pamir/Karakul, 4000-4500m. (in coll. Rose).

9097. Parnassius (Koramius) staudingeri staudingeri A. Bang-Haas, 1882 (Papilionidae) Parnassius staudingeri A. Bang-Haas, 1882, Berl. ent. Z. 26(1): 163-164, pl.2 figs. 7, 8. Syntypes: [Usbekistan]: Hazret-Sultan Gebirge, südlich von Samarkand.

9098. Parnassius (Koramius) stenosemus Honrath, 1890 (Papilionidae) Parnassius delphius var. stenosemus Honrath, 1890, Ent. Nachr. 16: 127. Syntypes: [India]: N.W. Himalaya: Kuti Paß, ? Dalhousie, 5100m.

9099. Parnassius (Koramius) stenosemus stenosemus Honrath, 1890 (Papilionidae) Parnassius delphius var. stenosemus Honrath, 1890, Ent. Nachr. 16: 127. Syntypes: [India]: N.W. Himalaya: Kuti Paß, ? Dalhousie, 5100m.

9100. Parnassius (Koramius) stoliczkanus C. Felder & R. Felder, [1865] (Papilionidae) Parnassius stoliczkanus C. Felder & R. Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (2): 138; (3): Taf. 69, figs. 2, 3 [1867]. Syntypes: Ladak, Prov. Rupshu pr. Narka (leg. Dr. Stoliczka).

9101. Parnassius (Koramius) stoliczkanus atkinsoni (Moore, 1902) (Papilionidae) Koramius atkinsoni Moore, 1902, Lepid. Ind.: 121, pl. 412 fig. 2. Syntypes: Kashmir: Pir Panjal.

9102. Parnassius (Koramius) stoliczkanus beate Eisner, 1939 (Papilionidae) Parnassius delphius ssp. beate Eisner, 1939, Parnassiana 6: 42. Holotype ♂: Cashmir: Chalsi, Tachmachig Pass.

9103. Parnassius (Koramius) stoliczkanus florenciae Tytler, 1926 (Papilionidae) Parnassius stoliczkanus ssp. florenciae Tytler, 1926, J. Bomb. nat. Hist. Soc. 31: 251, pl. 4 fig. 9. Type ♂: [India]: Hundes (north of Tehri Garhwal).

9104. Parnassius (Koramius) stoliczkanus gracilis Bryk & Eisner, 1932 (Papilionidae) Parnassius stoliczkanus ssp. gracilis Bryk & Eisner, 1932, Parnassiana 2: 23. Holotype ♀: India: Kangra, Rohtang Pass.

9105. Parnassius (Koramius) stoliczkanus nicevillei Avinoff, 1916 (Papilionidae) Parnassius delphius ssp. nicevillei Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 355-356, Pl. lili figs. 1, 2. Syntypes ♂♂: [Pakistan]: "Burzil Pass, Kashmir".

9106. Parnassius (Koramius) stoliczkanus rileyi Tytler, 1926 (Papilionidae) Parnassius (s.str.) delphius ssp. rileyi Tytler, 1926, J. Bomb. nat. Hist. Soc. 31: 251, pl. 4 figs. 6, 7. Syntypes: [Pakistan]: Rupal valley, Astor, Farsat Pass (leading into Chilas).

9107. Parnassius (Koramius) stoliczkanus spitiensis O. Bang-Haas, 1927 (Papilionidae) Parnassius stoliczkanus ssp. spitiensis O. Bang-Haas, 1927, Horae Macrolepidopt. 1: 33, pl. 4 figs. 17, 18. Syntypes ♂♂: [India]: Spiti: Tum Tum Thang Mont., nordwestl. von Pu (=Poo), nördl. des Sutley Flusses, Juli 5000m.

9108. Parnassius (Koramius) stoliczkanus stoliczkanus C. Felder & R. Felder, [1865] (Papilionidae) Parnassius stoliczkanus C. Felder & R. Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (2): 138; (3): Taf. 69, figs. 2, 3 [1867]. Syntypes: Ladak, Prov. Rupshu pr. Narka (leg. Dr. Stoliczka).

9109. Parnassius (Koramius) stoliczkanus thomas Eisner, 1939 (Papilionidae) Parnassius stoliczkanus ssp. thomas Eisner, 1939, Parnassiana 6: 43. Holotype ♂: Cashmir: Karakorum, Sasser Pass.

9110. Parnassius (Koramius) stoliczkanus zogilaica Tytler, 1926 (Papilionidae) Parnassius delphius ssp. zogilaica Tytler, 1926, J. Bomb. nat. Hist. Soc. 31: 251, pl. 4 fig. 5. Syntypes: Kashmir: Zogila Pass.

9111. Parnassius (Sachaia) arcticus (Eisner, 1968) (Papilionidae) Tadumia arctica Eisner, 1968, Zool. Meded. 43: 15, Taf. 1 Abb. 7, 8.

Holotype ♂: Russia: [Yakutia: Verkhoyansky Mts.]: "in den Bergen östl. v. Werchnosensk".

9112. Parnassius (Sachaia) arcticus arcticus (Eisner, 1968) (Papilionidae) Tadumia arctica Eisner, 1968, Zool. Meded. 43: 15, Taf. 1 Abb. 7, 8. Holotype ♂: Russia: [Yakutia: Verkhoyansky Mts.]: "in den Bergen östl. v. Werchnosensk".

9113. Parnassius (Sachaia) boedromius Püngeler, 1901 (Papilionidae) Parnassius boedromius Püngeler, 1901, Dt. ent. Z., Iris 14: 177, Pl. 1 figs. 3, 4. Type(s): [China: Uighur A.R.]: Tian Shan [Tengri Tagh], nördl. Aksu.

9114. Parnassius (Sachaia) boedromius boedromius Püngeler, 1901 (Papilionidae) Parnassius boedromius Püngeler, 1901, Dt. ent. Z., Iris 14: 177, Pl. 1 figs. 3, 4. Type(s): China: Uighur A.R., Tian Shan, nördl. Aksu.

9115. Parnassius (Sachaia) boedromius hohlbecki Avinoff, 1913 (Papilionidae) Parnassius boedromius ssp. hohlbecki Avinoff, 1913, Horae Soc. ent. ross. 40 (5): 13, Pl. ii figs. 2, 3. Syntypes: [Kirgizistan]: Schamschi river, Dshau-Bassar.

9116. Parnassius (Sachaia) boedromius martiniheringi Bryk & Eisner, 1930 (Papilionidae) Parnassius simo ssp. martiniheringi Bryk & Eisner, 1930, Parnassiana 1: 1-2. Holotype ♂: [Kirgizistan]: Kungei-Ala-Tau.

9117. Parnassius (Sachaia) boedromius prasolovi Kreuzberg, 1986 (Papilionidae) Parnassius boedromius ssp. prasolovi Kreuzberg, 1986, Vestn. Zool. 1986: 86-87, fig. 3. Holotype ♂: Kirgizistan: Terskei-Ala-Tau, 3200m.

9118. Parnassius (Sachaia) boedromius sokolovi Kreuzberg, 1989 (Papilionidae) Parnassius boedromius ssp. sokolovi Kreuzberg, 1989, Vestn. Zool. 1989 (6): 37-39, fig. 7. Holotype ♂: [Kirgizistan]: Kirghiz SSR: Susamyr mountain range [östl. Talas mts.], Alabel Pass 3600m.

9119. Parnassius (Sachaia) simo Gray, [1853] (Papilionidae) Parnassius simo Gray, [1853], Cat. lepid. Ins. Br. Mus. 1: 76, Pl. 12 figs. 3, 4. Syntypes: "Nepal, Tibet". According to Riley (1927) "Kumaon, sept. Chaldu" [India].

9120. Parnassius (Sachaia) simo acconus Fruhstorfer, 1903 (Papilionidae) Parnassius acconus Fruhstorfer, 1903, Insektenbörs. 20 (18): 148. Syntypes: Sikkim: Kambajong.

9121. Parnassius (Sachaia) simo andreji Eisner, 1930 (Papilionidae) Parnassius simo ssp. andreji Eisner, 1930, Parnassiana 1 (3): 5. Holotype ♂: China: Kansu: Süd-Tatungsche Berge.

9122. Parnassius (Sachaia) simo avinoffi Avinoff, 1913 (Papilionidae) Parnassius simo ssp. avinoffi Avinoff, 1913, Horae Soc. ent. ross. 40 (5): 3 (avinoffi Verity, 1911 treated here as subsp.; therefore available). Syntypes: [Tadjikistan: Pamir]: Hindukush, Beik, 5000m.

9123. Parnassius (Sachaia) simo buddenbrocki O. Bang-Haas, 1938 (Papilionidae) Parnassius simo ssp. buddenbrocki O. Bang-Haas, 1938, Parnassiana 5: 59. Holotype ♂: China: Kansu: Minshan, Pulow montes.

9124. Parnassius (Sachaia) simo colosseus O. Bang-Haas, 1935 (Papilionidae) Parnassius simo ssp. colosseus O. Bang-Haas, 1935, Ent. Z., Frankf. a. M. 49: 112. Holotype ♂: Ladak: Saltoro Mts.

9125. Parnassius (Sachaia) simo confusus O. Bang-Haas, 1927 (Papilionidae) Parnassius simo ssp. confusus O. Bang-Haas, 1927, Horae Macrolepid. 1: 27, t. 5 figs. 6, 7. Syntypes: ♂♂: [China: Uighur A.R.]: Karakorum sept., Schahidulla, südl. Chotan.

9126. Parnassius (Sachaia) simo demtchokensis Eisner, 1938 (Papilionidae) Parnassius simo ssp. demtchokensis Eisner, 1938, Parnassiana 5: 29. Holotype ♂: [China]: Tibet: Demtschok.

9127. Parnassius (Sachaia) simo dirschi O. Bang-Haas, 1938 (Papilionidae) Parnassius simo ssp. dirschi O. Bang-Haas, 1938, Parnassiana 6: 21. Holotype ♂: [China]: Richthofen Gebirge.

9128. Parnassius (Sachaia) simo ganymedes Bryk & Eisner, 1932 (Papilionidae) Parnassius simo ssp. ganymedes Bryk & Eisner, 1932, Parnassiana 2: 8. Holotype ♂: Baltistan: Bura-Deosai.

9129. Parnassius (Sachaia) simo glylpos Fruhstorfer, 1903 (Papilionidae) Parnassius glylpos Fruhstorfer, 1903, Dt. ent. Z., Iris 16: 45. aus den Bergen nördl. Aksu, nahe dem Musart Pass (Avinoff, 1913, Horae Soc. ent. ross. 40: 44).

9130. Parnassius (Sachaia) simo hilariae Kreuzberg, 1986 (Papilionidae) Parnassius simo ssp. hilariae Kreuzberg, 1986, Vestn. Zool. 1986: 85, fig. 1. Holotype ♂: Tadjikistan.

9131. Parnassius (Sachaia) simo koslovi Avinoff, 1913 (Papilionidae) Parnassius simo ssp. koslovi Avinoff, 1913, Horae Soc. ent. ross. 40 (5): 2 (kozlovi Verity, 1911 treated here as subsp.; therefore available). Syntypes: China: Amdo.

- 9132. Parnassius (Sachaia) simo lanaki** Bryk & Eisner, 1932 (Papilionidae) Parnassius simo ssp. lanaki Bryk & Eisner, 1932, Parnassiana 2: 25. Holotype ♂: [China]: Tibet: Lanak-La, 5400m.
- 9133. Parnassius (Sachaia) simo lorimeri** Tytler, 1926 (Papilionidae) Parnassius simo ssp. lorimeri Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 252, Pl. 4 fig. 10. Syntypes: 1♂ 1♀: [Pakistan]: Gilgit, Kine Chish Pass, südwest. Gilgit, 14000ft.
- 9134. Parnassius (Sachaia) simo nigrificatus** Kreuzberg, 1986 (Papilionidae) Parnassius simo ssp. nigrificatus Kreuzberg, 1986, Vestn. Zool. 1986: 86, fig. 2. Holotype ♂: Tadjikistan: ...
- 9135. Parnassius (Sachaia) simo qilianshanicus** Schulte, 1992 (Papilionidae) Parnassius simo ssp. qilianshanicus Schulte, 1992, Nachr. ent. Ver., Apollo (N.F.) 13(2a): 167-169, figs. Holotype ♂: China: Gansu, NW-Qilian-Shan, Tulai-Nanshan, 100km südl. Jiayuguan, 3500-4300m. leg. Helia (in coll. Schulte).
- 9136. Parnassius (Sachaia) simo saserensis** O.Bang-Haas, 1937 (Papilionidae) Parnassius simo ssp. saserensis O.Bang-Haas, 1937, Ent. Z., Frankf. a. M. 51(32): 302. Syntypes 2♂: Kashmir sept., Karakorum mont., Saser Pass, 5000m.
- 9137. Parnassius (Sachaia) simo simillimus** Bryk & Eisner, 1937 (Papilionidae) Parnassius simo ssp. simillimus Bryk & Eisner, 1937, Parnassiana 4: 58. Holotype ♂: [China: Qinghai]: Burchan-Buddha Kette: Nomohun Pass.
- 9138. Parnassius (Sachaia) simo simo** Gray, [1853] (Papilionidae) Parnassius simo Gray, [1853], Cat. lepid. Ins. Br. Mus. 1: 76, Pl. 12 figs. 3, 4. Syntypes: "Nepal, Tibet". According to Riley (1927) "Kumaon, sept. Chaldou" [India].
- 9139. Parnassius (Sachaia) simo simonides** Austaut, 1912 (Papilionidae) Parnassius simonides Austaut, 1912, Int. ent. Z. 5: 360, fig. 4. Syntypes ♂♀: Ladak.
- 9140. Parnassius (Sachaia) simo simplicatus** Stichel, 1907 (Papilionidae) Parnassius simo var. simplicatus Stichel, 1907, Genera Insectorum 58: 43. Syntypes ♂♀: [China: Uighur A.R.]: Altyn Dag, südl. Lob Noor.
- 9141. Parnassius (Sachaia) simo zarraensis** O.Bang-Haas, 1934 (Papilionidae) Parnassius simo ssp. zarraensis O.Bang-Haas, 1934, Ent. Z., Frankf. a. M. 48: 152. Syntypes ♂♀: Ladak: Tagalang-La, Zarra, 5000m.
- 9142. Parnassius (Sachaia) simonius** Staudinger, 1889 (Papilionidae) Parnassius simo var. simonius Staudinger, 1889, Stettin ent. Ztg. 50: 16-18. Syntypes: [Kirgizistan]: Pamir Gebiet (Oder Transalai?).
- 9143. Parnassius (Sachaia) simonius grayi** Avinoff, 1916 (Papilionidae) Parnassius simo ssp. grayi Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 358-359, pl. liv fig. 6. Syntypes 2♂: "north-western slopes of the Alai Mountains near Jengisbai".
- 9144. Parnassius (Sachaia) simonius shuvalorum** Kreuzberg & Pljusch, 1992 (Papilionidae) Parnassius simonius ssp. shuvalorum Kreuzberg & Pljusch, 1992, Vestn. Zool. 199: 79, figs. Holotype ♂: Kirgizistan: Alai Mountains, 3900m.
- 9145. Parnassius (Sachaia) simonius simonius** Staudinger, 1889 (Papilionidae) Parnassius simo var. simonius Staudinger, 1889, Stettin ent. Ztg. 50: 16-18. Syntypes: [Kirgizistan]: Pamir Gebiet (Oder Transalai?).
- 9146. Parnassius (Sachaia) simonius simulator** Staudinger, 1889 (Papilionidae) Parnassius simo var. simulator Staudinger, 1889, Stettin ent. Ztg. 50: 18-19. Syntypes 6♂ 2♀: [Kirgizistan]: In einem Gebirge südlich von Issyk-Kul.
- 9147. Parnassius (Sachaia) tenedius** Eversmann, 1851 (Papilionidae) Parnassius tenedius Eversmann, 1851, Bull. Soc. Nat. Moscou 24 (1): 621. Type(s): Russia: "Irkoutzk".
- 9148. Parnassius (Sachaia) tenedius szeptica** Bryk & Eisner, 1932 (Papilionidae) Parnassius tenedius ssp. szeptica Bryk & Eisner, 1932, Parnassiana 2: 22. Holotype ♀: Russia: Siberia: Witim.
- 9149. Parnassius (Sachaia) tenedius tenedius** Eversmann, 1851 (Papilionidae) Parnassius tenedius Eversmann, 1851, Bull. Soc. Nat. Moscou 24 (1): 621. Type(s): Russia: "Irkoutzk".
- 9150. Parnassius (Sachaia) tenedius vulcanus** Bryk & Eisner, 1932 (Papilionidae) Parnassius tenedius ssp. vulcanus Bryk & Eisner, 1932, Parnassiana 2: 22. Holotype ♀: Russland: Altai.
- 9151. Parnassius (Tadumia) acco** Gray, [1853] (Papilionidae) Parnassius acco Gray, [1853], Cat. lepid. Ins. Br. Mus. 1: 76, Pl. 12 figs. 5, 6.
- 9152. Parnassius (Tadumia) acco acco** Gray, [1853] (Papilionidae) Parnassius acco Gray, [1853], Cat. lepid. Ins. Br. Mus. 1: 76, Pl. 12 figs. 5, 6. Syntypes: Between Nepal and Tibet.
- 9153. Parnassius (Tadumia) acco baileyi** South, 1913 (Papilionidae) Parnassius acco baileyi South, 1913, J. Bombay nat. Hist. Soc. 22: 362. Syntypes: Tibet mer. or.: Rama-La, 15000ft., Litang 13800ft.
- 9154. Parnassius (Tadumia) acco baltorana** O.Bang-Haas, 1937 (Papilionidae) Parnassius acco ssp. baltorana O.Bang-Haas, 1937, Ent. Z., Frankf. a. M. 51(32): 302. Type ♂: Baltistan: Baltoro Mts., Shigar.
- 9155. Parnassius (Tadumia) acco chumurtiensis** O.Bang-Haas, 1928 (Papilionidae) Parnassius acco ssp. chumurtiensis O.Bang-Haas, 1928, Ent. Z., Frankf. a. M. 42: 50. Holotype ♂: [China]: Tibet: Chumurti, Shilang Pass, 4800m.
- 9156. Parnassius (Tadumia) acco gemmifer** Fruhstorfer, 1904 (Papilionidae) Parnassius acco var. gemmifer Fruhstorfer, 1904, Societas Ent. 19: 25. Type ♀: [China]: Tibet mer., Mt. Everest: Kamba-Dzong.
- 9157. Parnassius (Tadumia) acco hampsoni** Avinoff, 1916 (Papilionidae) Parnassius acco ssp. hampsoni Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 352-354, Pl. iii fig. 4. Type ♂: [China: Uighur A.R.]: "Kara-Korum".
- 9158. Parnassius (Tadumia) acco humboldti** Pierrat & Porion, 1988 (Papilionidae) Parnassius przewalskii ssp. humboldti Pierrat & Porion, 1988, Bull. Soc. Sci. Nat., Venette 59: 1-2. Holotype: [China]: Humboldt Mts.
- 9159. Parnassius (Tadumia) acco mirabilis** O.Bang-Haas, 1927 (Papilionidae) Parnassius acco ssp. mirabilis O.Bang-Haas, 1927, Horae Macrolepid. 1: 24, t. 4 fig. 6. Type ♀: [China]: Tibet centr.: Gyantse.
- 9160. Parnassius (Tadumia) acco przewalskii** Alpheraky, 1887 (Papilionidae) Parnassius przewalskii Alpheraky, 1887, [in] Mém. Lépid. 3: 403. Syntypes: China: Amdo m. oc.
- 9161. Parnassius (Tadumia) acco punctata** Tytler, 1926 (Papilionidae) Parnassius acco ssp. punctata Tytler, 1926, J. Bombay nat. Hist. Soc. 31: pl. 5 fig. 3. Type: [Ladak: eastw. Leh, Marsimik Pass, 5000m, July].
- 9162. Parnassius (Tadumia) acco pundjabensis** O.Bang-Haas, 1927 (Papilionidae) Parnassius acco ssp. pundjabensis O.Bang-Haas, 1927, Horae Macrolepidopt. 1: 23, t. 4 figs. 3, 4. Syntypes: [India]: Spiti or.: Tum Tum Thang mont, nördl. des Sutlej Flusses, nordw. vom Orte Pu (=Poo), 5000m.
- 9163. Parnassius (Tadumia) acco rosei** Schulte, 1992 (Papilionidae) Parnassius przewalskii ssp. rosei Schulte, 1992, Nachr. ent. Ver., Apollo (N.F.) 13(2a): 167, figs. Holotype ♂: China: Qinghai, Qinghai-Nanshan, ca. 25km nördl. Caka, 4600-4800m. leg. Paulus (in coll. Schulte).
- 9164. Parnassius (Tadumia) acco rothschildianus** Bryk, 1931 (Papilionidae) Parnassius rothschildianus Bryk, 1931, Parnassiana 1 (6): 4.
- 9165. Parnassius (Tadumia) acco tagalangi** O.Bang-Haas, 1927 (Papilionidae) Parnassius acco ssp. tagalangi O.Bang-Haas, 1927, Horae Macrolepidopt. 1: 23, t. 4 figs. 1, 2. Syntypes ♂♀: Ladak mer.: Tagalang Pass (auch Taglang oder auch Taga-lung-la), südl. des Ortes Gya, 5000m.
- 9166. Parnassius (Tadumia) acco tulaishani** Schulte, 1992 (Papilionidae) Parnassius przewalskii ssp. tulaishani Schulte, 1992, Nachr. ent. Ver., Apollo (N.F.) 13 (2a) 166, figs. Holotype ♂: China: Gansu: NW-Qilian-Shan, Tulai-nanshan, 100km südl. Jiayuguan, 3500-4300m. leg. helia (in coll. Schulte).
- 9167. Parnassius (Tadumia) acco yvonne** (Eisner, 1959) (Papilionidae) Tadumia przewalskii ssp. yvonne Eisner, 1959, Zool. Meded. 36: 174. Holotype ♂: Tibet sept. or.: Wildyak Zone.
- 9168. Parnassius (Tadumia) cephalus** Groum-Grshimailo, 1891 (Papilionidae) Parnassius cephalus Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 446. Syntypes: [China: Qinghai]: Amdo, Sining-Gebirge.
- 9169. Parnassius (Tadumia) cephalus ares** Bryk & Eisner, 1934 (Papilionidae) Parnassius cephalus ssp. ares Bryk & Eisner, 1934, Parnassiana 3: 25. Holotype ♂: China: [Qinghai]: Süd-Tatungtsche Berge.
- 9170. Parnassius (Tadumia) cephalus capitalis** Bryk & Eisner, 1935 (Papilionidae) Parnassius cephalus ssp. capitalis Bryk & Eisner, 1935, Parnassiana 3: 63. Holotype ♂: China: Szetchwan: Sunpanting.
- 9171. Parnassius (Tadumia) cephalus cephalus** Groum-Grshimailo, 1891 (Papilionidae) Parnassius cephalus Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 446. Syntypes: [China: Qinghai]: Amdo, Sining-Gebirge.
- 9172. Parnassius (Tadumia) cephalus danielae** Rose, 1997 (Papilionidae) Parnassius cephalus ssp. danielae Rose, 1997, Nachr. ent. Ver. Apollo (N.F.) 17(4): 395, figs. Holotype ♂: China: Osttibet: Qamdo

Prov., Lacki-La, 4600-4800m, nordöstl. Qamdo und südwestl. Jomda (=Gyamda) leg. Westphal (in coll. Rose).

9173. Parnassius (Tadumia) cephalus eierhoffi O.Bang-Haas,1938 (Papilionidae) *Parnassius cephalus* ssp. *eierhoffi* O.Bang-Haas,1938, Parnassiana 6: 21. Holotyp: China: Gansu: 50km SW. von Liangtschou.

9174. Parnassius (Tadumia) cephalus elwesi Leech,1893 (Papilionidae) *Parnassius cephalus elwesi* Leech,1893, Entomologist 26 (suppl.): 104.

9175. Parnassius (Tadumia) cephalus gehleni Eisner,1932 (Papilionidae) *Parnassius cephalus* ssp. *gehleni* Eisner,1932, Parnassiana 2: 16. Holotype ♂: China: Szetchwan: Ta-Tsien-Lou, Watusi Pass.

9176. Parnassius (Tadumia) cephalus irene Bryk & Eisner,1937 (Papilionidae) *Parnassius cephalus* ssp. *irene* Bryk & Eisner,1937, Parnassiana 4: 58. Holotype ♂: China: Qinghai: Burchan-Buddha Kette, Nomohun Pass.

9177. Parnassius (Tadumia) cephalus sengei O.Bang-Haas,1938 (Papilionidae) *Parnassius cephalus* ssp. *sengei* O.Bang-Haas,1938, Parnassiana 5: 58. Holotype ♂: China: Kansu: Minshan, Pullow-montes.

9178. Parnassius (Tadumia) cephalus weissi Schulte,1992 (Papilionidae) *Parnassius cephalus* ssp. *weissi* Schulte,1992, Nachr. ent. Ver., Apollo (N.F.) 13(2a): 167, figs. Holotype ♂: China: Gansu, NW-Qilian-Shan, Tulai-Nanshan, 100km südl. Jiayuguan, 3500-4300m. leg. Helia (in coll. Schulte).

9179. Parnassius (Tadumia) hannyngtoni Avinoff,1916 (Papilionidae) *Parnassius hannyngtoni* Avinoff,1916, Trans. ent. Soc. Lond. 1915: 351-352, Pl.ii figs. 1-3. Syntypes ♂♂: [Bhutan occ.]: "near the Chumbi valley, South Tibet".

9180. Parnassius (Tadumia) hannyngtoni hannyngtoni Avinoff,1916 (Papilionidae) *Parnassius hannyngtoni* Avinoff,1916, Trans. ent. Soc. Lond. 1915: 351, Pl.52 figs. 1-3. Type(s): Bhutan occ.: Chumbi valley.

9181. Parnassius (Tadumia) hardwickei Gray,1831 (Papilionidae) *Parnassius hardwickei* Gray,1831, Zool. Misc. 1831: 32.

9182. Parnassius (Tadumia) hardwickei albicans Fruhstorfer,1898 (Papilionidae) *Parnassius hardwickei albicans* Fruhstorfer,1898, Dt. ent. Z., Iris 11: 147. Sikkim: Lochung valley, Donika Pass.

9183. Parnassius (Tadumia) hardwickei baltistani O.Bang-Haas,1934 (Papilionidae) *Parnassius hardwickei* ssp. *baltistani* O.Bang-Haas,1934, Ent. Z., Frankf. a. M. 48: 8. Holotype: [Pakistan]: Baltistan: Kapalu.

9184. Parnassius (Tadumia) hardwickei doubounniensis (Eisner,1958) (Papilionidae) *Lingamius hardwickei* ssp. *doubounniensis* Eisner,1958, Zool. Meded. 36: 88. Holotype ♀: [Pakistan: Gilgit] Dardistan, Doubounni-montes.

9185. Parnassius (Tadumia) hardwickei hardwickei Gray,1831 (Papilionidae) *Parnassius hardwickei* Gray,1831, Zool. Misc. 1831: 32.

9186. Parnassius (Tadumia) maharaja Avinoff,1916 (Papilionidae) *Parnassius maharaja* Avinoff,1916, Trans. ent. Soc. Lond. 1915: 353, Pl.52 figs.1,2. Syntypes ♂♂: "Tagalang-la (Rupshu), 18,000ft.; vicinity of Sugetdavan (Chinese Turkestan); Depsang plateau, 17,000 feet, in the Karakoram region".

9187. Parnassius (Tadumia) maharaja erici Hanus, Hanus & Manon,1988 (Papilionidae) *Parnassius maharaja* ssp. *erici* Hanus, Hanus & Manon,1988, Alexanor 15(4): 209. Holotype ♂: Ladakh: Komaru-La, 5300m (in coll. Hanus).

9188. Parnassius (Tadumia) maharaja maharaja Avinoff,1916 (Papilionidae) *Parnassius maharaja* Avinoff,1916, Trans. ent. Soc. Lond. 1915: 353, Pl.52 figs.1,2. Syntypes ♂♂: "Tagalang-la (Rupshu), 18,000ft.; vicinity of Sugetdavan (Chinese Turkestan); Depsang plateau, 17,000 feet, in the Karakoram region".

9189. Parnassius (Tadumia) szechenyi Frivaldsky,1886 (Papilionidae) *Parnassius szechenyi* Frivaldsky,1886, Termesz. Füzetek 10: 39. Type(s): China: Amdo.

9190. Parnassius (Tadumia) szechenyi arnoldiana O.Bang-Haas,1938 (Papilionidae) *Parnassius szechenyi* ssp. *arnoldiana* O.Bang-Haas,1938, Parnassiana 5: 57. Holotype: China: Kansu: Minshan, Pullow Mts.

9191. Parnassius (Tadumia) szechenyi elvi Bryk,1938 (Papilionidae) *Parnassius szechenyi* ssp. *elvi* Bryk,1938, Parnassiana 6: 3. Holotype ♂: China: Yunnan sept.: A-tun-tse.

9192. Parnassius (Tadumia) szechenyi eros Bryk & Eisner,1934 (Papilionidae) *Parnassius szechenyi* ssp. *eros* Bryk & Eisner,1934, Parnassiana 3: 26. Holotype ♂: China: Kansu: Weynänpu.

9193. Parnassius (Tadumia) szechenyi evacaki Schulte,1992 (Papilionidae) *Parnassius szechenyi* ssp. *evacaki* Schulte,1992, Nachr. ent. Ver., Apollo (N.F.) 13(2a): 172, figs. Holotype ♂: China: Qinghai, Qinghai-Nanshan, ca. 25km nördl. Caka, 3500-4500m, leg. Paulus (in coll. Schulte).

9194. Parnassius (Tadumia) szechenyi fenzeli Bryk,1938 (Papilionidae) *Parnassius szechenyi* ssp. *fenzeli* Bryk,1938, Parnassiana 6: 4. Holotype ♂: China: Qinghai: Rini-Keka Pass.

9195. Parnassius (Tadumia) szechenyi frivaldskyi O.Bang-Haas,1928 (Papilionidae) *Parnassius szechenyi* ssp. *frivaldskyi* O.Bang-Haas,1928

9196. Parnassius (Tadumia) szechenyi germanae Austaut,1907 (Papilionidae) *Parnassius szechenyi germanae* Austaut,1907, Ent. Z., Guben 20: 66.

9197. Parnassius (Tadumia) szechenyi kansuensis Bryk & Eisner,1931 (Papilionidae) *Parnassius szechenyi* ssp. *kansuensis* Bryk & Eisner,1931, Parnassiana 1 (7/8): 7. Holotype ♂: China: [Qinshai]: Tatung-montes.

9198. Parnassius (Tadumia) szechenyi katares Bryk,1943 (Papilionidae) *Parnassius szechenyi* ssp. *katares* Bryk,1943, Mitt. münch. ent. Ges. 33: 31. Holotype ♂: China: Szechuan: Batang, Alpine zone.

9199. Parnassius (Tadumia) szechenyi lethe Bryk & Eisner,1931 (Papilionidae) *Parnassius szechenyi* ssp. *lethe* Bryk & Eisner,1931, Parnassiana 1 (7/8): 8. Holotype ♂: China: [Qinghai]: Burchan-Buddha Kette.

9200. Parnassius (Tadumia) szechenyi luminosa O.Bang-Haas,1938 (Papilionidae) *Parnassius szechenyi* ssp. *luminosa* O.Bang-Haas,1938, Parnassiana 6: 21. Holotype: China: Kansu: 50km SW. Liangtschou.

9201. Parnassius (Tadumia) szechenyi szechenyi Frivaldsky,1886 (Papilionidae) *Parnassius szechenyi* Frivaldsky,1886, Termesz. Füzetek 10: 39. Type(s): China: Amdo.

9202. Parnassius (s.str.) Schneider,1785 (Papilionidae) *Parnassius Schneider*,1785, Nom. Ent.: 34. Type-species: *Papilio apollo* Linnaeus,1758, Syst. Nat. (Ed.10)1: 465, by subsequent designation by Koçak,1981, Priamus 1(2): 51.

9203. Parnassius (s.str.) actius (Eversmann,1843) (Papilionidae) *Doritis actius* Eversmann,1843, Bull. Soc. Nat. Moscou 16: 540, Tb.9 figs.2a,b. Type(s): "Altai [sic]" Dshungarischer Alatau (Lukhtanov & Lukhtanov,1994:42).

9204. Parnassius (s.str.) actius actinobolus Staudinger,1897 (Papilionidae) *Parnassius actius* var. *actinobolus* Staudinger,1897, Dt. ent. Z., Iris 10: 347. Syntypes: [China: Uighur A.R.]: Korla.

9205. Parnassius (s.str.) actius actius (Eversmann,1843) (Papilionidae) *Doritis actius* Eversmann,1843, Bull. Soc. Nat. Moscou 16: 540, Tb.9 figs.2a,b. Type(s): "Altai [sic]" Dshungarischer Alatau (Lukhtanov & Lukhtanov,1994:42).

9206. Parnassius (s.str.) actius brutus Bryk,1914 (Papilionidae) *Parnassius actius* ssp. *brutus* Bryk,1914, Int. ent. Z. 8: 40. Holotype ♂: [Tadjikistan]: Pamir: Pamirski-Post.

9207. Parnassius (s.str.) actius caesar Groum-Grshimailo,1885 (Papilionidae) *Parnassius actius* var. *caesar* Groum-Grshimailo,1885, [in] Romanoff, Mém. lépid. 2: 247. Syntypes: [Tadjikistan]: Kysyl-Art-Pass, Transalai.

9208. Parnassius (s.str.) actius cassius Bryk & Eisner,1935 (Papilionidae) *Parnassius actius* ssp. *cassius* Bryk & Eisner,1935, Parnassiana 3: 74. Holotype ♂: [Kirgizistan]: Naryn.

9209. Parnassius (s.str.) actius catalina Eisner & Peschke,1934 (Papilionidae) *Parnassius actius* ssp. *catalina* Eisner & Peschke,1934, Parnassiana 3(3): 41. Type: [Pakistan]: Gilgit.

9210. Parnassius (s.str.) actius cleopatra Bryk & Eisner,1935 (Papilionidae) *Parnassius actius* ssp. *cleopatra* Bryk & Eisner,1935, Parnassiana 3: 73. Holotype ♂: [Tadjikistan]: Trans-Alai: Kaindy Pass.

9211. Parnassius (s.str.) actius dubitabilis Rothschild,1918 (Papilionidae) *Parnassius actius dubitabilis* Rothschild,1918, Novit. zool. 25: 250 Type(s): [Kirghizistan]: Karagai-Tau (= f.dubitabilis Verity,1911 [infrasubspecific name!]).

9212. Parnassius (s.str.) actius flora O.Bang-Haas,1915 (Papilionidae) *Parnassius actius* var. *flora* O.Bang-Haas,1915, Dt. ent. Z., Iris 29: 94. Syntypes: [Tadjikistan]: Nord-Alai (Ispajran, 3400m).

9213. Parnassius (s.str.) actius hussi Eisner & Naumann,1980 (Papilionidae) *Parnassius actius* ssp. *hussi* Eisner & Naumann,1980, Zool. Verh. 178: 17, Taf.8, Abb. 15. Holotype ♂: Afghanistan: Badakhshan, Großer Pamir, Issik-Tal, 4500m.

- 9214. Parnassius (s.str.) actius marius Bryk & Eisner, 1935** (Papilionidae) Parnassius actius ssp. marius Bryk & Eisner, 1935, Parnassiana 3: 73. Holotype ♂: [Kasachstan]: Dscharkent.
- 9215. Parnassius (s.str.) actius minutus Verity, [1911]** (Papilionidae) Parnassius actius race minuta Verity, 1911, Rhop. palaeart.: 313, Pl. 53 f. 5, 6. Pl. 58 f. 12, 13. Syntypes: [Kirghizistan]: Issyk Koul; [China: Uighur A.R.]: Juldus.
- 9216. Parnassius (s.str.) actius ornatus O. Bang-Haas, 1915** (Papilionidae) Parnassius actius var. ornatus O. Bang-Haas, 1915, Dt. ent. Z., Iris 29: 93. Syntypes ♂♂: [China: Uighur A.R.]: Chotan.
- 9217. Parnassius (s.str.) actius pseudobrutus Bryk & Eisner, 1931** (Papilionidae) Parnassius actius ssp. pseudobrutus Bryk & Eisner, 1931, Parnassiana 1(6): 2. Holotype ♀: [China Uighur A.R.]: Muztagh Ata.
- 9218. Parnassius (s.str.) actius sulla Bryk & Eisner, 1935** (Papilionidae) Parnassius actius ssp. sulla Bryk & Eisner, 1935, Parnassiana 3(3): 42. Syntypes ♂♀: [Pakistan]: Chitral, Baroghil Pass.
- 9219. Parnassius (s.str.) actius yelyangi O. Bang-Haas, 1934** (Papilionidae) Parnassius actius ssp. yelyangi O. Bang-Haas, 1934, Ent. Z., Frankf. a. M. 48: 135. Syntypes: Kashmir: Zanskar, Yelyang Pass.
- 9220. Parnassius (s.str.) apollo (Linnaeus, 1758)** (Papilionidae) Papilio apollo Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 465, nr. 41. Type 1♀: Svecia (cf. Verity, 1913: 176).
- 9221. Parnassius (s.str.) apollo adzharensis Sheljuzhko, 1924** (Papilionidae) Parnassius apollo ssp. adzharensis Sheljuzhko, 1924, Mitt. münch. ent. Ges. 14: 49, 53. Syntypes: [Georgia]: Adzhara-Gebirge: Berge Sapilet, Arzhinet, Sesvintria.
- 9222. Parnassius (s.str.) apollo albanicus Bryk & Eisner, 1939** (Papilionidae) Parnassius apollo ssp. albanicus Bryk & Eisner, 1939, Parnassiana 6: 34. Holotype ♂: Albanien: Tirana.
- 9223. Parnassius (s.str.) apollo alemanicus Fruhstorfer, 1922** (Papilionidae) Parnassius apollo ssp. alemanicus Fruhstorfer, 1922, Ent. Anz. 2: 2. Syntypes: Deutschland: Falkenstein.
- 9224. Parnassius (s.str.) apollo alpherakyi Krulikowsky, 1906** (Papilionidae) Parnassius apollo var. alpherakyi Krulikowsky, 1906, Societas ent. 21: 49. Lectotype ♀: Russia: North Altai (cf. Lukhtanov, 1997, Atalanta 28 (1/2): 13-14, Farbtaf. I Abb. 1, ex Austaut, 1889, Taf. 6 Abb. f).
- 9225. Parnassius (s.str.) apollo amphytion Fruhstorfer, 1921** (Papilionidae) Parnassius apollo ssp. amphytion Fruhstorfer, 1921, Ent. Anz. 1: 88. Syntypes: Bulgarien: Pirin Mts.
- 9226. Parnassius (s.str.) apollo apollo (Linnaeus, 1758)** (Papilionidae) Papilio apollo Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 465, nr. 41. Type 1♀: Svecia (cf. Verity, 1913: 176).
- 9227. Parnassius (s.str.) apollo aragonicus Bryk, 1914** (Papilionidae) Parnassius apollo ssp. aragonicus Bryk, 1914, Societas Ent. 29: 28. Holotype ♂: Spanien: Alta Aragonia: Pena de Urueal.
- 9228. Parnassius (s.str.) apollo asturiensis Pagenstecher, 1909** (Papilionidae) Parnassius apollo asturiensis Pagenstecher, 1909, Jb. Nassau. Ver. Naturk. 62: 207.
- 9229. Parnassius (s.str.) apollo bellinianus Bryk, 1935** (Papilionidae) Parnassius apollo ssp. bellinianus Bryk, 1935, Tierreich 65: 463.
- 9230. Parnassius (s.str.) apollo brittingeri Rebel & Rogenhofer, 1892** (Papilionidae) Parnassius apollo var. brittingeri Rebel & Rogenhofer, 1892, Jb. wien. ent. Ver. 3: 59.
- 9231. Parnassius (s.str.) apollo carelius Bryk, 1911** (Papilionidae) Parnassius apollo ssp. carelius Bryk, 1911, Berl. ent. Z. 55 (1910): 256-257, fig. Syntypes: Finnland: Karelän.
- 9232. Parnassius (s.str.) apollo carpathicus Rebel & Rogenhofer, 1892** (Papilionidae) Parnassius apollo var. carpathicus Rebel & Rogenhofer, 1892, Jb. wien. ent. Ver. 3: 61.
- 9233. Parnassius (s.str.) apollo caucasicus Pagenstecher, 1912** (Papilionidae) Parnassius apollo ssp. caucasicus Pagenstecher, 1912, Mitt. münch. ent. Ges. 2: 21.
- 9234. Parnassius (s.str.) apollo ciscaucasicus Sheljuzhko, 1924** (Papilionidae) Parnassius apollo ssp. ciscaucasicus Sheljuzhko, 1924, Mitt. münch. ent. Ges. 14: 47, 53. Syntypes: [Russia]: nördl. Vorberge der Kaukasus-Hauptkette: am Berge am Bermamyt bei Kislovodsk.
- 9235. Parnassius (s.str.) apollo dardanus Rebel, 1913** (Papilionidae) Parnassius apollo var. dardanus Rebel, 1913, Annln. naturh. Wien 27: 290. Syntypes: Nord-Albanien: Zjleb, Vunsaj.
- 9236. Parnassius (s.str.) apollo democratus Krulikowsky, 1906** (Papilionidae) Parnassius apollo var. democratus Krulikowsky, 1906, Societas Ent. 21: 49. Syntypes: Russia: Umg. Kasan.
- 9237. Parnassius (s.str.) apollo escalarae Rothschild, 1909** (Papilionidae) Parnassius apollo ssp. escalarae Rothschild, 1909, Novit. zool. 16: 9.
- 9238. Parnassius (s.str.) apollo fennoscandicus Bryk, 1911** (Papilionidae) Parnassius apollo ssp. fennoscandicus Bryk, 1911, Int. ent. Z. 5: 156. Holotype ♂: Finnland: Åland, Föglö.
- 9239. Parnassius (s.str.) apollo finmarchicus Rothschild, 1909** (Papilionidae) Parnassius apollo ssp. finmarchicus Rothschild, 1909, Novit. zool. 15 (1908): 390. Syntypes: Finland: Helsingfors.
- 9240. Parnassius (s.str.) apollo graecus Ziegler, 1901** (Papilionidae) Parnassius apollo var. graecus Ziegler, 1901, Berl. ent. Z. 46: (11). Syntypes: Veluchi, Pindus, Parnass, Peloponnes.
- 9241. Parnassius (s.str.) apollo graslini Oberthür, 1891** (Papilionidae) Parnassius apollo f. graslini Oberthür, 1891, Etüd. Ent. 14: 4, 6. Pl. III, fig. 23. Type ♀: "Becker de Turquie" [Amasya, Tokat mont.] (MHNP).
- 9242. Parnassius (s.str.) apollo hercegovinensis Schawerda, 1912** (Papilionidae) Parnassius apollo var. hercegovinensis Schawerda, 1912, Verh. zool.-bot. Ges. Wien 62: (116). Syntypes: Herzegowina.
- 9243. Parnassius (s.str.) apollo hermiston Fruhstorfer, 1921** (Papilionidae) Parnassius apollo ss. hermiston Fruhstorfer, 1921, Ent. Anz. 1: 89. Syntypes: Balkan: [Bulgaria]: Schipka Paß.
- 9244. Parnassius (s.str.) apollo hesebolus Nordmann, 1851** (Papilionidae) Doritis apollo var. hesebolus Nordmann, 1851, Bull. Soc. Moscou 24: 425. Syntypes: Mongolei.
- 9245. Parnassius (s.str.) apollo liburnicus Rebel & Rogenhofer, 1892** (Papilionidae) Parnassius apollo var. liburnicus Rebel & Rogenhofer, 1892, Jb. wien. ent. Ver. 3: 61.
- 9246. Parnassius (s.str.) apollo limicola Stichel, 1906** (Papilionidae) Parnassius apollo limicola Stichel, 1906, [in] Seitz, A., Die Gross-Schmett. Erde 1: 25, Tab. 12b. Syntypes: [Russia]: Ural.
- 9247. Parnassius (s.str.) apollo lioranus Fruhstorfer, 1921** (Papilionidae) Parnassius apollo ssp. lioranus Fruhstorfer, 1921, Ent. Anz. 1: 114. Type(s): France: Cantal, Lioran.
- 9248. Parnassius (s.str.) apollo macedonicus Bollow, 1931** (Papilionidae) Parnassius apollo macedonicus Bollow, 1931, [in] Seitz, Gross-Schmett. Erde 1 (suppl.): 330. Syntypes: [Macedonia]: Rilski-Monastir.
- 9249. Parnassius (s.str.) apollo marcianus Pagenstecher, 1909** (Papilionidae) Parnassius apollo marcianus Pagenstecher, 1909, Ent. Z., Stuttgart 22: 186. Syntypes: Deutschland: Baden-Württemberg: Schwarzwald.
- 9250. Parnassius (s.str.) apollo marmorarius Belling, 1930** (Papilionidae) Parnassius apollo marmorarius Belling, 1930, Int. ent. Z. 24: 341.
- 9251. Parnassius (s.str.) apollo marteni Eisner, 1956** (Papilionidae) Parnassius apollo ssp. marteni Eisner, 1956, Zool. Meded. 34: 166. Holotype ♂: Spanien: Berge zwischen Burgos und Miranda.
- 9252. Parnassius (s.str.) apollo meinhardi Sheljuzhko, 1924** (Papilionidae) Parnassius apollo meinhardi Sheljuzhko, 1924, Z. öster. Ent. Ver. 9: 57. Syntypes: Südwestsibirien.
- 9253. Parnassius (s.str.) apollo melliculus Stichel, 1906** (Papilionidae) Parnassius apollo ssp. melliculus Stichel, 1906, Berl. ent. Z. 51 (1): 87-88. Syntypes 2♂ 2♀: [Deutschland]: "Schwaben, Nieder-Bayern (Donauwörth, Regensburg), vermutlich in Schwarzwald, Franken, Ober-Pfalz, einschl. Fichtelgebirge".
- 9254. Parnassius (s.str.) apollo mendolensis Dannehl, 1925** (Papilionidae) Parnassius apollo mendolensis Dannehl, 1925, Ent. Z., Stuttgart 39: 6.
- 9255. Parnassius (s.str.) apollo meridionalis Pagenstecher, 1909** (Papilionidae) Parnassius apollo var. meridionalis Pagenstecher, 1909, Ent. Z., Stuttgart 22: 186. Syntypes: Sundgau von Maasmünster.
- 9256. Parnassius (s.str.) apollo mongolicus Staudinger, 1900** (Papilionidae) Parnassius apollo var. mongolicus Staudinger, 1900, Dt. ent. Z., Iris 12: 332. Syntypes 11♂ 8♀: Ost Tian-Shan: [Tengri Tagh], Barkul.
- 9257. Parnassius (s.str.) apollo montanus Stichel, 1907** (Papilionidae) Parnassius apollo montana Stichel, 1907, [in] Seitz, Die Gross-Schmett. Erde 1: 24. 13a. Syntypes: Süd-Tirol: Stilfserjoch-Strasse, 1860m.
- 9258. Parnassius (s.str.) apollo montebaldensis Fruhstorfer, 1923** (Papilionidae) Parnassius apollo ssp. montebaldensis Fruhstorfer, 1923, Ent. Anz. 3: 41. Syntypes: Norditalien: Monte Baldo.
- 9259. Parnassius (s.str.) apollo moskovitus Bryk & Eisner, 1938** (Papilionidae) Parnassius apollo ssp. moskovitus Bryk & Eisner, 1938, Parnassiana 6: 8. Holotype ♂: Russland: Gouv. Moskau: Iljinskoje.

- 9260. Parnassius (s.str.) apollo nivatus Fruhstorfer, 1906** (Papilionidae) Parnassius apollo ssp. nivatus Fruhstorfer, 1906, Societas ent. 21: 138. Type(s): Schweiz: Jura: Chassertal.
- 9261. Parnassius (s.str.) apollo olympiacus Kolar & Rebel, 1934** (Papilionidae) Parnassius apollo olympiacus Kolar & Rebel, 1934, Int. ent. Z. 28: 368. Holotype ♂: Griechenland: Olymp: Kalyvia Vrissula.
- 9262. Parnassius (s.str.) apollo omotimoius Fruhstorfer, 1921** (Papilionidae) Parnassius apollo ssp. omotimoius Fruhstorfer, 1921, Ent. Anz. 1: 87. Syntypes: Bulgarien: Sofia: Vitosch.
- 9263. Parnassius (s.str.) apollo peyerimhoffi Viette, 1961** (Papilionidae) Parnassius apollo ssp. peyerimhoffi Viette, 1961, Bull. Soc. ent. Fr. 66: 113-121.
- 9264. Parnassius (s.str.) apollo pseudosibiricus Bryk & Eisner, 1938** (Papilionidae) Parnassius apollo ssp. pseudosibiricus Bryk & Eisner, 1938, Parnassiana 5: 60. Holotype ♂: Russland: Sibirien: Irkutsk.
- 9265. Parnassius (s.str.) apollo pyrenaicus Harcourt Bath, 1896** (Papilionidae) Parnassius apollo pyrenaicus Harcourt Bath, 1896, Entomologist 29: 331. Syntypes: France: Pyrénées centrales: Barèges, Héas.
- 9266. Parnassius (s.str.) apollo regius Lukhtanov, 1997** (Papilionidae) Parnassius apollo ssp. regius Lukhtanov, 1997, Atalanta 28 (1/2): 14-16, Abb. 2-4. Holotype ♀: Kasachstan: Altai, Ust-Kamenogorsk-Gebiet, Syrjanovsk 450m (in Zoological Inst., St. Petersburg).
- 9267. Parnassius (s.str.) apollo rivalis Belling, 1930** (Papilionidae) Parnassius apollo rivalis Belling, 1930, Int. ent. Z. 24 (16): 191.
- 9268. Parnassius (s.str.) apollo rubidus Fruhstorfer, 1906** (Papilionidae) Parnassius apollo ssp. rubidus Fruhstorfer, 1906, Societas ent. 21: 137. Syntypes: Südtirol: Eisacktal.
- 9269. Parnassius (s.str.) apollo sajoticus Bryk, 1912** (Papilionidae) Parnassius apollo ssp. sajoticus Bryk, 1912, Societas Ent. 27: 11. Holotype ♂: Russland: Sajan-Gebirge: Arasungol.
- 9270. Parnassius (s.str.) apollo sibiricus (Nordmann, 1851)** (Papilionidae) Doritis apollo var. sibirica Nordmann, 1851, Bull. Soc. Nat. Moscou 24 (2): 423, Tab. 11 fig. 1. Syntypes: Russia: Irkutsk.
- 9271. Parnassius (s.str.) apollo suaneticus Pachenstecher, 1910** (Papilionidae) Parnassius apollo suaneticus Pachenstecher, 1910, Ent. Z., Stuttgart 23: 159.
- 9272. Parnassius (s.str.) apollo suevicus Pagenstecher, 1909** (Papilionidae) Parnassius apollo suevicus Pagenstecher, 1909, Ent. Z., Stuttgart 22: 186. Syntypes: Deutschland: Baden-Württemberg: Schwabisch Alb.
- 9273. Parnassius (s.str.) apollo tarbagataicus Verity, 1911** (Papilionidae) Parnassius apollo race tarbagataica Verity, 1911, Rhop. palaeart.: 307, Tab. 54 fig. 6. Syntypes: [Kazachstan]: "Saour, Tarbagatai or."
- 9274. Parnassius (s.str.) apollo tirabzonus Sheljuzhko, 1924** (Papilionidae) Parnassius apollo ssp. tirabzonus Sheljuzhko, 1924, Z. österr. EntVer. 9 (8): 67-69. Syntypes 2♂ 3♀: [Turkey: Rize Prov.]: "Funduklü, Ziller-Kaja, Tshamluk" (ZMKU) (Tshikolovets, 1993: 53).
- 9275. Parnassius (s.str.) apollo tridentina Dannehl, 1925** (Papilionidae) Parnassius apollo tridentina Dannehl, 1925, Ent. Z., Stuttgart 39: 6.
- 9276. Parnassius (s.str.) apollo valesiacus Fruhstorfer, 1906** (Papilionidae) Parnassius apollo ssp. valesiacus Fruhstorfer, 1906, Societas ent. 21: 139.
- 9277. Parnassius (s.str.) apollo venaissimus Fruhstorfer, 1921** (Papilionidae) Parnassius apollo ssp. venaissimus Fruhstorfer, 1921, Ent. Anz. 1: 114. Type(s): S. Frankreich: Mt. Ventoux.
- 9278. Parnassius (s.str.) apollo victorialis Fruhstorfer, 1921** (Papilionidae) Parnassius apollo ssp. victorialis Fruhstorfer, 1921, Ent. Anz. 1: 29: Südtirol: Trient.
- 9279. Parnassius (s.str.) apollonius (Eversmann, 1847)** (Papilionidae) Doritis apollonius Eversmann, 1847, Bull. Soc. Nat. Moscou 20(3): 71, Pl. 3, fig. 1, 2. Syntypes: [Kazachstan]: Dshungarischer Alatau.
- 9280. Parnassius (s.str.) apollonius alaicus Bryk & Eisner, 1934** (Papilionidae) Parnassius apollonius ssp. alaicus Bryk & Eisner, 1934, Parnassiana 3: 21. Holotype ♂: [Tadjikistan]: Alai.
- 9281. Parnassius (s.str.) apollonius alicae Kreuzberg, 1989** (Papilionidae) Parnassius apollonius ssp. alicae Kreuzberg, 1989, Vestn. zool. 1989 (6): 34, fig. 3. Holotype ♂: Kazachstan: Turgai Plateau, Ischim River, line of Kustanai and Kokchetav regions.
- 9282. Parnassius (s.str.) apollonius alpinus Staudinger, 1887** (Papilionidae) Parnassius apollonius var. alpinus Staudinger, 1887, Stettin ent. Ztg. 48: 49. Syntypes: [Kirgizistan]: Alexander Mts. [Kirgisski Chrebet].
- 9283. Parnassius (s.str.) apollonius aphrodite Bryk & Eisner, 1934** (Papilionidae) Parnassius apollonius ssp. aphrodite Bryk & Eisner, 1934, Parnassiana 3: 19. Holotype ♀: [Kazachstan]: Dsarkent [Dsharkent].
- 9284. Parnassius (s.str.) apollonius apollonius (Eversmann, 1847)** (Papilionidae) Doritis apollonius Eversmann, 1847, Bull. Soc. Nat. Moscou 20(3): 71, Pl. 3, fig. 1, 2. Syntypes: [Kazachstan]: Dshungarischer Alatau.
- 9285. Parnassius (s.str.) apollonius daubi Fruhstorfer, 1903** (Papilionidae) Parnassius apollonius daubi Fruhstorfer, 1903, Societas ent. 18: 49.
- 9286. Parnassius (s.str.) apollonius dux Staudinger, 1901** (Papilionidae) Parnassius apollonius var. dux Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 5, nr. 13c. (nomen novum pro princeps Gr.-Grsh., 1888 nec Honrath, 1887) Syntypes: [Uzbekistan]: Buchara m.or. (Karategin s.or.).
- 9287. Parnassius (s.str.) apollonius glaucopis Bryk & Eisner, 1934** (Papilionidae) Parnassius (s.str.) apollonius glaucopis Bryk & Eisner, 1934, Parnassiana 3: 19. Syntypes: [Kazachstan]: Belomurun, Karatau [Syrdajinischer Karatau].
- 9288. Parnassius (s.str.) apollonius gloriosus Fruhstorfer, 1903** (Papilionidae) Parnassius (s.str.) apollonius gloriosus Fruhstorfer, 1903, Dt. ent. Z., Iris 16: 309.
- 9289. Parnassius (s.str.) apollonius horaki Kreuzberg, 1989** (Papilionidae) Parnassius apollonius ssp. horaki Kreuzberg, 1989, Vestn. zool. 1989 (6): 34, fig. 4. Holotype ♂: Uzbekistan: Zeravshan mountain range, Aman-Kutan valley, 1500m.
- 9290. Parnassius (s.str.) apollonius kuldshaensis Bryk & Eisner, 1934** (Papilionidae) Parnassius apollonius ssp. kuldshaensis Bryk & Eisner, 1934, Parnassiana 3: 19. Holotype ♂: [China: Uighur A.R.]: Tian-Shan [Tengri Tagh]: Kuldsha.
- 9291. Parnassius (s.str.) apollonius narynus Fruhstorfer, 1908** (Papilionidae) Parnassius apollonius ssp. narynus Fruhstorfer, 1908, Ent. Z. (Stuttgart) 22: 51. Type ♂: [Kirgizistan]: Kara-gaitau: Narynj, Narynsk.
- 9292. Parnassius (s.str.) apollonius poseidon Bryk & Eisner, 1934** (Papilionidae) Parnassius apollonius ssp. poseidon Bryk & Eisner, 1934, Parnassiana 3: 20. Holotype ♀: [Uzbekistan]: Taschkent.
- 9293. Parnassius (s.str.) apollonius pseudoalpinus Bryk & Eisner, 1934** (Papilionidae) Parnassius apollonius ssp. pseudoalpinus Bryk & Eisner, 1934, Parnassiana 3: 21. Holotype ♂: [Tadjikistan]: Transalai.
- 9294. Parnassius (s.str.) bremeri Bremer, 1864** (Papilionidae) Parnassius bremeri Bremer, 1864, Mém. Acad. St. Petersburg 7, 8: 6 Pl. 1 fig. 3. Type(s): Russia: Amurland.
- 9295. Parnassius (s.str.) bremeri bremeri Bremer, 1864** (Papilionidae) Parnassius bremeri Bremer, 1864, Mém. Acad. St. Petersburg 7, 8: 6 Pl. 1 fig. 3. Type(s): Russia: Amurland.
- 9296. Parnassius (s.str.) bremeri conjuncta Staudinger, 1901** (Papilionidae) Parnassius bremeri var. conjuncta Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 5, nr. 19b. Syntypes ♂♂: Russia: Ussuri (Sutschan).
- 9297. Parnassius (s.str.) bremeri graeseri Honrath, 1885** (Papilionidae) Parnassius bremeri graeseri Honrath, 1885, Berl. ent. Z. 29: 272, Pl. 8 figs. 1a-c. Syntypes: Russia: Transbaikali or., Pokrowska.
- 9298. Parnassius (s.str.) bremeri hakutozanus Matsumura, 1927** (Papilionidae) Parnassius bremeri ssp. hakutozana Matsumura, 1927, Insecta Matsumurana 1: 163, Pl. v fig. 4, 5. Syntypes 2♂ 2♀: Korea: "at the peak of Mt. Hakuto".
- 9299. Parnassius (s.str.) bremeri jaetensis O. Bang-Haas, 1927** (Papilionidae) Parnassius bremeri ssp. jätensis O. Bang-Haas, 1927, Horae Macrolepid. 1: 9, t. 1 fig. 6. Syntypes: [Russia]: Transbaikali mer. Südbhang des Jablonoji (=Apfel) Gebirges., östl. Kjachta.
- 9300. Parnassius (s.str.) bremeri mandarinus Bryk, 1913** (Papilionidae) Parnassius mandarinus Bryk, 1913, Ent. Mitt. 3: 82. Type(s): China sept. or.: Prov. Tschili, Hoang-yongshan mt., Pekin occ.
- 9301. Parnassius (s.str.) bremeri orotshonica O. Bang-Haas, 1927** (Papilionidae) Parnassius bremeri ssp. orotshonica O. Bang-Haas, 1927, Horae Macrolepid. 1: 10, t. 1 figs. 7-8. Syntypes: Sichotin Alin mont., Ternei und Tjutiho.
- 9302. Parnassius (s.str.) bremeri solonensis O. Bang-Haas, 1927** (Papilionidae) Parnassius bremeri ssp. solonensis O. Bang-Haas, 1927, Horae Macrolepid. 1: 11, t. 1 fig. 11-13. Syntypes: [China]: Mandschuria sept., prov. Holungkiang, Buchala, Chingan mont. sept., 1100m.

- 9303. Parnassius (s.str.) epaphus Oberthür, 1879** (Papilionidae) Parnassius epaphus Oberthür, 1879, Etüd. Ent. 4: 23 (nomen novum pro jacquemontii Gray, Cat. Lepid. Br. Mus.: pl.xii, figs. 1,2). Type ♀: China: [Uighur A.R.]: "Tartarie chinoise".
- 9304. Parnassius (s.str.) epaphus abruptus O.Bang-Haas, 1927** (Papilionidae) Parnassius epaphus ssp. abruptus O.Bang-Haas, 1927, Horae Macrolepidopt. 1: 103. Type: China: Kansu: 45km nordöstl. der Stadt Hsining (Sining), 2500m.
- 9305. Parnassius (s.str.) epaphus beicki Bryk & Eisner, 1936** (Papilionidae) Parnassius epaphus ssp. beicki Bryk & Eisner, 1936, Parnassiana 4: 10. Holotype ♂: China: Süd-Tatungsche Berge.
- 9306. Parnassius (s.str.) epaphus beresowskyi Staudinger, 1901** (Papilionidae) Parnassius epaphus var. beresowskyi Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 6, nr.23b. Syntypes: China m.oc.: Amdo m.
- 9307. Parnassius (s.str.) epaphus boschmai Eisner, 1964** (Papilionidae) Parnassius epaphus ssp. boschmai Eisner, 1964, Zool. Meded. 39: 186. Holotype ♂: Nepal: Khumbu.
- 9308. Parnassius (s.str.) epaphus epaphactius O.Bang-Haas, 1915** (Papilionidae) Parnassius epaphus var.? epaphactius O.Bang-Haas, 1915, Dt. ent. Z., Iris 29: 95. Type: [China: Uighur A.R.]: Chotan.
- 9309. Parnassius (s.str.) epaphus epaphus Oberthür, 1879** (Papilionidae) Parnassius epaphus Oberthür, 1879, Etüd. Ent. 4: 23 (nomen novum pro jacquemontii Gray, Cat. Lepid. Br. Mus.: pl.xii, figs. 1,2). Type ♀: China: [Uighur A.R.]: "Tartarie chinoise".
- 9310. Parnassius (s.str.) epaphus epichorius Bryk, 1943** (Papilionidae) Parnassius epaphus ssp. epichorius Bryk, 1943, Mitt. münch. ent. Ges. 33: 27. Holotype ♂: China: Batang, Alpine Zone.
- 9311. Parnassius (s.str.) epaphus everesti Riley, 1923** (Papilionidae) Parnassius epaphus ssp. everesti Riley, 1923, Trans. ent. Soc. London 1923: 463, pl.xxxvi figs. 7,8. Syntypes ♂♂: "at camp N.N.W. of Mt. Everest on moraine shelf above Rongbuk Glacier" (BMNH).
- 9312. Parnassius (s.str.) epaphus gautama Bryk & Eisner, 1937** (Papilionidae) Parnassius epaphus ssp. gautama Bryk & Eisner, 1937, Parnassiana 4: 47. Holotype ♂: China: Burchan-Buddha Kette, Nomohun Pass.
- 9313. Parnassius (s.str.) epaphus gyaella Eisner, 1932** (Papilionidae) Parnassius epaphus ssp. gyaella Eisner, 1932, Parnassiana 2: 68. Holotype ♂: Gya-Ladak: Taglang Pass.
- 9314. Parnassius (s.str.) epaphus hazaraensis Bryk & Eisner, 1937** (Papilionidae) Parnassius epaphus ssp. hazaraensis Bryk & Eisner, 1937, Parnassiana 4: 62. Holotype ♂: [Pakistan]: Khagan: Hazara.
- 9315. Parnassius (s.str.) epaphus heliae Schulte, 1991** (Papilionidae) Parnassius epaphus ssp. heliae Schulte, 1991, Nachr. ent. Ver. Apollo (N.F.) 12(3): 182, Abb. Holotype ♂: China: Gansu: nordwestl. Qilian-Shan (Richthofen-Geb.) 50km südwestl. Jiayuguan, Zoulang Nanshan, 3700-3850m. leg. Helia (in coll. Schulte).
- 9316. Parnassius (s.str.) epaphus himalayanus Riley, 1923** (Papilionidae) Parnassius epaphus ssp. himalayanus Riley, 1923, Trans. ent. Soc. London 1923: 463-464, pl.xxxvi fig. 6. Syntypes ♂♂: "2 miles E. of Mt. Everest, Chog La between Kharta valley and Karna valley, Bongshar valley (BMNH).
- 9317. Parnassius (s.str.) epaphus hinducucicus O.Bang-Haas, 1934** (Papilionidae) Parnassius epaphus ssp. hinducucicus O.Bang-Haas, 1934, Ent. Z., Frankf. a. M. 48: 7. Holotype ♂: Afghanistan: Hindukusch: Karambar Pass.
- 9318. Parnassius (s.str.) epaphus hoeniana Eisner, 1955** (Papilionidae) Parnassius epaphus ssp. hoeniana Eisner, 1955, Zool. Meded. 33: 193. Holotype ♂: [China]: Tibet: südlichste Steppe
- 9319. Parnassius (s.str.) epaphus huwei Fruhstorfer, 1903** (Papilionidae) Parnassius epaphus ssp. huwei Fruhstorfer, 1903, Stettin ent. Ztg. 64: 360. Type(s): [China: Uighur A.R.]: Aksu, Kia Fluß.
- 9320. Parnassius (s.str.) epaphus kotzschii Bryk & Eisner, 1936** (Papilionidae) Parnassius epaphus ssp. kotzschii Bryk & Eisner, 1936, Parnassiana 4: 11. Holotype ♂: China: Kansu: Khodunpo.
- 9321. Parnassius (s.str.) epaphus nanchanicus Austaut, 1889** (Papilionidae) Parnassius epaphus nanchanicus Austaut, 1889, Naturaliste 1889: 285.
- 9322. Parnassius (s.str.) epaphus nirius Moore, 1902** (Papilionidae) Parnassius nirius Moore, 1902, Lepid. India: 108, pl.407 figs. 1,1a. Type ♀: Ladak.
- 9323. Parnassius (s.str.) epaphus nomionides Schulte, 1992** (Papilionidae) Parnassius epaphus ssp. nomionides Schulte, 1992, Nachr. ent. Ver., Apollo (N.F.) 13(2a): 173, 176, figs. Holotype ♂: China: Qinghai, Qinghai-Nanshan, ca. 28km nördl. Caka, 4200-4800m. leg. Paulus (in coll. Schulte).
- 9324. Parnassius (s.str.) epaphus nomius Groum-Grshimailo, 1891** (Papilionidae) Parnassius nomion var. nomius Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 441. Syntypes: [China]: "regione Amdo: Kuku-Noor".
- 9325. Parnassius (s.str.) epaphus phariensis Avinoff, 1916** (Papilionidae) Parnassius epaphus ssp. phariensis Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 360, pl.liv figs. 8,9. Syntypes ♂♀: [China]: "Phari-Zong in Southern Tibet".
- 9326. Parnassius (s.str.) epaphus pictor Bryk & Eisner, 1932** (Papilionidae) Parnassius epaphus ssp. pictor Bryk & Eisner, 1932, Parnassiana 2: 104. Holotype ♂: China Szetschwan: Kunkala-schan.
- 9327. Parnassius (s.str.) epaphus puella Bryk, 1934** (Papilionidae) Parnassius epaphus ssp. puella Bryk, 1934, Parnassiana 3: 28.
- 9328. Parnassius (s.str.) epaphus puer Bryk & Eisner, 1932** (Papilionidae) Parnassius epaphus ssp. puer Bryk & Eisner, 1932, Parnassiana 2: 24. Holotype ♂: India: Kangra: Rohtang Pass.
- 9329. Parnassius (s.str.) epaphus rafael Bryk, 1938** (Papilionidae) Parnassius epaphus ssp. rafael Bryk, 1938, Parnassiana 6: 4. Holotype ♂: China: Yunnan: A-Tun-tse.
- 9330. Parnassius (s.str.) epaphus rene Eisner, 1959** (Papilionidae) Parnassius epaphus ssp. rene Eisner, 1959, Zool. Meded. 36: 162. Holotype ♀: India: N.O.Kashmir, Ladarwas Ganj.
- 9331. Parnassius (s.str.) epaphus sculptor Bryk & Eisner, 1939** (Papilionidae) Parnassius epaphus ssp. sculptor Bryk & Eisner, 1939, Parnassiana 6: 48. Holotype ♂: Indien: Karakorum, Macheribroum.
- 9332. Parnassius (s.str.) epaphus shantana O.Bang-Haas, 1938** (Papilionidae) Parnassius epaphus ssp. shantana O.Bang-Haas, 1938, Parnassiana 6: 24. Holotype ♂: China: Richthofen Gebirge, Shantan.
- 9333. Parnassius (s.str.) epaphus shilangensis Bryk & Eisner, 1936** (Papilionidae) Parnassius epaphus ssp. shilangensis Bryk & Eisner, 1936, Parnassiana 4: 14. Holotype ♂: China: Tibet: Chumurti, Shilang, Shiring Pass.
- 9334. Parnassius (s.str.) epaphus subtilis O.Bang-Haas, 1927** (Papilionidae) Parnassius epaphus ssp. subtilis O.Bang-Haas, 1927, Horae Macrolepid. 1: 21, t.3 fig.6. Syntypes: [China: Uighur A.R.]: Nordabhang des Karakorum, Chinesische Tatarei, Schahidulah, 4500m.
- 9335. Parnassius (s.str.) epaphus tsaidamensis Austaut, 1898** (Papilionidae) Parnassius epaphus tsaidamensis Austaut, 1898, Naturaliste 1898: 106.
- 9336. Parnassius (s.str.) hillensis O.Bang-Haas, 1915** (Papilionidae) Parnassius epaphus ssp. hillensis O.Bang-Haas, 1915, Dt. ent. Z., Iris 29: 175. Syntypes: India: Bashahr: Spiti.
- 9337. Parnassius (s.str.) hillensis hillensis O.Bang-Haas, 1915** (Papilionidae) Parnassius epaphus ssp. hillensis O.Bang-Haas, 1915, Dt. ent. Z., Iris 29: 175. Syntypes: India: Bashahr: Spiti.
- 9338. Parnassius (s.str.) honrathi Staudinger, 1882** (Papilionidae) Parnassius honrathi Staudinger, 1882, Berl. ent. Z. 26 (1): 161, Taf.1 figs. 4,5,5a. Syntypes 20 ♂ 5 ♀: [Uzbekistan]: Hazret-Sultan Gebirge, südlich von Samarkand, 2000-2500m.
- 9339. Parnassius (s.str.) honrathi afghanistanus Eisner, 1940** (Papilionidae) Parnassius honrathi ssp. afghanistanus Eisner, 1940, Temminckia 5: 264-265. Holotype ♂: North-West Afghanistan: Firuz-Kuh Kette. 2800-3000m.
- 9340. Parnassius (s.str.) honrathi alburnus Stichel, 1907** (Papilionidae) Parnassius davidis ssp. alburnus Stichel, 1907, Ent. Z., Stuttgart 21: 132.
- 9341. Parnassius (s.str.) honrathi honrathi Staudinger, 1882** (Papilionidae) Parnassius honrathi Staudinger, 1882, Berl. ent. Z. 26 (1): 161, Taf.1 figs. 4,5,5a. Syntypes 20 ♂ 5 ♀: [Uzbekistan]: Hazret-Sultan Gebirge, südlich von Samarkand, 2000-2500m.
- 9342. Parnassius (s.str.) honrathi kondarensis Stshetkin & Stshetkin, 1988** (Papilionidae) Parnassius honrathi kondarensis Stshetkin & Stshetkin, 1988, Ent. Obozr. 1988 (1): 160-161, 2 figs. Holotype ♂: Tadjikistan: southern slope of Hissar Mts., Kondar 2100m.
- 9343. Parnassius (s.str.) honrathi pseudoalburnus Kotzsch, 1936** (Papilionidae) Parnassius honrathi ssp. pseudoalburnus Kotzsch, 1936, Parnassiana 4: 4. Holotype ♂: Afghanistan: Hindukusch.
- 9344. Parnassius (s.str.) illustris Groum-Grshimailo, 1888** (Papilionidae) Parnassius delphius var. illustris Groum-Grshimailo, 1888, Horae Soc. ent. ross. 22: 304. Type(s): [Tadjikistan]: Transalai.

- 9345. Parnassius (s.str.) illustris illustris Groum-Grshimailo,1888** (Papilionidae) *Parnassius delphius* var. *illustris* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 304. Type(s): [Tadjikistan]: Transalai.
- 9346. Parnassius (s.str.) infernalis Staudinger,1886** (Papilionidae) *Parnassius delphius* var. *infernalis* Staudinger,1886, Stettin ent. Ztg. 47: 195. Syntypes: [Kirgizistan]: Osch.
- 9347. Parnassius (s.str.) infernalis hoareui Hanus,1996** (Papilionidae) *Parnassius infernalis* ssp. *hoareui* Hanus,1996, Atalanta 27 (1/2): 206-207, Abb. Holotype ♂: Kirghizia, Transalai range, Ters agar Pass, 3500m (in coll. Hanus).
- 9348. Parnassius (s.str.) infernalis hunza Groum-Grshimailo,1888** (Papilionidae) *Parnassius stoliczkanus* var. *hunza* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 303. Syntypes ♂♀: [Pakistan]: Hindukush orient. [Hunza].
- 9349. Parnassius (s.str.) infernalis infernalis Staudinger,1886** (Papilionidae) *Parnassius delphius* var. *infernalis* Staudinger,1886, Stettin ent. Ztg. 47: 195. Syntypes: [Kirgizistan]: Osch.
- 9350. Parnassius (s.str.) jacquemontii Boisduval,1836** (Papilionidae) *Parnassius jacquemontii* Boisduval,1836, Hist. Nat. Ins., Sp. Gén. Léop. 1: 400. Type ♂: Kashmir.
- 9351. Parnassius (s.str.) jacquemontii buddha Bryk & Eisner,1937** (Papilionidae) *Parnassius jacquemontii* ssp. *buddha* Bryk & Eisner,1937, Parnassiana 4: 58. Holotype ♂: China: Qinghai: Burchan-Buddha Gebirge, Nomohun Pass.
- 9352. Parnassius (s.str.) jacquemontii chitralensis Moore,1902** (Papilionidae) *Parnassius chitralensis* Moore,1902, Lepid. ind. 5: 197, Pl.406, fig. 2, 2a. Type: [Pakistan]: Chitral mer., Shiski Kuh, Jhela Drosch.
- 9353. Parnassius (s.str.) jacquemontii hermes Bryk & Eisner,1935** (Papilionidae) *Parnassius jacquemontii* ssp. *hermes* Bryk & Eisner,1935, Parnassiana 3: 94. Holotype ♂: China: Szetschuan: Sunpanting.
- 9354. Parnassius (s.str.) jacquemontii hunzaicus Tytler,1926** (Papilionidae) *Parnassius jacquemontii* *hunzaicus* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 250, Pl.4 fig.2. Type(s): [Pakistan]: Hunza, Misgar.
- 9355. Parnassius (s.str.) jacquemontii jacquemontii Boisduval,1836** (Papilionidae) *Parnassius jacquemontii* Boisduval,1836, Hist. Nat. Ins., Sp. Gén. Léop. 1: 400. Type ♂: Kashmir.
- 9356. Parnassius (s.str.) jacquemontii kohibabaensis Eisner & Sakai,1975** (Papilionidae) *Parnassius jacquemontii* ssp. *kohibabaensis* Eisner & Sakai,1975, Zool. Meded. 49: 85-86, fig. Holotype ♂: Afghanistan: Mt. Shah Fuladi, Wardak, 4000-4500m.
- 9357. Parnassius (s.str.) jacquemontii linnaea Bryk,1943** (Papilionidae) *Parnassius jacquemontii* ssp. *linnaea* Bryk,1943, Mitt. münch. ent. Ges. 33: 26. Holotype ♂: China: Szetschuan: Batang, Alpine Zone.
- 9358. Parnassius (s.str.) jacquemontii mercurius Groum-Grshimailo,1891** (Papilionidae) *Parnassius mercurius* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 445. Syntypes: [China: Qinghai]: Amdo, Sining-Gebirge.
- 9359. Parnassius (s.str.) jacquemontii mohammad Eisner & Naumann,1980** (Papilionidae) *Parnassius jacquemontii* ssp. *mohammad* Eisner & Naumann,1980, Zool. Verh. 178: 19-20, Taf.8, Abb. 17. Holotype ♂: Afghanistan: [Badakhshan], Prov. Takhar, Dar-e-Warsadj, Kadj-Dar.-e-Warsadj.
- 9360. Parnassius (s.str.) jacquemontii nuksanica Kotsch,1936** (Papilionidae) *Parnassius jacquemontii* ssp. *nuksanica* Kotsch,1936, Parnassiana 4: 5. Holotype ♂: Afghanistan: Hindukush, Nuksan Pass.
- 9361. Parnassius (s.str.) jacquemontii pamira O.Bang-Haas,1927** (Papilionidae) *Parnassius jacquemontii* ssp. *pamira* O.Bang-Haas,1927, Horae Macrolepid. 1: 19. Syntypes: [Tadjikistan]: Hindukush or., Beik, Ljanger Flusse
- 9362. Parnassius (s.str.) jacquemontii paulusi Schulte,1992** (Papilionidae) *Parnassius jacquemontii* ssp. *paulusi* Schulte,1992, Nachr. ent. Ver., Apollo (N.F.) 13(2a): 171-172, figs. Holotype ♂: China: qinghai, Qinghai-Nanshan, ca. 25km nördl. Caka, 3500-4500m. leg. Paulus (in coll. Schulte).
- 9363. Parnassius (s.str.) jacquemontii peter Bryk & Eisner,1935** (Papilionidae) *Parnassius jacquemontii* ssp. *peter* Bryk & Eisner,1935, Parnassiana 3: 87. Holotype ♂: [Tadjikistan]: Pamir: Peter de Grosse, Karategin.
- 9364. Parnassius (s.str.) jacquemontii rubicundus Stichel,1906** (Papilionidae) *Parnassius jacquemontii* ssp. *rubicundus* Stichel,1906, Berl. ent. Z. 51 (1): 89-90. Syntypes: Pamir, Fergana.
- 9365. Parnassius (s.str.) jacquemontii shandura Tytler,1926** (Papilionidae) *Parnassius jacquemontii* ssp. *shandura* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 250, Pl.4 figs. 3, 4. Syntypes: [Pakistan]: Chitral, Shandur Pass.
- 9366. Parnassius (s.str.) jacquemontii sikingshani Bryk & Eisner,1935** (Papilionidae) *Parnassius jacquemontii* ssp. *sikingshani* Bryk & Eisner,1935, Parnassiana 3: 94. Holotype ♂: China: Sincheng, Ost-Sikingshan.
- 9367. Parnassius (s.str.) jacquemontii tatsienluica Verity,1906** (Papilionidae) *Parnassius jacquemontii* ssp. *tatsienluica* Verity,1906, Rhopalocera Palaearctica: 63. Syntypes 6♂ 1♀: [China]: [Szechwan]: Ta-Tsien-Lou.
- 9368. Parnassius (s.str.) jacquemontii tatungi Bryk & Eisner,1935** (Papilionidae) *Parnassius jacquemontii* ssp. *tatungi* Bryk & Eisner,1935, Parnassiana 3: 94. Holotype ♂: China: Süd-Tatungische Berge.
- 9369. Parnassius (s.str.) jacquemontii tibetanulus Bryk & Eisner,1931** (Papilionidae) *Parnassius jacquemontii* ssp. *tibetanulus* Bryk & Eisner,1931, Parnassiana 1(7/8): 9. Holotype ♂: China: Szetschuan: Omisien.
- 9370. Parnassius (s.str.) jacquemontii tibetanulus Rühl,1892** (Papilionidae) *Parnassius tibetanulus* Rühl,1892, Die palaearkt. Grossschmett. 1: 99. Type(s): Tibet: Ta-tsien-lo.
- 9371. Parnassius (s.str.) jacquemontii variabilis Stichel,1906** (Papilionidae) *Parnassius jacquemontii* ssp. *variabilis* Stichel,1906, Berl. ent. Z. 51 (1): 90. Syntypes 2♂: [Kirgizistan]: Ost-Fergana: Alpen von Osch.
- 9372. Parnassius (s.str.) nomion Fischer de Waldheim,1823** (Papilionidae) *Parnassius (s.str.) nomion* Fischer de Waldheim,1823, Ent. imp. Russ. 2: 242, Pl.6 figs. 3,4.
- 9373. Parnassius (s.str.) nomion americanus O.Bang-Haas,1927** (Papilionidae) *Parnassius nomion* ssp. *americanus* O.Bang-Haas,1927, Horae Macrolepid. 1: 17 (nomen novum pro *Parnassius nomion minor* Oberthur).
- 9374. Parnassius (s.str.) nomion anna Bryk,1914** (Papilionidae) *Parnassius nomion anna* Bryk,1914, Mitt. münch. ent. Ges. 5: 33. Holotype ♂: Mongolei: Inn-shan.
- 9375. Parnassius (s.str.) nomion chosensis Matsumura,1927** (Papilionidae) *Parnassius nomion* ssp. *chosensis* Matsumura,1927, Insecta Matsumurana 1: 162, Pl.v fig.1. Syntypes 3♂ 2♀: Corea: Mt. Hakuto.
- 9376. Parnassius (s.str.) nomion davidis Oberthür,1879** (Papilionidae) *Parnassius davidis* Oberthür,1879, Etüd. Ent. 4: 23, 108, Pl.2 fig.2. Type ♀: Nord de la Chine.
- 9377. Parnassius (s.str.) nomion dis Bryk & Eisner,1937** (Papilionidae) *Parnassius nomion* ssp. *dis* Bryk & Eisner,1937, Parnassiana 5: 10. Holotype ♀: Russia: Irkutsk.
- 9378. Parnassius (s.str.) nomion korshunovi Kreuzberg & Pljustsh,1992** (Papilionidae) *Parnassius nomion* ssp. *korshunovi* Kreuzberg & Pljustsh,1992, Vestn. Zool. 199: 78-79, figs. Holotype ♂: Russia: Altai: Sayan, Krasnoyarsk.
- 9379. Parnassius (s.str.) nomion mandschuriae Oberthür,1891** (Papilionidae) *Parnassius nomion mandschuriae* Oberthür,1891, Etüd. Ent. 14: 2, 16, 19, Pl.2 fig.10. Syntypes: Chine: Mandchourie.
- 9380. Parnassius (s.str.) nomion nominulus Staudinger,[1895]** (Papilionidae) *Parnassius nomion* var. *nominulus* Staudinger,[1895], Dt. ent. Z., Iris 7: 241. Syntypes: [Russia]: Ost-Sajan-Gebiet (südwestlich von Irkutsk, an der Grenze der chinesischen Mongolei gelegen).
- 9381. Parnassius (s.str.) nomion nomion Fischer de Waldheim,1823** (Papilionidae) *Parnassius (s.str.) nomion* Fischer de Waldheim,1823, Ent. imp. Russ. 2: 242, Pl.6 figs. 3,4.
- 9382. Parnassius (s.str.) nomion nomius Groum-Grshimailo,1891** (Papilionidae) *Parnassius nomion* var. *nomius* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 445. Syntypes: [China: Tibet]: Amdo; Kuku-Noor, Mt.Dshachar.
- 9383. Parnassius (s.str.) nomion oberthuerianus Bryk,1914** (Papilionidae) *Parnassius nomion* var. *oberthuerianus* Bryk,1914, Int. ent. Z. 8: 40. Syntypes: China: Gebirge westl. pekin, Hoang-yong-shan, 2500m.
- 9384. Parnassius (s.str.) nomion richthofeni O.Bang-Haas,1927** (Papilionidae) *Parnassius nomion* ssp. *richthofeni* O.Bang-Haas,1927, Horae Macrolepid. 1: 16, t.2 figs.7,8. Syntypes: China: Kansu sept.: Südlich der Stadt Liang-tschan, Richthofen mont., 2500m.
- 9385. Parnassius (s.str.) nomion sinensis O.Bang-Haas,1927** (Papilionidae) *Parnassius nomion* ssp. *sinensis* O.Bang-Haas,1927, Horae Macrolepid. 1: 16, t.2 figs.5,6. Syntypes: China: Kansu: Nordwestl. der Stadt Hsining (=Sining) tsingschilin, östl. Ausläufer des Nanshan mont., 2500m.

- 9386. Parnassius (s.str.) nomion theagenes O.Bang-Haas,1927** (Papilionidae) Parnassius nomion ssp. theagenes O.Bang-Haas,1927, Horae Macrolepid. 1: 16, t.2 figs.3,6. Syntypes: China: Kansu or.: Gebirge in der Umgebung der Stadt Lantschou (=Lanchowfu).
- 9387. Parnassius (s.str.) nomion titan Fruhstorfer,1903** (Papilionidae) Parnassius nomion ssp. titan Fruhstorfer,1903, Dt. ent. Z., Iris 16: 308. Syntypes: [Russia]: Ussuri meridionalis.
- 9388. Parnassius (s.str.) nomion tschiliensis O.Bang-Haas,1927** (Papilionidae) Parnassius nomion ssp. tschiliensis O.Bang-Haas,1927, Horae Macrolepid. 1: 15, t.2 figs.1,2. Syntypes: [China]: Prov. Tschili (Tschifong = Chifengshien), Lin si hien, Ostseite des Chingan mont.
- 9389. Parnassius (s.str.) phoebus (Fabricius,1793)** (Papilionidae) Papilio phoebus Fabricius,1793, Ent. Syst. 3(1): 181. Neotypes ♂♀ [sic!]: Altai, Onogdai, Kurai-Pass (designated by Bryk,1935: 219) (ZMB).
- 9390. Parnassius (s.str.) phoebus amalthea Bryk & Eisner,1935** (Papilionidae) Parnassius phoebus ssp. amalthea Bryk & Eisner,1935, Parnassiana 3: 49. Holotype ♂: Russia: Mondy Gv. Irkutsk; 1966, Zool. Verh. 81: Pl.21 f.6, Pl.22 f.1.
- 9391. Parnassius (s.str.) phoebus apricatus Stichel,1906** (Papilionidae) Parnassius phoebus ssp. apricatus Stichel,1906, Berl. ent. Z. 51 (1): 87, Taf.ii figs.13a,b. Syntypes 1♂ 1♀: Nord-Amerika: südlich von Alaska, Insel Kadiak.
- 9392. Parnassius (s.str.) phoebus intermedius [Ménétriés],1850** (Papilionidae) Parnassius phoebus var. intermedius [Ménétriés],1850 [in] Siemaschko, Russkaya fauna, fasc.17, Lep. Tab. 4, fig.1. Lectotype ♀: Russia: Kamchatka (designated by Nekrutenko & Kerzhner,1986, Ent. Obozr. 1986 (4): 774).
- 9393. Parnassius (s.str.) phoebus phoebus (Fabricius,1793)** (Papilionidae) Papilio phoebus Fabricius,1793, Ent. Syst. 3(1): 181. Neotypes ♂♀ [sic!]: Altai, Onogdai, Kurai-Pass (designated by Bryk,1935: 219) (ZMB).
- 9394. Parnassius (s.str.) phoebus sauricus Lukhtanov,1999** (Papilionidae) Parnassius phoebus ssp. sauricus Lukhtanov,1999, Atalanta 30 (1/4): 136-137. Holotype ♀: Kasachstan: Ust-Kamenogorsk Gebiet, Saur Gebirge, Kysylkiya, 2900m. (in EMEM).
- 9395. Parnassius (s.str.) phoebus uralensis Kirby,1871** (Papilionidae) Parnassius phoebus var. intermedius f. uralensis Ménétriés,1859, [in] Schrenk, Reisen und Forschungen im Amur-Lande 2(1):13. Type(s): Nordural [infrasubspecific!]; Parnassius intermedius var. uralensis Kirby,1871, Syn. Cat. diurn. Lepid.: 512. "Ural".
- 9396. Parnassius (s.str.) phoebus zamolodtschikovi Belik,1996** (Papilionidae) Parnassius phoebus ssp. zamolodtschikovi Belik,1996, Atalanta 27 (1/2): 189-192, figs. Holotype ♂: Russia: northwestern part of Eastern Siberia: Putorana plateau, E. of Lama lake, 800m. (in coll. Zamolodchikow).
- 9397. Parnassius (s.str.) rueckbeili Deckert,1909** (Papilionidae) Parnassius delius rueckbeili Deckert,1909, Bull. Soc. ent. Fr. 1909: 108. Syntypes: [China: Uighur A.R.]: Barkul mts., Chaunje.
- 9398. Parnassius (s.str.) rueckbeili rueckbeili Deckert,1909** (Papilionidae) Parnassius delius rueckbeili Deckert,1909, Bull. Soc. ent. Fr. 1909: 108. Syntypes: [China: Uighur A.R.]: Barkul mts., Chaunje.
- 9399. Parnassius (s.str.) sacerdos Stichel,1906** (Papilionidae) Parnassius phoebus sacerdos Stichel,1906, Berl. ent. Z. 51 (1): 86-87 (nomen novum pro delius Esper). Syntypes: Schweiz, Tirol.
- 9400. Parnassius (s.str.) sacerdos sacerdos Stichel,1906** (Papilionidae) Parnassius phoebus sacerdos Stichel,1906, Berl. ent. Z. 51 (1): 86-87 (nomen novum pro delius Esper). Syntypes: Schweiz, Tirol.
- 9401. Parnassius (s.str.) tianschanicus Oberthür,1879** (Papilionidae) Parnassius corybas var. tianschanica Oberthür,1879, Etüd. ent. 4: 108. Syntypes 1♂ 1♀: [China: Uighur A.R.]: Foret de Kouldja; Thianschan [Tengri Tagh] (montagnes célestes de la Chine).
- 9402. Parnassius (s.str.) tianschanicus alexander Bryk & Eisner,1935** (Papilionidae) Parnassius tianschanicus ssp. alexander Bryk & Eisner,1935, Parnassiana 3: 81. Holotype ♀: [Kirgizistan]: Alexander Mts. [Kirgisski Chrebet] (in coll. RNHL).
- 9403. Parnassius (s.str.) tianschanicus almaataensis Bryk & Eisner,1935** (Papilionidae) Parnassius tianschanicus ssp. almaataensis Bryk & Eisner,1935, Parnassiana 3: 3: 81. Holotype ♂: [Kasachstan]: Alma-Ata (in coll. RNHL).
- 9404. Parnassius (s.str.) tianschanicus baroghila Tytler,1926** (Papilionidae) Parnassius discobolus ssp. baroghila Tytler,1926, J. Bombay nat. Hist. Soc. 31: 250, Pl.4 fig.1. Type(s): [Pakistan]: Gilgit, Baroghil Pass.
- 9405. Parnassius (s.str.) tianschanicus chimganus Kreuzberg,1989** (Papilionidae) Parnassius tianschanicus ssp. chimganus Kreuzberg,1989, Vestn. zool. 1989 (6): 33, fig.2. Holotype ♂: Uzbekistan: Tchatkal-Gebirge, Tschimgan, 2300m.
- 9406. Parnassius (s.str.) tianschanicus grumgrschimailoi O.Bang-Haas,1927** (Papilionidae) Parnassius tianschanicus ssp. grumgrshimailoi O.Bang-Haas,1927, Horae Macrolepid. 1: 18. Type(s): [Tadjikistan]: Pamirs, Kizil-Art.
- 9407. Parnassius (s.str.) tianschanicus haberhaueri Bryk & Eisner,1935** (Papilionidae) Parnassius tianschanicus ssp. haberhaueri Bryk & Eisner,1935, Parnassiana 3: 82. Holotype ♂: [Uzbekistan]: Buchara: Dombaratschi.
- 9408. Parnassius (s.str.) tianschanicus insignis Staudinger,1886** (Papilionidae) Parnassius discobolus var. (ab.) insignis Staudinger,1886, Stettin ent. Ztg. 47: 194. Syntypes: [Tadjikistan]: Südlichen Alai.
- 9409. Parnassius (s.str.) tianschanicus maureri Bryk & Eisner,1935** (Papilionidae) Parnassius tianschanicus maureri Bryk & Eisner,1935, Parnassiana 3: 82. Holotype ♂: [Tadjikistan]: Safarschan, Hissar-Gebirge (in coll. RNHL).
- 9410. Parnassius (s.str.) tianschanicus melaneus Weiss,1980** (Papilionidae) Parnassius tianschanicus ssp. melaneus Weiss, 1980, Atalanta 11 (1): 18-20, Abb. Holotype ♂: Kirgisien: Kirgisischer Ala-Tau, Uzyn-Gyr, 2800-3000m (ein kleiner Gebirgsort, zw. den Flüssen Alaarcha u. Alamedin, südl. Frunze) (NMP).
- 9411. Parnassius (s.str.) tianschanicus minor Staudinger,1881** (Papilionidae) Parnassius discobolus var. minor Staudinger,1881, Stettin ent. Ztg. 42: 277. Syntypes ♂♀: [Kasachstan: Taldy-Kurgan]: Dshungarischer Ala Tau.
- 9412. Parnassius (s.str.) tianschanicus olympius Staudinger,1898** (Papilionidae) Parnassius olympius Staudinger,1898, Dt. ent. Z., Iris 10: 344. Syntypes: [Uighur Ili]: Thian. c. m. [Tengri Tagh] (Korla alp.)
- 9413. Parnassius (s.str.) tianschanicus shiva Wyatt,1961** (Papilionidae) Parnassius tianschanicus ssp. shiva Wyatt,1961, J. Lepidopterist's Soc. 15(1): 4, figs. Holotype ♂: Afghanistan: N. Badakhshan, Shiva Mts., Kars Pass, 11000ft.
- 9414. Parnassius (s.str.) tianschanicus superba Groum-Grshimailo,1890** (Papilionidae) Parnassius tianschanicus superba Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 180. Type(s): [Afghanistan]: Koudara.
- 9415. Parnassius (s.str.) tianschanicus tianschanicus Oberthür,1879** (Papilionidae) Parnassius corybas var. tianschanica Oberthür,1879, Etüd. ent. 4: 108. Syntypes 1♂ 1♀: [China: Uighur A.R.]: Foret de Kouldja; Thianschan [Tengri Tagh] (montagnes célestes de la Chine).
- 9416. Parnassius (s.str.) tianschanicus warsadjicus Eisner & Naumann,1980** (Papilionidae) Parnassius tianschanicus ssp. warsadjicus Eisner & Naumann,1980, Zool. Verh. 178: 17-18, Taf.8, Abb. 16. Holotype ♂: Afghanistan: [Badakhshan], Prov. Takhar, Darrah-e-Warsadj, Kadj-Darrah-e-Warsadj.
- 9417. Parnassius Schneider,1785** (Papilionidae) Parnassius Schneider,1785, Nom. Ent.: 34. Type-species: Papilio apollo Linnaeus,1758, Syst. Nat. (Ed.10): 465, by subsequent designation by Koçak,1981, Priamus 1(2): 51.
- 9418. Parnassius (Druryia (Iterus)) Donitz,1899** (Papilionidae) Iterus Donitz,1899, Berl. ent. Z. 44: SitzBer.: (22). Type-species: Papilio zalmoxis Hewitson,[1864], by selection through Section (i) (replacement names) of Article 67.
- 9419. Princeps (Druryia (Iterus)) zalmoxis (Hewitson,1864)** (Papilionidae) Papilio zalmoxis Hewitson,1864, Ill. new species exot. butts. 3: [2], pl.[1], fig.18. Type: [Nigeria]: "Calabar".
- 9420. Princeps (Druryia (Iterus)) zalmoxis zalmoxis (Hewitson,1864)** (Papilionidae) Papilio zalmoxis Hewitson,1864, Ill. new species exot. butts. 3: [2], pl.[1], fig.18. Type: [Nigeria]: "Calabar".
- 9421. Princeps (Druryia (Melindopsis)) Aurivillius,[1899]** (Papilionidae) Melindopsis Aurivillius,[1899], K. svenska VetenskAkad. Handl. 31 (5): 461. Type-species: Papilio rex Oberthür,1886, by monotypy.
- 9422. Princeps (Druryia (Melindopsis)) rex (Oberthür,1886)** (Papilionidae) Papilio rex Oberthür,1886, Annls Soc. ent. Fr. (6) 6: Bull. cxiv.
- 9423. Princeps (Druryia (Melindopsis)) rex abyssinica (Vane-Wright,1995)** (Papilionidae) Papilio (Princeps) rex abyssinica Vane-Wright,1995, Carcasson's African Butts.: 156 (nomen novum pro abyssinicus Poulton,1926 nec Cannaviello,1900). Type: Ethiopia: "S.W.Abyssinia: Nado's Prov.: Ganji River".
- 9424. Princeps (Druryia (Melindopsis)) rex regulana (Vane-Wright,1995)** (Papilionidae) Papilio (Princeps) rex regulana Vane-Wright,1995, Carcasson's African Butts.: 156 (nomen novum pro regulus

- Le Cerf,1919 nec Stoll,[1790]). Type: Kenya: "Kijabé" (Kikuyu Escarpment).
- 9425. *Priniceps (Druryia (Melindopsis)) rex rex* (Oberthür,1886)** (Papilionidae) *Papilio rex* Oberthür,1886, Annls Soc. ent. Fr. (6) 6: Bull. cxiv.
- 9426. *Priniceps (Druryia (cynorta-gr)) arnoldiana* (Vane-Wright,1995)** (Papilionidae) *Papilio* (*Priniceps*) *arnoldiana* Vane-Wright,1995, Carcasson's African Butts.: 139 (nomen novum pro *arnoldi* Poulton,1926 nec Richelmann,1909). Type: Ethiopia: "S.W.Abyssinia: Grine".
- 9427. *Priniceps (Druryia (cynorta-gr)) arnoldiana arnoldiana* (Vane-Wright,1995)** (Papilionidae) *Papilio* (*Priniceps*) *arnoldiana* Vane-Wright,1995, Carcasson's African Butts.: 139 (nomen novum pro *arnoldi* Poulton,1926 nec Richelmann,1909). Type: Ethiopia: "S.W.Abyssinia: Grine".
- 9428. *Priniceps (Druryia (cynorta-gr)) cynorta* (Fabricius,1793)** (Papilionidae) *Papilio cynorta* Fabricius,1793, Ent. Syst. 3 (1): 37.
- 9429. *Priniceps (Druryia (cynorta-gr)) cynorta cynorta* (Fabricius,1793)** (Papilionidae) *Papilio cynorta* Fabricius,1793, Ent. Syst. 3 (1): 37.
- 9430. *Priniceps (Druryia (cynorta-gr)) echerioides* (Trimen,1868)** (Papilionidae) *Papilio echerioides* Trimen,1868, Trans. ent. Soc. London 1868: 72, pl.6 figs.1,2. Syntypes: [South Africa]: Kaffraria: Perie Bush, Sogana, Bools forests; Natal: Tunjumbili, Tugela frontier.
- 9431. *Priniceps (Druryia (cynorta-gr)) echerioides chirindanus* (Van Son,1956)** (Papilionidae) *Papilio echerioides* ssp. *chirindanus* Van Son,1956, Ann. Transv. Mus. 22: 504, pl.28,29 figs.3,4. Type: [Zimbabwe]: "S.Rhodesia, Mount Selinda".
- 9432. *Priniceps (Druryia (cynorta-gr)) echerioides echerioides* (Trimen,1868)** (Papilionidae) *Papilio echerioides* Trimen,1868, Trans. ent. Soc. London 1868: 72, pl.6 figs.1,2. Syntypes: [South Africa]: Kaffraria: Perie Bush, Sogana, Bools forests; Natal: Tunjumbili, Tugela frontier.
- 9433. *Priniceps (Druryia (cynorta-gr)) echerioides wertheri* (Karsch,1898)** (Papilionidae) *Papilio echerioides* var. *wertheri* Karsch,1898, [in] Werther,C.W., Die mittleren Hochländer des nordlichen Deutsch-Ost-Afrika: 315. Type: [Tanzania]: Mangati.
- 9434. *Priniceps (Druryia (cynorta-gr)) jacksoni* (Sharpe,1891)** (Papilionidae) *Papilio jacksoni* Sharpe,1891, Proc. zool. Soc. London 1891: 188, pl.17 figs.1,2. Type: Kenya: "Kikuyu".
- 9435. *Priniceps (Druryia (cynorta-gr)) jacksoni jacksoni* (Sharpe,1891)** (Papilionidae) *Papilio jacksoni* Sharpe,1891, Proc. zool. Soc. London 1891: 188, pl.17 figs.1,2. Type: Kenya: "Kikuyu".
- 9436. *Priniceps (Druryia (cynorta-gr)) plagiat* (Aurivillius,1898)** (Papilionidae) *Papilio plagiat* Aurivillius,1898, Ent. Tidskr. 18: 183. Syntypes: [Zaire]: "Congogebiet, Sassa am oberen Ubangi".
- 9437. *Priniceps (Druryia (cynorta-gr)) plagiat plagiat* (Aurivillius,1898)** (Papilionidae) *Papilio plagiat* Aurivillius,1898, Ent. Tidskr. 18: 183. Syntypes: [Zaire]: "Congogebiet, Sassa am oberen Ubangi".
- 9438. *Priniceps (Druryia (cynorta-gr)) zoroastres* (Druce,1878)** (Papilionidae) *Papilio zoroastres* Druce,1878, Entomologist's mon. Mag. 14: 226. Syntypes: [Cameroon]: "Fernando Po".
- 9439. *Priniceps (Druryia (cynorta-gr)) zoroastres zoroastres* (Druce,1878)** (Papilionidae) *Papilio zoroastres* Druce,1878, Entomologist's mon. Mag. 14: 226. Syntypes: [Cameroon]: "Fernando Po".
- 9440. *Priniceps (Druryia (nireus-gr)) chrapkowskii* (Suffert,1904)** (Papilionidae) *Papilio chrapkowskii* Suffert,1904, Dt. ent. Z., Iris 17: 98, pl.2 fig.2. Syntypes: [Kenya]: "British Ost-Africa, Nairobi".
- 9441. *Priniceps (Druryia (nireus-gr)) chrapkowskii chrapkowskii* (Suffert,1904)** (Papilionidae) *Papilio chrapkowskii* Suffert,1904, Dt. ent. Z., Iris 17: 98, pl.2 fig.2. Syntypes: [Kenya]: "British Ost-Africa, Nairobi".
- 9442. *Priniceps (Druryia (nireus-gr)) chrapkowskoides* (Storace,1952)** (Papilionidae) *Papilio bromius chrapkowskoides* Storace,1952, Lambillionea 52: 9. Syntypes: Uganda: Kalinzu forest, Entebbe, etc.
- 9443. *Priniceps (Druryia (nireus-gr)) chrapkowskoides chrapkowskoides* (Storace,1952)** (Papilionidae) *Papilio bromius chrapkowskoides* Storace,1952, Lambillionea 52: 9. Syntypes: Uganda: Kalinzu forest, Entebbe, etc.
- 9444. *Priniceps (Druryia (nireus-gr)) chrapkowskoides nurettini* (Koçak,1983)** (Papilionidae) *Papilio chrapkowskii* ssp. *nurettini* Koçak,1983, Priamus 2 (4): 165 (nomen novum pro *Papilio bromius Doubleday*,1845 nec *Papilio bromius* Stoll,[1787]).
- 9445. *Priniceps (Druryia (nireus-gr)) desmondi* (usambaraensis (Koçak,1980))** (Papilionidae) *Papilio brontes* ssp. *usambaraensis* Koçak,1980, Nota lepid. 2: 139 (nomen novum pro *australis* Van Someren,1960 nec Esper,[1781] non Maynard,1891).
- 9446. *Priniceps (Druryia (nireus-gr)) hornimani* (Distant,1879)** (Papilionidae) *Papilio hornimani* Distant,1879, Proc. zool. Soc. London 1879: 647-649, pl.47 figs.1-3. Syntypes: [Tanzania]: "Magila, East Africa".
- 9447. *Priniceps (Druryia (nireus-gr)) hornimani hornimani* (Distant,1879)** (Papilionidae) *Papilio hornimani* Distant,1879, Proc. zool. Soc. London 1879: 647-649, pl.47 figs.1-3. Syntypes: [Tanzania]: "Magila, East Africa".
- 9448. *Priniceps (Druryia (nireus-gr)) hornimani mbulu* (Kielland,1990)** (Papilionidae) *Papilio hornimani* ssp. *mbulu* Kielland,1990, Butterflies of Tanzania: 40, pl.3. Holotype ♂: Tanzania: "Mbulu, Mamahisara, Hasama Forest 2000m".
- 9449. *Priniceps (Druryia (nireus-gr)) hornimani mwanihanae* Kielland,1987** (Papilionidae) *Papilio hornimani* ssp. *mwanihanae* Kielland,1987, Lambillionea 87: 122, figs.7,8. Holotype ♂: Tanzania: Kilombero Sanje, 300m.
- 9450. *Priniceps (Druryia (nireus-gr)) interjectana* (Vane-Wright,1995)** (Papilionidae) *Papilio* (*Priniceps*) *interjectana* Vane-Wright,1995, Carcasson's African Butts.: 150 (nomen novum pro *interjecta* Van Someren,1960 nec Honrath,1892). Type: Kenya: "Kaimosi Forest".
- 9451. *Priniceps (Druryia (nireus-gr)) interjectana interjectana* (Vane-Wright,1995)** (Papilionidae) *Papilio* (*Priniceps*) *interjectana* Vane-Wright,1995, Carcasson's African Butts.: 150 (nomen novum pro *interjecta* Van Someren,1960 nec Honrath,1892). Type: Kenya: "Kaimosi Forest".
- 9452. *Priniceps (Druryia (nireus-gr)) mackinnoni* (Sharpe,1891)** (Papilionidae) *Papilio mackinnoni* Sharpe,1891, Proc. zool. Soc. London 1891: 187, pl.16 fig.1. Syntypes: Kenya: "between Sotik and Kavirondo, Kikuyu".
- 9453. *Priniceps (Druryia (nireus-gr)) mackinnoni benguellae* (Jordan,1908)** (Papilionidae) *Papilio mackinnoni* ssp. *benguellae* Jordan,1908, Novit. Zool. 15: 253. Type: Angola: "Cuval River, Benguella".
- 9454. *Priniceps (Druryia (nireus-gr)) mackinnoni isokae* Hancock,1984** (Papilionidae) *Priniceps* (*Druryia*) *mackinnoni* ssp. *isokae* Hancock,1984, Arnoldia, Zimbabwe 9: 187, figs. 3a-d. Holotype: Zambia: "Chowo Forest, Nyika Plateau,2300m".
- 9455. *Priniceps (Druryia (nireus-gr)) mackinnoni mackinnoni* (Sharpe,1891)** (Papilionidae) *Papilio mackinnoni* Sharpe,1891, Proc. zool. Soc. London 1891: 187, pl.16 fig.1. Syntypes: Kenya: "between Sotik and Kavirondo, Kikuyu".
- 9456. *Priniceps (Druryia (nireus-gr)) mackinnoni mpwapwana* (Kielland,1990)** (Papilionidae) *Papilio mackinnoni* ssp. *mpwapwana* Kielland,1990, Butterflies of Tanzania: 42, pls.5,6. Holotype: Tanzania: "Mpwapwa Rubeho Mts.".
- 9457. *Priniceps (Druryia (nireus-gr)) mackinnoni reductofascia* (Kielland,1990)** (Papilionidae) *Papilio mackinnoni* ssp. *reductofascia* Kielland,1990, Butterflies of Tanzania: 41, pls.5,6. Holotype: Tanzania: "Arusha, Longido, 2600m".
- 9458. *Priniceps (Druryia (nireus-gr)) mackinnoni theodori* (Riley,1921)** (Papilionidae) *Papilio mackinnoni* ssp.

- 9464. *Princeps (Druryia (nireus-gr)) phorbanta* (Linnaeus,1771)** (Papilionidae) *Papilio phorbanta* Linnaeus,1771, Mant. Plant.: 535. Type: [Reunion]: "Cayenna".
- 9465. *Princeps (Druryia (nireus-gr)) phorbanta nana* (Oberthür,1879) (invalid homonim!)** (Papilionidae) *Papilio disparilis* var. *nana* Oberthür,1879, Etüd. Ent. 4: 54. Syntypes: "Iles Seychelles".
- 9466. *Princeps (Druryia (nireus-gr)) phorbanta phorbanta* (Linnaeus,1771)** (Papilionidae) *Papilio phorbanta* Linnaeus,1771, Mant. Plant.: 535. Type: [Reunion]: "Cayenna".
- 9467. *Princeps (Druryia (s.str.)) Aurivillius,1881*** (Papilionidae) *Druryia Aurivillius*,1881, Ent. Tidskr. 2: 44. Type-species: *Papilio antimachus* Drury,[1782], by original designation.
- 9468. *Princeps (Druryia (s.str.)) antimachus (Drury,[1782])*** (Papilionidae) *Papilio antimachus* Drury,[1782], Ill. nat. Hist. 3: index et 1 pl.1.
- 9469. *Princeps (Druryia (s.str.)) antimachus antimachus (Drury,[1782])*** (Papilionidae) *Papilio antimachus* Drury,[1782], Ill. nat. Hist. 3: index et 1 pl.1.
- 9470. *Princeps (Druryia (zenobia-gr)) andronicus (Ward,1871)*** (Papilionidae) *Papilio andronicus* Ward,1871, Entomologist's mon. Mag. 8: 121. Syntypes: [Cameroon]: "Camaroons".
- 9471. *Princeps (Druryia (zenobia-gr)) andronicus andronicus (Ward,1871)*** (Papilionidae) *Papilio andronicus* Ward,1871, Entomologist's mon. Mag. 8: 121. Syntypes: [Cameroon]: "Camaroons".
- 9472. *Princeps (Druryia (zenobia-gr)) filaprae (Suffert,1904)*** (Papilionidae) *Papilio cypraeafila filaprae* Suffert,1904, Dt. ent. Z., Iris 17: 94. Type(s): Cameroon: "Camerun, Barombi Station".
- 9473. *Princeps (Druryia (zenobia-gr)) filaprae filaprae (Suffert,1904)*** (Papilionidae) *Papilio cypraeafila filaprae* Suffert,1904, Dt. ent. Z., Iris 17: 94. Type(s): Cameroon: "Camerun, Barombi Station".
- 9474. *Princeps (Druryia (zenobia-gr)) filaprae musolanus (Hancock,1888)*** (Papilionidae) *Papilio cypraeafila* ssp. *musolanus* Hancock,1888, *Papilio* Int. 5: 302 (nomen novum pro insularis Schultze,1913 nec Staudinger,1895).
- 9475. *Princeps (Druryia (zenobia-gr)) maesseni (Berger,1974)*** (Papilionidae) *Papilio maesseni* Berger,1974, *Lambillionea* 73/74: 71, figs.2,3. Holotype ♂: Ghana: "Likpe".
- 9476. *Princeps (Druryia (zenobia-gr)) maesseni maesseni (Berger,1974)*** (Papilionidae) *Papilio maesseni* Berger,1974, *Lambillionea* 73/74: 71, figs.2,3. Holotype ♂: Ghana: "Likpe".
- 9477. *Princeps (Eleppone) Hancock,1979*** (Papilionidae) *Eleppone* Hancock,1979, Aust. ent. Mag. 6 (3): 49. Type-species: *Papilio anactus* Macleay,1826, by original designation.
- 9478. *Princeps (Eleppone) anactus (MacLeay,1827)*** (Papilionidae) *Papilio anactus* Macleay,1827, [in] King's Surv. Austr. 2: 458. Type(s): Australia occ.
- 9479. *Princeps (Eleppone) anactus anactus (MacLeay,1827)*** (Papilionidae) *Papilio anactus* Macleay,1827, [in] King's Surv. Austr. 2: 458. Type(s): Australia occ.
- 9480. *Princeps (Menelaides (Charus)) Moore,[1881]*** (Papilionidae) *Charus* Moore,[1881], Lep. Ceylon 1 (4): 149. Type-species: *Papilio helenus* Linnaeus,1758, by original designation.
- 9481. *Princeps (Menelaides (Charus)) antonio (Hewitson,1875)*** (Papilionidae) *Papilio antonio* Hewitson,1875, Ex. Butts. 5: Pl.14 fig.46.
- 9482. *Princeps (Menelaides (Charus)) antonio antonio (Hewitson,1875)*** (Papilionidae) *Papilio antonio* Hewitson,1875, Ex. Butts. 5: Pl.14 fig.46.
- 9483. *Princeps (Menelaides (Charus)) antonio negrosiana Schröder & Treadaway,1991*** (Papilionidae) *Papilio antonio negrosiana* Schröder & Treadaway,1991, Ent. Z., Frankf. a. M. 101: 71, Abb.3,4. Holotypus ♂: Philippinen: Negros or.: Ayungon, 800m.
- 9484. *Princeps (Menelaides (Charus)) helenus (Linnaeus,1758)*** (Papilionidae) *Papilio helenus* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 459. Type(s): Asia.
- 9485. *Princeps (Menelaides (Charus)) helenus daksha (Hampson,1889)*** (Papilionidae) *Charus daksha* Hampson,1889, J. asiat. Soc. Beng. 57 (2) 4: 363.
- 9486. *Princeps (Menelaides (Charus)) helenus enganius (Doherty,1891)*** (Papilionidae) *Papilio helenus* var. *enganius* Doherty,1891, J. Asiat. Soc. Bengal 2: 31. Syntypes: [Indonesia]: Engano.
- 9487. *Princeps (Menelaides (Charus)) helenus helenus (Linnaeus,1758)*** (Papilionidae) *Papilio helenus* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 459. Type(s): Asia.
- 9488. *Princeps (Menelaides (Charus)) helenus palawanicus (Staudinger,1888)*** (Papilionidae) *Papilio helenus* var. *palawanicus* Staudinger,1888, Dt. ent. Z., Iris 1: 278. Syntypes: [Philippinen]: Palawan.
- 9489. *Princeps (Menelaides (Charus)) hytaspes (C.Felder & R.Felder,1862)*** (Papilionidae) *Papilio hytaspes* Felder & Felder,1862, Wien. ent. Monatschr. 6: 283. Type: Philippines.
- 9490. *Princeps (Menelaides (Charus)) hytaspes hytaspes (C.Felder & R.Felder,1862)*** (Papilionidae) *Papilio hytaspes* C.Felder & R.Felder,1862, Wien. ent. Monatschr. 6: 283. Type: Philippines.
- 9491. *Princeps (Menelaides (Charus)) iswara (White,1842)*** (Papilionidae) *Papilio iswara* White,1842, Entomologist 1: 280. Type(s): Penang.
- 9492. *Princeps (Menelaides (Charus)) iswara araspes (C.Felder & R.Felder,1865)*** (Papilionidae) *Papilio araspes* C.Felder & R.Felder,1865, Reise Novarra 1: 108, nr. 83, Pl.15 fig.a. Type(s): Philippines [patria falsa?].
- 9493. *Princeps (Menelaides (Charus)) iswara iswara (White,1842)*** (Papilionidae) *Papilio iswara* White,1842, Entomologist 1: 280. Type(s): Penang.
- 9494. *Princeps (Menelaides (Charus)) iswaroides (Fruhstorfer,1898)*** (Papilionidae) *Papilio helenus* ssp. *iswaroides* Fruhstorfer,1898, Berl. ent. Z. 42 (1897): 304-305. Syntypes 10♂♂: [Indonesia]: Sumatra: Battakbergen.
- 9495. *Princeps (Menelaides (Charus)) iswaroides iswaroides (Fruhstorfer,1898)*** (Papilionidae) *Papilio helenus* ssp. *iswaroides* Fruhstorfer,1898, Berl. ent. Z. 42 (1897): 304-305. Syntypes 10♂♂: [Indonesia]: Sumatra: Battakbergen.
- 9496. *Princeps (Menelaides (Charus)) noblei (De Nicéville,1888)*** (Papilionidae) *Papilio noblei* De Nicéville,1888, J. Asiat. Soc. Beng. 1888: 287, nr.19, Pl.13 fig.2. Syntypes: Burma: Karen Hills.
- 9497. *Princeps (Menelaides (Charus)) noblei hoa (Gabriel,1945)*** (Papilionidae) *Papilio noblei* hoa Gabriel,1945, Entomologist 78: 152. Holotype: Vietnam: C. Tonkin: Chiem Hoa.
- 9498. *Princeps (Menelaides (Charus)) noblei noblei (De Nicéville,1888)*** (Papilionidae) *Papilio noblei* De Nicéville,1888, J. Asiat. Soc. Beng. 1888: 287, nr.19, Pl.13 fig.2. Syntypes: Burma: Karen Hills.
- 9499. *Princeps (Menelaides (Charus)) sataspes (C.Felder & R.Felder,1865)*** (Papilionidae) *Papilio sataspes* C.Felder & R.Felder,1865, Reise Novarra 1: 106, nr. 81, Pl.15 fig.e. Type(s): Celebes.
- 9500. *Princeps (Menelaides (Charus)) sataspes sataspes (C.Felder & R.Felder,1865)*** (Papilionidae) *Papilio sataspes* C.Felder & R.Felder,1865, Reise Novarra 1: 106, nr. 81, Pl.15 fig.e. Type(s): Celebes.
- 9501. *Princeps (Menelaides (Iliades)) Hübner,[1819]*** (Papilionidae) *Iliades* Hübner,[1819], Verz. bekannt. Schmett. (6): 88. Type-species: *Papilio memnon* Linnaeus,1758, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 196.
- 9502. *Princeps (Menelaides (Iliades)) alcmenor (C.Felder & R.Felder,[1865])*** (Papilionidae) *Papilio alcmenor* C.Felder & R.Felder,[1865], Reise Novarra Rhopal.: 129, pl.20 fig.D. Type(s): "India septentrionalis".
- 9503. *Princeps (Menelaides (Iliades)) alcmenor alcmenor (C.Felder & R.Felder,[1865])*** (Papilionidae) *Papilio alcmenor* C.Felder & R.Felder,[1865], Reise Novarra Rhopal.: 129, pl.20 fig.D. Type(s): "India septentrionalis".
- 9504. *Princeps (Menelaides (Iliades)) alcmenor pubilius (Fruhstorfer,1909)*** (Papilionidae) *Papilio rhetenor* ssp. *pubilius* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 175. Syntypes: Lower Burma (in coll. Fruhstorfer).
- 9505. *Princeps (Menelaides (Iliades)) alcmenor sadirpalvan (Koçak & Kemal,2000)*** (Papilionidae) *Papilio alcmenor* ssp. *sadirpalvan* Koçak & Kemal,2000, Cent. ent. Stud., Misc. Pap. 71: 3 (nomen novum pro *Papilio rhetenor* var. *matsumurae* Wileman,1909 nec Fruhst.,1908).
- 9506. *Princeps (Menelaides (Iliades)) alcmenor seyitnochi (Koçak & Kemal,2000)*** (Papilionidae) *Papilio alcmenor* seyitnochi Koçak & Kemal,2000, Centr. ent. Stud., Misc. Pap. 71: 3 (nomen novum pro *nausithous* Oberthür,1918 nec Bergsträsser,1779).
- 9507. *Princeps (Menelaides (Iliades)) alcmenor turificator (Fruhstorfer,1909)*** (Papilionidae) *Papilio rhetenor* ssp. *turificator* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 175. Syntypes: Sikkim. Lower Burma (in coll. Fruhstorfer).
- 9508. *Princeps (Menelaides (Iliades)) ascalaphus (Boisduval,1836)*** (Papilionidae) *Papilio ascalaphus* Boisduval,[1836],

[in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 200, nr. 12. Type(s): Celebes.

9509. *Princeps (Menelaides (Iliades)) ascalaphus ascalaphus* (Boisduval,1836) (Papilionidae) *Papilio ascalaphus* Boisduval,[1836]. [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 200, nr. 12. Type(s): Celebes.

9510. *Princeps (Menelaides (Iliades)) ascalaphus ascalon* (Staudinger,[1895]) (Papilionidae) *Papilio ascalaphus* var. *ascalon* Staudinger,[1895], Dt. ent. Z., Iris 7: 348-349. Syntypes 100♂: "Sula Insel Mangioli."

9511. *Princeps (Menelaides (Iliades)) deiphobus* (Linnaeus,1758) (Papilionidae) *Papilio deiphobus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 459, nr.6. Type(s): Asia.

9512. *Princeps (Menelaides (Iliades)) deiphobus deiphobus* (Linnaeus,1758) (Papilionidae) *Papilio deiphobus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 459, nr.6. Type(s): Asia.

9513. *Princeps (Menelaides (Iliades)) deiphontes* C.Felder & R.Felder,[1865] (Papilionidae) *Papilio deiphontes* C.Felder & R.Felder,[1865], Reise Novarra 1: 126, nr.94 Syntypes: [Indonesia]: Ternate.

9514. *Princeps (Menelaides (Iliades)) deiphontes deiphontes* C.Felder & R.Felder,[1865] (Papilionidae) *Papilio deiphontes* C.Felder & R.Felder,[1865], Reise Novarra 1: 126, nr.94 Syntypes: [Indonesia]: Ternate.

9515. *Princeps (Menelaides (Iliades)) deipylus* Felder,1864 (Papilionidae) *Papilio deipylus* Felder,1864, Verh. zool.- bot. Ges. Wien 14: 323, nr. 455. Syntypes 3♂♂: Nova Guinea [Waigeu].

9516. *Princeps (Menelaides (Iliades)) deipylus deipylus* Felder,1864 (Papilionidae) *Papilio deipylus* Felder,1864, Verh. zool.- bot. Ges. Wien 14: 323, nr. 455. Syntypes 3♂♂: Nova Guinea [Waigeu].

9517. *Princeps (Menelaides (Iliades)) forbesi* (Grose-Smith,1883) (Papilionidae) *Papilio forbesi* Grose-Smith,1883, Ann. Mag. nat. Hist. (5) 11: 234. Type ♂: [Indonesia]: Sumatra.

9518. *Princeps (Menelaides (Iliades)) forbesi forbesi* (Grose-Smith,1883) (Papilionidae) *Papilio forbesi* Grose-Smith,1883, Ann. Mag. nat. Hist. (5) 11: 234. Type ♂: [Indonesia]: Sumatra.

9519. *Princeps (Menelaides (Iliades)) goetheanus* (Fruhstorfer,1902) (Papilionidae) *Papilio forbesi* ssp. *goetheanus* Fruhstorfer,1902, Dt. ent. Z., Iris 15: 306.

9520. *Princeps (Menelaides (Iliades)) goetheanus goetheanus* (Fruhstorfer,1902) (Papilionidae) *Papilio forbesi* ssp. *goetheanus* Fruhstorfer,1902, Dt. ent. Z., Iris 15: 306.

9521. *Princeps (Menelaides (Iliades)) lampsacus* (Boisduval,1836) (Papilionidae) *Papilio lampsacus* Boisduval,[1836]. [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 190, nr.4.

9522. *Princeps (Menelaides (Iliades)) lampsacus lampsacus* (Boisduval,1836) (Papilionidae) *Papilio lampsacus* Boisduval,[1836]. [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 190, nr.4.

9523. *Princeps (Menelaides (Iliades)) lowi* (Druce,1873) (Papilionidae) *Papilio lowi* Druce,1873, Proc. zool. Soc. Lond. 1873: 358, nr.28, pl.33 fig.6. Syntypes: "Borneo" [loc. err.] Palawan (Rothschild,1895: 321).

9524. *Princeps (Menelaides (Iliades)) lowi lowi* (Druce,1873) (Papilionidae) *Papilio lowi* Druce,1873, Proc. zool. Soc. Lond. 1873: 358, nr.28, pl.33 fig.6. Syntypes: "Borneo" [loc. err.] Palawan (Rothschild,1895: 321).

9525. *Princeps (Menelaides (Iliades)) mayo* (Atkinson,1873) (Papilionidae) *Papilio mayo* Atkinson,1873, Proc. zool. Soc. Lond. 1873: 736, pl.63 fig.1. Syntypes ♂♂: [India]: Andaman Isl.

9526. *Princeps (Menelaides (Iliades)) mayo mayo* (Atkinson,1873) (Papilionidae) *Papilio mayo* Atkinson,1873, Proc. zool. Soc. Lond. 1873: 736, pl.63 fig.1. Syntypes ♂♂: [India]: Andaman Isl.

9527. *Princeps (Menelaides (Iliades)) memnon* (Linnaeus,1758) (Papilionidae) *Papilio memnon* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 460, nr.12 Type(s): Asia.

9528. *Princeps (Menelaides (Iliades)) memnon agenor* (Linnaeus,1758) (Papilionidae) *Papilio agenor* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 460, nr.13. Type(s): Asia.

9529. *Princeps (Menelaides (Iliades)) memnon anceus* (Cramer,[1782]) (Papilionidae) *Papilio anceus* Cramer,[1782], Utitl. Kapellen 3: 44, pl.222 fig.A,B. Syntypes: W.Sumatra.

9530. *Princeps (Menelaides (Iliades)) memnon caeruleus* (Van Eecke,1914) (Papilionidae) *Papilio memnon* var. *caeruleus* Van Eecke,1914, Not. Mus. Leiden 36: 202, pl.4 fig.4.

9531. *Princeps (Menelaides (Iliades)) memnon clathratus* (Rothschild,1896) (Papilionidae) *Papilio memnon* ssp. *clathratus* Rothschild,1896, Novit. Zool. 3: 322. Type: Sumbawa.

9532. *Princeps (Menelaides (Iliades)) memnon memnon* (Linnaeus,1758) (Papilionidae) *Papilio memnon* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 460, nr.12 Type(s): Asia.

9533. *Princeps (Menelaides (Iliades)) memnon merapu* (Doherty,1891) (Papilionidae) *Papilio (Iliades) merapu* Doherty,1891, J. Asiat. Soc. Bengal 2: 191. Syntypes: [Indonesia]: Sumba Is.

9534. *Princeps (Menelaides (Iliades)) memnon oceani* (Doherty,1891) (Papilionidae) *Papilio (Iliades) oceani* Doherty,1891, J. Asiat. Soc. Bengal 2: 31. Syntypes 1♂ 1♀: [Indonesia]: Engano.

9535. *Princeps (Menelaides (Iliades)) memnon pryeri* (Rothschild,1895) (Papilionidae) *Papilio memnon* ssp. *pryeri* Rothschild,1895, Novit. zool. 2: 321. Syntypes 15♂ 6♀: Loo Choo Islands.

9536. *Princeps (Menelaides (Iliades)) oenomaus* (Godart,[1819]) (Papilionidae) *Papilio oenomaus* Godart,[1819], Ency. Méth. 9: 72, nr.133. Type(s): Timor.

9537. *Princeps (Menelaides (Iliades)) oenomaus oenomaus* (Godart,[1819]) (Papilionidae) *Papilio oenomaus* Godart,[1819], Ency. Méth. 9: 72, nr.133. Type(s): Timor.

9538. *Princeps (Menelaides (Iliades)) oenomaus subfasciatus* (Rothschild,1895) (Papilionidae) *Papilio oenomaus* ssp. *subfasciatus* Rothschild,1895, Novit. zool. 2: 329. Syntypes 6♂ 2♀: [Indonesia]: Wetter.

9539. *Princeps (Menelaides (Iliades)) rumanzovia* (Eschscholtz,1821) (Papilionidae) *Papilio rumanzovia* Eschscholtz,1821, Kotzeb. Reise 3: 204, Tab.2 figs.4a,b.

9540. *Princeps (Menelaides (Iliades)) rumanzovia honorius* (Fruhstorfer,1911) *homonim* (Papilionidae) *Papilio rumanzovia* ssp. *honorius* Fruhstorfer,1911, Ent. Rdsch. 28 (23): 178. Syntypes: [Indonesia]: Sangir Isl.

9541. *Princeps (Menelaides (Iliades)) rumanzovia rumanzovia* (Eschscholtz,1821) (Papilionidae) *Papilio rumanzovia* Eschscholtz,1821, Kotzeb. Reise 3: 204, Tab.2 figs.4a,b.

9542. *Princeps (Menelaides (Nestorides)) Hübner*,[1819] (Papilionidae) *Nestorides Hübner*,[1819], Verz. bekannt. Schmett. (6): 86. Type-species: *Papilio gambrius* Cramer,[1777], Utitl. Kapellen 2 (14): 95, pl.157, figs. A,B, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 227.

9543. *Princeps (Menelaides (Nestorides)) bridgei* (Mathew,1886) (Papilionidae) *Papilio bridgei* Mathew,1886, Proc. zool. Soc. London 1886: 309, pl.34 fig.2. Type: [Papua New Guinea]: Treasury Is.

9544. *Princeps (Menelaides (Nestorides)) bridgei bridgei* (Mathew,1886) (Papilionidae) *Papilio bridgei* Mathew,1886, Proc. zool. Soc. London 1886: 309, pl.34 fig.2. Type: [Papua New Guinea]: Treasury Is.

9545. *Princeps (Menelaides (Nestorides)) bridgei hecataeus* (Godman & Salvin,1888) (Papilionidae) *Papilio hecataeus* Godman & Salvin,1888, Ann. Mag. nat. Hist. 6 (1): 213. Syntypes: Guadalcanar Is.

9546. *Princeps (Menelaides (Nestorides)) bridgei prospero* (Grose-Smith,1889) (Papilionidae) *Papilio prospero* Grose-Smith,1889, Entomologist's mon. Mag. 25: 302. Syntypes: Solomon Isl.: New Georgia: Rubiana Lagoon.

9547. *Princeps (Menelaides (Nestorides)) bridgei tryoni* (Mathew,1889) (Papilionidae) *Papilio tryoni* Mathew,1889, Trans. ent. Soc. London 1889: 315. Type ♂: Solomon Isl.: Ugi Is.

9548. *Princeps (Menelaides (Nestorides)) erechtheus bandaicola* (Koçak,1983) (Papilionidae) *Papilio erechtheus bandaicola* Koçak,1983, Priamus 3 (1): 38 (nomen novum pro *Papilio adrastus* Felder,1864 nec *Papilio adrastus* Stoll,1780).

9549. *Princeps (Menelaides (Nestorides)) erechtheus oritas* (Godman & Salvin,1879) (Papilionidae) *Papilio oritas* Godman & Salvin,1879, Proc. zool. Soc. London 1879: 654. Syntypes: New Ireland.

9550. *Princeps (Menelaides (Nestorides)) erechtheus ormenus* (Guérin-Méneville,1829) (Papilionidae) *Papilio ormenus* Guérin-Méneville,1829, Voy. Coquille: Tab. 14 fig.3. Type: New Guinea.

9551. *Princeps (Menelaides (Nestorides)) erechtheus websteri* (Grose-Smith,1894) (Papilionidae) *Papilio websteri* Grose-Smith,1894, Ann. Mag. nat. Hist. (6) 13: 496. Syntypes: [Papua New Guinea]: New Britain.

9552. *Princeps (Menelaides (Nestorides)) gambrius* (Cramer,[1777]) (Papilionidae) *Papilio gambrius* Cramer,[1777], Utitl. Kapellen 2 (14): 95, pl.157, figs. A,B.

9553. *Princeps (Menelaides (Nestorides)) gambrius gambrius* (Cramer,[1777]) (Papilionidae) *Papilio gambrius* Cramer,[1777], Utitl. Kapellen 2 (14): 95, pl.157, figs. A,B.

- 9554. *Priniceps (Menelaides (Nestorides)) weymeri* (Niepelt,1914)** (Papilionidae) *Papilio weymeri* Niepelt,1914, Lepidopt. Niepelt. (1): 53. Syntypes: Admiralty Islands.
- 9555. *Priniceps (Menelaides (Nestorides)) weymeri weymeri* (Niepelt,1914)** (Papilionidae) *Papilio weymeri* Niepelt,1914, Lepidopt. Niepelt. (1): 53. Syntypes: Admiralty Islands.
- 9556. *Priniceps (Menelaides (Sainia)) Moore,1882*** (Papilionidae) *Sainia* Moore,1882, Proc. zool. Soc. Lond. 1882: 260. Type-species: *Papilio protenor* Cramer,[1775], by monotypy.
- 9557. *Priniceps (Menelaides (Sainia)) bootes* (Westwood,1842)** (Papilionidae) *Papilio bootes* Westwood,1842, Ann. Mag. nat. Hist. 9: 36. Type: "Sylhet in the East Indies".
- 9558. *Priniceps (Menelaides (Sainia)) bootes bootes* (Westwood,1842)** (Papilionidae) *Papilio bootes* Westwood,1842, Ann. Mag. nat. Hist. 9: 36. Type: "Sylhet in the East Indies".
- 9559. *Priniceps (Menelaides (Sainia)) bootes echo* (Ehrmann,1909)** (Papilionidae) *Papilio echo* Ehrmann,1909, Can. ent. 41 (3): 85. Type: [Myanmar].
- 9560. *Priniceps (Menelaides (Sainia)) bootes parcesquamata* (Rosen,1929)** (Papilionidae) *Papilio bootes* sso. *parcesquamata* Rosen,1929, [in] Seitz, Gross-Schmett. Erde 1 (suppl.): 12. Syntypes 2♂: [China]: Yunnan: Luksekiang, Rohand.
- 9561. *Priniceps (Menelaides (Sainia)) demetrius* (Cramer,[1782])** (Papilionidae) *Papilio demetrius* Cramer,[1782], Uittl. Kapellen 4: 196, t.385 fig.E,F. Syntypes: Japan.
- 9562. *Priniceps (Menelaides (Sainia)) demetrius demetrius* (Cramer,[1782])** (Papilionidae) *Papilio demetrius* Cramer,[1782], Uittl. Kapellen 4: 196, t.385 fig.E,F. Syntypes: Japan.
- 9563. *Priniceps (Menelaides (Sainia)) demetrius lenocinius* (Fruhstorfer,1909)** (Papilionidae) *Papilio demetrius* ssp. *lenocinius* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 175. Syntypes 4♂ 5♀: Japan: Kiushiu: Nagasaki.
- 9564. *Priniceps (Menelaides (Sainia)) demolition* (Cramer,[1775])** (Papilionidae) *Papilio demolition* Cramer,[1775], Uittl. Kapellen 1: 140, pl.89, figs.A,B. Type(s): Java.
- 9565. *Priniceps (Menelaides (Sainia)) demolition demolition* (Cramer,[1775])** (Papilionidae) *Papilio demolition* Cramer,[1775], Uittl. Kapellen 1: 140, pl.89, figs.A,B. Type(s): Java.
- 9566. *Priniceps (Menelaides (Sainia)) euchenor* (Guérin-Méneville,1829)** (Papilionidae) *Papilio euchenor* Guérin-Méneville,1829, Voy. Coquille: Pl.13 fig.3. Type: New Guinea.
- 9567. *Priniceps (Menelaides (Sainia)) euchenor euchenor* (Guérin-Méneville,1829)** (Papilionidae) *Papilio euchenor* Guérin-Méneville,1829, Voy. Coquille: Pl.13 fig.3. Type: New Guinea.
- 9568. *Priniceps (Menelaides (Sainia)) euchenor inciae* (Koçak,1983)** (Papilionidae) *Papilio euchenor inciae* Koçak,1983, Priamus 2 (4): 165 (nomen novum pro *Papilio euchenor* comma Joicey & Noakes,1915 nec *Papilio comma* Linnaeus,1758).
- 9569. *Priniceps (Menelaides (Sainia)) euchenor subcoerulea* (Rothschild,1915)** (Papilionidae) *Papilio euchenor* ssp. *subcoerulea* Rothschild,1915, Novit. zool. 22: 193. Syntypes 7♂ 4♀: Dampier Island.
- 9570. *Priniceps (Menelaides (Sainia)) gigon* (Felder,1864)** (Papilionidae) *Papilio gigon* Felder,1864, Verh. zool.- bot. Ges. Wien 14: 318, nr.391. Syntypes: Celebes.
- 9571. *Priniceps (Menelaides (Sainia)) gigon gigon* (Felder,1864)** (Papilionidae) *Papilio gigon* Felder,1864, Verh. zool.- bot. Ges. Wien 14: 318, nr.391. Syntypes: Celebes.
- 9572. *Priniceps (Menelaides (Sainia)) janaka* (Moore,1857)** (Papilionidae) *Papilio janaka* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 97.
- 9573. *Priniceps (Menelaides (Sainia)) janaka janaka* (Moore,1857)** (Papilionidae) *Papilio janaka* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 97.
- 9574. *Priniceps (Menelaides (Sainia)) liomedon* (Moore,1874)** (Papilionidae) *Papilio liomedon* Moore,1874, Proc. zool. Soc. London 1874: 575. Syntypes: Calicut, Malabar Coast.
- 9575. *Priniceps (Menelaides (Sainia)) liomedon liomedon* (Moore,1874)** (Papilionidae) *Papilio liomedon* Moore,1874, Proc. zool. Soc. London 1874: 575. Syntypes: Calicut, Malabar Coast.
- 9576. *Priniceps (Menelaides (Sainia)) macilentus* (Janson,1877)** (Papilionidae) *Papilio macilentus* Janson,1877, Cistula Ent. 2: 158, pl.5 fig.1. Type(s): Japan: Oyama.
- 9577. *Priniceps (Menelaides (Sainia)) macilentus macilentus* (Janson,1877)** (Papilionidae) *Papilio macilentus* Janson,1877, Cistula Ent. 2: 158, pl.5 fig.1. Type(s): Japan: Oyama.
- 9578. *Priniceps (Menelaides (Sainia)) protenor* (Cramer,[1782])** (Papilionidae) *Papilio protenor* Cramer,[1782], Uittl. Kapellen 3 (21): 89, pl.246 fig.B.
- 9579. *Priniceps (Menelaides (Sainia)) protenor protenor* (Cramer,[1782])** (Papilionidae) *Papilio protenor* Cramer,[1782], Uittl. Kapellen 3 (21): 89, pl.246 fig.B.
- 9580. *Priniceps (Menelaides (Tamera)) Moore,1888*** (Papilionidae) *Tamera* Moore,1888, Descr. new Ind. Lep. Coll. Atkinson (3): 284. Type-species: *Papilio castor* Westwood,1842, by original designation.
- 9581. *Priniceps (Menelaides (Tamera)) chaon* (Westwood,1845)** (Papilionidae) *Papilio chaon* Westwood,1845, Arcana Ent. 2: 97, pl.72 fig.1. Type ♂: India: Assam.
- 9582. *Priniceps (Menelaides (Tamera)) diophantus* (Grose-Smith,1883)** (Papilionidae) *Papilio diophantus* Grose-Smith,1883, Entomologist's mon. Mag. 19: 234. Type ♀: Sumatra.
- 9583. *Priniceps (Menelaides (Tamera)) diophantus diophantus* (Grose-Smith,1883)** (Papilionidae) *Papilio diophantus* Grose-Smith,1883, Entomologist's mon. Mag. 19: 234. Type ♀: Sumatra.
- 9584. *Priniceps (Menelaides (Tamera)) mahadeva mahadeva* (Moore,1879)** (Papilionidae) *Papilio mahadeva* Moore,[1879], Proc. zool. Soc. London 1878 (4): 840. Type ♂: [Myanmar]: Upper Tenasserim (BMNH).
- 9585. *Priniceps (Menelaides (Tamera)) mahadeva mehalala* (Grose-Smith,1886)** (Papilionidae) *Papilio mehalala* Grose-Smith,1886, Ann. Mag. nat. Hist. (5) 18: 150. Syntypes ♂♀: [Myanmar]: Burma: Tounou (BMNH).
- 9586. *Priniceps (Menelaides (Tamera)) nephelus* (Boisduval,1836)** (Papilionidae) *Papilio nephelus* Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 210. Type(s): Celebes.
- 9587. *Priniceps (Menelaides (Tamera)) nephelus nephelus* (Boisduval,1836)** (Papilionidae) *Papilio nephelus* Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 210. Type(s): Celebes.
- 9588. *Priniceps (Menelaides (Tamera)) pollux* (Westwood,1842)** (Papilionidae) *Papilio pollux* Westwood,1842, Ann. Mag. nat. Hist. 9: 37. Type(s): Sylhet.
- 9589. *Priniceps (Menelaides (Tamera)) pollux khmer* (Boullet & Le Cerf,1912)** (Papilionidae) *Papilio castor khmer* Boullet & Le Cerf,1912, Bull. Soc. ent. Fr. 1912 (11): 246. Type(s): Cambodia: Pnom-Penh.
- 9590. *Priniceps (Menelaides (Tamera)) pollux pollux* (Westwood,1842)** (Papilionidae) *Papilio pollux* Westwood,1842, Ann. Mag. nat. Hist. 9: 37. Type(s): Sylhet.
- 9591. *Priniceps (Menelaides (amyntor-gr)) schmelzti* (Herrich-Schäffer,1869)** (Papilionidae) *Papilio schmelzti* Herrich-Schäffer,1869, Stettin ent. Ztg. 1869: 78, nr.57 Taf.1 fig.1. Type: Fiji Isl: Ovalau.
- 9592. *Priniceps (Menelaides (amyntor-gr)) schmelzti schmelzti* (Herrich-Schäffer,1869)** (Papilionidae) *Papilio schmelzti* Herrich-Schäffer,1869, Stettin ent. Ztg. 1869: 78, nr.57 Taf.1 fig.1. Type: Fiji Isl: Ovalau.
- 9593. *Priniceps (Menelaides (amyntor-gr)) amyntor* (Boisduval,1859)** (Papilionidae) *Papilio amyntor* Boisduval,1859, Anns Soc. ent. Fr. (3) 7: Bull.: 155. Type(s): Nouvelle Calédonie.
- 9594. *Priniceps (Menelaides (amyntor-gr)) amyntor amyntor* (Boisduval,1859)** (Papilionidae) *Papilio amyntor* Boisduval,1859, Anns Soc. ent. Fr. (3) 7: Bull.: 155. Type(s): Nouvelle Calédonie.
- 9595. *Priniceps (Menelaides (fuscus-gr)) albinus* (Wallace,1865)** (Papilionidae) *Papilio albinus* Wallace,1865, Trans. linn. Soc. Lond. 25: 49, nr. 54 t.5 fig.5. Type(s): Papua.
- 9596. *Priniceps (Menelaides (fuscus-gr)) albinus albinus* (Wallace,1865)** (Papilionidae) *Papilio albinus* Wallace,1865, Trans. linn. Soc. Lond. 25: 49, nr. 54 t.5 fig.5. Type(s): Papua.
- 9597. *Priniceps (Menelaides (fuscus-gr)) canopus* (Westwood,1842)** (Papilionidae) *Papilio canopus* Westwood,1842, Ann. Mag. nat. Hist. 9: 38. Syntypes: Melville Island (Mus. Hope).
- 9598. *Priniceps (Menelaides (fuscus-gr)) canopus babberensis* (Fruhstorfer,1902)** (Papilionidae) *Papilio canopus* ssp. *babberensis* Fruhstorfer,1902, Dt. ent. Z., Iris 15: 311 Syntypes: Babber Isl.
- 9599. *Priniceps (Menelaides (fuscus-gr)) canopus canopus* (Westwood,1842)** (Papilionidae) *Papilio canopus* Westwood,1842, Ann. Mag. nat. Hist. 9: 38. Syntypes: Melville Island (Mus. Hope).
- 9600. *Priniceps (Menelaides (fuscus-gr)) erskinei* (Mathew,1886)** (Papilionidae) *Papilio erskinei* Mathew,1886, Proc. zool. Soc. London 1886: 348, pl.34 fig.1. Type ♂: Solomon Isl.: Ugi Is. (coll. Godman & Salvin).
- 9601. *Priniceps (Menelaides (fuscus-gr)) erskinei erskinei* (Mathew,1886)** (Papilionidae) *Papilio erskinei* Mathew,1886, Proc.

zool. Soc. London 1886: 348, pl.34 fig.1. Type ♂: Solomon Isl.: Ugi Is. (coll. Godman & Salvin).

9602. *Priniceps (Menelaides (fuscus-gr)) fuscus* (Goeze,1779) (Papilionidae) *Papilio fuscus* Goeze,1779, Ent. Beytr. 3(1): 87, nr.71. Syntypes: [Indonesia: Moluccas] (cf. Rothschild,1895: 293).

9603. *Priniceps (Menelaides (fuscus-gr)) fuscus cilix* (Godman & Salvin,1879) (Papilionidae) *Papilio cilix* Godman & Salvin,1879, Proc. zool. Soc. Lond. 1879: 653. Syntypes: [Papua New Guinea]: New Ireland.

9604. *Priniceps (Menelaides (fuscus-gr)) fuscus fuscus* (Goeze,1779) (Papilionidae) *Papilio fuscus* Goeze,1779, Ent. Beytr. 3(1): 87, nr.71. Syntypes: [Indonesia: Moluccas] (cf. Rothschild,1895: 293).

9605. *Priniceps (Menelaides (fuscus-gr)) fuscus gyrei* (Tennent,1999) (Papilionidae) *Papilio fuscus* ssp. *gyrei* Tennent,1999, Nachr. ent. Ver. Apollo (N.F.) 20 (2): 214-215, figs. 2a,b. Holotype ♂: Solomon Islands: Malaita, north-east of Auki, 200m. (BMNH).

9606. *Priniceps (Menelaides (fuscus-gr)) fuscus offakus* (Fruhstorfer,1904) (Papilionidae) *Papilio fuscus* ssp. *offakus* Fruhstorfer,1904, Ent. Z., Stuttgart 22 (12): 45-46. Syntypes 2♂: [Indonesia]: Waigiu.

9607. *Priniceps (Menelaides (fuscus-gr)) fuscus pertinax* (Wallace,1865) (Papilionidae) *Papilio pertinax* Wallace,1865, Trans. linn. Soc. Lond. 25: 49, nr. 53 t.5 fig.4. Type(s): Celebes.

9608. *Priniceps (Menelaides (fuscus-gr)) fuscus relmae* (Tennent,1999) (Papilionidae) *Papilio fuscus* ssp. *relmae* Tennent,1999, Nachr. ent. Ver. Apollo (N.F.) 20 (2): 210-214, figs. 1a,b. Holotype ♂: Solomon Islands: New Georgia Group, New Georgia, west, road from Noro to Munda 20-140m. (BMNH).

9609. *Priniceps (Menelaides (fuscus-gr)) fuscus thomsoni* (Butler,1884) (Papilionidae) *Papilio thomsoni* Butler,1884, Ann. Mag. nat. Hist. (5) 13: 197, nr.46. Type(s): [Indonesia]: Key Dulan.

9610. *Priniceps (Menelaides (fuscus-gr)) fuscus xenophilus* (Mathew,1886) (Papilionidae) *Papilio xenophilus* Mathew,1886, Proc. zool. Soc. London 1886: 348. Syntypes: Solomon Isl.: Ugi Is.

9611. *Priniceps (Menelaides (fuscus-gr)) hipponous* (C.Felder & R.Felder,1862) (Papilionidae) *Papilio hipponous* C.Felder & R.Felder,1862, Wien. ent. Monatschr. 6: 283. Type: Luzon.

9612. *Priniceps (Menelaides (fuscus-gr)) hipponous hipponous* (C.Felder & R.Felder,1862) (Papilionidae) *Papilio hipponous* C.Felder & R.Felder,1862, Wien. ent. Monatschr. 6: 283. Type: Luzon.

9613. *Priniceps (Menelaides (fuscus-gr)) nubilus* (Staudinger,1895) (Papilionidae) *Papilio nubilus* Staudinger,[1895], Dt. ent. Z., Iris 7: 344-345. Syntypes: Sultanat Brunei, N. Borneo.

9614. *Priniceps (Menelaides (fuscus-gr)) nubilus nubilus* (Staudinger,1895) (Papilionidae) *Papilio nubilus* Staudinger,[1895], Dt. ent. Z., Iris 7: 344-345. Syntypes: Sultanat Brunei, N. Borneo.

9615. *Priniceps (Menelaides (fuscus-gr)) pitmani* (Elwes & De Nicéville,1886) (Papilionidae) *Papilio (Laertias) pitmani* Elwes & De Nicéville,1886, J. Asiat. Soc. Beng. 1886: 434, nr.129 pl.20 fig.1. Type: [Myanmar]: Tenasserim: Tavoy.

9616. *Priniceps (Menelaides (fuscus-gr)) pitmani pitmani* (Elwes & De Nicéville,1886) (Papilionidae) *Papilio (Laertias) pitmani* Elwes & De Nicéville,1886, J. Asiat. Soc. Beng. 1886: 434, nr.129 pl.20 fig.1. Type: [Myanmar]: Tenasserim: Tavoy.

9617. *Priniceps (Menelaides (fuscus-gr)) ptolychus* (Godman & Salvin,1888) (Papilionidae) *Papilio ptolychus* Godman & Salvin,1888, Ann. Mag. nat. Hist. 6 (1): 77. Syntypes: Solomon Isl.: Guadalcanar.

9618. *Priniceps (Menelaides (fuscus-gr)) ptolychus ptolychus* (Godman & Salvin,1888) (Papilionidae) *Papilio ptolychus* Godman & Salvin,1888, Ann. Mag. nat. Hist. 6 (1): 77. Syntypes: Solomon Isl.: Guadalcanar.

9619. *Priniceps (Menelaides (fuscus-gr)) woodfordi* (Godman & Salvin,1888) (Papilionidae) *Papilio woodfordi* Godman & Salvin,1888, Ann. Mag. nat. Hist. 6 (1): 100. Syntypes: [Papua New Guinea]: Shortland Isl.: Alu, Fauro.

9620. *Priniceps (Menelaides (fuscus-gr)) woodfordi ariel* (Grose-Smith,1889) (Papilionidae) *Papilio ariel* Grose-Smith,1889, Entomologist's mon. Mag. 25: 303. Type ♂: Solomon Isl.: Isabel Is.

9621. *Priniceps (Menelaides (fuscus-gr)) woodfordi gimblei* (Tennent,1999) (Papilionidae) *Papilio woodfordi* ssp. *gimblei* Tennent,1999, Nachr. ent. Ver. Apollo (N.F.) 20 (2): 218, fig. 3. Holotype ♂: Solomon Islands: San Cristobal, Hauta 4-500m. (BMNH).

9622. *Priniceps (Menelaides (fuscus-gr)) woodfordi laarchus* (Godman & Salvin,1888) (Papilionidae) *Papilio laarchus* Godman & Salvin,1888, Ann. Mag. nat. Hist. (6) 1: 214. Type ♀: Solomon Isl.: New Georgia: Rubiana Is.

9623. *Priniceps (Menelaides (fuscus-gr)) woodfordi mome* (Tennent,1999) (Papilionidae) *Papilio woodfordi* ssp. *mome* Tennent,1999, Nachr. ent. Ver. Apollo (N.F.) 20 (2): 215-216, figs. 4a,b. Holotype ♂: Solomon Islands: south Malaita (BMNH).

9624. *Priniceps (Menelaides (fuscus-gr)) woodfordi woodfordi* (Godman & Salvin,1888) (Papilionidae) *Papilio woodfordi* Godman & Salvin,1888, Ann. Mag. nat. Hist. 6 (1): 100. Syntypes: [Papua New Guinea]: Shortland Isl.: Alu, Fauro.

9625. *Priniceps (Menelaides (s.str.)) alphenor ledebouria* (Eschscholtz,1821) (Papilionidae) *Papilio ledebouria* Eschscholtz,1821, Kotzeb. Reise 3: 206, Tab.3 fig.7. Syntypes: Philippines.

9626. *Priniceps (Menelaides (s.str.)) ambrax* (Boisduval,1832) (Papilionidae) *Papilio ambrax* Boisduval,1832, Voy. Astrolabe Ent. 1832: 40, nr.5 Type(s): New Guinea.

9627. *Priniceps (Menelaides (s.str.)) ambrax ambrax* (Boisduval,1832) (Papilionidae) *Papilio ambrax* Boisduval,1832, Voy. Astrolabe Ent. 1832: 40, nr.5 Type(s): New Guinea.

9628. *Priniceps (Menelaides (s.str.)) ambrax dunali* (Montrouzier,1856) (Papilionidae) *Papilio dunali* Montrouzier,1856, Ann. Soc. Ph. Nat. Lyon 1856: 396. Type(s): [Papua New Guinea]: Woodlark Is.

9629. *Priniceps (Menelaides (s.str.)) ambrax egipius* (Miskin,1876) (Papilionidae) *Papilio egipius* Miskin,1876, Trans. ent. Soc. London 1876: 451. Type(s): Rockingham Bay.

9630. *Priniceps (Menelaides (s.str.)) ambrax epirus* (Wallace,1865) (Papilionidae) *Papilio epirus* Wallace,1865, Trans. linn. Soc. Lond. 25: 54, nr. 69. Type(s): Aru.

9631. *Priniceps (Menelaides (s.str.)) phestus* (Guérin-Méneville,1829) (Papilionidae) *Papilio phestus* Guérin-Méneville,1829, Voy. Coquille Atlas Ins.: Pl.14 figs. 2A,B.

9632. *Priniceps (Menelaides (s.str.)) phestus minusculus* (Bryk,1930) (Papilionidae) *Papilio phestus* var. *nusaliki* f. *minusculus* Ribbe,1898, Societ. ent. 12: 161 [infrasubsp.!]; *Papilio phestus* var. *minusculus* Bryk,1930, Lepid. Cat. 37: 186.

9633. *Priniceps (Menelaides (s.str.)) phestus parkinsoni* (Honrath,1886) (Papilionidae) *Papilio parkinsoni* Honrath,1886, Berl. ent. Z. 30 (1): 129-130, Taf.5 fig.1. Syntypes 3♂: New Britain.

9634. *Priniceps (Menelaides (s.str.)) phestus phestus* (Guérin-Méneville,1829) (Papilionidae) *Papilio phestus* Guérin-Méneville,1829, Voy. Coquille Atlas Ins.: Pl.14 figs. 2A,B.

9635. *Priniceps (Menelaides (s.str.)) phestus reductus* (Rothschild,1915) (Papilionidae) *Papilio phestus* ssp. *reductus* Rothschild,1915, Novit. zool. 22: 193-194. Type ♀: Manus, Admiralty Islands.

9636. *Priniceps (Menelaides (s.str.)) polytes* (Linnaeus,1758) (Papilionidae) *Papilio polytes* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 460. Type(s): Asia.

9637. *Priniceps (Menelaides (s.str.)) polytes polytes* (Linnaeus,1758) (Papilionidae) *Papilio polytes* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 460. Type(s): Asia.

9638. *Priniceps (Menelaides (s.str.)) polytes romulus* (Cramer,1775) (Papilionidae) *Papilio romulus* Cramer,[1775], Uitl. Kapellen 1: 67, pl.43A. Type(s): India.

9639. *Priniceps (Menelaides (s.str.)) sakontala* (Hewitson,1852) (Papilionidae) *Papilio sakontala* Hewitson,1852, Trans. ent. Soc. London (2) 2: 24, pl.5 fig.1. Type: India: Sylhet.

9640. *Priniceps (Menelaides (s.str.)) sakontala sakontala* (Hewitson,1852) (Papilionidae) *Papilio sakontala* Hewitson,1852, Trans. ent. Soc. London (2) 2: 24, pl.5 fig.1. Type: India: Sylhet.

9641. *Priniceps (Menelaides) Hübner*,[1819] (Papilionidae) *Menelaides Hübner*,[1819], Verz. bekannt. Schmett. (6): 84. Type-species: *Papilio polytes* Linnaeus,1758, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 216.

9642. *Priniceps (Sinoprinceps) Hancock*,1983 (Papilionidae) *Sinoprinceps* Hancock,1983, Smithersia 2: 35-36. Type-species: *Papilio xuthus* Linnaeus,1767, by original designation [proposed as a subgenus of the genus *Priniceps* Hübner,[1807]].

9643. *Priniceps (Sinoprinceps) xuthus* (Linnaeus,1767) (Papilionidae) *Papilio xuthus* Linnaeus,1767, Syst. Nat. (Edn.12) 1: 751, nr.34. Type (s): China: Kanton.

9644. *Priniceps (Sinoprinceps) xuthus hondoensis* (Fruhstorfer,1908) (Papilionidae) *Papilio xuthus* ssp. *hondoensis* Fruhstorfer,1908, Ent. Z., Stuttgart 22: 47.

9645. *Priniceps (Sinoprinceps) xuthus xuthus* (Linnaeus,1767) (Papilionidae) *Papilio xuthus* Linnaeus,1767, Syst. Nat. (Edn.12) 1: 751, nr.34. Type (s): China: Kanton.

- 9646. *Princeps* (s.str. (*Achillides*)) *Hübner*,[1819] (*Papilionidae*)** *Achillides* Hübner,[1819], Verz. bekannt. Schmett. (6): 85. Type-species: *Papilio paris* Linnaeus,1758, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 100.
- 9647. *Princeps* (s.str. (*Achillides*)) *arcturus* (Westwood,1842) (*Papilionidae*)** *Papilio arcturus* Westwood,1842, Ann. Mag. nat. Hist. 9: 37-38. Type(s): "Himalayan Mountains" (Mus. Parry,&c.)
- 9648. *Princeps* (s.str. (*Achillides*)) *arcturus arcturus* (Westwood,1842) (*Papilionidae*)** *Papilio arcturus* Westwood,1842, Ann. Mag. nat. Hist. 9: 37-38. Type(s): "Himalayan Mountains" (Mus. Parry,&c.)
- 9649. *Princeps* (s.str. (*Achillides*)) *arcturus arius* (Rothschild,1908) (*Papilionidae*)** *Papilio arcturus* ssp. *arius* Rothschild,1908, Novit. zool. 15: 174. Type: Kashmir.
- 9650. *Princeps* (s.str. (*Achillides*)) *bianor* (Cramer,[1777]) (*Papilionidae*)** *Papilio bianor* Cramer,[1777], Uitl. Kapellen 2: 10, tab.103 fig.C. Type(s): China.
- 9651. *Princeps* (s.str. (*Achillides*)) *bianor bianor* (Cramer,[1777]) (*Papilionidae*)** *Papilio bianor* Cramer,[1777], Uitl. Kapellen 2: 10, tab.103 fig.C. Type(s): China.
- 9652. *Princeps* (s.str. (*Achillides*)) *bianor dehaani* (Felder,1864) (*Papilionidae*)** *Papilio dehaani* Felder,1864, Verh. zool.-bot. Ges. Wien 14: 323, 371.
- 9653. *Princeps* (s.str. (*Achillides*)) *bianor gladiator* (Fruhstorfer,1901) (*Papilionidae*)** *Papilio bianor* ssp. *gladiator* Fruhstorfer,1901, Dt. ent. Z., Iris 11: 370-371. Syntypes: [Vietnam]: Chiem-Hoa, Mittel Tonkin.
- 9654. *Princeps* (s.str. (*Achillides*)) *bianor koraiveris* (Bryk,1946) (*Papilionidae*)** *Papilio bianor* ssp. *koraiveris* Bryk,1946, Ark. Zool. 38 A (3): 7, Taf. i fig. B2. Holotype ♂: Korea: Myokosan.
- 9655. *Princeps* (s.str. (*Achillides*)) *bianor superans* (Draeseke,1923) (*Papilionidae*)** *Papilio bianor* *superans* Draeseke,1923, Dt. ent. Z., Iris 37: 58.
- 9656. *Princeps* (s.str. (*Achillides*)) *dialis doddsi* (Janet,1896) (*Papilionidae*)** *Papilio doddsi* Janet,1896, Bull. Soc. ent. Fr. 1896: 186, 215. Syntypes: [Vietnam]: Tonkin.
- 9657. *Princeps* (s.str. (*Achillides*)) *elephenor* (Doubleday,1845) (*Papilionidae*)** *Papilio elephenor* Doubleday,1845, Ann. Mag. nat. Hist. 16: 305.
- 9658. *Princeps* (s.str. (*Achillides*)) *elephenor elephenor* (Doubleday,1845) (*Papilionidae*)** *Papilio elephenor* Doubleday,1845, Ann. Mag. nat. Hist. 16: 305.
- 9659. *Princeps* (s.str. (*Achillides*)) *hermosanus* (Rebel,1906) (*Papilionidae*)** *Papilio polyctor* var. *hermosanus* Rebel,1906, Verh. zool.-bot. Ges. Wien 56: 223. Syntypes: Formosa.
- 9660. *Princeps* (s.str. (*Achillides*)) *maacki* (Ménétriés,1858) (*Papilionidae*)** *Papilio maacki* Ménétriés,1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 212. Type(s): Russia: Amur.
- 9661. *Princeps* (s.str. (*Achillides*)) *maacki maacki* (Ménétriés,1858) (*Papilionidae*)** *Papilio maacki* Ménétriés,1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 212. Type(s): Russia: Amur.
- 9662. *Princeps* (s.str. (*Achillides*)) *paris* (Linnaeus,1758) (*Papilionidae*)** *Papilio paris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 459. Type(s): Asia.
- 9663. *Princeps* (s.str. (*Achillides*)) *paris chinensis* (Rothschild,1895) (*Papilionidae*)** *Papilio paris* ssp. *chinensis* Rothschild,1895, Novit. zool. 2: 385. Syntypes 22♂ 2♀: Western China, probably Tibet.
- 9664. *Princeps* (s.str. (*Achillides*)) *paris paris* (Linnaeus,1758) (*Papilionidae*)** *Papilio paris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 459. Type(s): Asia.
- 9665. *Princeps* (s.str. (*Achillides*)) *paris tamilana* (Moore,1881) (*Papilionidae*)** *Papilio tamilana* Moore,1881, Trans. ent. Soc. Lond. 1881: 313. Syntypes: India: Malabar.
- 9666. *Princeps* (s.str. (*Achillides*)) *polyctor* (Boisduval,[1836]) (*Papilionidae*)** *Papilio polyctor* Boisduval,[1836], [in] Roret's & Buffon, Hist. nat. Ins., Spec. gén. Lépid. 1: 205.
- 9667. *Princeps* (s.str. (*Achillides*)) *polyctor polyctor* (Boisduval,[1836]) (*Papilionidae*)** *Papilio polyctor* Boisduval,[1836], [in] Roret's & Buffon, Hist. nat. Ins., Spec. gén. Lépid. 1: 205.
- 9668. *Princeps* (s.str. (*Achillides*)) *polyctor triumphator* (Fruhstorfer,1902) (*Papilionidae*)** *Papilio polyctor* ssp. *triumphator* Fruhstorfer,1902, Societ. Ent. 1902: 66. Syntypes: [Vietnam]: Chiem-Hoa.
- 9669. *Princeps* (s.str. (*Achillides*)) *syfanius* (Oberthür,1886) (*Papilionidae*)** *Papilio syfanius* Oberthür,1886, Etüd. d'Ent. 11: 13 pl.1 fig.3.
- 9670. *Princeps* (s.str. (*Achillides*)) *syfanius syfanius* (Oberthür,1886) (*Papilionidae*)** *Papilio syfanius* Oberthür,1886, Etüd. d'Ent. 11: 13 pl.1 fig.3.
- 9671. *Princeps* (s.str. (*hesperus-gr*)) *euphranor* (Trimen,1868) (*Papilionidae*)** *Papilio euphranor* Trimen,1868, Trans. ent. Soc. London 1868: 70, pl.5 figs.1,2. Syntypes: [south Africa]: "Kaffraria Proper, Boolo Forest near Tsomo, a tributary of the Kei".
- 9672. *Princeps* (s.str. (*hesperus-gr*)) *euphranor euphranor* (Trimen,1868) (*Papilionidae*)** *Papilio euphranor* Trimen,1868, Trans. ent. Soc. London 1868: 70, pl.5 figs.1,2. Syntypes: [south Africa]: "Kaffraria Proper, Boolo Forest near Tsomo, a tributary of the Kei".
- 9673. *Princeps* (s.str. (*leucotaenia-gr*)) *leucotaenia* (Rothschild,1908) (*Papilionidae*)** *Papilio leucotaenia* Rothschild,1908, Entomologist's mon. Mag. 44: 249. Type: [Rwanda]: "German East Africa, Rugoge Forest, east of the south end of Lake Kivu, 2100-2300m".
- 9674. *Princeps* (s.str. (*leucotaenia-gr*)) *leucotaenia leucotaenia* (Rothschild,1908) (*Papilionidae*)** *Papilio leucotaenia* Rothschild,1908, Entomologist's mon. Mag. 44: 249. Type: [Rwanda]: "German East Africa, Rugoge Forest, east of the south end of Lake Kivu, 2100-2300m".
- 9675. *Princeps* (s.str. (*menestheus-gr*)) *lormieri* (Distant,1874) (*Papilionidae*)** *Papilio lormieri* Distant,1874, Entomologist's mon. Mag. 11: 129. Type(s): Madagascar.
- 9676. *Princeps* (s.str. (*menestheus-gr*)) *lormieri lormieri* (Distant,1874) (*Papilionidae*)** *Papilio lormieri* Distant,1874, Entomologist's mon. Mag. 11: 129. Type(s): Madagascar.
- 9677. *Princeps* (s.str. (*menestheus-gr*)) *lormieri neocrocea* (Koçak,1983) (*Papilionidae*)** *Papilio lormieri* ssp. *neocrocea* Koçak,1983, Priamus 2 (4): 165 (nomen novum pro *Papilio lormieri crocea* Storaice,1955 nec *Papilio crocea* Fourcroy,1785).
- 9678. *Princeps* (s.str. (*menestheus-gr*)) *lormieri semlikana* (Le Cerf,1924) (*Papilionidae*)** *Papilio menestheus-lormieri* ssp. *semlikana* Le Cerf,1924, Bull. Hill Museum 1: 388, pl.4 fig.33. Syntypes: [Zaire]: "Semliki River".
- 9679. *Princeps* (s.str. (*menestheus-gr*)) *ophidicephalus* (Oberthür,1878) (*Papilionidae*)** *Papilio ophidicephalus* Oberthür,1878, Etüd. Ent. 3: 13. Type: [Tanzania]: "aux montagnes de Schimba, sur la Cote en face de l'île Zanzibar"; [South Africa]: "Bashee River Kaffraria".
- 9680. *Princeps* (s.str. (*menestheus-gr*)) *ophidicephalus ayresi* (Van Son,1939) (*Papilionidae*)** *Papilio ophidicephalus* *ayresi* Van Son,1939, Ann. Transvaal Mus. 20: 62, pl.4 figs.1-3. Type: South Africa: "North-east Transvaal, Marieps Mountain, boundary of Lydenburg and Pietersburg Districts".
- 9681. *Princeps* (s.str. (*menestheus-gr*)) *ophidicephalus chirinda* (Van Son,1939) (*Papilionidae*)** *Papilio ophidicephalus* *chirinda* Van Son,1939, Ann. Transvaal Mus. 20: 59, pl.2 fig.6, pl.3 figs.1,2. Type: [Zimbabwe]: "South-eastern Rhodesia, Chirinda Forest".
- 9682. *Princeps* (s.str. (*menestheus-gr*)) *ophidicephalus cottrelli* (Van Son,1966) (*Papilionidae*)** *Papilio ophidicephalus* ssp. *cottrelli* Van Son,1966, Ann. Transv. Mus. 25 (4): 81-82, pl.7 figs.1,2. Holotype ♂: N. Rhodesia: Kamaila Forest Reserve, Chisamba, 5.ii.1955 (TMP).
- 9683. *Princeps* (s.str. (*menestheus-gr*)) *ophidicephalus entabeni* (Van Son,1939) (*Papilionidae*)** *Papilio ophidicephalus* *entabeni* Van Son,1939, Ann. Transvaal Mus. 20: 60, pl.3 figs.3,4. Type: South Africa: "Northern Transvaal, Entabeni, Zoutpansberg range".
- 9684. *Princeps* (s.str. (*menestheus-gr*)) *ophidicephalus ophidicephalus* (Oberthür,1878) (*Papilionidae*)** *Papilio ophidicephalus* Oberthür,1878, Etüd. Ent. 3: 13. Type: [Tanzania]: "aux montagnes de Schimba, sur la Cote en face de l'île Zanzibar"; [South Africa]: "Bashee River Kaffraria".
- 9685. *Princeps* (s.str. (*menestheus-gr*)) *ophidicephalus phalusco* (Suffert,1904) (*Papilionidae*)** *Papilio ophidicephalus* *phalusco* Suffert,1904, Dt. ent. Z., Iris 17: 103. Type: [South Africa]: "Natal".
- 9686. *Princeps* (s.str. (*menestheus-gr*)) *ophidicephalus transvaalensis* (Van Son,1939) (*Papilionidae*)** *Papilio ophidicephalus* *transvaalensis* Van Son,1939, Ann. Transvaal Mus. 20: 61, pl.3 figs.5,6. Type: South Africa: Northern Transvaal, Pietersburg distr.: Woodbush.
- 9687. *Princeps* (s.str. (*menestheus-gr*)) *ophidicephalus zuluensis* (Van Son,1939) (*Papilionidae*)** *Papilio ophidicephalus* *zuluensis* Van Son,1939, Ann. Transvaal Mus. 20: 63, pl.4 fig.4. Type: South Africa: "Zululand: Eshowe".
- 9688. *Princeps* (s.str. (*palinurus-gr*)) *angustatus* (Staudinger,1888) (*Papilionidae*)** *Papilio daedalus* var. *angustatus* Staudinger,1888, Dt. ent. Z., Iris 1: 278. Syntypes: ♂♀: [Philippinen]: Palawan.

- 9689. *Princeps* (s.str. (palinurus-gr)) *angustatus angustatus* (Staudinger,1888)** (Papilionidae) *Papilio daedalus* var. *angustatus* Staudinger,1888, Dt. ent. Z., Iris 1: 278. Syntypes: ♂♂: [Philippinen]: Palawan.
- 9690. *Princeps* (s.str. (palinurus-gr)) *angustatus selma* (Koçak,1996)** (Papilionidae) *Papilio angustatus* ssp. *selma* Koçak,1996, Misc. Pap. 27/28: 8 (nomen novum pro *Papilio daedalus* Felder,1861 nec *Papilio daedalus* Fabricius,1775 [Hamanumida daedalus in Africa]).
- 9691. *Princeps* (s.str. (palinurus-gr)) *blumei* (Boisduval,1836)** (Papilionidae) *Papilio blumei* Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 206, nr.19. Type(s): Celebes.
- 9692. *Princeps* (s.str. (palinurus-gr)) *blumei blumei* (Boisduval,1836)** (Papilionidae) *Papilio blumei* Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 206, nr.19. Type(s): Celebes.
- 9693. *Princeps* (s.str. (palinurus-gr)) *blumei fruhstorferi* (Röber,1897)** (Papilionidae) *Papilio blumei fruhstorferi* Röber,1897, Ent. Nachr. 1897: 223. Celebes.
- 9694. *Princeps* (s.str. (palinurus-gr)) *buddha* (Westwood,1872)** (Papilionidae) *Papilio buddha* Westwood,1872, Trans. ent. Soc. London 1872: 86, t.3 fig.1. Type(s): [India]: Nilgiri Hills (cf. Rothschild, 1895, Novit. zool. 2: 389).
- 9695. *Princeps* (s.str. (palinurus-gr)) *buddha buddha* (Westwood,1872)** (Papilionidae) *Papilio buddha* Westwood,1872, Trans. ent. Soc. London 1872: 86, t.3 fig.1. Type(s): [India]: Nilgiri Hills (cf. Rothschild, 1895, Novit. zool. 2: 389).
- 9696. *Princeps* (s.str. (palinurus-gr)) *palinurus auffenbergi* (Späth,1992)** (Papilionidae) *Papilio palinurus* ssp. *auffenbergi* Späth,1992, Ent. Z., Frankf. a. M. 102 (16): 290-291, Abb.1. Holotype ♂: Indonesien: Simeulue Isl. (coll. K. Auffenberg).
- 9697. *Princeps* (s.str. (peranthus-gr)) *lorquinianus philippus* (Wallace,1865)** (Papilionidae) *Papilio philippus* Wallace,1865, Trans. linn. Soc. Lond. 25: 45, nr. 37 t.6 fig.3.
- 9698. *Princeps* (s.str. (peranthus-gr)) *neumoegeni* (Honrath,1890)** (Papilionidae) *Papilio neuoegeni* Honrath,1890, Ent. Nachr. 1890: 187. Syntypes: [Indonesia]: Sambawa.
- 9699. *Princeps* (s.str. (peranthus-gr)) *neumoegeni neuoegeni* (Honrath,1890)** (Papilionidae) *Papilio neuoegeni* Honrath,1890, Ent. Nachr. 1890: 187. Syntypes: [Indonesia]: Sambawa.
- 9700. *Princeps* (s.str. (peranthus-gr)) *pericles* (Wallace,1865)** (Papilionidae) *Papilio pericles* Wallace,1865, Trans. linn. Soc. Lond. 25: 45, nr. 36 t.6 fig.1. Type(s): Timor.
- 9701. *Princeps* (s.str. (peranthus-gr)) *pericles pericles* (Wallace,1865)** (Papilionidae) *Papilio pericles* Wallace,1865, Trans. linn. Soc. Lond. 25: 45, nr. 36 t.6 fig.1. Type(s): Timor.
- 9702. *Princeps* (s.str. (phorcas-gr)) *constantinus* (Ward,1871)** (Papilionidae) *Papilio constantinus* Ward,1871, Entomologist's mon. Mag. 8: 34. Syntypes: [Kenya]: "East Africa: Ribé".
- 9703. *Princeps* (s.str. (phorcas-gr)) *constantinus constantinus* (Ward,1871)** (Papilionidae) *Papilio constantinus* Ward,1871, Entomologist's mon. Mag. 8: 34. Syntypes: [Kenya]: "East Africa: Ribé".
- 9704. *Princeps* (s.str. (phorcas-gr)) *dardanus* (Brown,1776)** (Papilionidae) *Papilio dardanus* Brown,1776, Illustr. Zool. 1776: 51, pl.22. Type: [West Africa] (This name placed on Official List of Specific Names in Zoology, Opinion 620,1962).
- 9705. *Princeps* (s.str. (phorcas-gr)) *dardanus cenea* (Stoll,[1790])** (Papilionidae) *Papilio cenea* Stoll,[1790], Uitl. Kap. Suppl.: 134, pl.29 figs.1A. Type: [South Africa]: "Pais des Caffres".
- 9706. *Princeps* (s.str. (phorcas-gr)) *dardanus dardanus* (Brown,1776)** (Papilionidae) *Papilio dardanus* Brown,1776, Illustr. Zool. 1776: 51, pl.22. Type: [West Africa] (This name placed on Official List of Specific Names in Zoology, Opinion 620,1962).
- 9707. *Princeps* (s.str. (phorcas-gr)) *dardanus ochraceana* (Vane-Wright,1995)** (Papilionidae) *Papilio* (*Princeps*) *dardanus ochraceana* Vane-Wright,1995, Carcasson's African Butts.: 144 (nomen novum pro *ochracea* Carpenter,1948 nec Ribbe,1897). Type: Kenya: "Marsabit".
- 9708. *Princeps* (s.str. (s.str.)) *demodocus* (Esper,[1798])** (Papilionidae) *Papilio demodocus* Esper,[1798], Auslând. Schmett.: 205.
- 9709. *Princeps* (s.str. (s.str.)) *demodocus demodocus* (Esper,[1798])** (Papilionidae) *Papilio demodocus* Esper,[1798], Auslând. Schmett.: 205.
- 9710. *Princeps* (s.str. (s.str.)) *demoleus* (Linnaeus,1758)** (Papilionidae) *Papilio demoleus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 464. Type(s): Asia.
- 9711. *Princeps* (s.str. (s.str.)) *demoleus demoleus* (Linnaeus,1758)** (Papilionidae) *Papilio demoleus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 464. Type(s): Asia.
- 9712. *Princeps* (s.str. (s.str.)) *demoleus libanius* (Fruhstorfer,1908)** (Papilionidae) *Papilio demoleus* ssp. *libanius* Fruhstorfer,1908, Ent. Z., Stuttgart 22: 141. Syntypes: Formosa (Takau).
- 9713. *Princeps* (s.str. (s.str.)) *demoleus malayanus* (Wallace,1865)** (Papilionidae) *Papilio erithonius malayanus* Wallace,1865, Trans. linn. Soc. Lond. 25: 59. Type(s): Manila.
- 9714. *Princeps* (s.str. (s.str.)) *demoleus sthenelius* (Rothschild,1895)** (Papilionidae) *Papilio demoleus* ssp. *sthenelius* Rothschild,1895, Novit. Zool. 2: 281-282. Holotype ♂: [Indonesia]: Alor; paratypes: Larentuka, Adonara, Sambawa, Sumba, Goram.
- 9715. *Princeps* (s.str. (s.str.)) *demoleus sthenelus* (MacLeay,1827)** (Papilionidae) *Papilio sthenelus* MacLeay,1827, [in] King's Surv. Austr. 2: 457. Type(s): Australia.
- 9716. *Princeps* (s.str. (s.str.)) *erithonioides* (Grose-Smith,1891)** (Papilionidae) *Papilio erithonioides* Grose-Smith,1891, Ann. Mag. nat. Hist. (6) 7: 122. Type(s): North-west coast of Madagascar.
- 9717. *Princeps* (s.str. (s.str.)) *erithonioides erithonioides* (Grose-Smith,1891)** (Papilionidae) *Papilio erithonioides* Grose-Smith,1891, Ann. Mag. nat. Hist. (6) 7: 122. Type(s): North-west coast of Madagascar.
- 9718. *Princeps* (s.str. (s.str.)) *groesmithi* (Rothschild,1926)** (Papilionidae) *Papilio groesmithi* Rothschild,1926, Ann. Mag. nat. Hist. (9) 17: 113. Type: [Malagasy Rep.]: "N.W.Madagascar".
- 9719. *Princeps* (s.str. (s.str.)) *groesmithi groesmithi* (Rothschild,1926)** (Papilionidae) *Papilio groesmithi* Rothschild,1926, Ann. Mag. nat. Hist. (9) 17: 113. Type: [Malagasy Rep.]: "N.W.Madagascar".
- 9720. *Princeps* (s.str. (s.str.)) *morondanava* (Grose-Smith,1891)** (Papilionidae) *Papilio morondanava* Grose-Smith,1891, Ann. Mag. nat. Hist. (6) 8: 78. Type(s): W. Madagascar: Mahobo.
- 9721. *Princeps* (s.str. (s.str.)) *morondanava morondanava* (Grose-Smith,1891)** (Papilionidae) *Papilio morondanava* Grose-Smith,1891, Ann. Mag. nat. Hist. (6) 8: 78. Type(s): W. Madagascar: Mahobo.
- 9722. *Princeps* (s.str. (ulysses-gr)) *montrouzieri* (Boisduval,1859)** (Papilionidae) *Papilio montrouzieri* Boisduval,1859, Annls Soc. ent. Fr. (3) 7: Bull.: 158. Type(s): Nouvelle Calédonie.
- 9723. *Princeps* (s.str. (ulysses-gr)) *montrouzieri montrouzieri* (Boisduval,1859)** (Papilionidae) *Papilio montrouzieri* Boisduval,1859, Annls Soc. ent. Fr. (3) 7: Bull.: 158. Type(s): Nouvelle Calédonie.
- 9724. *Princeps* (s.str. (ulysses-gr)) *ulysses* (Linnaeus,1758)** (Papilionidae) *Papilio ulysses* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 462.
- 9725. *Princeps* (s.str. (ulysses-gr)) *ulysses ambiguus* (Rothschild,1895)** (Papilionidae) *Papilio ulysses* ssp. *ambiguus* Rothschild,1895, Novit. zool. 2: 397-398. Type: New Britain; New Ireland, Duke of York Isl.
- 9726. *Princeps* (s.str. (ulysses-gr)) *ulysses ampelius* (Rothschild,1908)** (Papilionidae) *Papilio ulysses* ssp. *ampelius* Rothschild,1908, Novit. zool. 15: 174.
- 9727. *Princeps* (s.str. (ulysses-gr)) *ulysses autolytus* (C.Felder & R.Felder,[1865])** (Papilionidae) *Papilio autolytus* C.Felder & R.Felder,[1865], Reise Novarra: 114, nr.86.
- 9728. *Princeps* (s.str. (ulysses-gr)) *ulysses bepe* (Koçak & Kemal,2000)** (Papilionidae) *Papilio ulysses* ssp. *bepe* Koçak & Kemal,2000, Centr. ent. Stud., Misc. Pap. 71: 4 (nomen novum pro *telegonus* Felder,1860 nec Esper,1779).
- 9729. *Princeps* (s.str. (ulysses-gr)) *ulysses dohertius* (Rothschild,1898)** (Papilionidae) *Papilio ulysses* ssp. *dohertius* Rothschild,1898, Novit. zool. 5: 417.
- 9730. *Princeps* (s.str. (ulysses-gr)) *ulysses gabrielis* (Rothschild,1898)** (Papilionidae) *Papilio ulysses* ssp. *gabrielis* Rothschild,1898, Novit. zool. 5: 317. Syntypes: St. Gabriel.
- 9731. *Princeps* (s.str. (ulysses-gr)) *ulysses georgius* (Rothschild,1908)** (Papilionidae) *Papilio ulysses* ssp. *georgius* Rothschild,1908, Novit. zool. 15: 174.
- 9732. *Princeps* (s.str. (ulysses-gr)) *ulysses irisae* (Späth,1992)** (Papilionidae) *Papilio ulysses* ssp. *irisae* Späth,1992, Ent. Z., Frankf. a. M. 102 (16): 291-293, Abb.2. Holotype ♂: Indonesien: Manipa Is. (Molukken) (coll. M.Späth).
- 9733. *Princeps* (s.str. (ulysses-gr)) *ulysses joesa* (Butler,1869)** (Papilionidae) *Papilio joesa* Butler,1869, Entomologist 4: 348.
- 9734. *Princeps* (s.str. (ulysses-gr)) *ulysses melanotica* (Rothschild,1915)** (Papilionidae) *Papilio ulysses melanotica*

Rothschild, 1915, Novit. zool. 22: 194. Syntypes 7♂ 5♀: Dampier Isl. [melanotica Hagen, 1897 is quadrinomial, unavailable name].

9735. *Priniceps* (s.str. (ulysses-gr)) *ulysses morotais* (Rothschild, 1908) (Papilionidae) *Papilio ulysses* ssp. *morotais* Rothschild, 1908, Novit. zool. 15: 174. Syntypes: Morty.

9736. *Priniceps* (s.str. (ulysses-gr)) *ulysses nigerrimus* (Ribbe, 1898) (Papilionidae) *Papilio ulysses* var. *nigerrimus* Ribbe, 1898, Societ. ent. 12: 161.

9737. *Priniceps* (s.str. (ulysses-gr)) *ulysses orsippus* (Godman & Salvin, 1888) (Papilionidae) *Papilio orsippus* Godman & Salvin, 1888, Ann. Mag. nat. Hist. 6 (1): 101.

9738. *Priniceps* (s.str. (ulysses-gr)) *ulysses oxyartes* (Fruhstorfer, 1909) (Papilionidae) *Papilio ulysses* ssp. *oxyartes* Fruhstorfer, 1909, Ent. Z., Stuttgart 22: 177.

9739. *Priniceps* (s.str. (ulysses-gr)) *ulysses telephanes* (Fruhstorfer, 1902) (Papilionidae) *Papilio ulysses* *telephanes* Fruhstorfer, 1902, Dt. ent. Z., Iris 15: 165.

9740. *Priniceps* (s.str. (ulysses-gr)) *ulysses ulysses* (Linnaeus, 1758) (Papilionidae) *Papilio ulysses* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 462.

9741. *Priniceps* (s.str.) *Hübner*, [1807] (Papilionidae) *Priniceps* *Hübner*, [1807], Samml. exot. Schmett. 1: pl. [116]. Type-species: *Papilio demodocus* Esper, [1798], by subsequent designation by the Commission under its Plenary Powers under Article 70(a).

9742. *Protographium leosthenes* (Doubleday, 1846) (Papilionidae) *Papilio leosthenes* Doubleday, 1846, Ann. Nat. Hist. 18: 372.

9743. *Protographium leosthenes leosthenes* (Doubleday, 1846) (Papilionidae) *Papilio leosthenes* Doubleday, 1846, Ann. Nat. Hist. 18: 372.

9744. *Serycinus Westwood*, 1851 (Papilionidae) *Serycinus* *Westwood*, 1851, Trans. ent. Soc. Lond. (n.s.) 1: 173. Type-species: *Papilio telamon* Donovan, 1798, Epitome Ins. China: pl. 27 fig. 1, by original designation.

9745. *Serycinus montela* Gray, [1853] (Papilionidae) *Serycinus* *montela* Gray, [1853], Cat. lep. Ins. Br. Mus. 1: 78, pl. 13 figs. 1, 2.

9746. *Serycinus montela amurensis* Staudinger, 1892 (Papilionidae) *Serycinus telamon* v. *amurensis* Staudinger, 1892, [in] Romanoff, Mém. lépid. 6: 130.

9747. *Serycinus montela koreanus* Fixsen, 1887 (Papilionidae) *Serycinus telamon* var. *koreanus* Fixsen, 1887, [in] Romanoff, Mém. lépid. 3: 257, nr. 5. Syntypes: Korea: Pung-Joan.

9748. *Serycinus montela melanogramma* Bryk, 1946 (Papilionidae) *Serycinus telamon* ssp. *melanogramma* Bryk, 1946, Ark. Zool. 38 A (3): 12, Taf. ii fig. 3. Holotype ♂: [Südkorea]: Korea.

9749. *Serycinus montela montela* Gray, [1853] (Papilionidae) *Serycinus montela* Gray, [1853], Cat. lep. Ins. Br. Mus. 1: 78, pl. 13 figs. 1, 2.

9750. *Teinopalpus Hope*, 1843 (Papilionidae) *Teinopalpus* *Hope*, 1843, Trans. linn. Soc. Lond. 19 (2): 13. Type-species: *Teinopalpus imperialis* Hope, 1843, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 276.

9751. *Teinopalpus imperialis* Hope, 1843 (Papilionidae) *Teinopalpus imperialis* Hope, 1843, Trans. linn. Soc. Lond. 19 (2): 131, pl. 2 figs. 1, 2.

9752. *Teinopalpus imperialis imperialis* Hope, 1843 (Papilionidae) *Teinopalpus imperialis* Hope, 1843, Trans. linn. Soc. Lond. 19 (2): 131, pl. 2 figs. 1, 2.

9753. *Trogonoptera Rippon*, [1890] (Papilionidae) *Trogonoptera* *Rippon*, [1890], Icon. Ornithopt. 1: 4. Type-species: *Ornithoptera brookiana* Wallace, [1856], by original designation.

9754. *Trogonoptera brookiana* (Wallace, 1855) (Papilionidae) *Ornithoptera brookiana* Wallace, 1855, Proc. ent. Soc. (ser. ii) 3: 104.

9755. *Trogonoptera brookiana albescens* (Rothschild, 1895) (Papilionidae) *Troides brookiana* ssp. *albescens* Rothschild, 1895, Novit. zool. 2: 199. Syntypes 14♂ 3♀: Malay Peninsula: Perak (BMNH).

9756. *Trogonoptera brookiana apolloniae* Neukirschen, 1992 (Papilionidae) *Trogonoptera brookiana* ssp. *apolloniae* Neukirschen, 1992, Ent. Z., Frankf. a. M. 102: 259-261, Abb. 1. Holotype ♂: Indonesien: Mentawai-Gruppe, Siberut Is. (coll. S. & W. Zöller).

9757. *Trogonoptera brookiana brookiana* (Wallace, 1855) (Papilionidae) *Ornithoptera brookiana* Wallace, 1855, Proc. ent. Soc. (ser. ii) 3: 104. Type(s): Borneo.

9758. *Trogonoptera brookiana jikoi* Kobayashi, 1986 (Papilionidae) *Trogonoptera brookiana* ssp. *jikoi* Kobayashi, 1986, Trans. Himeji Nat. Hist. Ass. (Himeji), Add. 12: 1-12. Holotype: Indonesia: N.W. Sumatra: Banyak Isl.: Tuangku Is.

9759. *Trogonoptera brookiana trogon* (Vollenhoven, 1860) (Papilionidae) *Papilio trogon* Vollenhoven, 1860, Tijdschr. Ent. 3: 69, pl. 6. Syntypes: Sumatra.

9760. *Troides* (Ornithoptera (Schoenbergia)) *Pagenstecher*, 1893 (Papilionidae) *Schoenbergia* *Pagenstecher*, 1893, Jb. nassau Naturk. 1893: 35. Type-species: *Schoenbergia schoenbergi* Pagenstecher, 1893, by monotypy.

9761. *Troides* (Ornithoptera (Schoenbergia)) *chimaera* Rothschild, 1904 (Papilionidae) *Troides chimaera* Rothschild, 1904, Novit. zool. 11: 311, pl. 13 fig. 25.

9762. *Troides* (Ornithoptera (Schoenbergia)) *chimaera chimaera* Rothschild, 1904 (Papilionidae) *Troides chimaera* Rothschild, 1904, Novit. zool. 11: 311, pl. 13 fig. 25.

9763. *Troides* (Ornithoptera (Schoenbergia)) *goliath* Oberthür, 1894 (Papilionidae) *Ornithoptera goliath* Oberthür, 1894, Etüd. Ent. 19: 1, Pl. 4 fig. 19. Syntypes: ? Waigeu, ? Dorey.

9764. *Troides* (Ornithoptera (Schoenbergia)) *paradisea* (Staudinger, 1893) (Papilionidae) *Ornithoptera paradisea* Staudinger, 1893, Ent. Nachr. 193: 178.

9765. *Troides* (Ornithoptera (Schoenbergia)) *paradisea paradisea* (Staudinger, 1893) (Papilionidae) *Ornithoptera paradisea* Staudinger, 1893, Ent. Nachr. 193: 178.

9766. *Troides* (Ornithoptera (Schoenbergia)) *tithonus* (De Haan, 1840) (Papilionidae) *Ornithoptera tithonus* De Haan, 1840, Verh. Nat. Gesch. Ned. overz. bez.: 18, t. 1 fig. 1. Type(s): "New Guinea" (in err.)

9767. *Troides* (Ornithoptera (Schoenbergia)) *tithonus tithonus* (De Haan, 1840) (Papilionidae) *Ornithoptera tithonus* De Haan, 1840, Verh. Nat. Gesch. Ned. overz. bez.: 18, t. 1 fig. 1. Type(s): "New Guinea" (in err.)

9768. *Troides* (Ornithoptera (s.str.)) *Boisduval*, [1832] (Papilionidae) *Ornithoptera Boisduval*, [1832], [in] d'Urville, "Voy...Astrolabe", Fauna ent. 1 (Lép.): 33. Type-species: *Papilio priamus* Linnaeus, 1758, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 234.

9769. *Troides* (Ornithoptera (s.str.)) *croesus* (Wallace, 1859) (Papilionidae) *Ornithoptera croesus* Wallace, 1859, Proc. ent. Soc. London (2) 5: 70. Type(s): [Indonesia]: Batjan.

9770. *Troides* (Ornithoptera (s.str.)) *croesus lydius* (C. Felder & R. Felder, 1865) (Papilionidae) *Papilio lydius* C. Felder & R. Felder, 1865, Reise Navarra 1: 9, nr. 5 Tab. 3 figs. a, b. Syntypes: [Indonesia]: Halmahera.

9771. *Troides* (Ornithoptera (s.str.)) *priamus* (Linnaeus, 1758) (Papilionidae) *Papilio priamus* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 458. Type(s): [Indonesia]: Amboina.

9772. *Troides* (Ornithoptera (s.str.)) *priamus admiralitatis* (Rothschild, 1915) (Papilionidae) *Papilio priamus* ssp. *admiralitatis* Rothschild, 1915, Novit. zool. 22: 192-193. Syntypes 1♂ 8♀: Manus, Admiralty Islands.

9773. *Troides* (Ornithoptera (s.str.)) *priamus euphorion* (Gray, [1853]) (Papilionidae) *Papilio euphorion* Gray, [1853], Cat. Lepid. Ins. Br. Mus. 1: 4, Pl. 2 fig. 3. Type: North Australia.

9774. *Troides* (Ornithoptera (s.str.)) *priamus hecuba* (Röber, 1891) (Papilionidae) *Ornithoptera priamus* var. *hecuba* Röber, 1891, Tijdschr. Ent. 34: 263. Type: [Indonesia]: Kei Is.

9775. *Troides* (Ornithoptera (s.str.)) *priamus poseidon* (Doubleday, 1847) (Papilionidae) *Ornithoptera poseidon* Doubleday, 1847, Ann. Mag. nat. Hist. 19: 173. Type(s): Darnley Island.

9776. *Troides* (Ornithoptera (s.str.)) *priamus priamus* (Linnaeus, 1758) (Papilionidae) *Papilio priamus* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 458. Type(s): [Indonesia]: Amboina.

9777. *Troides* (Ornithoptera (s.str.)) *richmondii* (Gray, [1853]) (Papilionidae) *Papilio richmondia* Gray, [1853], Cat. Lepid. Ins. Br. Mus. 1: 2, Pl. 2 fig. 1. Type: Australia: N.S. Wales.

9778. *Troides* (Ornithoptera (s.str.)) *urvillianus* (Guérin-Méneville, 1829) (Papilionidae) *Papilio urvillianus* Guérin-Méneville, 1829, Voy. Coquille 1829: Tab. 13 figs. 1, 2. & text 3: 273. Type: New Ireland.

9779. *Troides* (Ornithoptera (s.str.)) *victoriae* (Gray, 1856) (Papilionidae) *Ornithoptera victoriae* Gray, 1856, Proc. zool. Soc. London 156: 7, Pl. 39. Patria?

9780. *Troides* (Ornithoptera (s.str.)) *victoriae reginae* (Godman & Salvin, 1888) (Papilionidae) *Ornithoptera reginae* Godman & Salvin, 1888, Proc. zool. Soc. London 1888: 117, nr. 1. Syntypes ♂♂: Maleita.

9781. *Troides* (Ornithoptera (s.str.)) *victoriae regis* (Rothschild, 1895) (Papilionidae) *Troides victoriae regis* Rothschild, 1895, Entomologist 28: 78. Syntypes ♂♀: Bougainville, Alu.

- 9782. *Troides (Ripponia) hypolitus cellularis* Rothschild, 1895** (Papilionidae) *Troides hypolitus* ssp. *cellularis* Rothschild, 1895, Novit. zool. 2: 202-203 (nomen novum pro *celebensis* Staudinger, [1895] nec Wallace, 1865). Syntypes: Celebes; Talaut.
- 9783. *Troides (Ripponia) hypolitus sulaensis* (Staudinger, [1895])** (Papilionidae) *Ornithoptera hippolytus* var. *sulaensis* Staudinger, [1895], Dt. ent. Z., Iris 7: 343. Syntypes: Sula Insel Mangioli.
- 9784. *Troides* (s.str. (amphrysus-gr)) *amphrysus* (Cramer, [1782])** (Papilionidae) *Papilio amphrysus* Cramer, [1782], Uitl. Kapellen 3: 43, t.219 fig.A. Syntypes: Java.
- 9785. *Troides* (s.str. (amphrysus-gr)) *amphrysus amphrysus* (Cramer, [1782])** (Papilionidae) *Papilio amphrysus* Cramer, [1782], Uitl. Kapellen 3: 43, t.219 fig.A. Syntypes: Java.
- 9786. *Troides* (s.str. (amphrysus-gr)) *amphrysus flavicollis* (Druce, 1873)** (Papilionidae) *Ornithoptera flavicollis* Druce, 1873, Proc. zool. Soc. Lond. 356, nr.3. Syntypes: Borneo.
- 9787. *Troides* (s.str. (amphrysus-gr)) *andromache* (Staudinger, 1892)** (Papilionidae) *Ornithoptera andromache* Staudinger, 1892, Dt. ent. Z., Iris 5: 393; *ibid.* 7: Taf.iii figs.1,2. Syntypes: North Borneo.
- 9788. *Troides* (s.str. (amphrysus-gr)) *andromache andromache* Staudinger, 1892** (Papilionidae) *Ornithoptera andromache* Staudinger, 1892, Dt. ent. Z., Iris 5: 393; *ibid.* 7: Taf.iii figs.1,2. Syntypes: North Borneo.
- 9789. *Troides* (s.str. (amphrysus-gr)) *miranda* (Butler, 1869)** (Papilionidae) *Papilio miranda* Butler, 1869, Lepid. exot. 1: pl.1. Type: Sarawak.
- 9790. *Troides* (s.str. (amphrysus-gr)) *miranda miranda* (Butler, 1869)** (Papilionidae) *Papilio miranda* Butler, 1869, Lepid. exot. 1: pl.1. Type: Sarawak.
- 9791. *Troides* (s.str. (amphrysus-gr)) *ritsemae* (Snellen, 1889)** (Papilionidae) *Papilio* (Ornithoptera) *ritsemae* Snellen, 1889, Notes Leyd. Mus. 1889: 153. Syntypes: Java: Preanger, Ardjoena 1500-1800m.
- 9792. *Troides* (s.str. (amphrysus-gr)) *ritsemae ritsemae* (Snellen, 1889)** (Papilionidae) *Papilio* (Ornithoptera) *ritsemae* Snellen, 1889, Notes Leyd. Mus. 1889: 153. Syntypes: Java: Preanger, Ardjoena 1500-1800m.
- 9793. *Troides* (s.str. (amphrysus-gr)) *ritsemae sumatranus* (Hagen, 1894)** (Papilionidae) *Ornithoptera ritsemae* var. *sumatranus* Hagen, 1894, Dt. ent. Z., Iris 7: 19, nr.5. Syntypes ♂: [Indonesia]: Sumatra.
- 9794. *Troides* (s.str. (s.str.)) *aeacus* (C.Felder & R.Felder, 1860)** (Papilionidae) *Ornithoptera aeacus* C.Felder & R.Felder, 1860, Wien. ent. Monatschr. 4: 225, nr. 71. Type(s): Patria?
- 9795. *Troides* (s.str. (s.str.)) *aeacus aeacus* (C.Felder & R.Felder, 1860)** (Papilionidae) *Ornithoptera aeacus* C.Felder & R.Felder, 1860, Wien. ent. Monatschr. 4: 225, nr. 71. Type(s): Patria?
- 9796. *Troides* (s.str. (s.str.)) *aeacus insularis* (Ney, 1905) (homonim!)** (Papilionidae) *Papilio aeacus insularis* Ney, 1905, Insekt. Börs. 1905: 188. Type(s): Sumatra.
- 9797. *Troides* (s.str. (s.str.)) *aeacus thomsoni* (Bates, 1875)** (Papilionidae) *Ornithoptera rhadamanthus* var. *thomsoni* Bates, 1875, [in] Thomson's Straits of Malacca: 546. Type(s): [Thailand]: Siam.
- 9798. *Troides* (s.str. (s.str.)) *astenus* (Fabricius, 1775)** (Papilionidae) *Papilio astenus* Fabricius, 1775, Syst. Ent.: 448, nr. 270.
- 9799. *Troides* (s.str. (s.str.)) *astenus astenus* (Fabricius, 1775)** (Papilionidae) *Papilio astenus* Fabricius, 1775, Syst. Ent.: 448, nr. 270.
- 9800. *Troides* (s.str. (s.str.)) *astenus cerberus* (C.Felder & R.Felder, [1865])** (Papilionidae) *Papilio cerberus* C.Felder & R.Felder, [1865], Reise Navarra Lepid. 1: 19, nr.10. Syntypes: India sept.
- 9801. *Troides* (s.str. (s.str.)) *astenus heliconoides* (Moore, 1877)** (Papilionidae) *Ornithoptera heliconoides* Moore, 1877, Proc. zool. Soc. Lond. 1877: 592. Syntypes: Andaman Isl.
- 9802. *Troides* (s.str. (s.str.)) *astenus hephaestus* (C.Felder & R.Felder, [1865])** (Papilionidae) *Papilio hephaestus* C.Felder & R.Felder, [1865], Reise Navarra Lepid. 1: 16, nr.8. Syntypes: [Indonesia]: Celebes.
- 9803. *Troides* (s.str. (s.str.)) *astenus mannus* Fruhstorfer, 1908** (Papilionidae) *Troides helena* ssp. *mannus* Fruhstorfer, 1908, Int. ent. Z. 2: 238. Syntypes ♂ 2♀: [Indonesia]: Bali.
- 9804. *Troides* (s.str. (s.str.)) *astenus nereis* (Doherty, 1891)** (Papilionidae) *Ornithoptera nereis* Doherty, 1891, J. Asiat. Soc. Bengal 2: 30. Syntypes: [Indonesia]: Engano.
- 9805. *Troides* (s.str. (s.str.)) *astenus propinquus* Rothschild, 1895** (Papilionidae) *Troides helena* ssp. *propinquus* Rothschild, 1895, Novit. zool. 2: 218-219. Syntypes 1♂ 1♀: Sambawa (in coll. Stgr.).
- 9806. *Troides* (s.str. (s.str.)) *criton* (C.Felder, 1860)** (Papilionidae) *Ornithoptera criton* C.Felder, 1860, Wien. ent. Monatschr. 4: 225, nr.72. Type(s): [Indonesia]: Batjan.
- 9807. *Troides* (s.str. (s.str.)) *criton criton* (C.Felder, 1860)** (Papilionidae) *Ornithoptera criton* C.Felder, 1860, Wien. ent. Monatschr. 4: 225, nr.72. Type(s): [Indonesia]: Batjan.
- 9808. *Troides* (s.str. (s.str.)) *dohertyi* (Rippon, 1893)** (Papilionidae) *Ornithoptera* (Pompeoptera) *dohertyi* Rippon, 1893, Ann. Mag. nat. Hist. (7) 2: 295. Type(s): [Indonesia]: Talaut Isl.
- 9809. *Troides* (s.str. (s.str.)) *dohertyi dohertyi* (Rippon, 1893)** (Papilionidae) *Ornithoptera* (Pompeoptera) *dohertyi* Rippon, 1893, Ann. Mag. nat. Hist. (7) 2: 295. Type(s): [Indonesia]: Talaut Isl.
- 9810. *Troides* (s.str. (s.str.)) *haliphron* (Boisduval, 1836)** (Papilionidae) *Ornithoptera haliphron* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 181, nr.9. Type(s): Celebes.
- 9811. *Troides* (s.str. (s.str.)) *haliphron haliphron* (Boisduval, 1836)** (Papilionidae) *Ornithoptera haliphron* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 181, nr.9. Type(s): Celebes.
- 9812. *Troides* (s.str. (s.str.)) *haliphron iris* (Röber, 1888)** (Papilionidae) *Ornithoptera iris* Röber, 1888, Ent. Nachr. 1888: 369. Type(s): [Indonesia]: Letti.
- 9813. *Troides* (s.str. (s.str.)) *haliphron naias* (Doherty, 1891)** (Papilionidae) *Ornithoptera naias* Doherty, 1891, J. Asiat. Soc. Beng. 1891: 193, nr.116. Syntypes: [Indonesia]: Sumba Is.
- 9814. *Troides* (s.str. (s.str.)) *haliphron pallens* (Oberthür, 1879)** (Papilionidae) *Ornithoptera haliphron* var.? *pallens* Oberthür, 1879, Etüd. Ent. 4: 110. Syntypes: [Indonesia]: Celebes.
- 9815. *Troides* (s.str. (s.str.)) *haliphron sokrates* (Staudinger, 1891)** (Papilionidae) *Ornithoptera sokrates* Staudinger, 1891, Dt. ent. Z., Iris 4: 71. Syntypes: [Indonesia]: Wetter, Sambawa.
- 9816. *Troides* (s.str. (s.str.)) *haliphron staudingeri* (Röber, 1888)** (Papilionidae) *Ornithoptera staudingeri* Röber, 1888, Ent. Nachr. 1888: 369. Syntypes: [Indonesia]: Loelang Is.
- 9817. *Troides* (s.str. (s.str.)) *magellanus* (C.Felder & R.Felder, 1862)** (Papilionidae) *Ornithoptera magellanus* C.Felder & R.Felder, 1862, Wien. ent. Monatschr. 6: 282, nr.31. Syntypes ♂♀: Philippines: Luzon, Babuyan.
- 9818. *Troides* (s.str. (s.str.)) *magellanus magellanus* (C.Felder & R.Felder, 1862)** (Papilionidae) *Ornithoptera magellanus* C.Felder & R.Felder, 1862, Wien. ent. Monatschr. 6: 282, nr.31. Syntypes ♂♀: Philippines: Luzon, Babuyan.
- 9819. *Troides* (s.str. (s.str.)) *oblongomaculatus* (Goeze, 1779)** (Papilionidae) *Papilio oblongomaculatus* Goeze, 1779, Ent. Beytr. 3 (1): 44.
- 9820. *Troides* (s.str. (s.str.)) *oblongomaculatus bouruensis* (Wallace, 1865)** (Papilionidae) *Ornithoptera helena* *bouruensis* Wallace, 1865, Trans. linn. Soc. Lond. 25: 38. Syntypes: Buru.
- 9821. *Troides* (s.str. (s.str.)) *oblongomaculatus celebensis* (Wallace, 1865)** (Papilionidae) *Ornithoptera helena* *celebensis* Wallace, 1865, Trans. linn. Soc. Lond. 25: 39. Syntypes: Macassar.
- 9822. *Troides* (s.str. (s.str.)) *oblongomaculatus hanno* Fruhstorfer, 1904** (Papilionidae) *Troides oblongomaculatus* ssp. *hanno* Fruhstorfer, 1904, Ent. Z., Stuttgart 18: 27. Syntypes 12♂: [Indonesia]: Insel Goram.
- 9823. *Troides* (s.str. (s.str.)) *oblongomaculatus oblongomaculatus* (Goeze, 1779)** (Papilionidae) *Papilio oblongomaculatus* Goeze, 1779, Ent. Beytr. 3 (1): 44.
- 9824. *Troides* (s.str. (s.str.)) *oblongomaculatus papuensis* (Wallace, 1865)** (Papilionidae) *Ornithoptera helena* *papuensis* Wallace, 1865, Trans. linn. Soc. Lond. 25: 38. Syntypes: New Guinea. Salwatty.
- 9825. *Troides* (s.str. (s.str.)) *plateni* (Staudinger, 1888)** (Papilionidae) *Ornithoptera plateni* Staudinger, 1888, Dt. ent. Z., Iris 1: 274-275. Syntypes: 1♂ 3♀: [Philippinen]: Palawan.
- 9826. *Troides* (s.str. (s.str.)) *plateni plateni* (Staudinger, 1888)** (Papilionidae) *Ornithoptera plateni* Staudinger, 1888, Dt. ent. Z., Iris 1: 274-275. Syntypes: 1♂ 3♀: [Philippinen]: Palawan.
- 9827. *Troides* (s.str. (s.str.)) *plato* (Wallace, 1865)** (Papilionidae) *Ornithoptera plato* Wallace, 1865, Trans. linn. Soc. Lond. 25: 40, nr. 13. Type(s): Timor.
- 9828. *Troides* (s.str. (s.str.)) *plato plato* (Wallace, 1865)** (Papilionidae) *Ornithoptera plato* Wallace, 1865, Trans. linn. Soc. Lond. 25: 40, nr. 13. Type(s): Timor.
- 9829. *Troides* (s.str. (s.str.)) *rhadamanthus* (Boisduval, 1836)** (Papilionidae) *Ornithoptera rhadamanthus* Boisduval, [1836], [in]

Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 180. Type(s): Philippines.

9830. *Troides* (s.str. (s.str.)) *rhodamanthus rhodamanthus* (Boisduval,1836) (Papilionidae) Ornithoptera rhodamanthus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 180. Type(s): Philippines.

9831. *Troides* (s.str. (s.str.)) *riedeli* (Kirsch,1885) (Papilionidae) Ornithoptera riedeli Kirsch,1885, Proc. zool. Soc. London 1885: 275, Pl. 19 fig.1,2. Syntypes: [Indonesia]: Timor Laut.

9832. *Troides* (s.str. (s.str.)) *vandepolli* (Snellen,1890) (Papilionidae) Papilio vandepolli Snellen,1890, Tijdschr. Ent. 33: 22. Syntypes: [Indonesia]: Java: Preanger Mt., 5000-5500ft.

9833. *Troides* (s.str. (s.str.)) *vandepolli honrathianus* (Martin,1892) (Papilionidae) Ornithoptera honrathiana Martin,1892, Berl. ent. Z. 37: 492. Type: [Indonesia]: Sumatra.

9834. *Troides* (s.str. (s.str.)) *vandepolli vandepolli* (Snellen,1890) (Papilionidae) Papilio vandepolli Snellen,1890, Tijdschr. Ent. 33: 22. Syntypes: [Indonesia]: Java: Preanger Mt., 5000-5500ft.

9835. *Troides* (s.str.) *Hübner*,[1819] (Papilionidae) *Troides* Hübner,[1819], Verz. bekannt. Schmett. (6): 88. Type-species: Papilio helena Linnaeus,1758, Syst. Nat. (Edn.10) 1: 461, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 286.

9836. *Zerynthia* (Allancastris) *Bryk*,1934 (Papilionidae) Allancastris Bryk,1934, Das Tierreich 64: 19, 61-62. Type-species: Thais cerisyi Godart,1822, Mém. Soc. linn. Paris 2: 234, pl.20, figs.3,4. by original designation.

9837. *Zerynthia* (Allancastris) *caucasica* (Lederer,1864) (Papilionidae) Thais cerisyi var. caucasica Lederer,1864, Wien. ent. Monatschr. 8: 165-166. Syntypes 10♂ 2♀: [Georgien]: Kutais.

9838. *Zerynthia* (Allancastris) *caucasica abanti* Koçak,1975 (Papilionidae) Zerynthia cerisyi ssp. abanti Koçak,1975, Atalanta 6 (1): 24, figs. 1-4. Holotype ♂: Turkey: Bolu Prov., Abant Gölü 1400m (in coll. CESA).

9839. *Zerynthia* (Allancastris) *caucasica caucasica* (Lederer,1864) (Papilionidae) Thais cerisyi var. caucasica Lederer,1864, Wien. ent. Monatschr. 8: 165-166. Syntypes 10♂ 2♀: [Georgien]: Kutais.

9840. *Zerynthia* (Allancastris) *cerisyi* (Godart,1822) (Papilionidae) Thais cerisyi Godart,1822, Mem. Soc. linn. Paris 2: 234, pl.20,figs.3,4. Syntypes: [Turkey]: Ourlac [=Urla (İzmir)].

9841. *Zerynthia* (Allancastris) *cerisyi cerisyi* (Godart,1822) (Papilionidae) Thais cerisyi Godart,1822, Mem. Soc. linn. Paris 2: 234, pl.20,figs.3,4. Syntypes: [Turkey]: Ourlac [=Urla (İzmir)].

9842. *Zerynthia* (Allancastris) *cerisyi ferdinandi* (Stichel,1907) (Papilionidae) Zerynthia cerisyi ssp. ferdinandi Stichel,1907, Ent. Z., Franf.a.M. 21: 177-178, figs.2,3. Syntypes: Bulgarien: Lowetsch.

9843. *Zerynthia* (Allancastris) *cretica* (Rebel,1904) (Papilionidae) Thais cerisyi var. cretica Rebel,1904, Verh. zool.- bot. Ges. Wien 54: 2. Syntypes: Kreta: im zentralen Teile der Insel bei Asitaes" (NHMW).

9844. *Zerynthia* (Allancastris) *cretica cretica* (Rebel,1904) (Papilionidae) Thais cerisyi var. cretica Rebel,1904, Verh. zool.- bot. Ges. Wien 54: 2. Syntypes: Kreta: im zentralen Teile der Insel bei Asitaes" (NHMW).

9845. *Zerynthia* (Allancastris) *deyrollei* (Oberthür,1869) (Papilionidae) Thais deyrollei Oberthür,1869, Pet. Nouv. Ent. (2):7. Syntypes: [Turquie]: Alpes-Pontiques [Gümüşhane].

9846. *Zerynthia* (Allancastris) *deyrollei deyrollei* (Oberthür,1869) (Papilionidae) Thais deyrollei Oberthür,1869, Pet. Nouv. Ent. (2):7. Syntypes: [Turquie]: Alpes-Pontiques [Gümüşhane].

9847. *Zerynthia* (Allancastris) *louristana* (Le Cerf,1908) (Papilionidae) Thais cerisyi louristana Le Cerf,1908, Bull. Soc. ent. Fr. 1908: 21. Type ♂: [Iran]: Louristan persan Tchahar-Dooul a Kirmanchah 900-1470m leg. J. de Morgan (MNHN).

9848. *Zerynthia* (Allancastris) *louristana boyrahmediensis* Blom & Eisner,1979 (Papilionidae) Allancastris louristana ssp. boyrahmediensis Blom & Eisner,1979, Zool. Meded. 54(18): 277-278, figs. Holotype ♂: Iran: Boyr Ahmadi: Yasuj Abshar

9849. *Zerynthia* (Allancastris) *louristana louristana* (Le Cerf,1908) (Papilionidae) Thais cerisyi louristana Le Cerf,1908, Bull. Soc. ent. Fr. 1908: 21. Type ♂: [Iran]: Louristan persan Tchahar-Dooul a Kirmanchah 900-1470m leg. J. de Morgan (MNHN).

9850. *Zerynthia* (s.str.) *Ochsenheimer*,1816 (Papilionidae) Zerynthia Ochsenheimer,1816, Schmett. Europa 4: 29. Type-species: Papilio hypsipyle Fabricius,1777, Gen. Ins.: 265. through Art.67, sect.(i).

9851. *Zerynthia* (s.str.) *polyxena* ([Denis & Schiffermüller],1775) (Papilionidae) Papilio polyxena [Denis &

Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 162. Type(s): [Austria]: Vienna district.

9852. *Zerynthia* (s.str.) *polyxena creusa* (Meigen,1829) (Papilionidae) Thais creusa Meigen,1829, Syst. Besch. eur. Schmett. 1(4): 161, pl.42 fig.1. Type(s): Italia.

9853. *Zerynthia* (s.str.) *polyxena gracilis* Schultz,1908 (Papilionidae) Zerynthia polyxena var. gracilis Schultz,1908, Ent. Z., Frankf. a. M. 21 (46): 267. Syntypes: Türkei: Bithynien.

9854. *Zerynthia* (s.str.) *polyxena idaensis* Eisner,1974 (Papilionidae) Zerynthia hypermnestra ssp. idaensis Eisner,1974, Zool. Verh. 135: 19. Holotype ♂: [Griechenland]: Kreta: Idagebirge (patria falsa?).

9855. *Zerynthia* (s.str.) *polyxena polyxena* ([Denis & Schiffermüller],1775) (Papilionidae) Papilio polyxena [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 162. Type(s): [Austria]: Vienna district.

9856. *Zerynthia* (s.str.) *polyxena thesto* Fruhstorfer,1908 (Papilionidae) Zerynthia polyxena ssp. thesto Fruhstorfer,1908, Ent. Z., Stuttgart 22: 16. Syntypes: Russia: Südrussland: Saratow.

9857. *Zerynthia* (s.str.) *rumina* (Linnaeus,1758) (Papilionidae) Papilio rumina Linnaeus,1758, Syst. Nat. (Edn.10) 1: 480. Type(s): Europa australis.

9858. *Zerynthia* (s.str.) *rumina rumina* (Linnaeus,1758) (Papilionidae) Papilio rumina Linnaeus,1758, Syst. Nat. (Edn.10) 1: 480. Type(s): Europa australis.

9859. *Zerynthia* (s.str.) *rumina tarrieri* Binagot & Lartigue,1998 (Papilionidae) Zerynthia rumina ssp. tarrieri Binagot & Lartigue,1998, Linneana Belg. 16 (8): 323-324, figs. Holotype ♂: Maroc: Anti-Atlas occ., Vallée des Amelns, 1300m (in coll. D.Lartigue).

9860. *Zerynthia* *Ochsenheimer*,1816 (Papilionidae) Zerynthia Ochsenheimer,1816, Schmett. Europa 4: 29. Type-species: Papilio hypsipyle Fabricius,1777, Gen. Ins.: 265. through Art.67, sect.(i).

9861. *Anthocharis* Boisduval, Rambur, Duméril & Graslin,1833 (Pieridae) Anthocharis Boisduval, Rambur, Duméril & Graslin,1833, Coll. icon. hist. Chenilles Eur. (21): pl.5. Type-species: Papilio cardamines Linnaeus,1758, Syst. Nat. (Ed.10)1: 468, by monotypy.

9862. *Anthocharis* *belia* (Linnaeus,1767) (Pieridae) Papilio belia Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 761, nr.84. Type(s): Africa bor.

9863. *Anthocharis* *belia belia* (Linnaeus,1767) (Pieridae) Papilio belia Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 761, nr.84. Type(s): Africa bor.

9864. *Anthocharis* *belia euphenoides* Staudinger,1869 (Pieridae) Anthocharis euphenoides Staudinger,1869, Stettin ent. Ztg. 30: 92. Syntypes: [Spain]: Gibraltar.

9865. *Anthocharis* *bieti tsangpoana* (Riley,1928) (Pieridae) Euchloe bieti tsangpoana Riley,1928, Entomologist 61: 137. Type: China: Tibet.

9866. *Anthocharis* *cardamines* (Linnaeus,1758) (Pieridae) Papilio cardamines Linnaeus,1758, Syst. Nat. (Edn.10)1: 468. Type(s):[Europe].

9867. *Anthocharis* *cardamines alexandra* (Hemming,1933) (Pieridae) Euchloe cardamines alexandra Hemming,1933, Entomologist 66: 278 (nomen novum pro orientalis Röber,1907 nec Bremer,1864).

9868. *Anthocharis* *cardamines cardamines* (Linnaeus,1758) (Pieridae) Papilio cardamines Linnaeus,1758, Syst. Nat. (Edn.10)1: 468. Type(s):[Europe].

9869. *Anthocharis* *cardamines phoenissa* Kalchberg,1895 (Pieridae) Anthocharis cardamines var. phoenissa Kalchberg,1895, Jb. Wien. ent. Ver. 5 (1894): 27-28. Syntypes: [Israel]: Haifa (in coll. NHMW).

9870. *Anthocharis* *cardamines septentrionalis* Wnukowsky,1927 (Pieridae) Anthocharis cardamines ssp. septentrionalis Wnukowsky,1927, Mitt. münch. ent. Ges. 17: 69. Syntypes ♂♀: [Russia]: Siberia septentrionalis- orientalis (Jakutsk).

9871. *Anthocharis* *cardamines sheldoni* (Hemming,1934) (Pieridae) Euchloe cardamines var. sheldoni Hemming,1934, Stylops 3 (5): 98, nomen novum pro Euchloe cardamine var. volgensis Sheldon,1914 nec Euchloe ausonia volgensis Krulikowsky,1897.

9872. *Anthocharis* *cardamines thibetana* Oberthür,1886 (Pieridae) Anthocharis cardamines var. thibetana Oberthür,1886, Etüd. Ent. 11: 16. Syntypes: Thibet: Ta-Tsien-Lou.

9873. *Anthocharis* *damone* Boisduval,1836 (Pieridae) Anthocharis damone Boisduval,1836, Hist. nat. Ins. Sp. Gén. Lépid. 1: 564. Type(s): [Italia]: Sicile.

9874. *Anthocharis* *damone damone* Boisduval,1836 (Pieridae) Anthocharis damone Boisduval,1836, Hist. nat. Ins. Sp. Gén. Lépid. 1: 564. Type(s): [Italia]: Sicile.

- 9875. Anthocharis damone eunomia (Freyer,[1851])** (Pieridae) Pontia eunomia Freyer,[1851], Neuere Beitr. Schmett. 6: 149, Taf. 574 fig.3. Type(s): unknown perhaps Ergane/Maden.
- 9876. Anthocharis gruneri Herrich-Schäffer,[1851]** (Pieridae) Anthocharis gruneri Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur.6: 20; ibid. 1: pl.115, figs. 551-554 [uninominal]. Syntypes: ? Creta [Kleinasien].
- 9877. Anthocharis gruneri armeniaca Christoph,1893** (Pieridae) Anthocharis gruneri var. armeniaca Christoph,1893, Dt. ent. Z., Iris 6: 86. Syntypes: Armeniae rossicae [Ajerbaidjan]: Ordubad.
- 9878. Anthocharis gruneri gruneri Herrich-Schäffer,[1851]** (Pieridae) Anthocharis gruneri Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur.6: 20; ibid. 1: pl.115, figs. 551-554 [uninominal]. Syntypes: ? Creta [Kleinasien].
- 9879. Anthocharis gruneri macedonica (Buresch,1921)** (Pieridae) Euchloe gruneri macedonica Buresch,1921, Z. bulg. Akad. 1921: 162. Syntypes: Bulgaria: Chuma village, Negortzi.
- 9880. Anthocharis gruneri parnassia Bernardi,1970** (Pieridae) Anthocharis gruneri ssp. parnassia Bernardi,1970, Lambillionea 70: 2-4, f.1. Holotype ♂: Greece: Parnass.
- 9881. Aporia (Metaporia (Turanoporia)) Koçak & Kemal,2001** (Pieridae) Aporia (Metaporia (Turanoporia)) Koçak & Kemal,2001, Priamus 10 (3/4): 115. Type-species: Pontia leucodice Eversmann,1843, by original designation (proposed as a section).
- 9882. Aporia (Metaporia (Turanoporia)) leucodice (Eversmann,1843)** (Pieridae) Pontia leucodice Eversmann,1843, Bull. Soc. Nat. Moscou 3: 541, pl.7 figs.2a,b. Syntypes: [Kasachstan]: Noor-Saisan, Tarbagatai.
- 9883. Aporia (Metaporia (Turanoporia)) leucodice aryana (Wyatt & Omoto,1966)** (Pieridae) Metaporia leucodice ssp. aryana Wyatt & Omoto,1966, Entomops 5: 149-150, figs. Holotype ♂: Afghanistan: Hindu Kush, Parian, Panjshir valley, 2500.
- 9884. Aporia (Metaporia (Turanoporia)) leucodice balucha Marshall,1882** (Pieridae) Aporia balucha Marshall,1882, Proc. zool. Soc. Lond. 1882: 760-761. Syntypes: [Pakistan]: Baluchistan: Ziarut Pass.
- 9885. Aporia (Metaporia (Turanoporia)) leucodice illumina (Groum-Grshimailo,1890)** (Pieridae) Pieris leucodice var. illumina Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 227-228. Syntypes: [Tadjikistan]: Alai Mt. Balakty.
- 9886. Aporia (Metaporia (Turanoporia)) leucodice leucodice (Eversmann,1843)** (Pieridae) Pontia leucodice Eversmann,1843, Bull. Soc. Nat. Moscou 3: 541, pl.7 figs.2a,b. Syntypes: [Kasachstan]: Noor-Saisan, Tarbagatai.
- 9887. Aporia (Metaporia (Turanoporia)) leucodice sara Evans,1932** (Pieridae) Aporia leucodice sara Evans,1932, Identification of Indian Butterflies (2): 68. Type: [India]: Kumaon.
- 9888. Aporia (Metaporia (s.str.)) agathon (Gray,1831)** (Pieridae) Papilio agathon Gray,1831, Zool. Misc. 1831: 33. Type(s): Nepal.
- 9889. Aporia (Metaporia (s.str.)) agathon agathon (Gray,1831)** (Pieridae) Papilio agathon Gray,1831, Zool. Misc. 1831: 33. Type(s): Nepal.
- 9890. Aporia (Metaporia (s.str.)) agathon phryxe (Boisduval,1836)** (Pieridae) Pieris phryxe Boisduval,1836, Hist. Nat. Ins., Sp. Gén. Léop. 1: 446. nr.12. Lectotype ♀: "Cachemire", designated by Talbot,1943, Ann. Mag. nat. Hist. (11) 10: 137 (BMNH).
- 9891. Aporia (Metaporia (s.str.)) nabellica (Boisduval,1836)** (Pieridae) Pieris nabellica Boisduval,1836, Hist. Nat. Ins., Sp. Gén. Léop. 1: 509, nr.104. Type(s): Himalaya. Lectotype ♂: "Jacquemont, Cachemyre", designated by Talbot,1943, Ann. Mag. nat. Hist. (11) 10: 137 (BMNH).
- 9892. Aporia (Metaporia (s.str.)) nabellica hesba Evans,1912** (Pieridae) Aporia nabellica hesba Evans,1912, J. Bombay nat. Hist. Soc. 21: 559, 976. Type: [Pakistan]: Chitral
- 9893. Aporia (Metaporia (s.str.)) nabellica nabellica (Boisduval,1836)** (Pieridae) Pieris nabellica Boisduval,1836, Hist. Nat. Ins., Sp. Gén. Léop. 1: 509, nr.104. Type(s): Himalaya. Lectotype ♂: "Jacquemont, Cachemyre", designated by Talbot,1943, Ann. Mag. nat. Hist. (11) 10: 137 (BMNH).
- 9894. Aporia (Metaporia (s.str.)) procris Leech,1890** (Pieridae) Aporia procris Leech,1890, Entomologist 23: 191. Syntypes: China: Tatsienlou.
- 9895. Aporia (Metaporia (s.str.)) procris procris Leech,1890** (Pieridae) Aporia procris Leech,1890, Entomologist 23: 191. Syntypes: China: Tatsienlou.
- 9896. Aporia (Metaporia (s.str.)) procris sinensis (O.Bang-Haas,1927)** (Pieridae) Metaporia procris ssp. sinensis O.Bang-Haas,1927, Horae Macrolepidopt. 1: 108. Syntypes 3♂: [China]: Kansu, Hsining, Nanschan mont., Tatung, Nadelholzzone.
- 9897. Aporia (Metaporia) Butler,1870** (Pieridae) Metaporia Butler,1870, Cistula ent. 1: 38, 51. Type-species: Pieris agathon Gray,1831, Zool. Miscell. (Gray) 1: 33, by original designation.
- 9898. Aporia (Metaporia) soracta Moore,1857** (Pieridae) Aporia soracta Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 83. Type(s): N.W. India.
- 9899. Aporia (Metaporia) soracta soracta Moore,1857** (Pieridae) Aporia soracta Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 83. Type(s): N.W. India.
- 9900. Aporia (s.str.) Hübner,[1819]** (Pieridae) Aporia Hübner,[1819], Verz. bekannt. Schmett. (6): 90. Type-species: Papilio crataegi Linnaeus,1758, by monotypy.
- 9901. Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) Papilio crataegi Linnaeus,1758, Syst. Nat. (Edn.10) 1: 467. Type(s): [Europe].
- 9902. Aporia (s.str.) crataegi adherbal Fruhstorfer,1910** (Pieridae) Aporia crataegi ssp. adherbal Fruhstorfer,1910, Societ. Ent. 25: 50. Syntypes: Nord-Japan: Yesso, Sapporo.
- 9903. Aporia (s.str.) crataegi atomosa (Verity,1907)** (Pieridae) Pieris crataegi race atomosa Verity,1907, Rhopalocera Palaearctica: 120. Syntypes: [China: Szechuan]: Ta-Tsien-Lou.
- 9904. Aporia (s.str.) crataegi augustior Graves,1925** (Pieridae) Aporia crataegi ssp. augustior Graves,1925, Trans. ent. Soc. Lond. 1925: 74, pl.5 fig.10. Syntypes 14♂: Transjordan: Es Salt and vicinity of Amman (on the Bir Ayub Road and in the Jubaiha region) (BMNH).
- 9905. Aporia (s.str.) crataegi colona Krulikowsky,1909** (Pieridae) Aporia crataegi colona Krulikowsky,1909, Revue russk. Ent. 9: 293.
- 9906. Aporia (s.str.) crataegi crataegi (Linnaeus,1758)** (Pieridae) Papilio crataegi Linnaeus,1758, Syst. Nat. (Edn.10) 1: 467. Type(s): [Europe].
- 9907. Aporia (s.str.) crataegi iranica Forster,1939** (Pieridae) Aporia crataegi ssp. iranica Forster,1939, Lepidopteren aus Iran: 1-2. Holotype ♂: Iran: Elburs, Abbasabad (ZMUK).
- 9908. Aporia (s.str.) crataegi pazukii Gross & Ebert,1975** (Pieridae) Aporia crataegi ssp. pazukii Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 8-9, fig. 3. Holotype ♂: Iran: Khusestan: Sisakht, 2250m (LNK).
- 9909. Aporia (s.str.) crataegi pellucida Röber,[1907]** (Pieridae) Aporia crataegi pellucida Röber,[1907], [in] Seitz, Die Gross-Schmett. Erde 1: 40. Type: [Turkmenistan]: [Kopet Dagh]: "Aidere" (Nekrutenko, in litt., Hesselbarth, et al.,1995: 381).
- 9910. Aporia (s.str.) crataegi pseudohippia (Verity,[1911])** (Pieridae) Pieris crataegi race pseudohippia Verity,[1911], Rhopalocera Palaearctica: 325. Syntypes: [China]: Tibet.
- 9911. Aporia (s.str.) crataegi rhodinea Hofmann & Eckweiler,2001** (Pieridae) Aporia crataegi ssp. rhodinea Hofmann & Eckweiler,2001, Nachr. ent. Ver. Apollo (N.F.) 22 (3): 137-140, Abb.1-4. Holotype ♂: Iran: Yazd: Shir Kuh, Deh Bala 2200-2500m 10.v.2001 (leg. Eckweiler) (SMF).
- 9912. Aporia (s.str.) crataegi sajana (Verity,1911)** (Pieridae) Pieris crataegi sajana Verity,[1911], Rhopalocera Palaearctica: 324, Pl.72 figs.18,19. Syntypes 2♂ 2♀: [Russia]: Sajan: Tonkoun.
- 9913. Aporia (s.str.) crataegi shungana Sheljuzhko,1925** (Pieridae) Aporia crataegi ssp. shungana Sheljuzhko,1925, Mitt. münch. ent. Ges. 15: 96-97. Syntypes 13♂ 2♀: [Tadjikistan]: Prov. Shugnan: Chorog.
- 9914. Aporia (s.str.) crataegi takamukana Matsumura,1929** (Pieridae) Aporia crataegi takamukana Matsumura,1929, Insecta Matsumurana 3: 152. Type ♂: Korea: Motojondo.
- 9915. Aporia (s.str.) crataegi tianschanica [Rühl,1893]** (Pieridae) Aporia hippia var. tianschanica "Grum." [Rühl,1893], Palaearkt. Grossschmett. Naturg. I: 117-118. Syntypes: "Tianschan". Neotype ♀: Kazakhstan: Alexander Mts. Merke 15km S., 1100m. 17 07 1999 M.Kemal & A.Koçak leg. (in coll. Cesa).
- 9916. Aporia (s.str.) crataegi zabulensis De Freina,1974** (Pieridae) Aporia crataegi ssp. zabulensis De Freina,1974, Ent. Z., Frankf. a. M. 84 (24): 266-268, Abb.1. Holotypus ♂: Afghanistan: Prov. Zabul, Jaldak (=Jaldok), 1200m. (in coll. de Freina).
- 9917. Aporia (s.str.) hippia Bremer,1861** (Pieridae) Aporia hippia Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 464. Syntypes: Russia: [Between Zeya River abd the Bureinsky Mts., Amur Region]: "von der Dzeja bis zum Bureja-Gebirge".
- 9918. Aporia (s.str.) hippia hippia Bremer,1861** (Pieridae) Aporia hippia Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 464.

Syntypes: Russia: [Between Zeya River abd the Bureinsky Mts., Amur Region]: "von der Dzeja bis zum Bureja-Gebirge".

9919. *Aporia* (s.str.) *hippia occidentalis* O.Bang-Haas,1927 (Pieridae) *Aporia hippia* ssp. *occidentalis* O.Bang-Haas,1927, Horae Macrolepid. 1: 107. Syntypes 3♂: [Russia]: Transbaical mer.occ.: Borochojew, Malchan mont., 800m.

9920. *Aporia* (s.str.) *hippia tibetana* Groum-Grshimailo,1893 (Pieridae) *Aporia hippia* var. *tibetana* Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 127. Syntypes: [China]: Amdo.

9921. *Aporia* (s.str.) *intercostata* O.Bang-Haas,1927 (Pieridae) *Aporia intercostata* O.Bang-Haas,1927, Horae Macrolepidopt. 1: 39, t.5 figs. 19,20. Syntypes 4♂ 3♀: China sept.: Kansu, Lan-tsichou.

9922. *Aporia* (s.str.) *intercostata infernalis* O.Bang-Haas,1927 (Pieridae) *Aporia potanini* ssp. *infernalis* O.Bang-Haas,1927, Horae Macrolepidopt. 1: 107. Syntypes 6♂: [China]: Kansu or., Tsin-ling schan mont., Hweisi.

9923. *Aporia* (s.str.) *intercostata intercostata* O.Bang-Haas,1927 (Pieridae) *Aporia intercostata* O.Bang-Haas,1927, Horae Macrolepidopt. 1: 39, t.5 figs. 19,20. Syntypes 4♂ 3♀: China sept.: Kansu, Lan-tsichou.

9924. *Aporia* (s.str.) *potanini* (Alpheraky,1892) (Pieridae) *Aporia potanini* Alpheraky,1892, [in] Romanoff, Mém. lepid. 6: 1.

9925. *Aporia* (s.str.) *potanini potanini* (Alpheraky,1889) (Pieridae) *Aporia potanini* Alpheraky,1892, [in] Romanoff, Mém. lepid. 6: 1.

9926. *Aporia* Hübner,[1819] (Pieridae) *Aporia* Hübner,[1819], Verz. bekannt. Schmett. (6): 90. Type-species: *Papilio crataegi* Linnaeus,1758, by monotypy.

9927. *Appias* (Catophaga) *albina albina* (Boisduval,1836) (Pieridae) *Pieris albina* Boisduval, 1836, Spec. Gen. 1: 480. Type(s): Amboina.

9928. *Appias* (Catophaga) *paulina agave* (C.Felder & R.Felder,1862) (Pieridae) *Pieris agave* Felder & Felder, 1862, Wien. ent. Monatschr. 6: 286.

9929. *Appias* (Glutophrissa) *sabina dubia* Aurivillius,1899 (Pieridae) *Appias isokani* var. *dubia* Aurivillius,1899, K. svensk. Vetensk. Handl. 31 (5): 399. Syntypes: Kenya: Mombasa.

9930. *Appias* (Lade) *lalage* (Doubleday,1842) (Pieridae) *Pieris lalage* Doubleday,1842, [in] Gray's Zool. Misc.: 76. Type ♀: N.India.

9931. *Appias* (Lade) *lalage lalage* (Doubleday,1842) (Pieridae) *Pieris lalage* Doubleday,1842, [in] Gray's Zool. Misc.: 76. Type ♀: N.India.

9932. *Appias* (Tachyris) *nero palawanica* (Staudinger,1889) (Pieridae) *Tachyris nero* var. *palawanica* Staudinger,1889, Dt. ent. Z., Iris 2: 22. Syntypes ♂♀: [Philippinen]: Palawan.

9933. *Appias* (s.str.) *libythea* (Fabricius,1775) (Pieridae) *Papilio libythea* Fabricius,1775, Syst. Ent.: 471 Type(s): India orientali, [Sri Lanka]: Ceylon.

9934. *Appias* (s.str.) *libythea libythea* (Fabricius,1775) (Pieridae) *Papilio libythea* Fabricius,1775, Syst. Ent.: 471 Type(s): India orientali, [Sri Lanka]: Ceylon.

9935. *Appias* Hübner,[1819] (Pieridae) *Appias* Hübner,[1819], Verz. bekannt. Schmett. (6): 91. Type-species: *Papilio zelmira* Stoll,[1780], by subsequent designation by Butler,1870, Cistula ent. 1: 49.

9936. *Appias* *nephele dilutior* (Staudinger,1889) (Pieridae) *Tachyris nephele* var. *dilutior* Staudinger,1889, Dt. ent. Z., Iris 2: 21. Syntypes ♂♀: [Philippinen]: Palawan.

9937. *Appias* *phoebe phoebe* (C.Felder & R.Felder,1861) (Pieridae) *Pieris phoebe* C.Felder & R.Felder, 1861, Wien. ent. Monatschr. 5: 299. Type: Luzon.

9938. *Ascia* *Scopoli,1777* (Pieridae) *Ascia Scopoli,1777*, Introd. Hist. nat.: 434. Type-species: *Papilio monuste* Linnaeus,1764, Mus. Lud. Ulr.: 237, by subsequent designation by Scudder,1872.

9939. *Ascia* *monuste* (Linnaeus,1764) (Pieridae) *Papilio monuste* Linnaeus,1764, Mus. Lud. Ulr.: 237

9940. *Baltia* Moore,1878 (Pieridae) *Baltia* Moore,1878, Ann. Mag. nat. Hist. (5)1: 228. Type-species: *Mesapia shawii* Bates,1873 [in] Henderson & Hume, Lahore to Yarkand: 305.

9941. *Baltia* *butleri* (Moore,1882) (Pieridae) *Synchlœ butleri* Moore,1882, Proc. zool. Soc. Lond. 1882: 256 Pl.2 fig. 6, 6a. Type ♂: Lahoul.

9942. *Baltia* *butleri butleri* (Moore,1882) (Pieridae) *Synchlœ butleri* Moore,1882, Proc. zool. Soc. Lond. 1882: 256 Pl.2 fig. 6, 6a. Type ♂: Lahoul.

9943. *Baltia* *butleri nekrutenkoi* Kreuzberg,1989 (Pieridae) *Baltia butleri* ssp. *nekrutenkoi* Kreuzberg,1989, Vestn. Zool. 1989: 39-

41, figs.9,10. Holotype ♀: [Kirgizistan]: Central Tian-Shan [Tengri Tagh], Korum-kechu.

9944. *Baltia* *butleri potanini* (Alpheraky,1888) (Pieridae) *Pieris potanini* Alpheraky,1888, Stettin ent. Ztg. 49: 66. Syntypes ♂♀: [China]: ? mongolischen Berge.

9945. *Baltia* *butleri sikkima* Fruhstorfer,1910 (Pieridae) *Baltia sikkima* Fruhstorfer,1910, [in] Seitz, Die Gross-Schmett. Erde 9: 138.

9946. *Baltia* *shawii* (Bates,1870) (Pieridae) *Mesapia shawii* Bates,1870, [in] Henderson & Hume, Lahore to Yarkand: 305-306. Type(s): Chang Lang Pass, 18000ft (5400m).

9947. *Baltia* *shawii karakuli* O.Bang-Haas,1937 (Pieridae) *Baltia shawii* ssp. *karakuli* O.Bang-Haas,1937, Ent. Z., Frankf. a. M. 51(32): 302-303. Syntypes: [Tadjikistan]: Pamir: Südabhänge des Transalai Gebirges, Karakul See, Flüsse Ak-Baital und Beik, Kunjut Berge, 4000-4500m.

9948. *Baltia* *shawii shawii* (Bates,1870) (Pieridae) *Mesapia shawii* Bates,1870, [in] Henderson & Hume, Lahore to Yarkand: 305-306. Type(s): Chang Lang Pass, 18000ft (5400m).

9949. *Baltia* *shawii wyatti* Schulte,1989 (Pieridae) *Baltia shawii* ssp. *wyatti* Schulte,1989, Nachr. ent. Ver. Apollo (N.F.) 10(4): 296, Taf.1 Abb.11. Holotype ♂: Afghanistan: Anjuman-Tal, 2800-4250m leg. Mütting (in coll. Schulte).

9950. *Belenois* Hübner,[1819] (Pieridae) *Belenois* Hübner,[1819], Verz. bekannt. Schmett. (6): 92. Type-species: *Papilio calypso* Drury,[1773], by monotypy.

9951. *Belenois* *aurota* (Fabricius,1793) (Pieridae) *Papilio aurota* Fabricius,1793, Ent. Syst. 3(1): 197. Type(s): Coromandel.

9952. *Belenois* *aurota aurota* (Fabricius,1793) (Pieridae) *Papilio aurota* Fabricius,1793, Ent. Syst. 3(1): 197. Type(s): Coromandel.

9953. *Belenois* *creona* (Cramer,[1776]) (Pieridae) *Papilio creona* Cramer,[1776], Uitl. Kapellen 1: pl. 95 C-F. Type(s): Africa.

9954. *Belenois* *creona creona* (Cramer,[1776]) (Pieridae) *Papilio creona* Cramer,[1776], Uitl. Kapellen 1: pl. 95 C-F. Type(s): Africa.

9955. *Belenois* *creona leucogyne* (Butler,1885) (Pieridae) *Belenois leucogyne* Butler,1885, Proc. zool. Soc. Lond. 55: 492.

9956. *Calopieris* Aurivillius,1898 (Pieridae) *Calopieris* Aurivillius,1898, K. svenska VetenskAkad Handl., Stockholm 31(5): 385, 415. Type-species: *Pontia eulimene* Klug,1829, by monotypy.

9957. *Calopieris* *eulimene* (Klug,1829) (Pieridae) *Pontia eulimene* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 7,8. Type(s): [Sudan]: Ambukohl.

9958. *Calopieris* *eulimene eulimene* (Klug,1829) (Pieridae) *Pontia eulimene* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 7,8. Type(s): [Sudan]: Ambukohl.

9959. *Catopsilia* Hübner,[1819] (Pieridae) *Catopsilia* Hübner,[1819], Verz. bekannt. Schmett. (7): 98. Type-species: *Papilio crocale* Cramer,[1777], Uitl. Kapellen 1(5): 87, Pl.55 figs. C,D, by subsequent designation by Scudder,1872, 4th Ann. Rep. Peabody Acad. Arts Sci. 1871: 58.

9960. *Catopsilia* *florella* (Fabricius,1775) (Pieridae) *Papilio florella* Fabricius,1775, Syst. Ent.: 479, nr.159. Syntypes: "Sierra Leon Africae" (BMNH, ZMC).

9961. *Catopsilia* *florella florella* (Fabricius,1775) (Pieridae) *Papilio florella* Fabricius,1775, Syst. Ent.: 479, nr.159. Syntypes: "Sierra Leon Africae" (BMNH, ZMC).

9962. *Catopsilia* *gorgophone* (Boisduval,1836) (Pieridae) *Papilio crocale* Cramer,[1775], Uitl. Kapellen 1: pl.55 figs. C,D.

9963. *Catopsilia* *pomona* (Fabricius,1775) (Pieridae) *Papilio pomona* Fabricius,1775, Syst. Ent.: 479. Type(s): Nova Hollandia.

9964. *Catopsilia* *pomona pomona* (Fabricius,1775) (Pieridae) *Papilio pomona* Fabricius,1775, Syst. Ent.: 479. Type(s): nova Hollandia.

9965. *Catopsilia* *pyranthe* (Linnaeus,1758) (Pieridae) *Papilio pyranthe* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 469. Type(s): Asia.

9966. *Catopsilia* *pyranthe pyranthe* (Linnaeus,1758) (Pieridae) *Papilio pyranthe* Linnaeus,1758, Syst. Nat. (Edn.10)1: 469. Type(s): Asia.

9967. *Catopsilia* *scylla* (Linnaeus,1763) (Pieridae) *Papilio crocale* Cramer,[1775], Uitl. Kapellen 1: pl.55 figs. C,D.

9968. *Cepora* *aspasia olgina* (Staudinger,1889) (Pieridae) *Pieris aspasia* var. *olgina* Staudinger,1889, Dt. ent. Z., Iris 2: 19. Syntypes ♂♀: [Philippinen]: Palawan.

9969. *Cepora* *boisduvaliana boisduvaliana* (C.Felder & R.Felder,1862) (Pieridae) *Pieris boisduvaliana* Felder & Felder,1862, Wien. ent. Monatschr. 6: 287. Type: Luzon.

- 9970. *Colias (Eriocolias) alpherakii* Staudinger, 1882** (Pieridae) *Colias alpherakii* Staudinger, 1882, Berl. ent. Z. 26(1): 164-166. Syntypes: [Tadjikistan]: Alai-Gebirge; [Uzbekistan]: Prov. Samarkand: Hazret-Sultan-Gebirge.
- 9971. *Colias (Eriocolias) alpherakii aljinshana* Huang & Muruyama, 1992** (Pieridae) *Colias grumi* ssp. *aljinshana* Huang & Muruyama, 1992, Tyo To Ga 43 (1): 5, pl.2 fig.ii
- 9972. *Colias (Eriocolias) alpherakii alpherakii* Staudinger, 1882** (Pieridae) *Colias alpherakii* Staudinger, 1882, Berl. ent. Z. 26(1): 164-166. Syntypes: [Tadjikistan]: Alai-Gebirge; [Uzbekistan]: Prov. Samarkand: Hazret-Sultan-Gebirge.
- 9973. *Colias (Eriocolias) alpherakii kohibaba* Wyatt & Omoto, 1966** (Pieridae) *Colias alpherakii* ssp. *kohibaba* Wyatt & Omoto, 1966, Entomops 5: 146-147, figs. Holotype ♂: Afghanistan: S.W. Koh-i-Baba Mts., N. of Panjao, 2900m.
- 9974. *Colias (Eriocolias) alpherakii pakistana* Koçak, 1990** (Pieridae) *Colias alpherakii pakistana* Koçak, 1990, Cent. ent. Stud., Misc. Pap. 7: 8 (nomen novum pro *chitralensis* Verity, 1911, Rhopal. Palaearct.: 349, pl.69 figs.31,32 nec Moore, 1905, Lepid. Ind. 7: 27. Syntypes: Pakistan: Chitral.
- 9975. *Colias (Eriocolias) alpherakii roschana* Groum-Grshimailo, 1893** (Pieridae) *Colias alpherakii* var. *roschana* Groum-Grshimailo, 1893, Horae Soc. ent. ross. 27: 381. Syntypes: [Tadjikistan]: Pamir occ.: Roschan, ad fluvium Kudara.
- 9976. *Colias (Eriocolias) alpherakii tashkurgonica* Kesküla, 1997** (Pieridae) *Colias alpherakii* ssp. *tashkurgonica* Kesküla, 1997, Atalanta 28 (1/2): 33-34, pl.iib. figs.1,2. Holotype ♂: Uzbekistan: Kashkadarya Prov.: Chakchar Range, Taschkurgon pass, 2900-3150m. (in coll. Kesküla).
- 9977. *Colias (Eriocolias) alpherakii usmatica* Stshetkin, 1990** (Pieridae) *Colias alpherakii* ssp. *usmatica* Stshetkin, 1990, Bull. Soc. ent. Moscou 95: 58-60. Holotype ♂: Tchoukmartau a cote du village Ousmat, 2750-2800m (MGOU).
- 9978. *Colias (Eriocolias) arida* Alpheraky, 1889** (Pieridae) *Colias arida* Alpheraky, 1889, [in] Romanoff, Mém. Lepid. 5: 76. Syntypes ♂♂: Tibet: Pays aride situé entre le Lob-Noor et L'Ak-sou (2500-3000ft). Lectotype ♂: Kunlun-Gebirges: ? Minfeng, designated by Rose & Schulte, 1992, Neue ent. Nachr., Apollo 13(2):94.
- 9979. *Colias (Eriocolias) arida adalaidae* Verhulst, 1991** (Pieridae) *Colias adalaidae* Verhulst, 1991, Lambillionea 91(2): 113-126. Holotype ♂: China: Gansu: Xiahe, 3300m.
- 9980. *Colias (Eriocolias) arida arida* Alpheraky, 1889** (Pieridae) *Colias arida* Alpheraky, 1889, [in] Romanoff, Mém. Lepid. 5: 76. Syntypes ♂♂: Tibet: Pays aride situé entre le Lob-Noor et L'Ak-sou (2500-3000ft). Lectotype ♂: Kunlun-Gebirges: ? Minfeng, designated by Rose & Schulte, 1992, Neue ent. Nachr., Apollo 13(2):94.
- 9981. *Colias (Eriocolias) arida baeckeri* Kotsch, 1929** (Pieridae) *Colias baeckeri* Kotsch, 1929, Ent. Z., Frankf. a. M. 43 (19): 236-237. Syntypes ♂♂+♀: [China]: Kansu: Richthofen-Gebirge [Qilian-Shan-mai]: Dingtsiangmiau Pass, 2800m (Steyler Mission Museum).
- 9982. *Colias (Eriocolias) arida cakana* Rose & Schulte, 1992** (Pieridae) *Colias arida* ssp. *cakana* Rose & Schulte, 1992, Nachr. ent. Ver., Apollo (N.F.) 13(2): 102-103, figs. Holotype ♂: China: Qinghai-Nanshan, Gebirgskette nördlich von Caka, 3500-4000m. leg. Paulus (in coll. Schulte).
- 9983. *Colias (Eriocolias) arida muetingi* Rose & Schulte, 1992** (Pieridae) *Colias arida* ssp. *muetingi* Rose & Schulte, 1992, Nachr. ent. Ver., Apollo (N.F.) 13(2): 98-102, figs. Holotype ♂: China: Gansu, NW-Qilian-Shan, Zoulang-Nanshan, 50km südwestlich Jiayuguan 3700-3850m. leg. Helia (in coll. Schulte).
- 9984. *Colias (Eriocolias) berylla* Fawcett, 1904** (Pieridae) *Colias berylla* Fawcett, 1904, Proc. zool. Soc. Lond. 1904: 139-140, pl.ix fig.8. Type ♀: Tibet: Khamba Jong, 15000ft.
- 9985. *Colias (Eriocolias) berylla berylla* Fawcett, 1904** (Pieridae) *Colias berylla* Fawcett, 1904, Proc. zool. Soc. Lond. 1904: 139-140, pl.ix fig.8. Type ♀: Tibet: Khamba Jong, 15000ft.
- 9986. *Colias (Eriocolias) berylla pulchra* Verity, [1911]** (Pieridae) *Colias berylla* race *pulchra* Verity, [1911], Rhopalocera Palaearctica: 351. Syntypes: [China]: Tibet: Lhasa: Khambajong, Gyantsee, 3900m.
- 9987. *Colias (Eriocolias) christophi* Groum-Grshimailo, 1885** (Pieridae) *Colias christophi* Groum-Grshimailo, 1885, [in] Romanoff, Mém. lépid. 2: 220. Syntypes: [Kirghizia]: Alaisky Mts., Kara-Kasyk Pass, Archa-Bashi.
- 9988. *Colias (Eriocolias) christophi christophi* Groum-Grshimailo, 1885** (Pieridae) *Colias christophi* Groum-Grshimailo, 1885, [in] Romanoff, Mém. lépid. 2: 220. Syntypes: [Kirghizia]: Alaisky Mts., Kara-Kasyk Pass, Archa-Bashi.
- 9989. *Colias (Eriocolias) christophi heidei* Kotsch, 1929** (Pieridae) *Colias christophi* ssp. *heidei* Kotsch, 1929, Ent. Z., Frankf. a. M. 43 (12): 205. Type 1♀: [Uzbekistan]: Turkestan (Margelan) (Steyler Missionsmuseum).
- 9990. *Colias (Eriocolias) christophi kali* Korb, 1999** (Pieridae) *Colias christophi* ssp. *kali* Korb, 1999, Alexanor 20 (8): 452-453, fig.5. Holotype ♀: Tadjikistan: Massif du Turkestan, col de Chakhristan (Şahrstan), 2900m. (MNHN).
- 9991. *Colias (Eriocolias) chrysotheme* (Esper, [1781])** (Pieridae) *Papilio chrysotheme* Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: 89, Tab. 65, figs. 3,4. Syntypes: Ungarn.
- 9992. *Colias (Eriocolias) chrysotheme audre* Hemming, 1933** (Pieridae) *Colias chrysotheme* ssp. *audre* Hemming, 1933, Entomologist 66: 278 (nomen novum pro *sibirica* Groum-Grshimailo, 1893 nec *sibirica* Lederer, 1852).
- 9993. *Colias (Eriocolias) chrysotheme caspius* Stichel, 1911** (Pieridae) *Colias chrysotheme* ssp. *caspius* Stichel, 1911, Z. Wiss. Insektenbiol. 6: 73. Syntypes ♂♂: [Iran]: Persien: Rescht (Nordküste).
- 9994. *Colias (Eriocolias) chrysotheme chrysotheme* (Esper, [1781])** (Pieridae) *Papilio chrysotheme* Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: 89, Tab. 65, figs. 3,4. Syntypes: Ungarn.
- 9995. *Colias (Eriocolias) chrysotheme schugorowi* Krulikowsky, 1906** (Pieridae) *Colias chrysotheme* ab. *schugorowi* Krulikowsky, 1906, Societas ent. 21: 75. Type(s): Südrussland.
- 9996. *Colias (Eriocolias) cocandica* Erschoff, 1874** (Pieridae) *Colias nastes* var. *cocandica* Erschoff, 1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 6, pl.1, fig.3. Syntypes: Schurowski-Gletscher.
- 9997. *Colias (Eriocolias) cocandica cocandica* Erschoff, 1874** (Pieridae) *Colias nastes* var. *cocandica* Erschoff, 1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 6, pl.1, fig.3. Syntypes: Schurowski-Gletscher.
- 9998. *Colias (Eriocolias) cocandica hinducucica* Verity, [1911]** (Pieridae) *Colias cocandica hinducucica* Verity, [1911], Rhopalocera Palaearctica: 326. Type(s): [Afghanistan]: Hindukush.
- 9999. *Colias (Eriocolias) cocandica maja* Groum-Grshimailo, 1891** (Pieridae) *Colias cocandica* var. *maja* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 447. Syntypes: [China: Uighur A.R.]: Boro-Choro.
- 10000. *Colias (Eriocolias) cocandica nastoides* Verity, [1911]** (Pieridae) *Colias cocandica cocandica nastoides* Verity, [1911], Rhopalocera Palaearctica: 354. Type(s): Transalai: Aram Kougai (infrasubsp. name!).
- 10001. *Colias (Eriocolias) cocandica richthofeni* O.Bang-Haas, 1927** (Pieridae) *Colias richthofeni* O.Bang-Haas, 1927, Horae Macrolepidopt. 1: 42, 110; t.6 figs. 1,2. Syntypes: 3♂ 3♀: China sept. occ.: Kansu sept., Richthofen mont, westl. Liang-tschou, 2500m.
- 10002. *Colias (Eriocolias) cocandica tamerlana* Staudinger, [1897]** (Pieridae) *Colias tamerlana* Staudinger, [1897], Dt. ent. Z., Iris 10: 152-153, Taf.v, figs. 1-3. Syntypes: [China: Uighur A.R.]: im östlichsten Tian-Schan [Tengri Tagh] Gebirge, nördlich von Chamyl, etwa 2000m.
- 10003. *Colias (Eriocolias) cocandica tatarica* O.Bang-Haas, 1915** (Pieridae) *Colias cocandica* var. *tatarica* O.Bang-Haas, 1915, Dt. ent. Z., Iris 29: 98-99. Syntypes: ♂♀: [China: Uighur A.R.]: Chotan.
- 10004. *Colias (Eriocolias) cocandica tibetana* Riley, 1923** (Pieridae) *Colias cocandica* ssp. *tibetana* Riley, 1923, Trans. ent. Soc. London 1923: 465, pl.xxxvi fig.9. Type ♂: "Nyenyam, 13,000ft" (BMNH).
- 10005. *Colias (Eriocolias) crocea* (Fourcroy, 1785)** (Pieridae) *Papilio croceus* Fourcroy, 1785, Entomologia Parisiensis: 250. Type(s): [France]: Paris.
- 10006. *Colias (Eriocolias) crocea crocea* (Fourcroy, 1785)** (Pieridae) *Papilio croceus* Fourcroy, 1785, Entomologia Parisiensis: 250. Type(s): [France]: Paris.
- 10007. *Colias (Eriocolias) crocea deserticola* Verity, 1909** (Pieridae) *Colias croceus* race *deserticola* Verity, 1909, Rhopalocera Palaearct.: 268. Syntypes: Algeria: Deserts.
- 10008. *Colias (Eriocolias) diva* Groum-Grshimailo, 1891** (Pieridae) *Colias diva* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 449. Type(s): China: Amdo.
- 10009. *Colias (Eriocolias) diva diva* Groum-Grshimailo, 1891** (Pieridae) *Colias diva* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 449. Type(s): China: Amdo.
- 10010. *Colias (Eriocolias) draconis* Groum-Grshimailo, 1891** (Pieridae) *Colias wiskotti* var. *draconis* Groum-Grshimailo, 1891, Horae

Soc. ent. ross. 25: 465. Syntypes: Kirghizistan: Pamir, Lacum Draconis (Kara Kul Kirghisorum).

10011. *Colias (Eriocolias) draconis draconis* Groum-Grshimailo, 1891 (Pieridae) *Colias wiskotti* var. *draconis* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 465. Syntypes: Kirghizistan: Pamir, Lacum Draconis (Kara Kul Kirghisorum).

10012. *Colias (Eriocolias) dubia Elwes, 1906* (Pieridae) *Colias dubia* Elwes, 1906, Proc. zool. Soc. Lond. 1906: 481-482, Pl. 36 figs. 8, 9. Syntypes: China: Tibet: Khamba Jong.

10013. *Colias (Eriocolias) dubia dubia Elwes, 1906* (Pieridae) *Colias dubia* Elwes, 1906, Proc. zool. Soc. Lond. 1906: 481-482, Pl. 36 figs. 8, 9. Syntypes: China: Tibet: Khamba Jong.

10014. *Colias (Eriocolias) electo (Linnaeus, 1763)* (Pieridae) *Papilio electo* Linnaeus, 1763, *Amoenitates Academicae* seu *dissertationes physicae*... 6: 405. Type(s): [South Africa]: Cap. B. spei.

10015. *Colias (Eriocolias) electo electo (Linnaeus, 1763)* (Pieridae) *Papilio electo* Linnaeus, 1763, *Amoenitates Academicae* seu *dissertationes physicae*... 6: 405. Type(s): [South Africa]: Cap. B. spei.

10016. *Colias (Eriocolias) electo hecate Strecker, 1900* (Pieridae) *Colias hecate* Strecker, 1900 [in] Weeks, 1900. Proc. New England Zool. Club 2: 7. Type(s): [Zaire]: "Congo, West Africa".

10017. *Colias (Eriocolias) electo manengoubensis Darge, 1968* (Pieridae) *Colias electo manengoubensis* Darge, 1968, Bull. Soc. ent. Mulhouse 1968: 15.

10018. *Colias (Eriocolias) electo meneliki Berger, 1940* (Pieridae) *Colias electo* ssp. *meneliki* Berger, 1940, Explor. Parc Nat. Albert. Nission G.F. de Witte (1933-1935) 30: 44, pl. figs. 11, 12. Holotype: Ethiopia: Gondar.

10019. *Colias (Eriocolias) electo mukana Berger, 1981* (Pieridae) *Colias electo* ssp. *mukana* Berger, 1981, Les Papillons du Zaïre: 81. Holotype: "Shaba, Parc national de l'Upemba: Mukana, 1810 m".

10020. *Colias (Eriocolias) electo pseudohecate Berger, 1940* (Pieridae) *Colias electo* ssp. *pseudohecate* Berger, 1940, Explor. Parc Nat. Albert. Nission G.F. de Witte (1933-1935) 30: 40. Holotype: Kenya.

10021. *Colias (Eriocolias) elena Gorbunov, 1995* (Pieridae) *Colias chrysotheme* ssp. *elena* Gorbunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 67. Holotype: Russia: South-East Altay: Aktash.

10022. *Colias (Eriocolias) elena elena Gorbunov, 1995* (Pieridae) *Colias chrysotheme* ssp. *elena* Gorbunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 67. Holotype: Russia: South-East Altay: Aktash.

10023. *Colias (Eriocolias) eogene C. Felder & R. Felder, [1865]* (Pieridae) *Colias eogene* C. Felder & R. Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (2): 196-197, Taf. 27 fig. 7. Syntypes ♂: Himalaya.

10024. *Colias (Eriocolias) eogene aphrodite Verity, [1909]* (Pieridae) *Colias eogene* ssp. *aphrodite* Verity, [1909], Rhopalocera Palaearctica: 248. Syntypes: [China: Uighur A.R.]: East Turkestan: Aksu.

10025. *Colias (Eriocolias) eogene elissa Groum-Grshimailo, 1890* (Pieridae) *Colias eogene* var. *elissa* Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 332. Type(s): Pamir sept. [Usbekistan]: Fergana, Namangan.

10026. *Colias (Eriocolias) eogene eogene C. Felder & R. Felder, [1865]* (Pieridae) *Colias eogene* C. Felder & R. Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (2): 196-197, Taf. 27 fig. 7. Syntypes ♂: Himalaya.

10027. *Colias (Eriocolias) eogene ericae Peschke, 1934* (Pieridae) *Colias eogene* ssp. *ericae* Peschke, 1934, Int. ent. Z. 28 (34): 431. Syntypes ♂ 1 ♀: [Pakistan]: "Dardistan: Dubunni-Berge, 12000 Fuß".

10028. *Colias (Eriocolias) eogene erythas Groum-Grshimailo, 1890* (Pieridae) *Colias eogene* var. *erythas* Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 332, Pl. 5 fig. a-c. Type(s): Hindukusch; [China: Uighur A.R.]: Mustag Ata, Yarkend.

10029. *Colias (Eriocolias) eogene francesca Watkins, 1927* (Pieridae) *Colias eogene* ssp. *francesca* Watkins, 1927, Ann. Mag. nat. Hist. 9(20): 99. Syntypes ♂ ♀: Baltistan: Skoro-La, 4500m.

10030. *Colias (Eriocolias) eogene shandura Evans, 1926* (Pieridae) *Colias eogene* ssp. *shandura* Evans, 1926, J. Bombay nat. Hist. Soc. 31: 713. Type: [Pakistan]: Chitral, Shandur Pass.

10031. *Colias (Eriocolias) erschoffii Alpheraky, 1881* (Pieridae) *Colias erschoffii* Alpheraky, 1881, Horae Soc. ent. ross. 16: 362-265, Pl. 14 figs. 1, 2. Syntypes ♂ ♀: [China]: Tian-Chian [Tengri Tagh], 4500-7000ft.

10032. *Colias (Eriocolias) erschoffii erschoffii Alpheraky, 1881* (Pieridae) *Colias erschoffii* Alpheraky, 1881, Horae Soc. ent. ross. 16: 362-265, Pl. 14 figs. 1, 2. Syntypes ♂ ♀: [China]: Tian-Chian [Tengri Tagh], 4500-7000ft.

10033. *Colias (Eriocolias) felderi Groum-Grshimailo, 1891* (Pieridae) *Colias felderi* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 448. Syntypes: [China]: Amdo, Sining-Gebirge.

10034. *Colias (Eriocolias) felderi felderi Groum-Grshimailo, 1891* (Pieridae) *Colias felderi* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 448. Syntypes: [China]: Amdo, Sining-Gebirge.

10035. *Colias (Eriocolias) fieldii Ménétériés, 1855* (Pieridae) *Colias fieldii* Ménétériés, 1855, Cat. Mus. Petrop., Lépid. 1: 79, pl. i fig. 5.

10036. *Colias (Eriocolias) fieldii edusina Felder, 1860* (Pieridae) *Colias edusina* Felder, 1860, Wien. ent. Monatschr. 4: 100, nr. 55.

10037. *Colias (Eriocolias) fieldii fieldii Ménétériés, 1855* (Pieridae) *Colias fieldii* Ménétériés, 1855, Cat. Mus. Petrop., Lépid. 1: 79, pl. i fig. 5.

10038. *Colias (Eriocolias) grumi Alpheraky, 1897* (Pieridae) *Colias cocandica* var. *grumi* Alpheraky, 1897, [in] Romanoff, Mém. Lépid. 9: 233. Syntypes: China: Nan Shan (Humboldt Gebirge).

10039. *Colias (Eriocolias) grumi burchana Mracek & Schulte, 1991* (Pieridae) *Colias grumi* ssp. *burchana* Mracek & Schulte, 1991, Nachr. ent. Ver. Apollo (N.F.) 12(3): 164, 165, Abb. 1, 2. Holotype ♂: China: Qinghai: Kunlun-Shan, Burchan-Buddha, West Big Desert, 4700m. (Umg. Kunlun Pass (4837m)), leg. R. beran (in coll. Schulte).

10040. *Colias (Eriocolias) grumi grumi Alpheraky, 1897* (Pieridae) *Colias cocandica* var. *grumi* Alpheraky, 1897, [in] Romanoff, Mém. Lépid. 9: 233. Syntypes: China: Nan Shan (Humboldt Gebirge).

10041. *Colias (Eriocolias) heos (Herbst, 1792)* (Pieridae) *Papilio heos* Herbst, 1792, [in] Jablonsky, Natursyst. Ins. (Schmett.) 5: 213, pl. 114 figs. 5, 6 (nomen novum pro aurora Esper, 1784 nec Cramer, 1780) Type(s): Russia: Sibirien.

10042. *Colias (Eriocolias) heos alpina Verity, [1911]* (Pieridae) *Colias aurora* race *alpina* Verity, [1911], Rhopalocera palaearct.: 357. Syntypes: Mongolia: Changai, Kentei.

10043. *Colias (Eriocolias) heos heos (Herbst, 1792)* (Pieridae) *Papilio heos* Herbst, 1792, [in] Jablonsky, Natursyst. Ins. (Schmett.) 5: 213, pl. 114 figs. 5, 6 (nomen novum pro aurora Esper, 1784 nec Cramer, 1780) Type(s): Russia: Sibirien.

10044. *Colias (Eriocolias) heos vespera O. Bang-Haas, 1927* (Pieridae) *Colias heos* ssp. *vespera* O. Bang-Haas, 1927, Horae Macrolepid. 1: 44 Pl. 6 figs. 14, 15. Syntypes 2 ♂ 1 ♀: [China]: Kansu, Lantschou.

10045. *Colias (Eriocolias) lada Groum-Grshimailo, 1891* (Pieridae) *Colias lada* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 447. Syntypes: [China]: Amdo.

10046. *Colias (Eriocolias) lada lada Groum-Grshimailo, 1891* (Pieridae) *Colias lada* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 447. Syntypes: [China]: Amdo.

10047. *Colias (Eriocolias) ladakensis C. Felder & R. Felder, [1865]* (Pieridae) *Colias ladakensis* C. Felder & R. Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (2): 197, Taf. 27 fig. 8, 9. Syntypes ♂ ♀: Himalaya: Ladak, Spiti.

10048. *Colias (Eriocolias) ladakensis ladakensis C. Felder & R. Felder, [1865]* (Pieridae) *Colias ladakensis* C. Felder & R. Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (2): 197, Taf. 27 fig. 8, 9. Syntypes ♂ ♀: Himalaya: Ladak, Spiti.

10049. *Colias (Eriocolias) leechi Groum-Grshimailo, 1893* (Pieridae) *Colias eogene* var. *leechi* Groum-Grshimailo, 1893, Horae Soc. ent. ross. 27: 382. Syntypes: Himalaya Mt. occ.: [Kashmir sept.]: in valle Chonging, 17000ft.

10050. *Colias (Eriocolias) leechi leechi Groum-Grshimailo, 1893* (Pieridae) *Colias eogene* var. *leechi* Groum-Grshimailo, 1893, Horae Soc. ent. ross. 27: 382. Syntypes: Himalaya Mt. occ.: [Kashmir sept.]: in valle Chonging, 17000ft.

10051. *Colias (Eriocolias) marcopolo Groum-Grshimailo, 1888* (Pieridae) *Colias Marco-Polo* Groum-Grshimailo, 1888, Horae Soc. ent. ross. 22: 304-305. Syntypes ♂ ♀: [Pakistan]: Hindukusch orient. [Hunza]

10052. *Colias (Eriocolias) marcopolo afghanipolo Schulte, 1977* (Pieridae) *Colias marcopolo afghanipolo* Schulte, 1977, Entomops 42: 35-36. Holotype ♂: Afghanistan: Koh-i-Baba Mts.

10053. *Colias (Eriocolias) marcopolo kushana Wyatt & Omoto, 1966* (Pieridae) *Colias marcopolo* ssp. *kushana* Wyatt & Omoto, 1966, Entomops 5: 143-144, figs. Holotype ♂: Afghanistan: Badachshan, Bala Quran, Anjuman valley, 4000-4200m.

10054. *Colias (Eriocolias) marcopolo marcopolo Groum-Grshimailo, 1888* (Pieridae) *Colias Marco-Polo* Groum-Grshimailo, 1888, Horae Soc. ent. ross. 22: 304-305. Syntypes ♂ ♀: [Pakistan]: Hindukusch orient. [Hunza]

- 10055. *Colias (Eriocolias) montium* Oberthür, 1886** (Pieridae) *Colias montium* Oberthür, 1886, Etüd. Ent. 11: 16-17, pl. vi fig. 1. Syntypes: Tibet: Ta-Tsien-Lou.
- 10056. *Colias (Eriocolias) montium montium* Oberthür, 1886** (Pieridae) *Colias montium* Oberthür, 1886, Etüd. Ent. 11: 16-17, pl. vi fig. 1. Syntypes: Tibet: Ta-Tsien-Lou.
- 10057. *Colias (Eriocolias) nina* Fawcett, 1904** (Pieridae) *Colias nina* Fawcett, 1904, Proc. zool. Soc. Lond. 1904: 140, pl. 9 fig. 9. Types: Tibet: Khamba Jong, 15000ft (4500-4800m).
- 10058. *Colias (Eriocolias) nina hingstoni* Riley, 1927** (Pieridae) *Colias nina* ssp. *hingstoni* Riley, 1927, Trans. ent. Soc. Lond. 1927: 123. Holotype ♂: Tibet: Kyishong 14500ft.
- 10059. *Colias (Eriocolias) nina nina* Fawcett, 1904** (Pieridae) *Colias nina* Fawcett, 1904, Proc. zool. Soc. Lond. 1904: 140, pl. 9 fig. 9. Types: Tibet: Khamba Jong, 15000ft (4500-4800m).
- 10060. *Colias (Eriocolias) nina tsurpuana* Grieshuber, 1996** (Pieridae) *Colias nina* ssp. *tsurpuana* Grieshuber, 1996, Lambillionea 46 (3): 552-560, figs. Holotype ♂: China: Tibet.
- 10061. *Colias (Eriocolias) regia* Groum-Grshimailo, 1887** (Pieridae) *Colias regia* Groum-Grshimailo, 1887, [in] Romanoff, Mém. lépid. 3: 398. Syntypes: [Kirghizia: Zaalaisky Mts.]: Aram-Kungei.
- 10062. *Colias (Eriocolias) regia regia* Groum-Grshimailo, 1887** (Pieridae) *Colias regia* Groum-Grshimailo, 1887, [in] Romanoff, Mém. lépid. 3: 398. Syntypes: [Kirghizia: Zaalaisky Mts.]: Aram-Kungei.
- 10063. *Colias (Eriocolias) romanovi* Groum-Grshimailo, 1885** (Pieridae) *Colias romanovi* Groum-Grshimailo, 1885, [in] Romanoff, Mém. Lépid. 2: 229. Syntypes: [Kirgizistan]: Alai.
- 10064. *Colias (Eriocolias) romanovi romanovi* Groum-Grshimailo, 1885** (Pieridae) *Colias romanovi* Groum-Grshimailo, 1885, [in] Romanoff, Mém. Lépid. 2: 229. Syntypes: [Kirgizistan]: Alai.
- 10065. *Colias (Eriocolias) romanovi seravschana* Lukhtanov, 1999** (Pieridae) *Colias romanovi* ssp. *seravschana* Lukhtanov, 1999, Atalanta 30 (1/4): 138-139. Holotype ♂: Tadschikistan: Seravschanski-Gebirge, Dascht, 3200-3500m. (in coll. Zoologisches Institut, St. Petersburg).
- 10066. *Colias (Eriocolias) shahfuladi* Clench & Shoumatoff, 1956** (Pieridae) *Colias shahfuladi* Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 173-175. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, Takatu, 4500m.
- 10067. *Colias (Eriocolias) shahfuladi shahfuladi* Clench & Shoumatoff, 1956** (Pieridae) *Colias shahfuladi* Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 173-175. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, Takatu, 4500m.
- 10068. *Colias (Eriocolias) sieversi* Groum-Grshimailo, 1887** (Pieridae) *Colias sieversi* Groum-Grshimailo, 1887, [in] Romanoff, Mém. lépid. 3: 397. Syntypes: [Tadjikistan: Kara-Shura valley near Pass Gardani-Kaftar, Tuptchek plateau]. Flecken Tuptschek und an den Fuss der Kara-Shar.
- 10069. *Colias (Eriocolias) sieversi sieversi* Groum-Grshimailo, 1887** (Pieridae) *Colias sieversi* Groum-Grshimailo, 1887, [in] Romanoff, Mém. lépid. 3: 397. Syntypes: [Tadjikistan: Kara-Shura valley near Pass Gardani-Kaftar, Tuptchek plateau]. Flecken Tuptschek und an den Fuss der Kara-Shar.
- 10070. *Colias (Eriocolias) sifanica* Groum-Grshimailo, 1891** (Pieridae) *Colias sifanica* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 447. Syntypes: [China: Qinghai]: Amdo, Kuku-Noor.
- 10071. *Colias (Eriocolias) sifanica herculeana* Bollow, 1930** (Pieridae) *Colias sifanica herculeana* Bollow, 1930, [in] Seitz, A., Gross-Schmett. Erde 1 (suppl.): 109-110 (7f). Syntypes: [China: Qinghai]: Richthofen-Gebirge, 2500m (in coll. O. Bang-Haas).
- 10072. *Colias (Eriocolias) sifanica sifanica* Groum-Grshimailo, 1891** (Pieridae) *Colias sifanica* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 447. Syntypes: [China: Qinghai]: Amdo, Kuku-Noor.
- 10073. *Colias (Eriocolias) staudingeri* Alpheraky, 1881** (Pieridae) *Colias staudingeri* Alpheraky, 1881, Horae Soc. ent. ross. 16: 368-373, Taf. 14, figs. 3, 4. Syntypes ♂♀: [China]: Kouldja.
- 10074. *Colias (Eriocolias) staudingeri emivittata* Verity, [1909]** (Pieridae) *Colias staudingeri emivittata* Verity, [1909], Rhopalocera Palaearctica: 241. Type(s): [China: Uigur A.R.]: Aksu.
- 10075. *Colias (Eriocolias) staudingeri maureri* Staudinger, 1901** (Pieridae) *Colias staudingeri* var. *maureri* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 18, nr. 102b. Syntypes: [Kirgizistan]: Ferg. m. (Transalai).
- 10076. *Colias (Eriocolias) staudingeri pamira* Groum-Grshimailo, 1890** (Pieridae) *Colias staudingeri* var. *pamira* Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 246. Type(s): Pamir.
- 10077. *Colias (Eriocolias) staudingeri staudingeri* Alpheraky, 1881** (Pieridae) *Colias staudingeri* Alpheraky, 1881, Horae Soc. ent. ross. 16: 368-373, Taf. 14, figs. 3, 4. Syntypes ♂♀: [China]: Kouldja.
- 10078. *Colias (Eriocolias) stoliczkana* Moore, 1878** (Pieridae) *Colias stoliczkana* Moore, 1878, Ann. Mag. nat. Hist. (5) 1: 229. Type ♂: Ladak, 17000ft.
- 10079. *Colias (Eriocolias) stoliczkana stoliczkana* Moore, 1878** (Pieridae) *Colias stoliczkana* Moore, 1878, Ann. Mag. nat. Hist. (5) 1: 229. Type ♂: Ladak, 17000ft.
- 10080. *Colias (Eriocolias) thisoa* Ménétériés, 1832** (Pieridae) *Colias thisoa* Ménétériés, 1832, Cat. Raisson. Zool. Cauc.: 244. Type(s): [Russia]: Kaukasus Dagestan: Schach Dag.
- 10081. *Colias (Eriocolias) thisoa aeolides* Groum-Grshimailo, 1890** (Pieridae) *Colias thisoa* var. *aeolides* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 346. Syntypes: [Tadjikistan]: Alai.
- 10082. *Colias (Eriocolias) thisoa irtyschensis* Lukhtanov, 1999** (Pieridae) *Colias thisoa* ssp. *irtyschensis* Lukhtanov, 1999, Atalanta 30 (1/4): 137-138. Holotype ♂: Kasachstan: Ust-Kamenogorsk Gebiet, Altai, Kalba Gebirge, Tainty. (in coll. Zoologisches Institut, St. Petersburg).
- 10083. *Colias (Eriocolias) thisoa shakuhensis* Sheljuzhko, 1935** (Pieridae) *Colias thisoa* ssp. *shakuhensis* Sheljuzhko, 1935, Folia zool. Hydrobiol. 8: 139. Syntypes 7 ♂ 4 ♀: [Iran]: Hyrcania: Shakuh.
- 10084. *Colias (Eriocolias) thisoa strandiana* Sheljuzhko, 1935** (Pieridae) *Colias thisoa* ssp. *strandiana* Sheljuzhko, 1935, Folia zool. Hydrobiol. 8: 138. Syntypes: [Armenien]: Nordarmenien: Alagez Berge; [Türkei]: Sarykamysch [Sarkamış].
- 10085. *Colias (Eriocolias) thisoa thisoa* Ménétériés, 1832** (Pieridae) *Colias thisoa* Ménétériés, 1832, Cat. Raisson. Zool. Cauc.: 244. Type(s): [Russia]: Kaukasus Dagestan: Schach Dag.
- 10086. *Colias (Eriocolias) thrasibulus* Fruhstorfer, 1910** (Pieridae) *Colias thrasibulus* Fruhstorfer, 1910, [in] Seitz, A., Gross-Schmett. 9: 165, Taf. 72c; nomen novum pro *elwesi* Röber, 1907. Syntypes: Ladak.
- 10087. *Colias (Eriocolias) thrasibulus thrasibulus* Fruhstorfer, 1910** (Pieridae) *Colias thrasibulus* Fruhstorfer, 1910, [in] Seitz, A., Gross-Schmett. 9: 165, Taf. 72c; nomen novum pro *elwesi* Röber, 1907. Syntypes: Ladak.
- 10088. *Colias (Eriocolias) viluensis* Ménétériés, 1858** (Pieridae) *Colias viluensis* Ménétériés, 1858, Bull. phys. math. Acad. imp. Sci. St. Pétersburg (ser. 2) 17: 213. Type(s): Russia: Amoorland.
- 10089. *Colias (Eriocolias) viluensis viluensis* Ménétériés, 1858** (Pieridae) *Colias viluensis* Ménétériés, 1858, Bull. phys. math. Acad. imp. Sci. St. Pétersburg (ser. 2) 17: 213. Type(s): Russia: Amoorland.
- 10090. *Colias (Eriocolias) wiskotti* Staudinger, 1882** (Pieridae) *Colias wiskotti* Staudinger, 1882, Berl. ent. Z. 26(1): 166-168, Taf. 2 figs. 9, 10. Syntypes: [Tadjikistan]: Alai-Gebirge; [Uzbekistan]: Hazret-Sultan-Gebirge.
- 10091. *Colias (Eriocolias) wiskotti chrysoptera* Groum-Grshimailo, 1888** (Pieridae) *Colias wiskotti* var. *chrysoptera* Groum-Grshimailo, 1888, Horae Soc. ent. ross. 22: 305. Syntypes: Afghanistan: Roschan; [Tadjikistan]: Transalai, Sarykol. Lectotype ♂: "Kudara" (BMNH) designated by Rose, 2001, Neue ent. Ver. Apollo, N.F. 22 (1): 9.
- 10092. *Colias (Eriocolias) wiskotti hofmannorum* Eckweiler, 2000** (Pieridae) *Colias wiskotti* var. *hofmannorum* Eckweiler, 2000, Nachr. ent. Ver. Apollo, N.F. 21 (1): 45-48, figs. Holotype ♂: Iran: Khorasan, Birjand 20km N Sar Bisheh 2200-2500m (SMNK).
- 10093. *Colias (Eriocolias) wiskotti ruckbeili* O. Bang-Haas, 1927** (Pieridae) *Colias wiskotti* *draconis* ab. *ruckbeili* O. Bang-Haas, 1927, Horae Macrolepid. 1: 113 (nom. nov. pro *alexandra* Röber, 1907 nec Edwards, 1863). Syntypes: [Kirgizistan]: Kirgisches Geb. Thianchan [Tengri Tagh]: Alexander mont. (?), östl. von Taschkent.
- 10094. *Colias (Eriocolias) wiskotti separata* Groum-Grshimailo, 1888** (Pieridae) *Colias wiskotti* var. *separata* Groum-Grshimailo, 1888, Horae Soc. ent. ross. 22: 305. Type(s): [Tadjikistan]: Montes Alaïenses.
- 10095. *Colias (Eriocolias) wiskotti seres* Groum-Grshimailo, 1890** (Pieridae) *Colias wiskotti* var. *seres* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 352-353. Lectotype ♂: "Sarykol" (BMNH) designated by Rose, 2001, Neue ent. Ver. Apollo, N.F. 22 (1): 10.

- 10096. *Colias (Eriocolias) wiskotti sweadneri* Clench & Shoumatoff, 1956** (Pieridae) *Colias wiskotti* ssp. *sweadneri* Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 175-177. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, 5000m.
- 10097. *Colias (Eriocolias) wiskotti trichmirensis* Rose, 2001** (Pieridae) *Colias wiskotti* ssp. *trichmirensis* Rose, 2001, Neue ent. Ver. Apollo, N.F. 22 (1): 7-9, figs. 1-6, 13. Holotype ♂: Nordpakistan: Chitral, Hindukusch, Tirch Mir Atak, 3200-3500m leg. J.C.Weiss (MAKB).
- 10098. *Colias (Eriocolias) wiskotti wiskotti* Staudinger, 1882** (Pieridae) *Colias wiskotti* Staudinger, 1882, Berl. ent. Z. 26(1): 166-168, Taf. 2 figs. 9, 10. Syntypes: [Tadjikistan]: Alai-Gebirge; [Uzbekistan]: Hazret-Sultan-Gebirge.
- 10099. *Colias (Eucolias) hecla Lefebvre, 1836*** (Pieridae) *Colias hecla* Lefebvre, 1836, Anns Soc. ent. Fr. 1836: 383, pl. 9b, figs. 3-6. Type(s): [Greenland]: Island.
- 10100. *Colias (Eucolias) hecla hecla* Lefebvre, 1836** (Pieridae) *Colias hecla* Lefebvre, 1836, Anns Soc. ent. Fr. 1836: 383, pl. 9b, figs. 3-6. Type(s): [Greenland]: Island.
- 10101. *Colias (Eucolias) hyperborea Groum-Grshimailo, 1899*** (Pieridae) *Colias hyperborea* Groum-Grshimailo, 1899, Ann. Mus. Zool. St. Petersburg 4:
- 10102. *Colias (Eucolias) hyperborea hyperborea* Groum-Grshimailo, 1899** (Pieridae) *Colias hyperborea* Groum-Grshimailo, 1899, Ann. Mus. Zool. St. Petersburg 4:
- 10103. *Colias (Eucolias) nastes Boisduval, 1832*** (Pieridae) *Colias nastes* Boisduval, 1832, Icones hist. Lépid. 1: 245, pl. 8 figs. 4-5. Syntypes: [Canada]: Labrador.
- 10104. *Colias (Eucolias) nastes dezhevi Korshunov, 1995*** (Pieridae) *Colias nastes* ssp. *dezhevi* Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 67 (nomen novum pro sibirica Kurensov, 1970 nec Lederer, 1852). Holotype ♂: Russia: Siberia.
- 10105. *Colias (Eucolias) nastes nastes* Boisduval, 1832** (Pieridae) *Colias nastes* Boisduval, 1832, Icones hist. Lépid. 1: 245, pl. 8 figs. 4-5. Syntypes: [Canada]: Labrador.
- 10106. *Colias (Eucolias) nastes streckeri* Groum-Grshimailo, 1895** (Pieridae) *Colias nastes* var. *streckeri* Groum-Grshimailo, 1895, Horae Soc. ent. ross. 29: 290-291. Syntypes: Provincia Alberta ad Laggan.
- 10107. *Colias (Eucolias) nastes werdandi Zetterstedt, 1840*** (Pieridae) *Colias nastes* werdandi Zetterstedt, 1840, Insecta Lapponica descripta: 908. Type(s): Tornea, Lappland.
- 10108. *Colias (Eucolias) palaeno (Linnaeus, 1761)*** (Pieridae) *Papilio palaeno* Linnaeus, 1761, Fauna Suecica 2: 272, nr. 1041. Type(s): Suecia.
- 10109. *Colias (Eucolias) palaeno gomojunovae* Korshunov, 1996** (Pieridae) *Colias palaeno* ssp. *gomojunovae* Korshunov, 1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 18. Holotype: Russia: Magadan: Bilibino distr.
- 10110. *Colias (Eucolias) palaeno orientalis* Staudinger, 1892** (Pieridae) *Colias palaeno* var. *orientalis* Staudinger, 1892, Dt. ent. Z., Iris 5: 311. Syntypes: Russia: Kentei, Amur Gebiet.
- 10111. *Colias (Eucolias) palaeno palaeno (Linnaeus, 1761)*** (Pieridae) *Papilio palaeno* Linnaeus, 1761, Fauna Suecica 2: 272, nr. 1041. Type(s): Suecia.
- 10112. *Colias (Eucolias) phicomone (Esper, [1780])*** (Pieridae) *Papilio phicomone* Esper, [1780], Die Schmett. 1(2): Forts. Tagschmett.: Taf. 56, figs. 1, 2. Syntypes: Styria.
- 10113. *Colias (Eucolias) phicomone phicomone (Esper, [1780])*** (Pieridae) *Papilio phicomone* Esper, [1780], Die Schmett. 1(2): Forts. Tagschmett.: Taf. 56, figs. 1, 2. Syntypes: Styria.
- 10114. *Colias (Eucolias) tyche (Boeber, 1812)*** (Pieridae) *Papilio tyche* Boeber, 1812, Mém. Soc. nat. Moscou 3: 21, Pl. 1 figs. 3, 4. Type(s): Russia: "Sibérie" [Baikal].
- 10115. *Colias (Eucolias) tyche herzi* Staudinger, 1901** (Pieridae) *Colias melinos* var. *herzi* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 16, nr. 90a. (nomen novum pro *melinos* Herz nec Eversmann, 1847). Type(s): [Russia]: Siberia s.o. (Vilui).
- 10116. *Colias (Eucolias) tyche kolosovae* Churkin et al., 2001** (Pieridae) *Colias tyche* ssp. *kolosovae* Churkin et al., 2001, Atalanta 32 (1/2): 262 (nomen novum pro *Colias tyche* olga Churkin et al., 2001 nec Romanoff, 1882). Holotype ♂: Russia: North Russia: Ost-Chukotka.
- 10117. *Colias (Eucolias) tyche tyche (Boeber, 1812)*** (Pieridae) *Papilio tyche* Boeber, 1812, Mém. Soc. nat. Moscou 3: 21, Pl. 1 figs. 3, 4. Type(s): Russia: "Sibérie" [Baikal].
- 10118. *Colias (Neocolias) aurorina Herrich-Schäffer, [1850]*** (Pieridae) *Colias aurorina* Herrich-Schäffer, [1850], Syst. Bearb. Schmett. Eur. 1: f. 453-456; ibid. 6: 22. Syntypes: [Türkei]: Kleinasien [Amasia].
- 10119. *Colias (Neocolias) aurorina aurorina Herrich-Schäffer, [1850]*** (Pieridae) *Colias aurorina* Herrich-Schäffer, [1850], Syst. Bearb. Schmett. Eur. 1: f. 453-456; ibid. 6: 22. Syntypes: [Türkei]: Kleinasien [Amasia].
- 10120. *Colias (Neocolias) aurorina kermana* Eckweiler, 1979** (Pieridae) *Colias aurorina* ssp. *kermana* Eckweiler, 1979, Ent. Z., Frankf. a. M. 89(3): 29-32, 2 Abb. Holotype ♂: Süd-Iran: Kerman: Strasse Jiroft-Rayen, 2800-3000m (in coll. Eckweiler).
- 10121. *Colias (Neocolias) aurorina rosei* Gross & Ebert, 1975** (Pieridae) *Colias aurorina* ssp. *rosei* Gross & Ebert, 1975, J. ent. Soc. Iran, Suppl. 1: 11-13, figs. 6, 7. Holotype ♂: Iran: Elburs S-Seite: Demavand, N.v. Polur, 2500m.
- 10122. *Colias (Neocolias) aurorina transcaspica* Christoph, 1887** (Pieridae) *Colias aurorina* var. *transcaspica* Christoph, 1887, Stettin ent. Ztg. 48: 162. Syntypes ♂♀: [Turkmenistan]: Nuchur.
- 10123. *Colias (Neocolias) caucasica* Staudinger, 1871** (Pieridae) *Colias myrmidone* var. *caucasica* Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 6. Type(s): Armenia.
- 10124. *Colias (Neocolias) caucasica balcanica* Rebel, 1901** (Pieridae) *Colias myrmidone* var. *balcanica* Rebel, 1901, [in] Staudinger & Rebel, Cat. Lep. Palaearkt. Faunengeb. 3(2): 250. Syntypes: Bosnia et Hercegowina mont.
- 10125. *Colias (Neocolias) caucasica caucasica* Staudinger, 1871** (Pieridae) *Colias myrmidone* var. *caucasica* Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 6. Type(s): Armenia.
- 10126. *Colias (Neocolias) chlorocoma* Christoph, 1888** (Pieridae) *Colias chlorocoma* Christoph, 1888, Horae Soc. ent. ross. 22: 308. Syntypes: [Türkei]: Kasikoparan.
- 10127. *Colias (Neocolias) chlorocoma chlorocoma* Christoph, 1888** (Pieridae) *Colias chlorocoma* Christoph, 1888, Horae Soc. ent. ross. 22: 308. Syntypes: [Türkei]: Kasikoparan.
- 10128. *Colias (Neocolias) erate (Esper, [1805])*** (Pieridae) *Papilio erate* Esper, [1805], Die Schmett. (Suppl.) 1(2): 13, pl. 119, fig. 3. Type(s): Russia: Sarepta.
- 10129. *Colias (Neocolias) erate erate (Esper, [1805])*** (Pieridae) *Papilio erate* Esper, [1805], Die Schmett. (Suppl.) 1(2): 13, pl. 119, fig. 3. Type(s): Russia: Sarepta.
- 10130. *Colias (Neocolias) erate gigantea* Verity, [1911]** (Pieridae) *Colias erate* race *gigantea* Verity, [1911], Rhopalocera Palaeartica: 347. Syntypes: [China: Uighur A.R.]: Aksu.
- 10131. *Colias (Neocolias) erate lativitta* Moore, 1882** (Pieridae) *Colias lativitta* Moore, 1882, Proc. zool. Soc. Lond. 1882: 255. Type ♂: Nepal.
- 10132. *Colias (Neocolias) erate marnoana* Rogenhofer, 1884** (Pieridae) *Colias marnoana* Rogenhofer, 1884, Verh. zool.-bot. Ges. Wien 1884: 33: 22. Type(s): Sudan.
- 10133. *Colias (Neocolias) libanotica* Lederer, 1858** (Pieridae) *Colias libanotica* Lederer, 1858, Wien. ent. Monatschr. 2: 140-141, pl. 2 figs. 1, 2. Syntypes 2♂ 3♀: Libanon: "Am Gipfel des Libanon".
- 10134. *Colias (Neocolias) libanotica heldreichi* Staudinger, 1862** (Pieridae) *Colias heldreichi* Staudinger, 1862, Stettin ent. Ztg. 23(4/6): 257-264. Syntypes: 13♂ 7♀: Griechenland: Veluchi Gebirge, 8000ft.
- 10135. *Colias (Neocolias) libanotica libanotica* Lederer, 1858** (Pieridae) *Colias libanotica* Lederer, 1858, Wien. ent. Monatschr. 2: 140-141, pl. 2 figs. 1, 2. Syntypes 2♂ 3♀: Libanon: "Am Gipfel des Libanon".
- 10136. *Colias (Neocolias) libanotica sovarensis* Blom, 1979** (Pieridae) *Colias aurorina* ssp. *sovarensis* Blom, 1979, Ent. Ber., Amst. 39: 10, figs. 1, 2. Holotype ♂: Iran: Mazandaran: Khosh Yeilaq, 2000-2500m.
- 10137. *Colias (Neocolias) myrmidone (Esper, [1781])*** (Pieridae) *Papilio myrmidone* Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: 88, Tab. 65, figs. 1, 2. Type ♂: Ungarn: Gegend von Tynau (MWNS?).
- 10138. *Colias (Neocolias) myrmidone ermak* Groum-Grshimailo, 1890** (Pieridae) *Colias myrmidone* var. *ermak* Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 301. Syntypes: Sudural.
- 10139. *Colias (Neocolias) myrmidone myrmidone (Esper, [1781])*** (Pieridae) *Papilio myrmidone* Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: 88, Tab. 65, figs. 1, 2. Type ♂: Ungarn: Gegend von Tynau (MWNS?).
- 10140. *Colias (Neocolias) sagartia* Lederer, 1869** (Pieridae) *Colias sagartia* Lederer, 1869, Horae Soc. ent. ross. 6: 75-76, Taf. iv figs. 1, 2. Syntypes 2♂ 3♀: [Iran]: Persien: Astrabad.

- 10141. *Colias (Neocolias) sagartia sagartia* Lederer, 1869** (Pieridae) *Colias sagartia* Lederer, 1869, Horae Soc. ent. ross. 6: 75-76, Taf. iv figs. 1, 2. Syntypes 2♂ 3♀: [Iran]: Persien: Astrabad.
- 10142. *Colias (Scalidoneura) euxanthe stuebeli* Reissinger, 1972** (Pieridae) *Colias euxanthe* ssp. *stuebeli* Reissinger, 1972, Atalanta 4(1) (B): 60-62, figs. Holotype ♂: Peru: Cutervo, 2700m 2.x.1970 (coll. Reissinger).
- 10143. *Colias (s.str.) Fabricius*, 1807** (Pieridae) *Colias Fabricius*, 1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: *Papilio hyale* Linnaeus, 1758, Syst. Nat. (Ed.10) 1: 469, by subsequent designation by ICZN, Op.146.
- 10144. *Colias (s.str.) hyale* (Linnaeus, 1758)** (Pieridae) *Papilio hyale* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 469. Syntypes: Europa, Africa.
- 10145. *Colias (s.str.) hyale altaica* Verity, [1911]** (Pieridae) *Colias hyale* *hyale* *altaica* Verity, [1911], Rhopalocera Palaearctica: 348. Syntypes: [Russia]: Altai Mts., Tchuja, Biga valleys (infrasubsp. name!).
- 10146. *Colias (s.str.) hyale hyale* (Linnaeus, 1758)** (Pieridae) *Papilio hyale* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 469. Syntypes: Europa, Africa.
- 10147. *Colias (s.str.) hyale irkutskana* Stauder, 1924** (Pieridae) *Colias hyale* ssp. *irkutskana* Stauder, 1924, Mitt. münch. ent. Ges. 14: 62-63. Syntypes 2♂: [Russia]: Ojek (ad Irkutsk).
- 10148. *Colias (s.str.) sareptensis* Staudinger, 1881** (Pieridae) *Colias hyale* var. *sareptensis* Staudinger, 1881, Stettin ent. Ztg. 42: 260. Syntypes: Süd-Russland.
- 10149. *Colias (s.str.) sareptensis alfariensis* Ribbe, 1905** (Pieridae) *Colias hyale* ab. *alfariensis* Ribbe, 1905, Soc. ent. 20 (18): 137. Lectotype ♂: Spain: Sierra de Alfaca, northern Granada (designated by Reissinger, 1971: 156-157) (ZMHB).
- 10150. *Colias (s.str.) sareptensis bergeri* Reissinger, 1989** (Pieridae) *Colias alfariensis* ssp. *bergeri* Reissinger, 1989, Neue ent. Nachr. 26: 125 et seq., figs. Holotype ♂: [Türkei]: Asia minor, Ankara: Bağlum 1200m.
- 10151. *Colias (s.str.) sareptensis fontainei* Reissinger, 1989** (Pieridae) *Colias alfariensis* *fontainei* Reissinger, 1989, Neue ent. Nachr. 26: 141 et seq., figs. Holotype ♂: [Georgien]: Borshom.
- 10152. *Colias (s.str.) sareptensis hyrcanica* Reissinger, 1989** (Pieridae) *Colias alfariensis* *hyrcanica* Reissinger, 1989, Neue ent. Nachr. 26: 131 et seq., figs. Holotype ♂: Nord-Iran, Schahkuh, Westabhang, Geröllzone, 1800-2000m.
- 10153. *Colias (s.str.) sareptensis kantaraica* Reissinger, 1989** (Pieridae) *Colias alfariensis* *kantaraica* Reissinger, 1989, Neue ent. Nachr. 26: 119 et seq., figs. Holotype ♂: Algerien: El-Kantara.
- 10154. *Colias (s.str.) sareptensis magyarica* Reissinger, 1989** (Pieridae) *Colias alfariensis* *magyarica* Reissinger, 1989, Neue ent. Nachr. 26: 159 et seq., figs. Holotype ♂: Romania: Bihar Comit., Csehtelek.
- 10155. *Colias (s.str.) sareptensis metacalida* Reissinger, 1989** (Pieridae) *Colias alfariensis* *metacalida* Reissinger, 1989, Neue ent. Nachr. 26: 170 et seq., figs. Holotype ♂: Slowenien: Karst, Julische Alpen.
- 10156. *Colias (s.str.) sareptensis paracalida* Reissinger, 1972** (Pieridae) *Colias alfariensis* *paracalida* Reissinger, 1972, Atalanta 3(6): 366-369. Holotype ♂: Österreich: Oberösterreich, Wels.
- 10157. *Colias (s.str.) sareptensis rumilica* Reissinger, 1989** (Pieridae) *Colias alfariensis* *rumilica* Reissinger, 1989, Neue ent. Nachr. 26: 129 et seq., figs. Holotype ♂: Bulgarien: Stanimaka.
- 10158. *Colias (s.str.) sareptensis saissanica* Reissinger, 1989** (Pieridae) *Colias alfariensis* ssp. *saissanica* Reissinger, 1989, Neue ent. Nachr. 26: 138 et seq., figs. Holotype ♂: [Kazachstan]: Saisan.
- 10159. *Colias (s.str.) sareptensis sareptensis* Staudinger, 1881** (Pieridae) *Colias hyale* var. *sareptensis* Staudinger, 1881, Stettin ent. Ztg. 42: 260. Syntypes: Süd-Russland.
- 10160. *Colias (s.str.) sareptensis slavonica* Reissinger, 1989** (Pieridae) *Colias alfariensis* *slavonica* Reissinger, 1989, Neue ent. Nachr. 26: 153 et seq., figs. Holotype ♂: Serbia or., Mirovo prope Boljevac.
- 10161. *Colias (s.str.) sareptensis vihoriatensis* Reissinger, 1989** (Pieridae) *Colias alfariensis* *vihoriatensis* Reissinger, 1989, Neue ent. Nachr. 26: 165 et seq., figs. Holotype ♂: Slowakei or., Remetské Hamre, Vihorlat, R.Hamry.
- 10162. *Colias Fabricius*, 1807** (Pieridae) *Colias Fabricius*, 1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: *Papilio hyale* Linnaeus, 1758, Syst. Nat. (Ed.10) 1: 469, by subsequent designation by ICZN, Op.146.
- 10163. *Colias alta* Staudinger, 1886** (Pieridae) *Colias alta* Staudinger, 1886, Stettin ent. Ztg. 47: 200-201. Syntypes: Alai-Gebirge, Kara Kasuk Pass, 10000ft.
- 10164. *Colias aquilonaris* Groum-Grshimailo, 1899** (Pieridae) *Colias aquilonaris* Groum-Grshimailo, 1899, Ann. Mus. Zool. St. Petersburg 4: 457. Russia: Siberia: Olenek / Jana.
- 10165. *Colias aquilonaris aquilonaris* Groum-Grshimailo, 1899** (Pieridae) *Colias aquilonaris* Groum-Grshimailo, 1899, Ann. Mus. Zool. St. Petersburg 4: 457. Russia: Siberia: Olenek / Jana.
- 10166. *Colias euxanthe stuebeli* Reissinger, 1972** (Pieridae) *Colias euxanthe* ssp. *stuebeli* Reissinger, 1972, Atalanta 4(1) (B): 60-62, figs. Holotype ♂: Peru: Cutervo, 2700m 2.x.1970 (coll. Reissinger).
- 10167. *Colias mongola* Alpheraky, 1897** (Pieridae) *Colias nastes* var. *mongola* Alpheraky, 1897, [in] Romanoff, Mém. Lépid. 9: 188. Syntypes: Mongolia: Urga [Ulan-Bator].
- 10168. *Colias mongola mongola* Alpheraky, 1897** (Pieridae) *Colias nastes* var. *mongola* Alpheraky, 1897, [in] Romanoff, Mém. Lépid. 9: 188. Syntypes: Mongolia: Urga [Ulan-Bator].
- 10169. *Colias mongola ukokana* Korb & Yakovlev, 2000** (Pieridae) *Colias mongola* ssp. *ukokana* Korb & Yakovlev, 2000, Alexanor 21: 3-4. Holotype ♂: Russia: Altai meridional, Oukok, riv. Ak-Alakha 2500m. (IZSP).
- 10170. *Colias poliographus* Motschulsky, 1860** (Pieridae) *Colias poliographus* Motschulsky, 1860, Etüd. Ent. 9: 29.
- 10171. *Colias poliographus inversa* Alpheraky, 1881** (Pieridae) *Colias hyale* ab. *inversa* Alpheraky, 1881, Horae Soc. ent. ross. 16: 434. Taganrog.
- 10172. *Colias poliographus poliographus* Motschulsky, 1860** (Pieridae) *Colias poliographus* Motschulsky, 1860, Etüd. Ent. 9: 29.
- 10173. *Colotis (Teracolus) eris* (Klug, 1829)** (Pieridae) *Pontia eris* Klug, 1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.6 figs. 15, 16. Type(s): [Sudan]: Ambukohl.
- 10174. *Colotis (Teracolus) eris contractus* Gabriel, 1954** (Pieridae) *Colotis eris* ssp. *contractus* Gabriel, 1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 370. Holotype ♂: [Yemen]: Western Aden Protectorate: As Sauda (BMNH).
- 10175. *Colotis (Teracolus) eris eris* (Klug, 1829)** (Pieridae) *Pontia eris* Klug, 1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.6 figs. 15, 16. Type(s): [Sudan]: Ambukohl.
- 10176. *Colotis (s.str.) amatus* (Fabricius, 1775)** (Pieridae) *Papilio amata* Fabricius, 1775, Syst. Ent.: 476. Type (s): India orientali.
- 10177. *Colotis (s.str.) amatus amatus* (Fabricius, 1775)** (Pieridae) *Papilio amata* Fabricius, 1775, Syst. Ent.: 476. Type (s): India orientali.
- 10178. *Colotis (s.str.) amatus calais* (Cramer, [1775])** (Pieridae) *Papilio calais* Cramer, [1775], Uitl. Kapellen 1: 84, pl. 53, figs. C, D. Type(s): [South Africa]: Kaap de goede Hoop.
- 10179. *Colotis (s.str.) antevippe* (Boisduval, 1836)** (Pieridae) *Anthocharis antevippe* Boisduval, 1836, Hist. nat. Ins., Sp. Gén. Lépid. 1: 572, Pl.2,C, fig.3. Type(s): Senegal.
- 10180. *Colotis (s.str.) antevippe antevippe* (Boisduval, 1836)** (Pieridae) *Anthocharis antevippe* Boisduval, 1836, Hist. nat. Ins., Sp. Gén. Lépid. 1: 572, Pl.2,C, fig.3. Type(s): Senegal.
- 10181. *Colotis (s.str.) antevippe zera* (Lucas, 1852)** (Pieridae) *Anthocharis zera* Lucas, 1852, Revue Mag., Zool. 4 (ser.2): 423. Type(s): [Ethiopie]: Abyssinie.
- 10182. *Colotis (s.str.) aurora* (Cramer, [1780])** (Pieridae) *Papilio aurora* Cramer, [1780], Uitl. Kapellen 1: 18, pl.299, figs.A,B. Syntypes: India: Cote de Coromandel.
- 10183. *Colotis (s.str.) aurora aurora* (Cramer, [1780])** (Pieridae) *Papilio aurora* Cramer, [1780], Uitl. Kapellen 1: 18, pl.299, figs.A,B. Syntypes: India: Cote de Coromandel.
- 10184. *Colotis (s.str.) aurora evarne* (Klug, 1829)** (Pieridae) *Pontia evarne* Klug, 1829, [in] Ehrenberg, Symb. Phys. Ins. 1: Pl.6 figs. 1-4. Type(s): [Sudan]: Ambukohl.
- 10185. *Colotis (s.str.) chrysonome* (Klug, 1829)** (Pieridae) *Pontia chrysonome* Klug, 1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 9, 11. Type(s): [Sudan]: Ambukohl.
- 10186. *Colotis (s.str.) chrysonome chrysonome* (Klug, 1829)** (Pieridae) *Pontia chrysonome* Klug, 1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 9, 11. Type(s): [Sudan]: Ambukohl.
- 10187. *Colotis (s.str.) दौरा* (Klug, 1829)** (Pieridae) *Pontia दौरा* Klug, 1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 1, 4. Type(s): Arabia: ex Arabia felici.
- 10188. *Colotis (s.str.) दौरा दौरा* (Klug, 1829)** (Pieridae) *Pontia दौरा* Klug, 1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 1, 4. Type(s): Arabia: ex Arabia felici.
- 10189. *Colotis (s.str.) eborea* (Stoll, [1781])** (Pieridae) *Papilio eborea* Stoll, [1781], [in] Cramer, Uitl. Kapellen 4: pl.352, figs. C-F.

- 10190. Colotis (s.str.) eborea dulcis (Butler,1876)** (Pieridae) *Teracolus dulcis* Butler,1876, Proc. zool. Soc. Lond. 1876: 157, pl.vii fig.13. Syntypes: W.India: Kattywur.
- 10191. Colotis (s.str.) eborea eborea (Stoll,[1781])** (Pieridae) *Papilio eborea* Stoll,[1781], [in] Cramer, Uitl. Kapellen 4: pl.352, figs. C-F.
- 10192. Colotis (s.str.) eborea eupompe (Klug,1829)** (Pieridae) *Pontia eupompe* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.6 figs. 11-14. Syntypes: [Egypt]: Sinai monte; Dongala; [Ethiopia]: Habessinia; Arabia deserta.
- 10193. Colotis (s.str.) ephyia (Klug,1829)** (Pieridae) *Pontia ephyia* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.6 figs. 9,10. Type(s): [Sudan]: Ambukohl.
- 10194. Colotis (s.str.) ephyia ephyia (Klug,1829)** (Pieridae) *Pontia ephyia* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.6 figs. 9,10. Type(s): [Sudan]: Ambukohl.
- 10195. Colotis (s.str.) etrida (Boisduval,1836)** (Pieridae) *Anthocharis etrida* Boisduval,1836, Hist. Nat. Ins., Sp. Gén. Lép. 1: 576, nr.24. Type(s): India.
- 10196. Colotis (s.str.) etrida etrida (Boisduval,1836)** (Pieridae) *Anthocharis etrida* Boisduval,1836, Hist. Nat. Ins., Sp. Gén. Lép. 1: 576, nr.24. Type(s): India.
- 10197. Colotis (s.str.) euippe (Linnaeus,1758)** (Pieridae) *Papilio euippe* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 469. Type(s): Asia.
- 10198. Colotis (s.str.) euippe euippe (Linnaeus,1758)** (Pieridae) *Papilio euippe* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 469. Type(s): Asia.
- 10199. Colotis (s.str.) euippe exole (Reiche,[1850])** (Pieridae) *Anthocharis exole* Reiche,[1850], Entomologie, [in] Ferrets & Galinier, Voyage en Abyssinie dans les provinces Tigre, du Samen et de l'Ahamarra: 460. Type(s): [Ethiopia]: Abyssinie.
- 10200. Colotis (s.str.) evagore (Klug,1829)** (Pieridae) *Pontia evagore* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 5-6. Type(s): ex Arabia deserta.
- 10201. Colotis (s.str.) evagore evagore (Klug,1829)** (Pieridae) *Pontia evagore* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 5-6. Type(s): ex Arabia deserta.
- 10202. Colotis (s.str.) evagore nouna (Lucas,1849)** (Pieridae) *Anthocharis nouna* Lucas,1849, Expl. Alg. Zool. 3: 350 pl.1 fig.2. Type(s): Algerie: Oran.
- 10203. Colotis (s.str.) faustus (Olivier,[1804])** (Pieridae) *Papilio fausta* Olivier,[1804], Voyage dans l'empire Ottoman, l'Egypte et la Perse 4: pl. 33, figs. 4a, b. Type(s): La Cote de Syrie. [Lebanon: Beirut].
- 10204. Colotis (s.str.) faustus faustinus (C.Felder & R.Felder,[1865])** (Pieridae) *Idmais faustina* C.Felder & R.Felder,[1865], Reise Fregatte "Novara", Lep. Rhop. (2): 190. Type(s): Patria incognita.
- 10205. Colotis (s.str.) faustus faustus (Olivier,[1804])** (Pieridae) *Papilio fausta* Olivier,[1804], Voyage dans l'empire Ottoman, l'Egypte et la Perse 4: pl. 33, figs. 4a, b. Type(s): La Cote de Syrie. [Lebanon: Beirut].
- 10206. Colotis (s.str.) faustus mijurteinus Carpenter,1951** (Pieridae) *Colotis fausta* ssp. *mijurteina* Carpenter,1951, Proc. R. ent. Soc. Lond. B (20): 106 (nomen novum pro somalica Carpenter & Jackson,1950 nec Storace,1948). Holotype: Somalia: "Italian Somaliland, Mudugh Prov., Mustahil, 1500ft".
- 10207. Colotis (s.str.) faustus vi (Swinhoe,1884)** (Pieridae) *Teracolus vi* Swinhoe,1884, Proc. zool. Soc. Lond. 1884: 437 pl.39 figs. 6, 7. Type: [Yemen]: Aden.
- 10208. Colotis (s.str.) halimede (Klug,1829)** (Pieridae) *Pontia halimede* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 12-15. Syntypes: ex Arabia deserta; [Sudan]: Ambukohl.
- 10209. Colotis (s.str.) halimede halimede (Klug,1829)** (Pieridae) *Pontia halimede* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 12-15. Syntypes: ex Arabia deserta; [Sudan]: Ambukohl.
- 10210. Colotis (s.str.) liagore (Klug,1829)** (Pieridae) *Pontia liagore* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.6 figs. 5-8. Type(s): [Sudan]: Ambukohl.
- 10211. Colotis (s.str.) liagore liagore (Klug,1829)** (Pieridae) *Pontia liagore* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.6 figs. 5-8. Type(s): [Sudan]: Ambukohl.
- 10212. Colotis (s.str.) phisadius (Godart,[1819])** (Pieridae) *Pieris phisadia* Godart,[1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 132. Type(s): Patria incognita.
- 10213. Colotis (s.str.) phisadius ocellatus (Butler,1886)** (Pieridae) *Teracolus ocellatus* Butler,1886, Proc. zool. Soc. Lond. 1885: 767. Syntypes: [Ethiopia]: "Somaliland".
- 10214. Colotis (s.str.) phisadius palaestinis (Staudinger,[1898])** (Pieridae) *Idmais phisadia* var. *palaestinis* Staudinger,[1898], Dt. ent. Z., Iris 10: 271-272. Syntypes: [Israel]: Westküste des Todten Meeres, Ain-Dschiddi (Eugeddi).
- 10215. Colotis (s.str.) phisadius phisadius (Godart,[1819])** (Pieridae) *Pieris phisadia* Godart,[1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 132. Type(s): Patria incognita.
- 10216. Colotis (s.str.) phisadius somalicus Storace,1948** (Pieridae) *Colotis phisadia* race *somalica* Storace,1948, Annali Mus. civ. Stor. nat. Giacomo Doria 63: 264. Type(s): Somalia: Dolo, Lugh Ferrandi.
- 10217. Colotis (s.str.) pleione (Klug,1829)** (Pieridae) *Pontia pleione* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 7-8. Type(s): ex Arabia felici.
- 10218. Colotis (s.str.) pleione heliocaustus (Butler,1885)** (Pieridae) *Teracolus heliocaustus* Butler,1885, Proc. zool. Soc. Lond. 55: 768, pl.47 figs.8,9.
- 10219. Colotis (s.str.) pleione pleione (Klug,1829)** (Pieridae) *Pontia pleione* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 7-8. Type(s): ex Arabia felici.
- 10220. Colotis (s.str.) protomedius (Klug,1829)** (Pieridae) *Pontia protomedia* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 13-16. Syntypes: ex Arabia felici; [Sudan]: Ambukohl.
- 10221. Colotis (s.str.) protomedius protomedius (Klug,1829)** (Pieridae) *Pontia protomedia* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 13-16. Syntypes: ex Arabia felici; [Sudan]: Ambukohl.
- 10222. Colotis (s.str.) protractus (Butler,1876)** (Pieridae) *Teracolus protractus* Butler,1876, Proc. zool. Soc. London 46: 137, nr.37.
- 10223. Colotis (s.str.) protractus protractus (Butler,1876)** (Pieridae) *Teracolus protractus* Butler,1876, Proc. zool. Soc. London 46: 137, nr.37.
- 10224. Colotis (s.str.) ungemachi (Le Cerf,1922)** (Pieridae) *Teracolus ungemachi* Le Cerf,1922, Bull. Mus. nat. Hist. Nat., Paris 28: 228-229. Syntypes: Erythrée: Mersa fatma et Cabuia.
- 10225. Colotis (s.str.) ungemachi ungemachi (Le Cerf,1922)** (Pieridae) *Teracolus ungemachi* Le Cerf,1922, Bull. Mus. nat. Hist. Nat., Paris 28: 228-229. Syntypes: Erythrée: Mersa fatma et Cabuia.
- 10226. Colotis (s.str.) vestalis (Butler,1876)** (Pieridae) *Teracolus vestalis* Butler,1876, Proc. zool. Soc. Lond. 1876: 135, pl.vii fig.10. Syntypes: Scind.
- 10227. Colotis (s.str.) vestalis nadir Gross & Ebert,1975** (Pieridae) *Colotis vestalis* ssp. *nadir* Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 11, fig.5. Holotype ♂: Iran: Balutschistan: Strasse Tschahbahar-Iranschar, Takhte Malek, 750m (LNK).
- 10228. Colotis (s.str.) vestalis vestalis (Butler,1876)** (Pieridae) *Teracolus vestalis* Butler,1876, Proc. zool. Soc. Lond. 1876: 135, pl.vii fig.10. Syntypes: Scind.
- 10229. Colotis Hübner,[1819]** (Pieridae) *Colotis Hübner*,[1819], Verz. bekannt. Schmett. (7): 97. Type-species: *Papilio amata* Fabricius,1775, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 146-147.
- 10230. Delias (belladonna-gr.) belladonna (Fabricius,1793)** (Pieridae) *Papilio belladonna* Fabricius,1793, Ent. Syst. 3(1): 180. Type: [Tong-King].
- 10231. Delias (belladonna-gr.) belladonna belladonna (Fabricius,1793)** (Pieridae) *Papilio belladonna* Fabricius,1793, Ent. Syst. 3(1): 180. Type: [Tong-King].
- 10232. Delias (belladonna-gr.) belladonna hedybia Jordan,1925** (Pieridae) *Delias belladonna* ssp. *hedybia* Jordan,1925, Novit. zool. 32: 286. Syntypes: [Myanmar]: "Tenasserim".
- 10233. Delias (belladonna-gr.) belladonna horsfieldii (Gray,1831)** (Pieridae) *Pieris horsfieldii* Gray,1831, Zool. Misc. 1831: 32. Type(s): Nepal.
- 10234. Delias (belladonna-gr.) belladonna ithiela (Butler,1869)** (Pieridae) *Thyca ithiela* Butler,1869, Ann. Mag. nat. Hist. (4) 4: 242. Syntypes: "Penang" (patria falsa!).
- 10235. Delias (belladonna-gr.) belladonna lugens Jordan,1925** (Pieridae) *Delias belladonna* ssp. *lugens* Jordan,1925, Novit. zool. 32: 286. Syntypes: India: Assam; North-West Burma.
- 10236. Delias (brandti-gr.) brandti brandti,2001** (Pieridae) *Delias brandti*,2001, Austral. Ent. 28 (1): 17-22. Holotype ♂: Papua New Guinea: South Central New Ireland: Schleinitz Mts., 1800m.
- 10237. Delias (brandti-gr.) brandti,2001** (Pieridae) *Delias brandti*,2001, Austral. Ent. 28 (1): 17-22. Holotype ♂: Papua New Guinea: South Central New Ireland: Schleinitz Mts., 1800m.
- 10238. Delias (cuningputi-gr.) daniensis Mastrigt,2003** (Pieridae) *Delias daniensis* Mastrigt,2003, Atalanta 34 (1/2): 60-61, figs. Holotype ♂: Irian Jaya: Ilu, 3.iii.1998 (MZB).

- 10239. *Delias (cuningputi-gr.) daniensis daniensis* Mastrigt, 2003** (Pieridae) *Delias daniensis* Mastrigt, 2003, Atalanta 34 (1/2): 60-61, figs. Holotype ♂: Irian Jaya: Ilu, 3.iii.1998 (MZB).
- 10240. *Delias (hyparete-gr.) hyparete palawanica* Staudinger, 1889** (Pieridae) *Delias hyparete* var. *palawanica* Staudinger, 1889, Dt. ent. Z., Iris 2: 24-25. Syntypes: [Philippinen]: Palawan.
- 10241. *Delias (pasithoe-gr.) henningia henningia* (Eschscholtz, 1821)** (Pieridae) *Pontia henningia* Eschscholtz, 1821, Kotzeb. Reise 3: 214, Tab. 9 figs. 20a, b. Typs(s): [Philippines]: Manilla.
- 10242. *Delias (pasithoe-gr.) pasithoe pandecta* Staudinger, 1889** (Pieridae) *Delias pandecta* Staudinger, 1889, Dt. ent. Z., Iris 2: 23-24. Syntypes ♂♀: [Philippinen]: Palawan.
- 10243. *Delias (pasithoe-gr.) pasithoe siamensis* Talbot, 1928** (Pieridae) *Delias aglaia* ssp. *siamensis* Talbot, 1928, Bull. Hill Mus. 2: 225. Syntypes ♂♀: [Thailand]: Siam.
- 10244. *Delias (singhapura-gr.) themis themis* (Hewitson, 1861)** (Pieridae) *Pieris themis* Hewitson, 1861, Ex. Butts. 2: Pl. 5 figs. 31, 32.
- 10245. *Delias Hübner*, [1819]** (Pieridae) *Delias Hübner*, [1819], Verz. bekannt. Schmett. (6): 91. Type-species: *Papilio egalea* Cramer, [1777], Utitl. Kapellen 2(16): 141, Pl. 189, figs. D, E, by subsequent designation by Butler, 1870, Cistula ent. 1: 40.
- 10246. *Delias sanaca* (Moore, 1857)** (Pieridae) *Pieris sanaca* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 79. Type(s): West Himalaya.
- 10247. *Delias sanaca sanaca* (Moore, 1857)** (Pieridae) *Pieris sanaca* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 79. Type(s): West Himalaya.
- 10248. *Dixeia Talbot*, 1932** (Pieridae) *Dixeia* Talbot, 1932, Entomologist 65: 36. Type-species: *Pieris charina* Boisduval, 1836, by original designation.
- 10249. *Elodina primularis primularis* Butler, 1882** (Pieridae) *primularis* Butler, 1882; incisa Fruhstorfer
- 10250. *Eronia Hübner*, [1823]** (Pieridae) *Eronia Hübner*, [1823], Samml. exot. Schmett. 2: pl. [130]. Type-species: *Eronia cleodora* Hübner, [1823], ibid. 2: pl. [130], by monotypy.
- 10251. *Euchloe (Elphinstonia) Klots*, 1930** (Pieridae) *Elphinstonia Klots*, 1930, Bull. Brooklyn ent. Soc. 25: 87. Type-species: *Anthocharis charlonia* Donzel, 1842, Anns Soc. ent. Fr. 11(2): 197, pl. 8, fig. 1, by original designation.
- 10252. *Euchloe (Elphinstonia) bazae bazae* Fabiano, 1993** (Pieridae) *Euchloe charlonia* ssp. *bazae* Fabiano, 1993, Linneana Belg. 14 (4): 207-212, figs. Holotype ♂: Spain: Granada, Baza.
- 10253. *Euchloe (Elphinstonia) bazae bazae* Fabiano, 1993** (Pieridae) *Euchloe charlonia* ssp. *bazae* Fabiano, 1993, Linneana Belg. 14 (4): 207-212, figs. Holotype ♂: Spain: Granada, Baza.
- 10254. *Euchloe (Elphinstonia) charlonia (Donzel, 1842)*** (Pieridae) *Anthocharis charlonia* Donzel, 1842, Anns Soc. ent. Fr. 11 (2): 197, pl. 8 fig. 1. Syntypes: Algeri: Emsilah, en Barbarié.
- 10255. *Euchloe (Elphinstonia) charlonia charlonia (Donzel, 1842)*** (Pieridae) *Anthocharis charlonia* Donzel, 1842, Anns Soc. ent. Fr. 11 (2): 197, pl. 8 fig. 1. Syntypes: Algeri: Emsilah, en Barbarié.
- 10256. *Euchloe (Elphinstonia) lessei Bernardi*, 1957** (Pieridae) *Euchloe lessei* Bernardi, 1957, Bull. Soc. ent. Fr. 62: 38-41. Holotype ♂: N. Iran: above Ask, south Demavend Mt., 2000-3000m (MNHNP).
- 10257. *Euchloe (Elphinstonia) lessei lessei Bernardi*, 1957** (Pieridae) *Euchloe lessei* Bernardi, 1957, Bull. Soc. ent. Fr. 62: 38-41. Holotype ♂: N. Iran: above Ask, south Demavend Mt., 2000-3000m (MNHNP).
- 10258. *Euchloe (Elphinstonia) lessei qohrudicus Back & Leestmans*, 2001** (Pieridae) *Euchloe lessei* ssp. *qohrudicus* Back & Leestmans, 2001, Linneana Belg. 18 (4): 189-190, figs. Holotype ♂: Iran: Zefre, Mt. Qohrud, 2700m 20.v.2001 W.Back leg. (ZSMS).
- 10259. *Euchloe (Elphinstonia) lessei zagrosicus Leestmans & Back*, 1992** (Pieridae) *Euchloe lessei* ssp. *zagrosicus* Leestmans & Back, 1992, Linneana Belg. 13 (8): 448-449, 452-455, figs. Holotype ♂: Iran: N.W. Shiraz, Zagros range, 3100m., leg. E.P. Wiltshire (BMNH).
- 10260. *Euchloe (Elphinstonia) lucilla Butler*, 1886** (Pieridae) *Euchloe lucilla* Butler, 1886, Proc. zool. Soc. Lond. 1886: 376, Pl. 35 fig. 4. Syntypes: [Pakistan]: Campbellpore.
- 10261. *Euchloe (Elphinstonia) lucilla doveri Evans*, 1932** (Pieridae) *Euchloe charlonia doveri* Evans, 1932, Ident. Indian Butts. (2.edn.): 65. Syntypes ♂♀: [Pakistan]: Baluchistan.
- 10262. *Euchloe (Elphinstonia) lucilla lucilla Butler*, 1886** (Pieridae) *Euchloe lucilla* Butler, 1886, Proc. zool. Soc. Lond. 1886: 376, Pl. 35 fig. 4. Syntypes: [Pakistan]: Campbellpore.
- 10263. *Euchloe (Elphinstonia) lucilla pila Evans*, 1932** (Pieridae) *Euchloe charlonia pila* Evans, 1932, Ident. Indian Butts. (2.edn.): 65. Syntypes ♂♀: [Pakistan]: Baluchistan.
- 10264. *Euchloe (Elphinstonia) penia (Freyer, [1852])*** (Pieridae) *Pontia penia* Freyer, [1852], Neuere Beitr. Schmett. 6: 149-150, pl. 574, fig. 4.
- 10265. *Euchloe (Elphinstonia) penia penia (Freyer, [1852])*** (Pieridae) *Pontia penia* Freyer, [1852], Neuere Beitr. Schmett. 6: 149-150, pl. 574, fig. 4.
- 10266. *Euchloe (Elphinstonia) penia taleschicus Back & Leestmans*, 2001** (Pieridae) *Euchloe penia* ssp. *taleschicus* Back & Leestmans, 2001, Linneana Belg. 18 (4): 193-194, figs. Holotype ♂: Iran: Zanjan: Mt. Tales, 1300m, 19.iv.2001, leg. M. Ziayan (ZSMS).
- 10267. *Euchloe (Elphinstonia) penia thessalica Mezger*, 1936** (Pieridae) *Euchloe penia* var. *thessalica* Mezger, 1936, Lambillionea 36 (2): 35.
- 10268. *Euchloe (Elphinstonia) transcaspica (Staudinger, [1892])*** (Pieridae) *Anthocharis charlonia* var. *transcaspica* Staudinger, [1892], Dt. ent. Z., Iris 4: 229. Syntypes: [Turkmenistan]: Krasnowodsk, Achal-Tekke; [Iran]: Nord-Persien: Schahrud.
- 10269. *Euchloe (Elphinstonia) transcaspica amseli Gross & Ebert*, 1975** (Pieridae) *Euchloe charlonia* ssp. *amseli* Gross & Ebert, 1975, J. ent. Soc. Iran, Suppl. 1: 10, fig. 4. Holotype ♂: Iran: Fars: Dalaki, 130m (LNK).
- 10270. *Euchloe (Elphinstonia) transcaspica transcaspica (Staudinger, [1892])*** (Pieridae) *Anthocharis charlonia* var. *transcaspica* Staudinger, [1892], Dt. ent. Z., Iris 4: 229. Syntypes: [Turkmenistan]: Krasnowodsk, Achal-Tekke; [Iran]: Nord-Persien: Schahrud.
- 10271. *Euchloe (Elphinstonia) ziyani Leestmans & Back*, 2001** (Pieridae) *Euchloe ziyani* Leestmans & Back, 2001, Linneana Belg. 18 (3): 140-143, figs. Holotype ♂: Iran: NW. Iran: Zanjan Prov., Mt. Tales E., 1300m, 24 v 2000 leg. M. Ziayan (ZSMS).
- 10272. *Euchloe (Elphinstonia) ziyani ziyani Leestmans & Back*, 2001** (Pieridae) *Euchloe ziyani* Leestmans & Back, 2001, Linneana Belg. 18 (3): 140-143, figs. Holotype ♂: Iran: NW. Iran: Zanjan Prov., Mt. Tales E., 1300m, 24 v 2000 leg. M. Ziayan (ZSMS).
- 10273. *Euchloe (s.str.) Hübner*, [1819]** (Pieridae) *Euchloe Hübner*, [1819], Verz. bekannt. Schmett. (66): 94. Type-species: *Euchloe ausonia* var. *esper* Kirby, 1871, Syn. Cat. diurn. Lep.: 506, by subsequent designation by ICZN, Op. 177.
- 10274. *Euchloe (s.str.) aegyptiaca Verity*, [1911]** (Pieridae) *Euchloe belia* race *aegyptiaca* Verity, [1911], Rhopalocera Palaearctica: 337, pl. 67, figs. 28, 29. Syntypes: Egypt: Wadi Hof at Heluan.
- 10275. *Euchloe (s.str.) aegyptiaca aegyptiaca Verity*, [1911]** (Pieridae) *Euchloe belia* race *aegyptiaca* Verity, [1911], Rhopalocera Palaearctica: 337, pl. 67, figs. 28, 29. Syntypes: Egypt: Wadi Hof at Heluan.
- 10276. *Euchloe (s.str.) ausonia (Hübner, [1804])*** (Pieridae) *Papilio ausonia* Hübner, [1804], Samml. eur. Schmett. 1: pl. 113, figs. 582-583; 64-65. Syntypes: Italien.
- 10277. *Euchloe (s.str.) ausonia ausonia (Hübner, [1804])*** (Pieridae) *Papilio ausonia* Hübner, [1804], Samml. eur. Schmett. 1: pl. 113, figs. 582-583; 64-65. Syntypes: Italien.
- 10278. *Euchloe (s.str.) ausonia dubatolovi Korshunov*, 1995** (Pieridae) *Euchloe ausonia* ssp. *dubatolovi* Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 62. Holotype: Russia: Altay: Katuna Mountain Range, 15km SW Katanda, Kouragane-Koutcherla 2300m.
- 10279. *Euchloe (s.str.) ausonia pulverata (Christoph, 1884)*** (Pieridae) *Anthocharis belia* var. *pulverata* Christoph, 1884, [in] Romanoff, Mém. Lépid. 1: 99. Syntypes: [Turkmenistan]: Askhabad, Kysyl-Arvat [Kopet Dagh].
- 10280. *Euchloe (s.str.) ausonia taurica Röber*, [1907]** (Pieridae) *Euchloe belia* f. *taurica* Röber, [1907], [in] Seitz, A., Die Gross-Schmett. Erde 1: 52, Taf. 22c. Type(s): [Türkei]: "cilicischen Taurus (südliches Klein-Asien) (Typenmaterial verschollen).
- 10281. *Euchloe (s.str.) ausonia volgensis Krulikowsky*, 1897** (Pieridae) *Euchloe belia* var. *volgensis* Krulikowsky, 1897, Trudy Saratov. obshchestva estestvoipyatatelei i lyubitelei pridrody 1: 36. Type(s): Russia: Volga, Saratow.
- 10282. *Euchloe (s.str.) belemia (Esper, [1800])*** (Pieridae) *Papilio belemia* Esper, [1800], Die Schmett. (Suppl.) 1(1): 92, pl. 110, fig. 2.
- 10283. *Euchloe (s.str.) belemia abyssinica Riley*, 1928** (Pieridae) *Euchloe belemia* ssp. *abyssinica* Riley, 1928, Entomologist 61: 136. Holotype ♂: [Ethiopia]: Abyssinia: Mt. Chillalo, 8000ft. (BMNH).

- 10284. *Euchloe (s.str.) belemia belemia* (Esper,[1800])** (Pieridae) *Papilio belemia* Esper,[1800], Die Schmett. (Suppl.) 1(1): 92, pl.110, fig. 2.
- 10285. *Euchloe (s.str.) belemia distincta* Röber,[1907]** (Pieridae) *Euchloe belemia f. distincta* Röber,[1907], [in] Seitz,A., Die Gross-Schmett. Erde 1: 51. Type(s): Algier: Philippeville.
- 10286. *Euchloe (s.str.) belemia palaestinensis* Röber,[1907]** (Pieridae) *Euchloe belemia f. palaestinensis* Röber, [1907], [in] Seitz,A., Gross-Schmett. Erde. 1: 51. Type(s): Palästina.
- 10287. *Euchloe (s.str.) crameri* Butler,1869** (Pieridae) *Euchloe crameri* Butler,1869, Entomologist's mon. Mag. 5: 271, nr.2. Type(s): South Europe [S.Spain] (obtained from J.J.Becker) (BMNH).
- 10288. *Euchloe (s.str.) crameri crameri* Butler,1869** (Pieridae) *Euchloe crameri* Butler,1869, Entomologist's mon. Mag. 5: 271, nr.2. Type(s): South Europe [S.Spain] (obtained from J.J.Becker) (BMNH).
- 10289. *Euchloe (s.str.) crameri esperi* Kirby,1871** (Pieridae) *Euchloe ausonia* var. *esperi* Kirby,1871, Synonymic Catalogue of Diurnal Lepidoptera: 506 (nomen novum pro *Papilio belia* Esper nec Linnaeus). Syntypes: "Europa mer. occ., Africa bor.".
- 10290. *Euchloe (s.str.) crameri lybica* Turati,1917** (Pieridae) *Euchloe ausonia lybica* Turati,1917, Bull. Soc. ent. Fr. 1917: 161. Syntypes: Libya: Benghazi.
- 10291. *Euchloe (s.str.) crameri mauretanica* Röber,[1907]** (Pieridae) *Euchloe tagis f. mauretanica* Röber, [1907], [in] Seitz,A., Die Gross-Schmett. Erde. 1: 53, 22d. Type(s): Algier.
- 10292. *Euchloe (s.str.) crameri melanochloros* Röber,[1907]** (Pieridae) *Euchloe crameri f. melanochloros* Röber,[1907], [in] Seitz,A., Die Gross-Schmett. Erde 1:52. Type(s): Algier: Batna.
- 10293. *Euchloe (s.str.) creusa* (Doubleday & Hewitson,1847)** (Pieridae) *Anthocharis creusa* Doubleday & Hewitson,1847, Gen. diurn. Lepid. 1: pl.7, fig.1. Type(s): [Canada]: Rocky Mountains, vic. Banff, Alberta (BMNH?).
- 10294. *Euchloe (s.str.) creusa creusa* (Doubleday & Hewitson,1847)** (Pieridae) *Anthocharis creusa* Doubleday & Hewitson,1847, Gen. diurn. Lepid. 1: pl.7, fig.1. Type(s): [Canada]: Rocky Mountains, vic. Banff, Alberta (BMNH?).
- 10295. *Euchloe (s.str.) creusa kurentzovi* Beljaev,1986** (Pieridae) *Euchloe creusa* ssp. *kurentzovi* Beljaev,1986, Sistematika i ekologiya cheshuekrylykh Dalnego VostokaSSSR: 117.
- 10296. *Euchloe (s.str.) creusa nemoralis* Beljaev,1986** (Pieridae) *Euchloe creusa* ssp. *nemoralis* Beljaev,1986, Sistematika i ekologiya cheshuekrylykh Dalnego VostokaSSSR: 117.
- 10297. *Euchloe (s.str.) creusa orientalis* (Bremer,1864)** (Pieridae) *Anthocharis belemida* var. *orientalis* Bremer,1864, Mém. Acad. imp. Sci. St. Petersburg. 8: 8. Type(s): Amur.
- 10298. *Euchloe (s.str.) daphalis* (Moore,1865)** (Pieridae) *Anthocharis daphalis* Moore,1865, Proc. zool. Soc. London 35: 491, pl.31 fig.14. Type: [India]: Middle Kunawur.
- 10299. *Euchloe (s.str.) daphalis daphalis* (Moore,1865)** (Pieridae) *Anthocharis daphalis* Moore,1865, Proc. zool. Soc. London 35: 491, pl.31 fig.14. Type: [India]: Middle Kunawur.
- 10300. *Euchloe (s.str.) falloui* (Allard,1867)** (Pieridae) *Anthocharis falloui* Allard, 1867, Anns Soc. ent. Fr. 1867: 312, 318, pl.6 fig.1. Type(s): Algérie, Biskra.
- 10301. *Euchloe (s.str.) falloui fairuzae* Tarrier,1996** (Pieridae) *Euchloe falloui* ssp. *fairuzae* Tarrier,1996, Alexanor 19(4): 195-198, figs. Holotype ♂: Maroc: Tiz-n-Tiniffit, djebel Sarrho, 1600m (ISR)
- 10302. *Euchloe (s.str.) falloui falloui* (Allard,1867)** (Pieridae) *Anthocharis falloui* Allard, 1867, Anns Soc. ent. Fr. 1867: 312, 318, pl.6 fig.1. Type(s): Algérie, Biskra.
- 10303. *Euchloe (s.str.) falloui saudi* T.Larsen,1983** (Pieridae) *Euchloe falloui* ssp. *saudi* Larsen,1983, Fauna Saudi Arabia 5: 353, pl.1 figs.1-3. Holotype ♂: Saudi Arabia: Riyadh Area.
- 10304. *Euchloe (s.str.) insularis* (Staudinger,1861)** (Pieridae) *Anthocharis tagis* var. *insularis* Staudinger,1861, Cat. lepid. Eur. 1: 2 (nomen novum pro *tagis* Rambur nec Hbn.). Syntypes: Sardinia, Corsica.
- 10305. *Euchloe (s.str.) insularis insularis* (Staudinger,1861)** (Pieridae) *Anthocharis tagis* var. *insularis* Staudinger,1861, Cat. lepid. Eur. 1: 2 (nomen novum pro *tagis* Rambur nec Hbn.). Syntypes: Sardinia, Corsica.
- 10306. *Euchloe (s.str.) naina* Kozhantshikov,1923** (Pieridae) *Euchloe belia* ssp. *naina* Kozhantshikov,1923, Jb. Staatsmus. Minussinsk 1: 3. Type(s): Russia: Sajan Gebirge bei Minussinsk.
- 10307. *Euchloe (s.str.) naina irina* Dubatolov & Kosterin,1994** (Pieridae) *Euchloe naina* ssp. *irina* Dubatolov & Kosterin,1994, Atalanta 25(3/4): 514-519, figs. Holotype ♂: S.E. Kazakhstan: Dzhungarian Alatau, 40-50km E.NE. of the city Tekeli, 2100-3100m., upper part of the Karai valley.
- 10308. *Euchloe (s.str.) naina kusnezovi* Korshunov,1995** (Pieridae) *Euchloe naina* ssp. *kusnezovi* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 63. Holotype: Russia: Yenissei river, Irbo-Keta.
- 10309. *Euchloe (s.str.) naina naina* Kozhantshikov,1923** (Pieridae) *Euchloe belia* ssp. *naina* Kozhantshikov,1923, Jb. Staatsmus. Minussinsk 1: 3. Type(s): Russia: Sajan Gebirge bei Minussinsk.
- 10310. *Euchloe (s.str.) simplonia* (Freyer,1829)** (Pieridae) *Pontia simplonia* Freyer,1829, Beitr. Schmett. 2: taf.73 fig.2. Type(s): ? Croatia.
- 10311. *Euchloe (s.str.) simplonia simplonia* (Freyer,1829)** (Pieridae) *Pontia simplonia* Freyer,1829, Beitr. Schmett. 2: taf.73 fig.2. Type(s): ? Croatia.
- 10312. *Euchloe (s.str.) tagis* (Hübner,[1804])** (Pieridae) *Papilio tagis* Hübner,[1804], Samml. eur. Schmett. 1: pl.110 figs. 565, 566. Syntypes(s): Europa.
- 10313. *Euchloe (s.str.) tagis bellezina* (Boisduval,1829)** (Pieridae) *Pieris bellezina* Boisduval,1829, Ind. Meth.: 9. Type(s): Gallia mer.
- 10314. *Euchloe (s.str.) tagis calvensis* Casini,1993** (Pieridae) *Euchloe tagis* ssp. *calvensis* Casini,1993, Linneana Belg. 14 (1): 3-14.
- 10315. *Euchloe (s.str.) tagis piemonti* Back,2001** (Pieridae) *Euchloe tagis* ssp. *piemonti* Back,2001, Atalanta 32 (1/2): 100, pl.3-4. Holotype ♂: Italia: Piemonte: Andorno: Valdieri, 800m. (EMEM).
- 10316. *Euchloe (s.str.) tagis reisseri* (Back & Reissinger,1989)** (Pieridae) *Euchloe tagis* ssp. *reisseri* Back & Reissinger,1989, Nota lepid. 12: 86-102. Holotype ♂: Marocco: Rif Gebirge.
- 10317. *Euchloe (s.str.) tagis tagis* (Hübner,[1804])** (Pieridae) *Papilio tagis* Hübner,[1804], Samml. eur. Schmett. 1: pl.110 figs. 565, 566. Syntypes(s): Europa.
- 10318. *Euchloe Hübner,[1819]*** (Pieridae) *Euchloe Hübner*,[1819], Verz. bekannt. Schmett. (66):94. Type-species: *Euchloe ausonia* var. *esperi* Kirby,1871, Syn. Cat. diurn. Lep.: 506, by subsequent designation by ICZN, Op.177.
- 10319. *Eurema (Terias) Swainson,[1821]*** (Pieridae) *Terias Swainson*,[1821], Zool. Illustr. (1) 1: pl.22. Type-species: *Papilio hecabe* Linnaeus,1758, by original designation.
- 10320. *Eurema (Terias) hecabe* (Linnaeus,1758)** (Pieridae) *Papilio hecabe* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 470. Type(s): Asia.
- 10321. *Eurema (Terias) hecabe blairiana* (Moore,1906)** (Pieridae) *Terias blairiana* Moore,1906, Lepid. Ind.: 75, pl. 575 figs.1,1a. Syntypes: Andamans.
- 10322. *Eurema (Terias) hecabe contubernalis* (Moore,1886)** (Pieridae) *Terias contubernalis* Moore,1886, 46. Syntypes: Mergui.
- 10323. *Eurema (Terias) hecabe fimbriata* (Wallace,1867)** (Pieridae) *Terias fimbriata* Wallace,1867, Trans. ent. Soc. London (3) 4: 323, nr.16. Syntypes: India bor.
- 10324. *Eurema (Terias) hecabe hecabe* (Linnaeus,1758)** (Pieridae) *Papilio hecabe* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 470. Type(s): Asia.
- 10325. *Eurema (Terias) hecabe mandarina* (L'Orza,1869)** (Pieridae) *Terias mandarina* L'Orza,1869, Lépid. Japon.: 18. Syntypes: Japonia.
- 10326. *Eurema (Terias) hecabe nicobariensis* (C.Felder,1862)** (Pieridae) *Terias nicobariensis* C.Felder,1862, Verh. zool.- bot. Ges. Wien 12: 480. Syntypes: Nicobar Is.
- 10327. *Eurema (Terias) hecabe simulata* (Moore,1881)** (Pieridae) *Terias simulata* Moore,1881, Lepid. Ceylon 1: 119, pl.xlv figs. 2,2a-b. Syntypes: [Sri Lanka]: Ceylon.
- 10328. *Eurema (Terias) hecabe solifera* (Butler,1875)** (Pieridae) *Terias solifera* Butler,1875, Ann. Mag. nat. Hist. 15(4): 396. Syntypes: Angola: Ambriz; Nigeria: Old Calabar.
- 10329. *Eurema (s.str.) Hübner,[1819]*** (Pieridae) *Eurema Hübner*,[1819], Verz. bekannt. Schmett. (6): 96. Type-species: *Papilio delia* Cramer,[1780], Utitl. Kapellen 3(23): 144, Pl.273, fig.A, by subsequent designation by Butler,1870, Cistula ent. 1: 35.
- 10330. *Eurema (s.str.) brigitta* (Stoll,[1780])** (Pieridae) *Papilio brigitta* Stoll,[1780], [in] Cramer, Utitl. Kapellen 4: pl.331, figs. B-C.
- 10331. *Eurema (s.str.) brigitta brigitta* (Stoll,[1780])** (Pieridae) *Papilio brigitta* Stoll,[1780], [in] Cramer, Utitl. Kapellen 4: pl.331, figs. B-C.
- 10332. *Eurema (s.str.) brigitta rubella* (Wallace,1867)** (Pieridae) *Terias rubella* Wallace,1867, Trans. ent. Soc. London (3) 4: 323, nr.15. Syntypes: India, China.
- 10333. *Eurema (s.str.) laeta* (Boisduval,1836)** (Pieridae) *Terias laeta* Boisduval,1836, Hist. Nat. Ins., Sp. Gén. Lép. 1: 674, nr.36. Type(s): India borealis. Lectotype ♂: "Laeta B. sp. Bengalica", designated by Talbot,1943, Ann. Mag. nat. Hist. (11) 10: 139 (BMNH).
- 10334. *Eurema (s.str.) laeta laeta* (Boisduval,1836)** (Pieridae) *Terias laeta* Boisduval,1836, Hist. Nat. Ins., Sp. Gén. Lép. 1: 674, nr.36.

Type(s): India borealis. Lectotype ♂: "Laeta B. sp. Bengalia", designated by Talbot, 1943, Ann. Mag. nat. Hist. (11) 10: 139 (BMNH).

10335. *Eurema Hübner*, [1819] (Pieridae) *Eurema Hübner*, [1819], Verz. bekannt. Schmett. (6): 96. Type-species: *Papilio delia* Cramer, [1780], Utitl. Kapellen 3(23): 144, Pl. 273, fig. A, by subsequent designation by Butler, 1870, Cistula ent. 1: 35.

10336. *Eurema novapallida* Yata, 1992 (Pieridae) *Eurema novapallida* Yata, 1992, Bull. Kitakyushu Mus. nat. Hist. 11: 62, pl. 26 figs. 5-8, pl. 27 figs. 1-2. Type: S. Vietnam: Bobla.

10337. *Eurema novapallida novapallida* Yata, 1992 (Pieridae) *Eurema novapallida* Yata, 1992, Bull. Kitakyushu Mus. nat. Hist. 11: 62, pl. 26 figs. 5-8, pl. 27 figs. 1-2. Type: S. Vietnam: Bobla.

10338. *Eurema sari sodalis* Moore, 1886 (Pieridae) *Eurema sari* ssp. *sodalis* Moore, 1886, J. linn. Soc. (Zool.) 21: 45. Syntypes ♂♀.

10339. *Gandaca harina burmana* Moore, [1906] (Pieridae) *Gandaca harina burmana* Moore, [1906], Lepid. Ind. 7: 34, figs. Type: Burma.

10340. *Gideona Klots*, 1933 (Pieridae) *Gideona Klots*, 1933, Ent. am., Brooklyn (n.s.) 12 (3): 153, 196. Type-species: *Callidryas lucasi* Grandidier, 1867, by original designation.

10341. *Gonepteryx (Isogonepteryx) Nekrutenko*, 1968 (Pieridae) *Isogonepteryx* Nekrutenko, 1968, Phylogeny and geographical distribution of the genus *Gonepteryx*: 27, 46-47. Type-species: *Papilio cleopatra* Linnaeus, 1767, Systema Naturae (Edn. 12) 1(2): 105, by original designation.

10342. *Gonepteryx (Isogonepteryx) cleobule* (Hübner, [1825]) (Pieridae) *Anteos cleobule* Hübner, [1825], Zutr. Samml. exot. Schmett.: 17-18. Syntypes: Canary Isl.

10343. *Gonepteryx (Isogonepteryx) cleobule cleobule* (Hübner, [1825]) (Pieridae) *Anteos cleobule* Hübner, [1825], Zutr. Samml. exot. Schmett.: 17-18. Syntypes: Canary Isl.

10344. *Gonepteryx (Isogonepteryx) cleobule eversi* Rehnelt, 1974 (Pieridae) *Gonepteryx eversi* Rehnelt, 1974, Ent. Z., Frankf. a. M. 84: 51-52. Holotype ♂: Gomera.

10345. *Gonepteryx (Isogonepteryx) cleopatra* (Linnaeus, 1767) (Pieridae) *Papilio cleopatra* Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 765. Type(s): Algeria.

10346. *Gonepteryx (Isogonepteryx) cleopatra cleopatra* (Linnaeus, 1767) (Pieridae) *Papilio cleopatra* Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 765. Type(s): Algeria.

10347. *Gonepteryx (Isogonepteryx) cleopatra fiorii* Turati & Fiori, 1930 (Pieridae) *Gonepteryx cleopatra fiorii* Turati & Fiori, 1930, Mem. Soc. ent. ital. 9: 199. Syntypes: Rhodos.

10348. *Gonepteryx (Isogonepteryx) cleopatra italica* (Gerhard, 1882) (Pieridae) *Rhodocera cleopatra italica* Gerhard, 1882, Berl. ent. Z. 26: 25. Syntypes: Italia, Dalmatia.

10349. *Gonepteryx (Isogonepteryx) cleopatra mauretanica* Röber, [1907] (Pieridae) *Gonepteryx cleopatra f. mauretanica* Röber, [1907], [in] Seitz, Gross-Schmett. Erde 1: 71. Type(s): Algerien: Süd-Alger: Batna.

10350. *Gonepteryx (Isogonepteryx) cleopatra petronella* De Freina, 1977 (Pieridae) *Gonepteryx cleopatra* ssp. *petronella* De Freina, 1977, Atalanta 8(4): 273-276, figs. Holotype ♂: Spain: Balear Isl.: Ibiza Island (Pityusen).

10351. *Gonepteryx (Isogonepteryx) cleopatra rosei* Gross, 1973 (Pieridae) *Gonepteryx cleopatra* ssp. *rosei* Gross, 1973, Ent. Z., Frankf. a. M. 83: 261-262. Holotype ♂: Kanarische Inseln: Teneriff.

10352. *Gonepteryx (Isogonepteryx) cleopatra taurica* (Staudinger, 1881) (Pieridae) *Rhodocera cleopatra* var. *taurica* Staudinger, 1881, Horae Soc. ent. ross. 16: 65. Type(s): [Türkei]: Taurus.

10353. *Gonepteryx (Isogonepteryx) maderensis* Felder, 1862 (Pieridae) *Gonepteryx cleopatra* var. *maderensis* Felder, 1862, Verh. zool.-bot. Ges. Wien 12: 473. Syntypes: Madeira.

10354. *Gonepteryx (Isogonepteryx) maderensis maderensis* Felder, 1862 (Pieridae) *Gonepteryx cleopatra* var. *maderensis* Felder, 1862, Verh. zool.-bot. Ges. Wien 12: 473. Syntypes: Madeira.

10355. *Gonepteryx (Isogonepteryx) palmae* Stamm, 1963 (Pieridae) *Gonepteryx cleopatra* ssp. *palmae* Stamm, 1963, Ent. Z., Frankf. a. M. 73: 49. Holotype ♂: la Palma.

10356. *Gonepteryx (Isogonepteryx) palmae palmae* Stamm, 1963 (Pieridae) *Gonepteryx cleopatra* ssp. *palmae* Stamm, 1963, Ent. Z., Frankf. a. M. 73: 49. Holotype ♂: la Palma.

10357. *Gonepteryx (s.str.) aspasia* (Ménétriés, 1859) (Pieridae) *Rhodocera aspasia* Ménétriés, 1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 17, Taf. 1 fig. 8. Syntypes ♂♀: Russia: Amur, Oussuri.

10358. *Gonepteryx (s.str.) aspasia aspasia* (Ménétriés, 1859) (Pieridae) *Rhodocera aspasia* Ménétriés, 1859, [in] Schrenck, Reisen

Forsch. im Amur-Lande 2(1): 17, Taf. 1 fig. 8. Syntypes ♂♀: Russia: Amur, Oussuri.

10359. *Gonepteryx (s.str.) aspasia kansuensis* (Murayama, 1965) (Pieridae) *Gonepteryx mahaguru* ssp. *kansuensis* Murayama, 1965, New Entomologist 14: 60-62. Holotype: China: Kuenlung mts.: Nanshan: Hsio.

10360. *Gonepteryx (s.str.) chitralensis* (Moore, 1905) (Pieridae) *Colias chitralensis* Moore, 1905, Lepid. Indica 7: 27. Type(s): [Pakistan]: Chitral.

10361. *Gonepteryx (s.str.) chitralensis chitralensis* (Moore, 1905) (Pieridae) *Colias chitralensis* Moore, 1905, Lepid. Indica 7: 27. Type(s): [Pakistan]: Chitral.

10362. *Gonepteryx (s.str.) farinosa* (Zeller, 1847) (Pieridae) *Rhodocera farinosa* Zeller, 1847, Isis 1847(1): 5. Type ♂: [Turkey]: Makri [=Fethiye].

10363. *Gonepteryx (s.str.) farinosa farinosa* (Zeller, 1847) (Pieridae) *Rhodocera farinosa* Zeller, 1847, Isis 1847(1): 5. Type ♂: [Turkey]: Makri [=Fethiye].

10364. *Gonepteryx (s.str.) farinosa meridiorana* De Freina, 1983 (Pieridae) *Gonepteryx farinosa* ssp. *meridiorana* de Freina, 1983, Mitt. münch. ent. Ges. 72: 33-34, figs. Holotype ♂: [Iran]: 10km nordw. Ardekan, 2500m.

10365. *Gonepteryx (s.str.) farinosa turcirana* De Freina, 1983 (Pieridae) *Gonepteryx farinosa* ssp. *turcirana* de Freina, 1983, Mitt. münch. ent. Ges. 72: 32-33, figs. Holotype ♂: [Türkei]: Kleinasien: Amasya, 400-1100m.

10366. *Gonepteryx (s.str.) mahaguru* (Gistel, 1857) (Pieridae) *Rhodovera* [sic] *mahaguru* Gistel, 1857, Vacuna 2: 605. Type(s): Himalaya.

10367. *Gonepteryx (s.str.) mahaguru mahaguru* (Gistel, 1857) (Pieridae) *Rhodovera* [sic] *mahaguru* Gistel, 1857, Vacuna 2: 605. Type(s): Himalaya.

10368. *Gonepteryx (s.str.) maxima* (Butler, 1885) (Pieridae) *Rhodocera maxima* Butler, 1885, Ann. Mag. nat. Hist. (5) 15: 407. Syntypes: Japan.

10369. *Gonepteryx (s.str.) maxima amurensis* (Graeser, 1888) (Pieridae) *Rhodocera rhamni amurensis* Graeser, 1888, Berl. ent. Z. 32: 69-70. Syntypes: Russia: Amurland, Ussuri.

10370. *Gonepteryx (s.str.) maxima major* Kudrna, 1975 (Pieridae) *Gonepteryx maxima* ssp. *major* Kudrna, 1975, Entomologist's Gaz. 26: 18-19. Syntypes: China: Szechwan (BMNH).

10371. *Gonepteryx (s.str.) maxima maxima* (Butler, 1885) (Pieridae) *Rhodocera maxima* Butler, 1885, Ann. Mag. nat. Hist. (5) 15: 407. Syntypes: Japan.

10372. *Gonepteryx (s.str.) rhamni* (Linnaeus, 1758) (Pieridae) *Papilio rhamni* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 470. Syntypes: Europe, Africa.

10373. *Gonepteryx (s.str.) rhamni kurdistanica* De Freina, 1990 (Pieridae) *Gonepteryx rhamni* ssp. *kurdistanica* De Freina, 1990, Mitt. münch. ent. Ges. 79 (1989): 113, figs. Holotype ♂: Turkey: Hakkari Pr. Hakkari 2200m (in coll. de Freina).

10374. *Gonepteryx (s.str.) rhamni meridionalis* Röber, 1907 (Pieridae) *Gonepteryx rhamni f. meridionalis* Röber, 1907, [in] Seitz, A., Die Gross-Schmett. Erde 1: 60-61. Syntypes: [Algeria & Türkei]: "südlichen Teile des Gebiets (Alger und südliches Klein-Asien)".

10375. *Gonepteryx (s.str.) rhamni miljanowskii* Nekrutenko, 1966 (Pieridae) *Gonepteryx rhamni* ssp. *miljanowskii* Nekrutenko, 1966, Z. Wien. ent. Ges. 51: 44-47, figs. Holotype ♂: [Georgia]: Suchumi (Abchasien).

10376. *Gonepteryx (s.str.) rhamni nepalensis* Doubleday, 1847 (Pieridae) *Gonepteryx nepalensis* Doubleday, 1847, Genera of Diurnal Lepidoptera 1: 71. Type: India.

10377. *Gonepteryx (s.str.) rhamni rhamni* (Linnaeus, 1758) (Pieridae) *Papilio rhamni* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 470. Syntypes: Europe, Africa.

10378. *Gonepteryx (s.str.) rhamni tianshanica* Nekrutenko, 1970 (Pieridae) *Gonepteryx rhamni* ssp. *tianshanica* Nekrutenko, 1970, J. lepid. Soc. 24: 218-220. Holotype ♂: [Kazachstan]: Pravy Talgar in Tian-Shan [Tengri Tagh].

10379. *Gonepteryx (s.str.) rhamni transiens* Verity, 1913 (Pieridae) *Gonepteryx rhamni transiens* Verity, 1913, J. linn. Soc., Zool. 32: 180. Syntypes: Italia: Toscana.

10380. *Gonepteryx* [Leach], [1815] (Pieridae) *Gonepteryx* [Leach], [1815], [in] Brewster Edinburgh Encycl. 9(1): 127. Type-species: *Papilio rhamni* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 470, by monotypy.

- 10381. *Hebomoia Hübner*, [1819] (Pieridae)** *Hebomoia Hübner*, [1819], Verz. bekannt. Schmett. (6): 96. Type-species: *Papilio glaucippe* Linnaeus, 1758, Syst. Nat. (Ed.10) 1: 469, by subsequent designation by Butler, 1870, Cistula ent. 1: 48.
- 10382. *Hebomoia glaucippe bohollensis Fruhstorfer*, 1911 (Pieridae)** *Hebomoia glaucippe* ssp. *bohollensis* Fruhstorfer, 1911, Ent. Rdsch. 28(24): 188. Syntypes ♂♂: [Philippinen]: Bohol.
- 10383. *Ixias Hübner*, [1819] (Pieridae)** *Ixias Hübner*, [1819], Verz. bekannt. Schmett. (6): 95. Type-species: *Papilio pyrene* Linnaeus, 1764, Mus. Lud. Ulr.: 241, by subsequent designation by Butler, 1870, Cistula ent. 1: 48.
- 10384. *Ixias kuehni Röber*, 1892 (Pieridae)** *Ixias kühni* Röber, 1892, Tijdschr. Ent. 34: 287; *ibid.* 35: pl.4 figs.3,4. Type: [Indonesia]: Wetter (BMNH).
- 10385. *Ixias marianne (Cramer)*, [1779] (Pieridae)** *Papilio marianne* Cramer, [1779], Uitl. Kapellen 3: 41, pl.217 figs.C,D,E.
- 10386. *Ixias pyrene (Linnaeus)*, 1764 (Pieridae)** *Papilio pyrene* Linnaeus, 1764, Museum Ludovicae Ulricae: 241. Type(s): China.
- 10387. *Ixias pyrene birdi Distant*, 1883 (Pieridae)** *Ixias birdi* Distant, 1883, Ann. Mag. nat. Hist. (5) 12: 351. Type ♂: Malaysia: Perak.
- 10388. *Ixias pyrene insignis Butler*, 1879 (Pieridae)** *Ixias insignis* Butler, 1879, Cist. Ent. 2: 431, pl.viii fig.1. Type ♂: [Taiwan]: Formosa (BMNH).
- 10389. *Ixias pyrene pyrene (Linnaeus)*, 1764 (Pieridae)** *Papilio pyrene* Linnaeus, 1764, Museum Ludovicae Ulricae: 241. Type(s): China.
- 10390. *Ixias pyrene satadra Moore*, 1877 (Pieridae)** *Ixias satadra* Moore, 1877, Ann. Mag. nat. Hist. 20: 50.
- 10391. *Ixias pyrene verna Druce*, 1874 (Pieridae)** *Ixias verna* Druce, 1874, Proc. zool. Soc. London 1874: 108, pl.xvi figs.5,6. Type: [Myanmar]: Burma, High Island, Mergui (BMNH).
- 10392. *Ixias reinwardtii (Vollenhoven)*, 1860 (Pieridae)** *Thestias reinwardtii* Vollenhoven, 1860, Tijdschr. Ent. 3: 125.
- 10393. *Ixias vollenhovii (Wallace)*, 1867 (Pieridae)** *Thestias vollenhovii* Wallace, 1867, Trans. ent. Soc. London (3) 4: 393.
- 10394. *Leptidea Billberg*, 1820 (Pieridae)** *Leptidea Billberg*, 1820, Enum. Ins. Mus. Billb.: 76. Type-species: *Papilio sinapis* Linnaeus, 1758, Syst. Nat. (Ed.10) 1: 468, by monotypy.
- 10395. *Leptidea amurensis (Ménétriés)*, 1858 (Pieridae)** *Leucophasia amurensis* Ménétriés, 1858, Bull. phys. math. Acad. imp. Sci. St. Pétersburg (ser.2) 17: 213. Type(s): Russia: Amoorland.
- 10396. *Leptidea amurensis amurensis (Ménétriés)*, 1858 (Pieridae)** *Leucophasia amurensis* Ménétriés, 1858, Bull. phys. math. Acad. imp. Sci. St. Pétersburg (ser.2) 17: 213. Type(s): Russia: Amoorland.
- 10397. *Leptidea amurensis emisinapis Verity*, 1911 (Pieridae)** *Leptidea amurensis* race *emisinapis* Verity, 1911, Rhopal. palaeart.: 345. Syntypes 1 ♂ 1 ♀: [Russia]: Irkutsk.
- 10398. *Leptidea amurensis jacutia Gorbunov & Korshunov*, 1995 (Pieridae)** *Leptidea amurensis* ssp. *jacutia* Gorbunov & Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 40. Holotype: Russia: Yakutia: Iakutsk: Botanical Garden.
- 10399. *Leptidea duponcheli (Staudinger)*, 1871 (Pieridae)** *Leucophasia daponcheli* Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 5. Syntypes: [France]: Gallia mer., Pedemont; [Turkey]: Bithynia, Pontus.
- 10400. *Leptidea duponcheli aestiva (Staudinger)*, 1878 (Pieridae)** *Leptidia* [sic!] *duponcheli* ssp. *lorkovici* Pfeiffer, 1932, Mitt. münch. ent. Ges. 22: 20, Taf.2 figs.13-18. Type ♂: [Turkey]: türkisch Nordsyrien: Marasch, 1200m.
- 10401. *Leptidea duponcheli duponcheli (Staudinger)*, 1871 (Pieridae)** *Leucophasia daponcheli* Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 5. Syntypes: [France]: Gallia mer., Pedemont; [Turkey]: Bithynia, Pontus.
- 10402. *Leptidea duponcheli xanthochroa Verity*, 1911 (Pieridae)** *Leptidea duponcheli* race *xanthochroa* Verity, 1911, Rhopal. palaeart.: 343. Syntypes: [Liban]: Syria: Cedres du Liban.
- 10403. *Leptidea morsei (Fenton)*, 1881 (Pieridae)** *Leptosia morsei* Fenton, 1881, Proc. zool. Soc. Lond. 1881: 855. Type: Japan.
- 10404. *Leptidea morsei major Lorkovic*, 1927 (Pieridae)** *Leptidea sinapis* ab. *major* Grund, 1905, Int. ent. Z. 19(26): 145-148. Type: [Croatia]: Agrams (=Zagreb) (infrasubsp. name!); *Leptidea major* Lorkovic, 1927, Acta ent. jugosl. 2(1): 11-16.
- 10405. *Leptidea morsei morsei Fenton*, 1881 (Pieridae)** *Leptosia morsei* Fenton, 1881, Proc. zool. Soc. Lond. 1881: 855. Type: Japan.
- 10406. *Leptidea reali Reissinger*, 1989 (Pieridae)** *Leptidea sinapis* ssp. *reali* Reissinger, 1989, Atalanta 20 (1/4): 173 (nomen novum pro *lorkovicii* Reissinger, 1988 nec *lorkovici* Pfeiffer, 1932). Holotype : N. Spanien: Pyrénées or., Nohèdes, La Montilla.
- 10407. *Leptidea reali reali Reissinger*, 1989 (Pieridae)** *Leptidea sinapis* ssp. *reali* Reissinger, 1989, Atalanta 20 (1/4): 173 (nomen novum pro *lorkovicii* Reissinger, 1988 nec *lorkovici* Pfeiffer, 1932). Holotype : N. Spanien: Pyrénées or., Nohèdes, La Montilla.
- 10408. *Leptidea sinapis (Linnaeus)*, 1758 (Pieridae)** *Papilio sinapis* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 468. Type(s): [Europe].
- 10409. *Leptidea sinapis corsica Verity*, 1911 (Pieridae)** *Leptidea duponcheli* race *corsica* Verity, 1911, Rhopal. palaeart.: 343. Syntypes: [France]: Corsica.
- 10410. *Leptidea sinapis diniensis (Boisduval)*, 1840 (Pieridae)** *Leucophasia sinapis* var. *diniensis* Boisduval, 1840, genera Index Meth.: 6. Type(s): France: "Dinia" [Digne].
- 10411. *Leptidea sinapis koraicola Bryk*, 1946 (Pieridae)** *Leptidea sinapis* ssp. *koraicola* Bryk, 1946, Ark. Zool. 38A: 20-21, Taf.1 fig.B2. Holotype ♂: South Korea: Myokosan.
- 10412. *Leptidea sinapis melanoinspersa Verity*, [1911] (Pieridae)** *Leptidea sinapis sinapis melanoinspersa* Verity, [1911], Rhopalocera Palaeartica: 344. Type(s): Turkestan. (Nomenclaturally unavailable name and the taxonomical status needs investigation).
- 10413. *Leptidea sinapis sinapis (Linnaeus)*, 1758 (Pieridae)** *Papilio sinapis* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 468. Type(s): [Europe].
- 10414. *Leptosia Hübner*, [1818] (Pieridae)** *Leptosia Hübner*, [1818], Zutr. z. Samml. exot. Schmett. 1: 13. Type-species: *Leptosia chlorographa* Hübner, [1818], by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 204.
- 10415. *Mesapia Gray*, 1856 (Pieridae)** *Mesapia Gray*, 1856, List Specimens lepid. Insects Colln Br. Mus. 1: 92. Type-species: *Pieris peloria* Hewitson, [1853], by monotypy.
- 10416. *Mesapia peloria (Hewitson)*, [1853] (Pieridae)** *Pieris peloria* Hewitson, [1853], Ill. exot. Butts. 1: [8], pl. [4], figs. 15,16.
- 10417. *Mesapia peloria peloria (Hewitson)*, [1853] (Pieridae)** *Pieris peloria* Hewitson, [1853], Ill. exot. Butts. 1: [8], pl. [4], figs. 15,16.
- 10418. *Microzegrus Alpheraky*, 1913 (Pieridae)** *Microzegrus* Alpheraky, 1913, [in] Oberthür, Etüd. Lépid. comp. 7: 232. Type-species: *Pontia pyrothoe* Eversmann, 1832, Nouv. Mém. Soc. imp. Nat. Moscou 2: 352, Pl.20 figs. 3, 4, by monotypy.
- 10419. *Microzegrus pyrothoe (Eversmann)*, 1832 (Pieridae)** *Pontia pyrothoe* Eversmann, 1832, Mém. Soc. nat. Mosc. 8 (Nouv.Mém. 2): 352, pl.20, figs.3,4. Syntypes: [N. W. Kazachstan]: Indersk.
- 10420. *Microzegrus pyrothoe pyrothoe (Eversmann)*, 1832 (Pieridae)** *Pontia pyrothoe* Eversmann, 1832, Mém. Soc. nat. Mosc. 8 (Nouv.Mém. 2): 352, pl.20, figs.3,4. Syntypes: [N. W. Kazachstan]: Indersk.
- 10421. *Mylothris Hübner*, [1819] (Pieridae)** *Mylothris Hübner*, [1819], Verz. bekannt. Schmett. (6): 90. Type-species: *Papilio poppea* Cramer, [1777], Uitl. Kapellen 2(10): 21, Pl.110 fig.D, by subsequent designation by Butler, 1870, Cistula ent. 1: 42.
- 10422. *Mylothris arabicus Gabriel*, 1954 (Pieridae)** *Mylothris arabicus* Gabriel, 1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 364, pl.xviii figs.11,12. Holotype ♂: Yemen: Wadi Dhahr, 7900ft. (BMHN).
- 10423. *Mylothris arabicus arabicus Gabriel*, 1954 (Pieridae)** *Mylothris arabicus* Gabriel, 1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 364, pl.xviii figs.11,12. Holotype ♂: Yemen: Wadi Dhahr, 7900ft. (BMHN).
- 10424. *Mylothris ruepellii haemus (Trimen)*, 1879 (Pieridae)** *Pieris haemus* Trimen, 1879, Trans. ent. Soc. London 1879 (4): 342-344. Syntypes: South Africa: Cape Town: King William's Town, Natal: Durban, Kei R., Trans-Kei; Bashee R., Zambesi.
- 10425. *Nepheronia Butler*, 1870 (Pieridae)** *Nepheronia Butler*, 1870, Cistula ent. 1: 38, 53. Type-species: *Pieris idotea* Boisduval, [1836], (Roret's Suite a Buffon), Hist. nat. Ins., Spec. gén. Lépid. 1: 441, by original designation.
- 10426. *Nepheronia buquetii (Boisduval)*, 1836 (Pieridae)** *Callidryas buquetii* Boisduval, 1836, Hist. Nat. Ins., Sp. Gén. Lépid. 1: 607, nr.1. Type(s): Africa.
- 10427. *Nepheronia buquetii buehanani (Rothschild)*, 1921 (Pieridae)** *Eronia buquetii* ssp. *buehanani* Rothschild, 1921, Novit. zool. 28: 151. Type: Niger: Timia.
- 10428. *Nepheronia buquetii buquetii (Boisduval)*, 1836 (Pieridae)** *Callidryas buquetii* Boisduval, 1836, Hist. Nat. Ins., Sp. Gén. Lépid. 1: 607, nr.1. Type(s): Africa.
- 10429. *Nepheronia thalassina verulanus (Ward)*, 1871 (Pieridae)** *Eronia verulanus* Ward, 1871, Entomologist's mon. Mag. 8: 59. Type: "Camaroons".

- 10430. *Paramidea* Kuznetsov,1929** (Pieridae) *Paramidea* Kuznetsov,1929, Faune URSS, Ins., Lépid. 1 (2): 58, nota. Type-species: *Anthocharis scolymus* Butler,[1866], by original designation.
- 10431. *Paramidea scolymus* (Butler,[1866])** (Pieridae) *Anthocharis scolymus* Butler,[1866]; J. linn. Soc. Lond., Zool. 9: 52. Syntypes: Japan: Hakodadi [Hakodate, Hokkaido].
- 10432. *Paramidea scolymus mandschurica* (Bollow,1930)** (Pieridae) *Midea scolymus* ssp. *mandschurica* Bollow,1930, [in] Seitz, Die Gross-Schmett. Erde 1 (suppl.): 105. Syntypes ♂♂: [China]: "Mandschurei: Charbin".
- 10433. *Paramidea scolymus scolymus* (Butler,[1866])** (Pieridae) *Anthocharis scolymus* Butler,[1866]; J. linn. Soc. Lond., Zool. 9: 52. Syntypes: Japan: Hakodadi [Hakodate, Hokkaido].
- 10434. *Pareronia* Bingham,1907** (Pieridae) *Pareronia* Bingham,1907, Fauna Br. India, Butts. 2: 276. Type-species: *Papilio valeria* Cramer,[1776], selection through Section (i) of Article 67 (1961).
- 10435. *Piercolias Grote*,1903** (Pieridae) *Piercolias* Grote,1903, Canad. Ent. 35: 139. Type-species: *Trifurcula huanaco* Staudinger,1894, through Section (i) replacement names of Art.67.
- 10436. *Piercolias huanaco* (Staudinger,1894)** (Pieridae) *Trifurcula huanaco* Staudinger,1894, Dt. ent. Z., Iris 7(1): 43, 56-59, Taf.1 figs.7,16,18. Lectotype ♂: Bolivia: Prov. Ayopayo, Huallatani near Cocapata, designated by Field & Herrera,1977 (MKHUB).
- 10437. *Pieris* (Artogeia) Verity,1947** (Pieridae) *Artogeia* Verity,1947, Farfalle diurn. d'Ital. 3: 192, 193. Type-species: *Papilio napi* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 468, by original designation.
- 10438. *Pieris* (Artogeia) ajaka Moore,1865** (Pieridae) *Pieris* ajaka Moore,1865, Proc. zool. Soc. Lond. 1865: 490, Pl.31 fig.16. Syntypes: Kunawur.
- 10439. *Pieris* (Artogeia) ajaka ajaka Moore,1865** (Pieridae) *Pieris* ajaka Moore,1865, Proc. zool. Soc. Lond. 1865: 490, Pl.31 fig.16. Syntypes: Kunawur.
- 10440. *Pieris* (Artogeia) banghaasi Sheljuzhko,1910** (Pieridae) *Pieris* napi var. *banghaasi* Sheljuzhko,1910, Revue russk. Ent. 9: 385. Syntypes: [Kazachstan]: Tianschan [Tengri Tagh], Naryn.
- 10441. *Pieris* (Artogeia) banghaasi banghaasi Sheljuzhko,1910** (Pieridae) *Pieris* napi var. *banghaasi* Sheljuzhko,1910, Revue russk. Ent. 9: 385. Syntypes: [Kazachstan]: Tianschan [Tengri Tagh], Naryn.
- 10442. *Pieris* (Artogeia) banghaasi kirgizskana (Korb,2001)** (Pieridae) *Artogeia* banghaasi ssp. *kirgizskana* Korb,2001, Alexanor 21 (3): 151-152, fig. Holotype ♂: Kirghizie: chane Kirghize [Alexander Mts.]: vallée du Tchou-Kouourtchak, 2500m, leg. S.Korb (IZSP).
- 10443. *Pieris* (Artogeia) bowdeni Eitschberger,[1984]** (Pieridae) *Pieris* bowdeni Eitschberger,[1984], Herbiopoliana 1: 218-220, Taf. 325, 441, figs. 31-36; Taf. 443, figs.1-36; Taf.445 figs.1-8. Holotype ♂: Türkei: Iğdır: Aşağı Kent 2000-2400m (in coll. Eitschberger Museum).
- 10444. *Pieris* (Artogeia) bowdeni bowdeni Eitschberger,1984** (Pieridae) *Pieris* bowdeni Eitschberger,[1984], Herbiopoliana 1: 218-220, Taf. 325, 441, figs. 31-36; Taf. 443, figs.1-36; Taf.445 figs.1-8. Holotype ♂: Türkei: Iğdır: Aşağı Kent 2000-2400m (in coll. Eitschberger Museum).
- 10445. *Pieris* (Artogeia) bryoniae (Hübner,[1804])** (Pieridae) *Papilio bryoniae* Hübner,[1804], Samml. eur. Schmett. 1: 62, pl.81, fig.407.
- 10446. *Pieris* (Artogeia) bryoniae bryoniae (Hübner,[1804])** (Pieridae) *Papilio bryoniae* Hübner,[1804], Samml. eur. Schmett. 1: 62, pl.81, fig.407.
- 10447. *Pieris* (Artogeia) bryoniae debrosi Eitschberger,1986** (Pieridae) *Pieris* bryoniae ssp. *debrosi* Eitschberger,1986, Atalanta 16: 262-263, pl.2 figs.1-9. Holotype ♂: Foret de la Frasse, Jura F., Lajoux, 1350m (in coll. Eitschberger).
- 10448. *Pieris* (Artogeia) bryoniae goergneri Eitschberger,1986** (Pieridae) *Pieris* bryoniae ssp. *goergneri* Eitschberger,1986, Atalanta 16: 256-261, pl.1 figs.1-7. Holotype ♂: Türkei: Hakkari: Karadagh, 2900-3100m (in coll. Eitschberger).
- 10449. *Pieris* (Artogeia) bryoniae heptapotamica Krulikowsky,1904** (Pieridae) *Pieris* napi heptapotamica Krulikowsky,1904, Revue russk. Ent. 4: 90. Syntypes: [Kazachstan]: Semiretshje.
- 10450. *Pieris* (Artogeia) bryoniae lappona Rangnow,1935** (Pieridae) *Pieris* napi ssp. *lappona* Rangnow,1935, Ent. Rdsch. 52: 175-176. Lectotype ♂: Lappmark, Lufea.
- 10451. *Pieris* (Artogeia) bryoniae turcica Eitschberger & Hesselbarth,1977** (Pieridae) *Pieris* bryoniae ssp. *turcica* Eitschberger & Hesselbarth,1977, Atalanta 8(2): 148-150, figs. 1-6. Holotype ♂: Türkei: Çankiri: Ilgaz Pass, 1800m.
- 10452. *Pieris* (Artogeia) canidia (Sparrman,1768)** (Pieridae) *Papilio canidia* Sparrman,1768, Amoen. Acad. 7: 504, note m. Type(s): Regio Indica.
- 10453. *Pieris* (Artogeia) canidia canidia (Sparrman,1768)** (Pieridae) *Papilio canidia* Sparrman,1768, Amoen. Acad. 7: 504, note m. Type(s): Regio Indica.
- 10454. *Pieris* (Artogeia) canidia indica Evans,1926** (Pieridae) *Pieris* canidia ssp. *indica* Evans,1926, J. Bombay nat. Hist. Soc. 31: 712 (nomen novum pro *canidia* Evans nec Sparrman).
- 10455. *Pieris* (Artogeia) canidia kaolicola Bryk,1946** (Pieridae) *Pieris* canidia ssp. *kaolicola* Bryk,1946, Ark. Zool. 38 A (3): 14, Taf.4 fig.B2. Holotype ♂: Korea: Shuutsu.
- 10456. *Pieris* (Artogeia) canidia palaeartica Staudinger,1886** (Pieridae) *Pieris* canidia var. *palaeartica* Staudinger,1886, Stettin ent. Ztg. 47: 198-199. Syntypes: [Usbekistan]: Margelan, Namangan.
- 10457. *Pieris* (Artogeia) dubernardi Oberthür,1884** (Pieridae) *Pieris* dubernardi Oberthür,1884, Etüd d'Ent. 9: 13-14, pl.1 fig.6. Type: [China]: Tibet: "Tsékou".
- 10458. *Pieris* (Artogeia) dubernardi chumbiensis (De Nicéville,1897)** (Pieridae) *Parapieris chumbiensis* De Nicéville,1897, J. asiat. Soc. Beng. 66 (2): 563, pl.1 fig.6. Type(s): Sikkim: Chumbi valley.
- 10459. *Pieris* (Artogeia) dubernardi dubernardi Oberthür,1884** (Pieridae) *Pieris* dubernardi Oberthür,1884, Etüd d'Ent. 9: 13-14, pl.1 fig.6. Type: [China]: Tibet: "Tsékou".
- 10460. *Pieris* (Artogeia) dubernardi koslovi (Alpheraky,1897)** (Pieridae) *Pieris* koslovi Alpheraky,1897, [in] Romanoff, Mém. lépid. 9: 232. Type(s): [China: Uighur A.R.]: "Nan-Shan".
- 10461. *Pieris* (Artogeia) dulcinea Butler,1882** (Pieridae) *Pieris* dulcinea Butler,1882, Ann. Mag. nat. Hist. (5) 9: 18. Type(s): Russia: [Ussuri Region]: "Posietie Bay".
- 10462. *Pieris* (Artogeia) dulcinea dulcinea Butler,1882** (Pieridae) *Pieris* dulcinea Butler,1882, Ann. Mag. nat. Hist. (5) 9: 18. Type(s): Russia: [Ussuri Region]: "Posietie Bay".
- 10463. *Pieris* (Artogeia) dulcinea saghalensis Nakahara,1926** (Pieridae) *Pieris* napi ssp. *saghalensis* Nakahara,1926, Inscitiae Menstruus 14: 47. Holotype ♂: Noda, Saghalien, July 31 1922, leg. T.Esaki.
- 10464. *Pieris* (Artogeia) ergane (Geyer,[1828])** (Pieridae) *Papilio ergane* Geyer,[1828], [in] Hübner, Samml. eur. Schmett. 1: Taf. 184 figs. 904-907. Syntypes: [Croatia]: Ragusa (Dubrovnik) (cf. Hemming, 1937, I:220).
- 10465. *Pieris* (Artogeia) ergane detersa Verity,[1908]** (Pieridae) *Pieris* ergane form *detersa* Verity,[1908], Rhopalocera Palaeartct.: 153, Taf. xxxiii, figs. 24,26. Type ♂: [Turkey]: Taurus, [Kahramanmaraş]: Berud Dagh.
- 10466. *Pieris* (Artogeia) ergane ergane (Geyer,[1828])** (Pieridae) *Papilio ergane* Geyer,[1828], [in] Hübner, Samml. eur. Schmett. 1: Taf. 184 figs. 904-907. Syntypes: [Croatia]: Ragusa (Dubrovnik) (cf. Hemming, 1937, I:220).
- 10467. *Pieris* (Artogeia) euorientis Verity,[1908]** (Pieridae) *Pieris* napi ssp. *euorientis* Verity,[1908], Rhopalocera Palaeartct.: 147, Pl.32 fig.44, Pl.49 fig.12. Syntypes 3♂: [Russia]: Sajan: Muorku.
- 10468. *Pieris* (Artogeia) euorientis euorientis Verity,[1908]** (Pieridae) *Pieris* napi ssp. *euorientis* Verity,[1908], Rhopalocera Palaeartct.: 147, Pl.32 fig.44, Pl.49 fig.12. Syntypes 3♂: [Russia]: Sajan: Muorku.
- 10469. *Pieris* (Artogeia) krueperi Staudinger,1860** (Pieridae) *Pieris* krueperi Staudinger,1860, Wien. ent. Monatschr. 4: 19-20. Syntypes ♂♂: "Graecia": Arkanania.
- 10470. *Pieris* (Artogeia) krueperi krueperi Staudinger,1860** (Pieridae) *Pieris* krueperi Staudinger,1860, Wien. ent. Monatschr. 4: 19-20. Syntypes: Greece: Arcana.
- 10471. *Pieris* (Artogeia) krueperi prisca Staudinger,1886** (Pieridae) *Pieris* (Artogeia) *krueperi* var. *prisca* Staudinger,1886, Stettin ent. Ztg. 47: 198. Syntypes: Central-Asien.
- 10472. *Pieris* (Artogeia) mahometana Groum-Grshimailo,1888** (Pieridae) *Pieris* krueperi var. *mahometana* Groum-Grshimailo,1888, Horae Soc. ent. ross 22: 304. Type(s): Darwaz.
- 10473. *Pieris* (Artogeia) mahometana mahometana Groum-Grshimailo,1888** (Pieridae) *Pieris* krueperi var. *mahometana* Groum-Grshimailo,1888, Horae Soc. ent. ross 22: 304. Type(s): Darwaz.
- 10474. *Pieris* (Artogeia) mannii (Mayer,1851)** (Pieridae) *Pon[tia]* mannii Mayer,1851, Stettin ent. Ztg. 12:151. Type: [Croatia]: Spaloto.
- 10475. *Pieris* (Artogeia) mannii alpigena Verity,1911** (Pieridae) *Pieris* mannii alpigena Verity,1911, Rhop. palaeartct.: 336. Syntypes: Italy: Aosta.

- 10476. *Pieris (Artogeia) mannii andegava Delahaye, 1910*** (Pieridae) *Pieris mannii andegava Delahaye, 1910*, La "Pieris Manni" en Maine-et-Loire: 3-15. Neotype ♂: Frankreich: Charente, Moutiers-sur-Boème, designated by Ziegler, 1999, Neue ent. Nachr. 45: 153, Abb. 29.
- 10477. *Pieris (Artogeia) mannii haroldi Wyatt, 1952*** (Pieridae) *Pieris mannii ssp. haroldi Wyatt, 1952*, Z. Wien. ent. Ges. 37: 173. Holotype ♂: Mittlerer Atlas: Taghzeft Pass, südseite, 1900m. (in coll. Wyatt).
- 10478. *Pieris (Artogeia) mannii hethaea Pfeiffer, 1931*** (Pieridae) *Pieris mannii ssp. hethaea Pfeiffer, 1931*, Mitt. münch. ent. Ges. 21: 84-85, pl. 2 f. 1-6. Syntypes: [Turkey]: türkisch Nordsyrien: Marasch, 1200m; Lectotype ♂, designated by Ziegler, 1999, Neue ent. Nachr. 45: 88 (ZSM).
- 10479. *Pieris (Artogeia) mannii mannii (Mayer, 1851)*** (Pieridae) *Pon[tia] mannii Mayer, 1851*, Stettin ent. Ztg. 12: 151. Type: [Croatia]: Spaloto.
- 10480. *Pieris (Artogeia) mannii reskovitsi Gozmany, 1968*** (Pieridae) *Pieris mannii ssp. reskovitsi Gozmany, 1968*, Fauna Hungarica, lepid., diurna: 41-42. Lectotype ♂ (designated by Ziegler, 1999, Neue ent. Nachr. 45: 81): Ungarn: Bükk- Gebirge (NHMB).
- 10481. *Pieris (Artogeia) mannii roberti Eitschberger & Steiniger, 1973*** (Pieridae) *Pieris mannii ssp. roberti Eitschberger & Steiniger, 1973*, Ent. Z., Frankf. a. M. 83 (6): 65-72, figs. Holotype ♂: Espana: Granada, 8km westlich Lapeza, Barranco de los Reventones, 1300-1400m. (in coll. Eitschberger).
- 10482. *Pieris (Artogeia) mannii rossii Stefanelli, 1900*** (Pieridae) *Pieris mannii var. rossii Stefanelli, 1900*, Bull. ent. ital. 32: 178-179. Lectotype ♂: Italia: Toscana, Fiesole, pr. Florenz.
- 10483. *Pieris (Artogeia) mannii todaroana Pincitore-Marott, 1879*** (Pieridae) *Pieris rapae ab. todaroana Pincitore-Marott, 1879*, Lepidopterii nuovi e rari di Sicilia: fig. viii. Type ♀: Sicilia.
- 10484. *Pieris (Artogeia) marginalis Scudder, 1861*** (Pieridae) *Pieris marginalis Scudder, 1861*, Proc. Boston Soc. nat. Hist. 8: 183. Lectotype ♂: U.S.A. California: Crescent City, designated by Eitschberger, [1984]: 294 (MCZ).
- 10485. *Pieris (Artogeia) marginalis browni Eitschberger, [1984]*** (Pieridae) *Pieris marginalis ssp. browni Eitschberger, [1984]*, Herbiopoliana 1: 330-331, figs. Holotype ♂: U.S.A.: Alaska, Yukon Delta (EMEM).
- 10486. *Pieris (Artogeia) marginalis guppyi Eitschberger, [1984]*** (Pieridae) *Pieris marginalis ssp. guppyi Eitschberger, [1984]*, Herbiopoliana 1: 324-325, figs. Holotype ♂: U.S.A.: Alaska, Skagway (CMNH).
- 10487. *Pieris (Artogeia) marginalis hulda Edwards, 1869*** (Pieridae) *Pieris hulda Edwards, 1869*, Trans. amer. Ent. Soc. 2: 370. Neotype ♂: [U.S.A.]: Kodiak Island (CMNH).
- 10488. *Pieris (Artogeia) marginalis marginalis Scudder, 1861*** (Pieridae) *Pieris marginalis Scudder, 1861*, Proc. Boston Soc. nat. Hist. 8: 183. Lectotype ♂: U.S.A. California: Crescent City, designated by Eitschberger, [1984]: 294 (MCZ).
- 10489. *Pieris (Artogeia) marginalis meckya Eitschberger, [1984]*** (Pieridae) *Pieris marginalis ssp. meckya Eitschberger, [1984]*, Herbiopoliana 1: 322-323, figs. Holotype ♂: U.S.A.: Alaska, Talkeetna Mts. (EMEM).
- 10490. *Pieris (Artogeia) marginalis mogollon Burdick, 1942*** (Pieridae) *Pieris napi race mogollon Burdick, 1942*, Canad. Ent. 74: 154-155. Holotype ♂: U.S.A.: New Mexico, Catron Co., Mogollon Range (CNCO).
- 10491. *Pieris (Artogeia) marginalis pallidissima Barnes & McDunnough, 1916*** (Pieridae) *Pieris napi pallidissima Barnes & McDunnough, 1916*, Contr. Nat. Hist. lepid. N. Amer. 3: 59. Syntypes ♂♀: U.S.A.: Utah.
- 10492. *Pieris (Artogeia) marginalis reicheli Eitschberger, [1984]*** (Pieridae) *Pieris (Artogeia) marginalis ssp. reicheli Eitschberger, [1984]*, Herbiopoliana 1: 301-303, figs. Holotype ♂: Canada: British Columbia: Revelstoke, 3.v.1980, leg. D. Threatful (EMEM).
- 10493. *Pieris (Artogeia) marginalis shapiro Eitschberger, [1984]*** (Pieridae) *Pieris marginalis ssp. shapiro Eitschberger, [1984]*, Herbiopoliana 1: 330-331, figs. Holotype ♂: U.S.A.: Alaska, Yukon Delta (EMEM).
- 10494. *Pieris (Artogeia) marginalis tremblayi Eitschberger, [1984]*** (Pieridae) *Pieris marginalis ssp. tremblayi Eitschberger, [1984]*, Herbiopoliana 1: 327-328, figs. Holotype ♂: Canada: British Columbia, Pink Mountain (EMEM).
- 10495. *Pieris (Artogeia) melaina Röber, 1907*** (Pieridae) *Pieris melaina Röber, 1907*, [in] Seitz, A., Die Gross Schmett. Erde 1: 48, Pl. 20g. Lectotype ♂: [China]: Tibet, designated by Eitschberger ([1984]: 406).
- 10496. *Pieris (Artogeia) melaina melaina Röber, 1907*** (Pieridae) *Pieris melaina Röber, 1907*, [in] Seitz, A., Die Gross Schmett. Erde 1: 48, Pl. 20g. Lectotype ♂: [China]: Tibet, designated by Eitschberger ([1984]: 406).
- 10497. *Pieris (Artogeia) melete Ménéttriés, 1857*** (Pieridae) *Pieris melete Ménéttriés, 1857*, Enum. corp. anim. Mus. Acad. imp. Sci. St.-Petersb. 2: 113, tab. 10 figs. 1, 2. Syntypes: "Japon; Amour".
- 10498. *Pieris (Artogeia) melete chaohsienica Bryk, 1946*** (Pieridae) *Pieris melete ssp. chaohsienica Bryk, 1946*, Ark. Zool. 38 A (3): 15-16. Holotype ♂: Korea: Shuotsu.
- 10499. *Pieris (Artogeia) melete melete Ménéttriés, 1857*** (Pieridae) *Pieris melete Ménéttriés, 1857*, Enum. corp. anim. Mus. Acad. imp. Sci. St.-Petersb. 2: 113, tab. 10 figs. 1, 2. Syntypes: "Japon; Amour".
- 10500. *Pieris (Artogeia) melete orientis Oberthür, 1880*** (Pieridae) *Pieris napi var. orientis Oberthür, 1880*, Etüd d'Ent. 5: 13. Syntypes 4 ♂ 2 ♀: [Russia]: Askold.
- 10501. *Pieris (Artogeia) napi (Linnaeus, 1758)*** (Pieridae) *Papilio napi Linnaeus, 1758*, Syst. Nat. (Edn. 10): 468. Type(s): Schweden (Verity, 1913, 1947).
- 10502. *Pieris (Artogeia) napi meridionalis Heyne, [1895]*** (Pieridae) *Pieris napi var. meridionalis Heyne, [1895]*, [in] Rühl, F., Die palaearkt. Grossschmett. 1: 714. Type(s): Mittleres Italien. Neotype ♂: Umg. Follonica in der Toscana (designated by Eitschberger, 1990: 228, Taf. 2, Abb. 9-11; in coll. Eitschberger Museum).
- 10503. *Pieris (Artogeia) napi muchei Eitschberger, [1984]*** (Pieridae) *Pieris napi ssp. muchei Eitschberger, [1984]*, Herbiopoliana 1: 135, Taf. 411, Abb. 19, 20. Holotype: Kazachstan: Almaty Obl., Trans-Ili Alatau, Almaarasan.
- 10504. *Pieris (Artogeia) napi napi (Linnaeus, 1758)*** (Pieridae) *Papilio napi Linnaeus, 1758*, Syst. Nat. (Edn. 10): 468. Type(s): Schweden (Verity, 1913, 1947).
- 10505. *Pieris (Artogeia) napi napoleon Eitschberger, 1989*** (Pieridae) *Pieris napi ssp. napoleon Eitschberger, 1989*, Atalanta 20: 221-224, Taf. Holotype ♂: Insel Korsika, ca. 8km E. Ghisoni, 450m (EMEM).
- 10506. *Pieris (Artogeia) napi orientis Oberthür, 1880*** (Pieridae) *Pieris napi var. orientis Oberthür, 1880*, Etüd. d'Ent. 5: 13. Syntypes 4 ♂ 2 ♀: "d'Askold, Mou-Pin (par M. l'abbé Armand David)".
- 10507. *Pieris (Artogeia) napi septentrionalis Verity, 1916*** (Pieridae) *Pieris napi race septentrionalis Verity, 1916*, Entomologist's Rec. J. Var. 28: 79. Syntypes: 8 ♂ 2 ♀: S. England: Westcliff-on-sea.
- 10508. *Pieris (Artogeia) napi sifanica Groum-Grshimailo, 1895*** (Pieridae) *Pieris napi var. sifanica Groum-Grshimailo, 1895*, Horae Soc. ent. ross. 29: 290. Syntypes: [China]: Amdo: Sining-Gebirge.
- 10509. *Pieris (Artogeia) nesis Fruhstorfer, 1909*** (Pieridae) *Pieris nesis Fruhstorfer, 1909*, Int. ent. Z. 3 (16): 88. Syntypes: "Nord Japan, Sapporo".
- 10510. *Pieris (Artogeia) nesis nesis Fruhstorfer, 1909*** (Pieridae) *Pieris nesis Fruhstorfer, 1909*, Int. ent. Z. 3 (16): 88. Syntypes: "Nord Japan, Sapporo".
- 10511. *Pieris (Artogeia) ochsenheimeri Staudinger, 1886*** (Pieridae) *Pieris ochsenheimeri Staudinger, 1886*, Stettin ent. Ztg. 47: 199-200. Syntypes: [Usbekistan]: Margelan, Namangan, Alai-Gebirge.
- 10512. *Pieris (Artogeia) ochsenheimeri ochsenheimeri Staudinger, 1886*** (Pieridae) *Pieris ochsenheimeri Staudinger, 1886*, Stettin ent. Ztg. 47: 199-200. Syntypes: [Usbekistan]: Margelan, Namangan, Alai-Gebirge.
- 10513. *Pieris (Artogeia) persis Verity, 1922*** (Pieridae) *Pieris napi ssp. persis Verity, 1922*, Entomologist's Rec. J. Var. 34: 140. [Iran]: Persia, Husseinabad.
- 10514. *Pieris (Artogeia) persis persis Verity, 1922*** (Pieridae) *Pieris napi ssp. persis Verity, 1922*, Entomologist's Rec. J. Var. 34: 140. [Iran]: Persia, Husseinabad.
- 10515. *Pieris (Artogeia) pseudorapae Verity, 1908*** (Pieridae) *Pieris napi var. pseudorapae Verity, [1908]*, Rhopalocera palaearctica: 144, pl. 32, 33, figs. Lectotype: [Lebanon]: Beyrouth (Bowden & Riley, 1967).
- 10516. *Pieris (Artogeia) pseudorapae balcana Lorkovic, 1968*** (Pieridae) *Pieris balcana Lorkovic, 1968*, Biol. Glasn. 21: 114. Syntypes ♂♀: Bosnia, Macedonia (in coll. Lorkovic).
- 10517. *Pieris (Artogeia) pseudorapae mazandarana Eitschberger, 1986*** (Pieridae) *Pieris pseudorapae ssp. mazandarana*

Eitschberger, 1986, Atalanta 17: 160-166. Holotype ♂: Iran: Mazandaran: 30km S. Chalus, Marzanabad, 650m.

10518. *Pieris (Artogeia) pseudorapae pseudorapae* Verity, 1908 (Pieridae) *Pieris napi* var. *pseudorapae* Verity, [1908], Rhopalocera palaearctica: 144, pl. 32, 33, figs. Lectotype: [Lebanon]: Beyrouth (Bowden & Riley, 1967).

10519. *Pieris (Artogeia) pseudorapae suffusa* Sheljuzhko, 1931 (Pieridae) *Pieris napi* ssp. *suffusa* Sheljuzhko, 1931, Int. ent. Z. 25: 73. Lectotype ♂: [Azerbaijan]: Jelisavetopol (MZSF).

10520. *Pieris (Artogeia) rapae* (Linnaeus, 1758) (Pieridae) *Papilio rapae* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 468. Lectotype ♂: [Sweden (Verity, 1947)] (LSL).

10521. *Pieris (Artogeia) rapae mauritanica* Verity, 1908 (Pieridae) *Pieris rapae mauritanica* Verity, 1908, Rhop. palaearct.: 155. Syntypes: Algeria; Morocco: Tangier.

10522. *Pieris (Artogeia) rapae meleager* Hemming, 1934 (Pieridae) *Pieris rapae meleager* Hemming, 1934, Stylops 3(5): 98 (nomen nov. pro *iranica* le Cerf, 1913 nec *Bienert*, 1870).

10523. *Pieris (Artogeia) rapae orientalis* Oberthür, 1880 (Pieridae) *Pieris parae* var. *orientalis* Oberthür, 1880, Etüd. d'Ent. 5: 13. Syntypes ♂♂: "d'Askold, Japon, nord de la Chine (par M. l'abbé Armand David)." **10524. *Pieris (Artogeia) rapae rapae* (Linnaeus, 1758)** (Pieridae)

Papilio rapae Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 468. Lectotype ♂: [Sweden (Verity, 1947)] (LSL).

10525. *Pieris (Artogeia) rapae transcaucasica* Stauder, 1925 (Pieridae) *Pieris rapae f. transcaucasica* Stauder, 1925, Ent. Anz. (1): 4. Syntypes: [Azerbaijan]: Terter bei Jelisavetpol (BMNH).

10526. *Pieris (Artogeia) segonzaci* Le Cerf, 1923 (Pieridae) *Pieris napi* ssp. *segonzaci* Le Cerf, 1923, Bull. Soc. ent. Fr. 1923: 197. Syntypes 4♂ 2♀: [Morocco]: Toubkal-Massiv: Ourika, vi. 1922 leg. Ungemach.

10527. *Pieris (Artogeia) segonzaci segonzaci* Le Cerf, 1923 (Pieridae) *Pieris napi* ssp. *segonzaci* Le Cerf, 1923, Bull. Soc. ent. Fr. 1923: 197. Syntypes 4♂ 2♀: [Morocco]: Toubkal-Massiv: Ourika, vi. 1922 leg. Ungemach.

10528. *Pieris (Artogeia) tadjika* Groum-Grshimailo, 1888 (Pieridae) *Pieris tadjika* Groum-Grshimailo, 1888, Horae Soc. ent. ross. 22: 304. Syntypes ♂♀: [Tadjikistan]: Darwaz, Karategin.

10529. *Pieris (Artogeia) tadjika tadjika* Groum-Grshimailo, 1888 (Pieridae) *Pieris tadjika* Groum-Grshimailo, 1888, Horae Soc. ent. ross. 22: 304. Syntypes ♂♀: [Tadjikistan]: Darwaz, Karategin.

10530. *Pieris (Artogeia) tomariana* Matsumura, 1928 (Pieridae) *Pieris melete* ssp. *tomariana* Matsumura, 1928, Insecta Matsumurana 2: 197. Type ♀: Kuriles.

10531. *Pieris* (s.str.) *Schränk, 1801* (Pieridae) *Pieris Schränk, 1801*, Fauna boica 2(1): 152, 161. Type-species: *Papilio brassicae* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 467, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 351, 440.

10532. *Pieris* (s.str.) *brassicae* (Linnaeus, 1758) (Pieridae) *Papilio brassicae* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 468. Type(s): [Europe].

10533. *Pieris* (s.str.) *brassicae brassicae* (Linnaeus, 1758) (Pieridae) *Papilio brassicae* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 468. Type(s): [Europe]. *Papilio brassicae* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 468. Type(s): [Europe].

10534. *Pieris* (s.str.) *brassicae nepalensis* Doubleday, 1846 (Pieridae) *Pieris brassicae* var. *nepalensis* Doubleday, 1846, [in] Doubleday, Westwood & Hewitson, Genera of Diurnal Lepidoptera 1: 9, Pl. 6 figs. 3. Syntypes: Nepal.

10535. *Pieris* (s.str.) *brassicae ottonis* Röber, 1907 (Pieridae) *Pieris brassicae ottonis* Röber, 1907, [in] Seitz, Die Gross-Schmett. Erde 1: 45 (nom. nov. pro *Pieris brassicae* var. *brassicoides* Stgr., 1901).

10536. *Pieris* (s.str.) *cheiranthi* (Hübner, [1808]) (Pieridae) *Papilio cheiranthi* Hübner, [1808], Samml. eur. Schmett. 1: pl. 127, figs. 647, 648. Syntype(s): Kanarische Inseln.

10537. *Pieris* (s.str.) *cheiranthi azorensis* Rebel, 1917 (Pieridae) *Pieris brassicae* var. *azorensis* Rebel, 1917, Annln naturh. Mus. Wien 31: 16. Syntypes: Azoren.

10538. *Pieris* (s.str.) *cheiranthi cheiranthi* (Hübner, [1808]) (Pieridae) *Papilio cheiranthi* Hübner, [1808], Samml. eur. Schmett. 1: pl. 127, figs. 647, 648. Syntype(s): Kanarische Inseln.

10539. *Pieris* (s.str.) *cheiranthi wollastoni* Butler, 1886 (Pieridae) *Pieris brassicae wollastoni* Butler, 1886, Ann. Mag. nat. Hist. (5) 17: 430. Type: Madeira.

10540. *Pieris* (s.str.) *deota* (De Nicéville, 1884) (Pieridae) *Mancipium deota* De Nicéville, 1884, J. asiat. Soc. Beng. 52, 2: 82, Pl. 9

fig. 10. Type ♂: Ladak (in Asiatic Society or Indian Museum, Calcutta (Lukhtanov, 1996)).

10541. *Pieris* (s.str.) *deota deota* (De Nicéville, 1884) (Pieridae) *Mancipium deota* De Nicéville, 1884, J. asiat. Soc. Beng. 52, 2: 82, Pl. 9 fig. 10. Type ♂: Ladak (in Asiatic Society or Indian Museum, Calcutta (Lukhtanov, 1996)).

10542. *Pieris* (s.str.) *eitschbergeri* Lukhtanov, 1996 (Pieridae) *Pieris eitschbergeri* Lukhtanov, 1996, Atalanta 27(1/2): 213-219, figs. Holotype ♂: Kirgisien: Inner-Tienschan, Dshetim Gebirge, 70km E. Naryn, 2900-3400m (in coll. St. Petersburg Univ.).

10543. *Pieris* (s.str.) *eitschbergeri eitschbergeri* Lukhtanov, 1996 (Pieridae) *Pieris eitschbergeri* Lukhtanov, 1996, Atalanta 27(1/2): 213-219, figs. Holotype ♂: Kirgisien: Inner-Tienschan, Dshetim Gebirge, 70km E. Naryn, 2900-3400m (in coll. St. Petersburg Univ.).

10544. *Pieris* *Schränk, 1801* (Pieridae) *Pieris Schränk, 1801*, Fauna boica 2(1): 152, 161. Type-species: *Papilio brassicae* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 467, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 351, 440.

10545. *Pinacopteryx* *Wallengren, 1867* (Pieridae) *Pinacopteryx Wallengren, 1867*, K. svenska Vetensk. Akad. Handl., Stockholm (n.f.) 2(1): (No. 4): 7. Type-species: *Pieris eriphia* Godart, [1819], Ency. méth. 9 (ins.) (1): 157, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 250.

10546. *Pinacopteryx eriphia* (Godart, [1819]) (Pieridae) *Pieris eriphia* Godart, [1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 157. Type(s): Patria incognita.

10547. *Pinacopteryx eriphia eriphia* (Godart, [1819]) (Pieridae) *Pieris eriphia* Godart, [1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 157. Type(s): Patria incognita.

10548. *Pinacopteryx eriphia tritogenia* (Klug, 1829) (Pieridae) *Pontia tritogenia* Klug, 1829, [in] Ehrenberg, Symb. Phys. Ins. 1: Pl. 8 figs. 17, 18. Type(s): [Sudan]: Ambukohl.

10549. *Pontia* *Fabricius, 1807* (Pieridae) *Pontia Fabricius, 1807*, Mag. f. Insektenk. (Illiger) 6: 283. Type-species: *Papilio daplidice* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 468, by subsequent designation by Curtis, 1834, Brit. Ent. 5: pl. 48.

10550. *Pontia callidice* (Hübner, [1800]) (Pieridae) *Papilio callidice* Hübner, [1800], Samml. eur. Schmett. 1: 63, pl. 81, figs. 408, 409. Syntypes: Schweizergebirge.

10551. *Pontia callidice amaryllis* Hemming, 1933 (Pieridae) *Pontia callidice amaryllis* Hemming, 1933, Entomologist 66: 278 (nom. nov. pro *Pieris callidice* var. *orientalis* Alpheraky, 1881 nec Oberthür, 1880). Syntypes: [China]: Tian-Chian [Tengri Tagh].

10552. *Pontia callidice amdensis* (Verity, [1911]) (Pieridae) *Pieris callidice* race *amdensis* Verity, [1911], Rhopalocera Palaearctica: 327. Syntypes: [China]: Amdo.

10553. *Pontia callidice callidice* (Hübner, [1800]) (Pieridae) *Papilio callidice* Hübner, [1800], Samml. eur. Schmett. 1: 63, pl. 81, figs. 408, 409. Syntypes: Schweizergebirge.

10554. *Pontia callidice chrysidice* (Herrich-Schäffer, [1844]) (Pieridae) *Anthocharis callidice chrysidice* Herrich-Schäffer, [1844], Syst. Bearb. Schmett. Eur. 1: 97, figs. 200-203. Syntypes: [Russia]: Südrussland.

10555. *Pontia callidice duplati* Bernardi, 1965 (Pieridae) *Pontia callidice* ssp. *duplati* Bernardi, 1965, Bull. Soc. ent. Fr. 70: 230-231. Holotype ♀: "Gharwal, rive gauche petit glacier affluent du glacier de la Nanda Devi, 4700m. (MNHN).

10556. *Pontia callidice hazara* (Wyatt, 1961) (Pieridae) *Synchlœ callidice* ssp. *hazara* Wyatt, 1961, J. Lepidopterist's Soc. 15(1): 6. Holotype ♂: Afghanistan: Band-i-Amir, Hazarajat, N. of Koh-i-Baba Mts., 11400ft.

10557. *Pontia callidice kalora* (Moore, 1865) (Pieridae) *Pieris kalora* Moore, 1865, Proc. zool. Soc. Lond. 1865: 489, Pl. 31 fig. 15.

10558. *Pontia callidice libanotica* Bernardi, 1965 (Pieridae) *Pontia callidice* ssp. *libanotica* Bernardi, 1965, Bull. Soc. ent. Fr. 70: 231-232. Holotype ♂: Libanon: Cedar Mt. (BMNH).

10559. *Pontia chloridice* (Hübner, [1813]) (Pieridae) *Papilio chloridice* Hübner, [1813], Samml. eur. Schmett. 1: pl. 141, figs. 712-715. Syntype(s): [Europe].

10560. *Pontia chloridice chloridice* (Hübner, [1813]) (Pieridae) *Papilio chloridice* Hübner, [1813], Samml. eur. Schmett. 1: pl. 141, figs. 712-715. Syntype(s): [Europe].

10561. *Pontia daplidice* (Linnaeus, 1758) (Pieridae) *Papilio daplidice* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 468. Type(s): Europe australis & Africa.

10562. *Pontia daplidice aethiops* (Joannis & Verity, 1912) (Pieridae) *Synchlœ daplidice aethiops* Joannis & Verity, 1912, Bull. Soc. ent. ital. 44: 120. Syntypes: Abyssinie.

- 10563. *Pontia daplidice daplidice* (Linnaeus,1758)** (Pieridae) *Papilio daplidice* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 468. Type(s): Europe australis & Africa.
- 10564. *Pontia daplidice moorei* (Röber,1907)** (Pieridae) *Leucochloe daplidice moorei* Röber,1907, [in] Seitz,A., Gross-Schmett. Erde 1: 49. Syntypes: Tibet, Kaschmir, Baluchistan.
- 10565. *Pontia edusa* (Fabricius,1777)** (Pieridae) *Papilio edusa* Fabricius,1777, Genera Insectorum: 255. Type(s): [Deutschland]: Chilonii.
- 10566. *Pontia edusa edusa* (Fabricius,1777)** (Pieridae) *Papilio edusa* Fabricius,1777, Genera Insectorum: 255. Type(s): [Deutschland]: Chilonii.
- 10567. *Pontia glauconome* Klug,1829** (Pieridae) *Pontia glauconome* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 18,19. Type(s): In Arabia deserta; [Egypt]: in monte Sinai.
- 10568. *Pontia glauconome glauconome* Klug,1829** (Pieridae) *Pontia glauconome* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 18,19. Type(s): In Arabia deserta; [Egypt]: in monte Sinai.
- 10569. *Pontia glauconome iranica* (Bienert,1870)** (Pieridae) *Pieris iranica* Bienert,1870, Lepid. Ergebn. Reise in Persien: 27. Type(s): [Iran]: Persia.
- 10570. *Prioneris* Wallace,1867** (Pieridae) *Prioneris* Wallace,1867, Trans. ent. Soc. Lond. (3) 4: 383. Type-species: *Pieris thestylis* Doubleday,1842, Zool. Misc. (Gray) (5): 76, by subsequent designation by Butler,1870, Cistula ent. 1: 39.
- 10571. *Prioneris thestylis* (Doubleday,1842)** (Pieridae) *Pieris thestylis* Doubleday,1842, [in] Gray, Zool. Misc.: 76. Type(s): North India.
- 10572. *Prioneris thestylis thestylis* (Doubleday,1842)** (Pieridae) *Pieris thestylis* Doubleday,1842, [in] Gray, Zool. Misc.: 76. Type(s): North India.
- 10573. *Pseudopontia* Plötz,1870** (Pieridae) *Pseudopontia* Plötz,1870, Stettin ent. Ztg. 31: 348. Type-species: *Pseudopontia calabarica* Plötz,1870, by monotypy.
- 10574. *Pseudopontia paradoxa* (C.Felder & R.Felder,1869)** (Pieridae) *Globiceps paradoxa* C.Felder & R.Felder,1869, Petites Nouvelles ent. 1 (8): [31].
- 10575. *Pseudopontia paradoxa australis* Dixey,1923** (Pieridae) *Pseudopontia paradoxa australis* Dixey, 1923, Trans. ent. Soc. London 1922: 64.
- 10576. *Pseudopontia paradoxa paradoxa* (C.Felder & R.Felder,1869)** (Pieridae) *Globiceps paradoxa* Felder & Felder,1869, Petites Nouvelles ent. 1 (8): [31].
- 10577. *Saletara Distant*,1885** (Pieridae) *Saletara Distant*,1885, Rhop. malayana: 287, 316. Type-species: *Pieris nathalia* Felder & Felder,1862, Wien. ent. Monatschr. 6: 285, by original designation.
- 10578. *Zegris Boisduval*,1836** (Pieridae) *Zegris Boisduval*,[1836], Hist. nat. Ins., Sp. Gén. Lép. 1: 552. Type-species: *Papilio eupheme* Esper,[1805], Die Schmett. 1 Absch. Tagschmett.: 105, pl.113, figs.2,3, by subsequent designation by Blanchard,1840, Hist. nat. Ins. 3: 428.
- 10579. *Zegris eupheme* (Esper,[1804])** (Pieridae) *Papilio eupheme* Esper,[1804], Die Schmett.(Suppl.) 1(1):105, pl.113, figs.2,3. Syntypes: [Ukraine]: "Gegend Sewastopol in Taurien".
- 10580. *Zegris eupheme dyala* Peile,1921** (Pieridae) *Zegris eupheme* ssp. *dyala* Peile,1921, Entomologist 54: 151. Holotype ♂: Iraq: Kizil Robat, left bank of River Dyala (BMNH).
- 10581. *Zegris eupheme eupheme* (Esper,[1804])** (Pieridae) *Papilio eupheme* Esper,[1804], Die Schmett.(Suppl.) 1(1):105, pl.113, figs.2,3. Syntypes: [Ukraine]: "Gegend Sewastopol in Taurien".
- 10582. *Zegris eupheme larseni* Pittaway,1985** (Pieridae) *Zegris eupheme* ssp. *larseni* Pittaway,1985, Fauna Saudi Arabia 7: 10. Holotype ♂: Saudi Arabia: 25km SE Haql.
- 10583. *Zegris eupheme menestho* (Ménétriés,1832)** (Pieridae) *Pieris menestho* Ménétriés,1832, Catalogue raisonné des objets de Zoologie recueillis... 245. Syntypes: [Aserbaidjan]: Talyche: Zouvant. Lectotype ♂, designated by Nekrutenko (1990: 75, Taf.xxvii figs.) (ZIMP).
- 10584. *Zegris eupheme meridionalis* (Lederer,1852)** (Pieridae) *Anthocharis eupheme* var. *meridionalis* Lederer,1852, Verh. zool.-bot. Ver. Wien 2: 30. Syntypes: [Spain]: Andalusien; [Türkei]: Kleinasien.
- 10585. *Zegris eupheme sulphurea* O.Bang-Haas,1927** (Pieridae) *Zegris eupheme* ssp. *sulphurea* O.Bang-Haas,1927, Horae Macrolepid. 1: 40, Pl.6 fig.7. Syntypes: [China: Uighur A.R.]: Kuldsha, Ili Gebiet.
- 10586. *Zegris eupheme tigris* Riley,1921** (Pieridae) *Zegris eupheme* ssp. *tigris* Riley,1921, Ann. Mag. nat. Hist. (9) 8: 591. Holotype: Iraq: Mesopotamia: Fathah, R. bank River Tigris.
- 10587. *Zegris eupheme uarda* Hemming,1929** (Pieridae) *Zegris eupheme* ssp. *uarda* Hemming,1929, Proc. ent. Soc. Lond. 4: 26, fig.2. Holotype ♂: Transjordan: Shunit Nimrin, 400ft.
- 10588. *Zegris fausti* Christoph,1877** (Pieridae) *Zegris fausti* Christoph,1877, Horae Soc. ent. ross. 12: 231-232, Taf.v figs.1,2. Syntypes: [Turkmenistan]: Krasnowodsk.
- 10589. *Zegris fausti fausti* Christoph,1877** (Pieridae) *Zegris fausti* Christoph,1877, Horae Soc. ent. ross. 12: 231-232, Taf.v figs.1,2. Syntypes: [Turkmenistan]: Krasnowodsk.
- 10590. *Zegris fausti lucullus* Wyatt,1961** (Pieridae) *Zegris fausti* ssp. *lucullus* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 6. Holotype ♂: Afghanistan: Band-i-Amir, Hazarajat, N. of Koh-i-Baba Mts., 9500-10500ft.
- 10591. *Lampronia* Stephens,1829** (Prodidactidae) *Lampronia* Stephens,1829, [June], Nom. Br. Insects: 51. Type-species: *Tinea rupella* [Denis & Schiff.],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 320, by subsequent designation by Curtis,1837, Br. Ent. 14: folio 639.
- 10592. *Lampronia argillella* (Zeller,1851)** (Prodidactidae) *Incurvaria argillella* Zeller,1851, Linn. Ent. 5: 311. Syntypes: [Osterreich]: Wien.
- 10593. *Lampronia rupella* ([Denis & Schiffermüller],1775)** (Prodidactidae) *Tinea rupella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 320. Type(s): [Austria]: Vienna district.
- 10594. *Prototheora petrosema* Meyrick,1917** (Prototheoridae) *Prototheora petrosema* Meyrick,1917, Ann. Transv. Mus. 17: 19.
- 10595. *Acanthopsyche zelleri* (Mann,1855)** (Psychidae) *Psyche zelleri* Mann,1855, Verh. zool.-bot. Ges. Wien 5: 756, Taf.2 fig. 1-8.
- 10596. *Bankesia pallida* (Staudinger,1879)** (Psychidae) *Talaeporia pallida* Staudinger,1879, Horae Soc. ent. ross. 15: 268. Type ♂: [Türkei]: Amasia.
- 10597. *Bijugis bombycella* ([Denis & Schiffermüller],1775)** (Psychidae) *Tinea bombycella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 133. Type(s): [Austria]: Vienna district.
- 10598. *Bijugis pectinella* ([Denis & Schiffermüller],1775)** (Psychidae) *Tinea pectinella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 133. Type(s): [Austria]: Vienna district.
- 10599. *Bijugis sikkimensis* Heylaerts,1890** (Psychidae) *Bijugis sikkimensis* Heylaerts,1890, Annl. Soc. ent. Belg. 34: Bull., xi-xii. Type ♂: India: "Ooty" (coll.Elwes).
- 10600. *Canephora staudingeri* (Heylaerts,1889)** (Psychidae) *Chalia staudingeri* [sic!] Heylaerts,1889, Annl. Soc. ent. Belg. 33: Bull., lvi. Type: [Tadjikistan]: Turkestan Rossica, Kara Kasuk, altit. 12000 p.
- 10601. *Canephora villosa* (Brandt,1938)** (Psychidae) *Amicta villosa* Brandt,1938, Ent. Rdsch. 55: 698, figs.423-424. Syntypes: Iran: [Fras]: Fort Sine Sefid.
- 10602. *Canephora villosella quadratica* (De Freina,1983)** (Psychidae) *Pachytelia villosella* ssp. *quadratica* De Freina,1983, Mitt. münch. ent. Ges. 72 (1982): 70-71, Abb.8c-d. Holotype ♂: [Türkei]: Antalya Termessos, 900-1000m (coll. Freina).
- 10603. *Cryptothelea fuscescens* (Snellen,1879)** (Psychidae) *Oeceticus fuscescens* Snellen,1879, Tijdschr. Ent. 22: 117, pl.9 figs.7,7,a-b. Type: Java.
- 10604. *Cryptothelea leonina* (Tams,1924)** (Psychidae) *Amatissa leonina* Tams,1924, J. Nat. Hist. Soc. Siam 6: 278, fig. Type: [Thailand]: Siam.
- 10605. *Dahlica triquetrella* (Hübner,[1813])** (Psychidae) *Tinea triquetrella* Hübner,[1813], Samml. eur. Schmett. 8, Tineae: Tab.55 fig.273. Type(s): Europa.
- 10606. *Epichnopterix plumella* ([Denis & Schiffermüller],1775)** (Psychidae) *Tinea plumella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 133. Type(s): [Austria]: Vienna district.
- 10607. *Eumasia syriaca* (Caradja,1920)** (Psychidae) *Dysmasia syriaca* Caradja,1920, Dt. ent. Z., Iris 34: 172-173. Syntypes: [Libanon]: Beirut; [Türkei]: Marasch; Zeitun [=Süleymanlı].
- 10608. *Kophene snelleni* Heylaerts,1890** (Psychidae) *Kophene snelleni* Heylaerts,1890, Annl. Soc. ent. Belg. 34: Bull., xii-xiii. Type ♂: [India]: "Assam superior".
- 10609. *Lepidosciaptera hirsutella* ([Denis & Schiffermüller],1775)** (Psychidae) *Tinea hirsutella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 318. Type(s): [Austria]: Vienna district.

- 10610. Mahasena corbetti Tams, 1928** (Psychidae) Mahasena corbetti Tams, 1928, Ann. Mag. Nat. Hist. (10) 1: 632. Type: Malaya.
- 10611. Megalophanes viciella (Denis & Schiffermüller, 1775)** (Psychidae) Tinea viciella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 133, Tab I a-b, fig. 7. Type(s): [Austria]: Vienna district.
- 10612. Melasina kuldjaensis Caradja, 1920** (Psychidae) Melasina punctata var. kuldjaensis Caradja, 1920, Dt. ent. Z., Iris 34: 165. Type(s): [China: Uighur A.R.]: "Kuldja".
- 10613. Metisa moorei (Heylaerts, 1890)** (Psychidae) Kophene moorei Heylaerts, 1890, Annls. Soc. ent. Belg. 34: Bull., xi. Type ♂: India: "Bangalore".
- 10614. Metisa plana Walker, 1855** (Psychidae) Metisa plana Walker, 1855, List 4: 957. Type: Ceylon.
- 10615. Muhabbetina katani (Das, 1956)** (Psychidae) Psomocolax katani Das, 1956, Ann. Mag. nat. Hist. (12) 9: 527, fig. Type: India: Assam.
- 10616. Muhabbetina rhabdophora (Hampson, 1893)** (Psychidae) Monda rhabdophora Hampson, 1893, Illustr. lepid. Het. Br. Mus. 9: 66, pl. 159. Type: Ceylon (BMNH).
- 10617. Pagodiella hekmeyeri (Heylaerts, 1885)** (Psychidae) Eumeta hekmeyeri Heylaerts, 1885, Ann. Soc. ent. Belg. 29: lix. Type: Java.
- 10618. Psyche rassei (Siedler, 1975)** (Psychidae) Massonia [sic] rassei Siedler, 1975, Ent. Ber., Amst. 35: 150-153, figs. 6. Holotype ♂: Turkia: Büyük-Ada, leg. Rasse (6.iv.1975) (coll.?).
- 10619. Ptilocephala (s.str.) muscella (Denis & Schiffermüller, 1775)** (Psychidae) Tinea muscella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 133. Type(s): [Austria]: Vienna district.
- 10620. Sciopetris karsholti Hättenschwiler, 1996** (Psychidae) Sciopetris karsholti Hättenschwiler, 1996, Nota lepid. 19 (1/2): 107-112. Holotype: Tunisia [unavailable, as it is proposed conditionally].
- 10621. Solemasia Zagulyaev, 1995** (Psychidae) Solemasia Zagulyaev, 1995, Ent. Obozr. 74 (1). Type-species: Solemasia araxella Zagulyaev, 1995, by monotypy.
- 10622. Stichobasis mima Bourgogne, 1939** (Psychidae) Stichobasis mima Bourgogne, 1939, Bull. Soc. ent. Fr. 1939: 199-200, fig. 1. Holotype ♂: [Lebanon]: "Ghazir (Syrie)" (MNHNP).
- 10623. Taleporia tubulosa (Retzius, 1783)** (Psychidae) Phalaena tubulosa Retzius, 1783, Genera et Species Insectorum: 44. Type(s): [Europe].
- 10624. Pterolonche Zeller, 1847** (Pterolonchidae) Pterolonche Zeller, 1847, Isis Oken Leipzig 1847: 896. Type-species: Pterolonche albescens Zeller, 1847, ibidem 1847: 896, by subsequent designation by Fletcher, 1929, Mem. Dep. Agric. India (Ent.) 11: 191.
- 10625. Agdistis (Adenistis) caradjai Arenberger, 1975** (Pterophoridae) Agdistis caradjai Arenberger, 1975, Trav. Mus. Hist. nat. Gr. Antipa 16: 205-206, fig. 2. Holotype ♂: Türkiye: Kasikoparan, Korb leg. (MGAB).
- 10626. Agdistis (Adenistis) sissia Arenberger, 1987** (Pterophoridae) Agdistis sissia Arenberger, 1987, Z. ArbGem. öst. Ent. 38 (3/4) 1986: 103, figs. 1, 2. Holotype ♂: Türkiye: [Antalya Pr.]: Alanya, 12.8.85 leg. Wimmer (coll. Arenberger).
- 10627. Agdistis (Frankistis) espunae Arenberger, 1978** (Pterophoridae) Agdistis espunae Arenberger, 1978, Z. ArbGem. öst. Ent. 29 (3/4): 75-77, Abb. 1-2. Holotype ♂: Hispania: Prov. Murcia: Alhama de Murcia (coll. Arenberger).
- 10628. Agdistis (Frankistis) glaseri Arenberger, 1978** (Pterophoridae) Agdistis glaseri Arenberger, 1978, Z. ArbGem. öst. Ent. 29 (3/4): 77-79, Abb. 3-4. Holotype ♂: Hispania: Prov. Murcia: Alhama de Murcia (coll. Arenberger).
- 10629. Agdistis (Frankistis) mevlaniella Arenberger, 1972** (Pterophoridae) Agdistis mevlaniella Arenberger, 1972, Beitr. naturk. Forsch. SüdwDtl. 31: 151, 152. Holotype ♂: [Türkei]: Asia minor, Salzsteppen, Konya 1100m leg. M. & E. Arenberger (coll. Arenberger).
- 10630. Agdistis (Frankistis) paralia (Zeller, 1847)** (Pterophoridae) Adactyla paralia Zeller, 1847, Isis 12: 899.
- 10631. Agdistis (Meridistis) intermedia Caradja, 1920** (Pterophoridae) Agdistis tamaricis var. intermedia Caradja, 1920, Dt. ent. Z., Iris 34: 88. Syntypes 18 ♂♂: [Türkei]: Ak Chehir; Lectotype ♂: Kazachstan: Uralsk, designated by Arenberger, 1995: 211 (MGAB).
- 10632. Agdistis (Pardistis) betica Arenberger, 1978** (Pterophoridae) Agdistis betica Arenberger, 1978, Z. ArbGem. öst. Ent. 29 (3/4): 79-80, Abb. 5-6. Holotype ♂: Hispania: Prov. Malaga: Tarifa-Algeciras (coll. Arenberger).
- 10633. Agdistis (Tamaristis) flavissima Caradja, 1920** (Pterophoridae) Agdistis ingens var. flavissima Caradja, 1920, Dt. ent. Z., Iris 34: 87. Type ♂: [China: Uighur A.R.]: "Chamil Hami", [=Kumul], leg. Tancre (MGAB).
- 10634. Agdistis (Tamaristis) tamaricis (Zeller, 1847)** (Pterophoridae) Adactyla tamaricis Zeller, 1847, Isis 1847: 899.
- 10635. Agdistis (s.str.) melitensis Amsel, 1954** (Pterophoridae) Agdistis melitensis Amsel, 1954, Bull. Soc. Fouad I Ent. 38: 52-53, fig. 2. Holotype ♂: Malta: Salina (coll. Delucca).
- 10636. Agdistis urmijensis Zagulyaev, 1995** (Pterophoridae) Agdistis urmijensis Zagulyaev, 1995, Ent. Obozr. 74 (1): 117-119. Holotype ♀: Iran: Khaidar-Abad, Urmiya 29-30.v.1916 Andrievskii leg. (ZIN).
- 10637. Amblyptilia punctidactyla (Haworth, 1811)** (Pterophoridae) Alucita punctidactyla Haworth, 1811, Lepid. Br. 3: 479.
- 10638. Buszkoiana Koçak, 1981** (Pterophoridae) Buszkoiana Koçak, 1981, Priamus 1: 10. Type-species: Pterophorus capnodactylus Zeller, 1841, by original designation.
- 10639. Calyciphora sesamitis (Meyrick, 1905)** (Pterophoridae) Alucita sesamitis Meyrick, 1905, J. Bombay nat. Hist. Soc. 16: 582. Type ♂: "Koni, Burma".
- 10640. Capperia celeusi (Frey, 1886)** (Pterophoridae) Oxyptilus celeusi Frey, 1886, Stettin ent. Ztg. 47: 18. Lectotype ♀: Deutschland: Bayern, designated by Arenberger, 2002 (BMNH).
- 10641. Capperia trichodactyla (Denis & Schiffermüller, 1775)** (Pterophoridae) Alucita trichodactyla [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 145. Type(s): [Austria]: Vienna district.
- 10642. Hellinsia distincta (Herrich-Schäffer, 1855)** (Pterophoridae) Pterophorus distinctus Herrich-Schäffer, 1855, Syst. Bearb. Schmett. Eur. 5: 379.
- 10643. Marasmarcha leucocrossa Meyrick, 1936** (Pterophoridae) Marasmarcha leucocrossa Meyrick, 1936, Exot. Microlepid. 5: 64. Syntypes 3 ♂♂: Iraq: Diana (2800ft.) (E.P. Wiltshire leg.).
- 10644. Marasmarcha colossa Caradja, 1920** (Pterophoridae) Marasmarcha colossa Caradja, 1920, Dt. ent. Z., Iris 34: 84. Syntypes 2 ♂♂: [China: Uighur A.R.]: "Schamil Hami" [Kumul] (leg. Tancre).
- 10645. Megalorhipida leucodactyla (Fabricius, 1794)** (Pterophoridae) Pterophorus leucodactylus Fabricius, 1794, Ent. syst. 3 (2): 346. Lectotype ♂: "Americae mer. gram.", designated by Karsholt & Gielis, 1995 (ZMUC).
- 10646. Merrifieldia leucodactyla (Denis & Schiffermüller, 1775)** (Pterophoridae) Alucita leucodactyla [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 145. Type(s): [Austria]: Vienna district.
- 10647. Oidaematophorus didactylites (Ström, 1783)** (Pterophoridae) Alucita didactylites Ström, 1783, Nye Saml. Danske Vidensk. Selsk. Skrift. 2: 89.
- 10648. Oxyptilus chrysodactylus (Denis & Schiffermüller, 1775)** (Pterophoridae) Alucita chrysodactyla [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 320. Type(s): Austria: Wien.
- 10649. Oxyptilus esuriens Meyrick, 1932** (Pterophoridae) Oxyptilus esuriens Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 108. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH).
- 10650. Paracapperia anatolica (Caradja, 1920)** (Pterophoridae) Capperia anatolica Caradja, 1920, Dt. ent. Z., Iris 34: 79. Syntypes 6 ♂♂: [Türkei]: "Ak Chehir".
- 10651. Platyptilia amblydectis Meyrick, 1932** (Pterophoridae) Platyptilia amblydectis Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 108. Syntypes 2 ♂♂: [Ethiopia]: Jem-Jem Forest (BMNH).
- 10652. Platyptilia armeniaca Zagulyaev, 1984** (Pterophoridae) Platyptilia armeniaca Zagulyaev, 1984, Dokl. Akad. Nauk. armyan SSR 79 (1): 46, figs. Holotype: Armenia (ZML).
- 10653. Platyptilia calodactyla (Denis & Schiffermüller, 1775)** (Pterophoridae) Alucita calodactyla [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 146. Type(s): [Austria]: Vienna district.
- 10654. Platyptilia chondrodactyla Caradja, 1920** (Pterophoridae) Platyptilia chondrodactyla Caradja, 1920, Dt. ent. Z., Iris 34: 80. Syntypes 5 ♂♂: [Türkei]: Van Prov.: Wansee (leg. Korb).
- 10655. Platyptilia daemonica Meyrick, 1932** (Pterophoridae) Platyptilia daemonica Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 109. Syntypes 5 ♂♂: [Ethiopia]: Jem-Jem Forest (BMNH).
- 10656. Platyptilia gonodactyla (Denis & Schiffermüller, 1775)** (Pterophoridae) Alucita gonodactyla [Denis & Schiffermüller], 1775,

- Ankündigung syst. Werkes Schmett. Wienergegend: 320. Type(s): [Austria]: Vienna district.
- 10657. *Platyptilia implacata* Meyrick, 1932** (Pterophoridae) *Platyptilia implacata* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 109. Syntypes 2♂: [Ethiopia]: Jem-Jem Forest (BMNH).
- 10658. *Platyptilia monophaea* Meyrick, 1920** (Pterophoridae) *Platyptilia monophaea* Meyrick, 1920, Voy. All. Jean. Afr. Orient. 2: 38. Type: Mt. Kenya.
- 10659. *Platyptilia nemoralis* (Zeller, 1841)** (Pterophoridae) *Platyptilus nemoralis* Zeller, 1841, Isis 1841 (10): 778.
- 10660. *Porritia galactodactyla* ([Denis & Schiffermüller], 1775)** (Pterophoridae) *Alucita galactodactyla* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 320. Type(s): [Austria]: Vienna district.
- 10661. *Procapperia kuldshaensis* (Rebel, 1914)** (Pterophoridae) *Oxyptilus kuldshaensis* Rebel, 1914, Dt. ent. Z., Iris 28: 272. Type: [China: Uighur A.R.]: Kuldja.
- 10662. *Pterophorus indocta* (Meyrick, 1913)** (Pterophoridae) *Alucita indocta* Meyrick, 1913, Exot. Microlepid. 1: 111. Type ♂: [Lebanon]: "Syria, Beirut".
- 10663. *Pterophorus ischnodactylus* (Treitschke, 1835)** (Pterophoridae) *Alucita ischnodactyla* Treitschke, 1835, [in] Ochseneimer, Schmett. Eur. 10 (3): 223. Lectotype ♂: Ungarn, designated by Arenberger, 1995:48 (TMB).
- 10664. *Pterophorus leucodactylus* (Walker, 1864)** (Pterophoridae) *Acipitilus leucodactylus* Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 30: 949. Lectotype ♂: "Ceylon", designated by Arenberger, 1995:49 (BMNH).
- 10665. *Pterophorus pentadactylus* (Linnaeus, 1758)** (Pterophoridae) *Alucita pentadactyla* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 542.
- 10666. *Pterophorus taklamakanus* Arenberger, 1995** (Pterophoridae) *Pterophorus taklamakanus* Arenberger, 1995, Microlepid. Palaearkt. 9: 45-46, Taf.1 fig.2. Holotype ♂: [China: Uighur A.R.]: "Lob-Nor" (BMNH).
- 10667. *Pterophorus terrenus* Meyrick, 1936** (Pterophoridae) *Pterophorus terrenus* Meyrick, 1936, Exot. Microlepid. 5: 64. Syntypes 4♂: Iraq: Diana (2800ft.), Rayat (4000ft.) (E.P. Wiltshire leg.).
- 10668. *Stangeia siceliota* (Zeller, 1847)** (Pterophoridae) *Pterophorus siceliota* Zeller, 1847, Isis 1847 (12): 907.
- 10669. *Stenoptilia amseli* Arenberger, 1990** (Pterophoridae) *Stenoptilia amseli* Arenberger, 1990, Nota lepid. 13 (2/3): 98, figs. Holotype: Saudi Arabia: Asirgebirge, 5km s of Namas.
- 10670. *Stenoptilia himachala* Arenberger, 1999** (Pterophoridae) *Stenoptilia himachala* Arenberger, 1999, Quadrifina 2: 218, figs. Holotype: India: Himachal Pradesh, Paervati Valley.
- 10671. *Stenoptilia petraea* Meyrick, 1907** (Pterophoridae) *Stenoptilia petraea* Meyrick, 1907, Trans. ent. Soc. London 1907: 504. Type: India: Palni Hills.
- 10672. *Stenoptilia tyropiesta* Meyrick, 1932** (Pterophoridae) *Stenoptilia tyropiesta* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 109. Type ♂: [Ethiopia]: Mt. Chillalo (BMNH).
- 10673. *Titanoptilus patellatus* Meyrick, 1913** (Pterophoridae) *Titanoptilus ? patellatus* Meyrick, 1913, Exot. Microlepid. 1: 109. Type ♂: [South Africa]: Natal, Durban (Leigh leg.).
- 10674. *Wheeleria ivae* (Kasy, 1960)** (Pterophoridae) *Acipitilia ivae* Kasy, 1960, Z. Wien. ent. Ges. 45: 183-185, fig. Holotype ♂: [Mazedonien]: "Westmazedonien: Drenovo bei Kavadar" (coll. Kasy).
- 10675. *Acentria ephemerella* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Tinea ephemerella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): [Austria]: Vienna district.
- 10676. *Achroia Hübner*, [1819]** (Pyrilidae) *Achroia* Hübner, [1819], Verz. bekannter Schmett.: 163. Type-species: *Bombyx cinereola* Hübner, [1803], Samml. eur. Schmett. 3: pl.23, fig.91, by subsequent designation by Ragonot, 1893, [in] Romanoff, Mém. Lépid. 7: x.
- 10677. *Achroia grisella* (Fabricius, 1794)** (Pyrilidae) *Tinea grisella* Fabricius, 1794, Ent. syst. (3) 2: 289. Type(s): -.
- 10678. *Achyra murcialis* (Ragonot, 1895)** (Pyrilidae) *Pyrausta murcialis* Ragonot, 1895, Annls Soc. ent. Fr. 1895 (Bull.): 23. Type: Hispania m. (Murcia).
- 10679. *Achyra nudalis* (Hübner, 1796)** (Pyrilidae) *Pyalis nudalis* Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab.14 fig.90. Type(s): Europa.
- 10680. *Achyra ochrofascialis* (Christoph, 1882)** (Pyrilidae) *Metasia ochrofascialis* Christoph, 1882, Horae Soc. ent. ross. 17: 121-122. Syntypes: [Azerbaijan]: Ordubad, Elisabethopol [Kirovabad].
- 10681. *Acigona forsteri* Bleszynski, 1965** (Pyrilidae) *Acigona forsteri* Bleszynski, 1965, Microlepidoptera Palaearctica 1: 130, figs. Holotype ♂: Pakistan: Chingi.
- 10682. *Acrobasis Zeller*, 1839** (Pyrilidae) *Acrobasis* Zeller, 1839, Isis 1839: 176. Type-species: *Tinea consociella* Hübner, [1813], Samml. eur. Schmett. 8: pl.48 fig.328, by subsequent designation by Moore, [1886], Lepid. Ceylon 3: 359.
- 10683. *Acrobasis atrisquamella* Ragonot, 1887** (Pyrilidae) *Acrobasis atrisquamella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 228. Syntypes: [Turkey]: Malatia.
- 10684. *Acrobasis bithynella* Zeller, 1848** (Pyrilidae) *Acrobasis bithynella* Zeller, 1848, Isis 1848: 611.
- 10685. *Acrobasis bithynella bithynella* Zeller, 1848** (Pyrilidae) *Acrobasis bithynella* Zeller, 1848, Isis 1848: 611.
- 10686. *Acrobasis centunculella* (Mann, 1859)** (Pyrilidae) *Myelois centunculella* Mann, 1859, Wien. ent. Monatschr. 3: 165. Type(s): Sicilia.
- 10687. *Acrobasis consociella* (Hübner, [1813])** (Pyrilidae) *Tinea consociella* Hübner, [1813], Samml. eur. Schmett. 8, Tineae: Tab.48 fig.328. Type(s): Europa.
- 10688. *Acrobasis consociella consociella* (Hübner, [1813])** (Pyrilidae) *Tinea consociella* Hübner, [1813], Samml. eur. Schmett. 8, Tineae: Tab.48 fig.328. Type(s): Europa.
- 10689. *Acrobasis consociella jessica* Roesler, 1988** (Pyrilidae) *Acrobasis consociella* ssp. *jessica* Roesler, 1988, Entomofauna 9 (8): 214-216. Holotype ♂: [Türkei]: Anatolia, Kızılcahamam leg. C. Holzschuh (LNK).
- 10690. *Acrobasis consociella nuragha* Roesler, 1988** (Pyrilidae) *Acrobasis consociella* ssp. *nuragha* Roesler, 1988, Entomofauna 9 (8): 211-214. Holotype ♂: Z-Sardinien, Gennargentu, Belvi, 3km N. v. Aritzo, Corylus-Plantage, 750m (LNK).
- 10691. *Acrobasis glaucella* Staudinger, 1859** (Pyrilidae) *Acrobasis glaucella* Staudinger, 1859, Stettin ent. Ztg. 20: 255. Syntypes: Spain: Granada.
- 10692. *Acrobasis glaucella medea* Roesler, 1988** (Pyrilidae) *Acrobasis glaucella* ssp. *medea* Roesler, 1988, Entomofauna 9 (8): 216-219. Holotype ♂: NW-Iran: 100km str. Mahabad- Sardascht, 1300m, Quercetum, Amsel leg (LNK).
- 10693. *Acrobasis nigribasalis* Amsel, 1953** (Pyrilidae) *Acrobasis nigribasalis* Amsel, 1953, Ark. Zool. 6 (16): 300, figs. 37, 139, 140, 249. Type ♂: Iran: Fars: Pusht-i-Bam, 4000ft., 4.5.1950 (leg. Wiltshire).
- 10694. *Acrobasis obliqua* (Zeller, 1847)** (Pyrilidae) *Myelois obliqua* Zeller, 1847, Isis 1847: 31. Type ♂: [Greece]: Rhodus.
- 10695. *Acrobasis obliqua malombra* Roesler, 1988** (Pyrilidae) *Acrobasis obliqua* ssp. *malombra* Roesler, 1988, Entomofauna 9 (8): 204-206. Holotype ♂: Canarische Ins.: Teneriffa, leg. Pinker (LNK).
- 10696. *Acrobasis obliqua obliqua* (Zeller, 1847)** (Pyrilidae) *Myelois obliqua* Zeller, 1847, Isis 1847: 31. Type ♂: [Greece]: Rhodus.
- 10697. *Acrobasis obtusella* (Hübner, 1796)** (Pyrilidae) *Tinea obtusella* Hübner, 1796, Samml. eur. Schmett. 8, Tineae: Tab.31 fig.215. Type(s): Europa.
- 10698. *Acrobasis obtusella obtusella* (Hübner, 1796)** (Pyrilidae) *Tinea obtusella* Hübner, 1796, Samml. eur. Schmett. 8, Tineae: Tab.31 fig.215. Type(s): Europa.
- 10699. *Acrobasis obtusella ottomana* Caradja, 1916** (Pyrilidae) *Acrobasis obtusella* var. *ottomana* Caradja, 1916, Dt. ent. Z., Iris 30: 15. Syntypes: [Türkei]: Konia, Hadjin; [Israel]: Jerusalem.
- 10700. *Acrobasis porphyrella* (Duponchel, 1836)** (Pyrilidae) *Phycis porphyrella* Duponchel, 1836, Hist. nat. Lépid. Papillons Fr. 10: 191, pl.279, fig.2. Type(s): Corsica.
- 10701. *Acrobasis zacharias* Roesler, 1988** (Pyrilidae) *Acrobasis zacharias* Roesler, 1988, Entomofauna 9 (8): 207-211, Abb. 3,5. Holotype ♂: Afghanistan: Nuristan: Bashgultal, 1100m J. Klapperich leg. (LNK).
- 10702. *Actenia beatalis* Kalchberg, 1897** (Pyrilidae) *Actenia beatalis* Kalchberg, 1897, Dt. ent. Z., Iris 10: 183-184. Syntypes: Palestina: Haifa.
- 10703. *Acteniopsis Amsel*, 1959** (Pyrilidae) *Acteniopsis* Amsel, 1959, Bull. Soc. ent. Egypte 43: 50. Type-species: *Acteniopsis kurdistanella* Amsel, 195, by original designation.
- 10704. *Acteniopsis kurdistanella* Amsel, 1959** (Pyrilidae) *Acteniopsis kurdistanella* Amsel, 1959, Bull. Soc. ent. Egypte 43: 51, pl.3 fig.2, pl.10 fig.5. Holotype ♂: Irak: Hajji Omran.

- 10705. Aedioidina quaternalis (Lederer, 1863)** (Pyrilidae) Aedioides quaternalis Lederer, 1863, Wien. ent. Monatschr. 7: 434, 483, Taf. 17 fig. 1. Syntypes 1♂ 1♀: [Indonesia]: Amboina (coll. Felder).
- 10706. Aeglotis Amsel, 1949** (Pyrilidae) Aeglotis Amsel, 1949, Bull. Soc. Fouad I Ent. 33: 242. Type-species: Anaeglis argentalis Christoph, 1887, by original designation.
- 10707. Aeglotis argentalis (Christoph, 1887)** (Pyrilidae) Anaeglis argentalis Christoph, 1887, [in] Romanoff, Mém. Lépid. 3: 106, Pl. 5 fig. 6.
- 10708. Aeschremon Lederer, 1863** (Pyrilidae) Aeschremon Lederer, 1863, Wien. ent. Monatschr. 7: 269, 362. Type-species: Tegostoma disparalis Herrich-Schäffer, 1855, by monotypy.
- 10709. Aethaloessa calidalis (Guenée, 1854)** (Pyrilidae) Glyphodes calidalis Guenée, 1854, [in] Boisdual & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 294. Type(s): "Cote de Coromandel". Neotype ♂: "Indes.Orient" (MNHN), designated by Whalley, 1961.
- 10710. Aethaloessa calidalis calidalis (Guenée, 1854)** (Pyrilidae) Glyphodes calidalis Guenée, 1854, [in] Boisdual & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 294. Type(s): "Cote de Coromandel". Neotype ♂: "Indes.Orient" (MNHN), designated by Whalley, 1961.
- 10711. Aethaloessa calidalis tiphalis (Walker, 1859)** (Pyrilidae) Syngamia tiphalis Walker, 1859, List Specimens lepid. Insects Colln Br. Mus. 17: 335. Type ♂: [Indonesia]: Celebes.
- 10712. Aethaloessa floridalis (Zeller, 1852)** (Pyrilidae) Syngamia floridalis Zeller, 1852, Lep. Caffr.: 60. Type ♂: Natal.
- 10713. Aethaloessa rufula Whalley, 1961** (Pyrilidae) Aethaloessa rufula Whalley, 1961, Bull. Br. Mus. (nat. Hist.) Ent. 10(3): 107, figs. Type ♂: Solomon Islands: N. Bougainville: Arawa.
- 10714. Afrosoparia contemptalis (Walker, 1866)** (Pyrilidae) Scoparia contemptalis Walker, [1866], List 34 (Suppl. 4): 1499-1500. Type ♂: [South Africa]: Cape (BMNH).
- 10715. Agassiziella Yoshiyasu, 1989** (Pyrilidae) Agassiziella Yoshiyasu, 1989, Microlepid. Thailand 2: 169. Type-species: Oligostigma angulipennis Hampson, 1891, by original designation.
- 10716. Agassiziella angulipennis (Hampson, 1891)** (Pyrilidae) Oligostigma angulipennis Hampson, 1891, Ill. Het. 8: 139, pl. 155 fig. 6.
- 10717. Agassiziella fuscifusale (Hampson, 1893)** (Pyrilidae) Oligostigma fuscifusale Hampson, 1893, Ill. typ. Spec. Het. Br. Mus. 9: 117, pl. 174 fig. 28. Type ♀: [Sri Lanka]: Ceylon.
- 10718. Agdistopis sinhalana (T.B. Fletcher, 1909)** (Pyrilidae) Agdistis sinhalana Fletcher, 1909, Spolia Zeylanica 6(21): 8.
- 10719. Aglossa asiatica Erschoff, 1871** (Pyrilidae) Aglossa pinguinalis asiatica Erschoff, 1871, Horae Soc. ent. ross. 8: 317.
- 10720. Aglossa caprealis (Hübner, 1809)** (Pyrilidae) Pyralis caprealis Hübner, [1809], Samml. eur. Schmett. 6, Pyralides: Tab. 23 fig. 153. Type(s): Europa.
- 10721. Aglossa oranalana (Zerny, 1914)** (Pyrilidae) Stenmatophora oranalana Zerny, 1914, Annln naturh. Mus. Wien 28: 322-323, Taf. xxvi figs. 23, 24. Syntypes 1♂ 1♀: Algerien: Oran (ex coll. Bang-Haas) (NHMW).
- 10722. Aglossa pinguinalis (Linnaeus, 1758)** (Pyrilidae) Phalaena pinguinalis Linnaeus, 1758, Syst. Nat. (Edn. 10): 533. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 224).
- 10723. Agriphila beieri Bleszynski, 1955** (Pyrilidae) Agriphila dalmatinella ssp. beieri Bleszynski, 1955, Z. Wien. ent. Ges. 40: 294, figs. 4-6. Holotype ♂: Iraq: Mosul.
- 10724. Agriphila bleszynskiella Amsel, 1961** (Pyrilidae) Agriphila bleszynskiella Amsel, 1961, Ark. Zool. (2) 13: 326, figs., Taf. 1 fig. 137. Holotype ♂: Iran: Pir-i-Zan, 7000ft.
- 10725. Agriphila brionella (Zerny, 1914)** (Pyrilidae) Crambus brionellus Zerny, 1914, Annln naturh. Mus. Wien 28: 298, Taf. xxv figs. 4, 5. Lectotype ♂: Brioni grande, Istrien (NHMW).
- 10726. Agriphila dalmatinella (Hampson, 1900)** (Pyrilidae) Crambus dalmatinellus Hampson, 1900, Trans. ent. Soc. Lond. 1900: 369-370. Lectotype ♂: Dalmatia: Lissa (coll. Staudinger).
- 10727. Agriphila deliella (Hübner, 1813)** (Pyrilidae) Tinea deliella Hübner, [1813], Samml. eur. Schmett. Tineae: Taf. 60 figs. 402, 403. Syntypes: [Europa].
- 10728. Agriphila geniculea (Haworth, 1811)** (Pyrilidae) Palparia geniculea Haworth, [1811], Lep. Brit.: 489. Type ♂: England.
- 10729. Agriphila geniculea geniculea (Haworth, 1811)** (Pyrilidae) Palparia geniculea Haworth, [1811], Lep. Brit.: 489. Type ♂: England.
- 10730. Agriphila inquinatella (Denis & Schiffermüller, 1775)** (Pyrilidae) Tinea inquinatella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 10731. Agriphila inquinatella elbursella (Zerny, 1939)** (Pyrilidae) Crambus elbursellus Zerny, 1939, Z. öst. EntVer. 24: 131, Taf. 11 f. 1. Holotype ♂: [Iran]: Pelur 2000m.
- 10732. Agriphila inquinatella inquinatella (Denis & Schiffermüller, 1775)** (Pyrilidae) Tinea inquinatella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 10733. Agriphila latistria (Haworth, 1811)** (Pyrilidae) Palparia latistria Haworth, [1811], Lep. Br.: 485. Type ♂: England.
- 10734. Agriphila melike Kemal & Koçak, 2004** (Pyrilidae) Agriphila asiatica Ganev & Hacker, 1984, Nota lepid. 7(3): 238-240, figs. Holotype ♂: Türkei: Adana: Fekke, 1100m.
- 10735. Agriphila microselasella Bleszynski, 1959** (Pyrilidae) Agriphila microselasella Bleszynski, 1959, Beitr. naturk. Forsch. SWDtl. 18: 112, fig. 7 Taf. 3 figs. 1, 2. Holotype ♂: Iran: Hamadan: Sultanabad.
- 10736. Agriphila paleatella (Zeller, 1847)** (Pyrilidae) Crambus paleatellus Zeller, 1847, Isis 1847: 754. Type ♂: [Turkey]: Kleinasien: Smyrna [=Izmir].
- 10737. Agriphila straminella (Denis & Schiffermüller, 1775)** (Pyrilidae) Tinea straminella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 10738. Agriphila tersella (Lederer, 1855)** (Pyrilidae) Crambus tersellus Lederer, 1855, Verh. zool.-bot. Ges. Wien 5: 220, Taf. 4 fig. 6. Type ♂: Libanon: Beirut.
- 10739. Agriphila tolli (Bleszynski, 1952)** (Pyrilidae) Crambus tolli Bleszynski, 1952, Z. Wien. ent. Ges. 37: 149, Taf. 16 figs. 2, 5. Holotype ♂: Dalmatien: Ragusa.
- 10740. Agriphila trabeatella (Herrich-Schäffer, 1848)** (Pyrilidae) Crambus trabeatellus Herrich-Schäffer, [1848], Syst. Bearb. Schmett. Eur. 4: 57; 5: Taf. 22 fig. 158. Type ♀: [Italia]: Sizilien.
- 10741. Agriphila trabeatella trabeatella (Herrich-Schäffer, 1848)** (Pyrilidae) Crambus trabeatellus Herrich-Schäffer, [1848], Syst. Bearb. Schmett. Eur. 4: 57; 5: Taf. 22 fig. 158. Type ♀: [Italia]: Sizilien.
- 10742. Agriphila tristella (Denis & Schiffermüller, 1775)** (Pyrilidae) Tinea tristella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 10743. Agriphila tristella tristella (Denis & Schiffermüller, 1775)** (Pyrilidae) Tinea tristella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district.
- 10744. Agriphiloides longipalpellus Bleszynski, 1965** (Pyrilidae) Agriphiloides longipalpellus Bleszynski, 1965, Microlepid. Palaearct. 1: 400, Taf., figs. Holotype ♂: [Türkei]: Syrien, Akbs [Antakya Pr.].
- 10745. Agrotera Schrank, 1802** (Pyrilidae) Agrotera Schrank, 1802, Fauna Boica 2(2): 163. Type-species: Phalaena nemoralis Scopoli, 1763, Ent. Carniolica: 242, by monotypy.
- 10746. Agrotera nemoralis (Scopoli, 1763)** (Pyrilidae) Phalaena nemoralis Scopoli, 1763, Entomologia Carniolica: 242. Type(s): [Slovenien]: Carniolia [Krain].
- 10747. Alisa amseli Ganev & Hacker, 1984** (Pyrilidae) Alisa amseli Ganev & Hacker, 1984, Nota lepid. 7(3): 244, figs. Holotype ♂: Türkei: Ankara: [Beypazari]: Köroğlu dağı, 500m.
- 10748. Amaurophanes Lederer, 1863** (Pyrilidae) Amaurophanes Lederer, 1863, Wien. ent. Monatschr. 7: 280 (key), 422. Type-species: Stenia stigmosalis Herrich-Schäffer, 1848, Syst. Bearb. Schmett. Eur. 4: 14; ibidem 4: Pyralidides pl. 4 fig. 20 (legend non-binominal), by monotypy.
- 10749. Amaurophanes stigmosalis (Herrich-Schäffer, 1848)** (Pyrilidae) Stenia stigmosalis Herrich-Schäffer, [1848], Syst. Bearb. Schmett. Eur. 4: 14, fig. 20. Type(s): [Türkei]: Konstantinopel [Istanbul].
- 10750. Amechedia herlina Roesler, 1989** (Pyrilidae) Amechedia herlina Roesler, 1989, Ent. Z. Frankf. a. M. 99: 169-172, figs. Holotype ♀: W-Iran: Lorestan, Dorud, 5km SE Saravand "Kohyeh" 2300m, Ebert & Falkner leg. (LNK).
- 10751. Amechedia pascha Roesler, 1989** (Pyrilidae) Amechedia pascha Roesler, 1989, Ent. Z. Frankf. a. M. 99: 172-175, figs. Holotype ♂: NO-Afghanistan: Badakhshan, Umg. Baharak, Pejui 1750m (LNK).
- 10752. Amphithrix sublineatella (Staudinger, 1859)** (Pyrilidae) Nephopteryx sublineatella Staudinger, 1859, Stettin ent. Ztg. 20 (7/9): 223.

- 10753. *Analyta melanopalis* (Guenée, 1854)** (Pyrilidae) *Leucinodes melanopalis* Guenée, 1854, [in] Boissduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 224. Type ♀: "Inde centrale".
- 10754. *Anarpia incertalis phycophanes* (Meyrick, 1937)** (Pyrilidae) *Scoparia phycophanes* Meyrick, 1937, Exot. Microlepid. 5: 110. Holotype ♂: Iraq: Rowanduz, Wiltshire leg.
- 10755. *Anarpia incertalis rupestris* (Meyrick, 1937)** (Pyrilidae) *Scoparia rupestris* Meyrick, 1937, Exot. Microlepid. 5: 109. Syntypes: Iraq: Rayat.
- 10756. *Anarpia iranella* (Zerny, 1939)** (Pyrilidae) *Scoparia phaeoleuca* ssp. *iranella* Zerny, 1939, Z. wien. ent. Ver. 24 (12): 171, pl.xi fig.7. Lectotype ♂: Iran: Elbourz, Col de Kendevar, 2800m (NMW).
- 10757. *Ancylodes* Ragonot, 1887** (Pyrilidae) *Ancylodes* Ragonot, 1887, Anns Soc. ent. Fr. (6) 7: 250. Type-species: *Ancylodes pallens* Ragonot, 1887, loc. cit., by original designation.
- 10758. *Ancylodes pallens* Ragonot, 1887** (Pyrilidae) *Ancylodes pallens* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 250. Lectotype ♂: [Spain]: Chiclana (designated by Roesler, 1973, Microlepid. palaearkt. 4: 105) (ZMB).
- 10759. *Ancylolomia Hübner*, [1825]** (Pyrilidae) *Ancylolomia Hübner*, [1825], Verz. bekannter Schmett.: 363. Type-species: *Tinea palpella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134, by subsequent designation by Moore, [1866], Lepid. Ceylon 3: 381.
- 10760. *Ancylolomia bituberosella* Amsel, 1959** (Pyrilidae) *Ancylolomia bituberosella* Amsel, 1959, Stuttg. Beitr. Naturk. 28: 11, figs. Type ♂: Iran: Iranshar (LNK).
- 10761. *Ancylolomia palpella* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Tinea palpella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 10762. *Ancylolomia pectinatella* (Zeller, 1847)** (Pyrilidae) *Crambus pectinatellus* Zeller, 1847, Isis 1847: 747. Type ♂: Sizilien.
- 10763. *Ancylolomia saundersiella* Zeller, 1863** (Pyrilidae) *Ancylolomia saundersiella* Zeller, 1863, Chil. Cramb. Genera et Species: 10. Neotype ♀: India: Bombay, designated by Bleszynski, 1970 (BMNH).
- 10764. *Ancylolomia tentaculella* (Hübner, 1796)** (Pyrilidae) *Tinea tentaculella* Hübner, 1796, Samml. eur. Schmett. 8, Tineae: Tab.33 fig.230. Type(s): Europa.
- 10765. *Ancylosis (Cabotia) lacteicostella* (Ragonot, 1887)** (Pyrilidae) *Heterographis lacteicostella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 248. Type(s): [Uzbekistan]: Marghilan.
- 10766. *Ancylosis (Cabotia) leucocephala* (Staudinger, 1879)** (Pyrilidae) *Myelois leucocephala* Staudinger, 1879, Stettin. ent. Ztg. 1879: 326. Syntypes ♂: [Kirgizistan]: Naryn (ZMB).
- 10767. *Ancylosis (Cabotia) oblitella* (Zeller, 1848)** (Pyrilidae) *Ephestia oblitella* Zeller, 1848, Isis 1848: 597. Lectotype ♂: Russland: Sarepta (Roesler, 1973: 440).
- 10768. *Ancylosis (Heterographis) albicosta* (Staudinger, 1870)** (Pyrilidae) *Myelois albicosta* Staudinger, 1870, Berl. ent. Z. 14: 202. Type ♂: Russland: Sarepta (ZMB).
- 10769. *Ancylosis (Heterographis) candidatella* (Lederer, 1858)** (Pyrilidae) *Myelois candidatella* Lederer, 1858, Wien. ent. Monatschr. 2: 149, Taf.4 fig.6. Syntypes ♂♀: Syrien: Damask.
- 10770. *Ancylosis (Heterographis) convexella* (Lederer, 1855)** (Pyrilidae) *Myelois convexella* Lederer, 1855, Verh. zool.- bot. Ges. Wien 5: 222, t.4 fig.9. Lectotype ♂: Libanon: Beirut (designated by Roesler, 1973, Microlepid. palaearkt. 4: 401) (ZMB).
- 10771. *Ancylosis (Heterographis) euclastella* (Ragonot, 1887)** (Pyrilidae) *Heterographis euclastella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 247. Holotype ♂: [China: Uighur A.R.]: "Culdja" [Kuldja] (MNHP).
- 10772. *Ancylosis (Heterographis) faustinella* (Zeller, 1867)** (Pyrilidae) *Euzophera faustinella* Zeller, 1867, Stettin. ent. Ztg. 28(10/12): 380-381. Type ♀: Jordanthal (BMNH).
- 10773. *Ancylosis (Heterographis) geminella* (Amsel, 1961)** (Pyrilidae) *Heterographis geminella* Amsel, 1961, Ark. Zool. (2)13: 351, Taf.11 fig.158, pl.345 fig.35. Type ♂: Iran: Chiraz.
- 10774. *Ancylosis (Heterographis) gracilella* Ragonot, 1887** (Pyrilidae) *Heterographis gracilella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 248. Syntypes: [Turkmenistan]: Krasnowodsk, [Uzbekistan]: Namangan; [China]: Kuldja.
- 10775. *Ancylosis (Heterographis) griseomixtella* (Ragonot, 1887)** (Pyrilidae) *Ancylodes griseomixtella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 250. Holotype ♂: [China: Uighur A.R.]: "Culdja" [Kuldja] (MNHP).
- 10776. *Ancylosis (Heterographis) harmoniella* (Ragonot, 1887)** (Pyrilidae) *Heterographis harmoniella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 247. Syntypes: [Algerie]: Gabes, Biskra.
- 10777. *Ancylosis (Heterographis) hellenica* (Staudinger, 1870)** (Pyrilidae) *Myelois rhodochrella* var.? *hellenica* Staudinger, 1870, Horae Soc. ent. ross. 7: 209210. Tab.2 fig.18. Syntypes 4♂: Griechenland: Attica.
- 10778. *Ancylosis (Heterographis) muliebris* (Meyrick, 1937)** (Pyrilidae) *Trissonca muliebris* Meyrick, 1937, Exot. Microlepid. 5: 70. Type ♀: Iraq: Mosul (BMNH).
- 10779. *Ancylosis (Heterographis) nervosella* (Zerny, 1914)** (Pyrilidae) *Ancylodes nervosella* Zerny, 1914, Annln naturh. Mus. Wien 28: 306-307, Taf.xxv fig.8. Type ♂: [Kazachstan]: Uralsk (NHMW).
- 10780. *Ancylosis (Heterographis) nervosella nervosella* (Zerny, 1914)** (Pyrilidae) *Ancylodes nervosella* Zerny, 1914, Annln naturh. Mus. Wien 28: 306-307, Taf.xxv fig.8. Type ♂: [Kazachstan]: Uralsk (NHMW).
- 10781. *Ancylosis (Heterographis) nigripunctella* (Staudinger, 1879)** (Pyrilidae) *Myelois nigripunctella* Staudinger, 1879, Stettin. ent. Ztg. 1879: 327. Type ♂: [Kirghizistan]: Naryn (ZMB).
- 10782. *Ancylosis (Heterographis) nubeculella* (Ragonot, 1887)** (Pyrilidae) *Heterographis nubeculella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 247. Type ♂: [Aserbaidjan]: Orubad.
- 10783. *Ancylosis (Heterographis) ochracea* (Staudinger, 1870)** (Pyrilidae) *Myelois ochracea* Staudinger, 1870, Berl. ent. Z. 1870:204. Type ♂: Spanien: Barcelona (ZMB).
- 10784. *Ancylosis (Heterographis) pallida* (Staudinger, 1870)** (Pyrilidae) *Myelois pallida* Staudinger, 1870, Berl. ent. Z. 14: 202. Type ♀: Russland: Sarepta (ZMB).
- 10785. *Ancylosis (Heterographis) pectinatella* Ragonot, 1887** (Pyrilidae) *Heterographis pectinatella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 245-246. Type(s): [Uzbekistan]: Marghilan (ZMB).
- 10786. *Ancylosis (Heterographis) pyrethrella* (Herrich-Schäffer, 1860)** (Pyrilidae) *Acrobasis pyrethrella* Herrich-Schäffer, 1860, Neue Schmett. Eur. 1860: 12, fig.80. Lectotype ♂: Alexander Gebirge.
- 10787. *Ancylosis (Heterographis) rhodochrella* (Herrich-Schäffer, 1855)** (Pyrilidae) *Pyalis rhodochrella* Herrich-Schäffer, 1855, Syst. Bearb. Schmett. Eur. 6: 147. Type ♂: [Algerien]: Lambessa.
- 10788. *Ancylosis (Heterographis) rufomixtella* (Zerny, 1914)** (Pyrilidae) *Heterographis rufomixtella* Zerny, 1914, Annln naturh. Mus. Wien 28: 307, Taf.xxv fig.9. Type ♂: [Uzbekistan]: Ferghana Prov.: Usgent (ex coll. Bang-Haas).
- 10789. *Ancylosis (Heterographis) samaritanella* (Zeller, 1867)** (Pyrilidae) *Euzophera samaritanella* Zeller, 1867, Stettin. ent. Ztg. 28(10/12): 379-380. Syntypes 2♀: Jordanthal.
- 10790. *Ancylosis (Heterographis) syrtella* (Ragonot, 1887)** (Pyrilidae) *Heterographis syrtella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 246. Type ♀: Tunis: Gabès (MNHP).
- 10791. *Ancylosis (Heterographis) xylina* (Staudinger, 1870)** (Pyrilidae) *Myelois xylina* Staudinger, 1870, Berl. ent. Z. 14: 203. Lectotype ♂: Russland: Sarepta.
- 10792. *Ancylosis (Syria) arenosella* (Staudinger, 1859)** (Pyrilidae) *Anerastia arenosella* Staudinger, 1859, Stettin. ent. Ztg. 1859: 227. Type ♂: Spanien: Andalusia: Chiclana (ZMB).
- 10793. *Ancylosis (Syria) biflexella* (Lederer, 1855)** (Pyrilidae) *Myelois biflexella* Lederer, 1855, Verh. zool.- bot. Ges. Wien 5: 222, t.4 fig.10. Type ♀: [Libanon]: Beirut (ZMB).
- 10794. *Ancylosis (Syria) citrinella* (Ragonot, 1887)** (Pyrilidae) *Syria citrinella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 244. Type ♂: [Turkmenistan]: Ashkhabad (ZIANL).
- 10795. *Ancylosis (Syria) limoniella* (Chrétien, 1911)** (Pyrilidae) *Syria limoniella* Chrétien, 1911, Bull. Soc. ent. Fr. 16: 34. Syntypes ♂: Algerie: Biskra (MNHP).
- 10796. *Ancylosis (Syria) obscuripunctella* Roesler, 1973** (Pyrilidae) *Ancylosis (Syria) obscuripunctella* Roesler, 1973, Microlepid. palaearkt. 4: 664 (nomen novum pro *nigripunctella* Amsel, 1949 nec Staudinger, 1879). Type ♂: Iran: Belutschistan: Iranshar, 800m (LNK).

- 10797. *Ancylosis (Syria) transcaspica* (Amsel,1955)** (Pyrilidae) Syria transcaspica Amsel,1955, Bull. Inst. r. Sci. nat. Belg. (83) 31: 43, t.5 fig.4. Holotype ♂: [Turkmenistan]: Transcaspia, Repetek (MNMB).
- 10798. *Ancylosis (s.str.) Zeller,1839*** (Pyrilidae) *Ancylosis* Zeller,1839, Isis 1839: 178. Type-species: *Phycis dilutella* Treitschke,1832, by subsequent designation by Ragonot,1901.
- 10799. *Ancylosis (s.str.) albidella* Ragonot,1888** (Pyrilidae) *Ancylosis albidella* Ragonot,1888, Nouv. gen. Phycit. 1888: 30. Syntypes: [Uzbekistan]: Margelan.
- 10800. *Ancylosis (s.str.) anguinosa* Zeller,1848** (Pyrilidae) *Ancylosis anguinosa* Zeller,1848, Isis 1848: 743. Type ♀: [Russia]: Sarepta (BMNH).
- 10801. *Ancylosis (s.str.) cinnamomella* (Duponchel,1836)** (Pyrilidae) *Phycis cinnamomella* Duponchel,1836, Hist. nat. Lépid. Papillons Fr. 10: 190, Pl.279, f.4. Type(s): France: Montpellier.
- 10802. *Ancylosis (s.str.) cinnamomella bichordella* (Ragonot,1887)** (Pyrilidae) *Heterographis bichordella* Ragonot,1887, Anns Soc. ent. Fr. 1887: 246. Type: Iran: Schahrud.
- 10803. *Ancylosis (s.str.) cinnamomella cinnamomella* (Duponchel,1836)** (Pyrilidae) *Phycis cinnamomella* Duponchel,1836, Hist. nat. Lépid. Papillons Fr. 10: 190, Pl.279, f.4. Type(s): France: Montpellier.
- 10804. *Ancylosis (s.str.) dryadella* (Ragonot,1887)** (Pyrilidae) *Heterographis dryadella* Ragonot,1887, Anns Soc. ent. Fr. 1887: 246. Lectotype ♂: [Kazakhstan]: Saisan (designated by Roesler,1973, Microlepid. palaearkt. 4: 333) (ZMB).
- 10805. *Ancylosis (s.str.) dumetella* (Ragonot,1887)** (Pyrilidae) *Heterographis dumetella* Ragonot,1887, Anns Soc. ent. Fr. 1887: 247. Type ♂: [China]: Kuldja (ZIANL).
- 10806. *Ancylosis (s.str.) iranella* Ragonot,1887** (Pyrilidae) *Ancylosis iranella* Ragonot,1887, Anns Soc. ent. Fr. 1887: 251-252. Type(s): [Iran]: Schahkuh.
- 10807. *Ancylosis (s.str.) maculifera* Staudinger,1870** (Pyrilidae) *Ancylosis ? maculifera* Staudinger,1870, Berl. ent. Z. 14: 198. Lectotype ♂: Russland: Sarepta (Roesler, 1973: 342).
- 10808. *Ancylosis (s.str.) maculifera maculifera* Staudinger,1870** (Pyrilidae) *Ancylosis ? maculifera* Staudinger,1870, Berl. ent. Z. 14: 198. Lectotype ♂: Russland: Sarepta (Roesler, 1973: 342).
- 10809. *Ancylosis (s.str.) ochricostella* Ragonot,1887** (Pyrilidae) *Ancylosis ochricostella* Ragonot,1887, Anns Soc. ent. Fr. 1887: 252. Type(s): [Turkmenistan]: Askhabad.
- 10810. *Ancylosis (s.str.) sareptella* (Herrich-Schäffer,1860)** (Pyrilidae) *Epischnia sareptella* Herrich-Schäffer,1860, Neue Schmett. Eur. 1860: 28, fig.145. Type ♀: Russland: Sarepta.
- 10811. *Ancylosis (s.str.) turaniella* Ragonot,1887** (Pyrilidae) *Ancylosis turaniella* Ragonot,1887, N. Amer. Phycit. 1887: 30. Type ♂: [Turkmenistan]: Achal Tekke (MNHNP).
- 10812. *Ancylosis (s.str.) uncinatella* (Ragonot,1890)** (Pyrilidae) *Hypographia uncinatella* Ragonot,1890, Bull. Soc. ent. Fr. 1890: 110. Type ♂: Algerie: Lambèse (ZMB).
- 10813. *Ancyloma substratellum* (Christoph,1877)** (Pyrilidae) *Myelois substratella* Christoph,1877, Horae Soc. ent. ross. 12: 285, t.8 fig.57. Type ♀: Russia: Sarepta (ZIANL).
- 10814. *Anerastia lotella* (Hübner,1813)** (Pyrilidae) *Tinea lotella* Hübner,1813, Samml. eur. Schmett. 8, Tineae: Tab.48 fig.334. Type(s): Europa.
- 10815. *Angustalius malacellus* (Duponchel,1836)** (Pyrilidae) *Crambus malacellus* Duponchel,1836, Hist. nat. Lépid. Papillons Fr. 10: 61 Taf.270 fig.5. Type ♀: Spanien: Malaga.
- 10816. *Anthophilopsis baphialis* (Staudinger,1870)** (Pyrilidae) *Anthophilodes baphialis* Staudinger,1870, Horae Soc. ent. ross. 7: 183, pl.2 fig.7.
- 10817. *Antigastra Lederer,1863*** (Pyrilidae) *Antigastra Lederer*,1863, Wien. ent. Monatschr. 7: 274 (key), 419. Type-species: *Botys catalaunalis* Duponchel,1833 [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 8(2): 330, pl.232 fig.8, by monotypy.
- 10818. *Aphomia argentia* Whalley,1964** (Pyrilidae) *Aphomia argentia* Whalley,1964, Acta zool. cracov. 9(10): 597, pl.xvi fig.22. Holotype ♂: [Zimbabwe]: Northern Rhodesia: Broken Hill (TMP).
- 10819. *Aphomia curvicastrus* (Zerny,1914)** (Pyrilidae) *Melissopteryx curvicastrus* Zerny,1914, Annln naturh. Mus. Wien 28: 295-296, Taf.xxv fig.1. Syntypes 4♂: [Kazakhstan]: Uralsk (NHMW).
- 10820. *Aphomia murciellus* (Zerny,1914)** (Pyrilidae) *Melissopteryx murciellus* Zerny,1914, Annln. naturh. Mus. Wien 28: 296-297, Taf.xxv fig.2. Syntypes 7♂: Spanien: Prov. Murcia: Sierra Espuna (NHMW).
- 10821. *Aphomia sociella* (Linnaeus,1758)** (Pyrilidae) *Phalaena sociella* Linnaeus,1758, Syst. Nat. (Edn.10)1: 534. Lectotype ♂: [Europa] (Robinson & Nielsen, 1983: 231).
- 10822. *Aphomia unicolor* (Staudinger,1880)** (Pyrilidae) *Melissopteryx unicolor* Staudinger,1880, Horae Soc. ent. ross. 15: 231. Type ♂: Greece.
- 10823. *Apomyelois ceratoniae* (Zeller,1839)** (Pyrilidae) *Myelois ceratoniae* Zeller,1839, Isis 1839: 176. Type(s): Österreich: Laibach (BMNH).
- 10824. *Aporodes floralis* (Hübner,1809)** (Pyrilidae) *Pyalis floralis* Hübner,1809, Samml. eur. Schmett. 6, Pyralides: Tab.22 fig.142. Type(s): Europa.
- 10825. *Aporodes nepticalis* Hofmann,1898** (Pyrilidae) *Aporodes nepticalis* Hofmann,1898, Dt. ent. Z., Iris 10: 236. Type ♂: [Türkei]: Angora [Ankara].
- 10826. *Apyrausta* Amsel,1951** (Pyrilidae) *Apyrausta* Amsel,1951, Ark. Zool. 1 (36): 552. Type-species: *Apyrausta persicalis* Amsel,1951, by monotypy.
- 10827. *Apyrausta persicalis* Amsel,1951** (Pyrilidae) *Apyrausta persicalis* Amsel,1951, Ark. Zool. 1 (36): 552. Syntypes 5♂: Iran: [Fars]: Sine Sefid, Come.
- 10828. *Arenipses sabella* Hampson,1901** (Pyrilidae) *Arenipses sabella* Hampson,1901, [in] Romanoff, Mém. lépid. 8: xli (key), 501, pl.24 fig.1. Type: Persian Gulf.
- 10829. *Argyria holocrassa* Meyrick,1902** (Pyrilidae) *Argyria holocrassa* Meyrick,1902, Entomologist's mon. 38: 176.
- 10830. *Argyria interruptella* Walker,1866** (Pyrilidae) *Argyria interruptella* Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1763.
- 10831. *Argyria plumbeolinealis* (Hampson,1896)** (Pyrilidae) *Platytes plumbeolinealis* Hampson,1896, Proc. zool. Soc. Lond. 1895: 947.
- 10832. *Argyrorhabda leucomera* Hampson,1926** (Pyrilidae) *Argyrorhabda leucomera* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 634. Holotype ♂: [Zimbabwe]: S. Rhodesia: Saw-mills (Janse); [South Africa]: Transvaal: Eukeldoom (Janse).
- 10833. *Argyrorhabda leucomera leucomera* Hampson,1926** (Pyrilidae) *Argyrorhabda leucomera* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 634. Holotype ♂: [Zimbabwe]: S. Rhodesia: Saw-mills (Janse); [South Africa]: Transvaal: Eukeldoom (Janse).
- 10834. *Arimania* Amsel,1953** (Pyrilidae) *Arimania* Amsel,1953, Ark. zool. 6 (16): 289. Type-species: *Salebria komaroffi* Ragonot, by original designation.
- 10835. *Arimania komaroffi* (Ragonot,1888)** (Pyrilidae) *Salebria komaroffi* Ragonot,1888, Nouv. gen.: 18.
- 10836. *Arnia nervosa* Guenée,1849** (Pyrilidae) *Arnia nervosa* Guenée,1849, [in] Lucas, Expl. scient. algér.: 152, pl.4 fig.6. Type ♂: Algérie.
- 10837. *Arsissa divaricella* (Ragonot,1887)** (Pyrilidae) *Bradyrrhoa divaricella* Ragonot,1887, Anns Soc. ent. Fr. (6)7: 240. Type(s): [Uzbekistan]: Samarkand (MNHNP).
- 10838. *Arsissa miridella* (Ragonot,1893)** (Pyrilidae) *Pristophora miridella* Ragonot,1893, [in] Romanoff, Mém. Lépid. 7: 244, Pl.11 fig.24. Type ♂: [Turquie]: Mardin.
- 10839. *Arsissa ramosella* (Herrich-Schäffer,1855)** (Pyrilidae) *Pyalis ramosella* Herrich-Schäffer,1855, Syst. Bearb. Schmett. Eur. 6:148, Taf.21 fig.146. Type(s): [Türkei]: Amasia.
- 10840. *Asalebria (Exophora)* Roesler,1988** (Pyrilidae) *Exophora* Roesler,1988, Entomofauna 9 (24): 462-463. Type-species: *Nephopteryx florella* Mann,1862, by original designation.
- 10841. *Asalebria (Exophora) exasperata* (Staudinger,1879)** (Pyrilidae) *Myelois ? exasperata* Staudinger,1879, Horae Soc. ent. ross. 15: 217-218. Syntypes 1♂: [Türkei]: Amasia: Jenikeui-Hochebene; 1♀: Taurus.
- 10842. *Asalebria (Exophora) florella* (Mann,1862)** (Pyrilidae) *Nephopteryx florella* Mann,1862, Wien. ent. Monatschr. 6: 391, Taf.3 fig.10. Lectotype ♂: [Croatia: Dalmatia]: "Spalato" [Split] designated by Roesler,1993, Microlepid. Palaeart. 8: 183 (NHMW).
- 10843. *Asalebria (Exophora) florella florella* (Mann,1862)** (Pyrilidae) *Nephopteryx florella* Mann,1862, Wien. ent. Monatschr. 6: 391, Taf.3 fig.10. Lectotype ♂: [Croatia: Dalmatia]: "Spalato" [Split] designated by Roesler,1993, Microlepid. Palaeart. 8: 183 (NHMW).
- 10844. *Asalebria (s.str.)* Amsel,1953** (Pyrilidae) *Asalebria* Amsel,1953, Revue fr. Ent. 20: 226. Type-species: *Salebria venustella* Ragonot,1887, by original designation.

- 10845. Asalebria (s.str.) amphipyrrha (Meyrick,1937)** (Pyrilidae) Salebria (?) amphipyrrha Meyrick,1937, Exot. Microlepid. 5: 67. Syntypes 3♂: Iraq; Diana, Ser Amadia (E.P.Wiltshire leg.).
- 10846. Asalebria (s.str.) argyrophanes (Meyrick,1937)** (Pyrilidae) Salebria argyrophanes Meyrick,1937, Exot. Microlepid. 5: 66-67. Type ♂: Iraq; Shaqlawa, June (E.P.Wiltshire leg.).
- 10847. Asalebria (s.str.) pseudoflorella (Schmidt,1934)** (Pyrilidae) Nephopteryx pseudoflorella Schmidt,1934, Boln. R. Soc. esp. Hist. nat. 33 (10): 400, t.27 fig.3.
- 10848. Asalebria (s.str.) venustella (Ragonot,1887)** (Pyrilidae) Salebria venustella Ragonot,1887, Annls Soc. ent. Fr. 1887: 231-232. Syntypes: [Russie]: Sarcpta; [Kasachstan]: Saisan.
- 10849. Asarta Zeller,1848** (Pyrilidae) Asarta Zeller,1848, Isis 1848: 686. Type-species: Phycis aethiopella Duponchel,[1837], by subsequent designation by Ragonot,1901 [in] Romanoff, Mém. Lépid. 8: 1.
- 10850. Asarta aethiopella (Duponchel,1836)** (Pyrilidae) Phycis aethiopella Duponchel,1836, Hist. nat. Lépid. Papillons Fr. 10: 283. Syntypes: [Schweiz]: La Montagne de la Fourche (Furka Pass).
- 10851. Asarta alticola (Hampson,1930)** (Pyrilidae) Anousterounia alticola Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 80. Type ♂: Cashmir; Rupshu, Taga-Lunga-La, 17500ft. (BMNH).
- 10852. Asarta ciliciella Staudinger,1879** (Pyrilidae) Asarta ciliciella Staudinger,1879, Horae Soc. ent. ross. 15: 201-202. Syntypes 2♂♂: [Türkei]: Taurus: Ketschyebe.
- 10853. Asarta firusella Amsel,1961** (Pyrilidae) Asarta firusella Amsel,1961, Ark. Zool. (2) (13-17) 5: 358, pl.9 fig.263, pl.349 textfig.47. Holotype ♂: Iran: Fars: Str. Ardekan- Talochosroe, Comé (Barm-i-Firus), 3750m (NRS).
- 10854. Asarta nigrella Hampson,1903** (Pyrilidae) Asarta nigrella Hampson,1903, Ann. Mag. nat. Hist. 11: 58. Lectotype ♀: Spanien: Kastilien (designated by Roesler,1973, Microlepid. palaearkt. 4: 35) (BMNH).
- 10855. Asartodes zapateri (Ragonot,1882)** (Pyrilidae) Asarta zapateri Ragonot,1882, Bull. Soc. ent. Fr. 1882: 65. Lectotype ♂: Spanien: Albarracin, designated by Agenjo,1973, [in] Roesler, Microlepid. Palaearkt. 4: 33 (Mus. Madrid).
- 10856. Assara Walker,1863** (Pyrilidae) Assara Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 79. Type-species: Assara albicostalis Walker,1863, by monotypy.
- 10857. Assara conicolella (Constant,1884)** (Pyrilidae) Euzophora conicolella Constant,1884, Annls Soc. ent. Fr. 4: 209. Lectotype ♂: Frankreich: Alpes Maritimes (designated by Roesler,1973, Microlepid. palaearkt. 4: 141) (MNHN).
- 10858. Assara formosana Yoshiyasu,1991** (Pyrilidae) Assara formosana Yoshiyasu,1991, Tyo to Ga 42 (4): 261, figs. Holotype: Taiwan: Naston Haien, Puli.
- 10859. Assara terebrella (Zincken,1818)** (Pyrilidae) Phycis terebrella Zincken,1818, Germar's Mag. Ent. 3: 62. Type(s): Deutschland: Braunschweig.
- 10860. Assara turciella Roesler,1973** (Pyrilidae) Assara turciella Roesler,1973, Microlepid. Palaearkt. 4: 142, Pls. Holotype ♂: [Türkei]: Asia minor, Mersin: Dünen, 25km SW v. Mersin leg. F.Kasy (NHMW).
- 10861. Aurana actiosella Walker,1863** (Pyrilidae) Aurana actiosella Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 122.
- 10862. Bazaria gilvella (Ragonot,1887)** (Pyrilidae) Anoristia gilvella Ragonot,1887, Annls Soc. ent. Fr. (6)7: 236. Lectotype ♂: [Turkmenistan]: Krasnowodsk (Roesler, 1993: 107).
- 10863. Bazaria gilvella gilvella (Ragonot,1887)** (Pyrilidae) Anoristia gilvella Ragonot,1887, Annls Soc. ent. Fr. (6)7: 236. Lectotype ♂: [Turkmenistan]: Krasnowodsk (Roesler, 1993: 107).
- 10864. Bazaria leucochrella (Herrich-Schäffer,[1855])** (Pyrilidae) Pempelia leucochrella Herrich-Schäffer,[1855], Syst. Bearb. Schmett. Eur. 5: 150, figs. Type(s): [Türkei]: Amasia.
- 10865. Bazaria nomiella (Ragonot,1887)** (Pyrilidae) Anoristia nomiella Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 236. Lectotype ♂: Transcaucasien: Eldar (designated by Roesler,1993, Microlepid. palaearkt. 8: 102) (MNHN).
- 10866. Bazaria pempeliella Ragonot,1893** (Pyrilidae) Bazaria pempeliella Ragonot,1893, [in] Romanoff, Mém. lépid. 7: 454, Pl. 17 fig.22. Lectotype ♂: [Turkmenistan]: "Transkaspien: Krasnowodsk" (MNHN).
- 10867. Bazaria ruscionella Ragonot,1888** (Pyrilidae) Bazaria ruscionella Ragonot,1888, Nouv. gen. Phycit. 1888: 456. Holotype ♂: S-Frankreich: Perpignan (MNHN).
- 10868. Bazaria sieversi (Christoph,1877)** (Pyrilidae) Myelois sieversi Christoph,1877, Horae Soc. ent. ross. 12: 288, pl.8 fig.60.
- 10869. Bazaria turensis Ragonot,1887** (Pyrilidae) Bazaria turensis Ragonot,1887, Annls Soc. ent. Fr. 1887: 234. Syntypes: [Algeria]: Biskra; [Turkmenistan]: Krasnowodsk.
- 10870. Benderia Amsel,1949** (Pyrilidae) Benderia Amsel,1949, Bull. Soc. Fouad I Ent. 33: 248. Type-species: Benderia talhouki Amsel,1949, by original designation.
- 10871. Benderia talhouki Amsel,1949** (Pyrilidae) Benderia talhouki Amsel,1949, Bull. Soc. Fouad I Ent. 33: 248, pl.3 fig.18.
- 10872. Berastagia dissolutella (Snellen,1880)** (Pyrilidae) Cryptoblabes dissolutella Snellen,1880, Reise in Midden Sumatra Nat. Hist. Lepid. 1880: 81. Type: Sumatra.
- 10873. Bocchoris onychinalis (Guenée,1854)** (Pyrilidae) Asopia onychinalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 205. Type ♂: [India]: "Cote de Coromandel".
- 10874. Bostra bifascialis Amsel,1950** (Pyrilidae) Bostra bifascialis Amsel,1950, Ark. Zool. 1 (17): 243-244, figs.34,74. Syntypes 3♀: Iran: [Fars]: Comé, Fort Mian-Kotal.
- 10875. Bostra fuscella Amsel,1959** (Pyrilidae) Bostra fuscella Amsel,1959, Stuttg. Beitr. Naturk. 28: 22, Taf.1 fig.19. Holotype ♀: Iran: [Balutschistan]: Iranshar.
- 10876. Bostra luteocostalis Amsel,1950** (Pyrilidae) Bostra luteocostalis Amsel,1950, Ark. Zool. 1 (17): 244, figs.35,76. Syntypes 3♂: Iran: [Fars]: Fort Mian-Kotal.
- 10877. Botyodes asialis Guenée,1854** (Pyrilidae) Botyodes asialis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: Syntypes: "Inde centrale, Bengale, Népal".
- 10878. Botyodes borneensis Munroe,1960** (Pyrilidae) Botyodes borneensis Munroe,1960, Can. Ent. 92: 166, figs. Holotype ♀: [Malaysia; Sabah]: Mt. Kinabalu, Borneo (BMNH).
- 10879. Bradyrrhoa cantenerella (Duponchel,1837)** (Pyrilidae) Phycis cantenerella Duponchel,1837, Hist. nat. Lépid. Papillons Fr. 10: 347, Pl.284, fig.8. Type ♂: France: Korsika.
- 10880. Bradyrrhoa confiniella Zeller,1848** (Pyrilidae) Bradyrrhoa confiniella Zeller,1848, Isis 1848: 683. Lectotype ♂: Libanon: Beirut (Roesler, 1993: 92).
- 10881. Bradyrrhoa gilveolella (Treitschke,1833)** (Pyrilidae) Phycis gilveolella Treitschke,1833, Schmett. Eur. 9(2): 271. Type(s): Ungarn.
- 10882. Bradyrrhoa mesobaphella Ragonot,1888** (Pyrilidae) Bradyrrhoa mesobaphella Ragonot,1888, Nouv. gen. esp. Phycit. Galler. 1888: 26. Lectotype ♀: [Turquie]: Kasikoparan (Roesler, 1993: 83).
- 10883. Bradyrrhoa trapezella (Duponchel,1836)** (Pyrilidae) Phycis trapezella Duponchel,1836, Hist. Nat. Lépid. Papillons Fr. 10: 186, pl. 278, fig.8. Type ♂: France: Montpellier (MNHN).
- 10884. Bradyrrhoa trapezella ochrospilella Rebel,1892** (Pyrilidae) Bradyrrhoa ochrospilella Rebel,1892, Annln naturh. Mus. Wien 7: 258, t.17 fig.13. Holotype ♂: Kanaren: Mogan (NHMW).
- 10885. Bradyrrhoa trapezella trapezella (Duponchel,1836)** (Pyrilidae) Phycis trapezella Duponchel,1836, Hist. Nat. Lépid. Papillons Fr. 10: 186, pl. 278, fig.8. Type ♂: France: Montpellier (MNHN).
- 10886. Cadra Walker,1864** (Pyrilidae) Cadra Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 30: 961. Type-species: Cadra defectella Walker,1864, by monotypy.
- 10887. Cadra calidella (Guenée,1845)** (Pyrilidae) Ephestia calidella Guenée,1845, Ind. Meth. 1845: 82. Type(s): France: Ins. Hyeres.
- 10888. Cadra cautella (Walker,1863)** (Pyrilidae) Pempelia cautella Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 73. Type ♂: [Syri Lanka]: Ceylon.
- 10889. Cadra delattinella Roesler,1965** (Pyrilidae) Cadra delattinella Roesler,1965, Inaugural- Diss. Saarbrücken 1964: 143. Type ♂: [Türkei]: Anatolien: Akşehir.
- 10890. Cadra figulilella (Gregson,1871)** (Pyrilidae) Ephestia figulilella Gregson,1871, Entomologist 5: 385. Type(s): England: Liverpool.
- 10891. Cadra furcatella (Herrich-Schäffer,[1849])** (Pyrilidae) Homoeosoma furcatella Herrich-Schäffer,[1849], Syst. Bearb. Schmett. Eur. 4: 107. Type(s): Österreich: Alpeleek.
- 10892. Cadra furcatella afflatella (Mann,1855)** (Pyrilidae) Myelois afflatella Mann,1855, Verh. zool.- bot. Ges. Wien 5: 559. Type ♂: Korsika (NHMW).

- 10893. *Cadra furcatella albidella* Roesler, 1964** (Pyrilidae)
Cadra furcatella ssp. *albidella* Roesler, 1964, Boll. Ass. romana Ent. 19: 23. Type ♀: Cyrenaica (coll. Krüger, Roma).
- 10894. *Cadra furcatella asiatica* Roesler, 1965** (Pyrilidae) *Cadra furcatella* ssp. *asiatica* Roesler, 1965, Inaug.-Diss. Saarbrücken 1965: 142. Holotype ♂: Ost Afghanistan: Sarobi, 1100m (LNK).
- 10895. *Cadra furcatella baptella* (Ragonot, 1887)** (Pyrilidae)
Ephestia baptella Ragonot, 1887, Anns Soc. ent. Fr. (6) 7: 257. Holotype ♂: Iran: Schahkuh (ZMB).
- 10896. *Cadra furcatella calonella* (Ragonot, 1888)** (Pyrilidae)
Ephestia calonella Ragonot, 1888, Nouv. Gen. Phycit. 1888: 36. Type(s): Spanien: Andalusien.
- 10897. *Cadra furcatella furcatella* (Herrich-Schäffer, [1849])** (Pyrilidae) *Homoeosoma furcatella* Herrich-Schäffer, [1849], Syst. Bearb. Schmett. Eur. 4: 107. Type(s): Österreich: Alpeleck.
- 10898. *Caina inanitella* (Ragonot, 1888)** (Pyrilidae) *Anoristia inanitella* Ragonot, 1888, Nouv. gen. esp. Gall. Phycit. 1888: 25. Type: India (MNHP).
- 10899. *Calamotropha anticella* (Walker, 1866)** (Pyrilidae)
Ancylolomia ? *anticellus* Walker, 1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1751.
- 10900. *Calamotropha anticella anticella* (Walker, 1866)** (Pyrilidae) *Ancylolomia* ? *anticellus* Walker, 1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1751.
- 10901. *Calamotropha haplora* (Turner, 1911)** (Pyrilidae)
Crambus haplorus Turner, 1911, Ann. Queensl. Mus. 10: 110.
- 10902. *Calamotropha hierichuntica* Zeller, 1867** (Pyrilidae)
Calamotropha hierichuntica Zeller, 1867, Stettin ent. Ztg. 28: 368. Type ♂: Palestine: Jordantal.
- 10903. *Calamotropha lupatus* (Meyrick, 1932)** (Pyrilidae)
Crambus lupatus Meyrick, 1932, Exot. Microlepid. 4: 344. Type: Punjab.
- 10904. *Calamotropha ocularis* (Snellen, 1893)** (Pyrilidae)
Crambus ocularis Snellen, 1893, Tijdschr. Ent. 36: 64, pl. 3 fig. 6.
- 10905. *Calamotropha ocularis ocularis* (Snellen, 1893)** (Pyrilidae)
Crambus ocularis Snellen, 1893, Tijdschr. Ent. 36: 64, pl. 3 fig. 6.
- 10906. *Calamotropha paludella* (Hübner, [1824])** (Pyrilidae)
Tinea paludella Hübner, [1824], Samml. eur. Schmett. Tineae: Taf. 68, figs. 452, 453. Syntypes: [Europa].
- 10907. *Calamotropha unicolora* (Zeller, 1863)** (Pyrilidae)
Chilo unicolorellus Zeller, 1863, Chil. Cramb. Gen. Spec.: 7.
- 10908. *Calamotropha unicolora unicolora* (Zeller, 1863)** (Pyrilidae)
Chilo unicolorellus Zeller, 1863, Chil. Cramb. Gen. Spec.: 7.
- 10909. *Calamotropha xanthypa xanthypa* Bleszynski, 1961** (Pyrilidae)
xanthypa Bleszynski, 1961
- 10910. *Cataclysta lemnata* (Linnaeus, 1758)** (Pyrilidae) *Phalaena lemnata* Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 529. Type(s): [Europa].
- 10911. *Cataonia mauritanica* Amsel, 1953** (Pyrilidae) *Cataonia mauritanica* Amsel, 1953, Bull. Inst. fr. Afr. noire 15 (4): 1447. Type: Mauritanien: Gabou.
- 10912. *Catapsephis Hampson, 1898*** (Pyrilidae) *Catapsephis Hampson, 1898*, Proc. zool. Soc. London 1898: 612. Type-species: *Catapsephis apicipuncta* Hampson, 1898, by original designation.
- 10913. *Catapsephis apicipuncta* Hampson, 1898** (Pyrilidae)
Catapsephis apicipuncta Hampson, 1898, Proc. zool. Soc. London 1898: 612-613, fig. 11. Type: Papua New Guinea: Fergusson Is. (coll. Rothschild).
- 10914. *Catastia* Hübner, [1825]** (Pyrilidae) *Catastia* Hübner, [1825], Verz. bekannter Schmett.: 372. Type-species: *Noctua marginea* [Denis & Schiffmüller, 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 69, by subsequent designation by Ragonot, 1893, [in] Romanoff, Mém. Lépid. 7: xii, 479.
- 10915. *Catastia marginea* ([Denis & Schiffmüller], 1775)** (Pyrilidae) *Noctua marginea* [Denis & Schiffmüller, 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 69. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 10916. *Catoptria biformella* (Rebel, 1893)** (Pyrilidae) *Crambus biformellus* Rebel, 1893, Stettin ent. Ztg. 54 (1/3): 37-39. Syntypes ♂♀: Transcaucasia: Somly (NHMW).
- 10917. *Catoptria caucasica* (Alpheraky, 1878)** (Pyrilidae)
Crambus caucasica Alpheraky, 1878, Horae Soc. ent. ross. 10: 27.
- 10918. *Catoptria ciliella* (Rebel, 1893)** (Pyrilidae) *Crambus ciliellus* Rebel, 1893, Stettin ent. Ztg. 54 (1/3): 39-41. Syntypes ♂♀: [Türkei]: "Cilicia (Gülek)"; Lectotype ♂ "Gülek", designated by Bleszynski, 1965: 300 (NHMW).
- 10919. *Catoptria colchicella* (Lederer, 1870)** (Pyrilidae)
Crambus colchicellus Lederer, 1870, Anns Soc. ent. Belg. 13: 52, Taf. 2 fig. 9. Type ♀: [Georgien]: Achalziche.
- 10920. *Catoptria combinella* ([Denis & Schiffmüller], 1775)** (Pyrilidae) *Tinea combinella* [Denis & Schiffmüller, 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 319. Type(s): [Austria]: Vienna district.
- 10921. *Catoptria conchella* ([Denis & Schiffmüller], 1775)** (Pyrilidae) *Tinea conchella* [Denis & Schiffmüller, 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district.
- 10922. *Catoptria confusella* (Staudinger, 1881)** (Pyrilidae)
Crambus confusellus Staudinger, 1881, Horae Soc. ent. ross. 16: 82. Lectotype ♂: Böhmen: Prag (Bleszynski, 1965: 304).
- 10923. *Catoptria dimorphella* (Staudinger, 1881)** (Pyrilidae)
Crambus dimorphellus Staudinger, 1881, Horae Soc. ent. ross. 16: 81. Lectotype ♀: [Türkei]: Amasia (Bleszynski, 1965: 282).
- 10924. *Catoptria falsella* ([Denis & Schiffmüller], 1775)** (Pyrilidae) *Tinea falsella* [Denis & Schiffmüller, 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 10925. *Catoptria falsella falsella* ([Denis & Schiffmüller], 1775)** (Pyrilidae) *Tinea falsella* [Denis & Schiffmüller, 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 10926. *Catoptria hilarella* (Caradja, 1925)** (Pyrilidae) *Crambus hilarellus* Caradja, 1925, Dt. ent. Z., Iris 39: 142. Lectotype ♂: [Türkei]: Zeitun [Süleymanli] (Bleszynski, 1965: 282).
- 10927. *Catoptria incertella* (Herrich-Schäffer, [1852])** (Pyrilidae)
[*Crambus*] *incertellus* Herrich-Schäffer, [1852], Syst. Bearb. Schmett. Eur. 4: Taf. 23 fig. 165; [1853], ibid. 6: 144. Type ♂: Armenien.
- 10928. *Catoptria laevigatella* (Lederer, 1870)** (Pyrilidae)
Crambus laevigatellus Lederer, 1870, Anns Soc. ent. Belg. 13: 52, Taf. 2 fig. 10. Lectotype ♂: [Georgien]: Achalziche (Bleszynski, 1965: 299).
- 10929. *Catoptria lithargyrella* (Hübner, 1796)** (Pyrilidae) *Tinea lithargyrella* Hübner, 1796, Samml. eur. Schmett. 8, Tineae: Tab. 33 fig. 227. Type(s): Europa.
- 10930. *Catoptria margaritella* ([Denis & Schiffmüller], 1775)** (Pyrilidae) *Tinea margaritella* [Denis & Schiffmüller, 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district.
- 10931. *Catoptria mediofasciella* (Zerny, 1914)** (Pyrilidae)
Crambus mediofasciellus Zerny, 1914, Annl. naturh. Mus. Wien 28: 297-298, Taf. xxv fig. 3. Type ♂: Armenien (13. Juli, ex coll. Hansen).
- 10932. *Catoptria myella* (Hübner, 1796)** (Pyrilidae) *Tinea myella* Hübner, 1796, Samml. eur. Schmett. Tineae: 25, Taf. 6 fig. 37. Type(s): [Germany]: Augsburg.
- 10933. *Catoptria mytilella* (Hübner, [1805])** (Pyrilidae) *Tinea mytilella* Hübner, [1805], Samml. eur. Schmett. 8, Tineae: Tab. 42 fig. 287. Type(s): Europa.
- 10934. *Catoptria orientella* (Herrich-Schäffer, [1850])** (Pyrilidae)
[*Crambus*] *orientellus* Herrich-Schäffer, [1850], Schmett. Eur. 5: Taf. 25 fig. 175.
- 10935. *Catoptria pfeifferi* (Osthelder, 1938)** (Pyrilidae) *Crambus pfeifferi* Osthelder, 1938, Mitt. münch. ent. Ges. 28: 18-20, Abb. Syntypes: [Iran]: Persien: Hecercal (2800-3200m), Särdaab-Tal (1000-3500m).
- 10936. *Catoptria pinella* (Linnaeus, 1758)** (Pyrilidae) *Phalaena pinella* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 539. Lectotype ♂: [Europa] (Robinson & Nielsen, 1983: 223).
- 10937. *Catoptria pinella pinella* (Linnaeus, 1758)** (Pyrilidae)
Phalaena pinella Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 539. Lectotype ♂: [Europa] (Robinson & Nielsen, 1983: 223).
- 10938. *Catoptria verella* (Zincken, 1817)** (Pyrilidae) *Chilo verellus* Zincken, 1817, Germar's Mag. Ent. 2: 81. Type(s): Deutschland: Braunschweig.
- 10939. *Catoptria xerxes* (Sauber, 1904)** (Pyrilidae) *Crambus xerxes* Sauber, 1904, Verh. Ver. naturw. Unterh. Hamburg 12: 108. Lectotype ♂: [China: Uighur A.R.]: "Korla", leg. R. Tancre, 18.iii.1903 (LNK).
- 10940. *Ceutholopha* Zeller, 1867** (Pyrilidae) *Ceutholopha* Zeller, 1867, Trans. ent. Soc. Lond. (3) 5: 465. Type-species: *Nephopteryx isidis* Zeller, 1867, by monotypy.
- 10941. *Ceutholopha isidis* (Zeller, 1867)** (Pyrilidae) *Nephopteryx* (*Ceutholopha*) *isidis* Zeller, 1867, Stettin ent. Ztg. 28 (10/12): 375-376. Type ♂: Aegypten: Manfalut.
- 10942. *Charltona diatraeella* (Hampson, 1896)** (Pyrilidae)
Platytes diatraeella Hampson, 1896, Fauna Br. India (Moths) 4: 20. Syntypes: India: Khasis.

- 10943. Chilo Zincken, 1817** (Pyralidae) Chilo Zincken, 1817, Magazin Ent. (Germar) 2: 33. Type-species: Tinea phragmitella Hübner, [1810], Samml. eur. Schmett. 8: pl. 43, figs. 297, 298, by subsequent designation by Duponchel, 1836, [in] Godart & Duponchel, Hist. nat. Lepid. Papillons 10: 9.
- 10944. Chilo agamemnon Bleszynski, 1962** (Pyralidae) Chilo agamemnon Bleszynski, 1962, Acta zool. Cracov. 7: 119, figs. Holotype ♂: Aegypten.
- 10945. Chilo christophi Bleszynski, 1965** (Pyralidae) Chilo christophi Bleszynski, 1965, Microlepidoptera Palaearctica 1: 112, figs. Holotype ♀: [Russia]: Amurgebiet: Baranovka.
- 10946. Chilo hyrax Bleszynski, 1965** (Pyralidae) Chilo hyrax Bleszynski, 1965, Microlepidoptera Palaearctica 1: 108, figs. Holotype ♂: [Russia]: Ussuri.
- 10947. Chilo hyrax hyrax Bleszynski, 1965** (Pyralidae) Chilo hyrax Bleszynski, 1965, Microlepidoptera Palaearctica 1: 108, figs. Holotype ♂: [Russia]: Ussuri.
- 10948. Chilo infuscatellus Snellen, 1891** (Pyralidae) Chilo infuscatellus Snellen, 1891, Meded. Proefst. Kagok 1890: 94, Pl. I figs. 5-8. Lectotype ♂: [Indonesia]: Java.
- 10949. Chilo luteellus (Motschulsky, 1866)** (Pyralidae) Schoenobius luteellus Motschulsky, 1866, Bull. Moscou 39: 199. Neotype ♀: Japan: Honshu (Bleszynski, 1965: 106).
- 10950. Chilo partellus (Swinhoe, 1885)** (Pyralidae) Crambus partellus Swinhoe, 1885, Proc. zool. Soc. London 1885: 879. Lectotype ♂: [India]: Poona.
- 10951. Chilo phragmitellus (Hübner, [1810])** (Pyralidae) Tinea phragmitellus Hübner, [1810], Samml. eur. Schmett., Tinea: Taf. 43 figs. 297, 298. Syntypes: [Europa].
- 10952. Chilo pulverosellus Ragonot, 1895** (Pyralidae) Chilo pulverosellus Ragonot, 1895, Bull. Soc. ent. Fr. 1895: xcvi. Type ♀: [Turkey]?: Syrie: [Akbes]?
- 10953. Christophia granulella (Zerny, 1914)** (Pyralidae) Anoristia (Centrometopia) granulella Zerny, 1914, Annln naturh. Mus. Wien 28: 311, Taf. xxv fig. 11. Type ♂: [China: Uighur A.R.]: Lob Noor (ex coll. Bang-Haas) (NHMW).
- 10954. Christophia interruptella (Ragonot, 1887)** (Pyralidae) Centrometopia interruptella Ragonot, 1887, Annls Soc. ent. Fr. 1887: 237. Type: [Turkmenistan]: Askhabad.
- 10955. Christophia litterella Ragonot, 1887** (Pyralidae) Christophia litterella Ragonot, 1887, Annls Soc. ent. Fr. (6) 7: 233. Syntypes 2♂: [Turkmenistan]: Askhabad (ZIANL).
- 10956. Chrysocrambus craterellus (Scopoli, 1763)** (Pyralidae) Phalaena craterellus Scopoli, 1763, Entomologia Carniolica: 246. Type(s): [Slovenien]: Carniolia [Krain].
- 10957. Chrysocrambus linetellus (Fabricius, 1781)** (Pyralidae) Tinea linetella Fabricius, 1781, Spec. Ins. 2: 291. Lectotype ♂: Italia: Piemont (Bleszynski, 1965: 344).
- 10958. Chrysocrambus linetellus linetellus (Fabricius, 1781)** (Pyralidae) Tinea linetella Fabricius, 1781, Spec. Ins. 2: 291. Lectotype ♂: Italia: Piemont (Bleszynski, 1965: 344).
- 10959. Chrysocrambus syriellus (Zerny, 1934)** (Pyralidae) Crambus syriellus Zerny, 1934, Dt. ent. Z., Iris 448: 2, Taf. 1 fig. 3. Lectotype ♂: Libanon: Becharre (Bleszynski, 1965: 357).
- 10960. Chrysoteuchia culmella (Linnaeus, 1758)** (Pyralidae) Phalaena culmella Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 535. Lectotype ♂: [Europa] (Bleszynski, 1965: 166).
- 10961. Chrysoteuchia culmella culmella (Linnaeus, 1758)** (Pyralidae) Phalaena culmella Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 535. Lectotype ♂: [Europa] (Bleszynski, 1965: 166).
- 10962. Chrysoteuchia dividella (Snellen, 1890)** (Pyralidae) Crambus dividellus Snellen, 1890, Trans. ent. Soc. London 1890: 645.
- 10963. Chrysoteuchia moriokensis (Okano, 1958)** (Pyralidae) Crambus moriokensis Okano, 1958, Tinea 4: 259, figs. 1, 2.
- 10964. Chrysoteuchia pyraustoides (Erschoff, 1877)** (Pyralidae) Catastia pyraustoides Erschoff, 1877, Horae Soc. ent. ross. 12: 340. Lectotype ♀: [Russia]: Irkutsk (ZIANL), designated by Bleszynski, 1965 (Microlepid. Pal. 1: 162).
- 10965. Cnaphalocrocis medinalis (Guenée, 1854)** (Pyralidae) Salbia medinalis Guenée, 1854, [in] Boissduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 201. Type ♀: "Indes Orientales?".
- 10966. Conobathra celticola (Staudinger, 1879)** (Pyralidae) Acrobasis celticola Staudinger, 1879, Horae Soc. ent. ross. 15: 207-208. Syntypes 1♂ 3♀: [Türkei]: Amasia: Kerasdere.
- 10967. Conobathra repandana (Fabricius, 1798)** (Pyralidae) Pyralis repandana Fabricius, 1798, Ent. Syst. Suppl.: 478. Type: Europa.
- 10968. Conobathra tumidana ([Denis & Schiffmüller], 1775)** (Pyralidae) Tortrix tumidana [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 103. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 10969. Corcyra Ragonot, 1885** (Pyralidae) Corcyra Ragonot, 1885, Entomologist's mon. Mag. 22: 23. Type-species: Melissoblastes cephalonica Stainton, 1866, ibidem 2: 172, by monotypy.
- 10970. Corcyra cephalonica (Stainton, 1866)** (Pyralidae) Melissoblastes ? cephalonica Stainton, 1866, Entomologist's mon. Mag. 2: 172. Lectotype ♀: Gt. Britain (Whalley, 1964: 579).
- 10971. Cornifrons ulceratalis Lederer, 1858** (Pyralidae) Cornifrons ulceratalis Lederer, 1858, Wien. ent. Monatschr. 2: 147, Taf. 4 fig. 1. Type ♀: Syria: Damask?
- 10972. Cosmethella Munroe & Shaffer, 1980** (Pyralidae) Cosmethella Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 254. Type-species: Vitessa unipunctinalis Hampson, 1906, by original designation.
- 10973. Cosmethella major Munroe & Shaffer, 1980** (Pyralidae) Cosmethella major Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 257, figs. Holotype ♀: Papua New Guinea: Mambare R., Biagi.
- 10974. Cosmethella minor Munroe & Shaffer, 1980** (Pyralidae) Cosmethella minor Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 256-257, figs. Holotype ♀: Papua New Guinea: Wewak.
- 10975. Cosmethella unipunctinalis (Hampson, 1906)** (Pyralidae) Vitessa unipunctinalis Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 217. Lectotype ♂: Solomon Islands: Gizo I. (cf. Munroe & Shaffer, 1980).
- 10976. Cotachena alysoni Whalley, 1961** (Pyralidae) Cotachena alysoni Whalley, 1961, Bull. Br. Mus. (nat. Hist.) Ent. 10(3): 101, figs. Holotype ♂: China: Chang Yang.
- 10977. Cotachena histricalis (Walker, 1859)** (Pyralidae) Botys histricalis Walker, 1859, List Specimens lepid. Insects Colln Br. Mus. 18: 655. Type ♂: [Sri Lanka]: Ceylon.
- 10978. Cotachena pubescens (Warren, 1892)** (Pyralidae) Archernis pubescens Warren, 1892, Ann. Mag. nat. Hist. (6) 9: 300. Lectotype ♂: [India]: Dharmasala.
- 10979. Crambus Fabricius, 1798** (Pyralidae) Crambus Fabricius, 1798, Ent. Syst. (Suppl.): 420, 464. Type-species: Phalaena pascuella Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 535, by subsequent designation by Curtis, 1826, Br. Ent. 3: folio 109.
- 10980. Crambus arachnophagus Strand, 1919** (Pyralidae) Crambus arachnophagus Strand, 1919, Stettin ent. Ztg. 79(2): 252. Type ♀: [Taiwan]: Formosa: Anping.
- 10981. Crambus archimedes Bleszynski, 1961** (Pyralidae) Crambus archimedes Bleszynski, 1961, Polski pismo ent. 31: 171-172, figs. Holotype ♂: "Masseru, Basutoland", R. Crawshay leg. (BMNH).
- 10982. Crambus archimedes archimedes Bleszynski, 1961** (Pyralidae) Crambus archimedes Bleszynski, 1961, Polski pismo ent. 31: 171-172, figs. Holotype ♂: "Masseru, Basutoland", R. Crawshay leg. (BMNH).
- 10983. Crambus distictellus Hampson, 1919** (Pyralidae) Crambus distictellus Hampson, 1919, Ann. Mag. nat. Hist. (9) 3: 288.
- 10984. Crambus flaviguttellus Wileman & South, 1917** (Pyralidae) Crambus flaviguttellus Wileman & South, 1917, Entomologist 50: 148.
- 10985. Crambus hamponi Bleszynski, 1961** (Pyralidae) Crambus hamponi Bleszynski, 1961, Polski pismo ent. 31: 172-173 (nomen novum pro mediofasciellus Hampson, 1919 nec Zerny, 1914 [Catoptria]). Syntypes: [Kenya]: British East Africa: Nairobi, Escarpment and Athi ya Mawe (BMNH).
- 10986. Crambus haplotomus Meyrick, 1882** (Pyralidae) Crambus haplotomus Meyrick, 1882, N. Zeal. J. Sci. 1: 187.
- 10987. Crambus harpipterus Dyar, 1916** (Pyralidae) Crambus harpipterus Dyar, 1916, Proc. U. S. nat. Mus. 51: 26.
- 10988. Crambus harpophorus Meyrick, 1882** (Pyralidae) Crambus harpophorus Meyrick, 1882, N. Zeal. J. Sci. 1: 187.
- 10989. Crambus hemileucalis Hampson, 1896** (Pyralidae) Crambus hemileucalis Hampson, 1896, Fauna Br. India 4: 16. Type ♀: India: Manipur (Doherty leg.) (coll. Elwes).
- 10990. Crambus heringiellus Herrich-Schäffer, [1848]** (Pyralidae) Crambus heringiellus Herrich-Schäffer, [1848], Syst. Bearb. Schmett. Eur. 4: 54, fig. 142.
- 10991. Crambus intermedius Kearfott, 1908** (Pyralidae) Crambus intermedius Kearfott, 1908, Proc. U. S. nat. Mus. 35: 383.
- 10992. Crambus kumatakellus Shibuya, 1928** (Pyralidae) Crambus kumatakellus Shibuya, 1928, J. Coll. Agric. Hokkaido Imp. Univ. 22(1): 47, pl. 4 f. 1. Type ♂: [Taiwan]: Formosa: Kumataka.

- 10993. *Crambus lacteella* Janse, 1922** (Pyrilidae) *Crambus lacteella* Janse, 1922, Trans. ent. Soc. London 1922: 5.
- 10994. *Crambus lacteella lacteella* Janse, 1922** (Pyrilidae) *Crambus lacteella* Janse, 1922, Trans. ent. Soc. London 1922: 5.
- 10995. *Crambus meus* Strand, 1919** (Pyrilidae) *Crambus meus* Strand, 1919, Stettin ent. Ztg. 79(2): 251. Type ♂: [Taiwan]: Formosa: Anping.
- 10996. *Crambus monochromellus* Herrich-Schäffer, [1852]** (Pyrilidae) *Crambus monochromellus* Herrich-Schäffer, [1852], Syst. Bearb. Schmett. Eur. 4: Taf. 23 fig. 164; 6: 145 [1855]. Type(s): [Austria]: Grossglockner.
- 10997. *Crambus nigriscriptellus* South, 1901** (Pyrilidae) *Crambus nigriscriptellus* South, 1901, Trans. ent. Soc. London 1901: 392.
- 10998. *Crambus palustrellus* Ragonot, 1876** (Pyrilidae) *Crambus palustrellus* Ragonot, 1876, Bull. Soc. ent. Fr. 1876: lxxviii. Lectotype ♀: France: Gascogne, designated by Bleszynski, 1965: 208 (MNHNP).
- 10999. *Crambus pascuellus* (Linnaeus, 1758)** (Pyrilidae) *Phalaena pascuella* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 535. Lectotype ♂: [Europa] (Robinson & Nielsen, 1983: 222).
- 11000. *Crambus perlellus* (Scopoli, 1763)** (Pyrilidae) *Phalaena perlella* Scopoli, 1763, Entomologia Carniolica: 243. Type(s): [Slovenien]: Carniolia [Krain].
- 11001. *Crambus perlellus aurellus* Zerny, 1914** (Pyrilidae) *Crambus perlellus* var. *aurellus* Zerny, 1914, Annln naturh. Mus. Wien 28: 301. Lectotype ♂: Iran: Schahkuh, designated by Bleszynski, 1965, Micr. Pal. 1: 219 (NHMW).
- 11002. *Crambus perlellus cupriacellus* Zerny, 1914** (Pyrilidae) *Crambus cupriacellus* Zerny, 1914, Annln naturh. Mus. Wien 28: 301. Type ♂: Armenien (24. Juli, ex coll. Hansen) (NHMW).
- 11003. *Crambus perlellus nigerrimus* Caradja, 1917** (Pyrilidae) *Crambus rostellus* var. *nigerrimus* Caradja, 1917, Dt. ent. Z., Iris 30: 4. Lectotype ♂: Zentralasien: Karagaitau (Bleszynski, 1965 M. P. 1: 220).
- 11004. *Crambus perlellus pamiri* Bleszynski, 1959** (Pyrilidae) *Crambus perlellus* ssp. *pamiri* Bleszynski, 1959, Beitr. naturk. Forsch. SWDtl. 18(1): 114, Taf. 3 f. 4. Holotype ♂: Afghanistan: Andarab.
- 11005. *Crambus perlellus perlellus* (Scopoli, 1763)** (Pyrilidae) *Phalaena perlella* Scopoli, 1763, Entomologia Carniolica: 243. Type(s): [Slovenien]: Carniolia [Krain].
- 11006. *Crambus pratellus* (Linnaeus, 1758)** (Pyrilidae) *Phalaena pratellus* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 535. Lectotype ♂: [Europa] (Bleszynski, 1965: 209).
- 11007. *Crambus reductus* Janse, 1922** (Pyrilidae) *Crambus reducta* Janse, 1922, Trans. ent. Soc. London 1922: 4.
- 11008. *Crambus reductus reductus* Janse, 1922** (Pyrilidae) *Crambus reducta* Janse, 1922, Trans. ent. Soc. London 1922: 4.
- 11009. *Crambus scoticus* Westwood, 1849** (Pyrilidae) *Crambus scoticus* Westwood, 1849, [in] Westwood & Humprey's, British Moths and their transformations 2: 236, Pl. 116 fig. 9. Type: Scotland.
- 11010. *Crambus sibiricus* Alpheraky, 1897** (Pyrilidae) *Crambus pratellus* var. *sibirica* Alpheraky, 1897, [in] Romanoff, Mém. lépid. 9: 346.
- 11011. *Crambus silvellus* (Hübner, [1813])** (Pyrilidae) *Tinea silvella* Hübner, [1813], Samml. eur. Schmett. Tineae, Pl. 54 figs. 369-370. Syntypes: Europa.
- 11012. *Crambus subterminellus* Wileman & South, 1917** (Pyrilidae) *Crambus subterminellus* Wileman & South, 1917, Entomologist 50: 148.
- 11013. *Crambus virgatellus* Wileman, 1911** (Pyrilidae) *Crambus virgatellus* Wileman, 1911, Trans. ent. Soc. London 1911: 353, Pl. xxxi fig. 19.
- 11014. *Cremnophila pyraustella* Zerny, 1914** (Pyrilidae) *Cremnophila* (?) *pyraustella* Zerny, 1914, Annln naturh. Mus. Wien 28: 317, Taf. xxv fig. 18. Type ♂: [China: Uighur A.R.]: Juldus (ex coll. Wagner).
- 11015. *Culladiella Bleszynski*, 1970** (Pyrilidae) *Culladiella Bleszynski*, 1970, Tijdschr. Ent. 113: 12. Type-species: *Culladia sinuimargo* Hampson, 1919, by original designation.
- 11016. *Culladiella sinuimargo* (Hampson, 1919)** (Pyrilidae) *Culladia sinuimargo* Hampson, 1919, Ann. Mag. nat. Hist. (9) 3: 277. Lectotype ♂: [South Africa: Gauteng]: "Pretoria", designated by Bleszynski, 1970, Tijdschr. Ent. 113: 13 (BMNH).
- 11017. *Culladiella sinuimargo sinuimargo* (Hampson, 1919)** (Pyrilidae) *Culladia sinuimargo* Hampson, 1919, Ann. Mag. nat. Hist. (9) 3: 277. Lectotype ♂: [South Africa: Gauteng]: "Pretoria", designated by Bleszynski, 1970, Tijdschr. Ent. 113: 13 (BMNH).
- 11018. *Cybalomia Lederer*, 1863** (Pyrilidae) *Cybalomia Lederer*, 1863, Wien. ent. Monatschr. 7: 276, 420. Type-species: *Botys pentadalis* Lederer, 1855, by monotypy.
- 11019. *Cybalomia fulvomixtalis* Zerny, 1914** (Pyrilidae) *Cybalomia fulvomixtalis* Zerny, 1914, Annln naturh. Mus. Wien 28: 328, Taf. xxvi fig. 36. Syntypes ♂♀: [China: Uighur A.R.]: Kuldsha; [Uzbekistan]: Ferghana, Margelan.
- 11020. *Cybalomia pentadalis* (Lederer, 1855)** (Pyrilidae) *Botys pentadalis* Lederer, 1855, Verh. zool.-bot. Ges. Wien 5: 217-218, Taf. 3 fig. 13. Syntypes 20 ♂♀: Libanon: Beirut.
- 11021. *Cybalomia triplacogramma* Meyrick, 1937** (Pyrilidae) *Cybalomia triplacogramma* Meyrick, 1937, Exot. Microlepid. 5: 106. Type ♀: Iraq: Rowanduz Gorge, September, E.P. Wiltshire leg.
- 11022. *Cymoriza inthanonensis* Yoshiyasu, 1985** (Pyrilidae) *Cymoriza inthanonensis* Yoshiyasu, 1985, Akitu 76: 4, figs. 2-5. Holotype: Thailand: Chiang Mai, Doi Inthanon.
- 11023. *Cymoriza irrectalis* Guenée, 1854** (Pyrilidae) *Cymoriza irrectalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: Syntypes 1 ♂ 1 ♀: "Indes orientales".
- 11024. *Cynaeda dentalis* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Pyrilis dentalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11025. *Cynaeda dentalis dentalis* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Pyrilis dentalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11026. *Cyrtogramme Yoshiyasu*, 1985** (Pyrilidae) *Cyrtogramme Yoshiyasu*, 1985, Scient. Rep. Kyoto Pref. Univ. 37: 25. Type-species: *Paraponyx turbata* Butler, 1881, by original designation.
- 11027. *Cyrtogramme melagynalis* (Agassiz, 1978)** (Pyrilidae) *Nymphula melagynalis* Agassiz, 1978, Entomologist's Gaz. 29 (3): 121, fig. Holotype: Sri Lanka.
- 11028. *Cyrtogramme turbata* (Butler, 1881)** (Pyrilidae) *Paraponyx turbata* Butler, 1881, Trans. ent. Soc. London 1881: 586. Type: Japan: Yokohama.
- 11029. *Dattinia lobalis fredii* Amsel, 1949** (Pyrilidae) *Dattinia fredii* Amsel, 1949, Bull. Soc. Fouad I Ent. 33: 252-253, Taf. III figs. 24, 24a. Syntypes: Iran: Laristan, Bender Tschahbahar.
- 11030. *Dattinia metasialis* (Amsel, 1953)** (Pyrilidae) *Boursinella metasialis* Amsel, 1953, Ark. Zool. 6 (16): 311, figs. 181, 274. Holotype ♂: Iran: Fars: Dalaki-Brücke.
- 11031. *Dattinia povolnyi* Amsel, 1975** (Pyrilidae) *Dattinia povolnyi* Amsel, 1975, Ent. Z., Frankf. a. M. 85 (16): 187-188, 2 Abb. Holotype ♂: Süd-Iran: Strasse Bandar-Abbas-Sirjan, km 24, 250m (LNK).
- 11032. *Dattinia variabilis* (Zerny, 1930)** (Pyrilidae) *Dattinia* (Epizonora) *variabilis* Zerny, 1930, Int. ent. Z. 25: 17-18. Syntypes 7 ♂ 2 ♀: [Türkei]: Akschehir (NHMW).
- 11033. *Dausara chiangmai* Yoshiyasu, 1995** (Pyrilidae) *Dausara chiangmai* Yoshiyasu, 1995, Microlepid. Thailand 3: 96, figs. Holotype: Thailand: Chiang Mai, Doi Pui.
- 11034. *Dausara latiterminalis* Yoshiyasu, 1995** (Pyrilidae) *Dausara latiterminalis* Yoshiyasu, 1995, Microlepid. Thailand 3: 95, figs. Holotype: Thailand: Nakhon Nayok, Khao Yai.
- 11035. *Dectocera pseudolimbella* Ragonot, 1887** (Pyrilidae) *Dectocera pseudolimbella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 243. Type ♂: [Croatia]: Fiume (MNHNP).
- 11036. *Dentitegumia* (Uyghuria) *classica* Roesler, 1989** (Pyrilidae) *Dentitegumia classica* Roesler, 1989, Ent. Z., Frankf. a. M. 99: 294-296, fig. 7. Holotype ♂: [China: Uighur A.R.]: Aksu (NHMW).
- 11037. *Diasemiopsis ramburialis* (Duponchel, 1831)** (Pyrilidae) *Hydrocampa ramburialis* Duponchel, 1831, Hist. Nat. Lépid. Fr. 8: 344, Pl. 233 fig. 6. Type(s): Korsika.
- 11038. *Dichrocrocis punctiferalis* (Guenée, 1854)** (Pyrilidae) *Astura punctiferalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 320. Syntypes 1 ♂ 1 ♀: "Inde centrale".
- 11039. *Dilacinia Amsel*, 1961** (Pyrilidae) *Dilacinia Amsel*, 1961, Ark. Zool. 13 (17): 432. Type-species: *Dilacina* [sic!] *badialis* Amsel, 1961, by original designation.
- 11040. *Dilacinia badialis* Amsel, 1961** (Pyrilidae) *Dilacina* [sic!] *badialis* Amsel, 1961, Ark. Zool. 13 (17): 432, Textabb. 132. Holotype ♂: Iran: Quli Kush, Wiltshire leg.
- 11041. *Dioryctria Zeller*, 1846** (Pyrilidae) *Dioryctria Zeller*, 1846, Isis 1846: 732. Type-species: *Tinea abietella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend:

138, by subsequent designation by Ragonot, 1893, [in] Romanoff, Mém. Lépid. 7: 188.

11042. *Dioryctria abietella* (Fabricius, 1787) (Pyrilidae) *Tinea abietella* Fabricius, 1787, Mant. Ins. 2: 245.

11043. *Dioryctria mendacella* (Staudinger, 1859) (Pyrilidae) *Nephopteryx mendacella* Staudinger, 1859, Stettin ent. Ztg. 20 (7/9): 222-223. Syntypes ♂♂: Spanien: Granada.

11044. *Dioryctria pineae* (Staudinger, 1859) (Pyrilidae) *Nephopteryx ? pineae* Staudinger, 1859, Stettin ent. Ztg. 20 (7/9): 222. Syntypes ♂♂: Spanien: Chiclana.

11045. *Dioryctria sylvestrella* (Ratzeburg, 1840) (Pyrilidae) *Tinea sylvestrella* Ratzeburg, 1840, Forst. Ins. 2: 242, pl. 15 fig. 1. Syntypes: "Europa".

11046. *Dipha Yoshiyasu*, 1988 (Pyrilidae) *Dipha Yoshiyasu*, 1988, [in] Arakaki & Yoshiyasu, Appl. Ent. Zool. 23 (3): 242. Type-species: *Melitene aphidivora* Meyrick, 1934, by original designation.

11047. *Dipleurina lacustrata* (Panzer, 1804) (Pyrilidae) *Phalaena lacustrata* Panzer, 1804, Icon. Insect.: 194. Neotype ♂: Germany: Regensburg, designated by Leraut, 1984 (LNK).

11048. *Dipleurina lacustrata lacustrata* (Panzer, 1804) (Pyrilidae) *Phalaena lacustrata* Panzer, 1804, Icon. Insect.: 194. Neotype ♂: Germany: Regensburg, designated by Leraut, 1984 (LNK).

11049. *Dipleurina lacustrata persica* Leraut, 1984 (Pyrilidae) *Dipleurina lacustrata* ssp. *persica* Leraut, 1984, Alexanor 13 (4): 173, fig. 14. Holotype ♀: Iran: 7 km sud de Chalus (NMHMW).

11050. *Diptychophora euzonella* Hampson, 1896 (Pyrilidae) *Diptychophora euzonella* Hampson, 1896, Fauna Br. India (Moths) 4: 18. Syntypes: India: Khasis.

11051. *Dolicharthria bruguieralis* (Duponchel, 1833) (Pyrilidae) *Botys bruguieralis* Duponchel, 1833, [in] Godart, Hist. Nat. Lépid. Pap. Fr. 15: 320, Tab. 232 fig. 3. Syntypes: Nîmes [sic!], Corsica.

11052. *Dolicharthria punctalis* (Denis & Schiffermüller, 1775) (Pyrilidae) *Pyalis punctalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].

11053. *Doloessa viridis* Zeller, 1848 (Pyrilidae) *Doloessa viridis* Zeller, 1848, Isis (Oken) 1848: 860.

11054. *Donacula mucronella* (Denis & Schiffermüller, 1775) (Pyrilidae) *Tinea mucronella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].

11055. *Duponchelia* Zeller, 1847 (Pyrilidae) *Duponchelia* Zeller, 1847, Isis 1847: 588. Type-species: *Duponchelia fovealis* Zeller, 1847, Isis 1847: 588, by monotypy.

11056. *Ebulea crocealis* (Hübner, 1796) (Pyrilidae) *Pyalis crocealis* Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 11 fig. 71. Type(s): Europa.

11057. *Ecbatania* Amsel, 1961 (Pyrilidae) *Ecbatania* Amsel, 1961, Ark. zool. 13 (17): 358-359. Type-species: *Ecbatania alvandella* Amsel, 1961, by original designation.

11058. *Ecbatania holopyrrhella* (Ragonot, 1888) (Pyrilidae) *Bradyrhoa holopyrrhella* Ragonot, 1888, Nouv. gen. esp. Phycit. Galler. 1888: 26. Neotype ♂: [Turquie]: Kasikoparan (Roesler, 1993: 160).

11059. *Eccopisa* Zeller, 1848 (Pyrilidae) *Eccopisa* Zeller, 1848, Isis 1848: 648. Type-species: *Eccopisa effractella* Zeller, 1848, by monotypy.

11060. *Eccopisa effractella* Zeller, 1848 (Pyrilidae) *Eccopisa effractella* Zeller, 1848, Isis 1848: 648. Type ♂: Italien: Toscana (BMNH).

11061. *Ecpyrrhorhoe diffusalis* (Guenée, 1854) (Pyrilidae) *Botys diffusalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 340. Syntypes 2♂ 3♀: "Espagne, France mer., env. Nîmes et de Montpellier" (coll. Guenée & Lefebvre).

11062. *Elegia fallax* (Staudinger, 1881) (Pyrilidae) *Nephopteryx fallax* Staudinger, 1881, Horae Soc. ent. ross. 16: 83. Syntypes: Kleinasien: Amasia.

11063. *Elegia similella* (Zincken, 1818) (Pyrilidae) *Phycis similella* Zincken, 1818, Magazin Ent. (Germar) 3: 172.

11064. *Elophila nymphaeata* (Linnaeus, 1758) (Pyrilidae) *Phalaena nymphaeata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 529. Type(s): [Europa].

11065. *Ematheudes varicellus* Ragonot, 1887 (Pyrilidae) *Ematheudes varicellus* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 258.

11066. *Ematheudes vitellinellus* Ragonot, 1887 (Pyrilidae) *Ematheudes vitellinella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 258. Type(s): [Georgien]: Grusie.

11067. *Emmalocera leucosarca* Meyrick, 1937 (Pyrilidae) *Emmalocera leucosarca* Meyrick, 1937, Exot. Microlepid. 5: 65. Type ♀: Iraq: Rayat (4000-7000ft), E.P. Wiltshire leg.

11068. *Emmalocera lucidicostella* Ragonot, 1888 (Pyrilidae) *Emmalocera lucidicostella* Ragonot, 1888, Nouv. gen. Phyc. 1888: 38.

11069. *Emprepes eoa* (Meyrick, 1936) (Pyrilidae) *Neoschoenobia eoa* Meyrick, 1936, Exot. Microlepid. 5: 28. Type ♂: Iraq: Rayat, July (E.P. Wiltshire leg.).

11070. *Emprepes flavomarginalis* (Amsel, 1951) (Pyrilidae) *Heliothela flavomarginalis* Amsel, 1951, Ark. Zool. 1 (36): 555, figs. 52, 86. Syntypes 4♂: Iran: Sardze.

11071. *Enochnemidia squamopedalis* (Guenée, 1854) (Pyrilidae) *Margarodes squamopedalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 309-310. Type ♂: [South Africa]: "Cap de Bonne-Espérance".

11072. *Enochnemidia vertumnalis* (Guenée, 1854) (Pyrilidae) *Margarodes vertumnalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 309. Type ♀: "Inde centrale".

11073. *Endolasia transvaalica* Hampson, 1926 (Pyrilidae) *Endolasia transvaalica* Hampson, 1926, Ann. Mag. nat. Hist. (9) 18: 630. Syntypes 4♂ 1♀: [South Africa]: "Transvaal: Nkweleni, Pretoria".

11074. *Endolasia transvaalica transvaalica* Hampson, 1926 (Pyrilidae) *Endolasia transvaalica* Hampson, 1926, Ann. Mag. nat. Hist. (9) 18: 630. Syntypes 4♂ 1♀: [South Africa]: "Transvaal: Nkweleni, Pretoria".

11075. *Endotricha* Zeller, 1847 (Pyrilidae) *Endotricha* Zeller, 1847, Isis 1847: 593. Type-species: *Pyalis flammealis* [Denis & Schiffermüller], 1775, by original designation.

11076. *Endotricha flammealis* (Denis & Schiffermüller, 1775) (Pyrilidae) *Pyalis flammealis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].

11077. *Endotricha inoue* Yoshiyasu, 1987 (Pyrilidae) *Endotricha inoue* Yoshiyasu, 1987, Tinea 12 (Suppl.): 200, figs. Holotype: Japan: Kyoto Pref.

11078. *Endotricha khaoyaiensis* Yoshiyasu, 1989 (Pyrilidae) *Endotricha khaoyaiensis* Yoshiyasu, 1989, Microlepid. Thailand 2: 158, figs. Holotype: Nakhon Nayok: Khao Yai.

11079. *Endotricha ragonoti* Christoph, 1893 (Pyrilidae) *Endotricha ragonoti* Christoph, 1893, Dt. ent. Z., Iris 6: 96. Type: "Montes Tianchan".

11080. *Endotricha sasakawai* Yoshiyasu, 1989 (Pyrilidae) *Endotricha sasakawai* Yoshiyasu, 1989, Microlepid. Thailand 2: 162, figs. Holotype: Nakhon Nayok: Khao Yai.

11081. *Eoophyla gibbosalis* (Guenée, 1854) (Pyrilidae) *Oligostigma gibbosalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 262-263. Syntypes 1♂ 1♀: "Indes orientales".

11082. *Eoophyla nigripilosa* Yoshiyasu, 1987 (Pyrilidae) *Eoophyla nigripilosa* Yoshiyasu, 1987, Microlepid. Thailand 1: 170, figs. Holotype: Thailand: Nakhon Nayok, Wang Ta Krai.

11083. *Eoophyla thaiensis* Yoshiyasu, 1987 (Pyrilidae) *Eoophyla thaiensis* Yoshiyasu, 1987, Microlepid. Thailand 1: 164, figs. Holotype: Thailand: Phangnga, Nam Tok, Lam Pee.

11084. *Epactotena octogenalis* (Lederer, 1863) (Pyrilidae) *Metasia octogenalis* Lederer, 1863, Wien. ent. Monatschr. 7: 421, 481, Taf. 15 fig. 10. Type ♂: Syrien.

11085. *Epascestria peltaloides* (Rebel, 1932) (Pyrilidae) *Eurycreon peltaloides* Rebel, 1932, Int. ent. Z. 26: 187-189, fig. Type ♂: [Türkei]: Akschehir.

11086. *Epascestria pustulalis* (Hübner, 1823) (Pyrilidae) *Pyalis pustulalis* Hübner, 1823, Samml. eur. Schmett. 6, Pyralides: Tab. 30 figs. 191, 192. Syntypes: Europa.

11087. *Ephedrophila jordanalis* (Rebel, 1902) (Pyrilidae) *Lepidogma jordanalis* Rebel, 1902, Dt. ent. Z., Iris 15: 100, Taf. 4 fig. 2. Type ♂: Jordantal.

11088. *Ephelis Lederer*, 1863 (Pyrilidae) *Ephelis Lederer*, 1863, Wien. ent. Monatschr. 7: 273, 356. Type-species: *Uresiphita cruentalis* Geyer, 1832, by monotypy.

11089. *Ephelis cruentalis* (Geyer, 1832) (Pyrilidae) *Uresiphita cruentalis* Geyer, 1832, [in] Hübner, Zyträge Samml. exot. Schmett. 4: 29, pl. [124], figs. 721, 722.

11090. *Ephestia* (Anagasta) *cypriusella* Roesler, 1965 (Pyrilidae) *Ephestia* (Anagasta) *cypriusella* Roesler, 1965, Inaug.-Diss. Saarbrücken 1965: 118. Holotype ♂: Cypern: Prodromos (LNK).

- 11091. *Ephestia (Anagasta) kuehniella* Zeller, 1879** (Pyralidae) *Ephestia kuehniella* Zeller, 1879, Stettin ent. Ztg. 40: 466. Lectotype ♂: Deutschland: Halle (Roesler, 1973: 618).
- 11092. *Ephestia (Anagasta) welseriella* (Zeller, 1848)** (Pyralidae) *Myelois welseriella* Zeller, 1848, Isis 1848: 673. Type(s): Ragusa.
- 11093. *Ephestia (s.str.) Guenée, 1845*** (Pyralidae) *Ephestia Guenée*, 1845, Anns Soc. ent. Fr. (2) 3: 319. Type-species: *Tinea elutella* Hübner, 1796, Samml. eur. Schmett. 8: 33, pl. 24, fig. 163., by subsequent designation by Desmarest, 1857, [in] Chenu, Encycl. Hist. nat.: 255.
- 11094. *Ephestia (s.str.) disparella* Hampson, 1901** (Pyralidae) *Ephestia disparella* Hampson, 1901, [in] Romanoff, Mém. lépid. 8: 298, pl. 34 fig. 25. Type ♂: [Turquie]: Bursa (NMW).
- 11095. *Ephestia (s.str.) elutella* (Hübner, 1796)** (Pyralidae) *Tinea elutella* Hübner, 1796, Samml. eur. Schmett. 8, Tineae: Tab. 24 fig. 163. Type(s): Europa.
- 11096. *Epichilo vartianae* Bleszynski, 1965** (Pyralidae) *Epichilo vartianae* Bleszynski, 1965, Microlepidoptera Palaearctica 1: 160, figs. Holotype ♂: Pakistan: Karachi: Flughafen.
- 11097. *Epicrocis africana* (Janse, 1942)** (Pyralidae) *Canthelea africana* Janse, 1942, J. ent. Soc. S. Afr. 5: 32-33, fig. 30.
- 11098. *Epicrocis africana africana* (Janse, 1942)** (Pyralidae) *Canthelea africana* Janse, 1942, J. ent. Soc. S. Afr. 5: 32-33, fig. 30.
- 11099. *Epidauria discella* Ragonot, 1901** (Pyralidae) *Epidauria discella* Ragonot, 1901, [in] Romanoff, Mém. lépid. 9: 407, pl. 40 fig. 14. Type ♂: [Turquie]: Mardin.
- 11100. *Epidauria strigosa* (Staudinger, 1879)** (Pyralidae) *Anerastia strigosa* Staudinger, 1879, Horae Soc. ent. ross. 15: 225-226. Syntypes 13 ♂♀: [Türkei]: Amasia: Kerasdere.
- 11101. *Epiepischnia pseudolydella* Amsel, 1953** (Pyralidae) *Epiepischnia pseudolydella* Amsel, 1953, Ark. Zool. 6 (16): 308-309, Pls., figs. Holotype ♂: Iran: [Fars]: Sine-Sefid.
- 11102. *Epimetasia abbasalis* Amsel, 1974** (Pyralidae) *Epimetasia abbasalis* Amsel, 1974, Beitr. naturk. Forsch. SüdwDtl. 33: 197-198, Abb. 1a, Abb. 2 fig. 4. Holotype ♀: Iran: S-Iran: Issin 240m, 5.4.1973, Periploca aphylla-Steppe leg. H.G. Amsel (LNK).
- 11103. *Epimetasia vestalis* (Ragonot, 1894)** (Pyralidae) *Metasiodes vestalis* Ragonot, 1894, Anns Soc. ent. Fr. 1894: 173. Type ♂: [Turkey]: Mardin.
- 11104. *Epiparthia* Amsel, 1935** (Pyralidae) *Epiparthia* Amsel, 1935, Veröff. dt. Kolon. u. ÜberseeMus. Bremen 1: 216. Type-species: *Epiparthia vasta* Amsel, 1935, by original designation.
- 11105. *Epiparthia constituta* Roesler, 1989** (Pyralidae) *Epiparthia constituta* Roesler, 1989, Ent. Z., Frankf. a. M. 99: 2-5, Abb. 1. Holotype ♂: Iran: Anbar-Abad (Djirift) (LNK).
- 11106. *Epiparthia rebeli* Roesler, 1989** (Pyralidae) *Epiparthia rebeli* Roesler, 1989, Ent. Z., Frankf. a. M. 99: 6-9, Abb. 5. Holotype ♂: Ägypten: Dakhla Oasis (NHMW).
- 11107. *Epiparthia simplicialis* (Rothschild, 1921)** (Pyralidae) *Dattinia simplicialis* Rothschild, 1921, J. Bombay Nat. Hist. Soc. 28: 177. Holotype ♂: Iraq: Amara, R. Tigris (BMNH).
- 11108. *Epiparthia vasta* Amsel, 1935** (Pyralidae) *Epiparthia vasta* Amsel, 1935, Veröff. dt. Kolon. u. ÜberseeMus. Bremen 1: 216, pl. 11 fig. 5. Holotype ♂: [Israel]: Jericho (LNK).
- 11109. *Epischnia* Hübner, [1825]** (Pyralidae) *Epischnia* Hübner, [1825], Verz. bekannter Schmett.: 371. Type-species: *Tinea prodromella* Hübner, 1796, Samml. eur. Schmett. 8: pl. 37 fig. 254, by subsequent designation by Bruand, [1848], Mém. Soc. Emul. Doubs [1] 3 (1, livr. 2): 105.
- 11110. *Epischnia christophori* Ragonot, 1887** (Pyralidae) *Epischnia christophori* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 238. Syntypes: [Turkey]: Kazikoparan; [Turkmenistan]: Nuchur.
- 11111. *Epischnia glyphella* Ragonot, 1887** (Pyralidae) *Epischnia glyphella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 238. Type: Russia: Sarepta.
- 11112. *Epischnia illotella* Zeller, 1839** (Pyralidae) *Epischnia illotella* Zeller, 1839, Isis 1839: 178. Type(s): Sicilia.
- 11113. *Epischnia leucoloma* (Herrich-Schäffer, [1849])** (Pyralidae) *Epischnia leucoloma* Herrich-Schäffer, [1849], Syst. Bearb. Schmett. Eur. 4: 89, fig. 126. Type(s): Türkei.
- 11114. *Epischnia leucomixtella* Ragonot, 1887** (Pyralidae) *Epischnia leucomixtella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 238-239. Type(s): [Georgien]: Tiflis.
- 11115. *Epischnia muscidella* Ragonot, 1887** (Pyralidae) *Epischnia muscidella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 238. Type(s): [Turkey]: Amasia.
- 11116. *Epischnia prodromella* (Hübner, [1799])** (Pyralidae) *Tinea prodromella* Hübner, [1799], Samml. eur. Schmett. 8, Tineae: Tab. 37 fig. 254. Type(s): Europa.
- 11117. *Epischnia soritella* Lederer, 1858** (Pyralidae) *Epischnia soritella* Lederer, 1858, Wien. ent. Monatschr. 2: 150, Taf. 4 fig. 7. Syntypes 3 ♂ 1 ♀: Syria: Damask.
- 11118. *Epischnia stenopterella* Rebel, 1910** (Pyralidae) *Epischnia stenopterella* Rebel, 1910, Dt. ent. Z., Iris 24: 2. Syntypes 1 ♂ 1 ♀: [Türkei]: Marasch.
- 11119. *Episcythrastis tabidella* (Mann, 1864)** (Pyralidae) *Myelois tabidella* Mann, 1864, Wien. ent. Monatschr. 8: 182, Taf. 4 fig. 9. Type ♂: [Türkei]: Brussa [Bursa].
- 11120. *Episcythrastis tetricella* ([Denis & Schiffermüller], 1775)** (Pyralidae) *Tinea tetricella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138. Type(s): [Austria]: Vienna district.
- 11121. *Epizonora Ragonot, 1892*** (Pyralidae) *Epizonora Ragonot*, 1892, Anns Soc. ent. Fr. 60: 637. Type-species: *Hypotia speciosalis* Christoph, 1885, by monotypy.
- 11122. *Epizonora speciosalis* (Christoph, 1885)** (Pyralidae) *Hypotia speciosalis* Christoph, 1885, [in] Romanoff, Mém. Lépid. 2: 141, Pl. 7 fig. 8.
- 11123. *Eristena fulva* Yoshiyasu, 1987** (Pyralidae) *Eristena fulva* Yoshiyasu, 1987, Microlepid. Thailand 1: 156, figs. Holotype: Thailand: Chiang Mai, Mae-Sa.
- 11124. *Eristena gregaria* Yoshiyasu, 1984** (Pyralidae) *Eristena gregaria* Yoshiyasu, 1984, Tyo to Ga 35 (1): 1, figs. Holotype: Thailand: Chiang Mai, Fang.
- 11125. *Eristena pumila* Yoshiyasu, 1987** (Pyralidae) *Eristena pumila* Yoshiyasu, 1987, Microlepid. Thailand 1: 158, figs. Holotype: Thailand: Nakhon Nayok, Khao Yai.
- 11126. *Eristena shafferi* Murphy, 1989** (Pyralidae) *Eristena shafferi* Murphy, 1989, Raffles Bull. zool. 37 (1/2): pl. 1E figs. 9, 10. Holotype: Singapore, Mandai mangroves.
- 11127. *Eristena tanongchiti* Yoshiyasu, 1984** (Pyralidae) *Eristena tanongchiti* Yoshiyasu, 1984, Tyo to Ga 35 (1): 5, figs. Holotype: Thailand: Chanthaburi, Kao Soi Dao.
- 11128. *Etiella Zeller, 1839*** (Pyralidae) *Etiella* Zeller, 1839, Isis 1839: 179. Type-species: *Phycis zinckenella* Treitschke, 1832, [in] Ochsenheimer, Schmett. Eur. 9(1): 201, by monotypy.
- 11129. *Etiella zinckenella* (Treitschke, 1832)** (Pyralidae) *Phycis zinckenella* Treitschke, 1832, [in] Ochsenheimer, Schmett. Eur. 9(1): 201. Lectotype ♀: "Sizilien" (TMB).
- 11130. *Eucarphia vinetella* (Fabricius, 1787)** (Pyralidae) *Tinea vinetella* Fabricius, 1787, Mant. Ins. 2: 242. Type(s).
- 11131. *Eucarphia vinetella vinetella* (Fabricius, 1787)** (Pyralidae) *Tinea vinetella* Fabricius, 1787, Mant. Ins. 2: 242. Type(s).
- 11132. *Euchromius anapiellus* (Zeller, 1847)** (Pyralidae) *Crambus anapiellus* Zeller, 1847, Isis 1847: 757. Lectotype ♀: [Italia]: Syracus.
- 11133. *Euchromius bellus* (Hübner, 1796)** (Pyralidae) *Tinea bella* Hübner, 1796, Samml. eur. Schmett., Tineae: 29, Taf. 9 f. 60. Type(s): Ungarn.
- 11134. *Euchromius bleszynskiellus* Popescu-Gorj, 1964** (Pyralidae) *Euchromius bleszynskiellus* Popescu-Gorj, 1964, Z. Wien. ent. Ges. 49: 13, fig. 1, 2. Holotype ♀: Rumanien: Periprava.
- 11135. *Euchromius cambridgei* (Zeller, 1867)** (Pyralidae) *Eromene cambridgei* Zeller, 1867, Stettin ent. Ztg. 28: 370. Type ♂: Egypt.
- 11136. *Euchromius cochlearellus* (Amsel, 1949)** (Pyralidae) *Eromene cochlearella* Amsel, 1949, Bull. Soc. Fouad I Ent. 33: 234, Taf. 1 fig. 2. Holotype ♂: Iran: Elburs-Gebirge: Keredj.
- 11137. *Euchromius gratiosellus* (Caradja, 1910)** (Pyralidae) *Eromene ramburiella* gratiosella Caradja, 1910, Dt. ent. Z., Iris 24: 116. Lectotype ♂: [China]: Ostturkestan: Lob-Noor.
- 11138. *Euchromius jaxartellus* (Erschoff, 1874)** (Pyralidae) *Eromene jaxartella* Erschoff, 1874, [in] Fedtschenko, Reise nach Turkestan. 82. Type ♀: [Kasachstan]: Turkestan.
- 11139. *Euchromius keredjellus* (Amsel, 1949)** (Pyralidae) *Eremene keredjella* Amsel, 1949, Bull. Soc. Fouad I Ent. 33: 233, Taf. 1 fig. 1. Holotype ♂: Iran: Elburs-Gebirge: Keredj.
- 11140. *Euchromius malekalis* Amsel, 1961** (Pyralidae) *Euchromius malekalis* Amsel, 1961, Ark. Zool. (2) 13: 330, fig. 1; Taf. 1 fig. 139. Holotype ♂: Iran: Belutschistan: Tahte Malek, 750m.
- 11141. *Euchromius mouchai* Bleszynski, 1961** (Pyralidae) *Euchromius mouchai* Bleszynski, 1961, Acta ent. Mus. nat. Pragae 34: 464, figs. 9, 10, 18, 24. Holotype ♂: [Russland]: Ross. m.: Sarepta.

- 11142. *Euchromius ocellus* (Haworth, [1811])** (Pyrilidae) Palparia ocellus Haworth, [1811], Lep. Br.: 486. Type ♂: England.
- 11143. *Euchromius pulverosus* (Christoph, 1887)** (Pyrilidae) Eromene pulverosa Christoph, 1887, [in] Romanoff, Mem. Lepid. 3: 47, Taf. 2 f. 14. Lectotype ♀: [Aserbaidjan]: Ordubad.
- 11144. *Euchromius ramburiellus* (Duponchel, 1836)** (Pyrilidae) Crambus ramburiellus Duponchel, 1836, Hist. nat. Lépid. Papillons Fr. 10: 83, pl. 270 fig. 8. Type ♀: Korsika: Ajaccio.
- 11145. *Euchromius rayatellus* (Amsel, 1949)** (Pyrilidae) Eromene rayatella Amsel, 1949, Bull. Soc. Fouad I Ent. 33: 278, Taf. 1 fig. 4. Holotype ♂: Iraq: Kurdistan: Rayat, 5000ft.
- 11146. *Euchromius scobiolae* Bleszynski, 1965** (Pyrilidae) Euchromius scobiolae Bleszynski, 1965, Microlepidoptera Palaearctica 1: 79-80, Taf. Holotype ♂: Afghanistan: Kuschik.
- 11147. *Euchromius siuxellus* Ganév & Hacker, 1986** (Pyrilidae) Euchromius siuxellus Ganév & Hacker, 1986, Z. ArbGem. Öst. Ent. 37 (3/4): 82-83. Abb. Holotype ♂: Türkei: Ankara Prov., Tuz Gölü N-Ufer 900m (in coll. Ganév).
- 11148. *Euchromius subcambridgei* Bleszynski, 1965** (Pyrilidae) Euchromius subcambridgei Bleszynski, 1965, Microlepidoptera Palaearctica 1: 78, Taf. 36 f. 30; Taf. 89 f. 30. Holotype ♂: Sudan: Hudeiba.
- 11149. *Euchromius sudanellus* Bleszynski, 1965** (Pyrilidae) Euchromius sudanellus Bleszynski, 1965, Microlepidoptera Palaearctica 1: 79, Taf. Holotype ♂: Sudan N.E.: Port Sudan: Khor.
- 11150. *Euchromius superbullus* (Zeller, 1849)** (Pyrilidae) Crambus superbullus Zeller, 1849, Stettin ent. Ztg. 10: 314. Holotype ♂: Italien: Toscana.
- 11151. *Euchromius viettei* Bleszynski, 1961** (Pyrilidae) Euchromius viettei Bleszynski, 1961, Acta ent. Mus. nat. Pragae 34: 455, figs. 3, 4, 14. Holotype ♂: [Saudi Arabia]: Hejaz: Djidda.
- 11152. *Euchromius vinculellus* (Zeller, 1847)** (Pyrilidae) Crambus vinculellus Zeller, 1847, Isis 1847: 760. Lectotype ♂: Italien: Sizilien.
- 11153. *Euchromius zagulajevi* Bleszynski, 1965** (Pyrilidae) Euchromius zagulajevi Bleszynski, 1965, Microlepidoptera Palaearctica 1: 80, Taf. Holotype ♀: Turkestan: Karifnigan.
- 11154. *Euclasta* (Proteuclasta) *pauli* Popescu-Gorj & Constantinescu, 1973** (Pyrilidae) Proteuclasta Munroe, 1958, Canad. Ent. 90 (4): 250-251. Type-species: Pyrausta stötzneri Caradja, 1927, by original designation.
- 11155. *Euclasta* (s.str.) *Lederer*, 1855** (Pyrilidae) Euclasta Lederer, 1855, Verh. zool.-bot. Ver. Wien 5: 252. Type-species: Botys splendidalis Herrich-Schäffer, 1848, Syst. Bearb. Schmett. Eur. 4: 32, Pyralides pl. 16 fig. 109, by monotypy.
- 11156. *Euclasta* (s.str.) *splendialis* (Herrich-Schäffer, [1848])** (Pyrilidae) Botys splendidalis Herrich-Schäffer, [1848], Syst. Bearb. Schmett. Eur. 4: 32, fig. 109. "aus der Türkei". This figure was selected as Lectotype by Popescu-Gorj & Constantinescu, 1976).
- 11157. *Euclasta* (s.str.) *varii* Popescu-Gorj & Constantinescu, 1973** (Pyrilidae) Euclasta varii Popescu-Gorj & Constantinescu, 1973, Trav. Mus. Hist. nat. "Gr. Antipa" 15: 393-397, figs. 1-2. Holotype ♂: Malawi: Nyassaland: Mt. Mlanje.
- 11158. *Euclasta* *Lederer*, 1855** (Pyrilidae) Euclasta Lederer, 1855, Verh. zool.-bot. Ver. Wien 5: 252. Type-species: Botys splendidalis Herrich-Schäffer, 1848, Syst. Bearb. Schmett. Eur. 4: 32, Pyralides pl. 16 fig. 109, by monotypy.
- 11159. *Eudonia delunella* (Stainton, 1849)** (Pyrilidae) Eudorea delunella Stainton, 1849, Cat. Br. Tineidae & Pterophoridae: 3.
- 11160. *Eudonia delunella delunella* (Stainton, 1849)** (Pyrilidae) Eudorea delunella Stainton, 1849, Cat. Br. Tineidae & Pterophoridae: 3.
- 11161. *Eudonia delunella orientalis* (Alpheraky, 1878)** (Pyrilidae) Scoparia resinea var. orientalis Alpheraky, 1878, Horae Soc. ent. ross. 10: 26. Lectotype ♂: Russia: env. Piatigorsk, designated by Munroe, 1970 (ZIP).
- 11162. *Eudonia laetella* (Zeller, 1846)** (Pyrilidae) Eudorea laetella Zeller, 1846, Linn. ent. 1: 298, fig. 8. Syntypes: Polen: Glogau, Dantzig.
- 11163. *Eudonia lineola* (Curtis, 1827)** (Pyrilidae) Eudorea lineola Curtis, 1827, Brit. Ent. 4: 170. Lectotype ♂: Great Britain, designated by Whalley, 1963 (NMV, Melbourne).
- 11164. *Eudonia lineola lineola* (Curtis, 1827)** (Pyrilidae) Eudorea lineola Curtis, 1827, Brit. Ent. 4: 170. Lectotype ♂: Great Britain, designated by Whalley, 1963 (NMV, Melbourne).
- 11165. *Eudonia lineola virescens* (Rebel, 1896)** (Pyrilidae) Scoparia virescens Rebel, 1896, Verh. zool.-bot. Ges. Wien 46: 174. Lectotype ♀: Marocco: Casablanca, designated by Leraut, 1984 (MINGA, Bucharest).
- 11166. *Eudonia mercurella* (Linnaeus, 1758)** (Pyrilidae) Phalaena mercurella Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 538. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 220) (LS).
- 11167. *Eudonia mercurella mercurella* (Linnaeus, 1758)** (Pyrilidae) Phalaena mercurella Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 538. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 220) (LS).
- 11168. *Eudonia murana* (Curtis, 1827)** (Pyrilidae) Eudorea murana Curtis, 1827, Brit. Ent. 4: 170. Lectotype ♂: Great Britain, designated by Whalley, 1963 (NMV, Melbourne).
- 11169. *Eudonia murana murana* (Curtis, 1827)** (Pyrilidae) Eudorea murana Curtis, 1827, Brit. Ent. 4: 170. Lectotype ♂: Great Britain, designated by Whalley, 1963 (NMV, Melbourne).
- 11170. *Eudonia obsoleta* (Staudinger, 1879)** (Pyrilidae) Scoparia obsoleta Staudinger, 1879, Horae Soc. ent. ross. 15: 163. Syntypes 1 ♂ 2 ♀: [Türkei]: Amasia: Kerasdere.
- 11171. *Eudonia phaeoleuca* (Zeller, 1846)** (Pyrilidae) Eudorea phaeoleuca Zeller, 1846, Linn. ent. 1: 306, pl. 2 fig. 13. Lectotype ♀: Romania: Banat, designated by Leraut, 1982 (MNHUB).
- 11172. *Eudonia phaeoleuca phaeoleuca* (Zeller, 1846)** (Pyrilidae) Eudorea phaeoleuca Zeller, 1846, Linn. ent. 1: 306, pl. 2 fig. 13. Lectotype ♀: Romania: Banat, designated by Leraut, 1982 (MNHUB).
- 11173. *Eudonia phaeoleuca sororcula* Leraut, 1982** (Pyrilidae) Eudonia phaeoleuca ssp. sororcula Leraut, 1982, Alexanor 12 (6): [14], pl. 2 fig. 17; pl. 7 fig. 53. Holotype ♀: Turquie: Anatolie centrale, Aksehir [Sultandagları], 1-15.viii.1934, 1200-1500m, Osthelder leg. (ZSM).
- 11174. *Eudonia piroformis* (Amsel, 1949)** (Pyrilidae) Eudorea piroformis Amsel, 1949, Bull. Soc. Ent. Fouad I 33: 295, pl. 5 fig. 35. Syntypes: Iraq: Berserini (Wiltshire leg. & coll.).
- 11175. *Eudonia speideli* Leraut, 1982** (Pyrilidae) Eudonia speideli Leraut, 1982, Alexanor 12 (6): [10]-[12], pl. 1 fig. 11, pl. 6 figs. 44-47. Holotype ♀: Crete, Kalamafka, 8.x.72 (Malicky leg.) (LNK).
- 11176. *Eudonia truncicolella* (Stainton, 1849)** (Pyrilidae) Eudorea truncicolella Stainton, 1849, Syst. Cat. Br. Tineidae & Pterophoridae: 2. Lectotype ♂: West Wickham, designated by Whalley, 1963 (BMNH).
- 11177. *Eulophota Hampson*, 1926** (Pyrilidae) Eulophota Hampson, 1926, Ann. Mag. nat. Hist. (9) 18: 633. Type-species: Pristarthria caustella Hampson, 1901, by original designation.
- 11178. *Eulophota caustella* (Hampson, 1901)** (Pyrilidae) Pristarthria caustella Hampson, 1901, [in] Romanoff, Mém. Lépid. 8: 548, pl. 57 fig. 13.
- 11179. *Eulophota zonata* Hampson, 1926** (Pyrilidae) Eulophota zonata Hampson, 1926, Ann. Mag. nat. Hist. (9) 18: 634. Syntypes 1 ♂ 1 ♀: [South Africa]: Cape Colony, Annshaw (Miss F. Barrett).
- 11180. *Eurhodope* (Eurhobasis) *aeneella* (Zerny, 1914)** (Pyrilidae) Myelois aeneella Zerny, 1914, Annln naturh. Mus. Wien 28: 319-320. Syntypes 2 ♂: [Israel]: Haifa (leg. Lange, ex coll. Kalchberg) (NHMW).
- 11181. *Eurhodope* (Eurhobasis) *cinerea* (Staudinger, 1879)** (Pyrilidae) Myelois cinerea Staudinger, 1879, Horae Soc. ent. ross. 15: 210. Syntypes: Cypem; [Lebanon]: Beirut.
- 11182. *Eurhodope* (Eurhobasis) *lutescentella* (Caradja, 1916)** (Pyrilidae) Myelois lutescentella Caradja, 1916, Dt. ent. Z., Iris 30: 17. Syntypes 1 ♂ 2 ♀: [Türkei]: Mardin.
- 11183. *Eurhodope* (s.str.) *Hübner*, [1825]** (Pyrilidae) Eurhodope Hübner, [1825], Verz. bekannter Schmett.: 371. Type-species: Pyralis pudoralis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 124, by subsequent designation by Ragonot, 1885, Entomologist's mon. Mag. 22: 19.
- 11184. *Eurhodope* (s.str.) *hyrcanella* (Amsel, 1953)** (Pyrilidae) Eurhodope flavella ssp. hyrcanella Amsel, 1954, Ark. Zool. 6 (16): 299, fig. 247. Holotype ♂: Iran: Muk Pass (Fars) (leg. Wiltshire).
- 11185. *Eurhodope* (s.str.) *incompta* (Zeller, 1847)** (Pyrilidae) Myelois incompta Zeller, 1847, Isis 1847: 30. Syntypes 2 ♂ 1 ♀: [Turkey]: Mermeriza [Marmaris], Makri [Fethiye].
- 11186. *Eurhodope* (s.str.) *monogrammos* (Zeller, 1867)** (Pyrilidae) Myelois monogrammos Zeller, 1867, Stettin ent. Ztg. 28 (10/12): 376-377. Type ♀: Jordanthal.
- 11187. *Eurhodope* (s.str.) *rosella* (Scopoli, 1763)** (Pyrilidae) Phalaena rosella Scopoli, 1763, Entomologia Carniolica: 245. Type(s): [Slovenien]: Carniolia [Krain].
- 11188. *Eurhodope* (s.str.) *sielmannella* Roesler, 1969** (Pyrilidae) Eurhodope sielmannella Roesler, 1969, Ent. Z., Frankf. a. M. 79 (18):

- 203-205, Abb. 3-4. Holotype ♂: Creta occid., 540m, Lakkoi (coll. Roesler).
- 11189. Eurrhynx Hübner, [1825]** (Pyralidae) Eurrhynx Hübner, [1825], Verz. bekannt. Schmett.: 360. Type-species: Phalaena urticata Linnaeus, 1761, by monotypy.
- 11190. Eurrhynx hortulata (Linnaeus, 1758)** (Pyralidae) Phalaena hortulata Linnaeus, 1758, Syst. Nat. (Edn. 10): 529. Type(s): [Europa].
- 11191. Eurrhynx pollinalis (Denis & Schiffermüller, 1775)** (Pyralidae) Pyralis pollinalis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 124. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11192. Eurrhynx pollinalis filialis (Zerny, 1934)** (Pyralidae) Titanio pollinalis ssp. filialis Zerny, 1934, Dt. ent. Z., Iris 48: 11. Syntypes: Libanon: Zedern.
- 11193. Eurrhynx sartalis (Hübner, [1813])** (Pyralidae) Pyralis sartalis Hübner, [1813], Samml. eur. Schmett. 6, Pyralides: Tab. 27 fig. 173, 174. Syntypes: Europa.
- 11194. Euzophora (Cymbalorissa) Gozmany, 1958** (Pyralidae) Cymbalorissa Gozmany, 1958, Annls. hist. nat. Mus. nat. hung. 50: 233. Type-species: Stenoptycha fuliginosella Heinemann, 1865, by original designation.
- 11195. Euzophora (Cymbalorissa) fuliginosella (Heinemann, 1865)** (Pyralidae) Stenoptycha fuliginosella Heinemann, 1865, Schmett. Dtl. Schweiz 1865: 192. Type(s): Österreich: Wien.
- 11196. Euzophora (s.str.) Zeller, 1867** (Pyralidae) Euzophora (s.str.) Zeller, 1867, Trans. ent. Soc. Lond. (3) 5: 456. Type-species: Myelois cinerosella Zeller, 1839, by subsequent designation by Hulst, 1890, Phyc. N. Amer. 1890: 174.
- 11197. Euzophora (s.str.) albicostalis Hampson, 1903** (Pyralidae) Euzophora albicostalis Hampson, 1903, J. Bombay nat. Hist. Soc. 15: 24. Lectotype ♂: Kaschmir: Scind valley (designated by Roesler, 1973, Microlepid. palaearkt. 4: 198) (BMNH).
- 11198. Euzophora (s.str.) albipunctella Ragonot, 1887** (Pyralidae) Euzophora albipunctella Ragonot, 1887, Annls Soc. ent. Fr. 1887: 253. Type ♀: [China: Uighur A.R.]: Kuldscha (ZIANL).
- 11199. Euzophora (s.str.) alpherakyella Ragonot, 1887** (Pyralidae) Euzophora alpherakyella Ragonot, 1887, Annls Soc. ent. Fr. 1887: 254. Type ♂: [China: Uighur A.R.]: Kuldscha (MNHN).
- 11200. Euzophora (s.str.) atuntsealis Roesler, 1973** (Pyralidae) Euzophora (s.str.) atuntsealis Roesler, 1973, Microlepid. Palaearkt. 4: 203-204, figs. Holotype ♂: China: A-tun-tse (Nord Yunnan), leg. H. Höne (MGAB).
- 11201. Euzophora (s.str.) bigella (Zeller, 1848)** (Pyralidae) Ephestia bigella Zeller, 1848, Isis 1848: 596. Type ♀: Italien: Toskana (BMNH).
- 11202. Euzophora (s.str.) cinerosella (Zeller, 1839)** (Pyralidae) Myelois cinerosella Zeller, 1839, Isis 1839: 176. Type ♂: Deutschland: Stettin (BMNH).
- 11203. Euzophora (s.str.) cinerosella cinerosella (Zeller, 1839)** (Pyralidae) Myelois cinerosella Zeller, 1839, Isis 1839: 176. Type ♂: Deutschland: Stettin (BMNH).
- 11204. Euzophora (s.str.) cinerosella politella Ragonot, 1887** (Pyralidae) Euzophora politella Ragonot, 1887, Annls Soc. ent. Fr. 1887: 253. Type ♂: [China: Uighur A.R.]: Kuldscha (MNHN).
- 11205. Euzophora (s.str.) comeella Roesler, 1973** (Pyralidae) Euzophora (s.str.) comeella Roesler, 1973, Microlepid. Palaearkt. 4: 206-207, figs. Holotype ♂: Iran: Fars: Str. Ardekan-Talochosroe, Comée, 2600m (LNK).
- 11206. Euzophora (s.str.) costivittella Ragonot, 1887** (Pyralidae) Euzophora costivittella Ragonot, 1887, Annls Soc. ent. Fr. 1887: 253. Type: Russia: Sarepta.
- 11207. Euzophora (s.str.) derbendicola Roesler, 1973** (Pyralidae) Euzophora (s.str.) derbendicola Roesler, 1973, Microlepid. Palaearkt. 4: 236-237, figs. Holotype ♀: Iran: Derbend, 25km N.v. Teheran, 2000m (NHMW).
- 11208. Euzophora (s.str.) flagella (Lederer, 1869)** (Pyralidae) Myelois flagella Lederer, 1869, Horae Soc. ent. ross. 6: 91, Taf. 5 fig. 12. Type ♂: [Iran]: Astrabad [Gorgan] (ZMB).
- 11209. Euzophora (s.str.) formosella (Rebel, 1910)** (Pyralidae) Myelois formosella Rebel, 1910, Dt. ent. Z., Iris 24: 5. Lectotype ♂: [Kazachstan]: Indersky (designated by Roesler, 1973, Microlepid. palaearkt. 4: 24) (MGAB).
- 11210. Euzophora (s.str.) hudeibella Roesler, 1973** (Pyralidae) Euzophora (s.str.) hudeibella Roesler, 1973, Microlepid. Palaearkt. 4: 209-210, figs. Holotype ♂: Sudan: Ed Damer, Hudeiba, 16.xi.1961 (ZSM).
- 11211. Euzophora (s.str.) imperfectella Ragonot, 1895** (Pyralidae) Euzophora imperfectella Ragonot, 1895, Bull. Soc. ent. Fr. 1895: 100. Lectotype ♀: [Turquie]: Alexandrette [Iskenderun] (designated by Roesler, 1973, Microlepid. palaearkt. 4: 223) (MNHN).
- 11212. Euzophora (s.str.) kabulella Roesler, 1973** (Pyralidae) Euzophora (s.str.) kabulella Roesler, 1973, Microlepid. Palaearkt. 4: 217-218, figs. Holotype ♂: Afghanistan: Paghman, 30km NW v. Kabul, 2100m (NHMW).
- 11213. Euzophora (s.str.) lactiflora Meyrick, 1937** (Pyralidae) Euzophora lactiflora Meyrick, 1937, Exot. Microlepid. 5: 72. Lectotype ♀: Iraq: Mosul, designated by Roesler, 1973, Microlepid. palaearkt. 4: 240 (BMNH).
- 11214. Euzophora (s.str.) luculentella Ragonot, 1888** (Pyralidae) Euzophora luculentella Ragonot, 1888, Nouv. Gen. Phyc. 1888: 32. Type ♀: [Turquie]: Kasikoparan (ZIANL).
- 11215. Euzophora (s.str.) lunulella (Costa, 1836)** (Pyralidae) Lisse lunulella Costa, 1836, Faun. Napoli Lepid. 1836: 3, pl. 5 fig. 5. Type(s): Italien.
- 11216. Euzophora (s.str.) lunulella lunulella (Costa, 1836)** (Pyralidae) Lisse lunulella Costa, 1836, Faun. Napoli Lepid. 1836: 3, pl. 5 fig. 5. Type(s): Italien.
- 11217. Euzophora (s.str.) lunulella trigeminata Warren & Rothschild, 1905** (Pyralidae) Euzophora trigeminata Warren & Rothschild, 1905, Novit. Zool. 12: 30, t. 4 fig. 6. Type ♀: Sudan: Nakheila (BMNH).
- 11218. Euzophora (s.str.) nessebarella Soffner, 1962** (Pyralidae) Euzophora nessebarella Soffner, 1962, Dt. ent. Z. 9: 139. Holotype ♀: Bulgarien: Nessebar (ZMB).
- 11219. Euzophora (s.str.) osseatella (Treitschke, 1832)** (Pyralidae) Phycis osseatella Treitschke, 1832, Schmett. Eur. 9(1): 199. Lectotype ♂: Sicilien (designated by Whalley, 1963: 100).
- 11220. Euzophora (s.str.) paghmanicola Roesler, 1973** (Pyralidae) Euzophora (s.str.) paghmanicola Roesler, 1973, Microlepid. Palaearkt. 4: 221-222, figs. Holotype ♂: Afghanistan: Paghman, 30km NW v. Kabul, 2200m (NHMW).
- 11221. Euzophora (s.str.) pinguis (Haworth, [1811])** (Pyralidae) Phycis pinguis Haworth, [1811], Lepid. Br.: 493. Type(s): England.
- 11222. Euzophora (s.str.) pinguis concolorella Ragonot, 1892** (Pyralidae) Euzophora concolorella Ragonot, 1892, Dt. ent. Z., Iris 5: 297. Type ♂: Tunis (ZMB).
- 11223. Euzophora (s.str.) pinguis pinguis (Haworth, [1811])** (Pyralidae) Phycis pinguis Haworth, [1811], Lepid. Br.: 493. Type(s): England.
- 11224. Euzophora (s.str.) pulchella Ragonot, 1887** (Pyralidae) Euzophora pulchella Ragonot, 1887, Annls Soc. ent. Fr. 1887: 254. Lectotype ♂: Balkan (designated by Roesler, 1973, Microlepid. palaearkt. 4: 224) (ZMB).
- 11225. Euzophora (s.str.) rubricetella (Herrich-Schäffer, 1855)** (Pyralidae) Epischnia (Tinea) rubricetella Herrich-Schäffer, [1856], Syst. Bearb. Schmett. Eur. 6: 147. Type(s): [Russland]: Ural.
- 11226. Euzophora (s.str.) subcribrella Ragonot, 1887** (Pyralidae) Euzophora subcribrella Ragonot, 1887, Annls Soc. ent. Fr. (6) 7: 255.
- 11227. Euzophora (s.str.) tetragramma (Rebel, 1910)** (Pyralidae) Myelois tetragramma Rebel, 1910, Dt. ent. Z., Iris 24: 4. Lectotype ♂: Russia: Ural (designated by Roesler, 1973, Microlepid. palaearkt. 4: 226) (MGAB).
- 11228. Euzophora (s.str.) turdella Roesler, 1973** (Pyralidae) Euzophora (s.str.) turdella Roesler, 1973, Microlepid. Palaearkt. 4: 231-232, figs. Holotype ♂: Z-Afghanistan: Koh-i-Baba, S-Seite Panjao, 2650m (LNK).
- 11229. Euzophora (s.str.) umbrosella (Staudinger, 1879)** (Pyralidae) Myelois umbrosella Staudinger, 1879, Horae Soc. ent. ross. 15: 215-216. Syntypes 3♂♂: Cypern (ZMB).
- 11230. Euzopherodes Hampson, 1899** (Pyralidae) Euzopherodes Hampson, 1899, J. Bombay nat. Hist. Soc. 12: 475. Type-species: Euzopherodes albicans Hampson, 1899, loc. cit., by original designation.
- 11231. Euzopherodes albicans Hampson, 1899** (Pyralidae) Euzopherodes albicans Hampson, 1899, J. Bombay nat. Hist. Soc. 12: 475, fig.
- 11232. Euzopherodes charlottae (Rebel, 1914)** (Pyralidae) Euzophera charlottae Rebel, 1914, [in] Rothschild, Rovart. Lap. 21: 74. Type ♀: [Rumänien]: Tultscha.

- 11233. *Euzopherodes lutisignella* (Mann,1869)** (Pyralidae) Myelois lutisignella Mann,1869, Verh. zool.- bot. Ges. 19: 381. Type ♂: Dalmatien: Ragusa.
- 11234. *Euzopherodes lutisignella liturosella* (Erschoff,1874)** (Pyralidae) Myelois liturosella Erschoff,1874, [in] Fedtschenko, Reise in Turkestan (Lepidoptera) (3) 2: 89, 100. Lectotype ♂: "Samarkand" [Uzbekistan], designated by Roesler,1973, Microlepid. palaeark. 4: 279 (ZIANL).
- 11235. *Euzopherodes lutisignella lutisignella* (Mann,1869)** (Pyralidae) Myelois lutisignella Mann,1869, Verh. zool.- bot. Ges. 19: 381. Type ♂: Dalmatien: Ragusa.
- 11236. *Euzopherodes vapidella* (Mann,1857)** (Pyralidae) Ephestia vapidella Mann,1857, Wien. ent. Monatschr. 1: 171. Lectotype ♂: Fiume: Buccari (Roesler, 1973: 271).
- 11237. *Euzopherodes vapidella maroccella* (Roesler,1965)** (Pyralidae) Delattinia vapidella ssp. maroccella Roesler,1965, Inaug.-Diss. Saarbrücken 1965: 29. Type ♂: Maroc, Salé (LNK).
- 11238. *Euzopherodes vapidella vapidella* (Mann,1857)** (Pyralidae) Ephestia vapidella Mann,1857, Wien. ent. Monatschr. 1: 171. Lectotype ♂: Fiume: Buccari (Roesler, 1973: 271).
- 11239. *Evergestis aenealis* ([Denis & Schiffermüller],1775)** (Pyralidae) Pyralis aenealis [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11240. *Evergestis africalis* (Guenée,1854)** (Pyralidae) Pionea africalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 369-370. Type ♂: "Algérie".
- 11241. *Evergestis anartalis* (Staudinger,1892)** (Pyralidae) Maelinoptera (Hercyna ?) anartalis Staudinger,[1893], Dt. ent. Z., Iris 6: 72-73; ibid. (1892) 5: Taf. 3, fig. 17. Syntypes: "Alai, Margelan, Namangan, Osch, Alexandergebirge, Kuldja-Gebiet".
- 11242. *Evergestis bifascialis* (Guenée,1849)** (Pyralidae) Pionea bifascialis Guenée,1849, [in] Lucas, Expl. scient. algér. Type ♂: Algérie.
- 11243. *Evergestis blandalis* (Guenée,1854)** (Pyralidae) Orobena blandalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 377-378. Type ♂: [Italia]: "Palermo".
- 11244. *Evergestis boursini* Amsel,1938** (Pyralidae) Evergestis boursini Amsel,1938, Dt. ent. Z., Iris 52: 158, Taf.4 Abb.10. Holotype ♂: [Türkei]: Sivas (in coll. Zukowsky).
- 11245. *Evergestis desertalis* (Hübner,[1813])** (Pyralidae) Pyralis desertalis Hübner,[1813], Samml. eur. Schmett. 6, Pyralides: Tab.27 fig.171. Type(s): Europa.
- 11246. *Evergestis elbursalis* Amsel,1961** (Pyralidae) Evergestis elbursalis Amsel,1961, Ark. Zool. 13 (17): 431, Taf. vii fig. 247. Holotype ♀: Iran: Südseite des Elburs, Wiltshire leg.
- 11247. *Evergestis extimalis* (Scopoli,1763)** (Pyralidae) Phalaena extimalis Scopoli,1763, Entomologia Carniolica: 241. Type(s): [Slovenien]: Carniolia [Krain].
- 11248. *Evergestis flavifuscalis* Rebel,1903** (Pyralidae) Evergestis flavifuscalis Rebel,1903, Dt. ent. Z., Iris 16: 6-7. Syntypes ♂♀: Armenia: Erivan (Korb leg.); Gülek (Taurus) (Haberhauer leg.) (coll. Caradja).
- 11249. *Evergestis forficalis* (Linnaeus,1758)** (Pyralidae) Phalaena forficalis Linnaeus,1758, Syst. Nat. (Edn.10)1: 533. Lectotype ♂: [Europa] (Robinson & Nielsen, 1983: 210).
- 11250. *Evergestis frumentalis* (Linnaeus,1761)** (Pyralidae) Phalaena frumentalis Linnaeus,1761, Fauna suecica: 351, no.1351. Type(s): Sweden.
- 11251. *Evergestis frumentalis frumentalis* (Linnaeus,1761)** (Pyralidae) Phalaena frumentalis Linnaeus,1761, Fauna suecica: 351, no.1351. Type(s): Sweden.
- 11252. *Evergestis hyrcanalis* Amsel,1961** (Pyralidae) Evergestis hyrcanalis Amsel,1961, Ark. Zool. 13 (17): 430, Taf. vii fig.244. Type ♀: Iran: Quli Kush, 8.6.1940, Wiltshire leg.
- 11253. *Evergestis infirmalis* (Staudinger,1870)** (Pyralidae) Botys infirmalis Staudinger,1870, Horae Soc. ent. ross. 7: 190, Tab.2 fig. 13. Type ♂: Griechenland.
- 11254. *Evergestis limbata* (Linnaeus,1767)** (Pyralidae) Phalaena limbata Linnaeus,1767, Syst. Nat. (Edn.12) 873 no.273. Type (s): Europa.
- 11255. *Evergestis mundalis* (Guenée,1854)** (Pyralidae) Scopula mundalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 389. Syntypes: [France]: "Environs de Digne".
- 11256. *Evergestis pallidata* (Hufnagel,1767)** (Pyralidae) Phalaena pallidata Hufnagel,1767, Berl. Mag. 4: 618, nr.98. Type(s): Germania: Berlin.
- 11257. *Evergestis politalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Pyralis politalis [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 121. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11258. *Evergestis serratalis* (Staudinger,1870)** (Pyralidae) Botys (Orobena) serratalis Staudinger,1870, Horae Soc. ent. ross. 7: 193, Tab.2 fig.11. Type ♂: Griechenland: Parnass oder Acarnanien.
- 11259. *Evergestis sophialis* (Fabricius,1787)** (Pyralidae) Phalaena sophialis Fabricius,1787, Mant. Ins. 2: 217, nr. 277. Type(s): Österreich.
- 11260. *Evergestis spiniferalis* (Staudinger,[1900])** (Pyralidae) Orobena spiniferalis Staudinger,[1900], Dt. ent. Z., Iris 12: 347-348. Syntypes: [China: Uighur A.R.]: Chamyi [Kumul].
- 11261. *Evergestis subfuscalis* (Staudinger,1870)** (Pyralidae) Botys (Orobena) subfuscalis Staudinger,1870, Horae Soc. ent. ross. 7: 192, Tab.2 f.9. Syntypes 3♂: Greece: Veluchii; [Türkei]: Amasia.
- 11262. *Evergestis tenuiscriptalis* Rebel,1903** (Pyralidae) Evergestis tenuiscriptalis Rebel,1903, Dt. ent. Z., Iris 16: 6. Type ♂: Iran: "Poin Schakkuh" Funke leg. (NHMW).
- 11263. *Faveria leucophaeella* (Zeller,1867)** (Pyralidae) Salebria leucophaeella Zeller,1867, Stettin ent. Ztg. 1867: 390. Type: Indien (BMNH).
- 11264. *Flavocrambus aridellus* (South,1901)** (Pyralidae) Crambus aridellus South,1901, Trans. ent. Soc. London 1901: 389, pl.14 fig.1. Type(s): China.
- 11265. *Friedlanderia cicatricella* (Hübner,[1824])** (Pyralidae) Tinea cicatricella Hübner,[1824], Samml. eur. Schmett. Tinea: Taf.48 fig.455. Type(s): [Europa].
- 11266. *Galleria mellonella* (Linnaeus,1758)** (Pyralidae) Phalaena mellonella Linnaeus,1758, Syst. Nat. (Edn.10)1: 537. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 219).
- 11267. *Gesneria centuriella* ([Denis & Schiffermüller],1775)** (Pyralidae) Tinea centuriella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 319. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11268. *Glaucoccharis bilinealis* (Amsel,1961)** (Pyralidae) Paghmania bilinealis Amsel,1961, Arkiv f. Zool. (2)13: 332 Taf.1 fig.14. Holotype ♀: Afghanistan: Paghman Gebirge.
- 11269. *Glaucoccharis bilinealis bilinealis* (Amsel,1961)** (Pyralidae) Paghmania bilinealis Amsel,1961, Arkiv f. Zool. (2)13: 332 Taf.1 fig.14. Holotype ♀: Afghanistan: Paghman Gebirge.
- 11270. *Glaucoccharis euchromiella* (Ragonot,1895)** (Pyralidae) Diptychophora euchromiella Ragonot,1895, Bull. Soc. ent. Fr. 1895: xcix. Holotype ♂: [Türkei]: Akbes (MNHNP).
- 11271. *Glaucoccharis subnatalensis* (Bleszynski,1970)** (Pyralidae) Pareromene subnatalensis Bleszynski,1970, Tijdschr. Ent. 113 (1): 2, fig.2. Holotype ♂: [South Africa]: "Natal" (BMNH).
- 11272. *Glyphodes basifascialis* Hampson,1898** (Pyralidae) Glyphodes basifascialis Hampson,1898, Proc. zool. Soc. Lond. 1898: 743, pl.L fig.16. Syntypes: Australia: Bathurst (BMNH).
- 11273. *Glyphodes bivitalis* Guenée,1854** (Pyralidae) Glyphodes bivitalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 293-294. Type ♂: "Inde centrale".
- 11274. *Glyphodes flavizonalis* Hampson,1898** (Pyralidae) Glyphodes flavizonalis Hampson,1898, Proc. zool. Soc. Lond. 1898: 746. Syntypes: Australia: Queensland (Mackay) (BMNH).
- 11275. *Glyphodes stolalis* Guenée,1854** (Pyralidae) Glyphodes stolalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 293. Type ♂: "Indien".
- 11276. *Glyptoteles leucacrinella* Zeller,1848** (Pyralidae) Glyptoteles leucacrinella Zeller,1848, Isis 1848: 647. Type(s): Deutschland: Dresden.
- 11277. *Gonodiscus australiensis* Hampson,1898** (Pyralidae) Gonodiscus australiensis Hampson,1898, Proc. zool. Soc. London 1898: 606-607, Pl.xlix fig.1. Syntypes: "W. Australia, Sherlock R. (Clement leg.), Queensland, Coomoo (Barnard leg.)".
- 11278. *Gozmanyia* Roesler,1965** (Pyralidae) Gozmanyia Roesler,1965, Inaug.-Diss. Saarbrücken 1965: 36. Type-species: Ephestia crassa Amsel,1935, by original designation.
- 11279. *Gozmanyia crassa* (Amsel,1935)** (Pyralidae) Ephestia crassa Amsel,1935, Veröff. dt. Kolon.- u. Übersee-Mus. Bremen 1: 249, f.24. Holotype ♂: [Israel]: Jericho (LNK).
- 11280. *Gymnancyla* (Spermatophthora) hornigii (Lederer,1852)** (Pyralidae) Spermatophthora hornigii Lederer,1852, Verh. zool.- bot. Ver. Wien 2: 132. Lectotype ♂: Österreich: Wien (designated by Roesler,1973, Microlepid. palaearkt. 4: 97) (NHMW).

- 11281. *Gymnancyla* (s.str.) *canella* ([Denis & Schiffermüller],1775)** (Pyrilidae) *Tinea canella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11282. *Hannemannea tacapella* (Ragonot,1887)** (Pyrilidae) *Cataremna tacapella* Ragonot,1887, Annls. Soc. ent. Fr. 1887: 253. Type ♀: [Tunis]: Gabès (MNHNP).
- 11283. *Hansreisseria gilvoscens* (Rebel,1917)** (Pyrilidae) *Scoparia gilvoscens* Rebel,1917, Annln naturh. Mus. Wien 31: 49. Lectotype ♂: Canary Is. Tenerife, designated by Roesler,1973 (NMHW).
- 11284. *Haritalodes derogata* (Fabricius,1775)** (Pyrilidae) *Phalaena derogata* Fabricius,1775, Syst. Ent.: 641. Type(s): India orientalis.
- 11285. *Harraria rufipicta* Hampson,1930** (Pyrilidae) *Harraria rufipicta* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 66-67. Type ♂: [Ethiopia]: Abyssinia: Harrar (Degen).
- 11286. *Heliothela wulfeniana* (Scopoli,1763)** (Pyrilidae) *Phalaena wulfeniana* Scopoli,1763, Entomologia Carniolica: 235. Type(s): [Slovenien]: Carniolia [Krain].
- 11287. *Hellula undalis* (Fabricius,1781)** (Pyrilidae) *Phalaena undalis* Fabricius,1781, Spec. Ins. 2: 272. Type(s): Italia.
- 11288. *Hemiscopsis sanguinea* Bänziger,1987** (Pyrilidae) *Hemiscopsis sanguinea* Bänziger,1987, Revue suisse Zool. 94 (4): 678, figs. Holotype ♂: Thailand: Chiangmai, Doi Suthep, Khonthatharn Waterfall, 660m, Bänziger leg. (DEFACU).
- 11289. *Heortia vitessoides* (Moore,[1885])** (Pyrilidae) *Heortia vitessoides* Moore,[1885], Lepid Ceylon 3: 256, Pl.178 figs. Type: Ceylon.
- 11290. *Hercynodes Ragonot,1895*** (Pyrilidae) *Hercynodes Ragonot,1895*, Annls Soc. ent. Fr. 64 (Bull.): xxii. Type-species: *Hercynodes miegii* Ragonot,1895, by monotypy.
- 11291. *Hercynodes miegii* Ragonot,1895** (Pyrilidae) *Hercynodes miegii* Ragonot,1895, Annls Soc. ent. Fr. 64 (Bull.): xxiii.
- 11292. *Heterochrosis Hampson,1926*** (Pyrilidae) *Heterochrosis Hampson,1926*, Ann. Mag. nat. Hist. (9) 18: 631. Type-species: *Heterographis molybdophora* Lower,1903, by original designation.
- 11293. *Heterochrosis holophaea* Hampson,1926** (Pyrilidae) *Heterochrosis holophaea* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 632-633. Holotype ♂: "Mashonaland: Salisbury (Marshall)".
- 11294. *Heterochrosis holophaea holophaea* Hampson,1926** (Pyrilidae) *Heterochrosis holophaea* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 632-633. Holotype ♂: "Mashonaland: Salisbury (Marshall)".
- 11295. *Heterochrosis oligochrodes* Hampson,1926** (Pyrilidae) *Heterochrosis oligochrodes* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 632. Holotype ♂: [South Africa]: "Transvaal: Pretoria (Janse)".
- 11296. *Heterochrosis oligochrodes oligochrodes* Hampson,1926** (Pyrilidae) *Heterochrosis oligochrodes* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 632. Holotype ♂: [South Africa]: "Transvaal: Pretoria (Janse)".
- 11297. *Homoeosoma* (s.str.) *achroeellum* Ragonot,1887** (Pyrilidae) *Homoeosoma achroeella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 255. Type(s): [Kasachstan]: Saisan (ZMB).
- 11298. *Homoeosoma* (s.str.) *calcellum* Ragonot,1887** (Pyrilidae) *Homoeosoma calcella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 255. Type(s): [Russia]: Orenburg (MNHNP).
- 11299. *Homoeosoma* (s.str.) *incognitellum* Roesler,1965** (Pyrilidae) *Homoeosoma* (s.str.) *incognitellum* Roesler,1965, Inaug.-Diss. Saarbrücken 1965: 57. Type ♂: S-Frankreich: Basses Alpes: St. André-les-Alpes (MNHNP).
- 11300. *Homoeosoma* (s.str.) *inustellum* Ragonot,1884** (Pyrilidae) *Homoeosoma inustellum* Ragonot,1884, Bull. Soc. ent. Fr. 1884: vi. Type ♂: France: Aubenais (MNHNP).
- 11301. *Homoeosoma* (s.str.) *nebulellum* ([Denis & Schiffermüller],1775)** (Pyrilidae) *Tinea nebulella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): [Austria]: Vienna district.
- 11302. *Homoeosoma* (s.str.) *nevadellum* Roesler,1965** (Pyrilidae) *Homoeosoma* (s.str.) *nevadellum* Roesler,1965, Inaug.-Diss. Saarbrücken 1965: 54. Type ♂: Spanien: Hotel Sierra Nevada, 1500m (NMHW).
- 11303. *Homoeosoma* (s.str.) *sinuellum* (Fabricius,1794)** (Pyrilidae) *Tinea sinuella* Fabricius,1794, Ent. Syst. 3(2): 308, nr.94. Type(s): Italia (Museum Kiel).
- 11304. *Homoeosoma* (s.str.) *sinuellum pallescens* Roesler,1965** (Pyrilidae) *Homoeosoma* (s.str.) *sinuellum* ssp. *pallescens* Roesler,1965, Inaug.-Diss. Saarbrücken 1965: 52. Type ♀: Afghanistan: Herat (LNK).
- 11305. *Homoeosoma* (s.str.) *sinuellum sinuellum* (Fabricius,1794)** (Pyrilidae) *Tinea sinuella* Fabricius,1794, Ent. Syst. 3(2): 308, nr.94. Type(s): Italia (Museum Kiel).
- 11306. *Homoeosoma* (s.str.) *soaltheirellum* Roesler,1965** (Pyrilidae) *Homoeosoma* (s.str.) *soaltheirellum* Roesler,1965, Inaug.-Diss. Saarbrücken 1965: 56. Type ♂: Portugal: Soaltheira (MNHNP).
- 11307. *Homoeosoma* (s.str.) *stenotea* Hampson,1926** (Pyrilidae) *Homoeosoma stenotea* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 628. Syntypes: Mashonaland: Salisbury; [South Africa]: Transvaal: White R., Reitfontein, Pretoria, ; Basutoland: Cape Colony, Zuurberg, Annshaw.
- 11308. *Homoeosoma* (s.str.) *subalbatellum* (Mann,1864)** (Pyrilidae) *Myeloides subalbatella* Mann,1864, Wien. ent. Monatschr. 8: 181, Taf.4 fig.7 Syntypes: [Türkei]: Brussa [Bursa] (NMHW).
- 11309. *Hvidodes laticostalis* (Guenée,1854)** (Pyrilidae) *Margarodes laticostalis* Guenée,1854, [in] Boisdual & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 303. Type ♀: "Silhet, Inde centrale".
- 11310. *Hyperlais benderalis* Amsel,1960** (Pyrilidae) *Hyperlais ? benderalis* Amsel,1960, Ark. Zool. 13 (17): 409, Taf.v fig.216. Holotype ♂: Iran: [Sistan-Beluchistan]: Bender Tschahbahar F.Brandt leg.
- 11311. *Hyperlais siccalis* (Guenée,1854)** (Pyrilidae) *Hypolais siccalis* Guenée,1854, [in] Boisdual & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 240. Type ♂: [Spain]: "Andalousie".
- 11312. *Hypochalcia Hübner,[1825]*** (Pyrilidae) *Hypochalcia Hübner,[1825]*, Verz. bekannter Schmett.: 368. Type-species: *Tinea ahenella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135, by subsequent designation by Hulst,1890, Trans. Am. ent. Soc. 17: 168.
- 11313. *Hypochalcia ahenella* ([Denis & Schiffermüller],1775)** (Pyrilidae) *Tinea ahenella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11314. *Hypochalcia decorella* (Hübner,[1810])** (Pyrilidae) *Tinea decorella* Hübner,[1810], Samml. eur. Schmett. (Tineae): Pl.44 fig.301. Type(s): Europe.
- 11315. *Hypochalcia fasciatella* Staudinger,1881** (Pyrilidae) *Hypochalcia fasciatella* Staudinger,1881, Horae Soc. ent. ross. 16: 87. Syntypes: [Türkei]: Amasia; [Iran]: Schahkuh.
- 11316. *Hypochalcia rayatella* Amsel,1959** (Pyrilidae) *Hypochalcia rayatella* Amsel,1959, Bull. Soc. Ent. Egypte 43: 46-47, figs. Holotype ♂: Iraq: Haj Omran, leg. Wiltshire.
- 11317. *Hypochalcia subrubiginella* Ragonot,1887** (Pyrilidae) *Hypochalcia subrubiginella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 242. Syntypes: Tyrol, Mersa.
- 11318. *Hyporatasa allotriella* (Herrich-Schäffer,1855)** (Pyrilidae) *Ratasas allotriella* Herrich-Schäffer,1855, Schmett. Eur., Pyral. 6: 147, fig.153.
- 11319. *Hypotia Zeller,1847*** (Pyrilidae) *Hypotia Zeller,1847*, Isis 1847: 594. Type-species: *Pyralis corticalis* [Denis & Schiffermüller],1775, by original designation.
- 11320. *Hypotia colchicalis* (Herrich-Schäffer,[1855])** (Pyrilidae) *Constantia colchicalis* Herrich-Schäffer,[1855], Syst. Bearb. Schmett. Eur. 4: 148, fig.136. Type(s): [Türkei]: Amasia.
- 11321. *Hypotia corticalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) *Pyralis corticalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11322. *Hypotia infulalis* Lederer,1858** (Pyrilidae) *Hypotia infulalis* Lederer,1858, Wien. ent. Monatschr. 2: 146, Taf.3 fig.6. Type ♂: Syria: Damask.
- 11323. *Hypsopygia Hübner,[1825]*** (Pyrilidae) *Hypsopygia Hübner,[1825]*, Verz. bekannt. Schmett.: 348. Type-species: *Phalaena costalis* Fabricius,1775, by subsequent designation by Westwood,1840.
- 11324. *Hypsopygia costalis* (Fabricius,1775)** (Pyrilidae) *Phalaena costalis* Fabricius,1775, Syst. Ent.: 644, nr.132. Type(s): Anglia.
- 11325. *Hypsotropa Zeller,1848*** (Pyrilidae) *Hypsotropa Zeller,1848*, Isis 1848: 591. Type-species: *Hypsotropa limbella* Zeller,1848, ibidem 1848: 591, by monotypy.
- 11326. *Hypsotropa ichorella* (Lederer,1855)** (Pyrilidae) *Anerastia ichorella* Lederer,1855, Verh. zool.-bot. Ges. Wien 5: 221-222, Taf.3 fig.8. Type ♂: Libanon: Beirut.
- 11327. *Hypsotropa limbella* Zeller,1848** (Pyrilidae) *Hypsotropa limbella* Zeller,1848, Isis 1848: 591. Type: Europa.

- 11328. *Hypsotropa syriacella* Ragonot, 1888** (Pyrilidae) *Hypsotropa syriacella* Ragonot, 1888, Nouv. Gen. Phycit.: 47. Type: Syrie.
- 11329. *Iangaigheria conisella* (Hampson, 1926)** (Pyrilidae) *Laodamia conisella* Hampson, 1926, Ann. Mag. nat. Hist. (9) 18: 630-631. Syntypes 1♂ 2♀: [South Africa]: Transvaal: Three Sisters; [Kenya]: British East Africa: Sabaki R.
- 11330. *Iangaigheria conisella conisella* (Hampson, 1926)** (Pyrilidae) *Laodamia conisella* Hampson, 1926, Ann. Mag. nat. Hist. (9) 18: 630-631. Syntypes 1♂ 2♀: [South Africa]: Transvaal: Three Sisters; [Kenya]: British East Africa: Sabaki R.
- 11331. *Ilithyia festivella* (Zeller, 1848)** (Pyrilidae) *Epicrocis festivella* Zeller, 1848, Isis 1848: 878. Type: Java.
- 11332. *Ilithyia hilarella* (Ragonot, 1888)** (Pyrilidae) *Oligochroa hilarella* Ragonot, 1888, Nouv. gen. esp. Phycit.: 22. Type: Hong Kong (ZMHUB).
- 11333. *Indomalayia flabellifera* (Hampson, 1896)** (Pyrilidae) *Spatulipalpia flabellifera* Hampson, 1896, Fauna Br. Ind. Ceylon Burma Moths 4: 102, fig. 59. Type: [Sri Lanka] (BMNH).
- 11334. *Isauria dilucidella* (Duponchel, 1836)** (Pyrilidae) *Phycis dilucidella* Duponchel, 1836, Hist. nat. Lépid. Papillons Fr. 10: 184, Pl. 278 fig. 7. Type ♂: France.
- 11335. *Isauria kuldgensis* Ragonot, 1887** (Pyrilidae) *Isauria kuldgensis* Ragonot, 1887, Anns Soc. ent. Fr. (6) 7: 228. Holotype ♂: [China: Uighur A.R.]: Kouldja (ZMB).
- 11336. *Isocentris filalis* (Guenée, 1854)** (Pyrilidae) *Asopia filalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 204. Type ♀: "Ile Maurice".
- 11337. *Keradere lepidella* (Ragonot, 1887)** (Pyrilidae) *Salebria lepidella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 232. Type(s): [Turquie]: Asie Mineure: Marasch.
- 11338. *Laetilia loxogramma* (Staudinger, 1870)** (Pyrilidae) *Myelois* (Acrobasis) *loxogramma* Staudinger, 1870, Berl. ent. Z. 14: 206. Lectotype ♀: Spain: Andalusia (designated by Roesler, 1973, Microlepid. palaearkt. 4: 119) (ZMB).
- 11339. *Lambaesia Rebel, 1903*** (Pyrilidae) *Lambaesia Rebel, 1903*, Dt. ent. Z., Iris 16: 1. Type-species: *Lambaesia caradjae* Rebel, 1903, by monotypy.
- 11340. *Lambaesia caradjae* Rebel, 1903** (Pyrilidae) *Lambaesia caradjae* Rebel, 1903, Dt. ent. Z., Iris 16: 1-3, figs. Type ♂: Algerien: Lambèse (coll. Caradja).
- 11341. *Lambaesia fumosella* (Ragonot, 1887)** (Pyrilidae) *Pristophora fumosella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 229. Syntypes ♂♀: [Usbekistan]: Samarkand.
- 11342. *Lambaesia pistrinariella* (Ragonot, 1887)** (Pyrilidae) *Megasis pistrinariella* Ragonot, 1887, Anns Soc. ent. Fr. (6) 7: 240. Type ♂: [Kirgizistan]: Naryn. (ZMB).
- 11343. *Lambaesia straminella* (Zerny, 1914)** (Pyrilidae) *Adelosemia* ? *straminella* Zerny, 1914, Annln naturh. Mus. Wien 28: 316. Type ♂: [Türkei]: Zeitun [Süleymanli] (NHMW).
- 11344. *Lamida buruensis* Janse, 1931** (Pyrilidae) *Lamida buruensis* Janse, 1931, Trans. ent. Soc. London 79: 461-462, figs. Holotype ♂: [Indonesia]: Buru, Miapat 5000ft. (Pratt leg.).
- 11345. *Lamoria Walker, 1863*** (Pyrilidae) *Lamoria Walker, 1863*, List Specimens lepid. Insects Colln Br. Mus. 27: 87. Type-species: *Lamoria planalis* Walker, 1863, ibidem 27: 88, by monotypy.
- 11346. *Lamoria adaptella* (Walker, 1863)** (Pyrilidae) *Pempelia* ? *adaptella* Walker, 1863, List Specimens lepid. Insects Colln Br. Mus. 27: 74.
- 11347. *Lamoria anella* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Tinea anella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11348. *Lamoria attamasca* Whalley, 1964** (Pyrilidae) *Lamoria attamasca* Whalley, 1964, Acta zool. cracov. 9(10): 598-599, pl. xvii fig. 26. Holotype ♂: South Africa: Pondoland: Port St. John (BMNH).
- 11349. *Lamoria brevinaevella* Zerny, 1934** (Pyrilidae) *Lamoria brevinaevella* Zerny, 1934, Dt. ent. Z., Iris 48: 1-2, Taf. 1 Abb. 1.2. Syntypes 2♂ 9♀: Libanon: Bscharre (NHMW).
- 11350. *Lamoria exigua* Whalley, 1964** (Pyrilidae) *Lamoria exigua* Whalley, 1964, Acta zool. cracov. 9(10): 600, pl. xvii figs. 28, 30. Holotype ♂: Southern Rhodesia: Wankie (BMNH).
- 11351. *Lamoria imbella* (Walker, 1864)** (Pyrilidae) *Acrobasis imbella* Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 30: 955.
- 11352. *Lamoria imbella imbella* (Walker, 1864)** (Pyrilidae) *Acrobasis imbella* Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 30: 955.
- 11353. *Lamoria inostentalis* (Walker, 1863)** (Pyrilidae) *Maraclea inostentalis* Walker, 1863, List Specimens lepid. Insects Colln Br. Mus. 27: 88.
- 11354. *Lamoria pallens* Whalley, 1964** (Pyrilidae) *Lamoria pallens* Whalley, 1964, Acta zool. cracov. 9(10): 599, pl. xvii fig. 27. Holotype ♂: South Africa: Eshowe (TMP).
- 11355. *Lamoria ruficostella* Ragonot, 1888** (Pyrilidae) *Lamoria ruficostella* Ragonot, 1888, Nouv. Gen.: 52. Type: Russia.
- 11356. *Lamoria surrufa* Whalley, 1964** (Pyrilidae) *Lamoria surrufa* Whalley, 1964, Acta zool. cracov. 9(10): 599-600, pl. xvii fig. 29. Holotype ♀: Congo: Upper Lova valley, nr. Masisi, W. Kivu (TMP).
- 11357. *Lamprosema indicata* (Fabricius, 1775)** (Pyrilidae) *Phalaena indicata* Fabricius, 1775, Syst. Ent.: 640. Type(s): India orientalis.
- 11358. *Leechia sinuosalis* South, 1901** (Pyrilidae) *Leechia sinuosalis* South, 1901, [in] Leech, Trans. ent. Soc. Lond. 1901: 400, pl. 14 fig. 15.
- 11359. *Lepidogma Meyrick, 1890*** (Pyrilidae) *Lepidogma Meyrick, 1890*, Trans. ent. Soc. Lond. 1890: 470, 472. Type-species: *Hypotia tamaricalis* Mann, 1873, by monotypy.
- 11360. *Lepidogma jordanalis* Rebel, 1902** (Pyrilidae) *Lepidogma jordanalis* Rebel, 1902, Dt. ent. Z., Iris 15: 100, Taf. 4 fig. 2. Type ♂: Palestina: Jordantal.
- 11361. *Lepidogma tamaricalis* (Mann, 1873)** (Pyrilidae) *Hypotia tamaricalis* Mann, 1873, Verh. zool.-bot. Ges. Wien 23: 124. Type(s): Italien: Livorno.
- 11362. *Lepidoneura grisealis* Hampson, 1900** (Pyrilidae) *Lepidoneura grisealis* Hampson, 1900, Trans. ent. Soc. London 1900: 391, Pl. 3 fig. 24. Type: [China: Uighur A.R.]: Kuldja.
- 11363. *Leptarchis Meyrick, 1937*** (Pyrilidae) *Leptarchis Meyrick, 1937*, Exot. Microlepid. 5: 137. Type-species: *Leptarchis psologramma* Meyrick, 1937, ibidem 5: 138, by monotypy.
- 11364. *Leucinodes orbonalis* Guenée, 1854** (Pyrilidae) *Leucinodes orbonalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 223. Syntypes ♂♀: "Inde centrale, Java".
- 11365. *Loxostege aeruginalis* (Hübner, 1796)** (Pyrilidae) *Pyrilis aeruginalis* Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 20 fig. 133. Type(s): Europa.
- 11366. *Loxostege argyrostacha* (Hampson, 1910)** (Pyrilidae) *Phlyctaenodes argyrostacha* Hampson, 1910, Proc. zool. Soc. London 1910: 503, pl. 41 fig. 6. Type: Rhodesia.
- 11367. *Loxostege clathralis* aksualis Caradja, 1916** (Pyrilidae) *Loxostege clathralis* var. *aksualis* Caradja, 1916, Dt. ent. Z., Iris 1916: 25. Type: Aksu (leg. Rückbeil).
- 11368. *Loxostege crocalis* (Hampson, 1891)** (Pyrilidae) *Opsibotys crocalis* Hampson, 1891, Illustr. Specimens Lepid. Heterocera Cooln Br. Mus. 8: 35, 131, pl. 154 fig. 7.
- 11369. *Loxostege dilutalis* (Herrich-Schäffer, 1849)** (Pyrilidae) *Botys dilutalis* Herrich-Schäffer, 1849, Syst. Bearb. Schmett. Eur. 4: 37, pl. 11 fig. 71.
- 11370. *Loxostege elutalis* Zerny, 1914** (Pyrilidae) *Loxostege elutalis* Zerny, 1914, Annln. naturh. Mus. Wien 28: 328, Taf. xxvi fig. 27. Type ♀: [China: Uighur A.R.]: Lob-Noor (NHMW).
- 11371. *Loxostege farsalis* Amsel, 1950** (Pyrilidae) *Loxostege farsalis* Amsel, 1950, Ark. Zool. 1 (17): 246, figs. 38, 79. Syntypes: Iran: [Fars]: Come, 2600m.
- 11372. *Loxostege flavivenalis* (Hampson, 1913)** (Pyrilidae) *Phlyctaenodes flavivenalis* Hampson, 1913, Ann. Mag. nat. Hist. 11: 520. Holotype ♂: Iraq: Baghdad.
- 11373. *Loxostege foviferalis* (Hampson, 1900)** (Pyrilidae) *Phlyctaenodes foviferalis* Hampson, 1900, Trans. ent. Soc. Lond. 1900 (2): 390. Type: [Lebanon]: Syria (Beirut) (coll. Staudinger).
- 11374. *Loxostege malekalis* Amsel, 1950** (Pyrilidae) *Loxostege malekalis* Amsel, 1950, Ark. Zool. 1 (17): 245-246, figs. 37, 78. Type ♂: Iran: Tahte Malek, 750m.
- 11375. *Loxostege mucosalis* (Herrich-Schäffer, [1848])** (Pyrilidae) *Botys mucosalis* Herrich-Schäffer, [1848], Syst. Bearb. Schmett. Eur. 4: 23, f. 14, 15. Syntypes: [Türkei]: Konstantinopel [Istanbul].
- 11376. *Loxostege phaeoneuralis* (Hampson, 1900)** (Pyrilidae) *Phlyctaenodes phaeoneuralis* Hampson, 1900, Trans. ent. Soc. Lond. 1900 (2): 389, pl. 3 fig. 12. Type ♀: [Turkmenistan]: Siberia, Krasnowodsk (coll. Staudinger).

- 11377. *Loxostege straminealis* (Hampson,1900)** (Pyralidae) Phlyctaenodes straminealis Hampson,1900, Trans. ent. Soc. Lond. 1900 (2): 388, pl.iii fig.22. Holotype ♂: [Turkey]: "Asia Minor" (coll. Staudinger).
- 11378. *Loxostege tessellalis* (Guenée,1854)** (Pyralidae) Spilodes tessellalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 383. Syntypes: "Corse, France mer., Andalousie".
- 11379. *Loxostege virescalis* (Guenée,1854)** (Pyralidae) Spilodes virescalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 383-384. Syntypes ♂♂: [France]: "Valais".
- 11380. *Loxostege wagneri* Zerny,1929** (Pyralidae) *Loxostege wagneri* Zerny,1929, [in] Wagner, Mitt. münch. ent. Ges. 19: 201-202. Type ♂: [Türkei]: Inner-Anatolien: [Konya]: Ak-Chehir.
- 11381. *Mabira elaphantophila* Bänziger,1985** (Pyralidae) *Mabira elaphantophila* Bänziger,1985, Mitt. schweiz. ent. Ges. 58: 28-29, figs. Holotype ♂: Thailand: Chiangmai: Chiangdao, Bänziger leg. (DEFACU).
- 11382. *Mabira haematophaga* Bänziger,1985** (Pyralidae) *Mabira haematophaga* Bänziger,1985, Mitt. schweiz. ent. Ges. 58: 27-28, figs. Holotype ♂: Thailand: Chiangmai: Chiangdao, Bänziger leg. (DEFACU).
- 11383. *Mabira lacriphaga* Bänziger,1985** (Pyralidae) *Mabira lacriphaga* Bänziger,1985, Mitt. schweiz. ent. Ges. 58: 25-26, figs. Holotype ♂: Thailand: Chiangmai: Chiangdao, Bänziger leg. (DEFACU).
- 11384. *Macroctenia leucographalis* (Hampson,1900)** (Pyralidae) *Constantia leucographalis* Hampson,1900, Trans. ent. Soc. Lond. 1900 (2): 382? Holotype ♂: Spain: Murcia (coll. Staudinger).
- 11385. *Marasmia poyealis* (Boisduval,1833)** (Pyralidae) *Salbia trapezalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 200. Type ♂: "Sierra-Leone".
- 11386. *Mardinia Amsel,1952*** (Pyralidae) *Mardinia* Amsel,1952, Mitt. münch. ent. Ges. 42: 54. Type-species: *Stenia ferrealis* Hampson,1900, Trans. ent. Soc. Lond. 1900: 385, by original designation.
- 11387. *Mardinia ferrealis* (Hampson,1900)** (Pyralidae) *Stenia ferrealis* Hampson,1900, Trans. ent. Soc. Lond. 1900 (2): 385. Holotype ♂: [Turkey]: "Armenia, Mardin" (coll. Staudinger).
- 11388. *Mardinia ossealis* (Staudinger,1879)** (Pyralidae) *Metasia ossealis* Staudinger,1879, Horae Soc. ent. ross. 15: 182. Syntypes: [Türkei]: Amasia (ZMB).
- 11389. *Margaretania Amsel,1961*** (Pyralidae) *Margaretania* Amsel,1961, Ark. Zool. 13: 329. Type-species: *Margaretania superba* Amsel,1961, by original designation.
- 11390. *Margaritia sticticalis* (Linnaeus,1761)** (Pyralidae) *Phalaena sticticalis* Linnaeus,1761, Fauna Suecica: 352, no.1354. Lectotype ♂: Upsaliae (Robinson & Nielsen, 1983: 231).
- 11391. *Maruca vitrata* (Fabricius,1787)** (Pyralidae) *Phalaena vitrata* Fabricius,1787, Mantissa Insectorum 2: 215. Type: Tranquebariae.
- 11392. *Massepha entephriadia* Hampson,1898** (Pyralidae) *Massepha entephriadia* Hampson,1898, Proc. zool. Soc. London 1898: 616. Type: Niger: Warri (coll. Rothschild).
- 11393. *Massepha phoenicobapta* Hampson,1898** (Pyralidae) *Massepha phoenicobapta* Hampson,1898, Proc. zool. Soc. London 1898: 615, Pl.xlix fig.3. Type: Fergusson Is. (coll. Rothschild).
- 11394. *Mecyna amasialis* (Staudinger,1879)** (Pyralidae) *Botys amasialis* Staudinger,1879, Horae Soc. ent. ross. 15: 171-172. Syntypes ♂♂: [Türkei]: Amasia: Caraman, Kyschlatschik [Kışlacık].
- 11395. *Mecyna asinalis* (Hübner,1819)** (Pyralidae) *Pyralis asinalis* Hübner,1819, Samml. eur. Schmett. 6, Pyralides: Tab.29 fig.185. Type(s): Europa.
- 11396. *Mecyna flavalis* ([Denis & Schiffermüller],1775)** (Pyralidae) *Pyralis flavalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 121. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11397. *Mecyna lutulentalis* (Lederer,1858)** (Pyralidae) *Botys lutulentalis* Lederer,1858, Wien. ent. Monatschr. 2: 148, Taf.4 fig.2. Syntypes: Syria: Damask.
- 11398. *Mecyna pontica* (Staudinger,1879)** (Pyralidae) *Botys trinalis* var. *pontica* Staudinger,1879, Horae Soc. ent. ross. 15: 170-171. Syntypes 2♂: [Türkei]: Amasia.
- 11399. *Mecyna sefidalis* (Amsel,1950)** (Pyralidae) *Pyrausta sefidalis* Amsel,1950, Ark. Zool. 1 (17): 248-249, figs. 42, 83. Type ♂: Iran: Sine Sefid.
- 11400. *Mecyna subsequalis* (Herrich-Schäffer,1851)** (Pyralidae) *subsequalis* Herrich-Schäffer,1851, Syst. Bearb. Schmett. Eur. 6: 141, fig.133. Type: Armenia.
- 11401. *Mecyna trinalis* ([Denis & Schiffermüller],1775)** (Pyralidae) *Pyralis trinalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Gegend: 317. Type(s): [Austria]: Vienna district.
- 11402. *Megasis Guenée,1845*** (Pyralidae) *Megasis* Guenée,1845, Anns Soc. ent. Fr. (2) 3: 309. Type-species: *Anerastia rippertella* Zeller,1839, Isis 1839: 177, by subsequent designation by Desmarest,1857, [in] Chenu, Encycl. Hist. nat.: 254.
- 11403. *Megasis alpherakii* Ragonot,1887** (Pyralidae) *Megasis alpherakii* Ragonot,1887, Anns Soc. ent. Fr. (6) 7: 240. Lectotype ♂: [China: Uighur A.R.]: Kouldja (designated by Roesler,1993, Microlep. palaearkt. 8: 67) (MNHN).
- 11404. *Megasis hyrcanella* Ragonot,1893** (Pyralidae) *Megasis hyrcanella* Ragonot,1893, [in] Romanoff, Mém. lépid. 7: 545, t.20 fig.12. Lectotype ♂: NO-Iran: Hyrcania (designated by Roesler,1993, Microlep. palaearkt. 8: 67) (MNHN).
- 11405. *Megasis libanoticella* Zerny,1934** (Pyralidae) *Megasis libanoticella* Zerny,1934, Dt. ent. Z., Iris 48: 6, Taf.1 fig.6. Lectotype ♂: Libanon: Becharre, 1900m (Roesler, 1993: 68).
- 11406. *Megasis mimeticella* (Staudinger,1879)** (Pyralidae) *Ancylosis* ? *mimeticella* Staudinger,1879, Horae Soc. ent. ross. 15: 220-221. Syntypes 4♂: [Türkei]: Amasia: Caraman, coll. Ragonot (MNHN).
- 11407. *Megasis mimeticella maritimella* Caradja,1910** (Pyralidae) *Megasis maritimella* Caradja,1910, Dt. ent. Z., Iris 24: 133, t.14 fig.16. Lectotype ♂: Frankreich: Digne (designated by Roesler,1973, Microlep. palaearkt. 4: 71) (MGAB).
- 11408. *Megasis mimeticella mimeticella* (Staudinger,1879)** (Pyralidae) *Ancylosis* ? *mimeticella* Staudinger,1879, Horae Soc. ent. ross. 15: 220-221. Syntypes 4♂: [Türkei]: Amasia: Caraman, coll. Ragonot (MNHN).
- 11409. *Megasis rippertella* (Zeller,1839)** (Pyralidae) *Anerastia rippertella* Zeller,1839, Isis 1839: 177. Type ♂: Schweiz (BMNH).
- 11410. *Megasis rippertella rippertella* (Zeller,1839)** (Pyralidae) *Anerastia rippertella* Zeller,1839, Isis 1839: 177. Type ♂: Schweiz (BMNH).
- 11411. *Merulempista cingillella* (Zeller,1846)** (Pyralidae) *Pempelia cingillella* Zeller,1846, Isis 1846: 779.
- 11412. *Mesocrambus candidellus* (Herrich-Schäffer,1848)** (Pyralidae) *Crambus candidellus* Herrich-Schäffer,1848, Syst. Bearb. Schmett. Eur. 4: 56; [1850], ibid. 5: Taf.26 fig.181. Type ♀: Kreta.
- 11413. *Metacrambus caretellus* (Zeller,1847)** (Pyralidae) *Crambus caretellus* Zeller,1847, Isis 1847: 751. Lectotype ♂: Sizilien (Bleszynski,1965: 331).
- 11414. *Metacrambus kurdistanellus* (Amsel,1959)** (Pyralidae) *Mesocrambus kurdistanellus* Amsel,1959, Bull. Soc. ent. Egypte 43: 43, Taf.9 fig. 2 Taf.1 fig.4 (male genitalia). Holotype ♂: Irak: Haj Omran, 1760m, 25.7.1954 (LNK).
- 11415. *Metacrambus kurdistanellus kurdistanellus* (Amsel,1959)** (Pyralidae) *Mesocrambus kurdistanellus* Amsel,1959, Bull. Soc. ent. Egypte 43: 43, Taf.9 fig. 2 Taf.1 fig.4 (male genitalia). Holotype ♂: Irak: Haj Omran, 1760m, 25.7.1954 (LNK).
- 11416. *Metacrambus salahinellus* (Chrétien,1917)** (Pyralidae) *Crambus pallidellus* var. *salahinellus* Chrétien,1917, Anns Soc. ent. Fr. 85: 412.
- 11417. *Metaeuchromius yusufeliensis* Nuss & Speidel,1999** (Pyralidae) *Metaeuchromius yusufeliensis* Nuss & Speidel,1999, Nota lepid. 22 (2): 155-159. Holotype ♂: Turkey: Artvin Prov.: Yusufeli (ZMHB,SMTD,SMNS).
- 11418. *Metallosticha argyrogrammos* (Zeller,1847)** (Pyralidae) *Myelois argyrogrammos* Zeller,1847, Isis 1847: 29-30. Type ♂: [Turkey]: Makri [=Fethiye].
- 11419. *Metallostichodes nigrocyanaella* (Constant,1865)** (Pyralidae) *Myelois nigrocyanaella* Constant,1865, Anns Soc. ent. Fr. 1865: 190, pl.7 fig.2. Neotype ♂: Frankreich: Landes (designated by Roesler,1973, Microlep. palaearkt. 4: 130) (MNHN).
- 11420. *Metallostichodes nigrocyanaella nigrocyanaella* (Constant,1865)** (Pyralidae) *Myelois nigrocyanaella* Constant,1865, Anns Soc. ent. Fr. 1865: 190, pl.7 fig.2. Neotype ♂: Frankreich: Landes (designated by Roesler,1973, Microlep. palaearkt. 4: 130) (MNHN).
- 11421. *Metallostichodes nigrocyanaella reisserella* Roesler,1969** (Pyralidae) *Metallostichodes nigrocyanaella* ssp. *reisserella* Roesler,1969, Ent. Z., Frankf. a. M. 79: 154. Holotype ♂: Kreta: Nevs Amari (coll. Roesler).

- 11422. *Metallostichodes vinaceella* (Ragonot,1895)** (Pyrilidae) *Hyphantidium vinaceellum* Ragonot,1895, Bull. Soc. ent. Fr. 1895: 101. Type: [Turquie]: [Hatay Prov.]: Alexandrette [=Iskenderun] (MNHN).
- 11423. *Metasia (Clasperia) Hartig,1952*** (Pyrilidae) *Clasperia* Hartig,1952, Z. wien. ent. Ges. 37: 35. Type-species: *Botys ophialis* Treitschke,1829, by original designation (established as a subgenus of *Metasia* Gn.,1854).
- 11424. *Metasia (Clasperia) cuencalis* Ragonot,1894** (Pyrilidae) *Metasia cuencalis* Ragonot,1894, Annls Soc. ent. Fr. 1894: 171-172. Syntypes 4♂: Spain: Castille: Cuenca (Korb leg.).
- 11425. *Metasia (Clasperia) ophialis* (Treitschke,1829)** (Pyrilidae) *Botys ophialis* Treitschke,1829, Schmett. Eur. 7: 90. Type(s): Ungarn.
- 11426. *Metasia (Hystrixia) Hartig,1952*** (Pyrilidae) *Hystrixia* Hartig,1952, Z. wien. ent. Ges. 37: 37. Type-species: *Metasia younesalis* Chrétien,1915, by monotypy (established as a subgenus of *Metasia* Gn.,1854).
- 11427. *Metasia (Hystrixia) younesalis* Chrétien,1915** (Pyrilidae) *Metasia younesalis* Chrétien,1915, Annls Soc. ent. Fr. 84: 295.
- 11428. *Metasia (s.str.) alvandalis* Amsel,1961** (Pyrilidae) *Metasia alvandalis* Amsel,1961, Ark. zool. 13 (17): 415, Abb. 119. Monotype ♂: Iran: Hamadan: Alvand Mt. 7500ft.
- 11429. *Metasia (s.str.) carnealis* (Treitschke,1829)** (Pyrilidae) *Botys carnealis* Treitschke,1829, Schmett. Eur. 7: 91. Type(s): [Kroatien]: Dalmatien.
- 11430. *Metasia (s.str.) continualis* Amsel,1961** (Pyrilidae) *Metasia continualis* Amsel,1961, Ark. zool. 13 (17): 415-416, Abb. 117, Taf.v fig.220. Holotype ♂: Irak: Kerbela-Wüste (westl. der Stadt Kerbela).
- 11431. *Metasia (s.str.) farsalis* Amsel,1961** (Pyrilidae) *Metasia ? farsalis* Amsel,1961, Ark. Zool. 13 (17): 417-418, Taf. v figs. 221,222. Holotype ♂: Iran: Mian Kotal.
- 11432. *Metasia (s.str.) hymenalis* Guenée,1854** (Pyrilidae) *Metasia hymenalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 252. Syntypes 2♂: [Spain]: "Andalousie".
- 11433. *Metasia (s.str.) ibericalis* Ragonot,1894** (Pyrilidae) *Metasia ibericalis* Ragonot,1894, Annls Soc. ent. Fr. 1894: 170-171. Syntypes: Spain: Castille: Cuenca.
- 11434. *Metasia (s.str.) inustalis* Ragonot,1894** (Pyrilidae) *Metasia inustalis* Ragonot,1894, Annls Soc. ent. Fr. 1894: 169-170. Type ♂: [Turkey]: Mardin.
- 11435. *Metasia (s.str.) kurdistanalis* Amsel,1961** (Pyrilidae) *Metasia kurdistanalis* Amsel,1961, Ark. zool. 13 (17): 416-417, Abb. 116. Holotype ♂: Irak: Kurdistan: Shaqlawa (Wiltshire leg.).
- 11436. *Metasia (s.str.) mendicalis* (Staudinger,1879)** (Pyrilidae) *Metasia ? mendicalis* Staudinger,1879, Horae Soc. ent. ross. 15: 183. Type ♂: [Türkei]: Amasia: Kerasdere.
- 11437. *Metasia (s.str.) olbienalis* Guenée,1854** (Pyrilidae) *Metasia olbienalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 251. Syntypes 2♀: "Iles d'Hyères".
- 11438. *Metasia (s.str.) pagmanalis* Amsel,1961** (Pyrilidae) *Metasia pagmanalis* Amsel,1961, Ark. Zool. 13 (17): 418, Taf.vi figs. 226,227. Holotype ♂: Afghanistan: Pagman Gebirge bei Kabul.
- 11439. *Metasia (s.str.) subtilialis* Caradja,1917** (Pyrilidae) *Metasia subtilialis* Caradja,1917, Dt. ent. Z., Iris 30: 30-31. Syntypes 2♂: [Türkei]: Amasia; [Tadjikistan]: Gebirge Peter d. Grösse.
- 11440. *Metasia (s.str.) supbandalis* (Hübner,1823)** (Pyrilidae) *Pyalis supbandalis* Hübner,1823, Samml. eur. Schmett. 6, Pyralides: Tab.30 figs. 187-190. Syntypes: Europa.
- 11441. *Metasia (s.str.) virginalis* Ragonot,1894** (Pyrilidae) *Metasia virginalis* Ragonot,1894, Annls Soc. ent. Fr. 1894: 170. Syntypes 3♂: [Turkey]: Mardin.
- 11442. *Michaeliodes friesei* Roesler,1970** (Pyrilidae) *Michaeliodes friesei* Roesler,1970, Beitr. Ent. 19: 967. Holotype ♂: Albanien: Uji Frohte, südl. Tepelena (DEL).
- 11443. *Mimudea affinalis* (Zerny,1914)** (Pyrilidae) *Pionea affinalis* Zerny,1914, Annln naturh. Mus. Wien 28: 332, Taf.xxvi fig. 38. Syntypes 2♂: [Russia]: Sajan-Gebirge: Arasagun-Gol, Munko-Sardyk (ex coll. Bang-Haas).
- 11444. *Mimudea aksuensis* (Caradja,1928)** (Pyrilidae) *Pionea aksuensis* Caradja,1928, Dt. ent. Z., Iris 42: 290. Type: East Turkestan: Aksu.
- 11445. *Mimudea confinalis* (Lederer,1858)** (Pyrilidae) *Botys confinalis* Lederer,1858, Wien. ent. Monatschr. 2: 149 Taf.4 fig.4. Type ♀: Syria: Damask?
- 11446. *Mimudea conquisitalis* (Guenée,1849)** (Pyrilidae) *Pionea conquisitalis* Guenée,1849, [in] Lucas, Expl. scient. algér.: 403, pl.4 f.9. Type: Algérie.
- 11447. *Mimudea elutalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) *Pyalis elutalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 121. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11448. *Mimudea institalis* (Hübner,1819)** (Pyrilidae) *Pyalis institalis* Hübner,1819, Samml. eur. Schmett. 6, Pyralides: Tab.29 fig.182. Type(s): Europa.
- 11449. *Mimudea lutealis* (Hübner,1809)** (Pyrilidae) *Pyalis lutealis* Hübner,1809, Samml. eur. Schmett. 6, Pyralides: Tab.22 fig.145. Type(s): Europa.
- 11450. *Mimudea olivalis* W.Warren,1892** (Pyrilidae) *Mimudea olivalis* W.Warren,1892, Ann. Mag. nat. Hist. (6) 9: 441. Type: Brazil.
- 11451. *Mimudea perfervidalis* (Hampson,1900)** (Pyrilidae) *Pionea perfervidalis* Hampson,1900, Trans. ent. Soc. London 1900: 395, pl.3 fig.3.
- 11452. *Mimudea russispersalis* (Zerny,1914)** (Pyrilidae) *Pionea russispersalis* Zerny,1914, Annln naturh. Mus. Wien 28: 332, Taf.xxvi fig. 37. Type ♂: [China: Uighur A.R.]: "Juldus, Thian-Shan Gebiet (ex coll. Bang-Haas)".
- 11453. *Mimudea silvalis* (De Joannis,1891)** (Pyrilidae) *Botys silvalis* De Joannis,1891, Bull. Soc. ent. Fr. 1891: lxxxii. Type ♂: [Turquie: Kayseri]: Césarée.
- 11454. *Mnesixena pectinalis jordanalis* (Rebel,1903)** (Pyrilidae) *Constantia pectinalis* var. *jordanalis* Rebel,1903, Dt. ent. Z., Iris 16: 4. Type ♀: Palaestina (NHMW).
- 11455. *Modestia bipunctella* (Wileman & South,1917)** (Pyrilidae) *Culladia bipunctella* Wileman & South,1917, Entomologist 50: 148.
- 11456. *Monocoptopera* Hampson,1898** (Pyrilidae) *Monocoptopera* Hampson,1898, Proc. zool. Soc. Lonodn 1898: 610. Type-species: *Monocoptopera ecmetallescens* Hampson,1898, by original designation.
- 11457. *Monocoptopera ecmetallescens* Hampson,1898** (Pyrilidae) *Monocoptopera ecmetallescens* Hampson,1898, Proc. zool. Soc. Lonodn 1898: 610-611 fig.8. Syntypes: [Indonesia]: Amboina (coll. Rothschild & BMNH).
- 11458. *Mutuuraia pistorialis* (Zerny,1934)** (Pyrilidae) *Pyrausta pistorialis* Zerny,1934, Dt. ent. Z., Iris 48: 11-12, Taf.1 Abb.7. Syntypes 3♂: Libanon: Bscharre (NMHW).
- 11459. *Myelodes Hampson,1930*** (Pyrilidae) *Myelodes* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 77-78. Type-species: *Myelodes jansei* Hampson,1930, by original designation.
- 11460. *Myelodes flavimargo* Hampson,1930** (Pyrilidae) *Myelodes flavimargo* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 78. Syntypes: [South Africa]: Transvaal: Pretoria (Janse); Basutoland: Masite (Weigall).
- 11461. *Myelodes flavimargo flavimargo* Hampson,1930** (Pyrilidae) *Myelodes flavimargo* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 78. Syntypes: [South Africa]: Transvaal: Pretoria (Janse); Basutoland: Masite (Weigall).
- 11462. *Myelodes jansei* Hampson,1930** (Pyrilidae) *Myelodes jansei* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 78-79. Type ♀: [Zimbabwe]: S.Rhodesia: Umtali (Janse).
- 11463. *Myelodes jansei jansei* Hampson,1930** (Pyrilidae) *Myelodes jansei* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 78-79. Type ♀: [Zimbabwe]: S.Rhodesia: Umtali (Janse).
- 11464. *Myelois (Gnathogutta) circumdatella* Lederer,1858** (Pyrilidae) *Myelois circumdatella* Lederer,1858, Wien. ent. Monatschr. 2: 149, Taf.4 fig.5. Syntypes 3♂: Syrien: Damask.
- 11465. *Myelois (Gnathogutta) luticornella* (Ragonot,1887)** (Pyrilidae) *Myelois luticornella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 226. Syntypes: [Turkey]: Asie Mineure: Marasch.
- 11466. *Myelois (Gnathogutta) osseella* (Ragonot,1887)** (Pyrilidae) *Myelois osseella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 226. Syntypes: [Lebanon]: Beirut.
- 11467. *Myelois (Gnathogutta) pluripunctella* (Ragonot,1887)** (Pyrilidae) *Myelois pluripunctella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 226. Syntypes: [Lebanon]: Beirut.
- 11468. *Myelois (Gnathogutta) pluripunctella paucipunctella* Zerny,1939** (Pyrilidae) *Myelois pluripunctella* ssp. *paucipunctella* Zerny,1939, Z. Öst. EntVer. 24: 138, Taf.xi fig.4. Syntypes 2♂ 2♀: Iran: Elburs-Gebirge: Tarsee-Gebiet, 2100-2200m (NHMW).

- 11469. Myelois (Gnathogutta) pumicosa Lederer, 1855** (Pyralidae) Myelois pumicosa Lederer, 1855, Verh. zool.-bot. Ges. Wien 5: 252-253. Syntypes 2♂: [Türkei]: Diarbekir.
- 11470. Myelois (s.str.) circumvoluta (Fourcroy, 1785)** (Pyralidae) Tinea circumvoluta Fourcroy, 1785, Ent. Paris: 326. Type(s): Paris.
- 11471. Myelois (s.str.) cribratella Zeller, 1847** (Pyralidae) Myelois cribratella Zeller, 1847, Isis 1847: 762. Type(s): Sizilien.
- 11472. Myelois (s.str.) fuscicostella Mann, 1861** (Pyralidae) Myelois fuscicostella Mann, 1861, Wien. ent. Monatschr. 5: 183-184, Tab. 2 fig. 10. Type ♂: [Türkei]: Amasia.
- 11473. Myelois (s.str.) quadripunctella Zerny, 1914** (Pyralidae) Myelois quadripunctella Zerny, 1914, Annln naturh. Mus. Wien 28: 319, Taf. xxv fig. 20. Type ♀: [Türkei]: Akbes (NHMW).
- 11474. Myelois (s.str.) staudingerella Ragonot, 1887** (Pyralidae) Myelois staudingerella Ragonot, 1887, Anns Soc. ent. Fr. 7: 226. Syntypes: Samarkand, Nochur.
- 11475. Myrleae albistrigata (Staudinger, 1881)** (Pyralidae) Pempelia albistrigata Staudinger, 1881, Horae Soc. ent. ross. 16: 86. Syntypes 2♂♀: [Türkei]: Amasia.
- 11476. Myrleae epischniella (Staudinger, 1879)** (Pyralidae) Pempelia epischniella Staudinger, 1879, Horae Soc. ent. ross. 15: 200-201. Syntypes ♂♀: [Türkei]: Amasia; Kerasdere.
- 11477. Nascia ciliaris (Hübner, 1796)** (Pyralidae) Pyralis ciliaris Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 18 fig. 119. Type(s): Europa.
- 11478. Nascia ciliaris ciliaris (Hübner, 1796)** (Pyralidae) Pyralis ciliaris Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 18 fig. 119. Type(s): Europa.
- 11479. Nausinoe geometralis (Guenée, 1854)** (Pyralidae) Lepyrodes geometralis Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 278. Type(s): "Inde centrale".
- 11480. Nausinoe perspectata (Fabricius, 1775)** (Pyralidae) Phalaena perspectata Fabricius, 1775; Syst. Ent.: 640. Type(s): India orientalis.
- 11481. Nausinoe pueritia (Cramer, [1780])** (Pyralidae) Phalaena pueritia Cramer, [1780], Uitl. Kapellen 3: pl. 264 fig. F
- 11482. Neocrambus wolfschlaegeri (Schawerda, 1937)** (Pyralidae) Crambus wolfschlaegeri Schawerda, 1937, Z. öst. EntVer. 22: 55. Holotype ♂: Mazedonien; Ochrida.
- 11483. Nephopterix Hübner, [1825]** (Pyralidae) Nephopterix Hübner, [1825], Verz. bekannter Schmett.: 370. Type-species: Tinea angustella Hübner, 1796, Samml. eur. Schmett. 8: 33, pl. 10 fig. 68, by subsequent designation by Desmarest, 1857, [in] Chenu, Encycl. Hist. nat.: 255.
- 11484. Nephopterix cleopatrella Ragonot, 1887** (Pyralidae) Nephopterix cleopatrella Ragonot, 1887, Anns Soc. ent. Fr. 1887: 231.
- 11485. Nephopterix minimella Amsel, 1953** (Pyralidae) Nephopterix minimella Amsel, 1953, Ark. zool. 6 (16): 290, figs. 107, 108, 229-232. Holotype ♂: Iran: Kuh-i Taftan.
- 11486. Niethammeriodes diremptella (Ragonot, 1887)** (Pyralidae) Ancylosis diremptella Ragonot, 1887, Anns Soc. ent. Fr. 1887: 252. Lectotype ♂: Spanien: Sierra de Alfacar (designated by Roesler, 1973, Microlepid. Palaearkt. 4: 303) (ZMB).
- 11487. Noctuelia escherichi Hofmann, [1898]** (Pyralidae) Aporodes escherichi Hofmann, [1898], Dt. ent. Z., Iris 10: 234. Type ♀: [Türkei]: Angora [Ankara].
- 11488. Noctuelia mardinalis Staudinger, 1892** (Pyralidae) Noctuelia mardinalis Staudinger, 1892, Dt. ent. Z., Iris 5: Taf. 3 fig. 16; 1893, ibid. 6: 77. Syntypes ♂♀: [Türkei]: "Mardin (in Kurdistan)".
- 11489. Noctuelia superba (Freyer, [1844])** (Pyralidae) Cleophana superba Freyer, [1844], Neuere Beitr. Schmett. 5: 101, Taf. 441, fig. 2. Type(s): [Türkei]: europäische Türkei.
- 11490. Noctuelia vespertalis Herrich-Schäffer, [1855]** (Pyralidae) Noctuelia vespertalis Herrich-Schäffer, [1855], Syst. Bearb. Schmett. Eur. 6: 140, figs. 121-123.
- 11491. Noctuelia yaminalis (Oberthür, 1888)** (Pyralidae) Aporodes yaminalis Oberthür, 1888, Etüd. Ent. 12: 35, pl. 6 fig. 35.
- 11492. Nomophila Hübner, [1825]** (Pyralidae) Nomophila Hübner, [1825], Verz. bekannter Schmett.: 368. Type-species: Pyralis hybridalis Hübner, 1796, Samml. eur. Schmett. 6: 29, pl. 17, f. 114, by subsequent designation by Westwood, 1840, Introd. mod. Classif. Insects 2 (Synopsis Genera Br. Insects): 113.
- 11493. Nomophila noctuella ([Denis & Schiffermüller], 1775)** (Pyralidae) Tinea noctuella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11494. Noorda moringae Tams, 1938** (Pyralidae) Noorda moringae Tams, 1938, Bull. ent. Res. 29: 10. Type: S. India.
- 11495. Nyctegretis lineana (Scopoli, 1786)** (Pyralidae) Phalaena lineana Scopoli, 1786, Del. Florae Faun. Insub. 2: 57, Tab. 21 fig. vi A, B.
- 11496. Nyctegretis ruminella Harpe, 1860** (Pyralidae) Nyctegretis ruminella Harpe, 1860, Bull. Soc. vaud. Sci. nat. (37) 6: 397. Type(s): Sizilien.
- 11497. Nyctegretis triangulella Ragonot, 1901** (Pyralidae) Nyctegretis triangulella Ragonot, 1901, [in] Romanoff, Mém. lépid. 8: 29, t. 43 fig. 17. Type: Japan.
- 11498. Nymphicula albibasalis Yoshiyasu, 1980** (Pyralidae) Nymphicula albibasalis Yoshiyasu, 1980, Trans. lep. Soc. Japan 31 (1/2): 19, figs.
- 11499. Nymphicula tripunctata Yoshiyasu, 1987** (Pyralidae) Nymphicula tripunctata Yoshiyasu, 1987, Microlepid. Thailand 1: 177, figs. Holotype: Thailand: Kanchaburi: Sai Yok.
- 11500. Nymphula depunctalis (Guenée, 1854)** (Pyralidae) Hydrocampa depunctalis Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 274. Syntypes 2♀: "Indes orientales".
- 11501. Nymphula foedalis (Guenée, 1854)** (Pyralidae) Isopteryx foedalis Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 228. Syntypes 2♀: "Inde centrale".
- 11502. Nymphulosis arcanela Amsel, 1959** (Pyralidae) Nymphulosis arcanela Amsel, 1959, Bull. Soc. ent. Egypte 43: 52, Taf. 3 fig. 1, Taf. 9 fig. 11. Monotype ♂: [Iraq]. [taxonomical status uncertain!].
- 11503. Ocrisiodes Amsel, 1950** (Pyralidae) Ocrisiodes Amsel, 1950, Ark. zool. (2) 1: 225. Type-species: Ocrisiodes chirazalis Amsel, 1950, by original designation.
- 11504. Ocrisiodes alphetopis (Meyrick, 1937)** (Pyralidae) Pristophora alphetopis Meyrick, 1937, Exot. Microlepid. 5: 72-73. Syntypes 5♂♀: Iraq: Rayat (4000-7000ft), July (E.P. Wiltshire leg.).
- 11505. Ocrisiodes atmologa (Meyrick, 1937)** (Pyralidae) Pristophora atmologa Meyrick, 1937, Exot. Microlepid. 5: 73. Type ♀: Iraq: Mosul, July (E.P. Wiltshire leg.).
- 11506. Ocrisiodes minimella (Amsel, 1970)** (Pyralidae) Pristophorodes minimella Amsel, 1970, Beitr. naturk. Forsch. SüdwDtl. 29: 80, t. 5 fig. 7. Holotype ♂: Afghanistan: Arghandab-Damm, 35km N. Kandahar, 1150m (LNK).
- 11507. Ocrisiodes ruftifasciella (Ragonot, 1887)** (Pyralidae) Pristophora ruftifasciella Ragonot, 1887, Anns Soc. ent. Fr. (6) 7: 229. Syntypes ♂♀: [Uzbekistan]: Samarkand, Marghilan.
- 11508. Oligostigma camptoteles Hampson, 1906** (Pyralidae) Oligostigma camptoteles Hampson, 1906, Ann. Mag. nat. Hist. (7) 18: 464. Type: Tambora.
- 11509. Omiodes diemenalis (Guenée, 1854)** (Pyralidae) Asopia diemenalis Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 203. Type ♂: "Terre de Van-Diemen" (coll. Lefebvre).
- 11510. Omphisa fuscidentalis (Hampson, 1895)** (Pyralidae) Chilo fuscidentalis Hampson, 1895, Proc. zool. Soc. London 1895: 956. Type(s): India: Bengal.
- 11511. Omphisa vaovao Viette, 1973** (Pyralidae) Omphisa vaovao Viette, 1973, Entomops 31: 219, fig. 5.
- 11512. Oncocera semirubella (Scopoli, 1763)** (Pyralidae) Phalaena semirubella Scopoli, 1763, Ent. Carn.: 245. Type(s): [Slovenien]: Carniolia [Krain].
- 11513. Oncocera semirubella semirubella (Scopoli, 1763)** (Pyralidae) Phalaena semirubella Scopoli, 1763, Ent. Carn.: 245. Type(s): [Slovenien]: Carniolia [Krain].
- 11514. Opsibotys fuscalis ([Denis & Schiffermüller], 1775)** (Pyralidae) Pyralis fuscalis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 121. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11515. Orenaia alpestralis (Fabricius, 1787)** (Pyralidae) Phalaena alpestralis Fabricius, 1787, Mantissa Insectorum 2: 217. Type: Austria.
- 11516. Orthopygia Ragonot, 1890** (Pyralidae) Orthopygia Ragonot, 1890, Anns Soc. ent. Fr. (6) 10: Bull.: xciii. Type-species: Phalaena glaucinalis Linnaeus, 1758, by monotypy.
- 11517. Orthopygia almanalis (Rebel, 1917)** (Pyralidae) Herculia almanalis Rebel, 1917, Sber. Akad. Wiss. Wien 126: 277. Syntypes 1♂ 2♀: [Hatay]: Jarbaschi (NHMW).
- 11518. Orthopygia glaucinalis (Linnaeus, 1758)** (Pyralidae) Phalaena glaucinalis Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 533. Lectotype ♀: Europa (Robinson & Nielsen, 1983: 213).
- 11519. Orthopygia rubidalis ([Denis & Schiffermüller], 1775)** (Pyralidae) Pyralis rubidalis [Denis & Schiffermüller], 1775,

- Ankündigung syst. Werkes Schmett. Wienergegend: 124. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11520. Orthoraphis metasticta Hampson, 1898** (Pyralidae) Orthoraphis metasticta Hampson, 1898, Proc. zool. Soc. London 1898: 604-605. Syntypes: "Khasis, Mindoro" (coll. Rothschild).
- 11521. Ostrinia appositalis (Lederer, 1858)** (Pyralidae) Botys appositalis Lederer, 1858, Wien. ent. Monatschr. 2: 148, Taf. 4 fig. 3. Type ♂: Syria: Damask.
- 11522. Ostrinia furnacalis (Guenée, 1854)** (Pyralidae) Botys furnacalis Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 332. Type ♀: [Papua New Guinea]: "Nouvelle-Hollande".
- 11523. Ostrinia nubilalis (Hübner, 1796)** (Pyralidae) Pyralis nubilalis Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 14 fig. 94. Type(s): Europa.
- 11524. Ostrinia quadripunctalis ([Denis & Schiffmüller], 1775)** (Pyralidae) Pyralis quadripunctalis [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 124. Type(s): Austria: Vienna District [Types presumably destroyed by fire in 1848].
- 11525. Oxybia transversella (Duponchel, 1836)** (Pyralidae) Phycis transversella Duponchel, 1836, Hist. nat. Lépid. Papillons Fr. 10: 182, pl. 278, fig. 6. Syntypes: France: Aix.
- 11526. Pagda tenuivittalis (Turati, 1934)** (Pyralidae) Synclera tenuivittalis Turati, 1934, Atti Soc. ital. Sci. nat. 73: 191, fig. Type: Libya: Cyrenaica.
- 11527. Palmitia Ragonot, 1890** (Pyralidae) Palmitia Ragonot, 1890, Annls Soc. ent. Fr. (6) 10: Bull.: xciii. Type-species: Cledeobia massiliensis Duponchel, 1832, by monotypy.
- 11528. Palpita Hübner, [1808]** (Pyralidae) Palpita Hübner, [1808], Samml. exot. Schmett. 1: pl. [209]. Type-species: Pyralis unionalis Hübner, 1796, by monotypy.
- 11529. Palpita amphitritalis (Guenée, 1854)** (Pyralidae) Margarodes amphitritalis Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 307. Type ♀: "Silhet, Inde centrale".
- 11530. Palpita annulifer Inoue, 1996** (Pyralidae) Palpita annulifer Inoue, 1996, Tinea 15 (1): 17, figs. 1, 40, 116. Holotype: Thailand: Chiang Mai, Doi Suthep.
- 11531. Palpita crameralis (Guenée, 1854)** (Pyralidae) Glyphodes crameralis Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 293. Type(s): "Amboine".
- 11532. Palpita pyloalis (Walker, 1859)** (Pyralidae) Glyphodes pyloalis Walker, 1859, List Specimens lepid. Insects Colln Br. Mus. 19: 973.
- 11533. Palpita unionalis (Hübner, 1796)** (Pyralidae) Pyralis unionalis Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 20 fig. 132. Type(s): Europa.
- 11534. Palpusopsis Amsel, 1959** (Pyralidae) Palpusopsis Amsel, 1959, Stuttg. Beitr. Naturk. 28: 15. Type-species: Palpusopsis roseella Amsel, 1959, by original designation.
- 11535. Palpusopsis roseella Amsel, 1959** (Pyralidae) Palpusopsis roseella Amsel, 1959, Stuttg. Beitr. Naturk. 28: 15, t. 1 fig. 7, t. 3 fig. 7. Holotype ♂: SO-Iran: Djiroft, Anbar-Abad (LNK).
- 11536. Panstegia Hübner, [1825]** (Pyralidae) Panstegia Hübner, [1825], Verz. bekannt. Schmett.: 353. Type-species: Pyralis aerealis Hübner, 1796, by subsequent designation by Marion, 1957, Entomologiste 13: 80.
- 11537. Panstegia aerealis cinnamomalis (Zerny, 1914)** (Pyralidae) Pyrausta aerealis ssp. cinnamomalis Zerny, 1914, Annln naturh. Mus. Wien 28: 334. Syntypes: [Turkmenistan]: "Transkaspien", [Kirgizistan]: "Alai", [Kazachstan]: "Djarkent, Ili-Gebiet".
- 11538. Panstegia aerealis glaucalis (Zerny, 1914)** (Pyralidae) Pyrausta aerealis ssp. glaucalis Zerny, 1914, Annln naturh. Mus. Wien 28: 334. Syntypes: [China: Uighur A.R.]: "Juldus, Thian-Shan Gebiet"; [Turkmenistan]: "Transkaspien".
- 11539. Panstegia limbopunctalis dissolutalis (Staudinger, 1879)** (Pyralidae) Botys dissolutalis Staudinger, 1879, Horae Soc. ent. ross. 15: 169-170. Type ♂: [Türkei]: Amasia (coll. & leg. Lederer).
- 11540. Paracorsia ? rudalis (Zerny, 1939)** (Pyralidae) Pyrausta rudalis Zerny, 1939, Z. Wien. EntVer. 24: 174-175, Taf. 11 fig. 10. Syntypes 5♂ 3♀: [Iran]: Tarsee-Gebiet (2100-2200m), in coll. Hartig (NHMW).
- 11541. Paracorsia Marion, 1959** (Pyralidae) Paracorsia Marion, 1959, Entomologiste 15: 45. Type-species: Pyralis repandalis [Denis & Schiffmüller], 1775, by original designation.
- 11542. Paracorsia repandalis ([Denis & Schiffmüller], 1775)** (Pyralidae) Pyralis repandalis [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11543. Paracymoriza albalis Yoshiyasu, 1987** (Pyralidae) Paracymoriza albalis Yoshiyasu, 1987, Microlepid. Thailand 1: 147, figs. Holotype: Thailand, Chantaburi, Khao Soi Dao.
- 11544. Paracymoriza albifascialis (Hampson, 1891)** (Pyralidae) Parthenodes albifascialis Hampson, 1891, Ills. Specimens Lepid. Het. Colln Br. Mus. 8: 140, pl. 156 figs. 1, 9. Syntypes: Assam, Nilgiris, Java.
- 11545. Paracymoriza bleszynskialis Roesler & Speidel, 1981** (Pyralidae) Paracymoriza bleszynskialis Roesler & Speidel, 1981, Articulata 1: 202, figs. Holotype: China: Szechuan: Omei Shan.
- 11546. Paralaodamia difficilis Balinsky, 1994** (Pyralidae) Paralaodamia difficilis Balinsky, 1994, A study of African Phycitinae in the Transvaal Museum: 80, figs. 79, 278, 415. Holotype ♂: [Turkey]: "Syria", "Aunus CD, 1891" [Taurus Mts.], ex coll. Brabant (TM).
- 11547. Paralaodamia difficilis difficilis Balinsky, 1994** (Pyralidae) Paralaodamia difficilis Balinsky, 1994, A study of African Phycitinae in the Transvaal Museum: 80, figs. 79, 278, 415. Holotype ♂: [Turkey]: "Syria", "Aunus CD, 1891" [Taurus Mts.], ex coll. Brabant (TM).
- 11548. Paralipsa gularis (Zeller, 1877)** (Pyralidae) Melissoblastes gularis Zeller, 1877, Horae Soc. ent. ross. 13: 74. Type: Japan.
- 11549. Paramaxillaria Inoue, 1955** (Pyralidae) Paramaxillaria Inoue, 1955, Check List Lep. Japan 2: 133. Type-species: Maxillaria meretrix Staudinger, 1880, by original designation.
- 11550. Paramaxillaria amatrix (Zerny, 1927)** (Pyralidae) Maxillaria amatrix Zerny, 1927, Dt. ent. Z., Iris 41: 134, t. 2 fig. 6. Lectotype ♂: Andalusia, Algeciras (designated by Roesler, 1973, Microlepid. palaearkt. 4: 123) (NHMW).
- 11551. Paramaxillaria meretrix (Staudinger, 1879)** (Pyralidae) Maxillaria meretrix Staudinger, 1879, Horae Soc. ent. ross. 15: 208-210. Type ♂: [Türkei]: Brussa [Bursa] (ZMB).
- 11552. Paranephoterix Roesler, 1969** (Pyralidae) Paranephoterix Roesler, 1969, Bonn. zool. Beitr. 20: 259. Type-species: Salebria barteli Caradja, 1910, Dt. ent. Z., Iris 24: 138, pl. 14 fig. 18, by original designation.
- 11553. Paraponyx affinalis (Guenée, 1854)** (Pyralidae) Paraponyx affinalis Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 270. Syntypes 2♀: "Inde centrale".
- 11554. Paraponyx crisonalis (Walker, 1859)** (Pyralidae) Hydrocampa crisonalis Walker, 1859, List Specimens lepid. Insects Colln Br. Mus. 19: 961. Type: Sri Lanka.
- 11555. Paraponyx diminutalis Snellen, 1880** (Pyralidae) Paraponyx diminutalis Snellen, 1880, Tijdschr. Ent. 23: 242. Type: Sulawesi.
- 11556. Paraponyx longialata Yoshiyasu, 1983** (Pyralidae) Paraponyx longialata Yoshiyasu, 1983, Tinea 11 (13): 120, figs. 10. Holotype: Thailand: Trad, Kao Saming.
- 11557. Paraponyx nivalis ([Denis & Schiffmüller], 1775)** (Pyralidae) Pyralis nivalis [Denis & Schiffmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 316. Type(s): [Austria]: Vienna district.
- 11558. Paraponyx stagnalis (Zeller, 1852)** (Pyralidae) Nymphula stagnalis Zeller, 1852, Lepid. Micropt. Caffr.: 27. Type: South Africa: Caffraria.
- 11559. Paraponyx stratiotata (Linnaeus, 1758)** (Pyralidae) Phalaena stratiotata Linnaeus, 1758, Syst. Nat. (Edn. 10): 529. Type(s): [Europa].
- 11560. Parasefidia comeella (Amsel, 1951)** (Pyralidae) Synoria comeella Amsel, 1951, Ark. Zool. 1 (36): 533-534. Syntypes: Iran: Come, Sine Sefid.
- 11561. Paratalanta cultralis (Staudinger, 1867)** (Pyralidae) Botys cultralis Staudinger, 1867, Stettin ent. Ztg. 28(1/3): 108-109. Type ♂: [Russia]: Caucasus.
- 11562. Paratalanta hyalinalis (Hübner, 1796)** (Pyralidae) Pyralis hyalinalis Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 11 fig. 74. Type(s): Europa.
- 11563. Paratalanta pandalis (Hübner, [1825])** (Pyralidae) Epicorsia pandalis Hübner, [1825], Verz. bekannt. Schmett.: 355. Type(s): Deutschland: Augsburg.
- 11564. Pediasia alaica (Rebel, 1907)** (Pyralidae) Crambus alaicus Rebel, 1907, Dt. ent. Z., Iris 19: 227. Lectotype ♂: [Kirgizistan]: "Alai" (MGAB).
- 11565. Pediasia aridella (Thunberg, 1788)** (Pyralidae) Tinea aridella Thunberg, 1788, D.D. Museum Naturalium Academiae Upsaliensis 6: 78 Lectotype ♀: [Skandinavien] (Bleszynski, 1965: 379).
- 11566. Pediasia aridella aridella (Thunberg, 1788)** (Pyralidae) Tinea aridella Thunberg, 1788, D.D. Museum Naturalium Academiae Upsaliensis 6: 78 Lectotype ♀: [Skandinavien] (Bleszynski, 1965: 379).

- 11567. *Pediasia aridelloides* Bleszynski, 1965** (Pyrilidae) *Pediasia aridelloides* Bleszynski, 1965, Microlepid. Palaearct. 1: 381, Taf., figs. Holotype ♂: [Türkei]: Akshehir.
- 11568. *Pediasia contaminella* (Hübner, 1796)** (Pyrilidae) *Tinea contaminella* Hübner, 1796, Samml. eur. Schmett. 8, Tineae: Tab. 9 fig. 59. Type(s): Europa.
- 11569. *Pediasia desertella* (Lederer, 1855)** (Pyrilidae) *Crambus desertellus* Lederer, 1855, Verh. zool.-bot. Ges. Wien 5: 220, Taf. 4 fig. 7. Lectotype ♂: [Libanon]: Beirut (Bleszynski, 1965: 386).
- 11570. *Pediasia fascelinella* (Hübner, 1813)** (Pyrilidae) *Tinea fascelinella* Hübner, 1813, Samml. eur. Schmett. 8, Tineae: Tab. 54 fig. 268. Type(s): Europa.
- 11571. *Pediasia kuldjaensis* (Caradja, 1916)** (Pyrilidae) *Crambus jucundellus* var. *kuldjaensis* Caradja, 1916, Dt. ent. Z., Iris 30: 3. Lectotype ♂: [China: Uighur A.R.]: "Kuldja" (MGAB).
- 11572. *Pediasia kuldjaensis kuldjaensis* (Caradja, 1916)** (Pyrilidae) *Crambus jucundellus* var. *kuldjaensis* Caradja, 1916, Dt. ent. Z., Iris 30: 3. Lectotype ♂: [China: Uighur A.R.]: "Kuldja" (MGAB).
- 11573. *Pediasia luteella* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Tinea luteella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11574. *Pediasia matricella* (Treitschke, 1832)** (Pyrilidae) *Phycis matricella* Treitschke, 1832, Schmett. Eur. 9(1): 171. Type ♂: Ungarn.
- 11575. *Pediasia matricella matricella* (Treitschke, 1832)** (Pyrilidae) *Phycis matricella* Treitschke, 1832, Schmett. Eur. 9(1): 171. Type ♂: Ungarn.
- 11576. *Pediasia pectinicornis* (Rebel, 1910)** (Pyrilidae) *Crambus pectinicornis* Rebel, 1910, Dt. ent. Z., Iris 24: 1, Taf. 1 fig. 12. Type ♂: [Kazachstan]: "Uralsk" (MGAB).
- 11577. *Pediasia persella* (Toll, 1947)** (Pyrilidae) *Crambus persellus* Toll, 1947, Z. Wien. ent. Ges. 32: 107, Taf., figs. Holotype ♂: [Iran]: Hyrcania: Kuh-i-Mirabi, 2000m.
- 11578. *Pediasia serraticornis* (Hampson, 1900)** (Pyrilidae) *Crambus serraticornis* Hampson, 1900, Trans. ent. Soc. Lond. 1900 (2): 369. Holotype: [Jordan]: "Syria, Jordan R." (coll. Staudinger).
- 11579. *Pediasia steppicolella* (Zerny, 1914)** (Pyrilidae) *Crambus steppicolellus* Zerny, 1914, Annln. naturh. Mus. Wien 28: 300. Syntypes 4♂: Russia: Südrussland: Orenburg (NHMW).
- 11580. *Pempelia* Hübner, [1825]** (Pyrilidae) *Pempelia* Hübner, [1825], Verz. bekannter Schmett.: 369. Type-species: *Tinea palumbella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138, by subsequent designation by Desmarest, 1857, [in] Chenu, Encycl. Hist. nat.: 255.
- 11581. *Pempelia albicostella* (Amsel, 1951)** (Pyrilidae) *Ancylosis albicostella* Amsel, 1951, Ark. Zool. (2) 1: 530, fig. 8, 56. Holotype ♂: Iran: Tchouroum, 1000m (leg. Brandt), (NRS).
- 11582. *Pempelia albifasciella* (Hartig, 1937)** (Pyrilidae) *Rhodophaea albifasciella* Hartig, 1937, Z. öst. Ent. Ver. 22: 70, t. 4 fig. 12. Holotype ♂: Afghanistan: Paghman Gebirge (IEUR).
- 11583. *Pempelia alpigenna* (Duponchel, 1836)** (Pyrilidae) *Phycis alpigenna* Duponchel, 1836, Hist. nat. Lépid. Papillons Fr. 10: 208, pl. 280, fig. 7. Syntypes: "Alpe".
- 11584. *Pempelia ambustiella* Ragonot, 1887** (Pyrilidae) *Pempelia ambustiella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 244. Type: Armenie.
- 11585. *Pempelia argillaceella* (Osthelder, 1934)** (Pyrilidae) *Salebria argillaceella* Osthelder, 1934, Mitt. münch. ent. Ges. 24: 88-89. Syntypes 1♂ 3♀: [Türkei]: Marasch: Marasch, Dülül Dagh (ZSM).
- 11586. *Pempelia brephiella* (Staudinger, 1879)** (Pyrilidae) *Nephoteryx brephiella* Staudinger, 1879, Horae Soc. ent. ross. 15: 191-192. Syntypes ♂♂: Macedonien.
- 11587. *Pempelia diffusa* Staudinger, 1881** (Pyrilidae) *Pempelia diffusa* Staudinger, 1881, Horae Soc. ent. ross. 16: 85. Syntypes: [Türkei]: Amasia.
- 11588. *Pempelia formosa* (Haworth, 1811)** (Pyrilidae) *Phycis formosa* Haworth, [1811], Lepid. Br.: 494. Type(s): England.
- 11589. *Pempelia hispanella* Staudinger, 1859** (Pyrilidae) *Pempelia hispanella* Staudinger, 1859, Stettin ent. Ztg. 20 (7/9): 222. Syntypes ♂♂: Spanien: Granada, Chiclana.
- 11590. *Pempelia johannella* (Caradja, 1917)** (Pyrilidae) *Nephoteryx johannella* Caradja, 1917, Dt. ent. Z., Iris 30: 13. Type ♂: [Türkei]: Hadjin.
- 11591. *Pempelia laetella* Zerny, 1914** (Pyrilidae) *Salebria laetella* Zerny, 1914, Annln. naturh. Mus. Wien 28: 312, Taf. xxv fig. 15. Type ♂: [China: Uighur A.R.]: Lob-Noor (ex coll. Bang-Haas).
- 11592. *Pempelia obliquifasciella* Zerny, 1914** (Pyrilidae) *Salebria* (s.str.) *obliquifasciella* Zerny, 1914, Annln. naturh. Mus. Wien 28: 313, Taf. xxv fig. 16. Type ♂: [Kazachstan]: Djarkent, Ili-Gebiet (leg. W. Rückbeil, ex coll. Wagner).
- 11593. *Pempelia obscurella* (Osthelder, 1934)** (Pyrilidae) *Salebria obscurella* Osthelder, 1934, Mitt. münch. ent. Ges. 24: 88. Type ♂: [Türkei]: Marasch: Yeşildere (ZSM).
- 11594. *Pempelia palumbella* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Tinea palumbella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11595. *Pempelia placidella* (Zerny, 1929)** (Pyrilidae) *Salebria placidella* Zerny, 1929, [in] Wagner, Mitt. münch. ent. Ges. 19: 200-201. Syntypes 2♂ 1♀: [Türkei]: Inner-Anatolien: [Konya]: Ak-Chehir.
- 11596. *Pempelia romanoffella* (Ragonot, 1887)** (Pyrilidae) *Nephoteryx romanoffella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 231. Syntypes ♀: [Turkmenistan]: Achal-Tekke.
- 11597. *Pempelia rosella* Zerny, 1914** (Pyrilidae) *Salebria rosella* Zerny, 1914, Annln. naturh. Mus. Wien 28: 312, Taf. xxv fig. 14. Type ♂: [China: Uighur A.R.]: Lob-Noor (ex coll. Bang-Haas).
- 11598. *Pempelia serratella* (Ragonot, 1893)** (Pyrilidae) *Myrleae serratella* Ragonot, 1893, [in] Romanoff, Mém. lépid. 7: 399, pl. 15 fig. 23. Type ♀: [Turkey]: Mardin (Mésopotamie) (coll. Staudinger).
- 11599. *Pempelia sordida* Staudinger, 1879** (Pyrilidae) *Pempelia sordida* Staudinger, 1879, Horae Soc. ent. ross. 15: 196-197. Syntypes 14♂♀: [Türkei]: Amasia (Kerasdere).
- 11600. *Pempeliella dilutella* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Tinea dilutella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11601. *Pempeliella ornatella* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Tinea ornatella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 319. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11602. *Pempeliella ornatella fraternella* (Ragonot, 1887)** (Pyrilidae) *Pempelia fraternella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 245. Syntypes: Algeria; [Azerbaijan]: Ordubad; [Turkey]: Kazikoparan.
- 11603. *Pempeliella ornatella ornatella* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Tinea ornatella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 319. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11604. *Pempeliella sororculella* (Ragonot, 1887)** (Pyrilidae) *Pempelia sororculella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 245. Type: [Greece]: Parnasse.
- 11605. *Perinephela* Hübner, [1825]** (Pyrilidae) *Perinephela* Hübner, [1825], Verz. bekannt. Schmett.: 357. Type-species: *Pyalis lancealis* [Denis & Schiffermüller], 1775, by subsequent designation by Lhomme, 1935.
- 11606. *Perinephela lancealis* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Pyalis lancealis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 121. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11607. *Perinephela lancealis lancealis* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Pyalis lancealis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 121. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11608. *Phlyctaenia coronata* (Hufnagel, 1767)** (Pyrilidae) *Phalaena coronata* Hufnagel, 1767, Berl. Mag. 4: 616, nr. 97. Type(s): Germania: Berlin.
- 11609. *Phlyctaenia perlucidalis* (Hübner, 1809)** (Pyrilidae) *Pyalis perlucidalis* Hübner, [1809], Samml. eur. Schmett. 6, Pyralides: Tab. 22 fig. 143. Type(s): Europa.
- 11610. *Phlyctaenomorpha sinuosalis* (le Cerf, 1910)** (Pyrilidae) *Phlyctaenodes sinuosalis* le Cerf, 1909, Bull. Mus. natn. Hist. nat. Paris 3: 536. Type ♂: [Iran]: Perse: Ab-e-bid.
- 11611. *Phycita* Curtis, 1828** (Pyrilidae) *Phycita* Curtis, 1828, Br. Ent. 5: folio 233. Type-species: *Tinea spissilicella* Fabricius, 1794, Ent. Syst. 3(2): 289, by original designation.
- 11612. *Phycita diaphana* (Staudinger, 1870)** (Pyrilidae) *Nephoteryx diaphana* Staudinger, 1870, Berl. ent. Z. 14: 197.
- 11613. *Phycita formosella* (Wileman & South, 1918)** (Pyrilidae) *Cryptoblabes formosella* Wileman & South, 1918, Entomologist 51: 219. Type ♀: [Taiwan]: Formosa: Takao.

- 11614. *Phycita kurdistanella* Amsel, 1953** (Pyralidae) *Phycita kurdistanella* Amsel, 1953, Ark. Zool. 6 (16): 293, figs. 118-120, 235. Monotype ♂: [Türkei]: Kurdistan: Wan, 1800m.
- 11615. *Phycita macrodontella* (Ragonot, 1887)** (Pyralidae) *Megasis macrodontella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 239-240. Syntypes ♂: Armenie (place of types unknown (Roesler, 1993: 247)).
- 11616. *Phycita meliella* (Mann, 1864)** (Pyralidae) *Nephopteryx meliella* Mann, 1864, Wien. ent. Monatschr. 8: 180-181, Taf. 4 fig. 8. Type(s): [Türkei]: Brussa [Bursa].
- 11617. *Phycita pedisignella* Ragonot, 1887** (Pyralidae) *Phycita pedisignella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 228. Type(s): [Türkei]: Amasia.
- 11618. *Phycita roborella* ([Denis & Schiffermüller], 1775)** (Pyralidae) *Tinea roborella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11619. *Phycita strigata* (Staudinger, 1879)** (Pyralidae) *Nephopteryx strigata* Staudinger, 1879, Horae Soc. ent. ross. 15: 190-191. Syntypes 1 ♂ 6 ♀: [Türkei]: Amasia: Kerasdere.
- 11620. *Phycita taiwanella* (Wileman & South, 1919)** (Pyralidae) *Phycita taiwanella* Wileman & South, 1919, Entomologist 52: 268. Type ♂: [Taiwan]: Formosa: Takao.
- 11621. *Phycitodes albatella* (Ragonot, 1887)** (Pyralidae) *Homoeosoma albatella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 255. Syntypes: [Usbekistan]: Samarkand; [Turkmenistan]: Nuchur.
- 11622. *Phycitodes albatella albatella* (Ragonot, 1887)** (Pyralidae) *Homoeosoma albatella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 255. Syntypes: [Usbekistan]: Samarkand; [Turkmenistan]: Nuchur.
- 11623. *Phycitodes albiovittella* (Ragonot, 1888)** (Pyralidae) *Homoeosoma albiovittella* Ragonot, 1888, Nouv. gen. Phycit. 1888: 35. Type ♂: Pakistan: Punjab (BMNH).
- 11624. *Phycitodes binaevella* (Hübner, [1813])** (Pyralidae) *Tinea binaevella* Hübner, [1813], Samml. eur. Schmett. 8, Tineae: Tab. 57 fig. 383. Type(s): Europa.
- 11625. *Phycitodes binaevella binaevella* (Hübner, [1813])** (Pyralidae) *Tinea binaevella* Hübner, [1813], Samml. eur. Schmett. 8, Tineae: Tab. 57 fig. 383. Type(s): Europa.
- 11626. *Phycitodes binaevella iranella* (Roesler, 1965)** (Pyralidae) *Rotruda binaevella* ssp. *iranella* Roesler, 1965, Inaug.-Diss. Saarbrücken 1965: 84. Type ♂: Palastina: Wadi el Kelt (LNK).
- 11627. *Phycitodes binaevella sardiniella* (Roesler, 1965)** (Pyralidae) *Rotruda binaevella* ssp. *sardiniella* Roesler, 1965, Inaug.-Diss. Saarbrücken 1965: 85. Type ♂: Sardinien: Aritzo (LNK).
- 11628. *Phycitodes binaevella siciliella* (Zerny, 1914)** (Pyralidae) *Homoeosoma siciliella* Zerny, 1914, Annln naturh. Mus. Wien 28: 305. Lectotype ♂: Sizilien (designated by Roesler, 1973, Microlepid. palaearkt. 4: 570) (NHMW).
- 11629. *Phycitodes binaevella unitella* (Staudinger, 1879)** (Pyralidae) *Homoeosoma binaevella* var. *unitella* Staudinger, 1879, Horae Soc. ent. ross. 15: 223. Type ♂: [Türkei]: Kleinasien: Kerasdere bei Amasia (ZMB).
- 11630. *Phycitodes carlinella* (Heinemann, 1865)** (Pyralidae) *Homoeosoma carlinella* Heinemann, 1865, Schmett. Deutschlands Schweiz 2(1) 2: 198. Type(s): Deutschland: Wolfenbüttel.
- 11631. *Phycitodes carlinella arenicola* (Chrétien, 1911)** (Pyralidae) *Homoeosoma arenicola* Chrétien, 1911, Bull. Soc. ent. Fr. 16: 34. Type ♂: Algerie: Biskra (MNHN).
- 11632. *Phycitodes carlinella carlinella* (Heinemann, 1865)** (Pyralidae) *Homoeosoma carlinella* Heinemann, 1865, Schmett. Deutschlands Schweiz 2(1) 2: 198. Type(s): Deutschland: Wolfenbüttel.
- 11633. *Phycitodes carlinella osteella* (Ragonot, 1887)** (Pyralidae) *Homoeosoma osteella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 255. Type ♀: [Türkei]: Kasikoparan (ZIANL).
- 11634. *Phycitodes inquitatella* (Ragonot, 1887)** (Pyralidae) *Homoeosoma inquitatella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 256. Type(s): [Türkei]: Marasch.
- 11635. *Phycitodes inquitatella inquitatella* (Ragonot, 1887)** (Pyralidae) *Homoeosoma inquitatella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 256. Type(s): [Türkei]: Marasch.
- 11636. *Phycitodes lacteella* (Rothschild, 1915)** (Pyralidae) *Staudingeria lacteella* Rothschild, 1915, Novit. Zool. 22: 240. Type ♀: Algeria: Oued Nça, Mzab (BMNH).
- 11637. *Phycitodes lacteella lacteella* (Rothschild, 1915)** (Pyralidae) *Staudingeria lacteella* Rothschild, 1915, Novit. Zool. 22: 240. Type ♀: Algeria: Oued Nça, Mzab (BMNH).
- 11638. *Phycitodes nigrilimbella* (Ragonot, 1887)** (Pyralidae) *Homoeosoma nigrilimbella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 256. Type(s): [Türkei]: Marasch.
- 11639. *Phycitodes popescugorji* (Roesler, 1967)** (Pyralidae) *Rotruda popescugorji* Roesler, 1967, Z. wien. ent. Ges. 52: 43. Type ♂: Syrien (MGAB).
- 11640. *Phycitodes saxicola* (Vaughan, 1870)** (Pyralidae) *Homoeosoma saxicola* Vaughan, 1870, Entomologist's mon. Mag. 7: 132. Type ♂: England: Isle of Man.
- 11641. *Pilocrocis barcalis* (Walker, 1859)** (Pyralidae) *Botys barcalis* Walker, 1859, List Specimens lepid. Insects Colln Br. Mus. 19: 1001. Type: Sarawak.
- 11642. *Pima boisduvaliella* (Guenée, 1845)** (Pyralidae) *Epischnia boisduvaliella* Guenée, 1845, Anns Soc. ent. Fr. (2) 3: 319. Type(s): Schweiz.
- 11643. *Pima trifidella* (Zerny, 1914)** (Pyralidae) *Epischnia* (?) *trifidella* Zerny, 1914, Annln naturh. Mus. Wien 28: 310, Taf. xxv fig. 10. Type ♂: [China: Uighur A.R.]: Aksu (ex coll. Bang-Haas).
- 11644. *Platytes cerussella* ([Denis & Schiffermüller], 1775)** (Pyralidae) *Tinea cerussella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11645. *Pleuroptya meyricki* (Roesler, 1890)** (Pyralidae) *Pleuroptya meyricki*, 1890, Trans. ent. Soc. Lond. 1890: 438, 443. Type-species: *Botys aurantiacalis* Fischer von Rösslerstamm, [1840], Abbildungen Schmettkde (15): 213, pl. 75 fig. 3, by monotypy.
- 11646. *Pleuroptya ruralis* (Scopoli, 1763)** (Pyralidae) *Phalaena ruralis* Scopoli, 1763, Entomologia Carniolica: 242. Type(s): [Slovenien]: Carniolia [Krain].
- 11647. *Plodia interpunctella* (Hübner, [1813])** (Pyralidae) *Tinea interpunctella* Hübner, [1813], Samml. eur. Schmett. 8, Tineae: Tab. 45 fig. 310. Type(s): Europa.
- 11648. *Polygrammodes pectinicornalis* (Guenée, 1854)** (Pyralidae) *Botys pectinicornalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 326. Syntypes 2 ♂: "Inde centrale".
- 11649. *Polygrammodes sabelialis* (Guenée, 1854)** (Pyralidae) *Botys sabelialis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 326. Type ♂: "Inde centrale".
- 11650. *Polycha venosa* (Zeller, 1847)** (Pyralidae) *Epischnia venosa* Zeller, 1847, Isis 1847: 31-32. Syntypes ♂ ♀: [Türkei]: Kellemish.
- 11651. *Praeepischnia amsel, 1953*** (Pyralidae) *Praeepischnia* Amsel, 1953, Ark. zool. 6 (16): 306. Type-species: *Epischnia lydella* Lederer, by original designation.
- 11652. *Praeepischnia nevadensis* (Rebel, 1910)** (Pyralidae) *Epischnia nevadensis* Rebel, 1910, Dt. ent. Z., Iris 24: 3. Syntypes: Spanien: Sierra Nevada.
- 11653. *Praekatja amsel, 1961*** (Pyralidae) *Praekatja* Amsel, 1961, Ark. Zool. 13 (17): 398-399. Type-species: *Praekatja pagmanalis* Amsel, 1961, by original designation.
- 11654. *Praekatja pagmanalis* Amsel, 1961** (Pyralidae) *Praekatja* pagmanalis Amsel, 1961, Ark. Zool. 13 (17): 399, Taf. iv fig. 202. Type ♂: Afghanistan: Pagman Gebirge bei Kabul, F. Brandt leg.
- 11655. *Prionotalis africanellus* (Strand, 1909)** (Pyralidae) *Talis africanellus* Strand, 1909, Ent. Rdsch. 26: 115. Syntypes: "Tanzania".
- 11656. *Pristathria akbarella* (Ragonot, 1888)** (Pyralidae) *Oligochroa akbarella* Ragonot, 1888, Nouv. gen. esp. Phycit. 1888: 20. Type: Karachi (MNHN).
- 11657. *Pristocerella deltagrammella* (Ragonot, 1888)** (Pyralidae) *Pristocera deltagrammella* Ragonot, 1888, Nouv. gen. esp. Phycit. Galler. 888: 13. Type ♀: [Azerbaidjan: Kirovabad]: "Helenendorf".
- 11658. *Pristocerella solskyi* (Christoph, 1877)** (Pyralidae) *Myelois solskyi* Christoph, 1877, Horae Soc. ent. ross. 12: 287, Pl. 8 fig. 59. Lectotype ♂: [Iran]: Hadschyabad (Roesler, 1993: 136).
- 11659. *Proceratia hampson, 1901*** (Pyralidae) *Proceratia* Hampson, 1901, [in] Romanoff, Mém. Lépid. 8: 197. Type-species: *Proceratia caesariella* Ragonot, 1901, by monotypy.
- 11660. *Proceratia caesariella* Ragonot, 1901** (Pyralidae) *Proceratia caesariella* Ragonot, 1901, [in] Romanoff, Mém. Lépid. 9: 197, Pl. 42 fig. 15. Lectotype ♂: [Türkei]: Cappadoce: Césarée [Kayseri] (designated by Roesler, 1973, Microlepid. palaearkt. 4: 82) (MNHN).
- 11661. *Proceratia fulvostrigella* (Eversmann, 1844)** (Pyralidae) *Phycis fulvostrigella* Eversmann, 1844, Fauna lepid. Volgo-Uralensis: 562. Type ♂: Russia: Ural.
- 11662. *Prochoristis rupicapralis* (Lederer, 1855)** (Pyralidae) *Botys rupicapralis* Lederer, 1855, Verh. zool.-bot. Ges. Wien 5: 218-219, Taf. 3 fig. 12. Syntypes 1 ♂ 2 ♀: Libanon: Beirut.

- 11663. Prolais Amsel, 1961** (Pyrilidae) Prolais Amsel, 1961, Ark. Zool. 13 (17): 410. Type-species: Prolais elbursalis Amsel, 1961, by original designation.
- 11664. Prolais elbursalis Amsel, 1961** (Pyrilidae) Prolais elbursalis Amsel, 1961, Ark. Zool. 13 (17): 410, Taf. v fig. 217. Type ♂: Iran: Südseite des Elbursgebirges, Wiltshire leg.
- 11665. Prophtasia platycerella Ragonot, 1887** (Pyrilidae) Prophtasia platycerella Ragonot, 1887, Annls. Soc. ent. Fr. 1887: 259. Type(s): Armenie.
- 11666. Prorophora (Epischidia) Ragonot, 1901** (Pyrilidae) Epischidia Ragonot, 1901, [in] Romanoff, Mém. Lépid. 8: 113. Type-species: Phycis fulvostrigella Eversmann, 1844, by monotypy.
- 11667. Prorophora (Epischidia) albunculella (Staudinger, 1879)** (Pyrilidae) Myelois albunculella Staudinger, 1879, Horae Soc. ent. ross. 15: 213-214. Syntypes 2♂♂: [Türkei]: Amasia: Kerasdere.
- 11668. Prorophora (s.str.) Ragonot, 1887** (Pyrilidae) Prorophora Ragonot, 1887, Annls. Soc. ent. Fr. 1887: 252. Type-species: Prorophora curvibasella Ragonot, 1887, by monotypy.
- 11669. Prorophora (s.str.) curvibasella Ragonot, 1887** (Pyrilidae) Prorophora curvibasella Ragonot, 1887, Annls. Soc. ent. Fr. 1887: 252. Type ♂: [Uzbekistan]: Namangan (MNHN).
- 11670. Prorophora Ragonot, 1887** (Pyrilidae) Prorophora Ragonot, 1887, Annls. Soc. ent. Fr. 1887: 252. Type-species: Prorophora curvibasella Ragonot, 1887, by monotypy.
- 11671. Psammotis pulveralis (Hübner, 1796)** (Pyrilidae) Pyralis pulveralis Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 17 fig. 109. Type(s): Europa.
- 11672. Psammotis spissalis (Guenée, 1854)** (Pyrilidae) Botys spissalis Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 327. Type ♀: [Indonesia]: "Java".
- 11673. Psammotis turkestanica Munroe & Mutuura, 1968** (Pyrilidae) Psammotis turkestanica Munroe & Mutuura, 1968, Can. Ent. 100: 974-976, figs. Holotype ♂: [Kazachstan]: Fort Narine, Prov. Semirengense, East Turkestan leg. G.S. Akulin (BMNH).
- 11674. Pseudobissetia Bleszynski, 1959** (Pyrilidae) Pseudobissetia Bleszynski, 1959, Beitr. naturk. Forsch. SW-Dtschl. 18: 115. Type-species: Chilo terrestris Christoph, 1885, by monotypy.
- 11675. Pseudobissetia terrestris (Christoph, 1885)** (Pyrilidae) Chilo terrestris Christoph, 1885, [in] Romanoff, Mém. Lépid. 2: 151, Taf. 8 fig. 2. Type ♀: [Turkmenia]: Ashkhabad.
- 11676. Pseudocatharylla chalciptera (Hampson, 1896)** (Pyrilidae) Crambus chalcipterus Hampson, 1896, Fauna Br. India 4: 13. Syntypes ♂♂: India: Khasis (BMNH).
- 11677. Pseudocatharylla chalciptera chalciptera (Hampson, 1896)** (Pyrilidae) Crambus chalcipterus Hampson, 1896, Fauna Br. India 4: 13. Syntypes ♂♂: India: Khasis (BMNH).
- 11678. Pseudocatharylla flavipedella (Zeller, 1852)** (Pyrilidae) Crambus flavipedellus Zeller, 1852, K. svenska vetensk. Akad. Handl. 1852: 73.
- 11679. Pseudocatharylla flavipedella flavipedella (Zeller, 1852)** (Pyrilidae) Crambus flavipedellus Zeller, 1852, K. svenska vetensk. Akad. Handl. 1852: 73.
- 11680. Pseudocatharylla inclaralis (Walker, 1863)** (Pyrilidae) Crambus inclaralis Walker, 1863, List Specimens lepid. Insects Colln Br. Mus. 27: 168.
- 11681. Pseudocatharylla infixella (Walker, 1863)** (Pyrilidae) Crambus infixellus Walker, 1863, List Specimens lepid. Insects Colln Br. Mus. 27: 167.
- 11682. Pseudonoorda nigropunctalis (Hampson, 1899)** (Pyrilidae) Noorda nigropunctalis Hampson, 1899, Proc. zool. Soc. London 1899: 222. Type: [Malaysia]: Perak.
- 11683. Pseudophycita deformella (Möschler, 1866)** (Pyrilidae) Laodamia deformella Möschler, 1866, Berl. ent. Z. 1866: 147.
- 11684. Psorosa albunculella Ragonot, 1901** (Pyrilidae) Psorosa albunculella Ragonot, 1901, [in] Mém. Lépid. 9: 106, pl. xxix fig. 4. Type ♂: [Türkei]: Amasia (coll. Ragonot).
- 11685. Psorosa maraschella Caradja, 1910** (Pyrilidae) Psorosa maraschella Caradja, 1910, Dt. ent. Z., Iris 24: 128. Syntypes 26 ♂♂: [Türkei]: Marasch (coll. Caradja).
- 11686. Psorosa ochrifasciella Ragonot, 1887** (Pyrilidae) Psorosa ochrifasciella Ragonot, 1887, Annls. Soc. ent. Fr. 1887: 245. Syntypes: [Türkei]: Amasia, Marasch.
- 11687. Psorosodes dalakiella Amsel, 1953** (Pyrilidae) Psorosodes dalakiella Amsel, 1953, Ark. zool. 6 (16): 275, figs. 68-70, 203. Holotype ♂: Iran: Dalaki.
- 11688. Pterothrixidia Amsel, 1953** (Pyrilidae) Pterothrixidia Amsel, 1953, Ark. Zool. 6 (16): 285 (nomen novum pro Pterothrix Ragonot). Type-species:
- 11689. Pterothrixidia ancyrensis Amsel, 1953** (Pyrilidae) Pterothrixidia ancyrensis Amsel, 1953, Ark. Zool. 6 (16): 287, figs. 36, 226. Monotype ♂: Türkiye: Ankara.
- 11690. Pterothrixidia caucasiella (Ragonot, 1888)** (Pyrilidae) Pterothrix caucasiella Ragonot, 1888, Nouv. gen.: 9.
- 11691. Pterothrixidia impurella (Duponchel, 1836)** (Pyrilidae) Phycis impurella Duponchel, 1836, Hist. nat. Lépid. Papillons Fr. 10: 171, pl. 277 fig. 7. Type: Corsica.
- 11692. Pterothrixidia orientella (Ragonot, 1893)** (Pyrilidae) Pterothrix orientella Ragonot, 1893, [in] Romanoff, Mém. Lépid. 7: 127-128, pl. xli fig. 4. Type ♀: Turquie d'Asie: Mardin (coll. Staudinger).
- 11693. Ptyonocera proteroleuca Meyrick, 1937** (Pyrilidae) Ptyonocera proteroleuca Meyrick, 1937, Exot. Microlepid. 5: 65-66. Type ♂: Iraq: Rayat (E.P. Wiltshire leg.).
- 11694. Pycnarmon decipiens Munroe, 1958** (Pyrilidae) Pycnarmon decipiens Munroe, 1958, Can. Ent. 40 (4): 235, figs. Holotype ♂: Calumbogan, Mindanao, Philippine Is., July-Aug., 1917 (CM).
- 11695. Pycnarmon jaguaralis (Guenée, 1854)** (Pyrilidae) Spilomela jaguaralis Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 283. Type ♀: Patria incognita.
- 11696. Pycnarmon jaguaralis papualis Munroe, 1958** (Pyrilidae) Pycnarmon jaguaralis ssp. papualis Munroe, 1958, Can. Ent. 40 (4): 234-235, figs. Holotype ♂: [Indonesia]: Irian Jaya: Nomnagihe, Geelvink Bay, Dutch New Guinea, 2000ft.
- 11697. Pygospila tyres (Cramer, 1780)** (Pyrilidae) Phalaena tyres Cramer, [1780], Uittl. Kapellen 3: pl. 263 fig. C.
- 11698. Pyrausta (Haworth, 1811)** (Pyrilidae) Phycis fusca Haworth, [1811], Lepid. Br.: 493. Type(s): England.
- 11699. Pyralis Linnaeus, 1758** (Pyrilidae) Pyralis Linnaeus, 1758, Syst. Nat. (Edn. 10): 533. Type-species: Phalaena farinalis Linnaeus, 1758, Syst. Nat. (Edn. 10): 533, by subsequent designation by ICZN, 1957, Opin. Decl. int. Commn. zool. Nom. 15 (Opinion 450): 254.
- 11700. Pyralis farinalis (Linnaeus, 1758)** (Pyrilidae) Phalaena farinalis Linnaeus, 1758, Syst. Nat. (Edn. 10): 533. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 210).
- 11701. Pyralis imperialis Caradja, 1917** (Pyrilidae) Pyralis imperialis Caradja, 1917, Dt. ent. Z., Iris 30: 17-18. Type ♂: [Türkei]: Amasia.
- 11702. Pyralis kacheticalis Christoph, 1893** (Pyrilidae) Pyralis kacheticalis Christoph, 1893, Dt. ent. Z., Iris 6: 96.
- 11703. Pyralis manihotalis Guenée, 1854** (Pyrilidae) Pyralis manihotalis Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 121. Type ♀: "Cayenne".
- 11704. Pyralis narynensis Zerny, 1914** (Pyrilidae) Pyralis narynensis Zerny, 1914, Annln naturh. Mus. Wien 28: 321, Taf. 26 Abb. 25. Type: [China: Uighur A.R.]: Kuldsha.
- 11705. Pyralis regalis [Denis & Schiffermüller], 1775** (Pyrilidae) Pyralis regalis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 124. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11706. Pyrasia gutturalis (Staudinger, 1879)** (Pyrilidae) Botys gutturalis Staudinger, 1879, Horae Soc. ent. ross. 15: 175. Type ♂: [Türkei]: Magnesia (coll. Lederer).
- 11707. Pyrausta (Haematia) castalis Treitschke, 1829** (Pyrilidae) Pyrausta castalis Treitschke, 1829, Schmett. Eur. 7: 165. Type(s): [Kroatien]: Dalmatien.
- 11708. Pyrausta (Haematia) cingulata (Linnaeus, 1758)** (Pyrilidae) Phalaena cingulata Linnaeus, 1758, Syst. Nat. (Edn. 10): 529. Type(s): Europa.
- 11709. Pyrausta (Haematia) despicata (Scopoli, 1763)** (Pyrilidae) Phalaena despicata Scopoli, 1763, Entomologia Caniolica: 231. Type(s): [Slovenien]: Carniolia [Krain].
- 11710. Pyrausta (Haematia) sanguinalis (Linnaeus, 1767)** (Pyrilidae) Phalaena sanguinalis Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 882, no. 339. Lectotype 1ex: [Lusitania] (Robinson & Nielsen, 1983: 229).
- 11711. Pyrausta (Haematia) virginalis (Duponchel, 1832)** (Pyrilidae) Rhodaria virginalis Duponchel, 1832, Hist. nat. Lépid. Papillons Fr. 8: 216, pl. 224 fig. 3.
- 11712. Pyrausta (s.str.) amatalis Rebel, 1903** (Pyrilidae) Pyrausta amatalis Rebel, 1903, Annln naturh. Mus. Wien 18: 307, Taf. 3 fig. 12. Syntypes ♂♂: [Türkei]: Amasia; Bulgarien: Slivno.

- 11713. *Pyrausta (s.str.) aurata* (Scopoli,1763)** (Pyrilidae) *Phalaena aurata* Scopoli,1763, Entomologia Carniolica: 227. Type(s): [Slovenien]: Carniolia [Krain].
- 11714. *Pyrausta (s.str.) inciae* Koçak,1982** (Pyrilidae) *Pyrausta aurota* ssp. *inciae* Koçak,1982, Priamus 2 (1): 65, nomen novum pro *Botys aurata* var. *meridionalis* Staudinger,1880 nec *Botys polygonalis meridionalis* Wocke,1871.
- 11715. *Pyrausta (s.str.) nigrata* (Scopoli,1763)** (Pyrilidae) *Phalaena nigrata* Scopoli,1763, Entomologia Carniolica: 231. Type(s): [Slovenien]: Carniolia [Krain].
- 11716. *Pyrausta (s.str.) obfuscata* (Scopoli,1763)** (Pyrilidae) *Phalaena obfuscata* Scopoli,1763, Entomologia Carniolica: 232. Type(s): [Slovenien]: Carniolia [Krain].
- 11717. *Pyrausta (s.str.) orbitalis* (R.Felder & Rogenhofer,1875)** (Pyrilidae) *Pyrausta falcatalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 167. Syntypes: "Hongrie, Autriche, Italie meridionale".
- 11718. *Pyrausta (s.str.) pachyceralis* Hampson,1900** (Pyrilidae) *Pyrausta pachyceralis* Hampson,1900, Trans. ent. Soc. Lond. 1900 (2): 398, pl.iii fig.26. Holotype ♂: [Turkey]: "Armenia, Zeitun" (coll. Staudinger).
- 11719. *Pyrausta (s.str.) pauperalis* (Staudinger,1879)** (Pyrilidae) *Botys pauperalis* Staudinger,1879, Horae Soc. ent. ross. 15: 173-174. Type ♂: [Türkei]: Amasia.
- 11720. *Pyrausta (s.str.) pavidalis* Zerny,1934** (Pyrilidae) *Pyrausta pavidalis* Zerny,1934, [in] Osthelder, L. & E. Pfeiffer, Mitt. münch. ent. Ges. 24 (3): 101-102. Syntypes 4♂ 2♀: [Türkei]: Marasch.
- 11721. *Pyrausta (s.str.) purpuralis* (Linnaeus,1758)** (Pyrilidae) *Phalaena purpuralis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 536. Lectotype ♀: Europa (Robinson & Nielsen, 1983: 226).
- 11722. *Pyrausta (s.str.) zeitunalis* Caradja,1917** (Pyrilidae) *Pyrausta zeitunalis* Caradja,1917, Dt. ent. Z., Iris 30: 37. Syntypes 1♂ 2♀: [Türkei]: Zeitun.
- 11723. *Pyraustimorpha* Koçak & Seven,1995** (Pyrilidae) *Pyraustimorpha* Koçak & Seven,1995, Cent. ent. Stud., Misc. Pap. 23/24: 14-15. Type-species: *Pyraustimorpha inexpectata* Koçak & Seven,1995, ibid. 14-15, by original designation.
- 11724. *Pyraustimorpha inexpectata* Koçak & Seven,1995** (Pyrilidae) *Pyraustimorpha inexpectata* Koçak & Seven,1995, Cent. ent. Stud., Misc. Pap. 23/24: 14-15, figs. Holotype ♂: Turkey: Ankara: Gölbaşı, Kepekli Pass 1100m (in coll. Cesa).
- 11725. *Raphimetopus* Hampson,1918** (Pyrilidae) *Raphimetopus* Hampson,1918, Proc. zool. Soc. Lond. 1918: 57, 78. Type-species: *Anerastia spinifrontella* Ragonot,1888, by original designation.
- 11726. *Raphimetopus ablutellus* (Zeller,1839)** (Pyrilidae) *Anerastia ablutella* Zeller,1839, Isis 1839: 177.
- 11727. *Rasputinka* Roesler,1989** (Pyrilidae) *Rasputinka* Roesler,1989, Ent. Z., Frankf. a. M. 99 (1/2): 9. Type-species: *Bazaria expallidella* Ragonot,1887, by original designation.
- 11728. *Rasputinka expallidella* Ragonot,1887** (Pyrilidae) *Bazaria expallidella* Ragonot,1887, Anns Soc. ent. Fr. (6) 7: 234. Type: Transcaspiä: Siew Chima.
- 11729. *Ratasa alienalis* (Eversmann,1844)** (Pyrilidae) *Pyalis alienalis* Eversmann,1844, Faun. Lepid. Volgo-Uraensis: 451. Type(s): Russia: Ural.
- 11730. *Reskovitsia alborivulalis* (Eversmann,1843)** (Pyrilidae) *Ennychia alborivulalis* Eversmann,1843, Bull. Soc. imp. Moscou 16: 553. Syntypes: Russia: Orenburg.
- 11731. *Rhynchopaschia reducta* Janse,1931** (Pyrilidae) *Rhynchopaschia reducta* Janse,1931, Trans. ent. Soc. London 79: 482, figs. Holotype ♂: [South Africa]: Barberton, 7.xii.1910.
- 11732. *Salinaria* Ragonot,1901** (Pyrilidae) *Salinaria* Ragonot,1901, [in] Romanoff, Mém. lépid. 8: 11. Type-species: *Myelois ? diffusella* Christoph,1872, by monotypy.
- 11733. *Salinaria diffusella* (Christoph,1872)** (Pyrilidae) *Myelois ? diffusella* Christoph,1872, Horae Soc. ent. ross. 9: 8, pl.1 fig.5. Syntypes: [Kazachstan]: Uralsk.
- 11734. *Saluria* Ragonot,1887** (Pyrilidae) *Saluria* Ragonot,1887, Anns Soc. ent. Fr. (6) 7: 258. Type-species: *Saluria maculivittella* Ragonot,1887, loc. cit., by subsequent designation by Hampson,1899, J. Bombay nat. Hist. Soc. 12: 308.
- 11735. *Saluria chehirella* Zerny,1929** (Pyrilidae) *Saluria chehirella* Zerny,1929, [in] Wagner, Mitt. münch. ent. Ges. 19: 198. Type ♂: [Türkei]: Inner-Anatolien: [Konya]: Ak-Chehir.
- 11736. *Saluria maculivittella* Ragonot,1887** (Pyrilidae) *Saluria maculivittella* Ragonot,1887, Anns Soc. ent. Fr. 1887: 258-259. Syntypes: Gabes, Caucase: Mt. Elder; [Usbekistan]: Marghilan.
- 11737. *Schoenobius Duponchel*,1836** (Pyrilidae) *Schoenobius Duponchel*,1836, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons 10: 8, 22. Type-species: *Tinea gigantella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135, by original designation.
- 11738. *Schoenobius alpherakyi* Staudinger,1874** (Pyrilidae) *Schoenobius alpherakyi* Staudinger,1874, Stettin ent. Ztg. 35: 97.
- 11739. *Schoenobius forcicellus* (Thunberg,1794)** (Pyrilidae) *Tinea forcicella* Thunberg,1794, Dissertatio Ent. sistens Svecica 7: 85,fig.4. Lectotype ♂: Svecia [Sweden] (Karsholt & Nielsen, 1985: 446).
- 11740. *Schoenobius gigantellus* ([Denis & Schiffermüller],1775)** (Pyrilidae) *Tinea gigantella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11741. *Schoenobius niloticus* Zeller,1867** (Pyrilidae) *Schoenobius niloticus* Zeller,1867, Stettin ent. Ztg. 28 (10/12): 367-368. Type ♂: Egypt: Alexandria [Iskenderiye].
- 11742. *Sciota (s.str.) ferruginella* (Zerny,1914)** (Pyrilidae) *Nephopteryx ? ferruginella* Zerny,1914, Annln naturh. Mus. Wien 28: 315, Taf.xxv fig.17. Type ♀: Russland: Uralgebiet (NHMW).
- 11743. *Sciota (s.str.) hostilis* (Stephens,1834)** (Pyrilidae) *Phycita hostilis* Stephens,1834, Ill. Br. Ent., Haustellata 4: 307. Syntypes: England: Darenth Wood, Ripley.
- 11744. *Sciota (s.str.) hostilis hostilis* (Stephens,1834)** (Pyrilidae) *Phycita hostilis* Stephens,1834, Ill. Br. Ent., Haustellata 4: 307. Syntypes: England: Darenth Wood, Ripley.
- 11745. *Sciota (s.str.) imperialella* (Ragonot,1887)** (Pyrilidae) *Nephopteryx imperialella* Ragonot,1887, Anns Soc. ent. Fr. 1887: 230. Syntypes: Caucase [Borjom], Arménie russe [Kazikoparan]; Sibérie (cf. Ragonot,1893: 266-267).
- 11746. *Sciota (s.str.) rhenella* (Zincken,1818)** (Pyrilidae) *Phycis rhenella* Zincken,1818, Germar's Mag. Ent.3: 166. Type(s).
- 11747. *Sciota (s.str.) rhenella laetifica* (Ragonot,1893)** (Pyrilidae) *Nephopteryx laetifica* Ragonot,1893, [in] Romanoff, Mém. Lépid. 7: 288.
- 11748. *Sciota (s.str.) rhenella rhenella* (Zincken,1818)** (Pyrilidae) *Phycis rhenella* Zincken,1818, Germar's Mag. Ent.3: 166. Type(s).
- 11749. *Scirpophaga Treitschke*,1832** (Pyrilidae) *Scirpophaga* Treitschke,1832, [in] Ochsenheimer, Schmett. Eur. 9(1): 55. Type-species: *Tinea phantasmata* Hübner,1796, Samml. eur. Schmett. 8: 23, pl.8, fig.56, by monotypy.
- 11750. *Scirpophaga incertulas* (Walker,1863)** (Pyrilidae) *Chilo incertulas* Walker,1863, List Specimens lepid Insects Colln Br. Mus. 27: 143. Holotype ♂: Borneo: Sarawak (BMNH).
- 11751. *Scirpophaga magnella* De Joannis,1929** (Pyrilidae) *Scirpophaga magnella* De Joannis,1929, Anns Soc. ent. Fr. 1929: 608. Holotype ♀: Vietnam: Choganh (MNHN).
- 11752. *Scirpophaga praelata* (Scopoli,1763)** (Pyrilidae) *Phalaena praelata* Scopoli,1763, Entomologia Carniolica: 198. Syntypes: [Slovenien]: Carniolia [Krain] probably destroyed (Horn & Kahle,1936: 252).
- 11753. *Scirpophaga tongyai* Lewvanich,1981** (Pyrilidae) *Scirpophaga tongyai* Lewvanich,1981, Bull. Br. Mus. nat. Hist. (Ent.) 42 (4): 232, figs.53,54,107,160,161. Holotype: Thailand: Trang, Kaochong (DA, Bangkok).
- 11754. *Scirpophaga whalleyi* Lewvanich,1981** (Pyrilidae) *Scirpophaga whalleyi* Lewvanich,1981, Bull. Br. Mus. nat. Hist. (Ent.) 42 (4): 251, figs. Holotype: Ceylon, Dambool.
- 11755. *Sclerocona* Meyrick,1890** (Pyrilidae) *Sclerocona* Meyrick,1890, Trans. ent. Soc. Lond. 1890: 437, 445. Type-species: *Crambus acutellus* Eversmann,1842, Bull. Soc. imp. Nat. Moscou 1842(3): 563, by monotypy.
- 11756. *Sclerocona acutella* (Eversmann,1842)** (Pyrilidae) *Chilo acutellus* Eversmann,1842, Bull. Moscou 1842: 563. Lectotype ♀: Russia: Orenburg, designated by Biebing & Speidel,1983.
- 11757. *Scoparia absconditalis* Christoph,1887** (Pyrilidae) *Scoparia absconditalis* Christoph,1887, [in] Romanoff, Mém. lépid. 3: 17-18, pl.1 fig.8. Syntypes: [Georgia]: Borjom, Manglis, Istissou; [Turkey]: Kazikoparan; Lectotype ♂: [Georgia]: Borjom, designated by Munroe,1970 (ZIP).
- 11758. *Scoparia ambigualis* (Treitschke,1829)** (Pyrilidae) *Hercyna ambigualis* Treitschke,1829, Schmett. Eur. 7: 184. Lectotype ♂: Austria: Steiermark, designated by Wolff,1959.
- 11759. *Scoparia ambigualis ambigualis* (Treitschke,1829)** (Pyrilidae) *Hercyna ambigualis* Treitschke,1829, Schmett. Eur. 7: 184. Lectotype ♂: Austria: Steiermark, designated by Wolff,1959.

- 11760. *Scoparia basistrigalis* Knaggs, 1866** (Pyrilidae) *Scoparia basistrigalis* Knaggs, 1866, Entomologist's mon. Mag. 3:1 fig. Type(s): England: Surrey, Sussex, Worcestershire.
- 11761. *Scoparia basistrigalis basistrigalis* Knaggs, 1866** (Pyrilidae) *Scoparia basistrigalis* Knaggs, 1866, Entomologist's mon. Mag. 3:1 fig. Type(s): England: Surrey, Sussex, Worcestershire.
- 11762. *Scoparia ingratella* (Zeller, 1846)** (Pyrilidae) *Eudorea ingratella* Zeller, 1846, Linn. Ent. 1: 283, fig. 5. Lectotype: Österreich: Wien.
- 11763. *Scoparia luteolaris albescentalis* (Hampson, 1900)** (Pyrilidae) *Pionea albescentalis* Hampson, 1900, Trans. ent. Soc. London 1900: 395. Syntypes: Armenia; [Turkey]: Mardin.
- 11764. *Scoparia obsoleta* Staudinger, 1879** (Pyrilidae) *Scoparia obsoleta* Staudinger, 1879, Horae Soc. ent. ross. 15: 163. Type ♀: [Türkei]: Amasia (MNHUB).
- 11765. *Scoparia perplexella* (Zeller, 1839)** (Pyrilidae) *Eudorea perplexella* Zeller, 1839, Isis 1839: 175. Type ♂: Fiume (BMNH).
- 11766. *Scoparia perplexella perplexella* (Zeller, 1839)** (Pyrilidae) *Eudorea perplexella* Zeller, 1839, Isis 1839: 175. Type ♂: Fiume (BMNH).
- 11767. *Scoparia poliophaealis* Hampson, 1907** (Pyrilidae) *Scoparia poliophaealis* Hampson, 1907, Ann. Mag. nat. Hist. (7) 19: 21. Lectotype ♂: "Syria", designated by Leraut, 1984 (BMNH).
- 11768. *Scoparia pyralella* (Denis & Schiffermüller, 1775)** (Pyrilidae) *Tinea pyralella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11769. *Scoparia saerdabella* Osthelder, 1938** (Pyrilidae) *Scoparia saerdabella* Osthelder, 1938, Mitt. münch. ent. Ges. 28: 21. Lectotype ♂: Iran: Elburs Gebirge, Tacht i Suleiman, Hecarcil-Tal, 2800-3200m (ZSM).
- 11770. *Scoparia subfusca* Haworth, [1811]** (Pyrilidae) *Scoparia subfusca* Haworth, [1811], Lepid. Br.: 498. Syntypes: England.
- 11771. *Scoparia subfusca anatolica* Caradja, 1917** (Pyrilidae) *Scoparia anatolica* Caradja, 1917, Dt. ent. Z., Iris 30: 22. Syntypes 2♂ 4♀: [Türkei]: Akşehir; Lectotype ♂: Akşehir, designated by Leraut, 1984, Alexanor 13 (4): 164 (MINGA, Bucharest).
- 11772. *Scoparia subfusca subfusca* Haworth, [1811]** (Pyrilidae) *Scoparia subfusca* Haworth, [1811], Lepid. Br.: 498. Syntypes: England.
- 11773. *Scotomera* Butler, 1881** (Pyrilidae) *Scotomera* Butler, 1881, Proc. zool. Soc. London 1881: 622. Type-species: *Scotomera tristis* Butler, 1881, by monotypy.
- 11774. *Scotomera tristis* Butler, 1881** (Pyrilidae) *Scotomera tristis* Butler, 1881, Proc. zool. Soc. London 1881: 623.
- 11775. *Scotomerodes syriacalis* Ragonot, 1895** (Pyrilidae) *Scotomerodes syriacalis* Ragonot, 1895, Bull. Soc. ent. Fr. 1895: 97.
- 11776. *Seeboldia korgosella* Ragonot, 1887** (Pyrilidae) *Seeboldia korgosella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 253. Lectotype ♂: [China: Uighur A.R.]: Kuldja, designated by Roesler, 1973, Microlepid. Palaearct. 4: 24. (MNHNP).
- 11777. *Seeboldia korgosella korgosella* Ragonot, 1887** (Pyrilidae) *Seeboldia korgosella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 253. Lectotype ♂: [China: Uighur A.R.]: Kuldja, designated by Roesler, 1973, Microlepid. Palaearct. 4: 24. (MNHNP).
- 11778. *Seeboldia korgosella occidentella* Zerny, 1927** (Pyrilidae) *Seeboldia korgosella occidentella* Zerny, 1927, Eos 3: 452. Lectotype ♂: Spanien: Albarracin, designated by Roesler, 1973, Microlepid. Palaearct. 4: 24. (NHMW).
- 11779. *Sefidia clasperella* Asselbergs, 1994** (Pyrilidae) *Sefidia clasperella* Asselbergs, 1994, Nota lepid. 16 (3/4): 172-178, figs. Holotype ♂: Turkey: Konya: Akşehir, Sultandağları, 1100m (ITZ, Amsterdam).
- 11780. *Sefidia persica* Amsel, 1950** (Pyrilidae) *Sefidia persica* Amsel, 1950, Ark. Zool. 1 (17): 235, figs. 22, 62. Type ♂: Iran: [Fars]: Sine Sefid.
- 11781. *Selagia Hübner*, [1825]** (Pyrilidae) *Selagia Hübner*, [1825], Verz. bekannter Schmett.: 371. Type-species: *Tinea argyrella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135, by subsequent designation by Hulst, 1890, Trans. Am. ent. Soc. 17: 159.
- 11782. *Selagia argyrella* (Denis & Schiffermüller, 1775)** (Pyrilidae) *Tinea argyrella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11783. *Selagia argyrella argyrella* (Denis & Schiffermüller, 1775)** (Pyrilidae) *Tinea argyrella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11784. *Selagia dissimilella* Ragonot, 1887** (Pyrilidae) *Selagia dissimilella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 234. Type (s): [Turquie]: Kazikoparan.
- 11785. *Selagia spadicea* (Hübner, 1796)** (Pyrilidae) *Tinea spadicea* Hübner, 1796, Samml. eur. Schmett. 8, Tinea: Tab. 33 figs. 225, 226. Syntypes: Europa.
- 11786. *Selagia uralensis* Rebel, 1910** (Pyrilidae) *Selagia uralensis* Rebel, 1910, Dt. ent. Z., Iris 23: 3, Taf. 1 fig. 11.
- 11787. *Seleucia semirosella* Ragonot, 1887** (Pyrilidae) *Seleucia semirosella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 259. Type: [Lebanon]: Beirut.
- 11788. *Siamusotima aranea* Solis & Yen, 2005** (Pyrilidae) *Siamusotima aranea* Solis & Yen, 2005, Annls ent. Soc. Am. 98 (6): 887-895.
- 11789. *Singhaliella simplicipalpis* (Strand, 1920)** (Pyrilidae) *Critonia simplicipalpis* Strand, 1920, Arch. Naturgesch. 84 (A) 12: 189.
- 11790. *Sitochroa concoloralis* (Lederer, 1857)** (Pyrilidae) *Botys concoloralis* Lederer, 1857, Wien. ent. Monatschr. 1: 100. Syntypes: [Lebanon]: Beirut.
- 11791. *Sitochroa palealis* (Denis & Schiffermüller, 1775)** (Pyrilidae) *Pyrilis palealis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11792. *Sitochroa verticalis* (Linnaeus, 1758)** (Pyrilidae) *Phalaena verticalis* Linnaeus, 1758, Syst. Nat. (Edn. 10): 533. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 236).
- 11793. *Spoladea Guenée*, 1854** (Pyrilidae) *Spoladea* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 224. Type-species: *Phalaena recurvalis* Fabricius, 1775, by subsequent designation by Shibuya, 1928, J. Fac. Agric. Hokkaido imp. Univ. 22: 178.
- 11794. *Spoladea recurvalis* (Fabricius, 1775)** (Pyrilidae) *Phalaena recurvalis* Fabricius, 1775, Syst. Ent.: 407. Type(s): Lost (Clarke, 1986: 51).
- 11795. *Stanempista* Roesler, 1969** (Pyrilidae) *Stanempista* Roesler, 1969, Z. wien. ent. Ges. 79: 21. Type-species: *Staudingeria schawerdae* Zerny, 1927, by original designation.
- 11796. *Stanempista schawerdae* (Zerny, 1927)** (Pyrilidae) *Staudingeria schawerdae* Zerny, 1927, Z. Öst. ent. Ver. 12: 112. Lectotype ♂: Hispania: Sierra Alfacar (designated by Roesler, 1973, Microlepid. palaearct. 4: 112 (NHMW)).
- 11797. *Staudingeria* (s.str.) Ragonot, 1887** (Pyrilidae) *Staudingeria* Ragonot, 1887, Annls. Soc. ent. Fr. (6) 7: 249. Type-species: *Ancylosis morbosella* Staudinger, 1879, by original designation.
- 11798. *Staudingeria* (s.str.) brunneella Chrétien, 1911** (Pyrilidae) *Staudingeria brunneella* Chrétien, 1911, Bull. Soc. ent. Fr. 1911: 54. Type ♂: Algeria: Biskra (MNHNP).
- 11799. *Staudingeria* (s.str.) deserticola (Staudinger, 1870)** (Pyrilidae) *Myeloides deserticola* Staudinger, 1870, Berl. ent. Z. 14: 201. Type ♂: Russland: Sarepta (ZMB).
- 11800. *Staudingeria* (s.str.) fuscovenella (Ragonot, 1887)** (Pyrilidae) *Ancylodes fuscovenella* Ragonot, 1887, Annls. Soc. ent. Fr. 1887: 250. Holotype ♂: [China: Uighur A.R.]: Kouldja (MNHNP).
- 11801. *Staudingeria* (s.str.) morbosella (Staudinger, 1879)** (Pyrilidae) *Ancylosis morbosella* Staudinger, 1879, Horae Soc. ent. ross. 15: 218-219. Syntypes 5♂ 3♀: [Türkei]: Amasia: Kerasdere, Caraman; Lectotype ♂: Amasia (designated by Roesler, 1973, Microlepid. palaearct. 4: 473) (ZMB).
- 11802. *Staudingeria* (s.str.) partitella Ragonot, 1887** (Pyrilidae) *Staudingeria partitella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 249. Type ♂: [Azerbaidjan]: Ordubad (MNHNP).
- 11803. *Staudingeria* (s.str.) versicolorella Ragonot, 1887** (Pyrilidae) *Staudingeria versicolorella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 249. Lectotype ♂: [Turkmenistan]: Krasnowodsk (designated by Roesler, 1973, Microlepid. palaearct. 4: 480) (MNHNP).
- 11804. *Staudingeria* (s.str.) yerburii (Butler, 1884)** (Pyrilidae) *Mella yerburii* Butler, 1884, Proc. zool. Soc. Lond. 1884: 502. Type ♀: [Yemen]: Aden (BMNH).
- 11805. *Staudingeria* Ragonot, 1887** (Pyrilidae) *Staudingeria* Ragonot, 1887, Annls. Soc. ent. Fr. (6) 7: 249. Type-species: *Ancylosis morbosella* Staudinger, 1879, by original designation.
- 11806. *Stegothyris diagonalis* (Guenée, 1854)** (Pyrilidae) *Salbia diagonalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 201. Syntypes 2♂: [Indonesia]: "Java?".

- 11807. *Stemmatophora Guenée, 1854*** (Pyrilidae) *Stemmatophora* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 129. Type-species: *Asopia combustalis* Fischer von Rösslerstamm, [1842], by subsequent designation by Desmarest, 1857, [in] Chenu, Encycl. Hist. nat.: 210.
- 11808. *Stemmatophora caesarealis* Ragonot, 1891** (Pyrilidae) *Stemmatophora caesarealis* Ragonot, 1891, Anns Soc. ent. Fr. 1891: 88-89, pl. 16 fig. 6. Type ♂: [Turquie]: Césarée de Cappadoce [Kayseri].
- 11809. *Stemmatophora schwingenschussi* Zerny, 1939** (Pyrilidae) *Stemmatophora schwingenschussi* Zerny, 1939, Z. öst. EntVer. 24: 160, pl. xi fig. 6. Syntypes 2♂: Iran: Elburs-Gebirge: Tarsee-Gebiet, 2100-2200m (NHMW).
- 11810. *Stenachroia elongella* Hampson, 1898** (Pyrilidae) *Stenachroia elongella* Hampson, 1898, J. Bomb. nat. Hist. Soc. 12: 94.
- 11811. *Stericta divitalis* (Guenée, 1854)** (Pyrilidae) *Glossina divitalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 124-125. Type ♀: "Inde centrale".
- 11812. *Stiphrometasia* Zerny, 1914** (Pyrilidae) *Stiphrometasia* Zerny, 1914, Anln. naturh. Mus. Wien 28: 331. Type-species: *Botys monialis* Erschoff, 1871, by original designation.
- 11813. *Stiphrometasia monialis* (Erschoff, 1871)** (Pyrilidae) *Botys monialis* Erschoff, 1871, Horae Soc. ent. ross. 8: 317.
- 11814. *Stiphrometasia sancta* (Hampson, 1900)** (Pyrilidae) *Metasia sancta* Hampson, 1900, Trans. ent. Soc. Lond. 1900 (2): 393. Holotype ♂: [Jordan]: "Syria, Lower Jordan" (coll. Staudinger).
- 11815. *Styphlorachis mesophaea* Hampson, 1930** (Pyrilidae) *Styphlorachis mesophaea* Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 77. Syntypes: "British Central Africa: Lake Nyasa; [South Africa]: Transvaal: White R., Barberton.
- 11816. *Styphlorachis mesophaea mesophaea* Hampson, 1930** (Pyrilidae) *Styphlorachis mesophaea* Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 77. Syntypes: "British Central Africa: Lake Nyasa; [South Africa]: Transvaal: White R., Barberton.
- 11817. *Sudaniola remanella* Roesler, 1973** (Pyrilidae) *Sudaniola remanella* Roesler, 1973, Microlepid. Palaearkt. 4: 164-165, figs. Holotype ♂: Sudan: Kassala Prov., Erkowit, 1000-1300m., 25.vi.1962, leg. R. Remane (ZSM).
- 11818. *Sufetula macropalpia* Hampson, 1898** (Pyrilidae) *Sufetula macropalpia* Hampson, 1898, Proc. zool. Soc. London 1898: 613-614, fig. 12. Syntypes: "Amboina, Banda, Fergusson I." (coll. Rothschild & BMNH).
- 11819. *Sultania Koçak*, 1987** (Pyrilidae) *Sultania Koçak*, 1987, Priamus 4 (3): 117-120, figs. Type-species: *Macalla lophotalis* Hampson, 1900, by original designation.
- 11820. *Sultania lophotalis* (Hampson, 1900)** (Pyrilidae) *Macalla lophotalis* Hampson, 1900, Trans. ent. Soc. Lond. 1900 (2): 375. Holotype ♂: [Turkey]: Zeitun [=Süleymanli] (coll. Staudinger).
- 11821. *Surattha lancerotella* (Rebel, 1892)** (Pyrilidae) *Hypotomorpha lancerotella* Rebel, 1892, Anln naturh. Mus. Wien 7: 253, pl. xvii fig. 4.
- 11822. *Surattha margherita* Bleszynski, 1965** (Pyrilidae) *Surattha margherita* Bleszynski, 1965, [in] Amsel, H.G. et al., Microlepid. Palaeart. 1: 443, figs. Holotype ♀: [Turkey]: Anatolien: "Adana, 14-16. June 34" (BMNH).
- 11823. *Surattha obeliscota* Meyrick, 1936** (Pyrilidae) *Surattha obeliscota* Meyrick, 1936, Exot. Microlepid. 5: 21. Lectotype ♂: Lebanon: Beirut, designated by Bleszynski, 1965 (BMNH).
- 11824. *Susia* Ragonot, 1888** (Pyrilidae) *Susia* Ragonot, 1888, Nouv. Genres Especies Phycitidae Galleriidae: 5. Type-species: *Susia discomaculella* Ragonot, 1888, by monotypy.
- 11825. *Susia uberalis* (Swinhoe, 1884)** (Pyrilidae) *Pyalis uberalis* Swinhoe, 1884, Proc. zool. Soc. Lond. 1884: 523, pl. 48 fig. 10. Type ♀: Pakistan: Karachi.
- 11826. *Syllepte iophanes* (Meyrick, 1894)** (Pyrilidae) *Sylepta iophanes* Meyrick, 1894, Trans. ent. Soc. London 1894: 462. Type: Borneo.
- 11827. *Syllepte iridescens* (M. Hering, 1901)** (Pyrilidae) *Sylepta iridescens* M. Hering, 1901, Stettin Ent. Ztg. 62: 93. Type: Sumatra.
- 11828. *Syllepte luctuosalis* (Guenée, 1854)** (Pyrilidae) *Hyalitis luctuosalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 290. Type ♀: "Indes orientales?".
- 11829. *Syllepte lunalis* (Guenée, 1854)** (Pyrilidae) *Botys lunalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 352. Syntypes 2♂: [India]: "Coromandel".
- 11830. *Syllepte multilinealis* (Guenée, 1854)** (Pyrilidae) *Botys multilinealis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 337-338. Syntypes 2♂ 2♀: "Indes orientales".
- 11831. *Syllepte sellalis* (Guenée, 1854)** (Pyrilidae) *Botys sellalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 330. Type ♀: "Silhet, Inde centrale".
- 11832. *Syllepte straminea* (Butler, 1875)** (Pyrilidae) *straminea* Butler, 1875.
- 11833. *Synaphe* Hübner, [1825]** (Pyrilidae) *Synaphe* Hübner, [1825], Verz. bekannt. Schmett.: 347. Type-species: *Pyalis angustalis* [Denis & Schiffermüller], 1775, by subsequent designation by Westwood, 1840, Introd. mod. Classif. Insects 2: 105.
- 11834. *Synaphe armenialis* (Lederer, 1870)** (Pyrilidae) *Cledeobia armenialis* Lederer, 1870, Anns Soc. ent. Belg. 13: 40, 51-52, pl. 2 figs. 7, 8. Syntypes: [Azerbaidjan]: Elisabethpol, Hankynda.
- 11835. *Synaphe asiatica* Obraztsov, 1952** (Pyrilidae) *Synaphe asiatica* Obraztsov, 1952, Mitt. münch. ent. Ges. 42: 104-106, Taf. fig. 20, Abb. 8. Monotypus ♂: "Kopek Dag" [?Kop Dag/ Kopet Dag].
- 11836. *Synaphe bombycalis* (Denis & Schiffermüller, 1775)** (Pyrilidae) *Pyalis bombycalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11837. *Synaphe bombycalis bombycalis* (Denis & Schiffermüller, 1775)** (Pyrilidae) *Pyalis bombycalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11838. *Synaphe chellalalis* (Hampson, 1900)** (Pyrilidae) *Cledeobia chellalalis* Hampson, 1900, Trans. ent. Soc. Lond. 1900 (2): 383-384. Syntypes ♂♀: "Algeria, Chellala, Biskra".
- 11839. *Synaphe chellalalis chellalalis* (Hampson, 1900)** (Pyrilidae) *Cledeobia chellalalis* Hampson, 1900, Trans. ent. Soc. Lond. 1900 (2): 383-384. Syntypes ♂♀: "Algeria, Chellala, Biskra".
- 11840. *Synaphe consecratalis* (Lederer, 1855)** (Pyrilidae) *Pyalis consecratalis* Lederer, 1855, Verh. zool.-bot. Ges. Wien 5: 250. Syntypes 2♂: Türkei: Siwas ? Diarbekir.
- 11841. *Synaphe diffidialis* (Guenée, 1854)** (Pyrilidae) *Cledeobia diffidialis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 142. Syntypes 1♂ 1♀: [Spain]: "Andalousie".
- 11842. *Synaphe interjunctalis* (Guenée, 1849)** (Pyrilidae) *Cledeobia interjunctalis* Guenée, 1849, [in] Lucas, Expl. scient. algér.: 398. Type ♂: Algérie.
- 11843. *Synaphe lorquinalis* (Guenée, 1854)** (Pyrilidae) *Cledeobia lorquinalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 138. Syntypes 1♂ 1♀: [Spain]: "Andalousie".
- 11844. *Synaphe moldavica* (Esper, [1789])** (Pyrilidae) *Phalaena moldavica* Esper, [1789], Die Schmett. Suppl. 3: 38, Taf. 86 fig. 1.
- 11845. *Synaphe moldavica aberralis* (Guenée, 1854)** (Pyrilidae) *Cledeobia aberralis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 141. Syntypes 1♂ 1♀: [Spain]: "Madrid".
- 11846. *Synaphe moldavica moldavica* (Esper, [1789])** (Pyrilidae) *Phalaena moldavica* Esper, [1789], Die Schmett. Suppl. 3: 38, Taf. 86 fig. 1.
- 11847. *Synaphe morbidalis* (Guenée, 1849)** (Pyrilidae) *Cledeobia morbidalis* Guenée, 1849, [in] Lucas, Expl. scient. algér.: 398, pl. 4 fig. 5. Type ♂: Algérie.
- 11848. *Synaphe morbidalis isthmicalis* (Lederer, 1858)** (Pyrilidae) *Cledeobia isthmicalis* Lederer, 1858, Wien. ent. Monatschr. 2: 147, Taf. 3 fig. 9. Syntypes 5♂: Syria: Damask.
- 11849. *Synaphe morbidalis morbidalis* (Guenée, 1849)** (Pyrilidae) *Cledeobia morbidalis* Guenée, 1849, [in] Lucas, Expl. scient. algér.: 398, pl. 4 fig. 5. Type ♂: Algérie.
- 11850. *Synaphe punctalis* (Fabricius, 1775)** (Pyrilidae) *Phalaena punctalis* Fabricius, 1775, Syst. Ent.: 644, nr. 130. Type: Sweden (BMNH).
- 11851. *Synaphe punctalis modestalis* (Rebel, 1910)** (Pyrilidae) *Cledeobia modestalis* Rebel, 1910, Dt. ent. Z., Iris 24: 6.
- 11852. *Synaphe syriaca* (Rebel, 1903)** (Pyrilidae) *Cledeobia syriaca* Rebel, 1903, Dt. ent. Z., Iris 16: 5. Syntypes ♂♀: [Jordan]: "Ost-Jordan Land" (coll. Caradja).
- 11853. *Synaphe unifascialis* (Amsel, 1961)** (Pyrilidae) *Cledeobia unifascialis* Amsel, 1961, Ark. Zool. 13 (17): 394, Taf. iv fig. 197. Holotype ♂: Iran: Pir-i-Zan, 7000ft., oak woods.
- 11854. *Synaphe uxoralis* (Lederer, 1858)** (Pyrilidae) *Cledeobia uxoralis* Lederer, 1858, Wien. ent. Monatschr. 2: 146-147, Taf. 3 figs. 4, 5. Syntypes: Libanon.
- 11855. *Synaphe uxoralis nuptalis* (Rebel, 1903)** (Pyrilidae) *Cledeobia uxoralis* var. *nuptalis* Rebel, 1903, Dt. ent. Z., Iris 16: 4-5. Syntypes 2♂: Jordan: "Ost-Jordan Land" (coll. Caradja).

- 11856. *Synaphe uxorialis uxorialis* (Lederer, 1858)** (Pyrilidae) *Cledeobia uxorialis* Lederer, 1858, Wien. ent. Monatschr. 2: 146-147, Taf. 3 figs. 4, 5. Syntypes: Libanon.
- 11857. *Synclera Lederer, 1863*** (Pyrilidae) *Synclera Lederer, 1863*, Wien. ent. Monatschr. 7: 274 (key), 444. Type-species: *Eudiotis traducalis* Zeller, 1852, Lepid. Microptera: 54, by subsequent designation by Moore, [1886], Lepid. Ceylon 3: 315.
- 11858. *Synclera himachalensis* Pajni & Rose, 1978** (Pyrilidae) *Synclera himachalensis* Pajni & Rose, 1978, Entomon 3 (2): 216, fig. Holotype: India: Himachal Pradesh: Solan.
- 11859. *Synclera subtessellalis* (Walker, 1865)** (Pyrilidae) *Botys subtessellalis* Walker, 1865, List 34: 1406.
- 11860. *Synclera traducalis* (Zeller, 1852)** (Pyrilidae) *Eudiotis traducalis* Zeller, 1852, Lepid. Microptera: 54.
- 11861. *Synoria Ragonot, 1888*** (Pyrilidae) *Synoria Ragonot, 1888*, Nouv. Genres Especies Phycitidae Galleriidae: 27. Type-species: *Zophodia antiquella* Herrich-Schäffer, [1855], Syst. Bearb. Schmett. Eur. 6: 147, Tab. 21, by original designation.
- 11862. *Synoria antiquella* (Herrich-Schäffer, [1855])** (Pyrilidae) *Zophodia antiquella* Herrich-Schäffer, [1855], Syst. Bearb. Schmett. Eur. 6: 147, Tab. 21. Type(s): [Türkei]: Amasia.
- 11863. *Taftania Amsel, 1951*** (Pyrilidae) *Taftania Amsel, 1951*, Ark. Zool. 1 (36): 533. Type-species: *Pristophora oxycyma* Meyrick, 1937, by monotypy.
- 11864. *Taftania oxycyma* (Meyrick, 1937)** (Pyrilidae) *Pristophora oxycyma* Meyrick, 1937, Exot. Microlepid. 5: 73. Type ♀: Iraq: Rowanduz, June (E.P. Wiltshire leg.).
- 11865. *Taiwanastrapotemis kikuchii* Shibuya, 1928** (Pyrilidae) *Taiwanastrapotemis kikuchii* Shibuya, 1928, J. Coll. Agric. Hokkaido Imp. Univ. 22(1): 98, Pl. 5 fig. 8. Type ♂: [Taiwan]: Formosa: Kantosan.
- 11866. *Talanga advenalis* (Snellen, 1895)** (Pyrilidae) *Glyphodes advenalis* Snellen, 1895, Tijdschr. Ent. 38: 140, pl. 6 fig. 4. Type: Indonesia: Java.
- 11867. *Talanga sexpunctalis* (Moore, 1877)** (Pyrilidae) *Oligostigma sexpunctalis* Moore, 1877, Proc. zool. Soc. London 1877: 616, pl. 60 fig. 12. Type: Andaman Is.
- 11868. *Talis quercella* (Denis & Schiffermüller, 1775)** (Pyrilidae) #*Tinea quercella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11869. *Talis quercella pallidella* Caradja, 1916** (Pyrilidae) *Talis quercella* var. *pallidella* Caradja, 1916, Dt. ent. Z., Iris 30: 5. Lectotype ♂: [China: Uighur A.R.]: "Kuldja" (MGAB).
- 11870. *Talis quercella quercella* (Denis & Schiffermüller, 1775)** (Pyrilidae) #*Tinea quercella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11871. *Talis renatae* Ganév & Hacker, 1984** (Pyrilidae) *Talis renatae* Ganév & Hacker, 1984, Nota lepid. 7(3): 249-250, figs. Holotype ♂: Türkiye: Ankara: Tuz Gölü, 12 km E, Şekerköy, 900 m.
- 11872. *Tegostoma Zeller, 1847*** (Pyrilidae) *Tegostoma Zeller, 1847*, Isis 1847: 581. Type-species: *Pyalis comparalis* Hübner, 1796, by monotypy.
- 11873. *Tegostoma albizonalis* Hampson, 1900** (Pyrilidae) *Tegostoma albizonalis* Hampson, 1900, Trans. ent. Soc. Lond. 1900 (2): 400. Syntypes ♂♂: Armenia, Askhabad; Central Asia: Kara Sagin (coll. Staudinger).
- 11874. *Tegostoma comparalis* (Hübner, 1796)** (Pyrilidae) *Pyalis comparalis* Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 19 fig. 126. Type(s): Europa.
- 11875. *Tegostoma confluentalis* Hampson, 1913** (Pyrilidae) *Tegostoma confluentalis* Hampson, 1913, Ann. Mag. nat. Hist. 12: 299. Type ♀: Egypt.
- 11876. *Tegostoma mineti* Moreno, 2001** (Pyrilidae) *Tegostoma mineti* Moreno, 2001, Shilap Revta lepid. 29 (114): 172-173, fig. 14. Holotype ♀: Spain: Almería: Los Escullos, 30 m, 25 viii 1979 A. Vives leg. (MNCNM).
- 11877. *Tegostoma perlepidalis* (Guenée, 1854)** (Pyrilidae) *Anthophilodes perlepidalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 396 & [447] (Errata) (nomen novum pro *lepidalis* H.-S. nec Cramer). Syntypes 2♀: [Turquie]: "Amasieh" [Amasya] (coll. Guenée).
- 11878. *Tegostoma quadridentale* Zerny, 1914** (Pyrilidae) *Tegostoma quadridentale* Zerny, 1914, Annln naturh. Mus. Wien 28: 337-338, Taf. xxvi fig. 41. Type ♂: [Uzbekistan]: Fergana: Usgent.
- 11879. *Tegostoma ruptilineale* Zerny, 1914** (Pyrilidae) *Tegostoma ruptilineale* Zerny, 1914, Annln naturh. Mus. Wien 28: 336-337, Taf. xxvi fig. 40. Type ♀: Armenien.
- 11880. *Tephros Ragonot, 1891*** (Pyrilidae) *Tephros Ragonot, 1891*, Annl. Soc. ent. Fr. (6) 10 (Bull.): ccxiii. Type-species: *Pempelia cyriella* Erschoff, 1874, by original designation.
- 11881. *Tephros cyriella* (Erschoff, 1874)** (Pyrilidae) *Pempelia cyriella* Erschoff, 1874, [in] Fedtschenko, Reise in Turkestan 2 (2g): 83, pl. 5 figs. 84-85.
- 11882. *Tephroniopsis Amsel, 1961*** (Pyrilidae) *Tephroniopsis Amsel, 1961*, Ark. Zool. 13 (17): 402. Type-species: *Tephroniopsis geometridalis* Amsel, 1961, by original designation.
- 11883. *Tephroniopsis geometridalis* Amsel, 1961** (Pyrilidae) *Tephroniopsis geometridalis* Amsel, 1961, Ark. Zool. 13 (17): 403, Taf. v fig. 207. Holotype ♂: Iran: [Fars]: Sine Sefid, F. Brandt leg.
- 11884. *Terastia meticulosalis* Guenée, 1854** (Pyrilidae) *Terastia meticulosalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 212. Type ♂: "Haiti".
- 11885. *Thagora castanella* Hampson, 1896** (Pyrilidae) *Thagora castanella* Hampson, 1896, Fauna Br. India 4: 4, fig. 3. Syntypes ♂♂: [Sri Lanka]: Ceylon: Colombo (BMNH).
- 11886. *Therapne Ragonot, 1890*** (Pyrilidae) *Therapne Ragonot, 1890*, Annl. Soc. ent. Fr. (6) 10: Bull.: xciii. Type-species: *Stemmatophora obsoletalis* Mann, 1864, by original designation.
- 11887. *Therapne obsoletalis* (Mann, 1864)** (Pyrilidae) *Stemmatophora obsoletalis* Mann, 1864, Wien. ent. Monatschr. 8: 179 Taf. 4 fig. 5 Syntypes 2♂ 1♀: [Türkei]: Brussa [Bursa].
- 11888. *Thisanotia chrysonuchella* (Scopoli, 1763)** (Pyrilidae) *Phalaena chrysonuchella* Scopoli, 1763, Entomologia Carniolica: 246. Type(s): [Slovenien]: Carniolia [Krain].
- 11889. *Thisanotia chrysonuchella chrysonuchella* (Scopoli, 1763)** (Pyrilidae) *Phalaena chrysonuchella* Scopoli, 1763, Entomologia Carniolica: 246. Type(s): [Slovenien]: Carniolia [Krain].
- 11890. *Thisanotia chrysonuchella dilutalis* (Caradja, 1916)** (Pyrilidae) *Crambus chrysonuchella* var. *dilutalis* Caradja, 1916, Dt. ent. Z., Iris 30: 4. Syntypes ♂♂: [China: Uighur A.R.]: "Juldus" (MGAB).
- 11891. *Thliptoceras anthropophilum* Bänziger, 1987** (Pyrilidae) *Thliptoceras anthropophilum* Bänziger, 1987, Revue suisse Zool. 94 (4): 672-674, figs. Holotype ♂: Thailand: Chiangmai, near road Chiangmai-Chiangdao km 55, 380 m, Bänziger leg. (DEFACU).
- 11892. *Thliptoceras lacriphagum* Bänziger, 1987** (Pyrilidae) *Thliptoceras lacriphagum* Bänziger, 1987, Revue suisse Zool. 94 (4): 676-678, figs. Holotype ♂: Thailand: Chiangmai, near road Chiangmai-Chiangdao km 55, 380 m, Bänziger leg. (DEFACU).
- 11893. *Thliptoceras shafferi* Bänziger, 1987** (Pyrilidae) *Thliptoceras shafferi* Bänziger, 1987, Revue suisse Zool. 94 (4): 678, figs. Holotype ♂: Thailand: Chiangmai, Huay Kaeo, 350 m, Bänziger leg. (BMNH).
- 11894. *Thliptoceras umoremsugente* Bänziger, 1987** (Pyrilidae) *Thliptoceras umoremsugente* Bänziger, 1987, Revue suisse Zool. 94 (4): 676, figs. Holotype ♂: Thailand: Chiangmai, near road Chiangmai-Chiangdao km 55, 380 m, Bänziger leg. (DEFACU).
- 11895. *Thopeutis galleriellus* (Ragonot, 1892)** (Pyrilidae) *Cephis galleriellus* Ragonot, 1892, Dt. ent. Z., Iris 5: 295, Taf. 3 fig. 12. Syntypes ♀♀: Tunesia.
- 11896. *Thospia crassipalpella* Ragonot, 1888** (Pyrilidae) *Thospia crassipalpella* Ragonot, 1888, Nouv. Gen. Phyct. 1888: 28. Type ♂: Iran: Persien: Schahkuh (MNHN).
- 11897. *Thospia feminella* Roesler, 1973** (Pyrilidae) *Thospia feminella* Roesler, 1973, Microlepid. Palaearkt. 4: 55-56, Taf. 2 fig. 16; textfigs. Holotype ♀: N-Afghanistan: Polichomri, 700 m (LNK).
- 11898. *Thospia permixtella* Ragonot, 1888** (Pyrilidae) *Thospia permixtella* Ragonot, 1888, Nouv. Gen. Phyct. 1888: 28. Type ♀: Transcaspien: Askhabad (MNHN).
- 11899. *Thospia trifasciella* (Ragonot, 1887)** (Pyrilidae) *Heterographis trifasciella* Ragonot, 1887, Annl. Soc. ent. Fr. 1887: 246. Type ♂: [China: Uighur A.R.]: Kouldja (ZMB).
- 11900. *Thylacoptila paurosema* Meyrick, 1885** (Pyrilidae) *Thylacoptila paurosema* Meyrick, 1885, Entomologist's mon. Mag. 22: 106. Type: Cape Verde (BMNH).
- 11901. *Thyridiphora furia* (Swinhoe, 1884)** (Pyrilidae) *Micra furia* Swinhoe, 1884, Proc. zool. Soc. Lond. 1884: 519, Pl. 47 fig. 13. Lectotype ♂: Pakistan: "Kurrachee" [Karachi] (BMNH).

- 11902. *Tirathaba rufivena* (Walker, 1864)** (Pyrilidae) *Lamoria rufivena* Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 30: 960.
- 11903. *Tirathaba semifoedalis* (Walker, 1865)** (Pyrilidae) *Botys ? semifoedalis* Walker, 1865, List Specimens lepid. Insects Colln Br. Mus. 34: 1439.
- 11904. *Tirathaba unicolorella* (Hampson, 1896)** (Pyrilidae) *Mucialla unicolorella* Hampson, 1896, Fauna Br. India 4: 5-6. Syntypes: Bhutan, 2500ft.; [India]: Khasis Hills (BMNH).
- 11905. *Titanio Hübner*, [1825]** (Pyrilidae) *Titanio Hübner*, [1825], Verz. bekannt. Schmett.: 350. Type-species: *Pyalis normalis* Hübner, 1796, by subsequent designation by Hampson, 1899.
- 11906. *Titanio angustipennis* Zerny, 1914** (Pyrilidae) *Titanio angustipennis* Zerny, 1914, Annln naturh. Mus. Wien 28: 330, Taf. xxvi fig. 34. Syntypes: [China: Uighur A.R.]: "Thian-Shan (leg. Merzbacher), Lob-Noor, Chines.-Turkestan".
- 11907. *Titanio caradjae* (Rebel, 1902)** (Pyrilidae) *Atychia caradjae* Rebel, 1902, Dt. ent. Z., Iris 15 (1): 122-123, Taf. iv fig. 11 [1903]. Type ♂: [Türkei]: [İğdir Pr.]: "Kulp, südlich von Kars in Armenien" (leg. Frau Korb) (coll. Caradja). "
- 11908. *Titanio inconspicualis* Zerny, 1914** (Pyrilidae) *Titanio inconspicualis* Zerny, 1914, Annln naturh. Mus. Wien 28: 330-331, Taf. xxvi fig. 35. Syntypes: [China: Uighur A.R.]: "Juldus, Thian-Shan; [Kazachstan]: "Djarkent, Ili-Gebiet".
- 11909. *Titanio modestalis* (Christoph, 1877)** (Pyrilidae) *Noctumorphia modestalis* Christoph, 1877, Horae Soc. ent. ross. 12: 267-268, Tab. vii fig. 38. Syntypes ♂♂: [Turkmenistan]: Krasnowodsk.
- 11910. *Titanio nanalis* (Christoph, 1888)** (Pyrilidae) *Hercyna nanalis* Christoph, 1888, Horae Soc. ent. ross. 22: 310. Type(s): Hyrcana.
- 11911. *Titanio nissalis* Amsel, 1951** (Pyrilidae) *Titanio nissalis* Amsel, 1951, Ark. Zool. 1 (36): 553-554, figs. 50, 85. Syntypes 2♂: Iran: [Elburs Gebirge]: Nissa, 4000m.
- 11912. *Titanio normalis* (Hübner, 1796)** (Pyrilidae) *Pyalis normalis* Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 7 fig. 41. Type(s): Europa.
- 11913. *Titanio venustalis* (Lederer, 1855)** (Pyrilidae) *Tegostoma venustalis* Lederer, 1855, Verh. zool.-bot. Ges. Wien 5: 250-251. Type 1♀: Türkei: ?Diarbekir, ?Siwas.
- 11914. *Toxobotys Munroe & Mutuura*, 1968** (Pyrilidae) *Toxobotys* Munroe & Mutuura, 1968, Can. Ent. 100: 867. Type-species: *Toxobotys praestans* Munroe & Mutuura, 1968, by original designation.
- 11915. *Toxobotys boveyi* Bänziger, 1987** (Pyrilidae) *Toxobotys boveyi* Bänziger, 1987, Revue suisse Zool. 94 (4): 680-681, figs. Holotype ♂: Thailand: Chiangmai, near road Chiangmai-Chiangdao, km 55, 380m, Bänziger leg. (BMNH).
- 11916. *Toxobotys praestans* Munroe & Mutuura, 1968** (Pyrilidae) *Toxobotys praestans* Munroe & Mutuura, 1968, Can. Ent. 100: 868, figs.
- 11917. *Trachycera bouchirella* (Amsel, 1951)** (Pyrilidae) *Rhodophaea bouchirella* Amsel, 1951, Ark. Zool. 1 (36): 541, fig. 26. Syntypes 2♂ 1♀: Iran: "Tchouroum".
- 11918. *Trachycera dulcella* (Zeller, 1848)** (Pyrilidae) *Rhodophaea dulcella* Zeller, 1848, Isis 1848: 663.
- 11919. *Trachycera dulcella dulcella* (Zeller, 1848)** (Pyrilidae) *Rhodophaea dulcella* Zeller, 1848, Isis 1848: 663.
- 11920. *Trachycera getuliella* (Zerny, 1914)** (Pyrilidae) *Rhodophaea getuliella* Zerny, 1914, Annln naturh. Mus. Wien 28: 318, Taf. xxv fig. 19. Syntypes ♂: [Italien]: Sizilien; ♀: Istrien: Pola (NHMW).
- 11921. *Trachycera niveicinctella* (Ragonot, 1887)** (Pyrilidae) *Rhodophaea niveicinctella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 227. Syntypes: [Turkmenistan]: Achal-Tekke.
- 11922. *Trachycera zamantha* Roesler, 1987** (Pyrilidae) *Trachycera zamantha* Roesler, 1987, Ent. Z., Frankf. a. M. 97 (21): 310-312, fig. Holotype ♂: Iran: S-Iran, Miyan Kotal, 1900m östl., Kazerun Amsel leg. (LNK).
- 11923. *Trachypteryx albisecta* Hampson, 1926** (Pyrilidae) *Trachypteryx albisecta* Hampson, 1926, Ann. Mag. nat. Hist. (9) 18: 629-630. Syntypes 2♂: [South Africa]: "Transvaal: Nkweleni (Janse)".
- 11924. *Trachypteryx heterogramma* Hampson, 1926** (Pyrilidae) *Trachypteryx heterogramma* Hampson, 1926, Ann. Mag. nat. Hist. (9) 18: 628-629. Type ♀: [South Africa]: "Transvaal: Pretoria (Janse)".
- 11925. *Trachypteryx rhodoxantha* Hampson, 1926** (Pyrilidae) *Trachypteryx rhodoxantha* Hampson, 1926, Ann. Mag. nat. Hist. (9) 18: 629. Type ♀: [South Africa]: "Transvaal: Shilouvane (Junot)".
- 11926. *Tragonitis cristella* (Hübner, 1796)** (Pyrilidae) *Tinea cristella* Hübner, 1796, Samml. eur. Schmett. 8, Tineae: Tab. 11 fig. 76. Type(s): Europa.
- 11927. *Treptopteryx pertusalis* (Geyer, [1832])** (Pyrilidae) *Eurhypis pertusalis* Geyer, [1832], Zutr. exot. Schmett. 4: 36, figs. 763-764. Syntypes: Griechenland.
- 11928. *Trigonuncus euergestalis* Amsel, 1953** (Pyrilidae) *Trigonuncus euergestalis* Amsel, 1953, Ark. Zool. 6 (16): 313-314, figs. 184, 277, 278. Holotype ♂: Iran: Teheran.
- 11929. *Trigonuncus nissalis* Amsel, 1950** (Pyrilidae) *Trigonuncus nissalis* Amsel, 1950, Ark. Zool. 1 (36): 551, figs. 47, 83. Syntypes ♂♀: Iran: Nissa, Keredj, Soultanabad.
- 11930. *Trissonca crocotoxa* Meyrick, 1937** (Pyrilidae) *Trissonca crocotoxa* Meyrick, 1937, Exot. Microlepid. 5: 71. Type ♀: Iraq: Ser Amadia, 6000ft., August, E.P. Wiltshire leg.
- 11931. *Trissonca muliebris* Meyrick, 1937** (Pyrilidae) *Trissonca muliebris* Meyrick, 1937, Exot. Microlepid. 5: 70. Type ♀: Iraq: Mosul (750ft.), August, E.P. Wiltshire leg.
- 11932. *Trissonca oblitella* (Zeller, 1848)** (Pyrilidae) *Trissonca ischnopis* Meyrick, 1937, Exot. Microlepid. 5: 70-71. Type ♀: Iraq: Mosul, June, E.P. Wiltshire leg.
- 11933. *Trissonca polycapna* Meyrick, 1937** (Pyrilidae) *Trissonca polycapna* Meyrick, 1937, Exot. Microlepid. 5: 71. Syntypes 2♂♀: Iraq: Ser Amadia, 6000ft., August, E.P. Wiltshire leg.
- 11934. *Turanian Ragonot*, 1891** (Pyrilidae) *Turanian Ragonot*, 1891, Annls Soc. ent. Fr. (6) 10: 449. Type-species: *Emprepes pentodonalis* Erschoff, 1874, by monotypy.
- 11935. *Turanian pentodonalis* (Erschoff, 1874)** (Pyrilidae) *Emprepes pentodonalis* Erschoff, 1874, [in] Fedtschenko, Reise in Turkestan 2 (pt 2) 75, pl. 6 fig. 97.
- 11936. *Tyspanodes W. Warren*, 1891** (Pyrilidae) *Tyspanodes* W. Warren, 1891, Ann. Mag. nat. Hist. (6) 7: 425. Type-species: *Filodes nigrolinealis* Moore, 1867, by original designation.
- 11937. *Tyspanodes celebensis* Munroe, 1960** (Pyrilidae) *Tyspanodes* [sic!] *celebensis* Munroe, 1960, Can. Ent. 92: 168-170, figs. Holotype ♂: [Indonesia]: Minahassa, N. Celebes (LM).
- 11938. *Udea albescentalis* (Hampson, 1900)** (Pyrilidae) *Pionea albescentalis* Hampson, 1900, Trans. ent. Soc. Lond. 1900 (2): 395. Holotype ♂: [Turkey]: "Armenia, Mardin" (coll. Staudinger).
- 11939. *Udea alpinalis* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Pyalis alpinalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11940. *Udea austriacalis altaica* (Zerny, 1914)** (Pyrilidae) *Pyrausta austriacalis* ssp. *altaica* Zerny, 1914, Annln naturh. Mus. Wien 28: 334-335. Syntypes: [Russia]: "zentralen Altai".
- 11941. *Udea austriacalis juldusalis* (Zerny, 1914)** (Pyrilidae) *Pyrausta austriacalis* ssp. *juldusalis* Zerny, 1914, Annln naturh. Mus. Wien 28: 335. Syntypes 2♂: [China: Uighur A.R.]: "Juldus, Thian-Shan Gebiet".
- 11942. *Udea austriacalis plumbalis* (Zerny, 1914)** (Pyrilidae) *Pyrausta austriacalis* ssp. *plumbalis* Zerny, 1914, Annln naturh. Mus. Wien 28: 335. Type ♂: [Russia]: Sajan-Gebirge: "Arasagun-Gol".
- 11943. *Udea ferrugalis* (Hübner, 1796)** (Pyrilidae) *Pyalis ferrugalis* Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 9 fig. 54. Type(s): Europa.
- 11944. *Udea fulvalis* (Hübner, [1809])** (Pyrilidae) *Pyalis fulvalis* Hübner, [1809], Samml. eur. Schmett. 6, Pyralides: Tab. 22 fig. 147. Type(s): Europa.
- 11945. *Udea numeralis* (Hübner, 1796)** (Pyrilidae) *Pyalis numeralis* Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 14 fig. 89. Type(s): Europa.
- 11946. *Udea olivalis* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Pyalis olivalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11947. *Udea prunalis* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Pyalis prunalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 121. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
- 11948. *Udea vestalis* (Hampson, 1900)** (Pyrilidae) *Pionea vestalis* Hampson, 1900, Trans. ent. Soc. Lond. 1900 (2): 395. Holotype ♂: [Turkey]: "Armenia, Mardin" (coll. Staudinger).
- 11949. *Ulotricha Lederer*, 1863** (Pyrilidae) *Ulotricha* Lederer, 1863, Wien. ent. Monatschr. 7: 267, 341. Type-species: *Aglossa egregialis* Herrich-Schäffer, 1838, by monotypy.
- 11950. *Uresiphita polygonalis* ([Denis & Schiffermüller], 1775)** (Pyrilidae) *Pyalis polygonalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): Vienna district.

- 11951. Veldticola Hampson, 1930** (Pyralidae) *Veldticola* Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 73. Type-species: *Veldticola striatella* Hampson, 1930, by original designation.
- 11952. Veldticola irrorella Hampson, 1930** (Pyralidae) *Veldticola* irrorella Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 75. Type ♀: [South Africa]: Transvaal: White R. (Cooke).
- 11953. Veldticola irrorella irrorella Hampson, 1930** (Pyralidae) *Veldticola* irrorella Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 75. Type ♀: [South Africa]: Transvaal: White R. (Cooke).
- 11954. Veldticola megista Hampson, 1930** (Pyralidae) *Veldticola* megista Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 75-76. syntypes 1 ♂ 2 ♀: Mashonaland: Umtali (Janse).
- 11955. Veldticola megista megista Hampson, 1930** (Pyralidae) *Veldticola* megista Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 75-76. syntypes 1 ♂ 2 ♀: Mashonaland: Umtali (Janse).
- 11956. Veldticola nebulosella Hampson, 1930** (Pyralidae) *Veldticola* nebulosella Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 74. Type ♀: [South Africa]: Transvaal: Pretoria.
- 11957. Veldticola nebulosella nebulosella Hampson, 1930** (Pyralidae) *Veldticola* nebulosella Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 74. Type ♀: [South Africa]: Transvaal: Pretoria.
- 11958. Veldticola persinuella Hampson, 1930** (Pyralidae) *Veldticola* persinuella Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 73. Type ♀: [South Africa]: Transvaal: White R. (Cooke).
- 11959. Veldticola persinuella persinuella Hampson, 1930** (Pyralidae) *Veldticola* persinuella Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 73. Type ♀: [South Africa]: Transvaal: White R. (Cooke).
- 11960. Veldticola striatella Hampson, 1930** (Pyralidae) *Veldticola* striatella Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 74. Syntypes 1 ♂ 1 ♀: [South Africa]: Transvaal: Pretoria.
- 11961. Veldticola striatella striatella Hampson, 1930** (Pyralidae) *Veldticola* striatella Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 74. Syntypes 1 ♂ 1 ♀: [South Africa]: Transvaal: Pretoria.
- 11962. Vitessa (griseata-gr.) brandti Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* brandti Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 269, figs. Holotype ♂: New Britain: Mt. Sinewit.
- 11963. Vitessa (griseata-gr.) griseata Kenrick, 1907** (Pyralidae) *Vitessa* griseata Kenrick, 1907, Proc. zool. Soc. Lond. 1907: 75, pl. 3 f. 45. Lectotype ♂: Papua New Guinea: Dinawa (Munroe & Shaffer, 1980).
- 11964. Vitessa (griseata-gr.) nobilis Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* nobilis Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 270-271, figs. Holotype ♀: Moluccas: Ambon, Mt. Salohotus.
- 11965. Vitessa (griseata-gr.) talboti (Janse, 1924)** (Pyralidae) *Cosmethis* talboti Janse, 1924, Bull. Hill Mus. Witley 1: 503. Lectotype ♂: Moluccas: Seram: Manusela (Munroe & Shaffer, 1980).
- 11966. Vitessa (hemiallactis-gr.) barretti Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* barretti Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 300-301, figs. Holotype ♂: Papua New Guinea: Mt. Hagen.
- 11967. Vitessa (hemiallactis-gr.) cristobalensis Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* cristobalensis Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 302-303, figs. Holotype ♂: Solomon Is.: San Cristobal.
- 11968. Vitessa (hemiallactis-gr.) glaucoptera Hampson, 1906** (Pyralidae) *Vitessa* glaucoptera Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 216. Holotype ♂: Australia: Queensland: Cedar Bay.
- 11969. Vitessa (hemiallactis-gr.) hemiallactis Meyrick, 1887** (Pyralidae) *Vitessa* hemiallactis Meyrick, 1887, Trans. ent. Soc. Lond. 1887: 193. Lectotype ♂: Papua New Guinea: Port Moresby (Munroe & Shaffer, 1980).
- 11970. Vitessa (hemiallactis-gr.) hemiallactis admiralitatis Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* hemiallactis ssp. admiralitatis Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 297-298, figs. Holotype ♂: Admiralty Islands: Manus.
- 11971. Vitessa (hemiallactis-gr.) hemiallactis hemiallactis Meyrick, 1887** (Pyralidae) *Vitessa* hemiallactis Meyrick, 1887, Trans. ent. Soc. Lond. 1887: 193. Lectotype ♂: Papua New Guinea: Port Moresby (Munroe & Shaffer, 1980).
- 11972. Vitessa (hemiallactis-gr.) hemiallactis lustrans Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* hemiallactis ssp. lustrans Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 298-299, figs. Holotype ♂: Bismarck Arch.: New Hannover.
- 11973. Vitessa (hemiallactis-gr.) hemiallactis moluccana Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* hemiallactis ssp. moluccana Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 295-296, figs. Holotype ♂: [Indonesia]: Moluccas: Obi, Lawui.
- 11974. Vitessa (hemiallactis-gr.) intermedia Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* intermedia Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 299-300, figs. Holotype ♂: Papua New Guinea: Mambare R., Biagi.
- 11975. Vitessa (hemiallactis-gr.) ternatica Lederer, 1863** (Pyralidae) *Vitessa* ternatica Lederer, 1863, Wien. ent. Monatschr. 7: 335, 456 pl. 6 f. 7 Holotype ♀: [Indonesia]: Moluccas: [Ternate].
- 11976. Vitessa (hieratica-gr.) hieratica Swinhoe, 1900** (Pyralidae) *Vitessa* hieratica Swinhoe, 1900, Cat. Eastern and Austral. Lepid. Het. Coll. Oxford Univ. Mus. 2: 430 pl. 6 f. 22, Holotype ♂: Borneo: Sarawak.
- 11977. Vitessa (plumosa-gr.) plumosa Hampson, 1896** (Pyralidae) *Vitessa* plumosa Hampson, 1896, Trans. ent. Soc. Lond. 1896: 503. Holotype ♂: [Indonesia]: Sumbawa.
- 11978. Vitessa (plumosa-gr.) plumosa plumosa Hampson, 1896** (Pyralidae) *Vitessa* plumosa Hampson, 1896, Trans. ent. Soc. Lond. 1896: 503. Holotype ♂: [Indonesia]: Sumbawa.
- 11979. Vitessa (plumosa-gr.) plumosa salayerensis Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* plumosa ssp. salayerensis Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 317, figs. Holotype ♂: Salayar: Somarisi.
- 11980. Vitessa (pyraliata-gr.) gemina Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* gemina Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 312-313, figs. Holotype ♀: [Indonesia]: New Guinea: [Irian Jaya]: Mefor, Suer.
- 11981. Vitessa (pyraliata-gr.) kolakalis Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* kolakalis Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 309-310, figs. Holotype ♂: [Indonesia]: Sulawesi: Ulu Kolaka, 500m.
- 11982. Vitessa (pyraliata-gr.) muluana Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* muluana Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 311-312, figs. Holotype ♀: [Malaysia]: Borneo: Sarawak.
- 11983. Vitessa (pyraliata-gr.) nicobarica Hampson, 1896** (Pyralidae) *Vitessa* nicobarica Hampson, 1896, Fauna Br. India (Moths) 4: 146. Lectotype ♂: [India]: Nicobar Is. Nancowry (Munroe & Shaffer, 1980).
- 11984. Vitessa (pyraliata-gr.) pyraliata Walker, 1864** (Pyralidae) *Vitessa* pyraliata Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 31 (suppl.): 220. Lectotype ♀: [Indonesia]: Sulawesi (Munroe & Shaffer, 1980).
- 11985. Vitessa (pyraliata-gr.) pyraliata latialbata Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* pyraliata ssp. latialbata Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 306-308, figs. Holotype ♂: [Malaysia]: Malaya: Maxwell Hill.
- 11986. Vitessa (pyraliata-gr.) pyraliata pyraliata Walker, 1864** (Pyralidae) *Vitessa* pyraliata Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 31 (suppl.): 220. Lectotype ♀: [Indonesia]: Sulawesi (Munroe & Shaffer, 1980).
- 11987. Vitessa (pyraliata-gr.) pyraliata triangulifera Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* pyraliata ssp. triangulifera Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 308, figs. Holotype ♂: Philippines: Luzon: Benguet, Baguio.
- 11988. Vitessa (pyraliata-gr.) splendida Schultze, 1908** (Pyralidae) *Vitessa* splendida Schultze, 1908, Philipp. J. Sci. 3(1) A: 35, pl. 1 f. 11. Holotype ♀ [destroyed]: Philippines: Negros occ.: Maao.
- 11989. Vitessa (pyraliata-gr.) sulaensis Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* sulaensis Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 310-311, figs. Holotype ♀: [Indonesia]: Moluccas: Sula Besi.
- 11990. Vitessa (stettina-gr.) hollandi Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* hollandi Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 290-291, figs. Holotype ♂: Papua New Guinea: Finisterre Mt., Wantoat, 1200m.
- 11991. Vitessa (stettina-gr.) hollandi hollandi Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* hollandi Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 290-291, figs. Holotype ♂: Papua New Guinea: Finisterre Mt., Wantoat, 1200m.
- 11992. Vitessa (stettina-gr.) hollandi wallacealis Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* hollandi ssp. wallacealis Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 289-290, figs. Holotype ♂: [Indonesia]: Sulawesi: Manado.
- 11993. Vitessa (stettina-gr.) philippina Munroe & Shaffer, 1980** (Pyralidae) *Vitessa* philippina Munroe & Shaffer, 1980, Bull. Br. Mus.

nat. Hist. (Ent.) 39(4): 286-287, figs. Holotype ♀: Philippines: Luzon: Manila.

11994. *Vitessa (stettina-gr.) stettina* Swinhoe, 1906 (Pyrilidae) *Vitessa stettina* Swinhoe, 1906, Ann. Mag. nat. Hist. (7) 18: 412. Lectotype ♀: Papua New Guinea: [Port Moresby]: Granville (Munroe & Shaffer, 1980).

11995. *Vitessa (suradeva-gr.) suradeva* Moore, [1860] (Pyrilidae) *Vitessa suradeva* Moore, [1860], [in] Horsfield & Moore, Cat. lepid. Insects Mus. nat. Hist. East-India House 2: 299, pl. 7a f. 7. Lectotype ♂: India: Assam: Chera Poonjee (Munroe & Shaffer, 1980).

11996. *Vitessa (suradeva-gr.) suradeva rama* Moore, 1885 (Pyrilidae) *Vitessa rama* Moore, 1885, Lepid. Ceylon 3: 256, pl. 178 f. 4. Lectotype ♂: Sri Lanka: Ceylon (Munroe & Shaffer, 1980).

11997. *Vitessa (suradeva-gr.) suradeva suradeva* Moore, [1860] (Pyrilidae) *Vitessa suradeva* Moore, [1860], [in] Horsfield & Moore, Cat. lepid. Insects Mus. nat. Hist. East-India House 2: 299, pl. 7a f. 7. Lectotype ♂: India: Assam: Chera Poonjee (Munroe & Shaffer, 1980).

11998. *Vitessa (suradeva-gr.) teleroma* Swinhoe, 1906 (Pyrilidae) *Vitessa teleroma* Swinhoe, 1906, Ann. Mag. nat. Hist. (7) 18: 412. Lectotype ♂: [Malaysia]: Malaya: Perak (Munroe & Shaffer, 1980).

11999. *Vitessa (zemire-gr.) cyanea* Hampson, 1906 (Pyrilidae) *Vitessa cyanea* Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 217. Holotype ♂: Ferguson Island.

12000. *Vitessa (zemire-gr.) cyanea ceramensis* Munroe & Shaffer, 1980 (Pyrilidae) *Vitessa cyanea* ssp. *ceramensis* Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 273, figs. Holotype ♀: Moluccas: Seram: Jilo.

12001. *Vitessa (zemire-gr.) cyanea cyanea* Hampson, 1906 (Pyrilidae) *Vitessa cyanea* Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 217. Holotype ♂: Ferguson Island.

12002. *Vitessa (zemire-gr.) tamsi* Munroe & Shaffer, 1980 (Pyrilidae) *Vitessa tamsi* Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 283-285, figs. Holotype ♀: Samoa: Upolu, Moamoa.

12003. *Vitessa (zemire-gr.) vitalis* Hampson, 1906 (Pyrilidae) *Vitessa vitalis* Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 217. Holotype ♀: Fiji.

12004. *Vitessa (zemire-gr.) zemire* (Stoll, [1781]) (Pyrilidae) *Phalaena zemire* Stoll, [1781], [in] Cramer, Utit. Kapellen 4: 149, pl. 367 f. 1. Type ♂: [Moluccas]: Amboina.

12005. *Vitessa (zemire-gr.) zemire expansa* Munroe & Shaffer, 1980 (Pyrilidae) *Vitessa zemire* ssp. *expansa* Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 275, figs. Holotype ♀: Moluccas: Halmahera.

12006. *Vitessa (zemire-gr.) zemire zemire* (Stoll, [1781]) (Pyrilidae) *Phalaena zemire* Stoll, [1781], [in] Cramer, Utit. Kapellen 4: 149, pl. 367 f. 1. Type ♂: [Moluccas]: Amboina.

12007. *Vitessa gritschoeerae* Buchsbaum, 2000 (Pyrilidae) *Vitessa gritschoeerae* Buchsbaum, 2000, Ent. Z., Frankf. a. M. 110 (11): 337, figs. 1-5. Holotype: Malaysia: North-Borneo: Sabah.

12008. *Vitessidia diaphana* Rothschild & Jordan, 1905 (Pyrilidae) *Vitessidia diaphana* Rothschild & Jordan, 1905, Novit. zool. 12: 475. Holotype ♂: New Guinea: Papua: Angabunga R., 1850m.

12009. *Vitessidia geometrina* Munroe & Shaffer, 1980 (Pyrilidae) *Vitessidia geometrina* Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 253-254, figs. Holotype ♀: New Guinea: Papua: Aroa R.

12010. *Xanthocrambus saxonellus* (Zincken, 1821) (Pyrilidae) *Chilo saxonellus* Zincken, 1821, Germar's Mag. Ent. 4: 254. Type(s): Deutschland: Leipzig.

12011. *Zonora* Swinhoe, 1890 (Pyrilidae) *Zonora* Swinhoe, 1890, Proc. zool. Soc. Lond. 1889: 419. Type-species: *Zonora opiparalis* Swinhoe, 1890, by monotypy.

12012. *Zonora concatenalis* (Lederer, 1858) (Pyrilidae) *Hypotia concatenalis* Lederer, 1858, Wien. ent. Monatschr. 2: 145-146, Taf. 3 fig. 3. Type ♂: Syria: Damask.

12013. *Zonora opiparalis* Swinhoe, 1890 (Pyrilidae) *Zonora opiparalis* Swinhoe, 1890, Proc. zool. Soc. Lond. 1889: 419, pl. 44 fig. 11.

12014. *Zophodia* Hübner, [1825] (Pyrilidae) *Zophodia* Hübner, [1825], Verz. bekannt. Schmett.: 370. Type-species: *Zophodia grossularialis* Hübner, [1825], by subsequent designation by Hulst, 1890.

12015. *Zophodiodes leucocostella* Ragonot, 1887 (Pyrilidae) *Zophodiodes leucocostella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 241. Type(s): [Turkey]: Amasia.

12016. *Ratarda marmorata* Moore, 1879 (Ratardidae) *Ratarda marmorata* Moore, 1879, Proc. zool. Soc. London 1879: 393.

12017. *Abisara* C.Felder & R.Felder, 1860 (Riodinidae) *Abisara* C.Felder & R.Felder, 1860, Wient. ent. Monatschr. 4: 397. Type-species:

Abisara kausambi C.Felder & R.Felder, 1860, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 99.

12018. *Abisara bifasciata* Moore, 1877 (Riodinidae) *Abisara bifasciata* Moore, 1877, Proc. zool. Soc. Lond. 47: 587.

12019. *Abisara bifasciata bifasciata* Moore, 1877 (Riodinidae) *Abisara bifasciata* Moore, 1877, Proc. zool. Soc. Lond. 47: 587.

12020. *Abisara bifasciata suffusa* Moore, 1882 (Riodinidae) *Abisara suffusa* Moore, 1882, Proc. zool. Soc. Lond. 1882: 244. Syntypes: Chumba, 10000ft.

12021. *Dodona* Hewitson, [1861] (Riodinidae) *Dodona* Hewitson, [1861], Ill. exot. Butts 2: [91]. Type-species: *Melitaea durga* Kollar, [1844], by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 158.

12022. *Dodona dipoea* Hewitson, 1866 (Riodinidae) *Dodona dipoea* Hewitson, 1866, Exot. Butts. 3: Pl. 1 figs. 1, 2. Syntypes: Sikkim.

12023. *Dodona dipoea dipoea* Hewitson, 1866 (Riodinidae) *Dodona dipoea* Hewitson, 1866, Exot. Butts. 3: Pl. 1 figs. 1, 2. Syntypes: Sikkim.

12024. *Dodona durga* (Kollar, [1844]) (Riodinidae) *Melitaea durga* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 441, Taf. 13, figs. 3, 4. Type(s): Simla.

12025. *Dodona durga durga* (Kollar, [1844]) (Riodinidae) *Melitaea durga* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 441, Taf. 13, figs. 3, 4. Type(s): Simla.

12026. *Dodona egeon* (Westwood, [1851]) (Riodinidae) *Taxila egeon* Westwood, [1851], [in] Doubleday, Genera diurn. lepid. (2): 422, pl. 69, fig. 2. Type(s): Nepaul.

12027. *Dodona egeon egeon* (Westwood, [1851]) (Riodinidae) *Taxila egeon* Westwood, [1851], [in] Doubleday, Genera diurn. lepid. (2): 422, pl. 69, fig. 2. Type(s): Nepaul.

12028. *Dodona eugenis* Bates, 1867 (Riodinidae) *Dodona eugenis* Bates, 1867, J. linn. Soc. Zool. 9: 371. Type(s): India boralis.

12029. *Dodona eugenis eugenis* Bates, 1867 (Riodinidae) *Dodona eugenis* Bates, 1867, J. linn. Soc. Zool. 9: 371. Type(s): India boralis.

12030. *Hamearis* Hübner, [1819] (Riodinidae) *Hamearis* Hübner, [1819], Verz. bekannt. Schmett. (2): 19. Type-species: *Papilio lucina* Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 480. by subsequent designation by Curtis, 1830, Br. Ent. 7: pl. 316.

12031. *Hamearis lucina* (Linnaeus, 1758) (Riodinidae) *Papilio lucina* Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 480. Type(s): Europa.

12032. *Hamearis lucina lucina* (Linnaeus, 1758) (Riodinidae) *Papilio lucina* Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 480. Type(s): Europa.

12033. *Polycæna* Staudinger, 1886 (Riodinidae) *Polycæna* Staudinger, 1886, Stettin ent. Ztg. 47: 227. Type-species: *Polycæna tamerlana* Staudinger, 1886, Stettin ent. Ztg. 47: 227, by monotypy.

12034. *Polycæna lua* Groum-Grshimailo, 1891 (Riodinidae) *Polycæna lua* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 454. Syntypes ♂♀. [China: Qinghai]: Sinin-Schan.

12035. *Polycæna lua lua* Groum-Grshimailo, 1891 (Riodinidae) *Polycæna lua* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 454. Syntypes ♂♀. [China: Qinghai]: Sinin-Schan.

12036. *Polycæna princeps* (Oberthür, 1887) (Riodinidae) *Emesis princeps* Oberthür, 1887, Etud. Ent. 11: 22, pl. 7 fig. 57. Type(s): Chine: Envoye de Chapa.

12037. *Polycæna princeps princeps* (Oberthür, 1887) (Riodinidae) *Emesis princeps* Oberthür, 1887, Etud. Ent. 11: 22, pl. 7 fig. 57. Type(s): Chine: Envoye de Chapa.

12038. *Polycæna tamerlana* Staudinger, 1886 (Riodinidae) *Polycæna tamerlana* Staudinger, 1886, Stettin ent. Ztg. 47: 227. Syntypes: [Kirgizistan]: Osch; [Usbekistan]: Alai, Namangan.

12039. *Polycæna tamerlana attila* Gaede, 1930 (Riodinidae) *Polycæna tamerlana attila* Gaede, 1930, [in] Seitz, A., Gross-Schmett. Erde 1 (suppl.): 237. Syntypes: [China: Uighur A.R.]: Chan-tengri.

12040. *Polycæna tamerlana helcha* Gaede, 1930 (Riodinidae) *Polycæna tamerlana helcha* Gaede, 1930, [in] Seitz, A., Gross-Schmett. Erde 1 (suppl.): 237 (16a). Syntypes: [China: Uighur A.R.]: Chan-tengri.

12041. *Polycæna tamerlana tamerlana* Staudinger, 1886 (Riodinidae) *Polycæna tamerlana* Staudinger, 1886, Stettin ent. Ztg. 47: 227. Syntypes: [Kirgizistan]: Osch; [Usbekistan]: Alai, Namangan.

12042. *Polycæna tamerlana timur* Staudinger, 1886 (Riodinidae) *Polycæna tamerlana* var. *timur* Staudinger, 1886, Stettin ent. Ztg. 47: 230. Syntypes: [China: Uighur A.R.]: Kuldja-Distrikt.

12043. *Zemeros Boisduval*, [1836] (Riodinidae) *Zemeros* Boisduval, [1836], Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: pl. 21 [=pl. 5C] fig. 5. Type-species: *Papilio allica* Fabricius, 1787, by monotypy.

- 12044. *Zemerops flegyas* (Cramer,[1780])** (Riodinidae) *Papilio flegyas* Cramer,[1780], Uitl. Kapellen 3:, pl.288 figs. E,F. Syntypes: Regio Indica.
- 12045. *Zemerops flegyas flegyas* (Cramer,[1780])** (Riodinidae) *Papilio flegyas* Cramer,[1780], Uitl. Kapellen 3:, pl.288 figs. E,F. Syntypes: Regio Indica.
- 12046. *Roeslerstammia pronubella* ([Denis & Schiffermüller],1775)** (Roeslerstammidae) *Tinea pronubella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): Vienna district.
- 12047. *Argema sinensis* (Walker,1855)** (Saturniidae) *Tropaea sinensis* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 6: 1264, no.7.
- 12048. *Argema sinensis sinensis* (Walker,1855)** (Saturniidae) *Tropaea sinensis* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 6: 1264, no.7.
- 12049. *Attacus lemairei* Peigler,1985** (Saturniidae) *Attacus lemairei* Peigler,1985, Nachr. ent. Ver. Apollo (N.F.) 6 (2): 54-55, figs. Holotype ♂: Philippines: Palawan: Roxas (AMNH)
- 12050. *Attacus lemairei lemairei* Peigler,1985** (Saturniidae) *Attacus lemairei* Peigler,1985, Nachr. ent. Ver. Apollo (N.F.) 6 (2): 54-55, figs. Holotype ♂: Philippines: Palawan: Roxas (AMNH)
- 12051. *Attacus paraliae* Peigler,1985** (Saturniidae) *Attacus paraliae* Peigler,1985, Nachr. ent. Ver. Apollo (N.F.) 6 (2): 55-57, figs. Holotype ♂: Indonesien: Insel Peleng, Banggai, Sambut, 8. Nov. 1932 (RMNHL).
- 12052. *Attacus paraliae paraliae* Peigler,1985** (Saturniidae) *Attacus paraliae* Peigler,1985, Nachr. ent. Ver. Apollo (N.F.) 6 (2): 55-57, figs. Holotype ♂: Indonesien: Insel Peleng, Banggai, Sambut, 8. Nov. 1932 (RMNHL).
- 12053. *Decachorda aspersa orientalis* Bouvier,1930** (Saturniidae) *Decachorda aspersa* ssp. *orientalis* Bouvier,1930, Bull. Hill. Mus. 4: 87-89, pl.8 figs. 8,9. Type: Rhodesia.
- 12054. *Hemileuca conwayae* Peigler,1985** (Saturniidae) *Hemileuca conwayae* Peigler,1985, Nachr. ent. Ver. Apollo (N.F.) 6 (2): 114-115, figs. Holotype ♂: U.S.A.: Texas, Culberson County, ca. 50km W. Orla (LACM).
- 12055. *Imbrasia (Gonimbrasia) cytherea* (Fabricius,1775)** (Saturniidae) *Bombyx cytherea* Fabricius,1775; Syst. Ent.: 557. Type(s): Cape.
- 12056. *Salassa iris* Jordan,1910** (Saturniidae) *Salassa iris* Jordan,1910, Novit. Zool. 17 (3): 471. Type: Sikkim.
- 12057. *Salassa lola* (Westwood,1847)** (Saturniidae) *Saturnia lola* Westwood,1847, Cabinet Orient., Ent. 25: pl.12 fig.3. Type: Sylhet.
- 12058. *Salassa lola lola* (Westwood,1847)** (Saturniidae) *Saturnia lola* Westwood,1847, Cabinet Orient., Ent. 25: pl.12 fig.3. Type: Sylhet.
- 12059. *Salassa thespis* (Leech,1890)** (Saturniidae) *Antheraea thespis* Leech,1890, Entomologist 23: 112. Type: China: Ichang.
- 12060. *Saturnia (Heraea) spini* ([Denis & Schiffermüller],1775)** (Saturniidae) *Bombyx spini* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 49. Type(s): Vienna district.
- 12061. *Saturnia (Heraea) spini spini* ([Denis & Schiffermüller],1775)** (Saturniidae) *Bombyx spini* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 49. Type(s): Vienna district.
- 12062. *Saturnia (Neoris) codyi* Peigler,1996** (Saturniidae) *Saturnia codyi* Peigler,1996, J. Res. lepid. (1993) 32: 8-10, figs. Holotype ♂: Pakistan: Northwest Frontier Province, Ghizar Mountains, Yasin, 4000m early September (coll. Rothschild) (BMNH).
- 12063. *Saturnia (Neoris) codyi codyi* Peigler,1996** (Saturniidae) *Saturnia codyi* Peigler,1996, J. Res. lepid. (1993) 32: 8-10, figs. Holotype ♂: Pakistan: Northwest Frontier Province, Ghizar Mountains, Yasin, 4000m early September (coll. Rothschild) (BMNH).
- 12064. *Saturnia (Neoris) shadulla* (Moore,1872)** (Saturniidae) *Neoris huttoni shadulla* Moore,1872, Proc. zool. Soc. London 1872: 577. Type: [Uighur Ili]: Shadulla, Yarkand River.
- 12065. *Saturnia (Neoris) shadulla galeropa* Püngeler,1900** (Saturniidae) *Saturnia schencki* var. *galeropa* Püngeler,1900, Dt. ent. Z., Iris 13: 116. Type: [Turkmenistan]: Kopet Dag.
- 12066. *Saturnia (Neoris) shadulla shadulla* (Moore,1872)** (Saturniidae) *Neoris huttoni shadulla* Moore,1872, Proc. zool. Soc. London 1872: 577. Type: [Uighur Ili]: Shadulla, Yarkand River.
- 12067. *Saturnia (Rinaca) lindia* Moore,1865** (Saturniidae) *Saturnia lindia* Moore,1865, Trans. ent. Soc. London (3) 2: 424, Pl.22 fig.3.
- 12068. *Saturnia (Rinaca) lindia lindia* Moore,1865** (Saturniidae) *Saturnia lindia* Moore,1865, Trans. ent. Soc. London (3) 2: 424, Pl.22 fig.3.
- 12069. *Saturnia (s.str.) pinratanae* Lampe,1989** (Saturniidae) *Saturnia (Eriogyna) pinratanae* Lampe,1989, Ent. Z., Frankf. a. M. 99 (13): 179-180. Holotype ♀: Thailand: Chiang Mai, Doi Inthanon.
- 12070. *Saturnia (s.str.) pyri* ([Denis & Schiffermüller],1775)** (Saturniidae) *Bombyx pyri* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 49. Type(s): Vienna district.
- 12071. *Saturnia (s.str.) pyri pyri* ([Denis & Schiffermüller],1775)** (Saturniidae) *Bombyx pyri* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 49. Type(s): Vienna district.
- 12072. *Acrophtalmia yamashitai* Uémura & Yamaguchi,1982** (Satyridae) *Acrophtalmia yamashitai* Uémura & Yamaguchi,1982, Memoirs of the Tsukada Collection 4: 30, textfig. 5, Pl. 5,6 figs. 16,17. Holotype ♂: [Philippines]: Negros: Mt. Canlaon.
- 12073. *Admiratio Hemming*,1964** (Satyridae) *Admiratio* Hemming,1964, Annot. lep. (4): 137. Type-species: *Smithia paradoxa* Mabilie,[1880], designation through Section (i) of Article 67 (1961).
- 12074. *Aeropetes Billberg*,1820** (Satyridae) *Aeropetes* Billberg,1820, Enum. Ins. Mus. Billberg: 79. Type-species: *Papilio tulbaghia* Linnaeus,1764, by subsequent designation by Hemming,1943, Proc. R. ent. Soc. Lond. (B) 12: 23.
- 12075. *Aeropetes tulbaghia* (Linnaeus,1764)** (Satyridae) *Papilio tulbaghia* Linnaeus,1764, Mus. Lud. Ulr.: 284. Type(s): [South Africa]: "Tulbagh".
- 12076. *Aeropetes tulbaghia tulbaghia* (Linnaeus,1764)** (Satyridae) *Papilio tulbaghia* Linnaeus,1764, Mus. Lud. Ulr.: 284. Type(s): [South Africa]: "Tulbagh".
- 12077. *Aphantopus Wallengren*,1853** (Satyridae) *Aphantopus* Wallengren,1853, Skand. Dadjär.: 9,30. Type-species: *Papilio hyperantus* Linnaeus,1758, by monotypy.
- 12078. *Aphantopus hyperantus* (Linnaeus,1758)** (Satyridae) *Papilio hyperantus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 471. Type(s): Europae sylvis.
- 12079. *Aphantopus hyperantus hyperantus* (Linnaeus,1758)** (Satyridae) *Papilio hyperantus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 471. Type(s): Europae sylvis.
- 12080. *Aphysoneura Karsch*,1894** (Satyridae) *Aphysoneura* Karsch,1894, Ent. Nachr. 20: 190. Type-species: *Aphysoneura pigmentaria* Karsch,1894, by monotypy.
- 12081. *Arethusana De Lesse*,1951** (Satyridae) *Arethusana* Lesse,1951, Revue fr. Lépid. 13(3/4): 40. Type-species: *Papilio arethusa* [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wienergegend: 169. by original designation.
- 12082. *Arethusana arethusa* ([Denis & Schiffermüller],1775)** (Satyridae) *Papilio arethusa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 169. Type(s): [Austria]: Vienna district.
- 12083. *Arethusana arethusa arethusa* ([Denis & Schiffermüller],1775)** (Satyridae) *Papilio arethusa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 169. Type(s): [Austria]: Vienna district.
- 12084. *Arethusana arethusa ganda* (Fruhstorfer,1909)** (Satyridae) *Eumenis arethusa* ssp. *ganda* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 210. Syntypes: Frankreich: Auzay, Vendee.
- 12085. *Arethusana arethusa heptapotamica* (Stauder,1924)** (Satyridae) *Satyrus arethusa* ssp. *heptapotamica* Stauder,1924, Mitt. münch. ent. Ges. 14: 65-66. Syntypes 8♂: [Kazakhstan: Taldi Kurgan]: Semiretschensk Prov., Tyshkan, Dzsharkentsky Ujezd (Rückbeil leg.).
- 12086. *Arethusana arethusa strumata* (Buresch,1918)** (Satyridae) *Satyrus arethusa* ssp. *strumata* Buresch,1918, Z. wiss. Insektbiol. 14: 228-229, Taf.iii figs.1-4. Syntypes ♂♂: Bulgarien: Piringebirges: Strumafuss; Kressnaschlucht: Scheitan-Dere.
- 12087. *Arethusana arethusa sultana* (Wagner,1929)** (Satyridae) *Satyrus arethusa* ssp. *sultana* Wagner,1929, Mitt. münch. ent. Ges. 19: 24. Syntypes: [Türkei]: [Konya Pr.]: Akşehir, Sultan Dag 1500-2000m.
- 12088. *Arethusana boabdil* (Rambur,[1839])** (Satyridae) *Satyrus boabdil* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.12; (5): 315 [1840]. Syntypes: Andalusie, Sierra Nevada.
- 12089. *Arethusana boabdil aksouali* (Wyatt,1952)** (Satyridae) *Satyrus arethusa* ssp. *aksouali* Wyatt,1952, Z. Wien. ent. Ges. 37: 175. Holotype ♂: Marokko: Tachdirt, Hoher Atlas 2500m.
- 12090. *Arethusana boabdil boabdil* (Rambur,[1839])** (Satyridae) *Satyrus boabdil* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.12; (5): 315 [1840]. Syntypes: Andalusie, Sierra Nevada.
- 12091. *Arethusana boabdil dentata* (Staudinger,1871)** (Satyridae) *Satyrus arethusa* var. *dentata* Staudinger,1871, Cat. Lepid.

Eur. Faunengeb. (2): 29 (nomen novum pro erythia Stgr. nec Hb.).
Syntypes: Gal. m. oc.

12092. *Argestina Riley, 1923* (Satyridae) *Argestina Riley, 1923*, Trans. ent. Soc. Lond. 1923: 469. Type-species: *Callerebia waltoni* Elwes, 1906, Proc. zool. Soc. Lond. 1906: 482, pl.36 figs.14,15, by original designation.

12093. *Argestina karta Riley, 1923* (Satyridae) *Argestina karta Riley, 1923*, Trans. ent. Soc. London 1923: 470, pl.xxxvi figs. 11,12. Syntypes 2♂ 2♀: "Kharta 12,000ft."

12094. *Argestina karta karta Riley, 1923* (Satyridae) *Argestina karta Riley, 1923*, Trans. ent. Soc. London 1923: 470, pl.xxxvi figs. 11,12. Syntypes 2♂ 2♀: "Kharta 12,000ft."

12095. *Argestina nitida Riley, 1923* (Satyridae) *Argestina nitida Riley, 1923*, Trans. ent. Soc. London 1923: 481-482, pl.xxxvii figs. 6,8. Syntypes ♂♂: "between Phari and Gyangtse 12,000-15,000ft." (BMNH).

12096. *Argestina nitida nitida Riley, 1923* (Satyridae) *Argestina nitida Riley, 1923*, Trans. ent. Soc. London 1923: 481-482, pl.xxxvii figs. 6,8. Syntypes ♂♂: "between Phari and Gyangtse 12,000-15,000ft." (BMNH).

12097. *Argestina phantasta Goltz, 1938* (Satyridae) *Argestina phantasta Goltz, 1938*, Ent. Rdsch. 55: 538-540, Abb. Syntypes 7♂ 1♀: China: Yunnan: A-Tun-Tse, 3000-4500m.

12098. *Argestina phantasta phantasta Goltz, 1938* (Satyridae) *Argestina phantasta Goltz, 1938*, Ent. Rdsch. 55: 538-540, Abb. Syntypes 7♂ 1♀: China: Yunnan: A-Tun-Tse, 3000-4500m.

12099. *Argestina waltoni (Elwes, 1906)* (Satyridae) *Callerebia waltoni* Elwes, 1906, Proc. zool. Soc. Lond. 1906: 482, Pl.36 figs. 14, 15. Syntypes ♂♂: China: Tibet.

12100. *Argestina waltoni waltoni (Elwes, 1906)* (Satyridae) *Callerebia waltoni* Elwes, 1906, Proc. zool. Soc. Lond. 1906: 482, Pl.36 figs. 14, 15. Syntypes ♂♂: China: Tibet.

12101. *Aulocera Butler, 1867* (Satyridae) *Aulocera Butler, 1867*, Entomologist's mon. Mag. 4: 121. Type-species: *Satyrus brahminus* Blanchard, [1844], by subsequent designation by Butler, 1868, Entomologist's mon. Mag. 4: 194.

12102. *Aulocera brahminus (Blanchard, [1844])* (Satyridae) *Satyrus brahminus* Blanchard, [1844], [in] Jacquemont, Voy. dans l'Inde, iv, Ins.: 22, pl.2, fig.4.

12103. *Aulocera brahminus brahminoides Moore, 1892* (Satyridae) *Aulocera brahminoides* Moore, 1892, Lepid. India: 29, pl. xcix, figs. 2,2a. Type ♀: Sikkim: Chumbi valley.

12104. *Aulocera brahminus brahminus (Blanchard, [1844])* (Satyridae) *Satyrus brahminus* Blanchard, [1844], [in] Jacquemont, Voy. dans l'Inde, iv, Ins.: 22, pl.2, fig.4.

12105. *Aulocera brahminus dokwana Evans, 1923* (Satyridae) *Aulocera brahminus dokwana* Evans, 1923, J. Bombay nat. Hist. Soc. 29: 782. Syntypes: [India]: W. Garhwal, Kumaon.

12106. *Aulocera brahminus tsukadai Sakai, 1978* (Satyridae) *Aulocera brahminus* ssp. *tsukadai* Sakai, 1978, Atalanta 9(1): 109. Holotype ♂: India: Zaskar Mts., Sani 3600-3800m.

12107. *Aulocera padma (Kollar, [1844])* (Satyridae) *Satyrus padma* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 445, pl.xv figs. 1,2. Syntypes: Kashmir.

12108. *Aulocera padma burnettii Evans, 1932* (Satyridae) *Aulocera padma burnettii* Evans, 1932, Identification Indian Butterflies (2): 116. Syntypes: [Pakistan]: Baluchistan: Shingarh, Zhob.

12109. *Aulocera padma chumbica Moore, 1892* (Satyridae) *Aulocera chumbica* Moore, 1892, Lepid. India: 30, pl.xcix figs. 3,3a. Syntypes ♂♂: Sikkim: Chumbi valley.

12110. *Aulocera padma fulva Evans, 1923* (Satyridae) *Aulocera padma fulva* Evans, 1923, J. Bombay nat. Hist. Soc. 29: 783. Type: South-east Tibet: Abor valley, 9000ft.

12111. *Aulocera padma grandis Tytler, 1926* (Satyridae) *Aulocera padma* ssp. *grandis* Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 253. Syntypes: [Pakistan]: Gilgit: Yasin.

12112. *Aulocera padma japroa Tytler, 1939* (Satyridae) *Aulocera padma* ssp. *japroa* Tytler, 1939, J. Bombay nat. Hist. Soc. 41: 247. Syntypes: India: Assam: Naga Hills, Japro.

12113. *Aulocera padma loha Doherty, 1886* (Satyridae) *Aulocera loha* Doherty, 1886, J. asiat. Soc. Beng. 55(2): 118. Syntypes ♂♂: India: N.W. Kumaon, 9000-12000ft.

12114. *Aulocera padma padma (Kollar, [1844])* (Satyridae) *Satyrus padma* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 445, pl.xv figs. 1,2. Syntypes: Kashmir.

12115. *Aulocera padma thawgawa Tytler, 1939* (Satyridae) *Aulocera padma* ssp. *thawgawa* Tytler, 1939, J. Bombay nat. Hist. Soc. 41: 247. Syntypes: [Myanmar]: North-eastern Burma: Htawgaw.

12116. *Aulocera saraswati (Kollar, [1844])* (Satyridae) *Satyrus saraswati* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 445, pl.xv figs. 3,4. Syntypes: India: Massuri.

12117. *Aulocera saraswati saraswati (Kollar, [1844])* (Satyridae) *Satyrus saraswati* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 445, pl.xv figs. 3,4. Syntypes: India: Massuri.

12118. *Aulocera swaha (Kollar, [1844])* (Satyridae) *Satyrus swaha* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 444, Taf.14, figs.1,2. Type(s): Kashmir.

12119. *Aulocera swaha garuna Fruhstorfer, 1911* (Satyridae) *Aulocera swaha garuna* Fruhstorfer, 1911, [in] Seitz, Die Gross-Schmett. Erde 9: 309, Taf.94c. Type ♂: India: Kulu.

12120. *Aulocera swaha gilgitica Tytler, 1926* (Satyridae) *Aulocera swaha* ssp. *gilgitica* Tytler, 1926, J. Bombay nat. Hist. Soc. 29: 253. Syntypes ♂♂: [Pakistan]: Gilgit, Astor, Chilas.

12121. *Aulocera swaha parthicola Clench & Shoumatoff, 1956* (Satyridae) *Aulocera swaha* ssp. *parthicola* Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 144-146. Holotype ♂: Afghanistan: [Kabul]: Paghman 2000m.

12122. *Aulocera swaha swaha (Kollar, [1844])* (Satyridae) *Satyrus swaha* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 444, Taf.14, figs.1,2. Type(s): Kashmir.

12123. *Aulocera swaha tellula (Fruhstorfer, 1911)* (Satyridae) *Satyrus swaha tellula* Fruhstorfer, 1911, [in] Seitz, Die Gross-Schmett. Erde 9: 309. Syntypes ♂♂: [Pakistan]: North West Province: Mardan.

12124. *Aulocera sybillina (Oberthür, 1890)* (Satyridae) *Satyrus sybillina* Oberthür, 1890, Etud. Ent. 13: 40, pl.x fig.106. Syntypes 2♂: Chine: Yunnan, Ta-Tsien-Lou.

12125. *Aulocera sybillina bianor (Groum-Grshimailo, 1891)* (Satyridae) *Satyrus sybillina* var. *bianor* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 458-459. Syntypes: [China: Qinghai]: in montibus Sinin-Schan et Dshachar.

12126. *Aulocera sybillina sybillina (Oberthür, 1890)* (Satyridae) *Satyrus sybillina* Oberthür, 1890, Etud. Ent. 13: 40, pl.x fig.106. Syntypes 2♂: Chine: Yunnan, Ta-Tsien-Lou.

12127. *Berberia De Lesse, 1951* (Satyridae) *Berberia De Lesse, 1951*, Revue fr. lépid. 13 (3/4): 41. Type-species: *Satyrus abdelkader* Pierret, 1837, Annls Soc. ent. Fr. (1) 6: 19, Pl. 5, 6, by original designation.

12128. *Berberia abdelkader (Pierret, 1837)* (Satyridae) *Satyrus abdelkader* Pierret, 1837, Annls Soc. ent. Fr. 1837: 19, pl.1 figs. 5,6. Syntypes: Algeria.

12129. *Berberia abdelkader abdelkader (Pierret, 1837)* (Satyridae) *Satyrus abdelkader* Pierret, 1837, Annls Soc. ent. Fr. 1837: 19, pl.1 figs. 5,6. Syntypes: Algeria.

12130. *Berberia abdelkader taghzefti (Wyatt, 1952)* (Satyridae) *Satyrus abdelkader* ssp. *taghzefti* Wyatt, 1952, Z. Wien. ent. Ges. 37: 174. Holotype ♂: Marokko: Südsseite Mittlerer Atlas: Taghzeft Pass, 1900-2100m.

12131. *Berberia lambessanus (Staudinger, 1901)* (Satyridae) *Satyrus abdelkader* var. *lambessanus* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 58, nr.377a. Syntypes: Maur. or. (Lambessa).

12132. *Berberia lambessanus lambessanus (Staudinger, 1901)* (Satyridae) *Satyrus abdelkader* var. *lambessanus* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 58, nr.377a. Syntypes: Maur. or. (Lambessa).

12133. *Bicyclus Kirby, 1871* (Satyridae) *Bicyclus Kirby, 1871*, Syn. cat. diurn. lepid.: 47. Type-species: *Idiomorphus hewitsoni* Doumet, 1861, designation through Section (i) Article 67 (1961).

12134. *Boeberia Prout, 1901* (Satyridae) *Boeberia Prout, 1901*, Entomologist's Rec. J. Var. 12: 233, nota. Type-species: *Papilio parmenio* Böber, 1809, Mém. Soc. imp. Nat. Moscou 2: 306, Pl. 19, selection through Section (i) of Article 67 (replacement name).

12135. *Boeberia parmenio (Boeber, 1809)* (Satyridae) *Papilio parmenio* Boeber, 1809, Mém. Soc. Nat. Moscou 2: 306, Taf.19. Syntypes: Russia: Lake Baikal.

12136. *Boeberia parmenio parmenio (Boeber, 1809)* (Satyridae) *Papilio parmenio* Boeber, 1809, Mém. Soc. Nat. Moscou 2: 306, Taf.19. Syntypes: Russia: Lake Baikal.

12137. *Brintesia Fruhstorfer, 1911* (Satyridae) *Brintesia Fruhstorfer, 1911*, [in] Seitz, Gross-Schmett. Erde 9: 307. Type-species: *Papilio proserpina* [Denis & Schiffermüller], 1775, Ankündigung eines syst. Werkes Schmett. Wienergegend: 179, through Art.67, Sect.(i).

12138. *Brintesia circe (Fabricius, 1775)* (Satyridae) *Papilio circe* Fabricius, 1775, Sys. Ent.: 495, nr.116. Syntypes: Europa.

12139. *Brintesia circe circe (Fabricius, 1775)* (Satyridae) *Papilio circe* Fabricius, 1775, Sys. Ent.: 495, nr.116. Syntypes: Europa.

- 12140. Brintesia circe teleuda (Fruhstorfer,1917)** (Satyridae) *Satyrus circe* ssp. *teleuda* Fruhstorfer,1917, Ent. Z., Stuttgart 30: 99. Syntypes: Sardinien, Korsika.
- 12141. Calinaga Moore,1857** (Satyridae) *Calinaga* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 162. Type-species: *Calinaga buddha* Moore,1857, ibid. 163, pl.3a, fig.5, by monotypy.
- 12142. Calinaga buddha Moore,1857** (Satyridae) *Calinaga buddha* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 163, pl.3a, fig.5.
- 12143. Calinaga buddha buddha Moore,1857** (Satyridae) *Calinaga buddha* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 163, pl.3a, fig.5.
- 12144. Calinaga lhatso Oberthür,1893** (Satyridae) *Calinaga lhatso* Oberthür,1893, Etüd. Ent. 18: 13.
- 12145. Calinaga lhatso lhatso Oberthür,1893** (Satyridae) *Calinaga lhatso* Oberthür,1893, Etüd. Ent. 18: 13.
- 12146. Callerebia Butler,1867** (Satyridae) *Callerebia* Butler,1867, Ann. Mag. nat. Hist. (3) 20: 217. Type-species: *Erebia scanda* Kollar,[1844], by original designation.
- 12147. Callerebia annada (Moore,1857)** (Satyridae) *Erebia annada* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 226. Type(s): Bhutan.
- 12148. Callerebia annada annada (Moore,1857)** (Satyridae) *Erebia annada* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 226. Type(s): Bhutan.
- 12149. Callerebia daksha Moore,1874** (Satyridae) *Callerebia daksha* Moore,1874, Proc. zool. Soc. Lond. 1874: 266, pl.xliii fig.1. Syntypes: ♂♂: Cashmere: Goolmurg.
- 12150. Callerebia daksha daksha Moore,1874** (Satyridae) *Callerebia daksha* Moore,1874, Proc. zool. Soc. Lond. 1874: 266, pl.xliii fig.1. Syntypes: ♂♂: Cashmere: Goolmurg.
- 12151. Callerebia nirmala (Moore,1865)** (Satyridae) *Erebia nirmala* Moore,1865, Proc. zool. Soc. Lond. 56: 501. Type ♂: [India]: North West Himalayas.
- 12152. Callerebia nirmala kala (Evans,1923)** (Satyridae) *Erebia nirmala* ssp. *kala* Evans,1923, J. Bombay nat. Hist. Soc. 29: 784. Type: [Pakistan]: Murree.
- 12153. Callerebia nirmala materta Fruhstorfer,1916** (Satyridae) *Callerebia nirmala* ssp. *materta* Fruhstorfer,1916, Ent. Rdsch. 33: 25. Syntypes: [Pakistan]: Chitral, 6000ft.
- 12154. Callerebia nirmala nirmala (Moore,1865)** (Satyridae) *Erebia nirmala* Moore,1865, Proc. zool. Soc. Lond. 56: 501. Type ♂: [India]: North West Himalayas.
- 12155. Callerebia nirmala scandina Fruhstorfer,1916** (Satyridae) *Callerebia nirmala* ssp. *scandina* Fruhstorfer,1916, Ent. Rdsch. 33: 24. Syntypes: India: Bashahr.
- 12156. Callerebia scanda (Kollar,[1844])** (Satyridae) *Erebia scanda* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 452, Taf.17, figs.3,4. Type(s): Kaschmir.
- 12157. Callerebia scanda scanda (Kollar,[1844])** (Satyridae) *Erebia scanda* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 452, Taf.17, figs.3,4. Type(s): Kaschmir.
- 12158. Cassionympha Van Son,1955** (Satyridae) *Cassionympha* Van Son,1955, Butts S. Africa 2: 96. Type-species: *Satyrus cassius* Godart,[1824], by original designation.
- 12159. Chazara (Neochazara) Koçak,1989** (Satyridae) *Neochazara* Koçak,1989, Priamus 5 (1/2): 49. Type-species: *Papilio anthe* Hoffmannsegg,1804, by original designation (proposed as section).
- 12160. Chazara (Neochazara) anthe (Hoffmannsegg,1804)** (Satyridae) *Papilio anthe* Hoffmannsegg, 1804, Mag. f. Insektenk. 5: 182. Syntypes: [Russia]: Südrussland.
- 12161. Chazara (Neochazara) anthe anthe (Hoffmannsegg,1804)** (Satyridae) *Papilio anthe* Hoffmannsegg,1804, Mag. f. Insektenk. 5:182. Syntypes: [Russia]: Südrussland.
- 12162. Chazara (Neochazara) anthe hanifa (Boisduval,1848)** (Satyridae) *Satyrus hanifa* Boisduval,1848, Annls Soc. ent. Fr. (2) 6: xxix. Syntypes: pied du Caucase.
- 12163. Chazara (Neochazara) anthe pseudoenervata Lukhtanov,1999** (Satyridae) *Chazara persephone* ssp. *pseudoenervata* Lukhtanov,1999, Atalanta 30 (1/4): 142-143. Holotype ♂: Kasachstan: Ust-Kamenogorsk Gebiet, Süd Altai, Kurtschum-Gegend, Burabai, 600m. (in EMEM).
- 12164. Chazara (Neochazara) anthe pseudohanifa (Gross & Ebert,1975)** (Satyridae) *Satyrus* (*Chazara*) *persephone* ssp. *pseudohanifa* Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 23-24, fig.24. Holotype ♂: Iran: Fars: 100km S. Abadeh, N. Didegan 2000m (Ebert leg., LNK).
- 12165. Chazara (Neochazara) enervata (Staudinger,1881)** (Satyridae) *Satyrus anthe* var. *enervata* Staudinger,1881, Stettin ent. Ztg. 42: 271. Syntypes: [Kasachstan]: Saisan. Lectotype ♂: Saisan, designated by Lukhtanov,1994, Herbiopoliana 3: 157 (in ZMHUB).
- 12166. Chazara (Neochazara) enervata enervata (Staudinger,1881)** (Satyridae) *Satyrus anthe* var. *enervata* Staudinger,1881, Stettin ent. Ztg. 42: 271. Syntypes: [Kasachstan]: Saisan. Lectotype ♂: Saisan, designated by Lukhtanov,1994, Herbiopoliana 3: 157 (in ZMHUB).
- 12167. Chazara (Neochazara) heydenreichi (Lederer,1853)** (Satyridae) *Satyrus heydenreichi* Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 359. Syntypes: [Kazachstan]: in den Vorbergen des Altai, zw. Ustkamenogorsk und Ustbuchraminsk am Irtsch.
- 12168. Chazara (Neochazara) heydenreichi heydenreichi (Lederer,1853)** (Satyridae) *Satyrus heydenreichi* Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 359. Syntypes: [Kazachstan]: in den Vorbergen des Altai, zw. Ustkamenogorsk und Ustbuchraminsk am Irtsch.
- 12169. Chazara (Neochazara) heydenreichi kullmanni (Wyatt & Omoto,1966)** (Satyridae) *Satyrus* (*Chazara*) *heydenreichi* ssp. *kullmanni* Wyatt & Omoto,1966, Entomops 5: 156-157, figs. Holotype ♂: Afghanistan: Hindu Kush, Parian, Panjshir valley, 2700m.
- 12170. Chazara (Neochazara) heydenreichi shandura (Marshall,1882)** (Satyridae) *Hipparchia shandura* Marshall,1882, J. asiat. Soc. Beng. 51 (2): 38, pl.iv fig.3. Syntypes: [Pakistan]: Shandur Pass.
- 12171. Chazara (Neochazara) priouri (Pierret,1837)** (Satyridae) *Satyrus priouri* Pierret,1837, Annls Soc. ent. Fr. 6: 304, pl.12 fig.6. Type(s): Algerie: Oran.
- 12172. Chazara (Neochazara) priouri kebira (Wyatt,1952)** (Satyridae) *Satyrus priouri* ssp. *kebira* Wyatt,1952, Z. Wien. ent. Ges. 37: 174. Holotype ♂: Marokko: Südseite Mittlerer Atlas: Taghzeft Pass, 2200m.
- 12173. Chazara (Neochazara) priouri priouri (Pierret,1837)** (Satyridae) *Satyrus priouri* Pierret,1837, Annls Soc. ent. Fr. 6: 304, pl.12 fig.6. Type(s): Algerie: Oran.
- 12174. Chazara (s.str.) Moore,[1893]** (Satyridae) *Chazara* Moore,[1893], Lepid. ind. 2(13): 21. Type-species: *Papilio briseis* Linnaeus,1764, Mus. Lud. Ulr.: 276, by original designation.
- 12175. Chazara (s.str.) bischoffi (Herrich-Schäffer,[1846])** (Satyridae) *Satyrus bischoffii* Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur. 1: figs.276-279. Syntypes: [Türkei]: Ararat.
- 12176. Chazara (s.str.) bischoffi bischoffi (Herrich-Schäffer,[1846])** (Satyridae) *Satyrus bischoffii* Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur. 1: figs.276-279. Syntypes: [Türkei]: Ararat.
- 12177. Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) *Papilio briseis* Linnaeus,1764, Museum Ludovicae Ulrica: 276. Type(s): Germania.
- 12178. Chazara (s.str.) briseis briseis (Linnaeus,1764)** (Satyridae) *Papilio briseis* Linnaeus,1764, Museum Ludovicae Ulrica: 276. Type(s): Germania.
- 12179. Chazara (s.str.) briseis fergana (Staudinger,1886)** (Satyridae) *Satyrus briseis* var. *fergana* Staudinger,1886, Stettin ent. Ztg. 47: 243. Syntypes: [Usbekistan]: Fergana: Margelan (proposed by Hanus et al.,1997, as a subspecies of *Chazara maracandica* Stgr.).
- 12180. Chazara (s.str.) briseis hyrcana (Staudinger,1886)** (Satyridae) *Satyrus briseis* var. *hyrcana* Staudinger,1886, Stettin ent. Ztg. 47: 243. Syntypes: [Iran]: Nordpersien; [Turkmenistan]: Achal Tekke-Gebiet.
- 12181. Chazara (s.str.) briseis ianthe (Pallas,1771)** (Satyridae) *Papilio ianthe* Pallas,1771, Reise durch versch. Prov. russ. Reiches 1: 469, nr.58.
- 12182. Chazara (s.str.) briseis larnacana (Oberthür,1909)** (Satyridae) *Satyrus briseis* ssp. *larnacana* Oberthür,1909, Etüd. lépid. comp. 3: 263-265, fig.689. Type: Cyprus: Larnaca.
- 12183. Chazara (s.str.) briseis major (Oberthür,1876)** (Satyridae) *Satyrus briseis* var. *major* Oberthür,1876, Etüdes d'Ent. 1: 27. Type ♂: Algerie: Boghari (Raffray leg.).
- 12184. Chazara (s.str.) briseis maracandica (Staudinger,1886)** (Satyridae) *Satyrus briseis* var. *maracandica* Staudinger,1886, Stettin ent. Ztg. 47: 243. Syntypes: [Usbekistan]: Samarkand (proposed by Hanus et al.,1997, as distinct species).
- 12185. Chazara (s.str.) briseis pirata (Esper,[1789])** (Satyridae) *Papilio pirata* Esper,[1789], Die Schmetterlinge in Abbildungen nach der Natur...,Suppl. 1(1): 39, Taf.100, fig.3. Syntypes: Nîmes, Languedoc. (ex coll. Gerning, in Museum Wiesbaden ? (cf. Hesselbarth,et al.,1995:922)).

- 12186. Chazara (s.str.) briseis pyrenaecorum (Verity,1927)** (Satyridae) Hipparchia briseis pyrenaecorum Verity,1927, Bull. Soc. ent. Fr. 64: 175. Syntypes 2♂: [France]: Pyrenées orientales: Ambollos.
- 12187. Chazara (s.str.) briseis zhdanko Koçak & Kemal,2000** (Satyridae) Chazara (s.str.) briseis ssp. zhdanko Koçak & Kemal,2000, Centr. ent. Stud., Misc. Pap. xx: ... Holotype ♂: Kirgizistan: Issyk Kul E.: Przewalsk, Terskei-Alatau, Kyzyl-Suu 1850m, 12.8.1999, leg. M.Kemal & A.Koçak (in coll. Cesa).
- 12188. Chazara (s.str.) eгина (Staudinger,[1892])** (Satyridae) Satyrus bischoffii var. eginus Staudinger,[1892], Dt. ent. Z., Iris 4: 237. Syntypes 6♂ 2♀: [Türkei]: Egin [=Kemaliye].
- 12189. Chazara (s.str.) eгина eгина (Staudinger,[1892])** (Satyridae) Satyrus bischoffii var. eginus Staudinger,[1892], Dt. ent. Z., Iris 4: 237. Syntypes 6♂ 2♀: [Türkei]: Egin [=Kemaliye].
- 12190. Chazara (s.str.) eгина mortezai Carbonell & Leestmans,2000** (Satyridae) Chazara eгина ssp. mortezai Carbonell & Leestmans,2000, Linneana Belg. 17 (6): 251-254, figs. Holotype ♂: Iran: Prov. d'Esfahan, region d'Esfahan, 2000m. (MNHNP).
- 12191. Chazara (s.str.) kaufmanni (Erschoff,1874)** (Satyridae) Satyrus kaufmanni Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 19, taf.1 fig.14. Syntypes: [Usbekistan]: Samarkand.
- 12192. Chazara (s.str.) kaufmanni kaufmanni (Erschoff,1874)** (Satyridae) Satyrus kaufmanni Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 19, taf.1 fig.14. Syntypes: [Usbekistan]: Samarkand.
- 12193. Chazara (s.str.) kaufmanni obscurior (Staudinger,1887)** (Satyridae) Satyrus sieversi var. obscurior Staudinger,1887, Stettin ent. Ztg. 48: 57-58. Syntypes 2♂ 8♀: [Kirgizistan]: Alexandergebirge [Kirghisisches Gebirge].
- 12194. Chazara (s.str.) rangontavica Shchetkin,1981** (Satyridae) Chazara rangontavica Shchetkin,1981, Zool. Zh. 60 (12): 1889, fig.b. Holotype ♂: Tadjikistan: Tabakchi and Rangontau Mts.
- 12195. Chazara (s.str.) rangontavica rangontavica Shchetkin,1981** (Satyridae) Chazara rangontavica Shchetkin,1981, Zool. Zh. 60 (12): 1889, fig.b. Holotype ♂: Tadjikistan: Tabakchi and Rangontau Mts.
- 12196. Chazara (s.str.) sartha (Staudinger,1886)** (Satyridae) Satyrus sieversi var. sartha Staudinger,1886, Stettin ent. Ztg. 47: 244. Type ♂: [Uzbekistan]: Dorf Jordan, südlich von Margelan.
- 12197. Chazara (s.str.) sartha eitschbergeri Lukhtanov,1999** (Satyridae) Chazara eitschbergeri Lukhtanov,1999, Atalanta 30 (1/4): 120-122, Taf.viii, Abb.1-4. Holotype ♂: Kirgisien: Issyk Kul ebiet: Terskey Alatau Kette, Kadzhi Sai, 1620m. (in coll. Zoologisches Institut, St. Petersburg).
- 12198. Chazara (s.str.) sartha gultschensis (Groum-Grshimailo,1888)** (Satyridae) Satyrus staudingeri var. gultschensis Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 307. Type(s): [Kirgizistan]: Gultscha (Montes Alaienses).
- 12199. Chazara (s.str.) sartha sartha (Staudinger,1886)** (Satyridae) Satyrus sieversi var. sartha Staudinger,1886, Stettin ent. Ztg. 47: 244. Type ♂: [Uzbekistan]: Dorf Jordan, südlich von Margelan.
- 12200. Chazara (s.str.) sieversi (Christoph,1885)** (Satyridae) Satyrus sieversi Christoph, 1885, [in] Romanoff, Mém. Lépid. 2: 167-169, Pl.xv figs.1a,b. Syntypes 7♂: [Turkmenistan]: Ashkhabad.
- 12201. Chazara (s.str.) staudingeri (A.Bang-Haas,1882)** (Satyridae) Satyrus staudingeri A.Bang-Haas,1882, Berl. ent. Z. 26(1): 172-174. Syntypes: [Uzbekistan]: Prov. Samarkand: Penjikend.
- 12202. Chazara (s.str.) staudingeri staudingeri (A.Bang-Haas,1882)** (Satyridae) Satyrus staudingeri A.Bang-Haas,1882, Berl. ent. Z. 26(1): 172-174. Syntypes: [Uzbekistan]: Prov. Samarkand: Penjikend.
- 12203. Chazara Moore,[1893]** (Satyridae) Chazara Moore,[1893], Lepid. ind. 2(13): 21. Type-species: Papilio briseis Linnaeus,1764, Mus. Lud. Ulr.: 276, by original designation.
- 12204. Coenonympha (dorus) austauti Oberthür,1881** (Satyridae) Coenonympha dorus var. austauti Oberthür,1881, Etüd. Ent. 6: 59. Syntypes: Algérie: Nemours (Austaut leg.).
- 12205. Coenonympha (dorus) austauti austauti Oberthür,1881** (Satyridae) Coenonympha dorus var. austauti Oberthür,1881, Etüd. Ent. 6: 59. Syntypes: Algérie: Nemours (Austaut leg.).
- 12206. Coenonympha (dorus) dorus (Esper,[1782])** (Satyridae) Papilio dorus Esper,[1782], Die Schmett. 1(2): Forts. Tagschmett.: Taf.78, fig.1. Syntypes: Frankreich, Toulouse.
- 12207. Coenonympha (dorus) dorus aquilonia Higgins,1969** (Satyridae) Coenonympha dorus ssp. aquilonia Higgins,1969, Entomologist 102: 60. Holotype ♂: Italy: central Abruzzi, Ojkajmeden [Oukaimeden], 9000ft (BMNH).
- 12208. Coenonympha (dorus) dorus bieli Staudinger,1901** (Satyridae) Coenonympha dorus var. bieli Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 65, nr.436a. Syntypes: [Spain]: Lusit. s.
- 12209. Coenonympha (dorus) dorus dorus (Esper,[1782])** (Satyridae) Papilio dorus Esper,[1782], Die Schmett. 1(2): Forts. Tagschmett.: Taf.78, fig.1. Syntypes: Frankreich, Toulouse.
- 12210. Coenonympha (dorus) dorus mathewi Tutt,1904** (Satyridae) Coenonympha mathewi Tutt,1904, Entomologist's Rec. J. Var. 16: 308-309. Syntypes: France.
- 12211. Coenonympha (dorus) dorus purpurinatta Gomez-Bustillo,1973** (Satyridae) Coenonympha dorus ssp. purpurinatta Gomez-Bustillo,1973, Shilap Revta lepid. 1: 32. Holotype ♂: Spain: Madrid: Loeches, 700m.
- 12212. Coenonympha (gardetta) darwiniana Staudinger,1871** (Satyridae) Coenonympha arcania var. darwiniana Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 32 (nomen novum pro arcania var. H.-S.). Syntypes: Alp. Helv. m. Ped. Gal. (et ? Germ. m.).
- 12213. Coenonympha (gardetta) darwiniana darwiniana Staudinger,1871** (Satyridae) Coenonympha arcania var. darwiniana Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 32 (nomen novum pro arcania var. H.-S.). Syntypes: Alp. Helv. m. Ped. Gal. (et ? Germ. m.).
- 12214. Coenonympha (gardetta) gardetta (De Prunner,1798)** (Satyridae) Papilio gardetta De Prunner,1798, Lepidoptera Pedemontana: 74. Type ♂: [Italy]: "Thale von Varaita".
- 12215. Coenonympha (gardetta) gardetta gardetta (De Prunner,1798)** (Satyridae) Papilio gardetta De Prunner,1798, Lepidoptera Pedemontana: 74. Type ♂: [Italy]: "Thale von Varaita".
- 12216. Coenonympha Hübner,[1819]** (Satyridae) Coenonympha Hübner,[1819], Verz. bekannt. Schmett. (5): 65. Type-species: Papilio geticus Esper,[1793], Die Schmett. Suppl. Band 1 Abschn. Tagschmett.: 51, pl.102, fig.2 by subsequent designation by Butler,1868, Entomologist's mon. Mag. 4: 194.
- 12217. Coenonympha amaryllis (Stoll,[1782])** (Satyridae) Papilio amaryllis Stoll,[1782], [in] Cramer, Uitl. Kapellen 4: pl.391, figs. A,B.
- 12218. Coenonympha amaryllis accrescens Staudinger,1901** (Satyridae) Coenonympha amaryllis var. accrescens Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3 (1): 66, nr.441d. Syntypes: China s., Corea.
- 12219. Coenonympha amaryllis amaryllis (Stoll,[1782])** (Satyridae) Papilio amaryllis Stoll,[1782], [in] Cramer, Uitl. Kapellen 4: pl.391, figs. A,B.
- 12220. Coenonympha amaryllis borisovi Korshunov & Ivonine,1996** (Satyridae) Coenonympha amaryllis ssp. borisovi Korshunov & Ivonine,1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 31. Holotype: Russia: Baikal, Listvianka.
- 12221. Coenonympha arcania (Linnaeus,1761)** (Satyridae) Papilio arcania Linnaeus,1761, Fauna Suecica (2): 273-274. Syntypes: Sweden.
- 12222. Coenonympha arcania arcania (Linnaeus,1761)** (Satyridae) Papilio arcania Linnaeus,1761, Fauna Suecica (2): 273-274. Syntypes: Sweden.
- 12223. Coenonympha arcania balestrei Fruhstorfer,1910** (Satyridae) Coenonympha arcania ssp. balestrei Fruhstorfer,1910, Ent. Z., Stuttgart 24: 3. Syntypes: Frankreich: Seealpen.
- 12224. Coenonympha arcania clorinda De Sagarra,1924** (Satyridae) Coenonympha arcania rassa clorinda De Sagarra,1924, Butll.Inst. catal. Hist. nat. 16: 199. Type: Spain: Albarracin: Orihuelo del Tremedal, Querci leg. (MCNB).
- 12225. Coenonympha arcanioides (Pierret,1837)** (Satyridae) Satyrus arcanioides Pierret,1837, Anns Soc. ent. Fr. 6: 306, pl.12 fig.5.
- 12226. Coenonympha arcanioides arcanioides (Pierret,1837)** (Satyridae) Satyrus arcanioides Pierret,1837, Anns Soc. ent. Fr. 6: 306, pl.12 fig.5.
- 12227. Coenonympha corinna (Hübner,[1804])** (Satyridae) Papilio corinna Hübner,[1804], Samml. eur. Schmett. 1: pl.105, figs. 536-537. Syntypes: Europa.
- 12228. Coenonympha corinna corinna (Hübner,[1804])** (Satyridae) Papilio corinna Hübner,[1804], Samml. eur. Schmett. 1: pl.105, figs. 536-537. Syntypes: Europa.
- 12229. Coenonympha elbana Staudinger,1901** (Satyridae) Coenonympha corinna var. elbana Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 66, nr.437a. Syntypes: [Italien]: Elba.

- 12230. *Coenonympha elbana elbana* Staudinger, 1901** (Satyridae) *Coenonympha corinna* var. *elbana* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 66, nr.437a. Syntypes: [Italien]: Elba.
- 12231. *Coenonympha glycerion* (Borkhausen, 1788)** (Satyridae) *Papilio glycerion* Borkhausen, 1788, Naturg. eur. Schmett. 1: 90-91. Type(s): Süddeutschland.
- 12232. *Coenonympha glycerion alta* Sheljuzhko, 1937** (Satyridae) *Coenonympha glycerion* ssp. *alta* Sheljuzhko, 1937, Festschr. Embrik Strand 2: 352-353. Syntypes 2♂: [Russien]: Chatipara, 2400-2800m.
- 12233. *Coenonympha glycerion glycerion* (Borkhausen, 1788)** (Satyridae) *Papilio glycerion* Borkhausen, 1788, Naturg. eur. Schmett. 1: 90-91. Type(s): Süddeutschland.
- 12234. *Coenonympha glycerion iphicles* Staudinger, 1892** (Satyridae) *Coenonympha iphis* var. *iphicles* Staudinger, 1892, Dt. ent. Z., Iris 5: 338. Syntypes: Kentei- Gebirge.
- 12235. *Coenonympha glycerion iphina* Staudinger, 1892** (Satyridae) *Coenonympha iphis* var. *iphina* Staudinger, 1892, Dt. ent. Z., Iris 5: 339. Syntypes: [Kasachstan]: Tarbagatai.
- 12236. *Coenonympha glycerion korshunovi* Nekrutenko, 1978** (Satyridae) *Coenonympha glycerion* ssp. *korshunovi* Nekrutenko, 1978, Dokl. AN USSR, Ser.B, 1978 (7): 646. Holotype ♂: [Ukraine]: Crimea.
- 12237. *Coenonympha hero* (Linnaeus, 1761)** (Satyridae) *Papilio hero* Linnaeus, 1761, Fauna Suecica: 274. Type(s): Südschweden.
- 12238. *Coenonympha hero coreana* Matsumura, 1929** (Satyridae) *Coenonympha hero coreana* Matsumura, 1929, Insecta Matsumurana 3: 159, 160, 164. Holotype ♂: Corea.
- 12239. *Coenonympha hero hero* (Linnaeus, 1761)** (Satyridae) *Papilio hero* Linnaeus, 1761, Fauna Suecica: 274. Type(s): Südschweden.
- 12240. *Coenonympha hero perseis* Lederer, 1853** (Satyridae) *Coenonympha hero* var. *perseis* Lederer, 1853, Verh. zool.- bot. Ver. Wien 3: 360. Syntypes: in den Vorbergen des Altai (zwischen Ust Kamenogorsk u. Ustbuchtarminsk am Irtsch).
- 12241. *Coenonympha iphioides* Staudinger, 1870** (Satyridae) *Coenonympha iphis* var. *iphioides* Staudinger, 1870, Berl. ent. Z. 14: 101-102. Syntypes: Spain: Alt-Castilien.
- 12242. *Coenonympha iphioides iphioides* Staudinger, 1870** (Satyridae) *Coenonympha iphis* var. *iphioides* Staudinger, 1870, Berl. ent. Z. 14: 101-102. Syntypes: Spain: Alt-Castilien.
- 12243. *Coenonympha iphioides pearsoni* Romei, 1927** (Satyridae) *Coenonympha iphioides* ssp. *pearsoni* Romei, 1927, Entomologist's Rec. J. Var. 39: 137. Syntypes: Spain: Aragon: Sierra Alta (Teruel); Castile: Orihuela del Tremedal.
- 12244. *Coenonympha iphioides trevincae* Wyatt, 1952** (Satyridae) *Coenonympha leander* ssp. *trevincae* Wyatt, 1952, Z. Wien. ent. Ges. 37: 207, Taf.26 figs. B4-6. Holotype ♂: Nordwestspanien: Prov. Orense: Pena Travinca, 1560m. (LNK).
- 12245. *Coenonympha leander* (Fabricius, 1787)** (Satyridae) *Papilio leander* Fabricius, 1787, Mant. Ins. 2: 33, nr.350. Type(s): Europa australiori.
- 12246. *Coenonympha leander dierli* Koçak, 1977** (Satyridae) *Coenonympha leander* ssp. *dierli* Koçak, 1977, Atalanta 8(2): 131-133, figs.38-41. Holotype ♂: Turkey: Niğde Pr.: Demirkazik, 1900-2500m.
- 12247. *Coenonympha leander iranica* Schwingenschuss, 1939** (Satyridae) *Coenonympha leander* ssp. *iranica* Schwingenschuss, 1939, Ent. Z., Frankf. a. M. 53: 62. Syntypes: Iran: Am Kendevan 2600-3000m, Demavend 3200m.
- 12248. *Coenonympha leander leander* (Fabricius, 1787)** (Satyridae) *Papilio leander* Fabricius, 1787, Mant. Ins. 2: 33, nr.350. Type(s): Europa australiori.
- 12249. *Coenonympha leander transcaspica* Gross & Ebert, 1975** (Satyridae) *Coenonympha leander* ssp. *transcaspica* Gross & Ebert, 1975, J. ent. Soc. Iran, Suppl. 1: 27, figs. 30,31. Holotype ♂: [Turkmenistan]: Achabad (ZFMK).
- 12250. *Coenonympha leander wagneri* Gross & Ebert, 1975** (Satyridae) *Coenonympha leander* ssp. *wagneri* Gross & Ebert, 1975, J. ent. Soc. Iran, Suppl. 1: 26-27, figs. 28,29. Holotype ♂: Iran: Ost Azerbaijan / Ghilan: Pass der Strasse Firuz Abad / Hashtpar, 2300m (in coll. Wagener).
- 12251. *Coenonympha mahometana* Alpheraky, 1881** (Satyridae) *Coenonympha iphis* var. *mahometana* Alpheraky, 1881, Horae Soc. ent. ross. 16: 428-429. Syntypes ♂♀: [China: Uighur A.R.]: Kounguesse [Künes], 4000-7000ft.
- 12252. *Coenonympha mahometana acelae* Hanus, 1996** (Satyridae) *Coenonympha mahometana* ssp. *acelae* Hanus, 1996, Atalanta 27 (1/2): 208, Abb. Holotype ♂: Kirghizia, Dolon Pass, 2800m (in coll. Hanus).
- 12253. *Coenonympha mahometana mahometana* Alpheraky, 1881** (Satyridae) *Coenonympha iphis* var. *mahometana* Alpheraky, 1881, Horae Soc. ent. ross. 16: 428-429. Syntypes ♂♀: [China: Uighur A.R.]: Kounguesse [Künes], 4000-7000ft.
- 12254. *Coenonympha mangeri* O.Bang-Haas, 1927** (Satyridae) *Coenonympha mangeri* O.Bang-Haas, 1927, Horae Macrolepid. 1: 50, t.7 figs. 21,22. Syntypes 5♂ 2♀: Afghanistan: Pagmann mt.
- 12255. *Coenonympha mangeri mangeri* O.Bang-Haas, 1927** (Satyridae) *Coenonympha mangeri* O.Bang-Haas, 1927, Horae Macrolepid. 1: 50, t.7 figs. 21,22. Syntypes 5♂ 2♀: Afghanistan: Pagmann mt.
- 12256. *Coenonympha mongolica* Alpheraky, 1881** (Satyridae) *Coenonympha mongolica* Alpheraky, 1881, Horae Soc. ent. ross. 16: 426-428, Taf.15 fig. 26. Syntypes ♂♀: [China: Uighur A.R.]: Kouldja.
- 12257. *Coenonympha mongolica mongolica* Alpheraky, 1881** (Satyridae) *Coenonympha mongolica* Alpheraky, 1881, Horae Soc. ent. ross. 16: 426-428, Taf.15 fig. 26. Syntypes ♂♀: [China: Uighur A.R.]: Kouldja.
- 12258. *Coenonympha nolckenii* Erschoff, 1874** (Satyridae) *Coenonympha nolckenii* Erschoff, 1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 23, Taf.2 fig.17. Syntypes: Russisch-Turkestan: Berge Naubid, 4500-8000ft.
- 12259. *Coenonympha nolckenii nolckenii* Erschoff, 1874** (Satyridae) *Coenonympha nolckenii* Erschoff, 1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 23, Taf.2 fig.17. Syntypes: Russisch-Turkestan: Berge Naubid, 4500-8000ft.
- 12260. *Coenonympha oedippus* (Fabricius, 1787)** (Satyridae) *Papilio oedippus* Fabricius, 1787, Mant. Ins. 2: 31. Type(s): Russia australiori.
- 12261. *Coenonympha oedippus amurensis* Heyne, [1894]** (Satyridae) *Coenonympha oedippus* var. *amurensis* Heyne, [1894], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 607. Type(s): [Russia]: Amurgebiet.
- 12262. *Coenonympha oedippus annulifer* Butler, 1877** (Satyridae) *Coenonympha annulifer* Butler, 1877, Ann. Mag. nat. Hist. (4) 19: 91. Type(s): Japan.
- 12263. *Coenonympha oedippus magna* Heyne, [1894]** (Satyridae) *Coenonympha oedippus* var. *magna* Heyne, [1894], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 608. Type(s): Mongolei.
- 12264. *Coenonympha oedippus oedippus* (Fabricius, 1787)** (Satyridae) *Papilio oedippus* Fabricius, 1787, Mant. Ins. 2: 31. Type(s): Russia australiori.
- 12265. *Coenonympha oedippus steni* Bryk, 1946** (Satyridae) *Coenonympha oedippus* ssp. *steni* Bryk, 1946, Ark. Zool. 38A: 23. Holotype ♂: Korea: Motojondo.
- 12266. *Coenonympha pamphilus* (Linnaeus, 1758)** (Satyridae) *Papilio pamphilus* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 472. Type(s): Suecia.
- 12267. *Coenonympha pamphilus lyllus* (Esper, [1805])** (Satyridae) *Papilio lyllus* Esper, [1805], Die Schmett. Suppl.2: 23, Taf.122 fig.1. Type(s): Portugal.
- 12268. *Coenonympha pamphilus pamphilus* (Linnaeus, 1758)** (Satyridae) *Papilio pamphilus* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 472. Type(s): Suecia.
- 12269. *Coenonympha saadi* (Kollar, [1849])** (Satyridae) *Satyrus saadi* Kollar, [1849], Denkschr. Akad. Wiss. Wien 1850: 11. Type(s): [Iran]: Farsistan, Schiraz (NHMW).
- 12270. *Coenonympha saadi iphius* (Eversmann, 1851)** (Satyridae) *Hipparchia iphius* Eversmann, 1851, Bull. Soc. nat. Moscou 24 (2): 618. Lectotype ♀: "l'Arménie russe" designated by Nekrutenko, 1990: 134 (ZIMP).
- 12271. *Coenonympha saadi saadi* (Kollar, [1849])** (Satyridae) *Satyrus saadi* Kollar, [1849], Denkschr. Akad. Wiss. Wien 1850: 11. Type(s): [Iran: Fars]: Schiraz (NHMW).
- 12272. *Coenonympha sinica* Alpheraky, 1888** (Satyridae) *Coenonympha sinica* Alpheraky, 1888, Stettin ent. Ztg. 49: 66. Syntypes ♂♀: [China]: Steppengebiet am Fluß der Nian-Chian-Kette; Stadt Djinta-sy (leg. Potanin).
- 12273. *Coenonympha sinica sinica* Alpheraky, 1888** (Satyridae) *Coenonympha sinica* Alpheraky, 1888, Stettin ent. Ztg. 49: 66. Syntypes ♂♀: [China]: Steppengebiet am Fluß der Nian-Chian-Kette; Stadt Djinta-sy (leg. Potanin).
- 12274. *Coenonympha sunbecca* (Eversmann, 1843)** (Satyridae) *Hipparchia sunbecca* Eversmann, 1843, Bull. Soc. Nat. Moscou 16: 538, t.7 figs.4a,b. Syntypes: [Kasachstan: Dschungarischer Alatau] "Noor-Saisan (patria err.) (Lukhtanov, 1994, Herbiopoliana 3: 83).

- 12275. *Coenonympha sunbecca alexandra* Heyne, [1894]** (Satyridae) *Coenonympha sunbecca* var. *alexandra* Heyne, [1894], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 624. Type(s): Tura.
- 12276. *Coenonympha sunbecca sunbecca* (Eversmann, 1843)** (Satyridae) *Hipparchia sunbecca* Eversmann, 1843, Bull. Soc. Nat. Moscou 16: 538, t. 7 figs. 4a, b. Syntypes: [Kasachstan: Dschungarischer Alatau] "Noor-Saisan (patria err.)" (Lukhtanov, 1994, Herbiopoliana 3: 83).
- 12277. *Coenonympha symphita* Lederer, 1870** (Satyridae) *Coenonympha symphita* Lederer, 1870, Annls Soc. ent. Belg. 13: 27, 44. Syntypes ♂♂: [Georgien]: Achalziche.
- 12278. *Coenonympha symphita symphita* Lederer, 1870** (Satyridae) *Coenonympha symphita* Lederer, 1870, Annls Soc. ent. Belg. 13: 27, 44. Syntypes ♂♂: [Georgien]: Achalziche.
- 12279. *Coenonympha symphita tiphonides* Staudinger, 1901** (Satyridae) *Coenonympha symphita* var. *tiphonides* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3 (1): 66, nr. 442a. Syntypes: Bulgaria: Rhilo Dag; ? Armenia (pro parte).
- 12280. *Coenonympha thyrsis* (Freyer, [1845])** (Satyridae) *Hipparchia thyrsis* Freyer, [1845], Neuere Beitr. Schmett. 5 (80): 157, Tab. 475 fig. 1. Syntypes: "Insel Creta".
- 12281. *Coenonympha thyrsis thyrsis* (Freyer, [1845])** (Satyridae) *Hipparchia thyrsis* Freyer, [1845], Neuere Beitr. Schmett. 5 (80): 157, Tab. 475 fig. 1. Syntypes: "Insel Creta".
- 12282. *Coenonympha tullia* (Müller, 1764)** (Satyridae) *Papilio tullia* Müller, 1764, Fauna insectorum Fridrichsdalina: 36. Type(s): [Dänemark]: Fridrichsdal [Seeland].
- 12283. *Coenonympha tullia bosniae* Davenport, 1941** (Satyridae) *Coenonympha tullia* ssp. *bosniae* Davenport, 1941
- 12284. *Coenonympha tullia caeca* Staudinger, 1886** (Satyridae) *Coenonympha caeca* Staudinger, 1886, Stettin ent. Ztg. 47: 251-252. Syntypes: [Uzbekistan]: Gebirge bei Namangan (Tschatkal-Gebirge).
- 12285. *Coenonympha tullia chatiparae* Sheljuzhko, 1937** (Satyridae) *Coenonympha tullia* ssp. *chatiparae* Sheljuzhko, 1937, Festschr. Embrik Strand 2: 353-354. Syntypes 51♂ 42♀: [Russia]: Chatipara, 2400-2800m.
- 12286. *Coenonympha tullia davus* (Fabricius, 1777)** (Satyridae) *Papilio davus* Fabricius, 1777, Genera Insectorum: 259. Type(s): [Deutschland]: Hamburg, Kilonii.
- 12287. *Coenonympha tullia demophile* (Freyer, [1844])** (Satyridae) *Hipparchia demophile* Freyer, [1844], Neuere Beitr. Schmett. 5 (74): 97-98, Tab. 439 figs. 3, 4. Syntypes: "Lappland".
- 12288. *Coenonympha tullia fermana* Fruhstorfer, 1908** (Satyridae) *Coenonympha tiphon fermana* Fruhstorfer, 1908, Int. ent. Z. 2: 10. Syntypes: [China: Uighur A.R.]: Kaschgar.
- 12289. *Coenonympha tullia fridolini* Kuznetsov, 1941** (Satyridae) *Coenonympha tullia* f. *fridolini* Kuznetsov [in] Davenport, 1941, Bull. Mus. comp. Zool. Harv. Coll. 87: 256. Holotype: Russia: Ganju river, Pae-ör Range, Polar Ural.
- 12290. *Coenonympha tullia heptopotamica* Sheljuzhko, 1929** (Satyridae) *Coenonympha caeca* ssp. *heptopotamica* Sheljuzhko, 1929, Mitt. münch. ent. Ges. 19: 352-354. Syntypes 8♂: [Kasachstan]: Prov. Semiretschje: Dzhar'kent: Tyshkan.
- 12291. *Coenonympha tullia italica* Verity, 1915** (Satyridae) *Coenonympha tiphon* ssp. *italica* Verity, 1915, Boll. Soc. ent. ita. 45 (1913): 22. Syntypes ♂♂: Italia centrale: Piceno: Mt. Sibillini, 1700m.
- 12292. *Coenonympha tullia occupata* Rebel, 1903** (Satyridae) *Coenonympha tullia* var. *occupata* Rebel, 1903, Annln naturh. Mus. Wien. 18: 182. Syntypes: Bulgarien: Rilo Gebirge.
- 12293. *Coenonympha tullia scotica* Staudinger, 1901** (Satyridae) *Coenonympha tiphon* var. *scotica* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3 (1): 66, nr. 443b. Syntypes: [England]: Scotia.
- 12294. *Coenonympha tullia subcaeca* Heyne, [1895]** (Satyridae) *Coenonympha caeca* var. *subcaeca* Heyne, [1895], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 827. Type(s): [Russia]: Südliches Sibirien.
- 12295. *Coenonympha tullia tiphon* (Rottemburg, 1775)** (Satyridae) *Papilio tiphon* Rottemburg, 1775, Naturforscher 6: 15-16. Type(s): Germany: Halle.
- 12296. *Coenonympha tullia tshonkurtshakus* Korb, 1999** (Satyridae) *Coenonympha tullia* ssp. *tshonkurtshakus* Korb, 1999, Alexanor 20 (7/8) (1998): 387-389, figs. Holotype ♂: Kirghizistan: monts Alexandre, vallée du Tchon-Kourtchak, 3500-3700m (IZSP).
- 12297. *Coenonympha tullia tullia* (Müller, 1764)** (Satyridae) *Papilio tullia* Müller, 1764, Fauna insectorum Fridrichsdalina: 36. Type(s): [Dänemark]: Fridrichsdal [Seeland].
- 12298. *Coenonympha tullia viluensis* Ménétriés, 1859** (Satyridae) *Coenonympha davus* var. *viluensis* Ménétriés, 1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2 (1): 44. Type(s): Russia: Amurland.
- 12299. *Coenonympha vaucheri annoceuri* Wyatt, 1952** (Satyridae) *Coenonympha vaucheri* ssp. *annoceuri* Wyatt, 1952, Z. Wien. ent. Ges. 37: 175. Holotype ♂: Marokko: Mittlerer Atlas: Annoceur, 1600m.
- 12300. *Coenonympha vaucheri beraberensis* Lay & Rose, 1979** (Satyridae) *Coenonympha vaucheri* ssp. *beraberensis* Lay & Rose, 1979, Ent. Z., Frankf. a. M. 89 (12): 143-144, figs. Holotype ♂: Marokko: Hoher Atlas, nördl. Boumalne, 2800m (in coll. Lay).
- 12301. *Coenyra Hewitson*, 1865** (Satyridae) *Coenyra* Hewitson, 1865, Trans. ent. Soc. London (3) 2 (4): 281. Type-species: *Ypthima hebe* Trimen, 1862, by monotypy.
- 12302. *Coenyropsis Van Son*, 1958** (Satyridae) *Coenyropsis* Van Son, 1958, Lepid. News 12: 6. Type-species: *Satyrus natalii* Boisduval, 1847, by original designation.
- 12303. *Crebeta Moore*, [1893]** (Satyridae) *Crebeta* Moore, [1893], Lepid. ind. 2 (13): 11. Type-species: *Hipparchia* (Pararga) *daidamia* Eversmann, 1851, Bull. Soc. imp. Nat. Moscou 24 (2): 617, by original designation.
- 12304. *Crebeta deidamia* (Eversmann, 1851)** (Satyridae) *Hipparchia* (Pararga) *deidamia* Eversmann, 1851, Bull. Soc. imp. Nat. Moscou 24 (2): 617. Syntypes: Russia: "le gouvernement d'Irkoutzk de la Sibérie orientale".
- 12305. *Crebeta deidamia deidamia* (Eversmann, 1851)** (Satyridae) *Hipparchia* (Pararga) *deidamia* Eversmann, 1851, Bull. Soc. imp. Nat. Moscou 24 (2): 617. Syntypes: Russia: "le gouvernement d'Irkoutzk de la Sibérie orientale".
- 12306. *Crebeta deidamia interrupta* (Fruhstorfer, 1909)** (Satyridae) *Pararge deidamia* ssp. *interrupta* Fruhstorfer, 1909, Int. ent. Z. 3: 134. Syntypes Japan: Umgebung von Nikko.
- 12307. *Crebeta deidamia thyria* (Fruhstorfer, 1909)** (Satyridae) *Pararge deidamia* ssp. *thyria* Fruhstorfer, 1909, Int. ent. Z. 3: 134. Syntypes: China: "Central-China und Tsintau".
- 12308. *Dallacha Moore*, [1893]** (Satyridae) *Dallacha* Moore, [1893], Lepid. ind. 2 (14): 58. Type-species: *Ypthima hyagriva* Moore, 1857, by original designation.
- 12309. *Dallacha hyagriva* (Moore, 1857)** (Satyridae) *Ypthima hyagriva* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 236.
- 12310. *Dallacha hyagriva hyagriva* Moore, 1857** (Satyridae) *Ypthima hyagriva* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 236.
- 12311. *Dingana Van Son*, 1955** (Satyridae) *Dingana* Van Son, 1955, Butts S. Africa 2: 70. Type-species: *Leptoneura dingana* Trimen, 1873, by original designation.
- 12312. *Dira Hübner*, [1819]** (Satyridae) *Dira* Hübner, [1819], Verz. bekannt. Schmett. (4): 60. Type-species: *Papilio clytus* Linnaeus, 1764, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 157.
- 12313. *Dira swanepoeli* (Van Son, 1939)** (Satyridae) *Leptoneura swanepoeli* Van Son, 1939, Ann. Transv. Mus. 20: 47-51, pl. 1. Holotype ♂: [South Africa]: [Limpopo Prov.]: Mountain Inn, near Louis Trichardt, Zoutpansberg district, Northern Transvaal, 8 March 1939, Swanepoel leg. (TMP).
- 12314. *Dira swanepoeli swanepoeli* (Van Son, 1939)** (Satyridae) *Leptoneura swanepoeli* Van Son, 1939, Ann. Transv. Mus. 20: 47-51, pl. 1. Holotype ♂: [South Africa]: [Limpopo Prov.]: Mountain Inn, near Louis Trichardt, Zoutpansberg district, Northern Transvaal, 8 March 1939, Swanepoel leg. (TMP).
- 12315. *Elymnias Hübner*, [1818]** (Satyridae) *Elymnias* Hübner, [1818], Zutr. z. Samml. exot. Schmett. 1: 12. Type-species: *Elymnias jynx* Hübner, [1818], by subsequent designation by Hemming, 1943, Proc. R. ent. Soc. Lond. (B) 12: 24.
- 12316. *Elymnias esaca egialina* (C. Felder & R. Felder, 1863)** (Satyridae) *Melanitis egialina* C. Felder & R. Felder, 1863, Wien. ent. Monatschr. 7 (4): 121-122. Syntypes ♂♂: Luzon.
- 12317. *Elymnias hypermnestra* (Linnaeus, 1763)** (Satyridae) *Papilio hypermnestra* Linnaeus, 1763, Amoen. acad. 6: 40.
- 12318. *Elymnias hypermnestra hypermnestra* (Linnaeus, 1763)** (Satyridae) *Papilio hypermnestra* Linnaeus, 1763, Amoen. acad. 6: 40.
- 12319. *Erebia Dalman*, 1816** (Satyridae) *Erebia* Dalman, 1816, K. svenska VetenskAkad. Handl., Stockholm 1816 (1): 58. Type-species: *Papilio ligea* Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 473. by original designation.
- 12320. *Erebia aethiopella* (Hoffmannsegg, 1806)** (Satyridae) *Papilio aethiopellus* Hoffmannsegg, 1806, Illiger's Mag. Insektenk. 5: 180. Type(s): Italia: Piedmont.

- 12321. *Erebia aethiopella aethiopella* (Hoffmannsegg, 1806)** (Satyridae) *Papilio aethiopellus* Hoffmannsegg, 1806, Illiger's Mag. Insektenk. 5: 180.
- 12322. *Erebia aethiops* (Esper, [1777])** (Satyridae) *Papilio aethiops* Esper, [1777], Die Schmett. 1(5): pl. 25, fig. 30.; [1779], ibidem 1(9): 312.
- 12323. *Erebia aethiops aethiops* (Esper, [1777])** (Satyridae) *Papilio aethiops* Esper, [1777], Die Schmett. 1(5): pl. 25, fig. 30.; [1779], ibidem 1(9): 312.
- 12324. *Erebia aethiops melusina* Herrich-Schäffer, [1847]** (Satyridae) *Erebia melusina* Herrich-Schäffer, [1847], Syst. Bearb. Schmett. Eur. 6: 10; ibid. 1: Taf. 77 figs. 373-374. Type(s): Kaukasus.
- 12325. *Erebia ajanensis Ménétériés, 1857*** (Satyridae) *Erebia ligea ajanensis* Ménétériés, 1857, Enum. anim. Mus. imp. Petropol. 2: 104. Type(s): Russia: Siberia: Ajan.
- 12326. *Erebia ajanensis ajanensis Ménétériés, 1857*** (Satyridae) *Erebia ligea ajanensis* Ménétériés, 1857, Enum. anim. Mus. imp. Petropol. 2: 104. Lectotype ♂: [Russia]: Kabarovskii Krai, Ayan: "Ajan", designated by Dubatolov, 1997 (ZIN).
- 12327. *Erebia ajanensis arsenjevi Kurentsov, 1950*** (Satyridae) *Erebia ajanensis arsenjevi* Kurentsov, 1950, Ent. Obozr. 31 (1/2): 243-244. Syntypes: [Russia]: "1st. Kolumbe, Sikhote-Alinskii" [Primorskii Krai, Krasnoarmeiskii raion]. Lectotype ♂, designated by Dubatolov, et al., 1998, Trans. lepid. Soc. Japan 49(3).
- 12328. *Erebia ajanensis kosterini Gorbunov, Korshunov & Dubatolov, 1995*** (Satyridae) *Erebia kosterini* Gorbunov, Korshunov & Dubatolov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 123. Holotype ♂: Russia: Magadan Province: Koni Peninsula, Khidzha River (SZMN).
- 12329. *Erebia alberganus (De Prunner, 1798)*** (Satyridae) *Papilio alberganus* De Prunner, 1798, Lepidoptera Pedemontana: 71. Type(s): [Italy]: Piedmont.
- 12330. *Erebia alberganus alberganus (De Prunner, 1798)*** (Satyridae) *Papilio alberganus* De Prunner, 1798, Lepidoptera Pedemontana: 71. Type(s): [Italy]: Piedmont.
- 12331. *Erebia alberganus phorcys (Freyer, 1836)*** (Satyridae) *Hipparchia phorcys* Freyer, 1836, Neuere Beitr. Schmett. 3: 4, pl. 193, fig. 2. Syntypes: "europäischen Türkei".
- 12332. *Erebia alcmena Groum-Grshimailo, 1891*** (Satyridae) *Erebia alcmena* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 457. Syntypes: [China: Qinghai]: Amdo, in montibus Dshachar.
- 12333. *Erebia alcmena alcmena Groum-Grshimailo, 1891*** (Satyridae) *Erebia alcmena* Groum-Grshimailo, 1891, Horae Soc. ent. ross. 25: 457. Syntypes: [China: Qinghai]: Amdo, in montibus Dshachar.
- 12334. *Erebia arvernensis Oberthür, 1908*** (Satyridae) *Erebia tyndarus* var. *arvernensis* Oberthür, 1908, Bull. Soc. ent. Fr. 1908: 267. Syntypes: Auvergne Mts.
- 12335. *Erebia arvernensis aquitania Fruhstorfer, 1909*** (Satyridae) *Erebia tyndarus* ssp. *aquitania* Fruhstorfer, 1909, Societas ent. 24: 125. Syntypes: Frankreich: Alpes-Maritimes: col di Tenda (Warren (1959) considered as distinct species).
- 12336. *Erebia arvernensis arvernensis Oberthür, 1908*** (Satyridae) *Erebia tyndarus* var. *arvernensis* Oberthür, 1908, Bull. Soc. ent. Fr. 1908: 267. Syntypes: Auvergne Mts.
- 12337. *Erebia arvernensis carmenta Fruhstorfer, 1909*** (Satyridae) *Erebia tyndarus* ssp. *carmenta* Fruhstorfer, 1909, Societas ent. 24: 125. Syntypes: Italia: Aostatal: Courmayeur; Schweiz: Tessin: Fusio.
- 12338. *Erebia arvernensis murina Warren, 1936*** (Satyridae) *Erebia arvernensis* ssp. *murina* Warren, 1936, Monogr. Erebia: 295, pls.
- 12339. *Erebia brimo (Boeber, 1809)*** (Satyridae) *Papilio brimo* Boeber, 1809, Mém. Soc. imp. Nat. Moscou 2: 308. Syntypes: Russia: "environs du lac Baikal".
- 12340. *Erebia brimo brimo (Boeber, 1809)*** (Satyridae) *Papilio brimo* Boeber, 1809, Mém. Soc. imp. Nat. Moscou 2: 308. Syntypes: Russia: "environs du lac Baikal".
- 12341. *Erebia brimo elwesi Staudinger, 1901*** (Satyridae) *Erebia haberhaueri* var? *elwesi* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 44, nr. 272a. Syntypes: [Russia]: Alt. or; Sajan.
- 12342. *Erebia callias Edwards, 1871*** (Satyridae) *Erebia callias* Edwards, 1871, Trans. am. Ent. Soc. 3: 274. Type(s): United States: "Colorado".
- 12343. *Erebia callias altaiana Staudinger, 1901*** (Satyridae) *Erebia tyndarus* var. *altaiana* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 50, nr. 320e. Syntypes: [Russia]: Altai, Sajan, Sib. or; Arm. etc.
- 12344. *Erebia callias callias Edwards, 1871*** (Satyridae) *Erebia callias* Edwards, 1871, Trans. am. Ent. Soc. 3: 274. Type(s): United States: "Colorado".
- 12345. *Erebia callias sibirica Staudinger, 1881*** (Satyridae) *Erebia tyndarus* var. *sibirica* Staudinger, 1881, Stettin ent. Ztg. 42: 270. Syntypes ♂♀: [Kazakhstan]: Tarbagatai.
- 12346. *Erebia cassioides (Reiner & Hochenwarth, 1792)*** (Satyridae) *Papilio cassioides* Reiner & Hochenwarth, 1792, Bot. Reise Oberkärnt. Alpen. 1: 262, pl. 6 fig. 1. Syntypes: Oesterreich: Heiligen Blut.
- 12347. *Erebia cassioides cassioides (Reiner & Hochenwarth, 1792)*** (Satyridae) *Papilio cassioides* Reiner & Hochenwarth, 1792, Bot. Reise Oberkärnt. Alpen. 1: 262, pl. 6 fig. 1. Syntypes: Oesterreich: Heiligen Blut.
- 12348. *Erebia cassioides kinoshitai Beschkov, 1996*** (Satyridae) *Erebia cassioides* ssp. *kinoshitai* Beschkov, 1996, Phegea 24(3): 110-123, figs. Holotype ♂: Bulgaria: Central Stara Planina Mt. under Ravnetz Top. 1920m. (NNHMS).
- 12349. *Erebia christi Rätzer, 1890*** (Satyridae) *Erebia christi* Rätzer, 1890, Mitt. schweiz. ent. Ges. 8: 220. Syntypes: Schweiz: Laquinthal, Simplon.
- 12350. *Erebia christi christi Rätzer, 1890*** (Satyridae) *Erebia christi* Rätzer, 1890, Mitt. schweiz. ent. Ges. 8: 220. Syntypes: Schweiz: Laquinthal, Simplon.
- 12351. *Erebia claudina (Borkhausen, 1788)*** (Satyridae) *Papilio claudina* Borkhausen, 1788, Naturg. eur. Schmett. 1: 204, nr. 161. Type(s): Österreich.
- 12352. *Erebia claudina claudina (Borkhausen, 1788)*** (Satyridae) *Papilio claudina* Borkhausen, 1788, Naturg. eur. Schmett. 1: 204, nr. 161. Type(s): Österreich.
- 12353. *Erebia cyclopius (Eversmann, 1844)*** (Satyridae) *Hipparchia cyclopius* Eversmann, 1844, Bull. Soc. imp. Nat. Moscou 17: 590. Syntypes: [Russia: Irkutsk Region]: provincia Irkuzkiensi.
- 12354. *Erebia cyclopius cyclopius (Eversmann, 1844)*** (Satyridae) *Hipparchia cyclopius* Eversmann, 1844, Bull. Soc. imp. Nat. Moscou 17: 590. Syntypes: [Russia: Irkutsk Region]: provincia Irkuzkiensi.
- 12355. *Erebia dabanensis Erschoff, 1871*** (Satyridae) *Erebia dabanensis* Erschoff, 1871, Horae Soc. ent. ross. 8: 315. Syntypes: Russia: [Südsibirien]: "Chamar-Daban".
- 12356. *Erebia dabanensis dabanensis Erschoff, 1871*** (Satyridae) *Erebia dabanensis* Erschoff, 1871, Horae Soc. ent. ross. 8: 315. Syntypes: Russia: [Südsibirien]: "Chamar-Daban".
- 12357. *Erebia dabanensis olshvangi Gorbunov, 1995*** (Satyridae) *Erebia dabanensis* ssp. *olshvangi* Gorbunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 129. Holotype: Russia: Ural Polar, Krasnyi Kamen.
- 12358. *Erebia disa (Thunberg, 1791)*** (Satyridae) *Papilio disa* Thunberg, 1791, Diss. ent. sist. Ins. Svec. 2: 38. Type(s): Lapponia [Lappland].
- 12359. *Erebia disa disa (Thunberg, 1791)*** (Satyridae) *Papilio disa* Thunberg, 1791, Diss. ent. sist. Ins. Svec. 2: 38. Type(s): Lapponia [Lappland].
- 12360. *Erebia discoidalis (Kirby, 1837)*** (Satyridae) *Erebia discoidalis* Kirby, 1837, [in] Richardson, Fauna boreal. Am. 4: 298, pl. 3 figs. 2, 3. Type(s): [Canada: Hudson Bay, Manitoba]: Cumberland House.
- 12361. *Erebia discoidalis lena Christoph, 1889*** (Satyridae) *Erebia discoidalis* var. *lena* Christoph, 1889, Horae Soc. ent. ross. 23: 299. [Russia]: "Mittleres Lena-Gebiet".
- 12362. *Erebia edda Ménétériés, 1851*** (Satyridae) *Erebia edda* Ménétériés, 1851, [in] Middendorf, Reise N. et O. Sibirien 2(1): 58, Taf. 3 Abb. 11. Type(s): [Russia: Udscoe, Khabarovsk Region]: Udscoj Ostrog.
- 12363. *Erebia edda edda Ménétériés, 1851*** (Satyridae) *Erebia edda* Ménétériés, 1851, [in] Middendorf, Reise N. et O. Sibirien 2(1): 58, Taf. 3 Abb. 11. Type(s): [Russia: Udscoe, Khabarovsk Region]: Udscoj Ostrog.
- 12364. *Erebia embla (Thunberg, 1791)*** (Satyridae) *Papilio embla* Thunberg, 1791, Diss. ent. sist. Ins. Svec. 2: 38. Type(s): [Sweden]: Västerbotten.
- 12365. *Erebia embla dissimulata Warren, 1931*** (Satyridae) *Erebia embla* ssp. *dissimulata* Warren, 1931, Entomologist's Rec. J. Var. 43: 169. Holotype: Russia: Sajan.
- 12366. *Erebia embla embla (Thunberg, 1791)*** (Satyridae) *Papilio embla* Thunberg, 1791, Diss. ent. sist. Ins. Svec. 2: 38. Type(s): [Sweden]: Västerbotten.
- 12367. *Erebia embla succulenta Alpheraky, 1897*** (Satyridae) *Erebia embla* var. *succulenta* Alpheraky, 1897, [in] Romanoff, Mém. lépid. 9: 325. [Russia]: Kamtschatka.

- 12368. *Erebia epiphron* (Knoch,1783)** (Satyridae) *Papilio epiphron* Knoch,1783, Beitr. Insecten-Geschichte 3: 131, Tab.6 fig.7. Type(s): [Germany]: Leipzig bei Schwickert.
- 12369. *Erebia epiphron aetheria* (Esper,[1805])** (Satyridae) *Papilio aetheria* Esper,[1805], Die Schmett. 1(2): Forts. Tagschmett.: Taf.122, fig.4. Syntypes: [? Oesterreich].
- 12370. *Erebia epiphron epiphron* (Knoch,1783)** (Satyridae) *Papilio epiphron* Knoch,1783, Beitr. Insecten-Geschichte 3: 131, Tab.6 fig.7. Type(s): [Germany]: Leipzig bei Schwickert.
- 12371. *Erebia epiphron mackeri* Fuchs,1914** (Satyridae) *Erebia epiphron* var. *mackeri* Fuchs,1914, Int. ent. Z. 8: 82. Syntypes: Frankreich: "von Hochfeld an bis zum Grossen Belchen".
- 12372. *Erebia epiphron mnemon* (Haworth,1812)** (Satyridae) *Papilio mnemon* Haworth,1812, Trans. ent. Soc. London 1: 332. Type(s): "Scotia".
- 12373. *Erebia epiphron pyrenaica* Herrich-Schäffer,1851** (Satyridae) *Erebia cassiope* var. *pyrenaica* Herrich-Schäffer,1851, Syst. Bearb. Schmett. Eur. 1: pl.111, figs.535-536; ibid. 6: 11. Syntypes: Spain: "aus Vignemal in Spanien".
- 12374. *Erebia epistygne* (Hübner,[1824])** (Satyridae) *Papilio epistygne* Hübner,[1824], Samml. eur. Schmett. 1: pl.173, figs. 855-858. Syntypes: Europa.
- 12375. *Erebia epistygne epistygne* (Hübner,[1824])** (Satyridae) *Papilio epistygne* Hübner,[1824], Samml. eur. Schmett. 1: pl.173, figs. 855-858. Syntypes: Europa.
- 12376. *Erebia epistygne viriathus* Sheldon,1913** (Satyridae) *Erebia epistygne* *viriathus* Sheldon,1913, Entomologist 46: 331, pl.12 fig.6,7. Syntypes: Spain: Albarracin, Lodilla.
- 12377. *Erebia eriphyle* (Freyer,1836)** (Satyridae) *Hipparchia eriphyle* Freyer,1836, Neuere Beitr. Schmett. 2: 150, pl.187 fig.3,4. Syntypes: Schweiz: "Berner Hochgebirge".
- 12378. *Erebia eriphyle eriphyle* (Freyer,1836)** (Satyridae) *Hipparchia eriphyle* Freyer,1836, Neuere Beitr. Schmett. 2: 150, pl.187 fig.3,4. Syntypes: Schweiz: "Berner Hochgebirge".
- 12379. *Erebia eriphyle tristis* Herrich-Schäffer,[1848]** (Satyridae) *Erebia tristis* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 6: 11, pl.80, figs. 387-390.
- 12380. *Erebia euryale* (Esper,[1805])** (Satyridae) *Papilio euryale* Esper,[1805], Die Schmett., Suppl. 2: Tab.118, figs. 2,3. Syntypes: [Poland]: Riesengebirge.
- 12381. *Erebia euryale arctica* Poppius,1906** (Satyridae) *Erebia euryale* var. *arctica* Poppius,1906, Acta Soc. Fauna Flora fenn. 28 (3): 5. Syntypes: Bugrantiza, Kanin Peninsula.
- 12382. *Erebia euryale euryale* (Esper,[1805])** (Satyridae) *Papilio euryale* Esper,[1805], Die Schmett., Suppl. 2: Tab.118, figs. 2,3. Syntypes: [Poland]: Riesengebirge.
- 12383. *Erebia euryale euryaloides* Tengström,1869** (Satyridae) *Erebia ligea* var. *euryaloides* Tengström,1869, Not. Sällsk. Fauna Flora fenn. 10: 295. Syntypes: Finnland.
- 12384. *Erebia euryale flaveoides* Korshunov & Tatarinov,1996** (Satyridae) *Erebia euryale* ssp. *flaveoides* Korshunov & Tatarinov,1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 33. Holotype: Russia: Ural: Malyi-Patok.
- 12385. *Erebia euryale iremelica* Korshunov,1995** (Satyridae) *Erebia euryale* ssp. *iremelica* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 123 (nomen novum pro uralensis Goltz,1930 nec Tengström,1869).
- 12386. *Erebia euryale ocellaris* Staudinger,1871** (Satyridae) *Erebia euryale* var. *ocellaris* Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 26. Syntypes: Styr. et Car. alp. Sib. or. (v.).
- 12387. *Erebia euryale phoreta* Fruhstorfer,1918** (Satyridae) *Erebia philomela* ssp. *phoreta* Fruhstorfer,1918, Societas ent. 33: 42. Syntypes: Auvergne: Monts Dore.
- 12388. *Erebia euryale symmia* Fruhstorfer,1909** (Satyridae) *Erebia adyte* *symmia* Fruhstorfer,1909, Int. ent. Z. 3: 134. Syntypes: [Bosnien-Herzegowina]: Bosnien, Trebevic.
- 12389. *Erebia fasciata* Butler,1868** (Satyridae) *Erebia fasciata* Butler,1868, Catal. diurn. lepid. Satyridae Br. Mus.: 92, pl.2 fig.8. Syntypes: [Canada: Victoria Islands]: Arctic America.
- 12390. *Erebia fasciata fasciata* Butler,1868** (Satyridae) *Erebia fasciata* Butler,1868, Catal. diurn. lepid. Satyridae Br. Mus.: 92, pl.2 fig.8. Syntypes: [Canada: Victoria Islands]: Arctic America.
- 12391. *Erebia fasciata semo* Groum-Grshimailo,1899** (Satyridae) *Erebia fasciata* var. *semo* Groum-Grshimailo,1899, Ann. Mus. zool. St. Petersb. 4: 460. Syntypes: Russia: [arktisches Sibirien, zw. Taimyr und dem Fluß Lena]: "Olenek et Chatanga".
- 12392. *Erebia flavofasciata* Heyne,[1895]** (Satyridae) *Erebia flavofasciata* Heyne,[1895], [in] Rühl,F., Die Palaearkt. Grossschmett. Naturg. 1: 805-806. Syntypes: Tessin, Wallis.
- 12393. *Erebia flavofasciata flavofasciata* Heyne,[1895]** (Satyridae) *Erebia flavofasciata* Heyne,[1895], [in] Rühl,F., Die Palaearkt. Grossschmett. Naturg. 1: 805-806. Syntypes: Tessin, Wallis.
- 12394. *Erebia fletcheri* Elwes,1899** (Satyridae) *Erebia fletcheri* Elwes,1899, Trans. ent. Soc. London 1899: 347, pl.12 fig.4. Syntypes: Russia: Altai, [Kuraisky Mts.]: between the Kurai and Bashkaus.
- 12395. *Erebia fletcheri chorymensis* Korshunov,1995** (Satyridae) *Erebia fletcheri chorymensis* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 132. Holotype: Russia: Altay: Kouznetski Ala-Tau, Mt. Borbovaya.
- 12396. *Erebia fletcheri fletcheri* Elwes,1899** (Satyridae) *Erebia fletcheri* Elwes,1899, Trans. ent. Soc. London 1899: 347, pl.12 fig.4. Syntypes: Russia: Altai, [Kuraisky Mts.]: between the Kurai and Bashkaus.
- 12397. *Erebia gorge* (Hübner,[1804])** (Satyridae) *Papilio gorge* Hübner,[1804], Samml. eur. Schmett. 1: pl.99, figs. 502-505. Syntypes: Europa.
- 12398. *Erebia gorge albanica* Rebel,1917** (Satyridae) *Erebia gorge* ssp. *albanica* Rebel,1917, Jb. Naturw. Orientver. 21: 20. Syntypes: Albanien: Gropa Strelit.
- 12399. *Erebia gorge erynis* (Esper,[1805])** (Satyridae) *Papilio erynis* Esper,[1805], Die Schmett. 1(2): Forts. Tagschmett.: Taf.121, fig.3. Syntypes: Chamonix, Haute-Savoie.
- 12400. *Erebia gorge gigantea* Oberthür,1884** (Satyridae) *Erebia gorge gigantea* Oberthür,1884, Etüd. d'Ent. 8: 24, pl.1 fig.7. Syntypes: Spain: Cantabrian Mts.
- 12401. *Erebia gorge gorge* (Hübner,[1804])** (Satyridae) *Papilio gorge* Hübner,[1804], Samml. eur. Schmett. 1: pl.99, figs. 502-505. Syntypes: Europa.
- 12402. *Erebia gorge hercegovinensis* Rebel,1904** (Satyridae) *Erebia gorge* var. *hercegovinensis* Rebel,1904, Annln naturh. Mus. Wien. 19: 166-167. Syntypes: Herzegowina: Prenj, Lopoglav, Cetinje, Cvrstnica, Maglic, Volujak, Vlasulja.
- 12403. *Erebia gorge pirinica* Buresch,1918** (Satyridae) *Erebia gorge* ssp. *pirinica* Buresch,1918, Z. wiss. InsektBiol. 14: 224-226, figs.8-10. Syntypes: Bulgaria: Piringebirge, El-Tepe, 2200-2600m.
- 12404. *Erebia gorge triopes* Speyer,1865** (Satyridae) *Erebia gorge* var.? *triopes* Speyer,1865, Stettin ent. Ztg. 26: 248. Syntypes: Bernina Alps.
- 12405. *Erebia gorgone* Boisduval,1833** (Satyridae) *Erebia gorgone* Boisduval,1833, Icones hist. Lépid. Eur.: 150, pl.29 figs. 5-8. Syntypes: "Pyrénées".
- 12406. *Erebia gorgone gorgone* Boisduval,1833** (Satyridae) *Erebia gorgone* Boisduval,1833, Icones hist. Lépid. Eur.: 150, pl.29 figs. 5-8. Syntypes: "Pyrénées".
- 12407. *Erebia graucasica* Jachontov,1909** (Satyridae) *Erebia tyndarus* var. *graucasica* Jachontov,1909, Russk. ent. Obozr. 8(1908): 288-289. Syntypes: [Russia]: Caucasus: Kasbek.
- 12408. *Erebia graucasica graucasica* Jachontov,1909** (Satyridae) *Erebia tyndarus* var. *graucasica* Jachontov,1909, Russk. ent. Obozr. 8(1908): 288-289. Syntypes: [Russia]: Caucasus: Kasbek.
- 12409. *Erebia graucasica transcaucasica* Warren,1950** (Satyridae) *Erebia cassioides* ssp. *transcaucasica* Warren, 1950, Entomologist 83: 229. Holotype ♂: [Georgia]: Borshom, Tzchra-Tzkaro (BMNH).
- 12410. *Erebia haberhaueri* Staudinger,1881** (Satyridae) *Erebia pawlowskyi* var. *haberhaueri* Staudinger,1881, Stettin ent. Ztg. 42: 267. Syntypes: Tarbagatai, 6000-8000ft.
- 12411. *Erebia haberhaueri haberhaueri* Staudinger,1881** (Satyridae) *Erebia pawlowskyi* var. *haberhaueri* Staudinger,1881, Stettin ent. Ztg. 42: 267. Syntypes: Tarbagatai, 6000-8000ft.
- 12412. *Erebia hewitsonii* Lederer,1864** (Satyridae) *Erebia hewitsonii* Lederer,1864, Wien. ent. Monatschr. 8:167, pl.3, figs.6,7. Syntypes: [Georgien]: Abastuman.
- 12413. *Erebia hewitsonii hewitsonii* Lederer,1864** (Satyridae) *Erebia hewitsonii* Lederer,1864, Wien. ent. Monatschr. 8:167, pl.3, figs.6,7. Syntypes: [Georgien]: Abastuman.
- 12414. *Erebia hispania* Butler,1868** (Satyridae) *Erebia hispania* Butler,1868, Cat. Satyridae Br. Mus.: 86, nr.22, Pl.2 fig.7. Syntypes: Spain [Sierra Nevada].
- 12415. *Erebia hispania hispania* Butler,1868** (Satyridae) *Erebia hispania* Butler,1868, Cat. Satyridae Br. Mus.: 86, nr.22, Pl.2 fig.7. Syntypes: Spain [Sierra Nevada].
- 12416. *Erebia iranica* Groum-Grshimailo,1895** (Satyridae) *Erebia tyndarus* var. *iranica* Groum-Grshimailo,1895, Horae Soc. ent. ross. 29: 291. Syntypes: [Iran]: Elburs (Demavend).

- 12417. *Erebia iranica dromulus* Staudinger, 1901** (Satyridae) *Erebia tyndarus* var. *dromulus* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 50, nr.320d. Syntypes: [Türkei]: Arm.m. (Ararat); Pont. or.
- 12418. *Erebia iranica iranica* Groum-Grshimailo, 1895** (Satyridae) *Erebia tyndarus* var. *iranica* Groum-Grshimailo, 1895, Horae Soc. ent. ross. 29: 291. Syntypes: [Iran]: Elburs (Demavend).
- 12419. *Erebia iranica sheljuzhkoii* Warren, 1935** (Satyridae) *Erebia callias* ssp. *sheljuzhkoii* Warren, 1935, Entomologist's Rec. J. Var. 47: 4. Syntypes: Mt. Chatipara, 2400-2800m. (in coll. Warren).
- 12420. *Erebia jennisieensis Trybom*, 1877** (Satyridae) *Erebia ligea jennisieensis* Trybom, 1877, K. Vetensk. Akad. Forhandl. Stockholm 1877 (6): 46. Type(s): Russia: Jenissej.
- 12421. *Erebia jennisieensis jennisieensis* Trybom, 1877** (Satyridae) *Erebia ligea jennisieensis* Trybom, 1877, K. Vetensk. Akad. Forhandl. Stockholm 1877 (6): 46. Type(s): Russia: Jenissej.
- 12422. *Erebia kalmuka Alpheraky*, 1881** (Satyridae) *Erebia kalmuka* Alpheraky, 1881, Horae Soc. ent. ross. 16: 414-416, Taf. 15, figs. 18, 19. Syntypes ♂♂: [China: Uighur A.R.]: "Jouldousse" [Tengri Tagh].
- 12423. *Erebia kalmuka kalmuka* Alpheraky, 1881** (Satyridae) *Erebia kalmuka* Alpheraky, 1881, Horae Soc. ent. ross. 16: 414-416, Taf. 15, figs. 18, 19. Syntypes ♂♂: [China: Uighur A.R.]: "Jouldousse" [Tengri Tagh].
- 12424. *Erebia kefersteinii* (Eversmann, 1851)** (Satyridae) *Hipparchia* (*Erebia*) *kefersteinii* Eversmann, 1851, Bull. Soc. nat. Moscou 24 (1): 610. Syntypes: Russia: Sibérie orientale.
- 12425. *Erebia kefersteinii kefersteinii* (Eversmann, 1851)** (Satyridae) *Hipparchia* (*Erebia*) *kefersteinii* Eversmann, 1851, Bull. Soc. nat. Moscou 24 (1): 610. Syntypes: Russia: Sibérie orientale.
- 12426. *Erebia kefersteinii kholsunica* Lukhtanov, 1990** (Satyridae) *Erebia kefersteinii* ssp. *kholsunica* Lukhtanov, 1990, Vestn. Zool. 1990: 14-15, figs. 2,3. Holotype ♂: Kasachstan: Altai: Kholsun mountain range ca. Zyryanovsk, 2000m.
- 12427. *Erebia kindermanni* Staudinger, 1881** (Satyridae) *Erebia kindermanni* Staudinger, 1881, Stettin ent. Ztg. 42: 269. Syntypes ♂♀: Altai. Lectotype ♂: Altai: Ubinsky Mts., designated by Lukhtanov, 1990, Vestn. Zool. 1990: 16 (ZMHUB).
- 12428. *Erebia kindermanni kindermanni* Staudinger, 1881** (Satyridae) *Erebia kindermanni* Staudinger, 1881, Stettin ent. Ztg. 42: 269. Syntypes ♂♀: Altai. Lectotype ♂: Altai: Ubinsky Mts., designated by Lukhtanov, 1990, Vestn. Zool. 1990: 16 (ZMHUB).
- 12429. *Erebia kindermanni sarytavica* Lukhtanov, 1990** (Satyridae) *Erebia kindermanni* ssp. *sarytavica* Lukhtanov, 1990, Vestn. Zool. 1990: 15-16, figs. Holotype ♂: Kasachstan: S.Altai: Kurtshumsky mountain range: Sarytau 2300m.
- 12430. *Erebia lefebvrei* (Boisduval, 1828)** (Satyridae) *Satyrus lefebvrei* Boisduval, 1828, Eur. lepid. ind. meth. 1: 23. Type(s): "Pyren[ées]".
- 12431. *Erebia lefebvrei lefebvrei* (Boisduval, 1828)** (Satyridae) *Satyrus lefebvrei* Boisduval, 1828, Eur. lepid. ind. meth. 1: 23. Type(s): "Pyren[ées]".
- 12432. *Erebia lefebvrei pyrenaea* Oberthür, 1884** (Satyridae) *Erebia melas pyrenaea* Oberthür, 1884, Etüd. Ent. 8: 20. Syntypes: "Canigou".
- 12433. *Erebia ligea* (Linnaeus, 1758)** (Satyridae) *Papilio ligea* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 473. Type(s): Europae sylvis.
- 12434. *Erebia ligea carthusianorum* Fruhstorfer, 1917** (Satyridae) *Erebia ligea* ssp. *carthusianorum* Fruhstorfer, 1917, Societas ent. 24: 125. Syntypes: Schweiz: Tessin: Fusio, Grande Chartreuse.
- 12435. *Erebia ligea dovrensis* Strand, 1902** (Satyridae) *Erebia ligea* var. *dovrensis* Strand, 1902, Nyt. Mag. Naturv. 40: 160. Syntypes: Dovrefjerd.
- 12436. *Erebia ligea eumonia* Ménétériés, 1858** (Satyridae) *Erebia eumonia* Ménétériés, 1858, Bull. phys. math. Acad. Sci., St. Petersb. 17: 216. Lectotype ♂: [Russia]: Khabarovskii Krai Prov., Sovetskaya Gavan]: "Bai Hadschi", designated by Dubatolov, et al., 1998, Trans. lepid. Soc. Japan 49(3).
- 12437. *Erebia ligea herculeana* Warren, 1931** (Satyridae) *Erebia ligea herculeana* Warren, 1931, Entomologist's Rec. J. Var. 43: 49. Syntypes: Herkulesfürdő.
- 12438. *Erebia ligea kamensis* Krulikowsky, 1909** (Satyridae) *Erebia ligea kamensis* Krulikowsky, 1909, Revue russk. Ent. 9: 299. Syntypes: Russia: in provinciis Rossiae orientalis Kasan, Viatka, Perm.
- 12439. *Erebia ligea ligea* (Linnaeus, 1758)** (Satyridae) *Papilio ligea* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 473. Type(s): Europae sylvis. Sweden (Verity, 1953).
- 12440. *Erebia ligea takanonis* Matsumura, 1909** (Satyridae) *Erebia ligea* var. *takanonis* Matsumura, 1909, Ent. Z., Stuttgart 23 (19: 91-92. Syntypes 3♂♂: Japan: Honshu (Yatsugatake, 7000 Fuss), leg. T.Takano.
- 12441. *Erebia mackinleyensis* ola Korshunov, 1995** (Satyridae) *Erebia mackinleyensis* ssp. *ola* Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 127. Holotype: Russia: Far East: Magadan: Mt. Noukh, Ola.
- 12442. *Erebia manto* ([Denis & Schiffermüller], 1775)** (Satyridae) *Papilio manto* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 169. Type(s): [Austria]: Vienna district.
- 12443. *Erebia manto constans* Eiffinger, 1908** (Satyridae) *Erebia manto* f. *constans* Eiffinger, 1908, [in] Seitz, Die Gross-Schmett. Erde 1: 99, pl.36 figs.96-97. Syntypes: "Pyräneen".
- 12444. *Erebia manto manto* ([Denis & Schiffermüller], 1775)** (Satyridae) *Papilio manto* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 169. Type(s): [Austria]: Vienna district.
- 12445. *Erebia manto mantoides* (Esper, 1805)** (Satyridae) *Papilio mantoides* Esper, 1805, Die Schmett. Fortsetz. (I-IV) 2: 15, pl.119, fig.6. Type(s): "Alpen in Bünden".
- 12446. *Erebia manto osmanica* Schawerda, 1909** (Satyridae) *Erebia manto osmanica* Schawerda, 1909, Jb. wien. ent. Ver. 19: 94. Syntypes: [Bosnia-Herzegowina]: Trebevic.
- 12447. *Erebia medusa* ([Denis & Schiffermüller], 1775)** (Satyridae) *Papilio medusa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 167. Type(s): [Austria]: Vienna district.
- 12448. *Erebia medusa brigobanna* Fruhstorfer, 1917** (Satyridae) *Erebia medusa* ssp. *brigobanna* Fruhstorfer, 1917, Dt. ent. Z., Iris 31: 45. Syntypes: Deutschland: Ulm, Wiesbaden, München, Koblenz, Kassel, Lothringen.
- 12449. *Erebia medusa chatiparae* Sheljuzhko, 1937** (Satyridae) *Erebia medusa* ssp. *chatiparae* Sheljuzhko, 1937, Festschr. Embrik Strand 2: 326-327. Syntypes 6♂♂ 1♀: [Russia]: Chatipara-Berg, 2300-2600m.
- 12450. *Erebia medusa euphrasia* Fruhstorfer, 1917** (Satyridae) *Erebia medusa* ssp. *euphrasia* Fruhstorfer, 1917, Dt. ent. Z., Iris 31: 44. Syntypes: Bulgarien: Rila, Rhodope Mts.; Istrien: Mt. Maggiore; [Georgien]: Kaukasus: Borjom.
- 12451. *Erebia medusa medusa* ([Denis & Schiffermüller], 1775)** (Satyridae) *Papilio medusa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 167. Type(s): [Austria]: Vienna district.
- 12452. *Erebia medusa transiens* Heyne, [1895]** (Satyridae) *Erebia medusa* var. *transiens* Heyne, [1895], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 810. Type(s): [Russia]: Ostsibirien.
- 12453. *Erebia melampus* (Fuessly, 1775)** (Satyridae) *Papilio melampus* Fuessly, 1775, Verzeichniss der ihm bekannten Schweizerischen Insekten: 31, fig.6. Type(s): Schweiz.
- 12454. *Erebia melampus melampus* (Fuessly, 1775)** (Satyridae) *Papilio melampus* Fuessly, 1775, Verzeichniss der ihm bekannten Schweizerischen Insekten: 31, fig.6. Type(s): Schweiz.
- 12455. *Erebia melancholica* Herrich-Schäffer, [1846]** (Satyridae) *Erebia melancholica* Herrich-Schäffer, [1846], Syst. Bearb. Schmett. Eur.1: 163, pl.58, figs.276-279. Syntypes: [Türkei]: Ararat [=Ağrıdağı].
- 12456. *Erebia melancholica melancholica* Herrich-Schäffer, [1846]** (Satyridae) *Erebia melancholica* Herrich-Schäffer, [1846], Syst. Bearb. Schmett. Eur.1: 163, pl.58, figs.276-279. Syntypes: [Türkei]: Ararat [=Ağrıdağı].
- 12457. *Erebia melanops* Christoph, 1889** (Satyridae) *Erebia melanops* Christoph, 1889, Horae Soc. ent. ross. 23: 299. Syntypes: "Samarkand" (err.); [Tengri Tagh].
- 12458. *Erebia melanops melanops* Christoph, 1889** (Satyridae) *Erebia melanops* Christoph, 1889, Horae Soc. ent. ross. 23: 299. Syntypes: "Samarkand" (err.); [Tengri Tagh].
- 12459. *Erebia melas* (Herbst, 1796)** (Satyridae) *Papilio melas* Herbst, 1796, [in] Jablonsky, Natursyst. Ins. (Schmett.) 8: Pl.210 figs.4-7. Syntypes: Roumania: Banat, Perzenieska.
- 12460. *Erebia melas leonhardi* Fruhstorfer, 1918** (Satyridae) *Erebia melas leonhardi* Fruhstorfer, 1918, Arch. Naturgesch. (A) 82(7): 131. Syntypes: Croatia: Velebit, Ostaria.
- 12461. *Erebia melas melas* (Herbst, 1796)** (Satyridae) *Papilio melas* Herbst, 1796, [in] Jablonsky, Natursyst. Ins. (Schmett.) 8: Pl.210 figs.4-7. Syntypes: Roumania: Banat, Perzenieska.
- 12462. *Erebia meolans* (De Prunner, 1798)** (Satyridae) *Papilio meolans* De Prunner, 1798, Lepidoptera Pedemontana: 71. Type(s): [Italy]: Piedmont.

- 12463. *Erebia meolans almada Fruhstorfer, 1918*** (Satyridae) *Erebia pyrene* ssp. *almada* Fruhstorfer, 1918, Dt. ent. Z., Iris 31: 108. Syntypes: Asturien: Cantabrisches Gebirge: Puerto de Pajares.
- 12464. *Erebia meolans bejarensis Chapman, 1902*** (Satyridae) *Erebia stygne* var. *bejarensis* Chapman, 1902, Proc. ent. Soc. Lond. 1902: xxxvi. Syntypes: Spain: Bejar.
- 12465. *Erebia meolans ejulvensis Aistleitner, 1983*** (Satyridae) *Erebia meolans* ssp. *ejulvensis* Aistleitner, 1983, Nachr. ent. Ver. Apollo (N.F.) 4(1): 1-2, figs. Holotype ♂: Hispania: Prov. Teruel, Puerto Cuarto Pelado, 11 km w. vic. Cantavieja, 1600 m. (in coll. Aistleitner).
- 12466. *Erebia meolans gavarnica Oberthür, 1909*** (Satyridae) *Erebia stygne* var. *gavarnica* Oberthür, 1909, Etüd. Lépid. comp. 3: 298, pl. 25 figs. 130, 134. Syntypes: France: Gavarnie.
- 12467. *Erebia meolans meolans (De Prunner, 1798)*** (Satyridae) *Papilio meolans* De Prunner, 1798, Lepidoptera Pedemontana: 71. Type(s): [Italy]: Piedmont.
- 12468. *Erebia meolans posidonia Fruhstorfer, 1911*** (Satyridae) *Erebia stygne* ssp. *posidonia* Fruhstorfer, 1911, Societas ent. 26: 24. Syntypes: Deutschland: Schwarzwald.
- 12469. *Erebia meolans stygne (Ochsenheimer, 1807)*** (Satyridae) *Papilio stygne* Ochsenheimer, 1807, Schmett. Eur. 1 (1): 276. Syntypes: "Tyroler und Schweizer Alpen".
- 12470. *Erebia meolans tetrica Verity, 1923*** (Satyridae) *Erebia pyrene* tetrica Verity, 1923, Entomologist's Rec. J. Var. 35: 135. Syntypes: Italy: Apennines, Northern Tuscany, Mt. Sibillini.
- 12471. *Erebia meolans valesiaca Elwes, 1898*** (Satyridae) *Erebia stygne* var. *valesiaca* Elwes, 1898, Trans. ent. Soc. London 1898: 177, 192. Syntypes: Switzerland: Zermatt, Briaçon, Lanslebourg.
- 12472. *Erebia meta Staudinger, 1886*** (Satyridae) *Erebia meta* Staudinger, 1886, Stettin ent. Ztg. 47: 237. Syntypes: [Kirghizistan]: [Osch] Alai-Gebirge.
- 12473. *Erebia meta alexandra Staudinger, 1887*** (Satyridae) *Erebia mopsos* var. *alexandra* Staudinger, 1887, Stettin ent. Ztg. 48: 55. Syntypes: [Kirghizistan]: Alexandergebirge [Kirghisisches Gebirge].
- 12474. *Erebia meta issyka Staudinger, 1887*** (Satyridae) *Erebia mopsos* var. *issyka* Staudinger, 1887, Stettin ent. Ztg. 48: 56-57. Syntypes 10♂ 2♀: [Kirghizistan]: Issyk-Kul
- 12475. *Erebia meta meta Staudinger, 1886*** (Satyridae) *Erebia meta* Staudinger, 1886, Stettin ent. Ztg. 47: 237. Syntypes: [Kirghizistan]: [Osch] Alai-Gebirge.
- 12476. *Erebia mnestra (Hübner, [1804])*** (Satyridae) *Papilio mnestra* Hübner, [1804], Samml. eur. Schmett. 1: pl. 106, figs. 540-543. Syntypes: Europa.
- 12477. *Erebia mnestra mnestra (Hübner, [1804])*** (Satyridae) *Papilio mnestra* Hübner, [1804], Samml. eur. Schmett. 1: pl. 106, figs. 540-543. Syntypes: Europa.
- 12478. *Erebia montana (De Prunner, 1798)*** (Satyridae) *Papilio montanus* De Prunner, 1798, Lepidoptera Pedemontana: 71. Type ♀: [Italy]: Piedmont.
- 12479. *Erebia montana goante (Esper, [1805])*** (Satyridae) *Papilio goante* Esper, [1805], Die Schmett. 1(2): Forts. Tagschmett.: Taf. 116, fig. 1.
- 12480. *Erebia montana montana (De Prunner, 1798)*** (Satyridae) *Papilio montanus* De Prunner, 1798, Lepidoptera Pedemontana: 71. Type ♀: [Italy]: Piedmont.
- 12481. *Erebia neoridas (Boisduval, 1828)*** (Satyridae) *Satyrus neoridas* Boisduval, 1828, Eur. lepid. Index meth. 1: 23. Type(s): [France]: Alpes [Digne] (BMNH).
- 12482. *Erebia neoridas neoridas (Boisduval, 1828)*** (Satyridae) *Satyrus neoridas* Boisduval, 1828, Eur. lepid. Index meth. 1: 23. Type(s): [France]: Alpes [Digne] (BMNH).
- 12483. *Erebia neoridas sibyllina Verity, 1915*** (Satyridae) *Erebia neoridas* sibyllina Verity, 1915, Boll. Soc. ent. ital. 45 (1913): 236. Syntypes 30♂ 6♀: [Italy: Piceno]: Monti Sibillini: Bolognola, Piano Astore, 1100-1400 m.
- 12484. *Erebia neoridas veldmani Kotsch, 1929*** (Satyridae) *Erebia neoridas* ssp. *veldmani* Kotsch, 1929, Ent. Z., Frankf. a. M. 43 (12): 206, figs. 8, 9. Syntypes 2♂: [China]: Kansu [Qinghai]: Richthofen Gebirge, Süd-Datungsberge, Juli 3600 m (Steyler Missionsmuseum).
- 12485. *Erebia neriene (Boeber, 1809)*** (Satyridae) *Papilio neriene* Boeber, 1809, Mém. Soc. Nat. Moscou 2: 307. Type(s): Russia: Baikal [Südsibirien].
- 12486. *Erebia neriene neriene (Boeber, 1809)*** (Satyridae) *Papilio neriene* Boeber, 1809, Mém. Soc. Nat. Moscou 2: 307. Type(s): Russia: Baikal [Südsibirien].
- 12487. *Erebia nipponica Janson, 1877*** (Satyridae) *Erebia nipponica* Janson, 1877, Cistula ent. 2: 153. Type(s): Japonia.
- 12488. *Erebia nipponica chosensis Matsumura, 1928*** (Satyridae) *Erebia sedakowii* ssp. *chosensis* Matsumura, 1928, Insecta Matsumura 2: 197. Syntypes 8♂: Korea: Sanchien, in Mt. Hakuto.
- 12489. *Erebia nipponica nipponica Janson, 1877*** (Satyridae) *Erebia nipponica* Janson, 1877, Cistula ent. 2: 153. Type(s): Japonia.
- 12490. *Erebia nivalis Lorkovic & De Lesse, 1954*** (Satyridae) *Erebia (tyndarus) nivalis* Lorkovic & De Lesse, 1954, Lambillionea 54: 66. Holotype ♂: Austria: Oberer Pasterzen (Grossglockner), Hofmanns Hütte (in coll. de Lesse).
- 12491. *Erebia nivalis nivalis Lorkovic & De Lesse, 1954*** (Satyridae) *Erebia (tyndarus) nivalis* Lorkovic & De Lesse, 1954, Lambillionea 54: 66. Holotype ♂: Austria: Oberer Pasterzen (Grossglockner), Hofmanns Hütte (in coll. de Lesse).
- 12492. *Erebia occulta sokhondinka Dubatolov & Zintshenko, 1995*** (Satyridae) *Erebia occulta* ssp. *sokhondinka* Dubatolov & Zintshenko, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 128. Holotype: Russia: Tchita region, Boukoukounne.
- 12493. *Erebia ocnus (Eversmann, 1843)*** (Satyridae) *Hipparchia ocnus* Eversmann, 1843, Bull. Soc. nat. Moscou 16: 538, pl. 8 figs. 5a, 5b. Syntypes: Noor-Saisan (err.); [Kasachstan: Dschungarischer Alatau].
- 12494. *Erebia ocnus ocnus (Eversmann, 1843)*** (Satyridae) *Hipparchia ocnus* Eversmann, 1843, Bull. Soc. nat. Moscou 16: 538, pl. 8 figs. 5a, 5b. Syntypes: Noor-Saisan (err.); [Kasachstan: Dschungarischer Alatau].
- 12495. *Erebia oeme (Hübner, [1804])*** (Satyridae) *Papilio oeme* Hübner, [1804], Samml. eur. Schmett. 1: pl. 104, figs. 530-533. Syntypes: Europa.
- 12496. *Erebia oeme lugens Staudinger, 1901*** (Satyridae) *Erebia oeme* ab. (var.) *lugens* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 45, nr. 278a. Syntypes: Helv. (Gadmen).
- 12497. *Erebia oeme oeme (Hübner, [1804])*** (Satyridae) *Papilio oeme* Hübner, [1804], Samml. eur. Schmett. 1: pl. 104, figs. 530-533. Syntypes: Europa.
- 12498. *Erebia oeme pacula Fruhstorfer, 1910*** (Satyridae) *Erebia oeme* ssp. *pacula* Fruhstorfer, 1910, Int. ent. Z. 3: 211. Syntypes: Schweiz: Jura, Genf.
- 12499. *Erebia oeme spodia Staudinger, 1871*** (Satyridae) *Erebia oeme* v. *spodia* Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 24 (nomen. novum pro *psodea* Freyer, &c). Syntypes: Austr. et Styr. alp. et. mont.
- 12500. *Erebia orientalis Elwes, 1900*** (Satyridae) *Erebia epiphron* var. *orientalis* Elwes, 1900, Trans. ent. Soc. Lond. 1900: 199. Syntypes: Bulgaria: Rilo Dag.
- 12501. *Erebia orientalis infernalis Varga, 1972*** (Satyridae) *Erebia orientalis* ssp. *infernalis* Varga, 1972, Acta Univ. debrecen (ser. 2) Biologica 9 (1971): 223-224. Holotype ♂: Bulgarien: Pirin-Gebirge: Vichren Spitze, 2300-2400 m.
- 12502. *Erebia orientalis orientalis Elwes, 1900*** (Satyridae) *Erebia epiphron* var. *orientalis* Elwes, 1900, Trans. ent. Soc. Lond. 1900: 199. Syntypes: Bulgaria: Rilo Dag.
- 12503. *Erebia ottomana Herrich-Schäffer, [1847]*** (Satyridae) *Erebia dromus* v. *ottomana* Herrich-Schäffer, [1847], Syst. Bearb. Schmett. Eur. 1: pl. 77, figs. 376-379, 380; [1851], ibid. 6: 8. Syntypes: [Türkei]: Bursa.
- 12504. *Erebia ottomana balcanica Rebel, 1903*** (Satyridae) *Erebia ottomana* var. *balcanica* Rebel, 1903, Annln naturh. Mus. Wien 18: 176. Syntypes: Bulgarien: Rila-Gebirge (cf. Varga, 1977).
- 12505. *Erebia ottomana bulgarica Drenovsky, 1930*** (Satyridae) *Erebia ottomana* f. *bulgarica* Drenovsky, 1930, Mitt. Bulg. ent. Ges. 5: 107-109. Syntypes: Bulgarien: Ali Botus Gebirge.
- 12506. *Erebia ottomana macedonica Buresch, 1918*** (Satyridae) *Erebia tyndarus* ssp. *macedonica* Buresch, 1918, Z. wiss. InsektBiol. 14: 226-228, Taf. ii figs. 10-13. Syntypes: Piringebirge: Damjanitz, Banderitz, Schodol, Kameniti-Dupki, 1600-2400 m.
- 12507. *Erebia ottomana ottomana Herrich-Schäffer, [1847]*** (Satyridae) *Erebia dromus* v. *ottomana* Herrich-Schäffer, [1847], Syst. Bearb. Schmett. Eur. 1: pl. 77, figs. 376-379, 380; [1851], ibid. 6: 8. Syntypes: [Türkei]: Bursa.
- 12508. *Erebia palarica Chapman, 1905*** (Satyridae) *Erebia palarica* Chapman, 1905, Trans. ent. Soc. London 1905: 9, pl. 2 figs. 1-4. Syntypes: Espana: [Puerto de] Pajares.
- 12509. *Erebia palarica palarica Chapman, 1905*** (Satyridae) *Erebia palarica* Chapman, 1905, Trans. ent. Soc. London 1905: 9, pl. 2 figs. 1-4. Syntypes: Espana: [Puerto de] Pajares.
- 12510. *Erebia pandrose (Borkhausen, 1788)*** (Satyridae) *Papilio pandrose* Borkhausen, 1788, Naturg. eur. Schmett. 1: 95. Type(s): [Austria]: Steyermark.

- 12511. *Erebia pandrose ambicolorata* Varga, 1972** (Satyridae) *Erebia pandrose* ssp. *ambicolorata* Varga, 1972, Acta Univ. debrecen (ser. 2) Biologica 9 (1971): 230-232, Abb. 2. Holotype ♂: Bulgarien: Rila Gebirge, Malak Metschi Vrach 2300-2470m.
- 12512. *Erebia pandrose cibiniaca* Warren, 1936** (Satyridae) *Erebia pandrose* ssp. *cibiniaca* Warren, 1936, Monogr. Erebia: 384, pl. 102, figs. 1606, 1612. Syntypes: Rumänien: Südkarpathen: Cibinsgebirge.
- 12513. *Erebia pandrose infraclara* Verity, 1953** (Satyridae) *Erebia pandrose* race *infraclara* Verity, 1953, Le farfalle diurne d'Italia: 132. Syntypes 12♂ 1♀: [North Italy: Alpi Carniche]: Sappada: Val Milbach, Passo Dicola, Passo Sesis, Passo Sierra, 1600-2000m.
- 12514. *Erebia pandrose marmolata* Warren, 1936** (Satyridae) *Erebia pandrose* ssp. *marmolata* Warren, 1936, Monogr. Erebia: 382-383. Syntypes: Dolomit Alpes: Pala Group, Lusia pass, Marmolata and Latemar near Moena.
- 12515. *Erebia pandrose pandrose* (Borkhausen, 1788)** (Satyridae) *Papilio pandrose* Borkhausen, 1788, Naturg. eur. Schmett. 1: 95. Type(s): [Austria]: Steyermark.
- 12516. *Erebia pandrose roberti* Peschke, 1920** (Satyridae) *Erebia pandrose* var. *roberti* Peschke, 1920, Int. ent. Z. 14: 118. Syntypes: Tatra: Lomitzer Spitze.
- 12517. *Erebia pawlowskyi* Ménétriés, 1858** (Satyridae) *Erebia pawlowskyi* Ménétriés, 1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 498. Syntypes: Russia: Jakutsk.
- 12518. *Erebia pawlowskyi pawlowskyi* Ménétriés, 1858** (Satyridae) *Erebia pawlowskyi* Ménétriés, 1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 498. Syntypes: Russia: Jakutsk.
- 12519. *Erebia pharte* (Hübner, [1804])** (Satyridae) *Papilio pharte* Hübner, [1804], Samml. eur. Schmett. 1: pl. 97, figs. 491-494. Syntypes: Europa.
- 12520. *Erebia pharte eupompa* Fruhstorfer, 1918** (Satyridae) *Erebia pharte* ssp. *eupompa* Fruhstorfer, 1918, Dt. ent. Z., Iris 31: 97. Syntypes: Deutschland: Oberbayern: Tegernsee, Schliersee.
- 12521. *Erebia pharte pharte* (Hübner, [1804])** (Satyridae) *Papilio pharte* Hübner, [1804], Samml. eur. Schmett. 1: pl. 97, figs. 491-494. Syntypes: Europa.
- 12522. *Erebia pluto* (De Prunner, 1798)** (Satyridae) *Papilio pluto* De Prunner, 1798, Lepidoptera Pedemontana: 20. Syntypes: [Italy]: Piedmont.
- 12523. *Erebia pluto alecto* (Hübner, [1804])** (Satyridae) *Papilio alecto* Hübner, [1804], Samml. eur. Schmett. 1: pl. 101, figs. 515-516. Syntypes: Europa.
- 12524. *Erebia pluto anteborus* Fruhstorfer, 1918** (Satyridae) *Erebia alecto* ssp. *anteborus* Fruhstorfer, 1918, Arch. Naturgesch. (A) 82(7): 151. Syntypes: Schweiz: Sustenpaß.
- 12525. *Erebia pluto nicholli* Oberthür, 1896** (Satyridae) *Erebia melas nicholli* Oberthür, 1896, Entomologist's mon. Mag. 32: 3. Syntypes: Italy: Brenta district.
- 12526. *Erebia pluto oreas* Warren, 1933** (Satyridae) *Erebia pluto oreas* Warren, 1933, Entomologist's Rec. J. Var. 45: 22 (nomen novum pro *Papilio glacialis* Esper, 1804 nec Moll, 1785). Syntypes (of *glacialis*): "Chamounix".
- 12527. *Erebia pluto pluto* (De Prunner, 1798)** (Satyridae) *Papilio pluto* De Prunner, 1798, Lepidoptera Pedemontana: 20. Syntypes: [Italy]: Piedmont.
- 12528. *Erebia polaris* Staudinger, 1861** (Satyridae) *Erebia medusa* var. *polaris* Staudinger, 1861, Cat. Lepid. Eur. 1: 10 (nomen novum pro *embla* HS. 382-3).
- 12529. *Erebia polaris polaris* Staudinger, 1861** (Satyridae) *Erebia medusa* var. *polaris* Staudinger, 1861, Cat. Lepid. Eur. 1: 10 (nomen novum pro *embla* HS. 382-3).
- 12530. *Erebia polaris uralensis* Staudinger, 1861** (Satyridae) *Erebia medusa* var. *uralensis* Staudinger, 1861, Cat. Lepid. Eur. 1: 10 (nomen novum pro *medusa* Ev.).
- 12531. *Erebia progne* Groum-Grshimailo, 1890** (Satyridae) *Erebia progne* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 454. Syntypes: [Kirghizia: Pass Kauk, Alasky Mts.]: "...col. Kaouk".
- 12532. *Erebia progne progne* Groum-Grshimailo, 1890** (Satyridae) *Erebia progne* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 454. Syntypes: [Kirghizia: Pass Kauk, Alasky Mts.]: "...col. Kaouk".
- 12533. *Erebia pronoe* (Esper, [1780])** (Satyridae) *Papilio pronoe* Esper, [1780], Die Schmett... 1(2): Forts. Tagschmett.: 23, Taf. 54 fig. 1. Type(s): "Steyermark".
- 12534. *Erebia pronoe fruhstorferi* Warren, 1933** (Satyridae) *Erebia pronoe* ssp. *fruhstorferi* Warren, 1933, Entomologist's Rec. J. Var. 45: 41 (nomen novum pro *zyxuta* Fruhstorfer, 1920 nec *zyxuta* Fruhstorfer, 1918). Syntypes: Bulgaria: Rhodope, Rila Planina; Bosnien, Herzegowina, Montenegro".
- 12535. *Erebia pronoe gardeina* Schawerda, 1924** (Satyridae) *Erebia pronoe* var. *gardeina* Schawerda, 1924, Mitt. münch. ent. Ges. 14: 84. Syntypes: Dolomit Alpen.
- 12536. *Erebia pronoe glottis* Fruhstorfer, 1920** (Satyridae) *Erebia pronoe* ssp. *glottis* Fruhstorfer, 1920, Arch. Naturgesch. (A) 84(7): 93. Syntypes: Frankreich: Pyreneen: Cautaret.
- 12537. *Erebia pronoe pronoe* (Esper, [1780])** (Satyridae) *Papilio pronoe* Esper, [1780], Die Schmett... 1(2): Forts. Tagschmett.: 23, Taf. 54 fig. 1. Type(s): "Steyermark".
- 12538. *Erebia pronoe psathura* Fruhstorfer, 1920** (Satyridae) *Erebia pronoe* ssp. *psathura* Fruhstorfer, 1920, Arch. Naturgesch. (A) 84(7): 96. Syntypes: "Pizzo Leone".
- 12539. *Erebia pronoe tarcenta* Fruhstorfer, 1920** (Satyridae) *Erebia pronoe* ssp. *tarcenta* Fruhstorfer, 1920, Arch. Naturgesch. (A) 84(7): 97. Syntypes: "Ampezzotal, Umgebung von Lana bei Meran".
- 12540. *Erebia pronoe varia* Warren, 1932** (Satyridae) *Erebia pronoe* varia Warren, 1932, Entomologist's Rec. J. Var. 44: 165. Syntypes: Germany: Bavaria: Krunn, on the south side of Isar Tal.
- 12541. *Erebia pronoe vergy* (Ochsenheimer, 1807)** (Satyridae) *Papilio vergy* Ochsenheimer, 1807, Schmett. Eur. 1(1): 292. Syntypes: Südl. Schweiz.
- 12542. *Erebia pronoe zulines* Fruhstorfer, 1920** (Satyridae) *Erebia pronoe* ssp. *zulines* Fruhstorfer, 1920, Arch. Naturgesch. (A) 84(7): 99. Syntypes: "Pontus, Brussa, Transkaukasien".
- 12543. *Erebia radians* Staudinger, 1886** (Satyridae) *Erebia radians* Staudinger, 1886, Stettin ent. Ztg. 47: 240-241. Syntypes: Usgent, Osch.
- 12544. *Erebia radians radians* Staudinger, 1886** (Satyridae) *Erebia radians* Staudinger, 1886, Stettin ent. Ztg. 47: 240-241. Syntypes: Usgent, Osch.
- 12545. *Erebia radians sokolovi* Lukhtanov, 1990** (Satyridae) *Erebia radians* ssp. *sokolovi* Lukhtanov, 1990, Vestn. Zool. 1990: 13-14, fig. 1. Holotype ♂: Kasachstan: Dzhambul distr.: Kirghizsky mountain range, ca Merke, 3100m.
- 12546. *Erebia rhodopensis* Nicholl, 1900** (Satyridae) *Erebia gorgone* var. *rhodopensis* Nicholl, 1900, Entomologist's Rec. J. Var. 12 (3): 67. Syntypes 6♂: Bulgaria: Marica valley, Airandere, 6000ft.
- 12547. *Erebia rhodopensis rhodopensis* Nicholl, 1900** (Satyridae) *Erebia gorgone* var. *rhodopensis* Nicholl, 1900, Entomologist's Rec. J. Var. 12 (3): 67. Syntypes 6♂: Bulgaria: Marica valley, Airandere, 6000ft.
- 12548. *Erebia rondoui* Oberthür, 1908** (Satyridae) *Erebia tyndarus* var. *rondoui* Oberthür, 1908, Bull. Soc. ent. Fr. 1908: 268. Syntypes: France: Barèges, Cauterets, Gèdre.
- 12549. *Erebia rondoui goya* Fruhstorfer, 1909** (Satyridae) *Erebia tyndarus* ssp. *goya* Fruhstorfer, 1909, Societas ent. 24: 124. Nomen novum pro *Erebia tyndarus pyrenaica* Heyne, [1895] nec *Erebia cassiope pyrenaica* Herrich-Schäffer, 1851.
- 12550. *Erebia rondoui rondoui* Oberthür, 1908** (Satyridae) *Erebia tyndarus* var. *rondoui* Oberthür, 1908, Bull. Soc. ent. Fr. 1908: 268. Syntypes: France: Barèges, Cauterets, Gèdre.
- 12551. *Erebia rossii* (Curtis, 1834)** (Satyridae) *Hipparchia rossii* Curtis, 1834, [in] Ross, Narrative Second Voyage: 67, pl. A. Type(s): [Canada]: Boothia Peninsula, Northwest Territories.
- 12552. *Erebia rossii ero* Bremer, 1861** (Satyridae) *Erebia ero* Bremer, 1861, Bull. Acad. Imp. Sci. St.-Petersb. (Ser. 3) 3: 468. Syntypes: Russia: Südsibirien: "Apfelgebirge".
- 12553. *Erebia rossii rossii* (Curtis, 1834)** (Satyridae) *Hipparchia rossii* Curtis, 1834, [in] Ross, Narrative Second Voyage: 67, pl. A. Type(s): [Canada]: Boothia Peninsula, Northwest Territories.
- 12554. *Erebia rossii subarctica* Korshunov, 1996** (Satyridae) *Erebia rossii* ssp. *subarctica* Korshunov, 1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 33-34. Holotype: Russia: South of Peninsula Yamal. Rivers Tanlovaya and Chchhouthcha [Scucja].
- 12555. *Erebia scipio Boisduval, 1832*** (Satyridae) *Erebia scipio* Boisduval, 1832, Icon. hist. lépid. Eur. 1: 152, pl. 30 figs. 1-6. "Syntypes: France: "Basses Alpes".
- 12556. *Erebia scipio scipio* Boisduval, 1832** (Satyridae) *Erebia scipio* Boisduval, 1832, Icon. hist. lépid. Eur. 1: 152, pl. 30 figs. 1-6. "Syntypes: France: "Basses Alpes".
- 12557. *Erebia sibo* Alpheraky, 1881** (Satyridae) *Erebia sibo* Alpheraky, 1881, Horae Soc. ent. ross. 16: 416-417, Taf. 15, figs. 20, 21. Syntypes ♂♂: [China]: Tian-Chian [Tengri Tagh], 9000-11000 feet.

- 12558. *Erebia sibo sibo* Alpheraky, 1881** (Satyridae) *Erebia sibo* Alpheraky, 1881, Horae Soc. ent. ross. 16: 416-417, Taf. 15, figs. 20, 21. Syntypes ♂♂: [China]: Tian-Chian [Tengri Tagh], 9000-11000 feet.
- 12559. *Erebia sthenno* Graslin, 1850** (Satyridae) *Erebia sthenno* Graslin, 1850, Annls Soc. ent. Fr. (2) 8: 393, pl.10, figs. 1-3. Syntypes: France: Pyrenees: Bagnères de Bigorre.
- 12560. *Erebia sthenno sthenno* Graslin, 1850** (Satyridae) *Erebia sthenno* Graslin, 1850, Annls Soc. ent. Fr. (2) 8: 393, pl.10, figs. 1-3. Syntypes: France: Pyrenees: Bagnères de Bigorre.
- 12561. *Erebia stirus* (Godart, 1824)** (Satyridae) *Satyrus stirus* Godart, [1824], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 530, nr.142. Type(s): Carinthia: Klagenfurt.
- 12562. *Erebia stirus stirus* (Godart, 1824)** (Satyridae) *Satyrus stirus* Godart, [1824], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 530, nr.142. Type(s): Carinthia: Klagenfurt.
- 12563. *Erebia stubbendorffii* Ménétériés, 1846** (Satyridae) *Erebia stubbendorffii* Ménétériés, 1846, Bull. phys. math. Acad. imp. Sci. St. Petersb. (ser.2) 5: 264. Lectotype ♀: Russia: Kansk in Südsibirien (designated by V. Lukhtanov, 1994, Herbiopoliana 3: 110).
- 12564. *Erebia stubbendorffii stubbendorffii* Ménétériés, 1846** (Satyridae) *Erebia stubbendorffii* Ménétériés, 1846, Bull. phys. math. Acad. imp. Sci. St. Petersb. (ser.2) 5: 264. Lectotype ♀: Russia: Kansk in Südsibirien (designated by V. Lukhtanov, 1994, Herbiopoliana 3: 110).
- 12565. *Erebia styx* (Freyer, 1834)** (Satyridae) *Hipparchia styx* Freyer, 1834, Neuere Beitr. 2: Taf.121, fig.4.
- 12566. *Erebia styx styx* (Freyer, 1834)** (Satyridae) *Hipparchia styx* Freyer, 1834, Neuere Beitr. 2: Taf.121, fig.4.
- 12567. *Erebia styx triglites* Fruhstorfer, 1918** (Satyridae) *Erebia neriene* ssp. *triglites* Fruhstorfer, 1918, Arch. Naturgesch. (A) 82(7): 148. Syntypes: Monte Generoso.
- 12568. *Erebia sudetica* Staudinger, 1861** (Satyridae) *Erebia melampus* var. *sudetica* Staudinger, 1861, Cat. Lepid. Eur. 1: 10.
- 12569. *Erebia sudetica sudetica* Staudinger, 1861** (Satyridae) *Erebia melampus* var. *sudetica* Staudinger, 1861, Cat. Lepid. Eur. 1: 10.
- 12570. *Erebia theano* (Tauscher, 1806)** (Satyridae) *Papilio theano* Tauscher, 1806, Mém. Soc. Nat. Moscou 1: 207. Syntypes: [Russia]: in montibus Altaicis Sibiriae [Altai].
- 12571. *Erebia theano approximata* Warren, 1936** (Satyridae) *Erebia theano* *approximata* Warren, 1936, Monograph of the genus *Erebia*: 237. Type: [Russia]: Western Altai.
- 12572. *Erebia theano shoria* Korshunov & Ivonin, 1995** (Satyridae) *Erebia theano* ssp. *shoria* Korshunov & Ivonin, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 130. Holotype: Russia: Tomsk: Touzouksou river.
- 12573. *Erebia theano theano* (Tauscher, 1806)** (Satyridae) *Papilio theano* Tauscher, 1806, Mém. Soc. Nat. Moscou 1: 207. Syntypes: [Russia]: in montibus Altaicis Sibiriae [Altai].
- 12574. *Erebia theano tshungunovi* Korshunov & Ivonin, 1995** (Satyridae) *Erebia theano* ssp. *tshungunovi* Korshunov & Ivonin, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 130. Holotype: Russia: Novosibirsk: Kitemya.
- 12575. *Erebia tianschanica* Alpheraky, [1894]** (Satyridae) *Erebia sibo* var. *tianschanica* Alpheraky, [1894], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 501. Type(s): [Kazakhstan: Dzhungarsky Alatau (Tyshkantau Mts.)]: [Tengri Tagh].
- 12576. *Erebia tianschanica tianschanica* Alpheraky, [1894]** (Satyridae) *Erebia sibo* var. *tianschanica* Alpheraky, [1894], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 501. Type(s): [Kazakhstan: Dzhungarsky Alatau (Tyshkantau Mts.)]: [Tengri Tagh].
- 12577. *Erebia triaria* (De Prunner, 1798)** (Satyridae) *Papilio triarius* De Prunner, 1798, Lepidoptera Pedemontana: 70. Type ♂: [Italy]: Piedmont.
- 12578. *Erebia triaria eurykleia* Fruhstorfer, 1910** (Satyridae) *Erebia evias* *eurykleia* Fruhstorfer, 1910, Int. ent. Z. 3: 211. Syntypes: "Wallis, Umgebung von Martigny".
- 12579. *Erebia triaria evias* (Godart, 1823)** (Satyridae) *Satyrus evias* Godart, 1823, Hist. nat. Lep. France Diurn. 2 (Tab. meth. Lep. France Diurn.): 22. Syntypes: France: Hautes Pyrénées.
- 12580. *Erebia triaria granjana* Oberthür, 1909** (Satyridae) *Erebia evias* *granjana* Oberthür, 1909, Etüd. lépid. comp. 3: 308. Syntypes ♂♂ 2♀: "Granja".
- 12581. *Erebia triaria letincia* Fruhstorfer, 1910** (Satyridae) *Erebia evias* *letincia* Fruhstorfer, 1910, Int. ent. Z. 3: 211. Syntypes: "Engadin".
- 12582. *Erebia triaria rebeli* Warren, 1932** (Satyridae) *Erebia evias* *rebeli* Warren, 1932, Entomologist's Rec. J. Var. 44: 167. Syntypes 3♂ 1♀: [Bosnia-Herzegovina]: Rikavac, 1300m.
- 12583. *Erebia triaria triaria* (De Prunner, 1798)** (Satyridae) *Papilio triarius* De Prunner, 1798, Lepidoptera Pedemontana: 70. Type ♂: [Italy]: Piedmont.
- 12584. *Erebia triaria venaissima* Fruhstorfer, 1917** (Satyridae) *Erebia evias* *venaissima* Fruhstorfer, 1917, Ent. Z., Stutt. 30: 100. Syntypes: France: Mont Ventoux.
- 12585. *Erebia turanica* Erschoff, 1877** (Satyridae) *Erebia turanica* Erschoff, 1877, Horae Soc. ent. ross. 12: 336. Syntypes: [Kasachstan]: Dschungarischer Alatau.
- 12586. *Erebia turanica grumi* Lukhtanov, 1994** (Satyridae) *Erebia turanica* ssp. *grumi* Lukhtanov, 1994, Herbiopoliana 3: 104 (nomen novum pro *tristis* Groum-Grshimailo, 1893 nec Herrich-Schäffer, 1848). Syntypes: [China: Uighur A.R.]: Boro Choro Mts.
- 12587. *Erebia turanica jucunda* Püngeler, 1903** (Satyridae) *Erebia turanica* var. *jucunda* Püngeler, 1903, Dt. ent. Z., Iris 16: 286, Taf.15 fig.1. Syntypes: [China: Uighur A.R.]: Saichin-Kette, nördl. v. Korla.
- 12588. *Erebia turanica laeta* Staudinger, 1881** (Satyridae) *Erebia turanica* var. *laeta* Staudinger, 1881, Stettin ent. Ztg. 42: 294-295. Syntypes: Tianschan [Tengri Tagh], [Kuldja-Gebiet].
- 12589. *Erebia turanica susamyr* Lukhtanov, 1999** (Satyridae) *Erebia turanica* ssp. *susamyr* Lukhtanov, 1999, Atalanta 30 (1/4): 139. Holotype ♂: Kirgisien: Suusamyr-Gebirge, Kysyloi Gegend, Kobyk 2100m (EMEM).
- 12590. *Erebia turanica turanica* Erschoff, 1877** (Satyridae) *Erebia turanica* Erschoff, 1877, Horae Soc. ent. ross. 12: 336. Syntypes: [Kasachstan]: Dschungarischer Alatau.
- 12591. *Erebia tyndarus* (Esper, 1781)** (Satyridae) *Papilio tyndarus* Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: Taf.67, fig.1. Syntypes: Schweiz: Scheidegg.
- 12592. *Erebia tyndarus tyndarus* (Esper, 1781)** (Satyridae) *Papilio tyndarus* Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: Taf.67, fig.1. Syntypes: Schweiz: Scheidegg.
- 12593. *Erebia wanga* Bremer, 1864** (Satyridae) *Erebia wanga* Bremer, 1864, Lepid. Ost. Sibir.: 20, nr.82, pl.2 fig.1.
- 12594. *Erebia wanga wanga* Bremer, 1864** (Satyridae) *Erebia wanga* Bremer, 1864, Lepid. Ost. Sibir.: 20, nr.82, pl.2 fig.1.
- 12595. *Erebia zapateri* Oberthür, 1875** (Satyridae) *Erebia zapateri* Oberthür, 1875, An. Soc. espan. Hist. nat. 4: 370, pl.17, figs.1.2. Syntypes: Spain: "Noguera, dans le montaignes de la Sierra de Albarracin".
- 12596. *Erebia zapateri zapateri* Oberthür, 1875** (Satyridae) *Erebia zapateri* Oberthür, 1875, An. Soc. espan. Hist. nat. 4: 370, pl.17, figs.1.2. Syntypes: Spain: "Noguera, dans le montaignes de la Sierra de Albarracin".
- 12597. *Esperarge* (Marginarge) Korb, 2005** (Satyridae) *Marginarge* Korb, 2005, Cat. butts ex-USSR: 34. Type-species: *Hipparchia eversmanni* Eversmann, 1847, by original designation.
- 12598. *Esperarge* (Marginarge) *eversmanni* (Eversmann, 1847)** (Satyridae) *Hipparchia eversmanni* Eversmann, 1847, Bull. Soc. Nat. Moscou 20 (3): pl.2 figs.5,6. Syntypes: [? Kasachstan: Dschungarischer Alatau (cf. Lukhtakov & Lukhtanov, 1994, Herbiopoliana 3: 75)].
- 12599. *Esperarge* (Marginarge) *eversmanni cashmirensis* (Moore, 1874)** (Satyridae) *Pararge cashmirensis* Moore, 1874, Proc. zool. Soc. Lond. 1874: 265, pl.xliii, fig.3.
- 12600. *Esperarge* (Marginarge) *eversmanni eversmanni* (Eversmann, 1847)** (Satyridae) *Hipparchia eversmanni* Eversmann, 1847, Bull. Soc. Nat. Moscou 20(3): pl.2 figs.5,6. Syntypes: [? Kasachstan: Dschungarischer Alatau (cf. Lukhtakov & Lukhtanov, 1994, Herbiopoliana 3: 75)].
- 12601. *Esperarge* (Marginarge) *eversmanni shiva* (Wyatt, 1961)** (Satyridae) *Pararge eversmanni* ssp. *shiva* Wyatt, 1961, J. Lepidopterist's Soc. 15(1): 9, figs. Holotype ♂: Afghanistan: [Badakhshan]: Shiva Mts., 9000ft.
- 12602. *Esperarge* (Marginarge) *eversmanni unicolor* (Groum-Grshimailo, 1893)** (Satyridae) *Pararge eversmanni* var. *unicolor* Groum-Grshimailo, 1893, Horae Soc. ent. ross. 27: 384. Syntypes: [Uzbekistan]: Bucharia or.: (Karategin, Baldshuan).
- 12603. *Esperarge* (s.str.) *clymene* (Fabricius, 1787)** (Satyridae) *Papilio clymene* Fabricius, 1787, Mant. Ins. 2: 44, nr.434. Type(s): Russiae australioris sylvaticis.
- 12604. *Esperarge* (s.str.) *clymene clymene* (Fabricius, 1787)** (Satyridae) *Papilio clymene* Fabricius, 1787, Mant. Ins. 2: 44, nr.434. Type(s): Russiae australioris sylvaticis.
- 12605. *Esperarge* (s.str.) *clymene lecerfi* (Koçak, 1980)** (Satyridae) *Kirinia clymene* ssp. *lecerfi* Koçak, 1981, Priamus 1 (1): 12, nomen novum pro *alticola* Le Cerf, 1913 nec Verity, 1911.

- 12606. Esperarge (s.str.) clymene roxandra (Boisduval,1848)** (Satyridae) *Satyrus roxandra* Boisduval,1848, Annls Soc. ent. Fr. (2) 6: xxix. Syntypes: pied du Caucase.
- 12607. Esperarge (s.str.) clymene valentinae (Miller,1923)** (Satyridae) *Pararge climene morpha valentinae* Miller,1923, Bull. Soc. ent. Moscou 2(2): 95. Lectotype ♂: [Turkey: Kars: Kağızman]: Umgebung Novaja Nikolajevka, Schlucht Mystaf (designated by Nekrutenko,1990:109) (ZMMU).
- 12608. Esperarge Nekrutenko,1988** (Satyridae) *Esperarge* Nekrutenko,1988, Vestn. zool. 1988 (1): 50. Type-species: *Papilio climene* Esper,[1783], by original designation for *Esperia* Nekrutenko,1987 (nomen novum pro *Esperella* Nekrutenko,1987).
- 12609. Eugrumia Bruna et al.,2000** (Satyridae) *Eugrumia* Bruna et al.,2000, Fragm. ent. 32 (2): 297. Type-species: *Erebia herse* Grum-Grshimailo,1891, by original designation.
- 12610. Eugrumia herse (Groum-Grshimailo,1891)** (Satyridae) *Erebia herse* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 457. Syntypes: [China: Amdo]: Sining-Gebirge.
- 12611. Eugrumia herse herse (Groum-Grshimailo,1891)** (Satyridae) *Erebia herse* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 457. Syntypes: [China: Amdo]: Sining-Gebirge.
- 12612. Gnophodes Doubleday,[1849]** (Satyridae) *Gnophodes* Doubleday,[1849], Gen. diurn. Lep. (2): pl.61 fig.2. Type-species: *Gnophodes parmeno* Doubleday,[1849], by monotypy.
- 12613. Hallelesis Condamin,1961** (Satyridae) *Hallelesis* Condamin,1961, Bull. Inst. Afrique Noire (A) 23: 783. Type-species: *Mycalesis asochis* Hewitson,[1866], by original designation.
- 12614. Henotesia Butler,1879** (Satyridae) *Henotesia* Butler,1879, Ann. Mag. nat. Hist. (5) 4: 228. Type-species: *Henotesia wardii* Butler,1879, by monotypy.
- 12615. Heteropsis Westwood,[1850]** (Satyridae) *Heteropsis* Westwood,[1850], [in] Doubleday, Gen. diurn. lep. (2): 323, pl.63 fig.5. Type-species: *Heteropsis drepana* Westwood,[1850], by monotypy.
- 12616. Hipparchia (Euhipparchia) Kudrna,1977** (Satyridae) *Euhipparchia* Kudrna,1977, A revision of the genus *Hipparchia* Fabricius: 13. Type-species: *Satyrus stulta* Staudinger,1882, by original designation (*Euhipparchia* is proposed as a subgenus of the genus *Hipparchia* Fabricius).
- 12617. Hipparchia (Euhipparchia) stulta (Staudinger,1882)** (Satyridae) *Satyrus stulta* Staudinger,1882, Berl. ent. Z. 26(1): 175-176. Syntypes: [Uzbekistan]: Samarkand.
- 12618. Hipparchia (Euhipparchia) stulta stulta (Staudinger,1882)** (Satyridae) *Satyrus stulta* Staudinger,1882, Berl. ent. Z. 26(1): 175-176. Syntypes: [Uzbekistan]: Samarkand.
- 12619. Hipparchia (Neohipparchia) De Lesse,1951** (Satyridae) *Neohipparchia* Lesse,1951, Rev. fr. Lépid. 13(3/4): 40. Type-species: *Papilio statilinus* Hufnagel,1766, Berlin. Mag. 2: 84, by original designation.
- 12620. Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) *Papilio fatua* Freyer,1844, Neuere Beitr. Schmett. 5:54. Lectotype ♂: [Türkei]: Kedos [Gediz] (Kudrna, 1977: 132).
- 12621. Hipparchia (Neohipparchia) fatua dagi Korshunov & Krasilnikova,1990** (Satyridae) *Hipparchia dagi* Korshunov & Krasilnikova,1990, Redkije gel'minty klestshi i nasekomyje, Novosibirsk: 70-73, figs. 1-2.
- 12622. Hipparchia (Neohipparchia) fatua fatua (Freyer,1844)** (Satyridae) *Papilio fatua* Freyer,1844, Neuere Beitr. Schmett. 5:54. Lectotype ♂: [Türkei]: Kedos [Gediz] (Kudrna, 1977: 132).
- 12623. Hipparchia (Neohipparchia) fatua persicana (Verity,1937)** (Satyridae) *Eumenis allionii persicana* Verity,1937, Entomologist's Rec. J. Var. 49: 100. Lectotype ♂: Iran: Elbursgeb.: Keredj,1500m (Kudrna,1977:135).
- 12624. Hipparchia (Neohipparchia) fatua sichaea (Lederer,1857)** (Satyridae) *Satyrus statilinus* var. *sichaea* Lederer,1857, Wien. ent. Monatschr. 1(3): 91. Syntypes: [Lebanon]: Beirut.
- 12625. Hipparchia (Neohipparchia) hansii (Austaut,1879)** (Satyridae) *Satyrus hansii* Austaut,1879, Naturaliste 1: 138. Lectotype ♂: [Algeria]: Bel Abbes, designated by Kudrna,1977, Revision of the genus *Hipparchia* Fabricius: 139 (BMNH).
- 12626. Hipparchia (Neohipparchia) hansii edithae Tarrier,1996** (Satyridae) *Hipparchia hansii* ssp. *edithae* Tarrier,1996, Alexanor 19(4): 208-210, figs. Holotype ♂: Maroc: Tiz-n-Talhremt 1900-2200m (ISR).
- 12627. Hipparchia (Neohipparchia) hansii hansii (Austaut,1879)** (Satyridae) *Satyrus hansii* Austaut,1879, Naturaliste 1: 138. Lectotype ♂: [Algeria]: Bel Abbes, designated by Kudrna,1977, Revision of the genus *Hipparchia* Fabricius: 139 (BMNH).
- 12628. Hipparchia (Neohipparchia) parisatis (Kollar,[1849])** (Satyridae) *Satyrus parisatis* Kollar,[1849], Denkschr. Akad. wiss. Wien 1: 51. Lectotype ♂: [Iran]: Pers[ia]: Shiraz (Kudrna, 1977:143).
- 12629. Hipparchia (Neohipparchia) parisatis parisatis (Kollar,[1849])** (Satyridae) *Satyrus parisatis* Kollar,[1849], Denkschr. Akad. wiss. Wien 1: 51. Lectotype ♂: [Iran]: Pers[ia]: Shiraz (Kudrna, 1977:143).
- 12630. Hipparchia (Neohipparchia) parisatis parsis (Le Cerf,1913)** (Satyridae) *Satyrus parisatis* parsis Le Cerf,1913, Ann. Hist. nat. Paris, Ent. 2: 39, pl.ii fig.12. Type ♂: Nepal: Toba.
- 12631. Hipparchia (Neohipparchia) parisatis shiva (Le Cerf,1913)** (Satyridae) *Satyrus parisatis* shiva Le Cerf,1913, Ann. Hist. nat. Paris, Ent. 2: 39, pl.ii fig.11. Type ♂: India: Simla.
- 12632. Hipparchia (Neohipparchia) statilinus (Hufnagel,1766)** (Satyridae) *Papilio statilinus* Hufnagel,1766, Berl.Mag. 2:84. Type(s): [Germany]: Berlin.
- 12633. Hipparchia (Neohipparchia) statilinus anaxarchus (Fruhstorfer,1909)** (Satyridae) *Eumenis statilinus* ssp. *anaxarchus* Fruhstorfer,1909, Int. ent. Z. 3: 21. Syntypes: Marokko.
- 12634. Hipparchia (Neohipparchia) statilinus martianii (Herrich-Schäffer,[1844])** (Satyridae) *Satyrus statilinus* martianii Herrich-Schäffer,[1844], Syst. Bearb. Schmett. Eur. 1: 77, Taf.42 fig.190,191. Type(s): [Turkey]: Constantinopel (Istanbul).
- 12635. Hipparchia (Neohipparchia) statilinus minutula (Verity,1938)** (Satyridae) *Eumenis statilinus* minutula Verity,1938, Entomologist's Rec. J. Var. 50: (13). Syntypes: [Turkey: Konya Prov.]: Akchehir.
- 12636. Hipparchia (Neohipparchia) statilinus statilinus (Hufnagel,1766)** (Satyridae) *Papilio statilinus* Hufnagel,1766, Berl.Mag. 2:84. Type(s): [Germany]: Berlin.
- 12637. Hipparchia (Neohipparchia) statilinus sylvicola (Austaut,1880)** (Satyridae) *Satyrus sylvicola* Austaut,1880, Naturaliste 2: 84. Syntypes 1♂ 1♀: [Algerie]: Sebdu (BMNH).
- 12638. Hipparchia (Parahipparchia) Kudrna,1977** (Satyridae) *Parahipparchia* Kudrna,1977, A revision of the genus *Hipparchia* Fabricius: 12. Type-species: *Papilio semele* Linnaeus,1758, by original designation (*Parahipparchia* is proposed as a subgenus of the genus *Hipparchia* Fabricius).
- 12639. Hipparchia (Parahipparchia) aristaeus (Bonelli,1826)** (Satyridae) *Papilio aristaeus* Bonelli,1826, Mem. Accad. Sci. Torino 30: 177-179, Taf. 2 fig.1. Type(s): Italia: Sardinia, Genargentu (praeocc. by *Papilio aristaeus* Cramer,[1780]).
- 12640. Hipparchia (Parahipparchia) aristaeus algiricus (Oberthür,1876)** (Satyridae) *Satyrus semele* var. *algirica* Oberthür,1876, Etüd. ent. comp. 1: 27. Syntypes: Algerié: Daya, Lambeze, Callo.
- 12641. Hipparchia (Parahipparchia) aristaeus aristaeus (Bonelli,1826)** (Satyridae) *Papilio aristaeus* Bonelli,1826, Mem. Accad. Sci. Torino 30: 177-179, Taf. 2 fig.1. Type(s): Italia: Sardinia, Genargentu (praeocc. by *Papilio aristaeus* Cramer,[1780]).
- 12642. Hipparchia (Parahipparchia) aristaeus senthes (Fruhstorfer,1908)** (Satyridae) *Eumenis (Satyrus) semele* ssp. *sentes* Fruhstorfer,1908, Int. ent. Z. 2(2): 10. Lectotype ♂: Greece: Taygetos Mt. (designated by Kudrna,1977: 116) (in BMHN).
- 12643. Hipparchia (Parahipparchia) azorina (Strecker,1899)** (Satyridae) *Satyrus azorinus* Strecker,1899, Lepidoptera, Rhopalocera and Heterocera indigenou and exotic, Suppl. 2: 3. Type: Azores.
- 12644. Hipparchia (Parahipparchia) azorina azorina (Strecker,1899)** (Satyridae) *Satyrus azorinus* Strecker,1899, Lepidoptera, Rhopalocera and Heterocera indigenou and exotic, Suppl. 2: 3. Type: Azores.
- 12645. Hipparchia (Parahipparchia) azorina barbara Sousa,1985** (Satyridae) *Hipparchia azorina* ssp. *barbara* Sousa,1985, Bol. Soc. Port. Ent. Suppl.1: 378-379, figs. Holotype: Azor Isl. Terceira.
- 12646. Hipparchia (Parahipparchia) azorina jorgense Oehmig,1983** (Satyridae) *Hipparchia azorina* ssp. *jorgense* Oehmig,1983, J. Res. lepid. 20 (3): 143-146, pl.1 figs. Holotype: Azor Isl. Sao Jorge.
- 12647. Hipparchia (Parahipparchia) azorina ohshimai (Esaki,1936)** (Satyridae) *Oeneis ohshimai* Esaki,1936: 483-485. (cf. Oehmig,1983).
- 12648. Hipparchia (Parahipparchia) christenseni Kudrna,1977** (Satyridae) *Hipparchia christenseni* Kudrna,1977, Revision of the genus *Hipparchia* Fabricius: 80-82, figs. Holotype ♂: Greece: Insel Karpathos, Lastros Geb. (NHMW).
- 12649. Hipparchia (Parahipparchia) christenseni christenseni Kudrna,1977** (Satyridae) *Hipparchia christenseni* Kudrna,1977,

Revision of the genus *Hipparchia* Fabricius: 80-82, figs. Holotype ♂: Greece: Insel Karpathos, Lastros Geb. (NHMW).

12650. *Hipparchia* (*Parahipparchia*) *cretica* (Rebel,1916) (Satyridae) *Satyrus semele* var. *cretica* Rebel, 1916, Annln naturh. Mus. Wien 30: 106. Type ♂: Creta.

12651. *Hipparchia* (*Parahipparchia*) *cretica cretica* (Rebel,1916) (Satyridae) *Satyrus semele* var. *cretica* Rebel, 1916, Annln naturh. Mus. Wien 30: 106. Type ♂: Creta.

12652. *Hipparchia* (*Parahipparchia*) *cypriensis* (Holik,1949) (Satyridae) *Satyrus semele* ssp. *cypriensis* Holik,1949, Z. Wien ent. Ges. 34: 99. Syntypes 10♂ 3♀: Zypern.

12653. *Hipparchia* (*Parahipparchia*) *cypriensis cypriensis* (Holik,1949) (Satyridae) *Satyrus semele* ssp. *cypriensis* Holik,1949, Z. Wien ent. Ges. 34: 99. Syntypes 10♂ 3♀: Zypern.

12654. *Hipparchia* (*Parahipparchia*) *leighebi* (Kudrna,1976) (Satyridae) *Hipparchia semele* ssp. *leighebi* Kudrna,1976, Atalanta 7: 168. Holotype ♂: Italy: Messina Prov.: Isola di Vulcano.

12655. *Hipparchia* (*Parahipparchia*) *leighebi leighebi* (Kudrna,1976) (Satyridae) *Hipparchia semele* ssp. *leighebi* Kudrna,1976, Atalanta 7: 168. Holotype ♂: Italy: Messina Prov.: Isola di Vulcano.

12656. *Hipparchia* (*Parahipparchia*) *maderensis* (Baker,1891) (Satyridae) *Satyrus semele* var. *maderensis* Baker,1891, Trans. ent. Soc. Lond. 1891: 202. Type: Madeira.

12657. *Hipparchia* (*Parahipparchia*) *maderensis maderensis* (Baker,1891) (Satyridae) *Satyrus semele* var. *maderensis* Baker,1891, Trans. ent. Soc. Lond. 1891: 202. Type: Madeira.

12658. *Hipparchia* (*Parahipparchia*) *mersina* (Staudinger,1871) (Satyridae) *Satyrus semele* var. *mersina* Staudinger,1871, Cat. Lepid. eur. Faunengeb. (2): 28. Lectotype ♂: Türkei: Smyrna [Izmir] (Kudrna,1977: 88).

12659. *Hipparchia* (*Parahipparchia*) *mersina mersina* (Staudinger,1871) (Satyridae) *Satyrus semele* var. *mersina* Staudinger,1871, Cat. Lepid. eur. Faunengeb. (2): 28. Lectotype ♂: Türkei: Smyrna [Izmir] (Kudrna,1977: 88).

12660. *Hipparchia* (*Parahipparchia*) *miguelensis* (Le Cerf,1935) (Satyridae) *Satyrus azorinus* ssp. *miguelensis* Le Cerf,1935, Bull. Soc. ent. Fr. 40: 206-209, Pl.v figs. 1-5. Syntypes: Azores.

12661. *Hipparchia* (*Parahipparchia*) *miguelensis miguelensis* (Le Cerf,1935) (Satyridae) *Satyrus azorinus* ssp. *miguelensis* Le Cerf,1935, Bull. Soc. ent. Fr. 40: 206-209, Pl.v figs. 1-5. Syntypes: Azores.

12662. *Hipparchia* (*Parahipparchia*) *neapolitana* (Stauder,1921) (Satyridae) *Satyrus semele* ssp. *neapolitana* Stauder,1921, Dt. ent. Z., Iris 35: 29.

12663. *Hipparchia* (*Parahipparchia*) *neapolitana neapolitana* (Stauder,1921) (Satyridae) *Satyrus semele* ssp. *neapolitana* Stauder,1921, Dt. ent. Z., Iris 35: 29.

12664. *Hipparchia* (*Parahipparchia*) *neomiris* (Godart,1822) (Satyridae) *Satyre* [sic!] *neomiris* Godart,1822, Hist. nat. Lepid. Pap. Fr. 2: 88. Type(s): France: Corse (Corsica).

12665. *Hipparchia* (*Parahipparchia*) *neomiris neomiris* (Godart,1822) (Satyridae) *Satyre* [sic!] *neomiris* Godart,1822, Hist. nat. Lepid. Pap. Fr. 2: 88. Type(s): France: Corse (Corsica).

12666. *Hipparchia* (*Parahipparchia*) *occidentalis* Sousa,1982 (Satyridae) *Hipparchia azorina* ssp. *occidentalis* Sousa,1982, Bol. Soc. Port. Ent., Suppl.A: 208-209, figs. Holotype: Azor Isl.: Flores.

12667. *Hipparchia* (*Parahipparchia*) *occidentalis minima* Sousa,1985 (Satyridae) *Hipparchia azorina* ssp. *minima* Sousa,1985, Bol. Soc. Port. Ent., Suppl.1: 379-380, figs. Holotype: Azor Isl.: Corvo.

12668. *Hipparchia* (*Parahipparchia*) *occidentalis occidentalis* Sousa,1982 (Satyridae) *Hipparchia azorina* ssp. *occidentalis* Sousa,1982, Bol. Soc. Port. Ent., Suppl.A: 208-209, figs. Holotype: Azor Isl.: Flores.

12669. *Hipparchia* (*Parahipparchia*) *pellucida* (Stauder,1924) (Satyridae) *Satyrus semele* ssp. *pellucida* Stauder,1924, Mitt. münch. ent. Ges. 14(1/5): 64-65. Lectotype ♂: [Azerbaijan]: Terter [Mir-Baschir] (designated by Kudrna,1977: 92) (in BMHN).

12670. *Hipparchia* (*Parahipparchia*) *pellucida pellucida* (Stauder,1924) (Satyridae) *Satyrus semele* ssp. *pellucida* Stauder,1924, Mitt. münch. ent. Ges. 14(1/5): 64-65. Lectotype ♂: [Azerbaijan]: Terter [Mir-Baschir] (designated by Kudrna,1977: 92) (in BMHN).

12671. *Hipparchia* (*Parahipparchia*) *semele* (Linnaeus,1758) (Satyridae) *Papilio semele* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 474. Type(s): Sweden. Lectotype ♀: S. Sweden (LSL), designated by Kudrna,1977: 63).

12672. *Hipparchia* (*Parahipparchia*) *semele cadmus* (Fruhstorfer,1908) (Satyridae) *Eumenis semele* ssp. *cadmus* Fruhstorfer,1908, Int. ent. Z. : 9. Syntypes: Österreich: Südt.rol: Klausen; Schweiz: Simplon, Zermatt, Genf.

12673. *Hipparchia* (*Parahipparchia*) *semele semele* (Linnaeus,1758) (Satyridae) *Papilio semele* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 474. Type(s): Sweden. Lectotype ♀: S. Sweden (LSL), designated by Kudrna,1977: 63).

12674. *Hipparchia* (*Parahipparchia*) *semele subcinericea* (Ribbe,1910) (Satyridae) *Satyrus semele* var. *subcinericea* Ribbe,1910, Dt. ent. Z., Iris 23: 159-160. Syntypes: Spanien: Alhambra, Granada.

12675. *Hipparchia* (*Parahipparchia*) *semele wilkinsoni* Kudrna,1977 (Satyridae) *Hipparchia* (*Parahipparchia*) *semele* ssp. *wilkinsoni* Kudrna,1977, A Revision of the genus *Hipparchia* Fabricius: 66. Holotype ♂: Italy: Sicily, catania Mt. Etna 1650m.

12676. *Hipparchia* (*Parahipparchia*) *turcmenica* (Heydemann,1942) (Satyridae) *Satyrus semele turcmenica* Heydemann,1942, Dt. ent. Z., Iris 55: 94. Type ♂: Turkmenistan: Ashabad.

12677. *Hipparchia* (*Parahipparchia*) *turcmenica turcmenica* (Heydemann,1942) (Satyridae) *Satyrus semele turcmenica* Heydemann,1942, Dt. ent. Z., Iris 55: 94. Type ♂: Turkmenistan: Ashabad.

12678. *Hipparchia* (*Parahipparchia*) *volgensis* (Mazochin-Porshnjakov,1952) (Satyridae) *Satyrus semele* race *volgensis* Mazochin-Porshnjakov,1952, Zool. Zh. 31(2): 288. Syntypes: [Russia]: Stalingrad. Lectotype ♂: Stalingrad [Wolgograd] (designated by Kudrna,1977: 74) (in ZMMU).

12679. *Hipparchia* (*Parahipparchia*) *volgensis delattini* Kudrna,1975 (Satyridae) *Hipparchia delattini* Kudrna,1975, Entomologist's Gaz. 26: 198-199, figs. 1, 2, 5. Holotype ♂: Yugoslavia: Kosovo, Grmija, 700m (in SMNK).

12680. *Hipparchia* (*Parahipparchia*) *volgensis volgensis* (Mazochin-Porshnjakov,1952) (Satyridae) *Satyrus semele* race *volgensis* Mazochin-Porshnjakov,1952, Zool. Zh. 31(2): 288. Syntypes: [Russia]: Stalingrad. Lectotype ♂: Stalingrad [Wolgograd] (designated by Kudrna,1977: 74) (in ZMMU).

12681. *Hipparchia* (*Pseudotergumia*) *agenjo*,1947 (Satyridae) *Pseudotergumia* *agenjo*,1947, Graellsia 5(3): [septuages, secund. Fam.1]. Type-species: *Papilio fidia* Linnaeus,1767, Syst. Nat. (Ed.12) 1(2):770. by monotypy.

12682. *Hipparchia* (*Pseudotergumia*) *bacchus* (Higgins,1967) (Satyridae) *Pseudotergumia wyssii* ssp. *bacchus* Higgins,1967, Entomologist 100: 171. Holotype ♂: Canary Islands: Hiero: Frontera, 300m.

12683. *Hipparchia* (*Pseudotergumia*) *bacchus bacchus* (Higgins,1967) (Satyridae) *Pseudotergumia wyssii* ssp. *bacchus* Higgins,1967, Entomologist 100: 171. Holotype ♂: Canary Islands: Hiero: Frontera, 300m.

12684. *Hipparchia* (*Pseudotergumia*) *fidia* (Linnaeus,1767) (Satyridae) *Papilio fidia* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 770, nr. 138.

12685. *Hipparchia* (*Pseudotergumia*) *fidia albovenosa* (Austaut,1885) (Satyridae) *Satyrus fidia albovenosa* Austaut,1885, Naturaliste 7: 142.

12686. *Hipparchia* (*Pseudotergumia*) *fidia fidia* (Linnaeus,1767) (Satyridae) *Papilio fidia* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 770, nr. 138.

12687. *Hipparchia* (*Pseudotergumia*) *gomera* (Higgins,1967) (Satyridae) *Pseudotergumia wyssii* ssp. *gomera* Higgins,1967, Entomologist 100: 170. Holotype ♂: Canary Islands: Gomera.

12688. *Hipparchia* (*Pseudotergumia*) *gomera gomera* (Higgins,1967) (Satyridae) *Pseudotergumia wyssii* ssp. *gomera* Higgins,1967, Entomologist 100: 170. Holotype ♂: Canary Islands: Gomera.

12689. *Hipparchia* (*Pseudotergumia*) *pisidice* (Klug,1832) (Satyridae) *Hipparchia pisidice* Klug,1832, [in] Ehrenberg, Symb. Phys. Ins.3:pl.29,figs.9-10. Syntypes: [Egypt]:Sinai. Neotype: Israel: Wadi Shag.

12690. *Hipparchia* (*Pseudotergumia*) *pisidice pisidice* (Klug,1832) (Satyridae) *Hipparchia pisidice* Klug,1832, [in] Ehrenberg, Symb. Phys. Ins.3:pl.29,figs.9-10. Syntypes: [Egypt]:Sinai. Neotype: Israel: Wadi Shag.

12691. *Hipparchia* (*Pseudotergumia*) *tewfikii* (Wiltshire,1949) (Satyridae) *Eumenis tewfikii* Wiltshire,1949, Bull. Soc. Fouad I Ent. 33:

353-355, figs. 1-5. Holotype ♂: [Yemen]: Arif, Arabia (leg. Philby, 1936) (BMNH).

12692. *Hipparchia* (*Pseudotergumia*) *tewfiki* *tewfiki* (Wiltshire, 1949) (Satyridae) *Eumenis tewfiki* Wiltshire, 1949, Bull. Soc. Fouad I Ent. 33: 353-355, figs. 1-5. Holotype ♂: [Yemen]: Arif, Arabia (leg. Philby, 1936) (BMNH).

12693. *Hipparchia* (*Pseudotergumia*) *wyssii* (Christ, 1889) (Satyridae) *Satyrus fidia wyssii* Christ, 1889, Mitt. schweiz. ent. Ges. 8: 98. Lectotype ♀: Canary Islands: Teneriffa, designated by Kudrna, 1977, Revision of the genus *Hipparchia* Fabricius: 161 (NHMB).

12694. *Hipparchia* (*Pseudotergumia*) *wyssii* *wyssii* (Christ, 1889) (Satyridae) *Satyrus fidia wyssii* Christ, 1889, Mitt. schweiz. ent. Ges. 8: 98. Lectotype ♀: Canary Islands: Teneriffa, designated by Kudrna, 1977, Revision of the genus *Hipparchia* Fabricius: 161 (NHMB).

12695. *Hipparchia* (s.str.) *Fabricius*, 1807 (Satyridae) *Hipparchia* Fabricius, 1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: *Papilio hermione* Linnaeus, 1764, by subsequent designation by Butler, 1868, Entomologist's mon. Mag. 4: 194.

12696. *Hipparchia* (s.str.) *alcyone* ([Denis & Schiffermüller], 1775) (Satyridae) *Papilio alcyone* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 169. Type(s): [Austria]: Vienna district.

12697. *Hipparchia* (s.str.) *alcyone* *alcyone* ([Denis & Schiffermüller], 1775) (Satyridae) *Papilio alcyone* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 169. Type(s): [Austria]: Vienna district.

12698. *Hipparchia* (s.str.) *alcyone caroli* (Rothschild, 1933) (Satyridae) *Satyrus (Nytha) alcyone caroli* Rothschild, 1933, Novit. zool. 38: 318 (nomen novum pro maroccana Obth., 1920 nec Meade-Waldo, 1906). Lectotype ♂ (maroccana): Morocco: M. Atlas Mts., selected by Kudrna, 1977: 33 (BMNH).

12699. *Hipparchia* (s.str.) *autonoe* (Esper, [1783]) (Satyridae) *Papilio autonoe* Esper, [1783], Die Schmett. 2: Pl. 86. Type(s): [Russia]. Neotype ♂: Russia or.: Saratow: Sarepta (=Krasnoarmeysk) designated by Kudrna, 1977: 48.

12700. *Hipparchia* (s.str.) *autonoe autonoe* (Esper, [1783]) (Satyridae) *Papilio autonoe* Esper, [1783], Die Schmett. 2: Pl. 86. Type(s): [Russia]. Neotype ♂: Russia or.: Saratow: Sarepta (=Krasnoarmeysk) designated by Kudrna, 1977: 48.

12701. *Hipparchia* (s.str.) *autonoe celaeno* (Leech, 1892) (Satyridae) *Satyrus autonoe celaeno* Leech, 1892, Butts. China Japan Corea 1: 69. Holotype ♂: [China]: Tibet: Hou-kow [=Hokou].

12702. *Hipparchia* (s.str.) *autonoe maxima* (Bang-Haas, 1933) (Satyridae) *Satyrus autonoe maxima* Bang-Haas, 1933, Ent. Z., Frankf. a. M. 47: 98. Syntypes: [China]: Kansu mer.: Lihien: Kialing River.

12703. *Hipparchia* (s.str.) *autonoe orchomenus* (Fruhstorfer, 1911) (Satyridae) *Eumenis autonoe* ssp. *orchomenus* Fruhstorfer, 1911, Satyridae, [in] Seitz, Gross-Schmett. Erde 9: 308. Syntypes: Tienshan.

12704. *Hipparchia* (s.str.) *autonoe zezutonis* (Seok, 1934) (Satyridae) *Satyrus autonoe zezutonis* Seok, 1934, Bull. Kagoshima imp. Coll. Agric. For. 1: 710. Holotype ♂: Korea: Quelpart Is. [=Cheju-do].

12705. *Hipparchia* (s.str.) *ellena* (Oberthür, 1894) (Satyridae) *Satyrus alcyone ellena* Oberthür, 1894, Etüd. d'Ent. 29: 19. Lectotype ♂: Algerie: env. de Bone, designated by Kudrna, 1977, Revision of the genus *Hipparchia* Fabricius: 36 (BMNH).

12706. *Hipparchia* (s.str.) *ellena ellena* (Oberthür, 1894) (Satyridae) *Satyrus alcyone ellena* Oberthür, 1894, Etüd. d'Ent. 29: 19. Lectotype ♂: Algerie: env. de Bone, designated by Kudrna, 1977, Revision of the genus *Hipparchia* Fabricius: 36 (BMNH).

12707. *Hipparchia* (s.str.) *fagi* (Scopoli, 1763) (Satyridae) *Papilio fagi* Scopoli, 1763, Ent. Carn.: 152. Neotype ♂: Slovenia: Kravice (Kudrna, 1977: 21).

12708. *Hipparchia* (s.str.) *fagi fagi* (Scopoli, 1763) (Satyridae) *Papilio fagi* Scopoli, 1763, Ent. Carn.: 152. Neotype ♂: Slovenia: Kravice (Kudrna, 1977: 21).

12709. *Hipparchia* (s.str.) *fagi tetrica* (Fruhstorfer, 1907) (Satyridae) *Satyrus hermione* ssp. *tetrica* Fruhstorfer, 1907, Int. ent. Z. 1: 208. Syntypes: Russland: Saratow.

12710. *Hipparchia* (s.str.) *genava* (Fruhstorfer, 1908) (Satyridae) *Eumenis fagi* ssp. *genava* Fruhstorfer, 1908, Ent. Wbl. 25: 81. Syntypes: Wallis.

12711. *Hipparchia* (s.str.) *genava genava* (Fruhstorfer, 1908) (Satyridae) *Eumenis fagi* ssp. *genava* Fruhstorfer, 1908, Ent. Wbl. 25: 81. Syntypes: Wallis.

12712. *Hipparchia* (s.str.) *syriaca* (Staudinger, 1871) (Satyridae) *Satyrus hermione* var. *syriaca* Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 27. Lectotype ♂: [Lebanon]: Beirut (Kudrna, 1977: 40).

12713. *Hipparchia* (s.str.) *syriaca cypriaca* (Staudinger, 1878) (Satyridae) *Satyrus hermione* var. *cypriaca* Staudinger, 1878, Hoare Soc. ent. ross. 14: 274. Syntypes: Cyprus.

12714. *Hipparchia* (s.str.) *syriaca ghigii* Turati, 1929 (Satyridae) *Satyrus hermione* f. *ghigii* Turati, 1929, Arch. zool. ital. 13(1/2): 179. Syntypes: [Greece]: Rhodus, Pighes, Profeta Elia. Neotype ♂: Rhodos: Koumouli 350m (designated by Kudrna, 1977: 45).

12715. *Hipparchia* (s.str.) *syriaca syriaca* (Staudinger, 1871) (Satyridae) *Satyrus hermione* var. *syriaca* Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 27. Lectotype ♂: [Lebanon]: Beirut (Kudrna, 1977: 40).

12716. *Hipparchia* Fabricius, 1807 (Satyridae) *Hipparchia* Fabricius, 1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: *Papilio hermione* Linnaeus, 1764, by subsequent designation by Butler, 1868, Entomologist's mon. Mag. 4: 194.

12717. *Houlbertia* Oberthür, 1916 (Satyridae) *Houlbertia* Oberthür, 1916, Etüd. Lep. comp. 11: 199-201. Type-species: *Erebia passandava* Wrad, 1871, by subsequent designation by Hemming, 1964, Annot. lep. (4): 120.

12718. *Hyponephele* (s.str. (*Caspinephele*)) *Koçak & Kemal*, 2001 (Satyridae) *Hyponephele* (s.str. (*Caspinephele*)) *Koçak & Kemal*, 2001, Priamus 10 (3/4): 129. Type-species: *Epinephele dysdora* Lederer, 1869, by original designation (proposed as a section).

12719. *Hyponephele* (s.str. (*Caspinephele*)) *dysdora* (Lederer, 1869) (Satyridae) *Epinephele dysdora* Lederer, 1869, Horae Soc. ent. ross. 6: 85-86. Syntypes 6♂♂: [Iran]: Persien: Astrabad. Lectotype ♂: "Hadschyabad" (designated by Lukhtanov, 1994, Herbiopoliana 3: 127 (ZMHUB)).

12720. *Hyponephele* (s.str. (*Caspinephele*)) *dysdora dysdora* (Lederer, 1869) (Satyridae) *Epinephele dysdora* Lederer, 1869, Horae Soc. ent. ross. 6: 85-86. Syntypes 6♂♂: [Iran]: Persien: Astrabad. Lectotype ♂: "Hadschyabad" (designated by Lukhtanov, 1994, Herbiopoliana 3: 127 (ZMHUB)).

12721. *Hyponephele* (s.str. (*Caspinephele*)) *dysdora dysdorina* (Heyne, [1894]) (Satyridae) *Epinephele dysdora* var. *dysdorina* Heyne, [1894], [in] Rühl, F., Die palaarkt. Grossschmett. Naturg. 1: 589. Type(s): Tura. Neotype ♂: xxxx designated by Koçak & Kemal, 2001, Priamus 10 (3/4): xxx (in coll. Cesa).

12722. *Hyponephele* (s.str. (*Caspinephele*)) *dysdora iparkhan* Koçak & Kemal, 2001 (Satyridae) *Hyponephele* (s.str. (*Caspinephele*)) *dysdora* ssp. *iparkhan* Koçak & Kemal, 2001, Priamus 10 (3/4): 129. Nomen novum pro *dysdorina* sensu Samodurov et al., 1996, Atalanta 27 (1/2): 228-234, figs. Holotype ♂: Peter-I. Gebk., Darai-Nasarak.

12723. *Hyponephele* (s.str. (*Caspinephele*)) *murzini* Dubatolov, 1989 (Satyridae) *Hyponephele murzini* Dubatolov, 1989, Proc. zool. Inst. USSR 200: 139, fig. 7. Holotype ♂: Uzbekistan: Kuraminski-Gebirge: Kamtschik-Pass.

12724. *Hyponephele* (s.str. (*Caspinephele*)) *murzini murzini* Dubatolov, 1989 (Satyridae) *Hyponephele murzini* Dubatolov, 1989, Proc. zool. Inst. USSR 200: 139, fig. 7. Holotype ♂: Uzbekistan: Kuraminski-Gebirge: Kamtschik-Pass.

12725. *Hyponephele* (s.str. (*Caspinephele*)) *prasolovi* Lukhtanov, 1990 (Satyridae) *Hyponephele prasolovi* Lukhtanov, 1990, Vestn. zool. 1990 (6): 17-18, figs. Holotype ♂: Tadjikistan: Ghissar mountain range: Varzhob valley, Siama 2600m.

12726. *Hyponephele* (s.str. (*Caspinephele*)) *prasolovi prasolovi* Lukhtanov, 1990 (Satyridae) *Hyponephele prasolovi* Lukhtanov, 1990, Vestn. zool. 1990 (6): 17-18, figs. Holotype ♂: Tadjikistan: Ghissar mountain range: Varzhob valley, Siama 2600m.

12727. *Hyponephele* (s.str. (*Caspinephele*)) *tristis* (Groum-Grshimailo, 1893) (Satyridae) *Epinephele dysdora* var. *tristis* Groum-Grshimailo, 1893, Horae Soc. ent. ross. 27: 128. Syntypes: Turkestan: montium Hissariensium (Iskander-kul, fluv. Jagnob, etc.).

12728. *Hyponephele* (s.str. (*Caspinephele*)) *tristis tristis* (Groum-Grshimailo, 1893) (Satyridae) *Epinephele dysdora* var. *tristis* Groum-Grshimailo, 1893, Horae Soc. ent. ross. 27: 128. Syntypes: Turkestan: montium Hissariensium (Iskander-kul, fluv. Jagnob, etc.).

12729. *Hyponephele* (s.str. (*Caspinephele*)) *tristis tshikolovetsi* Samodurov, 1996 (Satyridae) *Hyponephele tristis* ssp. *tshikolovetsi* Samodurov, 1996, Nachr. ent. Ver. Apollo N.F. 17(1): 34-35, Abb., Holotype ♂: Usbekistan: Gissaro-Alaj, Turkestanski-Gebirgskette, Kischlak, Shum-Shum, 1600m.

- 12730. Hyponephele (s.str. (Coenonephele)) Koçak & Kemal, 2001** (Satyridae) *Hyponephele* (s.str. (Coenonephele)) Koçak & Kemal, 2001, Priamus 10 (3/4): 129. Type-species: *Epinephele coenonympha* Felder & Felder, [1867], by original designation (proposed as a section).
- 12731. Hyponephele (s.str. (Coenonephele)) coenonympha (C.Felder & R.Felder, [1867])** (Satyridae) *Epinephele coenonympha* C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 492, Tab. lxi figs. 12, 13. Syntypes ♂: Himalaya occidentalis: Ladak: Suroo.
- 12732. Hyponephele (s.str. (Coenonephele)) coenonympha coenonympha (C.Felder & R.Felder, [1867])** (Satyridae) *Epinephele coenonympha* C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 492, Tab. lxi figs. 12, 13. Syntypes ♂: Himalaya occidentalis: Ladak: Suroo.
- 12733. Hyponephele (s.str. (Ereminphele)) Koçak & Kemal, 2001** (Satyridae) *Hyponephele* (s.str. (Ereminphele)) Koçak & Kemal, 2001, Priamus 10 (3/4): 129. Type-species: *Hyponephele huebneri* Koçak, 1980, by original designation (proposed as a section).
- 12734. Hyponephele (s.str. (Ereminphele)) capella (Christoph, 1877)** (Satyridae) *Epinephele capella* Christoph, 1877, Horae Soc. ent. ross. 12: 241-243, pl. 5, 6 figs. Syntypes: [Iran]: Nord Persien.
- 12735. Hyponephele (s.str. (Ereminphele)) capella capella (Christoph, 1877)** (Satyridae) *Epinephele capella* Christoph, 1877, Horae Soc. ent. ross. 12: 241-243, pl. 5, 6 figs. Syntypes: [Iran]: Nord Persien.
- 12736. Hyponephele (s.str. (Ereminphele)) capella dena Skala, 2003** (Satyridae) *Hyponephele cadusia* ssp. *dena* Skala, 2003, Linneana Belg. 19 (1): 41-44, figs. Holotype ♂: Iran: Boyer Ahmad, Kuh-e-Dena 3700-4000m, 16-17.vii.2001, leg. Skala (ZSM).
- 12737. Hyponephele (s.str. (Ereminphele)) capella eitschbergeri Kesküla, 1998** (Satyridae) *Hyponephele capella* ssp. *eitschbergeri* Kesküla, 1998, Neue ent. Nachr. 41: 201-202, pl. figs. 3-5. Holotype ♂: Uzbekistan: Kashkadarya Prov., Chakchar range, Tashkurgon Pass, 3100-3300m (in coll. Kesküla).
- 12738. Hyponephele (s.str. (Ereminphele)) capella grossi Wyatt & Omoto, 1966** (Satyridae) *Hyponephele capella* ssp. *grossi* Wyatt & Omoto, 1966, Entomops 5: 175, figs. Holotype ♂: Afghanistan: Kabul: Paghman Mts., Kotandar Pass, 3700-4000m.
- 12739. Hyponephele (s.str. (Ereminphele)) capella jezail Clench & Shoumatoff, 1956** (Satyridae) *Hyponephele capella* ssp. *jezail* Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 158. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Panjao, 2500m.
- 12740. Hyponephele (s.str. (Ereminphele)) capella shivacola Wyatt, 1961** (Satyridae) *Hyponephele shivacola* Wyatt, 1961, J. Lepidopterist's Soc. 15(1): 16, figs. Holotype ♂: Afghanistan: [Badakhshan]: Shiva Mts., 9000ft.
- 12741. Hyponephele (s.str. (Ereminphele)) fusca (Stshetkin, 1960)** (Satyridae) *Epinephele narica* ssp. *fusca* Stshetkin, 1960, Trudy inst. zool. parazit. Tadjik SSR 19: 99. Holotype: S. Tadjikistan: lower part of Vakhsh River, Mt. Buritau.
- 12742. Hyponephele (s.str. (Ereminphele)) fusca fusca (Stshetkin, 1960)** (Satyridae) *Epinephele narica* ssp. *fusca* Stshetkin, 1960, Trudy inst. zool. parazit. Tadjik SSR 19: 99. Holotype: S. Tadjikistan: lower part of Vakhsh River, Mt. Buritau.
- 12743. Hyponephele (s.str. (Ereminphele)) huebneri Koçak, 1980** (Satyridae) *Hyponephele huebneri* Koçak, 1980, Nota lepid. 2 (4): 140 (nomen novum pro *Papilio narica* Hübner, [1813] nec Fabricius, 1793). Type(s): unknown, probably lower Wolga.
- 12744. Hyponephele (s.str. (Ereminphele)) huebneri huebneri Koçak, 1980** (Satyridae) *Hyponephele huebneri* Koçak, 1980, Nota lepid. 2 (4): 140 (nomen novum pro *Papilio narica* Hübner, [1813] nec Fabricius, 1793). Type(s): unknown, probably lower Wolga.
- 12745. Hyponephele (s.str. (Ereminphele)) huebneri iliensis Lukhtanov, 1999** (Satyridae) *Hyponephele huebneri* ssp. *iliensis* Lukhtanov, 1999, Atalanta 30 (1/4): 142-143. Holotype ♂: Südst.-Kasachstan, Alma Ata Gebiet, Ili Tal, Taschkarasu, 500m. (in coll. Zoologisches Institut, St. Petersburg).
- 12746. Hyponephele (s.str. (Ereminphele)) naricina (Staudinger, 1870)** (Satyridae) *Epinephele naricina* Staudinger, 1870, Berl. ent. Z. 14: 100-101. Syntypes 3♂ 1♀: [Kasachstan]: Mangyschlak. Lectotype ♂: "Mangyschlak" (designated by Lukhtanov, 1994, Herbiopoliana 3: 126 (ZMHUB)).
- 12747. Hyponephele (s.str. (Ereminphele)) naricina naricina (Staudinger, 1870)** (Satyridae) *Epinephele naricina* Staudinger, 1870, Berl. ent. Z. 14: 100-101. Syntypes 3♂ 1♀: [Kasachstan]: Mangyschlak. Lectotype ♂: "Mangyschlak" (designated by Lukhtanov, 1994, Herbiopoliana 3: 126 (ZMHUB)).
- 12748. Hyponephele (s.str. (Ereminphele)) naricoides Gross, 1977** (Satyridae) *Hyponephele naricina* ssp. *naricoides* Gross, 1977, Atalanta 8(2): 123-125. Holotype ♂: Türkei: Nordostanatolien: 10km westl. Erzincan, 1500m. (in coll. Eitschberger).
- 12749. Hyponephele (s.str. (Ereminphele)) naricoides naricoides Gross, 1977** (Satyridae) *Hyponephele naricina* ssp. *naricoides* Gross, 1977, Atalanta 8(2): 123-125. Holotype ♂: Türkei: Nordostanatolien: 10km westl. Erzincan, 1500m. (in coll. Eitschberger).
- 12750. Hyponephele (s.str. (Iranonephele)) Koçak & Kemal, 2001** (Satyridae) *Hyponephele* (s.str. (Iranonephele)) Koçak & Kemal, 2001, Priamus 10 (3/4): 127. Type-species: *Epinephele amardaea* Lederer, 1869, by original designation (proposed as a section).
- 12751. Hyponephele (s.str. (Iranonephele)) amardaea (Lederer, 1869)** (Satyridae) *Epinephele amardaea* Lederer, 1869, Horae Soc. ent. ross. 6: 84, Taf. v figs. 1, 2. Syntypes: Hadschyabad. Lectotype ♂: [Iran]: "Hadschyabad" designated by Lukhtanov, 1994, Herbiopoliana 3: 129 (ZMHUB).
- 12752. Hyponephele (s.str. (Iranonephele)) amardaea amardaea (Lederer, 1869)** (Satyridae) *Epinephele amardaea* Lederer, 1869, Horae Soc. ent. ross. 6: 84, Taf. v figs. 1, 2. Syntypes: Hadschyabad. Lectotype ♂: [Iran]: "Hadschyabad" designated by Lukhtanov, 1994, Herbiopoliana 3: 129 (ZMHUB).
- 12753. Hyponephele (s.str. (Iranonephele)) fortambeka Samodurov, 1996** (Satyridae) *Hyponephele fortambeka* Samodurov, 1996, Nachr. ent. Ver. Apollo N.F. 17(1): 24-25, Abb., Holotype ♂: Tadschikistan: Zentral-Pamir, Fortambek Gletscher, 4000m (ZMUM).
- 12754. Hyponephele (s.str. (Iranonephele)) fortambeka fortambeka Samodurov, 1996** (Satyridae) *Hyponephele fortambeka* Samodurov, 1996, Nachr. ent. Ver. Apollo N.F. 17(1): 24-25, Abb., Holotype ♂: Tadschikistan: Zentral-Pamir, Fortambek Gletscher, 4000m (ZMUM).
- 12755. Hyponephele (s.str. (Iranonephele)) glasunovi (Groum-Grshimailo, 1893)** (Satyridae) *Epinephele amardea* var. *glasunovi* Groum-Grshimailo, 1893, Horae Soc. ent. ross. 27: 129. Syntypes: Gissar-Gebirge. Lectotype ♂: mont. Hissariensibus, Iskander-kul, designated by Lukhtanov, 1994, Herbiopoliana 3: 129 (in ZMHUB).
- 12756. Hyponephele (s.str. (Iranonephele)) glasunovi glasunovi (Groum-Grshimailo, 1893)** (Satyridae) *Epinephele amardea* var. *glasunovi* Groum-Grshimailo, 1893, Horae Soc. ent. ross. 27: 129. Syntypes: Gissar-Gebirge. Lectotype ♂: mont. Hissariensibus, Iskander-kul, designated by Lukhtanov, 1994, Herbiopoliana 3: 129 (in ZMHUB).
- 12757. Hyponephele (s.str. (Iranonephele)) glasunovi magna Samodurov, 1996** (Satyridae) *Hyponephele glasunovi* ssp. *magna* Samodurov, 1996, Nachr. ent. Ver. Apollo N.F. 17(1): 35-40, Abb., Holotype ♂: Kasachstan: Dschambuler Gebiet, Karakystak-Flusses, 30km südl. Merke (ZISP).
- 12758. Hyponephele (s.str. (Iranonephele)) glasunovi namangana Lukhtanov, 1996** (Satyridae) *Hyponephele glasunovi* ssp. *namangana* Lukhtanov, 1996, Atalanta 27 (3/4): 588, Pl. ix figs. 12, 13, 17, 18. Holotype ♂: Kirgisien, Tschatkal-Gebirge, Terek-Sai-Gegend, 1300-1700m. (in coll. Univ. St. Petersburg).
- 12759. Hyponephele (s.str. (Iranonephele)) glasunovi naryna Lukhtanov, 1996** (Satyridae) *Hyponephele glasunovi* ssp. *naryna* Lukhtanov, 1996, Atalanta 27 (3/4): 587, Pl. ix figs. 10, 11, 15, 16. Holotype ♂: Kirgisien, Naryn-Gebiet, Innertienschan, Baibitschetoo-Gebirge, Akal-Tschat, 1800m.
- 12760. Hyponephele (s.str. (Iranonephele)) hiliaris (Staudinger, 1886)** (Satyridae) *Epinephele hiliaris* Staudinger, 1886, Stettin ent. Ztg. 47: 249. Syntypes: [Usbekistan]: Usgent, Samarkand; [Kirgizistan]: Osch.
- 12761. Hyponephele (s.str. (Iranonephele)) hiliaris bori (Herz, 1900)** (Satyridae) *Epinephele hiliaris* ssp. *bori* Herz, 1900, Ann. Mus. zool. St. Petersburg 5:
- 12762. Hyponephele (s.str. (Iranonephele)) hiliaris djalali Wyatt & Omoto, 1966** (Satyridae) *Hyponephele hiliaris* ssp. *djalali* Wyatt & Omoto, 1966, Entomops 5: 185-186, figs. Holotype ♂: Afghanistan: N.E. Badachshan: Shiva Mts., 2700m.
- 12763. Hyponephele (s.str. (Iranonephele)) hiliaris hiliaris (Staudinger, 1886)** (Satyridae) *Epinephele hiliaris* Staudinger, 1886, Stettin ent. Ztg. 47: 249. Syntypes: [Usbekistan]: Usgent, Samarkand; [Kirgizistan]: Osch.
- 12764. Hyponephele (s.str. (Iranonephele)) hiliaris pallida Samodurov, 2000** (Satyridae) *Hyponephele hiliaris* ssp. *pallida*

Samodurov, 2000, Atalanta 31 (1/2): 161-162, figs. Holotype ♂: Kirgizia: Inn. Tian-Shan, W. Kokshaal Mts., Kuldzha-Bashi r., 3200m. (ZMUM).

12765. Hyponephele (s.str. (Iranonephele)) hiliaris shahnawazi Wyatt & Omoto, 1966 (Satyridae) Hyponephele hiliaris ssp. shahnawazi Wyatt & Omoto, 1966, Entomops 5: 184, figs. Holotype ♂: Afghanistan: Hindu Kush: Kurpetau, Panjshir valley, 3100m.

12766. Hyponephele (s.str. (Iranonephele)) hiliaris tsvetajevi Samodurov, 1996 (Satyridae) Hyponephele hiliaris tsvetajevi Samodurov, 1996, Nachr. ent. Ver. Apollo N.F. 17(1): 25-26, Abb., Holotype ♂: Usbekistan: Turkestanski-Gebirgskette, Woruch, Alamajdan.

12767. Hyponephele (s.str. (Iranonephele)) kocaki Eckweiler, 1978 (Satyridae) Hyponephele kocaki Eckweiler, 1978, Atalanta 9(4a): 375-378, f.1-6,8. Holotype ♂: Türki: Hakkari Pr.: Bercelem yaylasi, 2500-2800m. (in coll. Eckweiler).

12768. Hyponephele (s.str. (Iranonephele)) kocaki kocaki Eckweiler, 1978 (Satyridae) Hyponephele kocaki Eckweiler, 1978, Atalanta 9(4a): 375-378, f.1-6,8. Holotype ♂: Türki: Hakkari Pr.: Bercelem yaylasi, 2500-2800m. (in coll. Eckweiler).

12769. Hyponephele (s.str. (Iranonephele)) kocaki melesina Weiss & Skala, 2000 (Satyridae) Hyponephele kocaki ssp. melesina Weiss & Skala, 2000, Atalanta 31 (1/2): 129-133, figs. Holotype ♂: Turkey: Antalya, Bey Dağları 1700-2200m (NMP).

12770. Hyponephele (s.str. (Iranonephele)) naubidensis (Erschoff, 1874) (Satyridae) Epinephele amardaea var. naubidensis Erschoff, 1874, [in] Fedtschenko, Reise in Turkestan 2(5): 21, Taf.5 fig.73. Syntypes: Turkestan: Berge Naubid.

12771. Hyponephele (s.str. (Iranonephele)) naubidensis naubidensis (Erschoff, 1874) (Satyridae) Epinephele amardaea var. naubidensis Erschoff, 1874, [in] Fedtschenko, Reise in Turkestan 2(5): 21, Taf.5 fig.73. Syntypes: Turkestan: Berge Naubid.

12772. Hyponephele (s.str. (Iranonephele)) perplexa Wyatt & Omoto, 1966 (Satyridae) Hyponephele amardaea ssp. perplexa Wyatt & Omoto, 1966, Entomops 5: 182-183, figs. Holotype ♂: Afghanistan: Hinhu Kush: Bala Quran, Anjuman valley, 3300-3400m.

12773. Hyponephele (s.str. (Iranonephele)) perplexa eisneri Sakai, 1978 (Satyridae) Hyponephele amardaea ssp. eisneri Sakai, 1978, Atalanta 9(1): 110-111, figs.19,20. Holotype ♂: Afghanistan: Wardak: Unai Paß, 3300-3800m.

12774. Hyponephele (s.str. (Iranonephele)) perplexa perplexa Wyatt & Omoto, 1966 (Satyridae) Hyponephele amardaea ssp. perplexa Wyatt & Omoto, 1966, Entomops 5: 182-183, figs. Holotype ♂: Afghanistan: Hinhu Kush: Bala Quran, Anjuman valley, 3300-3400m.

12775. Hyponephele (s.str. (Iranonephele)) perplexa transalaica Lukhtanov, 1996 (Satyridae) Hyponephele perplexa ssp. transalaica Lukhtanov, 1996, Atalanta 27(3/4): 586, Pl.ix figs.9,14. Holotype ♂: Kirgisien, Trans-Alai-Kette, Aram-Kungey, 3000-3200m. (in coll. Univ. St. Petersburg).

12776. Hyponephele (s.str. (Orientinephele)) Koçak & Kemal, 2001 (Satyridae) Hyponephele (s.str. (Orientinephele)) Koçak & Kemal, 2001, Priamus 10 (3/4): 129. Type-species: Epinephele pulchella Felder & Felder, [1867], by original designation (proposed as a section).

12777. Hyponephele (s.str. (Orientinephele)) carbonelli Lukhtanov, 1995 (Satyridae) Hyponephele carbonelli Lukhtanov, 1995, Atalanta 26(1/2): 197-200, Farbtafel VIa. Holotype ♂: Pakistan: Baltistan, Tarishing, 2800-3400m. (MNHN).

12778. Hyponephele (s.str. (Orientinephele)) carbonelli carbonelli Lukhtanov, 1995 (Satyridae) Hyponephele carbonelli Lukhtanov, 1995, Atalanta 26(1/2): 197-200, Farbtafel VIa. Holotype ♂: Pakistan: Baltistan, Tarishing, 2800-3400m. (MNHN).

12779. Hyponephele (s.str. (Orientinephele)) difficilis Clench & Shoumatoff, 1956 (Satyridae) Hyponephele difficilis Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 162-163. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, Tarapas, 3000m.

12780. Hyponephele (s.str. (Orientinephele)) difficilis difficilis Clench & Shoumatoff, 1956 (Satyridae) Hyponephele difficilis Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 162-163. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, Tarapas, 3000m.

12781. Hyponephele (s.str. (Orientinephele)) kashmirensis (Heyne, [1894]) (Satyridae) Epinephele kashmirensis Heyne, [1894], [in] Rühl, F., Die palaearkt. Grossschmett. Naturg. 1: 596. Syntypes: Kaschmir.

12782. Hyponephele (s.str. (Orientinephele)) kashmirensis kashmirensis (Heyne, [1894]) (Satyridae) Epinephele kashmirensis Heyne, [1894], [in] Rühl, F., Die palaearkt. Grossschmett. Naturg. 1: 596. Syntypes: Kaschmir.

12783. Hyponephele (s.str. (Orientinephele)) mussitans Clench & Shoumatoff, 1956 (Satyridae) Hyponephele pulchella ssp. mussitans Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 161-162. Holotype ♂: Afghanistan: Puistagoli, 3500m.

12784. Hyponephele (s.str. (Orientinephele)) mussitans bala Wyatt & Omoto, 1966 (Satyridae) Hyponephele mussitans ssp. bala Wyatt & Omoto, 1966, Entomops 5: 177-178, figs. Holotype ♂: Afghanistan: Hindu Kush: Bala Quran, Anjuman valley, 2900m.

12785. Hyponephele (s.str. (Orientinephele)) mussitans mussitans Clench & Shoumatoff, 1956 (Satyridae) Hyponephele pulchella ssp. mussitans Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 161-162. Holotype ♂: Afghanistan: Puistagoli, 3500m.

12786. Hyponephele (s.str. (Orientinephele)) mussitans pseudomussitans Wyatt & Omoto, 1966 (Satyridae) Hyponephele mussitans ssp. pseudomussitans Wyatt & Omoto, 1966, Entomops 5: 178-179, figs. Holotype ♂: Afghanistan: Hindu Kush: Kurpetau, Panjshir valley, 3100m.

12787. Hyponephele (s.str. (Orientinephele)) pulchella (C.Felder & R.Felder, [1867]) (Satyridae) Epinephele pulchella C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 490-491, Tab.lxix fig. 16. Syntypes ♂♂: Himalaya occ.: Spiti: Losar, Dishungdeo, Kibber, Shalkar, Rupshu: Rumbog; Ladak, Karnag: Niri Sumdo; Padam: Ab

12788. Hyponephele (s.str. (Orientinephele)) pulchella pulchella (C.Felder & R.Felder, [1867]) (Satyridae) Epinephele pulchella C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 490-491, Tab.lxix fig. 16. Syntypes ♂♂: Himalaya occ.: Spiti: Losar, Dishungdeo, Kibber, Shalkar, Rupshu: Rumbog; Ladak, Karnag: Niri Sumdo; Padam: Ab

12789. Hyponephele (s.str. (Orientinephele)) pulchra (C.Felder & R.Felder, [1867]) (Satyridae) Epinephele pulchra C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 491. Syntypes ♂: Himalaya occidentalis: Kunawer: Pangi, Bisahir: Chini.

12790. Hyponephele (s.str. (Orientinephele)) pulchra astorica (Tytler, 1926) (Satyridae) Maniola pulchra ssp. astorica Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 258, pl.iii fig.5. Syntypes ♂♂: Astor, 11000ft.

12791. Hyponephele (s.str. (Orientinephele)) pulchra baroghila (Tytler, 1926) (Satyridae) Maniola pulchra ssp. baroghila Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 257. Syntypes ♂♂: N.E. Chitral, Gilgit, above 9000ft.

12792. Hyponephele (s.str. (Orientinephele)) pulchra neoza (Lang, 1868) (Satyridae) Epinephele neoza Lang, 1868, Entomologist's mon. Mag. 5: 35. Syntypes ♂♂: Kunawur, Cashmere.

12793. Hyponephele (s.str. (Orientinephele)) pulchra pulchra (C.Felder & R.Felder, [1867]) (Satyridae) Epinephele pulchra C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 491. Syntypes ♂: Himalaya occidentalis: Kunawer: Pangi, Bisahir: Chini.

12794. Hyponephele (s.str. (Orientinephele)) pulchra sylvia (Hemming, 1933) (Satyridae) Maniola pulchra ssp. sylvia Hemming, 1933, Entomologist 66: 275 (nomen novum pro chitralica Tytler, 1926 nec Evans, 1923).

12795. Hyponephele (s.str. (Tengrinephele)) Koçak & Kemal, 2001 (Satyridae) Hyponephele (s.str. (Tengrinephele)) Koçak & Kemal, 2001, Priamus 10 (3/4): 128. Type-species: Epinephele kirghisa Alpheraky, 1881, by original designation (proposed as a section).

12796. Hyponephele (s.str. (Tengrinephele)) cadusia (Lederer, 1869) (Satyridae) Epinephele cadusia Lederer, 1869, Horae Soc. ent. ross. 6: 84, Taf.iv figs. 10,11. Syntypes 2♂ 2♀: Iran: Hadschyabad, Schahkuh.

12797. Hyponephele (s.str. (Tengrinephele)) cadusia brandti Gross & Ebert, 1975 (Satyridae) Hyponephele cadusia ssp. brandti Gross & Ebert, 1975, J. ent. Soc. Iran, Suppl. 1: 24-25, fig.25. Holotype ♂: Iran: Fars: Strasse Chiraz- Kazerun, Fort Sine Sefid, 2200m (LNK).

12798. Hyponephele (s.str. (Tengrinephele)) cadusia cadusia (Lederer, 1869) (Satyridae) Epinephele cadusia Lederer, 1869, Horae Soc. ent. ross. 6: 84, Taf.iv figs. 10,11. Syntypes 2♂ 2♀: Iran: Hadschyabad, Schahkuh.

12799. Hyponephele (s.str. (Tengrinephele)) cadusia mansura Skala, 2003 (Satyridae) Hyponephele cadusia ssp. mansura Skala, 2003, Linneana Belg. 19 (1): 45-47, figs. Holotype ♂: Iran: Kerman: Kuh-e-Khabr, 3100m 5.vii.2001, leg. Skala (ZSM).

- 12800. Hyponephele (s.str. (Tengrinephele)) cadusia nourii Skala,2003** (Satyridae) Hyponephele cadusia ssp. nourii Skala,2003, Linneana Belg. 19 (1): 48-49, figs. Holotype ♂: Iran: Hamadan, Kuh-e-Alvand, 2800-3000m, 5-6.viii.2001, leg. Skala (ZSM).
- 12801. Hyponephele (s.str. (Tengrinephele)) cadusia zerneca Skala,2003** (Satyridae) Hyponephele cadusia ssp. zerneca Skala,2003, Linneana Belg. 19 (1): 47-48, figs. Holotype ♂: Turkey: Van, Hoşap (Güzelsu), 2000m 27.vii.1999 leg. Skala (ZSM).
- 12802. Hyponephele (s.str. (Tengrinephele)) cadusina (Staudinger,1881)** (Satyridae) Epinephele cadusina Staudinger,1881, Stettin ent. Ztg. 42: 299. Syntypes 5♂ 3♀: Lepsa-Gebiet. Lectotype ♂: Kazakhstan: [Dschungar] Alatau (designated by Lukhtanov,1994, Herbiopoliana 3: 122) (ZMHUB).
- 12803. Hyponephele (s.str. (Tengrinephele)) cadusina cadusina (Staudinger,1881)** (Satyridae) Epinephele cadusina Staudinger,1881, Stettin ent. Ztg. 42: 299. Syntypes 5♂ 3♀: Lepsa-Gebiet. Lectotype ♂: Kazakhstan: [Dschungar] Alatau (designated by Lukhtanov,1994, Herbiopoliana 3: 122) (ZMHUB).
- 12804. Hyponephele (s.str. (Tengrinephele)) cadusina gorkini Korshunov,1995** (Satyridae) Hyponephele cadusina ssp. gorkini Korshunov,1995, [in] Korshunov & Gorbunov, Dnemye babotschki Asiatskoj tschasti Rossi. Holotype ♂: Russian: Zentral Altai: Steppenabhang nahe beim Zusammenfluss von Katun und Tschuja (ZMBISN).
- 12805. Hyponephele (s.str. (Tengrinephele)) kirghisa (Alpheraky,1881)** (Satyridae) Epinephele kirghisa Alpheraky,1881, Horae Soc. ent. ross. 16: 423-424, Taf.15 fig. 24, 25. Syntypes ♂♀: [China: Uighur A.R.]: Tian-Chian [Tengri Tagh].
- 12806. Hyponephele (s.str. (Tengrinephele)) kirghisa kirghisa (Alpheraky,1881)** (Satyridae) Epinephele kirghisa Alpheraky,1881, Horae Soc. ent. ross. 16: 423-424, Taf.15 fig. 24, 25. Syntypes ♂♀: [China: Uighur A.R.]: Tian-Chian [Tengri Tagh].
- 12807. Hyponephele (s.str. (Tengrinephele)) kirghisa obscurata Samodurov,1996** (Satyridae) Hyponephele kirghisa ssp. obscurata Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 33-34, Abb., Holotype ♂: Kirgisien: 35km östl. Talas, Gegenden Ails Aral, 1950m.
- 12808. Hyponephele (s.str. (Tengrinephele)) laeta (Staudinger,1886)** (Satyridae) Epinephele cadusina var.laeta Staudinger,1886, Stettin ent. Ztg. 47: 250. Syntypes: [Kirgizistan]: Osch, Südl. Alai. Lectotype ♂: Osch, designated by Lukhtanov,1994, Herbiopoliana 3: 122 (ZMHUB).
- 12809. Hyponephele (s.str. (Tengrinephele)) laeta laeta (Staudinger,1886)** (Satyridae) Epinephele cadusina var.laeta Staudinger,1886, Stettin ent. Ztg. 47: 250. Syntypes: [Kirgizistan]: Osch, Südl. Alai. Lectotype ♂: Osch, designated by Lukhtanov,1994, Herbiopoliana 3: 122 (ZMHUB).
- 12810. Hyponephele (s.str. (Tengrinephele)) laeta ochracea Samodurov,1996** (Satyridae) Hyponephele laeta ssp. ochracea Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 29-31, Abb., Holotype ♂: Uzbekistan: Kuramisknyi Ridge, Kamshik pass, 2500-2700m
- 12811. Hyponephele (s.str. (Tengrinephele)) laeta turkestana Samodurov,1996** (Satyridae) Hyponephele laeta ssp. turkestana Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 32-33, Abb., Holotype ♂: Tadschikistan: Turkestanski-Gebirgskette, Kumbel Pass, 3000-3200m
- 12812. Hyponephele (s.str. (Tengrinephele)) pamira Lukhtanov,1990** (Satyridae) Hyponephele pamira Lukhtanov,1990, Vestn. zool. 1990 (6): 16-17, figs. Holotype ♂: Tadjikistan: West Pamir: Toghusbulak, 3800m.
- 12813. Hyponephele (s.str. (Tengrinephele)) pamira jakobsoni Lukhtanov,1990** (Satyridae) Hyponephele pamira ssp. jakobsoni Lukhtanov,1990, Vestn. zool. 1990 (6): 17, figs. Holotype ♂: Tadjikistan: East Pamir: Murghab.
- 12814. Hyponephele (s.str. (Tengrinephele)) pamira pamira Lukhtanov,1990** (Satyridae) Hyponephele pamira Lukhtanov,1990, Vestn. zool. 1990 (6): 16-17, figs. Holotype ♂: Tadjikistan: West Pamir: Toghusbulak, 3800m.
- 12815. Hyponephele (s.str. (Tengrinephele)) pseudokirgisa Stshetkin,1984** (Satyridae) Hyponephele pseudokirgisa Stshetkin,1984, Zool. Zh. 63: 1581-1585. Holotype ♂: Uzbekistan: Westl. Serawschan Geb., Aman-Kutan (in coll. Stshetkin).
- 12816. Hyponephele (s.str. (Tengrinephele)) pseudokirgisa pseudokirgisa Stshetkin,1984** (Satyridae) Hyponephele pseudokirgisa Stshetkin,1984, Zool. Zh. 63: 1581-1585. Holotype ♂: Uzbekistan: Westl. Serawschan Geb., Aman-Kutan (in coll. Stshetkin).
- 12817. Hyponephele (s.str. (Tengrinephele)) sheljuzhkoii Samodurov & Tshikolovez,1996** (Satyridae) Hyponephele sheljuzhkoii Samodurov & Tshikolovez,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 29-31, Abb., Holotype ♂: Kirgisien: Naryn.
- 12818. Hyponephele (s.str. (Tengrinephele)) sheljuzhkoii sheljuzhkoii Samodurov & Tshikolovez,1996** (Satyridae) Hyponephele sheljuzhkoii Samodurov & Tshikolovez,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 29-31, Abb., Holotype ♂: Kirgisien: Naryn.
- 12819. Hyponephele (s.str. (Turaninephele)) Koçak & Kemal,2001** (Satyridae) Hyponephele (s.str. (Turaninephele)) Koçak & Kemal,2001, Priamus 10 (3/4): 130. Type-species: Epinephele davendra Moore,1865, by original designation (proposed as a section).
- 12820. Hyponephele (s.str. (Turaninephele)) argyrostigma Tusov & Samodurov,1997** (Satyridae) Hyponephele argyrostigma Tusov & Samodurov,1997, Guide to the butterflies of Russia 1: 222, pl.58 fig.12; pl.79 fig.25. Holotype ♂: [Tadjikistan]: Darwasky Mts., 10km S. of Pass Khaburabod, 2200m. (in coll.Tusov).
- 12821. Hyponephele (s.str. (Turaninephele)) argyrostigma argyrostigma Tusov & Samodurov,1997** (Satyridae) Hyponephele argyrostigma Tusov & Samodurov,1997, Guide to the butterflies of Russia 1: 222, pl.58 fig.12; pl.79 fig.25. Holotype ♂: [Tadjikistan]: Darwasky Mts., 10km S. of Pass Khaburabod, 2200m. (in coll.Tusov).
- 12822. Hyponephele (s.str. (Turaninephele)) brevistigma (Moore,1892)** (Satyridae) Maniola brevistigma Moore,1892, Lepid. India: 47, pl.ciii, fig. 3. Syntypes ♂♀: Ladak: Dras, Kardong.
- 12823. Hyponephele (s.str. (Turaninephele)) brevistigma alaina Lukhtanov,1996** (Satyridae) Hyponephele brevistigma ssp. alaina Lukhtanov,1996, Atalanta 27 (3/4): 584-585, Pl.ix figs.3,4,7,8. Holotype ♂: Kirgisien, Alai-Kette (südliche Hänge), Daraut-Kurgan, 2750m (in coll. Univ. St. Petersburg).
- 12824. Hyponephele (s.str. (Turaninephele)) brevistigma brevistigma (Moore,1892)** (Satyridae) Maniola brevistigma Moore,1892, Lepid. India: 47, pl.ciii, fig. 3. Syntypes ♂♀: Ladak: Dras, Kardong.
- 12825. Hyponephele (s.str. (Turaninephele)) brevistigma evanescens Wyatt & Omoto,1966** (Satyridae) Hyponephele davendra ssp. evanescens Wyatt & Omoto,1966, Entomops 5: 181, figs. Holotype ♂: Afghanistan: Hindu Kush: Bala Quran, Anjuman valley, 2900m.
- 12826. Hyponephele (s.str. (Turaninephele)) comara (Lederer,1871)** (Satyridae) Epinephele comara Lederer,1871, Horae Soc. ent. ross. 8: 12, Taf.I figs. 9,10. Syntypes: [Iran]: Schahku.
- 12827. Hyponephele (s.str. (Turaninephele)) comara comara (Lederer,1871)** (Satyridae) Epinephele comara Lederer,1871, Horae Soc. ent. ross. 8: 12, Taf.I figs. 9,10. Syntypes: [Iran]: Schahku.
- 12828. Hyponephele (s.str. (Turaninephele)) davendra (Moore,1865)** (Satyridae) Epinephele [sic!] davendra Moore,1865, Proc. zool. Soc. Lond. 35: 502 pl.30 f.7. Syntypes: Tibet: Nari Khorsum; China: Gughe; [India]: Kunawur.
- 12829. Hyponephele (s.str. (Turaninephele)) davendra chitralica (Evans,1923)** (Satyridae) Epinephele davendra chitralica Evans,1923, J. Bombay nat. Hist. Soc. 29: 781. Type ♂: [Pakistan]: Chitral, 5000-8000ft.
- 12830. Hyponephele (s.str. (Turaninephele)) davendra davendra (Moore,1865)** (Satyridae) Epinephele [sic!] davendra Moore,1865, Proc. zool. Soc. Lond. 35: 502 pl.30 f.7. Syntypes: Tibet: Nari Khorsum; China: Gughe; [India]: Kunawur.
- 12831. Hyponephele (s.str. (Turaninephele)) davendra fergana Lukhtanov,1996** (Satyridae) Hyponephele davendra ssp. fergana Lukhtanov,1996, Atalanta 27 (3/4): 583-584, Pl.ix figs.2,6. Holotype ♂: Kirgisien, Susamamyrtau-Kette, Sarykamysch-gebirge, 20km WSW Tschaek, 1700m (in coll. Univ. St. Petersburg).
- 12832. Hyponephele (s.str. (Turaninephele)) davendra latistigma (Moore,1892)** (Satyridae) Maniola latistigma Moore,1892, Lepid. India: 46, pl.ciii fig.2,2a. Type: [Pakistan]: Baluchistan.
- 12833. Hyponephele (s.str. (Turaninephele)) davendra seravschana Lukhtanov,1996** (Satyridae) Hyponephele davendra ssp. seravschana Lukhtanov,1996, Atalanta 27 (3/4): 582-583, Pl.ix figs.1,5. Holotype ♂: Tadschikistan, östlicher Teil des Seravschan Gebirges, 60km E Aini, Dascht 2100m (in coll. Univ. St. Petersburg).
- 12834. Hyponephele (s.str. (Turaninephele)) issykkuli Samodurov,1996** (Satyridae) Hyponephele issykkuli Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 23-24, Abb., Holotype ♂: Kirgisien: Terskej-Alatau, südl. Ufer des Issykkul-Sees (ZMUM).
- 12835. Hyponephele (s.str. (Turaninephele)) issykkuli issykkuli Samodurov,1996** (Satyridae) Hyponephele issykkuli Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 23-24, Abb.,

Holotype ♂: Kirgisien: Terskej-Alatau, südl. Ufer des Issykkul-Sees (ZMUM).

12836. Hyponephele (s.str. (Turaninephele)) korshunovi Lukhtanov,1995 (Satyridae) Hyponephele korshunovi Lukhtanov,1995, Atalanta 25 (3/4): 531-534, pl.xviiib. Holotype ♂: Tadschikistan: Westtienschan, Kuraminski-Gebirge, Altyn-Topkan Gegend, 1600m. (ZISP).

12837. Hyponephele (s.str. (Turaninephele)) korshunovi korshunovi Lukhtanov,1995 (Satyridae) Hyponephele korshunovi Lukhtanov,1995, Atalanta 25 (3/4): 531-534, pl.xviiib. Holotype ♂: Tadschikistan: Westtienschan, Kuraminski-Gebirge, Altyn-Topkan Gegend, 1600m. (ZISP).

12838. Hyponephele (s.str. (Turaninephele)) shirazica Carbonell,1997 (Satyridae) Hyponephele shirazica Carbonell,1997, Linneana belgica 16(3): 103-104, figs. Holotype ♂: Iran: Prov. Fars: Shiraz, 2550-2600m. (MNHNP).

12839. Hyponephele (s.str. (Turaninephele)) shirazica shirazica Carbonell,1997 (Satyridae) Hyponephele shirazica Carbonell,1997, Linneana belgica 16 (3): 103-104, figs. Holotype ♂: Iran: Prov. Fars: Shiraz, 2550-2600m. (MNHNP).

12840. Hyponephele (s.str. (Turaninephele)) tenuistigma (Moore,1892) (Satyridae) Maniola tenuistigma Moore,1892, Lepid. India: 48, pl.ciii, fig. 4,4a. Syntypes ♂♀: [Pakistan]: Baluchistan: Khojak Pass.

12841. Hyponephele (s.str. (Turaninephele)) tenuistigma laspura (Evans,1932) (Satyridae) Maniola tenuistigma laspura Evans,1932, Identification of Indian Butterflies (2): 112. Type: [Pakistan]: Chitral, above 9000ft.

12842. Hyponephele (s.str. (Turaninephele)) tenuistigma tenuistigma (Moore,1892) (Satyridae) Maniola tenuistigma Moore,1892, Lepid. India: 48, pl.ciii, fig. 4,4a. Syntypes ♂♀: [Pakistan]: Baluchistan: Khojak Pass.

12843. Hyponephele (s.str. (Turaninephele)) urartua De Freina & Aussem,[1987] (Satyridae) Hyponephele urartua De Freina & Aussem,[1987], Nota lepid. 9: 200, Abb. Holotype ♂: Türkei: Hakkari: Tanin Tanin Geçidi 2000-2300m (in coll. Witt).

12844. Hyponephele (s.str. (Turaninephele)) urartua urartua De Freina & Aussem,[1987] (Satyridae) Hyponephele urartua De Freina & Aussem,[1987], Nota lepid. 9: 200, Abb. Holotype ♂: Türkei: Hakkari: Tanin Tanin Geçidi 2000-2300m (in coll. Witt).

12845. Hyponephele (s.str. (Turaninephele)) wagneri (Herrich-Schäffer,[1846]) (Satyridae) Epinephele wagneri Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur. 1: Taf. 65, figs.311-313; ibid. 6, Nachtrag zu Bd.1: 16, [1851]. Type(s): [Türkei]: Südseite Ararat (=Ağrı Dağı).

12846. Hyponephele (s.str. (Turaninephele)) wagneri mandane (Kollar,[1849]) (Satyridae) Satyrus mandane Kollar,[1849], Denkschr. Akad. Wiss. Wien 1: 52. Type(S): Iran: Südpersien: Fars.

12847. Hyponephele (s.str. (Turaninephele)) wagneri wagneri (Herrich-Schäffer,[1846]) (Satyridae) Epinephele wagneri Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur. 1: Taf. 65, figs.311-313; ibid. 6, Nachtrag zu Bd.1: 16, [1851]. Type(s): [Türkei]: Südseite Ararat (=Ağrı Dağı).

12848. Hyponephele (s.str. (Turkestaninephele)) Koçak & Kemal,2001 (Satyridae) Hyponephele (s.str. (Turkestaninephele)) Koçak & Kemal,2001, Priamus 10 (3/4): 128. Type-species: Epinephele haberhaueri Staudinger,1886, by original designation (proposed as a section).

12849. Hyponephele (s.str. (Turkestaninephele)) galtscha (Groum-Grshimailo,1893) (Satyridae) Epinephele lycaon var. galtscha Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 129. Syntypes: Turkestan: "septentrionali montium Hissariensium" (BMNH).

12850. Hyponephele (s.str. (Turkestaninephele)) galtscha galtscha (Groum-Grshimailo,1893) (Satyridae) Epinephele lycaon var. galtscha Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 129. Syntypes: Turkestan: "septentrionali montium Hissariensium".

12851. Hyponephele (s.str. (Turkestaninephele)) germana (Staudinger,1887) (Satyridae) Epinephele haberhaueri var. germana Staudinger,1887, Stettin ent. Ztg. 48: 62-63. Syntypes: [Kirgizistan]: Alexandergebirge. Lectotype ♂: "Alex.Geb." (Alexander Gebirge) (designated by Lukhtanov,1994, Herbiopoliana 3: 125 (ZMHUB)).

12852. Hyponephele (s.str. (Turkestaninephele)) germana germana (Staudinger,1887) (Satyridae) Epinephele haberhaueri var. germana Staudinger,1887, Stettin ent. Ztg. 48: 62-63. Syntypes: [Kirgizistan]: Alexandergebirge. Lectotype ♂: "Alex.Geb." (Alexander

Gebirge) (designated by Lukhtanov,1994, Herbiopoliana 3: 125 (ZMHUB)).

12853. Hyponephele (s.str. (Turkestaninephele)) haberhaueri (Staudinger,1886) (Satyridae) Epinephele haberhaueri Staudinger,1886, Stettin ent. Ztg. 47: 247-248. Syntypes: [Usbekistan]: Samarkand; [Kirgizistan]: Alai, Osch. Lectotype ♂: Alai (designated by Lukhtanov,1994, Herbiopoliana 3: 124) (ZMHUB).

12854. Hyponephele (s.str. (Turkestaninephele)) haberhaueri haberhaueri (Staudinger,1886) (Satyridae) Epinephele haberhaueri Staudinger,1886, Stettin ent. Ztg. 47: 247-248. Syntypes: [Usbekistan]: Samarkand; [Kirgizistan]: Alai, Osch. Lectotype ♂: Alai (designated by Lukhtanov,1994, Herbiopoliana 3: 124) (ZMHUB).

12855. Hyponephele (s.str. (Turkestaninephele)) haberhaueri ocellata Samodurov,1995 (Satyridae) Hyponephele haberhaueri ssp. ocellata Samodurov,1995, Atalanta 26 (1/2): 168, Farbt. Holotype ♂: S.Kirgisien: nördliche Abhänge des äußersten östlichen Teil der Alai-Gebirg., Oberlauf des Flusses Tar, Ail Kysylshar, 2100m (ZMUM).

12856. Hyponephele (s.str. (Turkestaninephele)) maureri (Staudinger,1886) (Satyridae) Epinephele haberhaueri var. maureri Staudinger,1886, Stettin ent. Ztg. 47: 247-248. Syntypes: [Kirgizistan]: Alai, und den Gebirgen bei Osch; [Uzbekistan]: Hazret-Sultan Gebirge], südlich von Samarkand.

12857. Hyponephele (s.str. (Turkestaninephele)) maureri maureri (Staudinger,1886) (Satyridae) Epinephele haberhaueri var. maureri Staudinger,1886, Stettin ent. Ztg. 47: 247-248. Syntypes: [Kirgizistan]: Alai, und den Gebirgen bei Osch; [Uzbekistan]: Hazret-Sultan Gebirge], südlich von Samarkand.

12858. Hyponephele (s.str. (Turkestaninephele)) maureri subnephele (Stshetkin,1963) (Satyridae) Epinephele rueckbeili subnephele Stshetkin,1963, Trudy Inst. Zool. Parasit. Akad. Nauk Tadsch.SSR 24: 44. Holotype ♂: Südwest Tadjikistan: Chosratschoch-Geb., Berg Chodscha Mumin (in coll. Stshetkin).

12859. Hyponephele (s.str. (Turkestaninephele)) rubriceps (Herz,1900) (Satyridae) Epinephele haberhaueri ssp. rubriceps Herz,1900, Ann. Mus. zool. St.Petersb. 5: 446. Lectotype ♂: Uzbekistan: Samarkand, Urgut.

12860. Hyponephele (s.str. (Turkestaninephele)) rubriceps rubriceps (Herz,1900) (Satyridae) Epinephele haberhaueri ssp. rubriceps Herz,1900, Ann. Mus. zool. St.Petersb. 5: 446. Lectotype ♂: Uzbekistan: Samarkand, Urgut.

12861. Hyponephele (s.str. (Turkestaninephele)) rueckbeili (Staudinger,1887) (Satyridae) Epinephele rueckbeili Staudinger,1887, Stettin ent. Ztg. 48: 63-64. Syntypes: [Kirgizistan]: Issyk-Kul. Lectotype ♂: "Issyk Kul 86 Rckbl" (designated by Lukhtanov,1994, Herbiopoliana 3: 125 (ZMHUB)).

12862. Hyponephele (s.str. (Turkestaninephele)) rueckbeili rueckbeili (Staudinger,1887) (Satyridae) Epinephele rueckbeili Staudinger,1887, Stettin ent. Ztg. 48: 63-64. Syntypes: [Kirgizistan]: Issyk-Kul. Lectotype ♂: "Issyk Kul 86 Rckbl" (designated by Lukhtanov,1994, Herbiopoliana 3: 125 (ZMHUB)).

12863. Hyponephele (s.str.) Muschamp,1915 (Satyridae) Hyponephele Muschamp,1915, Entomologist's Rec. J. Var. 27: 156. Type-species: Papilio lycaon Rottemburg,1775, Der Naturforscher 6: 17, by monotypy.

12864. Hyponephele (s.str.) catamelas (Staudinger,1886) (Satyridae) Epinephele lycaon var. catamelas Staudinger,1886, Stettin ent. Ztg. 47: 251. Syntypes: [Russia]: Südöstl. Altai (Omifluß) (leg. Rückbeil).

12865. Hyponephele (s.str.) catamelas catamelas (Staudinger,1886) (Satyridae) Epinephele lycaon var. catamelas Staudinger,1886, Stettin ent. Ztg. 47: 251. Syntypes: [Russia]: Südöstl. Altai (Omifluß) (leg. Rückbeil).

12866. Hyponephele (s.str.) catamelas rufodiffusus Korb,2000 (Satyridae) Hyponephele catamelas ssp. rufodiffusus Korb,2000, Alexanor 21 (1): 52, figs. 2,3. Holotype ♂: Monte Altai, Zmeinogorsk (IZSP).

12867. Hyponephele (s.str.) dzhungarica Samodurov,1996 (Satyridae) Hyponephele dzhungarica Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 26-28, Abb., Holotype ♂: SO-Kasachstan: Taldy-Kurganer Gebiet, Dsungarski-Alatau, Kapal, 1300m (ZMUM).

12868. Hyponephele (s.str.) dzhungarica dzhungarica Samodurov,1996 (Satyridae) Hyponephele dzhungarica Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 26-28, Abb., Holotype ♂: SO-Kasachstan: Taldy-Kurganer Gebiet, Dsungarski-Alatau, Kapal, 1300m (ZMUM).

12869. Hyponephele (s.str.) hasantahsin Koçak & Kemal,2002 (Satyridae) Hyponephele (s.str.) hasantahsin Koçak & Kemal,2002,

Cent. ent. Stud. 80/81: 13. Holotype ♂: Turkey: Malatya Prov., Balaban geçidi 2000m, 9.7.2001, M.Kemal leg. (in coll. Cesa).

12870. Hyponephele (s.str.) hasantahsin hasantahsin Koçak & Kemal,2002 (Satyridae) Hyponephele (s.str.) hasantahsin Koçak & Kemal,2002, Cent. ent. Stud. 80/81: 13. Holotype ♂: Turkey: Malatya Prov., Balaban geçidi 2000m, 9.7.2001, M.Kemal leg. (in coll. Cesa).

12871. Hyponephele (s.str.) interposita (Erschoff,1874) (Satyridae) Epinephele interposita Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 22, pl.2 fig.16. Syntypes: Turkestan.

12872. Hyponephele (s.str.) interposita depressa Korolew,1995 (Satyridae) Hyponephele interposita ssp. depressa Korolew,1995, Atalanta 26(1/2): 189-190, Farbtafel. Holotype ♂: SW.Tadjikistan: Tabaktschi-Geb., Kalininabad (ZMUM)

12873. Hyponephele (s.str.) interposita interposita (Erschoff,1874) (Satyridae) Epinephele interposita Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 22, pl.2 fig.16. Neotype ♀: Usbekistan, W. Serawschan, Bagrin, 1500m selected by Samodurov, et al. (1995: 184) (ZMUM).

12874. Hyponephele (s.str.) interposita mimonovi Samodurov,1995 (Satyridae) Hyponephele interposita ssp. mimonovi Samodurov,1995, Atalanta 26(1/2): 188-189, Farbtafel. Holotype ♂: N.Usbekistan: Karakalpakien, Tachtakupyr-Gegend, Sarkul-See (coll.E.Mimonov).

12875. Hyponephele (s.str.) jasavi Lukhtanov,1990 (Satyridae) Hyponephele jasavi Lukhtanov,1990, Vestn. zool. 1990 (6): 18-19, figs.5,6. Holotype ♂: Kasachstan: Chimkent: Syrdaryinsky Karatau, Kentau, Boyaldyr, 900m (nach dem Namen des Dichters und Predigers Achmed Jasawi (1105-1166) benannt) (ZIP).

12876. Hyponephele (s.str.) jasavi jasavi Lukhtanov,1990 (Satyridae) Hyponephele jasavi Lukhtanov,1990, Vestn. zool. 1990 (6): 18-19, figs.5,6. Holotype ♂: Kasachstan: Chimkent: Syrdaryinsky Karatau, Kentau, Boyaldyr, 900m (nach dem Namen des Dichters und Predigers Achmed Jasawi (1105-1166) benannt) (ZIP).

12877. Hyponephele (s.str.) lupina (Costa,[1836]) (Satyridae) Satyrus lupinus Costa,[1836], Fauna Regno di Napoli...[69], [311], pl.4 figs.3,4. Syntypes: Italia: Napoli: Otranto, Bosco di Guagnano..

12878. Hyponephele (s.str.) lupina herata Howarth & Povolny,1976 (Satyridae) Hyponephele lupina ssp. herata Howarth & Povolny,1976, Cas. morav. Mus. Brne 61: 167-168. Holotype ♂: Afghanistan: Herat: Bala Murghab, 470m.

12879. Hyponephele (s.str.) lupina intermedia (Staudinger,1886) (Satyridae) Epinephele lycaon var. intermedia Staudinger,1886, Stettin ent. Ztg. 47 (4/6): 251. Lectotype ♂: [Türkei]: Amasia (Wagner,1995, Die Tagfalter der Türkei: 845) (ZMHB).

12880. Hyponephele (s.str.) lupina lupina (Costa,[1836]) (Satyridae) Satyrus lupinus Costa,[1836], Fauna Regno di Napoli...[69], [311], pl.4 figs.3,4. Syntypes: Italia: Napoli: Otranto, Bosco di Guagnano..

12881. Hyponephele (s.str.) lupina mauretanica (Oberthür,1881) (Satyridae) Satyrus eudora var. mauretanica Oberthür,1881, Etüd. d'Ent. 6: 58. Syntypes: ♂♂: Algerie: Lambèze, Sebdou.

12882. Hyponephele (s.str.) lupina rhamnusia (Freyer,[1845]) (Satyridae) Hipparchia rhamnusia Freyer,[1845], Neuere Beitr. Schmett. 5 (77): 125-126, Tab. 457 figs. 2,3. Syntypes: [Italia]: "Sicilien".

12883. Hyponephele (s.str.) lupina turanica (Rühl,[1894]) (Satyridae) Epinephele lycaon var. turanica Rühl,[1894] Palaearkt. Grossschmett. Naturg. 1: 598. Type: "Tura" (lost). Neotype ♂: Kazachstan: Almaty, Kaptschagai S., 2.7.1999,530m, M.Kemal leg., designated by Koçak & Kemal,2002, Misc. Pap. 80/81: 11. (in coll. Cesa).

12884. Hyponephele (s.str.) lycaon (Rottentburg,1775) (Satyridae) Papilio lycaon Rottentburg,1775, Naturforscher 6: 17. Type(s): Deutschland: Brandenburg.

12885. Hyponephele (s.str.) lycaon alpherakyi (Sheljuzhko,1937) (Satyridae) Epinephele lycaon ssp. alpherakyi Sheljuzhko,1937, Festschr. Embrik Strand 2: 348-349. Syntypes 7♂ 2♀: [Russia]: Teberda, Dzegamat, Chatipara.

12886. Hyponephele (s.str.) lycaon catalampra (Staudinger,1895) (Satyridae) Epinephele lycaon var. catalampra Staudinger,1895, Dt. ent. Z., Iris 8: 347. Lectotype ♂: Mongolei: Uliassutai (designated by Lukhtanov,1994, Herbiopoliana 3: 119) (ZMHUB).

12887. Hyponephele (s.str.) lycaon collina (Röber,1897) (Satyridae) Epinephele intermedia var. collina Röber,1897, Ent. Nachr. 23 (17/18): 267. Type(s): [Türkei]: Gülek.

12888. Hyponephele (s.str.) lycaon jakovlevi Korolev,2001 (Satyridae) Hyponephele lycaon ssp. jakovlevi Korolev,2001, Atalanta

32 (1/2): 131-132, figs. Holotype ♂: Russia: Zentral Altai: [Kosch-Agatschski Rayon]: Fluß Karagem-Tal, 1300m (ZMUM).

12889. Hyponephele (s.str.) lycaon kambyses Gross & Ebert,1975 (Satyridae) Hyponephele lycaon ssp. kambyses Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 25, fig.26. Holotype ♂: Iran: Elburs S-Seite, 15km östl. Gatschsar 2600m. (LNK). Taxonomical status needs further research.

12890. Hyponephele (s.str.) lycaon kangal Koçak & Kemal,2002 (Satyridae) Hyponephele (s.str.) lycaon ssp. kangal Koçak & Kemal,2002, Cent. ent. Stud. 80/81: 12. Holotype ♂: Turkey: Sivas Prov., Gürün, 1400m, 26.6.2001, A.Koçak & M.Kemal leg. (in coll. Cesa).

12891. Hyponephele (s.str.) lycaon libanotica (Staudinger,1901) (Satyridae) Epinephele lycaon var. libanotica Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 63, nr.405g. Syntypes: Syr. (Libanon).

12892. Hyponephele (s.str.) lycaon lycaon (Rottentburg,1775) (Satyridae) Papilio lycaon Rottentburg,1775, Naturforscher 6: 17. Type(s): Deutschland: Brandenburg.

12893. Hyponephele (s.str.) lycaon macrophthalma (Fruhstorfer,1909) (Satyridae) Epinephele lycaon ssp. macrophthalma Fruhstorfer,1909, Int. ent. Z. 3: 120. Type(s): Spanien: Castilien, Andalusien.

12894. Hyponephele (s.str.) lycaon nikokles (Fruhstorfer,1909) (Satyridae) Epinephele lycaon nikokles Fruhstorfer,1909, Int. ent. Z. 3: 120. Type ♂: Iselle, Südanhang des Simplon.

12895. Hyponephele (s.str.) lycaon salona (Fruhstorfer,1909) (Satyridae) Epinephele lycaon ssp. salona Fruhstorfer,1909, Int. ent. Z. 3: 120. Type ♂: [Bosnia-Herzegovina]: Bosnien, Prenj.

12896. Hyponephele (s.str.) lycaonoides Weiss,1978 (Satyridae) Hyponephele lycaonoides Weiss,1978, Atalanta 9(3): 230-233, figs.1,2. Holotype ♂: Iran: Luristan: Marg-e-Malek 30km östl. Kuhrang 3200m. (in NPMP).

12897. Hyponephele (s.str.) lycaonoides bugrai Koçak,1989 (Satyridae) Hyponephele lycaonoides ssp. bugrai Koçak,1989, Priamus 4(4): 143. Holotype ♂: Turkey: Bayburt: Maden (in coll. CESA).

12898. Hyponephele (s.str.) lycaonoides buraki Koçak,1989 (Satyridae) Hyponephele lycaonoides ssp. buraki Koçak,1989, Priamus 4(4): 144. Holotype ♂: Turkey: Antalya: Ibradi (in coll. CESA).

12899. Hyponephele (s.str.) lycaonoides lycaonoides Weiss,1978 (Satyridae) Hyponephele lycaonoides Weiss,1978, Atalanta 9(3): 230-233, figs.1,2. Holotype ♂: Iran: Luristan: Marg-e-Malek 30km östl. Kuhrang 3200m. (in NPMP).

12900. Hyponephele (s.str.) lycaonoides suati Koçak,1989 (Satyridae) Hyponephele lycaonoides ssp. suati Koçak,1989, Priamus 4(4): 143. Holotype ♂: Turkey: [Şırnak] Hakkari: Uludere, 1900-2100m. (in coll. CESA).

12901. Hyponephele (s.str.) pasimelas (Staudinger,1886) (Satyridae) Epinephele lycaon var. pasimelas Staudinger,1886, Stettin ent. Ztg. 47: 251. Syntypes: [Russia]: Amurgebiet: Raddefskaja.

12902. Hyponephele (s.str.) pasimelas monochromus Korb,2000 (Satyridae) Hyponephele pasimelas ssp. monochromus Korb,2000, Alexanor 21 (1): 52, fig. 4. Holotype ♂: Russia: Region Usuri, Dalnegorsk (IZSP).

12903. Hyponephele (s.str.) pasimelas pasimelas (Staudinger,1886) (Satyridae) Epinephele lycaon var. pasimelas Staudinger,1886, Stettin ent. Ztg. 47: 251. Syntypes: [Russia]: Amurgebiet: Raddefskaja.

12904. Hyponephele (s.str.) przhewalskyi Dubatolov, Sergeev & Zhdanko,1994 (Satyridae) Hyponephele przhewalskyi Dubatolov, Sergeev & Zhdanko,1994, Atalanta 25 (1/2): 171-176, figs. 1a-c, 2. Holotype ♂: Kyrgyzstan: Issyk Kul, Przhewalsk (BIN).

12905. Hyponephele (s.str.) przhewalskyi przhewalskyi Dubatolov, Sergeev & Zhdanko,1994 (Satyridae) Hyponephele przhewalskyi Dubatolov, Sergeev & Zhdanko,1994, Atalanta 25 (1/2): 171-176, figs. 1a-c, 2. Holotype ♂: Kyrgyzstan: Issyk Kul, Przhewalsk (BIN).

12906. Hyponephele (s.str.) zuvandica Samodurov & Koroljev,1996 (Satyridae) Hyponephele lycaon ssp. zuvandica Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 26-28, Abb., Holotype ♂: Aserbajdschan, Talysch: Zuvand, Gosmoljan, 1400m (ZMUM).

12907. Hyponephele (s.str.) zuvandica zuvandica Samodurov & Koroljev,1996 (Satyridae) Hyponephele lycaon ssp. zuvandica Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 26-28, Abb., Holotype ♂: Aserbajdschan, Talysch: Zuvand, Gosmoljan, 1400m (ZMUM).

- 12908. *Hyponephele cheena* (Moore,1865)** (Satyridae) *Epinephele cheena* Moore,1865, Proc. zool. Soc. Lond. 1865: 501-502, Pl.30 fig.6. Syntypes: India: Kunawur.
- 12909. *Hyponephele cheena cheena* (Moore,1865)** (Satyridae) *Epinephele cheena* Moore,1865, Proc. zool. Soc. Lond. 1865: 501-502, Pl.30 fig.6. Syntypes: India: Kunawur.
- 12910. *Hyponephele cheena iskander* (Hemming,1941)** (Satyridae) *Maniola cheena* ssp. *iskander* Hemming,1941, Proc. R. ent. Soc. Lond. (B) 10: 207 (nomen novum pro *chitralica* Tytler,1926 nec Evans)
- 12911. *Hyponephele sifanica* (Groum-Grshimailo,1891)** (Satyridae) *Epinephele sifanica* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 459. Syntypes: [China: Qinghai]: Amdo, Chuan-Che.
- 12912. *Hyponephele sifanica sifanica* (Groum-Grshimailo,1891)** (Satyridae) *Epinephele sifanica* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 459. Syntypes: [China: Qinghai]: Amdo, Chuan-Che.
- 12913. *Hyponephele sussurans* Clench & Shoumatoff,1956** (Satyridae) *Hyponephele sussurans* Clench & Shoumatoff,1956, Vidensk. Medd. fra Dansk naturh. For. 118: 160-161. Holotype ♂: Afghanistan: Marak, 4500m.
- 12914. *Hyponephele sussurans clenchi* Wyatt & Omoto,1966** (Satyridae) *Hyponephele sussurans* ssp. *clenchi* Wyatt & Omoto,1966, Entomops 5: 176, figs. Holotype ♂: Afghanistan: Hindu Kush, Kurpetau, Panjshir valley, 3100m.
- 12915. *Hyponephele sussurans sussurans* Clench & Shoumatoff,1956** (Satyridae) *Hyponephele sussurans* Clench & Shoumatoff,1956, Vidensk. Medd. fra Dansk naturh. For. 118: 160-161. Holotype ♂: Afghanistan: Marak, 4500m.
- 12916. *Idata De Lesse*,1952** (Satyridae) *Idata De Lesse*,1952, Annls Soc. ent. Fr. 121: 71. Type-species: *Epinephele ida* Esper, var. *cecilia* Vallentin,1894, Le Naturaliste 16: 260. by original designation.
- 12917. *Idata cecilia* (Vallantin,1894)** (Satyridae) *Epinephele ida* var. *cecilia* Vallantin,1894, Naturaliste 16(2) 8(185): 260. Type: Morocco.
- 12918. *Idata cecilia cecilia* (Vallantin,1894)** (Satyridae) *Epinephele ida* var. *cecilia* Vallantin,1894, Naturaliste 16(2) 8(185): 260. Type: Morocco.
- 12919. *Idata cecilia cyrenaicae* (Rothschild,1922)** (Satyridae) *Epinephele ida* *cyrenaicae* Rothschild,1922, Ann. Mag. nat. Hist. (9) 9: 668. Holotype: Libya: East Cyrenaica, Driana.
- 12920. *Idata cecilia marcida* (Fruhstorfer,1909)** (Satyridae) *Epinephele ida* ssp. *decolorata* Fruhstorfer,1909, Ent. Z., Frankf. a. M. 22: 211. Syntypes: Spain: Andalusien.
- 12921. *Kanetisa* Moore,[1893]** (Satyridae) *Kanetisa* Moore,[1893], Lepid. ind. 2(14): 42. Type-species: *Hipparchia digna* Marshall,1883, J. asiat. Soc. Bengal Pt.II 51(4): 67, by original designation.
- 12922. *Kanetisa digna* (Marshall,1882)** (Satyridae) *Hipparchia digna* Marshall,1882, J. asiat. Soc. Beng. 51 (2): 67. Type ♀: [Pakistan]: Shandur Plateau.
- 12923. *Kanetisa digna digna* (Marshall,1882)** (Satyridae) *Hipparchia digna* Marshall,1882, J. asiat. Soc. Beng. 51(2): 67. Type ♀: [Pakistan]: Shandur Plateau.
- 12924. *Kanetisa digna pallas* (Evans,1923)** (Satyridae) *Karanasa digna* pallas Evans,1923, J. Bombay nat. Hist. Soc. 29: 782. Syntypes: [Pakistan]: Chitral, <9000ft.
- 12925. *Kanetisa digna perdigna* Clench & Shoumatoff,1956** (Satyridae) *Kanetisa digna* ssp. *perdigna* Clench & Shoumatoff,1956, Vidensk. Medd. fra Dansk naturh. For. 118: 146-147. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, 5000m.
- 12926. *Kanetisa digna zarathustra* (Wyatt & Omoto,1966)** (Satyridae) *Satyrus* (*Kanetisa*) *digna* ssp. *zarathustra* Wyatt & Omoto,1966, Entomops 5: 154-155, figs. Holotype ♂: Afghanistan: Hindu Kush, Upper Panjshir valley, 3500m.
- 12927. *Kanetisa sthenos* (Groum-Grshimailo,1887)** (Satyridae) *Satyrus sthenos* Groum-Grshimailo,1887, [in] Romanoff, Mém. lépid. 3: 401. Syntypes: [Tadjikistan]: [Karateginsky Mts.]: "Karategine.. Obi-Garm".
- 12928. *Kanetisa sthenos sthenos* (Groum-Grshimailo,1887)** (Satyridae) *Satyrus sthenos* Groum-Grshimailo,1887, [in] Romanoff, Mém. lépid. 3: 401. Syntypes: [Tadjikistan]: [Karateginsky Mts.]: "Karategine.. Obi-Garm".
- 12929. *Karanasa* Moore,[1893]** (Satyridae) *Karanasa* Moore,[1893], Lepid. ind. 2(14): 38. Type-species: *Satyrus huebneri* Felder & Felder,[1867], Reise Fregatte "Novarra", Lep. Rhop. (3): 494, Pl.69 figs. 8,9, by original designation.
- 12930. *Karanasa abramovi* (Erschoff,1884)** (Satyridae) *Satyrus abramovi* Erschoff,1884, Horae Soc. ent. ross. 18: 245. Syntypes: Kirghizistan: "Tschatyr-Kul".
- 12931. *Karanasa abramovi abramovi* (Erschoff,1884)** (Satyridae) *Satyrus abramovi* Erschoff,1884, Horae Soc. ent. ross. 18: 245. Syntypes: Kirghizistan: "Tschatyr-Kul".
- 12932. *Karanasa abramovi korlana* (Staudinger,1901)** (Satyridae) *Satyrus abramovi* var. *korlana* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 56, nr.358a. Syntypes: [China: Uighur A.R.]: Tian c.m. [Tengri Tagh] (Korla alp).
- 12933. *Karanasa abramovi regula* (Staudinger,1887)** (Satyridae) *Satyrus regeli* var. *regulus* Staudinger,1887, Stettin ent. Ztg. 48: 59-61. Syntypes 14 ♂♂: [Tadjikistan]: Transalai.
- 12934. *Karanasa balti* Tytler,1926** (Satyridae) *Karanasa huebneri* ssp. *balti* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 255. Syntypes ♂♂: Baltistan: Skoro La.
- 12935. *Karanasa balti balti* Tytler,1926** (Satyridae) *Karanasa huebneri* ssp. *balti* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 255. Syntypes ♂♂: Baltistan: Skoro La.
- 12936. *Karanasa bolorica* (Groum-Grshimailo,1888)** (Satyridae) *Satyrus boloricus* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 307. Syntypes ♂♂: [Pakistan: Gilgit]: Hindukusch orient. [Hunza].
- 12937. *Karanasa bolorica bolorica* (Groum-Grshimailo,1888)** (Satyridae) *Satyrus boloricus* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 307. Syntypes ♂♂: [Pakistan: Gilgit]: Hindukusch orient. [Hunza].
- 12938. *Karanasa bolorica chitralica* Tytler,1926** (Satyridae) *Karanasa regeli* ssp. *chitralica* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 254. Syntypes ♂♂: [Pakistan]: Chitral.
- 12939. *Karanasa bolorica mohsenii* Wyatt & Omoto,1966** (Satyridae) *Karanasa bolorica* ssp. *mohsenii* Wyatt & Omoto,1966, Entomops 5: 172, figs. Holotype ♂: Afghanistan: Hindu Kush: Upper Panjshir valley, 3400m.
- 12940. *Karanasa decolorata* (Staudinger,1901)** (Satyridae) *Satyrus huebneri* var. *decolorata* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 56, nr.359b. Syntypes: [China: Uighur A.R.]: Tien-Shan or. (prope Chamyl); [Uzbekistan]: Buchara s.or. (ab.).
- 12941. *Karanasa decolorata decolorata* (Staudinger,1901)** (Satyridae) *Satyrus huebneri* var. *decolorata* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 56, nr.359b. Syntypes: [China: Uighur A.R.]: Tien-Shan or. (prope Chamyl); [Uzbekistan]: Buchara s.or. (ab.).
- 12942. *Karanasa goergneri* Eckweiler,1990** (Satyridae) *Karanasa goergneri* Eckweiler,1990, Nachr. ent. Ver. Apollo (N.F.) 11(3): 144-148, Abb. Holotype ♂: China: Süd Gansu: Linxia/Xiahe, 2800-3150m leg. Görgner (in coll. Görgner).
- 12943. *Karanasa goergneri goergneri* Eckweiler,1990** (Satyridae) *Karanasa goergneri* Eckweiler,1990, Nachr. ent. Ver. Apollo (N.F.) 11(3): 144-148, Abb. Holotype ♂: China: Süd Gansu: Linxia/Xiahe, 2800-3150m leg. Görgner (in coll. Görgner).
- 12944. *Karanasa huebneri* (C.Felder & R.Felder,[1867])** (Satyridae) *Satyrus hübnerei* C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep. Rhop. (3): 494, Tab.lxix figs. 8,9. Syntypes ♂♂: Himalaya occidental.: Lahoul, Shigri, Spiti: Dishungdeo.
- 12945. *Karanasa huebneri huebneri* (C.Felder & R.Felder,[1867])** (Satyridae) *Satyrus hübnerei* C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep. Rhop. (3): 494, Tab.lxix figs. 8,9. Syntypes ♂♂: Himalaya occidental.: Lahoul, Shigri, Spiti: Dishungdeo.
- 12946. *Karanasa huebneri pupilata* Tytler,1926** (Satyridae) *Karanasa pamirus* ssp. *pupilata* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 254. Syntypes ♂♂: [Pakistan]: Drosch, Chitral.
- 12947. *Karanasa huebneri safeda* Tytler,1926** (Satyridae) *Karanasa pamirus* ssp. *safeda* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 254. Type ♂: Safed Koh, Kurram valley, 11500ft.
- 12948. *Karanasa incerta* Bogdanov,1997** (Satyridae) *Karanasa incerta* Bogdanov, 1997, [in] Tusov,V.K., Guide to the Butterflies of Russia 1: 249-250, pl.72 figs.7-9. Holotype ♂: [Tadjikistan]: Pamirs, Shugnansky Mts., Dzhilandy, 4000m.
- 12949. *Karanasa incerta incerta* Bogdanov,1997** (Satyridae) *Karanasa incerta* Bogdanov, 1997, [in] Tusov,V.K., Guide to the Butterflies of Russia 1: 249-250, pl.72 figs.7-9. Holotype ♂: [Tadjikistan]: Pamirs, Shugnansky Mts., Dzhilandy, 4000m.
- 12950. *Karanasa josephi* (Staudinger,1882)** (Satyridae) *Satyrus josephi* Staudinger,1882, Berl. ent. Z. 26(1): 174. Syntypes: [Tadjikistan]: Alai-Gebirge.

- 12951. *Karanasa josephi dissoluta* (Staudinger, 1886)** (Satyridae) *Satyrus huebneri* var. *dissoluta* Staudinger, 1886, Stettin ent. Ztg. 47: 245-246. Syntypes: [Kirgizistan]: Usgent, Osch.
- 12952. *Karanasa josephi josephi* (Staudinger, 1882)** (Satyridae) *Satyrus josephi* Staudinger, 1882, Berl. ent. Z. 26(1): 174. Syntypes: [Tadjikistan]: Alai-Gebirge.
- 12953. *Karanasa josephi kasak* Avinoff & Sweadner, 1951** (Satyridae) *Karanasa kasak* Avinoff & Sweadner, 1951, Ann. Carnegie Mus. 32: 78, pl.4 fig.9,10; pl.9 fig.38; pl.15. Holotype: [Kazachstan]: "Targaisk, Kandyktau, 1400m".
- 12954. *Karanasa josephi talastauana* (O.Bang-Haas, 1927)** (Satyridae) *Satyrus huebneri* ssp. *talastauana* O.Bang-Haas, 1927, Horae Macrolepid. 1: 49-50, t.7 fig.20. Syntypes: [Kasachstan]: Syr Darja, Talastau mont. südöstl. Aulie Ata.
- 12955. *Karanasa kasakstana* (O.Bang-Haas, 1936)** (Satyridae) *Satyrus regeli kasakstana* O.Bang-Haas, 1936, Ent. Z., Frankf. a. M. 50: 108. Syntypes: Kasakstan, Aulie Ata, Talas Alatau.
- 12956. *Karanasa kasakstana kasakstana* (O.Bang-Haas, 1936)** (Satyridae) *Satyrus regeli kasakstana* O.Bang-Haas, 1936, Ent. Z., Frankf. a. M. 50: 108. Syntypes: Kasakstan, Aulie Ata, Talas Alatau.
- 12957. *Karanasa kotandari* Wyatt, 1961** (Satyridae) *Karanasa pamira* ssp. *kotandari* Wyatt, 1961, J. Lepidopterist's Soc. 15(1): 10-11. Holotype ♂: Afghanistan: Kabul, Paghman Mts., Kotandar Pass, 11000-12500ft.
- 12958. *Karanasa kotandari kotandari* Wyatt, 1961** (Satyridae) *Karanasa pamira* ssp. *kotandari* Wyatt, 1961, J. Lepidopterist's Soc. 15(1): 10-11. Holotype ♂: Afghanistan: Kabul, Paghman Mts., Kotandar Pass, 11000-12500ft.
- 12959. *Karanasa latefasciata* (Groum-Grshimailo, 1902)** (Satyridae) *Satyrus regeli* var. *latefasciata* Groum-Grshimailo, 1902, Ann. Mus. Zool. St. Petersburg 7: 193. Syntypes: [Kirgizistan]: "Tian-schan centrali [Tengri Tagh], Sarydshass".
- 12960. *Karanasa latefasciata kirgizorum* Avinoff & Sweadner, 1951** (Satyridae) *Karanasa kirgizorum* Avinoff & Sweadner, 1951, Ann. Carnegie Mus. 32: 84, pl.4 fig.20; pl.9 fig.25; pl.14. Holotype: Kirghiz Mts.
- 12961. *Karanasa latefasciata latefasciata* (Groum-Grshimailo, 1902)** (Satyridae) *Satyrus regeli* var. *latefasciata* Groum-Grshimailo, 1902, Ann. Mus. Zool. St. Petersburg 7: 193. Syntypes: [Kirgizistan]: "Tian-schan centrali [Tengri Tagh], Sarydshass".
- 12962. *Karanasa latefasciata obscurior* Avinoff & Sweadner, 1951** (Satyridae) *Karanasa obscurior* Avinoff & Sweadner, 1951, Ann. Carnegie Mus. 32: 97, pl.5 fig.19; pl.10 figs.11,12. Holotype: Kirghizistan: East. Issyk-Kul
- 12963. *Karanasa leechi* (Groum-Grshimailo, 1890)** (Satyridae) *Satyrus leechi* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 473-475, pl.xv fig.3a-b. Syntypes ♂♂: "Kounjout".
- 12964. *Karanasa leechi intermedia* (Groum-Grshimailo, 1890)** (Satyridae) *Satyrus intermedius* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 480-481, pl.xv fig.7. Syntypes ♂♂: "Ters-Agar".
- 12965. *Karanasa leechi leechi* (Groum-Grshimailo, 1890)** (Satyridae) *Satyrus leechi* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 473-475, pl.xv fig.3a-b. Syntypes ♂♂: "Kounjout".
- 12966. *Karanasa moorei* (Evans, 1912)** (Satyridae) *Satyrus* (*Karanasa*) *hübneri moorei* Evans, 1912, J. Bombay nat. Hist. Soc. 21: 563. Syntypes: [Pakistan]: Chitral, Shandur Pass (nomen novum pro *leechi* Moore nec Groum-Grshimailo).
- 12967. *Karanasa moorei gilgitica* Tytler, 1926** (Satyridae) *Karanasa moorei* ssp. *gilgitica* Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 254. Syntypes ♂♂: [Pakistan]: Gilgit: Ghizar, Yasin.
- 12968. *Karanasa moorei haarlovi* Avinoff & Sweadner, 1951** (Satyridae) *Karanasa haarlovi* Avinoff & Sweadner, 1951, Ann. Carnegie Mus. 32: 124, pl.12 figs. 4,10,11.
- 12969. *Karanasa moorei moorei* (Evans, 1912)** (Satyridae) *Satyrus* (*Karanasa*) *hübneri moorei* Evans, 1912, J. Bombay nat. Hist. Soc. 21: 563. Syntypes: [Pakistan]: Chitral, Shandur Pass (nomen novum pro *leechi* Moore nec Groum-Grshimailo).
- 12970. *Karanasa pamira* (Staudinger, 1887)** (Satyridae) *Satyrus pamirus* Staudinger, 1887, Stettin ent. Ztg. 48: 61-62. Syntypes: [Tadjikistan]: Trans-Alai.
- 12971. *Karanasa pamira haslundi* Avinoff & Sweadner, 1951** (Satyridae) *Karanasa haslundi* Avinoff & Sweadner, 1951, Ann. Carnegie Mus. 32: 122, pl.12 figs.2,3,5,6,12-14.
- 12972. *Karanasa pamira pamira* (Staudinger, 1887)** (Satyridae) *Satyrus pamirus* Staudinger, 1887, Stettin ent. Ztg. 48: 61-62. Syntypes: [Tadjikistan]: Trans-Alai.
- 12973. *Karanasa pamira titan* Wyatt & Omoto, 1966** (Satyridae) *Karanasa pamira* ssp. *titan* Wyatt & Omoto, 1966, Entomops 5: 170-171, figs. Holotype ♂: Afghanistan: Hindu Kush, Kurpetau, Panjshir valley, 3300m.
- 12974. *Karanasa pamira twomeyi* Wyatt, 1961** (Satyridae) *Karanasa pamira* ssp. *twomeyi* Wyatt, 1961, J. Lepidopterist's Soc. 15(1): 11-12, figs. Holotype ♂: Afghanistan: Hindu Kush, Bala Quran: Anjuman valley, 11000ft.
- 12975. *Karanasa puengeleri* (O.Bang-Haas, 1910)** (Satyridae) *Satyrus puengeleri* O.Bang-Haas, 1910, Dt. ent. Z., Iris 23: 29-30, Taf.iii fig.2. Syntypes ♂♂: [China: Uighur A.R.]: Juldus-Gebiet.
- 12976. *Karanasa puengeleri minutianus* (Fruhstorfer, 1911)** (Satyridae) *Satyrus puengeleri* var. *minutianus* Fruhstorfer, 1911, [in] Seitz, A., Gross-Schmett. Erde 9: 308. Syntypes: [Kyrgyzstan]: Naryn.
- 12977. *Karanasa puengeleri puengeleri* (O.Bang-Haas, 1910)** (Satyridae) *Satyrus puengeleri* O.Bang-Haas, 1910, Dt. ent. Z., Iris 23: 29-30, Taf.iii fig.2. Syntypes ♂♂: [China: Uighur A.R.]: Juldus-Gebiet.
- 12978. *Karanasa regeli* (Alpheraky, 1881)** (Satyridae) *Satyrus regeli* Alpheraky, 1881, Horae Soc. ent. ross. 16: 419-421, Taf. 15 fig. 23. Syntypes ♂♂: [China: Uighur A.R.]: Tian-Chian [Tengri Tagh].
- 12979. *Karanasa regeli regeli* (Alpheraky, 1881)** (Satyridae) *Satyrus regeli* Alpheraky, 1881, Horae Soc. ent. ross. 16: 419-421, Taf. 15 fig. 23. Syntypes ♂♂: [China: Uighur A.R.]: Tian-Chian [Tengri Tagh].
- 12980. *Karanasa regeli ruckbeili* Avinoff & Sweadner, 1951** (Satyridae) *Karanasa ruckbeili* Avinoff & Sweadner, 1951, Ann. Carnegie Mus. 32: 100, pl.5 f.5,23; pl.8 f.21,23; pl.11 f.20. Syntypes: [China: Uighur A.R.]: Boro Choro Mts.; [Kasachstan]: North of Djarkent.
- 12981. *Karanasa regeli tancrei* (Groum-Grshimailo, 1893)** (Satyridae) *Satyrus tancrei* Groum-Grshimailo, 1893, Horae Soc. ent. ross. 27: 128. Syntypes: [Kirghizistan]: "in montibus Alexandri (Thjan-Schan occid.)".
- 12982. *Karanasa straminea* Bogdanov, 1997** (Satyridae) *Karanasa straminea* Bogdanov, 1997, [in] Tusov, V.K., Guide to the Butterflies of Russia 1: 251, pl.72 figs.4-6. Holotype ♂: [Tadjikistan]: Pamirs, Vanchsky Mts., Gudzhovast River, 3500m.
- 12983. *Karanasa straminea straminea* Bogdanov, 1997** (Satyridae) *Karanasa straminea* Bogdanov, 1997, [in] Tusov, V.K., Guide to the Butterflies of Russia 1: 251, pl.72 figs.4-6. Holotype ♂: [Tadjikistan]: Pamirs, Vanchsky Mts., Gudzhovast River, 3500m.
- 12984. *Karanasa voighti* (O.Bang-Haas, 1927)** (Satyridae) *Satyrus huebneri* ssp. *voighti* O.Bang-Haas, 1927, Horae Macrolepid. 1: 50. Type ♀: Afghanistan: Pagmann mt. 3000m, westl. Kabul.
- 12985. *Karanasa voighti nigrocellata* Avinoff & Sweadner, 1951** (Satyridae) *Karanasa nigrocellata* Avinoff & Sweadner, 1951, Ann. Carnegie Mus. 32: 47, pl.12 figs. 1,8,9.
- 12986. *Karanasa voighti voighti* (O.Bang-Haas, 1927)** (Satyridae) *Satyrus huebneri* ssp. *voighti* O.Bang-Haas, 1927, Horae Macrolepid. 1: 50. Type ♀: Afghanistan: Pagmann mt. 3000m, westl. Kabul.
- 12987. *Karanasa wilkinsi* (Erschoff, 1884)** (Satyridae) *Satyrus wilkinsi* Erschoff, 1884, Horae Soc. ent. ross 18: 244. Syntypes: [Kirgisien]: "Tschatir-Kul".
- 12988. *Karanasa wilkinsi dublitzkyi* (Bang-Haas, 1927)** (Satyridae) *Satyrus huebneri* ssp. *dublitzkyi* Bang-Haas, 1927, Horae Macrolepid. 1: 49, t.7 fig.13. Syntypes: [Kasachstan]: Berg Khoum Berg Bel 3000m, Alma Ata.
- 12989. *Karanasa wilkinsi wilkinsi* (Erschoff, 1884)** (Satyridae) *Satyrus wilkinsi* Erschoff, 1884, Horae Soc. ent. ross 18: 244. Syntypes: [Kirgisien]: "Tschatir-Kul".
- 12990. *Kirinia* (Melike) Koçak & Kemal, 2002** (Satyridae) *Kirinia* (Melike) Koçak & Kemal, 2002, Cent. ent. Stud., Misc. Pap. 82/85: 15. Type-species: *Papilio roxelana* Cramer, [1777], by original designation [proposed as subgenus].
- 12991. *Kirinia* (Melike) *roxelana* (Cramer, [1777])** (Satyridae) *Papilio roxelana* Cramer, [1777], Uitl. Kapellen 2:101, pl.161, figs. C-F. Syntypes: [Türkei]: Constantinopel [=Istanbul], Smyrna [=Izmir].
- 12992. *Kirinia* (Melike) *roxelana roxelana* (Cramer, [1777])** (Satyridae) *Papilio roxelana* Cramer, [1777], Uitl. Kapellen 2:101, pl.161, figs. C-F. Syntypes: [Türkei]: Constantinopel [=Istanbul], Smyrna [=Izmir].
- 12993. *Kirinia* (s.str.) *epimenides* (Ménétriés, 1859)** (Satyridae) *Lasiommata epimenides* Ménétriés, 1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 39, nr.75, t.3 figs.8,9. Syntypes: Russia: Amurland.
- 12994. *Kirinia* (s.str.) *epimenides epimenides* (Ménétriés, 1859)** (Satyridae) *Lasiommata epimenides* Ménétriés, 1859, [in] Schrenck,

Reisen Forsch. im Amur-Lande 2(1): 39, nr.75, t.3 figs.8,9. Syntypes: Russia: Amurland.

12995. *Kirinia Moore*, [1893] (Satyridae) *Kirinia Moore*, [1893], Lepid. ind. 2(13): 14. Type-species: *Lasiommata epimenides* Ménétries, 1859, [in] Schrenck, Reise Forschungen Amur-Lande 2(1): 39, pl.3, figs. 8,9, by original designation.

12996. *Lasiommata Westwood*, 1841 (Satyridae) *Lasiommata Westwood*, 1841, [in] Humpreys & Westwood, Br. Butt. Transformations [ed.1]: 65. Type-species: *Papilio megera* Linnaeus, 1767, Syst. Nat. (Ed.12) 1(2): 771. by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 202-203.

12997. *Lasiommata adrastoides* (Bienert, 1870) (Satyridae) *Pararge adrastoides* Bienert, 1870, Lepid. Ergebn. Reise in Persien: 30. Type(s): [Iran]: Persia.

12998. *Lasiommata adrastoides adrastoides* (Bienert, 1870) (Satyridae) *Pararge adrastoides* Bienert, 1870, Lepid. Ergebn. Reise in Persien: 30. Type(s): [Iran]: Persia.

12999. *Lasiommata felix* (Warnecke, 1929) (Satyridae) *Pararge felix* Warnecke, 1929, Int. ent. Z. 22: 365. Syntypes: Yemen: Südwest Arabien. Sanaa.

13000. *Lasiommata felix felix* (Warnecke, 1929) (Satyridae) *Pararge felix* Warnecke, 1929, Int. ent. Z. 22: 365. Syntypes: Yemen: Südwest Arabien. Sanaa.

13001. *Lasiommata hindukushica* (Wyatt & Omoto, 1966) (Satyridae) *Pararge hindukushica* Wyatt & Omoto, 1966, Entomops 5: 173-174, figs. Holotype ♂: Afghanistan: Hindu Kush, Bala Quran, Anjuman valley, 3400-3500m.

13002. *Lasiommata hindukushica hindukushica* (Wyatt & Omoto, 1966) (Satyridae) *Pararge hindukushica* Wyatt & Omoto, 1966, Entomops 5: 173-174, figs. Holotype ♂: Afghanistan: Hindu Kush, Bala Quran, Anjuman valley, 3400-3500m.

13003. *Lasiommata maera* (Linnaeus, 1758) (Satyridae) *Papilio maera* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 473. Type(s): Suecia (vide Linnaeus, 1746 Fauna Suecica (1): 238).

13004. *Lasiommata maera abastumana* (Sheljuzhko, 1937) (Satyridae) *Pararge maera* ssp. *abastumana* Sheljuzhko, 1937, Festschr. Embrik Strand 2: 345. Lectotype ♂: [Georgia]: Abastumani (designated by Nekrutenko, 1990: 114).

13005. *Lasiommata maera adrasta* (Hübner, [1824]) (Satyridae) *Papilio adrasta* Hübner, [1824], Samml. eur. Schmett. 1: pl.169, figs. 836-839. Syntypes: Europa.

13006. *Lasiommata maera atabyris* (Fruhstorfer, 1909) (Satyridae) *Pararge maera atabyris* Fruhstorfer, 1909, Int. ent. Z. 3: 133. Type ♂: [Griechenland]: Rhodos: Atabrys Mt.

13007. *Lasiommata maera gracilis* (Sheljuzhko, 1937) (Satyridae) *Pararge maera* ssp. *gracilis* Sheljuzhko, 1937, Festschr. Embrik Strand 2: 346. Syntypes ♂♂: [Georgien]: Gourv. Tiflis: Tzarskije Kolodtzy; Mtzchet; [Türkei]: Prov. Kars: Sarykamysch.

13008. *Lasiommata maera jachontovi* (Sheljuzhko, 1937) (Satyridae) *Pararge maera* ssp. *jachontovi* Sheljuzhko, 1937, Festschr. Embrik Strand 2: 341-343. Syntypes: [Russia]: Zheleznowodsk, Pjatigorsk, Kislowodsk.

13009. *Lasiommata maera maera* (Linnaeus, 1758) (Satyridae) *Papilio maera* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 473. Type(s): Suecia (vide Linnaeus, 1746 Fauna Suecica (1): 238).

13010. *Lasiommata maera orientalis* (Heyne, [1894]) (Satyridae) *Pararge maera* var. *orientalis* Heyne, [1894], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 577. Type(s): [Türkei]: Kleinasien. Taxonomical position needs further research.

13011. *Lasiommata maera silymbria* (Fruhstorfer, 1909) (Satyridae) *Pararge maera silymbria* Fruhstorfer, 1909, Int. ent. Z. 3: 134. Syntypes 8♂ 4♀: [Croatia]: Dalmatien: Spalato.

13012. *Lasiommata maerula* C.Felder & R.Felder, [1867] (Satyridae) *Lasiommata maerula* C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 496. Syntypes ♂: Himalaya occidentalis: Kunawer, Pangl.

13013. *Lasiommata maerula maerula* C.Felder & R.Felder, [1867] (Satyridae) *Lasiommata maerula* C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 496. Syntypes ♂: Himalaya occidentalis: Kunawer, Pangl.

13014. *Lasiommata maerula tarbena* (Talbot, 1947) (Satyridae) *Pararge maerula* ssp. *tarbena* Talbot, 1947, [in] Sewell, The Fauna of British India. Butterflies 2: 244-245. Holotype ♂: [Pakistan]: Chitral, Nallahs, 5000ft.

13015. *Lasiommata megera* (Linnaeus, 1767) (Satyridae) *Papilio megera* Linnaeus, 1767, Syst. Nat. (Edn.12) 1(2): 771, nr.142.

13016. *Lasiommata megera depulverata* (Fruhstorfer, 1909) (Satyridae) *Pararge megera* ssp. *depulverata* Fruhstorfer, 1909, Int. ent. Z. 3: 134. Syntypes 6♂♂: Algier: Philippeville, Oran (A.Seitz leg.).

13017. *Lasiommata megera megera* (Linnaeus, 1767) (Satyridae) *Papilio megera* Linnaeus, 1767, Syst. Nat. (Edn.12) 1(2): 771, nr.142.

13018. *Lasiommata megera transcaspica* (Staudinger, 1901) (Satyridae) *Pararge megera* var. *transcaspica* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 60. Syntypes: [Iran]: Hyrcania "Schahkuh"; [Turkmenistan]: Tura "Achal Tekke".

13019. *Lasiommata megera vividior* (Verity, 1953) (Satyridae) *Pararge megera* race *vividior* Verity, 1953, Le farfalle diurne d'Italia 5: 30.

13020. *Lasiommata megera vividissima* (Verity, 1923) (Satyridae) *Pararge megera vividissima* Verity, 1923, Entomologist's Rec. J. Var. 35: 25.

13021. *Lasiommata menava* Moore, 1865 (Satyridae) *Lasiommata menava* Moore, 1865, Proc. zool. Soc. Lond. 56: 499, Pl.30 fig.3. Syntypes: [India]: Kunawur, Pangl, Rarung (in BMHN).

13022. *Lasiommata menava maeroides* C.Felder & R.Felder, [1867] (Satyridae) *Lasiommata maeroides* C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 496, Tab.lxix fig.1. Syntypes ♂♂: Ladak: Dras, Vallis Indi Occidental.: Chulichang. 12000ft.

13023. *Lasiommata menava menava* Moore, 1865 (Satyridae) *Lasiommata menava* Moore, 1865, Proc. zool. Soc. Lond. 56: 499, Pl.30 fig.3. Syntypes: [India]: Kunawur, Pangl, Rarung (in BMHN).

13024. *Lasiommata menava nasshreddini* (Christoph, 1877) (Satyridae) *Pararge nasshreddini* Christoph, 1877, Horae Soc. ent. ross. 12: 240-241, 202, P. 5 figs. 13,14. Syntypes 4♂ 2♀: [Iran]: Scharud (junior synonym of ssp. *menava* Moore, 1865 (Romanoff, 1884; Hesselbarth, 1995).

13025. *Lasiommata paramagaera* (Hübner, [1824]) (Satyridae) *Papilio paramagaera* Hübner, [1824], Samml. eur. Schmett. 1: pl.170, figs. 842-844.

13026. *Lasiommata paramagaera paramagaera* (Hübner, [1824]) (Satyridae) *Papilio paramagaera* Hübner, [1824], Samml. eur. Schmett. 1: pl.170, figs. 842-844.

13027. *Lasiommata petropolitana* (Fabricius, 1787) (Satyridae) *Papilio maera* var. *petropolitana* Fabricius, 1787, Mant. Ins. 2: 36. Type(s): [Russia]: Petrograd.

13028. *Lasiommata petropolitana petropolitana* (Fabricius, 1787) (Satyridae) *Papilio maera* var. *petropolitana* Fabricius, 1787, Mant. Ins. 2: 36. Type(s): [Russia]: Petrograd.

13029. *Lasiommata schakra* (Kollar, [1844]) (Satyridae) *Satyrus schakra* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 446, Pl.15 figs. 3, 4. Type ♂: [India]: Simla.

13030. *Lasiommata schakra aiyuna* (Talbot, 1947) (Satyridae) *Pararge schakra aiyuna* Talbot, 1947, [in] Sewell, The Fauna of British India incl. Ceylon and Burma. Butterflies 2: 244. Holotype ♂: [Pakistan]: Chitral, Drosh 6000ft.

13031. *Lasiommata schakra schakra* (Kollar, [1844]) (Satyridae) *Satyrus schakra* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 446, Pl.15 figs. 3, 4. Type ♂: [India]: Simla.

13032. *Lethe Hübner*, [1819] (Satyridae) *Lethe Hübner*, [1819], Verz. bekannt. Schmett. (4): 56. Type-species: *Papilio europa* Fabricius, 1775, Syst. ent.: 500, by monotypy.

13033. *Lethe baladeva* (Moore, 1865) (Satyridae) *Zophoessa baladeva* Moore, 1865, Proc. zool. Soc. Lond. 1865: 769, pl.xli, fig.5. Type ♂: N.E. Bengal.

13034. *Lethe baladeva aisa* Fruhstorfer, 1911 (Satyridae) *Lethe baladeva aisa* Fruhstorfer, 1911, [in] Seitz, Die Gross-Schmett. Erde 9: 314. Type(s): Kumaon.

13035. *Lethe baladeva baladeva* (Moore, 1865) (Satyridae) *Zophoessa baladeva* Moore, 1865, Proc. zool. Soc. Lond. 1865: 769, pl.xli, fig.5. Type ♂: N.E. Bengal.

13036. *Lethe confusa Aurivillius*, 1898 (Satyridae) *Lethe confusa Aurivillius*, 1898, Ent. Tidskr. 18: 142.

13037. *Lethe confusa confusa Aurivillius*, 1898 (Satyridae) *Lethe confusa Aurivillius*, 1898, Ent. Tidskr. 18: 142.

13038. *Lethe diana* (Butler, 1866) (Satyridae) *Debis diana* Butler, 1866, J. linn. Soc. Zool. 9: 55. Syntypes: Japonia.

13039. *Lethe diana diana* (Butler, 1866) (Satyridae) *Debis diana* Butler, 1866, J. linn. Soc. Zool. 9: 55. Syntypes: Japonia.

13040. *Lethe europa* (Fabricius, 1775) (Satyridae) *Papilio europa* Fabricius, 1775, Syst. Ent.: 500-501, nr.247. Type(s): "America" [patria falsa], South India (Corbet, 1941, Proc. R. ent. Soc. Lond. (B) 10: 102).

- 13041. *Lethe europa europa* (Fabricius,1775)** (Satyridae) *Papilio europa* Fabricius,1775, Syst. Ent.: 500-501, nr.247. Type(s): "America" [patria falsa], South India (Corbet,1941, Proc. R. ent. Soc. Lond. (B) 10: 102).
- 13042. *Lethe europa niladana* Fruhstorfer,1911** (Satyridae) *Lethe europa* niladana Fruhstorfer,1911, [in] Seitz, Die Gross-Schmett. Erde 9: 315. Syntypes: Burma, Kumaon.
- 13043. *Lethe goalpara* (Moore,1865)** (Satyridae) *Zophoessa goalpara* Moore,1865, Proc. zool. Soc. Lond. 1865: 768. Syntypes ♂♀: N.E.Bengal.
- 13044. *Lethe goalpara gana* Talbot,1947** (Satyridae) *Lethe goalpara* ssp. *gana* Talbot,1947, [in] Sewell, The Fauna of British India, Butterflies 2: 186. Type: Sikkim: Karponang, 9000ft.
- 13045. *Lethe goalpara goalpara* (Moore,1865)** (Satyridae) *Zophoessa goalpara* Moore,1865, Proc. zool. Soc. Lond. 1865: 768. Syntypes ♂♀: N.E.Bengal.
- 13046. *Lethe insana* (Kollar,[1844])** (Satyridae) *Satyrus insana* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 448, pl.xvi, figs. 3,4. Type ♀: Kashmir.
- 13047. *Lethe insana dinarbas* (Hewitson,1863)** (Satyridae) *Debis dinarbas* Hewitson,1863, Exot. Butts.: 77. Type ♂: Naga Hills.
- 13048. *Lethe insana insana* (Kollar,[1844])** (Satyridae) *Satyrus insana* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 448, pl.xvi, figs. 3,4. Type ♀: Kashmir.
- 13049. *Lethe jalauida* (De Nicéville,1880)** (Satyridae) *Zophoessa jalauida* De Nicéville,1880, [in] Marshall & De Nicéville, J. asiat. Soc. Belg. 49(2): 245. Type ♂: Jalauri Pass.
- 13050. *Lethe jalauida elwesi* (Moore,1892)** (Satyridae) *Zophoessa elwesi* Moore,1892, Lepid. Indica: 298, pl. xcii, fig.3. Type ♂: Sikkim.
- 13051. *Lethe jalauida jalauida* (De Nicéville,1880)** (Satyridae) *Zophoessa jalauida* De Nicéville,1880, [in] Marshall & De Nicéville, J. asiat. Soc. Belg. 49(2): 245. Type ♂: Jalauri Pass.
- 13052. *Lethe maackii* (Bremer,1861)** (Satyridae) *Lasiommata maackii* Bremer,1861, Bull. Acad. imp. Sci. St. Petersb. 3: 468.
- 13053. *Lethe maackii maackii* (Bremer,1861)** (Satyridae) *Lasiommata maackii* Bremer,1861, Bull. Acad. imp. Sci. St. Petersb. 3: 468.
- 13054. *Lethe maitrya* De Nicéville,1880** (Satyridae) *Lethe maitrya* De Nicéville,1880, [in] Marshall & De Nicéville, J. asiat. Soc. Belg. 49(2): 245. Syntypes: Narkunda, 8000ft.
- 13055. *Lethe maitrya maitrya* De Nicéville,1880** (Satyridae) *Lethe maitrya* De Nicéville,1880, [in] Marshall & De Nicéville, J. asiat. Soc. Belg. 49(2): 245. Syntypes: Narkunda, 8000ft.
- 13056. *Lethe marginalis* (Motschulsky,1860)** (Satyridae) *Satyrus marginalis* Motschulsky,1860, Etüd. Ent. 9: 29. Syntypes: Japonia.
- 13057. *Lethe marginalis marginalis* (Motschulsky,1860)** (Satyridae) *Satyrus marginalis* Motschulsky,1860, Etüd. Ent. 9: 29. Syntypes: Japonia.
- 13058. *Lethe nicetas* (Hewitson,1863)** (Satyridae) *Debis nicetas* Hewitson,1863, Exot. Butts.: 78. Type(s): Bengal.
- 13059. *Lethe nicetas nicetas* (Hewitson,1863)** (Satyridae) *Debis nicetas* Hewitson,1863, Exot. Butts.: 78. Type(s): Bengal.
- 13060. *Lethe pulaha* (Moore,1857)** (Satyridae) *Lasiommata pulaha* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 227.
- 13061. *Lethe pulaha pandyia* Talbot,1947** (Satyridae) *Lethe pulaha* ssp. *pandyia* Talbot,1947, [in] Sewell, The Fauna of British India. Butterflies 2: 233. Holotype ♂: India: Mussooree, 5500ft.
- 13062. *Lethe rohria* (Fabricius,1787)** (Satyridae) *Papilio rohria* Fabricius,1787, Mant. Ins. 2: 45. Type(s): India.
- 13063. *Lethe rohria rohria* (Fabricius,1787)** (Satyridae) *Papilio rohria* Fabricius,1787, Mant. Ins. 2: 45. Type(s): India.
- 13064. *Lethe sidonis* (Hewitson,1863)** (Satyridae) *Debis sidonis* Hewitson,1863, Exot. Butts.: 77. Type(s): Darjeeling.
- 13065. *Lethe sidonis sidonis* (Hewitson,1863)** (Satyridae) *Debis sidonis* Hewitson,1863, Exot. Butts.: 77. Type(s): Darjeeling.
- 13066. *Lethe verma* (Kollar,[1844])** (Satyridae) *Satyrus verma* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 447, pl.xvi figs.1,2. Type ♂: Simla.
- 13067. *Lethe verma verma* (Kollar,[1844])** (Satyridae) *Satyrus verma* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 447, pl.xvi figs.1,2. Type ♂: Simla.
- 13068. *Lethe yama* (Moore,1857)** (Satyridae) *Zophoessa yama* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 221. Syntypes: Bhutan, N.India.
- 13069. *Lethe yama buckleyi* Talbot,1947** (Satyridae) *Lethe yama* ssp. *buckleyi* Talbot,1947, [in] Sewell, The Fauna of British India. Butterflies 2: 239. Syntypes: India: Mussooree, 5500ft.
- 13070. *Lopinga Moore*,[1893]** (Satyridae) *Lopinga Moore*,[1893], Lepid. ind. 2 (13): 11. Type-species: *Pararge dumetorum* Oberthür,1886, Etüd. ent. 11: 23, Pl.4 fig.20, by original designation.
- 13071. *Lopinga achine* (Scopoli,1763)** (Satyridae) *Papilio achine* Scopoli,1763, Ent. carn.: 156. Type(s): Kärnten.
- 13072. *Lopinga achine achine* (Scopoli,1763)** (Satyridae) *Papilio achine* Scopoli,1763, Ent. carn.: 156. Type(s): Kärnten.
- 13073. *Lopinga achine murciegoi* Gomez Bustillo & Fernandez Rubio,1975** (Satyridae) *Lopinga achine* ssp. *murciegoi* Gomez Bustillo & Fernandez Rubio,1975, Shilap Revta lepid. 2 (7): 268-269, fig. Holotype ♂: Spain: Vizcaya, faldas de la Pena de Orduna, 800m (coll. Murciego).
- 13074. *Loxerebia Watkins*,1925** (Satyridae) *Loxerebia Watkins*,1925, Ann. Mag. nat. Hist. (9) 16: 237. Type-species: *Callerebia pratorum* Oberthür,1886, by original designation.
- 13075. *Loxerebia narasingha* (Moore,1857)** (Satyridae) *Ypthima narasingha* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 236.
- 13076. *Loxerebia narasingha narasingha* (Moore,1857)** (Satyridae) *Ypthima narasingha* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 236.
- 13077. *Loxerebia pratorum* (Oberthür,1886)** (Satyridae) *Callerebia pratorum* Oberthür,1886, Etüd. Ent. 11: 25, pl.iv fig. 26. Syntypes: Thibet: Ta-Tsien-Lou.
- 13078. *Loxerebia pratorum pratorum* (Oberthür,1886)** (Satyridae) *Callerebia pratorum* Oberthür,1886, Etüd. Ent. 11: 25, pl.iv fig. 26. Syntypes: Thibet: Ta-Tsien-Lou.
- 13079. *Loxerebia saxicola* (Oberthür,1877)** (Satyridae) *Erebia saxicola* Oberthür,1877, Etüd. Ent. 2: 32-33, pl.iv fig.1. Syntypes: Mongolie: Ourato.
- 13080. *Loxerebia saxicola saxicola* (Oberthür,1877)** (Satyridae) *Erebia saxicola* Oberthür,1877, Etüd. Ent. 2: 32-33, pl.iv fig.1. Syntypes: Mongolie: Ourato.
- 13081. *Lyela Swinhoe*,1908** (Satyridae) *Lyela Swinhoe*,1908, Ann. Mag. nat. Hist. (8) 1: 60. Type-species: *Lyela macmahoni* Swinhoe,1908, ibid. (8) 1: 60, by original designation.
- 13082. *Lyela amirica* Wyatt,1961** (Satyridae) *Lyela amirica* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 16, figs. Holotype ♂: Afghanistan: [Koh-i-Baba Mts.], Band-i-Amir, Hazarajat, 9500-11000ft.
- 13083. *Lyela amirica amirica* Wyatt,1961** (Satyridae) *Lyela amirica* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 16, figs. Holotype ♂: Afghanistan: [Koh-i-Baba Mts.], Band-i-Amir, Hazarajat, 9500-11000ft.
- 13084. *Lyela myops* (Staudinger,1881)** (Satyridae) *Erebia myops* Staudinger,1881, Stettin ent. Ztg. 42: 296-297. Syntypes 3♂: [Kasachstan]: [Dschungarischer] Ala Tau.
- 13085. *Lyela myops macmahoni* Swinhoe,1908** (Satyridae) *Lyela macmahoni* Swinhoe,1908, Ann. Mag. nat. Hist. (8) 1: 60. Syntypes ♂♀: [Pakistan]: Baluchistan: Quetta.
- 13086. *Lyela myops mangystavica* Lukhtanov,1994** (Satyridae) *Lyela myops* ssp. *mangystavica* Lukhtanov,1994, Herbiopoliana 3: 118. Holotype ♂: Kasachstan: Mangyschlag-Halbinsel: Mangystau-Gebirge, Sharmysch (25km E. Schetpe), 300m.
- 13087. *Lyela myops myops* (Staudinger,1881)** (Satyridae) *Erebia myops* Staudinger,1881, Stettin ent. Ztg. 42: 296-297. Syntypes 3♂: Ala-Tau.
- 13088. *Lyela myops tekkensis* (Staudinger,1886)** (Satyridae) *Erebia myops* var. *tekkensis* Staudinger,1886, Stettin ent. Ztg. 47: 241. Syntypes 2♀: [Turkmenistan]: Achal-Tekke Gebiet, bei Kisil Arvat.
- 13089. *Maniola* (Telmessiola) Koçak & Kemal,2002** (Satyridae) *Maniola* (Telmessiola) Koçak & Kemal,2002, Cent. ent. Stud., Misc. Pap. 82/85: 14. Type-species: *Hipparchia telmessia* Zeller,1847, by original designation [proposed as subgenus].
- 13090. *Maniola* (Telmessiola) *cypricola* (Graves,1928)** (Satyridae) *Epinephele cypricola* Graves,1928, Entomologist 61: 5-7, Pl.1. Lectotype ♂: Cyprus: Limassol (designated by Olivier,1993) (in BMHN).
- 13091. *Maniola* (Telmessiola) *cypricola cypricola* (Graves,1928)** (Satyridae) *Epinephele cypricola* Graves,1928, Entomologist 61: 5-7, Pl.1. Lectotype ♂: Cyprus: Limassol (designated by Olivier,1993) (in BMHN).
- 13092. *Maniola* (Telmessiola) *halicarnassus* Thomson,1990** (Satyridae) *Maniola halicarnassus* Thomson,1990, Phegea 18(4): 149-155, figs. Holotype ♂: Turkey: 3km westl. Bodrum (in ITZA).

- 13093. Maniola (Telmessiola) halicarnassus halicarnassus Thomson,1990** (Satyridae) *Maniola halicarnassus* Thomson,1990, Phegea 18(4): 149-155, figs. Holotype ♂: Turkey: 3km westl. Bodrum (in ITZA).
- 13094. Maniola (Telmessiola) nurag (Ghiliani,1852)** (Satyridae) *Satyrus nurag* Ghiliani,1852, Mem. Acc. Tor. 1852: 211.
- 13095. Maniola (Telmessiola) nurag nurag (Ghiliani,1852)** (Satyridae) *Satyrus nurag* Ghiliani,1852, Mem. Acc. Tor. 1852: 211.
- 13096. Maniola (Telmessiola) telmessia (Zeller,1847)** (Satyridae) *Hipparchia telmessia* Zeller,1847, Isis 1847: 4. Syntypes 2♂ 4♀: [Türkei]: Makri [Fethiye]: [Greece]: Rhodus. Lectotype ♂: Marmaris (designated by Olivier,1993) (in BMHN).
- 13097. Maniola (Telmessiola) telmessia telmessia (Zeller,1847)** (Satyridae) *Hipparchia telmessia* Zeller,1847, Isis 1847: 4. Syntypes 2♂ 4♀: [Türkei]: Makri [Fethiye]: [Greece]: Rhodus. Lectotype ♂: Marmaris (designated by Olivier,1993) (in BMHN).
- 13098. Maniola (s.str.) Schrank,1801** (Satyridae) *Maniola Schrank*,1801, Fauna boica 1(2): 152, 170. Type-species: *Papilio jurtina* Linnaeus,1758, Syst. Nat. (Ed.10)1: 475. by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 211.
- 13099. Maniola (s.str.) chia Thomson,1987** (Satyridae) *Maniola chia* Thomson,1987, Phegea 15(1): 13-22, figs. Holotype ♂: Greece: Chios.
- 13100. Maniola (s.str.) chia chia Thomson,1987** (Satyridae) *Maniola chia* Thomson,1987, Phegea 15(1): 13-22, figs. Holotype ♂: Greece: Chios.
- 13101. Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) *Papilio jurtina* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 475. Syntypes: Europa, Africa; [Sweden (Verity,1953)].
- 13102. Maniola (s.str.) jurtina cantabrica (Agenjo,1934)** (Satyridae) *Epinephele jurtina* ssp. *cantabrica* Agenjo,1934, Eos 9: 313-324, Lam. xviii figs.4,5. Holotype ♂: Spain: ambos de Camargo (Santander) (Mus. Madrid).
- 13103. Maniola (s.str.) jurtina emihispulla (Verity,1919)** (Satyridae) *Epinephele jurtina* race *emihispulla* Verity,1919, Entomologist's Rec. J. Var. 31: 123-124. Syntypes 60♂ 26♀: Italy: Isola de Elba: Poggio, 400m.
- 13104. Maniola (s.str.) jurtina hispulla (Esper,[1805])** (Satyridae) *Papilio hispulla* Esper,[1805], Die Schmett. 1(2): Forts. Tagschmett.: Taf.119, fig.2.
- 13105. Maniola (s.str.) jurtina jurtina (Linnaeus,1758)** (Satyridae) *Papilio jurtina* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 475. Syntypes: Europa, Africa; [Sweden (Verity,1953)].
- 13106. Maniola (s.str.) jurtina phormia (Fruhstorfer,1909)** (Satyridae) *Epinephele jurtina* ssp. *phormia* Fruhstorfer,1909, Int. ent. Z., 3(21): 121. Syntypes: Südtirol: Meran, Lana.
- 13107. Maniola (s.str.) megala (Oberthür,1909)** (Satyridae) *Epinephele janira megala* Oberthür,1909, Etüd. lépid. comp. 3: 387. Lectotype ♂: [Turquie]: [Hatay Pr.], Akbes (designated by Bernardi, 1966: 38).
- 13108. Maniola (s.str.) megala megala (Oberthür,1909)** (Satyridae) *Epinephele janira megala* Oberthür,1909, Etüd. lépid. comp. 3: 387. Lectotype ♂: [Turquie]: [Hatay Pr.], Akbes (designated by Bernardi, 1966: 38).
- 13109. Mashuna Van Son,1955** (Satyridae) *Mashuna Van Son*,1955, Butts S. Africa 2: 159. Type-species: *Ypthima mashuna* Trimen,1895, by original designation.
- 13110. Masoura Hemming,1964** (Satyridae) *Masoura* Hemming,1964, Annot. lep. (4): 138. Type-species: *Melanitis masour* Hewitson,1875, designation through Section (i) of Article 67 (1961).
- 13111. Melampias Hübner,[1819]** (Satyridae) *Melampias Hübner*,[1819], Verz. bekannt. Schmett.: 63. Type-species: *Papilio hyperbius* Linnaeus,1764, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 214.
- 13112. Melanargia (Parce) Oberthür & Houlbert,1922** (Satyridae) *Parce Oberthür & Houlbert*,1922, C. R. Acad. Sci., Paris 174: 192. Type-species: *Parce fergana* Oberthür & Houlbert,1922, by original designation.
- 13113. Melanargia (Parce) epimede Staudinger,1887** (Satyridae) *Melanargia epimede* Staudinger,1887, [in] Romanoff, Mém. Lépid. 3: 147, pl.16 fig.10. Syntypes: [Russia: Amur Region]: "Raddefka".
- 13114. Melanargia (Parce) epimede epimede Staudinger,1887** (Satyridae) *Melanargia epimede* Staudinger,1887, [in] Romanoff, Mém. Lépid. 3: 147, pl.16 fig.10. Syntypes: [Russia: Amur Region]: "Raddefka".
- 13115. Melanargia (Parce) halimede (Ménétriés,1859)** (Satyridae) *Arge halimede* Ménétriés,1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 37, nr.71 t.3 figs.6,7. Syntypes: Russia: Amurland.
- 13116. Melanargia (Parce) halimede coreana Sheljuzhko,1929** (Satyridae) *Melanargia halimede coreana* Sheljuzhko,1929, Ent. Anz. 1929: 49.
- 13117. Melanargia (Parce) halimede halimede (Ménétriés,1859)** (Satyridae) *Arge halimede* Ménétriés,1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 37, nr.71 t.3 figs.6,7. Syntypes: Russia: Amurland.
- 13118. Melanargia (Parce) halimede halimede Bryk,1946** (Satyridae) *Melanargia halimede* ssp. *halimede* Bryk,1946, Ark. Zool. 38 A (3): 27-28, Taf. v fig.4. Holotype ♂: Korea: Motojondo.
- 13119. Melanargia (Parce) halimede koreargia Bryk,1946** (Satyridae) *Melanargia halimede* ssp. *koreargia* Bryk,1946, Ark. Zool. 38 A (3): 26-27, Taf. iv figs. 1,3. Holotype ♂: Korea: Chidisan.
- 13120. Melanargia (Parce) parce Staudinger,1882** (Satyridae) *Melanargia parce* Staudinger,1882, Berl. ent. Z. 26(1): 170-171. Syntypes: [Uzbekistan]: Samarkand (Urgut), Ferab, Hazret-Sultan Gebirge.
- 13121. Melanargia (Parce) parce lucida Staudinger,1886** (Satyridae) *Melanargia parce* var. *lucida* Staudinger,1886, Stettin ent. Ztg. 47: 237. Syntypes: [Uzbekistan]: Samarkand, südl. Alai.
- 13122. Melanargia (Parce) parce parce Staudinger,1882** (Satyridae) *Melanargia parce* Staudinger,1882, Berl. ent. Z. 26(1): 170-171. Syntypes: [Uzbekistan]: Samarkand (Urgut), Ferab, Hazret-Sultan Gebirge.
- 13123. Melanargia (Parce) russiae (Esper,[1784])** (Satyridae) *Papilio arge russiae* Esper,[1784], Die Schmett. 1(2): 162, pl.84, figs.1,2. Syntypes: [Russia]: Russland.
- 13124. Melanargia (Parce) russiae cleante (Boisduval,1833)** (Satyridae) *Arge cleante* Boisduval,1833, Icones.: pl.26, figs.1-3. Type(s): France: Basses Alpes.
- 13125. Melanargia (Parce) russiae eberti Wagener,1975** (Satyridae) *Melanargia russiae* ssp. *eberti* Wagener,1975, J. ent. Soc. Iran, Suppl. 1: 50-51, figs. 1,2. Holotype ♂: N-Iran: Elburs-Mts., Masandaran, Polur, Damavand, 2500m (L.N.K.).
- 13126. Melanargia (Parce) russiae russiae (Esper,[1784])** (Satyridae) [*Papilio*] *arge russiae* Esper,[1784], Die Schmett. 1(2): 162, pl.84, figs.1,2. Syntypes: [Russia]: Russland.
- 13127. Melanargia (Parce) russiae transcaspica Staudinger,1901** (Satyridae) *Melanargia japygia* var. *transcaspica* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 41, nr.249d. Syntypes: Tura, Hyrc.
- 13128. Melanargia (Turcargia) Koçak & Kemal,2002** (Satyridae) *Melanargia (Turcargia) Koçak & Kemal*,2002, Cent. ent. Stud., Misc. Pap. 82/85: 10-11. Type-species: *Papilio larissa* Geyer,[1832], by original designation [proposed as subgenus].
- 13129. Melanargia (Turcargia) grumi Standfuss,1892** (Satyridae) *Melanargia grumi* Standfuss,1892, [in] Romanoff, Mém. Lépid. 6: 661-664, pl.15 figs.2a-c. Syntypes: [Türkei]: Mardin.
- 13130. Melanargia (Turcargia) grumi grumi Standfuss,1892** (Satyridae) *Melanargia grumi* Standfuss,1892, [in] Romanoff, Mém. Lépid. 6: 661-664, pl.15 figs.2a-c. Syntypes: [Türkei]: Mardin.
- 13131. Melanargia (Turcargia) hylata (Ménétriés,1832)** (Satyridae) *Satyrus hylata* Ménétriés,1832, Catalogue raisonné des objets de Zool. réunis Caucase....251. Type(s): [Aserbaidjan]: Talyche: Khanat.
- 13132. Melanargia (Turcargia) hylata hylata (Ménétriés,1832)** (Satyridae) *Satyrus hylata* Ménétriés,1832, Catalogue raisonné des objets de Zool. réunis Caucase....251. Type(s): [Aserbaidjan]: Talyche: Khanat.
- 13133. Melanargia (Turcargia) hylata iranica Seitz,1907** (Satyridae) *Melanargia hylata f.iranica* Seitz,1907, Die Gross-Schmett. Erde 1: 116, Taf.39b. Type(s): Iran: Schiras.
- 13134. Melanargia (Turcargia) larissa (Geyer,[1828])** (Satyridae) *Papilio larissa* Geyer,[1828], [in] Hübner, Samml. eur. Schmett. 1: pl.182 figs.896-899. Syntypes: [Croatia: Istria, Cres (Cherso isl.)].
- 13135. Melanargia (Turcargia) larissa astanda (Boisduval,1848)** (Satyridae) *Arge astanda* Boisduval,1848, Annls Soc. ent. Fr. (2) 6: xxix. Syntypes: [Azerbaidjan]: Helenendorf.
- 13136. Melanargia (Turcargia) larissa larissa (Geyer,[1828])** (Satyridae) *Papilio larissa* Geyer,[1828], [in] Hübner, Samml. eur. Schmett. 1: pl.182 figs.896-899. Syntypes: [Istria, Cres (Cherso isl.)].
- 13137. Melanargia (Turcargia) larissa lesbina Wagener,1976** (Satyridae) *Melanargia larissa* ssp. *lesbina* Wagener,1976, NachrBl. bayer. Ent. 25(3): 40-43. Holotype ♂: Greece: Lesbos Is. (in ZFMK).
- 13138. Melanargia (Turcargia) larissa massageta Staudinger,1901** (Satyridae) *Melanargia grumi* var. *massageta* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 42. Syntypes:

- Kurd. oc. (Malatia). Lectotype ♂: Türkei: Malatya (designated by Wagener, 1983) (in ZMHB).
- 13139. *Melanargia (Turcargia) larissa noacki* Wagener, 1983** (Satyridae) *Melanargia larissa* ssp. *noacki* Wagener, 1983, Atalanta 14(4): 286-297, pl. 7, 8. figs. 1-8. Holotype ♂: Türkei: Ankara.
- 13140. *Melanargia (Turcargia) larissa taurica* Röber, 1896** (Satyridae) *Melanargia astanda* var. *taurica* Röber, 1896, Ent. Nachr. 22 (5): 83-84. Syntypes: [Türkei]: [Mersin]: Dorak, Gülek.
- 13141. *Melanargia (Turcargia) lucasi* (Rambur, 1858)** (Satyridae) *Arge lucasi* Rambur, 1858, Cat. lepid. Andalusie 1: 20, note.
- 13142. *Melanargia (Turcargia) lucasi lucasi* (Rambur, 1858)** (Satyridae) *Arge lucasi* Rambur, 1858, Cat. lepid. Andalusie 1: 20, note.
- 13143. *Melanargia (Turcargia) meda* Groum-Grshimailo, 1895** (Satyridae) *Melanargia meda* Groum-Grshimailo, 1895, Horae Soc. ent. ross. 29: 291. Syntypes: [Iran]: Elburs.
- 13144. *Melanargia (Turcargia) meda meda* Groum-Grshimailo, 1895** (Satyridae) *Melanargia meda* Groum-Grshimailo, 1895, Horae Soc. ent. ross. 29: 291. Syntypes: [Iran]: Elburs.
- 13145. *Melanargia (Turcargia) occitanica* (Esper, [1789])** (Satyridae) *Papilio occitanica* Esper, [1789], Die Schmett. 1(2): Forts. Tagschmett.: Taf. 96, figs. 3, 4. Syntypes: Toulouse.
- 13146. *Melanargia (Turcargia) occitanica megalatlasica* Tarrier, 1996** (Satyridae) *Melanargia occitanica* ssp. *megalatlasica* Tarrier, 1996, Alexanor 19(4): 204-206, figs. Holotype ♂: Maroc: Tiz-n-Talhremit, 1900m. (ISR).
- 13147. *Melanargia (Turcargia) occitanica occitanica* (Esper, [1789])** (Satyridae) *Papilio occitanica* Esper, [1789], Die Schmett. 1(2): Forts. Tagschmett.: Taf. 96, figs. 3, 4. Syntypes: Toulouse.
- 13148. *Melanargia (Turcargia) pherusa* (Boisduval, 1833)** (Satyridae) *Arge pherusa* Boisduval, 1833, Icones... pl. 26, figs. 4-6. Type(s): Sicilia.
- 13149. *Melanargia (Turcargia) pherusa pherusa* (Boisduval, 1833)** (Satyridae) *Arge pherusa* Boisduval, 1833, Icones... pl. 26, figs. 4-6. Type(s): Sicilia.
- 13150. *Melanargia (Turcargia) syriaca* (Oberthür, 1894)** (Satyridae) *Arge galathea* var. *syriaca* Oberthür, 1894, Etüd. Ent. 19: 18-19, pl. 8 figs. 6, 8. Syntypes: [Türquie]: Akbes (in BMHN).
- 13151. *Melanargia (Turcargia) syriaca karabagi* Koçak, 1976** (Satyridae) *Melanargia larissa* ssp. *karabagi* Koçak, 1976, Atalanta 7 (1): 40-41, figs. 1, 2. Holotype ♂: Turkey: Hakkari Prov.: Hakkari, 2000m (in coll. Cesa).
- 13152. *Melanargia (Turcargia) syriaca kocaki* Wagener, 1983** (Satyridae) *Melanargia syriaca* ssp. *kocaki* Wagener, 1983, Atalanta 14(4): 257-263, pl. 3, 4 figs. 1-8. Holotype ♂: Türkei: Bingöl Prov.: 10km E. Şeref, 1400m.
- 13153. *Melanargia (Turcargia) syriaca syriaca* (Oberthür, 1894)** (Satyridae) *Arge galathea* var. *syriaca* Oberthür, 1894, Etüd. Ent. 19: 18-19, pl. 8 figs. 6, 8. Syntypes: [Türquie]: Akbes.
- 13154. *Melanargia (Turcargia) syriaca yucelaskin* Kemal & Koçak, 2005** (Satyridae) *Melanargia (Turcargia) syriaca* ssp. *yucelaskin* Kemal & Koçak, 2005, Cent. ent. Stud., Priamus 11 (3): 43. Holotype ♂: Turkey: Van Province, Gevaş, İnköy 1700m, 22 6 2005, M. Kemal leg. (Cesa).
- 13155. *Melanargia (Turcargia) teneates* (Ménétriés, 1832)** (Satyridae) *Satyrus teneates* Ménétriés, 1832, Catalogue raisonné des objets de Zool. réunis Caucase...: 252. Type(s): [Aserbaidjan]: Talyche: Zouvant.
- 13156. *Melanargia (Turcargia) teneates teneates* (Ménétriés, 1832)** (Satyridae) *Satyrus teneates* Ménétriés, 1832, Catalogue raisonné des objets de Zool. réunis Caucase...: 252. Type(s): [Aserbaidjan]: Talyche: Zouvant.
- 13157. *Melanargia (Turcargia) titea* (Klug, 1832)** (Satyridae) *Hipparchia titea* Klug, 1832, [in] Ehrenberg, Symb. Phys. Ins. 3: pl. 29, figs. 15-18. Lectotype ♂: Lebanon: Beirut (designated by Wagener, 1983) (in ZMHB).
- 13158. *Melanargia (Turcargia) titea standfussi* Wagener, 1983** (Satyridae) *Melanargia titea* ssp. *standfussi* Wagener, 1983, Nota lepid. 6(2/3): 185 (nomen. nov. pro *titania* Standfuss, 1892 nec Calberla, 1891). Lectotype ♂: [Gaziantep]: Aintab (designated by Wagener, 1983; cf. Hesselbath, 1995: 875).
- 13159. *Melanargia (Turcargia) titea titania* Calberla, 1891** (Satyridae) *Melanargia titea* v. *titania* Calberla, 1891, Dt. ent. Z., Iris 4: 41-42. Syntypes: [Syrien]: Hauran (SSO. Damaskus)... [Israel]: Jerusalem, Nazareth. Neotype ♂: Transjordan: Jerasch (designated by Wagener, 1983).
- 13160. *Melanargia (Turcargia) titea titea* (Klug, 1832)** (Satyridae) *Hipparchia titea* Klug, 1832, [in] Ehrenberg, Symb. Phys. Ins. 3: pl. 29, figs. 15-18. Lectotype ♂: Lebanon: Beirut (designated by Wagener, 1983) (in ZMHB).
- 13161. *Melanargia (Turcargia) titea wiskotti* Röber, 1896** (Satyridae) *Melanargia titea* var. *wiskotti* Röber, 1896, Ent. Nachr. 22(6): 83. Syntypes: [Türkei]: Dorak [=Durak]. Lectotype ♂: Mersin: Durak (designated by Wagener, 1983; cf. Hesselbath, 1995: 876).
- 13162. *Melanargia (s.str.) Meigen, 1828*** (Satyridae) *Melanargia* Meigen, 1828, Syst. Besch. Eur. Schmett. 1(3): 97. Type-species: *Papilio galathea* Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 474, by subsequent designation by Kirby, 1894, in Allen's Nat. Libr., Lepid. 1: 240.
- 13163. *Melanargia (s.str.) evartianae* Wagener, 1976** (Satyridae) *Melanargia evartianae* Wagener, 1976, J. ent. Soc. Iran 3 (1/2): 75-77, Abb. 1-3. Holotype ♂: N.-Iran: Elburz Mts., 50km östl. Minudasht, Gorgantal (in coll. Vartian).
- 13164. *Melanargia (s.str.) evartianae evartianae* Wagener, 1976** (Satyridae) *Melanargia evartianae* Wagener, 1976, J. ent. Soc. Iran 3 (1/2): 75-77, Abb. 1-3. Holotype ♂: N.-Iran: Elburz Mts., 50km östl. Minudasht, Gorgantal (in coll. Vartian).
- 13165. *Melanargia (s.str.) galathea* (Linnaeus, 1758)** (Satyridae) *Papilio galathea* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 474. Syntypes: Germania, Europa.
- 13166. *Melanargia (s.str.) galathea fronteriza* Gomez-Bustillo, 1973** (Satyridae) *Melanargia galathea* ssp. *fronteriza* Gomez-Bustillo, 1973, Shilap Revta lepid. 1: 100. Holotype ♂: Spain: Prov. Santander: Arroyo, 850m. (Mus. Madrid).
- 13167. *Melanargia (s.str.) galathea galathea* (Linnaeus, 1758)** (Satyridae) *Papilio galathea* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 474. Syntypes: Germania, Europa.
- 13168. *Melanargia (s.str.) galathea magdalenae* Reichl, 1975** (Satyridae) *Melanargia galathea* ssp. *magdalenae* Reichl, 1975, Z. ArbGem. öst. Ent. 26 (2/4): 33-40, figs. Holotype: Italia: mittlere Valcellina: Barcis, 410-500m.
- 13169. *Melanargia (s.str.) galathea njurdzhan* Sheljuzhko, 1937** (Satyridae) *Melanargia galathea* ssp. *njurdzhan* Sheljuzhko, 1937, Festschr. Embrik Strand 2: 322-323. Syntypes 32♂ 13♀: [Russia]: Teberda, Dzegamat-Tal, Muchu-Flusse.
- 13170. *Melanargia (s.str.) galathea procida* (Herbst, 1783)** (Satyridae) *Papilio procida* Herbst, 1783, [in] Jablonsky, Natursyst. Ins. (Schmett.) 7: Pl. 183 figs. 5-6.
- 13171. *Melanargia (s.str.) galathea pyrenaica* Verity, 1919** (Satyridae) *Melanargia galathea* race *pyrenaica* Verity, 1919, Entomologist's Rec. J. Var. 31: 125. Syntypes: 9♂ 1♀: [France]: Hautes-Pyrenees: Gedre.
- 13172. *Melanargia (s.str.) galathea satnia* Fruhstorfer, 1917** (Satyridae) *Melanargia galathea* ssp. *satnia* Fruhstorfer, 1917, Arch. Naturgesch. 82A (2): 20, Taf. 1 figs. 10, 11. Syntypes: Bulgarien: Maglis, westl. Slivno (in BMHN).
- 13173. *Melanargia (s.str.) galathea serena* Verity, 1913** (Satyridae) *Melanargia galathea serena* Verity, 1913, Boll. Soc. ent. ital. 44 (1912): 205. Syntypes 5♂ 3♀: England: Inghilterra, Abbots Ripton, Sussex: Abbot's Wood.
- 13174. *Melanargia (s.str.) galathea tramontina* Reichl, 1975** (Satyridae) *Melanargia galathea* ssp. *tramontina* Reichl, 1975, Z. ArbGem. öst. Ent. 26 (2/4): 34-40. Holotype ♂: Italia: Val Chiarzo, südlich Tramonti di sotto, 400m.
- 13175. *Melanargia (s.str.) lachesis* (Hübner, 1790)** (Satyridae) *Papilio lachesis* Hübner, 1790, Beitr. Schmett. 2: 70, pl. 3 figs. 1, 2.
- 13176. *Melanargia (s.str.) lachesis bustilloe* Gomez-Bustillo, 1973** (Satyridae) *Melanargia lachesis* ssp. *bustilloe* Gomez-Bustillo, 1973, Shilap Revta lepid. 1: 98-99. Holotype ♂: Spain: Prov. Santander: Puerto de Pozazal, 1000m (Mus. Madrid).
- 13177. *Melanargia (s.str.) lachesis lachesis* (Hübner, 1790)** (Satyridae) *Papilio lachesis* Hübner, 1790, Beitr. Schmett. 2: 70, pl. 3 figs. 1, 2.
- 13178. *Melanargia Meigen, 1828*** (Satyridae) *Melanargia* Meigen, 1828, Syst. Besch. Eur. Schmett. 1(3): 97. Type-species: *Papilio galathea* Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 474, by subsequent designation by Kirby, 1894, in Allen's Nat. Libr., Lepid. 1: 240.
- 13179. *Melanargia arge* (Sulzer, 1776)** (Satyridae) *Papilio arge* Sulzer, 1776, Abgekürzte Geschichte der Insecten: 144, Taf. 16, figs. 8, 9. Type(s): [Italia]: Sicilia.
- 13180. *Melanargia arge arge* (Sulzer, 1776)** (Satyridae) *Papilio arge* Sulzer, 1776, Abgekürzte Geschichte der Insecten: 144, Taf. 16, figs. 8, 9. Type(s): [Italia]: Sicilia.
- 13181. *Melanargia ines* (Hoffmannsegg, 1804)** (Satyridae) *Papilio ines* Hoffmannsegg, 1804, Illiger's Mag. Insektenk. 3: 205.

- 13182. *Melanargia ines arahoui* Tarrier, 1996** (Satyridae) *Melanargia ines* ssp. *arahoui* Tarrier, 1996, Alexanor 19(4): 206-208, figs. Holotype ♂: Maroc: Tiz-n-Taghatine, djebel Siroua 1800m (ISR).
- 13183. *Melanargia ines ines* (Hoffmannsegg, 1804)** (Satyridae) *Papilio ines* Hoffmannsegg, 1804, Illiger's Mag. Insektenk. 3: 205.
- 13184. *Melanargia ines sublutescens* Turati, 1921** (Satyridae) *Melanargia ines sublutescens* Turati, 1921, Atti Soc. ital. Sci. Nat. 60: 217, fig. 4b.
- 13185. *Melanitis Fabricius*, 1807** (Satyridae) *Melanitis Fabricius*, 1807, Mag. f. Insektenk. (Illiger) 6: 282. Type-species: *Papilio leda* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 474, by subsequent designation by Butler, 1868, Entomologist's mon. Mag. 4: 194.
- 13186. *Melanitis atrax* (C.Felder & R.Felder, 1863)** (Satyridae) *Cyllo atrax* C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7(4): 123.
- 13187. *Melanitis atrax atrax* (C.Felder & R.Felder, 1863)** (Satyridae) *Cyllo atrax* C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7(4): 123.
- 13188. *Melanitis boisduvalia* (C.Felder & R.Felder, 1863)** (Satyridae) *Cyllo boisduvalia* C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7(4): 123-124. Syntypes ♂♂: Mindoro.
- 13189. *Melanitis boisduvalia boisduvalia* (C.Felder & R.Felder, 1863)** (Satyridae) *Cyllo boisduvalia* C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7(4): 123-124. Syntypes ♂♂: Mindoro.
- 13190. *Melanitis leda* (Linnaeus, 1758)** (Satyridae) *Papilio leda* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 474. Type(s): [China]: Canton.
- 13191. *Melanitis leda helena* (Westwood, 1851)** (Satyridae) *Cyllo helena* Westwood, [1851], [in] Doubleday & Westwood, Genera diurn. lepid.: 361. Type(s): Western tropical Africa.
- 13192. *Melanitis leda leda* (Linnaeus, 1758)** (Satyridae) *Papilio leda* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 474-475. Type(s): Asia.
- 13193. *Melanitis phedima* (Stoll, 1782)** (Satyridae) *Papilio phedima* Stoll, [1782], [in] Cramer, Uitl. Kapellen 4: pl. 292, fig. B.
- 13194. *Melanitis phedima phedima* (Stoll, 1782)** (Satyridae) *Papilio phedima* Stoll, [1782], [in] Cramer, Uitl. Kapellen 4: pl. 292, fig. B.
- 13195. *Minois Hübner*, [1819]** (Satyridae) *Minois Hübner*, [1819], Verz. bekannt. Schmett. (4): 57. Type-species: *Papilio phaedra* Linnaeus, 1764, Mus. Lud. Ulr.: 280, by subsequent designation by Butler, 1868, Entomologist's mon. Mag. 4: 194.
- 13196. *Minois dryas* (Scopoli, 1763)** (Satyridae) *Papilio dryas* Scopoli, 1763, Entomologia Carniolica: 153. Type(s): [Slovenien]: Carniolia [Krain].
- 13197. *Minois dryas dryas* (Scopoli, 1763)** (Satyridae) *Papilio dryas* Scopoli, 1763, Entomologia Carniolica: 153. Type(s): [Slovenien]: Carniolia [Krain].
- 13198. *Minois dryas phaedra* (Linnaeus, 1764)** (Satyridae) *Papilio phaedra* Linnaeus, 1764, Museum Ludovicae Ulrica: 280. Type(s): Germania.
- 13199. *Minois dryas septentrionalis* (Wnukowsky, 1929)** (Satyridae) *Satyrus dryas* var. *septentrionalis* Wnukowsky, 1929, Zool. Anz. 83: 221 (nomen novum pro var. *sibirica* Staudinger, 1871, [in] Staudinger & Wocke, Cat. Lepid. Eur. 2(1): 29; nec *S. autonoe* ssp. *sibirica* Staudinger, 1861, ibid. 1(1): 12).
- 13200. *Minois paupera* (Alpheraky, 1888)** (Satyridae) *Satyrus dryas* var. *paupera* Alpheraky, 1888, Stettin ent. Ztg. 49: 67. Type ♂: [China]: Fluß Honton (leg. Potanin).
- 13201. *Minois paupera astraeca* (Leech, 1892)** (Satyridae) *Satyrus paupera astraeca* Leech, 1892, Trans. ent. Soc. London 70, Pl. 13 fig. 6. Syntypes: China.
- 13202. *Minois paupera jekundana* Koçak, 1989** (Satyridae) *Minois paupera jekundana* Koçak, 1989, Priamus 4(4): 141 (nomen novum pro *Satyrus paupera* ssp. *montana* Holik, 1954 nec *Satyrus hansii montana* Austaut, 1905). Holotype ♂: China: Ost-Tibet: Jekundo (in AKMB).
- 13203. *Minois paupera kansuana* Koçak, 1989** (Satyridae) *Minois paupera kansuana* Koçak, 1989, Priamus 4(4): 141 (nomen novum pro *Satyrus paupera* ssp. *variegata* Holik, 1949 nec *Satyrus arethusa variegata* Verity, 1911). Holotype ♂: China: Kansu: Lanchowfu.
- 13204. *Minois paupera paupera* (Alpheraky, 1888)** (Satyridae) *Satyrus dryas* var. *paupera* Alpheraky, 1888, Stettin ent. Ztg. 49: 67. Type ♂: [China]: Fluß Honton (leg. Potanin).
- 13205. *Mycalesis Hübner*, 1818** (Satyridae) *Mycalesis Hübner*, 1818, Zutr. z. Samml. exot. Schmett. 1: 17. Type-species: *Papilio francisca* Stoll, [1780], by subsequent designation by Hemming, 1937, Proc. R. ent. Soc. Lond. (B) 6: 149.
- 13206. *Mycalesis francisca* (Stoll, 1780)** (Satyridae) *Papilio francisca* Stoll, [1780], [in] Cramer, Uitl. Kapellen 4: pl. 326, fig. E, F.
- 13207. *Mycalesis francisca francisca* (Stoll, 1780)** (Satyridae) *Papilio francisca* Stoll, [1780], [in] Cramer, Uitl. Kapellen 4: pl. 326, fig. E, F.
- 13208. *Mycalesis francisca sanatana* Moore, 1857** (Satyridae) *Mycalesis sanatana* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 231.
- 13209. *Mycalesis georgi Aoki & Uémura*, 1982** (Satyridae) *Mycalesis georgi* Aoki & Uémura, 1982, Memoirs of the Tsukada Collection 4: 7, Pl. 3, 4 figs. 5, 6. Holotype ♂: [Philippines]: Luzon: Bicol National Park.
- 13210. *Mycalesis georgi georgi* Aoki & Uémura, 1982** (Satyridae) *Mycalesis georgi* Aoki & Uémura, 1982, Memoirs of the Tsukada Collection 4: 7, Pl. 3, 4 figs. 5, 6. Holotype ♂: [Philippines]: Luzon: Bicol National Park.
- 13211. *Mycalesis igoleta* C.Felder & R.Felder, 1863** (Satyridae) *Mycalesis igoleta* C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7: 127. Type: Luzon.
- 13212. *Mycalesis igoleta igoleta* C.Felder & R.Felder, 1863** (Satyridae) *Mycalesis igoleta* C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7: 127. Type: Luzon.
- 13213. *Mycalesis igoleta negrosensis* Aoki & Uémura, 1982** (Satyridae) *Mycalesis igoleta* ssp. *negrosensis* Aoki & Uémura, 1982, Memoirs of the Tsukada Collection 4: 10, Pl. 3, 4 figs. 15. Holotype ♂: [Philippines]: Negros: Mambucal.
- 13214. *Mycalesis intermedia* Moore, 1892** (Satyridae) *Mycalesis intermedia* Moore, 1892, Lepid. Ind. 1: 178.
- 13215. *Mycalesis lepcha* (Moore, 1880)** (Satyridae) *Samanta lepcha* Moore, 1880, Trans. ent. Soc. Lond. 1880 (4): 167. Type ♂: Nepal.
- 13216. *Mycalesis lepcha lepcha* (Moore, 1880)** (Satyridae) *Samanta lepcha* Moore, 1880, Trans. ent. Soc. Lond. 1880 (4): 167. Type ♂: Nepal.
- 13217. *Mycalesis mineus* (Linnaeus, 1767)** (Satyridae) *Papilio mineus* Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 768.
- 13218. *Mycalesis mineus mineus* (Linnaeus, 1767)** (Satyridae) *Papilio mineus* Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 768.
- 13219. *Mycalesis nicotia* Westwood, [1850]** (Satyridae) *Mycalesis nicotia* Westwood, [1850], [in] Doubleday & Westwood, Gen. Diurn. Lepid. 2: pl. lxxvi, fig. 4 (1850); 394 (1851).
- 13220. *Mycalesis nicotia nicotia* Westwood, [1850]** (Satyridae) *Mycalesis nicotia* Westwood, [1850], [in] Doubleday & Westwood, Gen. Diurn. Lepid. 2: pl. lxxvi, fig. 4 (1850); 394 (1851).
- 13221. *Mycalesis perseus* (Fabricius, 1775)** (Satyridae) *Papilio perseus* Fabricius, 1775, Syst. Ent.: 488, nr. 199. Type(s): Nova Hollandia.
- 13222. *Mycalesis perseus blasius* (Fabricius, 1798)** (Satyridae) *Papilio blasius* Fabricius, 1798, Ent. Syst., Suppl.: 426.
- 13223. *Mycalesis perseus perseus* (Fabricius, 1775)** (Satyridae) *Papilio perseus* Fabricius, 1775, Syst. Ent.: 488, nr. 199. Type(s): Nova Hollandia.
- 13224. *Mycalesis rama* Moore, 1892** (Satyridae) *Mycalesis rama* Moore, 1892, Lepid. Ind. 1: 196.
- 13225. *Mycalesis siamica* Riley & Godfrey, 1921** (Satyridae) *Mycalesis siamica* Riley & Godfrey, 1921, J. nat. Hist. Soc. Siam 4: 170.
- 13226. *Mycalesis siamica siamica* Riley & Godfrey, 1921** (Satyridae) *Mycalesis siamica* Riley & Godfrey, 1921, J. nat. Hist. Soc. Siam 4: 170.
- 13227. *Mycalesis tagala* C.Felder & R.Felder, 1863** (Satyridae) *Mycalesis tagala* C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7: 126. Type: Philippines.
- 13228. *Mycalesis tagala tagala* C.Felder & R.Felder, 1863** (Satyridae) *Mycalesis tagala* C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7: 126. Type: Philippines.
- 13229. *Mycalesis visala* Moore, 1857** (Satyridae) *Mycalesis visala* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 230. Type(s): India: Bengal.
- 13230. *Mycalesis visala visala* Moore, 1857** (Satyridae) *Mycalesis visala* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 230. Type(s): India: Bengal.
- 13231. *Neita Van Son*, 1955** (Satyridae) *Neita Van Son*, 1955, Butts S. Africa 2: 101. Type-species: *Pseudonympha neita* Wallengren, 1875, by original designation.
- 13232. *Neope Moore*, [1866]** (Satyridae) *Neope Moore*, [1866], Proc. zool. Soc. Lond. 1865 (3): 770. Type-species: *Lasiommata* (?) *bhadra* Moore, 1857, by designation through Section (i) (replacement names) of Article 67.

- 13233. *Neope goschkewitschii* (Ménétriés,1857)** (Satyridae) Lasiommata goschkewitschii Ménétriés,1857, Enum. corp. anim. Mus. Acad. imp. Sci. St.-Petersb. 2: 121, tab.10 fig.4.
- 13234. *Neope goschkewitschii goschkewitschii* (Ménétriés,1857)** (Satyridae) Lasiommata goschkewitschii Ménétriés,1857, Enum. corp. anim. Mus. Acad. imp. Sci. St.-Petersb. 2: 121, tab.10 fig.4.
- 13235. *Ninguta schrenckii* (Ménétriés,1859)** (Satyridae) Pronophila schrenckii Ménétriés,1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 33, nr.65, t.3 fig.3 Type(s): Russia: Mont. Bureja.
- 13236. *Ninguta schrenckii damontas* (Fruhstorfer,1909)** (Satyridae) Aranda (Pararge) schrenckii ssp. damontas Fruhstorfer,1909, Int. ent. Z. 3: 134. Syntypes: West China: Szechuan.
- 13237. *Ninguta schrenckii menalcas* (Fruhstorfer,1909)** (Satyridae) Aranda (Pararge) schrenckii ssp. menalcas Fruhstorfer,1909, Int. ent. Z. 3: 134. Syntypes: Nordjapan, Sapporo.
- 13238. *Ninguta schrenckii schrenckii* (Ménétriés,1859)** (Satyridae) Pronophila schrenckii Ménétriés,1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 33, nr.65, t.3 fig.3 Type(s): Russia: Mont. Bureja.
- 13239. *Oeneis Hübner*,[1819]** (Satyridae) *Oeneis Hübner*,[1819], Verz. bekannt. Schmett. (4): 58. Type-species: *Papilio norma* Thunberg,1791, by subsequent designation by Butler,1868, Entomologist's mon. Mag. 4: 196.
- 13240. *Oeneis aktashi Lukhtanov*,1984** (Satyridae) *Oeneis aktashi* Lukhtanov,1984, Rev. ent. U.R.S.S. 53(4): 785. Holotype: Russia: Altai, Kurai-Gebirge, Aktasch.
- 13241. *Oeneis aktashi aktashi Lukhtanov*,1984** (Satyridae) *Oeneis aktashi* Lukhtanov,1984, Rev. ent. U.R.S.S. 53(4): 785. Holotype: Russia: Altai, Kurai-Gebirge, Aktasch.
- 13242. *Oeneis aktashi ona Korshunov*,1996** (Satyridae) *Oeneis aktashi* ssp. *ona* Korshunov,1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 38. Holotype: Russia: Sajan, Sailig-Khem-Taiga, Ona.
- 13243. *Oeneis aktashi sarala Korshunov*,1988** (Satyridae) *Oeneis sarala* Korshunov,1988, Taksonomiya zhivotnykh Sibiri: 74 fig.7 (4,5), 8 (1). Holotype ♂: Russia: Kusnezki-Alatau, Fluss Sarala, Berg. Bobrovaja.
- 13244. *Oeneis ammon Elwes*,1899** (Satyridae) *Oeneis ammon* Elwes,1899, Trans. ent. Soc. London 47 (3): 356, pl.14 figs.2,7. Syntypes: [Russia]: [Severo-Chuisky Mts.]: Altai [Kuch-Agatch] (cf. Tusov,1997: 234).
- 13245. *Oeneis ammon ammon Elwes*,1899** (Satyridae) *Oeneis ammon* Elwes,1899, Trans. ent. Soc. London 47 (3): 356, pl.14 figs.2,7. Syntypes: [Russia]: [Severo-Chuisky Mts.]: Altai [Kuch-Agatch] (cf. Tusov,1997: 234).
- 13246. *Oeneis ammon tatarinovi Korb*,1998** (Satyridae) *Oeneis ammon* ssp. *tatarinovi* Korb,1998, Alexanor 20(5): 308, figs. Holotype ♂: Russia: Polar Mts. Ourals.
- 13247. *Oeneis anna Austaut*,1911** (Satyridae) *Oeneis nanna* var. *anna* Austaut,1911, Ent. Z., Stuttgart 24: 243. Syntypes: Russia: Ost-Sajan: Arasagun-Gol.
- 13248. *Oeneis anna anna Austaut*,1911** (Satyridae) *Oeneis nanna* var. *anna* Austaut,1911, Ent. Z., Stuttgart 24: 243. Syntypes: Russia: Ost-Sajan: Arasagun-Gol.
- 13249. *Oeneis bore* (Schneider,1792)** (Satyridae) *Papilio bore* Schneider,1892, Neuestes Mag. f. Liebhaber Ent. (Stralsund) 4: 415. Type(s): Lapland.
- 13250. *Oeneis bore bore* (Schneider,1792)** (Satyridae) *Papilio bore* Schneider,1892, Neuestes Mag. f. Liebhaber Ent. (Stralsund) 4: 415. Type(s): Lapland.
- 13251. *Oeneis brunhilda A.Bang-Haas*,1912** (Satyridae) *Oeneis brunhilda* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 105, Taf.6 Abb.1. Syntypes: [Russia]: [Erzin, S. Tuva]: "Sajan, Arzyn, Arasagun-gol" (cf. Tusov,1997: 237).
- 13252. *Oeneis brunhilda brunhilda Bang-Haas*,1912** (Satyridae) *Oeneis brunhilda* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 105, Taf.6 Abb.1. Syntypes: [Russia]: [Erzin, S. Tuva]: "Sajan, Arzyn, Arasagun-gol" (cf. Tusov,1997: 237).
- 13253. *Oeneis buddha Groum-Grshimailo*,1891** (Satyridae) *Oeneis buddha* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 458. Syntypes ♂♂: [China: Qinghai]: Sinin Shan.
- 13254. *Oeneis buddha buddha Groum-Grshimailo*,1891** (Satyridae) *Oeneis buddha* Groum-Grshimailo,1891, Horae Soc. ent. ross. 25: 458. Syntypes ♂♂: [China: Qinghai]: Sinin Shan.
- 13255. *Oeneis buddha garhwalica Tytler*,1926** (Satyridae) *Oeneis garhwalica* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 253, pl.iv fig.4. Syntypes: India: Garhwal: Shiruans, 13500ft.
- 13256. *Oeneis diluta Lukhtanov*,1994** (Satyridae) *Oeneis diluta* Lukhtanov,1994, Herbiopoliana 3: 138-139, Taf. 25 fig.5. Holotype ♂: Russia: Südsibirien: Tuva, Ujukski-Gebirge, Susch, 850m. (ZMSP).
- 13257. *Oeneis diluta diluta Lukhtanov*,1994** (Satyridae) *Oeneis diluta* Lukhtanov,1994, Herbiopoliana 3: 138-139, Taf. 25 fig.5. Holotype ♂: Russia: Südsibirien: Tuva, Ujukski-Gebirge, Susch, 850m. (ZMSP).
- 13258. *Oeneis elwesi Staudinger*,1901** (Satyridae) *Oeneis mulla* var.? *elwesi* Staudinger,1901, Cat. lepid. palaeart. Faunengeb. 3(1): 52, nr. 331a, pro *mulla* Elwes,1899 nec Stgr.,1881. Type(s): Altai-Gebiet orientalis.
- 13259. *Oeneis elwesi elwesi Staudinger*,1901** (Satyridae) *Oeneis mulla* var.? *elwesi* Staudinger,1901, Cat. lepid. palaeart. Faunengeb. 3(1): 52, nr. 331a, pro *mulla* Elwes,1899 nec Stgr.,1881. Type(s): Altai-Gebiet orientalis.
- 13260. *Oeneis elwesi ulugchemi Korshunov*,1995** (Satyridae) *Oeneis elwesi* ssp. *ulugchemi* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 139. Holotype: Russia: Tuva: env. Kysyl, Mt. Ouloug-Khem.
- 13261. *Oeneis fulla* (Eversmann,1851)** (Satyridae) *Hipparchia* (Chinobas) *fulla* Eversmann,1851, Bull. Soc. nat. Moscou 24: 614. Syntypes: [Russia]: "environs du lac Baical". Lectotype: Kazakhstan: [Tarbagatai]: Noor-Saisan Gegend (Lukhtanov,1987).
- 13262. *Oeneis fulla fulla* (Eversmann,1851)** (Satyridae) *Hipparchia* (Chinobas) *fulla* Eversmann,1851, Bull. Soc. nat. Moscou 24: 614. Syntypes: [Russia]: "environs du lac Baical". Lectotype: Kazakhstan: [Tarbagatai]: Noor-Saisan Gegend (Lukhtanov,1987).
- 13263. *Oeneis grandis* (Riley,1923)** (Satyridae) *Paroeneis grandis* Riley,1923, Trans. ent. Soc. London 1923: 471, pl. xxxvi fig.10. Syntypes 2♂: "Kharta, W. of Mt. Everest, 12,000ft (BMNH).
- 13264. *Oeneis grandis grandis* (Riley,1923)** (Satyridae) *Paroeneis grandis* Riley,1923, Trans. ent. Soc. London 1923: 471, pl. xxxvi fig.10. Syntypes 2♂: "Kharta, W. of Mt. Everest, 12,000ft (BMNH).
- 13265. *Oeneis hora Groum-Grshimailo*,1888** (Satyridae) *Oeneis hora* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 307. Type(s): [Tadjikistan]: Transalai.
- 13266. *Oeneis hora hora Groum-Grshimailo*,1888** (Satyridae) *Oeneis hora* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 307. Type(s): [Tadjikistan]: Transalai.
- 13267. *Oeneis jutta* (Hübner,[1806])** (Satyridae) *Papilio jutta* Hübner,[1806], Samml. eur. Schmett. 1: pl.120, figs. 614-615. Syntypes: Europa.
- 13268. *Oeneis jutta akoene Belik & Yakovlev*,1998** (Satyridae) *Oeneis jutta* ssp. *akoene* Belik & Yakovlev,1998, Phegea 26(4): 131-139, figs. Holotype ♂: Russia: South-East Altai Mts., Ukok Plateau.
- 13269. *Oeneis jutta jutta* (Hübner,[1806])** (Satyridae) *Papilio jutta* Hübner,[1806], Samml. eur. Schmett. 1: pl.120, figs. 614-615. Syntypes: Europa.
- 13270. *Oeneis magna Graeser*,1888** (Satyridae) *Oeneis magna* Graeser,1888, Berl. ent. Z. 32: 97. Syntypes: [Russia: Pokrovka, upper Amur river]: Pochrofka.
- 13271. *Oeneis magna dubia Elwes*,1899** (Satyridae) *Oeneis dubia* Elwes,1899, Trans. ent. Soc. Lond. 1899: 354, pl.13 fig.6 pl.14 fig.3. Syntypes: Altai, Ongodai.
- 13272. *Oeneis magna kurentzovi Murayama*,1973** (Satyridae) *Oeneis magna* kurentzovi Murayama,1973, Mushi 29: 21 (nom. nov. pro *Oeneis magna mongolica* Kurentsov,1970 nec *Chionobas mongolica* Oberthür,1876). Type: Mongolia: Khubsugul Aymak, Darkhat Basin, Lake Dod-Nur.
- 13273. *Oeneis magna magadanica Kurentzov*,1970** (Satyridae) *Oeneis magna* ssp. *magadanica* Kurentzov,1970, Butts. Far East USSR: 72, fig.72 (1). Type(s): Russia: "Magadan Gebiet".
- 13274. *Oeneis magna magna Graeser*,1888** (Satyridae) *Oeneis magna* Graeser,1888, Berl. ent. Z. 32: 97. Syntypes: [Russia: Pokrovka, upper Amur river]: Pochrofka.
- 13275. *Oeneis magna pupavkini Korshunov*,1995** (Satyridae) *Oeneis magna* ssp. *pupavkini* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 141. Holotype: Russia: Rybnaya, Poutorane.
- 13276. *Oeneis melissa* (Fabricius,1775)** (Satyridae) *Papilio melissa* Fabricius,1775, Syst. Ent.: 513. Type(s): America.
- 13277. *Oeneis melissa karae Kuznesov*,1925** (Satyridae) *Oeneis semidea* f. *karae* Kuznesov,1925, Compt. Rend. Acad. Sc. URSS 1925: 121. Syntypes: Russia: Polarural, Kara-Fluß.
- 13278. *Oeneis melissa melissa* (Fabricius,1775)** (Satyridae) *Papilio melissa* Fabricius,1775, Syst. Ent.: 513. Type(s): America.

- 13279. *Oeneis melissa tunga* Staudinger, [1895]** (Satyridae) *Oeneis tunga* Staudinger, [1895, Dt. ent. Z., Iris 7: 248, Taf. 9 fig. 1. Syntypes: Ost-Sajan. Lectotype in Berlin Zoological Museum.
- 13280. *Oeneis mongolica walkyria* Fixsen, 1887** (Satyridae) *Oeneis walkyria* Fixsen, 1887, [in] Romanoff, Mém. lépid. 3: 310, nr. 74, Pl. xiv, fig. 4. Syntypes 5♂: Korea: Pung-Tung, 3000 ft.
- 13281. *Oeneis mulla* Staudinger, 1881** (Satyridae) *Oeneis mulla* Staudinger, 1881, Stettin ent. Ztg. 42: 270-271. Syntypes 2♂ 7♀: Tarbagatai.
- 13282. *Oeneis mulla mulla* Staudinger, 1881** (Satyridae) *Oeneis mulla* Staudinger, 1881, Stettin ent. Ztg. 42: 270-271. Syntypes 2♂ 7♀: Tarbagatai.
- 13283. *Oeneis nanna* (Ménétriés, 1859)** (Satyridae) *Chionobas nanna* Ménétriés, 1859, [in] Schrenk, Reisen und Forschungen im Amur-Lande 2 (1): 38, Taf. 3 fig. 5. Syntypes: Russia: "Amour".
- 13284. *Oeneis nanna nanna* (Ménétriés, 1859)** (Satyridae) *Chionobas nanna* Ménétriés, 1859, [in] Schrenk, Reisen und Forschungen im Amur-Lande 2 (1): 38, Taf. 3 fig. 5. Syntypes: Russia: "Amour".
- 13285. *Oeneis norna* (Thunberg, 1791)** (Satyridae) *Papilio norna* Thunberg, 1791, Diss. Ent. sist. Ins. Svecica: 2: 36. Type(s): Lappland.
- 13286. *Oeneis norna altaica* Elwes, 1899** (Satyridae) *Oeneis norna* var. *altaica* Elwes, 1899, Trans. ent. Soc. Lond. 1899: 353, pl. 13 figs. 2, 5. Syntypes: Russia: Altai.
- 13287. *Oeneis norna norna* (Thunberg, 1791)** (Satyridae) *Papilio norna* Thunberg, 1791, Diss. Ent. sist. Ins. Svecica: 2: 36. Type(s): Lappland.
- 13288. *Oeneis norna verdanda* Staudinger, 1901** (Satyridae) *Oeneis norna* var. *verdanda* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3 (2): 251 (pro ?*elsa* Austaut, 1895, Naturaliste 1895: 85). Syntypes: [China: Uighur A.R.]: "Thian.or" [Tengri Tagh].
- 13289. *Oeneis oene* (Boisduval, 1832)** (Satyridae) *Chionobas oene* Boisduval, 1832, Icones..pl. 39 figs. 4-6.
- 13290. *Oeneis oene oene* (Boisduval, 1832)** (Satyridae) *Chionobas oene* Boisduval, 1832, Icones..pl. 39 figs. 4-6.
- 13291. *Oeneis palaeartcticus* Staudinger, 1889** (Satyridae) *Oeneis*? (Satyrus?) *palaeartcticus* Staudinger, 1889, Stettin ent. Ztg. 50: 20. Syntypes 6♂ 4♀: [Kisgizistan]: Gebirge südl. vom Issyk-Kul (wohl sehr hoch).
- 13292. *Oeneis palaeartcticus palaeartcticus* Staudinger, 1889** (Satyridae) *Oeneis*? (Satyrus?) *palaeartcticus* Staudinger, 1889, Stettin ent. Ztg. 50: 20. Syntypes 6♂ 4♀: [Kisgizistan]: Gebirge südl. vom Issyk-Kul (wohl sehr hoch).
- 13293. *Oeneis palaeartcticus sikkimensis* Staudinger, 1889** (Satyridae) *Oeneis palaeartcticus* var. *sikkimensis* Staudinger, 1889, Stettin ent. Ztg. 51: 21. Type ♂: Sikkim.
- 13294. *Oeneis pansa* Christoph, 1893** (Satyridae) *Oeneis semidea* var. *pansa* Christoph, 1893, Dt. ent. Z., Iris 6: 87. Type(s): [Russia]: Sibir. or., Witim.
- 13295. *Oeneis pansa pansa* Christoph, 1893** (Satyridae) *Oeneis semidea* var. *pansa* Christoph, 1893, Dt. ent. Z., Iris 6: 87. Type(s): [Russia]: Sibir. or., Witim.
- 13296. *Oeneis patrushevae* Korshunov, 1985** (Satyridae) *Oeneis patrushevae* Korshunov, 1985, Sistematika i biologiya chlenistonogich i gelmintov: 63. Holotype: Russia: Polarural, Krasnyj Kamen.
- 13297. *Oeneis patrushevae patrushevae* Korshunov, 1985** (Satyridae) *Oeneis patrushevae* Korshunov, 1985, Sistematika i biologiya chlenistonogich i gelmintov: 63. Holotype: Russia: Polarural, Krasnyj Kamen.
- 13298. *Oeneis polixenes* (Fabricius, 1775)** (Satyridae) *Papilio polixenes* Fabricius, 1775, Syst. Ent.: 484. Type(s): America boreali.
- 13299. *Oeneis polixenes antonovae* Lukhtanov, 1989** (Satyridae) *Oeneis polixenes* ssp. *antonovae* Lukhtanov, 1989, Vestn. zool. 1989 (2): 36. Holotype ♂: Gydan Halbinsel, Gyda Fluß.
- 13300. *Oeneis polixenes paioi* Lukhtanov, 1989** (Satyridae) *Oeneis polixenes* ssp. *paioi* Lukhtanov, 1989, Vestn. zool. 1989 (2): 28. Holotype: Russia: Polarural, Charuta-Schor Fluß.
- 13301. *Oeneis polixenes polixenes* (Fabricius, 1775)** (Satyridae) *Papilio polixenes* Fabricius, 1775, Syst. Ent.: 484. Type(s): America boreali.
- 13302. *Oeneis pumilus* (C.Felder & R.Felder, [1867])** (Satyridae) *Chionobas pumilus* C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 490, Tab. lxxix figs. 6, 7. Syntypes ♂: Himalaya occidentalis: Ladak: Trantse, Sumdo, Lanak Pass, Pangchog. 15000ft.
- 13303. *Oeneis pumilus bicolor* Fruhstorfer, 1911** (Satyridae) *Oeneis pumilus bicolor* Fruhstorfer, 1911, [in] Seitz, Die Gross-Schmett. Erde 9: 311. Sikkim: Chumbi valley.
- 13304. *Oeneis pumilus divnogorski* (O.Bang-Haas, 1927)** (Satyridae) *Satyrus pumilus* ssp. *divnogorski* O.Bang-Haas, 1927, Horae Macrolepid. 1: 49, t. 7 figs. 16, 17. Syntypes 25♂ 12♀: China: [Uighur A.R.]: Chinesisch Turkestan, Mustag Ata, südl. Kaschgar, westl. Jarkent.
- 13305. *Oeneis pumilus nanchanicus* (Groum-Grshimailo, 1902)** (Satyridae) *Satyrus pumilus* var. *nanchanica* Groum-Grshimailo, 1902, Annu. Mus. Petersb. 7: 2. Syntypes: China: [Qinghai]: Humboldt Kette, nordwestl. Nan-Schan Gebirges.
- 13306. *Oeneis pumilus pumilus* (C.Felder & R.Felder, [1867])** (Satyridae) *Chionobas pumilus* C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 490, Tab. lxxix figs. 6, 7. Syntypes ♂: Himalaya occidentalis: Ladak: Trantse, Sumdo, Lanak Pass, Pangchog. 15000ft.
- 13307. *Oeneis sculda* (Eversmann, 1851)** (Satyridae) *Hipparchia* (Chionobas) *sculda* Eversmann, 1851, Bull. Soc. imp. Nat. Moscou 24: 612. Syntypes: Russia: [Südsibirien]: "Kiachta".
- 13308. *Oeneis sculda sculda* (Eversmann, 1851)** (Satyridae) *Hipparchia* (Chionobas) *sculda* Eversmann, 1851, Bull. Soc. imp. Nat. Moscou 24: 612. Syntypes: Russia: [Südsibirien]: "Kiachta".
- 13309. *Oeneis sculda vadimi* Korshunov, 1995** (Satyridae) *Oeneis sculda* ssp. *vadimi* Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 138. Holotype: Russia: [Irkutsk]: Angara: Severobaikalsk.
- 13310. *Oeneis simulans* Tusov, 1996** (Satyridae) *Oeneis simulans* Tusov, 1996, Actias 2(1/2): 108. Holotype: Russia: Tchukotches Peninsula.
- 13311. *Oeneis simulans simulans* Tusov, 1996** (Satyridae) *Oeneis simulans* Tusov, 1996, Actias 2(1/2): 108. Holotype: Russia: Tchukotches Peninsula.
- 13312. *Oeneis tarpeia* (Pallas, 1771)** (Satyridae) *Papilio tarpeia* Pallas, 1771, Reise versch. Prov. Russ. Reichs 1: 18. Type(s): Russia.
- 13313. *Oeneis tarpeia grossi* Eitschberger & Lukhtanov, 1994** (Satyridae) *Oeneis tarpeia* ssp. *grossi* Eitschberger & Lukhtanov, 1994, Atalanta 25 (1/2): 164-165, Farbtafel Va/b Abb. 1-3. Holotype ♂: Russia: Südsibirien: Burarien, 20km NW Selenduma 600m (ZMSP).
- 13314. *Oeneis tarpeia lederi* Alpheraky, 1897** (Satyridae) *Satyrus tarpeia* var. *lederi* Alpheraky, 1897, [in] Romanoff, Mém. lépid. 9: 201. Lectotype ♂: [Mongolia]: "Urga", designated by Eitschberger & Lukhtanov, 1994, Atalanta 25 (1/2): 163 (ZMSP).
- 13315. *Oeneis tarpeia tarpeia* (Pallas, 1771)** (Satyridae) *Papilio tarpeia* Pallas, 1771, Reise versch. Prov. Russ. Reichs 1: 18. Type(s): Russia.
- 13316. *Oeneis tarpeia ukokana* Korb, 1998** (Satyridae) *Oeneis tarpeia* ssp. *ukokana* Korb, 1998, Alexanor 20 (3): 144-145, Abb. 1-3. Holotype ♂: [Russia]: Südaltau: Ukok, Dschasator, 1700m. (ZISP).
- 13317. *Oeneis urda* (Eversmann, 1847)** (Satyridae) *Hipparchia urda* Eversmann, 1847, Bull. Soc. nat. Moscou 20 (3): 69, t. 2 fig. 1-4. Syntypes: Russia: "Dauria".
- 13318. *Oeneis urda monteviri* Bryk, 1946** (Satyridae) *Oeneis urda* ssp. *monteviri* Bryk, 1946, Ark. Zool. 38 A (3): 24-25, Taf. iv fig. A3. Type ♀: Korea: Shinten.
- 13319. *Oeneis urda trybomi* Bryk, 1946** (Satyridae) *Oeneis urda* ssp. *trybomi* Bryk, 1946, Ark. Zool. 38 A (3): 25-26, Taf. iv fig. C3. Holotype ♂: [Russia]: Krasnojarsk.
- 13320. *Oeneis urda urda* (Eversmann, 1847)** (Satyridae) *Hipparchia urda* Eversmann, 1847, Bull. Soc. nat. Moscou 20 (3): 69, t. 2 fig. 1-4. Syntypes: Russia: "Dauria".
- 13321. *Orinoma* Gray, 1846** (Satyridae) *Orinoma* Gray, 1846, Descr. figs. lep. Ins. Nepal: 14. Type-species: *Orinoma damaris* Gray, 1846, loc. cit., pl. 7 figs. 2, 2a, by monotypy.
- 13322. *Orinoma damaris* Gray, 1846** (Satyridae) *Orinoma damaris* Gray, 1846, Descr. figs. lep. Ins. Nepal: 14, pl. 7 figs. 2, 2a. Type(s): Nepal.
- 13323. *Orinoma damaris damaris* Gray, 1846** (Satyridae) *Orinoma damaris* Gray, 1846, Descr. figs. lep. Ins. Nepal: 14, pl. 7 figs. 2, 2a. Type(s): Nepal.
- 13324. *Orsotriaena medus medus* (Fabricius, 1775)** (Satyridae) *Papilio medus* Fabricius, 1775, Syst. Ent.: 488. Type(s): Habitat in capite Bonae spei.
- 13325. *Paralasa ? atramentaria* (O.Bang-Haas, 1927)** (Satyridae) *Erebia atramentaria* O.Bang-Haas, 1927, Horae Macrolepidopt. 1: 113. Syntypes 3♂: [China]: Kansu sept. occ.: Hsining, Nanschan montes am Tatung Fluss.
- 13326. *Paralasa ? atramentaria atramentaria* (O.Bang-Haas, 1927)** (Satyridae) *Erebia atramentaria* O.Bang-Haas, 1927, Horae Macrolepidopt. 1: 113. Syntypes 3♂: [China]: Kansu sept. occ.: Hsining, Nanschan montes am Tatung Fluss.

- 13327. *Paralasa Moore*, [1893]** (Satyridae) *Paralasa Moore*, [1893], Lepid. ind. 2(16): 103. Type-species: *Erebia kalinda Moore*, 1865, by original designation.
- 13328. *Paralasa afghana* (Goltz, 1937)** (Satyridae) *Erebia kalinda afghana* Goltz, 1937, Ent. Rdsch. 54(29): 361, figs. 2a, 2b. Type ♀: Afghanistan: Nordosthindukusch, Nuksan Pass, Nordseite, 3500-4000m (in coll. Goltz).
- 13329. *Paralasa afghana afghana* (Goltz, 1937)** (Satyridae) *Erebia kalinda afghana afghana* Goltz, 1937, Ent. Rdsch. 54(29): 361, figs. 2a, 2b. Type ♀: Afghanistan: Nordosthindukusch, Nuksan Pass, Nordseite, 3500-4000m (in coll. Goltz).
- 13330. *Paralasa afghana asura* Wyatt, 1961** (Satyridae) *Paralasa asura* Wyatt, 1961, J. Lepidopterist's Soc. 15(1): 12-13, figs. Holotype ♂: Afghanistan: Hindu Kush: Bala Quran, Anjuman valley, 13000ft.
- 13331. *Paralasa afghana panjshira* Wyatt & Omoto, 1966** (Satyridae) *Paralasa asura* ssp. *panjshira* Wyatt & Omoto, 1966, Entomops 5: 190-191, figs. Holotype ♂: Afghanistan: Hindu Kush: Kurpetau, Panjshir valley, 3300m.
- 13332. *Paralasa ali* Churkin & Tusov, 1998** (Satyridae) *Paralasa ali* Churkin & Tusov, 1998, Neue ent. Nachr. 41: 188-191, pl. fig. 4. Holotype ♂: Tajikistan: Alai, Kollektorsky Mts., Dugoba R., 2700m.
- 13333. *Paralasa ali ali* Churkin & Tusov, 1998** (Satyridae) *Paralasa ali* Churkin & Tusov, 1998, Neue ent. Nachr. 41: 188-191, pl. fig. 4. Holotype ♂: Tajikistan: Alai, Kollektorsky Mts., Dugoba R., 2700m.
- 13334. *Paralasa chitralica* (Evans, 1923)** (Satyridae) *Erebia mani* ssp. *chitralica* Evans, 1923, J. Bombay nat. Hist. Soc. 29: 783. Type(s): [Pakistan]: Chitral, 13000ft.
- 13335. *Paralasa chitralica chitralica* (Evans, 1923)** (Satyridae) *Erebia mani chitralica* Evans, 1923, J. Bombay nat. Hist. Soc. 29: 783. Type(s): [Pakistan]: Chitral.
- 13336. *Paralasa chitralica manioides* Wyatt & Omoto, 1966** (Satyridae) *Paralasa manioides* Wyatt & Omoto, 1966, Entomops 5: 191-193, figs. Holotype ♂: Afghanistan: Hindu Kush: Bala Quran, Anjuman valley, 4100-4200m.
- 13337. *Paralasa danorum* Clench & Shoumatoff, 1956** (Satyridae) *Paralasa danorum* Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 152-154. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, 5000m.
- 13338. *Paralasa danorum danorum* Clench & Shoumatoff, 1956** (Satyridae) *Paralasa danorum* Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 152-154. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, 5000m.
- 13339. *Paralasa hades* (Staudinger, 1882)** (Satyridae) *Erebia hades* Staudinger, 1882, Berl. ent. Z. 26(1): 172. Syntypes: [Tajikistan]: Alai-Gebirge; Lectotype ♂: "Margelan Hohn" (ZMHUB), designated by Tusov, 1998, Neue ent. Nachr. 41: 184.
- 13340. *Paralasa hades hades* (Staudinger, 1882)** (Satyridae) *Erebia hades* Staudinger, 1882, Berl. ent. Z. 26(1): 172. Syntypes: [Tajikistan]: Alai-Gebirge; Lectotype ♂: "Margelan Hohn" (ZMHUB), designated by Tusov, 1998, Neue ent. Nachr. 41: 184.
- 13341. *Paralasa hades maida* Churkin & Tusov, 1998** (Satyridae) *Paralasa hades* ssp. *maida* Churkin & Tusov, 1998, Neue ent. Nachr. 41: 186-188, pl. fig. 2. Holotype ♂: Tajikistan: Turkestansky Mts., Kumbel Pass, 3100m.
- 13342. *Paralasa hades yaktchashma* Churkin & Tusov, 1998** (Satyridae) *Paralasa hades* ssp. *yaktchashma* Churkin & Tusov, 1998, Neue ent. Nachr. 41: 188, pl. fig. 3. Holotype ♂: Tajikistan: Vanchsky Mts., Gushkhoun Gorge, 3600m.
- 13343. *Paralasa horaki* Tusov, 1997** (Satyridae) *Paralasa horaki* Tusov, 1997, Guide to the Butterflies of Russia 1: 214, pl. 53 figs. 13, 14. Holotype ♂: Kirghizia: Alaisky Mts., Jordan, 2500m. (SDM).
- 13344. *Paralasa horaki horaki* Tusov, 1997** (Satyridae) *Paralasa horaki* Tusov, 1997, Guide to the Butterflies of Russia 1: 214, pl. 53 figs. 13, 14. Holotype ♂: Kirghizia: Alaisky Mts., Jordan, 2500m. (SDM).
- 13345. *Paralasa howarthi* Sakai, 1978** (Satyridae) *Paralasa howarthi* Sakai, 1978, Atalanta 9(1): 114, figs. 43-46. Holotype ♀: Afghanistan: Paghman Mt. 3800m.
- 13346. *Paralasa howarthi* Sakai, 1978** (Satyridae) *Paralasa howarthi* Sakai, 1978, Atalanta 9(1): 114, figs. 43-46. Holotype ♀: Afghanistan: Paghman Mt. 3800m.
- 13347. *Paralasa icelos* (Groum-Grshimailo, 1890)** (Satyridae) *Erebia mani icelos* Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 452, Pl. 13 figs. 4b, c. Type(s): Liagar Mourda, 11000ft.
- 13348. *Paralasa icelos icelos* (Groum-Grshimailo, 1890)** (Satyridae) *Erebia mani icelos* Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 452, Pl. 13 figs. 4b, c. Type(s): Liagar Mourda, 11000ft.
- 13349. *Paralasa ida* (Groum-Grshimailo, 1890)** (Satyridae) *Erebia jordana ida* Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 452. Syntypes: [Tajikistan]: "Montagnes Khodja-Djailaou" [East of Kudara, N.E. Pamirs].
- 13350. *Paralasa ida ida* (Groum-Grshimailo, 1890)** (Satyridae) *Erebia jordana ida* Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 452. Syntypes: [Tajikistan]: "Montagnes Khodja-Djailaou" [East of Kudara, N.E. Pamirs].
- 13351. *Paralasa ida majorida* Kesküla, 1998** (Satyridae) *Paralasa ida* ssp. *majorida* Kesküla, 1998, Neue ent. Nachr. 41: 197-198, pl. figs. 1, 2. Holotype ♂: Tajikistan: W. Pamir, Vanch range, Gushkhon Pass, 4000-4250m (in coll. Kesküla).
- 13352. *Paralasa jordana* (Staudinger, 1882)** (Satyridae) *Erebia jordana* Staudinger, 1882, Berl. ent. Z. 26(1): 171-172. Syntypes: [Tajikistan]: Alai-Gebirge, Dorf Jordan; [Uzbekistan]: Hazret-Sultan-Gebirge.
- 13353. *Paralasa jordana helios* (O. Bang-Haas, 1927)** (Satyridae) *Erebia mani* ssp. *helios* O. Bang-Haas, 1927, Horae Macrolepid. 1: 46, Pl. 7 fig. 4. Syntypes: [China: Uighur A.R.]: Thianshan central mer. or. [Tengri Tagh]: Korla, Kuruktag, Gebirge nördl. von Aksu.
- 13354. *Paralasa jordana jordana* (Staudinger, 1882)** (Satyridae) *Erebia jordana* Staudinger, 1882, Berl. ent. Z. 26(1): 171-172. Syntypes: [Tajikistan]: Alai-Gebirge, Dorf Jordan; [Uzbekistan]: Hazret-Sultan-Gebirge.
- 13355. *Paralasa jordana seravschana* Lukhtanov, 1999** (Satyridae) *Paralasa jordana* ssp. *seravschana* Lukhtanov, 1999, Atalanta 30 (1/4): 141. Holotype ♂: Tadschikistan, Aini-Bezirk (60km E. Aini), Seravschan Gebirge, Dascht, 2100-2600m. (in EMEM).
- 13356. *Paralasa jordana subocellata* (Staudinger, 1901)** (Satyridae) *Erebia mani* var. *subocellata* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 49, nr. 311c. Syntypes: [Kirgizistan]: Ferg. m. (?Transalai).
- 13357. *Paralasa jordana summa* (Avinoff, 1910)** (Satyridae) *Erebia mani* ssp. *summa* Avinoff, 1910, Horae Soc. ent. ross. 39: 236, Pl. 14 f. 10 Type(s): [Uzbekistan]: Namangan.
- 13358. *Paralasa kalinda* (Moore, [1865])** (Satyridae) *Erebia kalinda* Moore, [1865], Proc. zool. Soc. Lond. 1865: 501, Pl. 30 fig. 5. Syntypes: India: N.W. Himalayas; below the Runang and Werang Passes.
- 13359. *Paralasa kalinda kalinda* (Moore, [1865])** (Satyridae) *Erebia kalinda* Moore, [1865], Proc. zool. Soc. Lond. 1865: 501, Pl. 30 fig. 5. Syntypes: India: N.W. Himalayas; below the Runang and Werang Passes.
- 13360. *Paralasa kalinda kamriana* Tytler, 1926** (Satyridae) *Erebia mani kamriana* Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 257, Pl. 1 fig. 12 Syntypes: [Pakistan]: Chilas, Kamri Pass, Gurais, Babusar Pass.
- 13361. *Paralasa kotzschae* (Goltz, 1937)** (Satyridae) *Erebia kotzschae* Goltz, 1937, Ent. Rdsch. 54 (29): 363, Taf. 1a-d. Syntypes 3 ♂ 5 ♀: Afghanistan: Nordosthindukusch, Nuksan Pass, Nordseite, 3500-4000m (in coll. Goltz).
- 13362. *Paralasa kotzschae kotzschae* (Goltz, 1937)** (Satyridae) *Erebia kotzschae* Goltz, 1937, Ent. Rdsch. 54 (29): 363, Taf. 1a-d. Syntypes 3 ♂ 5 ♀: Afghanistan: Nordosthindukusch, Nuksan Pass, Nordseite, 3500-4000m (in coll. Goltz).
- 13363. *Paralasa kusnezovi* (Avinoff, 1910)** (Satyridae) *Erebia mani* var. *kusnezovi* Avinoff, 1910, Horae Soc. ent. ross. 39: 249, Pl. 14 f. 11 Type(s): Fergana sept.: Padshiata, Metshetsaja.
- 13364. *Paralasa kusnezovi bogutena* Lukhtanov & Lukhtanov, 1994** (Satyridae) *Paralasa jordana* ssp. *bogutena* Lukhtanov & Lukhtanov, 1994, Atalanta 25 (1/2): 167-169, Taf. Holotype ♂: Kazakhstan: Almaty Obl., Boguty-Gebirge, 1300m.
- 13365. *Paralasa kusnezovi issykkuli* Lukhtanov, 1999** (Satyridae) *Paralasa kusnezovi* ssp. *issykkuli* Lukhtanov, 1999, Atalanta 30 (1/4): 140-141. Holotype ♂: Kirgisien: Issyk-Kul-Gebiet, Kungey Alatau, Turaigyr, 2250m. (in coll. Zoologisches Institut, St. Petersburg).
- 13366. *Paralasa kusnezovi kusnezovi* (Avinoff, 1910)** (Satyridae) *Erebia mani* var. *kusnezovi* Avinoff, 1910, Horae Soc. ent. ross. 39: 249, Pl. 14 f. 11 Type(s): Fergana sept.: Padshiata, Metshetsaja.
- 13367. *Paralasa kusnezovi talastauana* Lukhtanov, 1999** (Satyridae) *Paralasa kusnezovi* ssp. *talastauana* Lukhtanov, 1999, Atalanta 30 (1/4): 140. Holotype ♂: [Kazakhstan]: Gouv. Syr-Darya, Aulie-Ata, Alatau Mts. Occ. 2500m. Talasski Gebirge, südl. v. Dshambul (in Museum A. Koenig, Bonn).

- 13368. *Paralasa langara* (Shchetkin,1971)** (Satyridae) *Erebia langara* J.L.Shchetkin,1971, Dokl. Akad. nauk. Tadzhik SSR 14 (3): 78. Holotype ♂: [Tadjikistan]: W. Pamirs, Lyangar, Vanchsky Mts.
- 13369. *Paralasa langara langara* (Shchetkin,1971)** (Satyridae) *Erebia langara* J.L.Shchetkin,1971, Dokl. Akad. nauk. Tadzhik SSR 14 (3): 78. Holotype ♂: [Tadjikistan]: W. Pamirs, Lyangar, Vanchsky Mts.
- 13370. *Paralasa mani* (De Nicéville,1880)** (Satyridae) *Erebia mani* De Nicéville,1880, J. Asiat. Soc. Bengal 49, 2: 247. Type(s): Kashmir, Leh, Talang Pass.
- 13371. *Paralasa mani lorimeri* Tytler,1926** (Satyridae) *Erebia mani lorimeri* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 257, Pl.1 fig.19. Syntypes: [Pakistan]: Gilgit, Ghizer, Haitu Nallah.
- 13372. *Paralasa mani mani* (De Nicéville,1880)** (Satyridae) *Erebia mani* De Nicéville,1880, J. Asiat. Soc. Bengal 49, 2: 247. Type(s): Kashmir, Leh, Talang Pass.
- 13373. *Paralasa mani shandura* (Tytler,1926)** (Satyridae) *Erebia mani* ssp. *shandura* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 257, Pl.1 fig.9. Type(s): [Pakistan]: Chitral, Shandur lake.
- 13374. *Paralasa maracandica* (Erschoff,1874)** (Satyridae) *Erebia maracandica* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 17, pl.1, fig.13. Syntypes: [Uzbekistan]: Samarkand, auf dem Berge Tschupanata, 2630ft.
- 13375. *Paralasa maracandica maracandica* (Erschoff,1874)** (Satyridae) *Erebia maracandica* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 17, pl.1, fig.13. Syntypes: [Uzbekistan]: Samarkand, auf dem Berge Tschupanata, 2630ft.
- 13376. *Paralasa nero* (Staudinger,[1895])** (Satyridae) *Erebia nero* Staudinger,[1895], Dt. ent. Z., Iris 7: 247-248. Syntypes 2♂: [Tadjikistan]: Transalai oder Pamir; Lectotype ♂: "Transalai, Pamir" (ZMHUB), designated by Tusov,1998, Neue ent. Nachr. 41: 191.
- 13377. *Paralasa nero nero* (Staudinger,[1895])** (Satyridae) *Erebia nero* Staudinger,[1895], Dt. ent. Z., Iris 7: 247-248. Syntypes 2♂: [Tadjikistan]: Transalai oder Pamir; Lectotype ♂: "Transalai, Pamir" (ZMHUB), designated by Tusov,1998, Neue ent. Nachr. 41: 191.
- 13378. *Paralasa pagmanni* (O.Bang-Haas,1927)** (Satyridae) *Erebia kalinda* ssp. *pagmanni* O.Bang-Haas,1927, Horae Macrolepid. 1: 47. Syntypes 2♀: Afghanistan: Kabul, Pagman mont., 3000m.
- 13379. *Paralasa pagmanni mohabbati* Sakai,1978** (Satyridae) *Paralasa pagmanni* ssp. *mohabbati* Sakai,1978, Atalanta 9(1): 113, fig.42. Holotype ♂: Afghanistan: Northern slopes of Mt. Shahfuladi, 3800m.
- 13380. *Paralasa pagmanni pagmanni* (Bang-Haas,1927)** (Satyridae) *Erebia kalinda* *pagmanni* Bang-Haas,1927, Horae Macrolepid. 1: 47. Syntypes 2♀: Afghanistan: Kabul, Pagman mont., 3000m.
- 13381. *Paralasa semenovi* (Avinov,1910)** (Satyridae) *Erebia semenovi* Avinov,1910, Horae Soc. ent. ross. 39: 249, Taf.14 figs.8,9. Syntypes: [Kirghizia]: Archa-Bashi, M. of Pass Kara Kazyk, Alaisky Mts.
- 13382. *Paralasa semenovi semenovi* (Avinov,1910)** (Satyridae) *Erebia semenovi* Avinov,1910, Horae Soc. ent. ross. 39: 249, Taf.14 figs.8,9. Syntypes: [Kirghizia]: Archa-Bashi, M. of Pass Kara Kazyk, Alaisky Mts.
- 13383. *Paralasa shakti* Wyatt,1961** (Satyridae) *Paralasa shakti* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 13, figs. Holotype ♂: Afghanistan: Hindu Kush, Bala Quran: Anjuman valley, 14000ft.
- 13384. *Paralasa shakti shakti* Wyatt,1961** (Satyridae) *Paralasa shakti* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 13, figs. Holotype ♂: Afghanistan: Hindu Kush, Bala Quran: Anjuman valley, 14000ft.
- 13385. *Paralasa shallada* (Marshall & De Nicéville,1880)** (Satyridae) *Erebia shallada* Marshall & De Nicéville,1880, J. asiat. Soc. Beng. 49(2): 247. Syntypes ♂♀: India: Kunawar.
- 13386. *Paralasa shallada shallada* (Marshall & De Nicéville,1880)** (Satyridae) *Erebia shallada* Marshall & De Nicéville,1880, J. asiat. Soc. Beng. 49(2): 247. Syntypes ♂♀: India: Kunawar.
- 13387. *Paralasa shallada tarbena* (Evans,1932)** (Satyridae) *Erebia shallada* ssp. *tarbena* Evans,1932, Identification Indian Butterflies (2): 117. Syntypes ♂♀: [Pakistan]: Chitral.
- 13388. *Paralethe Van Son*,1955** (Satyridae) *Paralethe* Van Son,1955, Butts S. Africa 2: 51. Type-species: *Satyrus dendrophilus* Trimen,1862, by original designation.
- 13389. *Paralethe dendrophilus* (Trimen,1862)** (Satyridae) *Satyrus dendrophilus* Trimen,1862, Trans. ent. Soc. London 1862: 399. Type(s): South Africa: "Frankfort".
- 13390. *Paralethe dendrophilus albina* Van Son,1955** (Satyridae) *Paralethe dendrophilus* ssp. *albina* Van Son,1955, Butts S. Africa 2: 54. Type: South Africa: "Pondoland: Port St. Johns".
- 13391. *Paralethe dendrophilus dendrophilus* (Trimen,1862)** (Satyridae) *Satyrus dendrophilus* Trimen,1862, Trans. ent. Soc. London 1862: 399. Type(s): South Africa: "Frankfort".
- 13392. *Paralethe dendrophilus indosa* Trimen,1879** (Satyridae) *Debis indosa* Trimen,1879, Trans. ent. Soc. London 1879 (4): 324-326. Syntypes: South Africa: Natal: Tunjumbili, Pinetown, Illovo; Transvaal: Leydenburg.
- 13393. *Paralethe dendrophilus junodi* (Van Son,1935)** (Satyridae) *Meneris dendrophilus* ssp. *junodi* Van Son,1935, Ann. Transv. Mus. 15: 485, fig.1. Type: South Africa: "Transvaal: Malelane".
- 13394. *Pararge Hübner*,[1819]** (Satyridae) *Pararge Hübner*,[1819], Verz. bekannt. Schmett. (4): 59. Type-species: *Papilio aegeria* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 473, by subsequent designation by Butler,1868, Entomologist's mon. Mag. 4: 195.
- 13395. *Pararge aegeria* (Linnaeus,1758)** (Satyridae) *Papilio aegeria* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Syntypes: Europa, Mauritania.
- 13396. *Pararge aegeria aegeria* (Linnaeus,1758)** (Satyridae) *Papilio aegeria* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Syntypes: Europa, Mauritania.
- 13397. *Pararge aegeria italica* Verity,1916** (Satyridae) *Pararge aegeria* race *italica* Verity,1916, Entomologist's Rec. J. Var. 28: 167. Syntypes 12 ♂ 4♀: [Italy]: Firenze.
- 13398. *Pararge aegeria tircis* (Godart,1821)** (Satyridae) *Satyre tircis* Godart,1821, Hist. nat. lépid. Fr., Diurnes 1: 163-164 Taf.8a fig.1. Type: France: Paris.
- 13399. *Pararge xiphia* (Fabricius,1775)** (Satyridae) *Papilio xiphia* Fabricius,1775, Syst. Ent.: 492, nr.215. Type(s): Madera.
- 13400. *Pararge xiphia xiphia* (Fabricius,1775)** (Satyridae) *Papilio xiphia* Fabricius,1775, Syst. Ent.: 492, nr.215. Type(s): Madera.
- 13401. *Pararge xiphioides* Staudinger,1871** (Satyridae) *Pararge xiphia* var. *xiphioides* Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 30. Type(s): Kanarische Inseln.
- 13402. *Pararge xiphioides xiphioides* Staudinger,1871** (Satyridae) *Pararge xiphia* var. *xiphioides* Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 30. Type(s): Kanarische Inseln.
- 13403. *Proterebia Roos & Arnscheid*,1980** (Satyridae) *Proterebia* Roos & Arnscheid,1980, Mitt. münch. ent. Ges. 70: 11. Type-species: *Papilio phegea* Borkhausen,1788, by original designation.
- 13404. *Proterebia afra* (Fabricius,1787)** (Satyridae) *Papilio afra* Fabricius,1787, Mant. Ins. 2: 41, nr.413. Syntypes: [Russia]: Russiae australioris desertis.
- 13405. *Proterebia afra afra* (Fabricius,1787)** (Satyridae) *Papilio afra* Fabricius,1787, Mant. Ins. 2: 41, nr.413. Syntypes: [Russia]: Russiae australioris desertis.
- 13406. *Proterebia afra bardines* (Fruhstorfer,1918)** (Satyridae) *Erebia afer* ssp. *bardines* Fruhstorfer,1918, Ent. Z., Stuttgart 31 (21): 82. Syntypes 2♂: [Russia]: Altai.
- 13407. *Proterebia afra dalmata* (Godart,[1824])** (Satyridae) *Satyrus dalmata* Godart,[1824], [in] Latreille & Godart, Ency. Méth. 9(2): 530. Type ♀: [Croatia]: "au bord de la mer, dans les environs de Sebenico en Dalmatie (between Zadar and Sebenik).
- 13408. *Proterebia afra fidena* (Fruhstorfer,1918)** (Satyridae) *Erebia afer* ssp. *fidena* Fruhstorfer,1918, Ent. Z., Stuttgart 31 (21): 82. Syntypes 2♂ 1♀: [Turkmenistan]: Transkaspien: Arwas.
- 13409. *Proterebia afra hyrcana* (Staudinger,1901)** (Satyridae) *Erebia afer* var. *hyrcana* Staudinger,1901, [in] Staudinger & Rebel, Cat. lepid. palaearkt. Faunengeb. 3(1): 51. Syntypes: [Iran]: Hyrcania (in ZMHB).
- 13410. *Proterebia afra krymaea* (Sheljuzhko,1929)** (Satyridae) *Erebia afer* ssp. *krymaea* Sheljuzhko,1929, Mitt. münch. ent. Ges. 19: 348, fig.2. Holotype ♂: [Ukraine]: Krym (Bergkette Jajla, near Jalta (in ZMKU).
- 13411. *Proterebia afra pyramus* Louker & Dils,1987** (Satyridae) *Proterebia afra* ssp. *pyramus* Louker & Dils,1987, Phegea 15(3): 157-160, figs. Holotype ♂: Greece: Macedonia, Kozani (in ITZA).
- 13412. *Proterebia afra zyxuta* (Fruhstorfer,1918)** (Satyridae) *Erebia afer* ssp. *zyxuta* Fruhstorfer,1918, Ent. Z., Stuttgart 31 (21): 82. Syntypes 1♂ 2♀: [Azerbaijan]: "Kaukasus, Elisabethpol".
- 13413. *Pseudochazara* (Achazara) Koçak,1996** (Satyridae) *Achazara* Koçak,1996, Priamus 7 (4): 137. Type-species: *Papilio anthelea* Hübner,[1824], by original designation (proposed as a section).
- 13414. *Pseudochazara* (Achazara) *anthelea* (Hübner,[1824])** (Satyridae) *Papilio anthelea* Hübner,[1824], Samml. eur. Schmett.1:

pl.174, figs.861-862. Syntypes: [Kleinasien] (Hesselbarth et al.,1995: 962).

13415. *Pseudochazara (Achazara) anthelea acamanthis (Rebel,1916)* (Satyridae) *Satyrus anthelea* ssp. *acamanthis* Rebel,1916, Jber. wien. ent. Ver. 26: 99-100. Syntypes ♂♂: Cyprus: Nicosia (MNHV).

13416. *Pseudochazara (Achazara) anthelea amalthea (Frivaldsky,1845)* (Satyridae) *Hipparchia amalthea* Frivaldsky,1845, Evk. Kiral Magy Term. tars. 1841/1845: 186, pl.3 figs.3,4. Syntypes: Crete.

13417. *Pseudochazara (Achazara) anthelea anthelea (Hübner,1824)* (Satyridae) *Papilio anthelea* Hübner,[1824], Samml. eur. Schmett.1: pl.174, figs.861-862. Syntypes: [Kleinasien] (Hesselbarth et al.,1995: 962).

13418. *Pseudochazara (Achazara) anthelea selcuki Van Oorschoot et al.,1987* (Satyridae) *Pseudochazara anthelea* ssp. *selcuki* Van Oorschoot, Brink,v.d. & v.Oorschoot,1987, Ent. Ber., Amsterdam 47(6): 93. Holotype ♂: Turkey: Bitlis, Nariidere 1000m (in coll. ITZA).

13419. *Pseudochazara (Achazara) kanishka Aussem,1980* (Satyridae) *Pseudochazara kanishka* Aussem, 1980, Nota lepid. 3 (1/2): 8, figs. Holotype ♂: Afghanistan: Samangan Prov., Tang-e-Tashqurghan, 500m.

13420. *Pseudochazara (Achazara) kanishka kanishka Aussem,1980* (Satyridae) *Pseudochazara kanishka* Aussem, 1980, Nota lepid. 3 (1/2): 8, figs. Holotype ♂: Afghanistan: Samangan Prov., Tang-e-Tashqurghan, 500m.

13421. *Pseudochazara (Achazara) telephassa (Geyer,1827)* (Satyridae) *Eumenis telephassa* Geyer,[1827], [in] Hübner, Samml. exot. Schmett. 2: Taf.[85] figs. 1-4. Type(s): unknown.

13422. *Pseudochazara (Achazara) telephassa telephassa (Geyer,1827)* (Satyridae) *Eumenis telephassa* Geyer,[1827], [in] Hübner, Samml. exot. Schmett. 2: Taf.[85] figs. 1-4. Type(s): unknown.

13423. *Pseudochazara (s.str.) De Lesse,1951* (Satyridae) *Pseudochazara De Lesse*,1951, Revue fr. lépid. 13(3/4): 42. Type-species: *Hipparchia pelopea* Klug,1832, [in] Ehrenberg, Symbolae phys. Ins.3, sign.K: 1, pl.29, figs. 5-8, by original designation.

13424. *Pseudochazara (s.str.) alpina (Staudinger,1878)* (Satyridae) *Satyrus pelopea* var. *alpina* Staudinger,[1878], Horae Soc. ent. ross. 14: 281. Syntypes: [Russia: Daghestan]: Kurusch, 3000m.

13425. *Pseudochazara (s.str.) alpina alpina (Staudinger,1878)* (Satyridae) *Satyrus pelopea* var. *alpina* Staudinger,[1878], Horae Soc. ent. ross. 14: 281. Syntypes: [Russia: Daghestan]: Kurusch, 3000m.

13426. *Pseudochazara (s.str.) amymone Brown,1976* (Satyridae) *Pseudochazara amymone* Brown,1976, Entomologist's Gaz. 27: 88-89, pl.6 figs.12,13. Holotype ♂: Greece: N.W.Greece: mountains just N. of Ioannina, Epiros (in coll. J.Brown).

13427. *Pseudochazara (s.str.) amymone amymone Brown,1976* (Satyridae) *Pseudochazara amymone* Brown,1976, Entomologist's Gaz. 27: 88-89, pl.6 figs.12,13. Holotype ♂: Greece: N.W.Greece: mountains just N. of Ioannina, Epiros (in coll. J.Brown).

13428. *Pseudochazara (s.str.) atlantis (Austaut,1905)* (Satyridae) *Satyrus atlantis* Austaut,1905, Ent. Z. 19 (6): 29. Syntypes 1♂ 1♀: Morocco: l'Atlas de marocain.

13429. *Pseudochazara (s.str.) atlantis atlantis (Austaut,1905)* (Satyridae) *Satyrus atlantis* Austaut,1905, Ent. Z. 19 (6): 29. Syntypes 1♂ 1♀: Morocco: l'Atlas de marocain.

13430. *Pseudochazara (s.str.) atlantis colini (Wyatt,1952)* (Satyridae) *Satyrus atlantis* ssp. *colini* Wyatt,1952, Z. Wien. ent. Ges. 37: 174-175. Holotype ♂: Marokko: Südseite Mittlerer Atlas: Taghzeft Pass, 2200m.

13431. *Pseudochazara (s.str.) aurantiaca (Staudinger,1871)* (Satyridae) *Satyrus beroe* var. *aurantiaca* Staudinger,1871, Cat. lepid. eur. Faunengeb. (2): 29. Syntypes:Armenia [Georgien]:[Abbastouman]; [Iran]:Hyrcania.

13432. *Pseudochazara (s.str.) aurantiaca aurantiaca (Staudinger,1871)* (Satyridae) *Satyrus beroe* var. *aurantiaca* Staudinger,1871, Cat. lepid. eur. Faunengeb. (2):29. Syntypes:Armenia [Georgien]:[Abbastouman]; [Iran]:Hyrcania.

13433. *Pseudochazara (s.str.) baldiva (Moore,1865)* (Satyridae) *Lasiommata baldiva* Moore,1865, Proc. zool. Soc. Lond. 1865: 499, pl.xxx fig.4.

13434. *Pseudochazara (s.str.) baldiva baldiva (Moore,1865)* (Satyridae) *Lasiommata baldiva* Moore,1865, Proc. zool. Soc. Lond. 1865: 499, pl.xxx fig.4.

13435. *Pseudochazara (s.str.) baldiva baltistana (Holik,1949)* (Satyridae) *Satyrus mnisechii* ssp. *baltistana* Holik,1949, Z. Wien. ent. Ges. 34: 104-105. Syntypes 20♂ 4♀: [Pakistan]: Baltistan: Skardo.

13436. *Pseudochazara (s.str.) balucha (Evans,1932)* (Satyridae) *Eumenis mnisechii* ssp. *balucha* Evans,1932, Identification Indian Butterflies (2): 113. Syntypes: [Pakistan]: Baluchistan.

13437. *Pseudochazara (s.str.) balucha balucha (Evans,1932)* (Satyridae) *Eumenis mnisechii* ssp. *balucha* Evans,1932, Identification Indian Butterflies (2): 113. Syntypes: [Pakistan]: Baluchistan.

13438. *Pseudochazara (s.str.) beroe (Freyer,1843)* (Satyridae) *Hipparchia beroe* Freyer,[1843], Neuere Beitr. Schmett. 5(70): 53, pl.415 figs.1,2. Syntypes: [Türkei: Uludağ].

13439. *Pseudochazara (s.str.) beroe altivolans Gross,1978* (Satyridae) *Pseudochazara beroe* ssp. *altivolans* Gross,1978, Atalanta 9 (1): 49-50, figs.5c-e. Holotype ♀: [Türkei]: [Kayseri]: Erciyas Dağı, 2000m. (in coll. Eitschberger).

13440. *Pseudochazara (s.str.) beroe beroe (Freyer,1843)* (Satyridae) *Hipparchia beroe* Freyer,[1843], Neuere Beitr. Schmett. 5(70): 53, pl.415 figs.1,2. Syntypes: [Türkei: Uludağ].

13441. *Pseudochazara (s.str.) cingovskii (Gross,1973)* (Satyridae) *Satyrus (Pseudochazara) sintenisi* ssp. *cingovskii* Gross,1973, Ent. Z., Frankf. a. M. 83(18): 213-214, Abb.2. Holotype ♂: [Makedonia]: Umgebung Prilep.

13442. *Pseudochazara (s.str.) cingovskii cingovskii (Gross,1973)* (Satyridae) *Satyrus (Pseudochazara) sintenisi* ssp. *cingovskii* Gross,1973, Ent. Z., Frankf. a. M. 83(18): 213-214, Abb.2. Holotype ♂: [Makedonia]: Umgebung Prilep.

13443. *Pseudochazara (s.str.) daghestana (Holik,1955)* (Satyridae) *Satyrus geyeri* ssp. *daghestana* Holik,1955, Z. lepidopt. 3: 176, Taf.19 figs. 2,5,6. Holotype ♂: [Russia]: North Daghestan: Gunib.

13444. *Pseudochazara (s.str.) daghestana daghestana (Holik,1955)* (Satyridae) *Satyrus geyeri* ssp. *daghestana* Holik,1955, Z. lepidopt. 3: 176, Taf.19 figs. 2,5,6. Holotype ♂: [Russia]: North Daghestan: Gunib.

13445. *Pseudochazara (s.str.) daghestana savalanica (Gross & Ebert,1975)* (Satyridae) *Satyrus (Pseudochazara) geyeri* ssp. *savalanica* Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 21-22, figs. 20,21. Holotype ♂: Iran: NW-Iran: Sabalan (LNK).

13446. *Pseudochazara (s.str.) droshica (Tytler,1926)* (Satyridae) *Eumenis lehana* ssp. *droshica* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 256. Syntypes: [Pakistan]: Drosh, Shandur Pass.

13447. *Pseudochazara (s.str.) droshica badachshana (Wyatt & Omoto,1966)* (Satyridae) *Satyrus (Pseudochazara) turkestanica* ssp. *badachshana* Wyatt & Omoto,1966, Entomops 5: 162-163, figs. Holotype ♂: Afghanistan: N. Badachshan: Shiva Mts., 1800-2800m.

13448. *Pseudochazara (s.str.) droshica droshica (Tytler,1926)* (Satyridae) *Eumenis lehana* ssp. *droshica* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 256. Syntypes: [Pakistan]: Drosh, Shandur Pass.

13449. *Pseudochazara (s.str.) euxina (Kusnetsov,1909)* (Satyridae) *Hipparchia euxina* Kusnetsov, 1909, Annu. Mus. Acad. imp. Sci., St.-Petersb. 14: 141, tab.3 figs.1-6. Syntypes: [Ukraine: Crimea]: near Yalta, southern slopes of Ai-Petri.

13450. *Pseudochazara (s.str.) euxina euxina (Kusnetsov,1909)* (Satyridae) *Hipparchia euxina* Kusnetsov, 1909, Annu. Mus. Acad. imp. Sci., St.-Petersb. 14: 141, tab.3 figs.1-6. Syntypes: [Ukraine: Crimea]: near Yalta, southern slopes of Ai-Petri.

13451. *Pseudochazara (s.str.) geyeri (Herrich-Schäffer,1846)* (Satyridae) *Satyrus geyeri* Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur. 1: figs. 301-302. Syntypes: [Türkei]: Ararat.

13452. *Pseudochazara (s.str.) geyeri geyeri (Herrich-Schäffer,1846)* (Satyridae) *Satyrus geyeri* Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur. 1: figs. 301-302. Syntypes: [Türkei]: Ararat.

13453. *Pseudochazara (s.str.) geyeri occidentalis (Rebel & Zerny,1931)* (Satyridae) *Satyrus (Hipparchia) geyeri* ssp. *occidentalis* Rebel & Zerny,1931, Denkschr. Akad. Wiss. Wien 103:74, Taf. figs.5,6. Syntypes: Albanien: Galicica pl. 1600-1900m (in coll. NHMW).

13454. *Pseudochazara (s.str.) graeca (Staudinger,1870)* (Satyridae) *Satyrus mamurra* var. *graeca* Staudinger,1870, Horae Soc. ent. ross. 7: 70. Syntypes: Griechenland: [Mt. Parnassos, Mt. Chelmos].

13455. *Pseudochazara (s.str.) graeca apollo Gross,1978* (Satyridae) *Pseudochazara graeca* ssp. *apollo* Gross,1978, Atalanta 9(1): 48, fig. 3c-d. Holotype ♂: [Griechenland]: Parnaß, 1800-2000m.

13456. *Pseudochazara (s.str.) graeca graeca (Staudinger,1870)* (Satyridae) *Satyrus mamurra* var. *graeca* Staudinger,1870, Horae Soc. ent. ross. 7: 70. Syntypes: Griechenland: [Mt. Parnassos, Mt. Chelmos].

13457. *Pseudochazara (s.str.) graeca pelops Gross,1978* (Satyridae) *Pseudochazara graeca* ssp. *pelops* Gross,1978, Atalanta 9(1): 48, figs. 3g-j. Holotype ♂: [Griechenland]: Melanon, 1700-1900m.

13458. *Pseudochazara (s.str.) graeca zagoriensis Aussem,1978* (Satyridae) *Pseudochazara graeca* ssp. *zagoriensis* Aussem,1978, Ent.

Z., Frankf. a. M. 88(3): 19-20, f. 5-8. Holotype ♂: Griechenland: Ioannina: Zagoria, 1800m.

13459. *Pseudochazara* (s.str.) *guriensis* (Staudinger, [1878]) (Satyridae) *Satyrus pelopea* var. *guriensis* Staudinger, [1878], Horae Soc. ent. ross. 14: 279-281. Syntypes: [Georgia]: Abastuman, Achalzich; [Armenia]: in der Nähe des Sees von Goektschai (Haberhauer leg.).

13460. *Pseudochazara* (s.str.) *guriensis guriensis* (Staudinger, [1878]) (Satyridae) *Satyrus pelopea* var. *guriensis* Staudinger, [1878], Horae Soc. ent. ross. 14: 279-281. Syntypes: [Georgia]: Abastuman, Achalzich; [Armenia]: in der Nähe des Sees von Goektschai (Haberhauer leg.).

13461. *Pseudochazara* (s.str.) *guriensis rjabovi* (Sheljuzhko, 1935) (Satyridae) *Satyrus guriensis* ssp. *rjabovi* Sheljuzhko, 1935, Folia zool. hydrobiol. 8: 299. Syntypes 9♂: Russia: Daghestan.

13462. *Pseudochazara* (s.str.) *guriensis tschetverikovi* (Sheljuzhko, 1935) (Satyridae) *Satyrus guriensis* ssp. *tschetverikovi* Sheljuzhko, 1935, Folia zool. hydrobiol. 8: 300. Syntypes 2♂ 3♀: [Georgia]: Teberda, Chatipara Berge, 1800-2400m.

13463. *Pseudochazara* (s.str.) *kopetdagi* Dubatolov, 1989 (Satyridae) *Pseudochazara kopetdagi* Dubatolov, 1989, Proc. zool. Inst. USSR 200: 138-139, fig. 2-6. Holotype ♂: Turkmenia: Kopet Dag.

13464. *Pseudochazara* (s.str.) *lehana* (Moore, 1878) (Satyridae) *Hipparchia lehana* Moore, 1878, Ann. Mag. nat. Hist. (5) 1: 227. Syntypes ♂♀: Ladak: Leh, Kharbu.

13465. *Pseudochazara* (s.str.) *lehana gilgitica* (Tytler, 1926) (Satyridae) *Eumenis lehana* ssp. *gilgitica* Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 256. Syntypes: Gilgit, Shandur Pass.

13466. *Pseudochazara* (s.str.) *lehana lehana* (Moore, 1878) (Satyridae) *Hipparchia lehana* Moore, 1878, Ann. Mag. nat. Hist. (5) 1: 227. Syntypes ♂♀: Ladak: Leh, Kharbu.

13467. *Pseudochazara* (s.str.) *lydia* (Staudinger, 1878) (Satyridae) *Satyrus mamurra* var. *lydia* Staudinger, 1878, Horae Soc. ent. ross. 14: 281-282. Syntypes: [Türkei]: Boz Dag. Lectotype ♂, designated by Wagener, 1995, Die Tagfalter der Türkei: 946 (ZMHB).

13468. *Pseudochazara* (s.str.) *lydia aurora* Eckweiler & Rose, [1989] (Satyridae) *Pseudochazara lydia* ssp. *aurora* Eckweiler & Rose, [1989], Nachr. ent. Ver. Apollo N.F. 9(4): 213-223, Abb. Holotype ♂: Türkiye: Antalya Pr., Elmalı, Bey Dağları, 1400-1600m.

13469. *Pseudochazara* (s.str.) *lydia lydia* (Staudinger, 1878) (Satyridae) *Satyrus mamurra* var. *lydia* Staudinger, 1878, Horae Soc. ent. ross. 14: 281-282. Syntypes: [Türkei]: Boz Dag. Lectotype ♂, designated by Wagener, 1995, Die Tagfalter der Türkei: 946 (ZMHB).

13470. *Pseudochazara* (s.str.) *lydia nesrin* Koçak, 1989 (Satyridae) *Pseudochazara lydia* ssp. *nesrin* Koçak, 1989, Priamus 5(1/2): 69-71. Holotype ♂: Turkey: Konya Pr. Asarderesi 2000m (in coll. CESA).

13471. *Pseudochazara* (s.str.) *lydia obscura* (Staudinger, 1878) (Satyridae) *Satyrus mamurra* var. *obscura* Staudinger, 1878, Horae Soc. ent. ross. 14: 282-283. Syntypes: [Türkei]: Taurus. Lectotype ♂ [Kilikischer Taurus, nördlich von Tarsus], designated by Wagener, 1995, Die Tagfalter der Türkei: 946 (ZMHB).

13472. *Pseudochazara* (s.str.) *mamurra* (Herrich-Schäffer, [1846]) (Satyridae) *Satyrus pelopea* var. *mamurra* Herrich-Schäffer, [1846], Syst. Bearb. Schmett. Eur. 1: figs. 314-315. Syntypes: [Türkei]: Ararat.

13473. *Pseudochazara* (s.str.) *mamurra birgit* Gross, 1978 (Satyridae) *Pseudochazara mamurra* ssp. *birgit* Gross, 1978, Atalanta 9(1): 54, figs. 11c-f. Holotype ♂: [Türkei]: [Sivas: Gürün]; Ziyaret Paß.

13474. *Pseudochazara* (s.str.) *mamurra larseni* Koçak, 1978 (Satyridae) *Pseudochazara mamurra* ssp. *larseni* Koçak, 1978, Atalanta 9 (4a): 372-374, figs. 1-4. Holotype ♂: Libanon: Antilibanon: Aarsal (LNK).

13475. *Pseudochazara* (s.str.) *mamurra mamurra* (Herrich-Schäffer, [1846]) (Satyridae) *Satyrus pelopea* var. *mamurra* Herrich-Schäffer, [1846], Syst. Bearb. Schmett. Eur. 1: figs. 314-315. Syntypes: [Türkei]: Ararat.

13476. *Pseudochazara* (s.str.) *mamurra schahrudensis* (Staudinger, 1881) (Satyridae) *Satyrus pelopea* var. *schahrudensis* Staudinger, 1881, Horae Soc. ent. ross. 16: 69. Syntypes: Schahrud. Lectotype ♂: [Iran]: Schahrud (designated by Nekrutenko, 1990) (in coll. ZMHB).

13477. *Pseudochazara* (s.str.) *mercuria* (Staudinger, 1887) (Satyridae) *Satyrus mercurius* Staudinger, 1887, Stettin ent. Ztg. 48: 58. Syntypes 2♂: [Kirgizistan]: Alexandergebirge [Kirgisisches Gebirge].

13478. *Pseudochazara* (s.str.) *mercuria augustini* Weiss, 1980 (Satyridae) *Pseudochazara hippolyte* ssp. *augustini* Weiss, 1980,

Linneana belgica 8(3): 99-101, figs. Holotype ♂: Espagne: Sierra de Gador (Süd de la Sierra Nevada a l'ouest d'Almería), 2000-2200m (in coll. Weiss).

13479. *Pseudochazara* (s.str.) *mercuria esperi* Koçak, 1981 (Satyridae) *Pseudochazara mercurius* ssp. *esperi* Koçak, 1981, Priamus 1 (1): 11, nomen novum pro *hippolyte* Esper, [1784] nec *hyppolyte* Drury, 1782 [Pseudacraea]. Syntypes: Russia: Südrussland.

13480. *Pseudochazara* (s.str.) *mercuria mercuria* (Staudinger, 1887) (Satyridae) *Satyrus mercurius* Staudinger, 1887, Stettin ent. Ztg. 48: 58. Syntypes 2♂: [Kirgizistan]: Alexandergebirge [Kirgisisches Gebirge].

13481. *Pseudochazara* (s.str.) *mercuria pallida* (Staudinger, 1901) (Satyridae) *Satyrus hippolyte* var. *pallida* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 55. Syntypes: [Russia]: Altai. or. alp.; And.

13482. *Pseudochazara* (s.str.) *mercuria williamsi* (Romei, 1927) (Satyridae) *Hipparchia hippolyte* ssp. *williamsi* Romei, 1927, Entomologist's Rec. J. Var. 39: 138. Syntypes: Spain: Sierra Nevada: Puerto del Lobo, 5000ft.

13483. *Pseudochazara* (s.str.) *mniszechii* (Herrich-Schäffer, [1851]) (Satyridae) *Satyrus mniszechii* Herrich-Schäffer, [1851], Syst. Bearb. Schmett. Eur. 6: 14; ibid. [1852], Papilionides, Taf. 120 figs. 577-579. Syntypes: [Türkei]: "Tokat in Kleinasien".

13484. *Pseudochazara* (s.str.) *mniszechii kirgisa* (Gerhard, 1882) (Satyridae) *Satyrus pelopea* var. *kirgisa* Gerhard, 1882, Berl. ent. Z. 26 (1): 127. Syntypes: Achty im Caucasus.

13485. *Pseudochazara* (s.str.) *mniszechii mniszechii* Herrich-Schäffer, [1851] (Satyridae) *Satyrus mniszechii* Herrich-Schäffer, [1851], Syst. Bearb. Schmett. Eur. 6: 14; ibid. [1852], Papilionides, Taf. 120 figs. 577-579. Syntypes: [Türkei]: "Tokat in Kleinasien".

13486. *Pseudochazara* (s.str.) *mniszechii tisiphone* Brown, 1980 (Satyridae) *Pseudochazara cingowskii* ssp. *tisiphone* Brown, 1980, Entomologist's Rec. J. Var. 92(11/12): 280-281, figs. Holotype ♂: Greece: Mt. Smolikas, 1200m (in coll. Brown).

13487. *Pseudochazara* (s.str.) *nukatli* Bogdanov, 2000 (Satyridae) *Pseudochazara nukatli* Bogdanov, 2000, Helios 1: 111. Holotype ♂: Russia: Daghestan Rep.: Verkhnj Gunib, Nukat' Mts., 2000m.

13488. *Pseudochazara* (s.str.) *nukatli nukatli* Bogdanov, 2000 (Satyridae) *Pseudochazara nukatli* Bogdanov, 2000, Helios 1: 111. Holotype ♂: Russia: Daghestan Rep.: Verkhnj Gunib, Nukat' Mts., 2000m.

13489. *Pseudochazara* (s.str.) *pakistan* Gross, 1978 (Satyridae) *Pseudochazara pakistan* Gross, 1978, Atalanta 9(1): 63-64, figs. 23a-b. Holotype ♂: [Pakistan]: Quetta: Ziarat, 2820m.

13490. *Pseudochazara* (s.str.) *pakistan pakistan* Gross, 1978 (Satyridae) *Pseudochazara pakistan* Gross, 1978, Atalanta 9(1): 63-64, figs. 23a-b. Holotype ♂: [Pakistan]: Quetta: Ziarat, 2820m.

13491. *Pseudochazara* (s.str.) *panjshira* (Wyatt & Omoto, 1966) (Satyridae) *Satyrus* (*Pseudochazara*) *baldiva* ssp. *panjshira* Wyatt & Omoto, 1966, Entomops 5: 160, figs. Holotype ♂: Afghanistan: [Hindu Kush], Dasht-i-Riwat, lower Panjshir valley, 2200m.

13492. *Pseudochazara* (s.str.) *panjshira atambergi* (Wyatt & Omoto, 1966) (Satyridae) *Satyrus* (*Pseudochazara*) *baldiva* ssp. *atambergi* Wyatt & Omoto, 1966, Entomops 5: 161, figs. Holotype ♂: Afghanistan: Badachshan: Bala Quran, Anjuman valley, 2900-3200m.

13493. *Pseudochazara* (s.str.) *panjshira panjshira* (Wyatt & Omoto, 1966) (Satyridae) *Satyrus* (*Pseudochazara*) *baldiva* ssp. *panjshira* Wyatt & Omoto, 1966, Entomops 5: 160, figs. Holotype ♂: Afghanistan: [Hindu Kush], Dasht-i-Riwat, lower Panjshir valley, 2200m.

13494. *Pseudochazara* (s.str.) *pelopea* (Klug, 1832) (Satyridae) *Hipparchia pelopea* Klug, 1832, [in] Ehrenberg, Symb. Phys. Ins. 3: pl. 29, figs. 5-8. Syntypes: "Monte Libano Syriae prope Arissam".

13495. *Pseudochazara* (s.str.) *pelopea pelopea* (Klug, 1832) (Satyridae) *Hipparchia pelopea* Klug, 1832, [in] Ehrenberg, Symb. Phys. Ins. 3: pl. 29, figs. 5-8. Type(s): [Lebanon]: Beirut.

13496. *Pseudochazara* (s.str.) *pelopea persica* (Christoph, 1878) (Satyridae) *Satyrus pelopea* var. *persica* Christoph, 1878, Horae Soc. ent. ross. 14: 279. Syntypes: [Iran]: Schahrud, Hadschyabad. Lectotype ♂: Schahrud. (designated by Nekrutenko, 1990) (in coll. ZMHB).

13497. *Pseudochazara* (s.str.) *porphyritica* Clench & Shoumatoff, 1956 (Satyridae) *Pseudochazara porphyritica* Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 150-151. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Panjao, 2500m.

13498. *Pseudochazara* (s.str.) *porphyritica porphyritica* Clench & Shoumatoff, 1956 (Satyridae) *Pseudochazara porphyritica* Clench

- & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 150-151. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Panjao, 2500m.
- 13499. Pseudochazara (s.str.) pseudobaldiva Gross, 1978** (Satyridae) Pseudochazara pseudobaldiva Gross, 1978, Atalanta 9(1): 62, fig. 21a. Holotype ♂: [Pakistan]: Quetta: Ziarat, 2500m.
- 13500. Pseudochazara (s.str.) pseudobaldiva pseudobaldiva Gross, 1978** (Satyridae) Pseudochazara pseudobaldiva Gross, 1978, Atalanta 9(1): 62, fig. 21a. Holotype ♂: [Pakistan]: Quetta: Ziarat, 2500m.
- 13501. Pseudochazara (s.str.) sagina (Staudinger, 1894)** (Satyridae) Satyrus lehana var. sagina Staudinger, [1894], [in] Rühl, Die palaearkt. Grossschmett. 1: 542. Type(s): Turkestan.
- 13502. Pseudochazara (s.str.) sagina sagina (Staudinger, 1894)** (Satyridae) Satyrus lehana var. sagina Staudinger, [1894], [in] Rühl, Die palaearkt. Grossschmett. 1: 542. Type(s): Turkestan.
- 13503. Pseudochazara (s.str.) schakuhensis (Staudinger, 1881)** (Satyridae) Satyrus mamurra var. schakuhensis Staudinger, 1881, Horae Soc. ent. ross. 16: 70. Syntypes 6♂ 3♀: Schahrud. (in coll. ZMHB).
- 13504. Pseudochazara (s.str.) schakuhensis chansara Skala, Schurian & Ten Hagen, 2001** (Satyridae) Pseudochazara schakuhensis ssp. chansara Skala, Schurian & Ten Hagen, 2001, Nachr. ent. Ver. Apollo (N.F.) 22 (3): 141-144, figs. Holotype ♂: Iran: Esfahan: Damane-Khousar Pass, 2500-2750m (leg. Ten Hagen) (SMF).
- 13505. Pseudochazara (s.str.) schakuhensis schakuhensis (Staudinger, 1881)** (Satyridae) Satyrus mamurra var. schakuhensis Staudinger, 1881, Horae Soc. ent. ross. 16: 70. Syntypes 6♂ 3♀: Schahrud. (in coll. ZMHB).
- 13506. Pseudochazara (s.str.) tekkensis (Heyne, 1895)** (Satyridae) Satyrus pelopea var. tekkensis Heyne, [1895], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 819. Syntypes: [Turkmenistan]: Achal-Tekke.
- 13507. Pseudochazara (s.str.) turkestanica (Groum-Grshimailo, 1893)** (Satyridae) Satyrus lehana var. turkestanica Groum-Grshimailo, 1893, Horae Soc. ent. ross. 27: 384. Syntypes: [China: Uighur A.R.]: "in montibus Turkestanica: Tian-shan orientali" [Tengri Tagh].
- 13508. Pseudochazara (s.str.) turkestanica dargaga (Wyatt & Omoto, 1966)** (Satyridae) Satyrus (Pseudochazara) watsoni ssp. dargaga Wyatt & Omoto, 1966, Entomops 5: 165, figs. Holotype ♂: Afghanistan: [Hindu Kush], upper Panjshir valley, 3500m.
- 13509. Pseudochazara (s.str.) turkestanica esquilina (Fruhstorfer, 1911)** (Satyridae) Satyrus mnischechii esquilinus Fruhstorfer, 1911, [in] Seitz, A., Gross-Schmett. Erde 9: 308. Syntypes: Alai.
- 13510. Pseudochazara (s.str.) turkestanica tarbagata (Staudinger, 1900)** (Satyridae) Satyrus baldiva var. tarbagata Staudinger, [1900], Dt. ent. Z., Iris 12: 336. Syntypes: [China: Uighur A.R.]: Tien-Shan or. Chamyl [Kumul]; [Kazakhstan]: Tarbagatai.
- 13511. Pseudochazara (s.str.) turkestanica turkestanica (Groum-Grshimailo, 1893)** (Satyridae) Satyrus lehana var. turkestanica Groum-Grshimailo, 1893, Horae Soc. ent. ross. 27: 384. Syntypes: [China: Uighur A.R.]: "in montibus Turkestanica: Tian-shan orientali" [Tengri Tagh].
- 13512. Pseudochazara (s.str.) turkestanica wakhilkhani (Wyatt & Omoto, 1966)** (Satyridae) Satyrus (Pseudochazara) watsoni ssp. wakhilkhani Wyatt & Omoto, 1966, Entomops 5: 164-165, figs. Holotype ♂: Afghanistan: [Badakhshan], Bala Quran, Anjuman valley, 2900-3200m.
- 13513. Pseudochazara (s.str.) turkestanica watsoni Clench & Shoumatoff, 1956** (Satyridae) Pseudochazara mnischechii ssp. watsoni Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 152-154. Holotype ♂: Afghanistan: Eastern Koh-i-Baba Mts.: Kotal Pass, 3800m.
- 13514. Pseudochazara (s.str.) xerxes (Gross & Ebert, 1975)** (Satyridae) Satyrus (Pseudochazara) mnischechii ssp. xerxes Gross & Ebert, 1975, J. ent. Soc. Iran, Suppl. 1: 20, figs. 18, 19. Holotype ♂: Iran: Elburz N-Seite, ca. 20km N. v. Kandevantunnel, 2900-3000m (in coll. Junge).
- 13515. Pseudochazara (s.str.) xerxes xerxes (Gross & Ebert, 1975)** (Satyridae) Satyrus (Pseudochazara) mnischechii ssp. xerxes Gross & Ebert, 1975, J. ent. Soc. Iran, Suppl. 1: 20, figs. 18, 19. Holotype ♂: Iran: Elburz N-Seite, ca. 20km N. v. Kandevantunnel, 2900-3000m (in coll. Junge).
- 13516. Pseudonympha poetula Trimen, 1891** (Satyridae) Pseudonympha poetula Trimen, 1891, Trans. ent. Soc. London 1891 (1): 169-171. Syntypes 5♂ 1♀: South Africa: Natal: Drakensberg, Transvaal: Lydenberg district.
- 13517. Pseudonympha poetula poetula Trimen, 1891** (Satyridae) Pseudonympha poetula Trimen, 1891, Trans. ent. Soc. London 1891 (1): 169-171. Syntypes 5♂ 1♀: South Africa: Natal: Drakensberg, Transvaal: Lydenberg district.
- 13518. Ptychandra leucogyne C. Felder & R. Felder, [1867]** (Satyridae) Ptychandra leucogyne C. Felder & R. Felder, [1867], Reise Fregatte 'Novarra', Lep.-Rhop. (2): 498.
- 13519. Pyronia Hübner, [1819]** (Satyridae) Pyronia Hübner, [1819], Verz. bekannt. Schmett. (4): 59. Type-species: Pyronia tithone Hübner, [1819], ibidem (4): 59, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 261.
- 13520. Pyronia bathseba (Fabricius, 1793)** (Satyridae) Papilio bathseba Fabricius, 1793, Ent. Syst. 3(1): 235. Type(s): Barbaria.
- 13521. Pyronia bathseba amyclas (Fruhstorfer, 1910)** (Satyridae) Epinephele pasiphae ssp. amyclas Fruhstorfer, 1910, Ent. Z., Frankf. a. M. 23: 218. Syntypes: Spain: Andalusien.
- 13522. Pyronia bathseba bathseba (Fabricius, 1793)** (Satyridae) Papilio bathseba Fabricius, 1793, Ent. Syst. 3(1): 235. Type(s): Barbaria.
- 13523. Pyronia bathseba mihrimahe Gomez-Bustillo, 1973** (Satyridae) Pyronia bathseba ssp. mihrimahe Gomez-Bustillo, 1973, Shilap Revta lepid. 1: 10-11, fig. 2. Holotype ♂: Spain: Santander: Puerto de Pozazal, 1000m (Mus Madrid) [Etym.: dedicated to Mihriman Sultan (Istanbul)].
- 13524. Pyronia bathseba pardilloi De Sagarra, 1924** (Satyridae) Pyronia pasiphae rassa pardilloi De Sagarra, 1924, Butll. Inst. catal. Hist. nat. 16: 199. Type: Spain: Barcelona: Vavidrera, 350m, vii. 21, Querci leg. (MCNB).
- 13525. Pyronia tithonus (Linnaeus, 1771)** (Satyridae) Papilio tithonus Linnaeus, 1771, Mant. Plant.: 537.
- 13526. Pyronia tithonus arroyensis Gomez-Bustillo, 1974** (Satyridae) Pyronia tithonus ssp. arroyensis Gomez-Bustillo, 1974, Shilap Revta lepid. 2: 12. Holotype ♂: Spain: Prov. Santander: Arroyo (coll. Madrid Mus.).
- 13527. Pyronia tithonus cid De Sagarra, 1924** (Satyridae) Pyronia tithonus rassa cid De Sagarra, 1924, Butll. Inst. catal. Hist. nat. 16: 198-199. Type: Spain: Albarracin: Arago, 1100m, Querci leg. (MCNB).
- 13528. Pyronia tithonus decolorata (Fruhstorfer, 1909)** (Satyridae) Epinephele tithonus ssp. decolorata Fruhstorfer, 1909, Ent. Z., Frankf. a. M. 22: 211. Syntypes: Spain: Andalusien.
- 13529. Pyronia tithonus paratransiens Verity, 1937** (Satyridae) Pyronia tithonus race paratransiens Verity, 1937, Lambillionea 37: 225. Syntypes 3♂ 4♀: [France]: Marseille: Septemes, Nans.
- 13530. Pyronia tithonus tithonus (Linnaeus, 1771)** (Satyridae) Papilio tithonus Linnaeus, 1771, Mant. Plant.: 537.
- 13531. Ragadia luzonia C. Felder & R. Felder, 1861** (Satyridae) Ragadia luzonia C. Felder & R. Felder, 1861, Wien. ent. Monatschr. 5: 305. Type: Luzon.
- 13532. Ragadia luzonia luzonia C. Felder & R. Felder, 1861** (Satyridae) Ragadia luzonia C. Felder & R. Felder, 1861, Wien. ent. Monatschr. 5: 305. Type: Luzon.
- 13533. Rhaphicera Butler, 1867** (Satyridae) Rhaphicera Butler, 1867, Ann. Mag. nat. Hist. (3) 19: 164. Type-species: Lasiommata satricus Doubleday, [1849], Gen. diurn. Lep. (2): pl. 64, fig. 4; ibid. (2): 387, by subsequent designation by Butler, 1868, Entomologist's mon. Mag. 4: 196.
- 13534. Rhaphicera moorei Butler, 1867** (Satyridae) Rhaphicera moorei Butler, 1867, Ann. Mag. nat. Hist. (3) 19: 164, pl. iv fig. 4.
- 13535. Rhaphicera moorei moorei Butler, 1867** (Satyridae) Rhaphicera moorei Butler, 1867, Ann. Mag. nat. Hist. (3) 19: 164, pl. iv fig. 4.
- 13536. Satyrus (Asatyrus (Asatyrodes)) Koçak & Kemal, 2002** (Satyridae) Satyrus (Asatyrus (Asatyrodes)) Koçak & Kemal, 2002, Cent. ent. Stud., Misc. Pap. 82/85: 13. Type-species: Satyrus effendi Nekrutenko, 1989, by original designation [proposed as a section].
- 13537. Satyrus (Asatyrus (Asatyrodes)) atlanteus (Verity, 1927)** (Satyridae) Nytha actaea atlantea Verity, 1927, Bull. Soc. ent. Fr. 64: 174 (nomen novum pro maroccana Lucas, 1920 nec Meade-Waldo, 1905).
- 13538. Satyrus (Asatyrus (Asatyrodes)) atlanteus atlanteus (Verity, 1927)** (Satyridae) Nytha actaea atlantea Verity, 1927, Bull. Soc. ent. Fr. 64: 174 (nomen novum pro maroccana Lucas, 1920 nec Meade-Waldo, 1905).
- 13539. Satyrus (Asatyrus (Asatyrodes)) atlanteus makmal Higgins, 1965** (Satyridae) Satyrus actaea ssp. makmal Higgins, 1965, Entomologist 98: 11. Holotype ♂: Lebanon: Cedar mt., 6000ft.
- 13540. Satyrus (Asatyrus (Asatyrodes)) effendi Nekrutenko, 1989** (Satyridae) Satyrus effendi Nekrutenko, 1989, Vestn. Zool. (1989) (1): 14. Holotype ♂: Azerbaidjan: Pazmara, Zangheursky Range, 3000m.

- 13541. *Satyrus* (*Asatyrus* (*Asatyrus*)) *effendi* *effendi* Nekrutenko,1989** (Satyridae) *Satyrus effendi* Nekrutenko,1989, Vestn. Zool. (1989) (1): 14. Holotype ♂: Azerbaijan: Pazmara, Zanghezur Range, 3000m.
- 13542. *Satyrus* (*Asatyrus* (*s.str.*)) *amasinus* Staudinger,1861** (Satyridae) *Satyrus cordula* var. *amasina* Staudinger,1861, Cat. Lepid. Eur. 1: 13. Type(s): [Türkei]: Pontus [Amasia].
- 13543. *Satyrus* (*Asatyrus* (*s.str.*)) *amasinus* *amasinus* Staudinger,1861** (Satyridae) *Satyrus cordula* var. *amasina* Staudinger,1861, Cat. Lepid. Eur. 1: 13. Type(s): [Türkei]: Pontus [Amasia].
- 13544. *Satyrus* (*Asatyrus* (*s.str.*)) *daubi* Gross & Ebert,1975** (Satyridae) *Satyrus daubi* Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 17-19, figs. 16,17. Holotype ♂: [Turkmenistan]: Achal-Tekke: Jablonowica.
- 13545. *Satyrus* (*Asatyrus* (*s.str.*)) *daubi* *daubi* Gross & Ebert,1975** (Satyridae) *Satyrus daubi* Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 17-19, figs. 16,17. Holotype ♂: [Turkmenistan]: Achal-Tekke: Jablonowica.
- 13546. *Satyrus* (*Asatyrus* (*s.str.*)) *ferulus* (Fabricius,1793)** (Satyridae) *Papilio ferula* Fabricius,1793, Ent. Syst. 3(1): 225. Type(s): Italia.
- 13547. *Satyrus* (*Asatyrus* (*s.str.*)) *ferulus altaicus* Groum-Grshimailo,1893** (Satyridae) *Satyrus cordula* var. *altaica* Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 384. Syntypes: [Russia]: Altai.
- 13548. *Satyrus* (*Asatyrus* (*s.str.*)) *ferulus ferulus* (Fabricius,1793)** (Satyridae) *Papilio ferula* Fabricius,1793, Ent. Syst. 3(1): 225. Type(s): Italia.
- 13549. *Satyrus* (*Asatyrus* (*s.str.*)) *ferulus ganssuensis* Groum-Grshimailo,1893** (Satyridae) *Satyrus cordula* var. *ganssuensis* Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 384. Syntypes: [China]: Amdo: Dshachar Mt.
- 13550. *Satyrus* (*Asatyrus* (*s.str.*)) *ferulus hadjinus* Heyne,[1895]** (Satyridae) *Satyrus cordula* var. *hadjina* Heyne,[1895], Die palaearkt. Grossschmett. 1: 822. Syntypes: [Türkei]: Hadjin [=Saimbeyli].
- 13551. *Satyrus* (*Asatyrus* (*s.str.*)) *ferulus liupiuschani* Bang-Haas,1933** (Satyridae) *Satyrus ferula liupiuschani* Bang-Haas,1933, Ent. Z., Frankf. a. M. 47: 99. Syntypes: China: Kansu: Lantschou.
- 13552. *Satyrus* (*Asatyrus* (*s.str.*)) *ferulus medvedevi* Korshunov,1996** (Satyridae) *Satyrus ferula* ssp. *medvedevi* Korshunov,1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 37. Holotype: Russia: Tuva: Moren.
- 13553. *Satyrus* (*Asatyrus* (*s.str.*)) *ferulus molykreia* Fruhstorfer,1909** (Satyridae) *Satyrus actaea* ssp. *molykreia* Fruhstorfer,1909, Int. ent. Z. 3: 89. Syntypes: Tianschan [Tengri Tagh].
- 13554. *Satyrus* (*Asatyrus* (*s.str.*)) *ferulus rickmersi* Rosen,1921** (Satyridae) *Satyrus actaea* ssp. *rickmersi* Rosen,1921, Mitt. münch. ent. Ges. 11: 95. Syntypes 1♂ 2♀: [Tadjikistan]: Pamir: Schaklisu-Tal, 3000m.
- 13555. *Satyrus* (*Asatyrus* (*s.str.*)) *ferulus sergeevi* Dubatolov & Streltsov,1999** (Satyridae) *Satyrus ferula* ssp. *sergeevi* Dubatolov & Streltsov,1999, Atalanta 30 (1/4): 126-127, pl.ix. Holotype ♀: Russia: Amur Province, 17km SSW of Svobodnyi, Malaya Sazanka village.
- 13556. *Satyrus* (*Asatyrus* (*s.str.*)) *ferulus virbius* Herrich-Schäffer,1843** (Satyridae) *Satyrus virbius* Herrich-Schäffer,1843, Syst. Bearb. Schmett. Eur. 1: 79, figs. 45-48. Syntypes: [Russia]: Südrussland.
- 13557. *Satyrus* (*Asatyrus* (*s.str.*)) *iranicus* Schwingenschuss,1939** (Satyridae) *Satyrus ferula* ssp. *iranica* Schwingenschuss,1939, Ent. Z., Frankf.a.M. 53: 13. Syntypes: Iran: Tarsee, Rehne, Demavend.
- 13558. *Satyrus* (*Asatyrus* (*s.str.*)) *iranicus* *iranicus* Schwingenschuss,1939** (Satyridae) *Satyrus ferula* ssp. *iranica* Schwingenschuss,1939, Ent. Z., Frankf.a.M. 53: 13. Syntypes: Iran: Tarsee, Rehne, Demavend.
- 13559. *Satyrus* (*Asatyrus* (*s.str.*)) *magnus* (Evans,1923)** (Satyridae) *Karanasa actaea magna* Evans,1923, J. Bombay nat. Hist. Soc. 29: 783, pl.xiii figs.D9,2. Type ♂: [Pakistan]: Chitral, <9000ft.
- 13560. *Satyrus* (*Asatyrus* (*s.str.*)) *magnus* *magnus* (Evans,1923)** (Satyridae) *Karanasa actaea magna* Evans,1923, J. Bombay nat. Hist. Soc. 29: 783, pl.xiii figs.D9,2. Type ♂: [Pakistan]: Chitral, <9000ft.
- 13561. *Satyrus* (*Asatyrus* (*s.str.*)) *nanus* Staudinger,1886** (Satyridae) *Satyrus actaea* var. *nana* Staudinger,1886, Stettin ent. Ztg. 47: 147. Syntypes ♂♀: [Turkmenistan]: Achal-Tekke (Askhabad).
- 13562. *Satyrus* (*Asatyrus* (*s.str.*)) *nanus* *nanus* Staudinger,1886** (Satyridae) *Satyrus actaea* var. *nana* Staudinger,1886, Stettin ent. Ztg. 47: 147. Syntypes ♂♀: [Turkmenistan]: Achal-Tekke (Askhabad).
- 13563. *Satyrus* (*Asatyrus* (*s.str.*)) *orphei* Stshetkin,1985** (Satyridae) *Satyrus orphei* Stshetkin,1985, Ent. Obozr.(3): 584-587. Holotype ♂: Tadjikistan: Eastern part of Peter Ist range, Muk Winter Camp 2620m.
- 13564. *Satyrus* (*Asatyrus* (*s.str.*)) *orphei* *orphei* Stshetkin,1985** (Satyridae) *Satyrus orphei* Stshetkin,1985, Ent. Obozr.(3): 584-587. Holotype ♂: Tadjikistan: Eastern part of Peter Ist range, Muk Winter Camp 2620m.
- 13565. *Satyrus* (*Asatyrus* (*s.str.*)) *Koçak & Kemal,2002* (Satyridae) *Satyrus* (*Asatyrus*) *Koçak & Kemal,2002*, Cent. ent. Stud., Misc. Pap. 82/85: 13. Type-species: *Satyrus cordula* var. *amasina* Staudinger,1861, by original designation [proposed as subgenus].**
- 13566. *Satyrus* (*s.str.*(*s.str.*)) *Latreille,1810* (Satyridae) *Satyrus Latreille,1810*, Consid. gén. Anim. Crust. Arach. Ins.: 335,440. Type-species: *Papilio actaea* Esper,[1780], Die Schmett. 1(Bd.2) Forst. Tagschmett.: 37, pl.57, figs.1a,1b. by subsequent designation by ICZN, Op.142.**
- 13567. *Satyrus* (*s.str.*(*s.str.*)) *actaeus* (Esper,[1781])** (Satyridae) *Papilio actaea* Esper,[1781], Die Schmett. 1(2): Forts. Tagschmett.: Taf.57, figs.1a-b. Syntypes: S. Frankreich.
- 13568. *Satyrus* (*s.str.*(*s.str.*)) *actaeus* *actaeus* (Esper,[1781])** (Satyridae) *Papilio actaea* Esper,[1781], Die Schmett. 1(2): Forts. Tagschmett.: Taf.57, figs.1a-b. Syntypes: S. Frankreich.
- 13569. *Satyrus* (*s.str.*(*s.str.*)) *actaeus bellorum* (Verity,1927)** (Satyridae) *Nytha actaea bellorum* Verity,1927, Bull. Soc. ent. Fr. 64: 174. Syntypes 5♂: [Spain]: Nueva Castilla: Cuenca: Huelamo, 1200m.
- 13570. *Satyrus* (*s.str.*(*s.str.*)) *actaeus* *podarcinus* (Fruhstorfer,1909)** (Satyridae) *Minois dryas* ssp. *podarcina* Fruhstorfer,1909, Int. ent. Z. 3: 88. Syntypes: Spanien: Andalusien: Sierra de Alfacar.
- 13571. *Satyrus* (*s.str.*(*s.str.*)) *astyages* Skala,2003** (Satyridae) *Satyrus astyages* Skala,2003, Linneana Belg. 19 (1): 35-38, figs. Holotype ♂: Iran: Boyer Ahmad: Kuh-e-Dena, 3800-4000m, 16-17.vii.2001, leg.Skala (ZSM).
- 13572. *Satyrus* (*s.str.*(*s.str.*)) *astyages* *astyages* Skala,2003** (Satyridae) *Satyrus astyages* Skala,2003, Linneana Belg. 19 (1): 35-38, figs. Holotype ♂: Iran: Boyer Ahmad: Kuh-e-Dena, 3800-4000m, 16-17.vii.2001, leg.Skala (ZSM).
- 13573. *Satyrus* (*s.str.*(*s.str.*)) *cordulinus* Lang,1884** (Satyridae) *Satyrus cordulina* Lang,1884, Rhopalocera europa descripta delieata 1: 325. Type(s): Samarkand.
- 13574. *Satyrus* (*s.str.*(*s.str.*)) *cordulinus alaicus* Staudinger,1886** (Satyridae) *Satyrus actaea* var. *alaica* Staudinger,1886, Stettin ent. Ztg. 47: 247. Type ♂: [Tadjikistan]: südlichen Alai.
- 13575. *Satyrus* (*s.str.*(*s.str.*)) *cordulinus* *cordulinus* Lang,1884** (Satyridae) *Satyrus cordulina* Lang,1884, Rhopalocera europa descripta delieata 1: 325. Type(s): Samarkand.
- 13576. *Satyrus* (*s.str.*(*s.str.*)) *favonius* Staudinger,[1892]** (Satyridae) *Satyrus favonius* Staudinger,[1892], Dt. ent. Z., Iris 4: 239, pl.3 fig.1. Syntypes: [Türkei]: Malatia, Hadjin [=Saimbeyli], Eibes [=Akbes].
- 13577. *Satyrus* (*s.str.*(*s.str.*)) *favonius blomi* Oemig,1978** (Satyridae) *Satyrus favonius* ssp. *blomi* Oemig,1978, Ent. Z., Frankf. a. M. 88(22): 251-253, fig.1. Holotype ♂: [Iran]: Ostan Kordestan: Saqqez-Baneh.
- 13578. *Satyrus* (*s.str.*(*s.str.*)) *favonius favonius* Staudinger,[1892]** (Satyridae) *Satyrus favonius* Staudinger,[1892], Dt. ent. Z., Iris 4: 239, pl.3 fig.1. Syntypes: [Türkei]: Malatia, Hadjin [=Saimbeyli], Eibes [=Akbes].
- 13579. *Satyrus* (*s.str.*(*s.str.*)) *parthicus* Lederer,1869** (Satyridae) *Satyrus bryce* var. *parthica* Lederer,1869, Horae Soc. ent. ross. 6: 83-84, Taf. iv figs. 12,13. Syntypes ♂♀: [Iran]: Persien: Astrabad.
- 13580. *Satyrus* (*s.str.*(*s.str.*)) *parthicus* *parthicus* Lederer,1869** (Satyridae) *Satyrus bryce* var. *parthica* Lederer,1869, Horae Soc. ent. ross. 6: 83-84, Taf. iv figs. 12,13. Syntypes ♂♀: [Iran]: Persien: Astrabad.
- 13581. *Satyrus* (*s.str.*(*s.str.*)) *pimplus* C.Felder & R.Felder,[1867]** (Satyridae) *Satyrus pimpla* C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep. Rhop. (3): 494-495, Tab.lxix figs. 10,11. Syntypes ♀: Himalaya occidental.: Ladak: Chulichang.
- 13582. *Satyrus* (*s.str.*(*s.str.*)) *pimplus* *pimplus* C.Felder & R.Felder,[1867]** (Satyridae) *Satyrus pimpla* C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep. Rhop. (3): 494-495,

- Tab.lxix figs. 10,11. Syntypes ♀: Himalaya occidental.: Ladak: Chulichang.
- 13583. *Satyrus (s.str.(s.str.)) pimplus tajik* Clench & Shoumatoff,1956** (Satyridae) *Satyrus pimplus* ssp. *tajik* Clench & Shoumatoff,1956, Vidensk. Medd. fra Dansk naturh. For. 118: 152-154. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, 5000m.
- 13584. *Satyrus (s.str.(s.str.)) pimplus ziara* (Talbot,1947)** (Satyridae) *Hipparchia actaea* ssp. *ziara* Talbot,1947, [in] Sewell, The Fauna of British India. Butterflies 2: 277-278. Syntypes ♂♂: [Pakistan]: Baluchistan: Old Urak, Ziarat, Kawas, Raigora.
- 13585. *Satyrus Latreille,1810*** (Satyridae) *Satyrus* Latreille,1810, Consid. gén. Anim. Crust. Arach. Ins.: 335,440. Type-species: *Papilio actaea* Esper,[1780], Die Schmett. 1(Bd.2) Forst. Tagschmett.: 37, pl.57, figs.1a,1b. by subsequent designation by ICZN, Op.142.
- 13586. *Sinonympha* Lee,1974** (Satyridae) *Sinonympha* Lee,1974, Acta ent. sin. 17(2): 198. Type-species: *Sinonympha amoena* Lee,1974, by original designation and by monotypy.
- 13587. *Sinonympha amoena* Lee,1974** (Satyridae) *Sinonympha amoena* Lee,1974, Acta ent. sin. 17(2): 198. Holotype ♂: China: Sichuan Prov.: Mt. Minshan.
- 13588. *Sinonympha amoena amoena* Lee,1974** (Satyridae) *Sinonympha amoena* Lee,1974, Acta ent. sin. 17(2): 198. Holotype ♂: China: Sichuan Prov.: Mt. Minshan.
- 13589. *Tarsocera* Butler,[1899]** (Satyridae) *Tarsocera* Butler,[1899], Proc. zool. Soc. London 1898: 903. Type-species: *Leptoneura cassina* Butler,1868, by monotypy.
- 13590. *Torynesis* Butler,[1899]** (Satyridae) *Torynesis* Butler,[1899], Proc. zool. Soc. London 1898: 903. Type-species: *Dira mintha* Geyer,[1837], by monotypy.
- 13591. *Triphysa* Zeller,1850** (Satyridae) *Triphysa* Zeller,1850, Stettin ent. Ztg. 11: 311. Type-species: *Papilio tircis* Stoll,[1782], [in] Cramer, Uitl. Kapellen 4(32): 166, pl.373, figs.d,e. through Art.67, sect.(i).
- 13592. *Triphysa dohrnii* Zeller,1850** (Satyridae) *Triphysa* (Phryne) *dohrnii* Zeller,1850, Stettin ent. Ztg. 11: 308. Syntypes: südlichen Russland [Südsibirien] (Lukhtanov & Lukhtanov,1994: 89)
- 13593. *Triphysa dohrnii dohrnii* Zeller,1850** (Satyridae) *Triphysa* (Phryne) *dohrnii* Zeller,1850, Stettin ent. Ztg. 11: 308. Syntypes: südlichen Russland [Südsibirien] (Lukhtanov & Lukhtanov,1994: 89)
- 13594. *Triphysa dohrnii tscherskii* Groum-Grshimailo,1899** (Satyridae) *Triphysa* phryne var. *tscherskii* Groum-Grshimailo,1899, Ann. Mus. Zool. St. petersburg 4: 461. Syntypes: Russia: [Nordostsibirien]: Olenek, Tomba, Alakit, Werchojansk, Jakutsk.
- 13595. *Triphysa nervosa* Motschulsky,1866** (Satyridae) *Triphysa nervosa* Motschulsky,1866, Bull. Soc. imp. Nat. Moscou 39: 189. Type(s): Russia: [Amur] (cf. Tusov,1997: 198).
- 13596. *Triphysa nervosa nervosa* Motschulsky,1866** (Satyridae) *Triphysa nervosa* Motschulsky,1866, Bull. Soc. imp. Nat. Moscou 39: 189. Type(s): Russia: [Amur] (cf. Tusov,1997: 198).
- 13597. *Triphysa nervosa sacha* Korshunov,1996** (Satyridae) *Triphysa albovenosa* ssp. *sacha* Korshunov,1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 30. Holotype: Russia: Iakutsk. Botanical Garden.
- 13598. *Triphysa phryne* (Pallas,1771)** (Satyridae) *Papilio phryne* Pallas,1771, Reise durch die verschiedenen Provinzen des russischen Reiches 1: 470.
- 13599. *Triphysa phryne phryne* (Pallas,1771)** (Satyridae) *Papilio phryne* Pallas,1771, Reise durch die verschiedenen Provinzen des russischen Reiches 1: 470.
- 13600. *Ypthima Hübner,1818*** (Satyridae) *Ypthima* Hübner,1818, Zutr. z. Samml. exot. Schmett. 1: 17. Type-species: *Ypthima huebneri* Kirby,1871, Syn. Cat. diurn. Lep.: 95. by subsequent designation by ICZN, under Art.70(a).
- 13601. *Ypthima amphithea Ménétériés,1859*** (Satyridae) *Ypthima amphithea* Ménétériés,1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 41, nr.80, t.3 fig.10. Syntypes: Russia: Amurland.
- 13602. *Ypthima amphithea amphithea Ménétériés,1859*** (Satyridae) *Ypthima amphithea* Ménétériés,1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 41, nr.80, t.3 fig.10. Syntypes: Russia: Amurland.
- 13603. *Ypthima argus* Butler,1866** (Satyridae) *Ypthima argus* Butler,1866, J. linn. Soc. Zool. 9: 56, nr.22. Type(s): Hakodadi.
- 13604. *Ypthima argus argus* Butler,1866** (Satyridae) *Ypthima argus* Butler,1866, J. linn. Soc. Zool. 9: 56, nr.22. Type(s): Hakodadi.
- 13605. *Ypthima argus hyampeia* Fruhstorfer,1911** (Satyridae) *Ypthima argus hyampeia* Fruhstorfer,1911, [in] Seitz, Die Gross-Schmett. Erde 9: 290, Taf.99c. Syntypes: [Russia]: Ussuri, ? Amur.
- 13606. *Ypthima asterope* (Klug,1832)** (Satyridae) *Hipparchia asterope* Klug,1832, [in] Ehrenberg, Symb. Phys. Ins. 3: pl.29 figs.11-14. Syntypes: Syrien, Arabien.
- 13607. *Ypthima asterope asterope* (Klug,1832)** (Satyridae) *Hipparchia asterope* Klug,1832, [in] Ehrenberg, Symb. Phys. Ins. 3: pl.29 figs.11-14. Syntypes: Syrien, Arabien.
- 13608. *Ypthima asterope burmana* Evans,1923** (Satyridae) *Ypthima asterope burmana* Evans,1923, J. Bombay nat. Hist. Soc. 29: 786.
- 13609. *Ypthima asterope mahratta* Moore,1884** (Satyridae) *Ypthima mahratta* Moore,1884, J. asiat. Soc. Beng. 53(2) 1: 16. Syntypes ♂♂: India: Deccan.
- 13610. *Ypthima avanta* Moore,1874** (Satyridae) *Ypthima avanta* Moore,1874, Proc. zool. Soc. Lond. 1874: 567-568. Type(s): Cashmere: Lower Bagh river-valley.
- 13611. *Ypthima avanta avanta* Moore,1874** (Satyridae) *Ypthima avanta* Moore,1874, Proc. zool. Soc. Lond. 1874: 567-568. Type(s): Cashmere: Lower Bagh river-valley.
- 13612. *Ypthima baldus* (Fabricius,1775)** (Satyridae) *Papilio baldus* Fabricius,1775, Syst. Ent., App.: 829.
- 13613. *Ypthima baldus baldus* (Fabricius,1775)** (Satyridae) *Papilio baldus* Fabricius,1775, Syst. Ent., App.: 829.
- 13614. *Ypthima bolanica* Marshall,1882** (Satyridae) *Ypthima bolanica* Marshall,1882, Proc. zool. Soc. London 52: 759. Type: [Pakistan]: at Mach in the Bolan Pass.
- 13615. *Ypthima bolanica bolanica* Marshall,1882** (Satyridae) *Ypthima bolanica* Marshall,1882, Proc. zool. Soc. London 52: 759. Type: [Pakistan]: at Mach in the Bolan Pass.
- 13616. *Ypthima ceylonica* Hewitson,1865** (Satyridae) *Ypthima ceylonica* Hewitson,1865, Trans. ent. Soc. Lond. (3) 2: 288, nr. 19, tab. 18 figs.14,15. Syntypes: [Sri Lanka]: Ceylon.
- 13617. *Ypthima ceylonica ceylonica* Hewitson,1865** (Satyridae) *Ypthima ceylonica* Hewitson,1865, Trans. ent. Soc. Lond. (3) 2: 288, nr. 19, tab. 18 figs.14,15. Syntypes: [Sri Lanka]: Ceylon.
- 13618. *Ypthima ceylonica kasmira* Moore,1884** (Satyridae) *Ypthima kasmira* Moore,1884, J. asiat. Soc. Beng. 53(2) 1: 17. Syntypes ♂♂: Kashmir.
- 13619. *Ypthima indecora* Moore,1882** (Satyridae) *Ypthima indecora* Moore,1882, Proc. zool. Soc. Lond. 1882: 238, Pl.12, fig.7. Syntypes ♂♂: India: Kangra.
- 13620. *Ypthima indecora indecora* Moore,1882** (Satyridae) *Ypthima indecora* Moore,1882, Proc. zool. Soc. Lond. 1882: 238, Pl.12, fig.7. Syntypes ♂♂: India: Kangra.
- 13621. *Ypthima lisandra* (Cramer,[1782])** (Satyridae) *Papilio lisandra* Cramer,[1782], Uitl.Kapellen 4: tab.293 figs.G,H.
- 13622. *Ypthima lisandra lisandra* (Cramer,[1782])** (Satyridae) *Papilio lisandra* Cramer,[1782], Uitl.Kapellen 4: tab.293 figs.G,H.
- 13623. *Ypthima nareda* (Kollar,[1844])** (Satyridae) *Satyrus nareda* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 451. Type(s): Kaschmir.
- 13624. *Ypthima nareda nareda* (Kollar,[1844])** (Satyridae) *Satyrus nareda* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 451. Type(s): Kaschmir.
- 13625. *Ypthima nikaea* Moore,1874** (Satyridae) *Ypthima nikaea* Moore,1874, Proc. zool. Soc. Lond. 1874: 567. Type(s): N.W. Himalayas.
- 13626. *Ypthima sakra* Moore,1857** (Satyridae) *Ypthima sakra* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 236.
- 13627. *Ypthima sakra sakra* Moore,1857** (Satyridae) *Ypthima sakra* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 236.
- 13628. *Ypthima sempera* C.Felder & R.Felder,1863** (Satyridae) *Ypthima sempera* C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7(4): 125. Type ♀: Luzon.
- 13629. *Ypthima sempera sempera* C.Felder & R.Felder,1863** (Satyridae) *Ypthima sempera* C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7(4): 125. Type ♀: Luzon.
- 13630. *Ypthima stellera* (Eschscholtz,1821)** (Satyridae) *Hipparchia stellera* Erschscholtz,1821, Kotsubue Reise 3: 216, t.10 figs.24a,b. Syntypes: Philippines: Manilla.
- 13631. *Ypthima stellera stellera* (Eschscholtz,1821)** (Satyridae) *Hipparchia stellera* Erschscholtz,1821, Kotsubue Reise 3: 216, t.10 figs.24a,b. Syntypes: Philippines: Manilla.

- 13632. Ypthimomorpha Van Son, 1955** (Satyridae) Ypthimomorpha Van Son, 1955, Butts S. Africa 2: 158. Type-species: Ypthima itonia Hewitson, 1865, by original designation.
- 13633. Schreckensteiniella Hübner, [1825]** (Schreckensteiniidae) Schreckensteiniella Hübner, [1825], Verz. bekannter Schmett.: 419. Type-species: Tinea festaliella Hübner, [1819], Samml. eur. Schmett. 8: pl. 67, fig. 449, by monotypy.
- 13634. Episcythis zuninoi Passerin d'Entrèves, 1990** (Scythridae) Episcythis zuninoi Passerin d'Entrèves, 1990, Shilap Revta lepid. 18 (71): 224-225, figs. Holotype ♂: Algeria: Ain Seha (MNHNP).
- 13635. Eretmocera impactella (Walker, 1864)** (Scythridae) Gelechia impactella Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 29: 637. Syntypes: India, Ceylon.
- 13636. Eretmocera nomadica Walsingham, 1907** (Scythridae) Eretmocera nomadica Walsingham, 1907, Entomologist's mon. Mag. 43: 149. Type: Algeria.
- 13637. Scythis (aerariella-gr.) anomaloptera (Staudinger, 1880)** (Scythridae) Butalis anomaloptera Staudinger, 1880, Horae Soc. ent. ross. 15: 393. Syntypes 3♂: [Türkei]: Amasia (Caraman); Balkan.
- 13638. Scythis (aerariella-gr.) tergestinella (Zeller, 1855)** (Scythridae) Butalis tergestinella Zeller, 1855, Linn. Ent. 10: 210-211. Type ♂: "Triest".
- 13639. Scythis (canescens-gr.) canescens (Staudinger, 1880)** (Scythridae) Butalis canescens Staudinger, 1880, Horae Soc. ent. ross. 15: 403-404. Syntypes 1♂ 4♀: [Türkei]: Amasia.
- 13640. Scythis (elegantella-gr.) elegantella (Lucas, 1955)** (Scythridae) Prays elegantella Lucas, 1955, Bull. Soc. Sci. nat. phys. Maroc 35: 251-258. Holotype ♂: Maroc, Ifrane (MNHNP).
- 13641. Scythis (elegantella-gr.) limbella (Fabricius, 1775)** (Scythridae) Tinea limbella Fabricius, 1775; Syst. Ent.: 660. Type(s): Germania.
- 13642. Scythis (inertella-gr.) inertella (Zeller, 1855)** (Scythridae) Butalis inertella Zeller, 1855, Linn. Ent. 10: 262-264. Syntypes 1♂ 1♀: [Libanon]: "Beirut" (coll. Lederer).
- 13643. Scythis (laminella-gr.) laminella ([Denis & Schiffermüller], 1775)** (Scythridae) Tinea laminella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): Vienna district.
- 13644. Scythis (obscurella-gr.) cuspidella ([Denis & Schiffermüller], 1775)** (Scythridae) Tinea cuspidella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): Vienna district.
- 13645. Scythis (obscurella-gr.) hornigii (Zeller, 1855)** (Scythridae) Butalis hornigii Zeller, 1855, Linn. Ent. 10: 239-240, fig. 10. Type ♀: "südl. Kärnthner Gebirge".
- 13646. Scythis (palustris-gr.) palustris (Zeller, 1855)** (Scythridae) Butalis palustris Zeller, 1855, Linn. Ent. 10: 217-218. Syntypes 4♂: "Glogau".
- 13647. Scythis (pascuella-gr.) pascuella (Zeller, 1855)** (Scythridae) Butalis pascuella Zeller, 1855, Linn. Ent. 10: 207-208. Syntypes: "Illyrien, Istrien, Nanosgebirge".
- 13648. Scythis (pascuella-gr.) tabescentella (Staudinger, 1880)** (Scythridae) Butalis tabescentella Staudinger, 1880, Horae Soc. ent. ross. 15: 390-391. Type ♂: [Türkei]: Amasia (Caraman).
- 13649. Scythis (platypyga-gr.) platypyga (Staudinger, 1880)** (Scythridae) Butalis platypyga Staudinger, 1880, Horae Soc. ent. ross. 15: 396-397. Syntypes 2♂: [Türkei]: Amasia (Caraman).
- 13650. Scythis (punctivittella-gr.) emichi (Anker, 1870)** (Scythridae) Butalis emichi Anker, 1870, Stettin ent. Ztg. 31: 143-144.
- 13651. Scythis (seliniella-gr.) clavella (Zeller, 1855)** (Scythridae) Butalis clavella Zeller, 1855, Linn. Ent. 10: 236-237, fig. 9. Type ♀: [Russia]: Sarepta (coll. Schneider).
- 13652. Scythis (subfasciata-gr.) subfasciata (Staudinger, 1880)** (Scythridae) Butalis subfasciata Staudinger, 1880, Horae Soc. ent. ross. 15: 402-403. Syntypes 4♂: [Türkei]: Amasia.
- 13653. Scythis alhamrae Bengtsson, 2002** (Scythridae) Scythis alhamrae Bengtsson, 2002, Phegea 30 (3): 106-107, figs. Holotype ♂: Oman: Jabal Shams, 19km NW Al Hamra, 7.i.1993, 1100m (ZMUC).
- 13654. Scythis amplexella Bengtsson, 2002** (Scythridae) Scythis amplexella Bengtsson, 2002, Phegea 30 (3): 107-112, figs. Holotype ♂: Oman: Jabal Shams, 19km NW Al Hamra, 7.i.1993, 1100m (ZMUC).
- 13655. Scythis aristidella (Rebel, 1912)** (Scythridae) Butalis aristidella Rebel, 1912, Dt. ent. Z., Iris 1912: 119, Taf. 4 fig. 9. Type ♂: [Türkei]: Akschehir.
- 13656. Scythis asiatica (Staudinger, 1880)** (Scythridae) Butalis flaviventrella var. asiatica Staudinger, 1880, Horae Soc. ent. ross. 15: 392-393. Syntypes: [Türkei]: Amasia.
- 13657. Scythis balanophora Meyrick, 1916** (Scythridae) Scythis balanophora Meyrick, 1916, Exot. Microlepid. 2: 15. Syntypes 3♂: [Türkei]: "Asia Minor: Alma Dag".
- 13658. Scythis basistrigella (Staudinger, 1880)** (Scythridae) Butalis basistrigella Staudinger, 1880, Horae Soc. ent. ross. 15: 395-396. Syntypes 3 ex: [Türkei]: Magnesia.
- 13659. Scythis caramani (Staudinger, 1880)** (Scythridae) Butalis caramani Staudinger, 1880, Horae Soc. ent. ross. 15: 400-401. Syntypes: [Türkei]: Amasia.
- 13660. Scythis cucullella Bengtsson, 2002** (Scythridae) Scythis cucullella Bengtsson, 2002, Phegea 30 (3): 112-113, figs. Holotype ♂: Oman: 20km SE Ibra, 300m (ZMUC).
- 13661. Scythis elachistoides Bengtsson, 2002** (Scythridae) Scythis elachistoides Bengtsson, 2002, Phegea 30 (3): 113-114, figs. Holotype ♂: Oman: Wadi Tanuf, 8.i.1993, 600m (ZMUC).
- 13662. Scythis hyalinella Caradja, 1920** (Scythridae) Scythis hyalinella Caradja, 1920, Dt. ent. Z., Iris 34: 146. Syntypes ♂♀: [Türkei]: Kazikoparan (coll. Caradja).
- 13663. Scythis iconiensis Rebel, 1903** (Scythridae) Scythis iconiensis Rebel, 1903, Dt. ent. Z., Iris 15: 120-121, Taf. 4 fig. 10. Type ♀: [Türkei]: Anatolien Konia.
- 13664. Scythis lychnitis Meyrick, 1918** (Scythridae) Scythis lychnitis Meyrick, 1918, Exot. Microlepid. 2: 157-158. Type ♂: [Iraq]: "Basra".
- 13665. Scythis ottomana Jäckh, 1978** (Scythridae) Scythis ottomana Jäckh, 1978, Dt. ent. Z. (N.F.) 25: 85-86, figs. Holotype ♂: [Türkei]: Anatolien: Amasia m.
- 13666. Scythis paelopyga (Staudinger, 1880)** (Scythridae) Butalis paelopyga Staudinger, 1880, Horae Soc. ent. ross. 15: 391-392. Syntypes: [Türkei]: Amasia.
- 13667. Scythis parachalca Meyrick, 1916** (Scythridae) Scythis parachalca Meyrick, 1916, Exot. Microlepid. 2: 14-15. Syntypes 5♂♀: [Türkei]: "Asia Minor: Alma Dag".
- 13668. Scythis pfeifferella Rebel, 1935** (Scythridae) Scythis pfeifferella Rebel, 1935, Mitt. münch. ent. Ges. 25: 84, Taf. 15 figs. Lectotype ♂: [Türkei]: Marasch: Bertiz Jaila (Jäckh, 1978: 81).
- 13669. Scythis pollicella Bengtsson, 2002** (Scythridae) Scythis pollicella Bengtsson, 2002, Phegea 30 (3): 106-107, figs. Holotype ♂: Oman: Wadi Tanuf, 8.i.1993, 600m (ZMUC).
- 13670. Scythis taurella Caradja, 1920** (Scythridae) Scythis taurella Caradja, 1920, Dt. ent. Z., Iris 34: 144. Lectotype ♂: [Türkei]: Zeitun [=Süleymanli] (Jäckh, 1978: 81).
- 13671. Scythis tenuisquamata (Staudinger, 1880)** (Scythridae) Butalis tenuisquamata Staudinger, 1880, Horae Soc. ent. ross. 15: 388, 389. Syntypes 10♂ 1♀: [Türkei]: Amasia.
- 13672. Scythis triochrias Meyrick, 1916** (Scythridae) Scythis triochrias Meyrick, 1916, Exot. Microlepid. 2: 15. Type ♀: [Türkei]: "Taurus Mts.".
- 13673. Scythis valgella Bengtsson, 2002** (Scythridae) Scythis valgella Bengtsson, 2002, Phegea 30 (3): 117-118, figs. Holotype ♂: Oman: Wadi Tanuf, 8.i.1993, 600m (ZMUC).
- 13674. Scythis zelleri (Staudinger, 1880)** (Scythridae) Butalis zelleri Staudinger, 1880, Horae Soc. ent. ross. 15: 397-399. Syntypes 6♂ 1♀: [Türkei]: Amasia (Caraman).
- 13675. Aschistophleps metachrysis Hampson, 1895** (Sesiidae) Aschistophleps metachrysis Hampson, 1895, Trans. ent. Soc. Lond. 1895: 282. Type: Upper Burma.
- 13676. Aschistophleps ruficrista (Rothschild, 1912)** (Sesiidae) Aegeria ruficrista Rothschild, 1912, Novit. zool. 19: 122.
- 13677. Bembecia (Ductispina) transcaucasica turcmena (Bartel, 1912)** (Sesiidae) Dipsosphesia turcmena Bartel, 1912, [in] Seitz, Gross-Schmett. Erde 2: 396 (50i). Type ♀: "Transkaspien (Aschabad)" (coll. Püngeler).
- 13678. Bembecia auricaudata (Bartel, 1912)** (Sesiidae) Dipsosphesia auricaudata Bartel, 1912, [in] Seitz, Gross-Schmett. Erde 2: 393. Type ♂: "Ili-Gebiet" (coll. Püngeler).
- 13679. Bembecia ichneumoniformis ([Denis & Schiffermüller], 1775)** (Sesiidae) Sphinx ichneumoniformis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 44. Type(s): Vienna district.
- 13680. Bembecia scopigera (Scopoli, 1763)** (Sesiidae) Sphinx scopigera Scopoli, 1763, Entomologia Carniolica: 188-189. Type(s): [Slovenien]: Carniolia [Krain].

- 13681. Chamaesphecia aurifera (Romanoff,1885)** (Sesiidae) *Sesia aurifera* Romanoff,1885, Mém. lépid. 2: 116-118, pl. 4 fig.3.
- 13682. Chamaesphecia elampiformis mandana (Le Cerf,1938)** (Sesiidae) *Pyropteron elampiformis* ssp. *mandana* Le Cerf,1938, Notulae Ent. 18 (3): 92-93. Holotype ♀: Iran: fars, Str. Chiraz- Kazeroun Fort Sine-Sefid 2200m, 29.5.1937 coll. Brandt (RMS).
- 13683. Chamaesphecia haberhaueri (Staudinger,1878)** (Sesiidae) *Sesia haberhaueri* Staudinger,1878, Horae Soc. ent. ross. 14: 308-310. Syntypes: [Türkei]: Taurus (leg. Haberhauer).
- 13684. Chamaesphecia inexpectata (Le Cerf,1938)** (Sesiidae) *Pyropteron doryliformis* ssp. *inexpectata* Le Cerf,1938, Notulae Ent. 18 (3): 93. Holotype ♀: Iran: Fars, Strasse Ardekan- Talochosroe, Comee (Barm i Firus), 3750m 27 Juni 1937, coll. Brandt (RMS).
- 13685. Chamaesphecia lastuvkai Spatenka,1987** (Sesiidae) *Chamaesphecia lastuvkai* Spatenka,1987, Z. ArbGem. Öst. Ent. 39 (1/2): 12-14. Holotype ♂: Bulgaria: Sliven (K.Spatenka leg. & coll.).
- 13686. Chamaesphecia sefid Le Cerf,1938** (Sesiidae) *Chamaesphecia doryceraeformis* ssp. *sefid* Le Cerf,1938, Notulae Ent. 18 (3): 95. Holotype ♂: Iran: Fars, Strasse Shiraz- Kazeroun Fort Sine-Sefid, 2200m 29.5.1937, coll. Brandt (RMS).
- 13687. Chamaesphecia tahira Kallies & Petersen,1995** (Sesiidae) *Chamaesphecia tahira* Kallies & Petersen,1995, Nachr. ent. Ver. Apollo N.F. 16 (1): 76-80, figs. Holotype ♂: Türkiye: Ost-Anatolien: Prov. Ağrı, Tahir Pass 2150m, 29.vii.1992 A. Kallies, M. Petersen, H. Riefenstahl (coll. Kallies).
- 13688. Chamaesphecia tenthrediniformis (Denis & Schiffermüller,1775)** (Sesiidae) *Sphinx tenthrediniformis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 44. Type(s): Vienna district.
- 13689. Chamanthodon tapeina Hampson,1919** (Sesiidae) *Chamanthodon tapeina* Hampson,1919, Novit. zool. 26: 67. Type ♂: [South Africa]: "Transvaal, Zoutpansberg (Janse)".
- 13690. Isothamnis inclemens (Meyrick,1928)** (Sesiidae) *Thamnoscelis inclemens* Meyrick,1928, Exot. Microlepid.3: 466. Syntypes 4ex: [Thailand]: Siam, Upper Pran R., at light, April (W.R.S.Ladell) (BMNH).
- 13691. Pyropteron triannuliformis (Freyer,1845)** (Sesiidae) *Sesia triannuliformis* Freyer,1845, Neuere Beitr. Naturk. 5: 35. Type(s): [Türkei]: Constantinopel [Istanbul].
- 13692. Sesia bembeciformis (Hübner,1806)** (Sesiidae) *Sphinx bembeciformis* Hübner,1806, Samml. eur. Schmett. 2, Sphinges: Tab.20 fig.98. Type(s): Europa.
- 13693. Synansphecia cirgisa (Bartel,1912)** (Sesiidae) *Chamaesphecia cirgisa* Bartel,1912, [in] Seitz, A. Gross-Schmett. Erde 2: 408 (50k). Type ♀: [Kazachstan]: Uralsk
- 13694. Synanthedon sphecoformis (Denis & Schiffermüller,1775)** (Sesiidae) *Sphinx sphecoformis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 306. Type(s): Vienna district.
- 13695. Tinthia brosisformis (Hübner,1813)** (Sesiidae) *Sphinx brosisformis* Hübner,1813, Samml. eur. Schmett. 2, Sphinges: Tab.25 fig.116. Type(s): Europa.
- 13696. Tradescanticola yildizae Koçak,1983** (Sesiidae) *Tradescanticola yildizae* Koçak,1983, Priamus 2 (4): 170 (nomen novum pro uniformis Snellen,1900 nec Grote & Robinson,1868).
- 13697. Acherontia atropos (Linnaeus,1758)** (Sphingidae) *Sphinx atropos* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 490.
- 13698. Acherontia atropos atropos (Linnaeus,1758)** (Sphingidae) *Sphinx atropos* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 490.
- 13699. Acherontia lachesis (Fabricius,1798)** (Sphingidae) *Sphinx lachesis* Fabricius,1798, Ent. Syst., Suppl.: 434.
- 13700. Acherontia lachesis lachesis (Fabricius,1798)** (Sphingidae) *Sphinx lachesis* Fabricius,1798, Ent. Syst., Suppl.: 434.
- 13701. Acherontia styx (Westwood,1847)** (Sphingidae) *Sphinx styx* Westwood,1847, Cabinet orient. Ent.: [88], pl.42, fig.3.
- 13702. Acherontia styx medusa Moore,1858** (Sphingidae) *Acherontia medusa* Moore,1858, Cat. lepid. Insects Mus. Hon. East-India Comp. 1: 267.
- 13703. Acherontia styx styx (Westwood,1847)** (Sphingidae) *Sphinx styx* Westwood,1847, Cabinet orient. Ent.: [88], pl.42, fig.3.
- 13704. Acosmeryx naga (Moore,1858)** (Sphingidae) *Philampelus naga* Moore,1858, [in] Horsfield & Moore, Cat. lepid. Insects Mus. East-India Co. 1: 271.
- 13705. Acosmeryx naga naga (Moore,1858)** (Sphingidae) *Philampelus naga* Moore,1858, [in] Horsfield & Moore, Cat. lepid. Insects Mus. East-India Co. 1: 271.
- 13706. Agrius cingulatus (Fabricius,1775)** (Sphingidae) *Sphinx cingulata* Fabricius,1775, Syst. Ent.: 545. Type(s): America.
- 13707. Akbesia davidi (Oberthür,1884)** (Sphingidae) *Deilephila davidi* Oberthür,1884, Annls Soc. ent. Fr. 6 (4) (Bull.): 11-13. Type: [Turquie]: Akbes (leg. A. Armand David).
- 13708. Akbesia davidi davidi (Oberthür,1884)** (Sphingidae) *Deilephila davidi* Oberthür,1884, Annls Soc. ent. Fr. 6 (4) (Bull.): 11-13. Type: [Turquie]: Akbes (leg. A. Armand David).
- 13709. Ambulyx siamensis Inoue,1991** (Sphingidae) *Ambulyx siamensis* Inoue,1991, Tinea 13 (14): 130, fig. Holotype ♂: Thailand: Khon Kaen: Nam Proam, 800m.
- 13710. Ambulyx subtrigilis (Westwood,1847)** (Sphingidae) *Sphinx subtrigilis* Westwood,1847, Cabinet orient. Ent.: [61].
- 13711. Ambulyx subtrigilis subtrigilis (Westwood,1847)** (Sphingidae) *Sphinx subtrigilis* Westwood,1847, Cabinet orient. Ent.: [61].
- 13712. Amplypterus panopus (Cramer,1779)** (Sphingidae) *Sphinx panopus* Cramer,1779, Utitl. Kapellen 3: 50, pl.224, figs. A.,B.
- 13713. Amplypterus panopus panopus (Cramer,1779)** (Sphingidae) *Sphinx panopus* Cramer,1779, Utitl. Kapellen 3: 50, pl.224, figs. A.,B.
- 13714. Anambulyx elwesi (Druce,1882)** (Sphingidae) *Ambulyx elwesi* Druce,1882, Entomologist's mon. Mag. 19: 17.
- 13715. Anambulyx elwesi elwesi (Druce,1882)** (Sphingidae) *Ambulyx elwesi* Druce,1882, Entomologist's mon. Mag. 19: 17.
- 13716. Callionima parce (Fabricius,1775)** (Sphingidae) *Sphinx parce* Fabricius,1775, Syst. Ent.: 543. Type(s): Brasilia.
- 13717. Callionima parce parce (Fabricius,1775)** (Sphingidae) *Sphinx parce* Fabricius,1775, Syst. Ent.: 543. Type(s): Brasilia.
- 13718. Cephonodes hylas (Linnaeus,1771)** (Sphingidae) *Sphinx hylas* Linnaeus,1771, Mantissa Plantarum (2): 539.
- 13719. Cephonodes hylas hylas (Linnaeus,1771)** (Sphingidae) *Sphinx hylas* Linnaeus,1771, Mantissa Plantarum (2): 539.
- 13720. Cephonodes picus (Cramer,1777)** (Sphingidae) *Sphinx picus* Cramer,1777, Utitl. Kapellen 2: 83, pl.148, fig.B.
- 13721. Cizara sculpta (R.Felder & Rogenhofer,1874)** (Sphingidae) *Microlophia sculpta* R.Felder & Rogenhofer,1874, Reise öst. Fregatte Novara (Zool.) 2 (Abt.2): pl.75, fig.9.
- 13722. Craspedortha porphyria (Butler,1876)** (Sphingidae) *Daphnusa porphyria* Butler,1876, Trans. zool. Soc. Lond. 9: 640.
- 13723. Craspedortha porphyria porphyria (Butler,1876)** (Sphingidae) *Daphnusa porphyria* Butler,1876, Trans. zool. Soc. Lond. 9: 640.
- 13724. Cyba decolor (Walker,1856)** (Sphingidae) *Smerinthus decolor* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 8: 255.
- 13725. Cyba decolor decolor (Walker,1856)** (Sphingidae) *Smerinthus decolor* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 8: 255.
- 13726. Cyba latericia Inoue,1991** (Sphingidae) *Cyba latericia* Inoue,1991, Tinea 13: 132, figs. 5A,B.
- 13727. Cyba terranea (Butler,1876)** (Sphingidae) *Mimas terranea* Butler,1876, Proc. zool. Soc. Lond. 1876: 310.
- 13728. Cypoides chinensis (Rothschild & Jordan,1903)** (Sphingidae) *Smerinthulus chinensis* Rothschild & Jordan,1903, Novit. zool. 9 (Suppl.): 299, 301.
- 13729. Cypoides chinensis chinensis (Rothschild & Jordan,1903)** (Sphingidae) *Smerinthulus chinensis* Rothschild & Jordan,1903, Novit. zool. 9 (Suppl.): 299, 301.
- 13730. Daphnis hypothous (Cramer,1780)** (Sphingidae) *Sphinx hypothous* Cramer,1780, Utitl. Kapellen 3: 165, pl.285 fig.D.
- 13731. Daphnis hypothous hypothous (Cramer,1780)** (Sphingidae) *Sphinx hypothous* Cramer,1780, Utitl. Kapellen 3: 165, pl.285 fig.D.
- 13732. Daphnis nerii (Linnaeus,1758)** (Sphingidae) *Sphinx nerii* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 490.
- 13733. Degmaptera mirabilis (Rothschild,1894)** (Sphingidae) *Cyba mirabilis* Rothschild,1894, Novit. zool. 1: 542.
- 13734. Degmaptera mirabilis mirabilis (Rothschild,1894)** (Sphingidae) *Cyba mirabilis* Rothschild,1894, Novit. zool. 1: 542.
- 13735. Deilephila rivularis (Boisduval,1875)** (Sphingidae) *Chaerocampa rivularis* Boisduval,1875, [in] Boisduval & Guenée, Hist. Nat. Ins. (Spec. gen. Lepid. Heter.) 1: 280. Lectotype ♀: India: Simla (Carnegie Mus.).
- 13736. Deilephila suellus Staudinger,1878** (Sphingidae) *Deilephila porcellus* var.? *suellus* Staudinger,1878, Horae Soc. ent. ross. 14: 298-300. Syntypes: [Türkei]: Amasia (Kerasdere).
- 13737. Deilephila suellus suellus Staudinger,1878** (Sphingidae) *Deilephila porcellus* var.? *suellus* Staudinger,1878, Horae Soc. ent. ross. 14: 298-300. Syntypes: [Türkei]: Amasia (Kerasdere).

- 13738. *Dolbina elegans* (A.Bang-Haas,1912)** (Sphingidae) *Dolbina elegans* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 229. Syntypes: [Türkei]: Akbés bei Alexandrette [İskenderun].
- 13739. *Dolbina elegans elegans* (A.Bang-Haas,1912)** (Sphingidae) *Dolbina elegans* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 229. Syntypes: [Türkei]: Akbés bei Alexandrette [İskenderun].
- 13740. *Elibia dolichus* (Westwood,1847)** (Sphingidae) *Sphinx dolichus* Westwood,1847, Cabinet orient. Ent.: [61], pl.30 fig.1.
- 13741. *Erinnyis obscura* (Fabricius,1775)** (Sphingidae) *Sphinx obscura* Fabricius,1775; Syst. Ent.: 538. Type(s): America.
- 13742. *Erinnyis obscura obscura* (Fabricius,1775)** (Sphingidae) *Sphinx obscura* Fabricius,1775; Syst. Ent.: 538. Type(s): America.
- 13743. *Giganteopalpus mirabilis* (Rothschild,1894)** (Sphingidae) *Eurypteryx mirabilis* Rothschild,1894, Dt. ent. Z., Iris 7: 300, Taf.6 fig.3.
- 13744. *Giganteopalpus mirabilis mirabilis* (Rothschild,1894)** (Sphingidae) *Eurypteryx mirabilis* Rothschild,1894, Dt. ent. Z., Iris 7: 300, Taf.6 fig.3.
- 13745. *Gnathothlibus erotus* (Cramer,[1777])** (Sphingidae) *Sphinx erotus* Cramer,[1777], Uitl. Kapellen 2: 12, pl.104, fig.B.
- 13746. *Gnathothlibus erotus erotus* (Cramer,[1777])** (Sphingidae) *Sphinx erotus* Cramer,[1777], Uitl. Kapellen 2: 12, pl.104, fig.B.
- 13747. *Hemaris* (Cochrania) *rubra* Hampson,[1893]** (Sphingidae) *Hemaris rubra* Hampson,[1893], Fauna Brit. India 1 (1892): 120. Syntypes ♂♂: Sind & Gurais Valley, Kashmir; Balta (coll. Leech).
- 13748. *Hemaris* (Eitschbergera) *aksana* (Le Cerf,1913)** (Sphingidae) *Haemorrhagia tityus aksana* Le Cerf,1913, Bull. Soc. ent. Fr. 1923: 199.
- 13749. *Hemaris* (Eitschbergera) *alaiana* (Rothschild & Jordan,1903)** (Sphingidae) *Haemorrhagia tityus alaiana* Rothschild & Jordan,1903, Novit. zool. 9 (Suppl.): 451. Type: Alai Mts. (BMNH).
- 13750. *Hemaris* (Eitschbergera) *galunae* Eitschberger, Müller & Kravchenko,2005** (Sphingidae) *Hemaris* (Mandarina) *galunae* Eitschberger, Müller & Kravchenko,2005, Atalanta 36 (1/2): 200-201, figs. Holotype ♂: South West Syria: Mt. Hermon, Arne valley 1600m (coll. G.Müller).
- 13751. *Hemaris* (Eitschbergera) *molli* Eitschberger, Müller & Kravchenko,2005** (Sphingidae) *Hemaris* (Mandarina) *molli* Eitschberger, Müller & Kravchenko,2005, Atalanta 36 (1/2): 201-202, figs. Holotype ♀: North Jordan: north of Irbid 800m (coll. G.Müller).
- 13752. *Hippotion boerhaviae* (Fabricius,1775)** (Sphingidae) *Sphinx boerhaviae* Fabricius,1775, Syst. Ent.: 542. Type(s): India.
- 13753. *Hippotion celerio* (Linnaeus,1758)** (Sphingidae) *Sphinx celerio* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 491.
- 13754. *Hippotion echeclus* (Boisduval,[1875])** (Sphingidae) *Choerocampa echeclus* Boisduval,[1875], Hist. nat. Ins. (Spec. Gén. Lépid.) 1: 233.
- 13755. *Hippotion rafflesii* (Moore,[1858])** (Sphingidae) *Chaerocampa rafflesii* Moore,[1858], [in] Horsfield & Moore, Cat. lepid. Insects Mus. East Ind. Co. 1: 276.
- 13756. *Hippotion rosetta* (Swinhoe,1892)** (Sphingidae) *Chaerocampa rosetta* Swinhoe,1892, Cat. lepid. Heteroc. Colln Oxford Univ. Mus. 1: 16.
- 13757. *Hippotion velox* (Fabricius,1793)** (Sphingidae) *Sphinx velox* Fabricius,1793, Ent. Syst. 3 (1): 378. Type(s): India orientalis (Prof. Abildgaard).
- 13758. *Hyles euphorbiae* (Linnaeus,1758)** (Sphingidae) *Sphinx euphorbiae* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 492.
- 13759. *Hyles euphorbiae euphorbiae* (Linnaeus,1758)** (Sphingidae) *Sphinx euphorbiae* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 492.
- 13760. *Hyles hippophaes miatlenskii* Eitschberger & Saldaitis,2000** (Sphingidae) *Hyles* (Hippophyles) *hippophaes* ssp. *miatlenskii* Eitschberger & Saldaitis,2000, Atalanta 31 (1/2): 213-214, figs. Holotype ♂: European p. of Kazakhstan: Ryn-kum sandy Steppe NW, 20km E. of Bisen , 22.vi.1999 (EMEM).
- 13761. *Hyles lineata* (Fabricius,1775)** (Sphingidae) *Sphinx lineata* Fabricius,1775, Syst. Ent.: 541. Type(s): America.
- 13762. *Hyles lineata lineata* (Fabricius,1775)** (Sphingidae) *Sphinx lineata* Fabricius,1775, Syst. Ent.: 541. Type(s): America.
- 13763. *Hyles salangensis* (Ebert,1969)** (Sphingidae) *Celerio salangensis* Ebert,1969, Reichenbachia 12: 47-48. Holotype ♂: Afghanistan: Salang pass, 2000-3000m
- 13764. *Hyles salangensis salangensis* (Ebert,1969)** (Sphingidae) *Celerio salangensis* Ebert,1969, Reichenbachia 12: 47-48. Holotype ♂: Afghanistan: Salang pass, 2000-3000m
- 13765. *Laothoe amurensis* (Staudinger,1892)** (Sphingidae) *Smerinthus tremulae* var. *amurensis* Staudinger,1892, [in] Romanoff, Mém. lépid. 6: 155-156. Lectotype ♂: Russia: Amurland (MNHB).
- 13766. *Laothoe amurensis amurensis* (Staudinger,1892)** (Sphingidae) *Smerinthus tremulae* var. *amurensis* Staudinger,1892, [in] Romanoff, Mém. lépid. 6: 155-156. Lectotype ♂: Russia: Amurland (MNHB).
- 13767. *Laothoe austauti* (Staudinger,1877)** (Sphingidae) *Smerinthus austauti* Staudinger,1877, Petites Nouv. Ent. 2: 190. Type: Algeria: Nemours [Ghazauet].
- 13768. *Laothoe populeti* (Bienert,[1870])** (Sphingidae) *Smerinthus populeti* Bienert,[1870], Lepid. Ergebn. Reise Persien: 33. Type: Iran: "Meschhet".
- 13769. *Laothoe populeti populeti* (Bienert,[1870])** (Sphingidae) *Smerinthus populeti* Bienert,[1870], Lepid. Ergebn. Reise Persien: 33. Type: Iran: "Meschhet".
- 13770. *Laothoe populetorum* (Staudinger,1887)** (Sphingidae) *Smerinthus populi* var. *populetorum* Staudinger,1887, Stettin ent. Ztg. 48: 65-66. Syntypes: [Kirgizistan]: Osch, Usgent (MNHB).
- 13771. *Laothoe populi* (Linnaeus,1758)** (Sphingidae) *Sphinx populi* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 489.
- 13772. *Laothoe populi populi* (Linnaeus,1758)** (Sphingidae) *Sphinx populi* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 489.
- 13773. *Leucophlebia* (Thaiphlebia) *frederkingi* Eitschberger,2003** (Sphingidae) *Leucophlebia frederkingi* Eitschberger,2003, Atalanta 34 (1/2): 209-217, figs. Holotype ♂: Thailand: Chiang Mai, Doi Suthep, 1150-1300m, 13-25.viii.2000, S.Löffler leg. (EMEM).
- 13774. *Leucophlebia* (s.str.) *lineata* Westwood,1847** (Sphingidae) *Leucophlebia lineata* Westwood,1847, Cabinet orient. Ent.: [46], pl.32 fig.2. Lectotype ♀: India: Assam, designated by Eitschberger (2003) (ECOM).
- 13775. *Leucophlebia* (s.str.) *pinratanae* Eitschberger,2003** (Sphingidae) *Leucophlebia* (s.str.) *pinratanae* Eitschberger,2003, Neue ent. Nachr. 56: 15, figs. Holotype ♂: Thailand: Pak Chong, Thanon Thamarat, km 7 Ampur Khao Yai, ca. 380m 9.92, leg. Steinke, Lehmann ex coll. R.Roesler (EMEM).
- 13776. *Macroglossum belis* (Linnaeus,1758)** (Sphingidae) *Sphinx belis* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 493.
- 13777. *Macroglossum faro* (Cramer,1780)** (Sphingidae) *Sphinx faro* Cramer,1780, Uitl. Kapellen 3: 165, pl.285 fig.2.
- 13778. *Macroglossum faro faro* (Cramer,1780)** (Sphingidae) *Sphinx faro* Cramer,1780, Uitl. Kapellen 3: 165, pl.285 fig.2.
- 13779. *Macroglossum passalum* (Drury,[1773])** (Sphingidae) *Sphinx passalus* Drury,[1773], Illust. nat. Hist. 2: Index [91], pl.29 fig.2.
- 13780. *Macroglossum stellatarum* (Linnaeus,1758)** (Sphingidae) *Sphinx stellatarum* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 493.
- 13781. *Macroglossum stellatarum stellatarum* (Linnaeus,1758)** (Sphingidae) *Sphinx stellatarum* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 493.
- 13782. *Macropoliana oheffernani* (Gess,1967)** (Sphingidae) *Poliana oheffernani* Gess,1967, Novos Taxa Ent. 54: 1-10, figs. Holotype ♂: South Africa: Cape Town, George.
- 13783. *Manduca rustica* (Fabricius,1775)** (Sphingidae) *Sphinx rustica* Fabricius,1775, Syst. Ent.: 540. Type(s): America.
- 13784. *Manduca rustica rustica* (Fabricius,1775)** (Sphingidae) *Sphinx rustica* Fabricius,1775, Syst. Ent.: 540. Type(s): America.
- 13785. *Marumba quercus* ([Denis & Schiffermüller],1775)** (Sphingidae) *Sphinx quercus* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 41, Tab 1 fig.1. Type(s): Vienna district.
- 13786. *Marumba quercus quercus* ([Denis & Schiffermüller],1775)** (Sphingidae) *Sphinx quercus* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 41, Tab 1 fig.1. Type(s): Vienna district.
- 13787. *Marumba tigrinus* Gehlen,1936** (Sphingidae) *Marumba tigrina* Gehlen,1936, Ent. Z., Frankf. a. M. 49: 461, fig.
- 13788. *Meganoton analis* (R.Felder & Rogenhofer,[1874])** (Sphingidae) *Sphinx analis* R.Felder & Rogenhofer,[1874], Reise öst. Fregatte Novarra (Zool.) 2 (Abt.2): pl.78.4.
- 13789. *Meganoton analis analis* (R.Felder & Rogenhofer,[1874])** (Sphingidae) *Sphinx analis* R.Felder & Rogenhofer,[1874], Reise öst. Fregatte Novarra (Zool.) 2 (Abt.2): pl.78.4.
- 13790. *Meganoton loeffleri* Eitschberger,2003** (Sphingidae) *Meganoton loeffleri* Eitschberger,2003, Neue ent. Nachr. 54: 139-147, figs. Holotype ♂: Südthailand: Ranong, 500m Ende Juli 2002, S.Löffler leg. (EMEM).
- 13791. *Meganoton rufescens* (Butler,[1876])** (Sphingidae) *Diludia rufescens* Butler,[1876], Proc. zool. Soc. Lond. 1875: 260.

- 13792. *Meganoton rufescens rufescens* (Butler, [1876])** (Sphingidae) *Diludia rufescens* Butler, [1876], Proc. zool. Soc. Lond. 1875: 260.
- 13793. *Meganoton rufescens thielei* Huwe, 1906** (Sphingidae) *Meganoton rufescens thielei* Huwe, 1906, Berl. ent. Z. 50: 316, pl. 6 fig. 1.
- 13794. *Neogurelca himalacha* (Butler, [1876])** (Sphingidae) *Lophura himalacha* Butler, [1876], Proc. zool. Soc. Lond. 1875: 621.
- 13795. *Neogurelca himalacha himalacha* (Butler, [1876])** (Sphingidae) *Lophura himalacha* Butler, [1876], Proc. zool. Soc. Lond. 1875: 621.
- 13796. *Neogurelca hyas* (Walker, 1856)** (Sphingidae) *Lophura hyas* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 8: 107.
- 13797. *Nephele funebris* (Fabricius, 1793)** (Sphingidae) *Sphinx funebris* Fabricius, 1793, Ent. Syst. 3 (1): 371. Type(s): Guinea.
- 13798. *Nephele hespera* (Fabricius, 1775)** (Sphingidae) *Sphinx hespera* Fabricius, 1775, Syst. Ent.: 546. Type(s): India orientalis.
- 13799. *Opistoclanis hawkeri* (Joicey & Talbot, 1921)** (Sphingidae) *Clanis hawkeri* Joicey & Talbot, 1921, Entomologist 54: 106.
- 13800. *Pachysphinx modesta* (Harris, 1839)** (Sphingidae) *Smerinthus modesta* Harris, 1839, Amer. J. Sci. 36 (2): 292. Type: U.S.A.: Massachusetts?
- 13801. *Pachysphinx modesta modesta* (Harris, 1839)** (Sphingidae) *Smerinthus modesta* Harris, 1839, Amer. J. Sci. 36 (2): 292. Type: U.S.A.: Massachusetts?
- 13802. *Pachysphinx occidentalis* (Edwards, 1875)** (Sphingidae) *Smerinthus modestus* var. *occidentalis* Edwards, 1875, Proc. Cal. Acad. Sci. 6: 92. Type: California, San Diego (AMNH?).
- 13803. *Pachysphinx occidentalis occidentalis* (Edwards, 1875)** (Sphingidae) *Smerinthus modestus* var. *occidentalis* Edwards, 1875, Proc. Cal. Acad. Sci. 6: 92. Type: California, San Diego (AMNH?).
- 13804. *Paratreia plebeja* (Fabricius, 1777)** (Sphingidae) *Sphinx plebeja* Fabricius, 1777, Genera Ins.: 273. Type(s): America.
- 13805. *Pentateucha Swinhoe*, 1908** (Sphingidae) *Pentateucha Swinhoe*, 1908, Ann. Mag. nat. Hist. (8) 1: 62. Type-species: *Pentateucha curiosa* Swinhoe, 1908, by monotypy.
- 13806. *Pentateucha curiosa* Swinhoe, 1908** (Sphingidae) *Pentateucha curiosa* Swinhoe, 1908, Ann. Mag. nat. Hist. (8) 1: 62. Holotype ♀: [India]: Assam, Khasia Hills (BMNH).
- 13807. *Pergesa actea* (Cramer, 1779)** (Sphingidae) *Sphinx acteus* Cramer, 1779, Uitl. Kapellen 3: 93, pl. 248, fig. A.
- 13808. *Perigonia lusca* (Fabricius, 1777)** (Sphingidae) *Sphinx lusca* Fabricius, 1777, Genera Ins.: 272. Type(s): America meridionalis.
- 13809. *Perigonia lusca lusca* (Fabricius, 1777)** (Sphingidae) *Sphinx lusca* Fabricius, 1777, Genera Ins.: 272. Type(s): America meridionalis.
- 13810. *Phyllosphingia dissimilis* (Bremer, 1861)** (Sphingidae) *Triptogon dissimilis* Bremer, 1861, Bull. Acad. Sci. St. Petersburg 3: 475. Type: Russia: Ussuri.
- 13811. *Phyllosphingia dissimilis dissimilis* (Bremer, 1861)** (Sphingidae) *Triptogon dissimilis* Bremer, 1861, Bull. Acad. Sci. St. Petersburg 3: 475. Type: Russia: Ussuri.
- 13812. *Phyllosphingia dissimilis perundulans* Swinhoe, 1897** (Sphingidae) *Phyllosphingia perundulans* Swinhoe, 1897, Ann. Mag. nat. Hist. (6) 19: 164. Type: India: Jaintia Hills (NHML).
- 13813. *Rethera brandti euteles* Jordan, 1937** (Sphingidae) *Rethera brandti* ssp. *euteles* Jordan, 1937, Novit. Zool. 40: 325.
- 13814. *Rethera komarovi manifica* Brandt, 1938** (Sphingidae) *Rethera komarovi* ssp. *manifica* Brandt, 1938, Ent. Rdsch. 55: 698, Taf. iv fig. 9. Syntypes: Iran: [Fras]: Fort Sine Sefid, Mian-Kotal.
- 13815. *Rethera komarovi stipularis* (Swinhoe, 1885)** (Sphingidae) *Chaerocampa stipularis* Swinhoe, 1885, Trans. ent. Soc. London 1885: 346-347, pl. ix fig. 1. Type: [Pakistan: Baluchistan]: Chaman.
- 13816. *Rhodoprasina corolla* Cadiou & Kitching, 1990** (Sphingidae) *Rhodoprasina corolla* Cadiou & Kitching, 1990, Lambillionea 90 (4): 5. Holotype ♂: Thailand, Chiang Mai Province, Doi Inthanon, Radar Station 2550m, 25.x.1986, leg. M.G. Allen (BMNH).
- 13817. *Rhodoprasina corrigenda* Kitching & Cadiou, 1996** (Sphingidae) *Rhodoprasina corrigenda* Kitching & Cadiou, 1996, Nachr. ent. Ver., Apollo 17 (1): 56-58, figs. Holotype ♂: Thailand: Chiang Mai Province: Doi Inthanon, checkpoint 1700m, 9.xi.1988 ex coll. R.D. Kennett (BMNH).
- 13818. *Rhodoprasina winbrechlini* Brechlin, 1996** (Sphingidae) *Rhodoprasina winbrechlini* Brechlin, 1996, Nachr. ent. Ver., Apollo 17 (1): 59-61, figs. Holotype ♂: Vietnam (N) (Tonkin), Lao Cay Province, Mt. Fan Si Pan, Prim. Wald, 1-5.iii.1995 leg. C.R. Brechlin (Museum Witt, München).
- 13819. *Smerinthus perversus* (Rothschild, 1895)** (Sphingidae) *Cypa perversa* Rothschild, 1895, Novit. zool. 2: 28.
- 13820. *Smerinthus atlanticus* Austaut, 1890** (Sphingidae) *Smerinthus atlanticus* Austaut, 1890, Naturaliste 12: 190-191. Lectotype ♂: Algeria: Meridje, designated by Pittaway, 1993 (NHML).
- 13821. *Smerinthus kindermanni* Lederer, 1852** (Sphingidae) *Smerinthus kindermanni* Lederer, 1852, Verh. zool.-bot. Ver. Wien 2: 92-93. Lectotype ♂: [Türkei]: [Diyarbakır Prov.]: Argana, Maden (MNHB).
- 13822. *Smerinthus kindermanni kindermanni* Lederer, 1852** (Sphingidae) *Smerinthus kindermanni* Lederer, 1852, Verh. zool.-bot. Ver. Wien 2: 92-93. Lectotype ♂: [Türkei]: [Diyarbakır Prov.]: Argana, Maden (MNHB).
- 13823. *Smerinthus ocellatus* (Linnaeus, 1758)** (Sphingidae) *Sphinx ocellata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 489. Type: Upsala, Sweden.
- 13824. *Smerinthus ocellatus ocellatus* (Linnaeus, 1758)** (Sphingidae) *Sphinx ocellata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 489. Type: Upsala, Sweden.
- 13825. *Smerinthus szechuanus* (Clark, 1938)** (Sphingidae) *Anambulyx szechuanus* Clark, 1938, Proc. New. Engl. Zool. Club. 17: 43. Type: "Mt. Omei, Szechuan Province, China".
- 13826. *Sphecodina caudata* (Bremer & Grey, [1852])** (Sphingidae) *Macroglossa caudata* Bremer & Grey, [1852], [in] Motschulsky, Etud. Ent. 1: 62.
- 13827. *Sphecodina caudata caudata* (Bremer & Grey, [1852])** (Sphingidae) *Macroglossa caudata* Bremer & Grey, [1852], [in] Motschulsky, Etud. Ent. 1: 62.
- 13828. *Sphingonaepiopsis kuldjaensis* (Graeser, 1892)** (Sphingidae) *Pterogon kuldjaensis* Graeser, 1892, Berl. ent. Z. 37: 299-300. Syntypes 2♂: [China: Uighur A.R.]: Kuldja.
- 13829. *Sphingonaepiopsis kuldjaensis kuldjaensis* (Graeser, 1892)** (Sphingidae) *Pterogon kuldjaensis* Graeser, 1892, Berl. ent. Z. 37: 299-300. Syntypes 2♂: [China: Uighur A.R.]: Kuldja.
- 13830. *Theretra boisduvalii* (Bugnion, 1839)** (Sphingidae) *Sphinx boisduvalii* Bugnion, 1839, Anns Soc. ent. Fr. 1839: 113.
- 13831. *Theretra lycetus* (Cramer, 1775)** (Sphingidae) *Sphinx lycetus* Cramer, 1775, Uitl. Kapellen 1: 96, pl. 61 fig. D.
- 13832. *Theretra nessus* (Drury, [1773])** (Sphingidae) *Sphinx nessus* Drury, [1773], Illust. exot. Ins. 2: Index [91], pl. 76, fig. 1.
- 13833. *Theretra oldenlandiae* (Fabricius, 1775)** (Sphingidae) *Sphinx oldenlandiae* Fabricius, 1775, Syst. Ent.: 542. Type(s): India.
- 13834. *Theretra oldenlandiae oldenlandiae* (Fabricius, 1775)** (Sphingidae) *Sphinx oldenlandiae* Fabricius, 1775, Syst. Ent.: 542. Type(s): India.
- 13835. *Theretra pallicosta* (Walker, 1856)** (Sphingidae) *Chaerocampa pallicosta* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 8: 145.
- 13836. *Theretra silhetensis* (Walker, 1856)** (Sphingidae) *Chaerocampa silhetensis* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 8: 143.
- 13837. *Theretra silhetensis silhetensis* (Walker, 1856)** (Sphingidae) *Chaerocampa silhetensis* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 8: 143.
- 13838. *Theretra suffusa* (Walker, 1856)** (Sphingidae) *Chaerocampa suffusa* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 8: 146.
- 13839. *Xylophanes pluto* (Fabricius, 1777)** (Sphingidae) *Sphinx pluto* Fabricius, 1777, Genera Ins.: 274. Type(s): America meridionalis.
- 13840. *Stathmopoda basiplectra* Meyrick, 1913** (Stathmopodidae) *Stathmopoda basiplectra* Meyrick, 1913, Exot. microlepid. 1: 97. Type: India.
- 13841. *Stathmopoda xanthomocla* Meyrick, 1913** (Stathmopodidae) *Stathmopoda xanthomocla* Meyrick, 1913, Exot. microlepid. 1: 90. Type: South India.
- 13842. *Xestocasis iostrota* (Meyrick, 1910)** (Stathmopodidae) *Limnoccia iostrota* Meyrick, 1910, Trans. ent. Soc. Lond. 1910: 454.
- 13843. *Zaratha prosarista* Meyrick, 1909** (Stathmopodidae) *Zaratha prosarista* Meyrick, 1909, J. Bombay nat. Hist. Soc. 19: 410. Type: India: Assam.
- 13844. *Aeolanthus siphonias* Meyrick, 1908** (Stenomidae) *Aeolanthus siphonias* Meyrick, 1908, J. Bombay. nat. Hist. Soc. 18: 637. Type: North India.
- 13845. *Thaumetopoea (Traumatocampa) pityocampa* ([Denis & Schiffermüller], 1775)** (Thaumetopoeidae) *Bombyx pityocampa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 58. Type(s): Vienna district.
- 13846. *Chaepsestis ludovicae* Le Cerf, 1941** (Thyatiridae) *Chaepsestis ludovicae* Le Cerf, 1941, Bull. Soc. ent. Fr. 46: 94.

- 13847. *Cymatophorima diluta* (Denis & Schiffermüller, 1775)** (Thyatiridae) *Noctua diluta* [Denis & Schiffermüller, 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 87. Type(s): Vienna district.
- 13848. *Habrosyne indica* (Moore, 1867)** (Thyatiridae) *Gonophora indica* Moore, 1867, Proc. zool. Soc. London 1867: 44.
- 13849. *Mimopsestis hoenei* (Sick, 1941)** (Thyatiridae) *Spilobasis hoenei* Sick, 1941, Dt. ent. Z. 1941: 8.
- 13850. *Tethea aenea* (Wileman, 1911)** (Thyatiridae) *Polyplocia aenea* Wileman, 1911, Entomologist 44: 150. Type: Formosa.
- 13851. *Tethea mirabilis* (Butler, 1879)** (Thyatiridae) *mirabilis* Butler, 1879
- 13852. *Tethea ocularis osthelderi* (Bytinski-Salz & Brandt, 1937)** (Thyatiridae) *Cymatophora osthelderi* Bytinski-Salz & Brandt, 1937, Entomologist's Rec. J. Var. 49: 3-4. Syntypes 5♂: Iran: Keredj, 1400m.
- 13853. *Tethea or* (Denis & Schiffermüller, 1775)** (Thyatiridae) *Noctua or* [Denis & Schiffermüller, 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 87. Type(s): Vienna district.
- 13854. *Wernya solena* (Swinhoe, 1894)** (Thyatiridae) *Gaurena solena* Swinhoe, 1894, Ann. Mag. Nat. Hist. (6) 14: 431. Type: India: Khasis Hills.
- 13855. *Arniocera cyanoxantha* (Mabille, 1893)** (Thyridae) *Zygaena cyanoxantha* Mabille, 1893, Annls. ent. Soc. Belg. 37: 57. Type ♂: [Ethiopia]: Abyssinie (coll. Staudinger).
- 13856. *Arniocera cyanoxantha cyanoxantha* (Mabille, 1893)** (Thyridae) *Zygaena cyanoxantha* Mabille, 1893, Annls. ent. Soc. Belg. 37: 57. Type ♂: [Ethiopia]: Abyssinie (coll. Staudinger).
- 13857. *Calindoea argentalis* (Walker, 1866)** (Thyridae) *Pyralis argentalis* Walker, [1866], List 34: 1522. Type: Java.
- 13858. *Dysodia pennitarsis* Hampson, 1906** (Thyridae) *Dysodia pennitarsis* Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 113-114.
- 13859. *Dysodia rufiflava* Hampson, 1906** (Thyridae) *Dysodia rufiflava* Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 113. Type ♂: Singapore (Ridley).
- 13860. *Hypolamprus rupinus* Swinhoe, 1899** (Thyridae) *Hypolamprus rupina* Swinhoe, 1899, Ann. Mag. nat. Hist. (7) 3: 116. Type ♀: [India]: "Jarimpur" (coll. Davidson).
- 13861. *Plagiosella pectinifera* Hampson, 1906** (Thyridae) *Plagiosella pectinifera* Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 122. Type ♂: Sierra Leone (Clements).
- 13862. *Rhodoneura aurifera* Hampson, 1906** (Thyridae) *Rhodoneura aurifera* Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 122. Type ♂: Paraguay: Sapucay (Foster).
- 13863. *Rhodoneura ferruginosa* Hampson, 1906** (Thyridae) *Rhodoneura ferruginosa* Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 121. Type ♂: Sikhim (Dudgeon).
- 13864. *Rhodoneura flavicilia* Hampson, 1906** (Thyridae) *Rhodoneura flavicilia* Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 121. Type ♀: [Zimbabwe]: Rhodesia: Bulawayo (Eyles).
- 13865. *Rhodoneura palealides* Hampson, 1906** (Thyridae) *Rhodoneura palealides* Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 120-121. Type ♂: Mashonaland: Salisbury (Marshall).
- 13866. *Agnathosia mendicella* (Denis & Schiffermüller, 1775)** (Tineidae) *Tinea mendicella* [Denis & Schiffermüller, 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): Vienna district.
- 13867. *Anemapogon Zagulyaev, 1963*** (Tineidae) *Anemapogon Zagulyaev, 1963*, Ent. Obozr. 42: 425. Type-species: *Tinea quercicolella* Zeller, 1852, Linn. ent. 6: 102, 133, by original designation.
- 13868. *Ateliotum Zeller, 1839*** (Tineidae) *Ateliotum Zeller, 1839*, Isis Oken, Leipzig 1839: 189. Type-species: *Ateliotum hungaricellum* Zeller, 1839, ibidem 1839: 189, by monotypy.
- 13869. *Ateliotum hungaricellum* Zeller, 1839** (Tineidae) *Ateliotum hungaricellum* Zeller, 1839, Isis 1839: 189.
- 13870. *Ateliotum taurensis* Zagulyaev, 1966** (Tineidae) *Ateliotum taurensis* Zagulyaev, 1966, Trudy zool. Inst. 37: 156-158. Type ♂: Turkey: [Kahramanmaraş Prov.]: "Zeitoun" [=Süleymanlı] (coll. Caradja, Bucharest).
- 13871. *Cephalallota praetoriella* (Christoph, 1872)** (Tineidae) *Tinea praetoriella* Christoph, 1872, Horae Soc. ent. ross. 9: 19, Taf. 1 fig. 15. Type(s): (BMNH).
- 13872. *Ceratuncus* G. Petersen, 1957** (Tineidae) *Ceratuncus* Petersen, 1957, Beitr. Ent. 7: 105. Type-species: *Myrmecozela danubiella* Mann, 1866, Verh. zool.-bot. Ges. Wien 16 (Abh.): 349, pl. 1 figs 3, 4, by original designation.
- 13873. *Ceratuncus affinitellus* (Rebel, 1901)** (Tineidae) *Myrmecozela affinitellus* Rebel, 1901, Dt. ent. Z., Iris 13: 184. Type ♂: [Türkei]: Mardin (ZMB).
- 13874. *Eccritothrix guenterella* Koçak, 1986** (Tineidae) *Eccritothrix guenterella* Koçak, 1986, Priamus 4 (1/2): 55 (nomen novum pro trimaculella Chambers, 1873 nec Hw., 1828).
- 13875. *Episcardia (Bilobatana) fuscoviolacella* (Ragonot, 1895)** (Tineidae) *Tineola fuscoviolacella* Ragonot, 1895, Bull. Soc. ent. Fr. 1895: cv. Type ♂: [Turquie]: Hte. Syrie, Akbes.
- 13876. *Episcardia (s.str.) lardatella* (Lederer, 1858)** (Tineidae) *Psecadia ? lardatella* Lederer, 1858, Wien. ent. Monatschr. 2: 151, Taf. 4 fig. 11. Syntypes ♂♂: locality unknown.
- 13877. *Episcardia incerta* Gozmany, 1960 (?)** (Tineidae) *Episcardia incerta* Gozmany, 1960, Acta zool. Hung. 6: 114-115. Holotype ♀: Spain: Murcia, Alberca vi. 1927 (leg. & coll. Coma) [status doubtful].
- 13878. *Eudarcia (Obesoceras) G. Petersen, 1957*** (Tineidae) *Obesoceras* Petersen, 1957, Beitr. Ent. 7: 352. Type-species: *Tinea granulata* Herrich-Schäffer, 1854, Syst. Bearbeitung Schmett. Eur. 5: 74; 1851, ibidem 5: pl. 39 fig. 267 (legend non-binominal by original designation).
- 13879. *Eudarcia (Obesoceras) kasyi* (G. Petersen, 1971)** (Tineidae) *Obesoceras kasyi* Petersen, 1971, Beitr. Ent. 21 (3/6): 268. Holotype ♂: Graecia (ZMB).
- 13880. *Euplocamus Latreille, 1809*** (Tineidae) *Euplocamus* Latreille, 1809, Genera crustaceorum Insectorum 4: 223. Type-species: *Tinea guttella* Fabricius, 1781, Species Insect 2: 509, by subsequent designation by Latreille, 1810, Considérations gén. Ordre nat. Anim.: 441.
- 13881. *Euplocamus delagrangi* Ragonot, 1895** (Tineidae) *Euplocamus delagrangi* Ragonot, 1895, Bull. Soc. ent. Fr. 1895: ciii. Syntypes: [Turkey]: Ht. Syrie: Akbes.
- 13882. *Fermocelina Hartig, 1950*** (Tineidae) *Fermocelina* Hartig, 1950, Boll. Ass. romana Ent. 4: 3. Type-species: *Tinea gardesanella* Hartig, 1950, ibidem 4: 3, pl. 1 fig. 2, by monotypy.
- 13883. *Fermocelina arabica* G. Petersen, 1961** (Tineidae) *Fermocelina arabica* Petersen, 1961, Beitr. naturk. Forsch. SWDtl. 20 (2): 109-110, fig. Holotype ♂: Zentral Arabien: Riad, 700m leg. Diehl (LNK).
- 13884. *Fermocelina cubiculella* (Staudinger, 1859)** (Tineidae) *Tinea cubiculella* Staudinger, 1859, Stettin ent. Ztg. 20: 235. Syntypes: Spain: Granada (ZMB).
- 13885. *Fermocelina fulvescentella* (Lucas, 1956)** (Tineidae) *Tinea fulvescentella* Lucas, 1956, Bull. Soc. Sci. nat. phys. Maroc 35: 258. Holotype ♂: Morocco: Ifrane (MNHNP).
- 13886. *Fermocelina gardesanella* (Hartig, 1950)** (Tineidae) *Tinea gardesanella* Hartig, 1950, Boll. Ass. Rom. Ent. 4 (1949): 3. Type: N-Italia (coll. Hartig).
- 13887. *Fermocelina latiusculella* (Stainton, 1867)** (Tineidae) *Tinea latiusculella* Stainton, 1867, Tineinae Syria Asia Minor: 41.
- 13888. *Fermocelina liguriella* (Millière, 1879)** (Tineidae) *Tinea liguriella* Millière, 1879, Mém. Soc. Sci. Nat. Cannes 1879: 124, pl. 6 fig. 11. Type: Italia: Liguria.
- 13889. *Hapsifera Zeller, 1847*** (Tineidae) *Hapsifera* Zeller, 1847, Isis Oken, Leipzig 1847: 32. Type-species: *Hapsifera luridella* Zeller, 1847, ibidem 1847: 33, by monotypy.
- 13890. *Hapsifera luridella* Zeller, 1847** (Tineidae) *Hapsifera luridella* Zeller, 1847, Isis 1847: 33. Syntypes 3♂: Lectotype ♂: [Turkey]: "Patar", designated by Robinson, 1982, Entomologist's Gaz. 33: 178 (BMNH).
- 13891. *Hapsifera multiguttella* (Ragonot, 1895)** (Tineidae) *Euplocera multiguttella* Ragonot, 1895, Bull. Soc. ent. Fr. 1895: civ. Type ♂: [Turquie]: Hte. Syrie (MNHNP).
- 13892. *Hylophygas convicta* Meyrick, 1932** (Tineidae) *Hylophygas convicta* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 119-120. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH).
- 13893. *Infurcitinea Spuler, 1910*** (Tineidae) *Infurcitinea* Spuler, 1910, Schmett. Eur. 2: 458. Type-species: *Tinea argentimaculella* Stainton, 1849, Attempt syst. Cat. Br. Tineidae Pterophoridae: 6, by monotypy.
- 13894. *Infurcitinea albulella* (Rebel, 1935)** (Tineidae) *Tinea albulella* Rebel, 1935, Z. öst. ent. Ver. Wien 20: 28. Syntypes: Spanien: S. Gredos.
- 13895. *Infurcitinea anatolica* G. Petersen, 1968** (Tineidae) *Infurcitinea anatolica* Petersen, 1968, Acta ent. bohemoslov. 65(1): 64-65, figs. 14, 15. Holotype ♂: Türkei: Anatolien [Konya]: Kizilviran.
- 13896. *Infurcitinea brunneopterella* G. Petersen, 1964** (Tineidae) *Infurcitinea brunneopterella* Petersen, 1964, Beitr. naturk. Forsch. SWDtl. 23 (2): 118, Abb. 7. Holotype ♂: [Iran]: "Pir-i-zan".

- 13897. Infurcitinea iranensis G.Petersen,1964** (Tineidae) Infurcitinea iranensis Petersen,1964, Beitr. naturk. Forsch. SWDtl. 23 (2): 117, Abb.5. Holotype ♂: Iran: Barfkhaneh, 900-1200ft, vi.1940, Wiltshire leg.
- 13898. Infurcitinea megalopterella G.Petersen,1964** (Tineidae) Infurcitinea megalopterella Petersen,1964, Beitr. naturk. Forsch. SWDtl. 23 (2): 117, Abb.6. Holotype ♂: [Iran]: "Shiraz, Fars".
- 13899. Infurcitinea tauridella G.Petersen,1968** (Tineidae) Infurcitinea tauridella Petersen,1968, Acta ent. bohemoslov. 65(1): 62-63, fig.10. Holotype ♂: [Türkei]: Taurus.
- 13900. Infurcitinea teheranensis G.Petersen,1971** (Tineidae) Infurcitinea teheranensis Petersen,1971, Beitr. Ent. 21 (3/6): 268. Holotype ♂: N-Iran: 70km S Teheran, 1300m, 5.v.1965, Kasy & Vartian leg.
- 13901. Infurcitinea tribertii Gaedike,1983** (Tineidae) Infurcitinea tribertii Gaedike,1983, Ent. Abh. St. Mus. Tierk. 46 (7): 126, figs.64-65. Holotype ♂: Mazedonien: Mt. Pelister, 2400m.
- 13902. Infurcitinea turcica G.Petersen,1968** (Tineidae) Infurcitinea turcica Petersen,1968, Acta ent. bohemoslov. 65(1): 63-64, figs. 12,13. Holotype ♂: [Türkei]: Anatolien: Kizilcahamam, 925m.
- 13903. Kermania Amsel,1964** (Tineidae) Kermania Amsel,1964, Beitr. naturk. Forsch. SW-Dtl. 23 (2): 107-108. Type-species: Kermania pistaciella Amsel,1964, by original designation and monotypy.
- 13904. Kermania pistaciella Amsel,1964** (Tineidae) Kermania pistaciella Amsel,1964, Beitr. naturk. Forsch. SW-Dtl. 23 (2): 108-109. 3 figs. Holotype ♂: Iran: Kerman, leg. Dr. Leuchs.
- 13905. Lichenotinea G.Petersen,1957** (Tineidae) Lichenotinea Petersen,1957, Beitr. Ent. 7: 371. Type-species: Tinea pustulatella Zeller,1852, Linn. ent. 6: 174, by original designation.
- 13906. Monopis Hübner,[1825]** (Tineidae) Monopis Hübner,[1825], Verz. bekannter Schmett.: 401. Type-species: Tinea rusticella Hübner, 1796, Samml. eur. Schmett. 8: 61, pl.3 fig.17, pl.49 fig.339, by monotypy.
- 13907. Monopis laevigella ([Denis & Schiffermüller],1775)** (Tineidae) Tinea laevigella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): Vienna district.
- 13908. Monopis meleodes Meyrick,1917** (Tineidae) Monopis meleodes Meyrick,1917, Exot. Microlepid. 2: 84. Type ♂: [Turkey]: Almadagh.
- 13909. Monopis obviella ([Denis & Schiffermüller],1775)** (Tineidae) Tinea obviella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): Vienna district.
- 13910. Monopis triplacopa Meyrick,1932** (Tineidae) Monopis triplacopa Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 120. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH).
- 13911. Montescardia tessulatellus (Lienig & Zeller,1846)** (Tineidae) Euplocamus tessulatellus Lienig & Zeller,1846, Stettin ent. Ztg. 7: 178. Lectotype ♂: Austria: Semmering, 80km SW of Vienna (Mann leg.), designated Robinson,1986 (BMNH).
- 13912. Morophaga (choragella-gr.) choragella ([Denis & Schiffermüller],1775)** (Tineidae) Tinea choragella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): Vienna district.
- 13913. Morophaga Herrich-Schäffer,[1853]** (Tineidae) Morophaga Herrich-Schäffer,[1853], Syst. Bearbeitung Schmett. Eur. 5: 7, 22. Type-species: Euplocamus morellus Duponchel,1838, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 11: 79, pl.288 fig.5, by subsequent monotypy.
- 13914. Morophagoides iranensis G.Petersen,1960** (Tineidae) Morophagoides iranensis Petersen,1960, Stuttg. Beitr. Naturk. 34: 1-2, Abb.1. Holotype ♂: Iran: Tahergourabe, v/vi.1950, leg. Schäuuffele (LNK).
- 13915. Myrmecozela Zeller,1852** (Tineidae) Myrmecozela Zeller,1852, Linn. ent. 6: 153. Type-species: Tinea ochraceella Tengström, 1848, Notis. Sällsk. Faun. Fl. fenn. Förh. 1: 111, by monotypy.
- 13916. Nemapogon Schrank,1802** (Tineidae) Nemapogon Schrank,1802, Fauna Boica 2 (2): 167. Type-species: Phalaena granella Linnaeus,1758, Syst. Nat. (Edn 10) 1: 537, by subsequent designation by Fletcher, 1929, Mem. Dep. Agric. India (Ent.) 11: 146.
- 13917. Nemapogon anatolica Gaedike,1986** (Tineidae) Nemapogon anatolica Gaedike,1986, Reichenbachia 24(2): 27-29, figs. Holotype ♂: [Türkei]: [Isparta]: Eğridir, 1600m.
- 13918. Nemapogon arenbergeri Gaedike,1986** (Tineidae) Nemapogon arenbergeri Gaedike,1986, Reichenbachia 24(2): 25-27,figs. Holotype ♂: [Türkei]: [Konya]: Anatolien: Kizilviran (Kizilören),1200m (coll. Arenberger).
- 13919. Nemapogon brandti Gaedike,1986** (Tineidae) Nemapogon brandti Gaedike,1986, Reichenbachia 24 (2): 38-39. Holotype ♂: Iran: Elburs-Gebirge, Keredj, leg. F. Brandt (RMS=SMNH).
- 13920. Nemapogon cloacella (Haworth,[1828])** (Tineidae) Tinea cloacella Haworth,[1828], Lepid. Br.: 563. Type ♂: (BMNH).
- 13921. Nemapogon cyprica Gaedike,1986** (Tineidae) Nemapogon cyprica Gaedike,1986, Reichenbachia 24 (2): 31, figs. Holotype ♂: Zypern: Troodos Gebirge, Tripylos Cedar valley, 1300m (coll. E. Arenberger).
- 13922. Nemapogon granella (Linnaeus,1758)** (Tineidae) Phalaena granella Linnaeus,1758, Syst. Nat. (Edn 10) 1: 537. Type(s) (Linn. Soc. London).
- 13923. Nemapogon gravosaella G.Petersen,1957** (Tineidae) Nemapogon gravosaellus Petersen,1957, Beitr. Ent. 7: 72-73, figs. Type ♀: [Rumänien]: Banat, Orsova (DEI).
- 13924. Nemapogon inconditella (Lucas,1956)** (Tineidae) Aristotelia inconditella Lucas,1956, Bull. Soc. Sci. nat. phys. Maroc 35: 255. Holotype ♂: Marocco: Ifrane (MNHNP).
- 13925. Nemapogon kasyi Gaedike,1986** (Tineidae) Nemapogon kasyi Gaedike,1986, Reichenbachia 24 (2): 29-31, figs. Holotype ♂: Syria: 25km NW Damaskus (NHMW).
- 13926. Nemapogon levantina G.Petersen,1961** (Tineidae) Nemapogon levantinus Petersen,1961, Cas. české Spol. ent. 58 (3): 282-283, fig. Holotype ♂: [Syria]: Shar Devesy, Haleb (BMNH).
- 13927. Nemapogon nevadella (Caradja,1920)** (Tineidae) Tinea arcella var.? nevadella Caradja,1920, Dt. ent. Z., Iris 34: 168. Type ♂: Spanien: Sierra Nevada (coll. Caradja).
- 13928. Nemapogon reisseri G.Petersen & Gaedike,1983** (Tineidae) Nemapogon reisseri Petersen & Gaedike,1983, Ann. Musei Goulandris 6: 276-277, figs. 1-3, 14.
- 13929. Nemapogon scholzi Sutter,2000** (Tineidae) Nemapogon scholzi Sutter,2000, Reichenbachia 33 (56): 427-428, figs. Holotype ♂: Griechenland: Insel Zakynthos, südl. Vasilikos leg. Sutter (DEIE).
- 13930. Nemapogon signatella G.Petersen,1957** (Tineidae) Nemapogon signatellus Petersen,1957, Beitr. Ent. 7: 80-81, fig.20. Type ♀: Macedonia (ZMB).
- 13931. Nemapogon teberdella Zagulyaev,1963** (Tineidae) Nemapogon teberdellus Zagulyaev,1963, Ent. Obozr. 42(2): 431-433 fig.5. Holotype ♀: Teberda.
- 13932. Nemapogon vartianae Gaedike,1986** (Tineidae) Nemapogon vartianae Gaedike,1986, Reichenbachia 24(2): 37-38, figs. Holotype ♂: Syria: 60km No Ladikije.
- 13933. Neomeessia G.Petersen,1968** (Tineidae) Neomeessia G.Petersen,1968, Acta ent. bohemoslavaca 65: 58. Type-species: Neomeessia gracilis Petersen,1968, ibidem 65: 58, text-fig.4, by original designation.
- 13934. Neomeessia gracilis G.Petersen,1968** (Tineidae) Neomeessia gracilis G.Petersen,1968, Acta ent. bohemoslov. 65(1): 58-59, fig.4. Holotype ♂: [Türkei]: Taurus.
- 13935. Neospolarcha varii (Gozmany,1967)** (Tineidae) Perissomastix varii Gozmany,1967, Novos Taxa Ent. 53: 1-3, 2 figs.
- 13936. Neurothausia ankerella (Mann,1867)** (Tineidae) Tinea ankerella Mann,1867, Verh. zool.- bot. Ges. Wien 17: 75.
- 13937. Niditinea G.Petersen,1957** (Tineidae) Niditinea Petersen,1957, Beitr. Ent. 7: 134. Type-species: Tinea fuscipunctella Haworth,1828, Lepid. Br.: 562, by original designation.
- 13938. Novotinea fasciata (Staudinger,1879)** (Tineidae) Tinea fasciata Staudinger,1879, Horae Soc. ent. ross. 15: 271-272. Type ♂: [Türkei]: Amasia (Caraman).
- 13939. Opogona Zeller,1853** (Tineidae) Opogona Zeller,1853, Bull. Soc. imp. Nat. Moscou 26(2): 504. Type-species: Opogona dimidiatella Zeller,1853, ibidem 26(2): 507, pl.4 figs 13-16, by monotypy.
- 13940. Opogona tamsi Gerasimov,1930** (Tineidae) Opogona tamsi Gerasimov,1930, Ann. Mus. Zool. Leningr. 31: 44, Pl.16 fig.1, Pl.13 fig.3.
- 13941. Pachyarthra brandti G.Petersen,1966** (Tineidae) Pachyarthra brandti G.Petersen,1966, Ent. Tidskr. 87: 23-29. Holotype ♂: Iran: Laristan, Str. Bender-Abbas - Sardabad Sardze, 200m, leg. Brandt,1937 (SMNH).
- 13942. Pararhodobates syriacus (Lederer,1857)** (Tineidae) Chimabacche ? syriaca Lederer,1857, Wien. ent. Monatschr. 1: 102. Type ♂: [Libanon]: Beirut (ZMB).

- 13943. Paratinea G.Petersen,1957** (Tineidae) *Paratinea* Petersen,1957, Beitr. Ent. 7: 159. Type-species: *Tinea merdella* Zeller,1852, Linn. ent. 6: 162, by original designation.
- 13944. Paratinea irakella G.Petersen,1959** (Tineidae) *Paratinea* irakella G.Petersen,1959, Bull. Soc. ent. Egypte 43: 72, Taf.8 fig.3. Holotype ♂: Iraq: Bagdad.
- 13945. Paratinea striaticostella G.Petersen,1959** (Tineidae) *Paratinea striaticostella* G.Petersen,1959, Bull. Soc. ent. Egypte 43: 71-72, Taf.8 fig.2, Taf.9 fig.1. Holotype ♂: Iraq: Bagdad.
- 13946. Perissomastix (Aphrodoxa) cornuta (G.Petersen,1959)** (Tineidae) *Catabola cornuta* G.Petersen,1959, Bull. Soc. ent. Egypte 43: 70-71. Holotype ♂: Iraq: Haj Omran.
- 13947. Perissomastix (Aphrodoxa) falcata G.Petersen,1988** (Tineidae) *Perissomastix (Aphrodoxa) falcata* G.Petersen,1988, Beitr. Ent. 38: 9. Holotype ♂: Iran: Beluchistan: "Djebal-barez".
- 13948. Perissomastix (Aphrodoxa) flava (G.Petersen,1960)** (Tineidae) *Catabola flava* Petersen,1960, Stuttg. Beitr. Naturk. 34: 2-3, Abb.2. Holotype ♂: Iran: Khuzistan: Shadegan, leg. Richter & Schüffele (LNK).
- 13949. Perissomastix (Aphrodoxa) wiltshirella (G.Petersen,1964)** (Tineidae) *Catabola wiltshirella* Petersen,1964, Beitr. naturk. Forsch. SWDtl. 23 (2): 115, Abb.3. Holotype ♂: [Iran]: "Shiraz, Fars".
- 13950. Perissomastix (s.str.) othello (Meyrick,1907)** (Tineidae) *Tinea othello* Meyrick,1907, J. Bombay nat. Hist. Soc. 17: 988.
- 13951. Petalographis orientalis (G.Petersen,1961)** (Tineidae) *Nemapogon orientalis* Petersen,1961, Cas. české Spol. ent. 58 (3): 281-282, fig. Holotype ♂: [Libanon]: Beyrouth (ZMB).
- 13952. Philagrias zelotica Meyrick,1932** (Tineidae) *Philagrias zelotica* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 119. Type ♂: [Ethiopia]: Jem-Jem Forest.
- 13953. Psephologa centrogramma Meyrick,1921** (Tineidae) *Psephologa centrogramma* Meyrick,1921, Exot. Microlepid. 2: 475. Syntypes 2♂♂: [Iraq]: "Mesopotamia, Shergat".
- 13954. Reisserita barbarosi Koçak,1981** (Tineidae) *Reisserita barbarosi* Koçak,1981, Priamus 1 (3): 111 (nomen novum pro *irreorella* Wollaston,1858 nec Hbn.,1796).
- 13955. Reisserita luteoptera G.Petersen,1957** (Tineidae) *Reisserita luteoptera* Petersen,1957, Beitr. Ent. 7 (1/2): 112, fig.65. Holotype ♂: Marokko: Gr. Atlas, Goundafa (leg. Zerny) (NHMW).
- 13956. Reisserita zernyi G.Petersen,1957** (Tineidae) *Reisserita zernyi* Petersen,1957, Beitr. Ent. 7 (1/2): 110, fig.62. Holotype ♂: S-Portugal: Monchique (NHMW).
- 13957. Rhodobates Ragonot,1895** (Tineidae) *Rhodobates* Ragonot,1895, Bull. Soc. ent. Fr. 1895: civ. Type-species: *Euplocamus laevigatellus* Herrich-Schäffer,[1854], Syst. Bearbeitung Schmett. Eur. 5: 82; 1851, ibidem 5: pl.39 fig.270 (non-binominal), by monotypy.
- 13958. Rhodobates laevigatellus (Herrich-Schäffer,[1854])** (Tineidae) *Euplocamus laevigatellus* Herrich-Schäffer,[1854], Syst. Bearbeitung Schmett. Eur. 5: 82; 1851, ibidem 5: pl.39 fig.270 (non-binominal).
- 13959. Rhodobates pallipellus Rebel,1901** (Tineidae) *Rhodobates pallipellus* Rebel,1901, Dt. ent. Z., Iris 13(2): 179. Lectotype ♂: [Türkei]: Mardin (Petersen,1957, Beitr. Ent. 7:400).
- 13960. Rhodobates unicolor (Staudinger,1871)** (Tineidae) *Morphaga unicolor* Staudinger,1871, Berl. ent. Z. 14: 287.
- 13961. Thuriostoma homalospora Meyrick,1934** (Tineidae) *Thuriostoma homalospora* Meyrick,1934, Exot. Microlep. 4: 515. Holotype ♂: Samoa: Upolu: Malololelei.
- 13962. Tinea Linnaeus,1758** (Tineidae) *Tinea* Linnaeus,1758, Syst. Nat. (Edn 10) 1: 534. Type-species: *Phalaena pelliionella* Linnaeus, 1758, ibidem: 536. by subsequent designation by ICZN, 1957, Opin. Decl. int. Commn zool. Nom. 15 (Opinion 450):254.
- 13963. Tinea glycinocoma Meyrick,1932** (Tineidae) *Tinea glycinocoma* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 120. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH).
- 13964. Tinea luridula Meyrick,1932** (Tineidae) *Tinea luridula* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 120. Type ♀: [Ethiopia]: Mt.Chillalo (BMNH).
- 13965. Tinea nephelotorna Meyrick,1932** (Tineidae) *Tinea nephelotorna* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 120. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH).
- 13966. Tineola Herrich-Schäffer,[1853]** (Tineidae) *Tineola* Herrich-Schäffer,[1853], Syst. Bearbeitung Schmett. Eur. 5: 7,23. Type-species: *Tinea bisselliella* Hummel,1823, Essais ent. 1 (3): 13, by monotypy.
- 13967. Tinissa spaniastra Meyrick,1932** (Tineidae) *Tinissa spaniastra* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 118-119. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH).
- 13968. Tinissa transversella (Walker,1864)** (Tineidae) *Gelechia transversella* Walker,1864, List 29: 641. Type: Sarawak (BMNH).
- 13969. Triaxomera Zagulyaev,1959** (Tineidae) *Triaxomera* Zagulyaev,1959, Ent. Obozr. 38: 879,884. Type-species: *Tinea fulvimitrella* Sodoffsky,1830, Bull. Soc. imp. Nat. Moscou 2: 74, pl.1 fig.6, by original designation.
- 13970. Triaxomera fulvimitrella (Sodoffsky,1830)** (Tineidae) *Tinea fulvimitrella* Sodoffsky,1830, Bull. Soc. imp. Nat. Moscou 2: 74, pl.1 fig.6
- 13971. Trichophaga Ragonot,1894** (Tineidae) *Trichophaga* Ragonot,1894, Anns Soc. ent. Fr. 63: 120-123. Type-species: *Trichophaga coprobiella* Ragonot, 1894, ibidem 63: 120-121, text, figs, by original designation.
- 13972. Emmetia berberella (De Prins,1984)** (Tischeriidae) *Tischeria berberella* De Prins,1984, Nota lepid. 7 (2): 172-175, figs. Holotype ♂: Marocco: High Atlas, Asni village 1150m (BMNH).
- 13973. Tischeria Zeller,1839** (Tischeriidae) *Tischeria* Zeller,1839, Isis Oken, Leipzig 1839: 219. Type-species: *Tinea complanella* Hübner, [1817], Samml. eur. Schmett. 8: pl.64 fig.428, by monotypy.
- 13974. "Cnephasia" captiva Meyrick,1911** (Tortricidae) *Cnephasia captiva* Meyrick,1911, Ann. Transv. Mus. 2: 224. Type ♂: [South Africa]: Haenertsburg, Transvaal (BMNH) [cf. Clarke,1958, Catalogue... 3: pl.43 figs.1-1b].
- 13975. "Cnephasia" cedrota (Meyrick,1908)** (Tortricidae) *Tortrix cedrota* Meyrick,1908, Proc. zool. Soc. London 1908: 722. Type ♂: [South Africa]: Transvaal, Pretoria (BMNH) [cf. Clarke,1958, Catalogue... 3: pl.43 figs.2-2b].
- 13976. "Cnephasia" ergastularis Meyrick,1911** (Tortricidae) *Cnephasia ergastularis* Meyrick,1911, Ann. Transv. Mus. 2: 225. Type ♂: [South Africa]: Transvaal, Haenertsburg (BMNH) [cf. Clarke,1958, Catalogue... 3: pl.43 figs.3-3b].
- 13977. "Grapholita" conciliata (Meyrick,1920)** (Tortricidae) *Eucosma conciliata* Meyrick,1920, Exot. Microlepid. 2: 345.
- 13978. "Trachybyrsis" chionochlaena Meyrick,1932** (Tortricidae) *Trachybyrsis chionochlaena* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 119. Type ♂: [Ethiopia]: Mt. Chilalo.
- 13979. Abrepagoge osmangazii (Koçak,1986)** (Tortricidae) *Epagoge osmangazii* Koçak,1986, Priamus 4 (1/2): 56 (nomen novum pro *treitschkeana* Treitschke,1835 nec Fröh.,1828).
- 13980. Acleris cristana ([Denis & Schiffermüller],1775)** (Tortricidae) *Tortrix cristana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district.
- 13981. Acleris duracina Razowski,1974** (Tortricidae) *Acleris duracina* Razowski,1974, Acta zool. cracov. 19 (8): 149, figs. Holotype ♀: China: Tapaishan in Tsinling, Süd Shensi (ZFMB).
- 13982. Acleris emargana (Fabricius,1775)** (Tortricidae) *Pylalis emargana* Fabricius,1775; Syst. Ent.: 651. Type(s): Anglia.
- 13983. Acleris ferrugana ([Denis & Schiffermüller],1775)** (Tortricidae) *Tortrix ferrugana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 128. Type(s): Vienna district.
- 13984. Acleris lipsiana ([Denis & Schiffermüller],1775)** (Tortricidae) *Tortrix lipsiana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district.
- 13985. Acleris napaea (Meyrick,1912)** (Tortricidae) *Peronea napaea* Meyrick,1912, Exot. Microlepid. 1: 18. Type ♂: [Pakistan]: "Quetta, India" (BMNH).
- 13986. Acleris recula Razowski,1974** (Tortricidae) *Acleris recula* Razowski,1974, Acta zool. cracov. 19 (8): 152, figs. Holotype ♂: China: Chekiang: West Tien-mu-shan (ZFMB).
- 13987. Acleris rhombana ([Denis & Schiffermüller],1775)** (Tortricidae) *Tortrix rhombana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 128. Type(s): Vienna district.
- 13988. Acleris rufana ([Denis & Schiffermüller],1775)** (Tortricidae) *Tortrix rufana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district.
- 13989. Acleris scabrana ([Denis & Schiffermüller],1775)** (Tortricidae) *Tortrix scabrana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 130. Type(s): Vienna district.

- 13990. *Acleris sparsana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix sparsana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district.
- 13991. *Acleris stachi* (Razowski,1953)** (Tortricidae) Peronea stachi Razowski,1953, Polskie pismo Ent. 23: 107, figs.1-4. Holotype ♂: [China: Uighur A.R.]: Kuldja (IZW).
- 13992. *Acleris undulana* (Walsingham,1900)** (Tortricidae) Oxygrapha undulana Walsingham,1900, Ann. Mag. nat. Hist. (7) 5: 373. Type: [Turkey]: [Kahramanmaraş]: Zeitoon (Asia Minor)" (=Süleymanlı).
- 13993. *Acleris variegana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix variegana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 130. Type(s): Vienna district.
- 13994. *Aethes Billberg,1820*** (Tortricidae) Aethes Billberg,1820, Enumeratio Insect. Mus. G.J. Billberg: 90. *Pyalis smeathmanniana* Fabricius,1781, Species Insect 2: 278, by subsequent designation by Fernald,1908, Genera Tortricidae Types: 51,54.
- 13995. *Aethes afghana* Razowski,1983** (Tortricidae) Aethes afghana Razowski,1983, Nota lepid. 6 (4): 241, fig. Holotype ♂: Afghanistan: Koh-i Baba, Panjao 2650m (leg. Amsel) (LNK).
- 13996. *Aethes argyospila* Karisch,2005** (Tortricidae) Aethes argyospila Karisch,2005, Entomofauna 26 (5): 48-50, Abb.1. Holotype ♂: Iran: Kordestan, Str. Baneh-Marivan, 25km E Baneh, 1950m, Ebert & Falkner leg. (LNK).
- 13997. *Aethes bilbaensis* (Rössler,1877)** (Tortricidae) Conchylis francillana var. bilbaensis Rössler,1877, Stettin ent. Ztg. 38: 372. Lectotype ♂: N-Spanien: Bilbao, designated by Razowski,1970 (MNM).
- 13998. *Aethes cremonana* (Ragonot,1894)** (Tortricidae) Conchylis cremonana Ragonot,1894, Annlis. Soc. ent. Fr. 63: 194. Holotype ♂: Syrié (MNHNP).
- 13999. *Aethes deaurana* (Peyerimhoff,1877)** (Tortricidae) Conchylis deaurana Peyerimhoff,1877, Petite nouv. ent. 2: 101. Type: France: Insel St. Marguerite (Cannes).
- 14000. *Aethes decimana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix decimana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 317. Type(s): Vienna district.
- 14001. *Aethes destituta* Razowski,1983** (Tortricidae) Aethes destituta Razowski,1983, Nota lepid. 6 (4): 242-243, fig. Holotype ♀: Iran: Khuzestan, 30km S. Yassudi, Kuschak 2200m, (leg. Ebert & Falkner) (LNK).
- 14002. *Aethes eichleri* Razowski,1983** (Tortricidae) Aethes eichleri Razowski,1983, Nota lepid. 6 (4): 239-240, fig. Holotype ♀: Bulgaria: Pirin mont., Bez. Sandanski, Lilianovo, 800m (leg. & coll. F.Eichler)
- 14003. *Aethes elpidia* Razowski,1983** (Tortricidae) Aethes elpidia Razowski,1983, Nota lepid. 6 (4): 239, fig. Holotype ♂: Tunisia: Tozeur (HNHMB).
- 14004. *Aethes ferruginea* (Walsingham,1900)** (Tortricidae) Lozopera ferruginea Walsingham,1900, Ann. Mag. nat. Hist. 7 (6): 444-445. Type ♀: [Syria]: Asiatic Turkey: Haleb Shar Deresy (coll. Walsingham).
- 14005. *Aethes iranica* Razowski,1963** (Tortricidae) Aethes iranica Razowski,1963, Acta zool. cracov. 8: 272, figs. Holotype ♂: Iran: Alvand, 7000ft., leg. Wiltshire (LNK).
- 14006. *Aethes margaritifera* Falkovitsh,1963** (Tortricidae) Aethes margaritifera Falkovitsh,1963, Zool. Zh. 42: 700, fig. Holotype ♂: Russia: Sopki Kokshtau, Fl. Terisakkan (ZIANL).
- 14007. *Aethes mauritanica* (Walsingham,1898)** (Tortricidae) Lozopera mauritanica Walsingham,1898, Entomologist's mon. Mag. 34: 73. Holotype ♂: Morocco: Mogador (BMNH).
- 14008. *Aethes nefandana* (Kennel,1899)** (Tortricidae) Cochylis nefandana Kennel,1899, Dt. ent. Z., Iris 12: 39, Taf.1 fig.38. Type ♂: [Türkei]: "Kaiserie" (ZMB).
- 14009. *Aethes pannosana* (Kennel,1913)** (Tortricidae) Phalonia pannosana Kennel,1913, Zoologica 21: 286, Taf.13 fig.6. Type ♂: [Türkei]: Kleinasien, Anatolien: Ak Chehir, Korb leg. (BMNH).
- 14010. *Aethes patricia* Metzler,1999** (Tortricidae) Aethes patricia Metzler,1999, The Gates Lakes Ent. 32: 186.
- 14011. *Aethes shakibai* Huemer & Wieser,2004** (Tortricidae) Aethes shakibai Huemer & Wieser,2004, Carinthia II 114 (2): 390. Holotype ♀: Iran: Mazandaran: Miankaleh (TLMF).
- 14012. *Aethes sphaenophora* (Diakonoff,1941)** (Tortricidae) Phalonia sphaenophora Diakonoff,1941, Treubia 18: 397, pl.17 figs.1-2. Holotype ♂: Java.
- 14013. *Aethes tesserana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix tesserana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 126. Type(s): Vienna district.
- 14014. *Aethes tesserana magister* (Walsingham,1900)** (Tortricidae) Pharmacis magister Walsingham,1900, Ann. Mag. nat. Hist. (7) 6: 443-444. Holotype ♂: [Syria]: Asiatic Turkey: Haleb, Shar Deresy (coll. Walsingham).
- 14015. *Aethes tesserana tesserana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix tesserana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 126. Type(s): Vienna district.
- 14016. *Agapeta Hübner,1822*** (Tortricidae) Agapeta Hübner,1822, Syst.-alphab. Verz.: 58-66. Type-species: Phalaena zoegana Linnaeus,1767, Syst. nat. (Edn 12) 1: 876, by subsequent designation by Walsingham,1915, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4: 458.
- 14017. *Agapeta angelana* (Kennel,1919)** (Tortricidae) Euxanthia angelana Kennel,1919, Mitt. münch. ent. Ges. 8: 68, Taf.2 fig.21, Taf.4 fig.6c-d. Lectotype ♂: Spain: Murcia, designated by Razowski,1970 (ZMB).
- 14018. *Agapeta hamana* (Linnaeus,1758)** (Tortricidae) Phalaena (Tortrix) hamana Linnaeus,1758, Syst. Nat. (Edn.10) 1: 530. Type(s): Sweden.
- 14019. *Agapeta zoegana* (Linnaeus,1767)** (Tortricidae) Phalaena (Tortrix) zoegana Linnaeus,1767, Syst. Nat. (Edn.12): 876. Type(s): Europa.
- 14020. *Aleimma loeflingianum* (Linnaeus,1758)** (Tortricidae) Phalaena (Tortrix) loeflingiana Linnaeus,1758, Syst. Nat. (Edn.10) 1: 531. Type(s): Europa.
- 14021. *Ancylis achatana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix achatana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district.
- 14022. *Ancylis apicella* ([Denis & Schiffermüller],1775)** (Tortricidae) Tinea apicella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136. Type(s): Vienna district.
- 14023. *Ancylis badiana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix badiana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 126. Type(s): Vienna district.
- 14024. *Ancylis comptana* (Frölich,1828)** (Tortricidae) Tortrix comptana Frölich,1828, Enumerat. Tort. Würt.: 99.
- 14025. *Ancylis geminana* (Donovan,1806)** (Tortricidae) Phalaena geminana Donovan,1806, Nat. Hist. Br. Insects 11: 29. Syntypes: Britain (BMNH).
- 14026. *Ancylis hylaea* Meyrick,1912** (Tortricidae) Ancylis hylaea Meyrick,1912, Exot. Microlepid. 1: 31.
- 14027. *Ancylis laetana* (Fabricius,1775)** (Tortricidae) Pyralis laetana Fabricius,1775; Syst. Ent.: 649. Type(s): Suecia.
- 14028. *Ancylis lomholdti* Kawabe,1989** (Tortricidae) Ancylis lomholdti Kawabe,1989, Microlepid. Thailand 2: 50-51, fig. 72. Holotype ♂: Thailand: Loe Prov., Phu Luang Wildlife Sanctuary, 1400-1500m (ZMC).
- 14029. *Ancylis mitterbacheriana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix mitterbacheriana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district.
- 14030. *Ancylis paludana* (Barrett,1871)** (Tortricidae) Phoxopteryx paludana Barrett,1871, Entomologist's mon. Mag. 8: 134. Type: Great Britain.
- 14031. *Ancylis transientana* Filipjev,1926** (Tortricidae) Ancylis transienta Filipjev,1926, Arch. Naturgesch. (1) 91 (1): 117. Type: Russia: Stavropol.
- 14032. *Ancylis uncella* ([Denis & Schiffermüller],1775)** (Tortricidae) Tinea uncella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136. Type(s): Vienna district.
- 14033. *Ancyroclepsis nakhasathieni* Tuck,1995** (Tortricidae) Ancyroclepsis nakhasathieni Tuck,1995, Microlepid. Thailand 3: 90. Holotype ♂: Thailand: Chiang Mai, Inthanon NP (BMNH).
- 14034. *Aphelia* (Zelotheres) ignoratana (Staudinger,1879)** (Tortricidae) Tortrix ignoratana Staudinger,1879, Horae Soc. ent. ross. 15: 234-235. Type ♂: [Türkei]: Amasia (coll. lederer).

- 14035. *Aphelia (Zelotheres) imperfectana* (Lederer,1858)** (Tortricidae) Tortrix imperfectana Lederer,1858, Wien. ent. Monatschr. 2: 151-152, Taf.4 fig.8. Type ♂: Libanon.
- 14036. *Apotoforma uncifera* Razowski,1964** (Tortricidae) Apotoforma uncifera Razowski,1964, Acta zool. cracov. 9(5): 380, figs.32,33. Holotype ♂: [South Africa]: Pinetown, Natal (BMNH).
- 14037. *Apotomis betuletana* (Haworth,1811)** (Tortricidae) Tortrix betuletana Haworth,1811, Lepid. Br.: 432. Type(s): Anglia: Coomb Wood.
- 14038. *Apotomis capreana* (Hübner,[1817])** (Tortricidae) Tortrix capreana Hübner,[1817], Samml. eur. Schmett. Tortrices: Pl.40, fig.250. Type(s): Europa.
- 14039. *Apotomis infida* (Heinrich,1926)** (Tortricidae) Aphania infida Heinrich,1926, Bull. U.S. natn. Mus. 132: 121, figs. 271, 380. Type: Canada: Quebec, St. Johns.
- 14040. *Apotomis inundana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix inundana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 132. Type(s): Vienna district.
- 14041. *Apotomis lineana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix lineana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district.
- 14042. *Apotomis sauciana* (Frölich,1828)** (Tortricidae) Tortrix sauciana Frölich,1828, Enum. Tortr. Würtemb.: 53. Type(s): [Deutschland]: Württembergia.
- 14043. *Apotomis semifasciana* (Haworth,[1811])** (Tortricidae) Tortrix semifasciana Haworth,[1811], Lepid. Br.: 431. Type(s): Anglia: Kent.
- 14044. *Apsidophora Diakonoff,1973*** (Tortricidae) Apsidophora Diakonoff,1973, Zool. Monogr. Rijksmus. Nat. Hist. 1: 329. Type-species: Apsidophora purpurorbis Diakonoff,1973, by original designation.
- 14045. *Apsidophora purpurorbis* Diakonoff,1973** (Tortricidae) Apsidophora purpurorbis Diakonoff,1973, Zool. Monogr. Rijksmus. Nat. Hist. 1: 330. Holotype ♂: Indonesia: West Celebes, Lindoe Paloe (BMNH).
- 14046. *Arcesis* Diakonoff,1983** (Tortricidae) Arcesis Diakonoff,1983, Zool. Verh., Leiden 204: 49. Type-species: Arcesis anax Diakonoff,1983, by original designation.
- 14047. *Arcesis threnodes* (Meyrick,1905)** (Tortricidae) Platypeplus threnodes Meyrick,1905, J. Bombay nat. Hist. Soc. 16: 585. Holotype ♂: [Sri Lanka]: Kandy (BMNH).
- 14048. *Archidemias anastea* Diakonoff,[1968]** (Tortricidae) Archidemias anastea Diakonoff,[1968], Bull. U.S. nat. Mus. 257:30-32, figs. Holotype ♂: Philippine: Mindanao: Davao Pr. Mt. McKinley, 7000ft.
- 14049. *Archigrapta stauroma* (Diakonoff,[1968])** (Tortricidae) Polemograpta stauroma Diakonoff,[1968], Bull. U.S. natn. Mus. 257: 33-34, figs. Holotype ♀: Philippine: Oriental Negros, Canlaon 915m.
- 14050. *Archips alleni* Tuck,1990** (Tortricidae) Archips alleni Tuck,1990, Ent. scand. 21: 186. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai (BMNH).
- 14051. *Archips machlopi* (Meyrick,1912)** (Tortricidae) Cacoecia machlopi Meyrick,1912, Exot. Microlepid. 1: 4. Lectotype ♀: [India]: Assam: Khasi Hills (BMNH), designated by Clarke,1958, Catalogue...3: 43.
- 14052. *Archips podanus* (Scopoli,1763)** (Tortricidae) Phalaena podana Scopoli,1763, Ent. Carn.: 232. Type(s): [Slovenia]: Carniola.
- 14053. *Argyroptocha phalaenopa* Diakonoff,[1968]** (Tortricidae) Argyroptocha phalaenopa Diakonoff,[1968], Bull. U. S. nat. Mus. 257: 70-71, figs. Holotype ♂: Philippine: Luzon: Mt. Makiling.
- 14054. *Asketria cervinana* (Caradja,1916)** (Tortricidae) Grapholitha cervinana Caradja,1916, Dt. ent. Z., Iris 30: 19. Syntypes: [Türkei]: Armenien, Kazikoparan.
- 14055. *Asymmetrarcha thaiensis* Kawabe,1989** (Tortricidae) Asymmetrarcha thaiensis Kawabe,1989, Microlepid. Thailand 2: 25, fig.3. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon (Mae Klang), ca 1300m (UOP).
- 14056. *Aterpia corticana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix corticana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district.
- 14057. *Aterpia flavens* Falkovitsh,1966** (Tortricidae) Aterpia flavens Falkovitsh,1966, Ent. Obozr. 45 (4): 868, fig.4. Holotype ♂: [Georgia]: Borshomi
- 14058. *Avaria Koçak,1981*** (Tortricidae) Avaria Koçak,1981, Priamus 1 (3): 117.
- 14059. *Baburia Koçak,1981*** (Tortricidae) Baburia Koçak,1981, Priamus 1: 118. Type-species: Monochantha astuta (Diakonoff,1973).
- 14060. *Bactra (Chiloides) atopa* Diakonoff,1989** (Tortricidae) Bactra (Chiloides) atopa Diakonoff,1989, Nota lepid. 11 (4): 244-247, figs. 2-4. Holotype ♀: Bahrein: "Adari spr." (Amsel coll., LNK).
- 14061. *Bactra (Chiloides) coronata* Diakonoff,1950** (Tortricidae) Bactra coronata Diakonoff,1950, Bull. Br. Mus. nat. Hist. Ent. 1: 286 pl.5 f.17 Holotype ♂: Java.
- 14062. *Bactra (Chiloides) orbiculi minax* Diakonoff,1964** (Tortricidae) Bactra (Chiloides) orbiculi minax Diakonoff,1964, Zool. Verh. 70: 51 figs. 45-447. Holotype ♂: Philippine: Luzon: Benquet, Klondyke 800ft.
- 14063. *Bactra (Chiloides) venosana* (Zeller,1847)** (Tortricidae) Phoxopteris venosana Zeller,1847, Isis 1847: 738.
- 14064. *Bactra (Nannobactra) sardonias* (Meyrick,1908)** (Tortricidae) Pamplusia sardonias Meyrick,1908, Proc. zool. Soc. London 1908: 718. Lectotype ♂: [South Africa]: Transvaal, N.E.Pretoria, designated by Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.156 figs.1-1a].
- 14065. *Bactra (s.str.) bactrana* (Kennel,1901)** (Tortricidae) Semasia bactrana Kennel,1901, Dt. ent. Z., Iris 13: 269. Type: Spain: Malaga.
- 14066. *Bactra (s.str.) furfurana* (Haworth,[1811])** (Tortricidae) Tortrix furfurana Haworth,[1811], Lepid. Br.: 466. Type(s): Anglia: Kent.
- 14067. *Bactra (s.str.) lancealana* (Hübner,[1799])** (Tortricidae) Tortrix lancealana Hübner,[1799], Samml. eur. Schmett. Tortrices: Pl.13 fig.80. Type(s): Europa.
- 14068. *Battalia Koçak,1981*** (Tortricidae) Battalia Koçak,1981, Priamus 1: 119. Type-species: Parachorista cricophora Diakonoff,1952, by original designation [replacement name for Parachorista Diakonoff,1953 nec Tillyard,1926].
- 14069. *Battalia acmemorpha* (Diakonoff,1952)** (Tortricidae) Parachorista acmemorpha Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 132. Holotype ♀: New Guinea (Mist Camp) (RMNH).
- 14070. *Battalia anassa* (Diakonoff,1952)** (Tortricidae) Parachorista anassa Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 135. Holotype ♂: New Guinea (Moss Forest Camp) (RMNH).
- 14071. *Battalia anisographa* (Diakonoff,1952)** (Tortricidae) Parachorista anisographa Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 143. Holotype ♂: New Guinea (Top Camp) (RMNH).
- 14072. *Battalia anthracograpta* (Diakonoff,1952)** (Tortricidae) Parachorista anthracograpta Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 131. Holotype ♂: New Guinea (Sigi Camp) (RMNH).
- 14073. *Battalia apheles* (Diakonoff,1952)** (Tortricidae) Parachorista apheles Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 124. Holotype ♀: New Guinea (Sigi Camp) (RMNH).
- 14074. *Battalia colobodesma* (Diakonoff,1952)** (Tortricidae) Parachorista colobodesma Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 130. Holotype ♀: New Guinea (Sigi Camp) (RMNH).
- 14075. *Battalia cricophora* (Diakonoff,1952)** (Tortricidae) Parachorista cricophora Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 135. Holotype ♂: New Guinea (Moss Forest Camp) (RMNH).
- 14076. *Battalia euphyes* (Diakonoff,1952)** (Tortricidae) Parachorista euphyes Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 141. Holotype ♂: New Guinea (Moss Forest Camp) (RMNH).
- 14077. *Battalia fusca* (Diakonoff,1953)** (Tortricidae) Parachorista fusca Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 474. Holotype ♂: New Guinea (Wissel Lakes, Arabu Camp) (RMNH).
- 14078. *Battalia insignis* (Diakonoff,1953)** (Tortricidae) Parachorista insignis Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 477. Holotype ♂: [Indonesia]: Irian Jaya: Arfak Mts. (RMNH).
- 14079. *Battalia lagaroptycha* (Diakonoff,1952)** (Tortricidae) Parachorista lagaroptycha Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 138. Holotype ♀: New Guinea (Moss Forest Camp) (RMNH).
- 14080. *Battalia lutescens* (Diakonoff,1952)** (Tortricidae) Parachorista lutescens Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 144. Holotype ♀: New Guinea (Top Camp) (RMNH).

- 14081. *Battalia mimela* (Diakonoff,1952)** (Tortricidae) Parachorista mimela Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 126. Holotype ♀: New Guinea (Sigi Camp) (RMNH).
- 14082. *Battalia ochra* (Diakonoff,1952)** (Tortricidae) Parachorista ochra Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 128. Holotype ♂: New Guinea (Top Camp) (RMNH).
- 14083. *Battalia oligosta* (Diakonoff,1952)** (Tortricidae) Parachorista oligosta Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 127. Holotype ♂: New Guinea (Mist Camp) (RMNH).
- 14084. *Battalia pityrochroa* (Diakonoff,1952)** (Tortricidae) Parachorista pityrochroa Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 128. Holotype ♀: New Guinea (Sigi Camp) (RMNH).
- 14085. *Battalia psara* (Diakonoff,1952)** (Tortricidae) Parachorista psara Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 137. Holotype ♀: New Guinea (Sigi Camp) (RMNH).
- 14086. *Battalia rhopalodes* (Diakonoff,1952)** (Tortricidae) Parachorista rhopalodes Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 129. Holotype ♂: New Guinea (Mist Camp) (RMNH).
- 14087. *Battalia stenoptera* (Diakonoff,1952)** (Tortricidae) Parachorista stenoptera Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 140. Holotype ♀: New Guinea (Moss Forest Camp) (RMNH).
- 14088. *Battalia trulligera* (Diakonoff,1952)** (Tortricidae) Parachorista trulligera Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 142. Holotype ♂: New Guinea (Moss Forest Camp) (RMNH).
- 14089. *Battalia verecunda* (Diakonoff,1952)** (Tortricidae) Parachorista verecunda Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 132. Holotype ♂: New Guinea (Sigi Camp) (RMNH).
- 14090. *Brachioxena psammacta* (Meyrick,1908)** (Tortricidae) Cydia psammacta Meyrick,1908, Proc. zool. Soc. London 1908: 721. Lectotype ♂: [South Africa]: Transvaal, Pretoria, designated by Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.191 figs.1-1a].
- 14091. *Bubonoxena endaphana* Diakonoff,[1968]** (Tortricidae) Bubonoxena endaphana Diakonoff,[1968], Bull. U.S. natn. Mus. 257: 67-68 figs. Holotype ♀: Philippine: Luzon: Rizal, Montalban.
- 14092. *Bubonoxena spirographa* Diakonoff,[1968]** (Tortricidae) Bubonoxena spirographa Diakonoff,[1968], Bull. U.S. natn. Mus. 257: 66-67, figs. Holotype ♂: Philippine: Luzon: Mt. Makiling.
- 14093. *Capua spilonoma* Meyrick,1932** (Tortricidae) Capua spilonoma Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 110. Type ♂: [Ethiopia]: Jem-Jem Forest.
- 14094. *Capua spilonoma spilonoma* Meyrick,1932** (Tortricidae) Capua spilonoma Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 110. Type ♂: [Ethiopia]: Jem-Jem Forest.
- 14095. *Catamacta scrutatrix* Meyrick,1912** (Tortricidae) Catamacta scrutatrix Meyrick,1912, Exot. Microlepid. 1: 1. Type ♀: [South Africa]: Natal, Pinetown (BMNH) [cf. Clarke,1958, Catalogue...3: pl.40 figs.1-1b].
- 14096. *Celypha anatoliana* (Caradja,1916)** (Tortricidae) Argyplocce striana var. anatoliana Caradja,1916, Dt. ent. Z., Iris 30: 57. Lectotype ♂: [Turkey]: Konya: Akşehir (designated by Razowski,1971: 539).
- 14097. *Celypha aurofasciana* (Haworth,[1811])** (Tortricidae) Tortrix aurofasciana Haworth,[1811], Lepid. Br.: 468. Type(s): England.
- 14098. *Celypha capreolana* (Herrich-Schäffer,1851)** (Tortricidae) Sericoris capreolana Herrich-Schäffer,[1851],Syst. Bearb. Schmett. Eur. 4: 209, Tab. 48, figs. 341,342. Syntypes: Germany: Regensburg; Austria: Vienna.
- 14099. *Celypha cespitana* (Hübner,[1817])** (Tortricidae) Tortrix cespitana Hübner,[1817], Samml. eur. Schmett., Tortrices: Tab. 39, figs. 244-245. Syntypes: Europa.
- 14100. *Celypha flavipalpata* (Herrich-Schäffer,[1851])** (Tortricidae) Sericoris flavipalpata Herrich-Schäffer,[1851],Syst. Bearb. Schmett. Eur. 4: 213, Tab. 30, figs. 216,217. Syntypes: Schweiz.
- 14101. *Celypha rivulana* (Scopoli,1763)** (Tortricidae) Phalaena rivulana Scopoli,1763, Ent. Carn.: 237, nr.600. Type(s): [Slovenia]: "Carniola".
- 14102. *Celypha rufana* (Scopoli,1763)** (Tortricidae) Phalaena rufana Scopoli,1763, Ent. Carn.: 235, nr.591. Type(s): [Slovenia]: "Carniola".
- 14103. *Celypha rurestrana* (Duponchel,1843)** (Tortricidae) Sericoris rurestrana Duponchel,1843, Hist. nat. Lépid. Papillons Fr., Suppl. 4: 426, Pl. 84 fig.6. Type: France.
- 14104. *Celypha striana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix striana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): [Austria]: Vienna district.
- 14105. *Celypha tiedemanniana* (Zeller,1845)** (Tortricidae) Sericoris tiedemanniana Zeller,1845, Arch. vaterl. Int. 2: 530.
- 14106. *Celypha woodiana* (Barrett,1882)** (Tortricidae) Brachytaenia woodiana Barrett,1882, Entomologist's mon. Mag. 18: 185. Type: England: Herefordshire.
- 14107. *Cerace euchrysa* Diakonoff,1974** (Tortricidae) Cerace euchrysa Diakonoff,1974, Annls Soc. ent. Fr. (N.S.) 10(1): 220. Holotype ♂: Thailand: Chiang Mai (RMNH).
- 14108. *Ceratoxanthia Razowski,1960*** (Tortricidae) Ceratoxanthia Razowski,1960, Polskie Pismo ent. 30: 286, 301. Type-species: Conchylis argentomixtana Staudinger,1870, Berl. ent. Z. 14: 277, by original designation.
- 14109. *Cnephasia* (s.str.) *asseclana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix asseclana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district.
- 14110. *Cnephasia* (s.str.) *facetana* Kennel,1901** (Tortricidae) Cnephasia (Sciaphila) facetana Kennel,1901, Dt. ent. Z., Iris 13: 230-231. Type ♂: [Jordan]: "Jordanthal".
- 14111. *Cnephasia* (s.str.) *heringi* Razowski,1958** (Tortricidae) Cnephasia heringi Razowski,1958, Acta zool. cracov. 2: 575. Holotype ♂: Turkey: Amasia (MNHU).
- 14112. *Cnephasia* (s.str.) *korvaci* Razowski,1965** (Tortricidae) Cnephasia korvaci Razowski,1965, Acta zool. cracov. 10: 239. Holotype ♂: [Turkey]: Malatya (BMNH).
- 14113. *Cnephasia* (s.str.) *marcidana* Kennel,1901** (Tortricidae) Cnephasia (Sciaphila) marcidana Kennel,1901, Dt. ent. Z., Iris 13: 229. Type ♂: [China: Uighur A.R.]: "Kuruk Dagh" [attribution to the genus "Tortrix" by Razowski (1991:147) and consideration as homonymy with marcidana Frölich is incorrect!]
- 14114. *Cnephasia* (s.str.) *orientana* (Alpheraky,1877)** (Tortricidae) Sciaphila orientana Alpheraky,1877, Trudy Vses. ent. Obshch. 10 (1876): 48. Syntypes: Russia: Taganrog.
- 14115. *Cnephasia* (s.str.) *tofina* (Meyrick,1922)** (Tortricidae) Cnephasia tofina Meyrick,1922, Exot. Microlepid. 2: 498. Type ♂: Palestine: Nazareth (BMNH) [Clarke,1958, Catalogue...3: pl.44 figs. 4-4b].
- 14116. *Cnephasia* (s.str.) *tristrami* (Walsingham,1900)** (Tortricidae) Tortrix tristrami Walsingham,1900, Ann. Mag. nat. Hist. 7 (5): 460-461. Type ♂: Palestine (leg. Tristram) (coll. Walsingham).
- 14117. *Cnephasia* (s.str.) *virginana* (Kennel,1899)** (Tortricidae) Sciaphila virginana Kennel,1899, Dt. ent. Z., Iris 12: 12-13, Taf.I fig.10. Type ♂: Türkei: Mardin.
- 14118. *Cochylidia Obratzov,1956*** (Tortricidae) Cochylidia Obratzov,1956, Mitt. münch. ent. Ges. 46: 14. Tortrix moguntiana Rössler,1864, Wien. ent. Monatschr. 8: 131, by original designation.
- 14119. *Cochylimorpha Razowski,1959*** (Tortricidae) Cochylimorpha Razowski,1959, Polskie Pismo ent.29: 440. Type-species: Cochylis favillana Staudinger,1859, Ent. Ztg. Stettin 20: 230, by original designation.
- 14120. *Cochylimorpha alternana* (Stephens,1834)** (Tortricidae) Lozopera alternana Stephens,1834, Ill. Br. Ent. Haust. 4: 187, Pl.35 fig.2. Type(s): England: Dover.
- 14121. *Cochylimorpha armeniana* (Joannis,1891)** (Tortricidae) Euxanthia armeniana Joannis,1891, Bull. Soc. ent. Fr. 1891: lxxxiii. Syntypes: [Turquie]: Asie mineure: Césarée [Kayseri].
- 14122. *Cochylimorpha chionella* (Schawerda,1924)** (Tortricidae) Conchylis chionella Schawerda,1924, Verh. zool.- bot. Ges. Wien 73: [163], fig.13. Type ♀: [Iraq]: Mosul (NHMW).
- 14123. *Cochylimorpha diana* (Kennel,1899)** (Tortricidae) Cochylis diana Kennel,1899, Dt. ent. Z., Iris 12: 13, Taf. 1 fig.12. Type ♂: [Türkei]: "Maraseli" [Kahramanmaraş] (ZMB).
- 14124. *Cochylimorpha discolorana* Kennel,1899** (Tortricidae) Cochylis discolorana Kennel,1899, Dt. ent. Z., Iris 12: 16, Taf.I fig.15. Lectotype ♂: Turkestan, Transalai, designated by Razowski (1970: 171) (ZMB).
- 14125. *Cochylimorpha eburneana* (Kennel,1899)** (Tortricidae) Cochylis eburneana Kennel,1899, Dt. ent. Z., Iris 12: 31, Taf. 1, figs. 29,30. Lectotype ♂: [Türkei]: "Malatia" (designated by Razowski,1961) (ZMB).
- 14126. *Cochylimorpha kurdistana* (Amsel,1959)** (Tortricidae) Euxanthia kurdistana Amsel,1959, Bull. Soc. ent. Egypte 43: 57, t10, fig.7, t.11 fig.2. Holotype ♂: Iraq: Haji Omran (LNK).

- 14127. *Cochylimorpha langeana* (Kalchberg, 1897)** (Tortricidae) *Conchylis langeana* Kalchberg, 1897, Dt. ent. Z., Iris 10: 188. Lectotype ♀: "Haifa, Syria", designated by Razowski, 1970 (NHMW).
- 14128. *Cochylimorpha moriutii* (Kawabe, 1987)** (Tortricidae) *Stenodes moriutii* Kawabe, 1987, Microlepid. Thailand 1: 72-74. figs. Holotype ♂: Thailand: Chiang Mai, Doi Pui 1300m, 26-27 Oct., 1985 leg. S. Moriuti, T. Saito & Y. Arita (UOP).
- 14129. *Cochylimorpha sparsana* (Staudinger, 1879)** (Tortricidae) *Cochylis sparsana* Staudinger, 1879, Horae Soc. ent. ross. 15: 239-240. Type ♂: [Türkei]: Amasia (ZMB).
- 14130. *Cochylis Treitschke*, 1929** (Tortricidae) *Cochylis Treitschke*, 1929, Schmett. Eur. 7: 233. Type-species: *Tortrix rubellana* Hübner, [1823], Samml. eur. Schmett. 7: pl. 46 figs 285-287, by subsequent designation by Curtis, 1834, Br. Ent. 11: 491.
- 14131. *Cochylis aestiva* (Walsingham, 1900)** (Tortricidae) *Phalonia aestiva* Walsingham, 1900, Ann. Mag. nat. Hist. 7 (6): 445. Syntypes 3♂♂: [Syria]: Asiatic Turkey: Haleb Shar Deresy (coll. Walsingham).
- 14132. *Cochylis apricana* Kennel, 1899** (Tortricidae) *Cochylis apricana* Kennel, 1899, Dt. ent. Z., Iris 12: 27, Taf. 1 fig. 24. Type ♂: [Georgia]: Achalzich.
- 14133. *Cochylis militariana* Derra, 1991** (Tortricidae) *Cochylis militariana* Derra, 1991, Atalanta 21 (3/4): 299, Abb. 6. Holotype ♂: Türkiye: Prov. Mardin: Büyük-Trockental, 21km östl. Viranşehir, Soğukkuyu 400m 4.xi.1988 (leg. & coll. Derra).
- 14134. *Cochylis pallidana dolosana* Kennel, 1901** (Tortricidae) *Cochylis dolosana* Kennel, 1901, Dt. ent. Z., Iris 13: 234. Type ♂: [Türkei]: "Zeitun".
- 14135. *Cochylis pallidana glaseri* Kasy, 1972** (Tortricidae) *Cochylis pallidana* ssp. *glaseri* Kasy, 1972, Annln naturh. Mus. Wien 76: 737-741, figs. Holotype ♂: Türkiye: "Asia min. Turcia, 50km östl. Istanbul, 6.7.65, M. u. W. Glaser leg. (NHMW).
- 14136. *Cochylis ringsi* Metzler, 1999** (Tortricidae) *Cochylis ringsi* Metzler, 1999, The Gates Lakes Ent. 32: 191.
- 14137. *Cochylis suaveolana* Fuchs, 1903** (Tortricidae) *Conchylis (Coccyx) suaveolana* Fuchs, 1903, Stettin ent. Ztg. 64: 6. Type(s): [Türkei]: "Konia", "verloren" (Razowski, 1970: 443).
- 14138. *Coniostola stereoma* (Meyrick, 1912)** (Tortricidae) *Eucosma stereoma* Meyrick, 1912, J. Bombay nat. Hist. Soc. 21: 33.
- 14139. *Crociosema plebejana* Zeller, 1847** (Tortricidae) *Crociosema plebejana* Zeller, 1847, Isis 1847: 721. Type(s): Sicilia: Syracuse.
- 14140. *Croesia forsskaleana* (Linnaeus, 1758)** (Tortricidae) *Phalaena Tortrix forsskaleana* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 531. Type(s): Europa.
- 14141. *Cryptocochylis* Razowski, 1960** (Tortricidae) *Cryptocochylis* Razowski, 1960, Polskie Pismo ent. 30: 287, 313. Type-species: *Conchylis conjunctana* Mann, 1864, Wien. ent. Monatschr. 8: 183, pl. 4 fig. 12, by original designation.
- 14142. *Cryptophlebia batrachopa* (Meyrick, 1908)** (Tortricidae) *Enarmonia batrachopa* Meyrick, 1908, Proc. zool. Soc. London 1908: 718. Lectotype ♂: [South Africa]: Kongha, Cape Colony, designated by Clarke, 1958 (BMNH) [Clarke, 1958, Catalogue...3: pl. 161 figs. 1-1a].
- 14143. *Cryptophlebia leucotreta* (Meyrick, 1913)** (Tortricidae) *Argyroplote leucotreta* Meyrick, 1913, Ann. Transv. Mus. 3: 276. Type ♀: [South Africa]: Pretoria (BMNH) [Clarke, 1958, Catalogue...3: pl. 162 figs. 1-1a].
- 14144. *Cryptophlebia moriutii* Kawabe, 1989** (Tortricidae) *Cryptophlebia moriutii* Kawabe, 1989, Microlepid. Thailand 2: 64. Holotype: Thailand: Chiang Mai, Doi Ang Khang (UOP).
- 14145. *Cryptophlebia sigerui* Kawabe, 1995** (Tortricidae) *Cryptophlebia sigerui* Kawabe, 1995, Microlepid. Thailand 3: 55. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai (UOP).
- 14146. *Cydia adjunctana* (Kennel, 1901)** (Tortricidae) *Grapholitha adjunctana* Kennel, 1901, Dt. ent. Z., Iris 13: 292-293. Syntypes 2♂♂ 7♀: [Uzbekistan]: Margelan; [Uighur A.R.]: Kuldja; [Turkmenistan]: Krasnowodsk; [Türkei]: Amasia.
- 14147. *Cydia bagdadiana* (Amsel, 1949)** (Tortricidae) *Semasia bagdadiana* Amsel, 1949, Bull. Soc. Fouad I Ent. 33: 312. Holotype ♂: Iraq: Bagdad (LNK).
- 14148. *Cydia calliglypta* (Meyrick, 1932)** (Tortricidae) *Laspeyresia calliglypta* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 112. Type ♀: [Ethiopia]: Jem-Jem Forest.
- 14149. *Cydia damascana* (Razowski, 1966)** (Tortricidae) *Laspeyresia damascana* Razowski, 1966, Z. wien. ent. Ges. 51: 73-74, Abb. 1, 2. Holotype ♂: Syria: 25km. W. v. Damaskus (Kasy & Vartian leg.) (Mus. Vind.).
- 14150. *Cydia johanssoni* Aarvik & Karsholt, 1993** (Tortricidae) *Cydia johanssoni* Aarvik & Karsholt, 1993, Nota lepid. 15 (3/4): 165-167, figs. Holotype ♂: Greece: Kos, Asfedion, 6-12.x.1988, R. Johansson leg. (ZMUC).
- 14151. *Cydia leucogrammana* (Hofmann, 1898)** (Tortricidae) *Grapholitha leucogrammana* Hofmann, 1898, Dt. ent. Z., Iris 10: 237-238. Type ♂: [Türkei]: Angora [Ankara].
- 14152. *Cydia pomonella* (Linnaeus, 1758)** (Tortricidae) *Phalaena Tinea pomonella* Linnaeus, 1758, Syst. Nat. 10 (1): 538. Type(s): "Habitat intra Poma Pyri".
- 14153. *Cydia selliferana* (Kennel, 1901)** (Tortricidae) *Grapholitha selliferana* Kennel, 1901, Dt. ent. Z., Iris 13: 299. Type ♀: [Türkei]: "Eibes".
- 14154. *Cydia semicinctana* (Kennel, 1901)** (Tortricidae) *Grapholitha semicinctana* Kennel, 1901, Dt. ent. Z., Iris 13: 298-299. Syntypes 2♂♂: Graecia.
- 14155. *Cydia succedana* ([Denis & Schiffermüller], 1775)** (Tortricidae) *Tortrix succedana* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district.
- 14156. *Cydia tumulata* Meyrick, 1908** (Tortricidae) *Cydia tumulata* Meyrick, 1908, Proc. zool. Soc. London 1908: 720. Type ♂: Transvaal, pretoria (BMNH) [Clarke, 1958, Catalogue...3: pl. 195, figs. 4-4c].
- 14157. *Cydia tunisiana* Aarvik & Karsholt, 1993** (Tortricidae) *Cydia tunisiana* Aarvik & Karsholt, 1993, Nota lepid. 15 (3/4): 167-172, figs. Holotype ♂: Tunisia: Tabarka area, 7-18.v.1988, O. Karsholt leg. (ZMUC).
- 14158. *Cydia turciana* Chambon, 1993** (Tortricidae) *Cydia turciana* Chambon, 1993, Bull. Soc. ent. Fr. 98: 181.
- 14159. *Diceratura* Djakonov, 1929** (Tortricidae) *Diceratura* Djakonov, 1929, Revue russk. Ent. 23: 155. Type-species: *Cochylis purpuratana* Herrich-Schäffer, 1851, Syst. Bearbeitung Schmett. Eur. 4: 186; 1847, ibidem 4: pl. Tortricides 12 fig. 81, by original designation.
- 14160. *Dichelia alexiana* (Kennel, 1919)** (Tortricidae) *Cacoecia alexiana* Kennel, 1919, Mitt. münch. ent. Ges. 8: 53. Holotype ♂: [Turkey]: [Gaziantep]: Akbes (MNHU).
- 14161. *Dichelia cedricola* (Diakonoff, 1974)** (Tortricidae) *Parasyndemis cedricola* Diakonoff, 1974, Ent. Ber., Amst. 34: 20-21, fig. 1. Holotype ♂: Central Lebanon: Barouk, 2-11.vi.1973; ex larva on Cedar needles (A. S. Talhouk leg.).
- 14162. *Dichrorampha caucasica* (Danilevsky, 1948)** (Tortricidae) *Hemimene caucasica* Danilevsky, 1948, Ent. Obozr. 30: 73. Holotype ♂: [Turkey]: Kazikoparan (ZMAS).
- 14163. *Dichrorampha letarfensis* Gibeaux, 1983** (Tortricidae) *Dichrorampha letarfensis* Gibeaux, 1983, Alexanor 13: 74-75. Syntypes 5♂♂: Algeria: Le Tarf (coll. Gibeaux).
- 14164. *Dichrorampha proxima* (Danilevsky, 1948)** (Tortricidae) *Hemimene proxima* Danilevsky, 1948, Ent. Obozr. 30: 68. Holotype ♂: [Turkey]: Kazikoparan (ZMAS).
- 14165. *Doliochastis homograptia* Meyrick, 1920** (Tortricidae) *Doliochastis homograptia* Meyrick, 1920, Ann. S. Afr. Mus. 17: 277. Holotype: South Africa: Transvaal junction Crocodile and Marico River (SAMC).
- 14166. *Doloploca punctulana* ([Denis & Schiffermüller], 1775)** (Tortricidae) *Tortrix punctulana* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 130. Type(s): Vienna district.
- 14167. *Dudua hemigrapta* (Meyrick, 1931)** (Tortricidae) *Argyroplote hemigrapta* Meyrick, 1931, Exot. Microlepid. 4: 133.
- 14168. *Enarmonia formosana* (Scopoli, 1763)** (Tortricidae) *Phalaena formosana* Scopoli, 1763, Ent. Cran.: 237. Type(s): [Slovenia]: Carniola.
- 14169. *Endothenia sororiana* (Herrich-Schäffer, [1851])** (Tortricidae) *Penthina sororiana* Herrich-Schäffer, [1851], Syst. Bearb. Schmett. Eur. 4: 230. Type: Sicilia.
- 14170. *Epagoge grotiana* (Fabricius, 1781)** (Tortricidae) *Pyalis grotiana* Fabricius, 1781, Spec. Ins. 2: 508. Type(s): Germania.
- 14171. *Epibactra sareptana* (Herrich-Schäffer, 1861)** (Tortricidae) *Grapholitha sareptana* Herrich-Schäffer, 1861, Neue Schmett. 3: 30, figs. 152-153. Syntypes: [Russia]: Sarepta.
- 14172. *Epiblema foenella* (Linnaeus, 1758)** (Tortricidae) *Phalaena foenella* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 536. Syntypes: Europe.

- 14173. *Epiblema psychrodora* (Meyrick,1936)** (Tortricidae) Phtheochroa psychrodora Meyrick,1936, Exot. Microlepid. 5: 23. Syntypes 2♂♂: Syria: Bludan, June, E.P.Wiltshire leg.
- 14174. *Epiblema scutulana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix scutulana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district.
- 14175. *Epiblema similana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix similana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district.
- 14176. *Epichorista perversa* Meyrick,1912** (Tortricidae) Epichorista perversa Meyrick,1912, Exotic Microlepid. 1: 9. Lectotype ♀: [South Africa]: Camperdown, Natal, designated by Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.57 figs. 1-1b].
- 14177. *Epinotia bicolor* (Walsingham,1900)** (Tortricidae) Pelatea bicolor Walsingham,1900, Ann. Mag. nat. Hist. (7) 6: 335.
- 14178. *Epinotia deruptana* (Kennel,1901)** (Tortricidae) Epiblema deruptana Kennel,1901, Dt. ent. Z., Iris 13: 290-291. Type ♂: [Türkei]: Hadjin.
- 14179. *Epinotia infessana* (Walsingham,1900)** (Tortricidae) Thiodia infessana Walsingham,1900, Ann. Mag. nat. Hist. 7 (6): 404-405. Type ♂: [Syria]: Asiatic Turkey: Haleb, Shar Deresy; Palestine (coll. Walsingham).
- 14180. *Epinotia maculana* (Fabricius,1775)** (Tortricidae) Pyralis maculana Fabricius,1775; Syst. Ent.: 647. Type(s): Suecia.
- 14181. *Epinotia nielsenii* (Kawabe,1989)** (Tortricidae) Griselda nielsenii Kawabe,1989, Microlepid. Thailand 2: 58, fig.90. Holotype ♂: Thailand: Chiang Mai Prov., Huay Nam Dang (UOP).
- 14182. *Epinotia tenerana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix tenerana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district.
- 14183. *Epinotia thaiensis* Kawabe,1995** (Tortricidae) Epinotia thaiensis Kawabe,1995, Microlepid. Thailand 3: 54. Holotype ♂: Thailand: Loei Prov., Phu Luang Wildlife Sanctuary (UOP).
- 14184. *Epinotia tianshanensis* Liu & Nasu,1993** (Tortricidae) Epinotia tianshanensis Liu & Nasu,1993, Tyo to Ga 44 (2): 60, figs. Holotype: Uighur İli: Tianshan [Tengri Tagh].
- 14185. *Epinotia yoshiyasui* Kawabe,1989** (Tortricidae) Epinotia yoshiyasui Kawabe,1989, Microlepid. Thailand 2: 55-56. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon, 2571m (UOP).
- 14186. *Eucoenogenes aestuosa* (Meyrick,1912)** (Tortricidae) Spilonota aestuosa Meyrick,1912, J. Bombay nat. Hist. Soc. 21: 854.
- 14187. *Eucoenogenes cyanopsis* (Meyrick,1912)** (Tortricidae) Eucosma cyanopsis Meyrick,1912, J. Bombay nat. Hist. Soc. 21: 866.
- 14188. *Eucoenogenes euphlebica* Kawabe,1989** (Tortricidae) Eucoenogenes euphlebica Kawabe,1989, Microlepid. Thailand 2: 53, fig. 79. Holotype ♂: Thailand: Nakhon Nayok: Khao Yai NP (UOP).
- 14189. *Eucoenogenes levatana* Kuznetsov,1977** (Tortricidae) Eucoenogenes levatana Kuznetsov,1977, Ent. Obozr. 76: 197.
- 14190. *Eucoenogenes pythonias* (Meyrick,1910)** (Tortricidae) Rhopobota pythonias Meyrick,1910, Trans. ent. Soc. Lond. 1910: 434.
- 14191. *Eucosma campoliliana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix campoliliana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 318. Type(s): Vienna district.
- 14192. *Eucosma chloroterma* Meyrick,1913** (Tortricidae) Eucosma chloroterma Meyrick,1913, Ann. Transv. Mus. 3: 272. Type ♂: Pretoria (BMNH) [Clarke,1958, Catalogue...3: pl.176 figs.2-2a].
- 14193. *Eucosma conformana* (Mann,1872)** (Tortricidae) Grapholitha conformana Mann,1872, Verh. zool.-bot. Ges. Wien 22: 36. Syntypes: Dalmatia: Ragusa.
- 14194. *Eucosma doiinthanonensis* Kawabe,1989** (Tortricidae) Eucosma doiinthanonensis Kawabe,1989, Microlepid. Thailand 2: 61, fig.91. Holotype ♂: Thailand: Chiang Mai Prov., Doi Chiang Dao, 1130m (ZMC).
- 14195. *Eucosma esmodes* Meyrick,1937** (Tortricidae) Eucosma esmodes Meyrick,1937, Exot. Microlepid. 5: 99. Type ♂: Iraq: Diana, 2800ft., May, E.P.Wiltshire leg.
- 14196. *Eucosma hohenwartiana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix hohenwartiana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district.
- 14197. *Eucosma individiosana* (Kennel,1901)** (Tortricidae) Epiblema individiosana Kennel,1901, Dt. ent. Z., Iris 13: 278. Type ♂: [Algeria]: Lambese.
- 14198. *Eucosma isogramma* (Meyrick,1908)** (Tortricidae) Cydia isogramma Meyrick,1908, Proc. zool. Soc. London 1908: 720. Lectotype ♂: [Sri Lanka]: Ceylon, Patipola, designated by Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.183 figs.1-1a].
- 14199. *Eucosma leucopetra* Meyrick,1908** (Tortricidae) Eucosma leucopetra Meyrick,1908, Proc. zool. Soc. London 1908: 719. Lectotype ♂: Transvaal, Pretoria, designated by Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.165 figs.2-2a].
- 14200. *Eucosma nasuta* Meyrick,1911** (Tortricidae) Eucosma nasuta Meyrick,1911, Ann. Transv. Mus. 3 (1): 63. Type ♂: South Africa: West Pondoland: Ngqeleni (TMP).
- 14201. *Eucosma pergratana* (Rebel,1914)** (Tortricidae) Steganoptycha pergratana Rebel,1914, Dt. ent. Z., Iris 28: 274, pl.4 fig.11. Type: [China: Uighur A.R.]: Kuldja.
- 14202. *Eucosma picrodelta* Meyrick,1932** (Tortricidae) Eucosma picrodelta Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 111. Type ♂: [Ethiopia]: Jem-Jem Forest.
- 14203. *Eucosma psychrodora* (Meyrick,1936)** (Tortricidae) Phtheochroa psychrodora Meyrick,1936, Exot. Microlepid. 5: 23. Type ♂: Syria: Bludan (BMNH) [Clarke,1958, Catalogue...3: pl.191, figs.2-2a].
- 14204. *Eucosma recentana* (Zerny,1933)** (Tortricidae) Epiblema recentana Zerny,1933, Dt. ent. Z., Iris 48: 16-17, Taf.1 fig.9. Syntypes: Libanon: Zeder; [Iraq]: Mosul (NMHW).
- 14205. *Eucosma riciniata* Meyrick,1911** (Tortricidae) Eucosma riciniata Meyrick,1911, Ann. Transv. Mus. 2: 226. Lectotype ♂: Transvaal, Haenertsburg, designated by Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.165 figs.3-3a].
- 14206. *Eucosma sparsana* (Rebel,1935)** (Tortricidae) Semasia sparsana Rebel,1935, Mitt. Schweiz. ent. Ges. 16: 442-443. Holotype ♂: [Türkei]: Ankara (leg. Noack, vi.1934) (NHMW).
- 14207. *Eucosma sublucidana* (Kennel,1901)** (Tortricidae) Epiblema sublucidana Kennel,1901, Dt. ent. Z., Iris 13: 282. Type ♂: [Spain]: Cuenca.
- 14208. *Eucosma urbana* (Kennel,1901)** (Tortricidae) Semasia urbana Kennel,1901, Dt. ent. Z., Iris 13: 271-272. Syntypes 2♂♂: [Türkei]: Amasia; [Spain]: St. Ildefonso.
- 14209. *Eucosma vulpecularis* Meyrick,1932** (Tortricidae) Eucosma vulpecularis Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 111. Type ♂: [Ethiopia]: Jem-Jem Forest.
- 14210. *Eudemis porphyra* (Hübner,[1799])** (Tortricidae) Tortrix porphyra Hübner,[1799], Samml. eur. Schmett. Tortrices: Pl. 5 fig.26. Type(s): Europa.
- 14211. *Eudemis profundana* ([Denis & Schiffermüller],1775)** (Tortricidae) Tortrix profundana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 132. Type(s): Vienna district.
- 14212. *Eudemopsis albopunctata* Liu & Bai,1982** (Tortricidae) Eudemopsis albopunctata Liu & Bai,1982, Sinozoologia 2: 47, 50.
- 14213. *Eudemopsis brevis* Liu & Bai,1982** (Tortricidae) Eudemopsis brevis Liu & Bai,1982, Sinozoologia 2: 47, 50.
- 14214. *Eugnosta* Hübner,[1825]** (Tortricidae) Eugnosta Hübner,[1825], Verz. bakennter Schmett.: 394. Type-species: Tortrix lathoniana Hübner,[1800], Samml. eur. Schmett. 7: pl.30 fig.189, by subsequent designation by Fernald,1908, Genera Tortricidae Types: 17,54.
- 14215. *Eugnosta magnificana* (Rebel,1914)** (Tortricidae) Euxanthus magnificana Rebel,1914, Dt. ent. Z., Iris 28: 273. Lectotype ♂: [Uighur İli]: Kuldja, designated by Razowski,1964 (MGAB).
- 14216. *Eugnosta romanovi* (Kennel,1900)** (Tortricidae) Euxanthus romanovi Kennel,1900, Dt. ent. Z., Iris 13: 131, Tab.5 fig.8. Type ♂: [Uighur İli]: Thian Shan [Kuldja] (ZIANL).
- 14217. *Eupoecilia* Stephens,1829** (Tortricidae) Eupoecilia Stephens,1829 [June], Nom. Br. Insects: 48. Type-species: Tortrix angustana Hübner,[1799], Samml. eur. Schmett. 7: pl.12 fig.74, by subsequent designation by Westwood,1840, Introd. mod. Classif. Insects 2 (Synopsis Genera Br. Insects): 109.
- 14218. *Eupoecilia diana* Razowski,1968** (Tortricidae) Eupoecilia diana Razowski,1968, Acta zool. cracov. 13: 123. Holotype: Solomon Isl., Guadalcanal.
- 14219. *Falseuncaria* Obratzov & Swatschek,1958** (Tortricidae) Falseuncaria Obratzov & Swatschek, 1958, in Swatschek, Abh. Larvalsyst. Insekten 3: 232. Type-species: Tortrix ruficiliana Haworth,1811, Lepid. Br.: 402, by original designation.
- 14220. *Fulvoclysia* Obratzov,1943** (Tortricidae) Fulvoclysia Obratzov,1943, Z. wien. ent. Ges. 28: 43. Type-species: Fulvoclysia

armeniaca Obratzov,1943, ibidem 28: 44, figs 1,2, by original designation.

14221. Fulvoclysia arguta Razowski,1968 (Tortricidae)
Fulvoclysia arguta Razowski,1968, Acta zool. cracov. 13: 89, figs.19,20.
Holotype ♂: [Syria]: "Shar Devesy(Haleb)" (BMNH).

14222. Fulvoclysia aulica Razowski,1968 (Tortricidae)
Fulvoclysia aulica Razowski,1968, Acta zool. cracov. 13: 87, figs.17,18.
Holotype ♂: [Turkey]: Kasikoparan (BMNH).

14223. Fulvoclysia defectana (Lederer,1870) (Tortricidae)
Euxanthis defectana Lederer,1870, Annls Soc. ent. Belg. 28: 25.
Lectotype ♀: "Caucas.[us]", designated by Razowski,1970 (ZMB).

14224. Fulvoclysia dictyodana (Staudinger,1879) (Tortricidae)
Cochylis dictyodana Staudinger,1879, Horae Soc. ent. ross. 15: 238-239.
Syntypes: [Türkei]: Amasia (Maidan, Caraman, Jenikeui-Hochebene);
Lectotype ♀: "Karaman" designated by Razowski,1970 (ZMB).

14225. Fulvoclysia pallorana (Lederer,1864) (Tortricidae)
Conchylis pallorana Lederer,1864, Wien. ent. Monatschr. 8: 171, Taf.3
fig.11. Type ♂: Kaukasus (ZMB).

14226. Fulvoclysia proxima Razowski,1970 (Tortricidae)
Fulvoclysia proxima Razowski,1970, Microlepid. palaearkt. 3: 443,
Taf.27 fig.291. Holotype ♂: Türkei: Kleinasien: Aband, 1300m (ZZSK).

14227. Fulvoclysia subdolana (Kennel,1901) (Tortricidae)
Euxanthis subdolana Kennel,1901, Dt. ent. Z., Iris 13: 240-241. Type ♂:
[Türkei]: [Adana Prov.]: "Hadjin" (ZMB).

14228. Gibberifera glaciata (Meyrick,1907) (Tortricidae) Cydia
glaciata Meyrick,1907, J. Bombay nat. Hist. Soc. 18: 143.

14229. Gnathmocerodes petrifraga Diakonoff,[1968] (Tortricidae)
Gnathmocerodes petrifraga Diakonoff,[1968], Bull. U.S.
natn. Mus. 257: 72-73, figs. Holotype ♂: Philippine: Luzon: Mt. Apo.

14230. Grapholita compositella (Fabricius,1775) (Tortricidae)
Tinea compositella Fabricius,1775; Syst. Ent.: 663. Type(s): Anglia.

14231. Grapholita difficilana (Walsingham,1900) (Tortricidae)
Laspeyresia difficilana Walsingham,1900, Ann. Mag. nat. Hist. 7 (6):
433. Type ♂: [Syria]: Asiatic Turkey: Haleb, Shar Deresy; [Turkey]:
Zeitun [=Süleymanlı] (coll. Walsingham).

14232. Grapholita junctistrigana (Walsingham,1900) (Tortricidae)
Laspeyresia junctistrigana Walsingham,1900, Ann. Mag.
nat. Hist. 7 (6): 434-435. Type ♀: [Syria]: Asiatic Turkey: Haleb, Shar
Deresy (coll. Walsingham).

14233. Grapholita lunulana ([Denis & Schiffermüller],1775) (Tortricidae)
Tortrix lunulana [Denis & Schiffermüller],1775,
Ankündigung syst. Werkes Schmett. Wienergegend: 127. Type(s): Vienna
district.

14234. Gynnidomorpha permixtana ([Denis & Schiffermüller],1775) (Tortricidae)
Tortrix permixtana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Wienergegend: 129.
Type(s): Wien (lost).

14235. Gypsonoma simulatana (Staudinger,1879) (Tortricidae)
Steganoptycha simulatana Staudinger,1879, Horae Soc. ent. ross. 15:
261-262. Syntypes 2♂ 1♀: [Türkei]: Amasia.

14236. Hedy kurokoi Kawabe,1995 (Tortricidae) Hedy
kurokoi Kawabe,1995, Microlepid. Thailand 3: 53. Holotype ♂:
Thailand: Nakhon Nayok, Khao Yai NP (UOP).

14237. Hedy nubiferana (Haworth,[1811]) (Tortricidae) Tortrix
nubiferana Haworth,[1811], Lepid. Br.: 431. Type(s): Anglia.

14238. Hedy ochroleucana (Frölich,1828) (Tortricidae) Tortrix
ochroleucana Frölich,1828, Enum. Tortr. Würtemberg.: 49. Type(s):
[Deutschland]: Württembergia.

14239. Hedy pruniana (Hübner,[1799]) (Tortricidae) Tortrix
pruniana Hübner,[1799], Samml. eur. Schmett. Tortrices: pl.3 fig.15.
Type(s): Europa.

14240. Hedy roseomaculana (Herrich-Schäffer,1851) (Tortricidae)
roseomaculana Herrich-Schäffer,1851, Syst. Bearb. Schmett. Eur. 4: 229; ibid. 1848: Pl.23 fig.163 [non binominal].

14241. Hedy salicella (Linnaeus,1758) (Tortricidae) Phalaena
salicella Linnaeus,1758, Syst. Nat. (Edn.10) 1: 536. Type(s): Europa.

14242. Homona aestivana (Walker,1866) (Tortricidae) Ericia
aestivana Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35:
1803 Type ♂. New Guinea.

14243. Homona encausta (Meyrick,1907) (Tortricidae) Tortrix
encausta Meyrick,1907, J. Bombay Nat. Hist. Soc. 17: 735.

14244. Hysterophora Obratzov,1944 (Tortricidae) Hysterophora
Obratzov,1944, Dt. ent. Z. Iris 57: 67. Type-species: Tortrix
maculosana Haworth,1811, Lepid. Br.: 438, by monotypy.

14245. Hysterophora maculosana (Haworth,[1811]) (Tortricidae)
Tortrix maculosana Haworth,[1811], Lep. Br.: 438. Type(s): England.

14246. Isotenes inae Diakonoff,1948 (Tortricidae) Isotenes inae
Diakonoff,1948, Treubia 19 (3): 493-495. Holotype ♂: [Indonesia]: East
Java, Tengger Mts.

14247. Isotrias cuencana (Kennel,1899) (Tortricidae) Olindia
cuencana Kennel,1899, Dt. ent. Z., Iris 12: 13, pl.1 fig.11. Syntypes:
Spanien: Cuenca.

14248. Karacaoglania xerophila (Meyrick,1939) (Tortricidae)
Laspeyresia xerophila Meyrick,1939, Trans. R. ent. Soc. Lond. 89: 51.

14249. Lambertiodes harmonia (Meyrick,1908) (Tortricidae)
Epagoge harmonia Meyrick,1908, J. Bombay nat. Hist. Soc. 18: 617.

14250. Lathronympha christenseni Aarvik & Karsholt,1993 (Tortricidae)
Lathronympha christenseni Aarvik & Karsholt,1993, Nota
lepid. 15 (3/4): 176-177, figs. Holotype ♂: Greece: Lakonia, G.
Christensen leg. (ZMUC).

14251. Lathronympha strigana (Fabricius,1775) (Tortricidae)
Pyrallis strigana Fabricius,1775; Syst. Ent.: 654. Type(s): Suecia.

14252. Leptecosma blanda (Kawabe,1989) (Tortricidae)
Epinotia blanda Kawabe,1989, Microlepid. Thailand 2: 56. Holotype:
Thailand: Chiang Mai, Doi Pakia, 1500m (UOP).

14253. Leptecosma huebneriana (Koçak,1980) (Tortricidae)
Epinotia huebneriana Koçak,1980, Comm. Fac. Sci. Univ. Ankara 24
(C): 11 (nomen novum pro ustulana Hübner,[1813] nec
Haworth,[1811]).

14254. Lobesia (Harmosma) harmonia (Meyrick,1908) (Tortricidae)
Polychrosis harmonia Meyrick,1908, Proc. zool. Soc.
London 1908: 716. Lectotype ♂: N.E.Pretoria, Transvaal, designated by
Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.154, figs.2-2a].

14255. Lobesia (Lomaschiza) kurokoi Bae,1995 (Tortricidae)
Lobesia kurokoi Bae,1995, Microlepid. Thailand 3: 36. Holotype ♀:
Thailand: Chiang Mai, Doi Pakia (OPU).

14256. Lobesia (Lomaschiza) quadratica (Meyrick,1911) (Tortricidae)
Bactra quadratica Meyrick,1911, Ann. Transv. Mus. 3 (1):
63. Type ♀: South Africa: West Pondoland: Ngqeleni (TMP).

14257. Lobesia (Polychrosis) stericta (Meyrick,1911) (Tortricidae)
Polychrosis stericta Meyrick,1911, Ann. Transv. Mus. 3
(1): 63-64. Type ♂: South Africa: Haenertsburg (TMP).

14258. Lobesia (s.str.) attributana (Kennel,1901) (Tortricidae)
Polychrosis (Eudemis) attributana Kennel,1901, Dt. ent. Z., Iris 13
(1900): 259-260. Type ♀: [Türkei]: "Marasch".

14259. Lobesia (s.str.) cinerariae (Nolcken,1882) (Tortricidae)
Eudemis cinerariae Nolcken,1882, Stettin ent. Ztg. 43: 184. Type:
France: St. Marguerite.

14260. Lobesia (s.str.) fictana (Kennel,1901) (Tortricidae)
Polychrosis (Eudemis) fictana Kennel,1901, Dt. ent. Z., Iris 13: 258-259.
Type ♂: [Libanon]: "Beirut".

14261. Lobesia (s.str.) moriutii Bae,1995 (Tortricidae) Lobesia
moriutii Bae,1995, Microlepid. Thailand 3: 41. Holotype ♂: Thailand:
Chiang Mai, Fang (OPU).

14262. Lobesia (s.str.) pattayae Bae,1995 (Tortricidae) Lobesia
pattayae Bae,1995, Microlepid. Thailand 3: 33. Holotype ♂: Thailand:
Chon Buri, Pattaya.

14263. Lobesia (s.str.) porrectana (Zeller,1847) (Tortricidae)
Sericoris porrectana Zeller,1847, Isis 1847: 665. Type(s): Sicilia.

14264. Lobesia (s.str.) serangodes (Meyrick,1920) (Tortricidae)
Polychrosis serangodes Meyrick,1920, Exot. Microlepid. 2: 346. Type:
[Pakistan]: Abbottabad (BMNH).

14265. Lobesia (s.str.) siamensis Bae,1995 (Tortricidae) Lobesia
(Lomaschizodes) siamensis Bae,1995, Microlepid. Thailand 3: 33.
Holotype: Thailand: Nakhon Nayok Prov.: Khao Yai NP.

14266. Lobesia aeolopa Meyrick,1907 (Tortricidae) Lobesia
aeolopa Meyrick,1907, J. Bombay Nat. Hist. Soc. 17: 976. Lectotype ♂:
[Sri Lanka]: Maskeliya, Ceylon (BMNH), designated by
Diakonoff,1950.

14267. Lozotaeniodes brusseauxi Gibeaux,1999 (Tortricidae)
Lozotaeniodes brusseauxi Gibeaux,1999, Alexanor 20 (6): 356-357, figs.
Holotype ♂: Corse, Le Lac env. 1000m (G.Brusseaux leg.).

14268. Lozotaeniodes cupressana (Duponchel,1836) (Tortricidae)
Tortrix cupressana Duponchel,1836, Hist. Nat. Lepid. Pap. Fr. 6: 495,
pl.262 fig.2. Lectotype ♂: France: env. d'Aix-en-Provence, designated by
Gibeaux,1999, Alexanor 20 (6): 355 (MNHN).

14269. Lozotaeniodes cupressana cupressana (Duponchel,1836) (Tortricidae)
Tortrix cupressana Duponchel,1836, Hist. Nat. Lepid.
Pap. Fr. 6: 495, pl.262 fig.2. Lectotype ♂: France: env. d'Aix-en-
Provence, designated by Gibeaux,1999, Alexanor 20 (6): 355 (MNHN).

- 14270. Matsumuraeses acrocosma Diakonoff, 1971** (Tortricidae) Matsumuraeses acrocosma Diakonoff, 1971, Veröff. zool. StSamml. Münch. 15: 176, figs. Holotype: Thailand: Krabi.
- 14271. Megaherpystis melaneura (Meyrick, 1912)** (Tortricidae) Eucosma melaneura Meyrick, 1912, J. Bombay nat. Hist. Soc. 21: 866.
- 14272. Meiligma impigris Diakonoff, 1973** (Tortricidae) Meiligma impigris Diakonoff, 1973, Monog. Zool. 1: 310, fig. Holotype ♂: [Indonesia]: South Sumatra: Pangkalan Balai, near Palembang, Japanese prisoners of war camp, 50m, bred from leaves of unnamed tree (?Schima norohae), 14.v.1944, A. Diakonoff leg.
- 14273. Metendothenia albomaculata Kawabe, 1989** (Tortricidae) Metendothenia albomaculata Kawabe, 1989, Microlepid. Thailand 2: 49. Holotype: Thailand: Nakhon Nayok: Khao Yai NP.
- 14274. Metendothenia atropunctana (Zetterstedt, 1839)** (Tortricidae) Penthina atropunctana Zetterstedt, 1839, Ins. Lapponica: 977. Type(s): Lapponia.
- 14275. Metendothenia pulchra Kawabe, 1989** (Tortricidae) Metendothenia pulchra Kawabe, 1989, Microlepid. Thailand 2: 48. Holotype: Thailand: Khao Soi Dao.
- 14276. Neopotamia angulata Kawabe, 1995** (Tortricidae) Neopotamia angulata Kawabe, 1995, Microlepid. Thailand 3: 51.
- 14277. Neopotamia divisa (Walsingham, 1900)** (Tortricidae) Phaecdophora divisa Walsingham, 1900, Ann. Mag. nat. Hist. (7) 6: 132.
- 14278. Neopotamia formosa Kawabe, 1989** (Tortricidae) Neopotamia formosa Kawabe, 1989, Microlepid. Thailand 2: 59.
- 14279. Neopotamia punctata Kawabe, 1989** (Tortricidae) Neopotamia punctata Kawabe, 1989, Microlepid. Thailand 2: 38. Holotype: Thailand: Nakhon Nayok Prov., Khao Yai NP.
- 14280. Neopotamia siamensis Kawabe, 1995** (Tortricidae) Neopotamia siamensis Kawabe, 1995, Microlepid. Thailand 3: 52, figs. Holotype ♂: Thailand: Chiang Mai, Hui Nam Dung (UOP).
- 14281. Notocelia aritai Kawabe, 1989** (Tortricidae) Notocelia aritai Kawabe, 1989, Microlepid. Thailand 2: 59, fig. 91. Holotype ♂: Thailand: Chiang Mai, Doi Pui, 1300m (UOP).
- 14282. Notocelia cynosbatella (Linnaeus, 1758)** (Tortricidae) Phalaena (Tortrix) cynosbatella Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 536.
- 14283. Nuritamburia Koçak & Kemal, 2007** (Tortricidae) Nuritamburia Koçak & Kemal, 2007, Centr. ent. Stud., Misc. Pap. 105: 4 (nomen novum pro Bradleyella Zimmermann, 1978 nec Krombein, 1963). Type-species: Tortrix chlorocalla Walsingham, 1907, by original designation.
- 14284. Olethreutes (Argyroplote) aegidia (Meyrick, 1932)** (Tortricidae) Argyroplote aegidia Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 112. Type ♂: [Ethiopia]: Jem-Jem Forest.
- 14285. Olethreutes (Argyroplote) arbutella (Linnaeus, 1758)** (Tortricidae) Phalaena arbutella Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 538.
- 14286. Olethreutes (Argyroplote) bipunctana (Fabricius, 1794)** (Tortricidae) Pyralis bipunctana Fabricius, 1794, Ent. Syst. 3 (2): 250.
- 14287. Olethreutes (Argyroplote) delitana (Staudinger, 1879)** (Tortricidae) Penthina delitana Staudinger, 1879, Horae Soc. ent. ross. 15: 250-251. Syntypes: Balkan, Hankynda (Caucasus), Ak-Dagh.
- 14288. Olethreutes (Argyroplote) dissolutana (Stange, 1866)** (Tortricidae) Sericoris dissolutana Stange, 1866, Stettin ent. Ztg. 47: 282.
- 14289. Olethreutes (Argyroplote) kurdistanica Amsel, 1959** (Tortricidae) Phiaris kurdistanica Amsel, 1959, Bull. Soc. ent. Egypte 43: 59, Pl. 9 fig. 10. Holotype ♂: Iraq: Haj Omran.
- 14290. Olethreutes (Argyroplote) lacunana ([Denis & Schiffermüller], 1775)** (Tortricidae) Tortrix lacunana [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 318. Type(s): Vienna district.
- 14291. Olethreutes (Argyroplote) lediana (Linnaeus, 1758)** (Tortricidae) Phalaena lediana Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 532.
- 14292. Olethreutes (Argyroplote) maschalista (Meyrick, 1932)** (Tortricidae) Argyroplote maschalista Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 112. Syntypes ♂♂: [Ethiopia]: Jem-Jem Forest.
- 14293. Olethreutes (Argyroplote) metallicana (Hübner, [1799])** (Tortricidae) Tortrix metallicana Hübner, [1799], Samml. eur. Schmett. Tortrices: Pl. 11 fig. 68. Type(s): Europa.
- 14294. Olethreutes (Argyroplote) micana ([Denis & Schiffermüller], 1775)** (Tortricidae) Tortrix micana [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 127. Type(s): Vienna district.
- 14295. Olethreutes (Argyroplote) mygindiana ([Denis & Schiffermüller], 1775)** (Tortricidae) Tortrix mygindiana [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district.
- 14296. Olethreutes (Argyroplote) noricana (Herrich-Schäffer, 1851)** (Tortricidae) Paedisca noricana Herrich-Schäffer, 1851, Syst. Bearb. Schmett. Eur. 4: 236; ibid. 1848: Pl. 21 fig. 147 [non binominal]. Type: Keiserstein.
- 14297. Olethreutes (Argyroplote) palustrana (Lienig & Zeller, 1846)** (Tortricidae) Sericoris palustrana Lienig & Zeller, 1846, Isis 1846: 230. Type(s): Bundelwald.
- 14298. Olethreutes (Argyroplote) polymorpha (Meyrick, 1932)** (Tortricidae) Argyroplote polymorpha Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 112. Syntypes ♂♂: [Ethiopia]: Jem-Jem Forest.
- 14299. Olethreutes (Argyroplote) rhetorica (Meyrick, 1920)** (Tortricidae) Argyroplote rhetorica Meyrick, 1920, Exot. Microlepid. 2: 350. Type ♂: [Iran]: N.W. Persia, Enzeli, leg. Capt. P.A. Buxton (BMNH) [Clarke, 1958, Catalogue... 3: pl. 270 fig. 2].
- 14300. Olethreutes (Argyroplote) schaefferana (Herrich-Schäffer, 1851)** (Tortricidae) Sericoris schaefferana Herrich-Schäffer, 1851, Syst. Bearb. Schmett. Eur. 4: 217; ibid. 1847: Pl. 20 figs. 144-145 [non binominal].
- 14301. Olethreutes (Argyroplote) schulziana (Fabricius, 1777)** (Tortricidae) Pyralis schulziana Fabricius, 1777, Gen. Ins.: 293-294. Type(s): Germania: Hamburg.
- 14302. Olethreutes (Argyroplote) scoriana (Guenée, 1845)** (Tortricidae) Sericoris metallicana var.? scoriana Guenée, 1845, Anns Soc. ent. Fr. (2) 3: 158.
- 14303. Olethreutes (Argyroplote) sistrata (Meyrick, 1911)** (Tortricidae) Argyroplote sistrata Meyrick, 1911, Ann. Transv. Mus. 2: 228. Lectotype ♂: [South Africa]: Natal, Pinetown, designated by Clarke, 1958 (BMNH) [Clarke, 1958, Catalogue... 3: pl. 273 figs. 2-2a].
- 14304. Olethreutes (Argyroplote) stibiana (Guenée, 1845)** (Tortricidae) Sericoris stibiana Guenée, 1845, Anns Soc. ent. Fr. (2) 3: 158. Type(s): Austria.
- 14305. Olethreutes (Argyroplote) turfosa (Herrich-Schäffer, 1851)** (Tortricidae) Sericoris turfosa Herrich-Schäffer, 1851, Syst. Bearb. Schmett. Eur. 4: 217; ibid. 1848: Pl. 30 figs. 220-221 [non binominal]. Syntypes: Brandenburgia.
- 14306. Olethreutes (s.str.) arcuana (Linnaeus, 1761)** (Tortricidae) Phalaena arcuana Linnaeus, 1761, Faun. Suec.: nr. 1317
- 14307. Olethreutes (s.str.) siderana (Treitschke, 1835)** (Tortricidae) Sericoris siderana Treitschke, 1835, Schmett. Eur. 10 (3): 81. Type(s): Banat.
- 14308. Olethreutes (s.str.) umbrosana (Freyer, 1842)** (Tortricidae) Sericoris umbrosana Freyer, 1842, Beitr. Gesch. Schmett. 4: 46, Tab. 318 fig. 1.
- 14309. Olindia schumacherana (Fabricius, 1787)** (Tortricidae) Pyralis schumacherana Fabricius, 1787, Mantissa Insectorum 2: 236. Type: Hafnia.
- 14310. Ophiorrhabda mormopa (Meyrick, 1906)** (Tortricidae) Platypeplus mormopa Meyrick, 1906, J. Bombay nat. Hist. Soc. 17: 136. Lectotype ♂: [Sri Lanka]: Maskeliya (BMNH).
- 14311. Orthotaenia undulana ([Denis & Schiffermüller], 1775)** (Tortricidae) Tortrix undulana [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district.
- 14312. Pammene aurana (Fabricius, 1775)** (Tortricidae) Pyralis aurana Fabricius, 1775, Syst. Ent.: 653. Type(s): Anglia.
- 14313. Pammene nannodes Walsingham, 1900** (Tortricidae) Pammene nannodes Walsingham, 1900, Ann. Mag. nat. Hist. 7 (6): 435-436. Holotype ♂: Libanon: Beirut; Palestine (coll. Walsingham).
- 14314. Pammene nigritana (Mann, 1862)** (Tortricidae) Grapholitha nigritana Mann, 1862, Wiener ent. Monatschr. 6: 397. Lectotype ♂: [Turkey]: Kleinasien: Brussa (ZMAS).
- 14315. Pammene trauniana ([Denis & Schiffermüller], 1775)** (Tortricidae) Tortrix trauniana [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 132. Type(s): Vienna district.
- 14316. Pandemis chondrillana (Herrich-Schäffer, 1860)** (Tortricidae) Lozotaenia chondrillana Herrich-Schäffer, 1860, Neue Schmett. 2: 13, fig. 82. Type(s): Russia: Sarepta.
- 14317. Pandemis heparana ([Denis & Schiffermüller], 1775)** (Tortricidae) Tortrix heparana [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 128. Type(s): Vienna district.
- 14318. Pelochrista buddhana (Kennel, 1919)** (Tortricidae) Epiblema buddhana Kennel, 1919, Mitt. münch. ent. Ges. 8: 92.

- 14319. *Pelochrista idotatana* (Kennel,1901)** (Tortricidae)
Epiblema idotatana Kennel,1901, Dt. ent. Z., Iris 13: 277. Syntypes: [China U.R.]: Kuldja (MNHU).
- 14320. *Pelochrista invisitana* Kuznetsov,1986** (Tortricidae)
Pelochrista invisitana Kuznetsov,1986, Vestn. Zool. 1986 (4): 24. Holotype ♂: Turkey: Mardin (MNHU).
- 14321. *Pelochrista medullana* (Staudinger,1880)** (Tortricidae)
Grapholitha medullana Staudinger,1880, Horae Soc. ent. ross. 15: 254-255. Syntypes: [Türkei]: Brussa, Taurus, Smyrna.
- 14322. *Pelochrista muhabbet* Koçak,2006** (Tortricidae)
Pelochrista muhabbet Koçak,2006, Cent. ent. Stud., Misc. Pap. 98: 4 (nomen novum pro *chanana* Kennel,1901 nec Stgr.,[1900]).
- 14323. *Penthostola diakonoffi* Kawabe,1995** (Tortricidae)
Penthostola diakonoffi Kawabe,1995, Microlepid. Thailand 3: 50.
- 14324. *Penthostola nigrantis* Kawabe,1995** (Tortricidae)
Penthostola nigrantis Kawabe,1995, Microlepid. Thailand 3: 50.
- 14325. *Periclepsis cinctana* ([Denis & Schiffermüller],1775)** (Tortricidae)
Tortrix cinctana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district.
- 14326. *Phaesiophora attica* (Meyrick,1907)** (Tortricidae)
Eucosma attica Meyrick,1907, J. Bombay nat. Hist. Soc. 18: 137.
- 14327. *Phaesiophora thaiensis* Kawabe,1987** (Tortricidae)
Phaesiophora thaiensis Kawabe,1987, Microlepid. Thailand 1: 62. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon 2150m (UOP).
- 14328. *Phalonidia Le Marchand*,1933** (Tortricidae)
Phalonidia Le Marchand,1933, Amat. Papillons 6: 242. Type-species: *Cochylis affinitana* Douglas,1846, Zoologist 4 (39): 1269, fig.7, by original designation.
- 14329. *Phalonidia acutana* (Kennel,1913)** (Tortricidae)
Phalonidia acutana Kennel,1913, Zoologica 21: 290, Taf.13 fig.18. Type ♂: Armenia: Erivan (BMNH).
- 14330. *Phalonidia amasiana* (Ragonot,1894)** (Tortricidae)
Conchylis amasiana Ragonot,1894, Annls Soc. ent. Fr. 63: 189. Type ♀: [Turquie]: Amasia (MNHNP).
- 14331. *Phalonidia datetis* Diakonoff,1984** (Tortricidae)
Phalonidia datetis Diakonoff,1984, Zool. Meded. 58: 264, figs.3-6. Holotype: Thailand: Bangkok.
- 14332. *Phalonidia fraterna* Razowski,1970** (Tortricidae)
Phalonidia fraterna Razowski,1970
- 14333. *Phalonidia melanothica* (Meyrick,1927)** (Tortricidae)
Phalonidia melanothica Meyrick,1927, Exot. Microlepid. 3: 367. Type ♂: China: Prov. Kiangsu: Shanghai (MGAB).
- 14334. *Philedone gerningana* ([Denis & Schiffermüller],1775)** (Tortricidae)
Tortrix gerningana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 318. Type(s): Vienna district.
- 14335. *Phtheochroa Stephens*,1829** (Tortricidae)
Phtheochroa Stephens,1829 [June], Nom. Br. Insects: 48. Type-species: *Tortrix rugosana* Hübner,[1799], Samml. eur. Schmett. 7: pl.14 fig.82, by monotypy.
- 14336. *Phtheochroa chalcantia* (Meyrick,1912)** (Tortricidae)
Pharmacis chalcantia Meyrick,1912, Exot. Microlepid. 1: 20. Lectotype ♂: [Turkey]: Kleinasien: Alma Dag [Amanos Mts.] (BMNH).
- 14337. *Phtheochroa decipiens* (Walsingham,1900)** (Tortricidae)
Hysterosia decipiens Walsingham,1900, Ann. Mag. nat. Hist. 7 (6): 447. Syntypes 4♂♂: [Syria]: Asiatic Turkey: Haleb Shar Deresy (coll. Walsingham).
- 14338. *Phtheochroa duponchelana* (Duponchel,1843)** (Tortricidae)
Sericocoris duponchelana Duponchel,1843, Hist. Nat. Lep. Fr., Suppl. 4: 43, Pl. 62 fig.5. Type: [Italy]: Neapel (MNHNP).
- 14339. *Phtheochroa ecballiella* Huemer,1990** (Tortricidae)
Phtheochroa ecballiella Huemer,1990, Nota lepid. 12 (4): 273, figs. Holotype ♂: Spain: Cadiz.
- 14340. *Phtheochroa imitana* Derra,1991** (Tortricidae)
Phtheochroa imitana Derra,1991, Atalanta 21 (3/4): 298-299, Abb.2. Holotype ♂: Türkiye: Prov. Hakkari: Cilo Dagı, 1350m, 5km n. Agacsiz, 28.iv.1987 (leg. Schreier & coll. Derra).
- 14341. *Phtheochroa larseni* Huemer,1990** (Tortricidae)
Phtheochroa larseni Huemer,1990, Nota lepid. 12 (4): 278. Abb. Holotype ♂: [Türkei]: Anatolien: Kizilcahamam, 16.v.1973 (leg. Pinker) (NM).
- 14342. *Phtheochroa osthelderi* Huemer,1990** (Tortricidae)
Phtheochroa osthelderi Huemer,1990, Nota lepid. 12 (4): 278-279. Abb. Holotype ♀: [Türkei]: Syria sept., Taurus Marasch 800m, 14.v.28 (leg. Osthelder) (ZSM).
- 14343. *Phtheochroa procerana* (Lederer,1853)** (Tortricidae)
Conchylis procerana Lederer,1853, Wien. ent. Monatschr. 7: 45, Tab. fig.11. Type ♂: Bulgarien: "Varna" (ZMB).
- 14344. *Phtheochroa rugosana* (Hübner,[1799])** (Tortricidae)
Tortrix rugosana Hübner,[1799], Samml. eur. Schmett. 7: Taf.14, fig.82. Neotype ♂: Germany: BRD: "Württemberg, Marbach/Neckar, designed by Huemer,1990 (TLMF).
- 14345. *Phtheochroa schreieri* Derra,1991** (Tortricidae)
Phtheochroa schreieri Derra,1991, Atalanta 21 (3/4): 296-298, Abb.1. Holotype ♂: Türkiye: Prov. Hakkari: Cilo Dagı, 1350m, 5km n. Agacsiz, 28.iv.1987 (leg. Schreier & coll. Derra).
- 14346. *Phtheochroa subfumida* (Falkovitsh,1963)** (Tortricidae)
Hysterosia (Propira) subfumida Falkovitsh,1963, Zool. Zh. 42: 697, fig.1. Holotype ♂: Armenia: "Jeriwan" (ZIANL).
- 14347. *Phtheochroa thiana* Staudinger,[1900]** (Tortricidae)
Phtheochroa? (*Cochylis*?) *thiana* Staudinger,[1900], Dt. ent. Z., Iris 12: 348-349. Type ♀: [China: Uighur A.R.]: Chamyi [Kumul].
- 14348. *Phtheochroa unionana* (Kennel,1900)** (Tortricidae)
Hysterosia (Idiographis) unionana Kennel,1900, Dt. ent. Z., Iris 13: 135, Taf.5 fig.11. Syntypes 2♂♂: Kaukasus.
- 14349. *Pristerognatha fuligana* ([Denis & Schiffermüller],1775)** (Tortricidae)
Tortrix fuligana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 132. Type(s): Vienna district.
- 14350. *Pristerognatha penthinana* (Guenée,1845)** (Tortricidae)
Sericocoris penthinana Guenée,1845, Annls Soc. ent. Fr. (2) 3: 159. Type(s): Anglia.
- 14351. *Prochlidonia Razowski*,1960** (Tortricidae)
Prochlidonia Razowski,1960, Polskie Pismo ent. 30: 286,309. *Tortrix amiantana* Hübner,[1799], Samml. eur. Schmett.: 7: pl.24 fig.155, by original designation.
- 14352. *Prochlidonia ochromixtana* (Kennel,1913)** (Tortricidae)
Euxanthos ochromixtana Kennel,1913, Zoologica 21: 325, Taf.14 fig.31. Type ♂: [Türkei]: Konia, Anatolia (BMNH).
- 14353. *Procoronis swinhoeana* (Walsingham,1890)** (Tortricidae)
Grapholitha swinhoeana Walsingham,1890, [in] *Swinhoe*, Trans. ent. Soc. London 1890: 294, pl.8 fig.19. Type: Burma.
- 14354. *Pseudargyrotoza conwagana* (Fabricius,1775)** (Tortricidae)
Pyrallis conwagana Fabricius,1775; Syst. Ent.: 653. Type(s): Anglia.
- 14355. *Pseudeboda africana* Razowski,1964** (Tortricidae)
Pseudeboda africana Razowski,1964, Acta zool. cracov. 9(5): 381-382, figs.35-37. Holotype ♂: [South Africa]: Port S. John, Pondoland.
- 14356. *Pseudohermenias abietana* (Fabricius,1787)** (Tortricidae)
Pyrallis abietana Fabricius,1787, Mantissa Insectorum 2: 237. Type: Suecia, on Abietis.
- 14357. *Pseudosciaphila branderiana* (Linnaeus,1758)** (Tortricidae)
Phalaena branderiana Linnaeus,1758, Syst. Nat. (Edn.10) 1: 531. Type(s): Europa.
- 14358. *Retinia salweenensis* (Miller,1977)** (Tortricidae)
Petrova salweenensis Miller,1977, J. lepid. Soc. 31: 136. Holotype ♂: Thailand: Baw Luang, 20 March 1972, leg.D. Chaiglom (NMNH).
- 14359. *Retinia scalaris* (Diakonoff,[1968])** (Tortricidae)
Petrova scalaris Diakonoff,[1968], Bull. U.S.nat. Mus. 257: 86-87, figs. Holotype ♀: Philippines: Luzon [proposed conditionally, unavailable name!].
- 14360. *Rhodacra parvusa* Kawabe,1995** (Tortricidae)
Rhodacra parvusa Kawabe,1995, Microlepid. Thailand 3: 51.
- 14361. *Rhopobota bicolor* Kawabe,1989** (Tortricidae)
Rhopobota bicolor Kawabe,1989, Microlepid. Thailand 2: 62. Holotype: Thailand: Chiang Mai, Doi Inthanon NP (UOP).
- 14362. *Rhopobota stagnana* ([Denis & Schiffermüller],1775)** (Tortricidae)
Tortrix stagnana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district.
- 14363. *Rhyacionia buoliana* ([Denis & Schiffermüller],1775)** (Tortricidae)
Tortrix buoliana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 128. Type(s): Vienna district.
- 14364. *Sorolopha khaoyaiensis* Kawabe,1989** (Tortricidae)
Sorolopha khaoyaiensis Kawabe,1989, Microlepid. Thailand 2: 28.
- 14365. *Sorolopha nagaii* Kawabe,1989** (Tortricidae)
Sorolopha nagaii Kawabe,1989, Microlepid. Thailand 2: 26. Holotype: Thailand: Chiang Mai, Doi Pui.
- 14366. *Sorolopha saitoi* Kawabe,1989** (Tortricidae)
Sorolopha saitoi Kawabe,1989, Microlepid. Thailand 2: 31. Holotype ♂: Thailand: Chiang Mai Prov., Doi Pui.

- 14367. *Sorolopha sphaerocopa* (Meyrick, 1929)** (Tortricidae) *Argyroploce sphaerocopa* Meyrick, 1929, *Annls Soc. ent. Fr.* 98: 481.
- 14368. *Sparganothis pilleriana* ([Denis & Schiffermüller], 1775)** (Tortricidae) *Tortrix pilleriana* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 126. Type(s): Vienna district.
- 14369. *Spatalistis egesta* Razowski, 1974** (Tortricidae) *Spatalistis egesta* Razowski, 1974, *Acta zool. cracov.* 19 (8): 147-149, figs. Holotype ♀: Japan: Honshyu, Kogigatake, 1200m, Razowski leg. (PAS).
- 14370. *Spilonota ocellana* ([Denis & Schiffermüller], 1775)** (Tortricidae) *Tortrix ocellana* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 130. Type(s): Vienna district.
- 14371. *Strepsicrates ejectana* (Walker, 1863)** (Tortricidae) *Sciaphila ejectana* Walker, 1863, *List Specimens lepid. Insects Colln Br. Mus.* 28: 350. Type ♂: Sydney.
- 14372. *Syndemis miae* Diakonoff, 1948** (Tortricidae) *Syndemis miae* Diakonoff, 1948, *Treubia* 19 (3): 510-511, fig. 8. Holotype ♂: [Indonesia]: West Java, Mt. Gede-Panggerango, Tjisarua-Zuid, 1000m.
- 14373. *Thiodiodes seeboldi* (Rössler, 1877)** (Tortricidae) *Grapholitha seeboldi* Rössler, 1877, *Stettin ent. Ztg.* 38: 373. Syntypes: Spain: Bilbao.
- 14374. *Tortricodes alternella* ([Denis & Schiffermüller], 1775)** (Tortricidae) *Tinea alternella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 135. Type(s): Vienna district.
- 14375. *Tortrix agroeca* Meyrick, 1908** (Tortricidae) *Tortrix agroeca* Meyrick, 1908, *Proc. zool. Soc. London* 1908: 723. Type ♂: [South Africa]: Transvaal, Pretoria (BMNH) [Clarke, 1958, *Catalogue...* 3: pl. 116 figs. 1-1b].
- 14376. *Tortrix diametrica* Meyrick, 1932** (Tortricidae) *Tortrix diametrica* Meyrick, 1932, *Trans. R. ent. Soc. London* 80 (1): 110-111. Syntypes 2♂: [Ethiopia]: Jem-Jem Forest.
- 14377. *Tortrix furtiva* Meyrick, 1911** (Tortricidae) *Tortrix furtiva* Meyrick, 1911, *Ann. Transv. Mus.* 2: 223. Lectotype ♂: [South Africa]: Transvaal, Haenertsburg, designated by Clarke, 1958 (BMNH) [Clarke, 1958, *Catalogue...* 3: pl. 119 figs. 4-4b].
- 14378. *Tortrix intrepida* Meyrick, 1912** (Tortricidae) *Tortrix intrepida* Meyrick, 1912, *Exot. Microlepid.* 1: 7. Lectotype ♂: Anjouan, Comoro Is., designated by Clarke, 1958 (BMNH) [Clarke, 1958, *Catalogue...* 3: pl. 121 figs. 4-4b].
- 14379. *Tortrix ophiograptia* Meyrick, 1932** (Tortricidae) *Tortrix ophiograptia* Meyrick, 1932, *Trans. R. ent. Soc. London* 80(1): 110. Type ♂: [Ethiopia]: Jem-Jem Forest.
- 14380. *Tortrix pharetrata* Meyrick, 1909** (Tortricidae) *Tortrix pharetrata* Meyrick, 1909, *Ann. Transv. Mus.* 2(1): 6, pl. ii fig. 7. Type ♀: South Africa: "Pretoria".
- 14381. *Tortrix physetopa* Meyrick, 1932** (Tortricidae) *Tortrix physetopa* Meyrick, 1932, *Trans. R. ent. Soc. London* 80 (1): 111. Syntypes 5♂♂: [Ethiopia]: Jem-Jem Forest and Mt. Chillalo.
- 14382. *Tortrix psoricodes* Meyrick, 1911** (Tortricidae) *Tortrix psoricodes* Meyrick, 1911, *Ann. Transv. Mus.* 2: 223. Lectotype ♂: [South Africa]: Haenertsburg, Transvaal, designated by Clarke, 1958 (BMNH) [Clarke, 1958, *Catalogue...* 3: pl. 126 figs. 2-2b].
- 14383. *Tortrix spilographa* Meyrick, 1937** (Tortricidae) *Tortrix spilographa* Meyrick, 1937, *Exot. Microlepid.* 5: 127. Type ♂: South Africa: Cape Province (BMNH) [Clarke, 1958, *Catalogue...* 3: pl. 127 figs. 3-3b].
- 14384. *Tortrix viridana* (Linnaeus, 1758)** (Tortricidae) *Phalaena Tortrix viridana* Linnaeus, 1758, *Syst. Nat. (Edn. 10)* 1: 530. Type(s): Europa.
- 14385. *Tosirips* Razowski, 1987** (Tortricidae) *Tosirips* Razowski, 1987, *Nota lepid.* 10 (1): 87. Type-species: *Tortrix perpulchrana* Kennel, 1901, by original designation.
- 14386. *Tosirips magyarus* Razowski, 1987** (Tortricidae) *Tosirips magyarus* Razowski, 1987, *Nota lepid.* 10 (1): 91, figs. Holotype ♂: "Borosjeno".
- 14387. *Tosirips magyarus syriacus* Razowski, 1987** (Tortricidae) *Tosirips magyarus* ssp. *syriacus* Razowski, 1987, *Nota lepid.* 10 (1): 91-92. Holotype ♂: "Syrien" (MNHUB).
- 14388. *Tosirips perpulchrana* (Kennel, 1901)** (Tortricidae) *Tortrix perpulchrana* Kennel, 1901, *Dt. ent. Z., Iris* 13 (1900): 223. Type(s): Biskin.
- 14389. *Tosirips perpulchrana ceramus* Razowski, 1987** (Tortricidae) *Tosirips perpulchrana* ssp. *ceramus* Razowski, 1987, *Nota lepid.* 10 (1): 91, figs. 5, 6. Holotype ♂: "Mt. Mie, Kyoto, Takeuchi" (Univ. Osaka).
- 14390. *Trachysmia aureopunctana* (Ragonot, 1894)** (Tortricidae) *Conchylis aureopunctana* Ragonot, 1894, *Annls Soc. ent. Fr.* 63: 189. Type ♂: Syrien (MNHNP).
- 14391. *Trachysmia lucentana* (Kennel, 1899)** (Tortricidae) *Cochylis lucentana* Kennel, 1899, *Dt. ent. Z., Iris* 12: 30, Taf. 1 fig. 28. Holotype ♂: [Türkei]: "Marasch" [Kahramanmaraş] (ZMB).
- 14392. *Trachysmia palpana* (Ragonot, 1894)** (Tortricidae) *Conchylis palpana* Ragonot, 1894, *Annls Soc. ent. Fr.* 63: 195. Type ♂: [Turquie]: Hadjin (MNHNP).
- 14393. *Trymalitis cataracta* Meyrick, 1907** (Tortricidae) *Trymalitis cataracta* Meyrick, 1907, *J. Bombay Nat. Hist. Soc.* 18: 153. Type ♂: [Sri Lanka]: Ceylon.
- 14394. *Tymbarcha cerinopa* Meyrick, 1908** (Tortricidae) *Tymbarcha cerinopa* Meyrick, 1908, *J. Bombay Nat. Hist. Soc.* 18: 622. Type ♂: [India]: Assam: Khasi Hills (BMNH).
- 14395. *Ulodemis trigrapha* Meyrick, 1907** (Tortricidae) *Ulodemis trigrapha* Meyrick, 1907, *J. Bombay Nat. Hist. Soc.* 17: 736. Type: Himalaya.
- 14396. *Zeiraphera nigra* Kawabe, 1995** (Tortricidae) *Zeiraphera nigra* Kawabe, 1995, *Microlepid. Thailand* 3: 55. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon (OPU).
- 14397. *Acropteris ciniferaria* (Walker, 1866)** (Uraniidae) *Micronia ciniferaria* Walker, 1866, *List* 35: 1642.
- 14398. *Dysaethria bellissima* (W. Warren, 1900)** (Uraniidae) *Epiplema bellissima* W. Warren, 1900, *Novit. zool.* 7: 101. Type: Malaysia: Penang.
- 14399. *Dysaethria wilemani* (West, 1932)** (Uraniidae) *Epiplema wilemani* West, 1932, *Novit. zool.* 37: 217. Type: Philippines.
- 14400. *Epiplema multistrigaria* Moore, 1879** (Uraniidae) *Epiplema multistrigaria* Moore, 1879, [in] Hewitson & Moore, *Descr. new Indian lepid. Insects Colln late Mr W.S. Atkinson* (1): 260.
- 14401. *Epiplema reticulata* Moore, 1879** (Uraniidae) *Epiplema reticulata* Moore, 1879, [in] Hewitson & Moore, *Descr. new Indian lepid. Insects Colln late Mr W.S. Atkinson* (1): 259.
- 14402. *Epiplema ruptaria* Moore, 1879** (Uraniidae) *Epiplema ruptaria* Moore, 1879, [in] Hewitson & Moore, *Descr. new Indian lepid. Insects Colln late Mr W.S. Atkinson* (1): 259.
- 14403. *Europlema desistaria* (Walker, 1861)** (Uraniidae) *Erosia desistaria* Walker, 1861, *List* 23: 853. Type ♂: Borneo: Sarawak.
- 14404. *Strophidia Hübner*, [1823]** (Uraniidae) *Strophidia Hübner*, [1823], *Verz. bekannt. Schmett.*: 290. Type-species: *Phalaena caudata* Fabricius, 1781, by monotypy.
- 14405. *Strophidia caudata* (Fabricius, 1781)** (Uraniidae) *Phalaena caudata* Fabricius, 1781, *Spec. Insect.* 2: 253. Type: [Indonesia: Java]: [Jakarta]: Batavia.
- 14406. *Caenorycta anholochrysa* Diakonoff, 1966** (Xyloryctidae) *Caenorycta anholochrysa* Diakonoff, 1966, *Tijdschr. Ent.* 109: 56, figs. Holotype: Indonesia: Celebes.
- 14407. *Epichostis tympanias* (Meyrick, 1908)** (Xyloryctidae) *Hermogenes tympanias* Meyrick, 1908, *J. Bombay nat. Hist. Soc.* 18: 628. Lectotype ♂: [India]: Khasis (BMNH), designated by Clarke, *Meyrick Catalogue* 2: 430, pl. 214 fig. 3, 3a).
- 14408. *Acrolepia canachopis* Meyrick, 1913** (Yponomeutidae) *Acrolepia canachopis* Meyrick, 1913, *Ann. Transv. Mus.* 3: 325-326. Type ♀: [South Africa]: Barberton, leg. Janse (TMP).
- 14409. *Acrolepia chalarodesma* Meyrick, 1927** (Yponomeutidae) *Acrolepia chalarodesma* Meyrick, 1927, *Exot. Microlepid.* 3: 359. Type ♂: [South Africa]: Natal, Rietvlei (coll. Janse).
- 14410. *Acrolepia gelida* Meyrick, 1921** (Yponomeutidae) *Acrolepia gelida* Meyrick, 1921, *Ann. Transv. Mus.* 8: 123. Type ♂: [South Africa]: Natal, Karkloof, leg. Janse (TMP).
- 14411. *Acrolepiopsis chirapanthui* Moriuti, 1984** (Yponomeutidae) *Acrolepiopsis chirapanthui* Moriuti, 1984, *Tyo to Ga* 35 (1): 28-31, figs. Syntypes 2♂♂: Thailand: Chiang Mai (UOP).
- 14412. *Argyresthia (Blastotere) impura* (Staudinger, 1879)** (Yponomeutidae) *Zelleria ? impura* Staudinger, 1879, *Horae Soc. ent. ross.* 15: 280-281. Syntypes 7♂ 3♀: [Türkei]: Amasia (Jenikeui-Hochebene).
- 14413. *Argyresthia (s.str.) mirabiella* Toll, 1947** (Yponomeutidae) *Argyresthia mirabiella* Toll, 1947, *Z. Wien. ent. Ges.* 32: 114, Taf. 4 fig. 13. Type ♀: Iran: Kuh-i-Mirabi Gebirge.
- 14414. *Argyresthia (s.str.) pretiosa* Staudinger, 1879** (Yponomeutidae) *Argyresthia pretiosa* Staudinger, 1879, *Horae Soc.*

ent. ross. 15: 281-282. Syntypes 2 ex: [Türkei]: Amasia (Jenikeui-Hochebene).

14415. *Argyresthia* (s.str.) *pygmaeella* ([Denis & Schiffermüller],1775) (Yponomeutidae) *Tinea pygmaeella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 141. Type(s): Vienna district.

14416. *Atemelia* *Herrich-Schäffer*,[1853] (Yponomeutidae) *Atemelia Herrich-Schäffer*,[1853], Syst. Bearbeitung Schmett. Eur. 5: 9, 33. Type-species: *Oecophora torquatella* Lienig,1846, [in] Lienig & Zeller, Isis Oken, Leipzig 1846: 279, by subsequent designation by Fletcher,1929.

14417. *Atteva fabriciella* (Swederus,1787) (Yponomeutidae) *Phalaena fabriciella* Swederus,1787, Königl. Svensk. Vet. Akad. Handl. 8: 277. Type(s): India, Borneo.

14418. *Callitricina angoonae* Moriuti,1982 (Yponomeutidae) *Callitricina angoonae* Moriuti,1982, Trans. lepid. Soc. Japan 33 (1/2): 68, fig.

14419. *Digitivalva* (*Inuliphila*) *Gaedike*,1970 (Yponomeutidae) *Inuliphila Gaedike*,1970, Ent. Abh. Mus. Tierk. Dresden 38: 4. Type-species: *Acrolepia pulicariae* Klimesch,1956, Z. wien. ent. Ges. 41: 135, text-fig.8, pl.18 fig.3, by original designation.

14420. *Digitivalva* *Gaedike*,1970 (Yponomeutidae) *Digitivalva Gaedike*,1970, Ent. Abh. Mus. Tierk. Dresden 38: 3,4. Type-species: *Acrolepia valeriella* Snellen,1878, Tijdschr. Ent. 21: 44, pl.2 fig.a, by original designation.

14421. *Digitivalva amseli* *Gaedike*,1975 (Yponomeutidae) *Digitivalva amseli* Gaedike,1975, Beitr. Ent. 25 (2): 214-216, fig. Holotype ♂: NO-Afghanistan: Wakhan Tal, 3400m Kotal-e- Dalez, W. Seite, leg. G.Ebert & Naumann (LNK).

14422. *Digitivalva glaseri* *Gaedike*,1971 (Yponomeutidae) *Digitivalva glaseri* Gaedike,1971, Beitr. Ent. 11 (1/2): 51, fig. Holotype ♂: Türkei: Asia min., Turcia, [Ankara Prov.]: "Kizilcahamam" [=Kizilcahamam] (leg. & coll. Glaser).

14423. *Eidophasia* *Stephens*,1842 (Yponomeutidae) *Eidophasia Stephens*,1842, Entomologist 1: 418. Type-species: *Parasemia transversella* Stephens, 1841, ibidem 1: 202, by monotypy.

14424. *Eidophasia tauricella* *Staudinger*,1879 (Yponomeutidae) *Eidophasia tauricella* Staudinger,1879, Horae Soc. ent. ross. 15: 282-284. Type ♀: [Türkei]: "Taurus" (leg. Haberhauer).

14425. *Kessleria* (s.str.) *caucasica* *Friese*,1960 (Yponomeutidae) *Kessleria caucasica* Friese,1960, Beitr. Ent. 10: 77, fig.47. Holotype ♂: Caucasus occ.: Kirala, 1000m (coll. Moucha).

14426. *Kessleria* *Nowicki*,1864 (Yponomeutidae) *Kessleria Nowicki*,1864, Microlepid. Spec. novae : 12. Type-species: *Kessleria zimmermannii* Nowicki,1864, ibidem: 13, pl.-fig.3, by monotypy.

14427. *Lepocnemis metapelista* *Meyrick*,1932 (Yponomeutidae) *Lepocnemis metapelista* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 117. Syntypes 5♂♂: [Ethiopia]: Jem-Jem Forest.

14428. *Niphonympha* *Meyrick*,1914 (Yponomeutidae) *Niphonympha Meyrick*,1914, Exot. Microlepid. 1: 174. Type-species: *Calantica albella* Zeller,1847, Isis Oken, Leipzig 1847: 812, by subsequent designation by Busck,1912, Proc. ent. Soc. Wash. 14: 85.

14429. *Nosymna repletella* *Walker*,1864 (Yponomeutidae) *Nosymna repletella* Walker,1864, List 29: 831. Type: Borneo.

14430. *Ochsenheimeria* *Hübner*,[1825] (Yponomeutidae) *Ochsenheimeria Hübner*,[1825], Verz. bekannter Schmett. : 416. Type-species: *Tinea bubalella* Hübner,[1813], Samml. eur. Schmett. 8: pl.55, fig.376, by subsequent designation by Hampson,1918, Novit. zool. 25: 387.

14431. *Ochsenheimeria hugginsi* *Bradley*,1953 (Yponomeutidae) *Ochsenheimeria hugginsi* Bradley,1953, Ann. Mag. nat. Hist. (12) 6: 832-833, pl. Holotype ♂: India: C. Himalaya, Tehri-Garhwal, Rudugira Gael, 15400ft. (H.F.Lamprey).

14432. *Ochsenheimeria taurella* ([Denis & Schiffermüller],1775) (Yponomeutidae) *Tinea taurella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): Vienna district.

14433. *Paraswammerdamia* *Friese*,1960 (Yponomeutidae) *Paraswammerdamia Friese*,1960, Beitr. Ent. 10: 35, 101. Type-species: *Swammerdamia lapponica* Petersen,1932, Arch. Naturgesch. (N.F.) 1: 210, fig. 18, by original designation.

14434. *Paraswammerdamia iranella* *Friese*,1960 (Yponomeutidae) *Paraswammerdamia iranella* Friese,1960, Beitr. Ent. 10: 104, fig.47. Holotype ♂: Iran: Keredj, Elburs Gebirge (LNK).

14435. *Paraswammerdamia ornichella* *Friese*,1960 (Yponomeutidae) *Paraswammerdamia ornichella* Friese,1960, Beitr. Ent. 10: 110. Holotype ♂: Russia: Sarepta (ZSM).

14436. *Plutella* (s.str.) *Schränk*,1802 (Yponomeutidae) *Plutella Schränk*,1802, Fauna Boica 2(2): 169. Type-species: *Phalaena xylostella* Linnaeus,1758, Syst. Nat. (Edn 10): 1: 538, by monotypy.

14437. *Plutella* (s.str.) *dryoxyla* *Meyrick*,1932 (Yponomeutidae) *Plutella dryoxyla* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 118. Type ♂: [Ethiopia]: Mt. Chillalo (BMNH).

14438. *Plutella* (s.str.) *oxylopha* *Meyrick*,1932 (Yponomeutidae) *Plutella oxylopha* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 118. Syntypes 2♂♂: [Ethiopia]: Mt. Chillalo, Mt. Zukwala (BMNH).

14439. *Plutella* (s.str.) *stichocentra* *Meyrick*,1932 (Yponomeutidae) *Plutella stichocentra* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 118. Syntypes 9♂♂: [Ethiopia]: Mt. Chillalo (BMNH).

14440. *Plutella* (s.str.) *xylostella* (*Linnaeus*,1758) (Yponomeutidae) *Phalaena Tinea xylostella* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 538.

14441. *Pseudoswammerdamia* *Friese*,1960 (Yponomeutidae) *Pseudoswammerdamia Friese*,1960, Beitr. Ent. 10: 35,91. Type-species: *Phalaena combinella* Hübner,1786, Beitr. Gesch. Schmett. 1(1): 5, pl.1 fig.C, by original designation.

14442. *Syncrotaula strepsicentra* *Meyrick*,1937 (Yponomeutidae) *Syncrotaula strepsicentra* Meyrick,1937, Exot. Microlepid. 5: 143. Type ♀: Armenia, June.

14443. *Telosphrantis aethiopica* *Meyrick*,1932 (Yponomeutidae) *Telosphrantis aethiopica* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 116. Syntypes 9♂♂: [Ethiopia]: Mt. Chillalo (BMNH).

14444. *Yponomeuta* *Latreille*,1796 (Yponomeutidae) *Yponomeuta Latreille*,1796, Précis Caractres génériques Insectes: 146. Type-species: *Phalaena evonymella*, Linnaeus,1758, Syst. Nat. (Edn 10) 1: 534, by subsequent monotypy.

14445. *Yponomeuta bolidias* *Meyrick*,1913 (Yponomeutidae) *Yponomeuta bolidias* Meyrick,1913, Exot. Microlepid. 1: 137. Type: [Thailand]: Siam.

14446. *Yponomeuta ocyppora* (*Meyrick*,1932) (Yponomeutidae) *Yponomeuta ocyppora* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 115-116. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH).

14447. *Yponomeuta padellus* (*Linnaeus*,1758) (Yponomeutidae) *Phalaena padella* Linnaeus,1758, Syst. nat. (10) 1: 535. Type: (Linn. Soc. London).

14448. *Yponomeuta plumbellus* ([Denis & Schiffermüller],1775) (Yponomeutidae) *Tinea plumella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): Vienna district.

14449. *Yponomeuta vigintipunctatus* (*Retzius*,1783) (Yponomeutidae) *Phalaena viginti-punctata* Retzius,1783, Genera et Species Insectorum: 52-53. Type(s): [Europe].

14450. *Ypsolopha* *Latreille*,1796 (Yponomeutidae) *Ypsolopha Latreille*,[1796], Précis Caracteres génériques Insectes: 145. Type-species: *Phalaena sylvella* Linnaeus,1767, Syst. Nat. (Edn 12) 1(2): 893, by subsequent designation by Desmarest,1857, in Chenu, Encycl. Hist. nat. (Papillons nocturnes): 255.

14451. *Ypsolopha albidorsella* (*Staudinger*,1879) (Yponomeutidae) *Cerostoma albidorsella* Staudinger,1879, Horae Soc. ent. ross. 15: 287-288. Syntypes 1♂ 3♀: [Iran]: Persien, Schahrud.

14452. *Ypsolopha alpella* ([Denis & Schiffermüller],1775) (Yponomeutidae) *Tinea alpella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): Vienna district.

14453. *Ypsolopha dentella* (*Fabricius*,1775) (Yponomeutidae) *Alucita dentella* Fabricius,1775, Syst. Ent.: 667. "Sueciae nemoribus".

14454. *Ypsolopha falcella* ([Denis & Schiffermüller],1775) (Yponomeutidae) *Tinea falcella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136. Type(s): Vienna district.

14455. *Ypsolopha kotzschii* (*Toll*,1947) (Yponomeutidae) *Cerostoma kotzschii* Toll,1947, Z. Wien. ent. Ges. 32: 115, Taf.4 fig.25. Type ♂: Iran: Kuh-i-Mirabi Gebirge.

14456. *Ypsolopha lucella* (*Fabricius*,1775) (Yponomeutidae) *Alucita lucella* Fabricius,1775, Syst. Ent.: 667. "Suecia".

14457. *Ypsolopha manniella* (*Staudinger*,1879) (Yponomeutidae) *Cerostoma manniella* Staudinger,1879, Horae Soc. ent. ross. 15: 288-289. Syntypes: [Türkei]: Amasia (Tschirtschirthal).

14458. *Ypsolopha persicella* (*Fabricius*,1787) (Yponomeutidae) *Alucita persicella* Fabricius,1787, Mantissa Insectorum 2: 255. Type: Austria.

- 14459. *Ypsolopha trichonella* (Mann,1861)** (Yponomeutidae) *Plutella trichonella* Mann,1861, Wien. ent. Monatschr. 5: 189-190, Taf. 3 fig.5 Type ♀: [Türkei]: Amasia.
- 14460. *Zelleria Stainton*,1849** (Yponomeutidae) *Zelleria Stainton*,1849, Attempt Syst. Cat. Br. Tineidae Pterophoridae: 22. Type-species: *Zelleria hepariella* Stainton,1849, ibidem: 22, by subsequent designation by, Meyrick,1915, Trans. N.Z. Inst. 47: 227.
- 14461. *Achelura bifasciata* (Hope,1840)** (Zygaenidae) *Chelura bifasciata* Hope,1840, Trans. linn. Soc. 18: 447.
- 14462. *Adscita* (*Procriterna*) *Efetov & Tarmann*,2004** (Zygaenidae) *Procriterna* Efetov & Tarmann,2004, Entomologist's Gaz. 55 (3): 184.
- 14463. *Adscita* (s.str.) *capitalis* (Staudinger,1878)** (Zygaenidae) *Ino capitalis* Staudinger,1878, Horae Soc. ent. ross. 14: 317. Syntypes: [Türkei]: Amasia (Caraman).
- 14464. *Adscita* (s.str.) *obscura* (Zeller,1847)** (Zygaenidae) *Procris obscura* Zeller,1847, Isis 1847: 15. Lectotype ♂: [Greece]: Rhodos, designated by Tarmann & Tremewan,1995 (BMNH).
- 14465. *Adscita* (s.str.) *obscura obscura* (Zeller,1847)** (Zygaenidae) *Procris obscura* Zeller,1847, Isis 1847: 15. Lectotype ♂: [Greece]: Rhodos, designated by Tarmann & Tremewan,1995 (BMNH).
- 14466. *Adscita* (s.str.) *statices* (Linnaeus,1758)** (Zygaenidae) *Sphinx statices* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 495. Type(s): Europa.
- 14467. *Alophogaster tensipennis* (Walker,1862)** (Zygaenidae) *Phauda tensipennis* Walker,1862, J. linn. Soc. Zool. 6: 92.
- 14468. *Amesia aliris* (Doubleday,1847)** (Zygaenidae) *Gynautocera aliris* Doubleday,1847, Ann. Mag. nat. Hist. (1) 19: 74.
- 14469. *Amesia aliris aliris* (Doubleday,1847)** (Zygaenidae) *Gynautocera aliris* Doubleday,1847, Ann. Mag. nat. Hist. (1) 19: 74.
- 14470. *Balataea walkeri hainana* Butler,1876** (Zygaenidae) *Artona hainana* Butler,1876, J. linn. Soc. Lond., Zool. 12: 357. Type: China: Hainan (Swinhoe leg.) (coll.F.Moore).
- 14471. *Balataea walkeri nigrescens* Butler,1876** (Zygaenidae) *Artona nigrescens* Butler,1876, J. linn. Soc. Lond., Zool. 12: 356. Type: [India]: Punjab hills (coll.F.Moore).
- 14472. *Balataea zebraica* (Butler,1876)** (Zygaenidae) *Artona zebraica* Butler,1876, J. linn. Soc. Lond., Zool. 12: 356. Syntypes: N.India: Almorah, Massuri (BMNH).
- 14473. *Balataea zebraica zebraica* (Butler,1876)** (Zygaenidae) *Artona zebraica* Butler,1876, J. linn. Soc. Lond., Zool. 12: 356. Syntypes: N.India: Almorah, Massuri (BMNH).
- 14474. *Chalcosiopsis melli* Alberti,1954** (Zygaenidae) *Chalcosiopsis melli* Alberti,1954, Mitt. zool. Mus. Berl. 30: 199, figs.
- 14475. *Chalcosiopsis quadriplaga* (M.Hering,1922)** (Zygaenidae) *Eumorphiopsis quadriplaga* M.Hering,1922, Arch. Naturg. 88 A (11): 17. Type: Borneo: Kina-Balu.
- 14476. *Chalcosiopsis variata* Swinhoe,1894** (Zygaenidae) *Chalcosiopsis variata* Swinhoe,1894, Ann. Mag. nat. Hist. (6) 14: 442-443, fig. Type(s): India: Assam Khasia (Shillong).
- 14477. *Cicinnocnemis* Holland,1893** (Zygaenidae) *Cicinnocnemis* Holland,1893, J. New York ent. Soc. 1: 181. Type: *Sphinx plumipes* Drury,1782.
- 14478. *Cicinnocnemis plumipes* (Drury,1782)** (Zygaenidae) *Sphinx plumipes* Drury,1782, Illustr. exot. Ins. 3: pl.2 fig.3.
- 14479. *Erasmia pulchella* Hope,1841** (Zygaenidae) *Erasmia pulchella* Hope,1840, Trans. linn. Soc. London 18: 446, pl.31 fig.5.
- 14480. *Erasmia pulchella fritzei* Jordan,1907** (Zygaenidae) *Erasmia pulchella* ssp. *fritzei* Jordan,1907, [in] Seitz,A., Die Gross-Schmett. Erde 10: 24. Type: [Japan]: Okinawa.
- 14481. *Erasmia pulchella hobsoni* Butler,1889** (Zygaenidae) *Erasmia pulchella* ssp. *hobsoni* Butler,1889, Ann. Mag. nat. Hist. (6) 4: 53. Type: Formosa.
- 14482. *Erasmia pulchella pulchella* Hope,1841** (Zygaenidae) *Erasmia pulchella* Hope,1840, Trans. linn. Soc. London 18: 446, pl.31 fig.5.
- 14483. *Eterusia repleta* Walker,1864** (Zygaenidae) *Eterusia repleta* Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 31: 118.
- 14484. *Eterusia sublutea* Walker,1854** (Zygaenidae) *Eterusia sublutea* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 436. Type ♂: [Bangladesh]: Sylhet.
- 14485. *Gyneutocera papilionaris* Guérin-Ménéville,1831** (Zygaenidae) *Gyneutocera papilionaris* Guérin-Ménéville,1831, Mag. Zool. 1830: 12.
- 14486. *Histia flabellicornis cometaris* Butler,1882** (Zygaenidae) *Histia rhodope* ssp. *cometaris* Butler,1882, Ann. Mag. nat. Hist. (5) 10: 374.
- 14487. *Jordanita* (*Rjabovia*) *horni* (Alberti,1937)** (Zygaenidae) *Procris horni* Alberti,1937, Mitt. münch. ent. Ges. 27: 93. Holotype ♂: Armenia (DEIE).
- 14488. *Jordanita* (*Roccia*) *kurdica* (Tarmann,1987)** (Zygaenidae) *Adscita* (*Roccia*) *kurdica* Tarmann,1987, Nachr. ent. Ver. Apollo (N.F.) 8 (1): 1-5, figs. Holotype ♂: Türkei: Prov. Hakkari: Zabtal, 40km N Yüksekova, 1700m, 9.6.1981 leg. K. Warncke (coll. Tarmann, Innsbruck).
- 14489. *Jordanita* (*Roccia*) *naufocki* (Alberti,1937)** (Zygaenidae) *Procris naufocki* Alberti,1937, Mitt. münch. ent. Ges. 27: 88. Syntypes: [China: Uighur A.R.]: "Chin. Turkestan, Juldus Tal, 2500m" (ZMWM).
- 14490. *Jordanita* (*Roccia*) *paupera* (Christoph,1887)** (Zygaenidae) *Ino paupera* Christoph,1887, Stettin ent. Ztg.48: 162. Lectotype ♀: Turkmenisna: Germob, designated by Efetov & Tarmann,1999 (ZIAN).
- 14491. *Jordanita* (s.str.) *chloros* *hades* (Alberti,1970)** (Zygaenidae) *Procris chloros* ssp. *hades* Alberti,1970, Mitt. münch. ent. Ges. 58: 82. Holotype ♂: Graecia: Olympegeb. Mon.Ag. Dionysios, 1000m (leg. Thurner) (ZSM).
- 14492. *Jordanita* (s.str.) *syriaca* (Alberti,1937)** (Zygaenidae) *Procris syriaca* Alberti,1937, Mitt. münch. ent. Ges. 27: 94-96. Syntypes: "Syrien".
- 14493. *Phauda flammans* (Walker,1854)** (Zygaenidae) *Euchromia flammans* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 1: 257, nr.98.
- 14494. *Prosopandrophila mirifica* (Swinhoe,1903)** (Zygaenidae) *Corma mirifica* Swinhoe,1903, Ann. Mag. nat. Hist. (7) 11: 500. Type ♀: [Thailand]: Siam: Muok-Lek.
- 14495. *Rhagades* (s.str.) *pruni* ([Denis & Schiffermüller],1775)** (Zygaenidae) *Sphinx pruni* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 308. Type(s): Vienna district.
- 14496. *Soritia angustipennis* (Röber,1897)** (Zygaenidae) *Heterusia angustipennis* Röber,1897, Ent. Nachr. 23: 6.
- 14497. *Soritia angustipennis gaedei* Hering,1922** (Zygaenidae) *Soritia angustipennis* ssp. *gaedei* Hering,1922, Archiv. f. Naturg. 88 A 11: 56,60 pl.1 fig.15. Type(s): [Indonesia]: Java (Gede Mt.).
- 14498. *Soritia bicolor* (Moore,1884)** (Zygaenidae) *Devanica bicolor* Moore,1884, Trans. ent. Soc. London 1884: 955.
- 14499. *Soritia binotata* (Mell,1922)** (Zygaenidae) *Eterusia binotata* Mell,1922, Dt. ent. Z. 1922: 127. Type(s): China: N. Kuangtung.
- 14500. *Soritia cecilia* Oberthür,1923** (Zygaenidae) *Soritia cecilia* Oberthür,1923, Etud. lepid. comp. 20: 211, fig. Type: China: Sia-lu.
- 14501. *Soritia costimacula Aurivillius*,1894** (Zygaenidae) *Soritia costimacula* Aurivillius,1894, Ent. Tidschr. 15: 169 fig. 1a. Type: [Indonesia]: Java.
- 14502. *Soritia costimacula battakorum* (Dohrn,1906)** (Zygaenidae) *Chalcusia costimacula* ssp. *battakorum* Dohrn,1906, Stettin ent. Ztg. 67: 176-177. Type(s): [Indonesia]: Sumatra, Battak Berge.
- 14503. *Soritia costimacula costimacula* Aurivillius,1894** (Zygaenidae) *Soritia costimacula* Aurivillius,1894, Ent. Tidschr. 15: 169 fig. 1a. Type: [Indonesia]: Java.
- 14504. *Soritia costimacula malaccensis* (Jordan,1907)** (Zygaenidae) *Eterusia costimacula malaccensis* Jordan,1907, [in] Seitz,A., Die Gross-Schmett. Erde 10: 32, pl.6a. Type(s): [Malaysia]: Perak (Guong Ijau).
- 14505. *Soritia elizabetha* (Walker,1854)** (Zygaenidae) *Eterusia elizabetha* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 433, nr.11.
- 14506. *Soritia lata* (Jordan,1907)** (Zygaenidae) *Eterusia bicolor* ssp. *lata* Jordan,1907, [in] Seitz,A. Die Gross-Schmett. Erde 10: 32, pl.6b. Type(s): [Vietnam]: Zentral Tonkin.
- 14507. *Soritia nigribasalis* Hampson,1892** (Zygaenidae) *Soritia nigribasalis* Hampson,1892, Fauna Br. Ind. Moths 1: 253, nr.528. Type: Sikkim.
- 14508. *Trypanophora flavalis* Hampson,1892** (Zygaenidae) *Trypanophora flavalis* Hampson,1892, Fauna Br. India (Moths) 1: 250. Type ♀: [Myanmar]: Birma: Matelai.
- 14509. *Zygaena* (*Agrumenia*) *carniolica* (Scopoli,1763)** (Zygaenidae) *Sphinx carniolica* Scopoli,1763, Entomologia Carniolica: 189. Type(s): [Slovenien]: Carniolia [Krain].
- 14510. *Zygaena* (*Agrumenia*) *carniolica amabilis* Reiss,1921** (Zygaenidae) *Zygaena carniolica* ssp. *amabilis* Reiss,1921, Int. ent. Z. 15: 21.
- 14511. *Zygaena* (*Agrumenia*) *carniolica amasina* Staudinger,1879** (Zygaenidae) *Zygaena carniolica* var. *amasina* Staudinger,1879, Horae Soc. ent. ross. 14: 325-326. Syntypes: [Türkei]: Amasia (Caraman).

- 14512.** *Zygaena (Agrumenia) carniolica ordubadina* Koch, 1936 (Zygaenidae) *Zygaena carniolica* ssp. *ordubadina* Koch, 1936, Ent. Z., Frankf. a. M. 50 (34): 398. Holotype: [Azerbaidzhan]: Nachitschewan: Ordubad.
- 14513.** *Zygaena (Agrumenia) carniolica taurica* Staudinger, 1879 (Zygaenidae) *Zygaena carniolica* var. *taurica* Staudinger, 1879, Horae Soc. ent. ross. 14: 326. Syntypes: [Türkei]: Taurus (leg. Heberhauer).
- 14514.** *Zygaena (Agrumenia) mangeri panjaoica* Reiss & Schulte, 1964 (Zygaenidae) *Zygaena (Agrumenia) mangeri* ssp. *panjaoica* Reiss & Schulte, 1964, Ent. Z., Frankf. a. M. 74 (14): 158-159. Holotype ♂: Afghanistan: Koh-i-Baba, Panjao, 2700-3000m leg. Omoto (ZSM).
- 14515.** *Zygaena (Agrumenia) nuksanensis* Koch, 1937 (Zygaenidae) *Zygaena nuksanensis* Koch, 1937, Ent. Z., Frankf. a. M. 51: 61. Type ♂ (Syntypes 6♂ 10♀): Afghanistan: Hindukusch-Gebiet, Nuksan Pass, 3500-4000m.
- 14516.** *Zygaena (Agrumenia) nuksanensis nuksanensis* Koch, 1937 (Zygaenidae) *Zygaena nuksanensis* Koch, 1937, Ent. Z., Frankf. a. M. 51: 61. Type ♂ (Syntypes 6♂ 10♀): Afghanistan: Hindukusch-Gebiet, Nuksan Pass, 3500-4000m.
- 14517.** *Zygaena (Agrumenia) peschmerga* Eckweiler & Görgner, 1981 (Zygaenidae) *Zygaena (Agrumenia) peschmerga* Eckweiler & Görgner, 1981, Atalanta 12 (2): 139-145, figs. Holotype ♂: SE-Türkei: Prov. Hakkari, Karadağ, 3000-3200m, 22-25.vii.1980, leg. Eckweiler (coll. Reiss).
- 14518.** *Zygaena (Agrumenia) rosinae* Korb, 1903 (Zygaenidae) *Zygaena rosinae* Korb, 1903, Dt. ent. Z., Iris 15: 326. Syntypes: [Türkei]: near Kulp.
- 14519.** *Zygaena (Agrumenia) rosinae brandti* Reiss, 1937 (Zygaenidae) *Zygaena (Coelestis) brandti* Reiss, 1937, Ent. Rdsch. 55: 30-31, fig. a3. Syntypes 2♂ 2♀: [Iran]: Keredj (1800m), Nissa (2700m).
- 14520.** *Zygaena (Agrumenia) rosinae cyrus* Tremewan, 1975 (Zygaenidae) *Zygaena (Agrumenia) brandti* ssp. *cyrus* Tremewan, 1975, Entomologist's Gaz. 26: 229.
- 14521.** *Zygaena (Agrumenia) rosinae nissana* Reiss, 1937 (Zygaenidae) *Zygaena (Coelestis) brandti* [ssp. *brandti*] var. *nissana* Reiss, 1937, Ent. Rdsch. 55: 32. Syntypes: [Iran]: Nissa [unavailable, quadrinomial name!].
- 14522.** *Zygaena (Agrumenia) rosinae rosinae* Korb, 1903 (Zygaenidae) *Zygaena rosinae* Korb, 1903, Dt. ent. Z., Iris 15: 326. Syntypes: [Türkei]: near Kulp.
- 14523.** *Zygaena (Agrumenia) rosinae tuerki* Koçak, 1986 (Zygaenidae) *Zygaena rosinae* ssp. *tuerki* Koçak, 1986, Priamus 4 (1/2): 59 (nomen novum pro *concinna* Holik & Sheljuzhko, 1956 nec Dalm., 1823).
- 14524.** *Zygaena (Agrumenia) sedi* Fabricius, 1787 (Zygaenidae) *Zygaena sedi* Fabricius, 1787, Mant. Ins. 2: 101, nr.4. Type(s): Russia meridionali.
- 14525.** *Zygaena (Agrumenia) sedi expectata* T. Racheli, 1990 (Zygaenidae) *Zygaena (Agrumenia) sedi* ssp. *expectata* T. Racheli, 1990, Fragm. ent. Roma 22 (2): 290-292, figs. Holotype ♂: Turchia: Kras: Sarikamis, 20km SW 2135m, 9-17.vii.1990, T. Racheli leg. (Museo Univ. Roma).
- 14526.** *Zygaena (Agrumenia) sedi kocaki* S. Naumann & C. M. Naumann, 1980 (Zygaenidae) *Zygaena (Agrumenia) sedi* ssp. *kocaki* S. Naumann & C. M. Naumann, 1980, Entomofauna 1 (16): 314-317, Abb. 3-6. Holotype ♂: N-Türkei: Tokat, Çamlıbel 1300m, leg. de Freina (coll. Witt).
- 14527.** *Zygaena (Agrumenia) sedi roxana* S. Naumann & C. M. Naumann, 1980 (Zygaenidae) *Zygaena (Agrumenia) sedi* ssp. *roxana* S. Naumann & C. M. Naumann, 1980, Entomofauna 1 (16): 317-319, Abb. 7-8. Holotype ♂: SE-Türkei (Kurdistan): südl. Van-See-Gebiet: Kuzgunkıran geçidi, 2235m, leg. S. & C. Naumann (coll. Naumann).
- 14528.** *Zygaena (Agrumenia) sedi sedi* Fabricius, 1787 (Zygaenidae) *Zygaena sedi* Fabricius, 1787, Mant. Ins. 2: 101, nr.4. Type(s): Russia meridionali.
- 14529.** *Zygaena (Mesembrynus) araratensis* Reiss, 1935 (Zygaenidae) *Zygaena araratensis* Reiss, 1935, Int. ent. Z. 29: 139. Type: [Türkei]: Kazikoparan.
- 14530.** *Zygaena (Mesembrynus) araratensis lycaonica* Reiss, 1935 (Zygaenidae) *Zygaena araratensis lycaonica* Reiss, 1935, Int. ent. Z. 29: 141, 232, figs. Type: [Türkei]: Bulghar Maden.
- 14531.** *Zygaena (Mesembrynus) corycia* Staudinger, 1878 (Zygaenidae) *Zygaena brizae* var. *corycia* Staudinger, 1878, Horae Soc. ent. ross. 14: 318. Syntypes: [Türkei]: Taurus (Heberhauer leg.).
- 14532.** *Zygaena (Mesembrynus) cuvieri* Boisduval, 1828 (Zygaenidae) *Zygaena cuvieri* Boisduval, 1828, Essai Monogr. Zygénides: 53, pl.3 fig.6. Syntypes: "Environs d'Amaden, Perse".
- 14533.** *Zygaena (Mesembrynus) cuvieri achaltekkensis* Koch, 1937 (Zygaenidae) *Zygaena cuvieri* [ssp. *cuvieri*] var. *achaltekkensis* Koch, 1937, Ent. Z., Frankf. a. M. 51 (3): 38. Holotype ♂: [Turkmenistan]: Jablonowka, Achal-Tekke (coll. Koch) (unavailable, quadrinomial name!).
- 14534.** *Zygaena (Mesembrynus) cuvieri cuvieri* Boisduval, 1828 (Zygaenidae) *Zygaena cuvieri* Boisduval, 1828, Essai Monogr. Zygénides: 53, pl.3 fig.6. Syntypes: "Environs d'Amaden, Perse".
- 14535.** *Zygaena (Mesembrynus) haematina kordestani* Reiss, 1981 (Zygaenidae) *Zygaena haematina* ssp. *kordestani* Reiss, 1981, Atalanta 12 (5): 377-382, figs. 25-29. Holotype ♂: Türkiye: Van, Van / Çatak, 2000m, 10.vii.1978, leg. G. Betti (coll. Reiss).
- 14536.** *Zygaena (Mesembrynus) lydia osmanica* Wiegel, 1984 (Zygaenidae) *Zygaena (Mesembrynus) lydia* ssp. *osmanica* Wiegel, 1984, Entomofauna 5 (5): 55-57, figs. Holotype ♂: NE-Türkei: Prov. Kars: vic. Sarıkamış, 2000-2300m 25.6.1980, leg. Sailer (coll. Wiegel).
- 14537.** *Zygaena (Mesembrynus) manlia* Lederer, 1870 (Zygaenidae) *Zygaena manlia* Lederer, 1870, Horae Soc. ent. ross. 6: 87, pl.5 fig.7.
- 14538.** *Zygaena (Mesembrynus) manlia manlia* Lederer, 1870 (Zygaenidae) *Zygaena manlia* Lederer, 1870, Horae Soc. ent. ross. 6: 87, pl.5 fig.7.
- 14539.** *Zygaena (Mesembrynus) manlia pjotri* Hofmann, 1983 (Zygaenidae) *Zygaena (Mesembrynus) manlia* ssp. *pjotri* Hofmann, 1983, Ent. Z., Frankf. a. M. 93 (9): 115-118, figs. Holotype ♂: Türkiye: Hakkari vic., 2000m (coll. A. Hofmann).
- 14540.** *Zygaena (Mesembrynus) minos* ([Denis & Schiffermüller], 1775) (Zygaenidae) *Sphinx minos* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 45. Type(s): Vienna district.
- 14541.** *Zygaena (Mesembrynus) punctum anatoliensis* Reiss, 1929 (Zygaenidae) *Zygaena punctum* ssp. *anatoliensis* Reiss, 1929, Int. ent. Z. 23: 148. Type ♂: [Türkei]: [Konya Pr.]: Ak-Schehir, 1000-1500m.
- 14542.** *Zygaena (Mesembrynus) punctum malatina* Dziurzynski, 1902 (Zygaenidae) *Zygaena punctum* malatina Dziurzynski, 1902, Dt. ent. Z., Iris 15: 337. Syntypes: [Türkei]: Malatia.
- 14543.** *Zygaena (Mesembrynus) punctum vanica* Reiss & Reiss, 1973 (Zygaenidae) *Zygaena (Mesembrynus) punctum* ssp. *vanica* Reiss & Reiss, 1973, Entomologist's Rec. J. Var. 85: 191-192, Pl.14 figs. 3,4. Holotype ♂: Turkey: Bitlis: Lake Van, Tatvan, 1700m 6.6.1970 leg. Schubert (coll. Reiss).
- 14544.** *Zygaena (Mesembrynus) purpuralis agridaghi* Holik, 1941 (Zygaenidae) *Zygaena purpuralis* var. *agridaghi* Holik, 1941, Mitt. münch. ent. Ges. 31: 778. Syntypes 5♂ 4♀: Agri-Dagh, 2500-3000m.
- 14545.** *Zygaena (Mesembrynus) purpuralis sultanbeki* Holik, 1941 (Zygaenidae) *Zygaena purpuralis* var. *sultanbeki* Holik, 1941, Mitt. münch. ent. Ges. 31: 778-779. Syntypes 4♂ 1♀: Armenien: Sultanbek.
- 14546.** *Zygaena (Mesembrynus) rubricollis Hampson, 1900* (Zygaenidae) *Zygaena rubricollis* Hampson, 1900, J. Bombay nat. Hist. Soc. 13: 224, pl.B fig.9.
- 14547.** *Zygaena (Mesembrynus) rubricollis araxis* Koch, 1936 (Zygaenidae) *Zygaena manlia* ssp. *araxis* Koch, 1936, Dt. ent. Z., Iris 50: 41. Type ♂: [Azerbaidjan]: Ordubad.
- 14548.** *Zygaena (Mesembrynus) rubricollis daralagezica* Holik & Sheljuzhko, 1955 (Zygaenidae) *Zygaena manlia* ssp. *daralagezica* Holik & Sheljuzhko, 1955, Mitt. münch. ent. Ges. 45: 53. Holotype ♂: [Armenia]: Daralagez-Gebirge.
- 14549.** *Zygaena (Mesembrynus) rubricollis escaleraiana* Holik, 1958 (Zygaenidae) *Zygaena (Coelestis) seitzi* ssp. *escaleraiana* Holik, 1958, Ent. Z., Frankf. a. M. 68: 17.
- 14550.** *Zygaena (Mesembrynus) rubricollis kurdi* Görgner & Hofmann, 1982 (Zygaenidae) *Zygaena (Mesembrynus) araxis* ssp. *kurdi* Görgner & Hofmann, 1982, Entomofauna 3 (4): 45, figs. Holotype ♂: Türkei: Van, 10km südl., [Kurubaş Geçidi], 1900-2100m.
- 14551.** *Zygaena (Mesembrynus) rubricollis rubricollis* Hampson, 1900 (Zygaenidae) *Zygaena rubricollis* Hampson, 1900, J. Bombay nat. Hist. Soc. 13: 224, pl.B fig.9.
- 14552.** *Zygaena (Mesembrynus) rubricollis taftanica* Reiss, 1960 (Zygaenidae) *Zygaena manlia* ssp. *taftanica* Reiss, 1960, Ent. Z., Frankf. a. M. 70 (7): 78-79, 2 Abb. Holotype ♂: Iran: Beluchistan: Kouh-i Taftan [pyrophil!].

- 14553. *Zygaena (Mesembrynus) seitzi nocturna* Ebert, 1974** (Zygaenidae) *Zygaena nocturna* Ebert, 1974, Beitr. naturk. Forsch. Südwdtl. 33: 164, figs. 2-6. Holotype ♂: Iran: Fars, 50km NW. Ardakan [Sepidan], 2250m.
- 14554. *Zygaena (Mesembrynus) speciosa* Reiss, 1937** (Zygaenidae) *Zygaena speciosa* Reiss, 1937, Ent. Rdsch. 54: 466, Abb. Syntypes 16♂ 6♀: Iran: nördl. Elburs: Hecarcaltal, 2800-3200m.
- 14555. *Zygaena (Mesembrynus) tamara placida* Bang-Haas, 1913** (Zygaenidae) *Zygaena tamara* ssp. *placida* Bang-Haas, 1913, Dt. ent. Z., Iris 27: 108. Type ♂: [Türkei]: Wan-See Gebiet.
- 14556. *Zygaena (s.str.) dorycnii keredjensis* Reiss, 1937** (Zygaenidae) *Zygaena (Polymorpha) dorycnii* ssp. *keredjensis* Reiss, 1937, Ent. Rdsch. 55 (3): 40-41, fig. Syntypes 2♂: [Iran]: Nordpersien: Tacht i Suleiman, Hasankif 700-1000m.
- 14557. *Zygaena (s.str.) ecki schwingenschussi* Reiss, 1937** (Zygaenidae) *Zygaena ecki* ssp. *schwingenschussi* Reiss, 1937, Ent. Rdsch. 54: 454. Syntypes: Iran: nördl. Elburs, Demawend, 3200-3700m.
- 14558. *Zygaena (s.str.) ephialtes* (Linnaeus, 1767)** (Zygaenidae) *Sphinx ephialtes* Linnaeus, 1767, Syst. Nat. (ed. 12) 1(2): 806.
- 14559. *Zygaena (s.str.) ephialtes coronillae* ([Denis & Schiffermüller], 1775)** (Zygaenidae) *Sphinx coronillae* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 45. Type(s): Vienna district.
- 14560. *Zygaena (s.str.) filipendulae* (Linnaeus, 1758)** (Zygaenidae) *Sphinx filipendulae* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 494.
- 14561. *Zygaena (s.str.) filipendulae schuberti* Reiss & Reiss, 1973** (Zygaenidae) *Zygaena (s.str.) filipendulae* ssp. *schuberti* Reiss & Reiss, 1973, Entomologist's Rec. J. Var. 85: 195, Pl. 15 figs. 12-15. Holotype ♂: Turkey: Bitlis: Lake Van, Tatvan, 1700m 6.1970 leg. Schubert (coll. Reiss).
- 14562. *Zygaena (s.str.) loti* ([Denis & Schiffermüller], 1775)** (Zygaenidae) *Sphinx loti* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 45. Type(s): Vienna district.
- 14563. *Zygaena (s.str.) loti antiochena* Staudinger, 1887** (Zygaenidae) *Zygaena loti* var. *antiochena* Staudinger, 1887, Berl. ent. Z. 31: 34, 35. Syntypes: [Türkei]: Kleinasien: Antiochia.
- 14564. *Zygaena (s.str.) loti suleimanica* Reiss, 1937** (Zygaenidae) *Zygaena achilleae* ssp. *suleimanica* Reiss, 1937, Ent. Rdsch. 54: 453. Syntypes 5♂ 1♀: Iran: nördl. Elburs, Tacht-i Suleiman, Hasankif, 1000m.
- 14565. *Zygaena (s.str.) loti tatvanensis* H. Reiss & G. Reiss, 1973** (Zygaenidae) *Zygaena (s.str.) loti tatvanensis* H. Reiss & G. Reiss, 1973, Entomologist's Rec. J. Var. 85: 193-194, Pl. 15 figs. 10, 11. Holotype ♂: Turkey: Bitlis: Lake Van, Tatvan, 1700m 6.1971 leg. Schubert (coll. Reiss).
- 14566. *Zygaena (s.str.) osterodensis bitlisica* Reiss, 1976** (Zygaenidae) *Zygaena (s.str.) osterodensis* ssp. *bitlisica* Reiss, 1976, Entomologist's Gaz. 27: 31, pl. 2 figs. 3-4. Holotype ♂: Asia minor or.: Distrkt Bitlis, Van-See, Tatvan, 53km O., 1900m, 20-21.6.1974 leg. D. Bernhauer.
- 14567. *Zygaena (s.str.) ramburii* Herrich-Schäffer, 1861** (Zygaenidae) *Zygaena ramburii* Herrich-Schäffer, 1861, Neue Schmett. 3: 32, figs. 161-162. Syntypes: [Türkei]: "Antiochia, Mersin".
- 14568. *Zygaena (s.str.) ramburii mersina* Herrich-Schäffer, 1861** (Zygaenidae) *Zygaena mersina* Herrich-Schäffer, 1861, Neue Schmett. 3: 32, fig. 163. Type(s): [Türkei]: "Mersin".
- 14569. *Zygaena (s.str.) ramburii ramburii* Herrich-Schäffer, 1861** (Zygaenidae) *Zygaena ramburii* Herrich-Schäffer, 1861, Neue Schmett. 3: 32, figs. 161-162. Syntypes: [Türkei]: "Antiochia, Mersin".
- 14570. *Zygaena (s.str.) viciae* ([Denis & Schiffermüller], 1775)** (Zygaenidae) *Sphinx viciae* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 45. Type(s): Vienna district.
- 14571. *Zygaenoprocris (Molletia) persepolis* (Alberti, 1938)** (Zygaenidae) *Procris persepolis* Alberti, 1938, Ent. Rdsch. 55: 399. Holotype ♂: Iran: Fars: Str. Chiraz-Kazeroun, Fort Sine Sefid, 2000m, coll. Brandt.
- 14572. *Zygaenoprocris (Molletia) taftana* (Alberti, 1939)** (Zygaenidae) *Procris taftana* Alberti, 1939, Ent. Rdsch. 56: 4. Holotype ♂: Iran: Balutschistan: Kouh-i-Taftan (Khach), 2500m.

Chapter 6

Results of the Researches on the animal - plant interaction: Food-Plants of the Lepidoptera (FL)

by

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Chapter 6: Results of the researches on the animal-plant interaction: Food-plants of the Lepidoptera (FL), [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World-I. *Cent. ent. Stud., Memoirs* 3-4: 1589-1644, Pls. 21-35.

In this study, foodplants of the larva of the Lepidoptera based upon the Databank of the Cesa are listed alphabetically according to the Lepidopteran families and species. Information hitherto recorded for 4211 Lepidopteran species are given. Illustrations based upon the archives of the Cesa are obtained by the second author during the expeditions mainly to North Thailand in abroad, and various provinces of Turkey.

List of the Larval Food-plants of the Lepidoptera according to the Lepidopteran Species

1. *Acraea* (Actinote) *acerata* Hewitson, 1874 (Acraeidae) larva on Vernonia (Asteraceae), Ipomoea, Lepistemon, Merremia (Convolvulaceae), Passiflora (Passifloraceae), Zea (Poaceae), Solanum (Solanaceae) (Ackery et al., 1995).
2. *Acraea* (Actinote) *alciope* Hewitson, 1852 (Acraeidae) larva on Macaranga (Euphorbiaceae), Fleurya, Musanga (Urticaceae) (Ackery et al., 1995).
3. *Acraea* (Actinote) *alciopoides* Joicey & Talbot, 1921 (Acraeidae) larva on Urera (Urticaceae) (Ackery et al., 1995).
4. *Acraea* (Actinote) *amicitiae* Heron, 1909 (Acraeidae) larva on Urera (Urticaceae) (Ackery et al., 1995).
5. *Acraea* (Actinote) *anacreon* Trimen, 1868 (Acraeidae) larva on Aeschynomene, Cassia (Fabaceae); Adenia, Modecca (Passifloraceae); Alchemilla (Rosaceae), Woemskioldia (Turneraceae) (Ackery et al., 1995).
6. *Acraea* (Actinote) *ansorgei* Grose-Smith, 1898 (Acraeidae) larva on Urera (Urticaceae) (Ackery et al., 1995).
7. *Acraea* (Actinote) *cabira* Hopffer, 1855 (Acraeidae) larva on Triumfetta tomentosa (Tiliaceae), Hermannia sp. (Sterculiaceae) (Pringle et al., 1994).
8. *Acraea* (Actinote) *disjuncta* Grose-Smith, 1898 (Acraeidae) larva on Urera (Urticaceae) (Ackery et al., 1995).
9. *Acraea* (Actinote) *encedana* Pierre, 1976 (Acraeidae) larva on Desmodium (Fabaceae) (Ackery et al., 1995).
10. *Acraea* (Actinote) *encoda* Pierre, 1981 (Acraeidae) larva on Commelina (Commelinaceae) (Ackery et al., 1995).
11. *Acraea* (Actinote) *epoina* (Cramer, [1780]) (Acraeidae) larva on Dombeya, Melonchia, Waltheria, Hermannia (Sterculiaceae), Triumfetta rhomboidea, T. annua, T. pilosa (Tiliaceae); Cephaloma (Lamiaceae); Hibiscus, Sida (Malvaceae); Nicotiana (Solanaceae) (Pringle et al., 1994; Ackery et al., 1995).
12. *Acraea* (Actinote) *esebria* Hewitson, 1861 (Acraeidae) larva on Boehmeria, Fleurya, Pouzolzia, Urera (Urticaceae) (Ackery et al., 1995).
13. *Acraea* (Actinote) *excelsior* Sharpe, 1891 (Acraeidae) larva on Triumfetta (Tiliaceae) (Ackery et al., 1995).
14. *Acraea* (Actinote) *induna* (Trimen, 1895) (Acraeidae) larva on Aeschynomene nodulosa (Fabaceae) (Pringle et al., 1994).
15. *Acraea* (Actinote) *lycoa* Godart, [1819] (Acraeidae) larva on Fleurya, Pouzolzia (Urticaceae) (Ackery et al., 1995).
16. *Acraea* (Actinote) *melanoantha* Sharpe, 1891 (Acraeidae) larva on Adenia (Passifloraceae) (Ackery et al., 1995).
17. *Acraea* (Actinote) *necoda* Hewitson, 1861 (Acraeidae) larva on Carduus (Asteraceae); Malva (Malvaceae); Urtica (Urticaceae) (Ackery et al., 1995).
18. *Acraea* (Actinote) *obeira* Hewitson, 1863 (Acraeidae) larva on Laportea peduncularis, Obetia tenax, Pouzolzia mixta (Urticaceae) (Pringle et al., 1994).
19. *Acraea* (Actinote) *oberthueri* Butler, 1895 (Acraeidae) larva on Ancistocarpus (Tiliaceae) (Ackery et al., 1995).
20. *Acraea* (Actinote) *oreas* Sharpe, 1891 (Acraeidae) larva on Morus (Moraceae); Urera (Urticaceae) (Ackery et al., 1995).
21. *Acraea* (Actinote) *orestia* Hewitson, 1874 (Acraeidae) larva on Fleurya (Urticaceae) (Ackery et al., 1995).
22. *Acraea* (Actinote) *parrhasia* (Fabricius, 1793) (Acraeidae) larva on Urera (Urticaceae) (Ackery et al., 1995).
23. *Acraea* (Actinote) *penelope* Ward, 1871 (Acraeidae) larva on Urera (Urticaceae) (Ackery et al., 1995).
24. *Acraea* (Actinote) *penelope* Staudinger, 1896 (Acraeidae) larva on Urera (Urticaceae) (Ackery et al., 1995).
25. *Acraea* (Actinote) *pentapolis* Ward, 1871 (Acraeidae) larva on Boehmeria, Musanga, Myrianthus (Urticaceae) (Ackery et al., 1995).
26. *Acraea* (Actinote) *perenna* Doubleday, [1847] (Acraeidae) larva on Bridelia (Euphorbiaceae); Olobopetalum (Menispermaceae); Adenia (Passifloraceae) (Ackery et al., 1995).
27. *Acraea* (Actinote) *quirinalis* Grose-Smith, 1900 (Acraeidae) larva on Urera (Urticaceae) (Ackery et al., 1995).
28. *Acraea* (Actinote) *rahira* Boisduval, 1833 (Acraeidae) larva on Erigeron (Asteraceae); Polygonum (Polygonaceae) (Ackery et al., 1995).
29. *Acraea* (Actinote) *rangatana* Eltringham, 1912 (Acraeidae) larva on Nesaea, Rotala (Lythraceae); Alchemilla (Rosaceae) (Ackery et al., 1995).
30. *Acraea* (Actinote) *sotikensis* Sharpe, 1892 (Acraeidae) larva on Triumfetta (Tiliaceae) (Ackery et al., 1995).
31. *Acraea* (Actinote) *ventura* Hewitson, 1877 (Acraeidae) larva on Cassia (Fabaceae) (Ackery et al., 1995).
32. *Acraea* (Actinote) *vesperalis* Grose-Smith, 1890 (Acraeidae) larva on Musanga, Myrianthus (Urticaceae) (Ackery et al., 1995).
33. *Acraea* (s.str.) *abdera* Hewitson, 1852 (Acraeidae) larva on Caloncoba (Flacourtiaceae) (Ackery et al., 1995).
34. *Acraea* (s.str.) *admatha* Hewitson, 1865 (Acraeidae) larva on Rinorea (Violaceae) (Ackery et al., 1995).
35. *Acraea* (s.str.) *aganice* Hewitson, 1852 (Acraeidae) larva on Adenia, Ophiocaulum, Passiflora, Tryphostemma (Passifloraceae) (Ackery et al., 1995).
36. *Acraea* (s.str.) *aglaonice* Westwood, 1881 (Acraeidae) larva on Passiflora (Passifloraceae) (Ackery et al., 1995).
37. *Acraea* (s.str.) *alcinoe* C.Felder & R.Felder, [1865] (Acraeidae) larva on Adenia (Passifloraceae) (Ackery et al., 1995).
38. *Acraea* (s.str.) *anemosa* Hewitson, 1865 (Acraeidae) larva on Modecca (Passifloraceae), Vitis (Vitaceae) (Ackery et al., 1995).
39. *Acraea* (s.str.) *asboloplintha* Karsch, 1894 (Acraeidae) larva on Adenia, Passiflora, Tryphostemma (Passifloraceae) (Ackery et al., 1995).
40. *Acraea* (s.str.) *asema* Hewitson, 1877 (Acraeidae) larva on Wormskioldia (Turneraceae) (Ackery et al., 1995).
41. *Acraea* (s.str.) *atergatis* Westwood, 1881 (Acraeidae) larva on Paropsia (Flacourtiaceae) (Ackery et al., 1995).
42. *Acraea* (s.str.) *caecilia* Fabricius, 1781 (Acraeidae) larva on Adenia (Passifloraceae) (Ackery et al., 1995).
43. *Acraea* (s.str.) *caldarena* Hewitson, 1877 (Acraeidae) larva on Adenia (Passifloraceae); Wormskioldia (Turneraceae) (Ackery et al., 1995).
44. *Acraea* (s.str.) *camaena* (Drury, [1773]) (Acraeidae) larva on Smeathmannia (Flacourtiaceae); Premna (Verbenaceae) (Ackery et al., 1995).
45. *Acraea* (s.str.) *cerasa* Hewitson, 1861 (Acraeidae) larva on Rawsonia (Flacourtiaceae); Rinorea (Violaceae) (Ackery et al., 1995).
46. *Acraea* (s.str.) *doubledayi* Guérin-Ménéville, 1849 (Acraeidae) larva on Adenia (Passifloraceae); Wormskioldia (Turneraceae) (Ackery et al., 1995).
47. *Acraea* (s.str.) *egina* (Cramer, [1775]) (Acraeidae) larva on Adenia (Passifloraceae); Rawsonia (Flacourtiaceae) (Ackery et al., 1995).
48. *Acraea* (s.str.) *endoscota* Le Dux, 1928 (Acraeidae) larva on Rinorea (Violaceae) (Ackery et al., 1995).
49. *Acraea* (s.str.) *epaea* (Cramer, [1779]) (Acraeidae) larva on Adenia (Passifloraceae) (Ackery et al., 1995).
50. *Acraea* (s.str.) *equatorialis* Neave, 1904 (Acraeidae) larva on Passiflora (Passifloraceae); Malva (Malvaceae) (Ackery et al., 1995).
51. *Acraea* (s.str.) *horta* (Linnaeus, 1764) (Acraeidae) larva on Kiggelaria africana (Flacourtiaceae), Passiflora coerulea, P. mollissima, P. manicata, Tacsonia magnifica (Passifloraceae) (Pringle et al., 1994).
52. *Acraea* (s.str.) *igati* Boisduval, 1833 (Acraeidae) larva on Adenia (Passifloraceae) (Ackery et al., 1995).
53. *Acraea* (s.str.) *insignis* Distant, 1880 (Acraeidae) larva on Gossypium (Malvaceae), Adenia (Passifloraceae), Thea (Theaceae), Vitis (Vitaceae) (Ackery et al., 1995).
54. *Acraea* (s.str.) *leucographa* Ribbe, 1889 (Acraeidae) larva on Rinorea (Violaceae) (Ackery et al., 1995).
55. *Acraea* (s.str.) *macaria* (Fabricius, 1793) (Acraeidae) larva on Adenia (Passifloraceae) (Ackery et al., 1995).
56. *Acraea* (s.str.) *miranda* Riley, 1920 (Acraeidae) larva on Loewia (Turneraceae) (Ackery et al., 1995).
57. *Acraea* (s.str.) *neobule* Doubleday, [1847] (Acraeidae) larva on Passiflora edulis, P. incarnata, Adenia gummiifera (Passifloraceae) (Pringle et al., 1994).
58. *Acraea* (s.str.) *nohara* Boisduval, 1847 (Acraeidae) larva on Tryphostemma (Passifloraceae), Wormskioldia (Turneraceae) (Ackery et al., 1995).
59. *Acraea* (s.str.) *oncaea* Hopffer, 1855 (Acraeidae) larva on Oncoba (Flacourtiaceae), Adenia, Modecca (Passifloraceae), Wormskioldia (Turneraceae), Vitis (Vitaceae) (Ackery et al., 1995).
60. *Acraea* (s.str.) *petraea* Boisduval, 1847 (Acraeidae) larva on Xylotheca (Flacourtiaceae) (Ackery et al., 1995).
61. *Acraea* (s.str.) *pseudegina* Westwood, [1852] (Acraeidae) larva on Passiflora (Passifloraceae), Cephaloma (Lamiaceae) (Ackery et al., 1995).
62. *Acraea* (s.str.) *pudorina* Staudinger, 1885 (Acraeidae) larva on Adenia (Passifloraceae) (Ackery et al., 1995).
63. *Acraea* (s.str.) *quadricolor* (Rogenhofer, 1891) (Acraeidae) larva on Adenia, Tryphostemma (Passifloraceae) (Ackery et al., 1995).
64. *Acraea* (s.str.) *rabbaia* Ward, 1873 (Acraeidae) larva on Adenia, Tryphostemma (Passifloraceae) (Ackery et al., 1995).
65. *Acraea* (s.str.) *ranavalona* Boisduval, 1833 (Acraeidae) larva on Passiflora (Passifloraceae) (Ackery et al., 1995).
66. *Acraea* (s.str.) *sykesi* Sharpe, 1902 (Acraeidae) larva on Adenia (Passifloraceae) (Ackery et al., 1995).
67. *Acraea* (s.str.) *tellus* (Aurivillius, 1893) (Acraeidae) larva on Adenia (Passifloraceae), Vitis (Vitaceae) (Ackery et al., 1995).
68. *Acraea* (s.str.) *terpsicore* (Linnaeus, 1758) (Acraeidae) larva on leaf of Passiflora foetida [ka thok rok] (Passifloraceae) (Lewvanich, 2001).
69. *Acraea* (s.str.) *violarum* Boisduval, 1847 (Acraeidae) larva on Tryphostemma (Passifloraceae) (Ackery et al., 1995).
70. *Acraea* (s.str.) *zetes* (Linnaeus, 1758) (Acraeidae) larva on Tryphostemma, Adenia, Passiflora, Barleria, Tacsonia (Passifloraceae); Hydnocarpus, Smeathmannia (Flacourtiaceae) (Ackery et al., 1995).
71. *Pardopsis punctatissima* (Boisduval, 1833) (Acraeidae) larva on Hybanthus (Violaceae); Tiliaceae (Ackery et al., 1995).
72. *Adela albicinctella* Mann, 1852 (Adelidae) larva on Salix (Weber, 1945).
73. *Adela associatella* (Zeller, 1839) (Adelidae) larva on Abies alba (Schütze, 1931).

74. **Adela cuprella** ([Denis & Schiffermüller],1775) (Adelidae) larva on Salix (Salicaceae) (Zeller,1853).
75. **Adela homalella** (Staudinger,1859) (Adelidae) larva on Erysimum canescens (ex Preissecker).
76. **Adela paludicolella** (Zeller,1850) (Adelidae) larva on Erica (Zeller,1850).
77. **Adela pantherella** (Guenée,1848) (Adelidae) larva probably on Cytisus spinosus (Küppers,1980).
78. **Adela reaumurella** (Linnaeus,1758) (Adelidae) larva on Fagus, Quercus (Fagaceae).
79. **Adela repetitella** Mann,1861 (Adelidae) larva probably on Spartium (Küppers,1980).
80. **Adela violella** ([Denis & Schiffermüller],1775) (Adelidae) larva on Hypericum (Zeller,1853).
81. **Cauchas chrysotereella** Küppers,1980 (Adelidae) larva on probably Arabis hirsuta (Küppers,1980).
82. **Cauchas fibulella** ([Denis & Schiffermüller],1775) (Adelidae) larva on Veronica chamaedrys, V. officinalis (Schütze,1931).
83. **Cauchas ruffifrontella** (Treitschke,1833) (Adelidae) larva on Cardamine pratensis, Sisymbrium alliaria, Linaria (Schütze,1931).
84. **Cauchas rufimitrella** (Scopoli,1763) (Adelidae) larva on Cardamine pratensis, Alliaria petiolata (Chapman,1891; Jacobs,1949).
85. **Nemophora chrysochraon** (Razowski,1978) (Adelidae) larva on Scabiosa, Succisa (Dipsacaceae) (Razowski,1978).
86. **Nemophora degeerella** (Linnaeus,1758) (Adelidae) larva on Anemone nemorosa, Alsine media, Rumex, Vaccinium neptillus (Frey,1856; Hering,1935).
87. **Nemophora metallica** (Poda,1761) (Adelidae) larva on Scabiosa (Dipsacaceae) (Scopoli,1763).
88. **Nemophora raddella** (Hübner,1793) (Adelidae) larva on Pyrethrum inodorum, Dipsacus (Zeller,1853).
89. **Asota caricae** (Fabricius,1775) (Aganidae) larva on Lansium domesticum (Meliaceae), Psidium guajava (Myrtaceae), Lycopersicon esculentum [tomato] (Solanaceae), Ficus racemosa, F. hispida, Broussonetia (Moraceae), Mesua (Dipterocarpaceae), Tectona (Verbenaceae) (Holloway,1988; Kuroko, Lewvanich,1993; Lewvanich,2001).
90. **Asota heliconia** (Linnaeus,1758) (Aganidae) larva on Averrhoa (Averrhoaceae) (Holloway,1988).
91. **Asota plana** Walker,1854 (Aganidae) larva on Ficus (Moraceae) (Holloway,1988).
92. **Neochera inops** (Walker,1854) (Aganidae) larva on weed (Lewvanich,2001).
93. **Blastodacna atra** (Haworth,1828) (Agonoxenidae) larva on Malus (Rosaceae) (Miles,1930).
94. **Blastodacna hellerella** (Duponchel,1838) (Agonoxenidae) larva on Crataegus monogyna, C. laevigata, Prunus spinosa, P. domestica, Malus (Rosaceae) (Riedl,1969).
95. **Blastodacna libanotica** Diakonoff,1939 (Agonoxenidae) larva on Pyrus (Rosaceae) (Talhouk,1948).
96. **Blastodacna violentella** (Herrich-Schäffer,1854) (Agonoxenidae) larva on Malus, Crataegus monogyna (Riedl,1969).
97. **Chrysoclista lathamella** (Fletcher,1936) (Agonoxenidae) larva on Salix alba, S. caprea, S. fragilis, S. cinerea (Salicaceae) (Koster & Sinev,2003).
98. **Chrysoclista lathamella** T.B.Fletcher,1936 (Agonoxenidae) larva on Salix alba (Riedl,1969).
99. **Chrysoclista linneella** (Clerck,1759) (Agonoxenidae) larva on Tilia cordata, T. europaea (Tiliaceae), Fagus (Fagaceae), Malus (Rosaceae) (Sorhagen,1885; Riedl,1969, et seq.).
100. **Chrysoclista splendida** Karsholt,1997 (Agonoxenidae) larva on Salix alba, S. purpurea (Salicaceae) (Kasy,1954).
101. **Dystebenna stephensi** (Stainton,1849) (Agonoxenidae) larva on Quercus, Castanea (Fagaceae) (Emmet & Johnson,1979).
102. **Haplochrois theae** (Kuznetsov,1916) (Agonoxenidae) larva on Thea sinensis, Camellia japonica (Theaceae) (Demodikov,1916, et seq.).
103. **Heinemannia festivella** ([Denis & Schiffermüller],1775) (Agonoxenidae) larva on Solidago virgaurea (Riedl,1969).
104. **Heinemannia laspeyrella** (Hübner,1796) (Agonoxenidae) larva on Lathyrus pisiformis, orobus vernus, Trifolium (Fabaceae) (Sinev,1986).
105. **Spuleria flavicaput** (Haworth,1828) (Agonoxenidae) larva on Crataegus monogyna, C. oxyacantha (Riedl,1969).
106. **Alucita hexadactyla** Linnaeus,1758 (Alucitidae) larva on Phlomis blossom (Staudinger,1880).
107. **Aloa lactinea** (Cramer,1777) (Arctiidae) larva on Tectona grandis (Verbenaceae).
108. **Apaidia mesogona** (Godart,1824) (Arctiidae) larva on Phillyrea angustifolia (Meyer,1919).
109. **Arctia caja** (Linnaeus,1758) (Arctiidae) larva on Digitalis, Lactuca, Plantago, Sarothamnus scoparius (Meyer,1919).
110. **Arctia flava** (Fuessly,1779) (Arctiidae) larva on Cotonaster (Meyer,1919).
111. **Argina argus** (Kollar,1844) (Arctiidae) larva on Crotalaria juncea [sann hemp] (Fabaceae) (Lewvanich,2001).
112. **Argina aestra** (Drury,1773) (Arctiidae) larva on Crotalaria juncea [sann hemp], Crotalaria albida [hing hai] (Fabaceae), Ipomoea batatas [sweet potato] (Convolvulaceae) (Lewvanich,2001).
113. **Axiopoena maura** (Eichwald,1830) (Arctiidae) larva on Centaurea (Romanoff,1884); Artemisia (Christoph,1885).
114. **Callimorpha dominula** (Linnaeus,1758) (Arctiidae) larva on Cirsium, Cynoglossum, Fraxinus, Lamium, Lonicera, Myosotis, Populus tremula, Rubus idaeus, Salix (Meyer,1919).
115. **Chelis maculosa** (Gerning,1780) (Arctiidae) larva on Galium aparine, G. verum (Meyer,1919).
116. **Cretonotos transiens** (Walker,1855) (Arctiidae) larva on Zea mays [corn], Axonopus compressus [carpet grass], Eragrostis capensis [ya kon hep] (Poaceae), Vigna unguiculata [cow pea] (Fabaceae), Cucurbita moschata [pumpkin] (Cucurbitaceae), Garcinia schomburgkiana (Guttiferae) [madan] (Lewvanich,2001).
117. **Cyana coccinea** (Moore,1878) (Arctiidae) larva on Dimocarpus longan [longan] (Sapindaceae), Citrus maxima [pomelo] (Rutaceae), Tectona grandis (Verbenaceae) (Lewvanich,2001; et seq.).
118. **Cynia sordida** (Hübner,1803) (Arctiidae) larva on Galeopsis, Leontodon taraxacum (Meyer,1919).
119. **Diacrisia sannio** (Linnaeus,1758) (Arctiidae) larva on Leontodon taraxacum, Plantago (Meyer,1919).
120. **Epatolmis caesarea** (Goeze,1781) (Arctiidae) larva on Atriplex, Chenopodium, Cynoglossum, Euphorbia, Euphrasia, Galium, Hieracium, Myosotis, Plantago lanceolata, Rubus, Stellaria, Veronica (Meyer,1919; De Freina & Witt,1987).
121. **Epicalia villica** (Linnaeus,1758) (Arctiidae) larva on Achillea, Fragaria, Lamium, Stellaria, Urtica (Meyer,1919).
122. **Eucharia festiva** (Hufnagel,1766) (Arctiidae) larva on Achillea, Alyssum, Artemisia, Chenopodium, Euphorbia cyparissias, Rubus chamaedorus (Meyer,1919).
123. **Euplagia quadripunctaria** (Poda,1761) (Arctiidae) larva on Epilobium, Fagus, Fraxinus, Plantago, Quercus, Ribes grossularia, Rubus, Sarothamnus scoparius (Meyer,1919).
124. **Grammia (s.str.) quenseli** (Paykull,1793) (Arctiidae) larva on Geum, Lathyrus pratensis (Meyer,1919).
125. **Hemonia rotundata** (Snellen,1879) (Arctiidae) larva on Acacia mangium (Fabaceae) (Piepers & Snellen,1904).
126. **Holoarctia cervini** (Fallou,1864) (Arctiidae) larva on Androsace, Primula farinosa, Saxifraga, Silene (Meyer,1919).
127. **Hyphantria cunea** (Drury,1773) (Arctiidae) larva on Prunus, Malus, Pyrus (Rosaceae), Alnus (Betulaceae), Populus (Salicaceae).
128. **Hyphoraia aulica** (Linnaeus,1758) (Arctiidae) larva on Achillea, Alyssum montanum, Plantago, Vicia (Meyer,1919).
129. **Hyphoraia testudinaria** (Fourcroy,1785) (Arctiidae) larva on Rumex (Meyer,1919).
130. **Lacydes spectabilis** (Tauscher,1806) (Arctiidae) larva on Artemisia (Meyer,1919); Salvia (Wiltshire,1940); Lamium (Koçak, in litt.).
131. **Leucaloe eugraphica** (Walker,1865) (Arctiidae) larva on Acanthaceae (Thunbergia alata), Boraginaceae (Heliotropium), Caprifoliaceae (Lonicera sempervirens), Asteraceae (Tagetes erecta), Fabaceae (Acacia mearnsii) (Goodger & Watson,1995).
132. **Lithosia quadra** (Linnaeus,1758) (Arctiidae) larva on Lichen, Quercus (Meyer,1919).
133. **Miltochrista miniata** (Forster,1771) (Arctiidae) larva on Carpinus betulus, Quercus, Parmelia (lichen) (Meyer,1919).
134. **Nyctemera adversata** (Schaller,1788) (Arctiidae) larva on Erechites, Erigeron, Gynura, Picris, Senecio (Asteraceae) (Sevastopulo, 1940 et seq.).
135. **Nyctemera lactinicina** (Cramer,1779) (Arctiidae) larva on Cacia conchifolia (Seitz,1910).
136. **Ocnogyna (Somatotrichia) parasita** (Hübner,1790) (Arctiidae) larva on Gentiana lutea, Scabiosa, Urtica, Plantago, Scabiosa (Meyer,1919; De Freina & Witt,1987).
137. **Ocnogyna (s.str.) baetica** (Rambur,1836) (Arctiidae) larva on Plantago media (Meyer,1919).
138. **Ocnogyna (s.str.) zoraida** (De Graslin,1837) (Arctiidae) larva on Astragalus, Rumex, Urtica, Lotus, Echium, Verbascum, Ulex, Euphorbia, Astragalus, Helianthemum, Plantago, Galium, Taraxacum, Salvia, Urtica, Achillea (Meyer,1919; De Freina & Witt,1987).
139. **Paidia (Conjuncta) conjuncta** (Staudinger,1892) (Arctiidae) larva on rock lichens (Wiltshire,1957).
140. **Parasemia plantaginis** (Linnaeus,1758) (Arctiidae) larva on Hyacinthus, Lychnis, Plantago, Silene, Urtica (Meyer,1919).
141. **Pericallia matronula** (Linnaeus,1758) (Arctiidae) larva on Evonymus, Prunus padus (Meyer,1919).
142. **Phragmatobia fuliginosa** (Linnaeus,1758) (Arctiidae) larva on Gallium mollugo, Rumex, Salix, Sinapis (Meyer,1919).
143. **Rhyparia purpurata** (Linnaeus,1758) (Arctiidae) larva on Ribes (Linnaeus,1758); Salix (Meyer,1919).
144. **Spilactia lutea** (Hufnagel,1766) (Arctiidae) larva on Hieracium umbellatum, Rubus, Urtica (Meyer,1919).
145. **Spilactia multiguttata** (Walker,1855) (Arctiidae) larva on leaf of Bauhinia acuminata [kalong] (Fabaceae) (Lewvanich,2001).
146. **Spilactia obliqua** (Walker,1855) (Arctiidae) larva on Tectona grandis (Verbenaceae).
147. **Spilosoma lubricipedium** (Linnaeus,1758) (Arctiidae) larva on Atriplex, Chenopodium, Galium, Mentha, Polygonum, Quercus, Ulmus, Urtica (Linnaeus,1758; Meyer,1919).
148. **Spilosoma urticae** (Esper,1789) (Arctiidae) larva on Urtica (Meyer,1919).
149. **Spiris striata** (Linnaeus,1758) (Arctiidae) larva on Artemisia campestris, A. vulgaris, Festuca, Hieracium, Plantago (Meyer,1919).
150. **Tyria jacobaeae** (Linnaeus,1758) (Arctiidae) larva on Senecio jacobaeae, S. paludosus, S. vulgaris, S. vernalis, Tussilago farfara (Asteraceae) (Linnaeus,1758; Seitz,1910; Meyer,1919; Seven,1996).
151. **Utetheisa (s.str.) pulchella** (Linnaeus,1758) (Arctiidae) larva on Echium vulgare, Heliotropium indicum [na guang chang], Myosotis arvensis (Boraginaceae), Solanum tomentosum (Meyer,1919; Lewvanich,2001).

152. **Watsonarctia desertia** (Bartel,1902) (Arctiidae) larva on *Galium cynanchica* [=Asperula] (Meyer,1919).
153. **Aglais urticae** (Linnaeus,1758) (Argynnididae) larva on *Urtica dioica* (Kumakov & Korshunov, 1979; Tolman, 1997).
154. **Aldania deliquata** (Stichel,[1909]) (Argynnididae) larva on *Betula* (Korshunov & Gorbunov,1995).
155. **Aldania raddei** (Bremer,1861) (Argynnididae) larva on *Ulmus propinqua* (Murzin & Tusov,2000).
156. **Aldania thisbe** (Ménétriés,1859) (Argynnididae) larva on *Quercus mongolica* (Graeser,1888).
157. **Antanartia borbonica** (Oberthür,1879) (Argynnididae) larva on *Boehmeria*, *Obetia*, *Pilea* (Urticaceae) (Ackery et al.,1995).
158. **Antanartia delius** (Drury,1782) (Argynnididae) larva on *Australina*, *Pouzolzia*, *Urtica* (Urticaceae) (Ackery et al.,1995).
159. **Antanartia dimorphica** Howarth,1966 (Argynnididae) larva on *Carduus* (Asteraceae) (Ackery et al.,1995).
160. **Antanartia hippomene** (Hübner,[1823]) (Argynnididae) larva on *Australina*, *Pouzolzia*, *Urtica*, *Urera*, *Pilea*, *Boehmeria*, *Fleurya* (Urticaceae) (Ackery et al.,1995).
161. **Antanartia schaenicia** (Trimen,1879) (Argynnididae) larva on *Australina*, *Pouzolzia*, *Urtica*, *Boehmeria*, *Fleurya* (Urticaceae) (Ackery et al.,1995).
162. **Apatura ilia** ([Denis & Schiffermüller],1775) (Argynnididae) larva on *Salix alba*, *Populus tremulae*, *P. alba*, *P. nigra* (Tolman, 1997).
163. **Apatura iris** (Linnaeus,1758) (Argynnididae) larva on *Salix caprea*, *S. cinerea*, *S. alba*, *S. ? atrocinerea* (Tolman, 1997).
164. **Apatura metis** Freyer,1829 (Argynnididae) larva on *Salix alba* (Tolman,1997).
165. **Araschnia levana** (Linnaeus,1758) (Argynnididae) larva on *Urtica dioica*, *U. urens* (Tolman,1997).
166. **Argynnis (Argyronome) laodice** (Pallas,1771) (Argynnididae) larva on *Viola palustris* (Tolman,1997).
167. **Argynnis (Fabriciana) adippe** (Rottemburg,1775) (Argynnididae) larva on *Viola canina*, *V. odorata*, *V. hirta* (Tolman, 1997).
168. **Argynnis (Fabriciana) niobe** (Linnaeus,1758) (Argynnididae) larva on *Viola canina*, *V. odorata*, *V. hirta*, *V. palustris* (Tolman, 1997).
169. **Argynnis (Pandoriana) pandora** ([Denis & Schiffermüller],1775) (Argynnididae) larva on *Viola* spp., *V. cheiranthifolia* (Tolman, 1997).
170. **Argynnis (Speyeria) aglaja** (Linnaeus,1758) (Argynnididae) larva on *Viola brachytropis* (Kumakov & Korshunov, 1979); *Viola tricolor*, *V. palustris*, *V. hirta* (Tolman, 1997).
171. **Argynnis (s.str.) paphia** (Linnaeus,1758) (Argynnididae) larva on *Viola hirta*, *V. palustris*, *V. sylvatica* (Krulikowsky, 1888; Kumakov & Korshunov, 1979); *Viola canina*, *V. odorata*, *V. (?) mumbiana*, *V. reichenbachiana*, *V. riviniana* (Tolman, 1997).
172. **Ariadne albifascia** (Joicey & Talbot,1921) (Argynnididae) larva on *Tragia*, *Dalechampia* (Euphorbiaceae) (Ackery et al.,1995).
173. **Ariadne ariadne** (Linnaeus,1763) (Argynnididae) larva on *Ricinus communis* (Euphorbiaceae) (Lewvanich,2001; M.Kemal, in litt.).
174. **Ariadne enotrea** (Cramer,[1779]) (Argynnididae) larva on *Tragia*, *Dalechampia* (Euphorbiaceae) (Ackery et al.,1995).
175. **Ariadne merione** (Cramer,[1779]) (Argynnididae) larva on *Ricinus communis* (Euphorbiaceae) (Lewvanich,2001; M.Kemal, in litt.).
176. **Ariadne pagenstecheri** (Suffert,1904) (Argynnididae) larva on *Tragia* (Euphorbiaceae) (Ackery et al.,1995).
177. **Ariadne personata** (Joicey & Talbot,1921) (Argynnididae) larva on *Tetracarpidium* (Euphorbiaceae) (Ackery et al.,1995).
178. **Athyma (Kironga) ranga** Moore,[1858] (Argynnididae) larva on *Chionanthus malabarica*, *Fraxinus retusa*, *Olea dioica*, *Osmanthus fragrans* (Oleaceae) (Robinson et al.,2005).
179. **Athyma (Tacora) asura** Moore,[1858] (Argynnididae) larva on *Ilex micrococca* (Aquifoliaceae), *Randia canthioides* (Rubiaceae) (Robinson et al.,2005).
180. **Athyma (Tatisia) cama** (Moore,[1858]) (Argynnididae) larva on *Glochidion philippicum*, *G. rubrum* (Euphorbiaceae) (Robinson et al.,2005).
181. **Athyma (Tatisia) nefte** (Cramer,1779) (Argynnididae) larva on *Glochidion calocarpum*, *G. eriocarpum*, *G. hirsutum*, *G. lanceolatum*, *G. puberum*, *G. velutinum*, *G. wrightii*, *G. zeylanicum* (Euphorbiaceae), *Mussaenda frondosa* (Rubiaceae) (Robinson et al.,2005).
182. **Athyma (Tatisia) opalina** (Kollar,[1844]) (Argynnididae) larva on *Berberis aristata*, *B. lycium*, *B. nepalensis* (Berberidaceae), *Mussaenda frondosa* (Rubiaceae) (Robinson et al.,2005).
183. **Athyma (Tatisia) selenophora** (Kollar,[1844]) (Argynnididae) larva on *Adina cordifolia*, *A. pilulifera*, *Mussaenda frondosa*, *M. parviflora*, *Pavetta indica*, *Randia armata*, *Wendlandia formosana* (Rubiaceae), *Glochidion rubrum* (Euphorbiaceae) (Robinson et al.,2005).
184. **Athyma (s.str.) perius** (Linnaeus,1758) (Argynnididae) larva on *Glochidion eriocarpum*, *G. lanceolatum*, *G. lanceolatum*, *G. puberum*, *G. rubrum*, *G. triandrum*, *G. velutinum*, *G. wrightii*, *G. zeylanicum*, *Phyllanthus* (Euphorbiaceae) (Robinson et al.,2005).
185. **Athyma fortuna** Leech,1889 (Argynnididae) larva on *Viburnum formosanum* (Caprifoliaceae) (Robinson et al.,2005).
186. **Athyma kasa** Moore,1858 (Argynnididae) larva on *Antidesma pleuricum*, *Glochidion* (Euphorbiaceae) (Robinson et al.,2005).
187. **Bebearia carshena** (Hewitson,1871) (Argynnididae) larva on *Marantochloa* (Maranthaceae) (Ackery et al.,1995).
188. **Bebearia chriemhilda** (Staudinger,1896) (Argynnididae) larva on *Hyphaene* (Arecaceae) (Ackery et al.,1995).
189. **Bebearia mandinga** (C.Felder & R.Felder,1860) (Argynnididae) larva on *Hypselodelphus* (Marantaceae) (Ackery et al.,1995).
190. **Boloria (Clossiana) dia** (Linnaeus,1767) (Argynnididae) larva on *Viola canina*, *V. odorata*, *V. reichenbachiana*, *V. tricolor* (Tolman, 1997).
191. **Boloria (Clossiana) euphrosyne** (Linnaeus,1758) (Argynnididae) larva on *Viola reichenbachiana*, *V. canina*, *V. palustris*, *V. odorata*, *V. riviniana*, *V. ? rhodopeia*, *V. hirta* (Tolman,1997).
192. **Boloria (Clossiana) freija** (Thunberg,1791) (Argynnididae) larva on *Vaccinium uliginosum*, *Rubus chamaemorus*, *Arctostaphylos alpina*, *A. uva-ursi*, *Empetrum nigrum*, *Rhododendron aureum*, *R. lapponicum* (Tolman,1997).
193. **Boloria (Clossiana) frigga** (Thunberg,1791) (Argynnididae) larva on *Rubus chamaemorus* (Higgins & Riley,1970).
194. **Boloria (Clossiana) improba** (Butler,1877) (Argynnididae) larva on *Salix arctica*, *S. reticulata* (Tolman,1997).
195. **Boloria (Clossiana) polaris** (Boisduval,1829) (Argynnididae) larva on *Dryas integrifolia*, *D. octopetala*, *Vaccinium uliginosum* (Tolman,1997).
196. **Boloria (Clossiana) selene** ([Denis & Schiffermüller],1775) (Argynnididae) larva on *Viola canina*, *V. palustris*, *V. riviniana*, *V. hirta* (Tolman,1997).
197. **Boloria (Clossiana) thore** (Hübner,[1803]) (Argynnididae) larva on *Viola biflora* (Tolman,1997).
198. **Boloria (Proclossiana) eunomia** (Esper,[1799]) (Argynnididae) larva on *Polygonum bistorta*, *P. viviparum*, *Viola palustris* (Tolman,1997).
199. **Boloria (s.str.) aquilonaris** (Stichel,1908) (Argynnididae) larva on *Vaccinium oxycoccus* (Tolman,1997).
200. **Boloria (s.str.) graeca** (Staudinger,1870) (Argynnididae) larva on *Viola ? tricolor macedonica*, *Teucrium chamaedrys*, *Juniperus communis* (Tolman,1997).
201. **Boloria (s.str.) napaea** (Hoffmannsegg,1804) (Argynnididae) larva on *Viola biflora*, *Polygonum viviparum* (Tolman,1997).
202. **Boloria (s.str.) pales** ([Denis & Schiffermüller],1775) (Argynnididae) larva on *Viola calcarata* (Tolman,1997).
203. **Brenthis daphne** (Bergsträsser,1780) (Argynnididae) larva on *Rubus fruticosus*, *R. idaeus*, *Filipendula ulmaria*, *Sanguisorba* (Rosaceae) (Nel & Luquet,1981; Tolman,1997).
204. **Brenthis hecate** ([Denis & Schiffermüller],1775) (Argynnididae) larva on *Filipendula vulgaris*, *F. ulmaria* (Nel & Luquet,1981; Tolman, 1997).
205. **Brenthis ino** (Rottemburg,1775) (Argynnididae) larva on *Filipendula ulmaria*, *F.petalata*, *F.palmata*, *Rubus idaeus*, *R.chamaemorus*, *Aruncus dioecus*, *Sanguisorba officinalis* (Eckstein,1913; Tolman,1997).
206. **Cethosia cyane** (Drury,[1773]) (Argynnididae) larva on *Passiflora foetida* [ka thok rok], *Adenia viridiflora* [e nun] (Passifloraceae), *Hibiscus surattensis* [cha mot] (Malvaceae) (Lewvanich,2001).
207. **Charaxes bernardus** (Fabricius,1793) (Argynnididae) larva on weed (Lewvanich,2001).
208. **Charaxes jasius** (Linnaeus,1767) (Argynnididae) larva on *Arbutus unedo*.
209. **Cymothoe caenis** (Drury,[1773]) (Argynnididae) larva on *Caloncoba*, *Rawsonia* (Flacourtiaceae); *Uapaca* (Uapacaceae) (Ackery et al.,1995).
210. **Cymothoe coccinata** (Hewitson,1874) (Argynnididae) larva on *Rinorea* (Violaceae) (Ackery et al.,1995).
211. **Cymothoe coranus** Grose-Smith,1889 (Argynnididae) larva on *Vismia* (Clusiaceae); *Fernandoa*, *Kigelia* (Bignoniaceae); *Rawsonia* (Flacourtiaceae) (Ackery et al.,1995).
212. **Cymothoe hyarbita** (Hewitson,1866) (Argynnididae) larva on *Dichapetalum* (Dichapetalaceae) (Ackery et al.,1995).
213. **Cymothoe pluto** (Ward,1873) (Argynnididae) larva on *Sapotaceae* (Ackery et al.,1995).
214. **Cymothoe reinholdi** (Plötz,1880) (Argynnididae) larva on *Casearia* (Flacourtiaceae) (Ackery et al.,1995).
215. **Cynandra opis** (Drury,[1773]) (Argynnididae) larva on *Dissotis* (Melastomataceae) (Ackery et al.,1995).
216. **Cynthia cardui** (Linnaeus,1758) (Argynnididae) larva on *Cirsium*, *Carduus*, *Echium*, *Malva sylvestris*, *M. parviflora*, *Glycine max*, *Achillea* (Kumakov & Korshunov, 1979; Tolman, 1997).
217. **Doleschallia bisaltide** (Cramer,[1777]) (Argynnididae) larva on *Pseuderanthemum graciliflorum*, *P. acuminatissimum*, *P. bicolor*, *P. laxiflorum*, *P. variable*, *P. malabaricum*, *P. carruthersii*, *Graptophyllum pictum*, *G. insultum*, *Calycanthus magnusianus*, *Asystasia*, *Blechnum pyramdatum*, *Eranthemum reticulatum*, *E. pulchellum*, *Carlowrightia arizonica*, *Phalopsis imbricata*, *Strobilanthes isophyllus* (Acanthaceae); *Urtica* (Urticaceae), *Atrocarpus altilis*, *A. heterophyllus*, *A. integer* (Moraceae), *Erythrina* (Fabaceae) (Robinson et al.,2005).
218. **Eupatoura mirza** Ebert,1971 (Argynnididae) larva on *Celtis* spp. (Koçak & Kemal,2002).
219. **Euphaedra delera** Hecq,1989 (Argynnididae) larva on *Sorindeia* (Anacardiaceae) (Ackery et al.,1995).
220. **Euphaedra eburnensis** Hecq,1979 (Argynnididae) larva on *Deinbollia* (Sapindaceae) (Ackery et al.,1995).
221. **Euphaedra edwardsii** (Van der Hoeven,1845) (Argynnididae) larva on *Lecaniodiscus* (Sapindaceae) (Ackery et al.,1995).
222. **Euphaedra eleus** (Drury,1782) (Argynnididae) larva on *Allophylus*, *Deinbollia*, *Paullinia*, *Phialodiscus* (Sapindaceae) (Ackery et al.,1995).
223. **Euphaedra inanum** (Butler,1873) (Argynnididae) larva on *Sorindeia* (Anacardiaceae) (Ackery et al.,1995).
224. **Euphaedra laguerrei** Hecq,1979 (Argynnididae) larva on *Cola* (Sterculiaceae) (Ackery et al.,1995).
225. **Euphaedra modesta** Hecq,1982 (Argynnididae) larva on *Blighia* (Sapindaceae) (Ackery et al.,1995).
226. **Euphaedra ochracea** Hecq,1978 (Argynnididae) larva on *Allophylus* (Sapindaceae) (Ackery et al.,1995).
227. **Euphaedra rezia** (Hewitson,1866) (Argynnididae) larva on *Pancovia* (Sapindaceae) (Ackery et al.,1995).
228. **Euphaedra uganda** Aurivillius,1895 (Argynnididae) larva on *Rhus* (Anacardiaceae), *Allophylus*, *Deinbollia* (Sapindaceae) (Ackery et al.,1995).

229. **Euphydryas (Eurodryas) aurinia (Rottemburg,1775)** (Argynnidiae) larva on *Succisa pratensis*, *Scabiosa columbaria*, *Lonicera periclymenum*, *L. implexa*, *L. etrusca*, *Gentiana lutea*, *G. verna*, *G. acaulis*, *G. clusii*, *G. alpina*, *Digitalis*, *Cephalaria leucantha*, *Knautia arvensis*, *Primula viscosa* (Tolman,1997).
230. **Euphydryas (Eurodryas) desfontainii (Godart,[1819])** (Argynnidiae) larva on *Knautia arvensis*, *Dipsacus fullonum*, *D. comosus*, *Cephalaria leucantha*, *Scabiosa*, *Centaurea* (Tolman,1997).
231. **Euphydryas (Eurodryas) orientalis (Herrich-Schäffer,[1845])** (Argynnidiae) larva on larva on *Scabiosa argentea* (Koçak, in litt.).
232. **Euphydryas (Hypodryas) iduna (Dalman,1816)** (Argynnidiae) larva on *Veronica alpina*, *V. fruticans*, *Plantago*, *Vaccinium* (Tolman,1997).
233. **Euphydryas (Hypodryas) matura (Linnaeus,1758)** (Argynnidiae) larva on *Fraxinus excelsior*, *Populus tremula*, ? *Salix caprea*, *Plantago lanceolata*, *Veronica chamaedrys*, *Lonicera periclymenum*, *Succisa pratensis* (Tolman,1997).
234. **Euriphene (Euryphura) achlys (Hopffer,1855)** (Argynnidiae) larva on *Deinbollia* (Sapindaceae), *Chrysophyllum* (Sapotaceae) (Ackery et al.,1995).
235. **Euriphene (Euryphura) chalcis (C.Felder & R.Felder,1860)** (Argynnidiae) larva on *Chrysophyllum* (Sapotaceae) (Ackery et al.,1995).
236. **Euthalia (Aconthea) garuda (Moore,1857)** (Argynnidiae) larva on *Mangifera indica* [mango] (Anacardiaceae) (Lewvanich,2001).
237. **Euthalia (Dophla) evelina (Stoll,[1790])** (Argynnidiae) larva on *Garcinia dulcis* [ma phut] (Guttiferae) (Lewvanich,2001).
238. **Euxanthe (Euxanthe) crossleyi (Ward,1871)** (Argynnidiae) larva on *Blighia*, *Deinbollia*, *Phialodiscus* (Sapindaceae) (Ackery et al.,1995).
239. **Euxanthe (Euxanthe) wakefieldi (Ward,1873)** (Argynnidiae) larva on *Deinbollia*, *Phialodiscus*, *Lecaniodiscus*, *Sapindus* (Sapindaceae); *Azefia* (Fabaceae) (Ackery et al.,1995).
240. **Euxanthe (Hypomelaena) tiberius Grose-Smith,1889** (Argynnidiae) larva on *Deinbollia*, *Phialodiscus* (Sapindaceae) (Ackery et al.,1995).
241. **Euxanthe (Hypomelaena) trajanus (Ward,1871)** (Argynnidiae) larva on *Deinbollia*, *Phialodiscus* (Sapindaceae); *Lovoa* (Meliaceae) (Ackery et al.,1995).
242. **Inachis io (Linnaeus,1758)** (Argynnidiae) larva on *Urtica dioica*, *Parietaria officinalis* (Tolman, 1997).
243. **Issoria lathonia (Linnaeus,1758)** (Argynnidiae) larva on *Viola tricolor*, *V. arvensis*, *V. aetolica*, *V. lutea*, *V. biflora*, *V. calcarata*, *V. corsica*, *V. odorata* (Tolman, 1997).
244. **Lebadea martha (Fabricius,1787)** (Argynnidiae) larva on *Ixora* sp. [khem] (Rubiaceae) (Lewvanich,2001).
245. **Limnitis (Azuritis) reducta Staudinger,1901** (Argynnidiae) larva on *Lonicera periclymenum*, *L. etrusca*, *L. implexa*, *L. xylosteum*, *L. alpigena*, *L. nummulariifolia*, *L. caprifolium*, *L. iberica*, *L. orientalis* (Boudinot,1986; Ebert,1991; Tolman,1997; Dantchenko,in litt.).
246. **Limnitis (Ladoga) camilla (Linnaeus,1764)** (Argynnidiae) larva on *Lonicera periclymenum*, *L. caprifolium*, *L. xylosteum*, *L. tatarica*, *L. maackii*, *L. gibbiflora*, *Symphoricarpos racemosa* (Kurentzov,1970; Migranov,1991; Tolman,1997).
247. **Limnitis (s.str.) amphyssa Ménétériés,1858** (Argynnidiae) larva on *Lonicera maackii* (Murzin,2000).
248. **Limnitis (s.str.) doerriesi Staudinger,1892** (Argynnidiae) larva on *Lonicera praeflorens* (Kurentzov,1970).
249. **Limnitis (s.str.) helmanni Lederer,1853** (Argynnidiae) larva on *Lonicera* sp. (Korshunov, 1981,1985).
250. **Limnitis (s.str.) moltrechti Kardakov,1928** (Argynnidiae) larva on *Lonicera praeflorens*, *L. chrysantha* (Kurentzov,1970).
251. **Limnitis (s.str.) populi (Linnaeus,1758)** (Argynnidiae) larva on *Populus tremula* (Boudinot,1987; Tolman,1997).
252. **Limnitis (s.str.) sydyi Lederer,1853** (Argynnidiae) larva on *Lonicera altaica*, *Spiraea salicifolia*, *S. flexuosa* (Graeser,1888; Korshunov & Gorbunov,1995).
253. **Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779)** (Argynnidiae) larva on *Centaurea jacea*, *C. montana*, *C. graeca*, *C. scabiosa*, *C. nigrescens*, *C. alba*, *C. columbaria* (Tolman, 1997).
254. **Melitaea (Cinclidia) aetherie (Hübner,[1826])** (Argynnidiae) larva on *Centaurea calcitrapa*, *C. carratracensis*, *Cynara cardunculus*, *C. scolymus* (Tolman,1997).
255. **Melitaea (Didymaeformis) acraeina Staudinger,1886** (Argynnidiae) larva on *Dodartia orientalis*, *Plantago* (Tusov & Churkin,2000).
256. **Melitaea (Didymaeformis) ala Staudinger,1881** (Argynnidiae) larva on *Ligularia* (Tusov & Churkin,2000).
257. **Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnidiae) larva on *Linaria vulgaris*, *L. peloponnesiaca*, *L. alpina*, *Antirrhinum brevifolium*, *Misopates orontium*, *Plantago subulata*, *P.amplexicaulis*, *P.bellardi deflexa*, *P.lanceolata*, *P.major*, *Veronica teucrium*, *V.chamaedrys*, *Digitalis grandiflora*, *D.purpurea*, *Stachys recta*, *Valeriana officinalis*, *V.montana*, *V.persica*, *Verbascum thapsus* (Tolman,1997).
258. **Melitaea (Didymaeformis) fascelis (Fabricius,1787)** (Argynnidiae) larva on *Verbascum thapsus*, *V. densifolium*, *V. longifolium*, *V. speciosum*, *V. delpicum*, *Eremostachys*, *Scrophularia* (Tolman, 1997; Tusov & Churkin,2000).
259. **Melitaea (Didymaeformis) kotshubeji Sheljuzhko,1929** (Argynnidiae) larva on *Ligularia thomsonii* (Shchetkin,1981).
260. **Melitaea (Didymaeformis) perseae Kollar,[1849]** (Argynnidiae) larva on *Scrophularia* (Tusov & Churkin,2000).
261. **Melitaea (s.str.) arduinna (Fabricius,1787)** (Argynnidiae) larva on *Centaurea behen* (Wiltshire); *Centaurea* (?) *graeca* (Tolman, 1997).
262. **Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnidiae) larva on *Plantago lanceolata*, *P. subulata*, *P. bellardi deflexa*, *P. argentea*, *P. cynops*, *P. major*, *P. media*, *Veronica teucrium*, *Viola*, *Centaurea pullata*, *C. (?) graeca*, *Scorzonera pygmaea*, *Hieracium* (Higgins & Riley,1970; Tolman, 1997; Tusov & Churkin,2000).
263. **Melitaea (s.str.) diamina (Lang,1789)** (Argynnidiae) larva on *Valeriana*, *Plantago*, *Veronica*, *Melampyrum*, *Patrinia*, *Polygonum* (Korshunov & Gorbunov,1995; Tolman,1997).
264. **Melitaea (s.str.) turanica Erschoff,1874** (Argynnidiae) larva on *Rhodiola* sp. (Shchetkin,1981).
265. **Mellicta athalia (Rottemburg,1775)** (Argynnidiae) larva on *Plantago*, *Veronica*, *elampyrum*, *Digitalis*, *Linaria*, *Centaurea*, *Chrysanthemum*, *Hieracium*, *Tanacetum*.
266. **Mellicta aurelia (Nickerl,1850)** (Argynnidiae) larva on *Plantago lanceolata*, *Veronica*, *Tanacetum* ? (Tolman, 1997; Tusov & Churkin,2000).
267. **Mellicta britomartis (Assmann,1847)** (Argynnidiae) larva on *Plantago*, *Veronica*, *Rhinanthus*, *Linaria vulgaris*, *Melampyrum*, *Chrysanthemum*.
268. **Mellicta deione (Geyer,[1832])** (Argynnidiae) larva on *Linaria vulgaris*, *L. alpina*, *Antirrhinum sempervirens*, *A. hispanicum*, *Chaenorhinum minus*, ? *Digitalis lutea*, ? *Cymbalaria muralis* (Tolman,1997).
269. **Mellicta parthenoides (Kerferstein,1851)** (Argynnidiae) larva on *Plantago lanceolata*, *P. alpina*, *P. media* (Tolman,1997).
270. **Neptis (s.str.) alwina (Bremer & Grey,1853)** (Argynnidiae) larva on *Armeniaca mandshurica* (Murzin,2000).
271. **Neptis (s.str.) philura Ménétériés,1858** (Argynnidiae) larva on *Acer japonicum*, *Carpinus cordata*, *Ulmus japonica* (Murzin,2000).
272. **Neptis (s.str.) philyroides Staudinger,1887** (Argynnidiae) larva on *Corylus heterophyllus* (Murzin,2000).
273. **Neptis (s.str.) pryori Butler,1871** (Argynnidiae) larva on *Spiraea* sp. (Fukuda et al.,1984).
274. **Neptis (s.str.) rivularis (Scopoli,1763)** (Argynnidiae) larva on *Spiraea chamaedryfolia*, *S. salicifolia*, *S. crenata*, *S. aquilegifolia*, *Aruncus dioecus*, *Filipendula ulmaria* (Kurentzov,1970; Lukhtanov & Lukhtanov, 1994; Tolman,1997).
275. **Neptis (s.str.) sappho (Pallas,1771)** (Argynnidiae) larva on *Lathyrus vernus*, *L. humilis*, *Lespedeza bicolor* (Blaschke,1914; Murzin,2000).
276. **Neptis (s.str.) speyeri Staudinger,1887** (Argynnidiae) larva on *Corylus heterophyllus* (Omelko & Omelko,1975).
277. **Nymphalis antiopa (Linnaeus,1758)** (Argynnidiae) larva on *Salix alba*, *S. cinerea*, *S. atrocinerea*, *S. caprea*, *S. aurita*, *S. viminalis*, *Populus tremula*, *P. nigra*, *P. alba* (Tolman, 1997); *Betula pendula* (Lavroff, 1927; Anikin et al., 1993); *Urtica* sp. (Korshunov, 1981).
278. **Nymphalis polychloros (Linnaeus,1758)** (Argynnidiae) larva on *Ulmus procera*, *U. glabra*, *U. campestris*, *U. americana*, *Salix caprea*, *S. alba*, *S. pedicellata*, *S. viminalis*, *Prunus avium*, *P. domestica*, *Prunus padus*, *Pyrus communis*, *Malus domestica*, *Populus tremula*, *P. nigra*, *P. alba*, *Sorbus tormilis*, *Crataegus monogyna* (Tolman,1997).
279. **Nymphalis vaualbum (Denis & Schiffermüller,1775)** (Argynnidiae) larva on *Populus*, *Ulmus*, *Salix* (Tolman,1997).
280. **Nymphalis xanthomelas (Esper,[1781])** (Argynnidiae) larva on *Salix* spp., *Populus* spp. (Bartel, 1902).
281. **Palla decius (Cramer,[1777])** (Argynnidiae) larva on *Bonamia*, *Calycobolus* (Convolvulaceae); *Clerodendron* (Verbenaceae) (Ackery et al.,1995).
282. **Palla ussheri (Butler,1870)** (Argynnidiae) larva on *Bonamia*, *Metaporana* (Convolvulaceae); *Toddalia* (Rutaceae) (Ackery et al.,1995).
283. **Palla violinitens (Crowley,1890)** (Argynnidiae) larva on *Bonamia*, *Metaporana* (Convolvulaceae); *Clerodendron* (Verbenaceae) (Ackery et al.,1995).
284. **Phalanta eurytis (Doubleday,[1847])** (Argynnidiae) larva on *Dissomeria crenata*, *Dovyalis rhamnoides*, *Homalium*, *Oncoba spinosa*, *Sceloporia*, *Trimeria grandifolia* (Flacourtiaceae), *Maytenus buchanii* (Celastraceae), *Populus* (Salicaceae) (Robinson et al.,2005).
285. **Phalanta phalantha (Drury,[1773])** (Argynnidiae) larva on *Gymnosporia*, *Maytenus ovatus*, *M.buchanii* (Celastraceae); *Trimeria*, *Alberia*, *Dovyalis*, *Flacourtia*, *Scolopia* (Flacourtiaceae); *Androsace* (Primulaceae), *Barleria prionitis* (Acanthaceae); *Canthium parviflorum*, *Coffea arabica*, *Ixora* (Rubiaceae); *Loranthus* (Loranthaceae); *Populus alba*, *P.canescens*, *P.deltoides*, *Salix tetrasperma*, *S.babylonica*, *S.warburgii* (Salicaceae); *Smilax* (Smilacaceae); *Viola* (Violaceae); *Mangifera indica* (Anacardiaceae); *Tridax procumbens* (Asteraceae); (Kielland,1990; Robinson et al.,2005; personal info.).
286. **Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnidiae) larva on *Ribes grossularia*, *R. uva-crispa*, *Urtica dioica*, *Salix caprea*, *S. alba*, *Humulus lupulus*, *Corylus avellana*, *Ulmus glabra*, *U. minor*, *U. procera*, *U. laevis* (Tolman,1997).
287. **Polygonia (Comma) egea (Cramer,[1775])** (Argynnidiae) larva on *Parietaria officinalis* (Tolman,1997).
288. **Polyura athamas (Drury,[1773])** (Argynnidiae) larva on *Pithecellobium dulce* [Manila tamarind] (Fabaceae) (Lewvanich,2001).
289. **Polyura delphis (Doubleday,1843)** (Argynnidiae) larva on weed (Lewvanich,2001).
290. **Polyura hebe (Butler,1866)** (Argynnidiae) larva on weed (Lewvanich,2001).
291. **Polyura schreiber (Godart,[1824])** (Argynnidiae) larva on *Nephelium lappaceum* [rambutan] (Sapindaceae) (Lewvanich,2001).
292. **Precis (Junonia) andremiaja (Boisduval,1833)** (Argynnidiae) larva on *Coleus* (Lamiaceae) (Ackery et al.,1995).
293. **Precis (Junonia) antilope (Feisthamel,1850)** (Argynnidiae) larva on *Coleus*, *Plastostema* (Lamiaceae) (Ackery et al.,1995).
294. **Precis (Junonia) artaxia Hewitson,1864** (Argynnidiae) larva on *Hygrophila* (Acanthaceae) (Ackery et al.,1995).
295. **Precis (Junonia) lemonias (Linnaeus,1758)** (Argynnidiae) larva on *Sericocalyx schomburgkii* [kha kai], *Ruellia tuberosa* [toi ting leo] (Acanthaceae) (Lewvanich,2001).
296. **Precis (Junonia) limnoria (Klug,1845)** (Argynnidiae) larva on *Asystasia*, *Barleria*, *Justicia*, *Paulownia*, *Ruellia* (Acanthaceae) (Ackery et al.,1995).
297. **Precis (Junonia) natalica (C.Felder & R.Felder,1860)** (Argynnidiae) larva on *Asystasia*, *Barleria*, *Hygrophila*, *Justicia*, *Paulownia*, *Phaulopsis*, *Ruellia* (Acanthaceae); *Plectranthus* (Lamiaceae) (Ackery et al.,1995).

298. **Precis (Junonia) pelarga (Fabricius,1775)** (Argynnididae) larva on Coleus, Solenostemon (Lamiaceae) (Ackery et al.,1995).
299. **Precis (Junonia) rhadama (Boisduval,1833)** (Argynnididae) larva on Barleria, Hypoestes, Justicia (Acanthaceae) (Ackery et al.,1995).
300. **Precis (Junonia) sophia (Fabricius,1793)** (Argynnididae) larva on Asystasia, Barleria, Brillantaisia, Hypoestes, Justicia, Paulowilhelmia, Ruellia (Acanthaceae) (Ackery et al.,1995).
301. **Precis (Junonia) stygia Aurivillius,1894** (Argynnididae) larva on Asystasia, Barleria, Justicia, Paulowilhelmia, Phaulopsis (Acanthaceae) (Ackery et al.,1995).
302. **Precis (Junonia) terea (Drury,[1773])** (Argynnididae) larva on Asystasia, Barleria, Hygrophila, Justicia, Paulowilhelmia, Phaulopsis, Ruellia (Acanthaceae) (Ackery et al.,1995).
303. **Precis (Junonia) westermanni (Westwood,1870)** (Argynnididae) larva on Asystasia, Barleria, Hypoestes, Justicia, Paulowilhelmia, Ruellia (Acanthaceae); Puparia (Amaranthaceae) (Ackery et al.,1995).
304. **Precis (s.str.) archesia (Cramer,[1779])** (Argynnididae) larva on Coleus, Englas?, Iboza, Plectranthus, Pycnostachis (Lamiaceae); Eriosema (Fabaceae) (Ackery et al.,1995).
305. **Pseudacraea boisduvalii (Doubleday,1845)** (Argynnididae) larva on Chrysophyllum, Manilkara, Mimusops (Sapotaceae) (Ackery et al.,1995).
306. **Pseudacraea eurytus (Linnaeus,1758)** (Argynnididae) larva on Chrysophyllum, Manilkara, Mimusops (Sapotaceae) (Ackery et al.,1995).
307. **Pseudacraea lucretia (Cramer,[1775])** (Argynnididae) larva on Chrysophyllum, Manilkara, Mimusops, Pachystela, Sideroxylon (Sapotaceae); Lasiodiscus (Rhamnaceae) (Ackery et al.,1995).
308. **Pseudacraea semire (Cramer,[1779])** (Argynnididae) larva on Ouratea (Ochnaceae) (Ackery et al.,1995).
309. **Pseudoneptis bugandensis Stoneham,1935** (Argynnididae) larva on Ritchiea (Capparidaceae), Antiaris, Ficus (Moraceae) (Ackery et al.,1995).
310. **Seokia pratti (Leech,1890)** (Argynnididae) larva on Pinus koraiensis (Omelko,1978).
311. **Sephisa chandra (Moore,1858)** (Argynnididae) larva on Quercus glauca, Q. morii (Fagaceae) (Robinson et al.,2005).
312. **Sephisa daimio (Argynnididae)** larva on Quercus glauca (Fagaceae) (Robinson et al.,2005).
313. **Sephisa dichroa (Kollar,[1844])** (Argynnididae) larva on Quercus incana, Q. mongolica (Fagaceae) (Robinson et al.,2005).
314. **Sephisa princeps (Fixsen,1887)** (Argynnididae) larva on Quercus mongolica (Fagaceae) (Robinson et al.,2005).
315. **Sevenia amulia (Cramer,[1777])** (Argynnididae) larva on Euphorbiaceae (Sapium) (Ackery et al.,1995).
316. **Sevenia benguelae (Chapman,1872)** (Argynnididae) larva on Euphorbiaceae (Maprounea) (Ackery et al.,1995).
317. **Sevenia boisduvali (Wallengren,1857)** (Argynnididae) larva on Euphorbiaceae (Excoecaria, Macaranga, Sapium), Sterculiaceae (Sterculia) (Ackery et al.,1995).
318. **Sevenia garega (Karsch,1892)** (Argynnididae) larva on Euphorbiaceae (Sapium) (Ackery et al.,1995).
319. **Sevenia morantii (Trimen,1881)** (Argynnididae) larva on Euphorbiaceae (Excoecaria, Macaranga, Sapium) (Ackery et al.,1995).
320. **Sevenia natalensis (Boisduval,1847)** (Argynnididae) larva on Euphorbiaceae (Excoecaria, Macaranga, Sapium) (Ackery et al.,1995).
321. **Sevenia occidentalis (Mabille,1876)** (Argynnididae) larva on Euphorbiaceae (Macaranga, Sapium) (Sterculia) (Ackery et al.,1995).
322. **Sevenia pechueli (Dewitz,1879)** (Argynnididae) larva on Euphorbiaceae (Maprounea) (Ackery et al.,1995).
323. **Sevenia trimeni (Aurivillius,1898)** (Argynnididae) larva on Euphorbiaceae (Sapium) (Ackery et al.,1995).
324. **Symbrenthia lilaea (Hewitson,1864)** (Argynnididae) larva on Ficus sp. [ma duea] (Moraceae) (Lewvanich,2001).
325. **Tanaecia (Cynitia) iapis (Godart,[1824])** (Argynnididae) larva on Astronia macrophylla, Melastoma malabathricum (Melastomataceae), Eurya acuminata (Theaceae), Mallotus subpeltatus (Euphorbiaceae) (Robinson et al.,2005).
326. **Tanaecia (Cynitia) lepidea Butler,1869** (Argynnididae) larva on Melastoma malabathricum (Melastomataceae), Planchonia careya (Lecythidaceae) (Robinson et al.,2005).
327. **Tanaecia (s.str.) julii (Lesson,1837)** (Argynnididae) larva on Diploknema butyracea (Sapotaceae) (Robinson et al.,2005).
328. **Tanaecia (s.str.) pelea (Fabricius,1787)** (Argynnididae) larva on Ardisia colorata (Myrsinaceae) (Robinson et al.,2005).
329. **Thaleropsis ionia (Eversmann,1851)** (Argynnididae) larva on Celtis glabrata, Salix (Armenia) (Tolman,1997).
330. **Vanessa atalanta (Linnaeus,1758)** (Argynnididae) larva on Urtica urens, U. membranacea, U. pilulifera, U. dioica, Parietaria officinalis, P. diffusa, P. debilis, Humulus lupulus (Krulikowsky, 1907; Kumakov & Korshunov, 1979; Korshunov & Gorbunov,1995; Tolman, 1997).
331. **Vanessa indica (Herbst,1794)** (Argynnididae) larva on Urtica angustifolia (Tusov,2000).
332. **Batrachedra amydrula Meyrick,1916** (Batrachedridae) larva on Phoenix dactylifera (Arecaceae) (Gharib,1968).
333. **Batrachedra parvulipunctella Chrétien,1915** (Batrachedridae) larva on Phragmites communis (Riedl,1969).
334. **Batrachedra pinicolella (Zeller,1839)** (Batrachedridae) larva on Abies alba, Pinus sylvestris (Riedl,1969).
335. **Batrachedra praecangusta (Haworth,1828)** (Batrachedridae) larva on Populus tremula, P.alba, Salix alba, S.caprea (Salicaceae) (Riedl,1969).
336. **Blastobasis ochromorpha Meyrick,1925** (Blastobasidae) larva on Allium cepa (onion) (Liliaceae), Elaeis guineensis (Arecaceae), Shorea robusta (Dipterocarpaceae) (Robinson et al.,1994).
337. **Ernolatia lida (Moore,1859)** (Bombycidae) larva on Ficus elastica, F. benjaminiana, F. leucanthotoma (Moraceae) (Barlow,1982).
338. **Ocinara bifurcula Dierl,1978** (Bombycidae) larva on Artocarpus integrifolia, Ficus religiosa, Ficus callophylla [sai] (Moraceae) (Barlow,1982; Lewvanich,2001).
339. **Penicillifera apicalis (Walker,1862)** (Bombycidae) larva on Ficus elastica (Moraceae) (Barlow,1982).
340. **Trilocha varians (Walker,1855)** (Bombycidae) larva on flower of Nephelium lappaceum [rambutan] (Sapindaceae), Artocarpus heterophyllus [jack fruit] (Moraceae) (Lewvanich,2001).
341. **Triuncina religiosae (Helfer,1837)** (Bombycidae) larva on Morus (Moraceae) (Barlow,1982).
342. **Phycodes minor Moore,1881** (Brachodidae) larva on Ficus carina, F.heterophylla, F.melinocarpa, F.rostrata, F.microcarpa, F.hirta (Moraceae) (Fletcher,1920, 1933; Arita,1989).
343. **Brahmaea (s.str.) christophi Staudinger,1879** (Brahmaeidae) larva on Fraxinus excelsior (Romanoff,1885).
344. **Brahmaea (s.str.) ledereri Rogenhofer,1873** (Brahmaeidae) larva on Phillyrea latifolia (Rogenhofer,1873; Staudinger,1879); Fraxinus excelsior [sic] (De Freina,1982, 1985), recte Fraxinus angustifolia (Seven,Kemal,Dogruöz & Koçak,2005).
345. **Bucculatrix anthemidella Deschka,1972** (Bucculatricidae) larva on Anthemis tinctoria var. pallida (Deschka,1972).
346. **Bucculatrix bechsteinella (Bechstein & Scharfenberg,1805)** (Bucculatricidae) larva on Crataegus (Zeller,1839; Duponchel,1842; Herrich-Schäffer,1862).
347. **Bucculatrix ulmella Zeller,1848** (Bucculatricidae) larva on Ulmus (Zeller,1848).
348. **Carposina berberidella Herrich-Schäffer,[1854]** (Carposinidae) larva on Berberis (Herrich-Schäffer,[1854]).
349. **Carposina scirrhosella Herrich-Schäffer,[1854]** (Carposinidae) larva on Rosa (Diakonoff,1989).
350. **Meridarchis scyroides Meyrick,1916** (Carposinidae) larva bores fruit of Ziziphus mauritiana (Rhamnaceae) [jujube], Psidium guajava (Myrtaceae) [guava], Eugenia (Myrtaceae) [rose apple] (Lewvanich,2001).
351. **Anthophila fabriciana (Linnaeus,1767)** (Choreutidae) larva on Urtica dioica, Parietaria officinalis, Symphytum tuberosum (Snellen,1882 et seq.).
352. **Brenthia albipunctata Arita,1987** (Choreutidae) larva on Spatholobus compar (Fabaceae) (Arita,1987).
353. **Choreutis diana (Hübner,1822)** (Choreutidae) larva on Betula, Prunus malus (Diakonoff,1986).
354. **Choreutis montana (Danilevsky,1973)** (Choreutidae) larva on Malus, Amelanchier, Betula (Rosaceae) (Diakonoff,1986).
355. **Choreutis nemorana (Hübner,[1799])** (Choreutidae) larva on Ficus carica (Lhomme,1963).
356. **Choreutis pariana (Clerck,1759)** (Choreutidae) larva on Prunus spinosa, Pyrus malus, Sorbus chamaemespilus, S.aucuparia, Crataegus, Cydonia (Rosaceae), Fraxinus, Betula, Salix caprea, Alnus glutinosa, Symphytum (Lhomme,1963 et seq.).
357. **Millieria dolosalis (dolosana Herrich-Schäffer,[1854])** (Choreutidae) larva on Aristolochia clematidis, A. pistolochia (Aristolochiaceae) (Millière,1856; Hering,1957).
358. **Prochoreutis myllerana (Fabricius,1794)** (Choreutidae) larva on Scutellaria galericulata, Lamium album, L. purpureum (Hering,1932; Ford,1949).
359. **Prochoreutis radians (Diakonoff,1978)** (Choreutidae) larva on Nepeta honigbergeri (Diakonoff,1986).
360. **Prochoreutis sehestediana (Fabricius,1777)** (Choreutidae) larva on Scutellaria galericulata (Ford,1949).
361. **Tebenna micalis (Mann,1857)** (Choreutidae) larva on Inula, Pulicaria dysenterica (Asteraceae) (Diakonoff,1986).
362. **Axia (Epicimelia) theresiae (Korb,1900)** (Cimeliidae) larva on Astragalus ? (Seitz,1912).
363. **Axia (s.str.) margarita (Hübner,[1813])** (Cimeliidae) larva on Euphorbia (Maso et al.,1986).
364. **Augasma aeratellum (Zeller,1839)** (Coleophoridae) larva on Polygonum (Patzak,1974).
365. **Coleophora achilleae Baldizzone,2001** (Coleophoridae) larva on Achillea umbellata (Baldizzone,2001).
366. **Coleophora aegyptiacae Walsingham,1907** (Coleophoridae) larva on Salvia aegyptiaca (Lamiaceae) (Walsingham,1907).
367. **Coleophora ahenella Heinemann,1876** (Coleophoridae) larva on Cornus sanguinea (Caradja,1920).
368. **Coleophora albella (Thunberg,1788)** (Coleophoridae) larva on Silene, Viscaria (Patzak,1974).
369. **Coleophora alnifoliae Barasch,1934** (Coleophoridae) larva on Alnus (Barasch,1934; Patzak,1974).
370. **Coleophora arctostaphyli Meder,1934** (Coleophoridae) larva on Arctostaphylos uva-ursi (Meder,1934; Patzak,1974).
371. **Coleophora astragalella Zeller,1849** (Coleophoridae) larva on Astragalus (Zeller,1849).
372. **Coleophora badiipennella (Duponchel,1843)** (Coleophoridae) larva on Ulmus (Patzak,1974).
373. **Coleophora ballotella (Fischer v. Röslerstamm,1839)** (Coleophoridae) larva on Ballota (Fischer v. Röslerstamm,1839; Mann,1862).
374. **Coleophora conspersa Baldizzone & Tabell,1999** (Coleophoridae) larva on Phlomis lycia (Baldizzone & Tabell,1999).
375. **Coleophora coracipennella (Hübner,1796)** (Coleophoridae) larva on Prunus, Cerasus (Patzak,1974).
376. **Coleophora crexella Baldizzone,1987** (Coleophoridae) larva on Traganum (Baldizzone,1987).

377. *Coleophora currucipennella* Zeller, 1839 (Coleophoridae) larva on Quercus (Mann, 1862).
378. *Coleophora cyrniella* Rebel, 1926 (Coleophoridae) larva on Cistus and Helianthemum (Baldizzone, 1983).
379. *Coleophora ditella* Zeller, 1849 (Coleophoridae) larva on Artemisia (Caradja, 1920).
380. *Coleophora echinella* Staudinger, 1879 (Coleophoridae) larva on Astragalus echinus (Staudinger, 1880).
381. *Coleophora flavipennella* (Duponchel, 1843) (Coleophoridae) larva on ? Parietaria (Mann, 1862); Quercus (Patzak, 1974).
382. *Coleophora fuscocuprella* Herrich-Schäffer, 1855 (Coleophoridae) larva on Alnus, Betula, Carpinus, Corylus (Patzak, 1974).
383. *Coleophora gryphipennella* (Hübner, 1796) (Coleophoridae) larva on Rosa (Patzak, 1974).
384. *Coleophora herniariae* Baldizzone, 2001 (Coleophoridae) larva on Herniaria incana (Baldizzone, 2001).
385. *Coleophora hydrolapathella* Hering, 1924 (Coleophoridae) larva on Rumex hydrolapathum (Hering, 1924).
386. *Coleophora idaella* Hofmann, 1869 (Coleophoridae) larva on Vaccinium vitis-idaea (Hofmann, 1869).
387. *Coleophora ispartae* Baldizzone, 1994 (Coleophoridae) larva on Artemisia sp. (Baldizzone & Tabell, 1999).
388. *Coleophora jerusalemella* Toll, 1942 (Coleophoridae) larva on Inula viscosa (Baldizzone, 1996).
389. *Coleophora limosipennella* (Duponchel, 1843) (Coleophoridae) larva on Ulmus (Patzak, 1974).
390. *Coleophora lusciniapennella* (Treitschke, 1833) (Coleophoridae) larva on Salix (Zeller, 1849).
391. *Coleophora lutipennella* (Zeller, 1838) (Coleophoridae) larva on Quercus (Patzak, 1974).
392. *Coleophora mausolella* Chrétien, 1908 (Coleophoridae) larva on Chenopodium (Chenopodiaceae) (Suire, 1961; Toll, 1962).
393. *Coleophora milvipennis* Zeller, 1839 (Coleophoridae) larva on Betula, Alnus, Corylus, Carpinus (Patzak, 1974).
394. *Coleophora nepetae* Baldizzone, 1994 (Coleophoridae) larva on Nepeta honigbergeri (Baldizzone, 1994).
395. *Coleophora ochripennella* Zeller, 1849 (Coleophoridae) larva on Ballota (Patzak, 1974).
396. *Coleophora onobrychiella* Zeller, 1849 (Coleophoridae) larva on Onobrychis (Zeller, 1849).
397. *Coleophora paraptarmica* Toll & Amsel, 1967 (Coleophoridae) larvae on Artemisia maritima (Baldizzone, 1994).
398. *Coleophora phlomidis* Stainton, 1867 (Coleophoridae) larva on Phlomis (Stainton, 1867; Staudinger, 1880).
399. *Coleophora prunifoliae* Doets, 1944 (Coleophoridae) larva on Prunus, Cerasus, Malus (Doets, 1944; Patzak, 1974).
400. *Coleophora salviella* Chrétien, 1917 (Coleophoridae) larva on Perovskia atriplicifolia (Labiatae) (Baldizzone, 1994).
401. *Coleophora serinipennella* Christoph, 1872 (Coleophoridae) larva on Atriplex halimus (Baldizzone, 1983).
402. *Coleophora serratella* (Linnaeus, 1761) (Coleophoridae) larva on Betula, Corylus.
403. *Coleophora siccifolia* Stainton, 1856 (Coleophoridae) larva on Betula, Crataegus, Alnus, Carpinus, Sorbus, Tilia (Patzak, 1974).
404. *Coleophora stachydis* Baldizzone, 1994 (Coleophoridae) larva on Stachys parviflora (Baldizzone, 1994).
405. *Coleophora tolli* Klimesch, 1951 (Coleophoridae) larva on Thymus (Klimesch, 1951).
406. *Coleophora trifolii* (Curtis, 1832) (Coleophoridae) larva on Trifolium, Melilotus (Curtis, 1832; Scott, 1861).
407. *Coleophora trigeminella* Fuchs, 1881 (Coleophoridae) larva on Sorbus, Crataegus (Patzak, 1974).
408. *Coleophora uliginosella* Glitz, 1872 (Coleophoridae) larva on Vaccinium uliginosum (Glitz, 1872).
409. *Coleophora univittella* Staudinger, 1880 (Coleophoridae) larva on Tragacantha (Fabaceae) (Falkovitsh, 1988).
410. *Coleophora vacciniella* Herrich-Schäffer, 1861 (Coleophoridae) larva on Vaccinium vitis-idaea, V. myrtillus, V. uliginosum (Herrich-Schäffer, 1861; Patzak, 1974).
411. *Metriotes lutarea* (Haworth, [1828]) (Coleophoridae) larva on Stellaria holostea, Thesium montanum (Patzak, 1974).
412. *Alloclita francoeuriae* Walsingham, 1905 (Cosmopterigidae) larva on Pulicaria crispa (Walsingham, 1905).
413. *Anatrachyntis coridophaga* (Meyrick, 1925) (Cosmopterigidae) larva on Hibiscus (Malvaceae) (Koster & Sinev, 2003).
414. *Ascalenia acaciella* Chrétien, 1915 (Cosmopterigidae) larva on Acacia farnesiana, A. horrida, A. tortilis (Mimosaceae) (Chrétien, 1915).
415. *Ascalenia antiqua* Meyrick, 1925 (Cosmopterigidae) larva on Gal of Tamarix aphylla (Tamaricaceae) (Kasy, 1974).
416. *Ascalenia grisella* Kuznetsov, 1957 (Cosmopterigidae) larva on Tamarix (Kuznetsov, 1957).
417. *Ascalenia pachnoda* (Meyrick, 1917) (Cosmopterigidae) larva on Tamarix gallica, T. indica, T. nilotica? (Fletcher, 1933).
418. *Ascalenia vanella* (Frey, 1860) (Cosmopterigidae) larva on Myricaria germanica, Tamarix (Tamaricaceae) (Spuler, 1910; Kasy, 1969).
419. *Ascalenia vanelloides* Gerasimov, 1930 (Cosmopterigidae) larva on Prosopis stephaniana (Fabaceae) (Kasy, 1969).
420. *Ascalenia viviparella* Kasy, 1969 (Cosmopterigidae) larva on Calligonum junceum, C. setosum, C. leucocladum (Polygonaceae) (Falkovich, 1968).
421. *Calycobathra calligoni* Sinev, 1979 (Cosmopterigidae) larva on Calligonum junceum, C. eriopodum, C. microcarpum, C. leucocladum (Polygonaceae) (Falkovich, 1968).
422. *Cosmopterix attenuatella* (Walker, 1864) (Cosmopterigidae) larva on Scirpus, Cyperus rotundus (Cyperaceae) (Riedl, 1969).
423. *Cosmopterix coryphaea* Walsingham, 1908 (Cosmopterigidae) larva on Phragmites australis (Poaceae) (Amsel, 1935).
424. *Cosmopterix crassivittella* Chrétien, 1896 (Cosmopterigidae) larva on Cyperus (Cyperaceae) (Chrétien, 1917).
425. *Cosmopterix lienigiella* Lienig & Zeller, 1846 (Cosmopterigidae) larva on Phragmites communis (Riedl, 1969).
426. *Cosmopterix orichalcea* Stainton, 1861 (Cosmopterigidae) larva on Hierochloa odorata, H. australis, Miliun, Phragmites communis, Festuca arundinacea (Riedl, 1969).
427. *Cosmopterix pararufella* Riedl, 1976 (Cosmopterigidae) larva on Saccharum officinarum (Poaceae) (Koster & Sinev, 2003).
428. *Cosmopterix pulcherimella* Chambers, 1875 (Cosmopterigidae) larva on Parietaria officinalis, P. pennsylvanica, Pilea pumila (Urticaceae) (Busck, 1906).
429. *Cosmopterix salahinella* Chrétien, 1907 (Cosmopterigidae) larva on Phragmites australis (Poaceae) (Amsel, 1935).
430. *Cosmopterix schmidiella* (Frey, 1856) (Cosmopterigidae) larva on Lathyrus niger, L. montanus, Vicia sepium, V. pisiformis (Riedl, 1969).
431. *Cosmopterix scribaella* Zeller, 1850 (Cosmopterigidae) larva on Phragmites communis (Poaceae) (Riedl, 1969).
432. *Cosmopterix turbidella* Rebel, 1896 (Cosmopterigidae) larva on Parietaria officinalis, P. debilis, P. arborea (Riedl, 1969).
433. *Cosmopterix zieglereella* (Hübner, [1810]) (Cosmopterigidae) larva on Humulus lupulus, H. japonicus (Cannabaceae), Boehmeria nipononivea (Urticaceae) (Sorhagen, 1885; Kuroko, 1960; Riedl, 1969; et seq.).
434. *Eteobalea albiapicella* (Duponchel, 1843) (Cosmopterigidae) larva on Globularia vulgaris (Riedl, 1969).
435. *Eteobalea alypella* (Klimesch, 1946) (Cosmopterigidae) larva on Globularia alypum (Globulariaceae) (Riedl, 1969).
436. *Eteobalea dohrnii* (Zeller, 1847) (Cosmopterigidae) larva on Plantago albicans (Plantaginaceae) (Lhomme, 1949).
437. *Eteobalea intermediella* (Riedl, 1966) (Cosmopterigidae) larva on Linaria genistifolia, L. vulgaris, L. pontica, Anarrhinum bellidifolium (Scrophulariaceae) (Saner, 1991).
438. *Eteobalea serratella* (Treitschke, 1833) (Cosmopterigidae) larva on Linaria vulgaris, L. genistifolia ssp. euxina (Scrophulariaceae) (Saner, 1991).
439. *Eteobalea teucris* (Walsingham, 1907) (Cosmopterigidae) larva on Teucrium fruticans (Lamiaceae) (Riedl, 1969).
440. *Eumenodora tetrachorda* Meyrick, 1924 (Cosmopterigidae) larva in needles of Casuarina (Casuarinaceae) (Robinson et al., 1994).
441. *Gibeauxiella bellaquefontis* (Gibeaux, 1986) (Cosmopterigidae) larva on Ganoderma applanatum (Gibeaux, 1986).
442. *Gibeauxiella reliqua* (Gibeaux, 1986) (Cosmopterigidae) larva on Fagus sylvatica (Fagaceae) (Gibeaux, 1986).
443. *Gisilia stereodoxa* (Meyrick, 1925) (Cosmopterigidae) larva on Acacia nilotica (Mimosaceae) (Meyrick, 1925).
444. *Hodgesiella rebeli* (Krone, 1905) (Cosmopterigidae) larva on Convolvulus cantabricus, C. altheoides (Convolvulaceae) (Krone, 1905 et seq.).
445. *Isidiella divitella* (Constant, 1885) (Cosmopterigidae) larva on Helichrysum angustifolium, H. serotinum, H. stoechas, Santolina (Asteraceae) (Riedl, 1969).
446. *Isidiella nickerlii* (Nickerl, 1864) (Cosmopterigidae) larva on Achillea millefolium, Helichrysum arenarium (Asteraceae) (Riedl, 1969).
447. *Labdia semicoccinea* (Stainton, 1859) (Cosmopterigidae) larva on Cajanus indicus (Fabaceae), Polyscias (Araliaceae) (Fletcher, 1920; et seq.).
448. *Labdia stibogramma* Meyrick, 1924 (Cosmopterigidae) larva on decaying rubber wood Hevea brasiliensis (Euphorbiaceae), Bertholletia (Lecythidaceae), Citrus (Rutaceae) (Robinson et al., 1994).
449. *Limnaecia phragmitella* Stainton, 1851 (Cosmopterigidae) larva on Phragmites, Typha latifolia, T. angustifolia (Stainton, 1851; Riedl, 1969).
450. *Pancalia leuwenhoekella* (Linnaeus, 1761) (Cosmopterigidae) larva on Viola (Riedl, 1969).
451. *Pancalia nodosella* Mann, 1854 (Cosmopterigidae) larva on Viola curtisi (Violaceae) (Koster & Sinev, 2003).
452. *Pancalia schwarzeella* (Fabricius, 1798) (Cosmopterigidae) larva on Viola hirta, V. tricolor, V. canina, Lotus corniculatus (Riedl, 1969).
453. *Pyroderces amphisaris* Meyrick, 1922 (Cosmopterigidae) larva on Elaeis guineensis (Palmae), Sorghum bicolor, Zea mays (Poaceae) (Robinson et al., 2005).
454. *Pyroderces argyrogrammos* (Zeller, 1847) (Cosmopterigidae) larva on Carlinia, Centaurea, Carduus nutans, C. pycnocephalus, Cnicus benedictus, Scolymus hispanicus (Asteraceae) (Riedl, 1969; et seq.).
455. *Pyroderces caesaris* Gozmany, 1957 (Cosmopterigidae) larva on Echinops ruthenicus, Centaurea orientalis, C. salonitana, Cirsium sublaniflorum (Sinev, 1993).
456. *Pyroderces centropecta* Meyrick, 1931 (Cosmopterigidae) larva on Elaeis guineensis (Palmae) (Robinson et al., 2005).
457. *Pyroderces centrophanes* (Meyrick, 1915) (Cosmopterigidae) larva on Elaeis guineensis (Palmae), Mangifera indica (Anacardiaceae) (Robinson et al., 2005).
458. *Pyroderces dactyliota* Meyrick, 1931 (Cosmopterigidae) larva on Cocos nucifera (Palmae) (Robinson et al., 2005).
459. *Pyroderces diplecta* Meyrick, 1935 (Cosmopterigidae) larva on Borassus flabellifer (Palmae) (Robinson et al., 2005).
460. *Pyroderces euryspora* Meyrick, 1922 (Cosmopterigidae) larva on Gossypium arboreum (Malvaceae) (Robinson et al., 2005).

461. **Pyroderces falcata** (Stainton, 1859) (Cosmopterigidae) larva on *Ceiba pantandra* (Bombacaceae), *Cocos nucifera*, *Elaeis guineensis* (Palmae), *Coffea liberica* (Rubiaceae), *Gossypium barbadense*, *G. herbaceum* (Malvaceae), *Parkinsonia aculeata* (Fabaceae), *Shorea robusta* (Dipterocarpaceae), *Xanthorrhoea arborea* (Xanthorrhoeaceae) (Robinson et al., 2005).
462. **Pyroderces haemodryas** Meyrick, 1930 (Cosmopterigidae) larva on *Nypa fruticans* (Palmae) (Robinson et al., 2005).
463. **Pyroderces hemizopha** (Meyrick, 1916) (Cosmopterigidae) larva on *Sorghum*, *Zea mays* (Poaceae), *Gossypium* (Malvaceae) (Robinson et al., 2005).
464. **Pyroderces ptilotdelta** Meyrick, 1922 (Cosmopterigidae) larva on *Areca catechu*, *Cocos nucifera*, *Elaeis guineensis* (Palmae), *Coffea* (Rubiaceae), *Delonix regia* (Fabaceae), *Gossypium barbadense*, *G. herbaceum* (Malvaceae), *Theobroma cacao* (Sterculiaceae) (Robinson et al., 2005).
465. **Pyroderces simplex** Walsingham, 1891 (Cosmopterigidae) larva on *Gossypium*, *Elaeis guineensis*, *Eriodendron frondosum* (Walsingham, 1906; Diakonoff, 1967).
466. **Ramphis libanoticus** Riedl, 1969 (Cosmopterigidae) larva on *Salvia triloba cypria*, *S. triloba libanotica* (Lamiaceae) (Riedl, 1966).
467. **Sorhagenia janiszewskae** Riedl, 1962 (Cosmopterigidae) larva on *Rhamnus cathartica*, *R. alpina*, *Frangula alnus* (Riedl, 1969).
468. **Sorhagenia lophyrella** (Douglas, 1846) (Cosmopterigidae) larva on *Rhamnus cathartica*, *R. saxatilis*, *Frangula alnus* (Rhamnaceae) (Riedl, 1969).
469. **Sorhagenia rhamnella** (Zeller, 1839) (Cosmopterigidae) larva on *Rhamnus cathartica*, *R. alpina*, *Frangula alnus* (Rhamnaceae) (Zeller, 1839; Riedl, 1969).
470. **Stagmatophora callistrepta** (Meyrick, 1917) (Cosmopterigidae) larva on *Tectona grandis*, *Vitex negundo* (Verbenaceae) (Robinson et al., 2005).
471. **Stagmatophora heydeniella** (Fischer v. Röslerstamm, 1841) (Cosmopterigidae) larva on *Stachys sylvatica*, *Betonica officinalis*, *B. alpestris* (Lamiaceae) (Riedl, 1969).
472. **Vulcaniella extremella** (Wocke, 1871) (Cosmopterigidae) larva on *Salvia pratensis*, *S. bertolonii*, *Brunella grandiflora* (Lamiaceae) (Riedl, 1969).
473. **Vulcaniella fiordalis** (Petty, 1904) (Cosmopterigidae) larva on *Helichrysum serotinum*, *H. angustifolium*, *H. stoechas*, *Phagnalon* (Asteraceae) (Chrétien, 1922; et seq.).
474. **Vulcaniella grabowiella** (Staudinger, 1859) (Cosmopterigidae) larva on *Lavandula stoechas*, *Thymus vulgaris*, *T. algeriensis*, *T. numidicus* (Lamiaceae) (Staudinger, 1859; et seq.).
475. **Vulcaniella grandiferella** Sinev, 1986 (Cosmopterigidae) larva on *Salvia aethiops*, *S. sclarea* (Lamiaceae) (Sinev, 1993).
476. **Vulcaniella klimeschi** (Riedl, 1966) (Cosmopterigidae) larva on *Salvia ringens* (Lamiaceae) (Riedl, 1969).
477. **Vulcaniella pomposella** (Zeller, 1839) (Cosmopterigidae) larva on *Helichrysum arenarium* (Asteraceae), *Salvia officinalis* (Lamiaceae) (Schütze, 1931; Riedl, 1969).
478. **Vulcaniella rosmarinella** (Walsingham, 1891) (Cosmopterigidae) larva on *Rosmarinus officinalis* (Lamiaceae) (Walsingham, 1891).
479. **Phragmataecia castaneae** (Hübner, 1790) (Cossidae) larva on *Phragmites australis*, *Saccharum spontaneum* (Skinner, 1985).
480. **Phragmataecia purpurea** Fletcher, 1927 (Cossidae) larva on *Andropogon sorghum*, *Saccharum arundinaceum*, *S. spontaneum* (Arora, 1976).
481. **Xyleutes anceps** (Snellen, 1900) (Cossidae) larva on *Derris* (Fabaceae) (Roepke, 1957).
482. **Xyleutes ceramicus** (Walker, 1865) (Cossidae) larva on *Callicarpa*, *Clerodendrum*, *Gmelina*, *Tectona grandis* (Verbenaceae), *Erythrina*, *Sesbania* (Fabaceae), *Spathodea* (Bignoniaceae), *Duabanga* (Sonneratiaceae) (Roepke, 1957; Arora, 1976).
483. **Xyleutes fuscipars** (Hampson, 1892) (Cossidae) larva on *Gliricidia* (Barlow, 1982).
484. **Xyleutes maculatus** (Snellen, 1879) (Cossidae) larva on *Ceiba* (Bombacaceae) (Roepke, 1957).
485. **Xyleutes personus** Le Guillou, 1841 (Cossidae) larva on *Cassia* (Fabaceae), *Durio* (Bombacaceae), *Premna*, *Tectona grandis* (Verbenaceae) (Arora, 1976 et seq.).
486. **Xyleutes strix** (Linnaeus, 1758) (Cossidae) larva on *Sesbania grandiflora* (Snellen, 1877).
487. **Zeuzera coffeae** Nietner, 1861 (Cossidae) larva on *Casuarina* (Casuarinaceae), *Erythroxylum* (Erythroxylaceae), *Acalypha*, *Phyllanthus* (Euphorbiaceae), *Doryalis*, *Hydnocarpus* (Flacourtiaceae), *Anona*, *Cinnamomum*, *Persea*, *Phoebe* (Lauraceae), *Amherstia*, *Cassia*, *Pericopsis*, *Xylia* (Fabaceae), *Gossypium*, *Hibiscus* (Malvaceae), *Cedrela*, *Chukrasia*, *Melia*, *Swietenia* (Meliaceae), *Psidium* (Myrtaceae), *Grevillea* (Proteaceae), *Crataegus*, *Eriobotrya* (Rosaceae), *Coffea* (Rubiaceae), *Citrus* (Rutaceae), *Santalum* (Santalaceae), *Filicium*, *Nephelium*, *Schleichera* (Sapindaceae), *Cestrum* (Solanaceae), *Theobroma* (Sterculiaceae), *Cryptomeria* (Taxodiaceae), *Camellia* (Theaceae), *Clerodendrum*, *Lantana*, *Tectona grandis*, *Vitex* (Verbenaceae) (Arora, 1976; et seq.).
488. **Zeuzera conferta** Walker, 1856 (Cossidae) larva on *Barringtonia* (Lecythidaceae), *Ochroma* (Bombacaceae), *Theobroma* (Sterculiaceae), *Eucalyptus* (Myrtaceae), *Sonneratia* (Sonneratiaceae) (Toxopeus, 1948; et seq.).
489. **Zeuzera indica** Herrich-Schäffer, 1854 (Cossidae) larva on *Phoebe excelsa* (Lauraceae) (Barlow, 1982).
490. **Zeuzera multistrigata** Moore, 1881 (Cossidae) larva on *Quercus*, *Buxus*, *Streblus*, *Cryptomeria japonica*, *Ilex*, *Mahonia nepalensis*, *Mussaenda frondosa*, *Pyrus malus*, *Santalum album* (Arora, 1976).
491. **Zeuzera postexcisa** Hampson, 1893 (Cossidae) larva on *Phoebe excelsa* (Lauraceae) (Arora, 1976).
492. **Amata huebneri** (Boisduval, 1828) (Ctenuchidae) larva on rice (Holloway, 1988).
493. **Dysauxes famula** (Freyer, 1836) (Ctenuchidae) larva on *Taraxacum* (De Freina & Witt, 1987).
494. **Eressa confinis** (Walker, 1854) (Ctenuchidae) larva on decayed *Mikania cordata* foliage (Asteraceae), *Tamarindus indica* (Fabaceae) foliage; fresh *Lactuca sativa* var. *longifolia* [Romaine] in capture (Kemal, in litt.).
495. **Euchromia horsfieldi** (Moore, 1859) (Ctenuchidae) larva on *Dioscorea* (Dioscoreaceae) (Holloway, 1988).
496. **Syntomoides imao** (Cramer, 1780) (Ctenuchidae) larva on *Anacardium* (Anacardiaceae), *Citrus* (Rutaceae) (Holloway, 1988).
497. **Cyclidia rectifasciata** Walker, 1862 (Cyclidiidae) larva on leaf of weed (Lewvanich, 2001).
498. **Cyclidia substigmatica** (Hübner, 1825) (Cyclidiidae) larva on *Alangium chinense* (Alangiaceae) (Robinson et al., 2005).
499. **Amauris (Amaura) albimaculata** Butler, 1875 (Danaiidae) larva on *Tylophora anomala*, *Cynanchum chirindense*, *C. natalitium* (Asclepiadaceae) (Pringle et al., 1994).
500. **Danaus (Anosia) chrysippus** (Linnaeus, 1758) (Danaiidae) larva on *Asclepiadaceae* (*Asclepias curassavica*, *Aspidoglossum*, *Ceropegia*, *Gomphocarpus fruticosus*, *Huernia*, *Caralluma burchardii*, *Calotropis procera*, *Ischnostemma*, *Kanahia*, *Leichhardtia*, *Pergularia tomentosa*, *Cynanchum acutum*, *Leptadenia*, *Marsdenia*, *Metaplexis*, *Pachycarpus*, *Pentstemon*, *Pentstemon*, *Pergularia*, *Pleurostema*, *Raphistemma*, *Schizoglossum*, *Secamone*, *Stapelia*, *Statmoselma*, *Tylophora*) *Convolvulaceae* (*Ipomoea*), *Periplocaceae* (*Periploca*) (Wiltshire, 1941; Ackery et al., 1995; Tolman, 1997).
501. **Danaus (s.str.) plexippus** (Linnaeus, 1758) (Danaiidae) larva on *Asclepias curassavica*, *Gomphocarpus fruticosus*, *Periploca laevigata*, *Ceropegia*, *Calotropis procera* (Tolman, 1997).
502. **Euploea (Stictoploea) mulciber** (Cramer, 1777) (Danaiidae) larva on *Ficus altissima* [sai thong] (Moraceae) (Lewvanich, 2001).
503. **Ideopsis similis** (Linnaeus, 1758) (Danaiidae) larva on weed (Lewvanich, 2001).
504. **Tirumala petiverana** (Doubleday, 1847) (Danaiidae) larva on *Pergularia daemia*, *Hoya* (Asclepiadaceae) (Pringle & Henning, 1994).
505. **Klimeschia cinereipunctella** (Turati & Fiori, 1930) (Douglassiidae) larva on (?) *Anchusa* (Gaedike, 1975).
506. **Klimeschia transversella** (Zeller, 1839) (Douglassiidae) larva on *Thymus* (Gaedike, 1975).
507. **Tinagma anchusellum** Benander, 1936 (Douglassiidae) larva on *Anchusa* (Gaedike, 1975).
508. **Tinagma balteolellum** (Fischer v. Röslerstamm, 1841) (Douglassiidae) larva on *Echium* (Gaedike, 1975).
509. **Tinagma klimeschi** Gaedike, 1987 (Douglassiidae) larva on *Echium diffusum* (Gaedike, 1987).
510. **Tinagma ocnorostomellum** (Stainton, 1850) (Douglassiidae) larva inside the stalk of *Echium* (Gaedike, 1975).
511. **Albara reversaria** Walker, 1866 (Drepanidae) larva on *Myrica* (Myricaceae) (Wang, 1995).
512. **Callidrepana argenteola** (Moore, 1858) (Drepanidae) larva on *Mangifera* (Anacardiaceae) (Holloway, 1998).
513. **Callidrepana micacea** (Walker, 1862) (Drepanidae) larva on *Bruguiera* (Rhizophoraceae) (Holloway, 1998).
514. **Cilix asiatica** A. Bang-Haas, 1907 (Drepanidae) larva on *Crataegus*, *Prunus* (Wiltshire, 1957).
515. **Cilix glaucata** (Scopoli, 1763) (Drepanidae) larva on *Crataegus monogyna*, *Prunus domestica*, *P. spinosa*, *Pyrus malus*, *P. communis*, *Sorbus aucuparia*, *Rubus ulmifolius* (Meyer, 1919; Maso, 1993).
516. **Drapetodes fratercula** Moore, 1887 (Drepanidae) larva on *Elettaria* (Zingiberaceae) (Holloway, 1998).
517. **Drepana curvatula** (Borkhausen, 1790) (Drepanidae) larva on *Alnus* (Meyer, 1919).
518. **Drepana falcata** (Linnaeus, 1758) (Drepanidae) larva on *Alnus*, *Betula* (Meyer, 1919).
519. **Falcaria lacertinaria** (Linnaeus, 1758) (Drepanidae) larva on *Quercus* (Linnaeus, 1758); *Alnus*, *Betula* (Meyer, 1919).
520. **Gogana abnormalis** (W. Warren, 1897) (Drepanidae) larva on *Calamus manan* (Palmae) (Holloway, 1998).
521. **Gogana semibrevis** (W. Warren, 1901) (Drepanidae) larva on *Calamus manan* (Palmae) (Holloway, 1998).
522. **Gogana tenera** (Swinhoe, 1902) (Drepanidae) larva on *Calamus manan* (Palmae) (Holloway, 1998).
523. **Orecta carnea** (Butler, 1892) (Drepanidae) larva on *Uncaria* (Rubiaceae) (Yunus & Ho, 1980).
524. **Pseuderosia cristata** Snellen, 1889 (Drepanidae) larva on *Korthalsia rigida*, *Elaeis* (Palmae) (Holloway, 1998).
525. **Pseuderosia desmierdechenoni** Holloway, 1998 (Drepanidae) larva on *Elaeis* (Palmae) (Holloway, 1998).
526. **Sabra harpagula** (Esper, 1786) (Drepanidae) larva on *Betula*, *Quercus*, *Tilia* (Meyer, 1919).
527. **Scytalopteryx elongata** (Snellen, 1889) (Drepanidae) larva on *Cocos*, *Elaeis* (Palmae), *Coffea* (Rubiaceae), *Lablab* (Fabaceae) (Yunus & Ho, 1980).
528. **Tridrepana albonotata** (Moore, 1879) (Drepanidae) larva on *Schleichera* (Sapindaceae) (Holloway, 1998).
529. **Tridrepana albonotata** (Moore, 1879) (Drepanidae) larva on leaf of *Shorea robusta* (Dipterocarpaceae) (Robinson et al., 2005).
530. **Tridrepana fulvata** Snellen, 1876 (Drepanidae) larva on leaf of *Nephelium lappaceum* [rambutan] (Sapindaceae) (Lewvanich, 2001).
531. **Watsonalla binaria** (Hufnagel, 1767) (Drepanidae) larva on *Quercus* (Staudinger, 1879; Meyer, 1919; Wiltshire, 1957).
532. **Watsonalla cultaria** (Fabricius, 1775) (Drepanidae) larva on *Fagus* (Meyer, 1919).
533. **Dudgeonea actinias** Turner, 1902 (Dudgeonidae) larva on *Canthium attenuatum* (Rubiaceae) (Turner, 1902).

- 534. Elachista nuraghella Amsel, 1951** (Elachistidae) larva on Dasypyrum villosum (Poaceae) (Parenti, 1994).
- 535. Epermenia (Calotropis) aequidentella (Hofmann, 1867)** (Epermeniidae) larva on Daucus carota, Meum athamanticum, Anthriscus vulgaris, Thapsia villosa, Angelica, Peucedanum (Gaedike, 1966).
- 536. Epermenia (Calotropis) chaerophylla (Goeze, 1783)** (Epermeniidae) larva on Apium, Carum, Cicuta, Conium, Levisticum, Oenanthe, Peucedanum, Pimpinella, Pychotis, Seseli, Silaum, Sison, Torilis (Hering, 1957); Chaerophyllum, Antriscus, Heracleum, Pastinaca, Daucus (Apiaceae) (Gaedike, 1966).
- 537. Epermenia (Calotropis) illigerella (Hübner, 1813)** (Epermeniidae) larva on Aegopodium podagraria, Angelica, Fragaria (Sorhagen, 1886; Rebel, 1915; Amsel, 1930; Schütze, 1931; Gaedike, 1966).
- 538. Epermenia (Calotropis) insecurella (Stainton, 1849)** (Epermeniidae) larva on Peucedanum officinale, Thesium sp. (Gaedike, 1966, 1971).
- 539. Epermenia (Calotropis) petrusella (Heylaerts, 1883)** (Epermeniidae) larva on Peucedanum montanum (Gaedike, 1966).
- 540. Epermenia (Calotropis) strictella (Wocke, 1867)** (Epermeniidae) larva on Ferula communis, Peucedanum officinale, Pimpinella saxifraga (Gaedike, 1971).
- 541. Epermenia (s.str.) devotella (Heyden, 1863)** (Epermeniidae) larva on Heracleum spondylium, Angelica (Gaedike, 1966).
- 542. Epermenia (s.str.) pontificella (Hübner, 1796)** (Epermeniidae) larva on Thesium sp. (Gaedike, 1966, 1971).
- 543. Epermenia (s.str.) profugella (Stainton, 1856)** (Epermeniidae) larva on Pimpinella saxifraga (Gaedike, 1966).
- 544. Ochromolpis icella (Hübner, 1813)** (Epermeniidae) larva on Thesium (Gaedike, 1966).
- 545. Ochromolpis staintonellus (Millière, 1869)** (Epermeniidae) larva on Oxyris alba (Gaedike, 1966, 1971).
- 546. Phaulernis dentella (Zeller, 1839)** (Epermeniidae) larva on Aegopodium podagraria, Angelica sylvestre, Chaerophyllum bulbosum (Sorhagen, 1866; Amsel, 1930; Schütze, 1931; Gaedike, 1966).
- 547. Phaulernis fulviguttella (Zeller, 1839)** (Epermeniidae) larva on Angelica (Gaedike, 1966).
- 548. Phaulernis rebeliella Gaedike, 1966** (Epermeniidae) larva on Siler trilobum (Rebel, 1915).
- 549. Phaulernis silerinella (Zeller, 1868)** (Epermeniidae) larva on Siler, ? Laserpitium (Zeller, 1868; Gaedike, 1966).
- 550. Phaulernis statariella (Heyden, 1863)** (Epermeniidae) larva on Laserpitium hirsutum (Pfaffenzer, 1870).
- 551. Ethmia aurifluella (Hübner, 1810)** (Ethmiidae) larva on Anchusa (Boraginaceae) (Sattler, 1967).
- 552. Ethmia bipunctella (Fabricius, 1775)** (Ethmiidae) larva on Echium vulgare, Symphytum, Anchusa, Lithospermum (Boraginaceae) (Denis & Schiffermüller, 1775; Wiltshire, 1947, 1957; Sattler, 1967).
- 553. Ethmia candiella (Alpheraky, 1908)** (Ethmiidae) larva on Lithospermum purpureocauleruleum, Cerinthe major, Borago officinalis (Boraginaceae), Asperugo procumbens (Wiltshire, 1947; Sattler, 1967).
- 554. Ethmia dodeca (Haworth, 1828)** (Ethmiidae) larva on Lithospermum officinale (Boraginaceae) (Freyer, 1834).
- 555. Ethmia flavianella (Treitschke, 1832)** (Ethmiidae) larva on Thalictrum foetidum (Ranunculaceae) (Cleu, 1925).
- 556. Ethmia lepidella (Chrétien, 1907)** (Ethmiidae) larva on Echium humile, Anchusa hispida (Boraginaceae) (Sattler, 1967).
- 557. Ethmia lugubris (Staudinger, 1879)** (Ethmiidae) larva on Symphytum officinale (Boraginaceae) (Sattler, 1967).
- 558. Ethmia lybiella (Ragonot, 1892)** (Ethmiidae) larva on Echiochilon fruticosum (Boraginaceae) (Chrétien, 1915).
- 559. Ethmia nigroapicella (Saalmüller, 1880)** (Ethmiidae) larva on Tectona grandis (Verbenaceae).
- 560. Ethmia pusiella (Linnaeus, 1758)** (Ethmiidae) larva on Lithospermum officinale, Pulmonaria officinalis (Boraginaceae) (Sattler, 1967).
- 561. Ethmia pyrausta (Pallas, 1771)** (Ethmiidae) larva on Thalictrum aquilegifolium (Ranunculaceae) (Nolcken, 1871).
- 562. Ethmia quadrilella (Goeze, 1783)** (Ethmiidae) larva on Symphytum officinale, Pulmonaria officinalis, Lithospermum officinale, Myosotis (Boraginaceae) (Sattler, 1967).
- 563. Ethmia tripunctella (Staudinger, 1879)** (Ethmiidae) larva on Onosma stellulata (Staudinger, 1879).
- 564. Eupterote geminata (Eupterotidae)** larva on Tectona grandis (Verbenaceae).
- 565. Eupterote undata Blanchard (Eupterotidae)** larva on Tectona grandis (Verbenaceae).
- 566. Altenia modesta (Danilevsky, 1955)** (Gelechiidae) larva on Pistacia vera in Armenia (Danilevsky, 1955).
- 567. Anacampsis mallella Amsel, 1959** (Gelechiidae) larva on Pyrus malus (Amsel, 1959; Wiltshire, 1962).
- 568. Anacampsis populella (Clerck, 1759)** (Gelechiidae) larva on Populus tremula/Bl. (Schütze, 1931).
- 569. Anarsia (Ananarsia) elegnalla Kuznetsov, 1957** (Gelechiidae) larva on Hippophae (Pishkunov, 1981) and Eleagnus, damaging mature fruits and young branches (Ponomarenko, 1989).
- 570. Anarsia (s.str.) acaciae Walsingham, 1896** (Gelechiidae) larva on Acacia edgeworthii, A. farnesiana (Amsel, 1967).
- 571. Anarsia (s.str.) halimodendri (Christoph, 1877)** (Gelechiidae) larva on Halimodendron eichvaldii (Ponomarenko, 1989).
- 572. Anarsia (s.str.) spartiella (Schränk, 1802)** (Gelechiidae) larva on Sarothamnus scoparius, Genista tinctoria, Loenbotropis nigricans, Ulex (Ponomarenko, 1989).
- 573. Apatetris kinkerella (Snellen, 1876)** (Gelechiidae) larva on Ammophila arenaria (Poaceae) (Elsner, Huemer & Tokar, 1999).
- 574. Apodia bifractella (Duponchel, 1843)** (Gelechiidae) larva on Inula conyza, I.hirta, I.salicina, Pulicaria dysenterica (Asteraceae) (Elsner, Huemer & Tokar, 1999).
- 575. Aproaerema modicella (Deventer, 1904)** (Gelechiidae) larva mines leaves on Arachis hypogaea, Glycine max (soya bean) (Fabaceae) (Robinson et al., 1994).
- 576. Argolamprotes micella ([Denis & Schiffermüller], 1775)** (Gelechiidae) larva on Rubus caesius, R.idaeus (Rosaceae) (Elsner, Huemer & Tokar, 1999).
- 577. Aristotelia articulata Meyrick, 1918** (Gelechiidae) larva on Ammannia (Lythraceae) (Robinson et al., 1994).
- 578. Aristotelia avanica Piskunov & Emelyanov, 1982** (Gelechiidae) larva on Atraphaxis spinosa (Polygonaceae) (Piskunov & Emelyanov, 1982).
- 579. Aristotelia brizella (Treitschke, 1833)** (Gelechiidae) larva on Armeria maritima, A.plantaginella, A.vulgaris (Plumbaginaceae) (Elsner, Huemer & Tokar, 1999).
- 580. Aristotelia decurtella (Hübner, 1813)** (Gelechiidae) larva on Rosa pimpinellifolia, Sanguisorba officinalis (Rosaceae), Eryngium campestre (Apiaceae) (Elsner, Huemer & Tokar, 1999).
- 581. Aristotelia ericinella (Zeller, 1839)** (Gelechiidae) larva on Calluna vulgaris, Erica herbacea (Ericaceae), Empetrum nigrum (Empetraceae) (Elsner, Huemer & Tokar, 1999).
- 582. Aristotelia galeotis Meyrick, 1908** (Gelechiidae) larva on Glochidion, Mallotus (Euphorbiaceae) (Robinson et al., 1994).
- 583. Aristotelia heliacella (Herrich-Schäffer, 1854)** (Gelechiidae) larva on Dryas octopetala (Rosaceae) (Elsner, Huemer & Tokar, 1999).
- 584. Aristotelia subdecurtella (Stainton, 1859)** (Gelechiidae) larva on Lythrum salicaria (Lythraceae), Stachys palustris (Lamiaceae), Veronica anagallis-aquatica (Scrophulariaceae) (Elsner, Huemer & Tokar, 1999).
- 585. Aristotelia subericinella (Duponchel, 1843)** (Gelechiidae) larva on Genista germanica, G.pilosa, Medicago falcata, M.sativa (Fabaceae) (Elsner, Huemer & Tokar, 1999).
- 586. Aroga aristotelis (Millière, 1875)** (Gelechiidae) larva on Astragalus echinus (Staudinger, 1879).
- 587. Athrips mongolorum Piskunov, 1980** (Gelechiidae) larva on Nitraria schoberi (Nitrariaceae) (Falkovitch & Bidzilya, 2003).
- 588. Athrips nitrariella (Chrétien, 1908)** (Gelechiidae) larva on Nitraria tridentata (Nitrariaceae) (Chrétien, 1908).
- 589. Atremaea lonchoptera Staudinger, 1871** (Gelechiidae) larva on Typha (Typhaceae) (Elsner, Huemer & Tokar, 1999).
- 590. Carpatolechchia humeralis (Zeller, 1839)** (Gelechiidae) larva on Abies alba, Quercus ilex, Q. coccifera, Cotinus coggygia, Cornus mas, Swida sanguinea, Phillyrea, Pistacia vera, P. terebinthus, Rhus (Russo, 1930; Lhomme, [1846]; Balachowsky & Davatchi, 1966; Sattler, 1982).
- 591. Caulastrocecis fufurella (Staudinger, 1871)** (Gelechiidae) larva on Crinitaria linosyris (Asteraceae) (Elsner, Huemer & Tokar, 1999).
- 592. Chilopselaphus fallax Mann, 1867** (Gelechiidae) larva on Stipa (Poaceae) (Elsner, Huemer & Tokar, 1999).
- 593. Chionodes fumata (Douglas, 1850)** (Gelechiidae) larva on Calluna vulgaris (Valenne, 2000).
- 594. Chrysoesthia drurella (Fabricius, 1775)** (Gelechiidae) larva on Atriplex patula, A.sagittata, Chenopodium album, C.bonus-henricus, C.hybridum, C.murale (Chenopodiaceae), Amaranthus (Amaranthaceae), Polygonum aviculare (Polygonaceae) (Elsner, Huemer & Tokar, 1999).
- 595. Chrysoesthia eppelsheimi (Staudinger, 1885)** (Gelechiidae) larva on Silene nutans, S.vulgaris (Caryophyllaceae) (Elsner, Huemer & Tokar, 1999).
- 596. Chrysoesthia sexguttella (Thunberg, 1794)** (Gelechiidae) larva on Atriplex patula, A.sagittata, Chenopodium album, Kochia scoparia, Spinacia (Chenopodiaceae), Amaranthus (Amaranthaceae) (Elsner, Huemer & Tokar, 1999).
- 597. Coleotechnites piccaella (Kearfott, 1903)** (Gelechiidae) larva on Picea pungens, P.mariana, P.abies (Pinaceae) (Kearfott, 1903; Hellrigl, 1996; Huemer & Karsholt, 1999).
- 598. Dichomeris adelocentra Meyrick, 1920** (Gelechiidae) larva on Bridelia tomentosa (Euphorbiaceae) (Meyrick, 1920).
- 599. Dichomeris eucomopa Meyrick, 1939** (Gelechiidae) larva on Bauhinia (Meyrick, 1939).
- 600. Dichomeris indiserta Meyrick, 1926** (Gelechiidae) larva on Nephelium lappaceum (Meyrick, 1926).
- 601. Dichomeris mesoctenis Meyrick, 1921** (Gelechiidae) larva on Alchornea ilicifolia (Euphorbiaceae) (Meyrick, 1921).
- 602. Dichomeris petalodes Meyrick, 1934** (Gelechiidae) larva on Bridelia retusa (Euphorbiaceae) (Meyrick, 1934).
- 603. Dichomeris quercicola Meyrick, 1921** (Gelechiidae) larva on Quercus (Meyrick, 1921).
- 604. Eulamprotes atrella ([Denis & Schiffermüller], 1775)** (Gelechiidae) larva on Hypericum maculatum, H.perforatum (Hypericaceae) (Elsner, Huemer & Tokar, 1999).
- 605. Eulamprotes superbella (Zeller, 1839)** (Gelechiidae) larva on Thymus serpyllum (Lamiaceae), Gnaphalium (Asteraceae) (Elsner, Huemer & Tokar, 1999).
- 606. Eulamprotes wilkella (Linnaeus, 1758)** (Gelechiidae) larva on Cerastium fontanum, C.holosteoides (Caryophyllaceae) (Elsner, Huemer & Tokar, 1999).
- 607. Exoteleia dodecella (Linnaeus, 1758)** (Gelechiidae) larva on Pinus sylvestris /Knospen. (Schütze, 1931; Huemer & Karsholt, 1999).
- 608. Exoteleia succinctella (Zeller, 1872)** (Gelechiidae) larva on ?Pinus mugo pumilio (Pinaceae).
- 609. Gelechia pistaciae Filipjev, 1934** (Gelechiidae) larva on Pistacia vera (Filipjev, 1934).

610. **Gelechia sestertiella** Herrich-Schäffer, 1854 (Gelechiidae) larva on Acer platanoides, Acer campestre (Wörz, 1954).
611. **Gladiovalva aizpuruai** Vives, 1990 (Gelechiidae) larva on Acetosa pratensis (Polygonaceae) (Elsner, Huemer & Tokar, 1999).
612. **Hypatima spathota** Meyrick, 1913 (Gelechiidae) larva on Melia azedarach (Meliaceae), Odina woderi (Anacardiaceae), Mangifera indica (Anacardiaceae) (Robinson et al., 1994).
613. **Isophrictis anthemidella** (Wocke, 1871) (Gelechiidae) larva on Achillea ptarmica, Anthemis tinctoria, Pyrethrum corymbosum (Asteraceae) (Wocke, 1871; Elsner, Huemer & Tokar, 1999).
614. **Isophrictis striatella** (Denis & Schiffermüller, 1775) (Gelechiidae) larva on Cota tinctoria, yrethrum corymbosum, Tanacetum vulgare (Asteraceae) (Elsner, Huemer & Tokar, 1999).
615. **Istrianis brucinella** (Mann, 1872) (Gelechiidae) larva on Tamarix-Gallen (Mann, 1872).
616. **Megacraspedus binotellus** (Duponchel, 1843) (Gelechiidae) larva on Poa (Poaceae) (Elsner, Huemer & Tokar, 1999).
617. **Megacraspedus dolosellus** (Zeller, 1839) (Gelechiidae) larva on Amorpha repens (Fabaceae), Cynodon dactylon, Lolium perenne, Poa annua, P. trivialis (Poaceae) (Elsner, Huemer & Tokar, 1999).
618. **Metzneria aestivella** (Zeller, 1839) (Gelechiidae) larva on Carlina acaule, C. vulgaris, C. corymbosa (Englert, 1974).
619. **Metzneria apirella** (Herrich-Schäffer, 1854) (Gelechiidae) larva on Centaurea [Colymbada] scabiosa, C. diffusa, C. paniculata, Calcitrapa solstitialis (always one caterpillar per flower head) (Englert, 1974; Elsner, Huemer & Tokar, 1999; Valenne, 2000).
620. **Metzneria castiliella** (Möschler, 1866) (Gelechiidae) larva on Atractylis serrateleides, Kentrophylum lanatum, Onopordum arenarium (Christoph, 1917; Englert, 1974).
621. **Metzneria diffusella** Englert, 1974 (Gelechiidae) larva on Centaurea diffusa, C. paniculata (Englert, 1974).
622. **Metzneria ehikeella** Gozmany, 1954 (Gelechiidae) larva on Centaurea scabiosa, C. calcitrapa (Englert, 1974).
623. **Metzneria hilarella** Caradja, 1920 (Gelechiidae) larva on Centaurea aspera (Englert, 1974).
624. **Metzneria intestinella** (Mann, 1864) (Gelechiidae) larva on Centaurea solstitialis (Englert, 1974).
625. **Metzneria lappella** (Linnaeus, 1758) (Gelechiidae) larva on Arctium lappa, A. tomentosum, A. nemorosum, A. minus (Englert, 1974).
626. **Metzneria littorella** (Douglas, 1850) (Gelechiidae) larva on Plantago (Walsingham, 1900; Englert, 1974).
627. **Metzneria metzneriella** Stainton, 1851 (Gelechiidae) larva on Centaurea [Colymbada] scabiosa, C. [Cyanus] montana, C. jacea, Jacea nigra, J. phrygia, J. pratensis (Schulze, 1931; Englert, 1974; Elsner, Huemer & Tokar, 1999).
628. **Metzneria neuropterella** Zeller, 1839 (Gelechiidae) larva on Cirsium acaule, Carlina acaulis, Cirsium vulgare?, Centaurea nigra?, Colymbada scabiosa, Jacea nigra (Asteraceae); Dipsacus sylvestris? (Dipsacaceae) (Englert, 1974; Elsner, Huemer & Tokar, 1999).
629. **Metzneria paucipunctella** (Zeller, 1839) (Gelechiidae) larva on Acosta rhenana, Anthemis tinctoria, Centaurea maculosa (Englert, 1974; Elsner, Huemer & Tokar, 1999).
630. **Metzneria santolinella** (Amsel, 1936) (Gelechiidae) larva on Anthemis tinctoria (Asteraceae) (Elsner, Huemer & Tokar, 1999).
631. **Metzneria stachelinella** Englert, 1974 (Gelechiidae) larva on Stachelina dubia (Englert, 1974).
632. **Mirificarma** (Montivaga) **montivaga** (Walsingham, 1904) (Gelechiidae) larval foodplant unknown (Pitkin, 1984).
633. **Mirificarma** (s.str. (Interrupta)) **burdonella** (Rebel, 1930) (Gelechiidae) larval foodplant unknown (Pitkin, 1984).
634. **Mirificarma** (s.str. (Interrupta)) **cabezella** (Chrétien, 1925) (Gelechiidae) larva on Adenocarpus hispanicus (Chrétien, 1925).
635. **Mirificarma** (s.str. (Interrupta)) **constricta** Pitkin, 1984 (Gelechiidae) larval foodplant unknown (Pitkin, 1984).
636. **Mirificarma** (s.str. (Interrupta)) **cytisella** (Treitschke, 1833) (Gelechiidae) larva on Cytisus nigricans, Genista, Laburnum anagyroides, Calicotome spinosa, Ononis spinosa (Treitschke, 1833; Schütze, 1931; Lhomme, [1946-1949]).
637. **Mirificarma** (s.str. (Interrupta)) **fasciata** Pitkin, 1984 (Gelechiidae) larval foodplant unknown (Pitkin, 1984).
638. **Mirificarma** (s.str. (Interrupta)) **interrupta** (Curtis, 1827) (Gelechiidae) larva on Cytisus scoparius, C. purgans (Disque, 1908; Lhomme, [1946-1949]).
639. **Mirificarma** (s.str. (Interrupta)) **lentiginosella** (Zeller, 1839) (Gelechiidae) larva on Genista tinctoria, G. anglica, G. germanica, G. sagittalis, Laburnum anagyroides (Stainton, 1865; Sorhagen, 1886; Müller-Rutz, 1913-1914).
640. **Mirificarma** (s.str. (Interrupta)) **monticoella** (Rebel, 1931) (Gelechiidae) larval foodplant unknown (Pitkin, 1984).
641. **Mirificarma** (s.str. (Interrupta)) **mulinella** (Zeller, 1839) (Gelechiidae) larva on Ulex europaeus, Cytisus nigricans, Genista germanica, Calicotome spinosa (Stainton, 1865; Sorhagen, 1886; Lhomme, [1946-1949]; Hartig, 1964).
642. **Mirificarma** (s.str. (Interrupta)) **ocellinella** (Chrétien, 1915) (Gelechiidae) larva on Retama raetam (Dumont, 1931).
643. **Mirificarma** (s.str. (Interrupta)) **ulicinella** (Staudinger, 1859) (Gelechiidae) larva on Ulex parviflorus (Staudinger, 1859).
644. **Mirificarma** (s.str. (s.str.)) **afavella** (Amsel, 1935) (Gelechiidae) larval foodplant unknown (Pitkin, 1984).
645. **Mirificarma** (s.str. (s.str.)) **denotata** Pitkin, 1984 (Gelechiidae) larva on Erophaca baetica (=Astragalus lusitanicus) (Pitkin, 1984; Dionisio, 2003).
646. **Mirificarma** (s.str. (s.str.)) **eburnella** (Denis & Schiffermüller, 1775) (Gelechiidae) larva on Medicago sativa, M. lupulina, M. polymorpha, Trifolium repens, T. hirtum, Vicia americana, Hippocrepis comosa (Lhomme, [1948-1949]; Pitkin, 1984).
647. **Mirificarma** (s.str. (s.str.)) **flavella** (Duponchel, 1844) (Gelechiidae) larva on Trifolium pratense, Lotus corniculatus (Lhomme, [1948-1949]).
648. **Mirificarma** (s.str. (s.str.)) **maculatella** (Hübner, 1796) (Gelechiidae) larva on Coronilla varia, C. emerus (Braund, 1858; Stainton, 1865).
649. **Mirificarma** (s.str. (s.str.)) **pallidipulchra** (Walsingham, 1904) (Gelechiidae) larva on Teucrium ? polium (Walsingham, 1904).
650. **Mirificarma** (s.str. (s.str.)) **rhodoptera** (Mann, 1866) (Gelechiidae) larval foodplant unknown (Pitkin, 1984).
651. **Monochroa arundinetella** (Stainton, 1858) (Gelechiidae) larva on Carex acutiformis, C. riparia (Cyperaceae) (Elsner, Huemer & Tokar, 1999).
652. **Monochroa conspersella** (Herrich-Schäffer, 1854) (Gelechiidae) larva on Lysimachia vulgaris (Primulaceae) (Elsner, Huemer & Tokar, 1999).
653. **Monochroa cytisella** (Curtis, 1837) (Gelechiidae) larva on Pteridium aquilinum (Pteridaceae) (Elsner, Huemer & Tokar, 1999).
654. **Monochroa divisella** (Douglas, 1850) (Gelechiidae) larva on Iris (Iridaceae) (Elsner, Huemer & Tokar, 1999).
655. **Monochroa elongella** (Heinemann, 1870) (Gelechiidae) larva on ? Potentilla (Rosaceae) (Elsner, Huemer & Tokar, 1999).
656. **Monochroa ferrea** (Frey, 1870) (Gelechiidae) larva on Carex ericetorum (Cyperaceae) (Elsner, Huemer & Tokar, 1999).
657. **Monochroa hornigi** (Staudinger, 1883) (Gelechiidae) larva on Persicaria hydropiper, Polygonum aviculare, P. lapathifolia, Rumex ? (Polygonaceae) (Elsner, Huemer & Tokar, 1999).
658. **Monochroa lucidella** (Stephens, 1834) (Gelechiidae) larva on Juncus (Juncaceae), Scirpus sylvaticus (Cyperaceae) (Schütze, 1931; Elsner, Huemer & Tokar, 1999).
659. **Monochroa lutulentella** (Zeller, 1839) (Gelechiidae) larva on Filipendula ulmaria, Spiraea ? (Rosaceae) (Elsner, Huemer & Tokar, 1999).
660. **Monochroa melagonella** (Constant, 1895) (Gelechiidae) larva on Rubia pergrina (Rubiaceae) (Elsner, Huemer & Tokar, 1999).
661. **Monochroa niphognatha** (Gozmany, 1953) (Gelechiidae) larva on Polygonum amphibium (Polygonaceae) (Elsner, Huemer & Tokar, 1999). (er, Huemer & Tokar, 1999).
662. **Monochroa palustrella** (Douglas, 1850) (Gelechiidae) larva on Rumex aquaticus, R. crispus, R. hydrolapatum (Polygonaceae) (Elsner, Huemer & Tokar, 1999).
663. **Monochroa parvulata** Gozmany, 1957 (Gelechiidae) larva on ? Galium (Rubiaceae) (Kasy, 1978; Elsner, Huemer & Tokar, 1999).
664. **Monochroa rumicetella** (Hofmann, 1868) (Gelechiidae) larva on Acetosa, Acetosella vulgaris (Polygonaceae) (Elsner, Huemer & Tokar, 1999).
665. **Monochroa scutellata** (Müller-Rutz, 1920) (Gelechiidae) larva on Acetosa scutata (Polygonaceae) (Müller-Rutz, 1920; Elsner, Huemer & Tokar, 1999).
666. **Monochroa sepicoella** (Herrich-Schäffer, 1854) (Gelechiidae) larva on Acetosa thyrsiflora, Fallopia dumetorum (Polygonaceae) (Elsner, Huemer & Tokar, 1999).
667. **Monochroa servella** (Zeller, 1839) (Gelechiidae) larva on Primula farinosa, P. veris (Primulaceae) (Elsner, Huemer & Tokar, 1999).
668. **Monochroa simplicella** (Lienig & Zeller, 1846) (Gelechiidae) larva on Juncus (Juncaceae), Eriophorum (Cyperaceae) (Elsner, Huemer & Tokar, 1999).
669. **Monochroa suffusella** (Douglas, 1850) (Gelechiidae) larva on Eriophorum angustifolium (Cyperaceae) (Elsner, Huemer & Tokar, 1999).
670. **Monochroa tenebrella** (Hübner, 1817) (Gelechiidae) larva on Acetosa pratensis, Acetosella vulgaris (Polygonaceae) (Elsner, Huemer & Tokar, 1999).
671. **Monochroa tetragonella** (Stainton, 1885) (Gelechiidae) larva on Glaux (Primulaceae), Artemisia (Asteraceae) (Elsner, Huemer & Tokar, 1999).
672. **Myconita plutelliformis** Snellen, 1901 (Gelechiidae) larva are leaf-rollers on Ipomoea aquatica, I. batatas (Convolvulaceae) (Robinson et al., 1994).
673. **Neofaculta ericetella** (Geyer, [1832]) (Gelechiidae) larva on Erica (Geyer, [1832]; Mann, 1862).
674. **Nothris verbascella** (Brahm, 1791) (Gelechiidae) larva on Verbascum lychnitis, V. thapsus (Brahm, 1791; Staudinger, 1879; Schütze, 1931; Wiltshire, 1957).
675. **Onebala hibisci** (Stainton, 1859) (Gelechiidae) larva on Hibiscus, Abelmoschus (Malvaceae) (Robinson et al., 1994).
676. **Ornativa antipyraxis** (Meyrick, 1925) (Gelechiidae) larva on Tamarix (Sattler, 1967).
677. **Ornativa heluanensis** (Debski, 1913) (Gelechiidae) larva on Frankenia, Tamarix (Debski, 1913; Chrétien, 1917; Sattler, 1967).
678. **Ornativa ignota** Sattler, 1967 (Gelechiidae) larva on Tamarix (Dumont ex Sattler, 1967).
679. **Ornativa macrosignella** Sattler, 1967 (Gelechiidae) larva on Tamarix (Debski ex Sattler, 1967).
680. **Ornativa pharaonis** Sattler, 1967 (Gelechiidae) larva on Tamarix (Wiltshire ex Sattler, 1967).
681. **Ornativa plutelliformis** (Staudinger, 1859) (Gelechiidae) larva on Tamarix africana, T. canariensis, T. gallica (Wiltshire, 1957; Elsner, Huemer & Tokar, 1999; Dionisio, 2003).
682. **Ornativa pseudotamaricella** Sattler, 1967 (Gelechiidae) larva on Tamarix africana, T. canariensis (Constant ex Sattler, 1967; Dionisio, 2003).
683. **Ornativa sesostrella** (Rebel, 1912) (Gelechiidae) larva on Tamarix (Debski, 1913).
684. **Ornativa sieversi** (Staudinger, 1871) (Gelechiidae) larva on Tamarix (Staudinger, 1871).
685. **Ornativa tamaricella** (Zeller, 1850) (Gelechiidae) larva on Tamarix (Zeller, 1850).

686. **Ornativalsa zonella** (Chrétien,1917) (Gelechiidae) larva on Tamarix (Chrétien,1917).
687. **Palumbina guerinii** (Stainton,[1857]) (Gelechiidae) larva on Pistacia terebinthus (Sattler,1982).
688. **Pectinophora gossypiella** (Saunders,1844) (Gelechiidae) larva on Gossypium, Hibiscus (Malvaceae) (Saunders,1844; Robinson et al.,1994).
689. **Pexicopia malvella** (Hübner,[1805]) (Gelechiidae) larva on Malva (Hübner,[1805]; Staudinger,1880).
690. **Phthorimaea operculella** (Zeller,1873) (Gelechiidae) larva on Potatoes, Tobacco, Tomato, Solanum, Datura stramonium, Physalodes physalodes (Janse,1951).
691. **Pogochaetia solitaria** Staudinger,1879 (Gelechiidae) larva on ? Lychnis (Staudinger,1879).
692. **Proleta sexpunctella** (Fabricius,1794) (Gelechiidae) larva on Erica ? (Mann,1862).
693. **Psamatocrita osceella** (Stainton,1860) (Gelechiidae) larva on Origanum vulgare ? (Lamiaceae) (Elsner, Huemer & Tokar,1999).
694. **Pseudotelphusa paripunctella** (Thunberg,1794) (Gelechiidae) larva on Quercus ? (Mann,1862).
695. **Psoricoptera speciosella** Teich,1893 (Gelechiidae) larva on Salix caprea (Valenne, 2000).
696. **Ptocheusa abnormella** (Herrich-Schäffer,1854) (Gelechiidae) larva on Inula ensifolia (Asteraceae) (Elsner, Huemer & Tokar,1999).
697. **Ptocheusa inopella** (Zeller,1839) (Gelechiidae) larva on Helichrysum arenarium (Asteraceae) (Elsner, Huemer & Tokar,1999).
698. **Ptocheusa paupella** (Zeller,1847) (Gelechiidae) larva on Inula conyzia, I.montana, Pulicaria dysenterica (Asteraceae) (Elsner, Huemer & Tokar,1999).
699. **Pyncostola bohemiella** (Nickerl,1864) (Gelechiidae) larva on Achillea millefolium (Asteraceae) (Elsner, Huemer & Tokar,1999).
700. **Recurvaria leucatella** (Linnaeus,1761) (Gelechiidae) larva on Amelanchier ovalis, Crataegus monogyna, C. laevigata, Malus domestica, M.pumila, M.sylvestris, Prunus domestica, P.spinosa, P.triloba, Pyrus communis, Sorbus aucuparia S.torminalis (Rosaceae), ?Betula, ?Acer, ?Fraxinus (Huemer,1988).
701. **Recurvaria nanella** ([Denis & Schiffermüller],1775) (Gelechiidae) larva on Betula (Betulaceae), Corylus (Fagaceae), Amelanchier ovalis, Chaenomeles, Cotoneaster, Crataegus monogyna, C. laevigata, Cydonia, Malus, Prunus armeniaca, P.avium, P.cerasus, P.domestica, P.mahaleb, P.persica, P.spinosa, P.triloba, Pyrus communis, Sorbus (Rosaceae) (Huemer,1988; Huemer & Karsholt,1999).
702. **Recurvaria thomeriella** (Chrétien,1901) (Gelechiidae) larva on Prunus spinosa (Chrétien,1901).
703. **Schneidereria pistacicola** (Danilevsky,1955) (Gelechiidae) larva on Pistacia vera (Danilevsky,1955).
704. **Schneidereria pistaciella** Weber,1957 (Gelechiidae) larva on Pistacia vera (Weber,1957).
705. **Scrobipalpa (Ilseopsis) acuminatella** (Sircom,1850) (Gelechiidae) larva on Cirsium, Centaurea jacea, C. pseudophrygia (Povolny,1967).
706. **Scrobipalpa (Ilseopsis) artemisiella** (Treitschke,1833) (Gelechiidae) larva on Artemisia campestris, Thymus (Povolny,1967).
707. **Scrobipalpa (Ilseopsis) atriplicella** (Fischer v. Rösslerstamm,1841) (Gelechiidae) larva on Atriplex, Chenopodium (Fischer v. Rösslerstamm, 1841; Povolny,1967).
708. **Scrobipalpa (Ilseopsis) heratella** Povolny,1967 (Gelechiidae) larva on Nitraria retusa ? (Povolny,1967).
709. **Scrobipalpa (Ilseopsis) murinella** (Duponchel,1843) (Gelechiidae) larva on Antennaria dioica, Gnaphalium dioecum, G. supinum (Klimesch,1943; Mere, Bradley & Pelham-Clinton,1962).
710. **Scrobipalpa (Ilseopsis) perinyi** (Klimesch,1951) (Gelechiidae) larva on Centaurea scabiosa, Carduus (Povolny,1967).
711. **Scrobipalpa (s.str.) aptatella** (Walker,1864) (Gelechiidae) larva on Tobacco (Janse,1951).
712. **Sitotroga cerealella** (Olivier,1789) (Gelechiidae) larva on Agropyrum (Schütze, 1931).
713. **Stenolechia gemmella** (Linnaeus,1758) (Gelechiidae) larva on Quercus robur, Q. pubescens (De Prins,2000).
714. **Stenovalva disclusa** (Meyrick,1923) (Gelechiidae) larva on Rhus tripartita (Sattler,1982).
715. **Teleiodes saltuum** (Zeller,1878) (Gelechiidae) larva on Larix / Nadeln (Schütze, 1931).
716. **Teleiodes squamodorella** (Amsel,1935) (Gelechiidae) larva on Populus euphratica (Wiltshire,1957).
717. **Teleiodes vulgella** ([Denis & Schiffermüller],1775) (Gelechiidae) larva on Amelanchier, Pyrus, Malus, Sorbus aria, S. aucuparia, Crataegus, Prunus domestica, P. spinosa (Rosaceae) (Huemer,1988).
718. **Teleiopsis sarcochroma** (Walsingham,1900) (Gelechiidae) larva on Rhus tripartita, R. oxyacantha (Sattler,1982).
719. **Teleiopsis terebinthinella** (Herrich-Schäffer,[1856]) (Gelechiidae) larva on Pistacia terebinthus (Herrich-Schäffer,[1856]; Mann,1862).
720. **Telphusa pistaciae** Sattler,1982 (Gelechiidae) larva on Pistacia vera (Sattler,1982).
721. **Xystophora carchariella** (Zeller,1839) (Gelechiidae) larva on Astragalus, Vicia cracca, V.cassubica, V.pisiformis (Fabaceae) (Elsner, Huemer & Tokar,1999).
722. **Xystophora pulveratella** (Herrich-Schäffer,1854) (Gelechiidae) larva on Coronilla varia, Lathyrus pratensis, Lotus corniculatus, Medicago minima, M.sativa, Onobrychis, Trifolium, Vicia cracca (Fabaceae) (Elsner, Huemer & Tokar,1999).
723. **Abaciscus albipunctatus** Inoue,1955 (Geometridae) larva on Fagus crenata (Fagaceae) (Scoble et al.,1999).
724. **Abraxas (Calospilos) pantaria** (Linnaeus,1767) (Geometridae) larva on Fraxinus (Meyer,1919).
725. **Abraxas (Calospilos) sylvata** (Scopoli,1763) (Geometridae) larva on Betula pubescens (Betulaceae); Prunus padus (Rosaceae); Ulmus glabra, U. davidiana, U. laciniata (Ulmaceae); Camellia sinensis (Theaceae) (Meyer,1919; et seq.).
726. **Abraxas (s.str.) grossulariatus** (Linnaeus,1758) (Geometridae) larva on Abies homolepis (Pinaceae), Andromeda subsessilis, Calluna, Enkianthus campanulatus, Menziesia multiflora, Vaccinium(Ericaceae), Corylus (Corylaceae), Crataegus,Malus pumila, Prunus padus (Rosaceae), Euonymus alata, E.sieboldiana (Celastraceae), Fagus japonica, Quercus mongolica (Fagaceae), Fraxinus lanuginosa, Ligustrum (Oleaceae), Ribes alpinum, R. nigrum, R. rubrum, R. uva-crispa (Grossulariaceae), Salix vulpina (Salicaceae), Sedum, Umbiculus (Crassulaceae), Ulmus (Ulmaceae), Viburnum dilatatum (Caprifoliaceae) (Robinson et al.,2005).
727. **Abraxas contrahens** (Geometridae) larva on Casuarina junghuhniana (Casuarinaceae) (Robinson et al.,2005).
728. **Abraxas fulvobasalis** (Geometridae) larva on Salix babylonica, S. integra, S. vulpina (Salicaceae) (Robinson et al.,2005).
729. **Abraxas fuscescens** Butler,1886 (Geometridae) larva on Abies pindrow (Pinaceae) (Robinson et al.,2005).
730. **Abraxas intermedia** W.Warren,1888 (Geometridae) larva on Celastrus orbiculatus (Celastraceae) (Robinson et al.,2005).
731. **Abraxas latifasciata** (Geometridae) larva on Euonymus alata, E. macroptera, E. sieboldiana, Celastrus orbiculatus (Celastraceae) (Robinson et al.,2005).
732. **Abraxas lugubris** L.B.Prout,1925 (Geometridae) larva on Abies pindrow (Pinaceae) (Robinson et al.,2005).
733. **Abraxas miranda** (Geometridae) larva on Ulmus (Ulmaceae); Euonymus alata, E. fortunei, E. japonica (Celastraceae); Populus, Salix (Salicaceae) (Robinson et al.,2005).
734. **Abraxas nephodes** (Geometridae) larva on Abies spectabilis (Pinaceae) (Robinson et al.,2005).
735. **Abraxas nipponibia** (Geometridae) larva on Celastrus orbiculatus (Celastraceae) (Robinson et al.,2005).
736. **Abraxas satoi** (Geometridae) larva on Ulmus davidiana (Ulmaceae) (Robinson et al.,2005).
737. **Abraxas suspecta** (Geometridae) larva on Buxus magistophylla (Buxaceae) (Robinson et al.,2005).
738. **Acanthovalva inconspicua** (Hübner,[1819]) (Geometridae) larva on Acacia nilotica (Mimosaceae) (Stauder,1999).
739. **Acasis appensata** (Eversmann,1842) (Geometridae) larva on Actaea spicata (Meyer,1919).
740. **Acasis viretata** (Hübner,[1799]) (Geometridae) larva on Ligustrum vulgare (Oleaceae), Rhamnus (Rhamnaceae) (Meyer,1919).
741. **Adalbertia castiliaria** (Staudinger,1900) (Geometridae) larva on Pinus (Calle et al.,2000).
742. **Agriopis ankeraria** (Staudinger,1861) (Geometridae) larva on Quercus (Meyer,1919).
743. **Agriopis brumaria** (Borkhausen,1794) (Geometridae) larva on Populus tremula, Quercus (Meyer,1919).
744. **Alcis repandata** (Linnaeus,1758) (Geometridae) larva on Aesculus, Genista, Lonicera, Rubus, Salix, Sarothamnus scoparius, Vaccinium (Meyer,1919).
745. **Alcuis mimetes** (Wehrli,1932) (Geometridae) larva on Amygdalus, Crataegus, Prunus (Wiltshire,1957).
746. **Almeria kalischata** (Staudinger,1870) (Geometridae) larva on Pinus (Calle et al.,2000).
747. **Alsophila aceraria** ([Denis & Schiffermüller],1775) (Geometridae) larva on Acer campestre, A. pseudoplatanus, Quercus (Blaschke,1914; Meyer,1919).
748. **Alsophila hirsutaria** (Fabricius,1781) (Geometridae) larva on Acer campestre, A. pseudoplatanus, Crataegus, Ligustrum, Quercus, Prunus spinosa, Ulmus (Blaschke,1914; Meyer,1919; Skou,1986).
749. **Amorphognia necessaria** (Zeller,1849) (Geometridae) larva on Tamarix smyrnense (Staudinger,1879).
750. **Angerona prunaria** (Linnaeus,1758) (Geometridae) larva on Crataegus, Prunus, Rubus idaeus (Meyer,1919).
751. **Anticlea badiata** (Lang,1789) (Geometridae) larva on Rosa (Meyer,1919).
752. **Anticollis sparsata** (Treitschke,1828) (Geometridae) larva on Lysimachia (Meyer,1919).
753. **Apeira syringaria** (Linnaeus,1758) (Geometridae) larva on Ligustrum vulgare, Lonicera nigra, Spiraea ulmifolia, Syringa vulgaris (Meyer,1919; Wehrli,1940).
754. **Aplasta ononaria** (Fuessly,1783) (Geometridae) larva on Ononis repens (Fabaceae) (Fuessly,1783; et seq.).
755. **Aplocera efformata** (Guenée,[1858]) (Geometridae) larva on Hypericum perforatum (Clusiaceae) (Scoble, et al.,1999).
756. **Aplocera mundata** (Staudinger,1892) (Geometridae) larva on Hypericum serpyllifolium (Wiltshire,1939).
757. **Aplocera plagiata** (Linnaeus,1758) (Geometridae) larva on Hypericum (Meyer,1919; Wiltshire,1957).
758. **Aplocera praeformata** (Hübner,1826) (Geometridae) larva on Hypericum (Meyer,1919).
759. **Aplocera simplicata** (Treitschke,1835) (Geometridae) larva on Hypericum (Meyer,1919).
760. **Apocheima hispidarium** ([Denis & Schiffermüller],1775) (Geometridae) larva on Betula, Quercus, Ulmus (Meyer,1919).
761. **Apochima flabellaria** (Heeger,1838) (Geometridae) larva on Chrysanthemum, Euphorbia gerardiana, Galium, Rumex, Senecio (Lederer,1865; Staudinger,1879; Romanoff,1885; Meyer,1919; Wehrli,1941).

762. *Aporandria specularia* (Guenée,[1858]) (Geometridae) larva on Mangifera (Anacardiaceae), Terminalia (Combretaceae), Eugenia (Myrtaceae), Areca (Palmaceae), Rhizophora (Rhizophoraceae), Nephelium (Sapindaceae) (Singh,1953; Holloway,1996).
763. *Archicaris notha* (Hübner,[1803]) (Geometridae) larva on Populus tremula, Salix (Meyer,1919; Skou,1986; Koçak,1990).
764. *Archicaris parthenias* (Linnaeus,1761) (Geometridae) larva on Fagus, Betula (Meyer,1919; Skou,1986).
765. *Archicaris puella* (Esper,1787) (Geometridae) larva on Populus alba, P. tremula (Meyer,1919).
766. *Artiora evonymaria* (Hübner,[1799]) (Geometridae) larva on Evonymus (Meyer,1919).
767. *Ascotis imparata* (Walker,1860) (Geometridae) larva on Tectona grandis (Verbenaceae).
768. *Ascotis selenaria* ([Denis & Schiffermüller],1775) (Geometridae) larva on Artemisia (Meyer,1919).
769. *Aspitates ochrearia* (Rossi,1794) (Geometridae) larva on Cistus salvifolius, Lotus corniculatus (Meyer,1919).
770. *Asthena albulata* (Hufnagel,1767) (Geometridae) larva on Rhinanthus (Meyer,1919).
771. *Asthena anseraria* (Herrich-Schäffer,1855) (Geometridae) larva on Cornus sanguinea (Meyer,1919).
772. *Athroolopha pennigeraria* (Hübner,[1813]) (Geometridae) larva on Lavandula, Santolina [chamaecyparissus] (Meyer,1919).
773. *Baptia tibiale* (Esper,1791) (Geometridae) larva on Actaea spicata (Meyer,1919).
774. *Biston betularius* (Linnaeus,1758) (Geometridae) larva on Betula, Robinia pseudacacia, Rosa, Salix caprea, Sarothamnus scoparius, Ulmus (Linnaeus,1758; Meyer,1919).
775. *Biston stratiarius* (Hufnagel,1767) (Geometridae) larva on Betula, Prunus, Pyrus, Quercus, Tilia, Ulmus (Meyer,1919).
776. *Bizia aexaria* Walker,1860 (Geometridae) larva on Morus bombycis (Moraceae) (Scoble,1999).
777. *Bupalus piniarius* (Linnaeus,1758) (Geometridae) larva on Pinus sylvestris (Linnaeus,1758; Meyer,1919).
778. *Bustilloxia saturata* (A.Bang-Haas,1906) (Geometridae) larva on Bupleurum (Calle et al.,2000).
779. *Cabera exanthemata* (Scopoli,1763) (Geometridae) larva on Alnus glutinosa, Fagus crenata, Populus tremula, Salix aurita, S. bakko, S. cinerea, S. phyllifolia (Meyer,1919; Scoble,1999).
780. *Cabera pusaria* (Linnaeus,1758) (Geometridae) larva on Alnus, Betula (Meyer,1919).
781. *Calamodes occitanaria* (Duponchel,1829) (Geometridae) larva on Quercus, Rosmarinus officinalis, Lavandula stoechas, Thymus (Calle, et al.,2000).
782. *Callioratis abraxas* R.Felder & Rogenhofer,1874 (Geometridae) larva on Encephalartos altensteinii (Zamiaceae) (Duke & Duke,1988).
783. *Callioratis apicisecta* L.B.Prout,1915 (Geometridae) larva on Encephalartos tegulaneus (Zamiaceae) (Scoble,2001).
784. *Callioratis curlei* Staude,2001 (Geometridae) larva on Encephalartos friderici-guillielmi (Zamiaceae) (Scoble,2001).
785. *Callioratis mayeri* Staude,2001 (Geometridae) larva on Encephalartos friderici-guillielmi (Zamiaceae) (Scoble,2001).
786. *Callioratis millari* Hampson,1905 (Geometridae) larva on Stangeria eriopus (Scoble,2001).
787. *Campaea honoraria* ([Denis & Schiffermüller],1775) (Geometridae) larva on Quercus (Meyer,1919).
788. *Campaea margaritata* (Linnaeus,1767) (Geometridae) larva on Carpinus [betulus], Fagus, Quercus (Meyer,1919).
789. *Camptogramma bilineatum* (Linnaeus,1758) (Geometridae) larva on Digitalis, Galium, Leontodon taraxacum, Ononis, Plantago, Potentilla, Rumex, Urtica, Verbascum, Veronica (Meyer,1919; Calle et al.,2000).
790. *Carsia lythoxylata* (Hübner,[1799]) (Geometridae) larva on Vaccinium (Prout,1937).
791. *Casilda antophilaria* (Hübner,[1813]) (Geometridae) larva on Alisma (Meyer,1919).
792. *Casilda consecraria* (Staudinger,1871) (Geometridae) larva on Polygonum (Calle et al.,2000).
793. *Cataclysmo dissimilata* (Rambur,1833) (Geometridae) larva on Gallium mollugo (Meyer,1919).
794. *Cataclysmo riguta* (Hübner,[1813]) (Geometridae) larva on Galium cynanchica [=Asperula], G. galioides (Meyer,1919).
795. *Catarhoe basochesiata* (Duponchel,1831) (Geometridae) larva on Rubia tinctorum, Rubia olivieri (Meyer,1919; Wiltshire,1939).
796. *Catarhoe cuculata* (Hufnagel,1767) (Geometridae) larva on Galium sylvaticum, G. verum (Meyer,1919).
797. *Catarhoe cupreata* (Herrich-Schäffer,1839) (Geometridae) larva on Rubia olivieri (Prout,1938).
798. *Catarhoe rubidata* ([Denis & Schiffermüller],1775) (Geometridae) larva on Galium odoratum, G. sylvaticum, G. verum (Meyer,1919).
799. *Catoria olivescens* Moore,1888 (Geometridae) larva on Pisum sativum (Fabaceae), Theobroma cacao (Sterculiaceae) (Scoble,1999).
800. *Celidomphax rubrimaculata* (W.Warren,1905) (Geometridae) larva on Combretum glomeratifolium (Janse,1935).
801. *Centrochria depressa* (L.B.Prout,1913) (Geometridae) larva on Rhus leptodictya (Anacardiaceae) (Staude,1999).
802. *Cepphis advenaria* (Hübner,[1799]) (Geometridae) larva on Prunus, Salix, Fragaria, Genista tinctoria, Melampyrum pratense, Vaccinium myrtillus (Blaschke,1914; Meyer,1919).
803. *Chariaspilates formosaria* (Eversmann,1837) (Geometridae) larva on Caltha [palustris], Lysimachia (Meyer,1919).
804. *Chemerina caliginaria* (Rambur,1833) (Geometridae) larva on Cistus salvifolius (Meyer,1919).
805. *Chesias legatella* ([Denis & Schiffermüller],1775) (Geometridae) larva on Sarothamnus scoparius (Meyer,1919).
806. *Chesias rufata* (Fabricius,1775) (Geometridae) larva on Erica, Genista, Sarothamnus scoparius (Staudinger,1879; Meyer,1919).
807. *Chiasmia (Godonela) aestimaria* (Hübner,[1809]) (Geometridae) larva on Tamarix gallica (Blaschke,1914; Meyer,1919; Wiltshire,1957).
808. *Chiasmia (Godonela) eleonora* (Cramer,[1780]) (Geometridae) larva on leaf of Acacia concinna (Fabaceae) (Scoble,1999).
809. *Chiasmia (Godonela) syriacaria* (Staudinger,1871) (Geometridae) larva on Prosopis stephaniana, Glycyrrhiza ? (Wiltshire,1957).
810. *Chiasmia (Godonela) translineata* (Walker,1866) (Geometridae) larva on Delonix (Fabaceae) (Bänziger & Fletcher,1988).
811. *Chiasmia abydata* (Guenée,[1858]) (Geometridae) larva on Leucaena glauca (Fabaceae) (Inoue,1994).
812. *Chiasmia assimilis* (W.Warren,1899) (Geometridae) larva on Acacia nilotica (Fabaceae) (Scoble,1999).
813. *Chiasmia clathrata* (Linnaeus,1758) (Geometridae) larva on Trifolium, Medicago sativa (Fabaceae) (Meyer,1919).
814. *Chiasmia effusata* (Guenée,[1858]) (Geometridae) larva on Bauhinia retusa (Fabaceae) (Scoble,1999).
815. *Chiasmia furcata* (W.Warren,1897) (Geometridae) larva on leaf of Acacia nilotica (Scoble,1999).
816. *Chiasmia getula* (Wallengren,1872) (Geometridae) larva on leaf of Newtonia buchananii (Scoble,1999).
817. *Chiasmia interrupta* (W.Warren,1897) (Geometridae) larva on Acacia karroo, A. swazica (Fabaceae) (Scoble,1999).
818. *Chiasmia marmorata* (W.Warren,1897) (Geometridae) larva on Acacia sieberiana (Fabaceae) (Scoble,1999).
819. *Chiasmia nobilitata* (L.B.Prout,1913) (Geometridae) larva on Chamaecrista mimosoides (Fabaceae) (Scoble,1999).
820. *Chiasmia simplicilinea* (W.Warren,1905) (Geometridae) larva on Acacia mearnsii (Fabaceae) (Scoble,1999).
821. *Chlorissa viridata* (Linnaeus,1758) (Geometridae) larva on Betula, Calluna vulgaris, Crataegus, Salix (Meyer,1919; Skou,1986).
822. *Chloroclysta miata* (Linnaeus,1758) (Geometridae) larva on Alnus, Betula, Quercus, Salix (Meyer,1919).
823. *Chloroclysta siterata* (Hufnagel,1767) (Geometridae) larva on Acer, Pyrus malus, Prunus cerasus, Quercus, Rosa, Tilia, Vaccinium myrtillus (Meyer,1919).
824. *Chloroclysta truncata* (Hufnagel,1767) (Geometridae) larva on Betula, Crataegus, Fragaria, Geranium robertianum, Lonicera xylostium, Rubus, Salix, Vaccinium (Meyer,1919).
825. *Chlorocoma eucela* L.B.Prout,1922 (Geometridae) larva on Acacia karroo (Scoble et al.,1999).
826. *Cidaria fulvata* (Forster,1771) (Geometridae) larva on Rosa (Meyer,1919).
827. *Cingilis andalusaria* Wagner,1935 (Geometridae) larva on Artemisia (Calle et al.,2000).
828. *Cleora alienaria* (Walker,1860) (Geometridae) larva on Nephelium lappaceum (Sapindaceae), Camellia sinensis (Theaceae), Tectona grandis (Verbenaceae) (Scoble,1999).
829. *Cleora betularia* (Warren,1897) (Geometridae) larva on Halleria lucida (Scrophulariaceae) (Scoble et al.,1999).
830. *Cleora cinctaria* ([Denis & Schiffermüller],1775) (Geometridae) larva on Artemisia, Prunus spinosa (Meyer,1919).
831. *Cleora determinata* (Walker,1860) (Geometridae) larva on Aleurites montana (Euphorbiaceae), Derris malaccensis (Fabaceae) (Scoble,1999).
832. *Cleora herbuloti* (D.S.Fletcher,1958) (Geometridae) larva on Xymalos monospora (Monimiaceae), Pinus patula (Pinaceae), Halleria lucida (Scrophulariaceae) (Scoble et al.,1999).
833. *Cleora injectaria* (Walker,1860) (Geometridae) larva on Castanopsis fissa (Fagaceae), Sonneratia alba (Sonneratiaceae), Aegiceris corniculatum (Myrsinaceae), Brugiera cylindrica, B.apiculata, Rhizophora candelaria, R.mucronata (Rhizophoraceae), Allophylus cobbe (Sapindaceae), Avicennia alba, A.lanata, A.marina, A.officinalis (Verbenaceae) (Scoble,1999).
834. *Cleora munda* (Warren,1899) (Geometridae) larva on Acacia mearnsii (Fabaceae), Rosa (Rosaceae), Deinbollia (Sapindaceae) (Scoble et al.,1999).
835. *Cleora nigrisparsalis* (Janse,1932) (Geometridae) larva on Schinus molle (Anacardiaceae), Cupressus arizonica var. glabra (Cupressaceae), Bridelia mollis (Euphorbiaceae), Quercus robur (Fagaceae), Acacia karroo, Senna singueana (Fabaceae), Plicosepalus curviflorus (Loranthaceae), Protea caffra (Proteaceae), Psydrax livida (Rubiaceae), Duranta erecta (Verbenaceae) (Scoble et al.,1999).
836. *Coenina poecilaria* (Herrich-Schäffer,[1854]) (Geometridae) larva on Sphenostylis angustifolia (Fabaceae) (Staude,1999).
837. *Coccolalpe lapidata* (Hübner,[1809]) (Geometridae) larva on Clematis vitalba (Meyer,1919).
838. *Collix foraminata* Guenée,[1858] (Geometridae) larva on Rapanea melanophloeos, Maesa lanceolata (Myrsinaceae) (Duke & Duke,1998).
839. *Colostygia aqueata* (Hübner,[1813]) (Geometridae) larva on Cichorium intybus, Galium (Meyer,1919).
840. *Colostygia austriacaria* (Herrich-Schäffer,1852) (Geometridae) larva on Vaccinium (Meyer,1919).
841. *Colostygia multistrigaria* (Haworth,1809) (Geometridae) larva on Galium (Meyer,1919).
842. *Colostygia olivata* ([Denis & Schiffermüller],1775) (Geometridae) larva on Galium mollugo, G. verum (Meyer,1919).

843. **Colotois pennaria** (Linnaeus,1761) (Geometridae) larva on Betula, Crataegus monogyna, Corylus, Prunus spinosa, Pyrus, Quercus, Salix (Meyer,1919; Calle et al.,2000).
844. **Comibaena attenuata** (W.Warren,1896) (Geometridae) larva on Nephelium lappaceum (Sapindaceae) (Soble,1999).
845. **Comibaena bajularia** ([Denis & Schiffmüller],1775) (Geometridae) larva on Quercus (Skou,1986).
846. **Comibaena cassidara** (Guenée,[1858]) (Geometridae) larva on Acacia nilotica (Fabaceae), Lagerstroemia indica (Lythraceae), Zizyphus jujuba (Rhamnaceae), Ixora (Rubiaceae), Glycosmis pentaphylla (Rutaceae) (Holloway,1996).
847. **Compsoptera jourdanaria** (Serres,1826) (Geometridae) larva on Santolina, Thymus (Calle et al.,2000).
848. **Compsoptera opacaria** (Hübner,[1819]) (Geometridae) larva on Cytisus, Dorycnium, Erica, Genista, Retama, Spartium (Calle et al.,2000).
849. **Conchylia ditissimaria** Guenée,[1858] (Geometridae) larva on Indigofera sp. (Fabaceae) (Duke & Duke,1998).
850. **Corymica arnearia** Walker,1860 (Geometridae) larva on Cinnamomum camphora (Lauraceae) (Soble,1999).
851. **Cosmorhoe ocellata** (Linnaeus,1758) (Geometridae) larva on Galium sylvaticum, Galium verum (Meyer,1919).
852. **Costaconvexa polygrammata** (Borkhausen,1794) (Geometridae) larva on Galium mollugo, G. palustre, G. verum (Meyer,1919; Wiltshire,1957).
853. **Crocallis (s.str.) auberti** Oberthür,1883 (Geometridae) larva on Cytisus scoparius, Retama sphaerocarpa (Calle et al.,2000).
854. **Crocallis (s.str.) dardoinaria** Donzel,1840 (Geometridae) larva on Cytisus scoparius, Genista scoparius, Retama sphaerocarpa, Ulex (Calle et al.,2000).
855. **Crocallis (s.str.) elinguarina** (Linnaeus,1758) (Geometridae) larva on Corylus, Prunus domestica, P. spinosa, Pyrus, Quercus, Rubus, Salix, Sorbus (Meyer,1919).
856. **Crocallis (s.str.) tusciana** (Borkhausen,1793) (Geometridae) larva on Berberis, Cistus salvifolius, Clematis vitalba, Hippophae, Prunus, Rosmarinus [officinalis] (Meyer, 1919; Wehrli, 1934,1940).
857. **Cryopega bajaria** ([Denis & Schiffmüller],1775) (Geometridae) larva on Crataegus, Ligustrum vulgare, Prunus spinosa, Vitex agnus-casti (Lederer,1865; Staudinger,1879; Meyer,1919).
858. **Cyclophora albiocellaria** (Hübner,1789) (Geometridae) larva on Acer campestre, A. pseudoplatanus (Blaschke,1914; Meyer,1919).
859. **Cyclophora albipunctata** (Hufnagel,1767) (Geometridae) larva on Angelica sylvestris, Cicutra virosa, Heracleum spondylium, Laserpitium, Peucedanum officinale, Sambucus nigra (Blaschke,1914); Betula (Skou,1986).
860. **Cyclophora linearia** (Hübner,[1799]) (Geometridae) larva on Fagus sylvatica, Quercus, Vaccinium myrtillus (Meyer,1919; Skou,1986).
861. **Cyclophora pendularia** (Clerck,1759) (Geometridae) larva on Alnus, Betula, Quercus, Salix cinerea (Meyer,1919; Skou,1986).
862. **Cyclophora porata** (Linnaeus,1767) (Geometridae) larva on Betula, Quercus (Meyer,1919; Skou,1986).
863. **Cyclophora punctaria** (Linnaeus,1758) (Geometridae) larva on Betula, Quercus (Meyer,1919; Skou,1986).
864. **Cyclophora pupillaria** (Hübner,[1799]) (Geometridae) larva on Arbutus unedo, Cistus, Myrtus, Phillyrea, Quercus ilex (South,1961; Skou,1986; Calle et al.,2000).
865. **Cyclophora quercimontaria** (Bastelberger,1897) (Geometridae) larva on Quercus (Meyer,1919; Skou,1986).
866. **Cyclophora ruficiliaria** (Herrich-Schäffer,[1855]) (Geometridae) larva on Quercus (Meyer,1919; Wiltshire,1957).
867. **Dasycorsa modesta** (Staudinger,1879) (Geometridae) larva on Papilionaceae (Wiltshire,1935).
868. **Deileptenia ribeata** (Clerck,1759) (Geometridae) larva on Abies, Picea, Quercus, Taxus [baccata] (Meyer,1919).
869. **Digrammia rippertaria** (Duponchel,1830) (Geometridae) larva on Salix (Meyer,1919).
870. **Disclisioprocta natalata** (Walker,1862) (Geometridae) larva on Bougainvillea sp. (Nyctaginaceae) (Duke & Duke,1998).
871. **Drepanogynis arcuifera** L.B.Prout,1934 (Geometridae) larva on Halleria lucida (Scrophulariaceae) (Soble et al.,1999).
872. **Drepanogynis costipicta** (L.B.Prout,1932) (Geometridae) larva on Pterocelastrus echinatus (Celastraceae) (Soble et al.,1999).
873. **Drepanogynis epione** (L.B.Prout,1917) (Geometridae) larva on Asparagus cooperi (Liliaceae) (Soble et al.,1999).
874. **Drepanogynis mixtaria** Guenée,[1858] (Geometridae) larva on Cassine aethiopica, Maytenus heterophylla (Celastraceae), Halleria lucida (Scrophulariaceae) (Soble et al.,1999).
875. **Durbana setinata** (R.Felder & Rogenhofer,1875) (Geometridae) larva on Stangeria eriopus (Stangeriaceae) (Stauder,1999).
876. **Dyscia (Eudyscia) fagaria** (Thunberg,1784) (Geometridae) larva on Globularia, Vaccinium (Meyer,1919).
877. **Dyscia (Iberafarina) penulataria** (Hübner,[1819]) (Geometridae) larva on Dorycnium, Genista (Calle et al.,2000).
878. **Dyscia (s.str.) conspersaria** ([Denis & Schiffmüller],1775) (Geometridae) larva on Artemisia, Salvia (Meyer,1919).
879. **Dyscia (s.str.) lentiscaria** (Donzel,1837) (Geometridae) larva on Helianthemum (Meyer,1919; Calle et al.,2000).
880. **Dyscia (s.str.) simplicaria** Rebel,1939 (Geometridae) larva on Thymus capitatus (Wiltshire,1948).
881. **Dysphania militaris** (Linnaeus,1758) (Geometridae) larva on Rhodomyrtus tomentosa (Myrtaceae), Carallia branchiata [chiang phra nang ae], Kandelia candel (Rhizophoraceae) (Soble,1999; Lewvanich,2001).
882. **Dysphania sagana** (Druce,1882) (Geometridae) larva on Carallia (Rhizophoraceae) (Soble,1999).
883. **Ecleora solieraria** (Rambur,1834) (Geometridae) larva on Cupressus, Juniperus (Calle, et al.,2000).
884. **Ecliptopera capitata** (Herrich-Schäffer,1839) (Geometridae) larva on Impatiens (Meyer,1919).
885. **Ecliptopera silaceata** ([Denis & Schiffmüller],1775) (Geometridae) larva on Epilobium angustifolium, Impatiens (Meyer,1919).
886. **Ectropidia shoreae** (L.B.Prout,1934) (Geometridae) larva on Shorea robusta (Dipterocarpaceae) (L.B.Prout,1934).
887. **Ectropis bhumitra** (Walker,1860) (Geometridae) larva on Bombax anceps (Bombacaceae), Terminalia alata, T.complanata (Combretaceae), Artemisia vulgaris (Asteraceae), Aleurites moluccana, A.montana, Mallotus (Euphorbiaceae), Castanopsis fissa, Quercus myrsinaefolia (Fagaceae), Cinnamomum zeylanicum (Lauraceae), Albizia, Cassia, Leucaena leucocephala (Fabaceae), Melastoma normale (Melastomataceae), Azadirachta excelsa (Meliaceae), Maesa chisia (Myrsinaceae), Eugenia cumini (Myrtaceae), Piper nigrum (Piperaceae), Anthocephalus chinensis, Coffea arabica (Rubiaceae), Citrus maxima (Rutaceae), Schleicheria oleosa (Sapindaceae), Theobroma cacao (Sterculiaceae), Symplocos (Symplocaceae), Camellia sinensis (Theaceae), Gmelina arborea, Tectona grandis (Verbenaceae) (Soble,1999).
888. **Ectropis bistortata** (Goeze,1781) (Geometridae) larva on Alnus glutinosa, Betula, Larix, Polygonum, Prunus domestica, Pyrus, Quercus robur, Rosa, Salix, Ulmus (Meyer,1919).
889. **Ellicrinia cordiaria** (Hübner,1790) (Geometridae) larva on Salix caprea (Meyer,1919; Wiltshire,1957).
890. **Ellicrinia trinotata** (Metzner,1845) (Geometridae) larva on Quercus coccifera, Ulmus campestris (Lederer,1865; Staudinger,1879; Romanoff, 1885).
891. **Ekboarmia fascinataria** (Staudinger,1859) (Geometridae) larva on Juniperus (Berard,1996).
892. **Electrophaes corylata** (Thunberg,1792) (Geometridae) larva on Betula, Prunus spinosa, Tilia (Meyer,1919).
893. **Ematurga atomaria** (Linnaeus,1758) (Geometridae) larva on Centaurea, Lythrum salicaria, Sarrothamnus scoparius, Tilia (Linnaeus,1758; Meyer,1919).
894. **Ennomos (Deuteronomos) alniarius** (Linnaeus,1758) (Geometridae) larva on Alnus, Betula, Salix, Tilia (Meyer,1919).
895. **Ennomos (Deuteronomos) erosarius** (Hübner,1790) (Geometridae) larva on Betula, Carpinus betulus, Fagus, Quercus, Tilia (Meyer,1919).
896. **Ennomos (Deuteronomos) fraxineti** Wiltshire,1947 (Geometridae) larva on Fraxinus (Wiltshire,1957).
897. **Ennomos (Deuteronomos) fuscantarius** (Haworth,1809) (Geometridae) larva on Fraxinus (Meyer,1919).
898. **Ennomos (Deuteronomos) quercarius** (Hübner,[1813]) (Geometridae) larva on Betula, Quercus (Staudinger,1879; Meyer,1919).
899. **Ennomos (s.str.) autumnarius** (Werneburg,1859) (Geometridae) larva on Alnus, Betula, Quercus (Meyer,1919).
900. **Ennomos (s.str.) quercinarius** (Hufnagel,1767) (Geometridae) larva on Betula, Fagus, Quercus, Tilia (Meyer,1919).
901. **Entephria caesiata** ([Denis & Schiffmüller],1775) (Geometridae) larva on Vaccinium myrtillus, V. vitis-idaea (Meyer,1919).
902. **Entephria cyanata** (Hübner,[1809]) (Geometridae) larva on Arabis alpina, A. ciliata (Meyer,1919).
903. **Entephria flavicinctata** (Hübner,[1813]) (Geometridae) larva on Salix, Saxifraga (Meyer,1919).
904. **Entephria infidaria** (La Harpe,1853) (Geometridae) larva on Alchemilla, Geranium robertianum, Juniperus communis, Lonicera xylosteum, Oxalis, Salix, Saxifraga petraea, S. rotundifolia (Meyer,1919).
905. **Entephria nobiliaria** (Herrich-Schäffer,1852) (Geometridae) larva on Saxifraga oppositifolia (Meyer,1919).
906. **Eois grataria** (Walker,1861) (Geometridae) larva on Englerophytum magaliesmontanum (Sapotaceae) (Duke & Duke,1998).
907. **Epicsymbia perstrigulata** (L.B.Prout,1913) (Geometridae) larva on Pygmaeothamnus zeyheri (Rubiaceae) (Stauder,1999).
908. **Epilobophora sabinata** (Geyer,[1831]) (Geometridae) larva on Juniperus sabinia (Meyer,1919).
909. **Epiranthis diversata** ([Denis & Schiffmüller],1775) (Geometridae) larva on Populus tremula (Meyer,1919).
910. **Epirrhoe galiata** ([Denis & Schiffmüller],1775) (Geometridae) larva on Galium sylvaticum, G. verum (Meyer, 1919; Calle et al., 2000).
911. **Epirrhoe molluginata** (Hübner,[1813]) (Geometridae) larva on Galium (Meyer,1919).
912. **Epirrhoe rivata** (Hübner,[1813]) (Geometridae) larva on Galium verum (Meyer,1919).
913. **Epirrhoe tristata** (Linnaeus,1758) (Geometridae) larva on Galium sylvaticum (Meyer,1919).
914. **Epirrita autumnata** (Borkhausen,1794) (Geometridae) larva on Salix (Meyer,1919).
915. **Epirrita dilutata** ([Denis & Schiffmüller],1775) (Geometridae) larva on Quercus robur, Betula, Corylus, Crataegus, Prunus spinosa, Rosa, Salix ([Denis & Schiffmüller],1775; Meyer,1919).
916. **Episteira confusidentata** (Warren,1897) (Geometridae) larva on Pappea capensis (Sapindaceae), Ochra arborea (Ochnaceae) (Duke & Duke,1998).
917. **Epitherina bahmana** (Wiltshire,1943) (Geometridae) larva on Pistacia khinjuk, Prunus and Amygdalus (Wiltshire,1943,1952).
918. **Epitherina ghirshimani** (Wiltshire,1944) (Geometridae) larva on Prunus and Amygdalus (Wiltshire,1952).
919. **Erannis declinans** (Staudinger,1879) (Geometridae) larva on Paliurus (Meyer,1919).
920. **Erannis defoliaria** (Linnaeus,1761) (Geometridae) larva on Betula, Crataegus monogyna, Fagus, Prunus spinosa, P. domestica, Pyrus, Quercus, Salix (Meyer,1919; Calle et al.,2000).

921. *Erastria leucicolor* (Butler,1875) (Geometridae) larva on Rhamnus, *Zizyphus mucronata* (Rhamnaceae) (Scoble et al.,1999).
922. *Eretmopus marinaria* (Guenée,[1858]) (Geometridae) larva on Sonneratia (Sonneratiaceae) (Holloway,1996).
923. *Eucrostes indigenata* (Villers,1789) (Geometridae) larva on Euphorbia (Staudinger,1879; Meyer,1919).
924. *Eulithis mellinata* (Fabricius,1787) (Geometridae) larva on Ribes alpinum, R. nigrum, R. rubrum, R. uva-crispa.
925. *Eulithis peloponnesiaca* (Rebel,1902) (Geometridae) larva on Ribes (Meyer,1919).
926. *Eulithis populata* (Linnaeus,1758) (Geometridae) larva on Populus, Salix, Vaccinium myrtillus (Linnaeus,1758; Meyer,1919).
927. *Eulithis prunata* (Linnaeus,1758) (Geometridae) larva on Prunus, Ribes (Meyer,1919).
928. *Eulithis pyraliata* (Denis & Schiffermüller,[1775]) (Geometridae) larva on Galium verum (Rubiaceae) ([Denis & Schiffermüller],[1775]).
929. *Eulithis pyropata* (Hübner,[1809]) (Geometridae) larva on Ribes (Meyer,1919).
930. *Eulithis testata* (Linnaeus,1761) (Geometridae) larva on Populus tremula, Salix (Meyer,1919).
931. *Eumera regina* Staudinger,1892 (Geometridae) larva on Amygdalus communis, Quercus (Meyer,1919).
932. *Euphyia frustata* (Treitschke,1828) (Geometridae) larva on Galium verum (Meyer,1919; Wiltshire,1957).
933. *Euphyia unangulata* (Haworth,1809) (Geometridae) larva on Minuartia hybrida [tenuifolia], M. media (Meyer,1919).
934. *Eupithecia abbreviata* Stephens,1831 (Geometridae) larva on Quercus robur (Fagaceae) (Blaschke,1914; Meyer,1919; Courtois,1987).
935. *Eupithecia abietaria* (Goeze,1781) (Geometridae) larva on Abies, Picea, Pinus abies, Quercus (Blaschke,1914; Meyer,1919).
936. *Eupithecia absinthiata* (Clerck,1759) (Geometridae) larva on Achillea millefolium, Artemisia absinthium, A. campestris, A. vulgaris, Aster, Chrysanthemum vulgare, Cirsium arvense, Eupatorium cannabinum, Senecio vulgaris, S. jacobaea, Solidago canadensis, S. puberula, S. virgaurea, Tanacetum vulgare, Pimpinella (Asteraceae), Salix (Salicaceae) (Blaschke,1914; Meyer,1919; Courtois,1987; Scoble,1999).
937. *Eupithecia actaeata* Walderdorff,1869 (Geometridae) larva on Actaea spicata, Thalictrum aquilegifolium, Viburnum opulus (Blaschke,1914; Meyer,1919).
938. *Eupithecia alliaria* Staudinger,1870 (Geometridae) larva on Allium flavum (Meyer,1919).
939. *Eupithecia assimilata* Doubleday,1856 (Geometridae) larva on Humulus lupulus (Cannabinaceae), Ribes rubrum (Meyer,1919; Courtois,1987).
940. *Eupithecia biornata* Christoph,1867 (Geometridae) larva on Artemisia (Meyer,1919).
941. *Eupithecia breviculata* (Donzel,1837) (Geometridae) larva on Ptychotis (Meyer,1919).
942. *Eupithecia caeruleata* Favre,1899 (Geometridae) larva on Silene nemoralis, S. otites (Meyer,1919).
943. *Eupithecia carpopagata* Staudinger,1871 (Geometridae) larva on Silene saxifraga (Meyer,1919).
944. *Eupithecia cauchiata* (Duponchel,1831) (Geometridae) larva on Solidago (Meyer,1919).
945. *Eupithecia cocciferata* Millière,1864 (Geometridae) larva on Quercus (Meyer,1919).
946. *Eupithecia conterminata* (Lienig & Zeller,1846) (Geometridae) larva on Pinus (Meyer,1919).
947. *Eupithecia cupressata* Pearsall,1910 (Geometridae) larva on Cupressus (Pearsall,1910).
948. *Eupithecia denotata* (Hübner,[1813]) (Geometridae) larva on Campanula, Phyteuma (Meyer,1919).
949. *Eupithecia denticulata* (Treitschke,1828) (Geometridae) larva on Campanula rotundifolia, Ononis repens (Meyer,1919).
950. *Eupithecia distinctaria* Herrich-Schäffer,[1848] (Geometridae) larva on Galium sylvaticum, Hypericum, Thymus serpyllum, T. vulgaris (Meyer,1919).
951. *Eupithecia dodoneata* Guenée,[1858] (Geometridae) larva on Crataegus, Quercus (Meyer,1919).
952. *Eupithecia egenaria* Herrich-Schäffer,[1848] (Geometridae) larva on Scabiosa (Meyer,1919).
953. *Eupithecia ericeata* (Rambur,1833) (Geometridae) larva on Juniperus communis (Meyer,1919).
954. *Eupithecia exigua* (Hübner,[1813]) (Geometridae) larva on Acer, Berberis, Crataegus, Fraxinus, Hippophae, Ribes, Salix, Sorbus (Meyer,1919).
955. *Eupithecia expallidata* Doubleday,1856 (Geometridae) larva on Solidago virgaurea (Meyer,1919).
956. *Eupithecia extensaria* (Freyer,1844) (Geometridae) larva on Artemisia absinthium, A. maritima (Meyer,1919).
957. *Eupithecia extraversaria* Herrich-Schäffer,[1852] (Geometridae) larva on Angelica sylvestris, Athamanta libanotis, Laserpitium latifolium, Peucedanum oreoselinum, Pimpinella (Meyer,1919).
958. *Eupithecia gemellata* Herrich-Schäffer,1861 (Geometridae) larva on Petrorhagia saxifraga (Meyer,1919).
959. *Eupithecia gradatilinea* L.B.Prout,1916 (Geometridae) larva on Acacia karroo (Mimosaceae) (Duke & Duke,1998).
960. *Eupithecia graphata* (Treitschke,1828) (Geometridae) larva on Gypsophila fastigiata, Minuartia setacea (Meyer,1919).
961. *Eupithecia gratiosata* Herrich-Schäffer,1861 (Geometridae) larva on Ferulago galbanifera, Heracleum sphondylium (Meyer,1919).
962. *Eupithecia gueneata* Millière,1862 (Geometridae) larva on Pimpinella saxifraga (Meyer,1919).
963. *Eupithecia immundata* (Lienig & Zeller,1846) (Geometridae) larva on Actaea spicata (Meyer,1919).
964. *Eupithecia impurata* (Hübner,[1813]) (Geometridae) larva on Campanula cochleariifolia, C. rotundifolia (Meyer,1919).
965. *Eupithecia indefinata* Snellen,1874 (Geometridae) larva on Pinus (Meyer,1919).
966. *Eupithecia indigata* (Hübner,[1813]) (Geometridae) larva on Pinus (Meyer,1919).
967. *Eupithecia infectaria* (Guenée,[1858]) (Geometridae) larva on Buddlejia salviifolia (Buddlejaceae) (Duke & Duke,1998).
968. *Eupithecia infelix* L.B.Prout,1917 (Geometridae) larva on Delairea odorata (Asteraceae), Grewia occidentalis (Tiliaceae), Bauhinia variegata (Caesalpiniaceae) (Duke & Duke,1998).
969. *Eupithecia innotata* (Hufnagel,1767) (Geometridae) larva on Artemisia absinthium, A. campestris, A. vulgaris, Crataegus, Myricaria germanica, Prunus spinosa, Rosa, Fraxinus, Tamarix chinensis (Freyer,1836; Mann,1862; Romanoff,1887; Meyer,1919; Scoble,1999).
970. *Eupithecia insigniata* (Hübner,1790) (Geometridae) larva on Crataegus, Pyrus malus, Prunus cerasus, Prunus spinosa (Meyer,1919).
971. *Eupithecia inturbata* (Hübner,[1817]) (Geometridae) larva on Acer campestre (Meyer,1919).
972. *Eupithecia irriguata* (Hübner,[1813]) (Geometridae) larva on Fagus, Quercus (Meyer,1919).
973. *Eupithecia lanceata* (Hübner,[1825]) (Geometridae) larva on Abies, Larix, Picea (Meyer,1919).
974. *Eupithecia laquacaria* Herrich-Schäffer,[1848] (Geometridae) larva on Euphrasia lutea, E. officinalis, Hypericum, Rhinanthus (Meyer,1919).
975. *Eupithecia lariciata* (Freyer,1841) (Geometridae) larva on Juniperus, Larix (Meyer,1919).
976. *Eupithecia lentiscata* Mabille,1869 (Geometridae) larva on Pistacia lentiscus (Meyer,1919).
977. *Eupithecia liguriata* Millière,1884 (Geometridae) larva on Sedum dasyphyllum (Meyer,1919).
978. *Eupithecia linariata* (Fabricius,1787) (Geometridae) larva on Linaria vulgaris (Scrophulariaceae) (Meyer,1919; Courtois,1987).
979. *Eupithecia massiliata* Millière,1865 (Geometridae) larva on Quercus (Meyer,1919).
980. *Eupithecia millefoliata* Roesler,1866 (Geometridae) larva on Achillea (Meyer,1919).
981. *Eupithecia oblongata* (Thunberg,1784) (Geometridae) larva on Pimpinella saxifraga (Apiaceae) (Courtois,1987).
982. *Eupithecia oxycedrata* (Rambur,1833) (Geometridae) larva on Juniperus oxycedrus (Meyer,1919).
983. *Eupithecia phoeniceata* (Rambur,1834) (Geometridae) larva on Juniperus phoenicea (Meyer,1919).
984. *Eupithecia pimpinellata* (Hübner,[1813]) (Geometridae) larva on Achillea, Senecio (Asteraceae), Bupleurum, Pimpinella saxifraga (Apiaceae) (Meyer,1919; Courtois,1987).
985. *Eupithecia plumbeolata* (Haworth,[1809]) (Geometridae) larva on Melampyrum sylvaticum, M. pratense (Meyer,1919).
986. *Eupithecia pulchellata* Stephens,1831 (Geometridae) larva on Digitalis purpurea (Meyer,1919).
987. *Eupithecia pusillata* (Fabricius,1787) (Geometridae) larva on Juniperus communis, Larix, Pinus (Meyer,1919).
988. *Eupithecia pygmaea* (Hübner,[1799]) (Geometridae) larva on Cerastium triviale, Stellaria aquatica, S. holostea (Meyer,1919).
989. *Eupithecia pyreneata* Mabille,1871 (Geometridae) larva on Digitalis grandiflora [=ambigua] (Meyer,1919).
990. *Eupithecia quercetica* L.B.Prout,1938 (Geometridae) larva on Quercus (Wiltshire, 1936; Wiltshire, 1939).
991. *Eupithecia rosmarinata* Dardoin & Millière,1865 (Geometridae) larva on Rosmarinus officinalis (Meyer,1919).
992. *Eupithecia santolinata* Mabille,1871 (Geometridae) larva on Santolina [chamaecyparissus] (Meyer,1919).
993. *Eupithecia satyrata* (Hübner,[1813]) (Geometridae) larva on Centaurea, Galium, Hypochaeris, Polygonum, Scabiosa, Senecio, Thymus (Meyer,1919).
994. *Eupithecia semigraphata* Bruand,[1847] (Geometridae) larva on Calamintha nepetoides, Nepeta, Thymus serpyllum (Meyer,1919).
995. *Eupithecia silenata* Assmann,1848 (Geometridae) larva on Peucedanum, Silene (Meyer,1919).
996. *Eupithecia silenicolata* Mabille,1867 (Geometridae) larva on Silene nemoralis, S. paradoxa (Meyer,1919).
997. *Eupithecia simplicata* Haworth,[1809] (Geometridae) larva on Atriplex patula, Chenopodium (Meyer,1919).
998. *Eupithecia subumbrata* ([Denis & Schiffermüller],[1775]) (Geometridae) larva on Bupleurum, Globularia, Pimpinella saxifraga, Scabiosa, Solidago (Meyer,1919).
999. *Eupithecia succenturiata* (Linnaeus,1758) (Geometridae) larva on Achillea, Artemisia, Rubus, Tanacetum, Verbascum (Meyer,1919).
1000. *Eupithecia tenuiata* (Hübner,[1813]) (Geometridae) larva on Salix caprea (Salicaceae) (Meyer,1919; Courtois,1987).
1001. *Eupithecia thalictrata* (Püngeler,1902) (Geometridae) larva on Thalictrum foetidum (Meyer,1919).
1002. *Eupithecia trisignaria* Herrich-Schäffer,1848 (Geometridae) larva on Angelica sylvestris, Heracleum sphondylium, Pastinaca [sativa], Peucedanum, Pimpinella (Meyer,1919).
1003. *Eupithecia ultimaria* Boisduval,1840 (Geometridae) larva on Tamarix (Meyer,1919; Wiltshire,1948, 1957, 1985).

- 1004. Eupithecia undata** (Freyer,[1840]) (Geometridae) larva on *Silene alpestris* (Meyer,1919).
- 1005. Eupithecia unedonata** (Mabille,1868) (Geometridae) larva on *Arbutus unedo* (Meyer,1919).
- 1006. Eupithecia valerianata** (Hübner,[1813]) (Geometridae) larva on *Valeriana officinalis* (Meyer,1919).
- 1007. Eupithecia variostrigata** Alpheraky,1876 (Geometridae) larva on *Artemisia gallica*, *Camphorosma monspeliacum*, *Solidago nudiflora* (Meyer,1919).
- 1008. Eupithecia venezuela** Koçak & Kemal,2001 (Geometridae) larva on *Picea glauca* (Scoble,1999).
- 1009. Eupithecia venosata** (Fabricius,1787) (Geometridae) larva on *Lychnis dioeca*, *Silene vulgaris* [=inflata], *Silene maritima* (Meyer,1919; South,1961).
- 1010. Eupithecia veratraria** Herrich-Schäffer,1848 (Geometridae) larva on *Veratrum [album]* (Meyer,1919).
- 1011. Eupithecia virgaureata** Doubleday,1861 (Geometridae) larva on *Anthriscus*, *Gentiana*, *Heracleum sphondylium*, *Prunus*, *Senecio jacobaea*, *S. palustris Solidago* (Meyer,1919).
- 1012. Eupithecia vulgata** (Haworth,[1809]) (Geometridae) larva on *Rubus*, *Sedum*, *Silene* (Meyer,1919).
- 1013. Eurranthis plummistaria** (Villers,1789) (Geometridae) larva on *Dorycnium suffruticosum* (Meyer,1919).
- 1014. Eustroma reticulata** ([Denis & Schiffermüller],1775) (Geometridae) larva on *Impatiens* (Meyer,1919).
- 1015. Exeliopsis hibernaria** (Swinhoe,1886) (Geometridae) larva on leaf of *Combretum quadrangulare* [sakaena] (Combretaceae) (Lewvanich,2001).
- 1016. Geometra papilionaria** (Linnaeus,1758) (Geometridae) larva on *Alnus*, *Betula*, *Corylus avellana*, *Fagus*, *Thymus*, *Salix* (Linnaeus,1758; Meyer,1919; Skou,1986).
- 1017. Glossotrophia** (Parenzanella) asellaria (Herrich-Schäffer,1847) (Geometridae) larva on *Alyssum* (Calle et al.,2000).
- 1018. Glossotrophia (s.str.) rufomixtaria** (Graslin,1863) (Geometridae) larva on *Dianthus*, *Thymus* (Calle et al.,2000).
- 1019. Gnophos (Dicrognophos) sartatus** (Treitschke,1827) (Geometridae) larva on *Polygonum*; *Rhamnus alaternus* (Rhamnaceae) (Meyer,1919).
- 1020. Gnophos (s.str.) furvatus** ([Denis & Schiffermüller],1775) (Geometridae) larva on *Cotoneaster*, *Plantago*, *Prunus spinosa* (Meyer,1919).
- 1021. Gnophos (s.str.) obfuscatus** ([Denis & Schiffermüller],1775) (Geometridae) larva on *Betula* ([Denis & Schiffermüller],1775).
- 1022. Gymnoscelis imparatalis** (Walker,[1866]) (Geometridae) larva on young leaf of *Litchi chinensis* [litchi], *Dimocarpus longan* [longan] (Sapindaceae), *Mangifera indica* [mango], *Bouea macrophylla* [plum mango] (Anacardiaceae), *Citrus maxima* [pomelo] (Rutaceae) (Lewvanich,2001).
- 1023. Gymnoscelis ruffasciata** (Haworth,[1809]) (Geometridae) larva on *Digitalis* (Wagner,1931).
- 1024. Gypsochroa renitidata** (Hübner,[1817]) (Geometridae) larva on *Linaria striata* (ex Chrétien, Prout,1912).
- 1025. Haplolabida inaequata** (Walker,1861) (Geometridae) larva on *Erica* (Ericaceae) (Scoble,1999).
- 1026. Heliomata glarearia** (Brahm,1791) (Geometridae) larva on *Trifolium* (Meyer,1919).
- 1027. Heliothea (s.str.) discoidaria** Boisduval,1840 (Geometridae) larva on *Santolina* (Prout,1912).
- 1028. Hemithecia aestivaria** (Hübner,1789) (Geometridae) larva on *Betula*, *Quercus*, *Prunus spinosa*, *Rosa* (Skou,1986).
- 1029. Hemithecia marina** (Butler,1878) (Geometridae) larva on *Castanopsis fissa* (Fagaceae), *Lespedeza bicolor* (Fabaceae) (Scoble,1999).
- 1030. Heterorachis despoliata** L.B.Prout,1916 (Geometridae) larva on *Cathium mundianum* (Rubiaceae) (Stauder,1999).
- 1031. Heterorachis perviridis** L.B.Prout,1912 (Geometridae) larva on *Cathium mundianum* (Rubiaceae) (Stauder,1999).
- 1032. Heterostegane hyriaria** W.Warren,1894 (Geometridae) larva on *Prunus yedoensis* (Rosaceae) (Scoble,1999).
- 1033. Heterostegane subtessellata** (Walker,[1863]) (Geometridae) larva on *Acacia catechu*, *Mimosa rubicaulis* (Fabaceae) (Scoble,1999).
- 1034. Heterothera consimilis** (W.Warren,1888) (Geometridae) larva on *Cedrus deodara* (Pinaceae) (Scoble,1999).
- 1035. Holoterpna pruinosa** (Staudinger,1898) (Geometridae) larva on *Ferulago galbanifera* (Prout,1935).
- 1036. Horisme aemulata** (Hübner,[1813]) (Geometridae) larva on *Clematis vitalba* (Blaschke,1914; Meyer,1919).
- 1037. Horisme aquata** (Hübner,[1813]) (Geometridae) larva on *Anemone ranunculoides*, *Clematis vitalba*, *Pulsatilla* (Meyer,1919).
- 1038. Horisme calligraphata** (Herrich-Schäffer,1839) (Geometridae) larva on *Thalictrum foetidum* (Meyer,1919).
- 1039. Horisme corticata** (Treitschke,1835) (Geometridae) larva on *Clematis vitalba* (Meyer,1919).
- 1040. Horisme tersata** ([Denis & Schiffermüller],1775) (Geometridae) larva on *Clematis vitalba* (Meyer,1919).
- 1041. Horisme vitalbata** (Hübner,[1799]) (Geometridae) larva on *Clematis vitalba* (Hübner,1799; Meyer,1919).
- 1042. Hydrelia sylvata** ([Denis & Schiffermüller],1775) (Geometridae) larva on *Pinus*, *Picea* ([Denis & Schiffermüller],1775).
- 1043. Hydria cervicalis** (Scopoli,1763) (Geometridae) larva on *Malva* (Meyer,1919).
- 1044. Hydria undulata** (Linnaeus,1758) (Geometridae) larva on *Salix*, *Vaccinium myrtillus*, *V. uliginosum* (Meyer,1919).
- 1045. Hydriomena ruberata** (Freyer,[1831]) (Geometridae) larva on *Salix* (Meyer,1919).
- 1046. Hylaea fasciaria** (Linnaeus,1758) (Geometridae) larva on *Picea abies*, *Pinus sylvestris*, *Pseudotsuga menziesii* (Pinaceae) (Scoble,1999).
- 1047. Hypochrosis binexata** (Walker,[1863]) (Geometridae) larva on *Theobroma cacao* (Sterculiaceae) (Holloway,[1994]).
- 1048. Hypomecis ectropodes** (L.B.Prout,1913) (Geometridae) larva on *Maytenus undatus* (Celastraceae) (Scoble,1999).
- 1049. Hypomecis roboraria** (Fabricius,1787) (Geometridae) larva on *Pyrus malus*; *Quercus* (Fagaceae) (Meyer,1919).
- 1050. Hypomecis separata** (Walker,1860) (Geometridae) larva on *Coffea liberica* (Rubiaceae) (Scoble,1999).
- 1051. Hyposcotis (Charissa) obscurata** ([Denis & Schiffermüller],1775) (Geometridae) larva on *Armeria vulgaris*, *Artemisia*, *Plantago*, *Rumex*, *Sedum album*, *Vaccinium*, *Rubus* ([Denis & Schiffermüller],1775; Meyer,1919; Calle et al.,2000).
- 1052. Hyposcotis (Costignophos) pullata** ([Denis & Schiffermüller],1775) (Geometridae) larva on *Origanum vulgare*, *Sedum*, *Thymus* (Meyer,1919).
- 1053. Hyposcotis (Euchrognophos) mucidaria** (Hübner,[1799]) (Geometridae) larva on *Anagallis*, *Polygonum* (Meyer,1919).
- 1054. Hyposcotis (Euchrognophos) variegata** (Duponchel,1830) (Geometridae) larva on *Asplenium* (Pterid.) (Meyer,1919).
- 1055. Hyposcotis (Kemtrognothos) ambigua** (Duponchel,1830) (Geometridae) larva on *Sedum* (Meyer,1919).
- 1056. Hyposcotis (Rhopalognophos) glaucinaria** (Hübner,[1799]) (Geometridae) larva on *Sedum*, *Teucrium*, *Thymus* (Meyer,1919).
- 1057. Hyposidra incomptaria** (Walker,1866) (Geometridae) larva on *Campanosperma brevipedunculatum* (Anacardiaceae), *Terminalia brassii*, *T. calamansanai* (Combretaceae), *Merremia pacifica*, *M. peltata* (Convolvulaceae), *Calophyllum kajewskii* (Clusiaceae), *Eucalyptus deglupta* (Myrtaceae), *Palaquium gutta* (Sapotaceae) (Scoble,1999).
- 1058. Hyposidra janaria** Guenée,[1858] (Geometridae) larva on *Glycine* (Fabaceae), *Citrus* (Rutaceae) (Scoble,1999).
- 1059. Hyposidra picaria** (Walker,1866) (Geometridae) larva on *Coffea liberica* (Rubiaceae) (Scoble,1999).
- 1060. Hyposidra talaca** (Walker,1860) (Geometridae) larva on leaf of *Nephelium lappaceum* [rambutan], *Citrus maxima* [pomelo] (Rutaceae), *Plumeria rubra* [frangipani] (Apocynaceae), *Lagerstroemia indica* [crape myrtle] (Lythraceae), *Datura metel* [thorn apple] (Solanaceae) (Lewvanich,2001).
- 1061. Hypoxystis pluviana** (Fabricius,1787) (Geometridae) larva on *Genista germanica*, *Sarothamnus scoparius*, *Senecio jacobaea* (Blaschke,1914; Meyer,1919).
- 1062. Idaea allongata** (Staudinger,1898) (Geometridae) larva on *Malus pumila*.
- 1063. Idaea alyssumata** (Himmelfloffen & Millièr,1871) (Geometridae) larva on *Alyssum* (Millièr,1871).
- 1064. Idaea aversata** (Linnaeus,1758) (Geometridae) larva on *Betula* (Meyer,1919).
- 1065. Idaea biselata** (Hufnagel,1767) (Geometridae) larva on *Taraxacum*, *Quercus glauca*, *Plantago*, *Polygonum*, *Rubus* (Scoble,1999).
- 1066. Idaea calunetaria** (Staudinger,1859) (Geometridae) larva on *Dorycnium* (Calle et al.,2000).
- 1067. Idaea cervantaria** (Millièr,1869) (Geometridae) larva on *Alyssum* (Meyer,1919).
- 1068. Idaea circuitaria** (Hübner,[1819]) (Geometridae) larva on *Clematis vitalba*, *Osyris*, *Rubus idaeus* (Meyer,1919).
- 1069. Idaea contiguaris** (Hübner,[1799]) (Geometridae) larva on *Minuartia*, *Sedum album* (Meyer,1919).
- 1070. Idaea dilutaria** (Hübner,[1799]) (Geometridae) larva on *Bryophita* (Meyer,1919).
- 1071. Idaea dimidiata** (Hufnagel,1767) (Geometridae) larva on *Anthriscus sylvestris*, *Pimpinella* (South,1961).
- 1072. Idaea filicata** (Hübner,[1799]) (Geometridae) larva on *Anagallis*, *Dianthus*, *Prunus spinosa*, *Veronica* (Meyer,1919).
- 1073. Idaea humiliata** (Hufnagel,1767) (Geometridae) larva on *Hippocrepis [comosa]*, *Ononis repens*, *O. spinosa* (Fabaceae); *Taraxacum* (Asteraceae); *Rumex* (Polygonaceae) (Meyer,1919; Scoble,1999; Calle et al.,2000).
- 1074. Idaea maritima** (Braund,1846) (Geometridae) larva on *Lysimachia*, *Ononis*, *Rumex* (Meyer,1919).
- 1075. Idaea mediaria** (Hübner,[1819]) (Geometridae) larva on *Euphorbia*, *Genista*, *Ulex* (Meyer,1919; Calle et al.,2000).
- 1076. Idaea moniliata** ([Denis & Schiffermüller],1775) (Geometridae) larva on *Myosotis*, *Vicia* (Meyer,1919).
- 1077. Idaea nexata** (Hübner,[1813]) (Geometridae) larva on *Linaria organifolia* (Meyer,1919).
- 1078. Idaea ochrata** (Scopoli,1763) (Geometridae) larva on *Minuartia* (Meyer,1919).
- 1079. Idaea ostrinaria** (Hübner,[1813]) (Geometridae) larva on *Campanula*, *Heliotropium*, *Polygonum*, *Salix* (Meyer,1919; Calle et al.,2000).
- 1080. Idaea ruficostata** Zeller,1847 (Geometridae) larva on *Genista*, *Geranium*, *Trifolium* (Meyer,1919).
- 1081. Idaea rusticata** ([Denis & Schiffermüller],1775) (Geometridae) larva on *Bryophita* (Meyer,1919).
- 1082. Idaea straminata** (Borkhausen,1794) (Geometridae) larva on *Chenopodium*, *Lichens*, *Thymus serpyllum* (Meyer,1919).
- 1083. Idaea subsericeata** (Haworth,[1809]) (Geometridae) larva on *Anagallis arvensis*, *Plantago*, *Polygonum*, *Stellaria*, *Taraxacum* (Meyer,1919; Calle et al.,2000).
- 1084. Idaea trigeminata** (Haworth,[1809]) (Geometridae) larva on *Polygonum aviculare* (Meyer,1919).
- 1085. Isturgia berytaria** (Staudinger,1892) (Geometridae) larva on *Calycotome villosa* (Wiltshire,1939).
- 1086. Isturgia catalaunaria** (Guenée,[1858]) (Geometridae) larva on *Indigofera daleoides* (Fabaceae) (Stauder,1999).

- 1087.** *Isturgia deerraria* (Walker,1861) (Geometridae) larva on *Acacia karroo* (Mimosaceae) (Staudé,1999).
- 1088.** *Jodis lactearia* (Linnaeus,1758) (Geometridae) larva on *Alnus*, *Betula*, *Corylus avellana*, *Populus*, *Quercus*, *Salix*, *Vaccinium* (Meyer,1919; Skou,1986).
- 1089.** *Jodis putata* (Linnaeus,1758) (Geometridae) larva on *Vaccinium myrtillus*, *V. uliginosum* (Meyer,1919; Skou,1986).
- 1090.** *Jodis subtracata* (Walker,1863) (Geometridae) larva on *Eugenia aquea* (Myrtaceae); *Dimocarpus longan* (Sapindaceae); *Nephelium lappaceum*, *N.mutabile* (Sapindaceae) (Scoble,1999).
- 1091.** *Jordanisca tenuisaria* (Staudinger,1900) (Geometridae) larva on *Lycium barbarum* (Wiltshire, 1944,1957).
- 1092.** *Lampropteryx oregiata* (Metcalf,1917) (Geometridae) larva on *Asperula*, *Galium palustre* (Rubiaceae) (Scoble,1999).
- 1093.** *Lampropteryx suffumata* ([Denis & Schiffermüller],1775) (Geometridae) larva on *Galium verum*, *G.mollugo* (Rubiaceae) (Meyer,1919).
- 1094.** *Larentia clavaria* Haworth,[1809] (Geometridae) larva on *Althaea* (Wiltshire,1957).
- 1095.** *Larentia malvata* (Rambur,1833) (Geometridae) larva on *Lavatera*, *Malva* (Meyer,1919).
- 1096.** *Larerrannis aurantiaria* (Hübner,[1799]) (Geometridae) larva on *Betula*, *Carpinus betulus*, *Corylus*, *Quercus* (Meyer,1919).
- 1097.** *Larerrannis marginaria* (Fabricius,1777) (Geometridae) larva on *Betula*, *Carpinus betulus*, *Populus*, *Quercus* (Meyer,1919).
- 1098.** *Lasiochlora bicolor* (Thierry-Mieg,1907) (Geometridae) larva on *Scutia myrtina* (Rhamnaceae) (Scoble,1999).
- 1099.** *Lasiochlora diducta* (Walker,1861) (Geometridae) larva on *Dahlbergia obovata* (Fabaceae) (Scoble,1999).
- 1100.** *Leptomiza calcaria* (Walker,1860) (Geometridae) larva on *Rubus* (Rosaceae) (Scoble,1999).
- 1101.** *Lhommeia biskraria* (Oberthür,1885) (Geometridae) larva on *Ziziphus mucronata* (Rhamnaceae) (Staudé,1999).
- 1102.** *Lhommeia subapicata* (W.Warren,1899) (Geometridae) larva on *Ziziphus mucronata* (Rhamnaceae) (Scoble,1999).
- 1103.** *Ligia adustata* (Fabricius,1787) (Geometridae) larva on *Evonymus europaeus* (Blaschke,1914; Meyer,1919).
- 1104.** *Lignoptera fumidaria* (Hübner,[1825]) (Geometridae) larva on *Achillea* (Meyer,1919).
- 1105.** *Lithostege griseata* ([Denis & Schiffermüller],1775) (Geometridae) larva on *Descurainia sophia*, *erysimum cheiranthoides* (Brassicaceae) (Meyer,1919 et seq.).
- 1106.** *Lobophora halterata* (Hufnagel,1767) (Geometridae) larva on *Populus tremula*, *Salix* (Meyer,1919).
- 1107.** *Lomaspilis marginata* (Linnaeus,1758) (Geometridae) larva on *Corylus*, *Populus tremula*, *Salix* (Meyer,1919).
- 1108.** *Lomographa bimaculata* (Fabricius,1775) (Geometridae) larva on *Prunus avium* (Meyer,1919).
- 1109.** *Lomographa temerata* ([Denis & Schiffermüller],1775) (Geometridae) larva on *Prunus*, *Quercus* (Meyer,1919).
- 1110.** *Loxofidonia obfusca* (W.Warren,1893) (Geometridae) larva on *Impatiens* (Balsaminaceae) (Scoble,1999).
- 1111.** *Lycia alpina* (Sulzer,1776) (Geometridae) larva on *Bellis perennis*, *Salix* (Meyer,1919).
- 1112.** *Lycia hirtaria* (Linnaeus,1761) (Geometridae) larva on *Betula*, *Fagus*, *Prunus*, *Pyrus*, *Quercus*, *Tilia*, *Ulmus* (Meyer,1919).
- 1113.** *Lycia pomonaria* (Hübner,1790) (Geometridae) larva on *Prunus*, *Pyrus*, *Quercus* (Meyer,1919).
- 1114.** *Lythria plumularia* (Freyer,1831) (Geometridae) larva on *Rumex acetosa* (Meyer,1919).
- 1115.** *Lythria purpuraria* (Linnaeus,1758) (Geometridae) larva on *Polygonum*, *Prunus*, *Rumex* (Meyer,1919; Wiltshire,1957).
- 1116.** *Macaria alternata* ([Denis & Schiffermüller],1775) (Geometridae) larva on *Prunus*, *Quercus*, *Salix caprea* (Meyer,1919).
- 1117.** *Macaria carbonaria* (Clerck,1759) (Geometridae) larva on *Salix caprea*, *Vaccinium* (Meyer,1919).
- 1118.** *Macaria notata* (Linnaeus,1758) (Geometridae) larva on *Alnus*, *Betula*, *Quercus*, *Salix* (Meyer,1919).
- 1119.** *Martania taeniata* (Stephens,1831) (Geometridae) larva on *Minuartia* (Meyer,1919).
- 1120.** *Mauna homales* (L.B.Prout,1922) (Geometridae) larva on *Protea caffra* (Proteaceae) (Staudé,1999).
- 1121.** *Melanthia alaudaria* (Freyer,1846) (Geometridae) larva on *Atragene alpina* (Blaschke,1914).
- 1122.** *Melanthia procellata* ([Denis & Schiffermüller],1775) (Geometridae) larva on *Clematis vitalba* (Meyer,1919).
- 1123.** *Menophra abruptaria* (Thunberg,1792) (Geometridae) larva on *Cytisus capitans*, *Fraxinus*, *Genista germanica*, *G. tinctoria*, *Ligustrum vulgare*, *Rosa* (Blaschke,1914; Meyer,1919).
- 1124.** *Menophra contemptaria* (Walker,1860) (Geometridae) larva on *Maytenus heterophylla*, *M.undatus*, *Putterlickia pyracantha* (Celastraceae) (Scoble,1999).
- 1125.** *Menophra harterti* (Rothschild,1912) (Geometridae) larva on *Juniperus* (Calle, et al.,2000).
- 1126.** *Menophra japygiaria* (Costa,1849) (Geometridae) larva on *Helianthemum* (Meyer,1919).
- 1127.** *Menophra nyctemeraria* (Geyer,1831) (Geometridae) larva on *Cytisus*, *Genista*, *Retama* (Meyer,1919; Calle, et al.,2000).
- 1128.** *Mesoleuca albicillata* (Linnaeus,1758) (Geometridae) larva on *Rubus fruticosus*, *R. idaeus* (Blaschke,1914; Meyer,1919).
- 1129.** *Microbiston phaeothorax* Wehrli,1941 (Geometridae) larva on *Artemisia* (Wehrli,1941).
- 1130.** *Microloxia herbaria* (Hübner,[1813]) (Geometridae) larva on *Lavandula*, *Teucrium capitatum* (Staudinger,1879; Prout,1912; Meyer,1919; Wiltshire,1957).
- 1131.** *Microloxia ruficornis* W.Warren,1897 (Geometridae) larva on *Helichrysum acutatum* (Asteraceae) (Staudé,1999).
- 1132.** *Minoa murinata* (Scopoli,1763) (Geometridae) larva on *Euphorbia cyparissias* (Meyer,1919); *Euphorbia amygdaloides* (Xue & Scoble,2002).
- 1133.** *Narraga fasciolaria* (Hufnagel,1767) (Geometridae) larva on *Artemisia campestris* (Meyer,1919).
- 1134.** *Nebula achromaria* (La Harpe,1853) (Geometridae) larva on *Galium mollugo* (Blaschke,1914; Meyer,1919).
- 1135.** *Nebula adlata* (Staudinger,[1895]) (Geometridae) larva on *Sarcopoterium spinosum* (Wiltshire,1939).
- 1136.** *Nebula salicata* ([Denis & Schiffermüller],1775) (Geometridae) larva on *Galium*, *Rubia olivieri*, *Salix viminalis* ([Denis & Schiffermüller],1775; Meyer,1919; Wiltshire,1939,1957).
- 1137.** *Nebula tophaceata* ([Denis & Schiffermüller],1775) (Geometridae) larva on *Fragaria*, *Galium* (Meyer,1919).
- 1138.** *Neognopharmia stevenaria* (Boisduval,1840) (Geometridae) larva on *Prunus spinosa* (Rosaceae) (Kasy,1954).
- 1139.** *Nothocasis sertata* (Hübner,[1817]) (Geometridae) larva on *Acer pseudoplatanus* (Meyer,1919).
- 1140.** *Nychiodes (Eunychiodes) variabilis* Brandt,1938 (Geometridae) larva on *Prunus*, *Amygdalus* (Rosaceae) (Wiltshire,1943, 1957).
- 1141.** *Nychiodes (Fritzwagneria) rayatica* Wiltshire,1957 (Geometridae) larva on *Amygdalus* (Wiltshire,1957).
- 1142.** *Nychiodes torrevinagensis* Expósito,1984 (Geometridae) larva on *Erica*, *Prunus* (Calle et al.,2000).
- 1143.** *Oar pratana* (Fabricius,1794) (Geometridae) larva on *Suaeda vera*, *Zizyphus lotus* (Calle et al.,2000).
- 1144.** *Ochodontia adustaria* Fischer de Waldheim,1840 (Geometridae) larva on *Evonymus europaeus* (Celastraceae), *Atraphaxis* (Polygonaceae) (Meyer,1919; Hausmann,2004 ex Mironov).
- 1145.** *Odezia atrata* (Linnaeus,1758) (Geometridae) larva on *Anthriscus*, *Chaerophyllum*, *Conopodium denudatum* (*Bunium flexuosum*) (Prout,1912; Meyer,1919).
- 1146.** *Odontognophos dumetatus* (Treitschke,1827) (Geometridae) larva on *Rhamnus alaternus* (Rhamnaceae) (Meyer,1919).
- 1147.** *Odontognophos perspersatus* (Treitschke, 1827) (Geometridae) larva on *Plantago* (Calle et al.,2000).
- 1148.** *Odontoptera bidentata* (Linnaeus,1761) (Geometridae) larva on *Alnus incana*, *Betula ermani*, *B. pubescens* (Betulaceae); *Arctium minus*, *Artemisia vulgaris*, *Cirsium arvense* (Asteraceae); *Ledum palustre*, *Vaccinium myrtillus* (Ericaceae); *Fagus crenata*, *Quercus dentata*, *Q. robur* (Fagaceae); *Ribes nigrum*, *R. uva-crispa* (Grossulariaceae); *Trifolium pratense* (Fabaceae); *Fraxinus excelsior* (Oleaceae); *Larix decidua*, *L. sibirica*, *Picea abies*, *Pinus sylvestris* (Pinaceae); *Malus domestica*, *Prunus padus*, *Sorbus aucuparia* (Rosaceae); *Populus alba*, *Populus nigra*, *Salix* (Salicaceae); *Tilia platyphyllo* (Tiliaceae) (Meyer,1919 et seq.).
- 1149.** *Omizodes complanata* L.B.Prout,1922 (Geometridae) larva on *Rothmannia capensis* (Rubiaceae) (Staudé,1999).
- 1150.** *Omphacodes directa* (Walker,1861) (Geometridae) larva on *Mimosa rubicaulis* (Fabaceae) (Scoble,1999).
- 1151.** *Omphacodes punctilineata* (W.Warren,1897) (Geometridae) larva on *Acacia karroo*, *A. sieberiana* (Fabaceae) (Scoble,1999).
- 1152.** *Omphalucha albosignata* Janse,1932 (Geometridae) larva on *Rhus leptodictya* (Anacardiaceae) (Staudé,1999).
- 1153.** *Omphalucha inflexa* L.B.Prout,1922 (Geometridae) larva on *Combretum collinum* (Combretaceae) (Scoble,1999).
- 1154.** *Omphalucha maturnaria* (Möschler,1884) (Geometridae) larva on *Rhus guenzii*, *R. pyroides* (Anacardiaceae); *Combretum caffrum* (Combretaceae) (Staudé,1999; Scoble,1999).
- 1155.** *Omphax idonea* L.B.Prout,1916 (Geometridae) larva on *Vangueria infausta* (Rubiaceae) (Staudé,1999).
- 1156.** *Omphax plantaria* Guenée,[1858] (Geometridae) larva on *Vangueria infausta* (Janse,1935).
- 1157.** *Onychora agaritharia* (Dardoin,1842) (Geometridae) larva on *Genista* (Calle et al.,2000).
- 1158.** *Operophtera brumata* (Linnaeus,1758) (Geometridae) larva on *Carpinus* [betulus], *Fagus*, *Malus*, *Prunus*, *Pyrus*, *Vaccinium myrtillus* (Meyer,1919).
- 1159.** *Opisthograptis luteolata* (Linnaeus,1758) (Geometridae) larva on *Crataegus*, *Corylus*, *Prunus*, *Pyrus*, *Quercus* (Meyer,1919).
- 1160.** *Ornithospila submonstrans* (Walker,1861) (Geometridae) larva on *Shorea parvifolia* (Dipterocarpaceae) (Scoble,1999).
- 1161.** *Orthonama obstipata* (Fabricius,1794) (Geometridae) larva on *Galium mollugo*, *Nasturtium officinale* (Calle et al.,2000).
- 1162.** *Orthonama vittata* (Borkhausen,1794) (Geometridae) larva on *Galium palustre*, *Menyanthes trifoliata* (Meyer,1919).
- 1163.** *Orthotixis cribraria* (Hübner,[1799]) (Geometridae) larva on *Scutellaria peregrina* (Meyer,1919).
- 1164.** *Oulobophora externata* Freyer,1846 (Geometridae) larva on *Pistacia* (Wiltshire,1935).
- 1165.** *Ourapteryx sambucaria* (Linnaeus,1758) (Geometridae) larva on *Hedera helix*, *Lonicera*, *Sambucus niger* (Linnaeus,1758; Lederer, 1865; Staudinger, 1879; Meyer,1919).
- 1166.** *Ozola minor* (Moore,1888) (Geometridae) larva on *Premna*, *Gmelina arborea* (Verbenaceae) (Chey,1994; Holloway,1996).
- 1167.** *Pachygnemina hippocastanaria* (Hübner,[1799]) (Geometridae) larva on *Vaccinium* (Meyer,1919).

- 1168. Pachynemisia tibiaria (Rambur,1829)** (Geometridae) larva on Vaccinium scoparia (Meyer,1919).
- 1169. Palaconyssia trisecta (W.Warren,1897)** (Geometridae) larva on Acacia davyi (Fabaceae) (Scoble,1999).
- 1170. Paradarisa consonaria (Hübner,[1799])** (Geometridae) larva on Betula, Fagus, Tilia (Meyer,1919).
- 1171. Parapericia giraffata (Guenée,[1858])** (Geometridae) larva on leaf of weed (Lewvanich,2001).
- 1172. Paraprasina discolor W.Warren,1897** (Geometridae) larva on Cussonia digitata (Janse,1935).
- 1173. Parapytychodes costimaculata L.B.Prout,1913** (Geometridae) larva on Encephalartos hildebrandtii (Zamiaceae) (Scoble,2001).
- 1174. Parapytychodes sp.** (Geometridae) larva on Encephalartos ferox (Zamiaceae) (Scoble,2001).
- 1175. Pareulype berberata (Fabricius,1787)** (Geometridae) larva on Berberis vulgaris (Meyer,1919).
- 1176. Pasiphila chloerata (Mabille,1870)** (Geometridae) larva on Prunus spinosa (Meyer,1919).
- 1177. Pasiphila rectangulata (Linnaeus,1758)** (Geometridae) larva on Prunus padus, Pyrus (Meyer,1919).
- 1178. Pelagodes falsaria (L.B.Prout,1912)** (Geometridae) larva on leaf of Litchi chinensis [litchi], Dimocarpus longan [longan] (Sapindaceae) (Lewvanich,2001).
- 1179. Pellonia vibicaria (Linnaeus,1761)** (Geometridae) larva on Calluna vulgaris (Ericaceae); Cytisus, Genista, Sarothamnus scoparius; Lychnis vulgaris (Caryophyllaceae) (Meyer,1919; et seq.).
- 1180. Pelurga comitata (Linnaeus,1758)** (Geometridae) larva on Atriplex, Chenopodium (Meyer,1919).
- 1181. Perconia strigillaria (Hübner,1787)** (Geometridae) larva on Genista, Sarothamnus scoparius, Vaccinium (Meyer,1919).
- 1182. Peribatodes ilicarius (Geyer,1833)** (Geometridae) larva on Clematis vitalba, Juniperus, Ligustrum, Malus, Pinus, Quercus ilex, Q. robur (Meyer,1919; Calle et al.,2000).
- 1183. Peribatodes inaequalis (Goeze,1781)** (Geometridae) larva on Clematis vitalba, Crataegus, Ligustrum, Nerium oleander, Prunus domestica, P. spinosa, Pyrus, Quercus, Rubus (Meyer,1919; Calle, et al.,2000).
- 1184. Peribatodes secundarius ([Denis & Schiffermüller],1775)** (Geometridae) larva on Cedrus, Juniperus, Picea, Pinus ([Denis & Schiffermüller],1775; Meyer,1919; Wehrli,1933,1934).
- 1185. Peribatodes umbrarius (Hübner,[1809])** (Geometridae) larva on Acer, Olea europaea, Quercus (Meyer,1919; Wiltshire,1957; Calle, et al.,2000).
- 1186. Perixera contrariata (Walker,1861)** (Geometridae) larva on Dahlbergia (Fabaceae) (Holloway,1996).
- 1187. Perixera ilepidaria (Guenée,[1858])** (Geometridae) larva on Mangifera indica (Anacardiaceae); Litchi chinensis (Sapindaceae) (Scoble,1999).
- 1188. Perixera obrinaria (Guenée,[1858])** (Geometridae) larva on Cassytha (Lauraceae) (Scoble,1999).
- 1189. Perizoma affinitata (Stephens,1831)** (Geometridae) larva on Lychnis alba, L. diurna, L. dioica, L. floscuculi, L. sylvestris, L. vespertina (Blaschke,1914; Meyer,1919; South,1961).
- 1190. Perizoma alchemillata (Linnaeus,1758)** (Geometridae) larva on Alchemilla, Galeopsis, Stachys alpina, S. sylvatica (Linnaeus,1758; Meyer,1919).
- 1191. Perizoma blandiata ([Denis & Schiffermüller],1775)** (Geometridae) larva on Euphrasia officinalis (Blaschke,1914; Meyer,1919).
- 1192. Perizoma didymata (Linnaeus,1758)** (Geometridae) larva on Anthriscus, Cerastium, Vaccinium (Meyer,1919).
- 1193. Perizoma flavofasciata (Thunberg,1792)** (Geometridae) larva on Lychnis diurna, L. vespertina (Meyer,1919).
- 1194. Perizoma hydrata (Treitschke,1829)** (Geometridae) larva on Silene nutans (Meyer,1919).
- 1195. Perizoma inculcaria (Herrich-Schäffer,1848)** (Geometridae) larva on Bartschia alpina, Primula latifolia, Saxifraga bryoides (Meyer,1919).
- 1196. Perizoma minorata (Treitschke,1828)** (Geometridae) larva on Euphrasia lutea (Meyer,1919).
- 1197. Perizoma parallelolineata (Retzius,1783)** (Geometridae) larva on Leontodon taraxacum, Prunus spinosa (Meyer,1919).
- 1198. Perizoma sagittata (Fabricius,1787)** (Geometridae) larva on Thalictrum angustifolium (Meyer,1919).
- 1199. Perizoma verberata (Scopoli,1763)** (Geometridae) larva on Pinus (Meyer,1919).
- 1200. Petrophora binaevata (Mabille,1869)** (Geometridae) larva on Rosmarinus [officinalis] (Meyer,1919).
- 1201. Petrophora chlorosata (Scopoli,1763)** (Geometridae) larva on Pteridium (Meyer,1919).
- 1202. Petrophora convergata (Villers,1789)** (Geometridae) larva on Rosmarinus officinalis, Lavandula, Thymus (Calle et al.,2000).
- 1203. Petrophora narbonea (Linnaeus,1767)** (Geometridae) larva on Teucrium (Calle et al.,2000).
- 1204. Phaiogramma etruscaria (Zeller,1849)** (Geometridae) larva on Althaea, Bupleurum, Quercus, Peucedanum alsaticum (Staudinger,1879; Meyer,1919; Wiltshire,1957).
- 1205. Phaiogramma faustinata (Millière,1868)** (Geometridae) larva on Rosmarinus officinalis (Meyer,1919; Calle et al.,2000).
- 1206. Phaselia serrularia (Eversmann,1847)** (Geometridae) larva on Ephedra distachya, Sarothamnus scoparius (Staudinger,1879; Meyer,1919).
- 1207. Phibalapteryx virgata (Hufnagel,1767)** (Geometridae) larva on Galium (Meyer,1919).
- 1208. Phigalia pendaria (Fabricius,1787)** (Geometridae) larva on Fagus, Prunus spinosa, Quercus (Meyer,1919).
- 1209. Philere me transversata (Hufnagel,1767)** (Geometridae) larva on Epilobium angustifolium, E. montanum; Rhamnus (Rhamnaceae) (Denis & Schiffermüller,1775; Meyer,1919).
- 1210. Philere me vetulata ([Denis & Schiffermüller],1775)** (Geometridae) larva on Rhamnus catharica (Rhamnaceae) (Meyer,1919).
- 1211. Pholodes fuliginea (Hampson,1891)** (Geometridae) larva on Coffea liberica (Rubiaceae), Tectona grandis (Verbenaceae) (Scoble,1999).
- 1212. Pingasa chlora (Stoll,[1782])** (Geometridae) larva on leaf of Nephelium lappaceum [rambutan], Litchi chinensis [litchi], Dimocarpus longan [longan] (Sapindaceae), Ziziphus mauritiana [jujube] (Rhamnaceae), Senna occidentalis [coffea senna] (Fabaceae) (Lewvanich,2001).
- 1213. Pingasa lahayei (Oberthür,1887)** (Geometridae) larva on Rhus oxyacantha, Ziziphus lotus (Prout,1934).
- 1214. Pingasa multispurcata L.B.Prout,1913** (Geometridae) larva on Ziziphus spina-christi (Wiltshire,1957).
- 1215. Plagodis dolabraria (Linnaeus,1767)** (Geometridae) larva on Quercus, Tilia (Meyer,1919).
- 1216. Plagodis pulveraria (Linnaeus,1758)** (Geometridae) larva on Betula, Loniceria, Quercus, Salix (Meyer,1919).
- 1217. Plateoplia acrobela (Wallengren,1875)** (Geometridae) larva on Ximenia americana (Oleaceae) (Stauder,1999).
- 1218. Plegapteryx anomalus Herrich-Schäffer,[1856]** (Geometridae) larva on Terminalia ivorensis (Combretaceae) (Scoble,1999).
- 1219. Polymixia appositaria (Leech,1891)** (Geometridae) larva on Quercus mongolica (Fabaceae) (Scoble,1999).
- 1220. Polystroma subspissata W.Warren,1897** (Geometridae) larva on Crotalaria capensis (Fabaceae) (Scoble,1999).
- 1221. Prasinocyma bifimbriata L.B.Prout,1912** (Geometridae) larva on Acacia nilotica (Fabaceae) (Scoble,1999).
- 1222. Prasinocyma germinaria (Guenée,[1858])** (Geometridae) larva on Rhus pyroides (Anacardiaceae) (Stauder,1999).
- 1223. Prasinocyma immaculata (Thunberg,1784)** (Geometridae) larva on Rhus dentata (Anacardiaceae) (Stauder,1999).
- 1224. Prasinocyma vermicularia (Guenée,[1858])** (Geometridae) larva on Schinus molle (Anacardiaceae), Ricinus communis (Euphorbiaceae) (Scoble,1999).
- 1225. Problepsis ocellata (Frivaldszky,1845)** (Geometridae) larva on Arbutus andrachne? (Holtz,1897).
- 1226. Protrohoe corollaria (Herrich-Schäffer,[1848])** (Geometridae) larva on Galium verum (Prout,1938).
- 1227. Prouitictis artesiaria ([Denis & Schiffermüller],1775)** (Geometridae) larva on Salix (Meyer,1919).
- 1228. Pseudopanthera macularia (Linnaeus,1758)** (Geometridae) larva on Lamium, Stachys, Teucrium (Meyer,1919).
- 1229. Pseudopanthera syriacata (Guenée,1852)** (Geometridae) larva on Teucrium (Wiltshire,1939).
- 1230. Pseudoterpna coronillaria (Hübner,[1817])** (Geometridae) larva on Cytisus laniger, C. supinus, Retama, Ulex (Meyer,1919; Calle et al.,2000).
- 1231. Pseudoterpna corsicaria (Rambur,1833)** (Geometridae) larva on Cytisus laniger, C. supinus (Meyer,1919).
- 1232. Pseudoterpna pruinata (Hufnagel,1767)** (Geometridae) larva Cytisus, Genista, Sarothamnus scoparius (Meyer,1919; Skou,1986).
- 1233. Psilocerea immitata Janse,1932** (Geometridae) larva on Clutia pulchella (Euphorbiaceae) (Scoble,1999).
- 1234. Psodos coracina (Esper,1805)** (Geometridae) larva on Polygonum (Meyer,1919).
- 1235. Psodos noricana (Wagner,1898)** (Geometridae) larva on Polygonum (Meyer,1919).
- 1236. Pteraphapteryx sexalata (Retzius,1783)** (Geometridae) larva on Salix (Meyer,1919).
- 1237. Pungeleria capreolaria (Fabricius,1787)** (Geometridae) larva on Abies, Picea (Meyer,1919).
- 1238. Pygmaena fusca (Thunberg,1792)** (Geometridae) larva on Draba (Meyer,1919).
- 1239. Rheumaptera hastata (Linnaeus,1758)** (Geometridae) larva on Betula, Salix, Vaccinium uliginosum (Meyer,1919).
- 1240. Rheumaptera montivagata Duponchel,1830** (Geometridae) larva on Berberis (Meyer,1919).
- 1241. Rhodometra sacraria (Linnaeus,1767)** (Geometridae) larva on Beta, Polygonum, Rumex (Meyer,1919; Wiltshire,1941,1957; Calle et al.,2000).
- 1242. Rhodostrophia calabra (Petagna,1786)** (Geometridae) larva on Cytisus, Genista, Retama, Spartium, Sarothamnus scoparius (Meyer,1919; Calle et al.,2000).
- 1243. Rhodostrophia pudorata (Fabricius,1794)** (Geometridae) larva on Cytisus, Genista, Retama, Spartium (Calle et al.,2000).
- 1244. Rhoptria mardinata (Staudinger,1900)** (Geometridae) larva on Pistacia (Anacardiaceae) (Wiltshire,1943).
- 1245. Rhynchobapta cervinaria (Moore,1888)** (Geometridae) larva on Ilex macrospora, I. nipponica (Aquifoliaceae); Symplocos coreana (Symplocaceae) (Scoble,1999).
- 1246. Rikisatoa grisea (Butler,1878)** (Geometridae) larva on Pinus densiflora (Pinaceae) (Scoble,1999).
- 1247. Scopula caricaria (Reutti,1853)** (Geometridae) larva on Artemisia vulgaris, Centaurea jacea (Meyer,1919).
- 1248. Scopula cf. nigrinotata (Warren,1897) 1** (Geometridae) larva on Litanthus pusillus (Liliaceae) (Stauder,1999).
- 1249. Scopula decorata ([Denis & Schiffermüller],1775)** (Geometridae) larva on Calamintha, Thymus (Meyer,1919; Calle et al.,2000).
- 1250. Scopula emutaria (Hübner,[1809])** (Geometridae) larva on Convolvulus sepium, Beta vulgaris, Statice limonium, Taraxacum (Meyer,1919; Scoble,1999).

- 1251.** *Scopula epigypsa* (Meyrick,1886) (Geometridae) larva on Ficus obliqua (Scoble,1999).
- 1252.** *Scopula floslactata* (Haworth,1809) (Geometridae) larva on Galium verum, Polygonum, Rumex acetosa, Taraxacum vulgare (Scoble,1999).
- 1253.** *Scopula imitaria* (Hübner,[1799]) (Geometridae) larva on Artemisia campestris, Crataegus, Galium, Lotus angustissimus, Rubia tinctorum, Rubus (Meyer,1919; Calle et al.,2000).
- 1254.** *Scopula immorata* (Linnaeus,1758) (Geometridae) larva on Achillea millefolium, Artemisia campestris, Hieracium, Lychnis vulgaris, Origanum [vulgare], Plantago major, Polygonum, Thymus (Meyer,1919; Skou,1986; Scoble,1999).
- 1255.** *Scopula immutata* (Linnaeus,1758) (Geometridae) larva on Filipendula ulmaria, Plantago major, Valeriana officinalis, Viola canina (Scoble,1999).
- 1256.** *Scopula incanata* (Linnaeus,1758) (Geometridae) larva on Lychnis, Polygonum, Thymus (Meyer,1919; Calle et al.,2000).
- 1257.** *Scopula luridata* (Zeller,1847) (Geometridae) larva on Linaria cymbalaria, Silene, Solanum (Meyer,1919).
- 1258.** *Scopula marginepunctata* (Goeze,1781) (Geometridae) larva on Artemisia, Galium, Hippocrepis [comosa], Minuartia media, Origanum [vulgare], Sedum, Teucrium, Thymus (Meyer,1919; Skou,1986; Calle et al.,2000).
- 1259.** *Scopula minorata* (Boisduval,1833) (Geometridae) larva on Acanthaceae, Convolvulaceae, Fabaceae, Plumbago, Petunia, Tamarix indica (Scoble,1999).
- 1260.** *Scopula nigropunctata* (Hufnagel,1767) (Geometridae) larva on Clematis vitalba, Lonicera periclymenum (Skou,1986).
- 1261.** *Scopula ornata* (Scopoli,1763) (Geometridae) larva on Achillea, Taraxacum, Centaurea jacea, Origanum [vulgare], Mentha, Thymus praecox, Rumex, Veronica (Meyer,1919; Scoble,1999; Calle et al.,2000).
- 1262.** *Scopula pseudohonestata* (Wehrli,1926) (Geometridae) larva on Thymus (Calle et al.,2000).
- 1263.** *Scopula rubiginata* (Hufnagel,1767) (Geometridae) larva on Convolvulus, Lotus corniculatus, Medicago sativa, Polygonum, Thymus, Trifolium, Vicia (Meyer,1919; Skou,1986).
- 1264.** *Scopula submutata* (Treitschke,1828) (Geometridae) larva on Dorycnium, Thymus (Meyer,1919).
- 1265.** *Scopula subtilata* (Christoph,1867) (Geometridae) larva on Thymus (Meyer,1919).
- 1266.** *Scopula ternata* Schrank,1802 (Geometridae) larva on Calluna vulgaris, Vaccinium myrtillus, V. uliginosum (Skou,1986; Scoble,1999).
- 1267.** *Scopula virgulata* ([Denis & Schiffermüller],1775) (Geometridae) larva on Sedum album, Vaccinium myrtillus (Meyer,1919; Scoble,1999).
- 1268.** *Scotocyma albinotata* (Walker,1864) (Geometridae) larva on Caprosma repens (Rubiaceae) (Schmidt,2005).
- 1269.** *Scotopteryx alfacaria* (Staudinger,1859) (Geometridae) larva on Genista, Retama, Spartium (Calle et al.,2000).
- 1270.** *Scotopteryx bipunctaria* ([Denis & Schiffermüller],1775) (Geometridae) larva on Hippocrepis comosa, Melilotus, Teucrium (Meyer,1919).
- 1271.** *Scotopteryx chenopodiata* (Linnaeus,1758) (Geometridae) larva on Chenopodium, Lathyrus pratensis, Lotus corniculatus (Linnaeus,1758; Meyer,1919).
- 1272.** *Scotopteryx coarctaria* ([Denis & Schiffermüller],1775) (Geometridae) larva on Cytisus nigricans (Meyer,1919).
- 1273.** *Scotopteryx luridata* (Hufnagel,1767) (Geometridae) larva on Cytisus, Genista, Lathyrus pratensis, Sarothamnus scoparius (Meyer,1919; Calle et al.,2000).
- 1274.** *Scotopteryx moeniatia* (Scopoli,1763) (Geometridae) larva on Genista, Sarothamnus scoparius (Meyer,1919).
- 1275.** *Scotopteryx octodurensis* (Favre,1903) (Geometridae) larva on Genista, Retama, Spartium (Calle et al.,2000).
- 1276.** *Scotopteryx peribolata* (Hübner,[1817]) (Geometridae) larva on Genista, Retama, Spartium, Ulex (Meyer,1919; Calle et al.,2000).
- 1277.** *Scotopteryx proximaria* (Rambur,1833) (Geometridae) larva on Genista, Ulex (Meyer,1919).
- 1278.** *Selenia lunularia* (Hübner,1788) (Geometridae) larva on Alnus, Prunus spinosa, Rosa, Tilia (Meyer,1919).
- 1279.** *Selenia tetralunaria* (Hufnagel,1767) (Geometridae) larva on Alnus, Betula, Corylus, Prunus, Rubus idaeus, Salix (Meyer,1919).
- 1280.** *Selidosema ambustarium* (Geyer,1831) (Geometridae) larva on Hypericum (Meyer,1919).
- 1281.** *Selidosema brunnearium* (Villers,1789) (Geometridae) larva on Calluna, Genista, Lotus corniculatus, Rumex, Vaccinium (Meyer,1919).
- 1282.** *Selidosema plumarium* ([Denis & Schiffermüller],1775) (Geometridae) larva on Calluna, Genista, Lathyrus, Lotus, Dorycnium ([Denis & Schiffermüller],1775 et seq.).
- 1283.** *Selidosema taeniolarium* (Hübner,[1813]) (Geometridae) larva on Genista, Prunus spinosa, Retama, Ulex (Meyer,1919; Calle et al.,2000).
- 1284.** *Selidosema tamsi* Rebel,1939 (Geometridae) larva on Sarcopoterium spinosum (Wiltshire,1952).
- 1285.** *Semiothisa liturata* (Linnaeus,1761) (Geometridae) larva on Juniperus, Picea, Pinus sylvestris (Meyer,1919).
- 1286.** *Semiothisa signaria* (Hübner,[1809]) (Geometridae) larva on Picea (Meyer,1919).
- 1287.** *Sicyodes cambogiaria* (Gueneé,[1858]) (Geometridae) larva on Maytenus heterophylla (Celastraceae) (Staude,1999).
- 1288.** *Siona lineata* (Scopoli,1763) (Geometridae) larva on Hypericum, Sarothamnus scoparius (Meyer,1919).
- 1289.** *Somatina anophiliata* Gueneé,[1858] (Geometridae) larva on Rosa (Rosaceae); Gardenia jasminoides (Rubiaceae) (Scoble,1999).
- 1290.** *Somatina centrophora* L.B.Prout,1915 (Geometridae) larva on Olea europaea (Oleaceae) (Scoble,1999).
- 1291.** *Somatina virginalis* L.B.Prout,1917 (Geometridae) larva on Jasminum (Oleaceae) (Scoble,1999).
- 1292.** *Spargania luctuata* ([Denis & Schiffermüller],1775) (Geometridae) larva on Galium (Meyer,1919).
- 1293.** *Stegania cararia* (Hübner,1790) (Geometridae) larva on Populus (Meyer,1919).
- 1294.** *Stegania dilectaria* (Hübner,1790) (Geometridae) larva on Populus nigra (Meyer,1919).
- 1295.** *Stegania trimaculata* (Villers,1789) (Geometridae) larva on Populus tremula (Meyer,1919).
- 1296.** *Syndromodes cellulata* W.Warren,1898 (Geometridae) larva on Acacia karroo (Mimosaceae) (Staude,1999).
- 1297.** *Synopsis sociaria* (Hübner,[1799]) (Geometridae) larva on Artemisia, Genista (Fabaceae), Hippophae [rhamnoides], Sarothamnus scoparius; Tamarix (Tamaricaceae) (Meyer,1919; et seq.).
- 1298.** *Tephрина arenacearia* ([Denis & Schiffermüller],1775) (Geometridae) larva on Coronilla varia (Meyer,1919).
- 1299.** *Tephрина assimilaria* (Rambur,1833) (Geometridae) larva on Genista, Sarothamnus scoparius (Meyer,1919).
- 1300.** *Tephрина hopfferaria* (Staudinger,1879) (Geometridae) larva on Quercus (Meyer,1919).
- 1301.** *Tephрина murinaria* ([Denis & Schiffermüller],1775) (Geometridae) larva on Medicago sativa, Trifolium, Vicia (Meyer,1919).
- 1302.** *Tephronia codetaria* (Oberthür,1881) (Geometridae) larva on Tephronia cineraria (Calle et al.,2000).
- 1303.** *Tephronia oppositaria* Mann,1864 (Geometridae) larva on Thymus (Meyer,1919).
- 1304.** *Tephronia sepiaria* (Hufnagel,1767) (Geometridae) larva on Lichens (Meyer,1919).
- 1305.** *Thalassodes chloropis* Meyrick,1886 (Geometridae) larva on Anacardiaceae: Anacardium occidentale, Mangifera indica; Euphorbiaceae: Ricinus communis; Lecythidaceae: Barringtonia racemosa; Fabaceae: Inocarpus fagiferus; Myrtaceae: Eugenia jambos, Syzygium seemannianum; Rosaceae: Rosa damascena (Scoble,1999).
- 1306.** *Thalassodes depulsata* Walker,1861 (Geometridae) larva on Anacardiaceae: Mangifera indica; Myrtaceae: Eugenia aquea, Sapindaceae: Nephelium lappaceum (Scoble,1999).
- 1307.** *Thalassodes gigas* Warren,1899 (Geometridae) larva on Combretaceae: Terminalia brassii, T. calamansanai (Scoble,1999).
- 1308.** *Thalassodes grammonota* Prout,1916 (Geometridae) larva on Sapindaceae: Pometia pinnata (Scoble,1999).
- 1309.** *Thalassodes immistaria* Walker,1861 (Geometridae) larva on Anacardiaceae: Mangifera indica, Myrtaceae: Eucalyptus camaldulensis, Sapindaceae: Dimocarpus longan (Scoble,1999).
- 1310.** *Thalassodes opaca* Warren,1898 (Geometridae) larva on Maesa lanceolata (Scoble,1999).
- 1311.** *Thalassodes pilaria* Gueneé,[1858] (Geometridae) larva on Anacardiaceae: Anacardium occidentale, Camptosperma brevipetiolatum, Mangifera indica, Euphorbiaceae: Ricinus communis, Guttiferae (Clusiaceae): Calophyllum inophyllum, Lecythidaceae: Barringtonia racemosa, Fabaceae: Inocarpus fagiferus, Intsia bijuga, Myrtaceae: Eugenia jambos, E. malaccensis Syzygium seemannianum, Rosaceae: Rosa damascena, Sapindaceae: Litchi chinensis, Nephelium lappaceum (Scoble,1999).
- 1312.** *Thalassodes quadraria* Gueneé,[1858] (Geometridae) larva on Ricinus communis (Euphorbiaceae); Mangifera indica, Schinus molle (Anacardiaceae); Polyalthia longifolia (Annonaceae); Barringtonia (Lecythidaceae); Rosa (Rosaceae); Coffea arabica (Rubiaceae) (Gueneé,1862; Scoble,1999).
- 1313.** *Thalera fimbrialis* (Scopoli,1763) (Geometridae) larva on Achillea, Artemisia campestris, Solidago, Thymus serpyllum (Meyer,1919; Skou,1986).
- 1314.** *Thera (Pennithera) firmata* (Hübner,[1822]) (Geometridae) larva on Pinus (Meyer,1919; Calle et al.,2000).
- 1315.** *Thera (s.str.) cognata* (Thunberg,1792) (Geometridae) larva on Juniperus (Meyer,1919).
- 1316.** *Thera (s.str.) cupressata* (Geyer,[1831]) (Geometridae) larva on Cupressus sabina (Meyer,1919).
- 1317.** *Thera (s.str.) juniperata* (Linnaeus,1758) (Geometridae) larva on Juniperus communis (Linnaeus,1758; Meyer,1919).
- 1318.** *Thera (s.str.) variata* ([Denis & Schiffermüller],1775) (Geometridae) larva on Picea, Pinus sylvestris (Meyer,1919).
- 1319.** *Theria rupicapra* ([Denis & Schiffermüller],1775) (Geometridae) larva on "Escallonia serrata" [sic!] (Staudinger,1879; vide Cerasus prostrata (Koçak & Vural,1998, Misc. Pap. 51: 6-7); Crataegus, Prunus spinosa (Meyer,1919).
- 1320.** *Thetidia plusiaria* Boisduval,1840 (Geometridae) larva on Artemisia (Calle et al.,2000).
- 1321.** *Thetidia prasinaria* (Eversmann,1837) (Geometridae) larva on Artemisia (Romanoff,1885).
- 1322.** *Thetidia smaragdaria* (Fabricius,1787) (Geometridae) larva on Achillea millefolium, Artemisia, Tanacetum (Meyer,1919; Skou,1986).
- 1323.** *Timandra griseata* W.Petersen,1902 (Geometridae) larva on Atriplex, Polygonum, Rumex (Meyer,1919; Skou,1986).
- 1324.** *Traminda mundissima* (Walker,1861) (Geometridae) larva on Acacia catechu, A. hydespica, A. nilotica, Pithecellobium dulce (Fabaceae) (Scoble,1999).
- 1325.** *Trichopteryx carpinata* (Borkhausen,1794) (Geometridae) larva on Lonicera, Populus, Salix caprea (Meyer,1919).
- 1326.** *Trichopteryx polycommata* ([Denis & Schiffermüller],1775) (Geometridae) larva on Fraxinus, Ligustrum vulgare, Lonicera (Meyer,1919).
- 1327.** *Triphosa dubitata* (Linnaeus,1758) (Geometridae) larva on Prunus spinosa; Rhamnus (Rhamnaceae) (Meyer,1919).
- 1328.** *Triphosa sabaudiata* (Duponchel,1830) (Geometridae) larva on Geum; Rhamnus alpinus (Rhamnaceae) (Meyer,1919).

- 1329. Triphosa tauchata Lederer, 1870** (Geometridae) larva on Zizyphus vulgaris; Rhamnus (Rhamnaceae) (Staudinger, 1879; Wiltshire, 1943, 1957).
- 1330. Veniliodes inflammata W. Warren, 1894** (Geometridae) larva on Encephalartos villosus (Zamiaceae) (Stauder, 2001).
- 1331. Veniliodes pantheraria (R. Felder & Rogenhofer, 1874)** (Geometridae) larva on Encephalartos villosus (Zamiaceae) (Stauder, 1999).
- 1332. Veniliodes sp.** (Geometridae) larva on Encephalartos villosus, E. ngoyanus (Zamiaceae) (Stauder, 2001).
- 1333. Venusia blomeri (Curtis, 1832)** (Geometridae) larva on Ulmus glabra (Ulmaceae) (Meyer, 1919).
- 1334. Venusia cambrica Curtis, 1839** (Geometridae) larva on Sorbus aucuparia, Alnus incana tenuifolia, A. rubra, Betula, Vaccinium, Amelanchier, Malus, Populus trichocarpa, Salix (Meyer, 1919; Xue & Scoble, 2002).
- 1335. Victoria fuscithorax W. Warren, 1905** (Geometridae) larva on Agelanthus natalitius (Loranthaceae) (Stauder, 1999).
- 1336. Xanthorhoe designata (Hufnagel, 1767)** (Geometridae) larva on Brassica (Meyer, 1919).
- 1337. Xanthorhoe ferrugata (Clerck, 1759)** (Geometridae) larva on Daucus, Galium, Glechoma, Minuartia (Meyer, 1919).
- 1338. Xanthorhoe fluctuata (Linnaeus, 1758)** (Geometridae) larva on Alliaria, Brassica, Cakile maritima, Cochlearia, Sisymbrium (Meyer, 1919; Calle et al., 2000).
- 1339. Xanthorhoe incursata (Hübner, [1813])** (Geometridae) larva on Vaccinium myrtillus, V. uliginosum (Meyer, 1919).
- 1340. Xanthorhoe montanata ([Denis & Schiffermüller], 1775)** (Geometridae) larva on Primula, Veronica (Meyer, 1919).
- 1341. Xanthorhoe quadrifasciata (Linnaeus, 1761)** (Geometridae) larva on Lamium, Primula, Urtica (Meyer, 1919).
- 1342. Xenipia erosa W. Warren, 1895** (Geometridae) larva on Ipomoea batatas (Convolvulaceae); Ricinus communis (Euphorbiaceae); Apodytes dimidiata (Icacinaeae); Eucalyptus grandis (Myrtaceae); Ligustrum lucidum (Oleaceae); Coffea arabica (Rubiaceae); Citrus (Rutaceae) (Scoble, 1999).
- 1343. Xenochlorodes beryllaria (Mann, 1853)** (Geometridae) larva on Phillyrea angustifolia, P. media (Meyer, 1919).
- 1344. Zerenopsis leopardina Felder, 1874** (Geometridae) larva on Encephalartos altensteinii (Zamiaceae) (Scoble, 1999).
- 1345. Zerenopsis lepida (Walker, 1854)** (Geometridae) larva on Cycads (Platt, 1921).
- 1346. Glyphipterix argyromis Meyrick, 1907** (Glyphipterigidae) larva on Cyperaceae (stem or seeds) (Robinson et al., 1994).
- 1347. Orthotelia sparganella (Thunberg, 1788)** (Glyphipterigidae) larva on Glyceria spectabilis, Iris pseudacorus /kōk, Scirpus lacustris, Sparganium ramosum, S. simplex, Typha angustifolia (Schütze, 1931).
- 1348. Acrocercops anthracuris Meyrick, 1926** (Gracillariidae) larva on Pongamia pinnata (Fabaceae) (Meyrick, 1926; et seq.).
- 1349. Acrocercops arbutella Braun, 1925** (Gracillariidae) larva on Arbutus arizonae (Ericaceae) (Braun, 1925).
- 1350. Acrocercops astiopa Meyrick, 1930** (Gracillariidae) larva on Polyalthia longifolia (Annonaceae) (Meyrick, 1930).
- 1351. Acrocercops attenuatum (Walsingham, 1897)** (Gracillariidae) larva on Croton flavens (Euphorbiaceae) (Walsingham, 1897).
- 1352. Acrocercops auricilla (Stainton, 1859)** (Gracillariidae) larva on Swietenia mahagoni (Meliaceae) (Fletcher, 1921 et seq.).
- 1353. Acrocercops barringtoniella (Van Deventer, 1904)** (Gracillariidae) larva on Barringtonia spicata, B. acutangula, Careya arborea, Planchonia careya (Lecythidaceae) (Van Deventer, 1904; et seq.).
- 1354. Acrocercops bifrenis Meyrick, 1918** (Gracillariidae) larva on Calycopteris floribunda, Terminalia (Combretaceae) (Meyrick, 1932; et seq.).
- 1355. Acrocercops bisinuata Meyrick, 1921** (Gracillariidae) larva on Eugenia malaccensis (Myrtaceae) (Meyrick, 1921).
- 1356. Acrocercops breyeri Bourquin, 1962** (Gracillariidae) larva on Senecio bonariensis (Asteraceae) (Bourquin, 1962).
- 1357. Acrocercops brochogramma Meyrick, 1914** (Gracillariidae) larva on Hibiscus (Malvaceae) (Meyrick, 1914).
- 1358. Acrocercops brongiardiella (Fabricius, 1798)** (Gracillariidae) larva on Quercus ithaburensis, Q. robur, Q. petraea, Q. ilex, Q. coccifera, Q. pubescens, Castanea sativa (Fagaceae) (Staudinger, 1880; et seq.).
- 1359. Acrocercops calycophthalma Meyrick, 1926** (Gracillariidae) larva on Terminalia bellirica (Combretaceae) (Meyrick, 1926).
- 1360. Acrocercops chalinosema Meyrick, 1936** (Gracillariidae) larva on Bridelia (Euphorbiaceae) (Meyrick, 1936).
- 1361. Acrocercops cherimoliae Ghesquière, 1940** (Gracillariidae) larva on Annona cherimolia (Annonaceae) (Ghesquière, 1940).
- 1362. Acrocercops chrysophila Meyrick, 1937** (Gracillariidae) larva on Eugenia jambolana, E. cumini (Myrtaceae) (Meyrick, 1937; et seq.).
- 1363. Acrocercops chrysophylli Vari, 1961** (Gracillariidae) larva on Chrysophyllum gorungosanum (Sapotaceae) (Vari, 1961).
- 1364. Acrocercops chrysoplitis Meyrick, 1937** (Gracillariidae) larva on Shorea robusta (Dipterocarpaceae) (Robinson et al., 2001).
- 1365. Acrocercops cissiella Busck, 1934** (Gracillariidae) larva on Cissus verticillata, Vitis (Vitaceae); Hibiscus (Malvaceae) (Busck 1934; et seq.).
- 1366. Acrocercops cliosia Meyrick, 1935** (Gracillariidae) larva on Macaranga tanarius (Euphorbiaceae) (Meyrick, 1936).
- 1367. Acrocercops clitoriella Busck, 1934** (Gracillariidae) larva on Clitoria ternatea (Fabaceae) (Busck, 1934).
- 1368. Acrocercops cocciferella (Chrétien, 1910)** (Gracillariidae) larva on Quercus calliprinos, Q. coccifera (Fagaceae) (Chrétien, 1910; Sternlicht, 1968).
- 1369. Acrocercops coffeifoliella (Motschulsky, 1859)** (Gracillariidae) larva on Coffea (Rubiaceae) (Motschulsky, 1859).
- 1370. Acrocercops coloptila Meyrick, 1937** (Gracillariidae) larva on Annona squamosa (Annonaceae) (Meyrick, 1937).
- 1371. Acrocercops combreticola Vari, 1961** (Gracillariidae) larva on Combretum apiculatum (Combretaceae) (Vari, 1961).
- 1372. Acrocercops cordiella Busck, 1934** (Gracillariidae) larva on Cordia alba (Boraginaceae) (Busck, 1934).
- 1373. Acrocercops crystallopa Meyrick, 1916** (Gracillariidae) larva on Memecylon amplexicaule, M. edule (Melastomataceae) (Meyrick, 1916).
- 1374. Acrocercops cyliota Meyrick, 1914** (Gracillariidae) larva on Colebrookea oppositifolia, Elsholtzia fruticosa (Lamiaceae) (Meyrick, 1914; et seq.).
- 1375. Acrocercops delicata Meyrick, 1921** (Gracillariidae) larva on Nephelium lappaceum (Sapindaceae) (Meyrick, 1921).
- 1376. Acrocercops diacentrota Meyrick, 1935** (Gracillariidae) larva on Michelia champaca (Magnoliaceae) (Meyrick, 1935).
- 1377. Acrocercops diatonica Meyrick, 1916** (Gracillariidae) larva mines Mangifera (Anacardiaceae), Theobroma cacao (Sterculiaceae) (Robinson et al., 1994).
- 1378. Acrocercops diffluella (Van Deventer, 1904)** (Gracillariidae) larva on Terminalia catappa, T. arjuna (Combretaceae) (Robinson et al., 2001).
- 1379. Acrocercops dinosticha Meyrick, 1936** (Gracillariidae) larva on Euphorbiaceae (Meyrick, 1936).
- 1380. Acrocercops diplacopa Meyrick, 1936** (Gracillariidae) larva on Ficus septica (Moraceae) (Meyrick, 1936).
- 1381. Acrocercops distylii Kumata & Kuroko, 1988** (Gracillariidae) larva on Distylium racemosum (Hamamelidaceae), Camellia japonica (Theaceae) (Kumata & Kuroko, 1988).
- 1382. Acrocercops erebopa Meyrick, 1936** (Gracillariidae) larva on Derris (Fabaceae) (Meyrick, 1936).
- 1383. Acrocercops erioplaca Meyrick, 1918** (Gracillariidae) larva on Terminalia catappa (Combretaceae) (Meyrick, 1918).
- 1384. Acrocercops eugeniella (Van Deventer, 1904)** (Gracillariidae) larva on Eugenia (Jambosa) javanica, E. aquea, E. cumini (=Syzygium cumini) (Myrtaceae) (Van Deventer, 1904; Robinson et al., 2001).
- 1385. Acrocercops eurhythmopa Meyrick, 1934** (Gracillariidae) larva on Sterculia, Cola nitida (Sterculiaceae) (Meyrick, 1934).
- 1386. Acrocercops ficina Vari, 1961** (Gracillariidae) larva on Ficus hippopotami, F. natalensis (Moraceae) (Vari, 1961).
- 1387. Acrocercops glutella (Van Deventer, 1904)** (Gracillariidae) larva on Semecarpus heterophylla, Gluta rengus (Anacardiaceae) (Van Deventer, 1904).
- 1388. Acrocercops goniodesma Meyrick, 1934** (Gracillariidae) larva on Magnoliaceae (Meyrick, 1934).
- 1389. Acrocercops gossypii Vari, 1961** (Gracillariidae) larva on Gossypium herbaceum (Malvaceae) (Vari, 1961).
- 1390. Acrocercops guttiferella Viette, 1951** (Gracillariidae) larva on Guttiferae (Viette, 1951).
- 1391. Acrocercops habroscia Meyrick, 1921** (Gracillariidae) larva on Calophyllum inophyllum (Clusiaceae) (Meyrick, 1921).
- 1392. Acrocercops haplocosma Meyrick, 1936** (Gracillariidae) larva on Calophyllum inophyllum (Clusiaceae) (Meyrick, 1936).
- 1393. Acrocercops helicomitra Meyrick, 1924** (Gracillariidae) larva on Gossypium herbaceum (Malvaceae) (Meyrick, 1924).
- 1394. Acrocercops hexaclostia Meyrick, 1934** (Gracillariidae) larva on Macaranga (Euphorbiaceae) (Meyrick, 1934).
- 1395. Acrocercops hormista Meyrick, 1916** (Gracillariidae) larva on Psiadia dodonaeifolia, P. altissima (Asteraceae); Cedrela toona, Toona ciliata (Meliaceae) (Fletcher, 1933).
- 1396. Acrocercops hyphantica Meyrick, 1912** (Gracillariidae) larva on Caesalpinia bonduc, C. decapetala (Fabaceae) (Fletcher, 1933; et seq.).
- 1397. Acrocercops irradians Meyrick, 1931** (Gracillariidae) larva on Zingiber officinale (Zingiberaceae) (Meyrick, 1931).
- 1398. Acrocercops isodelta Meyrick, 1908** (Gracillariidae) larva on Colebrookea oppositifolia, Elsholtzia fruticosa (Lamiaceae) (Fletcher, 1921).
- 1399. Acrocercops leucophaea Meyrick, 1919** (Gracillariidae) larva on Pieris ovalifolia (Ericaceae) (Meyrick, 1931).
- 1400. Acrocercops loxias Meyrick, 1918** (Gracillariidae) larva on Eugenia jambolana, E. cumini, Cleistocalyx operculatus (Myrtaceae) (Meyrick, 1918; et seq.).
- 1401. Acrocercops lysibathra Meyrick, 1916** (Gracillariidae) larva on Cordia latifolia, C. myxa (Boraginaceae) (Fletcher, 1921, 1933).
- 1402. Acrocercops macroclina Meyrick, 1916** (Gracillariidae) larva on Moullava spicata, Caesalpinia bonduc, Derris elliptica (Fabaceae) (Meyrick, 1916; et seq.).
- 1403. Acrocercops malvacea Walsingham, 1907** (Gracillariidae) larva on Malva, Lavatera olbia (Malvaceae) (Walsingham, 1907).
- 1404. Acrocercops mantica Meyrick, 1908** (Gracillariidae) larva on Castanopsis cuspidata, C. tribuloides, C. lamontii (Fagaceae) (Kumata, Kuroko & Ermolaev, 1988; et seq.).
- 1405. Acrocercops maranthaceae Busck, 1934** (Gracillariidae) larva on Marantha (Maranthaceae) (Busck, 1934).
- 1406. Acrocercops mechanopla Meyrick, 1934** (Gracillariidae) larva on Gmelina arborea (Verbenaceae) (Meyrick, 1934).
- 1407. Acrocercops melanoplecta Meyrick, 1908** (Gracillariidae) larva on Castanopsis cuspidata, C. hystrix, C. tribuloides, C. fissa (Fagaceae) (Kumata, Kuroko & Ermolaev, 1988; et seq.).
- 1408. Acrocercops melantharella Busck, 1934** (Gracillariidae) larva on Melanthera deltoidea, M. aspera (Asteraceae) (Busck, 1934).
- 1409. Acrocercops myriogramma Meyrick, 1937** (Gracillariidae) larva on Mallotus philippinensis (Euphorbiaceae) (Meyrick, 1937).
- 1410. Acrocercops niphocremna Meyrick, 1932** (Gracillariidae) larva on Terminalia chebula (Combretaceae) (Meyrick, 1932).
- 1411. Acrocercops nolckenella (Zeller, 1877)** (Gracillariidae) larva on Brugmansia (Solanaceae) (Zeller, 1877).

- 1412. *Acrocercops ochnifolii* Vari,1961** (Gracillariidae) larva on *Ochna natalitia* (Ochnaceae) (Vari,1961).
- 1413. *Acrocercops orthostacta* Meyrick,1918** (Gracillariidae) *Sida cordifolia* (Malvaceae) (Meyrick,1918).
- 1414. *Acrocercops panaciorcticis* (Watt,1920)** (Gracillariidae) larva on *Nothopanax arboreum* (Araliaceae) (Watt,1920).
- 1415. *Acrocercops panacifinens* (Watt,1920)** (Gracillariidae) larva on *Nothopanax arboreum* (Araliaceae) (Watt,1920).
- 1416. *Acrocercops panacitorsens* (Watt,1920)** (Gracillariidae) larva on *Nothopanax sinclairii*, *Panax* (Araliaceae) (Watt,1920; et seq.).
- 1417. *Acrocercops panacivagans* (Watt,1920)** (Gracillariidae) larva on *Pseudopanax crassifolius* (Araliaceae) (Watt,1920).
- 1418. *Acrocercops panacivermiformis* (Watt,1920)** (Gracillariidae) larva on *Nothopanax simplex* (Araliaceae) (Watt,1920).
- 1419. *Acrocercops pentalocha* Meyrick,1912** (Gracillariidae) larva on *Mangifera indica* (Anacardiaceae) (Meyrick,1914).
- 1420. *Acrocercops petalopa* Meyrick,1934** (Gracillariidae) larva on *Anogeissus latifolia* (Combretaceae) (Meyrick,1934).
- 1421. *Acrocercops phaeomorpha* Meyrick,1919** (Gracillariidae) larva on *Madhuca latifolia*, *M. indica* (Sapotaceae) (Fletcher,1933).
- 1422. *Acrocercops phaeospora* Meyrick,1916** (Gracillariidae) larva on *Eugenia jambolana*, *E. cumini*, *Syzygium littorale*, *Cleistocalyx operculatus* (Myrtaceae); *Theobroma cacao* (Sterculiaceae); *Vigna mungo*, *V. unguiculata* (Fabaceae); *Madhuca latifolia* (Sapotaceae) (Meyrick,1916; et seq.).
- 1423. *Acrocercops pnosmodiella* (Busck,1902)** (Gracillariidae) larva on *Onosmodium carolinianum*, *O. molle* (Boraginaceae) (Needham, Frost & Tothill,1928).
- 1424. *Acrocercops praeclusa* Meyrick,1914** (Gracillariidae) larva on *Odina wodier*, *Lannea coromandelica* (Anacardiaceae) (Meyrick,1931).
- 1425. *Acrocercops praesecta* Meyrick,1922** (Gracillariidae) larva on *Ipomoea batatas*, *Merremia peltata* (Convolvulaceae) (de Prins,2005).
- 1426. *Acrocercops psaliodes* Meyrick,1926** (Gracillariidae) larva on *Bridelia* (Euphorbiaceae) (Meyrick,1926).
- 1427. *Acrocercops quadrisecta* Meyrick,1932** (Gracillariidae) larva on *Bridelia retusa*, *B. stipularis* (Euphorbiaceae) (Meyrick,1932; et seq.).
- 1428. *Acrocercops querci* Kumata & Kuroko,1988** (Gracillariidae) larva on *Quercus glauca* (Fabaceae) (Kumata, Kuroko & Ermolaev,1988).
- 1429. *Acrocercops quiquistrigella* (Chambers,1875)** (Gracillariidae) larva on *Sida rhombifolia* (Malvaceae) (Robinson et al.,2002).
- 1430. *Acrocercops rhodospira* Meyrick,1939** (Gracillariidae) larva on *Scheicheria* (Sapindaceae) (Meyrick,1939).
- 1431. *Acrocercops rhothiastis* Meyrick,1921** (Gracillariidae) larva on *Bridelia micrantha* (Euphorbiaceae) (Meyrick,1921).
- 1432. *Acrocercops rhothogramma* T.B.Fletcher,1933** (Gracillariidae) larva on *Breynia rhamnoides*, *B. vitis-idaea* (Euphorbiaceae) (Fletcher,1933).
- 1433. *Acrocercops sarcocossa* Meyrick,1924** (Gracillariidae) larva on *Calophyllum* (Clusiaceae) (de Prins,2005).
- 1434. *Acrocercops scandalota* Meyrick,1914** (Gracillariidae) larva on *Helicteres isora* (Sterculiaceae), *Mallotus philippinensis* (Euphorbiaceae) (Fletcher,1921, 1933).
- 1435. *Acrocercops serriformis* Meyrick,1930** (Gracillariidae) larva on *Ricinus communis*, *Jatropha gossypifolia* (Euphorbiaceae); *Bauhinia* (Fabaceae) (Meyrick,1930; et seq.).
- 1436. *Acrocercops siphonaula* Meyrick,1931** (Gracillariidae) larva on *Cola nitida* (Sterculiaceae) (Meyrick,1931).
- 1437. *Acrocercops sphaerodelta* Meyrick,1935** (Gracillariidae) larva on *Eugenia cumini* (Myrtaceae) (Meyrick,1935).
- 1438. *Acrocercops sporograpta* Meyrick,1932** (Gracillariidae) larva on *Litsea stocksii* (Lauraceae) (Meyrick,1932).
- 1439. *Acrocercops strigosa* Braun,1914** (Gracillariidae) larva on *Quercus prinus*, *Q. alba* (Fagaceae) (Braun,1914).
- 1440. *Acrocercops strophala* Meyrick,1908** (Gracillariidae) larva on *Glochidion lanceolarium* (Euphorbiaceae) (Meyrick,1932).
- 1441. *Acrocercops strophiala* Meyrick,1935** (Gracillariidae) larva on *Schima noronhae* (Theaceae) (Meyrick,1935).
- 1442. *Acrocercops supplex* Meyrick,1918** (Gracillariidae) larva on *Terminalia catappa*, *T. bellirica* (Combretaceae) (Meyrick,1918).
- 1443. *Acrocercops symbolopis* Meyrick,1936** (Gracillariidae) larva on *Achras sapota*, *Manilkara zapota* (Sapotaceae) (Meyrick,1936; Robinson et al.,2001).
- 1444. *Acrocercops synclinias* Meyrick,1931** (Gracillariidae) larva on *Saraca declinata*, *S. thaipingensis* (Fabaceae) (Robinson et al.,1994).
- 1445. *Acrocercops syzygiens* Vari,1961** (Gracillariidae) larva on *Syzygium cordatum* (Myrtaceae) (Vari,1961).
- 1446. *Acrocercops tacita* Triberti,2001** (Gracillariidae) larva on *Quercus coccifera*, *Q. calliprinos* (Fagaceae) (Triberti,2001).
- 1447. *Acrocercops telestis* Meyrick,1911** (Gracillariidae) larva on *Trewia nudiflora*, *Mallotus repandus* (Euphorbiaceae), *Gmelina arborea* (Verbenaceae), *Eugenia jambolana*, *E. cumini* (Myrtaceae); *Cinnamomum* (Lauraceae) (Meyrick,1911; et seq.).
- 1448. *Acrocercops tenera* Meyrick,1914** (Gracillariidae) larva on *Scheicheria trijuga*, *S. oleosa* (Sapindaceae) (Meyrick,1914; et seq.).
- 1449. *Acrocercops terminaliae* (Stainton,1862)** (Gracillariidae) larva on *Terminalia catappa*, *T. myriocarpa* (Combretaceae) (Stainton,1862; et seq.).
- 1450. *Acrocercops terminalina* Vari,1961** (Gracillariidae) larva on *Terminalia siloensis* (Combretaceae) (Vari,1961).
- 1451. *Acrocercops tetradeta* Meyrick,1926** (Gracillariidae) larva on *Ixora coccinea* (Rubiaceae) (Meyrick,1926).
- 1452. *Acrocercops theaeformisella* Viette,1955** (Gracillariidae) larva on *Achloia theiformis* (Flacourtiaceae) (Paulian & Viette,1955).
- 1453. *Acrocercops thrylodes* Meyrick,1930** (Gracillariidae) larva on *Carissa carandas* (Apocynaceae) (Meyrick,1930).
- 1454. *Acrocercops thylacaula* Meyrick,1932** (Gracillariidae) larva on *Allophylus cobbe* (Sapindaceae) (Meyrick,1932).
- 1455. *Acrocercops transecta* Meyrick,1931** (Gracillariidae) larva on *Lyonia ovalifolia* (Ericaceae); *Juglans ailanthifolia*, *J. regia*, *J. cinerea*, *J. cordiformis*, *J. hindsii*, *J. illinoensis*, *J. nigra*, *J. mandschurica*, *J. sieboldiana*, *Platycarya strobilacea*, *P. rhoifolia*, *Carya aquatica*, *C. myrticiformis*, *C. ovata* (Juglandaceae) (Kumata, Kuroko & Ermolaev,1988; et seq.).
- 1456. *Acrocercops tricirrh* Meyrick,1935** (Gracillariidae) larva on *Polygonum chinense* (Polygonaceae) (Meyrick,1935).
- 1457. *Acrocercops tricyma* Meyrick,1908** (Gracillariidae) larva on *Blumea lacera*, *B. balsamifera* (Asteraceae) (Meyrick,1908; et seq.).
- 1458. *Acrocercops triscalma* Meyrick,1916** (Gracillariidae) larva on *Moullava (=Wagetea) spicata* (Fabaceae) (Meyrick,1921).
- 1459. *Acrocercops undifraga* Meyrick,1931** (Gracillariidae) larva on *Solanum torvum*, *S. antillarum* (Solanaceae) (Meyrick,1931).
- 1460. *Acrocercops unistriata* Yuan,1986** (Gracillariidae) larva on *Quercus acuta*, *Q. acutissima*, *Q. glauca*, *Q. phylliraeoides*, *Q. serrata*, *Q. sessilifolia*, *Q. variabilis*, *Q. pachyloma*, *Q. lanata*, *Castanopsis indica*, *Lithocarpus glaber* (Fagaceae) (Robinson et al.,2001).
- 1461. *Acrocercops ustulatella* (Stainton,1859)** (Gracillariidae) larva on *Diospyros embryopteris*, *D. ebenum*, *D. malabarica*, *D. montana* (Ebenaceae) (Meyrick,1907; et seq.).
- 1462. *Acrocercops vallata* Kumata & Kuroko,1988** (Gracillariidae) larva on *Quercus acuta*, *Q. glauca*, *Q. salicina* (Fagaceae) (Kumata, Kuroko & Ermolaev,1988).
- 1463. *Acrocercops vanula* Meyrick,1912** (Gracillariidae) larva on *Terminalia tomentosa*, *T. catappa*, *T. paniculata* (Combretaceae) (Fletcher,1921; et seq.).
- 1464. *Acrocercops zamenopa* Meyrick,1934** (Gracillariidae) larva on *Coffea arabica* (Rubiaceae) (Meyrick,1934).
- 1465. *Acrocercops zopherandra* Meyrick,1931** (Gracillariidae) larva on *Mallotus repandus* (Euphorbiaceae), *Guazuma tomentosa*, *G. ulmifolia* (Sterculiaceae) (Meyrick,1931; et seq.).
- 1466. *Acrocercops zorianella* (Hudson,1918)** (Gracillariidae) larva on *Capprosma grandiflora*, *C. tenuifolia*, *C. lucida*, *C. robusta*, *C. retusa* (Rubiaceae) (Watt,1920).
- 1467. *Acrocercops zygonoma* Meyrick,1921** (Gracillariidae) larva on *Gossypium* (Malvaceae), *Mangifera indica* (Anacardiaceae) (Meyrick,1921; Robinson et al.,2001).
- 1468. *Amblyptila cynanchi* Vari,1961** (Gracillariidae) larva on *Cynanchum obtusifolium*, *C. ellipticum* (Asclepiadaceae) (Vari,1961).
- 1469. *Amblyptila strophantha* Vari,1961** (Gracillariidae) larva on *Strophanthus* (Apocynaceae) (Vari,1961).
- 1470. *Apophthisis pullata* Braun,1915** (Gracillariidae) larva on *Rhamnus lanceolata* (Rhamnaceae) (Braun,1915).
- 1471. *Aristaea atrata* Triberti,1985** (Gracillariidae) larva on *Rubiaceae* (Triberti,1985).
- 1472. *Aristaea bathracma* (Meyrick,1912)** (Gracillariidae) larva on *Aster ageratoides* var. *ovatus* (Asteraceae) (Kumata,1977; Kuznetsov & Baryshnikova,1998).
- 1473. *Aristaea issikii* Kumata,1977** (Gracillariidae) larva on *Aster ageratoides* var. *ovatus* (Asteraceae) (Kumata,1977).
- 1474. *Aristaea onychota* (Meyrick,1908)** (Gracillariidae) larva on *Lantana rugosa*, *Lippia asperifolia* (Verbenaceae) (Vari,1961).
- 1475. *Aristaea pavoniella* (Zeller,1847)** (Gracillariidae) larva on *Aster amellus*, *A. bellidiastrium*, *A. ageratoides* var. *ovatus*, *A. scaber* (Asteraceae) (Stainton,1862; et seq.).
- 1476. *Aristaea thalassias* (Meyrick,1880)** (Gracillariidae) larva on *Leptospermum laevigatum*, *Agonis flexuosa* (Myrtaceae) (Meyrick,1880).
- 1477. *Artifodina himalaica* Kumata,1985** (Gracillariidae) larva on *Myrsine semiserrata* (Myrsinaceae) (Kumata,1985).
- 1478. *Artifodina japonica* Kumata,1985** (Gracillariidae) larva on *Myrsine seguinii* (Myrsinaceae) (Kumata,1985).
- 1479. *Artifodina siamensis* Kumata,1995** (Gracillariidae) larva on *Myrsinaceae* (Kumata,1995).
- 1480. *Artifodina strigulata* Kumata,1985** (Gracillariidae) larva on *Myrsine capitellata*, *M. semiserrata* (Myrsinaceae) (Kumata,1985).
- 1481. *Aspilapteryx (Sabulopteryx) limosella* (Duponchel,1844)** (Gracillariidae) larva on *Teucrium chamaedrys*, *T. montanum*, *T. pannonicum* (Lamiaceae); *Genista* (Fabaceae), *Jurinea* (Asteraceae) (Stainton,1864; et seq.).
- 1482. *Aspilapteryx (s.str.) multipunctella* (Chrétien,1917)** (Gracillariidae) larva on *Plantago albicans*, *P. arborescens* (Chrétien,1917; Klimesch,1979).
- 1483. *Aspilapteryx (s.str.) spectabilis* Huemer,1994** (Gracillariidae) larva on *Plantago* cf. *atrata* ? (Plantaginaceae) (Huemer,1994).
- 1484. *Aspilapteryx (s.str.) tringipennella* (Zeller,1839)** (Gracillariidae) larva on *Plantago lanceolata*, *P. maritima*, *P. atrata* (Hering,1936, 1957).
- 1485. *Borboryctis euryae* Kumata & Kuroko,1988** (Gracillariidae) larva on *Eurya japonica*, *E. emarginata* (Theaceae) (Kumata, Kuroko & Ermolaev,1988).
- 1486. *Callicercops iridocrossa* (Meyrick,1938)** (Gracillariidae) larva on *Bauhinia japonica* (Fabaceae) (Kumata, Kuroko & Ermolaev,1988).
- 1487. *Callisto albicinctella* Kuznetsov,1979** (Gracillariidae) larva on *Padus racemosa* (Rosaceae) (Kuznetsov & Baryshnikova,1998).
- 1488. *Callisto coffeella* (Zetterstedt,1839)** (Gracillariidae) larva on *Salix fusca*, *S. myrsinifolia*, *S. phylicifolia*, *S. silesiaca* (Salicaceae) (Stainton,1864; et seq.).
- 1489. *Callisto denticulella* (Thunberg,1794)** (Gracillariidae) larva on *Pyrus communis*, *Prunus*, *Cerasus*, *Malus pumila*, *M. domestica*, *Cotoneaster*, *Amelanchier* (Rosaceae) (Stainton,1864; et seq.).

1490. **Callisto insperatella** (Nickerl, 1864) (Gracillariidae) larva on *Padus racemosa*, *Prunus padus*, *Cerasus* (Rosaceae); *Salix silesiaca* (Salicaceae) (Kyrki et al., 1984; et seq.).
1491. **Callisto pfaenzelleri** (Frey, 1856) (Gracillariidae) larva on *Cotoneaster vulgaris*, *C. integririma* (Rosaceae); (Frey, 1863; et seq.).
1492. **Caloptilia (?) leucolitha** (Meyrick, 1912) (Gracillariidae) larva on *Litsea glutinosa*, *L. chinensis* (Lauraceae) (Meyrick, 1930; et seq.).
1493. **Caloptilia (?) teucra** (Meyrick, 1934) (Gracillariidae) larva on *Bridelia* (Euphorbiaceae) (Meyrick, 1933).
1494. **Caloptilia (Phyllostilia) syrphetia** (Meyrick, 1907) (Gracillariidae) larva on *Persea thunbergii* (Lauraceae) (Kumata, 1982).
1495. **Caloptilia (Timodora) iselae** (Meyrick, 1914) (Gracillariidae) larva on *Spondias mangiferae*, *S. pinnata*, *S. cytherea* (Anacardiaceae) (Meyrick, 1914, 1935).
1496. **Caloptilia (Timodora) protella** (Deventer, 1904) (Gracillariidae) larva on *Protium javanicum* (Burseriaceae), *Rhus succedanea*, *R. sylvestris*, *Anacardium occidentale* (Anacardiaceae) (Deventer, 1904 et seq.).
1497. **Caloptilia (s.str.) alchimiella** (Scopoli, 1763) (Gracillariidae) larva on *Fagus sylvatica*, *Quercus robur*, *Q. petraea*, *Q. dalechampia*, *Q. polycarpa*, *Q. virgiliana*, *Q. frainetto*, *Q. pubescens* (Fagaceae) (Douglas, 1853; et seq.).
1498. **Caloptilia (s.str.) ariana** (Meyrick, 1914) (Gracillariidae) larva on *Helicia cochinchinensis* (Proteaceae) (Kumata, 1966).
1499. **Caloptilia (s.str.) aurifasciata** Kumata, 1982 (Gracillariidae) larva on *Toxicodendron succedaneum* (= *Rhus succedanea*), *T. sylvestre* (Anacardiaceae) (Kumata, 1982).
1500. **Caloptilia (s.str.) braccatella** (Staudinger, 1870) (Gracillariidae) larva on *Pistacia atlantica* (Anacardiaceae) (Triberti, 1984).
1501. **Caloptilia (s.str.) deltocticta** (Meyrick, 1933) (Gracillariidae) larva on *Lonicera quinquelocularis* (Caprifoliaceae) (Robinson et al., 2001).
1502. **Caloptilia (s.str.) elongella** (Linnaeus, 1761) (Gracillariidae) larva on *Alnus glutinosa*, *A. viridis*, *A. incana*, *A. hirsuta*, *Betula alba*, *B. alleghaniensis* (Betulaceae) (Stainton, 1864; et seq.).
1503. **Caloptilia (s.str.) flavida** Liu & Yuan, 1990 (Gracillariidae) larva on *Ziziphus jujuba spinosa*, *Z. mauritiana* (Rhamnaceae) (Liu & Yuan, 1990).
1504. **Caloptilia (s.str.) fribergensis** (Fritzsche, 1871) (Gracillariidae) larva on *Acer pseudoplatanus*, *A. monspessulanum* (Aceraceae) (Fritzsche, 1871; et seq.).
1505. **Caloptilia (s.str.) grypota** (Meyrick, 1914) (Gracillariidae) larva on *Salix babylonica* (Salicaceae) (Vari, 1961).
1506. **Caloptilia (s.str.) iorphna** (Meyrick, 1939) (Gracillariidae) larva on *Mucuna* (Fabaceae) (Meyrick, 1938).
1507. **Caloptilia (s.str.) iselae** (Meyrick, 1914) (Gracillariidae) larva on *Spondias mangifera*, *S. pinnata*, *S. cytherea* (Anacardiaceae) (Meyrick, 1914; et seq.).
1508. **Caloptilia (s.str.) octopunctata** (Turner, 1894) (Gracillariidae) larva on *Sapium indicum*, *S. sebiferum*, *S. ellipticum*, *Homalanthus* (Euphorbiaceae) (Kumata, 1981).
1509. **Caloptilia (s.str.) oxydelta** (Meyrick, 1908) (Gracillariidae) larva on *Flueggea acidotum* (Euphorbiaceae) (Robinson et al., 2001).
1510. **Caloptilia (s.str.) protella** (Van Deventer, 1904) (Gracillariidae) larva on *Protium javanicum* (Burseriaceae); *Toxicodendron succedaneum* (= *Rhus*), *Anacardium occidentale* (Anacardiaceae) (Yuan & Robinson, 1993).
1511. **Caloptilia (s.str.) rhodinella** (Herrich-Schäffer, 1854) (Gracillariidae) larva on *Rhamnus paliurus* ? (Rhamnaceae) (Mann, 1862; *Quercus robur* (Fagaceae) (Robinson et al., 2001).
1512. **Caloptilia (s.str.) robustella** Jäckh, 1972 (Gracillariidae) larva on *Quercus robur* (Fagaceae) (Jäckh, 1972).
1513. **Caloptilia (s.str.) roscipennella** (Hübner, 1796) (Gracillariidae) larva on *Juglans regia* (Juglandaceae), *Laurus canariensis* (Lauraceae) (Mann, 1867; et seq.).
1514. **Caloptilia (s.str.) soyella** (Van Deventer, 1904) (Gracillariidae) larva on *Soya hispida*, *Cajanus cajan*, *Phaeolus mungo*, *Phaseolus calcaratus*, *Azuki* angularis, *Glycine max*, *Kummerovia striata*, *Lespedeza cytotrya* (Fabaceae) (Kumata, 1982).
1515. **Caloptilia (s.str.) spheonocrossa** (Meyrick, 1934) (Gracillariidae) larva on *Cajanus cajan* (Fabaceae) (Meyrick, 1934).
1516. **Caloptilia (s.str.) staintoni** (Wollaston, 1858) (Gracillariidae) larva on *Laurus canariensis*, *L. azorica* (Lauraceae) (Walsingham, 1907; et seq.).
1517. **Caloptilia (s.str.) stigmatella** (Fabricius, 1781) (Gracillariidae) larva on *Populus nigra*, *P. alba*, *P. pyramidalis*, *Salix caprea*, *S. longifolia*, *S. aurita*, *S. cinerea* (Salicaceae); *Betula* (Betulaceae); *Robinia pseudoacacia* (Fabaceae) (Chambers, 1872; et seq.).
1518. **Caloptilia (s.str.) teleodelta** (Meyrick, 1926) (Gracillariidae) larva on *Fuegia microcarpa*, *F. virosa* (Euphorbiaceae) (Meyrick, 1936; et seq.).
1519. **Caloptilia (s.str.) theivora** Walsingham, 1891 (Gracillariidae) larva mines *Camellia sinensis*, *C. sasanqua*, *C. japonica* (tea) (Theaceae) (Walsingham, 1891; et seq.).
1520. **Calybites phasianipennella** (Hübner, 1813) (Gracillariidae) larva mines *Oxyria*, *Rumex*, *Polygonum* (Polygonaceae), *Lysimachia* (Primulaceae), *Calamagrostis* (Poaceae), *Symphytum* (Boraginaceae), *Hypericum* (Hypericaceae), *Chenopodium* (Chenopodiaceae), *Lythrum salicaria* (Lythraceae) (Stainton, 1864; et seq.).
1521. **Cameraria bauhinae** (Stainton, 1856) (Gracillariidae) larva on *Bauhinia purpurea*, *B. acuminata* (Stainton, 1856).
1522. **Cameraria borneensis** Kumata, 1993 (Gracillariidae) larva on *Archidendron* (Fabaceae) (Kumata, 1993).
1523. **Cameraria fasciata** Kumata, 1993 (Gracillariidae) larva on *Spatholobus ferrugineus* (Fabaceae) (Kumata, 1993).
1524. **Cameraria milletiae** Kumata, 1993 (Gracillariidae) larva on *Milletia sericea* (Fabaceae) (Kumata, 1993).
1525. **Cameraria obliquifascia** (Filipjev, 1926) (Gracillariidae) larva on *Populus afghanica*, *P. alba*, *Salix* (Salicaceae) (Filipjev, 1926).
1526. **Cameraria ohridella** Deschka & Dimic, 1986 (Gracillariidae) larva on *Aesculus hippocastanum*, *Acer pseudoplatanus* (Agassiz, 1988; De Prins & Pupliesene, 2000).
1527. **Cameraria palawanensis** Kumata, 1995 (Gracillariidae) larva on *Derris elliptica* (Fabaceae) (Kumata, 1995).
1528. **Cameraria philippinensis** Kumata, 1995 (Gracillariidae) larva on *Bauhinia malabarica* (Fabaceae) (Kumata, 1995).
1529. **Cameraria quadrifasciata** Kumata, 1993 (Gracillariidae) larva on *Bauhinia griffithiana* (Fabaceae) (Kumata, 1993).
1530. **Cameraria saliciphaga** (Kuznetsov, 1975) (Gracillariidae) larva on *Salix australior*, *S. excelsa*, *S. triandra* (Salicaceae) (Kuznetsov, 1975; et seq.).
1531. **Cameraria trizosterata** Kumata, 1993 (Gracillariidae) larva on *Bauhinia* (Fabaceae) (Kumata, 1993).
1532. **Chrysocercops argentata** Kumata, 1992 (Gracillariidae) larva on *Shorea robusta*, *Hopea nutans* (Dipterocarpaceae) (Kumata, 1992).
1533. **Chrysocercops azmii** Kumata, 1992 (Gracillariidae) larva on *Shorea maxima* (Dipterocarpaceae) (Kumata, 1992).
1534. **Chrysocercops hopeella** Kumata, 1992 (Gracillariidae) larva on *Hopea nutans*, *H. odorata* (Dipterocarpaceae) (Kumata, 1992).
1535. **Chrysocercops leprosulae** Kumata, 1992 (Gracillariidae) larva on *Shorea leprosula* (Dipterocarpaceae) (Kumata, 1992).
1536. **Chrysocercops lithocarpella** Kumata, 1992 (Gracillariidae) larva on *Lithocarpus rassa* (Fagaceae) (Kumata, 1992).
1537. **Chrysocercops malayana** Kumata, 1992 (Gracillariidae) larva on *Shorea acuminata*, *S. bracteolata*, *S. leprosula* (Dipterocarpaceae) (Kumata, 1992).
1538. **Chrysocercops melastigmata** Kumata, 1992 (Gracillariidae) larva on *Hopea nutans* (Dipterocarpaceae) (Kumata, 1992).
1539. **Chrysocercops neobalanocarpi** Kumata, 1992 (Gracillariidae) larva on *Neobalanocarpus heimii* (Dipterocarpaceae) (Kumata, 1992).
1540. **Chrysocercops pectinata** Kumata, 1992 (Gracillariidae) larva on *Dipterocarpus grandifolius*, *D. tuberculatus* (Dipterocarpaceae) (Kumata, 1992).
1541. **Chrysocercops shoreae** Kumata, 1992 (Gracillariidae) larva on *Shorea materialis* (Dipterocarpaceae) (Kumata, 1992).
1542. **Chrysocercops squamosa** Kumata, 1992 (Gracillariidae) larva on *Vatica pallida*, *V. pauciflora* (Dipterocarpaceae) (Kumata, 1992).
1543. **Chrysocercops thapai** Kumata, 1992 (Gracillariidae) larva on *Shorea robusta* (Dipterocarpaceae) (Kumata, 1992).
1544. **Chrysocercops vaticae** Kumata, 1992 (Gracillariidae) larva on *Vatica bella* (Dipterocarpaceae) (Kumata, 1992).
1545. **Conopobathra gravissima** (Meyrick, 1912) (Gracillariidae) larva mines *Bauhinia variegata* (Fabaceae) (Meyrick, 1931).
1546. **Conopomorpha chionosema** Vari, 1961 (Gracillariidae) larva on *Berchemia discolor* (Rhamnaceae) (Vari, 1961).
1547. **Conopomorpha cramerella** Snellen, 1904 (Gracillariidae) larva on *Nephelium lappaceum* [rambutan], *Pometia* (Sapindaceae), *Cynometra cauliflora* (Fabaceae), *Cola*, *Theobroma cacao* (Sterculiaceae); *Swietenia* (Meliaceae) (Van Deventer, 1904; et seq.).
1548. **Conopomorpha euphanes** Vari, 1961 (Gracillariidae) larva on *Combretum apiculatum* (Combretaceae) (Vari, 1961).
1549. **Conopomorpha litchiella** Bradley, 1986 (Gracillariidae) larva on *Litchi chinensis* (litchi), *Syzygium cumini* (Myrtaceae), *Cassia tora* (Fabaceae) (Kuroko & Levvanich, 1983; et seq.).
1550. **Conopomorpha sinensis** Bradley, 1986 (Gracillariidae) larva on *Litchi chinensis* (litchi), *Nephelium longana* (longan), *Dimocarpus longan* (Sapindaceae); *Theobroma cacao* (Sterculiaceae) (Bradley, 1986; et seq.).
1551. **Conopomorpha aptata** (Meyrick, 1914) (Gracillariidae) larva on *Randia rudis* (Rubiaceae) (Vari, 1961).
1552. **Conopomorpha ochnivora** Vari, 1961 (Gracillariidae) larva on *Ochna pulchra* (Ochnaceae) (Vari, 1961).
1553. **Corethrovalva allophylla** Vari, 1961 (Gracillariidae) larva on *Allophylus transvaalensis* (Sapindaceae) (Vari, 1961).
1554. **Corethrovalva goniosema** Vari, 1961 (Gracillariidae) larva on *Allophylus natalensis* (Sapindaceae) (Vari, 1961).
1555. **Corethrovalva paraplesia** Vari, 1961 (Gracillariidae) larva on *Rhus* (Anacardiaceae) (Vari, 1961).
1556. **Corythocestis aletreuta** (Meyrick, 1936) (Gracillariidae) larva on *Coffea arabica*, *C. robusta*, *C. liberica*, *Canthium* (Rubiaceae) (Meyrick, 1936).
1557. **Corythocestis cyanolampra** (Vari, 1961) (Gracillariidae) larva on *Burchellia bubalina* (Rubiaceae) (Vari, 1961).
1558. **Corythocestis pentharcha** (Meyrick, 1922) (Gracillariidae) larva on *Amomum magnificum* (Zingiberaceae); *Coffea robusta* (Rubiaceae) (Robinson et al., 2001).
1559. **Corythocestis praestella** (Van Deventer, 1904) (Gracillariidae) larva on *Sarcocephalus cordatus*, *Nauclea orientalis* (Van Deventer, 1904; et seq.).
1560. **Corythocestis sunosei** (Kumata, 1998) (Gracillariidae) larva on *Uncaria rhynchophylla* (Rubiaceae) (Kumata, 1998).
1561. **Corythocestis yayamensis** (Kumata, 1998) (Gracillariidae) larva on *Saurauia tristylia* (Actinidiaceae) (Kumata, 1998).
1562. **Cryptolectica chrysalis** Kumata & Ermolaev, 1988 (Gracillariidae) larva on *Quercus mongolica* *Q. serrata* (Fagaceae) (Kumata & Ermolaev, 1988).
1563. **Cryptolectica ensiformis** (Yuan, 1986) (Gracillariidae) larva mines *Quercus acuta*, *Q. sessilifolia* (Fagaceae) (Kumata et al., 1988).
1564. **Cryptolectica pasaniae** Kumata & Ermolaev, 1988 (Gracillariidae) larva on *Pasania edulis*, *Lithocarpus edulis* (Fagaceae), *Quercus bambusifolia* (Kumata & Ermolaev, 1988).
1565. **Cryptologa nystalea** T.B. Fletcher, 1921 (Gracillariidae) larva on *Pongamia pinnata* (Fabaceae) (T.B. Fletcher, 1921).
1566. **Cupedia cupediella** (Herrich-Schäffer, 1855) (Gracillariidae) larva on *Pistacia terebinthus* (Anacardiaceae); *Phillyrea* (Oleaceae) (Klimesch, 1942, Hartig, 1964).

- 1567. Cuphodes diospyri** Vari, 1961 (Gracillariidae) larva on *Diospyros natalensis* (Ebenaceae) (Vari, 1961).
- 1568. Cuphodes profluens** (Meyrick, 1916) (Gracillariidae) larva on *Acacia nilotica* (Fabaceae) (Robinson et al., 2001).
- 1569. Dekeidoryxis asynacta** (Meyrick, 1918) (Gracillariidae) larva on *Maesa chisia* (Myrsinaceae) (Kumata, 1989).
- 1570. Dekeidoryxis khooi** Kumata, 1989 (Gracillariidae) larva on *Maesa ramentacea* (Myrsinaceae) (Kumata, 1989).
- 1571. Dekeidoryxis maesae** Kumata, 1989 (Gracillariidae) larva on *Maesa chisia*, *M. macrophylla* (Myrsinaceae) (Kumata, 1989).
- 1572. Dendrorhycter marmaroides** Kumata, 1978 (Gracillariidae) larva on *Alnus hirsuta*, *A. japonica* (Betulaceae) (Kumata, 1978).
- 1573. Deoptilia heptadeta** (Meyrick, 1936) (Gracillariidae) larva on *Mallotus japonicus* (Euphorbiaceae) (Meyrick, 1936).
- 1574. Deoptilia syrista** (Meyrick, 1926) (Gracillariidae) larva on *Mallotus philippinensis* (Euphorbiaceae) (Meyrick, 1926).
- 1575. Dialectica carcharota** (Meyrick, 1912) (Gracillariidae) larva on *Lithospermum* (Boraginaceae), *Stapelia* (Asclepiadaceae) (Vari, 1961).
- 1576. Dialectica columellina** (Vari, 1961) (Gracillariidae) larva on *Pavonia columella* (Malvaceae) (Vari, 1961).
- 1577. Dialectica cordiacola** Vari, 1961 (Gracillariidae) larva on *Cordia caffra* (Boraginaceae) (Vari, 1961).
- 1578. Dialectica ehretiae** (Vari, 1961) (Gracillariidae) larva on *Ehretia rigida* (Boraginaceae) (Vari, 1961).
- 1579. Dialectica imperialella** (Zeller, 1847) (Gracillariidae) larva on *Pulmonaria angustifolia*, *P. officinalis*, *Symphytum officinale*, *Lithospermum officinale*, *Buglossoides purpureo-aerulea* (Boraginaceae) (Heinemann & Wocke, 1877; et seq.).
- 1580. Dialectica pavoncola** (Vari, 1961) (Gracillariidae) larva on *Pavonia columella* (Malvaceae) (Vari, 1961).
- 1581. Dialectica pyramidota** (Meyrick, 1918) (Gracillariidae) larva on *Ehretia rigida* (Boraginaceae) (Vari, 1961).
- 1582. Dialectica scalarisella** (Zeller, 1850) (Gracillariidae) larva on *Echium vulgare*, *E. aculeatum*, *E. giganteum*, *E. lycotis*, *Cynoglossum pictum*, *Mysotis macrocalycina*, *Symphytum*, *Anchusa strigosa*, *A. plantagineum* (Boraginaceae) (Stainton, 1864; et seq.).
- 1583. Diphtheroptila brideliae** Vari, 1961 (Gracillariidae) larva on *Bridelia micrantha* (Euphorbiaceae) (Vari, 1961).
- 1584. Diphtheroptila oxyloga** (Meyrick, 1928) (Gracillariidae) larva on *Bridelia* (Euphorbiaceae) (Vari, 1961).
- 1585. Ectropina acidula** (Meyrick, 1911) (Gracillariidae) larva on *Phyllanthus emblica*, *Albizia stipulata* (Euphorbiaceae) (Meyrick, 1911).
- 1586. Ectropina raychaudhuri** Kumata, 1979 (Gracillariidae) larva on *Phyllanthus niruri* (Euphorbiaceae) (Kumata, 1979).
- 1587. Ectropina sclerochiton** Vari, 1961 (Gracillariidae) larva on *Sclerochiton harveyanus* (Acanthaceae) (Vari, 1961).
- 1588. Epicephala albifrons** (Stainton, 1859) (Gracillariidae) larva on *Phyllanthus niruri* (Euphorbiaceae) (Fletcher, 1921; et seq.).
- 1589. Epicephala scythopsis** Meyrick, 1930 (Gracillariidae) larva on *Phyllanthus* (Euphorbiaceae) (Meyrick, 1930).
- 1590. Epicephala sphegnitis** Meyrick, 1931 (Gracillariidae) larva on *Breynia rhamnoides*, *B. vitis-idaea* (Euphorbiaceae) (Meyrick, 1931; et seq.).
- 1591. Eteoryctis syngamma** (Meyrick, 1914) (Gracillariidae) larva on *Mangifera indica*, *Anacardium occidentale* (Anacardiaceae) (Meyrick, 1914; Fletcher, 1921; Kuroko & Levvanich, 1983).
- 1592. Eucalybites aureola** Kumata, 1982 (Gracillariidae) larva on *Hypericum erectum* (Clusiaceae) (Kumata, 1982).
- 1593. Euspilapteryx auroguttella** Stephens, 1835 (Gracillariidae) larva on *Hypericum perforatum*, *H. maculatum*, *H. pulchrum*, *H. hirsutum*, *H. tetrapterum* (Clusiaceae) (Douglas, 1853; et seq.).
- 1594. Gracillaria loriolella** Frey, 1881 (Gracillariidae) larva on *Fraxinus potamocephala* (Oleaceae) (Kuznetsov & Baryshnikova, 1998).
- 1595. Gracillaria syringella** (Fabricius, 1794) (Gracillariidae) larva on *Syringa vulgaris*, *Ligustrum*, *Fraxinus* (Oleaceae); *Euonymus* (Celastraceae); *Deutzia* (Saxifragaceae) (Fabricius, 1794; et seq.).
- 1596. Gracillaria toubkalella** De Prins, 1985 (Gracillariidae) larva on *Fraxinus* (Oleaceae) (De Prins, 1985).
- 1597. Graphiocephala barbitis** (Meyrick, 1909) (Gracillariidae) larva on *Euclea lanceolata* (Ebenaceae) (Vari, 1961).
- 1598. Ketapangia regulifera** (Meyrick, 1933) (Gracillariidae) larva on *Terminalia catappa* (Combretaceae) (Meyrick, 1933).
- 1599. Lamprolectica apicistrigata** (Walsingham, 1891) (Gracillariidae) larva on *Deinbollia oblongifolia* (Sapindaceae) (Vari, 1961).
- 1600. Leucospilapteryx anaphalidis** Kumata, 1965 (Gracillariidae) larva on *Anaphalis margaritacea* (Asteraceae) (Kumata, 1965).
- 1601. Leucospilapteryx omissella** (Stainton, 1848) (Gracillariidae) larva on *Artemisia vulgaris*, *A. campestris*, *A. montana*, *A. princeps*, *A. sylvatica*, *A. stolonifera*, *Dendranthema ornatum* (Asteraceae) (Stainton, 1864; et seq.).
- 1602. Leucospilapteryx venustella** (Clemens, 1860) (Gracillariidae) larva on *Ageratina ageratoides* (=Eupatorium), *A. altissima*, *Eupatorium urticifolium* (Asteraceae) (Chambers, 1872; et seq.).
- 1603. Liocrobyla brachybothrys** Kuroko, 1960 (Gracillariidae) larva on *Wisteria brachybothrys* (Fabaceae) (Kuroko, 1960).
- 1604. Liocrobyla desmodiella** Kuroko, 1982 (Gracillariidae) larva on *Desmodium podocarpum*, *D. oldhamii*, *D. caudatum*, *Lespedeza cyrtobotrya* (Fabaceae) (Kuznetsov & Baryshnikova, 1998).
- 1605. Liocrobyla kumatai** Kuroko, 1982 (Gracillariidae) larva on *Desmodium*, *Lespedeza* (Fabaceae) (Kuznetsov & Baryshnikova, 1998).
- 1606. Liocrobyla lobata** Kuroko, 1960 (Gracillariidae) larva on *Pueraria montana* (Fabaceae) (Kuroko, 1960).
- 1607. Liocrobyla paraschista** Meyrick, 1916 (Gracillariidae) larva on *Butea monosperma*, *Cajanus cajan*, *Flemingia lineata*, *Desmodium podocarpum*, *D. oldhamii*, *D. caudatum*, *D. gangeticum*, *Lespedeza cyrtobotrya*, *Milletia* (Fabaceae) (Meyrick, 1916; et seq.).
- 1608. Liocrobyla tephrosiae** Vari, 1961 (Gracillariidae) larva on *Tephrosia polystachya* (Fabaceae) (Vari, 1961).
- 1609. Macarostola coccinea** (Walsingham, 1900) (Gracillariidae) larva on *Myrtus* (Myrtaceae) (Walsingham, 1900).
- 1610. Macarostola eugeniella** (Viette, 1951) (Gracillariidae) larva on *Eugenia jambolana*, *E. cumini* (Myrtaceae) (Triberti, 1987).
- 1611. Macarostola formosa** (Stainton, 1862) (Gracillariidae) larva on *Aemena smithii*, *Eugenia ventenatii* (Myrtaceae) (Kumata, 1977).
- 1612. Macarostola gamelia** (Meyrick, 1936) (Gracillariidae) larva on *Eugenia polyantha* (Myrtaceae) (Meyrick, 1936).
- 1613. Macarostola japonica** Kumata, 1977 (Gracillariidae) larva on *Euscaphis japonica* (Staphylaceae) (Kumata, 1977).
- 1614. Macarostola phoenicula** (Meyrick, 1934) (Gracillariidae) larva on *Eugenia cumini* (Myrtaceae) (Meyrick, 1934).
- 1615. Macarostola pontificalis** (Meyrick, 1928) (Gracillariidae) larva on *Metrosideros collina* (Myrtaceae) (Clarke, 1971).
- 1616. Macarostola zehntneri** (Snellen, 1902) (Gracillariidae) larva on *Eugenia jambolana* (=Syzygium), *E. aquea*, *E. cumini* (Myrtaceae) (Meyrick, 1932; et seq.).
- 1617. Marmara isortha** (Meyrick, 1915) (Gracillariidae) larva on *Theobroma cacao* (Sterculiaceae) (Meyrick, 1936).
- 1618. Metriochoa argyrocelis** Vari, 1961 (Gracillariidae) larva on *Impatiens sylvicola* (Balsaminaceae) (Vari, 1961).
- 1619. Metriochoa latifoliella** (Millière, 1887) (Gracillariidae) larva on *Olea*, *Phillyrea latifolia* (Oleaceae) (Millière, 1887).
- 1620. Metriochoa pergulariae** Vari, 1961 (Gracillariidae) larva on *Pergularia extensa* (Asclepiadaceae) (Vari, 1961).
- 1621. Metriochoa tylophorae** Vari, 1961 (Gracillariidae) larva on *Tylophora cordata* (Asclepiadaceae) (Vari, 1961).
- 1622. Micrurapteryx fumosella** Kuznetsov & Tristan, 1985 (Gracillariidae) larva on *Astragalus alpinus*, *Vicia cracca*, *Melilotus albus*, *Trifolium pratense* (Fabaceae) (Kuznetsov & Tristan, 1985).
- 1623. Micrurapteryx gerasimovi** Ermolaev, 1982 (Gracillariidae) larva on *Melilotus suaveolens*, *Vicia cracca* (Fabaceae) (Ermolaev, 1982).
- 1624. Micrurapteryx gradatella** (Herrich-Schäffer, 1855) (Gracillariidae) larva on *Orobis tuberosus*, *Vicia sepium*, *Caragana arborescens* (Fabaceae) (Kuznetsov & Tristan, 1985).
- 1625. Micrurapteryx kollariella** (Zeller, 1839) (Gracillariidae) larva on *Cytisus scoparius*, *Genista tinctoria*, *Laburnum*, *Sarothamnus*, *Lupinus*, *Laburnocytisus*, *Petteria*, *Coronilla emerus* (Fabaceae) (Mann, 1862; et seq.).
- 1626. Micrurapteryx salicifoliella** (Chambers, 1872) (Gracillariidae) larva on *Salix alba*, *S. babylonica*, *S. longifolia*, *S. integra*, *Populus* (Salicaceae) (Chambers, 1872; et seq.).
- 1627. Micrurapteryx sophorivora** Kuznetsov & Tristan, 1985 (Gracillariidae) larva on *Sophora* (Fabaceae) (Kuznetsov & Tristan, 1985).
- 1628. Micrurapteryx tortuosella** Kuznetsov & Tristan, 1985 (Gracillariidae) larva on *Medicago sativa*, *Melilotus*, *Lathyrus* (Fabaceae) (Kuznetsov & Tristan, 1985).
- 1629. Monocercops nepalensis** Kumata, 1989 (Gracillariidae) larva on *Castanopsis indica* (Fagaceae) (Kumata, 1989).
- 1630. Monocercops resplendens** (Stainton, 1862) (Gracillariidae) larva on *Shorea robusta* (Dipterocarpaceae) (Meyrick, 1937).
- 1631. Monocercops thoi** Kumata, 1989 (Gracillariidae) larva on *Castanopsis inermis* (Fagaceae) (Kumata, 1989).
- 1632. Monocercops triangulata** Kumata, 1989 (Gracillariidae) larva on *Castanopsis* (Fagaceae) (Kumata, 1989).
- 1633. Neolithocolletis hikomonticola** Kumata, 1963 (Gracillariidae) larva on *Pueraria montana* var. *lobata* (Fabaceae) (Kumata, 1963).
- 1634. Neolithocolletis kangarensis** Kumata, 1963 (Gracillariidae) larva on *Calopogonium* (Fabaceae) (Kumata, 1963).
- 1635. Neolithocolletis pentadesma** (Meyrick, 1919) (Gracillariidae) larva on *Pterocarpus indicus*, *P. javanicus* (Fabaceae) (Meyrick, 1919).
- 1636. Neurostrotia gunniella** (Busck, 1906) (Gracillariidae) larva stem borer on *Mimosa asperata*, *M. pigra* (Fabaceae) (Busck, 1934; et seq.).
- 1637. Oligoneurina ficicola** Vari, 1961 (Gracillariidae) larva on *Ficus ingens* (Moraceae) (Vari, 1961).
- 1638. Ornixola caudulatella** (Zeller, 1839) (Gracillariidae) larva on *Salix acutifolia*, *S. caprea* (Salicaceae) (Kuznetsov & Baryshnikova, 1998).
- 1639. Parectopa capnias** (Meyrick, 1908) (Gracillariidae) larva on *Ixora parviflora* (Rubiaceae) (Meyrick, 1934).
- 1640. Parectopa grisella** (Van Deventer, 1904) (Gracillariidae) larva on *Mimosa elengi*, *Manilkara zapota* (Sapotaceae) (Van Deventer, 1904; et seq.).
- 1641. Parectopa ononidis** (Zeller, 1839) (Gracillariidae) larva on *Ononis spinosa*, *Trifolium pratense* (Fabaceae) (Stainton, 1864; et seq.).
- 1642. Parectopa oxyphena** Meyrick, 1934 (Gracillariidae) larva on *Flemingia strobilifera* (Fabaceae) (Meyrick, 1934).
- 1643. Parectopa robinella** Clemens, 1863 (Gracillariidae) larva on *Robinia pseudoacacia*, *R. hispida*, *R. viscosa*, *Desmodium*, *Amorpha fruticosa*, *Galactia volubilis* (Fabaceae) (Clemens, 1859; et seq.).
- 1644. Parornixalni** Kumata, 1965 (Gracillariidae) larva on *Alnus hirsuta* (Betulaceae) (Kumata, 1965).
- 1645. Parornix anglicella** (Stainton, 1850) (Gracillariidae) larva on *Crataegus monogyna*, *C. laevigata*, *C. curvisepala*, *Cotoneaster*, *Mespilus*, *Rubus caesius*, *Fragaria vesca*, *Sorbus terminalis* (Rosaceae) (Stainton, 1864; et seq.).

1646. **Parornix anguliferella** (Zeller,1847) (Gracillariidae) larva on *Pyrus communis*, *Malus pumila*, *Cydonia oblonga*, *Cerasus*, *Prunus*, *Amelanchier*, *Sorbus aucuparia* (Rosaceae) (Stainton,1864; et seq.).
1647. **Parornix asiatica** Noreika,1991 (Gracillariidae) larva on Rosaceae (Kuznetsov & Baryshnikova,2002).
1648. **Parornix atripalpella** Wahlström,1979 (Gracillariidae) larva on *Prunus spinosa* (Rosaceae) (Svensson,1996).
1649. **Parornix betulae** (Stainton,1854) (Gracillariidae) larva on *Betula pendula*, *B. pubescens*, *B. verrucosa*, *B. alba*, *B. mandschurica*, *B. platyphylla* (Betulaceae) (Stainton,1854; et seq.).
1650. **Parornix carpinella** (Frey,1863) (Gracillariidae) larva on *Carpinus betulus*, *Ostrya carpinifolia* (Frey,1863; et seq.).
1651. **Parornix cotoneasterella** Kuznetsov,1978 (Gracillariidae) larva on *Cotoneaster hissaricus*, *C. avellana* (Rosaceae) (Kuznetsov,1988).
1652. **Parornix devoniella** (Stainton,1850) (Gracillariidae) larva on *Corylus avellana*, *C. column* (Betulaceae) (Stainton,1864; et seq.).
1653. **Parornix ermolaevi** Kuznetsov,1979 (Gracillariidae) *Corylus heterophylla* (Betulaceae) (Ermolaev,1981).
1654. **Parornix fagivora** (Frey,1861) (Gracillariidae) larva on *Fagus sylvatica* (Fagaceae) (Frey,1861).
1655. **Parornix finitimella** (Zeller,1850) (Gracillariidae) larva on *Prunus domestica*, *P. spinosa*, *P. divaricata*, *P. cerasifera*, *P. communis*, *P. armeniaca* (Rosaceae) (Stainton,1864; et seq.).
1656. **Parornix kumatai** Ermolaev,1993 (Gracillariidae) larva on *Crataegus maximowiczii* (Rosaceae) (Ermolaev,1993).
1657. **Parornix loganella** (Stainton,1848) (Gracillariidae) larva on *Betula alba* (Betulaceae) (Stainton,1864; et seq.).
1658. **Parornix maliphaga** Kuznetsov,1979 (Gracillariidae) larva on *Malus* (Rosaceae) (Kuznetsov,1979).
1659. **Parornix mixta** (Triberti,1980) (Gracillariidae) larva on *Spiraea media* (Rosaceae) (Lastuvka & Lastuvka,1991).
1660. **Parornix ornata** Triberti,1981 (Gracillariidae) larva on *Amelanchier ovalis* (Rosaceae) (Triberti,1981).
1661. **Parornix persicella** Danilevsky,1955 (Gracillariidae) larva on *Persica vulgaris*, *Amygdalus* (Rosaceae) (Danilevsky,1955).
1662. **Parornix petiolella** (Frey,1861) (Gracillariidae) larva on *Malus pumila*, *M. sylvestris*, *Pyrus*, *Persica*, *Armeniaca*, *Prunus domestica*, *P. divaricata*, *P. vulgaris* (Rosaceae) (Frey,1863; et seq.).
1663. **Parornix polygrammella** (Wocke,1862) (Gracillariidae) larva on *Betula nana* (Betulaceae) (Wocke,1862).
1664. **Parornix scoticella** (Stainton,1850) (Gracillariidae) larva on *Sorbus aucuparia*, *S. aria*, *S. chamaemespilus*, *Dryas octopetala*, *S. amurensis*, *S. commixta*, *Malus*, *Cotoneaster*, *Viburnum lantana*, *Prunus spinosa* (Rosaceae) (Stainton,1850; et seq.).
1665. **Parornix subfinitimella** Kuznetsov,1956 (Gracillariidae) larva on *Crataegus turkestanica* (Rosaceae) (Kuznetsov,1956).
1666. **Parornix szoei** (Gozmany,1952) (Gracillariidae) larva on *Prunus fruticosa*, *P. tenella* (= *Amygdalus nanus*) (Rosaceae) (Triberti,1982).
1667. **Parornix torquilella** (Zeller,1850) (Gracillariidae) larva on *Prunus domestica*, *P. spinosa*, *P. divaricata*, *P. cerasifera*, *Amygdalus*, *Padus racemosa*, *Pyrus communis* (Rosaceae) (Stainton,1864; et seq.).
1668. **Parornix traugotti** Svensson,1976 (Gracillariidae) larva on *Betula pubescens* (Betulaceae) (Kuznetsov & Baryshnikova,1988).
1669. **Parornix turemeniella** Kuznetsov,1956 (Gracillariidae) larva on *Amygdalus scoparia* (Rosaceae) (Kuznetsov & Baryshnikova,1988).
1670. **Phodoryctis caerulea** (Meyrick,1912) (Gracillariidae) larva on *Caesalpinia pulcherrima*, *Cajanus cajan*, *Calopogonium mucunoides*, *Canavalia ensiformis*, *Centrosema pubescens*, *Crotalaria juncea*, *Dumasia bicolor*, *Lablab purpureus*, *Macroptilium lathyroides*, *Phaseolus vulgaris*, *Vicia faba*, *Vigna marina*, *V. mungo*, *V. radiata*, *V. umbellata*, *V. unguiculata* (Fabaceae); *Carissa carandas* (Apocynaceae); *Cissampelos pereira*, *Cyclea*, *Stephania hermandifolia*, *S. japonica*, *Tinospora cardifolia* (Menispermaceae); *Dioscorea deltoidea* (Dioscoreaceae); *Coffea* (Rubiaceae) (Kumata, Kuroko & Ermolaev,1988).
1671. **Phodoryctis dolichophila** (Vari,1961) (Gracillariidae) larva on *Dolichos falcatus*, *Vigna* (Fabaceae) (Vari,1961).
1672. **Phodoryctis thrypticosema** (Vari,1961) (Gracillariidae) larva on ? *Craibia brevicaudata* (Fabaceae) (Vari,1961).
1673. **Phyllocnistis amydropa** Meyrick,1934 (Gracillariidae) larva on *Gmelina arborea* (Verbenaceae) (Meyrick,1934).
1674. **Phyllocnistis argochea** Meyrick,1933 (Gracillariidae) larva on *Drypetes roxburghii* (Euphorbiaceae) (Meyrick,1933).
1675. **Phyllocnistis canariensis** M.Hering,1927 (Gracillariidae) larva on *Salix canariensis* (Salicaceae) (M.Hering,1927).
1676. **Phyllocnistis citrella** Stainton,1856 (Gracillariidae) larva mines in leaf of *Citrus aurantifolia*, *C. aurantium*, *C. histrix*, *C. limon*, *C. maxima*, *C. medica*, *C. reticulata*, *C. sinensis*, *Aegle marmelos*, *Atalantia*, *Citrofortunella microcarpa*, *Fortunella crassifolia*, *F. marginata*, *Limonia*, *Murraya koenigii*, *M. panicula* (Rutaceae) (Stainton,1856; et seq.).
1677. **Phyllocnistis citronympha** Meyrick,1926 (Gracillariidae) larva on *Odina wodier*, *Lannea coromandelica* (Anacardiaceae) (Meyrick,1926; et seq.).
1678. **Phyllocnistis echinodes** Meyrick,1926 (Gracillariidae) larva on *Anamirta cocculus* (Menispermaceae) (Meyrick,1926).
1679. **Phyllocnistis exiguella** Van Deventer,1904 (Gracillariidae) larva on *Buchanania florida*, *B. arborescens* (Anacardiaceae) (Van Deventer,1904; et seq.).
1680. **Phyllocnistis extrematrix** Martynova,1955 (Gracillariidae) larva on *Populus nigra*, *P. balsamifera* (Salicaceae) (Kuznetsov & Baryshnikova,1988).
1681. **Phyllocnistis helicodes** Meyrick,1916 (Gracillariidae) larva on *Polyalthia longifolia* (Annonaceae) (Meyrick,1916).
1682. **Phyllocnistis humiliella** Van Deventer,1904 (Gracillariidae) larva on *Cinnamomum iners* (Lauraceae) (Meyrick,1934).
1683. **Phyllocnistis labyrinthella** (Bjerkander,1790) (Gracillariidae) larva on *Populus tremula*, *P. alba* (Salicaceae) (Bjerkander,1790).
1684. **Phyllocnistis minimella** Van Deventer,1904 (Gracillariidae) larva on *Protium javanicum* (Burseraceae) (Van Deventer,1904).
1685. **Phyllocnistis nepenthae** M.Hering,1931 (Gracillariidae) larva on *Nepenthes tobaica* (Nepentaceae) (M.Hering,1931).
1686. **Phyllocnistis saligna** (Zeller,1839) (Gracillariidae) larva on *Salix babylonica*, *S. fragilis*, *S. purpurea*, *S. tetrasperma*, *S. viminalis*, *Populus* (Zeller,1839; et seq.).
1687. **Phyllocnistis selenopa** Meyrick,1915 (Gracillariidae) larva on *Melia azaderach* (Meliaceae) (Meyrick,1915).
1688. **Phyllocnistis spatulata** Meyrick,1928 (Gracillariidae) larva on *Lindera caudata* (Lauraceae) (Meyrick,1928).
1689. **Phyllocnistis stereograptia** Meyrick,1934 (Gracillariidae) larva on *Stereospermum suaveolens* (Bignoniaceae) (Meyrick,1934).
1690. **Phyllocnistis synglypta** Meyrick,1918 (Gracillariidae) larva on *Terminalia tomentosa*, *T. catappa* (Combretaceae); *Capparis* (Rosaceae) (Fletcher,1933; et seq.).
1691. **Phyllocnistis tectonivora** Meyrick,1936 (Gracillariidae) larva on *Tectona grandis* (Verbenaceae) (Meyrick,1936).
1692. **Phyllocnistis temperator** Meyrick,1936 (Gracillariidae) larva on *Leea* (Vitaceae) (Meyrick,1936).
1693. **Phyllocnistis titania** Meyrick,1928 (Gracillariidae) larva on *Premna tomentosa* (Verbenaceae) (Meyrick,1928).
1694. **Phyllocnistis unipunctella** (Stephens,1834) (Gracillariidae) larva on *Populus nigra*, *P. balsamifera*, *P. canadensis*, *P. euphratica*, *P. italica*, *P. pyramidalis* (Salicaceae) (Heinemann & Wocke,1877; et seq.).
1695. **Phyllocnistis valentinensis** (M.Hering,1936) (Gracillariidae) larva on *Salix fragilis* (Salicaceae) (Hering,1936).
1696. **Phyllocnistis voutei** M.Hering,1932 (Gracillariidae) larva on *Loranthus* (Loranthaceae) (Hering,1932).
1697. **Phyllocnistis xenia** M.Hering,1936 (Gracillariidae) larva on *Populus alba*, *P. canescens* (Salicaceae) (Hering,1936).
1698. **Phyllonorycter acaciella** (Duponchel,1843) (Gracillariidae) larva on *Ulmus* [cited as "brunnea"] (Deschka,1975).
1699. **Phyllonorycter acerifoliella** (Zeller,1839) (Gracillariidae) larva on *Acer* (Zeller,1839).
1700. **Phyllonorycter anchistea** (Vari,1961) (Gracillariidae) larva on *Grewia occidentalis* (Tiliaceae) (Vari,1961).
1701. **Phyllonorycter armeniella** (Kuznetsov,1958) (Gracillariidae) larva on *Salix* (Salicaceae) (Kuznetsov,1958).
1702. **Phyllonorycter brachylaenae** (Vari,1961) (Gracillariidae) larva on *Brachylaena rotundata*, *B. discolor* (Asteraceae) (Vari,1961).
1703. **Phyllonorycter cydoniella** [Denis & Schiffermüller,1775] (Gracillariidae) larva on *Pyrus*, *Cydonia* [Denis & Schiffermüller,1775].
1704. **Phyllonorycter didymopa** (Vari,1961) (Gracillariidae) larva on *Dombeya rotundifolia* (Sterculiaceae) (Vari,1961).
1705. **Phyllonorycter grewicola** (Vari,1961) (Gracillariidae) larva on *Grewia kwebenensis* (Tiliaceae) (Vari,1961).
1706. **Phyllonorycter grewiella** (Vari,1961) (Gracillariidae) larva on *Grewia flavescens*, *G. messinica* (Tiliaceae) (Vari,1961).
1707. **Phyllonorycter helianthemella** (Herrich-Schäffer,1861) (Gracillariidae) larva on *Helianthemum vulgare* (Herrich-Schäffer,1861).
1708. **Phyllonorycter hexalobina** (Vari,1961) (Gracillariidae) larva on *Hexalobus glabrescens* (Annonaceae) (Vari,1961).
1709. **Phyllonorycter hibiscina** (Vari,1961) (Gracillariidae) larva on *Hibiscus calyphyllus* (Malvaceae) (Vari,1961).
1710. **Phyllonorycter iranica** Deschka,1979 (Gracillariidae) larva on *Malus domestica* (= *Pyrus malus*) (Rosaceae) (Deschka,1979).
1711. **Phyllonorycter kurdasi** (Deschka,1970) (Gracillariidae) larva on *Quercus pubescens* (Fagaceae) (Deschka,1970).
1712. **Phyllonorycter lantanae** (Vari,1961) (Gracillariidae) larva on *Lantana ? rugosa* (Verbenaceae) (Vari,1961).
1713. **Phyllonorycter lantanella** (Schränk,1802) (Gracillariidae) larva on *Viburnum tinus*, *V. lantana*, *V. opulus* (Caprifoliaceae) (Stainton,1852; et seq.).
1714. **Phyllonorycter laurocerasi** (Kuznetsov,1979) (Gracillariidae) larva on *Prunus laurocerasus* (Rosaceae) (Kuznetsov,1979).
1715. **Phyllonorycter libanotica** (Deschka,1972) (Gracillariidae) larva on ? *Quercus* (Fagaceae) (Deschka,1972).
1716. **Phyllonorycter loxozona** (Meyrick,1936) (Gracillariidae) larva on *Dombeya emarginata*, *D. rotundifolia* (Sterculiaceae) (Vari,1961).
1717. **Phyllonorycter luzonica** Kumata,1995 (Gracillariidae) larva on *Celtis* (Ulmaceae) (Kumata,1995).
1718. **Phyllonorycter macedonica** (Deschka,1971) (Gracillariidae) larva on *Crataegus laciniata* (Rosaceae) (Deschka,1971).
1719. **Phyllonorycter macrantherella** (Kuznetsov,1961) (Gracillariidae) larva on *Quercus macranthera* (Fagaceae) (Kuznetsov,1961).
1720. **Phyllonorycter maestingella** (Müller,1764) (Gracillariidae) larva on *Fagus sylvatica*, *Wisteria floribunda* (Müller,1764; et seq.).
1721. **Phyllonorycter malayana** Kumata,1993 (Gracillariidae) larva on *Engelhardia spicata* (Juglandaceae) (Kumata,1993).
1722. **Phyllonorycter malella** (Gerasimov,1931) (Gracillariidae) larva on *Malus sylvestris*, *Cydonia vulgaris*, *Pyrus communis*, *Crataegus* (Rosaceae) (Gerasimov,1931).
1723. **Phyllonorycter mannii** (Zeller,1846) (Gracillariidae) larva on *Quercus robur*, *Q. sessiliflora* (Fagaceae) (Herrich-Schäffer,1855).
1724. **Phyllonorycter medicaginella** (Gerasimov,1930) (Gracillariidae) larva on *Medicago lupulina*, *Lotus*, *Melilotus albus*, *M. officinalis* (Fabaceae) (Gerasimov,1930; et seq.).

1725. **Phyllonorycter melanosparta** (Meyrick,1912) (Gracillariidae) larva on Rhynchosia caribaea, Flemingia grahamiana, Vigna (Fabaceae) (Vari,1961).
1726. **Phyllonorycter melhaniae** (Vari,1961) (Gracillariidae) larva on Melhania velutina (Sterculiaceae) (Vari,1961).
1727. **Phyllonorycter mespilera** (Hübner,[1805]) (Gracillariidae) larva on Sorbus, Cydonia, Mespilus, Pyrus, Malus, Amelanchier, Cotoneaster (Rosaceae) (Stainton,1857; et seq.).
1728. **Phyllonorycter messaniella** (Zeller,1846) (Gracillariidae) larva on Castanea sativa, Quercus, Carpinus, Fagus, Nothofagus procera (Fagaceae), Carya pecan (Juglandaceae), Betula papyrifera (Betulaceae) (Stainton,1852; et seq.).
1729. **Phyllonorycter montanella** (Bradley,1871) (Gracillariidae) larva on Celtis caucasica, C. australis (Ulmaceae) (Staudinger,1871).
1730. **Phyllonorycter mirbeckifoliae** Deschka,1974 (Gracillariidae) larva on Quercus mirbeckii (Fagaceae) (Deschka,1974).
1731. **Phyllonorycter monspessulanella** (Fuchs,1897) (Gracillariidae) larva on Acer monspessulanum, A. campestre (Aceraceae) (Fuchs,1897).
1732. **Phyllonorycter montanella** Bradley,1980 (Gracillariidae) larva on Lonicera quinquelocularis (Caprifoliaceae) (Bradley,1980).
1733. **Phyllonorycter muelleriella** (Zeller,1839) (Gracillariidae) larva on Quercus robur, Q. petraea (Fagaceae) (Heinemann & Wocke,1877).
1734. **Phyllonorycter myricae** Deschka,1976 (Gracillariidae) larva on Myrica faya (Myricaceae) (Deschka,1976).
1735. **Phyllonorycter myricella** Kumata,1995 (Gracillariidae) larva on Myrica esculenta (Myricaceae) (Kumata,1993).
1736. **Phyllonorycter neli** Buvat,1996 (Gracillariidae) larva on Quercus pubescens (Fagaceae) (Buvat,1996).
1737. **Phyllonorycter nepalensis** Kumata,1973 (Gracillariidae) larva on Alnus nepalensis (Betulaceae) (Kumata,1973).
1738. **Phyllonorycter nevadensis** (Walsingham,1908) (Gracillariidae) larva on Adenocarpus decorticans (Fabaceae) (Walsingham,1908).
1739. **Phyllonorycter nicellii** (Stainton,1851) (Gracillariidae) larva on Corylus avellana, C. columa (Betulaceae) (Stainton,1857).
1740. **Phyllonorycter nivalis** Deschka,1986 (Gracillariidae) larva on Quercus (Fagaceae) (Deschka,1986).
1741. **Phyllonorycter obtusifoliella** Deschka,1974 (Gracillariidae) larva on Acer obtusifolium (Aceraceae) (Deschka,1974).
1742. **Phyllonorycter olympica** Deschka,1983 (Gracillariidae) larva on Quercus coccifera (Fagaceae) (Deschka,1983).
1743. **Phyllonorycter orientalis** (Kumata,1963) (Gracillariidae) larva on Acer mono, A. palmatum, A. carpinifolium, A. pseudosieboldianum, A. pictum (Aceraceae) (Kumata,1963).
1744. **Phyllonorycter ostryae** (Kumata,1963) (Gracillariidae) larva on Ostrya japonica (Betulaceae) (Kumata,1963).
1745. **Phyllonorycter ovalifoliae** Kumata,1973 (Gracillariidae) larva on Lyonia ovalifolia (Ericaceae) (Kumata,1973).
1746. **Phyllonorycter oxyacanthae** (Frey,1855) (Gracillariidae) larva on Crataegus monogyna, C. laevigata, C. curvisepala, C. intricata, C. oxyacantha, Chaenomeles japonica, Pyrus communis, Cydonia (Rosaceae) (Frey,1855).
1747. **Phyllonorycter pavoniae** (Vari,1961) (Gracillariidae) larva on Pavonia burchellii, P. praemorsa (Malvaceae) (Vari,1961).
1748. **Phyllonorycter populialbae** (Kuznetsov,1961) (Gracillariidae) larva on Populus alba (Salicaceae) (Kuznetsov,1961).
1749. **Phyllonorycter pyrispinosae** Deschka,1986 (Gracillariidae) larva on Pyrus spinosa (Rosaceae) (Deschka,1986).
1750. **Phyllonorycter quercifoliella** (Zeller,1839) (Gracillariidae) larva on Quercus ithaburensis, Q. cerris, Q. robur, Q. petraea (Fagaceae) (Zeller,1839; et seq.).
1751. **Phyllonorycter quercus** (Amsel & Hering,1931) (Gracillariidae) larva on Quercus calliprinos, Q. coccifera (Fagaceae) (Amsel,1931; Sternlicht,1968).
1752. **Phyllonorycter rhynchosiae** (Vari,1961) (Gracillariidae) larva on Rhynchosia nitens, R. confusa, Eriosema psoraleoides (Fabaceae) (Vari,1961).
1753. **Phyllonorycter roboris** (Zeller,1839) (Gracillariidae) larva on Quercus (Zeller,1839).
1754. **Phyllonorycter triarcha** (Meyrick,1908) (Gracillariidae) larva mines Gossypium barbadense (cotton) (Malvaceae) (Meyrick,1908; et seq.).
1755. **Phyllonorycter trojana** Deschka,1982 (Gracillariidae) larva on Quercus trojana (Fagaceae) (Deschka,1982).
1756. **Phyllonorycter turanica** (Gerasimov,1931) (Gracillariidae) larva on Pyrus malus, Cydonia vulgaris, Cerasus (Rosaceae) (Gerasimov,1931; et seq.).
1757. **Phyllonorycter zerkovae** (Kumata,1963) (Gracillariidae) larva on Zerkova serrata (Ulmaceae) (Kumata,1963).
1758. **Pleiomorpha eumeces** Vari,1961 (Gracillariidae) larva on Royena lycioides (Ebenaceae) (Vari,1961).
1759. **Pleiomorpha homotypa** Vari,1961 (Gracillariidae) larva on Royena lycioides (Ebenaceae) (Vari,1961).
1760. **Polysoma aenictum** Vari,1961 (Gracillariidae) larva on Albizzia gummifera (Fabaceae) (Vari,1961).
1761. **Porphyrosela teramni** Vari,1961 (Gracillariidae) larva on Teramnus labialis, Vigna ? luteola (Fabaceae) (Vari,1961).
1762. **Schedocercops maeuriae** Vari,1961 (Gracillariidae) larva on Maerua racemulosa (Capparidaceae) (Vari,1961).
1763. **Semnocera procellaris** (Meyrick,1914) (Gracillariidae) larva on Ekebergia (Meliaceae) (Vari,1961).
1764. **Spulerina astaurola** (Meyrick,1922) (Gracillariidae) larva on Chaenomeles, Malus domestica, M. sylvestris, M. sieboldii, Prunus domestica, Pyrus communis, P. pyrifolia (Rosaceae) (Kumata, Kuroko & Ermolaev,1988).
1765. **Spulerina corticicola** Kumata,1964 (Gracillariidae) larva on Abies sachaliensis, Larix leptolepis, Pinus parviflora, P. pentaphylla, P. strobus (Pinaceae) (Kumata, Kuroko & Ermolaev,1988).
1766. **Spulerina dissotoma** (Meyrick,1931) (Gracillariidae) larva on Lespedeza bicolor, L. cyrtobotrya, Pueraria montana, Flemingia lineata (Fabaceae) (Meyrick,1931; et seq.).
1767. **Spulerina hexalocha** (Meyrick,1912) (Gracillariidae) larva on Sclerocarya caffra, S. birrea (Anacardiaceae), Citrus (Rutaceae) (Meyrick,1912; Vari,1961).
1768. **Spulerina isonoma** (Meyrick,1916) (Gracillariidae) larva on Mangifera indica (Anacardiaceae) (Meyrick,1916; et seq.).
1769. **Spulerina lochmaea** Vari,1961 (Gracillariidae) larva on Mangifera indica (Anacardiaceae) (de Prins & de Prins,2005).
1770. **Spulerina malicola** (Meyrick,1921) (Gracillariidae) larva on Malus domestica, M. pumila, M. sylvestris (Rosaceae) (Meyrick,1921; Kumata, Kuroko & Ermolaev,1988).
1771. **Spulerina parthenocissi** Kumata & Kuroko,1988 (Gracillariidae) larva on Parthenocissus tricuspidata (Vitaceae) (Kumata, Kuroko & Ermolaev,1988).
1772. **Spulerina simplioniella** (Fischer v. Röslerstamm,1840) (Gracillariidae) larva on Quercus robur, Q. petraea, Q. castaneifolia, Castanea sativa (Fagaceae), Carpinus betulus (Betulaceae) (Buszko,1990; et seq.).
1773. **Spulerina virgulata** Kumata & Kuroko,1988 (Gracillariidae) larva on Quercus acutissima, Q. serrata, Q. variabilis, (Fagaceae) (Kumata, Kuroko & Ermolaev,1988).
1774. **Stomphastis aphrocyma** (Meyrick,1918) (Gracillariidae) larva on Croton sylvaticus (Euphorbiaceae) (Vari,1961).
1775. **Stomphastis cardamitis** (Meyrick,1918) (Gracillariidae) larva on Croton subgratissimus (Euphorbiaceae) (Vari,1961).
1776. **Stomphastis chalybacma** (Meyrick,1908) (Gracillariidae) larva on Caesalpinia pulcherrima, C. decapetala, Samanea saman, Delonix regia, Pithecellobium (Fabaceae) (Meyrick,1912; et seq.).
1777. **Stomphastis conflua** (Meyrick,1914) (Gracillariidae) larva on Pouzolzia hypoleuca (Urticaceae), Ricinus communis (Euphorbiaceae) (Vari,1961).
1778. **Stomphastis crotoniphila** Vari,1961 (Gracillariidae) larva on Croton sylvaticus (Euphorbiaceae) (Vari,1961).
1779. **Stomphastis crotonis** Vari,1961 (Gracillariidae) larva on Croton menyhartii (Euphorbiaceae) (Vari,1961).
1780. **Stomphastis dodonaeae** Vari,1961 (Gracillariidae) larva on Dodonaea viscosa (Sapindaceae) (Vari,1961).
1781. **Stomphastis polygoni** Vari,1961 (Gracillariidae) larva on Polygonum setosulum (Polygonaceae) (Vari,1961).
1782. **Stomphastis rorkae** Vari,1961 (Gracillariidae) larva on Croton gratissimus (Euphorbiaceae) (Vari,1961).
1783. **Stomphastis thraustica** (Meyrick,1908) (Gracillariidae) larva on Sebastiana chamaelea, Jatropha gossypifolia, J. curcas (Euphorbiaceae) (Vari,1961).
1784. **Stomphastis tremina** Vari,1961 (Gracillariidae) larva on Trema guineensis (Ulmaceae) (Vari,1961).
1785. **Systoloneura randiae** Vari,1961 (Gracillariidae) larva on Randia rudis (Rubiaceae) (Vari,1961).
1786. **Telamoptilia geyeri** (Vari,1961) (Gracillariidae) larva on Pavonia columella (Malvaceae) (Vari,1961).
1787. **Telamoptilia prosacta** (Meyrick,1918) (Gracillariidae) larva mines Ipomoea batatas (sweet potato) (Convolvulaceae) (Meyrick,1918; et seq.).
1788. **Epicroesa chromatorhoea** Diakonoff & Arita,1979 (Helioidinidae) larva on Kalopanax septemlobus (Araliaceae) (Diakonoff,1979).
1789. **Endoclitia chalybeatus** (Moore,1879) (Hepialidae) larva on Theobroma cacao (Cocoa) (Sterculiaceae); Trema cannabina, Macaranga, Anthocephalus cadamba, Gliricidia maculata, Erythrina (Barlow,1982).
1790. **Endoclitia hosei** Tindale,1958 (Hepialidae) larva on Theobroma cacao (Cocoa) (Sterculiaceae) (Barlow,1982).
1791. **Leto venus** (Stoll,[1780]) (Hepialidae) larva bores Keurboom trees [Virgilia oroboides (Fabaceae)] (Pinhey,1979).
1792. **Acada biseriata** (Mabille,1893) (Hesperiidae) larva on Brachystegia (Fabaceae) (Ackery et al.,1995).
1793. **Acleros mackenii** (Trimen,1868) (Hesperiidae) larva on rhus (Anacardiaceae), Acridocarpus (Malpighiaceae) (Ackery et al.,1995).
1794. **Ancistroides nigrita** (Latreille,1824) (Hesperiidae) larva on Curcuma longa [turmeric], C.comosa [wan chak motluk], Zingiber montanum [phlai], Languas galanga [kha] (Zingiberaceae) (Lewvanich,2001).
1795. **Bibasis harisa** (Moore,1865) (Hesperiidae) larva on weed (Lewvanich,2001).
1796. **Borbo borbonica** (Boisduval,1833) (Hesperiidae) larva on Leersia hexandra, Sorghum alepense (Poaceae) (Tolman,1997).
1797. **Caenides daceia** (Hewitson,1876) (Hesperiidae) larva on Phoenix (Arecaceae) (Ackery et al.,1995).
1798. **Caenides soritia** (Hewitson,1876) (Hesperiidae) larva on Zingiber (Zingiberaceae) (Ackery et al.,1995).
1799. **Caprona casualalla** Bethune-Baker,1911 (Hesperiidae) larva on Grewia (Tiliaceae) (Ackery et al.,1995).
1800. **Caprona pillana** Wallengren,1857 (Hesperiidae) larva on Dombeya (Sterculiaceae), Grewia (Tiliaceae) (Ackery et al.,1995).
1801. **Carcharodus (Lavatheria) boeticus** (Rambur,[1839]) (Hesperiidae) larva on Marrubium vulgare ? (Tolman,1997).
1802. **Carcharodus (Lavatheria) lavatherae** (Esper,[1783]) (Hesperiidae) larva on Stachys recta, S. germanica, S. arvensis, S. plumosa (Tolman,1997).
1803. **Carcharodus (Lavatheria) stauderi** Reverdin,1913 (Hesperiidae) larva on Marrubium vulgare, Ballota hirsuta, Phlomis floccosa, P. aurea (Tolman,1997).
1804. **Carcharodus (Reverdinus) flocciferus** (Zeller,1847) (Hesperiidae) larva on Stachys recta, S. alpina, S. officinalis, S. germanica, S. palustris, S. sylvatica, S. scardica (Tolman,1997).
1805. **Carcharodus (Reverdinus) orientalis** Reverdin,1913 (Hesperiidae) larva on Stachys sp. (Tolman,1997).

- 1806. Carcharodus (s.str.) alceae (Esper,[1780])** (Hesperiidae) larva on Arbutum teophrasti, Chrozophora hierosolymitana (Stshetkin, 1960); Malva alceae (Kumakov & Korshunov, 1979); Althaea officinalis (Anikin et al., 1993).
- 1807. Carcharodus (s.str.) tripolinus (Verity,1925)** (Hesperiidae) larva on Malva sylvestris (Tolman,1997).
- 1808. Carterocephalus palaemon (Pallas,1771)** (Hesperiidae) larva on Molinia caerulea, M. c. arundinacea, Calamagrostis epigejos, Brachypodium sylvaticum, B. pinnatum, Bromus ramosus, Dactylis glomerata, Alopecurus pratensis, Phleum pratense (Tolman,1997).
- 1809. Carterocephalus silvicola (Meigen,1829)** (Hesperiidae) larva on Brachypodium sylvaticum, Bromus ramosus, Miliium effusum? Cynosurus cristatus (Tolman,1997).
- 1810. Celaenorrhinus galenus (Fabricius,1793)** (Hesperiidae) larva on Hypoestes, Justicia (Acanthaceae) (Ackery et al.,1995).
- 1811. Celaenorrhinus mokezi (Wallengren,1857)** (Hesperiidae) larva on Isoglossa, Justicia (Acanthaceae) (Ackery et al.,1995).
- 1812. Celaenorrhinus proxima (Mabille,1877)** (Hesperiidae) larva on Mimulopsis (Acanthaceae) (Ackery et al.,1995).
- 1813. Chondrolepis leggei (Heron,1909)** (Hesperiidae) larva on Setaria (Poaceae) (Ackery et al.,1995).
- 1814. Coeliades forestan (Stoll,[1782])** (Hesperiidae) larva on Chrysobalanaceae (Parinari curatellifolia); Asclepiadaceae (Marsdenia, Dregaea); Combretaceae (Combretum bracteosum, C. apiculatum, Quisqualis, Terminalia); Fabaceae (Canavalia, Cassia, Crotalaria, Millettia sutherlandii, Phaseolus, Robinia pseudacacia, Lonchocarpus capassa, Indigofera, Sesbania); Geraniaceae (Geranium), Malpighiaceae (Sphedamnocarpus pruriens ssp. galphimifolius); Malvaceae (Gossypium); Solanaceae (Solanum mauritanium).
- 1815. Coeliades libeon (Druce,1875)** (Hesperiidae) larva on Drypetes gerrardii (Euphorbiaceae); Craibia brevicaudata, Millettia (Fabaceae) (Pringle & Henning,1994; Ackery et al.,1995).
- 1816. Coeliades pisistratus (Fabricius,1793)** (Hesperiidae) larva on Acridocarpus, Sphedamnocarpus pruriens, Triaspis macropteron (Malpighiaceae); Indigofera (Fabaceae), Marsdenia (Asclepiadaceae) (Pringle & Henning,1994; Ackery et al.,1995).
- 1817. Eagris lucetia (Hewitson,1875)** (Hesperiidae) larva on Rhus, Allophylus (Ackery, et al.,1995).
- 1818. Eagris nottoana (Wallengren,1857)** (Hesperiidae) larva on Scutia (Rhamnaceae), Dombeya (Sterculiaceae), Grewia (Tiliaceae) (Ackery et al.,1995).
- 1819. Eretis djaelaclae (Wallengren,1857)** (Hesperiidae) larva on Acanthaceae (Asystasia, Chaetacanthus, Dischortiste, Justicia, Phaulopsis) (Ackery et al.,1995).
- 1820. Eretis lugens (Rogenhofer,1891)** (Hesperiidae) larva on Acanthaceae (Asystasia, Barleria, Justicia) (Ackery et al.,1995).
- 1821. Eretis umbra (Trimen,1862)** (Hesperiidae) larva on Acanthaceae (Chaetacanthus) (Ackery et al.,1995).
- 1822. Erionota torus Evans,1941** (Hesperiidae) larva on Musa [banana] (Musaceae) (Lewvanich,2001).
- 1823. Erynnis (Hesperopegasus) marloyi (Boisduval,[1834])** (Hesperiidae) larva on Pyrus spinosa (Lafanchisi,2003).
- 1824. Erynnis (s.str.) tages (Linnaeus,1758)** (Hesperiidae) larva on Lotus corniculatus, L. uliginosus, Hippocrepis comosa (Tolman,1997).
- 1825. Fresna cojo (Karsch,1893)** (Hesperiidae) larva on Andira, Millettia (Fabaceae) (Ackery et al.,1995).
- 1826. Fresna netopha (Hewitson,1878)** (Hesperiidae) larva on Paullinia (Sapindaceae) (Ackery et al.,1995).
- 1827. Fresna nyassae (Hewitson,1878)** (Hesperiidae) larva on Albizia (Fabaceae) (Ackery et al.,1995).
- 1828. Gamia buchholzi (Plötz,1879)** (Hesperiidae) larva on Borassus, Phoenix, Raphia (Arecaceae) (Ackery et al.,1995).
- 1829. Gamia shelleyi (Sharpe,1890)** (Hesperiidae) larva on Borassus, Cocos, Phoenix, Raphia (Arecaceae) (Ackery et al.,1995).
- 1830. Gegenes niso (Linnaeus,1764)** (Hesperiidae) larva on Ehrharta, Pennisetum, Zea (Poaceae) (Ackery et al.,1995).
- 1831. Gegenes nostrodamus (Fabricius,1793)** (Hesperiidae) larva on Aeluropus, Panicum (Poaceae) (Tolman,1997).
- 1832. Gegenes pumilio (Hoffmannsegg,1804)** (Hesperiidae) larva on Ehrharta erecta, Cynodon dactylon, Hyparrhenia hirta (Tolman,1997).
- 1833. Gorgyra bibulus Riley,1929** (Hesperiidae) larva Drypetes (Euphorbiaceae) (Ackery et al.,1995).
- 1834. Gorgyra diva Evans,1937** (Hesperiidae) larva on Byroscarpus (Connaraceae) (Ackery et al.,1995).
- 1835. Gretna carmen Evans,1937** (Hesperiidae) larva on Borassus, Phoenix, Raphia (Arecaceae) (Ackery et al.,1995).
- 1836. Hesperia comma (Linnaeus,1758)** (Hesperiidae) larva on Festuca ovina, Lolium perenne, Lotus corniculatus (Tolman, 1997).
- 1837. Heteropterus morpheus (Pallas,1771)** (Hesperiidae) larva on Calamagrostis canescens, Brachypodium sylvaticum, Molinia caerulea, Phragmites australis (Tolman,1997).
- 1838. Matapa aria (Moore,[1866])** (Hesperiidae) larva on Bambusa (Poaceae) (Lewvanich,2001).
- 1839. Muschampia cribrellum (Eversmann,1841)** (Hesperiidae) larva on Potentilla sp. (Tolman,1997).
- 1840. Muschampia leuzeae (Oberthür,1881)** (Hesperiidae) larva on Phlomis (Tolman,1997).
- 1841. Muschampia mohammed Oberthür,1887** (Hesperiidae) larva on Phlomis crinita, P. bovei (Tolman,1997).
- 1842. Muschampia proteides (Wagner,1929)** (Hesperiidae) larva on Phlomis chrysophylla, P. brachyodon, P. kurdica (Benjamini & Avni,2001).
- 1843. Muschampia proto (Ochsenheimer,1808)** (Hesperiidae) larva on Phlomis crinita, P. bovei, P. fruticosa, P. lychnitis, P. herba-venti (Tolman,1997).
- 1844. Muschampia staudingeri (Speyer,1879)** (Hesperiidae) larva on Phlomis cancellata (Daricheva & Devjatkin, 1990).
- 1845. Muschampia tessellum (Hübner,[1802])** (Hesperiidae) larva on Phlomis samia (Tolman, 1997); Phlomis herba-venti (Koçak, in litt).
- 1846. Notocrypta curvifascia (C.Felder & R.Felder,1862)** (Hesperiidae) larva on weed (Lewvanich,2001).
- 1847. Ochloides venatus (Bremer & Grey,[1852])** (Hesperiidae) larva on Dactylis glomerata, Molinia caerulea, Brachypodium pinnatum, B. sylvaticum, Poa pratensis, Festuca arundinacea, Calamagrostis epigejos, Luzula pilosa, Holcus lanatus, Elymus repens, Juncus effusus, Agrostis capillaris, Phleum pratense, Bromus erectus (Tolman, 1997).
- 1848. Osmodes adosus (Mabille,1890)** (Hesperiidae) larva on Marantochloa (Marantaceae) (Ackery et al.,1995).
- 1849. Parosmodes morantii (Trimen,1873)** (Hesperiidae) larva on Combretum, Quisqualis, Terminalia (Combretaceae), Bridelia (Euphorbiaceae) (Ackery et al.,1995).
- 1850. Pelopidas thrax (Hübner,[1821])** (Hesperiidae) larva on Panicum miliaceum (Tolman,1997).
- 1851. Pyrgus alveus (Hübner,[1803])** (Hesperiidae) larva on Potentilla sterilis, Helianthemum nummularium (Tolman, 1997).
- 1852. Pyrgus andromedae (Wallengren,1853)** (Hesperiidae) larva on Potentilla thuringiaca, Alchemilla glomerulans, Malva (Tolman,1997).
- 1853. Pyrgus armoricanus (Oberthür,1910)** (Hesperiidae) larva on Potentilla tabernaemontani, P. reptans, P. arenaria, Fragaria vesca, Helianthemum nummularium (Tolman,1997).
- 1854. Pyrgus calacalia (Rambur,[1839])** (Hesperiidae) larva on Potentilla, Sibbaldia (Tolman,1997).
- 1855. Pyrgus carlinae (Rambur,[1839])** (Hesperiidae) larva on Potentilla tabernaemontani, P. reptans, P. hirta, P. verna (Tolman,1997).
- 1856. Pyrgus carthami (Hübner,[1813])** (Hesperiidae) larva on Potentilla tabernaemontani, P. cinerea, P. arenaria, P. heterophylla (Tolman,1997).
- 1857. Pyrgus centaureae (Rambur,[1839])** (Hesperiidae) larva on Rubus chamaemorus (Tolman,1997).
- 1858. Pyrgus cinarae (Rambur,[1839])** (Hesperiidae) larva on Potentilla recta (Tolman,1997).
- 1859. Pyrgus cirsii (Rambur,[1839])** (Hesperiidae) larva on Potentilla reptans, P. erecta, P. verna, P. sterilis, P. cinerea (Tolman,1997).
- 1860. Pyrgus foulquieri (Oberthür,1910)** (Hesperiidae) larva on Potentilla (Tolman,1997).
- 1861. Pyrgus malvae (Linnaeus,1758)** (Hesperiidae) larva on Potentilla sterilis, P. recta, P. tabernaemontani, P. pedata, P. palustris, P. erecta, P. anglica, P. argentea, Fragaria vesca, Agrimonia eupatoria, Rubus fruticosus (Tolman, 1997).
- 1862. Pyrgus malvoides (Elwes & Edwards,1897)** (Hesperiidae) larva on Potentilla pensylvanica (Tolman,1997).
- 1863. Pyrgus onopordi (Rambur,[1839])** (Hesperiidae) larva on Malva neglecta, Malope malachoides (Tolman,1997).
- 1864. Pyrgus serratae (Rambur,[1839])** (Hesperiidae) larva on Potentilla tabernaemontani, P. reptans, P. recta, P. pedata, P. nevadensis (Tolman,1997).
- 1865. Pyrgus sidae (Esper,[1784])** (Hesperiidae) larva on Potentilla recta (Tolman, 1997).
- 1866. Spialia (Neospialia) orbifer (Hübner,[1823])** (Hesperiidae) larva on Sanguisorba minor, Potentilla sp. (Lorkovic,1973; Anikin et al., 1993).
- 1867. Spialia (Neospialia) sertorius (Hoffmannsegg,1804)** (Hesperiidae) larva on Sanguisorba minor, Potentilla verna ? Rubus idaeus ? (Tolman,1997).
- 1868. Spialia (s.str.) doris (Walker,1870)** (Hesperiidae) larva on Convolvulus lanatus from Egypt (Graves,1925); Convolvulus lanatus, C. captmedusae, C. trabutianus, Ipomoea stolonifera (Tolman,1997).
- 1869. Tagiades (s.str.) flesus (Fabricius,1781)** (Hesperiidae) larva on Dioscorea, Grewia (Ackery et al.,1995).
- 1870. Thymelicus acteon (Rottentburg,1775)** (Hesperiidae) larva on Brachypodium sylvaticum, B. pinnatum, Elymus repens, Calamagrostis epigejos (Tolman,1997).
- 1871. Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) larva on Phleum pratense, Holcus mollis, Calamagrostis epigejos, Dactylis glomerata, Agrostis capillaris, Brachypodium pinnatum, B. sylvaticum, Arrhenatherum elatius, Triticum aestivum, Alopecurus pratensis, Carex acutiformis, Lolium perenne, Phalaris arundinacea, Anthoxanthum odoratum, Elymus repens (Tolman, 1997).
- 1872. Thymelicus sylvestris (Poda,1761)** (Hesperiidae) larva on Brachypodium sylvaticum, Holcus lanatus, H. mollis, Phleum pratense (Tolman,1997).
- 1873. Xanthodisca vibius (Hewitson,1878)** (Hesperiidae) larva on Amomum (Zingiberaceae) (Ackery et al.,1995).
- 1874. Heterogynis paradoxa Rambur,1837** (Heterogynidae) larva on Genista (Meyer,1919).
- 1875. Heterogynis penella (Hübner,[1819])** (Heterogynidae) larva on Genista pilosa ssp. sylvestris, G. purgans, G. repens, G. spinosa (Meyer,1919).
- 1876. Hyblaea ibidias Turner,1902** (Hyblaeidae) larva on Pandorea jasminoides (Schaeffer et al.,1996).
- 1877. Hyblaea puera (Cramer,[1777])** (Hyblaeidae) larva on Tectona grandis, Millingtonia, Bignonia, Spathodes, Vitex trifolia, Catalpa (Reh,1925; Schaeffer et al.,1996).
- 1878. Hyblaea synaema Turner,1902** (Hyblaeidae) larva on Pandorea pandorana (Schaeffer et al.,1996).
- 1879. Imma semicitra Meyrick,1937** (Immidiae) larva on bark of Tamarindus indica (tamarind) (Fabaceae) (Robinson et al.,1994).
- 1880. Bufoidia ledereri (Koçak,1981)** (Lasiocampidae) larva on Schinus molle (Anacardiaceae), Medicago sativa, Acacia raddiana (Fabaceae), Atriplex halimus (Chenopodiaceae), Prunus (Rosaceae) (Eisenstein,1984; Wiltshire,1986; de Freina,2002).

- 1881.** *Chondrostega constantinum Aurivillius, 1898* (Lasiocampidae) larva on *Thapsia garganica* (Grünberg, 1911).
- 1882.** *Chondrostega hyrcanum (Staudinger, 1871)* (Lasiocampidae) larva on *Artemisia*, *Malcolmia turkestanica*, *Carex pachystylis*, *Calligonum griseum* (Zolotuhin, 1995).
- 1883.** *Chondrostega pastranum Lederer, 1858* (Lasiocampidae) larva on *Artemisia* (Grünberg, 1911).
- 1884.** *Cosmotriche lobulina* ([Denis & Schiffermüller], 1775) (Lasiocampidae) larva on *Pinus sylvestris* ([Denis & Schiffermüller], 1775 et seq.).
- 1885.** *Eriogaster acanthophylli Christoph, 1882* (Lasiocampidae) larva on *Atraphaxis spinosa*, *Onobrychis cornuta*, *Pistacia vera*, *Oxytropis pumila*, *Acanthophyllum*, *Acantholimon* (Christoph, 1882; Grünberg, 1911; Zolotuhin, 1995).
- 1886.** *Eriogaster catax (Linnaeus, 1758)* (Lasiocampidae) larva on *Quercus*, *Populus*, *Betula* (Grünberg, 1911).
- 1887.** *Eriogaster henkei Staudinger, 1879* (Lasiocampidae) larva on *Calligonum aphyllum*, *C. griseum* (Zolotuhin, 1995).
- 1888.** *Eriogaster lanestris (Linnaeus, 1758)* (Lasiocampidae) larva on *Acer sempervirens*, *Salix alba*, *S. amygdalia*, *Prunus*, *Cerasus*, *Rosa*, *Crataegus*, *Amygdalus*, *Spiraea*, *Malus*, *Populus*, *Ulmus* (Zolotuhin, 1995; De Freina, 1999).
- 1889.** *Eriogaster neogena (Fischer Waldheim, 1824)* (Lasiocampidae) larva on *Caragana frutex* (Zolotuhin, 1995).
- 1890.** *Eriogaster pfeifferi Daniel, 1932* (Lasiocampidae) larva on *Amygdalus*, *Crataegus*, *Prunus amygdalus*, *Prunus armeniaca* *P. persica* (Wiltshire, 1941, 1943, 1976; de Freina, 1999).
- 1891.** *Eriogaster philippii Bartel, 1911* (Lasiocampidae) larva on *Quercus* (Wiltshire, 1957).
- 1892.** *Gastropacha (Estigena) pardale (Walker, 1855)* (Lasiocampidae) larva on leaf of *Nephelium lappaceum* [rambutan] (Sapindaceae) (Lewvanich, 2001).
- 1893.** *Lasiocampa eversmanni (Kindermann, 1843)* (Lasiocampidae) larva on *Carex physodes*, *Caragana fruticosa*, *Astragalus*, *Rosa persica*, *Ferula*, *Zygophyllum gontcharovii*, *Calligonum griseum*, *C. setosum*, *C. turkestanicum*, *Artemisia*, *Ammodendron conollyi*, *Bromus tectorum*, *Ephedra strobilacea*, *Medicago* (Zolotuhin, 1995).
- 1894.** *Lasiocampa nana Staudinger, 1887* (Lasiocampidae) larva on *Lycium barbarum* (Grünberg, 1911).
- 1895.** *Lasiocampa quercus (Linnaeus, 1758)* (Lasiocampidae) larva on *Cerasus*, *Quercus* (Linnaeus, 1758; Zolotuhin, 1995).
- 1896.** *Lasiocampa serrula (Guenée, 1858)* (Lasiocampidae) larva on *Limoniastrum*, *Atriplex* (Grünberg, 1911).
- 1897.** *Lasiocampa trifolii* ([Denis & Schiffermüller], 1775) (Lasiocampidae) larva on *Artemisia*, *Lepidium*, *Quercus*, *Caragana*, *Cytisus*, *Malus*, *Hedysarum*, *Trifolium* ([Denis & Schiffermüller], 1775; Zolotuhin, 1995).
- 1898.** *Malacosoma alpicola Staudinger, 1870 / prima Staudinger, 1887* (Lasiocampidae) larva on *Polygonum* etc. (Zolotuhin, 1995).
- 1899.** *Malacosoma castrensis (Linnaeus, 1758)* (Lasiocampidae) larva on *Euphorbia*, *Peucedanum*, *Sarcopoterium spinosum*, *Artemisia*, *Geranium*, *Apiaceae* (Wiltshire, 1943; Zolotuhin, 1995; De Freina, 1999).
- 1900.** *Malacosoma franconicum* ([Denis & Schiffermüller], 1775) / *prima Staudinger, 1887* (Lasiocampidae) larva on *Quercus coccifera*, *Scabiosa*, *Artemisia*, *Achillea*, *Rumex* (Lederer, 1865; Zolotuhin, 1995).
- 1901.** *Malacosoma neustrium (Linnaeus, 1758)* (Lasiocampidae) larva on *Populus euphratica*, *Quercus*, *Betula*, *Salix*, *Malus*, *Rosa* (Zolotuhin, 1995; De Freina, 1999).
- 1902.** *Malacosoma parallellum Staudinger, 1887* (Lasiocampidae) larva on *Amygdalus*, *Malus*, *Prunus*, *Pyrus*, *Cerasus*, *Rosa*, *Sorbus*, *Crataegus*, *Cydonia*, *Chaenomeles*, *Padus*, *Ribes*, *Hippophae*, *Berberis*, *Juglans*, *Populus*, *Salix*, *Quercus*, *Atraphaxis*, *Myricaria*, *Fraxinus*, *Lonicera*, *Vitis* (Zolotuhin, 1995).
- 1903.** *Odonestis vita Moore, 1859* (Lasiocampidae) larva on leaf of *Eugenia* [rose apple], *Psidium guajava* [guava] (Myrtaceae), *Lagerstroemia speciosa* [queen's crape myrtle] (Lythraceae) (Lewvanich, 2001).
- 1904.** *Pachypasa otus (Drury, [1773])* (Lasiocampidae) larva on *Pistacia* in *Fars*, *Quercus*, *Pistacia* in *Iraq* (Wiltshire, 1943, 1957).
- 1905.** *Phylloidesma hyssarum Zolotuhin & Dubatolov, 1992* (Lasiocampidae) larva on *Populus tadshikistanica* (Degtarjova, 1973).
- 1906.** *Pocilocampa populi (Linnaeus, 1758)* (Lasiocampidae) larva on *Salix*, *Quercus* (Zolotuhin, 1995).
- 1907.** *Sena proxima (Staudinger, 1894)* (Lasiocampidae) larva on *Prosopis stephaniana* (Wiltshire, 1940, 1941, 1957).
- 1908.** *Streblote siva (Lefebvre, 1827)* (Lasiocampidae) larva on *Amygdalus spartioides*, *Zizyphus spina-christi*, *Populus euphratica*, *Tamarix*, *Punica*, *Salix*, *Prosopis stephaniana* (Wiltshire, 1957).
- 1909.** *Trabala pallida (Walker, 1855)* (Lasiocampidae) larva on leaf of *Eugenia* [rose apple], *Syzygium cumini* [black plum] (Myrtaceae), *Terminalia catappa* [tropical almond, lam phu] (Combretaceae) (Lewvanich, 2001).
- 1910.** *Trichiura crataegi (Linnaeus, 1758)* (Lasiocampidae) larva on "Escallonia serrata" [sic!] at *Amasia* (Staudinger, 1879) vide *Cerasus prostrata* (Koçak & Vural, 1998, Misc. Pap. 51: 6-7).
- 1911.** *Trichiura mirzayani Ebert, 1971* (Lasiocampidae) larva on *Pistacia*, etc. (Zolotuhin, 1995).
- 1912.** *Trichiura pistaciae Wiltshire, 1952* (Lasiocampidae) larva on *Pistacia mutica* (Wiltshire, 1952).
- 1913.** *Homaloxestis cholopsis (Meyrick, 1906)* (Lecithoceridae) larva on *Mallotus* (Euphorbiaceae) (Robinson et al., 1994).
- 1914.** *Scythriodes atonopa (Meyrick, 1918)* (Lecithoceridae) larva on leaf of *Citrus reticulata* [tangerine], *Citrus maxima* (Rutaceae) [pomelo], *Nephelium lappaceum* (Sapindaceae) [rambutan], *Litchi chinensis* (Sapindaceae) [litchi], *Eugenia* (Myrtaceae) [rose apple] (Lewvanich, 2001).
- 1915.** *Lemonia taraxaci* ([Denis & Schiffermüller], 1775) (Lemoniidae) larva on *Leontodon*, *Taraxacum* ([Denis & Schiffermüller], 1775 et seq.).
- 1916.** *Libythea (s.str.) celtis (Laicharting, 1782)* (Libytheidae) larva on *Celtis australis*, *C. caucasica*, *Ulmus* (?) minor, *U. glabra* (Tolman, 1997).
- 1917.** *Allothosea lola (Swinhoe, 1904)* (Limacodidae) larva on *Camellia* (Theaceae) (Holloway, 1986).
- 1918.** *Altha adala (Moore, 1859)* (Limacodidae) larva on *Annona* (Annonaceae), *Mangifera* (Anacardiaceae) (Pholboon, 1965).
- 1919.** *Altha nivea Walker, 1862* (Limacodidae) larva on *Camellia* (Theaceae) (Browne, 1968).
- 1920.** *Atosia daenia (Moore, 1859)* (Limacodidae) larva on *Erythrina* (Fabaceae) (Piepers & Snellen, 1900).
- 1921.** *Atosia himalayana Holloway, 1986* (Limacodidae) larva on *Ricinus communis* (Euphorbiaceae) (Sevastopulo, 1947).
- 1922.** *Birhamoides junctura (Walker, 1865)* (Limacodidae) larva on *Mangifera* (Anacardiaceae) (Holloway, 1986).
- 1923.** *Birhamula chara (Swinhoe, 1901)* (Limacodidae) larva on *Elaeis* (Palmae) (Holloway, 1986).
- 1924.** *Birthosea bisura (Moore, [1860])* (Limacodidae) larva on *Elaeis*, *Metroxylon* (Palmae), *Coffea* (Rubiaceae), *Nephelium* (Sapindaceae), *Ricinus* (Euphorbiaceae), *Lagerstroemia* (Lythraceae), *Cinnemomum* (Zingiberaceae) (Holloway, 1986).
- 1925.** *Cania bandura (Moore, 1859)* (Limacodidae) larva on *Diospyros discolor* (Ebenaceae) (Holloway, 1986).
- 1926.** *Cania striola M.Hering, 1931* (Limacodidae) larva on *Camellia* (Theaceae) (Holloway, 1986).
- 1927.** *Chalcoecelis alboguttatus (Snellen, 1879)* (Limacodidae) larva on *Cocos* (Palmae), *Coffea*, *Gardenia* (Rubiaceae), *Erythrina*, *Acacia* (Fabaceae), *Aleurites* (Euphorbiaceae), *Eugenia* (Myrtaceae), *Hydnocarpus* (Flacourtiaceae) (Piepers & Snellen, 1900; et seq.).
- 1928.** *Chalcoecelides castaneipars (Moore, 1866)* (Limacodidae) larva on *Cocos* (Palmae), *Citrus* (Rutaceae), *Cinnamomum* (Lauraceae), *Cassia* (Fabaceae), *Spondias* (Anacardiaceae), *Theobroma* (Sterculiaceae), *Trevesia* (Araliaceae) (Piepers & Snellen, 1900; Kalshoven, 1981).
- 1929.** *Cheromettia sumatrensis (Heylaerts, 1884)* (Limacodidae) larva on *Scheuchera*, *Nephelium lappaceum* (Sapindaceae) [rambutan], *Toona*, *Sandoricum koetjape* (Meliaceae) [santol]; *Musa* (Musaceae), *Elaeis* (Palmae), *Aleurites*, *Ricinus* (Euphorbiaceae), *Careya* (Barringtoniaceae), *Eugenia* (Myrtaceae), *Theobroma* (Sterculiaceae); *Ixora*, *Coffea*, *Mussaenda* (Rubiaceae); *Mangifera* (Anacardiaceae); *Erythrina*, *Butea*, *Phaseolus* (Fabaceae); *Juglans* (Juglandaceae) (Browne, 1968; Lewvanich, 2001).
- 1930.** *Darna (Orthocraspeda) bornesordida Holloway, 1986* (Limacodidae) larva on *Erythrina*, *Pterocarpus* (Fabaceae) (Holloway, 1986).
- 1931.** *Darna (Orthocraspeda) trima (Moore, [1860])* (Limacodidae) larva on *Elaeis*, *Cocos* (Palmae), *Musa* (Musaceae), *Coffea* (Rubiaceae), *Psidium*, *Eugenia* (Myrtaceae), *Imperata* (Poaceae), *Theobroma* (Sterculiaceae), *Camellia* (Theaceae), *Citrus* (Rutaceae) (Wood, 1968).
- 1932.** *Darna (Orthocraspeda) tuaranensis (Holloway, 1976)* (Limacodidae) larva on *Theobroma* (Sterculiaceae) (Holloway, 1986).
- 1933.** *Darna (Oxyplax) pallivitta (Moore, 1877)* (Limacodidae) larva on *Adenostemma* (Asteraceae), *Breynia* (Euphorbiaceae), *Areca* (Palmae), *Ficus* (Moraceae) (Holloway, 1986).
- 1934.** *Darna (Ploneta) bradleyi Holloway, 1986* (Limacodidae) larva on *Elaeis guineensis* (Palmae) (Holloway, 1986).
- 1935.** *Darna (Ploneta) diducta (Snellen, 1900)* (Limacodidae) larva on *Cocos*, *Metroxylon*, *Elaeis*, *Pinanga* (Palmae), *Musa* (Musaceae), *Eugenia*, *Syzygium cumini* (Myrtaceae), *Carica* (Caricaceae), *Annona* (Annonaceae), *Theobroma* (Sterculiaceae), *Michelia* (Magnoliaceae) (Holloway, 1986).
- 1936.** *Darna (s.str.) metaleuca (Walker, 1862)* (Limacodidae) larva on *Bombax* (Bombacaceae) (Holloway, 1986).
- 1937.** *Darna sp.* (Limacodidae) larva on *Sandoricum koetjape* (Meliaceae) [santol] (Lewvanich, 2001).
- 1938.** *Heterogenea asella* ([Denis & Schiffermüller], 1775) (Limacodidae) larva on *Betula*, *Carpinus betulus*, *Corylus*, *Fagus*, *Prunus padus*, *Quercus*, *Populus nigra* ([Denis & Schiffermüller], 1775; Meyer, 1919).
- 1939.** *Idonauton apicalis (Walker, 1855)* (Limacodidae) larva on *Litchi chinensis* [litchi], *Dimocarpus longan* (Sapindaceae) [longan]; *Cocos* (Palmae) (Holloway, 1986; Lewvanich, 2001).
- 1940.** *Iragoides conjuncta (Walker, 1855)* (Limacodidae) larva on leaf of *Citrus maxima* [pomelo] (Rutaceae), *Senna occidentalis* [coffea senna] (Fabaceae) (Lewvanich, 2001).
- 1941.** *Lymantricodes pulverulenta (M.Hering, 1931)* (Limacodidae) larva on *Malus* (Rosaceae) (Holloway, 1986).
- 1942.** *Miresa albipuncta (Herrich-Schäffer, [1854])* (Limacodidae) larva on *Nephelium lappaceum* [rambutan], *Dimocarpus longan* (Sapindaceae) [longan], *Eugenia* (Myrtaceae) [rose apple], *Rosa* (Rosaceae), *Coffea* (Rubiaceae) [coffee], *Spondias pinnata* (Anacardiaceae) [hog plum], *Erythrina variegata* (Fabaceae) [Indian coral tree], *Ziziphus mauritiana* (Rhamnaceae) [jujube], *Combretum quadrangulare* (Combretaceae) [sakaena], *Stereospermum neuranthum* (Bignoniaceae) [khae sai] (Lewvanich, 2001).
- 1943.** *Miresa bracteata Butler, 1880* (Limacodidae) larva on *Mangifera*, *Buchanania* (Anacardiaceae), *Alseodaphne* (Lauraceae), *Terminalia* (Combretaceae), *Coffea*, *Cinchona* (Rubiaceae) (Piepers & Snellen, 1900; et seq.).
- 1944.** *Narosa daenia (Moore, 1859)* (Limacodidae) larva on *Theobroma cacao* (Cocoa) (Sterculiaceae); *Ricinus communis* (Euphorbiaceae) (Barlow, 1982).
- 1945.** *Parasa bimaculata Snellen, 1897* (Limacodidae) larva on *Mangifera* (Anacardiaceae), *Nephelium* (Sapindaceae) (Holloway, 1986).
- 1946.** *Parasa canangae M.Hering, 1931* (Limacodidae) larva on *Populus* (Salicaceae), *Cananga odorata* (Annonaceae), *Ricinus* (Euphorbiaceae) (Hering, 1931; Holloway, 1986).
- 1947.** *Parasa darma Moore, [1860]* (Limacodidae) larva on *Cocos* (Palmae) (Holloway, 1986).

- 1948.** *Parasa lepida* (Cramer,[1779]) (Limacodidae) larva on Nephelium lappaceum [rambutan], Dimocarpus longan (Sapindaceae) [longan], Prunus persica (Rosaceae) [peach], Cocos nucifera (Palmae) [coconut], Chrysaliocarpus lutescens (Palmae) [yellow palm], Ixora (Rubiaceae) [khem] (Lewvanich,2001).
- 1949.** *Parasa sp.* (Limacodidae) larva on Syzygium cumini (Myrtaceae) [black plum] (Lewvanich,2001).
- 1950.** *Parasa sundalepida* Holloway,1986 (Limacodidae) larva on Aleurites (Euphorbiaceae), Cocos (Palmae), Coffea (Rubiaceae), Acacia (Fabaceae) (Holloway,1986).
- 1951.** *Phocodermis velutina* (Kollar,1844) (Limacodidae) larva on leaf of Nephelium lappaceum [rambutan] (Sapindaceae), Combretum quadrangulare [sakaena], Terminalia (Combretaceae), Lannea (Odina), Mangifera (Anacardiaceae), Sapium (Euphorbiaceae), Bombax (Bombacaceae) (Brown,1968; Holloway,1986; et seq.).
- 1952.** *Praesetora albitermina* (M.Hering,1931) (Limacodidae) larva on Mangifera (Anacardiaceae), Terminalia (Combretaceae), Eugenia (Myrtaceae) (Holloway,1986).
- 1953.** *Pseudonirermides sola* (Swinhoe,1901) (Limacodidae) larva on Cocos (Palmae) (Holloway,1986).
- 1954.** *Scopelodes pallivittata* Snellen,1886 (Limacodidae) larva on Musa (Musaceae) (Piepers & Snellen,1900).
- 1955.** *Scopelodes unicolor* Westwood,1841 (Limacodidae) larva on Theobroma (Sterculiaceae), Eugenia (Myrtaceae), Ricinus (Euphorbiaceae), Nephelium (Sapindaceae) (Piepers & Snellen,1900; et seq.).
- 1956.** *Setora fletcheri* Holloway,1987 (Limacodidae) larva on leaf of Cocos nucifera [coconut] (Palmae), Elaeis guineensis [oil palm] (Palmae), Syzygium cumini [black plum] (Myrtaceae) (Lewvanich,2001).
- 1957.** *Setothoea asigna* (Van Eecke,1929) (Limacodidae) larva on Elaeis, Cocos (Palmae) (Wood,1968).
- 1958.** *Susica everetti* Holloway,1982 (Limacodidae) larva on Musa (Musaceae), Antidesma (Stilaginaceae) (Holloway,1986).
- 1959.** *Susica himalayana* Holloway,1982 (Limacodidae) larva on Elaeis guineensis (Palmae), Macaranga (Euphorbiaceae) (Barlow,1982).
- 1960.** *Susica malayana* M.Hering,1931 (Limacodidae) larva on Elaeis guineensis (Palmae) (Wood,1968).
- 1961.** *Susica obscura* Holloway,1982 (Limacodidae) larva on Macaranga (Euphorbiaceae) (Holloway,1986).
- 1962.** *Thoea borneensis* M.Hering,1931 (Limacodidae) larva on Musa (Musaceae), Camellia (Theaceae), Citrus (Rutaceae), Phaseolus, Erythrina (Fabaceae), Psidium (Myrtaceae), Cinchona (Rubiaceae), Mangifera (Anacardiaceae), Shorea (Dipterocarpaceae), Punica (Punicaceae), Cordia (Ehretiaceae) (Holloway,1986).
- 1963.** *Thoea lutea* Heylaerts,1890 (Limacodidae) larva on Camellia (Theaceae), Coffea (Rubiaceae), Piper (Piperaceae) (Kalshoven,1981).
- 1964.** *Thoea siamca* Holloway,1987 (Limacodidae) larva on leaf of Cocos nucifera [coconut] (Palmae), Rosa (Rosaceae) (Lewvanich,2001).
- 1965.** *Thoea vetusta* (Walker,1862) (Limacodidae) larva on Elaeis; Musa (Musaceae), Camellia (Theaceae), Acornus (Araceae) (Kalshoven,1981).
- 1966.** *Trichogya semifascia* Hampson,1894 (Limacodidae) larva on Coffea (Rubiaceae), Lagerstroemia (Lythraceae), Theobroma (Sterculiaceae) (Holloway,1986).
- 1967.** *Allotinus (Paragerydus) unicolor* C.Felder & R.Felder,[1865] (Lycaenidae) larva on Chromolaena odorata [sap sue] (Asteraceae) (Lewvanich,2001).
- 1968.** *Aloicides damarensis* (Trimen,1891) (Lycaenidae) larva on Aspalathus (Fabaceae) (Pringle et al.,1994).
- 1969.** *Amblypodia anita* Hewitson,1862 (Lycaenidae) larva feeds of leaf of Cananga odorata (Anonaceae) [kradang nga thai] (Lewvanich,2001).
- 1970.** *Anthene emolus* (Godart,[1824]) (Lycaenidae) larva feeds on leaf of Mangifera indica (Anacardiaceae) [mango], Eugenia (Myrtaceae) [rose apple], Lagerstroemia speciosa (Lythraceae) [queen's crape myrtle] (Lewvanich,2001).
- 1971.** *Anthene princeps* (Butler,1876) (Lycaenidae) larva on Entada, Millettia (Fabaceae) (Ackery et al.,1995).
- 1972.** *Arhopala pseudocentaurus* Doubleday,1847 (Lycaenidae) larva feeds on flower of Mangifera indica (Anacardiaceae) [mango], Eugenia (Myrtaceae) [rose apple] (Lewvanich,2001).
- 1973.** *Azanus (Azanisis) isis* (Drury,[1773]) (Lycaenidae) larva on Fabaceae (Dichrostachys) (Ackery et al.,1995).
- 1974.** *Azanus (s.str.) jesous* (Guérin-Méneville,1849) (Lycaenidae) larva on Fabaceae (Acacia gumifera, Dichrostachys, Medicago, Entada); Prosopis farcta (Ackery et al.,1995; Tolman,1997).
- 1975.** *Azanus (s.str.) mirza* (Plötz,1880) (Lycaenidae) larva on Fabaceae (Acacia, Dichrostachys), Sapindaceae (Allophylus) [on flowers and buds] (Ackery et al.,1995).
- 1976.** *Azanus (s.str.) moriqua* (Wallengren,1857) (Lycaenidae) larva on Fabaceae (Acacia) [on flowers and buds] (Ackery et al.,1995).
- 1977.** *Azanus (s.str.) natalensis* (Trimen & Bowker,1887) (Lycaenidae) larva on Fabaceae (Acacia karroo, A.abyssinica) [on flowers and buds] (Pringle et al.,1994; Ackery et al.,1995).
- 1978.** *Azanus (s.str.) ubaldus* (Stoll,[1782]) (Lycaenidae) larva on Fabaceae (Acacia raddiana, A. seyal) (Ackery et al.,1995; Tolman,1997).
- 1979.** *Azanus (s.str.) urios* Riley & Godfrey,1921 (Lycaenidae) butterflies are found around Pithecellobium dulce, Prosotus (Pinratana,1981).
- 1980.** *Caleta caleta* (Hewitson,[1876]) (Lycaenidae) larva on Zizyphus rugosa (Rhamnaceae) (Robinson et al.,2005).
- 1981.** *Caleta decidia* (Hewitson,[1876]) (Lycaenidae) larva on Rhamnaceae (Robinson et al.,2005).
- 1982.** *Caleta elna* (Hewitson,[1876]) (Lycaenidae) larva on Zizyphus oenoplia, Z.mauritiana (Rhamnaceae) (Robinson et al.,2005).
- 1983.** *Caleta roxus* (Godart,[1824]) (Lycaenidae) larva on Rhamnaceae (Robinson et al.,2005).
- 1984.** *Callophrys avis* Chapman,1909 (Lycaenidae) larva on Arbutus unedo, Salvia verbenaca, Viburnum tinus, Coriaria myrtifolia (Tolman,1997).
- 1985.** *Callophrys rubi* (Linnaeus,1758) (Lycaenidae) larva on Cytisus scoparius, C. nigricans, C. villosus, Genista tinctoria, G. angelica, G. pilosa, G. germanica, G. (?) corsica, Chamaespartium sagittale, Chamaecytisus hirsutus, C. iliatus, C. eriocarpus; Ulex europaeus, U. minor, Anthyllis vulneraria, Dorycnium hirsutum, D. suffruticosum, Onobrychis viciifolia, Helianthemum nummularium; ayrica Arbutus, Vaccinium, Rhamnus, Frangula, Cornus ve Rubus'un çiçek ve meyvaları (Tolman,1997); Calophaca songorica (Zhdanko,1997).
- 1986.** *Callophrys suaveola* (Staudinger,1881) (Lycaenidae) larva on Ferula spp. (Zhdanko,2000).
- 1987.** *Castalius rosomon* (Fabricius,1775) (Lycaenidae) larva on Paliurus ramosissimus, Zizyphus jujuba, Z. mauritiana, Z. oenoplia (Rhamnaceae) (Robinson et al.,2005).
- 1988.** *Catochrysops panormus* (C.Felder,1860) (Lycaenidae) larva on Cajanus cajan, Dolichos, Phaseolus, Vigna (Fabaceae) (Robinson et al.,2005).
- 1989.** *Catochrysops strabo* (Fabricius,1793) (Lycaenidae) larva on Cajanus cajan, Acacia, Dolichos, Butea monosperma, Phaseolus, Desmodium dalbergioides, D.heterocarpon, Dunbaria villosa (Fabaceae) (Robinson et al.,2005).
- 1990.** *Celastrina argiolus* (Linnaeus,1758) (Lycaenidae) larva on Malus sieversii, Cuscuta engelmannii (Zhdanko,1997); Rubus fruticosus, R. idaeus, R. discolor, Filipendula ulmaria, Discolores, Pyracantha coccinea, Ulex europaeus, Genista tinctoria, Spartium junceum, Dorycnium pentaphyllum, Medicago sativa, Astragalus glycyphyllos, Melilotus alba, M. officinalis, Galega officinalis, Colutea arborescens, Robinia pseudacacia, Euonymus europaeus, Clematis vitalba, Rhamnus catharticus, Frangula alnus, Humulus lupulus, Calluna vulgaris, Erica, etc. (Tolman,1997).
- 1991.** *Cheritra freja* (Fabricius,1793) (Lycaenidae) larva on leaf of Litchi chinensis [litchi], Mischocarpus undulatus (Sapindaceae), Macadamia integrifolia [macadamia nut] (Proteaceae), Polyalthia viridis [yang on], Mangifera indica, Monocarpia marginalis (Annonaceae); Adenathera pavonina, Derris elliptica, Xylia xylocarpa (Fabaceae), Cinnamomum zeylanicum (Lauraceae) (Lewvanich,2001; et seq.).
- 1992.** *Chilades (Freyeria) trochylus* (Freyer,[1843]) (Lycaenidae) larva on Heliotropium hirsutissimum, Andrachne telephifolia (Tolman,1997).
- 1993.** *Chilades cleusis* (Demaision,1888) (Lycaenidae) larva on Acacia (Fabaceae) (Ackery et al.,1995).
- 1994.** *Chilades kedonga* (Grose-Smith,1898) (Lycaenidae) larva on Acacia (Fabaceae) (Ackery et al.,1995).
- 1995.** *Cigaritis allardi* Oberthür,1909 (Lycaenidae) larva on Genista quadriflora, Cistus salvifolius, Fumara thymifolia, Helianthemum hirtum ruficomum (Tolman,1997).
- 1996.** *Cigaritis epargyros* (Eversmann,1854) (Lycaenidae) larva on Alhagi pseudolhagi, A. canescens (Zhdanko,1997).
- 1997.** *Cigaritis myrmecophila* Dumont,1922 (Lycaenidae) larva on Calligonum comosum (Tolman,1997).
- 1998.** *Cigaritis zohra* Donzel,1847 (Lycaenidae) larva on Coronilla minima (1,2 instars) (Tolman,1997).
- 1999.** *Cupido (Everes) alcetas* (Hoffmannsegg,1804) (Lycaenidae) larva on Coronilla varia, Galega officinalis (Tolman,1997).
- 2000.** *Cupido (Everes) argiades* (Pallas,1771) (Lycaenidae) larva on Lotus corniculatus, L. uliginosus, Coronilla varia, Medicago sativa, M. lupulina, Trifolium pratense, Astragalus glycyphyllos (Zhdanko,1997; Tolman,1997).
- 2001.** *Cupido (Everes) decoloratus* (Staudinger,1886) (Lycaenidae) larva on Medicago lupulina, M. sativa (Tolman,1997).
- 2002.** *Cupido (s.str.) buddhista* (Alpheraky,1881) (Lycaenidae) larva on Oxytropis pagobia, O. trajectorium, O. microspheara (Zhdanko,1997).
- 2003.** *Cupido (s.str.) carswelli* Stempffer,1927 (Lycaenidae) larva on Anthyllis vulneraria (Tolman,1997).
- 2004.** *Cupido (s.str.) lorquinii* (Herrich-Schäffer,[1851]) (Lycaenidae) larva on Anthyllis vulneraria (Tolman,1997).
- 2005.** *Cupido (s.str.) minimus* (Fuessly,1775) (Lycaenidae) larva on Anthyllis vulneraria (Tolman,1997).
- 2006.** *Cupido (s.str.) osiris* (Meigen,[1829]) (Lycaenidae) larva on Onobrychis viciifolia, O. montana, O. arenaria (Tolman,1997).
- 2007.** *Cupido (s.str.) proscusa* (Erschoff,1874) (Lycaenidae) larva on Sphaerophysa salsula, Halimodendron halodendron (Zhdanko,1997).
- 2008.** *Cyclirius webbianus* (Brullé,[1840]) (Lycaenidae) larva on Cytisus canariensis, Spartocytisus rubigenus, Lotus sessilifolius, L. hillebrandii, L. glaucus, Adenocarpus viscosus, Teline stenopetala (Tolman,1997).
- 2009.** *Deudorix (Virachola) isocrates* (Fabricius,1793) (Lycaenidae) larva bores fruit of Punica granatum (Punicaceae) (Lewvanich,2001).
- 2010.** *Deudorix (Virachola) livia* (Klug,1834) (Lycaenidae) larva on Acacia, Phoenix, Punica, Eriobotrya, Olea (Müller et al.,2005).
- 2011.** *Deudorix (s.str.) epjarbas* (Moore,[1858]) (Lycaenidae) larva on Nephelium lappaceum [rambutan] (Sapindaceae) (Lewvanich,2001).
- 2012.** *Euchrysops barkeri* (Trimen,1893) (Lycaenidae) larva on Bignoniaceae (Tecomaria), Fabaceae (Crotalaria, Eriosema, Ocimum, Rhynchosia, Vigna) (Ackery et al.,1995).
- 2013.** *Euchrysops dolorosa* (Trimen,1887) (Lycaenidae) larva on Fabaceae (Vigna), Lamiaceae (Becium, Salvia) (Ackery et al.,1995).
- 2014.** *Flos apidanus* (Cramer,[1777]) (Lycaenidae) larva on Eugenia [rose apple] (Myrtaceae) (Lewvanich,2001).
- 2015.** *Glaucopsyche (Apelles) melanops* (Boisduval,1828) (Lycaenidae) larva on Dorycnium decumbens, D. suffruticosum, Genista, Lotus hispidus, Anthyllis cytisoides (Tolman,1997).
- 2016.** *Glaucopsyche (s.str.) aeruginosa* (Staudinger,1881) (Lycaenidae) larva on Hedysarum songoricum (Zhdanko,1997).

- 2017.** *Glauropsyche (s.str.) alexis (Poda,1761)* (Lycaenidae) larva on *Onobrychis radiata* (Weidenhoffer & Vanek,1977); *Astragalus onobrychis*, *A. glycyphyllos*, *Galega officinalis*, *Vicia*, *Coronilla varia*, *Calycotome villosa*, *Spartium junceum*, *Medicago*, *Melilotus alba*, *Onobrychis*, *Cytisus*, *Colutea arborascens* (Tolman,1997).
- 2018.** *Heliophorus (Nesa) sena (Kollar,[1844])* (Lycaenidae) larva on *Abutilon* (Malvaceae), *Rumex hastulata* (Polygonaceae) (Robinson et al.,2005).
- 2019.** *Heliophorus (s.str.) brahma (Moore,1888)* (Lycaenidae) larva on *Rumex* (Polygonaceae) (Robinson et al.,2005).
- 2020.** *Heliophorus (s.str.) epicles (Godart,[1824])* (Lycaenidae) larva on *Polygonum chinense* (Polygonaceae) (Robinson et al.,2005).
- 2021.** *Heliophorus (s.str.) ila (De Nicéville,1896)* (Lycaenidae) larva on *Rumex*, *Polygonum chinense* (Polygonaceae) (Robinson et al.,2005).
- 2022.** *Heliophorus (s.str.) kiana* (Lycaenidae) larva on *Polygonum chinense* (Polygonaceae) (Robinson et al.,2005).
- 2023.** *Helleia helle (Denis & Schiffermüller,[1775])* (Lycaenidae) larva on *Polygonum bistorta*, *P. viviparum* (Tolman, 1997); *Polygonum nitens* ? (Zhdanko, 1997).
- 2024.** *Heodes (Loweia) tityrus (Poda,1761)* (Lycaenidae) larva on *Rumex acetosa*, *R. scutatus* (Tolman, 1997).
- 2025.** *Heodes (s.str.) ottomanus (Lefébvre,[1830])* (Lycaenidae) larva on *Rumex acetosella*, *R. hydrolapathum*, *R. acetosa*, *Polygonum aviculare* (Tolman, 1997).
- 2026.** *Heodes (s.str.) virgaureae (Linnaeus,1758)* (Lycaenidae) larva on *Rumex acetosa* (Tolman, 1997).
- 2027.** *Hyrcanana pamira Nekrutenko,1983* (Lycaenidae) larva on *Polygonum paronychioides* ? (Zhdanko, 1997).
- 2028.** *Hyrcanana sultan (Lang,1884)* (Lycaenidae) larva on *Polygonum paronychioides* (Zhdanko, 1997).
- 2029.** *Iolana andreasi (Sheljuzhko,1919)* (Lycaenidae) larva on *Colutea atabaei* (=kopetdaghensis) (Kuznetsov, 1960; Zhdanko, 1997).
- 2030.** *Iolana gigantea (Groum-Grshimailo,1895)* (Lycaenidae) larva on *Colutea paulsenii* (Zhdanko, 1997).
- 2031.** *Iolana iolas (Ochsenheimer,1816)* (Lycaenidae) larva on *Colutea arborescens*, *C. cilicica* (Tolman,1997).
- 2032.** *Laeosopis evippus (Hübner,1793)* (Lycaenidae) larva on *Fraxinus excelsior* (Tolman,1997).
- 2033.** *Lampides boeticus (Linnaeus,1767)* (Lycaenidae) larva on *Alhagi*, *Colutea persica*, *C. paulsenii*, *C. cilicica*; *Cassia didymobothrya*, *Pisum sativum*, *Chamaecytisus palmensis*, *Helianthemum helianthemoides*, *Phaseolus vulgaris*, *Cercis siliquastrum*, *Robinia pseudacacia* (Zhdanko,1997; Tolman,1997).
- 2034.** *Lepidochrysops patricia (Trimen,1887)* (Lycaenidae) larva on *Lantana salvifolia*, *L. camara*, *L. rugosa* (Verbenaceae); *Salvia repens* (Lamiaceae) (Murray,1935; Clarke & Dickson,1957; Willams,1996).
- 2035.** *Lepidochrysops rossouwi Henning & Henning,1994* (Lycaenidae) larva on *Lantana rugosa* (Verbenaceae) (Williams, in Pringle, et al., 1994).
- 2036.** *Leptotes pirithous (Linnaeus,1767)* (Lycaenidae) larva on *Lythrum salicaria*, *Calluna vulgaris*, *Sambucus ebulus*, *Jasminum*, *Quercus suber*, *Galega officinalis* (Tolman,1997).
- 2037.** *Lycaena (s.str.) phlaeas (Linnaeus,1761)* (Lycaenidae) larva on *Rumex acetosella*, *R. acetosa*, *R. hydrolapathum*, *R. scutatus*, *R. thyrsoides*, *R. papilio*, *R. vesicarius*, *R. tingitanus*, *R. maderensis*, *Polygonum aviculare* (Tolman, 1997; Zhdanko, 1997).
- 2038.** *Maculinea alcon (Denis & Schiffermüller,[1775])* (Lycaenidae) larva on *Gentiana pneumonanthe*, *G. asclepiacea*, ? *G. cruciata* (Tolman, 1997); *Gentiana tianschanica* (Zhdanko, 1997).
- 2039.** *Maculinea arion (Linnaeus,1758)* (Lycaenidae) larva on *Thymus serpyllum*, *T. praecox* (Tolman, 1997); *Ziziphora clinodoides* (Zhdanko, 1997).
- 2040.** *Maculinea nausithous (Bergsträßer,[1779])* (Lycaenidae) larva on *Sanguisorba officinalis* (Tolman,1997).
- 2041.** *Maculinea rebeli (Hirschke,1904)* (Lycaenidae) larva on *Gentiana cruciata*, *G. germanica*, *G. asclepiadea* (Tolman, 1997).
- 2042.** *Maculinea telejus (Bergsträßer,[1779])* (Lycaenidae) larva on *Sanguisorba officinalis* (Tolman, 1997).
- 2043.** *Marglycaena margelanica (Staudinger,1881)* (Lycaenidae) larva on *Atraphaxis pyrifolia* (Zhdanko, 1997).
- 2044.** *Neolycaena (Rhymnaria) aeto Zhdanko,[1996]* (Lycaenidae) larva on *Caragana turkestanica* (Zhdanko,2000).
- 2045.** *Neolycaena (Rhymnaria) davidi (Oberthür,1881)* (Lycaenidae) larva on *Caragana pygmaea*, *C. microphylla* (Korshunov & Gorbunov, 1995).
- 2046.** *Neolycaena (Rhymnaria) eckweileri Lukhtanov,1993* (Lycaenidae) larva on *Onobrychis* sp.? (Lukhtanov & Lukhtanov, 1994); *Caragana aurantiaca* (Zhdanko, 1997).
- 2047.** *Neolycaena (Rhymnaria) falkovitshi Zhdanko & Korshunov,1985* (Lycaenidae) larva on *Caragana frutex* ? (Korshunov, 1985).
- 2048.** *Neolycaena (Rhymnaria) irkuta Zhdanko,[1996]* (Lycaenidae) larva on *Caragana* sp. ? (Zhdanko, 2000).
- 2049.** *Neolycaena (Rhymnaria) rhymnus (Eversmann,1832)* (Lycaenidae) larva on *Caragana frutex* (Zhdanko, 1997).
- 2050.** *Neolycaena (Rhymnaria) sajana Zhdanko,[1996]* (Lycaenidae) larva on *Caragana* sp. (Zhdanko,2000).
- 2051.** *Neolycaena (Rhymnaria) submontana Zhdanko,[1996]* (Lycaenidae) larva on *Astragalus arbuscula* (Zhdanko, 1997).
- 2052.** *Neolycaena (Rhymnaria) tengstroemi (Erschoff,1874)* (Lycaenidae) larva on *Caragana grandiflora*, *Astragalus paucijugis* (Lukhtanov & Lukhtanov, 1994; Zhdanko, 1997).
- 2053.** *Neolycaena (s.str.) lunara Zhdanko,1998* (Lycaenidae) larva on *Caragana turkestanica* ? (Zhdanko,2000).
- 2054.** *Neolycaena (s.str.) medea Zhdanko,1998* (Lycaenidae) larva on *Caragana* sp. (Zhdanko,2000).
- 2055.** *Neolycaena (s.str.) olga Lukhtanov,1999* (Lycaenidae) larva on *Caragana* sp. (Zhdanko,2000).
- 2056.** *Neolycaena (s.str.) pretiosa (Lang,1884)* (Lycaenidae) larva on *Caragana turkestanica* (Zhdanko, 1997).
- 2057.** *Neolycaena (s.str.) sinensis (Alpheraky,1881)* (Lycaenidae) larva on *Caragana aurantiaca* (Zhdanko, 1997).
- 2058.** *Palaeochrysophanus candens (Herrich-Schäffer,[1845])* (Lycaenidae) larva on *Rumex acetosa* (Tolman, 1997).
- 2059.** *Palaeochrysophanus hippothoe (Linnaeus,1761)* (Lycaenidae) larva on *Polygonum bistorta*, *Rumex acetosa* (Tolman,1997).
- 2060.** *Phoenicurusia alexandra (Püngeler,1901)* (Lycaenidae) larva on *Atraphaxis spinosa* (Zhdanko, 1997).
- 2061.** *Phoenicurusia athamantis (Eversmann,1854)* (Lycaenidae) larva on *Atraphaxis spinosa* (Zhdanko, 1997).
- 2062.** *Phoenicurusia dimorpha (Staudinger,1881)* (Lycaenidae) larva on *Atraphaxis spinosa*, *A. laetevirens* (Zhdanko, 1997).
- 2063.** *Phoenicurusia eitschbergeri (Lukhtanov,1993)* (Lycaenidae) larva on *Atraphaxis* sp. (Lukhtanov & Lukhtanov, 1994).
- 2064.** *Phoenicurusia phoenicura (Lederer,1870)* (Lycaenidae) larva on *Atraphaxis spinosa* (Zhdanko, 1997).
- 2065.** *Phoenicurusia rushanica (Zhdanko,1990)* (Lycaenidae) larva on *Atraphaxis spinosa* (Zhdanko, 1997).
- 2066.** *Phoenicurusia sogdiana (Zhdanko,1990)* (Lycaenidae) larva on *Atraphaxis spinosa* (Zhdanko, 1997).
- 2067.** *Plebejus (Alpherakya) devanicus (Moore,1874)* (Lycaenidae) larva on *Pseudosedum* sp. ? (Zhdanko, 1997).
- 2068.** *Plebejus (Alpherakya) sartus (Alpheraky,1881)* (Lycaenidae) larva on *Pseudosedum longidentatum*, *Rosularia kokandica* (Zhdanko, 1997).
- 2069.** *Plebejus (Kretania) carmon (Gerhard,[1851])* (Lycaenidae) larva on *Astragalus (Astracantha) rumelica*, *A. gummifera* (Tolman,1997).
- 2070.** *Plebejus (Lycaeides) argyrognomon (Bergsträßer,[1779])* (Lycaenidae) larva on *Coronilla varia*, *Astragalus glycyphyllos* (Tolman, 1997); *Astragalus brachilobus*, *A. sogotensis* (Zhdanko, 1997).
- 2071.** *Plebejus (Lycaeides) christophi (Staudinger,1874)* (Lycaenidae) larva on *Alhagi* sp. (Christoph, 1877); *Hyppophae rhamnoides* (Degtjareva & Stshetkin, 1975); *Alhagi pseudalhagi* (Zhdanko, 1997).
- 2072.** *Plebejus (Lycaeides) idas (Linnaeus,1761)* (Lycaenidae) larva on *Cytisus scoparius*, *Genista pilosa*, *Lotus corniculatus*, *Melilotus alba*, *Anthyllis vulneraria*, *Calluna vulgaris* (Tolman, 1997); *Astragalus alpinus*, *Cicer flexuosum* (Zhdanko, 1997).
- 2073.** *Plebejus (Lycaeides) maracandicus (Erschoff,1874)* (Lycaenidae) larva on *Astragalus sogotensis* (Zhdanko,1997).
- 2074.** *Plebejus (Lycaeides) nushibi Zhdanko,2000* (Lycaenidae) larva on *Onobrychis* sp. (Zhdanko,2000).
- 2075.** *Plebejus (Lycaeides) pseudoaegon (Butler,[1882])* (Lycaenidae) larva on *Vicia amoena* (Dantchenko, in print).
- 2076.** *Plebejus (Plebejides) allardi (Oberthür,1874)* (Lycaenidae) larva on *Astragalus caprinus* (Tolman, 1997).
- 2077.** *Plebejus (Plebejides) martini (Allard,1867)* (Lycaenidae) larva on *Astragalus armatus*, *Astragalus incanus incurvus*, *Astragalus massiliensis*, *Acanthyllis numidia* (Tolman, 1997).
- 2078.** *Plebejus (Plebejides) pylaon (Fischer v. Waldheim,1832)* (Lycaenidae) larva on *Astragalus exscapus*, *A. dasyanthus*, *A. parnassi cyllenus*, *A. angustifolius*, *Astracantha rumelica* (Tolman, 1997); *Astragalus rupifragus* (Zhdanko, 1997).
- 2079.** *Plebejus (Plebejides) vogelii (Oberthür,1910)* (Lycaenidae) larva on *Erodium petraeum crispum* (Tolman, 1997).
- 2080.** *Plebejus (ardis-gr) evermanni (Lang,1884)* (Lycaenidae) larva on *Chesneya ternata*, *C. quinata*, *C. gissarica* (Zhdanko, 1997).
- 2081.** *Plebejus (s.str.) argus (Linnaeus,1758)* (Lycaenidae) larva on *Lotus*, *Ulex*, *Cytisus*, *Genista*, *Colutea*, *Astragalus*, *Ononis*, *Medicago*, *Hippocrepis*, *Coronilla*, *Galega*, *Helianthemum*, *Calluna vulgaris*, ? *Erica* (Tolman,1997).
- 2082.** *Polyommatus (Agriades (s.str.)) aquilo (Boisduval,1832)* (Lycaenidae) larva on *Saxifraga aizoides*, *S. oppositifolia* (Tolman, 1997).
- 2083.** *Polyommatus (Agriades (s.str.)) diodorus (Bremer,1861)* (Lycaenidae) larva on *Saxifraga stelleriana* (Korshunov & Gorbunov,1995; Zhdanko,1997).
- 2084.** *Polyommatus (Agriades (s.str.)) glandon (De Prunner,1798)* (Lycaenidae) larva on *Vitaliana [Androsace] primuliflora*, *Androsace obtusifolia*, *A. chamaejasme* (Tolman, 1997).
- 2085.** *Polyommatus (Agriades (s.str.)) pheretiades (Eversmann,1843)* (Lycaenidae) larva on *Androsace lehmanniana* (Zhdanko, 1997).
- 2086.** *Polyommatus (Agriades (s.str.)) pyrenaicus (Boisduval,1840)* (Lycaenidae) larva on *Androsace villosa* (Tolman,1997).
- 2087.** *Polyommatus (Albulina (Plebejidea)) cyane (Eversmann,1837)* (Lycaenidae) larva on *Goniolimon cuspidatum*, *Limonium leptolobum* (Zhdanko, 1997).
- 2088.** *Polyommatus (Albulina (Plebejidea)) elvira (Eversmann,1854)* (Lycaenidae) larva on *Alhagi* sp. ? (Lukhtanov & Lukhtanov, 1994); *Goniolimon gmelinii* (Zhdanko, 1997).
- 2089.** *Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)* (Lycaenidae) larva on *Astragalus spinosus*, *A. sieberi* (Tolman,1997).
- 2090.** *Polyommatus (Albulina (Plebejidea)) miris (Staudinger,1881)* (Lycaenidae) larva on *Astragalus balchaschensis* (Zhdanko, 1997).
- 2091.** *Polyommatus (Albulina (Vacciniina)) optilete (Knoch,1781)* (Lycaenidae) larva on *Vaccinium uliginosum*, *V. myrtillus*, *V. oxycoccus*, *Erica tetralix* (Tolman, 1997).
- 2092.** *Polyommatus (Albulina (Vacciniina)) sieversii (Christoph,1873)* (Lycaenidae) larva on *Astragalus sericeopuberulus* (Zhdanko, 1997).

- 2093. Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) larva on Geranium sanguineum, G. sylvaticum, G. tuberosum, G. palustre, G. pratense, G. cinereum (Tolman, 1997); Erodium absinthoides armenum (det. N.Adigüzel) (Koçak, in litt.).
- 2094. Polyommatus (Aricia (Pseudoaricia)) nicias (Meigen,1830)** (Lycaenidae) larva on Geranium sylvaticum, G. pratense (Tolman, 1997).
- 2095. Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838])** (Lycaenidae) larva on Geranium asphodeloides, G. sanguineum [lower altitudes]; G. macrorrhizum, G. cinereum [upper altitudes] (Tolman, 1997).
- 2096. Polyommatus (Aricia (Ultraaricia)) morronensis Ribbe,1910** (Lycaenidae) larva on Erodium cicutarium, E. ciconium, E. malacoides, Erodium foetidum var. glandulosum (Tolman,1997; Dantart & Lockwood,2002).
- 2097. Polyommatus (Aricia (Umpria)) chinensis (Murray,1874)** (Lycaenidae) larva on Erodium oxyrhynchum (Zhdanko, 1997).
- 2098. Polyommatus (Aricia (Umpria)) scythissus (Nekrutenko,1985)** (Lycaenidae) larva on Geranium saxatile (Zhdanko, 1997).
- 2099. Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],[1775])** (Lycaenidae) larva on Helianthemum nummularium, Erodium cicutarium, E. ciconium, Geranium tuberosum, G. asphodeloides, G. sanguineum (Tolman, 1997); Geranium collinum, G. divaricatum (Zhdanko, 1997).
- 2100. Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae) larva on Helianthemum nummularium (Tolman, 1997).
- 2101. Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae) larva on Onobrychis viciifolia, O. caput-galli (Tolman,1997).
- 2102. Polyommatus (s.str. (Agrodiaetus (Admetusia))) aroaniensis (Brown,1976)** (Lycaenidae) larva on Onobrychis arenaria (Tolman,1997).
- 2103. Polyommatus (s.str. (Agrodiaetus (Admetusia))) fabressei (Oberthür,1910)** (Lycaenidae) larva on Onobrychis viciifolia (Tolman,1997).
- 2104. Polyommatus (s.str. (Agrodiaetus (Admetusia))) humedae (Toso & Balletto,1976)** (Lycaenidae) larva on Onobrychis viciifolia (Tolman,1997).
- 2105. Polyommatus (s.str. (Agrodiaetus (Admetusia))) nephohiptamenos (Brown & Coutsis,1978)** (Lycaenidae) larva on Onobrychis montana scardica (Tolman,1997).
- 2106. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) larva on Onobrychis viciifolia, O. arenaria, O. saxatilis, O. alba, O. montana (Tolman, 1997); Hedysarum montanum (Zhdanko, 1997).
- 2107. Polyommatus (s.str. (Agrodiaetus (Antidolus))) ainsae (Forster,1961)** (Lycaenidae) larva on Onobrychis ? viciifolia (Tolman,1997).
- 2108. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dolus (Hübner,[1823])** (Lycaenidae) larva on Onobrychis viciifolia (Tolman,1997).
- 2109. Polyommatus (s.str. (Agrodiaetus (Juldus))) juldusus (Staudinger,1886)** (Lycaenidae) larva on Hedysarum aculeatum (Zhdanko, 1997).
- 2110. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) larva on Onobrychis alba (Tolman,1997).
- 2111. Polyommatus (s.str. (Agrodiaetus (Transcaspus))) shamil (Dantchenko,2000)** (Lycaenidae) larva on Onobrychis bobrovii (Dantchenko,2000).
- 2112. Polyommatus (s.str. (Agrodiaetus (Transcaspus))) yurinekrutenko Koçak,1996** (Lycaenidae) larva on Onobrychis vassilczenkoi (Dantchenko,2000).
- 2113. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger,1899)** (Lycaenidae) larva on Onobrychis atropatana, O. heterophylla (Dantchenko,2000).
- 2114. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller],[1775])** (Lycaenidae) larva on Onobrychis alba, O. montana (Tolman, 1997); Onobrychis ferganica (Zhdanko, 1997).
- 2115. Polyommatus (s.str. (Cyaniris)) persephatta (Alpheraky,1881)** (Lycaenidae) larva on Geranium saxatile (Zhdanko, 1997).
- 2116. Polyommatus (s.str. (Cyaniris)) semiargus (Rottemburg,1775)** (Lycaenidae) larva on Trifolium pratense (Tolman, 1997).
- 2117. Polyommatus (s.str. (Lysandra)) albicans (Gerhard,[1851])** (Lycaenidae) larva on Hippocrepis comosa, H. ? multisiliquosa (Tolman, 1997).
- 2118. Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) larva on Hippocrepis comosa, Coronilla varia (Tolman, 1997).
- 2119. Polyommatus (s.str. (Lysandra)) caelestissimus (Verity,1921)** (Lycaenidae) larva on Hippocrepis comosa (Tolman, 1997).
- 2120. Polyommatus (s.str. (Lysandra)) coridon (Poda,1761)** (Lycaenidae) larva on Hippocrepis comosa (Tolman, 1997).
- 2121. Polyommatus (s.str. (Lysandra)) hispanus (Herrich-Schäffer,1852)** (Lycaenidae) larva on Hippocrepis comosa, Anthyllis gerardi? (Tolman, 1997).
- 2122. Polyommatus (s.str. (Lysandra)) melamarinus (Dantchenko,2000)** (Lycaenidae) larva on Hippocrepis emeroides ? (Dantchenko,2000).
- 2123. Polyommatus (s.str. (Lysandra)) philippi (Brown & Coutsis,1978)** (Lycaenidae) larva on Hippocrepis comosa (Tolman, 1997).
- 2124. Polyommatus (s.str. (Lysandra)) sheikh (Dantchenko,2000)** (Lycaenidae) larva on Securigera varia ? (Dantchenko,2000).
- 2125. Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],[1775])** (Lycaenidae) larva on Coronilla varia (Tolman, 1997).
- 2126. Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) larva on Vicia cracca stenophylla (Tolman, 1997).
- 2127. Polyommatus (s.str. (Neolysandra)) diana (Miller,[1913])** (Lycaenidae) larva on Vicia sp.
- 2128. Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) larva on Vicia cracca, V. villosa, V. onobrychoideis, V. terasperma, V. incana, V. sibthorpii, V. cassubica (Tolman, 1997); Vicia kokandica, V. costata, Medicago romanica (Zhdanko, 1997).
- 2129. Polyommatus (s.str. (Plebicula)) atlanticus (Elwes,1906)** (Lycaenidae) larva on Anthyllis vulneraria (Tolman,1997).
- 2130. Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],[1775])** (Lycaenidae) larva on Anthyllis vulneraria (Tolman, 1997).
- 2131. Polyommatus (s.str. (Plebicula)) escheri (Hübner,[1823])** (Lycaenidae) larva on Astragalus monspessulanus, A. sempervirens, A. exscapus, A. incanus (Tolman,1997).
- 2132. Polyommatus (s.str. (Plebicula)) golgus (Hübner,[1813])** (Lycaenidae) larva on Anthyllis vulneraria arundana (Tolman,1997).
- 2133. Polyommatus (s.str. (Plebicula)) nivescens (Keferstein,1851)** (Lycaenidae) larva on Anthyllis vulneraria (Tolman,1997).
- 2134. Polyommatus (s.str. (Sublysandra)) myrrhus (Herrich-Schäffer,[1852])** (Lycaenidae) larva on Cicer anatolicum (Nekrutenko & Effendi,1979).
- 2135. Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) larva on Onobrychis caput-galli, O. viciifolia, O. peduncularis O. radiata (Weidenhoffer & Vanek,1977; Tolman, 1997; Zhdanko, 1997).
- 2136. Polyommatus (s.str.) amor (Lang,1884)** (Lycaenidae) larva on Astragalus sp. (Zhdanko, 1997).
- 2137. Polyommatus (s.str.) boisduvalii (Herrich-Schäffer,[1844])** (Lycaenidae) larva on Chamaecytisus ruthenicus (Tusov et al.,2000).
- 2138. Polyommatus (s.str.) eroides (Fridvaldsky,1835)** (Lycaenidae) larva on Genista depressa (Tolman,1997).
- 2139. Polyommatus (s.str.) eros (Ochsenheimer,1808)** (Lycaenidae) larva on Oxytropis halleri, O. campestris (Tolman, 1997).
- 2140. Polyommatus (s.str.) icadius (Groum-Grshimailo,1890)** (Lycaenidae) larva on Cicer songaricum, C. flexuosum (Zhdanko, 1997).
- 2141. Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) larva on Galega, Ononis, Lotus corniculatus, L. lancerottensis, Medicago lupulina, Trifolium, Melilotus, Genista, Astragalus, Astracantha, Onobrychis, Anthyllis, Coronilla (Tolman, 1997); Medicago romanica, Trifolium repens (Zhdanko, 1997).
- 2142. Polyommatus (s.str.) menelaos Brown,1976** (Lycaenidae) larva on Astragalus taygetus (Tolman,1997).
- 2143. Polyommatus (s.str.) meoticus Zhdanko & Stshurov,1998** (Lycaenidae) Astragalus demetrii (Zhdanko & Stshurov,1998).
- 2144. Polyommatus (s.str.) persicus (Bienert,1870)** (Lycaenidae) larva on Trifolium, Medicago (Zhdanko, pers.com.).
- 2145. Polyommatus (s.str.) stigmatiferus Courvoisier,1903** (Lycaenidae) Astragalus nivalis (Zhdanko, 1997).
- 2146. Polyommatus (s.str.) venus (Staudinger,1886)** (Lycaenidae) Oxytropis talassica (Zhdanko, 1997).
- 2147. Praephilotes anthracias (Christoph,1877)** (Lycaenidae) Calligonum leucocladum, C. eriopodum, C. griseum (Zhdanko, 1997).
- 2148. Prosotas aluta (Druce,1873)** (Lycaenidae) larva on Dalbergia pinnata (Fabaceae) (Robinson et al.,2005).
- 2149. Prosotas dubiosa (Semper,[1879])** (Lycaenidae) larva on Acacia mangium, A. caesia (Fabaceae); Sapindaceae, Proteaceae (Robinson et al.,2005).
- 2150. Prosotas nora (C.Felder,1860)** (Lycaenidae) larva on Acacia nilotica, A. caesia, Mimosa himalayana (Fabaceae); Myrtaceae, Combretaceae, Sapindaceae (Robinson et al.,2005).
- 2151. Pseudophilotes abencerragus (Pierret,1837)** (Lycaenidae) larva on Thymus hirtus, T. fontanesii, Salvia taraxicifolia, Medicago ? turbinata, Cleonia lusitanica (Tolman, 1997).
- 2152. Pseudophilotes barbagiae De Prins & Poorten,1982** (Lycaenidae) larva on Thymus ? herba-barona (Tolman, 1997).
- 2153. Pseudophilotes baton (Bergsträßer,[1779])** (Lycaenidae) larva on Thymus mastichina, T. villosus, T. serpyllum, T. vulgaris, T. praecox, Saturja montana, S. hortensis, Lavendula staechas, L. angustifolia, L. latifolia, Mentha suaveolens, M. longifolia, M. rotunda, Calamintha nepeta (Tolman, 1997).
- 2154. Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) larva on Thymus serpyllum (Kumakov & Korshunov, 1979); Thymus longicaulis chaubardii, T. glabrescens, T. (?) comptus, T. ocheus, T. striatus / atticus, Satureja montana, S. thymbra (Tolman, 1997); Thymus marschallianus (Zhdanko, 1997).
- 2155. Quercusia quercus (Linnaeus,1758)** (Lycaenidae) larva on Quercus robur, Q. ilex, Q. coccifera, Q. petraea, Q. cerris, Q. pubescens (Tolman,1997).
- 2156. Rapala iarbua (Fabricius,1787)** (Lycaenidae) larva on Senna occidentalis [coffee senna] (Fabaceae) (Lewvanich,2001).
- 2157. Rapala manea (Hewitson,[1863])** (Lycaenidae) larva on Nephelium lappaceum [rambutan], Dimocarpus longan (Sapindaceae) (Lewvanich,2001).
- 2158. Rapala pheretima (Hewitson,[1863])** (Lycaenidae) larva on Nephelium lappaceum [rambutan], Dimocarpus longan, Litchi chinensis (Sapindaceae), Mangifera indica [mango] (Anacardiaceae) (Lewvanich,2001).
- 2159. Rapala scintilla De Nicéville,1890** (Lycaenidae) larva on Ziziphus mauritiana [jujube] (Rhamnaceae), Butea monosterna (Fabaceae) (Lewvanich,2001).
- 2160. Rubraepus bavius (Eversmann,1832)** (Lycaenidae) larva on Salvia nutans, S. officinalis, S. verbenaca (Tolman, 1997).
- 2161. Satyrium (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) larva on Prunus, Amygdalus, Crataegus, Eleagnus, Lonicera persica (Wiltshire,1943).
- 2162. Satyrium (Nordmannia) acaciae (Fabricius,1787)** (Lycaenidae) larva on Prunus spinosa (Tolman, 1997).
- 2163. Satyrium (Nordmannia) esculi (Hübner,[1804])** (Lycaenidae) larva on Quercus coccifera, Q. ilex (Tolman,1997).
- 2164. Satyrium (Nordmannia) ilicis (Esper,[1779])** (Lycaenidae) larva on Quercus coccifera, Q. ilex, Q. robur (Tolman, 1997); Quercus pubescens (Koçak, in litt.).
- 2165. Satyrium (Nordmannia) marcidum (Riley,1921)** (Lycaenidae) larva probably on Prunus tenella (Rosaceae) (near Erub) (Hesselbarth et al.,1995).
- 2166. Satyrium (Strymonidia) pruni (Linnaeus,1758)** (Lycaenidae) larva on Prunus spinosa (Tolman,1997).
- 2167. Satyrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) larva on Rhamnus alaternus, R. lycioides, R. alpinus, Paliurus spina-christi (Tolman, 1997).
- 2168. Satyrium (Strymonidia) w-album (Knoch,1782)** (Lycaenidae) larva on Ulmus glabra (Tolman, 1997).

- 2169. *Satyrion (Superflua) acaudatum* (Staudinger,1901)** (Lycaenidae) *Cerasus erythrocarpa*, *C. tianschanica* (Zhdanko, 1997).
- 2170. *Satyrion (Superflua) ledereri* (Boisduval,1848)** (Lycaenidae) larva on *Atraphaxis billardieri* var. *billardieri* (Tolman,1997).
- 2171. *Satyrion (Superflua) sassanides* (Kollar,[1849])** (Lycaenidae) larva on *Amygdalus spinosissima* (Zhdanko, 1997).
- 2172. *Scolitantes orion* (Pallas,1771)** (Lycaenidae) larva on *Sedum album* (Tolman, 1997); *Sedum hybridum* (Zhdanko, 1997).
- 2173. *Simiskina phalia* (Hewitson,1874)** (Lycaenidae) larva on *Ochroma lagopus* (Bombacaceae), *Shorea atrinervosa*, *S.obscura*, *S.rugosa* (Dipterocarpaceae) (Robinson et al.,2005).
- 2174. *Surendra quercetorum* (Moore,[1858])** (Lycaenidae) larva on *Acacia pennata* [cha om], *A. comosa* [nam han] (Fabaceae) (Lewvanich,2001).
- 2175. *Tarucus (s.str.) balkanicus* (Freyer,[1843])** (Lycaenidae) larva on *Zizyphus lotus*, *Paliurus spina-christi* (Tolman,1997).
- 2176. *Tarucus (s.str.) callinarus* Butler,1886** (Lycaenidae) larva on *Zizyphus mauritiana* [jujube] (Rhamnaceae), *Melaleuca quinquenervia* (Myrtaceae) (Lewvanich,2001).
- 2177. *Tarucus (s.str.) rosaceus* (Austaut,1885)** (Lycaenidae) larva on *Zizyphus*, *Paliurus spina-christi* (Tolman,1997).
- 2178. *Tarucus (s.str.) theophrastus* (Fabricius,1793)** (Lycaenidae) larva on *Zizyphus lotus*, *Z. jujuba*, *Paliurus spina-christi* (Tolman,1997).
- 2179. *Thecla betulae* (Linnaeus,1758)** (Lycaenidae) larva on *Prunus spinosa*, *Padus avium*, *P. asiatica*, *Armeniaca mandshurica*, *Corylus avellana*, *Crataegus monogyna* (Kumakov & Korshunov, 1979; Dantchenko et al., 1995; Tolman,1997).
- 2180. *Thersamolycaena* (Alciphronia) *alciphron* (Rottentburg,1775)** (Lycaenidae) larva on *Rumex acetosa*, *R. scutatus* (Kumakov & Korshunov, 1979; Tolman, 1997; Zhdanko, 1997).
- 2181. *Thersamolycaena (s.str.) dispar* ([Haworth],1802)** (Lycaenidae) larva on *Polygonum undulatum*, *Rumex hydrolapathum*, *R. crispus*, *R. aquaticus*, *R. acetosella* (Kumakov,1977; Tolman,1997; Zhdanko, 1997).
- 2182. *Thersamolycaena (s.str.) splendens* (Staudinger,1881)** (Lycaenidae) *Polygonum alpinum* ? (Zhdanko, 1997).
- 2183. *Thersamonia (s.str.) alpherakii* (Groum-Grshimailo,1888)** (Lycaenidae) *Acantholimon pamiricum* (Zhdanko, 1997).
- 2184. *Thersamonia (s.str.) kefersteinii* (Gerhard,[1850])** (Lycaenidae) larva on *Acantholimon* (Schurian & Fiedler,1996).
- 2185. *Thersamonia (s.str.) lampon* (Lederer,1870)** (Lycaenidae) larva on *Acantholimon erinacium* or *A. pulchellum* ? (Zhdanko, 1997).
- 2186. *Thersamonia (s.str.) phoebeus* (Blachier,1905)** (Lycaenidae) larva on *Polygonum aviculare* (Tolman,1997).
- 2187. *Thersamonia (s.str.) thersamon* (Esper,[1784])** (Lycaenidae) larva on *Polygonum aviculare* (Falkovitsh, 1969; Tolman, 1997); *Sarothamnus scoparius* (Kumakov, 1977); *Polygonum bistorta*, *Atraphaxis laetevirens*, *Artemisia dracunculus* ? (Zhdanko, 1997).
- 2188. *Thersamonia (s.str.) thetis* (Klug,1834)** (Lycaenidae) larva on *Acantholimon androsaceum* (Tolman, 1997).
- 2189. *Tomares (nogelii) dobrogensis* (Caradja,1895)** (Lycaenidae) larva on *Astragalus ponticus* (Tolman,1997).
- 2190. *Tomares (nogelii) nogelii* (Freyer,[1851])** (Lycaenidae) larva on *Astragalus ponticus* (Tolman,1997).
- 2191. *Tomares ballus* (Fabricius,1787)** (Lycaenidae) larva on *Medicago littoralis*, *M. truncatula*, *M. lupulina*, *M. truncatula*, *Dorycnium hirsutum*, *Lotus hispidus*, *Anthyllis tetraphylla* (Tolman,1997).
- 2192. *Tomares callimachus* (Eversmann,1848)** (Lycaenidae) larva on *Onobrychis radiata* (Weidenhoffer & Vanek,1977); *Astragalus macropterus* (Zhdanko, 1997).
- 2193. *Tomares fedtschenkoi* (Erschoff,1874)** (Lycaenidae) larva on *Astragalus chlorodontus*, *A. agameticus* (Zhdanko, 1997).
- 2194. *Tomares romanovi* (Christoph,1882)** (Lycaenidae) larva on *Astragalus finitimus*, *Onobrychis radiata* (Weidenhoffer & Vanek,1977); *Astragalus schahrudensis* (Zhdanko,1997).
- 2195. *Tomares telemachus* Zhdanko,2000** (Lycaenidae) *Astragalus* sp. ? (Zhdanko,2000).
- 2196. *Tongia fischeri* (Eversmann,1843)** (Lycaenidae) *Orostachis spinosa* (Zhdanko, 1997).
- 2197. *Turanana dushak* Dubatolov,1989** (Lycaenidae) *Acantholimon pulchellum* (Zhdanko, 1997).
- 2198. *Turanana endymion* (Freyer,[1850])** (Lycaenidae) larva on *Acantholimon adrosaceum* (Tolman,1997).
- 2199. *Turanana kugitangi* Zhdanko,1984** (Lycaenidae) *Acantholimon erythraeum* ? (Zhdanko, 1997).
- 2200. *Turanana panaegides* (Staudinger,1886)** (Lycaenidae) *Acantholimon laxum*, *A. alatavicum* (Zhdanko, 1997).
- 2201. *Tuxentius melaena* (Trimen,1887)** (Lycaenidae) larva on *Acacia* (Fabaceae), *Zizyphus* (Rhamnaceae) (Ackery et al.,1995).
- 2202. *Uranothauma nubifer* (Trimen,1895)** (Lycaenidae) larva on *Acacia*, *Albizia* (Fabaceae) (Ackery et al.,1995).
- 2203. *Zizeeria karsandra* (Moore,1865)** (Lycaenidae) larva on *Melilotus indica*, *Medicago sativa* (Tolman,1997).
- 2204. *Zizeeria knysna* (Trimen,1862)** (Lycaenidae) larva on *Amaranthus*, *Medicago sativa*, *M. tribuloides*, *M. minima*, *M. lupulina*, *Acanthyllis*, *Melilotus messanensis*, *Tribulus terrestris* (Tolman,1997).
- 2205. *Zizula hylax* (Fabricius,1775)** (Lycaenidae) larva on *Chaetacanthus*, *Dischoriste repens*, *Justicia*, *Phaulopsis*, *Ruellia*, *Blechnum pyramidatum*, *Dipliptera chinensis* (Acanthaceae), *Oxalis corniculata* (Oxalidaceae), *Lantana camara* (Verbenaceae), *Tribulus* (Zygophyllaceae), *Mimosa pudica* (Fabaceae) (Ackery et al.,1995 et seq.).
- 2206. *Arctornis flora* (Swinhoe,1903)** (Lymantriidae) larva on *Durio* (Bombacaceae) (Holloway,1999).
- 2207. *Arctornis marginata* (Moore,1883)** (Lymantriidae) larva on *Diospyros* (Ebenaceae) (Holloway,1999).
- 2208. *Arctornis phrika* (Collenette,1932)** (Lymantriidae) larva on *Shorea* (Dipterocarpaceae) (Gardner,1938).
- 2209. *Arctornis rutila* (Fabricius,1781)** (Lymantriidae) larva on *Diospyros* (Ebenaceae) (Holloway,1999).
- 2210. *Azerturkia signatoria* (Christoph,1893)** (Lymantriidae) larva on *Tamarix* (Tamaricaceae) (Wiltshire,1957).
- 2211. *Calliteara abietis* ([Denis & Schiffermüller],1775)** (Lymantriidae) larva on *Pinus*, *Picea*, *Abies* ([Denis & Schiffermüller],1775; Blaschke,1914).
- 2212. *Calliteara angulata* (Hampson,1895)** (Lymantriidae) larva on *Castanopsis* (Fagaceae) (Holloway,1999).
- 2213. *Calliteara cerigoides* (Walker,1862)** (Lymantriidae) larva on *Eucalyptus* (Myrtaceae) (Holloway,1999).
- 2214. *Calliteara horsfieldii* (Saunders,1851)** (Lymantriidae) larva feeds on leaf of *Malpighia glabra* [Barbados Cherry] (Malpighiaceae), *Cocos nucifera* [coconut] (Palmae), *Senna alata* [ringworm bush], *Cassia bakeriana* [pink shower] (Fabaceae), *Eugenia* [rose apple] (Myrtaceae), *Tectona grandis* [teak] (Lamiaceae), *Artocarpus heterophyllus* [jack fruit] (Moraceae), *Syzygium cumini* [black plum] (Myrtaceae), *Shorea roxburghii* [phayom] (Dipterocarpaceae) (Lewvanich,2001).
- 2215. *Euproctis chrysorrhoea* (Linnaeus,1758)** (Lymantriidae) larva on *Quercus* (Fagaceae), *Alnus* (Betulaceae) (Linnaeus,1758).
- 2216. *Euproctis melania* (Staudinger,1892)** (Lymantriidae) larva on *Quercus*, *Prunus* (Wiltshire,1943).
- 2217. *Euproctis subnotata* (Walker,1865)** (Lymantriidae) larva on *Anacardium*, *Mangifera* (Anacardiaceae), *Cycas* (Cycadaceae), *Hevea* (Euphorbiaceae), *Acacia*, *Sesbania* (Fabaceae), *Areca* (Palmae), *Citrus* (Rutaceae), *Litchi*, *Nephelium* (Sapindaceae), *Sonneratia* (Sonneratiaceae), *Theobroma* (Sterculiaceae), *Zizyphus* (Rhamnaceae) (Sevastopulo,1940 et seq.).
- 2218. *Ilema preangerensis* (Heylaerts,1892)** (Lymantriidae) larva on *Dendrobium* (Orchidaceae) (Holloway,1999).
- 2219. *Leucoma ochripes* (Moore,1879)** (Lymantriidae) larva on *Litsea*, *Phoebe* (Lauraceae), *Sapum* (Euphorbiaceae) (Gardner,1938 et seq.).
- 2220. *Leucoma sericea* (Moore,1879)** (Lymantriidae) larva on *Juglans* (Juglandaceae) (Holloway,1999).
- 2221. *Leucoma wiltshirei* Collenette,1938** (Lymantriidae) larva on *Quercus* (Wiltshire,1957).
- 2222. *Lymantria atemeles* Collenette,1932** (Lymantriidae) larva feeds on leaf of *Mangifera indica* [mango] (Anacardiaceae) (Lewvanich,2001).
- 2223. *Lymantria beatrix* (Stoll,[1790])** (Lymantriidae) larva on *Mangifera* (Anacardiaceae), *Durto* (Bombacaceae), *Punica* (Punicaceae) (Toxopeus,1948 et seq.).
- 2224. *Lymantria brunneiplaga* Swinhoe,1903** (Lymantriidae) larva on *Paraserianthes falcata* (Fabaceae) (Chey,1996).
- 2225. *Lymantria destituta* (Staudinger,1892)** (Lymantriidae) larva on *Prunus* ? (Wiltshire,1957).
- 2226. *Lymantria ganara* Moore,[1860]** (Lymantriidae) larva on *Eugenia malaccensis* (Myrtaceae), *Bauhinia*, *Cassia* (Fabaceae), *Casuarina* (Casuarinaceae) (Pholboon,1965 et seq.).
- 2227. *Lymantria lapidicola* Herrich-Schäffer,[1852]** (Lymantriidae) larva on *Amygdalus communis*, *Prunus* (Wiltshire,1957).
- 2228. *Lymantria marginalis* Walker,1862** (Lymantriidae) larva on *Eucalyptus* (Myrtaceae), *Shorea* (Dipterocarpaceae) (Holloway,1999).
- 2229. *Lymantria mathura* Moore,1865** (Lymantriidae) larva feeds on leaf of *Syzygium cumini* [black plum] (Myrtaceae) (Lewvanich,2001).
- 2230. *Lymantria singapura* Swinhoe,1906** (Lymantriidae) larva on *Pinus* (Pinaceae) (Holloway,1999).
- 2231. *Ocnaria rubra* ([Denis & Schiffermüller],1775)** (Lymantriidae) larva on *Quercus* ([Denis & Schiffermüller],1775 et seq.).
- 2232. *Ocnogryia amanda* Staudinger,1892** (Lymantriidae) larva on *Ficus* (Wiltshire,1957).
- 2233. *Olene inclusa* (Walker,1856)** (Lymantriidae) larva on *Annona* (Annonaceae), *Averrhoa* (Averrhoaceae), *Durio* (Bombacaceae), *Shorea* (Dipterocarpaceae), *Ricinus* (Euphorbiaceae), *Leea* (Leeaceae), *Pelargonium* (Geraniaceae), *Acacia*, *Arachis*, *Crotalaria*, *Derris*, *Erythrina*, *Mucuna* (Fabaceae), *Ficus* (Moraceae), *Musa* (Musaceae), *Calyptanthus*, *Eugenia* (Myrtaceae), *Rosa* (Rosaceae), *Citrus* (Rutaceae), *Theobroma* (Sterculiaceae), *Muntingia* (Tiliaceae), *Congea* (Verbenaceae) (Pholboon,1965 et seq.).
- 2234. *Olene mendosa* Hübner,[1823]** (Lymantriidae) larva on *Mangifera* (Anacardiaceae), *Ceiba*, *Durio* (Bombacaceae), *Terminalia* (Combretaceae), *Raphanus* (Brassicaceae), *Shorea*, *Dipterocarpus* (Dipterocarpaceae), *Aleurites*, *Excoecaria*, *Ricinus* (Euphorbiaceae), *Pelargonium* (Geraniaceae), *Saccharum*, *Sorghum*, *Zea* (Poaceae), *Cinnamomum* (Lauraceae), *Careya* (Lecythidaceae), *Acacia*, *Arachis*, *Bauhinia*, *Butea*, *Cajanus*, *Cassia*, *Dahlbergia*, *Pithecellobium*, *Sesbania*, *Vigna* (Fabaceae), *Lagerstroemia* (Lythraceae), *Hibiscus* (Malvaceae), *Zizyphus* (Rhamnaceae), *Rosa* (Rosaceae), *Coffea* (Rubiaceae), *Populus* (Salicaceae), *Santhalam* (Santalaceae), *Dimocarpus*, *Litchi*, *Nephelium*, *Schleichera* (Sapindaceae), *Archas*, *Palaquium* (Sapotaceae), *Melolenga*, *Solanum* (Solanaceae), *Camellia* (Theaceae), *Tectona* (Verbenaceae) (Sevastopulo,1948, et seq.).
- 2235. *Orgyia araea* (Collenette,1932)** (Lymantriidae) larva on *Acacia* mangium (Fabaceae), *Diospyros* (Ebenaceae) (Holloway,1999).
- 2236. *Orgyia ariadne* (Schintlmeyer,1994)** (Lymantriidae) larva on *Milletia* (Fabaceae) (Holloway,1999).
- 2237. *Orgyia basinigra* (Heylaerts,1892)** (Lymantriidae) larva on *Parashorea* (Dipterocarpaceae), *Acacia mangium*, *Pueraria* (Fabaceae), *Theobroma* (Sterculiaceae); *Zingiberaceae* (Holloway,1999).
- 2238. *Orgyia dubia* (Tauscher,1806)** (Lymantriidae) larva on *Polygonum aviculare* (De Freina,1983).

- 2239. Orgyia osseata Walker, 1862** (Lymantriidae) larva on Syzygium cumini [black plum], Eugenia (Myrtaceae), Garcinia mangostana [mangosteen] (Guttiferae); Mangifera (Anacardiaceae), Averrhoa (Averrhoaceae), Durio (Bombacaceae), Dryobalanops, Shorea (Dipterocarpaceae), Acacia (Fabaceae), Ixora (Rubiaceae), Nephelium (Sapindaceae), Sonneratia (Sonneratiaceae), Theobroma (Sterculiaceae) (Murphy, 1990 et seq.).
- 2240. Orgyia postica (Walker, 1855)** (Lymantriidae) larva on leaf of Tropaeolum majum [nasturtium] (Tropaeolaceae), Zizyphus mauritiana [jujube] (Rhamnaceae), Durio zibethinus [durian] (Bombacaceae), Senna surattensis [song badan] (Fabaceae) (Lewvanich, 2001).
- 2241. Orgyia turbata Butler, 1879** (Lymantriidae) larva feeds on leaf of Tectona grandis [teak] (Lamiaceae), Bambusa [bamboo] (Poaceae), Sesbania javanica [sa no] (Fabaceae), Cajanus crassus [thua phi] (Fabaceae), Euphorbia milli [poi sian] (Euphorbiaceae) (Lewvanich, 2001).
- 2242. Parocneria terebinthi (Freyer, [1838])** (Lymantriidae) larva on Pistacia terebinthus (Freyer, [1838]; Staudinger, 1879)
- 2243. Parocneria terebinthina (Staudinger, [1895])** (Lymantriidae) larva on Pistacia (Wiltshire, 1957).
- 2244. Toxoproctis flavolimbata (Aurivillius, 1894)** (Lymantriidae) larva on weed (Lewvanich, 2001).
- 2245. Bedellia somnulentella (Zeller, 1847)** (Lyonetiidae) larva on Calystegia sepium, Convolvulus arvensis, Ipomoea somnulentella, I. batatas (Zeller, 1847; Hering, 1957; et seq.).
- 2246. Leucoptera aceris (Fuchs, 1903)** (Lyonetiidae) larva on Acer campestre, A. monspessulanum, A. platanoides (Mey, 1994).
- 2247. Leucoptera adenocarpella (Staudinger, 1871)** (Lyonetiidae) larva on Adenocarpus decorticans (Staudinger, 1871).
- 2248. Leucoptera calycotomella Amsel, 1939** (Lyonetiidae) larva on Calycotome spinosa (Amsel, 1939).
- 2249. Leucoptera clerodendrella Vari, 1955** (Lyonetiidae) larva on Clerodendrum glabrum (Verbenaceae) (Vari, 1955).
- 2250. Leucoptera coronillae (Hering, 1933)** (Lyonetiidae) larva on Cytisus sessilifolius, C. triflorus (Hering, 1957; Mey, 1994).
- 2251. Leucoptera cytisiphagella Klimesch, 1938** (Lyonetiidae) larva on Cytisus austriacus (Klimesch, 1938).
- 2252. Leucoptera genistae (Hering, 1933)** (Lyonetiidae) larva on Genista anglica, G. germanica, G. tinctoria (Hering, 1933; Mey, 1994).
- 2253. Leucoptera heringiella Toll, 1938** (Lyonetiidae) larva on Cytisus austriacus, C. hirsutus, C. ratisbonensis, C. supinus, Lembotropis nigricans (Mey, 1994).
- 2254. Leucoptera karsholti Mey, 1994** (Lyonetiidae) larva on Cytisus (Mey, 1994).
- 2255. Leucoptera laburnella (Stainton, 1851)** (Lyonetiidae) larva on Laburnum anagyroides, L. alpinum, L. coggyria, Petteria ramentacea, Genista tinctoria, Astragalus sp. (Stainton, 1851; et seq.).
- 2256. Leucoptera lathyrifoliella (Stainton, 1866)** (Lyonetiidae) larva on Lathyrus silvestris, L. tuberosa, L. latifolius, L. linifolius, L. pannonicus (Hering, 1933; Mey, 1994).
- 2257. Leucoptera lotella (Stainton, 1859)** (Lyonetiidae) larva on Lotus corniculatus, L. uliginosus, Coronilla varia, C. coronata, C. hispidus, Tetragonolobus siliquosus, Dorycnium (Fabaceae) (Mey, 1994).
- 2258. Leucoptera loxaula Meyrick, 1928** (Lyonetiidae) larva on Pavetta assimilis (Rubiaceae) (Vari, 1955).
- 2259. Leucoptera lustratella (Herrich-Schäffer, 1855)** (Lyonetiidae) larva on Hypericum hirsutum, H. perforatum, H. montanum (Mey, 1994).
- 2260. Leucoptera malifoliella (Costa, [1836])** (Lyonetiidae) larva on Alnus incana, Betula pendula, B. pubescens, Amelanchier ovalis, Cerasus avium, C. fruticosa, C. vulgaris, Cotoneaster integerrimus, Crataegus monogyna, Cydonia oblonga, Malus domestica, M. sylvestris, Sorbus aucuparia, Prunus domestica, P. spinosa, Pyrus communis (Mey, 1994).
- 2261. Leucoptera nieukerkeni Mey, 1994** (Lyonetiidae) larva on Acer monspessulanum (Mey, 1994).
- 2262. Leucoptera onobrychidella Klimesch, 1937** (Lyonetiidae) larva on Obobrychis arenaria, O. viciifolia (sativa) (Fabaceae) (Mey, 1994).
- 2263. Leucoptera parinaricola Vari, 1955** (Lyonetiidae) larva on Parinari capense (Rosaceae) (Vari, 1955).
- 2264. Leucoptera pulchricola Vari, 1955** (Lyonetiidae) larva on Ochna pulchra (Ochnaceae) (Vari, 1955).
- 2265. Leucoptera sinuella (Reutti, 1853)** (Lyonetiidae) larva on Populus alba, P. tremula, P. nigra, P. canadensis, Salix fragilis (Salicaceae) (Mey, 1994).
- 2266. Leucoptera spartifoliella (Hübner, [1813])** (Lyonetiidae) larva on Sarothamnus scoparius, S. patus, Cytisanthus radiatus (Mey, 1994).
- 2267. Leucoptera zanclella (Zeller, 1848)** (Lyonetiidae) larva on Cytisus triflorus (Zeller, 1848).
- 2268. Lyonetia clerkella (Linnaeus, 1758)** (Lyonetiidae) larva on Amelanchier, Betula, Chaenomeles, Crataegus, Cydonia, Malus, Mespilus, Prunus, Pyrus, Pyracantha, Humulus, Ribes, Salix, Sorbus, Cotoneaster, Castaneus, Cerasus laurocerasus (Hering, 1957; et seq.).
- 2269. Lyonetia prunifoliella (Hübner, 1796)** (Lyonetiidae) larva on Chaenomeles, Cotoneaster, Crataegus, Cydonia, Malus, Mespilus, Prunus, Pyrus, Sorbus, Persica, Amygdalus, Betula (Hering, 1957 et seq.).
- 2270. Squamura acutistriata (Mell, 1923)** (Metarbelidae) larva on Theobroma (Sterculiaceae) (Roepke, 1957).
- 2271. Squamura discipala (Swinhoe, 1901)** (Metarbelidae) larva on Persea [avocado] (Lauraceae), Citrus (Rutaceae) (Holloway, 1986).
- 2272. Mirina christophi Staudinger, 1887** (Mirinidae) larva on Lonicera, Veigella (ex Graeser, Seitz, 1911; Zolotuhin & Witt, 2000).
- 2273. Bifascia nigrallbella (Chrétien, 1915)** (Momphidae) larva on Acacia (Mimosaceae), Tamarix (Tamaricaceae) (Dumont, 1932).
- 2274. Coccidiphila gerasimovi Danilevsky, 1950** (Momphidae) larva on Pseudococcus maritimus, Lecanium prunastri (Homoptera, Coccoidea) (Riedl, 1969).
- 2275. Mompha (Anybia) epilobiella (Roemer, 1794)** (Momphidae) larva on Chamaenrion angustifolium, Epilobium montanum, E. hirsutum, E. palustre (Riedl, 1969).
- 2276. Mompha (Cyphophora) idaei (Zeller, 1839)** (Momphidae) larva on Chamaenrion angustifolium, Epilobium spicatum (Riedl, 1969).
- 2277. Mompha (Lophoptilus) miscella ([Denis & Schiffermüller], 1775)** (Momphidae) larva on Helianthemum vulgare, H. polifolium, H. ovatum (Riedl, 1969).
- 2278. Mompha (Psacaphora) locupletella ([Denis & Schiffermüller], 1775)** (Momphidae) larva on Chamaenrion angustifolium, Epilobium montanum, E. alpinum, E. palustre, E. alpestre (Riedl, 1969).
- 2279. Mompha (Psacaphora) raschkiella (Zeller, 1839)** (Momphidae) larva on Chamaenrion angustifolium, Epilobium hirsutum, E. spicatum (Riedl, 1969).
- 2280. Mompha (Psacaphora) sexstrigella (Braun, 1921)** (Momphidae) larva on Chamaenrion angustifolium (Svensson, 1982).
- 2281. Mompha (Psacaphora) terminella (Humphreys & Westwood, 1845)** (Momphidae) larva on Circaea lutetiana, C. alpina (Riedl, 1969; et seq.).
- 2282. Mompha (s.str.) bradleyi Riedl, 1965** (Momphidae) larva on Epilobium hirsutum (Riedl, 1969).
- 2283. Mompha (s.str.) confusella Koster & Sinev, 1996** (Momphidae) larva on Epilobium hirsutum, Chamaenrion angustifolium (Koster & Sinev, 2003).
- 2284. Mompha (s.str.) conturbatella (Hübner, [1819])** (Momphidae) larva on Chamaenrion angustifolium, Epilobium montanum, E. spicatum (Riedl, 1969).
- 2285. Mompha (s.str.) divisella Herrich-Schäffer, 1854** (Momphidae) larva on Epilobium montanum, E. palustre, E. lanceolatum, Chamaenrion angustifolium (Riedl, 1969).
- 2286. Mompha (s.str.) fulvescens (Haworth, [1828])** (Momphidae) larva on Epilobium hirsutum, E. palustre, E. parviflorum ([Denis & Schiffermüller], 1775; Riedl, 1969).
- 2287. Mompha (s.str.) lacteella (Stephens, 1834)** (Momphidae) larva on Epilobium hirsutum, E. montanum (Riedl, 1969).
- 2288. Mompha (s.str.) ochraceella (Curtis, 1839)** (Momphidae) larva on Epilobium hirsutum (Riedl, 1969).
- 2289. Mompha (s.str.) propinquella (Stainton, 1851)** (Momphidae) larva on Epilobium hirsutum, E. montanum, E. palustre (Stainton, 1870 et seq.).
- 2290. Mompha (s.str.) sturnipennella (Treitschke, 1833)** (Momphidae) larva on Chamaenrion angustifolium (Riedl, 1969).
- 2291. Mompha (s.str.) subbistrigella (Haworth, [1828])** (Momphidae) larva on Epilobium montanum, E. palustre, E. parviflorum, Chamaenrion angustifolium (Riedl, 1969).
- 2292. Acalyptis combretella (Vari, 1955)** (Nepticulidae) larva on Combretum apiculatum (Vari, 1955).
- 2293. Acalyptis fagarivora (Vari, 1955)** (Nepticulidae) larva on Fagaria magalis montana (Rutaceae) (Vari, 1955).
- 2294. Acalyptis lanneivora (Vari, 1955)** (Nepticulidae) larva on Lannea discolor (Anacardiaceae) (Vari, 1955).
- 2295. Acalyptis minimella (Rebel, 1924)** (Nepticulidae) larva on Pistacia lentiscus, P. terebinthus (Nieukerken et al., 2004).
- 2296. Acalyptis platani (Müller-Rutz, 1934)** (Nepticulidae) larva on Platanus hispanica (Müller-Rutz, 1934).
- 2297. Ectoedemia (Africaria) gymnosporiae (Vari, 1955)** (Nepticulidae) larva on Gymnospora buxifolia (Celastraceae) (Vari, 1955).
- 2298. Ectoedemia (Africaria) royenicola (Vari, 1955)** (Nepticulidae) larva on Royena lucida (Ebenaceae) (Vari, 1955).
- 2299. Ectoedemia (Fomoria) euphorbiella (Stainton, 1869)** (Nepticulidae) larva on Euphorbia dendroides, E. brittingeri, E. serrata, E. terracina, E. fragifera, E. acanthothamnus (Euphorbiaceae) (Stainton, 1869; et seq.).
- 2300. Ectoedemia (Fomoria) oleivora (Vari, 1955)** (Nepticulidae) larva on Olea chrysophylla (Oleaceae) (Vari, 1955).
- 2301. Ectoedemia (Fomoria) septembrella (Stainton, 1849)** (Nepticulidae) larva on Hypericum nummularium, H. undulatum (Nieukerken et al., 2004).
- 2302. Ectoedemia (Fomoria) tecomariae (Vari, 1955)** (Nepticulidae) larva on Tecomeria capensis (Bignoniaceae) (Vari, 1955).
- 2303. Ectoedemia (Zimmermannia) hispanica Van Nieukerken, 1985** (Nepticulidae) larva on Quercus (Fagaceae) (Nieukerken et al., 2004).
- 2304. Ectoedemia (Zimmermannia) liebwedella (Zimmermann, 1940)** (Nepticulidae) larva on Fagus (Fagaceae) (Nieukerken et al., 2004).
- 2305. Ectoedemia (Zimmermannia) liguricella Klimesch, 1953** (Nepticulidae) larva on Quercus (Fagaceae) (Nieukerken et al., 2004).
- 2306. Ectoedemia (s.str.) albifasciella (Heinemann, 1871)** (Nepticulidae) larva on Quercus pyrenaica (Fagaceae) (Nieukerken et al., 2004).
- 2307. Ectoedemia (s.str.) andalusiae Van Nieukerken, 1985** (Nepticulidae) larva on Quercus coccifera (Fagaceae) (Nieukerken et al., 2004).
- 2308. Ectoedemia (s.str.) angulifasciella (Stainton, 1849)** (Nepticulidae) larva on Rosa (Rosaceae) (Nieukerken et al., 2004).
- 2309. Ectoedemia (s.str.) caradjai (Hering, 1932)** (Nepticulidae) larva on Quercus pyrenaica (Fagaceae) (Nieukerken et al., 2004).
- 2310. Ectoedemia (s.str.) erythrogenella (De Joannis, 1908)** (Nepticulidae) larva on Rubus ulmifolius (Rosaceae) (Nieukerken et al., 2004).
- 2311. Ectoedemia (s.str.) hannoverella (Glitz, 1872)** (Nepticulidae) larva on Populus nigra (Salicaceae) (Nieukerken et al., 2004).
- 2312. Ectoedemia (s.str.) haraldi (Soffner, 1942)** (Nepticulidae) larva on Quercus rotundifolia, Q. coccifera, Q. suber (Fagaceae) (Nieukerken et al., 2004).
- 2313. Ectoedemia (s.str.) heringi (Toll, 1934)** (Nepticulidae) larva on Quercus faginea (Fagaceae) (Nieukerken et al., 2004).
- 2314. Ectoedemia (s.str.) ilicis (Mendes, 1910)** (Nepticulidae) larva on Quercus rotundifolia, Q. coccifera, Q. suber (Fagaceae) (Nieukerken et al., 2004).

- 2315.** *Ectoedemia* (s.str.) *subbimaculella* (Haworth,1828) (Nepticulidae) larva on *Quercus pyrenaica* (Fagaceae) (Nieukerken et al.,2004).
- 2316.** *Ectoedemia* (s.str.) *suberis* (Stainton,1869) (Nepticulidae) larva on *Quercus calliprinos*, *Q. suber*, *Q. ilex*, *Q. rotundifolia* (Sternlicht,1968; et seq.).
- 2317.** *Enteucha acetosae* (Stainton,1854) (Nepticulidae) larva on *Rumex acetosa* (Polygonaceae) (Stainton,1854).
- 2318.** *Enteucha basidactyla* (Davis,1978) (Nepticulidae) larva on *Coccoloba* (Polygonaceae) (Nieukerken,1986).
- 2319.** *Enteucha gilvafascia* (Davis,1978) (Nepticulidae) larva on *Coccoloba* (Polygonaceae) (Nieukerken,1986).
- 2320.** *Enteucha* sp.n. (Nepticulidae) larva mines on *Polygonum* (Nieukerken,1986).
- 2321.** *Parafomoria cistivora* (Peyerimhoff,1871) (Nepticulidae) larva on *Cistus* (Cistaceae) (Peyerimhoff,1871).
- 2322.** *Simplimorpha lanceifoliella* (Vari,1955) (Nepticulidae) larva on *Rhus lancea* (Anacardiaceae) (Vari,1955).
- 2323.** *Simplimorpha promissa* (Staudinger,1871) (Nepticulidae) larva on *Pistacia terebinthus* (Agenjo,1964).
- 2324.** *Stigmella alnetella* (Stainton,1856) (Nepticulidae) larva on *Alnus glutinosa* (Stainton,1856).
- 2325.** *Stigmella assimilella* (Zeller,1848) (Nepticulidae) larva on *Populus tremula*, *P. alba* (Salicaceae) (Hering,1935, et seq.).
- 2326.** *Stigmella atricapitella* (Haworth,1828) (Nepticulidae) larva leafmines on *Quercus cerris*, *Q. petraea*, *Q. pubescens*, *Q. pyrenaica*, *Q. robur* (Fagaceae) (Szöcs,1977 et seq.).
- 2327.** *Stigmella aurella* (Fabricius,1775) (Nepticulidae) larva on *Rubus* (Rosaceae) (Nieukerken et al.,2004).
- 2328.** *Stigmella auromarginella* (Richardson,1890) (Nepticulidae) larva on *Rubus ulmifolius* (Rosaceae) (Nieukerken et al.,2004).
- 2329.** *Stigmella carpinella* (Heinemann,1862) (Nepticulidae) larva on *Carpinus* (Heinemann,1852; Staudinger,1880).
- 2330.** *Stigmella celtifoliella* Vari,1955 (Nepticulidae) larva on *Celtis africana* (Ulmaceae) (Vari,1955).
- 2331.** *Stigmella centifoliella* (Zeller,1848) (Nepticulidae) larva on *Sanguisorba hybrida*, *Rosa* (Rosaceae) (Nieukerken et al.,2004).
- 2332.** *Stigmella cocciferae* Nieukerken & Johansson,2003 (Nepticulidae) larva leafmines on *Quercus coccifera* (Fagaceae) (Amsel & Hering,1931).
- 2333.** *Stigmella crataegella* (Klimesch,1936) (Nepticulidae) larva on *Crataegus monogyna* (Rosaceae) (Nieukerken et al.,2004).
- 2334.** *Stigmella crenulatae* (Klimesch,1975) (Nepticulidae) larva on *Rhamnus lycioides* (Rhamnaceae) (Nieukerken et al.,2004).
- 2335.** *Stigmella eberhardi* (Johansson,1971) (Nepticulidae) larva leafmines on *Quercus ilex*, *Q. petraea*, *Q. pyrenaica*, *Q. robur*, *Q. suber* (Fagaceae) (Nieukerken & Johansson,2003).
- 2336.** *Stigmella fasciata* Nieukerken & Johansson,2003 (Nepticulidae) larva leafmines on *Quercus pubescens* (Fagaceae) (Nieukerken & Johansson,2003).
- 2337.** *Stigmella flosactella* (Haworth,1828) (Nepticulidae) larva on *Carpinus*, *Corylus avellana* (Mendes,1918; Nieukerken et al.,2004).
- 2338.** *Stigmella freyella* (Heyden,1858) (Nepticulidae) larva on *Convolvulus elegans* (Convolvulaceae) (Nieukerken et al.,2004).
- 2339.** *Stigmella glutinosae* (Stainton,1858) (Nepticulidae) larva on *Alnus glutinosa* (Stainton,1858).
- 2340.** *Stigmella hemargyrella* (Kollar,1832) (Nepticulidae) larva on *Fagus sylvatica* (Fagaceae) (Nieukerken et al.,2004).
- 2341.** *Stigmella hybnerella* (Hübner,[1813]) (Nepticulidae) larva on *Crataegus monogyna* (Rosaceae) (Nieukerken et al.,2004).
- 2342.** *Stigmella karsholti* Nieukerken & Johansson,2003 (Nepticulidae) larva leafmines on *Quercus canariensis* (Fagaceae) (Nieukerken & Johansson,2003).
- 2343.** *Stigmella lapponica* (Wocke,1862) (Nepticulidae) larva on *Betula pubescens* (Nieukerken et al.,2004).
- 2344.** *Stigmella macrolepidella* (Klimesch,1978) (Nepticulidae) larva leafmines *Quercus ithaburensis* (Fagaceae) (Nieukerken & Johansson,2003).
- 2345.** *Stigmella mespilicola* (Frey,1856) (Nepticulidae) larva on *Sorbus aria*, *S. terminalis*, *Cotoneaster* (Rosaceae) (Nieukerken et al.,2004).
- 2346.** *Stigmella nivenburgensis* (Preissecker,1942) (Nepticulidae) larva on *Salix alba*, *S. fragilis* (Salicaceae) (Nieukerken et al.,2004).
- 2347.** *Stigmella obliquella* (Heinemann,1862) (Nepticulidae) larva on *Salix fragilis* (Salicaceae) (Mendes,1905).
- 2348.** *Stigmella paradoxa* (Frey,1858) (Nepticulidae) larva on *Crataegus monogyna* (Rosaceae) (Nieukerken et al.,2004).
- 2349.** *Stigmella parinarella* Vari,1955 (Nepticulidae) larva on *Parinari capense* (Rosaceae) (Vari,1955).
- 2350.** *Stigmella perpygmaella* (Doubleday,1859) (Nepticulidae) larva on *Crataegus monogyna* (Rosaceae) (Nieukerken et al.,2004).
- 2351.** *Stigmella plagicolella* (Stainton,1854) (Nepticulidae) larva on *Prunus spinosa*, *P. domestica* (Rosaceae) (Nieukerken et al.,2004).
- 2352.** *Stigmella regilla* (Herrich-Schäffer,1855) (Nepticulidae) larva on *Crataegus monogyna* (Rosaceae) (Nieukerken et al.,2004).
- 2353.** *Stigmella rhamella* (Herrich-Schäffer,1860) (Nepticulidae) larva on *Rhamnus alpinus*, *R. catharticus*, *Frangula alnus* (Nieukerken et al.,2004).
- 2354.** *Stigmella rhynchosiella* Vari,1955 (Nepticulidae) larva on *Rhynchostia nitens* (Fabaceae) (Vari,1955).
- 2355.** *Stigmella rolandi* Nieukerken,1990 (Nepticulidae) larva on *Sanguisorba*, *Rosa* (Rosaceae) (Nieukerken et al.,2004).
- 2356.** *Stigmella ruficapitella* (Haworth,[1828]) (Nepticulidae) larva on *Quercus ithaburensis* (Fagaceae) (Sternlicht,1968).
- 2357.** *Stigmella salicis* (Stainton,1854) (Nepticulidae) larva on *Salix cinerea*, *S. aurita* (Salicaceae) (Stainton,1854; Zerkowit,1946).
- 2358.** *Stigmella samiatella* (Zeller,1839) (Nepticulidae) larva leafmines on *Castanea sativa*, *Quercus ithaburensis* ssp. *macrolepis*, *Q. petraea*, *Q. pubescens*, *Q. pyrenaica*, *Q. robur* (Fagaceae) (Nieukerken & Johansson,2003).
- 2359.** *Stigmella sorbi* (Stainton,1861) (Nepticulidae) larva on *Sorbus aucuparia* (Stainton,1861).
- 2360.** *Stigmella speciosa* (Frey,1857) (Nepticulidae) larva on *Acer pseudoplatanus*, *A. monspessulanum*, *A. opalus* (Nieukerken et al.,2004).
- 2361.** *Stigmella suberivora* (Stainton,1869) (Nepticulidae) larva leafmines on *Quercus coccifera*, *Q. suber*, *Q. ilex* (Fagaceae) (Gustafsson & Nieukerken,1990).
- 2362.** *Stigmella thuringiaca* (Petty,1904) (Nepticulidae) larva on *Sanguisorba*, *Potentilla* (Rosaceae) (Nieukerken et al.,2004).
- 2363.** *Stigmella tiliae* (Frey,1856) (Nepticulidae) larva on *Tilia* (Frey,1856).
- 2364.** *Stigmella tityrella* (Stainton,1854) (Nepticulidae) larva on *Crataegus* (Rosaceae), *Fagus sylvatica* (Fagaceae) (Mendes,1918; Nieukerken et al.,2004).
- 2365.** *Stigmella trimaculella* (Haworth,1828) (Nepticulidae) larva on *Populus nigra* (Salicaceae) (Nieukerken et al.,2004).
- 2366.** *Stigmella trojana* Z.Lastuvka & A.Lastuvka,1998 (Nepticulidae) larva leafmines on *Quercus trojana* (Fagaceae) (Z.Lastuvka & A.Lastuvka,1998).
- 2367.** *Stigmella ulmariae* (Wocke,1879) (Nepticulidae) larva on *Ulmus* (Ulmaceae) (Wocke,1879).
- 2368.** *Stigmella ulmiphaga* (Preissecker,1942) (Nepticulidae) larva on *Ulmus* (Ulmaceae) (Preissecker,1942).
- 2369.** *Stigmella ulmivora* (Fologne,1860) (Nepticulidae) larva on *Ulmus* (Ulmaceae) (Fologne,1860).
- 2370.** *Stigmella vimineticola* (Frey,1856) (Nepticulidae) larva on *Salix* (Salicaceae) (Agenjo,1964).
- 2371.** *Trifurcula (Glaucolepis) alypella* Klimesch,1975 (Nepticulidae) larva on *Globularia alypum* (Globulariaceae) (Klimesch,1975).
- 2372.** *Trifurcula (Glaucolepis) bleonella* (Chrétien,1904) (Nepticulidae) larva on *Linum narbonense* (Nieukerken et al.,2004).
- 2373.** *Trifurcula (Glaucolepis) bupleurella* (Chrétien,1907) (Nepticulidae) larva on *Bupleurum fruticosum*, *B. gibraltaricum*, *B. rigidum* (Apiaceae) (Chrétien,1907).
- 2374.** *Trifurcula (Glaucolepis) globulariae* Klimesch,1975 (Nepticulidae) larva on *Globularia* (Globulariaceae) (Klimesch,1975).
- 2375.** *Trifurcula (Glaucolepis) headleyella* (Stainton,1854) (Nepticulidae) larva on *Prunella* (Nieukerken et al.,2004).
- 2376.** *Trifurcula (Glaucolepis) rosmarinella* (Chrétien,1914) (Nepticulidae) larva on *Rosmarinus* (Chrétien,1914).
- 2377.** *Trifurcula (Glaucolepis) sanctibenedicti* Klimesch,1979 (Nepticulidae) larva on *Bupleurum fruticosum*, *B. barceloi* (Apiaceae) (Nieukerken et al.,2004).
- 2378.** *Trifurcula (Glaucolepis) satireae* (Parenti,1963) (Nepticulidae) larva on *Calamintha sylvatica* (Nieukerken et al.,2004).
- 2379.** *Trifurcula (Glaucolepis) stoechadella* (Klimesch,1975) (Nepticulidae) larva on *Lavandula stoechas* (Klimesch,1975).
- 2380.** *Trifurcula (Glaucolepis) teuciella* (Chrétien,1914) (Nepticulidae) larva on *Teucrium chamaedrys* (Lamiaceae) (Chrétien,1914).
- 2381.** *Trifurcula (Glaucolepis) thymi* (Szöcs,1965) (Nepticulidae) larva on *Thymus vulgaris*, *T. camphoratus* (Szöcs,1965 et seq.).
- 2382.** *Trifurcula (Levarchama) anthyllidella* Klimesch,1975 (Nepticulidae) larva on *Anthyllis cysissoides*, *A. terniflora* (Walsingham,1901).
- 2383.** *Trifurcula (Levarchama) cryptella* (Stainton,1856) (Nepticulidae) larva on *Lotus uliginosus*, *Emerus major*, *Securigera varia* (=Coronilla), *Hippocrepis*, *Anthyllis montana* (Fagaceae) (Nieukerken et al.,2004).
- 2384.** *Trifurcula (Levarchama) eureka* (Tutt,1899) (Nepticulidae) larva on *Dorycnium hirsutum* (Nieukerken et al.,2004).
- 2385.** *Trifurcula (Levarchama) ortneri* (Klimesch,1951) (Nepticulidae) larva on *Coronilla minima* (Fabaceae) (Nieukerken et al.,2004).
- 2386.** *Trifurcula* (s.str.) *calycotomella* A.Lastuvka & Z.Lastuvka,1997 (Nepticulidae) larva on *Calycotome spinosa* (A.Lastuvka & Z.Lastuvka,1997).
- 2387.** *Trifurcula* (s.str.) *coronillae* Van Nieukerken,1990 (Nepticulidae) larva on *Coronilla minima*, *C. juncea* (Fabaceae) (Van Nieukerken,1990).
- 2388.** *Trifurcula* (s.str.) *immundella* (Zeller,1839) (Nepticulidae) larva on *Cytisus scoparius* (Fabaceae) (Nieukerken et al.,2004).
- 2389.** *Trifurcula* (s.str.) *josefklimeschi* Van Nieukerken,1990 (Nepticulidae) larva on *Dorycnium pentaphyllum* (Nieukerken et al.,2004).
- 2390.** *Trifurcula* (s.str.) *subnitidella* (Duponchel,1843) (Nepticulidae) larva on *Lotus corniculatus* (Fabaceae) (Nieukerken et al.,2004).
- 2391.** *Trifurcula* (s.str.) *victoris* Van Nieukerken,1990 (Nepticulidae) larva on *Dorycnium pentaphyllum* (Van Nieukerken,1990).
- 2392.** *Variis ochnicola* (Vari,1955) (Nepticulidae) larva on *Ochna pulchra* (Ochnaceae) (Vari,1955).
- 2393.** *"Giaura" leucophaea* (Hampson,1905) (Noctuidae) larva on *Heritiera* (Sterculiaceae) (Holloway,2003).
- 2394.** *"Giaura" multipunctata* Swinhoe,1919 (Noctuidae) larva on *Grewia* (Tiliaceae) (Holloway,2003).
- 2395.** *"Giaura" niveidisca* (Hampson,1894) (Noctuidae) larva on *Pterosperrum* (Sterculiaceae) (Mathur,1942).
- 2396.** *"Giaura" tortricoides* (Walker,[1866]) (Noctuidae) larva on *Hibiscus tiliaceus* (Malvaceae) (Tominaga,1999).
- 2397.** *"Urbona" chlorocrota* (Hampson,1907) (Noctuidae) larva on *Vanda*, *Dendrobium*, *Phalaenopsis* (Orchidaceae); *Arachis* (Fabaceae) (Kalshoven,1981 et seq.).
- 2398.** *Abrostola triplasia* (Linnaeus,1758) (Noctuidae) larva on *Parietaria*, *Urtica* (Mann,1862; Calle et al.,2000).
- 2399.** *Acantholipes regularis* (Hübner,[1813]) (Noctuidae) larva on *Glycyrrhiza* (Meyer,1919; Wiltshire,1957).
- 2400.** *Achaea janata* (Linnaeus,1758) (Noctuidae) larva on *Nephelium lappaceum*, *Litchi chinensis* (Sapindaceae), *Ricinus communis*, *Phyllanthus acidis*,

Codiaeum variegatum (Euphorbiaceae), *Tribulus terrestris* (Zygophyllaceae), *Bischofia javanica* (Bischofiaceae), *Rosa* (Rosaceae), *Punica granatum* (Punicaceae), *Diospyros rhodocalis* (Ebenaceae), *Ipomoea purpure* (Convolvulaceae) (Kuroko & Lewvanich,1993).

2401. *Acontia lucida* (Hufnagel,1766) (Noctuidae) larva on *Althaea cannabina*, *Chenopodium*, *Convolvulus*, *Glechoma*, *Malva rotundifolia*, *Taraxacum*, *Trifolium* (Meyer,1919; Wiltshire,1957; Calle et al., 2000).

2402. *Acontia marmoralis* (Fabricius,1794) (Noctuidae) larva on weed (Lewvanich,2001).

2403. *Acontia titania* (Esper,[1798]) (Noctuidae) larva on *Althaea* (Meyer,1919; Wiltshire,1957).

2404. *Acosmetia caliginosa* (Hübner,[1813]) (Noctuidae) larva on *Serratula tinctoria* (Meyer,1919).

2405. *Acronicta (Hyboma) strigosa* ([Denis & Schiffermüller],1775) (Noctuidae) larva on *Crataegus*, *Prunus domestica* (Rosaceae); *Rhamnus* (Rhamnaceae) (Meyer,1919).

2406. *Acronicta (Subacronicta) megacephala* (Fabricius,1787) (Noctuidae) larva on *Populus*, *Salix* (Meyer,1919).

2407. *Acronicta (Triaena) aceris* (Linnaeus,1758) (Noctuidae) larva on *Acer campestre*, *A. pseudoplatanus*, *Aesculus*, *Corylus*, *Juglans*, *Quercus*, *Populus euphratica*, *Rosa* (Linnaeus,1758; Blaschke,1914; Meyer,1919; Wiltshire,1957).

2408. *Acronicta (Triaena) alni* (Linnaeus,1767) (Noctuidae) larva on *Alnus*, *Betula*, *Corylus avellana*, *Juglans regia*, *Populus tremula*, *Prunus cerasus*, *Quercus*, *Rosa*, *Salix*, *Tilia* (Linnaeus,1758; Romanoff,1885; Meyer,1919).

2409. *Acronicta (Triaena) cuspis* (Hübner,[1813]) (Noctuidae) larva on *Alnus*, *Corylus avellana* (Romanoff,1885; Meyer,1919).

2410. *Acronicta (Triaena) leporina* (Linnaeus,1758) (Noctuidae) larva on *Alnus*, *Betula*, *Salix* (Linnaeus,1758; Meyer,1919).

2411. *Acronicta (Triaena) psi* (Linnaeus,1758) (Noctuidae) larva on *Alnus*, *Corylus*, *Crataegus*, *Pyrus malus*, *Populus*, *Prunus*, *Quercus*, *Rhamnus*, *Sorbus*, *Tilia* (Linnaeus,1758; Meyer,1919).

2412. *Acronicta (Triaena) tridens* ([Denis & Schiffermüller],1775) (Noctuidae) larva on *Alnus*, *Betula*, *Crataegus*, *Malus*, *Prunus*, *Quercus*, *Rhamnus*, *Rosa*, *Salix*, (Meyer,1919; Calle et al., 2000).

2413. *Acronicta (Viminia) auricoma* (Fabricius,1787) (Noctuidae) larva on *Betula*, *Rubus caesius*, *R. fruticosus*, *Vaccinium vitis-idaea* (Meyer,1919).

2414. *Acronicta (Viminia) euphorbiae* (Denis,1785) (Noctuidae) larva on *Buxus sempervirens*, *Euphorbia*, *Euphrasia lutea*, *Gentiana*, *Onobrychis*, *Rumex*, *Thymus* (Denis & Schiffermüller,1775; Meyer,1919; Staudinger,1879; Calle et al., 2000; Koçak, in. litt.).

2415. *Acronicta (Viminia) orientalis* Mann,1862 (Noctuidae) larva on *Pyrus*, *Prunus* (Hacker,1989).

2416. *Acronicta (Viminia) rumicis* (Linnaeus,1758) (Noctuidae) larva on *Euphorbia*, *Euphrasia lutea*, *Mahonia aquifolium*, *Prunus*, *Polygonum*, *Rosa*, *Rumex*, *Sonchus*, *Syringa*, *Thymus*, *Urtica* (Linnaeus,1758; Meyer,1919; Wiltshire,1957; Calle et al., 2000).

2417. *Actebia praecox* (Linnaeus,1758) (Noctuidae) larva on *Artemisia*, *Echium vulgare*, *Euphorbia*, *Plantago*, *Rumex acetosella*, *Sonchus* (Meyer,1919).

2418. *Actinotia polyodon* (Clerck,1759) (Noctuidae) larva on *Hypericum* (Hampson,1903; Meyer,1919).

2419. *Actinotia radiosa* (Esper,[1804]) (Noctuidae) larva on *Hypericum* (Meyer,1919).

2420. *Aedia funesta* (Esper,[1786]) (Noctuidae) larva on *Convolvulus sepium* (Meyer,1919).

2421. *Aedia leucomelas* (Linnaeus,1758) (Noctuidae) larva on *Convolvulus*, *Calystegia* (Spuler,1906; Calle et al., 2000).

2422. *Aedophron phlebophora* Lederer,1858 (Noctuidae) larva on *Phlomis* (Staudinger,1879; Warren,1911; Schwingenschuss,1938).

2423. *Aedophron rhodites* (Eversmann,1851) (Noctuidae) larva on *Phlomis herba-venti* (Meyer,1919).

2424. *Aegle semicana* (Esper,[1798]) (Noctuidae) larva on *Delphinium* (Staudinger,1879).

2425. *Aegle vespertinalis* (Rambur,1813) (Noctuidae) larva on *Delphinium* (Calle et al., 2000).

2426. *Agrapha accentifera* (Lefebvre,1827) (Noctuidae) larva on *Mentha* (Calle et al., 2000).

2427. *Agrochola (Alpichola) lactiflora* (Draudt,1934) (Noctuidae) larva on *Salix caprea*, *Amygdalus*, *Prunus*, *Crataegus* (Pinker,1956).

2428. *Agrochola (Anchoscelis) humilis* (Fabricius,1787) (Noctuidae) larva on *Carduus acanthoides*, *Leontodon taraxacum*, *Sonchus oleraceus* (Meyer,1919).

2429. *Agrochola (Anchoscelis) litura* (Linnaeus,1761) (Noctuidae) larva on *Lamium* (Meyer,1919).

2430. *Agrochola (Anchoscelis) lota* (Clerck,1759) (Noctuidae) larva on *Salix*, *Populus*, *Alnus* (Spuler,1907).

2431. *Agrochola (Propenistra) laevis* (Hübner,[1803]) (Noctuidae) larva on *Lamium*, *Leontodon taraxacum* (Meyer,1919).

2432. *Agrochola (s.str.) pistacina* (Goeze,1781) (Noctuidae) larva on *Centaurea* (Meyer,1919).

2433. *Agrotis (Crassagrotis) obesa* (Boisduval,1829) (Noctuidae) larva on *Pterotheca nemaucensis* (Hampson,1903).

2434. *Allophyes benedictina* (Staudinger,1892) (Noctuidae) larva on *Prunus*, *Crataegus* (Rosaceae) (Hacker,2001).

2435. *Alvaradoia numerica* (Boisduval,1840) (Noctuidae) larva on *Santolinum* (Calle et al., 2000).

2436. *Amephana anarrhini* (Duponchel,1840) (Noctuidae) larval foodplant unknown (Calle et al., 2000).

2437. *Amephana aurita* (Fabricius,1787) (Noctuidae) larva on *Helianthemum* (Rambur,1858; Calle et al., 2000).

2438. *Amphipyra livida* ([Denis & Schiffermüller],1775) (Noctuidae) larva on *Taraxacum*, *Hieracium* (Hacker,1989).

2439. *Amphipyra perflua* (Fabricius,1787) (Noctuidae) larva on *Salix*, *Ulmus*, *Malus* (Hacker,1989).

2440. *Amphipyra pyramidea* (Linnaeus,1758) (Noctuidae) larva on *Quercus*, *Tilia*, *Crataegus*, *Prunus*, *Fraxinus* (Wiltshire,1957; Hacker,1989).

2441. *Amphipyra stix* Herrich-Schäffer,[1850] (Noctuidae) larva on *Galium mollugo*, *Taraxacum*, *Veronica* (Kasy,1956).

2442. *Anereuthina renosa* Hübner,1813 (Noctuidae) larva on *Lepisanthes fruticosa*, *L. rubiginosa* (Sapindaceae) (Lewvanich,2003).

2443. *Anigraea albomaculata* (Hampson,1894) (Noctuidae) larva on *Bursera*, *Garuda* (Burseraceae), *Anacardium* (Anacardiaceae) (Holloway,1985).

2444. *Anomis flava* (Fabricius,1775) (Noctuidae) larva on *Hibiscus cannabinum*, *Gossypium herbaceum* (Malvaceae).

2445. *Anomis guttanivis* (Walker,[1858]) (Noctuidae) larva on *Stephania hernandifolia* (Menispermaceae).

2446. *Anthracia eriopoda* (Herrich-Schäffer,[1851]) (Noctuidae) larva on *Rubia olivieri*, *Ephedra campyloda*, *Lonicera* (Wiltshire,1935).

2447. *Androphila stuebeli* (Calberla,1891) (Noctuidae) larva on *Calligonum comosum* (Hacker,2001).

2448. *Apamea furva* ([Denis & Schiffermüller],1775) (Noctuidae) larva on *Arctium* ([Denis & Schiffermüller],1775 et seq.).

2449. *Apopestes spectrum* (Esper,[1787]) (Noctuidae) larva on *Spartium juncum*, *Glycyrrhiza* (Lederer,1865; Wiltshire,1957).

2450. *Aporophyla canescens* (Duponchel,1826) (Noctuidae) larva on *Calendula*, *Asphodelus aestivus* (Kirby,1903; Spuler,1905; Hampson,1906; Wiltshire,1957).

2451. *Aporophyla nigra* (Haworth,[1809]) (Noctuidae) larva on *Calluna*, *Rumex*, *Plantago*, *Stellaria*, *Deschampsia*, *Epilobium*, *Genista*, *Oxalis* (Hacker,2001).

2452. *Archana algae* (Esper,[1789]) (Noctuidae) larva on *Typha*, *Sparganium*, *Scirpus*, *Phragmites*, *Glyceria* (Hacker,1989).

2453. *Archana geminipuncta* (Haworth,1809) (Noctuidae) larva on *Phragmites* (Wiltshire,1957).

2454. *Archana neurica* (Hübner,[1808]) (Noctuidae) larva on *Phragmites communis*, *Phalaris arundinacea* (Hacker,1989).

2455. *Archana sparganii* (Esper,[1790]) (Noctuidae) larva on *Typha*, *Sparganium*, *Iris pseudacorus* (Esper,[1790]; Hacker,1989).

2456. *Arenostola phragmitidis* (Hübner,[1803]) (Noctuidae) larva on *Phragmites communis* (Hübner,[1803]; Wiltshire,1957; Hacker,1989).

2457. *Argyrogramma signata* (Fabricius,1775) (Noctuidae) larva on *Eucalyptus* (Holloway,1985).

2458. *Armada nilotica* A.Bang-Haas,1912 (Noctuidae) larva on *Heliotropium luteum*, *H. arabense* (Andres & Seitz,1914,1925; Wiltshire,1948,1979).

2459. *Arthisma scissuralis* Moore,1883 (Noctuidae) larva on *Durio zibethinus* (Bombacaceae) (Kuroko, Lewvanich,1993).

2460. *Asinduma exscripta* Walker,1864 (Noctuidae) larva on *Saraca* (Fabaceae) (Holloway,2003).

2461. *Atethmia ambusta* (Fabricius,1787) (Noctuidae) larva on *Pyrus*, *Malus* (Hofmann,1893).

2462. *Atethmia centrargo* (Haworth,[1809]) (Noctuidae) larva on *Fraxinus* (Hampson,1906; Spuler,1907).

2463. *Atethis furvula* (Hübner,[1808]) (Noctuidae) larva on *Rumex* (Hacker,1989).

2464. *Attatha regalis* (Moore,1872) (Noctuidae) larva on *Ficus religiosa* (Moraceae) (Gardner,1941).

2465. *Atypha pulmonaris* (Esper,[1790]) (Noctuidae) larva on *Pulmonaria officinalis*, *Symphytum* (Esper,[1790]; Hacker,1989).

2466. *Auchmis (s.str.) detera* (Esper,[1791]) (Noctuidae) larva on *Berberis vulgaris* (Hacker,1989).

2467. *Autophila (s.str.) cerealis* (Staudinger,1871) (Noctuidae) larva on *Salvia* (Wiltshire,1957).

2468. *Autophila (s.str.) dilucida* (Hübner,[1808]) (Noctuidae) larva on *Onobrychis sativa* (Calle et al., 2000).

2469. *Autophila (s.str.) limbata* (Staudinger,1871) (Noctuidae) larva on *Astragalus echinus* (Staudinger,1879).

2470. *Autophila cataphanes* (Hübner,[1813]) (Noctuidae) larva on *Genista* (Calle et al., 2000).

2471. *Avatha complens* (Walker,1858) (Noctuidae) larva on *Nephelium lappaceum* (Sapindaceae) (Kuroko & Lewvanich,1993).

2472. *Avatha leksawadi* Koçak & Kemal,2006 (Noctuidae) larva on *Nephelium lappaceum* [rambutan] (Sapindaceae) (Kuroko & Lewvanich,1993; Lewvanich,2001).

2473. *Avatha perficiens* (Walker,1858) (Noctuidae) larva on *Nephelium lappaceum* (Sapindaceae) (Kuroko & Lewvanich,1993).

2474. *Barasa acronyctoides* Walker,1862 (Noctuidae) larva on *Eugenia* (Myrtaceae), *Syzygium* (Mathur,1942).

2475. *Barasa alopha* Hampson,1896 (Noctuidae) larva on *Terminalia* (Combretaceae) (Holloway,2003).

2476. *Bastilla absentimacula* (Guenée,1852) (Noctuidae) larva on *Phyllanthus acidus* [star goodsberry] (Euphorbiaceae), *Caladium bicolor* [bon si] (Araceae) (Lewvanich,2001).

2477. *Bastilla amygdalis* Moore,[1885] (Noctuidae) larva on *Phyllanthus* (Euphorbiaceae) (Holloway & Miller,2003).

2478. *Bastilla analis* (Guenée,1852) (Noctuidae) larva on *Phyllanthus* (Euphorbiaceae) (Holloway & Miller,2003).

2479. *Bastilla arcuata* (Moore,1887) (Noctuidae) larva on *Glochidion*, *Phyllanthus* (Euphorbiaceae) (Holloway & Miller,2003).

2480. *Bastilla crameri* (Moore,[1885]) (Noctuidae) larva on *Sandoricum koetjape* (Meliaceae), *Phyllanthus* (Euphorbiaceae) (Kuroko & Lewvanich,1993; Holloway & Miller,2003).

2481. *Bastilla fulvotaenia* (Guenée,1852) (Noctuidae) larva on *Glochidion* (Euphorbiaceae) (Holloway & Miller,2003).

- 2482. Bastilla joviana (Stoll,1782)** (Noctuidae) larva on Phyllanthus (Euphorbiaceae) (Holloway & Miller,2003).
- 2483. Bastilla maturata (Walker,1858)** (Noctuidae) larva on Vitis (Vitaceae) (Holloway & Miller,2003).
- 2484. Bastilla praetermissa (W.Warren,1913)** (Noctuidae) larva on Phyllanthus (Euphorbiaceae) (Holloway & Miller,2003).
- 2485. Bastilla simillima (Guenée,1852)** (Noctuidae) larva on Phyllanthus (Euphorbiaceae) (Holloway & Miller,2003).
- 2486. Beana terminigera (Walker,1858)** (Noctuidae) larva on Quisqualis (Combretaceae), Ventilago (Rhamnaceae) (Gardner,1947).
- 2487. Beara nubiferella Walker,1866** (Noctuidae) larva on Ceiba (Bombacaceae), Tectona (Verbenaceae) (Mathur,1942).
- 2488. Boursinia decepatrix (Staudinger,1900)** (Noctuidae) larva on Lycium barbarum (Wiltshire,1948).
- 2489. Boursinia lithoxylea (A.Bang-Haas,1912)** (Noctuidae) larva on Retama raetam (Dumont,1928).
- 2490. Brachygalea albolineata (Blachier,1905)** (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2491. Brithys crini (Fabricius,1775)** (Noctuidae) larva on Pancratium maritimum; Crinum asiaticum [cape lily], Eucharis grandiflora [Amazon lily], Zephyranthes candida [fairy lily], Hippeastrum puniceum [fire lily] (Amaryllidaceae), Alocasia cucullata [Chinese taro] (Araceae), Rosa [rose] (Rosaceae) (Cyrillo,1787; Lewvanich,2001).
- 2492. Bryonycta pineti (Staudinger,1859)** (Noctuidae) larva on Pinus (Staudinger,1859; Calle et al., 2000).
- 2493. Calesia stillifera R.Felder & Rogenhofer,1874** (Noctuidae) larva on Triticum vulgare (Poaceae) (Lewvanich,2001).
- 2494. Callopietria maillardi (Guenée,1862)** (Noctuidae) larva on Nephrolepis hirsutula [foen bai makham], Nephrolepis biserrata [foen kang pla] (Nephrolepidaceae) (Lewvanich,2001).
- 2495. Calocucullia celsiae (Herrich-Schäffer,1850)** (Noctuidae) larva on Hesperis desertorum (Rebel,1903).
- 2496. Calophasia almoravida Graslin,1863** (Noctuidae) larva on Linaria vulgaris (Calle et al., 2000).
- 2497. Calophasia hamifera Staudinger,1863** (Noctuidae) larva on Linaria (Calle et al., 2000).
- 2498. Calophasia platyptera (Esper,[1788])** (Noctuidae) larva on Anthirrhinum, Linaria (Calle et al., 2000).
- 2499. Calymma communimacula ([Denis & Schiffermüller],1775)** (Noctuidae) larva lives in soft cases on Coccids on Sloe, Prunus (Hacker,2001).
- 2500. Caradrina (Eremodrina) armeniaca (Boursin,1936)** (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2501. Caradrina (Eremodrina) distigma (Chrétien,1913)** (Noctuidae) larva on Atriplex halimus (Chrétien,1913).
- 2502. Caradrina (Eremodrina) oberthueri (Rothschild,1913)** (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2503. Caradrina (Kaltbergiana) ingrata (Staudinger,1897)** (Noctuidae) larva on Salix? (Wiltshire,1957).
- 2504. Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae) larva on Campanula, Cichorium, Lactuca, Lamium, Plantago, Rumex, Taraxacum (Calle et al., 2000).
- 2505. Caradrina (Paradrina) noctivaga (Bellier,1863)** (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2506. Caradrina (Platyperigea) aspersa (Rambur,1834)** (Noctuidae) larva polyphag (Hacker,1989).
- 2507. Caradrina (Platyperigea) proxima (Rambur,1837)** (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2508. Cardepija irrisoria (Erschoff,1874)** (Noctuidae) larva on Atriplex (Heydemann et al.,1963).
- 2509. Carea angulata (Fabricius,1793)** (Noctuidae) larva on Eugenia jambolana, Syzygium cumini [black plum], Cleistocalyx operculatus [ma kiang] (Myrtaceae) (Gardner,1941; Lewvanich,2001).
- 2510. Carea parangulata Kobes,1997** (Noctuidae) larva Eugenia, Cleistocalyx, Syzygium (Myrtaceae), Ficus (Moraceae), Memecylon (Melastomataceae), Bombax (Bombacaceae) (Mathur,1942 et seq.).
- 2511. Carea varipes Walker,[1857]** (Noctuidae) larva on Eugenia, Rhodomyrtus, Campomanesia, Cleistocalyx, Syzygium (Myrtaceae) (Yunus & Ho,1980 et seq.).
- 2512. Catephia alchymista ([Denis & Schiffermüller],1775)** (Noctuidae) larva on Quercus, Ulmus (Calle et al., 2000).
- 2513. Catocala (s.str.) disjuncta (Geyer,[1828])** (Noctuidae) larva on Quercus coccifera (Staudinger,1879).
- 2514. Catocala (s.str.) diversa (Geyer,[1828])** (Noctuidae) larva on Quercus (Wiltshire,1948).
- 2515. Catocala (s.str.) hymenaea ([Denis & Schiffermüller],1775)** (Noctuidae) larva on Prunus spinosa ([Denis & Schiffermüller],1775 et seq.).
- 2516. Catocala (s.str.) mariana Rambur,1858** (Noctuidae) larva on Quercus coccifera (Calle et al., 2000).
- 2517. Catocala (s.str.) neonympha (Esper,[1805])** (Noctuidae) larva on Glycyrrhiza (Warren,1913).
- 2518. Catocala (s.str.) promissa ([Denis & Schiffermüller],1775)** (Noctuidae) larva on Quercus robur ([Denis & Schiffermüller],1775 et seq.).
- 2519. Chazaria incarnata (Freyer,1838)** (Noctuidae) larva on Silene (Staudinger,1879).
- 2520. Chloantha hypericii (Fabricius,1787)** (Noctuidae) larva on Hypericum perforatum (Hampson,1903; Meyer,1919; Wiltshire,1957).
- 2521. Chlumetia transversa (Walker,1863)** (Noctuidae) larva on Mangifera indica (mango) (Anacardiaceae) (Kuroko & Lewvanich,1993).
- 2522. Chora repandens Walker,1862** (Noctuidae) larva on Melaleuca (Myrtaceae) (Yunus & Ho,1980).
- 2523. Chrysodeixis chalcites (Esper,[1789])** (Noctuidae) larva on Convolvulus, Heliotropium, Parietaria, Solanum (Calle et al., 2000).
- 2524. Chrysodeixis eriosoma (Doubleday,1843)** (Noctuidae) larva on Solanum melangena (Solanaceae), Fabaceae, Plectranthus scutellarioides [ruesi phasom] Brassicaceae, Malvaceae (Holloway,1985; Lewvanich,2001).
- 2525. Cleonymia (Serrvania) yvannii (Duponchel,1833)** (Noctuidae) larva on Helianthemum (Calle et al., 2000).
- 2526. Cleonymia (s.str.) baetica (Rambur,1837)** (Noctuidae) larva on Helianthemum (Hofmann,1893; Spuler,1893).
- 2527. Clytie (Hypoglaucitis) infrequens (Swinhoe,1884)** (Noctuidae) larva on Tamarix articulata (Wiltshire,1957).
- 2528. Clytie (s.str.) illunaris (Hübner,[1813])** (Noctuidae) larva on Tamarix (Calle et al., 2000).
- 2529. Clytie (s.str.) syriaca (Bugnion,1837)** (Noctuidae) larva on Tamarix gallica, T. ramosissima (Wiltshire, 1939,1957; Rakosy,1996).
- 2530. Clytie (s.str.) terrentula (Christoph,1893)** (Noctuidae) larva on Tamarix (Wiltshire, 1939,1957).
- 2531. Condica palaestinis (Staudinger,1895)** (Noctuidae) larva on Pluchea dioscorides (Wiltshire,1935).
- 2532. Condica pauperata (Walker,1858)** (Noctuidae) larva on Pulchea dioscorides (Andres & Seitz,1923).
- 2533. Condica viscosa (Freyer,1831)** (Noctuidae) larva on Inula viscosa (Freyer,1831).
- 2534. Conistra (s.str.) veronicae (Hübner,[1813])** (Noctuidae) larva on Prunus (Rosaceae) (Hofmann,1893).
- 2535. Cosmia (Calymnia) trapezina (Linnaeus,1758)** (Noctuidae) larva on Quercus (Hacker,1989).
- 2536. Cosmia (s.str.) affinis (Linnaeus,1767)** (Noctuidae) larva on Quercus, Ulmus (Blaschke,1914; Hacker,1989).
- 2537. Cosmia (s.str.) confinis Herrich-Schäffer,[1849]** (Noctuidae) larva on Ulmus (Hacker,1989).
- 2538. Cosmia (s.str.) diffinis (Linnaeus,1767)** (Noctuidae) larva on Ulmus (Hacker,1989).
- 2539. Cosmia (s.str.) pyralina ([Denis & Schiffermüller],1775)** (Noctuidae) larva on Ulmus (Hacker,1989).
- 2540. Craniophora fasciata (Moore,[1884])** (Noctuidae) larva on Olea, Ligustrum, Osmanthus (Oleaceae) (Kobes,1995).
- 2541. Craniophora ligustri (Fabricius,1787)** (Noctuidae) larva on Fraxinus, Ligustrum vulgare (Fabricius,1787; Meyer,1919).
- 2542. Craniophora pontica (Staudinger,1879)** (Noctuidae) larva on ? Fraxinus (Wiltshire,1957).
- 2543. Cryphia (Bryophila) domestica (Hufnagel,1766)** (Noctuidae) larva on some lichens (Xanthoria, Lecidea) (Calle et al., 2000).
- 2544. Ctenoplusia (s.str.) albostrata (Bremer & Grey,1853)** (Noctuidae) larva on Symphytum (Boraginaceae), Calystegia (Convolvulaceae), Aster, Dichrocephala, Elepanopus, Erigeron, Calendula, Callistephus, Dahlia, Solidago (Asteraceae) (Holloway,1985).
- 2545. Cucullia (Shargacucullia) barthae Boursin,1933** (Noctuidae) larva on Scrophularia (Wiltshire,1957).
- 2546. Cucullia (Shargacucullia) blattariae (Esper,[1790])** (Noctuidae) larva on Scrophularia at Amasia (Staudinger,1879).
- 2547. Cucullia (Shargacucullia) erythrocephala (Wagner,1914)** (Noctuidae) larva on Scrophularia (Calle et al., 2000).
- 2548. Cucullia (Shargacucullia) lychnitis (Rambur,1833)** (Noctuidae) larva on Celsia, Scrophularia, Verbascum (Staudinger,1879; Wiltshire,1957; Calle et al., 2000).
- 2549. Cucullia (Shargacucullia) reisseri (Boursin,1933)** (Noctuidae) larva on Verbascum (Calle et al., 2000).
- 2550. Cucullia (Shargacucullia) scrophulariae ([Denis & Schiffermüller],1775)** (Noctuidae) larva on Scrophularia at Amasia (Staudinger,1879).
- 2551. Cucullia (Shargacucullia) strigicosta Boursin,1940** (Noctuidae) larva on Scrophularia (Wiltshire, 1941, 1957).
- 2552. Cucullia (Shargacucullia) verbasci (Linnaeus,1758)** (Noctuidae) larva on Celsia, Scrophularia, Verbascum tripolitanum (Staudinger,1879; Wiltshire,1957; Calle et al., 2000).
- 2553. Cucullia (s.str.) absinthii (Linnaeus,1761)** (Noctuidae) larva on Artemisia absinthium (Blaschke,1914).
- 2554. Cucullia (s.str.) achilleae Guenée,1852** (Noctuidae) larva on Anthemis, Artemisia herba-alba (Calle et al., 2000).
- 2555. Cucullia (s.str.) asteris ([Denis & Schiffermüller],1775)** (Noctuidae) larva on Asteris chinensis ([Denis & Schiffermüller],1775 et seq.).
- 2556. Cucullia (s.str.) calendulae Treitschke,1835** (Noctuidae) larva on Achillea, Anthemis, Calendula, Ormenis, Chrysanthemum coronarium (Draudt,1934; Wiltshire,1957; Calle et al., 2000).
- 2557. Cucullia (s.str.) chamomillae ([Denis & Schiffermüller],1775)** (Noctuidae) larva on Achillea, Anthemis, Calendula, Chrysanthemum, Matricaria (Calle et al., 2000).
- 2558. Cucullia (s.str.) faucicola Wiltshire,1943** (Noctuidae) larva on Scrophularia (Wiltshire,1943).
- 2559. Cucullia (s.str.) kasyi Wiltshire,1976** (Noctuidae) larva on Celsia (Wiltshire,1976).
- 2560. Cucullia (s.str.) santolinae Rambur,1834** (Noctuidae) larva on Artemisia arborea, A. campestris, Santolina (Culot,1909-1917; Calle et al., 2000).
- 2561. Cucullia (s.str.) tanacetii (Goeze,1781)** (Noctuidae) larva on Anthemis, Matricaria, Santolina, Tanacetum (Calle et al., 2000).
- 2562. Cyliogramma latona (Cramer,1775)** (Noctuidae) larva on Acacia (Pinhey,1975).

- 2563.** *Diachrysa chrysis* (Linnaeus,1758) (Noctuidae) larva on Urtica dioica (Urticaceae), Lamium, Galeopsis, Mentha (Lamiaceae), Cirsium, Arctium, Achillea (Asteraceae) (Hacker,2001).
- 2564.** *Dialithoptera gemmata* (Hampson,1896) (Noctuidae) larva on Terminalia (Combretaceae), Careya (Lecythidaceae) (Holloway,2003).
- 2565.** *Diarsia brunnea* (Denis & Schiffermüller,1775) (Noctuidae) larva on Pisum (Denis & Schiffermüller,1775 et seq.).
- 2566.** *Dichagyris (s.str.) imperator* (A.Bang-Haas,1912) (Noctuidae) larva on Zygophyllum (Andres & Seitz,1925).
- 2567.** *Dichonia aeruginea* (Hübner,1803) (Noctuidae) larva on Quercus (Blaschke,1914).
- 2568.** *Dichonia convergens* (Denis & Schiffermüller,1775) (Noctuidae) larva on Quercus robur (Denis & Schiffermüller,1775 et seq.).
- 2569.** *Dicycla oo* (Linnaeus,1758) (Noctuidae) larva on Quercus (Wiltshire,1957).
- 2570.** *Dichlea tumida* (Hampson,1905) (Noctuidae) larva on Decaspermum (Myrtaceae) (Robinson et al.,2001).
- 2571.** *Diloba caeruleocephala* (Linnaeus,1758) (Noctuidae) larva on Amygdalus, Quercus coccifera, Crataegus, Prunus spinosa, Malus (Staudinger,1879; Spuler,1903 et seq.).
- 2572.** *Dilophothripa alopha* Hampson,1907 (Noctuidae) larva on Saraca, Cynometra (Fabaceae), Buchanania (Anacardiaceae), Terminalia (Combretaceae), Calophyllum (Guttiferae) (Robinson et al.,2001).
- 2573.** *Drasteria cailino* (Lefebvre,1827) (Noctuidae) larva on Salix, Zizyphus lotus (Calle et al., 2000).
- 2574.** *Drasteria kabyllaria* (A.Bang-Haas,1906) (Noctuidae) larva probably on Tamarix (Rungs,1948).
- 2575.** *Dryobota labecula* (Esper,1788) (Noctuidae) larva on Quercus ilex (Millière,1868).
- 2576.** *Dryobotodes (Dichoniox) tenebrosa* (Esper,1789) (Noctuidae) larva on Quercus ilex, Q. coccifera (Hacker,2001).
- 2577.** *Dryobotodes (s.str.) carbonis* (Wagner,1931) (Noctuidae) larva on Quercus coccifera, Q. ilex, Q. pubescens (Hacker,2001).
- 2578.** *Dryobotodes (s.str.) eremita* (Fabricius,1775) (Noctuidae) larva on Quercus robur (Hacker,2001).
- 2579.** *Dypterygia scabriuscula* (Linnaeus,1758) (Noctuidae) larva on "Escallonia serrata" at Amasia (Staudinger,1879) vide Cerasus prostrata (Koçak & Vural,1998, Misc. Pap. 51: 6-7).
- 2580.** *Dyrzela plagiata* Walker,1858 (Noctuidae) larva on Grewia paniculata, G. tiliaefolia (Tiliaceae) (Robinson et al.,2005).
- 2581.** *Earias clorana* (Linnaeus,1761) (Noctuidae) larva on Salix (Wiltshire,1957).
- 2582.** *Earias insulana* (Boisduval,1833) (Noctuidae) larva on Abutilon theophrasti, Althaea, Ceratonia siliqua, Gossypium herbaceum, Hibiscus esculentus, H. rosasinensis, H. cannabinus; Lavatera, Malva parviflora, Populus, Zea mays (Wiltshire,1957; Calle et al., 2000).
- 2583.** *Earias irakana* Wiltshire,1936 (Noctuidae) larva on Populus euphratica (Wiltshire,1957).
- 2584.** *Eligma narcissus* (Cramer,1775) (Noctuidae) larva on Ailanthus excelsa, A. malabarica, A. triphylla (Simaroubaceae) (Robinson et al.,2005).
- 2585.** *Emmelia trabealis* (Scopoli,1763) (Noctuidae) larva on Convolvulus arvensis, Gossypium herbaceum (Wiltshire,1957; Calle et al., 2000).
- 2586.** *Enargia abluta* (Hübner,1808) (Noctuidae) larva on Populus, Salix, Quercus (Blaschke,1914; Hacker,1989).
- 2587.** *Enargia paleacea* (Esper,1788) (Noctuidae) larva on Betula, Populus, Alnus (Hacker,1989).
- 2588.** *Epimecia ustula* (Freyer,1835) (Noctuidae) larva on Scabiosa (Hacker,1989).
- 2589.** *Episema tersa* (Denis & Schiffermüller,1775) (Noctuidae) larva on Anthericum (Liliaceae) (Pinker,1962).
- 2590.** *Episparina tortuosalis* (Moore,1867) (Noctuidae) larva on Chukrasia tabularis (Meliaceae) (Lewvanich,2003).
- 2591.** *Episparis sp.* (Noctuidae) larva on Chukrasia tabularis [siat ka] (Meliaceae) (Lewvanich,2001).
- 2592.** *Erebus ephesteris* (Hübner,1823) (Noctuidae) larva on Nephelium lappaceum (Sapindaceae) (Kuroko & Lewvanich,1993).
- 2593.** *Erizada lichenaria* Walker,1865 (Noctuidae) larva on Durio [durian] (Bombacaceae), Nephelium (Sapindaceae) (Yunus & Ho,1980; et seq.).
- 2594.** *Etanna albisecta* (Hampson,1905) (Noctuidae) larva on Buchanania (Anacardiaceae) (Robinson et al.,2001).
- 2595.** *Etanna basalis* Walker,1862 (Noctuidae) larva on Mangifera (Anacardiaceae) (Pholboon,1965).
- 2596.** *Etanna breviscula* (Walker,1863) (Noctuidae) larva on Anacardium, Mangifera (Anacardiaceae), Shorea (Dipterocarpaceae), Cajanus, Calliandra, Desmodium (Fabaceae), Trema (Ulmaceae) (Yunus & Ho,1980 et seq.).
- 2597.** *Etanna viridifascia* Holloway,2003 (Noctuidae) larva on Durio zibethinus (Bombacaceae) (Holloway,2003).
- 2598.** *Eublema (Coccidiphaga) scitula* (Rambur,1833) (Noctuidae) larva on eggs of Coccoidea on Ficus, Nerium, Yucca (Hampson,1910; Wiltshire,1948; Rungs,1981).
- 2599.** *Eublema (Glossodice) polygramma* (Duponchel,1842) (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2600.** *Eublema (albida-gr.) hansa* (Herrich-Schäffer,1851) (Noctuidae) larva on Echinops (Lederer,1869,1870).
- 2601.** *Eublema (bulla-gr.) pura* (Hübner,1813) (Noctuidae) larva on Carlina, Helichrysum (Calle et al., 2000).
- 2602.** *Eublema (candidana-gr.) candidana* (Fabricius,1794) (Noctuidae) larva on Gnaphalium, Helichrysum (Wiltshire,1957; Calle et al., 2000).
- 2603.** *Eublema (candidana-gr.) viridula* (Guenée,1841) (Noctuidae) larva on Helichrysum (Mann,1862).
- 2604.** *Eublema (gayneri-gr.) gayneri* (Rothschild,1901) (Noctuidae) larva on Mangifera indica, Acacia nilotica, Eriobotrya japonica, Zizyphus, Tamarix, Phenococcus hirsutus on Hibiscus (Wiltshire,1948; Argaman,1991).
- 2605.** *Eublema (ostrina-gr.) ostrina* (Hübner,1808) (Noctuidae) larva on Carduus, Carlina, Cynara, Echinops, Helichrysum (Wiltshire,1957; Calle et al., 2000).
- 2606.** *Eublema (parva-gr.) parva* (Hübner,1808) (Noctuidae) larva on Carduus, Centaurea, Inula, Carlina, Cynara (Calle et al., 2000).
- 2607.** *Eublema (rosina-gr.) amoena* (Hübner,1803) (Noctuidae) larva on Onopordum acanthium (Calle et al., 2000).
- 2608.** *Eublema (rosina-gr.) purpurina* (Denis & Schiffermüller,1775) (Noctuidae) larva on Cirsium (Calle et al., 2000).
- 2609.** *Eucarta amethystina* (Hübner,1803) (Noctuidae) larva on Daucus, Silaus, Peucedanum (Hacker,1989).
- 2610.** *Eucarta virgo* (Treitschke,1835) (Noctuidae) larva on Chrysanthemum vulgare, Mentha aquatica, Salix viminalis, Taraxacum (Hacker,1989).
- 2611.** *Euchalcia (s.str.) emichi* (Rogenhofer,1873) (Noctuidae) larva on Pulmonaria (Rogenhofer,1873; Staudinger,1879).
- 2612.** *Eudocima hypermnestra* (Stoll,1780) (Noctuidae) larva on Tinospora cordifolia (Menispermaceae).
- 2613.** *Eudocima phalonia* (Linnaeus,1763) (Noctuidae) larva on Tinospora crispa [bora phet], T.cordifolia, T.baenzigeri [chingcha chali], Tiliacora trianda [thao yang] (Menispermaceae), Calamus (Palmaceae) (Lewvanich,2001).
- 2614.** *Eudocima salamina* (Cramer,1777) (Noctuidae) larva on Stephania hermandifolia (Menispermaceae).
- 2615.** *Eugraphe sigma* (Denis & Schiffermüller,1775) (Noctuidae) larva on Atriplex (Denis & Schiffermüller,1775 et seq.).
- 2616.** *Eutelia adoratrix* (Staudinger,1892) (Noctuidae) larva on Pistacia terebinthus, P. lentiscus (Wagner,1925).
- 2617.** *Eutelia adulatrix* (Hübner,1813) (Noctuidae) larva on Rhus cotinus, Pistacia lentiscus (Staudinger,1879; Blaschke,1914; de Freina & Behounek,1996; Calle et al., 2000).
- 2618.** *Evisa schawerdei* Reisser,1930 (Noctuidae) larva on Quercus, Crataegus (Wiltshire,1957).
- 2619.** *Exophila rectangularis* (Hübner,1828) (Noctuidae) larva on Celtis (Staudinger,1879).
- 2620.** *Facidia venosa* (Hübner) (Noctuidae) larva on Lepisanthes fruticosa [chamma liang], L.rubiginosa [ma huat] (Sapindaceae) (Lewvanich,2001).
- 2621.** *Fodina stola* Guenée,1852 (Noctuidae) larva on Holarrhena pubescens [mok yai] (Apocynaceae), Litsea glutinosa [mi men] (Lauraceae) (Lewvanich,2001).
- 2622.** *Gadirtha impingens* Walker,1858 (Noctuidae) larva on Sapium, Stillingia (Euphorbiaceae) (Mell,1943 et seq.).
- 2623.** *Gadirtha pulchra* Butler,1886 (Noctuidae) larva on Sapium, Excoecaria (Euphorbiaceae) (Murphy,1990).
- 2624.** *Garella ruficirra* (Hampson,1905) (Noctuidae) larva bores fruits of Castanea, Quercus (Fagaceae), Juglans (Juglandaceae) (Mathur,1942; Sugi,1987).
- 2625.** *Garella scoparoides* (Walker,1863) (Noctuidae) larva on Terminalia (Combretaceae), Erythrina (Fabaceae), Helicteres (Sterculiaceae) (Mathur,1942 et seq.).
- 2626.** *Gnamptonyx vilis* (Walker,1865) (Noctuidae) larva on Acacia raddiana (Rungs,1942).
- 2627.** *Gortyna borelii* (Pierret,1837) (Noctuidae) larva on Peucedanum officinale (Hacker,1989).
- 2628.** *Gortyna puengeleri* (Turati,1909) (Noctuidae) larva on Peucedanum (Hacker,1989).
- 2629.** *Grammodes bifasciata* (Petagna,1786) (Noctuidae) larva on Cistus salvifolius, Polygonum, Smilax, Rubus (Hofmann,1893) et seq.
- 2630.** *Grammodes geometrica* (Fabricius,1775) (Noctuidae) larva on Cistaceae, Coriariaceae, Ebenaceae, Euphorbiaceae, Fagaceae, Poaceae, Fabaceae, Linaceae, Polygonaceae, Rhamnaceae, Rosaceae, Smilacaceae, Tamaricaceae, Zygophyllaceae (Holloway & Miller,2003).
- 2631.** *Grammodes stolidia* (Fabricius,1775) (Noctuidae) larva on Rubus, Quercus, Paliurus, Tribulus, Coriaria, Zizyphus lotus (Wiltshire,1957; Calle et al., 2000; Hacker,2001).
- 2632.** *Gyrtothripa papuana* (Hampson,1912) (Noctuidae) larva on Solanum (Solanaceae) (Holloway,2003).
- 2633.** *Gyrtothripa parvipusilla* Holloway,2003 (Noctuidae) larva on Saraca (Fabaceae) (Holloway,2003).
- 2634.** *Gyrtothripa pusilla* (Moore,1888) (Noctuidae) larva on Mesua (Guttiferae), Melaleuca (Myrtaceae), Heritiera (Sterculiaceae) (Robinson et al.,2001).
- 2635.** *Hada plebeja* (Linnaeus,1761) (Noctuidae) larva on Taraxacum (Hampson,1905).
- 2636.** *Hadena (Anepia) avempacei* (Tams,1925) (Noctuidae) larva on Silene vilosa (Hacker,2001).
- 2637.** *Hadena (Anepia) irregularis* (Hufnagel,1766) (Noctuidae) larva on Silene oites, Gypsophila paniculata (Hampson,1905).
- 2638.** *Hadena (Anepia) perplexa* (Denis & Schiffermüller,1775) (Noctuidae) larva on Silene inflata, S. maritima (Hampson,1905).
- 2639.** *Hadena (Enterpia) laudeti* (Boisduval,1840) (Noctuidae) larva on Silene, Gypsophila (Staudinger,1879; Wiltshire,1957).
- 2640.** *Hadena (s.str.(Albimaculia)) albimacula* (Borkhausen,1792) (Noctuidae) larva on seed-capsules of Silene nutans (Hampson,1905).
- 2641.** *Hadena (s.str.(Dianthoeia)) bicurris* (Hufnagel,1766) (Noctuidae) larva on seed-capsules of Silene, Lychnis (Hampson,1905).
- 2642.** *Hadena (s.str.(Filograna)) filograna* (Esper,1788) (Noctuidae) larva on Silene nutans (Hampson,1905).
- 2643.** *Hadena (s.str.(Magnoliadenia)) magnoli* (Boisduval,1828) (Noctuidae) larva on Silene nutans (Hampson,1905).

- 2644.** *Hadena* (s.str.(*Miselia*)) *compta* ([Denis & Schiffermüller],1775) (Noctuidae) larva on seed capsules of *Silene*, *Dianthus carthusianorum* (Hampson,1905; Hacker,2001).
- 2645.** *Hadena* (s.str.(*Zeteolyga*)) *confusa* (Hufnagel,1766) (Noctuidae) larva on seed capsules of *Lychnis*, *Silene* (Hampson,1905).
- 2646.** *Hadula* (*Calocestra* (*Hadutrifolium*)) *trifolii* (Hufnagel,1766) (Noctuidae) larva on *Atriplex*, *Chenopodium* (Wiltshire,1957).
- 2647.** *Haemerosia renalis* (Hübner,1813) (Noctuidae) larva on *Lactuca*, *Chondrilla juncea* (Asteraceae) (Hofmann,1893 et seq.).
- 2648.** *Harpagophana hilaris* (Staudinger,1895) (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2649.** *Hecatera bicolorata* (Hufnagel,1766) (Noctuidae) larva on flowers of *Sonchus* and *Lactuca* (Hampson,1905); *Alnus*, *Prunus domestica*, *P. spinosa*, *Rosa*, *Salix* (Meyer,1919).
- 2650.** *Hecatera cappa* (Hübner,1809) (Noctuidae) larva on *Delphinium ajacis*, *D. staphysagria* (Hampson,1905).
- 2651.** *Hecatera spinaciae* (Vieweg,1790) (Noctuidae) larva on flowers of *Sonchus* and *Lactuca scarioloides* (Hampson,1905; Wiltshire,1957).
- 2652.** *Helicoverpa armigera* (Hübner,1808) (Noctuidae) larva on *Inula*, *Medicago*, *Plantago*, *Ulex*, *Hyoscyamus niger* (Lederer,1865; Calle et al., 2000).
- 2653.** *Helicoverpa assulta* (Guenée,1852) (Noctuidae) larva on *Nicotiana tabacum* [tobacco] (Solanaceae), *Hibiscus sabdariffa* [roselle] (Malvaceae) (Lewvanich,2001).
- 2654.** *Heliothis nubigera* Herrich-Schäffer,1851 (Noctuidae) larva on *Lonicera implexa* (Calle et al., 2000).
- 2655.** *Heliothis peltigera* ([Denis & Schiffermüller],1775) (Noctuidae) larva on *Bellis*, *Calendula*, *Carthamus*, *Hyoscyamus*, *Malva*, *Salvia*, *Senecio*, *Ulex* (Calle et al., 2000).
- 2656.** *Heliothis virescens* (Fabricius,1781) (Noctuidae) larva on *Rhexia*, *Solanum sieglingae*, *Nicotiana tabacum* (Hampson,1903).
- 2657.** *Heliothis viriplaca* (Hufnagel,1766) (Noctuidae) larva on *Linaria*, *Centaurea*, *Ononis* (Hampson,1903); *Silene* (Calle et al., 2000).
- 2658.** *Heraclia africana* (Butler,1875) (Noctuidae) larva on *Cissus cirrhosa* (Janse,1937).
- 2659.** *Heraclia superba* (Butler,1875) (Noctuidae) larva on *Cissus cirrhosa*, *Vitis vinifera* (Janse,1937).
- 2660.** *Heteropalpia acrosticta* (Püngeler,1904) (Noctuidae) larva on *Acacia raddiana*, *Acacia gummifera* (Rungs,1942).
- 2661.** *Homodes bracteigutta* (Walker,1862) (Noctuidae) larva on *Nephelium lappaceum*, *Dimocarpis longan* (Sapindaceae), *Mangifera indica* [Mango] (Anacardiaceae) (Kuroko, Lewvanich,1993).
- 2662.** *Homodes perilita* Hampson,1926 (Noctuidae) larva on *Nephelium lappaceum* (Sapindaceae), *Lansium domesticum* [lansat] (Meliaceae), *Ipomoea aquatica* [water spinach] (Convolvulaceae) (Kuroko, Lewvanich,1993; Lewvanich,2001).
- 2663.** *Hoplodrina ambigua* ([Denis & Schiffermüller],1775) (Noctuidae) larva *Lactuca*, *Plantago*, *Taraxacum*, *Urtica*, *Viola* (Calle et al., 2000).
- 2664.** *Hoplodrina hesperica* Dufay & Boursin,1960 (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2665.** *Hypena* (*Ophiuche*) *lividalis* (Hübner,1796) (Noctuidae) larva on *Urtica*, *Parietaria* (Lödl,1994).
- 2666.** *Hypena* (s.str.) *obsitalis* (Hübner,1813) (Noctuidae) larva on *Parietaria officinalis*, *Urtica* (Spuler,1908; Seitz,1913).
- 2667.** *Hypena* (s.str.) *strigata* (Fabricius,1798) (Noctuidae) larva on *Citrus reticulata* (Rutaceae) (Kuroko, Lewvanich,1993).
- 2668.** *Hypena munitalis* Mann,1861 (Noctuidae) larva on *Vincetoxicum tmoaleum* in "Lydien" (Lederer,1865; Seven & Bakowski,1996).
- 2669.** *Hypena obesalis* Treitschke,1829 (Noctuidae) larva on *Urtica* (Wiltshire,1957).
- 2670.** *Hypena palpalis* (Hübner,1796) (Noctuidae) larva on *Parietaria* (Wiltshire,1957).
- 2671.** *Hypena sagitta* (Fabricius,1775) (Noctuidae) larva on *Piper betle* (Piperaceae) (Lewvanich,2001).
- 2672.** *Hypenodes kalchbergi* Staudinger,1876 (Noctuidae) larva on *Urtica* (Wiltshire,1957).
- 2673.** *Hypocala andamana* Wileman,1924 (Noctuidae) larva on *Aegle marmelos* [Bengal quince] (Rutaceae), *Diospyros mollis* [ebony tree], *D.gracilis* [ma kluea ka] (Ebenaceae) (Lewvanich,2001).
- 2674.** *Hyppa rectilinea* (Esper,1788) (Noctuidae) larva on *Vaccinium*, *Rubus*, etc. (Hacker,1989).
- 2675.** *Hyssia cavernosa* (Eversmann,1852) (Noctuidae) larva on *Silene*, *Aristolochia* (auct.).
- 2676.** *Ipimorpha retusa* (Linnaeus,1761) (Noctuidae) larva on *Salix*, *Populus*, *Alnus* (Hacker,1989).
- 2677.** *Ipimorpha subtusa* (Fabricius,1787) (Noctuidae) larva on *Populus* (Hacker,1989).
- 2678.** *Ischyia manlia* (Cramer,1776) (Noctuidae) larva on *Litchi chinensis* [litchi], *Dimocarpis longan* [longan] (Sapindaceae), *Mangifera indica* [Mango] (Anacardiaceae) (Kuroko & Lewvanich,1993).
- 2679.** *Jodia croceago* (Fabricius,1787) (Noctuidae) larva on *Quercus* (Wiltshire,1957).
- 2680.** *Kocakina fidelis* (Grote,1874) (Noctuidae) larva on *Quercus*, *Prunus virginiana*, *P. serotina*, *Carya ovata* (Poone,1989).
- 2681.** *Lacanobia* (*Dianobia*) *dissimilis* (Knoch,1781) (Noctuidae) larva on *Rumex*, *Chenopodium*, *Plantago* (Hampson,1905).
- 2682.** *Lacanobia* (*Diatraxia*) *aliene* (Hübner,1809) (Noctuidae) larva on *Trifolium montanum*, *Cytisus nigricans*, *Anthyllus vulneraria* (Hampson,1905).
- 2683.** *Lacanobia* (*Diatraxia*) *oleracea* (Linnaeus,1758) (Noctuidae) larva on *Atriplex*, *Chenopodium*, *Urtica*, *Rumex*, *Ulmus*, *Brassica* (Hampson,1905; Wiltshire,1957).
- 2684.** *Lamprosticta culta* ([Denis & Schiffermüller],1775) (Noctuidae) larva on *Pyrus communis*, *Prunus spinosa*, *Crataegus* ([Denis & Schiffermüller],1775; Hoffmann,1893 et seq.).
- 2685.** *Leucania obsoleta* (Hübner,1803) (Noctuidae) larva on *Phragmites* (Hampson,1905).
- 2686.** *Lithophane lapidea* (Hübner,1808) (Noctuidae) larva on *Juniperus excelsa* (Hacker,2001).
- 2687.** *Lithophane semibrunnea* (Haworth,1809) (Noctuidae) larva on *Fraxinus* (Hampson,1906; Spuler,1907).
- 2688.** *Lophoptera illucida* (Walker,1865) (Noctuidae) larva on *Shorea robusta*, *Hopea wightiana* (Dipterocarpaceae) (Holloway,1985).
- 2689.** *Lophoterges* (*Fibigergeres*) *millierei* (Staudinger,1871) (Noctuidae) larva on *Lonicera implexa* (Calle et al., 2000).
- 2690.** *Lygephila cracca* (Fabricius,1787) (Noctuidae) larva on *Astragalus*, *Coronilla*, *Genista*, *Lathyrus*, *Ulex*, *Vicia* (Calle et al., 2000).
- 2691.** *Lygephila lusoria* (Linnaeus,1758) (Noctuidae) larva on *Vicia*, *Astragalus* (Spuler,1907).
- 2692.** *Macaladenia palumba* (Guenée,1852) (Noctuidae) larva on *Atalanta*, *Citrus*, *Paramyrgna* (Rutaceae) (Holloway & Miller,2003).
- 2693.** *Macdunnoughia confusa* (Stephens,1850) (Noctuidae) larva on *Achillea*, *Matricaria*, *Mentha* (Calle et al., 2000).
- 2694.** *Maraschia griseescens* Osthelder,1933 (Noctuidae) larva on *Acer pseudoplatanus* (Kasy,1958).
- 2695.** *Maurilia iconica* (Walker,1857) (Noctuidae) larva on *Vatica*, *Shorea* (Dipterocarpaceae), *Terminalia*, *Anogeissus* (Combretaceae), *Tectona* (Verbenaceae), *Saccharum* (Poaceae) (Mathur,1942 et seq.).
- 2696.** *Megalodes eximia* (Freyer,1845) (Noctuidae) larva on *Malva*, *Althea* (Malvaceae) (Staudinger,1879).
- 2697.** *Meganola albula* ([Denis & Schiffermüller],1775) (Noctuidae) larva on *Mentha aquatica* ([Denis & Schiffermüller],1775 et seq.).
- 2698.** *Meganola strigula* ([Denis & Schiffermüller],1775) (Noctuidae) larva on *Quercus robur* ([Denis & Schiffermüller],1775; Wiltshire,1957).
- 2699.** *Meganola togatalis* (Hübner,1796) (Noctuidae) larva on *Quercus*, *Prunus* (Calle et al., 2000).
- 2700.** *Melanchra persicariae* (Linnaeus,1761) (Noctuidae) larva on *Rumex*, *Pteris*, *Chrysanthemum* (Hampson,1905).
- 2701.** *Melanchra pisi* (Linnaeus,1758) (Noctuidae) larva on *Pteris*, *Cytisus*, *Scabiosa* (Hampson,1905).
- 2702.** *Mesogona acetosellae* (Goeze,1781) (Noctuidae) larva on *Prunus spinosa*, *Quercus* (Blaschke,1914).
- 2703.** *Mesoligia literosa* (Haworth,1809) (Noctuidae) larva feeds on *Elymus arenaria*, *Dactylis glomerata*, *Carex* (Poaceae) (Spuler,1903).
- 2704.** *Mesotrosta signalis* (Treitschke,1829) (Noctuidae) larva on *Inula* (Hacker,1989).
- 2705.** *Metachrostis velox* (Hübner,1813) (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2706.** *Metopoceras* (*Tritomoceras*) *khalildja* Oberthür,1884 (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2707.** *Metopoceras* (s.str.) *felicina* (Donzel,1844) (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2708.** *Miaromima pangolina* (Holloway,1982) (Noctuidae) larva on *Terminalia* (Combretaceae) (Bhumannavar et al.,1991).
- 2709.** *Minucia bimaculata* (Osthelder,1933) (Noctuidae) larva on *Pistacia mutica* (Wiltshire,1957).
- 2710.** *Mniotype adusta* (Esper,1790) (Noctuidae) larva on *Galium mollugo*, *Solidago* (Blaschke,1914).
- 2711.** *Mocis frugalis* (Fabricius,1775) (Noctuidae) larva on *Coix lacrima*, *Cyperus rotundus*, *Oriza sativa*, *Saccharum officinarum* (Poaceae), *Glycine max* (Fabaceae) (Kuroko & Lewvanich,1995).
- 2712.** *Mocis undata* (Fabricius,1775) (Noctuidae) larva on *Nephelium lappaceum* (Sapindaceae), *Glycine max*, *Phaseolus aureus* (Fabaceae) (Kuroko & Lewvanich,1993).
- 2713.** *Moma alpium* (Osbeck,1778) (Noctuidae) larva on *Quercus*, *Fagus*, *Betula*, *Populus* (Hacker,1989).
- 2714.** *Mormo maura* (Linnaeus,1758) (Noctuidae) larva on *Rubus*, *Crataegus*, *Rumex*, *Lamium*, *Salix*, *Stellaria* (Wiltshire,1957; Hacker,1989; Calle et al., 2000).
- 2715.** *Mudaria luteiprosia* Holloway (Noctuidae) larva on *Durio zibethinus* [durian] (Bombacaceae) (Lewvanich,2001).
- 2716.** *Mudaria variabilis* Roepke,1916 (Noctuidae) larva on *Ceiba pentandra* [kapok] (Bombacaceae) (Lewvanich,2001).
- 2717.** *Myteroplus puniceago* (Boisduval,1840) (Noctuidae) larva on *Atriplex*, *Chenopodium* (Hacker,1989).
- 2718.** *Mythimna* (*Aletia*) *pudorina* ([Denis & Schiffermüller],1775) (Noctuidae) larva on *Phragmites* (Hampson,1905).
- 2719.** *Mythimna* (*Hyphilara*) *albipuncta* (Fabricius,1787) (Noctuidae) larva on *Helescharis palustris* (Blaschke,1914).
- 2720.** *Nola chlamitulalis* (Hübner,1813) (Noctuidae) larva on *Odontites*, *Scabiosa*, *Teucrium* (Calle et al., 2000).
- 2721.** *Nola fasciata* (Walker,1866) (Noctuidae) larva on *Lantana* (Verbenaceae) (Piepers & Snellen,1904).
- 2722.** *Nola fraterna* (Moore,1888) (Noctuidae) larva on *Rhizophora* (Rhizophoraceae) (Holloway,2003).
- 2723.** *Nola harouni* (Wiltshire,1951) (Noctuidae) larva on *Tamarix* (Wiltshire,1957; Heydemann et al.,1963).
- 2724.** *Nola pumila* Snellen,1875 (Noctuidae) larva on fruit of *Shorea* (Dipterocarpaceae) (Robinson et al.,2001).
- 2725.** *Nola squalida* Staudinger,1871 (Noctuidae) larva on *Tamarix* (Wiltshire,1957; Heydemann et al.,1963).

- 2726.** *Nola subchlamydula* Staudinger, 1870 (Noctuidae) larva on Lavandula, Salvia, Teucrium (Calle et al., 2000).
- 2727.** *Nola taeniata* Snellen, 1875 (Noctuidae) larva on Fimbristylis (Cyperaceae), Ziziphus (Rhamnaceae) (Piepers & Snellen, 1904 et seq.).
- 2728.** *Nola thymula* Millière, 1867 (Noctuidae) larva on Thymus (Calle et al., 2000).
- 2729.** *Nonagria typhae* (Thunberg, 1784) (Noctuidae) larva on Typha stem (Thunberg, 1784).
- 2730.** *Nyteola columbana* (Turner, 1925) (Noctuidae) larva on Quercus (Calle et al., 2000).
- 2731.** *Nyteola indicatana* (Walker, 1863) (Noctuidae) larva on Eugenia (Myrtaceae), Lagerstroemia (Lythraceae) (Yunus & Ho, 1980 et seq.).
- 2732.** *Nyteola mesoplaga* (Hampson, 1905) (Noctuidae) larva on Eugenia (Myrtaceae) (Yunus & Ho, 1980).
- 2733.** *Nyteola revayana* (Scopoli, 1772) (Noctuidae) larva on Quercus (Calle et al., 2000).
- 2734.** *Nyteola siculana* (Fuchs, 1899) (Noctuidae) larva on Populus, Salix (Hacker, 1989; Calle et al., 2000).
- 2735.** *Nyteola sinuosa* (Moore, 1888) (Noctuidae) larva on Pterocarya (Juglandaceae) (Gardner, 1948).
- 2736.** *Odice blandula* (Rambur, 1858) (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2737.** *Odice jucunda* (Hübner, [1813]) (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2738.** *Odice pergrata* (Rambur, 1858) (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2739.** *Odontodes seranensis* Prout, 1922 (Noctuidae) larva on Shorea robusta (Dipterocarpaceae) (Holloway, 1985).
- 2740.** *Oligia latruncula* ([Denis & Schiffermüller], 1775) (Noctuidae) larva on Dactylis glomerata (Bretherton et al., 1983).
- 2741.** *Olivenebula xanthochloris* (Boisduval, 1840) (Noctuidae) larva on Cichorium, Viola (Calle et al., 2000).
- 2742.** *Omphalophana antirrhini* (Hübner, [1803]) (Noctuidae) larva on Scabiosa leucantha at Boz Dağ (Lederer, 1865).
- 2743.** *Ophiura tirhaca* (Cramer, [1777]) (Noctuidae) larva on Armeniaca, Cupressus, Cistus, Myrtus, Pistacia, Punica, Rhus (Mann, 1862; Staudinger, 1879; Wiltshire, 1957; Calle et al., 2000).
- 2744.** *Orthosia (Monima) opima* (Hübner, [1809]) (Noctuidae) larva on Salix, Rosa (Hampson, 1905).
- 2745.** *Orthosia (s.str.) incerta* (Hufnagel, 1766) (Noctuidae) larva on Quercus, Populus (Hampson, 1905).
- 2746.** *Orthosia gracilis* (Fabricius, 1787) (Noctuidae) larva on Salix, Carduus, Lysimachia (Hampson, 1905).
- 2747.** *Oxicesta geographica* (Fabricius, 1787) (Noctuidae) larva on Euphorbia cyparissias (Hacker, 1989).
- 2748.** *Oxicesta serrata* Zerny, 1927 (Noctuidae) larva on Euphorbia serrata (Calle et al., 2000).
- 2749.** *Oxyodes scrobiculata* (Fabricius, 1775) (Noctuidae) larva on Nephelium lappaceum [rambutan], Litchi chinensis [litchi], Dimocarpis longan (Sapindaceae), Senna surathensis (Fabaceae) (Kuroko, Lewvanich, 1993).
- 2750.** *Paectes subapicalis* (Walker, 1857) (Noctuidae) larva on Tectona (Verbenaceae), Shorea (Dipterocarpaceae) (Holloway, 1985).
- 2751.** *Papestra biren* (Goeze, 1781) (Noctuidae) larva on Salix, Tussilago (Hampson, 1905).
- 2752.** *Paracrama latimargo* W. Warren, 1916 (Noctuidae) larva on Durio (Bombacaceae) (Holloway, 2003).
- 2753.** *Parallelia algira* (Linnaeus, 1767) (Noctuidae) larva on Genista, Punica granatum, Rubus, Salix, Lythrum, Ricinus, Parietaria (Wiltshire, 1957; Calle et al., 2000; Hacker, 2001).
- 2754.** *Parallelia rogenhoferi* (Bohatsch, 1880) (Noctuidae) larva on Tamarix (Wiltshire, 1939).
- 2755.** *Parallelia torrida* (Guenée, 1852) (Noctuidae) larva on Zea mays, Ricinus communis (Hacker, 2001).
- 2756.** *Parastichtis corticea* (Esper, [1800]) (Noctuidae) larva on Populus (Hacker, 1989).
- 2757.** *Pardoxia graellsii* (Feisthmel, 1837) (Noctuidae) larva on Malva (Calle et al., 2000).
- 2758.** *Penicillaria maculata* Butler, 1869 (Noctuidae) larva on Semecarpus (Anacardiaceae) (Holloway, 1985).
- 2759.** *Penicillaria nugatrix* Guenée, 1852 (Noctuidae) larva on Mangifera indica, Bouea macrophylla (Anacardiaceae), Tamarindus indica (Fabaceae) (Kuroko, Lewvanich, 1993).
- 2760.** *Pericyma albidentaria* (Freyer, 1842) (Noctuidae) larva on Alhagi (Hofmann, 1893 et seq.).
- 2761.** *Pericyma cruegeri* (Butler, 1886) (Noctuidae) larva on Nephelium lappaceum [rambutan] (Sapindaceae), Acacia catechu [cutch tree] (Fabaceae), Delonix regia (Caesalpinioideae), Hibiscus rosa-chinensis [shoe flower] (Malvaceae), Duranta erecta [thian thong] (Verbenaceae) (Kuroko & Lewvanich, 1993).
- 2762.** *Pericyma glaucinans* (Guenée, 1852) (Noctuidae) larva on Sesbania grandifolia (Fabaceae) (Kuroko & Lewvanich, 1993).
- 2763.** *Pericyma squalens* Lederer, 1855 (Noctuidae) larva on Alhagi, Prosopis (Wiltshire, 1957).
- 2764.** *Pericyma umbrina* (Guenée, 1852) (Noctuidae) larva on Acacia catechu (Fabaceae) (Kuroko & Lewvanich, 1993).
- 2765.** *Perigrapha (Anorthoa) munda* ([Denis & Schiffermüller], 1775) (Noctuidae) larva on Pyrus communis ([Denis & Schiffermüller], 1775 et seq.).
- 2766.** *Perigrapha (Opacographa (Turcographa)) mundoides* (Boursin, 1940) (Noctuidae) larva on ? Paliurus spina-christi (Hacker, 2001).
- 2767.** *Periphanes delphinii* (Linnaeus, 1758) (Noctuidae) larva on flowers and seed of Delphinium, Consolida, Acontium (Linnaeus, 1758; Hampson, 1903; Hacker, 2001).
- 2768.** *Periphanes victorina* (Sodoffsky, 1849) (Noctuidae) larva on Salvia at Amasia (Staudinger, 1879).
- 2769.** *Phalga sinuosa* Moore, 1881 (Noctuidae) larva on Spondias (Anacardiaceae) (Holloway, 1985).
- 2770.** *Phlogophora meticulosa* (Linnaeus, 1758) (Noctuidae) larva on Chrysanthemum, Ciclamen, Dahlia, Lamium, Plantago, Primula, Urtica, Viola (Calle et al., 2000).
- 2771.** *Pindara ilibata* (Fabricius, 1775) (Noctuidae) larva on Bischofia (Euphorbiaceae), Elaeocarpus (Elaeocarpaceae) (Holloway & Miller, 2003).
- 2772.** *Plagiographa macrodonta* Hampson, 1907 (Noctuidae) larva on Lophopetalum (Celastraceae) (Holloway, 2003).
- 2773.** *Plusiopalpa adrasta* (R. Felder & Rogenhofer, 1874) (Noctuidae) larva on Mikania (Asteraceae) (Holloway, 1985).
- 2774.** *Polia bombycina* (Hufnagel, 1766) (Noctuidae) larva on Sonchus, Achillea, Polygonum (Hampson, 1905); Betula, Ononis spinosa, Taraxacum, Vaccinium myrtillus (Blaschke, 1914).
- 2775.** *Polia hepatica* (Clerck, 1759) (Noctuidae) larva on Betula, Vaccinium (Hampson, 1905).
- 2776.** *Polia nebulosa* (Hufnagel, 1766) (Noctuidae) larva on Betula, Salix, Ulmus (Hampson, 1905).
- 2777.** *Polydesma boarmoides* Guenée, 1852 (Noctuidae) larva on Litchi chinensis (Sapindaceae) (Kuroko & Lewvanich, 1993).
- 2778.** *Polymixis (Bischofia) apora* (Staudinger, 1898) (Noctuidae) larva on Sonchus, Taraxacum (Asteraceae) (Wiltshire, 1935).
- 2779.** *Polymixis (Myxinia) flavicincta* ([Denis & Schiffermüller], 1775) (Noctuidae) larva on Prunus cerasus ([Denis & Schiffermüller], 1775 et seq.).
- 2780.** *Polyphaenis propinqua* Staudinger, 1895 (Noctuidae) larva on Lonicera (Wiltshire, 1935).
- 2781.** *Polyphaenis viridis* (De Villers, 1789) (Noctuidae) larva on Ligustrum vulgare, Cornus, Lonicera (Hacker, 1989).
- 2782.** *Polytela cliens* (R. Felder & Rogenhofer, 1874) (Noctuidae) larva on Dipsacae serotinum, Pancreatium tortuosum (Sheljuzhko, 1960; Hacker & Schmitz, 1996).
- 2783.** *Protoschinia scutosa* ([Denis & Schiffermüller], 1775) (Noctuidae) larva on Artemisia campestris ([Denis & Schiffermüller], 1775; Hampson, 1903).
- 2784.** *Proxenus hospes* (Freyer, 1831) (Noctuidae) larva on Plantago (Calle et al., 2000).
- 2785.** *Pseudohadena (s.str.) chenopodiphaga* (Rambur, 1832) (Noctuidae) larva on Chenopodium fruticosum, Atriplex portulacoides, Salsola soda (Hampson, 1908).
- 2786.** *Pseudohadena (s.str.) immunda* (Eversmann, 1842) (Noctuidae) larva on Atriplex halimus (Hampson, 1908).
- 2787.** *Pseudozarba bipartita* (Herrich-Schäffer, 1850) (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2788.** *Ptisciana seminivea* Walker, 1865 (Noctuidae) larva on Macaranga (Euphorbiaceae) (Holloway, 2003).
- 2789.** *Pyrois cinnamomea* (Goeze, 1781) (Noctuidae) larva on Populus, Prunus, Salix, Ulmus, Lonicera (Hacker, 1989; Calle et al., 2000).
- 2790.** *Pyrois effusa* (Boisduval, 1828) (Noctuidae) larva on Erica, Cytisus, Cistus (Hofmann, 1893; Spuler, 1893; Hampson, 1908).
- 2791.** *Pyrrhia treitschkii* (Friedlitzky, 1835) (Noctuidae) larva on Scutellaria peregrina (Lamiaceae) (Rebel, 1903).
- 2792.** *Raphia hybris* (Hübner, [1813]) (Noctuidae) larva on Populus (Calle et al., 2000).
- 2793.** *Recophora canteneri* (Duponchel, 1833) (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2794.** *Rhabdophora arefacta* (Swinhoe, 1884) (Noctuidae) larva on Prosopis stephaniana (Wiltshire, 1944).
- 2795.** *Rhabinoptyx subtilis* (Mabille, 1888) (Noctuidae) larva on Plantago albicans (Dumont, 1927).
- 2796.** *Rhizedra lutosa* (Hübner, [1803]) (Noctuidae) larva on Phragmites communis (Hacker, 1989).
- 2797.** *Rhyagla lacernaria* (Hübner, [1813]) (Noctuidae) larva on Phlomis (Staudinger, 1879; Wiltshire, 1957; Calle et al., 2000).
- 2798.** *Risoba basalis* Moore, 1881 (Noctuidae) larva on Quisqualis (Combretaceae), Melastoma, Osbeckia (Melastomataceae) (Mell, 1943 et seq.).
- 2799.** *Risoba diversipennis* (Walker, 1858) (Noctuidae) larva on Melastoma (Melastomataceae) (Mell, 1943 et seq.).
- 2800.** *Risoba olivens* Bethune-Baker, 1906 (Noctuidae) larva on Pterocarya (Juglandaceae), Melastoma (Melastomataceae), Myrica (Myricaceae), Quisqualis (Combretaceae) (Mell, 1943 et seq.).
- 2801.** *Risoba repugnans* (Walker, 1856) (Noctuidae) larva on Melastoma (Melastomataceae) (Holloway, 2003).
- 2802.** *Schinia imperialis* (Staudinger, 1871) (Noctuidae) larva on the capsules of Cephalaria procera (Hampson, 1903).
- 2803.** *Schinia purpurascens* (Tauscher, 1809) (Noctuidae) larva on the capsules of Cephalaria tartarica (Hampson, 1903).
- 2804.** *Scodionyx mysticus* Staudinger, 1900 (Noctuidae) larva on Acacia raddiana (Wiltshire, 1948).
- 2805.** *Scoliopteryx libatrix* (Linnaeus, 1758) (Noctuidae) larva on Salix, Populus (Poda, 1761; Wiltshire, 1957).
- 2806.** *Scotochrosta pulla* ([Denis & Schiffermüller], 1775) (Noctuidae) larva on Quercus robur ([Denis & Schiffermüller], 1775 et seq.).
- 2807.** *Scriptoplusia nigriluna* (Walker, 1858) (Noctuidae) larva on Acalypha (Euphorbiaceae) (Holloway, 1985).
- 2808.** *Sedina buettneri* (Hering, 1858) (Noctuidae) larva on Carex acutiformis (Hacker, 1989).

- 2809. *Selepa celtis* Moore, 1858** (Noctuidae) larva on Combretum quadrangulare, Terminalia bellirica [beleric myrobalan] (Combretaceae), Sandoricum koetjape [santol] (Meliaceae), Pithecellobium dulce [Manila tamarind], Bauhinia purpurea [orchid tree] (Fabaceae), Lagerstroemia indica [crape myrtle], L. speciosa, L. balansae [ta baek] (Lythraceae), Antidesma velutinosum [mamao khwai] (Euphorbiaceae), Careya sphaerica [kra don] (Lecythidaceae) (Lewvanich, 2001).
- 2810. *Selepa discigera* (Walker, 1864)** (Noctuidae) larva on Stillingia (Euphorbiaceae), Ficus (Moraceae), Rhus (Anacardiaceae) (Mell, 1943 et seq.).
- 2811. *Selepa nigralba* (Hampson, 1895)** (Noctuidae) larva on Castanopsis (Fagaceae) (Samuelson & Miller, 1996).
- 2812. *Selepa plumbeata* Hampson, 1912** (Noctuidae) larva on Anacardium (Anacardiaceae) (Holloway, 2003).
- 2813. *Serrododes partita* (Fabricius, 1775)** (Noctuidae) larva on Nephelium hypoleucum (Sapindaceae) (Kuroko & Lewvanich, 1993).
- 2814. *Sesamia cretica* Lederer, 1857** (Noctuidae) larva on Zea mays, Sorghum halepense, Pennisetum typhoidum, Saccharum spontaneum, Saccharum aegyptiacum, Idhras suffra (Balachowsky & Mesnil, 1936; Wiltshire, 1957; Hacker, 1989).
- 2815. *Sesamia nonagrioides* (Lefebvre, 1827)** (Noctuidae) larva on Zea mays, Oryza sativa, Saccharum officinarum, Triticum sativum, Hordeum hexastichum, Andropogon sorghum, A. citriodora, Sorghum cernuum, S. saccharatum, Avena sativa, Pennisetum purpureum, Typha, Arundo, Phragmites, Imperata.
- 2816. *Sideridis (Aneda) rivularis* (Fabricius, 1775)** (Noctuidae) larva on leaves, seed-capsules of Silene, Lychnis (Hampson, 1905).
- 2817. *Sideridis (Luteohadena) luteago* ([Denis & Schiffermüller], 1775)** (Noctuidae) larva on the root of Silene maritima and S. inflata (Staudinger, 1881).
- 2818. *Sideridis* (s.str.) *turbida* (Esper, [1790])** (Noctuidae) larva on Nicotiana tabacum, Plantago, Taraxacum officinale (Blaschke, 1914).
- 2819. *Simyra conspersa* (Moore, 1881)** (Noctuidae) larva on Nelumbo nucifera [sacred lotus] (Nelumbonaceae) (Lewvanich, 2001).
- 2820. *Simyra dentinosa* Freyer, 1839** (Noctuidae) larva on Euphorbia macroclada, E. myrsinites, E. esuloides (Staudinger, 1879; Zerny, 1933; Hacker, 1989).
- 2821. *Sphingomorpha chlorea* (Cramer, 1779)** (Noctuidae) larva on Acacia, Azanza, Burkea, Sclerocarya (Hacker, 2001).
- 2822. *Spodoptera ciliatum* (Guenée, 1852)** (Noctuidae) larva on Cynodon dactylon [Bermuda grass], Axonopus compressus [carpet grass] (Poaceae) (Lewvanich, 2001).
- 2823. *Spodoptera liturum* (Fabricius, 1775)** (Noctuidae) larva on Datura metel [thorn apple], Nicotiana tabacum [tobacco] (Solanaceae), Brassica (Brassicaceae), Rosa [rose] (Rosaceae), Nymphaea [lotus] (Nymphaeaceae), Vigna radiata [mung bean] (Fabaceae), Citrus maxima [pomelo] (Rutaceae), Epipremnum aureum [taro vine] (Araceae), Zinnia violacea [baan chuen] (Asteraceae), Euphorbia millii [poi sian], Ricinus communis [castor oil] (Euphorbiaceae) (Lewvanich, 2001).
- 2824. *Spudaea castanea* Osthelder, 1933** (Noctuidae) larva on Quercus coccifera (Wiltshire, 1948).
- 2825. *Stictoptera columba* (Walker, 1856)** (Noctuidae) larva on Garsinia mangostana (Clusiaceae) (Kuroko & Lewvanich, 1993).
- 2826. *Stictoptera cuculliformis* Guenée, 1852** (Noctuidae) larva on Garsinia mangostana (Clusiaceae), Mesua, Callophyllum (Holloway, 1985; Kuroko & Lewvanich, 1993).
- 2827. *Stictoptera signifera* (Walker, [1858])** (Noctuidae) larva on Garsinia mangostana (Clusiaceae) (Kuroko & Lewvanich, 1993).
- 2828. *Stictoptera trajiciens* (Walker, [1858])** (Noctuidae) larva on Garcinia indica, G. kandis (Holloway, 1985).
- 2829. *Sympis rufibasis* Guenée, 1852** (Noctuidae) larva on Nephelium lappaceum [rambutan], N. hypoleucum [kho laen], Litchi chinensis [litchi], Dimocarpis longan (Sapindaceae) (Kuroko, Lewvanich, 1993; Lewvanich, 2001).
- 2830. *Syngrapha ain* (Hochenwarth, 1785)** (Noctuidae) larva on Larix decidua, Pinus (Blaschke, 1914).
- 2831. *Synthymia fixa* (Fabricius, 1787)** (Noctuidae) larva on Psoralea bituminosa (Calle et al., 2000).
- 2832. *Targalla delatrix* (Guenée, 1852)** (Noctuidae) larva on Eugenia cumini (Myrtaceae), Sandoricum koetjape (Meliaceae) (Kuroko & Lewvanich, 1993).
- 2833. *Tathothripa continua* (Walker, 1862)** (Noctuidae) larva on Coffea (Rubiaceae) (Yunus & Ho, 1980).
- 2834. *Thalatha sinens* (Walker, 1857)** (Noctuidae) larva on Olea (Oleaceae) (Holloway, 1987).
- 2835. *Thalathoides conjecturalis* (Swinhoe, 1890)** (Noctuidae) larva on Oleaceae (Kobes, 1995).
- 2836. *Thalophila matura* (Hufnagel, 1766)** (Noctuidae) larva on Lolium, Poa (Hacker, 1989; Calle et al., 2000).
- 2837. *Thria robusta* Walker, [1858]** (Noctuidae) larva on Populus euphratica (Wiltshire, 1957).
- 2838. *Thyas coronata* (Fabricius, 1775)** (Noctuidae) larva on Nephelium lappaceum (Sapindaceae), Quisqualis conferta, Combretum quadrangulare (Combretaceae), Tectona grandis (Lamiaceae), Archangelis flava (Menispermaceae), Litsea glutinosa (Lauraceae) (Kuroko & Lewvanich, 1993).
- 2839. *Thysanoplusia (Daubeiplusia) daubei* (Boisduval, 1840)** (Noctuidae) larva on Chondrilla, Cichorium intybus, Sonchus (Calle et al., 2000).
- 2840. *Thysanoplusia (Daubeiplusia) lectula* (Walker, 1858)** (Noctuidae) larva on Mentha (Lamiaceae) (Holloway, 1985).
- 2841. *Thysanoplusia* (s.str.) *orichalcea* (Fabricius, 1775)** (Noctuidae) larva on Coreopsis, Chrysanthemum, Foeniculum, Salvia (Warren, 1913; Calle et al., 2000).
- 2842. *Tinolius eburneiguttus* Walker, 1855** (Noctuidae) larva on Thunbergia grandifolia [Bengal clock vine] (Acanthaceae) (Lewvanich, 2001).
- 2843. *Tiruvaca subcostalis* (Walker, 1865)** (Noctuidae) larva on Nephelium lappaceum (Sapindaceae), Durio zibethinus (Bombacaceae) (Kuroko & Lewvanich, 1993).
- 2844. *Trachea atriplicis* (Linnaeus, 1758)** (Noctuidae) larva on Atriplex, Chenopodium, Polygonum, Rumex (Linnaeus, 1758; Hacker, 1989).
- 2845. *Trichoplusia ni* (Hübner, [1803])** (Noctuidae) larva on Chenopodium, Crepis, Nicotiana, Reseda, Rumex, Senecio, Solanum, Taraxacum, Urtica (Calle et al., 2000).
- 2846. *Trigonodes hyppasia* (Cramer, 1779)** (Noctuidae) larva on Nephelium lappaceum (Sapindaceae) (Kuroko & Lewvanich, 1993).
- 2847. *Triorbis aureovittata* Hampson, 1902** (Noctuidae) larva on Garcinia (Guttiferae) (Holloway, 2003).
- 2848. *Tyrcraona obliqua* Moore, 1882** (Noctuidae) larva on lichens (Sugi, 1985).
- 2849. *Tyta luctuosa* ([Denis & Schiffermüller], 1775)** (Noctuidae) larva on Convolvulus arvensis, Malva, Linum, Plantago (Spuler, 1906; Calle et al., 2000).
- 2850. *Tytroca fasciolata* (W. Warren, 1905)** (Noctuidae) larva on Acacia raddiana, A. gummifera (Rungs, 1942).
- 2851. *Valeria oleagina* (Esper, [1786])** (Noctuidae) larva on Prunus spinosa, Crataegus (Rosaceae) (Hacker, 2001).
- 2852. *Westermannia argentea* Hampson, 1891** (Noctuidae) larva on Terminalia (Combretaceae) (Holloway, 2003).
- 2853. *Westermannia superba* Hübner, 1823** (Noctuidae) larva on Lagerstroemia (Lythraceae), Terminalia, Anogeissus (Combretaceae) (Gardner, 1948 et seq.).
- 2854. *Xanthia (Cirrha) ocellaris* (Borkhausen, 1792)** (Noctuidae) larva on Populus (Hampson, 1906).
- 2855. *Xanthodes alba* (Fabricius, 1794)** (Noctuidae) larva on Malva moschata, Lavatera olbia (Hoffman, 1893; Spuler, 1903; Hampson, 1912).
- 2856. *Xanthodes transversa* (Guenée, 1852)** (Noctuidae) larva on Hibiscus sabdariffa [roselle], Abelmoschus moschatus [cha mod ton], Abutilon indicum [chinese bell flower] (Malvaceae), Solanum torvum [ma khuea phuang] (Solanaceae) (Lewvanich, 2001).
- 2857. *Xenochroa annae* (Swinhoe, 1904)** (Noctuidae) larva on Eugenia (Myrtaceae) (Yunus & Ho, 1980).
- 2858. *Xenochroa chlorostigma* (Hampson, 1893)** (Noctuidae) larva on Eugenia, Syzygium (Myrtaceae), Memecylon (Melastomataceae), Camellia (Theaceae) (Mathur, 1942 et seq.).
- 2859. *Xenochroa costiplaga* (Swinhoe, 1893)** (Noctuidae) larva on Cynometra (Fabaceae) (Yunus & Ho, 1980).
- 2860. *Xestia (Megasema) ditrapezium* ([Denis & Schiffermüller], 1775)** (Noctuidae) larva on Melampyrum arvensis ([Denis & Schiffermüller], 1775 et seq.).
- 2861. *Xestia* (s.str.) *agathina* (Duponchel, 1827)** (Noctuidae) larva on Calluna, Erica arborea, E. tetralix, E. cinerea, E. multiflora (Blaschke, 1914).
- 2862. *Xylena exsoleta* (Linnaeus, 1758)** (Noctuidae) larva on Ononis, Euphorbia, Lactuca, Taraxacum (Hampson, 1906; Spuler, 1907).
- 2863. *Xylocampa areola* (Esper, [1789])** (Noctuidae) larva on Lonicera.
- 2864. *Xylocampa mustapha* (Oberthür, 1920)** (Noctuidae) larva on Lonicera [for areola] (Wiltshire, 1957).
- 2865. *Zebeba falsalis* (Herrich-Schäffer, 1839)** (Noctuidae) larval foodplant unknown (Calle et al., 2000).
- 2866. *Zekelia (Rhynchodontodes) revolutalis* Zeller, 1852** (Noctuidae) larva on ? Alhagi (Wiltshire, 1957).
- 2867. *Zonoplusia ochreate* (Walker, 1865)** (Noctuidae) larva on Polygonum (Polygonaceae) (Holloway, 1985).
- 2868. *Clostera pigra* (Hufnagel, 1766)** (Notodontidae) larva on Populus, Salix (Wiltshire, 1957).
- 2869. *Dicranura ulmi* ([Denis & Schiffermüller], 1775)** (Notodontidae) larva on Ulmus campestris ([Denis & Schiffermüller], 1775 et seq.).
- 2870. *Drymonia dodonaea* ([Denis & Schiffermüller], 1775)** (Notodontidae) larva on Quercus robur ([Denis & Schiffermüller], 1775 et seq.).
- 2871. *Furcula persica* (Gaede, 1933)** (Notodontidae) larva on Populus (Wiltshire, 1943, 1957).
- 2872. *Furcula turbida* (Brandt, 1938)** (Notodontidae) larva on Populus (Wiltshire, 1943, 1957).
- 2873. *Harpyia milhauseri* (Fabricius, 1775)** (Notodontidae) larva on Quercus (Staudinger, 1879).
- 2874. *Neoharpyia pulcherrima* Brandt, 1938** (Notodontidae) larva on Salix ? acutifolia (De Freina, 1983).
- 2875. *Notodontia tritophus* ([Denis & Schiffermüller], 1775)** (Notodontidae) larva on Populus tremula (Salicaceae) ([Denis & Schiffermüller], 1775 et seq.).
- 2876. *Phalera bucephaloides* (Ochsenheimer, 1810)** (Notodontidae) larva on Quercus (Wiltshire, 1936, 1957).
- 2877. *Ptilophora plumigera* ([Denis & Schiffermüller], 1775)** (Notodontidae) larva on Acer campestris ([Denis & Schiffermüller], 1775 et seq.).
- 2878. *Spatialia argentina* ([Denis & Schiffermüller], 1775)** (Notodontidae) larva on Quercus robur ([Denis & Schiffermüller], 1775 et seq.).
- 2879. *Anchinia grandis* Stainton, 1867** (Oecophoridae) larva on Rhododendron ponticum (Staudinger, 1880).
- 2880. *Depressaria absinthiella* Herrich-Schäffer, 1865** (Oecophoridae) larva on Aetemisium absinthium, A. canariensis, A. frigida (Herrich-Schäffer, 1865; et seq.).
- 2881. *Depressaria albipunctella* ([Denis & Schiffermüller], 1775)** (Oecophoridae) larva on Anthriscus, Chaerophyllum, Conium, Torilis, Pimpinella, Seseli, Daucus (Apiaceae) (Lvovsky, 2001).
- 2882. *Depressaria altaica* Zeller, 1854** (Oecophoridae) larva on Prangos pabularia (Apiaceae) (Lvovsky, 2001).
- 2883. *Depressaria artemisiae* Nickerl, 1864** (Oecophoridae) larva on Artemisia (Nickerl, 1864).
- 2884. *Depressaria badiella* (Hübner, 1796)** (Oecophoridae) larva on Heracleum (Apiaceae), Pastinaca; Sonchus, Taraxacum, Hypochaeris (Asteraceae) (Spuler, 1908; Jacobs, 1951, et seq.).

- 2885. Depressaria bupleurella Heinemann, 1870** (Oecophoridae) larva on *Bupleurum falcatum* (Apiaceae) (Heinemann, 1870).
- 2886. Depressaria chaerophylli Zeller, 1839** (Oecophoridae) larva on *Chaerophyllum*, *Anthriscus* (Apiaceae) (Zeller, 1839; et seq.).
- 2887. Depressaria daucella (Denis & Schiffermüller), 1775** (Oecophoridae) larva on *Daucus carota*, *Pastinaca*, *Cicuta*, *Oenanthe*, *Sium*, *Chaerophyllum*, *Petroselinum*, *Apium* (Apiaceae) ([Denis & Schiffermüller], 1775 et seq.).
- 2888. Depressaria depressana (Fabricius, 1775)** (Oecophoridae) larva on *Pimpinella*, *Peucedanum*, *Daucus*, *Pastinaca*, *Heracleum*, *Angelica*, *Libanotis*, *Coriandrum*, *Foeniculum*, *Carum*, *Anethum* (Apiaceae) (L'vovsky, 2001).
- 2889. Depressaria discipunctella Herrich-Schäffer, 1854** (Oecophoridae) larva on *Heracleum*, *Peucedanum*, *Pastinaca*, *Angelica*, *Coriandrum*, *Ferula* (Apiaceae) (L'vovsky, 2001).
- 2890. Depressaria douglasella Stainton, 1849** (Oecophoridae) larva on *Daucus*, *Carum*, *Libanotis*, *Anthriscus*, *Pastinaca* (Apiaceae) (L'vovsky, 2001).
- 2891. Depressaria emeritella Stainton, 1849** (Oecophoridae) larva on *Tanacetum vulgare* (Asteraceae) (L'vovsky, 2001).
- 2892. Depressaria eryngiella Millière, 1881** (Oecophoridae) larva on *Eryngium campestre* (Apiaceae) (Millière, 1881).
- 2893. Depressaria filipjevi L'vovsky, 1981** (Oecophoridae) larva on *Artemisia* (L'vovsky, 2001).
- 2894. Depressaria hannemanniana L'vovsky, 1990** (Oecophoridae) larva on *Ferula litwinowiana* (Apiaceae) (L'vovsky, 2001).
- 2895. Depressaria hirtipalpis Zeller, 1854** (Oecophoridae) larva on *Salvia officinalis* (Lamiaceae) (L'vovsky, 2001).
- 2896. Depressaria hofmanni Stainton, 1861** (Oecophoridae) larva on *Libanotis*, *Pastinaca* (Apiaceae) (L'vovsky, 2001).
- 2897. Depressaria irregularis Matsumura, 1931** (Oecophoridae) larva on *Quercus mongolica* (Fagaceae) (L'vovsky, 2001).
- 2898. Pleurota pyropella (Denis & Schiffermüller), 1775** (Oecophoridae) larva on *Salvia* (Mann, 1862).
- 2899. Tonica barrowi Bingham, 1907** (Oecophoridae) larva probably on *Bombax ceiba* (kapok) (Bombacaceae) (Robinson et al., 1994).
- 2900. Urodeta hibernella (Staudinger, 1859)** (Oecophoridae) larva on *Cistus monspeliensis* (Cistaceae) (Stainton, 1869).
- 2901. Opostega spatulella Herrich-Schäffer, 1855** (Opostegidae) larva on *Salix* and barkmines (Salicaceae) (Puplesis & Diskus, 2003).
- 2902. Pseudopostega chalcopepla (Walsingham, 1908)** (Opostegidae) larva on ?*Rosmarinus* (Nieukerken et al., 2004).
- 2903. Pseudopostega myxodes (Meyrick, 1916)** (Opostegidae) larva on *Cordia myxa* (Boraginaceae) (Puplesis & Robinson, 1999).
- 2904. Archon apollinaris (Staudinger, 1892)** (Papilionidae) larva on *Aristolochia bottae*.
- 2905. Archon apollinus (Herbst, 1798)** (Papilionidae) larva on *Aristolochia bodamae*, *A. maurorum* (Koçak, in litt.).
- 2906. Atrophaneura (s.str. (Pachliopta) aristolochiae (Fabricius, 1775)** (Papilionidae) larva on *Citrus aurantifolia* [common lime] (Rutaceae), *Ageratum conyzoides* [goat weed] (Asteraceae), *Aristolochia potherii* [krachao sida], *A. tagala* [krachao phi mot] (Aristolochiaceae) (Lewvanich, 2001).
- 2907. Chilasa (s.str. (s.str.)) clytia (Linnaeus, 1758)** (Papilionidae) larva on leaf of *Elaeocarpus sphaericus* [bead tree] (Elaeocarpaceae), *Cinnamomum bejolghota* [op choei], *C. iners* [chiat], *Litsea glutinosa* [mi men] (Lauraceae), *Clausena excavata* [mi] (Rutaceae) (Lewvanich, 2001).
- 2908. Eurytides marcellus (Cramer, 1777)** (Papilionidae) larva on *Annonaceae* (*Asimina triloba*, *A. parviflora*, *A. speciosa*, *A. pygmaea*, *A. obovata*, *A. reticulata*, *A. longifolia*, *A. angustifolia*, *A. incana*, *A. palustris*) (Scott, 1986).
- 2909. Eurytides philolaus (Boisduval, 1836)** (Papilionidae) larva on *Annonaceae* (*Annona*) (Scott, 1986).
- 2910. Graphium (Arisbe (adamastor-gr.)) almansor (Honrath, 1884)** (Papilionidae) larva on *Pseudospondias* (Anacardiaceae) (Ackery, et al., 1995).
- 2911. Graphium (Arisbe (angolanus-gr.)) angolanus (Goeze, 1779)** (Papilionidae) larva on *Annona senegalensis*, *Sphegamnocarpus pruriens* (Malpighiaceae) (Pringle & Henning, 1994).
- 2912. Graphium (Arisbe (angolanus-gr.)) morania (Angas, 1849)** (Papilionidae) larva on *Annonaceae* (*Hexalobus monopetalus*, *Uvaria caffra*, *Artabotrys brachypetalus*, *A. monteiroae*, *Annona senegalensis*) (Pringle & Henning, 1994).
- 2913. Graphium (Arisbe (angolanus-gr.)) ridleyanus (White, 1843)** (Papilionidae) larva on *Annonaceae* (*Popowia congoensis*) (Fontaine, 1985).
- 2914. Graphium (Arisbe (antheus-gr.)) antheus (Cramer, 1779)** (Papilionidae) larva on *Annonaceae* (*Hexalobus monopetalus*, *Uvaria caffra*, *U. kirkii*, *U. schweinfurthii*, *U. welwitehii*, *Artabotrys monteiroae*, *A. brachypetalus*, *Cleistochlamys kirkii*, *Annona senegalensis*, *A. reticulata*, *Monodora junodii*, *Monanthotaxis caffra*), *Apocynaceae* (*Landolphia*) (Van Son, 1949; Monfort, 1987; Pringle & Henning, 1994; Henning et al., 1997; Kroon, 1999; Smith & Vane-Wright, 2001).
- 2915. Graphium (Arisbe (antheus-gr.)) colonna (Ward, 1873)** (Papilionidae) larva on *Annonaceae* (*Artabotrys monteiroae*, *Uvaria caffra*, *U. kirkii*, *Annona monteiroae*) (Migdoll, 1988; Pringle & Henning, 1994; Ackery, et al., 1995; Larsen, 1996).
- 2916. Graphium (Arisbe (antheus-gr.)) evombar (Boisduval, 1836)** (Papilionidae) larva presumably on *Annonaceae* (Smith & Vane-Wright, 2001).
- 2917. Graphium (Arisbe (antheus-gr.)) kirbyi (Hewitson, 1872)** (Papilionidae) larva *Annonaceae* (*Annona*, *Uvaria*) (Ackery et al., 1995).
- 2918. Graphium (Arisbe (antheus-gr.)) polistratus (Grose-Smith, 1889)** (Papilionidae) larva apparently on *Annonaceae* (*Annona*, *Uvaria*) (Kielland, 1990).
- 2919. Graphium (Arisbe (policenes-gr.)) policenes (Cramer, 1775)** (Papilionidae) larva on *Annonaceae* (*Uvaria caffra*, *U. chamaea*, *U. pulchra*, *Artabotrys monteiroae*, *A. brachypetalus*, *A. chrysophylla*, *Polyalthia suaveolens*), *Apocynaceae* (*Landolphia buechanani*, *Lugandensis*) (Haig, 1936; van Son, 1949; Villiers, 1957; Owen & Owen, 1972; Fontaine, 1985; Pringle & Henning, 1994; Larsen, 1996; Smith & Vane-Wright, 2001).
- 2920. Graphium (Arisbe (s.str.)) leonidas (Fabricius, 1793)** (Papilionidae) larva on *Monanthotaxis caffra*, *Friesodielsia obovata* (Annonaceae) (Pringle & Henning, 1994).
- 2921. Graphium (s.str. (Eurypyleana)) doson (C.Felder & R.Felder, 1864)** (Papilionidae) larva on *Michelia alba* [white chempaka] (Magnoliaceae), *Melodorum fruticosum* [lamduan], *Artabotrys siamensis* [karawek], *Desmos dumosus* [tin tang], *D. chinensis* [sai yut] (Annonaceae) (Lewvanich, 2001).
- 2922. Graphium (s.str. (Macfarlaneana)) agamemnon (Linnaeus, 1758)** (Papilionidae) larva on *Michelia alba* [white chempaka], *M. champaca* [orange chempaka] (Magnoliaceae), *Citrus maxima* [pomelo] (Rutaceae), *Artabotrys hexapetalus* [kradang nga chin] (Annonaceae), *Passiflora foetida* [ka thok rok] (Passifloraceae), *Dipterocarpus alatus* [yang na] (Dipterocarpaceae) (Lewvanich, 2001).
- 2923. Hypermnestria helios (Nickerl, 1846)** (Papilionidae) *Zygophyllum oxianum* and *Z. fabago* (Lukhtanov & Lukhtanov, 1994).
- 2924. Iphiclidus podalirius (Linnaeus, 1758)** (Papilionidae) larva on *Prunus spinosa*, *P. amygdalus*, *P. avium*, *P. domestica*, *P. persica*, *P. armeniaca*, *P. mahaleb*, *P. padus*, *Pyrus communis*, *P. amygdaliformis*, *P. longipes*, *Malus domestica*, *Crataegus monogyna*, *C. oxyacantha*, *Sorbus acuparia* (Tolman, 1997).
- 2925. Papilio (s.str. (Alexanoria)) alexanor Esper, 1800** (Papilionidae) larva on *Opopanax chironium*, *O. hispidus*, *Seseli montanum*, *Trinia glauca*, *Pimpinella saxifraga*, *Scaligeria cretica*, *Ferula communis*, *Pastinaca sativa* (Tolman, 1997).
- 2926. Papilio (s.str.) machaon Linnaeus, 1758** (Papilionidae) larva on *Foeniculum vulgare*, *Peucedanum palustre*, *P. cervaria*, *P. oreoselinum*, *P. officinale*, *Trinia glauca*, *Laserpitium halleri*, *L. latifolium*, *Angelica sylvestris*, *A. archangelica*, *Aegopodium podagraria*, *Anethum graveolens*, *Pimpinella saxifraga*, *Carum carvi*, *Ammi*, *Ridolfia*, *Ruta*, *Silaum silaus*, *Daucus carota*, *Seseli varium*, *S. libanotis*, *Bupleurum frutescens*, *B. falcatum*, *Petroselinum crispum*, *Crithmum maritimum*, *Ferula*, *Falcaria*, *Meum*, *Selinum*, *Levisticum*, *Heracleum*, *Haplophyllum* (Tolman, 1997).
- 2927. Papilio zelicaon Lucas, 1852** (Papilionidae) larva on *Anethum graveolens*, *Angelica ampla*, *A. arguta*, *A. hendersonii*, *A. kingii*, *A. lineariloba*, *A. tomentosa*, *A. lucida*, *Apium graveolens*, *Cicuta maculata*, *Conioselinum scopulorum*, *Daucus carota*, *D. pusillus*, *Conium maculatum*, *Carum carvi*, *Foeniculum vulgare*, *Harbouria trachyleura*, *Heracleum lanatum*, *H. sphondylium*, *Ligusticum porteri*, *L. grayi*, *Lomatium nuttallii*, *L. californicum*, *L. dasycarpum*, *L. utricularium*, *L. parryi*, *L. grayi*, *L. triternum*, *L. marginatum*, *Oenanthe sarmentosa*, *Zizia aptera*, *Pseudocymopterus montanus*, *Pimpinella*, *Petroselinum crispum*, *Pterylaxia hendersoni*, *P. petraea*, *P. terebinthina*, *Pastinaca sativa*, *Perideridia bolanderi*, *P. gairdneri*, *P. kelloggii*, *Sphenosciadium capitellatum*, *Tauschia arguta*, *T. parishii*, *Citrus sinensis*, *C. limon*, *Ruta graveolens* (Scott, 1986).
- 2928. Parnassius (Driopa) ariadne Lederer, 1853** (Papilionidae) *Corydalis nobilis* (Gorbunov & Korshunov, 1995).
- 2929. Parnassius (Driopa) eversmanni [Ménétrières], 1850** (Papilionidae) larva on *Corydalis pauciflora* (Lukhtanov & Lukhtanov, 1994).
- 2930. Parnassius (Driopa) mnemosyne (Linnaeus, 1758)** (Papilionidae) larva on *Corydalis ledebouriana* (Lukhtanov & Lukhtanov, 1994).
- 2931. Parnassius (Kailasius) autocator Avinoff, 1913** (Papilionidae) *Corydalis fimbriifera*, *C. onobrychis* (Kreuzberg, 1984).
- 2932. Parnassius (Kailasius) charltonius Gray, 1853** (Papilionidae) *Corydalis stricta*, *C. gortschakovi* (Kreuzberg, 1984).
- 2933. Parnassius (Kailasius) loxias Püngeler, 1901** (Papilionidae) *Corydalis krasnovi* (Kreuzberg, 1984).
- 2934. Parnassius (Koramius) delphius (Eversmann, 1843)** (Papilionidae) *Cysticorydalis fedtschenkoana* (Kreuzberg, 1984); *Corydalis gortschakovii* (Anziferov, 1986).
- 2935. Parnassius (Koramius) maximinus Staudinger, 1891** (Papilionidae) *Corydalis ledebouriana*, *C. darvasica* (Lukhtanov & Lukhtanov, 1994).
- 2936. Parnassius (Koramius) patricius Niepelt, 1911** (Papilionidae) *Cysticorydalis fedtschenkoana* (Kreuzberg, 1984).
- 2937. Parnassius (Koramius) staudingeri A. Bang-Haas, 1882** (Papilionidae) *Cysticorydalis fedtschenkoana*, *Corydalis onobrychis* (Kreuzberg, 1987).
- 2938. Parnassius (Sachaia) boedromius Püngeler, 1901** (Papilionidae) *Lagotis integrifolia* (Kreuzberg, 1987).
- 2939. Parnassius (Sachaia) simo Gray, 1853** (Papilionidae) *Lagotis globosa*, *L. decumbens* ? (Kreuzberg, 1984).
- 2940. Parnassius (Sachaia) simonius Staudinger, 1889** (Papilionidae) *Veronica luetkeana*, *Lagotis decumbens* ? (Kaabak et al., 1997).
- 2941. Parnassius (Sachaia) tenebris Eversmann, 1851** (Papilionidae) *Corydalis sibirica*, *C. capnoides* (Gorbunov & Korshunov, 1995).
- 2942. Parnassius (s.str.) actius (Eversmann, 1843)** (Papilionidae) *Rhodiola*, *Sedum* (Lukhtanov & Lukhtanov, 1994).
- 2943. Parnassius (s.str.) apollo (Linnaeus, 1758)** (Papilionidae) larva on *Sedum ewersii*, *S. hybridum*, *S. album* (Lukhtanov & Lukhtanov, 1994; Koçak,).
- 2944. Parnassius (s.str.) apollonius (Eversmann, 1847)** (Papilionidae) *Pseudosedum longidentatum*, *P. lievenii* (Lukhtanov & Lukhtanov, 1994).
- 2945. Parnassius (s.str.) bremeri Bremer, 1864** (Papilionidae) *Sedum aizoon*, *S. ussuriensis*, *S. ishida* (Graeser, 1888; Kurentzov, 1970); *Orostachys malacophylla* (Dantchenko & Nikolaevsky, in litt.).
- 2946. Parnassius (s.str.) jacquemontii Boisduval, 1836** (Papilionidae) *Rhodiola* spp. (Kreuzberg, 1984).
- 2947. Parnassius (s.str.) nomion Fischer de Waldheim, 1823** (Papilionidae) *Sedum*, *Orostachys* (Graeser, 1888; Gorbunov & Korshunov, 1995).
- 2948. Parnassius (s.str.) tianschanicus Oberthür, 1879** (Papilionidae) *Rosularia alpestris*, *Pseudosedum longidentatum*, *Clementsia semenovii*, *Rhodiola heterodonta* (Kreuzberg, 1984).

- 2949. *Princeps (Druryia (cynorta-gr)) echerioides (Trimen,1868)*** (Papilionidae) larva on *Clausena anisata*, *Vepris lanceolata*, *Zanthoxylum capense*, *Citrus*, *Calodendrum*, *Fagara*, *Teclea*, *Toddalia* (Rutaceae) (Pringle & Henning, 1994; Ackery et al., 1995).
- 2950. *Princeps (Druryia (cynorta-gr)) jacksoni (Sharpe,1891)*** (Papilionidae) larva on *Calodendrum*, *Citrus*, *Clausena*, *Fagara*, *Teclea*, *Toddalia* (Rutaceae) (Ackery et al., 1995).
- 2951. *Princeps (Druryia (nireus-gr)) chrapkowskii (Suffert,1904)*** (Papilionidae) larva on *Calodendrum*, *Citrus*, *Clausena*, *Fagara*, *Teclea*, *Toddalia* (Rutaceae) (Ackery et al., 1995).
- 2952. *Princeps (Druryia (nireus-gr)) chrapkowskoides (Storace,1952)*** (Papilionidae) larva on *Citrus*, *Vepris* (Rutaceae) (Ackery et al., 1995).
- 2953. *Princeps (Druryia (nireus-gr)) desmondi (Van Someren,1939)*** (Papilionidae) larva on *Psoralea* (Fabaceae); *Aegle*, *Citrus*, *Clausena*, *Glycosmis*, *Microcitrus*, *Murraya*, *Zanthoxylum*, *Zizyphus* (Rutaceae) (Ackery et al., 1995).
- 2954. *Princeps (Druryia (nireus-gr)) nireus (Linnaeus,1758)*** (Papilionidae) larva on *Clausena anisata*, *Calodendrum capense*, *Toddalia asiatica*, *Vepris lanceolata*, *Teclea natalensis*, *Citrus*, *Oricia swynnertonii*, *Zanthoxylum capense* (Rutaceae) (Pringle & Henning, 1994).
- 2955. *Princeps (Menelaides (Iliades)) memnon (Linnaeus,1758)*** (Papilionidae) larva on *Citrus maxima* [pomelo] (Rutaceae) (Lewvanich, 2001).
- 2956. *Princeps (Menelaides (s.str.)) polytes (Linnaeus,1758)*** (Papilionidae) larva on *Citrus madurensis* [calamodin], *C. aurantifolia* [common lime], *C. hystrix* [leech lime], *C. reticulata* [tangerine], *C. maxima* [pomelo] (Rutaceae) (Lewvanich, 2001).
- 2957. *Princeps (s.str. (hesperus-gr)) euphranor (Trimen,1868)*** (Papilionidae) larva on *Cryptocarya woodii* (Lauraceae) (Pringle & Henning, 1994; Ackery et al., 1995).
- 2958. *Princeps (s.str. (menestheus-gr)) ophidicephalus (Oberthür,1878)*** (Papilionidae) larva on *Calodendrum*, *Citrus*, *Clausena anisata*, *Zanthoxylum capense*, *Calodendrum capense*, *Citrus*, *Fagara*, *Teclea*, *Toddalia* (Pringle & Henning, 1994; Ackery et al., 1995).
- 2959. *Princeps (s.str. (phorcas-gr)) constantinus (Ward,1871)*** (Papilionidae) larva on *Vepris lanceolata*, *V. reflexa*, *Clausena anisata*, *Teclea nobilis* (Rutaceae) (Pringle & Henning, 1994).
- 2960. *Princeps (s.str. (phorcas-gr)) dardanus (Brown,1776)*** (Papilionidae) larva on *Xymalos monospora* (Trimeniaceae), *Oricia swynnertonii*, *Vepris lanceolata*, *Toddalia asiatica*, *Teclea natalensis*, *T. nobilis*, *Clausena anisata*, *Citrus*, *Calodendrum*, *Fagara* (Rutaceae) (Pringle & Henning, 1994; Ackery et al., 1995).
- 2961. *Princeps (s.str. (s.str.)) demodocus (Esper,1798)*** (Papilionidae) larva on *Citrus*, *Clausena anisata*, *Calodendrum capense*, *Toddalia asiatica*, *Vepris lanceolata*, *Teclea natalensis*, *Oricia swynnertonii*, *Zanthoxylum capense*, *Ptaeroxylon obliquum*, *Foeniculum vulgare*, *Peucedanum galbanum*, *P. gummiiferum*, *Deverra burchellii*, *Hippobromus pauciflorus* (Sapindaceae) (Pringle & Henning, 1994).
- 2962. *Princeps (s.str. (s.str.)) demoleus (Linnaeus,1758)*** (Papilionidae) larva on *Citrus reticulata* [tangerine], *C. maxima* [pomelo], *C. madurensis* [calamodin], *C. aurantifolia* [common lime], *C. hystrix* [leech lime], *Limonia acidissima* [wood apple], *Aegle marmelos* [Bengal quince], *Murraya siamensis* [Andaman satinwood] (Rutaceae), *Manilkara hexandra* [milky tree] (Sapotaceae) (Lewvanich, 2001).
- 2963. *Troides (s.str. (s.str.)) aeacus (C.Felder & R.Felder,1860)*** (Papilionidae) larva on *Aristolochia tagala* [krachao phi mot], *A. pothieri* [krachao sida] (Aristolochiaceae) (Lewvanich, 2001 et seq.).
- 2964. *Troides (s.str. (s.str.)) astenous (Fabricius,1775)*** (Papilionidae) larva on *Aristolochia tagala* (Aristolochiaceae).
- 2965. *Zerynthia (Allancastris) caucasica (Lederer,1864)*** (Papilionidae) larva on *Aristolochia pontica*, *A. pallida* (Koçak, in litt.; Hensle, 1993).
- 2966. *Zerynthia (Allancastris) cerisyi (Godart,1822)*** (Papilionidae) larva on *Aristolochia bodamae*, *A. rotunda*, *A. pistolochia* (Koçak, in litt.; Hensle, 1993).
- 2967. *Zerynthia (Allancastris) deyrollei (Oberthür,1869)*** (Papilionidae) larva on *Aristolochia bodamae*, *A. maurorum* (Koçak, in litt.).
- 2968. *Zerynthia (s.str.) polyxena ([Denis & Schiffermüller],1775)*** (Papilionidae) larva on *Aristolochia clematidis*, *A. rotunda*, *A. pallida*, *A. pistolochia* (Tolman, 1997).
- 2969. *Zerynthia (s.str.) rumina (Linnaeus,1758)*** (Papilionidae) larva in Africa on *Aristolochia longa*, *A. paucinervis*, *A. fontanesi*, *A. rotunda*, *A. pallida* (?); in Europe: *A. pistolochia*, *A. rotunda*, *A. longa*, *A. baetica* (Tolman, 1997).
- 2970. *Anthocharis belia (Linnaeus,1767)*** (Pieridae) larva feeds on seeds of following plants: *Biscutella lyrata*, *B. didyma*, *B. raphanifolia*, *B. laevigata*, *B. auriculata*, *B. ambigua*, *Sisymbrium* (Tolman, 1997; Calle et al., 2000).
- 2971. *Anthocharis cardamines (Linnaeus,1758)*** (Pieridae) larva on *Cardamines pratensis*, *Alliaria petiolata*, *Arabis turrita*, *Lunaria annua*, *Biscutella mollis*, *Hesperis lacinata* (Tolman, 1997).
- 2972. *Anthocharis damone Boisduval,1836*** (Pieridae) larva on *Isatis tinctoria* (Back, 1984, 1985; Tolman, 1997).
- 2973. *Anthocharis gruneri Herrich-Schäffer,[1851]*** (Pieridae) larva on *Sisymbrium bilobum*, *Microthlaspi umbellatum*; *Aethionema saxatile*, *A. orbiculatum* (Effendi, 1984; Back, 1984, 1985; Tolman, 1997).
- 2974. *Aporia (Metaporis (Turaporis)) leucodice (Eversmann,1843)*** (Pieridae) *Berberis* sp. (Tusov, 1997).
- 2975. *Aporia (s.str.) crataegi (Linnaeus,1758)*** (Pieridae) larva on *Prunus spinosa*, *P. domestica*, *P. avium*, *P. persica*, *P. armeniaca*, *P. amygdalus*, *P. mahaleb*, *P. padus*, *Crataegus monogyna*, *C. pycnoloba*, *C. laciniata*, *C. sanguinea*, *Pyrus communis*, *Malus domestica*, *Sorbus aucuparia* (Anikin, 1993; Tolman, 1997).
- 2976. *Baltia butleri (Moore,1882)*** (Pieridae) -.
- 2977. *Belenois aurota (Fabricius,1793)*** (Pieridae) larva on *Capparis* spp.
- 2978. *Belenois subeida (C.Felder & R.Felder,[1865])*** (Pieridae) larva on *Capparis*, *Maerua*, *Ritchiea* (Capparidaceae) (Ackery et al., 1995).
- 2979. *Belenois theuszi (Dewitz,1889)*** (Pieridae) larva on *Ritchiea* (Capparidaceae) (Ackery et al., 1995).
- 2980. *Catopsilia florella (Fabricius,1775)*** (Pieridae) larva on *Senna didymobotrya*, *S. odorata*, *S. occidentalis*, *S. petersiana*, *S. corymbosa*, *S. aschrek*, *S. italica* arachoides, *S. septentrionalis*, *S. abbreviata*, *S. mimosoides*, *S. singuana* (Fabaceae) [Genus name *Senna* or *Cassia*] (Trimen & Bowker, 1889, et seq.); *Gossypium* (Malvaceae), *Sesbania* (Fabaceae) (Kielland, 1990).
- 2981. *Catopsilia pomona (Fabricius,1775)*** (Pieridae) larva on *Senna siamea* [cassod tree], *S. alata* [ringworm bush], *Cassia fistula* [golden shower], *C. bakeriana* [pink shower] (Fabaceae), *Crinum asiaticum* [cape lily] (Amaryllidaceae), *Thevetia peruviana* [trumpet flower] (Apocynaceae) (Lewvanich, 2001).
- 2982. *Colias (Eriocolias) christophi Groum-Grshimailo,1885*** (Pieridae) *Astragalus* spp. (Tusov, 1997).
- 2983. *Colias (Eriocolias) chrysotheme (Esper,[1781])*** (Pieridae) larva on *Vicia hirsuta*, *Astragalus austriacus* (Tolman, 1997).
- 2984. *Colias (Eriocolias) cocandica Erschoff,1874*** (Pieridae) -.
- 2985. *Colias (Eriocolias) crocea (Fourcroy,1785)*** (Pieridae) larva on *Medicago sativa*, *M. lupulina*, *M. polymorpha*, *M. lappaea*, *M. hispida*, *M. sulcata*, *Trifolium pratense*, *Onobrychis viciifolia*, *Lotus*, *Coronilla*, *Melilotus*, *Hippocrepis*, *Astragalus*, *Astracanthus*, *Vicia*, *Colutea*, *Anthyllis*, *Erophaca*, *Acanthyllis*, *Chamaecytisus* (Tolman, 1997).
- 2986. *Colias (Eriocolias) draconis Groum-Grshimailo,1891*** (Pieridae) -.
- 2987. *Colias (Eriocolias) electo (Linnaeus,1763)*** (Pieridae) larva on *Vicia*, *Indigofera*, *Trifolium burchellianum*, *T. africanum*, *Medicago*, *Robinia*, *Cytisus*, *Cassia* [Senna], *Sesbania*, *Phaseolus* (Fabaceae) (Trimen & Bowker, 1889 et seq.).
- 2988. *Colias (Eriocolias) eogene C.Felder & R.Felder,[1865]*** (Pieridae) *Astragalus* spp. (Tusov, 1997).
- 2989. *Colias (Eriocolias) erschoffii Alpheraky,1881*** (Pieridae) *Astragalus* sp. (Tusov, 1997).
- 2990. *Colias (Eriocolias) marcopolo Groum-Grshimailo,1888*** (Pieridae) *Astragalus* spp. (Tusov, 1997).
- 2991. *Colias (Eriocolias) thisoa Ménétériés,1832*** (Pieridae) larva on *Astragalus* sp. (Nekrutenko, 1990).
- 2992. *Colias (Eriocolias) wiskotti Staudinger,1882*** (Pieridae) *Acantholimon*, *Oxytropis*, *Onobrychis echidna* (Tusov, 1997).
- 2993. *Colias (Eucolias) hecla Lefébvre,1836*** (Pieridae) larva on *Astragalus alpinus* (Tolman, 1997).
- 2994. *Colias (Eucolias) nastes Boisduval,1832*** (Pieridae) larva on *Vaccinium*, *Astragalus alpinus* (Tolman, 1997).
- 2995. *Colias (Eucolias) palaeno (Linnaeus,1761)*** (Pieridae) larva on *Vaccinium uliginosum*, *V. myrtillus* (Tolman, 1997).
- 2996. *Colias (Eucolias) phicomone (Esper,[1780])*** (Pieridae) larva on *Hippocrepis comosa*, *Tifolium repens*, *Lotus corniculatus* (Tolman, 1997).
- 2997. *Colias (Neocolias) aurorina Herrich-Schäffer,[1850]*** (Pieridae) larva on *Astracantha* [Astragalus] *caucasica*, *A. denudata*, *A. rumelica*, *A. parnassi cyllenus* (Nekrutenko, 1990; Tolman, 1997).
- 2998. *Colias (Neocolias) caucasica Staudinger,1871*** (Pieridae) larva on *Cytisus* (Nekrutenko, 1990).
- 2999. *Colias (Neocolias) chlorocoma Christoph,1888*** (Pieridae) larva on *Onobrychis comuta* (Nekrutenko, 1990).
- 3000. *Colias (Neocolias) erate (Esper,[1805])*** (Pieridae) larva on *Medicago sativa*, *Trifolium*, *Obobrychis*, *Melilotus* (Bartel, 1914).
- 3001. *Colias (Neocolias) myrmidone (Esper,[1781])*** (Pieridae) larva on *Cytisus ratisbonensis*, *C. capitatus* (Tolman, 1997).
- 3002. *Colias (s.str.) hyale (Linnaeus,1758)*** (Pieridae) larva on *Medicago sativa*, *M. lupulina*, *Lotus corniculatus*, *Trifolium pratense*, *Hippocrepis comosa*, *Securigera varia*, *Vicia cracca*, *Cytisus*, *Coronilla* (Eckstein, 1913; Tolman, 1997).
- 3003. *Colias (s.str.) sareptensis Staudinger,1881*** (Pieridae) larva on *Hippocrepis comosa*, *Coronilla varia* (Tolman, 1997).
- 3004. *Colias poliographus Motschulsky,1860*** (Pieridae) *Trifolium*, *Vicia*, *Glycine* max (sometimes pest) (Kurentzov, 1970; Fukuda et al., 1982).
- 3005. *Colotis (s.str.) amatus (Fabricius,1775)*** (Pieridae) larva on *Salvadora persica* (Salvadoraceae) (Butler, 1896); ? *Capparis* (Capparaceae) (Kielland, 1990).
- 3006. *Colotis (s.str.) evagore (Klug,1829)*** (Pieridae) larva on *Capparis spinosa*, *C. droserifolia* (Tolman, 1997).
- 3007. *Delias (belisama-gr.) descombesi (Boisduval,1836)*** (Pieridae) larva on *Eugenia* [rose apple] (Myrtaceae), *Dendrophthoe pentandra* [ka fak ma muang], *Helixanthera cylindrica* [ka fak] (Loranthaceae) (Lewvanich, 2001).
- 3008. *Delias (hyparete-gr.) hyparete (Linnaeus,1758)*** (Pieridae) larva on *Dendrophthoe pentandra* [ka fak ma muang], *Helixanthera cylindrica* [ka fak] (Loranthaceae) (Lewvanich, 2001).
- 3009. *Delias (pasithoe-gr.) pasithoe (Linnaeus,1758)*** (Pieridae) larva on *Helixanthera cylindrica* [ka fak] (Loranthaceae) (Lewvanich, 2001).
- 3010. *Euchloe (Elphinstonia) charltonia (Donzel,1842)*** (Pieridae) larva on *Reseda lancelotae*, *R. villosa*, *Succowia balearica*, *Moricandia arvensis*, *Eryngium tenue*, *Eruca vesicaria*, *Diplotaxis pendula*, *D. acris*, *Cleome arabica*, *Lonchophora capiomentana* (Tolman, 1997).
- 3011. *Euchloe (Elphinstonia) penia (Freyer,[1852])*** (Pieridae) larva on *Matthiola tessela* at Treska (Macedonia), *Hesperis laciniata* (Greece) (Pinker, 1957; Back & Eitschberger, 1992; Leestmans & Back, 1992; Tolman, 1997).
- 3012. *Euchloe (s.str.) ausonia (Hübner,[1804])*** (Pieridae) larva on *Sinapis arvensis*, *Isatis tinctoria*, *I. glauca*, *Aethionema saxatile*, *Iberis sempervirens*, *Biscutella mollis*, *B. laevigata*, *Bunias erucago*, *Alyssum saxatile* (Tolman, 1997).
- 3013. *Euchloe (s.str.) belemia (Esper,[1800])*** (Pieridae) larva on *Diplotaxis siifolia*, *D. tenuisiliqua*, *Biscutella laevigata*, *B. didyma*, *Sisymbrium* (Tolman, 1997).
- 3014. *Euchloe (s.str.) crameri Butler,1869*** (Pieridae) larva on *Sinapis arvensis*, *Biscutella laevigata*, *Raphanus raphanistrum*, *Moricandia arvensis*, *Iberis sempervirens*, *I. pinnata*, *Isatis tinctoria* (Tolman, 1997).

- 3015.** *Euchloe (s.str.) falloui* (Allard,1867) (Pieridae) larva on *Moricandia arvensis*, *M. sinaica*, *Diplotaxis acris*, *Schouwia thebaica*, *Zilla spinosa*, *Reseda muricata* (Tolman,1997).
- 3016.** *Euchloe (s.str.) insularis* (Staudinger,1861) (Pieridae) larva on *Iberis pennata*, *Sinapis*, *Hirschfeldia incana* (Tolman,1997).
- 3017.** *Euchloe (s.str.) simplonia* (Freyer,1829) (Pieridae) larva on *Biscutella laevigata*, *Iberis spathulata*, *I. pinnata*, *Erucastrum nasturtiifolium* (Tolman,1997).
- 3018.** *Euchloe (s.str.) tagis* (Hübner,[1804]) (Pieridae) larva on *Iberis groszmiqueli*, *I. linifolia*, *I. odorata*, *I. ? ciliata*, *I. taurica*, *I. pinnata*, *I. saxatilis*, *I. sempervirens*, *I. amara*, *I. umbellata*, *Biscutella laevigata* (Tolman,1997).
- 3019.** *Eurema (Terias) blanda* (Boisduval,1836) (Pieridae) larva on *Pithecellobium dulce* [Manila tamarind], *Cassia fistula* [golden shower] (Fabaceae) (Lewvanich,2001).
- 3020.** *Eurema (Terias) hecabe* (Linnaeus,1758) (Pieridae) larva on *Pithecellobium dulce* [Manila tamarind], *Cassia fistula* [golden shower], *Sesbania grandiflora* [agasta], *S.javanica* [sa no] (Fabaceae), *Phyllanthus acidus* [star gooseberry] (Euphorbiaceae), *Cratava adansonii* [kum bok] (Capparaceae) (Lewvanich,2001).
- 3021.** *Gonepteryx (Isogonepteryx) cleopatra* (Linnaeus,1767) (Pieridae) larva on *Rhamnus catharticus*, *R. alaternus*, *R. myrtifolia*, *R. oleoides*, *R. alpinus*, *R. sibthorpius*, *R. ? persicifolius* (Tolman,1997).
- 3022.** *Gonepteryx (s.str.) farinosa* (Zeller,1847) (Pieridae) larva on *Rhamnus alpinus fallax*, *R. sibthorpius*, *R. lycioides graecus*, *Paliurus spina-christi*, *Zizyphus* (Nekrutenko,1990; Tolman,1997).
- 3023.** *Gonepteryx (s.str.) rhamni* (Linnaeus,1758) (Pieridae) larva on *Frangula alnus*, *Rhamnus catharticus*, *R. alaternus*, *R. alpinus* (?) *R. a. fallax*, *R. myrtifolia*, *R. oleoides* (Linnaeus,1758; Tolman, 1997).
- 3024.** *Hebomoia glaucippe* (Linnaeus,1758) (Pieridae) larva on leaf of *Cratava adansonii* [kum bok] (Capparaceae) (Lewvanich,2001).
- 3025.** *Ixias marianne* (Cramer,[1779]) (Pieridae) larva on *Capparis aphylla*, *C. divaricata*, *C. grandis*, *C. sepiaria* (Capparaceae) (Robinson et al.,2005).
- 3026.** *Ixias pyrene* (Linnaeus,1764) (Pieridae) larva on *Capparis sola*, *C. cantoniensis*, *C. sepiaria*, *C. zeylanica* (Capparaceae) (Robinson et al.,2005).
- 3027.** *Leptidea duponcheli* (Staudinger,1871) (Pieridae) larva on *Lathyrus aphaca*, *L. pratense*, *Lotus uliginosus* (Tolman,1997).
- 3028.** *Leptidea morsei* (Fenton,1881) (Pieridae) larva on *Lathyrus verna*, *L. niger* (Tolman,1997).
- 3029.** *Leptidea sinapis* (Linnaeus,1758) (Pieridae) larva on *Lathyrus pratensis*, *L. grandiflorus*, *L. tuberosus*, *L. montanus*, *L. linifolius*, *L. vernus*, *L. niger*, *L. aphaca*, *Lotus uliginosus*, *L. corniculatus* (Tolman, 1997).
- 3030.** *Microzebris pyrothoe* (Eversmann,1832) (Pieridae) -.
- 3031.** *Nepheronia argia* (Fabricius,1775) (Pieridae) larva on *Capparidaceae* (Ritchiea), *Celastraceae* (Hippocratea, Salacia), *Rhizophoraceae* (Casipourea) (Ackery et al.,1995).
- 3032.** *Nepheronia buquetii* (Boisduval,1836) (Pieridae) larva on *Capparidaceae* (Ritchiea), *Salvadoraceae* (Azima, Salvadoria) (Ackery et al.,1995).
- 3033.** *Nepheronia thalassina* (Boisduval,1836) (Pieridae) larva on *Celastraceae* (Hippocratea) (Ackery et al.,1995).
- 3034.** *Pieris (Artogeia) bryoniae* (Hübner,[1804]) (Pieridae) larva on *Cardamine bellidifolia alpina*, *C. resedifolia*, *Biscutella laevigata*, *Thlaspi alpinum*, *T. montanum* (Tolman, 1997).
- 3035.** *Pieris (Artogeia) ergane* (Geyer,[1828]) (Pieridae) larva on *Aethionema saxatile*, *A. orbiculatum*, *Isatis tinctoria* (Tolman,1997).
- 3036.** *Pieris (Artogeia) krueperi* Staudinger,1860 (Pieridae) larva on *Alyssum saxatile*, *A. montanum* (Tolman, 1997).
- 3037.** *Pieris (Artogeia) mahometana* Groum-Grshimailo,1888 (Pieridae) -.
- 3038.** *Pieris (Artogeia) mannii* (Mayer,1851) (Pieridae) larva on *Iberis sempervirens*, *I. saxatilis* (Tolman,1997).
- 3039.** *Pieris (Artogeia) melele* Ménétriés,1857 (Pieridae) *Arabis sagittata*, *A. glauca*, *Cardamine leucanthe*, *Sisymbrium officinale* (Kurentzov, 1970).
- 3040.** *Pieris (Artogeia) napi* (Linnaeus,1758) (Pieridae) *Cardamine pratensis*, *C. amara*, *C. palustris*, *Nasturtium officinale*, *Lepidium heterophyllum*, *Lunaria rediviva*, *Hesperia matronalis*, *Arabis turrita*, *A. glabra*, *A. hirsuta*, *Sisymbrium officinale*, *Alliaria petiolata*, *Sinapis arvensis*, *Alyssum spinosum*, *A. saxatile*, *Cheiranthus cheiri* (Tolman, 1997).
- 3041.** *Pieris (Artogeia) rapae* (Linnaeus,1758) (Pieridae) larva on leaf of *Rapa* (Brassicaceae), *Capparis spinosa* (Capparaceae), *Atriplex* (Chenopodiaceae) (Tolman,1997); *Cleome ruditosperma* (Capparaceae) (Kemal,2006).
- 3042.** *Pieris (s.str.) brassicae* (Linnaeus,1758) (Pieridae) larva on *Brassica*, *Capparis spinosa*, *Tropaeolum majus* (Tolman,1997).
- 3043.** *Pieris (s.str.) brassicoides* Guérin-Méneville,1849 (Pieridae) larva on *Brassica* (Brassicaceae), *Tropaeolum* (Tropaeolaceae) (Ackery et al.,1995).
- 3044.** *Pontia callidice* (Hübner,[1800]) (Pieridae) larva on *Erysimum helveticum*, *Reseda glauca*, *Cardamine bellidifolia*, *Hutchinsia alpina* (Tolman, 1997).
- 3045.** *Pontia chloridice* (Hübner,[1813]) (Pieridae) larva on *Cymatocarpus popovi*, *Sisymbrium polymorphum*, *S. junceum*, *Descurainia sophia* (Bartel, 1914; Korshunov, 1981; Tolman, 1997).
- 3046.** *Pontia daplidice* (Linnaeus,1758) (Pieridae) larva on *Reseda luteola*, *R. alba*, *R. lutea*, *Sisymbrium*, *Erysimum*, *Ptilotrichum*, *Arabis*, *Moricandia*, *Alyssum*, *Sinapis*, *Iberis*, *Diplotaxis*, *Descurainia*, *Lepidium*, *Raphanus*, *Thlaspi*, *Fibigia* (Tolman,1997).
- 3047.** *Pontia edusa* (Fabricius,1777) (Pieridae) larva on *Reseda alba*, *R. lutea*, *R. luteola*, *Descurainia sophia*, *Diplotaxis*, *Thlaspi*, *Teesdalia nudicaulis*, *Turritis*, *Lepidium* sp., *Isatis tinctoria* (Lavroff, 1927; Falkovitsh, 1969; Tolman, 1997).
- 3048.** *Pseudopontia paradoxa* (C.Felder & R.Felder,1869) (Pieridae) larva on *Pseuderanthemum tunicatum* (Acanthaceae), *Pentharhopalopilum marquesii* (Opiliaceae), *Rhopalopilum pallens* (Opiliaceae) (Owen,1971; Heath1977; Lees,1989)
- 3049.** *Zegris eupheme* (Esper,[1804]) (Pieridae) larva on *Biscutella*, *Sinapis*, *Raphanus*, *Sisymbrium polymorphum*, *Camelina laxa*, *Hirschfeldia incana*, *Isatis tinctoria* (Nekrutenko, 1990; Tolman, 1997; Calle et al.,2000).
- 3050.** *Zegris fausti Christoph*,1877 (Pieridae) *Crambe kotschyana*, *Sisymbrium* (Tusov, 1997).
- 3051.** *Acanthoecia larminati* (Heylaerts,1904) (Psychidae) larva on *Camellia sinensis* (Theaceae) (Robinson et al.,1994).
- 3052.** *Brachycyttarus fasciatus Dierl*,1971 (Psychidae) larva on *Canna* (Cannaceae), *Coffea liberica* (coffee) (Rubiaceae), *Thunbergia* (Acanthaceae), *Aleurites montana* (Euphorbiaceae), *Musa* (Musaceae) (Robinson et al.,1994).
- 3053.** *Brachycyttarus griseus De Joannis*,1929 (Psychidae) larva on *Oryza sativa* (rice) (Poaceae), *Musa sapientum* (banana) (Musaceae), *Nipa fruticans*, *Elaeis guineensis* (Palmaeaceae), *Alpinia* (Zingiberaceae) (Robinson et al.,1994).
- 3054.** *Canephora caucasica* (A.Bang-Haas,1912) (Psychidae) larva on *Lathyrus*, *Vicia* (de Freina,1983).
- 3055.** *Canephora sp.?* (Psychidae) larva on *Ferula* sp. (de Freina,1983).
- 3056.** *Cryptothela leonina* (Tams,1924) (Psychidae) larva on *Theobroma cacao* (Cocoa) (Sterculiaceae) (Robinson et al.,1994).
- 3057.** *Eumeta minuscula Butler*,1881 (Psychidae) larva on *Lantana* (Verbenaceae), *Araucaria cunninghamii* (Araucariaceae), *Averrhoa carambola* (Oxalidaceae), *Coffea liberica* (Rubiaceae), *Psidium guajava* (guava), *Eugenia jambos* (jambu, malay apple) (Myrtaceae) (Robinson et al.,1994).
- 3058.** *Kotochalia junodi* (Heylaert,1890) (Psychidae) larva on *Acacia* sp. (Bourgogne,1986)
- 3059.** *Mahasena corbetti Tams*,1928 (Psychidae) larva on *Elaeis guineensis* (oil palm) (Palmaeaceae), *Calliandra* (Fabaceae), *Durio zibethinus* (durian) (Bombacaceae), *Citrus grandis* (pomelo) (Rutaceae) (Robinson et al.,1994).
- 3060.** *Phalacropterix calberlae* (Heylaerts,1890) (Psychidae) larva on *Vaccinium* (Meyer,1919).
- 3061.** *Adaina microdactyla* (Hübner,[1813]) (Pterophoridae) larva on *Eupatorium cannabinum* (Beirne,1954).
- 3062.** *Agdistis (Tamaritis) tamaricis* (Zeller,1847) (Pterophoridae) larva on *Tamarix gallica*, *Myricaria germanica* (sensu auctorum).
- 3063.** *Agdistis (s.str.) adactyla* (Hübner,[1819]) (Pterophoridae) larva on *Artemisia campestris*, *A. scoparia*, *Chenopodium fruticosum*, *Erica cinerea*, *Santolina chamaecyparissus* (sensu auctorum).
- 3064.** *Amblyptilia acanthadactyla* (Hübner,[1813]) (Pterophoridae) larva on *Stachys sylvatica*, *Ononis natrix*, *O. repens*, *O. spinosa*, *Mentha*, *Euphrasia*, *Salvia*, *Teucrium scorodonia*, *Calluna vulgaris*, *Geranium robertianum*, *Bartsia*, *Erica tetralix*, *Carlina*, *Lavandula stoechas*, *Vaccinium oxycoccus*, *Jurinea*, *Nepeta* (auct.).
- 3065.** *Amblyptilia punctidactyla* (Haworth,1811) (Pterophoridae) larva on *Stachys sylvatica*, *Aquilegia vulgaris*, *Geranium pratense*, *Erodium cicutarium*, *Salvia glutinosa*, *Primula*, *Ononis spinosa*, *Prunella* (sensu auctorum).
- 3066.** *Buckleria paludum* (Zeller,1839) (Pterophoridae) larva on *Drosera rotundifolia*, *D. burmanni*, *D. spathulata*, *D. indica* (sensu auctorum).
- 3067.** *Buszkoiana capnodactyla* (Zeller,1841) (Pterophoridae) larva on *Petasites hybridus* (Asteraceae) (Wolf,1953; Spronck,2001).
- 3068.** *Capperia britanniodactyla* (Gregson,1869) (Pterophoridae) larva on *Teucrium scorodonia* (Beirne,1954; et seq.)
- 3069.** *Capperia celeusi* (Frey,1886) (Pterophoridae) larva on *Teucrium chamaedrys* (Frey,1886 et seq.).
- 3070.** *Capperia fusca* (Hofmann,1898) (Pterophoridae) larva on *Stachys alpina*, *Marrubium vulgare* (Hofmann,1898; Adamczewski,1951; et seq.).
- 3071.** *Capperia hellenica* Adamczewski,1951 (Pterophoridae) larva on *Stachys recta* (Nel & Prola,1989).
- 3072.** *Capperia lorana* (Fuchs,1895) (Pterophoridae) larva on ? *Teucrium botrys* (Arenberger,1990).
- 3073.** *Capperia maratonica* Adamczewski,1951 (Pterophoridae) larva on *Teucrium scordium* ssp. *scordoides* (Buszko,1979; et seq.).
- 3074.** *Capperia polonica* Adamczewski,1951 (Pterophoridae) larva on *Teucrium flavum* (Bigot & Picard,1986; et seq.).
- 3075.** *Capperia trichodactyla* ([Denis & Schiffermüller],1775) (Pterophoridae) larva on *Leonurus cardiaca* (Mittelberger,1912; et seq.).
- 3076.** *Cnaemidophorus rhododactylus* (Fabricius,1787) (Pterophoridae) larva on *Rosa canina*, *R. spinosissima* (sensu auctorum).
- 3077.** *Crombrugghia distans* (Zeller,1847) (Pterophoridae) larva on *Sonchus arvensis*, *S. asper*, *Andryala pinnatifida*, *A. integrifolia*, *A. sinuata*, *Crepis tectorum*, *C. capillaris*, *C. virens*, *C. succisaefolia*, *C. conyzaeifolia*, *C. grandiflora*, *C. albida*, *Hieracium pilosella*, *Picris hieracioides*, *Lactuca*, *Cichorium* (sensu auct.).
- 3078.** *Deuterocopus planeta* Meyrick,1907 (Pterophoridae) larva on flowers of *Leea sambucina* (Leeaceae) (Robinson et al.,1994).
- 3079.** *Emmelina argoteles* (Meyrick,1922) (Pterophoridae) larva on *Calystegia japonica*, *C. soldanella*, *C. sepium*, *Ipomoea batatas edulis* (sensu auctorum).
- 3080.** *Emmelina monodactyla* (Linnaeus,1758) (Pterophoridae) larva on *Convolvulus arvensis*, *C. spithamea*, *C. microphyllus*, *C. cantabrica*, *C. althaeoides*, *C. floridus*, *Calystegia sepium*, *C. soldanella*, *Calluna*, *Erica*, *Vaccinium*, *Chenopodium*, *Antirrhinum*, *Ipomoea batatas*, *I. hispida*, *I. purpurea*, *Hyocymus niger*, *Datura*.
- 3081.** *Fuscoptilia emarginata* (Snellen,1884) (Pterophoridae) larva on *Lespedeza bicolor*.
- 3082.** *Hellinsia carphodactyla* (Hübner,[1813]) (Pterophoridae) larva on *Inula conyzia*, *I. bifrons*, *I. montana*, *I. hirta*, *Bupththalmum salicifolium*, *Carlina vulgaris* (auct.).
- 3083.** *Hellinsia distincta* (Herrich-Schäffer,1855) (Pterophoridae) larva on *Omalothea sylvatica*, *Gnaphalium dioicum*, *Artemisia absinthium* (sensu auct.).
- 3084.** *Hellinsia inulae* (Zeller,1852) (Pterophoridae) larva on *Inula britannica*, *I. salicina*, *I. montana*, *I. hirta*, *Dittrichia viscosa* (sensu auct.).

- 3085.** *Hellinsia osteodactylus* (Zeller,1841) (Pterophoridae) larva on *Solidago virgaurea*, *Senecio bicolor*, *S.nemoralis*, *S.fuchsii*, *Aster linosyris*, *Achillea millefolium*, *Artemisia vulgaris* (sensu auct.).
- 3086.** *Lantanophaga pusillidactyla* (Walker,1864) (Pterophoridae) larva on *Lantana camara* (Amsel,1951).
- 3087.** *Megalorhipida leucodactyla* (Fabricius,1794) (Pterophoridae) larva on *Boerhavia repens* (Fletcher,1909).
- 3088.** *Merrifieldia baliodactyla* (Zeller,1841) (Pterophoridae) larva on *Origanum vulgare*.
- 3089.** *Merrifieldia leucodactyla* ([Denis & Schiffermüller],1775) (Pterophoridae) larva on *Thymus vulgaris*, *T.serpyllum*, *T.pulegioides*, *T.praecox arcticus*, *Origanum vulgare*, *Pulmonaria officinalis* ([Denis & Schiffermüller],1775 et seq.).
- 3090.** *Oidaematophorus didactylites* (Ström,1783) (Pterophoridae) larva on *Hieracium umbellatum*, *H.lachenalii*, *H.pilosella*, *H.boreale*, *H.murorum*, *H.prenanthoides*, *H.amplexicaule*, *Artemisia campestris* (sensu auct.).
- 3091.** *Oidaematophorus lithodactylus* (Treitschke,1833) (Pterophoridae) larva on *Inula conyzia*, *I.salicina*, *I.germanica*, *I.montana*, *I.hirta*, *Pulicaria dycaria*, *Conyza squarrosa*, *Bupththalmum salicifolium* (sensu auct.).
- 3092.** *Oidaematophorus rogenhoferi* (Mann,1871) (Pterophoridae) larva on *Erigeron alpinus*, *E.acer angulosus*, *E.acer politus*, *E.glabratus*, *E.uniflorus*, *Inula montana* (sensu auct.).
- 3093.** *Oxyptilus chrysodactylus* ([Denis & Schiffermüller],1775) (Pterophoridae) larva on *Hieracium umbellatum*, *H.sabaudum*, *Picris hieracioides*, *Teucrium scorodionum* (sensu auct.).
- 3094.** *Oxyptilus jaeckhi* Bigot & Picard,1992 (Pterophoridae) larva on *Cichorium intybus* (Asteraceae), *Lactuca virosa* (Nel,1995).
- 3095.** *Oxyptilus pilosellae* (Zeller,1841) (Pterophoridae) larva on *Hieracium pilosella* (Zeller,1841).
- 3096.** *Oxyptilus regulus* Meyrick,1906 (Pterophoridae) larva on *Vitis* (Vitaceae) (Robinson et al.,1994).
- 3097.** *Procapperia pelecynthes* (Meyrick,1908) (Pterophoridae) larva on *Scutellaria indica*, *S.discolor* (sensu auct.).
- 3098.** *Pselnophorus vilis* (Butler,1881) (Pterophoridae) larva on *Ligularia tussilaginea*, *Petasites japonicus* (sensu auct.).
- 3099.** *Pterophorus niveodactylus* (Pagenstecher,1900) (Pterophoridae) larva on *Ipomoea batatas*, *I.hispida*, *I.purpurea*.
- 3100.** *Pterophorus pentadactylus* (Linnaeus,1758) (Pterophoridae) larva on *Convolvulus arvensis*, *Calystegia sepium* (sensu auct.).
- 3101.** *Puerphorus obliodactylus* (Millière,1859) (Pterophoridae) larva on *Phagnalom rupestre*, *P.saxatile* (L'Homme,1939; Nel,1987).
- 3102.** *Sphenarches anisodactylus* (Walker,1864) (Pterophoridae) larva on *Dolichos lablab*, *Cajanus cajan*, *Lagenaria leucantha*, *Makino*, *Caperonia*, *Thalia geniculata* (sensu auct.).
- 3103.** *Sphenarches caffer* (Zeller,1852) (Pterophoridae) larva on *Dolichos lablab*, *Cajanus cajan* (sensu auct.).
- 3104.** *Stenodacma wahlbergi* (Zeller,1851) (Pterophoridae) larva on *Ipomoea batatas*, *Vitis indica*, *Vernonia appendiculata* (sensu auct.).
- 3105.** *Stenoptilia elkefi* Arenberger,1984 (Pterophoridae) larva on *Scabiosa atropurpurea* (Nel,1987; Arenberger & Jaksic,1991; Gielis,1996).
- 3106.** *Stenoptilia graphodactyla* (Treitschke,1833) (Pterophoridae) larva on *Gentiana lutea*, *G.verna*, *G.clusii*, *G.asclepiadea*, *G.pneumonanthe* (sensu auct.).
- 3107.** *Stenoptilia manni* (Zeller,1852) (Pterophoridae) larva on *Nepeta nuda* (Lamiaceae) (Nel,1995).
- 3108.** *Stenoptilia stigmatodactyla* (Zeller,1852) (Pterophoridae) larva on *Thymus vulgaris*, *Scabiosa ochroleuca*, *S.lucida*, *Knautia arvensis* (Buszko,1986; Nel,1987, et seq.).
- 3109.** *Stenoptilia succisae* Gibeaux & Nel,1991 (Pterophoridae) larva on *Succisa pratensis* (Gibeaux & Nel,1991).
- 3110.** *Stenoptilodes taprobanes* (R.Felder & Rogenhofer,1875) (Pterophoridae) larva on *Cintepeda minima*, *Spergularia media*, *Celsia coromandeliana*, *Antirrhinum*, *Clinopodium vulgare*, *Vaccinium*, *Campylanthus salsoloides*, *Plectranthus* (sensu auct.).
- 3111.** *Wheeleria phlomidis* (Staudinger,1871) (Pterophoridae) larva on *Phlomis orientalis* (Staudinger,1871,1880; Arenberger,1981).
- 3112.** *Wheeleria spilodactyla* (Curtis,1827) (Pterophoridae) larva on *Marrubium* (Staudinger,1880).
- 3113.** *Acentria ephemerella* ([Denis & Schiffermüller],1775) (Pyrilidae) larva on *Ceratophyllum* (Ceratophyllaceae), *Elodea* (Hydrocharitaceae), *Potamogetonaceae*, *Characeae* (Green algae) (Parenti,2000).
- 3114.** *Achroia grisella* (Fabricius,1794) (Pyrilidae) larva on wax, organic detritus in bee-hives, dried fruits, dried insects (Parenti,2000).
- 3115.** *Achyra nudalis* (Hübner,1796) (Pyrilidae) larva on *Amaranthus graecizans* (Wiltshire,1957; Amsel,1959).
- 3116.** *Acrobasis centunculella* (Mann,1859) (Pyrilidae) larva on *Fumana ericoides*, *Helianthemum* (Cistaceae) (Parenti,2000).
- 3117.** *Acrobasis glauella* Staudinger,1859 (Pyrilidae) larva on *Quercus* (Fagaceae) (Parenti,2000).
- 3118.** *Acrobasis obtusella* (Hübner,1796) (Pyrilidae) larva on *Malus*, *Prunus domestica*, *P.spinosa*, *Pyrus communis* (Rosaceae), *Quercus* (Fagaceae), *Betula* (Betulaceae) (Huemer,1988).
- 3119.** *Acrobasis porphyrella* (Duponchel,1836) (Pyrilidae) larva on *Erica arborea*, *E.scoparia* (Ericaceae) (Parenti,2000).
- 3120.** *Actenia brunnealis* (Treitschke,1829) (Pyrilidae) larva on *Helianthemum* (Cistaceae), *Epilobium* (Onagraceae), *Globularia* (Globulariaceae) (Parenti,2000).
- 3121.** *Aeschremon disparalis* Herrich-Schäffer,[1855] (Pyrilidae) larva on *Capparis* (Wiltshire,1957).
- 3122.** *Aglossa caprealis* (Hübner,[1809]) (Pyrilidae) larva on stored cereals, grass-seeds, dried vegetable, animal refuse (Parenti,2000).
- 3123.** *Aglossa pinguinalis* (Linnaeus,1758) (Pyrilidae) larva on cereal refuse, dried seeds, dried vegetable, animal dung (Parenti,2000).
- 3124.** *Agriphila inquinatella* ([Denis & Schiffermüller],1775) (Pyrilidae) larva on *Festuca*, *Poa* (Poaceae), *Barbula muralis* (Bryaceae) (Parenti,2000).
- 3125.** *Agriphila selasella* (Hübner,[1813]) (Pyrilidae) larva on *Festuca*, *Glyceria*, *Hordeum*, *Poa*, *Puccinella* (Poaceae) (Parenti,2000).
- 3126.** *Agriphila straminella* ([Denis & Schiffermüller],1775) (Pyrilidae) larva on *Festula*, *Poa* (Poaceae), *Barbula muralis* (Mosses) (Parenti,2000).
- 3127.** *Agriphila tolli* (Bleszynski,1952) (Pyrilidae) larva on Poaceae (Parenti,2000).
- 3128.** *Agriphila tristella* ([Denis & Schiffermüller],1775) (Pyrilidae) larva on *Deschampsia*, *Poa* (Poaceae) (Parenti,2000).
- 3129.** *Agrotera nemoralis* (Scopoli,1763) (Pyrilidae) larva on *Betula nana* (Betulaceae), *Carpinus* (Corylaceae), *Castanea*, *Quercus* (Fagaceae) (Parenti,2000).
- 3130.** *Algedonia* (s.str.) *luctualis* (Hübner,1793) (Pyrilidae) larva on *Cimifuga europaea* (Ranunculaceae) (Parenti,2000).
- 3131.** *Anania funebris* (Ström,1768) (Pyrilidae) larva on *Cytisus*, *Genista* (Fabaceae), *Solidago virgaurea* (Asteraceae) (Parenti,2000).
- 3132.** *Anania verbascata* (Fabricius,1787) (Pyrilidae) larva on *Teucrium* (Lamiaceae), *Scrophularia*, *Verbascum* (Scrophulariaceae) (Parenti,2000).
- 3133.** *Ancylosis* (Cabotia) *oblitella* (Zeller,1848) (Pyrilidae) larva on *Acacia tortilis*, *A.farnesiana*, *Suaeda maritima* (Chrétien,1917; Glaser,1960).
- 3134.** *Ancylosis* (s.str.) *cinnamomella* (Duponchel,1836) (Pyrilidae) larva on *Sedum* (Crassulaceae), *Globularia* (Globulariaceae), *Artemisia* (Asteraceae) (Parenti,2000).
- 3135.** *Anonaestis bengalella* Ragonot,1894 (Pyrilidae) larva bores fruit of *Annona muricata*, *A.squamosa* [custard apple] (Annonaceae) (Robinson et al.,1994; Lewvanich,2001).
- 3136.** *Antigastra catalaunalis* (Duponchel,1833) (Pyrilidae) larva on *Antirrhinum*, *Linaria*, *Kickxia elatine* (Scrophulariaceae), *Sesamum indicum* (Pedaliaceae), (Hallaman & Sanchez,1982; Murria & King,1999).
- 3137.** *Aphomia sociella* (Linnaeus,1758) (Pyrilidae) larva on old cells, debris and larvae in nests of wasps and humble-bees (Parenti,2000).
- 3138.** *Aphomia zelleri* (Joannis,1932) (Pyrilidae) larva on *Ammophila*, *Brachythecium albicans* (Poaceae) (Parenti,2000).
- 3139.** *Apomyelois ceratoniae* (Zeller,1839) (Pyrilidae) larva on dried fruits, seeds, nuts (Beirne,1954).
- 3140.** *Apodotes floralis* (Hübner,[1809]) (Pyrilidae) larva on *Cynara* (Asteraceae), *Convolvulus* (Convolvulaceae) (Parenti,2000).
- 3141.** *Archigalleria proavittella* (Rebel,1882) (Pyrilidae) larva on *Euphorbia canariensis* (Rebel,1906; Roesler,1993).
- 3142.** *Arimania komaroffi* (Ragonot,1888) (Pyrilidae) larva on *Quercus*, *Fraxinus* (Wiltshire,1948).
- 3143.** *Asalebria* (Exophora) *florella* (Mann,1862) (Pyrilidae) larva on *Genista scoparius* (Fabaceae) (Roesler,1993).
- 3144.** *Asalebria* (s.str.) *venustella* (Ragonot,1887) (Pyrilidae) larva on *Genista scoparius* (Fabaceae) (Roesler,1993).
- 3145.** *Assara albicostalis* Walker,1863 (Pyrilidae) larva on seeds of *Neobalanocarpus heimii*, *Shorea macroptera* (Dipterocarpaceae), *Mangifera indica* (mango), *Anacardium occidentale* (Anacardiaceae), *Elettaria cardamomum* (Zingiberaceae), *Punica* (Punicaceae), *Albizia* (Fabaceae), *Ananas* (pineapple) (Bromeliaceae) (Robinson et al.,1994).
- 3146.** *Assara terebrella* (Zincken,1818) (Pyrilidae) larva on *Abies*, *Picea*, *Pinus* (Pinaceae) (Parenti,2000).
- 3147.** *Atratala albofascialis* (Treitschke,1829) (Pyrilidae) larva on *Erigeron*, *Inula* (Asteraceae) (Parenti,2000).
- 3148.** *Bazaria gilvella* (Ragonot,1887) (Pyrilidae) larva on *Anabasis aphylla* (Chenopodiaceae) (Roesler,1993).
- 3149.** *Bazaria ruscionella* Ragonot,1888 (Pyrilidae) larva on *Atriplex halimus* (Chenopodiaceae) (Roesler,1993).
- 3150.** *Bazaria turensis* Ragonot,1887 (Pyrilidae) larva on *Nitraria schoberi*, *N.tridentata* (Zygophyllaceae) (Roesler,1993).
- 3151.** *Bocchoris bleusei* (Oberthür,1887) (Pyrilidae) larva on *Daemia cordata* (Asclepiadaceae) (Chrétien,1917).
- 3152.** *Boreophila manualis* (Geyer,[1832]) (Pyrilidae) larva on *Achillea millefolium* (Asteraceae) (Parenti,2000).
- 3153.** *Botyodes asialis* Guenée,1854 (Pyrilidae) larva on *Ficus* (Moraceae) (Robinson et al.,1994).
- 3154.** *Bradyrrhoa gilveolella* (Treitschke,1833) (Pyrilidae) larva on *Chondrilla ambigua* (= *C.pauciflora*), *C.brevirostris*, *C.cyanorostis*, *C.juncea*, *C.kuznetsovi*, *C.mujunkumensis* (Asteraceae) (Roesler,1993).
- 3155.** *Bradyrrhoa marianella* Ragonot,1887 (Pyrilidae) larva on *Andryala lyrata* (= *A.ragusina*), *A.spartoides* (Asteraceae) (Chrétien,1911, 1926; Roesler,1993).
- 3156.** *Bradyrrhoa trapezella* (Duponchel,1836) (Pyrilidae) larva on *Andryala pinnatifida* (Asteraceae) (Roesler,1993).
- 3157.** *Cadra cautella* (Walker,1863) (Pyrilidae) larva on dried fruits, beans, seeds (Parenti,2000).
- 3158.** *Calamotropa lupatus* (Meyrick,1932) (Pyrilidae) larva on *Typha angustata* (Typhaceae) (Robinson et al.,1994).
- 3159.** *Calamotropa paludella* (Hübner,[1824]) (Pyrilidae) larva on *Typha* (Typhaceae) (Parenti,2000).
- 3160.** *Catalysta lemnata* (Linnaeus,1758) (Pyrilidae) larva on *Lemna* (Lemnaceae), *Typha* (Typhaceae), *Sparganium* (Sparganiaceae) (Parenti,2000).
- 3161.** *Catastia marginata* ([Denis & Schiffermüller],1775) (Pyrilidae) larva on *Alchemilla vulgaris*, *Potentilla* (Rosaceae) (Hannemann,1964).
- 3162.** *Catharia pyrenaealis* (Duponchel,[1843]) (Pyrilidae) larva on *Silene rupestris* (Caryophyllaceae) (Parenti,2000).
- 3163.** *Catoptria falsella* ([Denis & Schiffermüller],1775) (Pyrilidae) larva on *Barbula muralis* (Bryaceae) (Parenti,2000).

- 3164. Catoptria fulgidella** (Hübner,[1813]) (Pyralidae) larva on Festuca (Poaceae), Carex arenaria (Cyperaceae), Antennaria (Asteraceae) (Parenti,2000).
- 3165. Catoptria margaritella** ([Denis & Schiffermüller],[1775]) (Pyralidae) larva on Bryaceae (Parenti,2000).
- 3166. Catoptria permutatella** (Herrich-Schäffer,[1848]) (Pyralidae) larva on Bryaceae (Parenti,2000).
- 3167. Catoptria pinella** (Linnaeus,1758) (Pyralidae) larva on Deschampsia (Poaceae), Carex (Cyperaceae), Eriophorum vaginatum (Bryaceae) (Parenti,2000).
- 3168. Catoptria verella** (Zincken,1817) (Pyralidae) larva on Bryaceae (Parenti,2000).
- 3169. Ceroprepes naga** Roesler & Küppers,1979 (Pyralidae) larva on Manilkara zapota [sapodilla] (Sapotaceae) (Robinson et al.,1994).
- 3170. Chilo phragmitellus** (Hübner,[1810]) (Pyralidae) larva on Glyceria maxima, Phragmites (Poaceae) (Parenti,2000).
- 3171. Chilo pulverosellus** Ragonot,1895 (Pyralidae) larva on Zea mays (Bodenheimer,1930; Bleszynski,1965).
- 3172. Chrysoteuchia culmella** (Linnaeus,1758) (Pyralidae) larva on Festuca, Agrostis, Dactylis (Poaceae) (Parenti,2000).
- 3173. Citripestis sagittiferella** (Moore,1891) (Pyralidae) larva bores of fruit of Citrus limon [lemon], C.aurantiifolia [lime], C.grandis [pomelo]; C. reticulata [tangerine] (Rutaceae) (Khoo, Ooi & Ho,1991; Lewvanich,2001).
- 3174. Cnaphalocrocis medinalis** (Guenée,1854) (Pyralidae) larva on Oryza sativa (Poaceae) (Robinson et al.,1994).
- 3175. Conobathra quarcella** Roesler,1987 (Pyralidae) larva on Celtis glabrata (Roesler,1987).
- 3176. Conobathra repandana** (Fabricius,1798) (Pyralidae) larva on Quercus (Fagaceae) (Parenti,2000).
- 3177. Conobathra tumidana** ([Denis & Schiffermüller],[1775]) (Pyralidae) larva on Quercus (Fagaceae) (Parenti,2000).
- 3178. Copamyntis obliquifasciella** (Hampson,1896) (Pyralidae) larva on leaves of Cassia fistula, C.alata (Fabaceae) (Robinson et al.,1994).
- 3179. Corcyra cephalonica** (Stainton,1866) (Pyralidae) larva on stored cereals, oilseeds, dried fruit, nuts, seeds, spices (Parenti,2000).
- 3180. Crambus ericellus** (Hübner,[1813]) (Pyralidae) larva on Corynephorus, Deschampsia (Poaceae) (Parenti,2000).
- 3181. Crambus lathoniellus** (Zincken,1817) (Pyralidae) larva on Deschampsia cespitosa (Poaceae) (Parenti,2000).
- 3182. Crambus pascuellus** (Linnaeus,1758) (Pyralidae) larva on Poa (Poaceae) (Parenti,2000).
- 3183. Crambus perlellus** (Scopoli,1763) (Pyralidae) larva on Deschampsia, Festuca (Poaceae) (Parenti,2000).
- 3184. Crambus pratellus** (Linnaeus,1758) (Pyralidae) larva on Deschampsia cespitosa (Poaceae) (Parenti,2000).
- 3185. Crocidolomia pavonana** (Fabricius,1794) (Pyralidae) larva on Brassica oleracea, B.rapa (Brassicaceae), Gossypium (Malvaceae), Cajanus cajan (Fabaceae) (Khoo, Ooi & Ho,1991).
- 3186. Crpsiptya coclesalis** (Walker,1859) (Pyralidae) larva on leaf of Bambusa [Bamboo] (Poaceae), Ludwigia hyssopifolia [thian na] (Onagraceae) (Lewvanich,2001).
- 3187. Cybalomia lutosalis** (Mann,1862) (Pyralidae) larva on Biscutella (Brassicaceae) (Parenti,2000).
- 3188. Cydalima laticostalis** (Guenée,1854) (Pyralidae) larva on Lansium domesticum [langsat], Aglaia dookkoo [longkong] (Meliaceae) (Lewvanich,2001).
- 3189. Cynaeda dentalis** ([Denis & Schiffermüller],[1775]) (Pyralidae) larva on Onosma stellulata, Anchusa officinalis, Echium vulgare (Boraginaceae) (Staudinger,1879).
- 3190. Deanolis albizonalis** Hampson,1903 (Pyralidae) larva bores of fruit of Mangifera indica [mango], Bouea macrophylla [plum mango] (Anacardiaceae) (Lewvanich,2001).
- 3191. Diaphania indica** (Saunders,1851) (Pyralidae) larva on Cucurbita, Luffa aegyptiaca, L.acutangula, Trichosanthes anguina, T.palmata (Cucurbitaceae), Gossypium herbaceum (Malvaceae), Erythrina corallodendron (Fabaceae) (Clarke,1986).
- 3192. Diasemia reticularis** (Linnaeus,1761) (Pyralidae) larva on Plantago (Plantaginaceae), Cichorium, Hieracium, Picris (Asteraceae) (Parenti,2000).
- 3193. Dioryctria mendacella** (Staudinger,1859) (Pyralidae) larva on Pinus (Pinaceae) (Parenti,2000).
- 3194. Dioryctria rubella** Hampson,1901 (Pyralidae) larva on Pinus merkusii (Pinaceae) (Robinson et al.,1994).
- 3195. Dioryctria sylvestrella** (Ratzeburg,1840) (Pyralidae) larva on Pinus (Pinaceae), Betula (Betulaceae) (Parenti,2000).
- 3196. Dolicharthria punctalis** ([Denis & Schiffermüller],[1775]) (Pyralidae) larva on Lotus, Trifolium (Fabaceae), Zostera (Potamogetonaceae) (Parenti,2000).
- 3197. Doloessa castanella** (Hampson,1896) (Pyralidae) larva on dead flowers of Cocos nucifera (Arecaceae) and in plant detritus (Robinson et al.,1994).
- 3198. Doloessa viridis** Zeller,1848 (Pyralidae) larva on Cocos nucifera (Arecaceae), Shorea (Dipterocarpaceae), Aglaia wallichii (Meliaceae) (Robinson et al.,1994).
- 3199. Eecopisa effractella** Zeller,1848 (Pyralidae) larva on Corylus (Corylaceae), Malus sylvestris, Prunus (Rosaceae) (Hannemann,1964).
- 3200. Ecpyrrorrhoe rubiginalis** (Hübner,1796) (Pyralidae) larva on Ballota, Galeopsis tetrahit, Stachys officinalis (Lamiaceae) (Parenti,2000).
- 3201. Elegia fallax** (Staudinger,1881) (Pyralidae) larva on Quercus (Fagaceae) (Parenti,2000).
- 3202. Elegia similella** (Zincken,1818) (Pyralidae) larva on Quercus (Fagaceae) (Parenti,2000).
- 3203. Elaphila manilensis** (Hampson,1911) (Pyralidae) larva on Salvinia cucullata (Pteridophyta), Pistia stratiotes (Araceae) (Robinson et al.,1994).
- 3204. Elaphila nymphacata** (Linnaeus,1758) (Pyralidae) larva on Nuphar, Nymphaea (Nymphaeaceae) (Parenti,2000).
- 3205. Endotricha flammealis** ([Denis & Schiffermüller],[1775]) (Pyralidae) larva on Salix (Salicaceae), Quercus (Fagaceae), Agrimonia (Rosaceae), Lotus (Fabaceae), Vaccinium (Ericaceae) (Parenti,2000).
- 3206. Epascestria pustulalis** (Hübner,[1823]) (Pyralidae) larva mines in Anchusa officinalis, Echium (Boraginaceae) (Wiltshire,1957; Parenti,2000).
- 3207. Ephestia (Anagasta) kuehniella** Zeller,1879 (Pyralidae) larva on stored cereals, cereal products, stored nuts, dried fruits (Parenti,2000).
- 3208. Ephestia (Anagasta) welseriella** (Zeller,1848) (Pyralidae) larva on Allium (Liliaceae) (Parenti,2000).
- 3209. Ephestia (s.str.) elutella** (Hübner,1796) (Pyralidae) larva on stored cereals, dried fruits, nuts, oilseeds, tobacco (Parenti,2000).
- 3210. Ephestia (s.str.) parasitella** Staudinger,1859 (Pyralidae) larva on dried vegetable matter (Parenti,2000).
- 3211. Epiparthia dattinella** (Ragonot,1887) (Pyralidae) larva on Reaumuria vermiculata (Tamaricaceae) (Roesler,1993).
- 3212. Epischnia illotella** Zeller,1839 (Pyralidae) larva on Asteriscus, Inula (Asteraceae) (Parenti,2000).
- 3213. Epischnia prodromella** (Hübner,[1799]) (Pyralidae) larva on Knautia, Scabiosa (Dipsacaceae), Centaurea (Asteraceae) (Parenti,2000).
- 3214. Etiella zinckenella** (Treitschke,1832) (Pyralidae) larva on Colutea, Lupinus, Phaseolus (Fabaceae) (Parenti,2000).
- 3215. Eucarpia vinetella** (Fabricius,1787) (Pyralidae) larva on Potentilla arenaria (Rosaceae) (Roesler,1993).
- 3216. Euechmius bellus** (Hübner,1796) (Pyralidae) larva on Scabiosa (Dipsacaceae), Picris (Asteraceae).
- 3217. Eurhodope (s.str.) rosella** (Scopoli,1763) (Pyralidae) larva on Knautia, Scabiosa columbaria (Dipsacaceae) (Parenti,2000).
- 3218. Eurhynpara hortulata** (Linnaeus,1758) (Pyralidae) larva on Urtica dioica (Urticaceae), Mentha, Marrubium vulgare, Stachys, Ballota (Lamiaceae), Convolvulus (Convolvulaceae) (Linnaeus,1758; Parenti,2000).
- 3219. Eurhynpis pollinalis** ([Denis & Schiffermüller],[1775]) (Pyralidae) larva on Cytisus, Genista, Lembotropis nigricans, Ononis (Fabaceae) (Parenti,2000).
- 3220. Euzophera (s.str.) bigella** (Zeller,1848) (Pyralidae) larva on Ulmus (Ulmaceae), Juglans (Juglandaceae), Cydonia, Malus, Pirus, Prunus armeniaca (Rosaceae), Punica (Punicaceae), Salix (Salicaceae) (Huemer,1988; Parenti,2000).
- 3221. Evergestis aenealis** ([Denis & Schiffermüller],[1775]) (Pyralidae) larva on Brassicaceae (Parenti,2000).
- 3222. Evergestis extimalis** (Scopoli,1763) (Pyralidae) larva on Brassica, Diplotaxis, Iberis, Sinapis, Sisymbrium (Brassicaceae) (Parenti,2000).
- 3223. Evergestis forficalis** (Linnaeus,1758) (Pyralidae) larva on Brassica, Raphanus, Armoracia, Sinapis, Apium (Brassicaceae) (Parenti,2000).
- 3224. Evergestis limbata** (Linnaeus,1767) (Pyralidae) larva on Alliaria, Isatis, Sisymbrium (Brassicaceae), Genista (Fabaceae) (Parenti,2000).
- 3225. Evergestis pallidata** (Hufnagel,1767) (Pyralidae) larva on Barbarea vulgaris, Brassica, Cardamine, Diplotaxis, Sinapis (Brassicaceae) (Parenti,2000).
- 3226. Evergestis politalis** ([Denis & Schiffermüller],[1775]) (Pyralidae) larva on Biscutella laevigata (Brassicaceae) (Parenti,2000).
- 3227. Evergestis sophialis** (Fabricius,1787) (Pyralidae) larva on Descurainia sophia (Fabricius,1787; Parenti,2000).
- 3228. Galleria mellonella** (Linnaeus,1758) (Pyralidae) larva on honeycombs in bee-hives (Parenti,2000).
- 3229. Glyphodes bivittalis** Guenée,1854 (Pyralidae) larva on leaf of Pithecellobium dulce [Manila tamarind] (Fabaceae), Ficus callophylla [sai], Ficus racemosa [maduea utum phon] (Moraceae) (Lewvanich,2001).
- 3230. Glyphodes caesalis** Walker,1859 (Pyralidae) larva bores of fruit of Artocarpus heterophyllus [jack fruit] (Moraceae) (Lewvanich,2001).
- 3231. Glyptoteles leucacrinella** Zeller,1848 (Pyralidae) larva on dry leaves of Alnus, plant litter (Parenti,2000).
- 3232. Haritalodes derogata** (Fabricius,1775) (Pyralidae) larva on leaf of Gossypium herbaceum [cotton], Abelmoschus esculentus [okra], Hibiscus sabdariffa [roselle], Abutilon persicum [kong khao ton] (Malvaceae); Lagerstroemia balansae [ta baek] (Lythraceae); Musa [banana] (Lewvanich,2001).
- 3233. Heliethela wulfeniana** (Scopoli,1763) (Pyralidae) larva on Lamiaceae, Viola (Violaceae) (Parenti,2000).
- 3234. Hellula undalis** (Fabricius,1781) (Pyralidae) larva on Brassica (Brassicaceae) (Robinson et al.,1994).
- 3235. Heortia vitessoides** (Moore,[1885]) (Pyralidae) larva on Lagetta linearia, Leucornia lanceolata (Thymelaeaceae) (Kaltenbach & Roesler,1989).
- 3236. Homoeosoma (s.str.) sinuellum** (Fabricius,1794) (Pyralidae) larva on Chenopodium album (Chenopodiaceae), Plantago (Plantaginaceae) (Parenti,2000).
- 3237. Hydriris ornatalis** (Duponchel,1832) (Pyralidae) larva on leaf of Ipomoea batatas [sweet potato] (Convolvulaceae) (Lewvanich,2001).
- 3238. Hypochalcia ahenella** ([Denis & Schiffermüller],[1775]) (Pyralidae) larva on Helianthemum (Cistaceae), Artemisia, Hieracium pilosella (Asteraceae) (Beirne,1954; Parenti,2000).
- 3239. Hypopygia costalis** (Fabricius,1775) (Pyralidae) larva on hay, dried vegetable, animal matter (Parenti,2000).
- 3240. Isauria dilucidella** (Duponchel,1836) (Pyralidae) larva on Astragalus monspesulanus, Lotus corniculatus (Fabaceae) (Roesler,1993; Parenti,2000).
- 3241. Khorassania compositella** (Treitschke,1835) (Pyralidae) larva on Helianthemum (Cistaceae), Artemisia campestris (Asteraceae) (Parenti,2000).
- 3242. Lamida moncusalis** Walker,1858 (Pyralidae) larva on Mango, Shorea robusta (Reh,1925).
- 3243. Lamoria anella** ([Denis & Schiffermüller],[1775]) (Pyralidae) larva on Aster, Inula (Asteraceae), Mooses, wasp nests (Parenti,2000).
- 3244. Lepidogma tamaricis** (Mann,1873) (Pyralidae) larva on Tamarix (Mann,1873; Amsel,1949).
- 3245. Locastra muscosalis** (Walker,[1866]) (Pyralidae) larva feed on leaf of weed (Lewvanich,2001).

- 3246. *Loxostege aeruginalis* (Hübner,1796)** (Pyralidae) larva on *Artemisia alba*, *A. campestris* (Asteraceae) (Parenti,2000).
- 3247. *Mamestra bipunctella* Ragonot,1888** (Pyralidae) larva on flowers of *Sorghum vulgare* (Poaceae) (Robinson et al.,1994).
- 3248. *Margaritella sticticalis* (Linnaeus,1761)** (Pyralidae) larva on *Beta* (Chenopodiaceae), *Medicago*, *Pisum*, *Phaseolus* (Fabaceae); *Brassica* (Brassicaceae), *Solanum* (Solanaceae), *Artemisia vulgaris* (Asteraceae) (Parenti,2000).
- 3249. *Mecyna lutealis* (Duponchel,1833)** (Pyralidae) larva on *Rumex* (Polygonaceae), *Ranunculus* (Ranunculaceae), *Plantago* (Plantaginaceae), *Carduus*, *Centaurea*, *Cirsium*, *Tussilago* (Asteraceae) (Parenti,2000).
- 3250. *Mecyna trinalis* ([Denis & Schiffermüller],1775)** (Pyralidae) larva on *Helianthemum* (Cistaceae) (Parenti,2000).
- 3251. *Megasis mimeticella* (Staudinger,1879)** (Pyralidae) larva on *Medicago falcata* (Fabaceae) (Roessler,1993).
- 3252. *Megasis rippertella* (Zeller,1839)** (Pyralidae) larva on *Onobrychis saxatilis* (Fabaceae) (Roessler,1993).
- 3253. *Metaxestis schrankiana* (Hochenwarth,1785)** (Pyralidae) larva on *Calluna*, *Vaccinium myrtillus*, *V. uliginosus*, *V. vitis-idea* (Ericaceae) (Parenti,2000).
- 3254. *Mimudea elutalis* ([Denis & Schiffermüller],1775)** (Pyralidae) larva on *Ranunculus* (Ranunculaceae), *Fragaria*, *Rubus fruticosus* (Rosaceae), *Rumex* (Polygonaceae), *Plantago* (Plantaginaceae), *Artemisia*, *Carduus*, *Centaurea*, *Cirsium* (Asteraceae) (Huemer,1988).
- 3255. *Mimudea institalis* (Hübner,[1819])** (Pyralidae) larva on *Eryngium* at Bursa (Mann,1862).
- 3256. *Mimudea nebulalis* (Hübner,1796)** (Pyralidae) larva on *Geranium* (Geraniaceae), *Campanula* (Campanulaceae), *Bellis*, *Taraxacum* (Asteraceae) (Parenti,2000).
- 3257. *Mussidia pectinicornella* (Hampson,1896)** (Pyralidae) larva on *Nephelium ophioides* (Sapindaceae), *Theobroma cacao* (Sterculiaceae), *Cassia grandis* (Fabaceae) (Robinson et al.,1994).
- 3258. *Myelois* (s.str.) *circumvoluta* (Fourcroy,1785)** (Pyralidae) larva on *Carduus*, *Cirsium*, *Arctium* (Asteraceae) (Parenti,2000).
- 3259. *Nephoterix divisella* (Duponchel,1842)** (Pyralidae) larva on *Euphorbia* (Euphorbiaceae) (Parenti,2000).
- 3260. *Noctuella rebeli* Amsel,1935** (Pyralidae) larva on *Salsola tetragona* in Algeria (Amsel,1966).
- 3261. *Nomophila noctuella* ([Denis & Schiffermüller],1775)** (Pyralidae) larva on *Polygonum* (Polygonaceae), *Medicago*, *Trifolium* (Fabaceae), *Vaccinium* (Ericaceae), *Poa*, *Triticum* (Poaceae) (Parenti,2000).
- 3262. *Noorda blitelis* Walker,1859** (Pyralidae) larva bores bark of *Moringa pterygosperma*, *M. oleifera* (Moringaceae) (Robinson et al.,1994).
- 3263. *Nyctegretis lineana* (Scopoli,1786)** (Pyralidae) larva on *Sedum* (Crassulaceae), *Cytisus*, *Ononis*, *Trifolium* (Fabaceae), *Artemisia*, *Gnaphalium* (Asteraceae) (Parenti,2000).
- 3264. *Nymphula depunctalis* (Guenée,1854)** (Pyralidae) larva on rice.
- 3265. *Nymphula nitidulata* (Hufnagel,1767)** (Pyralidae) larva on *Nuphar lutea* (Nymphaeaceae), *Sparganium* (Sparganiaceae) (Parenti,2000).
- 3266. *Omiodes diemenalis* (Guenée,1854)** (Pyralidae) larva on leaf of *Glycine max* [soy bean], *Vigna unguiculata* [cow pea] (Fabaceae) (Lewvanich,2001).
- 3267. *Omphisca fuscidentalis* (Hampson,1895)** (Pyralidae) larva bores *Dendrocalamus membranaceus*, *D.strictus*, *D.hamiltonii*, *D.asper*, *D.brandisii*, *Bambusa nutans*, *B.vulgaris*, *B.arundinacea*, *Gigantochloa nigro-ciliata*, *Thyrsostachys siamensis* (Leksawadi,1994; 2001).
- 3268. *Oncocera semirubella* (Scopoli,1763)** (Pyralidae) larva on *Hippocrepis*, *Lotus*, *Medicago*, *Ononis*, *Trifolium* (Fabaceae) (Parenti,2000).
- 3269. *Opsibotys fuscalis* ([Denis & Schiffermüller],1775)** (Pyralidae) larva on *Urtica* (Urticaceae), *Lathyrus* (Fabaceae), *Melampyrum*, *Pedicularis*, *Rhinanthus* (Scrophulariaceae), *Solidago* (Asteraceae) (Parenti,2000).
- 3270. *Oreana alpestralis* (Fabricius,1787)** (Pyralidae) larva on *Descurainia sophia* (Brassicaceae) (Parenti,2000).
- 3271. *Orthaga euadnalis* Walker,1858** (Pyralidae) larva on leaf of *Mangifera indica* [mango] (Anacardiaceae) (Lewvanich,2001).
- 3272. *Ortholepis vacciniella* (Lienig & Zeller,1847)** (Pyralidae) larva on *Betula nana* (Betulaceae), *Vaccinium* (Ericaceae) (Parenti,2000).
- 3273. *Orthopygia glaucinalis* (Linnaeus,1758)** (Pyralidae) larva on decaying vegetable matter (Parenti,2000).
- 3274. *Orthopygia rubidalis* ([Denis & Schiffermüller],1775)** (Pyralidae) larva on decaying vegetable matter (Parenti,2000).
- 3275. *Ostrinia nubilalis* (Hübner,1796)** (Pyralidae) larva on *Zea* (Poaceae), *Lycopersicon*, *Capsicum* (Solanaceae), *Humulus*, *Cannabis* (Cannabaceae), *Phaseolus* (Fabaceae) (Parenti,2000).
- 3276. *Ostrinia palustralis* (Hübner,1796)** (Pyralidae) larva on *Rumex aquatilis*, *R. hydrolaphatum* (Polygonaceae) (Parenti,2000).
- 3277. *Oxybia transversella* (Duponchel,1836)** (Pyralidae) larva on *Psoralea bituminosa* (Fabaceae) (Millière,1870; Parenti,2000).
- 3278. *Paliga machaeralis* (Walker,1859)** (Pyralidae) larva on *Tectona grandis* [teak] (Lamiaceae) (Lewvanich,2001).
- 3279. *Palpita unionalis* (Hübner,1796)** (Pyralidae) larva on *Peucedanum* (Apiaceae), *Arbutus* (Ericaceae), *Forsythia*, *Jasminum*, *Ligustrum*, *Olea* (Oleaceae) (Parenti,2000).
- 3280. *Pantegia aerealis* (Hübner,1793)** (Pyralidae) larva on *Thymus* (Lamiaceae), *Scrophularia* (Scrophulariaceae), *Artemisia*, *Gnaphalium*, *Helichrysum* (Asteraceae) (Parenti,2000).
- 3281. *Paracymoriza vagalis* (Walker,1865)** (Pyralidae) larva on *Podostemaceae* (Yoshiyasu,1987).
- 3282. *Paralipsa gularis* (Zeller,1877)** (Pyralidae) larva on stored nuts, cereals, oilseeds, dried fruit (Parenti,2000).
- 3283. *Parapoxyn affinalis* (Guenée,1854)** (Pyralidae) larva on *Potamogeton* at Bagdad (Wiltshire,1957).
- 3284. *Paratalanta hyalinis* (Hübner,1796)** (Pyralidae) larva on *Urtica* (Urticaceae), *Filipendula ulmaria* (Rosaceae), *Verbascum* (Scrophulariaceae), *Centaurea* (Asteraceae) (Huemer,1988).
- 3285. *Paratalanta pandalis* (Hübner,[1825])** (Pyralidae) larva on *Teucrium scordonia*, *Origanum vulgare* (Lamiaceae), *Solidago virgaurea* (Asteraceae) (Beirne,1954).
- 3286. *Pediasia aridella* (Thunberg,1788)** (Pyralidae) larva on *Puccinellia maritima* (Poaceae) (Parenti,2000).
- 3287. *Pediasia contaminella* (Hübner,1796)** (Pyralidae) larva on *Festuca ovina*, *Poa* (Poaceae) (Parenti,2000).
- 3288. *Pediasia fascinelina* (Hübner,[1813])** (Pyralidae) larva on *Aira*, *Corynephorus*, *Deschampsia*, *Elymus* (Poaceae) (Parenti,2000).
- 3289. *Pempelia formosa* (Haworth,[1811])** (Pyralidae) larva on *Betula* (Betulaceae), *Ulmus minor* (Ulmaceae), *Calluna*, *Vaccinium* (Ericaceae) (Parenti,2000).
- 3290. *Pempelia palumbella* ([Denis & Schiffermüller],1775)** (Pyralidae) larva on *Polygala* (Polygalaceae), *Helianthemum* (Cistaceae), *Calluna*, *Erica* (Ericaceae), *Thymus* (Lamiaceae) (Parenti,2000).
- 3291. *Pempeliella ornata* ([Denis & Schiffermüller],1775)** (Pyralidae) larva on *Thymus serpyllum* (Lamiaceae) (Parenti,2000).
- 3292. *Perinephela lancealis* ([Denis & Schiffermüller],1775)** (Pyralidae) larva on *Sium* (Apiaceae), *Stachys* (Lamiaceae), *Eupatorium cannabinum*, *Senecio* (Asteraceae) (Parenti,2000).
- 3293. *Phlyctaenia coronata* (Hufnagel,1767)** (Pyralidae) larva on *Fraxinus*, *Ligustrum*, *Syringa* (Oleaceae), *Convolvulus* (Convolvulaceae), *Sambucus* (Caprifoliaceae) (Parenti,2000).
- 3294. *Phycita diaphana* (Staudinger,1870)** (Pyralidae) larva on *Ricinus*, *Populus euphratica*, *Chrozophora verbascifolia* (Amsel,1949; Wiltshire,1957).
- 3295. *Phycita roborella* ([Denis & Schiffermüller],1775)** (Pyralidae) larva on *Quercus robur* (Fagaceae), *Malus*, *Pyrus*, *Prunus* (Rosaceae), *Ribes* (Saxifragaceae) ([Denis & Schiffermüller],1775; Huemer,1988).
- 3296. *Phycitodes saxicola* (Vaughan,1870)** (Pyralidae) larva on *Anthemis*, *Senecio* (Asteraceae) (Parenti,2000).
- 3297. *Pima boisduvaliella* (Guenée,1845)** (Pyralidae) larva on *Anthyllis*, *Astragalus*, *Lathyrus*, *Lotus*, *Ononis* (Fabaceae) (Parenti,2000).
- 3298. *Platytes alpinella* (Hübner,[1813])** (Pyralidae) larva on *Barbula* (Bryaceae) (Parenti,2000).
- 3299. *Platytes cerussella* ([Denis & Schiffermüller],1775)** (Pyralidae) larva on *Aira*, *Festuca* (Poaceae) (Parenti,2000).
- 3300. *Pleuroptya balteata* (Fabricius,1798)** (Pyralidae) larva on *Rhus cotinus* (Mann,1862).
- 3301. *Pleuroptya nigriflava* Swinhoe,1894** (Pyralidae) larva on leaf of *Grewia eriocarpa* [po kaen thao] (Tiliaceae) (Lewvanich,2001).
- 3302. *Pleuroptya ruralis* (Scopoli,1763)** (Pyralidae) larva on *Humulus* (Cannabaceae), *Urtica* (Urticaceae), *Ribes* 8Saxifragaceae), *Filipendula ulmaria*, *Prunus spinosa* (Rosaceae), *Atriplex*, *Chenopodium* (Chenopodiaceae) (Huemer,1988).
- 3303. *Plodia interpunctella* (Hübner,[1813])** (Pyralidae) larva on stored cereals, cereals products, dried fruits (Parenti,2000).
- 3304. *Prasinixena metaleuca* Hampson,1912** (Pyralidae) larva on bark of *Lansium* (langsat) (Meliaceae), *Acacia mangium* (Fabaceae) (Robinson et al.,1994).
- 3305. *Proceras indicus* Kapur,1950** (Pyralidae) larva on *Saccharum spontaneum*, *S. fuscum*, *Andropogon sorghum*, *Pennisetum typhoidum* (Poaceae) (Kapur,1950).
- 3306. *Proceras sacchariphagus* (Bojer,1856)** (Pyralidae) larva on *Saccharum* (Sugar-cane) (Poaceae) (Kapur,1950).
- 3307. *Proceras venosatus* (Walker,1863)** (Pyralidae) larva on *Saccharum* (Sugar-cane) (Poaceae) (Kapur,1950).
- 3308. *Prochoristis rupicapralis* (Lederer,1855)** (Pyralidae) larva probably on *Capparis* (Wiltshire,1957).
- 3309. *Psammotis pulveralis* (Hübner,1796)** (Pyralidae) larva on *Mentha aquatica* (Lamiaceae) (Beirne,1954).
- 3310. *Pseudobissetia terrestrella* (Christoph,1885)** (Pyralidae) larva on *Zea mays* (Bodenheimer,1930; Bleszynski,1965).
- 3311. *Pyralis farinalis* (Linnaeus,1758)** (Pyralidae) larva on stored cereals, hay, dried fruit (Parenti,2000).
- 3312. *Pyralis lienigialis* (Zeller,1843)** (Pyralidae) larva on hay, stored cereals (Parenti,2000).
- 3313. *Pyralis regalis* [Denis & Schiffermüller],1775** (Pyralidae) larva on *Salix* (Salicaceae), *Quercus* (Fagaceae), *Rosa* (Rosaceae) (Parenti,2000).
- 3314. *Pyrasia gutturalis* (Staudinger,1879)** (Pyralidae) larva on *Lonicera* (Caprifoliaceae) (Wiltshire,1957).
- 3315. *Pyrausta (Haematia) cingulata* (Linnaeus,1758)** (Pyralidae) larva on *Mentha*, *Origanum*, *Salvia*, *Thymus serpyllum* (Lamiaceae) (Parenti,2000).
- 3316. *Pyrausta (Haematia) despicata* (Scopoli,1763)** (Pyralidae) larva on *Salvia* (Lamiaceae), *Plantago major*, *P. lanceolata* (Plantaginaceae), *Gnaphalium* (Asteraceae) (Beirne,1954; Wiltshire,1957; Parenti,2000).
- 3317. *Pyrausta (Haematia) virginalis* (Duponchel,1832)** (Pyralidae) larva on *Salvia*, *Thymus* (Lamiaceae) (Wiltshire,1957; Parenti,2000).
- 3318. *Pyrausta* (s.str.) *aurata* (Scopoli,1763)** (Pyralidae) larva on *Mentha*, *Origanum vulgare*, *Salvia*, *Thymus* (Lamiaceae), *Plantago* (Plantaginaceae) (Parenti,2000).
- 3319. *Pyrausta* (s.str.) *coracinalis* Leraut,1982** (Pyralidae) larva on *Salvia pratensis*, *Satureja* (Lamiaceae) (Parenti,2000).
- 3320. *Pyrausta* (s.str.) *inciae* Koçak,1982** (Pyralidae) larva recorded as a pest on *Mentha* (Wiltshire,1957).
- 3321. *Pyrausta* (s.str.) *machaeralis* (Walker,1859)** (Pyralidae) larva on *Tectona grandis* (Reh,1925).

- 3322. *Pyrausta (s.str.) nigrata* (Scopoli,1763)** (Pyrilidae) larva on Galium (Rubiaceae), Mentha, Origanum vulgare, Salvia, Thymus serpyllum (Lamiaceae) (Beirne,1954; Parenti,2000).
- 3323. *Pyrausta (s.str.) obfuscata* (Scopoli,1763)** (Pyrilidae) larva on Calamintha sylvatica, Satureja (Lamiaceae), Conyza, Inula (Asteraceae) (Parenti,2000).
- 3324. *Pyrausta (s.str.) ostrinalis* (Hübner,1796)** (Pyrilidae) larva on Mentha, Nepeta, Origanum, Thymus (Lamiaceae), Plantago (Plantaginaceae) (Parenti,2000).
- 3325. *Pyrausta (s.str.) purpuralis* (Linnaeus,1758)** (Pyrilidae) larva on Mentha arvensis, Nepeta, Origanum, Prunella, Thymus serpyllum (Lamiaceae), Plantago (Plantaginaceae) (Beirne,1954; Parenti,2000).
- 3326. *Salma nubilalis* (Hampson,1893)** (Pyrilidae) larva on leaf of Protium serratum [ma faen] (Bursaceae) (Lewvanich,2001).
- 3327. *Schoenobius forficellus* (Thunberg,1794)** (Pyrilidae) larva on Glyceria fluitans (Poaceae), Carex (Cyperaceae) (Parenti,2000).
- 3328. *Scirphophaga incertulas* (Walker,1863)** (Pyrilidae) larva on Oryza sativa (Poaceae) (Lewvanich,1981).
- 3329. *Scirphophaga nivella* (Fabricius,1794)** (Pyrilidae) larva on Oryza sativa (Poaceae), Scirpus, Cyperus, Eleocharis, Cladium articulatum (Cyperaceae) (Robinson et al.,1994).
- 3330. *Scirphophaga praelata* (Scopoli,1763)** (Pyrilidae) larva on Juncus (Juncaceae), Scirpus (Cyperaceae) (Parenti,2000).
- 3331. *Sclerocona acutella* (Eversmann,1842)** (Pyrilidae) larva on Phragmites australis (Poaceae) (Parenti,2000).
- 3332. *Sefidia persica* Amsel,1950** (Pyrilidae) larva on Colutea (Fabaceae) (Roesler,1993).
- 3333. *Selagia argyrella* ([Denis & Schiffermüller],1775)** (Pyrilidae) larva on Potentilla (Rosaceae), Helianthemum (Cistaceae), Calluna (Ericaceae) (Parenti,2000).
- 3334. *Siamusotima aranea* Solis & Yen,2005** (Pyrilidae) larva bores stem of Lygodium flexuosum (Schizaeaceae) (Solis & Yen,2005).
- 3335. *Sitochroa palealis* ([Denis & Schiffermüller],1775)** (Pyrilidae) larva on Daucus carota, Heracleum, Peucedanum, Seseli (Apiaceae) (Parenti,2000).
- 3336. *Sitochroa verticalis* (Linnaeus,1758)** (Pyrilidae) larva on Urtica (Urticaceae), Rumex, Atriplex (Polygonaceae), Cytisus (Fabaceae), Teucrium (Lamiaceae), Cirsium (Asteraceae) (Parenti,2000).
- 3337. *Spoladea recurvalis* (Fabricius,1775)** (Pyrilidae) larva on Alternanthera, Amaranthus (Amaranthaceae), Beta vulgaris, Kochia indica (Chenopodiaceae), Glycine max (soya bean), Vigna unguiculata (Fabaceae) (Robinson et al.,1994).
- 3338. *Susia uberalis* (Swinhoe,1884)** (Pyrilidae) larva on Borago officinalis, Cynoglossum officinale, Echicholon suffruticosum, Heliotropium europaeum, H. undulatum, Lithospermum callosum (Boraginaceae) (Roesler,1993).
- 3339. *Synaphe moldavica* (Esper,[1789])** (Pyrilidae) larva on Festuca, Stipa (Poaceae) (Parenti,2000).
- 3340. *Synaphe punctalis* (Fabricius,1775)** (Pyrilidae) larva on Hypnum cupressiforme (Hypnaceae) (Mosses) (Parenti,2000).
- 3341. *Synclera traducalis* (Zeller,1852)** (Pyrilidae) larva on leaf of Ziziphus mauritiana [jujube] (Rhamnaceae); Spergularia tomentosa (Caryophyllaceae) (Rungs,1979; Lewvanich,2001).
- 3342. *Talis quercella* ([Denis & Schiffermüller],1775)** (Pyrilidae) larva on Poaceae (Blezynski,1965).
- 3343. *Tephros stenopterella* Amsel,1949** (Pyrilidae) larva on Tamarix (Amsel,1949; Wiltshire,1957).
- 3344. *Terastia egialealis* Walker,1859** (Pyrilidae) larva bores stems of Erythrina indica, E. subumbrans [thong lang pa] (Fabaceae) (Robinson et al.,1994; Lewvanich,2001).
- 3345. *Therapne obsoletalis* (Mann,1864)** (Pyrilidae) larva on dried vegetable matter (Parenti,2000).
- 3346. *Thisanotia chrysonuchella* (Scopoli,1763)** (Pyrilidae) larva on Festuca ovina, Poa (Poaceae) (Parenti,2000).
- 3347. *Tirathaba ruptilinea* (Walker,1866)** (Pyrilidae) larva on fruit skin of Nephelium lappaceum [longan] (Sapindaceae) (Robinson et al.,1994); Durio zibethinus [durian] (Bombacaceae) (Lewvanich,2001).
- 3348. *Trachycera advenella* (Zincken,1818)** (Pyrilidae) larva on Crataegus, Prunus spinosa, Sorbus aria, S. aucuparia (Rosaceae) (Huemer,1988).
- 3349. *Trachycera marmorea* (Haworth,[1811])** (Pyrilidae) larva on Prunus spinosa, ? Sorbus, ? Crataegus (Rosaceae) (Huemer,1988).
- 3350. *Trachycera suavelia* (Zincken,1818)** (Pyrilidae) larva on Crataegus, Prunus spinosa, Sorbus (Rosaceae) (Huemer,1988).
- 3351. *Trachylepidia fructicassiaella* Ragonot,1887** (Pyrilidae) larva on Cassia fistula (Hampson,1896).
- 3352. *Trachypteryx acanthotecta* (Rebel,1927)** (Pyrilidae) larva on Acacia raddiana (= A. tortilis) (Fabaceae) (Roesler,1993).
- 3353. *Udea alpinalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) larva on Artemisia, Leuzea raphanotis, Senecio nemoralis (Asteraceae) (Parenti,2000).
- 3354. *Udea ferrugalis* (Hübner,1796)** (Pyrilidae) larva on Fragaria vesca (Rosaceae); Lycopus, Mentha, Stachys (Lamiaceae); Verbascum (Scrophulariaceae); Calendula, Eupatorium, Aster, Centaurea, Cirsium, Arctium (Asteraceae) (Wiltshire,1957; Huemer,1988; Parenti,2000).
- 3355. *Udea olivalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) larva on Actaea (Ranunculaceae), Humulus (Cannabaceae), Urtica (Urticaceae), Fragaria, Geum, Rubus idaeus (Rosaceae); Stachys, Lamium (Lamiaceae), Sambucus, Lonicera (Caprifoliaceae), Chelidonium (Papaveraceae), Lychnis (Caryophyllaceae), Myosotis (Boraginaceae), Veronica (Scrophulariaceae), Chenopodium (Chenopodiaceae), Petasites, Senecio, Tussilago (Asteraceae) (Huemer,1988).
- 3356. *Udea prunalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) larva on Actaea, Anemone, Aquilegia, Ranunculus (Ranunculaceae), Quercus (Fagaceae), Betula (Betulaceae), Corylus (Corylaceae), Ulmus (Ulmaceae), Humulus (Cannabaceae), Ribes (Saxifragaceae), Fragaria, Geum urbanum, Aruncus dioicus, Prunus padus, P. spinosa, Pyrus, Rosa, Rubus, Sorbus aucuparia (Rosaceae), Urtica (Urticaceae), Acer (Aceraceae), Hedera (Araliaceae), Aegopodium (Apiaceae), Tilia (Tiliaceae), Vaccinium (Ericaceae), Pyrola (Pyrolaceae), Lychnis (Caryophyllaceae), Veronica (Scrophulariaceae), Lonicera, Viburnum (Caprifoliaceae), Fraxinus (Oleaceae), Plantago (Plantaginaceae), Ballota, Glechoma, Lamium, Stachys, Teucrium (Lamiaceae), Tussilago (Asteraceae), Lactuca (Cichoriaceae) ([Denis & Schiffermüller],1775; Huemer,1988).
- 3357. *Udea rhododendronalis* (Duponchel,1834)** (Pyrilidae) larva on Cirsium, Matricaria, Taraxacum (Asteraceae) (Parenti,2000).
- 3358. *Uresiphita polygonalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) larva on Cytisus, Genista, Lygos, Phaseolus, Spartium, Ulex (Fabaceae) (Parenti,2000).
- 3359. *Vitessa (suradeva-gr.) suradeva* Moore,[1860]** (Pyrilidae) larva on Chaillietia sumatrana (Dichapetalaceae) (Kaltenbach & Roesler,1989).
- 3360. *Hammaris lucina* (Linnaeus,1758)** (Riodinidae) larva on Primula vulgaris, P. auriculata.
- 3361. *Polycaena tamerlana* Staudinger,1886** (Riodinidae) Androsace lehmanniana (Tusov & Churkin,2000).
- 3362. *Antheraea (s.str.) frithi* Moore,1858** (Saturniidae) larva on leaf of Terminalia catappa [tropical almond] (Combretaceae), Shorea obtusa [Burmese sal], S. siamensis [rang], S. roxburghii [phayom] (Dipterocarpaceae); Spondias pinnata [hog plum] (Anacardiaceae), Morus alba [mulberry] (Moraceae), Lagerstroemia loudonii [inthararchit], L. balansae [ta baek] (Lythraceae) (Lewvanich,2001).
- 3363. *Attacus atlas* (Linnaeus,1758)** (Saturniidae) larva on Sandoricum koetjape (Meliaceae), Psidium guajava (Myrtaceae), Tectona grandis (Lamiaceae), Mangifera indica (Anacardiaceae), Annona squamosa, A. muricata, Artabotrys hexapetalus (Annonaceae), Averrhoa carambola (Oxalidaceae), Berberis (Berberidaceae), Avicennia (Avicenniaceae), Ailanthus altissima (Simaroubaceae), Fagaceae, Albizia saman (Fabaceae), Aleurites moluccana, A. montana, Bischofia javanica (Euphorbiaceae), Alstonia scholaris (Apocynaceae), Anacardium occidentale (Anacardiaceae), Citrus (Rutaceae), Cinnamomum zeylanicum, C. camphora (Lauraceae), Camellia sinensis (Theaceae), Ceiba pentandra (Bombacaceae), Coffea arabica (Rubiaceae), Curcuma longa (Zingiberaceae), Dillenia indica, D. pentagyna, D. sumatrana (Dilleniaceae), etc. (auctorum).
- 3364. *Epiphora mythimnia* (Westwood,1849)** (Saturniidae) larva on Psekamafoura (Distant,1903).
- 3365. *Gynanisa maja* (Klug,1836)** (Saturniidae) larva on Elephantorrhiza burchelli (Distant,1903).
- 3366. *Imbrasia (Gonimbrasia) belina* (Westwood,1849)** (Saturniidae) larva on Sclerocarya caffra (Distant,1903).
- 3367. *Ludia delegorguei* (Boisduval,1847)** (Saturniidae) larva on Mpachla (Distant,1903).
- 3368. *Melanocera menippe* (Westwood,1849)** (Saturniidae) larva on Oeneo purpurascens ?; Ochna atropurpurea (Distant,1903).
- 3369. *Pseudophelia apollinaris* (Boisduval,1847)** (Saturniidae) larva on Jurrea heterophylla (Distant,1903).
- 3370. *Pseudobunaea tyrrena* (Westwood,1849)** (Saturniidae) larva on Grumilea capensis (Distant,1903).
- 3371. *Salassa iris* Jordan,1910** (Saturniidae) larva on Prunus (Rosaceae) (Robinson et al.,2005).
- 3372. *Saturnia (Heraca) cephalariae* Romanoff,1885** (Saturniidae) larva on Cephalaria procera (De Freina,1979).
- 3373. *Saturnia (Heraca) spini* ([Denis & Schiffermüller],1775)** (Saturniidae) larva on Prunus spinosa, Crataegus ([Denis & Schiffermüller],1775; de Freina,1983).
- 3374. *Saturnia (Neoris) huttoni* Moore,1862** (Saturniidae) larva on Spiraea, Fraxinus, Pyrus, Cydonia, Salix, Ligustrum, Rhus, Prunus padus (Pittaway,2000).
- 3375. *Saturnia (Neoris) naessigi* (De Freina,1992)** (Saturniidae) larva on Spiraea, Fraxinus, Pyrus, Cydonia, Salix, Ligustrum, Rhus, Prunus padus (Pittaway,2000).
- 3376. *Saturnia (Neoris) shadulla* (Moore,1872)** (Saturniidae) larva on Spiraea, Pyrus (Rosaceae), Fraxinus (Oleaceae) (Pittaway,2000).
- 3377. *Saturnia (Perisomena) caecigena* (Kupido,1825)** (Saturniidae) larva on Quercus coccifera, Quercus pubescens (Staudinger,1879; Koçak, in litt.).
- 3378. *Saturnia (Rinaca) thibeta* Westwood,1853** (Saturniidae) larva on Prunus laurocerasus, Pyracantha (Rosaceae), Ligustrum vulgare (Oleaceae) (Nässig,1994).
- 3379. *Saturnia (s.str.) pyri* ([Denis & Schiffermüller],1775)** (Saturniidae) larva on Salix, Amygdalus spartioides, Juglans regia, Populus euphratica (Staudinger,1879; Wiltshire,1957; de Freina,1979).
- 3380. *Aphantopus hyperantus* (Linnaeus,1758)** (Satyridae) larva on Brachypodium sylvaticum, B. pinnatum Phleum pratense, Dactylis glomerata, Festuca rubra, Bromus erectus, B. hordaceus, Cynosurus cristatus, Poa pratensis, P. nemoralis, Carex hirta, C. strigosa, C. ? sylvatica, C. brizoides, C. panicea, Agrostis capillaris, Milium effusum, Elymus repens, Holcus mollis, H. lanatus, Deschampsia cespitosa, Molinia caerulea, Arrhenatherum elatius, Calamagrostis epigejos (Tolman,1997).
- 3381. *Arethusana arethusa* ([Denis & Schiffermüller],1775)** (Satyridae) larva on Festuca, Bromus erectus, Dactylis, Poa (Eckstein,1913).
- 3382. *Berberia abdelkader* (Pierret,1837)** (Satyridae) larva on Stipa parviflora, S. tenacissima (Tolman,1997).
- 3383. *Berberia lambessanus* (Staudinger,1901)** (Satyridae) larva on Ampelodesmos tenax, Stipa parviflora (Tolman,1997).
- 3384. *Brintesia circe* (Fabricius,1775)** (Satyridae) larva on Festuca ovina, Bromus erectus, Anthoxanthum odoratum (Koçak, ; Tolman,1997).
- 3385. *Chazara (Neochazara) prieuri* (Pierret,1837)** (Satyridae) larva on Lygeum spartum, Festuca ovina, Poa annua (Tolman,1997).

- 3386. Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) larva on Sesleria, Festuca, Stipa, Poa (Eckstein, 1913); Bromus erectus, Festuca ovina (Tolman, 1997).
- 3387. Coenonympha (dorus) dorus (Esper,[1782])** (Satyridae) larva on Agrostis canina, A. alba, Festuca ovina (Tolman, 1997).
- 3388. Coenonympha arcania (Linnaeus,1761)** (Satyridae) larva on Poa pratensis, Melica ciliata, Holcus lanatus (Tolman, 1997).
- 3389. Coenonympha glycerion (Borkhausen,1788)** (Satyridae) larva on Brachypodium sylvaticum, Cynosurus cristatus, Briza media, Melica ciliata, Bromus erectus, B. hordeaceus (Tolman, 1997).
- 3390. Coenonympha hero (Linnaeus,1761)** (Satyridae) larva on Leymus arenarius, Hordeum marinum, Hordelymus europaeus (Tolman, 1997).
- 3391. Coenonympha leander (Fabricius,1787)** (Satyridae) larva on Brachypodium sylvaticum, Festuca ovina (Tolman, 1997).
- 3392. Coenonympha pamphilus (Linnaeus,1758)** (Satyridae) larva on Festuca ovina, F. rubra, Poa annua, Anthoxanthum odoratum, Cynosurus cristatus, Dactylis glomerata, Nardus stricta (Tolman, 1997).
- 3393. Coenonympha tullia (Müller,1764)** (Satyridae) Rhynchospora alba, Eriophorum vaginatum, E. angustifolia, Carex rostrata (Tolman, 1997).
- 3394. Elymnias hypermnestra (Linnaeus,1763)** (Satyridae) larva on Areca catechu [betelnut palm], Caryota gigas [giant mountain fishtail palm] (Palmae) (Lewvanich, 2001).
- 3395. Erebia aethiops (Esper,[1777])** (Satyridae) larva on Molinia caerulea, Sesleria caerulea, Carex sempervirens, Bromus erectus, Brachypodium pinnatum, Calamagrostis epigejos, Dactylis glomerata, Festuca ovina, Luzula nivea, Poa trivialis, Anthoxanthum odoratum, Briza media (Tolman, 1997).
- 3396. Erebia cassioides (Reiner & Hochenwarth,1792)** (Satyridae) larva on Festuca ovina (Tolman, 1997).
- 3397. Erebia embla (Thunberg,1791)** (Satyridae) larva on ? Carex, ? Deschampsia (Tolman, 1997).
- 3398. Erebia gorge (Hübner,[1804])** (Satyridae) larva on Poa minor, P. alpina, Sesleria varia, Festuca alpina (Tolman, 1997).
- 3399. Erebia hispania Butler,1868** (Satyridae) larva on Festuca ovina (Tolman, 1997).
- 3400. Erebia ligea (Linnaeus,1758)** (Satyridae) larva on Carex sylvatica, C. strigosa (Tolman, 1997).
- 3401. Erebia medusa ([Denis & Schiffermüller],1775)** (Satyridae) larva on Festuca ovina, F. rubra, Bromus erectus, Milium effusum (Tolman, 1997).
- 3402. Erebia meolans (De Prunner,1798)** (Satyridae) larva on Agrostis capillaris, Deschampsia flexuosa, Nardus stricta, Festuca ovina (Tolman, 1997).
- 3403. Erebia neoridas (Boisduval,1828)** (Satyridae) larva on Digitaria sanguinalis, Poa annua, P. pratense, Festuca ovina (Tolman, 1997).
- 3404. Erebia oeme (Hübner,[1804])** (Satyridae) larva on Poa alpina, P. pratensis, P. nemoralis, Festuca rubra, Carex flacca, C. sempervirens, Briza media, Molinia caerulea (Tolman, 1997).
- 3405. Erebia pandrose (Borkhausen,1788)** (Satyridae) larva on Festuca, Poa, Sesleria (Tolman, 1997).
- 3406. Erebia polaris Staudinger,1861** (Satyridae) larva on Festuca ovina (Tolman, 1997).
- 3407. Erebia tianschanica Alpheraky,[1894]** (Satyridae) -.
- 3408. Erebia turanica Erschoff,1877** (Satyridae) -.
- 3409. Hipparchia (Neohipparchia) stalinus (Hufnagel,1766)** (Satyridae) larva on Bromus erectus, B. sterilis, Bothriochloa ischaemum, Stipa pennata, Lygaeum spartum (Tolman, 1997).
- 3410. Hipparchia (Parahipparchia) aristaeus (Bonelli,1826)** (Satyridae) larva on Lygum spartum (Tolman, 1997).
- 3411. Hipparchia (Parahipparchia) maderensis (Baker,1891)** (Satyridae) larva on Holcus, Agrostis (Tolman, 1997).
- 3412. Hipparchia (Parahipparchia) semele (Linnaeus,1758)** (Satyridae) larva on Festuca ovina, Koeleria pyramidata, Agrostis curtisii, Phleum phleoides, Ammophila arenaria, Deschampsia cespitosa, Vulpia myuros, Aira praecox, Elymus repens, Bromus erectus, Briza media, Sesleria albicans, Lolium perenne (Tolman, 1997).
- 3413. Hipparchia (Pseudotergumia) fidia (Linnaeus,1767)** (Satyridae) larva on Cynodon dactylon, Dactylis glomerata, Brachypodium, Poa annua, P. pratensis, Milium multiflorum, Oryzopsis (Tolman, 1997).
- 3414. Hipparchia (s.str.) alcyone ([Denis & Schiffermüller],1775)** (Satyridae) larva on Brachypodium sylvaticum, B. pinnatum, Festuca ovina (Tolman, 1997).
- 3415. Hipparchia (s.str.) autonoe (Esper,[1783])** (Satyridae) Poa (Gorbunov & Korshunov, 1995).
- 3416. Hipparchia (s.str.) ellena (Oberthür,1894)** (Satyridae) larva on Brachypodium ramosum (Tolman, 1997).
- 3417. Hipparchia (s.str.) fagi (Scopoli,1763)** (Satyridae) larva on Bromus erectus, Festuca rubra, Brachypodium pinnatum (Tolman, 1997).
- 3418. Hyponephele (s.str. (Iranonephele)) naubidensis (Erschoff,1874)** (Satyridae) Festuca sulcata (Stshetkin, 1963).
- 3419. Hyponephele (s.str.) lycaon (Rottburg,1775)** (Satyridae) larva on Festuca ovina, F. rubra, Bromus erectus, Stipa pennata (Tolman, 1997).
- 3420. Idata cecilia (Vallantin,1894)** (Satyridae) larva on Brachypodium sylvaticum, Festuca ovina, Poa nemoralis, Dactylis glomerata, Agrostis capillaris (Tolman, 1997).
- 3421. Lasiommata adrastoides (Bienert,1870)** (Satyridae) Festuca (Nekrutenko, 1990).
- 3422. Lasiommata maera (Linnaeus,1758)** (Satyridae) larva on Festuca ovina, F. rubra, Holcus mollis, Luzula luzuloides, Agrostis capillaris, Hordeum murinum, Nardus stricta, Calamagrostis epigejos, C. arundinacea, C. varia, Glyceria fluitans, Deschampsia flexuosa (Tolman, 1997).
- 3423. Lasiommata megera (Linnaeus,1767)** (Satyridae) larva on Dactylis glomerata, Agrostis tenuis, A. gigantea, A. capillaris, Deschampsia flexuosa, Holcus lanatus, Festuca ovina, Brachypodium sylvaticum, B. pinnatum (Tolman, 1997).
- 3424. Lasiommata petropolitana (Fabricius,1787)** (Satyridae) larva on Calamagrostis epigejos, Festuca ovina, Poa, Dactylis glomerata (Eckstein, 1913; Tolman, 1997).
- 3425. Lopinga achine (Scopoli,1763)** (Satyridae) larva on Brachypodium sylvaticum, B. pinnatum, Carex, Lolium perenne, L. temulentum, Poa annua (Blaschke, 1914; Tolman, 1997).
- 3426. Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) larva on Poa pratensis, Lolium pinnatum, Festuca rubra, F. arundinacea, Agrostis stolonifera, A. canina, Bromus erectus, Brachypodium pinnatum, Holcus lanatus, Avenula pubescens, Alopecurus pratensis Anthoxanthum odoratum (Tolman, 1997).
- 3427. Melanargia (Parce) parce Staudinger,1882** (Satyridae) Bromus oxyodon (Stshetkin, 1963).
- 3428. Melanargia (Parce) russiae (Esper,[1784])** (Satyridae) larva on Stipa pennata, Aegilops geniculata, Brachypodium pinnatum, B. sylvaticum (Tolman, 1997).
- 3429. Melanargia (Turcargia) hylata (Ménétries,1832)** (Satyridae) larva on Agropyron (Nekrutenko, 1990).
- 3430. Melanargia (Turcargia) larissa (Geyer,[1828])** (Satyridae) larva on Poa sp. (Nekrutenko, 1990).
- 3431. Melanargia (Turcargia) occitanica (Esper,[1789])** (Satyridae) larva on Brachypodium pinnatum, Dactylis glomerata, Lygum spartum (Tolman, 1997).
- 3432. Melanargia (s.str.) galathea (Linnaeus,1758)** (Satyridae) larva on Brachypodium pinnatum, B. sylvaticum, Bromus erectus, Poa trivialis, Phleum pratense, Agrostis capillaris, Dactylis glomerata, Molinia caerulea, Avena pubescens, Festuca rubra (Tolman, 1997).
- 3433. Melanargia ines (Hoffmannsegg,1804)** (Satyridae) larva on Brachypodium pinnatum (Tolman, 1997).
- 3434. Minois dryas (Scopoli,1763)** (Satyridae) -
- 3435. Oeneis bore (Schneider,1792)** (Satyridae) larva on Festuca ovina (Tolman, 1997).
- 3436. Oeneis glacialis (Moll,1783)** (Satyridae) larva on Festuca ovina (Tolman, 1997).
- 3437. Oeneis norna (Thunberg,1791)** (Satyridae) larva on Phleum pratense, Poa alpina, Carex sp., Nardus sp. (Tolman, 1997).
- 3438. Pararge aegeria (Linnaeus,1758)** (Satyridae) larva on Brachypodium sylvaticum, B. pinnatum, Holcus lanatus, Cynodon dactylon, Agrostis gigantea, Dactylis glomerata, Elymus repens (Tolman, 1997).
- 3439. Proterebia afra (Fabricius,1787)** (Satyridae) larva on Festuca ovina (Poaceae) (Tolman, 1997).
- 3440. Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846])** (Satyridae) larva on Festuca ovina (Poaceae) (Tolman, 1997).
- 3441. Pseudochazara (s.str.) mercuria (Staudinger,1887)** (Satyridae) larva on Festuca ovina (Poaceae) (Tolman, 1997).
- 3442. Pseudochazara (s.str.) mnisechii (Herrich-Schäffer,[1851])** (Satyridae) larva on Festuca ovina (Poaceae) (Tolman, 1997).
- 3443. Pseudochazara (s.str.) orestes De Prins & Poorten,1981** (Satyridae) larva on Agrostis stolonifera (Poaceae) (Tolman, 1997).
- 3444. Pyronia bathseba (Fabricius,1793)** (Satyridae) larva on Brachypodium sylvaticum (Poaceae) (Tolman, 1997).
- 3445. Pyronia tithonus (Linnaeus,1771)** (Satyridae) larva on Phleum pratense, Poa annua, P. nemoralis, P. trivialis, P. pratensis, Elymus repens, Agrostis capillaris, A. canina, Festuca ovina, F. rubra, P. pratensis, Lolium perenne, Dactylis glomerata, Milium effusum (Poaceae) (Tolman, 1997).
- 3446. Satyrus (Asatyrus (s.str.)) ferulus (Fabricius,1793)** (Satyridae) larva on Festuca ovina (Poaceae) (Tolman, 1997).
- 3447. Ypthima asterope (Klug,1832)** (Satyridae) larva on Poa annua in capture (Poaceae) (Hesselbarth, 1983).
- 3448. Erethocera impactella (Walker,1864)** (Scythridae) larva on Amaranthus viridis (Amaranthaceae) (Robinson et al., 1994).
- 3449. Scythris (bagdadiella-gr.) bagdadiella Amsel,1949** (Scythridae) larva on Tamarix (Tamaricaceae) (Wiltshire, 1957).
- 3450. Scythris (elegantella-gr.) limbella (Fabricius,1775)** (Scythridae) larva on Chenopodium (Chenopodiaceae) (Hübner, [1813]; Mann, 1862).
- 3451. Scythris (mus-gr.) mus Walsingham,1898** (Scythridae) larva on Helianthemum sessiliflora (Cistaceae) (Passerin d'Entreves & Vives, 1990).
- 3452. Bembecia (Ductispina) transcaucasica (Staudinger,1891)** (Sesiidae) larva on Astragalus finitimus, A. shahrudensis (Fabaceae) (Spatenka et al., 1996).
- 3453. Bembecia (Pseudosphecia) stiziformis (Herrich-Schäffer,1851)** (Sesiidae) larva on Tragacanthus aureus, T. microcephalus, T. zangezurus, Astragalus parkeri (Fabaceae) (Spatenka et al., 1996).
- 3454. Bembecia albanensis (Rebel,1918)** (Sesiidae) larva on Ononis spinosa, O. arvensis, Psoralea bituminosa, Hedysarum coronarium (Fabaceae) (Spatenka et al., 1996).
- 3455. Bembecia fibigeri Lastuvka & Lastuvka,1994** (Sesiidae) larva on Ononis rotundifolia, O. fruticosa (Fabaceae) (Spatenka et al., 1996).
- 3456. Bembecia himmighoffeni (Staudinger,1866)** (Sesiidae) larva on Coronilla minima (Fabaceae) (Spatenka et al., 1996).
- 3457. Bembecia hymenopteriformis (Bellier,1860)** (Sesiidae) larva on Lotus creticus, L. corniculatus (Fabaceae), Anthyllis vulneraria (Spatenka et al., 1996).
- 3458. Bembecia iberica K.Spatenka,1992** (Sesiidae) larva on Lotus, Hippocrepis, Melilotus (Fabaceae), Anthyllis vulneraria, Tetragonolobus (Spatenka et al., 1996).
- 3459. Bembecia ichneumoniformis ([Denis & Schiffermüller],1775)** (Sesiidae) larva on Lotus, Anthyllis vulneraria, Dorycnium pentaphyllum, Hippocrepis (Fabaceae), Tetragonolobus maritimus (Spatenka et al., 1996).
- 3460. Bembecia lomatiiformis Lederer,1853** (Sesiidae) larva on Astragalus ? (Fabaceae) (Spatenka et al., 1996).

- 3461.** *Bembecia megillaformis* (Hübner, [1813]) (Sesiidae) larva on *Genista tinctoria*, *Cytisus hirsutus*, *C. roscubens*, *Colutea arborescens*, *Astragalus glycyphyllos* (Fabaceae) (Spatenka et al., 1996).
- 3462.** *Bembecia priesneri* Kallies et al., 1998 (Sesiidae) larva on *Ononis* (Fabaceae) (Kallies et al., 1998).
- 3463.** *Bembecia psoralae* Bartsch & Bettag, 1997 (Sesiidae) larva on *Bituminaria bituminosa* (Fabaceae) (Bartsch & Bettag, 1997).
- 3464.** *Bembecia puella Lastuvka*, 1989 (Sesiidae) larva on *Astragalus glycyphyllos*, *A. odoratus*, *A. sigmoides* (Fabaceae) (Spatenka et al., 1996).
- 3465.** *Bembecia sanguinolenta* (Lederer, 1853) (Sesiidae) larva on *Astragalus dipsaceus* (Fabaceae) (Spatenka et al., 1996).
- 3466.** *Bembecia sareptana* (Bartel, 1912) (Sesiidae) larva on *Alhagi camelorum* ? (Fabaceae) (Spatenka et al., 1996).
- 3467.** *Bembecia scopigera* (Scopoli, 1763) (Sesiidae) larva on *Onobrychis viciifolia*, *O. tournefortii* (Fabaceae) (Spatenka et al., 1996).
- 3468.** *Bembecia sirphiformis* (Lucas, 1849) (Sesiidae) larva on *Acanthyllis armata*, *Astragalus monspessulanus*, *A. granatensis*, *Colutea arborescens* (Fabaceae) (Spatenka et al., 1996).
- 3469.** *Bembecia syzjovi* Gorbunov, 1990 (Sesiidae) larva on *Astragalus trichocalyx* (Fabaceae) (Spatenka et al., 1996).
- 3470.** *Bembecia tshingana* Sheljuzhko, 1935 (Sesiidae) larva on *Astragalus sieversianus*, *A. severzovi*, *A. mogaltariensis* (Fabaceae) (Spatenka & Reshöft, 1989; Spatenka et al., 1996).
- 3471.** *Bembecia uroceriformis* (Treitschke, 1834) (Sesiidae) larva on *Cytisus procumbens*, *C. hirsutus*, *Ulex europaeus*, *U. nanus*, *Coronilla emerus* (Fabaceae) (Spatenka et al., 1996).
- 3472.** *Bembecia viguraea* (Püngeler, 1912) (Sesiidae) larva on *Hedysarum* ? (Fabaceae) (Spatenka et al., 1996).
- 3473.** *Bembecia wagneri* (Püngeler, 1913) (Sesiidae) larva on *Glycyrrhiza* (Fabaceae) (Spatenka et al., 1996).
- 3474.** *Bembecia zebo* K. Spatenka & Gorbunov, 1992 (Sesiidae) larva on *Onobrychis echidna* (Fabaceae) (Spatenka et al., 1996).
- 3475.** *Bembecia zuvandica* Gorbunov, 1987 (Sesiidae) larva on *Onobrychis cornuta*, *O. hohenackeriana*, *O. micrantha*, *Melilotus officinalis* (Fabaceae) (Spatenka et al., 1996).
- 3476.** *Chamaesphesia aerifrons* (Zeller, 1847) (Sesiidae) larva on *Origanum vulgare*, *Calamintha nepeta*, *Satureja*, *Lavandula vera*, *Thymus lugeoides*, *Mentha* (Spatenka et al., 1996).
- 3477.** *Chamaesphesia albiventris* Lederer, 1853 (Sesiidae) larva on *Melissa officinalis* ? (Spatenka et al., 1996).
- 3478.** *Chamaesphesia alysoniformis* (Herrich-Schäffer, 1846) (Sesiidae) larva on *Mentha longifolia* (Lamiaceae) (Spatenka et al., 1996).
- 3479.** *Chamaesphesia amygdaloides* Schleppnik, 1933 (Sesiidae) larva on *Euphorbia austriaca* (Spatenka et al., 1996).
- 3480.** *Chamaesphesia annellata* (Zeller, 1847) (Sesiidae) larva on *Ballota nigra* (Spatenka et al., 1996).
- 3481.** *Chamaesphesia anthraciformis* (Rambur, 1832) (Sesiidae) larva on *Euphorbia myrsinites*, *E. nicaeensis*, *E. characias*, *E. ceratocarpa*, *Nepeta apuleii*, *N. tuberosa*, *Mentha* (Spatenka et al., 1996).
- 3482.** *Chamaesphesia anthrax* Le Cerf, 1916 (Sesiidae) larva on *Nepeta apuleii*, *N. tuberosa*, *Mentha* (Spatenka et al., 1996).
- 3483.** *Chamaesphesia astatifomis* (Herrich-Schäffer, 1846) (Sesiidae) larva on *Euphorbia esula*, *E. salicifolia* (Spatenka et al., 1996).
- 3484.** *Chamaesphesia bibioniformis* (Esper, [1800]) (Sesiidae) larva on *Euphorbia seguieriana*, *E. serrata*, *E. nicaeensis*, *E. macroclada* (Spatenka et al., 1996).
- 3485.** *Chamaesphesia chalciformis* (Esper, [1804]) (Sesiidae) larva on *Origanum vulgare* (Spatenka et al., 1996).
- 3486.** *Chamaesphesia colpiformis* (Staudinger, 1856) (Sesiidae) larva on *Salvia nemorosa* (Spatenka et al., 1996).
- 3487.** *Chamaesphesia crassicornis* Bartel, 1913 (Sesiidae) larva on *Euphorbia virgata* (Spatenka et al., 1996).
- 3488.** *Chamaesphesia diabarensis* Gorbunov, 1987 (Sesiidae) larva on *Marrubium persicum* (Spatenka et al., 1997).
- 3489.** *Chamaesphesia doleriformis* (Herrich-Schäffer, 1846) (Sesiidae) larva on *Salvia sclarea*, *S. verbenaca* (Spatenka et al., 1996).
- 3490.** *Chamaesphesia doryceraeformis* (Lederer, 1853) (Sesiidae) larva on *Phlomis capitata* (Spatenka et al., 1996).
- 3491.** *Chamaesphesia dumonti* Le Cerf, 1922 (Sesiidae) larva on *Stachys recta*, *S. germica*, *S. atherocalyx* (Spatenka et al., 1996).
- 3492.** *Chamaesphesia elampiformis* (Herrich-Schäffer, 1851) (Sesiidae) larva on *Stachys inflata* (Spatenka et al., 1996).
- 3493.** *Chamaesphesia empiformis* (Esper, [1783]) (Sesiidae) larva on *Euphorbia cyparissias* (Spatenka et al., 1996).
- 3494.** *Chamaesphesia euceraeformis* (Ochsenheimer, 1816) (Sesiidae) larva on *Euphorbia polychroma* (Spatenka et al., 1996).
- 3495.** *Chamaesphesia gorbunovi* K. Spatenka, 1992 (Sesiidae) larva on *Scutellaria karjaginii*, *S. orientalis* ssp. *pinnatifolia* (Spatenka et al., 1996).
- 3496.** *Chamaesphesia guriensis* (Emich, 1872) (Sesiidae) larva on *Euphorbia oblongifolia* (Spatenka et al., 1996).
- 3497.** *Chamaesphesia hungarica* (Tomala, 1901) (Sesiidae) larva on *Euphorbia lucida*, *E. palustris* (Spatenka et al., 1996).
- 3498.** *Chamaesphesia iranica* Le Cerf, 1937 (Sesiidae) larva on *Euphorbia monostyla*, *Euphorbia* ? *esula* (Spatenka et al., 1996).
- 3499.** *Chamaesphesia jtkae* K. Spatenka, 1987 (Sesiidae) larva on *Phlomis* ? (Spatenka et al., 1996).
- 3500.** *Chamaesphesia kistenjovi* Gorbunov, 1991 (Sesiidae) larva on *Euphorbia glaberrima* (Spatenka et al., 1996).
- 3501.** *Chamaesphesia koshantschikovi* Püngeler, 1915 (Sesiidae) larva on *Limonium meyeri* (Spatenka et al., 1996).
- 3502.** *Chamaesphesia leucopsiformis* (Esper, 1800) (Sesiidae) larva on *Euphorbia cyparissias* (Spatenka et al., 1996).
- 3503.** *Chamaesphesia masariformis* (Ochsenheimer, 1808) (Sesiidae) larva on *Verbascum thapsus*, *V. lychnitis*, *Scrophularia canina* (Spatenka et al., 1996).
- 3504.** *Chamaesphesia mezentzevi* Gorbunov, 1989 (Sesiidae) larva on *Euphorbia buhsei* (Spatenka et al., 1996).
- 3505.** *Chamaesphesia mirza* Le Cerf, 1938 (Sesiidae) larva on *Euphorbia iberica* (Spatenka et al., 1996).
- 3506.** *Chamaesphesia morosa* Le Cerf, 1937 (Sesiidae) larva on *Phlomis capitata* (Spatenka et al., 1996).
- 3507.** *Chamaesphesia mutilata* (Staudinger, 1887) (Sesiidae) larva on *Euphorbia pamirica* (Spatenka et al., 1996).
- 3508.** *Chamaesphesia mysiniiformis* (Boisduval, 1840) (Sesiidae) larva on *Marrubium vulgare*, *M. supinum*, *Sideritis*, *Stachys recta*, *S. circinata*, *Ballota hirsuta* (Spatenka et al., 1996).
- 3509.** *Chamaesphesia nigrifrons* (Le Cerf, 1911) (Sesiidae) larva on *Hypericum perforatum* (Spatenka et al., 1996).
- 3510.** *Chamaesphesia obratzovi* Sheljuzhko, 1943 (Sesiidae) larva on *Hysopopus zarevshanicus* (Spatenka et al., 1996).
- 3511.** *Chamaesphesia oxybeliformis* (Herrich-Schäffer, 1846) (Sesiidae) larva on *Marrubium peregrinum*, *M. vulgare* (Spatenka et al., 1996).
- 3512.** *Chamaesphesia palustris* Kautz, 1927 (Sesiidae) larva on *Euphorbia palustris*, *E. lucida* (Spatenka et al., 1996).
- 3513.** *Chamaesphesia proximata* (Staudinger, 1871) (Sesiidae) larva on *Salvia sclarea* (Spatenka et al., 1996).
- 3514.** *Chamaesphesia ramburi* (Staudinger, 1866) (Sesiidae) larva on *Phlomis lychnitis*, *P. herbaventi* (Spatenka et al., 1996).
- 3515.** *Chamaesphesia schizoceriformis* (Kolenati, 1846) (Sesiidae) larva on *Euphorbia boissieriana* (Spatenka et al., 1996).
- 3516.** *Chamaesphesia schmidtiformis* (Freyer, 1836) (Sesiidae) larva on *Salvia sclarea*, *Salvia syriaca* (Spatenka et al., 1996).
- 3517.** *Chamaesphesia schroederi* (Sesiidae) larva on *Euphorbia linifolia* (Spatenka et al., 1996).
- 3518.** *Chamaesphesia schwingenschussi* (Le Cerf, 1937) (Sesiidae) larva on *Thymus*, *Mentha* (Spatenka et al., 1996).
- 3519.** *Chamaesphesia sogdianica* K. Spatenka, 1987 (Sesiidae) larva on *Euphorbia pamirica* (Spatenka et al., 1996).
- 3520.** *Chamaesphesia tenthrediniformis* (Denis & Schiffermüller, 1775) (Sesiidae) larva on *Euphorbia esula*, *E. salicifolia*, *E. virgata* (Spatenka et al., 1996).
- 3521.** *Chamaesphesia turbida* Le Cerf, 1937 (Sesiidae) larva on *Euphorbia marshalliana* (Spatenka et al., 1996).
- 3522.** *Chamaesphesia xanthosticta* (Hampson, 1893) (Sesiidae) larva on *Thymus linearis* (Spatenka et al., 1996).
- 3523.** *Chamaesphesia zarathustra* Gorbunov & K. Spatenka, 1992 (Sesiidae) larva on *Phlomis caucasica* (Spatenka et al., 1996).
- 3524.** *Chamaesphesia zimmermanni* (Lederer, 1872) (Sesiidae) larva on *Phlomis cancellata* (Spatenka et al., 1996).
- 3525.** *Diphaspesia ljustiae* Gorbunov, 1991 (Sesiidae) larva on *Limonium otolipsis* (Spatenka et al., 1996).
- 3526.** *Diphaspesia naumanni* Gorbunov, 1991 (Sesiidae) larva on *Acanthophyllum stewartii*, *A. stocksianum* (Spatenka et al., 1996).
- 3527.** *Diphaspesia nigra* Gorbunov, 1991 (Sesiidae) larva on *Limonium otolipsis* (Spatenka et al., 1996).
- 3528.** *Diphaspesia pudorina* (Staudinger, 1883) (Sesiidae) larva on *Goniolimon orthocladum* (Spatenka et al., 1996).
- 3529.** *Diphaspesia roseiventris* (Bartel, 1913) (Sesiidae) larva on *Acantholimon* ? (Spatenka et al., 1996).
- 3530.** *Diphaspesia turkmena* Gorbunov, 1994 (Sesiidae) larva on *Acantholimon* ? (Spatenka et al., 1996).
- 3531.** *Melittia amboinensis* Felder, 1861 (Sesiidae) larva bores and stem gall makers on *Cucurbitaceae* (Robinson et al., 1994).
- 3532.** *Melittia bombiliformis* (Cramer, [1782]) (Sesiidae) larva on *Angelica* (Apiaceae), *Aristolochia* (Aristolochiaceae), *Cucurbita*, *Trichosanthes* (Cucurbitaceae) (Robinson et al., 2005).
- 3533.** *Paranthrene diaphana* Dalla-Torre & Strand, 1925 (Sesiidae) larva on *Salix alba*, *Populus alba* (Spatenka et al., 1996).
- 3534.** *Paranthrene insolita* Le Cerf, 1914 (Sesiidae) larva on *Quercus ilex*, *Quercus* spp. (Spatenka et al., 1996).
- 3535.** *Paranthrene tabaniformis* (Rottburg, 1775) (Sesiidae) larva on *Populus*, *Salix*, *Hippophae rhamnoides*, *Loranthus europaeus*, *Betula alba* (Spatenka et al., 1996).
- 3536.** *Pennisetia bohemia* Králíček & Povolný, 1974 (Sesiidae) larva on *Rosa canina* (Spatenka et al., 1996).
- 3537.** *Pennisetia hylaeiformis* (Laspeyres, 1801) (Sesiidae) larva on *Rubus idaeus*, *R. boissieri*, *R. afzeliana* (Spatenka et al., 1996).
- 3538.** *Pyropteron chrysidiformis* (Esper, [1782]) (Sesiidae) larva on *Rumex scutatus*, *R. acetosa* (Spatenka et al., 1996).
- 3539.** *Pyropteron chrysoneura* (Püngeler, 1913) (Sesiidae) larva on *Scutellaria ramosissima* (Spatenka et al., 1996).
- 3540.** *Pyropteron minianiformis* (Freyer, 1843) (Sesiidae) larva on *Rumex palustris*, *R. acetosa* (Spatenka et al., 1996).
- 3541.** *Pyropteron siculum* Le Cerf, 1922 (Sesiidae) larva on *Rumex* (Spatenka et al., 1996).
- 3542.** *Pyropteron triannuliformis* (Freyer, 1845) (Sesiidae) larva on *Rumex acetosella*, *R. acetosa*, *R. crispus*, *R. palustris*, *R. conglomeratus*, *Geranium sanguineum*, *Acetosella*, *Acetosa* (Spatenka et al., 1996).
- 3543.** *Sesia apiformis* (Clerck, 1759) (Sesiidae) larva on *Populus*, *Salix* (Mann, 1862; Spatenka et al., 1996).
- 3544.** *Sesia bembeciformis* (Hübner, [1806]) (Sesiidae) larva on *Salix carpea*, *S. aurita*, *S. cinerea*, *S. alba* (Spatenka et al., 1996).

- 3545.** *Sesia melanocephala* Dalman,1816 (Sesiidae) larva on Populus tremula (Spatenka, et al.,1996).
- 3546.** *Sesia pimplaeformis* Oberthür,1872 (Sesiidae) larva on Populus euphratica, Salix (Wiltshire,1957; Spatenka, et al.,1996).
- 3547.** *Sesia przewalskii* (Alpheraky,1882) (Sesiidae) larva on Salix iliensis (Spatenka, et al.,1996).
- 3548.** *Sesia timur* (Groum-Grshimailo,1893) (Sesiidae) larva on Populus densa (Spatenka, et al.,1996).
- 3549.** *Synansphecchia affinis* (Staudinger,1856) (Sesiidae) larva on Helianthemum, Fumana procumbens, Erodium arborescens (Blaschke,1914; Spatenka et al.,1996).
- 3550.** *Synansphecchia atlantis* (Schwingsenschuss,1935) (Sesiidae) larva on Rumex scutatus (Spatenka et al.,1996).
- 3551.** *Synansphecchia cirgisa* (Bartel,1912) (Sesiidae) larva on Limonium gmelini? (Spatenka et al.,1996).
- 3552.** *Synansphecchia doryliformis* (Ochsenheimer,1808) (Sesiidae) larva on Rumex pulcher (Spatenka et al.,1996).
- 3553.** *Synansphecchia koschwitzii* K.Spatenka,1992 (Sesiidae) larva on Limonium toletanum? (Spatenka et al.,1996).
- 3554.** *Synansphecchia leucomelaena* (Zeller,1847) (Sesiidae) larva on Poterium sanguisorba (Spatenka et al.,1996).
- 3555.** *Synansphecchia manni* (Lederer,1853) (Sesiidae) larva on Geranium rotundifolium (Spatenka et al.,1996).
- 3556.** *Synansphecchia meriaeformis* (Boisduval,1840) (Sesiidae) larva on Acetosella (Spatenka et al.,1996).
- 3557.** *Synansphecchia muscaeformis* (Esper,[1783]) (Sesiidae) larva on Armeria maritima, A. vulgaris (Spatenka et al.,1996).
- 3558.** *Synansphecchia umbrifera* (Staudinger,1871) (Sesiidae) larva on Limonium (Spatenka et al.,1996).
- 3559.** *Synanthedon andrenaeformis* (Laspeyres,1801) (Sesiidae) larva on Viburnum lantana, V. opulus (Spatenka, et al.,1996).
- 3560.** *Synanthedon armeniacum* Gorbunov,1991 (Sesiidae) larva on Malus silvestris (Spatenka, et al.,1996).
- 3561.** *Synanthedon caucasica* Gorbunov,1986 (Sesiidae) larva on Quercus castanifolia (Spatenka, et al.,1996).
- 3562.** *Synanthedon cephaliformis* (Ochsenheimer,1808) (Sesiidae) larva on Abies alba (Spatenka, et al.,1996).
- 3563.** *Synanthedon codeti* (Oberthür,1881) (Sesiidae) larva on Quercus ilex, Corylus avellana, Prunus, Platanus orientalis, Carya pecan (Spatenka, et al.,1996).
- 3564.** *Synanthedon colchidensis* K.Spatenka & Gorbunov,1992 (Sesiidae) larva on Abies nordmanniana (Spatenka & Gorbunov,1992; Spatenka, et al.,1996).
- 3565.** *Synanthedon conopiformis* (Esper,[1782]) (Sesiidae) larva on Quercus (Spatenka et al.,1996).
- 3566.** *Synanthedon culiciformis* (Linnaeus,1758) (Sesiidae) larva on Betula, Alnus viridis, A. glutinosa, Populus (Spatenka et al.,1996).
- 3567.** *Synanthedon flaviventris* (Staudinger,1883) (Sesiidae) larva on Salix caprea, S. cinerea, S. aurita, S. fragilis (Spatenka et al.,1996).
- 3568.** *Synanthedon formicaeformis* (Esper,[1783]) (Sesiidae) larva on Salix caprea, S. alba, S. rubra (Spatenka et al.,1996).
- 3569.** *Synanthedon martjanovi* Sheljuzhko,1918 (Sesiidae) larva on Populus tremula (Spatenka et al.,1996).
- 3570.** *Synanthedon melliniformis* (Laspeyres,1801) (Sesiidae) larva on Populus nigra, P. alba, Salix alba (Spatenka et al.,1996).
- 3571.** *Synanthedon mesiaeformis* (Herrich-Schäffer,1846) (Sesiidae) larva on Alnus glutinosa (Spatenka et al.,1996).
- 3572.** *Synanthedon myopaeformis* (Borkhausen,1789) (Sesiidae) larva on Malus, Crataegus, Sorbus, Mespilus germanica, Pyrus, Prunus, Cerasus, Padus, Hippophae rhamnoides (Spatenka et al.,1996).
- 3573.** *Synanthedon pamphyla* Kallies,2003 (Sesiidae) larva on Alnus orientalis (Betulaceae) (Kallies,2003).
- 3574.** *Synanthedon pipiziforme* Lederer,1855 (Sesiidae) larva on Styrax officinalis (Spatenka et al.,1996).
- 3575.** *Synanthedon polaris* (Staudinger,1877) (Sesiidae) larva on Salix lapponum, S. helvetica, S. glauca, S. phylicifolia, S. caprea, S. breviserrata, S. glaucosericea (Spatenka et al.,1996).
- 3576.** *Synanthedon soffneri* Spatenka,1983 (Sesiidae) larva on Lonicera nigra, L. xylosteum, L. tatarica (Spatenka et al.,1996).
- 3577.** *Synanthedon spheciformis* ([Denis & Schiffermüller],1775) (Sesiidae) larva on Alnus, Betula (Spatenka et al.,1996).
- 3578.** *Synanthedon spuleri* (Fuchs,1908) (Sesiidae) larva on Juniperus communis, Carpinus betulus, Corylus avellana, Ulmus, Acer, Salix, Fagus sylvatica (Spatenka et al.,1996).
- 3579.** *Synanthedon stomoxiformis* (Hübner,1790) (Sesiidae) larva on Rhamnus cathartica, Frangula alnus, Mespilus germanica? (Spatenka et al.,1996).
- 3580.** *Synanthedon talischense* (Bartel,1906) (Sesiidae) larva on Alnus subcordata (Spatenka et al.,1996).
- 3581.** *Synanthedon theryi* Le Cerf,1916 (Sesiidae) larva on Tamarix africana, T. gallica (Spatenka et al.,1996).
- 3582.** *Synanthedon tipuliformis* (Clerck,1759) (Sesiidae) larva on Ribus rubrum, R. nigrum, Euonymus europaea (Spatenka et al.,1996).
- 3583.** *Synanthedon toseviskii* K.Spatenka,1987 (Sesiidae) larva on Salix (Spatenka et al.,1996).
- 3584.** *Synanthedon uralensis* (Bartel,1906) (Sesiidae) larva on Artemisia ? (Spatenka et al.,1996).
- 3585.** *Synanthedon vespiformis* (Linnaeus,1761) (Sesiidae) larva on Quercus, Fagus sylvatica, Castanea sativa, Salix alba, Populus tremula, Abies alba, Juniperus communis, Ulmus, Betula, Malus, Cerasus, Prunus, Juglans regia, Aesculus (Spatenka et al.,1996).
- 3586.** *Tinthia brosiiformis* (Hübner,[1813]) (Sesiidae) larva on Convolvulus arvensis (Spatenka, et al.,1996).
- 3587.** *Tinthia cingulata* (Staudinger,1870) (Sesiidae) larva on Potentilla taurica (Spatenka, et al.,1996).
- 3588.** *Tinthia hoplisiformis* (Mann,1864) (Sesiidae) larva on Poterium polygamum (Spatenka, et al.,1996).
- 3589.** *Tinthia myrmosaeformis* (Herrich-Schäffer,1846) (Sesiidae) larva on Potentilla recta, P. obscura (Spatenka, et al.,1996).
- 3590.** *Tinthia tineiformis* (Esper,[1789]) (Sesiidae) larva on Convolvulus boissieri (Spatenka, et al.,1996).
- 3591.** *Tradescanticola yildizae* Koçak,1983 (Sesiidae) larva in galls on Tradescantia (Commelinaceae) (Robinson et al.,1994).
- 3592.** *Acherontia atropos* (Linnaeus,1758) (Sphingidae) larva on Solanaceae, Verbenaceae, Ligustrum, Olea, Fraxinus, Beta, Nerium, Buddleia (Pittaway,1983).
- 3593.** *Acherontia lachesis* (Fabricius,1798) (Sphingidae) larva on leaf of Solanum aculeatissimum [cockroach berry], Solanum torvum [ma khuea phuang] (Solanaceae) (Lewvanich,2001).
- 3594.** *Acherontia styx* (Westwood,1847) (Sphingidae) larva on leaf of Durantha, Cucurbita (Cucurbitaceae), Lycium?, Solanum incanum [ma waeng], S. torvum [ma khuea phuang] (Solanaceae), Jasminum sambac (Oleaceae), Verbenaceae; Sesamum indicum (Pedaliaceae), Pyrostegia venusta (Bignoniaceae), Rauvolfia cambodiana (Apocynaceae) (Bell & Scott,1937; Wiltshire,1957; Pittaway,1983; Lewvanich,2001).
- 3595.** *Acosmeryx leucocraspis* (Hampson,1910) (Sphingidae) larva on Vitis (Vitaceae) (Inoue et al.,1997).
- 3596.** *Acosmeryx anceus* (Stoll,[1781]) (Sphingidae) larva on Vitis indica (Vitaceae), Leea (Leeaceae) (Bell & Scott,1937).
- 3597.** *Acosmeryx naga* (Moore,[1858]) (Sphingidae) larva on Vitis (Vitaceae), Saurauia, Actinidia (Actinidiaceae) (Inoue et al.,1997).
- 3598.** *Acosmeryx pseudomissa* Mell,1922 (Sphingidae) larva on Actinidia (Actinidiaceae) (Inoue et al.,1997).
- 3599.** *Acosmeryx sericeus* (Walker,1856) (Sphingidae) larva on Actinidia (Actinidiaceae), Vitis (Vitaceae) (Inoue et al.,1997).
- 3600.** *Acosmeryx shervillii* Boisduval,[1875] (Sphingidae) larva on leaf of Dillenia (Dilleniaceae), Vitis, Cayratia, Cissus (Vitaceae), Leea (Leeaceae) (Inoue et al.,1997).
- 3601.** *Agrius convolvuli* (Linnaeus,1758) (Sphingidae) larva on leaf of Arachis hypogaea [peanut], Phaseolus (Fabaceae), Ipomoea batatas [sweet potato], I. aquatica [water spinach] (Convolvulaceae), Bridelia ovata [ma ka] (Euphorbiaceae) (Bell & Scott,1937; Lewvanich,2001).
- 3602.** *Akbesia davidi* (Oberthür,1884) (Sphingidae) larva on Pistacia, Rhus (Pittaway,1983; De Freina & Geck,2003).
- 3603.** *Ambulyx canescens* (Walker,[1865]) (Sphingidae) larva on Shorea lepidota (Dipterocarpaceae) (Holloway,1987).
- 3604.** *Ambulyx liturata* Butler,1875 (Sphingidae) larva on Quercus, Castanopsis (Fagaceae), Poupartia (Anacardiaceae), Canarium (Burseraceae) (Inoue et al.,1997).
- 3605.** *Ambulyx moorei* Moore,[1858] (Sphingidae) larva on Odina, Buchanania, Lannea (Anacardiaceae), Canarium (Burseraceae) (Inoue et al.,1997).
- 3606.** *Ambulyx oblitterata* Rothschild,1920 (Sphingidae) larva on Quercus (Fagaceae).
- 3607.** *Ambulyx ochracea* Butler,1885 (Sphingidae) larva on Poupartia fordii (Anacardiaceae) (Bell & Scott,1937).
- 3608.** *Ambulyx pryri* Distant,1887 (Sphingidae) larva on Plumeria (Apocynaceae) (Inoue et al.,1997).
- 3609.** *Ambulyx sericeipennis* Butler,1875 (Sphingidae) larva on Elaeocarpus (Tiliaceae), Quercus (Fagaceae), Myrica nagi (Myricaceae), Rhus insignia (Anacardiaceae), Juglans regia, Engelhardtia spicata (Juglandaceae) (Bell & Scott,1937; Inoue et al.,1997).
- 3610.** *Ambulyx substrigilis* (Westwood,1847) (Sphingidae) larva on Dipterocarpus (Dipterocarpaceae), Aglaia (Meliaceae), Lagerstroemia (Lythraceae) (Inoue et al.,1997).
- 3611.** *Ampelophaga khasiana* Rothschild,1895 (Sphingidae) larva on Vitis (Vitaceae), Saurauia nepalensis (Actinidiaceae) (Bell & Scott,1937).
- 3612.** *Ampelophaga rubiginosa* Bremer & Grey,[1852] (Sphingidae) larva on Vitis, Ampelopsis, Parthenocissus (Vitaceae), Hydrangea (Saxifragaceae) (Inoue et al.,1997).
- 3613.** *Amphypterus panopus* (Cramer,[1779]) (Sphingidae) larva on leaf of Dracontomelum, Mangifera indica [mango], Rhus (Anacardiaceae), Durio (Bombacaceae), Calophyllum, Garcinia (Clusiaceae); Nephelium lappaceum (Sapindaceae) (Inoue et al.,1997; Lewvanich,2001).
- 3614.** *Angonyx testacea* (Walker,1856) (Sphingidae) larva on Strychnos (Loganiaceae) (Inoue et al.,1997).
- 3615.** *Cechenena aegrota* (Butler,1875) (Sphingidae) larva on Psychotria (Rubiaceae) (Inoue et al.,1997).
- 3616.** *Cechenena helops* (Walker,1856) (Sphingidae) larva on Tetrastigma (Vitaceae) (Inoue et al.,1997).
- 3617.** *Cechenena lineosa* (Walker,1856) (Sphingidae) larva on Saurauia (Actinidiaceae), Impatiens (Balsaminaceae), Vitis (Vitaceae), Polygonum chinensis (Polygonaceae) (Bell & Scott,1937).
- 3618.** *Cechenena minor* (Butler,1875) (Sphingidae) larva on Saurauia (Actinidiaceae), Amorphophallus (Araceae) (Inoue et al.,1997).
- 3619.** *Cephonodes hylas* (Linnaeus,1771) (Sphingidae) larva on leaf of Adina, Gardenia, Mussaenda, Randia, Tarenna, Wendlandia, Coffea, Ixora, Ravetta, Hymenodictyon (Rubiaceae) (Inoue et al.,1997).
- 3620.** *Cephonodes picus* (Cramer,[1777]) (Sphingidae) larva on Adina, Gardenia, Mussaenda, Randia, Tarenna, Wendlandia, Coffea, Ixora, Ravetta, Hymenodictyon (Rubiaceae) (Inoue et al.,1997).

- 3621.** *Cizara sculpta* (R.Felder & Rogenhofer, [1874]) (Sphingidae) larva on Randia (Rubiaceae) (Inoue et al., 1997).
- 3622.** *Clanis bilineata* (Walker, 1866) (Sphingidae) larva on Pongamia, Milletia, Pterocarpus, Mucuna, Pueraria, Robinia, Glycine, Lespedeza, Wisteria (Fabaceae) (Inoue et al., 1997).
- 3623.** *Clanis phalaris* (Cramer, [1777]) (Sphingidae) larva on Xylia, Pongamia, Pterocarpus, Milletia, Dalbergia, Cassia (Fabaceae) (Inoue et al., 1997).
- 3624.** *Clanis titan* Rothschild & Jordan, 1903 (Sphingidae) larva on Pterocarpus (Fabaceae) (Inoue et al., 1997).
- 3625.** *Clanis undulosa* Moore, 1879 (Sphingidae) larva on Lespedeza thompsoni (Fabaceae) (Inoue et al., 1997).
- 3626.** *Clarina kotschy* (Kollar, [1849]) (Sphingidae) larva on Vitis, Parthenocissus (Pittaway, 1983).
- 3627.** *Clarina syriaca* (Lederer, 1855) (Sphingidae) larva on Vitis, Parthenocissus (Pittaway, 1983).
- 3628.** *Cypa decolor* (Walker, 1856) (Sphingidae) larva on Quercus, Castanopsis (Fagaceae) (Inoue et al., 1997).
- 3629.** *Cypa enodis* Jordan, 1931 (Sphingidae) larva on Betula (Betulaceae) (Inoue et al., 1997).
- 3630.** *Cypa uniformis* Mell, 1922 (Sphingidae) larva on Betula (Betulaceae) (Inoue et al., 1997).
- 3631.** *Cypoides chinensis* (Rothschild & Jordan, 1903) (Sphingidae) larva on Liquidambar (Hammamelidaceae) (Inoue et al., 1997).
- 3632.** *Daphnis hypothous* (Cramer, [1780]) (Sphingidae) larva on Alstonia (Apocynaceae), Anthocephalus, Uncaria, Cinchona, Ixora, Ravetta, Wendlandia paniculata (Rubiaceae) (Bell & Scott, 1937; Inoue et al., 1997).
- 3633.** *Daphnis nerii* (Linnaeus, 1758) (Sphingidae) larva on Nerium oleander, Holarrhena, Ervatamia, Vinca, Adenium obesum [desert rose], Tabernaemontana rostrata, Gardenia, Jasminum, Ligustrum, Rauwolfia caffra [at Medike by J. Underhay], Cetranthus roseus, Plumeria rubra [frangipani] (Apocynaceae), Ludwigia adscendens [phaeng phuai] (Onagraceae), Ziziphus mauritiana [jube] (Rhamnaceae) (Lederer, 1865; Pittaway, 1983; Inoue et al., 1997; Lewvanich, 2001).
- 3634.** *Daphnis placida* (Walker, 1856) (Sphingidae) larva on Alstonia, Tabernaemontana (Apocynaceae) (Inoue et al., 1997).
- 3635.** *Daphnusa ocellaris* Walker, 1856 (Sphingidae) larva on Nephelium (Sapindaceae), Durio (Bombacaceae) (Inoue et al., 1997).
- 3636.** *Darapsa myron* (Cramer, [1779]) (Sphingidae) larva on Ampelopsis, Vitis (Vitaceae), Viburnum (Caprifoliaceae) (Inoue et al., 1997).
- 3637.** *Degma pteris mirabilis* (Rothschild, 1894) (Sphingidae) larva on Quercus (Fagaceae) (Inoue et al., 1997).
- 3638.** *Deilephila elpenor* (Linnaeus, 1758) (Sphingidae) larva on Impatiens (Balsaminaceae), Arisaema, Amorphophallus (Araceae) (Bell & Scott, 1937).
- 3639.** *Deilephila porcellus* (Linnaeus, 1758) (Sphingidae) larva on Galium (Lederer, 1865).
- 3640.** *Deilephila rivularis* (Boisduval, [1875]) (Sphingidae) larva on Arisaema, Impatiens (Bell & Scott, 1937).
- 3641.** *Dolbina elegans* (A. Bang-Haas, 1912) (Sphingidae) larva on ? Fraxinus (Pittaway, 1983).
- 3642.** *Dolbina inexacta* (Walker, 1856) (Sphingidae) larva on Olea, Linociera, Ligustrum, Fraxinus, Osmanthus (Oleaceae) (Inoue et al., 1997).
- 3643.** *Elibia dolichus* (Westwood, 1847) (Sphingidae) larva on Saurauia (Actinidiaceae), Leea (Leeaceae), Cayratia, Tetrastigma (Vitaceae) (Inoue et al., 1997).
- 3644.** *Enpinanga borneensis* (Butler, 1879) (Sphingidae) larva on Dillenia, Tetracera (Dilleniaceae) (Inoue et al., 1997).
- 3645.** *Enpinanga vigens* (Butler, 1879) (Sphingidae) larva on Tetracera (Dilleniaceae) (Inoue et al., 1997).
- 3646.** *Eupanacra automedon* (Walker, 1856) (Sphingidae) larva on Lasia (Araceae) (Inoue et al., 1997).
- 3647.** *Eupanacra busiris* (Walker, 1856) (Sphingidae) larva on Lasia, Pothos (Araceae) (Inoue et al., 1997).
- 3648.** *Eupanacra elegantulus* (Herrich-Schäffer, 1856) (Sphingidae) larva on Alocasia, Amorphophallus, Arisaema, Caladium, Dieffenbachia, Homalomena (Araceae), Vitis (Vitaceae) (Inoue et al., 1997).
- 3649.** *Eupanacra malayana* (Rothschild & Jordan, 1903) (Sphingidae) larva on Curculigo (Hypoxidaceae) (Inoue et al., 1997).
- 3650.** *Eupanacra metallica* (Butler, 1875) (Sphingidae) larva on Arisaema curvatum (Araceae) (Bell & Scott, 1937).
- 3651.** *Eupanacra mydon* (Walker, 1856) (Sphingidae) larva on Colocasia antiquorum, Caladium, Arisaema curvatum, Amorphophallus (Araceae) (Bell & Scott, 1937).
- 3652.** *Eupanacra variolosa* (Walker, 1856) (Sphingidae) larva on Scindapsus (Araceae) (Inoue et al., 1997).
- 3653.** *Eurypteryx bhaga* (Moore, [1866]) (Sphingidae) larva on Alstonia (Apocynaceae) (Inoue et al., 1997).
- 3654.** *Giganteopalpus mirabilis* (Rothschild, 1894) (Sphingidae) larva on Araceae (Inoue et al., 1997).
- 3655.** *Gnathothlibus erotus* (Cramer, [1777]) (Sphingidae) larva on Ipomoea (Convolvulaceae), Dillenia, Hibbertia (Dilleniaceae), Escallonia (Escalloniaceae), Melastoma (Melastomataceae), Morinda, Pentas (Rubiaceae), Cayratia, Cissus, Parthenocissus, Vitis (Vitaceae) (Inoue et al., 1997).
- 3656.** *Hayesiana triopus* (Westwood, 1847) (Sphingidae) larva on Adina (Rubiaceae) (Inoue et al., 1997).
- 3657.** *Hemaris (Cochrania) croatica* (Esper, [1779]) (Sphingidae) larva on Scabiosa (at Amasya) (Staudinger, 1878), Asperula, Cephalaria (Pittaway, 1983).
- 3658.** *Hemaris (Cochrania) ducalis* (Staudinger, 1887) (Sphingidae) larva on Lonicera korolkowii, L. nummulariifolia, L. seravschanica, L. stenantha (Danner et al., 1998).
- 3659.** *Hemaris (Eitschbergera) tityus* (Linnaeus, 1758) (Sphingidae) larva on Scabiosa, Galium, Lonicera, Succisa, Dipsacus, Lychnis (Zeller, 1839; Pittaway, 1983).
- 3660.** *Hemaris (s.str.) dentata* (Staudinger, 1887) (Sphingidae) larva possibly on Cephalaria (Pittaway, 1983, 2004).
- 3661.** *Hemaris (s.str.) fuciformis* (Linnaeus, 1758) (Sphingidae) larva on Cephalaria procera (de Freina, 1979).
- 3662.** *Hippotion boerhaviae* (Fabricius, 1775) (Sphingidae) larva on Oldenlandia, Spermacoce (Rubiaceae), etc. (Inoue et al., 1997).
- 3663.** *Hippotion celerio* (Linnaeus, 1758) (Sphingidae) larva on Vitis, Parthenocissus (Vitaceae), Galium (Rubiaceae), Fuchsia, Impatiens (Balsaminaceae), Convolvulus (Convolvulaceae), Rumex (Polygonaceae), Caladium (Araceae) (Bell & Scott, 1937, et seq.).
- 3664.** *Hippotion echeclus* (Boisduval, [1875]) (Sphingidae) larva on Sesamum (Pedaliaceae), Monochoria (Pontederiaceae) (Inoue et al., 1997).
- 3665.** *Hippotion rafflesii* (Moore, [1858]) (Sphingidae) larva on Impatiens (Balsaminaceae) (Inoue et al., 1997).
- 3666.** *Hippotion rosetta* (Swinhoe, 1892) (Sphingidae) larva on Borreria (Rubiaceae) (Inoue et al., 1997).
- 3667.** *Hippotion velox* (Fabricius, 1793) (Sphingidae) larva on Pisonia (Nyctaginaceae), Alocasia (Araceae), Brassica (Brassicaceae), Ipomoea (Convolvulaceae), Morinda (Rubiaceae) (Inoue et al., 1997).
- 3668.** *Hyles centralasiae* Staudinger, 1887 (Sphingidae) larva on Eremurus, Asphodelus (Pittaway, 1983).
- 3669.** *Hyles chamyla* (Denso, 1913) (Sphingidae) larva on Apocynum scabrum, A. venetum (Shchetkin, 1956).
- 3670.** *Hyles euphorbiae* (Linnaeus, 1758) (Sphingidae) larva on Euphorbia myrsinites, E. ? paralias (Staudinger, 1879; de Freina, 1979).
- 3671.** *Hyles livornica* (Esper, [1780]) (Sphingidae) larva on Rumex, Polygonum, Vitis, Fuchsia, Platago, Zygophyllum
- 3672.** *Hyles nicea* (Prunner, 1798) (Sphingidae) larva on Euphorbia myrsinites (de Freina, 1979).
- 3673.** *Hyles siehei* (Püngeler, 1903) (Sphingidae) larva on Eremurus, Asphodelus (Pittaway, 1983).
- 3674.** *Hyles vespertilio* (Esper, [1780]) (Sphingidae) larva on Oenothera, Galium, Epilobium dodonaei (=Chamaenerion angustissimum) (Pittaway, 2004).
- 3675.** *Hyles zygophylli* (Ochsenheimer, 1808) (Sphingidae) larva on Zygophyllum fabago, Eremurus (Ochsenheimer, 1808; Pittaway, 1983).
- 3676.** *Langia zenzeroides* Moore, 1872 (Sphingidae) larva on Prunus (Rosaceae) (Inoue et al., 1997).
- 3677.** *Laothoe amurensis* (Staudinger, 1892) (Sphingidae) larva on Populus tremula, etc. (Pittaway, 1983).
- 3678.** *Laothoe austauti* (Staudinger, 1877) (Sphingidae) larva on Populus, Salix (Pittaway, 1983).
- 3679.** *Laothoe populeti* (Bienert, [1870]) (Sphingidae) larva on Populus, Salix (Pittaway, 1983).
- 3680.** *Laothoe populi* (Linnaeus, 1758) (Sphingidae) larva on Populus, Salix, Fraxinus, Quercus (Linnaeus, 1758; Pittaway, 1983).
- 3681.** *Leucophrisia (Indiaphlebia) emittens* Walker, 1856 (Sphingidae) larva on Poaceae (Inoue et al., 1997).
- 3682.** *Leucophrisia (s.str.) lineata* Westwood, 1847 (Sphingidae) larva on Saccharum (Poaceae) (Inoue et al., 1997).
- 3683.** *Macroglossum affictum* Butler, 1875 (Sphingidae) larva on Strychnos (Loganiaceae) (Inoue et al., 1997).
- 3684.** *Macroglossum belis* (Linnaeus, 1758) (Sphingidae) larva on Saprosmia indicum, Hamiltonia suaveolens (Rubiaceae), Strychnos nuxvomica (Loganiaceae) (Bell & Scott, 1937).
- 3685.** *Macroglossum bombylans* (Boisduval, [1875]) (Sphingidae) larva on Rubia, Paederia (Rubiaceae), Stauntonia (Inoue et al., 1997).
- 3686.** *Macroglossum corythum* Walker, 1856 (Sphingidae) larva on Morinda, Paederia, Guettarda (Rubiaceae), Strychnos (Loganiaceae) (Inoue et al., 1997).
- 3687.** *Macroglossum fritzei* Rothschild & Jordan, 1903 (Sphingidae) larva on Morinda, Paederia (Rubiaceae) (Inoue et al., 1997).
- 3688.** *Macroglossum gyrans* Walker, 1856 (Sphingidae) larva on Morinda (Rubiaceae) (Inoue et al., 1997).
- 3689.** *Macroglossum heliophilum* Boisduval, [1875] (Sphingidae) larva on Psychotria (Rubiaceae) (Inoue et al., 1997).
- 3690.** *Macroglossum insipidum* Butler, 1875 (Sphingidae) larva on Spermacoce, Borreria (Rubiaceae), Corchorus (Tiliaceae) (Inoue et al., 1997).
- 3691.** *Macroglossum passalum* (Drury, [1773]) (Sphingidae) larva on Daphniphyllum (Daphniphyllaceae), Photinia (Rosaceae) (Inoue et al., 1997).
- 3692.** *Macroglossum piepersi* Dupont, 1941 (Sphingidae) larva on Chasalia (Rubiaceae) (Inoue et al., 1997).
- 3693.** *Macroglossum prometheum* Boisduval, [1875] (Sphingidae) larva on Morinda (Rubiaceae) (Inoue et al., 1997).
- 3694.** *Macroglossum pyrrhostictum* Butler, 1875 (Sphingidae) larva on Paederia, Psychotria (Rubiaceae) (Inoue et al., 1997).
- 3695.** *Macroglossum saga* Butler, 1878 (Sphingidae) larva on Daphniphyllum (Euphorbiaceae) (Inoue et al., 1997).
- 3696.** *Macroglossum sitiene* Walker, 1856 (Sphingidae) larva on Paederia, Morinda (Rubiaceae) (Inoue et al., 1997).
- 3697.** *Macroglossum troglodytum* Boisduval, [1875] (Sphingidae) larva on Hedyotis (Rubiaceae) (Inoue et al., 1997).
- 3698.** *Macroglossum variegatum* Rothschild & Jordan, 1903 (Sphingidae) larva on Hedyotis (Rubiaceae) (Inoue et al., 1997).
- 3699.** *Macropoliana natalensis* (Butler, 1875) (Sphingidae) larva on Olea africana (Oleaceae) (Taylor, 1953).
- 3700.** *Macropoliana ohefferani* (Gess, 1967) (Sphingidae) larva on Olea africana (Oleaceae) (Gess, 1967).

- 3701. Marumba cristatus (Butler,1875)** (Sphingidae) larva on Litsea, Machilus, Phoebe (Lauraceae) (Inoue et al.,1997).
- 3702. Marumba dyras (Walker,1856)** (Sphingidae) larva on Bombax, Ceiba (Bombacaceae), Bridelia (Euphorbiaceae), Cajanus (Fabaceae), Hibiscus, Kydia (Malvaceae), Schleicheria trijuga (Sapindaceae), Buettneria, Helicteres, Pterospermum, Sterculia (Sterculiaceae), Grewia (Tiliaceae) (Bell & Scott,1937, &c)
- 3703. Marumba quercus ([Denis & Schiffermüller],1775)** (Sphingidae) larva on Quercus (Staudinger,1878; Pittaway,1983).
- 3704. Marumba spectabilis (Butler,1875)** (Sphingidae) larva on Meliosma rigida (Sabinaceae) (Inoue et al.,1997).
- 3705. Marumba sperchius (Ménétrières,1857)** (Sphingidae) larva on Castanea, Castanopsis, Quercus (Fagaceae), Juglans (Juglandaceae), Eriobotrya (Rosaceae) (Inoue et al.,1997).
- 3706. Meganoton analis (R.Felder & Rogenhofer,[1874])** (Sphingidae) larva on Sassafras tsuma (Lauraceae), pest on Magnolia (Magnoliaceae) (Cheng & Huang,1990; Inoue et al.,1997).
- 3707. Meganoton nyctiphanes (Walker,1856)** (Sphingidae) larva on Symphorema involucratus (Verbenaceae) (Inoue et al.,1997).
- 3708. Mimas tiliae (Linnaeus,1758)** (Sphingidae) larva on Tilia, Ulmus, Alnus, Prunus, Betula, Acer, Quercus (Pittaway,1983).
- 3709. Neogurelca himalacha (Butler,[1876])** (Sphingidae) larva on Paederia foetida (Rubiaceae) (Bell & Scott,1937).
- 3710. Neogurelca hyas (Walker,1856)** (Sphingidae) larva on Morinda, Paederia (Rubiaceae), Merremia (Convolvulaceae) (Inoue et al.,1997).
- 3711. Nephela hespera (Fabricius,1775)** (Sphingidae) larva on Carissa carandas (Apocynaceae) (Bell & Scott,1937).
- 3712. Parum colligatum (Walker,1856)** (Sphingidae) larva on Broussonetia (Moraceae) (Inoue et al.,1997).
- 3713. Pergesa actea (Cramer,1779)** (Sphingidae) larva on Alocasia, Amorphophallus, Arisema, Caladium bicolor, Colocasia, Dieffenbachia (Araceae), Begonia (Begoniaceae), Commelia (Commeliaceae), Leea (Leeaceae), Cissus, Vitis (Vitaceae) (Bell & Scott,1937).
- 3714. Phyllosphingia dissimilis (Bremer,1861)** (Sphingidae) larva on Juglans (Juglandaceae) (Inoue et al.,1997).
- 3715. Polptychus trilineatus Moore,1888** (Sphingidae) larva on Ehretia (Boraginaceae) (Inoue et al.,1997).
- 3716. Proserpinus proserpinus (Pallas,1772)** (Sphingidae) larva on Epilobium, Oenothera (Pittaway,1983).
- 3717. Psilogramma increta Walker,[1865]** (Sphingidae) larva on Sesamum (Pedaliaceae), Verbena (Verbenaceae), Scrophularia (Scrophulariaceae), Osmanthus (Oleaceae), Perilla (Lamiaceae), Lonicera (Caprifoliaceae) (Inoue et al.,1997).
- 3718. Psilogramma menephron (Cramer,[1780])** (Sphingidae) larva on Sesamum (Pedaliaceae), Osmanthus (Oleaceae), Perilla (Lamiaceae), Lonicera (Caprifoliaceae), etc. (Inoue et al.,1997).
- 3719. Rhagastis albomarginatus (Rothschild,1894)** (Sphingidae) larva on Dichroa, Hydrangea (Saxifragaceae) (Inoue et al.,1997).
- 3720. Rhagastis castor (Walker,1856)** (Sphingidae) larva on Amorphophallus (Araceae), Vitis (Vitaceae) (Inoue et al.,1997).
- 3721. Rhagastis confusa Rothschild & Jordan,1903** (Sphingidae) larva on Vitis (Vitaceae) (Inoue et al.,1997).
- 3722. Rhagastis mongoliana (Butler,1876)** (Sphingidae) larva on Tetrastigma (Vitaceae) (Inoue et al.,1997).
- 3723. Rhagastis olivacea (Moore,1872)** (Sphingidae) larva on Impatiens (Balsaminaceae) (Inoue et al.,1997).
- 3724. Rhagastis velata (Walker,1856)** (Sphingidae) larva on Arisaema, Amorphophylla (Araceae) (Bell & Scott,1937).
- 3725. Rhodoprassina callantha Jordan,1929** (Sphingidae) larva on Quercus (Fagaceae) (Inoue et al.,1997).
- 3726. Sataspes infernalis (Westwood,1847)** (Sphingidae) larva on Dahlbergia, Lespedeza, Albizia (Fabaceae) (Inoue et al.,1997).
- 3727. Sataspes tagalica Boisduval,[1875]** (Sphingidae) larva on Dahlbergia (Fabaceae) (Inoue et al.,1997).
- 3728. Smerinthus atlanticus Austaut,1890** (Sphingidae) larva on Salix (Pittaway,1983).
- 3729. Smerinthus kindermanni Lederer,1852** (Sphingidae) larva on Salix (Heydemann et al.,1963; Pittaway,1983).
- 3730. Smerinthus ocellatus (Linnaeus,1758)** (Sphingidae) larva on Salix, Malus, Populus, Alnus, Prunus, Ligustrum (Pittaway,1983).
- 3731. Sphecodina caudata (Bremer & Grey,[1852])** (Sphingidae) larva on Vitis (Vitaceae) (Inoue et al.,1997).
- 3732. Sphingonaepiopsis pumilio (Boisduval,[1875])** (Sphingidae) larva on Hedyotis, Galium, Oldenlandia (Rubiaceae) (Inoue et al.,1997).
- 3733. Sphinx caligineus (Butler,1877)** (Sphingidae) larva on Picea, Larix, Pinus (Pinaceae) (Inoue et al.,1997).
- 3734. Sphinx ligustri Linnaeus,1758** (Sphingidae) larva on Ligustrum, Syringa, Fraxinus, Spiraea (Mann,1862; Pittaway,1983).
- 3735. Sphinx pinastri Linnaeus,1758** (Sphingidae) larva on Pinus, Picea, Larix, Cedrus (Pittaway,1983).
- 3736. Theretra alecto (Linnaeus,1758)** (Sphingidae) larva on Dillenia indica (Dilleniaceae), Saurauia nepalensis (Actinidiaceae), Vitis (Vitaceae), Leea (Leeaceae), Psychotria, Rubia cordifolia (Rubiaceae) (Bell & Scott,1937).
- 3737. Theretra boisduvalii (Bugnion,1839)** (Sphingidae) larva on Vitis, Parthenocissus (Vitaceae) (Inoue et al.,1997).
- 3738. Theretra clotho (Drury,[1773])** (Sphingidae) larva on Amorphophallus, Colocasia (Araceae), Begonia (Begoniaceae), Dillenia (Dilleniaceae), Leea (Leeaceae), Hibiscus (Malvaceae), Fuchsia (Onagraceae), Dendrocnide, Pipturus (Urticaceae), Cayratia, Cissus, Parthenocissus, Vitis (Vitaceae) (Inoue,1997).
- 3739. Theretra latreillii Macleay,[1826]** (Sphingidae) larva on Saurauia (Actinidiaceae), Impatiens (Balsaminaceae), Begonia (Begoniaceae), Tetracera (Dilleniaceae), Leea (Leeaceae), Lagerstroemia (Lythraceae), Fuchsia (Onagraceae), Cayratia, Parthenocissus, Vitis, Tetrastigma (Vitaceae) (Inoue et al.,1997).
- 3740. Theretra lycetus (Cramer,1775)** (Sphingidae) larva on Dillenia (Dilleniaceae), Vitis (Vitaceae), Leea (Leeaceae) (Inoue et al.,1997).
- 3741. Theretra nessus (Drury,[1773])** (Sphingidae) larva on Amaranthus (Amaranthaceae), Impatiens (Balsaminaceae), Citrullus (Cucurbitaceae), Arathis (Fabaceae), Boerhavia (Nyctaginaceae), Knoxia, Morinda, Oldenlandia, Spermacoce (Rubiaceae), Glossostigma (Scrophulariaceae), Camellia (Theaceae) (Inoue).
- 3742. Theretra oldenlandiae (Fabricius,1775)** (Sphingidae) larva on Alocasia, Amorphophyllus, Caladium, Colocasia (Araceae), Impatiens (Balsaminaceae), Careya, Planchonia (Barringtoniaceae), Cystostoma (Bignoniaceae), Ipomoea (Convolvulaceae), Dilleniaceae, Onagraceae, Rubiaceae, Vitaceae (Inoue et al.,1997).
- 3743. Theretra pallicosta (Walker,1856)** (Sphingidae) larva on Aporosa (Euphorbiaceae) (Inoue et al.,1997).
- 3744. Theretra silhetensis (Walker,1856)** (Sphingidae) larva on Arum, Caladium, Colocasia, Pistia (Araceae), Kochia (Chenopodiaceae), Ipomoea (Convolvulaceae), Boerhavia (Nyctaginaceae), Ludwigia (Onagraceae), Rosa (Rosaceae), Trapa (Trapaceae) (Inoue et al.,1997).
- 3745. Theretra suffusa (Walker,1856)** (Sphingidae) larva on Melastoma (Melastomaceae) (Inoue et al.,1997).
- 3746. Stathmopoda auriferella (Walker,1864)** (Stathmopodidae) larva on Cocos nucifera [coconut] (Arecaceae), Sorghum [sorghum] (Poaceae), Albizia altissimum, Acacia nilotica (Fabaceae), Tristania (Myrtaceae), Nephelium ophioides (Sapindaceae) (Robinson et al.,1994).
- 3747. Stathmopoda pedella (Linnaeus,1761)** (Stathmopodidae) larva on Alnus incana, A. glutinosa (Betulaceae) (Riedl,1969).
- 3748. Stathmopoda xanthomocla Meyrick,1913** (Stathmopodidae) larva on decaying flowers, Lantana (Verbenaceae) (Robinson et al.,1994).
- 3749. Tortilia charadritus (Meyrick,1924)** (Stathmopodidae) larva on Cassia (Fabaceae), Zizyphus (Rhamnaceae) (Busck,1934; Meyrick,1939).
- 3750. Tortilia flavella Chrétien,1908** (Stathmopodidae) larva on Acacia (Mimosaceae), Punica granatum (Punicaceae) (Chrétien,1908).
- 3751. Acolanthes siphonias Meyrick,1908** (Stenomidae) larva on Quercus incana (Fagaceae) (Robinson et al.,1994).
- 3752. Thaumetopoea (Traumatocampa) ispartaensis (M.Doğanlar & Avcı,2001)** (Thaumetopoeidae) larva on Cedrus libani (M.Doğanlar & Avcı,2001).
- 3753. Thaumetopoea (Traumatocampa) pityocampa ([Denis & Schiffermüller],1775)** (Thaumetopoeidae) larva on Pinus sylvestris, P. laricio, P. pinea, P. halepensis, P. pinaster, P. nigra, P. maritima, Picea ([Denis & Schiffermüller],1775; Schmimitschek,1953; De Freina,1983; Doğanlar & Doğanlar,2005).
- 3754. Thaumetopoea (Traumatocampa) sedirica (M.Doğanlar,2005)** (Thaumetopoeidae) larva on Cedrus libani (Schmimitschek,1953).
- 3755. Thaumetopoea (Traumatocampa) torosica (M.Doğanlar,2005)** (Thaumetopoeidae) larva on Pinus brutia (Doğanlar & Doğanlar,2005).
- 3756. Thaumetopoea (Traumatocampa) wilkinsoni Tams,1925** (Thaumetopoeidae) larva on Pinus halepensis, P. brutia, P. canariensis, P. roxburghii, P. eldarica, Cedrus libani, C. deodara, Cupressus sempervirens (Halperin,1990).
- 3757. Thaumetopoea (s.str.) processionea (Linnaeus,1758)** (Thaumetopoeidae) larva on Quercus (De Freina,1983).
- 3758. Thaumetopoea (s.str.) solitaria (Freyer,[1838])** (Thaumetopoeidae) larva on Pistacia terebinthus, Cupressus sempervirens, Fraxinus (Staudinger,1878; Wiltshire,1957; Freina & Witt,1987).
- 3759. Tethea ocularis (Linnaeus,1767)** (Thyatiridae) larva on Salix (Wiltshire,1957).
- 3760. Tethea or ([Denis & Schiffermüller],1775)** (Thyatiridae) larva on Populus nigra ([Denis & Schiffermüller],1775 et seq.).
- 3761. Thyatira batis (Linnaeus,1758)** (Thyatiridae) larva on Rubus (Rosaceae) (Yunus & Ho,1980).
- 3762. Banisia fenestriifera Walker,1863** (Thyridae) larva on Palaquium gutta (gutta-percha) (Sapotaceae) (Robinson et al.,1994).
- 3763. Banisia myrsusalis (Walker,1859)** (Thyridae) larva on Manilkara zapota (sapodilla plum) (Sapotaceae) (Robinson et al.,1994).
- 3764. Calindoea argentalis (Walker,[1866])** (Thyridae) larva on Syzygium jambos (Myrtaceae) (ex Li; Robinson et al.,1994).
- 3765. Calindoea trifascialis (Moore,1877)** (Thyridae) larva on Dipterocarpus tuberculatus (Dipterocarpaceae) (Robinson et al.,1994).
- 3766. Glanyeus tricolor Moore,1879** (Thyridae) larva on Liquidambar formosana (Hamamelidaceae) (ex Li, Robinson et al.,1994).
- 3767. Strigina scitaria (Walker,1862)** (Thyridae) larva on leaf of Quisqualis conferta [Rangoon creeper] (Combretaceae), Derris elliptica [tuba root] (Fabaceae), Phitcellobium dulce [Manila tamarind] (Fabaceae), Lagerstroemia speciosa [queen's crape myrtle] (Lythraceae) (Lewvanich,2001).
- 3768. Dasyses rugosella (Stainton,1859)** (Tineidae) larva on dead Cycas stems (Cycadaceae) (Robinson et al.,1994).
- 3769. Erechthias leucopogon (Meyrick,1924)** (Tineidae) larvae bore Bertholletia excelsa (Brazil nuts) (Lecythidaceae) (Robinson et al.,1994).
- 3770. Harmaclona tephraantha (Meyrick,1916)** (Tineidae) larva on Buchanania (Anacardiaceae) (Fletcher,1933).
- 3771. Kermania pistaciella Amsel,1964** (Tineidae) larva on Pistacia (Amsel,1964).
- 3772. Monopis congestella (Walker,1864)** (Tineidae) larva zoophagous on feathers of birds (Robinson,1988).
- 3773. Monopis impressella (Walker,1863)** (Tineidae) larva zoophagous on feathers of birds (Robinson,1988).
- 3774. Monopis longella (Walker,1863)** (Tineidae) larva zoophagous on feathers of birds (Robinson,1988).
- 3775. Montescardia tessulatellus (Lienig & Zeller,1846)** (Tineidae) larva on pore-fungi and dead wood of Picea, Fagus (Petersen,1969).

- 3776. Morophagoides berkeleyella (Powell,1968)** (Tineidae) larva on *Polyporus gilvus* (Polyporaceae) on fallen *Quercus agrifolia*; dead stems of *Lupinus*; a log of *Lithocarpus* (Lawrence & Powell,1969).
- 3777. Morophagoides burkerella (Busck,1904)** (Tineidae) larva on Polyporaceae (Lawrence & Powell,1969).
- 3778. Morophagoides iranensis G.Petersen,1960** (Tineidae) larva on Polyporaceae (Fomes, Ganoderma, Polyporus, Coriolus) on *Quercus*, *Zelkova*, *Parrotia* (Zagulyaev,1973).
- 3779. Nemapogon flavifrons G.Petersen,1959** (Tineidae) Larva on *Lentinus tigrinus* on *Salix* sp., *Pleurotus ostreatus* on *Morus alba* (Petersen,1961).
- 3780. Pyloetis mimosae Stainton:** (Tineidae) larva on seeds of *Cassia*, *Caesalpinia pulcherrima*, *Albizia lebbek*, *Mimosa arabica* (Fabaceae) (Robinson et al.,1994).
- 3781. Scardia boletella (Fabricius,1794)** (Tineidae) larva on Fomes, Ganoderma, Polyporus (Zagulyaev,1973).
- 3782. Tinea subalbida Stainton,1867** (Tineidae) larva zoophagous on feathers of birds and infesting mammal skins, horns and dried fruit (Robinson et al.,1994).
- 3783. Emmetia berberella (De Prins,1984)** (Tischeriidae) larva on *Rubus* (Rosaceae) (Prins,1984).
- 3784. Emmetia marginata (Haworth,1828)** (Tischeriidae) larva on *Rubus* (Rosaceae) (Prins,1984).
- 3785. Tischeria dodonaea Stainton,1858** (Tischeriidae) larva on *Quercus ithaburensis* (Sternlicht,1968).
- 3786. Tischeria ekebladella (Bjerkander,1795)** (Tischeriidae) larva on *Quercus ithaburensis*, *Q. calliprinos*, *Q. boissieri*, *Castanea sativa* (Fagaceae) (Sternlicht,1968).
- 3787. Tischeria rubiphagella Amsel,1935** (Tischeriidae) larva on *Rubus* (Rosaceae) (Amsel,1935; Prins,1984).
- 3788. "Grapholita" conciliata (Meyrick,1920)** (Tortricidae) larva on flowers of *Butea frondosa* (Fabaceae) (Clarke,1958).
- 3789. Acleris abietana (Hübner,1822)** (Tortricidae) larva on *Abies alba*, *Pinus*, *Picea excelsa* (Pinaceae) (Razowski,2001).
- 3790. Acleris boscanoides Razowski,1959** (Tortricidae) larva on *Ulmus* (Ulmaceae) (Klimesch,1968).
- 3791. Acleris caledoniana (Stephens,1852)** (Tortricidae) larva on *Myrica* (Myricaceae), *Vaccinium myrtillus* (Vacciniaceae), *Alchemilla glabra alpestris*, *Rubus*, *Potentilla* (Rosaceae) (Razowski,2001).
- 3792. Acleris comariana (Lienig & Zeller,1846)** (Tortricidae) larva on *Comarum palustre*, *Potentilla*, *Fragaria* (Rosaceae), *Rhododendron* (Ericaceae), *Salix* (Salicaceae) (Zeller,1846; Razowski,2001).
- 3793. Acleris cristana (Denis & Schiffmüller,1775)** (Tortricidae) larva on *Carpinus betulus* (Corylaceae), *Ulmus campestris* (Ulmaceae), *Rosa*, *Crataegus*, *Malus*, *Prunus spinosa*, *Pyrus* (Rosaceae), *Salix caprea* (Salicaceae) (Razowski,2001).
- 3794. Acleris emargana (Fabricius,1775)** (Tortricidae) larva on *Populus*, *Salix caprea*, *S. purpurea* (Salicaceae); *Corylus* (Corylaceae); *Alnus*, *Betula alba* (Betulaceae) (Razowski,2001).
- 3795. Acleris ferrugana (Denis & Schiffmüller,1775)** (Tortricidae) larva on *Quercus*, *Fagus* (Fagaceae), *Salix caprea* (Salicaceae) (Razowski,2001).
- 3796. Acleris fimbriana (Thunberg,1791)** (Tortricidae) larva on *Prunus spinosa*, *Spirea*, *Cerasus*, *Amygdalus nana*, *Prunus persica*, *Malus domestica* (Rosaceae), *Vaccinium uliginosum* (Vacciniaceae), *Betula nana* (Betulaceae) (Razowski,2001).
- 3797. Acleris hastiana (Linnaeus,1758)** (Tortricidae) larva on *Salix*, *Populus* (Salicaceae), *Rhamnus frangula* (Rhamnaceae) (Razowski,2001).
- 3798. Acleris hippophaeana (Heyden,1865)** (Tortricidae) larva on *Hippophae rhamnoides* (Elaeagnaceae) (Heyden,1865).
- 3799. Acleris hyemana (Haworth,1811)** (Tortricidae) larva on *Calluna vulgaris*, *Erica* (Ericaceae) (Razowski,2001).
- 3800. Acleris kochiella (Goeze,1783)** (Tortricidae) larva on *Ulmus campestris* (Ulmaceae) (Razowski,2001).
- 3801. Acleris lacordairana (Duponchel,1836)** (Tortricidae) larva on *Ulmus* (Ulmaceae), *Salix* (Salicaceae) (Razowski,2001).
- 3802. Acleris laterana (Fabricius,1794)** (Tortricidae) Symphytum officinale (Boraginaceae), *Vaccinium myrtillus* (Vacciniaceae), *Spiraea*, *Sorbus*, *Crataegus*, *Rubus*, *Prunus*, *Rosa* (Rosaceae), *Populus*, *Salix* (Salicaceae) (Razowski,2001).
- 3803. Acleris lipsiana (Denis & Schiffmüller,1775)** (Tortricidae) larva on *Vaccinium myrtillus*, *V. vitis-idea* (Vacciniaceae), *Malus sylvestris*, *Pyrus* (Rosaceae), *Betula* (Betulaceae) (Razowski,2001).
- 3804. Acleris literana (Linnaeus,1758)** (Tortricidae) larva on *Quercus robur*, *Q. pedunculata* (Fagaceae), *Betula* (Betulaceae), *Acer* (Aceraceae) (Razowski,2001).
- 3805. Acleris logiana (Clerck,1759)** (Tortricidae) larva on *Betula* (Betulaceae) (Razowski,2001).
- 3806. Acleris lorquiniana (Duponchel,1835)** (Tortricidae) larva on *Lythrum salicaria* (Lythraceae) (Razowski,2001).
- 3807. Acleris maccana (Treitschke,1835)** (Tortricidae) larva on *Vaccinium myrtillus*, *V. uliginosum* (Vacciniaceae), *Ledum palustre* (Ericaceae), *Myrica gale* (Myricaceae) (Razowski,2001).
- 3808. Acleris napaea (Meyrick,1912)** (Tortricidae) larva on *Salix* (Razowski,1963); ? *Populus nigra*, ? *Populus euphratica* (Razowski,1984).
- 3809. Acleris nigrilineana (Kawabe,1963)** (Tortricidae) larva on *Abies*, *Picea*, *Abies sachalinensis* (Pinaceae) (Razowski,2001).
- 3810. Acleris notana (Donovan,1806)** (Tortricidae) larva on *Betula*, *Alnus* (Betulaceae), *Fagus* (Fagaceae), *Populus* (Salicaceae), *Rubus*, *Pyrus* (Rosaceae) (Razowski,2001).
- 3811. Acleris permutana (Duponchel,1836)** (Tortricidae) larva on *Rosa spinosissima*, *Prunus spinosa* (Rosaceae) (Razowski,2001).
- 3812. Acleris quercinana (Zeller,1849)** (Tortricidae) larva on *Quercus* (Fagaceae), *Pyrus* (Rosaceae) (Zeller,1849; Razowski,2001).
- 3813. Acleris rhombana (Denis & Schiffmüller,1775)** (Tortricidae) larva on *Quercus* (Fagaceae), *Corylus avellana* (Corylaceae), *Crataegus*, *Prunus*, *Pyrus*, *Rosa*, *Sorbus aucuparia* (Rosaceae) (Razowski,2001).
- 3814. Acleris roscidana (Hübner,1799)** (Tortricidae) larva on *Populus tremula* (Salicaceae) (Razowski,2001).
- 3815. Acleris rufana (Denis & Schiffmüller,1775)** (Tortricidae) larva on *Myrica gale* (Myricaceae), *Populus alba*, *P. canescens*, *Salix caprea* (Salicaceae), *Rubus idaeus*, *R. fruticosus*, *Filipendula ulmaria* (Rosaceae), *Viburnum* (Caprifoliaceae) (Razowski,2001).
- 3816. Acleris scabrana (Denis & Schiffmüller,1775)** (Tortricidae) larva on *Salix*, *Populus* (Salicaceae) (Razowski,2001).
- 3817. Acleris schalleriana (Linnaeus,1761)** (Tortricidae) larva on *Viburnum lantana*, *V. opulus* (Caprifoliaceae), *Azalea* (Razowski,2001).
- 3818. Acleris shepherdana (Stephens,1852)** (Tortricidae) larva on *Spirea ulmaria*, *Sanguisorba officinalis*, *Ulmaria*, *Alchemilla* (Rosaceae) (Razowski,2001).
- 3819. Acleris sparsana (Denis & Schiffmüller,1775)** (Tortricidae) larva on *Acer campestre* (Aceraceae), *Fagus sylvatica*, *Quercus* (Fagaceae), *Carpinus betulus*, *Betula* (Betulaceae), *Salix* (Salicaceae), *Vaccinium uliginosum* (Vacciniaceae), *Sorbus* (Rosaceae) (Razowski,2001).
- 3820. Acleris umbrana (Hübner,1799)** (Tortricidae) larva on *Alnus glutinosa* (Betulaceae), *Salix caprea* (Salicaceae), *Sorbus aucuparia*, *Prunus spinosa*, *Padus avium*, *Crataegus* (Rosaceae), *Cornus sanguinea* (Cornaceae), *Carpinus* (Corylaceae) (Razowski,2001).
- 3821. Acleris variegana (Denis & Schiffmüller,1775)** (Tortricidae) larva on *Crataegus*, *Malus*, *Pyrus communis*, *Prunus spinosa*, *P. avium*, *Rosa*, *Poterium*, *Cotoneaster*, *Potentilla fruticosa*, *Sanguisorba*, *Amygdalus* (Rosaceae), *Corylus* (Corylaceae), *Ulmus* (Ulmaceae), *Vaccinium myrtillus* (Vacciniaceae), *Colutea* (Fabaceae) (Razowski,2001).
- 3822. Aethes aurofasciana (Mann,1855)** (Tortricidae) larva on *Gentiana clusii* (Gentianaceae) (Klimesch,1961).
- 3823. Aethes beatricella (Walsingham,1898)** (Tortricidae) larva on *Pastinaca sativa* (Apiaceae) (Razowski,2001).
- 3824. Aethes bilbaensis (Rössler,1877)** (Tortricidae) larva on *Crithmum maritimum*, *Carum verticillatum* (Apiaceae) (Swatschek,1958; Razowski,2001).
- 3825. Aethes cnicana (Westwood,1854)** (Tortricidae) larva on *Carduus*, *Cirsium oleraceum*, *C. vulgare* (Asteraceae) (Razowski,2001).
- 3826. Aethes deaurana (Peyerimhoff,1877)** (Tortricidae) larva on *Smyrniolus olusatrum* (Swatschek,1958).
- 3827. Aethes decimana (Denis & Schiffmüller,1775)** (Tortricidae) larva on *Centaurea montana* (Asteraceae) (Razowski,2001).
- 3828. Aethes deuschiana (Zetterstedt,1839)** (Tortricidae) larva on *Bartsia* (Scrophulariaceae) (Razowski,2001).
- 3829. Aethes dilucidana (Stephens,1852)** (Tortricidae) larva on *Peucedanum sativum*, *Pastinaca sativa*, *Heracleum sphondylium* (Apiaceae) (Kennel,1913).
- 3830. Aethes eryngiella (Vallot,1829)** (Tortricidae) larva on *Eryngium campestre* (Apiaceae) (Vallot,1829).
- 3831. Aethes fennicana (Hering,1924)** (Tortricidae) larva on *Angelica* (Apiaceae) (Razowski,2001).
- 3832. Aethes francillana (Fabricius,1794)** (Tortricidae) larva on *Eryngium campestre*, *Daucus*, *Pastinaca*, *Peucedanum*, *Angelica sylvestris*, *Plaocselinum meoides*, *Crithmum maritimum*, *Astydamia canariensis*, *Ferula communis* (Apiaceae) (Razowski,2001).
- 3833. Aethes hartmanniana (Clerck,1759)** (Tortricidae) larva on *Scabiosa ochroleuca*, *Knautia*, *Succisa* (Dipsacaceae) (Swatschek,1958).
- 3834. Aethes kindermanniana (Treitschke,1830)** (Tortricidae) larva on *Artemisia campestris*, *Chrysanthemum*, *Tanacetum corymbosum* (Asteraceae) (Razowski,2001).
- 3835. Aethes languidana (Mann,1855)** (Tortricidae) larva on *Helichrysum*, *Pagnalon* (Swatschek,1958).
- 3836. Aethes margaritana (Haworth,1811)** (Tortricidae) larva on *Tanacetum*, *Matricaria*, *Chamomilla*, *Achillea* (Asteraceae) (Swatschek,1958).
- 3837. Aethes margarotana (Duponchel,1836)** (Tortricidae) larva on *Eryngium maritimum* (Apiaceae) (Swatschek,1958).
- 3838. Aethes nefandana (Kennel,1899)** (Tortricidae) larva on *Eryngium* ? (Apiaceae) (Razowski,2001).
- 3839. Aethes piercei (Obratsov,1952)** (Tortricidae) larva on *Succisa pratensis* (Dipsacaceae) (Razowski,2001).
- 3840. Aethes rubigana (Treitschke,1830)** (Tortricidae) larva on *Arctium lappa*, *Cirsium oleraceum* (Asteraceae) (Swatschek,1958).
- 3841. Aethes rutilana (Hübner,1817)** (Tortricidae) larva on *Juniperus communis* (Cupressaceae) (Swatschek,1958).
- 3842. Aethes sanguinana (Treitschke,1830)** (Tortricidae) larva on *Eryngium campestre* (Apiaceae) (Swatschek,1958).
- 3843. Aethes smeathmanniana (Fabricius,1781)** (Tortricidae) larva on *Achillea millefolium*, *Anthemis cotula*, *Centaurea nigra* (Asteraceae), *Lactuca sativa* (Cichoriaceae) (Swatschek,1958).
- 3844. Aethes tessera (Denis & Schiffmüller,1775)** (Tortricidae) larva on *Crepis*, *Picris hieracioides*, *Hieracium*, *Conyza* (Asteraceae) (Swatschek,1958).
- 3845. Aethes triangulana (Treitschke,1835)** (Tortricidae) larva on *Veronica longifolia* (Lamiaceae) (Razowski,1970).
- 3846. Aethes williana (Brahm,1791)** (Tortricidae) larvae are pest on *Daucus carota* (Apiaceae); other foodplants: *Helichrysum arenarium*, *H. stoechas*, *Gnaphalium* (Asteraceae), *Eryngium campestre*, *E. maritimum*, *Ferula communis* (Apiaceae) (Razowski,2001).
- 3847. Agapeta hamana (Linnaeus,1758)** (Tortricidae) larva on *Ononis repens*, *Trifolium* (Fabaceae), *Cirsium arvense* (Asteraceae), (Razowski,1970,2001).
- 3848. Agapeta zoegana (Linnaeus,1767)** (Tortricidae) larva on *Scabiosa columbaria* (Dipsacaceae), *Centaurea panniculata*, *C. nigra*, *C. jacea*, *Jurinea linearifolia* (Asteraceae) (Razowski,2001).

- 3849.** *Aleimma loeflingianum* (Linnaeus,1758) (Tortricidae) larva on *Quercus petraea*, *Q. pubescens* (Fagaceae).
- 3850.** *Ancylis aromatiata* Meyrick,1912 (Tortricidae) larva on *Zizyphus jujuba* (Rhamnaceae) (Kawabe,1989).
- 3851.** *Aphelia (Zelotheres) ochreana* Hübner,[1799] (Tortricidae) larva on *Anemone*, *Pulsatilla* (Ranunculaceae), *Arabis turrata* (Brassicaceae), *Ononis* (Fabaceae), *Linus* (Linaceae) (Parenti,2000); *Carex nigra* ssp. *alpina* (Poaceae) (Kemal & Koçak,2004).
- 3852.** *Aphelia (Zelotheres) paleana* (Hübner,1793) (Tortricidae) larva on *Anemone*, *Ranunculus* (Ranunculaceae), *Scabiosa* (Dipsacaceae), *Filipendula* (Rosaceae), *Carduus*, *Centaurea*, *Cirsium* (Asteraceae), *Plantago* (Plantaginaceae), *Vaccinium* (Vacciniaceae), *Phleum* (Poaceae), *Quercus* (Fagaceae) (Razowski,2001).
- 3853.** *Aphelia (Zelotheres) unitana* (Hübner,[1799]) (Tortricidae) larva on *Angelica* (Apiaceae), *Allium* (Liliaceae) (Bradley,1973).
- 3854.** *Aphelia (s.str.) viburniana* (Fabricius,1787) (Tortricidae) larva on *Vaccinium*, *Ledum* (Ericaceae), *Larix*, *Picea*, *Pinus* (Pinaceae), *Salix* (Salicaceae), *Myrica* (Myricaceae), *Sanguisorba* (Rosaceae), *Coronilla* (Fabaceae), *Viburnum* (Caprifoliaceae), *Alisma* (Alismataceae), *Artemisia* (Asteraceae) (Razowski,2001).
- 3855.** *Apotomis betuletana* (Haworth,1811) (Tortricidae) larva on *Betula* (Haworth,1811).
- 3856.** *Apotomis capreana* (Hübner,[1817]) (Tortricidae) larva on *Salix caprea*, *Populus* (Salicaceae) (Razowski,1983).
- 3857.** *Apotomis infida* (Heinrich,1926) (Tortricidae) larva on *Salix* (Salicaceae) (Razowski,1983).
- 3858.** *Apotomis inundana* ([Denis & Schiffermüller],1775) (Tortricidae) larva on *Populus tremula* (Hannemann,1961).
- 3859.** *Apotomis lineana* ([Denis & Schiffermüller],1775) (Tortricidae) larva on *Salix alba*, *S. fragilis* (Salicaceae) (Razowski,1983).
- 3860.** *Apotomis sauciana* (Frölich,1828) (Tortricidae) larva on *Vaccinium myrtillus*, *Sorbus aucuparia* (Razowski,1983).
- 3861.** *Apotomis semifasciana* (Haworth,[1811]) (Tortricidae) larva on *Salix* (Salicaceae) (Razowski,1983).
- 3862.** *Apotomis turbidana* (Hübner,[1825]) (Tortricidae) larva on *Salix*, *Populus* (Salicaceae), *Betula* (Hannemann,1961).
- 3863.** *Arcesis threnodes* (Meyrick,1905) (Tortricidae) larva on leaf of *Bauhinia variegata* (white jade orchid tree) (Fabaceae) (Robinson et al.,1994); *Michelia alba* (Magnoliaceae) [white chempaka] (Lewvanich,2001).
- 3864.** *Archips abiophaga* (Yasuda,1975) (Tortricidae) larva on *Abies concolor*, *A. koreana*, *A. firma*, *A. sachalinensis*, *Picea abies* (Pinaceae) (Jinbo,2006).
- 3865.** *Archips betulanus* (Hübner,1787) (Tortricidae) larva on *Betula* (Betulaceae), *Corylus* (Corylaceae), *Myrica gale*, *Vaccinium myrtillus* (Vacciniaceae) (Hübner,1787; Razowski,2001).
- 3866.** *Archips crataeganus* (Hübner,[1799]) (Tortricidae) larva on *Ulmus* (Ulmaceae), *Tilia* (Tiliaceae), *Salix* (Salicaceae), *Betula* (Betulaceae), *Crataegus*, *Pyrus*, *Prunus* (Rosaceae), *Populus* (Salicaceae), *Quercus* (Fagaceae) (Razowski,2001).
- 3867.** *Archips micaceanus* (Walker,1863) (Tortricidae) larva on *Nephelium lappaceum* [rambutan], *Litchi chinensis* [litchi], *Dimocarpus longan* [longan] (Sapindaceae), *Mangifera indica* (Anacardiaceae) [mango], *Garcinia mangostana* (Guttiferaceae) [mangosteen], *Citrus maxima* (Rutaceae) [pomelo], *Eugenia* (Myrtaceae) [rose apple], *Atrocarpus heterophyllus* (Moraceae) [jack fruit], *Helianthus annuus* (Asteraceae) [sunflower], *Datura metel* (Solanaceae) [thorn apple] (Lewvanich,2001).
- 3868.** *Archips oporanus* (Linnaeus,1758) (Tortricidae) larva on *Pinus sylvestris*, *Abies alba*, *Picea*, *Larix* (Pinaceae), *Juniperus* (Cupressaceae) (Razowski,2001).
- 3869.** *Archips podanus* (Scopoli,1763) (Tortricidae) larva on *Corylus* (Corylaceae), *Fagus* (Fagaceae), *Malus*, *Pyrus*, *Rosa* (Rosaceae), *Ribes* (Rosulariaceae), *Vaccinium* (Vacciniaceae), *Trifolium* (Fabaceae), *Picea* (Pinaceae) (Razowski,2001).
- 3870.** *Archips pulchra* (Butler,1879) (Tortricidae) larva on *Abies sachalinensis*, *A. homolepis*, *A. firma*, *Picea abies* (Pinaceae), *Taxus cuspidata* (Taxaceae) (Jinbo,2006).
- 3871.** *Archips rosanus* (Linnaeus,1758) (Tortricidae) larva on *Malus*, *Pyrus*, *Crataegus* (Rosaceae), *Ligustrum* (Oleaceae) (Razowski,2001).
- 3872.** *Archips xylosteanus* (Linnaeus,1758) (Tortricidae) larva on *Quercus* (Fagaceae), *Acer* (Aceraceae), *Betula* (Betulaceae), *Lonicera* (Caprifoliaceae), *Pyrus*, *Malus*, *Crataegus* (Rosaceae) (Razowski,2001).
- 3873.** *Argyrotaenia ljugiana* (Thunberg,1797) (Tortricidae) larva on *Myrica gale* (Myricaceae), *Calluna*, *Erica* (Ericaceae), *Vaccinium* (Vacciniaceae), *Betula* (Betulaceae), *Malus*, *Prunus* (Rosaceae), *Abies*, *Picea*, *Larix* (Pinaceae) (Razowski,2001).
- 3874.** *Bactra (Chiloides) venosana* (Zeller,1847) (Tortricidae) larva on *Cyperus rotundus* (Cyperaceae) (Diakonoff,[1968]).
- 3875.** *Bubonoxena ephippiata* (Meyrick,1907) (Tortricidae) larva on *Commelina bengalensis* (Commelinaceae) (Kawabe,1989).
- 3876.** *Cacocimorpha pronubana* (Hübner,[1799]) (Tortricidae) larva on *Aristolochia* (Aristolochiaceae), *Dianthus* (Silenaceae), *Euphorbia* (Euphorbiaceae), *Thymus* (Lamiaceae), *Saxifraga* (Saxifragaceae), *Hedera* (Araliaceae), *Ligustrum* (Oleaceae), *Pistacia* (Anacardiaceae), *Rubus*, *Rosa* (Rosaceae), *Viburnum* (Caprifoliaceae), *Robinia* (Fabaceae) (Razowski,2001).
- 3877.** *Capua vulgana* (Frölich,1828) (Tortricidae) larva on *Vaccinium* (Vacciniaceae), *Quercus* (Fagaceae), *Ulmus* (Ulmaceae), *Betula*, *Alnus* (Betulaceae), *Sorbus*, *Rubus* (Rosaceae) (Razowski,2001).
- 3878.** *Celypha aurofasciana* (Haworth,[1811]) (Tortricidae) larva on *Quercus*, *Malus*, *Prunus*, *Betula* (Razowski,1983).
- 3879.** *Celypha capreolana* (Herrich-Schäffer,1851) (Tortricidae) larva on *Hieracium* (Razowski,1983).
- 3880.** *Celypha cespitana* (Hübner,[1817]) (Tortricidae) larva on *Calluna*, *Thymus*, *Trifolium* (Razowski,1983).
- 3881.** *Celypha rivulana* (Scopoli,1763) (Tortricidae) larva on *Genista*, *Lotus*, *Medicago* (Fabaceae), *Orchis*, *Plantago*, *Scabiosa*, *Rubus*, *Betula* (Razowski,1983).
- 3882.** *Celypha rufana* (Scopoli,1763) (Tortricidae) larva on *Achillea*, *Chrysanthemum leucanthemum*, *Artemisia vulgaris*, *Sonchus arvensis* (Asteraceae) (Razowski,1983).
- 3883.** *Celypha rurestrana* (Duponchel,1843) (Tortricidae) larva on *Hieracium umbellatum*, *Sonchus*, *Vaccinium* (Razowski,1983).
- 3884.** *Celypha striana* ([Denis & Schiffermüller],1775) (Tortricidae) larva on *Plantago lanceolata*, *Taraxacum officinale* (Razowski,1983).
- 3885.** *Celypha tiedemanniana* (Zeller,1845) (Tortricidae) larva on *Equisetum* (Razowski,1983).
- 3886.** *Celypha woodiana* (Barrett,1882) (Tortricidae) larva on *Viscum album* (Razowski,1983).
- 3887.** *Choristoneura diversana* (Hübner,[1817]) (Tortricidae) larva on *Betula*, *Alnus* (Betulaceae), *Populus* (Salicaceae), *Pyrus*, *Prunus*, *Alchemilla* (Rosaceae), *Trifolium* (Fabaceae) (Razowski,2001).
- 3888.** *Choristoneura hebenstreitella* (Müller,1764) (Tortricidae) larva on *Quercus* (Fagaceae), *Betula* (Betulaceae), *Corylus* (Corylaceae), *Sorbus* (Rosaceae), *Myrica* (Myricaceae), *Vaccinium* (Vacciniaceae) (Razowski,2001).
- 3889.** *Choristoneura lafauryana* (Ragonot,1875) (Tortricidae) larva on *Fragaria*, *Malus*, *Pyrus* (Rosaceae), *Saxifragaceae*, *Myrica gale* (Myricaceae), *Citrus* (Rutaceae), *Abutilon* (Malvaceae), *Glycine* (Fabaceae) (Razowski,2001).
- 3890.** *Choristoneura murinana* (Hübner,[1799]) (Tortricidae) larva on *Abies alba*, *Abies cilicica* (Pinaceae) (Razowski,2001; Sarıkaya & Avcı,2002).
- 3891.** *Clavigesta purdeyi* (Durrant,1911) (Tortricidae) larva on *Pinus sylvestris*, *P. contorta* var. *latifolia*, var. *maritima* (Pinaceae) (Huemer & Luquet,1991).
- 3892.** *Cleipsis lindebergi* (Krogerus,1952) (Tortricidae) larva on *Asphodeline* ? (Liliaceae) (Razowski,2001).
- 3893.** *Cleipsis pallidana* (Fabricius,1776) (Tortricidae) larva on *Jasione montana* (Campanulaceae) (Razowski,2001).
- 3894.** *Cleipsis rogana* (Guenée,1845) (Tortricidae) larva on *Vaccinium* (Vacciniaceae), *Luzula* (Juncaceae), *Veratrum album* (Liliaceae) (Razowski,2001).
- 3895.** *Cleipsis rolandiana* (Linnaeus,1758) (Tortricidae) larva on *Veratrum album* (Liliaceae) (Razowski,2001).
- 3896.** *Cleipsis rurinana* (Linnaeus,1758) (Tortricidae) larva on *Urtica* (Myricaceae), *Chelidonium* (Papaveraceae), *Convolvulus* (Convolvulaceae), *Euphorbia* (Euphorbiaceae), *Rumex* (Polygonaceae), *Aconitum* (Ranunculaceae), *Lilium* (Liliaceae), *Anthriscus* (Apiaceae), *Aster* (Asteraceae), *Rosa* (Rosaceae), *Lonicera xylosteum* (Caprifoliaceae), *Acer* (Aceraceae), *Quercus* (Fagaceae) (Razowski,2001).
- 3897.** *Cleipsis senecionana* (Hübner,[1819]) (Tortricidae) larva on *Myrica* (Myricaceae), *Vaccinium myrtillus* (Vacciniaceae), *Lotus*, *Onobrychis* (Fabaceae), *Polygonatum* (Polygonaceae), *Potentilla* (Rosaceae), *Convallaria* (Liliaceae), *Picea*, *Pinus*, *Larix* (Pinaceae) (Razowski,2001).
- 3898.** *Cleipsis spectrana* (Treitschke,1830) (Tortricidae) larva on *Scirpus lacustris* (Cyperaceae), *Comarum palustre*, *Spirea ulmaria* (Rosaceae), *Glyceria spectabilis* (Poaceae), *Cicuta* (Apiaceae), *Epilobium hirsutum* (Oenotheraceae), *Iris pseudacorus* (Iridaceae) (Razowski,2001).
- 3899.** *Cleipsis steineriana* (Hübner,[1799]) (Tortricidae) larva on *Vaccinium myrtillus*, *V. uliginosum* (Vacciniaceae), *Veratrum album* (Liliaceae), *Anemone pulsatilla* (Ranunculaceae), *Luzula alba* (Juncaceae) (Razowski,2001).
- 3900.** *Cnephasia (Cnephasiella) abrasana* (Duponchel,1843) (Tortricidae) larva on *Achillea millefolium* (Asteraceae) (Razowski,2001).
- 3901.** *Cnephasia (Cnephasiella) incertana* (Treitschke,1835) (Tortricidae) larva on *Chrysanthemum*, *Plantago* (Plantaginaceae), *Rumex* (Polygonaceae), *Ranunculus* (Ranunculaceae), *Trifolium*, *Pisum*, *Ononis*, *Medicago*, *Lotus* (Fabaceae), *Saxifraga* (Saxifragaceae), *Primula* (Primulaceae), *Petasites* (Asteraceae), *Malus* (Rosaceae), *Larix*, *Pseudotsuga* (Pinaceae) (Razowski,2001).
- 3902.** *Cnephasia (s.str.) alticolana* (Herrich-Schäffer,1851) (Tortricidae) larva on *Plantago* (Plantaginaceae), *Primula* (Primulaceae), *Rumex* (Polygonaceae), *Taraxacum* (Asteraceae), *Salix* (Salicaceae) (Razowski,2001).
- 3903.** *Cnephasia (s.str.) asseclana* ([Denis & Schiffermüller],1775) (Tortricidae) larva on *Chrysanthemum* (Asteraceae), *Ranunculus* (Ranunculaceae), *Rumex* (Polygonaceae), *Plantago* (Plantaginaceae), *Lathyrus* (Fabaceae) (Razowski,2001).
- 3904.** *Cnephasia (s.str.) chrysanthemana* (Duponchel,1843) (Tortricidae) larva on *Lathyrus* (Fabaceae), *Scabiosa* (Dipsacaceae), *Artemisia*, *Chrysanthemum*, *Cirsium*, *Carlina*, *Centaurea*, *taraxacum* (Asteraceae), *Pulmonaria* (Boraginaceae), *Eryngium* (Apiaceae) (Razowski,2001).
- 3905.** *Cnephasia (s.str.) ciscaucasica* Filipjev (Tortricidae) larva on *Carduus* (Asteraceae) (Esartiya,1988).
- 3906.** *Cnephasia (s.str.) communana* (Herrich-Schäffer,[1851]) (Tortricidae) larva on *Plantago* (Plantaginaceae), *Rumex* (Polygonaceae), *Chrysanthemum* (Asteraceae), *Lotus* (Fabaceae) (Razowski,2001).
- 3907.** *Cnephasia (s.str.) cupressivorana* (Staudinger,1871) (Tortricidae) larva on *Cupressus* (Staudinger,1871).
- 3908.** *Cnephasia (s.str.) ecullana* Réal,1951 (Tortricidae) larva on *Rosaceae* (Razowski,2001).
- 3909.** *Cnephasia (s.str.) genitalana* Pierce & Metcalfe,1922 (Tortricidae) larva on *Senecio*, *Chrysanthemum*, *Hieracium* (Asteraceae), *Teucrium* (Lamiaceae), *Ranunculus* (Ranunculaceae) (Razowski,2001).
- 3910.** *Cnephasia (s.str.) longana* (Haworth,[1811]) (Tortricidae) larva on *Chrysanthemum*, *Anthemis*, *Aster* (Asteraceae), *Ranunculus* (Ranunculaceae), *Lychnis* (Silenaceae), *Convolvulus arvensis* (Convolvulaceae) (Razowski,2001).
- 3911.** *Cnephasia (s.str.) oxyacanthana* (Herrich-Schäffer,[1851]) (Tortricidae) larva on *Crataegus* (Rosaceae) (Razowski,2001).

- 3912.** *Cnephasia (s.str.) pasiuana* (Hübner,1799) (Tortricidae) larva on Chrysanthemum, Achillea, Aster, Cirsium, Artemisia, Anthemis (Asteraceae), Poaceae (Razowski,2001).
- 3913.** *Cnephasia (s.str.) sedana* (Constant,1884) (Tortricidae) larva on Euphorbia (Euphorbiaceae), Sedum, Sempervivum (Crassulaceae), Primula (Primulaceae), Valeriana (Valerianaceae) (Razowski,2001).
- 3914.** *Cnephasia (s.str.) stephensiana* (Doubleday,1849) (Tortricidae) larva on Chrysanthemum, Centaurea, Taraxacum, Inula, Hieracium (Asteraceae), Rumex (Polygonaceae), Plantago (Plantaginaceae), Vicia (Fabaceae) (Razowski,2001).
- 3915.** *Cochyliidia heydeniana* (Herrich-Schäffer,1851) (Tortricidae) larva on Erigeron acre, Solidago virgaurea (Asteraceae) (Razowski,2001).
- 3916.** *Cochyliidia implicitana* (Wocke,1856) (Tortricidae) larva on Matricaria, Anthemis, Anthemis, Solidago, Chrysanthemum, Aster, Alchemilla, Chrysocoma, Gnaphalium, Helichrysum, Tanacetum (Asteraceae) (Razowski,1970,2001).
- 3917.** *Cochyliidia moguntiana* (Rössler,1864) (Tortricidae) larva on Artemisia campestris (Asteraceae) (Razowski,2001).
- 3918.** *Cochyliidia richteriana* (Fischer v. Röslerstamm,1837) (Tortricidae) larva on Artemisia campestris, Achillea millefolium (Asteraceae) (Razowski,2001).
- 3919.** *Cochyliidia rupicola* (Curtis,1834) (Tortricidae) larva on Eupatorium cannabinum (Asteraceae), Lycopodium europaeus (Lamiaceae), Chrysocoma linostris (Razowski,2001).
- 3920.** *Cochyliidia subroscana* (Haworth,1811) (Tortricidae) larva on Solidago, Artemisia (Asteraceae) (Razowski,2001).
- 3921.** *Cochyliomorpha alternana* (Stephens,1834) (Tortricidae) larva on Centaurea scabiosa (Asteraceae) (Kennel,1913; Razowski,2001).
- 3922.** *Cochyliomorpha clavana* (Constant,1888) (Tortricidae) larva on Artemisia gallica (Razowski,1970).
- 3923.** *Cochyliomorpha cultana* (Lederer,1855) (Tortricidae) larva on Artemisia campestris (Razowski,1970).
- 3924.** *Cochyliomorpha elongana* (Fischer v. Röslerstamm,1839) (Tortricidae) larva on Artemisia campestris, Helichrysum, Achillea millefolium (Asteraceae) (Razowski,1970,2001).
- 3925.** *Cochyliomorpha hilarana* (Herrich-Schäffer,1851) (Tortricidae) larva on Artemisia campestris (Asteraceae) (Swatschek,1958).
- 3926.** *Cochyliomorpha obliquana* (Eversmann,1844) (Tortricidae) larva on Artemisia maritima, A. stepposa, A. santonicum (Asteraceae) (Kasy,1958; Razowski,2001).
- 3927.** *Cochyliomorpha perfusana* (Guenée,1845) (Tortricidae) larva on Centaurea stoebe, C. triumfetti (Asteraceae) (Razowski,1970,2001).
- 3928.** *Cochyliomorpha peucedana* (Ragonot,1889) (Tortricidae) larva on Peucedanum gallicum, Santolina chamaeciparissus, S. rosmarinifolia (Chretien,1902-1905).
- 3929.** *Cochyliomorpha psalmophanes* (Meyrick,1925) (Tortricidae) larva on Artemisia judaica (Razowski,1970).
- 3930.** *Cochyliomorpha straminea* (Haworth,1811) (Tortricidae) larva on Scabiosa (Dipsacaceae), Artemisia, Centaurea (Asteraceae) (Swatschek,1958; Razowski,2001).
- 3931.** *Cochyliomorpha wolniana* (Schleich,1868) (Tortricidae) larva on Artemisia absinthium (Asteraceae) (Razowski,2001).
- 3932.** *Cochyliis atricapitana* (Stephens,1852) (Tortricidae) larva on Senecio jacobaea, Hypericum, Hieracium (Asteraceae) (Razowski,2001).
- 3933.** *Cochyliis defessana* (Mann,1861) (Tortricidae) larva on Centaurea divergens at Amasia (Staudinger,1879).
- 3934.** *Cochyliis dubitana* (Hübner,1799) (Tortricidae) larva on Senecio, Crepis, Picris, Carduus nutans, C. acanthoides, Hieracium, Solidago, Cirsium lanceolatum (Asteraceae) (Razowski,2001).
- 3935.** *Cochyliis epilinaea Duponchel,1842* (Tortricidae) larva on Linum usitatissimum, L. catharticum, L. campanulatum (Linaceae), Solidago (Asteraceae), Cephalaria leucantha (Dipsacaceae) (Razowski,2001).
- 3936.** *Cochyliis flaviciliata* (Westwood,1854) (Tortricidae) larva on Scabiosa, Knautia (Dipsacaceae) (Razowski,2001).
- 3937.** *Cochyliis hybridella* (Hübner,1813) (Tortricidae) larva on Picris hieracioides, Crepis (Asteraceae) (Razowski,2001).
- 3938.** *Cochyliis nana* (Haworth,1811) (Tortricidae) larva on Betula nana (Betulaceae) (Razowski,2001).
- 3939.** *Cochyliis posterana* Zeller,1847 (Tortricidae) larva on Carduus nutans, Centaurea jacea, Cirsium lanceolatum (Asteraceae) (Razowski,2001).
- 3940.** *Cochyliis roseana* (Haworth,1811) (Tortricidae) larva on Solidago (Asteraceae), Dipsacus sylvestris (Dipsacaceae), Antirrhinum (Scrophulariaceae) (Razowski,2001).
- 3941.** *Commophila aeneana* (Hübner,1800) (Tortricidae) larva on Picris hieracioides, Senecio paludosus, S. jacobaea (Asteraceae) (Razowski,2001).
- 3942.** *Coniostola stereoma* (Meyrick,1912) (Tortricidae) larva on Acacia catechu, A. pennata, Dichrostachys cinerea (Fabaceae) (Robinson et al.,1994).
- 3943.** *Croesia bergmanniana* (Linnaeus,1758) (Tortricidae) larva on Rosa canina (Rosaceae), Rhamnus cathartica (Rhamnaceae) (Razowski,2001).
- 3944.** *Croesia forsskalana* (Linnaeus,1758) (Tortricidae) larva on Acer campestre, A. pseudoplatanus (Aceraceae), Rosa (Rosaceae) (Parenti,2000; Razowski,2001).
- 3945.** *Croesia holmiana* (Linnaeus,1758) (Tortricidae) larva on Pyrus malus, Crataegus, Prunus, Rosa (Rosaceae) (Linnaeus,1758; Razowski,2001).
- 3946.** *Cryptocochylis conjunctana* (Mann,1864) (Tortricidae) larva on Achillea nobilis (Asteraceae) (Razowski,2001).
- 3947.** *Cryptophlebia ombrodelta* (Lower,1898) (Tortricidae) larva on Fabaceae; Litchi chinensis (Litchi) (Sapindaceae) (Robinson et al.,1994).
- 3948.** *Cryptophlebia rhynchias* (Meyrick,1905) (Tortricidae) larva on Canavalia, Erythrina, Gajanus (Fabaceae) (Kawabe,1989).
- 3949.** *Cydia alazon* (Diakonoff,1976) (Tortricidae) larva on Pinus canariensis (Pinaceae) (Jaros & Spitzer,2005).
- 3950.** *Cydia campestris* (Meyrick,1914) (Tortricidae) larva on fruit of Combretum (Meyrick,1914).
- 3951.** *Cydia coluteana* (Amsel,1959) (Tortricidae) larva on Colutea (Amsel,1959).
- 3952.** *Cymolomia phaeopelta* (Meyrick,1921) (Tortricidae) larva rolls leaves of Schima noronhai (Theaceae) (Diakonoff,1973).
- 3953.** *Dactyloglypha tonica* (Meyrick,1909) (Tortricidae) larva on Elaeocarpus japonicus, E. sylvestris var. ellipticus (Elaeocarpaceae) (Kawabe,1989).
- 3954.** *Diceratura ostrinana* (Guenée,1845) (Tortricidae) larva on Chondrilla juncea (Cichoriaceae), Dipsacaceae (Dipsacaceae) (Razowski,2001).
- 3955.** *Dichelia cedricola* (Diakonoff,1974) (Tortricidae) larva on Cedrus libani (Diakonoff,1974).
- 3956.** *Dichelia histriana* (Frölich,1828) (Tortricidae) larva on Abies, Picea excelsa (Pinaceae) (Razowski,2001).
- 3957.** *Doloploca punctulana* (Denis & Schiffermüller,1775) (Tortricidae) larv on Fraxinus, Ligustrum vulgare (Oleaceae), Lonicera (Caprifoliaceae), Berberis (Berberidaceae) (Razowski,2001).
- 3958.** *Dudua adocima* Diakonoff,1981 (Tortricidae) larva on leaves of Glochidion obovatum (Euphorbiaceae) (Kawabe,1989).
- 3959.** *Dudua aprobola* (Meyrick,1886) (Tortricidae) larva on Rosa (Rosaceae), Mangifera indica [mango], Lantana camara, Dahlia, Nephelium litchi [litchi] (Sapindaceae); Dimocarpus longan, Cassia tora, Polyalthia longifolia, Lagerstroemia flos-reginae (Myrtiflorae), Loranthus, Salix tetrasperma (Salicaceae), Schleicheria trijuga (Diakonoff,1973; Kawabe,1989; Lewvanich,2001).
- 3960.** *Dudua cellifera* (Meyrick,1912) (Tortricidae) larva on Eugenia, Nephelium [rambutan] (Diakonoff,1973).
- 3961.** *Eana (Eutrachia) goiana* (Linnaeus,1761) (Tortricidae) larva on Poaceae, Salix (Salicaceae), Picea (Pinaceae), Moosen (Razowski,2001).
- 3962.** *Eana (Subeana) canescana* (Guenée,1845) (Tortricidae) larva on Saponaria officinalis (Silenaceae), Hippocrepis comosa (Fabaceae) (Razowski,2001).
- 3963.** *Eana (s.str.) incanana* (Stephens,1852) (Tortricidae) larva on Chrysanthemum (Asteraceae), Endymion leucanthemum, Ornithogalum nutans, Scilla (Liliaceae), Vaccinium (Vacciniaceae), Salix (Salicaceae) (Razowski,2001).
- 3964.** *Eana (s.str.) penziana* (Thunberg,1791) (Tortricidae) larva on Sempervivum (Crassulaceae), Euphrasia (Scrophulariaceae), Saxifraga (Saxifragaceae), Lotus (Fabaceae), Festuca ovina (Poaceae) (Razowski,2001).
- 3965.** *Emrahia acanthis* (Meyrick,1920) (Tortricidae) larva on Justicia gendarussa (Acanthaceae) (Robinson et al.,2007).
- 3966.** *Emrahia hoplistia* (Meyrick,1927) (Tortricidae) larva on Barleria (Acanthaceae), Perilla frutescens (Lamiaceae) (Robinson et al.,2007).
- 3967.** *Endothia ericetana* (Humphreys & Westwood,1845) (Tortricidae) larva on Erica (Humphreys & Westwood,1845).
- 3968.** *Endothia pauperulana* (Staudinger,1859) (Tortricidae) larva on Marrubium vulgare, Sideritis hirsuta (Lamiaceae) (Huemer & Luquet,1991).
- 3969.** *Epapoge grotiana* (Fabricius,1781) (Tortricidae) larva on Quercus (Fagaceae), Crataegus, Rubus, Rosa (Rosaceae), Vaccinium (Vacciniaceae) (Razowski,2001).
- 3970.** *Epiblema foenella* (Linnaeus,1758) (Tortricidae) larva on Artemisia argyi, A. vulgaris (Asteraceae), Pragmites communis (Poaceae) (Kawabe,1989; Kuznetsov,2001).
- 3971.** *Epinotia bicolor* (Walsingham,1900) (Tortricidae) larva on Quercus glauca, Q. phylliraeoides, Q. acutissima (Fagaceae) (Kawabe,1982).
- 3972.** *Epinotia contraria* (Christoph,1881) (Tortricidae) larva on Astilbe microphylla (Saxifragaceae) (Kawabe,1982).
- 3973.** *Epinotia cruciana* (Linnaeus,1761) (Tortricidae) larva on Salix (Salicaceae) (Kawabe,1982).
- 3974.** *Epinotia exquisitana* (Christoph,1881) (Tortricidae) larva on Sorbus commixta, S. alnifolia (Rosaceae) (Kawabe,1982).
- 3975.** *Epinotia majorana* (Caradja,1916) (Tortricidae) larva on Heracleum moellendorffii (Apiaceae) (Issiki,1057).
- 3976.** *Epinotia pentagonana* Kennel,1901 (Tortricidae) larva on Celtis (Ulmaceae) (Kawabe,1982).
- 3977.** *Epinotia piceae* (Issiki,1961) (Tortricidae) larva on Abies mariesii, A. sachalinensis, Picea (Oku,1968).
- 3978.** *Epinotia pinicola* Kuznetsov,1969 (Tortricidae) larva on Pinus pumila (Pinaceae) (Suzuki & Komai,1984).
- 3979.** *Epinotia rasdolnyana* (Christoph,1882) (Tortricidae) larva on Acer (Aceraceae) (Kawabe,1982).
- 3980.** *Epinotia rubiginosana* (Herrich-Schäffer,1851) (Tortricidae) larva on Pinus koraiensis, P. densiflora, P. strobus (Pinaceae) (Oku,1968).
- 3981.** *Epinotia rubricana* Kuznetsov,1968 (Tortricidae) larva on Alnus japonica (Betulaceae) (Kawabe,1982).
- 3982.** *Epinotia signatana* (Douglas,1845) (Tortricidae) larva on Prunus spinosa, Padus avium, P. asiatica, P. siori, Cerasus, Malus sylvestris, Crataegus (Rosaceae) (Kuznetsov,2001).
- 3983.** *Epinotia thapsiana* (Zeller,1847) (Tortricidae) larva on Laserpitium gallicum, Foeniculum officinale, Thapsia villosa, Ferula communis, Ligusticum pyrenaicum, Crithmum maritimum (Apiaceae) (Hannemann,1961).
- 3984.** *Epinotia tianshanensis* Liu & Nasu,1993 (Tortricidae) larva on Picea schrenkiana (Pinaceae) (Liu & Li,2002).
- 3985.** *Epinotia ulmi* Kuznetsov,1966 (Tortricidae) larva on Ulmus davidiana, U. laciniata (Ulmaceae) (Kuznetsov,1966; Kawabe,1982).
- 3986.** *Epinotia ulmicola* Kuznetsov,1966 (Tortricidae) larva on Zelkova serrata, Ulmus davidiana var. japonica, U. laciniata (Ulmaceae) (Kawabe,1982).
- 3987.** *Eucoenogenes ancyrota* (Meyrick,1907) (Tortricidae) larva on Ternstroemia (Theaceae) (Kawabe,1989).
- 3988.** *Eudemis (s.str.) archimedes* (Meyrick,1912) (Tortricidae) larva on Litsea, Cinnamomum, Eugenia (Diakonoff,1973).

3989. *Eugnosta hydrargyra* (Eversmann,1842) (Tortricidae) larva on *Jurinea cyanoides* (Asteraceae) (Razowski,2001).
3990. *Eugnosta lathoniana* (Hübner,[1800]) (Tortricidae) larva on *Carduus?* (Asteraceae) (Razowski,2001).
3991. *Eupoecilia ambiguella* (Hübner,1796) (Tortricidae) larva on *Vitis*. Other foodplants are *Hedera helix* (Araliaceae), *Cornus mas* (Cornaceae), *Syringa persica*, *Ligustrum vulgare* (Oleaceae), *Viburnum*, *Acer campestre* (Aceraceae), *Rhamnus frangula*, *Ligustrum*, *Symphoricarpos racemosus* (sensu auct.).
3992. *Eupoecilia angustana* (Hübner,[1799]) (Tortricidae) larva on *Thymus*, *Origanum* (Lamiaceae), *Solidago*, *Achillea* (Asteraceae), *Plantago* (Plantaginaceae), *Calluna* (Ericaceae) (Razowski,2001).
3993. *Eupoecilia cebrana* (Hübner,[1813]) (Tortricidae) larva on *Helichrysum* (Asteraceae) (Swatschek,1958).
3994. *Eupoecilia sanguisorbana* (Herrich-Schäffer,1856) (Tortricidae) larva on *Sanguisorba officinalis* (Rosaceae) (Herrich-Schäffer,1856; Razowski,2001).
3995. *Exapate congelatella* (Clerck,1759) (Tortricidae) larva on *Ligustrum* (Oleaceae), *Rhamnus* (Rhamnaceae), *Quercus* (Fagaceae), *Vaccinium* (Vacciniaceae), *Crataegus*, *Malus* (Rosaceae), *Berberis* (Berberidaceae), *Salix* (Salicaceae) (Razowski,2001).
3996. *Exapate duratella* Heyden,1864 (Tortricidae) larva on *Larix* (Pinaceae) (Razowski,2001).
3997. *Falseuncaria degreyana* (McLachlan,1869) (Tortricidae) larva on *Plantago* (Plantaginaceae), *Linaria*, *Antirrhinum* (Scrophulariaceae) (Razowski,2001).
3998. *Falseuncaria ruficiliana* (Haworth,[1811]) (Tortricidae) larva on *Primula veris*, *P. farinosa* (Primulaceae), *Linaria vulgaris*, *Antirrhinum* (Scrophulariaceae), *Inula officinalis*, *Aster linosyris*, *Bellis perennis* (Asteraceae), *Gentiana verna* (Gentianaceae) (Razowski,2001).
3999. *Fulvoclysia nerminea* Koçak,1982 (Tortricidae) larva on *Scabiosa* (Dipsacaceae) (Razowski,2001).
4000. *Gatesclarkeana idia* Diakonoff,1973 (Tortricidae) larva on leaves and flowers of *Thea* (Theaceae), *Citrus* (Rutaceae), *Aleurites*, *Ricinus* (Euphorbiaceae), *Perilla* (Lamiaceae), *Eugenia* (Myrtaceae), *Nephelium* (Sapindaceae), *Averrhoa carambola* (Oxalidaceae) (Kawabe,1989).
4001. *Gatesclarkeana senior* Diakonoff,1966 (Tortricidae) larva on *Mallotus* (Euphorbiaceae) (Kawabe,1989).
4002. *Gibberifera glaciata* (Meyrick,1907) (Tortricidae) larva on *Salix* (Salicaceae) (Liu & Li,2002).
4003. *Gibberifera simplana* (Fischer v. Röslersstamm,1836) (Tortricidae) larva on *Populus tremula* (Salicaceae) (Kawabe,1989).
4004. *Gnathoceros tonsoria* (Meyrick,1909) (Tortricidae) larva on *Barringtonia racemosa* (Myrtaceae) (Diakonoff,1973).
4005. *Gynnidomorpha alismana* (Ragonot,1883) (Tortricidae) larva on *Alisma plantago* (Alismataceae) (Kennel,1913).
4006. *Gynnidomorpha luridana* (Gregson,1870) (Tortricidae) larva on *Matricaria recutita* (Asteraceae) (Razowski,2001).
4007. *Gynnidomorpha minimana* (Caradja,1916) (Tortricidae) larva on *Pedicularis palustris* (Razowski,1970).
4008. *Gynnidomorpha permixtana* ([Denis & Schiffermüller],1775) (Tortricidae) larva on *Alectrolophus*, *Pedicularis* (Scrophulariaceae), *Gentiana lutea* (Gentianaceae), *Solidago virgaurea* (Asteraceae), *Alisma plantago -aquitica* (Alismataceae), *Butomus* (Butomaceae) (Razowski,2001).
4009. *Gynnidomorpha vectisana* (Humphreys & Westwood,1845) (Tortricidae) larva on *Plantago maritima* (Plantaginaceae), *Salicornia* (Chenopodiaceae), *Triglochin palustre* (Juncaginaceae) (Razowski,2001).
4010. *Gypsonoma euphratica* (Amsel,1935) (Tortricidae) larva on *Populus euphratica* (Amsel, 1935, 1955).
4011. *Gypsonoma imparana* Müller-Rutz,1914 (Tortricidae) larva on *Salix viminalis* (Salicaceae) (Huemer & Luquet,1991).
4012. *Hedya dimidiana* (Clerck,1759) (Tortricidae) larva on *Padus avium* (Kuznetsov,1979).
4013. *Hedya ebenina* (Meyrick,1916) (Tortricidae) larva on *Diospyros* sp. (Ebenaceae) (Kawabe,1989).
4014. *Hedya iophaea* (Meyrick,1912) (Tortricidae) larva on *Eurya japonica* (Theaceae) (Kawabe,1989).
4015. *Hedya nubiferana* (Haworth,[1811]) (Tortricidae) larva on *Crataegus*, *Rosa* (Rosaceae), *Betula*, *Alnus*, *Salix* (Salicaceae), *Quercus* (Fagaceae) (Razowski & Wjaskowski,1959).
4016. *Hedya ochroleucana* (Frölich,1828) (Tortricidae) larva on *Rosa*, *Malus* (Razowski,1983).
4017. *Hedya pruniana* (Hübner,[1799]) (Tortricidae) larva on *Crataegus*, *Corylus avellana* (Kuznetsov,1979).
4018. *Hedya roseomaculana* (Herrich-Schäffer,1851) (Tortricidae) larva on *Pirola secunda* (Razowski,1983).
4019. *Hedya salicella* (Linnaeus,1758) (Tortricidae) larva on *Salix caprea*, *Populus tremula*, *P. nigra* (Salicaceae) (Linnaeus,1758 et seq.).
4020. *Hoplitendemis erebodes* Diakonoff,1973 (Tortricidae) larva on *Eugenia pomyantha* (Myrtaceae) (Kawabe,1989).
4021. *Hysterothra maculosana* (Haworth,[1811]) (Tortricidae) larva on *Scilla festalis* (Liliaceae), *Endymion non-scriptus*, *Chondrilla juncea* (Cichoriaceae) (Dufrane,1942).
4022. *Isotenes inae* Diakonoff,1948 (Tortricidae) larva on *Thea*, *Pinus merkusii* (Diakonoff,[1968]).
4023. *Isotenes thausamia* Diakonoff,1948 (Tortricidae) larva on leaves of *Citrus* (Rutaceae) (Diakonoff,1948).
4024. *Lepteucosma huebneriana* (Koçak,1980) (Tortricidae) larva on *Rubus fruticosus*, *R. crataegifolius*, *R. sachalinensis* (Rosaceae), *Lycium chinense* (Solanaceae) (Park,1983; Kuznetsov,2001).
4025. *Lobesia* (s.str.) *artemisiana* (Zeller,1847) (Tortricidae) larva on *Artemisia* (Zeller,1847).
4026. *Lobesiods euphorbiana* (Freyer,1842) (Tortricidae) larva on *Euphorbia* (Freyer,1842).
4027. *Loboschiza koenigiana* (Fabricius,1775) (Tortricidae) larva on *Melia azedarach*, *Jasminum sambac* (Diakonoff,1982).
4028. *Lozotaenia forsterana* (Fabricius,1781) (Tortricidae) larva on *Ledum* (Ericaceae), *Vaccinium* (Vacciniaceae), *Stachys* (Lamiaceae), *Hedera* (Araliaceae), *Lonicera* (Caprifoliaceae), *Ribes* (Grossulariaceae), *Larix*, *Picea*, *Abies* (Pinaceae) (Razowski,2001).
4029. *Lozotaeniodes cupressana* (Duponchel,1836) (Tortricidae) larva on *Cupressus* (Duponchel,1836).
4030. *Meiligma impigris* Diakonoff,1973 (Tortricidae) larva on ?*Schima noronhae* (Diakonoff,1973).
4031. *Metendothenia atropunctana* (Zetterstedt,1839) (Tortricidae) larva on *Betula*, *Salix*, *Tilia*, *Fagus*, *Alnus*, *Crataegus* (Razowski,1983).
4032. *Neosphaleroptera nubilana* (Hübner,[1799]) (Tortricidae) larva on *Crataegus*, *Prunus*, *Pyrus* (Rosaceae) (Razowski,2001).
4033. *Olethreutes (Argyroplote) arbutella* (Linnaeus,1758) (Tortricidae) larva on *Vaccinium vitis-idaea*, *V. uliginosum*, *Arcostaphylos uva-ursi* (Razowski,1983).
4034. *Olethreutes (Argyroplote) bipunctana* (Fabricius,1794) (Tortricidae) larva on *Vaccinium myrtillus*, *V. vitis-idaea* (Ericaceae) (Razowski,1983).
4035. *Olethreutes (Argyroplote) lacunana* ([Denis & Schiffermüller],1775) (Tortricidae) larva on *Mentha*, *Chrysanthemum*, *Fragaria*, *Urtica*, *Salix*, *Betula*, *Larix* (Razowski,1983).
4036. *Olethreutes (Argyroplote) lediana* (Linnaeus,1758) (Tortricidae) larva on *Ledum palustre* (Linnaeus,1758).
4037. *Olethreutes (Argyroplote) metallicana* (Hübner,[1799]) (Tortricidae) larva on *Vaccinium myrtillus* (Razowski,1983).
4038. *Olethreutes (Argyroplote) mygindiana* ([Denis & Schiffermüller],1775) (Tortricidae) larva on *Vaccinium vitis-idaea*, *V. uliginosum*, *Arctostaphylos uva-ursi*, *Myrica gale* (Razowski,1983).
4039. *Olethreutes (Argyroplote) schulziana* (Fabricius,1777) (Tortricidae) larva on *Vaccinium uliginosum*, *Calluna vulgaris* (Ericaceae) (Razowski,1983).
4040. *Olethreutes (Argyroplote) stibiana* (Guenée,1845) (Tortricidae) larva on *Rubus*, *Prunus spinosa* (Rosaceae), *Vaccinium* (Ericaceae) (Razowski,1983).
4041. *Olethreutes* (s.str.) *dalecarliana* (Guenée,1845) (Tortricidae) larva on *Ledum palustre*, *Pirola secunda*, *P. rotundifolia* (Razowski,1983).
4042. *Olethreutes* (s.str.) *siderana* (Treitschke,1835) (Tortricidae) larva on *Spiraea* (Razowski,1983).
4043. *Olethreutes* (s.str.) *umbrosana* (Freyer,1842) (Tortricidae) larva on *Mentha* (Lamiaceae) (Razowski,1983).
4044. *Ophiorrhabda mormopa* (Meyrick,1906) (Tortricidae) larva on *Syzgium vulgaris*, *Jambosa vulgaris*, *Eugenia jambos* (rose apple) (Myrtaceae), *Citrus* (Rutaceae) (Kawabe,1989; Robinson et al.,1994).
4045. *Ophiorrhabda philocompsa* (Meyrick,1921) (Tortricidae) larva on *Eugenia* (Diakonoff,1973).
4046. *Ophiorrhabda quartaria* (Diakonoff,1973) (Tortricidae) larva on *Bauhinia* (Fabaceae) (Diakonoff,1973).
4047. *Orthotaenia undulana* ([Denis & Schiffermüller],1775) (Tortricidae) larva on *Lonicera*, *Vaccinium*, *Betula*, *Salix*, *Acer*, *Urtica*, *Pinus*, *Juniperus* (Razowski,1983).
4048. *Oxypteron wertheimsteini* (Rebel,1913) (Tortricidae) larva on *Chondrilla juncea* (Cichoriaceae) (Razowski,2001).
4049. *Pammene blockiana* (Herrich-Schäffer,[1851]) (Tortricidae) larva on *Cupressus* ? (Zerny,1927).
4050. *Pandemis cinnamomeana* (Treitschke,1830) (Tortricidae) larva on *Larix*, *Abies* (Pinaceae), *Quercus* (Fagaceae), *Betula* (Betulaceae), *Pyrus* (Rosaceae), *Vaccinium* (Vacciniaceae) (Razowski,2001).
4051. *Pandemis corylana* (Fabricius,1794) (Tortricidae) larva on *Betula* (Betulaceae), *Corylus avellana* (Corylaceae), *Fagus*, *Quercus* (Fagaceae), *Fraxinus* (Oleaceae), *Pinus*, *Larix* (Pinaceae) (Razowski,2001).
4052. *Pandemis dumetana* (Treitschke,1835) (Tortricidae) larva on *Urtica* (Urticaceae), *Chenopodium* (Chenopodiaceae), *Valeriana* (Valerianaceae), *Lonicera* (Caprifoliaceae), *Rubus* (Rosaceae), *Quercus* (Fagaceae), *Origanum*, *Mentha* (Lamiaceae), *Fragaria*, *Sanguisorba* (Rosaceae) (Razowski,2001).
4053. *Paramesia gnomana* (Clerck,1759) (Tortricidae) larva on *Quercus* (Fagaceae), *Vaccinium myrtillus* (Vacciniaceae), *Stachys* (Lamiaceae), *Iris* (Iridaceae), *Plantago* (Plantaginaceae), *Taraxacum* (Asteraceae), *Poaceae* (Razowski,2001).
4054. *Periclepsis cinctana* ([Denis & Schiffermüller],1775) (Tortricidae) larva on *Artemisia* (Asteraceae), *Anthyllis*, *Genista*, *Sarothamnus* (Fabaceae) (Razowski,2001).
4055. *Phaecedophora fimbriata* Walsingham,1900 (Tortricidae) larva on leaves of *Quercus glauca* (Fabaceae) (Kawabe,1989).
4056. *Phaecasiphora cornigera* Diakonoff,1959 (Tortricidae) larva on dry old leaves of *Cinnamomum zeylanicum* (cinnamon, tarçın) (Lauraceae) (Robinson et al.,1994).
4057. *Phalonidia acutana* (Kennel,1913) (Tortricidae) larva on ? *Inula ensifolia* (Asteraceae) (Razowski,2001).
4058. *Phalonidia affinitana* (Douglas,1846) (Tortricidae) larva on *Aster tripolium* (Asteraceae) (Kasy,1959).
4059. *Phalonidia albipalpna* (Zeller,1847) (Tortricidae) larva on *Limonium sinuatum* (Plumbaginaceae) (Razowski,2001).
4060. *Phalonidia contractana* (Zeller,1847) (Tortricidae) larva on *Artemisia*, *Anthemis*, *Cichorium*, *Inula viscosa*, *I. graveolens* (Asteraceae), *Lactuca* (Cichoriaceae) (Kennel,1913; Bovey,1966; Razowski,2001).
4061. *Phalonidia curvistrigana* (Stainton,1859) (Tortricidae) larva on *Solidago virgaurea* (Asteraceae), *Prenanthes purpurea*, *Mycelis* (Lactuca) *muralis* (Cichoriaceae) (Razowski,1970,2001).

- 4062. *Phalonidia gilvicomana* (Zeller,1847)** (Tortricidae) larva on *Lapsana communis*, *Prenanthes purpurea*, *Mycelis muralis* (Cichoriaceae), *Solidago* (Asteraceae), *Chenopodium* (Chenopodiaceae) (Razowski,1970,2001).
- 4063. *Phalonidia manniana* (Fischer v. Röslerstamm,1839)** (Tortricidae) larva on *Mentha piperita*, *M. aquatica*, *M.longifolia*, *Lycopus* (Lamiaceae), *Alisma plantago* (Alismataceae), *Butomus* (Butomaceae), *Inula* (Asteraceae) (Razowski,1970,2001).
- 4064. *Philedone gerningana* ([Denis & Schiffermüller],1775)** (Tortricidae) larva on *Lotus* (Fabaceae), *Plantago* (Plantaginaceae), *Scabiosa* (Dipsacaceae), *Peucedanum* (Apiaceae), *Potentilla* (Rosaceae), *Vaccinium* (Vacciniaceae) (Razowski,2001).
- 4065. *Philedonides lunana* (Thunberg,1784)** (Tortricidae) larva on *Potentilla* (Rosaceae), *Aster* (Asteraceae), *Daucus* (Apiaceae), *Valeriana* (Valerianaceae), *Mentha* (Lamiaceae), *Calluna*, *Erica*, *Myrica* (Ericaceae), *Vaccinium* (Vacciniaceae), *Picea*, *Pinus* (Pinaceae) (Razowski,2001).
- 4066. *Philedonides rhombicana* (Herrich-Schäffer,1851)** (Tortricidae) larva on *Mentha*, *Salvia* (Lamiaceae), *Lotus* (Fabaceae), *Rumex* (Polygonaceae) (Razowski,2001).
- 4067. *Phtheochroa decipiens* (Walsingham,1900)** (Tortricidae) larva on *Berberis* at *Alma Ata* (Danilevsky,1955).
- 4068. *Phtheochroa duponchelana* (Duponchel,1843)** (Tortricidae) larva on *Acanthus spinosus* (Razowski,1970).
- 4069. *Phtheochroa ecballiella* Huemer,1990** (Tortricidae) larva on *Ecballium elaterium* (Huemer,1990).
- 4070. *Phtheochroa fulvicinctana* (Constant,1893)** (Tortricidae) larva on *Limonium vulgare* (Swatschek,1958).
- 4071. *Phtheochroa inopiana* (Haworth,1811)** (Tortricidae) larva on *Artemisia campestris*, *Eupatorium cannabinum* (Asteraceae) (Razowski,1970,2001).
- 4072. *Phtheochroa krulikowskii* (Obratzov,1944)** (Tortricidae) larva on *Nanophyton caspicum* (Razowski,1970).
- 4073. *Phtheochroa ochralana* (Chrétien,1915)** (Tortricidae) larva on *Haloxylon articulatum* (Chrétien,1915).
- 4074. *Phtheochroa pulvillana* (Herrich-Schäffer,1851)** (Tortricidae) larva on *Asparagus officinalis* (Liliaceae) (Kennel,1913).
- 4075. *Phtheochroa purana* (Guenée,1845)** (Tortricidae) larva on *Cephalaria leucantha* (Razowski,1970).
- 4076. *Phtheochroa rugosana* (Hübner,[1799])** (Tortricidae) larva on *Bryonia dioica*, *Ecballium elaterium* (Cucurbitaceae) (Swatschek,1958).
- 4077. *Phtheochroa schreibersiana* (Frölich,1828)** (Tortricidae) larva on *Ulmus campestris* (Ulmaceae), *Populus* (Salicaceae), *Prunus* (Rosaceae) (Sorhagen,1882; Klimesch ex Razowski,1970; Razowski,2001).
- 4078. *Phtheochroa sodaliana* (Haworth,1811)** (Tortricidae) larva on *Rhamnus cathartica*, *Frangula alnus* (Rhamnaceae) (Kennel,1913).
- 4079. *Phtheochroa subfumida* (Falkovitsh,1963)** (Tortricidae) larva on *Haloxylon ammodendron*, *Salsola arbuscula*, *Iljenia regelii* (Razowski,1970).
- 4080. *Piniphila bifasciana* (Haworth,1811)** (Tortricidae) larva on *Pinus maritimus*, *P. nigra* (Pinaceae); *Vaccinium myrtillus*, *V. vitis-idaea*, *Rhododendron* (Ericaceae), *Pyrola secunda* (Pyrolaceae) (Kennel,1921).
- 4081. *Pristerognatha fulgana* ([Denis & Schiffermüller],1775)** (Tortricidae) larva on *Impatiens noli-tangere* (Razowski,1983).
- 4082. *Pristerognatha penthinana* (Guenée,1845)** (Tortricidae) larva on *Impatiens noli-tangere* (Razowski,1983).
- 4083. *Prochlidonia amiantana* (Hübner,[1799])** (Tortricidae) larva on ? *Helianthemum* (Cistaceae) (Razowski,2001).
- 4084. *Propiomorpha rhodophana* (Herrich-Schäffer,[1851])** (Tortricidae) larva on *Clematis integrifolia* (Ranunculaceae) (Razowski,2001).
- 4085. *Pseudacroclita hapalaspis* (Meyrick,1931)** (Tortricidae) larva on *Rubus siiboldii*, *R. buergeri* (Rosaceae) (Kawabe,1989).
- 4086. *Pseudargyrotoza conwangana* (Fabricius,1775)** (Tortricidae) larva on *Ligustrum*, *Syringa*, *Fraxinus* (Oleaceae), *Berberis* (Berberidaceae) (Razowski,2001).
- 4087. *Pseudeulia asinana* (Hübner,[1799])** (Tortricidae) larva on *Laurus nobilis* (Lauraceae), *Pyrus* (Rosaceae) (Razowski,2001).
- 4088. *Pseudosciaphila branderiana* (Linnaeus,1758)** (Tortricidae) larva on *Populus tremula* (Razowski,1983).
- 4089. *Pseudosciaphila rhactistis* Diakonoff,1973** (Tortricidae) larva on *Tasticia gandarussa* (Diakonoff,1973).
- 4090. *Ptycholoma lechana* (Linnaeus,1758)** (Tortricidae) larva on *Quercus* (Fagaceae), *Acer* (Aceraceae), *Populus* (Salicaceae), *Abies*, *Larix* (Pinaceae) (Razowski,2001).
- 4091. *Ptycholomoides aeriferanus* (Herrich-Schäffer,1851)** (Tortricidae) larva on *Larix* (Pinaceae) (Razowski,2001).
- 4092. *Retinia cristata* (Walsingham,1900)** (Tortricidae) larva on *Pinus desiflora*, *P.thunbergi* (Pinaceae) (Kawabe,1989).
- 4093. *Rhopobota myrtillana* (Humphreys & Westwood,1845)** (Tortricidae) larva on *Vaccinium* (Lienig & Zeller,1846).
- 4094. *Rhopobota naevana* (Hübner,[1817])** (Tortricidae) larva on *Prunus*, *Pyrus*, *Malus*, *Sorbus*, *Crataegus* (Rosaceae), *Ilex* (Aquifoliaceae), *Vaccinium* (Ericaceae) (Kawabe,1989).
- 4095. *Rhyacionia buoliana* ([Denis & Schiffermüller],1775)** (Tortricidae) larva on *Pinus sylvestris*, *P. radiata*, *P.maritima*, *P.muricata*, *P.jeffreyi*, *P.densiflora*, *P.virgiana*, *P.brutia*, *P.nigra*, *P.pinea*, *P.halepensis* (Seven et al.,2005).
- 4096. *Rhyacionia pinicolana* (Doubleday,1849)** (Tortricidae) larva on *Pinus sylvestris* (Seven et al.,2005).
- 4097. *Rhyacionia pinivorana* (Lienig & Zeller,1846)** (Tortricidae) larva on *Pinus sylvestris* (Seven et al.,2005).
- 4098. *Selenodes karelica* (Tengström,1875)** (Tortricidae) larva on *Knaulia arvensis* (Razowski,1983).
- 4099. *Sorolopha camarotis* (Meyrick,1936)** (Tortricidae) larva on *Michelia champaca* (Magnoliaceae) (Diakonoff,1973).
- 4100. *Sorolopha herbifera* (Meyrick,1909)** (Tortricidae) larva on leaves of *Cinnamomum camphora* (camphor) (Lauraceae) (Kawabe,1989).
- 4101. *Sorolopha plinthograpta* (Meyrick,1931)** (Tortricidae) larva on *Machilus thunbergii*, *Cinnamomum japonicum*, *C.camphora* (Kawabe,1989).
- 4102. *Sorolopha semiculta* (Meyrick,1909)** (Tortricidae) larva on *Alceodaphne semicarpifolia* (Lauraceae) (Kawabe,1989).
- 4103. *Spatalist bifasciana* (Hübner,1787)** (Tortricidae) larva on *Vaccinium myrtillus*, *V. uliginosum* (Vacciniaceae); *Rhamnus cathartica* (Rhamnaceae); *Cornus mas* (Cornaceae); *Ligustrum vulgare* (Oleaceae) (Razowski,2001).
- 4104. *Spilonota routhia* Meyrick,1910** (Tortricidae) larva on *Psidium guajava*, *Eugenia jambolata* (Kawabe,1989).
- 4105. *Statherotis discana* (R.Felder & Rogenhofer,1875)** (Tortricidae) larva on young leaves of *Nephelium lappaceum* [rambutan], *Litchi chinensis* [litchi], *Dimocarpus longan* [longan] (Sapindaceae) (Kawabe,1989; Lewvanich,2001).
- 4106. *Statherotis leucapsis* (Meyrick,1902)** (Tortricidae) larva on *Litchi chinensis* [litchi], *Nephelium lappaceum* [rambutan], *Dimocarpus longan* [longan] (Sapindaceae) (Kawabe,1989; Nasu et al.,1993; Lewvanich,2001).
- 4107. *Strepsicrates ejectana* (Walker,1863)** (Tortricidae) larva on *kunzea capitata*, *Darwinia fasciculata*, *Leptospermum ericoides*, *Psidium guajava* (Myrtaceae) (Diakonoff,[1968]).
- 4108. *Strepsicrates routhia* (Meyrick,1910)** (Tortricidae) larva on *Psidium guajava*, *Eugenia jambolana* (Myrtaceae) (Kawabe,1989).
- 4109. *Syndemis musculana* (Hübner,[1799])** (Tortricidae) larva on *Rubus* (Rosaceae), *Betula* (Betulaceae), *Quercus* (Fagaceae), *Picea*, *Pinus* (Pinaceae) (Razowski,2001).
- 4110. *Tetramoera paragramma* (Meyrick,1909)** (Tortricidae) larva on young shoots of bamboos (Poaceae) (Robinson et al.,1994).
- 4111. *Thiodia fessana* (Mann,1873)** (Tortricidae) pupa found on an old stem of *Salvia candelabrum* at *Amasia* (Staudinger,1879).
- 4112. *Torticodes alternella* ([Denis & Schiffermüller],1775)** (Tortricidae) larva on *Quercus* (Fagaceae), *Carpinus*, *Corylus* (Corylaceae), *Betula* (Betulaceae), *Salix* (Salicaceae), *Crataegus*, *Prunus* (Rosaceae) (Razowski,2001).
- 4113. *Tortrix viridana* (Linnaeus,1758)** (Tortricidae) larva on *Quercus pedunculata*, *Q. sessilifolia* (Fagaceae), *Urtica*, *Vaccinium* (Vacciniaceae) (Razowski,2001).
- 4114. *Tosirips magyarus* Razowski,1987** (Tortricidae) larva on *Quercus robur* (Fagaceae) (Razowski,1987).
- 4115. *Trymalitis* sp.:** (Tortricidae) larva bores into *Manilkara zapota* (sopodilla) (Sapotaceae) (Robinson et al.,1994).
- 4116. *Ulodemis trigrapha* Meyrick,1907** (Tortricidae) larva on *Syzygium cumini* (Myrtaceae) [black plum] (Lewvanich,2001).
- 4117. *Xerocnephasia rigana* (Sodoffsky,1829)** (Tortricidae) larva on *Clematis*, *Pulsatilla*, *Anemone* (Ranunculaceae) (Razowski,2001).
- 4118. *Acropteris ciniferaria* (Walker,1866)** (Uraniidae) larva on *Dregia* (Asclepiadaceae) (Lees & Smith,1991).
- 4119. *Chundana emarginata* (Hampson,1891)** (Uraniidae) larva on *Wendlandia* (Rubiaceae) (Holloway,1998).
- 4120. *Dysaethria erasaria* (Christoph,1881)** (Uraniidae) larva on *Viburnum* (Caprifoliaceae) (Holloway,1998).
- 4121. *Dysaethria flavistriga* (W.Warren,1901)** (Uraniidae) larva on *Daphniphyllum* (Daphniphyllaceae) (Holloway,1998).
- 4122. *Dysaethria quadricaudata* (Walker,1861)** (Uraniidae) larva on *Anthocephalus*, *Cinchona* (Rubiaceae) (Sevastopulo,1940 et seq.).
- 4123. *Dysaethria subflavida* (Swinhoe,1906)** (Uraniidae) larva on *Viburnum* (Caprifoliaceae) (Holloway,1998).
- 4124. *Eurolema nivosaria* (Walker,1866)** (Uraniidae) larva on *Premna* (Verbenaceae) (Chen,1997).
- 4125. *Eurolema semibrunnea* (Pagenstecher,1888)** (Uraniidae) larva on *Premna* (Verbenaceae) (Chen,1997).
- 4126. *Monobolodes ? prunaria* (Moore,1887)** (Uraniidae) larva on *Gardenia* (Rubiaceae) (Chen,1997).
- 4127. *Orolema oyamana* (Matsumura,1931)** (Uraniidae) larva on *Daphniphyllum* (Daphniphyllaceae) (Chen,1997).
- 4128. *Phazaca ? alikangensis* (Strand,1916)** (Uraniidae) larva on *Mussaenda* (Rubiaceae) (Chen,1997).
- 4129. *Phazaca leucocera* (Hampson,1891)** (Uraniidae) larva on *Canthium* (Rubiaceae) (Holloway,1998).
- 4130. *Pterotosoma castanea* (W.Warren,1898)** (Uraniidae) larva on *Rubiaceae* (Holloway,1998).
- 4131. *Rhombophylla edentata* (Hampson,1895)** (Uraniidae) larva on *Olea*, *Linociera* (Oleaceae) (Holloway,1998).
- 4132. *Warreniplema fomicosta* (W.Warren,1896)** (Uraniidae) larva on *Mussaenda* (Rubiaceae) (Chen,1997).
- 4133. *Metathrinca loranthivora* (Meyrick,1937)** (Xyloryctidae) larva on *Loranthus* (Loranthaceae) (Meyrick,1937).
- 4134. *Paralecta antistola* Meyrick,1930** (Xyloryctidae) larva bores stems of *Syzygium aromaticum* (cloves) (Myrtaceae) (Robinson et al.,1994).
- 4135. *Acrolepia afghanistanella* Gaedike,1968** (Yponomeutidae) larva on *Phagnalon* sp. (Gaedike,1968).
- 4136. *Acrolepia kasyi* Gaedike,1968** (Yponomeutidae) larva on *Nepeta pinetorum* (Gaedike,1968).
- 4137. *Acrolepiopsis assectella* (Zeller,1839)** (Yponomeutidae) larva on *Allium cepa* (Schütze,1931).
- 4138. *Acrolepiopsis manganeutis* (Meyrick,1913)** (Yponomeutidae) larva on *Dioscorea* (Gaedike,1986).
- 4139. *Argyresthia* (Blastotere) *chrysidella* Peyerimhoff,1877** (Yponomeutidae) larva on *Juniperus oxycedrae* (Caradja,1920).

4140. *Atteva fabriciella* (Swederus,1787) (Yponomeutidae) larva on leaf of *Acacia auriculaeformis* [mayom pa] (Fabaceae), *Ailanthus* (Simaroubaceae) (Robinson et al.,1994; Lewvanich,2001).
4141. *Atteva sciodoxa* Meyrick,1908 (Yponomeutidae) larva on Weed (Lewvanich,2001).
4142. *Cedestis gysseleniella* Zeller,1839 (Yponomeutidae) larva on *Pinus montana*, *P. sylvestris* (Schütze,1931).
4143. *Digitivalva aghanistanella* (Gaedike,1968) (Yponomeutidae) larva on *Phagnalon* sp. (Gaedike,1971).
4144. *Digitivalva kasyi* (Gaedike,1968) (Yponomeutidae) larva on *Nepeta pinetorum* (Gaedike,1971).
4145. *Digitivalva occidentella* (Klimesch,1956) (Yponomeutidae) larva on *Inula conyzia*, *I. squamosa* (Gaedike,1971).
4146. *Digitivalva pulicariae* (Klimesch,1956) (Yponomeutidae) larva on *Pulicaria dysenterica* (Gaedike,1971).
4147. *Digitivalva reticulella* (Hübner,1796) (Yponomeutidae) larva on the flower of *Gnaphalium luteoalbum*, *G. sylvaticum* (Gaedike,1975).
4148. *Nosymna* sp. (Yponomeutidae) larva on leaf of weed (Lewvanich,2001).
4149. *Ochsenheimeria taurella* ([Denis & Schiffermüller],1775) (Yponomeutidae) larva on *Alopecurus pratensis*, *Poa trivialis*, *Secale cereale*, *Avena sativa*, *Hordeum vulgare*, *Triticum aestivum*, *Bromus*, *Triticum*, *Agropyrum*, *Phleum* (Poaceae) (Réal,1966; Zagulyaev,1971, 1988).
4150. *Ochsenheimeria urella* Fischer v. Röslerstamm,1842 (Yponomeutidae) larva on *Secale*, *Triticum*, *Hordeum*, *Agropyrum*, *Bromus*, *Dactylis*, *Melica* (Poaceae) (Zagulyaev,1988).
4151. *Ochsenheimeria vacuella* Fischer v. Röslerstamm,1842 (Yponomeutidae) larva on *Secale*, *Triticum*, *Hordeum*, *Agropyrum*, *Bromus*, *Festuca*, *Roegneria*, *Phleum*, *Lolium*, *Poa* (Poaceae) (Zagulyaev,1988).
4152. *Oncerostoma piniariella* Zeller,1847 (Yponomeutidae) larva on *Pinus* (Schütze,1931).
4153. *Plutella* (s.str.) *xylostella* (Linnaeus,1758) (Yponomeutidae) larva on *Brassica* (Brassicaceae) (Staudinger,1879).
4154. *Thecobathra lambda* Moriuti,1963 (Yponomeutidae) larva on *Liquidambar formosana* (Hamamelidaceae) (Moriuti,1971).
4155. *Yponomeuta cognagellus* (Hübner,[1813]) (Yponomeutidae) larva on *Evonymus* (Staudinger,1879).
4156. *Ypsolopha albiramella* (Mann,1861) (Yponomeutidae) larva on *Ephedra* (Staudinger,1879).
4157. *Ypsolopha manniella* (Staudinger,1879) (Yponomeutidae) larva on *Ephedra* (Staudinger,1879).
4158. *Ypsolopha nemorella* (Linnaeus,1758) (Yponomeutidae) larva on *Lonicera* (Linnaeus,1758).
4159. *Ypsolopha sculpturella* (Herrich-Schäffer,[1854]) (Yponomeutidae) larva on *Ephedra* (Staudinger,1879).
4160. *Ypsolopha semitessella* (Mann,1861) (Yponomeutidae) larva on *Ephedra* (Staudinger,1879).
4161. *Achelura bifasciata* (Hope,1840) (Zygaenidae) larva on *Lagerstroemia indica* (Lythraceae) [crape mytle], *Rhododendron* (Ericaceae) [azalia], *Betula alnoides* (Betulaceae) [kamlang suea khroeng] (Lewvanich,2001).
4162. *Adscita* (Tarmannita) *bolivari* (Agenjo,1937) (Zygaenidae) larva probably on *Helianthemum* (Naumann et al.,1999).
4163. *Adscita* (Tarmannita) *mannii* (Lederer,1853) (Zygaenidae) larva on *Helianthemum*, *Cistus salviaefolius*, *Rumex* (Naumann et al.,1999).
4164. *Adscita* (s.str.) *albana* (Naufok,1926) (Zygaenidae) larva on *Geranium sanguineum*, *Erodium*, *Helianthemum*, *Rumex* (Naumann et al.,1999).
4165. *Adscita* (s.str.) *alpina* (Alberti,1937) (Zygaenidae) larva on *Rumex acetosa*, *R.alpestris*, *R.scutatus* (Naumann et al.,1999).
4166. *Adscita* (s.str.) *capitalis* (Staudinger,1878) (Zygaenidae) larva on *Helianthemum* (Naumann et al.,1999).
4167. *Adscita* (s.str.) *geryon* (Hübner,[1813]) (Zygaenidae) larva on *Helianthemum*, *Geranium* (Hering,1964; Naumann et al.,1999).
4168. *Adscita* (s.str.) *obscura* (Zeller,1847) (Zygaenidae) larva on *Helianthemum* (Naumann et al.,1999).
4169. *Adscita* (s.str.) *schmidtii* (Naufok,1933) (Zygaenidae) larva on *Rumex acetosa*, *R.acetosella* (Naumann et al.,1999).
4170. *Adscita* (s.str.) *statices* (Linnaeus,1758) (Zygaenidae) larva on *Rumex acetosa*, *R.acetosella* (Hering,1964; Naumann et al.,1999).
4171. *Adscita* (s.str.) *storaiae* Tarmann,1977 (Zygaenidae) larva on *Rumex acetosa* (Naumann et al.,1999).
4172. *Brachartona catoxantha* Hampson,1892 (Zygaenidae) larva on *Cocos nucifera* [coconut], *Arenga saccharifera*, *Elaeis guineensis*, *Livistona rotundifolia*, *Metroxylon sagu* (Palmae), *Etlingera elatior* (Zingiberaceae) [torch ginger / san yai], *Musa* (Musaceae), *Saccharum officinarum* (Poaceae), *Butea monosperma* (F abaceae) (Lewvanich,2001; Robinson et al.,2005).
4173. *Cyclosia panthona* (Stoll,[1780]) (Zygaenidae) larva on leaf of weed (Lewvanich,2001).
4174. *Cyclosia papilionaris* (Drury,[1782]) (Zygaenidae) larva on *Baccaurea ramiflora* (Euphorbiaceae) [mafa], *Macadamia integrifolia* (Proteaceae) [macadamia nut] (Lewvanich,2001).
4175. *Eterusia distincta* Guérin-Méneville,1830 (Zygaenidae) larva on *Syzgium densiflora*, *Melastoma polyanthum* (Barlow,1982).
4176. *Jordanita* (Gregorita) *algorica* (Rothschild,1917) (Zygaenidae) larva on *Carthamus calvus* (Naumann et al.,1999).
4177. *Jordanita* (Gregorita) *hispanica* (Alberti,1937) (Zygaenidae) larva on *Centaurea paniculata* (Naumann et al.,1999).
4178. *Jordanita* (Gregorita) *minutissima* (Oberthür,1916) (Zygaenidae) larva on *Centaurea solstitialis*, *C. salonitana*, *Carduus arabis*, *C.uncinatus*, *Jurinea sordida*, *Xeranthemum annuum* (Naumann et al.,1999).
4179. *Jordanita* (Lucasiterna) *subsolana* (Staudinger,1862) (Zygaenidae) larva on *Carduncellus monspeliensis*, *Carlina vulgaris*, *Centaurea*, *Cirsium eriophorum*, *Echinops sphaerocephalus* (Hering,1964; Naumann et al.,1999).
4180. *Jordanita* (Praviela) *anatolica* (Naufok,1929) (Zygaenidae) larva on *Echinops spinosus* (Naumann et al.,1999).
4181. *Jordanita* (Roccia) *budensis* (Speyer & Speyer,1858) (Zygaenidae) larva on *Centaurea paniculata*, *C. triumfetti*, *Achillea setacea* (Hering,1964; Naumann et al.,1999).
4182. *Jordanita* (Roccia) *hector* (Jordan,1909) (Zygaenidae) larva probably on *Centaurea chirolopha* (Naumann et al.,1999).
4183. *Jordanita* (Roccia) *paupera* (Christoph,1887) (Zygaenidae) larva on *Artemisia* (Naumann et al.,1999).
4184. *Jordanita* (Tremewania) *notata* (Zeller,1847) (Zygaenidae) larva on *Centaurea stoebe*, *C.scabiosa*, *C.jacea*, *Cirsium*, *Globularia*, *Inula*, *Scabiosa* (Hering,1964; Naumann et al.,1999).
4185. *Jordanita* (s.str.) *chloros* (Hübner,[1813]) (Zygaenidae) larva on *Globularia*, *Centaurea paniculata*, *C. stoebe*, *C. maculosa*, *C. scabiosa*, *C. jacea*, *C. triumfetti*, *Carduus uncinatus*, *C.arabicus*, *C.salonitana*, *Jurinea sordida*, *Stachelina uniflosculosa* (Hering,1964; Naumann et al.,1999).
4186. *Jordanita* (s.str.) *globulariae* (Hübner,1793) (Zygaenidae) larva on *Centaurea*, *Cirsium tuberosum*, *Globularia*, *Scabiosa* (Hübner,1793; Hering,1964; Naumann et al.,1999).
4187. *Jordanita* (s.str.) *graeca* (Jordan,1907) (Zygaenidae) larva on *Centaurea solstitialis*, *C. salonitana*, *Centaurea melitensis*, *Cirsium creticum*, *Carduus arabis*, *C.uncinatus*, *Jurinea sordida*, *Xeranthemum annuum* (Hering,1964; Naumann et al.,1999).
4188. *Jordanita* (s.str.) *tenuicornis* (Zeller,1847) (Zygaenidae) larva on *Cirsium arvense*, *Carlina vulgaris*, *Centaurea ambigua* (Hering,1964; Naumann et al.,1999).
4189. *Phauda flammans* (Walker,1854) (Zygaenidae) larva on *Ficus callophylla* (Moraceae) [sai] (Lewvanich,2001).
4190. *Pidorus geminus* (Walker,1854) (Zygaenidae) larva on leaf of weed (Lewvanich,2001).
4191. *Pompelon marginatum* (Guérin-Méneville,1843) (Zygaenidae) larva on *Cinnamomum* (Barlow,1982).
4192. *Rhagades* (Naufockia) *brandti* (Alberti,1938) (Zygaenidae) larva on *Prunus amygdalus*, *Amygdalus* (Wiltshire,1946; Keil,1998).
4193. *Rhagades* (Wiegelia) *amasina* (Herrich-Schäffer,1851) (Zygaenidae) larva on *Prunus spinosa*, *Crataegus* (Naumann et al.,1999).
4194. *Rhagades* (Wiegelia) *predotae* (Naufok,1931) (Zygaenidae) larva on *Prunus spinosa*, *Pyrus bourgeana* (Naumann et al.,1999).
4195. *Rhagades* (s.str.) *pruni* ([Denis & Schiffermüller],1775) (Zygaenidae) larva on *Prunus spinosa*, *P.mahalep*, *P.stepposa*, *Calluna vulgaris*, *Helianthemum nummularium* ([Denis & Schiffermüller],1775; Spuler,1910; Naumann et al.,1999).
4196. *Theresimima ampelophaga* (Bayle-Barelle,1808) (Zygaenidae) larva on *Vitis vinifera* (Vitaceae).
4197. *Zygaena* (Agrumenia) *fraxini* Ménétériés,1832 (Zygaenidae) larva on *Fraxinus* (Ménétériés,1832).
4198. *Zygaena* (Agrumenia) *rosinae* Korb,1903 (Zygaenidae) larva on (?) *Astragalus* (Naumann et al.,1999).
4199. *Zygaena* (Mesembrynus) *cambysea* Lederer,1870 (Zygaenidae) larva on *Eryngium campestre*, *E. maritimum* from Ab-Ali, Tehran (Iran) (Tremewan,1978).
4200. *Zygaena* (Mesembrynus) *cuvieri* Boisduval,1828 (Zygaenidae) larva on *Eryngium glomeratum*, *Ferula elaeochrytris*, *Ferulago trachycarpa*, *Prangos* (Tremewan,1977; Naumann & Naumann,1980; Naumann et al.,1999).
4201. *Zygaena* (Mesembrynus) *cynarae* (Esper,[1789]) (Zygaenidae) larva on *Peucedanum* (Naumann & Naumann,1980).
4202. *Zygaena* (Mesembrynus) *haematina* Kollar,[1849] (Zygaenidae) larva on ? *Echinophora cinerea* (Naumann et al.,1999).
4203. *Zygaena* (Mesembrynus) *lydia* Staudinger,1887 (Zygaenidae) larva on *Eryngium giganteum*, *Prangos* (Naumann et al.,1999).
4204. *Zygaena* (Mesembrynus) *manlia* Lederer,1870 (Zygaenidae) larva on *Eryngium billardieri* (Naumann et al.,1999).
4205. *Zygaena* (Mesembrynus) *minos* ([Denis & Schiffermüller],1775) (Zygaenidae) larva on *Eryngium* (Naumann & Naumann,1980,1985).
4206. *Zygaena* (Mesembrynus) *purpuralis* (Brünnich,1763) (Zygaenidae) larva on *Thymus* (Naumann & Naumann,1980,1985).
4207. *Zygaena* (Mesembrynus) *rubricollis* Hampson,1900 (Zygaenidae) larva on *Eryngium billardieri* (Naumann et al.,1999).
4208. *Zygaena* (Mesembrynus) *tamara* Christoph,1889 (Zygaenidae) larva on *Eryngium billardieri*, *E. giganteum*, *Prangos* (Naumann et al.,1999).
4209. *Zygaena* (s.str.) *filipendulae* (Linnaeus,1758) (Zygaenidae) larva on *Spiraea*, *Filipendula* (Linnaeus,1758).
4210. *Zygaena* (s.str.) *graslini* Lederer,1855 (Zygaenidae) larva on *Eryngium creticum*, *E. falcatum* (Naumann et al.,1999).
4211. *Zygaenoprocris* (Molletia) *taftana* (Alberti,1939) (Zygaenidae) larva on *Atraphaxis spinosa*, *A. replicata*, *Polygonum aviculare* (Naumann et al.,1999; Efetov & Tarmann,1999).

Chapter 7

Illustrated list of the Lepidoptera recorded in the Transvaal (South Africa)

by

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Chapter 7. Illustrated list of the Lepidoptera recorded in the Transvaal (South Africa), [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 1645-1684, Pls. In this chapter, the first results of the Project, Lepidoptera of South Africa are partly submitted. Totally 2568 taxa, which belong to 2125 species are listed alphabetically under the related families and together with their synonyms. Some original images, taken by the authors during the expeditions to Soutpansberg Mountains of the Cesa in 2004 and 2005 are also added.

During the studies on the Project of Lepidoptera of South Africa (LZA), we compiled the published information on the Lepidoptera of Transvaal. This survey is still continuing. As an intermediate results, the following list of the species group taxa are arranged alphabetically under the related families. Totally 2568 taxa, belonging to 2125 species, are given below with their synonyms. Illustrations are presented here as some examples, which indicate some results of recent field studies in northern Transvaal, Soutpansbergs Mountains, carried out by the authors in 2004 and 2005 under the organisation of the Cesa.

Northern territory of South Africa is actually divided into three different provinces, namely, Gauteng, Mpupalanga, and Limpopo. The present survey on the Lepidoptera fauna is based upon the classical name, Transvaal, covering all of the three modern provinces mentioned above.

List of the Lepidoptera recorded in the Transvaal (South Africa)

1. **Acraea (Actinote) anacreon Trimen,1868** (Acraeidae)
anacreon Trimen,1868
2. **Acraea (Actinote) anacreon anacreon Trimen,1868** (Acraeidae) *anacreon* Trimen,1868
3. **Acraea (Actinote) cabira Hopffer,1855** (Acraeidae)
cabira Hopffer,1855; *apecida* Oberthür,1893; *flavomaculata* Lanz,1896; *natalensis* Staudinger,1896; *biraca* Suffert,1904; *abrupta* Grünberg,1910; *swinburnei* Stevenson,1940.
4. **Acraea (Actinote) encendon (Linnaeus,1758)** (Acraeidae) *encendon* Linnaeus,1758; *lycia* Fabricius,1775; *sganzini* Boisduval,1833; *fulva* Doubleday,1848; *daira* Godman & Salvin,1884; *braunei* Staudinger,1885; *usagarae* Vuillot,1891; *nigeriae* Schulze,1923.
5. **Acraea (Actinote) encendon encendon (Linnaeus,1758)** (Acraeidae) *encendon* Linnaeus,1758; *lycia* Fabricius,1775; *sganzini* Boisduval,1833; *fulva* Doubleday,1848; *daira* Godman & Salvin,1884; *braunei* Staudinger,1885; *usagarae* Vuillot,1891; *nigeriae* Schulze,1923.
6. **Acraea (Actinote) eponina (Cramer,[1780])** (Acraeidae) *eponina* Cramer,[1780]; *janisca* Godart,[1819]; *manjaca* Boisduval,1833; *rougetii* Guérin-Méneville,1849; *buxtoni* Butler,1875; *perrupta* Butler,1875; *subserena* Grose-Smith,1900; *intermediana* Strand,1911; *eliana* Strand,1912; *jordani* Le Doux,1928.
7. **Acraea (Actinote) eponina eponina (Cramer,[1780])** (Acraeidae) *eponina* Cramer,[1780]; *janisca* Godart,[1819]; *manjaca* Boisduval,1833; *rougetii* Guérin-Méneville,1849; *buxtoni* Butler,1875; *perrupta* Butler,1875; *subserena* Grose-Smith,1900; *intermediana* Strand,1911; *eliana* Strand,1912; *jordani* Le Doux,1928.
8. **Acraea (Actinote) esebria Hewitson,1861** (Acraeidae)
esebria Hewitson,1861; *protea* Trimen,1862; *metaprotea* Butler,1874; *monteironis* Butler,1874; *arctifascia* Butler,1874; *pseudoprotea* Butler,1874; *amphiprotea* Butler,1874; *jacksoni* Sharpe,1890; *ertli* Aurivillius,1904; *actinotis* Neustetter,1916.
9. **Acraea (Actinote) esebria esebria Hewitson,1861** (Acraeidae) *esebria* Hewitson,1861; *protea* Trimen,1862; *metaprotea* Butler,1874; *monteironis* Butler,1874; *arctifascia* Butler,1874; *pseudoprotea* Butler,1874; *amphiprotea* Butler,1874; *jacksoni* Sharpe,1890; *ertli* Aurivillius,1904; *actinotis* Neustetter,1916.
10. **Acraea (Actinote) induna (Trimen,1895)** (Acraeidae)
induna Trimen,1895
11. **Acraea (Actinote) induna induna (Trimen,1895)** (Acraeidae) *induna* Trimen,1895
12. **Acraea (Actinote) obeira Hewitson,1863** (Acraeidae)
obeira Hewitson,1863; *piva* Guenée,1865; *andromba* Grose-Smith,1891.
13. **Acraea (Actinote) obeira burni Butler,1896** (Acraeidae) *burni* Butler,1896
14. **Acraea (Actinote) rahira Boisduval,1833** (Acraeidae)
rahira Boisduval,1833
15. **Acraea (Actinote) rahira rahira Boisduval,1833** (Acraeidae) *rahira* Boisduval,1833
16. **Acraea (s.str.) acara Hewitson,1865** (Acraeidae)
acara Hewitson,1865; *caffra* C.Felder & R.Felder,[1865]; *tescea* Suffert,1904; *mhondana* Suffert,1904 nec Vuill.,1891; *kuereensis* Le Doux,1923; *sufferti* Le Cerf,1927; *melanophanes* Le Cerf,1927; *#barberina* Van Son,1963.
17. **Acraea (s.str.) acara acara Hewitson,1865** (Acraeidae)
acara Hewitson,1865; *caffra* C.Felder & R.Felder,[1865]; *tescea* Suffert,1904; *mhondana* Suffert,1904 nec Vuill.,1891; *kuereensis* Le Doux,1923; *sufferti* Le Cerf,1927; *melanophanes* Le Cerf,1927; *#barberina* Van Son,1963.
18. **Acraea (s.str.) acrita Hewitson,1865** (Acraeidae)
acrita Hewitson,1865; *ambigua* Trimen,1891; *bella* Weymer,1901; *#pauperata* Thurnau,1903; *aquila* Thurnau,1903; *littoralis* Eltringham,1912
19. **Acraea (s.str.) aganice Hewitson,1852** (Acraeidae)
aganice Hewitson,1852
20. **Acraea (s.str.) aganice aganice Hewitson,1852** (Acraeidae) *aganice* Hewitson,1852
21. **Acraea (s.str.) aglaonice Westwood,1881** (Acraeidae)
aglaonice Westwood,1881; *fenestrata* Trimen,1881; *#leucaspis* Wichgraf,1914; *#latimarginata* Van Son,1963.
22. **Acraea (s.str.) anemosa Hewitson,1865** (Acraeidae)
anemosa Hewitson,1865; *arcticincta* Butler,1883; *welwitschii* Rogenhofer,1893; *mosana* Suffert,1904; *dubiosa* Suffert,1904; *lobemba* Eltringham,1912; *lutea* Riley,1921; *nivea* Riley,1921; *macrosticta* Storace,1949.
23. **Acraea (s.str.) asema Hewitson,1877** (Acraeidae)
asema Hewitson,1877; *empusa* Butler,1894.
24. **Acraea (s.str.) axina Westwood,1881** (Acraeidae)
axina Westwood,1881; *#illuminata* Van Son,1963.
25. **Acraea (s.str.) barberi Trimen,1881** (Acraeidae)
barberi Trimen,1881
26. **Acraea (s.str.) boopis Wichgraf,1914** (Acraeidae)
boopis Wichgraf,1914
27. **Acraea (s.str.) boopis boopis Wichgraf,1914** (Acraeidae) *boopis* Wichgraf,1914
28. **Acraea (s.str.) caldarena Hewitson,1877** (Acraeidae)
caldarena Hewitson,1877; *amphimalla* Westwood,1881; *dircaea* Westwood,1881; *nero* Butler,1883; *recaldana* Suffert,1904; *latipicalis* Joicey & Talbot,1921; *necessaria* Le Doux,1923.
29. **Acraea (s.str.) caldarena caldarena Hewitson,1877** (Acraeidae) *caldarena* Hewitson,1877; *amphimalla* Westwood,1881; *dircaea* Westwood,1881; *nero* Butler,1883; *recaldana* Suffert,1904; *latipicalis* Joicey & Talbot,1921; *necessaria* Le Doux,1923.

30. *Acraea* (s.str.) *egina* (Cramer,[1775]) (Acraeidae) *egina* Cramer,[1775]; *rudolphina* Herbst,1792; *persephone* Fabricius,1793; *zidora* Godart,[1819]; *khara* Grose-Smith,1889; *harrisoni* Sharpe,1904; *intensa* Stoneham,1937; *bellehui* Carcasson,1961.
31. *Acraea* (s.str.) *egina areca* Mabilie,1888 (Acraeidae) *areca* Mabilie,1888
32. *Acraea* (s.str.) *horta* (Linnaeus,1764) (Acraeidae) *horta* Linnaeus,1764; *#conjuncta* Blachier,1912
33. *Acraea* (s.str.) *machequena* Grose-Smith,1887 (Acraeidae) *machequena* Grose-Smith,1887
34. *Acraea* (s.str.) *natalica* Boisduval,1847 (Acraeidae) *natalica* Boisduval,1847; *bellua* Wallengren,1857; *umbrata* Suffert,1904; *#mesoleuca* Wichgraf,1914; *oatesi* Van Son,1936.
35. *Acraea* (s.str.) *neobule* Doubleday,[1847] (Acraeidae) *neobule* Doubleday,[1847]; *arabica* Rebel,1899; *#sheba* Gabriel,1954.
36. *Acraea* (s.str.) *neobule neobule* Doubleday,[1847] (Acraeidae) *neobule* Doubleday,[1847]; *arabica* Rebel,1899; *#sheba* Gabriel,1954.
37. *Acraea* (s.str.) *nohara* Boisduval,1847 (Acraeidae) *nohara* Boisduval,1847; *actiaca* Hewitson,1852.
38. *Acraea* (s.str.) *nohara nohara* Boisduval,1847 (Acraeidae) *nohara* Boisduval,1847; *actiaca* Hewitson,1852.
39. *Acraea* (s.str.) *oncaea* Hopffer,1855 (Acraeidae) *oncaea* Hopffer,1855; *caoncius* Suffert,1904; *alboradiata* Suffert,1904; *modesta* Suffert,1904; *obscura* Suffert,1904; *defasciata* Suffert,1904; *liacea* Suffert,1904;
40. *Acraea* (s.str.) *pudorella Aurivillius*,1898 (Acraeidae) *pudorella* Aurivillius,1898; *reducta* Wichgraf,1918; *#heringi* Le Doux,1923
41. *Acraea* (s.str.) *pudorella pudorella* Aurivillius,1898 (Acraeidae) *pudorella* Aurivillius,1898; *reducta* Wichgraf,1918; *#heringi* Le Doux,1923
42. *Acraea* (s.str.) *stenobea* Wallengren,1860 (Acraeidae) *stenobea* Wallengren,1860; *acronycta* Westwood,1881; *albmaculata* Weymer,1892
43. *Acraea* (s.str.) *violarum* Boisduval,1847 (Acraeidae) *violarum* Boisduval,1847; *nataliensis* Angas,[1849]; *gracilis* Wichgraf,1909.
44. *Pardopsis punctatissima* (Boisduval,1833) (Acraeidae) *punctatissima* Boisduval,1833; *stictica* Boisduval,1847
45. *Adela electella* (Walker,[1863]) (Adelidae) *electella* Walker,[1863]
46. *Ceromitia amphichroa* Meyrick,1908 (Adelidae) *amphichroa* Meyrick,1908
47. *Ceromitia brevilobata* (Janse,1945) (Adelidae) *brevilobata* Janse,1945
48. *Ceromitia cerochlora* Meyrick,1921 (Adelidae) *cerochlora* Meyrick,1921
49. *Ceromitia decepta* Janse,1945 (Adelidae) *decepta* Janse,1945
50. *Ceromitia descripta* Meyrick,1924 (Adelidae) *descripta* Meyrick,1924
51. *Ceromitia graptosema* Meyrick,1914 (Adelidae) *graptosema* Meyrick,1914
52. *Ceromitia heteroloba* (Janse,1945) (Adelidae) *heteroloba* Janse,1945
53. *Ceromitia holosticta* Meyrick,1918 (Adelidae) *holosticta* Meyrick,1918
54. *Ceromitia indigna* (Meyrick,1912) (Adelidae) *indigna* Meyrick,1912
55. *Ceromitia laureata* Meyrick,1911 (Adelidae) *laureata* Meyrick,1911
56. *Ceromitia libropis* Meyrick,1908 (Adelidae) *libropis* Meyrick,1908
57. *Ceromitia mellicoma* Meyrick,1912 (Adelidae) *mellicoma* Meyrick,1912
58. *Ceromitia mioclina* Meyrick,1921 (Adelidae) *mioclina* Meyrick,1921
59. *Ceromitia nerina* Meyrick,1912 (Adelidae) *nerina* Meyrick,1912
60. *Ceromitia ochrotricha* Meyrick,1912 (Adelidae) *ochrotricha* Meyrick,1912
61. *Ceromitia palyntis* Meyrick,1908 (Adelidae) *palyntis* Meyrick,1908
62. *Ceromitia phaeocoma* Meyrick,1912 (Adelidae) *phaeocoma* Meyrick,1912; *mesosema* Meyrick,1921
63. *Ceromitia phaeocomoides* Janse,1945 (Adelidae) *phaeocomoides* Janse,1945
64. *Ceromitia phyrsuma* Meyrick,1911 (Adelidae) *phyrsuma* Meyrick,1911
65. *Ceromitia punctulata* Janse,1945 (Adelidae) *punctulata* Janse,1945
66. *Ceromitia spilodesma* Meyrick,1908 (Adelidae) *spilodesma* Meyrick,1908
67. *Ceromitia sporaea* Meyrick,1908 (Adelidae) *sporaea* Meyrick,1908
68. *Ceromitia stathmodes* Meyrick,1908 (Adelidae) *stathmodes* Meyrick,1908
69. *Ceromitia synneura* Meyrick,1921 (Adelidae) *synneura* Meyrick,1921
70. *Ceromitia systelitis* Meyrick,1921 (Adelidae) *systelitis* Meyrick,1921
71. *Ceromitia transtrifera* Meyrick,1912 (Adelidae) *transtrifera* Meyrick,1912
72. *Ceromitia trigoniferella* (Walsingham,1881) (Adelidae) *trigoniferella* Walsingham,1881; ? *brevipalpa* Janse,1942.
73. *Ceromitia trilobata* (Janse,1945) (Adelidae) *trilobata* Janse,1945
74. *Ceromitia turpisella* (Walker,1863) (Adelidae) *turpisella* Walker,1863; *caffrariella* Möschler,1883; *turpis* Meyrick,1912; *flavicomma* Meyrick,1937.
75. *Ceromitia tyrochlora* Meyrick,1908 (Adelidae) *tyrochlora* Meyrick,1908; *benedicta* Meyrick,1918
76. *Ceromitia unguiphora* (Janse,1945) (Adelidae) *unguiphora* Janse,1945
77. *Ceromitia vansonii* Janse,1945 (Adelidae) *vansonii* Janse,1945
78. *Ceromitia wahlbergi* Zeller,1852 (Adelidae) *wahlbergi* Zeller,1852
79. *Digama meridionalis* Swinhoe,1907 (Aganaiidae) *meridionalis* Swinhoe,1907
80. *Digama nepheloptera* Hampson,1910 (Aganaiidae) *nepheloptera* Hampson,1910
81. *Digama ostentata* Distant,1899 (Aganaiidae) *ostentata* Distant,1899
82. *Sommeria spilosoma* (R.Felder & Rogenhofer,1874) (Aganaiidae) *spilosoma* R.Felder & Rogenhofer,1874
83. *Sommeria strabonis* (Hampson,1910) (Aganaiidae) *strabonis* Hampson,1910
84. *Alucita acalyptra* (Meyrick,1913) (Alucitidae) *acalyptra* Meyrick,1913
85. *Alucita certifica* (Meyrick,1909) (Alucitidae) *certifica* Meyrick,1909
86. *Alucita libraria* (Meyrick,1911) (Alucitidae) *libraria* Meyrick,1911
87. *Alucita photaula* (Meyrick,1918) (Alucitidae) *photaula* Meyrick,1918
88. *Alucita spicifera* (Meyrick,1911) (Alucitidae) *spicifera* Meyrick,1911
89. *Alucita tesserata* (Meyrick,1918) (Alucitidae) *tesserata* Meyrick,1918
90. *Microschismus cymatias* Meyrick,1918 (Alucitidae) *cymatias* Meyrick,1918
91. *Microschismus fortis* Walsingham,1881 (Alucitidae) *fortis* Walsingham,1881
92. *Microschismus premnias* Meyrick,1913 (Alucitidae) *premnias* Meyrick,1913
93. *Microschismus scleetias* Meyrick,1911 (Alucitidae) *scleetias* Meyrick,1911
94. *Microschismus serricornis* Meyrick,1914 (Alucitidae) *serricornis* Meyrick,1914
95. *Acantharctia latifasciata* Hampson,1909 (Arctiidae) *latifasciata* Hampson,1909
96. *Amerila bauri* Möschler,1884 (Arctiidae) *bauri* Möschler,1884
97. *Amphicallia bellatrix* (Dalman,1823) (Arctiidae) *bellatrix* Dalman,1823; *pardalina* Herrich-Schäffer,1854.
98. *Amsacta* (s.l.) *nivea* Hampson,1916 (Arctiidae) *nivea* Hampson,1916

99. *Carcinopodia argentata* (Distant,1897) (Arctiidae) *argentata* Distant,1897
100. *Ctenosia psectriphora* (Distant,1899) (Arctiidae) *psectriphora* Distant,1899
101. *Cyana pretoriae* (Distant,1897) (Arctiidae) *pretoriae* Distant,1897
102. *Eilema bifasciata* Hampson,1900 (Arctiidae) *bifasciata* Hampson,1900
103. *Eilema gracilipennis* (Wallengren,1860) (Arctiidae) *gracilipennis* Wallengren,1860; *planissima* Wallengren,1876
104. *Eilema similipuncta* Hampson,1914 (Arctiidae) *similipunctum* Hampson,1914
105. *Estigmene lemniscata* (Distant,1898) (Arctiidae) *lemniscata* Distant,1898
106. *Estigmene linea* (Walker,1855) (Arctiidae) *linea* Walker,1855; *truncatum* Walker,1856; *strigatum* Wallengren,1860
107. *Estigmene trivitta* (Walker,1855) (Arctiidae) *trivitta* Walker,1855
108. *Eyrallpenus testacea* (Walker,1855) (Arctiidae) *testacea* Walker,1855; *subflavescens* Walker,1865
109. *Galtara nepheloptera* (Hampson,1910) (Arctiidae) *nepheloptera* Hampson,1910
110. *Paralpenus strigulosa* (Hampson,1901) (Arctiidae) *strigulosa* Hampson,1901; *atropunctata* Fawcett,1903
111. *Rhodogastria amasis* (Cramer,[1779]) (Arctiidae) *amasis* Cramer,[1779]; *serici* Thunberg,1781; *erythronota* Boisduval,1847; *delineata* Walker,1855; *callipyga* Wallengren,1860; *thunbergii* Guérin-Méneville,1862
112. *Rhodogastria amasis amasis* (Cramer,[1779]) (Arctiidae) *amasis* Cramer,[1779]; *serici* Thunberg,1781; *erythronota* Boisduval,1847; *delineata* Walker,1855; *callipyga* Wallengren,1860; *thunbergii* Guérin-Méneville,1862
113. *Siccia caffra* Walker,1854 (Arctiidae) *caffra* Walker,1854; *nigropunctata* Wallengren,1860; *punctigera* R.Felder & Rogenhofer,1874
114. *Sozusa scutellata* (Wallengren,1860) (Arctiidae) *scutellata* Wallengren,1860; *dorsiglaucia* Walker,1864; *natalica* Möschler,1872
115. *Spilosoma dissimile* Distant,1897 (Arctiidae) *dissimile* Distant,1897
116. *Spilosoma dissimilis* Distant,1897 (Arctiidae) *dissimilis* Distant,1897
117. *Spilosoma scortillum* Wallengren,1875 (Arctiidae) *scortillum* Wallengren,1875
118. *Spilosoma scortillum scortillum* Wallengren,1875 (Arctiidae) *scortillum* Wallengren,1875
119. *Teracotona metaxantha* (Hampson,1909) (Arctiidae) *metaxantha* Hampson,1909
120. *Utetheisa* (s.str.) *pulchella* (Linnaeus,1758) (Arctiidae) *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyer* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969.
121. *Utetheisa* (s.str.) *pulchella callima* Swinhoe,1907 (Arctiidae) *callima* Swinhoe,1907
122. *Antanartia dimorphica* Howarth,1966 (Argynnididae) *dimorphica* Howarth,1966
123. *Antanartia dimorphica dimorphica* Howarth,1966 (Argynnididae) *dimorphica* Howarth,1966
124. *Antanartia schaeneia* (Trimen,1879) (Argynnididae) *schaeneia* Trimen,1879; *commixta* Butler,1880
125. *Antanartia schaeneia schaeneia* (Trimen,1879) (Argynnididae) *schaeneia* Trimen,1879; *commixta* Butler,1880
126. *Byblia anvatara* (Boisduval,1833) (Argynnididae) *anvatara* Boisduval,1833; *#seriata* Rothschild & Jordan,1903
127. *Byblia anvatara acheloia* (Wallengren,1857) (Argynnididae) *acheloia* Wallengren,1857
128. *Byblia ilithyia* (Drury,[1773]) (Argynnididae) *ilithyia* Drury,[1773]; *polinice* Stoll,[1782]; *gotzrus* Herbst,1798; *cora* Feisthamel,1850; *badiata* Grünberg,1910; *#aestivalis* Ungemach,1932; *#alithyia* D'Abrera,1981
129. *Byblia ilithyia* (Drury,[1773]) (Argynnididae) *ilithyia* Drury,[1773]; *polinice* Stoll,[1782]; *gotzrus* Herbst,1798; *cora* Feisthamel,1850; *badiata* Grünberg,1910; *#aestivalis* Ungemach,1932; *#alithyia* D'Abrera,1981
130. *Catacroptera cloanthe* (Stoll,[1781]) (Argynnididae) *cloanthe* Stoll,[1781]; *obscurior* Staudinger,1885; *intermedia* Rothschild,1918
131. *Catacroptera cloanthe cloanthe* (Stoll,[1781]) (Argynnididae) *cloanthe* Stoll,[1781]; *obscurior* Staudinger,1885; *intermedia* Rothschild,1918
132. *Charaxes achaemenes* C.Felder & R.Felder,[1867] (Argynnididae) *achaemenes* C.Felder & R.Felder,[1867]; *fasciatus* Suffert,1904.
133. *Charaxes achaemenes achaemenes* C.Felder & R.Felder,[1867] (Argynnididae) *achaemenes* C.Felder & R.Felder,[1867]; *fasciatus* Suffert,1904.
134. *Charaxes bohemani* C.Felder & R.Felder,1859 (Argynnididae) *bohemani* C.Felder & R.Felder,1859
135. *Charaxes brutus* (Cramer,[1779]) (Argynnididae) *brutus* Cramer,[1779]; *cajus* Herbst,1790
136. *Charaxes brutus natalensis* Staudinger,1885 (Argynnididae) *natalensis* Staudinger,1885
137. *Charaxes candiope* (Godart,[1824]) (Argynnididae) *candiope* Godart,[1824]; *viridicostatus* Aurivillius,1879; *#uniformis* Stora,1948; *#rosae* Stora,1948.
138. *Charaxes candiope candiope* (Godart,[1824]) (Argynnididae) *candiope* Godart,[1824]; *viridicostatus* Aurivillius,1879; *#uniformis* Stora,1948; *#rosae* Stora,1948.
139. *Charaxes castor* (Cramer,[1775]) (Argynnididae) *castor* Cramer,[1775]; *godarti* Aurivillius,1898
140. *Charaxes castor flavifasciatus* Butler,1895 (Argynnididae) *flavifasciatus* Butler,1895; *orientalis* Lanz,1896
141. *Charaxes cithaeron* C.Felder & R.Felder,1859 (Argynnididae) *cithaeron* C.Felder & R.Felder,1859
142. *Charaxes cithaeron joanae* Van Someren,1964 (Argynnididae) *joanae* Van Someren,1964
143. *Charaxes druceanus* Butler,1869 (Argynnididae) *druceanus* Butler,1869
144. *Charaxes druceanus entabeni* Van Someren,1963 (Argynnididae) *entabeni* Van Someren,1963
145. *Charaxes druceanus moerens* Jordan,1936 (Argynnididae) *moerens* Jordan,1936
146. *Charaxes druceanus solitarius* Henning & Henning,1992 (Argynnididae) *solitarius* Henning & Henning,1992
147. *Charaxes etesipe* (Godart,[1824]) (Argynnididae) *etesipe* Godart,[1824]
148. *Charaxes etesipe tavetensis* Rothschild,1894 (Argynnididae) *tavetensis* Rothschild,1894
149. *Charaxes ethalion* (Boisduval,1847) (Argynnididae) *ethalion* Boisduval,1847; *erithalion* Doubleday,1849; *rosae* Butler,1895.
150. *Charaxes ethalion ethalion* (Boisduval,1847) (Argynnididae) *ethalion* Boisduval,1847; *erithalion* Doubleday,1849; *rosae* Butler,1895.
151. *Charaxes jahluca* (Trimen,1862) (Argynnididae) *jahluca* Trimen,1862
152. *Charaxes jahluca rex* Henning,1978 (Argynnididae) *rex* Henning,1978
153. *Charaxes jasius* (Linnaeus,1767) (Argynnididae) *jasius* Linnaeus,1767; *jason* Linnaeus,1767 *praeocc.*; *rhea* Hübner,1800; *unedonis* Hübner,1806; *faroensis* Ribbe,1909; *septentrionalis* Verity,1913; *europaeus* Verity,1917.
154. *Charaxes jasius saturnus* Butler,1866 (Argynnididae) *saturnus* Butler,1866; *flavicinctus* Butler,1895.
155. *Charaxes marieps* Van Someren & Jackson,1957 (Argynnididae) *marieps* Van Someren & Jackson,1957
156. *Charaxes phaeus* Hewitson,1877 (Argynnididae) *phaeus* Hewitson,1877
157. *Charaxes vansoni* Van Someren,1975 (Argynnididae) *vansoni* Van Someren,1975
158. *Charaxes varanes* (Cramer,[1777]) (Argynnididae) *varanes* Cramer,[1777]
159. *Charaxes varanes varanes* (Cramer,[1777]) (Argynnididae) *varanes* Cramer,[1777]
160. *Charaxes xiphares* (Stoll,[1781]) (Argynnididae) *xiphares* Stoll,[1781]
161. *Charaxes xiphares bavenda* Van Son,1935 (Argynnididae) *bavenda* Van Son,1935
162. *Charaxes xiphares draconis* Jordan,1936 (Argynnididae) *draconis* Jordan,1936

163. *Charaxes xiphares kenwayi* Poulton, 1929 (Argynnidae) *kenwayi* Poulton, 1929
164. *Charaxes zoolina* (Westwood, [1850]) (Argynnidae) *zoolina* Westwood, [1850]; *neanthes* Hewitson, 1854
165. *Charaxes zoolina zoolina* (Westwood, [1850]) (Argynnidae) *zoolina* Westwood, [1850]; *neanthes* Hewitson, 1854
166. *Cymothoe alcimeda* (Godart, [1824]) (Argynnidae) *alcimeda* Godart, [1824]; *eupithes* Doubleday, [1848].
167. *Cymothoe alcimeda marieps* Rydon, 1994 (Argynnidae) *marieps* Rydon, 1994
168. *Cymothoe alcimeda rhodesiae* Stevenson, 1934 (Argynnidae) *rhodesiae* Stevenson, 1934
169. *Cymothoe alcimeda transvaalica* Rydon, 1994 (Argynnidae) *transvaalica* Rydon, 1994; *#aurantifascia* Rydon, 1994.
170. *Cymothoe alcimeda trimeni* Aurivillius, 1912 (Argynnidae) *trimeni* Aurivillius, 1912
171. *Cymothoe coranus* Grose-Smith, 1889 (Argynnidae) *coranus* Grose-Smith, 1889
172. *Cymothoe coranus coranus* Grose-Smith, 1889 (Argynnidae) *coranus* Grose-Smith, 1889
173. *Cynthia cardui* (Linnaeus, 1758) (Argynnidae) *cardui* Linnaeus, 1758; *carduelis* Cramer, 1775; *elymi* Rambur, 1829; *kershawi* McCoy, 1868; *pallida* Schoyen, 1881; *universa* Verity, 1919; *takesakiana* Kato, 1925.
174. *Cynthia cardui cardui* (Linnaeus, 1758) (Argynnidae) *cardui* Linnaeus, 1758; *carduelis* Cramer, 1775; *elymi* Rambur, 1829; *kershawi* McCoy, 1868; *pallida* Schoyen, 1881; *universa* Verity, 1919; *takesakiana* Kato, 1925.
175. *Cyrestis (Azania) camillus* (Fabricius, 1781) (Argynnidae) *camillus* Fabricius, 1781; *pantheus* Drury, 1782
176. *Cyrestis (Azania) camillus sublineatus* Lathy, 1901 (Argynnidae) *sublineatus* Lathy, 1901
177. *Eurytela dryope* (Cramer, [1775]) (Argynnidae) *dryope* Cramer, [1775]
178. *Eurytela dryope angulata* Aurivillius, 1898 (Argynnidae) *angulata* Aurivillius, 1898
179. *Eurytela hiarbas* (Drury, 1782) (Argynnidae) *hiarbas* Drury, 1782
180. *Eurytela hiarbas angustata* Aurivillius, 1894 (Argynnidae) *angustata* Aurivillius, 1894
181. *Euxanthe (Euxanthe) wakefieldi* (Ward, 1873) (Argynnidae) *wakefieldi* Ward, 1873; *#rubiginea* Le Cerf, 1923
182. *Hamanumida daedalus* (Fabricius, 1775) (Argynnidae) *daedalus* Fabricius, 1775; *melantha* Fabricius, 1775; *meleagris* Cramer, [1775]; *hesperus* Fabricius, 1793; *meleagrina* Staudinger, 1886; *bicolor* Ungemach, 1932; *icarus* Stoneham, 1965.
183. *Hamanumida daedalus daedalus* (Fabricius, 1775) (Argynnidae) *daedalus* Fabricius, 1775; *melantha* Fabricius, 1775; *meleagris* Cramer, [1775]; *hesperus* Fabricius, 1793; *meleagrina* Staudinger, 1886; *bicolor* Ungemach, 1932; *icarus* Stoneham, 1965.
184. *Hypolimnas anthedon* Doubleday, 1845 (Argynnidae) *anthedon* Doubleday, 1845
185. *Hypolimnas anthedon wahlbergi* (Wallengren, 1857) (Argynnidae) *wahlbergi* Wallengren, 1857; *mima* Trimen, 1869; *marginalis* Butler, 1875; *angustilimbata* Weymer, 1892; *#millari* Aurivillius, 1913
186. *Hypolimnas deceptor* (Trimen, 1873) (Argynnidae) *deceptor* Trimen, 1873; *kirbyi* Butler, 1898
187. *Hypolimnas deceptor deceptor* (Trimen, 1873) (Argynnidae) *deceptor* Trimen, 1873; *kirbyi* Butler, 1898
188. *Lachnoptera ayresii* Trimen, 1879 (Argynnidae) *ayresii* Trimen, 1879; *abbotti* Holland, 1896
189. *Neptis (s.str.) laeta* Overlaet, 1955 (Argynnidae) *laeta* Overlaet, 1955; *overlaeti* Pennington, 1962
190. *Neptis (s.str.) penningtoni* Van Son, 1977 (Argynnidae) *penningtoni* Van Son, 1977
191. *Neptis (s.str.) saclava* Boisduval, 1833 (Argynnidae) *sacclava* Boisduval, 1833
192. *Neptis (s.str.) saclava marpessa* Hopffer, 1855 (Argynnidae) *marpessa* Hopffer, 1855; *pasteuri* Snellen, 1882
193. *Phalanta phalantha* (Drury, [1773]) (Argynnidae) *phalantha* Drury, [1773]
194. *Phalanta phalantha aethiopica* (Rothschild & Jordan, 1903) (Argynnidae) *aethiopica* Rothschild & Jordan, 1903
195. *Precis (Junonia) antilope* (Feisthamel, 1850) (Argynnidae) *antilope* Feisthamel, 1850; *simia* Wallengren, 1857; *ibris* C.Felder & R.Felder, [1867]; *micromera* Butler, 1876; *petersi* Dewitz, 1879
196. *Precis (Junonia) ceryne* (Boisduval, 1847) (Argynnidae) *ceryne* Boisduval, 1847; *tukuo* Wallengren, 1857.
197. *Precis (Junonia) ceryne ceryne* (Boisduval, 1847) (Argynnidae) *ceryne* Boisduval, 1847; *tukuo* Wallengren, 1857.
198. *Precis (Junonia) hierta* (Fabricius, 1798) (Argynnidae) *lintingensis* Osbeck, 1765 [rejected name, *Op.* 842, 1968]; *hierta* Fabricius, 1798
199. *Precis (Junonia) hierta cebrene* Trimen, 1870 (Argynnidae) *cebrene* Trimen, 1870; *sudanica* Schultze, 1920
200. *Precis (Junonia) natalica* (C.Felder & R.Felder, 1860) (Argynnidae) *natalica* C.Felder & R.Felder, 1860; *hecate* Trimen, 1862; *#natalensis* Rothschild, 1918 *nec* Sgr., 1885
201. *Precis (Junonia) natalica natalica* (C.Felder & R.Felder, 1860) (Argynnidae) *natalica* C.Felder & R.Felder, 1860; *hecate* Trimen, 1862; *#natalensis* Rothschild, 1918
202. *Precis (Junonia) oenone* (Linnaeus, 1758) (Argynnidae) *oenone* Linnaeus, 1758; *clelia* Cramer, [1775].
203. *Precis (Junonia) oenone oenone* (Linnaeus, 1758) (Argynnidae) *oenone* Linnaeus, 1758; *clelia* Cramer, [1775].
204. *Precis (Junonia) orithya madagascariensis* Guenée, 1865 (Argynnidae) *madagascariensis* Guenée, 1865
205. *Precis (Junonia) terea* (Drury, [1773]) (Argynnidae) *terea* Drury, [1773]; *zipha* Butler, 1869
206. *Precis (Junonia) terea elgiva* (Hewitson, 1864) (Argynnidae) *elgiva* Hewitson, 1864
207. *Precis (s.str.) archesia* (Cramer, [1779]) (Argynnidae) *archesia* Cramer, [1779]; *pelasgis* Godart, [1819]; *chapunga* Hewitson, 1864; *staudingeri* Rogenhofer, 1891; *semitypica* Aurivillius, 1898; *striata* Aurivillius, 1901
208. *Precis (s.str.) archesia archesia* (Cramer, [1779]) (Argynnidae) *archesia* Cramer, [1779]; *pelasgis* Godart, [1819]; *chapunga* Hewitson, 1864; *staudingeri* Rogenhofer, 1891; *semitypica* Aurivillius, 1898; *striata* Aurivillius, 1901
209. *Precis (s.str.) octavia* (Cramer, [1777]) (Argynnidae) *octavia* Cramer, [1777]; *amestris* Drury, 1782; *zingha* Fabricius, 1787; *emma* Godart, [1819]
210. *Precis (s.str.) octavia sesamus* (Trimen, 1883) (Argynnidae) *sesamus* Trimen, 1883; *natalensis* Staudinger, 1885; *calescens* Butler, 1894
211. *Precis (s.str.) tugela* Trimen, 1879 (Argynnidae) *tugela* Trimen, 1879
212. *Precis (s.str.) tugela tugela* Trimen, 1879 (Argynnidae) *tugela* Trimen, 1879
213. *Pseudacraea boisduvalii* (Doubleday, 1845) (Argynnidae) *boisduvalii* Doubleday, 1845
214. *Pseudacraea boisduvalii trimeni* Butler, 1874 (Argynnidae) *trimeni* Butler, 1874; *colvillei* Butler, 1884; *deficiens* Karsch, 1897
215. *Pseudacraea lucretia* (Cramer, [1775]) (Argynnidae) *lucretia* Cramer, [1775]; *sulpitia* Fabricius, 1793
216. *Pseudacraea lucretia expansa* (Butler, 1878) (Argynnidae) *expansa* Butler, 1878; *delagoae* Trimen, 1887; *heliogenes* Butler, 1896; *kentae* Pulton, 1926
217. *Pseudacraea lucretia tarquinia* (Trimen, 1868) (Argynnidae) *tarquinia* Trimen, 1868
218. *Salamis anacardii* (Linnaeus, 1758) (Argynnidae) *anacardii* Linnaeus, 1758
219. *Salamis anacardii nebulosa* Trimen, 1881 (Argynnidae) *nebulosa* Trimen, 1881; *lurida* Niepelt, 1920; *#formosa* Stoneham, 1965; *#trimeni* Van Son, 1979.
220. *Salamis parhassus* (Drury, 1782) (Argynnidae) *parhassus* Drury, 1782; *aethiops* Palisot, [1805] *nec* Esp., 1777; *aglatonice* Godart, [1819].
221. *Sevenia boisduvali* (Wallengren, 1857) (Argynnidae) *boisduvali* Wallengren, 1857
222. *Sevenia boisduvali boisduvali* (Wallengren, 1857) (Argynnidae) *boisduvali* Wallengren, 1857
223. *Sevenia morantii* (Trimen, 1881) (Argynnidae) *morantii* Trimen, 1881
224. *Sevenia morantii morantii* (Trimen, 1881) (Argynnidae) *morantii* Trimen, 1881

225. *Sevenia natalensis* (Boisduval,1847) (Argynnididae)
natalensis Boisduval,1847; *wallengreni* Staudinger,1886; *#melania*
Van Son,1979.
226. *Holcopogon rhyodes* (Meyrick,1909) (Autostichidae)
rhyodes Meyrick,1909; *amphicentra* Meyrick,1913
227. *Pachnistis craniota* (Meyrick,1913) (Autostichidae)
craniota Meyrick,1913; *propitia* Meyrick,1913; *consors*
Meyrick,1921
228. *Procometis* (s.str.) *limitata* Meyrick,1911 (Autostichidae) *limitata* Meyrick,1911
229. *Symmoca crocodesma* Meyrick,1911 (Autostichidae)
crocodesma Meyrick,1911
230. *Turatia rhyodes* (Meyrick,1909) (Autostichidae)
rhyodes Meyrick,1909
231. *Turatia rhyodes rhyodes* (Meyrick,1909) (Autostichidae) *rhyodes* Meyrick,1909
232. *Batrachedra granosa* Meyrick,1911 (Batrachedridae)
granosa Meyrick,1911
233. *Batrachedra heliota* Meyrick,1913 (Batrachedridae)
heliota Meyrick,1913
234. *Batrachedra microbias* Meyrick,1914 (Batrachedridae) *microbias* Meyrick,1914
235. *Batrachedra saurota* Meyrick,1911 (Batrachedridae)
saurota Meyrick,1911
236. *Blastobasis byrsodepta* Meyrick,1913 (Blastobasidae)
byrsodepta Meyrick,1913
237. *Blastobasis determinata* Meyrick,1921 (Blastobasidae) *determinata* Meyrick,1921
238. *Blastobasis extensa* Meyrick,1918 (Blastobasidae)
extensa Meyrick,1918
239. *Blastobasis fatigata* Meyrick,1914 (Blastobasidae)
fatigata Meyrick,1914
240. *Blastobasis industria* Meyrick,1913 (Blastobasidae)
industria Meyrick,1913
241. *Ocinara signicosta* Strand,1910 (Bombycidae)
signicosta Strand,1910; *fuscocervina* Strand,1910
242. *Bucculatrix amara* Meyrick,1913 (Bucculatricidae)
amara Meyrick,1913
243. *Bucculatrix anticolona* Meyrick,1913 (Bucculatricidae) *anticolona* Meyrick,1913
244. *Bucculatrix dulcis* Meyrick,1913 (Bucculatricidae)
dulcis Meyrick,1913
245. *Bucculatrix edocta* Meyrick,1921 (Bucculatricidae)
edocta Meyrick,1921
246. *Bucculatrix facilis* Meyrick,1911 (Bucculatricidae)
facilis Meyrick,1911
247. *Bucculatrix galeodes* Meyrick,1913 (Bucculatricidae)
galeodes Meyrick,1913
248. *Bucculatrix inchoata* Meyrick,1913 (Bucculatricidae)
inchoata Meyrick,1913
249. *Bucculatrix lenis* Meyrick,1913 (Bucculatricidae)
lenis Meyrick,1913
250. *Bucculatrix melipecta* Meyrick,1914 (Bucculatricidae)
melipecta Meyrick,1914
251. *Bucculatrix porthmis* Meyrick,1908 (Bucculatricidae)
porthmis Meyrick,1908
252. *Bucculatrix quieta* Meyrick,1913 (Bucculatricidae)
quieta Meyrick,1913
253. *Carposina exsanguis* Meyrick,1918 (Carposinidae)
exsanguis Meyrick,1918
254. *Carposina irata* Meyrick,1914 (Carposinidae) *irata*
Meyrick,1914
255. *Tebenna bjerkanndrella* (Borgström,1784) (Choreutidae) *cardui* Ström,1783; *bjerkanndrella* Borgström,1784;
prunnerella Rossi,1794; *vibrana* Hübner,[1813]; *vibralis*
Treitschke,1835; *kawabei* Arita,1975
256. *Amblyxena pilifera* Meyrick,1921 (Coleophoridae)
pilifera Meyrick,1921
257. *Coleophora aphanombra* Meyrick,1913 (Coleophoridae) *aphanombra* Meyrick,1913
258. *Coleophora diffusa* Meyrick,1913 (Coleophoridae)
diffusa Meyrick,1913
259. *Coleophora efflua* Meyrick,1911 (Coleophoridae)
efflua Meyrick,1911
260. *Coleophora halmodes* Meyrick,1911 (Coleophoridae)
halmodes Meyrick,1911
261. *Coleophora illustrata* Meyrick,1913 (Coleophoridae)
illustrata Meyrick,1913
262. *Coleophora intensa* Meyrick,1913 (Coleophoridae)
intensa Meyrick,1913
263. *Coleophora leucaula* Meyrick,1911 (Coleophoridae)
leucaula Meyrick,1911
264. *Coleophora ordinaria* Meyrick,1913 (Coleophoridae)
ordinaria Meyrick,1913
265. *Coleophora oxyphaea* Meyrick,1913 (Coleophoridae)
oxyphaea Meyrick,1913
266. *Coleophora presbytica* Meyrick,1921 (Coleophoridae)
presbytica Meyrick,1921
267. *Coleophora scaleuta* Meyrick,1911 (Coleophoridae)
scaleuta Meyrick,1911
268. *Coleophora scariphota* Meyrick,1911 (Coleophoridae)
scariphota Meyrick,1911
269. *Coleophora textoria* Meyrick,1921 (Coleophoridae)
textoria Meyrick,1921
270. *Coleophora triflua* Meyrick,1911 (Coleophoridae)
triflua Meyrick,1911
271. *Iriothyrsa melanogma* Meyrick,1908 (Coleophoridae)
melanogma Meyrick,1908
272. *Porotica astragalis* Meyrick,1913 (Coleophoridae)
astragalis Meyrick,1913
273. *Ascalenia nudicornis* (Meyrick,1913) (Cosmopterigidae) *nudicornis* Meyrick,1913
274. *Ascalenia pulverata* Meyrick,1913 (Cosmopterigidae)
pulverata Meyrick,1913
275. *Ascalenia sclerodes* (Meyrick,1909) (Cosmopterigidae) *sclerodes* Meyrick,1909
276. *Ascalenia stagnans* Meyrick,1921 (Cosmopterigidae)
stagnans Meyrick,1921
277. *Cosmopterix ancistraea* Meyrick,1913 (Cosmopterigidae) *ancistraea* Meyrick,1913
278. *Cosmopterix ancistraea* Meyrick,1913 (Cosmopterigidae) *ancistraea* Meyrick,1913
279. *Cosmopterix bactrophora* Meyrick,1908 (Cosmopterigidae) *bactrophora* Meyrick,1908
280. *Cosmopterix callinympha* Meyrick,1913 (Cosmopterigidae) *callinympha* Meyrick,1913
281. *Cosmopterix macroglossa* Meyrick,1913 (Cosmopterigidae) *macroglossa* Meyrick,1913
282. *Cosmopterix oxyglossa* Meyrick,1909 (Cosmopterigidae) *oxyglossa* Meyrick,1909
283. *Cosmopterix scaligera* Meyrick,1909 (Cosmopterigidae) *scaligera* Meyrick,1909
284. *Cosmopterix tabellaria* Meyrick,1908 (Cosmopterigidae) *tabellaria* Meyrick,1908
285. *Diophila bathrota* (Meyrick,1911) (Cosmopterigidae)
bathrota Meyrick,1911; *claricoma* Meyrick,1937
286. *Erechthiodes audax* Meyrick,1914 (Cosmopterigidae)
audax Meyrick,1914
287. *Labdia narcota* (Meyrick,1909) (Cosmopterigidae)
narcota Meyrick,1909
288. *Limnaecia antidesma* Meyrick,1913 (Cosmopterigidae) *antidesma* Meyrick,1913
289. *Limnaecia eretmota* Meyrick,1909 (Cosmopterigidae)
eretmota Meyrick,1909
290. *Limnaecia ichnographa* Meyrick,1908 (Cosmopterigidae) *ichnographa* Meyrick,1908
291. *Limnaecia neurogramma* Meyrick,1909 (Cosmopterigidae) *neurogramma* Meyrick,1909
292. *Limnaecia phragmitella* Stainton,1851 (Cosmopterigidae) *phragmitella* Stainton,1851
293. *Parathystas porphyrantha* Meyrick,1913 (Cosmopterigidae) *porphyrantha* Meyrick,1913
294. *Pauroptila galenitis* Meyrick,1913 (Cosmopterigidae)
galenitis Meyrick,1913
295. *Pyroderces tripola* (Meyrick,1909) (Cosmopterigidae)
tripola Meyrick,1909
296. *Stagmatophora phalacra* Meyrick,1909 (Cosmopterigidae) *phalacra* Meyrick,1909
297. *Stagmatophora phanoptila* Meyrick,1911 (Cosmopterigidae) *phanoptila* Meyrick,1911
298. *Stagmatophora pilana* Meyrick,1913 (Cosmopterigidae) *pilana* Meyrick,1913

299. *Stigmatophora trimitra* Meyrick, 1913 (Cosmopterigidae) *trimitra* Meyrick, 1913; *#trimetra* Vari, 1958
300. *Srenophila hyptiota* Meyrick, 1913 (Cosmopterigidae) *hyptiota* Meyrick, 1913
301. *Trachydora scandalotis* Meyrick, 1921 (Cosmopterigidae) *scandalotis* Meyrick, 1921
302. *Amata atricornis* (Wallengren, 1863) (Ctenuchidae) *atricornis* Wallengren, 1863; *sirius* Distant, 1897
303. *Amata kuhlweini* (Lefèbvre, 1831) (Ctenuchidae) *kuhlweini* Lefèbvre, 1831; *natalii* Boisduval, 1847
304. *Amata rendalli* (Distant, 1897) (Ctenuchidae) *rendalli* Distant, 1897
305. *Ceryx fulvescens* (Walker, 1854) (Ctenuchidae) *fulvescens* Walker, 1854
306. *Euchromia amoena* (Möschler, 1872) (Ctenuchidae) *amoena* Möschler, 1872; *africana* Butler, 1876
307. *Psichotoe gnatula* (Boisduval, 1847) (Ctenuchidae) *gnatula* Boisduval, 1847; *nactioides* R. Felder & Rogenhofer, 1869
308. *Amauris (Amaura) albimaculata* Butler, 1875 (Danaidae) *albimaculata* Butler, 1875
309. *Amauris (Amaura) albimaculata albimaculata* Butler, 1875 (Danaidae) *albimaculata* Butler, 1875
310. *Amauris (Amaura) echeria* (Stoll, [1790]) (Danaidae) *echeria* Stoll, [1790]; *vaillantiana* Godart, [1819]; *vaal* Talbot, 1940
311. *Amauris (Amaura) echeria echeria* (Stoll, [1790]) (Danaidae) *echeria* Stoll, [1790]; *vaillantiana* Godart, [1819]; *vaal* Talbot, 1940
312. *Amauris (Amaura) ochlea* (Boisduval, 1847) (Danaidae) *ochlea* Boisduval, 1847
313. *Amauris (Amaura) ochlea ochlea* (Boisduval, 1847) (Danaidae) *ochlea* Boisduval, 1847
314. *Amauris (Amauris) niavius* (Linnaeus, 1758) (Danaidae) *niavius* Linnaeus, 1758
315. *Amauris (Amauris) niavius dominicanus* Trimen, 1879 (Danaidae) *dominicanus* Trimen, 1879
316. *Danaus (Anosia) chrysippus orientis* (Aurivillius, 1909) (Danaidae) *orientis* Aurivillius, 1909; *liboria* Hulstaert, 1931
317. *Tirumala petiverana* (Doubleday, [1847]) (Danaidae) *petiverana* Doubleday, [1847]; *leonora* Butler, 1866; *phrynichus* Fruhstorfer, 1910; *#septentrionides* Stoneham, 1958
318. *Tirumala petiverana petiverana* (Doubleday, [1847]) (Danaidae) *petiverana* Doubleday, [1847]; *leonora* Butler, 1866; *phrynichus* Fruhstorfer, 1910; *#septentrionides* Stoneham, 1958
319. *Elachista crocogastra* Meyrick, 1908 (Elachistidae) *crocogastra* Meyrick, 1908
320. *Elachista gypsophila* Meyrick, 1911 (Elachistidae) *gypsophila* Meyrick, 1911
321. *Elachista nymphaea* Meyrick, 1911 (Elachistidae) *nymphaea* Meyrick, 1911
322. *Elachista sparsula* Meyrick, 1921 (Elachistidae) *sparsula* Meyrick, 1921
323. *Gautengia aganopa* (Meyrick, 1911) (Elachistidae) *aganopa* Meyrick, 1911
324. *Mendesia inscia* Meyrick, 1913 (Elachistidae) *inscia* Meyrick, 1913
325. *Mendesia secutrix* Meyrick, 1914 (Elachistidae) *secutrix* Meyrick, 1914
326. *Myrrhinitis sporeuta* Meyrick, 1913 (Elachistidae) *sporeuta* Meyrick, 1913
327. *Phthinostoma infumata* Meyrick, 1914 (Elachistidae) *infumata* Meyrick, 1914
328. *Phthinostoma pachyzona* Meyrick, 1921 (Elachistidae) *pachyzona* Meyrick, 1921
329. *Proterochyta epicoena* (Meyrick, 1914) (Elachistidae) *epicoena* Meyrick, 1914
330. *Symphoristis nimbifera* (Meyrick, 1913) (Elachistidae) *nimbifera* Meyrick, 1913
331. *Epermenia (Calotripis) criticodes* Meyrick, 1913 (Epermeniidae) *criticodes* Meyrick, 1913
332. *Epermenia (Cataplectica) iniquella* (Wocke, 1867) (Epermeniidae) *dentosella* auct. nec Stt., 1851; *iniquella* Wocke, 1867; *kruegerella* Schawerda, 1921; *ochrodesma* Meyrick, 1913
333. *Gnathifera proserga* (Meyrick, 1913) (Epermeniidae) *proserga* Meyrick, 1913
334. *Ochromolopis xeropa* (Meyrick, 1909) (Epermeniidae) *xeropa* Meyrick, 1909; *praefumata* Meyrick, 1911
335. *Compsoctena aedifica* (Meyrick, 1908) (Eriocottidae) *aedifica* Meyrick, 1908
336. *Compsoctena cyclatma* (Meyrick, 1908) (Eriocottidae) *cyclatma* Meyrick, 1908
337. *Compsoctena expers* (Meyrick, 1911) (Eriocottidae) *expers* Meyrick, 1911
338. *Compsoctena fossoria* (Meyrick, 1920) (Eriocottidae) *fossoria* Meyrick, 1920
339. *Compsoctena ostracitis* (Meyrick, 1913) (Eriocottidae) *ostracitis* Meyrick, 1913
340. *Compsoctena terrestris* (Meyrick, 1914) (Eriocottidae) *terrestris* Meyrick, 1914
341. *Eucryptogona secularis* Meyrick, 1918 (Eriocottidae) *secularis* Meyrick, 1918
342. *Ethmia dactylia* Meyrick, 1911 (Ethmiidae) *dactylia* Meyrick, 1911
343. *Ethmia glandifera* Meyrick, 1918 (Ethmiidae) *glandifera* Meyrick, 1918
344. *Hemijana subrosea* (Aurivillius, 1893) (Eupterotidae) *subrosea* Aurivillius, 1893; *ruberrima* Rothschild, 1917
345. *Hoplojana rhodoptera* (Gerstaecker, 1871) (Eupterotidae) *rhodoptera* Gerstaecker, 1871
346. *Jana eurymas* Herrich-Schäffer, [1854] (Eupterotidae) *eurymas* Herrich-Schäffer, [1854]; *caesarea* Weymer, 1909; *transvaalica* Strand, 1911
347. *Jana nigristriata* Janse, 1915 (Eupterotidae) *nigristriata* Janse, 1915
348. *Marmaroplegma paragarda* Wallengren, 1860 (Eupterotidae) *paragarda* Wallengren, 1860; *clio* Fawcett, 1902
349. *Marmaroplegma unicolor* Janse, 1915 (Eupterotidae) *unicolor* Janse, 1915
350. *Phiala costipuncta* (Herrich-Schäffer, [1855]) (Eupterotidae) *costipuncta* Herrich-Schäffer, [1855]; *angola* Strand, 1911; *atomaria* Walker, 1855; *xanthosoma* Wallengren, 1860; *punctilinea* Walker, 1862
351. *Phiala flavipennis* Wallengren, 1875 (Eupterotidae) *flavipennis* Wallengren, 1875
352. *Phiala incana* (Distant, 1897) (Eupterotidae) *incana* Distant, 1897; *arrecta* Distant, 1899
353. *Phiala polita* Distant, 1897 (Eupterotidae) *polita* Distant, 1897
354. *Phiala pretoriana* Wichgraf, 1908 (Eupterotidae) *pretoriana* Wichgraf, 1908
355. *Phiala pulvereana* Distant, 1903 (Eupterotidae) *pulvereana* Distant, 1903
356. *Phyllalia patens* (Boisduval, 1847) (Eupterotidae) *patens* Boisduval, 1847; *concolor* Walker, 1855
357. *Poloma castanea* Aurivillius, 1901 (Eupterotidae) *castanea* Aurivillius, 1901
358. *Stenoglene obtusa* (Walker, 1855) (Eupterotidae) *obtusa* Walker, 1855; *tristis* Felder, 1874; *labda* Druce, 1887; *subcrocea* Distant, 1903; *evanescens* Distant, 1903; *aequidistans* Strand, 1912
359. *Striphnopteryx edulis* (Boisduval, 1847) (Eupterotidae) *edulis* Boisduval, 1847
360. *Tissanga pretoriae* (Distant, 1892) (Eupterotidae) *pretoriae* Distant, 1892
361. *Acraeologa xerochroa* Meyrick, 1921 (Gelechiidae) *xerochroa* Meyrick, 1921
362. *Acribologa cymotrocha* (Meyrick, 1913) (Gelechiidae) *cymotrocha* Meyrick, 1913
363. *Allotelpusa lathridia* (Meyrick, 1909) (Gelechiidae) *lathridia* Meyrick, 1909
364. *Anapatetris crystallista* (Meyrick, 1911) (Gelechiidae) *crystallista* Meyrick, 1911
365. *Anarsia (s.str.) agricola* Walsingham, 1891 (Gelechiidae) *agricola* Walsingham, 1891
366. *Anarsia (s.str.) amalleuta* Meyrick, 1913 (Gelechiidae) *amalleuta* Meyrick, 1913
367. *Anarsia (s.str.) antisaris* (Meyrick, 1913) (Gelechiidae) *antisaris* Meyrick, 1913
368. *Anarsia (s.str.) austerodes* (Meyrick, 1918) (Gelechiidae) *austerodes* Meyrick, 1918

369. *Anarsia* (s.str.) *carbonaria* Meyrick, 1913 (Gelechiidae) *carbonaria* Meyrick, 1913
370. *Anarsia* (s.str.) *gravata* Meyrick, 1911 (Gelechiidae) *gravata* Meyrick, 1911; *ambitiosa* Meyrick, 1913; #*gravata* Janse, 1954
371. *Anarsia* (s.str.) *mitescens* Meyrick, 1913 (Gelechiidae) *mitescens* Meyrick, 1913
372. *Anarsia* (s.str.) *nimbosa* Meyrick, 1913 (Gelechiidae) *nimbosa* Meyrick, 1913
373. *Anarsia* (s.str.) *sciograptia* (Meyrick, 1921) (Gelechiidae) *sciograptia* Meyrick, 1921
374. *Anarsia* (s.str.) *spicata* Meyrick, 1918 (Gelechiidae) *spicata* Meyrick, 1918
375. *Anastomopteryx* *angulata* Janse, 1951 (Gelechiidae) *angulata* Janse, 1951
376. *Aproaerema* *anthyllidella* (Hübner, [1813]) (Gelechiidae) *anthyllidella* Hübner, [1813]; *caliginosella* Duponchel, 1843; *psoralella* Millière, 1865; *sparsiciliella* Barrett, 1891; *alfalfella* Amsel, 1958; *aureliana* Capuse, 1964
377. *Araeophalla* *barbertonensis* Janse, 1960 (Gelechiidae) *barbertonensis* Janse, 1960
378. *Aristotelia* *chlorographa* Meyrick, 1914 (Gelechiidae) *chlorographa* Meyrick, 1914
379. *Aristotelia* *comis* Meyrick, 1913 (Gelechiidae) *comis* Meyrick, 1913
380. *Aristotelia* *trematias* Meyrick, 1913 (Gelechiidae) *trematias* Meyrick, 1913
381. *Athrips* *carinata* (Meyrick, 1911) (Gelechiidae) *carinata* Meyrick, 1911; *emerita* Meyrick, 1921
382. *Athrips* *exstincta* (Meyrick, 1911) (Gelechiidae) *exstincta* Meyrick, 1911; #*exstincta* Janse, 1950
383. *Athrips* *lacunosa* (Meyrick, 1918) (Gelechiidae) *lacunosa* Meyrick, 1918
384. *Athrips* *ochrocosma* (Meyrick, 1911) (Gelechiidae) *ochrocosma* Meyrick, 1911; #*ochrocoma* Meyrick, 1921
385. *Athrips* *ptychophora* (Meyrick, 1914) (Gelechiidae) *ptychophora* Meyrick, 1914
386. *Bilobata* *subsecivella* (Zeller, 1852) (Gelechiidae) *subsecivella* Zeller, 1852; *modicella* Van Deventer, 1904
387. *Blastovalva* *paltobola* (Meyrick, 1921) (Gelechiidae) *paltobola* Meyrick, 1921
388. *Brachmia* *apricata* Meyrick, 1913 (Gelechiidae) *apricata* Meyrick, 1913
389. *Brachmia* *graphicodes* Meyrick, 1914 (Gelechiidae) *graphicodes* Meyrick, 1914
390. *Brachmia* *hemiopa* Meyrick, 1921 (Gelechiidae) *nesidias* Meyrick, 1911; *hemiopa* Meyrick, 1921
391. *Brachmia* *malacogramma* Meyrick, 1909 (Gelechiidae) *malacogramma* Meyrick, 1909
392. *Brachmia* *musicopa* Meyrick, 1908 (Gelechiidae) *musicopa* Meyrick, 1908
393. *Brachmia* *pantheropa* Meyrick, 1913 (Gelechiidae) *pantheropa* Meyrick, 1913
394. *Brachmia* *septella* (Zeller, 1852) (Gelechiidae) *septella* Zeller, 1852; *digitata* Meyrick, 1914
395. *Brachmia* *velitalis* Meyrick, 1913 (Gelechiidae) *velitalis* Meyrick, 1913
396. *Brachmia* *verberata* Meyrick, 1911 (Gelechiidae) *verberata* Meyrick, 1911
397. *Catelaphris* *torrefacta* (Meyrick, 1914) (Gelechiidae) *torrefacto* Meyrick, 1914; *torrefacta* Janse, 1954
398. *Cerofrontia* *griseotincta* Janse, 1951 (Gelechiidae) *griseotincta* Janse, 1951
399. *Cymatoplicella* *aestuosa* (Meyrick, 1913) (Gelechiidae) *aestuosa* Meyrick, 1913
400. *Dactylethrella* *chionitis* (Meyrick, 1910) (Gelechiidae) *chionitis* Meyrick, 1910
401. *Dactylethrella* *siccifolii* (Walsingham, 1881) (Gelechiidae) *siccifolii* Walsingham, 1881
402. *Dactylethrella* *tetramera* (Meyrick, 1913) (Gelechiidae) *tetramera* Meyrick, 1913
403. *Daemonarcha* *atactodes* Janse, 1954 (Gelechiidae) *atactodes* Janse, 1954
404. *Daemonarcha* *cyprophanes* Meyrick, 1918 (Gelechiidae) *cyprophanes* Meyrick, 1918
405. *Daemonarcha* *hamata* Janse, 1954 (Gelechiidae) *hamata* Janse, 1954
406. *Daemonarcha* *heterobela* Janse, 1954 (Gelechiidae) *heterobela* Janse, 1954
407. *Dichomeris* *acuminata* (Staudinger, 1876) (Gelechiidae) *acuminata* Staudinger, 1876; *ianthes* Meyrick, 1887; *rusticus* Walsingham, 1892; *lotellus* Constant, 1893; *ammoxanthus* Meyrick, 1904; *ochrophanes* Meyrick, 1907; *agathopa* Meyrick, 1921; #*agathope* Janse, 1950
408. *Dichomeris* *antizyga* Meyrick, 1913 (Gelechiidae) *antizyga* Meyrick, 1913
409. *Dichomeris* *aphanopa* Meyrick, 1921 (Gelechiidae) *aphanopa* Meyrick, 1921; #*aphanope* Janse, 1950
410. *Dichomeris* *argentaria* Meyrick, 1913 (Gelechiidae) *argentaria* Meyrick, 1913
411. *Dichomeris* *asteropis* (Meyrick, 1921) (Gelechiidae) *asteropis* Meyrick, 1921
412. *Dichomeris* *basistriata* (Walsingham, 1897) (Gelechiidae) *basistriata* Walsingham, 1897
413. *Dichomeris* *claviculata* Meyrick, 1909 (Gelechiidae) *claviculata* Meyrick, 1909
414. *Dichomeris* *cotifera* Meyrick, 1913 (Gelechiidae) *cotifera* Meyrick, 1913
415. *Dichomeris* *dysnotata* Janse, 1954 (Gelechiidae) *dysnotata* Janse, 1954
416. *Dichomeris* *externella* (Zeller, 1852) (Gelechiidae) *externella* Zeller, 1852
417. *Dichomeris* *hortulana* Meyrick, 1918 (Gelechiidae) *hortulana* Meyrick, 1918
418. *Dichomeris* *impigra* Meyrick, 1913 (Gelechiidae) *impigra* Meyrick, 1913
419. *Dichomeris* *inclusa* (Meyrick, 1927) (Gelechiidae) *inclusa* Meyrick, 1927
420. *Dichomeris* *ironica* Meyrick, 1909 (Gelechiidae) *ironica* Meyrick, 1909
421. *Dichomeris* *lamprostoma* (Zeller, 1847) (Gelechiidae) *lamprostoma* Zeller, 1847; *zulu* Walsingham, 1881; *scutata* Meyrick, 1894
422. *Dichomeris* *ligyra* Meyrick, 1913 (Gelechiidae) *ligyra* Meyrick, 1913
423. *Dichomeris* *marmorata* (Walsingham, 1890) (Gelechiidae) *marmorata* Walsingham, 1890
424. *Dichomeris* *meridionella* (Walsingham, 1881) (Gelechiidae) *meridionella* Walsingham, 1881
425. *Dichomeris* *metrodes* Meyrick, 1913 (Gelechiidae) *metrodes* Meyrick, 1913
426. *Dichomeris* *molybdea* Janse, 1954 (Gelechiidae) *molybdea* Janse, 1954
427. *Dichomeris* *ochroxesta* Meyrick, 1921 (Gelechiidae) *ochroxesta* Meyrick, 1921
428. *Dichomeris* *oenombra* Meyrick, 1921 (Gelechiidae) *oenombra* Meyrick, 1921
429. *Dichomeris* *oleata* Meyrick, 1913 (Gelechiidae) *oleata* Meyrick, 1913
430. *Dichomeris* *opsorrhoea* Meyrick, 1929 (Gelechiidae) *opsorrhoea* Meyrick, 1929
431. *Dichomeris* *oxygrapha* Meyrick, 1913 (Gelechiidae) *oxygrapha* Meyrick, 1913
432. *Dichomeris* *physeta* Meyrick, 1913 (Gelechiidae) *physeta* Meyrick, 1913
433. *Dichomeris* *plumbosa* Meyrick, 1913 (Gelechiidae) *plumbosa* Meyrick, 1913
434. *Dichomeris* *pyrrhitis* Meyrick, 1911 (Gelechiidae) *pyrrhitis* Meyrick, 1911; #*pyrritus* Janse, 1954
435. *Dichomeris* *quadrifurcata* Janse, 1954 (Gelechiidae) *quadrifurcata* Janse, 1954
436. *Dichomeris* *rubidula* Meyrick, 1913 (Gelechiidae) *rubidula* Meyrick, 1913
437. *Dichomeris* *skukuzae* Janse, 1954 (Gelechiidae) *skukuzae* Janse, 1954
438. *Dichomeris* *stasimopa* Meyrick, 1937 (Gelechiidae) *stasimopa* Meyrick, 1937
439. *Dichomeris* *subiridescens* Janse, 1954 (Gelechiidae) *subiridescens* Janse, 1954
440. *Dichomeris* *tapinostola* Janse, 1954 (Gelechiidae) *tapinostola* Janse, 1954

441. *Dichomeris ventosa* Meyrick, 1913 (Gelechiidae) *ventosa* Meyrick, 1913
442. *Dichomeris xanthodeta* Meyrick, 1913 (Gelechiidae) *xanthodeta* Meyrick, 1913
443. *Dicranucha homochroma* Janse, 1954 (Gelechiidae) *homochroma* Janse, 1954
444. *Dicranucha ochrostoma* (Meyrick, 1913) (Gelechiidae) *ochrostoma* Meyrick, 1913
445. *Dicranucha serialis* (Meyrick, 1908) (Gelechiidae) *serialis* Meyrick, 1908; *ochyrota* Meyrick, 1920
446. *Dicranucha sterictis* (Meyrick, 1908) (Gelechiidae) *sterictis* Meyrick, 1908
447. *Encolpotis xanthoria* Meyrick, 1909 (Gelechiidae) *xanthoria* Meyrick, 1909
448. *Ephysteris* (s.str.) *chersaea* Meyrick, 1908 (Gelechiidae) *chersaea* Meyrick, 1908; *oschophora* Meyrick, 1910
449. *Ephysteris* (s.str.) *infirma* (Meyrick, 1912) (Gelechiidae) *infirma* Meyrick, 1912
450. *Ephysteris* (s.str.) *ornata* (Janse, 1950) (Gelechiidae) *ornata* Janse, 1950
451. *Ephysteris* (s.str.) *promptella* (Staudinger, 1859) (Gelechiidae) *promptella* Staudinger, 1859; *despectella* Walker, 1863; *petiginella* Mann, 1867; *parvula* Staudinger, 1879; *cacomira* Walsingham, 1907; *chersaea* Meyrick, 1908; *oschophora* Meyrick, 1910; *fanatica* Meyrick, 1921; *dispensata* Meyrick, 1921; *xanthorhabda* Gozmany, 1951 *australiae* Povolny, 1977; *#promptella* Sattler, 1978.
452. *Ephysteris* (s.str.) *sirota* (Meyrick, 1908) (Gelechiidae) *sirota* Meyrick, 1908; *fluidescens* Meyrick, 1914
453. *Ephysteris* (s.str.) *subdiminutella* (Stainton, 1867) (Gelechiidae) *subdiminutella* Stainton, 1867; *bucolica* Meyrick, 1904; *ericnista* Meyrick, 1914; *ferritincta* Turner, 1919; *extorris* Meyrick, 1923; *crocoleuca* Meyrick, 1923; *pulverea* Janse, 1950; *turgida* Janse, 1951; *#erecista* Janse, 1951.
454. *Ephysteris* (s.str.) *synecta* (Meyrick, 1909) (Gelechiidae) *synecta* Meyrick, 1909
455. *Erikssonella permagna* (Meyrick, 1920) (Gelechiidae) *permagna* Meyrick, 1920
456. *Filisignella cirrhaea* (Meyrick, 1914) (Gelechiidae) *cirrhaea* Meyrick, 1914
457. *Furcaphora caelata* (Meyrick, 1913) (Gelechiidae) *caelata* Meyrick, 1913; *triscelis* Meyrick, 1917
458. *Gelechia epiphloea* Meyrick, 1913 (Gelechiidae) *epiphloea* Meyrick, 1913
459. *Gelechia exoenota* Meyrick, 1918 (Gelechiidae) *exoenota* Meyrick, 1918
460. *Gelechia resecta* Meyrick, 1913 (Gelechiidae) *resecta* Meyrick, 1913
461. *Gelechia sematica* (Meyrick, 1913) (Gelechiidae) *sematica* Meyrick, 1913
462. *Holaxyra picrophanes* (Meyrick, 1913) (Gelechiidae) *picrophanes* Meyrick, 1913
463. *Hypatima albogrisea* (Walsingham, 1881) (Gelechiidae) *albogrisea* Walsingham, 1881; *#albogrisea* Janse, 1954
464. *Hypatima dissidens* (Meyrick, 1913) (Gelechiidae) *dissidens* Meyrick, 1913
465. *Hypatima formidolosa* (Meyrick, 1916) (Gelechiidae) *formidolosa* Meyrick, 1916
466. *Hypatima improba* (Meyrick, 1913) (Gelechiidae) *improba* Meyrick, 1913
467. *Hypatima lecticata* (Meyrick, 1926) (Gelechiidae) *lecticata* Meyrick, 1926
468. *Hypatima manicata* (Meyrick, 1913) (Gelechiidae) *manicata* Meyrick, 1913
469. *Hypatima melanecta* (Meyrick, 1914) (Gelechiidae) *melanecta* Meyrick, 1914
470. *Hypatima nigrogrisea* Janse, 1949 (Gelechiidae) *nigrogrisea* Janse, 1949
471. *Hypatima probolaea* (Meyrick, 1913) (Gelechiidae) *probolaea* Meyrick, 1913
472. *Hypatima solutrix* (Meyrick, 1911) (Gelechiidae) *solutrix* Meyrick, 1911
473. *Hypatima tetraptila* (Meyrick, 1909) (Gelechiidae) *tetraptila* Meyrick, 1909
474. *Hypatima triannulata* (Meyrick, 1911) (Gelechiidae) *triannulata* Meyrick, 1911
475. *Iochares festa* Meyrick, 1921 (Gelechiidae) *festa* Meyrick, 1921
476. *Lanceopenna prominula* (Meyrick, 1913) (Gelechiidae) *prominula* Meyrick, 1913
477. *Lanceopenna pseudogaleotis* Janse, 1950 (Gelechiidae) *pseudogaleotis* Janse, 1950
478. *Lasiarchis pycnodes* (Meyrick, 1909) (Gelechiidae) *pycnodes* Meyrick, 1909; *elaeoxyla* Meyrick, 1937
479. *Leuronoma chlorotoma* Meyrick, 1918 (Gelechiidae) *chlorotoma* Meyrick, 1918
480. *Leuronoma eodryas* (Meyrick, 1918) (Gelechiidae) *eodryas* Meyrick, 1918
481. *Leuronoma oenochyta* (Meyrick, 1921) (Gelechiidae) *oenochyta* Meyrick, 1921
482. *Leuronoma textifera* (Meyrick, 1913) (Gelechiidae) *textifera* Meyrick, 1913
483. *Leuronoma zymotis* (Meyrick, 1909) (Gelechiidae) *zymotis* Meyrick, 1909
484. *Machlotricha latipalpis* (Walsingham, 1881) (Gelechiidae) *latipalpis* Walsingham, 1881; *caeca* Meyrick, 1912
485. *Melitoxoides cophias* (Meyrick, 1913) (Gelechiidae) *cophias* Meyrick, 1913
486. *Metzneria acrena* (Meyrick, 1908) (Gelechiidae) *acrena* Meyrick, 1908
487. *Metzneria heptacentra* Meyrick, 1911 (Gelechiidae) *heptacentra* Meyrick, 1911
488. *Neopachnistis amblystola* Janse, 1954 (Gelechiidae) *amblystola* Janse, 1954
489. *Neopachnistis parochroma* Janse, 1954 (Gelechiidae) *parochroma* Janse, 1954
490. *Neopachnistis pseudomorpha* Janse, 1954 (Gelechiidae) *pseudomorpha* Janse, 1954
491. *Neopachnistis tephrodes* (Meyrick, 1909) (Gelechiidae) *tephrodes* Meyrick, 1909
492. *Neotelphusa castrigera* (Meyrick, 1913) (Gelechiidae) *castrigera* Meyrick, 1913
493. *Neotelphusa craterota* (Meyrick, 1913) (Gelechiidae) *craterota* Meyrick, 1913
494. *Otonodula inumbrata* (Meyrick, 1914) (Gelechiidae) *inumbrata* Meyrick, 1914
495. *Onebala brunneotincta* Janse, 1954 (Gelechiidae) *brunneotincta* Janse, 1954
496. *Onebala obsoleta* Janse, 1954 (Gelechiidae) *obsoleta* Janse, 1954
497. *Onebala probolaspis* Meyrick, 1929 (Gelechiidae) *probolaspis* Meyrick, 1929
498. *Onebala semiluna* Janse, 1954 (Gelechiidae) *semiluna* Janse, 1954
499. *Panicotricha prographa* Meyrick, 1913 (Gelechiidae) *prographa* Meyrick, 1913
500. *Parabola butyraula* (Meyrick, 1913) (Gelechiidae) *butyraula* Meyrick, 1913
501. *Parallactis ochrobysa* (Meyrick, 1921) (Gelechiidae) *ochrobysa* Meyrick, 1921
502. *Parallactis panchlora* (Meyrick, 1911) (Gelechiidae) *panchlora* Meyrick, 1911
503. *Parallactis zorophanes* Janse, 1954 (Gelechiidae) *zorophanes* Janse, 1954
504. *Parapsectris fastidiosa* Meyrick, 1911 (Gelechiidae) *fastidiosa* Meyrick, 1911
505. *Parapsectris ferax* (Meyrick, 1913) (Gelechiidae) *ferax* Meyrick, 1913
506. *Parapsectris mappigera* Meyrick, 1914 (Gelechiidae) *mappigera* Meyrick, 1914
507. *Parapsectris neograptia* Meyrick, 1914 (Gelechiidae) *neograptia* Meyrick, 1914
508. *Parapsectris opaula* (Meyrick, 1911) (Gelechiidae) *opaula* Meyrick, 1911
509. *Parapsectris phoenaula* (Meyrick, 1913) (Gelechiidae) *phoenaula* Meyrick, 1913
510. *Parapsectris tholaea* Meyrick, 1911 (Gelechiidae) *tholaea* Meyrick, 1911; *#tholea* Janse, 1958
511. *Paratectis farinata* (Meyrick, 1913) (Gelechiidae) *farinata* Meyrick, 1913

512. *Parathestis sordidula* (Meyrick,1913) (Gelechiidae) *sordidula* Meyrick,1913
513. *Paristhmia barathrodes* Meyrick,1909 (Gelechiidae) *barathrodes* Meyrick,1909
514. *Photodotis prochalina* Meyrick,1911 (Gelechiidae) *prochalina* Meyrick,1911
515. *Phthoracma blanda* Meyrick,1921 (Gelechiidae) *blanda* Meyrick,1921
516. *Phthorimaea operculella* (Zeller,1873) (Gelechiidae) *terrella* Walker,1864; *operculella* Zeller,1873; *piscipellis* Zeller,1873; *solanella* Boisduval,1874; *tabacella* Ragonot,1879; *sedata* Butler,1880; *Herella* Pinhey,1975
517. *Picroptera aulotoma* (Meyrick,1917) (Gelechiidae) *aulotoma* Meyrick,1917; *interamna* Meyrick,1926
518. *Pithanurga chariphila* Meyrick,1921 (Gelechiidae) *chariphila* Meyrick,1921
519. *Platyphalla ochrinotata* Janse,1951 (Gelechiidae) *ochrinotata* Janse,1951
520. *Polyhymno centrophora* (Meyrick,1921) (Gelechiidae) *centrophora* Meyrick,1921
521. *Polyhymno chionarcha* Meyrick,1913 (Gelechiidae) *chionarcha* Meyrick,1913
522. *Polyhymno deuteraula* Meyrick,1914 (Gelechiidae) *deuteraula* Meyrick,1914
523. *Polyhymno erratica* Janse,1950 (Gelechiidae) *erratica* Janse,1950
524. *Polyhymno eurydoxa* Meyrick,1909 (Gelechiidae) *eurydoxa* Meyrick,1909
525. *Polyhymno furcatella* Janse,1950 (Gelechiidae) *furcatella* Janse,1950
526. *Polyhymno hieracitis* Meyrick,1913 (Gelechiidae) *hieracitis* Meyrick,1913
527. *Polyhymno hostilis* Meyrick,1918 (Gelechiidae) *hostilis* Meyrick,1918
528. *Polyhymno inermis* Meyrick,1913 (Gelechiidae) *inermis* Meyrick,1913
529. *Polyhymno intortoides* Janse,1950 (Gelechiidae) *intortoides* Janse,1950
530. *Polyhymno lignicolor* Janse,1950 (Gelechiidae) *lignicolor* Janse,1950
531. *Polyhymno oxystola* Meyrick,1913 (Gelechiidae) *oxystola* Meyrick,1913
532. *Polyhymno palinorsa* Meyrick,1909 (Gelechiidae) *palinorsa* Meyrick,1909
533. *Polyhymno paracma* Meyrick,1909 (Gelechiidae) *paracma* Meyrick,1909
534. *Polyhymno pausimacha* Meyrick,1909 (Gelechiidae) *pausimacha* Meyrick,1909
535. *Polyhymno tetragrapha* Meyrick,1913 (Gelechiidae) *tetragrapha* Meyrick,1913
536. *Polyhymno tropaea* Meyrick,1908 (Gelechiidae) *tropaea* Meyrick,1908
537. *Polyhymno walsinghami* Janse,1950 (Gelechiidae) *walsinghami* Janse,1950
538. *Pseudotelphusa confixa* (Meyrick,1918) (Gelechiidae) *confixa* Meyrick,1918
539. *Pseudotelphusa devia* (Meyrick,1913) (Gelechiidae) *devia* Meyrick,1913
540. *Pseudotelphusa probata* (Meyrick,1909) (Gelechiidae) *probata* Meyrick,1909
541. *Pyncostola auturga* Meyrick,1921 (Gelechiidae) *auturga* Meyrick,1921
542. *Pyncostola crateraula* Meyrick,1918 (Gelechiidae) *crateraula* Meyrick,1918
543. *Pyncostola illuminata* (Meyrick,1913) (Gelechiidae) *illuminata* Meyrick,1913
544. *Pyncostola iospila* (Meyrick,1909) (Gelechiidae) *iospila* Meyrick,1909
545. *Pyncostola melanatracta* (Meyrick,1910) (Gelechiidae) *melanatracta* Meyrick,1910
546. *Pyncostola merista* Meyrick,1918 (Gelechiidae) *merista* Meyrick,1918
547. *Pyncostola nigrinotata* Janse,1950 (Gelechiidae) *nigrinotata* Janse,1950
548. *Pyncostola ochraula* Meyrick,1918 (Gelechiidae) *ochraula* Meyrick,1918
549. *Pyncostola operosa* (Meyrick,1909) (Gelechiidae) *operosa* Meyrick,1909
550. *Pyncostola pammacha* Meyrick,1913 (Gelechiidae) *pammacha* Meyrick,1913
551. *Pyncostola powelli* Janse,1950 (Gelechiidae) *powelli* Janse,1950
552. *Pyncostola semnochroa* (Meyrick,1913) (Gelechiidae) *semnochroa* Meyrick,1913
553. *Pyncostola suffusella* (Walsingham,1891) (Gelechiidae) *suffusella* Walsingham,1891
554. *Pyncostola veronica* Janse,1950 (Gelechiidae) *veronica* Janse,1950
555. *Radionerva collecta* (Meyrick,1921) (Gelechiidae) *collecta* Meyrick,1921
556. *Rotundivalva blanda* Janse,1951 (Gelechiidae) *blanda* Janse,1951
557. *Schematistis analoxa* Meyrick,1911 (Gelechiidae) *analoxa* Meyrick,1911
558. *Schizovalva exsulata* (Meyrick,1918) (Gelechiidae) *exsulata* Meyrick,1918
559. *Schizovalva hyperythra* (Meyrick,1921) (Gelechiidae) *hyperythra* Meyrick,1921
560. *Schizovalva isochorda* (Meyrick,1921) (Gelechiidae) *isochorda* Meyrick,1921
561. *Schizovalva matutina* (Meyrick,1913) (Gelechiidae) *matutina* Meyrick,1913
562. *Schizovalva mesacta* (Meyrick,1909) (Gelechiidae) *mesacta* Meyrick,1909
563. *Schizovalva naufraga* (Meyrick,1911) (Gelechiidae) *naufraga* Meyrick,1911
564. *Schizovalva ochnias* (Meyrick,1913) (Gelechiidae) *ochnias* Meyrick,1913
565. *Schizovalva peronectis* (Meyrick,1909) (Gelechiidae) *peronectis* Meyrick,1909
566. *Schizovalva polygramma* (Meyrick,1914) (Gelechiidae) *polygramma* Meyrick,1914
567. *Schizovalva prioleuca* (Meyrick,1911) (Gelechiidae) *prioleuca* Meyrick,1911
568. *Schizovalva rhodochra* (Meyrick,1913) (Gelechiidae) *rhodochra* Meyrick,1913
569. *Schizovalva stasiarcha* (Meyrick,1913) (Gelechiidae) *stasiarcha* Meyrick,1913
570. *Schizovalva trisignis* (Meyrick,1908) (Gelechiidae) *trisignis* Meyrick,1908
571. *Schizovalva xylotincta* Janse,1951 (Gelechiidae) *xylotincta* Janse,1951
572. *Scrobipalpa* (Ergasiola) *ergasima* (Meyrick,1916) (Gelechiidae) *ergasima* Meyrick,1916; *intestina* Meyrick,1921; *mignatella* Caradja,1920; *mirabilis* Gregor & Povolny,1955; *perdava* Clarke,1962
573. *Scrobipalpa* (s.str.) *aptatella* (Walker,1864) (Gelechiidae) *aptatella* Walker,1864; *heliopa* Lower,1900
574. *Scrobipalpa* (s.str.) *colasta* (Meyrick,1921) (Gelechiidae) *colasta* Meyrick,1921
575. *Scrobipalpa* (s.str.) *concreta* (Meyrick,1914) (Gelechiidae) *concreta* Meyrick,1914
576. *Scrobipalpa* (s.str.) *cretigena* (Meyrick,1914) (Gelechiidae) *cretigena* Meyrick,1914
577. *Scrobipalpa* (s.str.) *dispensata* (Meyrick,1921) (Gelechiidae) *dispensata* Meyrick,1921
578. *Scrobipalpa* (s.str.) *phalacrodes* (Meyrick,1913) (Gelechiidae) *phalacrodes* Meyrick,1913
579. *Scrobipalpa* (s.str.) *vicaria* (Meyrick,1921) (Gelechiidae) *vicaria* Meyrick,1921; *tineiformis* Povolny,1967
580. *Sitotroga psacasta* (Meyrick,1908) (Gelechiidae) *psacasta* Meyrick,1908; *celyphodes* Meyrick,1909; *nea* Walsingham,1920
581. *Stomopteryx circaea* (Meyrick,1911) (Gelechiidae) *circaea* Meyrick,1911
582. *Stomopteryx difficilis* Janse,1951 (Gelechiidae) *difficilis* Janse,1951
583. *Stomopteryx elaeocoma* (Meyrick,1918) (Gelechiidae) *elaecoma* Meyrick,1918
584. *Stomopteryx eremopis* (Meyrick,1921) (Gelechiidae) *eremopis* Meyrick,1921

585. *Stomopteryx officiosa* Janse, 1951 (Gelechiidae)
officiosa Janse, 1951
586. *Stomopteryx oncodes* (Meyrick, 1913) (Gelechiidae)
oncodes Meyrick, 1913
587. *Stomopteryx pallidipes* Janse, 1951 (Gelechiidae)
pallidipes Janse, 1951
588. *Stomopteryx thoracica* (Meyrick, 1911) (Gelechiidae)
thoracica Meyrick, 1911
589. *Syncopacma consimilis* Janse, 1951 (Gelechiidae)
consimilis Janse, 1951
590. *Syncopacma faceta* (Meyrick, 1914) (Gelechiidae)
faceta Meyrick, 1914
591. *Syncopacma oxyspila* (Meyrick, 1909) (Gelechiidae)
oxyspila Meyrick, 1909; *acrophylla* Meyrick, 1911
592. *Syngelechia psimythota* (Meyrick, 1913) (Gelechiidae)
psimythota Meyrick, 1913; *emphanista* Meyrick, 1921
593. *Syrmaula automorpha* Meyrick, 1918 (Gelechiidae)
automorpha Meyrick, 1918
594. *Telphusa amphichroma* Meyrick, 1913 (Gelechiidae)
amphichroma Meyrick, 1913
595. *Telphusa calathaea* Meyrick, 1913 (Gelechiidae)
calathaea Meyrick, 1913
596. *Thriophora ovulata* Meyrick, 1911 (Gelechiidae)
ovulata Meyrick, 1911
597. *Tricyanula metallica* (Walsingham, 1891) (Gelechiidae)
metallica Walsingham, 1891
598. *Trychnopalpa fornacaria* (Meyrick, 1913) (Gelechiidae)
fornacaria Meyrick, 1913
599. *Zalithia octophora* (Meyrick, 1918) (Gelechiidae)
octophora Meyrick, 1918
600. "*Chloroclystis*" *dentatissima* (W. Warren, 1898) (Geometridae)
dentatissima W. Warren, 1898
601. "*Chloroclystis*" *derasata* (Bastelberger, 1905) (Geometridae)
derasata Bastelberger, 1905; *chlamydata* Joannis, 1906
602. "*Chloroclystis*" *derasata jansei* L.B. Prout, 1937 (Geometridae)
jansei L.B. Prout, 1937
603. "*Chloroclystis*" *grisea* (W. Warren, 1897) (Geometridae)
grisea W. Warren, 1897
604. "*Chloroclystis*" *gymnoscelides* (L.B. Prout, 1916) (Geometridae)
gymnoscelides L.B. Prout, 1916
605. "*Chloroclystis*" *muscosa* (W. Warren, 1902) (Geometridae)
muscosa W. Warren, 1902
606. "*Chloroclystis*" *muscosa tumefacta* (L.B. Prout, 1917) (Geometridae)
tumefacta L.B. Prout, 1917
607. *Acanthovalva bilineata* (W. Warren, 1895) (Geometridae)
bilineata W. Warren, 1895; *antennata* W. Warren, 1897.
608. *Acanthovalva inconspicuaris* (Hübner, [1819]) (Geometridae)
inconspicuaris Hübner, [1819]; *pumicaria* Lederer, 1855; *osyraria* Guenée, [1858]; *cinerascens* Butler, 1875; *perturbata* Bastelberger, 1908; *cinnamomaria* Rothschild, 1914.
609. *Acidaliastis bicurvifera* L.B. Prout, 1916 (Geometridae)
bicurvifera L.B. Prout, 1916
610. *Acidaliastis curvilinea* (L.B. Prout, 1912) (Geometridae)
curvilinea L.B. Prout, 1912
611. *Acidaliastis curvilinea mixta* L.B. Prout, 1930 (Geometridae)
mixta L.B. Prout, 1930
612. *Acollesis fraudulenta* W. Warren, 1898 (Geometridae)
fraudulenta W. Warren, 1898
613. *Acrasia crinita* R. Felder & Rogenhofer, 1875 (Geometridae)
crinita R. Felder & Rogenhofer, 1875
614. *Adicocrita discerpta* (Walker, 1861) (Geometridae)
discerpta Walker, 1861
615. *Adicocrita koranata* (R. Felder & Rogenhofer, 1875) (Geometridae)
koranata R. Felder & Rogenhofer, 1875
616. *Afrophyla vethi* (Snellen, 1886) (Geometridae)
vethi Snellen, 1886; *dichordata* W. Warren, 1895
617. *Allochrostes biornata* L.B. Prout, 1913 (Geometridae)
biornata L.B. Prout, 1913
618. *Allochrostes imperfecta* L.B. Prout, 1916 (Geometridae)
imperfecta L.B. Prout, 1916
619. *Allochrostes impunctata* (W. Warren, 1897) (Geometridae)
impunctata W. Warren, 1897; *rubridentata* W. Warren, 1897
620. *Allochrostes salia* (R. Felder & Rogenhofer, 1875) (Geometridae)
salia R. Felder & Rogenhofer, 1875
621. *Allochrostes* sp. (Geometridae)
622. *Anacleora* sp. (Geometridae)
623. *Androzeugma mollior* L.B. Prout, 1922 (Geometridae)
mollior L.B. Prout, 1922
624. *Androzeugma tenuis* (W. Warren, 1898) (Geometridae)
tenuis W. Warren, 1898; *hapala* L.B. Prout, 1913
625. *Antharmostes papilio* L.B. Prout, 1912 (Geometridae)
papilio L.B. Prout, 1912
626. *Antharmostes papilio papilio* L.B. Prout, 1912 (Geometridae)
papilio L.B. Prout, 1912
627. *Anthemoctena textilis* (Wallengren, 1872) (Geometridae)
textilis Wallengren, 1872; *lineata* W. Warren, 1897
628. *Antitrygodes callibotrys* L.B. Prout, 1918 (Geometridae)
callibotrys L.B. Prout, 1918
629. *Aphilopota decepta* Janse, 1932 (Geometridae)
decepta Janse, 1932
630. *Aphilopota euodia* L.B. Prout, 1954 (Geometridae)
euodia L.B. Prout, 1954
631. *Aphilopota patulata* (Walker, [1863]) (Geometridae)
patulata Walker, [1863]
632. *Aphilopota patulata patulata* (Walker, [1863]) (Geometridae)
patulata Walker, [1863]
633. *Aphilopota* sp. 2 (Geometridae)
634. *Argyrophora intervenata* (L.B. Prout, 1917) (Geometridae)
intervenata L.B. Prout, 1917
635. *Argyrophora trofonia* (Cramer, [1779]) (Geometridae)
trofonia Cramer, [1779]; *histrionalis* Duncan & Westwood, 1841; *monetata* Guenée, [1858]; *trofoniata* Guenée, [1858]
636. *Argyrophora variabilis* M. Krüger, 1999 (Geometridae)
variabilis M. Krüger, 1999
637. *Ascotis reciprocata* (Walker, 1860) (Geometridae)
reciprocata Walker, 1860; *semifusca* W. Warren, 1904; *nigristigma* W. Warren, 1905
638. *Asthenotricha pycnoconia* Janse, 1933 (Geometridae)
pycnoconia Janse, 1933
639. *Barrama impunctata* W. Warren, 1897 (Geometridae)
impunctata W. Warren, 1897
640. *Cabera elatina* (L.B. Prout, 1913) (Geometridae)
elatina L.B. Prout, 1913
641. *Cabera* sp. (Geometridae)
642. *Callioratis abraxas* R. Felder & Rogenhofer, 1874 (Geometridae)
abraxas R. Felder & Rogenhofer, 1874.
643. *Callioratis abraxas abraxas* R. Felder & Rogenhofer, 1874 (Geometridae)
abraxas R. Felder & Rogenhofer, 1874.
644. *Cartaletis libyssa* (Hopffer, 1858) (Geometridae)
libyssa Hopffer, 1858
645. *Cartaletis libyssa natalensis* L.B. Prout, 1917 (Geometridae)
natalensis L.B. Prout, 1917; *fusciventris* Gaede, 1917
646. *Celidomphax quadrimacula* Janse, 1935 (Geometridae)
quadrimacula Janse, 1935
647. *Centrochria deprensa* (L.B. Prout, 1913) (Geometridae)
deprensa L.B. Prout, 1913
648. *Chiasmia (Godonela) streniata* (Guenée, [1858]) (Geometridae)
streniata Guenée, [1858]; *amandata* Walker, 1861; *lunivallata* W. Warren, 1905.
649. *Chiasmia (Godonela) streniata streniata* (Guenée, [1858]) (Geometridae)
streniata Guenée, [1858]; *amandata* Walker, 1861; *lunivallata* W. Warren, 1905.
650. *Chiasmia assimilis* (W. Warren, 1899) (Geometridae)
assimilis W. Warren, 1899; *instructaria* Swinhoe, 1904.
651. *Chiasmia brongusaria* (Walker, 1860) (Geometridae)
brongusaria Walker, 1860; ? *exsecutaria* Walker, 1861; *incessaria* Walker, 1861; *miliaria* R. Felder & Rogenhofer, 1874; *sabulifera* W. Warren, 1899; *uidaria* Swinhoe, 1904; *oleochroa* Hampson, 1909.
652. *Chiasmia brongusaria brongusaria* (Walker, 1860) (Geometridae)
brongusaria Walker, 1860; ? *exsecutaria* Walker, 1861; *incessaria* Walker, 1861; *miliaria* R. Felder & Rogenhofer, 1874; *sabulifera* W. Warren, 1899; *uidaria* Swinhoe, 1904; *oleochroa* Hampson, 1909.
653. *Chiasmia confusata* (W. Warren, 1899) (Geometridae)
confusata W. Warren, 1899; *hypoleuca* L.B. Prout, 1916.

654. *Chiasmia feraliata* (Guenée,[1858]) (Geometridae)
feraliata Guenée,[1858]; *elata* L.B.Prout,1916.
655. *Chiasmia furcata* (W.Warren,1897) (Geometridae)
furcata W.Warren,1897
656. *Chiasmia grimmia* (Wallengren,1872) (Geometridae)
grimmia Wallengren,1872; *illineata* W.Warren,1901.
657. *Chiasmia grisescens* (L.B.Prout,1916) (Geometridae)
grisescens L.B.Prout,1916; *dolichostigma* L.B.Prout,1922.
658. *Chiasmia inaequilinea* (W.Warren,1911) (Geometridae)
inaequilinea W.Warren,1911; *birecta* L.B.Prout,1917.
659. *Chiasmia inaequilinea inaequilinea* (W.Warren,1911) (Geometridae)
inaequilinea W.Warren,1911; *birecta* L.B.Prout,1917.
660. *Chiasmia inconspicua* (W.Warren,1897) (Geometridae)
inconspicua W.Warren,1897
661. *Chiasmia inconspicua inconspicua* (W.Warren,1897) (Geometridae)
inconspicua W.Warren,1897
662. *Chiasmia infixaria* (Walker,[1863]) (Geometridae)
infixaria Walker,[1863]; *johnstoni* Butler,1894
663. *Chiasmia interrupta* (W.Warren,1897) (Geometridae)
interrupta W.Warren,1897.
664. *Chiasmia multistrigata* (W.Warren,1897) (Geometridae)
multistrigata W.Warren,1897.
665. *Chiasmia multistrigata multistrigata* (W.Warren,1897) (Geometridae)
multistrigata W.Warren,1897
666. *Chiasmia nobilitata* (L.B.Prout,1913) (Geometridae)
nobilitata L.B.Prout,1913
667. *Chiasmia normata* (Walker,1861) (Geometridae)
normata Walker,1861; *exfusaria* Walker,[1863]; *parallelaria* Walker,[1863]; *desiccata* Walker,1866; *malefidaria* Mabille,1880; *congener* W.Warren,1897; *minoa* Strand,1915.
668. *Chiasmia nubilita* (W.Warren,1897) (Geometridae)
nubilita W.Warren,1897.
669. *Chiasmia rectilinea* (W.Warren,1905) (Geometridae)
separata W.Warren,1899 (*praeocc.*); *rectilinea* W.Warren,1905.
670. *Chiasmia rectilinea rectilinea* (W.Warren,1905) (Geometridae)
separata W.Warren,1899 (*praeocc.*); *rectilinea* W.Warren,1905.
671. *Chiasmia sororcula* (W.Warren,1897) (Geometridae)
sororcula W.Warren,1897; *unicolor* W.Warren,1905.
672. *Chiasmia subcurvaria* (Mabille,1898) (Geometridae)
subcurvaria Mabille,1898
673. *Chiasmia subcurvaria subcurvaria* (Mabille,1898) (Geometridae)
subcurvaria Mabille,1898
674. *Chiasmia suriens* (Strand,1912) (Geometridae)
suriens Strand,1912
675. *Chiasmia tecnum* (L.B.Prout,1916) (Geometridae)
tecnum L.B.Prout,1916; *ignava* L.B.Prout,1928
676. *Chiasmia trizonaria* (Hampson,1909) (Geometridae)
trizonaria Hampson,1909; *converta* L.B.Prout,1913
677. *Chiasmia turbulentata* (Guenée,[1858]) (Geometridae)
turbulentata Guenée,[1858]; *exumbrata* Walker,[1863]; *eritreensis* L.B.Prout,1915.
678. *Chiasmia umbrata* (W.Warren,1897) (Geometridae)
umbrata W.Warren,1897; *sherrata* Swinhoe,1904
679. *Chiasmia umbrata umbrata* (W.Warren,1897) (Geometridae)
umbrata W.Warren,1897; *sherrata* Swinhoe,1904
680. *Chiasmia vau* (L.B.Prout,1913) (Geometridae)
vau L.B.Prout,1913
681. *Chlorerythra rubriplaga rubriplaga* W.Warren,1895 (Geometridae)
rubriplaga W.Warren,1895
682. *Chlorissa articulicornis* (L.B.Prout,1916) (Geometridae)
articulicornis L.B.Prout,1916
683. *Chlorissa attenuata* (Walker,[1863]) (Geometridae)
attenuata Walker,[1863]; *reductata* Walker,1866
684. *Chlorissa inornata* L.B.Prout,1930 (Geometridae)
inornata L.B.Prout,1930
685. *Chlorissa malescripta* (W.Warren,1897) (Geometridae)
malescripta W.Warren,1897
686. *Chlorissa ruficristata* (L.B.Prout,1916) (Geometridae)
ruficristata L.B.Prout,1916
687. *Chlorissa unilinea* (W.Warren,1897) (Geometridae)
unilinea W.Warren,1897
688. *Chlorocoma clopia* L.B.Prout,1922 (Geometridae)
clopia L.B.Prout,1922
689. *Chlorocoma eucela* L.B.Prout,1922 (Geometridae)
eucela L.B.Prout,1922
690. *Cleora betularia* (Warren,1897) (Geometridae)
betularia Warren,1897; *funesta* Warren,1905.
691. *Cleora betularia betularia* (Warren,1897) (Geometridae)
betularia Warren,1897; *funesta* Warren,1905.
692. *Cleora cancer* D.S.Fletcher,1967 (Geometridae)
cancer D.S.Fletcher,1967
693. *Cleora cancer cancer* D.S.Fletcher,1967 (Geometridae)
cancer D.S.Fletcher,1967
694. *Cleora herbuloti* (D.S.Fletcher,1958) (Geometridae)
herbuloti D.S.Fletcher,1958
695. *Cleora herbuloti herbuloti* (D.S.Fletcher,1958) (Geometridae)
herbuloti D.S.Fletcher,1958
696. *Cleora herbuloti phaea* D.S.Fletcher,1967 (Geometridae)
phaea D.S.Fletcher,1967
697. *Cleora munda* (Warren,1899) (Geometridae)
munda Warren,1899
698. *Cleora munda munda* (Warren,1899) (Geometridae)
munda Warren,1899
699. *Cleora nigrisparsalis* (Janse,1932) (Geometridae)
nigrisparsalis Janse,1932
700. *Cleora nigrisparsalis nigrisparsalis* (Janse,1932) (Geometridae)
nigrisparsalis Janse,1932
701. *Cleora tulbaghata* (R.Felder & Rogenhofer,1875) (Geometridae)
tulbaghata R.Felder & Rogenhofer,1875; *#flavipeta* Warren,1904; *#fumata* Warren,1904.
702. *Cleora tulbaghata tulbaghata* (R.Felder & Rogenhofer,1875) (Geometridae)
tulbaghata R.Felder & Rogenhofer,1875; *#flavipeta* Warren,1904; *#fumata* Warren,1904.
703. *Coenina dentataria* Swinhoe,1904 (Geometridae)
dentataria Swinhoe,1904; *aegyptiaca* Rebel,1906
704. *Collix foraminata* Guenée,[1858] (Geometridae)
foraminata Guenée,[1858]
705. *Colocleora divisaria* (Walker,1860) (Geometridae)
divisaria Walker,1860; *acutangula* Warren,1905; *acygonia* Hampson,1910
706. *Colocleora faceta* (L.B.Prout,1934) (Geometridae)
faceta L.B.Prout,1934
707. *Colocleora proximaria* (Walker,1860) (Geometridae)
proximaria Walker,1860; *sexorbata* L.B.Prout,1913
708. *Comibaena coryphata* (R.Felder & Rogenhofer,1875) (Geometridae)
coryphata R.Felder & Rogenhofer,1875
709. *Comibaena leucospilata* (Walker,[1863]) (Geometridae)
leucospilata Walker,[1863]; *coryphata* R.Felder & Rogenhofer,1875
710. *Comibaena rhodolopha* L.B.Prout,1915 (Geometridae)
rhodolopha L.B.Prout,1915
711. *Comostolopsis apicata* (Warren,1898) (Geometridae)
apicata Warren,1898; *fuscipuncta* Warren,1899
712. *Comostolopsis capensis* (Warren,1899) (Geometridae)
capensis Warren,1899
713. *Comostolopsis stillata* (R.Felder & Rogenhofer,1875) (Geometridae)
stillata R.Felder & Rogenhofer,1875
714. *Conchylia pactolaria* Wallengren,1872 (Geometridae)
pactolaria Wallengren,1872
715. *Conchylodes distelitis* L.B.Prout,1930 (Geometridae)
distelitis L.B.Prout,1930
716. *Conolophia aemula* (W.Warren,1894) (Geometridae)
aemula W.Warren,1894
717. *Conolophia conscitaria* (Walker,1861) (Geometridae)
conscitaria Walker,1861; *smilodontaria* Snellen,1872; *maculata* Bastelberger,1908; *rubrifusa* Bastelberger,1909
718. *Cyclophora inaequalis* W.Warren,1902 (Geometridae)
inaequalis W.Warren,1902
719. *Derrioides ? villaria* (R.Felder & Rogenhofer,1875) (Geometridae)
villaria R.Felder & Rogenhofer,1875
720. *Dichroma equestralis* Duncan [& Westwood],1841 (Geometridae)
equestralis Duncan [& Westwood],1841; *equestrinaria* Guenée,[1858]
721. *Disclisioprocta natalata* (Walker,1862) (Geometridae)
natalata Walker,1862; *constellata* Warren,1897; *polyacmaria* Mabille,1897; *rubritincta* Hampson,1899; *vorax* Strand,1910
722. *Discomiosis crescentifera* (Warren,1902) (Geometridae)
crescentifera Warren,1902

723. *Drepanogynis admiranda* (Warren,1905) (Geometridae) *admiranda* Warren,1905
724. *Drepanogynis arcuifera* L.B.Prout,1934 (Geometridae) *arcuifera* L.B.Prout,1934
725. *Drepanogynis aurifera* M.Krüger,2002 (Geometridae) *aurifera* M.Krüger,2002
726. *Drepanogynis confusa* M.Krüger,2002 (Geometridae) *confusa* M.Krüger,2002
727. *Drepanogynis costipicta* (L.B.Prout,1932) (Geometridae) *costipicta* L.B.Prout,1932
728. *Drepanogynis costipicta olearis* L.B.Prout,1938 (Geometridae) *olearis* L.B.Prout,1938
729. *Drepanogynis devia* (L.B.Prout,1913) (Geometridae) *devia* L.B.Prout,1913
730. *Drepanogynis epione* (L.B.Prout,1917) (Geometridae) *epione* L.B.Prout,1917
731. *Drepanogynis glaucichorda* L.B.Prout,1916 (Geometridae) *glaucichorda* L.B.Prout,1916
732. *Drepanogynis hypenissa* (Butler,1875) (Geometridae) *hypenissa* Butler,1875
733. *Drepanogynis incurvata* M.Krüger,2002 (Geometridae) *incurvata* M.Krüger,2002
734. *Drepanogynis mixtaria* Guenée,[1858] (Geometridae) *mixtaria* Guenée,[1858]; *regularia* Guenée,[1858]; *inapplicata* Walker,[1863]; *exemptaria* Walker,[1863]; *dulcinaria* R.Felder & Rogenhofer,1875; *strigifera* Warren,1914
735. *Drepanogynis nigrapex* (L.B.Prout,1913) (Geometridae) *nigrapex* L.B.Prout,1913
736. *Drepanogynis ocellata* W.Warren,1897 (Geometridae) *ocellata* W.Warren,1897
737. *Drepanogynis olivescens* (W.Warren,1898) (Geometridae) *olivescens* W.Warren,1898; *demissa* L.B.Prout,1938
738. *Drepanogynis orthobates* (L.B.Prout,1917) (Geometridae) *orthobates* L.B.Prout,1917
739. *Drepanogynis ostracina* M.Krüger,2002 (Geometridae) *ostracina* M.Krüger,2002
740. *Drepanogynis punctata* W.Warren,1897 (Geometridae) *punctata* W.Warren,1897
741. *Drepanogynis sp.* (Geometridae)
742. *Drepanogynis tripartita* (Walker,1898) (Geometridae) *tripartita* Walker,1898
743. *Drepanogynis variciliata* M.Krüger,2002 (Geometridae) *variciliata* M.Krüger,2002
744. *Drepanogynis villaria* (Felder & Rogenhofer,1875) (Geometridae) *villaria* Felder & Rogenhofer,1875
745. *Eccymatoge melanoterma* L.B.Prout,1913 (Geometridae) *melanoterma* L.B.Prout,1913
746. *Ectropis delosaria* (Walker,[1863]) (Geometridae) *delosaria* Walker,[1863]; *crassa* W.Warren,1899
747. *Ectropis fraudulenta* Janse,1932 (Geometridae) *fraudulenta* Janse,1932
748. *Ectropis spoliataria* (Walker,1860) (Geometridae) *spoliataria* Walker,1860; *fulvincta* W.Warren,1904
749. *Encoma inaccurata* (L.B.Prout,1913) (Geometridae) *inaccurata* L.B.Prout,1913
750. *Eois grataria* (Walker,1861) (Geometridae) *grataria* Walker,1861; *pallicinctaria* Walker,1863
751. *Eois sp.2* (Geometridae)
752. *Epicosymbia dentisignata* (Walker,[1863]) (Geometridae) *designata* Walker,[1863]; *perrufa* Warren,1897
753. *Epicosymbia nitidata* (Warren,1905) (Geometridae) *nitidata* Warren,1905; *albivertex* Warren,1900
754. *Epicosymbia perstrigulata* (L.B.Prout,1913) (Geometridae) *perstrigulata* L.B.Prout,1913
755. *Epigynopteryx maeviaria* (Guenée,[1858]) (Geometridae) *maeviaria* Guenée,[1858]
756. *Episteira confusidentata* (Warren,1897) (Geometridae) *confusidentata* Warren,1897
757. *Erastria leucicolor* (Butler,1875) (Geometridae) *leucicolor* Butler,1875; *atrignata* Warren,1914
758. *Erastria madecassaria natalensis* (Warren,1897) (Geometridae) *natalensis* Warren,1897
759. *Eucrostes albicornaria* (Mabille,1880) (Geometridae) *albicornaria* Mabille,1880
760. *Euexia percnopus* L.B.Prout,1915 (Geometridae) *percnopus* L.B.Prout,1915
761. *Eulycia extorris* (Warren,1904) (Geometridae) *extorris* Warren,1904
762. *Eulycia grisea* (Warren,1897) (Geometridae) *grisea* Warren,1897
763. *Eulycia grisea grisea* (Warren,1897) (Geometridae) *grisea* Warren,1897
764. *Eulycia subpunctata* (Warren,1897) (Geometridae) *subpunctata* Warren,1897
765. *Eupagia determinata* Walker,1860 (Geometridae) *determinata* Walker,1860
766. *Eupagia valida* (Warren,1914) (Geometridae) *valida* Warren,1914
767. *Eupithecia brachyptera* L.B.Prout,1913 (Geometridae) *brachyptera* L.B.Prout,1913
768. *Eupithecia dilucida* (Warren,1899) (Geometridae) *dilucida* Warren,1899
769. *Eupithecia festiva* L.B.Prout,1916 (Geometridae) *festiva* L.B.Prout,1916
770. *Eupithecia gradatilinea* L.B.Prout,1916 (Geometridae) *gradatilinea* L.B.Prout,1916; *rubidimixta* L.B.Prout,1916
771. *Eupithecia hypophasma* L.B.Prout,1913 (Geometridae) *hypophasma* L.B.Prout,1913
772. *Eupithecia infectaria* (Guenée,[1858]) (Geometridae) *infectaria* Guenée,[1858]
773. *Eupithecia infelix* L.B.Prout,1917 (Geometridae) *infelix* L.B.Prout,1917
774. *Eupithecia irenica* L.B.Prout,1937 (Geometridae) *irenica* L.B.Prout,1937
775. *Eupithecia nigribasis* (Warren,1902) (Geometridae) *nigribasis* Warren,1902
776. *Eupithecia perigrapta* Janse,1933 (Geometridae) *perigrapta* Janse,1933
777. *Eupithecia polylibades* L.B.Prout,1916 (Geometridae) *polylibades* L.B.Prout,1916
778. *Eupithecia pretoriana* (L.B.Prout,1922) (Geometridae) *pretoriana* L.B.Prout,1922
779. *Eupithecia rediviva* L.B.Prout,1917 (Geometridae) *rediviva* L.B.Prout,1917
780. *Eupithecia rigida* Swinhoe,1892 (Geometridae) *rigida* Swinhoe,1892
781. *Eupithecia rigida sporadica* L.B.Prout,1932 (Geometridae) *sporadica* L.B.Prout,1932
782. *Eupithecia rubidimixta* L.B.Prout,1916 (Geometridae) *rubidimixta* L.B.Prout,1916
783. *Eupithecia rubiginifera* L.B.Prout,1913 (Geometridae) *rubiginifera* L.B.Prout,1913
784. *Eupithecia sp.3* (Geometridae)
785. *Eupithecia subcanipars* L.B.Prout,1917 (Geometridae) *subcanipars* L.B.Prout,1917
786. *Eupithecia subscriptaria* L.B.Prout,1917 (Geometridae) *subscriptaria* L.B.Prout,1917
787. *Euproutia aggravaria* (Guenée,[1858]) (Geometridae) *aggravaria* Guenée,[1858]; *rubella* W.Warren,1904; *rhodosticta* Hampson,1910; *semialbifrons* L.B.Prout,1915
788. *Gnophos delagardei* L.B.Prout,1915 (Geometridae) *delagardei* L.B.Prout,1915
789. *Gonanticlea meridionata* (Walker,1862) (Geometridae) *meridionata* Walker,1862; *aspersata* Walker,1862
790. *Haplolabida coaequata* L.B.Prout,1935 (Geometridae) *coaequata* L.B.Prout,1935
791. *Heterorachis despoliata* L.B.Prout,1916 (Geometridae) *despoliata* L.B.Prout,1916
792. *Heterorachis devocata* (Walker,1861) (Geometridae) *devocata* Walker,1861
793. *Heterorachis devocata roseifimbria* L.B.Prout,1930 (Geometridae) *roseifimbria* L.B.Prout,1930
794. *Heterorachis disconotata* L.B.Prout,1916 (Geometridae) *disconotata* L.B.Prout,1916
795. *Heterorachis perviridis* L.B.Prout,1912 (Geometridae) *perviridis* L.B.Prout,1912
796. *Heterorachis prouti* Bethune-Baker,1913 (Geometridae) *prouti* Bethune-Baker,1913
797. *Heterorachis simplicissima* (L.B.Prout,1912) (Geometridae) *simplicissima* L.B.Prout,1912

798. *Heterostegane auranticollis* L.B.Prout,1922 (Geometridae) *auranticollis* L.B.Prout,1922
799. *Heterostegane bifasciata* (W.Warren,1914) (Geometridae) *bifasciata* W.Warren,1914
800. *Heterostegane rectistriga* L.B.Prout,1917 (Geometridae) *rectistriga* L.B.Prout,1917
801. *Holoterpna errata* L.B.Prout,1917 (Geometridae) *errata* L.B.Prout,1917
802. *Holoterpna errata errata* L.B.Prout,1917 (Geometridae) *errata* L.B.Prout,1917
803. *Horisme minuata* (Walker,1860) (Geometridae) *minuata* Walker,1860; *emarginata* Walker,1863; *brunniceps* R.Felder & Rogenhofer,1875
804. *Horisme obscurata* L.B.Prout,1913 (Geometridae) *obscurata* L.B.Prout,1913
805. *Horisme pallidimacula* L.B.Prout,1925 (Geometridae) *pallidimacula* L.B.Prout,1925
806. *Hypomecis ectropodes* (L.B.Prout,1913) (Geometridae) *ectropodes* L.B.Prout,1913
807. *Hypomecis gonophora* (L.B.Prout,1916) (Geometridae) *gonophora* L.B.Prout,1916
808. *Hypomecis intrusilinea* (L.B.Prout,1915) (Geometridae) *intrusilinea* L.B.Prout,1915
809. *Hypomecis sp.2* (Geometridae)
810. *Hypotephra exmotaria* (Walker,1861) (Geometridae) *exmotaria* Walker,1861
811. *Idaea basicostalis* (W.Warren,1900) (Geometridae) *basicostalis* W.Warren,1900
812. *Idaea consericeata* (L.B.Prout,1913) (Geometridae) *consericeata* L.B.Prout,1913
813. *Idaea echo* (L.B.Prout,1916) (Geometridae) *echo* L.B.Prout,1916; *#echc* L.B.Prout,1933
814. *Idaea fortificata* (L.B.Prout,1916) (Geometridae) *fortificata* L.B.Prout,1916
815. *Idaea fumilinea* (W.Warren,1903) (Geometridae) *fumilinea* W.Warren,1903
816. *Idaea liliputaria* (W.Warren,1902) (Geometridae) *liliputaria* W.Warren,1902; *#liliputaria* L.B.Prout,1933
817. *Idaea nasifera* (L.B.Prout,1916) (Geometridae) *nasifera* L.B.Prout,1916
818. *Idaea ossicolor* (Janse,1935) (Geometridae) *ossicolor* Janse,1935
819. *Idaea parallelaria* (W.Warren,1902) (Geometridae) *parallelaria* W.Warren,1902; *paraplesia* L.B.Prout,1916
820. *Idaea pericalles* (L.B.Prout,1913) (Geometridae) *pericalles* L.B.Prout,1913
821. *Idaea pulveraria* (Snellen,1872) (Geometridae) *pulveraria* Snellen,1872; *inobtrusa* Warren,1898
822. *Idaea pulveraria subculta* (L.B.Prout,1916) (Geometridae) *subculta* L.B.Prout,1916
823. *Idaea punctigera* (Janse,1935) (Geometridae) *punctigera* Janse,1935
824. *Idaea purpurascens* (L.B.Prout,1916) (Geometridae) *purpurascens* L.B.Prout,1916
825. *Idaea sinuilinea* (L.B.Prout,1913) (Geometridae) *sinuilinea* L.B.Prout,1913
826. *Idaea squamulata* (W.Warren,1900) (Geometridae) *squamulata* W.Warren,1900
827. *Idaea umbricosta* (L.B.Prout,1913) (Geometridae) *umbricosta* L.B.Prout,1913; *omoscotia* L.B.Prout,1922
828. *Idaea umbricosta umbricosta* (L.B.Prout,1913) (Geometridae) *umbricosta* L.B.Prout,1913; *omoscotia* L.B.Prout,1922
829. *Idiotephra ngomensis* M.Krüger,2000 (Geometridae) *ngomensis* M.Krüger,2000
830. *Isopenia trisinuata* W.Warren,1897 (Geometridae) *trisinuata* W.Warren,1897
831. *Isturgia catalaunaria* (Guenée,[1858]) (Geometridae) *catalaunaria* Guenée,[1858]; *dataria* Walker,1861; *defectaria* Walker,1861; *occupata* Walker,1862; *proxantharia* Walker,[1863]; *cogitata* Walker,[1863]; *largificaria* Möschler,1887.
832. *Isturgia deerraria* (Walker,1861) (Geometridae) *deerraria* Walker,1861; *nemorivaga* Wallengren,1872; *dissocia* Warren,1897.
833. *Isturgia exospilata* (Walker,1861) (Geometridae) *exospilata* Walker,1861; *ansorgei* Warren,1898
834. *Isturgia spissata* (Walker,1862) (Geometridae) *spissata* Walker,1862.
835. *Isturgia supergressa* (Prout,1913) (Geometridae) *supergressa* Prout,1913.
836. *Larentia bitrita* (R.Felder & Rogenhofer,1875) (Geometridae) *bitrita* R.Felder & Rogenhofer,1875
837. *Larentioides ? cacothemon* L.B.Prout,1917 (Geometridae) *cacothemon* L.B.Prout,1917
838. *Lhommeia biskraria* (Oberthür,1885) (Geometridae) *biskraria* Oberthür,1885
839. *Lhommeia subapicata* (W.Warren,1899) (Geometridae) *subapicata* W.Warren,1899
840. *Ligdia batesii* (Wallengren,1875) (Geometridae) *batesii* Wallengren,1875; *casta* W.Warren,1905
841. *Ligdia pectinicornis* L.B.Prout,1913 (Geometridae) *pectinicornis* L.B.Prout,1913
842. *Lobidiopteryx eumares* L.B.Prout,1935 (Geometridae) *eumares* L.B.Prout,1935
843. *Lomographa indularia* (Guenée,[1858]) (Geometridae) *indularia* Guenée,[1858]
844. *Lophorrhachia rubricorpus* (Warren,1898) (Geometridae) *rubricorpus* Warren,1898; *plagiata* Aurivillius,1910; *niveicristata* Prout,1916; *#rubricornis* Janse,1935
845. *Lophostola atridisca* (Warren,1897) (Geometridae) *atridisca* Warren,1897
846. *Lycaugidia albata* (Swinhoe,1895) (Geometridae) *albata* Swinhoe,1895; *albida* Hampson,1895
847. *Mauna ava* L.B.Prout,1938 (Geometridae) *ava* L.B.Prout,1938
848. *Mauna pictifimbria* L.B.Prout,1938 (Geometridae) *pictifimbria* L.B.Prout,1938
849. *Melanthia ustiplaga* (Warren,1899) (Geometridae) *ustiplaga* Warren,1899
850. *Menophra jansei* Herbulot,1997 (Geometridae) *jansei* Herbulot,1997
851. *Menophra obtusata* (W.Warren,1902) (Geometridae) *obtusata* W.Warren,1902
852. *Menophra serrataria* (Walker,1860) (Geometridae) *serrataria* Walker,1860
853. *Mesocolpia lita* (L.B.Prout,1916) (Geometridae) *lita* L.B.Prout,1916
854. *Microbaena pulchra* (Staudinger,1898) (Geometridae) *pulchra* Staudinger,1898
855. *Microbaena pulchra minor* Hausmann,1996 (Geometridae) *minor* Hausmann,1996
856. *Micrologia luteicincta* L.B.Prout,1916 (Geometridae) *luteicincta* L.B.Prout,1916
857. *Micrologia paradolosa* M.Krüger,1999 (Geometridae) *paradolosa* M.Krüger,1999
858. *Micrologia pseudodolosa* M.Krüger,1999 (Geometridae) *pseudodolosa* M.Krüger,1999
859. *Microloxia ruficornis* W.Warren,1897 (Geometridae) *ruficornis* W.Warren,1897; *innotata* W.Warren,1901; *halimaria* Chrétien,1909; *stenopteraria* Turati,1930
860. *Mictoschema swierstrai* L.B.Prout,1917 (Geometridae) *swierstrai* L.B.Prout,1917
861. *Mimandria cataractae* L.B.Prout,1917 (Geometridae) *catractae* L.B.Prout,1917
862. *Mimoclystia explanata* (Walker,1862) (Geometridae) *explanata* Walker,1862; *coarctata* Walker,1862; *pallidata* Walker,1862; *euboliata* Walker,[1863]; *sylvicultrix* Wallengren,1872
863. *Mimoclystia pudicata* (Walker,1862) (Geometridae) *pudicata* Walker,1862; *semiflava* Warren,1898
864. *Mimoclystia pudicata quaggaria* (Wallengren,1872) (Geometridae) *quaggaria* Wallengren,1872
865. *Mimoclystia undulosata* W.Warren,1901 (Geometridae) *undulosata* W.Warren,1901
866. *Mixocera albistrigata* (Pagenstecher,1893) (Geometridae) *albistrigata* Pagenstecher,1893; *oleagina* Warren,1897; *serraticornis* Warren,1897
867. *Mixocera xanthostephana* L.B.Prout,1912 (Geometridae) *xanthostephana* L.B.Prout,1912
868. *Nassinia pretoria* (Prout,1916) (Geometridae) *pretoria* Prout,1916

869. *Neromia cohaerens* L.B.Prout,1916 (Geometridae)
cohaerens L.B.Prout,1916
870. *Neromia impostura* L.B.Prout,1915 (Geometridae)
impostura L.B.Prout,1915
871. *Neromia rhodomadia* L.B.Prout,1922 (Geometridae)
rhodomadia L.B.Prout,1922
872. *Neromia rubripunctilla* L.B.Prout,1912 (Geometridae)
rubripunctilla L.B.Prout,1912
873. *Neromia* sp. (Geometridae)
874. *Neromia strigulosa* L.B.Prout,1925 (Geometridae)
strigulosa L.B.Prout,1925
875. *Neurotoxa notata* W.Warren,1897 (Geometridae)
notata W.Warren,1897
876. *Oaracta maculata* (Warren,1897) (Geometridae)
maculata Warren,1897; *perobliqua* Prout,1915
877. *Oaracta neophronaria* (Oberthür,1912) (Geometridae)
neophronaria Oberthür,1912
878. *Oaracta* sp. (Geometridae)
879. *Obolcola deocellata* (Prout,1913) (Geometridae)
deocellata Prout,1913
880. *Obolcola petronaria* (Guenée,[1858]) (Geometridae)
petronaria Guenée,[1858]
881. *Odontopera homales* (L.B.Prout,1922) (Geometridae)
homales L.B.Prout,1922
882. *Oedicestra albipennis* W.Warren,1902 (Geometridae)
albipennis W.Warren,1902
883. *Omizodes complanata* L.B.Prout,1922 (Geometridae)
complanata L.B.Prout,1922
884. *Omphacodes punctilineata* (W.Warren,1897) (Geometridae)
punctilineata W.Warren,1897
885. *Omphalucha albosignata* Janse,1932 (Geometridae)
albosignata Janse,1932
886. *Omphalucha ditriba* L.B.Prout,1938 (Geometridae)
ditriba L.B.Prout,1938
887. *Omphalucha ditriba zautpanensis* L.B.Prout,1938 (Geometridae)
zautpanensis L.B.Prout,1938
888. *Omphalucha indeflexa* L.B.Prout,1922 (Geometridae)
indeflexa L.B.Prout,1922
889. *Omphalucha maturnaria* (Möschler,1884) (Geometridae)
maturnaria Möschler,1884
890. *Omphalucha* sp. (Geometridae)
891. *Omphax bilobata* Janse,1935 (Geometridae)
bilobata Janse,1935
892. *Omphax idonea* L.B.Prout,1916 (Geometridae)
idonea L.B.Prout,1916
893. *Omphax leucocraspeda* L.B.Prout,1916 (Geometridae)
leucocraspeda L.B.Prout,1916
894. *Omphax plantaria* Guenée,[1858] (Geometridae)
plantaria Guenée,[1858]; *marginata* W.Warren,1894; *subaspera* W.Warren,1894; *rubriplaga* W.Warren,1897; *apicata* W.Warren,1901
895. *Orbamia octomaculata* (Wallengren,1872) (Geometridae)
octomaculata Wallengren,1872; *ocellata* W.Warren,1897
896. *Ozola pulverulenta* W.Warren,1897 (Geometridae)
pulverulenta W.Warren,1897
897. *Palaeaspilates inoffensa* W.Warren,1894 (Geometridae)
inoffensa W.Warren,1894
898. *Palaeonyssia trisecta* (W.Warren,1897) (Geometridae)
trisecta W.Warren,1897; *fuliginosa* W.Warren,1905
899. *Panagropis muricolor* (W.Warren,1897) (Geometridae)
muricolor W.Warren,1897
900. *Paragathia albimarginata* W.Warren,1902 (Geometridae)
albimarginata W.Warren,1902; *delicia* Thierry-Mieg,1907
901. *Paraprasina discolor* W.Warren,1897 (Geometridae)
discolor W.Warren,1897
902. *Pareclipsis oxyptera* L.B.Prout,1916 (Geometridae)
oxyptera L.B.Prout,1916
903. *Pareclipsis punctata* W.Warren,1900 (Geometridae)
punctata W.Warren,1900
904. *Pareclipsis* sp.1 (Geometridae)
905. *Pareclipsis* sp.2 (Geometridae)
906. *Perizoma alumna* (Prout,1925) (Geometridae)
alumna Prout,1925
907. *Perizoma artifex* L.B.Prout,1925 (Geometridae)
artifex L.B.Prout,1925
908. *Perizoma artifex artifex* L.B.Prout,1925 (Geometridae)
artifex L.B.Prout,1925
909. *Perizoma epipercna* (Prout,1913) (Geometridae)
epipercna Prout,1913
910. *Perizoma lamprammodes* (Prout,1911) (Geometridae)
lamprammodes Prout,1911
911. *Petovia marginata* (Walker,1854) (Geometridae)
marginata Walker,1854; *dichroaria* Herrich-Schäffer,[1854]; *incertaria* Guenée,1858; *amatonga* Vuillot,1892; *perversaria* Gaede,1917
912. *Phaiogramma stibolepida* (Butler,1879) (Geometridae)
stibolepida Butler,1879; *pallidularia* Mabille,1880
913. *Phthonandria pinguis* (W.Warren,1904) (Geometridae)
pinguis W.Warren,1904
914. *Piercia bryophilaria* (W.Warren,1903) (Geometridae)
bryophilaria W.Warren,1903
915. *Piercia cidariata* (Guenée,[1858]) (Geometridae)
cidariata Guenée,[1858]
916. *Piercia ciliata* Janse,1933 (Geometridae)
ciliata Janse,1933
917. *Piercia dryas* (Prout,1915) (Geometridae)
dryas Prout,1915
918. *Piercia lightfooti* (Prout,1925) (Geometridae)
lightfooti Prout,1925
919. *Piercia lightfooti lightfooti* (Prout,1925) (Geometridae)
lightfooti Prout,1925
920. *Piercia nimipunctata* Janse,1933 (Geometridae)
nimipunctata Janse,1933
921. *Piercia olivata* Janse,1933 (Geometridae)
olivata Janse,1933
922. *Piercia perizomoides* (Prout,1916) (Geometridae)
perizomoides Prout,1916
923. *Piercia prasinaria* (W.Warren,1901) (Geometridae)
prasinaria W.Warren,1901
924. *Piercia spatiosata* (Walker,1862) (Geometridae)
spatiosata Walker,1862; *priscata* Walker,1862; *despectata* Walker,1862
925. *Piercia subterlimbata* (Prout,1917) (Geometridae)
subterlimbata Prout,1917
926. *Piercia vittata* Janse,1933 (Geometridae)
vittata Janse,1933
927. *Pingasa abyssinaria* (Guenée,[1858]) (Geometridae)
abyssinaria Guenée,[1858]
928. *Pingasa abyssinaria rufata* D.S.Fletcher,1956 (Geometridae)
rufata D.S.Fletcher,1956
929. *Pingasa distensaria* (Walker,1860) (Geometridae)
distensaria Walker,1860
930. *Pingasa distensaria respondens* (Walker,1860) (Geometridae)
respondens Walker,1860
931. *Pingasa lahayei* (Oberthür,1887) (Geometridae)
lahayei Oberthür,1887
932. *Pingasa lahayei austrina* L.B.Prout,1917 (Geometridae)
austrina L.B.Prout,1917
933. *Pingasa rhadamaria* (Guenée,[1858]) (Geometridae)
rhadamaria Guenée,[1858]
934. *Pingasa rhadamaria victoria* L.B.Prout,1913 (Geometridae)
victoria L.B.Prout,1913
935. *Pingasa ruginaria* (Guenée,[1858]) (Geometridae)
ruginaria Guenée,[1858]; *nyctemerata* Walker,1860; *perfectaria* Walker,1860
936. *Pingasa ruginaria communicans* (Walker,1860) (Geometridae)
communicans Walker,1860
937. *Pitthea neavei* L.B.Prout,1915 (Geometridae)
neavei L.B.Prout,1915
938. *Pitthea neavei neavei* L.B.Prout,1915 (Geometridae)
neavei L.B.Prout,1915
939. *Plateoplia acrobelia* (Wallengren,1875) (Geometridae)
acrobelia Wallengren,1875; *flavata* W.Warren,1897; *ochriciliata* W.Warren,1901.
940. *Polystroma subspissata* W.Warren,1897 (Geometridae)
subspissata W.Warren,1897; *brunneitrames* L.B.Prout,1916
941. *Prasinocyma bifimbriata* L.B.Prout,1912 (Geometridae)
bifimbriata L.B.Prout,1912

942. *Prasinocyma bilobata* D.S.Fletcher,1958 (Geometridae) *bilobata* D.S.Fletcher,1958
943. *Prasinocyma cf.triangularata* D.S.Fletcher,1958 (Geometridae) *triangularata* D.S.Fletcher,1958
944. *Prasinocyma chloroprosopa* L.B.Prout,1913 (Geometridae) *chloroprosopa* L.B.Prout,1913
945. *Prasinocyma dorsipunctata* W.Warren,1911 (Geometridae) *dorsipunctata* W.Warren,1911
946. *Prasinocyma germinaria* (Guenée,[1858]) (Geometridae) *germinaria* Guenée,[1858]
947. *Prasinocyma immaculata* (Thunberg,1784) (Geometridae) *immaculata* Thunberg,1784; *scissaria* R.Felder & Rogenhofer,1875
948. *Prasinocyma inversicaulis* L.B.Prout,1913 (Geometridae) *inversicaulis* L.B.Prout,1913
949. *Prasinocyma panchlora* L.B.Prout,1913 (Geometridae) *panchlora* L.B.Prout,1913
950. *Prasinocyma pictifimbria* W.Warren,1904 (Geometridae) *pictifimbria* W.Warren,1904
951. *Prasinocyma pulchraria* Swinhoe,1904 (Geometridae) *pulchraria* Swinhoe,1904
952. *Problepsis aegretta* R.Felder & Rogenhofer,1875 (Geometridae) *aegretta* R.Felder & Rogenhofer,1875
953. *Problepsis latonaria* (Guenée,[1858]) (Geometridae) *latonaria* Guenée,[1858]
954. *Protosteira spectabilis* (W.Warren,1899) (Geometridae) *spectabilis* W.Warren,1899
955. *Pseudomaenas alcidata* (R.Felder & Rogenhofer,1875) (Geometridae) *alcidata* R.Felder & Rogenhofer,1875
956. *Pseudomaenas anguinata* (R.Felder & Rogenhofer,1875) (Geometridae) *anguinata* R.Felder & Rogenhofer,1875
957. *Pseudomaenas oncodogramma* L.B.Prout,1917 (Geometridae) *oncodogramma* L.B.Prout,1917
958. *Psilocerea immitata* Janse,1932 (Geometridae) *immitata* Janse,1932
959. *Psilocerea pulverosa* (W.Warren,1894) (Geometridae) *pulverosa* W.Warren,1894; *apiciata* W.Warren,1897; *transversa* Bethune-Baker,1913
960. *Psilocladia obliquata* W.Warren,1898 (Geometridae) *obliquata* W.Warren,1898
961. *Racotis apodosima* L.B.Prout,1931 (Geometridae) *apodosima* L.B.Prout,1931
962. *Racotis breijeri* (L.B.Prout,1922) (Geometridae) *breijeri* L.B.Prout,1922
963. *Rhadinomphax divincta* (Walker,1861) (Geometridae) *divincta* Walker,1861
964. *Rhodesia alboviridata* (Saalmüller,1880) (Geometridae) *alboviridata* Saalmüller,1880
965. *Rhodesia depompata* L.B.Prout,1913 (Geometridae) *depompata* L.B.Prout,1913
966. *Rhodesia viridalbata* W.Warren,1905 (Geometridae) *viridalbata* W.Warren,1905
967. *Rhodometra sacaria* (Linnaeus,1767) (Geometridae) *sacaria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858];
968. *Rhodometra satura* L.B.Prout,1916 (Geometridae) *satura* L.B.Prout,1916
969. *Rhodophthitus commaculata* (L.B.Prout,1897) (Geometridae) *commaculata* L.B.Prout,1897
970. *Scopula accentuata* (Guenée,[1858]) (Geometridae) *accentuata* Guenée,[1858]; *exiguaria* Walker,1860; *rudisaria* Walker,1861; *dentigerata* Walker,1863
971. *Scopula acentra* (Warren,1897) (Geometridae) *acentra* Warren,1897
972. *Scopula antiloparia* (Wallengren,1863) (Geometridae) *antiloparia* Wallengren,1863
973. *Scopula bigeminata* (W.Warren,1897) (Geometridae) *bigeminata* W.Warren,1897; *fumosaria* Swinhoe,1904
974. *Scopula carnosa* L.B.Prout,1925 (Geometridae) *carnosa* L.B.Prout,1925
975. *Scopula cf. hectata* (Guenée,[1858]) (Geometridae) *hectata* Guenée,[1858]
976. *Scopula cf. nigrinotata* (Warren,1897) 1 (Geometridae)
977. *Scopula cf. oryx* Herbulot,1985 (Geometridae) *oryx* Herbulot,1985
978. *Scopula cf.latitans* (Geometridae)
979. *Scopula circumpunctata* (W.Warren,1898) (Geometridae) *circumpunctata* W.Warren,1898
980. *Scopula curvimargo* (W.Warren,1900) (Geometridae) *curvimargo* W.Warren,1900; *bilineata* Bastelberger,1909; *nubicincta* Hampson,1910
981. *Scopula deserta* (W.Warren,1897) (Geometridae) *deserta* W.Warren,1897
982. *Scopula dissonans* (W.Warren,1897) (Geometridae) *dissonans* W.Warren,1897
983. *Scopula donovani* (Distant,1892) (Geometridae) *donovani* Distant,1892; *extraordinaria* Staudinger,1892; *extremata* Warren,1897
984. *Scopula duplicipuncta* (L.B.Prout,1913) (Geometridae) *duplicipuncta* L.B.Prout,1913
985. *Scopula fimbriolata* (W.Warren,1902) (Geometridae) *fimbriolata* W.Warren,1902; *protuberans* W.Warren,1909; *niobe* Fawcett,1916
986. *Scopula gazellaria* (Wallengren,1863) (Geometridae) *gazellaria* Wallengren,1863; *gazella* Distant,1892; *griseolineata* Warren,1900
987. *Scopula impicta* L.B.Prout,1922 (Geometridae) *impicta* L.B.Prout,1922
988. *Scopula inscriptata* (Walker,[1863]) (Geometridae) *inscriptata* Walker,[1863]; *acentra* W.Warren,1911
989. *Scopula insincera* L.B.Prout,1920 (Geometridae) *insincera* L.B.Prout,1920
990. *Scopula internata* (Guenée,[1858]) (Geometridae) *internata* Guenée,[1858]; *strigulifera* Walker,1861; *illitirata* Walker,1863; *pulverosaria* Walker,1863; *pu dens* Warren,1905
991. *Scopula internataria* (Walker,1861) (Geometridae) *internataria* Walker,1861; *tremula* Bastelberger,1909
992. *Scopula latitans* L.B.Prout,1920 (Geometridae) *reconditaria* Snellen,1872 nec Walk.,1861; *latitans* L.B.Prout,1920
993. *Scopula minorata* (Boisduval,1833) (Geometridae) *minorata* Boisduval,1833; *ochroleucata* Herrich-Schäffer,1844; *ochroleucaria* Herrich-Schäffer,[1847]; *luculata* Guenée,[1858]; *mauritiata* Guenée,[1858]; *consentanea* Walker,1861; *holobapharia* Mabille,1900; *mombasae* W.Warren,1904; *dresnaya* D.Lucas,1937
994. *Scopula nemorivagata* (Wallengren,1863) (Geometridae) *nemorivagata* Wallengren,1863; *bonaventura* W.Warren,1897
995. *Scopula opperta* L.B.Prout,1920 (Geometridae) *opperta* L.B.Prout,1920
996. *Scopula penricei* L.B.Prout,1920 (Geometridae) *penricei* L.B.Prout,1920
997. *Scopula phyletis* (L.B.Prout,1913) (Geometridae) *phyletis* L.B.Prout,1913
998. *Scopula picta* (W.Warren,1897) (Geometridae) *picta* W.Warren,1897; *fulvilinea* W.Warren,1914
999. *Scopula promethes* L.B.Prout,1928 (Geometridae) *promethes* L.B.Prout,1928
1000. *Scopula punctilineata* (W.Warren,1897) (Geometridae) *punctilineata* W.Warren,1897
1001. *Scopula rossi* (L.B.Prout,1913) (Geometridae) *rossi* L.B.Prout,1913
1002. *Scopula ruficolor* (L.B.Prout,1916) (Geometridae) *ruficolor* L.B.Prout,1916
1003. *Scopula rufinubes* (W.Warren,1900) (Geometridae) *rufinubes* W.Warren,1900
1004. *Scopula rufisalsa* (W.Warren,1897) (Geometridae) *rufisalsa* W.Warren,1897
1005. *Scopula sanguinsecta* (W.Warren,1897) (Geometridae) *sanguinsecta* W.Warren,1897; *muscosaria* W.Warren,1902
1006. *Scopula serena* (L.B.Prout,1920) (Geometridae) *serena* L.B.Prout,1920
1007. *Scopula sincera* (W.Warren,1901) (Geometridae) *sincera* W.Warren,1901
1008. *Scopula sinnaria* (Swinhoe,1904) (Geometridae) *sinnaria* Swinhoe,1904
1009. *Scopula sublobata* (W.Warren,1898) (Geometridae) *sublobata* W.Warren,1898; *khakiata* W.Warren,1905

- 1010.** *Scopula subobliquata* (L.B.Prout,1913) (Geometridae) *subobliquata* L.B.Prout,1913
- 1011.** *Scopula tenuiscripta* L.B.Prout,1917 (Geometridae) *tenuiscripta* L.B.Prout,1917
- 1012.** *Scotopteryx cryptocycla* (L.B.Prout,1913) (Geometridae) *cryptocycla* L.B.Prout,1913
- 1013.** *Scotopteryx deversa* (L.B.Prout,1913) (Geometridae) *deversa* L.B.Prout,1913
- 1014.** *Scotopteryx nictitaria* (Herrich-Schäffer,1855) (Geometridae) *nictitaria* Herrich-Schäffer,1855
- 1015.** *Scotopteryx peringueyi* (Prout,1917) (Geometridae) *peringueyi* Prout,1917
- 1016.** *Sesquialtera ridícula* L.B.Prout,1916 (Geometridae) *ridícula* L.B.Prout,1916
- 1017.** *Sicyodes alicata* (R.Felder & Rogenhofer,1875) (Geometridae) *alicata* R.Felder & Rogenhofer,1875
- 1018.** *Sicyodes cambogiaria* (Guenée,[1858]) (Geometridae) *cambogiaria* Guenée,[1858]
- 1019.** *Sicyodes costipicta* (Geometridae)
- 1020.** *Sicyodes costipicta olearis* L.B.Prout,1938 (Geometridae) *olearis* L.B.Prout,1938
- 1021.** *Sicyodes olivescens* (W.Warren,1898) (Geometridae) *olivescens* W.Warren,1898
- 1022.** *Sicyodes* sp. (Geometridae)
- 1023.** *Somatina ctenophora* L.B.Prout,1915 (Geometridae) *ctenophora* L.B.Prout,1915
- 1024.** *Somatina figurata* W.Warren,1897 (Geometridae) *figurata* W.Warren,1897; *rufitacta* W.Warren,1905
- 1025.** *Somatina ioscia* L.B.Prout,1932 (Geometridae) *ioscia* L.B.Prout,1932
- 1026.** *Somatina sedata* L.B.Prout,1922 (Geometridae) *sedata* L.B.Prout,1922
- 1027.** *Somatina* sp.1 (Geometridae)
- 1028.** *Somatina* sp.2 (Geometridae)
- 1029.** *Somatina vestalis* (Butler,1875) (Geometridae) *vestalis* Butler,1875
- 1030.** *Syndromodes cellulata* W.Warren,1898 (Geometridae) *cellulata* W.Warren,1898
- 1031.** *Syndromodes invenusta* (Wallengren,1863) (Geometridae) *invenusta* Wallengren,1863; *unicolor* W.Warren,1897
- 1032.** *Syndromodes prasinops* L.B.Prout,1930 (Geometridae) *prasinops* L.B.Prout,1930
- 1033.** *Thalassodes quadraria* Guenée,[1858] (Geometridae) *quadraria* Guenée,[1858]; *digressa* Walker,1861; *ricinaria* Guenée,1862; *aequaria* Mabille,1898; *chlorinaria* Mabille,1898; *subreticulata* Mabille,1900; *sapoliaria* Swinhoe,1904; *#quadrasis* Hutacharern & Tubtim,1995
- 1034.** *Traminda falcata* W.Warren,1897 (Geometridae) *falcata* W.Warren,1897
- 1035.** *Traminda neptunaria* (Guenée,[1858]) (Geometridae) *neptunaria* Guenée,[1858]; *viridipennaria* Guenée,[1858]
- 1036.** *Traminda observata* (Walker,1861) (Geometridae) *observata* Walker,1861; *glauca* W.Warren,1897; *striata* W.Warren,1897
- 1037.** *Traminda ocellata* W.Warren,1895 (Geometridae) *ocellata* W.Warren,1895; *rufa* W.Warren,1897
- 1038.** *Trimetopia aetheraria* Guenée,[1858] (Geometridae) *aetheraria* Guenée,[1858]
- 1039.** *Trimetopia aetheraria aetheraria* Guenée,[1858] (Geometridae) *aetheraria* Guenée,[1858]
- 1040.** *Victoria fuscithorax* W.Warren,1905 (Geometridae) *fuscithorax* W.Warren,1905; *mirabilis* W.Warren,1911
- 1041.** *Xanthisthisa niveifrons* (L.B.Prout,1922) (Geometridae) *niveifrons* L.B.Prout,1922
- 1042.** *Xanthorhoe exorista* L.B.Prout,1922 (Geometridae) *exorista* L.B.Prout,1922
- 1043.** *Xanthorhoe poseata* (Geyer,[1836]) (Geometridae) *poseata* Geyer,[1836]; *viridicinctata* Guenée,[1858]; *penetrata* Walker,1862; *rudisaria* Walker,1862; *vivadata* Walker,1862; *colorata* Walker,[1863]
- 1044.** *Xanthorhoe* sp.? (Geometridae)
- 1045.** *Xanthorhoe transjugata* L.B.Prout,1923 (Geometridae) *transjugata* L.B.Prout,1923; *mikenaria* Debauche,1938
- 1046.** *Xenimpia erosa* W.Warren,1895 (Geometridae) *erosa* W.Warren,1895
- 1047.** *Xenimpia erosa linearis* W.Warren,1897 (Geometridae) *linearis* W.Warren,1897
- 1048.** *Xenochlorodes xina* L.B.Prout,1916 (Geometridae) *xina* L.B.Prout,1916
- 1049.** *Xenochroma candidata* W.Warren,1902 (Geometridae) *candidata* W.Warren,1902
- 1050.** *Xylopteryx prasinaria* Hampson,1909 (Geometridae) *prasinaria* Hampson,1909
- 1051.** *Xylopteryx protearia* Guenée,[1858] (Geometridae) *protearia* Guenée,[1858]
- 1052.** *Zamarada adiposata* (R.Felder & Rogenhofer,1875) (Geometridae) *adiposata* R.Felder & Rogenhofer,1875
- 1053.** *Zamarada adiposata adiposata* (R.Felder & Rogenhofer,1875) (Geometridae) *adiposata* R.Felder & Rogenhofer,1875
- 1054.** *Zamarada consecuta* Prout,1922 (Geometridae) *consecuta* Prout,1922
- 1055.** *Zamarada consecuta consecuta* Prout,1922 (Geometridae) *consecuta* Prout,1922
- 1056.** *Zamarada deceptrix* W.Warren,1914 (Geometridae) *deceptrix* W.Warren,1914
- 1057.** *Zamarada deceptrix deceptrix* Warren,1914 (Geometridae) *deceptrix* Warren,1914
- 1058.** *Zamarada dentigera* W.Warren,1909 (Geometridae) *dentigera* W.Warren,1909
- 1059.** *Zamarada dentigera dentigera* Warren,1909 (Geometridae) *dentigera* Warren,1909
- 1060.** *Zamarada differens* Bastelberger,1907 (Geometridae) *differens* Bastelberger,1907
- 1061.** *Zamarada differens differens* Bastelberger,1907 (Geometridae) *differens* Bastelberger,1907
- 1062.** *Zamarada erugata* D.S.Fletcher,1974 (Geometridae) *erugata* D.S.Fletcher,1974
- 1063.** *Zamarada erugata erugata* D.S.Fletcher,1974 (Geometridae) *erugata* D.S.Fletcher,1974
- 1064.** *Zamarada glareosa* Bastelberger,1909 (Geometridae) *glareosa* Bastelberger,1909
- 1065.** *Zamarada glareosa glareosa* Bastelberger,1909 (Geometridae) *glareosa* Bastelberger,1909
- 1066.** *Zamarada ilma* Prout,1922 (Geometridae) *ilma* Prout,1922
- 1067.** *Zamarada ilma ilma* Prout,1922 (Geometridae) *ilma* Prout,1922
- 1068.** *Zamarada jansei* D.S.Fletcher,1974 (Geometridae) *jansei* D.S.Fletcher,1974
- 1069.** *Zamarada jansei jansei* D.S.Fletcher,1974 (Geometridae) *jansei* D.S.Fletcher,1974
- 1070.** *Zamarada metallicata* W.Warren,1914 (Geometridae) *metallicata* W.Warren,1914
- 1071.** *Zamarada metallicata metallicata* Warren,1914 (Geometridae) *metallicata* Warren,1914
- 1072.** *Zamarada ordinaria* Bethune-Baker,1913 (Geometridae) *ordinaria* Bethune-Baker,1913; *medianata* Prout,1915.
- 1073.** *Zamarada ordinaria ordinaria* Bethune-Baker,1913 (Geometridae) *ordinaria* Bethune-Baker,1913; *medianata* Prout,1915.
- 1074.** *Zamarada phaeozona* Hampson,1909 (Geometridae) *phaeozona* Hampson,1909
- 1075.** *Zamarada plana* Bastelberger,1909 (Geometridae) *plana* Bastelberger,1909
- 1076.** *Zamarada plana denticincta* Hampson,1910 (Geometridae) *denticincta* Hampson,1910
- 1077.** *Zamarada pulverosa* W.Warren,1895 (Geometridae) *pulverosa* W.Warren,1895
- 1078.** *Zamarada pulverosa pulverosa* Warren,1895 (Geometridae) *pulverosa* Warren,1895
- 1079.** *Zamarada transvisaria* (Guenée,[1858]) (Geometridae) *transvisaria* Guenée,[1858]
- 1080.** *Zamarada transvisaria transvisaria* (Guenée,[1858]) (Geometridae) *transvisaria* Guenée,[1858]
- 1081.** *Zamarada varii* D.S.Fletcher,1974 (Geometridae) *varii* D.S.Fletcher,1974

1082. *Zamarada varii varii* D.S.Fletcher,1974 (Geometridae) *varii* D.S.Fletcher,1974
1083. *Zerenopsis lepida* (Walker,1854) (Geometridae) *lepida* Walker,1854
1084. *Zeuctoboarmia cataimena* (Prout,1915) (Geometridae) *cataimena* Prout,1915
1085. *Zeuctoboarmia hyrax* (Townsend,1952) (Geometridae) *hyrax* Townsend,1952
1086. *Zygophyxia stenoptila* L.B.Prout,1916 (Geometridae) *stenoptila* L.B.Prout,1916
1087. *Acrocercops combreticola* Vari,1961 (Gracillariidae) *combreticola* Vari,1961
1088. *Acrocercops gossypii* Vari,1961 (Gracillariidae) *gossypii* Vari,1961
1089. *Acrocercops heterodoxa* Vari,1961 (Gracillariidae) *heterodoxa* Vari,1961
1090. *Acrocercops syzygiena* Vari,1961 (Gracillariidae) *syzygiena* Vari,1961
1091. *Acrocercops terminalina* Vari,1961 (Gracillariidae) *terminalina* Vari,1961
1092. *Amblyptila strophantina* Vari,1961 (Gracillariidae) *strophantina* Vari,1961
1093. *Aristaea bathracma* (Meyrick,1912) (Gracillariidae) *bathracma* Meyrick,1912; *asteris* Kumata,1977
1094. *Aristaea eurygramma* Vari,1961 (Gracillariidae) *eurygramma* Vari,1961
1095. *Aristaea onychota* (Meyrick,1908) (Gracillariidae) *onychota* Meyrick,1908
1096. *Aspilapteryx* (s.str.) *seriata* (Meyrick,1912) (Gracillariidae) *seriata* Meyrick,1912
1097. *Callicercops tricerus* (Meyrick,1926) (Gracillariidae) *tricerus* Meyrick,1926; *triactis* Meyrick,1930
1098. *Caloptilia* (s.str.) *celtina* Vari,1961 (Gracillariidae) *celtina* Vari,1961
1099. *Caloptilia* (s.str.) *corrugata* (Meyrick,1918) (Gracillariidae) *corrugata* Meyrick,1918
1100. *Caloptilia* (s.str.) *filifera* (Meyrick,1912) (Gracillariidae) *filifera* Meyrick,1912
1101. *Caloptilia* (s.str.) *grypota* (Meyrick,1914) (Gracillariidae) *grypota* Meyrick,1914
1102. *Caloptilia* (s.str.) *isotoma* (Meyrick,1914) (Gracillariidae) *isotoma* Meyrick,1914
1103. *Caloptilia* (s.str.) *leptophanes* (Meyrick,1928) (Gracillariidae) *leptophanes* Meyrick,1928
1104. *Caloptilia* (s.str.) *macropleura* (Meyrick,1932) (Gracillariidae) *macropleura* Meyrick,1932; *xanthochiria* Vari,1961
1105. *Caloptilia* (s.str.) *pentaplacea* (Meyrick,1911) (Gracillariidae) *pentaplacea* Meyrick,1911
1106. *Caloptilia* (s.str.) *porphyranthes* (Meyrick,1921) (Gracillariidae) *porphyranthes* Meyrick,1921
1107. *Caloptilia* (s.str.) *prosticta* (Meyrick,1909) (Gracillariidae) *prosticta* Meyrick,1909
1108. *Caloptilia* (s.str.) *cataractias* (Meyrick,1921) (Gracillariidae) *cataractias* Meyrick,1921
1109. *Caloptilia* (s.str.) *syngenica* Vari,1961 (Gracillariidae) *syngenica* Vari,1961
1110. *Caloptilia* (s.str.) *titanitis* (Meyrick,1921) (Gracillariidae) *titanitis* Meyrick,1921
1111. *Conopobathra carbunculata* (Meyrick,1912) (Gracillariidae) *carbunculata* Meyrick,1912
1112. *Conopobathra geraea* Vari,1961 (Gracillariidae) *geraea* Vari,1961
1113. *Conopobathra gravissima* (Meyrick,1912) (Gracillariidae) *gravissima* Meyrick,1912; *globulifera* Meyrick,1931
1114. *Conopomorpha chionosema* Vari,1961 (Gracillariidae) *chionosema* Vari,1961
1115. *Conopomorpha euphanes* Vari,1961 (Gracillariidae) *euphanes* Vari,1961
1116. *Conopomorpha aptata* (Meyrick,1914) (Gracillariidae) *aptata* Meyrick,1914; *acmophanes* Meyrick,1928
1117. *Conopomorpha ochnivora* Vari,1961 (Gracillariidae) *ochnivora* Vari,1961
1118. *Corethrovalva allophyllina* Vari,1961 (Gracillariidae) *allophyllina* Vari,1961
1119. *Cryptolectica capnodecta* Vari,1961 (Gracillariidae) *capnodecta* Vari,1961
1120. *Cryptolectica monodecta* (Meyrick,1912) (Gracillariidae) *monodecta* Meyrick,1912
1121. *Dialectica columellina* (Vari,1961) (Gracillariidae) *columellina* Vari,1961
1122. *Dialectica odontosema* (Vari,1961) (Gracillariidae) *odontosema* Vari,1961
1123. *Dialectica pavoncola* (Vari,1961) (Gracillariidae) *pavoncola* Vari,1961
1124. *Dialectica pyramidota* (Meyrick,1918) (Gracillariidae) *pyramidota* Meyrick,1918
1125. *Diphtheroptila brideliae* Vari,1961 (Gracillariidae) *brideliae* Vari,1961
1126. *Diphtheroptila oxyloga* (Meyrick,1928) (Gracillariidae) *oxyloga* Meyrick,1928
1127. *Ectropina citricula* (Meyrick,1912) (Gracillariidae) *citricula* Meyrick,1912
1128. *Ectropina ligata* (Meyrick,1912) (Gracillariidae) *ligata* Meyrick,1912
1129. *Ectropina sclerochitoni* Vari,1961 (Gracillariidae) *sclerochitoni* Vari,1961
1130. *Epicephala haplodoxa* Vari,1961 (Gracillariidae) *haplodoxa* Vari,1961
1131. *Epicephala homostola* Vari,1961 (Gracillariidae) *homostola* Vari,1961
1132. *Epicephala pelopepla* Vari,1961 (Gracillariidae) *pelopepla* Vari,1961
1133. *Epicephala pyrrhogastra* Meyrick,1908 (Gracillariidae) *pyrrhogastra* Meyrick,1908
1134. *Epicephala tephrostola* Vari,1961 (Gracillariidae) *tephrostola* Vari,1961
1135. *Graphiocephala barbitias* (Meyrick,1909) (Gracillariidae) *barbitias* Meyrick,1909
1136. *Graphiocephala polysticha* Vari,1961 (Gracillariidae) *polysticha* Vari,1961
1137. *Graphiocephala strigifera* Vari,1961 (Gracillariidae) *strigifera* Vari,1961
1138. *Leucocercops dasmophora* (Meyrick,1908) (Gracillariidae) *dasmophora* Meyrick,1908
1139. *Liocrobyla tephrosiae* Vari,1961 (Gracillariidae) *tephrosiae* Vari,1961
1140. *Metriochoera pergulariae* Vari,1961 (Gracillariidae) *pergulariae* Vari,1961
1141. *Parelectis invita* (Meyrick,1912) (Gracillariidae) *invita* Meyrick,1912; *anci-traula* Meyrick,1937
1142. *Parelectis prionota* (Meyrick,1928) (Gracillariidae) *prionota* Meyrick,1928
1143. *Phyllonorycter anchistea* (Vari,1961) (Gracillariidae) *anchistea* Vari,1961
1144. *Phyllonorycter brachylaenae* (Vari,1961) (Gracillariidae) *brachylaenae* Vari,1961
1145. *Phyllonorycter didymopa* (Vari,1961) (Gracillariidae) *didymopa* Vari,1961
1146. *Phyllonorycter encaeria* (Meyrick,1911) (Gracillariidae) *encaeria* Meyrick,1911
1147. *Phyllonorycter grewiecola* (Vari,1961) (Gracillariidae) *grewiecola* Vari,1961
1148. *Phyllonorycter grewiella* (Vari,1961) (Gracillariidae) *grewiella* Vari,1961
1149. *Phyllonorycter hexalobina* (Vari,1961) (Gracillariidae) *hexalobina* Vari,1961; *hexabolina* Vari,1961
1150. *Phyllonorycter hibiscina* (Vari,1961) (Gracillariidae) *hibiscina* Vari,1961
1151. *Phyllonorycter lantanae* (Vari,1961) (Gracillariidae) *lantanae* Vari,1961
1152. *Phyllonorycter loxozona* (Meyrick,1936) (Gracillariidae) *loxozona* Meyrick,1936
1153. *Phyllonorycter melanosparta* (Meyrick,1912) (Gracillariidae) *melanosparta* Meyrick,1912
1154. *Phyllonorycter pavoniae* (Vari,1961) (Gracillariidae) *pavoniae* Vari,1961
1155. *Phyllonorycter rhynchosiae* (Vari,1961) (Gracillariidae) *rhynchosiae* Vari,1961
1156. *Pleiomorpha dystacta* Vari,1961 (Gracillariidae) *dystacta* Vari,1961

1157. *Pleiomorpha eumeces* Vari,1961 (Gracillariidae) *eumeces* Vari,1961
1158. *Pleiomorpha habrogramma* Vari,1961 (Gracillariidae) *habrogramma* Vari,1961
1159. *Pleiomorpha homotypa* Vari,1961 (Gracillariidae) *homotypa* Vari,1961
1160. *Pleiomorpha symmetra* Vari,1961 (Gracillariidae) *symmetra* Vari,1961
1161. *Pogonocephala veneranda* (Meyrick,1909) (Gracillariidae) *veneranda* Meyrick,1909
1162. *Polydema hormophora* (Meyrick,1912) (Gracillariidae) *hormophora* Meyrick,1912
1163. *Porphyrosela teramni* Vari,1961 (Gracillariidae) *teramni* Vari,1961
1164. *Spulerina atactodesma* Vari,1961 (Gracillariidae) *atactodesma* Vari,1961
1165. *Spulerina hexalocha* (Meyrick,1912) (Gracillariidae) *hexalocha* Meyrick,1912
1166. *Spulerina lochmaea* Vari,1961 (Gracillariidae) *lochmaea* Vari,1961
1167. *Stomphastis cardamitis* (Meyrick,1918) (Gracillariidae) *cardamitis* Meyrick,1918
1168. *Stomphastis conflua* (Meyrick,1914) (Gracillariidae) *conflua* Meyrick,1914
1169. *Stomphastis crotonis* Vari,1961 (Gracillariidae) *crotonis* Vari,1961
1170. *Stomphastis dodonaeae* Vari,1961 (Gracillariidae) *dodonaeae* Vari,1961
1171. *Stomphastis eugrapta* Vari,1961 (Gracillariidae) *eugrapta* Vari,1961
1172. *Stomphastis mixograpta* Vari,1961 (Gracillariidae) *mixograpta* Vari,1961
1173. *Stomphastis rorkei* Vari,1961 (Gracillariidae) *rorkei* Vari,1961
1174. *Stomphastis thraustica* (Meyrick,1908) (Gracillariidae) *thraustica* Meyrick,1908; *plectica* Meyrick,1912
1175. *Stomphastis tremina* Vari,1961 (Gracillariidae) *tremina* Vari,1961
1176. *Telamoptilia geyeri* (Vari,1961) (Gracillariidae) *geyeri* Vari,1961
1177. *Afrotheora thermodes* (Meyrick,1921) (Hepialidae) *thermodes* Meyrick,1921
1178. *Eudalaca isorrhoea* (Meyrick,1921) (Hepialidae) *isorrhoea* Meyrick,1921
1179. *Eudalaca leucocyma* (Hampson,1910) (Hepialidae) *leucocyma* Hampson,1910
1180. *Eudalaca vaporalis* (Meyrick,1921) (Hepialidae) *vaporalis* Meyrick,1921; *homostola* Hampson,1910.
1181. *Abantis paradisea* (Butler,1870) (Hesperiidae) *paradisea* Butler,1870; *namaquana* Westwood,1874
1182. *Abantis paradisea paradisea* (Butler,1870) (Hesperiidae) *paradisea* Butler,1870; *namaquana* Westwood,1874
1183. *Abantis tettensis* Hopffer,1855 (Hesperiidae) *tettensis* Hopffer,1855
1184. *Abantis tettensis tettensis* Hopffer,1855 (Hesperiidae) *tettensis* Hopffer,1855
1185. *Abantis venosa* Trimen,1889 (Hesperiidae) *venosa* Trimen,1889; *umvulensis* Sharpe; *#flava* Evans,1937; *#fulva* Evans,1937.
1186. *Abantis venosa venosa* Trimen,1889 (Hesperiidae) *venosa* Trimen,1889; *umvulensis* Sharpe; *#flava* Evans,1937; *#fulva* Evans,1937.
1187. *Acleros mackenii* (Trimen,1868) (Hesperiidae) *mackenii* Trimen,1868; *olaus* Plötz,1884; *nyassicola* Strand,1921; *aurifrons* Strand,1921; *#denia* Evans,1937
1188. *Andronymus caesar* (Fabricius,1793) (Hesperiidae) *caesar* Fabricius,1793; *leander* Plötz,1879; *antonius* Lindsey & Miller,1965
1189. *Andronymus caesar philander* (Hopffer,1855) (Hesperiidae) *philander* Hopffer,1855
1190. *Andronymus neander* (Plötz,1884) (Hesperiidae) *neander* Plötz,1884; *producta* Trimen,1889; *torosa* Evans,1947
1191. *Andronymus neander neander* (Plötz,1884) (Hesperiidae) *neander* Plötz,1884; *producta* Trimen,1889; *torosa* Evans,1947
1192. *Artitropa erinnys* (Trimen,1862) (Hesperiidae) *erinnys* Trimen,1862
1193. *Artitropa erinnys erinnys* (Trimen,1868) (Hesperiidae) *erinnys* Trimen,1862
1194. *Borbo borbonica* (Boisduval,1833) (Hesperiidae) *borbonica* Boisduval,1833; *senegalensis* Klug,1842; *continentalis* Strand,1912
1195. *Borbo borbonica borbonica* (Boisduval,1833) (Hesperiidae) *borbonica* Boisduval,1833; *senegalensis* Klug,1842; *continentalis* Strand,1912
1196. *Borbo fatuellus* (Hopffer,1855) (Hesperiidae) *fatuellus* Hopffer,1855; *caffraria* Plötz,1883; *cinerea* Holland,1896
1197. *Borbo fatuellus fatuellus* (Hopffer,1855) (Hesperiidae) *fatuellus* Hopffer,1855; *caffraria* Plötz,1883; *cinerea* Holland,1896
1198. *Borbo gemella* (Mabille,1884) (Hesperiidae) *gemella* Mabille,1884
1199. *Borbo gemella gemella* (Mabille,1884) (Hesperiidae) *gemella* Mabille,1884
1200. *Borbo lugens* (Hopffer,1855) (Hesperiidae) *lugens* Hopffer,1855; *xylos* Mabille,1890; *maranga* Butler,1900; *plana* Swinhoe,1915
1201. *Borbo lugens lugens* (Hopffer,1855) (Hesperiidae) *lugens* Hopffer,1855; *xylos* Mabille,1890; *maranga* Butler,1900; *plana* Swinhoe,1915
1202. *Calleagris kobela* (Trimen,1864) (Hesperiidae) *kobela* Trimen,1864
1203. *Calleagris krooni* Vari,1974 (Hesperiidae) *krooni* Vari,1974
1204. *Caprona pillaana* Wallengren,1857 (Hesperiidae) *pillaana* Wallengren,1857; *heterogyna* Mabille,1890.
1205. *Caprona pillaana pillaana* Wallengren,1857 (Hesperiidae) *pillaana* Wallengren,1857; *heterogyna* Mabille,1890.
1206. *Celaenorrhinus mokeezi* (Wallengren,1857) (Hesperiidae) *mokeezi* Wallengren,1857; *amaponda* Trimen,1862.
1207. *Celaenorrhinus mokeezi separata* (Strand,1911) (Hesperiidae) *separata* Strand,1911
1208. *Coeliades anchises* (Gerstraeker,1871) (Hesperiidae) *anchises* Gerstraeker,1871; *taranis* Hewitson,1876.
1209. *Coeliades anchises anchises* (Gerstraeker,1871) (Hesperiidae) *anchises* Gerstraeker,1871; *taranis* Hewitson,1876.
1210. *Coeliades forestan* (Stoll,[1782]) (Hesperiidae) *forestan* Stoll,[1782].
1211. *Coeliades forestan forestan* (Stoll,[1782]) (Hesperiidae) *forestan* Stoll,[1782].
1212. *Coeliades libeon* (Druce,1875) (Hesperiidae) *libeon* Druce,1875; *unicolor* Mabille,1877; *andonginis* Plötz,1884; *brussauxi* Mabille,1891.
1213. *Coeliades libeon libeon* (Druce,1875) (Hesperiidae) *libeon* Druce,1875; *unicolor* Mabille,1877; *andonginis* Plötz,1884; *brussauxi* Mabille,1891.
1214. *Coeliades pisistratus* (Fabricius,1793) (Hesperiidae) *pisistratus* Fabricius,1793; *valmaran* Wallengren,1857.
1215. *Coeliades pisistratus pisistratus* (Fabricius,1793) (Hesperiidae) *pisistratus* Fabricius,1793; *valmaran* Wallengren,1857.
1216. *Eagris nottoana* (Wallengren,1857) (Hesperiidae) *nottoana* Wallengren,1857; *phyllophyle* Trimen,1883; *flavipalpis* Plötz,1884; *melancholica* Mabille,1890; *quadrimaculata* Neustetter,1916.
1217. *Eagris nottoana nottoana* (Wallengren,1857) (Hesperiidae) *nottoana* Wallengren,1857; *phyllophyle* Trimen,1883; *flavipalpis* Plötz,1884; *melancholica* Mabille,1890; *quadrimaculata* Neustetter,1916.
1218. *Eretis djaelaelae* (Wallengren,1857) (Hesperiidae) *djaelaelae* Wallengren,1857
1219. *Eretis djaelaelae djaelaelae* (Wallengren,1857) (Hesperiidae) *djaelaelae* Wallengren,1857
1220. *Eretis umbra* (Trimen,1862) (Hesperiidae) *umbra* Trimen,1862; *norica* Plötz,1884.
1221. *Eretis umbra umbra* (Trimen,1862) (Hesperiidae) *umbra* Trimen,1862; *norica* Plötz,1884.
1222. *Gegenes gambica* (Mabille,1878) (Hesperiidae) *gambica* Mabille,1878
1223. *Gegenes gambica gambica* (Mabille,1878) (Hesperiidae) *gambica* Mabille,1878

1224. *Gegenes hottentota* (Latreille,[1824]) (Hesperiidae) *hottentota* Latreille,[1824]; *obumbrata* Trimen,1891; *ocra* Evans,1937.
1225. *Gegenes hottentota hottentota* (Latreille,[1824]) (Hesperiidae) *hottentota* Latreille,[1824]; *obumbrata* Trimen,1891; *ocra* Evans,1937.
1226. *Gegenes niso* (Linnaeus,1764) (Hesperiidae) *niso* Linnaeus,1764; *letterstedii* Wallengren,1857; *indica* Mabilé,1883
1227. *Gegenes niso niso* (Linnaeus,1764) (Hesperiidae) *niso* Linnaeus,1764; *letterstedii* Wallengren,1857; *indica* Mabilé,1883
1228. *Gomalia elma* (Trimen,1862) (Hesperiidae) *elma* Trimen,1862; *jeanneli* Picard,1949.
1229. *Gomalia elma elma* (Trimen,1862) (Hesperiidae) *elma* Trimen,1862; *jeanneli* Picard,1949.
1230. *Kedestes barberae* (Trimen,1873) (Hesperiidae) *barberae* Trimen,1873
1231. *Kedestes barberae barberae* (Trimen,1873) (Hesperiidae) *barberae* Trimen,1873
1232. *Kedestes callicles* (Hewitson,1868) (Hesperiidae) *callicles* Hewitson,1868; *aleta* Plötz,1883
1233. *Kedestes lepenula* (Wallengren,1857) (Hesperiidae) *lepenula* Wallengren,1857; *chersias* Hewitson,1877
1234. *Kedestes macomo* (Trimen,1862) (Hesperiidae) *macomo* Trimen,1862
1235. *Kedestes mohozutza* (Wallengren,1857) (Hesperiidae) *mohozutza* Wallengren,1857
1236. *Kedestes nerva* (Fabricius,1793) (Hesperiidae) *nerva* Fabricius,1793; *tucusa* Trimen,1883
1237. *Kedestes nerva nerva* (Fabricius,1793) (Hesperiidae) *nerva* Fabricius,1793; *tucusa* Trimen,1883
1238. *Kedestes wallengrenii* (Trimen,1883) (Hesperiidae) *wallengrenii* Trimen,1883
1239. *Kedestes wallengrenii wallengrenii* (Trimen,1883) (Hesperiidae) *wallengrenii* Trimen,1883
1240. *Leucochitona levubu* Wallengren,1857 (Hesperiidae) *levubu* Wallengren,1857; *lactea* Plötz,1885; *#defecta* Aurivillius,1925
1241. *Metisella aegipan* (Trimen,1868) (Hesperiidae) *aegipan* Trimen,1868
1242. *Metisella aegipan aegipan* (Trimen,1868) (Hesperiidae) *aegipan* Trimen,1868
1243. *Metisella malgacha* (Boisduval,1833) (Hesperiidae) *malgacha* Boisduval,1833; *limpopona* Wallengren,1857
1244. *Metisella malgacha malchaga* (Boisduval,1833) (Hesperiidae) *malgacha* Boisduval,1833; *limpopona* Wallengren,1857
1245. *Metisella meninx* (Trimen,1873) (Hesperiidae) *meninx* Trimen,1873; *argentiostratus* Plötz,1886
1246. *Metisella metis* (Linnaeus,1764) (Hesperiidae) *metis* Linnaeus,1764
1247. *Metisella metis paris* Evans,1937 (Hesperiidae) *paris* Evans,1937
1248. *Metisella willemi* (Wallengren,1857) (Hesperiidae) *willemi* Wallengren,1857; *cheles* Hewitson,1868
1249. *Netrobalane canopus* (Trimen,1864) (Hesperiidae) *canopus* Trimen,1864; *orientalis* Aurivillius,1925
1250. *Parosmodes morantii* (Trimen,1873) (Hesperiidae) *morantii* Trimen,1873; *ranoha* Westwood,1881; *icteria* Mabilé,1891.
1251. *Parosmodes morantii morantii* (Trimen,1873) (Hesperiidae) *morantii* Trimen,1873; *ranoha* Westwood,1881; *icteria* Mabilé,1891.
1252. *Pelopidas mathias* (Fabricius,1798) (Hesperiidae) *mathias* Fabricius,1798; *elegans* Mabilé,1877; *umbrata* Butler,1879; *octofenestrata* Saalmüller,1884; *albirostris* Mabilé,[1887].
1253. *Pelopidas mathias mathias* (Fabricius,1798) (Hesperiidae) *mathias* Fabricius,1798; *elegans* Mabilé,1877; *umbrata* Butler,1879; *octofenestrata* Saalmüller,1884; *albirostris* Mabilé,[1887].
1254. *Pelopidas thrax* (Hübner,[1821]) (Hesperiidae) *thrax* Hübner,[1821]; *midea* Walker,1870
1255. *Pelopidas thrax inconspicua* (Bertolini,1850) (Hesperiidae) *inconspicua* Bertolini,1850; *mohopaani* Wallengren,1857; *micipsa* Trimen,1862; *lodra* Plötz,1879
1256. *Platylesches ayresii* (Trimen,1889) (Hesperiidae) *ayresii* Trimen,1889
1257. *Platylesches galesa* (Hewitson,1877) (Hesperiidae) *galesa* Hewitson,1877
1258. *Platylesches moritili* (Wallengren,1857) (Hesperiidae) *moritili* Wallengren,1857; *zephora* Plötz,1884; *heterophila* Mabilé,1891; *amadhu* Mabilé,1891; *#costalis* Aurivillius,1925
1259. *Platylesches neba* (Hewitson,1877) (Hesperiidae) *neba* Hewitson,1877
1260. *Platylesches picanini* (Holland,1894) (Hesperiidae) *#grandiplaga* Mabilé,1891; *picanini* Holland,1894; *goetzei* Grünberg,1907
1261. *Platylesches robustus* Neave,1910 (Hesperiidae) *robustus* Neave,1910; *ertli* Gaede,1917
1262. *Platylesches robustus robustus* Neave,1910 (Hesperiidae) *robustus* Neave,1910; *ertli* Gaede,1917
1263. *Platylesches tina* Evans,1937 (Hesperiidae) *tina* Evans,1937
1264. *Sarangesa motozi* (Wallengren,1857) (Hesperiidae) *motozi* Wallengren,1857; *pato* Trimen,1862; *ophthalmica* Mabilé,1891; *pertusa* Mabilé,1891; *helmi* Karsch,1896; *ophthalmicodes* Strand,1912.
1265. *Sarangesa motozi motozi* (Wallengren,1857) (Hesperiidae) *motozi* Wallengren,1857; *pato* Trimen,1862; *ophthalmica* Mabilé,1891; *pertusa* Mabilé,1891; *helmi* Karsch,1896; *ophthalmicodes* Strand,1912.
1266. *Sarangesa phidyle* (Walker,1870) (Hesperiidae) *phidyle* Walker,1870; *besa* Mabilé,1891; *eliminata* Holland,1896; *deserticola* Rebel,1907; *#varia* Evans,1937.
1267. *Sarangesa phidyle phidyle* (Walker,1870) (Hesperiidae) *phidyle* Walker,1870; *besa* Mabilé,1891; *eliminata* Holland,1896; *deserticola* Rebel,1907; *#varia* Evans,1937.
1268. *Sarangesa ruona* Evans,1937 (Hesperiidae) *ruona* Evans,1937
1269. *Sarangesa ruona ruona* Evans,1937 (Hesperiidae) *ruona* Evans,1937
1270. *Sarangesa seineri* Strand,1909 (Hesperiidae) *seineri* Strand,1909; *tanga* Evans,1937.
1271. *Sarangesa seineri seineri* Strand,1909 (Hesperiidae) *seineri* Strand,1909; *tanga* Evans,1937.
1272. *Spialia* (s.str.) *agylla* (Trimen,1889) (Hesperiidae) *agylla* Trimen,1889
1273. *Spialia* (s.str.) *agylla agylla* (Trimen,1889) (Hesperiidae) *agylla* Trimen,1889
1274. *Spialia* (s.str.) *asterodia* (Trimen,1864) (Hesperiidae) *asterodia* Trimen,1864
1275. *Spialia* (s.str.) *colotes* (Druce,1875) (Hesperiidae) *colotes* Druce,1875
1276. *Spialia* (s.str.) *colotes transvaaliae* (Trimen,1889) (Hesperiidae) *transvaaliae* Trimen,1889
1277. *Spialia* (s.str.) *delagoae* (Trimen,1898) (Hesperiidae) *delagoae* Trimen,1898
1278. *Spialia* (s.str.) *depauperata* (Strand,1911) (Hesperiidae) *depauperata* Strand,1911; *rehfousi* Oberthür,1912
1279. *Spialia* (s.str.) *depauperata australis* de Jong,1978 (Hesperiidae) *australis* de Jong,1978
1280. *Spialia* (s.str.) *diomus* (Hopffer,1855) (Hesperiidae) *diomus* Hopffer,1855
1281. *Spialia* (s.str.) *diomus ferax* (Wallengren,1863) (Hesperiidae) *ferax* Wallengren,1863; *abscondita* Plötz,1884; *lacreuzei* Oberthür,1912
1282. *Spialia* (s.str.) *dromus* (Plötz,1884) (Hesperiidae) *dromus* Plötz,1884; *zaira* Plötz,1884; *melaleuca* Oberthür,1912; *leucomelas* Oberthür,1912; *elongata* Higgins,1924; *meridionalis* Higgins,1924.
1283. *Spialia* (s.str.) *mafa* (Trimen,1870) (Hesperiidae) *mafa* Trimen,1870; *oberthueri* Aurivillius,1925; *aurivilli* Shepard,1935.
1284. *Spialia* (s.str.) *mafa mafa* (Trimen,1870) (Hesperiidae) *mafa* Trimen,1870; *oberthueri* Aurivillius,1925; *aurivilli* Shepard,1935.
1285. *Spialia* (s.str.) *paula* (Higgins,1924) (Hesperiidae) *paula* Higgins,1924
1286. *Spialia* (s.str.) *secessus* (Trimen,1891) (Hesperiidae) *secessus* Trimen,1891; *#trimeni* Aurivillius,1925

1287. *Spialia* (s.str.) *spio* (Linnaeus,1764) (Hesperiidae) *spio* Linnaeus,1764; *vindex* Stoll,[1781].
1288. *Spialia* (s.str.) *spio spio* (Linnaeus,1764) (Hesperiidae) *spio* Linnaeus,1764; *vindex* Stoll,[1781].
1289. *Tagiades* (s.str.) *flesus* (Fabricius,1781) (Hesperiidae) *flesus* Fabricius,1781; *ophion* Drury,1782; *#ophelia* Evans,1937.
1290. *Tsitana* *tsita* (Trimen,1870) (Hesperiidae) *tsita* Trimen,1870; *monochromus* Mabille,1891
1291. *Tsitana* *tsita tsita* (Trimen,1870) (Hesperiidae) *tsita* Trimen,1870; *monochromus* Mabille,1891
1292. *Zenonia* *zeno* (Trimen,1864) (Hesperiidae) *zeno* Trimen,1864; *splendens* Mabille,1877; *coanza* Plötz,1883; *watsoni* Butler,1894; *zenides* Strand,1918
1293. *Eutricha* *truncata* (Walker,1855) (Lasiocampidae) *truncata* Walker,1855; *ligniculus* Walker,1865; *plagiogramma* Mabille,1880; *picturata* Grünberg,1910; *occidentalis* Strand,1912.
1294. *Haplopacha* *cinerea* Aurivillius,1905 (Lasiocampidae) *cinerea* Aurivillius,1905
1295. *Sena* *breyeri* (Aurivillius,1922) (Lasiocampidae) *breyeri* Aurivillius,1922
1296. *Sena* *donaldsoni* Holland & Smith,1901 (Lasiocampidae) *donaldsoni* Holland & Smith,1901
1297. *Sena* *donaldsoni marshalli* (Aurivillius,1901) (Lasiocampidae) *marshalli* Aurivillius,1901
1298. *Stoermeriana* *cuneata* (Distant,1897) (Lasiocampidae) *cuneata* Distant,1897
1299. *Atrichozancla* *phaeocrossis* (Meyrick,1937) (Lecithoceridae) *phaeocrossis* Meyrick,1937
1300. *Cophomantella* *furnaria* (Meyrick,1913) (Lecithoceridae) *furnaria* Meyrick,1913
1301. *Drummatucha* *proaula* Meyrick,1908 (Lecithoceridae) *proaula* Meyrick,1908
1302. *Homaloxestis* *cholopis* (Meyrick,1906) (Lecithoceridae) *cholopis* Meyrick,1906
1303. *Homaloxestis* *lophophora* Janse,1954 (Lecithoceridae) *lophophora* Janse,1954
1304. *Lecithocera* *aenicta* Janse,1954 (Lecithoceridae) *aenicta* Janse,1954
1305. *Lecithocera* *anthologella* Wallengren,1875 (Lecithoceridae) *anthologella* Wallengren,1875
1306. *Lecithocera* *flavipalpis* Walsingham,1891 (Lecithoceridae) *flavipalpis* Walsingham,1891
1307. *Lecithocera* *lucernata* Meyrick,1913 (Lecithoceridae) *lucernata* Meyrick,1913
1308. *Lecithocera* *myopa* Meyrick,1913 (Lecithoceridae) *myopa* Meyrick,1913
1309. *Lecithocera* *officialis* Meyrick,1911 (Lecithoceridae) *officialis* Meyrick,1911
1310. *Odites* (s.str.) *balsamias* Meyrick,1911 (Lecithoceridae) *balsamias* Meyrick,1911
1311. *Odites* (s.str.) *natalensis* Walsingham,1891 (Lecithoceridae) *natalensis* Walsingham,1891
1312. *Plagiocrossa* *picrodora* (Meyrick,1913) (Lecithoceridae) *picrodora* Meyrick,1913
1313. *Protolychnis* *maculata* (Walsingham,1881) (Lecithoceridae) *maculata* Walsingham,1881
1314. *Libythea* (Jera) *labdaca* Westwood & Hewitson,1851 (Libytheidae) *labdaca* Westwood & Hewitson,1851
1315. *Libythea* (Jera) *labdaca laius* Trimen,1879 (Libytheidae) *laius* Trimen,1879
1316. *Afralthea* *chionostola* (Hampson,1910) (Limacodidae) *chionostola* Hampson,1910
1317. *Afrobirthama* *flaccidia* (Druce,1899) (Limacodidae) *flaccidia* Druce,1899
1318. *Afrobithama* *reducta* M.Hering,1928 (Limacodidae) *reducta* M.Hering,1928
1319. *Brachia* *albivata* (Hampson,1910) (Limacodidae) *albivata* Hampson,1910
1320. *Brachia* *amblygrapta* Janse,1964 (Limacodidae) *amblygrapta* Janse,1964
1321. *Brachypecta* *perobliqua* Janse,1964 (Limacodidae) *perobliqua* Janse,1964
1322. *Caffricola* *cloeckneria* (Stoll,[1781]) (Limacodidae) *cloeckneria* Stoll,[1781]
1323. *Caffricola* *kenyensis* Talbot,1932 (Limacodidae) *kenyensis* Talbot,1932
1324. *Caffricola* *vicina* Alberti,1954 (Limacodidae) *vicina* Alberti,1954
1325. *Chrysopoloma* *bicolor* (Distant,1897) (Limacodidae) *bicolor* Distant,1897
1326. *Chrysopoloma* *isabellina* Aurivillius,1895 (Limacodidae) *isabellina* Aurivillius,1895
1327. *Chrysopoloma* *pallens* M.Hering,1923 (Limacodidae) *similis* Distant,1903 *nec* Auriv.,1895; *pallens* M.Hering,1923.
1328. *Chrysopoloma* *restricta* Distant,1899 (Limacodidae) *restricta* Distant,1899
1329. *Chrysopoloma* *varia* Distant,1899 (Limacodidae) *varia* Distant,1899
1330. *Coenobasis* *amoena* R.Felder & Rogenhofer,1874 (Limacodidae) *amoena* R.Felder & Rogenhofer,1874
1331. *Coenobasis* *argentilinea* Aurivillius,1899 (Limacodidae) *argentilinea* Aurivillius,1899
1332. *Coenobasis* *intermedia* Janse,1964 (Limacodidae) *intermedia* Janse,1964
1333. *Coenobasis* *panochra* Janse,1964 (Limacodidae) *panochra* Janse,1964
1334. *Crothaema* *decorata* Distant,1892 (Limacodidae) *decorata* Distant,1892
1335. *Deltoptera* *iphia* Janse,1964 (Limacodidae) *iphia* Janse,1964
1336. *Gavara* *velutina* Walker,[1858] (Limacodidae) *velutina* Walker,[1858]; *squamosa* Wallengren,1860; *leprosa* Felder,1874.
1337. *Halseyia* *bisecta* (Butler,1898) (Limacodidae) *bisecta* Butler,1898
1338. *Halseyia* *intacta* (M.Hering,1937) (Limacodidae) *intacta* M.Hering,1937
1339. *Halseyia* *pseudobisecta* (M.Hering,1937) (Limacodidae) *pseudobisecta* M.Hering,1937
1340. *Halseyia* *rectifascia* (M.Hering,1937) (Limacodidae) *rectifascia* M.Hering,1937
1341. *Isozinara* *pallidifascia* Janse,1964 (Limacodidae) *pallidifascia* Janse,1964
1342. *Latoia* *johannes* (Distant,1898) (Limacodidae) *johannes* Distant,1898
1343. *Latoia* *latistriga* (Walker,1855) (Limacodidae) *latistriga* Walker,1855
1344. *Latoia* *vivida* (Walker,1865) (Limacodidae) *vivida* Walker,1865; *arcuata* Karsch,1896; *neumanni* Karsch,1896.
1345. *Macroplecta* *meridionalis* M.Hering,1928 (Limacodidae) *meridionalis* M.Hering,1928
1346. *Micraphe* *lateritia* Karsch,1896 (Limacodidae) *lateritia* Karsch,1896; *coccinea* Hampson,1910; *haematoessa* Hampson,1910; *#haematoessula* Strand,1916; *intensior* Rothschild,1921.
1347. *Monoplecta* *castanea* Janse,1964 (Limacodidae) *castanea* Janse,1964
1348. *Natada* *chrysaspis* Hampson,1910 (Limacodidae) *chrysaspis* Hampson,1910; *chrysaspodes* Strand,1916
1349. *Neogava* *imitans* Janse,1964 (Limacodidae) *imitans* Janse,1964
1350. *Neomocena* *convergens* (M.Hering,1928) (Limacodidae) *convergens* M.Hering,1928
1351. *Omocnoides* *isophanes* Janse,1964 (Limacodidae) *isophanes* Janse,1964
1352. *Pantoctenia* *gemmans* R.Felder & Rogenhofer,1874 (Limacodidae) *gemmans* R.Felder & Rogenhofer,1874
1353. *Parapluda* *invitabilis* (Wallengren,1860) (Limacodidae) *invitabilis* Wallengren,1860; *similis* Distant,1897.
1354. *Scotinochroa* *inconsequens* Butler,1897 (Limacodidae) *inconsequens* Butler,1897; *peringueyi* Aurivillius,1921.
1355. *Taeda* *aetitis* Wallengren,1863 (Limacodidae) *aetitis* Wallengren,1863; *albipuncta* Druce,1888; *argentifera* Westwood,1881.
1356. *Taeda* *connexa* (Janse,1964) (Limacodidae) *connexa* Janse,1964
1357. *Taeda* *prasina* Butler,1896 (Limacodidae) *prasina* Butler,1896
1358. *Actizera* *lucida* (Trimen,1883) (Lycanidae) *lucida* Trimen,1883; *drucei* Bethune-Baker,1906.

1359. *Actizera lucida lucida* (Trimen,1883) (Lycaenidae) *lucida* Trimen,1883; *drucei* Bethune-Baker,1906.
1360. *Alaena amazoula* (Boisduval,1847) (Lycaenidae) *amazoula* Boisduval,1847; *#orphina* Vari,1976.
1361. *Alaena amazoula ochroma* Vári,1976 (Lycaenidae) *ochroma* Vári,1976
1362. *Alaena margaritacea* Eltringham,1929 (Lycaenidae) *margaritacea* Eltringham,1929
1363. *Aloeides almeida* (Felder,1862) (Lycaenidae) *almeida* Felder,1862
1364. *Aloeides aranda* (Wallengren,1857) (Lycaenidae) *aranda* Wallengren,1857; *mars* Trimen,1862; *zilka* Grose-Smith,1900; *rougemonti* Oberthür,1909.
1365. *Aloeides damarensis* (Trimen,1891) (Lycaenidae) *damarensis* Trimen,1891
1366. *Aloeides damarensis damarensis* (Trimen,1891) (Lycaenidae) *damarensis* Trimen,1891
1367. *Aloeides dentatis* (Swierstra,1909) (Lycaenidae) *dentatis* Swierstra,1909
1368. *Aloeides dentatis dentatis* (Swierstra,1909) (Lycaenidae) *dentatis* Swierstra,1909
1369. *Aloeides dentatis maseruna* (Riley,1938) (Lycaenidae) *maseruna* Riley,1938
1370. *Aloeides dryas* Tite & Dickson,1968 (Lycaenidae) *dryas* Tite & Dickson,1968
1371. *Aloeides henningi* Tite & Dickson,1973 (Lycaenidae) *henningi* Tite & Dickson,1973
1372. *Aloeides merces* Henning & Henning,1986 (Lycaenidae) *merces* Henning & Henning,1986
1373. *Aloeides molomo* (Trimen,1870) (Lycaenidae) *molomo* Trimen,1870
1374. *Aloeides molomo molomo* (Trimen,1870) (Lycaenidae)
1375. *Aloeides nubilus* Henning & Henning,1982 (Lycaenidae) *nubilus* Henning & Henning,1982
1376. *Aloeides penningtoni* Tite & Dickson,1968 (Lycaenidae) *penningtoni* Tite & Dickson,1968; *natalensis* Tite & Dickson,1968.
1377. *Aloeides pierus* (Cramer,[1779]) (Lycaenidae) *pierus* Cramer,[1779]; *euadrus* Fabricius,1787.
1378. *Aloeides rossouwi* Henning & Henning,1982 (Lycaenidae) *rossouwi* Henning & Henning,1982
1379. *Aloeides stevensoni* Tite & Dickson,1973 (Lycaenidae) *stevensoni* Tite & Dickson,1973
1380. *Aloeides susanae* Tite & Dickson,1973 (Lycaenidae) *susanae* Tite & Dickson,1973
1381. *Aloeides swanepoeli* Tite & Dickson,1973 (Lycaenidae) *swanepoeli* Tite & Dickson,1973
1382. *Aloeides taikosama* (Wallengren,1857) (Lycaenidae) *taikosama* Wallengren,1857; *orthrus* Trimen,1874.
1383. *Aloeides thyra* (Linnaeus,1764) (Lycaenidae) *thyra* Linnaeus,1764; *nyctetus* Stoll,[1781]; *euadrus* Fabricius,1787.
1384. *Aloeides titei* Henning,1987 (Lycaenidae) *titei* Henning,1987
1385. *Aloeides trimeni* Tite & Dickson,1973 (Lycaenidae) *trimeni* Tite & Dickson,1973
1386. *Aloeides trimeni trimeni* Tite & Dickson,1973 (Lycaenidae) *trimeni* Tite & Dickson,1973
1387. *Anthene amarah* (Guérin-Méneville,1849) (Lycaenidae) *amarah* Guérin-Méneville,1849; *olympusa* Walker,1870.
1388. *Anthene amarah amarah* (Guérin-Méneville,1849) (Lycaenidae) *amarah* Guérin-Méneville,1849; *olympusa* Walker,1870.
1389. *Anthene butleri* (Oberthür,1880) (Lycaenidae) *butleri* Oberthür,1880
1390. *Anthene butleri livida* (Trimen,1881) (Lycaenidae) *livida* Trimen,1881
1391. *Anthene contrastata* (Ungemach,1932) (Lycaenidae) *contrastata* Ungemach,1932
1392. *Anthene contrastata mashuna* (Stevenson,1937) (Lycaenidae) *mashuna* Stevenson,1937
1393. *Anthene liodes* (Hewitson,1874) (Lycaenidae) *liodes* Hewitson,1874; *adherbal* Mabille,1877; *monteironis* Kirby,1878; *bihe* Bethune-Baker,1910.
1394. *Anthene millari* (Trimen,1893) (Lycaenidae) *millari* Trimen,1893
1395. *Anthene minima* (Trimen,1893) (Lycaenidae) *minima* Trimen,1893
1396. *Anthene otacilia* (Trimen,1868) (Lycaenidae) *otacilia* Trimen,1868; *tongidensis* Bethune-Baker,1926.
1397. *Anthene otacilia otacilia* (Trimen,1868) (Lycaenidae) *otacilia* Trimen,1868; *tongidensis* Bethune-Baker,1926.
1398. *Anthene princeps* (Butler,1876) (Lycaenidae) *princeps* Butler,1876; *neglecta* Trimen,1891; *uganda* Bethune-Baker,1910.
1399. *Anthene princeps princeps* (Butler,1876) (Lycaenidae) *princeps* Butler,1876; *neglecta* Trimen,1891; *uganda* Bethune-Baker,1910.
1400. *Anthene talboti* Stempffer,1936 (Lycaenidae) *talboti* Stempffer,1936
1401. *Aphnaeus (Paraphnaeus) hutchinsonii* Trimen,1887 (Lycaenidae) *hutchinsonii* Trimen,1887
1402. *Axiocerses amanga* (Westwood,1881) (Lycaenidae) *amanga* Westwood,1881; *mendeche* Grose-Smith,1889.
1403. *Axiocerses amanga amanga* (Westwood,1881) (Lycaenidae) *amanga* Westwood,1881; *mendeche* Grose-Smith,1889.
1404. *Axiocerses coalescens* Henning & Henning,1996 (Lycaenidae) *coalescens* Henning & Henning,1996
1405. *Axiocerses tjoane* (Wallengren,1857) (Lycaenidae) *tjoane* Wallengren,1857
1406. *Axiocerses tjoane tjoane* (Wallengren,1857) (Lycaenidae) *tjoane* Wallengren,1857
1407. *Azanus (s.str.) jesous* (Guérin-Méneville,1849) (Lycaenidae) *jesous* Guérin-Méneville,1849; *agave* Walker,1870; *sigillata* Butler,1876.
1408. *Azanus (s.str.) jesous jesous* (Guérin-Méneville,1849) (Lycaenidae) *jesous* Guérin-Méneville,1849; *agave* Walker,1870; *sigillata* Butler,1876.
1409. *Azanus (s.str.) mirza* (Plötz,1880) (Lycaenidae) *mirza* Plötz,1880; *occidentalis* Butler,1888; *#dificiens* Dufrane,1953; *#ornata* Dufrane,1953; *mirzellus* Koçak,1980 [rejected, Opinion 1478,1988].
1410. *Azanus (s.str.) mirza mirza* (Plötz,1880) (Lycaenidae) *mirza* Plötz,1880; *occidentalis* Butler,1888; *#dificiens* Dufrane,1953; *#ornata* Dufrane,1953; *mirzellus* Koçak,1980 [rejected, Opinion 1478,1988].
1411. *Azanus (s.str.) moriqua* (Wallengren,1857) (Lycaenidae) *moriqua* Wallengren,1857; *benigna* Möschler,1884.
1412. *Azanus (s.str.) moriqua moriqua* (Wallengren,1857) (Lycaenidae) *moriqua* Wallengren,1857; *benigna* Möschler,1884.
1413. *Azanus (s.str.) natalensis* (Trimen & Bowker,1887) (Lycaenidae) *natalensis* Trimen & Bowker,1887
1414. *Azanus (s.str.) ubaldus* (Stoll,[1782]) (Lycaenidae) *ubaldus* Stoll,[1782]; *zena* Moore,1865; *ethoda* Walker,1870; *itea* Walker,1870; *macalenga* Trimen,1870; *thebana* Staudinger,1894.
1415. *Azanus (s.str.) ubaldus ubaldus* (Stoll,[1782]) (Lycaenidae) *ubaldus* Stoll,[1782]; *zena* Moore,1865; *ethoda* Walker,1870; *itea* Walker,1870; *macalenga* Trimen,1870; *thebana* Staudinger,1894.
1416. *Brephidium metophis* (Wallengren,1860) (Lycaenidae) *metophis* Wallengren,1860
1417. *Cacyreus lingeus* (Stoll,[1782]) (Lycaenidae) *lingeus* Stoll,[1782]
1418. *Cacyreus marshalli* Butler,[1898] (Lycaenidae) *marshalli* Butler,[1898]
1419. *Cacyreus marshalli marshalli* Butler,[1898] (Lycaenidae) *marshalli* Butler,[1898]
1420. *Cacyreus tespis* (Herbst,[1804]) (Lycaenidae) *palemon* Stoll,[1782] *nec palaemon* Pall.,1771; *tespis* Herbst,[1804] (Koçak,1996).
1421. *Cacyreus tespis tespis* (Herbst,[1804]) (Lycaenidae) *palemon* Stoll,[1782] *nec palaemon* Pal.,1771; *tespis* Herbst,[1804] (Koçak,1996).
1422. *Capys alphaeus* (Cramer,[1777]) (Lycaenidae) *alphaeus* Cramer,[1777]
1423. *Capys alphaeus extentus* Quickelberge,1979 (Lycaenidae)
1424. *Capys disjunctus* Trimen,1895 (Lycaenidae) *disjunctus* Trimen,1895

1425. *Capys disjunctus disjunctus* Trimen,1895 (Lycaenidae) *disjunctus* Trimen,1895
1426. *Chilades (Freyeria) trochylus (Freyer,[1843])* (Lycaenidae) *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931
1427. *Chilades (Freyeria) trochylus trochylus (Freyer,[1843])* (Lycaenidae) *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931.
1428. *Chloroselas pseudozeritis (Trimen,1873)* (Lycaenidae) *pseudozeritis* Trimen,1873
1429. *Chloroselas pseudozeritis pseudozeritis (Trimen,1873)* (Lycaenidae) *pseudozeritis* Trimen,1873
1430. *Chrysoritis (Poecilmitis) aethon (Trimen,1887)* (Lycaenidae)
1431. *Chrysoritis (Poecilmitis) aureus* Van Son,1966 (Lycaenidae)
1432. *Chrysoritis (Poecilmitis) lycegenes (Trimen,1874)* (Lycaenidae)
1433. *Chrysoritis (Poecilmitis) phosphor (Trimen,1864)* (Lycaenidae) *phosphor* Trimen,1864
1434. *Chrysoritis (Poecilmitis) phosphor borealis Quickelberge,1972* (Lycaenidae) *borealis* Quickelberge,1972
1435. *Cigaritis ella (Hewitson,[1865])* (Lycaenidae) *ella* Hewitson,[1865]; *chaka* Wallengren,1875; *junodi* D'Abrera,1980.
1436. *Cigaritis mozambica (Bertolini,1850)* (Lycaenidae) *mozambica* Bertolini,1850; *caffer* Trimen,1868.
1437. *Cigaritis natalensis (Westwood,[1851])* (Lycaenidae) *natalensis* Westwood,[1851]; *masilikazi* Wallengren,1857; *#obscura* Aurivillius,1923
1438. *Cigaritis natalensis natalensis (Westwood,[1851])* (Lycaenidae) *natalensis* Westwood,[1851]; *masilikazi* Wallengren,1857; *#obscura* Aurivillius,1923
1439. *Cigaritis phanes (Trimen,1873)* (Lycaenidae) *phanes* Trimen,1873; *erna* Staudinger,1888; *#phanis* Swierstra,1909
1440. *Cnodontes pallida (Trimen,1898)* (Lycaenidae) *pallida* Trimen,1898
1441. *Cnodontes penningtoni Bennett,1954* (Lycaenidae) *penningtoni* Bennett,1954
1442. *Cnodontes vansonii Stempffer & Bennett,1956* (Lycaenidae) *vansonii* Stempffer & Bennett,1956
1443. *Crudaria leroma (Wallengren,1857)* (Lycaenidae) *leroma* Wallengren,1857; *zorites* Hewitson,1874; *delagoensis* Sharpe,1891; *#albomaculata* Aurivillius,1923.
1444. *Cupidopsis cissus (Godart,[1824])* (Lycaenidae) *cissus* Godart,[1824]; *catharina* Trimen,1862; *abberans* Butler,1878; *#albiradiatus* Stoneham,1938; *#immaculatus* Stoneham,1938.
1445. *Cupidopsis jobates (Hopffer,1855)* (Lycaenidae) *jobates* Hopffer,1855; *siwani* Trimen,1862; *#conjugens* Strand,1912; *#ochreopuncta* Aurivillius,1925.
1446. *Cupidopsis jobates jobates (Hopffer,1855)* (Lycaenidae) *jobates* Hopffer,1855; *siwani* Trimen,1862; *#conjugens* Strand,1912; *#ochreopuncta* Aurivillius,1925.
1447. *Desmolycaena mazoensis Trimen,1898* (Lycaenidae) *mazoensis* Trimen,1898
1448. *Deudorix (Virachola) antalus (Hopffer,1855)* (Lycaenidae) *antalus* Hopffer,1855
1449. *Deudorix (Virachola) antalus antalus (Hopffer,1855)* (Lycaenidae) *antalus* Hopffer,1855
1450. *Deudorix (Virachola) dinochares Grose-Smith,1887* (Lycaenidae) *dinochares* Grose-Smith,1887
1451. *Deudorix (Virachola) dinochares dinochares Grose-Smith,1887* (Lycaenidae) *dinochares* Grose-Smith,1887
1452. *Durbania amakosa Trimen,1862* (Lycaenidae) *amakosa* Trimen,1862
1453. *Durbania amakosa ayresi Van Son,1941* (Lycaenidae) *ayresi* Van Son,1941
1454. *Durbania limbata Trimen,1887* (Lycaenidae) *limbata* Trimen,1887; *amabilis* Staudinger,1888
1455. *Eicochrysops hippocrates (Fabricius,1793)* (Lycaenidae) *hippocrates* Fabricius,1793; *delicula* Mabilille,1877
1456. *Eicochrysops messapus (Godart,[1824])* (Lycaenidae) *messapus* Godart,[1824]; *acca* Westwood,[1851]
1457. *Eicochrysops messapus mahallakoena (Wallengren,1857)* (Lycaenidae) *mahallakoena* Wallengren,1857
1458. *Euchrysops barkeri (Trimen,1893)* (Lycaenidae) *barkeri* Trimen,1893
1459. *Euchrysops dolorosa (Trimen,1887)* (Lycaenidae) *dolorosa* Trimen,1887.
1460. *Euchrysops malathana (Boisduval,1833)* (Lycaenidae) *malathana* Boisduval,1833; *asopus* Hopffer,1855; *kama* Trimen,1862; *conguensis* Mabilille,1877.
1461. *Euchrysops malathana malathana (Boisduval,1833)* (Lycaenidae) *malathana* Boisduval,1833; *asopus* Hopffer,1855; *kama* Trimen,1862; *conguensis* Mabilille,1877.
1462. *Euchrysops osiris (Hopffer,1855)* (Lycaenidae) *osiris* Hopffer,1855; *anubis* Snellen,1872; *phoa* Snellen,1872; *pyrrhops* Mabilille,1877; *cuprescens* Sharpe,1898; *australis* Hulstaert,1924.
1463. *Euchrysops osiris osiris (Hopffer,1855)* (Lycaenidae) *osiris* Hopffer,1855; *anubis* Snellen,1872; *phoa* Snellen,1872; *pyrrhops* Mabilille,1877; *cuprescens* Sharpe,1898; *australis* Hulstaert,1924.
1464. *Harpenderys noquasa (Trimen,1887)* (Lycaenidae) *noquasa* Trimen,1887
1465. *Harpenderys notoba (Trimen,1868)* (Lycaenidae) *notoba* Trimen,1868
1466. *Hypolycaena philippus (Fabricius,1793)* (Lycaenidae) *philippus* Fabricius,1793
1467. *Hypolycaena philippus philippus (Fabricius,1793)* (Lycaenidae) *philippus* Fabricius,1793
1468. *Iolaus (Aphniolaus) pallene (Wallengren,1857)* (Lycaenidae)
1469. *Iolaus (Argiolaus) silarus Druce,1885* (Lycaenidae) *silarus* Druce,1885
1470. *Iolaus (Argiolaus) silas (Westwood,[1851])* (Lycaenidae)
1471. *Iolaus (Epamera) alienus Trimen,1898* (Lycaenidae)
1472. *Iolaus (Epamera) mimosae Trimen,1874* (Lycaenidae)
1473. *Iolaus (Epamera) mimosae rhodosense (Stempffer & Bennett,1959)* (Lycaenidae)
1474. *Iolaus (Hemiolaus) caeculus Hopffer,1855* (Lycaenidae)
1475. *Iolaus (Hemiolaus) caeculus caeculus Hopffer,1855* (Lycaenidae)
1476. *Iolaus (Hemiolaus) ceres (Hewitson,1865)* (Lycaenidae)
1477. *Iolaus (Iolophilus) trimeni Wallengren,1875* (Lycaenidae) *trimeni* Wallengren,1875
1478. *Iolaus (Stugeta) bowkeri Trimen,1864* (Lycaenidae) *bowkeri* Trimen,1864
1479. *Iolaus (Stugeta) bowkeri henningi (Dickson,1980)* (Lycaenidae) *henningi* Dickson,1980
1480. *Iolaus (Stugeta) bowkeri tearei (Dickson,1980)* (Lycaenidae) *tearei* Dickson,1980
1481. *Lachnocnema bibulus (Fabricius,1793)* (Lycaenidae) *bibulus* Fabricius,1793; *laches* Fabricius,1793; *delegorguei* Boisduval,1847; *emperamus* Snellen,1872.
1482. *Lachnocnema regularis Libert,1996* (Lycaenidae) *regularis* Libert,1996
1483. *Lachnocnema regularis regularis Libert,1996* (Lycaenidae) *regularis* Libert,1996
1484. *Lampides boeticus (Linnaeus,1767)* (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886
1485. *Lampides boeticus boeticus (Linnaeus,1767)* (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886
1486. *Lepidochrysops glauca (Trimen,1887)* (Lycaenidae) *glauca* Trimen,1887
1487. *Lepidochrysops glauca glauca (Trimen,1887)* (Lycaenidae) *glauca* Trimen,1887
1488. *Lepidochrysops hypopolia (Trimen,1887)* (Lycaenidae) *hypopolia* Trimen,1887

1489. *Lepidochrysops ignota* (Trimen,1887) (Lycaenidae) *ignota* Trimen,1887
1490. *Lepidochrysops jefferyi* (Swiester,1909) (Lycaenidae) *jefferyi* Swiester,1909
1491. *Lepidochrysops ketsi* Cottrell,1965 (Lycaenidae) *ketsi* Cottrell,1965
1492. *Lepidochrysops letsea* (Trimen,1870) (Lycaenidae) *letsea* Trimen,1870
1493. *Lepidochrysops ortygia* (Trimen,1887) (Lycaenidae) *ortygia* Trimen,1887
1494. *Lepidochrysops patricia* (Trimen,1887) (Lycaenidae) *patricia* Trimen,1887; #*radiata* Woodhall,2000
1495. *Lepidochrysops plebeia* (Butler,1898) (Lycaenidae) *plebeia* Butler,1898
1496. *Lepidochrysops plebeia plebeia* (Butler,1898) (Lycaenidae) *plebeia* Butler,1898
1497. *Lepidochrysops praeterita* Swanepoel,1962 (Lycaenidae) *praeterita* Swanepoel,1962
1498. *Lepidochrysops procera* (Trimen,1893) (Lycaenidae) *procera* Trimen,1893
1499. *Lepidochrysops robertsoni* Cottrell,1965 (Lycaenidae) *robertsoni* Cottrell,1965
1500. *Lepidochrysops rossouwi* Henning & Henning,1994 (Lycaenidae) *rossouwi* Henning & Henning,1994
1501. *Lepidochrysops swanepoeli* (Pennington,1948) (Lycaenidae) *swanepoeli* Pennington,1948
1502. *Lepidochrysops tantalus* (Trimen & Bowker,1887) (Lycaenidae) *tantalus* Trimen & Bowker,1887
1503. *Lepidochrysops vansonii* (Swanepoel,1949) (Lycaenidae) *vansonii* Swanepoel,1949
1504. *Lepidochrysops variabilis* Cottrell,1965 (Lycaenidae) *variabilis* Cottrell,1965
1505. *Leptomyrina* (Gonatomyrina) *gorgias* (Stoll,[1790]) (Lycaenidae) *gorgias* Stoll,[1790]
1506. *Leptomyrina* (Leptomyrina) *hirundo* (Wallengren,1857) (Lycaenidae) *hirundo* Wallengren,1857
1507. *Leptotes babaulti* (Stempffer,1935) (Lycaenidae) *babaulti* Stempffer,1935
1508. *Leptotes babaulti babaulti* (Stempffer,1935) (Lycaenidae) *babaulti* Stempffer,1935
1509. *Leptotes brevidentatus* (Tite,1958) (Lycaenidae) *brevidentatus* Tite,1958
1510. *Leptotes brevidentatus brevidentatus* (Tite,1958) (Lycaenidae) *brevidentatus* Tite,1958
1511. *Leptotes jeanneli* (Stempffer,1935) (Lycaenidae) *jeanneli* Stempffer,1935
1512. *Leptotes jeanneli jeanneli* (Stempffer,1935) (Lycaenidae) *jeanneli* Stempffer,1935
1513. *Lycaena* (s.str.) *clarki* Clark & Dickson,1971 (Lycaenidae) *clarki* Clark & Dickson,1971
1514. *Lycaena* (s.str.) *orus* (Cramer,[1780]) (Lycaenidae) *orus* Cramer,[1780]; *arcas* Fabricius,1787 *nec* Rott.,1775 *non* Dru.,1773
1515. *Myrina dermaptera* (Wallengren,1857) (Lycaenidae) *dermaptera* Wallengren,1857; #*clermaptera* Butler,[2001].
1516. *Myrina dermaptera dermaptera* (Wallengren,1857) (Lycaenidae) *dermaptera* Wallengren,1857; #*clermaptera* Butler,[2001].
1517. *Myrina silenus* (Fabricius,1775) (Lycaenidae) *silenus* Fabricius,1775
1518. *Myrina silenus ficedula* Trimen,1879 (Lycaenidae) *ficedula* Trimen,1879
1519. *Orachrysops major* Vári & Kroon,1986 (Lycaenidae) *major* Vári & Kroon,1986
1520. *Orachrysops niobe* (Trimen,1862) (Lycaenidae) *niobe* Trimen,1862
1521. *Oraidium barberae* (Trimen,1868) (Lycaenidae) *barberae* Trimen,1868
1522. *Pentila tropicalis* (Boisduval,1847) (Lycaenidae) *tropicalis* Boisduval,1847
1523. *Pentila tropicalis fuscipunctata* Henning & Henning,1994 (Lycaenidae) *fuscipunctata* Henning & Henning,1994
1524. *Pseudonacaduba sichela* (Wallengren,1857) (Lycaenidae) *sichela* Wallengren,1857; *dexamene* Druce,1887; *docilis* Butler,1888; #*sichelia* Swierstra,1909.
1525. *Pseudonacaduba sichela sichela* (Wallengren,1857) (Lycaenidae) *sichela* Wallengren,1857; *dexamene* Druce,1887; *docilis* Butler,1888; #*sichelia* Swierstra,1909.
1526. *Tarucus* (s.str.) *bowkeri* (Trimen,1883) (Lycaenidae) *bowkeri* Trimen,1883
1527. *Tarucus* (s.str.) *bowkeri transvaalensis* (Lycaenidae) *transvaalensis* Quickelberge,1972
1528. *Tarucus* (s.str.) *sybaris* (Hopffer,1855) (Lycaenidae) *sybaris* Hopffer,1855
1529. *Tarucus* (s.str.) *sybaris sybaris* (Hopffer,1855) (Lycaenidae) *sybaris* Hopffer,1855
1530. *Thestor basutus* (Wallengren,1857) (Lycaenidae) *basutus* Wallengren,1857
1531. *Thestor basutus capeneri* Dickson,1972 (Lycaenidae) *capeneri* Dickson,1972
1532. *Tuxentius calice* (Hopffer,1855) (Lycaenidae) *calice* Hopffer,1855
1533. *Tuxentius calice calice* (Hopffer,1855) (Lycaenidae) *calice* Hopffer,1855
1534. *Tuxentius melaena* (Trimen,1887) (Lycaenidae) *melaena* Trimen,1887; #*melas* Aurivillius,1924.
1535. *Tuxentius melaena melaena* (Trimen,1887) (Lycaenidae) *melaena* Trimen,1887; #*melas* Aurivillius,1924.
1536. *Uranotauma nubifer* (Trimen,1895) (Lycaenidae) *nubifer* Trimen,1895; *pelotus* Karsch,1895; *distinctesignatus* Strand,1911.
1537. *Zintha hintza* (Trimen,1864) (Lycaenidae) *hintza* Trimen,1864.
1538. *Zintha hintza hintza* (Trimen,1864) (Lycaenidae) *hintza* Trimen,1864.
1539. *Zizeeria knysna* (Trimen,1862) (Lycaenidae) *lysimon* Hübner,[1804] *nec* Stll,[1790]; *knysna* Trimen,1862.
1540. *Zizeeria knysna knysna* (Trimen,1862) (Lycaenidae) *lysimon* Hübner,[1804] *nec* Stll,[1790]; *knysna* Trimen,1862.
1541. *Zizina antanossa* (Mabille,1877) (Lycaenidae) *antanossa* Mabille,1877
1542. *Zizina antanossa antanossa* (Mabille,1877) (Lycaenidae) *antanossa* Mabille,1877
1543. *Zizula hylax* (Fabricius,1775) (Lycaenidae) *hylax* Fabricius,1775; *gaika* Trimen,1862; *mylica* Guenée,1863; *cleodora* Walker,1870; *perparva* Saalmüller,1884.
1544. *Zizula hylax hylax* (Fabricius,1775) (Lycaenidae) *hylax* Fabricius,1775; *gaika* Trimen,1862; *mylica* Guenée,1863; *cleodora* Walker,1870; *perparva* Saalmüller,1884.
1545. *Bicelluphora argentea* Janse,1915 (Lymantriidae) *argentea* Janse,1915
1546. *Bracharoa quadripunctata* (Wallengren,1875) (Lymantriidae) *quadripunctata* Wallengren,1875; *bistigmigera* Butler,1897; #*quadripunctata* Janse,1915
1547. *Creagra liturata* (Guérin-Méneville,[1844]) (Lymantriidae) *liturata* Guérin-Méneville,[1844]; *dealbata* Herrich-Schäffer,1854; *aliena* Wallengren,1860
1548. *Cropera sericea* (Hampson,1910) (Lymantriidae) *sericea* Hampson,1910; #*cericea* Janse,1917
1549. *Cropera testacea* Walker,1855 (Lymantriidae) *testacea* Walker,1855; #*seminuda* Hampson,1910
1550. *Corema adpersa* (Herrich-Schäffer,1854) (Lymantriidae) *adpersa* Herrich-Schäffer,1854; *prolixa* Wallengren,1860
1551. *Euproctis crocata* (Boisduval,1847) (Lymantriidae) *crocata* Boisduval,1847; *cateja* Wallengren,1860; #*crocota* Hering,1926
1552. *Euproctis flavicincta* Janse,1915 (Lymantriidae) *flavicincta* Janse,1915
1553. *Euproctis iridescens* Janse,1915 (Lymantriidae) *iridescens* Janse,1915
1554. *Euproctis nigripuncta* Janse,1915 (Lymantriidae) *nigripuncta* Janse,1915
1555. *Euproctis pallida* (Kirby,1896) (Lymantriidae) *pallida* Kirby,1896; *dentata* M.Hering,1926
1556. *Euproctis rufopunctata* (Walker,1862) (Lymantriidae) *rufopunctata* Walker,1862; #*rufopuncta* Janse,1915
1557. *Euproctis straminicolor* Janse,1915 (Lymantriidae) *straminicolor* Janse,1915

1558. *Euproctis terminalis* (Walker,1855) (Lymantriidae) *terminalis* Walker, 1855; *mesozona* Hampson, 1905
1559. *Gynaephora discalis* Walker, 1855 (Lymantriidae) *discalis* Walker, 1855; *hypoxantha* Wallengren, 1863; *ochraceata* Walker, 1865; *signata* Walker, 1865
1560. *Hemerophanes libyra* (Druce, 1896) (Lymantriidae) *libyra* Druce, 1896
1561. *Hemerophanes libyra flammeola* (Distant, 1897) (Lymantriidae) *flammeola* Distant, 1897; *ianthina* Janse, 1915
1562. *Homochira rendalli* (Distant, 1897) (Lymantriidae) *rendalli* Distant, 1897
1563. *Knappetra fasciata* (Walker, 1855) (Lymantriidae) *fasciata* Walker, 1855; *squamiplaga* Walker, 1869; *stellata* Distant, 1897; *torrida* Distant, 1897; *angolae* Bethune-Baker, 1911; *plana* Fawcett, 1915.
1564. *Lacipa gemmata* Distant, 1897 (Lymantriidae) *gemma* Distant, 1897
1565. *Lacipa pulvere* Distant, 1898 (Lymantriidae) *pulvere* Distant, 1898; *pubescens* Swinhoe, 1903
1566. *Lacipa quadripunctata* (Dewitz, 1881) (Lymantriidae) *quadripunctata* Dewitz, 1881; *quinquepunctata* Distant, 1898
1567. *Lacipa sexpunctata* Distant, 1897 (Lymantriidae) *sexpunctata* Distant, 1897
1568. *Laelia bifascia* Hampson, 1905 (Lymantriidae) *bifascia* Hampson, 1905
1569. *Laelia clarki* Janse, 1915 (Lymantriidae) *clarki* Janse, 1915
1570. *Laelia diaschia* Hampson, 1905 (Lymantriidae) *diaschia* Hampson, 1905
1571. *Laelia diaschia infracta* Bethune-Baker, 1911 (Lymantriidae) *infracta* Bethune-Baker, 1911
1572. *Laelia extorta* (Distant, 1897) (Lymantriidae) *extorta* Distant, 1897
1573. *Laelia figlina* Distant, 1899 (Lymantriidae) *figlina* Distant, 1899
1574. *Laelia municipalis* (Distant, 1897) (Lymantriidae) *municipalis* Distant, 1897
1575. *Laelia nigripulvere* Janse, 1915 (Lymantriidae) *nigripulvere* Janse, 1915
1576. *Laelia octophora* (Hampson, 1905) (Lymantriidae) *octophora* Hampson, 1905
1577. *Laelia pyrosoma* (Hampson, 1910) (Lymantriidae) *pyrosoma* Hampson, 1910
1578. *Laelia rocana* (Swinhoe, 1906) (Lymantriidae) *rocana* Swinhoe, 1906
1579. *Laelia subrosea* (Walker, 1855) (Lymantriidae) *subrosea* Walker, 1855
1580. *Laelia subviridis* Janse, 1915 (Lymantriidae) *subviridis* Janse, 1915
1581. *Laelia swinnyi* Janse, 1915 (Lymantriidae) *swinnyi* Janse, 1915
1582. *Lymantria heringi* Kemal & Koçak, 2005 (Lymantriidae) *disparina* Hering, 1926 nec Müll., 1802; *heringi* Kemal & Koçak, 2005
1583. *Micraroa rufescens* Hampson, 1905 (Lymantriidae) *rufescens* Hampson, 1905
1584. *Morasa modesta* Walker, 1855 (Lymantriidae) *modesta* Walker, 1855
1585. *Naroma varipes* (Walker, 1865) (Lymantriidae) *varipes* Walker, 1865; *weyenbergi* Snellen, 1872
1586. *Palasea albimacula* Wallengren, 1863 (Lymantriidae) *albimacula* Wallengren, 1863
1587. *Pirga transvalensis* Janse, 1915 (Lymantriidae) *transvalensis* Janse, 1915
1588. *Polymona rufifemur* Walker, 1855 (Lymantriidae) *rufifemur* Walker, 1855; *scurrilis* Wallengren, 1860; *lorimeri* Butler, 1878
1589. *Pseudobazisa perculata* (Distant, 1897) (Lymantriidae) *perculata* Distant, 1897
1590. *Pteredoa monosticta* (Butler, 1898) (Lymantriidae) *monosticta* Butler, 1898
1591. *Rhyppoteryx rhodalipha* (R. Felder & Rogenhofer, 1874) (Lymantriidae) *rhodalipha* R. Felder & Rogenhofer, 1874; *tessellata* Distant, 1897
1592. *Ruanda furva* (Hampson, 1905) (Lymantriidae) *furva* Hampson, 1905
1593. *Bedellia cathareuta* Meyrick, 1911 (Lyoniidae) *cathareuta* Meyrick, 1911
1594. *Bedellia somnulentella* (Zeller, 1847) (Lyoniidae) *somnulentella* Zeller, 1847; *orpheella* Stainton, 1849; *convolutella* Heydenreich, 1851; *staintoniella* Clemens, 1860; *mnesileuca* Meyrick, 1928; *ipomoeae* Bradley, 1953
1595. *Copobathra menodora* Meyrick, 1911 (Lyoniidae) *menodora* Meyrick, 1911
1596. *Crobylophora xanthochyta* Meyrick, 1918 (Lyoniidae) *xanthochyta* Meyrick, 1918
1597. *Cycloponympha julia* Meyrick, 1913 (Lyoniidae) *julia* Meyrick, 1913
1598. *Cycloponympha perspicua* Meyrick, 1913 (Lyoniidae) *perspicua* Meyrick, 1913
1599. *Leucoptera clerodendrella* Vari, 1955 (Lyoniidae) *clerodendrella* Vari, 1955
1600. *Leucoptera loxaula* Meyrick, 1928 (Lyoniidae) *loxaula* Meyrick, 1928
1601. *Leucoptera parinaricola* Vari, 1955 (Lyoniidae) *parinaricola* Vari, 1955
1602. *Leucoptera pulchricola* Vari, 1955 (Lyoniidae) *pulchricola* Vari, 1955
1603. *Leucoptera scammatias* Meyrick, 1909 (Lyoniidae) *scammatias* Meyrick, 1909
1604. *Phyllobrostis (Pilotocoma) apathetica* (Meyrick, 1921) (Lyoniidae) *apathetica* Meyrick, 1921
1605. *Phyllobrostis (Pilotocoma) calcaria* Meyrick, 1911 (Lyoniidae) *calcaria* Meyrick, 1911
1606. *Phyllobrostis (Pilotocoma) tephroleuca* (Meyrick, 1913) (Lyoniidae) *tephroleuca* Meyrick, 1913
1607. *Metarbela albitorquata* Hampson, 1910 (Metarbelidae) *albitorquata* Hampson, 1910
1608. *Mompha antibathra* Meyrick, 1914 (Mompidae) *antibathra* Meyrick, 1914
1609. *Acalyptris combretella* (Vari, 1955) (Nepticulidae) *combretella* Vari, 1955
1610. *Acalyptris fagarivora* (Vari, 1955) (Nepticulidae) *fagarivora* Vari, 1955
1611. *Acalyptris lanneivora* (Vari, 1955) (Nepticulidae) *lanneivora* Vari, 1955
1612. *Ectoedemia (Africaria) grandinosa* (Meyrick, 1911) (Nepticulidae) *grandinosa* Meyrick, 1911
1613. *Ectoedemia (Africaria) gymnosporiae* (Vari, 1955) (Nepticulidae) *gymnosporiae* Vari, 1955
1614. *Ectoedemia (Africaria) macrochaeta* (Meyrick, 1921) (Nepticulidae) *macrochaeta* Meyrick, 1921
1615. *Ectoedemia (Africaria) royenicola* (Vari, 1955) (Nepticulidae) *royenicola* Vari, 1955
1616. *Ectoedemia (Africaria) stimulata* (Meyrick, 1913) (Nepticulidae) *stimulata* Meyrick, 1913
1617. *Ectoedemia (Fomoria) oleivora* (Vari, 1955) (Nepticulidae) *oleivora* Vari, 1955
1618. *Ectoedemia (Fomoria) vannifera* (Meyrick, 1914) (Nepticulidae) *vannifera* Meyrick, 1914
1619. *Ectoedemia (s.str.) primaria* (Meyrick, 1913) (Nepticulidae) *primaria* Meyrick, 1913
1620. *Etainia cypriantha* (Meyrick, 1918) (Nepticulidae) *cypriantha* Meyrick, 1918
1621. *Simplimorpha lanceifoliella* (Vari, 1955) (Nepticulidae) *lanceifoliella* Vari, 1955
1622. *Stigmella caliginosa* (Meyrick, 1921) (Nepticulidae) *caliginosa* Meyrick, 1921
1623. *Stigmella celtifoliella* Vari, 1955 (Nepticulidae) *celtifoliella* Vari, 1955
1624. *Stigmella fluida* (Meyrick, 1911) (Nepticulidae) *fluida* Meyrick, 1911
1625. *Stigmella ingens* (Meyrick, 1913) (Nepticulidae) *ingens* Meyrick, 1913
1626. *Stigmella nigrata* (Meyrick, 1913) (Nepticulidae) *nigrata* Meyrick, 1913
1627. *Stigmella parinarella* Vari, 1955 (Nepticulidae) *parinarella* Vari, 1955
1628. *Stigmella pretoriata* Scoble, 1978 (Nepticulidae) *pretoriata* Scoble, 1978
1629. *Stigmella protosema* (Meyrick, 1921) (Nepticulidae) *protosema* Meyrick, 1921

- 1630.** *Stigmella rhynchosiella* Vari,1955 (Nepticulidae) *rhynchosiella* Vari,1955
- 1631.** *Stigmella urbica* (Meyrick,1913) (Nepticulidae) *urbica* Meyrick,1913
- 1632.** *Stigmella xanthomitra* (Meyrick,1921) (Nepticulidae) *xanthomitra* Meyrick,1921
- 1633.** *Trifurcula barbertonensis* Scoble,1980 (Nepticulidae) *barbertonensis* Scoble,1980
- 1634.** *Varius ochnicola* (Vari,1955) (Nepticulidae) *ochnicola* Vari,1955
- 1635.** "*Hadena*" *bulgeri* (R.Felder & Rogenhofer,1874) (Noctuidae) *bulgeri* R.Felder & Rogenhofer,1874
- 1636.** "*Polia*" *poliastis* (Hampson,1902) (Noctuidae) *poliastis* Hampson,1902
- 1637.** "*Trachea*" *normalis* Hampson,1914 (Noctuidae) *normalis* Hampson,1914
- 1638.** *Achaea catella* Guenée,1852 (Noctuidae) *catella* Guenée,1852
- 1639.** *Achaea echo* (Walker,1858) (Noctuidae) *echo* Walker,1858; *mariaea* Plötz,1880
- 1640.** *Achaea lienardi* (Boisduval,1833) (Noctuidae) *lienardi* Boisduval,1833; *cebreana* Guenée,1852; *chamaeleon* Guenée,1852; *zabulon* Guenée,1852; *spectatura* Walker,1858; *ophismoides* Walker,1869; *partita* Walker,1869; *hilaris* Plötz,1880; *locra* Plötz,1880; *externesignata* Saalmüller,1880.
- 1641.** *Achaea sordida* (Walker,1865) (Noctuidae) *sordida* Walker,1865; *pretoriae* Distant,1892
- 1642.** *Acontia guttifera* R.Felder & Rogenhofer,1874 (Noctuidae) *guttifera* R.Felder & Rogenhofer,1874
- 1643.** *Acontia umbriger* (R.Felder & Rogenhofer,1875) (Noctuidae) *umbriger* R.Felder & Rogenhofer,1875; *trimaculata* Aurivillius,1879
- 1644.** *Acronicta transvalica* Hampson,1911 (Noctuidae) *transvalica* Hampson,1911
- 1645.** *Aegocercopsis fervida* (Walker,1854) (Noctuidae) *fervida* Walker,1854
- 1646.** *Agamana pentagonalis* (Butler,1894) (Noctuidae) *pentagonalis* Butler,1894
- 1647.** *Agoma trimenii* (R.Felder,1874) (Noctuidae) *trimenii* R.Felder,1874; *tricolor* Druce,1883; *elegantula* Mabille,1893; *agoma* Karsch,1895; *halans* Karsch,1895; *ovifera* Hampson,1910; *#semialba* Jordan,1913
- 1648.** *Agrapha limbirena* (Guenée,1852) (Noctuidae) *limbirena* Guenée,1852
- 1649.** *Agrotis* (s.str.) *biconicus* Kollar,[1844] (Noctuidae) *spinifera* Hübner,[1808] *nec* Vill.,1789; *biconica* Kollar,[1844].
- 1650.** *Agrotis* (s.str.) *cinctithorax* (Walker,1857) (Noctuidae) *cinctithorax* Walker,1857
- 1651.** *Agrotis* (s.str.) *ipsilon* (Hufnagel,1766) (Noctuidae) *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffmüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789.
- 1652.** *Agrotis* (s.str.) *segetum* ([Denis & Schiffmüller],1775) (Noctuidae) *segetum* [Denis & Schiffmüller],1775; *sordida* [Denis & Schiffmüller],1775; *undulatus* Goetz,1781 (*praeocc.*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subtratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886.
- 1653.** *Agrotis* (s.str.) *trux* (Hübner,[1824]) (Noctuidae) *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
- 1654.** *Amyna axis* Guenée,1852 (Noctuidae) *axis* Guenée,1852; *octo* Guenée,1852; *colon* Guenée,1852; *flavigutta* Walker,1858; *perfundens* Walker,1858; *stricta* Walker,1858; *cephusalis* Walker,[1859]; *obstructa* Walker,1862; *vexabilis* Wallengren,1863; *inornata* Walker,1865; *leucospila* Walker,1865; *albigutta* Walker,1869; *stigmatula* Snellen,1872; *bavia* R.Felder & Rogenhofer,1874; *orbica* Morrison,1875; *undulifera* Butler,1875; *tecta* Grote,1876; *monotretalis* Mabille,1879; *supplex* Swinhoe,1885; *rufa* Bethune-Baker,1906.
- 1655.** *Amyna punctum* (Fabricius,1794) (Noctuidae) *punctum* Fabricius,1794; *annulata* Fabricius,1794; *selenampha* Guenée,1852; *spoliata* Walker,[1858]; *latipennis* Wallengren,1860; *subtracta* Walker,1862; *urba* Wallengren,1863; *trivenefica* Wallengren,1863; *natalensis* Wallengren,1865; *latipennis* Walker,1865; *paradoxa* Saalmüller,1880; *#trivenefica* Hampson,1902.
- 1656.** *Anedhella rectiradiata* (Hampson,1902) (Noctuidae) *rectiradiata* Hampson,1902
- 1657.** *Anoba plumipes* (Wallengren,1860) (Noctuidae) *plumipes* Wallengren,1860
- 1658.** *Anomis sabulifera* (Guenée,1852) (Noctuidae) *sabulifera* Guenée,1852
- 1659.** *Arcyophora longivalvis* Guenée,1852 (Noctuidae) *longivalvis* Guenée,1852; *apicalis* Walker,1865; *lobidorsis* Zeller,1863; *clathrimaculata* Strand,1909; *somnambula* Bryk,1913; *albitupillata* Strand,1917; *verticalis* Berio,1944.
- 1660.** *Arcyophora patricula* (Hampson,1902) (Noctuidae) *patricula* Hampson,1902; *riggenbachi* Bryk,1913; *patriculella* Strand,1917.
- 1661.** *Attatha superba* Janse,1917 (Noctuidae) *superba* Janse,1917
- 1662.** *Audea melanoplaga* Hampson,1902 (Noctuidae) *melanoplaga* Hampson,1902
- 1663.** *Audea subligata* Distant,1902 (Noctuidae) *subligata* Distant,1902
- 1664.** *Autoba olivacea* Walker,[1858] (Noctuidae) *olivacea* Walker,[1858]
- 1665.** *Baniana arvorum* (Guenée,1852) (Noctuidae) *arvorum* Guenée,1852; *recussa* Distant,1898
- 1666.** *Blenina squamifera* (Wallengren,1860) (Noctuidae) *squamifera* Wallengren,1860; *lichenosa* R.Felder,1874; *autumnalis* Distant,1898.
- 1667.** *Brephos decora* (Linnaeus,1764) (Noctuidae) *decora* Linnaeus,1764
- 1668.** *Brephos festiva* (Jordan,1913) (Noctuidae) *festiva* Jordan,1913
- 1669.** *Brithys crini* (Fabricius,1775) (Noctuidae) *crini* Fabricius,1775; *dominica* Cramer,1872; *nipponica* Matsumura,1931
- 1670.** *Bryothripa miophaea* Hampson,1912 (Noctuidae) *miophaea* Hampson,1912; *transvaalensis* Strand,1917
- 1671.** *Callixena versicolora* Saalmüller,1891 (Noctuidae) *versicolora* Saalmüller,1891
- 1672.** *Callopietria latreillei* (Duponchel,1827) (Noctuidae) *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsafikis,1973.
- 1673.** *Callopietria yerburii* Butler,1884 (Noctuidae) *yerburii* Butler,1884; *promiscua* Saalmüller,1891.
- 1674.** *Caradrina* (Paradrina) *clavipalpis* (Scopoli,1763) (Noctuidae) *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffmüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avacula* Krulikovsky,1909; *teidovolans* Pinker,1974; *pinker* Kobes,1975
- 1675.** *Caradrina* (Paradrina) *clavipalpis pulverosa* (Walker,1857) (Noctuidae) *pulverosa* Walker,1857
- 1676.** *Catephia squamosa* (Wallengren,1856) (Noctuidae) *squamosa* Wallengren,1856; *discistriga* Walker,[1858]; *inconclusa* Walker,[1858]; *trispilosa* Saalmüller,1880; *#aquamosa* Janse,1917.
- 1677.** *Cerocala contraria* (Walker,1865) (Noctuidae) *contraria* Walker,1865; *revulsa* Wallengren,1875.
- 1678.** *Cerocala vermiculosa* Herrich-Schäffer,1854 (Noctuidae) *vermiculosa* Herrich-Schäffer,1854; *megalesia* Griveaud & Viette,1961.
- 1679.** *Chalciope erecta* Hampson,1902 (Noctuidae) *erecta* Hampson,1902
- 1680.** *Chrysodeixis acuta* (Walker,1858) (Noctuidae) *acuta* Walker,1858; *furihatai* Okano,1963; *nigribursa* Chou & Lu,1974
- 1681.** *Colpocheilopteryx callichroma* (Distant,1901) (Noctuidae) *callichroma* Distant,1901
- 1682.** *Cometaster pyrula* (Hopffer,1857) (Noctuidae) *pyrula* Hopffer,1857; *lucida* R.Felder & Rogenhofer,1874

- 1683.** *Condica capensis* (Guenée,1852) (Noctuidae)
capensis Guenée,1852; *afra* Guenée,1852; *prodit* Walker,1862;
canorufa Walker,1865; *finesta* Walker,1865; *spargens*
Walker,1865.
- 1684.** *Conservula alambica* Gaede,1915 (Noctuidae)
alambica Gaede,1915
- 1685.** *Conservula cinisigna* Joannis,1906 (Noctuidae)
cinisigna Joannis,1906
- 1686.** *Cornutiplusia circumflexa* (Linnaeus,1767) (Noctuidae)
circumflexa Linnaeus,1767; *lunata* Fabricius,1787;
flexuosa Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-
Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882;
clarescens Pinker & Bacallado,1975; *unata* Kononenko &
Pinratana,2005
- 1687.** *Cryphia fulvifusa* (Hampson,1911) (Noctuidae)
fulvifusa Hampson,1911
- 1688.** *Cryphia leucomelaena* (Hampson,1908) (Noctuidae)
leucomelaena Hampson,1908
- 1689.** *Ctenusa varians* (Wallengren,1863) (Noctuidae)
marginalis Walker,1858 (*praeocc.*); *variens* Wallengren,1863;
marginifera Walker,1864; *pretoriae* Distant,1902; *seriopuncta*
Hampson,1916
- 1690.** *Cucullia* (s.str.) *extricata* (Walker,1857) (Noctuidae)
extricata Walker,1857
- 1691.** *Cucullia* (s.str.) *nocturnalis* Gaede,1934 (Noctuidae)
nocturnalis Gaede,1934
- 1692.** *Cyligramma latona* (Cramer,1775) (Noctuidae)
latona Cramer,1775; *troglodyta* Fabricius,1794.
- 1693.** *Diparopsis castanea* Hampson,1902 (Noctuidae)
castanea Hampson,1902
- 1694.** *Diphtherocome verbenata* (Distant,1898) (Noctuidae)
verbenata Distant,1898
- 1695.** *Disticta atava* (R.Felder & Rogenhofer,1874) (Noctuidae)
atava R.Felder & Rogenhofer,1874
- 1696.** *Earias biplaga* Walker,1866 (Noctuidae) *biplaga*
Walker,1866
- 1697.** *Effractilis effracta* (Distant,1898) (Noctuidae)
effracta Distant,1898; *subtilis* Berio,1974.
- 1698.** *Erebus macrops* (Linnaeus,1768) (Noctuidae)
macrops Linnaeus,1768; *bubo* Fabricius,1775; *boopis*
Guenée,1852; *walkeri* Butler,1875.
- 1699.** *Ethioterpia marmorata* Janse,1938 (Noctuidae)
marmorata Janse,1938
- 1700.** *Eublemma (bifasciata-gr.) bifasciata* (Moore,1881) (Noctuidae)
bifasciata Moore,1881
- 1701.** *Eublemma (candidana-gr.) bifasciata bifasciata* (Moore,1881) (Noctuidae)
bifasciata Moore,1881
- 1702.** *Eublemma (ostrina-gr.) staudingeri* (Wallengren,1875) (Noctuidae)
staudingeri Wallengren,1875; *pretoriae* Distant,1898
- 1703.** *Eublemma (parva-gr.) mesophaea* Hampson,1910 (Noctuidae)
mesophaea Hampson,1910
- 1704.** *Eublemma (ragusana-gr.) ragusana* (Freyer,1844) (Noctuidae)
ragusana Freyer,1844; *virginea* Guenée,1852;
cinerina Ghiliani,1854; *psilogramma* Lederer,1855; *quinquelinealis*
Moore,1877; *dividens* Lucas,1892; *polygramma* Hampson,1894.
- 1705.** *Eublemma apicata* Distant,1898 (Noctuidae) *apicata*
Distant,1898; *acrochiona* Mabil,1900.
- 1706.** *Eublemma plumbosa* Distant,1899 (Noctuidae)
plumbosa Distant,1899
- 1707.** *Eulocastra aethiops* (Distant,1898) (Noctuidae)
aethiops Distant,1898
- 1708.** *Eulocastra hypotaenia* (Wallengren,1860) (Noctuidae)
hypotaenia Wallengren,1860
- 1709.** *Euplexia augens* R.Felder & Rogenhofer,1874 (Noctuidae)
augens R.Felder & Rogenhofer,1874; *saldanha*
R.Felder & Rogenhofer,1874
- 1710.** *Euplexia catephiodes* Hampson,1908 (Noctuidae)
catephiodes Hampson,1908
- 1711.** *Eutelia bowkeri* (R.Felder & Rogenhofer,1874) (Noctuidae)
bowkeri R.Felder & Rogenhofer,1874; *leucographa*
Hampson,1905.
- 1712.** *Feliniopsis (africana-gr.) breviuscula* (Walker,1858) (Noctuidae)
breviuscula Walker,1858
- 1713.** *Feliniopsis (connivens-gr.) connivens* (R.Felder & Rogenhofer,1874) (Noctuidae)
connivens R.Felder & Rogenhofer,1874; *quadrisigna* Moore,1881; *placida* Moore,1882.
- 1714.** *Feliniopsis (consummata-gr.) consummata* (Walker,1857) (Noctuidae)
consummata Walker,1857
- 1715.** *Grammodes euclidioides* Guenée,1852 (Noctuidae)
euclidioides Guenée,1852; *dubitans* Walker,1858
- 1716.** *Grammodes euclidioides euclidioides* Guenée,1852 (Noctuidae)
euclidioides Guenée,1852; *dubitans* Walker,1858
- 1717.** *Grammodes exclusiva* Pagenstecher,1907 (Noctuidae)
exclusiva Pagenstecher,1907
- 1718.** *Grammodes stolidia* (Fabricius,1775) (Noctuidae)
stolidia Fabricius,1775; *cingularis* Hübner,[1808]; *stupidia* Herrich-
Schäffer,1851; *curvilinea* Walker,1869.
- 1719.** *Hadjina carcaroda* (Distant,1901) (Noctuidae)
carcaroda Distant,1901
- 1720.** *Helicoverpa armigera* (Hübner,[1808]) (Noctuidae)
barbara Fabricius,1794 [rejected]; *armigera* Hübner,[1808];
pulverosa Walker,[1857]; *uniformis* Wallengren,1860; *rama*
Bhattacharjee & Gupta,1972.
- 1721.** *Helicoverpa armigera armigera* (Hübner,[1808]) (Noctuidae)
barbara Fabricius,1794 [rejected]; *armigera* Hübner,[1808];
pulverosa Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 1722.** *Heliocheilus multiradiata* (Hampson,1902) (Noctuidae)
multiradiata Hampson,1902
- 1723.** *Heliophisma klugii* (Boisduval,1833) (Noctuidae)
klugii Boisduval,1833; *croceipennis* Walker,1858; *rivularis*
Butler,1875; *variens* Mabil,1897; *clugi* Hampson,1913.
- 1724.** *Heliothis scutuligera* Guenée,1852 (Noctuidae)
scutuligera Guenée,1852; *errans* Walker,1865.
- 1725.** *Heraclia africana* (Butler,1875) (Noctuidae) *africana*
Butler,1875
- 1726.** *Heraclia butleri* (Walker,1869) (Noctuidae) *butleri*
Walker,1869
- 1727.** *Heraclia superba* (Butler,1875) (Noctuidae) *superba*
Butler,1875
- 1728.** *Hydrillodes lentalis* Guenée,1854 (Noctuidae)
lentalis Guenée,1854; *hemusalis* Walker,[1859]; *latifascialis*
Walker,[1859]; *metialis* Walker,[1859]; *moloalis* Walker,[1859];
momusalis Walker,[1859]; *basalis* Moore,1867; *submorosa*
Strand,1920
- 1729.** *Hypanua xylina* (Distant,1898) (Noctuidae) *xylina*
Distant,1898
- 1730.** *Hypena (Jussalypena) abyssinialis* Guenée,1854 (Noctuidae)
abyssinialis Guenée,1854; *ignotalis* Walker,[1859].
- 1731.** *Hypena (Jussalypena) abyssinialis abyssinialis* Guenée,1854 (Noctuidae)
abyssinialis Guenée,1854; *ignotalis* Walker,[1859].
- 1732.** *Hypena (Jussalypena) laceratalis* Walker,[1859] (Noctuidae)
laceratalis Walker,[1859]; *senectalis* Guenée,1862;
hemigrammalis Mabil,1880; *acrocompsa* Turner,1932.
- 1733.** *Hypena (Jussalypena) laceratalis laceratalis* Walker,[1859] (Noctuidae)
laceratalis Walker,[1859]; *senectalis* Guenée,1862;
hemigrammalis Mabil,1880; *acrocompsa* Turner,1932.
- 1734.** *Hypena (Pseudodichromia) laetalis* Walker,[1859] (Noctuidae)
laetalis Walker,[1859]; *lyperalis* Mabil,1880;
ectoglaucia Hampson,1902.
- 1735.** *Hypena (Pseudodichromia) laetalis laetalis* Walker,[1859] (Noctuidae)
laetalis Walker,[1859]; *lyperalis* Mabil,1880; *ectoglaucia* Hampson,1902.
- 1736.** *Hypena (Tetrastictypena) tetrasticta* Hampson,1910 (Noctuidae)
tetrasticta Hampson,1910
- 1737.** *Hypena (Tetrastictypena) tetrasticta tetrasticta* Hampson,1910 (Noctuidae)
tetrasticta Hampson,1910
- 1738.** *Hypena (Trichypena) fuscualis* Saalmüller,1891 (Noctuidae)
fuscualis Saalmüller,1891
- 1739.** *Hypena (Trichypena) fuscualis fuscualis* Saalmüller,1891 (Noctuidae)
fuscualis Saalmüller,1891
- 1740.** *Hypena (Trichypena) melanistis* Hampson,1902 (Noctuidae)
melanistis Hampson,1902
- 1741.** *Hypena (Trichypena) melanistis melanistis* Hampson,1902 (Noctuidae)
melanistis Hampson,1902
- 1742.** *Hypena (s.str.) striolalis* Aurivillius,1910 (Noctuidae)
striolalis Aurivillius,1910; *reticulata* Bethune-Baker,1911.

1743. *Hypena* (s.str.) *striolalis striolalis* Aurivillius, 1910 (Noctuidae) *striolalis* Aurivillius, 1910; *reticulata* Bethune-Baker, 1911.
1744. *Hypocala deflorata* (Fabricius, 1794) (Noctuidae) *deflorata* Fabricius, 1794; *australasiae* Butler, 1892; *moorei* Butler, 1892.
1745. *Hypoplexia algoa* (R. Felder & Rogenhofer, 1874) (Noctuidae) *algoa* R. Felder & Rogenhofer, 1874
1746. *Hypopyra capensis* Herrich-Schäffer, [1854] (Noctuidae) *capensis* Herrich-Schäffer, [1854]; *endoxantha* Hampson, 1913; *occidentalis* Hampson, 1913; *plumbefusa* Hampson, 1913; *pulverulenta* Hampson, 1913; *hampsoni* Aurivillius, 1926.
1747. *Iambia inferalis* Walker, 1863 (Noctuidae) *inferalis* Walker, 1863; *velutina* Felder, 1874
1748. *Iambiodes nyctostola* Hampson, 1918 (Noctuidae) *nyctostola* Hampson, 1918
1749. *Leucania amens* Guenée, 1852 (Noctuidae) *amens* Guenée, 1852; *plana* Walker, 1856
1750. *Leucania apparata* Wallengren, 1875 (Noctuidae) *apparata* Wallengren, 1875
1751. *Leucania murcida* (Wallengren, 1875) (Noctuidae) *murcida* Wallengren, 1875
1752. *Leucania tacuna* R. Felder & Rogenhofer, 1874 (Noctuidae) *tacuna* R. Felder & Rogenhofer, 1874; *substituta* Wallengren, 1875.
1753. *Leucotrachea leucomelanica* Janse, 1937 (Noctuidae) *leucomelanica* Janse, 1937
1754. *Leucovis alba* (Rothschild, 1897) (Noctuidae) *alba* Rothschild, 1897
1755. *Lipatephia illegitima* (Wallengren, 1875) (Noctuidae) *illegitima* Wallengren, 1875
1756. *Lophonotidia melanoleuca* Janse, 1937 (Noctuidae) *melanoleuca* Janse, 1937
1757. *Lophonotidia nocturna* Hampson, 1901 (Noctuidae) *nocturna* Hampson, 1901
1758. *Lygephila salax* (Guenée, 1852) (Noctuidae) *salax* Guenée, 1852; *immitis* Walker, [1857].
1759. *Matopo typica* Distant, 1898 (Noctuidae) *typica* Distant, 1898
1760. *Mentaxya atritegula* (Hampson, 1902) (Noctuidae) *atritegula* Hampson, 1902
1761. *Mentaxya muscosa* Geyer, 1837 (Noctuidae) *muscosa* Geyer, 1837; *aeramen* R. Felder & Rogenhofer, 1874.
1762. *Metanola myriostigma* Van Son, 1933 (Noctuidae) *myriostigma* Van Son, 1933
1763. *Metapioplasta insocia* (Walker, [1858]) (Noctuidae) *insocia* Walker, [1858]; *concinnulla* Walker, [1858]; *pyralina* Walker, [1858]; *simo* Wallengren, 1860; *conifrons* Aurivillius, 1879
1764. *Micragrotis intendens* (Walker, 1857) (Noctuidae) *intendens* Walker, 1857
1765. *Mythimna* (Morphopoliana) *natalensis* (Butler, 1875) (Noctuidae) *natalensis* Butler, 1875
1766. *Neaxestis rhoda* Hampson, 1905 (Noctuidae) *rhoda* Hampson, 1905
1767. *Neostichtis nigricostata* (Hampson, 1908) (Noctuidae) *nigricostata* Hampson, 1908
1768. *Nola barbertonensis* (Van Son, 1933) (Noctuidae) *barbertonensis* Van Son, 1933
1769. *Nola imitata* (Van Son, 1933) (Noctuidae) *imitata* Van Son, 1933
1770. *Nola leucalea* Hampson, 1907 (Noctuidae) *leucalea* Hampson, 1907
1771. *Nola meridionalis* Wallengren, 1875 (Noctuidae) *meridionalis* Wallengren, 1875
1772. *Nola monofascia* Vari, Kroon & Krüger, 2002 (Noctuidae) *#monofascia* Van Son, 1933; *monofascia* Vari, Kroon & Krüger, 2002
1773. *Nola poliotis* Hampson, 1907 (Noctuidae) *poliotis* Hampson, 1907
1774. *Nola swierstrai* Van Son, 1933 (Noctuidae) *swierstrai* Van Son, 1933
1775. *Nola tineoides* (Walker, [1858]) (Noctuidae) *tineoides* Walker, [1858]; *partitalis* Walker, [1866]; *caffra* Wallengren, 1875
1776. *Nola transitoria* Van Son, 1933 (Noctuidae) *transitoria* Van Son, 1933
1777. *Oligia ambigua* (Walker, 1858) (Noctuidae) *ambigua* Walker, 1858; *exsiccata* Wallengren, 1860
1778. *Oligia confusa* Janse, 1937 (Noctuidae) *confusa* Janse, 1937
1779. *Ophiusa* (Trichanua) *dianaris* (Guenée, 1852) (Noctuidae) *dianaris* Guenée, 1852; *tempica* Möschler, 1884
1780. *Ophiusa* (Trichanua) *mejanesi* (Guenée, 1852) (Noctuidae) *mejanesi* Guenée, 1852
1781. *Ophiusa nocturnia* Hampson, 1902 (Noctuidae) *nocturnia* Hampson, 1902
1782. *Ophiusa salita* Distant, 1898 (Noctuidae) *salita* Distant, 1898
1783. *Ophiusa tirhaca* (Cramer, [1777]) (Noctuidae) *tirhaca* Cramer, [1777]; *#tirrhaca* Fabricius, 1781; *vesta* Esper, 1789; *olivacea* Villers, 1789; *auricularis* Hübner, [1803]; *separans* Walker, 1858; *hottentota* Guenée, 1852; *clementi* Swinhoe, 1918; *#demarginata* Heydemann et al., 1963; *obscura* Pinker & Bacallado, 1978
1784. *Ovios capensis* (Herrich-Schäffer, [1854]) (Noctuidae) *capensis* Herrich-Schäffer, [1854]; *septentrionis* Hampson, 1910
1785. *Ozarba accincta* (Distant, 1898) (Noctuidae) *accincta* Distant, 1898
1786. *Ozarba densa* (Walker, 1865) (Noctuidae) *densa* Walker, 1865
1787. *Ozarba heliastis* (Hampson, 1902) (Noctuidae) *heliastis* Hampson, 1902
1788. *Ozarba hypoxantha* (Wallengren, 1860) (Noctuidae) *hypoxantha* Wallengren, 1860; *vultuosa* Distant, 1898.
1789. *Ozarba varia* (Walker, 1865) (Noctuidae) *varia* Walker, 1865; *mustelina* Wallengren, 1875.
1790. *Paracroria griseocincta* (Hampson, 1902) (Noctuidae) *griseocincta* Hampson, 1902
1791. *Parallelia algira* (Linnaeus, 1767) (Noctuidae) *algira* Linnaeus, 1767; *achatina* Sulzer, 1776; *alterna* Villers, 1789; *triangularis* Hübner, [1803] *nec* Thunb., 1784; *albitrivia* Guenée, 1852; *festina* Walker, 1858; *europaea* Schawerda, 1912
1792. *Paratuerta marshalli* Hampson, 1902 (Noctuidae) *marshalli* Hampson, 1902
1793. *Pardoxia graellsii* (Feisthamel, 1837) (Noctuidae) *graellsii* Feisthamel, 1837; *innocens* Walker, 1858; *fimbriata* Walker, 1865
1794. *Plecoptera annexa* (Distant, 1898) (Noctuidae) *annexa* Distant, 1898
1795. *Plecoptera rufirena* (Hampson, 1902) (Noctuidae) *rufirena* Hampson, 1902
1796. *Plecoptera zonaria* (Distant, 1898) (Noctuidae) *zonaria* Distant, 1898
1797. *Plecopterodes moderata* (Wallengren, 1860) (Noctuidae) *moderata* Wallengren, 1860; *alypophanes* Bethune-Baker, 1911; *variabilis* Mabille, 1890.
1798. *Polydesma umbricola* Boisduval, 1833 (Noctuidae) *umbricola* Boisduval, 1833; *collutrix* Geyer, 1837; *landula* Guenée, 1852; *determinata* Wallengren, 1863; *#colutrix* Hampson, 1916
1799. *Proruca* (s.str.) *harmonica* Distant, 1901 (Noctuidae) *harmonica* Distant, 1901
1800. *Rhanidophora ridens* Hampson, 1902 (Noctuidae) *ridens* Hampson, 1902
1801. *Rhynchina coniodes* Vari, 1962 (Noctuidae) *coniodes* Vari, 1962
1802. *Rhynchina equalisella* (Walker, 1863) (Noctuidae) *equalisella* Walker, 1863; *caesa* Distant, 1898.
1803. *Rhynchina poecilopa* Vari, 1962 (Noctuidae) *poecilopa* Vari, 1962
1804. *Schausia corydoni* (Rothschild, 1896) (Noctuidae) *corydoni* Rothschild, 1896
1805. *Selepa transvalica* Hampson, 1912 (Noctuidae) *transvalica* Hampson, 1912
1806. *Sphingomorpha chlorea* (Cramer, 1779) (Noctuidae) *chlorea* Cramer, 1779; *rapta* Fabricius, 1787; *sipyla* Guenée, 1852; *monteironis* Butler, 1875
1807. *Spodoptera exiguum* (Hübner, [1808]) (Noctuidae) *exigua* Hübner, [1808]; *fulgens* Geyer, [1832]; *pygmaea* Rambur, 1834; *junceti* Zeller, 1847; *caradrinoides* Walker, 1856; *flavimaculata* Harvey, 1876; *venosa* Butler, 1880; *sebhana* Austaut, 1880; *antipodea* Warren, 1914; *protector* De Laever, 1985.

- 1808.** *Stenopterygia subcurva* (Walker,1857) (Noctuidae) *subcurva* Walker,1857; *postica* Walker,1857; *calida* Walker,1862; *sikkima* Moore,1882; *monostigma* Saalmüller,1891
- 1809.** *Tathorhynchus plumbea* (Distant,1898) (Noctuidae) *plumbea* Distant,1898
- 1810.** *Thria robusta* Walker,[1858] (Noctuidae) *anysa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
- 1811.** *Thysanoplusia* (s.str.) *orichalcea* (Fabricius,1775) (Noctuidae) *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,[1813].
- 1812.** *Tracheplexia amaranta* (R.Felder & Rogenhofer,1874) (Noctuidae) *amaranta* R.Felder & Rogenhofer,1874
- 1813.** *Tracheplexia lucia* (R.Felder & Rogenhofer,1874) (Noctuidae) *lucia* R.Felder & Rogenhofer,1874; *occidentalis* Laporte,1973
- 1814.** *Trichoplusia arachnoides* (Distant,1901) (Noctuidae) *arachnoides* Distant,1901
- 1815.** *Trichoplusia exquisita* (R.Felder & Rogenhofer,1874) (Noctuidae) *exquisita* R.Felder & Rogenhofer,1874
- 1816.** *Trichoplusia vittata* (Wallengren,1856) (Noctuidae) *vittata* Wallengren,1856; *transfixa* Walker,[1858]; *commidendri* Wollaston,1879.
- 1817.** *Trigonodes hyppasia* (Cramer,1779) (Noctuidae) *hyppasia* Cramer,1779; *deliana* Stoll,1791; *anfractuosa* Boisduval,1834; *acutata* Guenée,1852; *inacuta* Guenée,1852; *compar* Walker,[1858]
- 1818.** *Tycomarpes inferior* (Guenée,1852) (Noctuidae) *inferior* Guenée,1852; *renisigna* Walker,1857; *inculta* Walker,1862; *contracta* Walker,1865; *ficita* Walker,1865; *servilis* Walker,1865; *submoesta* Möschler,1883
- 1819.** *Tytroca leucoptera* (Hampson,1896) (Noctuidae) *leucoptera* Hampson,1896; *balnearia* Distant,1898
- 1820.** *Ulotrichopus catocala* (R.Felder & Rogenhofer,1874) (Noctuidae) *catocala* R.Felder & Rogenhofer,1874; *caupona* Möschler,1884
- 1821.** *Vietteania torrentium* (Guenée,1852) (Noctuidae) *torrentium* Guenée,1852; *infima* Wallengren,1875; *parvula* Kenrick,1917; *#torretium* Poole,1989.
- 1822.** *Xanthodes albago* (Fabricius,1794) (Noctuidae) *albago* Fabricius,1794; *malvae* Esper,[1796]; *stramen* Guenée,1852; *impurata* Walker,1857; *impellens* Walker,1858; *inefficiens* Walker,1858.
- 1823.** *Zekelita* (Rhynchodontodes) *antistropha* (Vari,1962) (Noctuidae) *antistropha* Vari,1962
- 1824.** *Antheua aurifodinae* (Distant,1902) (Notodontidae) *aurifodinae* Distant,1902
- 1825.** *Antheua consanguinea* Distant,1903 (Notodontidae) *consanguinea* Distant,1903
- 1826.** *Antheua ornata* (Walker,1865) (Notodontidae) *ornata* Walker,1865; *quisola* Strand,1912
- 1827.** *Antheua simplex* Walker,1855 (Notodontidae) *simplex* Walker,1855; *ephippiata* Wallengren,1860
- 1828.** *Antheua tricolor* Walker,1855 (Notodontidae) *tricolor* Walker,1855; *varia* Walker,1855.
- 1829.** *Antheua woerdeni* (Snellen,1872) (Notodontidae) *woerdeni* Snellen,1872
- 1830.** *Desmeocraera basalis* Distant,1899 (Notodontidae) *basalis* Distant,1899
- 1831.** *Desmeocraera vernalis* Distant,1897 (Notodontidae) *vernal* Distant,1897
- 1832.** *Pararethona hierax* (Distant,1897) (Notodontidae) *hierax* Distant,1897
- 1833.** *Phalera lydenburgi* Distant,1899 (Notodontidae) *lydenburgi* Distant,1899
- 1834.** *Polienus capillatus* (Wallengren,1875) (Notodontidae) *capillatus* Wallengren,1875
- 1835.** *Amphipseustis disputanda* Meyrick,1921 (Oecophoridae) *disputanda* Meyrick,1921
- 1836.** *Chalcocolona cyananthes* (Meyrick,1911) (Oecophoridae) *cyananthes* Meyrick,1911
- 1837.** *Diocosma tricycla* Meyrick,1909 (Oecophoridae) *tricycla* Meyrick,1909
- 1838.** *Endrosis psammodora* Meyrick,1921 (Oecophoridae) *psammodora* Meyrick,1921
- 1839.** *Epiphraetis crocoplecta* Meyrick,1913 (Oecophoridae) *crocoplecta* Meyrick,1913
- 1840.** *Epiphraetis rubricata* Meyrick,1913 (Oecophoridae) *rubricata* Meyrick,1913
- 1841.** *Epiphraetis sarcopa* (Meyrick,1909) (Oecophoridae) *sarcopa* Meyrick,1909
- 1842.** *Epiphraetis thysanarcha* Meyrick,1918 (Oecophoridae) *thysanarcha* Meyrick,1918
- 1843.** *Eucleodora ingrata* Meyrick,1913 (Oecophoridae) *ingrata* Meyrick,1913
- 1844.** *Eutorna diluvialis* Meyrick,1913 (Oecophoridae) *diluvialis* Meyrick,1913
- 1845.** *Hednophora pyritis* Meyrick,1911 (Oecophoridae) *pyritis* Meyrick,1911
- 1846.** *Hypercallia sincera* Meyrick,1909 (Oecophoridae) *sincera* Meyrick,1909
- 1847.** *Isocrita psalactis* Meyrick,1912 (Oecophoridae) *psalactis* Meyrick,1912
- 1848.** *Martyrhilda melanarcha* (Meyrick,1913) (Oecophoridae) *melanarcha* Meyrick,1913
- 1849.** *Orophia transfuga* (Meyrick,1911) (Oecophoridae) *transfuga* Meyrick,1911
- 1850.** *Plesiosticha acida* (Meyrick,1911) (Oecophoridae) *acida* Meyrick,1911
- 1851.** *Plesiosticha galactaea* (Meyrick,1908) (Oecophoridae) *galactaea* Meyrick,1908
- 1852.** *Promalactis geometrica* Meyrick,1913 (Oecophoridae) *geometrica* Meyrick,1913
- 1853.** *Promalactis recurva* Meyrick,1914 (Oecophoridae) *recurva* Meyrick,1914
- 1854.** *Promalactis veridica* Meyrick,1913 (Oecophoridae) *veridica* Meyrick,1913
- 1855.** *Saropla dryozona* Meyrick,1913 (Oecophoridae) *dryozona* Meyrick,1913
- 1856.** *Opostega amphimitra* Meyrick,1913 (Opistegidae) *amphimitra* Meyrick,1913
- 1857.** *Opostega cirrhacma* Meyrick,1911 (Opistegidae) *cirrhacma* Meyrick,1911
- 1858.** *Opostega granifera* Meyrick,1913 (Opistegidae) *granifera* Meyrick,1913
- 1859.** *Opostega praefusca* Meyrick,1913 (Opistegidae) *praefusca* Meyrick,1913
- 1860.** *Opostega radiosa* Meyrick,1913 (Opistegidae) *radiosa* Meyrick,1913
- 1861.** *Pseudopostega bellicosa* (Meyrick,1911) (Opistegidae) *bellicosa* Meyrick,1911
- 1862.** *Pseudopostega clastozone* (Meyrick,1913) (Opistegidae) *clastozone* Meyrick,1913; *#clastozoma* Davis,1989.
- 1863.** *Graphium* (Arisbe (angolanus-gr.)) *angolanus* (Goeze,1779) (Papilionidae) *angolanus* Goeze,1779; *corrineus* Bertoloni,1850; *anthemenes* Wallengren,1857; *lapydes* Suffert,1904; *howelli* Turlin & Lequeux,1992.
- 1864.** *Graphium* (Arisbe (angolanus-gr.)) *angolanus* (Goeze,1779) (Papilionidae) *angolanus* Goeze,1779; *corrineus* Bertoloni,1850; *anthemenes* Wallengren,1857; *lapydes* Suffert,1904; *howelli* Turlin & Lequeux,1992.
- 1865.** *Graphium* (Arisbe (angolanus-gr.)) *morania* (Angas,[1849]) (Papilionidae) *morania* Angas,[1849]; *#vansoniana* Storace,1953; *#holoplaga* Grei,1986.
- 1866.** *Graphium* (Arisbe (angolanus-gr.)) *morania morania* (Angas,[1849]) (Papilionidae) *morania* Angas,[1849]; *#vansoniana* Storace,1953; *#holoplaga* Grei,1986.
- 1867.** *Graphium* (Arisbe (antheus-gr.)) *antheus* (Cramer,[1779]) (Papilionidae) *antheus* Cramer,[1779]; *antharis* Godart,[1819]; *nyassae* Butler,1877; *lurlinus* Butler,1883; *evombaroides* Eimer,1889; *utuba* Hampson,1891; *hollandi*, *mercutius* Grose-Smith & Kirby,1894, etc.
- 1868.** *Graphium* (Arisbe (antheus-gr.)) *antheus antheus* (Cramer,[1779]) (Papilionidae) *antheus* Cramer,[1779]; *antharis* Godart,[1819]; *nyassae* Butler,1877; *lurlinus* Butler,1883; *evombaroides* Eimer,1889; *utuba* Hampson,1891; *hollandi*, *mercutius* Grose-Smith & Kirby,1894, etc.

- 1869.** *Graphium* (Arisbe (antheus-gr.)) *colonna* (Ward,1873) (Papilionidae) *colonna* Ward,1873; *tragicus* Butler,1876; *loncona* Suffert,1904.
- 1870.** *Graphium* (Arisbe (antheus-gr.)) *colonna* *colonna* (Ward,1873) (Papilionidae) *colonna* Ward,1873; *tragicus* Butler,1876; *loncona* Suffert,1904.
- 1871.** *Graphium* (Arisbe (polices-gr.)) *porthaon* (Hewitson,1865) (Papilionidae) *porthaon* Hewitson,1865; *#adjectus* Thureau,1903; *vernayi* Van Son,1936.
- 1872.** *Graphium* (Arisbe (polices-gr.)) *porthaon* *porthaon* (Hewitson,1865) (Papilionidae) *porthaon* Hewitson,1865; *#adjectus* Thureau,1903; *vernayi* Van Son,1936.
- 1873.** *Graphium* (Arisbe (s.str.)) *leonidas* (Fabricius,1793) (Papilionidae) *similis* Cramer,1775 *nec* Linn.,1758; *leonidas* Fabricius,1793; *brasidas* Felder & Felder,1864; *interniplaga* Aurivillius,1899; *onidale* Suffert,1904; *umanus* Rothschild & Jordan,1905.
- 1874.** *Graphium* (Arisbe (s.str.)) *leonidas* *leonidas* (Fabricius,1793) (Papilionidae) *similis* Cramer,1775 *nec* Linn.,1758; *leonidas* Fabricius,1793; *brasidas* Felder & Felder,1864; *interniplaga* Aurivillius,1899; *onidale* Suffert,1904; *umanus* Rothschild & Jordan,1905.
- 1875.** *Priniceps* (Druryia (cynorta-gr.)) *echerioides* (Trimen,1868) (Papilionidae) *echerioides* Trimen,1868
- 1876.** *Priniceps* (Druryia (cynorta-gr.)) *echerioides* *echerioides* (Trimen,1868) (Papilionidae) *echerioides* Trimen,1868
- 1877.** *Priniceps* (Druryia (nireus-gr.)) *nireus* (Linnaeus,1758) (Papilionidae) *nireus* Linnaeus,1758; *erinus* Gray,1853; *nireoides* Braun,1932; *micronireus* Storace,1952.
- 1878.** *Priniceps* (Druryia (nireus-gr.)) *nireus* *lyaeus* (Doubleday,1845) (Papilionidae) *lyaeus* Doubleday,1845; *aelyus* Suffert,1904; *manitheus* Ehrmann,1920; *#callistria* Le Cerf,1927.
- 1879.** *Priniceps* (s.str. (hesperus-gr.)) *euphranor* (Trimen,1868) (Papilionidae) *euphranor* Trimen,1868; *moratus* Le Cerf,1924.
- 1880.** *Priniceps* (s.str. (hesperus-gr.)) *euphranor* *euphranor* (Trimen,1868) (Papilionidae) *euphranor* Trimen,1868; *moratus* Le Cerf,1924.
- 1881.** *Priniceps* (s.str. (menestheus-gr.)) *ophidicephalus* (Oberthür,1878) (Papilionidae) *ophidicephalus* Oberthür,1878; *#ophidicephalus* le Roux,2003.
- 1882.** *Priniceps* (s.str. (menestheus-gr.)) *ophidicephalus* *ayresi* (Van Son,1939) (Papilionidae) *ayresi* Van Son,1939
- 1883.** *Priniceps* (s.str. (menestheus-gr.)) *ophidicephalus* *entabeni* (Van Son,1939) (Papilionidae) *entabeni* Van Son,1939.
- 1884.** *Priniceps* (s.str. (menestheus-gr.)) *ophidicephalus* *transvaalensis* (Van Son,1939) (Papilionidae) *transvaalensis* Van Son,1939.
- 1885.** *Priniceps* (s.str. (phorcas-gr.)) *constantinus* (Ward,1871) (Papilionidae) *constantinus* Ward,1871; *#chrysothemis* Stoneham,1931.
- 1886.** *Priniceps* (s.str. (phorcas-gr.)) *constantinus* *constantinus* (Ward,1871) (Papilionidae) *constantinus* Ward,1871; *#chrysothemis* Stoneham,1931.
- 1887.** *Priniceps* (s.str. (phorcas-gr.)) *dardanus* (Brown,1776) (Papilionidae) *dardanus* Brown,1776; *merope* Cramer,1777 *nec* Fabr.,1775; *brutus* Fabricius,1781 *nec* Cramer,1779; *hippocoon* Fabricius,1793; *westermannii* Boisduval,1836; *trophonius* Westwood,1842; *dionysos* Doubleday,1846; *heimsi* Suffert,1904; *bento* Suffert,1904.
- 1888.** *Priniceps* (s.str. (phorcas-gr.)) *dardanus* *cenea* (Stoll,1790) (Papilionidae) *cenea* Stoll,1790; *rechila* Godart,1819; *#hippocoonies* Haase,1891; *acene* Suffert,1904; *#leighi* Poulton,1912; *#radiata* Reuss,1921; *#hypolimnides* Le Cerf,1924; *#extensiflava* Le Cerf,1924; *#sylvicola* Van Son,1949; *neocenea* Stoneham,1951; *#nigricans* Storace,1955; *#transiens* Storace,1955; *#aikeni* Van Son,1956; *#infusata* Van Son,1956.
- 1889.** *Priniceps* (s.str. (phorcas-gr.)) *dardanus* *tibullus* (Kirby,1880) (Papilionidae) *tibullus* Kirby,1880; *maculatus* Suffert,1904; *discopunctatus* Suffert,1904; *salaami* Suffert,1904; *boosi* Suffert,1904; *#trimeni* Poulton,1906; *#gomia* Strand,1911; *#lamborni* Poulton,1918; *natalica* Le Cerf,1924; *mombasicus* Stoneham,1951; *#melanoleuca* Stoneham,1951.
- 1890.** *Priniceps* (s.str. (s.str.)) *demodocus* (Esper,1798) (Papilionidae) *demodocus* Esper,1798].
- 1891.** *Priniceps* (s.str. (s.str.)) *demodocus* *demodocus* (Esper,1798) (Papilionidae) *demodocus* Esper,1798].
- 1892.** *Appias* (Glutophrissa) *epaphia* *contracta* (Butler,1888) (Pieridae) *contracta* Butler,1888; *mahoboides* Holland,1896; *eurynome* Stoneham,1957
- 1893.** *Appias* (Glutophrissa) *sabina* (C.Felder & R.Felder,1865) (Pieridae) *sabina* C.Felder & R.Felder,1865; *latimarginata* Gaede,1916; *defecta* Gaede,1916
- 1894.** *Appias* (Glutophrissa) *sabina* *dubia* Aurivillius,1899 (Pieridae) *dubia* Aurivillius,1899; *phoebe* Butler,1901 *nec* Feld. & Feld.,1861; *weberi* Suffert,1904; *udei* Suffert,1904; *haendeli* Suffert,1904.
- 1895.** *Belenois* *aurota* (Fabricius,1793) (Pieridae) *mesentina* Cramer,1780 *nec* Cr.,1777; *aurota* Fabricius,1793; *augusta* Olivier,1807; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *hiris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924.
- 1896.** *Belenois* *aurota* *aurota* (Fabricius,1793) (Pieridae) *mesentina* Cramer,1780 *nec* Cr.,1777; *aurota* Fabricius,1793; *augusta* Olivier,1807; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *hiris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924.
- 1897.** *Belenois* *creona* (Cramer,1776) (Pieridae) *creona* Cramer,1776; *ernestius* Laporte,1831.
- 1898.** *Belenois* *creona* *severina* (Stoll,1781) (Pieridae) *severina* Stoll,1781; *agrippina* Felder & Felder,1865; *infida* Butler,1888; *guarani* Köhler,1923.
- 1899.** *Belenois* *gidica* (Godart,1819) (Pieridae) *gidica* Godart,1819; *occidentis* Butler,1898; *sulphurea* Gaede,1916.
- 1900.** *Belenois* *gidica* *abyssinica* (Lucas,1852) (Pieridae) *abyssinica* Lucas,1852; *doubledayi* Wallengren,1857; *westwoodi* Wallengren,1857; *allica* Oberthür,1878; *pallida* Gaede,1916; *centralis* Stoneham,1957.
- 1901.** *Belenois* *zochalia* (Boisduval,1836) (Pieridae) *zochalia* Boisduval,1836; *hyoma* Boisduval,1836; *immaculata* Wichgraf,1913; *pondoana* Neustetter,1916.
- 1902.** *Belenois* *zochalia* *zochalia* (Boisduval,1836) (Pieridae) *zochalia* Boisduval,1836; *hyoma* Boisduval,1836; *immaculata* Wichgraf,1913; *pondoana* Neustetter,1916.
- 1903.** *Catopsilia* *florella* (Fabricius,1775) (Pieridae) *florella* Fabricius,1775; *pyrene* Swainson,1821; *hyblaea* & *rhadia* Boisduval,1836; *marcellina* Bertolini,1850; *aleurona* Butler,1876; *rufosparsa* Butler,1880; *swainsoni* Westwood,1881.
- 1904.** *Catopsilia* *florella* *florella* (Fabricius,1775) (Pieridae) *florella* Fabricius,1775; *pyrene* Swainson,1821; *hyblaea* & *rhadia* Boisduval,1836; *marcellina* Bertolini,1850; *aleurona* Butler,1876; *rufosparsa* Butler,1880; *swainsoni* Westwood,1881.
- 1905.** *Colias* (Eriocolias) *electo* (Linnaeus,1763) (Pieridae) *electo* Linnaeus,1763; *electra* Linnaeus,1767; *palaeno* Stoll,1781 *nec* Linnaeus,1761; *aurivillius* Keferstein,1883.
- 1906.** *Colias* (Eriocolias) *electo* *electo* (Linnaeus,1763) (Pieridae) *electo* Linnaeus,1763; *electra* Linnaeus,1767; *palaeno* Stoll,1781 *nec* Linnaeus,1761; *aurivillius* Keferstein,1883.
- 1907.** *Colotis* (Cuneacolis) *agoye* (Wallengren,1857) (Pieridae) *agoye* Wallengren,1857; *eosphorus* Trimen,1863
- 1908.** *Colotis* (Cuneacolis) *agoye* *agoye* (Wallengren,1857) (Pieridae) *agoye* Wallengren,1857; *eosphorus* Trimen,1863
- 1909.** *Colotis* (Teracolis) *eris* (Klug,1829) (Pieridae) *eris* Klug,1829; *fatma* Felder & Felder,1865; *abyssinicus* Butler,1876; *maimouna* Kirby,1880; *opalescens* Butler,1886; *johnstoni* Butler,1886; *punctigera* Lanz,1896; *teitensis* Sharpe,1898; *erioides* Strand,1912; *#chlorinos* Talbot,1939; *damara* Talbot,1939; *#continua* Storace,1948.
- 1910.** *Colotis* (Teracolis) *eris* *eris* (Klug,1829) (Pieridae) *eris* Klug,1829; *fatma* Felder & Felder,1865; *abyssinicus* Butler,1876; *maimouna* Kirby,1880; *opalescens* Butler,1886; *johnstoni* Butler,1886; *punctigera* Lanz,1896; *teitensis* Sharpe,1898; *erioides* Strand,1912; *#chlorinos* Talbot,1939; *damara* Talbot,1939; *#continua* Storace,1948.
- 1911.** *Colotis* (Teracolis) *subfasciatus* (Swainson,1833) (Pieridae) *subfasciatus* Swainson,1833; *bohemani* Wallengren,1857; *ganymedes* Trautman,1927.

- 1912. Colotis (Teracolus) subfasciatus subfasciatus (Swainson,1833)** (Pieridae) *subfasciatus* Swainson,1833; *bohemani* Wallengren,1857; *ganymedes* Trautman,1927.
- 1913. Colotis (s.str.) amatus (Fabricius,1775)** (Pieridae) *amatus* Fabricius,1775
- 1914. Colotis (s.str.) amatus calais (Cramer,[1775])** (Pieridae) *calais* Cramer,[1775]; *dynamede* Klug,1829; *#pallida* Stoneham,1939.
- 1915. Colotis (s.str.) antevippe (Boisduval,1836)** (Pieridae) *antevippe* Boisduval,1836; *carteri* Butler,1882.
- 1916. Colotis (s.str.) antevippe gavis (Wallengren,1857)** (Pieridae) *achine* Stoll,1781 *nec Scop.*,1763; *gavis* Wallengren,1857; *harmonides* Butler,1876; *ithonus* Butler,1876; *hippocrene* Butler,1876; *ignifer* Butler,1876; *simplex* Butler,1876; *hyperides* Butler,1876; *hero* Butler,1876; *trimeni* Butler,1876; *damarensis* Aurivillius, 1879; *fumidus* Swinhoe,1884; *haevernicki* Staudinger,1885; *luederitzi* Suffert,1904; *subgavis* Dufrane,1947.
- 1917. Colotis (s.str.) auxo (Lucas,1852)** (Pieridae) *auxo* Lucas,1852; *topha* Wallengren,1860; *keiskamma* Trimen,1862; *syrtinus* Butler,1876; *vulnerata* Staudinger,1885; *#intensa* Stoneham,1939; *#reducta* Stoneham,1939.
- 1918. Colotis (s.str.) auxo auxo (Lucas,1852)** (Pieridae) *auxo* Lucas,1852; *topha* Wallengren,1860; *keiskamma* Trimen,1862; *syrtinus* Butler,1876; *vulnerata* Staudinger,1885; *#intensa* Stoneham,1939; *#reducta* Stoneham,1939.
- 1919. Colotis (s.str.) celimene (Lucas,1852)** (Pieridae) *celimene* Lucas,1852
- 1920. Colotis (s.str.) celimene amina (Hewitson,1866)** (Pieridae) *amina* Hewitson,1866
- 1921. Colotis (s.str.) eborea (Stoll,[1781])** (Pieridae) *danae* Fabricius,1775 *nec* Hufn.,1766; *eborea* Stoll,[1781].
- 1922. Colotis (s.str.) eborea annae (Wallengren,1857)** (Pieridae) *annae* Wallengren,1857; *cinerascens* Butler,1873; *wallengreni* Butler,1876; *confusa* Westwood,1889.
- 1923. Colotis (s.str.) euippe (Linnaeus,1758)** (Pieridae) *euippe* Linnaeus,1758; *arithusa* Drury,[1773]; *rhexia* Fabricius,1775; *hanna* Herbst,1792; *amytis* Godart,1819; *cebrene* Boisduval,1836; *ocale* Boisduval,1836; *eurygone* Lucas,1852; *loandicus* Butler,1872; *suffusus* Butler,1876; *angolensis* Butler,1876.
- 1924. Colotis (s.str.) euippe omphale (Godart,[1819])** (Pieridae) *omphale* Godart,[1819]; *theogone* Boisduval,1836; *procne* Wallengren,1857; *acte* Felder & Felder,1865; *omphaloides* Butler,1876; *hybridus* Butler,1876; *pseudocale* Butler,1876.
- 1925. Colotis (s.str.) evagore (Klug,1829)** (Pieridae) *evagore* Klug,1829; *saxeus* Swinhoe,1884
- 1926. Colotis (s.str.) evagore antigone (Boisduval,1836)** (Pieridae) *antigone* Boisduval,1836; *phlegetonia* Boisduval,1836; *delphine* Boisduval,1836; *eione* Boisduval,1836; *isaura* Lucas,1852; *heuglini* Felder & Felder,1859; *demagore* Felder & Felder,1865; *interruptus* Butler,1872; *flaminia* Butler,1876; *lycoris* Butler,1876; *lyaeus* Butler,1876; *frigra* Butler,1876; *galathinus* Butler,1876; *gelasinus* Butler,1876; *pseudetrida* Westwood,1881; *ramaquabana* Westwood,1881; *coniger* Butler,1882; *minans* Butler,1882; *jamesi* Swinhoe,1884; *jamesi* Butler,1886; *comptus* Butler,1888; *bifasciatus* Sharpe,1890; *emini* Butler,1891; *metagone* Holland,1896; *#contrasta* Talbot,1939; *#decolor* Talbot,1939; *#lucua* Talbot,1939; *#bianca* Talbot,1939; *#wa* Talbot,1939; *#xanthodes* Talbot,1939; *#nuba* Talbot,1942; *muansa* Talbot,1942; *mashona* Talbot,1942.
- 1927. Colotis (s.str.) eveninus (Wallengren,1857)** (Pieridae) *eveninus* Wallengren,1857; *deidamia* Wallengren,1857; *deidamioides* Aurivillius,1879; *inornata* Westwood,1881; *corda* Möschler,1884; *#lerichei* Van Son,1959.
- 1928. Colotis (s.str.) eveninus eveninus (Wallengren,1857)** (Pieridae) *eveninus* Wallengren,1857; *deidamia* Wallengren,1857; *deidamioides* Aurivillius,1879; *inornata* Westwood,1881; *corda* Möschler,1884; *#lerichei* Van Son,1959.
- 1929. Colotis (s.str.) ione (Godart,[1819])** (Pieridae) *ione* Godart,[1819]; *phlegyas* Butler,1865; *coliagenes* Butler,1867; *jalone* Butler,1869; *buxtoni* Butler,1876; *imperator* Butler,1876; *natalensis* Staudinger,1885; *bacchus* Butler,1888; *mrogoroana* Vuillot,1891; *bettoni* Butler,1898; *difficilis* Sharpe,1900; *schuberti* Suffert,1904; *hydrophobus* Suffert,1904; *aurivillii* Suffert,1904.
- 1930. Colotis (s.str.) ione ione (Godart,[1819])** (Pieridae) *ione* Godart,[1819]; *phlegyas* Butler,1865; *coliagenes* Butler,1867; *jalone* Butler,1869; *buxtoni* Butler,1876; *imperator* Butler,1876; *natalensis* Staudinger,1885; *bacchus* Butler,1888; *mrogoroana* Vuillot,1891; *bettoni* Butler,1898; *difficilis* Sharpe,1900; *schuberti* Suffert,1904; *hydrophobus* Suffert,1904; *aurivillii* Suffert,1904.
- 1931. Colotis (s.str.) lais (Butler,1876)** (Pieridae) *lais* Butler,1876; *#felthami* Van Son,1949.
- 1932. Colotis (s.str.) lais lais (Butler,1876)** (Pieridae) *lais* Butler,1876; *#felthami* Van Son,1949.
- 1933. Colotis (s.str.) pallene (Hopffer,1855)** (Pieridae) *pallene* Hopffer,1855; *halyattes* Butler,1876; *cinctus* Butler,1883; *infumatus* Butler,1896; *wissmanni* Suffert,1904; *seineri* Strand,1909; *#achinoides* Le Doux,1929; *#meinickei* Le Doux,1929; *#pallida* Le Doux,1929; *#simplicoides* Le Doux,1929; *#absurda* Van Son,1949.
- 1934. Colotis (s.str.) pallene pallene (Hopffer,1855)** (Pieridae) *pallene* Hopffer,1855; *halyattes* Butler,1876; *cinctus* Butler,1883; *infumatus* Butler,1896; *wissmanni* Suffert,1904; *seineri* Strand,1909; *#achinoides* Le Doux,1929; *#meinickei* Le Doux,1929; *#pallida* Le Doux,1929; *#simplicoides* Le Doux,1929; *#absurda* Van Son,1949.
- 1935. Colotis (s.str.) reginus (Trimen,1863)** (Pieridae) *reginus* Trimen,1863; *anax* Grose-Smith,1889; *eliza* Sharpe,1890; *louisa* Suffert,1904; *#flavimacula* Aurivillius,1910.
- 1936. Colotis (s.str.) vesta (Reiche,[1850])** (Pieridae) *vesta* Reiche,[1850]; *#ops* Talbot,1942.
- 1937. Colotis (s.str.) vesta argillaceus (Butler,1877)** (Pieridae) *argillaceus* Butler,1877; *#phuvius* Talbot,1939.
- 1938. Colotis (s.str.) vesta mutans (Butler,1877)** (Pieridae) *mutans* Butler,1877; *#arida* Talbot,1939.
- 1939. Dixeia charina (Boisduval,1836)** (Pieridae) *charina* Boisduval,1836; *anactorie* Doubleday,1842.
- 1940. Dixeia charina simana (Hopffer,1855)** (Pieridae) *simana* Hopffer,1855
- 1941. Dixeia doxo (Godart,[1819])** (Pieridae) *doxo* Godart,[1819]; *voltaensis* Talbot,1929.
- 1942. Dixeia doxo parva Talbot,1943** (Pieridae) *parva* Talbot,1943
- 1943. Dixeia pigea (Boisduval,1836)** (Pieridae) *pigea* Boisduval,1836; *alba* Wallengren,1857; *inana* Butler,1870; *rubrobasalis* Lanz,1896; *caffraria* Lanz,1896; *nitida* Aurivillius,1898; *saalmülleri* Aurivillius,1898; *astarte* Butler,1900; *kueckeni* Suffert,1904; *wagneri* Suffert,1904; *elia* Strand,1912; *leplaei* Hulstaert,1924.
- 1944. Dixeia pigea pigea (Boisduval,1836)** (Pieridae) *pigea* Boisduval,1836; *alba* Wallengren,1857; *inana* Butler,1870; *rubrobasalis* Lanz,1896; *caffraria* Lanz,1896; *nitida* Aurivillius,1898; *saalmülleri* Aurivillius,1898; *astarte* Butler,1900; *kueckeni* Suffert,1904; *wagneri* Suffert,1904; *elia* Strand,1912; *leplaei* Hulstaert,1924.
- 1945. Dixeia spilleri spilleri (Spiller,1884)** (Pieridae) *spilleri* Spiller,1884; *gallenga* Grose-Smith,1887
- 1946. Eronia cleodora Hübner,[1823]** (Pieridae) *cleodora* Hübner,[1823]; *erxia* Hewitson,1867
- 1947. Eronia cleodora cleodora Hübner,[1823]** (Pieridae) *cleodora* Hübner,[1823]; *erxia* Hewitson,1867
- 1948. Eronia leda (Boisduval,1847)** (Pieridae) *leda* Boisduval,1847; *tekoukoule* Guérin-Méneville,1849; *wahlbergi* Wallengren,1857; *trimeni* Oberthür,1878; *cygnophila* Suffert,1904; *inargyrata* Gaede,1916
- 1949. Eronia leda leda (Boisduval,1847)** (Pieridae) *leda* Boisduval,1847; *tekoukoule* Guérin-Méneville,1849; *wahlbergi* Wallengren,1857; *trimeni* Oberthür,1878; *cygnophila* Suffert,1904; *inargyrata* Gaede,1916
- 1950. Eurema (Terias) hecabe solifera (Butler,1875)** (Pieridae) *solifera* Butler,1875; *bisinuata* Butler,1876; *chalcioaeta* Butler,1879; *dentilimbata* Butler,1879; *bewsheri* Butler,1879; *leonis* Butler,1886; *orientis* Butler,1888; *aethiopica* Trimen,1889; *butleri* Trimen,1889.
- 1951. Eurema (s.str.) brigitta (Stoll,[1780])** (Pieridae) *brigitta* Stoll,[1780]; *libythea* Fabricius,1798
- 1952. Eurema (s.str.) brigitta brigitta (Stoll,[1780])** (Pieridae) *brigitta* Stoll,[1780]; *libythea* Fabricius,1798
- 1953. Eurema (s.str.) desjardinsii (Boisduval,1833)** (Pieridae) *desjardinsii* Boisduval,1833

1954. *Eurema* (s.str.) *desjardinsii marshalli* (Butler,1898) (Pieridae) *marshalli* Butler,1898
1955. *Leptosia alcesta* (Stoll,[1781]) (Pieridae) *alcesta* Stoll,[1781]; *narica* Fabricius,1793; *cephus* Ehrmann,1894.
1956. *Leptosia alcesta inalcesta* Bernardi,1959 (Pieridae) *inalcesta* Bernardi,1959
1957. *Mylothris agathina* (Cramer,[1779]) (Pieridae) *agathina* Cramer,[1779]; *xantholeuca* Hübner,[1819]
1958. *Mylothris agathina agathina* (Cramer,[1779]) (Pieridae) *agathina* Cramer,[1779]; *xantholeuca* Hübner,[1819]
1959. *Mylothris rueppellii* (Koch,1865) (Pieridae) *rueppellii* Koch,1865
1960. *Mylothris rueppellii haemus* (Trimen,1879) (Pieridae) *haemus* Trimen,1879
1961. *Mylothris trimenia* (Butler,1869) (Pieridae) *trimenia* Butler,1869
1962. *Mylothris trimenia trimenia* (Butler,1869) (Pieridae) *trimenia* Butler,1869
1963. *Nepheronia argia argia* (Fabricius,1775) (Pieridae) *argia* Fabricius,1775; *cassiopea* Cramer,[1779]; *idotea* Boisduval,1836; *virescens* Suffert,1904; *castelaini* Schouteden,1912; *hollandi* Fox,1963.
1964. *Nepheronia argia varia* (Trimen,1864) (Pieridae) *varia* Trimen,1864; *aurora* Suffert,1904; *#oraria* Van Son,1949; *#hemicrocea* Van Son,1949.
1965. *Nepheronia buquetii* (Boisduval,1836) (Pieridae) *buquetii* Boisduval,1836; *mossambicensis* Hopffer,1862; *arabica* Hopffer,1862; *capensis* Hopffer,1862; *zelinda* Ward,1873; *adam* Suffert,1904.
1966. *Nepheronia buquetii buquetii* (Boisduval,1836) (Pieridae) *buquetii* Boisduval,1836; *mossambicensis* Hopffer,1862; *arabica* Hopffer,1862; *capensis* Hopffer,1862; *zelinda* Ward,1873; *adam* Suffert,1904.
1967. *Nepheronia thalassina* (Boisduval,1836) (Pieridae) *thalassina* Boisduval,1836
1968. *Nepheronia thalassina sinalata* (Suffert,1904) (Pieridae) *sinalata* Suffert,1904
1969. *Pinacopteryx eriphia* (Godart,[1819]) (Pieridae) *eriphia* Godart,[1819]; *nyassae* Lang,1896
1970. *Pinacopteryx eriphia eriphia* (Godart,[1819]) (Pieridae) *eriphia* Godart,[1819]; *nyassae* Lang,1896
1971. *Pontia helice* (Linnaeus,1764) (Pieridae) *helice* Linnaeus,1764
1972. *Pontia helice helice* (Linnaeus,1764) (Pieridae) *helice* Linnaeus,1764
1973. *Prodidactis mystica* (Meyrick,1918) (Prodidactidae) *mystica* Meyrick,1918
1974. *Metisa jansei* Bourgogne,1973 (Psychidae) *jansei* Bourgogne,1973
1975. *Adaina gentilis* Meyrick,1911 (Pterophoridae) *gentilis* Meyrick,1911
1976. *Adaina periarga* Meyrick,1913 (Pterophoridae) *periarga* Meyrick,1913
1977. *Agdistis malitiosa* Meyrick,1909 (Pterophoridae) *malitiosa* Meyrick,1909
1978. *Exelastis crepuscularis* (Meyrick,1909) (Pterophoridae) *crepuscularis* Meyrick,1909
1979. *Exelastis tenax* (Meyrick,1913) (Pterophoridae) *tenax* Meyrick,1913
1980. *Hellinsia ambitiosa* (Meyrick,1911) (Pterophoridae) *ambitiosa* Meyrick,1911
1981. *Hellinsia ammonias* (Meyrick,1909) (Pterophoridae) *ammonias* Meyrick,1909
1982. *Hellinsia callida* (Meyrick,1913) (Pterophoridae) *callida* Meyrick,1913
1983. *Hellinsia colubrata* (Meyrick,1909) (Pterophoridae) *colubrata* Meyrick,1909
1984. *Hellinsia furfurosa* (Meyrick,1911) (Pterophoridae) *furfurosa* Meyrick,1911
1985. *Hellinsia invidiosa* (Meyrick,1911) (Pterophoridae) *invidiosa* Meyrick,1911
1986. *Hellinsia pacifica* (Meyrick,1911) (Pterophoridae) *pacifica* Meyrick,1911
1987. *Hellinsia pura* (Meyrick,1913) (Pterophoridae) *pura* Meyrick,1913
1988. *Hellinsia tripunctata* (Walsingham,1881) (Pterophoridae) *tripunctata* Walsingham,1881; *laqueata* Meyrick,1913.
1989. *Marasmarcha verax* (Meyrick,1909) (Pterophoridae) *verax* Meyrick,1909
1990. *Megalorhipida leucodactyla* (Fabricius,1794) (Pterophoridae) *leucodactylus* Fabricius,1794; *defectalis* Walker,1864; *congrualis* Walker,1864; *oxydactyla* Walker,1864; *hawaiiensis* Butler,1881; *ochrodactyla* Fish,1881; *centetes* Meyrick,1886; *compsochaeres* Meyrick,1886; *ralumensis* Pagenstecher,1900; *derelictus* Meyrick,1926; *palaestinensis* Amsel,1935
1991. *Oxyptilus secutor* Meyrick,1911 (Pterophoridae) *secutor* Meyrick,1911
1992. *Oxyptilus variegatus* Meyrick,1920 (Pterophoridae) *variegatus* Meyrick,1920
1993. *Platyptilia corniculata* Meyrick,1913 (Pterophoridae) *corniculata* Meyrick,1913
1994. *Platyptilia molopias* Meyrick,1906 (Pterophoridae) *molopias* Meyrick,1906; *benitensis* Strand,1912
1995. *Platyptilia sabia* (R.Felder & Rogenhofer,1875) (Pterophoridae) *sabia* R.Felder & Rogenhofer,1875; *africae* Walsingham,1881.
1996. *Pselnophorus pachyceros* Meyrick,1921 (Pterophoridae) *pachyceros* Meyrick,1921
1997. *Pterophorus albidus* (Zeller,1852) (Pterophoridae) *albidus* Zeller,1852; *endogramma* Meyrick,1922; *suffiata* Yano,1963.
1998. *Stenodacma wahlbergi* (Zeller,1851) (Pterophoridae) *wahlbergi* Zeller,1851; *rutilalis* Walker,1864.
1999. *Stenoptilia zophodactyla* (Duponchel,1838) (Pterophoridae) *zophodactyla* Duponchel,1838; *loewii* Zeller,1847; *oreodactyla* Bruand,1850; *loividactyla* Bruand,1859; *canalis* Walker,1864; *semicostatus* Zeller,1873.
2000. *Trichoptilus maceratus* Meyrick,1909 (Pterophoridae) *maceratus* Meyrick,1909
2001. *Trichoptilus varius* Meyrick,1909 (Pterophoridae) *varius* Meyrick,1909
2002. *Trichoptilus vivax* Meyrick,1909 (Pterophoridae) *vivax* Meyrick,1909
2003. *Abachausia grisea* Balinsky,1994 (Pyrilidae) *grisea* Balinsky,1994
2004. *Abachausia grisea grisea* Balinsky,1994 (Pyrilidae) *grisea* Balinsky,1994
2005. *Acrobasis africanella* Balinsky,1994 (Pyrilidae) *africanella* Balinsky,1994
2006. *Acrobasis africanella africanella* Balinsky,1994 (Pyrilidae) *africanella* Balinsky,1994
2007. *Afropsipyla similis* Balinsky,1994 (Pyrilidae) *similis* Balinsky,1994
2008. *Afropsipyla similis similis* Balinsky,1994 (Pyrilidae) *similis* Balinsky,1994
2009. *Afroscoptaria australis* Nuss,2003 (Pyrilidae) *australis* Nuss,2003
2010. *Alphacrambus prodontellus* (Hampson,1919) (Pyrilidae) *prodontellus* Hampson,1919
2011. *Alphacrambus prodontellus prodontellus* (Hampson,1919) (Pyrilidae) *prodontellus* Hampson,1919
2012. *Ambetilia crucifera* Balinsky,1994 (Pyrilidae) *crucifera* Balinsky,1994
2013. *Ancylolomia castaneata* Hampson,1919 (Pyrilidae) *castaneata* Hampson,1919
2014. *Ancylolomia castaneata castaneata* Hampson,1919 (Pyrilidae) *castaneata* Hampson,1919
2015. *Ancylolomia lentifascialis* Hampson,1919 (Pyrilidae) *lentifascialis* Hampson,1919
2016. *Ancylolomia lentifascialis lentifascialis* Hampson,1919 (Pyrilidae) *lentifascialis* Hampson,1919
2017. *Ancylolomia lentifascialis* Hampson,1919 (Pyrilidae) *lentifascialis* Hampson,1919
2018. *Ancylolomia lentifascialis* Hampson,1919 (Pyrilidae) *lentifascialis* Hampson,1919
2019. *Ancylolomia lentifascialis* Hampson,1919 (Pyrilidae) *lentifascialis* Hampson,1919
2020. *Ancylolomia lentifascialis* Hampson,1919 (Pyrilidae) *lentifascialis* Hampson,1919

2021. *Ancylosis* (Heterographis) *eurhoda* *eurhoda* Balinsky,1989 (Pyralidae) *eurhoda* Balinsky,1989
2022. *Ancylosis* (Heterographis) *glaphyria* Balinsky,1987 (Pyralidae) *glaphyria* Balinsky,1987
2023. *Ancylosis* (Heterographis) *glaphyria* *glaphyria* Balinsky,1987 (Pyralidae) *glaphyria* Balinsky,1987
2024. *Ancylosis* (Heterographis) *interjectella* (Ragonot,1888) (Pyralidae) *interjectella* Ragonot,1888
2025. *Ancylosis* (Heterographis) *similis* Balinsky,1987 (Pyralidae) *similis* Balinsky,1987
2026. *Ancylosis* (Heterographis) *similis* *similis* Balinsky,1987 (Pyralidae) *similis* Balinsky,1987
2027. *Ancylosis* (s.str.) *atriscarsella* (Hampson,1901) (Pyralidae) *atriscarsella* Hampson,1901; #*atriscarsella* Balinsky,1994
2028. *Ancylosis* (s.str.) *capensis* Ragonot,1888 (Pyralidae) *capensis* Ragonot,1888
2029. *Ancylosis* (s.str.) *melanophlebia* Balinsky,1989 (Pyralidae) *melanophlebia* Balinsky,1989
2030. *Ancylosis* (s.str.) *melanophlebia* *melanophlebia* Balinsky,1989 (Pyralidae) *melanophlebia* Balinsky,1989
2031. *Ancylosis* (s.str.) *obscuraella* Balinsky,1989 (Pyralidae) *obscuraella* Balinsky,1989
2032. *Ancylosis* (s.str.) *obscuraella* *obscuraella* Balinsky,1989 (Pyralidae) *obscuraella* Balinsky,1989
2033. *Ancylosis* (s.str.) *perfervida* Balinsky,1989 (Pyralidae) *perfervida* Balinsky,1989
2034. *Ancylosis* (s.str.) *perfervida* *perfervida* Balinsky,1989 (Pyralidae) *perfervida* Balinsky,1989
2035. *Aphomia* *caffralis* Hampson,1917 (Pyralidae) *caffralis* Hampson,1917
2036. *Aphomia* *caffralis* *caffralis* Hampson,1917 (Pyralidae) *caffralis* Hampson,1917
2037. *Argyrohabda* *leucomera* Hampson,1926 (Pyralidae) *leucomera* Hampson,1926
2038. *Argyrohabda* *leucomera* *leucomera* Hampson,1926 (Pyralidae) *leucomera* Hampson,1926
2039. *Arsissa* *transvaalica* Balinsky,1991 (Pyralidae) *transvaalica* Balinsky,1991
2040. *Arsissa* *transvaalica* *transvaalica* Balinsky,1991 (Pyralidae) *transvaalica* Balinsky,1991
2041. *Bahiria* *flavicosta* Balinsky,1994 (Pyralidae) *flavicosta* Balinsky,1994
2042. *Bahiria* *flavicosta* *flavicosta* Balinsky,1994 (Pyralidae) *flavicosta* Balinsky,1994
2043. *Bahiria* *latevalvata* Balinsky,1994 (Pyralidae) *latevalvata* Balinsky,1994
2044. *Bahiria* *latevalvata* *latevalvata* Balinsky,1994 (Pyralidae) *latevalvata* Balinsky,1994
2045. *Bahiria* *magna* Balinsky,1994 (Pyralidae) *magna* Balinsky,1994
2046. *Bahiria* *magna* *magna* Balinsky,1994 (Pyralidae) *magna* Balinsky,1994
2047. *Bahiria* *ximenianata* Balinsky,1994 (Pyralidae) *ximenianata* Balinsky,1994
2048. *Bahiria* *ximenianata* *ximenianata* Balinsky,1994 (Pyralidae) *ximenianata* Balinsky,1994
2049. *Caffrocrambus* *leucofascialis* (Janse,1922) (Pyralidae) *leucofascialis* Janse,1922
2050. *Caffrocrambus* *undilineatus* (Hampson,1919) (Pyralidae) *undilineatus* Hampson,1919
2051. *Calamotropha* *heliocausta* (Wallengren,1876) (Pyralidae) *heliocausta* Wallengren,1876
2052. *Calamotropha* *heliocausta* *heliocausta* (Wallengren,1876) (Pyralidae) *heliocausta* Wallengren,1876
2053. *Calamotropha* *paludella* (Hübner,[1824]) (Pyralidae) *paludella* Hübner,[1824]; *obtusellus* Stainton,1856; *paramatellus* Meyrick,1879; *carphurus* Hampson,1898; *nivellus* Rebel,1914; *calamosus* Hampson,1919; *durandi* Lucas,1931; *typhivorus* Meyrick,1932; #*digitatus* Osthelder,1937; *afghanistanica* Bleszynski,1959.
2054. *Calamotropha* *wallengreni* Bleszynski,1961 (Pyralidae) *wallengreni* Bleszynski,1961
2055. *Calamotropha* *wallengreni* *wallengreni* Bleszynski,1961 (Pyralidae) *wallengreni* Bleszynski,1961
2056. *Chilo* *recalvus* Wallengren,1876 (Pyralidae) *recalvus* Wallengren,1876
2057. *Chilo* *recalvus* *recalvus* Wallengren,1876 (Pyralidae) *recalvus* Wallengren,1876
2058. *Conotalis* *nigrisquamalis* Hampson,1919 (Pyralidae) *nigrisquamalis* Hampson,1919
2059. *Conotalis* *nigrisquamalis* *nigrisquamalis* Hampson,1919 (Pyralidae) *nigrisquamalis* Hampson,1919
2060. *Crambus* *archimedes* Bleszynski,1961 (Pyralidae) *archimedes* Bleszynski,1961
2061. *Crambus* *archimedes* *archimedes* Bleszynski,1961 (Pyralidae) *archimedes* Bleszynski,1961
2062. *Crambus* *endoxantha* Hampson,1919 (Pyralidae) *endoxantha* Hampson,1919
2063. *Crambus* *endoxantha* *endoxantha* Hampson,1919 (Pyralidae) *endoxantha* Hampson,1919
2064. *Crambus* *lacteella* Janse,1922 (Pyralidae) *lacteella* Janse,1922
2065. *Crambus* *lacteella* *lacteella* Janse,1922 (Pyralidae) *lacteella* Janse,1922
2066. *Crambus* *leucoschalis* Hampson,1898 (Pyralidae) *leucoschalis* Hampson,1898; *infradentatus* Hampson,1919
2067. *Crambus* *leucoschalis* *leucoschalis* Hampson,1898 (Pyralidae) *leucoschalis* Hampson,1898; *infradentatus* Hampson,1919
2068. *Crambus* *reductus* Janse,1922 (Pyralidae) *reductus* Janse,1922
2069. *Crambus* *reductus* *reductus* Janse,1922 (Pyralidae) *reductus* Janse,1922
2070. *Crambus* *tenuistrigus* Hampson,1898 (Pyralidae) *tenuistrigus* Hampson,1898
2071. *Crambus* *tenuistrigus* *tenuistrigus* Hampson,1898 (Pyralidae) *tenuistrigus* Hampson,1898
2072. *Crambus* *undilineatus* Hampson,1919 (Pyralidae) *undilineatus* Hampson,1919
2073. *Crambus* *undilineatus* *undilineatus* Hampson,1919 (Pyralidae) *undilineatus* Hampson,1919
2074. *Crambus* *xebus* Bleszynski,1962 (Pyralidae) *uniformella* Janse,1922 nec Car.,1910; *xebus* Bleszynski,1962
2075. *Crambus* *zebus* Bleszynski,1962 (Pyralidae) *zebus* Bleszynski,1962
2076. *Crambus* *zebus* *zebus* Bleszynski,1962 (Pyralidae) *zebus* Bleszynski,1962
2077. *Crociodomia* *pavonana* (Fabricius,1794) (Pyralidae) *pavonana* Fabricius,1794; *binotalis* Zeller,1852; *comalis* Guenée,1854; *incomalis* Guenée,1854; *quadripunctata* Shiraki,1913; *dentalis* Amsel,1951
2078. *Culladiella* *sinuimargo* (Hampson,1919) (Pyralidae) *sinuimargo* Hampson,1919
2079. *Culladiella* *sinuimargo* *sinuimargo* (Hampson,1919) (Pyralidae) *sinuimargo* Hampson,1919
2080. *Diaphania* *indica* (Saunders,1851) (Pyralidae) *indica* Saunders,1851; *capensis* Zeller,1852; *gazoralis* Guenée,1854; *zygaenalis* Guenée,1854; *curcubitalis* Guenée,1862; *intermedialis* Dognin,1904.
2081. *Ematheudes* *erectus* J.C.Shaffer,1998 (Pyralidae) *erectus* J.C.Shaffer,1998
2082. *Ematheudes* *hispidus* J.C.Shaffer,1998 (Pyralidae) *hispidus* J.C.Shaffer,1998
2083. *Ematheudes* *natalensis* J.C.Shaffer,1998 (Pyralidae) *natalensis* J.C.Shaffer,1998
2084. *Ematheudes* *neurias* (Hampson,1918) (Pyralidae) *neurias* Hampson,1918; *erythrogaptus* Hampson,1918
2085. *Ematheudes* *paleatellus* Ragonot,1888 (Pyralidae) *paleatellus* Ragonot,1888
2086. *Ematheudes* *rhodochrous* (Hampson,1918) (Pyralidae) *rhodochrous* Hampson,1918; *brunneicostellus* Hampson,1918; *sarcoidus* Hampson,1918; *venatellus* Hampson,1918; *aulacodes* Meyrick,1933.
2087. *Ematheudes* *setigera* J.C.Shaffer,1998 (Pyralidae) *setigera* J.C.Shaffer,1998; #*setiger* Maes,2002
2088. *Ematheudes* *sinuosus* J.C.Shaffer,1998 (Pyralidae) *sinuosus* J.C.Shaffer,1998
2089. *Ematheudes* *strictus* J.C.Shaffer,1998 (Pyralidae) *strictus* J.C.Shaffer,1998

2090. *Ematheudes toxalis* J.C.Shaffer,1998 (Pyrilidae) *toxalis* J.C.Shaffer,1998
2091. *Ematheudes triangularis* J.C.Shaffer,1998 (Pyrilidae) *triangularis* J.C.Shaffer,1998; #*triangularis* Maes,2002
2092. *Endolasia transvaalica* Hampson,1926 (Pyrilidae) *transvaalica* Hampson,1926
2093. *Endolasia transvaalica transvaalica* Hampson,1926 (Pyrilidae) *transvaalica* Hampson,1926
2094. *Epicrocis abbreviata* (Balinsky,1994) (Pyrilidae) *abbreviata* Balinsky,1994
2095. *Epicrocis abbreviata abbreviata* (Balinsky,1994) (Pyrilidae) *abbreviata* Balinsky,1994
2096. *Epicrocis africana* (Janse,1942) (Pyrilidae) *africana* Janse,1942
2097. *Epicrocis africana africana* (Janse,1942) (Pyrilidae) *africana* Janse,1942
2098. *Epicrocis africanella* (Ragonot,1888) (Pyrilidae) *africanella* Ragonot,1888
2099. *Epicrocis africanella africanella* (Ragonot,1888) (Pyrilidae) *africanella* Ragonot,1888
2100. *Epicrocis ancylosiformis* (Balinsky,1994) (Pyrilidae) *ancylosiformis* Balinsky,1994
2101. *Epicrocis ancylosiformis ancylosiformis* (Balinsky,1994) (Pyrilidae) *ancylosiformis* Balinsky,1994
2102. *Epicrocis corielloides* (Balinsky,1994) (Pyrilidae) *corielloides* Balinsky,1994
2103. *Epicrocis corielloides corielloides* (Balinsky,1994) (Pyrilidae) *corielloides* Balinsky,1994
2104. *Epicrocis ferrealis* (Hampson,1898) (Pyrilidae) *ferrealis* Hampson,1898
2105. *Epicrocis ferrealis ferrealis* (Hampson,1898) (Pyrilidae) *ferrealis* Hampson,1898
2106. *Epicrocis flavicosta* (Balinsky,1994) (Pyrilidae) *flavicosta* Balinsky,1994
2107. *Epicrocis flavicosta flavicosta* (Balinsky,1994) (Pyrilidae) *flavicosta* Balinsky,1994
2108. *Epicrocis furcilinea* (Balinsky,1994) (Pyrilidae) *furcilinea* Balinsky,1994
2109. *Epicrocis furcilinea furcilinea* (Balinsky,1994) (Pyrilidae) *furcilinea* Balinsky,1994
2110. *Epicrocis intermedia* (Balinsky,1994) (Pyrilidae) *intermedia* Balinsky,1994
2111. *Epicrocis intermedia intermedia* (Balinsky,1994) (Pyrilidae) *intermedia* Balinsky,1994
2112. *Epicrocis laticostella* (Ragonot,1888) (Pyrilidae) *laticostella* Ragonot,1888
2113. *Epicrocis laticostella laticostella* (Ragonot,1888) (Pyrilidae) *laticostella* Ragonot,1888
2114. *Epicrocis ornata* (Balinsky,1994) (Pyrilidae) *ornata* Balinsky,1994
2115. *Epicrocis ornata ornata* (Balinsky,1994) (Pyrilidae) *ornata* Balinsky,1994
2116. *Epicrocis plumbifasciata* (Balinsky,1994) (Pyrilidae) *plumbifasciata* Balinsky,1994
2117. *Epicrocis plumbifasciata plumbifasciata* (Balinsky,1994) (Pyrilidae) *plumbifasciata* Balinsky,1994
2118. *Epicrocis punctata* (Balinsky,1994) (Pyrilidae) *punctata* Balinsky,1994
2119. *Epicrocis punctata punctata* (Balinsky,1994) (Pyrilidae) *punctata* Balinsky,1994
2120. *Epicrocis sacculata* (Balinsky,1994) (Pyrilidae) *sacculata* Balinsky,1994
2121. *Epicrocis sacculata sacculata* (Balinsky,1994) (Pyrilidae) *sacculata* Balinsky,1994
2122. *Epicrocis spiculata* (Balinsky,1994) (Pyrilidae) *spiculata* Balinsky,1994
2123. *Epicrocis spiculata spiculata* (Balinsky,1994) (Pyrilidae) *spiculata* Balinsky,1994
2124. *Epicrocis vansoni* (Balinsky,1994) (Pyrilidae) *vansoni* Balinsky,1994
2125. *Epicrocis vansoni vansoni* (Balinsky,1994) (Pyrilidae) *vansoni* Balinsky,1994
2126. *Eucarphia anomala* Balinsky,1994 (Pyrilidae) *anomala* Balinsky,1994
2127. *Eucarphia anomala anomala* Balinsky,1994 (Pyrilidae) *anomala* Balinsky,1994
2128. *Euchromius discopis* (Hampson,1919) (Pyrilidae) *discopis* Hampson,1919
2129. *Euchromius discopis discopis* (Hampson,1919) (Pyrilidae) *discopis* Hampson,1919
2130. *Euchromius mythus* Bleszynski,1970 (Pyrilidae) *mythus* Bleszynski,1970
2131. *Euchromius nigrobasalis* Schouten,1988 (Pyrilidae) *nigrobasalis* Schouten,1988
2132. *Euclasta (Proteuclasta) bacescui* Popescu-Gorj & Constantinescu,1977 (Pyrilidae) *bacescui* Popescu-Gorj & Constantinescu,1977
2133. *Euclasta (Proteuclasta) warreni* Distant,1892 (Pyrilidae) *warreni* Distant,1892; *hiracopis* Meyrick,1933
2134. *Euclasta (s.str.) varii* Popescu-Gorj & Constantinescu,1973 (Pyrilidae) *varii* Popescu-Gorj & Constantinescu,1973
2135. *Eulophota caustella* (Hampson,1901) (Pyrilidae) *caustella* Hampson,1901
2136. *Eulophota pretoriella* Joannis,1927 (Pyrilidae) *pretoriella* Joannis,1927
2137. *Faveria dionysia* (Zeller,1846) (Pyrilidae) *dionysia* Zeller,1846; *terrella* Ragonot,1888; *isoxyla* Meyrick,1937
2138. *Faveria dubia* (Balinsky,1994) (Pyrilidae) *dubia* Balinsky,1994
2139. *Faveria dubia dubia* (Balinsky,1994) (Pyrilidae) *dubia* Balinsky,1994
2140. *Faveria ignicephalis* (Balinsky,1994) (Pyrilidae) *ignicephalis* Balinsky,1994
2141. *Faveria ignicephalis ignicephalis* (Balinsky,1994) (Pyrilidae) *ignicephalis* Balinsky,1994
2142. *Faveria minima* (Balinsky,1994) (Pyrilidae) *minima* Balinsky,1994
2143. *Faveria minima minima* (Balinsky,1994) (Pyrilidae) *minima* Balinsky,1994
2144. *Faveria minuscula* (Balinsky,1994) (Pyrilidae) *minuscula* Balinsky,1994
2145. *Faveria minuscula minuscula* (Balinsky,1994) (Pyrilidae) *minuscula* Balinsky,1994
2146. *Faveria poliostrata* (Balinsky,1994) (Pyrilidae) *poliostrata* Balinsky,1994
2147. *Faveria poliostrata poliostrata* (Balinsky,1994) (Pyrilidae) *poliostrata* Balinsky,1994
2148. *Gaana quatra* Balinsky,1994 (Pyrilidae) *quatra* Balinsky,1994
2149. *Getulia semifuscella* Ragonot,1893 (Pyrilidae) *semifuscella* Ragonot,1893
2150. *Getulia semifuscella semifuscella* Ragonot,1893 (Pyrilidae) *semifuscella* Ragonot,1893
2151. *Haimbachia albiceps* (Hampson,1919) (Pyrilidae) *albiceps* Hampson,1919; *metaphaealis* Hampson,1919
2152. *Haimbachia albiceps albiceps* (Hampson,1919) (Pyrilidae) *albiceps* Hampson,1919; *metaphaealis* Hampson,1919
2153. *Haimbachia unipunctalis* (Hampson,1919) (Pyrilidae) *unipunctalis* Hampson,1919
2154. *Haimbachia unipunctalis unipunctalis* (Hampson,1919) (Pyrilidae) *unipunctalis* Hampson,1919
2155. *Heterochrosis oligochrodes* Hampson,1926 (Pyrilidae) *oligochrodes* Hampson,1926
2156. *Heterochrosis oligochrodes oligochrodes* Hampson,1926 (Pyrilidae) *oligochrodes* Hampson,1926
2157. *Homoeosoma (s.str.) stenotea* Hampson,1926 (Pyrilidae) *stenotea* Hampson,1926
2158. *Iangaigheria conisella* (Hampson,1926) (Pyrilidae) *conisella* Hampson,1926
2159. *Iangaigheria conisella conisella* (Hampson,1926) (Pyrilidae) *conisella* Hampson,1926
2160. *Iangaigheria heterotypa* (Balinsky,1994) (Pyrilidae) *heterotypa* Balinsky,1994
2161. *Iangaigheria heterotypa heterotypa* (Balinsky,1994) (Pyrilidae) *heterotypa* Balinsky,1994
2162. *Iangaigheria jansei* (Balinsky,1994) (Pyrilidae) *jansei* Balinsky,1994
2163. *Iangaigheria jansei jansei* (Balinsky,1994) (Pyrilidae) *jansei* Balinsky,1994

2164. *Langaigheria poliopasta* (Balinsky,1994) (Pyrilidae) *poliopasta* Balinsky,1994
2165. *Langaigheria poliopasta poliopasta* (Balinsky,1994) (Pyrilidae) *poliopasta* Balinsky,1994
2166. *Lamoria imbella* (Walker,1864) (Pyrilidae) *imbella* Walker,1864; *obsurella* Saalmüller,1880
2167. *Lamoria imbella imbella* (Walker,1864) (Pyrilidae) *imbella* Walker,1864; *obsurella* Saalmüller,1880
2168. *Laodamia hortensis* Balinsky,1994 (Pyrilidae) *hortensis* Balinsky,1994
2169. *Laodamia hortensis hortensis* Balinsky,1994 (Pyrilidae) *hortensis* Balinsky,1994
2170. *Laodamia injucunda* Balinsky,1994 (Pyrilidae) *injucunda* Balinsky,1994
2171. *Laodamia injucunda injucunda* Balinsky,1994 (Pyrilidae) *injucunda* Balinsky,1994
2172. *Laodamia natalensis* (Ragonot,1888) (Pyrilidae) *natalensis* Ragonot,1888
2173. *Laodamia natalensis natalensis* (Ragonot,1888) (Pyrilidae) *natalensis* Ragonot,1888
2174. *Laodamia nigerrima* Balinsky,1994 (Pyrilidae) *nigerrima* Balinsky,1994
2175. *Laodamia nigerrima nigerrima* Balinsky,1994 (Pyrilidae) *nigerrima* Balinsky,1994
2176. *Laodamia nonplagella* Balinsky,1994 (Pyrilidae) *nonplagella* Balinsky,1994
2177. *Laodamia nonplagella nonplagella* Balinsky,1994 (Pyrilidae) *nonplagella* Balinsky,1994
2178. *Laodamia ochreomelanella* (Ragonot,1888) (Pyrilidae) *ochreomelanella* Ragonot,1888
2179. *Laodamia ochreomelanella ochreomelanella* (Ragonot,1888) (Pyrilidae) *ochreomelanella* Ragonot,1888
2180. *Laodamia pulchra* Balinsky,1994 (Pyrilidae) *pulchra* Balinsky,1994
2181. *Laodamia pulchra pulchra* Balinsky,1994 (Pyrilidae) *pulchra* Balinsky,1994
2182. *Loxophantis pretoriella* Bleszynski,1970 (Pyrilidae) *pretoriella* Bleszynski,1970
2183. *Maruca vitrata* (Fabricius,1787) (Pyrilidae) *vitrata* Fabricius,1787; *testulalis* Geyer,[1837]; *aquatilis* Guérin-Méneville,[1832]; *bifenestralis* Mabilie,1880; *simialalis* Snellen,1892; *nigroapicalis* De Joannis,1930.
2184. *Microthrix inconspicuella* Ragonot,1888 (Pyrilidae) *inconspicuella* Ragonot,1888
2185. *Microthrix inconspicuella inconspicuella* Ragonot,1888 (Pyrilidae) *inconspicuella* Ragonot,1888
2186. *Miliberta gnathilata* Balinsky,1994 (Pyrilidae) *gnathilata* Balinsky,1994
2187. *Miliberta gnathilata gnathilata* Balinsky,1994 (Pyrilidae) *gnathilata* Balinsky,1994
2188. *Myelodes flavimargo* Hampson,1930 (Pyrilidae) *flavimargo* Hampson,1930
2189. *Myelodes flavimargo flavimargo* Hampson,1930 (Pyrilidae) *flavimargo* Hampson,1930
2190. *Nonphycita lineata* Balinsky,1994 (Pyrilidae) *lineata* Balinsky,1994
2191. *Nonphycita lineata lineata* Balinsky,1994 (Pyrilidae) *lineata* Balinsky,1994
2192. *Notarcha quaternalis* (Zeller,1852) (Pyrilidae) *quaternalis* Zeller,1852
2193. *Ortholepis unguinata* Balinsky,1994 (Pyrilidae) *unguinata* Balinsky,1994
2194. *Paralaodamia penicillifera* Balinsky,1994 (Pyrilidae) *penicillifera* Balinsky,1994
2195. *Paralaodamia penicillifera penicillifera* Balinsky,1994 (Pyrilidae) *penicillifera* Balinsky,1994
2196. *Paralaodamia pretoriensis* Balinsky,1994 (Pyrilidae) *pretoriensis* Balinsky,1994
2197. *Paralaodamia pretoriensis pretoriensis* Balinsky,1994 (Pyrilidae) *pretoriensis* Balinsky,1994
2198. *Paralaodamia rivulella* (Ragonot,1888) (Pyrilidae) *rivulella* Ragonot,1888
2199. *Paralaodamia rivulella rivulella* (Ragonot,1888) (Pyrilidae) *rivulella* Ragonot,1888
2200. *Paralaodamia subdivisella* (Ragonot,1893) (Pyrilidae) *subdivisella* Ragonot,1893
2201. *Paralaodamia subdivisella subdivisella* (Ragonot,1893) (Pyrilidae) *subdivisella* Ragonot,1893
2202. *Paralaodamia subligaculata* Balinsky,1994 (Pyrilidae) *subligaculata* Balinsky,1994
2203. *Paralaodamia subligaculata subligaculata* Balinsky,1994 (Pyrilidae) *subligaculata* Balinsky,1994
2204. *Paralaodamia transvaalica* Balinsky,1994 (Pyrilidae) *transvaalica* Balinsky,1994
2205. *Paralaodamia transvaalica transvaalica* Balinsky,1994 (Pyrilidae) *transvaalica* Balinsky,1994
2206. *Paratraea obliquivalis* (Hampson,1918) (Pyrilidae) *obliquivalis* Hampson,1918; *griseifasciata* Hampson,1919; *#griseifascia* Bleszynski,1962.
2207. *Paratraea obliquivalis obliquivalis* (Hampson,1918) (Pyrilidae) *obliquivalis* Hampson,1918; *griseifasciata* Hampson,1919; *#griseifascia* Bleszynski,1962.
2208. *Pardomima callixantha* Martin,1955 (Pyrilidae) *callixantha* Martin,1955
2209. *Parthenodes albiceps* Hampson,1917 (Pyrilidae) *albiceps* Hampson,1917
2210. *Phycita attenuata* Balinsky,1994 (Pyrilidae) *attenuata* Balinsky,1994
2211. *Phycita attenuata attenuata* Balinsky,1994 (Pyrilidae) *attenuata* Balinsky,1994
2212. *Phycita exaggerata* Balinsky,1994 (Pyrilidae) *exaggerata* Balinsky,1994
2213. *Phycita exaggerata exaggerata* Balinsky,1994 (Pyrilidae) *exaggerata* Balinsky,1994
2214. *Phycita randensis* Balinsky,1994 (Pyrilidae) *randensis* Balinsky,1994
2215. *Phycita randensis randensis* Balinsky,1994 (Pyrilidae) *randensis* Balinsky,1994
2216. *Phycita singularis* Balinsky,1994 (Pyrilidae) *singularis* Balinsky,1994
2217. *Phycita singularis singularis* Balinsky,1994 (Pyrilidae) *singularis* Balinsky,1994
2218. *Phycita spissoterminalis* Balinsky,1994 (Pyrilidae) *spissoterminalis* Balinsky,1994
2219. *Phycita spissoterminalis spissoterminalis* Balinsky,1994 (Pyrilidae) *spissoterminalis* Balinsky,1994
2220. *Phycita supenditata* Balinsky,1994 (Pyrilidae) *supenditata* Balinsky,1994
2221. *Pogononeura hirticostella* Ragonot,1888 (Pyrilidae) *hirticostella* Ragonot,1888
2222. *Pretoria nigribasis* Balinsky,1994 (Pyrilidae) *nigribasis* Balinsky,1994
2223. *Prionapteryx albimaculalis* (Hampson,1919) (Pyrilidae) *albimaculalis* Hampson,1919
2224. *Prionapteryx albimaculalis albimaculalis* (Hampson,1919) (Pyrilidae) *albimaculalis* Hampson,1919
2225. *Prionapteryx albofascialis* (Hampson,1919) (Pyrilidae) *albofascialis* Hampson,1919
2226. *Prionapteryx albofascialis albofascialis* (Hampson,1919) (Pyrilidae) *albofascialis* Hampson,1919
2227. *Prionapteryx argentescens* (Hampson,1919) (Pyrilidae) *argentescens* Hampson,1919
2228. *Prionapteryx argentescens argentescens* (Hampson,1919) (Pyrilidae) *argentescens* Hampson,1919
2229. *Prionapteryx brevivittalis* Hampson,1919 (Pyrilidae) *brevivittalis* Hampson,1919
2230. *Prionapteryx brevivittalis brevivittalis* Hampson,1919 (Pyrilidae) *brevivittalis* Hampson,1919
2231. *Pseudogetulia luminosa* Balinsky,1994 (Pyrilidae) *luminosa* Balinsky,1994
2232. *Pseudogetulia luminosa luminosa* Balinsky,1994 (Pyrilidae) *luminosa* Balinsky,1994
2233. *Pseudographis dermatina* Balinsky,1989 (Pyrilidae) *dermatina* Balinsky,1989
2234. *Rhynchopaschia reducta* Janse,1931 (Pyrilidae) *reducta* Janse,1931
2235. *Spatulipalpia monstrosa* Balinsky,1994 (Pyrilidae) *monstrosa* Balinsky,1994
2236. *Sphinctocera crasssquama* Warren,1897 (Pyrilidae) *crasssquama* Warren,1897
2237. *Sphinctocera crasssquama crasssquama* Warren,1897 (Pyrilidae) *crasssquama* Warren,1897

- 2238.** *Spoladea recurvalis* (Fabricius,1775) (Pyrilidae) *recurvalis* Fabricius,1775; *fascialis* Cramer,[1782]; *recurvella* Zincken,1818; *diffascialis* Hübner,[1825]; *albifascialis* Boisduval,1833; *animalis* Guenée,1854; *exodias* Meyrick,1904; *formosana* Shiraki,1913.
- 2239.** *Staudingeria* (s.str.) *magnifica* (Butler,1875) (Pyrilidae) *magnifica* Butler,1875
- 2240.** *Staudingeria* (s.str.) *mimeugraphella* Balinsky,1989 (Pyrilidae) *mimeugraphella* Balinsky,1989
- 2241.** *Styphlorachis mesophaea* Hampson,1930 (Pyrilidae) *mesophaea* Hampson,1930
- 2242.** *Styphlorachis mesophaea mesophaea* Hampson,1930 (Pyrilidae) *mesophaea* Hampson,1930
- 2243.** *Trachylepidia fructicassiella* Ragonot,1887 (Pyrilidae) *fructicassiella* Ragonot,1887
- 2244.** *Trachylepidia fructicassiella fructicassiella* Ragonot,1887 (Pyrilidae) *fructicassiella* Ragonot,1887
- 2245.** *Trachypteryx albisepta* Hampson,1926 (Pyrilidae) *albisepta* Hampson,1926
- 2246.** *Trachypteryx heterogramma* Hampson,1926 (Pyrilidae) *heterogramma* Hampson,1926
- 2247.** *Trachypteryx rhodoxantha* Hampson,1926 (Pyrilidae) *rhodoxantha* Hampson,1926
- 2248.** *Ulophora flavinia* Balinsky,1994 (Pyrilidae) *flavinia* Balinsky,1994
- 2249.** *Ulophora flavinia flavinia* Balinsky,1994 (Pyrilidae) *flavinia* Balinsky,1994
- 2250.** *Uresiphita polygonalis* ([Denis & Schiffermüller],1775) (Pyrilidae) *polygonalis* [Denis & Schiffermüller],1775; *#limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971
- 2251.** *Veldticola irrorella* Hampson,1930 (Pyrilidae) *irrorella* Hampson,1930
- 2252.** *Veldticola irrorella irrorella* Hampson,1930 (Pyrilidae) *irrorella* Hampson,1930
- 2253.** *Veldticola nebulosella* Hampson,1930 (Pyrilidae) *nebulosella* Hampson,1930
- 2254.** *Veldticola nebulosella nebulosella* Hampson,1930 (Pyrilidae) *nebulosella* Hampson,1930
- 2255.** *Veldticola persinuella* Hampson,1930 (Pyrilidae) *persinuella* Hampson,1930
- 2256.** *Veldticola persinuella persinuella* Hampson,1930 (Pyrilidae) *persinuella* Hampson,1930
- 2257.** *Veldticola striatella* Hampson,1930 (Pyrilidae) *striatella* Hampson,1930
- 2258.** *Veldticola striatella striatella* Hampson,1930 (Pyrilidae) *striatella* Hampson,1930
- 2259.** *Argema mimosae* (Boisduval,1847) (Saturniidae) *mimosae* Boisduval,1847; *elucidata* Grünberg,1910; *occidentalis* Gschwandner,1923; *bouvieri* Ghesquière,1934
- 2260.** *Bunaea alcinoe* (Stoll,1780) (Saturniidae) *alcinoe* Stoll,1780; *caffraria* Stoll,1790; *caffra* Hübner,1819; *nyctalops* Wallengren,1858; *punctigera* Wallengren,1860; *tricolor* Rothschild,1895; *alcinoina* Oberthür,1910; *barbertoniana* Oberthür,1910; *debeeri* Oberthür,1910; *durbania* Oberthür,1910; *nubica* Jordan,1910; *albercini* Dufrane,1953; *katangensis* Dufrane,1953; *atlantica* Dufrane,1953.
- 2261.** *Bunaeopsis arabella* (Aurivillius,1893) (Saturniidae) *arabella* Aurivillius,1893
- 2262.** *Epiphora mythimnia* (Westwood,1849) (Saturniidae) *mythimnia* Westwood,1849; *scribonia* Wallengren,1860.
- 2263.** *Goodia kuntzei* (Dewitz,1881) (Saturniidae) *kuntzei* Dewitz,1881; *ansorgei* Kirby,1896; *ochracea* Aurivillius,1901
- 2264.** *Gynanisa maja* (Klug,1836) (Saturniidae) *maja* Klug,1836; *isis* Duncan & Westwood,1841; *tata* Wallengren,1860; *macromaja* Strand,1920; *nigra* Bouvier,1927
- 2265.** *Heniocha dyops* (Maassen,1872) (Saturniidae) *dyops* Maassen,1872; *bioculata* Aurivillius,1879
- 2266.** *Imbrasia* (Gonimbrasia) *belina* (Westwood,1849) (Saturniidae) *belina* Westwood,1849; *junodi* Oberthür,1910; *annulata* Bouvier,1936
- 2267.** *Imbrasia* (Gonimbrasia) *cytherea* (Fabricius,1775) (Saturniidae) *cytherea* Fabricius,1775; *capensis* Stoll,1780; *pauper* Bouvier,1926; *unicolor* Bouvier,1926
- 2268.** *Imbrasia* (Gonimbrasia) *tyrrhea* (Cramer,1775) (Saturniidae) *tyrrhea* Cramer,1775; *rubra* Bouvier,1936
- 2269.** *Imbrasia* (Gonimbrasia) *wahlbergii* (Boisduval,1847) (Saturniidae) *wahlbergii* Boisduval,1847; *ochracea* Rebel,1917
- 2270.** *Imbrasia* (Gonimbrasia) *zambesina* (Walker,1865) (Saturniidae) *zambesina* Walker,1865; *zambesia* Feldwer,1874; *said* Oberthür,1878; *barcas* Maassen & Weymer,1881; *ringleri* Wichgraf,1906; *rectilinea* Oberthür,1910; *zanguebarica* Oberthür,1910.
- 2271.** *Imbrasia* (s.str.) *forda* (Westwood,1849) (Saturniidae) *forda* Westwood,1849; *patens* Boisduval,1847; *semicaeca* Walker,1855; *invenusta* Wallengren,1858; *cervina* Westwood,1881; *similis* Distant,1897
- 2272.** *Ludia delegorguei* (Boisduval,1847) (Saturniidae) *delegorguei* Boisduval,1847; *vetusta* Strand,1911
- 2273.** *Melanocera menippe* (Westwood,1849) (Saturniidae) *menippe* Westwood,1849; *habenichti* Wichgraf,1911; *transiens* Wichgraf,1911
- 2274.** *Pseudaphelia apollinaris* (Boisduval,1847) (Saturniidae) *apollinaris* Boisduval,1847; *balanoal* Guérin-Méneville,1847; *palaeacea* Herrich-Schäffer,1855
- 2275.** *Pseudobunaea tyrrhena* (Westwood,1849) (Saturniidae) *tyrrhena* Westwood,1849
- 2276.** *Rohaniella pygmaea* (Maassen & Weyding,1885) (Saturniidae) *pygmaea* Maassen & Weyding,1885; *pygela* Druce,1886
- 2277.** *Aeropetes tulbaghia* (Linnaeus,1764) (Satyridae) *tulbaghia* Linnaeus,1764.
- 2278.** *Aeropetes tulbaghia tulbaghia* (Linnaeus,1764) (Satyridae) *tulbaghia* Linnaeus,1764.
- 2279.** *Bicyclus anynana* (Butler,1879) (Satyridae) *anynana* Butler,1879
- 2280.** *Bicyclus ena* (Hewitson,1877) (Satyridae) *ena* Hewitson,1877
- 2281.** *Bicyclus ena ena* (Hewitson,1877) (Satyridae) *ena* Hewitson,1877
- 2282.** *Bicyclus safitza* (Westwood,[1850]) (Satyridae)
- 2283.** *Bicyclus safitza safitza* (Westwood,[1850]) (Satyridae)
- 2284.** *Cassionympha cassius* (Godart,[1824]) (Satyridae) *cassius* Godart,[1824]; *hyperbioides* Wallengren,1857
- 2285.** *Cassionympha cassius cassius* (Godart,[1824]) (Satyridae) *cassius* Godart,[1824]; *hyperbioides* Wallengren,1857
- 2286.** *Coenyra hebe* (Trimen,1862) (Satyridae) *hebe* Trimen,1862
- 2287.** *Coenyra hebe hebe* (Trimen,1862) (Satyridae) *hebe* Trimen,1862
- 2288.** *Coenyra rufiplaga* Trimen,1906 (Satyridae) *rufiplaga* Trimen,1906
- 2289.** *Coenyra rufiplaga rufiplaga* Trimen,1906 (Satyridae) *rufiplaga* Trimen,1906
- 2290.** *Coenyropsis natalii* (Boisduval,1847) (Satyridae) *natalii* Boisduval,1847; *schultzei* Grünberg,1910
- 2291.** *Coenyropsis natalii natalii* (Boisduval,1847) (Satyridae) *natalii* Boisduval,1847; *schultzei* Grünberg,1910
- 2292.** *Coenyropsis natalii poetulodes* Vári,1971 (Satyridae) *poetulodes* Vári,1971
- 2293.** *Dingana alaedeus* Henning & Henning,1984 (Satyridae) *alaedeus* Henning & Henning,1984
- 2294.** *Dingana alaedeus alaedeus* Henning & Henning,1984 (Satyridae) *alaedeus* Henning & Henning,1984
- 2295.** *Dingana bowkeri* (Trimen,1870) (Satyridae) *bowkeri* Trimen,1870
- 2296.** *Dingana dingana* (Trimen,1873) (Satyridae) *dingana* Trimen,1873
- 2297.** *Dingana dingana clara* (Van Son,1940) (Satyridae) *clara* Van Son,1940
- 2298.** *Dingana dingana dingana* (Trimen,1873) (Satyridae) *dingana* Trimen,1873
- 2299.** *Dira jansei* (Swiestra,1909) (Satyridae) *jansei* Swiestra,1909
- 2300.** *Dira jansei jansei* (Swiestra,1909) (Satyridae) *jansei* Swiestra,1909

2301. *Dira swanepoeli* (Van Son,1939) (Satyridae) *swanepoeli* Van Son,1939
2302. *Dira swanepoeli isolata* Van Son,1955 (Satyridae) *isolata* Van Son,1955
2303. *Dira swanepoeli swanepoeli* (Van Son,1939) (Satyridae) *swanepoeli* Van Son,1939
2304. *Gnophodes betsimena* (Boisduval,1833) (Satyridae)
2305. *Gnophodes betsimena diversa* (Butler,1880b) (Satyridae)
2306. *Henotesia perspicua* (Trimen,1873) (Satyridae) *perspicua* Trimen,1873
2307. *Henotesia perspicua perspicua* (Trimen,1873) (Satyridae) *perspicua* Trimen,1873
2308. *Henotesia simonsii* (Butler,1877) (Satyridae)
2309. *Henotesia simonsii simonsii* (Butler,1877) (Satyridae)
2310. *Melanitis leda* (Linnaeus,1758) (Satyridae) *leda* Linnaeus,1758; *bankia* Fabricius,1775; *barnardi* Lucas,1892
2311. *Melanitis leda helena* (Westwood,[1851]) (Satyridae) *helena* Westwood,[1851]
2312. *Neita extensa* (Butler,1898) (Satyridae) *extensa* Butler,1898; *major* Trimen,1906
2313. *Neita extensa extensa* (Butler,1898) (Satyridae) *extensa* Butler,1898; *major* Trimen,1906
2314. *Neita neita* (Wallengren,1875) (Satyridae) *neita* Wallengren,1875
2315. *Neita neita neita* (Wallengren,1875) (Satyridae) *neita* Wallengren,1875
2316. *Paralethe dendrophilus* (Trimen,1862) (Satyridae) *dendrophilus* Trimen,1862.
2317. *Paralethe dendrophilus indosa* Trimen,1879 (Satyridae) *indosa* Trimen,1879; *albomaculatus* Staudinger,1887.
2318. *Paralethe dendrophilus junodi* (Van Son,1935) (Satyridae) *junodi* Van Son,1935.
2319. *Physcaeneura panda* (Boisduval,1847) (Satyridae)
2320. *Physcaeneura panda panda* (Boisduval,1847) (Satyridae)
2321. *Pseudonympha magus* (Fabricius,1793) (Satyridae) *magus* Fabricius,1793
2322. *Pseudonympha magus magus* (Fabricius,1793) (Satyridae) *magus* Fabricius,1793
2323. *Pseudonympha narycia* Wallengren,1857 (Satyridae) *narycia* Wallengren,1857
2324. *Pseudonympha narycia narycia* Wallengren,1857 (Satyridae) *narycia* Wallengren,1857
2325. *Pseudonympha poetula* Trimen,1891 (Satyridae) *poetula* Trimen,1891
2326. *Pseudonympha poetula poetula* Trimen,1891 (Satyridae) *poetula* Trimen,1891
2327. *Stygionympha vigilans* (Trimen,1887) (Satyridae) *vigilans* Trimen,1887
2328. *Stygionympha vigilans vigilans* (Trimen,1887) (Satyridae) *vigilans* Trimen,1887
2329. *Stygionympha wichgrafi* Van Son,1955 (Satyridae) *johannesburgensis* Wichgraf,1911; *wichgrafi* Van Son,1955.
2330. *Stygionympha wichgrafi wichgrafi* Van Son,1955 (Satyridae) *johannesburgensis* Wichgraf,1911; *wichgrafi* Van Son,1955.
2331. *Ypthima antennata* Van Son,1955 (Satyridae) *antennata* Van Son,1955
2332. *Ypthima antennata antennata* Van Son,1955 (Satyridae) *antennata* Van Son,1955
2333. *Ypthima asterope* (Klug,1832) (Satyridae) *asterope* Klug,1832; *marlenii* Katulas & Koutsafikis,1978.
2334. *Ypthima asterope asterope* (Klug,1832) (Satyridae) *asterope* Klug,1832; *marlenii* Katulas & Koutsafikis,1978.
2335. *Ypthima impura* Elwes & Edwards,1893 (Satyridae) *impura* Elwes & Edwards,1893
2336. *Ypthima impura paupera* Ungemach,1932 (Satyridae) *paupera* Ungemach,1932; *#hiemis* Ungemach,1932; *#badhami* Van Son,1955.
2337. *Scythris accumulata* Meyrick,1914 (Scythridae) *accumulata* Meyrick,1914
2338. *Scythris anthracodelta* Meyrick,1911 (Scythridae) *anthracodelta* Meyrick,1911
2339. *Scythris aquaria* Meyrick,1913 (Scythridae) *aquaria* Meyrick,1913
2340. *Scythris calciflua* Meyrick,1921 (Scythridae) *calciflua* Meyrick,1921
2341. *Scythris canispersa* Meyrick,1913 (Scythridae) *canispersa* Meyrick,1913
2342. *Scythris cometa* Meyrick,1909 (Scythridae) *cometa* Meyrick,1909
2343. *Scythris cretiflua* Meyrick,1913 (Scythridae) *cretiflua* Meyrick,1913
2344. *Scythris farrata* Meyrick,1913 (Scythridae) *farrata* Meyrick,1913
2345. *Scythris fluctuosa* Meyrick,1914 (Scythridae) *fluctuosa* Meyrick,1914
2346. *Scythris fonticola* Meyrick,1911 (Scythridae) *fonticola* Meyrick,1911
2347. *Scythris glaphyropa* Meyrick,1914 (Scythridae) *glaphyropa* Meyrick,1914
2348. *Scythris justifica* Meyrick,1911 (Scythridae) *justifica* Meyrick,1911
2349. *Scythris lactanea* Meyrick,1913 (Scythridae) *lactanea* Meyrick,1913
2350. *Scythris latebrosa* Meyrick,1913 (Scythridae) *latebrosa* Meyrick,1913
2351. *Scythris nigrispersa* Meyrick,1918 (Scythridae) *nigrispersa* Meyrick,1918
2352. *Scythris pelochyta* Meyrick,1909 (Scythridae) *pelochyta* Meyrick,1909
2353. *Scythris psamathota* Meyrick,1913 (Scythridae) *psamathota* Meyrick,1913
2354. *Scythris rivigera* Meyrick,1911 (Scythridae) *rivigera* Meyrick,1911
2355. *Scythris sacharissa* Meyrick,1913 (Scythridae) *sacharissa* Meyrick,1913
2356. *Scythris stagnosa* Meyrick,1913 (Scythridae) *stagnosa* Meyrick,1913
2357. *Scythris vulgata* Meyrick,1914 (Scythridae) *vulgata* Meyrick,1914
2358. *Chamanthodon elymais* (Druce,1899) (Sesiidae) *elymais* Druce,1899
2359. *Chamanthodon leucopleura* (Hampson,1919) (Sesiidae) *leucopleura* Hampson,1919
2360. *Chamanthodon tapeina* Hampson,1919 (Sesiidae) *tapeina* Hampson,1919
2361. *Chamanthodon xanthopasta* Hampson,1919 (Sesiidae) *xanthopasta* Hampson,1919
2362. *Homogyna ignivittata* Hampson,1919 (Sesiidae) *ignivittata* Hampson,1919
2363. *Hypanthodon marisa* (Druce,1899) (Sesiidae) *marisa* Druce,1899
2364. *Melittia aureosquamata* (Wallengren,1863) (Sesiidae) *aureosquamata* Wallengren,1863; *houlberti* Le Cerf,1917
2365. *Melittia ectothyris* Hampson,1919 (Sesiidae) *ectothyris* Hampson,1919
2366. *Melittia oedipus* Oberthür,1878 (Sesiidae) *oedipus* Oberthür,1878; *ignidiscata* Hampson,1910; *oedipoides* Strand,1912; *#oedippus* Le Cerf,1917
2367. *Monopetalotaxis doleriformis* (Walker,1856) (Sesiidae) *doleriformis* Walker,1856; *wahlbergi* Wallengren,1858; *taylori* Druce,1899
2368. *Sura bicolor* Le Cerf,1917 (Sesiidae) *xylopiiformis* Le Cerf,1917 *nec* Wlk.,1856; *bicolor* Le Cerf,1917
2369. *Synanthodon flavipalpis* (Hampson,1910) (Sesiidae) *flavipalpis* Hampson,1910
2370. *Acherontia atropos* (Linnaeus,1758) (Sphingidae) *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877.
2371. *Acherontia atropos atropos* (Linnaeus,1758) (Sphingidae) *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877.
2372. *Basiothia medea* (Fabricius,1781) (Sphingidae) *medea* Fabricius,1781; *idrieus* Drury,1782; *minus* Fabricius,1787; *clio* Fabricius,1793; *onotherina* Martyn,1797; *transfigurata* Wallengren,1860
2373. *Basiothia schenki* (Möschler,1872) (Sphingidae) *schenki* Möschler,1872; *protocharis* Staudinger,1872
2374. *Batocnema africana* (Distant,1899) (Sphingidae) *africana* Distant,1899

2375. *Cephonodes hylas* (Linnaeus,1771) (Sphingidae) *hylas* Linnaeus,1771
2376. *Cephonodes hylas virescens* (Wallengren,1858) (Sphingidae) *virescens* Wallengren,1858; *confinis* Boisduval,[1875]
2377. *Coelonia fulvinitata* (Butler,1875) (Sphingidae) *fulvinitata* Butler,1875; *mauritii* Butler,1876
2378. *Daphnis nerii* (Linnaeus,1758) (Sphingidae) *nerii* Linnaeus,1758; *infernelutea* Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934.
2379. *Hippotion celerio* (Linnaeus,1758) (Sphingidae) *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albolineatus* Montrouzier,1864
2380. *Hippotion eson* (Cramer,1779) (Sphingidae) *eson* Cramer,1779; *thyelia* Westwood,1881; *elegans* Butler,1875; *gracilis* Butler,1875; *comoroana* Clark,1929; *luridus* Gehlen,1944
2381. *Lophostethus dumolinii* (Angas,[1849]) (Sphingidae) *dumolinii* Angas,[1849]
2382. *Macroglossum trochilum* (Hübner,[1823]) (Sphingidae) *trochilus* Hübner,[1823]; *sitiene* Walker,1856; *fasciatum* Wallengren,1858; *lysithous* Boisduval,[1875]; *#trochilus* Mitchell,1973
2383. *Microsphinx pumila* (Boisduval,[1875]) (Sphingidae) *pumila* Boisduval,[1875]; *minuta* Distant,1897
2384. *Nephele argentifera* (Walker,1856) (Sphingidae) *argentifera* Walker,1856
2385. *Nephele comma Hopffer*,1857 (Sphingidae) *comma* Hopffer,1857; *charoba* Kirby,1877; *derasa* Rothschild & Jordan,1903; *triangulifera* Closs,1914
2386. *Nephele vau* (Walker,1856) (Sphingidae) *vau* Walker,1856; *schimperferi* Lucas,1857; *raffrayi* Oberthür,1878
2387. *Odontosida magnifica* (Rothschild,1894) (Sphingidae) *magnifica* Rothschild,1894
2388. *Odontosida pusilla* (Felder,[1874]) (Sphingidae) *pusilla* Felder,[1874]; *pulcherrima* Rothschild,1894
2389. *Oligographa juniperi* (Boisduval,1847) (Sphingidae) *juniperi* Boisduval,1847; *mosambiquensis* Joicey & Kaye,1917
2390. *Platysphinx piabilis* (Distant,1897) (Sphingidae) *piabilis* Distant,1897; *bourkei* Trimen,1910
2391. *Polyptychoides grayii* (Walker,1856) (Sphingidae) *grayii* Walker,1856
2392. *Polyptychoides grayii grayii* (Walker,1856) (Sphingidae) *grayii* Walker,1856
2393. *Pseudoclanis postica* (Walker,1856) (Sphingidae) *postica* Walker,1856
2394. *Rhodafra opheltes* (Cramer,1780) (Sphingidae) *opheltes* Cramer,1780; *mariae* Wallengren,1875
2395. *Rufoclanis numosae* (Wallengren,1860) (Sphingidae) *numosae* Wallengren,1860; *mimosae* Wallengren,1860; *cytis* Druce,1882; *consanguinea* Distant,1899; *hesperus* Rothschild & Jordan,1916
2396. *Sphingonaepiopsis nana* (Walker,1856) (Sphingidae) *nana* Walker,1856; *gracilipes* Wallengren,1858.
2397. *Sphingonaepiopsis nana nana* (Walker,1856) (Sphingidae) *nana* Walker,1856; *gracilipes* Wallengren,1858.
2398. *Temnora murina* (Walker,1856) (Sphingidae) *murina* Walker,1856; *tyrrhus* Boisduval,1875
2399. *Temnora pylas* (Cramer,1779) (Sphingidae) *pylas* Cramer,1779; *brisaesus* Walker,1856
2400. *Theretra caju* (Cramer,1777) (Sphingidae) *caju* Cramer,1777; *gordius* Stoll,1781; *celaeno* Esper,1782; *gortys* Hübner,[1819]; *epicles* Boisduval,1875
2401. *Theretra capensis* (Linnaeus,1764) (Sphingidae) *capensis* Linnaeus,1764; *aeas* Cramer,1779; *cecrops* Cramer,1779; *clotho* Fabricius,1787 nec Dru.,1773; *immaculata* Gmelin,1790; *ostracina* Wallengren,1858; *#vinacea* Closs,1915.
2402. *Theretra capensis capensis* (Linnaeus,1764) (Sphingidae) *capensis* Linnaeus,1764; *aeas* Cramer,1779; *cecrops* Cramer,1779; *clotho* Fabricius,1787 nec Dru.,1773; *immaculata* Gmelin,1790; *ostracina* Wallengren,1858; *#vinacea* Closs,1915.
2403. *Aeoloscelis tripoda* Meyrick,1913 (Stathmopodidae) *tripoda* Meyrick,1913
2404. *Pachyrhabda triplecta* Meyrick,1913 (Stathmopodidae) *triplecta* Meyrick,1913
2405. *Pachyrhabda unctoria* Meyrick,1911 (Stathmopodidae) *unctoria* Meyrick,1911
2406. *Stathmopoda arcata* Meyrick,1913 (Stathmopodidae) *arcata* Meyrick,1913
2407. *Stathmopoda autoxantha* Meyrick,1913 (Stathmopodidae) *autoxantha* Meyrick,1913
2408. *Stathmopoda luminata* Meyrick,1911 (Stathmopodidae) *luminata* Meyrick,1911
2409. *Stathmopoda pomifera* Meyrick,1913 (Stathmopodidae) *pomifera* Meyrick,1913
2410. *Stathmopoda xanthoplitis* Meyrick,1908 (Stathmopodidae) *xanthoplitis* Meyrick,1908
2411. *Anaphe reticulata* Walker,1855 (Thaumetopoeidae) *reticulata* Walker,1855
2412. *Apisa canescens* Walker,1855 (Thyretidae) *canescens* Walker,1855
2413. *Arniocera erythropyga* (Wallengren,1860) (Thyridae) *erythropyga* Wallengren,1860; *negamica* Walker,1865
2414. *Banisia joccata* (Whalley,1971) (Thyridae) *joccata* Whalley,1971
2415. *Dysodia constellata* Warren,1908 (Thyridae) *constellata* Warren,1908
2416. *Proterozeugis brunnea* Warren,1908 (Thyridae) *brunnea* Warren,1908
2417. *"Phyllobrostis" argillosa* Meyrick,1911 (Tineidae) *argillosa* Meyrick,1911
2418. *"Tinea" encausta* Meyrick,1911 (Tineidae) *encausta* Meyrick,1911
2419. *Amphixystis anchiala* Meyrick,1909 (Tineidae) *anchiala* Meyrick,1909; *oxystyla* Meyrick,1911; *certa* Meyrick,1918
2420. *Ateliotum crymodes* (Meyrick,1908) (Tineidae) *crymodes* Meyrick,1908
2421. *Ceratophaga xanthastis* (Meyrick,1908) (Tineidae) *xanthastis* Meyrick,1908; *tolma* Bradley,1965
2422. *Crypsithyris spissa* Meyrick,1918 (Tineidae) *spissa* Meyrick,1918
2423. *Dicanica acrocentra* Meyrick,1913 (Tineidae) *acrocentra* Meyrick,1913
2424. *Edosa audens* (Meyrick,1921) (Tineidae) *audens* Meyrick,1921
2425. *Edosa leucastis* (Meyrick,1908) (Tineidae) *leucastis* Meyrick,1908
2426. *Edosa oratrix* (Meyrick,1913) (Tineidae) *oratrix* Meyrick,1913
2427. *Ellochotis leontopa* (Meyrick,1908) (Tineidae) *leontopa* Meyrick,1908
2428. *Ellochotis opifica* (Meyrick,1908) (Tineidae) *opifica* Meyrick,1908
2429. *Ellochotis trophias* (Meyrick,1908) (Tineidae) *trophias* Meyrick,1908
2430. *Ellochotis verecunda* (Meyrick,1911) (Tineidae) *verecunda* Meyrick,1911
2431. *Graphidivalva genitalis* (Meyrick,1913) (Tineidae) *genitalis* Meyrick,1913
2432. *Hapsifera glebata* Meyrick,1908 (Tineidae) *glebata* Meyrick,1908; *cervina* Gozmany,1965
2433. *Hapsifera meliceris* Meyrick,1908 (Tineidae) *meliceris* Meyrick,1908
2434. *Hapsifera ochroptila* Meyrick,1908 (Tineidae) *ochroptila* Meyrick,1908
2435. *Hyperbola chloristis* (Meyrick,1908) (Tineidae) *chloristis* Meyrick,1908
2436. *Hyperbola phocina* (Meyrick,1908) (Tineidae) *phocina* Meyrick,1908
2437. *Janseana vibrata* (Meyrick,1913) (Tineidae) *vibrata* Meyrick,1913; *crispa* Meyrick,1920
2438. *Miarotagmata penetrata* (Meyrick,1911) (Tineidae) *penetrata* Meyrick,1911; *myelopsis* Meyrick,1927
2439. *Minicorona tricarpa* (Meyrick,1913) (Tineidae) *tricarpa* Meyrick,1913
2440. *Monopis lamprostola* Meyrick,1918 (Tineidae) *lamprostola* Meyrick,1918
2441. *Nyctocymata crotalopsis* (Meyrick,1921) (Tineidae) *crotalopsis* Meyrick,1921; *amphicrossa* Meyrick,1921
2442. *Opogona chlorophanes* Meyrick,1908 (Tineidae) *chlorophanes* Meyrick,1908

2443. *Opogona trophis* Meyrick, 1913 (Tineidae) *trophis* Meyrick, 1913
2444. *Pelecostola tephrititis* (Meyrick, 1911) (Tineidae) *tephrititis* Meyrick, 1911; *#tephrinistis* Janse, 1917
2445. *Perissomastix* (s.str.) *adamasta* (Meyrick, 1909) (Tineidae) *adamasta* Meyrick, 1909
2446. *Phaeoses pileigera* (Meyrick, 1913) (Tineidae) *pileigera* Meyrick, 1913
2447. *Propachyarthra convallata* (Meyrick, 1918) (Tineidae) *convallata* Meyrick, 1918
2448. *Proterospastis antiphraeta* (Meyrick, 1909) (Tineidae) *antiphraeta* Meyrick, 1909; *psacadias* Meyrick, 1911
2449. *Proterospastis homestia* (Meyrick, 1908) (Tineidae) *homestia* Meyrick, 1908
2450. *Proterospastis megaspila* (Meyrick, 1913) (Tineidae) *megaspila* Meyrick, 1913
2451. *Psolarcha* (Group 3) *adamasta* (Meyrick, 1909) (Tineidae) *adamasta* Meyrick, 1909
2452. *Psolarcha* (Group 7) *holopsamma* (Meyrick, 1908) (Tineidae) *holopsamma* Meyrick, 1908
2453. *Psolarcha* (Group 7) *mascherata* (Gozmany, 1965) (Tineidae) *mascherata* Gozmany, 1965
2454. *Rhodobates paracosma* (Meyrick, 1908) (Tineidae) *paracosma* Meyrick, 1908
2455. *Sphallesthis hyalodes* (Meyrick, 1913) (Tineidae) *hyalodes* Meyrick, 1913
2456. *Sphallesthis oenopis* (Meyrick, 1908) (Tineidae) *oenopis* Meyrick, 1908
2457. *Sphallesthis paraxena* (Meyrick, 1908) (Tineidae) *paraxena* Meyrick, 1908
2458. *Sphallesthis tanystis* (Meyrick, 1908) (Tineidae) *tanystis* Meyrick, 1908; *angulivalva* Gozmany, 1965
2459. *Struthisca agitata* Meyrick, 1913 (Tineidae) *agitata* Meyrick, 1913
2460. *Struthisca areata* Meyrick, 1908 (Tineidae) *areata* Meyrick, 1908
2461. *Struthisca omichlodes* Meyrick, 1908 (Tineidae) *omichlodes* Meyrick, 1908
2462. *Tinea nesias* (Meyrick, 1911) (Tineidae) *nesias* Meyrick, 1911
2463. *Tinissa polystacta* (Meyrick, 1918) (Tineidae) *polystacta* Meyrick, 1918; *perilithas* Meyrick, 1927
2464. *Tracheloteina percastis* (Meyrick, 1908) (Tineidae) *percastis* Meyrick, 1908
2465. "Cnephasia" *captiva* Meyrick, 1911 (Tortricidae) *captiva* Meyrick, 1911
2466. "Cnephasia" *cedrota* (Meyrick, 1908) (Tortricidae) *cedrota* Meyrick, 1908
2467. "Cnephasia" *ergastularis* Meyrick, 1911 (Tortricidae) *ergastularis* Meyrick, 1911
2468. "Cnephasia" *opsarias* Meyrick, 1911 (Tortricidae) *opsarias* Meyrick, 1911
2469. *Acleris hectaea* (Meyrick, 1911) (Tortricidae) *hectaea* Meyrick, 1911
2470. *Ancylis falsicoma* Meyrick, 1914 (Tortricidae) *falsicoma* Meyrick, 1914
2471. *Ancylis halisparsa* Meyrick, 1909 (Tortricidae) *halisparsa* Meyrick, 1909
2472. *Anthozela chrysoxantha* Meyrick, 1913 (Tortricidae) *chrysoxantha* Meyrick, 1913
2473. *Archips occidentalis* (Walsingham, 1891) (Tortricidae) *occidentalis* Walsingham, 1891
2474. *Bactra* (Chiloides) *stagnicolana* Zeller, 1852 (Tortricidae) *stagnicolana* Zeller, 1852; *siccella* Walker, 1866
2475. *Bactra* (Nannobactra) *sardonias* (Meyrick, 1908) (Tortricidae) *sardonias* Meyrick, 1908
2476. *Bactra* (s.str.) *confusa* Diakonoff, 1963 (Tortricidae) *confusa* Diakonoff, 1963
2477. *Bactra* (s.str.) *pythonia* Meyrick, 1909 (Tortricidae) *pythonia* Meyrick, 1909; *hebetata* Meyrick, 1911
2478. *Bactra* (s.str.) *scrupulosa* Meyrick, 1909 (Tortricidae) *scrupulosa* Meyrick, 1909
2479. *Brachioxena lutrocopa* (Meyrick, 1914) (Tortricidae) *lutrocopa* Meyrick, 1914
2480. *Brachioxena psammacta* (Meyrick, 1908) (Tortricidae) *psammacta* Meyrick, 1908
2481. *Coccythera spissana* (Zeller, 1852) (Tortricidae) *spissana* Zeller, 1852
2482. *Cryptophlebia batrachopa* (Meyrick, 1908) (Tortricidae) *batrachopa* Meyrick, 1908
2483. *Cryptophlebia leucotreta* (Meyrick, 1913) (Tortricidae) *leucotreta* Meyrick, 1913
2484. *Cydia anthracotis* (Meyrick, 1913) (Tortricidae) *anthracotis* Meyrick, 1913
2485. *Cydia aphrospila* (Meyrick, 1921) (Tortricidae) *aphrospila* Meyrick, 1921
2486. *Cydia areata* (Meyrick, 1918) (Tortricidae) *areata* Meyrick, 1918
2487. *Cydia campestris* (Meyrick, 1914) (Tortricidae) *campestris* Meyrick, 1914
2488. *Cydia choleropa* (Meyrick, 1913) (Tortricidae) *choleropa* Meyrick, 1913
2489. *Cydia halmyris* (Meyrick, 1909) (Tortricidae) *halmyris* Meyrick, 1909
2490. *Cydia leptogramma* (Meyrick, 1913) (Tortricidae) *leptogramma* Meyrick, 1913
2491. *Cydia malacodes* (Meyrick, 1911) (Tortricidae) *malacodes* Meyrick, 1911
2492. *Cydia modica* (Meyrick, 1913) (Tortricidae) *modica* Meyrick, 1913
2493. *Cydia periculosa* (Meyrick, 1913) (Tortricidae) *periculosa* Meyrick, 1913
2494. *Cydia plerota* (Meyrick, 1921) (Tortricidae) *plerota* Meyrick, 1921
2495. *Cydia psamminitis* (Meyrick, 1913) (Tortricidae) *psamminitis* Meyrick, 1913
2496. *Cydia tricenra* (Meyrick, 1907) (Tortricidae) *tricenra* Meyrick, 1907
2497. *Cydia tumulata* Meyrick, 1908 (Tortricidae) *tumulata* Meyrick, 1908
2498. *Cydia virescens* (Meyrick, 1918) (Tortricidae) *virescens* Meyrick, 1918
2499. *Dichrorampha embolaea* (Meyrick, 1918) (Tortricidae) *embolaea* Meyrick, 1918
2500. *Dolichostis homographa* Meyrick, 1920 (Tortricidae) *homographa* Meyrick, 1920
2501. *Eccopsis wahlbergiana* Zeller, 1852 (Tortricidae) *wahlbergiana* Zeller, 1852; *fluctuatana* Walsingham, 1881
2502. *Epichorista geraeas* Meyrick, 1909 (Tortricidae) *geraeas* Meyrick, 1909
2503. *Epichoristodes* (Tubula) *acerbella* (Walker, 1864) (Tortricidae) *acerbella* Walker, 1864; *iocoma* Meyrick, 1908; *ionephela* Meyrick, 1908
2504. *Eucosma accipitrina* Meyrick, 1913 (Tortricidae) *accipitrina* Meyrick, 1913
2505. *Eucosma actiosa* Meyrick, 1913 (Tortricidae) *actiosa* Meyrick, 1913
2506. *Eucosma amara* Meyrick, 1913 (Tortricidae) *amara* Meyrick, 1913
2507. *Eucosma callosa* Meyrick, 1913 (Tortricidae) *callosa* Meyrick, 1913
2508. *Eucosma calliarma* Meyrick, 1909 (Tortricidae) *calliarma* Meyrick, 1909
2509. *Eucosma chloroterma* Meyrick, 1913 (Tortricidae) *chloroterma* Meyrick, 1913
2510. *Eucosma clarifica* Meyrick, 1913 (Tortricidae) *clarifica* Meyrick, 1913
2511. *Eucosma desipiens* Meyrick, 1918 (Tortricidae) *desipiens* Meyrick, 1918
2512. *Eucosma inscisa* Meyrick, 1913 (Tortricidae) *inscisa* Meyrick, 1913
2513. *Eucosma insolens* Meyrick, 1909 (Tortricidae) *insolens* Meyrick, 1909
2514. *Eucosma isogramma* (Meyrick, 1908) (Tortricidae) *isogramma* Meyrick, 1908
2515. *Eucosma leucopetra* Meyrick, 1908 (Tortricidae) *leucopetra* Meyrick, 1908
2516. *Eucosma marmara* Meyrick, 1909 (Tortricidae) *marmara* Meyrick, 1909
2517. *Eucosma monitrix* Meyrick, 1909 (Tortricidae) *monitrix* Meyrick, 1909

2518. *Eucosma opsonoma* Meyrick, 1918 (Tortricidae) *opsonoma* Meyrick, 1918
2519. *Eucosma paracremna* Meyrick, 1913 (Tortricidae) *paracremna* Meyrick, 1913
2520. *Eucosma passiva* Meyrick, 1913 (Tortricidae) *passiva* Meyrick, 1913
2521. *Eucosma riciniata* Meyrick, 1911 (Tortricidae) *riciniata* Meyrick, 1911
2522. *Eucosma rufescens* Meyrick, 1913 (Tortricidae) *rufescens* Meyrick, 1913
2523. *Eucosma salticola* Meyrick, 1913 (Tortricidae) *salticola* Meyrick, 1913
2524. *Eucosma scenica* Meyrick, 1911 (Tortricidae) *scenica* Meyrick, 1911
2525. *Eucosma solennis* Meyrick, 1913 (Tortricidae) *solennis* Meyrick, 1913
2526. *Eucosma spiculifera* Meyrick, 1913 (Tortricidae) *spiculifera* Meyrick, 1913
2527. *Eucosma symbola* Meyrick, 1909 (Tortricidae) *symbola* Meyrick, 1909
2528. *Eucosma thematica* Meyrick, 1918 (Tortricidae) *thematica* Meyrick, 1918
2529. *Eucosma tremula* Meyrick, 1909 (Tortricidae) *tremula* Meyrick, 1909
2530. *Eugnosta assecula* (Meyrick, 1909) (Tortricidae) *assecula* Meyrick, 1909
2531. *Eugnosta feriata* (Meyrick, 1913) (Tortricidae) *feriata* Meyrick, 1913
2532. *Eugnosta misella* Razowski, 1993 (Tortricidae) *misella* Razowski, 1993
2533. *Eugnosta replicata* (Meyrick, 1913) (Tortricidae) *replicata* Meyrick, 1913
2534. *Eugnosta stigmatica* (Meyrick, 1909) (Tortricidae) *stigmatica* Meyrick, 1909
2535. *Eugnosta umbraculata* (Meyrick, 1918) (Tortricidae) *umbraculata* Meyrick, 1918
2536. *Eugnosta vecorda* Razowski, 1993 (Tortricidae) *vecorda* Razowski, 1993
2537. *Eupoecilia kruegeriana* Razowski, 1993 (Tortricidae) *kruegeriana* Razowski, 1993
2538. *Grapholita delineana* (Walker, 1863) (Tortricidae) *delineana* Walker, 1863; *apicatana* Walker, 1863; *sinana* Felder, 1874; *tetragrammana* Staudinger, 1879; *mundana* Christoph, 1881; *terstrigana* Ragonot, 1894; *quadristrana* Walsingham, 1900.
2539. *Lobesia (Harmosma) harmonia* (Meyrick, 1908) (Tortricidae) *harmonia* Meyrick, 1908
2540. *Lobesia (Polychrosis) incultana* (Walker, 1863) (Tortricidae) *incultana* Walker, 1863
2541. *Lobesia (Polychrosis) metachlora* (Meyrick, 1913) (Tortricidae) *metachlora* Meyrick, 1913
2542. *Lobesia (Polychrosis) primaria* (Meyrick, 1909) (Tortricidae) *primaria* Meyrick, 1909
2543. *Lobesia (Polychrosis) scorpiodes* (Meyrick, 1908) (Tortricidae) *scorpiodes* Meyrick, 1908
2544. *Lobesia (Polychrosis) stericta* (Meyrick, 1911) (Tortricidae) *stericta* Meyrick, 1911
2545. *Metamesia elegans* (Walsingham, 1881) (Tortricidae) *elegans* Walsingham, 1881; *hedrastis* Meyrick, 1908; *prona* Meyrick, 1911.
2546. *Olethreutes (Argyroplote) brevibasana* (Walsingham, 1891) (Tortricidae) *brevibasana* Walsingham, 1891
2547. *Olethreutes (Argyroplote) carceraria* (Meyrick, 1913) (Tortricidae) *carceraria* Meyrick, 1913
2548. *Olethreutes (Argyroplote) exhilarata* (Meyrick, 1918) (Tortricidae) *exhilarata* Meyrick, 1918; *eoplecta* Meyrick, 1925
2549. *Olethreutes (Argyroplote) nucleata* (Meyrick, 1913) (Tortricidae) *nucleata* Meyrick, 1913
2550. *Olethreutes (Argyroplote) orthacta* (Meyrick, 1908) (Tortricidae) *orthacta* Meyrick, 1908
2551. *Olethreutes (Argyroplote) prodroma* (Meyrick, 1913) (Tortricidae) *prodroma* Meyrick, 1913
2552. *Olethreutes (Argyroplote) ptilonota* (Meyrick, 1921) (Tortricidae) *ptilonota* Meyrick, 1921
2553. *Olethreutes (Argyroplote) sagata* (Meyrick, 1913) (Tortricidae) *sagata* Meyrick, 1913
2554. *Olethreutes (Argyroplote) sistrata* (Meyrick, 1911) (Tortricidae) *sistrata* Meyrick, 1911
2555. *Spilonota conica* Meyrick, 1911 (Tortricidae) *conica* Meyrick, 1911
2556. *Tortrix agroeca* Meyrick, 1908 (Tortricidae) *agroeca* Meyrick, 1908
2557. *Tortrix capensana* (Walker, 1863) (Tortricidae) *capensana* Walker, 1863; *adustana* Walsingham, 1881
2558. *Tortrix furtiva* Meyrick, 1911 (Tortricidae) *furtiva* Meyrick, 1911
2559. *Tortrix metapyrrha* Meyrick, 1918 (Tortricidae) *metapyrrha* Meyrick, 1918
2560. *Tortrix pharetrata* Meyrick, 1909 (Tortricidae) *pharetrata* Meyrick, 1909
2561. *Tortrix psoricodes* Meyrick, 1911 (Tortricidae) *psoricodes* Meyrick, 1911
2562. *Tuckia africana* (Walsingham, 1881) (Tortricidae) *africana* Walsingham, 1881
2563. *Acrolepia canachopis* Meyrick, 1913 (Yponomeutidae) *canachopis* Meyrick, 1913
2564. *Argyresthia (s.str.) pentanoma* Meyrick, 1913 (Yponomeutidae) *pentanoma* Meyrick, 1913
2565. *Argyresthia (s.str.) stilpnota* Meyrick, 1913 (Yponomeutidae) *stilpnota* Meyrick, 1913
2566. *Lepocnemis bascanopa* Meyrick, 1913 (Yponomeutidae) *bascanopa* Meyrick, 1913
2567. *Epizygaena myodes* (Druce, 1899) (Zygaenidae) *myodes* Druce, 1899
2568. *Epizygaena ochreipennis* (Butler, 1874) (Zygaenidae) *ochreipennis* Butler, 1874

Chapter 8

"insan nadir deęil insanlık nadirdir,
insan az deęil doęruluk azdır"

Yusuf Has Hacib, Uighurian Philosopher

Illustrated list of the Lepidoptera recorded in Uighur Ili

by

Muhabbet Kemal

Ahmet Ömer Koçak

Abstract: Chapter 8: Illustrated list of the Lepidoptera recorded in Uighur Ili, [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 1685-1717, Pls.

In this chapter, intermediate results of the the Project, Lepidoptera of Uighur Ili are submitted. Totally 1825 taxa, which belong to 1271 species together with their synonyms are listed alphabetically under the related families. Some original images, taken by the authors during recent visits to Tengri Tagh between Kulca and Urumchi are also added.

During the studies on the Project of Lepidoptera of Uighur Ili (LUi), we compiled the published information on the Lepidoptera of this country. This survey is still continuing. As an intermediate results, the following list of the species group taxa are arranged alphabetically under the related families. Totally 1825 taxa, belonging to 1271 species, are given below with their synonyms. Illustrations are presented here as some examples, which indicate some results of recent field studies between Kulca and Urumchi, carried out by the authors in recent years.

List of the Lepidoptera recorded in Uighur Ili

1. **Adela mutabilella** Küppers,1980 (Adelidae)
mutabilella Küppers,1980
2. **Arctia caja** (Linnaeus,1758) (Arctiidae) caja
Linnaeus,1758; erinacea Retzius,1783; phantasma Niepelt,1905;
lusitanica Spuler,1906; confluens Rebel,1910 nec Rom.,1884; rebeli
Wnukowsky,1929.
3. **Arctia caja caja** (Linnaeus,1758) (Arctiidae) caja
Linnaeus,1758; erinacea Retzius,1783; phantasma Niepelt,1905;
lusitanica Spuler,1906; confluens Rebel,1910 nec Rom.,1884; rebeli
Wnukowsky,1929.
4. **Arctia caja roschaengul** Kemal & Koçak,2007
(Arctiidae) roschaengul Kemal & Koçak,2007
5. **Arctia flavia** (Fuessly,1779) (Arctiidae) flavia
Fuessly,1779; virgo Hübner,[1804]; campestris Graeser,1892;
uralensis Heyne,1899; sibirica Heyne,1899; lederi O.Bang-
Haas,1927; baicalensis O.Bang-Haas,1927; jeholensis O.Bang-
Haas,1927
6. **Arctia flavia flavia** (Fuessly,1779) (Arctiidae) flavia
Fuessly,1779; virgo Hübner,[1804]; campestris Graeser,1892;
uralensis Heyne,1899; sibirica Heyne,1899; lederi O.Bang-
Haas,1927; baicalensis O.Bang-Haas,1927; jeholensis O.Bang-
Haas,1927
7. **Arctia intercalaris** (Eversmann,1843) (Arctiidae)
intercalaris Eversmann,1843; boettcheri O.Bang-Haas,1927.
8. **Arctia intercalaris intercalaris** (Eversmann,1843)
(Arctiidae) intercalaris Eversmann,1843; boettcheri O.Bang-
Haas,1927.
9. **Arctia ladakensis** (O.Bang-Haas,1927) (Arctiidae)
ladakensis O.Bang-Haas,1927
10. **Arctia rueckbeili** Püngeler,1901 (Arctiidae)
rueckbeili Püngeler,1901
11. **Arctia rueckbeili rueckbeili** Püngeler,1901
(Arctiidae) rueckbeili Püngeler,1901
12. **Chelis dahurica** (Boisduval,1832) (Arctiidae)
dahurica Boisduval,1832; gruneri Staudinger,1867; sojota
Tschetverikov,1904.
13. **Chelis dahurica dahurica** (Boisduval,1832)
(Arctiidae) dahurica Boisduval,1832; gruneri Staudinger,1867;
sojota Tschetverikov,1904.
14. **Chelis maculosa** (Gerning,1780) (Arctiidae)
#maculosa [Denis & Schiffermüller],1775; maculosa Gerning,1780;
monacensis Osthelder,1933.
15. **Chelis maculosa honesta** (Tauscher,1806) (Arctiidae)
honesta Tauscher,1806; mannerheimi Duponchel,1836
16. **Chelis strigulosa** (Böttcher,1905) (Arctiidae)
strigulosa Böttcher,1905; thianshana Dubatolov,1988
17. **Chelis strigulosa strigulosa** (Böttcher,1905)
(Arctiidae) strigulosa Böttcher,1905; thianshana Dubatolov,1988
18. **Coscinia cribraria** (Linnaeus,1758) (Arctiidae)
cribraria Linnaeus,1758; cribrum Linnaeus,1761; chrysocephala
Hübner,[1804]; punctigera Freyer,1834; sibirica Staudinger,1892;
bivittata South,1900; fumidaria O.Bang-Haas,1927; arenaria
Lempke,1937; nikitini O.Bang-Haas,1938; pannonica
Daniel,1955;...
19. **Coscinia cribraria cribraria** (Linnaeus,1758)
(Arctiidae) cribraria Linnaeus,1758; cribrum Linnaeus,1761;
chrysocephala Hübner,[1804]; punctigera Freyer,1834; sibirica
Staudinger,1892; bivittata South,1900; fumidaria O.Bang-
Haas,1927; arenaria Lempke,1937; nikitini O.Bang-Haas,1938;
pannonica Daniel,1955;...
20. **Diacrisia sannio** (Linnaeus,1758) (Arctiidae) sannio
Linnaeus,1758; russula Linnaeus,1758; vulpinaria Linnaeus,1758;
hesperidea Fourcroy,1785; pallida Staudinger,1892.
21. **Diacrisia sannio mortua** (Staudinger,1887)
(Arctiidae) mortua Staudinger,1887; uniformis A.Bang-Haas,1907;
syrdarja Strand,1919.
22. **Eudiaphora turensis** (Erschoff,1874) (Arctiidae)
turensis Erschoff,1874; maracandica Seitz,1910; afghanistanensis
Daniel,1966.
23. **Eudiaphora turensis turensis** (Erschoff,1874)
(Arctiidae) turensis Erschoff,1874; maracandica Seitz,1910;
afghanistanensis Daniel,1966.
24. **Hyphoraia aulica** (Linnaeus,1758) (Arctiidae) aulica
Linnaeus,1758
25. **Hyphoraia aulica aulica** (Linnaeus,1758) (Arctiidae)
aulica Linnaeus,1758
26. **Hyphoraia kolpakofskii** (Alpheraky,1882) (Arctiidae)
kolpakofskii Alpheraky,1882
27. **Lacydes spectabilis** (Tauscher,1806) (Arctiidae)
spectabilis Tauscher,1806; intercissa Freyer,1842.
28. **Lacydes spectabilis spectabilis** (Tauscher,1806)
(Arctiidae) spectabilis Tauscher,1806; intercissa Freyer,1842.
29. **Oroncus** (Arctoroncus) **ladakensis** (O.Bang-
Haas,1927) (Arctiidae) ladakensis O.Bang-Haas,1927
30. **Oroncus** (Arctoroncus) **ladakensis ladakensis**
(O.Bang-Haas,1927) (Arctiidae) ladakensis O.Bang-Haas,1927
31. **Oroncus** (s.str.) **tancrei** (Staudinger,1887) (Arctiidae)
tancrei Staudinger,1887; urania Püngeler,1904.
32. **Oroncus** (s.str.) **tancrei tancrei** (Staudinger,1887)
(Arctiidae) tancrei Staudinger,1887; urania Püngeler,1904.
33. **Orontobia coelestina** (Püngeler,1904) (Arctiidae)
coelestina Püngeler,1904
34. **Palearctia erschoffii** (Alpheraky,1882) (Arctiidae)
erschoffii Alpheraky,1882; korlana O.Bang-Haas,1927
35. **Palearctia erschoffii erschoffii** (Alpheraky,1882)
(Arctiidae) erschoffii Alpheraky,1882; korlana O.Bang-Haas,1927
36. **Palearctia ferghana** (Staudinger,1887) (Arctiidae)
ferghana Staudinger,1887
37. **Palearctia ferghana ferghana** (Staudinger,1887)
(Arctiidae) ferghana Staudinger,1887
38. **Palearctia glaphyra** (Eversmann,1843) (Arctiidae)
glaphyra Eversmann,1843
39. **Palearctia glaphyra aksuensis** (O.Bang-Haas,1927)
(Arctiidae) aksuensis O.Bang-Haas,1927; naryna O.Bang-
Haas,1927
40. **Palearctia glaphyra manni** (Staudinger,1881)
(Arctiidae) manni Staudinger,1881

41. **Palaearctia gratiosa** (Grum-Grshimailo,1890) (Arctiidae) gratiosa Grum-Grshimailo,1890
42. **Palaearctia gratiosa sarycola** De Freina,1997 (Arctiidae) sarycola De Freina,1997
43. **Palaearctia rasa** Saldaitis, Ivinskis & Churkin,2000 (Arctiidae) rasa Saldaitis, Ivinskis & Churkin,2000
44. **Parasemia plantaginis** (Linnaeus,1758) (Arctiidae) plantaginis Linnaeus,1758; hospita [Denis & Schiffermüller],1775.
45. **Phragmatobia coelestina** Püngeler,1904 (Arctiidae) coelestina Püngeler,1904
46. **Phragmatobia fuliginosa** (Linnaeus,1758) (Arctiidae) fuliginosa Linnaeus,1758; fervida Staudinger,1871 nec Walk.,1855; lurida Rothschild,1910; monticola Daniel,1970 nec Reiss.,1934
47. **Phragmatobia fuliginosa paghmani** Lenek,1966 (Arctiidae) paghmani Lenek,1966; nawari Ebert,1973
48. **Phragmatobia fuliginosa pulverulenta** (Alpheraky,1889) (Arctiidae) pulverulenta Alpheraky,1889; pallida Rothschild,1910; thibetica Strand,1919.
49. **Rhyparia purpurata** (Linnaeus,1758) (Arctiidae) purpurata Linnaeus,1758; purpurea Linnaeus,1767; uralensis Spuler,1906; barteli Krulikowsky,1909.
50. **Sibirarctia kindermanni** (Staudinger,1867) (Arctiidae) kindermanni Staudinger,1867
51. **Sibirarctia kindermanni pomona** (Staudinger,1897) (Arctiidae) pomona Staudinger,1897; roseni O.Bang-Haas,1927.
52. **Spilosoma urticae** (Esper,[1789]) (Arctiidae) urticae Esper,[1789]
53. **Spilosoma urticae urticae** (Esper,[1789]) (Arctiidae) urticae Esper,[1789]
54. **Spiris bipunctata** (Staudinger,1892) (Arctiidae) bipunctata Staudinger,1892
55. **Spiris bipunctata bipunctata** (Staudinger,1892) (Arctiidae) bipunctata Staudinger,1892
56. **Spiris striata** (Linnaeus,1758) (Arctiidae) striata Linnaeus,1758; grammica Linnaeus,1758; funerea Eversmann,1847; strandi Obraztsov,1936; slovenica Daniel,1939; wisniewskii Wojtusiak & Niesielowski,1946; hospitali Marten,1948.
57. **Spiris striata striata** (Linnaeus,1758) (Arctiidae) striata Linnaeus,1758; grammica Linnaeus,1758; funerea Eversmann,1847; strandi Obraztsov,1936; slovenica Daniel,1939; wisniewskii Wojtusiak & Niesielowski,1946; hospitali Marten,1948.
58. **Tancrea pardalina** Püngeler,1898 (Arctiidae) pardalina Püngeler,1898
59. **Tancrea pardalina** Püngeler,1898 (Arctiidae) pardalina Püngeler,1898
60. **Tancrea pardalina pardalina** Püngeler,1898 (Arctiidae) pardalina Püngeler,1898
61. **Tyria jacobaeae** (Linnaeus,1758) (Arctiidae) jacobaeae Linnaeus,1758; senecionis Godart,1823; confluens Schultz,1908.
62. **Utetheisa (s.str.) pulchella** (Linnaeus,1758) (Arctiidae) pulchella Linnaeus,1758; pulchra [Denis & Schiffermüller],1775; thyter Butler,1877; shyama Bhattacharjee & Gupta,1969; menoni Bhattacharjee & Gupta,1969.
63. **Watsonarctia deserta** (Bartel,1902) (Arctiidae) casta Esper,[1784] nec Pall.,1771; deserta Bartel,1902; sibirica Kozhantschikov,1924; callesi Gomez-Bustillo,1979; esperi Koçak,1980.
64. **Watsonarctia deserta centralasiae** (O.Bang-Haas,1927) (Arctiidae) centralasiae O.Bang-Haas,1927
65. **Aglais ladakensis** (Moore,1878) (Argynnidae) ladakensis Moore,1878
66. **Aglais ladakensis ladakensis** (Moore,1878) (Argynnidae) ladakensis Moore,1878
67. **Aglais nixa** (Groum-Grshimailo,1890) (Argynnidae) nixa Groum-Grshimailo,1890
68. **Aglais nixa nixa** (Groum-Grshimailo,1890) (Argynnidae) nixa Groum-Grshimailo,1890
69. **Aglais urticae** (Linnaeus,1758) (Argynnidae) urticae Linnaeus,1758; opima Verity,1919; variegata Querci,1932; strandi Verity,1936.
70. **Aglais urticae urticae** (Linnaeus,1758) (Argynnidae) urticae Linnaeus,1758; opima Verity,1919; variegata Querci,1932; strandi Verity,1936.
71. **Apatura ilia** ([Denis & Schiffermüller],1775) (Argynnidae) ilia [Denis & Schiffermüller],1775; clytie [Denis & Schiffermüller],1775; luteus Esper,1777; roeselii Bergsträßer,1779; vulgaris Bergsträßer,1779; rubescens Esper,1781; eos Rossi,1794; julia Schrank,1801; astasia Hübner,1826; heos Meigen,1828, etc.
72. **Apatura ilia ilia** ([Denis & Schiffermüller],1775) (Argynnidae) ilia [Denis & Schiffermüller],1775; clytie [Denis & Schiffermüller],1775; luteus Esper,1777; roeselii Bergsträßer,1779; vulgaris Bergsträßer,1779; rubescens Esper,1781; eos Rossi,1794; julia Schrank,1801; astasia Hübner,1826; heos Meigen,1828, etc.
73. **Argynnis (Argyreus) hyperbius** (Linnaeus,1763) (Argynnidae) hyperbius Linnaeus,1763; niphe Linnaeus,1767.
74. **Argynnis (Argyreus) hyperbius hyperbius** (Linnaeus,1763) (Argynnidae) hyperbius Linnaeus,1763; niphe Linnaeus,1767.
75. **Argynnis (Argyronome) laodice** (Pallas,1771) (Argynnidae) laodice Pallas,1771; cethosia Fabricius,1793
76. **Argynnis (Argyronome) laodice laodice** (Pallas,1771) (Argynnidae) laodice Pallas,1771; cethosia Fabricius,1793
77. **Argynnis (Fabriciana) adippe** (Rottentburg,1775) (Argynnidae) cydippe Linnaeus,1761 (rejected); berecynthia Poda,1761 (rejected); adippe Rottentburg,1775; phryxa Bergsträßer,1780; margaritacea Retzius,1783; syrx Borkhausen,1788; aspasia Borkhausen,1788; liriopie Borkhausen,1788; baiuvarica Spuler,1901, etc.
78. **Argynnis (Fabriciana) adippe tianschanica** Alpheraky,1881 (Argynnidae) tianschanica Alpheraky,1881
79. **Argynnis (Fabriciana) niobe** (Linnaeus,1758) (Argynnidae) niobe Linnaeus,1758.
80. **Argynnis (Fabriciana) niobe orientalis** Alpheraky,1881 (Argynnidae) orientalis Alpheraky,1881
81. **Argynnis (Pandoriana) pandora** ([Denis & Schiffermüller],1775) (Argynnidae) pandora [Denis & Schiffermüller],1775; maja Cramer,1775 nec Fabricius,1775; cynara Fabricius,1777; cyrnea Schwerda,1926; transcaucasica Moucha,1967; deserticola Gross & Ebert,1975.
82. **Argynnis (Pandoriana) pandora pasargades** Fruhstorfer,1908 (Argynnidae) pasargades Fruhstorfer,1908
83. **Argynnis (Speyeria) aglaja** (Linnaeus,1758) (Argynnidae) aglaja Linnaeus,1758; charlotta Haworth,1802; emilia Acerbi,1802 nec Cr.,1779; caroletta Jermyn,1827; locuples Verity,1919 nec Butler,1879; emilocuples Verity,1919; locupletata Verity,1922; montesignum Sagarra,1926.
84. **Argynnis (Speyeria) aglaja aglaja** (Linnaeus,1758) (Argynnidae) aglaja Linnaeus,1758; charlotta Haworth,1802; emilia Acerbi,1802 nec Cr.,1779; caroletta Jermyn,1827; locuples Verity,1919 nec Butler,1879; emilocuples Verity,1919; locupletata Verity,1922; montesignum Sagarra,1926.
85. **Argynnis (Speyeria) vitatha** Moore,1874 (Argynnidae) vitatha Moore,1874; gigasvitatha Verity,1935; subvitatha Verity,1935.
86. **Argynnis (Speyeria) vitatha vitatha** Moore,1874 (Argynnidae) vitatha Moore,1874; gigasvitatha Verity,1935; subvitatha Verity,1935.
87. **Argynnis (s.str.) paphia** (Linnaeus,1758) (Argynnidae) paphia Linnaeus,1758; valesina Esper,[1798]; magnata Verity,1919; revelata Verity,1934; magnifica Verity,1919; magnificamagnata Verity,1950.
88. **Argynnis (s.str.) paphia paphia** (Linnaeus,1758) (Argynnidae) paphia Linnaeus,1758; valesina Esper,[1798]; magnata Verity,1919; revelata Verity,1934; magnifica Verity,1919; magnificamagnata Verity,1950.
89. **Athyma jina** (Moore,1857) (Argynnidae) jina Moore,1857
90. **Boloria (Clossiana) dia** (Linnaeus,1767) (Argynnidae) dia Linnaeus,1767; diniensis Fruhstorfer,1909; leonina Fruhstorfer,1909; disconota Krulikowsky,1909; laetior Verity,1919.
91. **Boloria (Clossiana) dia alpina** (Elwes,1899) (Argynnidae) alpina Elwes,1899
92. **Boloria (Clossiana) euphrosyne** (Linnaeus,1758) (Argynnidae) euphrosyne Linnaeus,1758; argenticollis Retzius,1783; fingal Herbst,1800; densoi Fruhstorfer,1909; apennina Fruhstorfer,1916; cynosoma Fruhstorfer,1916; nestonclara Verity,1932; eminens Verity,1932; varianana Verity,1932; austremiens Verity,1950, etc.
93. **Boloria (Clossiana) euphrosyne euphrosyne** (Linnaeus,1758) (Argynnidae) euphrosyne Linnaeus,1758; argenticollis Retzius,1783; fingal Herbst,1800; densoi

- Fruhstorfer, 1909; apennina Fruhstorfer, 1916; cynosoma Fruhstorfer, 1916; nestonclara Verity, 1932; eminens Verity, 1932; varianana Verity, 1932; austremiens Verity, 1950, etc.
- 94. Boloria (Clossiana) frigga (Thunberg, 1791)** (Argynnidæ) frigga Thunberg, 1791; helvenacius Sedych, 1977.
- 95. Boloria (Clossiana) oscarus (Eversmann, 1844)** (Argynnidæ) oscarus Eversmann, 1844
- 96. Boloria (Clossiana) oscarus oscarus (Eversmann, 1844)** (Argynnidæ) oscarus Eversmann, 1844
- 97. Boloria (Clossiana) selenis (Eversmann, 1837)** (Argynnidæ) selenis Eversmann, 1837
- 98. Boloria (Procllossiana) selenis sibirica (Erschoff, 1870)** (Argynnidæ) sibirica Erschoff, 1870
- 99. Boloria (Clossiana) titania (Esper, [1793])** (Argynnidæ) titania Esper, [1793]; amathusia Esper, 1783 nec Cr., 1777; serena Fruhstorfer, 1908; pralognana Fruhstorfer, 1908; halesa Fruhstorfer, 1908.
- 100. Boloria (Procllossiana) erubescens (Staudinger, 1901)** (Argynnidæ) erubescens Staudinger, 1901
- 101. Boloria (Procllossiana) erubescens chotana (O. Bang-Haas, 1915)** (Argynnidæ) chotana Bang-Haas, 1915
- 102. Boloria (Procllossiana) erubescens erubescens (Staudinger, 1901)** (Argynnidæ) erubescens Staudinger, 1901
- 103. Boloria (Procllossiana) erubescens tienschanica (Wagner, 1913)** (Argynnidæ) tienschanica Wagner, 1913
- 104. Boloria (s.str.) generator (Staudinger, 1886)** (Argynnidæ) generator Staudinger, 1886
- 105. Boloria (s.str.) generator korla (Fruhstorfer, 1903)** (Argynnidæ) korla Fruhstorfer, 1903
- 106. Boloria (s.str.) napaea (Hoffmannsegg, 1804)** (Argynnidæ) napaea Hoffmannsegg, 1804; isis Hübner, [1800] nec Dru., [1773]; dirphyia Hoffmannsegg, 1806; punctata Cresson du Cormier, 1964; sabaudiensis Cresson du Cormier, 1964.
- 107. Boloria (s.str.) napaea altaica (Groum-Grshimailo, 1893)** (Argynnidæ) altaica Groum-Grshimailo, 1893; #isisoides Heydemann, 1920.
- 108. Boloria (s.str.) pales ([Denis & Schiffmüller], 1775)** (Argynnidæ) pales [Denis & Schiffmüller], 1775; arsilache Esper, 1780.
- 109. Boloria (s.str.) sipora (Moore, 1874)** (Argynnidæ) sipora Moore, 1874; hunzaica Tytler, 1940.
- 110. Boloria (s.str.) sipora sipora (Moore, 1874)** (Argynnidæ) sipora Moore, 1874; hunzaica Tytler, 1940.
- 111. Brenthis hecate ([Denis & Schiffmüller], 1775)** (Argynnidæ) hecate [Denis & Schiffmüller], 1775; harmothoe Fruhstorfer, 1917; florida Verity, 1919; stricta Verity, 1933.
- 112. Brenthis hecate alaica (Staudinger, 1886)** (Argynnidæ) alaica Staudinger, 1886
- 113. Brenthis ino (Rottemburg, 1775)** (Argynnidæ) ino Rottemburg, 1775; dictynna [Denis & Schiff.], 1775; parthenie Bergsträßer, 1780; flavomaculatus Retzius, 1783; adula, tergesta, eporedia Fruhst., 1910; pyrenaica Sagarra, 1925; asiaepallens Verity, 1933; sesquierilda Verity, 1957.
- 114. Brenthis ino ino (Rottemburg, 1775)** (Argynnidæ) ino Rottemburg, 1775; dictynna [Denis & Schiff.], 1775; parthenie Bergsträßer, 1780; flavomaculatus Retzius, 1783; adula, tergesta, eporedia Fruhst., 1910; pyrenaica Sagarra, 1925; asiaepallens Verity, 1933; sesquierilda Verity, 1957.
- 115. Cynthia cardui (Linnaeus, 1758)** (Argynnidæ) cardui Linnaeus, 1758; carduelis Cramer, 1775; elymi Rambur, 1829; kershawi McCoy, 1868; pallida Schoyen, 1881; universa Verity, 1919; takesakiana Kato, 1925.
- 116. Cynthia cardui cardui (Linnaeus, 1758)** (Argynnidæ) cardui Linnaeus, 1758; carduelis Cramer, 1775; elymi Rambur, 1829; kershawi McCoy, 1868; pallida Schoyen, 1881; universa Verity, 1919; takesakiana Kato, 1925.
- 117. Euphydryas (Eurodryas) asiatica (Staudinger, 1881)** (Argynnidæ) asiatica Staudinger, 1881
- 118. Euphydryas (Eurodryas) asiatica asiatica (Staudinger, 1881)** (Argynnidæ) asiatica Staudinger, 1881
- 119. Euphydryas (Eurodryas) aurinia (Rottemburg, 1775)** (Argynnidæ) aurinia Rottemburg, 1775; artemis [Denis & Schiffmüller], 1775; lye Bergsträßer, [1779]; koloswarensis Piller & Mitterpacher, 1783; scotica Robson, 1880; signifera Kane, 1893; anglicana Fruhstorfer, 1917; aecidia Fruhstorfer, 1917.
- 120. Euphydryas (Eurodryas) aurinia laeta (Christoph, 1893)** (Argynnidæ) laeta Christoph, 1893
- 121. Euphydryas (Hypodryas) iduna (Dalman, 1816)** (Argynnidæ) iduna Dalman, 1816
- 122. Euphydryas (Hypodryas) intermedia (Ménétriés, 1859)** (Argynnidæ) intermedia Ménétriés, 1859; mongolica Staudinger, 1892; altaica Seitz, 1909 nec Groum-Grshimailo, 1893; altaiana Wnukowsky, 1929.
- 123. Euphydryas (Hypodryas) intermedia intermedia (Ménétriés, 1859)** (Argynnidæ) intermedia Ménétriés, 1859; mongolica Staudinger, 1892; altaica Seitz, 1909 nec Groum-Grshimailo, 1893; altaiana Wnukowsky, 1929.
- 124. Euphydryas (Hypodryas) maturna (Linnaeus, 1758)** (Argynnidæ) maturna Linnaeus, 1758; agrotora Bergsträßer, [1780]; cynthia Hübner, [1800] nec [Denis & Schiffmüller], 1775;
- 125. Inachis io (Linnaeus, 1758)** (Argynnidæ) io Linnaeus, 1758; ioides Ochsenheimer, 1808; caucasica Jachontov, 1911.
- 126. Issoria eugenia (Eversmann, 1847)** (Argynnidæ) eugenia Eversmann, 1847
- 127. Issoria eugenia eugenia (Eversmann, 1847)** (Argynnidæ) eugenia Eversmann, 1847
- 128. Issoria lathonia (Linnaeus, 1758)** (Argynnidæ) lathonia Linnaeus, 1758; saturata Röber, 1897; hungarica Aigner-Abafi, 1906; florens Verity, 1916; emiflorens Verity, 1919; attenuata Sagarra, 1926; nigroprivata Verity, 1933.
- 129. Limenitis (s.str.) ciocolatina Poujade, 1886** (Argynnidæ) ciocolatina Poujade, 1886
- 130. Limenitis (s.str.) ciocolatina ciocolatina Poujade, 1886** (Argynnidæ) ciocolatina Poujade, 1886
- 131. Limenitis (s.str.) helmanni Lederer, 1853** (Argynnidæ) helmanni Lederer, 1853.
- 132. Limenitis (s.str.) helmanni helmanni Lederer, 1853** (Argynnidæ) helmanni Lederer, 1853.
- 133. Limenitis (s.str.) populi (Linnaeus, 1758)** (Argynnidæ) populi Linnaeus, 1758; semiramis Schrank, 1801; tremulae Esper, 1804 nec Piller & Mitterpacher, 1783; goliath Fruhstorfer, 1908; fruhstorferi Krulikowsky, 1909.
- 134. Limenitis (s.str.) sinensium Oberthür, 1879** (Argynnidæ) sinensium Oberthür, 1879
- 135. Limenitis (s.str.) sinensium sinensium Oberthür, 1879** (Argynnidæ) sinensium Oberthür, 1879
- 136. Limenitis (s.str.) sydyi Lederer, 1853** (Argynnidæ) sydyi Lederer, 1853
- 137. Limenitis (s.str.) sydyi sydyi Lederer, 1853** (Argynnidæ) sydyi Lederer, 1853
- 138. Melitaea (Cinclidia) (phoebe) phoebe (Goeze, 1779)** (Argynnidæ) #phoebe [Denis & Schiffmüller], 1775; phoebe Goeze, 1779; paedotropos Bergsträßer, [1780]; tremulae Piller & Mitterpacher, 1783.
- 139. Melitaea (Cinclidia) (phoebe) phoebe saturata Staudinger, 1892** (Argynnidæ) saturata Staudinger, 1892; alatauca Wagner, 1913 nec Staudinger, 1881; wagneri Wnukowsky, 1929.
- 140. Melitaea (Cinclidia) scotosia Butler, 1878** (Argynnidæ) scotosia Butler, 1878; #yagei Nire, 1917.
- 141. Melitaea (Cinclidia) sibina Alpheraky, 1881** (Argynnidæ) sibina Alpheraky, 1881; dschungarica Groum-Grshimailo, 1895.
- 142. Melitaea (Cinclidia) sibina sibina Alpheraky, 1881** (Argynnidæ) sibina Alpheraky, 1881; dschungarica Groum-Grshimailo, 1895.
- 143. Melitaea (Didymaeformis) ala Staudinger, 1881** (Argynnidæ) ala Staudinger, 1881
- 144. Melitaea (Didymaeformis) ala determinata Bryk, 1940** (Argynnidæ) determinata Bryk, 1940
- 145. Melitaea (Didymaeformis) ala sheljuzhkoï Bryk, 1940** (Argynnidæ) sheljuzhkoï Bryk, 1940
- 146. Melitaea (Didymaeformis) ala strandi Bryk, 1940** (Argynnidæ) strandi Bryk, 1940
- 147. Melitaea (Didymaeformis) athene Staudinger, 1881** (Argynnidæ) athene Staudinger, 1881
- 148. Melitaea (Didymaeformis) athene athene Staudinger, 1881** (Argynnidæ) athene Staudinger, 1881
- 149. Melitaea (Didymaeformis) didyma (Esper, [1779])** (Argynnidæ) didyma Esper, [1779]; armoricana Oberthür, 1909.

- 150. Melitaea (Didymaeformis) didyma geminella** Bryk,1940 (Argynnididae) geminella Bryk,1940
- 151. Melitaea (Didymaeformis) didyma mixta** Evans,1912 (Argynnididae) mixta Evans,1912; nadezhdae Sheljuzhko,1912; problematica Sheljuzhko,1929
- 152. Melitaea (Didymaeformis) didymina** Staudinger,1895 (Argynnididae) didymina Staudinger,1895; #perplexa Higgins,1941.
- 153. Melitaea (Didymaeformis) didymina didymina** Staudinger,1895 (Argynnididae) didymina Staudinger,1895; #perplexa Higgins,1941.
- 154. Melitaea (Didymaeformis) didymoides** Eversmann,1847 (Argynnididae) didymoides Eversmann,1847
- 155. Melitaea (Didymaeformis) fascelis (Fabricius,1787)** (Argynnididae) #trivia Denis & Schiffermüller,1775; iphigenia Esper,1782 hom.; #fascelis Esper,1783 uninominal; fascelis Fabricius,1787; cleo Latreille,1803;
- 156. Melitaea (Didymaeformis) fergana** Staudinger,1882 (Argynnididae) fergana Staudinger,1882
- 157. Melitaea (Didymaeformis) fergana jacobsoni** Higgins,1941 (Argynnididae) jacobsoni Higgins,1941
- 158. Melitaea (Didymaeformis) fergana ketmeana** Lukhtanov,1999 (Argynnididae) ketmeana Lukhtanov,1999
- 159. Melitaea (Didymaeformis) infernalis** Groum-Grshimailo,1891 (Argynnididae) infernalis Groum-Grshimailo,1891
- 160. Melitaea (Didymaeformis) infernalis infernalis** Groum-Grshimailo,1891 (Argynnididae) infernalis Groum-Grshimailo,1891
- 161. Melitaea (Didymaeformis) latonigena** Eversmann,1847 (Argynnididae) latonigena Eversmann,1847; altaica Groum-Grshimailo,1893.
- 162. Melitaea (Didymaeformis) latonigena latonigena** Eversmann,1847 (Argynnididae) latonigena Eversmann,1847; altaica Groum-Grshimailo,1893.
- 163. Melitaea (Didymaeformis) romanovi** Groum-Grshimailo,1891 (Argynnididae) romanovi Groum-Grshimailo,1891; #puella Higgins,1941.
- 164. Melitaea (Didymaeformis) romanovi romanovi** Groum-Grshimailo,1891 (Argynnididae) romanovi Groum-Grshimailo,1891; #puella Higgins,1941.
- 165. Melitaea (s.str.) arcesia** Bremer,1864 (Argynnididae) baicalensis Bremer,1864, p.13; arcesia Bremer,1864, p.15; chuana Groum-Grshimailo,1893.
- 166. Melitaea (s.str.) arduinna (Fabricius,1787)** (Argynnididae) arduinna Fabricius,1787; rhodopensis Freyer,[1836]; uralensis Eversmann,1844.
- 167. Melitaea (s.str.) arduinna arduinna (Fabricius,1787)** (Argynnididae) arduinna Fabricius,1787; rhodopensis Freyer,[1836]; uralensis Eversmann,1844.
- 168. Melitaea (s.str.) asteroida** Staudinger,1881 (Argynnididae) asteroida Staudinger,1881; #asteroides Staudinger,1881; #asteroidea Heyne,[1893]; uitasica Wagner,1913.
- 169. Melitaea (s.str.) asteroida asteroida** Staudinger,1881 (Argynnididae) asteroida Staudinger,1881; #asteroides Staudinger,1881; #asteroidea Heyne,[1893]; uitasica Wagner,1913.
- 170. Melitaea (s.str.) asteroida uighurica** Kemal,1998 (Argynnididae) maculata Staudinger,1901 nec Brem. & Gry,1853; uighurica Kemal,1998
- 171. Melitaea (s.str.) asteroida variegata** Staudinger,1901 (Argynnididae) variegata Staudinger,1901.
- 172. Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnididae) cinxia Linnaeus,1758; abacus Retzius,1783; fulla Quensel,1791.
- 173. Melitaea (s.str.) cinxia clarissa** Staudinger,1901 (Argynnididae) clarissa Staudinger,1901; #tschujaca Seitz,1909; sacaria Fruhstorfer,1917; riloensis Züllich.
- 174. Melitaea (s.str.) minerva** Staudinger,1881 (Argynnididae) minerva Staudinger,1881.
- 175. Melitaea (s.str.) pallas** Staudinger,1886 (Argynnididae) pallas Staudinger,1886
- 176. Melitaea (s.str.) solona** Alpheraky,1881 (Argynnididae) solona Alpheraky,1881
- 177. Melitaea (s.str.) solona solona** Alpheraky,1881 (Argynnididae) solona Alpheraky,1881
- 178. Mellicta athalia (Rottemburg,1775)** (Argynnididae) athalia Rottemburg,1775; eos Rossi,1803 nec Rossi,1794; pyronia Hübner,1804; aphaea Hübner,1816; tessellata Stephens,1827; britanna Verity,1914; luciflua Fruhstorfer,1916; vividior Gouin,1922; subluciflua Verity,1935; mixtaceladussa Verity,1940; neglecta Pfau,1962
- 179. Mellicta aurelia (Nickerl,1850)** (Argynnididae) parthenie Borkhausen,1788 nec Bergsträßer,[1780]; aurelia Nickerl,1850; #serotina Oberthür,1909; lucasi Verity,1920.
- 180. Mellicta aurelia distans** Higgins,1955 (Argynnididae) distans Higgins,1955
- 181. Neptis (s.str.) rivularis (Scopoli,1763)** (Argynnididae) rivularis Scopoli,1763; lucilla Denis & Schiffermüller,1775; coenobita Cramer,1780; #tolunay Koçak & Kemal,2000.
- 182. Neptis (s.str.) rivularis ludmilla (Boisduval,1848)** (Argynnididae) ludmilla Boisduval,1848; ludmilla Herrich-Schäffer,1856.
- 183. Nymphalis antiopa (Linnaeus,1758)** (Argynnididae) antiopa Linnaeus,1758; pompadour Pollich,1783; morio Retzius,1783; borealis Wnukowsky,1927.
- 184. Nymphalis antiopa antiopa (Linnaeus,1758)** (Argynnididae) antiopa Linnaeus,1758; pompadour Pollich,1783; morio Retzius,1783; borealis Wnukowsky,1927.
- 185. Nymphalis vaualbum (Denis & Schiffermüller,1775)** (Argynnididae) #vaualbum [Denis & Schiffermüller],1775; l-album Esper,[1781]
- 186. Nymphalis vaualbum vaualbum (Denis & Schiffermüller,1775)** (Argynnididae) #vaualbum [Denis & Schiffermüller],1775; l-album Esper,[1781]
- 187. Nymphalis xanthomelas (Esper,[1781])** (Argynnididae) #xanthomelas [Denis & Schiffermüller],1775; xanthomelas Esper,[1781]
- 188. Nymphalis xanthomelas fervescens (Stichel,[1908])** (Argynnididae) fervescens Stichel,[1908]; hazara Wyatt & Omoto,1966.
- 189. Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnididae) c-album Linnaeus,1758; g-album Fourcroy,1785.
- 190. Polygonia (Comma) egea (Cramer,[1775])** (Argynnididae) egea Cramer,[1775] (junior homonym); vaualbum Esper,1780; l-album Esper,1789; triangulum Fabricius,1793; autumnalis Stefanelli,1873; #balucha Evans,1932; #pallida Evans,1932.
- 191. Polygonia (Comma) undina (Groum-Grshimailo,1890)** (Argynnididae) undina Groum-Grshimailo,1890; #chitralica Evans,1932; interposita auctorum
- 192. Polygonia (Comma) undina undina (Groum-Grshimailo,1890)** (Argynnididae) undina Groum-Grshimailo,1890; #chitralica Evans,1932; interposita auctorum
- 193. Vanessa atalanta (Linnaeus,1758)** (Argynnididae) atalanta Linnaeus,1758; amiralis Retzius,1783; #klemensiewicz Schille,1896; #klime Fischer,1896; italica Stichel,1900.
- 194. Vanessa atalanta atalanta (Linnaeus,1758)** (Argynnididae) atalanta Linnaeus,1758; amiralis Retzius,1783; #klemensiewicz Schille,1896; #klime Fischer,1896; italica Stichel,1900.
- 195. Deroxena venosulella (Möschler,1862)** (Autostichidae) venosulella Möschler,1862; neglectella Lederer,1863.
- 196. Brachodes fallax (Staudinger,1900)** (Brachodidae) fallax Staudinger,1900
- 197. Brachodes fasciatus (Staudinger,[1900])** (Brachodidae) fasciatus Staudinger,[1900]
- 198. Brachodes pumilus (Ochsenheimer,1808)** (Brachodidae) pumila Ochsenheimer,1808
- 199. Coleophora alcyonipennella (Kollar,1832)** (Coleophoridae) alcyonipennella Kollar,1832; cuprariella Zeller,1847; praticolella Zeller,1849; cuprifulgella Toll,1962
- 200. Coleophora armeniae Baldizzone & Patzak,1991** (Coleophoridae) armeniae Baldizzone & Patzak,1991
- 201. Coleophora botarella Herrich-Schäffer,1861** (Coleophoridae) botarella Herrich-Schäffer,1861
- 202. Coleophora conspicuella Zeller,1849** (Coleophoridae) conspicuella Zeller,1849; centaureicolella Bruand,[1856]; similis Staudinger,1880; aceris Caradja,1920
- 203. Coleophora ornatipennella (Hübner,1796)** (Coleophoridae) ornatipennella Hübner,1796; #agrammella Rebel,1935.
- 204. Eteobalea tririvella (Staudinger,1871)** (Cosmopterigidae) tririvella Staudinger,1871; kasyi Riedl,1965.

205. *Catopta agilis* (Christoph,1884) (Cossidae) *agilis* Christoph,1884
206. *Catopta agilis agilis* (Christoph,1884) (Cossidae) *agilis* Christoph,1884
207. *Catopta albonubilis* (Graeser,1888) (Cossidae) *albonubilis* Graeser,1888
208. *Catopta albonubilis albimaculus* Staudinger,1899 (Cossidae) *albimaculus* Staudinger,1899
209. *Catopta lacertulus* (Staudinger,1887) (Cossidae) *lacertulus* Staudinger,1887
210. *Cossus bohatschi* Püngeler,1898 (Cossidae) *bohatschi* Püngeler,1898
211. *Cossus cossus* (Linnaeus,1758) (Cossidae) *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1794; *ligniperda* Fabricius,1794
212. *Cossus cossus afghanistanus* Daniel,1953 (Cossidae) *afghanistanus* Daniel,1953
213. *Cossus cossus deserta* Daniel,1969 (Cossidae) *deserta* Daniel,1969; *altensis* Hua, Chou, Fang & Chen,1990
214. *Dyspessa albina* Rothschild,1912 (Cossidae) *albina* Rothschild,1912
215. *Dyspessa lacertula* Staudinger,1887 (Cossidae) *lacertula* Staudinger,1887
216. *Dyspessa salicicola* (Eversmann,1848) (Cossidae) *salicicola* Eversmann,1848
217. *Dyspessa salicicola aschabadensis* Daniel,1953 (Cossidae) *aschabadensis* Daniel,1953
218. *Dyspessa thianshanica* Daniel,1964 (Cossidae) *thianshanica* Daniel,1964
219. *Dyspessa tristis* A.Bang-Haas,1912 (Cossidae) *tristis* A.Bang-Haas,1912; *affinis* Rothschild,1912; *pallida* Rothschild,1912.
220. *Dyspessacossus fereidun* Grum-Grshimailo,1895 (Cossidae) *fereidun* Grum-Grshimailo,1895; *firdusi* Wagner,1937.
221. *Gobibatyr colossus* (Staudinger,1887) (Cossidae) *colossus* Staudinger,1887
222. *Holcocerus arenicola* (Staudinger,1879) (Cossidae) *arenicola* Staudinger,1879
223. *Holcocerus arenicola albidus* Seitz,1912 (Cossidae) *albida* Seitz,1912; *dilutior* Rothschild,1912.
224. *Holcocerus arenicola sheljuzhkoii* Schawerda,1930 (Cossidae) *sheljuzhkoii* Schawerda,1930
225. *Holcocerus brunneogriseus* Daniel,1949 (Cossidae) *brunneogriseus* Daniel,1949
226. *Holcocerus consobricus* Püngeler,1898 (Cossidae) *consobricus* Püngeler,1898; *aksuensis* Daniel,1953
227. *Holcocerus inspersus* Christoph,1887 (Cossidae) *inspersus* Christoph,1887; *sacarus* Grum-Grshimailo,1902; *sumbannus* Rothschild,1912.
228. *Holcocerus mongolicus* (Erschoff,1882) (Cossidae) *mongolicus* Erschoff,1882
229. *Holcocerus nobilis* (Staudinger,1884) (Cossidae) *nobilis* Staudinger,1884; *strigatus* Austaut,1897.
230. *Holcocerus nobilis nobilis* (Staudinger,1884) (Cossidae) *nobilis* Staudinger,1884; *strigatus* Austaut,1897.
231. *Kotchevnik modestus* (Staudinger,1887) (Cossidae) *modestus* Staudinger,1887
232. *Amata bactriana* (Erschoff,1874) (Ctenuchidae) *bactriana* Erschoff,1874
233. *Amata banghaasi* Obratzov,1966 (Ctenuchidae) *caspia* Alpheraky,1892 nec Stgr.,1877; *minuta* A.Bang-Haas,1910 nec Bsd.,1833; *banghaasi* Obratzov,1966; *schachtii* De Freina,1994.
234. *Amata caspia* (Staudinger,1877) (Ctenuchidae) *caspia* Staudinger,1877; *#caspica* Spuler,1906
235. *Amata caspia martinierici* (Bryk,1941) (Ctenuchidae) *martinierici* Bryk,1941
236. *Amata sovinskiji* Obratzov,1966 (Ctenuchidae) *sovinskiji* Obratzov,1966
237. *Ethmia cirrhocnemis* (Lederer,1870) (Ethmiidae) *cirrhocnemis* Lederer,1870
238. *Ethmia comitella* Caradja,1927 (Ethmiidae) *comitella* Caradja,1927
239. *Ethmia comitella comitella* Caradja,1927 (Ethmiidae) *comitella* Caradja,1927
240. *Ethmia nigripedella* (Erschoff,1877) (Ethmiidae) *nigripedella* Erschoff,1877; *nigripedella* Rebel,1901.
241. *Ethmia pusiella* (Linnaeus,1758) (Ethmiidae) *pusiella* Linnaeus,1758; *scalella* Scopoli,1763; *sequella* [Denis & Schiffermüller],1775; *lithosperma* Hübner,1796.
242. *Ethmia pusiella deletella* De Lattin,1963 (Ethmiidae) *deletella* De Lattin,1963
243. *Ethmia pyrausta* (Pallas,1771) (Ethmiidae) *pyrausta* Pallas,1771; *nigrella* Fabricius,1775; *atropunctella* Thunberg,1788.
244. *Ethmia vittalbella* (Christoph,1877) (Ethmiidae) *vittalbella* Christoph,1877; *radiatella* Chrétien,1907; *tripolitanella* Turati,1929.
245. *Athrrips tigrina* (Christoph,1877) (Gelechiidae) *tigrina* Christoph,1877; *agnathos* Li & Zheng,1998
246. *Chilopselaphus fallax* Mann,1867 (Gelechiidae) *fallax* Mann,1867
247. *Epiparasia incertella* (Herrich-Schäffer,1861) (Gelechiidae) *incertella* Herrich-Schäffer,1861; *longivittella* Rebel
248. *Megacraspedus argyreneurellus* Staudinger,1876 (Gelechiidae) *argyreneurellus* Staudinger,1876
249. *Metzneria intestinella* (Mann,1864) (Gelechiidae) *intestinella* Mann,1864
250. *Platyedra subcinerea* (Haworth,[1828]) (Gelechiidae) *subcinerea* Haworth,[1828]; *vilella* Zeller,1847.
251. *Schizovalva ophitis* (Meyrick,1913) (Gelechiidae) *ophitis* Meyrick,1913
252. *Alcis songarica* (Alpheraky,1883) (Geometridae) *songaricus* Alpheraky,1883; *subfuscarius* Staudinger,1892.
253. *Alcis songarica songarica* (Alpheraky,1883) (Geometridae) *songarica* Alpheraky,1883; *subfuscarius* Staudinger,1892.
254. *Alcis subrepandata* (Staudinger,1892) (Geometridae) *subrepandata* Staudinger,1892; *atschana* Wehrli,1943
255. *Alcis subrepandata subrepandata* (Staudinger,1892) (Geometridae) *subrepandata* Staudinger,1892; *atschana* Wehrli,1943
256. *Anticlea derivata* ([Denis & Schiffermüller],1775) (Geometridae) *derivata* [Denis & Schiffermüller],1775; *nigrofasciaria* Goeze,1781; *separata* Thunberg,1788.
257. *Anticlea querulata* (Püngeler,1904) (Geometridae) *querulata* Püngeler,1904
258. *Aplocera plagiata* (Linnaeus,1758) (Geometridae) *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879.
259. *Apocheima cinerarium* Erschoff,1874 (Geometridae) *cinerarium* Erschoff,1874; *isfacana* Wehrli,1941.
260. *Apocheima cinerarium cinerarium* Erschoff,1874 (Geometridae) *cinerarium* Erschoff,1874; *isfacana* Wehrli,1941.
261. *Apocheima cinerarium pyri* Yang,1978 (Geometridae) *pyri* Yang,1978
262. *Artemidora alpherakii* Wagner,1918 (Geometridae) *alpherakii* Wagner,1918; *symmetrica* Djakonov,1923; *aksua* Wehrli,1940.
263. *Artemidora maracandaria* (Erschoff,1874) (Geometridae) *maracandaria* Erschoff,1874
264. *Aspitates acuminaria* (Eversmann,1851) (Geometridae) *acuminaria* Eversmann,1851; *glessaria* Christoph,1877; *opulentaria* Staudinger,1877.
265. *Aspitates insignis* Alpheraky,1883 (Geometridae) *insignis* Alpheraky,1883
266. *Aspitates quadripunctata* (Goeze,1781) (Geometridae) *#gilvaria* [Denis & Schiffermüller],1775; *quadripunctata* Goeze,1781.
267. *Aspitates quadripunctata orientaria* Alpheraky,1883 (Geometridae) *orientaria* Alpheraky,1883
268. *Biston huberarius* (Ballion,1866) (Geometridae) *huberarius* Ballion,1866; *concinna* W.Warren,1899; *tienschana* Wehrli,1941.
269. *Cabera exanthemata* (Scopoli,1763) (Geometridae) *exanthemata* Scopoli,1763; *exanthemaria* Borkhausen,1794; *striaria* Hübner,[1799]; *approximaria* Haworth,1809; *arenosaria* Haworth,1809; *suprapunctata* Wehrli,1935.
270. *Cabera exanthemata hamica* Wehrli,1939 (Geometridae) *hamica* Wehrli,1939
271. *Casilda antophilaria* (Hübner,[1813]) (Geometridae) *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911.
272. *Casilda antophilaria antophilaria* (Hübner,[1813]) (Geometridae) *antophilaria* Hübner,[1813]; *gegenaria*

Alpheraky,1883; #albipunctaria Alpheraky,1883; elvira Thierry-Mieg,1911.

273. *Cataclysmes riguada* (Hübner,[1813]) (Geometridae) riguada Hübner,[1813]; subtilisparsata Wehrli,1932.

274. *Cataclysmes riguada festinata* (Staudinger,1893) (Geometridae) festinata Staudinger,1893

275. *Catarhoe cuculata* (Hufnagel,1767) (Geometridae) cuculata Hufnagel,1767; sinuata [Denis & Schiffermüller],1775; sabinata Dannehl,1933

276. *Catarhoe cuculata undulosa* (Warnecke,1934) (Geometridae) undulosa Warnecke,1934

277. *Chiasmia* (Godonela) aestimaria (Hübner,[1809]) (Geometridae) aestimaria Hübner,[1809]; contemptata Guenée,[1858]; aestimata Herrich-Schäffer,1861; tunesella Lucas,1949.

278. *Chiasmia* (Godonela) aestimaria kuldschana Scoble,1999 (Geometridae) #kuldschana Wehrli,1940

279. *Chiasmia clathrata* (Linnaeus,1758) (Geometridae) clathrata Linnaeus,1758; almacola Wehrli,1934.

280. *Chiasmia clathrata punctata* (A.Bang-Haas,1910) (Geometridae) punctata A.Bang-Haas,1910

281. *Chlorissa cloraria* (Hübner,[1813]) (Geometridae) cloraria Hübner,[1813]; porrinata Zeller,1848; porrinaria Heydenreich,1851.

282. *Chlorissa viridata* (Linnaeus,1758) (Geometridae) viridata Linnaeus,1758; volutata Fabricius,1775; sirene Villers,1789

283. *Cinglis humifusaria* (Eversmann,1837) (Geometridae) humifusaria Eversmann,1837

284. *Cleora cinctaria* ([Denis & Schiffermüller],1775) (Geometridae) cinctaria [Denis & Schiffermüller],1775; pascuaria Brahm,1791; consimilaria Duponchel,1829.

285. *Cosmorhoe ocellata* (Linnaeus,1758) (Geometridae) ocellata Linnaeus,1758; lynca Fabricius,1775; lynceata Fabricius,1781; ocellaria Boisduval,1840

286. *Costaconvexa polygrammata* (Borkhausen,1794) (Geometridae) polygrammata Borkhausen,1794; polygrammaria Haworth,1809; conjunctaria Lederer,1853; #rosea Wiltshire,1946

287. *Cyclophora pendularia* (Clerck,1759) (Geometridae) pendularia Clerck,1759; orbicularia Hübner,1799

288. *Cyclophora sympathica* (Alpheraky,1883) (Geometridae) sympathica Alpheraky,1883

289. *Digrammia rippertaria* (Duponchel,1830) (Geometridae) rippertaria Duponchel,1830; hebetata Hulst,1881; ponderosa Barnes & McDunnough,1917; demaculata Barnes & McDunnough,1917; tularcata Cassino & Swett,1923.

290. *Digrammia rippertaria flavularia* (Püngeler,1902) (Geometridae) flavularia Püngeler,1902

291. *Digrammia tancrearia* (Staudinger,1892) (Geometridae) tancrearia Staudinger,1892

292. *Dyscia* (Eudyscia) fagaria (Thunberg,1784) (Geometridae) fagaria Thunberg,1784; ilivolans Wehrli,1953; duanjiao Yang,1978.

293. *Ecliptopera fastigata* (Püngeler,1909) (Geometridae) fastigata Püngeler,1909

294. *Eilicrinia orias* Wehrli,1933 (Geometridae) orias Wehrli,1933

295. *Eilicrinia rosearia* A.Bang-Haas,1907 (Geometridae) rosearia A.Bang-Haas,1907

296. *Eilicrinia subcordaria* (Herrich-Schäffer,[1852]) (Geometridae) tritornata Fischer de Waldheim,1840; subcordaria Herrich-Schäffer,[1852]; anicularia Eversmann,1852; freitagaria Möschler,1854; subcordata Herrich-Schäffer,1861.

297. *Ematurga atomaria* (Linnaeus,1758) (Geometridae) atomaria Linnaeus,1758; isoscelata Scopoli,1763; pennata Scopoli,1763; aceraria Hufnagel,1767; artemisaria Herbst,1782; picta, microcosa Fourcroy,1785; glarearia Hübner,[1799]; obsoletaria Zett.,1839; minuta Heydemann,1925; arenaria Candeze,1926.

298. *Ematurga atomaria iliaria* Alpheraky,1883 (Geometridae) iliaria Alpheraky,1883

299. *Entephria expiata* (Püngeler,1904) (Geometridae) expiata Püngeler,1904

300. *Entephria intermediaria* (Alpheraky,1883) (Geometridae) intermediaria Alpheraky,1883; subvaria L.B.Prout,1914.

301. *Entephria polata* (Duponchel,1830) (Geometridae) polata Duponchel,1830

302. *Entephria polata occata* (Püngeler,1904) (Geometridae) occata Püngeler,1904

303. *Epirrhoe alternata* (Müller,1764) (Geometridae) alternata Müller,1764; sociata Borkhausen,1794; degenerata Haworth,1809; subtristata Haworth,1809; contristata Donovan,1811; aparinata Hübner,[1825].

304. *Epirrhoe alternata dubiosata* (Alpheraky,1883) (Geometridae) dubiosata Alpheraky,1883

305. *Epirrhoe fulminata* (Alpheraky,1883) (Geometridae) fulminata Alpheraky,1883

306. *Epirrhoe pupillata* (Thunberg,1788) (Geometridae) pupillata Thunberg,1788; funerata Hübner,[1799]; reducta Osthelder,1929 nec Djakonov,1929 [priority!].

307. *Epirrhoe pupillata orientalis* (Osthelder,1913) (Geometridae) orientalis Osthelder,1913

308. *Erannis erectaria* (Püngeler,1902) (Geometridae) erectaria Püngeler,1902

309. *Euphyia intersecta* (Staudinger,1882) (Geometridae) intersecta Staudinger,1882; desiderata Staudinger,1897; aksuensis Wehrli,1928.

310. *Euphyia intersecta intersecta* (Staudinger,1882) (Geometridae) intersecta Staudinger,1882; desiderata Staudinger,1897; aksuensis Wehrli,1928.

311. *Eupithecia biornata* Christoph,1867 (Geometridae) biornata Christoph,1867

312. *Eupithecia carpophilata* Staudinger,1897 (Geometridae) carpophilata Staudinger,1897; collega Dietze,1908; kaszabi Vojnits,1974.

313. *Eupithecia chesiata* Dietze,1904 (Geometridae) chesiata Dietze,1904

314. *Eupithecia corroborata* Dietze,1908 (Geometridae) corroborata Dietze,1908

315. *Eupithecia costisignata* Dietze,1904 (Geometridae) costisignata Dietze,1904

316. *Eupithecia denotata* (Hübner,[1813]) (Geometridae) denotata (Hübner,[1813]; atraria Herrich-Schäffer,[1848]; campanulata Herrich-Schäffer,1861; primulata Millière,1874; jasioncata Crewe,1881; livida Dietze,1910.

317. *Eupithecia despectaria* Lederer,1853 (Geometridae) despectaria Lederer,1853

318. *Eupithecia dissertata* (Püngeler,1905) (Geometridae) dissertata Püngeler,1905; kaszabi Vojnits,1974; certa Vojnits,1981

319. *Eupithecia exactata* Staudinger,1882 (Geometridae) exactata Staudinger,1882; modesta Dietze,1910 nec Tayl.,1906; opulenta Vojnits,1982.

320. *Eupithecia extensaria* (Freyer,1844) (Geometridae) extensaria Freyer,1844; prolongata Lienig,1846; sydyi Staudinger,1885; leuca Dietze,1910; prolongata Dietze,1910 nec Lien.,1846; occidua L.B.Prout,1914

321. *Eupithecia fulgurata* Vojnits,1982 (Geometridae) fulgurata Vojnits,1982

322. *Eupithecia hilarata* Dietze,1908 (Geometridae) hilarata Dietze,1908

323. *Eupithecia illaborata* Dietze,1904 (Geometridae) illaborata Dietze,1904

324. *Eupithecia innotata* (Hufnagel,1767) (Geometridae) innotata Hufnagel,1767; tamarisciata Freyer,1836; suspectata Dietze,1871; uliata Staudinger,1897; ulicada Dietze,1910; alexandriana Vardikjan,1972; sergiana Vardikjan,1972.

325. *Eupithecia insigniata* (Hübner,1790) (Geometridae) insigniata Hübner,1790; consignata Borkhausen,1794.

326. *Eupithecia insigniata insigniata* (Hübner,1790) (Geometridae) insigniata Hübner,1790; consignata Borkhausen,1794.

327. *Eupithecia kuldschaensis* Staudinger,1892 (Geometridae) kuldschaensis Staudinger,1892

328. *Eupithecia lunata* Dietze,1910 (Geometridae) lunata Dietze,1910

329. *Eupithecia marginata* Staudinger,1892 (Geometridae) marginata Staudinger,1892

330. *Eupithecia minusculata* (Alpheraky,1883) (Geometridae) minusculata Alpheraky,1883; inversaria Turati,1930; penultimaria Wiltshire,1985.

331. *Eupithecia mitigata* Dietze, 1906 (Geometridae) mitigata Dietze, 1906
332. *Eupithecia nephelata* Staudinger, 1897 (Geometridae) nephelata Staudinger, 1897
333. *Eupithecia oblongata* (Thunberg, 1784) (Geometridae) #centaureata [Denis & Schiffermüller], 1775; oblongata Thunberg, 1784; boloniensis Fourcroy, 1875; centralisata Staudinger, 1892.
334. *Eupithecia oblongata dsharkendi* Vojnits, 1977 (Geometridae) dsharkendi Vojnits, 1977
335. *Eupithecia omnigera* Vojnits, 1982 (Geometridae) omnigera Vojnits, 1982; recentissima Vojnits, 1982.
336. *Eupithecia omniparens* Dietze, 1908 (Geometridae) omniparens Dietze, 1908
337. *Eupithecia opistographata* Dietze, 1906 (Geometridae) opistographata Dietze, 1906; arenicola Rothschild, 1913.
338. *Eupithecia orphnata* W. Petersen, 1909 (Geometridae) #orphnata Bohatsch, 1883; orphnata W. Petersen, 1909
339. *Eupithecia orphnata ferghanata* Schütze, 1956 (Geometridae) ferghanata Schütze, 1956
340. *Eupithecia parallelaria* Bohatsch, 1893 (Geometridae) parallelaria Bohatsch, 1893
341. *Eupithecia paupera* Vojnits, 1982 (Geometridae) paupera Vojnits, 1982
342. *Eupithecia pauxillaria* Boisduval, 1840 (Geometridae) pauxillaria Boisduval, 1840; euphrasiata Herrich-Schäffer, 1861; vellicata Dietze, 1906
343. *Eupithecia pimpinellata* (Hübner, [1813]) (Geometridae) pimpinellata Hübner, [1813]; altaicata Guenée, [1858]; lantoscata Millière, 1873; cinerascens Tengström, 1875; limbosignata Dietze, 1910; elongata Dietze, 1913 nec Hw, 1809; retheli L.B. Prout, 1938; variata Schwingenschuss, 1936.
344. *Eupithecia praesignata* Bohatsch, 1893 (Geometridae) insignata Bohatsch, 1893 nec Hbn., 1789; praesignata Bohatsch, 1893
345. *Eupithecia rebeli* Bohatsch, 1893 (Geometridae) rebeli Bohatsch, 1893
346. *Eupithecia recens* Dietze, 1904 (Geometridae) recens Dietze, 1904; creta Dietze, 1908.
347. *Eupithecia relaxata* Dietze, 1904 (Geometridae) relaxata Dietze, 1904; vicariata Dietze, 1904; adjunctata Dietze, 1904.
348. *Eupithecia rubellata* Dietze, 1904 (Geometridae) rubellata Dietze, 1904; deserticola Dietze, 1910; scotaeata Dietze, 1910; invenusta Vojnits, 1977.
349. *Eupithecia saisanaria* Staudinger, 1882 (Geometridae) saisanaria Staudinger, 1882
350. *Eupithecia satyrata* (Hübner, [1813]) (Geometridae) satyrata Hübner, [1813]; satyraria Boisduval, 1840; italicata Guenée, 1858; submelanochroa Vojnits, 1973
351. *Eupithecia satyrata juldusi* Dietze, 1910 (Geometridae) juldusi Dietze, 1910; concolor Dietze, 1913.
352. *Eupithecia satyrata satyrata* (Hübner, [1813]) (Geometridae) satyrata Hübner, [1813]; satyraria Boisduval, 1840
353. *Eupithecia sclerata* Vojnits, 1982 (Geometridae) sclerata Vojnits, 1982
354. *Eupithecia simplicata* Haworth, [1809] (Geometridae) simplicata Haworth, [1809]; subnotata Hübner, [1813]; subnotaria Boisduval, 1840; subnotataria Herrich-Schäffer, 1848.
355. *Eupithecia sinuosaria* (Eversmann, 1848) (Geometridae) sinuosaria Eversmann, 1848
356. *Eupithecia sinuosaria sinuosaria* (Eversmann, 1848) (Geometridae) sinuosaria Eversmann, 1848
357. *Eupithecia stigmaticata* Christoph, 1885 (Geometridae) stigmaticata Christoph, 1885
358. *Eupithecia subbrunneata* Dietze, 1904 (Geometridae) subbrunneata Dietze, 1904; amita Dietze, 1910; carissima Vojnits & Laever, 1973
359. *Eupithecia subpulchrata* Alpheraky, 1883 (Geometridae) subpulchrata Alpheraky, 1883
360. *Eupithecia subumbrata* ([Denis & Schiffermüller], 1775) (Geometridae) subumbrata [Denis & Schiffermüller], 1775; scabiosata Borkhausen, 1794; piperata Stephens, 1831, subumbraria Boisduval, 1840; obrutaria Doubleday, 1849; majoraria De La Harpe, 1855.
361. *Eupithecia subumbrata iliata* Schütze, 1956 (Geometridae) iliata Schütze, 1956; limbofasciata Schütze, 1956
362. *Eupithecia subumbrata subumbrata* ([Denis & Schiffermüller], 1775) (Geometridae) subumbrata [Denis & Schiffermüller], 1775; scabiosata Borkhausen, 1794; piperata Stephens, 1831, subumbraria Boisduval, 1840; obrutaria Doubleday, 1849; majoraria De La Harpe, 1855.
363. *Eupithecia succenturiata* (Linnaeus, 1758) (Geometridae) succenturiata Linnaeus, 1758; disparata Hübner, [1799]
364. *Eupithecia succenturiata extrema* Dietze, 1913 (Geometridae) extrema Dietze, 1913
365. *Eupithecia sutiliata* Christoph, 1877 (Geometridae) sutiliata Christoph, 1877; aequata Staudinger, 1892; orientata Staudinger, 1901; diffisata Dietze, 1903; rjabovi Vojnits, 1975; kasachstanica Viidalepp, 1988.
366. *Eupithecia uighurica* Kemal & Koçak, 2004 (Geometridae) lutulenta Dietze, 1913 nec lutulenta Warr., 1907; uighurica Kemal & Koçak, 2004
367. *Eupithecia vulgata* (Haworth, [1809]) (Geometridae) vulgata Haworth, [1809]; pygmaeata Borkhausen, 1794; clusterata Hübner, [1813]; austeraria Herrich-Schäffer, 1848; atropicta Dietze, 1910; cyrneata Schawerda, 1933
368. *Eupithecia vulgata lepsaria* Staudinger, 1882 (Geometridae) lepsaria Staudinger, 1882
369. *Glossotrophia* (Libanonia) rufotinctata (L.B. Prout, 1913) (Geometridae) rufotinctata L.B. Prout, 1913
370. *Gnopharmia colchidaria* (Lederer, 1870) (Geometridae) colchidaria Lederer, 1870
371. *Gnopharmia colchidaria cocandaria* (Erschoff, 1874) (Geometridae) cocandaria Erschoff, 1874
372. *Gnophos* (Acrognophos) iveni Erschoff, 1874 (Geometridae) iveni Erschoff, 1874
373. *Gnophos* (Cnestrognophos) evanidarius Püngeler, 1901 (Geometridae) evanidarius Püngeler, 1901
374. *Gnophos* (Dysgnophos) difficilis Alpheraky, 1883 (Geometridae) difficilis Alpheraky, 1883; finitimaria Fuchs, 1899; desparataria Fuchs, 1900; luteopicta Thierry-Mieg, 1916.
375. *Gnophos* (Dysgnophos) difficilis difficilis Alpheraky, 1883 (Geometridae) difficilis Alpheraky, 1883; finitimaria Fuchs, 1899; desparataria Fuchs, 1900; luteopicta Thierry-Mieg, 1916.
376. *Gnophos* (Dysgnophos) difficilis korlatus Fuchs, 1903 (Geometridae) korlatus Fuchs, 1903
377. *Gnophos* (Dysgnophos) difficilis uniformis Staudinger, 1892 (Geometridae) uniformis Staudinger, 1892
378. *Gnophos* (Organognophos) sibiriatu Guenée, [1858] (Geometridae) sibiriatu Guenée, [1858]
379. *Gnophos* (Organognophos) sibiriatu plumbeatus Wehrli, 1922 (Geometridae)
380. *Gnophos* (Rhipignophos) lineolarius Püngeler, 1901 (Geometridae) lineolaria Püngeler, 1901
381. *Gnophos* (Rhipignophos) lineolarius plumbeolatus Djakonov, 1936 (Geometridae) plumbeolata Djakonov, 1936
382. *Gnophos* (Rhipignophos) praestigiarius Püngeler, 1902 (Geometridae) praestigiaria Püngeler, 1902
383. *Gnophos* (Rhipignophos) rubefactarius Püngeler, 1902 (Geometridae) rubefactaria Püngeler, 1902; pervicinaria Wehrli, 1922; stshetkini Viidalepp, 1988.
384. *Gnophos* (Rhipignophos) vastarius Staudinger, 1892 (Geometridae) vastaria Staudinger, 1892
385. *Gnophos* (Zystrognophos) kuldjanus Wehrli, 1953 (Geometridae) kuldjana Wehrli, 1953
386. *Gnophos* (Zystrognophos) nimbatus Alpheraky, 1888 (Geometridae) nimbata Alpheraky, 1888; alexandra Wehrli, 1953.
387. *Gnophos* (Zystrognophos) sericarius Alpheraky, 1883 (Geometridae) sericaria Alpheraky, 1883
388. *Gnophos stoliczkarius* Moore, 1878 (Geometridae) stoliczkaria Moore, 1878
389. *Gnophos tholerarius* Püngeler, 1901 (Geometridae) tholeraria Püngeler, 1901
390. *Helimata glarearia* (Brahm, 1791) (Geometridae) #glarearia [Denis & Schiffermüller], 1775; glarearia Brahm, 1791.
391. *Heliothea* (Apetovia) iliensis Alpheraky, 1883 (Geometridae) iliensis Alpheraky, 1883; christophi Alpheraky, 1883.
392. *Heliothea* (Apetovia) iliensis iliensis Alpheraky, 1883 (Geometridae) iliensis Alpheraky, 1883; christophi Alpheraky, 1883.

- 393. *Herochroma sordida* (Wehrli,1928)** (Geometridae) sordida Wehrli,1928
- 394. *Horisme aquata* (Hübner,[1813])** (Geometridae) aquata Hübner,[1813]
- 395. *Horisme scotosiata* (Guenée,[1858])** (Geometridae) scotosiata Guenée,[1858]
- 396. *Horisme vitalbata* (Hübner,[1799])** (Geometridae) #vitalbata [Denis & Schiffermüller],1775; nebulata Villers,1789 nec Thunb.,1784; vitalbata Hübner,[1799]; vitalbaria Boisduval,1840; detersata Püngeler,1900; repedata Prout,1938
- 397. *Hydriomena coerulea* (Fabricius,1777)** (Geometridae) #impluviata [Denis & Schiffermüller],1775; coerulea Fabricius,1777; autumnalis Ström,1783; trifasciata Borkhausen,1794; bicommatata Schrank,1802; literata Donovan,1810; relicata Zetterstedt,1839; impluviaria Boisduval,1840; insulicola Schwarzerda,1933
- 398. *Hydriomena furcata* (Thunberg,1784)** (Geometridae) furcata Thunberg,1784; sordidata Fabricius,1794; elutata Hübner,[1799]; fuscoundata Donovan,1806; elutaria Boisduval,1840; shibuyae Matsumura,1925.
- 399. *Hyposcotis* (Kemtnognophos) *fractifasciaria* (Püngeler,1901)** (Geometridae) fractifasciaria Püngeler,1901
- 400. *Hyposcotis* (Kemtnognophos) *orbicularia* (Püngeler,1904)** (Geometridae) orbicularia Püngeler,1904; pungeleri Bohatsch,1910.
- 401. *Idaea aureolaria* ([Denis & Schiffermüller],1775)** (Geometridae) trilineata Scopoli,1772 nec Hufn.,1767; aureolaria [Denis & Schiffermüller],1775; bicincta Fourcroy,1875; trilinearia Hübner,[1787].
- 402. *Idaea descitaria* (Christoph,1893)** (Geometridae) descitaria Christoph,1893; velitchkovskiy Rebel,1907; favillata L.B.Prout,1935.
- 403. *Idaea elongaria* (Rambur,1833)** (Geometridae) elongaria Rambur,1833; aridata Zeller,1847; aridaria Heydenreich,1851; monadaria Guenée,[1858]; confusaria Lederer,1863; infermata Staudinger,1871; zephyrata Millière,1872; ludovicata Lucas,1942.
- 404. *Idaea elongaria pecharia* (Staudinger,1863)** (Geometridae) pecharia Staudinger,1863
- 405. *Idaea pallidata* ([Denis & Schiffermüller],1775)** (Geometridae) pallidata [Denis & Schiffermüller],1775; pallidaria Treitschke,1825; byssinata Treitschke,1828; byssinaria Boisduval,1840
- 406. *Idaea sericeata* (Hübner,[1813])** (Geometridae) sericeata Hübner,[1813]; altivolaria Bubacek,1923;
- 407. *Jodis lactearia* (Linnaeus,1758)** (Geometridae) lactearia Linnaeus,1758; vernaria Linnaeus,1761; aeruginaria [Denis & Schiffermüller],1775; semipectinata Retzius,1783; syrene Fourcroy,1785; syrene Villers,1789; syrena Geoffroy,1799
- 408. *Kuldja albescens* Warnecke,1934** (Geometridae) albescens Warnecke,1934
- 409. *Kuldja bioerraria* Püngeler,1925** (Geometridae) bioerraria Püngeler,1925
- 410. *Kuldja staudingeri* Alpheraky,1883** (Geometridae) staudingeri Alpheraky,1883; brunneofasciata Warnecke,1934.
- 411. *Kyrtolita obstinata* Staudinger,1892** (Geometridae) obstinata Staudinger,1892; cinerata Staudinger,1892.
- 412. *Lithostege chaoticaria* (Alpheraky,1897)** (Geometridae) chaoticaria Alpheraky,1897
- 413. *Lithostege coassata* (Hübner,[1825])** (Geometridae) duplicata Hübner,[1817] (junior homonym); coassata Hübner,[1825]; assinata Freyer,1830; coassaria Boisduval,1840.
- 414. *Lithostege farinata* (Hufnagel,1767)** (Geometridae) farinata Hufnagel,1767; illibata [Denis & Schiffermüller],1775; nivearia Hübner,[1799]; albaria Turton,1802; bachmutensis Prout,1938
- 415. *Lithostege flavicornata* (Zeller,1847)** (Geometridae) flavicornata Zeller,1847
- 416. *Lithostege mesoleucata* Püngeler,1899** (Geometridae) mesoleucata Püngeler,1899
- 417. *Lithostege staudingeri* Erschoff,1872** (Geometridae) staudingeri Erschoff,1872
- 418. *Lythria cruentaria* (Hufnagel,1767)** (Geometridae) purpurata Linnaeus,1761 nec Linn.,1758; cruentaria Hufnagel,1767; rotaria Fabricius,1798; sordidaria Zetterstedt,1839.
- 419. *Lythria purpuraria* (Linnaeus,1758)** (Geometridae) purpuraria Linnaeus,1758; cruentata Hufnagel,1767 nec Sc.,1763; sanguinolenta Fourcroy,1785 nec Linn.,1767
- 420. *Macaria alternata* ([Denis & Schiffermüller],1775)** (Geometridae) alternata [Denis & Schiffermüller],1775; alternaria Hübner,[1805]; praenotata Haworth,1809
- 421. *Megaspilates mundataria* (Stoll,1782)** (Geometridae) mundataria Stoll,1782
- 422. *Menophra grummi* (Alpheraky,1888)** (Geometridae) grummi Alpheraky,1888
- 423. *Menophra grummi grummi* (Alpheraky,1888)** (Geometridae) grummi Alpheraky,1888.
- 424. *Microbiston lanaria* (Eversmann,1852)** (Geometridae) lanaria Eversmann,1852; tataricus Staudinger,1882
- 425. *Microloxia herbaria* (Hübner,[1813])** (Geometridae) herbaria Hübner,[1813]; advolata Eversmann,1837; graminaria Zeller,1849; bruandaria Millière,1860.
- 426. *Minoa murinata* (Scopoli,1763)** (Geometridae) murinata Scopoli,1763; sordata Linnaeus,1767; fuscata Hufnagel,1767; euphorbiata [Denis & Schiffermüller],1775; unicolorata Hübner,1787; euphorbiaria Hübner,1799; limburgia Lempke,1969
- 427. *Minoa murinata murinata* (Scopoli,1763)** (Geometridae) murinata Scopoli,1763; sordata Linnaeus,1767; fuscata Hufnagel,1767; euphorbiata [Denis & Schiffermüller],1775; unicolorata Hübner,1787; euphorbiaria Hübner,1799; limburgia Lempke,1969
- 428. *Narraga fasciolaria* (Hufnagel,1767)** (Geometridae) fasciolaria Hufnagel,1767; cebraria Hübner,[1799]; zebraria Duponchel,1829.
- 429. *Narraga fasciolaria turkestanica* Moucha & Povolny,1957** (Geometridae) turkestanica Moucha & Povolny,1957
- 430. *Narraga tessularia* (Metzner,1845)** (Geometridae) tessularia Metzner,1845; baltearia Freyer,1845; atronaculalia Herrich-Schäffer,1848.
- 431. *Narraga tessularia ilia* Wehrli,1940** (Geometridae) ilia Wehrli,1940
- 432. *Nebula fortificaria* A.Bang-Haas,1910** (Geometridae) fortificaria A.Bang-Haas,1910
- 433. *Nebula neogamata* (Püngeler,1909)** (Geometridae) neogamata Püngeler,1909
- 434. *Nebula rejectaria* (Staudinger,1892)** (Geometridae) rejectaria Staudinger,1892; interrogata Alpheraky,1897.
- 435. *Nebula viduata* (Staudinger,1892)** (Geometridae) viduata Staudinger,1892
- 436. *Nychiodes* (Eunychiodes) *antiquaria* Staudinger,1892** (Geometridae) antiquaria Staudinger,1892.
- 437. *Nychiodes* (Eunychiodes) *antiquaria antiquaria* Staudinger,1892** (Geometridae) antiquaria Staudinger,1892.
- 438. *Ochodontia adustaria* Fischer de Waldheim,1840** (Geometridae) adustaria Fischer de Waldheim,1840; sareptanaria Freyer,1841
- 439. *Odontopera alienata* Staudinger,1892** (Geometridae) alienata Staudinger,1892
- 440. *Odontopera muscularia* Staudinger,1892** (Geometridae) muscularia Staudinger,1892
- 441. *Opisthograptis luteolata* (Linnaeus,1758)** (Geometridae) luteolata Linnaeus,1758; crataegata Linnaeus,1761; crataegaria Hübner,[1823]; #emaculata Graeser,1892; impunctata Osthelder,1931.
- 442. *Ourapteryx purissima* Thierry-Mieg,1905** (Geometridae) purissima Thierry-Mieg,1905
- 443. *Pareulype berberata* (Fabricius,1787)** (Geometridae) #berberata [Denis & Schiffermüller],1775; berberata Fabricius,1787; berberaria Boisduval,1840
- 444. *Pareulype berberata berberata* (Fabricius,1787)** (Geometridae) #berberata [Denis & Schiffermüller],1775; berberata Fabricius,1787; berberaria Boisduval,1840
- 445. *Pellonia vibicaria* (Linnaeus,1761)** (Geometridae) #vibicaria Clerck,1759; vibicaria Linnaeus,1761; cruentata Scopoli,1763; rubrofasciata Hufnagel,1767; atriosa Fourcroy,1785; cruentaria Villers,1789.
- 446. *Pellonia vibicaria strigata* Staudinger,1871** (Geometridae) strigata Staudinger,1871

447. **Pelurga comitata** (Linnaeus,1758) (Geometridae)
comitata Linnaeus,1758
448. **Phaiogamma etruscaria** (Zeller,1849) (Geometridae)
etruscaria Zeller,1849; pulmentaria Guenée,[1858]; palaestinensis Fuchs,1903.
449. **Phaselia naryna** Oberthür,1913 (Geometridae)
naryna Oberthür,1913
450. **Phaselia serrularia shurensis** Wehrli,1941 (Geometridae)
shurensis Wehrli,1941
451. **Phigalia declinata** (Staudinger,1882) (Geometridae)
declinata Staudinger,1882; suidunaria Alpheraky,1883; #suidanaria Scoble,1999.
452. **Philereme instabilis** (Alpheraky,1883) (Geometridae)
instabilis Alpheraky,1883
453. **Photoscotosia palaeartica** (Staudinger,1882) (Geometridae)
palaeartica Staudinger,1882; fusca Staudinger,1901
454. **Phylometra teneraria** (Staudinger,1892) (Geometridae)
teneraria Staudinger,1892; coelestinaria Alpheraky,1892.
455. **Plesioscotosia pulchrata** (Alpheraky,1883) (Geometridae)
pulchrata Alpheraky,1883; cometifera W. Warren,1901.
456. **Povilasias kashghara** (Moore,1878) (Geometridae)
kashghara Moore,1878
457. **Rhodostrophia adauctata** (Staudinger,1892) (Geometridae)
adauctata Staudinger,1892
458. **Rhodostrophia jacularia** (Hübner,[1813]) (Geometridae)
jacularia Hübner,[1813]
459. **Rhodostrophia jacularia minor** (Alpheraky,1892) (Geometridae)
minor Alpheraky,1892
460. **Rhodostrophia staudingeri** (Alpheraky,1883) (Geometridae)
staudingeri Alpheraky,1883
461. **Scopula ansulata** (Lederer,1871) (Geometridae)
ansulata Lederer,1871
462. **Scopula ansulata characteristic** (Alpheraky,1883) (Geometridae)
characteristica Alpheraky,1883
463. **Scopula beckeraria** (Lederer,1853) (Geometridae)
beckeraria Lederer,1853
464. **Scopula beckeraria assimilaria** L.B.Prout,1913 (Geometridae)
assimilaria L.B.Prout,1913
465. **Scopula cumulata** (Alpheraky,1883) (Geometridae)
cumulata Alpheraky,1883; cretaria Staudinger,1892.
466. **Scopula cumulata cumulata** (Alpheraky,1883) (Geometridae)
cumulata Alpheraky,1883; cretaria Staudinger,1892.
467. **Scopula flaccidaria** (Zeller,1852) (Geometridae)
flaccidaria Zeller,1852
468. **Scopula flaccidaria flaccidaria** (Zeller,1852) (Geometridae)
flaccidaria Zeller,1852
469. **Scopula halimodendrata** Erschoff,1874 (Geometridae)
halimodendrata Erschoff,1874
470. **Scopula marginepunctata** (Goeze,1781) (Geometridae)
marginepunctata Goeze,1781; conjugata Borkhausen,1794; aniculosata Rambur,1829; puellaria Boisduval,1840; mutaria Heydenreich,1851; promutata Guenée,[1858]; promutaria Morris,1861; apertaria Walker,[1863]; madoniata Fuchs,1901; pastoraria Joannis,1891.
471. **Scopula ornata** (Scopoli,1763) (Geometridae)
ornata Scopoli,1763; instilata Hufnagel,1767; paludata Linnaeus,1767; institata Rottemburg,1777; interrupta Goeze,1781; intersecta Fourcroy,1785.
472. **Scopula ornata ornata** (Scopoli,1763) (Geometridae)
ornata Scopoli,1763; instilata Hufnagel,1767; paludata Linnaeus,1767; institata Rottemburg,1777; interrupta Goeze,1781; intersecta Fourcroy,1785.
473. **Scopula rubiginata** (Hufnagel,1767) (Geometridae)
rubiginata Hufnagel,1767; rubricata [Denis & Schiffmüller],1775; vittata Thunberg,1784; domialla Fourcroy,1785; variata Villers,1789; #rubricaria Hübner,[1799]; subangularia Herrich-Schäffer,1839
474. **Scopula subrubellata** Sterneck,1941 (Geometridae)
subrubellata Sterneck,1941
475. **Scopula tessellaria** (Boisduval,1840) (Geometridae)
tessellaria Boisduval,1840; pulverulentaria Selys-Longchamps,1844; tabianaria Turati,1905; proutiana Sheljuzhko,1955
476. **Scotopteryx junctata** (Staudinger,1882) (Geometridae)
junctata Staudinger,1882
477. **Scotopteryx junctata junctata** (Staudinger,1882) (Geometridae)
junctata Staudinger,1882
478. **Scotopteryx kashgara** (Moore,1878) (Geometridae)
kashgara Moore,1878
479. **Scotopteryx sartata** (Alpheraky,1883) (Geometridae)
sartata Alpheraky,1883
480. **Scotopteryx sinensis** (Alpheraky,1883) (Geometridae)
sinensis Alpheraky,1883
481. **Selenia lunularia** (Hübner,1788) (Geometridae)
lunaria [Denis & Schiffmüller],1775 nec Fabr.,1775; lunularia Hübner,1788; delunaria Hübner,[1799]; sublunaria Stephens,1831
482. **Selenia lunularia kuldjiana** (Wehrli,1940) (Geometridae)
kuldjiana Wehrli,1940
483. **Siona lineata** (Scopoli,1763) (Geometridae)
lineata Scopoli,1763; dealbata Linnaeus,1767; duplicata Fourcroy,1785 nec Fabr.,1775; dealbaria Hübner,[1799]
484. **Spartopteryx kindermannaria** (Staudinger,1871) (Geometridae)
kindermannaria Staudinger,1871
485. **Stamnodes danilovi** Erschoff,1877 (Geometridae)
danilovi Erschoff,1877
486. **Stamnodes danilovi danilovi** Erschoff,1877 (Geometridae)
danilovi Erschoff,1877
487. **Stamnodes pauperaria** (Eversmann,1848) (Geometridae)
pauperaria Eversmann,1848
488. **Stamnodes pauperaria pauperaria** (Eversmann,1848) (Geometridae)
pauperaria Eversmann,1848
489. **Stegania dalmataria** (Guenée,[1858]) (Geometridae)
dalmataria Guenée,[1858]
490. **Stegania dalmataria arenaria** Staudinger,1892 (Geometridae)
arenaria Staudinger,1892
491. **Stegania dilectaria** (Hübner,1790) (Geometridae)
dilectaria Hübner,1790; commutataria Hübner,[1819]; commutata Freyer,[1832]
492. **Stigma kuldshaensis** Alpheraky,1883 (Geometridae)
kuldshaensis Alpheraky,1883
493. **Stigma kuldshaensis kuldshaensis** Alpheraky,1883 (Geometridae)
kuldshaensis Alpheraky,1883
494. **Synopsis sociaria** (Hübner,[1799]) (Geometridae)
sociaria Hübner,[1799]; staudingeraria Martorell,1874; acuta Wehrli,1926
495. **Tephria arenacearia** ([Denis & Schiffmüller],1775) (Geometridae)
arenacearia [Denis & Schiffmüller],1775; flavidaria Eversmann,1852; discriminaria Walker,1862; irradiata Walker,1862; impreviata Walker,1863; stena Wehrli,1940
496. **Tephria murinaria** ([Denis & Schiffmüller],1775) (Geometridae)
murinaria [Denis & Schiffmüller],1775; nubecularia Villers,1789; myosaria Esper,[1806]; cineraria Duponchel,1829; buffonaria Millière,1855
497. **Thalera fimbrialis** (Scopoli,1763) (Geometridae)
fimbrialis Scopoli,1763; thymiararia Linnaeus,1767; bupleuraria [Denis & Schiffmüller],1775; albaria Esper,[1801]; magnata Fuchs,1903
498. **Thalera fimbrialis fimbrialis** (Scopoli,1763) (Geometridae)
fimbrialis Scopoli,1763; thymiararia Linnaeus,1767; bupleuraria [Denis & Schiffmüller],1775; albaria Esper,[1801]; magnata Fuchs,1903
499. **Thera (s.str.) dilectaria** (A.Bang-Haas,1910) (Geometridae)
dilectaria A.Bang-Haas,1910
500. **Thera (s.str.) variata** ([Denis & Schiffmüller],1775) (Geometridae)
variata [Denis & Schiffmüller],1775; adumbrata Villers,1789; variaria Boisduval,1840; subtaurica Wehrli,1932.
501. **Thetidia correspondens** Alpheraky,1883 (Geometridae)
correspondens Alpheraky,1883
502. **Thetidia prasinaria** (Eversmann,1837) (Geometridae)
prasinaria Eversmann,1837; volgaria Guenée,[1858]; mongolica Staudinger,1897
503. **Thetidia smaragdaria** (Fabricius,1787) (Geometridae)
smaragdaria Fabricius,1787
504. **Thetidia smaragdaria anomica** (Prout,1935) (Geometridae)
anomica Prout,1935
505. **Trichopteryx carpinata** (Borkhausen,1794) (Geometridae)
carpinata Borkhausen,1794; costaestrigata Haworth,1809; dentistrigata Haworth,1809; lobulata Hübner,[1813]

506. *Triphosa incertata* Staudinger, 1882 (Geometridae) incertata Staudinger, 1882
507. *Xanthorhoe altitudinum* (Staudinger, 1882) (Geometridae) altitudinum Staudinger, 1882
508. *Xanthorhoe asiatica* (Staudinger, 1882) (Geometridae) asiatica Staudinger, 1882
509. *Xanthorhoe fidonaria* (Staudinger, 1892) (Geometridae) fidonaria Staudinger, 1892; ictérica Djakonov, 1908.
510. *Xanthorhoe fidonaria fidonaria* (Staudinger, 1892) (Geometridae) fidonaria Staudinger, 1892; ictérica Djakonov, 1908.
511. *Xanthorhoe fidonaria satanaria* (Aubert, 1962) (Geometridae) satanaria Aubert, 1962
512. *Xanthorhoe tianschanica* (Alpheraky, 1883) (Geometridae) tianschanica Alpheraky, 1883; superpositaria Prout, 1914.
513. *Xanthorhoe tianschanica aksuaria* (Aubert, 1962) (Geometridae) aksuaria Aubert, 1962
514. *Xanthorhoe tianschanica tianschanica* (Alpheraky, 1883) (Geometridae) tianschanica Alpheraky, 1883; superpositaria Prout, 1914.
515. *Glyphipterix magnatella* Erschoff, 1877 (Glyphipterigidae) magnatella Erschoff, 1877
516. *Phyllonorycter pumilae* (Ermolaev, 1981) (Gracillariidae) pumilae Ermolaev, 1981
517. "*Phassus*" *regius* Staudinger, 1896 (Hepialidae) regius Staudinger, 1896; rubellus O. Bang-Haas, 1939
518. *Carcharodus* (s.str.) *alceae* (Esper, [1780]) (Hesperiidae) alceae Esper, [1780]; malvae Hufnagel, 1766 nec Linn., 1758; malvarum Hoffmannsegg, 1804; magnaustalis Verity, 1924; corsicus Picard, 1948.
519. *Carcharodus* (s.str.) *alceae alceae* (Esper, [1780]) (Hesperiidae) alceae Esper, [1780]; malvae Hufnagel, 1766 nec Linn., 1758; malvarum Hoffmannsegg, 1804; magnaustalis Verity, 1924; corsicus Picard, 1948.
520. *Carterocephalus argyrostigma* (Eversmann, 1851) (Hesperiidae) argyrostigma Eversmann, 1851; argenteogutta Butler, 1870.
521. *Carterocephalus argyrostigma argyrostigma* (Eversmann, 1851) (Hesperiidae) argyrostigma Eversmann, 1851; argenteogutta Butler, 1870.
522. *Carterocephalus palaemon* (Pallas, 1771) (Hesperiidae) palaemon Pallas, 1771; paniscus Fabricius, 1775; brontes [Denis & Schiffermüller], 1775; mesapano Scudder, 1868; skada Edwards, 1870.
523. *Carterocephalus silvicola* (Meigen, 1829) (Hesperiidae) sylvius Knoch, 1781 nec Poda, 1761; silvicola Meigen, 1829; silvioides Müller, 1920; isshikii Nakahara, 1926; doii Matsumura, 1928.
524. *Carterocephalus silvicola silvicola* (Meigen, 1829) (Hesperiidae) sylvius Knoch, 1781 nec Poda, 1761; silvicola Meigen, 1829; silvioides Müller, 1920; isshikii Nakahara, 1926; doii Matsumura, 1928.
525. *Eogenes alcides* Herrich-Schäffer, [1852] (Hesperiidae) alcides Herrich-Schäffer, [1852]
526. *Eogenes alcides ahriman* (Christoph, 1884) (Hesperiidae) ahriman Christoph, 1884
527. *Erynnis* (s.str.) *tages* (Linnaeus, 1758) (Hesperiidae) tages Linnaeus, 1758; morio Scopoli, 1763; geryon Rottemburg, 1775; subclarus Verity, 1921.
528. *Hesperia comma* (Linnaeus, 1758) (Hesperiidae) comma Linnaeus, 1758; virgula Retzius, 1783; alpina Bath, 1896; galliaemeridiei Verity, 1928; alpennina Verity, 1928; alpiumflava Verity, 1928; macrocomma Verity, 1928; superalpina Verity, 1928; atralpina Verity, 1928.
529. *Hesperia comma mixta* Alpheraky, 1881 (Hesperiidae) mixta Alpheraky, 1881
530. *Muschampia antonia* (Speyer, 1879) (Hesperiidae) antonia Speyer, 1879
531. *Muschampia antonia antonia* (Speyer, 1879) (Hesperiidae) antonia Speyer, 1879
532. *Muschampia cribrellum* (Eversmann, 1841) (Hesperiidae) cribrellum Eversmann, 1841
533. *Muschampia kuenlunus* (Groum-Grshimailo, 1893) (Hesperiidae) kuenlunus Groum-Grshimailo, 1893
534. *Muschampia kuenlunus kuenlunus* (Groum-Grshimailo, 1893) (Hesperiidae) kuenlunus Groum-Grshimailo, 1893
535. *Muschampia staudingeri* (Speyer, 1879) (Hesperiidae) staudingeri Speyer, 1879
536. *Muschampia staudingeri staudingeri* (Speyer, 1879) (Hesperiidae) staudingeri Speyer, 1879
537. *Muschampia tessellum* (Hübner, [1802]) (Hesperiidae) tessellum Hübner, [1802]; hibisci Böber, 1812; mazzola Ochsenheimer, 1816
538. *Muschampia tessellum cribrelloides* (Gaede, 1931) (Hesperiidae) #cribrelloides Warren, 1926 (described as aberration); cribrelloides Gaede, 1931.
539. *Muschampia tessellum dilutior* (Heyne, [1895]) (Hesperiidae) dilutior Heyne, [1895]; fucata Mabille, 1909; minor Mabille, 1909.
540. *Muschampia tessellum nigricans* (Mabille, 1909) (Hesperiidae) nigricans Mabille, 1909
541. *Ochlodes venatus* (Bremer & Grey, [1852]) (Hesperiidae) venatus Bremer & Grey, [1852]
542. *Pyrgus alpinus* (Erschoff, 1874) (Hesperiidae) alpinus Erschoff, 1874
543. *Pyrgus alpinus alichurensis* De Jong, 1975 (Hesperiidae) alichurensis De Jong, 1975
544. *Pyrgus alpinus alpinus* (Erschoff, 1874) (Hesperiidae) alpinus Erschoff, 1874.
545. *Pyrgus alpinus mustagatae* Alberti, 1952 (Hesperiidae) mustagatae Alberti, 1952
546. *Pyrgus alveus* (Hübner, [1803]) (Hesperiidae) alveus Hübner, [1803]; alticolus Rebel, 1910; ryffelensis Oberthür, 1910; claralveus Verity, 1934; confusa Renner, 1991; germanica Renner, 1991.
547. *Pyrgus alveus iliensis* (Reverdin, 1912) (Hesperiidae) iliensis Reverdin, 1912 (according to Prins & Poorten, 1995, junior subjective synonym of *Pyrgus alveus alveus* Hbn., 1803).
548. *Pyrgus alveus speyeri* (Staudinger, 1887) (Hesperiidae) speyeri Staudinger, 1887
549. *Pyrgus malvae* (Linnaeus, 1758) (Hesperiidae) malvae Linnaeus, 1758; minor Esper, 1777; sao Bergsträßer, 1779; taras Bergsträßer, 1780; altheae Esper, 1783; malvarum Ochsenheimer, 1808; cardui Latreille, 1823; elegantior Verity, 1934; #extrema Pfeiffer, 1938.
550. *Pyrgus malvae malvae* (Linnaeus, 1758) (Hesperiidae) malvae Linnaeus, 1758; minor Esper, 1777; sao Bergsträßer, 1779; taras Bergsträßer, 1780; altheae Esper, 1783; malvarum Ochsenheimer, 1808; cardui Latreille, 1823; elegantior Verity, 1934; #extrema Pfeiffer, 1938.
551. *Pyrgus serratulae* (Rambur, [1839]) (Hesperiidae) serratulae Rambur, [1839]; caecus Freyer, 1846; occidentalis Lucas, 1910 nec Skinn., 1906; planorum Verity, 1925; magnagallica Verity, 1931; plurisignata Silbernagel, 1946; arvernensis Picard, 1948.
552. *Spialia* (Neospialia) *orbifer* (Hübner, [1823]) (Hesperiidae) orbifer Hübner, [1823]; tesselloides Herrich-Schäffer, [1845].
553. *Spialia* (s.str.) *struvei* (Püngeler, 1914) (Hesperiidae) struvei Püngeler, 1914
554. *Spialia* (s.str.) *struvei struvei* (Püngeler, 1914) (Hesperiidae) struvei Püngeler, 1914
555. *Thymelicus lineolus* (Ochsenheimer, 1808) (Hesperiidae) lineolus Ochsenheimer, 1808; virgula Hübner, 1813 nec Retz., 1783; ludoviciae Mabille, 1883; pallida Tutt, 1896; clara Tutt, 1905; hemmingi Romei, 1927; melissus Zerny, 1932; fornax Hemming, 1934
556. *Malacosoma paralellum* Staudinger, 1887 (Lasiocampidae) paralellum Staudinger, 1887
557. *Phyllodesma tremulifolia* (Hübner, [1810]) (Lasiocampidae) tremulifolia Hübner, [1810]
558. *Phyllodesma tremulifolia ambigua* Staudinger, 1901 (Lasiocampidae) ambigua Staudinger, 1901
559. "*Strymonidia neosinica neosinica*" Lee, 1963 (Lycaenidae) neosinica Lee, 1963
560. "*Strymonidia neosinica*" Lee, 1963 (Lycaenidae) neosinica Lee, 1963
561. *Ahlbergia frivaldskyi* (Lederer, 1855) (Lycaenidae) frivaldskyi Lederer, 1855

- 562. Ahlbergia frivaldskyi frivaldskyi (Lederer,1855)** (Lycaenidae) frivaldskyi Lederer,1855
- 563. Callophrys rubi (Linnaeus,1758)** (Lycaenidae) rubi Linnaeus,1758
- 564. Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) argiolus Linnaeus,1758; cleobis Sulzer,1776; thersanon Bergsträßer,1779; argyphontes Bergsträßer,1779; argalus Bergsträßer,1779; marginatus Retzius,1783; acis Fabricius,1787 nec Dru.,[1773]; #parvipuncta Fuchs,1880; calidogenita Verity,1919; britanna Verity,1919.
- 565. Celastrina argiolus hypoleuca (Kollar,[1849])** (Lycaenidae) hypoleuca Kollar,[1849]; paraleuca Röber,1897.
- 566. Cigaritis epargyros (Eversmann,1854)** (Lycaenidae) epargyros Eversmann,1854
- 567. Cigaritis epargyros epargyros (Eversmann,1854)** (Lycaenidae) epargyros Eversmann,1854
- 568. Cupido (Everes) acaudata (Lee,1963)** (Lycaenidae) acaudata Lee,1963
- 569. Cupido (Everes) acaudata acaudata (Lee,1963)** (Lycaenidae) acaudata Lee,1963
- 570. Cupido (Sinocupido) lokiangensis (Lee,1963)** (Lycaenidae) lokiangensis Lee,1963
- 571. Cupido (Sinocupido) lokiangensis lokiangensis (Lee,1963)** (Lycaenidae) lokiangensis Lee,1963
- 572. Cupido (s.str.) buddhista (Alpheraky,1881)** (Lycaenidae) buddhista Alpheraky,1881; balinti D'Abrera,1993
- 573. Cupido (s.str.) buddhista buddhista (Alpheraky,1881)** (Lycaenidae) buddhista Alpheraky,1881; balinti D'Abrera,1993.
- 574. Cupido (s.str.) gisela (Püngeler,1901)** (Lycaenidae) gisela Püngeler,1901
- 575. Cupido (s.str.) gisela gisela (Püngeler,1901)** (Lycaenidae) gisela Püngeler,1901
- 576. Cupido (s.str.) minimus (Fuessly,1775)** (Lycaenidae) minimus Fuessly,1775; alsus [Denis & Schifferrmüller],1775; pseudolus Bersträßer,[1779]; puer Schrank,1801.
- 577. Cupido (s.str.) osiris (Meigen,[1829])** (Lycaenidae) osiris Meigen,[1829]; saportae Duponchel,1832; violacea Verity,1911; sebrus Boisduval,[1833].
- 578. Cupido (s.str.) prosecusa (Erschoff,1874)** (Lycaenidae) prosecusa Erschoff,1874
- 579. Cupido (s.str.) prosecusa duplex (Alpheraky,1889)** (Lycaenidae) duplex Alpheraky,1889
- 580. Cupido (s.str.) prosecusa korlana (Staudinger,1901)** (Lycaenidae) korlana Staudinger,1901
- 581. Cupido (s.str.) prosecusa prosecusa (Erschoff,1874)** (Lycaenidae) prosecusa Erschoff,1874
- 582. Glaucopsyche (s.str.) aeruginosa (Staudinger,1881)** (Lycaenidae) aeruginosa Staudinger,1881; subalexis Obraztsov,1936.
- 583. Glaucopsyche (s.str.) aeruginosa aeruginosa (Staudinger,1881)** (Lycaenidae) aeruginosa Staudinger,1881; subalexis Obraztsov,1936.
- 584. Glaucopsyche (s.str.) laetifica (Püngeler,1898)** (Lycaenidae) laetifica Püngeler,1898
- 585. Glaucopsyche (s.str.) laetifica laetifica (Püngeler,1898)** (Lycaenidae) laetifica Püngeler,1898
- 586. Helleia helle ([Denis & Schifferrmüller],1775)** (Lycaenidae) helle [Denis & Schifferrmüller],1775; amphidamas Esper,1781; xanthe Lang,1789 nec [Denis & Schifferrmüller],1775.
- 587. Helleia helle helle ([Denis & Schifferrmüller],1775)** (Lycaenidae) helle [Denis & Schifferrmüller],1775; amphidamas Esper,1781; xanthe Lang,1789 nec [Denis & Schifferrmüller],1775.
- 588. Heodes (Lowcia) tityrus (Poda,1761)** (Lycaenidae) tityrus Poda,1761; acrion [Brünnich],1763; orientalis Staudinger,1881; argentifex Balint,1990.
- 589. Heodes (s.str.) virgaureae (Linnaeus,1758)** (Lycaenidae) virgaureae Linnaeus,1758; armeniaca A.Bang-Haas,1906; chrysorhoas Fruhstorfer,1917; balcanicola Graves,1928.
- 590. Heodes (s.str.) virgaureae virgaureola (Staudinger,1892)** (Lycaenidae) virgaureola Staudinger,1892; mongolica Kurensov,1970.
- 591. Lycaena (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) phlaeas Linnaeus,1761; virgaureae Fourcroy,1785 nec Linnaeus,1758; eleus Fabricius,1798; aestivus Zeller,1850; schmidtii Gerhard,1853
- 592. Lycaena (s.str.) phlaeas oxianus (Groum-Grshimailo,1890)** (Lycaenidae) oxiana Groum-Grshimailo,1890; turanica Heyne,[1895]; naruna Courvoisier,1911; coccineus Ford,1924.
- 593. Maculinea alcon ([Denis & Schifferrmüller],1775)** (Lycaenidae) alcon [Denis & Schifferrmüller],1775; mamers Bergsträßer,1779.
- 594. Maculinea arion (Linnaeus,1758)** (Lycaenidae) arion Linnaeus,1758; telegone Bergsträßer,1779; caucasica Jachontov,1914 nec Led.,1870; zara Jachontov,1935.
- 595. Maculinea telejus (Bergsträßer,[1779])** (Lycaenidae) diomedes Rottentburg,1775 nec Linn.,1758; telejus Bergsträßer,[1779]; telegonus Bergsträßer,[1779]; arctophylax Bergsträßer,[1779]; arctophanus Bergsträßer,[1779]; euphemus Hübner,[1800].
- 596. Neolycaena (Rhymnaria) eckweileri Lukhtanov,1993** (Lycaenidae) eckweileri Lukhtanov,1993
- 597. Neolycaena (Rhymnaria) eckweileri eckweileri Lukhtanov,1993** (Lycaenidae) eckweileri Lukhtanov,1993
- 598. Neolycaena (Rhymnaria) iliensis (Groum-Grshimailo,1891)** (Lycaenidae) iliensis Groum-Grshimailo,1891
- 599. Neolycaena (Rhymnaria) iliensis iliensis (Groum-Grshimailo,1891)** (Lycaenidae) iliensis Groum-Grshimailo,1891
- 600. Neolycaena (Rhymnaria) rhymnus (Eversmann,1832)** (Lycaenidae) rhymnus Eversmann,1832
- 601. Neolycaena (Rhymnaria) rhymnus rhymnus (Eversmann,1832)** (Lycaenidae) rhymnus Eversmann,1832
- 602. Neolycaena (Rhymnaria) tengstroemi (Erschoff,1874)** (Lycaenidae) tengstroemi Erschoff,1874
- 603. Neolycaena (s.str.) sinensis (Alpheraky,1881)** (Lycaenidae) sinensis Alpheraky,1881; yiliensis Huang & Murayama,1992.
- 604. Neolycaena (s.str.) sinensis sinensis (Alpheraky,1881)** (Lycaenidae) sinensis Alpheraky,1881; yiliensis Huang & Murayama,1992.
- 605. Palaeophilotes (s.str.) triphysina (Staudinger,[1892])** (Lycaenidae) triphysina Staudinger,[1892]; yuliana Chuan-Lung,1963.
- 606. Palaeophilotes (s.str.) triphysina triphysina (Staudinger,[1892])** (Lycaenidae) triphysina Staudinger,[1892]; yuliana Chuan-Lung,1963.
- 607. Phoenicurusia alexandra (Püngeler,1901)** (Lycaenidae) alexandra Püngeler,1901
- 608. Phoenicurusia alexandra zhanibeki (Zhdanko,1999)** (Lycaenidae) zhanibeki Zhdanko,1999
- 609. Phoenicurusia athamantis (Eversmann,1854)** (Lycaenidae) athamantis Eversmann,1854
- 610. Phoenicurusia athamantis iliensis (Staudinger,1886)** (Lycaenidae) iliensis Staudinger,1886
- 611. Phoenicurusia dimorpha (Staudinger,1881)** (Lycaenidae) dimorphus Staudinger,1881
- 612. Phoenicurusia dimorpha dimorpha (Staudinger,1881)** (Lycaenidae) dimorphus Staudinger,1881
- 613. Plebejus (Alpherakya) sartus (Alpheraky,1881)** (Lycaenidae) sartus Alpheraky,1881; phryxis Staudinger,1886
- 614. Plebejus (Alpherakya) sartus sartus (Alpheraky,1881)** (Lycaenidae) sartus Alpheraky,1881; phryxis Staudinger,1886
- 615. Plebejus (Lycacides) agnatus (Staudinger,1889)** (Lycaenidae) agnata Staudinger,1889
- 616. Plebejus (Lycacides) agnatus agnatus (Staudinger,1889)** (Lycaenidae) agnata Staudinger,1889
- 617. Plebejus (Lycacides) agnatus rognedus (Groum-Grshimailo,1890)** (Lycaenidae) rogneda Groum-Grshimailo,1890
- 618. Plebejus (Lycacides) argyrognomon (Bergsträßer,[1779])** (Lycaenidae) argyrognomon Bergsträßer,[1779]
- 619. Plebejus (Lycacides) argyrognomon aeginus (Groum-Grshimailo,1891)** (Lycaenidae) aegina Groum-Grshimailo,1891; regina Rühl,[1893].
- 620. Plebejus (Lycacides) christophi (Staudinger,1874)** (Lycaenidae) christophi Staudinger,1874; argivus Staudinger,1886.
- 621. Plebejus (Lycacides) christophi christophi (Staudinger,1874)** (Lycaenidae) christophi Staudinger,1874; argivus Staudinger,1886.

- 622. Plebejus (Lycaeides) idas aeginus (Groum-Grshimailo,1891)** (Lycaenidae) aegina Groum-Grshimailo,1891; #naruena Courvoisier,1913; colossa A.Bang-Haas
- 623. Plebejus (Lycaeides) maracandicus (Erschoff,1874)** (Lycaenidae) maracandica Erschoff,1874; dschagatai Groum-Grshimailo,1887; buchara Forster,1936.
- 624. Plebejus (Lycaeides) maracandicus planorum (Alpheraky,1881)** (Lycaenidae) planorum Alpheraky,1881; calmuca Groum-Grshimailo,1891; #calmuca Staudinger,1901.
- 625. Plebejus (Lycaeides) subsolanus (Eversmann,1851)** (Lycaenidae) subsolanus Eversmann,1851; cleobis Bremer,1861.
- 626. Plebejus (Lycaeides) subsolanus ida (Groum-Grshimailo,1891)** (Lycaenidae) ida Groum-Grshimailo,1891; kenteana Staudinger,1892
- 627. Plebejus (Plebejides) pylaon (Fischer v. Waldheim,1832)** (Lycaenidae) pylaon Fischer v. Waldheim,1832
- 628. Plebejus (Plebejides) pylaon forsteri Balint,1990** (Lycaenidae) forsteri Balint,1990
- 629. Plebejus (Plebejides) usbekus Forster,1939** (Lycaenidae) zephyrinus Staudinger,1886 nec Christoph,1884; usbekus Forster,1939
- 630. Plebejus (Plebejides) usbekus usbekus Forster,1939** (Lycaenidae) zephyrinus Staudinger,1886 nec Christoph,1884; usbekus Forster,1939
- 631. Plebejus (s.str.) argus (Linnaeus,1758)** (Lycaenidae) argus Linnaeus,1758; aegon Denis & Schiffmüller,1775; plouharnelensis Oberthür,1926; pulchrachilone Verity,1931.
- 632. Plebejus (s.str.) argus wolgensis (Forster,1936)** (Lycaenidae) wolgensis Forster,1936
- 633. Polyommatus (Agriades (s.str.)) pheretiades (Eversmann,1843)** (Lycaenidae) pheretiades Eversmann,1843
- 634. Polyommatus (Agriades (s.str.)) pheretiades dschagataicus (A.Bang-Haas,1915)** (Lycaenidae) dschagataicus A.Bang-Haas,1915
- 635. Polyommatus (Agriades (s.str.)) pheretiades philebus (Fruhstorfer,1915)** (Lycaenidae) philebus Fruhstorfer,1915
- 636. Polyommatus (Agriades (s.str.)) pheretiades tekessanus (Alpheraky,1897)** (Lycaenidae) tekessana Alpheraky,1897
- 637. Polyommatus (Albulina (Pamiria)) lehanus Moore,1878** (Lycaenidae) lehanus Moore,1878
- 638. Polyommatus (Albulina (Pamiria)) lehanus armathea (Fruhstorfer,1916)** (Lycaenidae) armathea Fruhstorfer,1916
- 639. Polyommatus (Albulina (Pamiria)) lehanus artenitus (Fruhstorfer,1916)** (Lycaenidae) artenita Fruhstorfer,1916
- 640. Polyommatus (Albulina (Pamiria)) lehanus lehanus Moore,1878** (Lycaenidae) lehanus Moore,1878
- 641. Polyommatus (Albulina (Plebejidea)) cyane (Eversmann,1837)** (Lycaenidae) cyane Eversmann,1837
- 642. Polyommatus (Albulina (Plebejidea)) cyane cyane (Eversmann,1837)** (Lycaenidae) cyane Eversmann,1837
- 643. Polyommatus (Albulina (Plebejidea)) cyane ella (Bollow,1931)** (Lycaenidae) ella Bollow,1931
- 644. Polyommatus (Albulina (Plebejidea)) elvira (Eversmann,1854)** (Lycaenidae) elvira Eversmann,1854; oberthueri Groum-Grshimailo,1887.
- 645. Polyommatus (Albulina (Plebejidea)) elvira elvira (Eversmann,1854)** (Lycaenidae) elvira Eversmann,1854; oberthueri Groum-Grshimailo,1887.
- 646. Polyommatus (Albulina (Plebejidea)) ferganus (Staudinger,1881)** (Lycaenidae) fergana Staudinger,1881; torgouta Alpheraky,1881
- 647. Polyommatus (Albulina (Plebejidea)) ferganus ferganus (Staudinger,1881)** (Lycaenidae) fergana Staudinger,1881; torgouta Alpheraky,1881
- 648. Polyommatus (Albulina (Plebejidea)) miris (Staudinger,1881)** (Lycaenidae) miris Staudinger,1881; #oblitescens Schultz,1906
- 649. Polyommatus (Albulina (Plebejidea)) miris miris (Staudinger,1881)** (Lycaenidae) miris Staudinger,1881; #oblitescens Schultz,1906
- 650. Polyommatus (Albulina (s.str.)) orbitulus (De Prunner,1798)** (Lycaenidae) orbitulus De Prunner,1798; atys Hübner,1804 nec Cr.,1780; pheretes Hoffmannsegg,1804; pheretes Hübner,1806.
- 651. Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) chiron Rottemburg,1775 nec Fabricius,1775; eumedon Esper,[1780]; osiris Bang-Haas,1927 nec Hopffer,1855; rumeliensis Eitschberger & Stein.,1975; jeanensis Eitschberger & Stein.,1975; kagizmanensis Koçak,1980.
- 652. Polyommatus (Aricia (Eumedonia)) eumedon eumedon (Esper,[1780])** (Lycaenidae) chiron Rottemburg,1775 nec Fabr.,1775; eumedon Esper,[1780]; osiris Bang-Haas,1927 nec Hopffer,1855; rumeliensis Eitschberger & Stein.,1975; jeanensis Eitschberger & Stein.,1975; kagizmanensis Koçak,1980.
- 653. Polyommatus (Aricia (Umpria)) chinensis (Murray,1874)** (Lycaenidae) chinensis Murray,1874
- 654. Polyommatus (Aricia (Umpria)) chinensis myrmecias (Christoph,1877)** (Lycaenidae) myrmecias Christoph,1877
- 655. Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffmüller],1775)** (Lycaenidae) medon Hufnagel,1766 nec Linn.,1763; alexis Rottemburg,1775 nec Poda,1761; agestis [Denis & Schiffmüller],1775; astrarche Bergsträßer,[1779].
- 656. Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae) artaxerxes Fabricius,1793.
- 657. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) ripartii Freyer,[1830].
- 658. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii tengritaghiçus Koçak & Kemal,2001** (Lycaenidae) tengritaghiçus Koçak & Kemal,2001
- 659. Polyommatus (s.str. (Agrodiaetus (Juldus))) iphigenides (Staudinger,1886)** (Lycaenidae) iphigenides Staudinger,1886
- 660. Polyommatus (s.str. (Agrodiaetus (Juldus))) juldus (Staudinger,1886)** (Lycaenidae) juldusa Staudinger,1886; duplicata A.Bang-Haas,1910.
- 661. Polyommatus (s.str. (Agrodiaetus (Juldus))) juldus juldus (Staudinger,1886)** (Lycaenidae) juldusa Staudinger,1886; duplicata A.Bang-Haas,1910.
- 662. Polyommatus (s.str. (Agrodiaetus (Juldus))) juldus ruckbeili (Forster,1960)** (Lycaenidae) ruckbeili Forster,1960
- 663. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffmüller],1775)** (Lycaenidae) damon [Denis & Schiffmüller],1775
- 664. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon merzbacheri (Courvoisier,1913)** (Lycaenidae) merzbacheri Courvoisier,1913
- 665. Polyommatus (s.str. (Cyaniris)) persephatta (Alpheraky,1881)** (Lycaenidae) persephatta Alpheraky,1881
- 666. Polyommatus (s.str. (Cyaniris)) persephatta persephatta (Alpheraky,1881)** (Lycaenidae) persephatta Alpheraky,1881
- 667. Polyommatus (s.str. (Cyaniris)) semiargus (Rottemburg,1775)** (Lycaenidae) semiargus Rottemburg,1775; acis Denis & Schiffmüller,1775 nec Dryry,1773; byzas Bergsträßer,[1779]; byze Bergsträßer,[1779]; argopoeus Bergsträßer,[1779]; byzenus Bergsträßer,[1779]; argopoei Bergsträßer,[1779]; cimon Lewin,1795; argianus Dalman,1816.
- 668. Polyommatus (s.str. (Cyaniris)) semiargus altaianus (Tutt,[1909])** (Lycaenidae) altaianus Tutt,[1909]
- 669. Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) icarius Esper,1789 nec Rottemburg,1775; amandus Schneider,1792
- 670. Polyommatus (s.str.) amor (Lang,1884)** (Lycaenidae) amor Lang,1884; amor Staudinger,1886 [Lectotype *: "Samarkand" designated by Lukhtanov,1994, Herpiboliana 3: 272 (ZMHUB)].
- 671. Polyommatus (s.str.) amor wiskotti (Courvoisier,1910)** (Lycaenidae) #wiskotti Courvoisier,1910
- 672. Polyommatus (s.str.) eroides (Frivaldsky,1835)** (Lycaenidae) eroides Frivaldsky,1835
- 673. Polyommatus (s.str.) eroides tartarus Fruhstorfer,1916** (Lycaenidae) tartarus Fruhstorfer,1916
- 674. Polyommatus (s.str.) erotides (Staudinger,1892)** (Lycaenidae) erotides Staudinger,1892
- 675. Polyommatus (s.str.) erotides erotides (Staudinger,1892)** (Lycaenidae) erotides Staudinger,1892
- 676. Polyommatus (s.str.) hunza (Groum-Grshimailo,1890)** (Lycaenidae) hunza Groum-Grshimailo,1890
- 677. Polyommatus (s.str.) hunza hunza (Groum-Grshimailo,1890)** (Lycaenidae) hunza Groum-Grshimailo,1890

- 678. *Polyommatus* (s.str.) *icarus* (Rottemburg,1775)** (Lycaenidae) *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851;
- 679. *Polyommatus* (s.str.) *icarus napaea* (Groum-Grshimailo,1891)** (Lycaenidae) *napaea* Groum-Grshimailo,1891
- 680. *Polyommatus* (s.str.) *persicus* (Bienert,1870)** (Lycaenidae) *persica* Bienert,1870; *bienerti* Balint,[1993].
- 681. *Polyommatus* (s.str.) *persicus kashgharensis* Moore,1878** (Lycaenidae) *kashgharensis* Moore,1878; *yarkundensis* Moore,1878.
- 682. *Polyommatus* (s.str.) *stigmatiferus* Courvoisier,1903** (Lycaenidae) *stigmatifera* Courvoisier,1903; *lunulata* Courvoisier,1903; *vasilyi* Tshikolovets,1995; *erotides* sensu Zhdanko,1997.
- 683. *Polyommatus* (s.str.) *stigmatiferus stigmatiferus* Courvoisier,1903** (Lycaenidae) *stigmatifera* Courvoisier,1903; *lunulata* Courvoisier,1903; *vasilyi* Tshikolovets,1995.
- 684. *Polyommatus* (s.str.) *venus* (Staudinger,1886)** (Lycaenidae) *venus* Staudinger,1886
- 685. *Praephilotes anthracias* (Christoph,1877)** (Lycaenidae) *anthracias* Christoph,1877
- 686. *Praephilotes anthracias anthracias* (Christoph,1877)** (Lycaenidae) *anthracias* Christoph,1877
- 687. *Pseudophilotes vicrama* (Moore,1865)** (Lycaenidae) *vicrama* Moore,1865
- 688. *Pseudophilotes vicrama astabene* (Hemming,1932)** (Lycaenidae) *clara* Staudinger,1901; *astabene* Hemming,1932
- 689. *Scolitantides orion* (Pallas,1771)** (Lycaenidae) *orion* Pallas,1771; *battus* Denis & Schiffermüller,1775; *telephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943.
- 690. *Scolitantides orion orithyia* (Groum-Grshimailo,1892)** (Lycaenidae) *ornata* Staudinger,1892 nec Mabilie,1890 non Staudinger,1892; *orithyia* Groum-Grshimailo,1892; *coreana* Matsumura,1926; *athene* Hemming,1934; *johanseni* Wnukowsky,1935; *#dageletensis* Seok,1938.
- 691. *Thecla betulae* (Linnaeus,1758)** (Lycaenidae) *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosae* Gerhard,[1850].
- 692. *Thecla betulae betulae* (Linnaeus,1758)** (Lycaenidae) *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosae* Gerhard,[1850].
- 693. *Thersamolycaena* (Alciphronia) *alciphron* (Rottemburg,1775)** (Lycaenidae) *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hiere* Fabricius,1787.
- 694. *Thersamolycaena* (s.str.) *dispar* ([Haworth],1802)** (Lycaenidae) *dispar* [Haworth],1802; *hippotoe* Rottemburg,1775 nec Linnaeus,1761.
- 695. *Thersamolycaena* (s.str.) *dispar festivus* (Krulikowsky,1909)** (Lycaenidae) *festivus* Krulikowsky,1909
- 696. *Thersamolycaena* (s.str.) *splendens* (Staudinger,1881)** (Lycaenidae) *splendens* Staudinger,1881
- 697. *Thersamolycaena* (s.str.) *splendens splendens* (Staudinger,1881)** (Lycaenidae) *splendens* Staudinger,1881
- 698. *Thersamonia* (s.str.) *alpherakii* (Groum-Grshimailo,1888)** (Lycaenidae) *alpherakii* Groum-Grshimailo,1888
- 699. *Thersamonia* (s.str.) *alpherakii alpherakii* (Groum-Grshimailo,1888)** (Lycaenidae) *alpherakii* Groum-Grshimailo,1888
- 700. *Thersamonia* (s.str.) *attila* Zhdanko,1990** (Lycaenidae) *attila* Zhdanko,1990
- 701. *Thersamonia* (s.str.) *attila attila* Zhdanko,1990** (Lycaenidae) *attila* Zhdanko,1990
- 702. *Thersamonia* (s.str.) *solskyi* (Erschoff,1874)** (Lycaenidae) *solskyi* Erschoff,1874; *fulminans* Groum-Grshimailo,1888.
- 703. *Thersamonia* (s.str.) *solskyi solskeyi* (Erschoff,1874)** (Lycaenidae) *solskyi* Erschoff,1874; *fulminans* Groum-Grshimailo,1888.
- 704. *Thersamonia* (s.str.) *thersamon* (Esper,[1784])** (Lycaenidae) *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925.
- 705. *Tongeia fischeri* (Eversmann,1843)** (Lycaenidae) *fischeri* Eversmann,1843
- 706. *Tongeia fischeri fischeri* (Eversmann,1843)** (Lycaenidae) *fischeri* Eversmann,1843
- 707. *Yettekizia Kemal & Koçak,2006*** (Lycaenidae) *Xinjiangia* Huang & Murayama,1988 nec Zang,1981 non Hong,1983; *Yettekizia Kemal & Koçak,2006*
- 708. *Yettekizia kumukuleensis* (Huang & Murayama,1988)** (Lycaenidae) *kumukuleensis* Huang & Murayama,1988
- 709. *Dicallomera nivalis* (Staudinger,1887)** (Lymantriidae) *nivalis* Staudinger,1887
- 710. *Dicallomera nivalis obscurata* (Staudinger,[1900])** (Lymantriidae) *obscurata* Staudinger,[1900]
- 711. *Euproctis karghalica* Moore,1878** (Lymantriidae) *karghalica* Moore,1878; *#karghalica* Grum-Grshimailo,1886; *flavosulphurea* Grum-Grshimailo,1886; *#karghalica* Strand,1910; *#deornata* Ebert,1968
- 712. *Euproctis lactea* Moore,1878** (Lymantriidae) *lactea* Moore,1878
- 713. *Leucoma salicis* (Linnaeus,1758)** (Lymantriidae) *salicis* Linnaeus,1758; *apparens* Retzius,1783; *salicinus* Haworth,1803; *xanthocampa* Dyar,1905; *coreacola* Matsumura,1933; *sjoquisti* Bryk,1942; *variabilis* Bryk,1949
- 714. *Leucoma salicis salicis* (Linnaeus,1758)** (Lymantriidae) *salicis* Linnaeus,1758; *apparens* Retzius,1783; *salicinus* Haworth,1803; *xanthocampa* Dyar,1905; *coreacola* Matsumura,1933; *sjoquisti* Bryk,1942; *variabilis* Bryk,1949
- 715. *Leucoma sartus* (Erschoff,1874)** (Lymantriidae) *sartus* Erschoff,1874
- 716. *Leucoma surtur* (A.Bang-Haas,1912)** (Lymantriidae) *surtur* A.Bang-Haas,1912
- 717. *Orgyia aurolimbata* Guenée,1835** (Lymantriidae) *aurolimbata* Guenée,1835
- 718. *Orgyia flavolimbata* Staudinger,1881** (Lymantriidae) *flavolimbata* Staudinger,1881; *tristis* Grum-Grshimailo,1891
- 719. "Genus" *juldussi* (Alpheraky,1882)** (Noctuidae) *juldussi* Alpheraky,1882
- 720. "Genus" *stentzi* (Lederer,1853)** (Noctuidae) *stentzi* Lederer,1853
- 721. *Acantholipes regularis* (Hübner,[1813])** (Noctuidae) *regularis* Hübner,[1813]
- 722. *Acantholipes regularis hilaris* Schawerda,1929** (Noctuidae) *hilaris* Schawerda,1929
- 723. *Acontia lucida* (Hufnagel,1766)** (Noctuidae) *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *lugens* Alpheraky,1889.
- 724. *Acronicta* (Subacronicta) *centralis* Erschov,1874** (Noctuidae) *centralis* Erschov,1874
- 725. *Acronicta* (Triaena) *aceris aceris* (Linnaeus,1758)** (Noctuidae) *aceris* Linnaeus,1758
- 726. *Acronicta* (Triaena) *tridens* ([Denis & Schiffermüller],1775)** (Noctuidae) *tridens* [Denis & Schiffermüller],1775; *karghalica* Moore,1878.
- 727. *Acronicta* (Viminia) *euphorbiae* (Denis,1785)** (Noctuidae) *#euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowski* Wojtusik & Niesiolowski,1946.
- 728. *Acronicta* (Viminia) *euphorbiae korlana* Draudt,1931** (Noctuidae) *korlana* Draudt,1931
- 729. *Actebia fennica* (Tauscher,1837)** (Noctuidae) *fennica* Tauscher,1837
- 730. *Actinotia polyodon* (Clerck,1759)** (Noctuidae) *#polyodon* Clerck,1759; *perspicillaris* Linnaeus,1761.
- 731. *Agrochola* (Anchoscelis) *helvola* (Linnaeus,1758)** (Noctuidae) *helvola* Linnaeus,1758; *rufina* Linnaeus,1758; *#fulvago* Clerck,1759.
- 732. *Agrochola* (Anchoscelis) *helvola helvola* (Linnaeus,1758)** (Noctuidae) *helvola* Linnaeus,1758; *rufina* Linnaeus,1758; *#fulvago* Clerck,1759.
- 733. *Agrotis* (s.str.) *characteristica* Alpheraky,1892** (Noctuidae) *characteristica* Alpheraky,1892; *mirifica* Wagner,1913; *robustana* Poole,1988.

- 734. Agrotis (s.str.) characteristica characteristica Alpheraky,1892** (Noctuidae) *characteristica* Alpheraky,1892; *mirifica* Wagner,1913; *robustana* Poole,1988.
- 735. Agrotis (s.str.) cinerea ([Denis & Schiffmüller],1775)** (Noctuidae) *cinerea* [Denis & Schiffmüller],1775; *obscura* Hübner,[1803]; *dentimaculatus* Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886; *alpigena* Calberla,1888; *tephrina* Staudinger,1901; *eximia* Culot,1910.
- 736. Agrotis (s.str.) exclamationis (Linnaeus,1758)** (Noctuidae) *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 nec Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934.
- 737. Agrotis (s.str.) ripae (Hübner,[1823])** (Noctuidae) *ripae* Hübner,[1823]; *nebulosa* Stephens,1829; *desillii* Pierret,1839; *weissenbornii* Freyer,1845; *obotritica* Schmidt,1858; *farinosa* Stgr.,1888; *alexandriensis* Bethune-Baker,1894; *psammodes* Staudinger,1895; *punica* Pinker,1979.
- 738. Agrotis (s.str.) ripae ripae (Hübner,[1823])** (Noctuidae) *ripae* Hübner,[1823]; *nebulosa* Stephens,1829; *desillii* Pierret,1839; *weissenbornii* Freyer,1845; *obotritica* Schmidt,1858; *farinosa* Stgr.,1888; *alexandriensis* Bethune-Baker,1894; *psammodes* Staudinger,1895; *punica* Pinker,1979.
- 739. Agrotis (s.str.) segetum ([Denis & Schiffmüller],1775)** (Noctuidae) *segetum* [Denis & Schiffmüller],1775; *sordida* [Denis & Schiffmüller],1775; *undulatus* Goeze,1781 (*praeocc.*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886.
- 740. Ala pretiosa Alpheraky,1892** (Noctuidae) *pretiosa* Alpheraky,1892
- 741. Albocosta musiva (Hübner,[1803])** (Noctuidae) *musiva* Hübner,[1803]
- 742. Albocosta musiva musiva (Hübner,[1803])** (Noctuidae) *musiva* Hübner,[1803]
- 743. Ammogrotis suavis Staudinger,1895** (Noctuidae) *suavis* Staudinger,1895
- 744. Amphipoea asiatica (Burrows,1911)** (Noctuidae) *asiatica* Burrows,1911
- 745. Amphipoea ochreola (Staudinger,1882)** (Noctuidae) *ochreola* Staudinger,1882; *renalis* Alpheraky,1887.
- 746. Amphipoea oclea (Linnaeus,1761)** (Noctuidae) *oclea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffmüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei* Oberthür,1918.
- 747. Amphipoea oclea oclea (Linnaeus,1761)** (Noctuidae) *oclea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffmüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei* Oberthür,1918.
- 748. Amphipoea oclea pallescens (Staudinger,[1900])** (Noctuidae) *pallescens* Staudinger,[1900]
- 749. Amphipyra alpherakii (Staudinger,1888)** (Noctuidae) *alpherakii* Staudinger,1888; *alpheraci* Hampson,1908.
- 750. Amphipyra sergei (Staudinger,1888)** (Noctuidae) *sergei* Staudinger,1888
- 751. Amphipyra tetra (Fabricius,1787)** (Noctuidae) *tetra* Fabricius,1787
- 752. Anumeta cestis (Ménétriés,1848)** (Noctuidae) *cestis* Ménétriés,1848; *punctata* Ménétriés,1848.
- 753. Anumeta ciliaria (Ménétriés,1847)** (Noctuidae) *ciliaria* Ménétriés,1847; *dentistrigata* Alpheraky,1883.
- 754. Anumeta dentistrigata (Staudinger,1877)** (Noctuidae) *dentistrigata* Staudinger,1877
- 755. Anumeta fractistrigata (Alpheraky,1882)** (Noctuidae) *fractistrigata* Alpheraky,1882
- 756. Anydrophila simiola (Püngeler,1900)** (Noctuidae) *simiola* Püngeler,1900
- 757. Apamea anceps ([Denis & Schiffmüller],1775)** (Noctuidae) *anceps* [Denis & Schiffmüller],1775
- 758. Apamea ferrago (Eversmann,1837)** (Noctuidae) *ferrago* Eversmann,1837
- 759. Apamea ferrago ferrago (Eversmann,1837)** (Noctuidae) *ferrago* Eversmann,1837
- 760. Apamea furva ([Denis & Schiffmüller],1775)** (Noctuidae) *#furva* [Denis & Schiffmüller],1775
- 761. Apamea furva furva ([Denis & Schiffmüller],1775)** (Noctuidae) *#furva* [Denis & Schiffmüller],1775
- 762. Apamea lateritia (Hufnagel,1766)** (Noctuidae) *lateritia* Hufnagel,1766; *molochina* Hübner,[1803].
- 763. Apamea lateritia expallescens (Staudinger,1882)** (Noctuidae) *expallescens* Staudinger,1882
- 764. Apamea oblonga (Haworth,[1809])** (Noctuidae) *oblonga* Haworth,[1809]; *abjecta* Hübner,[1813].
- 765. Apamea remissa (Hübner,[1809])** (Noctuidae) *remissa* Hübner,[1809]
- 766. Apamea vicaria (Püngeler,1902)** (Noctuidae) *vicaria* Püngeler,1902
- 767. Apoestes phantasma (Eversmann,1843)** (Noctuidae) *phantasma* Eversmann,1843; *centralasiae* Warren,1913.
- 768. Argyrospila succinea (Esper,[1798])** (Noctuidae) *succinea* Esper,[1798]
- 769. Armada panaceorum (Ménétriés,1849)** (Noctuidae) *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
- 770. Armada panaceorum panaceorum (Ménétriés,1849)** (Noctuidae) *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
- 771. Athaumasta cortex (Alpheraky,1887)** (Noctuidae) *cortex* Alpheraky,1887; *corticula* Püngeler,1901.
- 772. Athaumasta expressa (Lederer,1855)** (Noctuidae) *expressa* Lederer,1855; *ochracea* Staudinger,1881
- 773. Athetis correpta (Püngeler,1907)** (Noctuidae) *correpta* Püngeler,1907
- 774. Athetis furvula (Hübner,[1808])** (Noctuidae) *furvula* Hübner,[1808]; *dasychira* Hübner,[1817]; *lenta* Treitschke,1825.
- 775. Auchmis (s.str.) curva (Staudinger,1889)** (Noctuidae) *curva* Staudinger,1889
- 776. Auchmis (s.str.) deterrentina (Staudinger,1897)** (Noctuidae) *deterentina* Staudinger,1897
- 777. Auchmis (s.str.) deterrentina deterrentina (Staudinger,1897)** (Noctuidae) *deterentina* Staudinger,1897
- 778. Auchmis (s.str.) incognita L.Ronkay & Varga,1990** (Noctuidae) *incognita* L.Ronkay & Varga,1990
- 779. Auchmis (s.str.) peterseni (Christoph,1887)** (Noctuidae) *peterseni* Christoph,1887
- 780. Autographa bractea ([Denis & Schiffmüller],1775)** (Noctuidae) *bractea* [Denis & Schiffmüller],1775
- 781. Autographa gamma (Linnaeus,1758)** (Noctuidae) *gamma* Linnaeus,1758; *messmeri* Schadewald,1992; *voelkeri* Schadewald,1992.
- 782. Autophila (Cheiropheanes) eremocharis Boursin,1940** (Noctuidae) *eremocharis* Boursin,1940
- 783. Autophila (Cheiropheanes) eremocharis eremocharis Boursin,1940** (Noctuidae) *eremocharis* Boursin,1940
- 784. Autophila (Cheiropheanes) gracilis (Staudinger,1874)** (Noctuidae) *gracilis* Staudinger,1874; *coruscantis* Swinhoe,1885
- 785. Autophila (Cheiropheanes) maculifera (Staudinger,1888)** (Noctuidae) *#maculifera* Staudinger,1882 (in litt.); *maculifera* Staudinger,1888.
- 786. Autophila (Cheiropheanes) myriospea Boursin,1940** (Noctuidae) *myriospea* Boursin,1940
- 787. Autophila (Cheiropheanes) tancrei Boursin,1940** (Noctuidae) *tancrei* Boursin,1940
- 788. Autophila (Cheiropheanes) tancrei tancrei Boursin,1940** (Noctuidae) *tancrei* Boursin,1940
- 789. Autophila (s.str.) dilucida (Hübner,[1808])** (Noctuidae) *dilucida* Hübner,[1808]; *praeclara* Schawerda,1918; *argentea* Caradja,1930; *troniccki* Reisser,1958.
- 790. Autophila (s.str.) glebicolor (Ershoff,1874)** (Noctuidae) *glebicolor* Ershoff,1874

791. *Autophila* (s.str.) *hirsutula* (Alpheraky,[1894]) (Noctuidae) *hirsutula* Alpheraky,[1894]
 792. *Autophila* (s.str.) *lia* (Püngeler,1906) (Noctuidae) *lia* Püngeler,1906
 793. *Autophila* (s.str.) *simplex* (Staudinger,1888) (Noctuidae) *simplex* Staudinger,1888
 794. *Autophila* (s.str.) *vespertalis* (Staudinger,1896) (Noctuidae) *vespertalis* Staudinger,1896
 795. *Basistriga flammata* ([Denis & Schiffmüller],1775) (Noctuidae) *flammata* [Denis & Schiffmüller],1775; *bimaculata* Milliere,1885.
 796. *Basistriga flammata centralasiae* (Wagner,1913) (Noctuidae) *centralasiae* Wagner,1913
 797. *Basistriga flammata flammata* ([Denis & Schiffmüller],1775) (Noctuidae) *flammata* [Denis & Schiffmüller],1775; *bimaculata* Milliere,1885.
 798. *Brachylomia viminalis* (Fabricius,1777) (Noctuidae) *viminalis* Fabricius,1777; *stricta* Esper,[1789]; *saliceti* Borkhausen,1792; *scripta* Hübner,[1803].
 799. *Bryopolia chamaeleon* (Alpheraky,1887) (Noctuidae) *chamaeleon* Alpheraky,1887
 800. *Bryoxena centralasiae* (Staudinger,1882) (Noctuidae) *centralasiae* Staudinger,1882
 801. *Bryoxena centralasiae centralasiae* (Staudinger,1882) (Noctuidae) *centralasiae* Staudinger,1882
 802. *Bryoxena tenuicornis* (Alpheraky,1887) (Noctuidae) *tenuicornis* Alpheraky,1887; *extrita* Hampson,1906; *inextrita* Püngeler,1914; *#fuscior* Strand,1915.
 803. *Calamia tridens* (Hufnagel,1766) (Noctuidae) *tridens* Hufnagel,1766; *virens* Linnaeus,1767; *immaculata* Staudinger,1871.
 804. *Callistege mi* (Clerck,1759) (Noctuidae) *#mi* Clerck,1759; *graminis* Hufnagel,1766; *albolineata* Goeze,1781; *litterata* Cyrilli,1787 nec Sc.,1763
 805. *Calophasia opalina* (Esper,[1796]) (Noctuidae) *casta* Borkhausen,1793 nec Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruenensis* Spuler,1910; *castior* Stauder,1923.
 806. *Caloplusia hohenwarthi* (Hochenwarth,1785) (Noctuidae) *hochenwarthi* Hochenwarth,1785; *divergens* Fabricius,1787; *insignata* Reuter,1893; *tibetana* Staudinger,1895; *alaica* Galvagni,1906; *cuprina* W.Warren,1913; *hochenwarthi* Hampson,1913; *lapponaris* Schulte,1952
 807. *Caloplusia hohenwarthi hohenwarthi* (Hochenwarth,1785) (Noctuidae) *hochenwarthi* Hochenwarth,1785; *divergens* Fabricius,1787; *insignata* Reuter,1893; *tibetana* Staudinger,1895; *alaica* Galvagni,1906; *cuprina* W.Warren,1913; *hochenwarthi* Hampson,1913; *lapponaris* Schulte,1952
 808. *Caradrina* (Eremodrina) *belucha* (Swinhoe,1885) (Noctuidae) *belucha* Swinhoe,1885; *conditorana* Pinker,1980
 809. *Caradrina* (Eremodrina) *expansa* (Alpheraky,1887) (Noctuidae) *expansa* Alpheraky,1887
 810. *Caradrina* (Eremodrina) *merzbacheri* Boursin,1960 (Noctuidae) *merzbacheri* Boursin,1960
 811. *Caradrina* (Eremodrina) *turatii* (Boursin,1936) (Noctuidae) *turatii* Boursin,1936
 812. *Caradrina* (Eremodrina) *turbulenta* (W.Warren,1911) (Noctuidae) *turbulenta* W.Warren,1911; *umbratilis* Draudt,1933
 813. *Caradrina* (Eremodrina) *vicina* (Staudinger,1870) (Noctuidae) *vicina* Staudinger,1870; *perspicua* W.Warren,1911
 814. *Caradrina* (Eremodrina) *vicina vicina* (Staudinger,1870) (Noctuidae) *vicina* Staudinger,1870; *perspicua* W.Warren,1911
 815. *Caradrina* (Paradrina) *clavipalpis* (Scopoli,1763) (Noctuidae) *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffmüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovsky,1909; *teidovolans* Pinker,1974; *pinker* Kobes,1975
 816. *Caradrina* (Paradrina) *wulschlegeli* (Püngeler,1903) (Noctuidae) *wulschlegeli* Püngeler,1903
 817. *Caradrina* (Platyperigea) *albina* (Eversmann,1848) (Noctuidae) *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912
 818. *Caradrina* (Platyperigea) *albina albina* (Eversmann,1848) (Noctuidae) *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912
 819. *Caradrina* (Platyperigea) *montana* (Bremer,1861) (Noctuidae) *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis* Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949
 820. *Caradrina* (Platyperigea) *montana montana* (Bremer,1861) (Noctuidae) *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis* Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949
 821. *Caradrina* (Platyperigea) *terrea* (Freyer,[1840]) (Noctuidae) *terrea* Freyer,[1840]; *ustirena* Boisduval,1840
 822. *Caradrina* (Platyperigea) *terrea albersi* (Warnecke,1936) (Noctuidae) *albersi* Warnecke,1936; *clarior* Warnecke,1936.
 823. *Caradrina* (Platyperigea) *warnecke* (Boursin,1936) (Noctuidae) *warnecke* Boursin,1936
 824. *Caradrina* (s.str.) *morpheus* (Hufnagel,1766) (Noctuidae) *morpheus* Hufnagel,1766; *pulla* Beckwith,1794 nec Esp.,[1785]; *sepii* Hübner,[1803]; *dresnaya* D.Lucas,1933; *alpina* Hartig,[1938]
 825. *Cardepia helix* (Boursin,1962) (Noctuidae) *helix* Boursin,1962
 826. *Cardepia irrisoria* (Erschoff,1874) (Noctuidae) *#irrisor* Erschoff,1874; *irrisoria* Erschoff,1874; *albipicta* Christoph,1884
 827. *Catocala* (s.str.) *aestimabilis* Staudinger,1892 (Noctuidae) *aestimabilis* Staudinger,1892
 828. *Catocala* (s.str.) *contemnenda* Staudinger,1891 (Noctuidae) *contemnenda* Staudinger,1891
 829. *Catocala* (s.str.) *desiderata* Staudinger,1888 (Noctuidae) *desiderata* Staudinger,1888
 830. *Catocala* (s.str.) *elocata* (Esper,[1787]) (Noctuidae) *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822]
 831. *Catocala* (s.str.) *elocata locata* Staudinger,1892 (Noctuidae) *locata* Staudinger,1892
 832. *Catocala* (s.str.) *fraxini* (Linnaeus,1758) (Noctuidae) *fraxini* Linnaeus,1758
 833. *Catocala* (s.str.) *juncta* Staudinger,1889 (Noctuidae) *juncta* Staudinger,1889
 834. *Catocala* (s.str.) *kusnezovi* Püngeler,1914 (Noctuidae) *kusnezovi* Püngeler,1914
 835. *Catocala* (s.str.) *neglecta* Staudinger,1888 (Noctuidae) *neglecta* Staudinger,1888
 836. *Catocala* (s.str.) *neonympha* (Esper,[1805]) (Noctuidae) *neonympha* Esper,[1805]
 837. *Catocala* (s.str.) *neonympha variegata* (Warren,1913) (Noctuidae) *variegata* Warren,1913
 838. *Catocala* (s.str.) *nupta* (Linnaeus,1767) (Noctuidae) *nupta* Linnaeus,1767
 839. *Catocala* (s.str.) *nupta centralasiae* Kuznezov,1903 (Noctuidae) *nuptialis* Staudinger,1901 nec Walker,1857; *centralasiae* Kuznezov,1903
 840. *Catocala* (s.str.) *optima* Staudinger,1888 (Noctuidae) *optima* Staudinger,1888
 841. *Catocala* (s.str.) *puerpera* (Giorna,1791) (Noctuidae) *puerpera* Giorna,1791; *amasia* Esper,[1804] nec Sm.,1797; *pellex* Hübner,[1809]; *romana* Schultz,1909
 842. *Catocala* (s.str.) *puerpera pudica* Moore,1879 (Noctuidae) *pudica* Moore,1879; *pallida* Alpheraky,1887.
 843. *Catocala* (s.str.) *remissa* Staudinger,1892 (Noctuidae) *remissa* Staudinger,1892
 844. *Catocala* (s.str.) *repudiata* Staudinger,1888 (Noctuidae) *repudiata* Staudinger,1888
 845. *Cerapteryx megal* (Alpheraky,1882) (Noctuidae) *megal* Alpheraky,1882.
 846. *Chazaria feildi* (Ershov,1874) (Noctuidae) *feildi* Ershov,1874
 847. *Chersotis andereggii* (Boisduval,[1837]) (Noctuidae) *andereggii* Boisduval,[1837]
 848. *Chersotis andereggii exclamans* (Eversmann,1841) (Noctuidae) *exclamans* Eversmann,1841
 849. *Chersotis capnistis* (Lederer,1872) (Noctuidae) *capnistis* Lederer,1872; *neara* Püngeler,1902.

850. *Chersotis capnistis capnistis* (Lederer,1872) (Noctuidae) capnistis Lederer,1872; neara Püngeler,1902.
851. *Chersotis stridula* (Hampson,1903) (Noctuidae) stridula Hampson,1903
852. *Chilodes megastigma* (Püngeler,1907) (Noctuidae) megastigma Püngeler,1907
853. *Clytie (s.str.) delunaris* (Staudinger,1889) (Noctuidae) delunaris Staudinger,1889; luteonigra Warren,1913.
854. *Cornutiplusia circumflexa* (Linnaeus,1767) (Noctuidae) circumflexa Linnaeus,1767; lunata Fabricius,1787; flexuosa Donovan,1807; daubii Freyer,1838; graphica Herrich-Schäffer,1851; patefacta Walker,[1858]; reticulata Moore,1882; clarescens Pinker & Bacallado,1975; #unata Kononenko & Pinratana,2005
855. *Cosmia (s.str.) staudingeri* (Alpheraky,1882) (Noctuidae) staudingeri Alpheraky,1882
856. *Cryphia (Bryoleuca) orthogramma* Boursin,1954 (Noctuidae) orthogramma Boursin,1954; aksuensis Boursin,1954; ammochroa Boursin,1954; taishanensis Boursin,1954; #radiata Boursin,1954
857. *Cryphia (Bryoleuca) raptricula* ([Denis & Schiffermüller],1775) (Noctuidae) raptricula [Denis & Schiffermüller],1775; divisa Esper,[1791]; #striata Staudinger,1879; #persica Strand,1915; cretica Reisser,1962.
858. *Cryphia (Bryoleuca) raptricula raptricula* ([Denis & Schiffermüller],1775) (Noctuidae) raptricula [Denis & Schiffermüller],1775; divisa Esper,[1791]; #striata Staudinger,1879; #persica Strand,1915; cretica Reisser,1962.
859. *Cryphia (Bryoleuca) rueckbeili* Boursin,1953 (Noctuidae) rueckbeili Boursin,1953
860. *Ctenoceratoda ? /Bryopolia ? chiklika* (Moore,1878) (Noctuidae) chiklika Moore,1878
861. *Ctenoceratoda stenocera* Varga & Gyulai,2002 (Noctuidae) stenocera Varga & Gyulai,2002
862. *Ctenoceratoda zetina* (Staudinger,1900) (Noctuidae) zetina Staudinger,1900; impia Püngeler,1905; desquamata Filipjev,1928.
863. *Cucullia (Shargacucullia) lanceolata* (Villers,1789) (Noctuidae) lanceolata Villers,1789; thapsiphaga Treitschke,1826
864. *Cucullia (Shargacucullia) lanceolata anceps* Staudinger,1881 (Noctuidae) anceps Staudinger,1881
865. *Cucullia (s.str.) aksuana* Boursin,1941 (Noctuidae) #aksuana Draudt,1934; aksuana Boursin,1941
866. *Cucullia (s.str.) amota* Alpheraky,1887 (Noctuidae) amota Alpheraky,1887
867. *Cucullia (s.str.) argentina* (Fabricius,1787) (Noctuidae) argentina Fabricius,1787; achalina Püngeler,1900; grisescens Wagner,1931 nec Leech,1900; anatoliensis Koçak,1980.
868. *Cucullia (s.str.) asteris* ([Denis & Schiffermüller],1775) (Noctuidae) #asteris [Denis & Schiffermüller],1775
869. *Cucullia (s.str.) biornata* Fischer v. Waldheim,1840 (Noctuidae) biornata Fischer v. Waldheim,1840
870. *Cucullia (s.str.) boryphora* Fischer & Waldheim,1840 (Noctuidae) boryphora Fischer & Waldheim,1840
871. *Cucullia (s.str.) cineracea* Freyer,1841 (Noctuidae) cineracea Freyer,1841
872. *Cucullia (s.str.) defecta* Staudinger,1897 (Noctuidae) defecta Staudinger,1897
873. *Cucullia (s.str.) distinguenda* Staudinger,1892 (Noctuidae) distinguenda Staudinger,1892
874. *Cucullia (s.str.) dracunculi* (Hübner,[1813]) (Noctuidae) dracunculi Hübner,[1813]; incana Eversmann,1842; anthemidis Guenée,1852; linosyridis Fuchs,1903.
875. *Cucullia (s.str.) duplicata* Staudinger,1882 (Noctuidae) duplicata Staudinger,1882
876. *Cucullia (s.str.) fraudatrix* Eversmann,1837 (Noctuidae) fraudatrix Eversmann,1837; pontica Boisduval,1840.
877. *Cucullia (s.str.) generosa* Staudinger,1899 (Noctuidae) generosa Staudinger,1899
878. *Cucullia (s.str.) graeseri* Püngeler,1901 (Noctuidae) graeseri Püngeler,1901
879. *Cucullia (s.str.) lampra* (Püngeler,1909) (Noctuidae) lampra Püngeler,1909
880. *Cucullia (s.str.) naruenensis* Staudinger,1879 (Noctuidae) naruenensis Staudinger,1879; eumorpha Alpheraky,[1894].
881. *Cucullia (s.str.) notodontina* Boursin,1934 (Noctuidae) notodontina Boursin,1934
882. *Cucullia (s.str.) resecta* Püngeler,1901 (Noctuidae) resecta Püngeler,1901
883. *Cucullia (s.str.) splendida* (Stoll,1782) (Noctuidae) splendida Stoll,1782
884. *Cucullia (s.str.) stigmatophora* Hampson,1894 (Noctuidae) stigmatophora Hampson,1894
885. *Cucullia (s.str.) sublutea* Graeser,1892 (Noctuidae) sublutea Graeser,1892
886. *Cucullia (s.str.) tanacetii* (Goeze,1781) (Noctuidae) tanacetii Goeze,1781
887. *Cucullia (s.str.) tescorum* Püngeler,1909 (Noctuidae) tescorum Püngeler,1909
888. *Cucullia (s.str.) tristis* Boursin,1934 (Noctuidae) tristis Boursin,1934; amoena Staudinger,1900.
889. *Cucullia (s.str.) turkestanica* G.Ronkay & L.Ronkay,1987 (Noctuidae) turkestanica G.Ronkay & L.Ronkay,1987
890. *Cucullia (s.str.) umbratica* (Linnaeus,1758) (Noctuidae) umbratica Linnaeus,1758; sonchi Heinemann,1859.
891. *Cucullia (s.str.) umbratica clarior* Fuchs,1904 (Noctuidae) clarior Fuchs,1904
892. *Cucullia (s.str.) umbristriga* Alpheraky,1892 (Noctuidae) umbristriga Alpheraky,1892
893. *Cucullia (s.str.) vicina* A.Bang-Haas,1912 (Noctuidae) vicina A.Bang-Haas,1912
894. *Cucullia (s.str.) virgaureae* Boisduval,1840 (Noctuidae) virgaureae Boisduval,1840
895. *Cucullia (s.str.) virgaureae virgaureae* Boisduval,1840 (Noctuidae) virgaureae Boisduval,1840
896. *Cucullia (s.str.) xylophana* Boursin,1934 (Noctuidae) xylophana Boursin,1934
897. *Dasytopia (Dasythorax) anartina* (Püngeler,1901) (Noctuidae) anartinus Püngeler,1901
898. *Dasytopia (Sinipolia) acrophila* (Hampson,1906) (Noctuidae) acrophila Hampson,1906
899. *Dasytopia (s.str.) fani* Staudinger,1892 (Noctuidae) fani Staudinger,1892; lama Staudinger,1896; asiatica Alpheraky,1897; ogasawarae Matsumura,931.
900. *Dasytopia (s.str.) templi* (Thunberg,1792) (Noctuidae) templi Thunberg,1792; alpina Rogenhofer,1866; caflischi Rühl,1892; banghaasi Turati,1909.
901. *Dasytopia (s.str.) templi centralasiae* Hacker,1992 (Noctuidae) centralasiae Hacker,1992
902. *Dasytopia glauca* Draudt,1934 (Noctuidae) glauca Draudt,1934
903. *Dasytopia tibetanum* Staudinger,1896 (Noctuidae) tibetanum Staudinger,1896
904. *Deltote bankiana* (Fabricius,1775) (Noctuidae) bankiana Fabricius,1775; olivana [Denis & Schiffermüller],1775; olivea Hübner,[1813]; amurula Staudinger,1892; albescens Draudt,1935; uniformis Draudt,1935.
905. *Diachrysa chrysis* (Linnaeus,1758) (Noctuidae) chrysis Linnaeus,1758
906. *Diachrysa chrysis chrysis* (Linnaeus,1758) (Noctuidae) chrysis Linnaeus,1758
907. *Diarsia obuncula* (Hampson,1903) (Noctuidae) obuncula Hampson,1903; orphina Püngeler,1906; mutila Corti & Draudt,1933.
908. *Dichagyris (Yigoga) orientis* (Alpheraky,1882) (Noctuidae) orientis Alpheraky,1882; improcera Staudinger,1888; imitata Corti & Draudt,1933.
909. *Dichagyris (Yigoga) orientis orientis* (Alpheraky,1882) (Noctuidae) orientis Alpheraky,1882; improcera Staudinger,1888; imitata Corti & Draudt,1933.
910. *Dichagyris (Yigoga) perturbans* (Boursin,1948) (Noctuidae) perturbans Boursin,1948
911. *Dichagyris (Yigoga) truculenta* (Lederer,1853) (Noctuidae) truculenta Lederer,1853
912. *Dichagyris (Yigoga) truculenta truculenta* (Lederer,1853) (Noctuidae) truculenta Lederer,1853

913. *Dichagyris* (s.str.) *clara* (Staudinger,1888) (Noctuidae) *clara* Staudinger,1888
914. *Dichagyris* (s.str.) *despecta* (Corti & Draudt,1933) (Noctuidae) *despecta* Corti & Draudt,1933
915. *Dichagyris* (s.str.) *multicuspis* (Eversmann,1852) (Noctuidae) *multicuspis* Eversmann,1852; *spinosa* Staudinger,1877; *aequicuspis* Staudinger,1900.
916. *Dichagyris* (s.str.) *pudica* (Staudinger,1896) (Noctuidae) *pudica* Staudinger,1896
917. *Dichagyris* (s.str.) *stellans* (Corti & Draudt,1933) (Noctuidae) *stellans* Corti & Draudt,1933
918. *Dichagyris* (s.str.) *umbrifera* (Alpheraky,1882) (Noctuidae) *umbrifera* Alpheraky,1882
919. *Dichagyris* (s.str.) *verecunda* (Püngeler,1898) (Noctuidae) *verecunda* Püngeler,1898
920. *Drasteria* *aberrans* (Staudinger,1888) (Noctuidae) *aberrans* Staudinger,1888
921. *Drasteria* *altivaga* (Alpheraky,[1894]) (Noctuidae) *altivaga* Alpheraky,[1894]
922. *Drasteria* *axuana* (Püngeler,1907) (Noctuidae) *axuana* Püngeler,1907; *fumiluna* Wiltshire,1969.
923. *Drasteria* *cailino* (Lefèbvre,1827) (Noctuidae) *cailino* Lefèbvre,1827
924. *Drasteria* *cailino* *baigakumensis* (John,1921) (Noctuidae) *baigakumensis* John,1921
925. *Drasteria* *catocalis* (Staudinger,1882) (Noctuidae) *catocalis* Staudinger,1882; *reducta* Fernandez,1932.
926. *Drasteria* *caucasica* (Kolenati,1846) (Noctuidae) *caucasica* Kolenati,1846; *astrida* Eversmann,1856; *aksuensis* Fuchs,1903.
927. *Drasteria* *chinensis* (Alpheraky,1892) (Noctuidae) *chinensis* Alpheraky,1892
928. *Drasteria* *flexuosa* (Ménétriés,1848) (Noctuidae) *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
929. *Drasteria* *flexuosa* *caspica* (Staudinger,1901) (Noctuidae) *caspica* Staudinger,1901
930. *Drasteria* *flexuosa* *flexuosa* (Ménétriés,1848) (Noctuidae) *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
931. *Drasteria* *herzi* (Alpheraky,1895) (Noctuidae) *herzi* Alpheraky,1895
932. *Drasteria* *herzi* *herzi* (Alpheraky,1895) (Noctuidae) *herzi* Alpheraky,1895
933. *Drasteria* *hyblaeoides* (Moore,1878) (Noctuidae) *hyblaeoides* Moore,1878
934. *Drasteria* *obscurata* (Staudinger,1882) (Noctuidae) *obscurata* Staudinger,1882
935. *Drasteria* *picta* (Christoph,1877) (Noctuidae) *picta* Christoph,1877; *radapicta* Staudinger,1901.
936. *Drasteria* *rada* (Boisduval,1848) (Noctuidae) *rada* Boisduval,1848; *roda* Herrich-Schäffer,1851.
937. *Drasteria* *saisani* (Staudinger,1882) (Noctuidae) *saisani* Staudinger,1882; *clara* Staudinger,1895; *#zaisani* John,1910.
938. *Drasteria* *scolopax* (Alpheraky,1892) (Noctuidae) *scolopax* Alpheraky,1892
939. *Drasteria* *sesquilina* (Staudinger,1888) (Noctuidae) *sesquilina* Staudinger,1888; *sequax* Staudinger,1901.
940. *Drasteria* *sesquistria* (Eversmann,1854) (Noctuidae) *sesquistria* Eversmann,1854
941. *Drasteria* *tenera* (Staudinger,1877) (Noctuidae) *tenera* Staudinger,1877; *antiqua* Staudinger,1889.
942. *Dysmilichia* *bicyclica* (Staudinger,1888) (Noctuidae) *bicyclica* Staudinger,1888
943. *Egira* *conspicillaris* (Linnaeus,1758) (Noctuidae) *conspicillaris* Linnaeus,1758
944. *Emmelia* *trabealis* (Scopoli,1763) (Noctuidae) *trabealis* Scopoli,1763; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schifferrmüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865
945. *Eremobia* *decipiens* (Alpheraky,1895) (Noctuidae) *decipiens* Alpheraky,1895
946. *Eremohadena* *arvicola* (Christoph,1887) (Noctuidae) *arvicola* Christoph,1887; *banghaasi* Bytinski-Salz & Brandt,1937
947. *Erythrophaia* *eudoxia* Staudinger,1892 (Noctuidae) *eudoxia* Staudinger,1892
948. *Erythrophaia* *suavis* (Staudinger,1888) (Noctuidae) *suavis* Staudinger,1888
949. *Eublemma* (Glossodice) *ephimera* Hampson,1910 (Noctuidae) *ephimera* Hampson,1910
950. *Eublemma* (Glossodice) *gratiosa* (Eversmann,1854) (Noctuidae) *gratiosa* Eversmann,1854; *epigramma* Staudinger,1889.
951. *Eublemma* (debilis-gr.) *chamila* (Draudt,1936) (Noctuidae) *chamila* Draudt,1936
952. *Eublemma* (pallidula-gr.) *leucanides* (Staudinger,1889) (Noctuidae) *leucanides* Staudinger,1889
953. *Eublemma* (pallidula-gr.) *pallidula* (Herrich-Schäffer,1856) (Noctuidae) *pallidula* Herrich-Schäffer,1856
954. *Eublemma* (pallidula-gr.) *pallidula* (Herrich-Schäffer,1856) (Noctuidae) *pallidula* Herrich-Schäffer,1856
955. *Eublemma* (rosina-gr.) *purpurina* ([Denis & Schifferrmüller],1775) (Noctuidae) *purpurina* [Denis & Schifferrmüller],1775; *secunda* Staudinger,1901.
956. *Euchalcia* (s.str.) *herrichi* Staudinger,1861 (Noctuidae) *herrichi* Staudinger,1861
957. *Euclidia* *glyphica* (Linnaeus,1758) (Noctuidae) *glyphica* Linnaeus,1758; *pratensis* Müller,1764
958. *Eugnorisma* (s.str.) *trigonica* (Alpheraky,1882) (Noctuidae) *trigonica* Alpheraky,1882; *capnotera* Püngeler,1898.
959. *Euxoa* (Chorisagrotis) *adumbrata* (Eversmann,1842) (Noctuidae) *adumbrata* Eversmann,1842; *polygonides* Staudinger,1874; *variegata* Wagner,1913; *pamiricola* Kozhantshikov,1937.
960. *Euxoa* (Chorisagrotis) *adumbrata* *adumbrata* (Eversmann,1842) (Noctuidae) *adumbrata* Eversmann,1842; *polygonides* Staudinger,1874; *variegata* Wagner,1913; *pamiricola* Kozhanchikov,1937.
961. *Euxoa* (Chorisagrotis) *flavogrisea* Corti,1932 (Noctuidae) *flavogrisea* Corti,1932
962. *Euxoa* (Orosagrotis) *minimoides* Corti,1932 (Noctuidae) *minimoides* Corti,1932
963. *Euxoa* (Orosagrotis) *opportuna* Corti,1932 (Noctuidae) *opportuna* Corti,1932
964. *Euxoa* (Orosagrotis) *rasilis* Corti,1932 (Noctuidae) *rasilis* Corti,1932
965. *Euxoa* (Orosagrotis) *subconspicua* (Staudinger,1888) (Noctuidae) *subconspicua* Staudinger,1888; *divulsa* Corti,1932; *subvaria* Corti,1932.
966. *Euxoa* (Orosagrotis) *tristis* (Staudinger,1898) (Noctuidae) *varia* Alpheraky,1889 *nec* Walk.,1865; *tristis* Staudinger,1898; *deficiens* Wagner,1913; *distracta* Corti,1932; *opportuna* Corti,1932.
967. *Euxoa* (s.str.) *basigramma* (Staudinger,1870) (Noctuidae) *basigramma* Staudinger,1870
968. *Euxoa* (s.str.) *basigramma* *pallidior* (Wagner,1913) (Noctuidae) *pallidior* Wagner,1913; *apocrypha* Corti,1932.
969. *Euxoa* (s.str.) *birivia* ([Denis & Schifferrmüller],1775) (Noctuidae) *birivia* [Denis & Schifferrmüller],1775; *honoratina* Donzel,1837; *cuprina* Staudinger,1900; *sudetica* Skala,1929; *caucasica* Spuler,1908; *flavisignata* Corti,1932.
970. *Euxoa* (s.str.) *catervaria* Corti,1929 (Noctuidae) *catervaria* Corti,1929
971. *Euxoa* (s.str.) *conspicua* (Hübner,[1824]) (Noctuidae) *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *abdit* Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931.
972. *Euxoa* (s.str.) *fissa* (Staudinger,1895) (Noctuidae) *fissa* Staudinger,1895
973. *Euxoa* (s.str.) *flavisignata* Corti,1932 (Noctuidae) *flavisignata* Corti,1932
974. *Euxoa* (s.str.) *inexpectata* Alpheraky,1897 (Noctuidae) *inexpectata* Alpheraky,1897; *expugnata* Corti,1932.
975. *Euxoa* (s.str.) *moechilla* Püngeler,1906 (Noctuidae) *moechilla* Püngeler,1906
976. *Euxoa* (s.str.) *mustelina* (Christoph,1877) (Noctuidae) *mustelina* Christoph,1877
977. *Euxoa* (s.str.) *mustelina* *centralis* (Staudinger,1889) (Noctuidae) *centralis* Staudinger,1889; *mustaga* Corti,1932.

- 978. Euxoa (s.str.) nigrofusca (Esper,[1788])** (Noctuidae) tritici sensu auct. nec Linn.,1761; nigrofusca Esper,[1788].
- 979. Euxoa (s.str.) ochrogaster (Guenée,1852)** (Noctuidae) ochrogaster Guenée,1852
- 980. Euxoa (s.str.) ochrogaster rossica (Staudinger,1881)** (Noctuidae) rossica Staudinger,1881; sublata Corti,1932, derasa Corti,1932; yarkenda Corti,1932; deserticola Kozhantshikov,1937.
- 981. Euxoa (s.str.) ononensis (Bremer,1861)** (Noctuidae) ononensis Bremer,1861; scaramangae Alpheraky,1882.
- 982. Euxoa (s.str.) rebeli (Wagner,1913)** (Noctuidae) rebeli Wagner,1913
- 983. Euxoa (s.str.) recussa (Hübner,[1817])** (Noctuidae) recussa Hübner,[1817]; telifera Donzel,1837; transsylvania Herrich-Schäffer,[1851]; florigera Eversmann,1856; latebrosa Corti,1931.
- 984. Euxoa (s.str.) recussa ligula (A.Bang-Haas,1910)** (Noctuidae) ligula A.Bang-Haas,1910
- 985. Euxoa (s.str.) recussa tetrastigma (Zetterstedt,1840)** (Noctuidae) tetrastigma Zetterstedt,1840; florigera Eversmann,1844.
- 986. Euxoa (s.str.) sublata Corti,1931** (Noctuidae) sublata Corti,1931
- 987. Euxoa (s.str.) tritici (Linnaeus,1761)** (Noctuidae) tritici Linnaeus,1761; pratincola Borkhausen,1792; domestica Fabricius,1794; venosus, pupillatus, pusillus Haworth,1803; lineolata, albilinea Haworth,1809; privigna Püngeler,1906.
- 988. Euxoa (s.str.) tritici tritici (Linnaeus,1761)** (Noctuidae) tritici Linnaeus,1761; nigrofusca Esper,[1788]; pratincola Borkhausen,1792; domestica Fabricius,1794; venosus, pupillatus, pusillus Haworth,1803; lineolata, albilinea Haworth,1809; privigna Püngeler,1906.
- 989. Euxoa (s.str.) uigurica Gyulai, Ronkay & Varga,2001** (Noctuidae) uigurica Gyulai, Ronkay & Varga,2001
- 990. Euxoa (s.str.) viguraca Püngeler ?** (Noctuidae)
- 991. Euxoa (s.str.) waltharii (Corti,1931)** (Noctuidae) waltharii Corti,1931
- 992. Euxoa (s.str.) waltharii waltharii (Corti,1931)** (Noctuidae) waltharii Corti,1931
- 993. Gonospileia munita (Hübner,[1813])** (Noctuidae) munita Hübner,[1813]; angulosa Eversmann,1832.
- 994. Gortyna cervago Eversmann,1844** (Noctuidae) cervago Eversmann,1844; #argillago Draudt,1936.
- 995. Graphantha (Dysgraphhadena) commoda (Staudinger,1889)** (Noctuidae) indigna auct. nec Chr.,1887; commoda Staudinger,1889; manifesta Christoph,1893; idumaea Püngeler,1902; schlumbergeri Püngeler,1905
- 996. Gyrohypsona sterrha Staudinger,1888** (Noctuidae) sterrha Staudinger,1888
- 997. Hada extrita (Staudinger,1888)** (Noctuidae) extrita Staudinger,1888
- 998. Hada plebeja (Linnaeus,1761)** (Noctuidae) plebeja Linnaeus,1761; nana Hufnagel,1766; dentina [Denis & Schiff.],1775; leucostigma Hw.,1809; odontides Bsd.,1829; latenai Pierret,1837; hilaris Zetterstedt,[1839]; reducta Rbl. & Zerny,[1932]; littoralis, gredensis,nevadensis,hawelkae Schawerda,1938.
- 999. Haden (Anepia) corrupta (Herz,1898)** (Noctuidae) corrupta Herz,1898; subviolacea Matsumura,1925; siculimima Bryk,1949.
- 1000. Haden (Anepia) corrupta corrupta (Herz,1898)** (Noctuidae) corrupta Herz,1898; subviolacea Matsumura,1925; siculimima Bryk,1949.
- 1001. Haden (Anepia) eximia (Staudinger,1896)** (Noctuidae) eximia Staudinger,1896
- 1002. Haden (Anepia) eximia eximia (Staudinger,1896)** (Noctuidae) eximia Staudinger,1896
- 1003. Haden (Anepia) irregularis (Hufnagel,1766)** (Noctuidae) irregularis Hufnagel,1766; echii Borkhausen,1792; syngenesiae Borkhausen,1793; brecciaeformis Esper,[1805].
- 1004. Haden (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) perplexa [Denis & Schiffermüller],1775; lepida Esper,[1790] nec Cr.,[1779]; carpophaga Brahm,1791; ochracea Haworth,1809; capsophila Boisduval,1840; nesus Germar,[1842]; repanda Herrich-Schäffer,[1850].
- 1005. Haden (Anepia) perplexa perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) perplexa [Denis & Schiffermüller],1775; lepida Esper,[1790] nec Cr.,[1779]; carpophaga Brahm,1791; ochracea Haworth,1809; capsophila Boisduval,1840; nesus Germar,[1842]; repanda Herrich-Schäffer,[1850].
- 1006. Haden (Anepia) strouhali Boursin,1955** (Noctuidae) strouhali Boursin,1955
- 1007. Haden (Anepia) strouhali strouhali Boursin,1955** (Noctuidae) strouhali Boursin,1955
- 1008. Haden (Enterpia) picturata (Alpheraky,1882)** (Noctuidae) picturata Alpheraky,1882
- 1009. Haden (s.str.(Filigrana)) filigrana (Esper,[1788])** (Noctuidae) filigrana Esper,[1788]; filigrana auct.; polymita Hübner,[1803]; xanthocyanea Hübner,[1819]; flavivibica Hübner,[1821].
- 1010. Haden (s.str.(Filigrana)) filigrana filigrana (Esper,[1788])** (Noctuidae) filigrana Esper,[1788]; filigrana auct.; polymita Hübner,[1803]; xanthocyanea Hübner,[1819]; flavivibica Hübner,[1821].
- 1011. Haden (s.str.(Hadenobilis)) aureomixta (Draudt,1934)** (Noctuidae) aureomixta Draudt,1934
- 1012. Haden (s.str.(Hadenobilis)) aureomixta aureomixta (Draudt,1934)** (Noctuidae) aureomixta Draudt,1934
- 1013. Haden (s.str.(Hadenobilis)) intensa (Boursin,1962)** (Noctuidae) #intensa Warren,1910; intensa Boursin,1962
- 1014. Haden (s.str.(Miselia)) cailinita (Draudt,1934)** (Noctuidae) cailinita Draudt,1934
- 1015. Haden (s.str.(Turkihaden)) bactriana Hacker,1996** (Noctuidae) bactriana Hacker,1996
- 1016. Haden (s.str.(Zeteolyga)) confusa (Hufnagel,1766)** (Noctuidae) confusa Hufnagel,1766; conspersa [Denis & Schiffermüller],1775; nana Rottemburg,1776 nec Hufnagel,1766; annulata Fabricius,1781; x-scriptum Sowerby,1806; fasciata Tutt,1902; suffusa Tutt,1902; intermedia Tutt,1902.
- 1017. Haden (s.str.(Zeteolyga)) confusa confusa (Hufnagel,1766)** (Noctuidae) confusa Hufnagel,1766; conspersa [Denis & Schiffermüller],1775; nana Rottemburg,1776 nec Hufnagel,1766; annulata Fabricius,1781; x-scriptum Sowerby,1806; fasciata Tutt,1902; suffusa Tutt,1902; intermedia Tutt,1902.
- 1018. Haden (s.str.(Zeteolyga)) confusa iliensis Hacker,1996** (Noctuidae) iliensis Hacker,1996
- 1019. Haden (s.str.(Zeteolyga)) variolata (Smith,1888)** (Noctuidae) variolata Smith,1888.
- 1020. Haden (s.str.(Zeteolyga)) variolata dealbata (Staudinger,1892)** (Noctuidae) dealbata Staudinger,1892
- 1021. Haderonia arshanica (Alpheraky,1882)** (Noctuidae) arshanica Alpheraky,1882
- 1022. Haderonia khorgossi (Alpheraky,1882)** (Noctuidae) khorgossi Alpheraky,1882; corghossi Hampson,1905.
- 1023. Haderonia longicornis (Graeser,1892)** (Noctuidae) longicornis Graeser,1892
- 1024. Haderonia lupa (Christoph,1893)** (Noctuidae) lupa Christoph,1893; contempta Püngeler,1914.
- 1025. Haderonia miserabilis (Alpheraky,1892)** (Noctuidae) miserabilis Alpheraky,1892; subarschanica Staudinger,1896; nepalensis Boursin,1964
- 1026. Haderonia nefasta (Püngeler,1907)** (Noctuidae) nefasta Püngeler,1907
- 1027. Haderonia praecipua (Staudinger,1895)** (Noctuidae) praecipua Staudinger,1895
- 1028. Haderonia tancrei (Graeser,1892)** (Noctuidae) tancrei Graeser,1892; graeseri Püngeler,1898.
- 1029. Haderonia turpis (Staudinger,[1900])** (Noctuidae) turpis Staudinger,[1900]
- 1030. Hadjina beata (Staudinger,1896)** (Noctuidae) beata Staudinger,1896
- 1031. Hadula (Caloestra (Dianthus)) dianthi (Tauscher,1809)** (Noctuidae) dianthi Tauscher,1809; dentigera Eversmann,1837; actinobola Eversmann,1837; furculoides Wagner,1930.
- 1032. Hadula (Caloestra (Dianthus)) dianthi lukhtanovorum Hacker,1998** (Noctuidae) lukhtanovorum Hacker,1998
- 1033. Hadula (Caloestra (Furculia)) eversmanni (Staudinger,1900)** (Noctuidae) eversmanni Staudinger,1900
- 1034. Hadula (Caloestra (Furculia)) furcula (Staudinger,1889)** (Noctuidae) furcula Staudinger,1889

- 1035.** *Hadula (Calocestra (Furculia)) furcula furcula* (Staudinger,1889) (Noctuidae) furcula Staudinger,1889
- 1036.** *Hadula (Calocestra (Furculia)) perdentata* (Hampson,1894) (Noctuidae) perdentata Hampson,1894
- 1037.** *Hadula (Calocestra (Furculia)) perdentata bifida* (Püngeler,1902) (Noctuidae) bifida Püngeler,1902
- 1038.** *Hadula (Calocestra (Furculia)) schneideri* (Staudinger,1900) (Noctuidae) schneideri Staudinger,1900
- 1039.** *Hadula (Calocestra (Hadufurca)) colletti* (Schneider,1876) (Noctuidae) colletti Schneider,1876
- 1040.** *Hadula (Calocestra (Hadufurca)) colletti colletti* (Schneider,1876) (Noctuidae) colletti Schneider,1876
- 1041.** *Hadula (Calocestra (Hadufurca)) farnhami* (Grote,1873) (Noctuidae) farnhami Grote,1873
- 1042.** *Hadula (Calocestra (Hadufurca)) farnhami palaeartica* Hacker,1998 (Noctuidae) palaeartica Hacker,1998
- 1043.** *Hadula (Calocestra (Hadufurca)) furca* (Eversmann,1852) (Noctuidae) furca Eversmann,1852
- 1044.** *Hadula (Calocestra (Hadufurca)) furca furca* (Eversmann,1852) (Noctuidae) furca Eversmann,1852
- 1045.** *Hadula (Calocestra (Hadumelanopa)) diodonta* (Püngeler,1906) (Noctuidae) diodonta Püngeler,1906
- 1046.** *Hadula (Calocestra (Hadumendax)) armata* (Staudinger,1888) (Noctuidae) armata Staudinger,1888
- 1047.** *Hadula (Calocestra (Hadumendax)) hoplites* (Staudinger,1901) (Noctuidae) hoplites Staudinger,1901
- 1048.** *Hadula (Calocestra (Hadumendax)) hoplites hoplites* (Staudinger,1901) (Noctuidae) hoplites Staudinger,1901
- 1049.** *Hadula (Calocestra (Hadupugnax)) odontites* (Boisduval,1829) (Noctuidae) odontites Boisduval,1829; microdon Guenée,1852; dalmatina Schwingenschuss,1926; asturica Agenjo,1941.
- 1050.** *Hadula (Calocestra (Hadupugnax)) odontites turkestanica* Hacker,1998 (Noctuidae) turkestanica Hacker,1998
- 1051.** *Hadula (Calocestra (Hadutrifolium)) trifolii* (Hufnagel,1766) (Noctuidae) trifolii Hufnagel,1766; chenopodii [Denis & Schiffmüller],1775; verna Esper,[1787]; saucia Esper,[1790]; infraina Haworth,1809; contribulis Duponchel,1827; farkasii Treitschke,1835; inquieta Walker,1857; albifusa Walker,1857; cinnamomina Rothschild,1913; taylori Rothschild,1921
- 1052.** *Hadula (Calocestra (Stigmosema)) stigmosema* (Christoph,1887) (Noctuidae) stigmosema Christoph,1887.
- 1053.** *Hadula (Calocestra (Stigmosema)) stigmosema stigmosema* (Christoph,1887) (Noctuidae) stigmosema Christoph,1887.
- 1054.** *Hadula (Cardiastrea) eremistis* (Püngeler,1904) (Noctuidae) eremistis Püngeler,1904
- 1055.** *Hadula (Cardiastrea) vaciva* (Püngeler,1906) (Noctuidae) vaciva Püngeler,1906
- 1056.** *Hadula (Ptochicestra) ptochica* (Püngeler,1900) (Noctuidae) ptochica Püngeler,1900
- 1057.** *Hadula (s.str. (Habulorum)) sabulorum* (Alpheraky,1882) (Noctuidae) sabulorum Alpheraky,1882
- 1058.** *Hadula (s.str. (Habulorum)) sabulorum distincta* (Staudinger,1889) (Noctuidae) distincta Staudinger,1889; leucheima Boursin,1963
- 1059.** *Hadula (s.str. (Habulorum)) sabulorum sabulorum* (Alpheraky,1882) (Noctuidae) sabulorum Alpheraky,1882
- 1060.** *Hadula (s.str. (Habulorum)) sabulorum segnis* (Püngeler,1906) (Noctuidae) segnis Püngeler,1906
- 1061.** *Hadula (s.str. (Insolita)) insolita* Staudinger,1889 (Noctuidae) insolita Staudinger,1889
- 1062.** *Hadula (s.str. (Insolita)) insolita insolita* Staudinger,1889 (Noctuidae) insolita Staudinger,1889
- 1063.** *Hadula (s.str. (Insolita)) insolita uigurica* Hacker,1998 (Noctuidae) uigurica Hacker,1998
- 1064.** *Hadula (s.str. (Insolita)) ultramontana* Gyulai & Hacker,1998 (Noctuidae) ultramontana Gyulai & Hacker,1998
- 1065.** *Hadulipolia odiosa* (Staudinger,1895) (Noctuidae) odiosa Staudinger,1895; agrotiformis Draudt,1950; dasypolioides Boursin,1964.
- 1066.** *Hadulomorpha picteti* (Staudinger,1882) (Noctuidae) picteti Staudinger,1882
- 1067.** *Hecatera spinaciae* (Vieweg,1790) (Noctuidae) #dysodea [Denis & Schiffmüller],1775; spinaciae Vieweg,1790; ornata De Villers,1789; chrysozona Borkhausen,1792; ranunculina Haworth,1809; caduca Herrich-Schäffer,[1851]; innocens Staudinger,1871; subflava Warren,1910.
- 1068.** *Helicoverpa armigera* (Hübner,[1808]) (Noctuidae) barbara Fabricius,1794 [rejected]; armigera Hübner,[1808]; pulverosa Walker,[1857]; uniformis Wallengren,1860; rama Bhattacharjee & Gupta,1972.
- 1069.** *Helicoverpa armigera armigera* (Hübner,[1808]) (Noctuidae) barbara Fabricius,1794 [rejected]; armigera Hübner,[1808]; pulverosa Walker,[1857]; uniformis Wallengren,1860; rama Bhattacharjee & Gupta,1972.
- 1070.** *Heliophobus reticulata* (Goeze,1781) (Noctuidae) calcatrippae Vieweg,1790; saponariae Borkhausen,1792; marginosa Haworth,1809; hibernica Cockayne,1944.
- 1071.** *Heliophobus reticulata reticulata* (Goeze,1781) (Noctuidae) calcatrippae Vieweg,1790; saponariae Borkhausen,1792; marginosa Haworth,1809; hibernica Cockayne,1944.
- 1072.** *Heliophobus unicolor* (Alpheraky,1889) (Noctuidae) unicolor Alpheraky,1889
- 1073.** *Heliothis maritima* Graslin,1855 (Noctuidae) maritima Graslin,1855
- 1074.** *Heliothis maritima centralasiae* (Draudt,1938) (Noctuidae) centralasiae Draudt,1938
- 1075.** *Heliothis ononis* (Fabricius,1787) (Noctuidae) #ononis [Denis & Schiffmüller],1775; ononis Fabricius,1787; ononidis Guenée,1852.
- 1076.** *Heliothis viriplaca* (Hufnagel,1766) (Noctuidae) viriplaca Hufnagel,1766; dipsacea Linnaeus,1767; spargulariae Lederer,1857; #dispaceus Alpheraky,1882; salamantina Fernald,1928.
- 1077.** *Hemiexarnis moechilla* (Püngeler,1906) (Noctuidae) moechilla Püngeler,1906; epiphana Boursin,1940
- 1078.** *Heptapotamia eustratii* Alpheraky,1882 (Noctuidae) eustratii Alpheraky,1882
- 1079.** *Heptapotamia eustratii eustratii* Alpheraky,1882 (Noctuidae) eustratii Alpheraky,1882
- 1080.** *Heterographa fabrilis* Püngeler,1909 (Noctuidae) fabrilis Püngeler,1909
- 1081.** *Heterographa zelleri* (Christoph,1877) (Noctuidae) zelleri Christoph,1877
- 1082.** *Himalistra eriophora* (Püngeler,1901) (Noctuidae) eriophora Püngeler,1901
- 1083.** *Himalistra eriophora eriophora* (Püngeler,1901) (Noctuidae) eriophora Püngeler,1901
- 1084.** *Himalistra eriophora perspicua* (Püngeler,1925) (Noctuidae) perspicua Püngeler,1925
- 1085.** *Hoplodrina ambigua* ([Denis & Schiffmüller],1775) (Noctuidae) ambigua [Denis & Schiffmüller],1775; plantaginis Hübner,[1813]; uniformis Swinhoe,1885
- 1086.** *Hydraecia micacea* (Esper,1789) (Noctuidae) micacea Esper,1789; cypriaca Hübner,[1803].
- 1087.** *Hydraecia songariae* (Alpheraky,1882) (Noctuidae) songariae Alpheraky,1882
- 1088.** *Hypena obesalis* Treitschke,1829 (Noctuidae) obesalis Treitschke,1829
- 1089.** *Hypena rostralis* (Linnaeus,1758) (Noctuidae) rostralis Linnaeus,1758.
- 1090.** *Hypsophila jugorum* (Ershoff,1874) (Noctuidae) jugorum Ershoff,1874; pamira Staudinger,1888; #postlimbalis Strand,1915; #medialis Strand,1915
- 1091.** *Hypsophila jugorum haberhaueri* (Staudinger,1882) (Noctuidae) haberhaueri Staudinger,1882
- 1092.** *Hypsophila tamerlana* Staudinger,1901 (Noctuidae) tamerlana Staudinger,1901
- 1093.** *Hyssia cavernosa* (Eversmann,1852) (Noctuidae) cavernosa Eversmann,1852
- 1094.** *Hyssia cavernosa cavernosa* (Eversmann,1842) (Noctuidae) cavernosa Eversmann,1852
- 1095.** *Isochlora arctomys* (Alpheraky,1892) (Noctuidae) arctomys Alpheraky,1892; idia Staudinger,[1900]
- 1096.** *Isochlora atra* Hreblay & Gyulai,1998 (Noctuidae) atra Hreblay & Gyulai,1998
- 1097.** *Isochlora intricans* (Alpheraky,1882) (Noctuidae) intricans Alpheraky,1882
- 1098.** *Isochlora leuconura* Püngeler,1904 (Noctuidae) leuconura Püngeler,1904

- 1099. *Isochlora vecors* Püngeler, 1904** (Noctuidae) *vecors* Püngeler, 1904
- 1100. *Isochlora viridis* Staudinger, 1882** (Noctuidae) *viridis* Staudinger, 1882; *albivitta* Alpheraky, 1892; *fuscovirens* Hampson, 1894; *longivitta* Püngeler, 1901; *yarkenda* A. Bang-Haas, 1912.
- 1101. *Isochlora viridissima* Staudinger, 1882** (Noctuidae) *viridissima* Staudinger, 1882; *maxima* Staudinger, 1888; *maculata* A. Bang-Haas, 1910.
- 1102. *Isochlora viridissima* Staudinger, 1882** (Noctuidae) *viridissima* Staudinger, 1882
- 1103. *Isochlora xanthiana* Staudinger, 1895** (Noctuidae) *xanthiana* Staudinger, 1895
- 1104. *Lacanobia (Dianobia) altyndaghi* Gyulai & Ronkay, 1999** (Noctuidae) *altyndaghi* Gyulai & Ronkay, 1999
- 1105. *Lacanobia (Dianobia) dissimilis* (Knoch, 1781)** (Noctuidae) *#suasa* [Denis & Schiffermüller], 1775; *dissimilis* Knoch, 1781; *leucographa* Esper, [1790]; *denscanis* Haworth, 1809; *permixta* Geyer, [1833]; *pavida* Boisduval, 1840; *confluens* Eversmann, 1844; *laeta* Reuter, 1893.
- 1106. *Lacanobia (Dianobia) histrio* (Goeze, 1781)** (Noctuidae) *#contigua* [Denis & Schiffermüller], 1775; *histrio* Goeze, 1781; *ariae* Esper, [1786]; *spartii* Brahm, 1791; *dives*, *pulchellina* Haworth, 1809; *subcontigua* Eversmann, 1852, etc.
- 1107. *Lacanobia (Dianobia) thalassina* (Hufnagel, 1766)** (Noctuidae) *thalassina* Hufnagel, 1766; *humeralis* Haworth, 1809; *achates* Hübner, [1813].
- 1108. *Lacanobia (Diataraxia) aliena* (Hübner, [1809])** (Noctuidae) *aliena* Hübner, [1809]
- 1109. *Lacanobia (Diataraxia) blenna* (Hübner, [1824])** (Noctuidae) *blenna* Hübner, [1824]; *peregrina* Treitschke, 1825; *trimenda* Geyer, [1832]; *guenei* Bruand, 1850.
- 1110. *Lacanobia (Diataraxia) oleracea* (Linnaeus, 1758)** (Noctuidae) *oleracea* Linnaeus, 1758; *spinaciae* Borkhausen, 1792; *variegata* Austaut, 1885; *essonii* Hampson, 1909; *albolineata* Matsumura, 1926; *#pallida* Bytinski-Salz & Brandt, 1937
- 1111. *Lacanobia (Diataraxia) praedita* (Hübner, [1813])** (Noctuidae) *praedita* Hübner, [1813]
- 1112. *Lacanobia (s.str.) w-latinum* (Hufnagel, 1766)** (Noctuidae) *w-latinum* Hufnagel, 1766; *genistae* Borkhausen, 1792; *dives* Donovan, 1801; *umbrosa* Bytinski-Salz & Brandt, 1937; *diniensis* Heinrich, 1938; *caerulescens* Schwingenschuss, 1962.
- 1113. *Lasiestra meraca* Püngeler, 1906** (Noctuidae) *meraca* Püngeler, 1906
- 1114. *Lasionycta orientalis* (Alpheraky, 1882)** (Noctuidae) *orientalis* Alpheraky, 1882; *uniformis* Staudinger, 1896.
- 1115. *Lasionycta orientalis orientalis* (Alpheraky, 1882)** (Noctuidae) *orientalis* Alpheraky, 1882; *uniformis* Staudinger, 1896.
- 1116. *Lasionycta proxima* (Hübner, [1809])** (Noctuidae) *proxima* Hübner, [1809]; *cana* Eversmann, 1841; *ochrostigma* Eversmann, 1842; *extensa* Eversmann, 1844; *nevadensis* Reisser, 1926; *noguera* De Laever, 1976.
- 1117. *Leiomotopon simyrides* Staudinger, 1888** (Noctuidae) *simyrides* Staudinger, 1888
- 1118. *Leucania obsoleta* (Hübner, [1803])** (Noctuidae) *obsoleta* Hübner, [1803]; *insecuta* Walker, 1865; *intermissa* Walker, 1865; *nohirae* Matsumura, 1926; *griseola* Matsumura, 1926
- 1119. *Leucania propensa* (Püngeler, 1906)** (Noctuidae) *propensa* Püngeler, 1906
- 1120. *Leucania zae* (Duponchel, 1827)** (Noctuidae) *zae* Duponchel, 1827; *indistincta* Christoph, 1887; *putrida* Staudinger, 1889; *cinerea* Lucas, 1948
- 1121. *Lophoterges (Variterges) aksuensis* A. Bang-Haas, 1912.** (Noctuidae) *aksuensis* A. Bang-Haas, 1912
- 1122. *Luperina zollikoferi* (Freyer, 1836)** (Noctuidae) *zollikoferi* Freyer, 1836
- 1123. *Lygephila cracca* (Fabricius, 1787)** (Noctuidae) *#cracca* [Denis & Schiffermüller], 1775; *riata* Rungs, 1952; *cracca* Fabricius, 1787; *#cracca* Hacker & Kautt, 1999.
- 1124. *Lygephila decolor* (A. Bang-Haas, 1912)** (Noctuidae) *decolor* A. Bang-Haas, 1912
- 1125. *Lygephila ludicra* (Hübner, 1790)** (Noctuidae) *ludicra* Hübner, 1790
- 1126. *Macdunnoughia confusa* (Stephens, 1850)** (Noctuidae) *confusa* Stephens, 1850; *gutta* Guenée, 1852.
- 1127. *Melanchra persicariae* (Linnaeus, 1761)** (Noctuidae) *persicariae* Linnaeus, 1761; *sambuci* Hufnagel, 1766; *graphica* Geoffroy, 1785; *accipitrina* Esper, [1788].
- 1128. *Melanchra pisi* (Linnaeus, 1758)** (Noctuidae) *pisi* Linnaeus, 1758; *rukavaarae* Hoffmann, 1893; *pardoi* Agenjo, 1945.
- 1129. *Mesapamea (Resapamea) hedeni* (Graeser, 1888)** (Noctuidae) *hedeni* Graeser, 1888; *subornata* Staudinger, 1896.
- 1130. *Mesapamea (Resapamea) hedeni hedeni* (Graeser, 1888)** (Noctuidae) *hedeni* Graeser, 1888; *subornata* Staudinger, 1896.
- 1131. *Mesapamea (s.str.) moderata* (Eversmann, 1843)** (Noctuidae) *moderata* Eversmann, 1843
- 1132. *Mesoplus contrita* (Christoph, 1884)** (Noctuidae) *contrita* Christoph, 1884
- 1133. *Mniotype adusta* (Esper, [1790])** (Noctuidae) *adusta* Esper, [1790]; *duplex* Haworth, 1809; *valida* Hübner, [1813]; *vultarina* Freyer, 1832; *chardinyi* Duponchel, [1838]; *pavida* Boisduval, 1840; *baltica* Hering, 1846; *vulturinea* Herrich-Schäffer, [1850]; *vicina* Alpheraky, 1882; *grisescens* Standfuss, 1893; *aterrima* Costantini, 1916; *carpathica* Kaucki
- 1134. *Mniotype lama* (Staudinger, 1900)** (Noctuidae) *lama* Staudinger, 1900
- 1135. *Mniotype lama dubiosa* (A. Bang-Haas, 1912)** (Noctuidae) *dubiosa* A. Bang-Haas, 1912
- 1136. *Mythimna (Aletia) albiradosa* (Eversmann, 1852)** (Noctuidae) *albiradosa* Eversmann, 1852
- 1137. *Mythimna (Aletia) albiradosa albiradosa* (Eversmann, 1852)** (Noctuidae) *albiradosa* Eversmann, 1852
- 1138. *Mythimna (Aletia) conigera* ([Denis & Schiffermüller], 1775)** (Noctuidae) *conigera* [Denis & Schiffermüller], 1775; *floccida* Esper, [1788].
- 1139. *Mythimna (Aletia) impura* (Hübner, [1808])** (Noctuidae) *impura* Hübner, [1808]; *fuliginosa* Haworth, 1809; *punctina* Haworth, 1809.
- 1140. *Mythimna (Aletia) impura dungana* (Alpheraky, 1882)** (Noctuidae) *dungana* Alpheraky, 1882
- 1141. *Mythimna (Aletia) impura impura* (Hübner, [1808])** (Noctuidae) *impura* Hübner, [1808]; *fuliginosa* Haworth, 1809; *punctina* Haworth, 1809.
- 1142. *Mythimna (Aletia) intolerabilis* Hreblay, 1992** (Noctuidae) *intolerabilis* Hreblay, 1992
- 1143. *Mythimna (Aletia) melania* (Staudinger, 1889)** (Noctuidae) *melania* Staudinger, 1889
- 1144. *Mythimna (Aletia) pallens* (Linnaeus, 1758)** (Noctuidae) *pallens* Linnaeus, 1758; *ectypa* Hübner, [1803]; *rufescens* Haworth, 1803; *arcuata* Stephens, 1829; *ochracea* Stephens, 1829; *suffusa* Stephens, 1829.
- 1145. *Mythimna (Hyphillare) ferrago* (Fabricius, 1787)** (Noctuidae) *ferrago* Fabricius, 1787; *lythargyria* Esper, [1788]; *grisea* Stephens, 1829; *anargyria* Boisduval, 1840; *argyristis* Rambur, 1858; *meridionalis* Dannehl, 1926
- 1146. *Netrocerocora quadrangula* (Zetterstedt, [1839])** (Noctuidae) *quadrangula* Eversmann, 1844; *coraxa* Püngeler, 1898; *oblongula* Staudinger, 1901; *quadrilaga* Bartel, 1902
- 1147. *Nonagria typhae* (Thunberg, 1784)** (Noctuidae) *typhae* Thunberg, 1784; *arundinis* Fabricius, 1787.
- 1148. *Nycteola asiatica* (Krulikovsky, 1904)** (Noctuidae) *asiatica* Krulikovsky, 1904; *populana* Patočka, 1953; *hungarica* Kovacs, 1954.
- 1149. *Nycteola kuldzhana* Obratsov, 1954** (Noctuidae) *kuldzhana* Obratsov, 1954
- 1150. *Ochroleura staudingeri* (Koçak, 1981)** (Noctuidae) *modesta* Staudinger, 1895 nec Mr., [1881]; *staudingeri* Koçak, 1981; *modestoides* Poole, 1989.
- 1151. *Odontelia ochrea* Warren, 1910** (Noctuidae) *ochrea* Warren, 1910
- 1152. *Omphalophana serratula* (Staudinger, 1888)** (Noctuidae) *serratula* Staudinger, 1888
- 1153. *Oncocnemis exacta* Christoph, 1887** (Noctuidae) *exacta* Christoph, 1887; *iranica* Schwingenschuss, 1937
- 1154. *Oncocnemis exacta exacta* Christoph, 1887** (Noctuidae) *exacta* Christoph, 1887; *iranica* Schwingenschuss, 1937
- 1155. *Oncocnemis strioligera* Lederer, 1853** (Noctuidae) *strioligera* Lederer, 1853
- 1156. *Oncocnemis strioligera strioligera* Lederer, 1853** (Noctuidae) *strioligera* Lederer, 1853

- 1157. *Opigena albifurca* (Erschoff,1877)** (Noctuidae) albifurca Erschoff,1877
- 1158. *Orthosia* (s.str.) *incerta* (Hufnagel,1766)** (Noctuidae) incerta Hufnagel,1766; instabilis [Denis & Schifferrmüller],1775; collinita Esper,[1790]; contracta Esper,[1790]; trigutta Esper,[1790]; nebulosus Haworth,1803; subsetaceus Haworth,1803; angustus Haworth,1803; fuscatus Haworth,1803; pallida Lampa,1885 nec Hw.,1809; pallidior Staudinger,1901 nec Stgr.,1888
- 1159. *Orthosia gracilis* (Fabricius,1787)** (Noctuidae) #gracilis [Denis & Schifferrmüller],1775; gracilis Fabricius,1787; lepida Brahm,1791; sparsus Haworth,1803; pallidior Staudinger,1888.
- 1160. *Papestra biren* (Goeze,1781)** (Noctuidae) biren Goeze,1781; glauca Kleemann,1792; lappo Duponchel,1827; aperta Geyer,[1832]; quadripuncta Zetterstedt,[1839]; poliostrigma Hampson,1894; tanensis Fuchs,1899; paupercula Püngeler,1902; frustrata McDunnough,1946.
- 1161. *Parexarnis fugax* (Treitschke,1825)** (Noctuidae) fugax Treitschke,1825.
- 1162. *Parexarnis laetifica* (Staudinger,1889)** (Noctuidae) laetifica Staudinger,1889
- 1163. *Pericyma albidentaria* (Freyer,1842)** (Noctuidae) albidentaria Freyer,1842
- 1164. *Phoebophilus amoenus* Staudinger,1888** (Noctuidae) amoenus Staudinger,1888
- 1165. *Photedes contumax* (Püngeler,1902)** (Noctuidae) contumax Püngeler,1902
- 1166. *Photedes elymi procera* (Stadinger,1889)** (Noctuidae) procera Stadinger,1889
- 1167. *Photedes extrema* (Hübner,[1809])** (Noctuidae) extrema Hübner,[1809]; concolor Guenée,1852; calamoxantha Varga,1982.
- 1168. *Photedes improba* (Staudinger,[1900])** (Noctuidae) improba Staudinger,[1900]
- 1169. *Phyllophila obliterata* (Rambur,1833)** (Noctuidae) obliterata Rambur,1833; wimmerii Treitschke,1835; recta Eversmann,1844; cretacea Butler,1879; venerica Bryk,1949.
- 1170. *Phytometra viridaria* (Clerck,1759)** (Noctuidae) #viridaria Clerck,1759
- 1171. *Polia altaica* (Lederer,1855)** (Noctuidae) altaica Lederer,1855
- 1172. *Polia bombycina* (Hufnagel,1766)** (Noctuidae) bombycina Hufnagel,1766; advena [Denis & Schifferrmüller],1775; tincta Brahm,1791; nitens Haworth,1809.
- 1173. *Polia nebulosa* (Hufnagel,1766)** (Noctuidae) nebulosa Hufnagel,1766; bimaculosa Esper,1788 nec Linnaeus,1767; thapsi Brahm,1791; grandis Donovan,1801; plebeja Hübner,[1803].
- 1174. *Polia sagittigera* (Hufnagel,1766)** (Noctuidae) sagittigera Hufnagel,1766; leucophaea [Denis & Schifferrmüller],1775; fulminea Fabricius,1781; vestigialis Esper,[1785]; ravida Esper,[1789]; pyrenaica Oberthür,1884; incana Millière,1885.
- 1175. *Polia sagittigera sagittigera* (Hufnagel,1766)** (Noctuidae) sagittigera Hufnagel,1766; leucophaea [Denis & Schifferrmüller],1775; fulminea Fabricius,1781; vestigialis Esper,[1785]; ravida Esper,[1789]; pyrenaica Oberthür,1884; incana Millière,1885.
- 1176. *Polia sagittigera uighur* Koçak & Kemal,2002** (Noctuidae) bombycina Eversmann,1847 nec Hufn.,1766; uighur Koçak & Kemal,2002
- 1177. *Polia serratilinea spalax* (Alpheraky,1897)** (Noctuidae) spalax Alpheraky,1897
- 1178. *Polymixis (Eremophysa) acharis* (Püngeler,1901)** (Noctuidae) acharis Püngeler,1901; intermissa Boursin,1944.
- 1179. *Polymixis (Eremophysa) acharis acharis* (Püngeler,1901)** (Noctuidae) acharis Püngeler,1901
- 1180. *Polymixis viridula* (Staudinger,1895)** (Noctuidae) viridula Staudinger,1895
- 1181. *Protexarnis confinis* (Staudinger,1881)** (Noctuidae) confinis Staudinger,1881; aucta Alpheraky,1892; barbara Corti & Draudt,1933; suspicax Corti & Draudt,1933; velifera Corti & Draudt,1933; anthracina Boursin,1964.
- 1182. *Protexarnis confusa* (Alpheraky,1882)** (Noctuidae) confusa Alpheraky,1882
- 1183. *Protexarnis paralia* Corti & Draudt,1933** (Noctuidae) paralia Corti & Draudt,1933
- 1184. *Protexarnis sollertina* Corti & Draudt,1933** (Noctuidae) sollertina Corti & Draudt,1933
- 1185. *Protexarnis subuniformis* (Corti & Draudt,1933)** (Noctuidae) subuniformis Corti & Draudt,1933; vacillans Corti & Draudt,1933.
- 1186. *Protexarnis vestilina* Kozhantschikov,1937** (Noctuidae) vestilina Kozhantschikov,1937
- 1187. *Protoschinia scutosa* ([Denis & Schifferrmüller],1775)** (Noctuidae) #scutosa [Denis & Schifferrmüller],1775; nuchalis Grote,1878
- 1188. *Pseudohadena* (s.str.) *adscripta* Püngeler,1914** (Noctuidae) adscripta Püngeler,1914
- 1189. *Pseudohadena* (s.str.) *armata* (Alpheraky,1887)** (Noctuidae) armata Alpheraky,1887
- 1190. *Pseudohadena* (s.str.) *chenopodiphaga* (Rambur,1832)** (Noctuidae) chenopodiphaga Rambur,1832
- 1191. *Pseudohadena* (s.str.) *immunis* (Staudinger,1889)** (Noctuidae) immunis Staudinger,1889
- 1192. *Pseudohadena* (s.str.) *oxybela* Boursin,1963** (Noctuidae) oxybela Boursin,1963
- 1193. *Pseudohadena* (s.str.) *pexa* (Staudinger,1889)** (Noctuidae) pexa Staudinger,1889
- 1194. *Pseudohadena* (s.str.) *presbytis* Hampson,1910** (Noctuidae) presbytis Hampson,1910
- 1195. *Pseudohadena* (s.str.) *sergia* Püngeler,1901** (Noctuidae) sergia Püngeler,1901
- 1196. *Pseudohadena* (s.str.) *siri* (Erschoff,1874)** (Noctuidae) siri Erschoff,1874; adscripta Püngeler,1914.
- 1197. *Pseudohadena* (s.str.) *xanthophanes* Boursin,1943** (Noctuidae) xanthophanes Boursin,1943
- 1198. *Pseudohadena* (s.str.) *xanthophanes rhodocyanea* Boursin,1963** (Noctuidae) rhodocyanea Boursin,1963
- 1199. *Pulcheria catomelas* Alpheraky,1887** (Noctuidae) catomelas Alpheraky,1887
- 1200. *Rhabinopteryx turanica* (Erschoff,1874)** (Noctuidae) turanica Erschoff,1874
- 1201. *Rhizedra lutos* (Hübner,[1803])** (Noctuidae) lutos Hübner,[1803]
- 1202. *Rhizedra lutos lutos* (Hübner,[1803])** (Noctuidae) lutos Hübner,[1803]
- 1203. *Rhyacia (Epipsilia) hamponi* (A.Bang-Haas,1910)** (Noctuidae) hamponi A.Bang-Haas,1910
- 1204. *Rhyacia (Epipsilia) proterva* Püngeler,1904** (Noctuidae) proterva Püngeler,1904
- 1205. *Rhyacia* (s.str.) *arenacea* (Hampson,1907)** (Noctuidae) arenacea Hampson,1907; pseudosimulans Kozhantschikov,1929.
- 1206. *Rhyacia* (s.str.) *electra* (Staudinger,1888)** (Noctuidae) electra Staudinger,1888; thianschanica Staudinger,[1900]; griseoalba Kozhantschikov,1937
- 1207. *Rhyacia* (s.str.) *helvetina* (Boisduval,1833)** (Noctuidae) helvetina Boisduval,1833; livia Freyer,1836
- 1208. *Rhyacia* (s.str.) *helvetina plumbina* (Wagner,1913)** (Noctuidae) plumbina Wagner,1913
- 1209. *Rhyacia* (s.str.) *junonia* (Staudinger,1881)** (Noctuidae) junonia Staudinger,1881; alaina Staudinger,1888
- 1210. *Rhyacia* (s.str.) *ledereri* Erschoff,1870** (Noctuidae) ledereri Erschoff,1870; mus Alpheraky,1882; punctinotata Warren,1914.
- 1211. *Rhyacia* (s.str.) *nyctimerides* (O.Bang-Haas,1922)** (Noctuidae) nyctimerides O.Bang-Haas,1922; stavroitiacus Tuleschkoff,1951; alagesica Boursin,1962
- 1212. *Rhyacia* (s.str.) *oreas* (Püngeler,1904)** (Noctuidae) oreas Püngeler,1904
- 1213. *Rhyacia* (s.str.) *similis* (Staudinger,1888)** (Noctuidae) similis Staudinger,1888; polita Alpheraky,1882; astuta Corti,1928.
- 1214. *Rivula sericealis* (Scopoli,1763)** (Noctuidae) sericealis Scopoli,1763; munda Hufnagel,1767; lunatralis Denis & Schifferrmüller,1775; leana Fabricius,1777; ocellaris Thunberg,1784; centralis Villers,1789.
- 1215. *Scoliopteryx aksuana* Sheljuzhko,1955** (Noctuidae) aksuana Sheljuzhko,1955
- 1216. *Scotocampa crassipuncta* (Püngeler,1905)** (Noctuidae) crassipuncta Püngeler,1905
- 1217. *Scotocampa indigesta* Staudinger,1888** (Noctuidae) indigesta Staudinger,1888

1218. *Scythocentropus scripturosa* (Eversmann,1854) (Noctuidae) scripturosa Eversmann,1854
1219. *Scythocentropus misella* (Püngeler,1907) (Noctuidae) misella Püngeler,1907
1220. *Sideridis* (s.str.) *demotica* (Püngeler,1902) (Noctuidae) demotica Püngeler,1902
1221. *Sideridis* (s.str.) *egena* (Lederer,1853) (Noctuidae) egena Lederer,1853; ? stoliczka Moore,1878
1222. *Sideridis* (s.str.) *simplex* (Staudinger,1889) (Noctuidae) simplex Staudinger,1889; amydra Püngeler,1901; roborowskii Filipjev,1928.
1223. *Simyra albovenosa* (Goeze,1781) (Noctuidae) albovenosa Goeze,1781; venosa Borkhausen,1792; atomina Haworth,1809.
1224. *Simyra albovenosa albovenosa* (Goeze,1781) (Noctuidae) albovenosa Goeze,1781
1225. *Simyra nervosa* ([Denis & Schiffermüller],1775) (Noctuidae) nervosa [Denis & Schiffermüller],1775.
1226. *Simyra nervosa expressa* A.Bang-Haas,1912 (Noctuidae) expressa A.Bang-Haas,1912
1227. *Spaelotis deplorata* (Staudinger,1897) (Noctuidae) deplorata Staudinger,1897; defuncta Staudinger,1897; spania Püngeler,1906
1228. *Spaelotis ravidia* ([Denis & Schiffermüller],1775) (Noctuidae) ravidia [Denis & Schiffermüller],1775; austera Esper,[1789]; obducta Esper,[1789]; bigramma Esper,[1790]; obscura Brahm,1791 nec Cramer,1780; salva Corti & Draudt,1933.
1229. *Spaelotis ravidia ravidia* ([Denis & Schiffermüller],1775) (Noctuidae) ravidia [Denis & Schiffermüller],1775; austera Esper,[1789]; obducta Esper,[1789]; bigramma Esper,[1790]; obscura Brahm,1791 nec Cramer,1780; salva Corti & Draudt,1933.
1230. *Stenodrina nitida* (Püngeler,1914) (Noctuidae) nitida Püngeler,1914
1231. *Syngrapha diasema* (Boisduval,1829) (Noctuidae) diasema Boisduval,1829
1232. *Thargelia distincta* (Christoph,1884) (Noctuidae) distincta Christoph,1884; megastigma Warren,1909.
1233. *Thargelia fissilis* (Christoph,1884) (Noctuidae) fissilis Christoph,1884
1234. *Trichanarta mausi* (Püngeler,1904) (Noctuidae) mausi Püngeler,1904
1235. *Trichoridia eristicum* (Püngeler,1906) (Noctuidae) eristicum Püngeler,1906
1236. *Trichosilia plumbea* (Alpheraky,1887) (Noctuidae) plumbea Alpheraky,1887; arsanica Corti & Draudt,1933.
1237. *Turanica haeretica* (Püngeler,1902) (Noctuidae) haeretica Püngeler,1902
1238. *Tyta luctuosa* ([Denis & Schiffermüller],1775) (Noctuidae) luctuosa [Denis & Schiffermüller],1775; italica Fabricius,1781; atra Goeze,1781 nec Linn.,1767; astroites Fourcroy,1785; maculosa Villers,1789
1239. *Tytroca dispar* (Püngeler,1904) (Noctuidae) dispar Püngeler,1904
1240. *Tytroca dispar dispar* (Püngeler,1904) (Noctuidae) dispar Püngeler,1904
1241. *Ulochlæna superba* Alpheraky,1892 (Noctuidae) superba Alpheraky,1892
1242. *Victrix* (Poliobrya) *patula* (Püngeler,1907) (Noctuidae) patula Püngeler,1907
1243. *Xestia* (Megasema) *c-nigrum* (Linnaeus,1758) (Noctuidae) c-nigrum Linnaeus,1758; nunatrum Esper,[1786]; singularis Esper,[1786]; degenerata Staudinger,1889; depravata A.Bang-Haas,1912; kurilana Bryk,1942; ignorata Eitschberger,1972.
1244. *Xestia* (Pachnobia) *senescens* (Staudinger,1881) (Noctuidae) senescens Staudinger,1881; kungessi Alpheraky,1882.
1245. *Zekelita* (Rhynchodontodes) *diagonalis* (Alpheraky,1882) (Noctuidae) diagonalis Alpheraky,1882
1246. *Zekelita* (Rhynchodontodes) *sorialis* (Püngeler,1909) (Noctuidae) sorialis Püngeler,1909
1247. *Cerura* (s.str.) *przewalskii* (Alpheraky,1882) (Notodontidae) przewalskii Alpheraky,1882
1248. *Cerura* (s.str.) *przewalskii przewalskii* (Alpheraky,1882) (Notodontidae) przewalskii Alpheraky,1882
1249. *Cerura* (s.str.) *vinula* (Linnaeus,1758) (Notodontidae) vinula Linnaeus,1758; minax Hübner,[1803]; teberdina Kornejev,1939
1250. *Clostera curtula* (Linnaeus,1758) (Notodontidae) curtula Linnaeus,1758; albicaudalba Retzius,1783; canescens Graeser,1892
1251. *Clostera obscurior* (Staudinger,1887) (Notodontidae) obscurior Staudinger,1887
1252. *Clostera pigra* (Hufnagel,1766) (Notodontidae) pigra Hufnagel,1766; reclusa [Denis & Schiffermüller],1775; alticaudafurcata Retzius,1783; suffusa Stephens,1835; superior Rangnow,1935; #flavidior Bytinski-Salz,1936
1253. *Clostera pigra staudingeri* Koçak,1980 (Notodontidae) ferruginea Staudinger,1901 nec Mre,1865; staudingeri Koçak,1980
1254. *Furcula interrupta* Christoph,1867 (Notodontidae) interrupta Christoph,1867; sureyae Rebel,1933; hoeferi Bytinski-Salz,1936; leucotera Lenek,1969; #syreyae Schintmeister,1989.
1255. *Furcula interrupta syra* Grum-Grshimailo,1899 (Notodontidae) syra Grum-Grshimailo,1899
1256. *Furcula petri* (Alpheraky,1882) (Notodontidae) petri Alpheraky,1882
1257. *Furcula petri ludoviciae* (Püngeler,1901) (Notodontidae) ludoviciae Püngeler,1901
1258. *Furcula petri ludovicior* (Gaede,1933) (Notodontidae) ludovicior Gaede,1933
1259. *Furcula petri petri* (Alpheraky,1882) (Notodontidae) petri Alpheraky,1882
1260. *Notodonta ziczac* (Linnaeus,1758) (Notodontidae) ziczac Linnaeus,1758; venosa Fourcroy,1785; monticola Dannehl,1925; lapponica Rangnow,1935; dimorpha Rangnow,1935; reisseri Rungs,1956
1261. *Notodonta ziczac pallida* Grünberg,1912 (Notodontidae) pallida Grünberg,1912
1262. *Pheosia jullieni* Oberthür,1911 (Notodontidae) jullieni Oberthür,1911; karategina Stshetkin
1263. *Ptilophora kashgara* Moore,1878 (Notodontidae) kashgara Moore,1878
1264. *Agonopterix iliensis* (Rebel,1936) (Oecophoridae) iliensis Rebel,1936
1265. *Depressaria hannemanniana* Lvovsky,1990 (Oecophoridae) hannemanniana Lvovsky,1990
1266. *Exaeretia niviferella* (Christoph,1872) (Oecophoridae) niviferella Christoph,1872
1267. *Pleurota obtusella* Rebel,1917 (Oecophoridae) obtusella Rebel,1917
1268. *Hypermnestra helios* (Nickerl,1846) (Papilionidae) helios Nickerl,1846; maxima Lang,1884; persica Neuburger,1900; hyrcana Sheljuzhko,1956.
1269. *Hypermnestra helios helios* (Nickerl,1846) (Papilionidae) helios Nickerl,1846; maxima Lang,1884; persica Neuburger,1900; hyrcana Sheljuzhko,1956.
1270. *Iphiclides podalirius* (Linnaeus,1758) (Papilionidae) podalirius Linnaeus,1758; sinon Poda,1761; flammeus Fourcroy,1785; inalpinus Verity,1911; valesiaca Verity,1911; zancleides Verity,1911; pseudopersica Rocci,1926.
1271. *Iphiclides podalirius centralasiae* (Rosen,1929) (Papilionidae) centralasiae Rosen,1929 nec Chr.,1887.
1272. *Papilio* (s.str.) *machaon* Linnaeus,1758 (Papilionidae) machaon Linnaeus,1758; reginae Retzius,1783; umbellatarum Fabricius,1807; aurantiaca Speyer,1858.
1273. *Papilio* (s.str.) *machaon asiaticus* Ménétériés,1855 (Papilionidae) asiaticus Ménétériés,1855
1274. *Papilio* (s.str.) *machaon oreinus* Sheljuzhko,1919 (Papilionidae) oreinus Sheljuzhko,1919
1275. *Parnassius* (Driopa) *ariadne* Lederer,1853 (Papilionidae) ariadne Lederer,1853; clarius Eversmann,1843 nec Hübner,[1806]
1276. *Parnassius* (Driopa) *ariadne ariadne* Lederer,1853 (Papilionidae) ariadne Lederer,1853; clarius Eversmann,1843 nec Hübner,[1806]
1277. *Parnassius* (Driopa) *eversmanni* [Ménétériés],1850 (Papilionidae) evermanni [Ménétériés],1850
1278. *Parnassius* (Driopa) *eversmanni lacinia* Hemming,1934 (Papilionidae) lacinia Hemming,1934

- 1279.** *Parnassius (Driopa) mnemosyne* (Linnaeus,1758) (Papilionidae) mnemosyne Linnaeus,1758
- 1280.** *Parnassius (Driopa) mnemosyne mneme* Bryk & Eisner,1932 (Papilionidae) mneme Bryk & Eisner,1932
- 1281.** *Parnassius (Driopa) mnemosyne sarafschanus* Bryk & Eisner,1932 (Papilionidae) sarafschanus Bryk & Eisner,1932
- 1282.** *Parnassius (Driopa) orleans* Oberthür,1891 (Papilionidae) orleans Oberthür,1891
- 1283.** *Parnassius (Driopa) stubbendorffii* Ménétériés,1849 (Papilionidae) stubbendorffii Ménétériés,1849
- 1284.** *Parnassius (Kailasius) charltonius* Gray,[1853] (Papilionidae) charltonius Gray,[1853]; #mendica Bryk,1912.
- 1285.** *Parnassius (Kailasius) loxias* Püngeler,1901 (Papilionidae) loxias Püngeler,1901
- 1286.** *Parnassius (Kailasius) loxias loxias* Püngeler,1901 (Papilionidae) loxias Püngeler,1901
- 1287.** *Parnassius (Kailasius) loxias raskemensis* Avinoff,1916 (Papilionidae) raskemensis Avinoff,1916
- 1288.** *Parnassius (Koramius) acdestis ? liudongi* Huang,1999 (Papilionidae) liudongi Huang,1999
- 1289.** *Parnassius (Koramius) acdestis* Groum-Grshimailo,1891 (Papilionidae) acdestis Groum-Grshimailo,1891
- 1290.** *Parnassius (Koramius) delphius* (Eversmann,1843) (Papilionidae) delphius Eversmann,1843
- 1291.** *Parnassius (Koramius) delphius abramovi* O.Bang-Haas,1915 (Papilionidae) abramovi O.Bang-Haas,1915; sobolewski Avinov,1916.
- 1292.** *Parnassius (Koramius) delphius albulus* Honrath,1889 (Papilionidae) albulus Honr.,1889;delphinus Gr-Gr.,1890;tancrei Aust.,1910;barteli Aust.,1911;aurelia Aust.,1912;juldussica,candidatus,constans,karaschahrica B.-H.,1915;sobolevskiy Av.,1916;hamiensis B.-H.,1927;mephisto Her.,1931;menander Hemm.,1934;folgae Krbg.,1987.
- 1293.** *Parnassius (Koramius) delphius dolabella* Fruhstorfer,1904 (Papilionidae) dolabella Fruhstorfer,1904
- 1294.** *Parnassius (Koramius) delphius imitator* Bryk & Eisner,1932 (Papilionidae) imitator Bryk & Eisner,1932
- 1295.** *Parnassius (Koramius) patricius* Niepelt,1911 (Papilionidae) patricius Niepelt,1911
- 1296.** *Parnassius (Koramius) patricius exclamationis* Avinoff,1921 (Papilionidae) exclamationis Avinoff,1921
- 1297.** *Parnassius (Koramius) patricius priamus* Bryk,1914 (Papilionidae) priamus Bryk,1914
- 1298.** *Parnassius (Koramius) staudingeri* A.Bang-Haas,1882 (Papilionidae) staudingeri A.Bang-Haas,1882
- 1299.** *Parnassius (Koramius) staudingeri mustagata* Rose,1990 (Papilionidae) mustagata Rose,1990
- 1300.** *Parnassius (Sachaia) boedromius* Püngeler,1901 (Papilionidae) boedromius Püngeler,1901; pygmaeus A.Bang-Haas,1910; candida Avinov,1913; #fermata Bryk & Eisner,1930; #medioflavapupillata Eisner,1959; #flavapupillata Eisner,1959.
- 1301.** *Parnassius (Sachaia) boedromius boedromius* Püngeler,1901 (Papilionidae) boedromius Püngeler,1901; pygmaeus A.Bang-Haas,1910; candida Avinov,1913; #fermata Bryk & Eisner,1930; #medioflavapupillata Eisner,1959; #flavapupillata Eisner,1959.
- 1302.** *Parnassius (Sachaia) simo* Gray,[1853] (Papilionidae) simo Gray,[1853]; peteri O.Bang-Haas,1927
- 1303.** *Parnassius (Sachaia) simo avinoffi* Avinoff,1913 (Papilionidae) #avinoffi Verity,1911; avinoffi Avinov,1913; tsuchiyaorm Morita,1997.
- 1304.** *Parnassius (Sachaia) simo confusus* O.Bang-Haas,1927 (Papilionidae) confusus O.Bang-Haas,1927; #ocelloconjuncta Bryk & Eisner,1932.
- 1305.** *Parnassius (Sachaia) simo glylpos* Fruhstorfer,1903 (Papilionidae) glylpos Fruhstorfer,1903
- 1306.** *Parnassius (Sachaia) simo koslovi* Avinoff,1913 (Papilionidae) #koslovi Verity,1911; koslovi Avinov,1913; lise Eisner,1959; kazuei Sorimachi,1991; kunlunensis Weiss,1991; qinghaiensis Sorimachi & Morita,1994; wenquanensis Sorimachi & Morita,1994
- 1307.** *Parnassius (Sachaia) simo simplicatus* Stichel,1907 (Papilionidae) simplicatus Stichel,1907
- 1308.** *Parnassius (Sachaia) simonius* Staudinger,1889 (Papilionidae) simonius Staudinger,1889
- 1309.** *Parnassius (Sachaia) simonius simulator* Staudinger,1889 (Papilionidae) simulator Staudinger,1889; #subdiaphana Verity,1907; #nigroinspersa Verity,1907.
- 1310.** *Parnassius (Sachaia) tenedius* Eversmann,1851 (Papilionidae) tenedius Eversmann,1851
- 1311.** *Parnassius (Tadumia) acco* Gray,[1853] (Papilionidae) acco Gray,[1853]
- 1312.** *Parnassius (Tadumia) acco hampsoni* Avinoff,1916 (Papilionidae) hampsoni Avinoff,1916
- 1313.** *Parnassius (Tadumia) acco przewalskii* Alpheraky,1887 (Papilionidae) przewalskii Alpheraky,1887; makicoae Morita,1997
- 1314.** *Parnassius (Tadumia) maharaja* Avinoff,1916 (Papilionidae) maharaja Avinoff,1916
- 1315.** *Parnassius (Tadumia) maharaja maharaja* Avinoff,1916 (Papilionidae) maharaja Avinoff,1916
- 1316.** *Parnassius (s.str.) actius* (Eversmann,1843) (Papilionidae) actius Eversmann,1843; urumtschiensis Verity,[1906]; jacovlevi Korb,1998.
- 1317.** *Parnassius (s.str.) actius actinobolus* Staudinger,1897 (Papilionidae) actinobolus Staudinger,1897
- 1318.** *Parnassius (s.str.) actius actius* (Eversmann,1843) (Papilionidae) actius Eversmann,1843; urumtschiensis Verity,[1906]; jacovlevi Korb,1998.
- 1319.** *Parnassius (s.str.) actius ambrosius* Stichel,1892 (Papilionidae) ambrosius Stichel,1892; superbus Rühl; #fermata Bryk & Eisner,1935.
- 1320.** *Parnassius (s.str.) actius brutus* Bryk,1914 (Papilionidae) brutus Bryk,1914; brutus O.Bang-Haas,1915.
- 1321.** *Parnassius (s.str.) actius marius* Bryk & Eisner,1935 (Papilionidae) marius Bryk & Eisner,1935
- 1322.** *Parnassius (s.str.) actius minutus* Verity,[1911] (Papilionidae) minutus Verity,[1911].
- 1323.** *Parnassius (s.str.) actius ornatus* O.Bang-Haas,1915 (Papilionidae) ornatus O.Bang-Haas,1915; #tripicta O.Bang-Haas,1915.
- 1324.** *Parnassius (s.str.) actius pseudobrutus* Bryk & Eisner,1931 (Papilionidae) pseudobrutus Bryk & Eisner,1931
- 1325.** *Parnassius (s.str.) actius pseudocaesar* Eisner & Sheljuzhko,1965 (Papilionidae) caesar Staudinger,1897 nec Groum-Grshimailo,1885; pseudocaesar Eisner & Sheljuzhko,1965
- 1326.** *Parnassius (s.str.) apollo* (Linnaeus,1758) (Papilionidae) apollo Linnaeus,1758
- 1327.** *Parnassius (s.str.) apollo mongolicus* Staudinger,1900 (Papilionidae) mongolicus Staudinger,1900; merzbacheri Fruhstorfer,1906; minerva A.Bang-Haas,1910; transiliensis Eisner,1966.
- 1328.** *Parnassius (s.str.) apollonius* (Eversmann,1847) (Papilionidae) apollonius Eversmann,1847
- 1329.** *Parnassius (s.str.) apollonius kuldschaensis* Bryk & Eisner,1934 (Papilionidae) kuldschaensis Bryk & Eisner,1934
- 1330.** *Parnassius (s.str.) bremeri* Bremer,1864 (Papilionidae) bremeri Bremer,1864
- 1331.** *Parnassius (s.str.) epaphus* Oberthür,1879 (Papilionidae) epaphus Oberthür,1879; altynensis Stichel,1907.
- 1332.** *Parnassius (s.str.) epaphus epaphactius* O.Bang-Haas,1915 (Papilionidae) epaphactius O.Bang-Haas,1915
- 1333.** *Parnassius (s.str.) epaphus epaphus* Oberthür,1879 (Papilionidae) epaphus Oberthür,1879; altynensis Stichel,1907
- 1334.** *Parnassius (s.str.) epaphus huwei* Fruhstorfer,1903 (Papilionidae) huwei Fruhstorfer,1903
- 1335.** *Parnassius (s.str.) epaphus subtilis* O.Bang-Haas,1927 (Papilionidae) subtilis O.Bang-Haas,1927
- 1336.** *Parnassius (s.str.) jacquemontii* Boisduval,1836 (Papilionidae) jacquemontii Boisduval,1836
- 1337.** *Parnassius (s.str.) nomion* Fischer de Waldheim,1823 (Papilionidae) nomion Fischer de Waldheim,1823
- 1338.** *Parnassius (s.str.) phoebus* (Fabricius,1793) (Papilionidae) phoebus Fabricius,1793; altaicus Ménétériés,1859; #alpestris Verity,[1911].
- 1339.** *Parnassius (s.str.) ruckbeili* Deckert,1909 (Papilionidae) ruckbeili Deckert,1909
- 1340.** *Parnassius (s.str.) ruckbeili ruckbeili* Deckert,1909 (Papilionidae) ruckbeili Deckert,1909

- 1341. Parnassius (s.str.) tianschanicus Oberthür, 1879** (Papilionidae) tianschanicus Oberthür, 1879; discobolus Staudinger, 1881; discobolus Alpheraky, 1881.
- 1342. Parnassius (s.str.) tianschanicus erebus Verity** (Papilionidae)
- 1343. Parnassius (s.str.) tianschanicus olympius Staudinger, 1898** (Papilionidae) olympius Staudinger, 1898
- 1344. Parnassius (s.str.) tianschanicus tianschanicus Oberthür, 1879** (Papilionidae) tianschanicus Oberthür, 1879; discobolus Staudinger, 1881; discobolus Alpheraky, 1881.
- 1345. Anthocharis bieti (Oberthür, 1884)** (Pieridae) bieti Oberthür, 1884
- 1346. Anthocharis bieti bieti (Oberthür, 1884)** (Pieridae) bieti Oberthür, 1884
- 1347. Anthocharis cardamines (Linnaeus, 1758)** (Pieridae) cardamines Linnaeus, 1758; hesperides Newman, 1894; britannica Verity, 1908; meridionalis Verity, 1908 nec Lederer, 1852; montivaga Turati & Verity, 1911
- 1348. Anthocharis cardamines alexandra (Hemming, 1933)** (Pieridae) orientalis Röber, 1907 (hom.); alexandra Hemming, 1933.
- 1349. Anthocharis cardamines cardamines (Linnaeus, 1758)** (Pieridae) cardamines Linnaeus, 1758; hesperides Newman, 1894; britannica Verity, 1908; meridionalis Verity, 1908 nec Lederer, 1852; montivaga Turati & Verity, 1911
- 1350. Aporia (Metaporia (Turanoporia)) leucodice (Eversmann, 1843)** (Pieridae) leucodice Eversmann, 1843; altensis Heyne, 1895; morosevitshae Sheljuzhko, 1907.
- 1351. Aporia (Metaporia (Turanoporia)) leucodice leucodice (Eversmann, 1843)** (Pieridae) leucodice Eversmann, 1843; altensis Heyne, 1895; morosevitshae Sheljuzhko, 1907.
- 1352. Aporia (Metaporia (s.str.)) procris Leech, 1890** (Pieridae) procris Leech, 1890; halisca Oberthür, 1891.
- 1353. Aporia (Metaporia (s.str.)) procris procris Leech, 1890** (Pieridae) procris Leech, 1890; halisca Oberthür, 1891.
- 1354. Aporia (s.str.) crataegi (Linnaeus, 1758)** (Pieridae) crataegi Linnaeus, 1758; nigronervosus Retzius, 1783; minor Verity, 1907; basanius Fruhstorfer, 1910; crataegiaugusta Verity, 1937.
- 1355. Aporia (s.str.) crataegi tianschanica [Rühl, 1893]** (Pieridae) tianschanica [Rühl, 1893]; naryna Sheljuzhko, 1910; centralasiae Verity, [1911].
- 1356. Aporia (s.str.) hippia Bremer, 1861** (Pieridae) hippia Bremer, 1861; crataegoides Lucas, 1865.
- 1357. Aporia (s.str.) hippia kreitneri Frivaldsky, 1886** (Pieridae) kreitneri Frivaldsky, 1886
- 1358. Baltia butleri (Moore, 1882)** (Pieridae) butleri Moore, 1882
- 1359. Baltia butleri butleri (Moore, 1882)** (Pieridae) butleri Moore, 1882
- 1360. Colias (Eriocolias) alpherakii Staudinger, 1882** (Pieridae) alpherakii Staudinger, 1882; #leucophryna Groum-Grshimailo, 1893.
- 1361. Colias (Eriocolias) arida Alpheraky, 1889** (Pieridae) arida Alpheraky, 1889; cana Groum-Grshimailo, 1890; auritheme Groum-Grshimailo, 1890; #eogenei Verity, [1909]; viridis Verity.
- 1362. Colias (Eriocolias) arida arida Alpheraky, 1889** (Pieridae) arida Alpheraky, 1889; cana Groum-Grshimailo, 1890; auritheme Groum-Grshimailo, 1890; #eogenei Verity, [1909]; viridis Verity.
- 1363. Colias (Eriocolias) berylla Fawcett, 1904** (Pieridae) berylla Fawcett, 1904.
- 1364. Colias (Eriocolias) chrysotheme (Esper, [1781])** (Pieridae) chrysotheme Esper, [1781]
- 1365. Colias (Eriocolias) cocandica Erschoff, 1874** (Pieridae) cocandica Erschoff, 1874; #hybrida Groum-Grshimailo, 1893; #galba Groum-Grshimailo, 1893.
- 1366. Colias (Eriocolias) cocandica maja Groum-Grshimailo, 1891** (Pieridae) maja Groum-Grshimailo, 1897
- 1367. Colias (Eriocolias) cocandica tamerlana Staudinger, [1897]** (Pieridae) tamerlana Staudinger, [1897]
- 1368. Colias (Eriocolias) cocandica tatarica O.Bang-Haas, 1915** (Pieridae) tatarica O.Bang-Haas, 1915
- 1369. Colias (Eriocolias) eogene C.Felder & R.Felder, [1865]** (Pieridae) eogene C.Felder & R.Felder, [1865]
- 1370. Colias (Eriocolias) eogene aphrodite Verity, [1909]** (Pieridae) aphrodite Verity, [1909].
- 1371. Colias (Eriocolias) eogene erythas Groum-Grshimailo, 1890** (Pieridae) erythas Groum-Grshimailo, 1890
- 1372. Colias (Eriocolias) erschoffii Alpheraky, 1881** (Pieridae) erschoffii Alpheraky, 1881; tancrei Austaut, 1890; aurantiaca Verity, 1909; aurantiacoflava Verity, 1909.
- 1373. Colias (Eriocolias) erschoffii erschoffii Alpheraky, 1881** (Pieridae) erschoffii Alpheraky, 1881; tancrei Austaut, 1890; aurantiaca Verity, 1909; aurantiacoflava Verity, 1909.
- 1374. Colias (Eriocolias) grumi Alpheraky, 1897** (Pieridae) grumi Alpheraky, 1897; #evanescens Verity, [1909].
- 1375. Colias (Eriocolias) grumi grumi Alpheraky, 1897** (Pieridae) grumi Alpheraky, 1897; #evanescens Verity, [1909].
- 1376. Colias (Eriocolias) heos (Herbst, 1792)** (Pieridae) aurora Esper, 1784 nec Cr., 1780; heos Herbst, 1792; chloe Eversmann, 1847; sibirica Lederer, 1852; semenovi Stander, 1960.
- 1377. Colias (Eriocolias) sieversi Groum-Grshimailo, 1887** (Pieridae) sieversi Groum-Grshimailo, 1887
- 1378. Colias (Eriocolias) sieversi sieversi Groum-Grshimailo, 1887** (Pieridae) sieversi Groum-Grshimailo, 1887
- 1379. Colias (Eriocolias) staudingeri Alpheraky, 1881** (Pieridae) staudingeri Alpheraky, 1881; alexandrina Verity, 1909.
- 1380. Colias (Eriocolias) staudingeri emivittata Verity, [1909]** (Pieridae) emivittata Verity, [1909]; flavolimbata Verity, [1909].
- 1381. Colias (Eriocolias) staudingeri staudingeri Alpheraky, 1881** (Pieridae) staudingeri Alpheraky, 1881; alexandrina Verity, 1909.
- 1382. Colias (Eriocolias) thisoa Ménéttriés, 1832** (Pieridae) thisoa Ménéttriés, 1832; helena Herrich-Schäffer, [1844]; eos Herrich-Schäffer, [1848]; #ludmilla Schulte, 1989.
- 1383. Colias (Eriocolias) thisoa thisoa Ménéttriés, 1832** (Pieridae) thisoa Ménéttriés, 1832; helena Herrich-Schäffer, [1844]; eos Herrich-Schäffer, [1848]; #ludmilla Schulte, 1989.
- 1384. Colias (Eriocolias) thisa urumtsiensis Verity, 1909** (Pieridae) urumtsiensis Verity, 1909
- 1385. Colias (Eucolias) tyche (Boeber, 1812)** (Pieridae) tyche Boeber, 1812; melinos Eversmann, 1847; chloe Eversmann, 1847
- 1386. Colias (Eucolias) tyche tyche (Boeber, 1812)** (Pieridae) tyche Boeber, 1812; melinos Eversmann, 1847; chloe Eversmann, 1847
- 1387. Colias (Neocolias) erate (Esper, [1805])** (Pieridae) erate Esper, [1805]; afghana O.Bang-Haas, 1927
- 1388. Colias (Neocolias) erate erate (Esper, [1805])** (Pieridae) erate Esper, [1805]; afghana O.Bang-Haas, 1927
- 1389. Colias (Neocolias) erate gigantea Verity, [1911]** (Pieridae) gigantea Verity, [1911]; #kachgarica Verity, [1911].
- 1390. Colias (s.str.) hyale (Linnaeus, 1758)** (Pieridae) hyale Linnaeus, 1758; #amdensis Verity, [1911].
- 1391. Colias (s.str.) sareptensis Staudinger, 1881** (Pieridae) #sareptensis Staudinger, 1871; sareptensis Staudinger, 1881.
- 1392. Colias (s.str.) sareptensis saissanica Reissinger, 1989** (Pieridae) saissanica Reissinger, 1989
- 1393. Colias mongola Alpheraky, 1897** (Pieridae) mongola Alpheraky, 1897; sidonia Weiss, 1968.
- 1394. Colias mongola mongola Alpheraky, 1897** (Pieridae) mongola Alpheraky, 1897; sidonia Weiss, 1968.
- 1395. Euchloe (s.str.) ausonia (Hübner, [1804])** (Pieridae) ausonia Hübner, [1804]; marchandae Geyer, [1832].
- 1396. Gonepteryx (s.str.) rhamni (Linnaeus, 1758)** (Pieridae) rhamni Linnaeus, 1758; gravesi Huggins, 1956.
- 1397. Gonepteryx (s.str.) rhamni tianshanica Nekrutenko, 1970** (Pieridae) tianshanica Nekrutenko, 1970
- 1398. Leptidea amurensis (Ménéttriés, 1858)** (Pieridae) amurensis Ménéttriés, 1858
- 1399. Leptidea morsei (Fenton, 1881)** (Pieridae) morsei Fenton, 1882
- 1400. Leptidea sinapis (Linnaeus, 1758)** (Pieridae) sinapis Linnaeus, 1758; candidus Retzius, 1783; erysimi Borkhausen, 1788; lathyri Hübner, [1819]; loti Rennie, 1832; umbratica Trimoulet, 1858; sartha Rühl, 1893; stabiarum Stauder, 1914; nigrescens Verity, 1919; patunae Stauder, 1922; lathyricana Verity, 1952.
- 1401. Leptidea sinapis sinapis (Linnaeus, 1758)** (Pieridae) sinapis Linnaeus, 1758; candidus Retzius, 1783; erysimi

Borkhausen,1788; lathyri Hübner,[1819]; loti Rennie,1832; umbratica Trimoulet,1858; sartha Rühl,1893; stabiarum Stauder,1914; nigrescens Verity,1919; patunae Stauder,1922; lathyricana Verity,1952.

1402. Microzebris pyrothoe (Eversmann,1832) (Pieridae) pyrothoe Eversmann,1832

1403. Microzebris pyrothoe pyrothoe (Eversmann,1832) (Pieridae) pyrothoe Eversmann,1832

1404. Pieris (Artogeia) canidia (Sparrman,1768) (Pieridae) canidia Sparrman,1768

1405. Pieris (Artogeia) dubernardi Oberthür,1884 (Pieridae) dubernardi Oberthür,1884

1406. Pieris (Artogeia) dubernardi koslovi (Alpheraky,1897) (Pieridae) koslovi Alpheraky,1897

1407. Pieris (Artogeia) rapae rapae (Linnaeus,1758) (Pieridae) rapae Linnaeus,1758; nelo Bergsträßer,1780; metra Stephens,1827; alpica Rossi,1929; pulverea Verity,[1911].

1408. Pieris (s.str.) brassicae (Linnaeus,1758) (Pieridae) brassicae Linnaeus,1758; chariclea Stephens,1827; #venata Verity,1908; cyniphia Turati,1924.

1409. Pieris (s.str.) brassicae brassicae (Linnaeus,1758) (Pieridae) brassicae Linnaeus,1758; chariclea Stephens,1827; #venata Verity,1908; cyniphia Turati,1924.

1410. Pieris (s.str.) deota (De Nicéville,1884) (Pieridae) deota De Nicéville,1884; roborowskii Alpheraky,1887

1411. Pieris (s.str.) deota deota (De Nicéville,1884) (Pieridae) deota De Nicéville,1884; roborowskii Alpheraky,1887

1412. Pontia callidice (Hübner,[1800]) (Pieridae) callidice Hübner,[1800]; callidice Esper,[1803].

1413. Pontia callidice amaryllis Hemming,1933 (Pieridae) orientalis Alpheraky,1881 nec Obth.,1880; amaryllis Hemming,1933.

1414. Pontia chloridice (Hübner,[1813]) (Pieridae) russiae Esper,[1784] nec russiae Esper,[1783]; chloridice Hübner,[1813]; #aestuosa Staudinger,1901; albidice Staudinger,1901 nec Oberthür,1881.

1415. Pontia chloridice chloridice (Hübner,[1813]) (Pieridae) russiae Esper,[1784] nec russiae Esper,[1783]; chloridice Hübner,[1813]; #aestuosa Staudinger,1901; albidice Staudinger,1901 nec Oberthür,1881.

1416. Pontia edusa (Fabricius,1777) (Pieridae) edusa Fabricius,1777; bellidice Ochsenheimer,1808; persica Bienert,1869; #nitida Verity,[1908].

1417. Zegris eupheme (Esper,[1804]) (Pieridae) eupheme Esper,[1804]; erothoe Eversmann,1832; tschudica Herrich-Schäffer,[1851].

1418. Zegris eupheme sulphurea O.Bang-Haas,1927 (Pieridae) sulphurea O.Bang-Haas,1927

1419. Epichnopteryx albofasciata O.Bang-Haas,1927 (Psychidae) albofasciata O.Bang-Haas,1927

1420. Melasina kuldjaensis Caradja,1920 (Psychidae) kuldjaensis Caradja,1920

1421. Psychidopsis alpherakii (Heylaerts,1881) (Psychidae) alpherakii Heylaerts,1881

1422. Psychidopsis flavescens (Heylaerts,1881) (Psychidae) flavescens Heylaerts,1881

1423. Psychidopsis flavescens kuldshaensis (Heylaerts,1881) (Psychidae) kuldshaensis Heylaerts,1881

1424. Agdistis (Tamaritis) flavissima Caradja,1920 (Pterophoridae) flavissima Caradja,1920

1425. Agdistis (Tamaritis) tamaricis (Zeller,1847) (Pterophoridae) tamaricis Zeller,1847; bagdadiensis Amsel,1949; xinjiangensis Qin & Zheng,1997.

1426. Agdistis (s.str.) adactyla (Hübner,[1819]) (Pterophoridae) adactyla Hübner,[1819]; huebneri Curtis,1834; delphinensella Bruand,1858; shaanxisis Qin & Zheng,1997.

1427. Cnaemidophorus rhododactylus (Fabricius,1787) (Pterophoridae) #rhododactyla [Denis & Schifferrmüller],1775; rhododactylus Fabricius,1787; koreana Matsumura,1931.

1428. Crombruggia distans (Zeller,1847) (Pterophoridae) distans Zeller,1847; distantidactyla Bruand,1858; geodactylus Fuchs,1903; lactuca Fletcher,1920; clarisignis Myerick,1924; buvati Bigot & Picard,1988; pravieli Bigot & Picard,1989; gibeauxi Bigot et al.,1990; supplementum Gibeaux,1997.

1429. Emmelina monodactyla (Linnaeus,1758) (Pterophoridae) monodactyla Linnaeus,1758; sibiricus Caradja,1920.

1430. Hellinsia inulae (Zeller,1852) (Pterophoridae) inulae Zeller,1852; coniodactylus Staudinger,1859; alpinus Gibeaux & Picard,1992.

1431. Hellinsia osteodactylus (Zeller,1841) (Pterophoridae) microdactyla Zetterstedt,1839 nec Hübner,[1813]; osteodactylus Zeller,1841; trimmatodactylus Christoph,1872; cinerariae Millière,1874; chrysocomaes Ragonot,1875; korbi Caradja,1920; turbidellus Caradja,1920; sophronistes Meyrick,1938.

1432. Marasmasha colossa Caradja,1920 (Pterophoridae) colossa Caradja,1920

1433. Merrifieldia baliodactyla (Zeller,1841) (Pterophoridae) baliodactyla Zeller,1841; tridactylus Stephens,1834; daliodactylus Bruand,1850; meridionalis Staudinger,1880.

1434. Merrifieldia caspia (Lederer,1870) (Pterophoridae) caspia Lederer,1870

1435. Oidaematophorus lithodactylus (Treitschke,1833) (Pterophoridae) lithodactylus Treitschke,1833; septodactylus Treitschke,1833; similidactylus Dale,1834; lithoxyloactylus Duponchel,[1840].

1436. Paraplatyptilia gaji (Zagulyaev,1983) (Pterophoridae) gaji Zagulyaev,1983

1437. Platyptilia gonodactyla ([Denis & Schifferrmüller],1775) (Pterophoridae) gonodactyla [Denis & Schifferrmüller],1775; megalodactyla [Denis & Schifferrmüller],1775; diptera Sulzer,1776; trigonodactyla Haworth,1811; farfara Gregson,1885; albidior Caradja,1920.

1438. Platyptilia nemoralis (Zeller,1841) (Pterophoridae) nemoralis Zeller,1841; nemoralidactyla Bruand,1859; graafii Zeller,1873; sinuosa Yano,1960.

1439. Procapperia kuldshaensis (Rebel,1914) (Pterophoridae) kuldshaensis Rebel,1914; asiatica Zagulyaev,1986.

1440. Pterophorus pentadactylus (Linnaeus,1758) (Pterophoridae) pentadactylus Linnaeus,1758; tridactyla Scopoli,1763; sulphurea Staudinger,1880.

1441. Pterophorus taklamakanus Arenberger,1995 (Pterophoridae) taklamakanus Arenberger,1995

1442. Stenoptilia graphodactyla (Treitschke,1833) (Pterophoridae) graphodactyla Treitschke,1833.

1443. Stenoptilia mannii (Zeller,1852) (Pterophoridae) mannii Zeller,1852; megalochroa Meyrick,1930.

1444. Stenoptilia pelidnodactyla (Stein,1837) (Pterophoridae) pelidnodactyla Stein,1837

1445. Stenoptilia pneumonanthus (Büttner,1880) (Pterophoridae) pneumonanthus Büttner,1880; nelorum Gibeaux,1989; arenbergeri Gibeaux,1990.

1446. Achyra nudalis (Hübner,1796) (Pylalidae) nudalis Hübner,1796; interpunctalis Hübner,1796; unipunctalis Duponchel,1831; bipunctalis Duponchel,1831; pauciferalis Walker,1865; nodalis Gundlach,1891; ochromorpha Lower,1901

1447. Ancylosis (Cabotia) lacteicostella (Ragonot,1887) (Pylalidae) lacteicostella Ragonot,1887; fulvobasella Ragonot,1887; aegyptiacella Ragonot,1901; spatzii Rothschild,1915.

1448. Ancylosis (Heterographis) albicosta (Staudinger,1870) (Pylalidae) albicosta Staudinger,1870; delimitella Ragonot,1887; niveicostella Ragonot,1901.

1449. Ancylosis (Heterographis) euclastella (Ragonot,1887) (Pylalidae) euclastella Ragonot,1887

1450. Ancylosis (Heterographis) gracilella Ragonot,1887 (Pylalidae) gracilella Ragonot,1887; subcandidatella Ragonot,1887; monostictella Ragonot,1887; casella Chrétien,1910; lybistinella Turati,1924; dowsoniella Richards & Thomson,1932.

1451. Ancylosis (Heterographis) griseomixtella (Ragonot,1887) (Pylalidae) griseomixtella Ragonot,1887

1452. Ancylosis (Heterographis) nigripunctella (Staudinger,1879) (Pylalidae) nigripunctella Staudinger,1879; wockeella Ragonot,1887; carnibasalis Hampson,1896.

1453. Ancylosis (Heterographis) pallida (Staudinger,1870) (Pylalidae) pallida Staudinger,1870

1454. Ancylosis (Heterographis) plumbatella (Ragonot,1888) (Pylalidae) plumbatella Ragonot,1888

- 1455. Ancylosis (Heterographis) roscidella (Eversmann,1844)** (Pyrilidae) roscidella Eversmann,1844; cinerella Stainton,1859; ephedrella Herrich-Schäffer,1860; neglectella Heinemann,1864; blandella Ragonot,1887; zobrella Oberthür,1888; carnea Warren,1888; bartellella Caradja,1910; benderella Amsel,1961.
- 1456. Ancylosis (Heterographis) samaritanella (Zeller,1867)** (Pyrilidae) samaritanella Zeller,1867; urbicella Erschoff,1874; biligulella Ragonot,1887; flavescentella Chrétien,1910; diminutella Chrétien,1910; cinnamomeifascia Rothschild,1915; lacroixella Lucas,1939; brevipalpella Amsel,1954.
- 1457. Ancylosis (Heterographis) syrtella (Ragonot,1887)** (Pyrilidae) syrtella Ragonot,1887; costalbella Amsel,1954.
- 1458. Ancylosis (Heterographis) xylinaella (Staudinger,1870)** (Pyrilidae) xylinaella Staudinger,1870; sablonella Rothschild,1915; molochinella Zerny,1929.
- 1459. Ancylosis (s.str.) albidella Ragonot,1888** (Pyrilidae) albidella Ragonot,1888
- 1460. Ancylosis (s.str.) cinnamomella (Duponchel,1836)** (Pyrilidae) dilutella Tr.,1832 [n.o.]; cinnamomella Dup.,1836; labeomella Staudinger,1859; lafauryella Rag.,1887; byzaceniella Rag.,1887; roseopennella Rag.,1901; tunesella Caradja,1910; fuliginosa Rothschild,1913; pictella Tur.,1922; ferrugineolineella Tur.,1924.
- 1461. Ancylosis (s.str.) cinnamomella bichordella (Ragonot,1887)** (Pyrilidae) bichordella Ragonot,1887; lividella Ragonot,1887; flammella Ragonot,1887; cephella Ragonot,1901; ciliciella Caradja,1910; nigrella Caradja,1916; persicoella Amsel,1951; ormuzdella Amsel,1954; ecbataniella Amsel,1961.
- 1462. Ancylosis (s.str.) dryadella (Ragonot,1887)** (Pyrilidae) dryadella Ragonot,1887; sefidella Amsel,1951.
- 1463. Ancylosis (s.str.) dumetella (Ragonot,1887)** (Pyrilidae) dumetella Ragonot,1887; albinotella Ragonot,1887; alvandella Amsel,1961.
- 1464. Ancylosis (s.str.) maculifera Staudinger,1870** (Pyrilidae) maculifera Staudinger,1870; ifraneella Lucas,1954.
- 1465. Ancylosis (s.str.) maculifera maculifera Staudinger,1870** (Pyrilidae) maculifera Staudinger,1870; ifraneella Lucas,1954.
- 1466. Ancylosis (s.str.) ochricostella Ragonot,1887** (Pyrilidae) ochricostella Ragonot,1887
- 1467. Aphomia sociella (Linnaeus,1758)** (Pyrilidae) sociella Linnaeus,1758; colonella Linnaeus,1758; tribunella [Denis & Schiffermüller],1775; viridella Goeze,1783; inaequalis Villers,1789; socia Fabricius,1798; bipunctana Curtis,1828; asiatica Caradja,1916; pedemontana, eritrella Della Beffa,1941.
- 1468. Aphyletes nigrisparsella (Ragonot,1887)** (Pyrilidae) nigrisparsella Ragonot,1887
- 1469. Aporodes floralis (Hübner,[1809])** (Pyrilidae) floralis Hübner,[1809]; grisealis Caradja,1917.
- 1470. Arsissa aksuella (Caradja,1910)** (Pyrilidae) aksuella Caradja,1910
- 1471. Asalebria (s.str.) venustella (Ragonot,1887)** (Pyrilidae) venustella Ragonot,1887; hilarella Caradja,1916; palella Caradja,1916
- 1472. Bazaria gilvella (Ragonot,1887)** (Pyrilidae) gilvella Ragonot,1887
- 1473. Bazaria gilvella gilvella (Ragonot,1887)** (Pyrilidae) gilvella Ragonot,1887
- 1474. Calamotropha aureliella (Fischer v. Röslerstamm,[1841])** (Pyrilidae) aureliella Fischer v. Röslerstamm,[1841]; fulvilineata Okano,1958.
- 1475. Catoptria lithargyrella (Hübner,1796)** (Pyrilidae) lithargyrella Hübner,1796
- 1476. Catoptria xerxes (Sauber,1904)** (Pyrilidae) xerxes Sauber,1904
- 1477. Chilo christophi Bleszynski,1965** (Pyrilidae) christophi Bleszynski,1965
- 1478. Chilo luteellus (Motschulsky,1866)** (Pyrilidae) luteellus Motschulsky,1866 nec [Denis & Schiff.],1775; luteellus Motschulsky,1866; concolorellus Christoph,1885; gensamellus Leech,1889;dubia Bethune-Baker,1894;boxanus Hering,1903; plumbosellus Chrétien,1910; molydellus Zerny,1935;molybdellus Zerny,1941.
- 1479. Chilo phragmitellus (Hübner,[1810])** (Pyrilidae) phragmitellus Hübner,[1810]; rhombea Haworth,[1811].
- 1480. Christophia granulella (Zerny,1914)** (Pyrilidae) granulella Zerny,1914
- 1481. Chrysocrambus linetellus (Fabricius,1781)** (Pyrilidae) linetellus Fabricius,1781; cassentiniellus Herrich-Schäffer,[1848]; distinctus Müller-Rutz,1920; chrysocrossis Meyrick,1936; #marioni Dufrane,1960.
- 1482. Chrysocrambus linetellus pseudocraterellus Bleszynski,1958** (Pyrilidae) pseudocraterellus Bleszynski,1958; bleszynskii Amsel,1959.
- 1483. Chrysoteuchia pyraustoides (Erschoff,1877)** (Pyrilidae) pyraustoides Erschoff,1877
- 1484. Crambus pascuella (Linnaeus,1758)** (Pyrilidae) pascuella Linnaeus,1758; scirpellus Laharpe,1864; fumipallus Mann,1871; acutulellus Chrétien,1896.
- 1485. Crambus perlellus (Scopoli,1763)** (Pyrilidae) perlellus Scopoli,1763; dealbellus Thunberg,1788; warringtonellus Stainton,1849.
- 1486. Cremonophila pyraustella Zerny,1914** (Pyrilidae) pyraustella Zerny,1914
- 1487. Ctenarthria khorgosalis Ragonot,1891** (Pyrilidae) khorgosalis Ragonot,1891
- 1488. Cybalomia fulvomixtalis Zerny,1914** (Pyrilidae) fulvomixtalis Zerny,1914
- 1489. Dentitegumia (Uyghuria) classica Roesler,1989** (Pyrilidae) classica Roesler,1989
- 1490. Endotricha ragonoti Christoph,1893** (Pyrilidae) ragonoti Christoph,1893
- 1491. Epischmia adultella (Zeller,1848)** (Pyrilidae) adultella Zeller,1848
- 1492. Euchromius gratiosellus (Caradja,1910)** (Pyrilidae) gratiosella Caradja,1910
- 1493. Euchromius jaxartellus (Erschoff,1874)** (Pyrilidae) jaxartella Erschoff,1874
- 1494. Euchromius ramburiellus (Duponchel,1836)** (Pyrilidae) ramburiellus Duponchel,1836; zonellus Zeller,1847; luteella Caradja,1910; #ramburellus Rothschild,1924; islamella Amsel,1949.
- 1495. Euchromius zagulajevi Bleszynski,1965** (Pyrilidae) zagulajevi Bleszynski,1965
- 1496. Euclasta (s.str.) splendidalis (Herrich-Schäffer,[1848])** (Pyrilidae) splendidalis Herrich-Schäffer,[1848]
- 1497. Eurhodope (s.str.) rosella (Scopoli,1763)** (Pyrilidae) rosella Scopoli,1763; pudoralis Denis & Schiffermüller,1775; pudorella Hübner,1796; pudorana Frölich,1828
- 1498. Euzophera (s.str.) albipunctella Ragonot,1887** (Pyrilidae) albipunctella Ragonot,1887
- 1499. Euzophera (s.str.) alpherakyella Ragonot,1887** (Pyrilidae) alpherakyella Ragonot,1887
- 1500. Euzophera (s.str.) cinerosella (Zeller,1839)** (Pyrilidae) cinerosella Zeller,1839; incanella Eversmann,1844; artemisiella Stainton,1859; pimelella Zerny,1934.
- 1501. Euzophera (s.str.) cinerosella politella Ragonot,1887** (Pyrilidae) politella Ragonot,1887
- 1502. Euzophera (s.str.) formosella (Rebel,1910)** (Pyrilidae) formosella Rebel,1910
- 1503. Evergestis anartalis (Staudinger,1892)** (Pyrilidae) anartalis Staudinger,1892.
- 1504. Evergestis frumentalis (Linnaeus,1761)** (Pyrilidae) frumentalis Linnaeus,1761
- 1505. Evergestis frumentalis asiaticalis (Ragonot,1894)** (Pyrilidae) asiaticalis Ragonot,1894
- 1506. Evergestis heliacalis Zerny,1914** (Pyrilidae) heliacalis Zerny,1914
- 1507. Evergestis infirmalis (Staudinger,1870)** (Pyrilidae) infirmalis Staudinger,1870; helenalis Staudinger,1870
- 1508. Evergestis nomadalis Lederer,1871** (Pyrilidae) nomadalis Lederer,1871
- 1509. Evergestis orientalis (Eversmann,1851)** (Pyrilidae) orientalis Eversmann,1851
- 1510. Evergestis plumbofascialis (Ragonot,1894)** (Pyrilidae) plumbofascialis Ragonot,1894
- 1511. Evergestis sorhageni (Sauber,1899)** (Pyrilidae) sorhageni Sauber,1899; obsoleta Sauber,1899
- 1512. Evergestis spiniferalis (Staudinger,[1900])** (Pyrilidae) spiniferalis Staudinger,[1900]

- 1513.** *Gymnancyla (Dentinodia) craticulella* (Ragonot,1887) (Pyralidae) craticulella Ragonot,1887; erschoffi Ragonot,1887.
- 1514.** *Hypsopygia costalis* (Fabricius,1775) (Pyralidae) costalis Fabricius,1775; #lugens Rebel,1903; syriaca Zerny,1914; lugens Caradja,1917.
- 1515.** *Ingridiola conchyliaella* Ragonot,1887 (Pyralidae) conchyliaella Ragonot,1887
- 1516.** *Isauria kuldgensis* Ragonot,1887 (Pyralidae) kuldgensis Ragonot,1887
- 1517.** *Lambaesia pistrinariella* (Ragonot,1887) (Pyralidae) pistrinariella Ragonot,1887; acontella Ragonot,1888
- 1518.** *Lambaesia pyraustella* (Zerny,1914) (Pyralidae) pyraustella Zerny,1914
- 1519.** *Lepidoneura grisealis* Hampson,1900 (Pyralidae) grisealis Hampson,1900
- 1520.** *Loxostege clathralis* (Hübner,[1813]) (Pyralidae) clathralis (Hübner,[1813]; comptalis Lederer,1855 nec Frr.,[1848]; #nivalis Caradja,1916
- 1521.** *Loxostege clathralis* aksualis Caradja,1916 (Pyralidae) aksualis Caradja,1916
- 1522.** *Loxostege elutalis* Zerny,1914 (Pyralidae) elutalis Zerny,1914
- 1523.** *Loxostege eversmanni* (Staudinger,1892) (Pyralidae) eversmanni Staudinger,1892; bicoloralis W.Warren,1892
- 1524.** *Loxostege mucosalis* (Herrich-Schäffer,[1848]) (Pyralidae) mucosalis Herrich-Schäffer,[1848]
- 1525.** *Loxostege rhabdalis* (Hampson,1900) (Pyralidae) rhabdalis Hampson,1900
- 1526.** *Margaritia sticticalis* (Linnaeus,1761) (Pyralidae) lupulina Clerk,1759 nec Linn.,1758; sticticalis Linnaeus,1761; miana Müller,1764; sylvata Panzer,1804; tetragonalis Haworth,1811
- 1527.** *Megasia alpherakii* Ragonot,1887 (Pyralidae) alpherakii Ragonot,1887
- 1528.** *Megasia mimeticella* (Staudinger,1879) (Pyralidae) mimeticella Staudinger,1879; tolli Amsel,1953.
- 1529.** *Megasia mimeticella mimeticella* (Staudinger,1879) (Pyralidae) mimeticella Staudinger,1879; tolli Amsel,1953.
- 1530.** *Metaxmeste phrygialis* (Hübner,1796) (Pyralidae) phrygialis Hübner,1796
- 1531.** *Microstega praepetalis* (Lederer,1869) (Pyralidae) praepetalis Lederer,1869; haemopsamma Meyrick,1937
- 1532.** *Mimudea aksuensis* (Caradja,1928) (Pyralidae) aksuensis Caradja,1928
- 1533.** *Mimudea lutealis* (Hübner,[1809]) (Pyralidae) lutealis Hübner,[1809]; pascualis Lienig & Zeller,1846; aetialis Stephens,1850; aetialis Guenée,1854
- 1534.** *Mimudea russispersalis* (Zerny,1914) (Pyralidae) russispersalis Zerny,1914
- 1535.** *Nyctegretis lineana* (Scopoli,1786) (Pyralidae) lineana Scopoli,1786; achatinella Hübner,[1824].
- 1536.** *Ostrinia narynensis* Mutuura & Munroe,1970 (Pyralidae) narynensis Mutuura & Munroe,1970
- 1537.** *Panstegia aerealis* (Hübner,1793) (Pyralidae) aerealis Hübner,1793; unicolor Rebel,1917.
- 1538.** *Panstegia aerealis aerealis* (Hübner,1793) (Pyralidae) aerealis Hübner,1793; unicolor Rebel,1917.
- 1539.** *Panstegia aerealis glaucalis* (Zerny,1914) (Pyralidae) glaucalis Zerny,1914
- 1540.** *Parthia venosella* (Moore,1878) (Pyralidae) venosella Moore,1878
- 1541.** *Pediasia alaica* (Rebel,1907) (Pyralidae) alaica Rebel,1907; #atrella Caradja,1910
- 1542.** *Pediasia kuldjaensis* (Caradja,1916) (Pyralidae) #uniformellus Caradja,1910; kuldjaensis Caradja,1916; soffneri Bleszynski,1954.
- 1543.** *Pediasia kuldjaensis kuldjaensis* (Caradja,1916) (Pyralidae) #uniformellus Caradja,1910; kuldjaensis Caradja,1916; soffneri Bleszynski,1954.
- 1544.** *Pediasia luteella* ([Denis & Schiffmüller],1775) (Pyralidae) luteella [Denis & Schiffmüller],1775; exoletella [Denis & Schiffmüller],1775; exoletella Hübner,1796; ochrella Hübner,1796; kindermanni Zeller,1863; uhryki Rothschild,1911.
- 1545.** *Pempelia amoenella* (Zeller,1848) (Pyralidae) amoenella Zeller,1848
- 1546.** *Pempelia intricatella* Ragonot,1887 (Pyralidae) intricatella Ragonot,1887
- 1547.** *Pempelia laetella* Zerny,1914 (Pyralidae) laetella Zerny,1914
- 1548.** *Pempelia orcella* Ragonot,1887 (Pyralidae) orcella Ragonot,1887
- 1549.** *Pempelia rosella* Zerny,1914 (Pyralidae) rosella Zerny,1914
- 1550.** *Phycita macrodontella* (Ragonot,1887) (Pyralidae) macrodontella Ragonot,1887; burkhunella Ragonot,1888; pallidisignata Toll,1948.
- 1551.** *Pima boisduvaliella* (Guenée,1845) (Pyralidae) boisduvaliella Guenée,1845
- 1552.** *Pima tridella* (Zerny,1914) (Pyralidae) tridella Zerny,1914
- 1553.** *Plodia interpunctella* (Hübner,[1813]) (Pyralidae) interpunctella Hübner,[1813]; interpunctalis Hübner,[1825]; zaeae Fitch,1856; castaneella Reutti,1898; latercula Hampson,1901; glycinivora Matsumura,1917; glycinivorella Matsumura,1932.
- 1554.** *Pogonotrophus tancrei* Sauber,1899 (Pyralidae) tancrei Sauber,1899
- 1555.** *Pseudobissetia terrestrella* (Christoph,1885) (Pyralidae) terrestrella Christoph,1885; hypenalis Rebel,1910; tozeurellus Lucas,1911
- 1556.** *Pyralis narynensis* Zerny,1914 (Pyralidae) perversalis sensu auct. nec Herr.-Schäff.,1849; narynensis Zerny,1914; #naryssensis Amsel,1961
- 1557.** *Pyrausta (Haematia) despicata* (Scopoli,1763) (Pyralidae) despicata Scopoli,1763; cespitalis [Denis & Schiffmüller],1775.
- 1558.** *Pyrausta (s.str.) ecteinalis* (Hampson,1900) (Pyralidae) ecteinalis Hampson,1900
- 1559.** *Pyrausta (s.str.) tithonialis* (Zeller,1872) (Pyralidae) tithonialis Zeller,1872; dotalis Christoph,1881.
- 1560.** *Scoparia ancipitella* (Laharpe,1855) (Pyralidae) ancipitella Laharpe,1855; ulmella Knaggs,1867; conspicuialis Hodgkinson,1881
- 1561.** *Seeboldia korgosella* Ragonot,1887 (Pyralidae) korgosella Ragonot,1887; uralskella Caradja,1910.
- 1562.** *Seeboldia korgosella korgosella* Ragonot,1887 (Pyralidae) korgosella Ragonot,1887; uralskella Caradja,1910.
- 1563.** *Selagia argyrella* ([Denis & Schiffmüller],1775) (Pyralidae) argyrella ([Denis & Schiffmüller],1775; janthinella Hübner,[1813].
- 1564.** *Selagia argyrella argyrella* ([Denis & Schiffmüller],1775) (Pyralidae) argyrella ([Denis & Schiffmüller],1775; janthinella Hübner,[1813].
- 1565.** *Selagia uralensis* Rebel,1910 (Pyralidae) uralensis Rebel,1910
- 1566.** *Sitochroa palealis* ([Denis & Schiffmüller],1775) (Pyralidae) ? flaveolata Hufnagel,1767; palealis [Denis & Schiffmüller],1775; stigmatalis Villers,1789; selenalis Hübner,[1819]
- 1567.** *Staudingeria (s.str.) fuscovenella* (Ragonot,1887) (Pyralidae) fuscovenella Ragonot,1887
- 1568.** *Staudingeria (s.str.) morbosella* (Staudinger,1879) (Pyralidae) morbosella Staudinger,1879; inderskyella Caradja,1910; cinnamomella Rothschild,1915.
- 1569.** *Staudingeria (s.str.) partitella* Ragonot,1887 (Pyralidae) partitella Ragonot,1887; adustella Ragonot,1887; fractifasciella Ragonot,1890; kebiliella Lucas,1909; combustella Chrétien,1910.
- 1570.** *Talis chamylella* Staudinger,[1900] (Pyralidae) chamylella Staudinger,[1900]
- 1571.** *Talis quercella* ([Denis & Schiffmüller],1775) (Pyralidae) #quercella [Denis & Schiffmüller],1775; noctuella Hübner,1796; neglectella Hübner,[1824].
- 1572.** *Talis quercella pallidella* Caradja,1916 (Pyralidae) pallidella Caradja,1916
- 1573.** *Tephros burkhunella* (Ragonot,1888) (Pyralidae) burkhunella Ragonot,1888
- 1574.** *Thisanotia chrysonuchella* (Scopoli,1763) (Pyralidae) chrysonuchella Scopoli,1763; gramella Fabricius,1781; campella Hübner,1793; dilutior Alpheraky,1877.
- 1575.** *Thisanotia chrysonuchella dilutalis* (Caradja,1916) (Pyralidae) dilutalis Caradja,1916
- 1576.** *Thospia trifasciella* (Ragonot,1887) (Pyralidae) trifasciella Ragonot,1887; alborivulella Ragonot,1888.

- 1577. Titanio angustipennis Zerny, 1914** (Pyrilidae) angustipennis Zerny, 1914
- 1578. Titanio inconspicualis Zerny, 1914** (Pyrilidae) inconspicualis Zerny, 1914
- 1579. Udea austriacalis (Herrich-Schäffer, 1851)** (Pyrilidae) austriacalis Herrich-Schäffer, 1851; donzelalis Guenée, 1854; sororalis Heyden, 1860; nitidalis Heinemann, 1865
- 1580. Udea austriacalis juldusalis (Zerny, 1914)** (Pyrilidae) juldusalis Zerny, 1914
- 1581. Vietteia terstrigella (Christoph, 1877)** (Pyrilidae) terstrigella Christoph, 1877
- 1582. Xanthocrambus argentarius (Staudinger, 1867)** (Pyrilidae) argentarius Staudinger, 1867
- 1583. Dodona eugenes Bates, 1867** (Riodinidae) eugenes Bates, 1867
- 1584. Dodona eugenes eugenes Bates, 1867** (Riodinidae) eugenes Bates, 1867
- 1585. Polycaena tamerlana Staudinger, 1886** (Riodinidae) tamerlana Staudinger, 1886
- 1586. Polycaena tamerlana attila Gaede, 1930** (Riodinidae) attila Gaede, 1930
- 1587. Polycaena tamerlana helcha Gaede, 1930** (Riodinidae) helcha Gaede, 1930
- 1588. Polycaena tamerlana timur Staudinger, 1886** (Riodinidae) timur Staudinger, 1886
- 1589. Saturnia (Neoris) shadulla (Moore, 1872)** (Saturniidae) shadulla Moore, 1872; svenihedini M. Hering, 1936; alatauaica O. Bang-Haas, 1937
- 1590. Saturnia (Neoris) shadulla shadulla (Moore, 1872)** (Saturniidae) shadulla Moore, 1872; svenihedini M. Hering, 1936; alatauaica O. Bang-Haas, 1937
- 1591. Arethusana arethusana ([Denis & Schiffermüller], 1775)** (Satyridae) arethusana [Denis & Schiffermüller], 1775; erythia Hübner, 1805; pontica Heyne, [1895]; sultana Wagner, 1929; hakkarica Koçak, 1975 (sensu Hesselbarth et al., 1995: 917).
- 1592. Arethusana arethusana arethusana ([Denis & Schiffermüller], 1775)** (Satyridae) arethusana [Denis & Schiffermüller], 1775; erythia Hübner, 1805; pontica Heyne, [1895]; sultana Wagner, 1929; hakkarica Koçak, 1975 (sensu Hesselbarth et al., 1995: 917).
- 1593. Boeberia parmenio (Boeber, 1809)** (Satyridae) parmenio Boeber, 1809; alpina Elwes, 1899.
- 1594. Boeberia parmenio parmenio (Boeber, 1809)** (Satyridae) parmenio Boeber, 1809; alpina Elwes, 1899.
- 1595. Chazara (Neochazara) enervata (Staudinger, 1881)** (Satyridae) enervata Staudinger, 1881; analoga Alpheraky, 1881; ochracea Heyne, [1894].
- 1596. Chazara (Neochazara) enervata enervata (Staudinger, 1881)** (Satyridae) enervata Staudinger, 1881; analoga Alpheraky, 1881; ochracea Heyne, [1894].
- 1597. Chazara (Neochazara) heydenreichi (Lederer, 1853)** (Satyridae) heydenreichi Lederer, 1853; karasagina Holik, 1949.
- 1598. Chazara (Neochazara) heydenreichi heydenreichi (Lederer, 1853)** (Satyridae) heydenreichi Lederer, 1853; karasagina Holik, 1949.
- 1599. Chazara (Neochazara) heydenreichi shandura (Marshall, 1882)** (Satyridae) shandura Marshall, 1882
- 1600. Chazara (s.str.) briseis (Linnaeus, 1764)** (Satyridae) briseis Linnaeus, 1764; daedale Bergsträßer, 1780; bataia Fruhstorfer, 1909; interjecta Verity, 1916; variabilis Varin, 1958; pictonica Varin, 1958.
- 1601. Chazara (s.str.) briseis ianthe (Pallas, 1771)** (Satyridae) ianthe Pallas, 1771; meridionalis sensu auct. nec Strg., 1886.
- 1602. Chazara (s.str.) briseis zhdanko Koçak & Kemal, 2000** (Satyridae) magna sensu auct. nec Strg., [1894]; fergana sensu Wagner, 1913 nec Strg., 1886.
- 1603. Chazara (s.str.) kaufmanni (Erschoff, 1874)** (Satyridae) kaufmanni Erschoff, 1874
- 1604. Chazara (s.str.) kaufmanni obscurior (Staudinger, 1887)** (Satyridae) obscurior Staudinger, 1887
- 1605. Coenonympha amaryllis (Stoll, [1782])** (Satyridae) amaryllis Stoll, [1782]; xinjiangensis Chou & Huang
- 1606. Coenonympha amaryllis amaryllis (Stoll, [1782])** (Satyridae) amaryllis Stoll, [1782]; xinjiangensis Chou & Huang
- 1607. Coenonympha glycerion (Borkhausen, 1788)** (Satyridae) iphis [Denis & Schiffermüller], 1775 nec Dru., 1773; amyntas auctorum; glycerion Borkhausen, 1788; hero Fabricius, 1793 nec Linnaeus, 1761; manto Schrank, 1801; mandane Kirby, 1862; tiphonides Staudinger, 1901.
- 1608. Coenonympha glycerion iphicles Staudinger, 1892** (Satyridae) iphicles Staudinger, 1892; heroides Christoph, 1893
- 1609. Coenonympha mahometana Alpheraky, 1881** (Satyridae) mahometana Alpheraky, 1881; ?decolorata Wagner, 1913.
- 1610. Coenonympha mahometana mahometana Alpheraky, 1881** (Satyridae) mahometana Alpheraky, 1881; ?decolorata Wagner, 1913.
- 1611. Coenonympha mongolica Alpheraky, 1881** (Satyridae) mongolica Alpheraky, 1881
- 1612. Coenonympha mongolica mongolica Alpheraky, 1881** (Satyridae) mongolica Alpheraky, 1881
- 1613. Coenonympha pamphilus (Linnaeus, 1758)** (Satyridae) pamphilus Linnaeus, 1758; menalcas Poda, 1761; nephele Hufnagel, 1766; marginata Heyne, 1894; orantia Fruhstorfer, 1908; scota Verity, 1911; infrarasa Verity, 1926; juldusica Verity, 1926; asiaemontium Verity, 1926; euxina Verity, 1926; posteuxina Verity, 1926; londonii Verity, 1926; neollyllus De Lattin, 1950
- 1614. Coenonympha pamphilus pamphilus (Linnaeus, 1758)** (Satyridae) pamphilus Linnaeus, 1758; menalcas Poda, 1761; nephele Hufnagel, 1766; marginata Heyne, 1894; orantia Fruhstorfer, 1908; scota Verity, 1911; infrarasa Verity, 1926; juldusica Verity, 1926; asiaemontium Verity, 1926; euxina Verity, 1926; posteuxina Verity, 1926; londonii Verity, 1926; neollyllus De Lattin, 1950
- 1615. Coenonympha semenovi Alpheraky, 1887** (Satyridae) semenovi Alpheraky, 1887; obscura Alpheraky, 1897 nec Rhl., 1895
- 1616. Coenonympha sunbecca (Eversmann, 1843)** (Satyridae) sunbecca Eversmann, 1843
- 1617. Coenonympha sunbecca sunbecca (Eversmann, 1843)** (Satyridae) sunbecca Eversmann, 1843
- 1618. Coenonympha tullia (Müller, 1764)** (Satyridae) tullia Müller, 1764; isis Thunberg & Becklin, 1791.
- 1619. Coenonympha tullia fermana Fruhstorfer, 1908** (Satyridae) fermana Fruhstorfer, 1908
- 1620. Crebeta deidamia (Eversmann, 1851)** (Satyridae) deidamia Eversmann, 1851
- 1621. Crebeta deidamia deidamia (Eversmann, 1851)** (Satyridae) deidamia Eversmann, 1851.
- 1622. Erebia aethiops (Esper, [1777])** (Satyridae) aethiops Esper, [1777]; ligea Poda, 1761 nec Linnaeus, 1758; medea Denis & Schiff., 1775; blandina Fabricius, 1787; media Hübner, 1799; caledonia Verity, 1911; altivaga Fruhstorfer, 1917; sapaudia Fruhstorfer, 1917; peneplana Berger, 1936.
- 1623. Erebia aethiops aethiops (Esper, [1777])** (Satyridae) aethiops Esper, [1777]; ligea Poda, 1761 nec Linnaeus, 1758; medea Denis & Schiff., 1775; blandina Fabricius, 1787; media Hübner, 1799; caledonia Verity, 1911; altivaga Fruhstorfer, 1917; sapaudia Fruhstorfer, 1917; peneplana Berger, 1936.
- 1624. Erebia brimo (Boeber, 1809)** (Satyridae) maurisius sensu Lukhtanov & Lukhtanov, 1994 nec Esper, [1803]; brimo Boeber, 1809.
- 1625. Erebia brimo elwesi Staudinger, 1901** (Satyridae) elwesi Staudinger, 1901
- 1626. Erebia callias Edwards, 1871** (Satyridae) callias Edwards, 1871
- 1627. Erebia callias sibirica Staudinger, 1881** (Satyridae) sibirica Staudinger, 1881
- 1628. Erebia cyclopius (Eversmann, 1844)** (Satyridae) cyclopius Eversmann, 1844
- 1629. Erebia cyclopius cyclopius (Eversmann, 1844)** (Satyridae) cyclopius Eversmann, 1844
- 1630. Erebia dabanensis Erschoff, 1871** (Satyridae) dabanensis Erschoff, 1871; tundra Staudinger, 1887.
- 1631. Erebia edda Ménéttriés, 1851** (Satyridae) edda Ménéttriés, 1851
- 1632. Erebia edda edda Ménéttriés, 1851** (Satyridae) edda Ménéttriés, 1851

- 1633. *Erebia euryale* (Esper,[1805]) (Satyridae) euryale** Esper,[1805]; philomela sensu Hübner,[1805]; adyte Hübner,1822, isarica Heyne,[1895]; tramelana Reverdin,1918.
- 1634. *Erebia kalmuka* Alpheraky,1881 (Satyridae) kalmuka** Alpheraky,1881
- 1635. *Erebia kalmuka kalmuka* Alpheraky,1881 (Satyridae) kalmuka** Alpheraky,1881
- 1636. *Erebia kindermanni* Staudinger,1881 (Satyridae) kindermanni** Staudinger,1881
- 1637. *Erebia ligea* (Linnaeus,1758) (Satyridae) ligea** Linnaeus,1758; alexis Retzius,1783 nec Poda,1761; permagna Fruhstorfer,1909; carthusianorum Fruhstorfer,1909.
- 1638. *Erebia meta* Staudinger,1886 (Satyridae) meta** Staudinger,1886; gertha Staudinger,1886; mopsos Staudinger,1886.
- 1639. *Erebia neriene* (Boeber,1809) (Satyridae) neriene** Boeber,1809; sedakovii Eversmann,1847; sajanensis Warren,1931.
- 1640. *Erebia neriene neriene* (Boeber,1809) (Satyridae) neriene** Boeber,1809; sedakovii Eversmann,1847; sajanensis Warren,1931.
- 1641. *Erebia ocnus* (Eversmann,1843) (Satyridae) ocnus** Eversmann,1843
- 1642. *Erebia ocnus ocnus* (Eversmann,1843) (Satyridae) ocnus** Eversmann,1843
- 1643. *Erebia rossii* (Curtis,1834) (Satyridae) rossii** Curtis,1834
- 1644. *Erebia sibo* Alpheraky,1881 (Satyridae) sibo** Alpheraky,1881; mongolica Erschoff,1888
- 1645. *Erebia sibo sibo* Alpheraky,1881 (Satyridae) sibo** Alpheraky,1881; mongolica Erschoff,1888
- 1646. *Erebia theano* (Tauscher,1806) (Satyridae) theano** Tauscher,1806
- 1647. *Erebia theano theano* (Tauscher,1806) (Satyridae) theano** Tauscher,1806
- 1648. *Erebia turanica* Erschoff,1877 (Satyridae) turanica** Erschoff,1877
- 1649. *Erebia turanica jucunda* Püngeler,1903 (Satyridae) jucunda** Püngeler,1903
- 1650. *Erebia turanica laeta* Staudinger,1881 (Satyridae) laeta** Staudinger,1881
- 1651. *Esperarge* (Marginarge) eversmanni (Eversmann,1847) (Satyridae) eversmanni** Eversmann,1847
- 1652. *Esperarge* (Marginarge) eversmanni eversmanni (Eversmann,1847) (Satyridae) eversmanni** Eversmann,1847
- 1653. *Hipparchia* (Neohipparchia) parisatis (Kollar,[1849]) (Satyridae) parisatis** Kollar,[1849]; macrophthalmus Eversmann,1851; malatinus Heyne,1894; ismail Gross & Ebert,1975; huochenensis Huang & Zhou,2000.
- 1654. *Hipparchia* (Neohipparchia) parisatis parisatis (Kollar,[1849]) (Satyridae) parisatis** Kollar,[1849]; macrophthalmus Eversmann,1851; malatinus Heyne,1894; ismail Gross & Ebert,1975; huochenensis Huang & Zhou,2000.
- 1655. *Hipparchia* (s.str.) autonoe (Esper,[1783]) (Satyridae) autonoe** Esper,[1783]; sibirica Staudinger,1861; extrema Alpheraky,1889; chinensis Seok,1937.
- 1656. *Hipparchia* (s.str.) autonoe orchomenus (Fruhstorfer,1911) (Satyridae) orchomenus** Fruhstorfer,1911
- 1657. *Hyponephele* (s.str. (Caspinephele)) dysdora (Lederer,1869) (Satyridae) dysdora** Lederer,1869; # dystora Eckweiler & Hofmann,1980.
- 1658. *Hyponephele* (s.str. (Ereminephele)) huebneri Koçak,1980 (Satyridae) narica** Hübner,[1813] nec Fabricius,1793; huebneri Koçak,1980
- 1659. *Hyponephele* (s.str. (Ereminephele)) naricina (Staudinger,1870) (Satyridae) naricina** Staudinger,1870
- 1660. *Hyponephele* (s.str. (Ereminephele)) naricina naricina (Staudinger,1870) (Satyridae) naricina** Staudinger,1870
- 1661. *Hyponephele* (s.str. (Iranonephele)) naubidensis (Erschoff,1874) (Satyridae) naubidensis** Erschoff,1874
- 1662. *Hyponephele* (s.str. (Iranonephele)) naubidensis naubidensis (Erschoff,1874) (Satyridae) naubidensis** Erschoff,1874
- 1663. *Hyponephele* (s.str. (Tengrinephele)) cadusina (Staudinger,1881) (Satyridae) cadusina** Staudinger,1881
- 1664. *Hyponephele* (s.str. (Tengrinephele)) cadusina cadusina (Staudinger,1881) (Satyridae) cadusina** Staudinger,1881
- 1665. *Hyponephele* (s.str. (Tengrinephele)) kirghisa (Alpheraky,1881) (Satyridae) kirghisa** Alpheraky,1881; chamyla Staudinger,[1900]; #chamila Wagner,1913; terskeana Lukhtanov,1994.
- 1666. *Hyponephele* (s.str. (Tengrinephele)) kirghisa kirghisa (Alpheraky,1881) (Satyridae) kirghisa** Alpheraky,1881; chamyla Staudinger,[1900]; #chamila Wagner,1913; terskeana Lukhtanov,1994.
- 1667. *Hyponephele* (s.str. (Turaninephele)) davendra (Moore,1865) (Satyridae) davendra** Moore,1865; roxane Felder & Felder,1867.
- 1668. *Hyponephele* (s.str.) catamelas (Staudinger,1886) (Satyridae) catamelas** Staudinger,1886
- 1669. *Hyponephele* (s.str.) catamelas catamelas (Staudinger,1886) (Satyridae) catamelas** Staudinger,1886
- 1670. *Hyponephele* (s.str.) interposita (Erschoff,1874) (Satyridae) interposita** Erschoff,1874; margelanica Turati,1909 (cf. Samodurov et al.,1995, Atalanta 26 (1/2): 182).
- 1671. *Hyponephele* (s.str.) interposita interposita (Erschoff,1874) (Satyridae) interposita** Erschoff,1874; margelanica Turati,1909 (cf. Samodurov et al.,1995, Atalanta 26 (1/2): 182).
- 1672. *Hyponephele* (s.str.) lupina (Costa,[1836]) (Satyridae) lupina** Costa,[1836]
- 1673. *Hyponephele* (s.str.) lupina turanica (Rühl,[1894]) (Satyridae) turanica** Rühl,[1894]; margelanica Turati,1909.
- 1674. *Hyponephele* (s.str.) lycaon (Rottemburg,1775) (Satyridae) lycaon** Rottemburg,1775; #lycaon Kuhn,1774; eudora Esper,1778; janirula Esper,1800.
- 1675. *Hyponephele* (s.str.) pasimelas (Staudinger,1886) (Satyridae) pasimelas** Staudinger,1886; #parimelas Rühl,[1894].
- 1676. *Hyponephele* (s.str.) pasimelas pasimelas (Staudinger,1886) (Satyridae) pasimelas** Staudinger,1886; #parimelas Rühl,[1894].
- 1677. *Karanasa abramovi* (Erschoff,1884) (Satyridae) abramovi** Erschoff,1884
- 1678. *Karanasa abramovi abramovi* (Erschoff,1884) (Satyridae) abramovi** Erschoff,1884
- 1679. *Karanasa abramovi korlana* (Staudinger,1901) (Satyridae) korlana** Staudinger,1901
- 1680. *Karanasa decolorata* (Staudinger,1901) (Satyridae) decolorata** Staudinger,1901
- 1681. *Karanasa decolorata decolorata* (Staudinger,1901) (Satyridae) decolorata** Staudinger,1901
- 1682. *Karanasa latefasciata* (Groum-Grshimailo,1902) (Satyridae) latefasciata** Groum-Grshimailo,1902
- 1683. *Karanasa puengeleri* (O.Bang-Haas,1910) (Satyridae) puengeleri** O.Bang-Haas,1910; erschovi Avinoff,1910.
- 1684. *Karanasa puengeleri puengeleri* (O.Bang-Haas,1910) (Satyridae) puengeleri** O.Bang-Haas,1910; erschovi Avinoff,1910.
- 1685. *Karanasa regeli* (Alpheraky,1881) (Satyridae) regeli** Alpheraky,1881
- 1686. *Karanasa regeli regeli* (Alpheraky,1881) (Satyridae) regeli** Alpheraky,1881
- 1687. *Karanasa regeli ruckbeili* Avinoff & Sweadner,1951 (Satyridae) ruckbeili** Avinoff & Sweadner,1951
- 1688. *Karanasa regeli tancrei* (Groum-Grshimailo,1893) (Satyridae) tancrei** Groum-Grshimailo,1893; conradti Alpheraky,1894.
- 1689. *Karanasa wilkinsi* (Erschoff,1884) (Satyridae) wilkinsi** Erschoff,1884
- 1690. *Karanasa wilkinsi wilkinsi* (Erschoff,1884) (Satyridae) wilkinsi** Erschoff,1884
- 1691. *Lasiommata maera* (Linnaeus,1758) (Satyridae) maera** Linnaeus,1758; pandion Poda,1761; hiera Fab.,1777; maja Fuchs,1873; monotonia Schilde,1885; crimea Bang-Haas,1907; atabryris Fruhstorfer,1909.
- 1692. *Lyela myops* (Staudinger,1881) (Satyridae) myops** Staudinger,1881
- 1693. *Melanargia* (Parce) russiae (Esper,[1784]) (Satyridae) russiae** Esper,[1784]; suwarovius Herbst,1796; clotho Hübner,[1800].
- 1694. *Melanargia* (Parce) russiae russiae (Esper,[1784]) (Satyridae) russiae** Esper,[1784]; suwarovius Herbst,1796; clotho Hübner,[1800].

- 1695. Minois dryas (Scopoli,1763)** (Satyridae) dryas Scopoli,1763; drymeia Fruhstorfer,1908; spiripontis Gaillard,1959; bucica Varin,1961; annae Douma-Petridou & Koufsaftikis,1988.
- 1696. Minois dryas dryas (Scopoli,1763)** (Satyridae) dryas Scopoli,1763; drymeia Fruhstorfer,1908; spiripontis Gaillard,1959; bucica Varin,1961; annae Douma-Petridou & Koufsaftikis,1988.
- 1697. Oeneis ammon Elwes,1899** (Satyridae) ammon Elwes,1899
- 1698. Oeneis ammon hangaica Kurentsov,1970** (Satyridae) hangaica Kurentsov,1970
- 1699. Oeneis hora Groum-Grshimailo,1888** (Satyridae) hora Groum-Grshimailo,1888; elsa Austaut,1895; verdanda Staudinger,1897; vanda Austaut,1900; germana Austaut,1908; tristis Bang-Haas,1909.
- 1700. Oeneis hora hora Groum-Grshimailo,1888** (Satyridae) hora Groum-Grshimailo,1888; elsa Austaut,1895; verdanda Staudinger,1897; vanda Austaut,1900; germana Austaut,1908; tristis Bang-Haas,1909.
- 1701. Oeneis mulla Staudinger,1881** (Satyridae) mulla Staudinger,1881
- 1702. Oeneis mulla mulla Staudinger,1881** (Satyridae) mulla Staudinger,1881
- 1703. Oeneis nanna (Ménétriés,1859)** (Satyridae) nanna Ménétriés,1859; hulda Staudinger,1887.
- 1704. Oeneis nanna nanna (Ménétriés,1859)** (Satyridae) nanna Ménétriés,1859; hulda Staudinger,1887.
- 1705. Oeneis norna (Thunberg,1791)** (Satyridae) norna Thunberg,1791; dembowskyi Sedykh,1974; falkovitchi Sedykh,1974; kusnetzovi Sedykh,1974; koslowskyi Sedykh,1974; solopovi Sedykh,1974.
- 1706. Oeneis norna verdanda Staudinger,1901** (Satyridae) elsa auct. nec Aust.,1895; verdanda Staudinger,1901
- 1707. Oeneis palaeartcticus Staudinger,1889** (Satyridae) palaeartcticus Staudinger,1889; lama Alpheraky,1889
- 1708. Oeneis palaeartcticus palaeartcticus Staudinger,1889** (Satyridae) palaeartcticus Staudinger,1889; lama Alpheraky,1889
- 1709. Oeneis pumilus (C.Felder & R.Felder,[1867])** (Satyridae) pumilus C.Felder & R.Felder,[1867]
- 1710. Oeneis pumilus divnogorski (O.Bang-Haas,1927)** (Satyridae) divnogorski O.Bang-Haas,1927
- 1711. Oeneis sculda (Eversmann,1851)** (Satyridae) sculda Eversmann,1851
- 1712. Oeneis sculda sculda (Eversmann,1851)** (Satyridae) sculda Eversmann,1851
- 1713. Oeneis tarpeia (Pallas,1771)** (Satyridae) tarpeia Pallas,1771; celimene Cramer,[1782]; vacuna Groum-Grshimailo,1891.
- 1714. Oeneis tarpeia tarpeia (Pallas,1771)** (Satyridae) tarpeia Pallas,1771; celimene Cramer,[1782]; vacuna Groum-Grshimailo,1891.
- 1715. Paralasa hades (Staudinger,1882)** (Satyridae) hades Staudinger,1882; hades Lang,1884.
- 1716. Paralasa hades hades (Staudinger,1882)** (Satyridae) hades Staudinger,1882; hades Lang,1884.
- 1717. Paralasa jordana (Staudinger,1882)** (Satyridae) jordana Staudinger,1882
- 1718. Paralasa jordana helios (O.Bang-Haas,1927)** (Satyridae) helios O.Bang-Haas,1927
- 1719. Protorebia afra (Fabricius,1787)** (Satyridae) afra Fabricius,1787
- 1720. Pseudochazara (s.str.) mercuria (Staudinger,1887)** (Satyridae) mercurius Staudinger,1887
- 1721. Pseudochazara (s.str.) mercuria esperi Koçak,1981** (Satyridae) #agave Esper,[1783] [nonbinominal]; hippolyte Esper,[1784] nec hyppolite Dru.,1782 [Pseudacraea]; alcyone Fabricius,1787 nec Den. & Schiff.,1775; agave Borkhausen,1788 nec Cramer,1775; esperi Koçak,1981.
- 1722. Pseudochazara (s.str.) sagina (Staudinger,[1894])** (Satyridae) sagina Staudinger,[1894]
- 1723. Pseudochazara (s.str.) sagina sagina (Staudinger,[1894])** (Satyridae) sagina Staudinger,[1894]
- 1724. Pseudochazara (s.str.) turkestanica (Groum-Grshimailo,1893)** (Satyridae) turkestanica Groum-Grshimailo,1893
- 1725. Pseudochazara (s.str.) turkestanica esquilinea (Fruhstorfer,1911)** (Satyridae) esquilineus Fruhstorfer,1911
- 1726. Pseudochazara (s.str.) turkestanica tarbagata (Staudinger,[1900])** (Satyridae) alpina Staudinger,1881 nec Stgr.,1879; tarbagata Staudinger,[1900]; tarbagata Staudinger,1901.
- 1727. Pseudochazara (s.str.) turkestanica turkestanica (Groum-Grshimailo,1893)** (Satyridae) turkestanica Groum-Grshimailo,1893
- 1728. Satyrus (Asatyrus (s.str.)) ferulus (Fabricius,1793)** (Satyridae) proserpina Cyrillo,1787 nec Denis & Schiff.,1775; cordula Fabricius,1793; ferula Fabricius,1793; cyrillus Herbst,1796; hyppolite Herbst,1796 nec Dru.,1782; orsiera De Prunner,1798; bryce Hübner,[1800].
- 1729. Satyrus (Asatyrus (s.str.)) ferulus molykreus Fruhstorfer,1909** (Satyridae) molykreia Fruhstorfer,1909
- 1730. Triphysa phryne (Pallas,1771)** (Satyridae) phryne Pallas,1771
- 1731. Triphysa phryne striatula Elwes,1899** (Satyridae) striatula Elwes,1899
- 1732. Scythris (scopolella-gr.) apicalis (Zeller,1847)** (Scythridae) apicalis Zeller,1847; unipunctella Rebel,1901.
- 1733. Scythris (seliniella-gr.) seliniella (Zeller,1839)** (Scythridae) seliniella Zeller,1839
- 1734. Bembecia tancrei (Püngeler,1904)** (Sesiidae) tancrei Püngeler,1904
- 1735. Bembecia viguraea (Püngeler,1912)** (Sesiidae) viguraea Püngeler,1912; auricaudata Bartel,1912
- 1736. Bembecia wagneri (Püngeler,1913)** (Sesiidae) wagneri Püngeler,1913
- 1737. Chamaesphesia astatifomis (Herrich-Schäffer,1846)** (Sesiidae) astatifomis Herrich-Schäffer,1846
- 1738. Diphaspecia roseiventris (Bartel,1913)** (Sesiidae) roseiventris Bartel,1913
- 1739. Paranthrene tabaniformis (Rottemburg,1775)** (Sesiidae) tabaniformis Rottemburg,1775; asiliformis [Denis & Schiffermüller],1775 nec Rott.,1775; sesia Gmelin,1789; rhingiaeformis Hübner,1790; crabroniformis Laspeyres,1801 nec Fabr.,1793; tricineta Harris,1839; serratifomis Freyer,1842; rhingiiformis Staudinger,1856; denotata Edwards,1882; flammans Hampson,1893
- 1740. Paranthrene tabaniformis kungessana (Alpheraky,1882)** (Sesiidae) kungessana Alpheraky,1882
- 1741. Pyropteron chrysonura (Püngeler,1913)** (Sesiidae) chrysonura Püngeler,1913
- 1742. Sesia przewalskii (Alpheraky,1882)** (Sesiidae) przewalskii Alpheraky,1882
- 1743. Synanthedon serica (Alpheraky,1882)** (Sesiidae) serica Alpheraky,1882
- 1744. Agrius convolvuli (Linnaeus,1758)** (Sphingidae) convolvuli Linnaeus,1758; abaddonna Fabricius,1798; pseudofasciatus Koch,1865; pseudoconvolvuli Schaufuss,1870; orientalis Butler,1876; distans Butler,1876; batatae Christ,1882; nigricans Cannaviello,1900; ichangensis Tutt,1904; javanensis Tutt,1904; tahitiensis Tutt,1904; indica Skell,1913; marshallensis Clark,1922; aksuensis O.Bang-Haas,1927
- 1745. Deilephila elpenor (Linnaeus,1758)** (Sphingidae) elpenor Linnaeus,1758
- 1746. Deilephila porcellus (Linnaeus,1758)** (Sphingidae) porcellus Linnaeus,1758
- 1747. Deilephila suellus Staudinger,1878** (Sphingidae) suellus Staudinger,1878; kruschi O.Bang-Haas,1938.
- 1748. Deilephila suellus sus (O.Bang-Haas,1927)** (Sphingidae) sus O.Bang-Haas,1927
- 1749. Hemaris (Cochrania) ducalis (Staudinger,1887)** (Sphingidae) ducalis Staudinger,1887
- 1750. Hemaris (Eitschbergera) alaiana (Rothschild & Jordan,1903)** (Sphingidae) alaiana Rothschild & Jordan,1903 KK KG CN Ui
- 1751. Hemaris (s.str.) fuciformis (Linnaeus,1758)** (Sphingidae) fuciformis Linnaeus,1758; variegata Allioni,1766; musca Retzius,1783; bombylifomis sensu Ochsenheimer,1808; milesiformis Treitschke,1834; caprifolii Zeller,1869; lonicerae Zeller,1869; robusta Alpheraky,1882; simillima Moore,1888; ganssuensis Grum-Grshimailo,1891; heynei Bartel,1898;
- 1752. Hyles chamyla (Denso,1913)** (Sphingidae) chamyla Denso,1913; apocyni Shchetkin,1956
- 1753. Hyles chamyla chamyla (Denso,1913)** (Sphingidae) chamyla Denso,1913; apocyni Shchetkin,1956

- 1754. Hyles euphorbiae (Linnaeus,1758)** (Sphingidae) euphorbiae Linnaeus,1758; esulae Hufnagel,1766; vandalusica Ribbe,1910; etrusca Verity,1911; sinensis Closs,1917; rothschildi Stauder,1928; dolomiticola Stauder,1930; filipjevi O.Bang-Haas,1936; lucida Derzhavets,1980.
- 1755. Hyles euphorbiae euphorbiae (Linnaeus,1758)** (Sphingidae) euphorbiae Linnaeus,1758; esulae Hufnagel,1766; vandalusica Ribbe,1910; etrusca Verity,1911; sinensis Closs,1917; rothschildi Stauder,1928; dolomiticola Stauder,1930; filipjevi O.Bang-Haas,1936; lucida Derzhavets,1980.
- 1756. Hyles gallii (Rottentburg,1775)** (Sphingidae) gallii Rottentburg,1775; intermedia Kirby,1837; oxybaphi Clemens,1859; gallii Kirby,1892; sachaliensis Matsumura,1929; nepalensis Daniel,1961; tibetanica Eichler,1971.
- 1757. Hyles gallii gallii (Rottentburg,1775)** (Sphingidae) gallii Rottentburg,1775; intermedia Kirby,1837; oxybaphi Clemens,1859; gallii Kirby,1892; sachaliensis Matsumura,1929; nepalensis Daniel,1961; tibetanica Eichler,1971.
- 1758. Hyles hippophaes (Esper,[1789])** (Sphingidae) hippophaes Esper,[1789]; teriolensis Dannehl,1929; kiortsii Koutsafikis,1974.
- 1759. Hyles hippophaes insidiosa (Erschoff,1874)** (Sphingidae) insidiosa Erschoff,1874
- 1760. Hyles livornica (Esper,[1780])** (Sphingidae) livornica Esper,[1780]; koehlini Fuessly,1781; tatsienluica Oberthür,1916; saharae Gehlen,1932; malgassica Denso,1944; tatsienluica Oberthür,1944; renneri Eitschberger, Danner & Surholt,1998.
- 1761. Hyles livornica livornica (Esper,[1780])** (Sphingidae) livornica Esper,[1780]; koehlini Fuessly,1781; tatsienluica Oberthür,1916; saharae Gehlen,1932; malgassica Denso,1944; tatsienluica Oberthür,1944; renneri Eitschberger, Danner & Surholt,1998.
- 1762. Hyles zygophylli (Ochsenheimer,1808)** (Sphingidae) zygophylli Ochsenheimer,1808; jaxartis Foreich,1938; xanthoxyli Derzhavets,1977; kirgisa Eitschberger & Lukhtanov,1996.
- 1763. Hyles zygophylli zygophylli (Ochsenheimer,1808)** (Sphingidae) zygophylli Ochsenheimer,1808; jaxartis Foreich,1938; xantho Derzhavets,1977; kirgisa Eitschberger & Lukhtanov,1996.
- 1764. Laothoe populeti (Bienert,[1870])** (Sphingidae) populeti Bienert,[1870]; populetorum Staudinger,1887; syriaca Gehlen,1932; intermedia Gehlen,1934.
- 1765. Laothoe populeti populeti (Bienert,[1870])** (Sphingidae) populeti Bienert,[1870]; populetorum Staudinger,1887; syriaca Gehlen,1932; intermedia Gehlen,1934.
- 1766. Macroglossum stellatarum (Linnaeus,1758)** (Sphingidae) stellatarum Linnaeus,1758; nigra Cosmovici,1892.
- 1767. Macroglossum stellatarum stellatarum (Linnaeus,1758)** (Sphingidae) stellatarum Linnaeus,1758; nigra Cosmovici,1892.
- 1768. Smerinthus kindermanni Lederer,1852** (Sphingidae) kindermanni Lederer,1852; #obscura Closs,1917
- 1769. Smerinthus kindermanni obsoletus Staudinger,1901** (Sphingidae) obsoletus Staudinger,1901
- 1770. Sphingonaepiopsis kuldjaensis (Graeser,1892)** (Sphingidae) kuldjaensis Graeser,1892
- 1771. Sphingonaepiopsis kuldjaensis kuldjaensis (Graeser,1892)** (Sphingidae) kuldjaensis Graeser,1892
- 1772. Tethea or ([Denis & Schiffermüller],1775)** (Thyatiridae) #or [Denis & Schiffermüller],1775; gammagraecum Retzius,1783; consobrina Borkhausen,1790; gemina Beckwith,1794 nec Vill.,1789; terrosa Graeser,1888; graelica Kane,1894; fasciata Spuler,1908; obscura Spuler,1908; marginata Warnecke,1911
- 1773. Cephitinea colonella (Erschoff,1874)** (Tineidae) colonella Erschoff,1874
- 1774. Myrmecozela (Flavida) lutosella (Eversmann,1844)** (Tineidae) lutosella Eversmann,1844
- 1775. Myrmecozela (s.str.) dzhungarica Zagulyaev,1971** (Tineidae) dzhungarica Zagulyaev,1971
- 1776. Niditinea tugurialis (Meyrick,1932)** (Tineidae) tugurialis Meyrick,1932; unipunctella Zagulyaev,1960
- 1777. Pararhodobates syriacus (Lederer,1857)** (Tineidae) syriacus Lederer,1857
- 1778. Acleris stachi (Razowski,1953)** (Tortricidae) stachi Razowski,1953
- 1779. Aethes obscurana (Caradja,1916)** (Tortricidae) obscurana Caradja,1916; lacindana Kennel,1919.
- 1780. Aphelia (Anaphelia) aglossana (Kennel,1899)** (Tortricidae) aglossana Kennel,1899; accuratana Kennel,1901; continentana Rebel,1916; iliensis Rebel,1916; scutellana Obratzov,1943.
- 1781. Aphelia (Zelothereses) aglossana (Kennel,1899)** (Tortricidae) aglossana Kennel,1899; accuratana Kennel,1901; continentana Rebel,1916; iliensis Rebel,1916; scutellana Obratzov,1943
- 1782. Bactra (s.str.) lancealana (Hübner,[1799])** (Tortricidae) lancealana Hübner,[1799]; #lanceolana Hübner,[1822]; egestana Haworth,1811; plagana Haworth,1811; dibeliana Hübner,[1819]; rufana Stephens,1834; nigrovittana Stephens,1852
- 1783. Clepsis luctuosana (Rebel,1914)** (Tortricidae) luctuosana Rebel,1914; #lutosana Rebel,1914
- 1784. Cnephasia (s.str.) agathana (Kennel,1919)** (Tortricidae) agathana Kennel,1919
- 1785. Cnephasia (s.str.) marcidana Kennel,1901** (Tortricidae) marcidana Kennel,1901
- 1786. Cnephasia (s.str.) sedana (Constant,1884)** (Tortricidae) sedana Constant,1884; marcidana Kennel,1901; valderiana Turati & Verity,1912; alaicana Caradja,1916; agathana Kennel,1919; obscurana Osthelder,1938; oricasis Meyrick,1932; amseli Razowski,1957; pirizanica Razowski,1965
- 1787. Cnephasia (s.str.) tianshanica Filipjev,1934** (Tortricidae) tianshanica Filipjev,1934; osthelderi Obratzov,1950; sareptana Razowski,1959; alatauana Razowski,1961.
- 1788. Cochylimorpha meridiana (Staudinger,1859)** (Tortricidae) meridiana Staudinger,1859; claviculana Mann,1863; frauenfeldi Mann,1871; naeviferana Kennel,1899; priscillana Kennel,1919.
- 1789. Cochylimorpha meridiolana (Ragonot,1894)** (Tortricidae) meridiolana Ragonot,1894; ochrostriana Kennel,1899; meridiolana Kennel,1900 nec Ragonot,1894; kenneli Razowski,1967.
- 1790. Cochylimorpha mongolicana (Ragonot,1894)** (Tortricidae) mongolicana Ragonot,1894
- 1791. Cochylimorpha nomadana (Erschoff,1874)** (Tortricidae) nomadana Erschoff,1874
- 1792. Cochylimorpha perturbatana (Kennel,1900)** (Tortricidae) perturbatana Kennel,1900; herminiana Kennel,1919.
- 1793. Cydia adjunctana (Kennel,1901)** (Tortricidae) adjunctana Kennel,1901
- 1794. Dichrorampha alaicana (Rebel,1910)** (Tortricidae) alaicana Rebel,1910; tamerlana Kennel,1919
- 1795. Dichrorampha dzhungarica (Danilevsky,1948)** (Tortricidae) dzhungarica Danilevsky,1948
- 1796. Dichrorampha gracilis (Danilevsky,1948)** (Tortricidae) gracilis Danilevsky,1948
- 1797. Dichrorampha senectana Guenée,1845** (Tortricidae) senectana Guenée,1845; pseudocinerosana Obratzov,1958
- 1798. Eana (s.str.) andreana (Kennel,1919)** (Tortricidae) andreana Kennel,1919; ?kuldjaensis Razowski,1959.
- 1799. Epiblema foenella (Linnaeus,1758)** (Tortricidae) foenella Linnaeus,1758; hohewartiana Scopoli,1772; scopoliana [Denis & Schiffermüller],1775; pflugiana Fabricius,1787; tibialana Hübner,[1793]; interrogationana Donovan,1793; clavigerana Walker,1863; sinicana Walker,1863
- 1800. Epinotia tianshanensis Liu & Nasu,1993** (Tortricidae) tianshanensis Liu & Nasu,1993
- 1801. Eriopsela annana (Kennel,1919)** (Tortricidae) annana Kennel,1919
- 1802. Eucosma haberhaueri (Kennel,1901)** (Tortricidae) haberhaueri Kennel,1901
- 1803. Eucosma ottoniana (Kennel,1918)** (Tortricidae) ottoniana Kennel,1918
- 1804. Eucosma pergratana (Rebel,1914)** (Tortricidae) pergratana Rebel,1914
- 1805. Eugnosta magnificana (Rebel,1914)** (Tortricidae) margaritana Hübner,[1813] nec Haw.,[1811]; ? norvichiana Hübner,[1817] [nomina dubia!]; magnificana Rebel,1914.
- 1806. Eugnosta romanovi (Kennel,1900)** (Tortricidae) romanovi Kennel,1900

- 1807. Lobesia (s.str.) herculeana (Kennel,1899)** (Tortricidae) herculeana Kennel,1899
- 1808. Olethreutes (Argyroplote) stibiana (Guenée,1845)** (Tortricidae) stibiana Guenée,1845; sibirana Caradja,1916; fluviana Kennel,1919.
- 1809. Pandemis chondrillana (Herrich-Schäffer,1860)** (Tortricidae) chondrillana Herrich-Schäffer,1860; praefloratana Kennel,1901; laurana Kennel,1919; elsana Kennel,1919; eulogiana Kennel,1919; #unicolor Obratzsov,1943.
- 1810. Pelochrista buddhana (Kennel,1919)** (Tortricidae) buddhana Kennel,1919
- 1811. Pelochrista huebneriana (Lienig & Zeller,1846)** (Tortricidae) huebneriana Lienig & Zeller,1846; chanana Staudinger,[1900]
- 1812. Pelochrista idotatana (Kennel,1901)** (Tortricidae) idotatana Kennel,1901; #idotatana Kennel,1921
- 1813. Phalonidia contractana (Zeller,1847)** (Tortricidae) contractana Zeller,1847; manifestana Kennel,1900; exaequata Meyrick,1923; thermoconis Meyrick,1925.
- 1814. Phtheochroa inopiana (Haworth,1811)** (Tortricidae) inopiana Haworth,1811; centrana Herrich-Schäffer,1851; obscurana Kennel,1913; pallidana Caradja,1916.
- 1815. Phtheochroa thiana Staudinger,[1900]** (Tortricidae) thiana Staudinger,[1900]; dilectana Kennel,1900.
- 1816. Adscita (s.str.) statices (Linnaeus,1758)** (Zygaenidae) statices Linnaeus,1758; turcosa Retzius,1783; stuticus Fourcroy,1785; micans Freyer,1833; extensa Alberti,1937; anomala Verity,1946; lutrinensis Heuser,1960; heuseri Reichl,1964
- 1817. Hysteroscena hyalina (Leech,1889)** (Zygaenidae) hyalina Leech,1889; #univittata Strand,1915; univittata M.Hering,1925
- 1818. Jordanita (Roccia) budensis (Speyer & Speyer,1858)** (Zygaenidae) budensis Speyer & Speyer,1858
- 1819. Jordanita (Roccia) budensis centralasiae (Alberti,1937)** (Zygaenidae) centralasiae Alberti,1937
- 1820. Jordanita (Roccia) naufocki (Alberti,1937)** (Zygaenidae) naufocki Alberti,1937
- 1821. Jordanita (Roccia) paupera (Christoph,1887)** (Zygaenidae) paupera Christoph,1887; mollis Grun-Grshimailo,1893; hamifera Jordan,1909; tamerlana Alberti,1937; minor Alberti,1937
- 1822. Jordanita (Tremewania) splendens (Staudinger,1887)** (Zygaenidae) splendens Staudinger,1887
- 1823. Jordanita (Tremewania) splendens heringi (Alberti,1937)** (Zygaenidae) heringi Alberti,1937
- 1824. Zygaena (Mesembrynus) purpuralis (Brünnich,1763)** (Zygaenidae) purpuralis Brünnich,1763; pythia Fabricius,1777; scabiosae Scheven,1777; pilosellae Esper,1780; pluto Ochsenheimer,1808; pasiphae Meigen,[1829]; tatvanica Reiss & Reiss,1973.
- 1825. Zygaena (Mesembrynus) purpuralis tianschanica Burgeff,1926** (Zygaenidae) tianschanica Burgeff,1926

Chapter 9

"Gördüğünden çoktur görmediğin,
görmediği göreceksin ölmediğin"
Uighur Proverb

List of the Lepidoptera recorded in Iraq

by

Muhabbet Kemal Ahmet Ömer Koçak

Abstract: Chapter 9: List of the Lepidoptera recorded in Iraq, [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 1718-1739.

In this Chapter of the reports of the Cesa Projects, totally 1184 species are listed alphabetically under the related families, together with the synonymous scientific names based upon the Databank of the Cesa. This study is a part of the Lepidoptera of the Middle East (LME), a Project of the Cesa.

List of the Lepidoptera recorded in Iraq based upon the Databank of the Cesa

1. **Adela antilyca** (Meyrick,1936) (Adelidae) *antilyca* Meyrick,1936
2. **Axiopoenia karelini** Ménéttriés,1853 (Arctiidae) *karelini* Ménéttriés,1853; *transcaucasia* Sheljuzhko,1926; *manissadjiani* O.Bang-Haas,1927.
3. **Axiopoenia maura** (Eichwald,1830) (Arctiidae) *maura* Eichwald,1830; *fluvialis* Swinhoe,1885.
4. **Callimorpha dominula** (Linnaeus,1758) (Arctiidae) *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943.
5. **Creataloum arabicum** (Hampson,1896) (Arctiidae) *arabicum* Hampson,1896; *gracilis* Staudinger,1899
6. **Eilema palliatella** (Scopoli,1763) (Arctiidae) *palliatella* Scopoli,1763; *unita* [Denis & Schifferrmüller],1775; *palleola* Hübner,[1808]; *gilveola* Ochsenheimer,1810; *vitellina* Treitschke,1834; *flaveola* Rambur,1866.
7. **Eucharia festiva** (Hufnagel,1766) (Arctiidae) *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménéttriés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928.
8. **Euplagia splendidior** (Tams,1922) (Arctiidae) *splendidior* Tams,1922; *tkatshukovi* Sheljuzhko,1935.
9. **Lacydes spectabilis** (Tauscher,1806) (Arctiidae) *spectabilis* Tauscher,1806; *intercissa* Freyer,1842.
10. **Muscula muscula** (Staudinger,1899) (Arctiidae) *muscula* Staudinger,1899
11. **Nebractia semiramis** (Staudinger,1892) (Arctiidae) *semiramis* Staudinger,1892
12. **Ocnogyna (s.str.) armena** Staudinger,1871 (Arctiidae) *armena* Staudinger,1871
13. **Ocnogyna (s.str.) bellieri** (Lederer,1855) (Arctiidae) *bellieri* Lederer,1855; *banghaasi* Staudinger,1895.
14. **Ocnogyna (s.str.) loewii** (Zeller,1846) (Arctiidae) *loewii* Zeller,1846; *clathrata* Lederer,1855; *andresi* Draudt,1931.
15. **Paidia (Conjuncta) conjuncta** (Staudinger,1892) (Arctiidae) *conjuncta* Staudinger,1892
16. **Paidia cinerascens** (Herrich-Schäffer,[1847]) (Arctiidae) *cinerascens* Herrich-Schäffer,[1847]
17. **Phragmatobia fuliginosa** (Linnaeus,1758) (Arctiidae) *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 *nec* Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 *nec* Reiss.,1934
18. **Phragmatobia placida** (Frivaldsky,1835) (Arctiidae) *placida* Frivaldsky,1835
19. **Utetheisa (s.str.) pulchella** (Linnaeus,1758) (Arctiidae) *pulchella* Linnaeus,1758; *pulchra* [Denis & Schifferrmüller],1775; *thyer* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969.
20. **Aglais urticae** (Linnaeus,1758) (Argynnididae) *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandi* Verity,1936.
21. **Argynnis (Fabriciana) niobe** (Linnaeus,1758) (Argynnididae) *niobe* Linnaeus,1758.
22. **Argynnis (Pandoriana) pandora** ([Denis & Schifferrmüller],1775) (Argynnididae) *pandora* [Denis & Schifferrmüller],1775; *maja* Cramer,1775 *nec* Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975.
23. **Argynnis (s.str.) paphia** (Linnaeus,1758) (Argynnididae) *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950.
24. **Argynnis (s.str.) paphia paphia** (Linnaeus,1758) (Argynnididae) *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950.
25. **Brenthis mofidii** Wyatt,1968 (Argynnididae) *mofidii* Wyatt,1968
26. **Cynthia cardui** (Linnaeus,1758) (Argynnididae) *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925.
27. **Euapatura mirza** Ebert,1971 (Argynnididae) *mirza* Ebert,1971; *iwasei* Igarashi,1971.
28. **Issoria lathonia** (Linnaeus,1758) (Argynnididae) *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933.
29. **Issoria lathonia lathonia** (Linnaeus,1758) (Argynnididae) *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933.
30. **Limnitis (Azuritis) reducta** Staudinger,1901 (Argynnididae) *reducta* Staudinger,1901.
31. **Melitaea (Cinclidia) (phoebe) punica** Oberthür,1876 (Argynnididae) *punica* Oberthür,1876
32. **Melitaea (Cinclidia) collina** Lederer,1861 (Argynnididae) *collina* Lederer,1861
33. **Melitaea (Didymaeformis) didyma** (Esper,[1779]) (Argynnididae) *didyma* Esper,[1779]; *armorica* Oberthür,1909.
34. **Melitaea (Didymaeformis) fascelis** (Fabricius,1787) (Argynnididae) *#trivia* Denis & Schifferrmüller,1775; *iphigenia* Esper,1782 *hom.*; *#fascelis* Esper,1783 *uninomial*; *fascelis* Fabricius,1787; *cleo* Latreille,1803;
35. **Melitaea (Didymaeformis) perseia** Kollar,[1849] (Argynnididae) *perseia* Kollar,[1849]; *caucasica* Stgr.,1861; *magnacasta*, *araratica* Verity,1929; *sargon* Hemming,1932; *tauricus* Belter,1934; *causasicola* Bryk,1940; *hafiz*, *gina* Higgins,1941; *darius*, *pfeifferi*, *wernickei*, *elbursicola*, *safawides* Gross & Ebert,1975.
36. **Melitaea (s.str.) arduinna** (Fabricius,1787) (Argynnididae) *arduinna* Fabricius,1787; *rhodopensis* Freyer,[1836]; *uralensis* Eversmann,1844.
37. **Melitaea (s.str.) cinxia** (Linnaeus,1758) (Argynnididae) *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791.
38. **Nymphalis polychloros** (Linnaeus,1758) (Argynnididae) *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896.
39. **Polygonia (Comma) c-album** (Linnaeus,1758) (Argynnididae) *c-album* Linnaeus,1758; *g-album* Fourcroy,1785.
40. **Polygonia (Comma) egea** (Cramer,[1775]) (Argynnididae) *egea* Cramer,[1775] (*junior* homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932.
41. **Precis (Junonia) orithya** (Linnaeus,1758) (Argynnididae) *orithya* Linnaeus,1758
42. **Thaleropsis ionia** (Eversmann,1851) (Argynnididae) *ionia* Eversmann,1851; *ammonia* Herrich-Schäffer,1851.
43. **Vanessa atalanta** (Linnaeus,1758) (Argynnididae) *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczzi* Schille,1896; *#klime* Fischer,1896; *italica* Stichel,1900.
44. **Apiletria (Aretascetis) apaurta** Gozmany,1965 (Autostichidae) *apaurta* Gozmany,1965
45. **Apiletria (Aretascetis) endopercna** (Meyrick,1936) (Autostichidae) *endopercna* Meyrick,1936
46. **Apiletria (Aretascetis) purulentella** Stainton,1867 (Autostichidae) *purulentella* Stainton,1867
47. **Apiletria (Xystoceros) nervosa** Stainton,1867 (Autostichidae) *nervosa* Stainton,1867
48. **Aprominta bifasciata** (Staudinger,1870) (Autostichidae) *bifasciata* Staudinger,1870; *virginella* Rebel,1902.
49. **Kullashara kalifella** (Amsel,1950) (Autostichidae) *kalifella* Amsel,1950
50. **Oegoconia caradjai** Popescu-Gorj & Capuse,1965 (Autostichidae) *caradjai* Popescu-Gorj & Capuse,1965
51. **Symmoca costobscurella** Amsel,1950 (Autostichidae) *costobscurella* Amsel,1950

52. *Symmoca fuscella* Amsel, 1959 (Autostichidae)
fuscella Amsel, 1959
53. *Batrachedra amydraula* Meyrick, 1916 (Batrachodidae)
amydraula Meyrick, 1916
54. *Batrachedra philocarpa* Meyrick, 1921 (Batrachodidae)
philocarpa Meyrick, 1921
55. *Brachodes mesopotamicus* (Amsel, 1949) (Brachodidae)
mesopotamicus Amsel, 1949
56. *Bucculatrix albella* Stainton, 1867 (Bucculatricidae)
albella Stainton, 1867
57. *Choreutis nemorana* (Hübner, [1799]) (Choreutidae)
nemorana Hübner, [1799]; *incisalis* Treitschke, 1828; *nemoranal* Treitschke, 1829; *nemorella* Herrich-Schäffer, 1862
58. *Axia (Epicimelia) theresiae* (Korb, 1900) (Cimeliidae)
theresiae Korb, 1900
59. *Coleophora agnatella* Toll, 1960 (Coleophoridae)
agnatella Toll, 1960
60. *Coleophora alcyonipennella* (Kollar, 1832) (Coleophoridae)
alcyonipennella Kollar, 1832; *cuprariella* Zeller, 1847; *praticolella* Zeller, 1849; *cuprifulgella* Toll, 1962
61. *Coleophora amasiella* Stainton, 1867 (Coleophoridae)
amasiella Stainton, 1867
62. *Coleophora assyriae* Baldizzzone, 1994 (Coleophoridae)
assyriae Baldizzzone, 1994
63. *Coleophora canariipennella* Toll, 1959 (Coleophoridae)
canariipennella Toll, 1959
64. *Coleophora chamaedriella* Bruand, 1852 (Coleophoridae)
chamaedriella Bruand, 1852; *setipalpella* Staudinger, 1879
65. *Coleophora conspicuella* Zeller, 1849 (Coleophoridae)
conspicuella Zeller, 1849; *centaureicolella* Bruand, [1856]; *similis* Staudinger, 1880; *aceris* Caradja, 1920
66. *Coleophora dianthi* Herrich-Schäffer, 1855 (Coleophoridae)
dianthi Herrich-Schäffer, 1855; *dianthella* Herrich-Schäffer, 1861; *amseli* Toll, 1942
67. *Coleophora dubiella* Baker, 1888 (Coleophoridae)
dubiella Baker, 1888; *reisseri* Rebel, 1926; *eucera* Toll, 1952; *microeucera* Toll, 1960; *leucostrigella* Toll, 1960
68. *Coleophora gazella* Toll, 1952 (Coleophoridae)
gazella Toll, 1952
69. *Coleophora machimopis* Meyrick, 1936 (Coleophoridae)
machimopis Meyrick, 1936
70. *Coleophora onopordiella* Zeller, 1849 (Coleophoridae)
onopordiella Zeller, 1849; *eremica* Amsel, 1935; *cerinaula* Meyrick, 1936; *fusca* Toll, 1952; *pseudophomidella* Toll, 1952; *sivandella* Toll, 1959; *litorella* Nemes, 2003
71. *Coleophora paravestalella* Baldizzzone, 1994 (Coleophoridae)
paravestalella Baldizzzone, 1994
72. *Coleophora parthenica* Meyrick, 1891 (Coleophoridae)
parthenica Meyrick, 1891; *cygnipennella* Toll, 1959; *candidella* Toll, 1959; *transcaspica* Toll, 1959; *lashkarella* Toll & Amsel, 1967; *hilmendella* Amsel, 1968
73. *Coleophora praecipua* Walsingham, 1907 (Coleophoridae)
praecipua Walsingham, 1907
74. *Coleophora protecta* Walsingham, 1907 (Coleophoridae)
protecta Walsingham, 1907
75. *Coleophora tauricella* Staudinger, 1880 (Coleophoridae)
tauricella Staudinger, 1880; *skopusella* Amsel, 1935; *kurdistanella* Amsel, 1955
76. *Coleophora wiltshirei* Toll, 1959 (Coleophoridae)
wiltshirei Toll, 1959
77. *Coleophora zernyi* Toll, 1944 (Coleophoridae)
zernyi Toll, 1944
78. *Enscepastra machinopis* Meyrick, 1936 (Coleophoridae)
machinopis Meyrick, 1936
79. *Ascalenia vanelloides* Gerasimov, 1930 (Cosmopterigidae)
vanelloides Gerasimov, 1930; *#eremella* Amsel, 1933; *eremella* Amsel, 1935
80. *Limnoecia combota* Meyrick, 1921 (Cosmopterigidae)
combota Meyrick, 1921
81. *Pyroderces apicinetella* (Chrétien, 1915) (Cosmopterigidae)
apicinetella Chrétien, 1915; *cinnamomina* Turati, 1930; *simplicella* Amsel, 1959
82. *Pyroderces rileyi* (Walsingham, 1882) (Cosmopterigidae)
rileyi Walsingham, 1882; *stigmatophora* Walsingham, 1882
83. *Tenuipenna simlicella* Amsel, 1959 (Cosmopterigidae)
simlicella Amsel, 1959
84. *Tolliella fulguritella* (Ragonot, 1895) (Cosmopterigidae)
fulguritella Ragonot, 1895; *copidobathra* Meyrick, 1936
85. *Azygophleps regia* (Staudinger, 1892) (Cossidae)
regia Staudinger, 1892
86. *Cossulinus lignosus* (Brandt, 1938) (Cossidae)
lignosus Brandt, 1938
87. *Cossus cossus* (Linnaeus, 1758) (Cossidae)
cossus Linnaeus, 1758; *unguiculatus* Fabricius, 1794; *ligniperda* Fabricius, 1794
88. *Dieida ledereri* Staudinger, 1871 (Cossidae)
ledereri Staudinger, 1871
89. *Dyspessa hethitica* Daniel, 1932 (Cossidae)
hethitica Daniel, 1932
90. *Dyspessa ulula* (Borkhausen, 1790) (Cossidae)
ulula Borkhausen, 1790; *hepialica* Borkhausen, 1790; *hepialina* Hübner, 1792; *marmorata* Rambur, 1858; *fuscata* Staudinger, 1892; *affinis* Rothschild, 1917; *maroccana* Rothschild, 1917; *pallida* Rothschild, 1917 nec Roth., 1912
91. *Dyspessa wiltshirei* Daniel, 1938 (Cossidae)
wiltshirei Daniel, 1938
92. *Dyspessacossus fereidun* Grun-Grshimailo, 1895 (Cossidae)
fereidun Grun-Grshimailo, 1895; *firdusi* Wagner, 1937
93. *Eremocossus vaulogeri* (Staudinger, 1897) (Cossidae)
vaulogeri Staudinger, 1897; *suavis* Staudinger, 1899; *saharae* Lucas, 1907; *hartigi* Rebel, 1935
94. *Holcocerus gloriosus* (Erschoff, 1874) (Cossidae)
gloriosus Erschoff, 1874
95. *Isoceras bipunctatum* (Staudinger, 1887) (Cossidae)
bipunctatum Staudinger, 1887
96. *Phragmacossia tigrisia* Schawerda, 1924 (Cossidae)
tigrisia Schawerda, 1924
97. *Phragmataecia castaneae* (Hübner, 1790) (Cossidae)
castaneae Hübner, 1790; *arundinis* Hübner, [1808]; *minor* Moore, 1879; *pygmaea* Graeser, 1888; *minima* Hampson, 1891
98. *Phragmataecia territa* Staudinger, 1878 (Cossidae)
territa Staudinger, 1878
99. *Stygia mosulensis* Daniel, 1965 (Cossidae)
mosulensis Daniel, 1965
100. *Zeuzera pyrina* (Linnaeus, 1761) (Cossidae)
pyrina Linnaeus, 1761; *hypocastani* Poda, 1761; *aesuli* Linnaeus, 1767; *hilaris* Fourcroy, 1785; *octopunctata* Boisduval, 1832; *decipiens* Kirby, 1892
101. *Amata aequipuncta* (Turati, 1917) (Ctenuchidae)
aequipuncta Turati, 1917
102. *Amata banghaasi* Obratzov, 1966 (Ctenuchidae)
caspia Alpheraky, 1892 nec Stgr., 1877; *minuta* A. Bang-Haas, 1910 nec Bsd., 1833; *banghaasi* Obratzov, 1966; *schachtli* De Freina, 1994
103. *Amata higginsii* (Wiltshire, 1958) (Ctenuchidae)
higginsii Wiltshire, 1958
104. *Amata sintenisi* Standfuss, 1892 (Ctenuchidae)
sintenisi Standfuss, 1892
105. *Amata wiltshirei* Bytinski-Salz, 1939 (Ctenuchidae)
wiltshirei Bytinski-Salz, 1939
106. *Dysauxes famula* (Freyer, 1836) (Ctenuchidae)
famula Freyer, 1836; *hyalina* Freyer, 1845; *ragusaria* Zickert, 1904; *kaschmirensis* Rothschild, 1910; *semidiaphana* Stauder, 1921; *herthina* Stauder, 1921; *burgeffi* Draudt, 1931; *pseudoservula* Naufock, 1933; *pontica* Friese, 1959; *sofiata* De Laever, 1983; *lucana* De Laever, 1983
107. *Danaus (Anosia) chrysippus* (Linnaeus, 1758) (Danaidae)
chrysippus Linnaeus, 1758; *aegyptius* Schreber, 1759
108. *Syringopais temperatella* (Lederer, 1855) (Deoclonidae)
temperatella Lederer, 1855; *fuscifasciata* Stainton, 1867; *ochrolitella* Staudinger, 1871; *xenicopa* Meyrick, 1920
109. *Klimeschia cinereipunctella* (Turati & Fiori, 1930) (Douglassiidae)
cinereipunctella Turati & Fiori, 1930; *lutumella* Amsel, 1938
110. *Klimeschia lutumella* Amsel, 1938 (Douglassiidae)
lutumella Amsel, 1938
111. *Cilix asiatica* A. Bang-Haas, 1907 (Drepanidae)
asiatica A. Bang-Haas, 1907; *depalpata* Strand, 1913

112. **Watsonalla binaria** (Hufnagel,1767) (Drepanidae)
binaria Hufnagel,1767; *falcata* Fabricius,1775; *falculatoria* Villers,1789; *falcatalis* Haworth,1802; *uncula* Hübner,[1802]
113. **Epermenia** (s.str.) **orientalis** Gaedike,1966 (Epermeniidae) *orientalis* Gaedike,1966.
114. **Ethmia amasina** (Staudinger,1879) (Ethmiidae)
amasina Staudinger,1879
115. **Ethmia bipunctella** (Fabricius,1775) (Ethmiidae)
bipunctella Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947.
116. **Ethmia candidella** (Alpheraky,1908) (Ethmiidae)
candidella Alpheraky,1908; *orientella* Caradja,1931.
117. **Ethmia caradjae** (Rebel,1907) (Ethmiidae)
caradjae Rebel,1907; *chosroes* Wiltshire,1947
118. **Ethmia fumidella** (Wocke,1850) (Ethmiidae)
fumidella Wocke,1850; *ardosiella* Caradja,1931.
119. **Ethmia infelix** Meyrick,1914 (Ethmiidae)
confusella Rebel,1901 (*praeocc.*); *infelix* Meyrick,1914; *kurdistanella* Amsel,1959
120. **Ethmia lepidella** (Chrétien,1907) (Ethmiidae)
lepidella Chrétien,1907; *niveella* Caradja,1920; *euphraticella* Amsel,1954.
121. **Ethmia pusiella** (Linnaeus,1758) (Ethmiidae)
pusiella Linnaeus,1758; *scaella* Scopoli,1763; *sequella* [Denis & Schiffermüller],1775; *lithosperma* Hübner,1796.
122. **Ethmia quadrinotella** (Mann,1861) (Ethmiidae)
quadrinotella Mann,1861; *atticella* Caradja,1920; *galaxaea* Meyrick,1922.
123. **Ethmia tripunctella** (Staudinger,1879) (Ethmiidae)
tripunctella Staudinger,1879
124. **Ethmia vittalbella** (Christoph,1877) (Ethmiidae)
vittalbella Christoph,1877; *radiatella* Chrétien,1907; *tripolitanella* Turati,1929.
125. **Anacampsis malella** Amsel,1959 (Gelechiidae)
malella Amsel,1959
126. **Anarsia** (s.str.) **aleurodes** Meyrick,1922 (Gelechiidae) *aleurodes* Meyrick,1922
127. **Aristotelia euprepella** Zerny,1934 (Gelechiidae)
euprepella Zerny,1934
128. **Aroga aristotelis** (Millière,1875) (Gelechiidae)
aristotelis Millière,1875; *astragali* Staudinger,1879; *fulminella* Millière,1882; *lacertella* Walsingham; *hyrcanella* Toll,1948.
129. **Asbolistis chthoniopa** Meyrick,1936 (Gelechiidae)
chthoniopa Meyrick,1936
130. **Bagdadia irakella** Amsel,1949 (Gelechiidae)
irakella Amsel,1949
131. **Bryotropha arabica** Amsel,1952 (Gelechiidae)
arabica Amsel,1952
132. **Dichomeris lamprostoma** (Zeller,1847) (Gelechiidae)
lamprostoma Zeller,1847; *zulu* Walsingham,1881; *scutata* Meyrick,1894.
133. **Gelechia bathrostickta** Meyrick,1936 (Gelechiidae)
bathrostickta Meyrick,1936
134. **Gnorimoschema antiquum** Povolny,1966 (Gelechiidae) *antiquum* Povolny,1966
135. **Gnorimoschema herbichii** (Nowicki,1864) (Gelechiidae)
herbichii Nowicki,1864; *pusillella* Rebel,1893; *tengstroemiella* Joannis,1910; *pazsickyi* Rebel,1913; *parenthesella* Toll,1936; *tengstroemi* Hackman,1946; *soffneri* Riedl,1965
136. **Harpagidia magnetella** (Staudinger,[1871]) (Gelechiidae)
magnetella Staudinger,[1871]; *pallidibasella* Ragonot,1895
137. **Metanarsia** (s.str.) **modesta** Staudinger,1871 (Gelechiidae) *modesta* Staudinger,1871
138. **Metzneria castiliella** (Möschler,1866) (Gelechiidae)
castiliella Möschler,1866; *eatoni* Walsingham,1899.
139. **Metzneria diamondi** Amsel,1949 (Gelechiidae)
diamondi Amsel,1949
140. **Neofaculta confidella** Rebel,1935 (Gelechiidae)
confidella Rebel,1935
141. **Nothris verbascella** (Brahm,1791) (Gelechiidae)
verbascella [Denis & Schiffermüller],1775; *verbascella* Brahm,1791; *lutarea* Haworth,1828
142. **Onebala lamprostoma** (Zeller,1847) (Gelechiidae)
lamprostoma Zeller,1847
143. **Ornativulva heluanensis** (Debski,1913) (Gelechiidae)
heluanensis Debski,1913; *frankeniivorella* Chrétien,1917; *oasicolella* Turati,1924; *siculella* Mariani,1937.
144. **Ornativulva longiductella** Sattler,1967 (Gelechiidae)
longiductella Sattler,1967
145. **Ornativulva mixolitha** (Meyrick,1918) (Gelechiidae)
mixolitha Meyrick,1918
146. **Ornativulva plutelliformis** (Staudinger,1859) (Gelechiidae) *plutelliformis* Staudinger,1859
147. **Ornativulva serratisignella** Sattler,1967 (Gelechiidae) *serratisignella* Sattler,1967
148. **Ornativulva triangulella** Sattler,1967 (Gelechiidae)
triangulella Sattler,1967
149. **Schneidereria pistacicola** (Danilevsky,1955) (Gelechiidae) *pistacicola* Danilevsky,1955
150. **Schneidereria pistaciella** Weber,1957 (Gelechiidae)
pistaciella Weber,1957
151. **Scrobipalpa** (Ergasiola) **ergasima** (Meyrick,1916) (Gelechiidae) *ergasima* Meyrick,1916; *intestina* Meyrick,1921; *mignatella* Caradja,1920; *mirabilis* Gregor & Povolny,1955; *perdava* Clarke,1962
152. **Scrobipalpa** (Ilseopsis) **grossa** Povolny,1966 (Gelechiidae) *grossa* Povolny,1966
153. **Scrobipalpa** (Ilseopsis) **pseudobsoletella** (Gregor & Povolny,1955) (Gelechiidae) *pseudobsoletella* Gregor & Povolny,1955
154. **Streyella anguinella** (Herrich-Schäffer,1861) (Gelechiidae) *anguinella* Herrich-Schäffer,1861; *ostentella* Zerny,1934.
155. **Teleiodes squamodorea** (Amsel,1935) (Gelechiidae)
squamodorea Amsel,1935
156. **Aleucis mimetes** (Wehrli,1932) (Geometridae)
mimetes Wehrli,1932
157. **Aplasta ononaria** (Fuessly,1783) (Geometridae)
ononaria Fuessly,1783; *rubellata* Villers,1789; *rubicapraria* Hübner,1793; *sudataria* Hübner,[1817]
158. **Aplocera musculata** (Staudinger,1892) (Geometridae) *musculata* Staudinger,1892
159. **Aplocera obsitaria** (Lederer,1853) (Geometridae)
obsitaria Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937
160. **Aplocera plagiata** (Linnaeus,1758) (Geometridae)
plagiata Linnaeus,1758; *pallidata* Staudinger,1879.
161. **Apochima flabellaria** (Heeger,1838) (Geometridae)
flabellaria Heeger,1838; *marmararia* Buresch,1915.
162. **Aspitates ochrearia** (Rossi,1794) (Geometridae)
ochrearia Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citraria* Hübner,[1826]; *laetula* Hulst,1896; *parvularia* Lempke,1953
163. **Camptogramma bilineatum** (Linnaeus,1758) (Geometridae) *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinearia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871
164. **Casilda antophilaria** (Hübner,[1813]) (Geometridae)
antophilaria Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911.
165. **Catarhoe mosulensis** (Schawerda,1924) (Geometridae) *mosulensis* Schawerda,1924; *cinneretharia* Amsel,1935.
166. **Chesistege korbi** (Bohatsch,1909) (Geometridae)
korbi Bohatsch,1909
167. **Chiasmia** (Godonela) **aestimaria** (Hübner,[1809]) (Geometridae) *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949.
168. **Chiasmia** (Godonela) **syriacaria** (Staudinger,1871) (Geometridae) *syriacaria* Staudinger,1871; *venerata* Christoph,1887; *#syriacata* Wehrli,1934.
169. **Costaconvexa polygrammata** (Borkhausen,1794) (Geometridae) *polygrammata* Borkhausen,1794; *polygrammaria* Haworth,1809; *conjunctaria* Lederer,1853; *#rosea* Wiltshire,1946
170. **Cyclophora ruficiliaria** (Herrich-Schäffer,[1855]) (Geometridae) *ruficiliaria* Herrich-Schäffer,[1855]
171. **Dasycorsa modesta** (Staudinger,1879) (Geometridae)
modesta Staudinger,1879

172. *Dicrognophos snelleni* (Christoph,1887) (Geometridae) *snelleni* Christoph,1887
173. *Dyscia (Calodyscia) innocentaria* (Christoph,1885) (Geometridae) *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923
174. *Ellicrinia cordiaria* (Hübner,1790) (Geometridae) *cordiaria* Hübner,1790
175. *Ennomos (Deuteronomos) fraxineti* Wiltshire,1947 (Geometridae) *fraxineti* Wiltshire,1947; *#effuscaria* Wiltshire,1947
176. *Epitherina bahmana* (Wiltshire,1943) (Geometridae) *bahmana* Wiltshire,1943
177. *Epitherina ghirshimani* (Wiltshire,1944) (Geometridae) *ghirshimani* Wiltshire,1944
178. *Eumera hoeferi* Wehrli,1934 (Geometridae) *#hoeferi* Wehrli,1934; *hoeferi* Wehrli,1934; *#hoeferi* Wiltshire,1937.
179. *Euphyia frustata* (Treitschke,1828) (Geometridae) *frustata* Treitschke,1828; *muscosata* Donzel,1837; *fulvocinctata* Rambur,1866
180. *Eupithecia bastelbergeri* Dietze,1913 (Geometridae) *bastelbergeri* Dietze,1913
181. *Eupithecia brunneata* Staudinger,1900 (Geometridae) *brunneata* Staudinger,1900
182. *Eupithecia extremata* (Fabricius,1787) (Geometridae) *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977.
183. *Eupithecia gratiosata* Herrich-Schäffer,1861 (Geometridae) *gratiosata* Herrich-Schäffer,1861; *subseparata* Christoph,1885
184. *Eupithecia icterata* (Villers,1789) (Geometridae) *icterata* Villers,1789; *oxydata* Treitschke,1828; *cognata* Stephens,1831; *ligustigata* Donzel,1838; *ferrugata* Duponchel,1842; *#ligusticata* Dietze,1910
185. *Eupithecia limbata* Staudinger,1879 (Geometridae) *limbata* Staudinger,1879; *irritaria* Staudinger,1892; *kueppersi* Vojnits,1973
186. *Eupithecia minusculata* (Alpheraky,1883) (Geometridae) *minusculata* Alpheraky,1883; *inversaria* Turati,1930; *penultima* Wiltshire,1985.
187. *Eupithecia opistographata* Dietze,1906 (Geometridae) *opistographata* Dietze,1906; *arenicola* Rothschild,1913.
188. *Eupithecia quercetica* L.B.Prout,1938 (Geometridae) *quercetica* L.B.Prout,1938
189. *Eupithecia ultimaria* Boisduval,1840 (Geometridae) *ultimaria* Boisduval,1840; *torrifascia* Rothschild,1913
190. *Glossotrophia (Libanonia) sacraria* (A.Bang-Haas,1910) (Geometridae) *sacraria* A.Bang-Haas,1910
191. *Gnopharmia colchidaria* (Lederer,1870) (Geometridae) *colchidaria* Lederer,1870
192. *Gnopharmia erema* Wehrli,1939 (Geometridae) *erema* Wehrli,1939
193. *Gnopharmia hoerhammeri* (Brandt,1938) (Geometridae) *hoerhammeri* Brandt,1938
194. *Gnopharmia irakensis* Wehrli,1938 (Geometridae) *irakensis* Wehrli,1938
195. *Gnopharmia objectaria* Staudinger,1892 (Geometridae) *objectaria* Staudinger,1892
196. *Gnophos (Cnestrognophos) stachyphorus* Wehrli,1936 (Geometridae) *stachyphorus* Wehrli,1936
197. *Gnophos (Dicrognophos) choristus* Wehrli,1939 (Geometridae) *chorista* Wehrli,1939
198. *Gnophos (Dicrognophos) wiltshirei* Wehrli,1938 (Geometridae) *wiltshirei* Wehrli,1938
199. *Gnophos (Organognophos) wanensis* Wehrli,1936 (Geometridae) *wanensis* Wehrli,1936
200. *Gnophos (Trilobignophos) pollinarius* Christoph,1887 (Geometridae) *pollinaria* Christoph,1887
201. *Gnophosema palumba* Brandt,1938 (Geometridae) *palumba* Brandt,1938
202. *Gymnoscelis rufifasciata* (Haworth,[1809]) (Geometridae) *rufifasciata* Haworth,[1809]; *pumilata* Hübner,[1813].
203. *Hyposcotis (Euchrognophos) variegata* (Duponchel,1830) (Geometridae) *variegatus* Duponchel,1830; *#subtaurica* Wehrli,1932.
204. *Hyposcotis (Kemtroglyphos) mardinaria* Staudinger,1901 (Geometridae) *mardinaria* Staudinger,1901
205. *Hyposcotis (Kemtroglyphos) onustaria* (Herrich-Schäffer,[1852]) (Geometridae) *onustaria* Herrich-Schäffer,[1852]
206. *Idaea allongata* (Staudinger,1898) (Geometridae) *allongata* Staudinger,1898; *allongaria* Staudinger,1900; *paulusi* Prout,1935.
207. *Idaea camparia* (Herrich-Schäffer,[1852]) (Geometridae) *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934.
208. *Idaea degeneraria* (Hübner,[1799]) (Geometridae) *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913
209. *Idaea elongaria* (Rambur,1833) (Geometridae) *elongaria* Rambur,1833; *aridata* Zeller,1847; *aridaria* Heydenreich,1851; *monadaria* Guenée,[1858]; *confusaria* Lederer,1863; *infernata* Staudinger,1871; *zephyrata* Millière,1872; *ludovicata* Lucas,1942.
210. *Idaea filicata* (Hübner,[1799]) (Geometridae) *filicata* Hübner,[1799]; *filicaria* Duponchel,1830
211. *Idaea illustris* (Brandt,1941) (Geometridae) *illustris* Brandt,1941
212. *Idaea obsoletaria* (Rambur,1833) (Geometridae) *obsoletaria* Rambur,1833; *violacearia* Staudinger,1901; *distans* Hausmann,1991; *violacearia* Hausmann,1991 nec Wlk.,1861
213. *Idaea palaestinensis* (Sterneck,1933) (Geometridae) *antitaurica* Wehrli,1932 nec Whrl.,1931; *palaestinensis* Sterneck,1933; *seitunensis* L.B.Prout,1934.
214. *Idaea politaria* (Hübner,[1799]) (Geometridae) *politata* Hübner,1793 nec Fabr.,1781; *politaria* Hübner,[1799]; *#abmarginata* Bohatsch,1885; *mundipennis* W.Warren,1898; *abmarginata* Staudinger,1901
215. *Idaea rufaria* (Hübner,[1799]) (Geometridae) *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944
216. *Idaea textaria* (Lederer,1861) (Geometridae) *textaria* Lederer,1861
217. *Isturgia perviaria* (Lederer,1855) (Geometridae) *perviaria* Lederer,1855; *albofascia* Swinhoe,1885
218. *Isturgia perviaria perviaria* (Lederer,1855) (Geometridae) *perviaria* Lederer,1855; *albofascia* Swinhoe,1885
219. *Jordanisca tenuisaria* (Staudinger,1900) (Geometridae) *tenuisaria* Staudinger,1900
220. *Larentia clavaria* Haworth,[1809] (Geometridae) *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901
221. *Lithostege buxtoni* Prout,1920 (Geometridae) *buxtoni* Prout,1920
222. *Lithostege dissocyma* Prout,1938 (Geometridae) *dissocyma* Prout,1938
223. *Lithostege notata* A.Bang-Haas,1906 (Geometridae) *notata* A.Bang-Haas,1906
224. *Lithostege palaestinensis* Amsel,1935 (Geometridae) *palaestinensis* Amsel,1935; *ali* Wiltshire,1941.
225. *Lycia suleimania* (Wehrli,1938) (Geometridae) *suleimania* Wehrli,1938
226. *Lythria purpuraria* (Linnaeus,1758) (Geometridae) *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 nec Sc.,1763; *sanguinolenta* Fourcroy,1785 nec Linn.,1767
227. *Megalycinia engys* Wehrli,1939 (Geometridae) *engys* Wehrli,1939
228. *Microloxia herbaria* (Hübner,[1813]) (Geometridae) *herbaria* Hübner,[1813]; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Millière,1860.
229. *Myinodes shohami* Hausmann,1994 (Geometridae) *shohami* Hausmann,1994
230. *Nebula ludificata* (Staudinger,1870) (Geometridae) *ludificata* Staudinger,1870; *decipiata* Staudinger,1901
231. *Nebula salicata* (Denis & Schiffermüller,[1775]) (Geometridae) *#salicata* [Denis & Schiffermüller],1775
232. *Neognopharmia stevenaria* (Boisduval,1840) (Geometridae) *stevenaria* Boisduval,1840; *lapidisaria* Freyer,1841
233. *Neromia simplex* Brandt,1938 (Geometridae) *simplexa* Brandt,1938
234. *Nychiodes (Eunychiodes) divergaria* (Staudinger,1892) (Geometridae) *divergaria* Staudinger,1892

- 235. Nychiodes (Eunychiodes) variabila** Brandt, 1938 (Geometridae) *variabila* Brandt, 1938; *#variabilis* auct.
- 236. Nychiodes (Fritzwagneria) rayatica** Wiltshire, 1957 (Geometridae) *rayatica* Wiltshire, 1957
- 237. Orthonama obstipata** (Fabricius, 1794) (Geometridae) *obstipata* Fabricius, 1794; *fluviata* Hübner, [1799]; *gemmata* Hübner, 1799; *albicinctata* Haworth, 1809; *angustata* Haworth, 1809; *quaerendaria* Costa, 1850; *baccata* Guenée, [1858]; *lapillata* Guenée, [1858]; *contrariata* Walker, 1862; *exagitata* Walker, 1862; *intrusata* Walker, 1862; *peracutata* Walker, 1862; *signataria* Walker, 1863; *obruptata* Walker, 1863; *pigrata* Walker, 1866; *plemyrata* R. Felder & Rogenhofer, 1875; *inconspicua* Warren, 1896; *brunneipennis* Hulst, 1896; *discata* Warren, 1905
- 238. Oulophophora externata** Freyer, 1846 (Geometridae) *#externata* Herrich-Schäffer, 1843; *externata* Freyer, 1846; *turcosyrica* Wehrli, 1934.
- 239. Peribatodes inaequalis** (Goeze, 1781) (Geometridae) *#rhomboidaria* [Denis & Schiffermüller], 1775; *inaequalis* Goeze, 1781; *gemmaria* Brahm, 1791; *ichnusaria* Ghiliani, 1852; *corsicaria* Schawerda, 1931; *syritaurica* Wehrli, 1931
- 240. Peribatodes umbrarius** (Hübner, [1809]) (Geometridae) *umbraria* Hübner, [1809]; *vaucheri* Thierry-Mieg, 1916
- 241. Phaioграмма etruscaria** (Zeller, 1849) (Geometridae) *etruscaria* Zeller, 1849; *pulmentaria* Guenée, [1858]; *palaestinensis* Fuchs, 1903.
- 242. Phaioграмма polemia** (Prout, 1920) (Geometridae) *polemia* Prout, 1920
- 243. Pingasa multispurcata** L.B. Prout, 1913 (Geometridae) *multispurcata* L.B. Prout, 1913
- 244. Protorhoe unicata** (Guenée, [1858]) (Geometridae) *unicata* Guenée, [1858]
- 245. Pseudopantthera syriacata** (Guenée, 1852) (Geometridae) *syriacata* Guenée, 1852; *#syriacaria* Wiltshire, 1958
- 246. Pydna badiaria** (Freyer, [1841]) (Geometridae) *badiaria* Freyer, [1841]; *telaria* Herrich-Schäffer, [1847]; *cervinaria* Herrich-Schäffer, [1847]; *praecanaria* Eversmann, 1847; *pollenaria* Freyer, 1854.
- 247. Pydna bahara** (Brandt, 1938) (Geometridae) *bahara* Brandt, 1938
- 248. Rhodometra sacraria** (Linnaeus, 1767) (Geometridae) *sacraria* Linnaeus, 1767; *labda* Cramer, 1777; *sacralis* Thunberg, 1784; *fulvaria* Fabricius, 1794; *sanguinaria* Esper, 1801; *minervae* Gistel, 1856; *labdaria* Guenée, [1858];
- 249. Rhodostrophia auctata** (Staudinger, 1879) (Geometridae) *auctata* Staudinger, 1879
- 250. Rhodostrophia discopunctata** Amsel, 1935 (Geometridae) *tabidaria* auct. nec Zell., 1847; *discopunctata* Amsel, 1935
- 251. Rhodostrophia sieversi** (Christoph, 1882) (Geometridae) *sieversi* Christoph, 1882
- 252. Scopula flaccidaria** (Zeller, 1852) (Geometridae) *flaccidaria* Zeller, 1852
- 253. Scopula immistaria** (Herrich-Schäffer, [1852]) (Geometridae) *#elisabetharia* Heydenreich, 1851; *immistaria* Herrich-Schäffer, [1852]
- 254. Scopula marginepunctata** (Goeze, 1781) (Geometridae) *marginepunctata* Goeze, 1781; *conjugata* Borkhausen, 1794; *aniculosa* Rambur, 1829; *puellaria* Boisduval, 1840; *mutaria* Heydenreich, 1851; *promutata* Guenée, [1858]; *promutaria* Morris, 1861; *apertaria* Walker, [1863]; *madoniata* Fuchs, 1901; *pastoraria* Joannis, 1891.
- 255. Scopula minorata** (Boisduval, 1833) (Geometridae) *minorata* Boisduval, 1833; *#ochroleucata* Herrich-Schäffer, 1844; *ochroleucaria* Herrich-Schäffer, [1847]; *luculata* Guenée, [1858]; *mauritiana* Guenée, [1858]; *consentanea* Walker, 1861; *holobapharia* Mabille, 1900; *mombasae* W. Warren, 1904; *dresnaya* D. Lucas, 1937.
- 256. Scopula ornata** (Scopoli, 1763) (Geometridae) *ornata* Scopoli, 1763; *institata* Hufnagel, 1767; *paludata* Linnaeus, 1767; *institata* Rottemburg, 1777; *interrupta* Goeze, 1781; *intersecta* Fourcroy, 1785.
- 257. Scopula submutata** (Treitschke, 1828) (Geometridae) *submutata* Treitschke, 1828; *submutaria* Boisduval, 1840; *submutulata* Rebel, 1902
- 258. Scotopteryx elbursica** (Bytinski-Salz & Brandt, 1937) (Geometridae) *elbursica* Bytinski-Salz & Brandt, 1937
- 259. Somatina wiltshirei** Prout, 1938 (Geometridae) *wiltshirei* Prout, 1938
- 260. Thetidia prasinaria** (Eversmann, 1837) (Geometridae) *prasinaria* Eversmann, 1837; *volgaria* Guenée, [1858]; *mongolica* Staudinger, 1897
- 261. Triphosa taochata** Lederer, 1870 (Geometridae) *taochata* Lederer, 1870
- 262. Xanthorhoe fluctuata** (Linnaeus, 1758) (Geometridae) *fluctuata* Linnaeus, 1758; *fibulata* Hufnagel, 1767; *cinerata* Fourcroy, 1785 nec Fabr., 1781; *costovata* Haworth, 1809; *fluctuaria* Boisduval, 1840
- 263. Glyphipterix bifasciella** Amsel, 1959 (Glyphipterigidae) *bifasciella* Amsel, 1959
- 264. Phyllocnistis citrella** Stainton, 1856 (Gracillariidae) *citrella* Stainton, 1856; *minutella* Van Deventer, 1904; *citricola* Shiraki, 1913
- 265. Phyllonorycter turanica** (Gerasimov, 1931) (Gracillariidae) *turanica* Gerasimov, 1931
- 266. Polymitia eximipalpella** (Gerasimov, 1930) (Gracillariidae) *eximipalpella* Gerasimov, 1930; *telaviviella* Amsel, 1935
- 267. Stomphastis conflua** (Meyrick, 1914) (Gracillariidae) *conflua* Meyrick, 1914
- 268. Carcharodus (Reverdinus) orientalis** Reverdin, 1913 (Hesperiidae) *orientalis* Reverdin, 1913; *centralanatolica* Pfeiffer, 1927; *aestatis* Verity, 1928; *postorientalis* Verity, 1928; *maccabaeus* Hemming, 1932.
- 269. Carcharodus (s.str.) alceae** (Esper, [1780]) (Hesperiidae) *alceae* Esper, [1780]; *malvae* Hufnagel, 1766 nec Linn., 1758; *malvarum* Hoffmannsegg, 1804; *magnaustalis* Verity, 1924; *corsicus* Picard, 1948.
- 270. Eogenes alcides** Herrich-Schäffer, [1852] (Hesperiidae) *alcides* Herrich-Schäffer, [1852]
- 271. Eogenes leslei** Evans, 1926 (Hesperiidae) *#leslei* Evans, 1912; *leslei* Evans, 1926.
- 272. Erynnis (Hesperopegasus) marloyi** (Boisduval, [1834]) (Hesperiidae) *marloyi* Boisduval, [1834]; *sericea* Freyer, 1838; *rustan* Kollar, [1849].
- 273. Erynnis (s.str.) tages** (Linnaeus, 1758) (Hesperiidae) *tages* Linnaeus, 1758; *morio* Scopoli, 1763; *geryon* Rottemburg, 1775; *subclarus* Verity, 1921.
- 274. Gegeres nostrodamus** (Fabricius, 1793) (Hesperiidae) *nostrodamus* Fabricius, 1793; *proclea* Walker, 1870; *karsana* Moore, 1874; *pumiliominima* Verity, 1931; *megalegyna* Verity, 1940.
- 275. Gegeres pumilio** (Hoffmannsegg, 1804) (Hesperiidae) *pumilio* Hoffmannsegg, 1804; *pygmaeus* Cyrilli, 1787 nec Fabr., 1775; *aetna* Boisduval, 1840; *lefebvreii* Rambur, 1842; *monochroa* Rebel, 1907.
- 276. Hesperia comma** (Linnaeus, 1758) (Hesperiidae) *comma* Linnaeus, 1758; *virgula* Retzius, 1783; *alpina* Bath, 1896; *galliaemeridiei* Verity, 1928; *alpapennina* Verity, 1928; *alpiumflava* Verity, 1928; *macrocomma* Verity, 1928; *superalpina* Verity, 1928; *atralpina* Verity, 1928.
- 277. Muschampia poggei** (Lederer, 1858) (Hesperiidae) *poggei* Lederer, 1858
- 278. Muschampia proteides** (Wagner, 1929) (Hesperiidae) *proteides* Wagner, 1929; *lycaonius* Wagner, 1929; *sovietica* Sichel, 1964; *lycaonius* Benjamini & Avni, 2001 [misident.]; *#lycaomius* Benjamini & Avni, 2001
- 279. Muschampia tersa** Evans, 1949 (Hesperiidae) *tersa* Evans, 1949
- 280. Ochloides venatus** (Bremer & Grey, [1852]) (Hesperiidae) *venatus* Bremer & Grey, [1852]
- 281. Pelopidas thrax** (Hübner, [1821]) (Hesperiidae) *thrax* Hübner, [1821]; *midea* Walker, 1870
- 282. Pyrgus armoricanus** (Oberthür, 1910) (Hesperiidae) *armoricanus* Oberthür, 1910; *petheri* Romei, 1927.
- 283. Pyrgus serratulae** (Rambur, [1839]) (Hesperiidae) *serratulae* Rambur, [1839]; *caecus* Freyer, 1846; *occidentalis* Lucas, 1910 nec Skinn., 1906; *planorum* Verity, 1925; *magnagallica* Verity, 1931; *plurisignata* Silbernagel, 1946; *arvernensis* Picard, 1948.

- 284.** *Spialia* (Neospialia) *orbifer* (Hübner,[1823]) (Hesperiidae) *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
- 285.** *Spialia* (s.str.) *osthelderi* (Pfeiffer,1932) (Hesperiidae) *osthelderi* Pfeiffer,1932
- 286.** *Thymelicus acteon* (Rottemburg,1775) (Hesperiidae) *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
- 287.** *Thymelicus lineolus* (Ochsenheimer,1808) (Hesperiidae) *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
- 288.** *Thymelicus novus* (Reverdin,1916) (Hesperiidae) *novus* Reverdin,1916
- 289.** *Thymelicus sylvestris* (Poda,1761) (Hesperiidae) *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thamias* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905
- 290.** *Chondrostega fascianum* Staudinger,1892 (Lasiocampidae) *fascianum* Staudinger,1892
- 291.** *Chondrostega pauli* Gaede,1932 (Lasiocampidae) *pauli* Gaede,1932
- 292.** *Eriogaster pfeifferi* Daniel,1932 (Lasiocampidae) *pfeifferi* Daniel,1932; *amygdali* Wiltshire,1941; *talhoki* Wiltshire,1976; *reshoefii* Schulte & Witt,1975.
- 293.** *Eriogaster philippi* Bartel,1911 (Lasiocampidae) *philippi* Bartel,1911
- 294.** *Lasiocampa eversmanni* (Kindermann,1843) (Lasiocampidae) *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960.
- 295.** *Lasiocampa grandis* (Rogenhofer,1891) (Lasiocampidae) *grandis* Rogenhofer,1891
- 296.** *Lasiocampa trifolii* ([Denis & Schiffermüller],1775) (Lasiocampidae) *#trifolii* [Denis & Schiffermüller],1775; *medicaginis* Borkhausen,1793; *terreni* Herrich-Schäffer
- 297.** *Pachypasa otus* (Drury,[1773]) (Lasiocampidae) *otus* Drury,[1773]
- 298.** *Sena proxima* Staudinger,1894 (Lasiocampidae) *proxima* Staudinger,1894
- 299.** *Streblote siva* (Lefébvre,1827) (Lasiocampidae) *siva* Lefébvre,1827
- 300.** *Lemonia peilei* Rothschild,1921 (Lemoniidae) *peilei* Rothschild,1921
- 301.** *Libythea* (s.str.) *celtis* (Laicharting,1782) (Libytheidae) *celtis* Laicharting,1782
- 302.** *Callophrys rubi* (Linnaeus,1758) (Lycaenidae) *rubi* Linnaeus,1758
- 303.** *Celastrina argiolus* (Linnaeus,1758) (Lycaenidae) *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
- 304.** *Chilades* (Freyeria) *trochylus* (Freyer,[1843]) (Lycaenidae) *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931
- 305.** *Chilades* (Lachides) *galba* (Lederer,1855) (Lycaenidae) *galba* Lederer,1855
- 306.** *Cigaritis cilissa* Lederer,1861 (Lycaenidae) *cilissa* Lederer,1861
- 307.** *Cigaritis epargyros* (Eversmann,1854) (Lycaenidae) *epargyros* Eversmann,1854
- 308.** *Cigaritis uighurica* Kemal & Koçak,2005 (Lycaenidae) *maxima* Staudinger,1901 *nec* Elw.,1892; *uighurica* Kemal & Koçak,2005
- 309.** *Glaucopteryx* (s.str.) *alexis* (Poda,1761) (Lycaenidae) *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *mironi* Coutis,1976.
- 310.** *Heodes* (Loweia) *tityrus* (Poda,1761) (Lycaenidae) *tityrus* Poda,1761; *acrion* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990.
- 311.** *Lampides boeticus* (Linnaeus,1767) (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886
- 312.** *Lycaena* (s.str.) *phlaeas* (Linnaeus,1761) (Lycaenidae) *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 *nec* Linnaeus,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853
- 313.** *Plebejus* (Kretania) *iranicus* (Forster,1938) (Lycaenidae) *iranicus* Forster,1938
- 314.** *Plebejus* (Plebejides) *zephyrinus* (Christoph,1884) (Lycaenidae) *zephyrinus* Christoph,1884
- 315.** *Plebejus* (s.str.) *argus* (Linnaeus,1758) (Lycaenidae) *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilome* Verity,1931.
- 316.** *Polyommatus* (Albulina) (Plebejidea) *loewii* (Zeller,1847) (Lycaenidae) *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934.
- 317.** *Polyommatus* (Albulina) (Vacciniina) *alcedo* (Christoph,1877) (Lycaenidae) *alcedo* Christoph,1877
- 318.** *Polyommatus* (Aricia) (Ultraaricia) *crassipunctus* (Christoph,1893) (Lycaenidae) *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909.
- 319.** *Polyommatus* (Aricia) (s.str.) *agestis* ([Denis & Schiffermüller],1775) (Lycaenidae) *medon* Hufnagel,1766 *nec* Linn.,1763; *alexis* Rottemburg,1775 *nec* Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779].
- 320.** *Polyommatus* (s.str.) (Agrodiaetus) (Admetusia) *alcestis* (Zerny,1932) (Lycaenidae) *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002.
- 321.** *Polyommatus* (s.str.) (Agrodiaetus) (Antidolus) *mithridates* (Staudinger,1878) (Lycaenidae) *mithridates* Staudinger,1878
- 322.** *Polyommatus* (s.str.) (Agrodiaetus) (Musa) *wagneri* (Forster,1956) (Lycaenidae) *wagneri* Forster,1956
- 323.** *Polyommatus* (s.str.) (Agrodiaetus) (Phyllisia) *phyllis* (Christoph,1877) (Lycaenidae) *phyllis* Christoph,1877
- 324.** *Polyommatus* (s.str.) (Agrodiaetus) (Phyllisia) *vanensis* (De Lesse,1957) (Lycaenidae) *vanensis* De Lesse,1957
- 325.** *Polyommatus* (s.str.) (Agrodiaetus) (Transcaspia) *elbursicus* (Forster,1956) (Lycaenidae) *elbursica* Forster,1956.
- 326.** *Polyommatus* (s.str.) (Cyaniris) *bellis* (Freyer,[1842]) (Lycaenidae) *bellis* Freyer,[1842]; *mesopotamica* Tutt,[1909].
- 327.** *Polyommatus* (s.str.) (Lysandra) *bellargus* (Rottemburg,1775) (Lycaenidae) *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 *nec* Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958
- 328.** *Polyommatus* (s.str.) (Meleageria) *daphnis* ([Denis & Schiffermüller],1775) (Lycaenidae) *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 *nec* Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
- 329.** *Polyommatus* (s.str.) (Neolysandra) *coelestinus* (Eversmann,1843) (Lycaenidae) *coelestinus* Eversmann,1843
- 330.** *Polyommatus* (s.str.) (Plebicula) *amandus* (Schneider,1792) (Lycaenidae) *icarius* Esper,1789 *nec* Rottemburg,1775; *amandus* Schneider,1792
- 331.** *Polyommatus* (s.str.) *icarus* (Rottemburg,1775) (Lycaenidae) *argus* Poda,1761 *nec* Linn.,1758; *alexis* Scopoli,1763 *nec* Pda,1761; *thetis* Esper,1777 *nec* Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851;
- 332.** *Polyommatus* (s.str.) *persicus* (Bienert,1870) (Lycaenidae) *persica* Bienert,1870; *bienerti* Balint,[1993].
- 333.** *Pseudophilotes vicrama* (Moore,1865) (Lycaenidae) *vicrama* Moore,1865
- 334.** *Quercusia quercus* (Linnaeus,1758) (Lycaenidae) *quercus* Linnaeus,1758

- 335. Satyrium (Nordmannia) abdominalis** (Gerhard,[1850]) (Lycaenidae) *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *#gerhardi* Wiltshire,1943; *elta* Higgins,1964.
- 336. Satyrium (Nordmannia) ilicis** (Esper,[1779]) (Lycaenidae) *ilicis* Esper,[1779]
- 337. Satyrium (Nordmannia) marcidum** (Riley,1921) (Lycaenidae) *marcidum* Riley,1921
- 338. Satyrium (Nordmannia) zabni** Oorschot & Brink,1991 (Lycaenidae) *#zabni* Higgins,1964; *zabni* Oorschot & Brink,1991.
- 339. Satyrium (Strymonidia) spini** (Fabricius,1787) (Lycaenidae) *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] *nec* Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 *nec* Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950.
- 340. Tarucus (s.str.) balkanicus** (Freyer,[1843]) (Lycaenidae) *balkanicus* Freyer,[1843]
- 341. Tarucus (s.str.) rosaceus** (Austaut,1885) (Lycaenidae) *rosacea* Austaut,1885; *mediterraneae* Bethune-Baker,1918.
- 342. Thersamolycaena (Alciphronia) alciphron** (Rottemburg,1775) (Lycaenidae) *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hierae* Fabricius,1787.
- 343. Thersamonia (s.str.) asabinus** (Gerhard,[1850]) (Lycaenidae) *#helius* Herrich-Schäffer,[1851]; *asabinus* Herrich-Schäffer,[1852].
- 344. Thersamonia (s.str.) kurdistanica** (Riley,1921) (Lycaenidae) *kurdistanica* Riley,1921
- 345. Thersamonia (s.str.) thetis** (Klug,1834) (Lycaenidae) *thetis* Klug,1834.
- 346. Tomares callimachus** (Eversmann,1848) (Lycaenidae) *callimachus* Eversmann,1848
- 347. Turanana endymion** (Freyer,[1850]) (Lycaenidae) *endymion* Freyer,[1850]
- 348. Zizeeria karsandra** (Moore,1865) (Lycaenidae) *karsandra* Moore,1865
- 349. Euproctis melania** (Staudinger,1892) (Lymantriidae) *melania* Staudinger,1892; *melaniodes* Strand,1910.
- 350. Leucoma wiltshirei** Collenette,1938 (Lymantriidae) *wiltshirei* Collenette,1938
- 351. Lymantria destituta** (Staudinger,1892) (Lymantriidae) *destituta* Staudinger,1892; *maraschi* Daniel,1932.
- 352. Lymantria dispar** (Linnaeus,1758) (Lymantriidae) *dispar* Linnaeus,1758; *disparina* Müller,1802; *japonica* Motschulsky,1860; *disparoides* Mabille,1876; *bordigalensis* Mabille,1876; *asiatica* Wnukowsky,1926
- 353. Lymantria lapidicola** Herrich-Schäffer,[1852] (Lymantriidae) *lapidicola* Herrich-Schäffer,[1852]
- 354. Ocneria raddei** Christoph,1885 (Lymantriidae) *raddei* Christoph,1885
- 355. Ocneria terebynthina** Staudinger,[1895] (Lymantriidae) *terebynthina* Staudinger,[1895]
- 356. Ocneroxia amanda** Staudinger,1892 (Lymantriidae) *amanda* Staudinger,1892
- 357. Uliolepis signatoria** (Christoph,1893) (Lymantriidae) *signatoria* Christoph,1893; *pilosa* Warren,1897
- 358. Abrostola clarissa** (Staudinger,1900) (Noctuidae) *clarissa* Staudinger,1900
- 359. Acantholipes regularis** (Hübner,[1813]) (Noctuidae) *regularis* Hübner,[1813]
- 360. Acontia biskrensis** (Oberthür,1887) (Noctuidae) *biskrensis* Oberthür,1887; *grisea* Rebel,1948
- 361. Acontia lucida** (Hufnagel,1766) (Noctuidae) *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *lugens* Alpheraky,1889.
- 362. Acontia titania** (Esper,[1798]) (Noctuidae) *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846.
- 363. Acrobyla kneuckeri** (Rebel,1903) (Noctuidae) *kneuckeri* Rebel,1903; *turcorum* Krüger,1939 *nec* Zny.
- 364. Acronicta (Triaena) aceris** (Linnaeus,1758) (Noctuidae) *aceris* Linnaeus,1758
- 365. Acronicta (Triaena) pasiphae** Draudt,1936 (Noctuidae) *pasiphae* Draudt,1936
- 366. Acronicta (Viminia) rumicis** (Linnaeus,1758) (Noctuidae) *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857
- 367. Aedia funesta** (Esper,[1786]) (Noctuidae) *funesta* Esper,[1786]
- 368. Aedophron phlebobphora** Lederer,1858 (Noctuidae) *phlebobphora* Lederer,1858
- 369. Aegle otto** (Schawerda,1923) (Noctuidae) *otto* Schawerda,1923
- 370. Aegle rebeli** Schawerda,1923 (Noctuidae) *rebeli* Schawerda,1923
- 371. Aegle subflava** (Ershoff,1874) (Noctuidae) *subflava* Ershoff,1874
- 372. Agrochola (Alpichola) egorovi** (Bang-Haas,1934) (Noctuidae) *egorovi* Bang-Haas,1934
- 373. Agrochola (Anchoscelis) imitata** Ronkay,1984 (Noctuidae) *imitata* Ronkay,1984
- 374. Agrochola (Anchoscelis) scabra** (Staudinger,1892) (Noctuidae) *scabra* Staudinger,1892
- 375. Agrochola (s.str.) pistacina** (Goeze,1781) (Noctuidae) *#lychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781.
- 376. Agrotis (Crassagrotis) bigramma** (Esper,[1790]) (Noctuidae) *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891.
- 377. Agrotis (Crassagrotis) obesa** (Boisduval,1829) (Noctuidae) *obesa* Boisduval,1840
- 378. Agrotis (Putagrotis) herzogii** (Rebel,1911) (Noctuidae) *herzogii* Rebel,1911; *hoggari* Rothschild,1920; *minima* Turati,1924; *securifera* Turati,1924; *saracenica* Tams,1925; *leroyi* Lucas,1940
- 379. Agrotis (Putagrotis) puta** (Hübner,[1803]) (Noctuidae) *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylea* Treit.,1826; *radiola* Stephens,1829; *catalaunensis* Milliere,1873; *meridionalis* Spuler,1905; *andreasii*, *minima*, *silvestrii* Turati,1924; *insula* Richardson,1958.
- 380. Agrotis (s.str.) biconicus** Kollar,[1844] (Noctuidae) *spinifera* Hübner,[1808] *nec* Vill.,1789; *biconica* Kollar,[1844].
- 381. Agrotis (s.str.) exclamatoris** (Linnaeus,1758) (Noctuidae) *exclamatoris* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 *nec* Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934.
- 382. Agrotis (s.str.) haifae** Staudinger,1897 (Noctuidae) *haifae* Staudinger,1897
- 383. Agrotis (s.str.) ipsilon** (Hufnagel,1766) (Noctuidae) *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789.
- 384. Agrotis (s.str.) sardzeana** Brandt,1941 (Noctuidae) *sardzeana* Brandt,1941
- 385. Agrotis (s.str.) segetum** ([Denis & Schiffermüller],1775) (Noctuidae) *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (*praeocc.*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886.
- 386. Agrotis (s.str.) trux** (Hübner,[1824]) (Noctuidae) *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
- 387. Amphipyra pyramidea** (Linnaeus,1758) (Noctuidae) *pyramidea* Linnaeus,1758
- 388. Antholopha gloriosa** (Staudinger,1892) (Noctuidae) *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta* Osthelder,1933; *#grisea* Osthelder,1933.

389. *Anumeta asiatica* Wiltshire, 1961 (Noctuidae) *spatzi* auct.; *asiatica* Wiltshire, 1961
390. *Anumeta atosignata* Walker, 1858 (Noctuidae) *atosignata* Walker, 1858; *arenosa* Brandt, 1939
391. *Anumeta sabulosa* Rothschild, 1913 (Noctuidae) *sabulosa* Rothschild, 1913
392. *Anumeta spilota* (Erschoff, 1874) (Noctuidae) *spilota* Erschoff, 1874
393. *Apamea syriaca* (Osthelder, 1933) (Noctuidae) *syriaca* Osthelder, 1933; *albida* Osthelder, 1933; *tallosi* Kovacs & Varga, 1969.
394. *Apopestes spectrum* (Esper, [1787]) (Noctuidae) *spectrum* Esper, [1787]
395. *Aporophyla australis* (Boisduval, 1829) (Noctuidae) *australis* Boisduval, 1829
396. *Aporophyla canescens* (Duponchel, 1826) (Noctuidae) *canescens* Duponchel, 1826; *pumicosa* Geyer, [1832]; *asphodeli* Rambur, 1832; *plumbea* Staudinger, 1895; *plumbina* Osthelder, 1933.
397. *Aporophyla dipsalea* Wiltshire, 1941 (Noctuidae) *dipsalea* Wiltshire, 1941; *distincta* L. Ronkay, 1985.
398. *Aporophyla nigra* (Haworth, [1809]) (Noctuidae) *lunula* Ström, 1783 nec Hfn., 1766; *nigra* Haworth, [1809]; *nigricans* Hbn., [1813]; *aethiops* Ochsenheimer, 1816; *seileri* Fuchs, 1901
399. *Archana geminipuncta* (Haworth, 1809) (Noctuidae) *geminipuncta* Haworth, 1809; *paludicola* Hübner, [1817].
400. *Archana insoluta* Warren, 1911 (Noctuidae) *insoluta* Warren, 1911
401. *Arenostola phragmitidis* (Hübner, [1803]) (Noctuidae) *phragmitidis* Hübner, [1803]
402. *Armada panaceorum* (Ménétrières, 1849) (Noctuidae) *panaceorum* Ménétrières, 1849; *distincta* Rothschild, 1915.
403. *Autographa gamma* (Linnaeus, 1758) (Noctuidae) *gamma* Linnaeus, 1758; *messmeri* Schadewald, 1992; *voelkeri* Schadewald, 1992.
404. *Autophila* (Cheirophanes) *cymaenotaenia* Boursin, 1940 (Noctuidae) *cymaenotaenia* Boursin, 1940
405. *Autophila* (Cheirophanes) *ligaminosa* (Eversmann, 1851) (Noctuidae) *ligaminosa* Eversmann, 1851; *caucasica* Herz, 1904.
406. *Autophila* (s.str.) *asiatica* (Staudinger, 1888) (Noctuidae) *asiatica* Staudinger, 1888
407. *Autophila* (s.str.) *cerealis* (Staudinger, 1871) (Noctuidae) *cerealis* Staudinger, 1871
408. *Autophila* (s.str.) *depressa* (Püngeler, 1914) (Noctuidae) *depressa* Püngeler, 1914
409. *Autophila* (s.str.) *limbata* (Staudinger, 1871) (Noctuidae) *limbata* Staudinger, 1871
410. *Basistriga flammata* (Denis & Schiffermüller, 1775) (Noctuidae) *flammata* [Denis & Schiffermüller], 1775; *bimaculata* Milliere, 1885.
411. *Boursinia deceptorix* (Staudinger, 1900) (Noctuidae) *deceptorix* Staudinger, 1900
412. *Brachygalea albolineata* (Blachier, 1905) (Noctuidae) *albolineata* Blachier, 1905; *leucorhabda* Hampson, 1906; *albolineata* Hampson, 1906
413. *Bryomima carducha* Staudinger, 1900 (Noctuidae) *carducha* Staudinger, 1900
414. *Bryophilopsis roederi* (Standfuss, 1892) (Noctuidae) *roederi* Standfuss, 1892
415. *Calamia staudingeri* Warnecke, 1941 (Noctuidae) *staudingeri* Warnecke, 1941
416. *Calocucullia celsiae* (Herrich-Schäffer, 1850) (Noctuidae) *celsiae* Herrich-Schäffer, [1850]
417. *Calophasia angularis* Chretien, 1911 (Noctuidae) *angularis* Chretien, 1911; *stigmatica* Rothschild, 1913; *liberatii* Turati, 1924; *danieli* Le Cerf, 1924; *pintori* Turati, 1924; *volmeri* Hering, 1930
418. *Calophasia opalina* (Esper, [1796]) (Noctuidae) *casta* Borkhausen, 1793 nec Pall., 1767; *opalina* Esper, [1796]; *biroi* Aigner, 1901; *naruensis* Spuler, 1910; *castior* Stauder, 1923.
419. *Caradrina* (Boursinidrina) *parvaspersa* (Boursin, 1936) (Noctuidae) *parvaspersa* Boursin, 1936
420. *Caradrina* (Boursinidrina) *surchica* (Boursin, 1937) (Noctuidae) *surchica* Boursin, 1937
421. *Caradrina* (Boursinidrina) *wiltshirei* (Boursin, 1936) (Noctuidae) *wiltshirei* Boursin, 1936
422. *Caradrina* (Eremodrina) *belucha* (Swinhoe, 1885) (Noctuidae) *belucha* Swinhoe, 1885; *conditorana* Pinker, 1980
423. *Caradrina* (Eremodrina) *flava* (Oberthür, 1876) (Noctuidae) *flava* Oberthür, 1876; *approximans* Rothschild, 1914
424. *Caradrina* (Eremodrina) *pertinax* (Staudinger, 1879) (Noctuidae) *pertinax* Staudinger, 1879; *argentea* Caradja, 1930.
425. *Caradrina* (Eremodrina) *salzi* (Boursin, 1936) (Noctuidae) *salzi* Boursin, 1936
426. *Caradrina* (Eremodrina) *turatii* (Boursin, 1936) (Noctuidae) *turatii* Boursin, 1936
427. *Caradrina* (Eremodrina) *zernyi* (Boursin, 1936) (Noctuidae) *zernyi* Boursin, 1936; *signata* Boursin, 1936
428. *Caradrina* (Kalchbergiana) *ingrata* (Staudinger, 1897) (Noctuidae) *ingrata* Staudinger, 1897
429. *Caradrina* (Levantrina) *bodenheimeri* (Draudt, 1934) (Noctuidae) *bodenheimeri* Draudt, 1934; *bodenheimeri* Amsel, 1935; *chlorotica* Boursin, 1936; *plesiarchia* Boursin, 1937
430. *Caradrina* (Paradrina) *clavipalpis* (Scopoli, 1763) (Noctuidae) *clavipalpis* Scopoli, 1763; *grisea* Hufnagel, 1766; *quadripunctata* Fabricius, 1775; *cubicularis* [Denis & Schiffermüller], 1775; *leucoptera* Thunberg, 1791; *milleri* Schultz, 1862; *avicula* Krulikovskiy, 1909; *teidovolans* Pinker, 1974; *pinkeri* Kobes, 1975
431. *Caradrina* (Paradrina) *flava* (Oberthür, 1876) (Noctuidae) *flava* Oberthür, 1876; *approximans* Rothschild, 1914.
432. *Caradrina* (Paradrina) *flavirena* (Guenée, 1852) (Noctuidae) *flavirena* Guenée, 1852; *minor* Staudinger, 1897; *subdita* W. Warren, 1911; *muricolor* Boursin, 1933; *subdita* Leraut, 1980
433. *Cardepia arenaria* (Hampson, 1905) (Noctuidae) *arenaria* Hampson, 1905
434. *Cardepia irrisoria* (Erschoff, 1874) (Noctuidae) *irrisor* Erschoff, 1874; *irrisoria* Erschoff, 1874; *albipicta* Christoph, 1884
435. *Catamecia minima* (Swinhoe, 1889) (Noctuidae) *minima* Swinhoe, 1889; *delicata* Turati, 1934; *kordofana* Wiltshire, 1977
436. *Catephia alchymista* ([Denis & Schiffermüller], 1775) (Noctuidae) *alchymista* [Denis & Schiffermüller], 1775
437. *Catocala* (s.str.) *abacta* Staudinger, 1900 (Noctuidae) *abacta* Staudinger, 1900; *irana* Brandt, 1938; *hiranica* Hacker, 1986.
438. *Catocala* (s.str.) *diversa* (Geyer, [1828]) (Noctuidae) *diversa* Geyer, [1828]; *divera* Hacker, 1988
439. *Catocala* (s.str.) *elocata* (Esper, [1787]) (Noctuidae) *elocata* Esper, [1787]; *marita* Hübner, [1813]; *nurus* Hübner, [1822]
440. *Catocala* (s.str.) *lesbia* Christoph, 1887 (Noctuidae) *lesbia* Christoph, 1887
441. *Catocala* (s.str.) *lupina* Herrich-Schäffer, [1851] (Noctuidae) *lupina* Herrich-Schäffer, [1851]
442. *Catocala* (s.str.) *mesopotamica* Kuznesov, 1903 (Noctuidae) *hetaera* Staudinger, 1895 nec Stgr., 1892; *aspasia* Staudinger, 1897 nec Streck., 1874; *mesopotamica* Kuznesov, 1903
443. *Catocala* (s.str.) *neonympha* (Esper, [1805]) (Noctuidae) *neonympha* Esper, [1805]
444. *Catocala* (s.str.) *nymphagoga* (Esper, [1787]) (Noctuidae) *nymphagoga* Esper, [1787]; *tmolia* Lederer, 1865
445. *Catocala* (s.str.) *optima* Staudinger, 1888 (Noctuidae) *optima* Staudinger, 1888
446. *Catocala* (s.str.) *puerpera* (Giorna, 1791) (Noctuidae) *puerpera* Giorni, 1791; *amasia* Esper, [1804] nec Sm., 1797; *pelle* Hübner, [1809]; *romana* Schultz, 1909
447. *Cerocala sana* Staudinger, 1901 (Noctuidae) *insana* Staudinger, 1871 nec H.-S., 1858; *sana* Staudinger, 1901; *albifusa* de Joannis, 1910.
448. *Chazaria incarnata* (Freyer, 1838) (Noctuidae) *incarnata* Freyer, 1838; *boisduvali* Boisduval, 1840.
449. *Chersotis fimbriola* (Esper, [1798]) (Noctuidae) *fimbriola* Esper, [1798]
450. *Chersotis semna* (Püngeler, 1906) (Noctuidae) *semna* Püngeler, 1906
451. *Chionoxantha staudingeri* (Standfuss, 1892) (Noctuidae) *staudingeri* Standfuss, 1892
452. *Chloantha hypericii* (Fabricius, 1787) (Noctuidae) *hyperici* [Denis & Schiffermüller], 1775; *hypericii* Fabricius, 1787

453. *Chrysodeixis chalcites* (Esper,[1789]) (Noctuidae) *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865
454. *Cleonymia* (Serryvania) *opposita* (Lederer,1870) (Noctuidae) *opposita* Lederer,1870; *hobscurior* Osthelder,1933.
455. *Cleonymia* (s.str.) *chabordis* (Oberthür,1876) (Noctuidae) *chabordis* Oberthür,1876; *#chabordis* Brandt,1939.
456. *Cleonymia* (s.str.) *pectinicornis* (Staudinger,1859) (Noctuidae) *pectinicornis* Staudinger,1859; *youngi* Rothschild,1925
457. *Cleonymia* *jubata* (Oberthür,1890) (Noctuidae) *jubata* Oberthür,1890
458. *Clytie* (Hypoglaucitis) *infrequens* (Swinhoe,1884) (Noctuidae) *infrequens* Swinhoe,1884; *benenotata* W.Warren,1888.
459. *Clytie* (s.str.) *arenosa* Rothschild,1913 (Noctuidae) *arenosa* Rothschild,1913; *seifersi* Gaede,1933.
460. *Clytie* (s.str.) *syriaca* (Bugnion,1837) (Noctuidae) *syriaca* Bugnion,1837; *gentilitia* Freyer,1848.
461. *Clytie* (s.str.) *terrentula* (Christoph,1893) (Noctuidae) *terrentula* Christoph,1893
462. *Colobochyla* (Caspicastra) *platyzona* (Lederer,1870) (Noctuidae) *platyzona* Lederer,1870; *#platyzona* Hacker,1990.
463. *Condica* *palaestinensis* (Staudinger,1895) (Noctuidae) *palaestinensis* Staudinger,1895; *persicola* Draudt,1934; *persicola* Wiltshire,1952
464. *Condica viscosa* (Freyer,1831) (Noctuidae) *viscosa* Freyer,1831; *indelicata* Turati,1934; *europaea* Parenzan,1980.
465. *Conistra* (s.str.) *veronicae* (Hübner,[1813]) (Noctuidae) *veronicae* Hübner,[1813]
466. *Cornutiplusia* *circumflexa* (Linnaeus,1767) (Noctuidae) *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#unata* Kononenko & Pinratana,2005
467. *Craniophora* *pontica* (Staudinger,1879) (Noctuidae) *pontica* Staudinger,1879
468. *Cryphia* (Bryoleuca) *eucta* (Hampson,1908) (Noctuidae) *eucta* Hampson,1908
469. *Cryphia* (Bryoleuca) *petrea* (Guenée,1852) (Noctuidae) *petrea* Guenée,1852
470. *Cryphia* (Bryoleuca) *raptricula* ([Denis & Schiffermüller],1775) (Noctuidae) *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962.
471. *Cryphia* (Bryoleuca) *rectilinea* (W.Warren,1909) (Noctuidae) *rectilinea* W.Warren,1909; *mediochracea* Bytinski-Salz,1936; *insulicola* Reisser,1962.
472. *Cryphia* (Bryoleuca) *remanei* Heydemann & Schulte,1963 (Noctuidae) *remanei* Heydemann & Schulte,1963
473. *Cryphia* (Bryophila) *eucharista* Boursin,1960 (Noctuidae) *iranica* Brandt,1941 *nec* Schwing,1937; *eucharista* Boursin,1960.
474. *Cryphia* (Bryophila) *maeonis* (Lederer,1865) (Noctuidae) *maeonis* Lederer,1865; *rubellina* Staudinger,1900; *sabulicolor* De Lattin,1950.
475. *Cryphia* (Euthales) *algae* (Fabricius,1775) (Noctuidae) *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813].
476. *Cucullia* (Shargacucullia) *barthae* Boursin,1933 (Noctuidae) *barthae* Boursin,1933
477. *Cucullia* (Shargacucullia) *lychnitis* (Rambur,1833) (Noctuidae) *lychnitis* Rambur,1833
478. *Cucullia* (Shargacucullia) *strigicosta* Boursin,1940 (Noctuidae) *strigicosta* Boursin,1940
479. *Cucullia* (Shargacucullia) *verbasci* (Linnaeus,1758) (Noctuidae) *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911.
480. *Cucullia* (s.str.) *boryphora* Fischer & Waldheim,1840 (Noctuidae) *boryphora* Fischer & Waldheim,1840
481. *Cucullia* (s.str.) *calendulae* Treitschke,1835 (Noctuidae) *calendulae* Treitschke,1835; *wredowi* Costa,[1836]; *leucanthemi* Rambur,1858; *dellabrunai* Berio,1980.
482. *Dichagyris* (Yigoga) *flavina* (Herrich-Schäffer,[1852]) (Noctuidae) *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931.
483. *Dichagyris* (Yigoga) *forcipula* ([Denis & Schiffermüller],1775) (Noctuidae) *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980.
484. *Dichagyris* (Yigoga) *gracilis* (F.Wagner,1929) (Noctuidae) *gracilis* F.Wagner,1929
485. *Dichagyris* (Yigoga) *nigrescens* (Hofner,1888) (Noctuidae) *nigrescens* Höfner,1888
486. *Dichagyris* (Yigoga) *orientis* (Alpheraky,1882) (Noctuidae) *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933.
487. *Dichagyris* (Yigoga) *romanovi* (Christoph,1885) (Noctuidae) *romanovi* Christoph,1885; *#jura* Strand,1915; *karsholti* Fibiger,1990.
488. *Dichagyris* (Yigoga) *signifera* ([Denis & Schiffermüller],1775) (Noctuidae) *#signifera* [Denis & Schiffermüller],1775
489. *Dichagyris* (Yigoga) *stigmatula* (Kozhantshikov,1937) (Noctuidae) *stigmatula* Kozhantshikov,1937
490. *Dichagyris* (Yigoga) *wiltshirei* (Boursin,1936) (Noctuidae) *wiltshirei* Boursin,1936; *#wiltshirei* Ebert & Hacker,2002
491. *Dichagyris* (s.str.) *anastasia* (Draudt,1936) (Noctuidae) *anastasia* Draudt,1936
492. *Dichagyris* (s.str.) *erubescens* (Staudinger,1892) (Noctuidae) *erubescens* Staudinger,1892
493. *Dichagyris* (s.str.) *forcicula* (Eversmann,1851) (Noctuidae) *forcicula* Eversmann,1851
494. *Dichagyris* (s.str.) *griscens* Staudinger,1879 (Noctuidae) *griscens* Staudinger,1879
495. *Dichagyris* (s.str.) *singularis* (Staudinger,1877) (Noctuidae) *singularis* Staudinger,1877
496. *Dichagyris* (s.str.) *squalidior* (Staudinger,1901) (Noctuidae) *squalidior* Staudinger,1901
497. *Dichagyris* (s.str.) *squalorum* (Eversmann,1856) (Noctuidae) *squalorum* Eversmann,1856
498. *Dichagyris* (s.str.) *terminicincta* (Corti & Draudt,1933) (Noctuidae) *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933.
499. *Dichonia* *aeruginea* (Hübner,[1803]) (Noctuidae) *aeruginea* Hübner,[1803]; *mioleuca* Geyer,[1828]; *chioleuca* Treitschke,1835; *mesembrina* Schawerda,1913.
500. *Dicycla* *oo* (Linnaeus,1758) (Noctuidae) *oo* Linnaeus,1758; *ferruginago* Hübner,[1803].
501. *Drasteria* *cailino* (Lefebvre,1827) (Noctuidae) *cailino* Lefebvre,1827
502. *Drasteria* *flexuosa* (Ménétriés,1848) (Noctuidae) *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
503. *Drasteria* *kabylaria* (A.Bang-Haas,1906) (Noctuidae) *kabylaria* A.Bang-Haas,1906
504. *Drasteroides* *limata* (Christoph,1884) (Noctuidae) *limata* Christoph,1884
505. *Dryobotodes* (s.str.) *eremita* (Fabricius,1775) (Noctuidae) *eremita* Fabricius,1775; *protea* [Denis & Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* Warren,1911; *#grisea* Warren,1911
506. *Dysmilichia* *bicolor* (Chrétien,1913) (Noctuidae) *bicolor* Chrétien,1913
507. *Dysmilichia* *bicyclica* (Staudinger,1888) (Noctuidae) *bicyclica* Staudinger,1888
508. *Earias* *chlorophyllana* Staudinger,1892 (Noctuidae) *chlorophyllana* Staudinger,1892; *syrticola* Turati,1926; *watsoni* Wiltshire,1947.
509. *Earias* *clorana* (Linnaeus,1761) (Noctuidae) *clorana* Linnaeus,1761; *viride* Retzius,1783
510. *Earias* *insulana* (Boisduval,1833) (Noctuidae) *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillina* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.

- 511.** *Earias irakana* Wiltshire, 1936 (Noctuidae) *irakana* Wiltshire, 1936
- 512.** *Earias syriacana* Bartel, 1903 (Noctuidae) *syriacana* Bartel, 1903
- 513.** *Egira tibori* Hreblay, 1994 (Noctuidae) *tibori* Hreblay, 1994
- 514.** *Eicomorpha kurdestanica* De Freina & Hacker, 1985 (Noctuidae) *kurdestanica* De Freina & Hacker, 1985
- 515.** *Emmelia trabealis* (Scopoli, 1763) (Noctuidae) *trabealis* Scopoli, 1763; *sulphuralis* Linnaeus, 1767; *sulphurea* [Denis & Schiffermüller], 1775; *lugubris* Fabricius, 1777; *histrionella* Goeze, 1783; *arlequinetta* Fourcroy, 1785; *trabeata* Borkhausen, 1790; *pardalina* Walker, 1865
- 516.** *Epipsammia boursini* Wiltshire, 1957 (Noctuidae) *boursini* Wiltshire, 1957
- 517.** *Episema lederi* Christoph, 1885 (Noctuidae) *lederi* Christoph, 1885; *sareptana* Alpheraky, 1897; *#lederi* Wiltshire, 1937.
- 518.** *Eublemma* (Glossodice) *polygramma* (Duponchel, [1842]) (Noctuidae) *polygramma* Duponchel, [1842]; *argillacea* Eversmann, 1844; *nuda* Christoph, 1862; *pudorina* Staudinger, 1889; *violetta* Staudinger, 1889.
- 519.** *Eublemma (albida-gr.) albida* (Duponchel, 1843) (Noctuidae) *albida* Duponchel, 1843; *albicans* Guenée, 1852; *gueneei* Spuler, 1907.
- 520.** *Eublemma (albida-gr.) gratissima* (Staudinger, 1892) (Noctuidae) *gratissima* Staudinger, 1892; *infuscata* Staudinger, 1892; *peralba* Schawerda, 1923.
- 521.** *Eublemma (albida-gr.) hansa* (Herrich-Schäffer, [1851]) (Noctuidae) *hansa* Herrich-Schäffer, [1851]
- 522.** *Eublemma (albida-gr.) straminea* (Staudinger, 1892) (Noctuidae) *straminea* Staudinger, 1892; *transmittens* Christoph, 1893; *maraschensis* Osthelder, 1933.
- 523.** *Eublemma (candidana-gr.) candidana* (Fabricius, 1794) (Noctuidae) *candidana* Fabricius, 1794; *minuta* Hübner, [1809]; *perlana* Geyer, [1830]; *skaftota* Herrich-Schäffer, 1851; *impura* Staudinger, 1871.
- 524.** *Eublemma (chlorotica-gr.) chlorotica* (Lederer, 1858) (Noctuidae) *chlorotica* Lederer, 1858
- 525.** *Eublemma (cochylioides-gr.) cochylioides* (Guenée, 1852) (Noctuidae) *cochylioides* Guenée, 1852; *rosita* Guenée, 1852; *phoenissa* Lederer, 1855; *derogata* Walker, 1858; *calida* Rebel, 1894; *calida* Staudinger, 1895; *confuscata* Warren, 1913.
- 526.** *Eublemma (ostrina-gr.) ostrina* (Hübner, [1808]) (Noctuidae) *ostrina* Hübner, [1808]; *carthami* Herrich-Schäffer, [1851]; *aestivalis* Guenée, 1852; *numida* Lucas, 1849; *thasia* Koutsafikis, 1973.
- 527.** *Eublemma (pallidula-gr.) virginalis* (Oberthür, 1881) (Noctuidae) *virginalis* Oberthür, 1881; *caid* Oberthür, 1881; *subterminalis* Rothschild, 1914
- 528.** *Eublemma (parva-gr.) parva* (Hübner, [1808]) (Noctuidae) *parva* Hübner, [1808]; *rubefacta* Mabilie, 1869; *chalybea* Swinhoe, 1884; *nymphodora* Meyrick, 1902.
- 529.** *Eublemma (rosina-gr.) parallela* (Freyer, 1842) (Noctuidae) *parallela* Freyer, 1842; *concinula* Herrich-Schäffer, 1851; *#densata* Warren, 1912.
- 530.** *Eublemma peralba* (Schawerda, 1923) (Noctuidae) *peralba* Schawerda, 1923
- 531.** *Eublemma supuncta* (Staudinger, 1892) (Noctuidae) *supuncta* Staudinger, 1892
- 532.** *Euchalcia (s.str.) taurica* (Osthelder, 1933) (Noctuidae) *taurica* Osthelder, 1933
- 533.** *Euchalcia (s.str.) viridis* (Staudinger, 1901) (Noctuidae) *viridis* Staudinger, 1901
- 534.** *Eugnorisma* (Metagnorisma) *pontica* (Staudinger, 1892) (Noctuidae) *pontica* Staudinger, 1892
- 535.** *Eugnorisma* (Metagnorisma) *rafidain* (Boursin, 1936) (Noctuidae) *rafidain* Boursin, 1936
- 536.** *Eugnorisma (s.str.) chaldaica* (Boisduval, 1840) (Noctuidae) *chaldaica* Boisduval, 1840
- 537.** *Eugnorisma (s.str.) insignata* (Lederer, 1853) (Noctuidae) *insignata* Lederer, 1853; *intermedia* Eversmann, 1855.
- 538.** *Eugnorisma (s.str.) semiramis* (Boursin, 1940) (Noctuidae) *semiramis* Boursin, 1940
- 539.** *Eulocastra diaphora* (Staudinger, 1879) (Noctuidae) *diaphora* Staudinger, 1879; *triangularis* Warren, 1888; *atribasalis* Hampson, 1896; *laticincta* Staudinger, 1898.
- 540.** *Eutelia adoratrix* (Staudinger, 1892) (Noctuidae) *adoratrix* Staudinger, 1892
- 541.** *Eutelia adulatrix* (Hübner, [1813]) (Noctuidae) *adulatrix* Hübner, [1813]
- 542.** *Euxoa (Orosagrotis) foeda* (Lederer, 1855) (Noctuidae) *foeda* Lederer, 1855; *enitens* Corti, 1926; *marmorosa* Corti, 1927; *vanensis* Draudt, 1937.
- 543.** *Euxoa (Pleonectopoda) hilaris* (Freyer, 1838) (Noctuidae) *hilaris* Freyer, 1838
- 544.** *Euxoa (Pleonectopoda) inclusa* Corti, 1931 (Noctuidae) *inclusa* Corti, 1931
- 545.** *Euxoa (s.str.) canariensis* Rebel, 1902 (Noctuidae) *canariensis* Rebel, 1902
- 546.** *Euxoa (s.str.) conspicua* (Hübner, [1824]) (Noctuidae) *conspicua* Hübner, [1824]; *agricola* Boisduval, 1829; *abdit* Joannis, 1891; *#indistincta* Strand, 1915; *osthelderi* Corti, 1931; *complicata* Corti, 1931.
- 547.** *Euxoa (s.str.) cos* (Hübner, [1824]) (Noctuidae) *cos* Hübner, [1824]; *tephra* Boisduval, 1840; *nagyagensis* Freyer, 1845; *vacillans* Herrich-Schäffer, [1850]; *millierei* Staudinger, 1870; *cycladum* Staudinger, 1871; *aphe* Mabilie, 1885; *crimaea* A. Bang-Haas, 1906; *mesopotamica* A. Bang-Haas, 1912; *rubra* Corti, 1933.
- 548.** *Euxoa (s.str.) decora* (Denis & Schiffermüller, [1775]) (Noctuidae) *decora* [Denis & Schiffermüller], 1775
- 549.** *Euxoa (s.str.) nigricans* (Linnaeus, 1761) (Noctuidae) *nigricans* Linnaeus, 1761; *fumosa* [Denis & Schiffermüller], 1775; *rubricans* Esper, [1788]; *dubia* Haworth, 1809; *vilis*, *fuliginea* Hübner, [1813]; *carbonea* Hübner, [1823]; *ursina* Godart, 1825; *rustica* Eversmann, 1842; *oppidicola* Krulikowsky, 1907.
- 550.** *Euxoa (s.str.) robiginosa* (Staudinger, [1895]) (Noctuidae) *robiginosa* Staudinger, [1895]; *terminalis* Rothschild, 1921; *pseudoobelisca* Corti, 1932; *intensior* Draudt, 1936; *vinirufa* Draudt, 1936.
- 551.** *Euxoa (s.str.) scurris* Draudt, 1937 (Noctuidae) *scurris* Draudt, 1937
- 552.** *Euxoa (s.str.) temera* (Hübner, [1808]) (Noctuidae) *temera* Hübner, [1808]; *ruris* Hübner, [1808]; *villiersii* Guenée, 1837; *declarans* Walker, [1857]; *hemispherica* Hampson, 1903; *alphonsina* Fernald, 1918; *boursini* Schawerda, 1931; *perambulans* Corti, 1931; *leucotera* Bytinski-Salz & Brandt, 1937.
- 553.** *Evisa schawerdae* Reisser, 1930 (Noctuidae) *schawerdae* Reisser, 1930
- 554.** *Grammodes bifasciata* (Petagna, 1786) (Noctuidae) *geometrica* auct.; *bifasciata* Petagna, 1786; *linearis* Hübner, 1790; *parallela* Cyrillo, 1790; *chalcipera* Borkhausen, 1792; *parallelaris* Hübner, [1803].
- 555.** *Grammodes stolidia* (Fabricius, 1775) (Noctuidae) *stolidia* Fabricius, 1775; *cingularis* Hübner, [1808]; *stipida* Herrich-Schäffer, 1851; *curvilinea* Walker, 1869.
- 556.** *Hadena (Anepia) avempacei* (Tams, 1925) (Noctuidae) *avempacei* Tams, 1925; *pampaninii* Krüger, 1933.
- 557.** *Hadena (Anepia) perplexa* ([Denis & Schiffermüller], 1775) (Noctuidae) *perplexa* [Denis & Schiffermüller], 1775; *lepida* Esper, [1790] *nec* Cr., [1779]; *carpophaga* Brahm, 1791; *ochracea* Haworth, 1809; *capsophila* Boisduval, 1840; *nisus* Germar, [1842]; *repanda* Herrich-Schäffer, [1850].
- 558.** *Hadena (Anepia) syriaca* (Osthelder, 1933) (Noctuidae) *syriaca* Osthelder, 1933; *osthelderi* Draudt, 1933.
- 559.** *Hadena (Enterpia) laudeti* (Boisduval, 1840) (Noctuidae) *laudeti* Boisduval, 1840
- 560.** *Hadena (Maschukia) pumila* (Staudinger, 1879) (Noctuidae) *pumila* Staudinger, 1879
- 561.** *Hadena (Pronotestra) silenides* (Staudinger, 1895) (Noctuidae) *silenides* Staudinger, 1895; *cinochrea* Chrétien, 1911; *pampaninii* Krüger, 1933.
- 562.** *Hadena (s.str. (Albimaculia)) gueneei* (Staudinger, 1901) (Noctuidae) *gueneei* Staudinger, 1901; *guenei* Hampson, 1905
- 563.** *Hadena (s.str. (Anatoliden)) pfeifferi* (Draudt, 1934) (Noctuidae) *pfeifferi* Draudt, 1934

- 564.** *Hadena* (s.str.(*Dianthoecia*)) *impressa* (Esper,[1790]) (Noctuidae) *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790].
- 565.** *Hadena* (s.str.(*Hadenobilis*)) *melanochroa* (Staudinger,1892) (Noctuidae) *melanochroa* Staudinger,1892
- 566.** *Hadena* (s.str.(*Hadenobilis*)) *tristis* (Draudt,1934) (Noctuidae) *tristis* Draudt,1934
- 567.** *Hadena* (s.str.(*Miselia*)) *compta* ([Denis & Schiffermüller],1775) (Noctuidae) *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908.
- 568.** *Hadjina lutos* Staudinger,1892 (Noctuidae) *lutos* Staudinger,1892
- 569.** *Hadula* (*Calocestra* (*Hadutrifolium*)) *trifolii* (Hufnagel,1766) (Noctuidae) *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921
- 570.** *Hadula* (*Cardiestra*) *vassilini* (O.Bang-Haas,1927) (Noctuidae) *vassilini* O.Bang-Haas,1927
- 571.** *Hadula* (*Cardiestra*) *vassilini* *deserta* Gyulai,2002 (Noctuidae) *deserta* Gyulai,2002
- 572.** *Hadula* (s.str.) (*Habulorum*) *sabulorum* (Alpheraky,1882) (Noctuidae) *sabulorum* Alpheraky,1882
- 573.** *Hecatera rhodocharis* (Brandt,1938) (Noctuidae) *rhodocharis* Brandt,1938
- 574.** *Hecatera spinaciae* (Vieweg,1790) (Noctuidae) *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villiers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* Warren,1910.
- 575.** *Helicoverpa armigera* (Hübner,[1808]) (Noctuidae) *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 576.** *Heliothis nubigera* Herrich-Schäffer,[1851] (Noctuidae) *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938.
- 577.** *Heliothis peltigera* ([Denis & Schiffermüller],1775) (Noctuidae) *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
- 578.** *Heliothis viriplaca* (Hufnagel,1766) (Noctuidae) *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928.
- 579.** *Herminia proxima* Christoph,1893 (Noctuidae) *proxima* Christoph,1893
- 580.** *Heteropalpia vetusta* (Walker,1865) (Noctuidae) *vetusta* Walker,1865; *profesta* Christoph,1887; *sacra* Staudinger,1898
- 581.** *Hoplodrina ambigua* ([Denis & Schiffermüller],1775) (Noctuidae) *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
- 582.** *Hoplodrina pfeifferi* (Boursin,1932) (Noctuidae) *pfeifferi* Boursin,1932.
- 583.** *Hypena* (*Jussalypena*) *laceratalis* Walker,[1859] (Noctuidae) *laceratalis* Walker,[1859]; *senectalis* Guenée,1862; *hemigrammalis* Mabilie,1880; *acrocompsa* Turner,1932.
- 584.** *Hypena* (s.str.) *obsitalis* (Hübner,[1813]) (Noctuidae) *obsitalis* Hübner,[1813]
- 585.** *Hypena indicatalis* Walker,[1859] (Noctuidae) *indicatalis* Walker,[1859]; *indicatalis* Walker,[1859]; *semiclusalis* Walker,[1866]; *tortuosa* Moore,1882; *persimilis* Hampson,1891; *caliginosa* Wileman,1911
- 586.** *Hypena masuralis* (Guenée,1854) (Noctuidae) *masuralis* Guenée,1854
- 587.** *Hypena obesalis* Treitschke,1829 (Noctuidae) *obesalis* Treitschke,1829
- 588.** *Hypena palpalis* (Hübner,1796) (Noctuidae) *palpalis* Hübner,1796; *extensalis* Guenée,1854; *armenialis* Staudinger,1901.
- 589.** *Hypenodes kalchbergi* Staudinger,1876 (Noctuidae) *kalchbergi* Staudinger,1876
- 590.** *Hypeuthina fulgurita* Lederer,1855 (Noctuidae) *fulgurita* Lederer,1855
- 591.** *Idia calvaria* ([Denis & Schiffermüller],1775) (Noctuidae) *calvaria* [Denis & Schiffermüller],1775
- 592.** *Iranada turcorum* (Zerny,1915) (Noctuidae) *turcorum* Zerny,1915
- 593.** *Jodia croceago* (Fabricius,1787) (Noctuidae) *#croceago* [Denis & Schiffermüller],1775; *croceago* Fabricius,1787; *aurantiago* Donovan,1796; *corsica* Mabilie,1868
- 594.** *Lacanobia* (*Diataraxia*) *oleracea* (Linnaeus,1758) (Noctuidae) *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937
- 595.** *Lacanobia* (*Diataraxia*) *praedita* (Hübner,[1813]) (Noctuidae) *praedita* Hübner,[1813]
- 596.** *Leucania herrichi* Herrich-Schäffer,[1849] (Noctuidae) *herrichi* Herrich-Schäffer,[1849]
- 597.** *Leucania loreyi* (Duponchel,1827) (Noctuidae) *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856.
- 598.** *Leucania palaestinae* Staudinger,1897 (Noctuidae) *palaestinae* Staudinger,1897; *languida* Staudinger,1897 *nec* Wlk.,1858; *#obscura* Heydemann et al.,1963; *#plastinae* Kornošor & Lödl,1990
- 599.** *Leucania punctosa* (Treitschke,1825) (Noctuidae) *punctosa* Treitschke,1825
- 600.** *Leucania putrescens* (Hübner,[1824]) (Noctuidae) *putrescens* Hübner,[1824]; *boisduvalii* Duponchel,1827; *valletai* Boursin,1952
- 601.** *Leucania zeae* (Duponchel,1827) (Noctuidae) *zeae* Duponchel,1827; *indistincta* Christoph,1887; *putrida* Staudinger,1889; *cinerea* Lucas,1948
- 602.** *Leucochlaena muscosa* (Staudinger,1892) (Noctuidae) *muscosa* Staudinger,1892; *hirsutus* Staudinger,1892
- 603.** *Lithophane ledereri* (Staudinger,1892) (Noctuidae) *ledereri* Staudinger,1892; *discors* Staudinger,1892
- 604.** *Lithophane semibrunnea* (Haworth,1809) (Noctuidae) *semibrunnea* Haworth,[1809]; *oculata* Sommer,[1824].
- 605.** *Lithophasia cyaxares* Wiltshire,1957 (Noctuidae) *cyaxares* Wiltshire,1957
- 606.** *Lithophasia quadrivirgula* (Mabilie,1888) (Noctuidae) *quadrivirgula* Mabilie,1888; *jordana* Stiertz,1919.
- 607.** *Luperina diversa* (Staudinger,1892) (Noctuidae) *diversa* Staudinger,1892; *indistincta* Rebel,1933
- 608.** *Luperina dumerilii* (Duponchel,1826) (Noctuidae) *dumerilii* Duponchel,1826
- 609.** *Lycophorus villosus* (Alpheraky,1887) (Noctuidae) *villosus* Alpheraky,1887; *benigna* Corti,1926
- 610.** *Lygephila cracca* (Fabricius,1787) (Noctuidae) *#cracca* [Denis & Schiffermüller],1775; *riata* Rungs,1952; *cracca* Fabricius,1787; *#cracca* Hacker & Kautt,1999.
- 611.** *Lygephila lusoria* (Linnaeus,1758) (Noctuidae) *lusoria* Linnaeus,1758
- 612.** *Lygephila lusoria amasina* (Staudinger,1879) (Noctuidae) *amasina* Staudinger,1879; *sublutea* Warren,1913.
- 613.** *Macdunnoughia confusa* (Stephens,1850) (Noctuidae) *confusa* Stephens,1850; *gutta* Guenée,1852.
- 614.** *Maraschia grisescens* Osthelder,1933 (Noctuidae) *grisescens* Osthelder,1933
- 615.** *Margelana versicolor* Staudinger,1888 (Noctuidae) *versicolor* Staudinger,1888
- 616.** *Megalodes eximia* (Freyer,1845) (Noctuidae) *eximia* Freyer,1845
- 617.** *Meganola gigantula* (Staudinger,1879) (Noctuidae) *gigantula* Staudinger,1879
- 618.** *Meganola strigula* ([Denis & Schiffermüller],1775) (Noctuidae) *#strigula* [Denis & Schiffermüller],1775
- 619.** *Meganola togatalis* (Hübner,1796) (Noctuidae) *togatalis* Hübner,1796
- 620.** *Mesapamea* (s.str.) *secalis* (Linnaeus,1758) (Noctuidae) *secalis* Linnaeus,1758
- 621.** *Mesologia literosa* (Haworth,[1809]) (Noctuidae) *literosa* Haworth,[1809]; *erraticula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918

- 622. Metachrostis sefidi** (Brandt,1938) (Noctuidae)
sefidi Brandt,1938
- 623. Metaegle pallida** (Staudinger,1892) (Noctuidae)
pallida Staudinger,1892
- 624. Metalopha liturata** (Christoph,1887) (Noctuidae)
liturata Christoph,1887; *plusina* Staudinger, 1892.
- 625. Metopoceras (s.str.) delicata** (Staudinger,1898) (Noctuidae)
delicata Staudinger,1898; *gauckleri* Püngeler,1905.
- 626. Metopoceras (s.str.) omar** (Oberthür,1887) (Noctuidae)
omar Oberthür,1887
- 627. Metopodicha ernesti** Draudt,1936 (Noctuidae)
ernesti Draudt,1936; *achaemenica* Wiltshire,1941
- 628. Metoponrhis albirena** (Christoph,1887) (Noctuidae)
albirena Christoph,1887
- 629. Metopoplus boursini** Brandt,1938 (Noctuidae)
boursini Brandt,1938
- 630. Minucia bimaculata** (Osthelder,1933) (Noctuidae)
bimaculata Osthelder,1933
- 631. Mniotype buxtoni** (Rothschild,1921) (Noctuidae)
buxtoni Rothschild,1921
- 632. Mormo maura** (Linnaeus,1758) (Noctuidae)
maura Linnaeus,1758; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cypriaca* Hacker,1996
- 633. Mythimna (Aetia) alopecuri** (Boisduval,1840) (Noctuidae)
alopecuri Boisduval,1840; *syriaca* Osthelder,1933
- 634. Mythimna (Aetia) congrua** (Hübner,[1817]) (Noctuidae)
congrua Hübner,[1817]; *amnicola* Rambur,1829.
- 635. Mythimna (Aetia) l-album** (Linnaeus,1767) (Noctuidae)
l-album Linnaeus,1767; *penicillata* Moore,1881
- 636. Mythimna (Aetia) pallens** (Linnaeus,1758) (Noctuidae)
pallens Linnaeus,1758; *ectypa* Hübner,[1803]; *rufescens* Haworth,1803; *arcuata* Stephens,1829; *ochracea* Stephens,1829; *suffusa* Stephens,1829.
- 637. Mythimna (Aetia) vitellina** (Hübner,[1808]) (Noctuidae)
vitellina Hübner,[1808]; *decolorata* Dannehl,1929; *saturator* Dannehl,1929; *griseus* Dannehl,1929.
- 638. Mythimna (Hyphilara) ferrago** (Fabricius,1787) (Noctuidae)
ferrago Fabricius,1787; *lythargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926
- 639. Mythimna (Morphopoliana) languida** (Walker,1858) (Noctuidae)
consanguis auct. nec Gn.,1852; *languida* Walker,1858; *zachii* Bohatsch,1880; *abbas* Bethune-Baker,1894; *arbia* Boursin & Rungs,1952.
- 640. Noctua (Euschesis) janthina** ([Denis & Schiffermüller],1775) (Noctuidae)
janthina [Denis & Schiffermüller],1775; *latimarginata* Röber,1900.
- 641. Noctua (Latanoctua) orbona** (Hufnagel,1766) (Noctuidae)
orbona Hufnagel,1766; *subseque* [Denis & Schiffermüller],1775; *caroni* Lempke,1964.
- 642. Noctua (Paranoctua) comes** (Hübner,[1813]) (Noctuidae)
orbona Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adseque* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901.
- 643. Noctua (s.str.) pronuba** (Linnaeus,1758) (Noctuidae)
pronuba Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krause,1912 nec Piesz.,1908; *decolorata* Turati,1923.
- 644. Nola harouni** (Wiltshire,1951) (Noctuidae)
harouni Wiltshire,1951; *dilmuna* Wiltshire,1961.
- 645. Nola squalida** Staudinger,1871 (Noctuidae)
squalida Staudinger,1871; *musculalis* Saalmüller,1880; *turanica* Staudinger,1887; *fraterna* Moore,1888; *vanhasseltii* Heylaerts,1892; *ceylonica* Hampson,1893; *desmotes* Turner,1899; *parvula* Chrétien,1913; *mesoscia* Hampson,1914; *henrioti* Warnecke,1937; *minima* Warnecke,1938; *#squamosa* Zukowsky,1941; *priesneri* Rebel,1947
- 646. Nola subchlamydula** Staudinger,1870 (Noctuidae)
subchlamydula Staudinger,1870
- 647. Nonagria puengeleri** (Schawerda,1924) (Noctuidae)
puengeleri Schawerda,1924; *albipuncta* O.Bang-Haas,1927
- 648. Nonagria typhae** (Thunberg,1784) (Noctuidae)
typhae Thunberg,1784; *arundinis* Fabricius,1787.
- 649. Nycteola asiatica** (Krulikovskiy,1904) (Noctuidae)
asiatica Krulikovskiy,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954.
- 650. Ochroleura plecta** (Linnaeus,1761) (Noctuidae)
pecta Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucomaculata* Graeser,[1889]; *unupplecta* Bryk,1942.
- 651. Olivenebula subsericata** (Herrich-Schäffer,1861) (Noctuidae)
subsericata Herrich-Schäffer,1861; *#elisabethae* De Lattin,1951; *bobitsi* Beck,1996.
- 652. Omphalophana anatolica** (Lederer,1857) (Noctuidae)
anatolica Lederer,1857
- 653. Omphalophana antirrhinii** (Hübner,[1803]) (Noctuidae)
antirrhinii Hübner,[1803]
- 654. Omphalophana durnalayana** Osthelder,1933 (Noctuidae)
durnalayana Osthelder,1933
- 655. Oncocnemis confusa** (Freyer,[1839]) (Noctuidae)
confusa Freyer,[1839].
- 656. Oncocnemis fuscipicta** Wiltshire,1976 (Noctuidae)
fuscipicta Wiltshire,1976
- 657. Ophiusa tirhaca** (Cramer,[1777]) (Noctuidae)
tirhaca Cramer,[1777]; *#tirrhaca* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978
- 658. Oria musculosa** (Hübner,[1808]) (Noctuidae)
musculosa Hübner,[1808]; *laeta* Alpheraky,1889.
- 659. Orthosia (s.str.) incerta** (Hufnagel,1766) (Noctuidae)
incerta Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 nec Hw.,1809; *pallidior* Staudinger,1901 nec Stgr.,1888
- 660. Ostheldera gracilis** (Osthelder,1933) (Noctuidae)
gracilis Osthelder,1933
- 661. Ozarba moldavicola** (Herrich-Schäffer,[1851]) (Noctuidae)
moldavicola Herrich-Schäffer,[1851]; *euboica* Mill.,1874; *mesopotamica* Schawerda,1924.
- 662. Pampama acuta** (Freyer,[1837]) (Noctuidae)
acuta Freyer,[1837]; *producta* Lederer,1857; *pygmaea* Staudinger,1871.
- 663. Paraegle subochracea** (Staudinger,1892) (Noctuidae)
subochracea Staudinger,1892
- 664. Parallelia algira** (Linnaeus,1767) (Noctuidae)
algira Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] nec Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *europaea* Schawerda,1912
- 665. Parallelia orbata** Berio,1955 (Noctuidae)
orbata Berio,1955
- 666. Parallelia rogenhoferi** (Bohatsch,1880) (Noctuidae)
rogenhoferi Bohatsch,1880; *mirabilis* Romanoff,1885; *triangulata* Swinhoe,1889.
- 667. Parallelia torrida** (Guenée,1852) (Noctuidae)
torrida Guenée,1852; *#torrida* Hacker,[1987]
- 668. Parastichtis corticea** (Esper,[1800]) (Noctuidae)
#psyllon [Denis & Schiffermüller],1775; *ipsilon* Goetz,1781 nec Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828.
- 669. Pardoxia graellsii** (Feisthamel,1837) (Noctuidae)
graellsii Feisthamel,1837; *innocens* Walker,1858; *fimbriata* Walker,1865
- 670. Parexarnis taurica** (Staudinger,1879) (Noctuidae)
taurica Staudinger,1879; *pseudosollers* Boursin,1940.
- 671. Pericyma albiditaria** (Freyer,1842) (Noctuidae)
albiditaria Freyer,1842
- 672. Pericyma squalens** Lederer,1855 (Noctuidae)
squalens Lederer,1855
- 673. Perigrapha (Opacographa (Turcographa)) rorida** (Frivaldsky,1835) (Noctuidae)
rorida Frivaldsky,1835; *ganimetae* Kornosor & Lödl,1990
- 674. Perigrapha (Opacographa (s.str.)) cilissa** Püngeler,1917 (Noctuidae)
cilissa Püngeler,1917
- 675. Periphanes delphinii** (Linnaeus,1758) (Noctuidae)
delphinii Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903.
- 676. Phlogophora meticulosa** (Linnaeus,1758) (Noctuidae)
meticulosa Linnaeus,1758; *lamii* Schawerda,1993

677. **Plecoptera inquinata** (Lederer,1857) (Noctuidae) *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933
678. **Plecoptera reflexa** Guenée,1852 (Noctuidae) *reflexa* Guenée,1852
679. **Polymixis (Bischoffia) apora** (Staudinger,1898) (Noctuidae) *apora* Staudinger,1898
680. **Polymixis (Eremophysa) apothaina** (Brandt,1938) (Noctuidae) *apothaina* Brandt,1938
681. **Powellinia boetica** (Rambur,1837) (Noctuidae) *boetica* Rambur,1837
682. **Powellinia lasserei** (Oberthür,1881) (Noctuidae) *lasserei* Oberthür,1881; *sabura* Mabil,1888; *ptolemaidea* Turati,1924
683. **Powellinia margelanoides** (Boursin,1944) (Noctuidae) *margelanoides* Boursin,1944
684. **Powellinia pierreti** (Bugnion,1837) (Noctuidae) *pierreti* Bugnion,1837; *messouda* Oberthür,1884; *marsdeni* Bethune-Baker,1894
685. **Pseudenargia deleta** (Osthelder,1933) (Noctuidae) *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938.
686. **Pseudenargia regina** (Staudinger,1892) (Noctuidae) *regina* Staudinger,1892
687. **Pseudocopicucullia syrtana** (Mabil,1888) (Noctuidae) *syrtana* Mabil,1888
688. **Pseudohadena (Jaxartia) jordana** (Staudinger,1900) (Noctuidae) *jordana* Staudinger,1900
689. **Pseudohadena (Jaxartia) pseudamoena** (Boursin,1943) (Noctuidae) *pseudamoena* Boursin,1943
690. **Pseudohadena (s.str.) chenopodiphaga** (Rambur,1832) (Noctuidae) *chenopodiphaga* Rambur,1832
691. **Recophora beata** (Staudinger,1892) (Noctuidae) *beata* Staudinger,1892
692. **Rhabdophera arefacta** (Swinhoe,1884) (Noctuidae) *arefacta* Swinhoe,1884; *messrae* Staudinger,1898.
693. **Rhabinopteryx subtilis** (Mabil,1888) (Noctuidae) *subtilis* Mabil,1888; *renatalis* Rebel,1909 nec Obth.; *luridalis* Rebel,1911.
694. **Rhyacia (s.str.) lucipeta** ([Denis & Schiffermüller],1775) (Noctuidae) *lucipeta* [Denis & Schiffermüller],1775.
695. **Rhyacia (s.str.) nyctimerides** (O.Bang-Haas,1922) (Noctuidae) *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschkoff,1951; *alagesica* Boursin,1962
696. **Rhyagla lacernaria** (Hübner,[1813]) (Noctuidae) *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842
697. **Rivula sericealis** (Scopoli,1763) (Noctuidae) *sericealis* Scopoli,1763; *munda* Hufnagel,1767; *lunatralis* Denis & Schiffermüller,1775; *leeana* Fabricius,1777; *ocellaris* Thunberg,1784; *centralis* Villers,1789.
698. **Rivula tanitalis** Rebel,1912 (Noctuidae) *tanitalis* Rebel,1912
699. **Saragossa siccanorum** (Staudinger,1870) (Noctuidae) *siccanorum* Staudinger,1870.
700. **Saragossa siccanorum poecilographa** Varga & Ronkay,1991 (Noctuidae) *poecilographa* Varga & Ronkay,1991
701. **Schranksia balneorum** (Alpheraky,1880) (Noctuidae) *balneorum* Alpheraky,1880
702. **Scoliopteryx libatrix** (Linnaeus,1758) (Noctuidae) *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatricus* Haworth,1809
703. **Scythocentropus inquinata** (Mabil,1888) (Noctuidae) *inquinata* Mabil,1888; *mercedes* Pinker,1974
704. **Sesamia cretica** Lederer,1857 (Noctuidae) *cretica* Lederer,1857
705. **Setoctena dentula** (Lederer,1870) (Noctuidae) *dentula* Lederer,1870
706. **Sideridis (Luteohadena) luteago** ([Denis & Schiffermüller],1775) (Noctuidae) *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (*praecoc.*); *ottomana* Koçak,1990.
707. **Simyra dentinosa** Freyer,1839 (Noctuidae) *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990
708. **Spodoptera cilium** (Guenée,1852) (Noctuidae) *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insulsa* Walker,1865; *impervia* Walker,1865; *retrahens* Walker,1870.
709. **Spodoptera exiguum** (Hübner,[1808]) (Noctuidae) *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* Warren,1914; *protector* De Laever,1985.
710. **Spodoptera littoralis** (Boisduval,1833) (Noctuidae) *littoralis* Boisduval,1833; *retina* Freyer,1845; *testaceoides* Guenée,1852; *metriodes* Bethune-Baker,1911.
711. **Spodoptera liturum** (Fabricius,1775) (Noctuidae) *litura* Fabricius,1775
712. **Stenodrina aeschista** Boursin,1937 (Noctuidae) *aeschista* Boursin,1937
713. **Stilbina hypaenides** Staudinger,1892 (Noctuidae) *hypaenides* Staudinger,1892
714. **Tamsola tarda** Wiltshire,1946 (Noctuidae) *tarda* Wiltshire,1946
715. **Tarachephia hueberi** (Erschoff,1874) (Noctuidae) *hueberi* Erschoff,1874
716. **Tathorhynchus exsiccatus** (Lederer,1855) (Noctuidae) *exsiccata* Lederer,1855; *vinctalis* Walker,[1866]; *angustiorata* Grote,1882; *#exiccata* Wiltshire,1941; *greuteri* Koutsaftikis,1973
717. **Teinoptera gafsana** (Blachier,1905) (Noctuidae) *gafsana* Blachier,1905; *gassana* Hampson,1906; *albina* A.Bang-Haas,1907; *pianii* Krüger,1933
718. **Thiacidas postica** Walker,1855 (Noctuidae) *postica* Walker,1855; *cheituna* Brandt,1939
719. **Thria robusta** Walker,[1858] (Noctuidae) *anysa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
720. **Thysanoplusia (Daubeiplusia) daubei** (Boisduval,1840) (Noctuidae) *daubei* Boisduval,1840; *ciliaris* Walker,1857.
721. **Trichoplusia ni** (Hübner,[1803]) (Noctuidae) *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
722. **Tyta luctuosa** ([Denis & Schiffermüller],1775) (Noctuidae) *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789
723. **Valeria carducha** (Wiltshire,1957) (Noctuidae) *carducha* Wiltshire,1957
724. **Valeria oleagina** (Esper,[1786]) (Noctuidae) *#oleagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786].
725. **Victrix (Rasihia) tabora** (Staudinger,1892) (Noctuidae) *tabora* Staudinger,1892
726. **Xanthia (Cirrha) gilvago** ([Denis & Schiffermüller],1775) (Noctuidae) *gilvago* [Denis & Schiffermüller],1775.
727. **Xanthodes albago** (Fabricius,1794) (Noctuidae) *albago* Fabricius,1794; *malvae* Esper,[1796]; *stramen* Guenée,1852; *impurata* Walker,1857; *impellens* Walker,1858; *inefficiens* Walker,1858.
728. **Xestia (s.str.) cohaesa** (Herrich-Schäffer,[1849]) (Noctuidae) *cohaesa* Herrich-Schäffer,[1849]
729. **Xestia (s.str.) palaestinensis** (Kalchberg,1898) (Noctuidae) *palaestinensis* Kalchberg,1898.
730. **Xestia (s.str.) xanthographa** ([Denis & Schiffermüller],1775) (Noctuidae) *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepida* Constantino,1922.
731. **Xylena exsoleta** (Linnaeus,1758) (Noctuidae) *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787

732. **Xylocampa mustapha** (Oberthür,1920) (Noctuidae)
mustapha Oberthür,1920
733. **Zekelita (Ravalita) ravalis** (Herrich-Schäffer,[1852]) (Noctuidae) *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 *nec* Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941.
734. **Zekelita (Rhynchodontodes) pallida** Draudt,1936 (Noctuidae) *pallida* Draudt,1936
735. **Zekelita (Rhynchodontodes) revolutalis** Zeller,1852 (Noctuidae) *revolutalis* Zeller,1852; *angulalis* Mabille,1880.
736. **Zethes insularis** Rambur,1833 (Noctuidae)
insularis Rambur,1833
737. **Cerura (s.str.) intermedia** (Teich,1896) (Notodontidae) *intermedia* Teich,1896
738. **Cerura (s.str.) vinula** (Linnaeus,1758) (Notodontidae) *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939
739. **Clostera pigra** (Hufnagel,1766) (Notodontidae)
pigra Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; *#flavidior* Bytinski-Salz,1936
740. **Furcula interrupta** Christoph,1867 (Notodontidae)
interrupta Christoph,1867; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989.
741. **Furcula turbida** (Brandt,1938) (Notodontidae)
turbida Brandt,1938
742. **Harpyia milhauseri** (Fabricius,1775) (Notodontidae)
milhauseri Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932
743. **Neoharpyia pulcherrima** Brandt,1938 (Notodontidae) *pulcherrima* Brandt,1938
744. **Peridea korbi** (Rebel,1918) (Notodontidae) *korbi* Rebel,1918
745. **Phalera bucephaloides** (Ochsenheimer,1810) (Notodontidae) *bucephaloides* Ochsenheimer,1810
746. **Spatalia argentina** ([Denis & Schiffermüller],1775) (Notodontidae) *argentina* [Denis & Schiffermüller],1775
747. **Sumeria dipotamica** Tams,1938 (Notodontidae)
dipotamica Tams,1938
748. **Agonopterix aspersella** (Constant,1888) (Oecophoridae) *aspersella* Constant,1888; *autocnista* Meyrick,1921
749. **Agonopterix funebrella** Caradja (Oecophoridae)
funebrella Caradja
750. **Depressaria beckmanni** Heinemann,1870 (Oecophoridae) *beckmanni* Heinemann,1870
751. **Depressaria eryngiella** Millière,1881 (Oecophoridae)
eryngiella Millière,1881; *campestris* Chrétien,1896; *deliciosella* Turati,1924; *obolucha* Meyrick,1936
752. **Depressaria obolucha** Meyrick,1936 (Oecophoridae)
obolucha Meyrick,1936
753. **Depressaria xyleuta** Meyrick,1913 (Oecophoridae)
xyleuta Meyrick,1913
754. **Epicallima icterinella** (Mann,1867) (Oecophoridae)
icterinella Mann,1867
755. **Pleurota eremica** H.Back,1973 (Oecophoridae)
eremica H.Back,1973
756. **Pleurota generosella** Rebel,1900 (Oecophoridae)
generosella Rebel,1900; *alexandrina* Meyrick,1935
757. **Pleurota irakella** Amsel,1959 (Oecophoridae)
irakella Amsel,1959
758. **Pleurota kerbelella** Amsel,1949 (Oecophoridae)
kerbelella Amsel,1949
759. **Pleurota wiltshirei** Amsel,1949 (Oecophoridae)
wiltshirei Amsel,1949
760. **Archon apollinaris** (Staudinger,[1892]) (Papilionidae) *apollinaris* Staudinger,[1892]; *pallidior* Spuler,1892; *#mardina* Stichel,1907; *bostanchii* De Freina & Naderi,2003.
761. **Papilio (s.str.) alexanor** Esper,[1800] (Papilionidae) *polidamas* De Prunner,1787 *nec* Linnaeus,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauiac,1983.
762. **Papilio (s.str.) machaon** Linnaeus,1758 (Papilionidae) *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858.
763. **Parnassius (Driopa) mnemosyne** (Linnaeus,1758) (Papilionidae) *mnemosyne* Linnaeus,1758
764. **Princeps (s.str. (s.str.)) demoleus** (Linnaeus,1758) (Papilionidae) *demoleus* Linnaeus,1758; *erithonius* Cramer,[1782]; *epius* Fabricius,1793; *sthenelus* Macleay,1826; *demoleinus* Oberthür,1879; *pictus* Fruhstorfer,1898; *#chryseis* Boulet & Le Cerf,1912; *flavosignatus* Heydemann,1954
765. **Zerynthia (Allancastris) deyrollei** (Oberthür,1869) (Papilionidae) *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927.
766. **Anthocharis cardamines** (Linnaeus,1758) (Pieridae)
cardamines Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 *nec* Lederer,1852; *montivaga* Turati & Verity,1911
767. **Anthocharis damone** Boisduval,1836 (Pieridae)
damone Boisduval,1836
768. **Anthocharis gruneri** Herrich-Schäffer,[1851] (Pieridae) *gruneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907
769. **Aporia (s.str.) crataegi** (Linnaeus,1758) (Pieridae)
crataegi Linnaeus,1758; *nigronervosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
770. **Belenois aurota** (Fabricius,1793) (Pieridae)
mesentina Cramer,[1780] *nec* Cr.,[1777]; *aurota* Fabricius,1793; *augusta* Olivier,1807; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *uranica* Sheljuzko,1908; *hiris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924.
771. **Catopsilia florella** (Fabricius,1775) (Pieridae)
florella Fabricius,1775; *pyrene* Swainson,1821; *hyblaea* & *rhadia* Boisduval,1836; *marchellina* Bertolini,1850; *aleurona* Butler,1876; *rufosparsa* Butler,1880; *swainsoni* Westwood,1881.
772. **Colias (Eriocolias) crocea** (Fourcroy,1785) (Pieridae)
crocea Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893.
773. **Colias (Neocolias) aurorina** Herrich-Schäffer,[1850] (Pieridae)
aurorina Herrich-Schäffer,[1850]
774. **Colotis (s.str.) faustus** (Olivier,[1804]) (Pieridae)
fausta Olivier,[1804]; *faustina* Felder & Felder,[1865].
775. **Euchloe (Elphinstonia) penia** (Freyer,[1852]) (Pieridae) *penia* Freyer,[1852]; *mesopotamica* Baker,1889.
776. **Euchloe (Elphinstonia) transcaspica** (Staudinger,[1892]) (Pieridae) *transcaspica* Staudinger,[1892]
777. **Euchloe (s.str.) ausonia** (Hübner,[1804]) (Pieridae)
ausonia Hübner,[1804]; *marchandae* Geyer,[1832].
778. **Euchloe (s.str.) belemia** (Esper,[1800]) (Pieridae)
belemia Esper,[1800]; *glauce* Freyer,[1848]
779. **Gonepteryx (s.str.) farinosa** (Zeller,1847) (Pieridae)
farinosa Zeller,1847
780. **Gonepteryx (s.str.) rhamni** (Linnaeus,1758) (Pieridae) *rhamni* Linnaeus,1758; *gravesi* Huggins,1956.
781. **Leptidea duponcheli** (Staudinger,1871) (Pieridae)
duponcheli Staudinger,1871; *#dupncheli* Nazari,2003
782. **Pieris (Artogeia) ergane** (Geyer,[1828]) (Pieridae)
ergane Geyer,[1828]; *narcaea* Freyer,[1828].
783. **Pieris (Artogeia) krueperi** Staudinger,1860 (Pieridae) *krueperi* Staudinger,1860
784. **Pieris (Artogeia) pseudorapae** Verity,1908 (Pieridae)
pseudorapae Verity,1908
785. **Pieris (Artogeia) rapae** (Linnaeus,1758) (Pieridae)
rapae Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929.
786. **Pieris (s.str.) brassicae** (Linnaeus,1758) (Pieridae)
brassicae Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924.
787. **Pontia callidice** (Hübner,[1800]) (Pieridae)
callidice Hübner,[1800]; *callidice* Esper,[1803].
788. **Pontia chloridice** (Hübner,[1813]) (Pieridae)
russiae Esper,[1784] *nec* *russiae* Esper,[1783]; *chloridice*

- Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 nec Oberthür,1881.
- 789.** *Pontia edusa* (Fabricius,1777) (Pieridae) *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908].
- 790.** *Pontia glaucanome* Klug,1829 (Pieridae) *glaucanome* Klug,1829
- 791.** *Zegris eupheme* (Esper,[1804]) (Pieridae) *eupheme* Esper,[1804]; *erothoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851].
- 792.** *Amicta murina* (Klug,1832) (Psychidae) *murina* Klug,1832
- 793.** *Canephora lutea* (Staudinger,1871) (Psychidae) *lutea* Staudinger,1871
- 794.** *Canephora shahkuhensis* (Heylaerts,1885) (Psychidae) *shahkuhensis* Heylaerts,1885
- 795.** *Canephora villosa* (Brandt,1938) (Psychidae) *villosa* Brandt,1938
- 796.** *Pterolonche* (Gomezbastillus) *kurdistanella* Amsel,1959 (Pterolonchidae) *kurdistanella* Amsel,1959
- 797.** *Agdistis* (Tamaristis) *tamaricis* (Zeller,1847) (Pterophoridae) *tamaricis* Zeller,1847; *bagdadiensis* Amsel,1949; *xinjiangsis* Qin & Zheng,1997.
- 798.** *Crombrugghia laeta* (Zeller,1847) (Pterophoridae) *laetus* Zeller,1847; *loetidactyla* Bruand,1858; *andryalae* Millière,1863; *andryaladactylus* Millière,1863; *lantoscanus* Millière,1882.
- 799.** *Emmelina monodactyla* (Linnaeus,1758) (Pterophoridae) *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920.
- 800.** *Marasmarcha leucocrossa* Meyrick,1936 (Pterophoridae) *leucocrossa* Meyrick,1936
- 801.** *Merrifieldia malacodactyla* (Zeller,1847) (Pterophoridae) *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indoceta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993
- 802.** *Merrifieldia rayatella* (Amsel,1959) (Pterophoridae) *rayatella* Amsel,1959
- 803.** *Platyptilia irakella* Amsel,1959 (Pterophoridae) *irakella* Amsel,1959
- 804.** *Pterophorus ischnodactylus* (Treitschke,1835) (Pterophoridae) *ischnodactyla* Treitschke,1835; *actinodactyla* Chrétien,1891; *eburnella* Amsel,1968.
- 805.** *Pterophorus terrenus* Meyrick,1936 (Pterophoridae) *terrenus* Meyrick,1936
- 806.** *Stangeia siceliota* (Zeller,1847) (Pterophoridae) *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858.
- 807.** *Stenoptilia mannii* (Zeller,1852) (Pterophoridae) *mannii* Zeller,1852; *megalochroa* Meyrick,1930.
- 808.** *Achyra nudalis* (Hübner,1796) (Pyrilidae) *nudalis* Hübner,1796; *interpunctalis* Hübner,1796; *unipunctalis* Duponchel,1831; *bipunctalis* Duponchel,1831; *pauciferalis* Walker,1865; *nodalis* Gundlach,1891; *ochromorpha* Lower,1901
- 809.** *Achyra ochrofascialis* (Christoph,1882) (Pyrilidae) *ochrofascialis* Christoph,1882; *#ochrifascialis* Wiltshire,1957.
- 810.** *Acrobasis atrisquamella* Ragonot,1887 (Pyrilidae) *atrisquamella* Ragonot,1887; *nigrisquamella* Amsel,1953
- 811.** *Actenia brunnealis* (Treitschke,1829) (Pyrilidae) *brunnealis* Treitschke,1829; *phaealis* Hampson,1900.
- 812.** *Actenia honestalis* (Treitschke,1829) (Pyrilidae) *honestalis* Treitschke,1829
- 813.** *Acteniopsis kurdistanella* Amsel,1959 (Pyrilidae) *kurdistanella* Amsel,1959; *#unicolorella* Amsel,1961.
- 814.** *Aeglotis argentalis* (Christoph,1887) (Pyrilidae) *argentalis* Christoph,1887
- 815.** *Aeschrenon disparalis* Herrich-Schäffer,[1855] (Pyrilidae) *disparalis* Herrich-Schäffer,[1855]; *#indistinctalis* Amsel,1961
- 816.** *Aglossa pinguinalis* (Linnaeus,1758) (Pyrilidae) *pinguinalis* Linnaeus,1758; *marmorella* Geoffroy,1785; *marmoratella* Villers,1789; *pinguiculatus* Haworth,1809; *pinguinatus* Haworth,1809; *guicciardii* Constantino,1922
- 817.** *Agriphila beieri* Bleszynski,1955 (Pyrilidae) *beieri* Bleszynski,1955
- 818.** *Agriphila brionella* (Zerny,1914) (Pyrilidae) *brioniella* Zerny,1914; *#subbrioniella* Amsel,1959.
- 819.** *Agriphila cyrenaicella* (Ragonot,1887) (Pyrilidae) *cyrenaicella* Ragonot,1887; *alexandriensis* Bethune-Baker,1894; *permixtella* Kalchberg,1897.
- 820.** *Agriphila latistria* (Haworth,[1811]) (Pyrilidae) *latistria* Haworth,[1811]; *gueneellus* Duponchel,1836; *monotaeniellus* Herrich-Schäffer,[1852]; *vecifier* Zeller,1863; *vallicolella* Costa,1885.
- 821.** *Agriphila tersella* (Lederer,1855) (Pyrilidae) *tersellus* Lederer,1855; *graphellus* Constant,1884; *hungaricus* Schmidt,1909; *austellus* Chrétien,1913; *uniformellus* Caradja,1918; *chneouri* Lucas,1942.
- 822.** *Anania verbascata* (Fabricius,1787) (Pyrilidae) *#verbascalis* [Denis & Schiffermüller],1775; *verbascata* Fabricius,1787; *parvalis* Osthelder,1934.
- 823.** *Ancylodes pallens* Ragonot,1887 (Pyrilidae) *pallens* Ragonot,1887; *lactealis* Rothschild,1915; *banghaasiella* Caradja,1917; *#fussella* Amsel,1958.
- 824.** *Ancylolomia palpella* (Denis & Schiffermüller,[1775]) (Pyrilidae) *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovskiy,1909; *syriaca* Rebel,1911; *gracilella* Caradja,1916; *mesopotamica* Rebel,1918; *affinis* Rothschild,1921.
- 825.** *Ancylolomia pectinatella* (Zeller,1847) (Pyrilidae) *pectinatellus* Zeller,1847
- 826.** *Ancylolomia tentaculella* (Hübner,1796) (Pyrilidae) *tentaculella* Hübner,1796; *irakella* Amsel,1949.
- 827.** *Ancylosis* (Cabotia) *lacteicostella* (Ragonot,1887) (Pyrilidae) *lacteicostella* Ragonot,1887; *fulvobasella* Ragonot,1887; *aegyptiacella* Ragonot,1901; *spatzi* Rothschild,1915.
- 828.** *Ancylosis* (Cabotia) *oblitella* (Zeller,1848) (Pyrilidae) *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955.
- 829.** *Ancylosis* (Heterographis) *candidatella* (Lederer,1858) (Pyrilidae) *candidatella* Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890.
- 830.** *Ancylosis* (Heterographis) *convexella* (Lederer,1855) (Pyrilidae) *convexella* Lederer,1855; *albiciliella* Staudinger,1859; *favorinella* Zeller,1867
- 831.** *Ancylosis* (Heterographis) *faustinella* (Zeller,1867) (Pyrilidae) *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabilie,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952.
- 832.** *Ancylosis* (Heterographis) *gracilella* Ragonot,1887 (Pyrilidae) *gracilella* Ragonot,1887; *subcandidatella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistina* Turati,1924; *dowsoniella* Richards & Thomson,1932.
- 833.** *Ancylosis* (Heterographis) *harmonella* (Ragonot,1887) (Pyrilidae) *harmonella* Ragonot,1887; *ochrotaeniella* Ragonot,1887; *fulminantella* Turati,1922; *rosalbella* Turati,1930; *diffusella* Turati,1930; *incanella* Turati,1930.
- 834.** *Ancylosis* (Heterographis) *hellenica* (Staudinger,1870) (Pyrilidae) *hellenica* Staudinger,1870; *deliciosella* Caradja,1910.
- 835.** *Ancylosis* (Heterographis) *muliebris* (Meyrick,1937) (Pyrilidae) *muliebris* Meyrick,1937; *macedonica* Schawerda,1937.
- 836.** *Ancylosis* (Heterographis) *pyrethrella* (Herrich-Schäffer,1860) (Pyrilidae) *pyrethrella* Herrich-Schäffer,1860; *strictella* Mann,1861; *ignibasella* Ragonot,1887; *inflammata* Ragonot,1901; *trilineata* Amsel,1961.
- 837.** *Ancylosis* (Heterographis) *rhodochrella* (Herrich-Schäffer,1855) (Pyrilidae) *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961.
- 838.** *Ancylosis* (Heterographis) *roscidella* (Eversmann,1844) (Pyrilidae) *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860;

neglectella Heinemann, 1864; *blandella* Ragonot, 1887; *zobrella* Oberthür, 1888; *carnea* Warren, 1888; *bartelevella* Caradja, 1910; *benderella* Amsel, 1961.

839. *Ancylosis* (*Heterographis*) *samaritanella* (Zeller, 1867) (Pyrilidae) *samaritanella* Zeller, 1867; *urbicella* Erschoff, 1874; *biligulella* Ragonot, 1887; *flavescentella* Chrétien, 1910; *diminutella* Chrétien, 1910; *cinnamomeifascia* Rothschild, 1915; *lacroixella* Lucas, 1939; *brevipalpella* Amsel, 1954.

840. *Ancylosis* (*Heterographis*) *syrtella* (Ragonot, 1887) (Pyrilidae) *syrtella* Ragonot, 1887; *costalbella* Amsel, 1954.

841. *Ancylosis* (*Heterographis*) *umbilimbella* (Ragonot, 1901) (Pyrilidae) *umbilimbella* Ragonot, 1901; *holella* Lucas, 1909; *thirietii* Lucas, 1937; *sfaxella* Lucas, 1949; *concevella* Amsel, 1949.

842. *Ancylosis* (*Heterographis*) *xylina* (Staudinger, 1870) (Pyrilidae) *xylina* Staudinger, 1870; *sablonella* Rothschild, 1915; *molochinella* Zerny, 1929.

843. *Ancylosis* (s.str.) *cinnamomella* (Duponchel, 1836) (Pyrilidae) *dilutella* Tr., 1832 [n.o.]; *cinnamomella* Dup., 1836; *labeomella* Staudinger, 1859; *lafauryella* Rag., 1887; *byzacaeniella* Rag., 1887; *roseopennella* Rag., 1901; *tunesella* Caradja, 1910; *fuliginosa* Rothschild, 1913; *pictella* Tur., 1922; *ferrugineolineella* Tur., 1924.

844. *Ancylosis* (s.str.) *iranella* Ragonot, 1887 (Pyrilidae) *iranella* Ragonot, 1887; *turaniella* Ragonot, 1887.

845. *Ancylosis* (s.str.) *maculifera* Staudinger, 1870 (Pyrilidae) *maculifera* Staudinger, 1870; *ifraneella* Lucas, 1954.

846. *Anephoteryx* *designella* Amsel, 1955 (Pyrilidae) *designella* Amsel, 1955

847. *Anthophilopsis* *baphialis* (Staudinger, 1870) (Pyrilidae) *baphialis* Staudinger, 1870; *#baphiale* Caradja, 1917.

848. *Antigastra* *catalaunalis* (Duponchel, 1833) (Pyrilidae) *catalaunalis* Duponchel, 1833; *venosalis* Walker, [1866]; *#sionensis* Caradja, 1929

849. *Aporodes* *floralis* (Hübner, [1809]) (Pyrilidae) *floralis* Hübner, [1809]; *grisealis* Caradja, 1917.

850. *Aproceratia* *rhectogramma* (Meyrick, 1937) (Pyrilidae) *rhectogramma* Meyrick, 1937

851. *Arenipses* *sabella* Hampson, 1901 (Pyrilidae) *sabella* Hampson, 1901

852. *Arimania* *komaroffi* (Ragonot, 1888) (Pyrilidae) *komaroffi* Ragonot, 1888; *amanella* Zerny, 1934; *diplocapna* Meyrick, 1937

853. *Asalebria* (s.str.) *amphipyrrha* (Meyrick, 1937) (Pyrilidae) *amphipyrrha* Meyrick, 1937

854. *Asalebria* (s.str.) *argyrophanes* (Meyrick, 1937) (Pyrilidae) *argyrophanes* Meyrick, 1937

855. *Auxacia* *bilineella* (Ragonot, 1887) (Pyrilidae) *bilineella* Ragonot, 1887

856. *Bazaria* *gilvella* (Ragonot, 1887) (Pyrilidae) *gilvella* Ragonot, 1887

857. *Bostra* *marginalis* Rothschild, 1921 (Pyrilidae) *marginalis* Rothschild, 1921

858. *Bostra* *minimalis* Amsel, 1949 (Pyrilidae) *minimalis* Amsel, 1949

859. *Cadra* *calidella* (Guenée, 1845) (Pyrilidae) *calidella* Guenée, 1845; *#ficella* Douglas, 1851; *xanthotricha* Staudinger, 1859.

860. *Cadra* *cautella* (Walker, 1863) (Pyrilidae) *cautella* Walker, 1863; *defectella* Walker, 1864; *desuetella* Walker, 1866; *passulella* Barrett, 1875; *formosella* Wileman & South, 1918; *rotundatella* Turati, 1930; *pelopis* Turner, 1947; *irakella* Amsel, 1959

861. *Cadra* *figulilella* (Gregson, 1871) (Pyrilidae) *figulilella* Gregson, 1871; *milleri* Zeller, 1876; *gypsella* Ragonot, 1887; *venosella* Turati, 1926; *ernestinella* Turati, 1927; *#halfaella* Roesler, 1965.

862. *Cadra* *furcatella* (Herrich-Schäffer, [1849]) (Pyrilidae) *furcatella* Herrich-Schäffer, [1849]

863. *Calamotropha* *paludella* (Hübner, [1824]) (Pyrilidae) *paludella* Hübner, [1824]; *obtusellus* Stainton, 1856; *paramattellus* Meyrick, 1879; *carphurus* Hampson, 1898; *nivellus* Rebel, 1914; *calamosus* Hampson, 1919; *durandi* Lucas, 1931; *typhivorus* Meyrick, 1932; *#digitatus* Osthelder, 1937; *afghanistanica* Bleszynski, 1959.

864. *Chilo* *luteellus* (Motschulsky, 1866) (Pyrilidae) *lutellus* Motschulsky, 1866 nec [Denis & Schiff], 1775; *luteellus*

Motschulsky, 1866; *concolorellus* Christoph, 1885; *gensamellus* Leech, 1889; *dubia* Bethune-Baker, 1894; *boxanus* Hering, 1903; *plumbosellus* Chrétien, 1910; *molydellus* Zerny, 1935; *molybdellus* Zerny, 1941.

865. *Chilo* *phragmitellus* (Hübner, [1810]) (Pyrilidae) *phragmitellus* Hübner, [1810]; *rhombica* Haworth, [1811].

866. *Chilo* *suppressalis* Walker, 1863 (Pyrilidae) *suppressalis* Walker, 1863; *oryzae* T.B. Fletcher, 1928.

867. *Chrysocrambus* *linetellus* (Fabricius, 1781) (Pyrilidae) *linetellus* Fabricius, 1781; *cassentiniellus* Herrich-Schäffer, [1848]; *distinctus* Müller-Rutz, 1920; *chrysocrossis* Meyrick, 1936; *#marioni* Dufrane, 1960.

868. *Chrysocrambus* *syriellus* (Zerny, 1934) (Pyrilidae) *syriellus* Zerny, 1934

869. *Cornifrons* *ulceratalis* Lederer, 1858 (Pyrilidae) *ulceratalis* Lederer, 1858; *seriziatialis* Oberthür, 1876

870. *Crocalia* *aglossalis* Ragonot, 1892 (Pyrilidae) *aglossalis* Ragonot, 1892; *latidorsalis* Turati, 1929; *exsculpta* Meyrick, 1937

871. *Cybalomia* *haplogramma* Meyrick, 1936 (Pyrilidae) *haplogramma* Meyrick, 1936

872. *Cybalomia* *pentadalis* (Lederer, 1855) (Pyrilidae) *pentadalis* Lederer, 1855

873. *Cybalomia* *triplacogramma* Meyrick, 1937 (Pyrilidae) *triplacogramma* Meyrick, 1937

874. *Cynaeda* *gigantea* (Wocke, 1871) (Pyrilidae) *gigantea* Wocke, 1871

875. *Daria* *coenosella* Ragonot, 1888 (Pyrilidae) *coenosella* Ragonot, 1888; *tshetverikovi* Kusnesov, 1908.

876. *Dattinia* *affinis* Rothschild, 1921 (Pyrilidae) *affinis* Rothschild, 1921

877. *Dattinia* *argentalis* Hampson, 1900 (Pyrilidae) *argentalis* Hampson, 1900

878. *Dattinia* *canifusalis* Hampson, 1900 (Pyrilidae) *canifusalis* Hampson, 1900

879. *Dattinia* *iranalis* Amsel, 1949 (Pyrilidae) *iranalis* Amsel, 1949

880. *Dattinia* *poliopastalis* Hampson, 1900 (Pyrilidae) *poliopastalis* Hampson, 1900

881. *Dattinia* *sinaica* (Rebel, 1903) (Pyrilidae) *sinaica* Rebel, 1903; *debskii* Rebel, 1912

882. *Dattinia* *wiltshirei* Amsel, 1949 (Pyrilidae) *wiltshirei* Amsel, 1949

883. *Dentitegumia* *nigrigranella* (Ragonot, 1890) (Pyrilidae) *nigrigranella* Ragonot, 1890; *comeella* Amsel, 1961.

884. *Dolicharthria* *bruguieralis* (Duponchel, 1833) (Pyrilidae) *bruguieralis* Duponchel, 1833; *coniotalis* Hampson, 1903; *similalis* Rothschild, 1915

885. *Duponchelia* *fovealis* (Zeller, 1847) (Pyrilidae) *fovealis* Zeller, 1847; *canuialis* Millièr, 1869; *griseata* Butler, 1875; *uniflexalis* Mabilie, 1880

886. *Elegia* *fallax* (Staudinger, 1881) (Pyrilidae) *fallax* Staudinger, 1881; *atrifasciella* Ragonot, 1887; *nigribasella* Ragonot, 1895; *iozona* Meyrick, 1937; *elegiella* Amsel, 1953.

887. *Elophila* *hederalis* Amsel, 1935 (Pyrilidae) *hederalis* Amsel, 1935; *auralis* Osthelder, 1935

888. *Ematheudes* *punctellus* (Treitschke, 1833) (Pyrilidae) *punctella* Treitschke, 1833

889. *Ematheudes* *vitellinellus* Ragonot, 1887 (Pyrilidae) *vitellinella* Ragonot, 1887; *#vittellinella* Amsel, 1949.

890. *Emmalocera* *leucosarca* Meyrick, 1937 (Pyrilidae) *leucosarca* Meyrick, 1937

891. *Emprepes* *coa* (Meyrick, 1936) (Pyrilidae) *coa* Meyrick, 1936

892. *Emprepes* *russulalis* (Christoph, 1877) (Pyrilidae) *russulalis* Christoph, 1877; *baryscia* Meyrick, 1937

893. *Endotricha* *flammealis* ([Denis & Schiffermüller], 1775) (Pyrilidae) *flammealis* [Denis & Schiffermüller], 1775; *carnealis* De Lattin, 1951.

894. *Epactotena* *octogenalis* (Lederer, 1863) (Pyrilidae) *octogenalis* Lederer, 1863.

895. *Epascestria* *pustulalis* (Hübner, [1823]) (Pyrilidae) *pustulalis* Hübner, [1823]; *orientalis* Caradja, 1917.

896. *Ephelis* *cruentalis* (Geyer, [1832]) (Pyrilidae) *cruentalis* Geyer, [1832]

- 897.** *Ephestia (Anagasta) abnormalella* (Ragonot,1887) (Pyralidae) *abnormalella* Ragonot,1887; *alphetopis* Meyrick,1937.
- 898.** *Ephestia (Anagasta) kuehniella* Zeller,1879 (Pyralidae) *kuehniella* Zeller,1879; *fuscofasciella* Ragonot,1887; *gitoniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kuehniella* Hutacharern & Tubtim,1995
- 899.** *Ephestia (s.str.) elutella* (Hübner,1796) (Pyralidae) *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumatella* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965
- 900.** *Epidauria discella* Ragonot,1901 (Pyralidae) *discella* Ragonot,1901
- 901.** *Epiepischnia pseudolydella* Amsel,1953 (Pyralidae) *pseudolydella* Amsel,1953
- 902.** *Epimetasia albalis* Amsel,1959 (Pyralidae) *albalis* Amsel,1959
- 903.** *Epiparthia simplicialis* (Rothschild,1921) (Pyralidae) *simplicialis* Rothschild,1921; *pallens* Amsel,1935.
- 904.** *Epischnopsis nervosella* (Ragonot,1887) (Pyralidae) *nervosella* Ragonot,1887
- 905.** *Etiella zinckenella* (Treitschke,1832) (Pyralidae) *marginella* Fabricius,1781 nec Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#etiella* Pinhey,1975.
- 906.** *Eucampyla dealbatella* (Erschoff,1874) (Pyralidae) *dealbatella* Erschoff,1874; *staminella* Christoph,1877; *nervulata* Turati,1926; *kerbelella* Amsel,1949; *gigantella* Roesler,1965.
- 907.** *Euchromius bellus* (Hübner,1796) (Pyralidae) *bella* Hübner,1796; *bellalis* Hübner,[1825].
- 908.** *Euchromius ocellus* (Haworth,[1811]) (Pyralidae) *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumicellella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982
- 909.** *Euchromius pulverosus* (Christoph,1887) (Pyralidae) *pulverosa* Christoph,1887
- 910.** *Euchromius ramburiellus* (Duponchel,1836) (Pyralidae) *ramburiellus* Duponchel,1836; *zonellus* Zeller,1847; *luteella* Caradja,1910; *#ramburellus* Rothschild,1924; *islamella* Amsel,1949.
- 911.** *Euchromius rayatellus* (Amsel,1949) (Pyralidae) *rayatella* Amsel,1949
- 912.** *Euchromius vinculellus* (Zeller,1847) (Pyralidae) *vinculellus* Zeller,1847; *corsicalis* Hampson,1919; *joiceyella* Schmidt,1934; *bahrlutella* Amsel,1949.
- 913.** *Euclasta (s.str.) splendidalis* (Herrich-Schäffer,[1848]) (Pyralidae) *splendidalis* Herrich-Schäffer,[1848]
- 914.** *Eudonia piroformis* (Amsel,1949) (Pyralidae) *piroformis* Amsel,1949
- 915.** *Eurhodope (Eurhobasis) cinerea* (Staudinger,1879) (Pyralidae) *cinerea* Staudinger,1879
- 916.** *Eurhodope (s.str.) monogrammos* (Zeller,1867) (Pyralidae) *monogrammos* Zeller,1867; *buxtoni* Rothschild,1921; *homochromella* Amsel,1961; *melanella* Roesler,1969
- 917.** *Euzophera (s.str.) albicostalis* Hampson,1903 (Pyralidae) *albicostalis* Hampson,1903; *albicostalis* Amsel,1949; *#albocostalis* Wiltshire,1957
- 918.** *Euzophera (s.str.) bigella* (Zeller,1848) (Pyralidae) *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922
- 919.** *Euzophera (s.str.) formosella* (Rebel,1910) (Pyralidae) *formosella* Rebel,1910
- 920.** *Euzophera (s.str.) imperfectella* Ragonot,1895 (Pyralidae) *imperfectella* Ragonot,1895; *xylomorpha* Meyrick,1937.
- 921.** *Euzophera (s.str.) lactiflora* Meyrick,1937 (Pyralidae) *lactiflora* Meyrick,1937
- 922.** *Euzophera (s.str.) lunulella* (Costa,1836) (Pyralidae) *lunulella* Costa,1836; *corcyrella* Herrich-Schäffer,1851.
- 923.** *Euzophera (s.str.) osseatella* (Treitschke,1832) (Pyralidae) *osseatella* Treitschke,1832; *arcuatella* Ragonot,1901.
- 924.** *Euzophera (s.str.) pulchella* Ragonot,1887 (Pyralidae) *pulchella* Ragonot,1887; *xylomorpha* Meyrick,1937
- 925.** *Euzophera (s.str.) subcribrella* Ragonot,1887 (Pyralidae) *subcribrella* Ragonot,1887; *mercatix* Meyrick,1937; *marginepunctella* Amsel,1959.
- 926.** *Euzopherodes lutsignella* (Mann,1869) (Pyralidae) *lutsignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924.
- 927.** *Evergestis caesialis* Herrich-Schäffer,[1855] (Pyralidae) *caesialis* Herrich-Schäffer,[1855]
- 928.** *Evergestis desertalis* (Hübner,[1813]) (Pyralidae) *desertalis* Hübner,[1813]; *avicennae* Tams,1925.
- 929.** *Evergestis isatidalis* (Duponchel,1833) (Pyralidae) *isatidalis* Duponchel,1833
- 930.** *Faveria dionysia* (Zeller,1846) (Pyralidae) *dionysia* Zeller,1846; *terrella* Ragonot,1888; *isoxyla* Meyrick,1937
- 931.** *Faveria nigroanalis* (Amsel,1959) (Pyralidae) *nigroanalis* Amsel,1959
- 932.** *Galleria mellonella* (Linnaeus,1758) (Pyralidae) *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheella* Dufrane,1930.
- 933.** *Gymnancyla (Spermatophthora) hornigii* (Lederer,1852) (Pyralidae) *hornigii* Lederer,1852; *#hornigi* Hannemann,1964.
- 934.** *Hannemanneia tacapella* (Ragonot,1887) (Pyralidae) *tacapella* Ragonot,1887
- 935.** *Hellula undalis* (Fabricius,1781) (Pyralidae) *undalis* Fabricius,1781; *lunulalis* Costa,1836; *alconalis* Walker,1859; *exemptalis* Walker,[1866]; *geyri* Rothschild,1915; *occidentalis* De Joannis,1930; *reniculus* Pajni & Rose,1977
- 936.** *Herpetogramma licarsialis* (Walker,1859) (Pyralidae) *licarsialis* Walker,1859; *pharaxalis* Walker,1859; *immundalis* Walker,[1866]; *fumidalis* Walker,[1866]; *serotinalis* Joannis,1889
- 937.** *Homoeosoma (s.str.) candefactum* Ragonot,1887 (Pyralidae) *candefactum* Ragonot,1887
- 938.** *Homoeosoma (s.str.) capsitanellum* Chrétien,1911 (Pyralidae) *capsitanellum* Chrétien,1911; *eminentella* Turati,1924; *litorella* Amsel,1935
- 939.** *Homoeosoma (s.str.) subalbatellum* (Mann,1864) (Pyralidae) *subalbatella* Mann,1864
- 940.** *Hydriris ornatalis* (Duponchel,1832) (Pyralidae) *ornatalis* Duponchel,1832; *saturnalis* Treitschke,1835; *deciusalis* Walker,1859; *invenustalis* Walker,[1866]; *fraterna* Butler,1875; *pulchellalis* Mabilie,1880; *orientalis* Yamanaka,1972
- 941.** *Hypochalcia rayatella* Amsel,1959 (Pyralidae) *rayatella* Amsel,1959
- 942.** *Hypotia colchicalis* (Herrich-Schäffer,[1855]) (Pyralidae) *colchicalis* Herrich-Schäffer,[1855]; *numidalis* Hampson,1900.
- 943.** *Hypotia concatenalis* Lederer,1858 (Pyralidae) *concatenalis* Lederer,1858
- 944.** *Hypotia mesopotamica* (Amsel,1955) (Pyralidae) *mesopotamica* Amsel,1955
- 945.** *Hypsopygia costalis* (Fabricius,1775) (Pyralidae) *costalis* Fabricius,1775; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917.
- 946.** *Isauria dilucidella* (Duponchel,1836) (Pyralidae) *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsortitella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella* Caradja,1916; *gabalitella* Chrétien,1931; *grisescens* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970
- 947.** *Keradere lepidella* (Ragonot,1887) (Pyralidae) *lepidella* Ragonot,1887
- 948.** *Keradere tengstroemiella* (Erschoff,1874) (Pyralidae) *tengstroemiella* Erschoff,1874; *noctivaga* Staudinger,1879.

949. *Kerbela monotona* Amsel, 1949 (Pyrilidae)
monotona Amsel, 1949
950. *Krombia pulchella* Amsel, 1949 (Pyrilidae)
pulchella Amsel, 1949
951. *Lambaesia straminella* (Zerny, 1914) (Pyrilidae)
straminella Zerny, 1914; *aliphitopsis* Meyrick, 1937.
952. *Lamoria anella* ([Denis & Schiffmüller], 1775) (Pyrilidae)
anella [Denis & Schiffmüller], 1775
953. *Leptarchis intervacatalis* (Christoph, 1877) (Pyrilidae)
intervacatalis Christoph, 1877; *psologramma* Meyrick, 1937
954. *Loxostege emiralis* (Oberthür, 1888) (Pyrilidae)
emiralis Oberthür, 1888
955. *Loxostege flavivenalis* (Hampson, 1913) (Pyrilidae)
flavivenalis Hampson, 1913; *osthelderi* Schawerda, 1932.
956. *Loxostege foviferalis* (Hampson, 1900) (Pyrilidae)
foviferalis Hampson, 1900
957. *Loxostege scalaris* (Christoph, 1877) (Pyrilidae)
scalaris Christoph, 1877
958. *Mardinia ossealis* (Staudinger, 1879) (Pyrilidae)
ossealis Staudinger, 1879
959. *Mecyna amasialis* (Staudinger, 1879) (Pyrilidae)
amasialis Staudinger, 1879
960. *Mecyna lutulentalis* (Lederer, 1858) (Pyrilidae)
lutulentalis Lederer, 1858
961. *Mecyna pontica* (Staudinger, 1879) (Pyrilidae)
pontica Staudinger, 1879; *levilinealis* Amsel, 1942.
962. *Mecyna trinalis* ([Denis & Schiffmüller], 1775) (Pyrilidae)
trinalis [Denis & Schiffmüller], 1775
963. *Metacrambus kurdistanellus* (Amsel, 1959) (Pyrilidae)
kurdistanellus Amsel, 1959
964. *Metasia* (s.str.) *continualis* Amsel, 1961 (Pyrilidae)
continualis Amsel, 1961
965. *Metasia* (s.str.) *kurdistanalis* Amsel, 1961 (Pyrilidae)
kurdistanalis Amsel, 1961
966. *Metasia* (s.str.) *mendicalis* (Staudinger, 1879) (Pyrilidae)
mendicalis Staudinger, 1879
967. *Metasia* (s.str.) *suppandalis* (Hübner, [1823]) (Pyrilidae)
suppandalis Hübner, [1823]
968. *Metasia* (s.str.) *virginalis* Ragonot, 1894 (Pyrilidae)
virginalis Ragonot, 1894; *fulvilinealis* Hampson, 1900; *#virginalis* Osthelder, 1934; *phthoneropsis* Meyrick, 1937
969. *Microstega praepetalis* (Lederer, 1869) (Pyrilidae)
praepetalis Lederer, 1869; *haemopsamma* Meyrick, 1937
970. *Myelois* (Gnathogutta) *circumdatella* Lederer, 1858 (Pyrilidae)
circumdatella Lederer, 1858; *ottoella* Schawerda, 1924
971. *Myelois* (Gnathogutta) *pumicosa* Lederer, 1855 (Pyrilidae)
pumicosa Lederer, 1855
972. *Myelois* (s.str.) *margaritella* Turati, 1930 (Pyrilidae)
margaritella Turati, 1930
973. *Myelois* (s.str.) *synclina* Meyrick, 1937 (Pyrilidae)
synclina Meyrick, 1937
974. *Myrlaea albistrigata* (Staudinger, 1881) (Pyrilidae)
albistrigata Staudinger, 1881
975. *Myrlaea epischniella* (Staudinger, 1879) (Pyrilidae)
epischniella Staudinger, 1879
976. *Myrlaea kurdistan* Amsel, 1959 (Pyrilidae)
kurdistan Amsel, 1959
977. *Nephopterix divisella* (Duponchel, 1842) (Pyrilidae)
divisella Duponchel, 1842; *albiricella* Herrich-Schäffer, 1849; *euphorbiella* Zeller, 1846; *sardzeella* Amsel, 1961.
978. *Nephopterix eustatica* Meyrick, 1937 (Pyrilidae)
eustatica Meyrick, 1937
979. *Nephopterix macrocirtensis* Amsel, 1953 (Pyrilidae)
macrocirtensis Amsel, 1953
980. *Noctuella superba* (Freyer, [1844]) (Pyrilidae)
superba Freyer, [1844]
981. *Nomophila noctuella* ([Denis & Schiffmüller], 1775) (Pyrilidae)
noctuella [Denis & Schiffmüller], 1775
982. *Nyctegretis lineana* (Scopoli, 1786) (Pyrilidae)
lineana Scopoli, 1786; *achatinella* Hübner, [1824].
983. *Nymphulosis arcanella* Amsel, 1959 (Pyrilidae)
arcanella Amsel, 1959
984. *Ocrisiodes aliphitopsis* (Meyrick, 1937) (Pyrilidae)
aliphitopsis Meyrick, 1937
985. *Ocrisiodes atmologa* (Meyrick, 1937) (Pyrilidae)
atmologa Meyrick, 1937
986. *Oncocera semirubella* (Scopoli, 1763) (Pyrilidae)
semirubella Scopoli, 1763; *rosella* Goetze, 1783 *nec* Sc., 1763; *purpurella* Thunberg, 1788; *sanguinella* Hübner, 1796; *sanguinea* Haworth, 1811; *nigrella* Caradja, 1916
987. *Panstegia limbopunctalis* (Herrich-Schäffer, [1849]) (Pyrilidae)
limbopunctalis Herrich-Schäffer, [1849]
988. *Parapoynx affinalis* (Guenée, 1854) (Pyrilidae)
affinalis Guenée, 1854; *incommoda* Butler, 1881; *fuscomarginata* Bethune-Baker, 1894; *#alaicalis* Caradja, 1916
989. *Pediasia contaminella* (Hübner, 1796) (Pyrilidae)
contaminella Hübner, 1796; *squalidalis* Hübner, [1825]; *cantiellus* Tutt, 1886.
990. *Pediasia desertella* (Lederer, 1855) (Pyrilidae)
desertellus Lederer, 1855
991. *Pediasia matricella* (Treitschke, 1832) (Pyrilidae)
matricella Treitschke, 1832; *obscura* Caradja, 1931
992. *Pempelia albicostella* (Amsel, 1951) (Pyrilidae)
albicostella Amsel, 1951
993. *Pempelia palumbella* ([Denis & Schiffmüller], 1775) (Pyrilidae)
palumbella [Denis & Schiffmüller], 1775
994. *Pempelia romanoffella* (Ragonot, 1887) (Pyrilidae)
romanoffella Ragonot, 1887
995. *Pempelia sordida* Staudinger, 1879 (Pyrilidae)
sordida Staudinger, 1879
996. *Phlyctaenomorpha sinuosalis* (le Cerf, 1910) (Pyrilidae)
sinuosalis le Cerf, 1909; *platyphaea* Meyrick, 1937.
997. *Phycita comeella* Amsel, 1950 (Pyrilidae)
comeella Amsel, 1950
998. *Phycita diaphana* (Staudinger, 1870) (Pyrilidae)
diaphana Staudinger, 1870
999. *Phycita eremica* Amsel, 1935 (Pyrilidae)
eremica Amsel, 1935; *aciculata* Meyrick
1000. *Phycitodes albatella* (Ragonot, 1887) (Pyrilidae)
albatella Ragonot, 1887
1001. *Phycitodes albobittella* (Ragonot, 1888) (Pyrilidae)
albobittella Ragonot, 1888; *costalbella* Amsel, 1953.
1002. *Phycitodes lacteella* (Rothschild, 1915) (Pyrilidae)
lacteella Rothschild, 1915; *vieltella* Roesler, 1965.
1003. *Phycitodes nigrilimbella* (Ragonot, 1887) (Pyrilidae)
nigrilimbella Ragonot, 1887
1004. *Phycitodes saxicola* (Vaughan, 1870) (Pyrilidae)
saxicola Vaughan, 1870
1005. *Plodia interpunctella* (Hübner, [1813]) (Pyrilidae)
interpunctella Hübner, [1813]; *interpunctalis* Hübner, [1825]; *zeae* Fitch, 1856; *castaneella* Reutti, 1898; *latercula* Hampson, 1901; *glycinivora* Matsumura, 1917; *glycinivorella* Matsumura, 1932.
1006. *Pracepischnia lydella* (Lederer, 1865) (Pyrilidae)
lydella Lederer, 1865; *gypsocrates* Meyrick, 1937
1007. *Pristocerella solskyi* (Christoph, 1877) (Pyrilidae)
solskyi Christoph, 1877; *ochroleucella* Staudinger, 1879; *bivittella* Christoph, 1887.
1008. *Prochoristis rupicapralis* (Lederer, 1855) (Pyrilidae)
rupicapralis Lederer, 1855
1009. *Prorophora* (Epischidia) *albunculella* (Staudinger, 1879) (Pyrilidae)
albunculella Staudinger, 1879; *rhectogramma* Meyrick, 1937.
1010. *Prorophora* (s.str.) *curvibasella* Ragonot, 1887 (Pyrilidae)
curvibasella Ragonot, 1887
1011. *Psammotis pulveralis* (Hübner, 1796) (Pyrilidae)
pulveralis Hübner, 1796
1012. *Psorosa dahlia* (Treitschke, 1832) (Pyrilidae)
dahlia Treitschke, 1832; *bivittella* Duponchel, 1836.
1013. *Psorosa nucleolella* (Möschler, 1866) (Pyrilidae)
nucleolella Möschler, 1866; *clarella* Caradja, 1910; *#luteostrigella* Caradja, 1910; *mediterranea* Amsel, 1953.
1014. *Psorosa ochrifasciella* Ragonot, 1887 (Pyrilidae)
ochrifasciella Ragonot, 1887
1015. *Ptyonocera proteroleuca* Meyrick, 1937 (Pyrilidae)
proteroleuca Meyrick, 1937
1016. *Pyralis farinalis* (Linnaeus, 1758) (Pyrilidae)
farinalis Linnaeus, 1758; *erecta* Fourcroy, 1785; *farinatus* Haworth, 1810; *domesticalis* Zeller, 1847; *fraterna* Butler, 1879; *meridionalis* Schmidt, 1934; *orientalis* Amsel, 1961 *nec* Fabr., 1794.

- 1017.** *Pyralis kacheticalis* Christoph, 1893 (Pyralidae) *kacheticalis* Christoph, 1893
- 1018.** *Pyrasia gutturalis* (Staudinger, 1879) (Pyralidae) *gutturalis* Staudinger, 1879
- 1019.** *Pyrausta* (Haematia) *despicata* (Scopoli, 1763) (Pyralidae) *despicata* Scopoli, 1763; *cespitalis* [Denis & Schiffermüller], 1775.
- 1020.** *Pyrausta* (Haematia) *virginalis* (Duponchel, 1832) (Pyralidae) *virginalis* Duponchel, 1832; *auroralis* Zeller, 1847; *neglectalis* Caradja, 1916
- 1021.** *Pyrausta* (s.str.) *inciae* Koçak, 1982 (Pyralidae) *meridionalis* Staudinger, 1880 nec Wcke, 1871; *inciae* Koçak, 1982.
- 1022.** *Raphimetopus ablutellus* (Zeller, 1839) (Pyralidae) *ablutellus* Zeller, 1839; *stigmatellus* Ragonot, 1888; *buxtoni* Rothschild, 1921
- 1023.** *Saluria maculivittella* Ragonot, 1887 (Pyralidae) *maculivittella* Ragonot, 1887; *armeniella* Ragonot, 1888.
- 1024.** *Saluria pulverosa* Hampson (Pyralidae) *pulverosa* Hampson
- 1025.** *Schoenobius alpherakyi* Staudinger, 1874 (Pyralidae) *alpherakyi* Staudinger, 1874
- 1026.** *Schoenobius gigantellus* ([Denis & Schiffermüller], 1775) (Pyralidae) *gigantella* [Denis & Schiffermüller], 1775
- 1027.** *Schoenobius incertellus* (Walker, 1863) (Pyralidae) *incertellus* Walker, 1863
- 1028.** *Sciota* (s.str.) *rhenella* (Zincken, 1818) (Pyralidae) *rhenella* Zincken, 1818
- 1029.** *Scotomera tacapealis* (Ragonot, 1891) (Pyralidae) *tacapealis* Ragonot, 1891
- 1030.** *Scotomera tristis* Butler, 1881 (Pyralidae) *tristis* Butler, 1881
- 1031.** *Serrulacera serraticornella* (Zeller, 1839) (Pyralidae) *serraticornella* Zeller, 1839; *gregella* Eversmann, 1844.
- 1032.** *Spoladea recurvalis* (Fabricius, 1775) (Pyralidae) *recurvalis* Fabricius, 1775; *fascialis* Cramer, [1782]; *recurvella* Zincken, 1818; *diffascialis* Hübner, [1825]; *albifacialis* Boisduval, 1833; *animalis* Guenée, 1854; *exodias* Meyrick, 1904; *formosana* Shiraki, 1913.
- 1033.** *Staudingeria* (s.str.) *deserticola* (Staudinger, 1870) (Pyralidae) *deserticola* Staudinger, 1870
- 1034.** *Staudingeria* (s.str.) *eremicola* (Amsel, 1935) (Pyralidae) *eremicola* Amsel, 1935; *ignigricella* Amsel, 1959.
- 1035.** *Staudingeria* (s.str.) *partitella* Ragonot, 1887 (Pyralidae) *partitella* Ragonot, 1887; *adustella* Ragonot, 1887; *fractifasciella* Ragonot, 1890; *kebiliella* Lucas, 1909; *combustella* Chrétien, 1910.
- 1036.** *Stiphrometasia sancta* (Hampson, 1900) (Pyralidae) *sancta* Hampson, 1900; *alba* Caradja, 1917.
- 1037.** *Sultania lophotalis* (Hampson, 1900) (Pyralidae) *lophotalis* Hampson, 1900
- 1038.** *Susia designella* (Amsel, 1955) (Pyralidae) *designella* Amsel, 1955
- 1039.** *Susia uberalis* (Swinhoe, 1884) (Pyralidae) *uberalis* Swinhoe, 1884; *bahrainalis* Amsel, 1968.
- 1040.** *Synaphe armenialis* (Lederer, 1870) (Pyralidae) *armenialis* Lederer, 1870
- 1041.** *Synaphe consecratalis* (Lederer, 1855) (Pyralidae) *consecratalis* Lederer, 1855
- 1042.** *Synaphe morbidalis* (Guenée, 1849) (Pyralidae) *morbidalis* Guenée, 1849
- 1043.** *Synaphe uxorialis* (Lederer, 1858) (Pyralidae) *uxorialis* Lederer, 1858
- 1044.** *Synclera traducalis* (Zeller, 1852) (Pyralidae) *traducalis* Zeller, 1852; *retinalis* Lederer, 1857; *univocalis* Walker, 1859; *achatalis* Guenée, 1862
- 1045.** *Taftania oxycyma* (Meyrick, 1937) (Pyralidae) *oxycyma* Meyrick, 1937
- 1046.** *Talis quercella* ([Denis & Schiffermüller], 1775) (Pyralidae) *#quercella* [Denis & Schiffermüller], 1775; *noctuella* Hübner, 1796; *neglectella* Hübner, [1824].
- 1047.** *Tegostoma mossulalis* Amsel, 1949 (Pyralidae) *mossulalis* Amsel, 1949
- 1048.** *Tegostoma paralis* Hampson, 1900 (Pyralidae) *paralis* Hampson, 1900
- 1049.** *Tegostoma perlepidalis* (Guenée, 1854) (Pyralidae) *#lepidalis* Herrich-Schäffer, [1851]; *perlepidalis* Guenée, 1854; *lepidalis* Herrich-Schäffer, [1855]; *#lepidale* Caradja, 1917.
- 1050.** *Tephris stenopterella* Amsel, 1949 (Pyralidae) *stenopterella* Amsel, 1949
- 1051.** *Thopeutis galleriellus* (Ragonot, 1892) (Pyralidae) *galleriellus* Ragonot, 1892; *canicostalis* Hampson, 1896; *unicolor* De Joannis, 1910; *submedianalis* Hampson, 1919; *buxtoni* Rothschild, 1921; *chretienellus* Dumont, 1930; *maculalis* Predota, 1934; *hederalis* Amsel, 1935.
- 1052.** *Thyridiphora furia* (Swinhoe, 1884) (Pyralidae) *furia* Swinhoe, 1884; *fenestrata* Warren, 1888; *grisea* Amsel, 1968.
- 1053.** *Trachycera dulcella* (Zeller, 1848) (Pyralidae) *dulcella* Zeller, 1848
- 1054.** *Tretopteryx pertusalis* (Geyer, [1832]) (Pyralidae) *pertusalis* Geyer, [1832]
- 1055.** *Trigonuncus euergestalis* Amsel, 1953 (Pyralidae) *euergestalis* Amsel, 1953; *#euergestalis* Wiltshire, 1957.
- 1056.** *Trissonca crocotoxa* Meyrick, 1937 (Pyralidae) *crocotoxa* Meyrick, 1937
- 1057.** *Trissonca muliebris* Meyrick, 1937 (Pyralidae) *muliebris* Meyrick, 1937
- 1058.** *Trissonca oblitella* (Zeller, 1848) (Pyralidae) *oblitella* Zeller, 1848; *ischnopis* Meyrick, 1937
- 1059.** *Trissonca polycapna* Meyrick, 1937 (Pyralidae) *polycapna* Meyrick, 1937
- 1060.** *Udea confinalis* (Lederer, 1858) (Pyralidae) *confinalis* Lederer, 1858; *graecalis* Staudinger, 1870
- 1061.** *Udea ferrugalis* (Hübner, 1796) (Pyralidae) *ferrugalis* Rossi, 1794; *ferrugalis* Hübner, 1796; *#ferrugalis* Hübner, 1796; *martialis* Guenée, 1854; *hyptialis* Walker, 1859; *testacea* Butler, 1879
- 1062.** *Udea languidalis* (Eversmann, 1842) (Pyralidae) *languidalis* Eversmann, 1842
- 1063.** *Udea perfervidalis* Hampson (Pyralidae) *perfervidalis* Hampson
- 1064.** *Uresiphita polygonalis* ([Denis & Schiffermüller], 1775) (Pyralidae) *polygonalis* [Denis & Schiffermüller], 1775; *#limbalis* [Denis & Schiffermüller], 1775; *gilvata* Fabricius, 1794; *orientalis* Fabricius, 1794; *diversalis* Hübner, 1796; *rusticalis* Hübner, 1796; *aversalis* Guenée, 1854; *consanguinalis* Guenée, 1854; *teriadalis* Guenée, 1854; *deprivalis* Walker, 1859; *virescens* Butler, 1881; *ochrocrossa* Clarke, 1971
- 1065.** *Valva pseudodiscomaculella* (Amsel, 1935) (Pyralidae) *pseudodiscomaculella* Amsel, 1935; *candiopella* Amsel, 1961
- 1066.** *Zonora concatenalis* (Lederer, 1858) (Pyralidae) *concatenalis* Lederer, 1858
- 1067.** *Saturnia* (s.str.) *pyri* ([Denis & Schiffermüller], 1775) (Saturniidae) *pyri* [Denis & Schiffermüller], 1775; *teherana* Lenek, 1970; *pinkerae* Kobes, 1980.
- 1068.** *Brintesia circe* (Fabricius, 1775) (Satyridae) *circe* Fabricius, 1775; *proserpina* Denis & Schiffermüller, 1775; *maga* Fruhstorfer, 1909; *venefica* Fruhstorfer, 1909; *gabala* Gaillard, 1959; *maladettae* Varin, 1962.
- 1069.** *Chazara* (Neochazara) *anthe* (Hoffmannsegg, 1804) (Satyridae) *anthe* Hoffmannsegg, 1804; *persephone* Hübner, 1805; *anthe* Ochsenheimer, 1807.
- 1070.** *Chazara* (s.str.) *briseis* (Linnaeus, 1764) (Satyridae) *briseis* Linnaeus, 1764; *daedale* Bergsträßer, 1780; *bataia* Fruhstorfer, 1909; *interjecta* Verity, 1916; *variabilis* Varin, 1958; *pictonica* Varin, 1958.
- 1071.** *Coenonympha pamphilus* (Linnaeus, 1758) (Satyridae) *pamphilus* Linnaeus, 1758; *menalcas* Poda, 1761; *nephele* Hufnagel, 1766; *marginata* Heyne, 1894; *orantia* Fruhstorfer, 1908; *scota* Verity, 1911; *infrarasa* Verity, 1926; *juldusica* Verity, 1926; *asiaemontium* Verity, 1926; *euxina* Verity, 1926; *posteuxina* Verity, 1926; *londonii* Verity, 1926; *neolyllus* De Lattin, 1950
- 1072.** *Coenonympha saadi* (Kollar, [1849]) (Satyridae) *saadi* Kollar, [1849]; *iphias* Eversmann, 1851.
- 1073.** *Esperarge* (s.str.) *clymene* (Fabricius, 1787) (Satyridae) *#climene* Esper, [1783]; *clymene* Fabricius, 1787; *boroeas* Latreille, 1803; *synclimene* Hübner, [1819].
- 1074.** *Hipparchia* (Neohipparchia) *fatua* (Freyer, 1844) (Satyridae) *fatua* Freyer, 1844; *sichaea* Lederer, 1857; *insularis*

Turati, 1929; *elineata* Verity, 1937; *infracastanea* Verity, 1938; *kosswigi* De Lattin, 1950.

1075. Hipparchia (Neohipparchia) parisatis (Kollar, [1849]) (Satyridae) *parisatis* Kollar, [1849]; *macrophthalmus* Eversmann, 1851; *malatinus* Heyne, 1894; *ismail* Gross & Ebert, 1975; *huochenensis* Huang & Zhou, 2000.

1076. Hipparchia (Parahipparchia) pellucida (Stauder, 1924) (Satyridae) *pellucida* Stauder, 1924; *cotys* Jachontov, 1935; *hesselbarthi* Kudrna, 1976.

1077. Hipparchia (s.str.) syriaca (Staudinger, 1871) (Satyridae) *syriaca* Staudinger, 1871; *attikana* Fruhstorfer, 1907; *meschetica* Jachontov, 1915; *tokatensis* Gross, 1959.

1078. Hyponephele (s.str. (Turaninephele)) wagneri (Herrich-Schäffer, [1846]) (Satyridae) *wagneri* Herrich-Schäffer, [1846]; *schmidt* Bang-Haas, 1927.

1079. Hyponephele (s.str.) lupina (Costa, [1836]) (Satyridae) *lupina* Costa, [1836]

1080. Hyponephele (s.str.) lycaon (Rottemburg, 1775) (Satyridae) *lycaon* Rottemburg, 1775; *lycaon* Kuhn, 1774; *eudora* Esper, 1778; *janirula* Esper, 1800.

1081. Kirinia (Melike) roxelana (Cramer, [1777]) (Satyridae) *roxelana* Cramer, [1777]

1082. Lasiommata megera (Linnaeus, 1767) (Satyridae) *megera* Linnaeus, 1767; *caledonia* Verity, 1911; *alticola* Verity, 1911; *pseudoadrasta* Stauder, 1922; *infrapallens* Verity, 1922; *ocellator* Verity, 1923; *pallidedepulverata* Verity, 1923.

1083. Lasiommata menava Moore, 1865 (Satyridae) *menava* Moore, 1865.

1084. Maniola (Telmessiola) telmessia (Zeller, 1847) (Satyridae) *telmessia* Zeller, 1847; *pallescens* Butler, 1868; *kurdistan* Heyne, 1894; *oreas* Le Cerf, 1912; *maniolides* Le Cerf, 1912; *ornata* Turati & Fiori, 1930; *marenigrans* Verity, 1938; *pelekassii* Kattulas & Koutsafikis, 1978.

1085. Maniola (s.str.) jurtina (Linnaeus, 1758) (Satyridae) *jurtina* Linnaeus, 1758; *janira* Linnaeus, 1758; *lemur* Schrank, 1801.

1086. Melanargia (Turcargia) hylata (Ménétries, 1832) (Satyridae) *hylata* Ménétries, 1832

1087. Pararge aegeria (Linnaeus, 1758) (Satyridae) *aegeria* Linnaeus, 1758; *meone* Cramer, 1782; *egeria* Ochsenheimer, 1807; *sardoa* Verity, 1908.

1088. Pseudochazara (Achazara) telephassa (Geyer, [1827]) (Satyridae) *telephassa* Geyer, [1827]

1089. Pseudochazara (s.str.) pelopea (Klug, 1832) (Satyridae) *pelopea* Klug, 1832

1090. Satyrus (s.str. (s.str.)) favonius Staudinger, [1892] (Satyridae) *favonius* Staudinger, [1892]

1091. Satyrus (s.str. (s.str.)) parthicus Lederer, 1869 (Satyridae) *parthicus* Lederer, 1869; *pimpla sensu* Wiltshire, 1957

1092. Ypthima asterope (Klug, 1832) (Satyridae) *asterope* Klug, 1832; *marlenii* Kattulas & Koutsafikis, 1978.

1093. Scythris (bagdadiella-gr.) bagdadiella Amsel, 1949 (Scythridae) *bagdadiella* Amsel, 1949

1094. Scythris (monochreella-gr.) monochreella Ragonot, 1895 (Scythridae) *monochreella* Ragonot, 1895

1095. Scythris (scopolella-gr.) apicalis (Zeller, 1847) (Scythridae) *apicalis* Zeller, 1847; *unipunctella* Rebel, 1901.

1096. Scythris lychnitis Meyrick, 1918 (Scythridae) *lychnitis* Meyrick, 1918

1097. Chamaesphesia doryceraeformis (Lederer, 1853) (Sesiidae) *doryceraeformis* Lederer, 1853

1098. Euhagena palmariformis (Lederer, 1858) (Sesiidae) *palmariformis* Lederer, 1858; *diocriiformis* Romanoff, 1884; *rubescens* Staudinger, 1887; *almana* Rebel, 1917

1099. Sesia pimplaeformis Oberthür, 1872 (Sesiidae) *pimplaeformis* Oberthür, 1872

1100. Acherontia atropos (Linnaeus, 1758) (Sphingidae) *atropos* Linnaeus, 1758; *solani* Oken, 1815; *sculda* Kirby, 1877.

1101. Acherontia styx (Westwood, 1847) (Sphingidae) *styx* Westwood, 1847; *ariel* Boisduval, [1875]; *stax* Lewvanich, 2001

1102. Agrius convolvuli (Linnaeus, 1758) (Sphingidae) *convolvuli* Linnaeus, 1758; *abaddon* Fabricius, 1798; *pseudofasciatus* Koch, 1865; *pseudoconvolvuli* Schaufuss, 1870; *orientalis* Butler, 1876; *distans* Butler, 1876; *batatae* Christ, 1882; *nigricans* Cannaviello, 1900; *ichangensis* Tutt, 1904; *javanensis* Tutt, 1904; *tahitiensis* Tutt, 1904; *indica* Skell, 1913; *marshallensis* Clark, 1922; *akuensis* O. Bang-Haas, 1927

1103. Akbesia davidi (Oberthür, 1884) (Sphingidae) *davidi* Oberthür, 1884

1104. Clarina kotschy (Kollar, [1849]) (Sphingidae) *kotschy* Kollar, [1849]; *mardina* Staudinger, 1901.

1105. Daphnis nerii (Linnaeus, 1758) (Sphingidae) *nerii* Linnaeus, 1758; *infernelutea* Saalmüller, 1884; *#confluens* Closs, 1912; *#nigra* Schmidt, 1914; *bipartita* Gehlen, 1934.

1106. Deilephila suellus Staudinger, 1878 (Sphingidae) *suellus* Staudinger, 1878; *kuruschi* O. Bang-Haas, 1938.

1107. Hemaris (Cochrania) croatica (Esper, [1779]) (Sphingidae) *croatica* Esper, [1779]; *sesia* Hübner, [1806]; *#obscura* Closs, 1911; *#rangnowi* Closs, 1911.

1108. Hemaris (s.str.) syra (Daniel, 1939) (Sphingidae) *syra* Daniel, 1939; *#syriaca* Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt, 2005

1109. Hyles conspicua (Rothschild & Jordan, 1903) (Sphingidae) *conspicua* Rothschild & Jordan, 1903.

1110. Hyles livornica (Esper, [1780]) (Sphingidae) *livornica* Esper, [1780]; *koechlini* Fuessly, 1781; *tatsienluica* Oberthür, 1916; *saharae* Gehlen, 1932; *malgassica* Denso, 1944; *tatsienluica* Oberthür, 1944; *renneri* Eitschberger, Danner & Surholt, 1998.

1111. Hyles nicaea (Prunner, 1798) (Sphingidae) *nicaea* Prunner, 1798; *cyparissiae* Hübner, [1813].

1112. Hyles robertsi (Butler, 1880) (Sphingidae) *robertsi* Butler, 1880; *peplidis* Christoph, 1894

1113. Laothoe populeti (Bienert, [1870]) (Sphingidae) *populeti* Bienert, [1870]; *populetorum* Staudinger, 1887; *syriaca* Gehlen, 1932; *intermedia* Gehlen, 1934.

1114. Macroglossum stellatarum (Linnaeus, 1758) (Sphingidae) *stellatarum* Linnaeus, 1758; *nigra* Cosmovici, 1892.

1115. Marumba quercus (Denis & Schiffermüller, [1775]) (Sphingidae) *quercus* [Denis & Schiffermüller], 1775; *denisii* Fuessly, 1779; *#brunnescens* Rebel, 1910; *#canescens*, *pallescens* Closs, 1922; *mesopotamica* O. Bang-Haas, 1938; *schirasi* O. Bang-Haas, 1938; *#pallida* Vilarrubia, 1973.

1116. Rethera brandti O. Bang-Haas, 1937 (Sphingidae) *brandti* O. Bang-Haas, 1937

1117. Rethera komarovi (Christoph, 1885) (Sphingidae) *komarovi* Christoph, 1885; *#komarowi* Wagner, 1931; *ryabovi* O. Bang-Haas, 1935.

1118. Smerinthus kindermanni Lederer, 1852 (Sphingidae) *kindermanni* Lederer, 1852; *#obscura* Closs, 1917

1119. Sphingonaepiopsis gorgoniades (Hübner, [1819]) (Sphingidae) *gorgon* Esper, [1804] (*praeocc.*); *gorgoniades* Hübner, [1819]; *chlooptera* von Mentzer, 1974.

1120. Theretra alecto (Linnaeus, 1758) (Sphingidae) *alecto* Linnaeus, 1758; *cretica* Boisduval, 1827; *freyeri* Kirby, 1892; *transcaspica* O. Bang-Haas, 1927; *intermissa* Gehlen, 1941.

1121. Thaumetopoea (s.str.) solitaria (Freyer, [1838]) (Thaumetopoeidae) *solitaria* Freyer, [1838]

1122. Polyplocia korbi Rebel, 1901 (Thyatiridae) *korbi* Rebel, 1901

1123. Tethea ocularis (Linnaeus, 1767) (Thyatiridae) *ocularis* Linnaeus, 1767; *octogena* Esper, 1788

1124. Ceratuncus affinitellus (Rebel, 1901) (Tineidae) *affinitellus* Rebel, 1901; *#extinctella* Caradja, 1920; *maraschensis* Rebel, 1936; *irakella* Amsel, 1949; *libanotica* Amsel, 1951.

1125. Episcardia (Bilobatana) fuscoviolacella (Ragonot, 1895) (Tineidae) *violacella* Rebel, 1893 (*praeocc.*); *fuscoviolacella* Ragonot, 1895; *luteocapitella* Amsel, 1935.

1126. Hapsifera asiatica Amsel, 1949 (Tineidae) *asiatica* Amsel, 1949

1127. Hapsifera luridella Zeller, 1847 (Tineidae) *luridella* Zeller, 1847; *baliopsamma* Meyrick, 1921; *pustulatella* Lucas, 1942 *nec* Zell., 1852; *eburnea* Butler, 1881; *palaestinensis* Rebel, 1901; *kerbelella* Amsel, 1949

1128. Monopis meleodes Meyrick, 1917 (Tineidae) *meleodes* Meyrick, 1917

1129. Myrmecozela (Flavida) insignis Amsel, 1935 (Tineidae) *insignis* Amsel, 1935; *stichograptia* Meyrick, 1936; *diacona* Amsel, 1949

1130. Myrmecozela (Flavida) lutosella (Eversmann, 1844) (Tineidae) *lutosella* Eversmann, 1844

1131. Niditinea fuscella (Linnaeus, 1758) (Tineidae) *fuscella* Linnaeus, 1758; *spretella* [Denis & Schiffermüller], 1775;

- crinitella* Schrank, 1802; *fuscipunctella* Haworth, [1828]; *nubilipennella* Clemens, 1859; *abligatella* Walker, 1863; *eurinella* Zagulyaev, 1952; *distans* Gozmany, 1959.
- 1132.** *Niditinea tugurialis* (Meyrick, 1932) (Tineidae)
tugurialis Meyrick, 1932; *unipunctella* Zagulyaev, 1960
- 1133.** *Paratinea irakella* G. Petersen, 1959 (Tineidae)
irakella G. Petersen, 1959
- 1134.** *Paratinea striaticostella* G. Petersen, 1959 (Tineidae)
striaticostella G. Petersen, 1959
- 1135.** *Perissomastix* (Aphrodoxa) *cornuta* (G. Petersen, 1959) (Tineidae) *cornuta* G. Petersen, 1959
- 1136.** *Perissomastix* (Aphrodoxa) *flava* (G. Petersen, 1960) (Tineidae) *flava* G. Petersen, 1960
- 1137.** *Perissomastix* (s.str.) *taeniaecornis* (Walsingham, 1896) (Tineidae) *taeniaecornis* Walsingham, 1896; *aegyptiella* Rebel, 1914.
- 1138.** *Praelongicera palaestinella* (Amsel, 1956) (Tineidae)
palaestinella Amsel, 1956
- 1139.** *Psephologa centrogramma* Meyrick, 1921 (Tineidae)
centrogramma Meyrick, 1921
- 1140.** *Rhodobates pallipallus* Rebel, 1901 (Tineidae)
pallipallus Rebel, 1901; *atactopis* Meyrick, 1937.
- 1141.** *Trichophaga bipartitella* (Ragonot, 1892) (Tineidae)
abruptella Wollaston, 1858 (praeocc.); *bipartitella* Ragonot, 1892; *desertella* Mabil, 1907; *amina* Meyrick, 1925
- 1142.** *Acleris variegana* (Denis & Schiffmüller, 1775) (Tortricidae) *variegana* [Denis & Schiffmüller], 1775; *asperana* Fabricius, 1777; *osbeckiana* Thunberg, 1784; *nyctemerana* Hübner, [1817]; *blandiana* Charpentier, 1821; *blandana* Hübner, [1825]; *cirrana* Curtis, 1835; *albana* Humpreys & Westwood, 1845; *insignana* Herrich-Schäffer, 1851.
- 1143.** *Aphelia* (Zelotheres) (ochreana Hübner, [1799]) (Tortricidae) *ferugana* Hübner, 1793 (homonym); *ochreana* Hübner, [1799]; *shaqlawana* Amsel, 1955; *chretieni* Obratsov, 1957
- 1144.** *Archips rosanus* (Linnaeus, 1758) (Tortricidae)
rosana Linnaeus, 1758; *avellana* Linnaeus, 1758; *ameriana* Linnaeus, 1758; *laevigana* [Denis & Schiffmüller], 1775; *oxycanthana* Hübner, [1799]; *acerana* Hübner, [1799]; *nebulana* Stephens, 1834
- 1145.** *Bactra* (Chiloides) *venosana* (Zeller, 1847) (Tortricidae) *venosana* Zeller, 1847; *truculenta* Meyrick, 1909; *scythropa* Meyrick, 1911; *geraropa* Meyrick, 1932; *banesii* Gozmany, 1960
- 1146.** *Bactra* (s.str.) *baetrana* (Kennel, 1901) (Tortricidae)
baetrana Kennel, 1901; *cyperana* Amsel, 1951; *mediterranea* Agenjo, 1952.
- 1147.** *Bactra* (s.str.) *lancealana* (Hübner, [1799]) (Tortricidae) *lancealana* Hübner, [1799]; *#lanceolana* Hübner, [1822]; *egestana* Haworth, 1811; *plagana* Haworth, 1811; *dibeliana* Hübner, [1819]; *rufana* Stephens, 1834; *nigrovittana* Stephens, 1852
- 1148.** *Cnephasia* (s.str.) *nigripunctana* Amsel, 1959 (Tortricidae) *nigripunctana* Amsel, 1959
- 1149.** *Cnephasia* (s.str.) *orientana* (Alpheraky, 1876) (Tortricidae) *orientana* Alpheraky, 1876
- 1150.** *Cochylimorpha chionella* (Schawerda, 1924) (Tortricidae) *chionella* Schawerda, 1924
- 1151.** *Cochylimorpha kurdistan* (Amsel, 1959) (Tortricidae) *kurdistan* Amsel, 1959
- 1152.** *Cochylimorpha straminea* (Haworth, [1811]) (Tortricidae) *straminea* Haworth, [1811]; *tischerana* Treitschke, 1830; *sudana* Duponchel, 1836; *substraminea* Ragonot, 1895; *scabiosa* Kennel, 1900; *lentiginosana* Kennel, 1900; *ramessana* Rebel, 1912; *glaisana* Lucas, 1942; *pallens* Lucas, 1954.
- 1153.** *Cochylis posterana* Zeller, 1847 (Tortricidae)
posterana Zeller, 1847; *nubivagana* Zerny, 1935; *hyrcana* Toll, 1947.
- 1154.** *Cydia bagdadiana* (Amsel, 1949) (Tortricidae)
bagdadiana Amsel, 1949
- 1155.** *Cydia blackmoreana* (Walsingham, 1903) (Tortricidae) *blackmoreana* Walsingham, 1903
- 1156.** *Cydia coluteana* (Amsel, 1959) (Tortricidae)
coluteana Amsel, 1959
- 1157.** *Dichrorampha eximia* (Danilevsky, 1948) (Tortricidae) *eximia* Danilevsky, 1948; *obraztsovi* Amsel, 1959
- 1158.** *Eana* (Eutrachia) *goiiana* (Linnaeus, 1761) (Tortricidae) *#argentana* Clerck, 1759; *goiiana* Linnaeus, 1761; *govana* Fabricius, 1775; *argyria* Retzius, 1783; *gerningiana* Villers, 1789; *margaritalis* Hübner, 1790; *magnana* Hübner, [1813]; *georgiella* Hulst, 1887
- 1159.** *Epinotia dalmatana* Rebel, 1891 (Tortricidae)
dalmatana Rebel, 1891; *mesopotamica* Obratsov, 1952
- 1160.** *Eucosma esmodes* Meyrick, 1937 (Tortricidae)
esmodes Meyrick, 1937
- 1161.** *Eucosma kurdistan* (Amsel, 1959) (Tortricidae)
kurdistan Amsel, 1959
- 1162.** *Eucosma recentana* (Zerny, 1933) (Tortricidae)
recentana Zerny, 1933
- 1163.** *Fulvoclysis subdolana* (Kennel, 1901) (Tortricidae)
subdolana Kennel, 1901; *subflavana* Amsel, 1959
- 1164.** *Gypsonoma aceriana* (Duponchel, 1843) (Tortricidae)
aceriana Duponchel, 1843
- 1165.** *Gypsonoma euphratica* (Amsel, 1935) (Tortricidae)
euphratica Amsel, 1935
- 1166.** *Lobesia* (s.str.) *artemisiana* (Zeller, 1847) (Tortricidae) *artemisiana* Zeller, 1847; *trifasciana* Herrich-Schäffer, 1851; *amaryllana* Millièr, 1875.
- 1167.** *Lobesia* (s.str.) *vitisana* (Jacquin, 1788) (Tortricidae)
#botrana [Denis & Schiffmüller], 1775; *vitisana* Jacquin, 1788; *rosmarinana* Millièr, 1865.
- 1168.** *Olethreutes* (Argyroplote) *kurdistan* Amsel, 1959 (Tortricidae) *kurdistan* Amsel, 1959
- 1169.** *Oxypteron impar* Staudinger, 1871 (Tortricidae)
impar Staudinger, 1871
- 1170.** *Pseudeulia asinana* (Hübner, [1799]) (Tortricidae)
asinana Hübner, [1799]
- 1171.** *Sparganothis pilleriana* ([Denis & Schiffmüller], 1775) (Tortricidae) *pilleriana* [Denis & Schiffmüller], 1775
- 1172.** *Tortrix viridana* (Linnaeus, 1758) (Tortricidae)
viridana Linnaeus, 1758; *suttneriana* [Denis & Schiffmüller], 1775; *flavipes* Fourcroy, 1785; *flavana* Zincken, 1821 nec Hübner, [1799]; *coeruleana* Sorhagen, 1881.
- 1173.** *Plutella* (s.str.) *xylostella* (Linnaeus, 1758) (Yponomeutidae) *xylostella* Linnaeus, 1758; *cinerea* Fourcroy, 1785 nec Hufn., 1766; *xylostei* Fabricius, 1798; *maculipennis* Curtis, 1832; *niveella* Zeller, 1839; *cruciferarum* Zeller, 1843; *brassicella* Fitch, 1856; *limbipennella* Clemens, 1860; *mollipedella* Clemens, 1860; *cicerella* Rondani, 1876; *dubiosella* Beutenmüller, 1889; *albovenosa* Walsingham, 1897; *megapterella* Bentinck, 1934
- 1174.** *Ypsolopha indecorella* (Rebel, 1903) (Yponomeutidae) *indecorella* Rebel, 1903
- 1175.** *Adscita* (s.str.) *obscura* (Zeller, 1847) (Zygaenidae)
obscura Zeller, 1847; *anceps* Staudinger, 1862.
- 1176.** *Jordanita* (Lucasiterna) *subsolana* (Staudinger, 1862) (Zygaenidae) *subsolana* Staudinger, 1862
- 1177.** *Jordanita* (Praviela) *anatolica* (Naufock, 1929) (Zygaenidae) *anatolica* Naufock, 1929; *levantina* Jordan, 1931; *pfeifferi* Naufock, 1935; ? *christinae* Keil, 1998.
- 1178.** *Jordanita* (s.str.) *chloros* (Hübner, [1813]) (Zygaenidae) *chloros* Hübner, [1813]; *sepium* Boisduval, 1834.
- 1179.** *Jordanita* (s.str.) *graeca* (Jordan, 1907) (Zygaenidae)
graeca Jordan, 1907; *sultana* Alberti, 1937
- 1180.** *Zygaena* (Mesembrynus) *cambysea* Lederer, 1870 (Zygaenidae) *cambysea* Lederer, 1870
- 1181.** *Zygaena* (Mesembrynus) *cuvieri* Boisduval, 1828 (Zygaenidae) *cuvieri* Boisduval, 1828
- 1182.** *Zygaena* (Mesembrynus) *manlia* Lederer, 1870 (Zygaenidae) *manlia* Lederer, 1870
- 1183.** *Zygaena* (Mesembrynus) *rubricollis* Hampson, 1900 (Zygaenidae) *rubricollis* Hampson, 1900
- 1184.** *Zygaena* (Mesembrynus) *tamara* Christoph, 1889 (Zygaenidae) *tamara* Christoph, 1889

Chapter 10

Illustrated list of the Lepidoptera recorded in Doi Inthanon (North Thailand)¹⁷

by
Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Chapter 10: Illustrated list of the Lepidoptera recorded in Doi Inthanon (North Thailand), [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 1740-1744.

In this Chapter of the reports of the Cesa Projects, totally 438 species are listed alphabetically under the related families based upon the Databank of the Cesa. This study is a part of the Lepidoptera of the Lepidoptera of Asia (LAS), Lepidoptera of Orientalic Region (LOR), Lepidoptera of Indo-China (LIC), and Lepidoptera of Thailand (LTH) of the current Cesa Projects.

¹⁷ Results of the Projects of the CESA-I, Lepidoptera of Thailand (LTH) (in part).

- Acraeidae
1. Pareba issoria (Hübner,[1819])
Pareba issoria sordice (Fruhstorfer,1914)
- Aganaiidae
2. Asota heliconia (Linnaeus,1758)
3. Asota plana Walker,1854
4. Asota producta (Butler,1875)
- Argynnidae
5. Ariadne merione (Cramer,[1779])
Ariadne merione tapestrina Moore,1884
6. Cethosia biblis (Drury,[1773])
Cethosia biblis biblis (Drury,[1773])
7. Cethosia cyane (Drury,[1773])
Cethosia cyane euanthes Fruhstorfer,1912
8. Limenitis (Sumalia) daraxa Doubleday,[1848]
Limenitis (Sumalia) daraxa daraxa Doubleday,[1848]
9. Phalanta phalantha (Drury,[1773])
Phalanta phalantha phalantha (Drury,[1773])
10. Precis (Junonia) hierta (Fabricius,1798)
Precis (Junonia) hierta hierta (Fabricius,1798)
- Brachodidae
11. Phycodes taonopa Meyrick,1909
- Choreutidae
12. Brenthia multipunctata Arita,1987
13. Litobrenthia doiinthanonensis Arita,1987
14. Cosmopterix plumbigutella Kuroko,1987
15. Tarsozeuzera fuscipars (Hampson,1892)
16. Xyleutes personus Le Guillou,1841
17. Zeuzera multistrigata Moore,1881
18. Eriocottis sp.[2]:
19. Gelechia ? machinata (Meyrick,1929)
20. Parachronistis destillans (Meyrick,1918)
21. Abaciscus karsholti Sato,1996
22. Abraxas (Calospilos) amacula Wehrli,1935
23. Abraxas (Calospilos) formosilluminata Inoue,1984
24. Abraxas (Calospilos) metallica Inoue,1994
25. Abraxas (Calospilos) oblongostigma Inoue,1994
26. Abraxas (s.str.) aritai Inoue,1994
27. Abraxas (s.str.) atrolivens Inoue,1994
28. Alcis albifera (Moore,1888)
29. Alcis Chiangmaiensis Sato,1991
30. Alcis Chiangmaiensis Chiangmaiensis Sato,1991
31. Alcis decussata (Moore,1868)
32. Alcis hodeberti Herbulot,1987
33. Alcis imbecilis (Moore,1888)
34. Alcis macroclara Sato,1993
35. Alcis maculata (Moore,1868)
36. Alcis maculata prodictyota (Wehrli,1934)
37. Alcis paraclarata Sato,1993
38. Alcis semialba (Moore,1888)
39. Alcis semiclarata (Walker,1862)
40. Alcis variegata (Moore,1888)
41. Alcis variegata variegata (Moore,1888)
42. Arichanna marginata W. Warren,1893
43. Arichanna tramesata Moore,1868
44. Blepharoctenucha virescens (Butler,1880)
45. Blepharoctenucha virescens virescens (Butler,1880)
46. Calichodes ochrifasciata (Moore,1888)
47. Chorodna creataria (Guenée,[1858])
48. Chorodna mauraria (Guenée,[1858])
49. Chorodna metaphaearia (Walker,[1863])
50. Chorodna testacea (Moore,1868)
51. Cleora alienaria (Walker,1860)
52. Cleora concentraria (Snellen,1877)
53. Cleora fraterna (Moore,1888)
54. Dindica para Swinhoe,1891
55. Dindica para para Swinhoe,1891
56. Ephemerophila lignata (W. Warren,1894)
57. Ereboromorpha fulguraria Walker,1860
58. Fascellina pinratana Inoue,1992
59. Hypomecis lioptilaria (Swinhoe,1903)
60. Hypomecis moriutii Sato,1991
61. Hypomecis nepalensis (Hampson,1902)
62. Hypomecis oblivia (L.B.Prout,1925)
63. Hypomecis stueningi Sato,1991
64. Medasina albidaria (Walker,1866)
65. Medasina basistrigaria (Moore,1868)
66. Medasina lampasaria (Hampson,1895)
67. Medasina maxima Moore,1888
68. Medasina missionaria (Wehrli,1941)
69. Medasina mucidaria (Walker,1866)
70. Myrioblephara conifera (Moore,1888)
71. Myrioblephara embolochroma (L.B.Prout,1927)
72. Myrioblephara irrorata (Moore,1888)
73. Necyopa ioge L.B.Prout,1932
74. Ophthalmitis pertusaria (R.Felder & Rogenhofer,1875)
75. Ourapteryx astrigera Inoue,1993
76. Ourapteryx consociata Inoue,1993
77. Ourapteryx diminuta Inoue,1993
78. Ourapteryx margaritata Moore,1868
79. Ourapteryx sciticaudaria Walker,1862
80. Ourapteryx stueningi Inoue,1993
81. Pachyodes harutai Yazaki,1992
82. Pachyodes harutai infuscatus Yazaki,1992
83. Paracalicha prasinaria Sato,1992
84. Paraperania chionoepala Inoue,1992
85. Pseudalcis trispinaria (Walker,1860)
86. Pseudobiston pinratana Inoue,1994
87. Pseudomiza uniformis Inoue,1992
88. Psilalcis bisinuata (Hampson,1895)
89. Psilalcis paraceptaria Sato,1996
90. Psyra cuneata Walker,1860
91. Rikiosatoa euphiles (L.B.Prout,1916)
92. Sarcinodes yazakii Inoue,1992
93. Shangrilana paradisea Inoue,1994
94. Trichopterigia viridilineata Hashimoto,1995
95. Uliura combustaria (Walker,1866)
96. Uliura dierli Stüning,2000
97. Uliura gratiosa Sato,1995
98. Uliura kurokoi Sato,1995
99. Xandrames albofasciata Moore,1868
100. Xandrames xanthos Sato,1996
101. Artifodina kurokoi Kumata,1995
102. Artifodina siamensis Kumata,1995
103. Ochlodes brahma Moore,1878
104. Ochlodes brahma brahma Moore,1878
105. Alompra ferruginea Moore,1872
106. Alompra roepkei Tams,1953
107. Amurilla rubra (Hampson,1896)
108. Amurilla rubra gloria Zolotuhin,2005
109. Argonestis flammans (Hampson,1892)
110. Arguda thaica Zolotuhin,2005
111. Cerberolebeda styx Zolotuhin,1995
112. Crinocraspeda torrida (Moore,1879)
113. Crinocraspeda torrida torrida (Moore,1879)
114. Dendrolimus angulata Gaede,1932
115. Dendrolimus grisea (Moore,1879)
116. Dendrolimus senex Zolotuhin,2002
117. Euthrix imitatrix (De Lajonquière,1978)
118. Euthrix imitatrix tonkiensis (De Lajonquière,1978)
119. Gastropacha (Estigena) koniensis Tams,1935

120. *Gastropacha (Estigena) pardale* (Walker, 1855)
121. *Gastropacha (Estigena) philippinensis* Tams, 1935
122. *Gastropacha (Estigena) xenapates* Tams, 1935
123. *Gastropacha (Stenophyllides) acutifolia* Roepke, 1953
124. *Kunugia ampla* (Walker, 1855)
125. *Kunugia falco* Zolotuhin, 2002
126. *Kunugia fulgens* (Moore, 1879)
127. *Kunugia grjukovae* Zolotuhin, 2005
128. *Kunugia vulpina* (Moore, 1879)
129. *Kunugia vulpina victori* Zolotuhin & Witt, 2000
130. *Lebeda nobilis* Walker, 1855
131. *Lebeda nobilis nobilis* Walker, 1855
132. *Metanastria capucina* Zolotuhin & Witt, 2000
133. *Metanastria capucina purgata* Zolotuhin, 2005
134. *Metanastria mantra* Zolotuhin, 2005
135. *Metanastria mantra mantra* Zolotuhin, 2005
136. *Paradoxopla sinuata* (Moore, 1879)
137. *Paradoxopla sinuata fabulosa* Zolotuhin, 2005
138. *Pyrosis rotundipennis* (De Joannis, 1929)
139. *Pyrosis* sp.
140. *Suana concolor* (Walker, 1855)
141. *Suana concolor concolor* (Walker, 1855)
142. *Syrastrenopsis inthanonensis* Orhant, 2001
143. *Takanea excisa* (Wileman, 1910)
144. *Takanea excisa murina* Zolotuhin, 2005
145. *Chrysozephyrus sikkimensis* (Howarth, 1957)
146. *Flos areste* (Hewitson, 1862)
147. *Flos areste areste* (Hewitson, 1862)
148. *Heliophorus* (s.str.) *hybridus* Tytler, 1912
149. *Heliophorus* (s.str.) *hybridus hybridus* Tytler, 1912
150. *Pseudozizeeria maha* (Kollar, [1844])
151. *Pseudozizeeria maha maha* (Kollar, [1844])
152. *Una usta* (Distant, 1886)
153. *Una usta usta* (Distant, 1886)
154. *Zizina otis* (Fabricius, 1787)
155. *Zizina otis sangra* (Moore, 1865)
156. *Numenes patrana* Moore, 1859
157. *Achaea serva* (Fabricius, 1775)
158. *Acronicta (Triaena) intermedia* (W. Warren, 1909)
159. *Acronicta lilacina* (Hampson, 1914)
160. *Acronicta maxima* (Moore, 1881)
161. *Aedia acronyctoides* (Guenée, 1852)
162. *Agrochola albirena* (Boursin, 1956)
163. *Agrochola albirena doiinthanoni* Hreblay & L.Ronkay, 1999
164. *Agrochola siamica* Hreblay & L.Ronkay, 1999
165. *Amilaga* sp.
166. *Anacronycta albargentea* Speidel & Kononenko, 1998
167. *Analetia (Anapoma) chapa* Hreblay & Yoshimatsu, 1999
168. *Analetia (Anapoma) replicata* Hreblay & Yoshimatsu, 1999
169. *Anepholcia pygaria* (W. Warren, 1912)
170. *Anisoneura aluco* (Fabricius, 1775)
171. *Anisoneura inermis* Tams, 1924
172. *Anomis flava* (Fabricius, 1775)
173. *Anoratha costalis* Moore, 1867
174. *Anticarsia irrorata* (Fabricius, 1781)
175. *Anuga lunulata* Moore, 1867
176. *Arcte coerula* (Guenée, 1852)
177. *Arcte modesta* (Hoeven, 1840)
178. *Artena convergens* (Gaede, 1917)
179. *Artena rubida* (Walker, 1864)
180. *Arytrurides inornata* (Walker, 1865)
181. *Attatha regalis* (Moore, 1872)
182. *Avatha discolor* (Fabricius, 1794)
183. *Avatha heterographa* (Hampson, 1912)
184. *Avatha leksawasdi* Koçak & Kemal, 2006
185. *Avatha uloptera* (Prout, 1925)
186. *Bastilla absentimacula* (Guenée, 1852)
187. *Bastilla joviana* (Stoll, 1782)
188. *Bastilla praetermissa* (W. Warren, 1913)
189. *Bastilla properata* (Walker, 1858)
190. *Blasticorhinus* sp.1
191. *Blasticorhinus* sp.2
192. *Bocula divergens* A.E. Prout, 1926
193. *Bocula marginata* Moore, 1882
194. *Brana cara* Yoshimoto, 2001
195. *Calesia stillifera* R. Felder & Rogenhofer, 1874
196. *Catocala* (s.str.) *macula* (Hampson, 1891)
197. *Chilkasa falcata* Swinhoe, 1885
198. *Chlorognesia viridipicta* (Hampson, 1902)
199. *Chrysopera combinans* (Walker, 1858)
200. *Csorbatype thailandica* Hreblay & L.Ronkay, 1999
201. *Ctenoplusia* (s.str.) *albostrata* (Bremer & Grey, 1853)
202. *Cyclodes omma* (Hoeven, 1840)
203. *Cymatophoropsis sinuata* (Moore, 1879)
204. *Daddala brevicauda* (Wileman & South, 1921)
205. *Daddala lucilla* (Butler, 1881)
206. *Diphtherocome impectinata* Hreblay, Peregovits & L.Ronkay, 1999
207. *Diphtherocome thainympha* Hreblay & L.Ronkay, 1999
208. *Disepholcia caerulea* (Butler, 1889)
209. *Dordura aliena* (Walker, 1864)
210. *Egira draudti* (Hacker, 1993)
211. *Egira ornata* Hreblay & L.Ronkay, 1999
212. *Entomogramma faultrix* Guenée, 1852
213. *Entomogramma torsa* Guenée, 1852
214. *Episparina tortuosalis* (Moore, 1867)
215. *Episteme maculatrix* (Duncan & Westwood, [1841])
216. *Ercheia cyllaria* (Cramer, 1782)
217. *Ercheia multilinea* Swinhoe, 1902
218. *Erebus ephesteris* (Hübner, [1823])
219. *Erebus gemmans* (Guenée, 1852)
220. *Eudocima cajeta* (Cramer, 1779)
221. *Eudocima homaena* (Hübner, [1823])
222. *Eudocima sikhimensis* (Butler, 1895)
223. *Eutelia geyeri* (R. Felder & Rogenhofer, 1874)
224. *Exsula victrix* (Westwood, 1848)
225. *Fodina stola* Guenée, 1852
226. *Gloriana ornata* (Moore, 1882)
227. *Goenycta niveiguttata* (Hampson, 1902)
228. *Hamodes lutea* (Walker, [1863])
229. *Hamodes propitia* (Boisduval, 1832)
230. *Harutaeographa adusta* Hreblay & L.Ronkay, 1999
231. *Harutaeographa yangzisherpani* Hreblay & L.Ronkay, 1999
232. *Harutaeographa yangzisherpani yangzisherpani* Hreblay & L.Ronkay, 1999
233. *Hermonassa doiinthanon* Owada, 1985
234. *Hermonassa siamensis* Owada, 1985
235. *Hermonassa thailandica* Owada, 1985
236. *Heterospila nigripalpis* (Walker, 1869)
237. *Hiemopolia (Pectinipolia) distincta* (Hreblay & L.Ronkay, 1999)
238. *Hipoepa fractalis* (Guenée, 1854)
239. *Hulodes drylla* Guenée, 1852
240. *Hypena sinuosa* Wileman, 1911
241. *Hypena trigonalis* (Guenée, 1854)

242. *Hypocala biarcuata* Walker, 1858
243. *Hypocala deflorata* (Fabricius, 1794)
244. *Hypocala rostrata* (Fabricius, 1794)
245. *Hypocala subsatura* Guenée, 1852
246. *Hypocala violacea* Butler, 1879
247. *Hypopyra ossigera* Guenée, 1852
248. *Hypopyra pudens* (Walker, 1858)
249. *Iontha umbrina* Doubleday, 1842
250. *Ischyja inferna* Swinhoe, 1902
251. *Ischyja manlia* (Cramer, 1776)
252. *Isolasia chlorata* Hreblay & L. Ronkay, 1999
253. *Kisegira ebrina* Hreblay & L. Ronkay, 1999
254. *Kisegira pallida* Hreblay & L. Ronkay, 1999
255. *Lineopalpa horsfieldi* Guenée, 1852
256. *Lophoptera squammigera* Guenée, 1852
257. *Macaldenia palumba* (Guenée, 1852)
258. *Marapana pulverata* (Guenée, 1852)
259. *Mniotype inthanoni* Hreblay & L. Ronkay, 1999
260. *Mniotype inthanoni inthanoni* Hreblay & L. Ronkay, 1999
261. *Nagia godfreyi* Tams, 1924
262. *Nyctycia dissimilis* Hreblay, Peregovits & L. Ronkay, 1999
263. *Nyctycia flavipicta* (Hampson, 1894)
264. *Nyctycia flavipicta zita* Hreblay & L. Ronkay, 1999
265. *Odontodes aleuca* Guenée, 1852
266. *Ommatophora luminosa* (Cramer, 1780)
267. *Ophiura tirhaca* (Cramer, [1777])
268. *Ophiura triphaenoides* (Walker, 1858)
269. *Orthosia (Euchoristea) limbata* (Butler, 1879)
270. *Orthosia (Euchoristea) limbata atrata* Hreblay & L. Ronkay, 1999
271. *Orthosia (s.l.) albiceps* (Hampson, 1894)
272. *Orthosia (s.str.) malickyi* Hacker, 1992
273. *Orthosia malickyi* Hacker, 1993
274. *Owadaglaea elongata* Hreblay & L. Ronkay, 1998
275. *Owadaglaea elongata siamica* Hreblay & L. Ronkay, 1999
276. *Oxaeanus brontesalis* (Walker, [1859])
277. *Oxyodes billeti* De Joannis, 1900
278. *Oxyodes scrobiculata* (Fabricius, 1775)
279. *Paectes subapicalis* (Walker, 1857)
280. *Pandesma anysa* Guenée, 1852
281. *Pangrapta* sp.4
282. *Paranycyticia rubiculosa* Hreblay & L. Ronkay, 1999
283. *Penicillaria maculata* Butler, 1869
284. *Perigrapha (Opacographa (s.str.)) draudti* Hacker, 1992
285. *Phyllodes eyndhovii* (Vollenhoven, 1858)
286. *Pindara illibata* (Fabricius, 1775)
287. *Platyjonia mediorufa* (Hampson, 1894)
288. *Plecoptera flava* (Bremer & Grey, 1853)
289. *Plecoptera pallidimargo* Hampson, 1926
290. *Pleurona falcata* Walker, 1866
291. *Polydesma boarmoides* Guenée, 1852
292. *Ptyorhyncha argyrestis* Hampson, 1895
293. *Rhesala* sp.2
294. *Scrobigeria albomarginata* (Moore, 1872)
295. *Scrobigeria vulcania* (Butler, 1875)
296. *Serrodos campana* Guenée, 1852
297. *Simplicia marginata* (Moore, 1882)
298. *Sinarella discisigna* (Moore, 1883)
299. *Sinarella interrupta* (Wileman, 1915)
300. *Singara diversalis* Walker, 1865
301. *Spirama helicina* (Hübner, 1831)
302. *Spirama retorta* (Clerk, 1759)
303. *Stictoptera grisea* Moore, 1867
304. *Stictoptera macromma* Snellen, 1880
305. *Stictoptera signifera* (Walker, [1858])
306. *Sundwarda dohertyi* (Druce, 1901)
307. *Sypnoides martina* R. Felder & Rogenhofer, 1874
308. *Sypnoides pannosa* (Moore, 1882)
309. *Tamba griseipars* Hampson, 1926
310. *Tambana albiplaga* (W. Warren, 1912)
311. *Tambana endoxantha* (Hampson, 1894)
312. *Targalla sugii* Holloway, 1985
313. *Taviodes fulvescens* Hampson, 1926
314. *Thyas coronata* (Fabricius, 1775)
315. *Thyas honesta* Hübner, 1824
316. *Thyas junio* (Dalman, 1823)
317. *Tinolius hypsanus* Swinhoe, 1889
318. *Tiruvaca subcostalis* (Walker, 1865)
319. *Tochara creberrima* (Walker, 1858)
320. *Trigonodes hyppasia* (Cramer, 1779)
321. *Trisuloides luteifascia* Hampson, 1894
322. *Xylena minima* Hacker, 1992
323. *Zanclognatha reticulatis* (Leech, 1900)
324. *Benbowia camilla* Schintlmeister, 1997
325. *Pheosiopsis (s.str.) gilda* Schintlmeister, 1997
326. *Somera virens* Dierl, 1976
327. *Somera virens watsoni* Schintlmeister, 1997
328. *Agonopterix chiangmaiensis* Saito, 1987
329. *Irepacma pakiensis* Moriuti, Saito & Lewvanich, 1985
330. *Irepacma pingensis* Moriuti, Saito & Lewvanich, 1989
331. *Irepacma torrida* (Meyrick, 1894)
332. *Periacma orthiodes* Meyrick, 1894
333. *Periacma turbulenta* Meyrick, 1910
334. *Ripeacma nangae* Moriuti, Saito & Lewvanich, 1985
335. *Chilasa (s.str. (Cadugoides)) agestor* (Gray, 1831)
336. *Chilasa (s.str. (Cadugoides)) agestor agestor* (Gray, 1831)
337. *Graphium (Pazala (s.str.)) paphus* (De Nicéville, 1886)
338. *Graphium (Pazala (s.str.)) paphus paphus* (De Nicéville, 1886)
339. *Princeps (Menelaides (Iliades)) alcmenor* (C. Felder & R. Felder, [1865])
340. *Princeps (Menelaides (Iliades)) alcmenor alcmenor* (C. Felder & R. Felder, [1865])
341. *Appias (Lade) lalage* (Doubleday, 1842)
342. *Appias (Lade) lalage lalage* (Doubleday, 1842)
343. *Eurema (s.str.) brigitta* (Stoll, [1780])
344. *Eurema (s.str.) brigitta fruhstorferi* (Moore, 1906)
345. *Eurema muhabbet Koçak*, 2006
346. *Eurema muhabbet muhabbet Koçak*, 2006
347. *Eurema simulatrix* Staudinger, 1891
348. *Eurema simulatrix tecmessa* (De Nicéville, 1894)
349. *Pieris (Artogeia) canidia* (Sparman, 1768)
350. *Pieris (Artogeia) canidia indica* Evans, 1926
351. *Pieris (Artogeia) melaina Röber*, 1907
352. *Pieris (Artogeia) melaina melaina Röber*, 1907
353. *Cymoriza inthanonensis* Yoshiyasu, 1985
354. *Endotricha melanobasis* Hampson, 1916
355. *Eoophyla melanops* (Hampson, 1896)
356. *Eoophyla ochripicta* (Moore, 1889)
357. *Eoophyla sinensis* (Hampson, 1897)
358. *Paracymoriza inextricata* (Moore, 1887)
359. *Stericta inconcisa* (Walker, 1863)
360. *Strepsinoma croesusalis* (Walker, 1859)
361. *Trichophysetis nigriscalis* W. Warren, 1895

362. *Agriothera inthanonensis* Moriuti, 1984
363. *Telethera inthawichayanoni* Moriuti, 1987
364. *Telethera karsholti* Moriuti, 1987
365. *Salassa thespis* (Leech, 1890)
366. *Saturnia* (Rinaca) *thibeta* Westwood, 1853
367. *Saturnia* (Rinaca) *thibeta* *extensa* Butler, 1881
368. *Saturnia* (s.str.) *pinratanai* Lampe, 1989
369. *Lethe gulnihai* De Nicéville, 1887
370. *Lethe gulnihai* *peguana* Moore, 1892
371. *Lethe rohria* (Fabricius, 1787)
372. *Lethe rohria* *rohria* (Fabricius, 1787)
373. *Mycalesis annamitica* Fruhstorfer, 1906
374. *Mycalesis annamitica* *annamitica* Fruhstorfer, 1906
375. *Mycalesis francisca* (Stoll, [1780])
376. *Mycalesis francisca* *sanatana* Moore, 1857
377. *Ypthima confusa* Shirozu & Shima, 1977
378. *Ypthima huebneri* Kirby, 1871
379. *Ambulyx cyclasticata* (Joicey & Kaye, 1917)
380. *Ambulyx montana* Cadiou & Kitching, 1990
381. *Gehlenia pinratanai* Cadiou, 1991
382. *Gehlenia pinratanai* *pinratanai* Cadiou, 1991
383. *Leucophlebia* (s.str.) *pinratanai* Eitschberger, 2003
384. *Neogurelca himalacha* (Butler, [1876])
385. *Neogurelca himalacha* *himalacha* (Butler, [1876])
386. *Pentateucha curiosa* Swinhoe, 1908
387. *Rhagastis gloriosa* (Butler, 1875)
388. *Rhodambulyx schnitzleri* Cadiou, 1990
389. *Rhodoprasina corolla* Cadiou & Kitching, 1990
390. *Rhodoprasina corrigenda* Kitching & Cadiou, 1996
391. *Sphecodina caudata* (Bremer & Grey, [1852])
392. *Sphecodina caudata* ssp.n.
393. *Chaeopsestis ludovicae* Le Cerf, 1941
394. *Habrosyne derasoides* Butler, 1877
395. *Habrosyne derasoides* *malaisei* Bryk, 1943
396. "*Olethreutes*" *pachypleura* (Meyrick, 1921)
397. *Ancyroclepsis nakhasathieni* Tuck, 1995
398. *Antaeola antaea* (Meyrick, 1912)
399. *Arcesis threnodes* (Meyrick, 1905)
400. *Argyrotaenia tricensa* (Meyrick, 1912)
401. *Assulella archaea* Diakonoff, 1983
402. *Assulella litigiosa* (Meyrick, 1912)
403. *Asymmetrarcha thaiensis* Kawabe, 1989
404. *Bactra* (Chiloides) *venosana* (Zeller, 1847)
405. *Bactra* (Nannobactra) *minima* Meyrick, 1909
406. *Bubonoxena ephippias* (Meyrick, 1907)
407. *Capua chloraspis* Meyrick, 1924
408. *Cryptophlebia amblyopa* Clarke, 1976
409. *Cymolomia phaeopelta* (Meyrick, 1921)
410. *Epinotia yoshiyasui* Kawabe, 1989
411. *Eucosma doiinthanonensis* Kawabe, 1989
412. *Gibberifera simplana* (Fischer v. Röslerstamm, 1836)
413. *Hedya iophaea* (Meyrick, 1912)
414. *Lambertiodes harmonia* (Meyrick, 1908)
415. *Lepteucosma blanda* (Kawabe, 1989)
416. *Lepteucosma siamensis* (Kawabe, 1989)
417. *Megaherpystis melaneura* (Meyrick, 1912)
418. *Neopotamia divisa* (Walsingham, 1900)
419. *Notocelia aritai* Kawabe, 1989
420. *Phaecasiophora attica* (Meyrick, 1907)
421. *Phaecasiophora thaiensis* Kawabe, 1987
422. *Phalonidia datetis* Diakonoff, 1984
423. *Retinia cristata* (Walsingham, 1900)
424. *Rhopobota bicolor* Kawabe, 1989
425. *Rhopobota symbolias* (Meyrick, 1912)
426. *Scotiophyes faeculosa* (Meyrick, 1928)
427. *Sorolopha camarotis* (Meyrick, 1936)
428. *Sorolopha Chiangmaiensis* Kawabe, 1989
429. *Sorolopha herbifera* (Meyrick, 1909)
430. *Sorolopha karsholti* Kawabe, 1989
431. *Spilonota melanocopa* (Meyrick, 1912)
432. *Spilonota semicurva* (Meyrick, 1912)
433. *Statherotis leucapsis* (Meyrick, 1902)
434. *Strepsicrates rhothia* (Meyrick, 1910)
435. *Sycacantha* (inodes-gr.) *inopinata* Diakonoff, 1973
436. *Zeiraphera nigra* Kawabe, 1995
437. *Ypsolopha laorum* Moriuti, 1987
438. *Ypsolopha mrabrurum* Moriuti, 1987

Chapter 11

"kötülük değersiz olduğu için
onu yapan da değersizdir"

Yusuf Has Hacib, Uighurian Philosopher

Illustrated list of the Lepidoptera recorded in Chiang Dao (North Thailand)¹⁸

by

Muhabbet Kemal Ahmet Ömer Koçak Paitoon Leksawasdi

Abstract: Chapter 11: Illustrated list of the Lepidoptera recorded in Chiang Dao (North Thailand), [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 1745-1759, Pls.

In this Chapter of the reports of the Cesa Projects, totally 938 species group taxa are listed alphabetically together with the synonymous names under the related families based upon the Databank of the Cesa. This study is a part of the Lepidoptera of the Lepidoptera of Asia (LAS), Lepidoptera of Orientalic Region (LOR), Lepidoptera of Indo-China (LIC), and Lepidoptera of Thailand (LTH) of the current Cesa Projects.

¹⁸ Results of the Projects of the CESA-I, Lepidoptera of Thailand (LTH) (in part).

1. **Asota caricae (Fabricius,1775)** (Aganaidae) *caricae Fabricius,1775; alciphron Cramer,1777; euroa Rothschild,1897; #purimargo Seitz,1914; #alerphron Huttacharern & Tubtim,1995*
2. **Asota ficus (Fabricius,1775)** (Aganaidae) *ficus Fabricius,1775*
3. **Asota paphos (Fabricius,1787)** (Aganaidae) *paphos Fabricius,1787*
4. **Neochera dominia (Cramer,[1780])** (Aganaidae) *dominia Cramer,[1780]; echione Fabricius,1793; eugenia Cramer,1782; stibosthetia Butler,1875; herpa Snellen,1879; basilissa Meyrick,1886; heliconides Snellen,1888; butleri Swinhoe,1892; zaria Swinhoe,1892; affinis Rothschild,1896; fumosa Rothschild,1896 javana Rothschild,1896; papuana Rothschild,1896; proxima Rothschild,1896*
5. **Aemona lena Atkinson,1871** (Amathusiidae) *lena Atkinson,1871*
6. **Aemona lena salweena Tytler,1939** (Amathusiidae) *salweena Tytler,1939*
7. **Amathuxidia amynthaon (Doubleday,1847)** (Amathusiidae) *amynthaon Doubleday,1847*
8. **Amathuxidia amynthaon amynthaon (Doubleday,1847)** (Amathusiidae) *amynthaon Doubleday,1847*
9. **Discophora timora Westwood,[1850]** (Amathusiidae) *timora Westwood,[1850]*
10. **Discophora timora timora Westwood,[1850]** (Amathusiidae) *timora Westwood,[1850]*
11. **Enispe intermedia Rothschild,1916** (Amathusiidae) *intermedia Rothschild,1916*
12. **Enispe intermedia intermedia Rothschild,1916** (Amathusiidae) *intermedia Rothschild,1916*
13. **Thauria aliris (Westwood,[1858])** (Amathusiidae) *aliris Westwood,[1858]*
14. **Thauria aliris intermedia Crowley,1896** (Amathusiidae) *intermedia Crowley,1896*
15. **Argina argus (Kollar,[1844])** (Arctiidae) *argus Kollar,[1844]*
16. **Asura euprepoides (Walker,1862)** (Arctiidae) *euprepoides Walker,1862; interserta Moore,1878*
17. **Barsine gratiosa Guérin-Méneville,1843** (Arctiidae) *gratiosa Guérin-Méneville,1843; striata Bremer & Grey,1852; mactans Butler,1877; pulchra Butler,1877; flammealis Moore,1878; pretiosa Moore,1879*
18. **Chrysorabdia bivitta (Walker,1856)** (Arctiidae) *bivitta Walker,1856*
19. **Cretonotos transiens (Walker,1855)** (Arctiidae) *transiens Walker,1855*
20. **Cretonotos transiens transiens (Walker,1855)** (Arctiidae) *transiens Walker,1855*
21. **Cyana distincta (Rothschild,1912)** (Arctiidae) *distincta Rothschild,1912*
22. **Cyana quadrinotata (Walker,1869)** (Arctiidae) *quadrinotata Walker,1869*
23. **Eucallimorpha equitalis (Kollar,[1844])** (Arctiidae) *equitalis Kollar,[1844]*
24. **Eucallimorpha equitalis equitalis (Kollar,[1844])** (Arctiidae) *equitalis Kollar,[1844]*
25. **Eugoa basipuncta (Hampson,1891)** (Arctiidae) *basipuncta Hampson,1891; ? formosicola Matsumura,1927*
26. **Hemonia rotundata (Snellen,1879)** (Arctiidae) *rotundata Snellen,1879*
27. **Lemyra rhodophila (Walker,1864)** (Arctiidae) *rhodophila Walker,1864*
28. **Miltochrista defecta (Walker,1854)** (Arctiidae) *defecta Walker,1854*
29. **Miltochrista orientalis Daniel,1951** (Arctiidae) *orientalis Daniel,1951*
30. **Nyctemera adversata (Schaller,1788)** (Arctiidae) *adversata Schaller,1788; plagifera Walker,1854.*
31. **Nyctemera adversata adversata (Schaller,1788)** (Arctiidae) *adversata Schaller,1788; plagifera Walker,1854.*
32. **Nyctemera coleta (Stoll,[1781])** (Arctiidae) *coleta Stoll,[1781]*
33. **Nyctemera coleta coleta (Stoll,[1781])** (Arctiidae) *coleta Stoll,[1781]*
34. **Pericallia picta (Walker,1864)** (Arctiidae) *picta Walker,1864*
35. **Spilosoma casignetum (Kollar,[1844])** (Arctiidae) *casiagnetum Kollar,[1844]*
36. **Spilosoma neglectum (Rothschild,1910)** (Arctiidae) *neglectum Rothschild,1910*
37. **Apatura chevana Moore,1865** (Argynnididae) *chevana Moore,1865*
38. **Apatura chevana chevana Moore,1865** (Argynnididae) *chevana Moore,1865*
39. **Argynnis (Argyreus) hyperbius (Linnaeus,1763)** (Argynnididae) *hyperbius Linnaeus,1763; niphe Linnaeus,1767.*
40. **Argynnis (Argyreus) hyperbius hyperbius (Linnaeus,1763)** (Argynnididae) *hyperbius Linnaeus,1763; niphe Linnaeus,1767.*
41. **Ariadne ariadne (Linnaeus,1763)** (Argynnididae) *ariadne Linnaeus,1763*
42. **Ariadne ariadne pallidior (Fruhstorfer,1899)** (Argynnididae) *pallidior Fruhstorfer,1899*
43. **Athyma (Chendrana) pravara Moore,[1858]** (Argynnididae) *pravara Moore,[1858]*
44. **Athyma (Chendrana) pravara indosinica (Fruhstorfer,1913)** (Argynnididae) *indosinica Fruhstorfer,1913*
45. **Athyma (Kironga) ranga Moore,[1858]** (Argynnididae) *ranga Moore,[1858]*
46. **Athyma (Kironga) ranga ranga Moore,[1858]** (Argynnididae) *ranga Moore,[1858]*
47. **Athyma (Tacoraea) asura Moore,[1858]** (Argynnididae) *asura Moore,[1858]*
48. **Athyma (Tacoraea) asura asura Moore,[1858]** (Argynnididae) *asura Moore,[1858]*
49. **Athyma (Tacoraea) larymna (Doubleday,1848)** (Argynnididae) *larymna Doubleday,1848*
50. **Athyma (Tacoraea) larymna siamensis (Fruhstorfer,1906)** (Argynnididae) *siamensis Fruhstorfer,1906*
51. **Athyma (Tatisia) cama (Moore,[1858])** (Argynnididae) *cama Moore,[1858].*
52. **Athyma (Tatisia) cama cama (Moore,[1858])** (Argynnididae) *cama Moore,[1858].*
53. **Athyma (Tatisia) nefte (Cramer,1779)** (Argynnididae) *nefte Cramer,1779*
54. **Athyma (Tatisia) nefte asita Moore,[1858]** (Argynnididae) *asita Moore,[1858]*
55. **Athyma (Tatisia) selenophora (Kollar,[1844])** (Argynnididae) *selenophora Kollar,[1844]*
56. **Athyma (Tatisia) selenophora bahula Moore,[1858]** (Argynnididae) *bahula Moore,[1858]*
57. **Athyma (s.str.) perius (Linnaeus,1758)** (Argynnididae) *perius Linnaeus,1758*
58. **Athyma (s.str.) perius perius (Linnaeus,1758)** (Argynnididae) *perius Linnaeus,1758*
59. **Calinaga sudassana Melville,1893** (Argynnididae) *sudassana Melville,1893*
60. **Cethosia hypsea Doubleday,[1847]** (Argynnididae) *hypsea Doubleday,[1847]*
61. **Cethosia hypsea hypsina C.Felder & R.Felder,1866** (Argynnididae) *hypsina C.Felder & R.Felder,1866*
62. **Charaxes aristogiton C.Felder & R.Felder,[1867]** (Argynnididae) *aristogiton C.Felder & R.Felder,[1867]*
63. **Charaxes aristogiton aristogiton C.Felder & R.Felder,[1867]** (Argynnididae) *aristogiton C.Felder & R.Felder,[1867]*
64. **Charaxes bernardus (Fabricius,1793)** (Argynnididae) *bernardus Fabricius,1793*
65. **Charaxes bernardus hierax C.Felder & R.Felder,[1867]** (Argynnididae) *hierax C.Felder & R.Felder,[1867]*
66. **Charaxes kahruba (Moore,1896)** (Argynnididae) *kahruba Moore,1896*
67. **Charaxes kahruba kahruba (Moore,1896)** (Argynnididae) *kahruba Moore,1896*
68. **Charaxes marmax Westwood,1847** (Argynnididae) *marmax Westwood,1847*
69. **Charaxes marmax marmax Westwood,1847** (Argynnididae) *marmax Westwood,1847*
70. **Charaxes solon (Fabricius,1793)** (Argynnididae) *solon Fabricius,1793*
71. **Charaxes solon sulphureus Rothschild & Jordan,1900** (Argynnididae) *sulphureus Rothschild & Jordan,1900*

72. *Chersonesia intermedia* Martin,1895 (Argynnidae) *intermedia* Martin,1895
73. *Chersonesia intermedia rahrioides* Moore,1896 (Argynnidae) *rahrioides* Moore,1896
74. *Chersonesia risa* (Doubleday,[1848]) (Argynnidae) *risa* Doubleday,[1848]
75. *Chersonesia risa risa* (Doubleday,[1848]) (Argynnidae) *risa* Doubleday,[1848]
76. *Cirrochroa surya* Moore,[1879] (Argynnidae) *surya* Moore,[1879]
77. *Cirrochroa surya siamensis* Fruhstorfer,1906 (Argynnidae) *siamensis* Fruhstorfer,1906
78. *Cupha erymanthis* (Drury,[1773]) (Argynnidae) *erymanthis* Drury,[1773]; *palawana* Fruhstorfer,1899
79. *Cupha erymanthis lotis* (Sulzer,1776) (Argynnidae) *lotis* Sulzer,1776
80. *Cyrestis* (s.str.) *thyodamas* Boisduval,1836 (Argynnidae) *thyodamas* Boisduval,1836; *nobilior* Martin,1903.
81. *Cyrestis* (s.str.) *thyodamas thyodamas* Boisduval,1836 (Argynnidae) *thyodamas* Boisduval,1836; *nobilior* Martin,1903.
82. *Dichorragia nesimachus* (Doyère,1840) (Argynnidae) *nesimachus* Doyère,1840
83. *Dichorragia nesimachus nesimachus* (Doyère,1840) (Argynnidae) *nesimachus* Doyère,1840
84. *Doleschallia bisaltide* (Cramer,[1777]) (Argynnidae) *bisaltide* Cramer,[1777]
85. *Doleschallia bisaltide siamensis* Fruhstorfer,1912 (Argynnidae) *siamensis* Fruhstorfer,1912
86. *Euripus consimilis* (Westwood,[1850]) (Argynnidae) *consimilis* Westwood,[1850]
87. *Euripus consimilis eurinus* Fruhstorfer,1903 (Argynnidae) *eurinus* Fruhstorfer,1903
88. *Euripus nyctelius* (Doubleday,1845) (Argynnidae) *nyctelius* Doubleday,1845
89. *Euripus nyctelius nyctelius* (Doubleday,1845) (Argynnidae) *nyctelius* Doubleday,1845
90. *Euthalia* (Aconthea) *anosia* (Moore,1858) (Argynnidae) *anosia* Moore,1858
91. *Euthalia* (Aconthea) *anosia anosia* (Moore,1858) (Argynnidae) *anosia* Moore,1858
92. *Euthalia* (Aconthea) *eriphylae* De Nicéville,1891 (Argynnidae) *eriphylae* De Nicéville,1891
93. *Euthalia* (Aconthea) *eriphylae chula* Fruhstorfer,1905 (Argynnidae) *chula* Fruhstorfer,1905
94. *Euthalia* (Aconthea) *merta* (Moore,1859) (Argynnidae) *merta* Moore,1859
95. *Euthalia* (Aconthea) *monina* (Fabricius,1787) (Argynnidae) *monina* Fabricius,1787
96. *Euthalia* (Aconthea) *monina discipilota* Moore,1879 (Argynnidae) *discipilota* Moore,1879
97. *Euthalia* (Aconthea) *phemius* (Doubleday,1848) (Argynnidae) *phemius* Doubleday,1848
98. *Euthalia* (Aconthea) *phemius phemius* (Doubleday,1848) (Argynnidae) *phemius* Doubleday,1848
99. *Euthalia* (Dophla) *evelina vallona* Fruhstorfer,1899 (Argynnidae) *vallona* Fruhstorfer,1899
100. *Euthalia* (s.str.) *lubentina* (Cramer,[1777]) (Argynnidae) *lubentina* Cramer,[1777]
101. *Euthalia* (s.str.) *lubentina lubentina* (Cramer,[1777]) (Argynnidae) *lubentina* Cramer,[1777]
102. *Heronia marathus* Doubleday,1848 (Argynnidae) *marathus* Doubleday,1848
103. *Heronia marathus marathus* Doubleday,1848 (Argynnidae) *marathus* Doubleday,1848
104. *Hestina nama* (Doubleday,1845) (Argynnidae) *nama* Doubleday,1845
105. *Hestina nama nama* (Doubleday,1845) (Argynnidae) *nama* Doubleday,1845
106. *Hestina persimilis* Westwood,[1850] (Argynnidae) *persimilis* Westwood,[1850]
107. *Hestina persimilis persimilis* Westwood,[1850] (Argynnidae) *persimilis* Westwood,[1850]
108. *Hypolimnas misippus* (Linnaeus,1764) (Argynnidae) *misippus* Linnaeus,1764 *inaria* Cramer,[1779]; *alcippoides* Butler,1883.
109. *Hypolimnas misippus misippus* (Linnaeus,1764) (Argynnidae) *misippus* Linnaeus,1764 *inaria* Cramer,[1779]; *alcippoides* Butler,1883.
110. *Kallima inachis* (Doyère,1840) (Argynnidae) *inachis* Doyère,1840
111. *Kallima inachis siamensis* Fruhstorfer,1913 (Argynnidae) *siamensis* Fruhstorfer,1913
112. *Kaniska canace* (Linnaeus,1763) (Argynnidae) *canace* Linnaeus,1763
113. *Kaniska canace canace* (Linnaeus,1763) (Argynnidae) *canace* Linnaeus,1763
114. *Laringa horsfieldi* (Boisduval,1833) (Argynnidae) *horsfieldi* Boisduval,1833
115. *Laringa horsfieldi glaucescens* (De Nicéville,1895) (Argynnidae) *glaucescens* De Nicéville,1895
116. *Lebadea martha* (Fabricius,1787) (Argynnidae) *martha* Fabricius,1787
117. *Lebadea martha martha* (Fabricius,1787) (Argynnidae) *martha* Fabricius,1787
118. *Lexias pardalis* (Moore,1878) (Argynnidae) *pardalis* Moore,1878
119. *Lexias pardalis jadeitina* Fruhstorfer,1913 (Argynnidae) *jadeitina* Fruhstorfer,1913
120. *Limenitis* (Parasarpa) *dudu* Westwood,1850 (Argynnidae) *dudu* Westwood,1850
121. *Limenitis* (Parasarpa) *dudu dudu* Westwood,1850 (Argynnidae) *dudu* Westwood,1850
122. *Neptis* (Pantoporia) *hordonia* (Stoll,1790) (Argynnidae) *hordonia* Stoll,1790
123. *Neptis* (Pantoporia) *hordonia hordonia* (Stoll,1790) (Argynnidae) *hordonia* Stoll,1790
124. *Neptis* (Pantoporia) *paraka* Butler,1879 (Argynnidae) *paraka* Butler,1879
125. *Neptis* (Pantoporia) *paraka paraka* Butler,1879 (Argynnidae) *paraka* Butler,1879
126. *Neptis* (Phaedyra) *columella* (Cramer,[1782]) (Argynnidae) *columella* Cramer,[1782]
127. *Neptis* (Phaedyra) *columella martabana* Moore,1881 (Argynnidae) *martabana* Moore,1881
128. *Neptis* (s.str.) *clinia* Moore,1872 (Argynnidae) *clinia* Moore,1872
129. *Neptis* (s.str.) *clinia susruta* Moore,1872 (Argynnidae) *susruta* Moore,1872
130. *Neptis* (s.str.) *hylas* (Linnaeus,1758) (Argynnidae) *hylas* Linnaeus,1758
131. *Neptis* (s.str.) *hylas kamarupa* Moore,[1875] (Argynnidae) *kamarupa* Moore,[1875]
132. *Neptis* (s.str.) *magadha* C.Felder & R.Felder,[1867] (Argynnidae) *magadha* C.Felder & R.Felder,[1867]
133. *Neptis* (s.str.) *magadha magadha* C.Felder & R.Felder,[1867] (Argynnidae) *magadha* C.Felder & R.Felder,[1867]
134. *Neptis* (s.str.) *miah* Moore,1858 (Argynnidae) *miah* Moore,1858
135. *Neptis* (s.str.) *miah nolana* Druce,1874 (Argynnidae) *nolana* Druce,1874
136. *Neptis* (s.str.) *nashona* Swinhoe,1896 (Argynnidae) *nashona* Swinhoe,1896
137. *Neptis* (s.str.) *nashona aagaardi* Riley,1932 (Argynnidae) *aagaardi* Riley,1932
138. *Neptis* (s.str.) *nata* Moore,1858 (Argynnidae) *nata* Moore,1858
139. *Neptis* (s.str.) *nata adipala* Moore,1872 (Argynnidae) *adipala* Moore,1872
140. *Neptis* (s.str.) *sankara* (Kollar,[1844]) (Argynnidae) *sankara* Kollar,[1844]
141. *Neptis* (s.str.) *sankara guiltoides* Tytler,1940 (Argynnidae) *guiltoides* Tytler,1940
142. *Neptis* (s.str.) *soma* Moore,1858 (Argynnidae) *soma* Moore,1858
143. *Neptis* (s.str.) *soma shania* Evans,1924 (Argynnidae) *shania* Evans,1924
144. *Parthenos sylvia* (Cramer,[1775]) (Argynnidae) *sylvia* Cramer,[1775]
145. *Parthenos sylvia gambrisius* (Fabricius,1787) (Argynnidae) *gambrisius* Fabricius,1787
146. *Parthenos sylvia lilacinus* Butler,[1879] (Argynnidae) *lilacinus* Butler,[1879]
147. *Polyura arja* (C.Felder & R.Felder,[1867]) (Argynnidae) *arja* C.Felder & R.Felder,[1867]
148. *Polyura arja arja* (C.Felder & R.Felder,[1867]) (Argynnidae) *arja* C.Felder & R.Felder,[1867]
149. *Polyura athamas* (Drury,[1773]) (Argynnidae) *athamas* Drury,[1773]

150. *Polyura athamas athamas* (Drury,[1773]) (Argynnidae) *athamas* Drury,[1773]
151. *Polyura delphis* (Doubleday,1843) (Argynnidae) *delphis* Doubleday,1843
152. *Polyura delphis delphis* (Doubleday,1843) (Argynnidae) *delphis* Doubleday,1843
153. *Polyura dolon* (Westwood,1848) (Argynnidae) *dolon* Westwood,1848.
154. *Polyura dolon grandis* (Rothschild,1899) (Argynnidae) *grandis* Rothschild,1899
155. *Polyura eudamippus* (Doubleday,1843) (Argynnidae) *eudamippus* Doubleday,1843
156. *Polyura eudamippus eudamippus* (Doubleday,1843) (Argynnidae) *eudamippus* Doubleday,1843
157. *Polyura jalysus* (C.Felder & R.Felder,[1867]) (Argynnidae) *jalysus* C.Felder & R.Felder,[1867]
158. *Polyura jalysus ephebus* (Fruhstorfer,1914) (Argynnidae) *ephebus* Fruhstorfer,1914
159. *Polyura nepenthes* (Grose-Smith,1883) (Argynnidae) *nepenthes* Grose-Smith,1883
160. *Polyura nepenthes nepenthes* (Grose-Smith,1883) (Argynnidae) *nepenthes* Grose-Smith,1883
161. *Polyura schreiber* (Godart,[1824]) (Argynnidae) *schreiber* Godart,[1824]
162. *Polyura schreiber assamensis* (Rothschild,1899) (Argynnidae) *assamensis* Rothschild,1899
163. *Precis* (Junonia) *almana* (Linnaeus,1758) (Argynnidae) *almana* Linnaeus,1758
164. *Precis* (Junonia) *almana almana* (Linnaeus,1758) (Argynnidae) *almana* Linnaeus,1758
165. *Precis* (Junonia) *atlites* (Linnaeus,1763) (Argynnidae) *atlites* Linnaeus,1763
166. *Precis* (Junonia) *iphita* (Cramer,[1779]) (Argynnidae) *iphita* Cramer,[1779]
167. *Precis* (Junonia) *iphita iphita* (Cramer,[1779]) (Argynnidae) *iphita* Cramer,[1779]
168. *Pseudergolis wedah* (Kollar,[1844]) (Argynnidae) *wedah* Kollar,[1844]; *veda* Kirby,1871.
169. *Pseudergolis wedah wedah* (Kollar,[1844]) (Argynnidae) *wedah* Kollar,[1844]; *veda* Kirby,1871.
170. *Rohana parvata* (Moore,1858) (Argynnidae) *parvata* Moore,1858
171. *Rohana parvata burmana* Tytler,1940 (Argynnidae) *burmana* Tytler,1940
172. *Sephisa chandra* (Moore,1858) (Argynnidae) *chandra* Moore,1858
173. *Sephisa chandra chandra* (Moore,1858) (Argynnidae) *chandra* Moore,1858
174. *Stibochiona nicea* (Gray,1846) (Argynnidae) *nicea* Gray,1846
175. *Stibochiona nicea subucula* Fruhstorfer,1898 (Argynnidae) *subucula* Fruhstorfer,1898
176. *Symbrenthia hypselis* (Godart,[1824]) (Argynnidae) *hypselis* Godart,[1824]
177. *Symbrenthia hypselis sinis* (De Nicéville,1891) (Argynnidae) *sinis* De Nicéville,1891
178. *Symbrenthia lilaea* (Hewitson,1864) (Argynnidae) *lilaea* Hewitson,1864
179. *Symbrenthia lilaea luciana* Fruhstorfer,1907 (Argynnidae) *luciana* Fruhstorfer,1907
180. *Tanaecia* (Cynitia) *cocytus* (Fabricius,1787) (Argynnidae) *cocytus* Fabricius,1787
181. *Tanaecia* (Cynitia) *cocytus cocytus* (Fabricius,1787) (Argynnidae) *cocytus* Fabricius,1787
182. *Tanaecia* (Cynitia) *lepidea* Butler,1869 (Argynnidae) *lepidea* Butler,1869
183. *Tanaecia* (Cynitia) *lepidea cognata* (Moore,1890) (Argynnidae) *cognata* Moore,1890
184. *Tanaecia* (Cynitia) *lepidea sthavara* (Fruhstorfer,1913) (Argynnidae) *sthavara* Fruhstorfer,1913
185. *Tanaecia* (s.str.) *jahnu jahnu* Fruhstorfer,1905 (Argynnidae) *jahnides* Fruhstorfer,1905
186. *Vagrans sinha* (Kollar,[1844]) (Argynnidae) *sinha* Kollar,[1844]
187. *Vagrans sinha sinha* (Kollar,[1844]) (Argynnidae) *sinha* Kollar,[1844]
188. *Vanessa indica* (Herbst,1794) (Argynnidae) *indica* Herbst,1794; *calliroe* Hübner,1806
189. *Vanessa indica indica* (Herbst,1794) (Argynnidae) *indica* Herbst,1794; *calliroe* Hübner,1806
190. *Vindula dejone* (Erichson,1834) (Argynnidae) *dejone* Erichson,1834
191. *Vindula dejone erotella* (Butler,[1879]) (Argynnidae) *erotella* Butler,[1879]; *cantori* Distant,1882
192. *Vindula erota* (Fabricius,1793) (Argynnidae) *erota* Fabricius,1793
193. *Vindula erota erota* (Fabricius,1793) (Argynnidae) *erota* Fabricius,1793
194. *Andraca bipunctata* Walker,1865 (Bombycidae) *bipunctata* Walker,1865; *tricholoides* Moore,1865
195. *Gnathocinara situla* (Van Eecke,1929) (Bombycidae) *situla* Van Eecke,1929
196. *Mustilia gerontica* West,1932 (Bombycidae) *gerontica* West,1932
197. *Mustilia hepatica* Moore,1879 (Bombycidae) *hepatica* Moore,1879
198. *Pterothysanus laticilia* Walker,1854 (Callidulidae) *laticilia* Walker,1854; *atratus* Butler; *lanaris* Butler; *pictus* Butler; *orleans* Oberthür; *noblei* Swinhoe,1889; *#roblei* Hutacharern & Tuhtim,1995
199. *Pterothysanus laticilia laticilia* Walker,1854 (Callidulidae) *laticilia* Walker,1854; *atratus* Butler; *lanaris* Butler; *pictus* Butler; *orleans* Oberthür; *noblei* Swinhoe,1889; *#roblei* Hutacharern & Tuhtim,1995
200. *Chalcidica minea* (Cramer,[1777]) (Cossidae) *minea* Cramer,[1777]; *viridicans* Eschscholtz,1821;; *alboatra* Walker,1865
201. *Chalcidica minea minea* (Cramer,[1777]) (Cossidae) *minea* Cramer,[1777]; *viridicans* Eschscholtz,1821;; *alboatra* Walker,1865
202. *Phragmataecia fusca* Wileman,1911 (Cossidae) *fusca* Wileman,1911; *obscura* Wileman,1911
203. *Phragmataecia impura* Hampson,1891 (Cossidae) *impura* Hampson,1891
204. *Xyleutes strix* (Linnaeus,1758) (Cossidae) *strix* Linnaeus,1758; *signata* Walker,1856; *bubo* Butler,1882; *tigrata* Houlbert,1916
205. *Eressa confinis* (Walker,1854) (Ctenuchidae) *confinis* Walker,1854; *musa* Swinhoe,1885; *catoria* Swinhoe,1900; *malaccensis* Rothschild,1910
206. *Syntomoides imaoon* (Cramer,1780) (Ctenuchidae) *imaoon* Cramer,1780; *godarti* Boisduval,1829; *fusiformis* Walker,1856; *approximata* Walker,1864; *libera* Walker,1864; *fytchei* Moore,1871; *cupreipennis* Butler,1876; *artina* Butler,1876; *sargania* Butler,1879; *mota* Swinhoe,1891
207. *Euploea* (Crastia) *core* (Cramer,[1780]) (Danaiidae) *core* Cramer,[1780]; *corinna* Macleay,1826; *angasii* C.Felder & R.Felder,1865; *euclus* Miskin,1890
208. *Euploea algea* (Godart,[1819]) (Danaiidae) *algea* Godart,[1819]; *violetta* Butler,1876; *dolosa* Butler,1877; *ordinata* Moore,1883; *denticulata* Moore,1883; *bipunctata* Moore,1883; *pleiades* Moore,1883; *louisia* Moore,1883; *siderea* Moore,1883; *astraea* Moore,1883; *stella* Moore,1883; *amycus* Miskin,1890
209. *Euploea algea menetriesii* C.Felder & R.Felder,1860 (Danaiidae) *menetriesii* C.Felder & R.Felder,1860; *pinwilli* Butler,[1879]
210. *Parantica aglea* (Stoll,[1782]) (Danaiidae) *aglea* Stoll,[1782]; *grammica* Boisduval,1858; *ceylanica* C.Felder,1862
211. *Parantica aglea melanoides* Moore,1883 (Danaiidae) *melanoides* Moore,1883
212. *Parantica sita* (Kollar,[1844]) (Danaiidae) *sita* Kollar,[1844]; *#tira* Fruhstorfer,1899; *#pedonga* Talbot,1943.
213. *Parantica sita sita* (Kollar,[1844]) (Danaiidae) *sita* Kollar,[1844]; *#tira* Fruhstorfer,1899; *#pedonga* Talbot,1943.
214. *Canucha specularis* (Moore,1879) (Drepanidae) *specularis* Moore,1879; *obtruncata* W.Warren,1900
215. *Apha subdives* Walker,1855 (Eupterotidae) *subdives* Walker,1855
216. *Eupterote axesta* Swinhoe,1894 (Eupterotidae) *axesta* Swinhoe,1894; *#axesta* Hutacharern & Tuhtim,1995
217. *Eupterote* sp. (Eupterotidae)
218. *Eupterote testacea* Walker,1855 (Eupterotidae) *testacea* Walker,1855
219. *Palirisa cervina* (Moore,1865) (Eupterotidae) *cervina* Moore,1865; *burmanica* Strand,1924
220. *Abraxaphantes perampla* (Swinhoe,1890) (Geometridae) *perampla* Swinhoe,1890

221. *Abraxas (Calospilos) amacula* Wehrli, 1935 (Geometridae) *amicula* Wehrli, 1935
222. *Abraxas (Calospilos) sp.* (Geometridae)
223. *Achrosis incitata* (Walker, 1862) (Geometridae) *incitata* Walker, 1862; *miscella* Swinhoe, 1891
224. *Alcis aagostigma* (L.B. Prout, 1927) (Geometridae) *aagostigma* L.B. Prout, 1927
225. *Alcis Chiangmaiensis* Sato, 1991 (Geometridae) *Chiangmaiensis* Sato, 1991; *#Changmaiensis* Sato, 1993
226. *Alcis Chiangmaiensis Chiangmaiensis* Sato, 1991 (Geometridae) *Chiangmaiensis* Sato, 1991; *#Changmaiensis* Sato, 1993
227. *Alcis decussata* (Moore, 1868) (Geometridae) *decussata* Moore, 1868
228. *Alcis hodeberti* Herbulot, 1987 (Geometridae) *hodeberti* Herbulot, 1987
229. *Alcis variegata* (Moore, 1888) (Geometridae) *variegata* Moore, 1888
230. *Alcis variegata variegata* (Moore, 1888) (Geometridae) *variegata* Moore, 1888
231. *Chiasmia (Godonela) eleonora* (Cramer, [1780]) (Geometridae) *fasciata* Fabricius, 1775 nec Sc., 1763; *eleonora* Cramer, [1780]; *fasciosaria* Hübner, [1823]; *victorinata* Guenée, [1858]; *subalbataria* Swinhoe, 1890
232. *Chiasmia (Godonela) translineata* (Walker, 1866) (Geometridae) *translineata* Walker, 1866; *albidulata* W. Warren, 1898; *albibrunnea* W. Warren, 1902; *hollowayi* Bänziger & D.S. Fletcher, 1988
233. *Chiasmia (Godonela) xanthonora* (Walker, 1861) (Geometridae) *xanthonora* Walker, 1861; *semilutea* W. Warren, 1905
234. *Chiasmia diplotata* (R. Felder & Rogenhofer, 1874) (Geometridae) *diplotata* R. Felder & Rogenhofer, 1874
235. *Chiasmia elephantedestructa* Bänziger & D.S. Fletcher, 1988 (Geometridae) *elephantedestructa* Bänziger & D.S. Fletcher, 1988
236. *Chiasmia emersaria* (Walker, 1861) (Geometridae) *emersaria* Walker, 1861
237. *Chiasmia lachriphaga* (Bänziger & D.S. Fletcher, 1988) (Geometridae) *lachriphaga* Bänziger & D.S. Fletcher, 1988
238. *Chiasmia sufflata* (Guenée, [1858]) (Geometridae) *sufflata* Guenée, [1858]
239. *Chiasmia trilinearia* (Moore, 1888) (Geometridae) *trilinearia* Moore, 1888
240. *Chorodna creataria* (Guenée, [1858]) (Geometridae) *creataria* Guenée, [1858]
241. *Chorodna erebusaria* Walker, 1860 (Geometridae) *erebusaria* Walker, 1860
242. *Chorodna mauraria* (Guenée, [1858]) (Geometridae) *mauraria* Guenée, [1858]
243. *Chorodna metaphaearia* (Walker, [1863]) (Geometridae) *metaphaearia* Walker, [1863]; *semiclusaria* Walker, [1863]; *praetextaria* R. Felder & Rogenhofer, 1875
244. *Cleora alienaria* (Walker, 1860) (Geometridae) *alienaria* Walker, 1860
245. *Cleora contiguata* (Moore, 1868) (Geometridae) *contiguata* Moore, 1868
246. *Cleora contiguata contiguata* (Moore, 1868) (Geometridae) *contiguata* Moore, 1868
247. *Cleora fraterna* (Moore, 1888) (Geometridae) *fraterna* Moore, 1888
248. *Cleora venustaria* (Leech, 1891) (Geometridae) *venustaria* Leech, 1891
249. *Cleora venustaria thaiensis* Sato, 1991 (Geometridae) *thaiensis* Sato, 1991
250. *Comibaena biplaga* Walker, 1861 (Geometridae) *biplaga* Walker, 1861
251. *Cusiala boarmoides* Moore, [1887] (Geometridae) *boarmoides* Moore, [1887]; *boarmioides* Moore, 1888; *angulata* Hampson, 1891; *griseifusa* Sonan, 1938; *#bcarmoides* Watanasit et al., 2004
252. *Cusiala boarmoides acutijuxta* Holloway, [1994] (Geometridae) *acutijuxta* Holloway, [1994]
253. *Dasyboarmia subpilosa* (W. Warren, 1894) (Geometridae) *subpilosa* W. Warren, 1894; *instigata* L.B. Prout, 1929
254. *Ectropidia shoreae* (L.B. Prout, 1934) (Geometridae) *shoreae* L.B. Prout, 1934
255. *Erebomorpha fulguraria* Walker, 1860 (Geometridae) *fulguraria* Walker, 1860
256. *Fascellina aua* L.B. Prout, 1928 (Geometridae) *aua* L.B. Prout, 1928
257. *Fascellina porphyreofusa* Hampson, 1895 (Geometridae) *porphyreofusa* Hampson, 1895
258. *Fascellina subsignata* W. Warren, 1893 (Geometridae) *subsignata* W. Warren, 1893; *curtaca* Swinhoe, 1893
259. *Heterostegane subtessellata* (Walker, [1863]) (Geometridae) *subtessellata* Walker, [1863]; *quadrilineata* Snellen, 1886
260. *Hypochrosis pyrrhularia* (Guenée, [1858]) (Geometridae) *pyrrhularia* Guenée, [1858]; *instabilata* Walker, 1862
261. *Hypocometia clauda* W. Warren, 1896 (Geometridae) *clauda* W. Warren, 1896
262. *Hypomecis moriutii* Sato, 1991 (Geometridae) *moriutii* Sato, 1991
263. *Medasina missionaria* (Wehrli, 1941) (Geometridae) *missionaria* Wehrli, 1941
264. *Mimomiza creuntaria* (Moore, 1868) (Geometridae) *creuntaria* Moore, 1868
265. *Mimomiza creuntaria flavescens* Swinhoe, 1906 (Geometridae) *flavescens* Swinhoe, 1906; *lyciscaria* Oberthür, 1912; *serinaria* Thierry-Mieg, 1915
266. *Ourapteryx diminuta* Inoue, 1993 (Geometridae) *diminuta* Inoue, 1993
267. *Parctropis siamensis* Sato, 1996 (Geometridae) *siamensis* Sato, 1996
268. *Peratophya venetia* Swinhoe, 1902 (Geometridae) *venetia* Swinhoe, 1902
269. *Prochasma albimonilis* L.B. Prout, 1927 (Geometridae) *albimonilis* L.B. Prout, 1927
270. *Prochasma dentilinea* (W. Warren, 1893) (Geometridae) *dentilinea* W. Warren, 1893; *squalida* Wileman, 1915
271. *Sarcinodes carnearius* Guenée, [1858] (Geometridae) *carnearia* Guenée, [1858]
272. *Sarcinodes debitaris* (Walker, [1863]) (Geometridae) *debitaria* Walker, [1863]
273. *Scopula haematophaga* Bänziger & D.S. Fletcher, 1985 (Geometridae) *haematophaga* Bänziger & D.S. Fletcher, 1985
274. *Scopula lacriphaga* Bänziger & D.S. Fletcher, 1985 (Geometridae) *lacriphaga* Bänziger & D.S. Fletcher, 1985
275. *Scopula rufistigma* W. Warren, 1895 (Geometridae) *rufistigma* W. Warren, 1895
276. *Somatina anthophilata* Guenée, [1858] (Geometridae) *anthophilata* Guenée, [1858]
277. *Tanaorhinus viridiluteata* (Walker, 1861) (Geometridae) *viridiluteata* Walker, 1861
278. *Timandromorpha energies* (L.B. Prout, 1933) (Geometridae) *energies* L.B. Prout, 1933
279. *Traminda aventiaria* (Guenée, [1858]) (Geometridae) *aventiaria* Guenée, [1858]; *molybdias* Meyrick, 1889.
280. *Trichopterigia atrofasciata* Hashimoto, 1995 (Geometridae) *atrofasciata* Hashimoto, 1995
281. *Trichopterigia sanguinipunctata* (W. Warren, 1893) (Geometridae) *sanguinipunctata* W. Warren, 1893; *pulcherrima* Swinhoe, 1893; *exsanguis* Prout, 1958
282. *Aeromachus kali* De Nicéville, 1895 (Hesperiidae) *kali* De Nicéville, 1895
283. *Aeromachus kali kali* De Nicéville, 1895 (Hesperiidae) *kali* De Nicéville, 1895
284. *Ampittia maroides* De Nicéville, 1896 (Hesperiidae) *maroides* De Nicéville, 1896
285. *Ampittia maroides maroides* De Nicéville, 1896 (Hesperiidae) *maroides* De Nicéville, 1896
286. *Arnetta atkinsoni* (Moore, 1878) (Hesperiidae) *atkinsoni* Moore, 1878; *hasianus* Moore, 1878; *subtestaceus* Moore, 1878; *parnaca* Fruhstorfer, 1910
287. *Arnetta atkinsoni atkinsoni* (Moore, 1878) (Hesperiidae) *atkinsoni* Moore, 1878; *hasianus* Moore, 1878; *subtestaceus* Moore, 1878; *parnaca* Fruhstorfer, 1910
288. *Astictopterus jama* C. Felder & R. Felder, 1860 (Hesperiidae) *jama* C. Felder & R. Felder, 1860; *pulligo* Mabille, 1876; *melania* Plötz, 1885
289. *Astictopterus jama olivascens* Moore, 1878 (Hesperiidae) *olivascens* Moore, 1878; *henrici* Holland, 1887; *kada* Swinhoe, 1893; *tonkinianus* Fruhstorfer, 1910; *permagnus* Fruhstorfer, 1910; *quadripunctatus* Swinhoe, 1915.

290. *Baoris farri* (Moore,1878) (Hesperiidae) *farri* Moore,1878
291. *Baoris farri farri* (Moore,1878) (Hesperiidae) *farri* Moore,1878
292. *Bibasis harisa* (Moore,1865) (Hesperiidae) *harisa* Moore,1865; *asambha* Fruhstorfer,1911
293. *Bibasis harisa harisa* (Moore,1865) (Hesperiidae) *harisa* Moore,1865; *asambha* Fruhstorfer,1911
294. *Borbo bevani* (Moore,1878) (Hesperiidae) *bevani* Moore,1878
295. *Borbo bevani bevani* (Moore,1878) (Hesperiidae) *bevani* Moore,1878
296. *Caltoris cormasa* (Hewitson,1876) (Hesperiidae) *cormasa* Hewitson,1876; *moolata* Moore,1878; *dravida* Mabilite,1878
297. *Caltoris cormasa cormasa* (Hewitson,1876) (Hesperiidae) *cormasa* Hewitson,1876; *moolata* Moore,1878; *dravida* Mabilite,1878
298. *Celaenorrhinus dhanada* (Moore,[1866]) (Hesperiidae) *dhanada* Moore,1865
299. *Celaenorrhinus dhanada affinis* Elwes & Edwards,1897 (Hesperiidae) *affinis* Elwes & Edwards,1897
300. *Cephenes acalle* (Hopffer,1874) (Hesperiidae) *acalle* Hopffer,1874
301. *Cephenes acalle oceanica* (Mabilite,1904) (Hesperiidae) *palmarum* Moore,1878 *nec* Feld.,1862; *oceanica* Mabilite,1904; *hainanum* Sonan,1938
302. *Chamunda chamunda* (Moore,[1866]) (Hesperiidae) *chamunda* Moore,[1866]
303. *Chamunda chamunda chamunda* (Moore,[1866]) (Hesperiidae) *chamunda* Moore,[1866]
304. *Ctenoptilum multiguttatum* De Nicéville,1890 (Hesperiidae) *multiguttatum* De Nicéville,1890
305. *Ctenoptilum multiguttatum multiguttatum* De Nicéville,1890 (Hesperiidae) *multiguttatum* De Nicéville,1890
306. *Erionota torus* Evans,1941 (Hesperiidae) *torus* Evans,1941
307. *Erionota torus torus* Evans,1941 (Hesperiidae) *torus* Evans,1941
308. *Gerosis bhagava* (Moore,[1866]) (Hesperiidae) *bhagava* Moore,[1866]; *milliana* Swinhoe,1912
309. *Gerosis bhagava bhagava* (Moore,[1866]) (Hesperiidae) *bhagava* Moore,[1866]; *milliana* Swinhoe,1912
310. *Gerosis phisara* (Moore,1884) (Hesperiidae) *phisara* Moore,1884
311. *Gerosis phisara phisara* (Moore,1884) (Hesperiidae) *phisara* Moore,1884; *hamiltonii* De Nicéville,1888; *kuki* Tytler,1915; *expansa* Mabilite & Boulet,1916
312. *Halpe zola* Evans,1937 (Hesperiidae) *zola* Evans,1937
313. *Halpe zola zola* Evans,1937 (Hesperiidae) *zola* Evans,1937
314. *Hasora* (s.str.) *schoenherr* (Latreille,1828) (Hesperiidae) *schoenherr* Latreille,1828
315. *Hasora* (s.str.) *schoenherr gaspa* Evans,1949 (Hesperiidae) *gaspa* Evans,1949
316. *Iambrix salsala* (Moore,1865) (Hesperiidae) *salsala* Moore,1865; *vasuba* Fruhstorfer,1910
317. *Iambrix salsala salsala* (Moore,1865) (Hesperiidae) *salsala* Moore,1865; *vasuba* Fruhstorfer,1910
318. *Koruthaialos rubecula* (Plötz,1882) (Hesperiidae) *rubecula* Plötz,1882
319. *Koruthaialos rubecula hector* E.Y.Watson,1893 (Hesperiidae) *hector* E.Y.Watson,1893; *avidha* Fruhstorfer,1910; *gopaka* Fruhstorfer,1910
320. *Matapa aria* (Moore,[1866]) (Hesperiidae) *aria* Moore,[1866]; *neglecta* Mabilite,1876; *pulla* Plötz,1882.
321. *Matapa aria aria* (Moore,[1866]) (Hesperiidae) *aria* Moore,[1866]; *neglecta* Mabilite,1876; *pulla* Plötz,1882.
322. *Mooreana trichoneura* (C.Felder & R.Felder,1860) (Hesperiidae) *trichoneura* C.Felder & R.Felder,1860
323. *Mooreana trichoneura pralaya* (Moore,[1866]) (Hesperiidae) *pralaya* Moore,[1866]; *pellita* Fruhstorfer,1919.
324. *Notocrypta curvifascia* (C.Felder & R.Felder,1862) (Hesperiidae) *curvifascia* C.Felder & R.Felder,1862; *restricta* Moore,1881
325. *Notocrypta curvifascia curvifascia* (C.Felder & R.Felder,1862) (Hesperiidae) *curvifascia* C.Felder & R.Felder,1862; *restricta* Moore,1881
326. *Notocrypta paralysos* (Wood Mason & De Nicéville,1881) (Hesperiidae) *paralysos* Wood Mason & De Nicéville,1881; *infrapicta* Strand,1920
327. *Notocrypta paralysos asawa* Fruhstorfer,1911 (Hesperiidae) *asawa* Fruhstorfer,1911; *arisana* Sonan,1930
328. *Ochus subvittatus* (Moore,1878) (Hesperiidae) *subvittatus* Moore,1878
329. *Ochus subvittatus subvittatus* (Moore,1878) (Hesperiidae) *subvittatus* Moore,1878; *intricatus* Fruhstorfer,1910
330. *Odontoptilum angulatum* (C.Felder,1862) (Hesperiidae) *angulatum* C.Felder,1862; *sura* Moore,1865; *sumatrana* Fruhstorfer,1909; *mahabini* Fruhstorfer,1909.
331. *Odontoptilum angulatum angulatum* (C.Felder,1862) (Hesperiidae) *angulatum* C.Felder,1862; *sura* Moore,1865; *sumatrana* Fruhstorfer,1909; *mahabini* Fruhstorfer,1909.
332. *Pelopidas assamensis* De Nicéville,1882 (Hesperiidae) *assamensis* De Nicéville,1882
333. *Pelopidas assamensis assamensis* De Nicéville,1882 (Hesperiidae) *assamensis* De Nicéville,1882
334. *Pithauria murdava* (Moore,[1866]) (Hesperiidae) *murdava* Moore,[1866]; *weymeri* Plötz,1883
335. *Pithauria murdava murdava* (Moore,[1866]) (Hesperiidae) *murdava* Moore,[1866]; *weymeri* Plötz,1883
336. *Polytremis discreta* Elwes & Edwards,1897 (Hesperiidae) *discreta* Elwes & Edwards,1897
337. *Polytremis discreta discreta* Elwes & Edwards,1897 (Hesperiidae) *discreta* Elwes & Edwards,1897
338. *Polytremis eltola* (Hewitson,1869) (Hesperiidae) *eltola* Hewitson,1869
339. *Polytremis eltola eltola* (Hewitson,1869) (Hesperiidae) *eltola* Hewitson,1869
340. *Polytremis lubricans* (Herrich-Schäffer,1869) (Hesperiidae) *lubricans* Herrich-Schäffer,1869
341. *Polytremis lubricans lubricans* (Herrich-Schäffer,1869) (Hesperiidae) *lubricans* Herrich-Schäffer,1869
342. *Potanthus juno* Evans,1932 (Hesperiidae) *juno* Evans,1932
343. *Potanthus juno juno* Evans,1932 (Hesperiidae) *juno* Evans,1932
344. *Potanthus trachala* Mabilite,1877 (Hesperiidae) *trachala* Mabilite,1877
345. *Potanthus trachala tytleri* Evans,1914 (Hesperiidae) *tytleri* Evans,1914
346. *Pseudocoladenia dan* (Fabricius,1787) (Hesperiidae) *dan* Fabricius,1787
347. *Pseudocoladenia dan fabia* (Evans,1949) (Hesperiidae) *fabia* Evans,1949
348. *Salanoemia fuscicornis* (Elwes & Edwards,1897) (Hesperiidae) *fuscicornis* Elwes & Edwards,1897
349. *Salanoemia fuscicornis fuscicornis* (Elwes & Edwards,1897) (Hesperiidae) *fuscicornis* Elwes & Edwards,1897
350. *Sarangesa dasahara* (Moore,[1866]) (Hesperiidae) *dasahara* Moore,[1866]; *philippus* Mabilite,1883
351. *Sarangesa dasahara dasahara* (Moore,[1866]) (Hesperiidae) *dasahara* Moore,[1866]; *philippus* Mabilite,1883.
352. *Tagiades* (s.str.) *gana* Moore,[1866] (Hesperiidae) *gana* Moore,[1866]; *menantho* Plötz,1885; *perakanus* Fruhstorfer,1910
353. *Tagiades* (s.str.) *gana meetana* Moore,1878 (Hesperiidae) *meetana* Moore,1878
354. *Telicota besta* Evans,1949 (Hesperiidae) *besta* Evans,1949
355. *Telicota besta bina* Evans,1949 (Hesperiidae) *bina* Evans,1949
356. *Telicota colon* (Fabricius,1775) (Hesperiidae) *colon* Fabricius,1775
357. *Telicota colon stinga* Evans,1949 (Hesperiidae) *stinga* Evans,1949
358. *Telicota ohara* Plötz,1883 (Hesperiidae) *ohara* Plötz,1883
359. *Telicota ohara jix* Evans,1949 (Hesperiidae) *jix* Evans,1949
360. *Thoressa masoni* (Moore,1878) (Hesperiidae) *masoni* Moore,1878
361. *Thoressa masoni masoni* (Moore,1878) (Hesperiidae) *masoni* Moore,1878

362. *Hyblaea puera* (Cramer,[1777]) (Hyblaeidae) *puera* Cramer,[1777]; *saga* Fabricius,1787; *unxia* Hübner,[1813]; *apricans Boisduval*,1833; *limacodella* Walker,1866; *mirificum* Strecker,1876; *#nigra* Stebbing,1903; *insula* Gaede,1917.
363. *Arguda insulindiana* De Lajonquière,1977 (Lasiocampidae) *insulindiana* De Lajonquière,1977
364. *Arguda insulindiana inexpectata* Zolotuhin & Witt,2000 (Lasiocampidae) *inexpectata* Zolotuhin & Witt,2000
365. *Arguda vinata* (Moore,1865) (Lasiocampidae) *vinata* Moore,1865
366. *Arguda vinata nepalina* Kishida,1992 (Lasiocampidae) *nepalina* Kishida,1992
367. *Dendrolimus angulata* Gaede,1932 (Lasiocampidae) *angulata* Gaede,1932
368. *Dendrolimus grisea* (Moore,1879) (Lasiocampidae) *grisea* Moore,1879; *houi* De Lajonquière,1979
369. *Eteinopla signata* (Moore,1879) (Lasiocampidae) *signata* Moore,1879
370. *Euthrix fossa* (Swinhoe,1879) (Lasiocampidae) *fossa* Swinhoe,1879
371. *Euthrix fossa mariae* Zolotuhin,2001 (Lasiocampidae) *mariae* Zolotuhin,2001
372. *Euthrix inobtrusa* (Walker,1862) (Lasiocampidae) *inobtrusa* Walker,1862
373. *Euthrix laeta* (Walker,1855) (Lasiocampidae) *laeta* Walker,1855
374. *Euthrix laeta austrina* (Lajonquière,1978) (Lasiocampidae) *austrina* Lajonquière,1978
375. *Euthrix sherpai* Zolotuhin,2001 (Lasiocampidae) *sherpai* Zolotuhin,2001
376. *Gastropacha (Estigena) pardale* (Walker,1855) (Lasiocampidae) *pardale* Walker,1855
377. *Hallicarnia albipectus* (Walker,1855) (Lasiocampidae) *albipectus* Walker,1855
378. *Kunugia australopladica* Holloway,1987 (Lasiocampidae) *australopladica* Holloway,1987
379. *Kunugia latipennis* (Walker,1855) (Lasiocampidae) *latipennis* Walker,1855; *basimacula* Walker,1862; *purpurascens* Moore,1884; *sumatrae* Swinhoe,1916; *basidiscata* Holloway,1982; *dongchuaensis* Tsai & Hou,1983
380. *Kunugia lemeepauli* (Lemee & Tams,1950) (Lasiocampidae) *lemeepauli* Lemee & Tams,1950
381. *Kunugia vulpina* (Moore,1879) (Lasiocampidae) *vulpina* Moore,1879
382. *Lebeda trifascia* (Walker,1855) (Lasiocampidae) *trifascia* Walker,1855
383. *Metanastria capucina* Zolotuhin & Witt,2000 (Lasiocampidae) *capucina* Zolotuhin & Witt,2000
384. *Metanastria capucina purgata* Zolotuhin,2005 (Lasiocampidae) *purgata* Zolotuhin,2005
385. *Metanastria hyrtaca* (Cramer,[1779]) (Lasiocampidae) *hyrtaca* Cramer,[1779]
386. *Odonestis erectilinea* (Swinhoe,1904) (Lasiocampidae) *erectilinea* Swinhoe,1904
387. *Radhica elisabethae* De Lajonquière,1977 (Lasiocampidae) *elisabethae* De Lajonquière,1977
388. *Radhica flavovittata* Moore,1879 (Lasiocampidae) *flavovittata* Moore,1879
389. *Radhica flavovittata puana* Zolotuhin,1995 (Lasiocampidae) *puana* Zolotuhin,1995
390. *Takanea excisa* (Wileman,1910) (Lasiocampidae) *excisa* Wileman,1910
391. *Takanea excisa murina* Zolotuhin,2005 (Lasiocampidae) *murina* Zolotuhin,2005
392. *Trabala shiva* Roepke,1951 (Lasiocampidae) *shiva* Roepke,1951
393. *Torodora chiangdoica* Park,2002 (Lecithoceridae) *chiangdoica* Park,2002
394. *Libythea* (s.str.) *lepita* Moore,1857 (Libytheidae) *lepita* Moore,1857
395. *Libythea* (s.str.) *lepita lepita* Moore,1857 (Libytheidae) *lepita* Moore,1857
396. *Altha adala* (Moore,1859) (Limacodidae) *adala* Moore,1859; *#adada* Hutacharern & Tuhtim,1995
397. *Cania robusta* M.Hering,1931 (Limacodidae) *robusta* M.Hering,1931; *pallida* M.Hering,1931
398. *Miresa burmensis* M.Hering,1931 (Limacodidae) *burmensis* M.Hering,1931
399. *Parasa grandis* M.Hering,1931 (Limacodidae) *grandis* M.Hering,1931
400. *Parasa herbifera* (Walker,1855) (Limacodidae) *herbifera* Walker,1855
401. *Scopelodes venosa* Walker,1855 (Limacodidae) *venosa* Walker,1855; *aurogrisea* Moore,1883; *ursina* Butler,1886
402. *Setora baibarana* (Matsumura,1931) (Limacodidae) *baibarana* Matsumura,1931; *suberecta* Hering,1931; *kwangtungensis* Hering,1931; *#alibarana* Hutacharern & Tuhtim,1995
403. *Thosea ostia* (Swinhoe,1902) (Limacodidae) *ostia* Swinhoe,1902
404. *Acytolepis puspa* (Horsfield,[1828]) (Lycaenidae) *puspa* Horsfield,[1828]; *sania* Fruhstorfer,1910; *contilia* Fruhstorfer,1910.
405. *Acytolepis puspa gisca* (Fruhstorfer,1910) (Lycaenidae) *gisca* Fruhstorfer,1910; *hermagoras* Fruhstorfer,1910; *#artena* Fruhstorfer,1917; *telis* Fruhstorfer,1917; *barneyi* Corbet,1941.
406. *Amblypodia narada* (Horsfield,[1828]) (Lycaenidae) *narada* Horsfield,[1828]
407. *Amblypodia narada taoana* Moore,[1879] (Lycaenidae) *taoana* Moore,[1879]
408. *Ancema blanka* (De Nicéville,1894) (Lycaenidae) *blanka* De Nicéville,1894
409. *Ancema blanka minturna* (Fruhstorfer,[1912]) (Lycaenidae) *minturna* Fruhstorfer,[1912]
410. *Ancema ctesia* (Hewitson,[1865]) (Lycaenidae) *ctesia* Hewitson,[1865]
411. *Ancema ctesia agalla* (Fruhstorfer,1912) (Lycaenidae) *agalla* Fruhstorfer,1912
412. *Anthene emolus* (Godart,[1824]) (Lycaenidae) *emolus* Godart,[1824]
413. *Anthene emolus emolus* (Godart,[1824]) (Lycaenidae) *emolus* Godart,[1824]
414. *Anthene lycaenina* (C.Felder & R.Felder,[1867]) (Lycaenidae) *lycaenina* C.Felder & R.Felder,[1867]
415. *Anthene lycaenina lycambes* (Hewitson,1868) (Lycaenidae) *lycambes* Hewitson,1868
416. *Arhopala abseus indicus* Riley,1923 (Lycaenidae) *indicus* Riley,1923
417. *Arhopala alax* (Evans,1932) (Lycaenidae) *alax* Evans,1932; *#arax* Pinratana,1981
418. *Arhopala amantes* (Hewitson,1862) (Lycaenidae) *amantes* Hewitson,1862
419. *Arhopala amantes amatrix* De Nicéville,1891 (Lycaenidae) *amatrix* De Nicéville,1891
420. *Arhopala anarte* (Hewitson,1862) (Lycaenidae) *anarte* Hewitson,1862; *morphicolor* Corbet,1941
421. *Arhopala anarte anarte* (Hewitson,1862) (Lycaenidae) *anarte* Hewitson,1862; *morphicolor* Corbet,1941
422. *Arhopala atosia* (Hewitson,[1863]) (Lycaenidae) *atosia* Hewitson,[1863]
423. *Arhopala epimete* (Staudinger,1889) (Lycaenidae) *epimete* Staudinger,1889
424. *Arhopala epimete duessa* Doherty,1889 (Lycaenidae) *duessa* Doherty,1889
425. *Arhopala eumolpus* (Cramer,[1780]) (Lycaenidae) *eumolpus* Cramer,[1780]
426. *Arhopala eumolpus eumolpus* (Cramer,[1780]) (Lycaenidae) *eumolpus* Cramer,[1780]
427. *Arhopala fulla* (Hewitson,1862) (Lycaenidae) *fulla* Hewitson,1862
428. *Arhopala fulla ignara* Riley & Godfrey,1921 (Lycaenidae) *ignara* Riley & Godfrey,1921
429. *Arhopala moolaiana* (Moore,[1879]) (Lycaenidae) *moolaiana* Moore,[1879]
430. *Arhopala silhetensis* (Hewitson,1862) (Lycaenidae) *silhetensis* Hewitson,1862
431. *Arhopala silhetensis silhetensis* (Hewitson,1862) (Lycaenidae) *silhetensis* Hewitson,1862
432. *Artipe eryx* (Linnaeus,1771) (Lycaenidae) *eryx* Linnaeus,1771
433. *Artipe eryx eryx* (Linnaeus,1771) (Lycaenidae) *eryx* Linnaeus,1771
434. *Bindahara phocides* (Fabricius,1793) (Lycaenidae) *phocides* Fabricius,1793
435. *Bindahara phocides phocides* (Fabricius,1793) (Lycaenidae) *phocides* Fabricius,1793
436. *Caleta caleta* (Hewitson,[1876]) (Lycaenidae) *caleta* Hewitson,[1876]

437. *Caleta caleta caleta* (Hewitson,[1876]) (Lycaenidae) *caleta* Hewitson,[1876]
438. *Caleta elna* (Hewitson,[1876]) (Lycaenidae) *elna* Hewitson,[1876]
439. *Caleta elna noliteia* (Fruhstorfer,1918) (Lycaenidae) *noliteia* Fruhstorfer,1918
440. *Caleta roxus* (Godart,[1824]) (Lycaenidae) *roxus* Godart,[1824]
441. *Caleta roxus roxanus* (De Nicéville,1897) (Lycaenidae) *roxana* De Nicéville,1897
442. *Castalius rosimon* (Fabricius,1775) (Lycaenidae) *rosimon* Fabricius,1775
443. *Castalius rosimon rosimon* (Fabricius,1775) (Lycaenidae) *rosimon* Fabricius,1775
444. *Catapaecilma subochracea* Elwes,[1893] (Lycaenidae) *subochracea* Elwes,[1893]
445. *Catapaecilma subochracea subochracea* Elwes,[1893] (Lycaenidae) *subochracea* Elwes,[1893]
446. *Celastrina argiolus* (Linnaeus,1758) (Lycaenidae) *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
447. *Celastrina argiolus iynteaana* (De Nicéville,1884) (Lycaenidae) *iynteaana* De Nicéville,1884; *iynteaana* De Nicéville,1884; *sikkima* Moore,1884; *bothrinoides* Chapman,1909; *puspargiolus* Chapman,1909; *herophilus* Fruhstorfer,1910; *cition* Fruhstorfer,1910
448. *Celatoxia marginata* (De Nicéville,1884) (Lycaenidae) *marginata* De Nicéville,1884; *marginata* Moore,1884; *victoria* Swinhoe,1893; *marata* Corbet,1936.
449. *Celatoxia marginata marginata* (De Nicéville,1884) (Lycaenidae) *marginata* De Nicéville,1884; *marata* Corbet,1936.
450. *Cheritra freja* (Fabricius,1793) (Lycaenidae) *freja* Fabricius,1793
451. *Cheritra freja evansi* Cowan,1965 (Lycaenidae) *evansi* Cowan,1965
452. *Chilades (Luthrodes) pandava* (Horsfield,[1829]) (Lycaenidae) *pandava* Horsfield,[1829]; *bengalia* De Nicéville; *nicola* Swinhoe.
453. *Chilades (Luthrodes) pandava pandava* (Horsfield,[1829]) (Lycaenidae) *pandava* Horsfield,[1829]; *bengalia* De Nicéville; *nicola* Swinhoe.
454. *Chliaria kina* (Hewitson,1869) (Lycaenidae) *kina* Hewitson,1869
455. *Chliaria kina kina* (Hewitson,1869) (Lycaenidae) *kina* Hewitson,1869
456. *Chliaria othona* (Hewitson,[1865]) (Lycaenidae) *othona* Hewitson,[1865]
457. *Chliaria othona othona* (Hewitson,[1865]) (Lycaenidae) *othona* Hewitson,[1865]
458. *Cigaritis lohita* (Horsfield,[1829]) (Lycaenidae) *lohita* Horsfield,[1829]
459. *Cigaritis lohita himalayanus* (Moore,1884) (Lycaenidae) *himalayanus* Moore,1884
460. *Cigaritis syama* (Horsfield,[1829]) (Lycaenidae) *syama* Horsfield,[1829]
461. *Cigaritis syama peguanus* (Moore,1884) (Lycaenidae) *peguanus* Moore,1884
462. *Cupido (Everes) lacturnus* (Godart,[1824]) (Lycaenidae) *lacturnus* Godart,[1824]
463. *Cupido (Everes) lacturnus rileyi* (Godfrey,1916) (Lycaenidae) *rileyi* Godfrey,1916
464. *Curetis bulis* (Westwood,[1851]) (Lycaenidae) *bulis* Westwood,[1851]
465. *Curetis bulis bulis* (Westwood,[1851]) (Lycaenidae) *bulis* Westwood,[1851]
466. *Deudorix (Virachola) isocrates* (Fabricius,1793) (Lycaenidae) *isocrates* Fabricius,1793
467. *Deudorix (Virachola) isocrates isocrates* (Fabricius,1793) (Lycaenidae) *isocrates* Fabricius,1793
468. *Deudorix (Virachola) perse* Hewitson,[1863] (Lycaenidae) *perse* Hewitson,[1863]
469. *Deudorix (Virachola) perse perse* Hewitson,[1863] (Lycaenidae) *perse* Hewitson,[1863]
470. *Deudorix (s.str.) epijarbas* (Moore,[1858]) (Lycaenidae) *epijarbas* Moore,[1858]
471. *Deudorix (s.str.) epijarbas amatius* Fruhstorfer,[1912] (Lycaenidae) *amatius* Fruhstorfer,[1912]
472. *Flos anniella artegai* Doherty,1889 (Lycaenidae) *artegai* Doherty,1889
473. *Flos fulgida* (Hewitson,[1863]) (Lycaenidae) *fulgida* Hewitson,[1863]
474. *Flos fulgida fulgida* (Hewitson,[1863]) (Lycaenidae) *fulgida* Hewitson,[1863]
475. *Iraota timoleon* (Stoll,[1790]) (Lycaenidae) *timoleon* Stoll,[1790]
476. *Iraota timoleon timoleon* (Stoll,[1790]) (Lycaenidae) *timoleon* Stoll,[1790]
477. *Jamides alecto* (C.Felder,1860) (Lycaenidae) *alecto* C.Felder,1860
478. *Jamides alecto alocina* Swinhoe,1915 (Lycaenidae) *alocina* Swinhoe,1915
479. *Jamides celeno* (Cramer,[1775]) (Lycaenidae) *celeno* Cramer,[1775]; *alexis* Stoll,1790 *nec* Poda,1761; *aelianus* Fabricius,1793; *zethus* Hübner,[1819].
480. *Jamides celeno aelianus* (Fabricius,1793) (Lycaenidae) *aelianus* Fabricius,1793
481. *Leptotes plinius* (Fabricius,1793) (Lycaenidae) *plinius* Fabricius,1793
482. *Lestranicus transpectus* (Moore,1879) (Lycaenidae) *transpectus* Moore,1879; *latimargo* Moore,1884.
483. *Lestranicus transpectus transpectus* (Moore,1879) (Lycaenidae) *transpectus* Moore,1879; *latimargo* Moore,1884.
484. *Loxura athymnus* (Stoll,[1780]) (Lycaenidae) *athymnus* Stoll,[1780]
485. *Loxura athymnus continentalis* Fruhstorfer,[1912] (Lycaenidae) *continentalis* Fruhstorfer,[1912]
486. *Miletus ancon* (Doherty,1889) (Lycaenidae) *ancon* Doherty,1889
487. *Miletus ancon ancon* (Doherty,1889) (Lycaenidae) *ancon* Doherty,1889
488. *Miletus croton* (Doherty,1889) (Lycaenidae) *croton* Doherty,1889
489. *Miletus croton corus* Eliot,1961 (Lycaenidae) *corus* Eliot,1961
490. *Mota massyla* (Hewitson,[1869]) (Lycaenidae) *massyla* Hewitson,[1869]
491. *Nacaduba berenice* (Herrich-Schäffer,1869) (Lycaenidae) *berenice* Herrich-Schäffer,1869
492. *Nacaduba berenice aphyia* Fruhstorfer,1916 (Lycaenidae) *aphya* Fruhstorfer,1916
493. *Nacaduba beroe* (C.Felder & R.Felder,[1865]) (Lycaenidae) *beroe* C.Felder & R.Felder,[1865]
494. *Nacaduba beroe gythion* Fruhstorfer,1916 (Lycaenidae) *gythion* Fruhstorfer,1916
495. *Niphanda asialis* (De Nicéville,1895) (Lycaenidae) *asialis* De Nicéville,1895
496. *Niphanda asialis marcia* Fawcett,1904 (Lycaenidae) *marcia* Fawcett,1904
497. *Orthomiella pontis* (Elwes,1887) (Lycaenidae) *pontis* Elwes,1887
498. *Prosotas aluta* (Druce,1873) (Lycaenidae) *aluta* Druce,1873
499. *Prosotas aluta coelestis* (Wood-Mason & De Nicéville,1896) (Lycaenidae) *coelestis* Wood-Mason & De Nicéville,1896
500. *Rapala dienece* (Hewitson,1878) (Lycaenidae) *dienece* Hewitson,1878
501. *Rapala dienece dienece* (Hewitson,1878) (Lycaenidae) *dienece* Hewitson,1878
502. *Rapala iarbus* (Fabricius,1787) (Lycaenidae) *iarbus* Fabricius,1787; *ocerta* Fruhstorfer,[1912]
503. *Rapala iarbus iarbus* (Fabricius,1787) (Lycaenidae) *iarbus* Fabricius,1787; *ocerta* Fruhstorfer,[1912]
504. *Rapala manea* (Hewitson,[1863]) (Lycaenidae) *manea* Hewitson,[1863]
505. *Rapala manea schistacea* (Moore,[1881]) (Lycaenidae) *schistacea* Moore,[1881]
506. *Rapala pheretima* (Hewitson,[1863]) (Lycaenidae) *phetima* Hewitson,[1863]
507. *Rapala pheretima petosiris* (Hewitson,[1863]) (Lycaenidae) *petosiris* Hewitson,[1863]
508. *Rapala suffusa* (Moore,[1879]) (Lycaenidae) *suffusa* Moore,[1879]
509. *Rapala suffusa suffusa* (Moore,[1879]) (Lycaenidae) *suffusa* Moore,[1879]

510. *Remelana jangala* (Horsfield,1829) (Lycaenidae) *jangala* Horsfield,1829
511. *Remelana jangala ravata* (Moore,1865) (Lycaenidae) *ravata* Moore,1865
512. *Talica nysus* (Guérin-Ménéville,1843) (Lycaenidae) *nysus* Guérin-Ménéville,1843
513. *Talica nysus burmana* Evans,1925 (Lycaenidae) *burmana* Evans,1925
514. *Tarucus* (s.str.) *callinarus* Butler,1886 (Lycaenidae) *callinara* Butler,1886
515. *Tarucus* (s.str.) *callinarus callinarus* Butler,1886 (Lycaenidae) *callinara* Butler,1886
516. *Ticherra acte* (Moore,1858) (Lycaenidae) *acte* Moore,1858
517. *Ticherra acte acte* (Moore,1858) (Lycaenidae) *acte* Moore,1858
518. *Tongeia potanini* (Alpheraky,1889) (Lycaenidae) *potanini* Alpheraky,1889
519. *Tongeia potanini umbriel* (Doherty,1889) (Lycaenidae) *umbriel* Doherty,1889
520. *Zeltus amasa* (Hewitson,1865) (Lycaenidae) *amasa* Hewitson,1865
521. *Zeltus amasa amasa* (Hewitson,1865) (Lycaenidae) *amasa* Hewitson,1865
522. *Zinaspoda todara* (Moore,1884) (Lycaenidae) *todara* Moore,1884
523. *Zinaspoda todara karenia* (Evans,1925) (Lycaenidae) *karenia* Evans,1925
524. *Zizina otis* (Fabricius,1787) (Lycaenidae) *otis* Fabricius,1787
525. *Zizina otis lampyris* (Corbet,1940) (Lycaenidae) *lampyris* Corbet,1940
526. *Aroa substrigosa* Walker,1855 (Lymantriidae) *substrigosa* Walker,1855
527. *Euproctis fraterna* (Moore,1883) (Lymantriidae) *fraterna* Moore,1883
528. *Euproctis magna* (Swinhoe,1891) (Lymantriidae) *magna* Swinhoe,1891
529. *Euproctis subnotata* (Walker,1865) (Lymantriidae) *subnotata* Walker,1865; *polydorus* Schintlmeister,1994
530. *Himalia argentea* (Walker,1855) (Lymantriidae) *argentea* Walker,1855; *ilita* Moore,1859
531. *Himalia vaneeckei* (Collenette,1932) (Lymantriidae) *vaneeckei* Collenette,1932; *callima* Collenette,1932; *vaneeckei* Holloway,1976
532. *Himalia munda* (Walker,1855) (Lymantriidae) *munda* Walker,1855; *collenettei* Toxopeus,1948
533. *Lymantria bivittata* (Moore,1879) (Lymantriidae) *bivittata* Moore,1879
534. *Lymantria mathura* Moore,1865 (Lymantriidae) *mathura* Moore,1865; *aurora* Butler,1877; *fusca* Leech,1888
535. *Lymantria serva* (Fabricius,1793) (Lymantriidae) *serva* Fabricius,1793
536. *Numenes siletti* Walker,1855 (Lymantriidae) *siletti* Walker,1855; *quadriplagiata* Walker,1855; *includa* Strand,1915; *biincluda* Strand,1915; *silettoides* Strand,1915
537. *Numenes siletti siletti* Walker,1855 (Lymantriidae) *siletti* Walker,1855; *quadriplagiata* Walker,1855; *includa* Strand,1915; *biincluda* Strand,1915; *silettoides* Strand,1915
538. *Olene mendosa* Hübner,1823 (Lymantriidae) *mendosa* Hübner,1823; *basalis* Walker,1855; *lanceolata* Walker,1855; *fusiformis* Walker,1855; *sawanta* Moore,1859; *basigera* Walker,1865; *distinguenda* Walker,1865; *divisa* Walker,1865; *basalis* Walker,1865; *basivitta* Walker,1869; *invasa* Walker,1869
539. *Orgyia postica* (Walker,1855) (Lymantriidae) *postica* Walker,1855; *ceylanica* Nietner,1862; *nebulosa* Walker,1862; *ludekingii* Snellen,1879
540. *Indarbela obliquifasciata* Mell,1923 (Metarbelidae) *obliquifasciata* Mell,1923
541. *Achaea janata* (Linnaeus,1758) (Noctuidae) *janata* Linnaeus,1758; *melicerta* Drury,1773; *tigrina* Fabricius,1775; *transversii* Fereday,1877; *eikei* Bethune-Baker,1906
542. *Acontia marmoralis* (Fabricius,1794) (Noctuidae) *marmoralis* Fabricius,1794; *bipunctata* Walker,1858; *maculosa* Walker,1858; *tropica* Guenée,1852
543. *Anagnia subfascia* Walker,1854 (Noctuidae) *subfascia* Walker,1854; *subfasciata* Moore,1886
544. *Anepholcia pygaria* (W.Warren,1912) (Noctuidae) *pygaria* W.Warren,1912
545. *Anigraea albomaculata* (Hampson,1894) (Noctuidae) *albomaculata* Hampson,1894; *albibasis* Wileman & West,1928
546. *Arcte taprobana* Moore,1885 (Noctuidae) *taprobana* Moore,1885; *nigrescens* Butler,1888
547. *Arcyophora sylvatica* Büttiker,1959 (Noctuidae) *sylvatica* Büttiker,1959
548. *Artena dotata* (Fabricius,1794) (Noctuidae) *dotata* Fabricius,1794
549. *Athetis thoracica* Moore,1884 (Noctuidae) *thoracica* Moore,1884
550. *Avitta quadrilinea* (Walker,1863) (Noctuidae) *quadrilinea* Walker,1863; *quadrilinealis* Moore,1867; *completa* Rothschild,1915
551. *Axylia putris* (Linnaeus,1761) (Noctuidae) *putris* Linnaeus,1761; *subcorticalis* Hufnagel,1766; *lignosa* Hübner,1803
552. *Axylia putris triseriata* Moore,1888 (Noctuidae) *triseriata* Moore,1888
553. *Calesia dasyptera* (Kollar,1844) (Noctuidae) *dasyptera* Kollar,1844; *leucostigma* Kollar,1844; *comosa* Guenée,1852; *stigmaleuca* Guenée,1852
554. *Calesia flabellifera* Moore,1878 (Noctuidae) *flabellifera* Moore,1878
555. *Callyna jugaria* (Walker,1858) (Noctuidae) *jugaria* Walker,1858
556. *Calyptra fasciata* (Moore,1882) (Noctuidae) *fasciata* Moore,1882; *labilis* Berio,1970
557. *Calyptra minuticornis* (Guenée,1852) (Noctuidae) *minuticornis* Guenée,1852
558. *Calyptra orthograpta* (Butler,1886) (Noctuidae) *orthograpta* Butler,1886; *striata* Poujade,1887
559. *Calyptra pseudobicolor* Bänziger,1979 (Noctuidae) *pseudobicolor* Bänziger,1979
560. *Carea angulata* (Fabricius,1793) (Noctuidae) *angulata* Fabricius,1793; *subtilis* Walker,1857; *innocens* Swinhoe,1918; *intermedia* Swinhoe,1918
561. *Chabuata perirorata* W.Warren (Noctuidae)
562. *Chasmodon tibipunctata* Bethune-Baker,1908 (Noctuidae) *tibipunctata* Bethune-Baker,1908; *nigropunctata* Bethune-Baker,1908; *multipunctata* W.Warren,1913
563. *Chrysodeixis eriosoma* (Doubleday,1843) (Noctuidae) *eriosoma* Doubleday,1843; *verticillata* Guenée,1852
564. *Cucullia* (s.str.) *mediogrisea* W.Warren,1911 (Noctuidae) *mediogrisea* W.Warren,1911
565. *Dichromia triplicata* Walker,1859 (Noctuidae) *triplicata* Walker,1859; *mollis* Swinhoe,1891
566. *Dyrzela plagiata* Walker,1858 (Noctuidae) *plagiata* Walker,1858; *costipannosa* Swinhoe,1890; *costiplaga* Swinhoe,1891; *perampla* W.Warren,1913
567. *Egira perigraphoides* Hreblay & L.Ronkay,1999 (Noctuidae) *perigraphoides* Hreblay & L.Ronkay,1999
568. *Epispuris variabilis* (Walker,1858) (Noctuidae) *liturata* Fabricius,1787 nec Linn.,1761; *variabilis* Walker,1858; *signata* Walker,1865; *davallia* R.Felder & Rogenhofer,1874
569. *Erebus caprimulgus* (Fabricius,1775) (Noctuidae) *caprimulgus* Fabricius,1775; *exterior* Walker,1858; *obliterans* Walker,1858; *truncata* Moore,1877; *rupicapra* Candèze,1927
570. *Erebus gemmans* (Guenée,1852) (Noctuidae) *gemmans* Guenée,1852; *ophrestigmaris* Hampson,1895
571. *Ericia inangulata* (Guenée,1852) (Noctuidae) *inangulata* Guenée,1852; *optativa* Walker,1858; *optatura* Walker,1858; *zeta* Walker,1864; *intracta* Walker,1864; *comitata* Walker,1865; *umbrosa* Walker,1869; *subcinerea* Snellen,1880; *intextilia* Schultze,1908; *levuensis* A.Prout,1929; *certilinea* A.Prout,1929
572. *Erygia apicalis* Guenée,1852 (Noctuidae) *apicalis* Guenée,1852; *exempta* Walker,1858; *squamiplena* Walker,1858; *geometroides* Walker,1865; *usta* Walker,1865; *watanabii* Holland,1889; *tamsi* Hulstaert,1924

573. *Euplexidia noctuiformis* Hampson, 1896 (Noctuidae) *noctuiformis* Hampson, 1896
 574. *Hamodes lutea* (Walker, [1863]) (Noctuidae) *lutea* Walker, [1863]; *amabilis* Walker, 1869; *ochracea* Swinhoe, 1891
 575. *Helicoverpa armigera* (Hübner, [1808]) (Noctuidae) *barbara* Fabricius, 1794 [rejected]; *armigera* Hübner, [1808]; *pulverosa* Walker, [1857]; *uniformis* Wallengren, 1860; *rama* Bhattacharjee & Gupta, 1972.
 576. *Helicoverpa armigera armigera* (Hübner, [1808]) (Noctuidae) *barbara* Fabricius, 1794 [rejected]; *armigera* Hübner, [1808]; *pulverosa* Walker, [1857]; *uniformis* Wallengren, 1860; *rama* Bhattacharjee & Gupta, 1972.
 577. *Hypena indicatalis* Walker, [1859] (Noctuidae) *indicatalis* Walker, [1859]; *indicatalis* Walker, [1859]; *semiclusalis* Walker, [1866]; *tortuosa* Moore, 1882; *persimilis* Hampson, 1891; *caliginosa* Wileman, 1911
 578. *Hypena* sp.1 (Noctuidae)
 579. *Hypersynoides ochreicilia* (Hampson, 1891) (Noctuidae) *ochreicilia* Hampson, 1891
 580. *Hypocala deflorata* (Fabricius, 1794) (Noctuidae) *deflorata* Fabricius, 1794; *australasiae* Butler, 1892; *moorei* Butler, 1892.
 581. *Hypocala rostrata* (Fabricius, 1794) (Noctuidae) *rostrata* Fabricius, 1794; *angulipalpis* Guenée, 1852; *efflorescens* Guenée, 1852; *plumicornis* Guenée, 1852; *genuina* Wallengren, 1856; *bohemani* Wallengren, 1856.
 582. *Hypocala subsatura* Guenée, 1852 (Noctuidae) *subsatura* Guenée, 1852; *aspera* Butler, 1883; *limbata* Butler, 1889; *tungusa* Graeser, 1890
 583. *Hypopyra vespertilio* (Fabricius, 1787) (Noctuidae) *vespertilio* Fabricius, 1787; *shiva* Guenée, 1852; *extricans* Walker, 1858; *hypopyroides* Walker, 1858; *hypopyroides* Walker, 1869 nec Wlk., 1858; *signata* Walker, 1869; *dulcina* R. Felder & Rogenhofer, 1874; *pandia* R. Felder & Rogenhofer, 1874; *distans* Moore, 1882; *pallida* Moore, 1883
 584. *Hypospila bolinoides* Guenée, 1852 (Noctuidae) *bolinoides* Guenée, 1852; *signipalpis* Walker, 1858; *thermesiana* Guenée, 1862; *conscia* Walker, 1865; *orientalis* Leech, 1900; *andamana* Swinhoe, 1919; *dochmotoma* Turner, 1939
 585. *Leucania yu* Guenée, 1852 (Noctuidae) *yu* Guenée, 1852; *exempta* Walker, 1857; *costalis* Moore, 1877
 586. *Lopharthrum comprimens* (Walker, 1858) (Noctuidae) *comprimens* Walker, 1858; *chrysenaeri* Heylaerts, 1888
 587. *Lophoptera apirtha* Swinhoe, 1900 (Noctuidae) *chalybea* Butler, 1883 nec Wlk.; *apirtha* Swinhoe, 1900; *plumbeola* Hampson, 1912
 588. *Lophoptera illucida* (Walker, 1865) (Noctuidae) *illucida* Walker, 1865; *abortiva* Herrich-Schäffer, [1869]
 589. *Lophoptera longipennis* (Moore, 1882) (Noctuidae) *longipennis* Moore, 1882
 590. *Lygniodes vampyrus* (Fabricius, 1794) (Noctuidae) *vampyrus* Fabricius, 1794; *reducens* Walker, [1858]; *disparans* Walker, 1858; *e-antiqua* Hampson, 1891
 591. *Maurilia iconica* (Walker, 1857) (Noctuidae) *iconica* Walker, 1857; *cervina* Walker, 1866; *instabilis* Butler, 1889; *bifascia* Gaede, 1915; *tunicata* Swinhoe, 1918; *undaira* Swinhoe, 1918; *fortis* Swinhoe, 1918; *dalama* Swinhoe, 1919; *gilva* Swinhoe, 1919; *elima* Swinhoe, 1919; *iconicoides* Gaede, 1938; *subconica* Kobes, 1997
 592. *Mudaria major* W. Warren (Noctuidae)
 593. *Nacna splendens* (Moore, 1888) (Noctuidae) *splendens* Moore, 1888
 594. *Nanaguna breviuscula* Walker, 1863 (Noctuidae) *breviuscula* Walker, 1863; *valida* Walker, 1863; *rudis* Walker, 1864; *xyloglypta* Lucas, 1890; *nigridisca* Hampson, 1891; *floccifera* Hampson, 1894
 595. *Naragodes haemorrhanta* Hampson, 1910 (Noctuidae) *haemorrhanta* Hampson, 1910
 596. *Negritotripa orbifera* (Hampson, 1894) (Noctuidae) *orbifera* Hampson, 1894; *confluens* Mell, 1943
 597. *Odontodes aleuca* Guenée, 1852 (Noctuidae) *aleuca* Guenée, 1852; *bolinoides* Walker, 1858; *subfasciata* Walker, 1865; *quadristrigata* Walker, 1865; *ferruginea* Walker, 1869; *edemoides* Walker, 1869
 598. *Ogla consanguis* (Leech, 1900) (Noctuidae) *consanguis* Leech, 1900
 599. *Ophiusa disjunctens* (Walker, 1858) (Noctuidae) *disjunctens* Walker, 1858
 600. *Ophiusa disjunctens indiscriminata* (Hampson, 1893) (Noctuidae) *indiscriminata* Hampson, 1893
 601. *Ophiusa olista* (Swinhoe, 1893) (Noctuidae) *olistia* Swinhoe, 1893
 602. *Ophiusa tirhaca* (Cramer, [1777]) (Noctuidae) *tirhaca* Cramer, [1777]; *#tirrhaca* Fabricius, 1781; *vesta* Esper, 1789; *olivacea* Villers, 1789; *auricularis* Hübner, [1803]; *separans* Walker, 1858; *hottentota* Guenée, 1852; *clementi* Swinhoe, 1918; *#demarginata* Heydemann et al., 1963; *obscura* Pinker & Bacallado, 1978
 603. *Ophiusa triphaenoides* (Walker, 1858) (Noctuidae) *triphaenoides* Walker, 1858; *cuprea* Moore, 1867
 604. *Oxyodes scrobiculata* (Fabricius, 1775) (Noctuidae) *scrobiculata* Fabricius, 1775; *clytia* Stoll, [1782]; *vittata* Fabricius, 1794; *ochreate* Rothschild, 1915; *samoana* Tams, 1935; *tanymekes* Tams, 1935; *novaehebridensis* Viette, 1951; *obscurior* Holloway, 1979
 605. *Pandesma anysa* Guenée, 1852 (Noctuidae) *anysa* Guenée, 1852
 606. *Parallelia properata* Walker, 1858 (Noctuidae) *properata* Walker, 1858
 607. *Penicillaria nugatrix* Guenée, 1852 (Noctuidae) *nugatrix* Guenée, 1852; *jacatrix* Guenée, 1852
 608. *Phlogophora indica* Moore (Noctuidae)
 609. *Plecoptera reflexa* Guenée, 1852 (Noctuidae) *reflexa* Guenée, 1852
 610. *Pterogonia aurigutta* (Walker, 1858) (Noctuidae) *aurigutta* Walker, 1858; *striatura* Moore, 1887; *irrorata* Dudgeon, 1905
 611. *Risoba obstructa* Moore, 1881 (Noctuidae) *obstructa* Moore, 1881
 612. *Sarbanissa bala* (Moore, 1865) (Noctuidae) *bala* Moore, 1865
 613. *Sarbanissa catacoloides* (Walker, 1862) (Noctuidae) *catacoloides* Walker, 1862
 614. *Sarbanissa subalba* Leech, 1890 (Noctuidae) *subalba* Leech, 1890
 615. *Sarbanissa transiens* (Walker, 1856) (Noctuidae) *transiens* Walker, 1856; *aegoceroideus* R. Felder, 1874
 616. *Sarbanissa tricycla* Sugi, 1993 (Noctuidae) *tricycla* Sugi, 1993
 617. *Sarbena lignifera* Walker, 1862 (Noctuidae) *lignifera* Walker, 1862
 618. *Sasunaga tenebrosa* (Moore, 1867) (Noctuidae) *tenebrosa* Moore, 1867; *albistrigata* W. Warren, 1913; *bistriga* W. Warren, 1913; *interstrigata* W. Warren, 1913; *longistriata* W. Warren, 1913; *dura* Strand, 1916; *kala* Strand, 1916
 619. *Setoctena bothrophora* (Hampson, 1907) (Noctuidae) *bothrophora* Hampson, 1907
 620. *Sphragifera rejecta* (Fabricius, 1775) (Noctuidae) *rejecta* Fabricius, 1775; *bimacula* Walker, 1857; *stigmata* Hampson, 1891; *obsolescens* W. Warren, 1913
 621. *Spirama retorta* (Clerk, 1759) (Noctuidae) *retorta* Clerk, 1759; *spiralis* Fabricius, 1775; *chimista* Kollar, [1844]; *suffumosa* Guenée, 1852; *isabella* Guenée, 1852; *cohaerens* Walker, 1858; *martha* Butler, 1878; *simplicior* Butler, 1881; *jinchuena* Butler, 1883; *inaequalis* Butler, 1883
 622. *Spodoptera mauritium* (Boisduval, 1833) (Noctuidae) *mauritium* Boisduval, 1833
 623. *Spodoptera mauritium acronyctoides* Guenée, 1852 (Noctuidae) *acronyctoides* Guenée, 1852
 624. *Stictoptera cucullioides* Guenée, 1852 (Noctuidae) *cucullioides* Guenée, 1852; *subobliqua* Walker, [1858]; *variabilis* Moore, 1882; *timesia* Swinhoe, 1893
 625. *Sympis rufibasis* Guenée, 1852 (Noctuidae) *rufibasis* Guenée, 1852
 626. *Tinolius hypsanus* Swinhoe, 1889 (Noctuidae) *hypsana* Swinhoe, 1889
 627. *Tinolius quadrimaculatus* Walker, [1865] (Noctuidae) *quadrimaculata* Walker, [1865]
 628. *Tiracola aureata* Holloway, 1989 (Noctuidae) *aureata* Holloway, 1989
 629. *Trisuloides sericea* Butler, 1881 (Noctuidae) *sericea* Butler, 1881; *catocalina* Moore, 1883; *pallidimacula* W. Warren, 1912; *trigonoleuca* A. Prout, 1922; *hawkeri* A. Prout & Talbot, 1924

630. *Tyana pustulifera* Walker, 1866 (Noctuidae) *pustulifera* Walker, 1866
631. *Tympanistes rufimacula* W. Warren, 1916 (Noctuidae) *rufimacula* W. Warren, 1916
632. *Westermannia superba* Hübner, 1823 (Noctuidae) *superba* Hübner, 1823; *westermanni* Guenée, 1852; *gloriosa* Hampson, 1912
633. *Wittstrofia flavannamica* Behounek & Speidel, 2005 (Noctuidae) *flavannamica* Behounek & Speidel, 2005
634. *Wittstrofia flavannamica* nuntia Kemal, Leksawadi & Koçak, 2006 (Noctuidae) *nuntia* Kemal, Leksawadi & Koçak, 2006
635. *Zonoplusia ochreata* (Walker, 1865) (Noctuidae) *ochreata* Walker, 1865; *cornucopiae* Snellen, 1880
636. *Eguria auritracta* Moore, 1865 (Notodontidae) *auritracta* Moore, 1865; *auritractata* Hampson, 1892
637. *Formofentonia orbifer* (Hampson, 1893) (Notodontidae) *orbifer* Hampson, 1893; *#orbivifera* Hutacharern & Tubtim, 1995
638. *Formofentonia orbifer orbifer* (Hampson, 1893) (Notodontidae) *orbifer* Hampson, 1893; *#orbivifera* Hutacharern & Tubtim, 1995
639. *Gangarides dharma* Moore, 1865 (Notodontidae) *dharma* Moore, 1865; *puerariae* Mell, 1922
640. *Gargetta costigera* Walker, 1865 (Notodontidae) *costigera* Walker, 1865
641. *Gargetta hampsoni* Schintlmeister, 1981 (Notodontidae) *hampsoni* Schintlmeister, 1981
642. *Hyperaeschra pallida* Butler, 1880 (Notodontidae) *pallida* Butler, 1880
643. *Phalera parivala* Moore, 1859 (Notodontidae) *parivala* Moore, 1859
644. *Pheosiopsis* (s.str.) dierli Sugi, 1992 (Notodontidae) *dierli* Dierl, 1977 nec Kiriak., 1974; *dierli* Sugi, 1992
645. *Pseudofentonia* (Lanna) obliquiplaga (Moore, 1879) (Notodontidae) *obliquiplaga* Moore, 1879
646. *Pydnella rosacea* (Hampson, 1896) (Notodontidae) *rosacea* Hampson, 1896; *monticola* Roepke, 1943
647. *Quadricalcarifera doloka* Kiriakoff, 1967 (Notodontidae) *doloka* Kiriakoff, 1967
648. *Ramesa albistriga* Moore, 1879 (Notodontidae) *albistriga* Moore, 1879
649. *Ramesa huaykacoensis* (Bänziger, 1988) (Notodontidae) *huaykacoensis* Bänziger, 1988
650. *Ramesa lacrimisaddicta* (Bänziger, 1989) (Notodontidae) *lacrimisaddicta* Bänziger, 1989
651. *Ramesa siamica* (Bänziger, 1988) (Notodontidae) *siamica* Bänziger, 1988
652. *Spatalina ferruginosa* (Moore, 1879) (Notodontidae) *ferruginosa* Moore, 1879
653. *Stenadonta radialis* Gaede, 1930 (Notodontidae) *radialis* Gaede, 1930
654. *Togarishachia albistriga* (Moore, 1879) (Notodontidae) *albistriga* Moore, 1879; *kanshireiensis* Wileman, 1914; *argentopicta* Matsumura, 1925; *sphingoides* Van Eecke, 1929.
655. *Martyringa xeraula* (Meyrick, 1910) (Oecophoridae) *xeraula* Meyrick, 1910; *kuwanii* Heinrich, 1920; *ravicapitis* Hodges, 1960
656. *Atrophaneura* (s.str. (Byasa)) adamsoni (Grose-Smith, 1886) (Papilionidae) *adamsoni* Grose-Smith, 1886; *minereoides* Elwes & De Nicéville, 1887.
657. *Atrophaneura* (s.str. (Byasa)) adamsoni adamsoni (Grose-Smith, 1886) (Papilionidae) *adamsoni* Grose-Smith, 1886; *minereoides* Elwes & De Nicéville, 1887.
658. *Atrophaneura* (s.str. (Byasa)) dasarada (Moore, 1857) (Papilionidae) *dasarada* Moore, 1857
659. *Atrophaneura* (s.str. (Byasa)) dasarada barata (Rothschild, 1908) (Papilionidae) *barata* Rothschild, 1908
660. *Atrophaneura* (s.str. (Byasa)) polyeuctes (Doubleday, 1842) (Papilionidae) *philoxenus* Gray, 1831 nec Esp., [1780]; *polyeuctes* Doubleday, 1842; *hostilius* Fruhstorfer, 1908 (homonym); *polymitis* Tytler, 1912; *nepenthes* Ehrmann, 1920
661. *Atrophaneura* (s.str. (Byasa)) polyeuctes polyeuctes (Doubleday, 1842) (Papilionidae) *philoxenus* Gray, 1831 nec Esp., [1780]; *polyeuctes* Doubleday, 1842; *hostilius* Fruhstorfer, 1908 (homonym); *polymitis* Tytler, 1912; *nepenthes* Ehrmann, 1920
662. *Atrophaneura* (s.str. (Pachliopta)) aristolochiae (Fabricius, 1775) (Papilionidae) *aristolochiae* Fabricius, 1775; *diphilus* Esper, [1793]; *thoas* Swainson, 1833.
663. *Atrophaneura* (s.str. (Pachliopta)) aristolochiae goniopeltis (Rothschild, 1908) (Papilionidae) *goniopeltis* Rothschild, 1908
664. *Atrophaneura* (s.str. (Pangerana)) aidoneus (Doubleday, 1845) (Papilionidae) *aidoneus* Doubleday, 1845
665. *Atrophaneura* (s.str. (Pangerana)) aidoneus aidoneus (Doubleday, 1845) (Papilionidae) *aidoneus* Doubleday, 1845
666. *Atrophaneura* (s.str. (Pangerana)) varuna (White, 1842) (Papilionidae) *varuna* White, 1842
667. *Atrophaneura* (s.str. (Pangerana)) varuna astorion (Westwood, 1842) (Papilionidae) *astorion* Westwood, 1842; *chara* Westwood, 1842.
668. *Atrophaneura* (s.str. (Pangerana)) zaleucus (Hewitson, 1865) (Papilionidae) *zaleucus* Hewitson, 1865
669. *Atrophaneura* (s.str. (Pangerana)) zaleucus zaleucus (Hewitson, 1865) (Papilionidae) *zaleucus* Hewitson, 1865
670. *Bhutanitis lidderdalii* Atkinson, 1873 (Papilionidae) *lidderdalii* Atkinson, 1873
671. *Bhutanitis lidderdalii* lidderdalii Atkinson, 1873 (Papilionidae) *lidderdalii* Atkinson, 1873
672. *Chilasa* (s.str. (Cadugoides)) agestor (Gray, 1831) (Papilionidae) *agestor* Gray, 1831
673. *Chilasa* (s.str. (Cadugoides)) agestor agestor (Gray, 1831) (Papilionidae) *agestor* Gray, 1831
674. *Chilasa* (s.str. (Cadugoides)) epycides (Hewitson, 1864) (Papilionidae) *epycides* Hewitson, 1864
675. *Chilasa* (s.str. (Cadugoides)) epycides epycides (Hewitson, 1864) (Papilionidae) *epycides* Hewitson, 1864
676. *Chilasa* (s.str. (Cadugoides)) slateri (Hewitson, [1859]) (Papilionidae) *slateri* Hewitson, [1859]
677. *Chilasa* (s.str. (Cadugoides)) slateri marginata (Oberthür, 1893) (Papilionidae) *marginata* Oberthür, 1893
678. *Chilasa* (s.str. (s.str.)) clytia (Linnaeus, 1758) (Papilionidae) *clytia* Linnaeus, 1758; *dissimilis* Linnaeus, 1758.
679. *Chilasa* (s.str. (s.str.)) clytia clytia (Linnaeus, 1758) (Papilionidae) *clytia* Linnaeus, 1758; *dissimilis* Linnaeus, 1758.
680. *Graphium* (Pathysa (Paranticopsis)) macareus (Godart, [1819]) (Papilionidae) *macareus* Godart, [1819]
681. *Graphium* (Pathysa (Paranticopsis)) macareus burmensis Moonen, 1984 (Papilionidae) *gyndes* Jordan, 1909 nec Fruhst., 1907; *burmensis* Moonen, 1984
682. *Graphium* (Pathysa (Paranticopsis)) xenocles Doubleday, 1842 (Papilionidae) *xenocles* Doubleday, 1842
683. *Graphium* (Pathysa (Paranticopsis)) xenocles kephisos (Fruhstorfer, 1902) (Papilionidae) *kephisos* Fruhstorfer, 1902
684. *Graphium* (Pathysa (s.str.)) agetes (Westwood, 1843) (Papilionidae) *agetes* Westwood, 1843
685. *Graphium* (Pathysa (s.str.)) agetes agetes (Westwood, 1843) (Papilionidae) *agetes* Westwood, 1843
686. *Graphium* (Pathysa (s.str.)) antiphates (Cramer, [1775]) (Papilionidae) *antiphates* Cramer, [1775]
687. *Graphium* (Pathysa (s.str.)) antiphates pompilius (Fabricius, 1787) (Papilionidae) *pompilius* Fabricius, 1787; *nebulosus* Butler, 1881; *continentalis* Eimer, 1889.
688. *Graphium* (Pathysa (s.str.)) nomius (Esper, 1798) (Papilionidae) *nomius* Esper, 1798
689. *Graphium* (Pathysa (s.str.)) nomius swinhoei (Moore, 1878) (Papilionidae) *swinhoei* Moore, 1878
690. *Graphium* (s.str. (Eurypyleana)) chironides (Honrath, 1884) (Papilionidae) *chiron* Wallace, 1865 nec Rott., 1775; *chironides* Honrath, 1884; *#chironicum* Pinratana, 1992.
691. *Graphium* (s.str. (Eurypyleana)) chironides chironides (Honrath, 1884) (Papilionidae) *chiron* Wallace, 1865 nec Rott., 1775; *chironides* Honrath, 1884; *#chironicum* Pinratana, 1992.
692. *Graphium* (s.str. (Eurypyleana)) doson (C.Felder & R.Felder, 1864) (Papilionidae) *doson* C.Felder & R.Felder, 1864
693. *Graphium* (s.str. (Eurypyleana)) doson actor (Fruhstorfer, 1907) (Papilionidae) *axion* C.Felder & R.Felder, 1864 nec Boisd., 1832; *actor* Fruhstorfer, 1907.
694. *Graphium* (s.str. (Zetides)) cloanthus (Westwood, 1841) (Papilionidae) *cloanthus* Westwood, 1841
695. *Graphium* (s.str. (Zetides)) cloanthus cloanthus (Westwood, 1841) (Papilionidae) *cloanthus* Westwood, 1841
696. *Lamproptera meges* (Zincken, 1831) (Papilionidae) *meges* Zincken, 1831

697. **Lamproptera meges virescens Butler, 1870** (Papilionidae) *virescens* Butler, 1870
 698. **Priniceps (Menelaides (Charus)) helenus (Linnaeus, 1758)** (Papilionidae) *helenus* Linnaeus, 1758
 699. **Priniceps (Menelaides (Charus)) helenus helenus (Linnaeus, 1758)** (Papilionidae) *helenus* Linnaeus, 1758
 700. **Priniceps (Menelaides (Iliades)) alcmenor (C.Felder & R.Felder, 1865)** (Papilionidae) *rhetenor* Westwood, 1841 nec Cr., 1775; *icarius* Westwood, 1848 nec Esp., 1793; *alcmenor* C.Felder & R.Felder, 1865; #*alcmenor* Pinratana & Eliot, 1992
 701. **Priniceps (Menelaides (Iliades)) alcmenor alcmenor (C.Felder & R.Felder, 1865)** (Papilionidae) *rhetenor* Westwood, 1841 nec Cr., 1775; *icarius* Westwood, 1848 nec Esp., 1793; *alcmenor* C.Felder & R.Felder, 1864
 702. **Priniceps (Menelaides (Iliades)) memnon (Linnaeus, 1758)** (Papilionidae) *memnon* Linnaeus, 1758; *achates* Sulzer, 1776; *atrovenatus* Goeze, 1779; *laomedon* Cramer, 1776; *achatiades* Esper, 1786; *javanus* Haase, 1893; *erebinus* Haase, 1893; *aphrodite* Röber, 1927 nec Fabr., 1787.
 703. **Priniceps (Menelaides (Iliades)) memnon agenor (Linnaeus, 1758)** (Papilionidae) *agenor* Linnaeus, 1758; *androgeus* Cramer, 1776; *alcenor* Cramer, 1779; *mestor* Hübner, 1819; *thunbergi* Siebold, 1824; *phoenix* Distant, 1885; *cilix* Distant, 1885 nec Godman & Salvin, 1877; *esper* Butler, 1879; *androgeus* De Nicéville, 1881; *phoenix* Distant, 1885; *cilix* Distant, 1885; *depelchini* Robbe, 1892; *polymnestoroides* Moore, 1902; *vinius* Fruhstorfer, 1909; *aurantiaca* Rousseau-Decelle, 1933 (homonym).
 704. **Priniceps (Menelaides (fuscus-gr)) pitmani (Elwes & De Nicéville, 1886)** (Papilionidae) *pitmani* Elwes & De Nicéville, 1886
 705. **Priniceps (Menelaides (fuscus-gr)) pitmani pitmani (Elwes & De Nicéville, 1886)** (Papilionidae) *pitmani* Elwes & De Nicéville, 1886
 706. **Priniceps (s.str. (Achillides)) arcturus (Westwood, 1842)** (Papilionidae) *arcturus* Westwood, 1842
 707. **Priniceps (s.str. (Achillides)) arcturus arcturus (Westwood, 1842)** (Papilionidae) *arcturus* Westwood, 1842
 708. **Priniceps (s.str. (Achillides)) paris (Linnaeus, 1758)** (Papilionidae) *paris* Linnaeus, 1758
 709. **Priniceps (s.str. (Achillides)) paris paris (Linnaeus, 1758)** (Papilionidae) *paris* Linnaeus, 1758
 710. **Priniceps (s.str. (s.str.)) demoleus (Linnaeus, 1758)** (Papilionidae) *demoleus* Linnaeus, 1758; *erithonius* Cramer, 1782; *epius* Fabricius, 1793; *sthenelus* Macleay, 1826; *demoleinus* Oberthür, 1879; *pictus* Fruhstorfer, 1898; #*chryseis* Boulet & Le Cerf, 1912; *flavosignatus* Heydemann, 1954
 711. **Priniceps (s.str. (s.str.)) demoleus malayanus (Wallace, 1865)** (Papilionidae) *malayanus* Wallace, 1865
 712. **Troides (s.str. (s.str.)) aeacus (C.Felder & R.Felder, 1860)** (Papilionidae) *aeacus* C.Felder & R.Felder, 1860
 713. **Troides (s.str. (s.str.)) aeacus aeacus (C.Felder & R.Felder, 1860)** (Papilionidae) *aeacus* C.Felder & R.Felder, 1860
 714. **Appias (Catophaga) lyncida (Cramer, 1777)** (Pieridae) *lyncida* Cramer, 1777
 715. **Appias (Catophaga) lyncida eleonora (Boisduval, 1836)** (Pieridae) *eleonora* Boisduval, 1836
 716. **Appias (Lade) indra (Moore, 1857)** (Pieridae) *indra* Moore, 1857
 717. **Appias (Lade) indra thronion Fruhstorfer, 1910** (Pieridae) *thronion* Fruhstorfer, 1910
 718. **Appias (Tachyris) nero (Fabricius, 1793)** (Pieridae) *nero* Fabricius, 1793
 719. **Appias (Tachyris) nero galba Wallace, 1867** (Pieridae) *galba* Wallace, 1867
 720. **Appias (s.str.) lalassis Grose-Smith, 1887** (Pieridae) *lalassis* Grose-Smith, 1887
 721. **Appias (s.str.) lalassis lalassis Grose-Smith, 1887** (Pieridae) *lalassis* Grose-Smith, 1887
 722. **Catopsilia pomona (Fabricius, 1775)** (Pieridae) *pomona* Fabricius, 1775; *crocale* Cramer, 1775; *jugurtha* Cramer, 1777; *catilla* Cramer, 1779; *hilaria* Stoll, 1781; *lilage* Herbst, 1792; *alcmeone* Fabricius, 1793; *titania* Fabricius, 1798; *jugurthina* Godart, 1819; *endeer* Boisduval, 1832; *phlegus* Wallace, 1867; *flava* Butler, 1869; *heera* Swinhoe, 1885; *flavescens* Fruhstorfer, 1910; *latilimbata* Fruhstorfer, 1910; *celebica* Fruhstorfer, 1910; *ostentata* Fruhstorfer, 1910; *micromalayana* Fruhstorfer, 1910; *rivalis* Fruhstorfer, 1910; *crocalina* Fruhstorfer, 1910; *citronella* Fruhstorfer, 1910; *nivescens* Fruhstorfer, 1910; *perspicua* Fruhstorfer, 1910; *serrata* Fruhstorfer, 1910; *bidotata* Fruhstorfer, 1910; *siscia* Fruhstorfer, 1910; *dionysiades* Fruhstorfer, 1910; *pura* Lindner, 1924; *formosana* Sonan, 1930
 723. **Catopsilia pomona pomona (Fabricius, 1775)** (Pieridae) *pomona* Fabricius, 1775; *crocale* Cramer, 1775; *jugurtha* Cramer, 1777; *catilla* Cramer, 1779; *hilaria* Stoll, 1781; *lilage* Herbst, 1792; *alcmeone* Fabricius, 1793; *titania* Fabricius, 1798; *jugurthina* Godart, 1819; *endeer* Boisduval, 1832; *phlegus* Wallace, 1867; *flava* Butler, 1869; *heera* Swinhoe, 1885; *flavescens* Fruhstorfer, 1910; *latilimbata* Fruhstorfer, 1910; *celebica* Fruhstorfer, 1910; *ostentata* Fruhstorfer, 1910; *micromalayana* Fruhstorfer, 1910; *rivalis* Fruhstorfer, 1910; *crocalina* Fruhstorfer, 1910; *citronella* Fruhstorfer, 1910; *nivescens* Fruhstorfer, 1910; *perspicua* Fruhstorfer, 1910; *serrata* Fruhstorfer, 1910; *bidotata* Fruhstorfer, 1910; *siscia* Fruhstorfer, 1910; *dionysiades* Fruhstorfer, 1910; *pura* Lindner, 1924; *formosana* Sonan, 1930
 724. **Catopsilia pyranthe (Linnaeus, 1758)** (Pieridae) *pyranthe* Linnaeus, 1758
 725. **Catopsilia pyranthe pyranthe (Linnaeus, 1758)** (Pieridae) *pyranthe* Linnaeus, 1758
 726. **Catopsilia scylla (Linnaeus, 1763)** (Pieridae) *scylla* Linnaeus, 1763; *etesia* Hewitson, 1867
 727. **Catopsilia scylla cornelia (Fabricius, 1787)** (Pieridae) *cornelia* Fabricius, 1787; *chengkong* Chen, 1974
 728. **Cepora nadina Lucas, 1852** (Pieridae) *nadina* Lucas, 1852
 729. **Cepora nadina nadina Lucas, 1852** (Pieridae) *nadina* Lucas, 1852
 730. **Cepora nerissa (Fabricius, 1775)** (Pieridae) *nerissa* Fabricius, 1775
 731. **Cepora nerissa dapha Moore, 1879** (Pieridae) *dapha* Moore, 1879
 732. **Delias (belisama-gr.) descombesi (Boisduval, 1836)** (Pieridae) *descombesi* Boisduval, 1836
 733. **Delias (belisama-gr.) descombesi descombesi (Boisduval, 1836)** (Pieridae) *descombesi* Boisduval, 1836
 734. **Delias (hyparete-gr.) hyparete (Linnaeus, 1758)** (Pieridae) *hyparete* Linnaeus, 1758
 735. **Delias (hyparete-gr.) hyparete indica Wallace, 1867** (Pieridae) *indica* Wallace, 1867
 736. **Delias (pasithoe-gr.) acalis (Godart, 1819)** (Pieridae) *thysbe* Cramer, 1779 (homonym); *acalis* Godart, 1819; *flavivestis* Choe et al., 2001.
 737. **Delias (pasithoe-gr.) acalis pyramus Wallace, 1867** (Pieridae) *pyramus* Wallace, 1867
 738. **Delias (pasithoe-gr.) pasithoe (Linnaeus, 1758)** (Pieridae) *pasithoe* Linnaeus, 1758; *aglaia* Linnaeus, 1758 nec Linn., 1758; *lucina* Butler, 1869; *basialba* Chou, 2001.
 739. **Delias (pasithoe-gr.) pasithoe pasithoe (Linnaeus, 1758)** (Pieridae) *pasithoe* Linnaeus, 1758; *aglaia* Linnaeus, 1758 nec Linn., 1758; *lucina* Butler, 1869; *basialba* Chou, 2001.
 740. **Delias (pasithoe-gr.) pasithoe thyra Fruhstorfer, 1895** (Pieridae) *thyra* Fruhstorfer, 1895; *tonkiniana* Fruhstorfer, 1905; #*addenda* Dufrane, 1947; #*fasciata* Dufrane, 1947 nec Rothschild, 1894.
 741. **Dercas verhuelli (Hoeven, 1839)** (Pieridae) *verhuelli* Hoeven, 1839
 742. **Dercas verhuelli doubledayi Moore, 1905** (Pieridae) *doubledayi* Moore, 1905; *menandrus* Fruhstorfer, 1910
 743. **Eurema (Terias) blanda (Boisduval, 1836)** (Pieridae) *blanda* Boisduval, 1836
 744. **Eurema (Terias) blanda silhetana (Wallace, 1867)** (Pieridae) *silhetana* Wallace, 1867; *heliophila* Butler, 1883; *grandis* Moore, 1906
 745. **Eurema (Terias) hecabe (Linnaeus, 1758)** (Pieridae) *hecabe* Linnaeus, 1758; *luzonensis* Linnaeus, 1764
 746. **Eurema (Terias) hecabe contubernalis (Moore, 1886)** (Pieridae) *contubernalis* Moore, 1886; *patruelis* Moore, 1886; *fraterna* Moore, 1886; *merguiana* Moore, 1886; *kana* Moore, 1886; *lacteola* Distant, 1886; #*sarinoides* Fruhstorfer, 1910.
 747. **Eurema (s.str.) laeta (Boisduval, 1836)** (Pieridae) *laeta* Boisduval, 1836; *sana* Butler, 1877; *lineata* Miskin, 1889
 748. **Eurema (s.str.) laeta sikkima Corbet & Pendlebury, 1932** (Pieridae) *sikkima* Corbet & Pendlebury, 1932
 749. **Eurema andersoni (Moore, 1886)** (Pieridae) *andersoni* Moore, 1886
 750. **Eurema andersoni andersoni (Moore, 1886)** (Pieridae) *andersoni* Moore, 1886

751. *Eurema sari* (Horsfield,1829) (Pieridae) *sari* Horsfield,1829
752. *Hebomoia glaucippe* (Linnaeus,1758) (Pieridae) *glaucippe* Linnaeus,1758
753. *Hebomoia glaucippe glaucippe* (Linnaeus,1758) (Pieridae) *glaucippe* Linnaeus,1758
754. *Ixias pyrene* (Linnaeus,1764) (Pieridae) *pyrene* Linnaeus,1764
755. *Ixias pyrene verna* Druce,1874 (Pieridae) *verna* Druce,1874
756. *Leptosia nina* (Fabricius,1793) (Pieridae) *nina* Fabricius,1793; *comma* Fruhstorfer,1902
757. *Leptosia nina nina* (Fabricius,1793) (Pieridae) *nina* Fabricius,1793; *comma* Fruhstorfer,1902
758. *Pareronia anais* (Lesson,1837) (Pieridae) *anais* Lesson,1837; *#lutea* Eliot,1978
759. *Pareronia anais anais* (Lesson,1837) (Pieridae) *anais* Lesson,1837; *#lutea* Eliot,1978
760. *Pieris (Artogeia) canidia* (Sparrman,1768) (Pieridae) *canidia* Sparrman,1768
761. *Pieris (Artogeia) canidia indica* Evans,1926 (Pieridae) *indica* Evans,1926
762. *Pontia daplidice* (Linnaeus,1758) (Pieridae) *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940.
763. *Pontia daplidice moorei* (Röber,1907) (Pieridae) *moorei* Röber,1907
764. *Prioneris philonome* (Boisduval,1836) (Pieridae) *philonome* Boisduval,1836
765. *Prioneris philonome clemathe* (Doubleday,1846) (Pieridae) *clemathe* Doubleday,1846
766. *Prioneris thestylis* (Doubleday,1842) (Pieridae) *thestylis* Doubleday,1842; *seta* Moore,1857; *watsoni* Hewitson,1868; *jugurtha* Fruhstorfer,1910.
767. *Prioneris thestylis thestylis* (Doubleday,1842) (Pieridae) *thestylis* Doubleday,1842; *seta* Moore,1857; *watsoni* Hewitson,1868; *jugurtha* Fruhstorfer,1910.
768. *Agrotera basinotata* Hampson,1891 (Pyralidae) *basinotata* Hampson,1891
769. *Bradina diagonalis* Guenée,1854 (Pyralidae) *diagonalis* Guenée,1854
770. *Diaphania indica* (Saunders,1851) (Pyralidae) *indica* Saunders,1851; *capensis* Zeller,1852; *gazoralis* Guenée,1854; *zygaenalis* Guenée,1854; *curcubitalis* Guenée,1862; *intermedialis* Dognin,1904.
771. *Dysallacta negatalis* (Walker,1859) (Pyralidae) *negatalis* Walker,1859; *monesusalis* Walker,1859; *phanasalis* Walker,1859
772. *Gauna endotrichalis* W.Warren,1895 (Pyralidae) *endotrichalis* W.Warren,1895
773. *Haritalodes derogata* (Fabricius,1775) (Pyralidae) *derogata* Fabricius,1775; *multinealis* Guenée,1854; *salomealis* Walker,1859; *otysalis* Walker,1859; *basipunctalis* Bremer,1864; *anuligeralis* Walker,[1866]; *obliqualis* Lucas,1898
774. *Hemiscopsis sanguinea* Bänziger,1987 (Pyralidae) *sanguinea* Bänziger,1987
775. *Heortia vitessoides* (Moore,[1885]) (Pyralidae) *vitessoides* Moore,[1885]; *#vitissoides* Hutacharern & Tuhtim,1995
776. *Hypargyria metalliferella* Ragonot,1888 (Pyralidae) *metalliferella* Ragonot,1888; *#metalliferella* Pinhey,1975
777. *Mabira elaphantophila* Bänziger,1985 (Pyralidae) *elaphantophila* Bänziger,1985
778. *Mabira haematophaga* Bänziger,1985 (Pyralidae) *haematophaga* Bänziger,1985
779. *Mabira lacriphaga* Bänziger,1985 (Pyralidae) *lacriphaga* Bänziger,1985
780. *Maruca vitrata* (Fabricius,1787) (Pyralidae) *vitrata* Fabricius,1787; *testulalis* Geyer,[1837]; *aquatilis* Guérin-Méneville,[1832]; *bifenestralis* Mabille,1880; *simialalis* Snellen,1892; *nigroapicalis* De Joannis,1930.
781. *Microstega acutangulata* (Swinhoe,1901) (Pyralidae) *acutangulata* Swinhoe,1901
782. *Microstega aureolalis* (Lederer,1863) (Pyralidae) *aureolalis* Lederer,1863; *ochrealis* Moore,1877
783. *Microstega contractalis* (Warren,1896) (Pyralidae) *contractalis* Warren,1896
784. *Microstega homocolorum* Bänziger,1995 (Pyralidae) *homocolorum* Bänziger,1995
785. *Paliga machaeralis* (Walker,1859) (Pyralidae) *machaeralis* Walker,1859; *egenalis* Lederer,1863; *suavalis* Walker,1865; *rufipicta* Butler,1880; *fimbriata* Moore,1886; *albicostalis* Swinhoe,1890; *fuscicostalis* Swinhoe,1894
786. *Thliptoceras anthropophilum* Bänziger,1987 (Pyralidae) *anthropophilum* Bänziger,1987
787. *Thliptoceras lacriphagum* Bänziger,1987 (Pyralidae) *lacriphagum* Bänziger,1987
788. *Thliptoceras shafferi* Bänziger,1987 (Pyralidae) *shafferi* Bänziger,1987
789. *Thliptoceras umoremsugente* Bänziger,1987 (Pyralidae) *umoremsugente* Bänziger,1987
790. *Toccolosida rubriceps* Walker,1863 (Pyralidae) *rubriceps* Walker,1863
791. *Toxobotys boveyi* Bänziger,1987 (Pyralidae) *boveyi* Bänziger,1987
792. *Abisara abnormis* Moore,1883 (Riodinidae) *abnormis* Moore,1883
793. *Abisara neophron* Hewitson,1861 (Riodinidae) *neophron* Hewitson,1861
794. *Abisara neophron chelina* Fruhstorfer,1904 (Riodinidae) *chelina* Fruhstorfer,1904
795. *Dodona deodata* Hewitson,1876 (Riodinidae) *deodata* Hewitson,1876
796. *Dodona deodata deodata* Hewitson,1876 (Riodinidae) *deodata* Hewitson,1876
797. *Zemerops flegyas* (Cramer,[1780]) (Riodinidae) *flegyas* Cramer,[1780]
798. *Zemerops flegyas allica* (Fabricius,1787) (Riodinidae) *allica* Fabricius,1787
799. *Archeoattacus edwardsii* (White,1859) (Saturniidae) *edwardsii* White,1859; *malayanus* Kurosawa & Kishida,[1985]
800. *Archeoattacus edwardsii edwardsii* (White,1859) (Saturniidae) *edwardsii* White,1859; *malayanus* Kurosawa & Kishida,[1985]
801. *Cricula jordani* Bryk,1944 (Saturniidae) *jordani* Bryk,1944
802. *Cricula jordani jordani* Bryk,1944 (Saturniidae) *jordani* Bryk,1944
803. *Lemaireia luteopeplus* (Nässig & Holloway,1988) (Saturniidae) *luteopeplus* Nässig & Holloway,1988
804. *Lemaireia luteopeplus aureopeplus* (Nässig & Holloway,1988) (Saturniidae) *aureopeplus* Nässig & Holloway,1988
805. *Loepa diversicollata* Bryk,1944 (Saturniidae) *diversicollata* Bryk,1944
806. *Loepa sikkima* Moore,1865 (Saturniidae) *sikkima* Moore,1865
807. *Samia canningi* (Hutton,1860) (Saturniidae) *canningi* Hutton,1860
808. *Elymnias hypermnestra* (Linnaeus,1763) (Satyridae) *hypermnestra* Linnaeus,1763
809. *Elymnias hypermnestra meridionalis* Fruhstorfer,1902 (Satyridae) *meridionalis* Fruhstorfer,1902; *violetta* Fruhstorfer,1902
810. *Elymnias malelas* (Hewitson,1863) (Satyridae) *malelas* Hewitson,1863
811. *Elymnias malelas ivena* Fruhstorfer,1911 (Satyridae) *ivena* Fruhstorfer,1911
812. *Elymnias nesaea* (Linnaeus,1764) (Satyridae) *nesaea* Linnaeus,1764
813. *Elymnias nesaea timandra* Wallace,1869 (Satyridae) *timandra* Wallace,1869
814. *Elymnias patna* Westwood,1851 (Satyridae) *patna* Westwood,1851
815. *Elymnias patna patnoides* Moore,1893 (Satyridae) *patnoides* Moore,1893
816. *Elymnias vasudeva* (Moore,1857) (Satyridae) *vasudeva* Moore,1857
817. *Elymnias vasudeva burmensis* Moore,1893 (Satyridae) *burmensis* Moore,1893
818. *Ethope noirei* Janet,1896 (Satyridae) *noirei* Janet,1896
819. *Lethe chandica* Moore,1858 (Satyridae) *chandica* Moore,1858
820. *Lethe chandica flanana* Fruhstorfer,1911 (Satyridae) *flanana* Fruhstorfer,1911
821. *Lethe confusa Aurivillius*,1898 (Satyridae) *confusa* Aurivillius,1898; *gambara* Fruhstorfer,1911; *apara* Fruhstorfer,1911.
822. *Lethe confusa apara* Fruhstorfer,1911 (Satyridae) *apara* Fruhstorfer,1911

823. *Lethe europa* (Fabricius,1775) (Satyridae) *europa* Fabricius,1775; *ragalva* Fruhstorfer,1911.
824. *Lethe europa niladana* Fruhstorfer,1911 (Satyridae) *niladana* Fruhstorfer,1911
825. *Lethe kansa* Moore,1857 (Satyridae) *kansa* Moore,1857
826. *Lethe kansa vaga* Fruhstorfer,1911 (Satyridae) *vaga* Fruhstorfer,1911
827. *Lethe mekara* Moore,1858 (Satyridae) *mekara* Moore,1858
828. *Lethe mekara zuchara* Fruhstorfer,1911 (Satyridae) *zuchara* Fruhstorfer,1911
829. *Lethe rohria* (Fabricius,1787) (Satyridae) *rohria* Fabricius,1787; *dyrta* Felder & Felder,1867.
830. *Lethe rohria rohria* (Fabricius,1787) (Satyridae) *rohria* Fabricius,1787; *dyrta* Felder & Felder,1867.
831. *Lethe verma* (Kollar,[1844]) (Satyridae) *verma* Kollar,[1844]
832. *Lethe verma stenopa* Fruhstorfer,1908 (Satyridae) *stenopa* Fruhstorfer,1908
833. *Lethe vindhya C.Felder & R.Felder,1859* (Satyridae) *vindhya C.Felder & R.Felder,1859*
834. *Lethe vindhya vindhya C.Felder & R.Felder,1859* (Satyridae) *vindhya C.Felder & R.Felder,1859*
835. *Melanitis leda* (Linnaeus,1758) (Satyridae) *leda* Linnaeus,1758; *bankia* Fabricius,1775; *barnardi* Lucas,1892
836. *Melanitis leda leda* (Linnaeus,1758) (Satyridae) *leda* Linnaeus,1758; *bankia* Fabricius,1775; *barnardi* Lucas,1892
837. *Melanitis phedima* (Stoll,[1782]) (Satyridae) *phedima* Stoll,[1782]
838. *Melanitis phedima ganapati* Fruhstorfer,1908 (Satyridae) *ganapati* Fruhstorfer,1908
839. *Mycalesis distanti* Moore,1892 (Satyridae) *distanti* Moore,1892
840. *Mycalesis distanti mucianus* Fruhstorfer,1908 (Satyridae) *mucianus* Fruhstorfer,1908
841. *Mycalesis francisca* (Stoll,[1780]) (Satyridae) *francisca* Stoll,[1780]
842. *Mycalesis francisca sanatana* Moore,1857 (Satyridae) *sanatana* Moore,1857
843. *Mycalesis intermedia* Moore,1892 (Satyridae) *intermedia* Moore,1892
844. *Mycalesis malsara* Moore,1857 (Satyridae) *malsara* Moore,1857
845. *Mycalesis malsara malsara* Moore,1857 (Satyridae) *malsara* Moore,1857
846. *Mycalesis mineus* (Linnaeus,1767) (Satyridae) *mineus* Linnaeus,1767; *drusia* Cramer,1775; *otrea* Stoll,1780; *subfasciata* Moore,1882; *carpenteri* Butler,1886.
847. *Mycalesis mineus mineus* (Linnaeus,1767) (Satyridae) *mineus* Linnaeus,1767; *drusia* Cramer,1775; *otrea* Stoll,1780; *subfasciata* Moore,1882; *carpenteri* Butler,1886.
848. *Neope muirheadi* C.Felder & R.Felder,1862 (Satyridae) *muirheadi* C.Felder & R.Felder,1862
849. *Neope muirheadi bhima* Marshall,1880 (Satyridae) *bhima* Marshall,1880
850. *Neope pulaha* Moore,1858 (Satyridae) *pulaha* Moore,1858
851. *Neope pulaha pulahoides* Moore,1892 (Satyridae) *pulahoides* Moore,1892
852. *Orsotriaena medus* (Fabricius,1775) (Satyridae) *medus* Fabricius,1775
853. *Orsotriaena medus medus* (Fabricius,1775) (Satyridae) *medus* Fabricius,1775
854. *Penthema darlisa* Moore,1879 (Satyridae) *darlisa* Moore,1879
855. *Penthema darlisa melama* Riley & Godfrey,1921 (Satyridae) *melama* Riley & Godfrey,1921
856. *Ypthima baldus* (Fabricius,1775) (Satyridae) *baldus* Fabricius,1775
857. *Ypthima baldus baldus* (Fabricius,1775) (Satyridae) *baldus* Fabricius,1775
858. *Ypthima savara* Grose-Smith,1886 (Satyridae) *savara* Grose-Smith,1886
859. *Ypthima savara savara* Grose-Smith,1886 (Satyridae) *savara* Grose-Smith,1886
860. *Ypthima similis* Elwes & Edwards,1893 (Satyridae) *similis* Elwes & Edwards,1893
861. *Acosmeryx anceus* (Stoll,[1781]) (Sphingidae) *anceus* Stoll,[1781]
862. *Acosmeryx anceus subdentata* Rothschild & Jordan,1903 (Sphingidae) *subdentata* Rothschild & Jordan,1903
863. *Acosmeryx naga* (Moore,[1858]) (Sphingidae) *naga* Moore,[1858]
864. *Acosmeryx naga naga* (Moore,[1858]) (Sphingidae) *naga* Moore,[1858]
865. *Acosmeryx omissa* Rothschild & Jordan,1903 (Sphingidae) *omissa* Rothschild & Jordan,1903
866. *Acosmeryx omissa omissa* Rothschild & Jordan,1903 (Sphingidae) *omissa* Rothschild & Jordan,1903
867. *Acosmeryx sericeus* (Walker,1856) (Sphingidae) *sericeus* Walker,1856; *rufescens* Mell,1922
868. *Acosmeryx sericeus sericeus* (Walker,1856) (Sphingidae) *sericeus* Walker,1856; *rufescens* Mell,1922
869. *Ambulyx liturata* Butler,1875 (Sphingidae) *liturata* Butler,1875
870. *Ambulyx ochracea* Butler,1885 (Sphingidae) *ochracea* Butler,1885
871. *Ambulyx pseudoclavata* Inoue,1997 (Sphingidae) *pseudoclavata* Inoue,1997
872. *Ambulyx sericeipennis* Butler,1875 (Sphingidae) *sericeipennis* Butler,1875
873. *Ambulyx sericeipennis agana* (Jordan,1929) (Sphingidae) *agana* Jordan,1929; *amaculata* Meng,1989
874. *Amplipterus masoni* (Clark,1924) (Sphingidae) *masoni* Clark,1924
875. *Anambulyx elwesi* (Druce,1882) (Sphingidae) *elwesi* Druce,1882
876. *Anambulyx elwesi elwesi* (Druce,1882) (Sphingidae) *elwesi* Druce,1882
877. *Angonyx testacea* (Walker,1856) (Sphingidae) *testacea* Walker,1856; *menghaiensis* Meng,1991
878. *Cechenena lineosa* (Walker,1856) (Sphingidae) *lineosa* Walker,1856
879. *Cechenena minor* (Butler,1875) (Sphingidae) *minor* Butler,1875
880. *Clanis titan* Rothschild & Jordan,1903 (Sphingidae) *titan* Rothschild & Jordan,1903
881. *Cypa decolor* (Walker,1856) (Sphingidae) *decolor* Walker,1856
882. *Cypa decolor decolor* (Walker,1856) (Sphingidae) *decolor* Walker,1856
883. *Cypa enodis* Jordan,1931 (Sphingidae) *enodis* Jordan,1931
884. *Cypa latericia* Inoue,1991 (Sphingidae) *latericia* Inoue,1991
885. *Eurypteryx bhaga* (Moore,[1866]) (Sphingidae) *bhaga* Moore,[1866]
886. *Eurypteryx bhaga bhaga* (Moore,[1866]) (Sphingidae) *bhaga* Moore,[1866]
887. *Gehlenia obliquifascia* (Hampson,1910) (Sphingidae) *obliquifascia* Hampson,1910
888. *Gehlenia obliquifascia obliquifascia* (Hampson,1910) (Sphingidae) *obliquifascia* Hampson,1910
889. *Leucophlebia* (s.str.) *pinratana* Eitschberger,2003 (Sphingidae) *lineata* sensu Inoue,1977; *pinratana* Eitschberger,2003
890. *Marumba dyras* (Walker,1856) (Sphingidae) *dyras* Walker,1856
891. *Marumba dyras dyras* (Walker,1856) (Sphingidae) *dyras* Walker,1856
892. *Marumba spectabilis* (Butler,1875) (Sphingidae) *spectabilis* Butler,1875; *chinensis* Mell,1922; *tonkini* Clark,1933
893. *Marumba spectabilis spectabilis* (Butler,1875) (Sphingidae) *spectabilis* Butler,1875; *chinensis* Mell,1922; *tonkini* Clark,1933
894. *Meganoton rufescens* (Butler,[1876]) (Sphingidae) *rufescens* Butler,[1876]
895. *Meganoton rufescens rufescens* (Butler,[1876]) (Sphingidae) *rufescens* Butler,[1876]
896. *Parum colligatum* (Walker,1856) (Sphingidae) *colligatum* Walker,1856; *tristis* Bryk,1944
897. *Parum colligatum colligatum* (Walker,1856) (Sphingidae) *colligatum* Walker,1856; *tristis* Bryk,1944
898. *Psilogramma increta* Walker,[1865] (Sphingidae) *increta* Walker,[1865]
899. *Rhagastis castor* (Walker,1856) (Sphingidae) *castor* Walker,1856; *sumatranus* Clark,1924; *javanica* Roepke,1941

900. *Rhagastis castor aurifera* (Butler,1875) (Sphingidae) *aurifera* Butler,1875
901. *Rhodoprasina callantha* Jordan,1929 (Sphingidae) *callantha* Jordan,1929
902. *Smerinthulus quadripunctatus* Huwe,1895 (Sphingidae) *quadripunctatus* Huwe,1895
903. *Smerinthulus quadripunctatus cottoni* Cadiou & Kitching,1990 (Sphingidae) *cottoni* Cadiou & Kitching,1990
904. *Theretra boisduvalii* (Bugnion,1839) (Sphingidae) *boisduvalii* Bugnion,1839
905. *Theretra lycetus* (Cramer,1775) (Sphingidae) *lycetus* Cramer,1775
906. *Theretra pallicosta* (Walker,1856) (Sphingidae) *pallicosta* Walker,1856
907. *Habrosyne derasoides* Butler,1877 (Thyatiridae) *derasoides* Butler,1877; *fraterna* Moore,1888
908. *Habrosyne derasoides malaisei* Bryk,1943 (Thyatiridae) *malaisei* Bryk,1943
909. *Tethea aenea* (Wileman,1911) (Thyatiridae) *aenea* Wileman,1911
910. *Tethea oberthueri* (Houlbert,1921) (Thyatiridae) *oberthueri* Houlbert,1921
911. *Tethea oberthueri occidentalis* Werny,[1967] (Thyatiridae) *occidentalis* Werny,[1967]
912. *Thyatira rubescens* Werny,1966 (Thyatiridae) *rubescens* Werny,1966
913. *Banisia fenestriфера* Walker,1863 (Thyridae) *fenestriфера* Walker,1863
914. *Mellea tetragonata* (Walker,1863) (Thyridae) *tetragonata* Walker,1863
915. *Telchines vialis* (Moore,1883) (Thyridae) *vialis* Moore,1883
916. *Apsidophora purpurorbis* Diakonoff,1973 (Tortricidae) *purpurorbis* Diakonoff,1973
917. *Archips machlopi* (Meyrick,1912) (Tortricidae) *machlopi* Meyrick,1912; *compacta* Meyrick,1918; *isocyrta* Meyrick,1920; *seminubila* Meyrick,1930; *transcutata* Meyrick,1935
918. *Argyrotaenia tricensa* (Meyrick,1912) (Tortricidae) *tricensa* Meyrick,1912
919. *Cryptaspasma (Allobrachygonia) helota* (Meyrick,1905) (Tortricidae) *helota* Meyrick,1905
920. *Cymolomia phaeopelta* (Meyrick,1921) (Tortricidae) *phaeopelta* Meyrick,1921
921. *Dudua aprobola* (Meyrick,1886) (Tortricidae) *aprobola* Meyrick,1886
922. *Eucosma doiinthanonensis* Kawabe,1989 (Tortricidae) *doiinthanonensis* Kawabe,1989
923. *Eupoecilia ambiguella* (Hübner,1796) (Tortricidae) *ambiguella* Hübner,1796; *omphaciella* Faure-Bignot de Simonest,1801; *roserana* Frölich,1828; *turbinaris* Meyrick,1928
924. *Homona coffearia* (Nieter,1861) (Tortricidae) *coffearia* Nieter,1861
925. *Homona eductana* (Walker,1863) (Tortricidae) *eductana* Walker,1863; *difficilis* Meyrick,1928; *permutata* Meyrick,1928
926. *Meridemis furtiva* Diakonoff,1976 (Tortricidae) *furtiva* Diakonoff,1976
927. *Phaecedophora fimbriata* Walsingham,1900 (Tortricidae) *fimbriata* Walsingham,1900; *metactenis* Meyrick,1909; *eucrossa* Meyrick,1914; *aeolotehna* Meyrick,1935; *leucocteis* Diakonoff,1953; *aeolotechna* Diakonoff,1968
928. *Phaecedophora walsinghami* Diakonoff,1959 (Tortricidae) *walsinghami* Diakonoff,1959
929. *Planostocha cumulata* (Meyrick,1907) (Tortricidae) *cumulata* Meyrick,1907
930. *Scotiophyes faeculosa* (Meyrick,1928) (Tortricidae) *faeculosa* Meyrick,1928
931. *Sycacantha (inodes-gr.) inodes* (Meyrick,1911) (Tortricidae) *inodes* Meyrick,1911
932. *Sycacantha (inodes-gr.) inodes rubida* Diakonoff,1971 (Tortricidae) *rubida* Diakonoff,1971
933. *Teleta talaris* (Durrant,1915) (Tortricidae) *talalis* Durrant,1915; *xanthogastra* Meyrick,1921
934. *Ulodemis trigrappa* Meyrick,1907 (Tortricidae) *trigrappa* Meyrick,1907; *falsa* Meyrick,1914
935. *Cyclosia panthona* (Stoll,[1780]) (Zygaenidae) *panthona* Stoll,[1780]
936. *Eterusia aedea* (Linnaeus,1763) (Zygaenidae) *aedea* Linnaeus,1763; *edocla* Doubleday,1844; *signata* Möschler,1872; *magnifica* Butler,1879; *dulcis* Butler,1881;
937. *Eterusia aedea aedea* (Linnaeus,1763) (Zygaenidae) *aedea* Linnaeus,1763; *edocla* Doubleday,1844; *signata* Möschler,1872; *magnifica* Butler,1879; *dulcis* Butler,1881;
938. *Eterusia tricolor* Hope,1840 (Zygaenidae) *tricolor* Hope,1840; *trimacula* Möschler,1872

Chapter 12

Illustrated list of the Lepidoptera recorded in Chiang Mai University Campus (North Thailand)¹⁹

by

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Chapter 12: Illustrated list of the Lepidoptera recorded in Chiang Mai University Campus (North Thailand), [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 1760-1765, Pls.

In this Chapter of the reports of the Cesa Projects, totally 529 species group taxa are listed alphabetically based upon the Databank of the Cesa. This study is a part of the Lepidoptera of the Lepidoptera of Asia (LAS), Lepidoptera of Orientalic Region (LOR), Lepidoptera of Indo-China (LIC), and Lepidoptera of Thailand (LTH) of the current Cesa Projects.

¹⁹ Results of the Projects of the CESA-I, Lepidoptera of Thailand (LTH) (in part).

1. *Acraea* (s.str.) *terpsicore* (Linnaeus, 1758)
2. *Acraea* (s.str.) *terpsicore terpsicore* (Linnaeus, 1758)
3. *Asota caricae* (Fabricius, 1775)
4. *Asota ficus* (Fabricius, 1775)
5. *Asota paphos* (Fabricius, 1787)
6. *Asota producta* (Butler, 1875)
7. *Neochera dominia* (Cramer, [1780])
8. *Neochera inops* (Walker, 1854)
9. *Cretonotos gangis* (Linnaeus, 1763)
10. *Cretonotos gangis gangis* (Linnaeus, 1763)
11. *Cretonotos transiens* (Walker, 1855)
12. *Cretonotos transiens transiens* (Walker, 1855)
13. *Cyana coccinea* (Moore, 1878)
14. *Cyana hamata* (Walker, 1854)
15. *Lemyra maculifascia* (Walker, 1855)
16. *Nyctemera adversata* (Schaller, 1788)
17. *Nyctemera adversata adversata* (Schaller, 1788)
18. *Nyctemera coleta* (Stoll, [1781])
19. *Nyctemera coleta coleta* (Stoll, [1781])
20. *Spilosoma casignetum* (Kollar, [1844])
21. *Ariadne ariadne* (Linnaeus, 1763)
22. *Ariadne ariadne pallidior* (Fruhstorfer, 1899)
23. *Ariadne merione* (Cramer, [1779])
24. *Ariadne merione tapestrina* Moore, 1884
25. *Athyma* (Kironga) *ranga* Moore, [1858]
26. *Athyma* (Kironga) *ranga ranga* Moore, [1858]
27. *Athyma* (Tatisia) *nefte* (Cramer, 1779)
28. *Athyma* (Tatisia) *nefte asita* Moore, [1858]
29. *Athyma* (s.str.) *perius* (Linnaeus, 1758)
30. *Athyma* (s.str.) *perius perius* (Linnaeus, 1758)
31. *Cethosia biblis* (Drury, [1773])
32. *Cethosia biblis biblis* (Drury, [1773])
33. *Cethosia cyane* (Drury, [1773])
34. *Cethosia cyane euanthes* Fruhstorfer, 1912
35. *Charaxes bernardus* (Fabricius, 1793)
36. *Charaxes bernardus hierax* C.Felder & R.Felder, [1867]
37. *Charaxes kahruba* (Moore, 1896)
38. *Charaxes kahruba kahruba* (Moore, 1896)
39. *Chersonesia rahria* (Horsfield & Moore, 1857)
40. *Chersonesia rahria rahria* (Horsfield & Moore, 1857)
41. *Cirrochroa tyche* C.Felder & R.Felder, 1861
42. *Cupha erymanthis* (Drury, [1773])
43. *Cupha erymanthis lotis* (Sulzer, 1776)
44. *Cyrestis* (s.str.) *thyodamas* Boisduval, 1836
45. *Cyrestis* (s.str.) *thyodamas thyodamas* Boisduval, 1836
46. *Doleschallia bisaltide* (Cramer, [1777])
47. *Doleschallia bisaltide siamensis* Fruhstorfer, 1912
48. *Euthalia* (Aconthea) *aconthea* (Cramer, [1777])
49. *Euthalia* (Aconthea) *aconthea gurma* Fruhstorfer, 1906
50. *Euthalia* (Aconthea) *alpheda* (Godart, [1824])
51. *Euthalia* (Aconthea) *alpheda verena* Fruhstorfer, 1913
52. *Euthalia* (Aconthea) *anosia* (Moore, 1858)
53. *Euthalia* (Aconthea) *anosia anosia* (Moore, 1858)
54. *Euthalia* (Dophla) *evelina* (Stoll, [1790])
55. *Euthalia* (Dophla) *evelina vallon* Fruhstorfer, 1899
56. *Euthalia* (s.str.) *lubentina* (Cramer, [1777])
57. *Euthalia* (s.str.) *lubentina lubentina* (Cramer, [1777])
58. *Hypolimnas bolina* (Linnaeus, 1758)
59. *Hypolimnas bolina jacintha* (Drury, [1773])
60. *Kallima inachis* (Doyère, 1840)
61. *Kallima inachis siamensis* Fruhstorfer, 1913
62. *Kaniska canace* (Linnaeus, 1763)
63. *Lebadea martha* (Fabricius, 1787)
64. *Lebadea martha martha* (Fabricius, 1787)
65. *Lexias pardalis* (Moore, 1878)
66. *Lexias pardalis jadeitina* Fruhstorfer, 1913
67. *Moduza procris* (Cramer, [1777])
68. *Moduza procris procris* (Cramer, [1777])
69. *Neptis* (Pantoporia) *hordonia* (Stoll, 1790)
70. *Neptis* (Pantoporia) *hordonia hordonia* (Stoll, 1790)
71. *Neptis* (Pantoporia) *paraka* Butler, 1879
72. *Neptis* (Pantoporia) *paraka paraka* Butler, 1879
73. *Neptis* (Phaedyman) *columella* (Cramer, [1782])
74. *Neptis* (Phaedyman) *columella martabana* Moore, 1881
75. *Neptis* (s.str.) *clinia* Moore, 1872
76. *Neptis* (s.str.) *clinia susruta* Moore, 1872
77. *Neptis* (s.str.) *hylas* (Linnaeus, 1758)
78. *Neptis* (s.str.) *hylas kamarupa* Moore, [1875]
79. *Neptis* (s.str.) *nata* Moore, 1858
80. *Neptis* (s.str.) *nata adipala* Moore, 1872
81. *Parthenos sylvia* (Cramer, [1775])
82. *Parthenos sylvia gambrisius* (Fabricius, 1787)
83. *Phalanta phalantha* (Drury, [1773])
84. *Phalanta phalantha phalantha* (Drury, [1773])
85. *Polyura athamas* (Drury, [1773])
86. *Polyura athamas athamas* (Drury, [1773])
87. *Polyura eudamippus* (Doubleday, 1843)
88. *Polyura eudamippus eudamippus* (Doubleday, 1843)
89. *Precis* (Junonia) *almana* (Linnaeus, 1758)
90. *Precis* (Junonia) *almana almana* (Linnaeus, 1758)
91. *Precis* (Junonia) *atlites* (Linnaeus, 1763)
92. *Precis* (Junonia) *hierta* (Fabricius, 1798)
93. *Precis* (Junonia) *hierta hierta* (Fabricius, 1798)
94. *Precis* (Junonia) *iphita* (Cramer, [1779])
95. *Precis* (Junonia) *iphita iphita* (Cramer, [1779])
96. *Precis* (Junonia) *lemonias* (Linnaeus, 1758)
97. *Precis* (Junonia) *lemonias lemonias* (Linnaeus, 1758)
98. *Precis* (Junonia) *orithya* (Linnaeus, 1758)
99. *Precis* (Junonia) *orithya ocyale* (Hübner, [1819])
100. *Tanaecia* (Cynitia) *lepidea* Butler, 1869
101. *Tanaecia* (Cynitia) *lepidea sthavara* (Fruhstorfer, 1913)
102. *Tanaecia* (s.str.) *jahnu* (Moore, 1858)
103. *Tanaecia* (s.str.) *jahnu jahnu* (Moore, 1858)
104. *Tanaecia* (s.str.) *julii* (Lesson, 1837)
105. *Tanaecia* (s.str.) *julii odilina* Fruhstorfer, 1913
106. *Vindula erota* (Fabricius, 1793)
107. *Vindula erota erota* (Fabricius, 1793)
108. *Pterothysanus laticilia* Walker, 1854
109. *Pterothysanus laticilia laticilia* Walker, 1854
110. *Chalcidica minea* (Cramer, [1777])
111. *Chalcidica minea minea* (Cramer, [1777])
112. *Duomitus ceramicus* (Walker, 1865)
113. *Xyleutes personus* Le Guillou, 1841
114. *Xyleutes strix* (Linnaeus, 1758)
115. *Zeuzera indica* Herrich-Schäffer, 1854
116. *Amata sperbius* (Fabricius, 1787)
117. *Eressa confinis* (Walker, 1854)
118. *Eressa confinis confinis* (Walker, 1854)
119. *Psychotus duvauceli* Boisduval, 1829
120. *Danaus* (Anosia) *chrysippus* (Linnaeus, 1758)
121. *Danaus* (Anosia) *chrysippus chrysippus* (Linnaeus, 1758)
122. *Danaus* (Salatura) *genutius* (Cramer, [1779])
123. *Danaus* (Salatura) *genutius genutius* (Cramer, [1779])

124. *Euploea* (*Crastia*) *core* (Cramer,[1780])
125. *Euploea* (*Stictoploea*) *mulciber* (Cramer,[1777])
126. *Euploea* (*Stictoploea*) *mulciber mulciber* (Cramer,[1777])
127. *Parantica aglea* (Stoll,[1782])
128. *Parantica aglea melanoides* Moore,1883
129. *Tirumala limniace* (Cramer,[1775])
130. *Tirumala limniace exotica* (Gmelin,1790)
131. *Tirumala septentrionis* (Butler,1874)
132. *Tirumala septentrionis septentrionis* (Butler,1874)
133. *Teldenia specca* Wilkinson,1976
134. *Comibaena cassidara* (Guenée,[1858])
135. *Hypomecis transcissa* (Walker,1860)
136. *Hyposidra talaca* (Walker,1860)
137. *Ornithospila esmeralda* (Hampson,1895)
138. *Peratophyga flavomaculata* Swinhoe,1902
139. *Psilalcis breta* (Swinhoe,1890)
140. *Ruttellerona pallicostaria* (Moore,1868)
141. *Traminda mundissima* (Walker,1861)
142. *Endoclyta signifer* (Walker,1856)
143. *Ampittia dioscorides* (Fabricius,1793)
144. *Ampittia dioscorides camertes* (Hewitson,1868)
145. *Ancistroides nigrita* (Latreille,1824)
146. *Ancistroides nigrita diocles* (Moore,1865)
147. *Astictopterus jama* C.Felder & R.Felder,1860
148. *Astictopterus jama olivascens* Moore,1878
149. *Badamia exclamationis* (Fabricius,1775)
150. *Badamia exclamationis exclamationis* (Fabricius,1775)
151. *Capila phanaeus* (Hewitson,1867)
152. *Capila phanaeus lalita* Doherty,1888
153. *Cupitha purrea* (Moore,1877)
154. *Cupitha purrea purrea* (Moore,1877)
155. *Halpe porus* (Mabille,1876)
156. *Halpe porus porus* (Mabille,1876)
157. *Hyarotis adrastus* (Stoll,[1780])
158. *Hyarotis adrastus praba* (Moore,[1866])
159. *Iambrix salsala* (Moore,1865)
160. *Iambrix salsala salsala* (Moore,1865)
161. *Iton semamora* (Moore,1866)
162. *Iton semamora semamora* (Moore,1866)
163. *Matapa aria* (Moore,[1866])
164. *Matapa aria aria* (Moore,[1866])
165. *Parnara guttatus* (Bremer & Grey,[1852])
166. *Parnara guttatus apostatus* Snellen,1880
167. *Pelopidas conjunctus* (Herrich-Schäffer,1869)
168. *Pelopidas conjunctus conjunctus* (Herrich-Schäffer,1869)
169. *Pseudocoladenia dan* (Fabricius,1787)
170. *Pseudocoladenia dan fabia* (Evans,1949)
171. *Suastus gremius* (Fabricius,1798)
172. *Suastus gremius gremius* (Fabricius,1798)
173. *Tagiades* (s.str.) *gana* Moore,[1866]
174. *Tagiades* (s.str.) *gana meetana* Moore,1878
175. *Tagiades* (s.str.) *japetus* (Stoll,[1781])
176. *Taractrocera archias* (C.Felder,1860)
177. *Taractrocera archias quinta* Swinhoe,1905
178. *Taractrocera maevis* (Fabricius,1793)
179. *Taractrocera maevis sagara* (Moore,[1866])
180. *Himantopterus zaida* (Doubleday,1843)
181. *Euthrix laeta* (Walker,1855)
182. *Euthrix laeta austrina* (Lajonquière,1978)
183. *Trabala pallida* (Walker,1855)
184. *Parasa grandis* M.Hering,1931
185. *Acytoplepis puspa* (Horsfield,[1828])
186. *Acytoplepis puspa gisca* (Fruhstorfer,1910)
187. *Amblypodia anita* Hewitson,1862
188. *Amblypodia anita anita* Hewitson,1862
189. *Anthene emolus* (Godart,[1824])
190. *Anthene emolus emolus* (Godart,[1824])
191. *Arhopala abseus* (Hewitson,1862)
192. *Arhopala abseus indicus* Riley,1923
193. *Arhopala atrax* (Hewitson,1867)
194. *Arhopala aurelia* (Evans,[1925])
195. *Arhopala birmana* (Moore,1883)
196. *Arhopala birmana birmana* (Moore,1883)
197. *Arhopala pseudocentaurus* Doubleday,1847
198. *Arhopala pseudocentaurus nakula* (C.Felder & R.Felder,1860)
199. *Caleta caleta* (Hewitson,[1876])
200. *Caleta caleta caleta* (Hewitson,[1876])
201. *Castalius rosimon* (Fabricius,1775)
202. *Castalius rosimon rosimon* (Fabricius,1775)
203. *Catochrysops panormus* (C.Felder,1860)
204. *Catochrysops panormus exiguus* (Distant,1886)
205. *Cheritra freja* (Fabricius,1793)
206. *Cheritra freja evansi* Cowan,1965
207. *Chilades* (*Luthrodes*) *pandava* (Horsfield,[1829])
208. *Chilades* (*Luthrodes*) *pandava pandava* (Horsfield,[1829])
209. *Cupido* (*Everes*) *lacturnus* (Godart,[1824])
210. *Cupido* (*Everes*) *lacturnus rileyi* (Godfrey,1916)
211. *Curetis bulis* (Westwood,[1851])
212. *Curetis bulis bulis* (Westwood,[1851])
213. *Discolampa ethion* (Westwood,[1851])
214. *Discolampa ethion ethion* (Westwood,[1851])
215. *Flos fulgida* (Hewitson,[1863])
216. *Flos fulgida fulgida* (Hewitson,[1863])
217. *Horaga onyx* (Moore,[1858])
218. *Horaga onyx onyx* (Moore,[1858])
219. *Hypolycaena erylus* (Godart,[1824])
220. *Hypolycaena erylus himavatus* Fruhstorfer,[1912]
221. *Jamides bochus* (Stoll,[1782])
222. *Jamides bochus bochus* (Stoll,[1782])
223. *Jamides celeno* (Cramer,[1775])
224. *Jamides celeno celeno* (Cramer,[1775])
225. *Lampides boeticus* (Linnaeus,1767)
226. *Lampides boeticus boeticus* (Linnaeus,1767)
227. *Leptotes plinius* (Fabricius,1793)
228. *Lestranicus transpectus* (Moore,1879)
229. *Lestranicus transpectus transpectus* (Moore,1879)
230. *Loxura athymnus* (Stoll,[1780])
231. *Loxura athymnus continentalis* Fruhstorfer,[1912]
232. *Miletus chinensis* C.Felder,1862
233. *Miletus chinensis learchus* C.Felder & R.Felder,[1865]
234. *Nacaduba kurava* (Moore,[1858])
235. *Nacaduba kurava euplea* Fruhstorfer,1915
236. *Neomyrina nivea* (Godman & Salvin,1878)
237. *Neomyrina nivea hiemalis* (Godman & Salvin,1878)
238. *Poritia hewitsoni* Moore,[1866]
239. *Poritia hewitsoni hewitsoni* Moore,[1866]
240. *Prosotas gracilis* (Röber,1886)
241. *Prosotas gracilis ni* (De Nicéville,1902)
242. *Prosotas lutea* (Martin,1895)
243. *Prosotas lutea sivoka* (Evans,1910)
244. *Pseudozizeeria maha* (Kollar,[1844])
245. *Pseudozizeeria maha maha* (Kollar,[1844])
246. *Rapala iarbus* (Fabricius,1787)
247. *Rapala iarbus iarbus* (Fabricius,1787)
248. *Rapala pheretima* (Hewitson,[1863])
249. *Rapala pheretima petosiris* (Hewitson,[1863])

250. *Rapala scintilla* De Nicéville, 1890
251. *Rapala scintilla scintilla* De Nicéville, 1890
252. *Simiskina phalia* (Hewitson, 1874)
253. *Simiskina phalia binghami* Fruhstorfer, [1912]
254. *Spalgis epus* (Westwood, [1851])
255. *Spalgis epus epus* (Westwood, [1851])
256. *Surendra quercetorum* (Moore, [1858])
257. *Surendra quercetorum quercetorum* (Moore, [1858])
258. *Tajuria cippus* (Fabricius, 1798)
259. *Tajuria cippus cippus* (Fabricius, 1798)
260. *Zeltus amasa* (Hewitson, [1865])
261. *Zeltus amasa amasa* (Hewitson, [1865])
262. *Zizeeria karsandra* (Moore, 1865)
263. *Zizeeria karsandra karsandra* (Moore, 1865)
264. *Zizina otis* (Fabricius, 1787)
265. *Zizina otis lampa* (Corbet, 1940)
266. *Zizula hylax* (Fabricius, 1775)
267. *Zizula hylax hylax* (Fabricius, 1775)
268. *Callithea horsfieldii* (Saunders, 1851)
269. *Euproctis fraterna* (Moore, 1883)
270. *Imaus munda* (Walker, 1855)
271. *Lymantria atemeles* Collenette, 1932
272. *Lymantria singapura* Swinhoe, 1906
273. *Olene mendosa* Hübner, [1823]
274. *Orgyia postica* (Walker, 1855)
275. *Orgyia turbata* Butler, 1879
276. *Pantana visum* (Hübner, [1825])
277. *Achaea janata* (Linnaeus, 1758)
278. *Anoba pectinata* (Hampson, 1896)
279. *Anomis flava* (Fabricius, 1775)
280. *Artena dotata* (Fabricius, 1794)
281. *Chalciope mygdon* (Cramer, [1777])
282. *Chrysodeixis eriosoma* (Doubleday, 1843)
283. *Eligma narcissus* (Cramer, 1775)
284. *Episteme maculatrix* (Duncan & Westwood, [1841])
285. *Erebus hieroglyphica* (Drury, 1773)
286. *Erebus macrops* (Linnaeus, 1768)
287. *Eublemma (cochylionides-gr.) anachoresis* (Wallengren, 1863)
288. *Eudocima phalonia* (Linnaeus, 1763)
289. *Helicoverpa armigera* (Hübner, [1808])
290. *Helicoverpa armigera armigera* (Hübner, [1808])
291. *Hulodes caranea* (Cramer, [1780])
292. *Hypocala rostrata* (Fabricius, 1794)
293. *Hypocala violacea* Butler, 1879
294. *Ischyja hemiphaea* (Hampson, 1926)
295. *Leucania yu* Guenée, 1852
296. *Maliattha phaeozona* (Hampson, 1910)
297. *Mocis frugalis* (Fabricius, 1775)
298. *Mocis undata* (Fabricius, 1775)
299. *Ophiura tirhaca* (Cramer, [1777])
300. *Oxyodes scrobiculata* (Fabricius, 1775)
301. *Parallelia arctotaenia* (Guenée, 1852)
302. *Pericyma cruegeri* (Butler, 1886)
303. *Polydesma boarmoides* Guenée, 1852
304. *Rema costimacula* (Guenée, 1852)
305. *Sarbanissa catacoloides* (Walker, 1862)
306. *Sinna floralis* Hampson, 1905
307. *Spirama helicina* (Hübner, 1831)
308. *Spodoptera liturum* (Fabricius, 1775)
309. *Thyas coronata* (Fabricius, 1775)
310. *Thyas honesta* Hübner, 1824
311. *Tinolius eburneiguttus* Walker, 1855
312. *Tiracola plagiata* (Walker, 1857)
313. *Trigonodes hyppasia* (Cramer, 1779)
314. *Atrophaneura* (s.str. (Byasa)) *adamsoni* (Grose-Smith, 1886)
315. *Atrophaneura* (s.str. (Byasa)) *adamsoni adamsoni* (Grose-Smith, 1886)
316. *Atrophaneura* (s.str. (Pachliopta)) *aristolochiae* (Fabricius, 1775)
317. *Atrophaneura* (s.str. (Pachliopta)) *aristolochiae goniopeltis* (Rothschild, 1908)
318. *Chilasa* (s.str. (s.str.)) *clytia* (Linnaeus, 1758)
319. *Chilasa* (s.str. (s.str.)) *clytia clytia* (Linnaeus, 1758)
320. *Graphium* (Pathysa (s.str.)) *antiphates* (Cramer, [1775])
321. *Graphium* (Pathysa (s.str.)) *antiphates pompilius* (Fabricius, 1787)
322. *Graphium* (Pathysa (s.str.)) *aristeus* (Cramer, [1782])
323. *Graphium* (Pathysa (s.str.)) *aristeus hermocrates* (C.Felder & R.Felder, [1865])
324. *Graphium* (s.str. (Eurypyleana)) *chironides* (Honrath, 1884)
325. *Graphium* (s.str. (Eurypyleana)) *chironides chironides* (Honrath, 1884)
326. *Graphium* (s.str. (Eurypyleana)) *doson* (C.Felder & R.Felder, 1864)
327. *Graphium* (s.str. (Eurypyleana)) *doson actor* (Fruhstorfer, 1907)
328. *Graphium* (s.str. (Macfarlaneana)) *agamemnon* (Linnaeus, 1758)
329. *Graphium* (s.str. (Macfarlaneana)) *agamemnon agamemnon* (Linnaeus, 1758)
330. *Graphium* (s.str. (Zetides)) *sarpedon* (Linnaeus, 1758)
331. *Graphium* (s.str. (Zetides)) *sarpedon luctatus* (Fruhstorfer, 1907)
332. *Lamproptera curius* (Fabricius, 1787)
333. *Lamproptera curius curius* (Fabricius, 1787)
334. *Lamproptera meges* (Zincken, 1831)
335. *Lamproptera meges virescens* Butler, 1870
336. *Priniceps* (Menelaides (Charus)) *helenus* (Linnaeus, 1758)
337. *Priniceps* (Menelaides (Charus)) *helenus helenus* (Linnaeus, 1758)
338. *Priniceps* (Menelaides (Iliades)) *memnon* (Linnaeus, 1758)
339. *Priniceps* (Menelaides (Iliades)) *memnon agenor* (Linnaeus, 1758)
340. *Priniceps* (Menelaides (s.str.)) *polytes* (Linnaeus, 1758)
341. *Priniceps* (Menelaides (s.str.)) *polytes romulus* (Cramer, [1775])
342. *Priniceps* (s.str. (Achillides)) *paris* (Linnaeus, 1758)
343. *Priniceps* (s.str. (Achillides)) *paris paris* (Linnaeus, 1758)
344. *Priniceps* (s.str. (s.str.)) *demoleus* (Linnaeus, 1758)
345. *Priniceps* (s.str. (s.str.)) *demoleus malayanus* (Wallace, 1865)
346. *Troides* (s.str. (s.str.)) *aeacus* (C.Felder & R.Felder, 1860)
347. *Troides* (s.str. (s.str.)) *aeacus aeacus* (C.Felder & R.Felder, 1860)
348. *Appias* (Catophaga) *albina* (Boisduval, 1836)
349. *Appias* (Catophaga) *albina darada* C.Felder & R.Felder, 1865
350. *Appias* (Catophaga) *lyncida* (Cramer, 1777)
351. *Appias* (Catophaga) *lyncida eleonora* (Boisduval, 1836)
352. *Appias* (s.str.) *libythea* (Fabricius, 1775)

353. Appias (s.str.) libythea libythea (Fabricius,1775)
 354. Catopsilia pomona (Fabricius,1775)
 355. Catopsilia pomona pomona (Fabricius,1775)
 356. Catopsilia pyranthe (Linnaeus,1758)
 357. Catopsilia pyranthe pyranthe (Linnaeus,1758)
 358. Catopsilia scylla (Linnaeus,1763)
 359. Catopsilia scylla cornelia (Fabricius,1787)
 360. Cepora nerissa (Fabricius,1775)
 361. Cepora nerissa dapha Moore,1879
 362. Delias (belisama-gr.) descombesi (Boisduval,1836)
 363. Delias (belisama-gr.) descombesi descombesi (Boisduval,1836)
 364. Delias (hyparete-gr.) hyparete (Linnaeus,1758)
 365. Delias (hyparete-gr.) hyparete indica Wallace,1867
 366. Delias (pasithoe-gr.) pasithoe (Linnaeus,1758)
 367. Delias (pasithoe-gr.) pasithoe pasithoe (Linnaeus,1758)
 368. Eurema (Terias) blanda (Boisduval,1836)
 369. Eurema (Terias) blanda silhetana (Wallace,1867)
 370. Eurema (Terias) hecabe (Linnaeus,1758)
 371. Eurema (Terias) hecabe contubernalis (Moore,1886)
 372. Eurema (s.str.) brigitta (Stoll,[1780])
 373. Eurema (s.str.) brigitta fruhstorferi (Moore,1906)
 374. Eurema andersoni (Moore,1886)
 375. Eurema andersoni andersoni (Moore,1886)
 376. Eurema sari (Horsfield,1829)
 377. Eurema simulatrix Staudinger,1891
 378. Eurema simulatrix tecmessa (De Nicéville,1894)
 379. Hebomoia glaucippe (Linnaeus,1758)
 380. Hebomoia glaucippe glaucippe (Linnaeus,1758)
 381. Ixias pyrene (Linnaeus,1764)
 382. Ixias pyrene verna Druce,1874
 383. Leptosia nina (Fabricius,1793)
 384. Leptosia nina nina (Fabricius,1793)
 385. Pareronia anais (Lesson,1837)
 386. Pareronia anais anais (Lesson,1837)
 387. Pieris (Artogeia) canidia (Sparrman,1768)
 388. Pieris (Artogeia) canidia indica Evans,1926
 389. Pieris (Artogeia) melaina Röber,1907
 390. Pieris (Artogeia) melaina melaina Röber,1907
 391. Pieris (Artogeia) rapae (Linnaeus,1758)
 392. Pieris (Artogeia) rapae aybars Kemal & Koçak,2007
 393. Prioneris thestylis (Doubleday,1842)
 394. Prioneris thestylis thestylis (Doubleday,1842)
 395. Aethaloessa calidialis (Guenée,1854)
 396. Aethaloessa calidialis tiphalis (Walker,1859)
 397. Agathodes caliginosalis Snellen,1895
 398. Agrotera basinotata Hampson,1891
 399. Cnaphalocrocis medinalis (Guenée,1854)
 400. Diaphania indica (Saunders,1851)
 401. Eurrhparodes tricoloralis (Zeller,1852)
 402. Glyphodes caesalis Walker,1859
 403. Glyphodes conclusalis Walker,[1866]
 404. Haritalodes derogata (Fabricius,1775)
 405. Heortia vitessoides (Moore,[1885])
 406. Hydriris ornatalis (Duponchel,1832)
 407. Maruca vitrata (Fabricius,1787)
 408. Ocrasa nonusalis Walker,1859
 409. Omiodes diemenalis (Guenée,1854)
 410. Omphisa fuscidentalis (Hampson,1895)
 411. Paliga machaeralis (Walker,1859)
 412. Palpita annulifer Inoue,1996
 413. Pygospila tyres (Cramer,[1780])
 414. Scirpophaga incertulas (Walker,1863)
 415. Spoladea recurvalis (Fabricius,1775)
 416. Syllepte iophanes (Meyrick,1894)
 417. Talanga nympha (Butler,1880)
 418. Abisara echerius (Stoll,[1790])
 419. Abisara echerius paionea Fruhstorfer,1914
 420. Zemerops flegyas (Cramer,[1780])
 421. Zemerops flegyas allica (Fabricius,1787)
 422. Attacus atlas (Linnaeus,1758)
 423. Cricula jordani Bryk,1944
 424. Cricula jordani jordani Bryk,1944
 425. Elymnias hypermnestra (Linnaeus,1763)
 426. Elymnias hypermnestra meridionalis Fruhstorfer,1902
 427. Elymnias malelas (Hewitson,1863)
 428. Elymnias malelas ivena Fruhstorfer,1911
 429. Lethe confusa Aurivillius,1898
 430. Lethe confusa apara Fruhstorfer,1911
 431. Lethe europa (Fabricius,1775)
 432. Lethe europa niladana Fruhstorfer,1911
 433. Lethe mekara Moore,1858
 434. Lethe mekara zuchara Fruhstorfer,1911
 435. Melanitis leda (Linnaeus,1758)
 436. Melanitis leda leda (Linnaeus,1758)
 437. Melanitis phedima (Stoll,[1782])
 438. Melanitis phedima ganapati Fruhstorfer,1908
 439. Melanitis zitenius (Herbst,1796)
 440. Melanitis zitenius zitenius (Herbst,1796)
 441. Mycalesis francisca (Stoll,[1780])
 442. Mycalesis francisca sanatana Moore,1857
 443. Mycalesis intermedia Moore,1892
 444. Mycalesis mineus (Linnaeus,1767)
 445. Mycalesis mineus mineus (Linnaeus,1767)
 446. Mycalesis perseoides Moore,1892
 447. Mycalesis perseoides perseoides Moore,1892
 448. Orsotriaena medus (Fabricius,1775)
 449. Orsotriaena medus medus (Fabricius,1775)
 450. Penthema darlisa Moore,1879
 451. Penthema darlisa melama Riley & Godfrey,1921
 452. Ypthima baldus (Fabricius,1775)
 453. Ypthima baldus baldus (Fabricius,1775)
 454. Ypthima huebneri Kirby,1871
 455. Ypthima similis Elwes & Edwards,1893
 456. Acherontia lachesis (Fabricius,1798)
 457. Acherontia lachesis lachesis (Fabricius,1798)
 458. Acherontia styx (Westwood,1847)
 459. Acherontia styx medusa Moore,[1858]
 460. Acosmeryx anceus (Stoll,[1781])
 461. Acosmeryx anceus subdentata Rothschild & Jordan,1903
 462. Acosmeryx shervillii Boisduval,[1875]
 463. Agrius convolvuli (Linnaeus,1758)
 464. Ambulyx canescens (Walker,[1865])
 465. Ambulyx canescens canescens (Walker,[1865])
 466. Ambulyx cyclacticta (Joicey & Kaye,1917)
 467. Ambulyx moorei Moore,[1858]
 468. Ambulyx pryori Distant,1887
 469. Amplypterus panopus (Cramer,[1779])
 470. Amplypterus panopus panopus (Cramer,[1779])
 471. Angonyx testacea (Walker,1856)
 472. Cechenena lineosa (Walker,1856)
 473. Cephonodes hylas (Linnaeus,1771)
 474. Cephonodes hylas hylas (Linnaeus,1771)
 475. Cizara sculpta (R.Felder & Rogenhofer,[1874])
 476. Cypa latericia Inoue,1991
 477. Daphnis hypothous (Cramer,[1780])
 478. Daphnis hypothous hypothous (Cramer,[1780])

- | | |
|---|---|
| <p>479. <i>Daphnis nerii</i> (Linnaeus,1758)
 480. <i>Daphnis placida</i> (Walker,1856)
 481. <i>Eupanacra mydon</i> (Walker,1856)
 482. <i>Eupanacra variolosa</i> (Walker,1856)
 483. <i>Hippotion celerio</i> (Linnaeus,1758)
 484. <i>Hippotion echeclus</i> (Boisduval,[1875])
 485. <i>Hippotion rosetta</i> (Swinhoe,1892)
 486. <i>Hippotion velox</i> (Fabricius,1793)
 487. <i>Leucophlebia</i> (s.str.) <i>pinratanai</i> Eitschberger,2003
 488. <i>Macroglossum affictitium</i> Butler,1875
 489. <i>Macroglossum corythum</i> Walker,1856
 490. <i>Macroglossum corythum luteatum</i> Butler,1875
 491. <i>Macroglossum semifasciatum</i> Hampson,1893
 492. <i>Macroglossum sitiene</i> Walker,1856
 493. <i>Marumba dyras</i> (Walker,1856)
 494. <i>Marumba dyras dyras</i> (Walker,1856)
 495. <i>Megacorma obliqua</i> (Walker,1856)
 496. <i>Megacorma obliqua obliqua</i> (Walker,1856)
 497. <i>Meganoton nyctiphanes</i> (Walker,1856)
 498. <i>Neogurelca hyas</i> (Walker,1856)
 499. <i>Nephele hespera</i> (Fabricius,1775)
 500. <i>Pergesa actea</i> (Cramer,1779)
 501. <i>Poliana leucomelas</i> Rothschild & Jordan,1915
 502. <i>Psilogramma increta</i> Walker,[1865]
 503. <i>Psilogramma menephron</i> (Cramer,[1780])
 504. <i>Sataspes tagalica</i> Boisduval,[1875]
 505. <i>Sataspes tagalica tagalica</i> Boisduval,[1875]</p> | <p>506. <i>Smerinthulus diehli</i> Hayes,[1982]
 507. <i>Smerinthulus quadripunctatus</i> Huwe,1895
 508. <i>Smerinthulus quadripunctatus cottoni</i> Cadiou & Kitching,1990
 509. <i>Theretra alecto</i> (Linnaeus,1758)
 510. <i>Theretra alecto alecto</i> (Linnaeus,1758)
 511. <i>Theretra boisduvalii</i> (Bugnion,1839)
 512. <i>Theretra clotho</i> (Drury,[1773])
 513. <i>Theretra clotho clotho</i> (Drury,[1773])
 514. <i>Theretra latreillii</i> Macleay,[1826]
 515. <i>Theretra latreillii lucasii</i> (Walker,1856)
 516. <i>Theretra nessus</i> (Drury,[1773])
 517. <i>Theretra oldenlandiae</i> (Fabricius,1775)
 518. <i>Theretra oldenlandiae oldenlandiae</i> (Fabricius,1775)
 519. <i>Theretra pallicosta</i> (Walker,1856)
 520. <i>Theretra silhetensis</i> (Walker,1856)
 521. <i>Theretra silhetensis silhetensis</i> (Walker,1856)
 522. <i>Gazalina</i> (s.str.) <i>transversa</i> Moore,1879
 523. <i>Acropteris ciniferaria</i> (Walker,1866)
 524. <i>Acropteris iphiata</i> Guenée,[1858]
 525. <i>Orudiza protheclaria</i> Walker,1861
 526. <i>Balataea zebraica</i> (Butler,1876)
 527. <i>Balataea zebraica zebraica</i> (Butler,1876)
 528. <i>Eterusia repleta</i> Walker,1864
 529. <i>Trypanophora semihyalina</i> Kollar,[1844]</p> |
|---|---|

Chapter 13

"ağzına geleni söylemek cahilin,
önüne geleni yemek hayvanın işidir"

Ali Shir Nevai, Uighurian Philosopher

List of the Lepidoptera recorded in Afghanistan (LAS)²⁰

by

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Chapter 13. List of the Lepidoptera recorded in Afghanistan, [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 1766-1789.

In this chapter, intermediate results of the the Project (LAS), Lepidoptera of Afghanistan are partly submitted. Totally 1599 species together with their synonyms are listed alphabetically under the related families.

²⁰ Results of the Projects of the CESA-I, Lepidoptera of Asia (LAS) (in part).

1. **Aloa lactinea** (Cramer,[1777]) (Arctiidae) *lactinea* Cramer,[1777]
2. **Arctia caja** (Linnaeus,1758) (Arctiidae) *caja* Linnaeus,1758; *erinacea* Retzius,1783; *phantasma* Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 nec Romanoff,1884; *rebeli* Wnukowsky,1929.
3. **Arctia intercalaris** (Eversmann,1843) (Arctiidae) *intercalaris* Eversmann,1843; *boettcheri* O.Bang-Haas,1927.
4. **Axiopoea maura** (Eichwald,1830) (Arctiidae) *maura* Eichwald,1830; *fluvialtilis* Swinhoe,1885.
5. **Carcinopyga gorkoi** Kautt & Saldaitis,1997 (Arctiidae) *gorkoi* Kautt & Saldaitis,1997
6. **Carcinopyga lichenigera** C.Felder & R.Felder,1874 (Arctiidae) *lichenigera* C.Felder & R.Felder,1874
7. **Carcinopyga proserpina** (Staudinger,1887) (Arctiidae) *proserpina* Staudinger,1887
8. **Cretonotos transiens** (Walker,1855) (Arctiidae) *transiens* Walker,1855
9. **Ebertarctia afghanicola** (Ebert,1974) (Arctiidae) *afghanicola* Ebert,1974
10. **Ebertarctia solitaria** (Ebert,1974) (Arctiidae) *solitaria* Ebert,1974
11. **Eilema palliatella** (Scopoli,1763) (Arctiidae) *palliatella* Scopoli,1763; *unita* [Denis & Schiffermüller],1775; *palleola* Hübner,[1808]; *gilveola* Ochsenheimer,1810; *vitellina* Treitschke,1834; *flaveola* Rambur,1866.
12. **Eucallimorpha principalis** (Kollar,[1844]) (Arctiidae) *principalis* Kollar,[1844]; *flavicolor* Moore,1879
13. **Eudiaphora turensis** (Erschoff,1874) (Arctiidae) *turensis* Erschoff,1874; *maracandica* Seitz,1910; *afghanistanensis* Daniel,1966.
14. **Lacydes incurvata** Ebert,1973 (Arctiidae) *incurvata* Ebert,1973
15. **Lacydes spectabilis** (Tauscher,1806) (Arctiidae) *spectabilis* Tauscher,1806; *intercissa* Freyer,1842.
16. **Nebrarctia guttata** (Erschoff,1874) (Arctiidae) *guttata* Erschoff,1874
17. **Nebrarctia transversa** (Moore,1879) (Arctiidae) *transversa* Moore,1879
18. **Ocnogyna** (s.str.) *armena* Staudinger,1871 (Arctiidae) *armena* Staudinger,1871
19. **Ocnogyna** (s.str.) *loewii* (Zeller,1846) (Arctiidae) *loewii* Zeller,1846; *clathrata* Lederer,1855; *andresi* Draudt,1931.
20. **Paidia (Conjuncta) conjuncta** (Staudinger,1892) (Arctiidae) *conjuncta* Staudinger,1892
21. **Palearctia ferghana** (Staudinger,1887) (Arctiidae) *ferghana* Staudinger,1887
22. **Philenora brunneata** Daniel,1965 (Arctiidae) *brunneata* Daniel,1965
23. **Phragmatobia fuliginosa** (Linnaeus,1758) (Arctiidae) *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 nec Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 nec Reiss.,1934
24. **Phragmatobia placida** (Frivaldsky,1835) (Arctiidae) *placida* Frivaldsky,1835
25. **Spilarctia melanostigma** (Erschoff,1872) (Arctiidae) *melanostigma* Erschoff,1872; *karakorumica* Daniel,1961.
26. **Spilarctia obliqua** (Walker,1855) (Arctiidae) *obliqua* Walker,1855; *suffusa* Walker,1855; *dentilinea* Moore,1872; *confusa* Butler,1875; *howra* Moore,1879; *assamensis* Rothschild,1910
27. **Utetheisa** (s.str.) *lotrix* (Cramer,[1777]) (Arctiidae) *lotrix* Cramer,[1777]; *indica* Roepke,1941
28. **Utetheisa** (s.str.) *pulchella* (Linnaeus,1758) (Arctiidae) *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyer* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969.
29. **Aglais kaschmirensis** (Kollar,[1844]) (Argynniidae) *kaschmirensis* Kollar,[1844]
30. **Aglais nixa** (Groum-Grshimailo,1890) (Argynniidae) *nixa* Groum-Grshimailo,1890
31. **Aglais rizana** (Moore,1872) (Argynniidae) *rizana* Moore,1872
32. **Argynnis** (Argyreus) *hyperbius* (Linnaeus,1763) (Argynniidae) *hyperbius* Linnaeus,1763; *niphe* Linnaeus,1767.
33. **Argynnis** (Fabriciana) *argyrospilata* Kotsch,1938 (Argynniidae) *argyrospilata* Kotsch,1938
34. **Argynnis** (Fabriciana) *jainadeva* Moore,1865 (Argynniidae) *jainadeva* Moore,1865
35. **Argynnis** (Pandoriana) *pandora* ([Denis & Schiffermüller],1775) (Argynniidae) *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 nec Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975.
36. **Argynnis** (Protodryas) *kalama* Moore,1857 (Argynniidae) *kalama* Moore,1857
37. **Athyma (Tatisia) selenophora** (Kollar,[1844]) (Argynniidae) *selenophora* Kollar,[1844]
38. **Boloria** (Proclissiana) *erubescens* (Staudinger,1901) (Argynniidae) *erubescens* Staudinger,1901
39. **Boloria** (s.str.) *generator* (Staudinger,1886) (Argynniidae) *generator* Staudinger,1886
40. **Cynthia cardui** (Linnaeus,1758) (Argynniidae) *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925.
41. **Cyrestis** (s.str.) *thyodamas* Boisduval,1836 (Argynniidae) *thyodamas* Boisduval,1836; *nobilior* Martin,1903.
42. **Euthalia** (Aconthea) *aconthea* (Cramer,[1777]) (Argynniidae) *aconthea* Cramer,[1777]
43. **Hypolimnas misippus** (Linnaeus,1764) (Argynniidae) *misippus* Linnaeus,1764 inaria Cramer,[1779]; *alciippoides* Butler,1883.
44. **Issoria issaea** (Moore,1857) (Argynniidae) *issaea* Moore,1857; *isaea* Elwes,1885
45. **Issoria lathonia** (Linnaeus,1758) (Argynniidae) *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933.
46. **Limnitis** (s.str.) *lepechini* Erschoff,1874 (Argynniidae) *lepechini* Erschoff,1874
47. **Melitaea** (Cinclidia) *tangigharuensis* De Freina,1980 (Argynniidae) *tangigharuensis* De Freina,1980
48. **Melitaea** (Didymaeformis) *didymina* Staudinger,1895 (Argynniidae) *didymina* Staudinger,1895; *perplexa* Higgins,1941.
49. **Melitaea** (Didymaeformis) *fascelis* (Fabricius,1787) (Argynniidae) *trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 hom.; *fascelis* Esper,1783 uninominal; *fascelis* Fabricius,1787; *cleo* Latreille,1803;
50. **Melitaea** (Didymaeformis) *lutko* Evans,1932 (Argynniidae) *lutko* Evans,1932
51. **Melitaea** (Didymaeformis) *persea* Kollar,[1849] (Argynniidae) *persea* Kollar,[1849]; *caucasica* Sigr.,1861; *magnacasta*, *araratica* Verity,1929; *sargon* Hemming,1932; *tauricus* Belter,1934; *caucasica* Bryk,1940; *hafiz*, *gina* Higgins,1941; *darius*, *pfeifferi*, *wernickei*, *elbursicola*, *safawides* Gross & Ebert,1975.
52. **Melitaea** (Didymaeformis) *shandura* Evans,1924 (Argynniidae) *shandura* Evans,1924; *shandura* Evans,1924
53. **Melitaea** (s.str.) *arduinna* (Fabricius,1787) (Argynniidae) *arduinna* Fabricius,1787; *rhodopensis* Freyer,[1836]; *uralensis* Eversmann,1844.
54. **Melitaea** (s.str.) *avinovi* Sheljuzhko,1914 (Argynniidae) *avinovi* Sheljuzhko,1914
55. **Melitaea** (s.str.) *minerva* Staudinger,1881 (Argynniidae) *minerva* Staudinger,1881.
56. **Melitaea kuchi** Wyatt,1961 (Argynniidae) *kuchi* Wyatt,1961
57. **Melitaea paludani** Clench & Shoumatoff,1956 (Argynniidae) *paludani* Clench & Shoumatoff,1956
58. **Nymphalis xanthomelas** (Esper,[1781]) (Argynniidae) *xanthomelas* [Denis & Schiffermüller],1775; *xanthomelas* Esper,[1781]
59. **Polygonia** (Comma) *c-album* (Linnaeus,1758) (Argynniidae) *c-album* Linnaeus,1758; *g-album* Fourcroy,1785.
60. **Polygonia** (Comma) *egea* (Cramer,[1775]) (Argynniidae) *egea* Cramer,[1775] (junior homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *balucha* Evans,1932; *pallida* Evans,1932.
61. **Polygonia** (Comma) *undina* (Groum-Grshimailo,1890) (Argynniidae) *undina* Groum-Grshimailo,1890; *chitralica* Evans,1932; *interposita* auctorum
62. **Precis** (Junonia) *almana* (Linnaeus,1758) (Argynniidae) *almana* Linnaeus,1758
63. **Precis** (Junonia) *hierta* (Fabricius,1798) (Argynniidae) *lintingensis* Osbeck,1765 [rejected name, Op.842, 1968]; *hierta* Fabricius,1798
64. **Precis** (Junonia) *orithya* (Linnaeus,1758) (Argynniidae) *orithya* Linnaeus,1758
65. **Sephisa dichroa** (Kollar,[1844]) (Argynniidae) *dichroa* Kollar,[1844]
66. **Vanessa indica** (Herbst,1794) (Argynniidae) *indica* Herbst,1794; *calliroe* Hübner,1806
67. **Heringita amselina** (Gozmany,1967) (Autostichidae) *amseli* Gozmany,1963 nec Gozm.,1954; *amselina* Gozmany,1967.
68. **Hieronala huri** Gozmany,1963 (Autostichidae) *huri* Gozmany,1963

69. **Ocinara lactea** Hutton, 1865 (Bombycidae) *lactea* Hutton, 1865
70. **Phycodes radiata** (Ochsenheimer, 1808) (Brachodidae) *radiata* Ochsenheimer, 1808; *hirudinicornis* Guenée, 1852; *hyblaeella* Walker, 1866; *#superbella* Rebel, 1910; *tertiana* Diakonoff, 1978
71. **Carposina tetratoma** Diakonoff, 1989 (Carposinidae) *tetratoma* Diakonoff, 1989
72. **Prochoreutis atrox** (Diakonoff, 1978) (Choreutidae) *atrox* Diakonoff, 1978
73. **Prochoreutis chionocosma** (Diakonoff, 1978) (Choreutidae) *chionocosma* Diakonoff, 1978
74. **Prochoreutis radians** (Diakonoff, 1978) (Choreutidae) *radians* Diakonoff, 1978
75. **Tebenna micalis** (Mann, 1857) (Choreutidae) *micalis* Mann, 1857; *isshikii* Matsumura, 1931; *bradleyi* Clarke, 1971
76. **Coleophora acanthophyllii** (Falkovitsh, 1989) (Coleophoridae) *acanthophyllii* Falkovitsh, 1989
77. **Coleophora adjunctella** Hodgkinson, 1882 (Coleophoridae) *adjunctella* Hodgkinson, 1882; *paludicola* Stainton, 1885; *aratorensis* Barasch, 1934
78. **Coleophora aequallella** Christoph, 1872 (Coleophoridae) *aequallella* Christoph, 1872
79. **Coleophora afghana** Toll & Amsel, 1967 (Coleophoridae) *afghana* Toll & Amsel, 1967
80. **Coleophora albiochrella** Toll & Amsel, 1967 (Coleophoridae) *albichrella* Toll & Amsel, 1967
81. **Coleophora alcyonipennella** (Kollar, 1832) (Coleophoridae) *alcyonipennella* Kollar, 1832; *cuprariella* Zeller, 1847; *praticolella* Zeller, 1849; *cuprifulgella* Toll, 1962
82. **Coleophora amasiella** Stainton, 1867 (Coleophoridae) *amasiella* Stainton, 1867
83. **Coleophora amentastra** Falkovitsh, 1972 (Coleophoridae) *amentastra* Falkovitsh, 1972
84. **Coleophora ammophora** (Falkovitsh, 1989) (Coleophoridae) *ammophora* Falkovitsh, 1989
85. **Coleophora amseliella** Toll & Amsel, 1967 (Coleophoridae) *amseliella* Toll & Amsel, 1967
86. **Coleophora arachnias** Meyrick, 1922 (Coleophoridae) *arachnias* Meyrick, 1922; *hederella* Toll, 1942; *shadeganensis* Toll, 1959.
87. **Coleophora arachosiae** Baldizzone, 1994 (Coleophoridae) *arachosiae* Baldizzone, 1994
88. **Coleophora argyrella** Herrich-Schäffer, 1861 (Coleophoridae) *argyrella* Herrich-Schäffer, 1861
89. **Coleophora attalicella** Zeller, 1871 (Coleophoridae) *attalicella* Zeller, 1871
90. **Coleophora bactrianae** Baldizzone, 1994 (Coleophoridae) *bactrianae* Baldizzone, 1994
91. **Coleophora bandiamirella** Baldizzone, 1994 (Coleophoridae) *bandiamirella* Baldizzone, 1994
92. **Coleophora caelebipennella** Zeller, 1839 (Coleophoridae) *caelebipennella* Zeller, 1839; *bifurcella* Turati, 1930
93. **Coleophora cartilaginella** Christoph, 1872; *dubiosa* Toll, 1952; *paraspumosella* Toll, 1957; *medicagivora* Toll, 1961.
94. **Coleophora changaica** Reznik, 1975 (Coleophoridae) *changaica* Reznik, 1975
95. **Coleophora cyrta** Falkovitsh, 1976 (Coleophoridae) *cyrta* Falkovitsh, 1976
96. **Coleophora daeva** Baldizzone, 1994 (Coleophoridae) *daeva* Baldizzone, 1994
97. **Coleophora delicatella** Toll & Amsel, 1967 (Coleophoridae) *delicatella* Toll & Amsel, 1967
98. **Coleophora denigrella** Gerasimov, 1930 (Coleophoridae) *denigrella* Gerasimov, 1930
99. **Coleophora dentatella** Toll & Amsel, 1967 (Coleophoridae) *dentatella* Toll & Amsel, 1967
100. **Coleophora dilabens** (Falkovitsh, 1982) (Coleophoridae) *dilabens* Falkovitsh, 1982
101. **Coleophora discomaculella** Toll & Amsel, 1967 (Coleophoridae) *discomaculella* Toll & Amsel, 1967
102. **Coleophora dracontea** Baldizzone, 1994 (Coleophoridae) *dracontea* Baldizzone, 1994
103. **Coleophora drangianae** Baldizzone, 1994 (Coleophoridae) *drangianae* Baldizzone, 1994
104. **Coleophora dubiella** Baker, 1888 (Coleophoridae) *dubiella* Baker, 1888; *reisseri* Rebel, 1926; *eucera* Toll, 1952; *microeucera* Toll, 1960; *leucostrigella* Toll, 1960
105. **Coleophora erratella** Toll & Amsel, 1967 (Coleophoridae) *erratella* Toll & Amsel, 1967
106. **Coleophora eucoleos** Falkovitsh, 1973 (Coleophoridae) *eucoleos* Falkovitsh, 1973
107. **Coleophora exalbida** Baldizzone, 1994 (Coleophoridae) *exalbida* Baldizzone, 1994
108. **Coleophora flammea** Baldizzone, 1994 (Coleophoridae) *flammea* Baldizzone, 1994
109. **Coleophora frischella** (Linnaeus, 1758) (Coleophoridae) *frischella* Linnaeus, 1758; *dannehli* Toll, 1952; *auronitella* Toll, 1962
110. **Coleophora fulgidella** Toll & Amsel, 1967 (Coleophoridae) *fulgidella* Toll & Amsel, 1967
111. **Coleophora gazella** Toll, 1952 (Coleophoridae) *gazella* Toll, 1952
112. **Coleophora glareosella** Baldizzone, 1989 (Coleophoridae) *glareosella* Baldizzone, 1989
113. **Coleophora heringi** Toll, 1952 (Coleophoridae) *heringi* Toll, 1952
114. **Coleophora hospitella** Chrétien, 1915 (Coleophoridae) *hospitella* Chrétien, 1915
115. **Coleophora inequidentella** Toll & Amsel, 1967 (Coleophoridae) *inequidentella* Toll & Amsel, 1967
116. **Coleophora iranella** Toll, 1959 (Coleophoridae) *iranella* Toll, 1959
117. **Coleophora kabulensis** Baldizzone, 1994 (Coleophoridae) *kabulensis* Baldizzone, 1994
118. **Coleophora kashkaella** Toll & Amsel, 1967 (Coleophoridae) *kashkaella* Toll & Amsel, 1967
119. **Coleophora laevipennis** Toll & Amsel, 1967 (Coleophoridae) *laevipennis* Toll & Amsel, 1967
120. **Coleophora leucostoma** Gerasimov, 1930 (Coleophoridae) *leucostoma* Gerasimov, 1930
121. **Coleophora limacella** Baldizzone, 1994 (Coleophoridae) *limacella* Baldizzone, 1994
122. **Coleophora luteolella** Staudinger, 1880 (Coleophoridae) *luteolella* Staudinger, 1880; *mendosella* Toll, 1960
123. **Coleophora magnatella** Toll, 1959 (Coleophoridae) *magnatella* Toll, 1959
124. **Coleophora marcella** (Capuse, 1972) (Coleophoridae) *marcella* Capuse, 1972
125. **Coleophora microtitae** Toll & Amsel, 1967 (Coleophoridae) *microtitae* Toll & Amsel, 1967
126. **Coleophora nepetae** Baldizzone, 1994 (Coleophoridae) *nepetae* Baldizzone, 1994
127. **Coleophora nigrosarsella** Toll & Amsel, 1967 (Coleophoridae) *nigrosarsella* Toll & Amsel, 1967
128. **Coleophora nitidipennella** Toll & Amsel, 1967 (Coleophoridae) *nitidipennella* Toll & Amsel, 1967
129. **Coleophora pallidata** Toll, 1959 (Coleophoridae) *pallidata* Toll, 1959
130. **Coleophora paracousiniae** Baldizzone, 1994 (Coleophoridae) *paracousiniae* Baldizzone, 1994
131. **Coleophora paraptarmica** Toll & Amsel, 1967 (Coleophoridae) *paraptarmica* Toll & Amsel, 1967
132. **Coleophora pathana** Baldizzone, 1994 (Coleophoridae) *pathana* Baldizzone, 1994
133. **Coleophora polichomriensis** Toll & Amsel, 1967 (Coleophoridae) *polichomriensis* Toll & Amsel, 1967
134. **Coleophora praeclara** Baldizzone, 1994 (Coleophoridae) *praeclara* Baldizzone, 1994
135. **Coleophora raptans** Baldizzone, 1989 (Coleophoridae) *raptans* Baldizzone, 1989
136. **Coleophora roridella** Toll & Amsel, 1967 (Coleophoridae) *roridella* Toll & Amsel, 1967
137. **Coleophora salviella** Chrétien, 1917 (Coleophoridae) *salviella* Chrétien, 1917
138. **Coleophora sarobiensis** Toll & Amsel, 1967 (Coleophoridae) *sarobiensis* Toll & Amsel, 1967
139. **Coleophora sogdianae** Baldizzone, 1994 (Coleophoridae) *sogdianae* Baldizzone, 1994
140. **Coleophora stachydis** Baldizzone, 1994 (Coleophoridae) *stachydis* Baldizzone, 1994
141. **Coleophora subparcella** Toll & Amsel, 1967 (Coleophoridae) *subparcella* Toll & Amsel, 1967
142. **Coleophora swatensis** Baldizzone, 1994 (Coleophoridae) *swatensis* Baldizzone, 1994
143. **Coleophora tamesis** Waters, 1929 (Coleophoridae) *tamesis* Waters, 1929
144. **Coleophora testudo** Falkovitsh, 1973 (Coleophoridae) *testudo* Falkovitsh, 1973
145. **Coleophora tollamseliella** Oudejans, 1971 (Coleophoridae) *tollamseliella* Oudejans, 1971

146. *Coleophora treskaensis* Toll & Amsel, 1967 (Coleophoridae) *treskaensis* Toll & Amsel, 1967; *sciurella* Baldizzzone, 1987
147. *Coleophora trifolii* (Curtis, 1832) (Coleophoridae) *trifolii* Curtis, 1832; *chalybaella* Costa, [1836]; *mellilotella* Scott, 1861.
148. *Coleophora tripeniella* Baldizzzone, 1994 (Coleophoridae) *tripeniella* Baldizzzone, 1994
149. *Coleophora univittella* Staudinger, 1880 (Coleophoridae) *univittella* Staudinger, 1880
150. *Coleophora uralensis* Toll, 1961 (Coleophoridae) *uralensis* Toll, 1961
151. *Coleophora versurella* Zeller, 1849 (Coleophoridae) *versurella* Zeller, 1849; *tardipennella* Zeller, 1849; *miserella* Staudinger, 1880; *agricolella* Fuchs, 1886; *atlanticella* Rebel, 1896; *pallorella* Benander, 1939; *thalassella* McDunnough, 1940; *constanti* Hering, 1942; *pisella* Amsel, 1953; *saccharella* Amsel, 1953; *amaranthivora* Oku, 1965
152. *Coleophora vestianella* (Linnaeus, 1758) (Coleophoridae) *vestianella* Linnaeus, 1758; *laripennella* Zetterstedt, 1839; *galbulipennella* Duponchel, 1843; *annulata* Tengström, 1848; *tengstroemella* Doubleday, 1859; *subtractella* Caradja, 1920
153. *Coleophora vulpecula* Zeller, 1849 (Coleophoridae) *vulpecula* Zeller, 1849; *vulpeculoides* Toll, 1952
154. *Ascalenia acaciella* Chrétien, 1915 (Cosmopterigidae) *acaciella* Chrétien, 1915; *tergipunctella* Turati, 1924; *maculatella* Lucas, 1937 nec Chrétien, 1915; *noviciata* Gozmany, 1960.
155. *Ascalenia echidnias* (Meyrick, 1891) (Cosmopterigidae) *echidnias* Meyrick, 1891; *signatella* Chrétien, 1915; *oranella* Lucas, 1939; *satellita* Gozmany, 1960.
156. *Ascalenia kabulella* Kasy, 1969 (Cosmopterigidae) *kabulella* Kasy, 1969
157. *Ascalenia signatella* Chrétien, 1915 (Cosmopterigidae) *signatella* Chrétien, 1915; *oranella* Lucas, 1939; *satellita* Gozmany, 1960.
158. *Ascalenia unifasciella* Kasy, 1969 (Cosmopterigidae) *unifasciella* Kasy, 1969
159. *Ascalenia vanelloides* Gerasimov, 1930 (Cosmopterigidae) *vanelloides* Gerasimov, 1930; *heremella* Amsel, 1933; *eremella* Amsel, 1935.
160. *Ascalenia viviparella* Kasy, 1969 (Cosmopterigidae) *viviparella* Kasy, 1969
161. *Calycobathra pakistanella* Kasy, 1968 (Cosmopterigidae) *pakistanella* Kasy, 1968
162. *Pyroderces rileyi* (Walsingham, 1882) (Cosmopterigidae) *rileyi* Walsingham, 1882; *stigmatophora* Walsingham, 1882
163. *Azygophleps regia* (Staudinger, 1892) (Cossidae) *regia* Staudinger, 1892
164. *Catopta agilis* (Christoph, 1884) (Cossidae) *agilis* Christoph, 1884
165. *Catopta cashmirensis* (Moore, 1879) (Cossidae) *cashmirensis* Moore, 1879
166. *Catopta clathratus* (Christoph, 1884) (Cossidae) *clathratus* Christoph, 1884
167. *Catopta eberti* Daniel, 1964 (Cossidae) *eberti* Daniel, 1964
168. *Catopta kendevenensis* Daniel, 1937 (Cossidae) *kendevenensis* Daniel, 1937
169. *Catopta monticola* (Grum-Grshimailo, 1890) (Cossidae) *monticola* Grum-Grshimailo, 1890
170. *Catopta rocharvus* Sheljuzhko, 1943 (Cossidae) *rocharvus* Sheljuzhko, 1943
171. *Cossulinus herzi* (Alpheraky, 1893) (Cossidae) *herzi* Alpheraky, 1893
172. *Cossulinus kabulense* Daniel, 1965 (Cossidae) *kabulense* Daniel, 1965
173. *Cossulinus stertzi* (Püngeler, 1899) (Cossidae) *stertzi* Püngeler, 1899
174. *Cossulinus turcomanicus* (Christoph, 1893) (Cossidae) *turcomanicus* Christoph, 1893
175. *Cossus cossus* (Linnaeus, 1758) (Cossidae) *cossus* Linnaeus, 1758; *unguiculatus* Fabricius, 1794; *ligniperda* Fabricius, 1794
176. *Dyspessa curta* Rothschild, 1912 (Cossidae) *curta* Rothschild, 1912
177. *Dyspessa nigrifolia* (Staudinger, 1887) (Cossidae) *nigrifolia* Staudinger, 1887
178. *Dyspessa tristis* A. Bang-Haas, 1912 (Cossidae) *tristis* A. Bang-Haas, 1912; *affinis* Rothschild, 1912; *pallida* Rothschild, 1912.
179. *Holcocerus arenicola* (Staudinger, 1879) (Cossidae) *arenicola* Staudinger, 1879
180. *Holcocerus gloriosus* (Erschoff, 1874) (Cossidae) *gloriosus* Erschoff, 1874
181. *Holcocerus holosericeus* (Staudinger, 1884) (Cossidae) *holosericeus* Staudinger, 1884; *persicus* Austaut, 1897.
182. *Holcocerus mongolicus* (Erschoff, 1882) (Cossidae) *mongolicus* Erschoff, 1882
183. *Holcocerus nobilis* (Staudinger, 1884) (Cossidae) *nobilis* Staudinger, 1884; *strigatus* Austaut, 1897.
184. *Holcocerus senganensis* Daniel, 1949 (Cossidae) *senganensis* Daniel, 1949
185. *Holcocerus strigillata* Rothschild, 1912 (Cossidae) *strigillata* Rothschild, 1912
186. *Holcocerus strioliger* Alpheraky, 1893 (Cossidae) *strioliger* Alpheraky, 1893; *confusa* Rothschild, 1912.
187. *Holcocerus tancrei* Püngeler, 1898 (Cossidae) *tancrei* Püngeler, 1898
188. *Kotchevnik tapinus* (Püngeler, 1898) (Cossidae) *tapinus* Püngeler, 1898
189. *Parahypopta putridum* (Christoph, 1887) (Cossidae) *putridum* Christoph, 1887
190. *Phragmacossia albida* (Erschoff, 1874) (Cossidae) *albida* Erschoff, 1874
191. *Phragmacossia paghmana* Daniel, 1963 (Cossidae) *paghmana* Daniel, 1963
192. *Phragmacossia reticulata* (Püngeler, 1900) (Cossidae) *reticulata* Püngeler, 1900
193. *Phragmacossia vartianae* Daniel, 1963 (Cossidae) *vartianae* Daniel, 1963
194. *Phragmataecia territa* Staudinger, 1878 (Cossidae) *territa* Staudinger, 1878
195. *Zeuzera nuristanensis* Daniel, 1964 (Cossidae) *nuristanensis* Daniel, 1964
196. *Amata banghaasi* Obratzov, 1966 (Ctenuchidae) *caspia* Alpheraky, 1892 nec Stgr., 1877; *minuta* A. Bang-Haas, 1910 nec Bsd., 1833; *banghaasi* Obratzov, 1966; *schachtli* De Freina, 1994.
197. *Amata flaviguttata* (Hampson, 1900) (Ctenuchidae) *flaviguttata* Hampson, 1900
198. *Amata maracandina* (Erschoff, 1874) (Ctenuchidae) *maracandina* Erschoff, 1874
199. *Amata maracandina pamira* Obratzov, 1966 (Ctenuchidae) *pamira* Obratzov, 1966
200. *Dysauxes afghanica* Daniel, 1965 (Ctenuchidae) *afghanica* Daniel, 1965
201. *Danaus (Anosia) chrysippus* (Linnaeus, 1758) (Danaiidae) *chrysippus* Linnaeus, 1758; *aegyptius* Schreber, 1759
202. *Parantica melaneus* (Cramer, [1775]) (Danaiidae) *melaneus* Cramer, [1775]; *ephyre* Hübner, [1816]; *szechuana* Fruhstorfer, 1899
203. *Parantica sita* (Kollar, [1844]) (Danaiidae) *sita* Kollar, [1844]; *#tira* Fruhstorfer, 1899; *#pedonga* Talbot, 1943.
204. *Tirumala hamata* (Macleay, 1827) (Danaiidae) *hamata* Macleay, 1827
205. *Tirumala limniace* (Cramer, [1775]) (Danaiidae) *limniace* Cramer, [1775]
206. *Tirumala septentrionis* (Butler, 1874) (Danaiidae) *septentrionis* Butler, 1874
207. *Klimeschia afghanica* Gaedike, 1974 (Douglassiidae) *afghanica* Gaedike, 1974
208. *Klimeschia paghmanella* Gaedike, 1974 (Douglassiidae) *paghmanella* Gaedike, 1974.
209. *Cilix asiatica* A. Bang-Haas, 1907 (Drepanidae) *asiatica* A. Bang-Haas, 1907; *depalpata* Strand, 1913
210. *Nordstromia simillima* (Moore, 1888) (Drepanidae) *simillima* Moore, 1888
211. *Epermenia (Calotropis) strictella* (Wocke, 1867) (Epermeniidae) *strictella* Wocke, 1867; *anthracoptila* Meyrick, 1931.
212. *Epermenia (s.str.) afghanistanella* (Gaedike, 1971) (Epermeniidae) *afghanistanella* Gaedike, 1971
213. *Epermenia (s.str.) ochreomaculella* (Millière, 1854) (Epermeniidae) *ochreomaculella* Millière, 1854; *prohaskaella* Schawerda, 1921; *afghanistanella* Gaedike, 1971.
214. *Epermenia (s.str.) orientalis* Gaedike, 1966 (Epermeniidae) *orientalis* Gaedike, 1966.
215. *Epermenia (s.str.) vartianae* (Gaedike, 1971) (Epermeniidae) *vartianae* Gaedike, 1971
216. *Ethmia afghana* Sattler, 1967 (Ethmiidae) *afghana* Sattler, 1967
217. *Ethmia albifrontella* Sattler, 1967 (Ethmiidae) *albifrontella* Sattler, 1967
218. *Ethmia distigmatella* (Erschoff, 1874) (Ethmiidae) *distigmatella* Erschoff, 1874; *bipunctella* Rebel, 1936; *distichella* Rebel, 1940.
219. *Ethmia kabulica* Amsel, 1969 (Ethmiidae) *kabulica* Amsel, 1969
220. *Ethmia lecmima* Sattler, 1967 (Ethmiidae) *lecmima* Sattler, 1967
221. *Ethmia pagiopa* Meyrick, 1918 (Ethmiidae) *pagiopa* Meyrick, 1918

10 12 2007

222. **Ethmia quadrinotella** (Mann,1861) (Ethmiidae) *quadrinotella* Mann,1861; *atticella* Caradja,1920; *galaxaea* Meyrick,1922.
223. **Ethmia vittalbella** (Christoph,1877) (Ethmiidae) *vittalbella* Christoph,1877; *radiatella* Chrétien,1907; *tripolitana* Turati,1929.
224. **Anarsia** (Ananarsia) *eleagnella* Kuznetsov,1957 (Gelechiidae) *eleagnella* Kuznetsov,1957
225. **Anarsia** (Ananarsia) *lineatella* Zeller,1839 (Gelechiidae) *lineatella* Zeller,1839; *heratella* Amsel,1967; *tauricella* Amsel,1967.
226. **Chionodes distinctella** (Zeller,1839) (Gelechiidae) *distinctella* Zeller,1839; *striolabella* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *latiorella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979.
227. **Ephysteris** (Opacopsis) *atalopis* (Meyrick,1918) (Gelechiidae) *atalopis* Meyrick,1918
228. **Ephysteris** (Opacopsis) *confusa* Povolny,1968 (Gelechiidae) *confusa* Povolny,1968
229. **Ephysteris** (s.str.) *promptella* (Staudinger,1859) (Gelechiidae) *promptella* Staudinger,1859; *despectella* Walker,1863; *petiginella* Mann,1867; *parvula* Staudinger,1879; *cacomira* Walsingham,1907; *chersaea* Meyrick,1908; *oschophora* Meyrick,1910; *fanatica* Meyrick,1921; *dispensata* Meyrick,1921; *xanthorhabda* Gozmany,1951 *australiae* Povolny,1977; *#promptella* Sattler,1978.
230. **Evippe haberlandi** Amsel,1961 (Gelechiidae) *haberlandi* Amsel,1961
231. **Gnorimoschema antiquum** Povolny,1966 (Gelechiidae) *antiquum* Povolny,1966
232. **Metzneria albiramosella** (Christoph,1885) (Gelechiidae) *albiramosella* Christoph,1885)
233. **Metzneria aspretella** (Lederer,1869) (Gelechiidae) *aspretella* Lederer,1869
234. **Metzneria diamondi** Amsel,1949 (Gelechiidae) *diamondi* Amsel,1949
235. **Ornativulva afghana** Sattler,1967 (Gelechiidae) *afghana* Sattler,1967
236. **Ornativulva grisea** Sattler,1967 (Gelechiidae) *grisea* Sattler,1967
237. **Ornativulva heluanensis** (Debski,1913) (Gelechiidae) *heluanensis* Debski,1913; *frankeniivorella* Chrétien,1917; *oascolella* Turati,1924; *siculella* Mariani,1937.
238. **Ornativulva longiductella** Sattler,1967 (Gelechiidae) *longiductella* Sattler,1967
239. **Ornativulva mixolitha** (Meyrick,1918) (Gelechiidae) *mixolitha* Meyrick,1918
240. **Ornativulva ochraceofusca** Sattler,1967 (Gelechiidae) *ochraceofusca* Sattler,1967
241. **Ornativulva ornatella** Sattler,1967 (Gelechiidae) *ornatella* Sattler,1967
242. **Ornativulva plutelliformis** (Staudinger,1859) (Gelechiidae) *plutelliformis* Staudinger,1859
243. **Ornativulva sieversi** (Staudinger,1871) (Gelechiidae) *sieversi* Staudinger,1871
244. **Ornativulva singula** Sattler,1967 (Gelechiidae) *singula* Sattler,1967
245. **Ornativulva triangulella** Sattler,1967 (Gelechiidae) *triangulella* Sattler,1967
246. **Platyedra subcinerea** (Haworth,[1828]) (Gelechiidae) *subcinerea* Haworth,[1828]; *vilella* Zeller,1847.
247. **Scrobipalpa** (Ilseopsis) *acuminatella* (Sircom,1850) (Gelechiidae) *acuminatella* Sircom,1850
248. **Scrobipalpa** (Ilseopsis) *arogantella* Povolny,1967 (Gelechiidae) *arogantella* Povolny,1967
249. **Scrobipalpa** (Ilseopsis) *ebertiana* Povolny,1967 (Gelechiidae) *ebertiana* Povolny,1967.
250. **Scrobipalpa** (Ilseopsis) *ephysteroides* Povolny,1967 (Gelechiidae) *ephysteroides* Povolny,1967
251. **Scrobipalpa** (Ilseopsis) *gregori* Povolny,1967 (Gelechiidae) *gregori* Povolny,1967
252. **Scrobipalpa** (Ilseopsis) *grossa* Povolny,1966 (Gelechiidae) *grossa* Povolny,1966
253. **Scrobipalpa** (Ilseopsis) *heratella* Povolny,1967 (Gelechiidae) *heratella* Povolny,1967
254. **Scrobipalpa** (Ilseopsis) *klimeschi* Povolny,1967 (Gelechiidae) *klimeschi* Povolny,1967
255. **Scrobipalpa** (Ilseopsis) *obsoletella* (Fischer v. Röslerstamm,1841) (Gelechiidae) *obsoletella* Fischer v. Röslerstamm,1841; *miscitella* Clarke,1932; *calaritanella* Amsel,1951.
256. **Scrobipalpa** (Ilseopsis) *pulchra* Povolny,1967 (Gelechiidae) *pulchra* Povolny,1967
257. **Scrobipalpa** (s.str.) *abai* Povolny,1977 (Gelechiidae) *abai* Povolny,1977
258. **Scrobipalpa** (s.str.) *bahai* Povolny,1977 (Gelechiidae) *bahai* Povolny,1977
259. **Scrobipalpa** (s.str.) *submagnificella* Povolny,1977 (Gelechiidae) *submagnificella* Povolny,1977
260. **Scrobipalpula** *psilella* (Herrich-Schäffer,[1854]) (Gelechiidae) *psilella* Herrich-Schäffer,[1854]; *cacuminum* Frey,1870.
261. **Vladimirea glebicolorella** (Erschoff,1874) (Gelechiidae) *glebicolorella* Erschoff,1874; *submaculata* Povolny,1967.
262. **Acrobiston aestivalis** Wiltshire,1967 (Geometridae) *aestivalis* Wiltshire,1967
263. **Alcis andaraba** (Wehrli,1938) (Geometridae) *andaraba* Wehrli,1938
264. **Alcis evae** Wiltshire,1966 (Geometridae) *evae* Wiltshire,1966
265. **Alcis granitaria** (Moore,1888) (Geometridae) *granitaria* Moore,1888
266. **Alcis nuristana** Wiltshire,1967 (Geometridae) *nuristana* Wiltshire,1967
267. **Alcis paghmana** Wiltshire,1967 (Geometridae) *paghmana* Wiltshire,1967
268. **Alcis shivae** Wiltshire,1967 (Geometridae) *shivae* Wiltshire,1967
269. **Alcis trikotaria** (R.Felder & Rogenhofer,1875) (Geometridae) *trikotaria* (R.Felder & Rogenhofer,1875
270. **Aspitates stchurovskyi** (Erschoff,1874) (Geometridae) *stchurovskyi* Erschoff,1874; *gonarcha* L.B.Prout,1928
271. **Cabera leptographa** Wehrli,1936 (Geometridae) *leptographa* Wehrli,1936
272. **Cataclyme riguata** (Hübner,[1813]) (Geometridae) *riguata* Hübner,[1813]; *subtilisparsata* Wehrli,1932.
273. **Cataclyme shirniensis** Ebert,1965 (Geometridae) *shirniensis* Ebert,1965
274. **Catarhoe arachne** Wiltshire,1967 (Geometridae) *arachne* Wiltshire,1967
275. **Chlorissa gelida** (Butler,1889) (Geometridae) *gelida* Butler,1889; *anomala* W.Warren,1896
276. **Costaconvexa polygrammata** (Borkhausen,1794) (Geometridae) *polygrammata* Borkhausen,1794; *polygrammaria* Haworth,1809; *conjunctaria* Lederer,1853; *#rosea* Wiltshire,1946
277. **Crocallis** (s.str.) *klapperichi* Wiltshire,1961 (Geometridae) *klapperichi* Wiltshire,1961
278. **Ecliptopera postpallida** (L.B.Prout,1938) (Geometridae) *postpallida* L.B.Prout,1938
279. **Eupithecia convallata** Brandt,1938 (Geometridae) *convallata* Brandt,1938
280. **Eupithecia convallata terricolor** Vojnits,1988 (Geometridae) *terricolor* Vojnits,1988
281. **Eupithecia xanthomixta** Vojnits,1988 (Geometridae) *xanthomixta* Vojnits,1988
282. **Geometra purissima** Wiltshire,1966 (Geometridae) *purissima* Wiltshire,1966
283. **Glossotrophia** (Bicalcarella) *terminata* Wiltshire,1966 (Geometridae) *terminata* Wiltshire,1966
284. **Glossotrophia** (Libanonia) *sacraria* (A.Bang-Haas,1910) (Geometridae) *sacraria* A.Bang-Haas,1910
285. **Gnopharmia eberti** Wiltshire,1967 (Geometridae) *eberti* Wiltshire,1967
286. **Gnopharmia inermis** Wiltshire,1967 (Geometridae) *inermis* Wiltshire,1967
287. **Gnopharmia maculifera** Staudinger,1892 (Geometridae) *maculifera* Staudinger,1892
288. **Gnopharmia objectaria** Staudinger,1892 (Geometridae) *objectaria* Staudinger,1892
289. **Gnopharmia sarobiana** Ebert,1965 (Geometridae) *sarobiana* Ebert,1965
290. **Gnophos** (Zystrognophos) *nimbatus* Alpheraky,1888 (Geometridae) *nimbata* Alpheraky,1888; *alexandra* Wehrli,1953.
291. **Gnophos amseli** Ebert,1965 (Geometridae) *amseli* Ebert,1965
292. **Gnophos badakhshanus** Wiltshire,1967 (Geometridae) *badakhshanus* Wiltshire,1967
293. **Gnophos brachyphorus** Wiltshire,1966 (Geometridae) *brachyphora* Wiltshire,1966
294. **Gnophos difficilimus** Wiltshire,1967 (Geometridae) *difficilimus* Wiltshire,1967
295. **Gnophos klapperichi** Wiltshire,1967 (Geometridae) *klapperichi* Wiltshire,1967
296. **Gnophos maledictus** Wiltshire,1967 (Geometridae) *maledictus* Wiltshire,1967

297. **Gnophos pagranitus** Wiltshire,1966 (Geometridae) *pagranitus* Wiltshire,1966
298. **Gnophosema isometra** (Warren,1888) (Geometridae) *isometra* Warren,1888
299. **Hemistola directa** Wiltshire,1966 (Geometridae) *directa* Wiltshire,1966
300. **Hemistola fletcheri** L.B.Prout,1934 (Geometridae) *fletcheri* L.B.Prout,1934; *subcaerulea* L.B.Prout,1934
301. **Hemithea marina** (Butler,1878) (Geometridae) *costipunctata* Moore,[1867]; *marina* Butler,1878; *simplex* Warren,1897; *pariciliata* Fuchs,1902
302. **Herochroma farinosa** (W.Warren,1893) (Geometridae) *farinosa* W.Warren,1893
303. **Heterobapta ejana** Wiltshire,1961 (Geometridae) *ejana* Wiltshire,1961
304. **Hypomecis xenobia** (Wiltshire,1966) (Geometridae) *xenobia* Wiltshire,1966
305. **Idaea angustifrons** (Wiltshire,1966) (Geometridae) *angustifrons* Wiltshire,1966
306. **Idaea arenophana** (Wiltshire,1966) (Geometridae) *arenophana* Wiltshire,1966
307. **Idaea barikotensis** (Wiltshire,1966) (Geometridae) *barikotensis* Wiltshire,1966
308. **Idaea benestrigata** (L.B.Prout,1913) (Geometridae) *benestrigata* L.B.Prout,1913
309. **Idaea curtopedata** (Ebert,1965) (Geometridae) *curtopedata* Ebert,1965
310. **Idaea fittkaui** Hausmann,1992 (Geometridae) *fittkaui* Hausmann,1992
311. **Idaea forsteri** (Wiltshire,1966) (Geometridae) *forsteri* Wiltshire,1966
312. **Idaea macropaga** (Wiltshire,1966) (Geometridae) *macropaga* Wiltshire,1966
313. **Idaea maskina** (Wiltshire,1966) (Geometridae) *maskina* Wiltshire,1966
314. **Idaea microphaga** (Wiltshire,1966) (Geometridae) *microphaga* Wiltshire,1966
315. **Idaea nigrella** (Wiltshire,1966) (Geometridae) *nigrella* Wiltshire,1966
316. **Idaea rufaria** (Hübner,[1799]) (Geometridae) *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944
317. **Idaea rusticata** ([Denis & Schiffermüller],1775) (Geometridae) *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866
318. **Idaea straminata** (Borkhausen,1794) (Geometridae) *straminata* Borkhausen,1794; *inornata* Haworth,1809; *suffusaria* Boisduval,1840; *inornaria* Doubleday,1849; *agrostemmatia* Guenée,[1858]
319. **Idaea tornipunctaria** (Wiltshire,1967) (Geometridae) *tornipunctaria* Wiltshire,1967
320. **Idaea vartianae** (Wiltshire,1966) (Geometridae) *vartianae* Wiltshire,1966
321. **Lithostegia amseli** Wiltshire,1967 (Geometridae) *amseli* Wiltshire,1967
322. **Microloxia indecretata** (Walker,[1863]) (Geometridae) *indecretata* Walker,[1863]; *pruinosa* Butler,1880; *aperta* Swinhoe,1886
323. **Nebula tricoliata** (Wiltshire,1967) (Geometridae) *tricoliata* Wiltshire,1967
324. **Neromia simplex** Brandt,1938 (Geometridae) *simplexa* Brandt,1938
325. **Nychiodes princeps** Wiltshire,1966 (Geometridae) *princeps* Wiltshire,1966
326. **Ochodontia adustaria** Fischer de Waldheim,1840 (Geometridae) *adustaria* Fischer de Waldheim,1840; *sareptanaria* Freyer,1841
327. **Peratophyga hyalinata** (Kollar,[1844]) (Geometridae) *hyalinata* Kollar,[1844]; *aerata* Moore,1868; *ionephela* Wiltshire,1966
328. **Phaselia erika** Ebert,1965 (Geometridae) *erika* Ebert,1965
329. **Phaselia kasyi** Wiltshire,1966 (Geometridae) *kasyi* Wiltshire,1966
330. **Prometopidia arenosa** Wiltshire,1961 (Geometridae) *arenosa* Wiltshire,1961
331. **Rhodometra sacraria** (Linnaeus,1767) (Geometridae) *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858]
332. **Rhodostrophia abscisaria** Brandt,1941 (Geometridae) *abscisaria* Brandt,1941
333. **Rhodostrophia anjumana** Wiltshire,1967 (Geometridae) *anjumana* Wiltshire,1967
334. **Rhodostrophia cuprinaria** (Christoph,1876) (Geometridae) *cuprinaria* Christoph,1876; *phaenicearia* Hampson,1907
335. **Rhodostrophia dissoluta** L.B.Prout,1938 (Geometridae) *dissoluta* L.B.Prout,1938
336. **Rhodostrophia froitzheimi** Wiltshire,1966 (Geometridae) *froitzheimi* Wiltshire,1966
337. **Rhodostrophia inconspicua** (Butler,1886) (Geometridae) *inconspicua* Butler,1886
338. **Rhodostrophia kabulensis** Wiltshire,1970 (Geometridae) *kabulensis* Wiltshire,1970
339. **Rhodostrophia lenis** Wiltshire,1966 (Geometridae) *lenis* Wiltshire,1966
340. **Rhodostrophia linguata** Wiltshire,1966 (Geometridae) *linguata* Wiltshire,1966
341. **Rhodostrophia meonaria** (Guenée,[1858]) (Geometridae) *meonaria* Guenée,[1858]
342. **Rhodostrophia nubifera** Brandt,1941 (Geometridae) *nubifera* Brandt,1941
343. **Rhodostrophia olivopallens** Wiltshire,1966 (Geometridae) *olivopallens* Wiltshire,1966
344. **Rhodostrophia oxyntis** L.B.Prout,1935 (Geometridae) *oxyntis* L.B.Prout,1935
345. **Rhodostrophia pleonasma** Wiltshire,1967 (Geometridae) *pleonasma* Wiltshire,1967
346. **Rhodostrophia poliararia** Hampson,1903 (Geometridae) *poliararia* Hampson,1903
347. **Rhodostrophia praecisaria** (Staudinger,1892) (Geometridae) *praecisaria* Staudinger,1892
348. **Rhodostrophia vartianae** Wiltshire,1966 (Geometridae) *vartianae* Wiltshire,1966
349. **Rhodostrophia xesta** L.B.Prout,1935 (Geometridae) *xesta* L.B.Prout,1935
350. **Scodionmima afghana** Wiltshire,1961 (Geometridae) *afghana* Wiltshire,1961
351. **Scopula actuaria** (Walker,1861) (Geometridae) *actuaria* Walker,1861
352. **Scopula afghana** Ebert,1965 (Geometridae) *afghana* Ebert,1965
353. **Scopula froitzheimi** Wiltshire,1967 (Geometridae) *froitzheimi* Wiltshire,1967
354. **Scopula minorata** (Boisduval,1833) (Geometridae) *minorata* Boisduval,1833; *ochroleucata* Herrich-Schäffer,1844; *ochroleucaria* Herrich-Schäffer,[1847]; *luculata* Guenée,[1858]; *mauritiana* Guenée,[1858]; *consentanea* Walker,1861; *holobapharia* Mabilie,1900; *mombasae* W.Warren,1904; *dresnaya* D.Lucas,1937
355. **Scopula nigrociliata** Ebert,1965 (Geometridae) *nigrociliata* Ebert,1965
356. **Scopula ornata** (Scopoli,1763) (Geometridae) *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785
357. **Scopula pseudoafghana** Ebert,1965 (Geometridae) *pseudoafghana* Ebert,1965
358. **Scopula transcaspica** L.B.Prout,1935 (Geometridae) *transcaspica* L.B.Prout,1935
359. **Scopuloides origalis** (Brandt,1941) (Geometridae) *origalis* Brandt,1941
360. **Scopuloides origalis danieli** (Wiltshire,1966) (Geometridae) *danieli* Wiltshire,1966
361. **Scopuloides origalis safida** (Wiltshire,1966) (Geometridae) *safida* Wiltshire,1966
362. **Scotopteryx junctata** (Staudinger,1882) (Geometridae) *junctata* Staudinger,1882
363. **Scotopteryx sinuosa** (Wiltshire,1970) (Geometridae) *sinuosa* Wiltshire,1970
364. **Stegania mesonephele** (Wiltshire,1967) (Geometridae) *mesonephele* Wiltshire,1967
365. **Stegania wiltshirei** (Ebert,1965) (Geometridae) *wiltshirei* Ebert,1965
366. **Synopsidia phasidaria** (Rogenhofer,1873) (Geometridae) *phasidaria* Rogenhofer,1873
367. **Thetidia albosagittata** (Ebert,1965) (Geometridae) *albosagittata* Ebert,1965
368. **Thetidia hammeri** (Ebert,1965) (Geometridae) *hammeri* Ebert,1965
369. **Thetidia hazara** (Ebert,1965) (Geometridae) *hazara* Ebert,1965
370. **Thetidia radiata** Walker,[1863] (Geometridae) *radiata* Walker,[1863]
371. **Venusia kasyata** Wiltshire,1966 (Geometridae) *kasyata* Wiltshire,1966

10 12 2007

372. *Xenochlorodes gilvoscens* Wiltshire,1966 (Geometridae) *gilvoscens* Wiltshire,1966
373. *Aspilapteryx* (s.str.) *tringipennella* Zeller,1839 (Gracillariidae) *tringipennella* Zeller,1839; *fringilella* Duponchel,1843.
374. *Caloptilia* (s.str.) *flava* (Staudinger,1871) (Gracillariidae) *flava* Staudinger,1871; *inquinatella* Christoph,1872; *impictipennella* Gerasimov,1930; *glycyrrhizae* Deschka,1979
375. *Macarostola miniella* (R.Felder & Rogenhofer,[1875]) (Gracillariidae) *miniella* R.Felder & Rogenhofer,[1875]; *ethela* Meyrick,1880
376. *Parornix compressa* Triberti,1990 (Gracillariidae) *compressa* Triberti,1990
377. *Parornix hastata* Triberti,1990 (Gracillariidae) *hastata* Triberti,1990
378. *Phyllocnistis citrella* Stainton,1856 (Gracillariidae) *citrella* Stainton,1856; *minutella* Van Deventer,1904; *citricola* Shiraki,1913
379. *Phyllonorycter infirma* Deschka,1975 (Gracillariidae) *infirma* Deschka,1975
380. *Polymitia eximipalpella* (Gerasimov,1930) (Gracillariidae) *eximipalpella* Gerasimov,1930; *telaviviella* Amsel,1935
381. *Badamia exclamationis* (Fabricius,1775) (Hesperiidae) *exclamatiois* Fabricius,1775; *ladon* Cramer,[1780]; *ericus* Fabricius,1798 nec Fabricius,1793; *forulus* Hübner,[1819]; *thymbron* Felder,1860.
382. *Carcharodus* (Lavatheria) *stauderi* Reverdin,1913 (Hesperiidae) *stauderi* Reverdin,1913.
383. *Carcharodus* (Reverdinus) *dravira* (Moore,1874) (Hesperiidae) *dravira* Moore,1874; *balucha* Evans,1932; *dentatus* Alberti,1940.
384. *Carcharodus* (s.str.) *alceae* (Esper,[1780]) (Hesperiidae) *alceae* Esper,[1780]; *malvae* Hufnagel,1766 nec Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustralis* Verity,1924; *corsicus* Picard,1948.
385. *Carcharodus* (s.str.) *swinhoei* E.Y.Watson,1893 (Hesperiidae) *swinhoei* E.Y.Watson,1893
386. *Erynnis* (Hesperopegasus) *marloyi* (Boisduval,[1834]) (Hesperiidae) *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849].
387. *Gegenes nostradamus* (Fabricius,1793) (Hesperiidae) *nostradamus* Fabricius,1793; *proclea* Walker,1870; *karsana* Moore,1874; *pumiliominima* Verity,1931; *megalegyna* Verity,1940.
388. *Hesperia comma* (Linnaeus,1758) (Hesperiidae) *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928.
389. *Muschampia antonia* (Speyer,1879) (Hesperiidae) *antonia* Speyer,1879
390. *Muschampia musta* Evans,1949 (Hesperiidae) *musta* Evans,1949
391. *Muschampia proteus* (Staudinger,1886) (Hesperiidae) *proteus* Staudinger,1886
392. *Pseudocoladenia dan* (Fabricius,1787) (Hesperiidae) *dan* Fabricius,1787
393. *Pyrgus alpinus* (Erschoff,1874) (Hesperiidae) *alpinus* Erschoff,1874
394. *Pyrgus badachschanus* (Alberti,1940) (Hesperiidae) *badachschanus* Alberti,1940
395. *Pyrgus cashmirensis* Moore,1874 (Hesperiidae) *cashmirensis* Moore,1874
396. *Pyrgus darwazicus* Groum-Grshimailo,1890 (Hesperiidae) *darwazicus* Groum-Grshimailo,1890; *submurina* Reverdin,1933.
397. *Spialia* (Neospialia) *orbifer* (Hübner,[1823]) (Hesperiidae) *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
398. *Spialia* (s.str.) *geron* (E.Y.Watson,1893) (Hesperiidae) *geron* E.Y.Watson,1893
399. *Spialia* (s.str.) *osthelderi* (Pfeiffer,1932) (Hesperiidae) *osthelderi* Pfeiffer,1932
400. *Thymelicus alaicus* (Filipjev,1931) (Hesperiidae) *alaicus* Filipjev,1931.
401. *Thymelicus lineolus* (Ochsenheimer,1808) (Hesperiidae) *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 nec Retz.,1783; *ludoviciae* Mabile,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
402. *Chilena sikarama* Ebert,1969 (Lasiocampidae) *sikarama* Ebert,1969
403. *Chilena sordida* Erschoff,1874 (Lasiocampidae) *sordida* Erschoff,1874
404. *Dendrolimus klapperichi* Wiltshire,1958 (Lasiocampidae) *klapperichi* Wiltshire,1958
405. *Eriogaster pfeifferi* Daniel,1932 (Lasiocampidae) *pfeifferi* Daniel,1932; *amygdali* Wiltshire,1941; *talhouki* Wiltshire,1976; *reshoefi* Schulte & Witt,1975.
406. *Gastropacha* (s.str.) *eberti* De Lajonquière,1967 (Lasiocampidae) *eberti* De Lajonquière,1967
407. *Lasiocampa eversmanni* (Kindermann,1843) (Lasiocampidae) *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960.
408. *Malacosoma franconicum* ([Denis & Schiffermüller],1775) (Lasiocampidae) *prima* Staudinger,1887 *franconica* [Denis & Schiffermüller],1775
409. *Malacosoma parallellum* Staudinger,1887 (Lasiocampidae) *parallellum* Staudinger,1887
410. *Streblote alpherakyi* (Christoph,1885) (Lasiocampidae) *alpherakyi* Christoph,1885
411. *Streblote repanda* (Hübner,[1808]) (Lasiocampidae) *repanda* Hübner,[1808]
412. *Streblote siva* (Lefébvre,1827) (Lasiocampidae) *siva* Lefébvre,1827
413. *Lecithocera echinata* Gozmany,1978 (Lecithoceridae) *echinata* Gozmany,1978
414. *Lemonia peilei* Rothschild,1921 (Lemoniidae) *peilei* Rothschild,1921
415. *Libythea* (s.str.) *myrrha* Godart,[1819] (Libytheidae) *myrrha* Godart,[1819]
416. *Altha nivea* Walker,1862 (Limacodidae) *nivea* Walker,1862
417. *Altha nuristana* Daniel,1965 (Limacodidae) *nuristana* Daniel,1965
418. *Thosea cana* (Walker,1865) (Limacodidae) *cana* Walker,1865; *transversata* Walker,1865; *basifusca* Kawada,1930; *barikoti* Daniel,1965
419. *Acytolepis puspa* (Horsfield,[1828]) (Lycaenidae) *puspa* Horsfield,[1828]; *sania* Fruhstorfer,1910; *contilia* Fruhstorfer,1910.
420. *Azanus* (s.str.) *uranus* Butler,1886 (Lycaenidae) *uranus* Butler,1886
421. *Callophrys mystaphia* Miller,1913 (Lycaenidae) *mystaphia* Miller,1913
422. *Callophrys paulae* Pfeiffer,1932 (Lycaenidae) *paulae* Pfeiffer,1932; *kolak* Higgins,1965
423. *Callophrys suaveola* (Staudinger,1881) (Lycaenidae) *suaveola* Staudinger,1881
424. *Celastrina argiolus* (Linnaeus,1758) (Lycaenidae) *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
425. *Celastrina kollari* (Westwood,[1852]) (Lycaenidae) *coelestina* Kollar,1848 nec Eversmann,1843; *kollari* Westwood,[1852]; *kasmira* Moore,1865; *trita* Swinhoe,1919.
426. *Celatoxia carna* (De Nicéville,1895) (Lycaenidae) *carna* De Nicéville,1895
427. *Chaetoprocta odata* (Hewitson,[1865]) (Lycaenidae) *odata* Hewitson,[1865]
428. *Chilades* (Freyeria) *trochylus* (Freyer,[1843]) (Lycaenidae) *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931
429. *Chilades* (Lachides) *galba* (Lederer,1855) (Lycaenidae) *galba* Lederer,1855
430. *Chilades* (s.str.) *parrhasius* (Fabricius,1793) (Lycaenidae) *parrhasius* Fabricius,1793; *contracta* Butler,1880; *ella* Butler,1881; *lempkei* Blom,1979.
431. *Cigaritis acamas* (Klug,1834) (Lycaenidae) *acamas* Klug,1834
432. *Cigaritis epargyros* (Eversmann,1854) (Lycaenidae) *epargyros* Eversmann,1854
433. *Glaucopsyche* (s.str.) *alexis* (Poda,1761) (Lycaenidae) *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976.
434. *Glaucopsyche* (s.str.) *seminigra* Howarth & Povolny,1976 (Lycaenidae) *seminigra* Howarth & Povolny,1976
435. *Heliophorus* (Nesa) *sena* (Kollar,[1844]) (Lycaenidae) *sena* Kollar,[1844]
436. *Hyrcanana caspia* (Lederer,1869) (Lycaenidae) *caspia* Lederer,1869
437. *Jamides celeno* (Cramer,[1775]) (Lycaenidae) *celeno* Cramer,[1775]; *alexis* Stoll,1790 nec Poda,1761; *aelianus* Fabricius,1793; *zethus* Hübner,[1819].
438. *Lampides boeticus* (Linnaeus,1767) (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#boeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886

439. *Lycaena* (s.str.) *kiyokoae* Sakai, 1978 (Lycaenidae) *kiyokoae* Sakai, 1978
440. *Lycaena* (s.str.) *phlaeas* (Linnaeus, 1761) (Lycaenidae) *phlaeas* Linnaeus, 1761; *virgaureae* Fourcroy, 1785 nec Linnaeus, 1758; *eleus* Fabricius, 1798; *aestivus* Zeller, 1850; *schmidtii* Gerhard, 1853
441. *Margelycaena* *margelanica* (Staudinger, 1881) (Lycaenidae) *margelanica* Staudinger, 1881
442. *Micropsyche* *ariana* Mattoni, 1981 (Lycaenidae) *ariana* Mattoni, 1981
443. *Neozephyrus* *syla* (Kollar, [1844]) (Lycaenidae) *syla* Kollar, [1844]; *triloka* Hannington.
444. *Phoenicurusia* *athamantis* (Eversmann, 1854) (Lycaenidae) *athamantis* Eversmann, 1854
445. *Plebejus* (Alpherakya) *bellonus* (Groum-Grshimailo, 1888) (Lycaenidae) *bellonus* Groum-Grshimailo, 1888
446. *Plebejus* (Alpherakya) *devanicus* (Moore, 1874) (Lycaenidae) *devanicus* Moore, 1874
447. *Plebejus* (Kretania) *iranicus* (Forster, 1938) (Lycaenidae) *iranicus* Forster, 1938
448. *Plebejus* (Lycaeides) *christophi* (Staudinger, 1874) (Lycaenidae) *christophi* Staudinger, 1874; *argivus* Staudinger, 1886.
449. *Plebejus* (ardis-gr) *eversmanni* (Lang, 1884) (Lycaenidae) *eversmanni* Lang, 1884; *eversmanni* Staudinger, 1886 (*hom.*); *grumi* Staudinger, 1901; *ardis* Balint & Johnson, 1997.
450. *Plebejus* (ardis-gr) *firuskuhi* Forster, 1940 (Lycaenidae) *firuskuhi* Forster, 1940
451. *Polyommatus* (Agriades (s.str.)) *pheretiades* (Eversmann, 1843) (Lycaenidae) *pheretiades* Eversmann, 1843
452. *Polyommatus* (Agriades (s.str.)) *walterforster* Koçak, 1996 (Lycaenidae) *forsteri* Sakai, 1978 nec Pff., 1938; *walterforster* Koçak, 1996
453. *Polyommatus* (Albulina (Pamiria)) *chrysopsis* (Groum-Grshimailo, 1888) (Lycaenidae) *chrysopsis* Groum-Grshimailo, 1888; *gilgitica* Tyler, 1926.
454. *Polyommatus* (Albulina (Pamiria)) *issus* (Zhdanko, 1995) (Lycaenidae) *issa* Zhdanko, 1995
455. *Polyommatus* (Albulina (Pamiria)) *selma* Koçak, 1996 (Lycaenidae) *chitralensis* Tyler, 1926 nec Swinh., 1910; *selma* Koçak, 1996
456. *Polyommatus* (Albulina (Plebejidea)) *loewii* (Zeller, 1847) (Lycaenidae) *loewii* Zeller, 1847; *empyrea* Gerhard, [1851]; *gigas* Staudinger, 1871; *#robusta* Turati & Fiori, 1930; *germaniciae* Pfeiffer, 1932; *dzhagamati* Sheljuzhko, 1934.
457. *Polyommatus* (Albulina (Vacciniina)) *omotoi* (Forster, 1972) (Lycaenidae) *omotoi* Forster, 1972
458. *Polyommatus* (Aricia (s.str.)) *artaxerxes* (Fabricius, 1793) (Lycaenidae) *artaxerxes* Fabricius, 1793.
459. *Polyommatus* (s.str. (Agrodiaetus (Juldus))) *afghanicus* (Forster, 1973) (Lycaenidae) *afghanicus* Forster, 1973
460. *Polyommatus* (s.str. (Agrodiaetus (Paragrodiaetus))) *bogra* Evans, 1932 (Lycaenidae) *bogra* Evans, 1932
461. *Polyommatus* (s.str. (Agrodiaetus (Paragrodiaetus))) *erschoffii* (Lederer, 1869) (Lycaenidae) *erschoffii* Lederer, 1869
462. *Polyommatus* (s.str. (Agrodiaetus (Paragrodiaetus))) *frauvartianae* Balint, 1997 (Lycaenidae) *frauvartianae* Balint, 1997
463. *Polyommatus* (s.str. (Agrodiaetus (Paragrodiaetus))) *nadirus* (Moore, 1884) (Lycaenidae) *nadirus* Moore, 1884
464. *Polyommatus* (s.str. (Sublysandra)) *adulterinus* Heydemann, 1954 (Lycaenidae) *adulterinus* Heydemann, 1954
465. *Polyommatus* (s.str. (Sublysandra)) *cornelius* (Freyer, [1850]) (Lycaenidae) *cornelius* Freyer, [1850]; *cornelia* Gerhard, [1851]; *candalus* Herrich-Schäffer, [1851]; *zuleikae* Pfeiffer, 1932; *eberti* Koçak, 1979; *subtilis* Pages & Charmeux, 1992.
466. *Polyommatus* (s.str. (Sublysandra)) *muetingi* (Balint, 1992) (Lycaenidae) *muetingi* Balint, 1992
467. *Polyommatus* (s.str. (Sublysandra)) *nuksani* (Forster, 1937) (Lycaenidae) *nuksani* Forster, 1937
468. *Polyommatus* (s.str.) *eros* (Ochsenheimer, 1808) (Lycaenidae) *tiethonus* Hübner, [1804] nec Linn., 1771; *eros* Ochsenheimer, 1808
469. *Polyommatus* (s.str.) *icarus* (Rottemburg, 1775) (Lycaenidae) *argus* Poda, 1761 nec Linn., 1758; *alexis* Scopoli, 1763 nec Pda, 1761; *thetis* Esper, 1777 nec Dru., 1773; *icarus* Rottemburg, 1775; *pampholyge* Bergsträßer, 1779; *candybus* Bergsträßer, 1779; *candiope* Bergsträßer, 1779; *candaon* Bergsträßer, 1779; *oceanus* Bergsträßer, 1779; *fusciolus* Fourcroy, 1785; *icarinus* Scriba, 1795; *pusillus* Gerhard, 1851;
470. *Polyommatus* (s.str.) *omotoi* Forster, 1972 (Lycaenidae) *omotoi* Forster, 1972
471. *Polyommatus* (s.str.) *persicus* (Bienert, 1870) (Lycaenidae) *persica* Bienert, 1870; *bienerti* Balint, [1993].
472. *Polyommatus* (s.str.) *venus* (Staudinger, 1886) (Lycaenidae) *venus* Staudinger, 1886
473. *Praephilotes* *violacea* Howarth & Povolny, 1976 (Lycaenidae) *violacea* Howarth & Povolny, 1976
474. *Pseudophilotes* *vicrama* (Moore, 1865) (Lycaenidae) *vicrama* Moore, 1865
475. *Satyrium* (Strymonidia) *spini* (Fabricius, 1787) (Lycaenidae) *#spini* [Denis & Schiffmüller], 1775; *lynceus* Esper, [1779] nec Drury, 1773; *spini* Fabricius, 1787; *cerasi* Herbst, 1804 nec Fabricius, 1787; *#albosparsa* Oberthür, 1910; *anatolicus* De Lattin, 1950.
476. *Satyrium* (Superflua) *hyrcanicum* (Riley, 1939) (Lycaenidae) *hyrcanicum* Riley, 1939
477. *Satyrium* (Superflua) *khawari* Charmeux, 2004 (Lycaenidae) *khawari* Charmeux, 2004
478. *Satyrium* (Superflua) *sassanides* (Kollar, [1849]) (Lycaenidae) *sassanides* Kollar, [1849]
479. *Tarucus* (s.str.) *balkanicus* (Freyer, [1843]) (Lycaenidae) *balkanicus* Freyer, [1843]
480. *Tarucus* (s.str.) *nara* (Kollar, [1844]) (Lycaenidae) *nara* Kollar, [1844]
481. *Tarucus* (s.str.) *rosaceus* (Austaut, 1885) (Lycaenidae) *rosacea* Austaut, 1885; *mediterraneae* Bethune-Baker, 1918.
482. *Thersamolycaena* (s.str.) *aeolus* (Wyatt, 1961) (Lycaenidae) *aeolus* Wyatt, 1961
483. *Thersamonia* (s.str.) *aditya* (Moore, 1874) (Lycaenidae) *aditya* Moore, 1874
484. *Thersamonia* (s.str.) *alaica* (Groum-Grshimailo, 1888) (Lycaenidae) *alaica* Groum-Grshimailo, 1888
485. *Thersamonia* (s.str.) *eberti* (Forster, 1972) (Lycaenidae) *eberti* Forster, 1972
486. *Thersamonia* (s.str.) *thersamon* (Esper, [1784]) (Lycaenidae) *thersamon* Esper, [1784]; *omphale* Klug, 1834; *persica* Bienert, 1870; *#militaris* Graves, 1925.
487. *Turanana* *anisophtalma* (Kollar, [1849]) (Lycaenidae) *anisophtalma* Kollar, [1849]
488. *Turanana* *grumi* (Forster, 1937) (Lycaenidae) *grumi* Forster, 1937; *kotzschiorum* Tshikolovets, 1996.
489. *Turanana* *laspura* (Evans, 1932) (Lycaenidae) *laspura* Evans, 1932
490. *Udara* (Penudara) *albocaerulea* (Moore, 1879) (Lycaenidae) *albocaeruleus* Moore, 1879; *amadis* Fruhstorfer, 1910; *sauteri* Fruhstorfer, 1917.
491. *Zizeeria* *karsandra* (Moore, 1865) (Lycaenidae) *karsandra* Moore, 1865
492. *Calliteara* *muelleri* (Ebert, 1968) (Lymantriidae) *#mülleri* Ebert, 1968; *muelleri* Ebert, 1968
493. *Calliteara* *pudibunda* (Linnaeus, 1758) (Lymantriidae) *pudibunda* Linnaeus, 1758; *scopularia* Linnaeus, 1758; *jutica* Müller, 1764; *porrectaalba* Retzius, 1783; *grandi* Lorkovic, 1930
494. *Dasychira* *varia* Walker, 1855 (Lymantriidae) *varia* Walker, 1855; *maruta* Moore, 1859
495. *Dicallomera* *fascelina* (Linnaeus, 1758) (Lymantriidae) *fascelina* Linnaeus, 1758; *medicaginis* Hübner, [1803]; *danieli* De Freina, 1979.
496. *Dicallomera* *pashtuna* (Ebert, 1968) (Lymantriidae) *pashtuna* Ebert, 1968
497. *Euproctis* *flavosulphurea* (Erschoff, 1872) (Lymantriidae) *flavosulphurea* Erschoff, 1872; *cretacea* Staudinger, 1901; *froitzeimi* Wiltshire, 1958
498. *Euproctis* *karghalica* Moore, 1878 (Lymantriidae) *karghalica* Moore, 1878; *#kargalika* Grum-Grshimailo, 1886; *flavosulphurea* Grum-Grshimailo, 1886; *#karghalika* Strand, 1910; *#deornata* Ebert, 1968
499. *Euproctis* *signata* (Blanchard, 1844) (Lymantriidae) *signata* Blanchard, 1844
500. *Euproctis* *similis* (Fuessly, 1775) (Lymantriidae) *similis* Fuessly, 1775; *rebeli* Haberhauer, 1902.
501. *Euproctis* *varians* (Walker, 1855) (Lymantriidae) *varians* Walker, 1855; *pygmaea* Moore, 1879; *pusilla* Moore, 1883
502. *Lachana* *ladakensis* Moore (Lymantriidae)
503. *Laelia* *exclamationis* (Kollar, 1844) (Lymantriidae) *exclamationis* Kollar, 1844; *cervina* Walker, 1855; *rotundata* Walker, 1855; *rubida* Walker, 1864; *disjuncta* Walker, 1865; *horishanella* Matsumura, 1931
504. *Laelia* *litura* (Walker, 1855) (Lymantriidae) *litura* Walker, 1855
505. *Laelia* *umbrina* (Moore, 1888) (Lymantriidae) *umbrina* Moore, 1888
506. *Lymantria* *amabilis* Christoph, 1887 (Lymantriidae) *amabilis* Christoph, 1887
507. *Lymantria* *concolor* Walker, 1855 (Lymantriidae) *concolor* Walker, 1855
508. *Lymantria* *obfuscata* Walker, 1865 (Lymantriidae) *obfuscata* Walker, 1865

509. **Lymantria obsoleta** Walker, 1855 (Lymantriidae) *obsoleta* Walker, 1855
510. **Orgyia prisca** Staudinger, 1887 (Lymantriidae) *prisca* Staudinger, 1887
511. **Uliolepis signatoria** (Christoph, 1893) (Lymantriidae) *signatoria* Christoph, 1893; *pilosa* Warren, 1897
512. **Phyllobrostis (s.str.) kandaharensis** Mey, 2006 (Lyonetiidae) *kandaharensis* Mey, 2006
513. **Phyllobrostis (s.str.) nuristanica** Mey, 2006 (Lyonetiidae) *nuristanica* Mey, 2006
514. **Stigmella kasyi** Nieukerken & Johansson, 2003 (Nepticulidae) *kasyi* Nieukerken & Johansson, 2003
515. **"Genus" herculea** (Corti & Draudt, 1933) (Noctuidae) *herculea* Corti & Draudt, 1933
516. **"Genus" lasciva** (Staudinger, 1888) (Noctuidae) *lasciva* Staudinger, 1888
517. **Acantholipes circumdata** (Walker, 1858) (Noctuidae) *circumdata* Walker, 1858; *vetustalis* Walker, [1866]; *flavisigna* Moore, 1881
518. **Acantholipes regularis** (Hübner, [1813]) (Noctuidae) *regularis* Hübner, [1813]
519. **Acantholipes regulatrix** Wiltshire, 1961 (Noctuidae) *regulatrix* Wiltshire, 1961
520. **Acontia lucida** (Hufnagel, 1766) (Noctuidae) *lucida* Hufnagel, 1766; *solaris* [Denis & Schiffermüller], 1775; *albicollis* Fabricius, 1781; *rupicola* Borkhausen, 1792; *insolatrix* Hübner, [1822]; *lugens* Alpheraky, 1889.
521. **Acrobyla eylandti** (Christoph, 1884) (Noctuidae) *eylandti* Christoph, 1884
522. **Acronicta (Triaena) aceris** (Linnaeus, 1758) (Noctuidae) *aceris* Linnaeus, 1758
523. **Acronicta (Triaena) psi** (Linnaeus, 1758) (Noctuidae) *psi* Linnaeus, 1758
524. **Acronicta (Viminia) rumicis** (Linnaeus, 1758) (Noctuidae) *rumicis* Linnaeus, 1758; *litterata* Panzer, 1804; *salicis* Curtis, 1826; *diffusa* Walker, 1857
525. **Aegle eberti** Boursin, 1969 (Noctuidae) *eberti* Boursin, 1969
526. **Aegle gratiosa** (Staudinger, 1892) (Noctuidae) *gratiosa* Staudinger, 1892; *iranica* Bytinski-Salz & Brandt, 1937.
527. **Aegle margarita** Boursin, 1961 (Noctuidae) *margarita* Boursin, 1961
528. **Aegle semicana** (Esper, [1798]) (Noctuidae) *semicana* Esper, [1798]; *vespertalis* Hübner, [1813]; *mimetes* Brandt, 1938.
529. **Aegle subflava** (Erschoff, 1874) (Noctuidae) *subflava* Erschoff, 1874
530. **Aegle vartianorum** Boursin, 1969 (Noctuidae) *vartianorum* Boursin, 1969
531. **Agrochola (Anchoscelis) nigriclava** Boursin, 1957 (Noctuidae) *nigriclava* Boursin, 1957
532. **Agrochola naumanni** Hacker & L.Ronkay, 1990 (Noctuidae) *naumanni* Hacker & L.Ronkay, 1990
533. **Agrochola statira** Boursin, 1960 (Noctuidae) *statira* Boursin, 1960
534. **Agrotis (Crassagrotis) bigramma** (Esper, [1790]) (Noctuidae) *bigramma* Esper, [1790]; *crassa* Hübner, [1803]; *lata* Treitschke, 1835; *golickei* Erschoff, 1872; *huguenini* Rühl, 1891.
535. **Agrotis (Putagrotis) puta** (Hübner, [1803]) (Noctuidae) *puta* Hübner, [1803]; *radius* Haworth, 1803; *renitens* Hübner, [1824]; *lignosa* Godart, 1825; *erythroxylea* Treit., 1826; *radiola* Stephens, 1829; *catalaunensis* Milliere, 1873; *meridionalis* Spuler, 1905; *andreas*, *minima*, *silvestrii* Turati, 1924; *insula* Richardson, 1958.
536. **Agrotis (s.str.) biconicus** Kollar, [1844] (Noctuidae) *spinifera* Hübner, [1808] *nec* Vill., 1789; *biconica* Kollar, [1844].
537. **Agrotis (s.str.) exclamationis** (Linnaeus, 1758) (Noctuidae) *exclamationis* Linnaeus, 1758; *clavus* Hufnagel, 1766; *murina* Goeze, 1781 *nec* Hufnagel, 1766; *bimaculata* Geoffroy, 1785; *picea* Haworth, 1809; *plaga* Stephens, 1835; *haruspex* Le Cerf, 1924; *nigriorbis* Zerny, 1934.
538. **Agrotis (s.str.) ipsilon** (Hufnagel, 1766) (Noctuidae) *ipsilon* Hufnagel, 1766; *suffusa* [Denis & Schiffermüller], 1775; *idonea* Cramer, [1780]; *spinula* Esper, [1786]; *spinifera* Villers, 1789.
539. **Agrotis (s.str.) segetum** ([Denis & Schiffermüller], 1775) (Noctuidae) *segetum* [Denis & Schiffermüller], 1775; *sordida* [Denis & Schiffermüller], 1775; *undulatus* Goeze, 1781 (*praeocc.*); *nigricornis* Villers, 1789; *segetis* Fabricius, 1794; *catenatus* Haworth, 1803; *monileus* Haworth, 1803; *pectinatus* Haworth, 1803; *connexus* Haworth, 1803; *subatratus* Haworth, 1803; *nigricornutus* Haworth, 1803; *praecox* Hübner, [1808]; *fervida* Hübner, [1824]; *affinis* Stephens, 1829; *sicula* Boisduval, 1840; *dimidia* Zeller, 1847; *sicania* Guenée, 1852; *marginalis* Walker, 1857; *aversus* Walker, 1857; *correctus* Walker, 1857; *obliviosus* Walker, 1857; *denticulosus* Wallengren, 1860; *certificatus* Walker, 1865; *conspurcatus* Walker, 1865; *repulsus* Walker, 1865; *ingratus* Butler, 1878; *pallidus* Staudinger, 1881; *lassa* Swinhoe, 1886.
540. **Agrotis (s.str.) turbans** Staudinger, 1888 (Noctuidae) *turbans* Staudinger, 1888
541. **Amphipyra tetra** (Fabricius, 1787) (Noctuidae) *tetra* Fabricius, 1787
542. **Amphipyra turcomana** Staudinger, 1888 (Noctuidae) *turcomana* Staudinger, 1888
543. **Anomis involuta** (Walker, [1858]) (Noctuidae) *involuta* Walker, [1858]; *basalis* Walker, [1858]; *colligata* Walker, 1865; *vitiensis* Butler, 1886; *dona* Swinhoe, 1919; *brima* Swinhoe, 1920
544. **Anomis sabulifera** (Guenée, 1852) (Noctuidae) *sabulifera* Guenée, 1852
545. **Antarchaea erubescens** (A.Bang-Haas, 1910) (Noctuidae) *erubescens* A.Bang-Haas, 1910
546. **Antarchaea numisma** (Hübner, [1803]) (Noctuidae) *numisma* Hübner, [1803]; *leda* Herrich-Schäffer, 1851.
547. **Anumeta cestina** (Staudinger, 1884) (Noctuidae) *cestina* Staudinger, 1884
548. **Anumeta eberti** Wiltshire, 1961 (Noctuidae) *eberti* Wiltshire, 1961
549. **Anumeta spilota** (Erschoff, 1874) (Noctuidae) *spilota* Erschoff, 1874
550. **Apamea ferrago** (Eversmann, 1837) (Noctuidae) *ferrago* Eversmann, 1837
551. **Apamea leucodon** (Eversmann, 1837) (Noctuidae) *leucodon* Eversmann, 1837
552. **Apoestes phantasma** (Eversmann, 1843) (Noctuidae) *phantasma* Eversmann, 1843; *centralasiae* Warren, 1913.
553. **Archana sparganii** (Esper, [1790]) (Noctuidae) *sparganii* Esper, [1790]; *strigosa* Staudinger, 1892.
554. **Arenostola amseli** Boursin, 1961 (Noctuidae) *amseli* Boursin, 1961
555. **Arenostola phragmitidis** (Hübner, [1803]) (Noctuidae) *phragmitidis* Hübner, [1803]
556. **Armada clio** (Staudinger, 1884) (Noctuidae) *clio* Staudinger, 1884
557. **Armada dentata** (Staudinger, 1884) (Noctuidae) *dentata* Staudinger, 1884; *afghana* Hampson, 1926.
558. **Armada panaceorum** (Ménétriés, 1849) (Noctuidae) *panaceorum* Ménétriés, 1849; *distincta* Rothschild, 1915.
559. **Auchmis (s.str.) detera** (Esper, [1791]) (Noctuidae) *detera* Esper, [1791]
560. **Auchmis (s.str.) deterina** (Staudinger, 1897) (Noctuidae) *deterina* Staudinger, 1897
561. **Autographa gamma** (Linnaeus, 1758) (Noctuidae) *gamma* Linnaeus, 1758; *messmeri* Schädewald, 1992; *voelkeri* Schädewald, 1992.
562. **Autographa khinjana** Wiltshire, 1961 (Noctuidae) *khinjana* Wiltshire, 1961
563. **Autographa nigrisigna** (Walker, [1858]) (Noctuidae) *nigrisigna* Walker, [1858]
564. **Autophila (Cheiropheanes) afghana** Ronkay, 1986 (Noctuidae) *afghana* Ronkay, 1986
565. **Autophila (Cheiropheanes) gracilis** (Staudinger, 1874) (Noctuidae) *gracilis* Staudinger, 1874; *coruscantis* Swinhoe, 1885
566. **Autophila (Cheiropheanes) ligaminosa** (Eversmann, 1851) (Noctuidae) *ligaminosa* Eversmann, 1851; *caucasica* Herz, 1904.
567. **Autophila (Cheiropheanes) magnifica** Boursin, 1963 (Noctuidae) *magnifica* Boursin, 1963
568. **Autophila (Cheiropheanes) vartianae** Ronkay, 1986 (Noctuidae) *vartianae* Ronkay, 1986
569. **Autophila (s.str.) cerealis** (Staudinger, 1871) (Noctuidae) *cerealis* Staudinger, 1871
570. **Autophila (s.str.) depressa** (Püngeler, 1914) (Noctuidae) *depressa* Püngeler, 1914
571. **Autophila (s.str.) libanotica** (Staudinger, 1901) (Noctuidae) *libanotica* Staudinger, 1901; *osthelderi* Boursin, 1940; *libanopsis* Boursin, 1962.
572. **Autophila (s.str.) xena** Ronkay, 1986 (Noctuidae) *xena* Ronkay, 1986
573. **Basistriga flammata** ([Denis & Schiffermüller], 1775) (Noctuidae) *flammata* [Denis & Schiffermüller], 1775; *bimaculata* Milliere, 1885.
574. **Bornolis dufayi** (Boursin, 1960) (Noctuidae) *dufayi* Boursin, 1960
575. **Bryomima nuristana** Varga & L.Ronkay, 1991 (Noctuidae) *nuristana* Varga & L.Ronkay, 1991
576. **Bryophilopsis roederi** (Standfuss, 1892) (Noctuidae) *roederi* Standfuss, 1892

10 12 2007

577. **Bryopolia chamaeleon** (Alpheraky,1887) (Noctuidae) *chamaeleon* Alpheraky,1887
578. **Bryopolia holosericea** Boursin,1960 (Noctuidae) *holosericea* Boursin,1960
579. **Bryopolia monotona** L.Ronkay & Varga,1990 (Noctuidae) *monotona* L.Ronkay & Varga,1990
580. **Bryopolia tsvetaevi** L.Ronkay & Varga,1990 (Noctuidae) *tsvetaevi* L.Ronkay & Varga,1990
581. **Bryoxena boursini** Plante,1983 (Noctuidae) *boursini* Plante,1983
582. **Bryoxena confluens** L.Ronkay & Varga,1990 (Noctuidae) *confluens* L.Ronkay & Varga,1990
583. **Bryoxena constricta** Varga & L.Ronkay,1990 (Noctuidae) *constricta* Varga & L.Ronkay,1990
584. **Bryoxena plantei** Varga, L.Ronkay & Hacker,1990 (Noctuidae) *plantei* Varga, L.Ronkay & Hacker,1990
585. **Bryoxena tribulis** (Plante,1983) (Noctuidae) *tribulis* Plante,1983
586. **Calamia deliciosa** Boursin,1957 (Noctuidae) *deliciosa* Boursin,1957
587. **Calopistria latreillei** (Duponchel,1827) (Noctuidae) *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,1893; *rakoto* Viette,1865; *rechingeri* Koutsaftikis,1973.
588. **Calophasia lunula** (Hufnagel,1766) (Noctuidae) *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775.
589. **Calophasia opalina** (Esper,[1796]) (Noctuidae) *casta* Borkhausen,1793 *nec* Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruenensis* Spuler,1910; *castior* Stauder,1923.
590. **Caloplasia hohenwarthi** (Hochenwarth,1785) (Noctuidae) *hochenwarthi* Hochenwarth,1785; *divergens* Fabricius,1787; *insignata* Reuter,1893; *tibetana* Staudinger,1895; *alaica* Galvagni,1906; *cuprina* W.Warren,1913; *hochenwarthi* Hampson,1913; *lapponaris* Schulte,1952
591. **Caradrina (Boursinidrina) stenoptera** (Boursin,1939) (Noctuidae) *stenoptera* Boursin,1939; *agrapha* Boursin,1939
592. **Caradrina (Eremodrina) agenjoi** (Boursin,1936) (Noctuidae) *agenjoi* Boursin,1936
593. **Caradrina (Eremodrina) ammxantha** (Boursin,1957) (Noctuidae) *ammxantha* Boursin,1957
594. **Caradrina (Eremodrina) asymmetrica** (Boursin,1936) (Noctuidae) *perspicua* Filipjev,1928 *nec* Warr.,1911; *asymmetrica* Boursin,1936.
595. **Caradrina (Eremodrina) azim** (Boursin,1957) (Noctuidae) *azim* Boursin,1957
596. **Caradrina (Eremodrina) bactriana** (Boursin,1968) (Noctuidae) *bactriana* Boursin,1968
597. **Caradrina (Eremodrina) belucha** (Swinhoe,1885) (Noctuidae) *belucha* Swinhoe,1885; *conditorana* Pinker,1980
598. **Caradrina (Eremodrina) eberti** (Hacker,1992) (Noctuidae) *eberti* Hacker,1992
599. **Caradrina (Eremodrina) eva** (Boursin,1963) (Noctuidae) *eva* Boursin,1963
600. **Caradrina (Eremodrina) falciuncula** Varga & L.Ronkay,1991 (Noctuidae) *falciuncula* Varga & L.Ronkay,1991
601. **Caradrina (Eremodrina) ferghana** (Staudinger,1892) (Noctuidae) *ferghana* Staudinger,1892
602. **Caradrina (Eremodrina) filipjevi** (Boursin,1936) (Noctuidae) *filipjevi* Boursin,1936
603. **Caradrina (Eremodrina) furcivalva** (Hacker,1992) (Noctuidae) *furcivalva* Hacker,1992
604. **Caradrina (Eremodrina) genitalana** Hacker,2004 (Noctuidae) *genitalana* Hacker,2004
605. **Caradrina (Eremodrina) hypocnephias** (Boursin,1968) (Noctuidae) *hypocnephias* Boursin,1968
606. **Caradrina (Eremodrina) hypoleuca** (Boursin,[1968]) (Noctuidae) *hypoleuca* Boursin,[1968]
607. **Caradrina (Eremodrina) inumbrata** (Staudinger,1900) (Noctuidae) *inumbrata* Staudinger,1900; *inumbratella* Pinker,1980
608. **Caradrina (Eremodrina) mirza** (Boursin,1957) (Noctuidae) *mirza* Boursin,1957
609. **Caradrina (Eremodrina) nadir** (Boursin,1957) (Noctuidae) *nadir* Boursin,1957
610. **Caradrina (Eremodrina) naumanni** Hacker,2004 (Noctuidae) *naumanni* Hacker,2004
611. **Caradrina (Eremodrina) pseudalbina** (Boursin,1942) (Noctuidae) *pseudalbina* Boursin,1942
612. **Caradrina (Eremodrina) ronkayorum** Hacker,2004 (Noctuidae) *ronkayorum* Hacker,2004
613. **Caradrina (Eremodrina) roxana** Boursin,1937 (Noctuidae) *roxana* Boursin,1937; *leptodactyla* Varga & L.Ronkay,1991
614. **Caradrina (Eremodrina) stilpna** (Boursin,1957) (Noctuidae) *stilpna* Boursin,1957
615. **Caradrina (Eremodrina) vicina** (Staudinger,1870) (Noctuidae) *vicina* Staudinger,1870; *perspicua* W.Warren,1911
616. **Caradrina (Eremodrina) xiphophora** (Boursin,[1968]) (Noctuidae) *xiphophora* Boursin,[1968]
617. **Caradrina (Eremodrina) zuleika** (Boursin,1957) (Noctuidae) *zuleika* Boursin,1957
618. **Caradrina (Levantrina) bodenheimeri** (Draudt,1934) (Noctuidae) *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *pleiarchia* Boursin,1937
619. **Caradrina (Paradrina) clavipalpis** (Scopoli,1763) (Noctuidae) *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovsky,1909; *teidovolans* Pinker,1974; *pinkeri* Kobes,1975
620. **Caradrina (Paradrina) klapperichi** (Boursin,1957) (Noctuidae) *klapperichi* Boursin,1957
621. **Caradrina (Platyperigea) albina** (Eversmann,1848) (Noctuidae) *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912
622. **Caradrina (Platyperigea) khorassana** (Boursin,1942) (Noctuidae) *khorassana* Boursin,1942
623. **Caradrina (Platyperigea) sogdiana** (Boursin,1936) (Noctuidae) *sogdiana* Boursin,1936
624. **Caradrina (Platyperigea) terrea** (Freyer,[1840]) (Noctuidae) *terrea* Freyer,[1840]; *ustirena* Boisduval,1840
625. **Caradrina (Platyperigea) warneckei** (Boursin,1936) (Noctuidae) *warneckei* Boursin,1936
626. **Cardepia sociabilis** (Graslin,1850) (Noctuidae) *sociabilis* Graslin,1850; *ghigii* Turati,1926; *pedrosai* Monteiro,1972; *grisea* Berio,1986.
627. **Catocala (Ephesia) ariana** Vartian,1964 (Noctuidae) *ariana* Vartian,1964
628. **Catocala (Ephesia) nymphaea** (Esper,[1787]) (Noctuidae) *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835].
629. **Catocala (s.str.) afghana** Swinhoe,1885 (Noctuidae) *afghana* Swinhoe,1885
630. **Catocala (s.str.) lesbia** Christoph,1887 (Noctuidae) *lesbia* Christoph,1887
631. **Catocala (s.str.) neonympha** (Esper,[1805]) (Noctuidae) *neonympha* Esper,[1805]
632. **Catocala (s.str.) puerpera** (Giorna,1791) (Noctuidae) *puerpera* Giorna,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pellax* Hübner,[1809]; *romana* Schultz,1909
633. **Chazaria incarnata** (Freyer,1838) (Noctuidae) *incarnata* Freyer,1838; *boisduvali* Boisduval,1840.
634. **Chersotis antigrapha** Boursin,1961 (Noctuidae) *antigrapha* Boursin,1961
635. **Chersotis capnistis** (Lederer,1872) (Noctuidae) *capnistis* Lederer,1872; *neara* Püngeler,1902.
636. **Chersotis curvispina** Boursin,1961 (Noctuidae) *curvispina* Boursin,1961
637. **Chersotis delear** Boursin,1970 (Noctuidae) *delear* Boursin,1970
638. **Chersotis electrographa** Varga,1990 (Noctuidae) *electrographa* Varga,1990
639. **Chersotis firdussi** Schwingenschuss,1937 (Noctuidae) *firdussi* Schwingenschuss,1937
640. **Chersotis metagrapha** Varga,1975 (Noctuidae) *metagrapha* Varga,1975
641. **Chersotis pachnosa** Varga,1975 (Noctuidae) *pachnosa* Varga,1975
642. **Chionoxantha margarita** Brandt,1938 (Noctuidae) *margarita* Brandt,1938
643. **Chionoxantha nobilis** Hacker & Ebert,2002 (Noctuidae) *nobilis* Hacker & Ebert,2002
644. **Chloantha hypericii** (Fabricius,1787) (Noctuidae) *#hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787
645. **Clytie (s.str.) delunaris** (Staudinger,1889) (Noctuidae) *delunaris* Staudinger,1889; *luteonigra* Warren,1913.
646. **Clytie (s.str.) devia** (Swinhoe,1884) (Noctuidae) *devia* Swinhoe,1884
647. **Clytie (s.str.) gracilis** (A.Bang-Haas,1907) (Noctuidae) *gracilis* A.Bang-Haas,1907; *syrdaja* Hampson,1913.
648. **Cornutiplusia circumflexa** (Linnaeus,1767) (Noctuidae) *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#unata* Kononenko & Pinratana,2005

10 12 2007

649. *Cosmia* (*Calymnia*) *angulifera* Boursin, 1957 (Noctuidae) *angulifera* Boursin, 1957
650. *Cosmia* (*Calymnia*) *subtilis* Staudinger, 1888 (Noctuidae) *subtilis* Staudinger, 1888
651. *Craniophora* *pontica* (Staudinger, 1879) (Noctuidae) *pontica* Staudinger, 1879
652. *Cryphia* (*Bryoleuca*) *diachorisma* Boursin, 1960 (Noctuidae) *diachorisma* Boursin, 1960
653. *Cryphia* (*Bryoleuca*) *raptricula* ([Denis & Schiffermüller], 1775) (Noctuidae) *raptricula* [Denis & Schiffermüller], 1775; *divisa* Esper, [1791]; *#striata* Staudinger, 1879; *#persica* Strand, 1915; *cretica* Reisser, 1962.
654. *Cryphia* (*Bryophila*) *gigantea* Boursin, 1960 (Noctuidae) *gigantea* Boursin, 1960
655. *Cryphia* (*Bryophila*) *hedygrapha* Boursin, 1963 (Noctuidae) *hedygrapha* Boursin, 1963
656. *Cryphia* (*Bryophila*) *icteritia* Boursin, 1960 (Noctuidae) *icteritia* Boursin, 1960
657. *Cryphia* (*Bryophila*) *idonea* (Christoph, 1893) (Noctuidae) *idonea* Christoph, 1893; *tafiana* Brandt, 1939.
658. *Cryphia* (*Bryophila*) *klapperichi* Boursin, 1960 (Noctuidae) *klapperichi* Boursin, 1960
659. *Cryphia* (*Bryophila*) *maeonis* (Lederer, 1865) (Noctuidae) *maeonis* Lederer, 1865; *rubellina* Staudinger, 1900; *sabulicolor* De Lattin, 1950.
660. *Cryphia* (*Bryophila*) *molybdea* Boursin, 1960 (Noctuidae) *molybdea* Boursin, 1960
661. *Cryphia* (*Bryophila*) *omotoi* Boursin, 1968 (Noctuidae) *omotoi* Boursin, 1968
662. *Cryphia* (*Bryophila*) *subliterata* (Filipjev, 1928) (Noctuidae) *subliterata* Filipjev, 1928; *albiceps* Draudt, 1931; *protecta* Draudt, 1931.
663. *Cryphia* (*Hymenocryphia*) *pelidna* Boursin, 1968 (Noctuidae) *pelidna* Boursin, 1968
664. *Cryphia* (s.str.) *eberti* Boursin, 1961 (Noctuidae) *eberti* Boursin, 1961
665. *Cryphia* (s.str.) *recepticula* (Hübner, [1803]) (Noctuidae) *strigula* Borkhausen, 1792 *nec* Thunb., 1788; *recepticula* Hübner, [1803]; *stictica* Ménétériès, 1859.
666. *Cryphia* (s.str.) *vartianica* Boursin, 1969 (Noctuidae) *vartianica* Boursin, 1969
667. *Ctenoceratoda* *zetina* (Staudinger, 1900) (Noctuidae) *zetina* Staudinger, 1900; *impia* Püngeler, 1905; *desquamata* Filipjev, 1928.
668. *Ctenoplusia* (s.str.) *furcifera* (Walker, 1857) (Noctuidae) *furcifera* Walker, 1857; *babooni* Bethune-Baker, 1906; *polisha* Strand, 1920; *yunnanensis* Chou & Lu, 1978
669. *Cucullia* (*Shargacucullia*) *falcata* G.Ronkay & L.Ronkay, 1988 (Noctuidae) *falcata* G.Ronkay & L.Ronkay, 1988
670. *Cucullia* (*Shargacucullia*) *verbasci* (Linnaeus, 1758) (Noctuidae) *verbasci* Linnaeus, 1758; *oberthueri* Rothschild, 1911.
671. *Cucullia* (s.str.) *argentina* (Fabricius, 1787) (Noctuidae) *argentina* Fabricius, 1787; *achalina* Püngeler, 1900; *griseocens* Wagner, 1931 *nec* Leech, 1900; *anatoliensis* Koçak, 1980.
672. *Cucullia* (s.str.) *boryphora* Fischer & Waldheim, 1840 (Noctuidae) *boryphora* Fischer & Waldheim, 1840
673. *Cucullia* (s.str.) *calendulae* Treitschke, 1835 (Noctuidae) *calendulae* Treitschke, 1835; *wredowi* Costa, [1836]; *leucanthemi* Rambur, 1858; *dellabrunai* Berio, 1980.
674. *Cucullia* (s.str.) *cineracea* Freyer, 1841 (Noctuidae) *cineracea* Freyer, 1841
675. *Cucullia* (s.str.) *improba* Christoph, 1885 (Noctuidae) *improba* Christoph, 1885; *leptographa* Reisser, 1958
676. *Cucullia* (s.str.) *mixta* Freyer, 1841 (Noctuidae) *mixta* Freyer, 1841; *consors* Eversmann, 1846
677. *Cucullia* (s.str.) *opacographa* G.Ronkay & L.Ronkay, 1986 (Noctuidae) *opacographa* G.Ronkay & L.Ronkay, 1986
678. *Cucullia* (s.str.) *petrophila* G.Ronkay & L.Ronkay, 1998 (Noctuidae) *petrophila* G.Ronkay & L.Ronkay, 1998
679. *Cucullia* (s.str.) *santonici* (Hübner, [1813]) (Noctuidae) *santonici* Hübner, [1813]
680. *Cucullia* (s.str.) *turkestanica* G.Ronkay & L.Ronkay, 1987 (Noctuidae) *turkestanica* G.Ronkay & L.Ronkay, 1987
681. *Cucullia* (s.str.) *umbristriga* Alpheraky, 1892 (Noctuidae) *umbristriga* Alpheraky, 1892
682. *Cucullia* (s.str.) *xylophana* Boursin, 1934 (Noctuidae) *xylophana* Boursin, 1934
683. *Dasypolia* (*Tschetwerikovia*) *eberti* Boursin, 1968 (Noctuidae) *eberti* Boursin, 1968
684. *Dasypolia* (s.str.) *afghana* Boursin, 1968 (Noctuidae) *afghana* Boursin, 1968
685. *Dasypolia* (s.str.) *akbar* Boursin, 1968 (Noctuidae) *akbar* Boursin, 1968
686. *Dasypolia* (s.str.) *psathyra* Boursin, 1968 (Noctuidae) *psathyra* Boursin, 1968
687. *Desertoplusia* *paghmana* (Wiltshire, 1971) (Noctuidae) *paghmana* Wiltshire, 1971; *paupera* Wiltshire, 1971.
688. *Diachrysia* *chrysitis* (Linnaeus, 1758) (Noctuidae) *chrysitis* Linnaeus, 1758
689. *Diarsia* *fletcheri* Boursin, 1969 (Noctuidae) *fletcheri* Boursin, 1969; *afghana* Boursin, 1969; *fletcheri* Dierl, 1984
690. *Dichagyris* (*Grisyigoga*) *candelisequa* ([Denis & Schiffermüller], 1775) (Noctuidae) *candelisequa* [Denis & Schiffermüller], 1775; *sagittifera* Hübner, [1813]; *piemonticola* Schwingenschuss, 1954; *zapateri* Schwingenschuss, 1962.
691. *Dichagyris* (*Yigoga*) *acutijuxta* (Boursin, 1957) (Noctuidae) *acutijuxta* Boursin, 1957
692. *Dichagyris* (*Yigoga*) *improba* (Staudinger, 1888) (Noctuidae) *improba* Staudinger, 1888
693. *Dichagyris* (*Yigoga*) *nekrasovi* Varga & Gyulai, 2001 (Noctuidae) *nekrasovi* Varga & Gyulai, 2001
694. *Dichagyris* (*Yigoga*) *perturbans* (Boursin, 1948) (Noctuidae) *perturbans* Boursin, 1948
695. *Dichagyris* (*Yigoga*) *unifica* (Kozhantshikov, 1937) (Noctuidae) *unifica* Kozhantshikov, 1937
696. *Dichagyris* (s.str.) *afghana* (Boursin, 1963) (Noctuidae) *afghana* Boursin, 1963
697. *Dichagyris* (s.str.) *ammoxanthiodes* Varga, 1975 (Noctuidae) *ammoxanthiodes* Varga, 1975
698. *Dichagyris* (s.str.) *boursini* Brandt, 1941 (Noctuidae) *boursini* Brandt, 1941
699. *Dichagyris* (s.str.) *celebrata* (Alpheraky, 1897) (Noctuidae) *celebrata* Alpheraky, 1897
700. *Dichagyris* (s.str.) *chrysopyga* (Boursin, 1963) (Noctuidae) *chrysopyga* Boursin, 1963
701. *Dichagyris* (s.str.) *despecta* (Corti & Draudt, 1933) (Noctuidae) *despecta* Corti & Draudt, 1933
702. *Dichagyris* (s.str.) *devota* (Christoph, 1884) (Noctuidae) *devota* Christoph, 1884; *turana* Staudinger, 1892
703. *Dichagyris* (s.str.) *elbursica* (Draudt, 1937) (Noctuidae) *elbursica* Draudt, 1937
704. *Dichagyris* (s.str.) *erubescens* (Staudinger, 1892) (Noctuidae) *erubescens* Staudinger, 1892
705. *Dichagyris* (s.str.) *euteles* (Boursin, 1963) (Noctuidae) *euteles* Boursin, 1963
706. *Dichagyris* (s.str.) *forficula* (Eversmann, 1851) (Noctuidae) *forficula* Eversmann, 1851
707. *Dichagyris* (s.str.) *griseocens* Staudinger, 1879 (Noctuidae) *griseocens* Staudinger, 1879
708. *Dichagyris* (s.str.) *leucographa* Varga, 1990 (Noctuidae) *leucographa* Varga, 1990
709. *Dichagyris* (s.str.) *leucomelas* Brandt, 1941 (Noctuidae) *leucomelas* Brandt, 1941
710. *Dichagyris* (s.str.) *multicuspis* (Eversmann, 1852) (Noctuidae) *multicuspis* Eversmann, 1852; *spinosa* Staudinger, 1877; *aequicuspis* Staudinger, 1900.
711. *Dichagyris* (s.str.) *naumanni* Varga, 1996 (Noctuidae) *naumanni* Varga, 1996
712. *Dichagyris* (s.str.) *pudica* (Staudinger, 1896) (Noctuidae) *pudica* Staudinger, 1896
713. *Dichagyris* (s.str.) *scotographa* Varga, 1990 (Noctuidae) *scotographa* Varga, 1990
714. *Dichagyris* (s.str.) *singularis* (Staudinger, 1877) (Noctuidae) *singularis* Staudinger, 1877
715. *Dichagyris* (s.str.) *squalidior* (Staudinger, 1901) (Noctuidae) *squalidior* Staudinger, 1901
716. *Dichagyris* (s.str.) *stenoptera* (Boursin, 1963) (Noctuidae) *stenoptera* Boursin, 1963
717. *Dichagyris* (s.str.) *terminicincta* (Corti & Draudt, 1933) (Noctuidae) *terminicincta* Corti & Draudt, 1933; *maraschi* Corti & Draudt, 1933.
718. *Dichagyris* (s.str.) *verecunda* (Püngeler, 1898) (Noctuidae) *verecunda* Püngeler, 1898
719. *Drasteria* *cailino* (Lefebvre, 1827) (Noctuidae) *cailino* Lefebvre, 1827
720. *Drasteria* *caucasica* (Kolenati, 1846) (Noctuidae) *caucasica* Kolenati, 1846; *astrida* Eversmann, 1856; *aksuensis* Fuchs, 1903.
721. *Drasteria* *flexuosa* (Ménétrières, 1848) (Noctuidae) *flexuosa* Ménétrières, 1848; *singularis* Kollar, [1849]; *inepta* Butler, 1881.
722. *Drasteria* *langi* (Ershov, 1874) (Noctuidae) *langi* Ershov, 1874

723. **Drasteria saiani** (Staudinger,1882) (Noctuidae) *saiani* Staudinger,1882; *clara* Staudinger,1895; *#zaiani* John,1910.
724. **Drasteria sinuosa** (Staudinger,1884) (Noctuidae) *sinuosa* Staudinger,1884
725. **Drasteroides limata** (Christoph,1884) (Noctuidae) *limata* Christoph,1884
726. **Drasteroides luxurians** (Wiltshire,1961) (Noctuidae) *luxurians* Wiltshire,1961
727. **Drasteroides medialis** (Hampson,1908) (Noctuidae) *medialis* Hampson,1908
728. **Earias amseli** Wiltshire,1961 (Noctuidae) *amseli* Wiltshire,1961
729. **Earias insulana** (Boisduval,1833) (Noctuidae) *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliuana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.
730. **Earias pudicana** Staudinger,1887 (Noctuidae) *pudicana* Staudinger,1887
731. **Eicomorpha antiqua** Staudinger,1888 (Noctuidae) *antiqua* Staudinger,1888.
732. **Eicomorpha epipsilioides** Boursin,1970 (Noctuidae) *epipsilioides* Boursin,1970
733. **Emmelia trabealis** (Scopoli,1763) (Noctuidae) *trabealis* Scopoli,1763; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865
734. **Epipsammia accurata** (Christoph,1882) (Noctuidae) *accurata* Christoph,1882 0
735. **Epipsammia agrapha** Boursin,1960 (Noctuidae) *agrapha* Boursin,1960
736. **Epipsammia constantialis** Boursin,1960 (Noctuidae) *constantialis* Boursin,1960
737. **Epipsammia fixseni** (Christoph,1893) (Noctuidae) *fixseni* Christoph,1893
738. **Episema lederi** Christoph,1885 (Noctuidae) *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#lederi* Wiltshire,1937.
739. **Episema minuta** Boursin & Ebert,1976 (Noctuidae) *minuta* Boursin & Ebert,1976
740. **Eublemma (Glossodice) salangi** (Wiltshire,1961) (Noctuidae) *salangi* Wiltshire,1961
741. **Eublemma (albida-gr.) compuncta** (Lederer,1872) (Noctuidae) *compuncta* Lederer,1872; *aftob* Brandt,1938.
742. **Eublemma (albida-gr.) gratissima** (Staudinger,1892) (Noctuidae) *gratissima* Staudinger,1892; *infuscata* Staudinger,1892; *peralba* Schawerda,1923.
743. **Eublemma (albida-gr.) hansa** (Herrich-Schäffer,[1851]) (Noctuidae) *hansa* Herrich-Schäffer,[1851]
744. **Eublemma (albida-gr.) straminea** (Staudinger,1892) (Noctuidae) *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933.
745. **Eublemma (baccalix-gr.) baccalix** (Swinhoe,1886) (Noctuidae) *baccalix* Swinhoe,1886; *fasciosa* Moore,[1887].
746. **Eublemma (bulla-gr.) afghana** (Wiltshire,1961) (Noctuidae) *afghana* Wiltshire,1961
747. **Eublemma (bulla-gr.) conistrotta** Hampson,1910 (Noctuidae) *conistrotta* Hampson,1910
748. **Eublemma (bulla-gr.) striantula** (Wiltshire,1961) (Noctuidae) *striantula* Wiltshire,1961
749. **Eublemma (chlorotica-gr.) chlorotica** (Lederer,1858) (Noctuidae) *chlorotica* Lederer,1858
750. **Eublemma (kruegeri-gr.) noctuelioides** (Wiltshire,1971) (Noctuidae) *noctuelioides* Wiltshire,1971
751. **Eublemma (ostrina-gr.) ostrina** (Hübner,[1808]) (Noctuidae) *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsafikis,1973.
752. **Eublemma (pallidula-gr.) nuristana** (Wiltshire,1961) (Noctuidae) *nuristana* Wiltshire,1961
753. **Eublemma (pallidula-gr.) pallidula** (Herrich-Schäffer,1856) (Noctuidae) *pallidula* Herrich-Schäffer,1856
754. **Eublemma (parva-gr.) parva** (Hübner,[1808]) (Noctuidae) *parva* Hübner,[1808]; *rufefacta* Mabilie,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902.
755. **Eublemma (siticulosa-gr.) leucota** Hampson,1910 (Noctuidae) *leucota* Hampson,1910
756. **Euchalcia (s.str.) viridis** (Staudinger,1901) (Noctuidae) *viridis* Staudinger,1901
757. **Euclidia regia** Staudinger,1888 (Noctuidae) *regia* Staudinger,1888
758. **Eugnorisma (s.str.) conformis** (Swinhoe,1885) (Noctuidae) *conformis* Swinhoe,1885
759. **Eugnorisma (s.str.) glareomima** Varga & Ronkay,1991 (Noctuidae) *glareomima* Varga & Ronkay,1991
760. **Eugraphe eucratides** Boursin,1957 (Noctuidae) *eucratides* Boursin,1957
761. **Eulocastra diaphora** (Staudinger,1879) (Noctuidae) *diaphora* Staudinger,1879; *triangularis* Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898.
762. **Eutelia adulatrix** (Hübner,[1813]) (Noctuidae) *adulatrix* Hübner,[1813]
763. **Euxoa (Orosagrotis) difficillima** (Draudt,1937) (Noctuidae) *difficillima* Draudt,1937
764. **Euxoa (Orosagrotis) eremorealis** Varga,1975 (Noctuidae) *eremorealis* Varga,1975
765. **Euxoa (Orosagrotis) naumanni** Varga,1990 (Noctuidae) *naumanni* Varga,1990
766. **Euxoa (Orosagrotis) triumregium** Varga,1979 (Noctuidae) *triumregium* Varga,1979
767. **Euxoa (s.str.) anthracina** Varga & Gyulai,2001 (Noctuidae) *anthracina* Varga & Gyulai,2001
768. **Euxoa (s.str.) basigramma** (Staudinger,1870) (Noctuidae) *basigramma* Staudinger,1870
769. **Euxoa (s.str.) cespitis** (Swinhoe,1885) (Noctuidae) *cespitis* Swinhoe,1885; *praestigiosa* Brandt,1941
770. **Euxoa (s.str.) conspicua** (Hübner,[1824]) (Noctuidae) *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *abdita* Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931.
771. **Euxoa (s.str.) cursoria** (Hufnagel,1766) (Noctuidae) *cursoria* Hufnagel,1766
772. **Euxoa (s.str.) eremorealis** Varga,1975 (Noctuidae) *eremorealis* Varga,1975
773. **Euxoa (s.str.) heringi** Christoph,1877 (Noctuidae) *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931.
774. **Euxoa (s.str.) hissarica** Varga,1990 (Noctuidae) *hissarica* Varga,1990
775. **Euxoa (s.str.) homicida** (Staudinger,1900) (Noctuidae) *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999.
776. **Euxoa (s.str.) kotzschii** Draudt,1937 (Noctuidae) *kotzschii* Draudt,1937; *plumbescens* Kozhantischikov,1937
777. **Euxoa (s.str.) melanochoa** Varga,1990 (Noctuidae) *melanochoa* Varga,1990
778. **Euxoa (s.str.) murzini** Varga,1990 (Noctuidae) *murzini* Varga,1990
779. **Euxoa (s.str.) naumanni** Varga,1990 (Noctuidae) *naumanni* Varga,1990
780. **Euxoa (s.str.) ochrogaster** (Guenée,1852) (Noctuidae) *ochrogaster* Guenée,1852
781. **Euxoa (s.str.) perierga** Brandt,1938 (Noctuidae) *perierga* Brandt,1938
782. **Euxoa (s.str.) triumregium** Varga,1979 (Noctuidae) *triumregium* Varga,1979
783. **Euxoa (s.str.) vartianica** Boursin,1963 (Noctuidae) *vartianica* Boursin,1963
784. **Euxoa (s.str.) xanthophylla** Varga,1990 (Noctuidae) *xanthophylla* Varga,1990
785. **Evanina wiltshirei** (Boursin,1957) (Noctuidae) *wiltshirei* Boursin,1957
786. **Gnamptonyx innexa** (Walker,1858) (Noctuidae) *innexa* Walker,1858; *vilis* Walker,1865.
787. **Gnamptonyx vilis** (Walker,1865) (Noctuidae) *vilis* Walker,1865
788. **Gortyna cervago** Eversmann,1844 (Noctuidae) *cervago* Eversmann,1844; *#argillago* Draudt,1936.
789. **Grammodes stolidia** (Fabricius,1775) (Noctuidae) *stolidia* Fabricius,1775; *cingularis* Hübner,[1808]; *stipida* Herrich-Schäffer,1851; *curvilinea* Walker,1869.
790. **Graphantha (Dysgraphhadena) commoda** (Staudinger,1889) (Noctuidae) *indigna* auct. nec Chr.,1887; *commoda* Staudinger,1889; *manifesta* Christoph,1893; *idumaea* Püngeler,1902; *schlumbergeri* Püngeler,1905
791. **Hadena (Anepia) perplexa** ([Denis & Schiffermüller],1775) (Noctuidae) *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] nec Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850].
792. **Hadena (Enterpia) picturata** (Alpheraky,1882) (Noctuidae) *picturata* Alpheraky,1882

793. **Hadena (Klappericola) chrysocyanea** Boursin, 1961 (Noctuidae) *chrysocyanea* Boursin, 1961
794. **Hadena (Klappericola) klapperichi** Boursin, 1960 (Noctuidae) *klapperichi* Boursin, 1960
795. **Hadena (Maschukia) lypra** (Püngeler, 1904) (Noctuidae) *lypra* Püngeler, 1904
796. **Hadena (Pinkericola) macilenta** (Brandt, 1947) (Noctuidae) *macilenta* Brandt, 1947
797. **Hadena (s.str.(Albimaculia)) albimacula** (Borkhausen, 1792) (Noctuidae) *albimacula* Borkhausen, 1792; *concinna* Hübner, [1803]; *conserta* Hübner, [1820].
798. **Hadena (s.str.(Clarhadena)) pumicosa** Hacker, 1996 (Noctuidae) *pumicosa* Hacker, 1996
799. **Hadena (s.str.(Hadenilia)) wiltshirei** (Brandt, 1947) (Noctuidae) *wiltshirei* Brandt, 1947
800. **Hadena (s.str.(Hadenobilis)) aureomixta** (Draudt, 1934) (Noctuidae) *aureomixta* Draudt, 1934
801. **Hadena (s.str.(Hadenobilis)) canescens** (Brandt, 1947) (Noctuidae) *canescens* Brandt, 1947; *eberti* Boursin, 1961
802. **Hadena (s.str.(Hadenobilis)) hreblayi** Hacker, 1996 (Noctuidae) *hreblayi* Hacker, 1996
803. **Hadena (s.str.(Hadenobilis)) karagaia** (A.Bang-Haas, 1912) (Noctuidae) *karagaia* A.Bang-Haas, 1912
804. **Hadena (s.str.(Luteocincta)) difficilis** Hacker, 1996 (Noctuidae) *difficilis* Hacker, 1996
805. **Hadena (s.str.(Luteocincta)) ignicola** (Warren, 1910) (Noctuidae) *ignicola* Warren, 1910
806. **Hadena (s.str.(Miselia)) afghana** (Brandt, 1947) (Noctuidae) *afghana* Brandt, 1947
807. **Hadena (s.str.(Miselia)) naumanni** Hacker, 1996 (Noctuidae) *naumanni* Hacker, 1996
808. **Hadena (s.str.(Miselia)) sogdiana** Hacker, 1996 (Noctuidae) *sogdiana* Hacker, 1996
809. **Hadena (s.str.(Miselia)) thomasi** Hacker, 1996 (Noctuidae) *thomasi* Hacker, 1996
810. **Hadena (s.str.(Turkihadena)) bactriana** Hacker, 1996 (Noctuidae) *bactriana* Hacker, 1996
811. **Hadena (s.str.(Zeteolyga)) badakhshana** Hacker, 1996 (Noctuidae) *badakhshana* Hacker, 1996
812. **Haderonia lupa** (Christoph, 1893) (Noctuidae) *lupa* Christoph, 1893; *contempta* Püngeler, 1914.
813. **Hadula (Calocestra (Hadufurca)) farnhami** (Grote, 1873) (Noctuidae) *farnhami* Grote, 1873
814. **Hadula (Calocestra (Hadupugnax)) odontites** (Boisduval, 1829) (Noctuidae) *odontites* Boisduval, 1829; *microdon* Guenée, 1852; *dalmatina* Schwingenschuss, 1926; *asturica* Agenjo, 1941.
815. **Hadula (Calocestra (Hadutrifolium)) trifolii** (Hufnagel, 1766) (Noctuidae) *trifolii* Hufnagel, 1766; *chenopodii* [Denis & Schiffermüller], 1775; *verna* Esper, [1787]; *saucia* Esper, [1790]; *infraina* Haworth, 1809; *contribulis* Duponchel, 1827; *farkasii* Treitschke, 1835; *inquieta* Walker, 1857; *albifusa* Walker, 1857; *cinnamomina* Rothschild, 1913; *taylori* Rothschild, 1921
816. **Hadula (Calocestra (Stigmoma)) stigmoma** (Christoph, 1887) (Noctuidae) *stigmoma* Christoph, 1887.
817. **Hadula (Ptochicestra) ptochica** (Püngeler, 1900) (Noctuidae) *ptochica* Püngeler, 1900
818. **Hadula (s.str. (Habulorum)) sabulorum** (Alpheraky, 1882) (Noctuidae) *sabulorum* Alpheraky, 1882
819. **Hecatera spinaciae** (Vieweg, 1790) (Noctuidae) *#dysodea* [Denis & Schiffermüller], 1775; *spinaciae* Vieweg, 1790; *ornata* De Villers, 1789; *chrysozona* Borkhausen, 1792; *ranunculina* Haworth, 1809; *caduca* Herrich-Schäffer, [1851]; *innocens* Staudinger, 1871; *subflava* Warren, 1910.
820. **Helicoverpa armigera** (Hübner, [1808]) (Noctuidae) *barbara* Fabricius, 1794 [rejected]; *armigera* Hübner, [1808]; *pulverosa* Walker, [1857]; *uniformis* Wallengren, 1860; *rama* Bhattacherjee & Gupta, 1972.
821. **Heliocheilus confertissima** (Walker, 1865) (Noctuidae) *confertissima* Walker, 1865; *hyalosticta* Hampson, 1894; *perdentata* Hampson, 1903; *mekrana* Brandt, 1941; *designata* Brandt, 1941; *ennedica* Herbulot & Viette, 1952.
822. **Heliothis (Masalia) decorata** (Moore, 1881) (Noctuidae) *decorata* Moore, 1881
823. **Heliothis (Masalia) philbyi** (Brandt, 1941) (Noctuidae) *philbyi* Brandt, 1941; *nuristana* Boursin, 1960; *arabica* Boursin, 1960.
824. **Heliothis nubigera** Herrich-Schäffer, [1851] (Noctuidae) *nubigera* Herrich-Schäffer, [1851]; *perigeoides* Moore, 1881; *deserta* Sohn-Rethel, 1929; *minutier* Thurner, 1938.
825. **Heliothis peltigera** ([Denis & Schiffermüller], 1775) (Noctuidae) *peltigera* [Denis & Schiffermüller], 1775; *alpea* Cramer, 1780; *florentina* Esper, [1788]; *charmione* Stoll, 1790; *straminea* Donovan, 1793; *insulata* Navas, 1924.
826. **Heteropalpia vetusta** (Walker, 1865) (Noctuidae) *vetusta* Walker, 1865; *profesta* Christoph, 1887; *sacra* Staudinger, 1898
827. **Hiccodes dosaroides** Moore, 1881 (Noctuidae) *dosaroides* Moore, 1881
828. **Hoplodrina ambigua** ([Denis & Schiffermüller], 1775) (Noctuidae) *ambigua* [Denis & Schiffermüller], 1775; *plantaginis* Hübner, [1813]; *uniformis* Swinhoe, 1885
829. **Hypena assimilis** Hampson, 1891 (Noctuidae) *assimilis* Hampson, 1891
830. **Hypena klapperichi** Wiltshire, 1961 (Noctuidae) *klapperichi* Wiltshire, 1961 (proposed conditionally!)
831. **Hypena opulenta** (Christoph, 1877) (Noctuidae) *opulenta* Christoph, 1877
832. **Hypena palpalis** (Hübner, 1796) (Noctuidae) *palpalis* Hübner, 1796; *extensalis* Guenée, 1854; *armenialis* Staudinger, 1901.
833. **Hypena quadralis** (Walker, [1859]) (Noctuidae) *quadralis* Walker, [1859]; *mollis* Swinhoe, 1891
834. **Hypocala rostrata** (Fabricius, 1794) (Noctuidae) *rostrata* Fabricius, 1794; *angulipalpis* Guenée, 1852; *efflorescens* Guenée, 1852; *plumicornis* Guenée, 1852; *genuina* Wallengren, 1856; *bohemani* Wallengren, 1856.
835. **Hypsophila klapperichi** Boursin, 1957 (Noctuidae) *klapperichi* Boursin, 1957
836. **Lacanobia (Dianobia) dissimilis** (Knoch, 1781) (Noctuidae) *#suasa* [Denis & Schiffermüller], 1775; *dissimilis* Knoch, 1781; *leucographa* Esper, [1790]; *denscanis* Haworth, 1809; *permixta* Geyer, [1833]; *pavida* Boisduval, 1840; *confluens* Eversmann, 1844; *laeta* Reuter, 1893.
837. **Lacanobia (Diataraxia) praedita** (Hübner, [1813]) (Noctuidae) *praedita* Hübner, [1813]
838. **Lasionycta melanographa** Varga, 1973 (Noctuidae) *melanographa* Varga, 1973
839. **Lasionycta orientalis** (Alpheraky, 1882) (Noctuidae) *orientalis* Alpheraky, 1882; *uniformis* Staudinger, 1896.
840. **Leucania loreyi** (Duponchel, 1827) (Noctuidae) *loreyi* Duponchel, 1827; *caricis* Walker, 1856; *collecta* Walker, 1856; *curcula* Walker, 1856; *denotata* Walker, 1856; *designata* Walker, 1856; *exterior* Walker, 1856; *thoracica* Walker, 1856.
841. **Lophoterges (Variterges) radians** L.Ronkay, 2005 (Noctuidae) *radians* L.Ronkay, 2005
842. **Luperina koshantschikovi** (Püngeler, 1914) (Noctuidae) *koshantschikovi* Püngeler, 1914
843. **Lygephila cracca** (Fabricius, 1787) (Noctuidae) *#cracca* [Denis & Schiffermüller], 1775; *riata* Rungs, 1952; *cracca* Fabricius, 1787; *#cracca* Hacker & Kautt, 1999.
844. **Lygephila dorsigera** (Walker, 1865) (Noctuidae) *dorsigera* Walker, 1865; *cucullata* Moore, 1882; *orientalis* Butler, 1886
845. **Lygephila lusoria** (Linnaeus, 1758) (Noctuidae) *lusoria* Linnaeus, 1758
846. **Macdunnoughia confusa** (Stephens, 1850) (Noctuidae) *confusa* Stephens, 1850; *gutta* Guenée, 1852.
847. **Mamestra brassicae** (Linnaeus, 1758) (Noctuidae) *brassicae* Linnaeus, 1758; *omicron* Geoffroy, 1785; *albidilinea* Haworth, 1809; *andalusica* Staudinger, 1871; *decolorata* Staudinger, 1889.
848. **Margelana flavidior** Wagner, 1831 (Noctuidae) *flavidior* Wagner, 1831
849. **Meganola nanula** (Wiltshire, 1961) (Noctuidae) *nanula* Wiltshire, 1961
850. **Mesologia furuncula** ([Denis & Schiffermüller], 1775) (Noctuidae) *furuncula* [Denis & Schiffermüller], 1775; *spoliaticula* [Denis & Schiffermüller], 1775; *bicoloria* Villers, 1789; *vinctuncula* Hübner, [1803]; *humeralis* Haworth, 1809; *terminalis* Haworth, 1809; *rufuncula* Haworth, 1809
851. **Mesologia literosa** (Haworth, [1809]) (Noctuidae) *literosa* Haworth, [1809]; *erraticula* Hübner, [1813]; *faroulti* Rothschild, 1914; *powelli* Oberthür, 1918
852. **Mesoplus contrita** (Christoph, 1884) (Noctuidae) *contrita* Christoph, 1884
853. **Mesoplus pachyspila** Boursin, 1968 (Noctuidae) *pachyspila* Boursin, 1968
854. **Metachrostis sefidi** (Brandt, 1938) (Noctuidae) *sefidi* Brandt, 1938
855. **Metalopha liturata** (Christoph, 1887) (Noctuidae) *liturata* Christoph, 1887; *plusina* Staudinger, 1892.
856. **Metopodicha longicornis** Boursin, 1957 (Noctuidae) *longicornis* Boursin, 1957
857. **Metoponrhis karakumensis** (Gerasimov, 1931) (Noctuidae) *karakumensis* Gerasimov, 1931

- 858.** *Mniotype adusta* (Esper,[1790]) (Noctuidae) *adusta* Esper,[1790]; *duplex* Haworth,1809; *valida* Hübner,[1813]; *vultarina* Freyer,1832; *chardinyi* Duponchel,[1838]; *pavida* Boisduval,1840; *baltica* Hering,1846; *vulturinea* Herrich-Schäffer,[1850]; *vicina* Alpheraky,1882; *griseus* Standfuss,1893; *aterrima* Costantin.,1916; *carpathica* Kaucki
- 859.** *Mniotype aphanes* (Boursin,1960) (Noctuidae) *aphanes* Boursin,1960
- 860.** *Mythimna (Aletia) impura* (Hübner,[1808]) (Noctuidae) *impura* Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809.
- 861.** *Mythimna (Aletia) l-album* (Linnaeus,1767) (Noctuidae) *l-album* Linnaeus,1767; *penicillata* Moore,1881
- 862.** *Mythimna (Aletia) melania* (Staudinger,1889) (Noctuidae) *melania* Staudinger,1889
- 863.** *Mythimna (Aletia) vitellina* (Hübner,[1808]) (Noctuidae) *vitellina* Hübner,[1808]; *decolorata* Dannehl,1929; *saturation* Dannehl,1929; *griseus* Dannehl,1929.
- 864.** *Mythimna (Pseudaletia) unipuncta* (Haworth,[1809]) (Noctuidae) *unipuncta* Haworth,[1809]; *extranea* Guenée,1852; *antica* Walker,1856; *tseki* Koutsafitis,1974.
- 865.** *Neachroestia kasyi* Wiltshire,1971 (Noctuidae) *kasyi* Wiltshire,1971
- 866.** *Nekrasovia crassicornis* (Boursin,1960) (Noctuidae) *crassicornis* Boursin,1960
- 867.** *Nezonycha pusilla* (Püngeler,1900) (Noctuidae) *pusilla* Püngeler,1900
- 868.** *Noctua (s.str.) pronuba* (Linnaeus,1758) (Noctuidae) *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 *nec* Pies.,1908; *decolorata* Turati,1923.
- 869.** *Nola fraterna* (Moore,1888) (Noctuidae) *fraterna* Moore,1888
- 870.** *Nola kreuteli* (Vartian,1963) (Noctuidae) *kreuteli* Vartian,1963
- 871.** *Nola parwana* (Ebert,1973) (Noctuidae) *parwana* Ebert,1973
- 872.** *Nola squalida* Staudinger,1871 (Noctuidae) *squalida* Staudinger,1871; *musculalis* Saalmüller,1880; *turanica* Staudinger,1887; *fraterna* Moore,1888; *vanhasseltii* Heylaerts,1892; *ceylonica* Hampson,1893; *desmotes* Turner,1899; *parvula* Chrétien,1913; *mesoscia* Hampson,1914; *henriotti* Warnecke,1937; *minima* Warnecke,1938; *#squamosa* Zukowsky,1941; *priesneri* Rebel,1947
- 873.** *Nycteola asiatica* (Krulikovsky,1904) (Noctuidae) *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954.
- 874.** *Ochropleura plecta* (Linnaeus,1761) (Noctuidae) *plecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucomacula* Graeser,[1889]; *unuplecta* Bryk,1942.
- 875.** *Odontelia margiana* (Püngeler,1901) (Noctuidae) *margiana* Püngeler,1901
- 876.** *Odontelia regina* Varga & Ronkay,1991 (Noctuidae) *regina* Varga & Ronkay,1991
- 877.** *Oederemia octogesima* Boursin,1960 (Noctuidae) *octogesima* Boursin,1960
- 878.** *Oncocnemis asema* Boursin,1957 (Noctuidae) *asema* Boursin,1957
- 879.** *Oncocnemis beri* Gyulai & Hreblay,1992 (Noctuidae) *beri* Gyulai & Hreblay,1992
- 880.** *Oncocnemis mixtazona* Hreblay & L.Ronkay,1992 (Noctuidae) *mixtazona* Hreblay & L.Ronkay,1992
- 881.** *Oncocnemis penthina* Boursin,1963 (Noctuidae) *penthina* Boursin,1963
- 882.** *Oncocnemis rhodophaea* Ebert,1978 (Noctuidae) *rhodophaea* Ebert,1978
- 883.** *Oncocnemis senica* (Eversmann,1856) (Noctuidae) *senica* Eversmann,1856; *literata* Bremer,1864; *x-signata* Staudinger,1898; *boursini* Ronkay,1988.
- 884.** *Oncocnemis x-scripta* Sugi,1986 (Noctuidae) *x-scripta* Sugi,1986
- 885.** *Ophiusa tirhaca* (Cramer,[1777]) (Noctuidae) *tirhaca* Cramer,[1777]; *#tirrhaca* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978
- 886.** *Oria musculosa* (Hübner,[1808]) (Noctuidae) *musculosa* Hübner,[1808]; *laeta* Alpheraky,1889.
- 887.** *Orthosia (s.str.) reshoefti* Hreblay,1994 (Noctuidae) *reshoefti* Hreblay,1994
- 888.** *Ostheldera kondara* Varga & L.Ronkay,1991 (Noctuidae) *kondara* Varga & L.Ronkay,1991
- 889.** *Paectes subapicalis* (Walker,1857) (Noctuidae) *subapicalis* Walker,1857; *recurrens* Walker,1858
- 890.** *Pamirorea eberti* L.Ronkay & Varga,1990 (Noctuidae) *eberti* L.Ronkay & Varga,1990
- 891.** *Paraegle digramma* Boursin,1961 (Noctuidae) *digramma* Boursin,1961
- 892.** *Paraegle ochracea* (Erschoff,1874) (Noctuidae) *ochracea* Erschoff,1874
- 893.** *Parallelia algira* (Linnaeus,1767) (Noctuidae) *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] *nec* Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *europa* Schawerda,1912
- 894.** *Parallelia torrida* (Guenée,1852) (Noctuidae) *torrida* Guenée,1852; *#torrida* Hacker,[1987]
- 895.** *Parastichtis corticea* (Esper,[1800]) (Noctuidae) *#hypsilon* [Denis & Schiffermüller],1775; *ipsilon* Goetze,1781 *nec* Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828.
- 896.** *Parexarnis sollers* (Christoph,1877) (Noctuidae) *sollers* Christoph,1877
- 897.** *Pericyma albidentaria* (Freyer,1842) (Noctuidae) *albidentaria* Freyer,1842
- 898.** *Pericyma squalens* Lederer,1855 (Noctuidae) *squalens* Lederer,1855
- 899.** *Pericyma umbrina* (Guenée,1852) (Noctuidae) *umbrina* Guenée,1852; *albicincta* Guenée,1852; *hypophaea* Guenée,1852; *plumipes* Walker,1865; *continua* Walker,1865.
- 900.** *Perigrapha (Harutaegrapha) craspedophara* Boursin,1969 (Noctuidae) *craspedophara* Boursin,1969
- 901.** *Perigrapha (Harutaegrapha) saba* Hreblay & Plante,1996 (Noctuidae) *saba* Hreblay & Plante,1996
- 902.** *Perigrapha (s.str.) nyctotimia* Boursin,1969 (Noctuidae) *nyctotimia* Boursin,1969
- 903.** *Periphanes delphinii* (Linnaeus,1758) (Noctuidae) *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903.
- 904.** *Pinacoplus didymogramma* (Ershov,1874) (Noctuidae) *didymogramma* Ershov,1874
- 905.** *Pinacoplus eberti* Boursin,1968 (Noctuidae) *eberti* Boursin,1968
- 906.** *Plecoptera reflexa* Guenée,1852 (Noctuidae) *reflexa* Guenée,1852
- 907.** *Polymixis (Boursinixis) pamiridia* Boursin,1968 (Noctuidae) *pamiridia* Boursin,1968
- 908.** *Polymixis (Boursinixis) polymorpha* Boursin,1960 (Noctuidae) *polymorpha* Boursin,1960
- 909.** *Polymixis (Boursinixis) stictineura* Boursin,1960 (Noctuidae) *stictineura* Boursin,1960
- 910.** *Polymixis (Boursinixis) zophodes* Boursin,1960 (Noctuidae) *zophodes* Boursin,1960
- 911.** *Polymixis (Eremophysa) acharis* (Püngeler,1901) (Noctuidae) *acharis* Püngeler,1901; *intermissa* Boursin,1944.
- 912.** *Polymixis (Eremophysa) apothaina* (Brandt,1938) (Noctuidae) *apothaina* Brandt,1938
- 913.** *Polymixis (Eremophysa) argillosa* Boursin,1970 (Noctuidae) *argillosa* Boursin,1970
- 914.** *Polymixis (Eremophysa) roehrei* Boursin,1961 (Noctuidae) *roehrei* Boursin,1961
- 915.** *Polymixis (Parabrachionycha) trisignata* (Ménétriés,1847) (Noctuidae) *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924
- 916.** *Polyphaenis hemiphaenis* Boursin,1970 (Noctuidae) *hemiphaenis* Boursin,1970
- 917.** *Polypogon plumigeralis* (Hübner,[1825]) (Noctuidae) *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829.
- 918.** *Protoschinia scutosa* ([Denis & Schiffermüller],1775) (Noctuidae) *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878
- 919.** *Pseudochalcia inconspicua* (Graeser,1892) (Noctuidae) *inconspicua* Graeser,1892
- 920.** *Pseudohadena (s.str.) laciniosa* (Christoph,1887) (Noctuidae) *laciniosa* Christoph,1887
- 921.** *Pseudohadena (s.str.) megaptera* Boursin,1970 (Noctuidae) *megaptera* Boursin,1970
- 922.** *Pseudohadena (s.str.) siri* (Erschoff,1874) (Noctuidae) *siri* Erschoff,1874; *adscripta* Püngeler,1914.
- 923.** *Rhabinopteryx turanica* (Erschoff,1874) (Noctuidae) *turanica* Erschoff,1874
- 924.** *Rhyacia (s.str.) afghanidia* (Boursin,1968) (Noctuidae) *afghanidia* Boursin,1968
- 925.** *Rhyacia (s.str.) arenacea* (Hampson,1907) (Noctuidae) *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929.
- 926.** *Rhyacia (s.str.) evartianae* Varga,1990 (Noctuidae) *evartianae* Varga,1990

10 12 2007

927. **Rhyacia (s.str.) ignobilis** (Staudinger,1888) (Noctuidae) *ignobilis* Staudinger,1888; *thapsina* Püngeler,1906; *asella* Püngeler,1906.
928. **Rhyacia (s.str.) junonia** (Staudinger,1881) (Noctuidae) *junonia* Staudinger,1881; *alaina* Staudinger,1888
929. **Rhyacia (s.str.) oromys** Varga,1990 (Noctuidae) *oromys* Varga,1990
930. **Rhyacia (s.str.) oxytheca** Boursin,1957 (Noctuidae) *oxytheca* Boursin,1957
931. **Rhyacia (s.str.) scythropa** Boursin,1963 (Noctuidae) *scythropa* Boursin,1963
932. **Rhyacia (s.str.) subdecora** (Staudinger,1888) (Noctuidae) *subdecora* Staudinger,1888; *psammia* Püngeler,1906; *xanthopasta* Boursin,1957.
933. **Rhynchina abducalis** (Walker,[1859]) (Noctuidae) *abducalis* Walker,[1859]
934. **Saragossa siccanorum** (Staudinger,1870) (Noctuidae) *siccanorum* Staudinger,1870.
935. **Sesamia cretica** Lederer,1857 (Noctuidae) *cretica* Lederer,1857
936. **Sesamia inferens** (Walker,1856) (Noctuidae) *inferens* Walker,1856; *transquilaris* Butler,1880; *gracilis* Butler,1880; *innocens* Butler,1881.
937. **Sesamia rungsi** Boursin,1957 (Noctuidae) *rungs* Boursin,1957
938. **Setoctena dentula** (Lederer,1870) (Noctuidae) *dentula* Lederer,1870
939. **Sideridis (Conisania) xanthothrix** Boursin,1960 (Noctuidae) *xanthothrix* Boursin,1960
940. **Sideridis (Luteohadena) literata** (Fischer v. Waldheim,1840) (Noctuidae) *literata* Fischer v. Waldheim,1840; *suffusa* De Freina,1983.
941. **Simyra dentinosa** Freyer,1839 (Noctuidae) *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990
942. **Simyra nervosa** ([Denis & Schiffermüller],1775) (Noctuidae) *nervosa* [Denis & Schiffermüller],1775.
943. **Spaelotis deplorata** (Staudinger,1897) (Noctuidae) *deplorata* Staudinger,1897; *defuncta* Staudinger,1897; *spania* Püngeler,1906
944. **Spaelotis ravidia** ([Denis & Schiffermüller],1775) (Noctuidae) *ravidia* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933.
945. **Spaelotis restricta** Boursin,1968 (Noctuidae) *restricta* Boursin,1968
946. **Spaelotis scotopsis** Boursin,1963 (Noctuidae) *scotopsis* Boursin,1963
947. **Spodoptera cilium** (Guenée,1852) (Noctuidae) *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insulsa* Walker,1865; *impervia* Walker,1865; *retrahens* Walker,1870.
948. **Spodoptera exiguum** (Hübner,[1808]) (Noctuidae) *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* Warren,1914; *protector* De Laever,1985.
949. **Stenodrina eudiopsis** Boursin,1960 (Noctuidae) *eudiopsis* Boursin,1960
950. **Tracheophia hueberi** (Erschoff,1874) (Noctuidae) *hueberi* Erschoff,1874
951. **Tathorhynchus exsiccatus** (Lederer,1855) (Noctuidae) *exsiccata* Lederer,1855; *vinctalis* Walker,[1866]; *angustiorata* Grote,1882; *#exiccata* Wiltshire,1941; *greuteri* Koutsafikis,1973
952. **Thria robusta** Walker,[1858] (Noctuidae) *anysa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
953. **Thysanoplusia (Daubeiplusia) daubei** (Boisduval,1840) (Noctuidae) *daubei* Boisduval,1840; *ciliaris* Walker,1857.
954. **Thysanoplusia (s.str.) orichalcea** (Fabricius,1775) (Noctuidae) *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,[1813].
955. **Trichoplusia exquisita** (R.Felder & Rogenhofer,1874) (Noctuidae) *exquisita* R.Felder & Rogenhofer,1874
956. **Trichoplusia ni** (Hübner,[1803]) (Noctuidae) *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
957. **Tyta luctuosa** ([Denis & Schiffermüller],1775) (Noctuidae) *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 *nec* Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789
958. **Victrix (Rasihia) chloroxantha** (Boursin,1957) (Noctuidae) *chloroxantha* Boursin,1957
959. **Victrix (Rasihia) commixta** (Warren,1909) (Noctuidae) *commixta* Warren,1909
960. **Victrix (Rasihia) illustris** Varga & Ronkay,1991 (Noctuidae) *#illustris* Boursin,1969; *illustris* Varga & Ronkay,1991.
961. **Victrix (Rasihia) lichenodes** Boursin,1969 (Noctuidae) *lichenodes* Boursin,1969
962. **Victrix (s.str.) karsiana** Staudinger,1879 (Noctuidae) *karsiana* Staudinger,1879
963. **Xanthodes albago** (Fabricius,1794) (Noctuidae) *albago* Fabricius,1794; *malvae* Esper,[1796]; *stramen* Guenée,1852; *impurata* Walker,1857; *impellens* Walker,1858; *inefficiens* Walker,1858.
964. **Xenophysa agnostica** Varga,1990 (Noctuidae) *junctimacula* Staudinger,1901 *nec* Chr.,1887; *agnostica* Varga,1990 [in Hacker,1990; 89].
965. **Xenophysa argyrogramma** Varga,1985 (Noctuidae) *argyrogramma* Varga,1985
966. **Xenophysa boursini** Varga,1985 (Noctuidae) *boursini* Varga,1985
967. **Xenophysa junctimacula** (Christoph,1887) (Noctuidae) *junctimacula* Christoph,1887; *cacumena* Brandt,1938.
968. **Xenophysa monastica** Boursin,1969 (Noctuidae) *monastica* Boursin,1969
969. **Xenophysa naumanni** Varga,1989 (Noctuidae) *naumanni* Varga,1989
970. **Xenophysa paradoxa** Varga,1989 (Noctuidae) *paradoxa* Varga,1989
971. **Xenophysa poecilogramma** Varga,1985 (Noctuidae) *poecilogramma* Varga,1985
972. **Xenophysa xenogramma** Boursin,1969 (Noctuidae) *xenogramma* Boursin,1969
973. **Xestia (s.str.) palaestinensis** (Kalchberg,1898) (Noctuidae) *palaestinensis* Kalchberg,1898.
974. **Xylena exsoleta** (Linnaeus,1758) (Noctuidae) *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787
975. **Zekelita (Ravalita) amseli** Wiltshire,1961 (Noctuidae) *amseli* Wiltshire,1961
976. **Zekelita (Ravalita) ravalis** (Herrich-Schäffer,[1852]) (Noctuidae) *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 *nec* Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941.
977. **Zekelita (Rhynchodontodes) vartianae** Wiltshire,1971 (Noctuidae) *vartianae* Wiltshire,1971
978. **Zethes monotonus** Wiltshire,1969 (Noctuidae) *monotonus* Wiltshire,1969
979. **Cerura (s.str.) himalayana** Moore,1888 (Notodontidae) *himalayana* Moore,1888
980. **Cerura (s.str.) przewalskii** (Alpheraky,1882) (Notodontidae) *przewalskii* Alpheraky,1882
981. **Cerura (s.str.) vinula** (Linnaeus,1758) (Notodontidae) *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939
982. **Clostera anachoreta** (Fabricius,1787) (Notodontidae) *#anachoreta* [Denis & Schiffermüller],1775; *anachoreta* Fabricius,1787; *pallida* Staudinger,1887 *nec* Wlk.,1855; *albidior* Pfütze,1901; *erema* Bryk,1942; *lundquisti* Bryk,1942; *mahatma* Bryk,1949
983. **Clostera cupreata** Butler (Notodontidae) *cupreata* Butler
984. **Damata dicyma** Wiltshire,1958 (Notodontidae) *dicyma* Wiltshire,1958
985. **Furcula furcula** (Linnaeus,1761) (Notodontidae) *#furcula* Clerck,1759; *furcula* Linnaeus,1761; *salicis* Lamarck,1816; *nordlandica* Daniel,1965; *atlantica* Daniel,1965.
986. **Furcula petri** (Alpheraky,1882) (Notodontidae) *petri* Alpheraky,1882
987. **Micromelalopha undulata** (Hampson,1891) (Notodontidae) *undulata* Hampson,1891; *afghanus* Ebert,1968; *similis* Dierl,1978.
988. **Neoharpyia pulcherrima** Brandt,1938 (Notodontidae) *pulcherrima* Brandt,1938
989. **Stauropus berberisae** Moore,1888 (Notodontidae) *berberisae* Moore,1888; *limitaris* Ebert,1968
990. **Agonopterix babaella** Amsel,1972 (Oecophoridae) *babaella* Amsel,1972
991. **Agonopterix cuillerella** Amsel,1972 (Oecophoridae) *cuillerella* Amsel,1972
992. **Agonopterix panjaoella** Amsel,1972 (Oecophoridae) *panjaoella* Amsel,1972

10 12 2007

993. **Agonopterix rutana** (Fabricius,1794) (Oecophoridae) *rutana* Fabricius,1794; *syriaca* Caradja,1920.
994. **Agonopterix salangella** Amsel,1972 (Oecophoridae) *salangella* Amsel,1972
995. **Anchinia laurolella** Herrich-Schäffer,1854 (Oecophoridae) *laurolella* Herrich-Schäffer,1854
996. **Depressaria afghanella** Amsel,1972 (Oecophoridae) *afghanella* Amsel,1972
997. **Depressaria discipunctella** Herrich-Schäffer,1854 (Oecophoridae) *discipunctella* Herrich-Schäffer,1854
998. **Depressaria fuscovirgatella** Heinemann,1967 (Oecophoridae) *fuscovirgatella* Heinemann,1967; *pagmanella* Amsel,1972
999. **Depressaria macrotrichella** Rebel (Oecophoridae)
1000. **Depressaria pastinacella** (Duponchel,1838) (Oecophoridae) *pastinacella* Duponchel,1838
1001. **Exaeretia ledereri** (Zeller,1854) (Oecophoridae) *ledereri* Zeller,1854.
1002. **Martyrhilda fuscicostella** (Christoph,1887) (Oecophoridae) *fuscicostella* Christoph,1887
1003. **Pleurota bicostella** (Clerck,1759) (Oecophoridae) *bicostella* Clerck,1759; *bipunctella* Hübner,1793; *bicostatus* Fabricius,1798
1004. **Atrophaneura** (s.str. (Byasa)) *latreillei* (Donovan,1826) (Papilionidae) *latreillei* Donovan,1826; *minereus* Gray,1831.
1005. **Atrophaneura** (s.str. (Pachliopta)) *aristolochiae* (Fabricius,1775) (Papilionidae) *aristolochiae* Fabricius,1775; *diphilus* Esper,[1793]; *thoas* Swainson,1833.
1006. **Hypermnestra helios** (Nickerl,1846) (Papilionidae) *helios* Nickerl,1846; *maxima* Lang,1884; *persica* Neuburger,1900; *hyrcana* Sheljuzhko,1956.
1007. **Papilio** (s.str. (Alexanoria)) *alexanor* Esper,[1800] (Papilionidae) *polidamas* De Prunner,1787 nec Linnaeus,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983.
1008. **Papilio** (s.str.) *machaon* Linnaeus,1758 (Papilionidae) *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858.
1009. **Parnassius** (Driopa) *mnemosyne* (Linnaeus,1758) (Papilionidae) *mnemosyne* Linnaeus,1758
1010. **Parnassius** (Kailasius) *autocrator* Avinoff,1913 (Papilionidae) *autocrator* Avinoff,1913
1011. **Parnassius** (Kailasius) *charltonius* Gray,[1853] (Papilionidae) *charltonius* Gray,[1853]; *nmendica* Bryk,1912.
1012. **Parnassius** (Kailasius) *inopinatus* (Kotzsch,1940) (Papilionidae) *inopinatus* Kotzsch,1940
1013. **Parnassius** (Koramius) *delphius* (Eversmann,1843) (Papilionidae) *delphius* Eversmann,1843
1014. **Parnassius** (Koramius) *jacobsoni* Avinoff,1913 (Papilionidae) *jacobsoni* Avinov,1913
1015. **Parnassius** (Koramius) *staudingeri* A.Bang-Haas,1882 (Papilionidae) *staudingeri* A.Bang-Haas,1882
1016. **Parnassius** (Koramius) *stoliczkanus* C.Felder & R.Felder,[1865] (Papilionidae) *stoliczkanus* C.Felder & R.Felder,[1865]; *zanskarica* O.Bang-Haas,1934.
1017. **Parnassius** (s.str.) *actius* (Eversmann,1843) (Papilionidae) *actius* Eversmann,1843; *urumtschiensis* Verity,[1906]; *jacovlevi* Korb,1998.
1018. **Parnassius** (s.str.) *epaphus* Oberthür,1879 (Papilionidae) *epaphus* Oberthür,1879; *altynensis* Stichel,1907.
1019. **Parnassius** (s.str.) *honrathi* Staudinger,1882 (Papilionidae) *honrathi* Staudinger,1882
1020. **Parnassius** (s.str.) *infernalis* Staudinger,1886 (Papilionidae) *infernalis* Staudinger,1886; *pseudopatricius* Kreuzberg,1997
1021. **Parnassius** (s.str.) *jacquemontii* Boisduval,1836 (Papilionidae) *jacquemontii* Boisduval,1836
1022. **Parnassius** (s.str.) *tianschanicus* Oberthür,1879 (Papilionidae) *tianschanicus* Oberthür,1879; *discobolus* Staudinger,1881; *discobolus* Alpheraky,1881; *almaataensis* Bryk & Eisner,1935.
1023. **Priniceps** (s.str. (Achillides)) *polyctor* (Boisduval,[1836]) (Papilionidae) *polyctor* Boisduval,[1836]
1024. **Priniceps** (s.str. (s.str.)) *demoleus* (Linnaeus,1758) (Papilionidae) *demoleus* Linnaeus,1758; *erithonius* Cramer,[1782]; *epius* Fabricius,1793; *sthenelus* Macleay,1826; *demoleinus* Oberthür,1879; *pictus* Fruhstorfer,1898; *chryseis* Boulet & Le Cerf,1912; *flavosignatus* Heydemann,1954
1025. **Aporia** (Metaporia (Turanoporia)) *leucodice* (Eversmann,1843) (Pieridae) *leucodice* Eversmann,1843; *altensis* Heyne,1895; *morosevitshae* Sheljuzhko,1907.
1026. **Aporia** (s.str.) *crataegi* (Linnaeus,1758) (Pieridae) *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
1027. **Belenois aurota** (Fabricius,1793) (Pieridae) *mesentina* Cramer,[1780] nec Cr.,[1777]; *aurota* Fabricius,1793; *augusta* Olivier,1807; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *uranica* Sheljuzko,1908; *iris* Gauckler,1912; *sulphurea* Gauckler,1912; *pusillima* Strand,1915; *punctifera* Hulstaert,1924.
1028. **Catopsilia pomona** (Fabricius,1775) (Pieridae) *pomona* Fabricius,1775; *crocale* Cramer,[1775]; *jugurtha* Cramer,[1777]; *catilla* Cramer,1779; *hilaria* Stoll,1781; *lalaria* Herbst,1792; *alceone* Fabricius,1793; *titania* Fabricius,1798; *jugurthina* Godart,1819; *endeer* Boisduval,1832; *phlegus* Wallace,1867; *flava* Butler,1869; *heera* Swinhoe,1885; *flavescens* Fruhstorfer,1910; *latilimbata* Fruhstorfer,1910; *celebica* Fruhstorfer,1910; *ostentata* Fruhstorfer,1910; *micromalayana* Fruhstorfer,1910; *rivalis* Fruhstorfer,1910; *crocalina* Fruhstorfer,1910; *citronella* Fruhstorfer,1910; *nivescens* Fruhstorfer,1910; *perspicua* Fruhstorfer,1910; *serrata* Fruhstorfer,1910; *bidotata* Fruhstorfer,1910; *siscia* Fruhstorfer,1910; *dionysiades* Fruhstorfer,1910; *pura* Lindner,1924; *formosana* Sonan,1930
1029. **Catopsilia pyranthe** (Linnaeus,1758) (Pieridae) *pyranthe* Linnaeus,1758
1030. **Colias** (Eriocolias) *alpherakii* Staudinger,1882 (Pieridae) *alpherakii* Staudinger,1882; *leucophryna* Groum-Grshimailo,1893.
1031. **Colias** (Eriocolias) *cocandica* Erschoff,1874 (Pieridae) *cocandica* Erschoff,1874; *hybrida* Groum-Grshimailo,1893; *galba* Groum-Grshimailo,1893.
1032. **Colias** (Eriocolias) *fieldii* Ménétriés,1855 (Pieridae) *fieldii* Ménétriés,1855
1033. **Colias** (Eriocolias) *marcopolo* Groum-Grshimailo,1888 (Pieridae) *marcopolo* Groum-Grshimailo,1888; *diana* Schulte,1989.
1034. **Colias** (Eriocolias) *shahfuladi* Clench & Shoumatoff,1956 (Pieridae) *shahfuladi* Clench & Shoumatoff,1956; *christinae* Schulte,1989.
1035. **Colias** (Eriocolias) *wiskotti* Staudinger,1882 (Pieridae) *wiskotti* Staudinger,1882
1036. **Colias** (Neocolias) *erate* (Esper,[1805]) (Pieridae) *erate* Esper,[1805]; *afghana* O.Bang-Haas,1927
1037. **Colias** *poliographus* Motschulsky,1860 (Pieridae) *poliographus* Motschulsky,1860
1038. **Colotis** (s.str.) *faustus* (Olivier,[1804]) (Pieridae) *fausta* Olivier,[1804]; *faustina* Felder & Felder,[1865].
1039. **Delias** (belladonna-gr.) *belladonna* (Fabricius,1793) (Pieridae) *belladonna* Fabricius,1793
1040. **Euchloe** (s.str.) *ausonia* (Hübner,[1804]) (Pieridae) *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].
1041. **Ixias pyrene** (Linnaeus,1764) (Pieridae) *pyrene* Linnaeus,1764
1042. **Pieris** (Artogeia) *canidia* (Sparrman,1768) (Pieridae) *canidia* Sparrman,1768
1043. **Pieris** (Artogeia) *krueperi* Staudinger,1860 (Pieridae) *krueperi* Staudinger,1860
1044. **Pieris** (Artogeia) *rapae* (Linnaeus,1758) (Pieridae) *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929.
1045. **Pieris** (s.str.) *brassicae* (Linnaeus,1758) (Pieridae) *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *venata* Verity,1908; *cyniphia* Turati,1924.
1046. **Pontia callidice** (Hübner,[1800]) (Pieridae) *callidice* Hübner,[1800]; *callidice* Esper,[1803].
1047. **Pontia chloridice** (Hübner,[1813]) (Pieridae) *rusciae* Esper,[1784] nec *rusciae* Esper,[1783]; *chloridice* Hübner,[1813]; *aestuosa* Staudinger,1901; *albidice* Staudinger,1901 nec Oberthür,1881.
1048. **Pontia daplidice** (Linnaeus,1758) (Pieridae) *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940.
1049. **Zegris fausti** Christoph,1877 (Pieridae) *fausti* Christoph,1877; *decolorata* Verity,1908.
1050. **Sciopetris amseli** Sieder,1959 (Psychidae) *amseli* Sieder,1959
1051. **Urobarba longicauda** (W.Warren,1888) (Psychidae) *longicauda* W.Warren,1888
1052. **Agdistis** (Tamaristis) *ingens* Christoph,1887 (Pterophoridae) *ingens* Christoph,1887.
1053. **Agdistis** (Tamaristis) *tamaricis* (Zeller,1847) (Pterophoridae) *tamaricis* Zeller,1847; *bagdadiensis* Amsel,1949; *xinjiangsis* Qin & Zheng,1997.
1054. **Agdistis** (s.str.) *adactyla* (Hübner,[1819]) (Pterophoridae) *adactyla* Hübner,[1819]; *huebneri* Curtis,1834; *delphinensella* Bruand,1858; *shaanxisis* Qin & Zheng,1997.
1055. **Calyciphora sesamitis** (Meyrick,1905) (Pterophoridae) *sesamitis* Meyrick,1905
1056. **Capperia hellenica** Adamczewski,1951 (Pterophoridae) *hellenica* Adamczewski,1951

- 1057. Capperia salanga** Arenberger, 1995 (Pterophoridae) *salanga* Arenberger, 1995
- 1058. Capperia washbourni** Adamczewski, 1951 (Pterophoridae) *washbourni* Adamczewski, 1951
- 1059. Crombrughia distans** (Zeller, 1847) (Pterophoridae) *distans* Zeller, 1847; *distantidactyla* Bruand, 1858; *geodactylus* Fuchs, 1903; *lactucae* Fletcher, 1920; *clarisignis* Myerick, 1924; *buvati* Bigot & Picard, 1988; *pravieli* Bigot & Picard, 1989; *gibeauxi* Bigot et al., 1990; *supplementum* Gibeaux, 1997.
- 1060. Emmelina monodactyla** (Linnaeus, 1758) (Pterophoridae) *monodactyla* Linnaeus, 1758; *sibiricus* Caradja, 1920.
- 1061. Hellinsia chrysocomae** (Ragonot, 1875) (Pterophoridae) *chrysocomae* Ragonot, 1875; *bowesi* Whalley, 1960; *gozmanyi* Bigot, 1970.
- 1062. Hellinsia distincta** (Herrich-Schäffer, 1855) (Pterophoridae) *distincta* Herrich-Schäffer, 1855; *sibiricus* Caradja, 1921; *zermattensis* Müller-Rutz, 1930; *acutus* Yano, 1963.
- 1063. Hellinsia pectodactyla** (Staudinger, 1859) (Pterophoridae) *pectodactylus* Staudinger, 1859; *angustus* Walsingham, 1880; *stramineus* Walsingham, 1880; *melanoschisma* Walsingham, 1908.
- 1064. Merrifieldia alaica** (Caradja, 1920) (Pterophoridae) *alaica* Caradja, 1920
- 1065. Merrifieldia leucodactyla** ([Denis & Schiffermüller], 1775) (Pterophoridae) *#leucodactyla* [Denis & Schiffermüller], 1775; *theiodactyla* Hübner, [1825]; *wernickei* Wocke, 1897; *fitzi* Rebel, 1912; *flavella* Chrétien, 1923; *dryogramma* Meyrick, 1930.
- 1066. Merrifieldia malacodactyla** (Zeller, 1847) (Pterophoridae) *malacodactyla* Zeller, 1847; *meridionalis* Staudinger, 1880; *indocta* Meyrick, 1913; *subtilis* Caradja, 1920; *parca* Meyrick, 1921; *subcretosa* Meyrick, 1922; *phaeoschista* Meyrick, 1923; *luteodactyla* Turati, 1926; *rayatella* Amsel, 1959; *insularis* Bigot, 1961; *livadiensis* Zagulyaev & Filippova, 1976; *transdanubinus* Fazekas, 1986; *garrigae* Bigot & Picard, 1989; *moulinieri* Nel, 1991; *inopinata* Bigot, Nel & Picard, 1993
- 1067. Procapperia amira** Arenberger, 1988 (Pterophoridae) *amira* Arenberger, 1988
- 1068. Procapperia kuldschaensis** (Rebel, 1914) (Pterophoridae) *kuldschaensis* Rebel, 1914; *asiatica* Zagulyaev, 1986.
- 1069. Stangeia siceliota** (Zeller, 1847) (Pterophoridae) *siceliota* Zeller, 1847; *ononidis* Zeller, 1852; *ononydactyla* Bruand, 1858; *siceliotidactyla* Bruand, 1858.
- 1070. Tabulaephorus afghanus** (Arenberger, 1981) (Pterophoridae) *afghanus* Arenberger, 1981
- 1071. Tabulaephorus parthicus** (Lederer, 1870) (Pterophoridae) *parthicus* Lederer, 1870
- 1072. Tabulaephorus thomasi** Arenberger, 1993 (Pterophoridae) *thomasi* Arenberger, 1993
- 1073. Wheeleria kabuli** (Arenberger, 1981) (Pterophoridae) *kabuli* Arenberger, 1981
- 1074. Wheeleria parviflorella** (Arenberger, 1981) (Pterophoridae) *parviflorella* Arenberger, 1981
- 1075. Wheeleria sobeidae** (Arenberger, 1981) (Pterophoridae) *sobeidae* Arenberger, 1981
- 1076. Achyra nudalis** (Hübner, 1796) (Pyralidae) *nudalis* Hübner, 1796; *interpunctalis* Hübner, 1796; *unipunctalis* Duponchel, 1831; *bipunctalis* Duponchel, 1831; *pauciferalis* Walker, 1865; *nodalis* Gundlach, 1891; *ochromorpha* Lower, 1901
- 1077. Acanthis zacharias** Roesler, 1988 (Pyralidae) *zacharias* Roesler, 1988
- 1078. Aeschremon disparalis** Herrich-Schäffer, [1855] (Pyralidae) *disparalis* Herrich-Schäffer, [1855]; *#indistinctalis* Amsel, 1961
- 1079. Aglossa asiatica** Erschoff, 1871 (Pyralidae) *asiatica* Erschoff, 1871
- 1080. Aglossa pinguinalis** (Linnaeus, 1758) (Pyralidae) *pinguinalis* Linnaeus, 1758; *marmorella* Geoffroy, 1785; *marmoratella* Villers, 1789; *pinguiculatus* Haworth, 1809; *pinguinatus* Haworth, 1809; *guicciardii* Constantino, 1922
- 1081. Agriphila bleszynskiella** Amsel, 1961 (Pyralidae) *bleszynskiella* Amsel, 1961
- 1082. Agriphila deliella** (Hübner, [1813]) (Pyralidae) *deliella* Hübner, [1813]
- 1083. Agriphila impurella** (Hampson, 1896) (Pyralidae) *impurella* Hampson, 1896
- 1084. Amechedia pagmanella** Amsel, 1961 (Pyralidae) *pagmanella* Amsel, 1961
- 1085. Amechedia pascha** Roesler, 1989 (Pyralidae) *pascha* Roesler, 1989
- 1086. Analyta melanopolis** (Guenée, 1854) (Pyralidae) *melanopolis* Guenée, 1854; *auxialis* Swinhoe, 1886
- 1087. Ancylodes pallens** Ragonot, 1887 (Pyralidae) *pallens* Ragonot, 1887; *lactealis* Rothschild, 1915; *banghaasiella* Caradja, 1917; *#fuscella* Amsel, 1958.
- 1088. Ancylolomia bituberosella** Amsel, 1959 (Pyralidae) *bituberosella* Amsel, 1959; *#bituberosella* Bleszynski, 1965
- 1089. Ancylolomia indica** R. Felder & Rogenhofer, 1875 (Pyralidae) *indica* R. Felder & Rogenhofer, 1875
- 1090. Ancylolomia westwoodi** Zeller, 1863 (Pyralidae) *westwoodi* Zeller, 1863
- 1091. Ancylosis (Cabotia) fronticornella** Roesler, 1973 (Pyralidae) *fronticornella* Roesler, 1973
- 1092. Ancylosis (Cabotia) lacteicostella** (Ragonot, 1887) (Pyralidae) *lacteicostella* Ragonot, 1887; *fulvobasella* Ragonot, 1887; *aegyptiacella* Ragonot, 1901; *spatzi* Rothschild, 1915.
- 1093. Ancylosis (Cabotia) leucocephala** (Staudinger, 1879) (Pyralidae) *leucocephala* Staudinger, 1879
- 1094. Ancylosis (Cabotia) oblitella** (Zeller, 1848) (Pyralidae) *oblitella* Zeller, 1848; *homographis* Hampson, 1930; *ischnopsis* Meyrick, 1937; *major* Lucas, 1948; *ochraella* Lucas, 1948; *boitella* Lucas, 1950; *calaritalella* Amsel, 1951; *indistinctella* Lucas, 1955.
- 1095. Ancylosis (Heterographis) albicosta** (Staudinger, 1870) (Pyralidae) *albicosta* Staudinger, 1870; *delimitella* Ragonot, 1887; *niveicostella* Ragonot, 1901.
- 1096. Ancylosis (Heterographis) candidatella** (Lederer, 1858) (Pyralidae) *candidatella* Lederer, 1858; *fathmella* Oberthür, 1888; *tenuigranella* Ragonot, 1890.
- 1097. Ancylosis (Heterographis) canella** Roesler, 1973 (Pyralidae) *canella* Roesler, 1973
- 1098. Ancylosis (Heterographis) convexella** (Lederer, 1855) (Pyralidae) *convexella* Lederer, 1855; *albiciella* Staudinger, 1859; *favorinella* Zeller, 1867
- 1099. Ancylosis (Heterographis) costistrigella** (Ragonot, 1890) (Pyralidae) *costistrigella* Ragonot, 1890
- 1100. Ancylosis (Heterographis) faustinella** (Zeller, 1867) (Pyralidae) *faustinella* Zeller, 1867; *staudingeri* Christoph, 1877; *rubripictella* Hampson, 1896; *thalerella* Mabille, 1908; *variabilis* Rothschild, 1915; *airensis* Rothschild, 1921; *bilineella* Amsel, 1935; *damascenella* Amsel, 1952.
- 1101. Ancylosis (Heterographis) gracilella** Ragonot, 1887 (Pyralidae) *gracilella* Ragonot, 1887; *subcandidatella* Ragonot, 1887; *monostictella* Ragonot, 1887; *casella* Chrétien, 1910; *lybistina* Turati, 1924; *dowsoniella* Richards & Thomson, 1932.
- 1102. Ancylosis (Heterographis) harmoniella** (Ragonot, 1887) (Pyralidae) *harmoniella* Ragonot, 1887; *ochrotaeniella* Ragonot, 1887; *fulminantella* Turati, 1922; *rosalbella* Turati, 1930; *diffusella* Turati, 1930; *incanella* Turati, 1930.
- 1103. Ancylosis (Heterographis) hellenica** (Staudinger, 1870) (Pyralidae) *hellenica* Staudinger, 1870; *deliciosella* Caradja, 1910.
- 1104. Ancylosis (Heterographis) kazerunella** Roesler, 1973 (Pyralidae) *kazerunella* Roesler, 1973
- 1105. Ancylosis (Heterographis) muliebris** (Meyrick, 1937) (Pyralidae) *muliebris* Meyrick, 1937; *macedonica* Schawerda, 1937.
- 1106. Ancylosis (Heterographis) nubeculella** (Ragonot, 1887) (Pyralidae) *nubeculella* Ragonot, 1887
- 1107. Ancylosis (Heterographis) pallida** (Staudinger, 1870) (Pyralidae) *pallida* Staudinger, 1870
- 1108. Ancylosis (Heterographis) plumbatella** (Ragonot, 1888) (Pyralidae) *plumbatella* Ragonot, 1888
- 1109. Ancylosis (Heterographis) pyrethrella** (Herrich-Schäffer, 1860) (Pyralidae) *pyrethrella* Herrich-Schäffer, 1860; *strictella* Mann, 1861; *ignibasella* Ragonot, 1887; *inflammata* Ragonot, 1901; *trilineata* Amsel, 1961.
- 1110. Ancylosis (Heterographis) rhodochrella** (Herrich-Schäffer, 1855) (Pyralidae) *rhodochrella* Herrich-Schäffer, 1855; *delicatella* Möschler, 1860; *ciliatella* Zeller, 1872; *lucida* Warren, 1888; *microstictella* Hampson, 1903; *ciliella* Amsel, 1961.
- 1111. Ancylosis (Heterographis) roscidella** (Eversmann, 1844) (Pyralidae) *roscidella* Eversmann, 1844; *cinerella* Stainton, 1859; *ephedrella* Herrich-Schäffer, 1860; *neglectella* Heinemann, 1864; *blandella* Ragonot, 1887; *zobrella* Oberthür, 1888; *carnea* Warren, 1888; *barteleva* Caradja, 1910; *benderella* Amsel, 1961.
- 1112. Ancylosis (Heterographis) sabulosella** (Staudinger, 1879) (Pyralidae) *sabulosella* Staudinger, 1879; *decolorella* Ragonot, 1901.
- 1113. Ancylosis (Heterographis) samaritanella** (Zeller, 1867) (Pyralidae) *samaritanella* Zeller, 1867; *urbicella* Erschoff, 1874; *biligulella* Ragonot, 1887; *flavescentella* Chrétien, 1910; *diminutella* Chrétien, 1910; *cinnamomeifascia* Rothschild, 1915; *lacroixella* Lucas, 1939; *brevipalpella* Amsel, 1954.
- 1114. Ancylosis (Heterographis) smeczella** Roesler, 1973 (Pyralidae) *smeczella* Roesler, 1973
- 1115. Ancylosis (Heterographis) syrtella** (Ragonot, 1887) (Pyralidae) *syrtella* Ragonot, 1887; *costalbella* Amsel, 1954.

- 1116. Ancylosis (Heterographis) xylinella (Staudinger,1870)** (Pyrilidae) *xylinella* Staudinger,1870; *sablonella* Rothschild,1915; *molochinella* Zerny,1929.
- 1117. Ancylosis (Syria) ancylorella Roesler,1973** (Pyrilidae) *ancylorella* Roesler,1973
- 1118. Ancylosis (Syria) limoniella (Chrétien,1911)** (Pyrilidae) *limoniella* Chrétien,1911; *eremita* Gozmany,1951.
- 1119. Ancylosis (Syria) transcaspica (Amsel,1955)** (Pyrilidae) *transcaspica* Amsel,1955
- 1120. Ancylosis (s.str.) cinnamomella (Duponchel,1836)** (Pyrilidae) *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924.
- 1121. Ancylosis (s.str.) dryadella (Ragonot,1887)** (Pyrilidae) *dryadella* Ragonot,1887; *sefidella* Amsel,1951.
- 1122. Ancylosis (s.str.) dumetella (Ragonot,1887)** (Pyrilidae) *dumetella* Ragonot,1887; *albinotella* Ragonot,1887; *alvandella* Amsel,1961.
- 1123. Ancylosis (s.str.) maculifera Staudinger,1870** (Pyrilidae) *maculifera* Staudinger,1870; *ifraneella* Lucas,1954.
- 1124. Ancylosis (s.str.) ochricostella Ragonot,1887** (Pyrilidae) *ochricostella* Ragonot,1887
- 1125. Ancylosis (s.str.) sareptella (Herrich-Schäffer,1860)** (Pyrilidae) *sareptella* Herrich-Schäffer,1860; *barbella* Lederer,1863.
- 1126. Ancylosis (s.str.) turaniella Ragonot,1887** (Pyrilidae) *turaniella* Ragonot,1887
- 1127. Anerastia kafiella Hartig,1937** (Pyrilidae) *kafiella* Hartig,1937
- 1128. Anthophilopsis baphialis (Staudinger,1870)** (Pyrilidae) *baphialis* Staudinger,1870; *#baphiale* Caradja,1917.
- 1129. Anthophilopsis moeschleri (Christoph,1862)** (Pyrilidae) *moeschleri* Christoph,1862
- 1130. Anthophilopsis uniforma Amsel** (Pyrilidae) *uniforma* Amsel
- 1131. Antigastra catalaunalis (Duponchel,1833)** (Pyrilidae) *catalaunalis* Duponchel,1833; *venosalis* Walker,[1866]; *#sionensis* Caradja,1929
- 1132. Aporodes floralis (Hübner,[1809])** (Pyrilidae) *floralis* Hübner,[1809]; *grisealis* Caradja,1917.
- 1133. Archiephestia adpiscinella (Chrétien,1911)** (Pyrilidae) *adpiscinella* Chrétien,1911; *pholeacola* Dumont,1932; *menonoma* Schmidt,1934; *murciella* Amsel,1955
- 1134. Arsissa afghana (Hartig,1937)** (Pyrilidae) *afghana* Hartig,1937; *dimorphella* Amsel,1970.
- 1135. Arsissa miridella (Ragonot,1893)** (Pyrilidae) *miridella* Ragonot,1893; *pallorella* Amsel,1961; *#incertella* Amsel,1970.
- 1136. Arsissa ramosella (Herrich-Schäffer,[1855])** (Pyrilidae) *ramosella* Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939.
- 1137. Asalebria (Exophora) rascala Roesler,1988** (Pyrilidae) *rascala* Roesler,1988
- 1138. Asalebria (Exophora) tutulla Roesler,1988** (Pyrilidae) *tutulla* Roesler,1988
- 1139. Asarta kotschi Hartig,1937** (Pyrilidae) *kotschi* Hartig,1937
- 1140. Autocharis sarobialis Amsel,1970** (Pyrilidae) *sarobialis* Amsel,1970
- 1141. Auxacia bilineella (Ragonot,1887)** (Pyrilidae) *bilineella* Ragonot,1887
- 1142. Bazaria kuranella (Amsel,1970)** (Pyrilidae) *kuranella* Amsel,1970
- 1143. Bazaria pempeliella Ragonot,1893** (Pyrilidae) *pempeliella* Ragonot,1893; *ochriplaga* Rebel,1909; *djiroftella* Amsel,1959; *afghanella* Amsel,1970
- 1144. Bazaria polichomriella (Amsel,1970)** (Pyrilidae) *polichomriella* Amsel,1970
- 1145. Bazaria sieversi (Christoph,1877)** (Pyrilidae) *sieversi* Christoph,1877
- 1146. Boreophila badakschanalis Amsel,1970** (Pyrilidae) *badakschanalis* Amsel,1970
- 1147. Cadra amselella Roesler,1965** (Pyrilidae) *amselella* Roesler,1965
- 1148. Cadra cautella (Walker,1863)** (Pyrilidae) *cautella* Walker,1863; *defectella* Walker,1864; *desuetella* Walker,1866; *passulella* Barrett,1875; *formosella* Wileman & South,1918; *rotundatella* Turati,1930; *pelopis* Turner,1947; *irakella* Amsel,1959
- 1149. Cadra delattinella Roesler,1965** (Pyrilidae) *delattinella* Roesler,1965
- 1150. Cadra figulilella (Gregson,1871)** (Pyrilidae) *figulilella* Gregson,1871; *milleri* Zeller,1876; *gypsella* Ragonot,1887; *venosella* Turati,1926; *ernestinella* Turati,1927; *#halfaella* Roesler,1965.
- 1151. Cadra furcatella (Herrich-Schäffer,[1849])** (Pyrilidae) *furcatella* Herrich-Schäffer,[1849]
- 1152. Calamotropha paludella (Hübner,[1824])** (Pyrilidae) *paludella* Hübner,[1824]; *obtusellus* Stainton,1856; *paramatellus* Meyrick,1879; *carphurus* Hampson,1898; *nivellus* Rebel,1914; *calamosus* Hampson,1919; *durandi* Lucas,1931; *typhivorus* Meyrick,1932; *#digitatus* Osthelder,1937; *afghanistanica* Bleszynski,1959.
- 1153. Cataonia erubescens (Christoph,1877)** (Pyrilidae) *erubescens* Christoph,1877; *monocerialis* Ragonot,1891.
- 1154. Chilo infuscatellus Snellen,1891** (Pyrilidae) *infuscatellus* Snellen,1891; *sticticrasis* Hampson,1919; *coniorta* Hampson,1919; *calamina* Hampson,1919; *shariinensis* Eguchi,1933; *tadzhikiellus* Gerasimov,1949.
- 1155. Chilo luteellus (Motschulsky,1866)** (Pyrilidae) *lutellus* Motschulsky,1866 nec [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941.
- 1156. Chilo partellus (Swinhoe,1885)** (Pyrilidae) *zonellus* Swinhoe,1884 nec Zeller,1847; *partellus* Swinhoe,1885; *lutulentalis* Tams,1932
- 1157. Chrysocrambus syriellus (Zerny,1934)** (Pyrilidae) *syriellus* Zerny,1934
- 1158. Cornifrons ulceratalis Lederer,1858** (Pyrilidae) *ulceratalis* Lederer,1858; *seriziatialis* Oberthür,1876
- 1159. Crambixen zarathustra Bleszynski,1965** (Pyrilidae) *zarathustra* Bleszynski,1965
- 1160. Crambus perlellus (Scopoli,1763)** (Pyrilidae) *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849.
- 1161. Cyalomia fractilinealis (Christoph,1873)** (Pyrilidae) *fractilinealis* Christoph,1873
- 1162. Cynaeda gigantea (Wocke,1871)** (Pyrilidae) *gigantea* Wocke,1871
- 1163. Dentifovea fulvifascialis (Christoph,1887)** (Pyrilidae) *fulvifascialis* Christoph,1887
- 1164. Dentitogamia afghanella Amsel,1970** (Pyrilidae) *afghanella* Amsel,1970
- 1165. Diaphania indica (Saunders,1851)** (Pyrilidae) *indica* Saunders,1851; *capensis* Zeller,1852; *gazorialis* Guenée,1854; *zygaenalis* Guenée,1854; *curcubitalis* Guenée,1862; *intermedialis* Dognin,1904.
- 1166. Dilacinia badialis Amsel,1961** (Pyrilidae) *badialis* Amsel,1961
- 1167. Dolicharthria bruguieralis (Duponchel,1833)** (Pyrilidae) *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *similalis* Rothschild,1915
- 1168. Dolicharthria punctalis ([Denis & Schiffermüller],1775)** (Pyrilidae) *punctalis* [Denis & Schiffermüller],1775
- 1169. Duponchelia fovealis (Zeller,1847)** (Pyrilidae) *fovealis* Zeller,1847; *canuialis* Millière,1869; *griseata* Butler,1875; *uniflexalis* Mabilille,1880
- 1170. Duzulla subhyalinalis (Hampson,1900)** (Pyrilidae) *subhyalinalis* Hampson,1900
- 1171. Ecbatania steineri (Amsel,1970)** (Pyrilidae) *steineri* Amsel,1970
- 1172. Ecpyrrhorhoe diffusalis (Guenée,1854)** (Pyrilidae) *diffusalis* Guenée,1854; *tenuialis* Mann,1862.
- 1173. Elethya minerva Bleszynski,1965** (Pyrilidae) *minerva* Bleszynski,1965
- 1174. Emprepes russulalis (Christoph,1877)** (Pyrilidae) *russulalis* Christoph,1877; *baryscia* Meyrick,1937
- 1175. Epascestria pustulalis (Hübner,[1823])** (Pyrilidae) *pustulalis* Hübner,[1823]; *orientalis* Caradja,1917.
- 1176. Ephelis ? robustalis Amsel,1970** (Pyrilidae) *#robustalis* Amsel,1970
- 1177. Ephelis cruentalis (Geyer,[1832])** (Pyrilidae) *cruentalis* Geyer,[1832]
- 1178. Ephestia (Anagasta) abnormalella (Ragonot,1887)** (Pyrilidae) *abnormalella* Ragonot,1887; *aliphitopsis* Meyrick,1937.
- 1179. Ephestia (Anagasta) gilvella Roesler,1970** (Pyrilidae) *gilvella* Roesler,1970
- 1180. Ephestia (Anagasta) kuehniella Zeller,1879** (Pyrilidae) *kuehniella* Zeller,1879; *fuscofasciella* Ragonot,1887; *gitoniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kuehniella* Hutacharern & Tubtim,1995
- 1181. Ephestia (s.str.) elutella (Hübner,1796)** (Pyrilidae) *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumata* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965

10 12 2007

- 1182. Ephestia (s.str.) parasitella** Staudinger, 1859 (Pyrilidae) *parasitella* Staudinger, 1859; *bimaculella* Lucas, 1955.
- 1183. Epimetasia gregori** Amsel, 1970 (Pyrilidae) *gregori* Amsel, 1970
- 1184. Epiparthia constituta** Roesler, 1989 (Pyrilidae) *constituta* Roesler, 1989.
- 1185. Epizonora speciosalis** (Christoph, 1885) (Pyrilidae) *speciosalis* Christoph, 1885
- 1186. Etiella zinckenella** (Treitschke, 1832) (Pyrilidae) *marginella* Fabricius, 1781 nec Den. & Schiff., 1775; *zinckenella* Treitschke, 1832; *etiella* Treitschke, 1835; *majorellus* Costa, 1836; *colonnellus* Costa, 1836; *dymnusalis* Walker, 1859; *heraldella* Guenée, 1862; *anticalis* Walker, 1863; *indicatalis* Walker, 1863; *hastiferella* Walker, 1866; *decipiens* Staudinger, 1870; *spartiella* Rondani, 1876; *sabulinus* Butler, 1879; *madagascariensis* Saalmüller, 1880; *schisticolor* Zeller, 1881; *villosella* Hulst, 1887; *rubribasella* Hulst, 1890; *etiella* Pinhey, 1975.
- 1187. Eucampyla dealbatella** (Erschoff, 1874) (Pyrilidae) *dealbatella* Erschoff, 1874; *staminella* Christoph, 1877; *nervulata* Turati, 1926; *kerbelella* Amsel, 1949; *gigantella* Roesler, 1965.
- 1188. Euchromius cambridgei** (Zeller, 1867) (Pyrilidae) *cambridgei* Zeller, 1867; *luciella* Chrétien, 1907; *prototypa* Meyrick, 1935; *congruentella* Amsel, 1958; *szijartoi* Gozmany, 1959; *ilkui* Gozmany, 1959.
- 1189. Euchromius jaxartellus** (Erschoff, 1874) (Pyrilidae) *jaxartella* Erschoff, 1874
- 1190. Euchromius keredjellus** (Amsel, 1949) (Pyrilidae) *keredjella* Amsel, 1949
- 1191. Euchromius ocellus** (Haworth, [1811]) (Pyrilidae) *ocellea* Haworth, [1811]; *cyrilli* Costa, 1832; *fumiculella* Treitschke, 1832; *texana* Robinson, 1870; *gigantea* Turati, 1924; *quadrii* Ahmad, Zaidi & Kamaluddin, 1982
- 1192. Euchromius rayatellus** (Amsel, 1949) (Pyrilidae) *rayatella* Amsel, 1949
- 1193. Euchromius scobiola** Bleszynski, 1965 (Pyrilidae) *scobiola* Bleszynski, 1965
- 1194. Euchromius vinculellus** (Zeller, 1847) (Pyrilidae) *vinculellus* Zeller, 1847; *corsicalis* Hampson, 1919; *joiceyella* Schmidt, 1934; *bahrutella* Amsel, 1949.
- 1195. Euclasta (Proteuclasta) mirabilis** Amsel, 1949 (Pyrilidae) *mirabilis* Amsel, 1949
- 1196. Euclasta (s.str.) defamatalis** (Walker, 1859) (Pyrilidae) *defamatalis* Walker, 1859
- 1197. Eurhodope (Eurhobasis) cinerea** (Staudinger, 1879) (Pyrilidae) *cinerea* Staudinger, 1879
- 1198. Euzophera (Quadremipista) ultimella** Roesler, 1973 (Pyrilidae) *ultimella* Roesler, 1973
- 1199. Euzophera (s.str.) albicostalis** Hampson, 1903 (Pyrilidae) *albicostalis* Hampson, 1903; *albicostalis* Amsel, 1949; *#albocostalis* Wiltshire, 1957
- 1200. Euzophera (s.str.) alpherakyella** Ragonot, 1887 (Pyrilidae) *alpherakyella* Ragonot, 1887
- 1201. Euzophera (s.str.) bigella** (Zeller, 1848) (Pyrilidae) *bigella* Zeller, 1848; *stenoptycha* Herrich-Schäffer, 1855; *bisinuella* Ragonot, 1887; *punicaeella* Moore, 1891; *immundella* Ragonot, 1901; *angulella* Chrétien, 1922; *renulella* Constantini, 1922
- 1202. Euzophera (s.str.) costivittella** Ragonot, 1887 (Pyrilidae) *costivittella* Ragonot, 1887
- 1203. Euzophera (s.str.) empistocles** Roesler, 1969 (Pyrilidae) *empistocles* Roesler, 1969
- 1204. Euzophera (s.str.) empistocles** Roesler, 1969 (Pyrilidae) *empistocles* Roesler, 1969
- 1205. Euzophera (s.str.) formosella** (Rebel, 1910) (Pyrilidae) *formosella* Rebel, 1910
- 1206. Euzophera (s.str.) kabulella** Roesler, 1973 (Pyrilidae) *kabulella* Roesler, 1973
- 1207. Euzophera (s.str.) lactiflora** Meyrick, 1937 (Pyrilidae) *lactiflora* Meyrick, 1937
- 1208. Euzophera (s.str.) paghmanicola** Roesler, 1973 (Pyrilidae) *paghmanicola* Roesler, 1973
- 1209. Euzophera (s.str.) turdella** Roesler, 1973 (Pyrilidae) *turdella* Roesler, 1973
- 1210. Euzopherodes lutsignella** (Mann, 1869) (Pyrilidae) *lutsignella* Mann, 1869; *leonhardi* Rebel, 1910; *scipionella* Turati, 1924; *battella* Turati, 1924.
- 1211. Evergestis bamianalis** Amsel, 1970 (Pyrilidae) *bamianalis* Amsel, 1970
- 1212. Evergestis caesialis** Herrich-Schäffer, [1855] (Pyrilidae) *caesialis* Herrich-Schäffer, [1855]
- 1213. Evergestis desertalis** (Hübner, [1813]) (Pyrilidae) *desertalis* Hübner, [1813]; *avicennae* Tams, 1925.
- 1214. Evergestis forficalis** (Linnaeus, 1758) (Pyrilidae) *forficalis* Linnaeus, 1758; *trivialis* Scopoli, 1763; *forficatus* Fabricius, 1798; *sodalis* Butler, 1878
- 1215. Evergestis grummi** (Christoph, 1885) (Pyrilidae) *grummi* Christoph, 1885; *paragrummi* Amsel, 1951
- 1216. Evergestis hazara** Amsel, 1970 (Pyrilidae) *hazara* Amsel, 1970
- 1217. Evergestis hyrcanalis** Amsel, 1961 (Pyrilidae) *hyrcanalis* Amsel, 1961
- 1218. Evergestis obsoletalis** Filipjev, 1931 (Pyrilidae) *obsoletalis* Filipjev, 1931
- 1219. Evergestis obsoletalis afghanalis** Amsel, 1970 (Pyrilidae) *afghanalis* Amsel, 1970
- 1220. Evergestis paghmanalis** Amsel, 1970 (Pyrilidae) *paghmanalis* Amsel, 1970
- 1221. Evergestis russulatalis** (Hampson, 1900) (Pyrilidae) *russulatalis* Hampson, 1900
- 1222. Evergestis spiniferalis** (Staudinger, [1900]) (Pyrilidae) *spiniferalis* Staudinger, [1900]
- 1223. Evergestis vagabundalis** (Christoph, 1887) (Pyrilidae) *vagabundalis* Christoph, 1887
- 1224. Glaucocharis bilinealis** (Amsel, 1961) (Pyrilidae) *bilinealis* Amsel, 1961
- 1225. Gymnancyla (Dentinodia) craticulella** (Ragonot, 1887) (Pyrilidae) *craticulella* Ragonot, 1887; *erschoffi* Ragonot, 1887.
- 1226. Haritalodes derogata** (Fabricius, 1775) (Pyrilidae) *derogata* Fabricius, 1775; *multilinealis* Guenée, 1854; *salomealis* Walker, 1859; *otysalis* Walker, 1859; *basipunctalis* Bremer, 1864; *anuligeralis* Walker, [1866]; *obliquialis* Lucas, 1898
- 1227. Heliothela ophideresana** (Walker, 1863) (Pyrilidae) *ophideresana* Walker, 1863; *pusilla* Butler, 1889; *kruegeri* Turati, 1926
- 1228. Hellula ablactalis** (Walker, 1859) (Pyrilidae) *ablactalis* Walker, 1859
- 1229. Hellula afghanalis** (Amsel, 1970) (Pyrilidae) *afghanalis* Amsel, 1970
- 1230. Hellula khorassanalis** (Amsel, 1950) (Pyrilidae) *khorassanalis* Amsel, 1950
- 1231. Hellula paghmanalis** (Amsel, 1970) (Pyrilidae) *paghmanalis* Amsel, 1970
- 1232. Hellula praeufvalis** (Amsel, 1970) (Pyrilidae) *praeufvalis* Amsel, 1970
- 1233. Hellula undalis** (Fabricius, 1781) (Pyrilidae) *undalis* Fabricius, 1781; *lunulalis* Costa, 1836; *alconalis* Walker, 1859; *exemptalis* Walker, [1866]; *geyri* Rothschild, 1915; *occidentalis* De Joannis, 1930; *reniculus* Pajni & Rose, 1977
- 1234. Herpetogramma licarsisalis** (Walker, 1859) (Pyrilidae) *licarsisalis* Walker, 1859; *pharaxalis* Walker, 1859; *immundalis* Walker, [1866]; *fumidalis* Walker, [1866]; *serotinalis* Joannis, 1889
- 1235. Homoeosoma (s.str.) calcellum** Ragonot, 1887 (Pyrilidae) *calcella* Ragonot, 1887
- 1236. Homoeosoma (s.str.) candefactum** Ragonot, 1887 (Pyrilidae) *candefactum* Ragonot, 1887
- 1237. Homoeosoma (s.str.) capsitanellum** Chrétien, 1911 (Pyrilidae) *capsitanellum* Chrétien, 1911; *eminentella* Turati, 1924; *litorella* Amsel, 1935
- 1238. Homoeosoma (s.str.) inustellum** Ragonot, 1884 (Pyrilidae) *inustella* Ragonot, 1884; *compsitella* Rebel, 1914.
- 1239. Homoeosoma (s.str.) obatricostellum** Ragonot, 1887 (Pyrilidae) *obatricostellum* Ragonot, 1887
- 1240. Homoeosoma (s.str.) sinuellum** (Fabricius, 1794) (Pyrilidae) *sinuella* Fabricius, 1794; *sinuatus* Fabricius, 1794; *elongella* Hübner, [1813]; *gemina* Haworth, 1811; *flavella* Duponchel, 1836; *gioferella* Turati, 1934.
- 1241. Homoeosoma (s.str.) subalbatellum** (Mann, 1864) (Pyrilidae) *subalbatella* Mann, 1864
- 1242. Hypargyria metalliferella** Ragonot, 1888 (Pyrilidae) *metalliferella* Ragonot, 1888; *#metalliferella* Pinhey, 1975
- 1243. Hypodaria myelosisformis** (Hartig, 1937) (Pyrilidae) *myelosisformis* Hartig, 1937; *makranella* Amsel, 1959.
- 1244. Isauria dilucidella** (Duponchel, 1836) (Pyrilidae) *dilucidella* Duponchel, 1836; *ilignella* Zeller, 1839; *laternella* Eversmann, 1844; *crepusculella* Lederer, 1870; *incredibilis* Staudinger, 1879; *subsortitella* Ragonot, 1887; *satanella* Ragonot, 1887; *odontella* Ragonot, 1893; *ledereri* Ragonot, 1893; *cuencella* Caradja, 1916; *gabalitella* Chrétien, 1931; *grisescens* Lucas, 1950; *parvella* Amsel, 1951; *shahidanella* Amsel, 1970
- 1245. Kerbela turcomanica** (Christoph, 1877) (Pyrilidae) *turcomanica* Christoph, 1877
- 1246. Khorassania hartigi** Amsel (Pyrilidae) *hartigi* Amsel
- 1247. Lambaesia fumosella** (Ragonot, 1887) (Pyrilidae) *fumosella* Ragonot, 1887; *noctileucella* Ragonot, 1887.

10 12 2007

- 1248.** *Lamoria anella* ([Denis & Schiffermüller],1775) (Pyralidae) *anella* [Denis & Schiffermüller],1775
- 1249.** *Lepidogma tamaricalis* (Mann,1873) (Pyralidae) *tamaricalis* Mann,1873; *obatalis* Christoph,1876; *vafera* Swinhoe,1884
- 1250.** *Leucinodes orbonalis* Guenée,1854 (Pyralidae) *orbonalis* Guenée,1854
- 1251.** *Loxostege bashgualis* Amsel,1970 (Pyralidae) *bashgualis* Amsel,1970
- 1252.** *Loxostege clathralis* (Hübner,[1813]) (Pyralidae) *clathralis* (Hübner,[1813])
- 1253.** *Loxostege emiralis* (Oberthür,1888) (Pyralidae) *emiralis* Oberthür,1888
- 1254.** *Loxostege massalis* (Walker,1859) (Pyralidae) *massalis* Walker,1859; *fredi* Amsel,1961
- 1255.** *Loxostege scalaris* (Christoph,1877) (Pyralidae) *scalaris* Christoph,1877
- 1256.** *Margaritia sticticalis* (Linnaeus,1761) (Pyralidae) *lupulina* Clerk,1759 *nec* Linn.,1758; *sticticalis* Linnaeus,1761; *miana* Müller,1764; *sylvata* Panzer,1804; *tetragonalis* Haworth,1811
- 1257.** *Maruca vitrata* (Fabricius,1787) (Pyralidae) *vitrata* Fabricius,1787; *testulalis* Geyer,[1837]; *aquatilis* Guérin-Méneville,[1832]; *bifenestralis* Mabilie,1880; *simialalis* Snellen,1892; *nigroapicalis* De Joannis,1930.
- 1258.** *Mecyna amasialis* (Staudinger,1879) (Pyralidae) *amasialis* Staudinger,1879
- 1259.** *Mecyna asinalis* (Hübner,[1819]) (Pyralidae) *asinalis* Hübner,[1819]
- 1260.** *Mecyna babalis* Amsel,1970 (Pyralidae) *babalis* Amsel,1970
- 1261.** *Mecyna bandiamiralis* Amsel,1970 (Pyralidae) *bandiamiralis* Amsel,1970
- 1262.** *Mecyna diniasalis* (Walker,1859) (Pyralidae) *diniasalis* Walker,1859
- 1263.** *Mecyna marioni* Amsel (Pyralidae) *marioni* Amsel
- 1264.** *Mecyna pontica* (Staudinger,1879) (Pyralidae) *pontica* Staudinger,1879; *levilinealis* Amsel,1942.
- 1265.** *Mecyna salangalis* Amsel,1970 (Pyralidae) *salangalis* Amsel,1970
- 1266.** *Megasia alpherakii* Ragonot,1887 (Pyralidae) *alpherakii* Ragonot,1887
- 1267.** *Megasia safedella* Amsel,1970 (Pyralidae) *safedella* Amsel,1970
- 1268.** *Merulempista cingillella* (Zeller,1846) (Pyralidae) *cingillella* Zeller,1846; *verruculella* Ragonot,1887.
- 1269.** *Metacrambus jugaraicae* Bleszynski,1965 (Pyralidae) *jugaraicae* Bleszynski,1965
- 1270.** *Metasia* (s.str.) *asymmetrica* Amsel,1970 (Pyralidae) *asymmetrica* Amsel,1970
- 1271.** *Metasia* (s.str.) *kasyi* Amsel,1970 (Pyralidae) *kasyi* Amsel,1970
- 1272.** *Metasia* (s.str.) *mimicralis* Amsel,1970 (Pyralidae) *mimicralis* Amsel,1970
- 1273.** *Metasia* (s.str.) *minimalis* Amsel,1970 (Pyralidae) *minimalis* Amsel,1970
- 1274.** *Metasia* (s.str.) *pagmanalis* Amsel,1961 (Pyralidae) *pagmanalis* Amsel,1961
- 1275.** *Metasia* (s.str.) *subtilialis* Caradja,1917 (Pyralidae) *subtilialis* Caradja,1917
- 1276.** *Metasia* (s.str.) *tampiusalis* Walker (Pyralidae) *tampiusalis* Walker
- 1277.** *Mutuaia terrealis* (Treitschke,1829) (Pyralidae) *terrealis* Treitschke,1829
- 1278.** *Myelois* (Gnathogutta) *heratella* Amsel,1970 (Pyralidae) *heratella* Amsel,1970
- 1279.** *Myelois* (Gnathogutta) *osseella* (Ragonot,1887) (Pyralidae) *osseella* Ragonot,1887
- 1280.** *Myelois* (Gnathogutta) *umbratella* (Treitschke,1832) (Pyralidae) *umbratella* Treitschke,1832; *ossicolor* Ragonot,1893; *unipunctella* Chrétien,1911
- 1281.** *Myelois* (s.str.) *fuscicostella* Mann,1861 (Pyralidae) *fuscicostella* Mann,1861
- 1282.** *Myelois* (s.str.) *nigripalpella* Christoph,1887 (Pyralidae) *nigripalpella* Christoph,1887
- 1283.** *Myelois* (s.str.) *staudingerella* Ragonot,1887 (Pyralidae) *staudingerella* Ragonot,1887
- 1284.** *Myeloisiphana afghana* Hartig,1937 (Pyralidae) *afghana* Hartig,1937
- 1285.** *Noctuelia superba* (Freyer,[1844]) (Pyralidae) *superba* Freyer,[1844]
- 1286.** *Noctuelia yaminalis* (Oberthür,1888) (Pyralidae) *yaminalis* Oberthür,1888
- 1287.** *Nomophila noctuella* ([Denis & Schiffermüller],1775) (Pyralidae) *noctuella* [Denis & Schiffermüller],1775
- 1288.** *Nyctegretis lineana* (Scopoli,1786) (Pyralidae) *lineana* Scopoli,1786; *achatinella* Hübner,[1824].
- 1289.** *Ocridiodes babaella* (Amsel,1970) (Pyralidae) *babaella* Amsel,1970
- 1290.** *Ocridiodes bamella* (Amsel,1958) (Pyralidae) *bamella* Amsel,1958
- 1291.** *Ocridiodes dispergella* (Ragonot,1887) (Pyralidae) *dispergella* Ragonot,1887
- 1292.** *Ocridiodes minimella* (Amsel,1970) (Pyralidae) *minimella* Amsel,1970
- 1293.** *Ocridiodes polptychella* (Ragonot,1887) (Pyralidae) *polptychella* Ragonot,1887; *pristophorella* Amsel,1951.
- 1294.** *Ocridiodes senganella* (Amsel,1961) (Pyralidae) *senganella* Amsel,1961; *arghandabella* Amsel,1970.
- 1295.** *Ocridiodes taftanella* (Amsel,1950) (Pyralidae) *taftanella* Amsel,1950
- 1296.** *Oncocera semirubella* (Scopoli,1763) (Pyralidae) *semirubella* Scopoli,1763; *rosella* Goeze,1783 *nec* Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916
- 1297.** *Ostrinia avarialis* Amsel,1970 (Pyralidae) *avarialis* Amsel,1970
- 1298.** *Ostrinia nubilalis* (Hübner,1796) (Pyralidae) *nubilalis* Hübner,1796; *salicealis* Hübner,1796.
- 1299.** *Palpita negatalis* (Walker,1859) (Pyralidae) *negatalis* Walker,1859
- 1300.** *Palpita pyloalis* (Walker,1859) (Pyralidae) *pyloalis* Walker,1859
- 1301.** *Palpita unionalis* (Hübner,1796) (Pyralidae) *unionalis* Hübner,1796; *quinquepunctalis* Boisduval,1833; *transvisalis* Guenée,1854; *septempunctalis* Mabilie,1880
- 1302.** *Panstegia aerealis* (Hübner,1793) (Pyralidae) *aerealis* Hübner,1793; *unicolor* Rebel,1917.
- 1303.** *Panstegia babalis* Amsel,1970 (Pyralidae) *babalis* Amsel,1970
- 1304.** *Paracorsia repandalis* ([Denis & Schiffermüller],1775) (Pyralidae) *repandalis* [Denis & Schiffermüller],1775
- 1305.** *Paraplatytes eberti* Bleszynski,1965 (Pyralidae) *eberti* Bleszynski,1965
- 1306.** *Parapoyx affinalis* (Guenée,1854) (Pyralidae) *affinalis* Guenée,1854; *incommoda* Butler,1881; *fuscomarginata* Bethune-Baker,1894; *#alaicalis* Caradja,1916
- 1307.** *Pempelia albifasciella* (Hartig,1937) (Pyralidae) *albifasciella* Hartig,1937
- 1308.** *Pempelia amoenella* (Zeller,1848) (Pyralidae) *amoenella* Zeller,1848
- 1309.** *Pempelia genistella* (Duponchel,1836) (Pyralidae) *genistella* Duponchel,1836; *albariella* Zeller,1839.
- 1310.** *Pempelia kuschella* Zerny,1914 (Pyralidae) *kuschella* Zerny,1914
- 1311.** *Phlyctaenomorpha afghanalis* Amsel,1970 (Pyralidae) *afghanalis* Amsel,1970
- 1312.** *Phycitodes albatella* (Ragonot,1887) (Pyralidae) *albatella* Ragonot,1887
- 1313.** *Phycitodes bicolor* Roesler,1970 (Pyralidae) *bicolor* Roesler,1970
- 1314.** *Phycitodes binaevella* (Hübner,[1813]) (Pyralidae) *binaevella* Hübner,[1813].
- 1315.** *Phycitodes binaloudella* (Amsel,1961) (Pyralidae) *binaloudella* Amsel,1961
- 1316.** *Phycitodes carlinella* (Heinemann,1865) (Pyralidae) *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *canisella* Ragonot,1901
- 1317.** *Phycitodes lacteella* (Rothschild,1915) (Pyralidae) *lacteella* Rothschild,1915; *vietella* Roesler,1965.
- 1318.** *Phycitodes pagodiella* Roesler,1970 (Pyralidae) *pagodiella* Roesler,1970
- 1319.** *Phycitodes saxicola* (Vaughan,1870) (Pyralidae) *saxicola* Vaughan,1870
- 1320.** *Plodia interpunctella* (Hübner,[1813]) (Pyralidae) *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932.
- 1321.** *Polygrammodes pectinicornalis* (Guenée,1854) (Pyralidae) *pectinicornalis* Guenée,1854
- 1322.** *Praekatja pagmanalis* Amsel,1961 (Pyralidae) *pagmanalis* Amsel,1961

10 12 2007

- 1323.** *Prochoristis rupicapralis* (Lederer,1855) (Pyrilidae) *rupicapralis* Lederer,1855
- 1324.** *Prorophora* (Epischidia) *afghanella* Roesler,1973 (Pyrilidae) *afghanella* Roesler,1973
- 1325.** *Prorophora* (Epischidia) *eberti* (Amsel,1959) (Pyrilidae) *eberti* Amsel,1959
- 1326.** *Prorophora* (s.str.) *curvibasella* Ragonot,1887 (Pyrilidae) *curvibasella* Ragonot,1887
- 1327.** *Psammotis pulveralis* (Hübner,1796) (Pyrilidae) *pulveralis* Hübner,1796
- 1328.** *Psorosa nucleolella* (Möschler,1866) (Pyrilidae) *nucleolella* Möschler,1866; *clarella* Caradja,1910; *#luteostrigella* Caradja,1910; *mediterranea* Amsel,1953.
- 1329.** *Pterothrixidia fordii* Amsel,1953 (Pyrilidae) *fordii* Amsel,1953
- 1330.** *Pyralis farinalis* (Linnaeus,1758) (Pyrilidae) *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticus* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794.
- 1331.** *Pyrausta* (Haematia) *despicata* (Scopoli,1763) (Pyrilidae) *despicata* Scopoli,1763; *cespitis* [Denis & Schiffermüller],1775.
- 1332.** *Pyrausta* (Haematia) *perkeo* Amsel,1970 (Pyrilidae) *perkeo* Amsel,1970
- 1333.** *Pyrausta* (Haematia) *sanguinalis* (Linnaeus,1767) (Pyrilidae) *sanguinalis* Linnaeus,1767; *crenalis* Scriba,1770; *haematalis* Hübner,[1819]
- 1334.** *Pyrausta* (Haematia) *virginalis* (Duponchel,1832) (Pyrilidae) *virginalis* Duponchel,1832; *auroralis* Zeller,1847; *neglectalis* Caradja,1916
- 1335.** *Pyrausta* (s.str.) *aurata* (Scopoli,1763) (Pyrilidae) *aurata* Scopoli,1763; *punicealis* [Denis & Schiffermüller],1775; *nepoldalis* Lederer,1863
- 1336.** *Pyrausta* (s.str.) *inciae* Koçak,1982 (Pyrilidae) *meridionalis* Staudinger,1880 nec Wcke,1871; *inciae* Koçak,1982.
- 1337.** *Pyrausta* (s.str.) *ostrinalis* (Hübner,1796) (Pyrilidae) *ostrinalis* Hübner,1796; *moestalis* Duponchel,1833; *puralis* La Harpe,1864
- 1338.** *Raphimetopus ablutellus* (Zeller,1839) (Pyrilidae) *ablutellus* Zeller,1839; *stigmatellus* Ragonot,1888; *buxtoni* Rothschild,1921
- 1339.** *Sameodes cancellalis* (Zeller,1852) (Pyrilidae) *cancellalis* Zeller,1852; *pipleisalis* Walker,1859; *lepidalis* Walker,1859; *sidealis* Walker,1859; *meridionalis* Walker,[1866]; *trithyralis* Snellen,1880
- 1340.** *Schoenobius alpherakyi* Staudinger,1874 (Pyrilidae) *alpherakyi* Staudinger,1874
- 1341.** *Sciota* (s.str.) *rhenella* (Zincken,1818) (Pyrilidae) *rhenella* Zincken,1818
- 1342.** *Scirpophaga incertulas* (Walker,1863) (Pyrilidae) *incertulas* Walker,1863; *?admotella* Walker,1863; *punctellus* Zeller,1863; *minutellus* Zeller,1863; *bipunctifera* Walker,1863; *gratiosellus* Walker,1864; *#incertulas* Hutacharern & Tubtim,1995.
- 1343.** *Scirpophaga magnella* De Joannis,1929 (Pyrilidae) *magnella* De Joannis,1929.
- 1344.** *Sitochroa verticalis* (Linnaeus,1758) (Pyrilidae) *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829
- 1345.** *Spoladea recurvalis* (Fabricius,1775) (Pyrilidae) *recurvalis* Fabricius,1775; *fascialis* Cramer,[1782]; *recurvella* Zincken,1818; *diffascialis* Hübner,[1825]; *albifascialis* Boisduval,1833; *animalis* Guenée,1854; *exodias* Meyrick,1904; *formosana* Shiraki,1913.
- 1346.** *Staudingeria* (s.str.) *aspilatella* (Ragonot,1887) (Pyrilidae) *aspilatella* Ragonot,1887; *simplicella* Chrétien,1910; *calligonella* Dumont,1926.
- 1347.** *Staudingeria* (s.str.) *deserticola* (Staudinger,1870) (Pyrilidae) *deserticola* Staudinger,1870
- 1348.** *Staudingeria* (s.str.) *monella* Roesler,1973 (Pyrilidae) *monella* Roesler,1973
- 1349.** *Staudingeria* (s.str.) *morbosella* (Staudinger,1879) (Pyrilidae) *morbosella* Staudinger,1879; *inderskyella* Caradja,1910; *cinnamomella* Rothschild,1915.
- 1350.** *Staudingeria* (s.str.) *partitella* Ragonot,1887 (Pyrilidae) *partitella* Ragonot,1887; *adustella* Ragonot,1887; *fractifasciella* Ragonot,1890; *kebiliella* Lucas,1909; *combustella* Chrétien,1910.
- 1351.** *Staudingeria* (s.str.) *steppicola* (Caradja,1937) (Pyrilidae) *steppicola* Caradja,1937
- 1352.** *Stiphrometasia monialis* (Erschoff,1871) (Pyrilidae) *monialis* Erschoff,1871
- 1353.** *Surattha amselella* Bleszynski,1965 (Pyrilidae) *amselella* Bleszynski,1965
- 1354.** *Surattha soudanensis* (Hampson,1919) (Pyrilidae) *soudanensis* Hampson,1919
- 1355.** *Susia uberalis* (Swinhoe,1884) (Pyrilidae) *uberalis* Swinhoe,1884; *bahrainalis* Amsel,1968.
- 1356.** *Syllepte luctuosalis* (Guenée,1854) (Pyrilidae) *luctuosalis* Guenée,1854
- 1357.** *Synaphe bombycalis* ([Denis & Schiffermüller],1775) (Pyrilidae) *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917.
- 1358.** *Synclera traducalis* (Zeller,1852) (Pyrilidae) *traducalis* Zeller,1852; *retinalis* Lederer,1857; *univocalis* Walker,1859; *achatinalis* Guenée,1862
- 1359.** *Synoria antiquella* (Herrich-Schäffer,[1855]) (Pyrilidae) *antiquella* Herrich-Schäffer,[1855]
- 1360.** *Taftania oxycyma* (Meyrick,1937) (Pyrilidae) *oxycyma* Meyrick,1937
- 1361.** *Talis afghanella* Bleszynski,1965 (Pyrilidae) *afghanella* Bleszynski,1965
- 1362.** *Tegostoma comparalis* (Hübner,1796) (Pyrilidae) *comparalis* Hübner,1796; *ramalis* Hübner,1796; *tenebrosalis* Walker,1865; *#comparale* Caradja,1917.
- 1363.** *Tegostoma mossulalis* Amsel,1949 (Pyrilidae) *mossulalis* Amsel,1949
- 1364.** *Tegostoma perlepidalis* (Guenée,1854) (Pyrilidae) *#lepidalis* Herrich-Schäffer,[1851]; *perlepidalis* Guenée,1854; *lepidalis* Herrich-Schäffer,[1855]; *#lepidale* Caradja,1917.
- 1365.** *Tegostoma perlepidalis apurpurealis* Amsel,1970 (Pyrilidae) *apurpurealis* Amsel,1970
- 1366.** *Tegostoma sarobiella* Amsel,1970 (Pyrilidae) *sarobiella* Amsel,1970
- 1367.** *Thospia crassipalpella* Ragonot,1888 (Pyrilidae) *crassipalpella* Ragonot,1888
- 1368.** *Thospia feminella* Roesler,1973 (Pyrilidae) *feminella* Roesler,1973
- 1369.** *Thospia trifasciella* (Ragonot,1887) (Pyrilidae) *trifasciella* Ragonot,1887; *alborivulella* Ragonot,1888.
- 1370.** *Titanio nawaralis* Amsel,1970 (Pyrilidae) *nawaralis* Amsel,1970
- 1371.** *Titanio nissalis* Amsel,1951 (Pyrilidae) *nissalis* Amsel,1951
- 1372.** *Titanio safedalis* Amsel,1970 (Pyrilidae) *safedalis* Amsel,1970
- 1373.** *Titanio sarekandalis* Amsel,1970 (Pyrilidae) *sarekandalis* Amsel,1970
- 1374.** *Titanio schivalis* Amsel,1970 (Pyrilidae) *schivalis* Amsel,1970
- 1375.** *Trachycera baharaca* Roesler,1987 (Pyrilidae) *baharaca* Roesler,1987
- 1376.** *Trachycera persicella* (Amsel,1951) (Pyrilidae) *persicella* Amsel,1951
- 1377.** *Trigonuncus euergestalis* Amsel,1953 (Pyrilidae) *euergestalis* Amsel,1953; *#euergestalis* Wiltshire,1957.
- 1378.** *Trigonuncus pagmanalis* Amsel,1970 (Pyrilidae) *pagmanalis* Amsel,1970
- 1379.** *Trigonuncus sarobialis* Amsel,1970 (Pyrilidae) *sarobialis* Amsel,1970
- 1380.** *Trigonuncus similis* Amsel,1970 (Pyrilidae) *similis* Amsel,1970
- 1381.** *Turania pentodonalis* (Erschoff,1874) (Pyrilidae) *pentodonalis* Erschoff,1874
- 1382.** *Udea ferrugalis* (Hübner,1796) (Pyrilidae) *ferruginalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferrugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879
- 1383.** *Udea fulvalis* (Hübner,[1809]) (Pyrilidae) *fulvalis* Hübner,[1809]; *pronoidalis* Staudinger,1879
- 1384.** *Uncinus discostriella* Amsel,1961 (Pyrilidae) *discostriella* Amsel,1961; *#gulbaharensis* Amsel,1970.
- 1385.** *Uresiphita polygonalis* ([Denis & Schiffermüller],1775) (Pyrilidae) *polygonalis* [Denis & Schiffermüller],1775; *#limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971
- 1386.** *Abisara bifasciata* Moore,1877 (Riodinidae) *bifasciata* Moore,1877
- 1387.** *Polycaena tamerlana* Staudinger,1886 (Riodinidae) *tamerlana* Staudinger,1886
- 1388.** *Actias selene* (Hübner,1806) (Saturniidae) *selene* Hübner,1806; *#dianae* Hutton,1846
- 1389.** *Saturnia* (Rinaca) *lindia* Moore,1865 (Saturniidae) *lindia* Moore,1865
- 1390.** *Aulocera padma* (Kollar,[1844]) (Satyridae) *padma* Kollar,[1844]
- 1391.** *Aulocera swaha* (Kollar,[1844]) (Satyridae) *swaha* Kollar,[1844]

- 1392. Chazara (Neochazara) enervata (Staudinger,1881)** (Satyridae) *enervata* Staudinger,1881; *analoga* Alpheraky,1881; *ochracea* Heyne,[1894].
- 1393. Chazara (Neochazara) heydenreichi (Lederer,1853)** (Satyridae) *heydenreichi* Lederer,1853; *karasagina* Holik,1949.
- 1394. Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958.
- 1395. Coenonympha mangeri O.Bang-Haas,1927** (Satyridae) *mangeri* O.Bang-Haas,1927
- 1396. Esperarge (Marginarge) eversmanni (Eversmann,1847)** (Satyridae) *eversmanni* Eversmann,1847
- 1397. Hipparchia (Neohipparchia) parisatis (Kollar,[1849])** (Satyridae) *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail* Gross & Ebert,1975; *huochenensis* Huang & Zhou,2000.
- 1398. Hyponephele (s.str. (Caspinephele)) dysdora (Lederer,1869)** (Satyridae) *dysdora* Lederer,1869; *#dystora* Eckweiler & Hofmann,1980.
- 1399. Hyponephele (s.str. (Ereminephele)) capella (Christoph,1877)** (Satyridae) *capella* Christoph,1877
- 1400. Hyponephele (s.str. (Ereminephele)) fusca (Stshetkin,1960)** (Satyridae) *fusca* Stshetkin,1960
- 1401. Hyponephele (s.str. (Ereminephele)) huebneri Koçak,1980** (Satyridae) *narica* Hübner,[1813] *nec* Fabricius,1793; *huebneri* Koçak,1980
- 1402. Hyponephele (s.str. (Iranonephele)) amardaea (Lederer,1869)** (Satyridae) *amardaea* Lederer,1869
- 1403. Hyponephele (s.str. (Iranonephele)) glasunovi (Groum-Grshimailo,1893)** (Satyridae) *glasunovi* Groum-Grshimailo,1893
- 1404. Hyponephele (s.str. (Iranonephele)) hilaris (Staudinger,1886)** (Satyridae) *hilaris* Staudinger,1886
- 1405. Hyponephele (s.str. (Iranonephele)) perplexa Wyatt & Omoto,1966** (Satyridae) *perplexa* Wyatt & Omoto,1966
- 1406. Hyponephele (s.str. (Orientinephele)) difficilis Clench & Shoumatoff,1956** (Satyridae) *difficilis* Clench & Shoumatoff,1956
- 1407. Hyponephele (s.str. (Orientinephele)) mussitans Clench & Shoumatoff,1956** (Satyridae) *mussitans* Clench & Shoumatoff,1956
- 1408. Hyponephele (s.str. (Tengrinephele)) pamira Lukhtanov,1990** (Satyridae) *pamira* Lukhtanov,1990
- 1409. Hyponephele (s.str. (Turanepephele)) brevistigma (Moore,1892)** (Satyridae) *brevistigma* Moore,1892
- 1410. Hyponephele (s.str. (Turanepephele)) dävendra (Moore,1865)** (Satyridae) *dävendra* Moore,1865; *roxane* Felder & Felder,1867.
- 1411. Hyponephele (s.str.) interposita (Erschoff,1874)** (Satyridae) *interposita* Erschoff,1874; *margelanica* Turati,1909 (cf. Samodurov et al.,1995, *Atalanta* 26 (1/2): 182).
- 1412. Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) *lupina* Costa,[1836]
- 1413. Hyponephele sussurans Clench & Shoumatoff,1956** (Satyridae) *sussurans* Clench & Shoumatoff,1956
- 1414. Kanetisa digna (Marshall,1882)** (Satyridae) *digna* Marshall,1882
- 1415. Karanasa bolorica (Groum-Grshimailo,1888)** (Satyridae) *bolorica* Groum-Grshimailo,1888
- 1416. Karanasa huebneri (C.Felder & R.Felder,[1867])** (Satyridae) *huebneri* C.Felder & R.Felder,[1867]; *calesia* Moore,1874; *leechi* Moore,1892; *modesta* Moore,1892; *pallida* Tytler,1926; *balti* Tytler,1926; *astorica* Tytler,1926.
- 1417. Karanasa kotandari Wyatt,1961** (Satyridae) *kotandari* Wyatt,1961
- 1418. Karanasa moorei (Evans,1912)** (Satyridae) *moorei* Evans,1912
- 1419. Karanasa pamira (Staudinger,1887)** (Satyridae) *pamira* Staudinger,1887
- 1420. Karanasa voigti (O.Bang-Haas,1927)** (Satyridae) *voigti* O.Bang-Haas,1927
- 1421. Lasiommata hindukushica (Wyatt & Omoto,1966)** (Satyridae) *hindukushica* Wyatt & Omoto,1966
- 1422. Lasiommata menava Moore,1865** (Satyridae) *menava* Moore,1865.
- 1423. Lethe sidonis (Hewitson,1863)** (Satyridae) *sidonis* Hewitson,1863
- 1424. Lyela amirica Wyatt,1961** (Satyridae) *amirica* Wyatt,1961
- 1425. Paralasa afghana (Goltz,1937)** (Satyridae) *afghana* Goltz,1937; *#afghama* Goltz,1937
- 1426. Paralasa chitralica (Evans,1923)** (Satyridae) *chitralica* Evans,1923
- 1427. Paralasa danorum Clench & Shoumatoff,1956** (Satyridae) *danorum* Clench & Shoumatoff,1956
- 1428. Paralasa howarthi Sakai,1978** (Satyridae) *howarthi* Sakai,1978
- 1429. Paralasa icelos (Groum-Grshimailo,1890)** (Satyridae) *icelos* Groum-Grshimailo,1890
- 1430. Paralasa kotzschae (Goltz,1937)** (Satyridae) *kotzschae* Goltz,1937; *schugnana* J.L.Shchetkin,1971.
- 1431. Paralasa pagmanni (O.Bang-Haas,1927)** (Satyridae) *pagmanni* O.Bang-Haas,1927
- 1432. Paralasa shakti Wyatt,1961** (Satyridae) *shakti* Wyatt,1961
- 1433. Pseudochazara (Achazara) kanishka Aussem,1980** (Satyridae) *kanishka* Aussem,1980
- 1434. Pseudochazara (Achazara) telephassa (Geyer,[1827])** (Satyridae) *telephassa* Geyer,[1827]
- 1435. Pseudochazara (s.str.) droshica (Tytler,1926)** (Satyridae) *droshica* Tytler,1926
- 1436. Pseudochazara (s.str.) panjshira (Wyatt & Omoto,1966)** (Satyridae) *panjshira* Wyatt & Omoto,1966
- 1437. Pseudochazara (s.str.) porphyritica Clench & Shoumatoff,1956** (Satyridae) *porphyritica* Clench & Shoumatoff,1956
- 1438. Pseudochazara (s.str.) sagina (Staudinger,[1894])** (Satyridae) *sagina* Staudinger,[1894]
- 1439. Pseudochazara (s.str.) turkestanica (Groum-Grshimailo,1893)** (Satyridae) *turkestanica* Groum-Grshimailo,1893
- 1440. Satyrus (s.str.(s.str.)) pimplus C.Felder & R.Felder,[1867]** (Satyridae) *pimpla* C.Felder & R.Felder,[1867]
- 1441. Ypthima asterope (Klug,1832)** (Satyridae) *asterope* Klug,1832; *marlenii* Kattulas & Koutsafikis,1978.
- 1442. Ypthima bolanica Marshall,1882** (Satyridae) *bolanica* Marshall,1882
- 1443. Scythris inota Meyrick,1924** (Scythridae) *inota* Meyrick,1924
- 1444. Bembecia salangica K.Spatenka & Reshöft,1989** (Sesiidae) *salangica* K.Spatenka & Reshöft,1989
- 1445. Dipchaspesia naumanni Gorbunov,1991** (Sesiidae) *naumanni* Gorbunov,1991
- 1446. Acherontia styx (Westwood,1847)** (Sphingidae) *styx* Westwood,1847; *ariel* Boisduval,[1875]; *#stax* Lewvanich,2001
- 1447. Acomeryx naga (Moore,[1858])** (Sphingidae) *naga* Moore,[1858]
- 1448. Agrius convolvuli (Linnaeus,1758)** (Sphingidae) *convolvuli* Linnaeus,1758; *abadonna* Fabricius,1798; *pseudofasciatus* Koch,1865; *pseudocconvolvuli* Schaufuss,1870; *orientalis* Butler,1876; *distans* Butler,1876; *batatae* Christ,1882; *nigricans* Cannaviello,1900; *ichangensis* Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927
- 1449. Akbesia davidi (Oberthür,1884)** (Sphingidae) *davidi* Oberthür,1884
- 1450. Daphnis nerii (Linnaeus,1758)** (Sphingidae) *nerii* Linnaeus,1758; *infernelutea* Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934.
- 1451. Deilephila elpenor (Linnaeus,1758)** (Sphingidae) *elpenor* Linnaeus,1758
- 1452. Deilephila rivularis (Boisduval,[1875])** (Sphingidae) *rivularis* Boisduval,[1875]; *fraterna* Butler,1875
- 1453. Dolbina exacta Staudinger** (Sphingidae)
- 1454. Dolbina grisea (Hampson,[1893])** (Sphingidae) *grisea* Hampson,[1893]; *hackeri* Eitschberger & Danner & Surholt,1998.
- 1455. Hemaris (Cochrania) ducalis (Staudinger,1887)** (Sphingidae) *ducalis* Staudinger,1887
- 1456. Hemaris (Saundersia) saundersii (Walker,1856)** (Sphingidae) *saundersii* Walker,1856
- 1457. Hemaris (s.str.) fuciformis (Linnaeus,1758)** (Sphingidae) *fuciformis* Linnaeus,1758; *variegata* Allioni,1766; *musca* Retzius,1783; *bombyliformis* sensu Ochsenheimer,1808; *milesiformis* Treitschke,1834; *caprifolii* Zeller,1869; *loniceræ* Zeller,1869; *robusta* Alpheraky,1882; *simillima* Moore,1888; *ganssuensis* Grum-Grshimailo,1891; *heynei* Bartel,1898;
- 1458. Hippotion celerio (Linnaeus,1758)** (Sphingidae) *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albolineatus* Montrouzier,1864
- 1459. Hyles hippophaes (Esper,[1789])** (Sphingidae) *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsafikis,1974.
- 1460. Hyles livornica (Esper,[1780])** (Sphingidae) *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
- 1461. Hyles livornica livornica (Esper,[1780])** (Sphingidae) *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.

10 12 2007

- 1462.** *Hyles nervosa* (Rothschild & Jordan,1903) (Sphingidae) *nervosa* Rothschild & Jordan,1903
- 1463.** *Hyles robertsi* (Butler,1880) (Sphingidae) *robertsi* Butler,1880; *peplidis* Christoph,1894
- 1464.** *Hyles salangensis* (Ebert,1969) (Sphingidae) *salangensis* Ebert,1969
- 1465.** *Hyles zygophylli* (Ochsenheimer,1808) (Sphingidae) *zygophylli* Ochsenheimer,1808; *jaxartis* Fröreich,1938; *xanthoxyli* Derzhavets,1977; *kirgisa* Eitschberger & Lukhtanov,1996.
- 1466.** *Laothoe philerema* (Djakonov,1923) (Sphingidae) *philerema* Djakonov,1923
- 1467.** *Macroglossum nycteris* (Kollar,1844) (Sphingidae) *nycteris* Kollar,1844
- 1468.** *Macroglossum stellatarum* (Linnaeus,1758) (Sphingidae) *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 1469.** *Nephele hespera* (Fabricius,1775) (Sphingidae) *didyma* Fabricius,1775; *hespera* Fabricius,1775
- 1470.** *Proserpinus proserpinus* (Pallas,1772) (Sphingidae) *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermilleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima* Grum-Grshimailo,1887; *japetus* Grum-Grshimailo,1890; *gigas* Oberthür,1922.
- 1471.** *Proserpinus proserpinus proserpinus* (Pallas,1772) (Sphingidae) *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermilleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima* Grum-Grshimailo,1887; *japetus* Grum-Grshimailo,1890; *gigas* Oberthür,1922.
- 1472.** *Psilogramma menephron* (Cramer,[1780]) (Sphingidae) *menephron* Cramer,[1780]
- 1473.** *Rethera afghanistana* Daniel,1958 (Sphingidae) *afghanistana* Daniel,1958
- 1474.** *Rethera amseli* Daniel,1958 (Sphingidae) *amseli* Daniel,1958
- 1475.** *Rethera komarovi* (Christoph,1885) (Sphingidae) *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1935.
- 1476.** *Smerinthus kindermanni* Lederer,1852 (Sphingidae) *kindermanni* Lederer,1852; *#obscura* Closs,1917
- 1477.** *Sphingonaepiopsis gorgoniades* (Hübner,[1819]) (Sphingidae) *gorgon* Esper,[1804] (*praeocc.*); *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974.
- 1478.** *Sphingonaepiopsis kuldjaensis* (Graeser,1892) (Sphingidae) *kuldjaensis* Graeser,1892
- 1479.** *Theretra alecto* (Linnaeus,1758) (Sphingidae) *alecto* Linnaeus,1758; *cretica* Boisdual,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.
- 1480.** *Stathmopoda sycastis* Meyrick,1917 (Stathmopodidae) *sycastis* Meyrick,1917
- 1481.** *Tortilia flavella* Chrétien,1908 (Stathmopodidae) *flavella* Chrétien,1908; *sidiota* Meyrick,1917; *trigonella* Zerny,1935.
- 1482.** *Gazalina* (s.str.) *apsara* (Moore,1859) (Thaumetopoeidae) *apsara* Moore,1859; *venosata* Walker,1865; *nervosa* R.Felder & Rogenhofer,1874
- 1483.** *Thaumetopoea* (s.str.) *cheela* Moore,1883 (Thaumetopoeidae) *cheela* Moore,1883
- 1484.** *Thaumetopoea* (s.str.) *solitaria* (Freyer,[1838]) (Thaumetopoeidae) *solitaria* Freyer,[1838]
- 1485.** *Ateliotum arabicum* G.Petersen,1961 (Tineidae) *arabicum* G.Petersen,1961
- 1486.** *Ateliotum petrinellum* (Herrich-Schäffer,1853) (Tineidae) *petrinella* Herrich-Schäffer,1853; *turatiella* Millièr,1886
- 1487.** *Episcardia* (Bilobatana) *caerulipennis* (Erschoff,1874) (Tineidae) *caerulipennis* Erschoff,1874; *indiella* Caradja,1920
- 1488.** *Episcardia* (Bilobatana) *luteola* G.Petersen,1959 (Tineidae) *luteola* G.Petersen,1959
- 1489.** *Episcardia* (Bilobatana) *paghmanella* G.Petersen,1973 (Tineidae) *paghmanella* G.Petersen,1973
- 1490.** *Episcardia* (Bilobatana) *pygmaeana* G.Petersen,1959 (Tineidae) *pygmaeana* G.Petersen,1959
- 1491.** *Episcardia* (Bilobatana) *splendens* G.Petersen,1973 (Tineidae) *splendens* G.Petersen,1973
- 1492.** *Hapsifera luridella* Zeller,1847 (Tineidae) *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 *nec* Zell.,1852; *eburnea* Butler,1881; *palaestinensis* Rebel,1901; *kerbelella* Amsel,1949
- 1493.** *Infurcitinea amseli* G.Petersen,1957 (Tineidae) *amseli* G.Petersen,1957
- 1494.** *Infurcitinea brunneopterella* G.Petersen,1964 (Tineidae) *brunneopterella* G.Petersen,1964
- 1495.** *Infurcitinea grisea* G.Petersen,1973 (Tineidae) *grisea* G.Petersen,1973
- 1496.** *Infurcitinea nuristanica* G.Petersen,1963 (Tineidae) *nuristanica* G.Petersen,1963
- 1497.** *Infurcitinea obscura* G.Petersen,1973 (Tineidae) *obscura* G.Petersen,1973
- 1498.** *Infurcitinea safedella* G.Petersen,1973 (Tineidae) *safedella* G.Petersen,1973
- 1499.** *Lazocatena obscura* (G.Petersen,1959) (Tineidae) *obscura* G.Petersen,1959
- 1500.** *Morophaga* (bucephala-gr.) *cremnarcha* (Meyrick,1932) (Tineidae) *cremnarcha* Meyrick,1932; *nigrocapitella* G.Petersen,1959
- 1501.** *Nemapogon flavifrons* G.Petersen,1959 (Tineidae) *flavifrons* G.Petersen,1959; *kabulianus* Gozmany,1959.
- 1502.** *Neurothaumasia fasciata* G.Petersen,1959 (Tineidae) *fasciata* G.Petersen,1959
- 1503.** *Pachyarthra asiatica* G.Petersen,1959 (Tineidae) *asiatica* G.Petersen,1959
- 1504.** *Perissomastix* (Aphrodoxa) *amseli* (G.Petersen,1959) (Tineidae) *amseli* G.Petersen,1959; *mimetica* Gozmany,1959
- 1505.** *Perissomastix* (Aphrodoxa) *peterseni* (Amsel,1959) (Tineidae) *peterseni* Amsel,1959; *astarte* Gozmany,1959.
- 1506.** *Perissomastix* (Aphrodoxa) *sarobiella* (G.Petersen,1959) (Tineidae) *sarobiella* G.Petersen,1959; *nuristanica* Gozmany,1959.
- 1507.** *Petalographis orientalis* (G.Petersen,1961) (Tineidae) *orientalis* G.Petersen,1961
- 1508.** *Praelongicera afghana* (G.Petersen,1959) (Tineidae) *afghana* G.Petersen,1959
- 1509.** *Tinea translucens* Meyrick,1917 (Tineidae) *translucens* Meyrick,1917; *metonella* Pierce & Metcalf,1934; *leonhardi* G.Petersen,1957; *margaritacea* Gozmany,1967; *forficata* Gozmany,1968.
- 1510.** *Acleris decolorata* Razowski,1964 (Tortricidae) *decolorata* Razowski,1964; *dedita* Razowski,1974
- 1511.** *Acleris napaea* (Meyrick,1912) (Tortricidae) *napaea* Meyrick,1912; *sheljuzhkoi* Obratsov,1943; *heringi* Razowski,1958
- 1512.** *Acleris sordidata* Razowski,1971 (Tortricidae) *sordidata* Razowski,1971
- 1513.** *Aethes afghana* Razowski,1983 (Tortricidae) *afghana* Razowski,1983
- 1514.** *Aethes amseli* Razowski,1967 (Tortricidae) *amseli* Razowski,1967
- 1515.** *Aethes bilbaensis* (Rössler,1877) (Tortricidae) *bilbaensis* Rössler,1877; *loxoteroides* Walsingham,1903; *mediterranea* Rebel,1906; *reclusa* Meyrick,1923.
- 1516.** *Aethes francillana* (Fabricius,1794) (Tortricidae) *francillana* Fabricius,1794; *francillonana* Humprey & Westwood,1845; *ferulae* Müller-Rutz,1920.
- 1517.** *Aethes moribundana* (Staudinger,1859) (Tortricidae) *moribundana* Staudinger,1859; *respirantana* Staudinger,1879; *dispersana* Kennel,1899; *dilutana* Kennel,1899; *helvolana* Kennel,1900; *lanceolata* Filipjev,1924.
- 1518.** *Aethes pardaliana* (Kennel,1899) (Tortricidae) *pardaliana* Kennel,1899
- 1519.** *Archips citimus* Razowski,1987 (Tortricidae) *citimus* Razowski,1987
- 1520.** *Archips inanis* Razowski,1977 (Tortricidae) *inanis* Razowski,1977
- 1521.** *Bactra* (s.str.) *amseli* Diakonoff,1959 (Tortricidae) *amseli* Diakonoff,1959
- 1522.** *Bactra* (s.str.) *baetrana* (Kennel,1901) (Tortricidae) *baetrana* Kennel,1901; *cyperana* Amsel,1951; *mediterranea* Agenjo,1952.
- 1523.** *Bactra* (s.str.) *longiqua* Diakonoff,1959 (Tortricidae) *longiqua* Diakonoff,1959
- 1524.** *Bactra* (s.str.) *robustana* (Christoph,1872) (Tortricidae) *robustana* Christoph,1872; *griseana* A.M.Djakonov,1929; *grisea* A.M.Djakonov,1929; *scirpicolana* Pierce,1935
- 1525.** *Cerace onustana* Walker,1863 (Tortricidae) *onustana* Walker,1863; *guttana* R.Felder & Rogenhofer,1875; *obscura* Diakonoff,1950
- 1526.** *Choristoneura propensa* Razowski,1992 (Tortricidae) *propensa* Razowski,1992
- 1527.** *Clepsis rurinana* (Linnaeus,1758) (Tortricidae) *rurinana* Linnaeus,1758; *modeerinana* Linnaeus,1761; *angulosa* Fourcroy,1785; *semialbana* Guenée,1845; *idana* Kennel,1919; *liotoma* Meyrick,1935.
- 1528.** *Cnephasia* (s.str.) *kasyi* Razowski,1971 (Tortricidae) *kasyi* Razowski,1971
- 1529.** *Cnephasia* (s.str.) *minutula* (Falkovitsh,1962) (Tortricidae) *minutula* Falkovitsh,1962
- 1530.** *Cnephasia* (s.str.) *orientana* (Alpheraky,1876) (Tortricidae) *orientana* Alpheraky,1876

10 12 2007

- 1531. Cochylidia moguntiana** (Rössler,1864) (Tortricidae) *moguntiana* Rössler,1864; *griseolana* W.Petersen,1924; *trafvenfelti* Benander,1949.
- 1532. Cochylimorpha acriapex** (Razowski,1967) (Tortricidae) *acriapex* Razowski,1967
- 1533. Cochylimorpha asiana** (Kennel,1899) (Tortricidae) *asiana* Kennel,1899; *taganrogana* Kennel,1900; *mirabilana* Turati,1934.
- 1534. Cochylimorpha discolorana** Kennel,1899 (Tortricidae) *discolorana* Kennel,1899; *dichroina* Danilevsky,1962; *#sarobica* Razowski,1964
- 1535. Cochylimorpha eberti** Razowski,1967 (Tortricidae) *eberti* Razowski,1967
- 1536. Cochylimorpha eburneana** (Kennel,1899) (Tortricidae) *eburneana* Kennel,1899
- 1537. Cochylimorpha fluens** (Razowski,1970) (Tortricidae) *fluens* Razowski,1970
- 1538. Cochylimorpha halophilana** (Christoph,1882) (Tortricidae) *halophilana* Christoph,1882
- 1539. Cochylimorpha montana** (Razowski,1967) (Tortricidae) *montana* Razowski,1967
- 1540. Cochylimorpha nomadana** (Erschoff,1874) (Tortricidae) *nomadana* Erschoff,1874
- 1541. Cochylimorpha nuristana** (Razowski,1967) (Tortricidae) *nuristana* Razowski,1967
- 1542. Cochylimorpha stataria** (Razowski,1970) (Tortricidae) *stataria* Razowski,1970
- 1543. Cochylis apricana** Kennel,1899 (Tortricidae) *apricana* Kennel,1899; *amoenana* Kennel,1899.
- 1544. Cochylis faustana** (Kennel,1919) (Tortricidae) *faustana* Kennel,1919
- 1545. Cochylis heratana** Razowski,1967 (Tortricidae) *heratana* Razowski,1967
- 1546. Cochylis indica** Razowski,1968 (Tortricidae) *indica* Razowski,1968
- 1547. Cochylis lutosa** Razowski,1967 (Tortricidae) *lutosa* Razowski,1967
- 1548. Cochylis maestana** Kennel,1899 (Tortricidae) *maestana* Kennel,1899; *suleimana* Osthelder,1938.
- 1549. Cochylis morosana** Kennel,1899 (Tortricidae) *morosana* Kennel,1899
- 1550. Cochylis piana** (Kennel,1899) (Tortricidae) *piana* Kennel,1899; *pamira* Obratsov,1943; *subposterana* Toll,1947.
- 1551. Cochylis similana** Razowski,1963 (Tortricidae) *similana* Razowski,1963
- 1552. Diceratura diceratops** Razowski,1967 (Tortricidae) *diceratops* Razowski,1967
- 1553. Epiblema graphana** (Treitschke,1835) (Tortricidae) *graphana* Treitschke,1835; *pierretana* Duponchel,1836
- 1554. Eriopsela klapperichi** Razowski,1967 (Tortricidae) *klapperichi* Razowski,1967
- 1555. Eucosma ephedrana** Christoph,1877 (Tortricidae) *ephedrana* Christoph,1877
- 1556. Eugnosta acanthana** Razowski,1967 (Tortricidae) *acanthana* Razowski,1967
- 1557. Eugnosta arrecta** Razowski,1970 (Tortricidae) *arrecta* Razowski,1970
- 1558. Eugnosta hydrargyrana** (Eversmann,1842) (Tortricidae) *hydrargyrana* Eversmann,1842
- 1559. Eugnosta magnificana** (Rebel,1914) (Tortricidae) *margaritana* Hübner,[1813] *nec* Haw.,[1811]; ? *norvichiana* Hübner,[1817] [*nomina dubia!*]; *magnificana* Rebel,1914.
- 1560. Eugnosta pamirana** Obratsov,1943 (Tortricidae) *pamirana* Obratsov,1943
- 1561. Eupoecilia crocina** Razowski,1968 (Tortricidae) *crocina* Razowski,1968
- 1562. Falseuncaria ruficiliana** (Haworth,[1811]) (Tortricidae) *ciliella* Hübner,[1796] *nec* [Denis & Schiff.],1775; *ruficiliana* Haworth,[1811]; *coniana* Fuchs,1903; *tectana* Fuchs,1903.
- 1563. Gynnidomorpha permixtana** (Denis & Schiffermüller),1775 (Tortricidae) *permixtana* [Denis & Schiffermüller],1775; *antennana* Frölich,1828; *mussehlana* Treitschke,1835; *dymotana* Treitschke,1835.
- 1564. Gypsonoma amseli** Razowski,1967 (Tortricidae) *amseli* Razowski,1967
- 1565. Gypsonoma euphraticana** (Amsel,1935) (Tortricidae) *euphraticana* Amsel,1935
- 1566. Gypsonoma minutana** (Hübner,[1799]) (Tortricidae) *minutana* Hübner,[1799]; *vermiculana* Duponchel,1836
- 1567. Lepteucosma lutescens** (Razowski,1967) (Tortricidae) *lutescens* Razowski,1967
- 1568. Neocalyptis nuristana** (Razowski,1967) (Tortricidae) *nuristana* Razowski,1967
- 1569. Pelochrista latipalpana** (Razowski,1967) (Tortricidae) *latipalpana* Razowski,1967
- 1570. Phalonidia contractana** (Zeller,1847) (Tortricidae) *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925.
- 1571. Phtheochroa variolosana** (Christoph,1887) (Tortricidae) *variolosana* Christoph,1887
- 1572. Acrolepia afghanistanella** Gaedike,1968 (Yponomeutidae) *afghanistanella* Gaedike,1968
- 1573. Acrolepia excussella** Erschoff,1874 (Yponomeutidae) *excussella* Erschoff,1874
- 1574. Acrolepia kasyi** Gaedike,1968 (Yponomeutidae) *kasyi* Gaedike,1968
- 1575. Digitivalva aghanistanella** (Gaedike,1968) (Yponomeutidae) *afghanistanella* Gaedike,1968.
- 1576. Digitivalva amseli** Gaedike,1975 (Yponomeutidae) *amseli* Gaedike,1975
- 1577. Digitivalva exsuccella** (Erschoff,1874) (Yponomeutidae) *exsuccella* Erschoff,1874
- 1578. Digitivalva kasyi** (Gaedike,1968) (Yponomeutidae) *kasyi* Gaedike,1968
- 1579. Plutella (s.str.) xylostella** (Linnaeus,1758) (Yponomeutidae) *xylostella* Linnaeus,1758; *cinerea* Fourcroy,1785 *nec* Hufn.,1766; *xylostei* Fabricius,1798; *maculipennis* Curtis,1832; *niveella* Zeller,1839; *cruciferarum* Zeller,1843; *brassicella* Fitch,1856; *limbipennella* Clemens,1860; *mollipedella* Clemens,1860; *cicerella* Rondani,1876; *dubiosella* Beutenmüller,1889; *albovenosa* Walsingham,1897; *megapterella* Benthinck,1934
- 1580. Adscita (Procriterna) subdolosia** (Staudinger,1887) (Zygaenidae) *subdolosia* Staudinger,1887; *pamirensis* Hampson,1920
- 1581. Agalope hyalina** (Kollar,[1844]) (Zygaenidae) *hyalina* Kollar,[1844]; *basalis* Walker,1854; *primularis* Butler,1895; *formosana* Matsumura,1927
- 1582. Campylotes histrionicus** Westwood,1839 (Zygaenidae) *histrionicus* Westwood,1839
- 1583. Epizygaena afghana** (Moore,1859) (Zygaenidae) *afghana* Moore,1859
- 1584. Epizygaena caschmirensis** (Kollar,[1844]) (Zygaenidae) *caschmirensis* Kollar,[1844]; *asoka* Moore,1879
- 1585. Soritia pulchella** (Kollar,[1848]) (Zygaenidae) *pulchella* Kollar,[1848]; *leptalina* Kollar,[1848]; *sempunctata* Walker,1854; *triliturata* Walker,1863; *octopunctata* Möschler,1872; *flavomaculata* Möschler,1872; *cicada* R.Felder & Rogenhofer,1875; *olivascens* Moore,1879
- 1586. Zygaena (Agrumenia) afghana** Moore,1859 (Zygaenidae) *afghana* Moore,1859
- 1587. Zygaena (Agrumenia) mangeri** Burgeff,1927 (Zygaenidae) *mangeri* Burgeff,1927
- 1588. Zygaena (Agrumenia) merzbacheri** Reiss,1933 (Zygaenidae) *merzbacheri* Reiss,1933
- 1589. Zygaena (Agrumenia) nuksanensis** Koch,1937 (Zygaenidae) *nuksanensis* Koch,1937
- 1590. Zygaena (Agrumenia) shivacola** Reiss & Schulte,1962 (Zygaenidae) *shivacola* Reiss & Schulte,1962
- 1591. Zygaena (Mesembrynus) afghanica** Reiss,1940 (Zygaenidae) *afghanica* Reiss,1940
- 1592. Zygaena (Mesembrynus) excellens** Reiss,1940 (Zygaenidae) *excellens* Reiss,1940
- 1593. Zygaena (Mesembrynus) hindukuchi** Koch,1937 (Zygaenidae) *hindukuchi* Koch,1937
- 1594. Zygaena (Mesembrynus) rubricollis** Hampson,1900 (Zygaenidae) *rubricollis* Hampson,1900
- 1595. Zygaena (Mesembrynus) superba** Reiss & Schulte,1964 (Zygaenidae) *superba* Reiss & Schulte,1964
- 1596. Zygaena (s.str.) wyatti** Reiss & Schulte,1961 (Zygaenidae) *wyatti* Reiss & Schulte,1961
- 1597. Zygaenoprocris (Keilia) naumanni** Efetov,1994 (Zygaenidae) *naumanni* Efetov,1994
- 1598. Zygaenoprocris (s.str.) chalcoclora** (Hampson,1900) (Zygaenidae) *chalcoclora* Hampson,1900; *mystricera* Püngeler,1914; *khorrassana* Alberti,1939
- 1599. Zygaenoprocris (s.str.) eberti** (Alberti,1968) (Zygaenidae) *eberti* Alberti,1968

Chapter 14

"Bilimlik kishilerni h rmetle, s zige ashiq bol,
ularning pezilitini  gen, emeliyitingdimu shundaq bol"
Mahmut Keshqiri, Uighurian Philosopher

Illustrated list of the Lepidoptera recorded in Iran (LIR)²¹

by

Ahmet  mer Ko ak Muhabbet Kemal Selma Seven

Abstract: Chapter 14: Illustrated list of the Lepidoptera recorded in Iran, [in] Ko ak,A. . & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 1790-1848,Pls.

In this chapter, intermediate results of the the Project (LIR), Lepidoptera of Iran are partly submitted. Totally 3295 species together with their synonyms are listed alphabetically under the related families. Some original images, taken by the authors during the expeditions organized by the Cesa in 1996 are also added.

²¹ Results of the Projects of the CESA-I, Lepidoptera of Turkey (LIR).

1. **Haplochrois sinevi** (Baldizzone, 1993) (Agonoxenidae) Synonym(s): *sinevi* Baldizzone, 1993
2. **Alucita cinnerethella** Amsel, 1935 (Alucitidae) Synonym(s): *cinnerethella* Amsel, 1935
3. **Alucita cymatodactyla** Zeller, 1852 (Alucitidae) Synonym(s): *cymatodactyla* Zeller, 1852.
4. **Alucita desmodactyla** Zeller, 1847 (Alucitidae) Synonym(s): *desmodactyla* Zeller, 1847
5. **Alucita iranensis** Scholz & Jäckh, 1994 (Alucitidae) Synonym(s): *iranensis* Scholz & Jäckh, 1994
6. **Alucita pseudohuebneri** Scholz, 1997 (Alucitidae) Synonym(s): *pseudohuebneri* Scholz, 1997
7. **Arctia caja** (Linnaeus, 1758) (Arctiidae) Synonym(s): *caja* Linnaeus, 1758; *erinacea* Retzius, 1783; *phantasma* Niepelt, 1905; *lusitanica* Spuler, 1906; *confluens* Rebel, 1910 *nec* Romanoff, 1884; *rebeli* Wnukowsky, 1929.
8. **Argina astrea** (Drury, [1773]) (Arctiidae) Synonym(s): *cribraria* Clerck, 1764 *nec* Linn., 1758; *astrea* Drury, [1773]; *pylotes* Fabricius, 1775; *dulcis* Walker, 1854; *guttata* Rambur, 1866; *notata* Butler, 1877; *pylotes* Butler, 1877; *multiguttatus* Swinhoe, 1892; *#perforata* Seitz, 1914; *#detersa* Hulstaert, 1923.
9. **Axiopoea karelini** Ménétériés, 1853 (Arctiidae) Synonym(s): *karelini* Ménétériés, 1853; *transcaucasia* Sheljuzhko, 1926; *manissadjani* O. Bang-Haas, 1927.
10. **Axiopoea maura** (Eichwald, 1830) (Arctiidae) Synonym(s): *maura* Eichwald, 1830; *fluviatilis* Swinhoe, 1885.
11. **Callimorpha dominula** (Linnaeus, 1758) (Arctiidae) Synonym(s): *dominula* Linnaeus, 1758; *insubrica* Wackerzapp, 1890; *rhodanica* Kettlewell, 1943.
12. **Chelis reticulata** (Christoph, 1887) (Arctiidae) Synonym(s): *reticulata* Christoph, 1887
13. **Creतालoum arabicum** (Hampson, 1896) (Arctiidae) Synonym(s): *arabicum* Hampson, 1896; *gracilis* Staudinger, 1899
14. **Creतालotos gangis** (Linnaeus, 1763) (Arctiidae) Synonym(s): *gangis* Linnaeus, 1763; *interrupta* Linnaeus, 1767; *francisca* Fabricius, 1787; *continuat* Moore, 1877; *#pallida* Rothschild, 1914; *#nigrescens* Rothschild, 1914; *#feminatus* Strand, 1919.
15. **Diaphora mendica** (Linnaeus, 1761) (Arctiidae) Synonym(s): *#mendica* Clerck, 1759; *mendica* Linnaeus, 1761; *rustica* Hübner, [1791]; *syra* Daniel, 1933; *malatiana* Bytinski-Salz, 1936.
16. **Ebertarctia nordstroemi** (Brandt, 1947) (Arctiidae) Synonym(s): *nordstroemi* Brandt, 1947
17. **Eilema palliatella** (Scopoli, 1763) (Arctiidae) Synonym(s): *palliatella* Scopoli, 1763; *unita* [Denis & Schifferrmüller], 1775; *palleola* Hübner, [1808]; *gilveola* Ochsenheimer, 1810; *vitellina* Treitschke, 1834; *flaveola* Rambur, 1866.
18. **Eilema sororcula** (Hufnagel, 1766) (Arctiidae) Synonym(s): *sororcula* Hufnagel, 1766; *crocella* Fourcroy, 1785; *crocinnella* Villers, 1789; *aureola* Hübner, [1808]; *aurantia* Haworth, 1809.
19. **Epicallia villica** (Linnaeus, 1758) (Arctiidae) Synonym(s): *villica* Linnaeus, 1758; *corsica* Oberthür, 1911; *niceensis* Oberthür, 1911; *britannica* Oberthür, 1911; *meridionalis* Heinrich, 1923.
20. **Eucharia festiva** (Hufnagel, 1766) (Arctiidae) Synonym(s): *festiva* Hufnagel, 1766; *hebe* Linnaeus, 1767; *interrogationis* Ménétériés, 1863; *sartha* Staudinger, 1886; *nivea* O. Bang-Haas, 1927; *ragusai* Stauder, 1928.
21. **Eudiaphora turensis** (Erschoff, 1874) (Arctiidae) Synonym(s): *turensis* Erschoff, 1874; *maracandica* Seitz, 1910; *afghanistanensis* Daniel, 1966.
22. **Euplagia quadripunctaria** (Poda, 1761) (Arctiidae) Synonym(s): *quadripunctaria* Poda, 1761; *hera* Linnaeus, 1767; *magna* Spuler, 1910 *nec* Hol., 1897; *latefasciata* Bubacek, 1915.
23. **Euplagia splendidior** (Tams, 1922) (Arctiidae) Synonym(s): *splendidior* Tams, 1922; *tkatshukovi* Sheljuzhko, 1935.
24. **Hyphantria cunea** (Drury, [1773]) (Arctiidae) Synonym(s): *cunea* Drury, [1773]; *punctatissima* Smith, 1797; *budea* Hübner, [1823]; *textor* Harris, 1828; *mutans* Walker, 1856; *collaris* Fitch, 1857; *punctata* Fitch, 1857; *pallida* Packard, 1864; *candida* Walker, 1865; *suffusa* Strecker, 1900; *brunnea* Strecker, 1900
25. **Katha depressa** (Esper, [1787]) (Arctiidae) Synonym(s): *deplana* Esper, [1787] *nec* Linn., 1771; *depressa* Esper, [1787]; *helvola* Hübner, [1803]; *ochreola* Hübner, [1803]; *helvola* Ochsenheimer, 1810.
26. **Lacydes spectabilis** (Tauscher, 1806) (Arctiidae) Synonym(s): *spectabilis* Tauscher, 1806; *intercissa* Freyer, 1842.
27. **Nebractia semiramis** (Staudinger, 1892) (Arctiidae) Synonym(s): *semiramis* Staudinger, 1892
28. **Ocnogyna (s.str.) armena** Staudinger, 1871 (Arctiidae) Synonym(s): *armena* Staudinger, 1871
29. **Ocnogyna (s.str.) loewii** (Zeller, 1846) (Arctiidae) Synonym(s): *loewii* Zeller, 1846; *clathrata* Lederer, 1855; *andresi* Draudt, 1931.
30. **Paidia (Conjuncta) conjuncta** (Staudinger, 1892) (Arctiidae) Synonym(s): *conjuncta* Staudinger, 1892
31. **Paidia elegantia** De Freina & Witt, 2004 (Arctiidae) Synonym(s): *elegantia* De Freina & Witt, 2004
32. **Parasemia plantaginis** (Linnaeus, 1758) (Arctiidae) Synonym(s): *plantaginis* Linnaeus, 1758; *hospita* [Denis & Schifferrmüller], 1775.
33. **Phragmatobia fuliginosa** (Linnaeus, 1758) (Arctiidae) Synonym(s): *fuliginosa* Linnaeus, 1758; *fervida* Staudinger, 1871 *nec* Walk., 1855; *lurida* Rothschild, 1910; *monticola* Daniel, 1970 *nec* Reiss., 1934
34. **Phragmatobia placida** (Frivaldsky, 1835) (Arctiidae) Synonym(s): *placida* Frivaldsky, 1835
35. **Spilosoma urticae** (Esper, [1789]) (Arctiidae) Synonym(s): *urticae* Esper, [1789]
36. **Utetheisa (s.str.) lotrix** (Cramer, [1777]) (Arctiidae) Synonym(s): *lotrix* Cramer, [1777]; *indica* Roepke, 1941
37. **Utetheisa (s.str.) pulchella** (Linnaeus, 1758) (Arctiidae) Synonym(s): *pulchella* Linnaeus, 1758; *pulchra* [Denis & Schifferrmüller], 1775; *thyer* Butler, 1877; *shyama* Bhattacharjee & Gupta, 1969; *menoni* Bhattacharjee & Gupta, 1969.
38. **Watsonarctia deserta** (Bartel, 1902) (Arctiidae) Synonym(s): *casta* Esper, [1784] *nec* Pall., 1771; *deserta* Bartel, 1902; *sibirica* Kozhantschikov, 1924; *callesi* Gomez-Bustillo, 1979; *esperii* Koçak, 1980.
39. **Aglais urticae** (Linnaeus, 1758) (Argynnididae) Synonym(s): *urticae* Linnaeus, 1758; *opima* Verity, 1919; *variegata* Querci, 1932; *strandii* Verity, 1936.
40. **Argynnis (Fabriciana) adippe** (Rottemburg, 1775) (Argynnididae) Synonym(s): *cydippe* Linnaeus, 1761 (*rejected*); *berecynthia* Poda, 1761 (*rejected*); *adippe* Rottemburg, 1775; *phryxa* Bergsträsser, 1780; *margaritacea* Retzius, 1783; *syrinx* Borkhausen, 1788; *aspasia* Borkhausen, 1788; *liriope* Borkhausen, 1788; *baiuvarica* Spuler, 1901, *etc.*
41. **Argynnis (Fabriciana) niobe** (Linnaeus, 1758) (Argynnididae) Synonym(s): *niobe* Linnaeus, 1758.
42. **Argynnis (Pandoriana) pandora** ([Denis & Schifferrmüller], 1775) (Argynnididae) Synonym(s): *pandora* [Denis & Schifferrmüller], 1775; *maja* Cramer, 1775 *nec* Fabricius, 1775; *cynara* Fabricius, 1777; *cyrnea* Schwerda, 1926; *transcaucasica* Moucha, 1967; *deserticola* Gross & Ebert, 1975.
43. **Argynnis (Speyeria) alexandra** Ménétériés, 1832 (Argynnididae) Synonym(s): *alexandra* Ménétériés, 1832
44. **Argynnis (s.str.) paphia** (Linnaeus, 1758) (Argynnididae) Synonym(s): *paphia* Linnaeus, 1758; *valesina* Esper, [1798]; *magnata* Verity, 1919; *revelata* Verity, 1934; *magnifica* Verity, 1919; *magnificamagnata* Verity, 1950.
45. **Boloria (Clossiana) euphrosyne** (Linnaeus, 1758) (Argynnididae) Synonym(s): *euphrosyne* Linnaeus, 1758; *argenticollis* Retzius, 1783; *figal* Herbst, 1800; *densoi* Fruhstorfer, 1909; *apennina* Fruhstorfer, 1916; *cynosoma* Fruhstorfer, 1916; *nestonclara* Verity, 1932; *eminens* Verity, 1932; *varianana* Verity, 1932; *austremiens* Verity, 1950, *etc.*
46. **Brenthis daphne** (Bergsträsser, 1780) (Argynnididae) Synonym(s): *daphne* Bergsträsser, 1780; *chloris* Esper, 1778 *nec* Fabricius, 1775; *epidaphne* Fruhstorfer, 1907; *nikator* Fruhstorfer, 1909; *tenuitermaculosa* Verity, 1922; *syriaca* Belter, 1935; *anatolica* Belter, 1935.
47. **Brenthis hecate** ([Denis & Schifferrmüller], 1775) (Argynnididae) Synonym(s): *hecate* [Denis &

Schiffermüller, 1775; *harthoe* *Fruhstorfer*, 1917; *florida* *Verity*, 1919; *stricta* *Verity*, 1933.

48. *Brenthia mofidii* Wyatt, 1968 (Argynnidæ)
Synonym(s): *mofidii* Wyatt, 1968

49. *Cynthia cardui* (Linnaeus, 1758) (Argynnidæ)
Synonym(s): *cardui* Linnaeus, 1758; *carduelis* Cramer, 1775; *elymi* Rambur, 1829; *kershawii* McCoy, 1868; *pallida* Schoyen, 1881; *universa* *Verity*, 1919; *takesakiana* Kato, 1925.

50. *Eupatúra mirza* Ebert, 1971 (Argynnidæ)
Synonym(s): *mirza* Ebert, 1971; *iwasei* Igarashi, 1971.

51. *Euphydryas (Eurodryas) aurinia* (Rottemburg, 1775) (Argynnidæ) Synonym(s): *aurinia* Rottemburg, 1775; *artemis* [Denis & Schiffermüller], 1775; *lye* Bergsträßer, [1779]; *koloswarensis* Piller & Mitterpacher, 1783; *scotica* Robson, 1880; *signifera* Kane, 1893; *anglicana* *Fruhstorfer*, 1917; *acedia* *Fruhstorfer*, 1917.

52. *Hypolimnias misippus* (Linnaeus, 1764) (Argynnidæ)
Synonym(s): *misippus* Linnaeus, 1764 *inaria* Cramer, [1779]; *alcippoides* Butler, 1883.

53. *Inachis io* (Linnaeus, 1758) (Argynnidæ)
Synonym(s): *io* Linnaeus, 1758; *ioides* Ochsenheimer, 1808; *caucasica* Jachontov, 1911.

54. *Issoria lathonia* (Linnaeus, 1758) (Argynnidæ)
Synonym(s): *lathonia* Linnaeus, 1758; *saturata* Röber, 1897; *hungarica* Aigner-Abafi, 1906; *florens* *Verity*, 1916; *emiflorens* *Verity*, 1919; *attenuata* Sagarra, 1926; *nigroprivata* *Verity*, 1933.

55. *Limnitis (Azuritis) reducta* Staudinger, 1901 (Argynnidæ) Synonym(s): *reducta* Staudinger, 1901.

56. *Melitaea (Cinclidia) (phoebe) punica* Oberthür, 1876 (Argynnidæ) Synonym(s): *punica* Oberthür, 1876

57. *Melitaea (Cinclidia) collina* Lederer, 1861 (Argynnidæ) Synonym(s): *collina* Lederer, 1861

58. *Melitaea (Cinclidia) consulis* Wiltshire, 1941 (Argynnidæ) Synonym(s): *consulis* Wiltshire, 1941; *proconsulis* Wiltshire, 1946

59. *Melitaea (Cinclidia) turkmanica* Higgins, 1940 (Argynnidæ) Synonym(s): *turkmanica* Higgins, 1940

60. *Melitaea (Didymaeformis) casta* Kollar, [1849] (Argynnidæ) Synonym(s): *casta* Kollar, [1849]

61. *Melitaea (Didymaeformis) didyma* (Esper, [1779]) (Argynnidæ) Synonym(s): *didyma* Esper, [1779]; *armoricana* Oberthür, 1909.

62. *Melitaea (Didymaeformis) fascelis* (Fabricius, 1787) (Argynnidæ) Synonym(s): *trivialis* Denis & Schiffermüller, 1775; *iphigenia* Esper, 1782 hom.; *fascelis* Esper, 1783 uninominal; *fascelis* Fabricius, 1787; *cleo* Latreille, 1803;

63. *Melitaea (Didymaeformis) fergana* Staudinger, 1882 (Argynnidæ) Synonym(s): *fergana* Staudinger, 1882

64. *Melitaea (Didymaeformis) interrupta* Kolenati, 1846 (Argynnidæ) Synonym(s): *interrupta* Kolenati, 1846; *transcaucasica* Turati, 1919; *caucasi* *Verity*, 1922; *venosata* Niesiolowski, 1937; *distinctissima* Bryk, 1940; *musatscherii* Alberti, 1969; *itolensis* Alberti, 1969.

65. *Melitaea (Didymaeformis) jitka* D. Weiss & Major, 2000 (Argynnidæ) Synonym(s): *jitka* D. Weiss & Major, 2000

66. *Melitaea (Didymaeformis) perseia* Kollar, [1849] (Argynnidæ) Synonym(s): *perseia* Kollar, [1849]; *caucasica* Stgr., 1861; *magnacasta*, *araratica* *Verity*, 1929; *sargon* Hemming, 1932; *tauricus* Belter, 1934; *caucasicola* Bryk, 1940; *hafiz*, *gina* Higgins, 1941; *darius*, *pfeifferi*, *wernickei*, *elbursicola*, *safawides* Gross & Ebert, 1975.

67. *Melitaea (Didymaeformis) saxatilis* Christoph, 1873 (Argynnidæ) Synonym(s): *saxatilis* Christoph, 1873

68. *Melitaea (s.str.) arduinna* (Fabricius, 1787) (Argynnidæ) Synonym(s): *arduinna* Fabricius, 1787; *rhodopensis* Freyer, [1836]; *uralensis* Eversmann, 1844.

69. *Melitaea (s.str.) cinxia* (Linnaeus, 1758) (Argynnidæ)
Synonym(s): *cinxia* Linnaeus, 1758; *abacus* Retzius, 1783; *fulla* Quensel, 1791.

70. *Melitaea sarvistana* Wiltshire, 1941 (Argynnidæ)
Synonym(s): *sarvistana* Wiltshire, 1941

71. *Neptis (s.str.) rivularis* (Scopoli, 1763) (Argynnidæ)
Synonym(s): *rivularis* Scopoli, 1763; *lucilla* Denis & Schiffermüller, 1775; *coenobita* Cramer, 1780; *#olunay* Koçak & Kemal, 2000.

72. *Nymphalis polychloros* (Linnaeus, 1758) (Argynnidæ) Synonym(s): *polychloros* Linnaeus, 1758; *testudo* Esper, 1781; *pyrrhomelaena* Hübner, 1824; *pyromelas* Freyer, 1834; *fervida* Standfuss, 1896.

73. *Nymphalis xanthomelas* (Esper, [1781]) (Argynnidæ)
Synonym(s): *#xanthomelas* [Denis & Schiffermüller], 1775; *xanthomelas* Esper, [1781]

74. *Polygonia (Comma) c-album* (Linnaeus, 1758) (Argynnidæ) Synonym(s): *c-album* Linnaeus, 1758; *g-album* Fourcroy, 1785.

75. *Polygonia (Comma) egea* (Cramer, [1775]) (Argynnidæ) Synonym(s): *egea* Cramer, [1775] (junior homonym); *vaualbum* Esper, 1780; *l-album* Esper, 1789; *triangulum* Fabricius, 1793; *autumnalis* Stefanelli, 1873; *#balucha* Evans, 1932; *#pallida* Evans, 1932.

76. *Precis (Junonia) almana* (Linnaeus, 1758) (Argynnidæ) Synonym(s): *almana* Linnaeus, 1758

77. *Precis (Junonia) hierta* (Fabricius, 1798) (Argynnidæ) Synonym(s): *lintingensis* Osbeck, 1765 [rejected name, Op. 842, 1968]; *hierta* Fabricius, 1798

78. *Precis (Junonia) orithya* (Linnaeus, 1758) (Argynnidæ) Synonym(s): *orithya* Linnaeus, 1758

79. *Thaleropsis ionia* (Eversmann, 1851) (Argynnidæ)
Synonym(s): *ionia* Eversmann, 1851; *ammonia* Herrich-Schäffer, 1851.

80. *Vanessa atalanta* (Linnaeus, 1758) (Argynnidæ)
Synonym(s): *atalanta* Linnaeus, 1758; *amiralis* Retzius, 1783; *#klemensiewiczii* Schille, 1896; *#klime* Fischer, 1896; *italica* Stichel, 1900.

81. *Apiletria (Aretascetis) endopercna* (Meyrick, 1936) (Autostichidae) Synonym(s): *endopercna* Meyrick, 1936

82. *Apiletria (Aretascetis) murcidella* (Christoph, 1876) (Autostichidae) Synonym(s): *murcidella* Christoph, 1876

83. *Apiletria (Aretascetis) purulentella* Stainton, 1867 (Autostichidae) Synonym(s): *purulentella* Stainton, 1867

84. *Apiletria (Xystoceros) artaxerxes* Gozmany, 1965 (Autostichidae) Synonym(s): *artaxerxes* Gozmany, 1965

85. *Charadraula cambyses* Gozmany (Autostichidae)
Synonym(s): *cambyses* Gozmany

86. *Charadraula cyrus* Gozmany (Autostichidae)
Synonym(s): *cyrus* Gozmany

87. *Cyllaraxis cambyses* Gozmany, 2000 (Autostichidae)
Synonym(s): *cambyses* Gozmany, 2000

88. *Cyllaraxis cyrus* Gozmany, 2000 (Autostichidae)
Synonym(s): *cyrus* Gozmany, 2000

89. *Eremica effendi* Gozmany, 1963 (Autostichidae)
Synonym(s): *effendi* Gozmany, 1963

90. *Eremica eremita* Gozmany, 1963 (Autostichidae)
Synonym(s): *eremita* Gozmany, 1963

91. *Eremica wiltshirei* Gozmany, 1963 (Autostichidae)
Synonym(s): *wiltshirei* Gozmany, 1963

92. *Heringita amselina* (Gozmany, 1967) (Autostichidae)
Synonym(s): *amseli* Gozmany, 1963 nec Gozm., 1954; *amselina* Gozmany, 1967.

93. *Megasymmoca forsteri* Gozmany, 1963 (Autostichidae) Synonym(s): *forsteri* Gozmany, 1963

94. *Megasymmoca maga* Gozmany, 1963 (Autostichidae)
Synonym(s): *maga* Gozmany, 1963

95. *Megasymmoca mithra* Gozmany, 1963 (Autostichidae) Synonym(s): *mithra* Gozmany, 1963

96. *Megasymmoca mithridates* Gozmany, 1963 (Autostichidae) Synonym(s): *mithridates* Gozmany, 1963

97. *Megasymmoca persica* Gozmany, 1963 (Autostichidae) Synonym(s): *persica* Gozmany, 1963

98. *Megasymmoca sahname* Gozmany, 1963 (Autostichidae) Synonym(s): *sahname* Gozmany, 1963

99. *Megasymmoca satrapa* Gozmany, 1963 (Autostichidae) Synonym(s): *satrapa* Gozmany, 1963

100. *Megasymmoca sheherezade* Gozmany, 1963 (Autostichidae) Synonym(s): *sheherezade* Gozmany, 1963

101. *Megasymmoca sindbad* Gozmany, 1963 (?) (Autostichidae) Synonym(s): *#sindbad* Gozmany, 1963

102. *Mylothra christophi* Gozmany, 1967 (Autostichidae)
Synonym(s): *christophi* Gozmany, 1967

103. *Mylothra megalomera* Gozmany (Autostichidae)
Synonym(s):

- 104. Oegoconia caradjai** Popescu-Gorj & Capuse, 1965 (Autostichidae) Synonym(s): *caradjai* Popescu-Gorj & Capuse, 1965
- 105. Pecteneremus albella** (Amsel, 1959) (Autostichidae) Synonym(s): *albella* Amsel, 1959; *griseella* Amsel, 1959.
- 106. Pecteneremus brandti** Gozmany (Autostichidae) Synonym(s): *brandti* Gozmany
- 107. Pecteneremus pilatus** Gozmany, 1963 (Autostichidae) Synonym(s): *pilatus* Gozmany, 1963
- 108. Symmoca costobscurella** Amsel, 1950 (Autostichidae) Synonym(s): *costobscurella* Amsel, 1950
- 109. Symmoca libanicolella** Zerny, 1934 (Autostichidae) Synonym(s): *libanicolella* Zerny, 1934
- 110. Symmoca striolatella** Gozmany, 1963 (Autostichidae) Synonym(s): *striolatella* Gozmany, 1963
- 111. Sysymmosa sahib** Gozmany, 1963 (Autostichidae) Synonym(s): *sahib* Gozmany, 1963
- 112. Turatia iranica** Gozmany, 2000 (Autostichidae) Synonym(s): *iranica* Gozmany, 2000
- 113. Brachodes compar** (Staudinger, 1879) (Brachodidae) Synonym(s): *compar* Staudinger, 1879
- 114. Brachodes diacona** (Lederer, 1858) (Brachodidae) Synonym(s): *diacona* Lederer, 1858
- 115. Brachodes keredjella** (Amsel, 1953) (Brachodidae) Synonym(s): *keredjella* Amsel, 1953
- 116. Brachodes radiatus** (Christoph, 1873) (Brachodidae) Synonym(s): *radiatus* Christoph, 1873; *rasa* Christoph, 1877; *rasata* Staudinger, [1900]
- 117. Brachodes rhagensis** (Lederer, 1869) (Brachodidae) Synonym(s): *rhagensis* Lederer, 1869
- 118. Brahmaea (s.str.) christophi** Staudinger, 1879 (Brahmaeidae) Synonym(s): *christophi* Staudinger, 1879
- 119. Bucculatrix endospiralis** Deschka, 1981 (Bucculatricidae) Synonym(s): *endospiralis* Deschka, 1981
- 120. Bucculatrix iranica** Deschka, 1981 (Bucculatricidae) Synonym(s): *iranica* Deschka, 1981
- 121. Carposina ekbatana** Amsel, 1978 (Carposinidae) Synonym(s): *ekbatana* Amsel, 1978
- 122. Carposina roesleri** Amsel, 1977 (Carposinidae) Synonym(s): *roesleri* Amsel, 1977
- 123. Choreutis nemorana** (Hübner, [1799]) (Choreutidae) Synonym(s): *nemorana* Hübner, [1799]; *incisalis* Treitschke, 1828; *nemoranal* Treitschke, 1829; *nemorella* Herrich-Schäffer, 1862
- 124. Tebenna micalis** (Mann, 1857) (Choreutidae) Synonym(s): *micalis* Mann, 1857; *ishikii* Matsumura, 1931; *bradleyi* Clarke, 1971
- 125. Axia (Epicimelia) theresiae** (Korb, 1900) (Cimeliidae) Synonym(s): *theresiae* Korb, 1900
- 126. Coleophora abbasella** Baldizzone, 1994 (Coleophoridae) Synonym(s): *abbasella* Baldizzone, 1994
- 127. Coleophora acanthophyllii** (Falkovitsh, 1989) (Coleophoridae) Synonym(s): *acanthophyllii* Falkovitsh, 1989
- 128. Coleophora accadica** Baldizzone, 1994 (Coleophoridae) Synonym(s): *accadica* Baldizzone, 1994
- 129. Coleophora aculeata** Baldizzone, 1994 (Coleophoridae) Synonym(s): *aculeata* Baldizzone, 1994
- 130. Coleophora adelogrammella** Zeller, 1849 (Coleophoridae) Synonym(s): *adelogrammella* Zeller, 1849; *collina* Frey, 1880; *separatella* Benander, 1939.
- 131. Coleophora adjunctella** Hodgkinson, 1882 (Coleophoridae) Synonym(s): *adjunctella* Hodgkinson, 1882; *paludicola* Stainton, 1885; *aratorensis* Barasch, 1934
- 132. Coleophora adlecta** Baldizzone, 1994 (Coleophoridae) Synonym(s): *adlecta* Baldizzone, 1994
- 133. Coleophora aegyptiacae** Walshingham, 1907 (Coleophoridae) Synonym(s): *aegyptiacae* Walshingham, 1907
- 134. Coleophora aequallella** Christoph, 1872 (Coleophoridae) Synonym(s): *aequallella* Christoph, 1872
- 135. Coleophora aervae** Baldizzone, 1994 (Coleophoridae) Synonym(s): *aervae* Baldizzone, 1994
- 136. Coleophora alabardata** Baldizzone, 1994 (Coleophoridae) Synonym(s): *alabardata* Baldizzone, 1994
- 137. Coleophora albella** (Thunberg, 1788) (Coleophoridae) Synonym(s): *albella* Thunberg, 1788; *leucapennella* Hübner, 1796.
- 138. Coleophora albicostella** (Duponchel, 1842) (Coleophoridae) Synonym(s): *albicostella* Duponchel, 1842; *albimarginella* Herrich-Schäffer, 1855
- 139. Coleophora albidorsella** Toll, 1942 (Coleophoridae) Synonym(s): *albidorsella* Toll, 1942
- 140. Coleophora albiochrella** Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *albichrella* Toll & Amsel, 1967
- 141. Coleophora alcyonipennella** (Kollar, 1832) (Coleophoridae) Synonym(s): *alcyonipennella* Kollar, 1832; *cuprariella* Zeller, 1847; *praticolella* Zeller, 1849; *cuprifulgella* Toll, 1962
- 142. Coleophora alticolella** Zeller, 1849 (Coleophoridae) Synonym(s): *alticolella* Zeller, 1849
- 143. Coleophora amasiella** Stainton, 1867 (Coleophoridae) Synonym(s): *amasiella* Stainton, 1867
- 144. Coleophora ammophora** (Falkovitsh, 1989) (Coleophoridae) Synonym(s): *ammophora* Falkovitsh, 1989
- 145. Coleophora amphorella** Baldizzone, 1994 (Coleophoridae) Synonym(s): *amphorella* Baldizzone, 1994
- 146. Coleophora amseliella** Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *amseliella* Toll & Amsel, 1967
- 147. Coleophora aporiella** Baldizzone, 1989 (Coleophoridae) Synonym(s): *aporiella* Baldizzone, 1989
- 148. Coleophora arachnias** Meyrick, 1922 (Coleophoridae) Synonym(s): *arachnias* Meyrick, 1922; *hederella* Toll, 1942; *shadeganensis* Toll, 1959.
- 149. Coleophora arachosiae** Baldizzone, 1994 (Coleophoridae) Synonym(s): *arachosiae* Baldizzone, 1994
- 150. Coleophora badiipennella** (Duponchel, 1843) (Coleophoridae) Synonym(s): *badiipennella* Duponchel, 1843
- 151. Coleophora bedella** Falkovitsh, 1976 (Coleophoridae) Synonym(s): *bedella* Falkovitsh, 1976
- 152. Coleophora beduina** Baldizzone, 1987 (Coleophoridae) Synonym(s): *beduina* Baldizzone, 1987
- 153. Coleophora bernoulliella** (Goeze, 1783) (Coleophoridae) Synonym(s): *bernoulliella* Goeze, 1783; *anatipenella* Hübner, 1796
- 154. Coleophora bitlisella** Baldizzone, 1994 (Coleophoridae) Synonym(s): *bitlisella* Baldizzone, 1994
- 155. Coleophora bivittella** Staudinger, 1879 (Coleophoridae) Synonym(s): *bivittella* Staudinger, 1879
- 156. Coleophora botaurella** Herrich-Schäffer, 1861 (Coleophoridae) Synonym(s): *botaurella* Herrich-Schäffer, 1861
- 157. Coleophora caespitiella** Zeller, 1839 (Coleophoridae) Synonym(s): *caespitiella* Zeller, 1839; *scirpicolella* Zeller, 1849; *lacunicolella* Zeller, 1849; *agrammella* Wood, 1892
- 158. Coleophora capella** Baldizzone, 1990 (Coleophoridae) Synonym(s): *capella* Baldizzone, 1990
- 159. Coleophora carmaniae** Baldizzone, 1994 (Coleophoridae) Synonym(s): *carmaniae* Baldizzone, 1994
- 160. Coleophora cartilaginella** Christoph, 1872 (Coleophoridae) Synonym(s): *cartilaginella* Christoph, 1872; *dubiosa* Toll, 1952; *paraspumosella* Toll, 1957; *medicagivora* Toll, 1961.
- 161. Coleophora celsa** Baldizzone, 1994 (Coleophoridae) Synonym(s): *celsa* Baldizzone, 1994
- 162. Coleophora coronata** Baldizzone, 1994 (Coleophoridae) Synonym(s): *coronata* Baldizzone, 1994
- 163. Coleophora coronillae** Zeller, 1849 (Coleophoridae) Synonym(s): *coronillae* Zeller, 1849
- 164. Coleophora daeva** Baldizzone, 1994 (Coleophoridae) Synonym(s): *daeva* Baldizzone, 1994
- 165. Coleophora darica** Baldizzone, 1994 (Coleophoridae) Synonym(s): *darica* Baldizzone, 1994
- 166. Coleophora delicatella** Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *delicatella* Toll & Amsel, 1967
- 167. Coleophora dentatella** Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *dentatella* Toll & Amsel, 1967
- 168. Coleophora derbendella** Baldizzone, 1994 (Coleophoridae) Synonym(s): *derbendella* Baldizzone, 1994
- 169. Coleophora dianthi** Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *dianthi* Herrich-Schäffer, 1855; *dianthella* Herrich-Schäffer, 1861; *amseli* Toll, 1942
- 170. Coleophora discomaculella** Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *discomaculella* Toll & Amsel, 1967

171. **Coleophora ditella** Zeller, 1849 (Coleophoridae)
Synonym(s): *ditella* Zeller, 1849; *tanaceti* Roesler, 1866 nec Mühl., 1865; *roesleri* Wocke, [1876]; *anatolica* Toll, 1952.
172. **Coleophora dracontea** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *dracontea* Baldizzzone, 1994
173. **Coleophora dubiella** Baker, 1888 (Coleophoridae)
Synonym(s): *dubiella* Baker, 1888; *reisseri* Rebel, 1926; *eucera* Toll, 1952; *microeucera* Toll, 1960; *leucostrigella* Toll, 1960
174. **Coleophora eilatica** Baldizzzone, 1994 (Coleophoridae)
Synonym(s): *eilatica* Baldizzzone, 1994
175. **Coleophora elamita** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *elamita* Baldizzzone, 1994
176. **Coleophora elbursella** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *elbursella* Baldizzzone, 1994
177. **Coleophora erratella** Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *erratella* Toll & Amsel, 1967
178. **Coleophora eumorphella** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *eumorphella* Baldizzzone, 1994
179. **Coleophora eupreta** Walsingham, 1907 (Coleophoridae) Synonym(s): *eupreta* Walsingham, 1907; *nageli* Rebel, 1910; *circumdatella* Turati, 1934; *argentariella* Klimesch, 1952; *africana* Toll, 1957; *gozmanyi* Toll, 1960; *betica* Glaser, 1981
180. **Coleophora ferruginea** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *ferruginea* Baldizzzone, 1994
181. **Coleophora flammea** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *flammea* Baldizzzone, 1994
182. **Coleophora flaviella** Mann, 1857 (Coleophoridae)
Synonym(s): *flaviella* Mann, 1857
183. **Coleophora fulgidella** Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *fulgidella* Toll & Amsel, 1967
184. **Coleophora fuscinerella** Toll, 1956 (Coleophoridae)
Synonym(s): *fuscinerella* Toll, 1956
185. **Coleophora galbulipennella** Zeller, 1838 (Coleophoridae) Synonym(s): *galbulipennella* Zeller, 1838; *otitae* Zeller, 1839.
186. **Coleophora ganglionella** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *ganglionella* Baldizzzone, 1994
187. **Coleophora gazella** Toll, 1952 (Coleophoridae)
Synonym(s): *gazella* Toll, 1952
188. **Coleophora gedrosiae** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *gedrosiae* Baldizzzone, 1994
189. **Coleophora glauciolella** Wood, 1892 (Coleophoridae) Synonym(s): *glauciolella* Wood, 1892
190. **Coleophora gymnocarpella** Walsingham, 1907 (Coleophoridae) Synonym(s): *gymnocarpella* Walsingham, 1907
191. **Coleophora haoma** Baldizzzone, 1994 (Coleophoridae)
Synonym(s): *haoma* Baldizzzone, 1994
192. **Coleophora helvolella** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *helvolella* Baldizzzone, 1994
193. **Coleophora hieratica** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *hieratica* Baldizzzone, 1994
194. **Coleophora hieronella** Zeller, 1849 (Coleophoridae)
Synonym(s): *hieronella* Zeller, 1849
195. **Coleophora hospitiella** Chrétien, 1915 (Coleophoridae) Synonym(s): *hospitiella* Chrétien, 1915
196. **Coleophora iljiniae** (Falkovitsh, 1989) (Coleophoridae) Synonym(s): *iljiniae* Falkovitsh, 1989
197. **Coleophora inclita** Baldizzzone, 1994 (Coleophoridae)
Synonym(s): *inclita* Baldizzzone, 1994
198. **Coleophora inequidentella** Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *inequidentella* Toll & Amsel, 1967
199. **Coleophora inopinata** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *inopinata* Baldizzzone, 1994
200. **Coleophora iranella** Toll, 1959 (Coleophoridae)
Synonym(s): *iranella* Toll, 1959
201. **Coleophora jerusalemella** Toll, 1942 (Coleophoridae)
Synonym(s): *jerusalemella* Toll, 1942
202. **Coleophora kandymella** Falkovitsh, 1988 (Coleophoridae) Synonym(s): *kandymella* Falkovitsh, 1988
203. **Coleophora kautzi** Rebel, 1933 (Coleophoridae)
Synonym(s): *kautzi* Rebel, 1933
204. **Coleophora kitella** Baldizzzone, 1994 (Coleophoridae)
Synonym(s): *kitella* Baldizzzone, 1994
205. **Coleophora klimeschiella** Toll, 1952 (Coleophoridae)
Synonym(s): *klimeschiella* Toll, 1952
206. **Coleophora kotalensis** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *kotalensis* Baldizzzone, 1994
207. **Coleophora kroneella** Fuchs, 1899 (Coleophoridae)
Synonym(s): *kroneella* Fuchs, 1899
208. **Coleophora lasiocharis** Meyrick, 1931 (Coleophoridae) Synonym(s): *lasiocharis* Meyrick, 1931; *shirazella* Toll, 1959.
209. **Coleophora lasloella** Baldizzzone, 1982 (Coleophoridae) Synonym(s): *lasloella* Baldizzzone, 1982
210. **Coleophora lebedella** (Falkovitsh, 1982) (Coleophoridae) Synonym(s): *lebedella* Falkovitsh, 1982
211. **Coleophora longiductella** Baldizzzone, 1989 (Coleophoridae) Synonym(s): *longiductella* Baldizzzone, 1989
212. **Coleophora luteolella** Staudinger, 1880 (Coleophoridae) Synonym(s): *luteolella* Staudinger, 1880; *mendosella* Toll, 1960
213. **Coleophora machimopis** Meyrick, 1936 (Coleophoridae) Synonym(s): *machimopis* Meyrick, 1936
214. **Coleophora macilenta** Falkovitsh, 1972 (Coleophoridae) Synonym(s): *macilenta* Falkovitsh, 1972
215. **Coleophora magnatella** Toll, 1959 (Coleophoridae)
Synonym(s): *magnatella* Toll, 1959
216. **Coleophora makuensis** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *makuensis* Baldizzzone, 1994
217. **Coleophora malatiella** Toll, 1952 (Coleophoridae)
Synonym(s): *malatiella* Toll, 1952
218. **Coleophora maritimella** Newman, 1863 (Coleophoridae) Synonym(s): *maritimella* Newman, 1863
219. **Coleophora mediae** Baldizzzone, 1990 (Coleophoridae)
Synonym(s): *mediae* Baldizzzone, 1990
220. **Coleophora micronotella** Toll, 1956 (Coleophoridae)
Synonym(s): *micronotella* Toll, 1956
221. **Coleophora monstrosa** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *monstrosa* Baldizzzone, 1994
222. **Coleophora mucronata** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *mucronata* Baldizzzone, 1994
223. **Coleophora namakella** Amsel, 1977 (Coleophoridae)
Synonym(s): *namakella* Amsel, 1977
224. **Coleophora nitidipennella** Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *nitidipennella* Toll & Amsel, 1967
225. **Coleophora niveopictella** Toll, 1952 (Coleophoridae)
Synonym(s): *niveopictella* Toll, 1952
226. **Coleophora noeae** (Falkovitsh, 1989) (Coleophoridae)
Synonym(s): *noeae* Falkovitsh, 1989
227. **Coleophora nurmahal** Toll, 1957 (Coleophoridae)
Synonym(s): *nurmahal* Toll, 1957
228. **Coleophora nutantella** Mühlig & Frey, 1857 (Coleophoridae) Synonym(s): *nutantella* Mühlig & Frey, 1857
229. **Coleophora ochrea** (Haworth, [1828]) (Coleophoridae) Synonym(s): *ochrea* Haworth, [1828]
230. **Coleophora ochripennella** Zeller, 1849 (Coleophoridae) Synonym(s): *ochripennella* Zeller, 1849
231. **Coleophora onobrychiella** Zeller, 1849 (Coleophoridae) Synonym(s): *onobrychiella* Zeller, 1849; *arenariella* Zeller, 1865
232. **Coleophora onopordiella** Zeller, 1849 (Coleophoridae) Synonym(s): *onopordiella* Zeller, 1849; *eremica* Amsel, 1935; *cerinaula* Meyrick, 1936; *fusca* Toll, 1952; *pseudophlomidella* Toll, 1952; *sivandella* Toll, 1959; *litorella* Nemes, 2003
233. **Coleophora ovata** Baldizzzone, 1994 (Coleophoridae)
Synonym(s): *ovata* Baldizzzone, 1994
234. **Coleophora pachyderma** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *pachyderma* Baldizzzone, 1994
235. **Coleophora pallidata** Toll, 1959 (Coleophoridae)
Synonym(s): *pallidata* Toll, 1959
236. **Coleophora paraptarmica** Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *paraptarmica* Toll & Amsel, 1967
237. **Coleophora parcella** Toll, 1952 (Coleophoridae)
Synonym(s): *parcella* Toll, 1952
238. **Coleophora parthenica** Meyrick, 1891 (Coleophoridae) Synonym(s): *parthenica* Meyrick, 1891; *cygnipennella* Toll, 1959; *candidella* Toll, 1959; *transcaspica* Toll, 1959; *lashkarella* Toll & Amsel, 1967; *hilmendella* Amsel, 1968.
239. **Coleophora parthica** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *parthica* Baldizzzone, 1994

- 240.** *Coleophora pauperculella* Toll, 1956 (Coleophoridae)
Synonym(s): *pauperculella* Toll, 1956
- 241.** *Coleophora pennella* ([Denis & Schiffermüller], 1775) (Coleophoridae) Synonym(s): *pennella* [Denis & Schiffermüller], 1775; *borowskiella* Goeze, 1783; *mucosa* Fourcroy, 1785; *mucosella* Villers, 1789; *onosmella* Brahm, 1791; *struthionipennella* Hübner, 1796; *cornuum* Vallot, 1818; *hispanicella* Möschler, 1866; *diffinis* Staudinger, 1880; *nervosella* Müller-Rutz, 1927; *flavilineella* Toll, 1952; *gogovi* Capuse, 1971
- 242.** *Coleophora persana* Baldizzzone, 1990 (Coleophoridae) Synonym(s): *persana* Baldizzzone, 1990
- 243.** *Coleophora petraea* Falkovitsh, 1972 (Coleophoridae) Synonym(s): *petraea* Falkovitsh, 1972
- 244.** *Coleophora phlomidis* Stainton, 1867 (Coleophoridae) Synonym(s): *phlomidis* Stainton, 1867
- 245.** *Coleophora poecilella* Walsingham, 1907 (Coleophoridae) Synonym(s): *poecilella* Walsingham, 1907
- 246.** *Coleophora praecipua* Walsingham, 1907 (Coleophoridae) Synonym(s): *praecipua* Walsingham, 1907
- 247.** *Coleophora propinqua* Staudinger, 1880 (Coleophoridae) Synonym(s): *propinqua* Staudinger, 1880
- 248.** *Coleophora propinquoides* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *propinquoides* Baldizzzone, 1994
- 249.** *Coleophora protecta* Walsingham, 1907 (Coleophoridae) Synonym(s): *protecta* Walsingham, 1907
- 250.** *Coleophora quilikushella* Toll, 1959 (Coleophoridae) Synonym(s): *quilikushella* Toll, 1959
- 251.** *Coleophora riffelensis* Rebel, 1913 (Coleophoridae) Synonym(s): *riffelensis* Rebel, 1913; *fischeri* Toll, 1950; *klemensiewiczii* Toll, 1950
- 252.** *Coleophora rostrata* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *rostrata* Baldizzzone, 1994
- 253.** *Coleophora salicorniae* Heinemann & Wocke, 1877 (Coleophoridae) Synonym(s): *salicorniae* Heinemann & Wocke, 1877; *cypricella* Rebel, 1928.
- 254.** *Coleophora sarehma* Toll, 1956 (Coleophoridae) Synonym(s): *sarehma* Toll, 1956
- 255.** *Coleophora sarobiensis* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *sarobiensis* Toll & Amsel, 1967
- 256.** *Coleophora schahkuhensis* Toll, 1952 (Coleophoridae) Synonym(s): *schahkuhensis* Toll, 1952
- 257.** *Coleophora schaufferella* Toll, 1959 (Coleophoridae) Synonym(s): *schaufferella* Toll, 1959
- 258.** *Coleophora silenella* Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *silenella* Herrich-Schäffer, 1855; *dragusanii* Nemes, 2004
- 259.** *Coleophora simplex* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *simplex* Baldizzzone, 1994
- 260.** *Coleophora sobria* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *sobria* Baldizzzone, 1994
- 261.** *Coleophora sogdianae* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *sogdianae* Baldizzzone, 1994
- 262.** *Coleophora strophingella* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *strophingella* Baldizzzone, 1994
- 263.** *Coleophora subparcella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *subparcella* Toll & Amsel, 1967
- 264.** *Coleophora swatensis* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *swatensis* Baldizzzone, 1994
- 265.** *Coleophora symphistropha* Reznik, 1976 (Coleophoridae) Synonym(s): *symphistropha* Reznik, 1976
- 266.** *Coleophora synchrona* Falkovitsh, 1988 (Coleophoridae) Synonym(s): *synchrona* Falkovitsh, 1988
- 267.** *Coleophora taeniipennella* Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *taeniipennella* Herrich-Schäffer, 1855; *galactaula* Meyrick, 1928
- 268.** *Coleophora teheranella* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *teheranella* Baldizzzone, 1994
- 269.** *Coleophora testudo* Falkovitsh, 1973 (Coleophoridae) Synonym(s): *testudo* Falkovitsh, 1973
- 270.** *Coleophora tollamseliella* Oudejans, 1971 (Coleophoridae) Synonym(s): *tollamseliella* Oudejans, 1971
- 271.** *Coleophora treskaensis* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *treskaensis* Toll & Amsel, 1967; *sciurella* Baldizzzone, 1987
- 272.** *Coleophora trifissella* Rebel, 1910 (Coleophoridae) Synonym(s): *trifissella* Rebel, 1910
- 273.** *Coleophora trifolii* (Curtis, 1832) (Coleophoridae) Synonym(s): *trifolii* Curtis, 1832; *chalybaella* Costa, [1836]; *melilotella* Scott, 1861.
- 274.** *Coleophora tripeniella* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *tripeniella* Baldizzzone, 1994
- 275.** *Coleophora tsherkesi* Falkovitsh, 1970 (Coleophoridae) Synonym(s): *tsherkesi* Falkovitsh, 1970
- 276.** *Coleophora univittella* Staudinger, 1880 (Coleophoridae) Synonym(s): *univittella* Staudinger, 1880
- 277.** *Coleophora valesianella* Zeller, 1849 (Coleophoridae) Synonym(s): *valesianella* Zeller, 1849; *giraudi* Ragonot, 1874; *simillima* Staudinger, 1880; *predotaella* Rebel, 1914
- 278.** *Coleophora versurella* Zeller, 1849 (Coleophoridae) Synonym(s): *versurella* Zeller, 1849; *tardipennella* Zeller, 1849; *miserella* Staudinger, 1880; *agricolella* Fuchs, 1886; *atlanticella* Rebel, 1896; *pallorella* Benander, 1939; *thalassella* McDunnough, 1940; *constanti* Hering, 1942; *pisella* Amsel, 1953; *saccharella* Amsel, 1953; *amaranthivora* Oku, 1965
- 279.** *Coleophora vestianella* (Linnaeus, 1758) (Coleophoridae) Synonym(s): *vestianella* Linnaeus, 1758; *laripennella* Zetterstedt, 1839; *galbulipennella* Duponchel, 1843; *annulatella* Tengström, 1848; *tengstroemella* Doubleday, 1859; *subtractella* Caradja, 1920
- 280.** *Coleophora vibicigerella* Zeller, 1839 (Coleophoridae) Synonym(s): *vibicigerella* Zeller, 1839; *mandschuriae* Toll, 1942; *didyma* Toll, 1957.
- 281.** *Coleophora vicinella* Zeller, 1849 (Coleophoridae) Synonym(s): *vicinella* Zeller, 1849; *gypsophilae* Christoph, 1862.
- 282.** *Coleophora vulpecula* Zeller, 1849 (Coleophoridae) Synonym(s): *vulpecula* Zeller, 1849; *vulpeculoides* Toll, 1952
- 283.** *Coleophora wiltshirei* Toll, 1959 (Coleophoridae) Synonym(s): *wiltshirei* Toll, 1959
- 284.** *Coleophora xanthoargentea* Toll, 1959 (Coleophoridae) Synonym(s): *xanthoargentea* Toll, 1959
- 285.** *Coleophora zagrosella* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *zagrosella* Baldizzzone, 1994
- 286.** *Coleophora zelleriella* Heinemann, 1854 (Coleophoridae) Synonym(s): *zelleriella* Heinemann, 1854
- 287.** *Coleophora zernyi* Toll, 1944 (Coleophoridae) Synonym(s): *zernyi* Toll, 1944
- 288.** *Coleophora zhusani* Falkovitsh, 1972 (Coleophoridae) Synonym(s): *zhusani* Falkovitsh, 1972
- 289.** *Ischnophanes bifurcata* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *bifurcata* Baldizzzone, 1994
- 290.** *Ascalenia acaciella* Chrétien, 1915 (Cosmopterigidae) Synonym(s): *acaciella* Chrétien, 1915; *tergipunctella* Turati, 1924; *maculatella* Lucas, 1937 nec Chrétien, 1915; *noviciata* Gozmany, 1960.
- 291.** *Ascalenia callynella* Kasy, 1968 (Cosmopterigidae) Synonym(s): *callynella* Kasy, 1968
- 292.** *Ascalenia echidnias* (Meyrick, 1891) (Cosmopterigidae) Synonym(s): *echidnias* Meyrick, 1891; *signatella* Chrétien, 1915; *oranella* Lucas, 1939; *satellita* Gozmany, 1960.
- 293.** *Ascalenia imbellia* Kasy, 1974 (Cosmopterigidae) Synonym(s): *imbellia* Kasy, 1974
- 294.** *Ascalenia kairaella* Kasy, 1969 (Cosmopterigidae) Synonym(s): *kairaella* Kasy, 1969
- 295.** *Ascalenia pachnodes* (Meyrick, 1917) (Cosmopterigidae) Synonym(s): *pachnodes* Meyrick, 1917
- 296.** *Ascalenia signatella* Chrétien, 1915 (Cosmopterigidae) Synonym(s): *signatella* Chrétien, 1915; *oranella* Lucas, 1939; *satellita* Gozmany, 1960.
- 297.** *Ascalenia sirjanella* Kasy, 1975 (Cosmopterigidae) Synonym(s): *sirjanella* Kasy, 1975
- 298.** *Ascalenia vanelloides* Gerasimov, 1930 (Cosmopterigidae) Synonym(s): *vanelloides* Gerasimov, 1930; *eremella* Amsel, 1933; *eremella* Amsel, 1935.
- 299.** *Ascalenia viviparella* Kasy, 1969 (Cosmopterigidae) Synonym(s): *viviparella* Kasy, 1969
- 300.** *Bifascia nigralbella* (Chrétien, 1915) (Cosmopterigidae) Synonym(s): *nigralbella* Chrétien, 1915; *asteroleuca* Meyrick, 1917
- 301.** *Bifascioides leucomelanellus* (Rebel, 1917) (Cosmopterigidae) Synonym(s): *leucomelanellus* Rebel, 1917; *pirastica* Meyrick, 1936

- 302. Bifascioides yemenellus (Amsel,1961)** (Cosmopterigidae) Synonym(s): *yemenellus* Amsel,1961
- 303. Calycobathra sahidanella Kasy,1968** (Cosmopterigidae) Synonym(s): *sahidanella* Kasy,1968
- 304. Cosmopterix attenuatella (Walker,1864)** (Cosmopterigidae) Synonym(s): *attenuatella* Walker,1864; *flavofasciata* Wollaston,1879; *mimetis* Meyrick,1897; *apiculata* Meyrick,1922; *antillia* Forbes,1931.
- 305. Cosmopterix salahinella Chrétien,1907** (Cosmopterigidae) Synonym(s): *salahinella* Chrétien,1907; *rufella* Turati,1927; *phragmitidis* Amsel,1935
- 306. Cosmopterix schmidiella (Frey,1856)** (Cosmopterigidae) Synonym(s): *schmidiella* Frey,1856
- 307. Eteobalea anonymella (Riedl,1965)** (Cosmopterigidae) Synonym(s): *anonymella* Riedl,1965
- 308. Eteobalea beata (Walsingham,1907)** (Cosmopterigidae) Synonym(s): *beata* Walsingham,1907
- 309. Eteobalea intermediella (Riedl,1966)** (Cosmopterigidae) Synonym(s): *intermediella* Riedl,1966
- 310. Eteobalea thaumatella (Walsingham,1907)** (Cosmopterigidae) Synonym(s): *thaumatella* Walsingham,1907; *lactipunctella* Turati,1924.
- 311. Gisilia stereodoxa (Meyrick,1925)** (Cosmopterigidae) Synonym(s): *stereodoxa* Meyrick,1925; *evitans* Meyrick,1925; *alfieriella* Rebel,1926.
- 312. Pseudascalenia abbasella Kasy,1974** (Cosmopterigidae) Synonym(s): *abbasella* Kasy,1974
- 313. Pyroderces argyrogrammos (Zeller,1847)** (Cosmopterigidae) Synonym(s): *argyrogrammos* Zeller,1847; *goldeggiella* Herrich-Schäffer,[1853]
- 314. Stigmatophora schultzenborffii Amsel,1958** (Cosmopterigidae) Synonym(s): *schultzenborffii* Amsel,1958
- 315. Azygophleps regia (Staudinger,1892)** (Cossidae) Synonym(s): *regia* Staudinger,1892
- 316. Catopta brandti Bryk,1947** (Cossidae) Synonym(s): *brandti* Bryk,1947
- 317. Catopta kendevenensis Daniel,1937** (Cossidae) Synonym(s): *kendevenensis* Daniel,1937
- 318. Catopta zoroastres (Grum-Grshimailo,1902)** (Cossidae) Synonym(s): *zoroastres* Grum-Grshimailo,1902
- 319. Cecryphalus nubila (Staudinger,1895)** (Cossidae) Synonym(s): *nubila* Staudinger,1895; *strix* Grum-Grshimailo,1897; *speyeri* Austaut,1897
- 320. Cossulinus herzi (Alpheraky,1893)** (Cossidae) Synonym(s): *herzi* Alpheraky,1893
- 321. Cossulinus lignosus (Brandt,1938)** (Cossidae) Synonym(s): *lignosus* Brandt,1938
- 322. Cossulinus turcomanicus (Christoph,1893)** (Cossidae) Synonym(s): *turcomanicus* Christoph,1893
- 323. Cossus araraticus Teich,1896** (Cossidae) Synonym(s): *araraticus* Teich,1896
- 324. Cossus cossus (Linnaeus,1758)** (Cossidae) Synonym(s): *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1794; *ligniperda* Fabricius,1794
- 325. Cossus hyrcanus Christoph,1888** (Cossidae) Synonym(s): *hyrcanus* Christoph,1888
- 326. Cossus irani Daniel,1937** (Cossidae) Synonym(s): *irani* Daniel,1937
- 327. Dieida ledereri Staudinger,1871** (Cossidae) Synonym(s): *ledereri* Staudinger,1871 0
- 328. Dyspessa elbursensis Daniel,1964** (Cossidae) Synonym(s): *elbursensis* Daniel,1964
- 329. Dyspessa hethitica Daniel,1932** (Cossidae) Synonym(s): *hethitica* Daniel,1932
- 330. Dyspessa kabyllaria A.Bang-Haas,1906** (Cossidae) Synonym(s): *kabyllaria* A.Bang-Haas,1906; *turbinans* Turati,1926.
- 331. Dyspessa pallidata Staudinger,1892** (Cossidae) Synonym(s): *pallidata* Staudinger,1892; *nigrita* Wagner,1931; *cerberus* Daniel,1939; *dueldueli* Daniel,1939.
- 332. Dyspessa salicicola (Eversmann,1848)** (Cossidae) Synonym(s): *salicicola* Eversmann,1848
- 333. Dyspessa serica Brandt,1938** (Cossidae) Synonym(s): *serica* Brandt,1938
- 334. Dyspessa ulula (Borkhausen,1790)** (Cossidae) Synonym(s): *ulula* Borkhausen,1790; *heptalica* Borkhausen,1790; *heptalina* Hübner,1792; *marmorata* Rambur,1858; *fuscata* Staudinger,1892; *affinis* Rothschild,1917; *maroccana* Rothschild,1917; *pallida* Rothschild,1917 *nec* Roth.,1912.
- 335. Dyspessa wagneri Schwingenschuss,1939** (Cossidae) Synonym(s): *wagneri* Schwingenschuss,1939
- 336. Dyspessacossus fereidun Grum-Grshimailo,1895** (Cossidae) Synonym(s): *fereidun* Grum-Grshimailo,1895; *firdusi* Wagner,1937.
- 337. Eremocossus vaulogeri (Staudinger,1897)** (Cossidae) Synonym(s): *vaulogeri* Staudinger,1897; *suavis* Staudinger,1899; *saharae* Lucas,1907; *hartigi* Rebel,1935.
- 338. Holcocerus arenicola (Staudinger,1879)** (Cossidae) Synonym(s): *arenicola* Staudinger,1879
- 339. Holcocerus drangianicus Grum-Grshimailo,1902** (Cossidae) Synonym(s): *drangianicus* Grum-Grshimailo,1902
- 340. Holcocerus gloriosus (Erschoff,1874)** (Cossidae) Synonym(s): *gloriosus* Erschoff,1874
- 341. Holcocerus holosericeus (Staudinger,1884)** (Cossidae) Synonym(s): *holosericeus* Staudinger,1884; *persicus* Austaut,1897.
- 342. Holcocerus iranici Austaut,1897** (Cossidae) Synonym(s): *iranici* Austaut,1897
- 343. Holcocerus marmoratus Austaut,1897** (Cossidae) Synonym(s): *marmoratus* Austaut,1897; *puengeleri* Rothschild,1912.
- 344. Holcocerus mus Grum-Grshimailo,1902** (Cossidae) Synonym(s): *mus* Grum-Grshimailo,1902
- 345. Holcocerus nobilis (Staudinger,1884)** (Cossidae) Synonym(s): *nobilis* Staudinger,1884; *strigatus* Austaut,1897.
- 346. Holcocerus senganensis Daniel,1949** (Cossidae) Synonym(s): *senganensis* Daniel,1949
- 347. Holcocerus strioliger Alpheraky,1893** (Cossidae) Synonym(s): *strioliger* Alpheraky,1893; *confusa* Rothschild,1912.
- 348. Holcocerus tancrei Püngeler,1898** (Cossidae) Synonym(s): *tancrei* Püngeler,1898
- 349. Holcocerus zarudnyi Grum-Grshimailo,1902** (Cossidae) Synonym(s): *zarudnyi* Grum-Grshimailo,1902
- 350. Hypopta murati Brandt [MS]** (Cossidae) Synonym(s): *murati* Brandt [MS] (unpublished!)
- 351. Isoceras bipunctatum (Staudinger,1887)** (Cossidae) Synonym(s): *bipunctatum* Staudinger,1887
- 352. Kotchevnik modestus (Staudinger,1887)** (Cossidae) Synonym(s): *modestus* Staudinger,1887
- 353. Kotchevnik tapinus (Püngeler,1898)** (Cossidae) Synonym(s): *tapinus* Püngeler,1898
- 354. Meharia persica (Wiltshire,1946)** (Cossidae) Synonym(s): *persica* Wiltshire,1946
- 355. Phragmataecia castaneae (Hübner,1790)** (Cossidae) Synonym(s): *castaneae* Hübner,1790; *arundinis* Hübner,[1808]; *minor* Moore,1879; *pygmaea* Graeser,1888; *minima* Hampson,1891
- 356. Phragmataecia territa Staudinger,1878** (Cossidae) Synonym(s): *territa* Staudinger,1878
- 357. Vartiania zarathustra Yakovlev,2005** (Cossidae) Synonym(s): *zarathustra* Yakovlev,2005
- 358. Zeugera multistrigata Moore,1881** (Cossidae) Synonym(s): *multistrigata* Moore,1881; *leuconotus* Butler,1881
- 359. Amata aserbeidjana (De Freina,1982)** (Ctenuchidae) Synonym(s): *aserbeidjana* De Freina,1982
- 360. Amata persica (Kollar,[1849])** (Ctenuchidae) Synonym(s): *persica* Kollar,[1849]; *hyrcana* A.Bang-Haas,1912.
- 361. Amata rossica (Turati,1917)** (Ctenuchidae) Synonym(s): *#nigricornis* Alpheraky,1883; *rossica* Turati,1917; *anatolica* Zerny,1931; *bithynica* Schwingenschuss,1940; *#osthelderi* Obraztsov,1966
- 362. Amata wiltshirei Bytinski-Salz,1939** (Ctenuchidae) Synonym(s): *wiltshirei* Bytinski-Salz,1939
- 363. Dysauxes famula (Freyer,1836)** (Ctenuchidae) Synonym(s): *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *kaschmirensis* Rothschild,1910; *semidiaphana* Stauder,1921; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983.

- 364. Danaus (Anosia) chrysippus (Linnaeus,1758)** (Danaidae) Synonym(s): *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759
- 365. Danaus (Anosia) dorippus (Klug,1845)** (Danaidae) Synonym(s): *dorippus* Klug,1845
- 366. Klimeschia transversella (Zeller,1839)** (Douglasiidae) Synonym(s): *transversella* Zeller,1839
- 367. Tinagma anchusellum Benander,1936** (Douglasiidae) Synonym(s): *anchusellum* Benander,1936
- 368. Tinagma bledellum (Chrétien,1916)** (Douglasiidae) Synonym(s): *bledellum* Chrétien,1916.
- 369. Tinagma columbellum (Staudinger,1880)** (Douglasiidae) Synonym(s): *columbellum* Staudinger,1880.
- 370. Ciliix asiatica A.Bang-Haas,1907** (Drepanidae) Synonym(s): *asiatica* A.Bang-Haas,1907; *depalpata* Strand,1913
- 371. Mendesia mucronata Parenti,2001** (Elachistidae) Synonym(s): *mucronata* Parenti,2001
- 372. Epermenia (Calotropis) aequidentella (Hofmann,1867)** (Epermeniidae) Synonym(s): *aequidentella* Hofmann,1867; *daucellus* Peyerimhoff,1870.
- 373. Epermenia (Calotropis) insecurella (Stainton,1849)** (Epermeniidae) Synonym(s): *insecurella* Stainton,1849; *dentosella* Stainton,1851; *iniquellus* Wocke,1867; *plumbeella* Rebel,1915; *kruegerella* Schawerda,1921.
- 374. Epermenia (Calotropis) strictella (Wocke,1867)** (Epermeniidae) Synonym(s): *strictella* Wocke,1867; *anthracoptila* Meyrick,1931.
- 375. Epermenia (Cataplectica) iniquella (Wocke,1867)** (Epermeniidae) Synonym(s): *dentosella* auct. nec Stt.,1851; *iniquella* Wocke,1867; *kruegerella* Schawerda,1921; *ochrodesma* Meyrick,1913
- 376. Epermenia (s.str.) orientalis Gaedike,1966** (Epermeniidae) Synonym(s): *orientalis* Gaedike,1966.
- 377. Ochromolopis ictella (Hübner,[1813])** (Epermeniidae) Synonym(s): *ictella* Hübner,[1813]; *ictipennella* Treitschke,1833.
- 378. Ethmia alba (Amsel,1949)** (Ethmiidae) Synonym(s): *alba* Amsel,1949
- 379. Ethmia amasina (Staudinger,1879)** (Ethmiidae) Synonym(s): *amasina* Staudinger,1879
- 380. Ethmia aurifluella (Hübner,[1810])** (Ethmiidae) Synonym(s): *aurifluella* Hübner,[1810]; *albarracinella* Ragonot,1882.
- 381. Ethmia bipunctella (Fabricius,1775)** (Ethmiidae) Synonym(s): *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947.
- 382. Ethmia candidella (Alpheraky,1908)** (Ethmiidae) Synonym(s): *candidella* Alpheraky,1908; *orientella* Caradja,1931.
- 383. Ethmia caradjae (Rebel,1907)** (Ethmiidae) Synonym(s): *caradjae* Rebel,1907; *chosroes* Wiltshire,1947
- 384. Ethmia cirrhocnemis (Lederer,1870)** (Ethmiidae) Synonym(s): *cirrhocnemis* Lederer,1870
- 385. Ethmia derbendella Sattler,1967** (Ethmiidae) Synonym(s): *derbendella* Sattler,1967
- 386. Ethmia distigmatella (Erschoff,1874)** (Ethmiidae) Synonym(s): *distigmatella* Erschoff,1874; *bipunctella* Rebel,1936; *distichella* Rebel,1940.
- 387. Ethmia dodecea (Haworth,[1828])** (Ethmiidae) Synonym(s): *decemguttella* Hübner,[1810] nec Fabr.,1794; *dodecea* Haworth,[1828].
- 388. Ethmia fumidella (Wocke,1850)** (Ethmiidae) Synonym(s): *fumidella* Wocke,1850; *ardosiella* Caradja,1931.
- 389. Ethmia iranella Zerny,1940** (Ethmiidae) Synonym(s): *iranella* Zerny,1940
- 390. Ethmia lecmima Sattler,1967** (Ethmiidae) Synonym(s): *lecmima* Sattler,1967
- 391. Ethmia pusiella (Linnaeus,1758)** (Ethmiidae) Synonym(s): *pusiella* Linnaeus,1758; *scalella* Scopoli,1763; *sequella* [Denis & Schiffermüller],1775; *lithosperma* Hübner,1796.
- 392. Ethmia quadrinotella (Mann,1861)** (Ethmiidae) Synonym(s): *quadrinotella* Mann,1861; *atticella* Caradja,1920; *galaxaea* Meyrick,1922.
- 393. Ethmia tripunctella (Staudinger,1879)** (Ethmiidae) Synonym(s): *tripunctella* Staudinger,1879
- 394. Ethmia vittalbella (Christoph,1877)** (Ethmiidae) Synonym(s): *vittalbella* Christoph,1877; *radiatella* Chrétien,1907; *tripolitanella* Turati,1929.
- 395. Altenia wagneriella (Rebel,1926)** (Gelechiidae) Synonym(s): *wagneriella* Rebel,1926; *danilevskyi* Piskunov,1973.
- 396. Anarsia (Ananarsia) belutschistanella Amsel,1959** (Gelechiidae) Synonym(s): *belutschistanella* Amsel,1959
- 397. Anarsia (s.str.) halimodendri (Christoph,1877)** (Gelechiidae) Synonym(s): *halimodendri* Christoph,1877
- 398. Aristotelia decurtella (Hübner,[1813])** (Gelechiidae) Synonym(s): *decurtella* Hübner,[1813]; *turbatella* Treitschke,1835; *amoenella* Joannis,1891
- 399. Aroga aristotelis (Millière,1875)** (Gelechiidae) Synonym(s): *aristotelis* Millière,1875; *astragali* Staudinger,1879; *fulminella* Millière,1882; *lacetella* Walsingham; *hyrcanella* Toll,1948.
- 400. Athrips rancidella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *rancidella* Herrich-Schäffer,[1854]; *triatomaea* Mühlig,1864; *vepretella* Zeller,1870; *superfetella* Peyerimhoff,1877; *cotoneastri* Busck,1934; *cerasivorella* Kuznetsov,1960.
- 401. Bryotropha arabica Amsel,1952** (Gelechiidae) Synonym(s): *arabica* Amsel,1952
- 402. Bryotropha domestica (Haworth,1828)** (Gelechiidae) Synonym(s): *domestica* Haworth,1828; *domesticella* Doubleday,1859; *domesticella* Bruand,1859; *salmonis* Walsingham,1908; *algericella* Chrétien,1917
- 403. Bryotropha horribilis Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *horribilis* Karsholt & Rutten,2005
- 404. Bryotropha sabulosella (Rebel,1905)** (Gelechiidae) Synonym(s): *sabulosella* Rebel,1905
- 405. Caryocolum iranicum Huemer,1989** (Gelechiidae) Synonym(s): *iranicum* Huemer,1989
- 406. Chionodes distinctella (Zeller,1839)** (Gelechiidae) Synonym(s): *distinctella* Zeller,1839; *striolatella* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *laticella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979.
- 407. Dichomeris alacella (Zeller,1839)** (Gelechiidae) Synonym(s): *alacella* Zeller,1839
- 408. Ephysteris (Microcraspedus) deserticolella (Staudinger,1871)** (Gelechiidae) Synonym(s): *deserticolella* Staudinger,1871.
- 409. Ephysteris (Ochrodia) subdiminutella (Stainton,1967)** (Gelechiidae) Synonym(s): *subdiminutella* Stainton,1967
- 410. Ephysteris (Opacopsis) atalopis (Meyrick,1918)** (Gelechiidae) Synonym(s): *atalopis* Meyrick,1918
- 411. Ephysteris (Opacopsis) flavida Povolny,1969** (Gelechiidae) Synonym(s): *flavida* Povolny,1969
- 412. Ephysteris (Opacopsis) ruth Povolny,1977** (Gelechiidae) Synonym(s): *ruth* Povolny,1977
- 413. Ephysteris (Opacopsis) speciosa Povolny,1977** (Gelechiidae) Synonym(s): *speciosa* Povolny,1977
- 414. Ephysteris (s.str.) promptella (Staudinger,1859)** (Gelechiidae) Synonym(s): *promptella* Staudinger,1859; *despectella* Walker,1863; *petiginella* Mann,1867; *parvula* Staudinger,1879; *cacomica* Walsingham,1907; *chersaea* Meyrick,1908; *oschophora* Meyrick,1910; *fanatica* Meyrick,1921; *dispensata* Meyrick,1921; *xanthorhabda* Gozmany,1951 *australiae* Povolny,1977; *#promptella* Sattler,1978.
- 415. Evippe haberlandi Amsel,1961** (Gelechiidae) Synonym(s): *haberlandi* Amsel,1961
- 416. Gelechia pistaciae Filipjev,1934** (Gelechiidae) Synonym(s): *pistaciae* Filipjev,1934
- 417. Gelechia senticetella (Staudinger,1859)** (Gelechiidae) Synonym(s): *senticetella* Staudinger,1859; *obscuripennis* Frey,1880; *limitanella* Rebel,1904; *#senticella* Rebel,1932; *nigrostriatella* Zerny,1936.
- 418. Gelechia stramentella (Rebel,1935)** (Gelechiidae) Synonym(s): *stramentella* Rebel,1935
- 419. Gnorimoschema antiquum Povolny,1966** (Gelechiidae) Synonym(s): *antiquum* Povolny,1966
- 420. Gnorimoschema elbursicum Povolny,1984** (Gelechiidae) Synonym(s): *elbursicum* Povolny,1984

421. **Harpagidia magnetella** (Staudinger, [1871]) (Gelechiidae) Synonym(s): *magnetella* Staudinger, [1871]; *pallidibasella* Ragonot, 1895
422. **Inotica gaesata** Meyrick, 1913 (Gelechiidae) Synonym(s): *gaesata* Meyrick, 1913
423. **Megacraspedus argyroneurellus** Staudinger, 1876 (Gelechiidae) Synonym(s): *argyroneurellus* Staudinger, 1876
424. **Megalocypha iranica** Povolny, 1976 (Gelechiidae) Synonym(s): *iranica* Povolny, 1976
425. **Megalocypha micradelpha** Walsingham (Gelechiidae) Synonym(s):
426. **Metzneria artificella** (Herrich-Schäffer, 1861) (Gelechiidae) Synonym(s): *artificella* Herrich-Schäffer, 1861; *litigiosella* Milliere, 1879.
427. **Metzneria aspretella** (Lederer, 1869) (Gelechiidae) Synonym(s): *aspretella* Lederer, 1869
428. **Metzneria castiliella** (Möschler, 1866) (Gelechiidae) Synonym(s): *castiliella* Möschler, 1866; *eatoni* Walsingham, 1899.
429. **Metzneria diamondi** Amsel, 1949 (Gelechiidae) Synonym(s): *diamondi* Amsel, 1949
430. **Metzneria neuropterella** Zeller, 1839 (Gelechiidae) Synonym(s): *neuropterella* Zeller, 1839; *#gigantella* Krulikowsky, 1909.
431. **Metzneria subflavella** Englert, 1974 (Gelechiidae) Synonym(s): *subflavella* Englert, 1974
432. **Nothris verbascella** (Brahm, 1791) (Gelechiidae) Synonym(s): *#verbascella* [Denis & Schiffermüller], 1775; *verbascella* Brahm, 1791; *lutarea* Haworth, 1828
433. **Ornivalva antipyramis** (Meyrick, 1925) (Gelechiidae) Synonym(s): *antipyramis* Meyrick, 1925
434. **Ornivalva caecigena** (Meyrick, 1918) (Gelechiidae) Synonym(s): *caecigena* Meyrick, 1918
435. **Ornivalva erubescens** (Walsingham, 1904) (Gelechiidae) Synonym(s): *erubescens* Walsingham, 1904
436. **Ornivalva heluanensis** (Debski, 1913) (Gelechiidae) Synonym(s): *heluanensis* Debski, 1913; *frankenii* vorella Chrétien, 1917; *oasicoella* Turati, 1924; *siculella* Mariani, 1937.
437. **Ornivalva iranella** Sattler, 1967 (Gelechiidae) Synonym(s): *iranella* Sattler, 1967
438. **Ornivalva macrosignella** Sattler, 1967 (Gelechiidae) Synonym(s): *macrosignella* Sattler, 1967
439. **Ornivalva mixolitha** (Meyrick, 1918) (Gelechiidae) Synonym(s): *mixolitha* Meyrick, 1918
440. **Ornivalva ornatella** Sattler, 1967 (Gelechiidae) Synonym(s): *ornatella* Sattler, 1967
441. **Ornivalva plutelliformis** (Staudinger, 1859) (Gelechiidae) Synonym(s): *plutelliformis* Staudinger, 1859
442. **Ornivalva pseudotamaricella** Sattler, 1967 (Gelechiidae) Synonym(s): *tamaricella* auct.; *pseudotamaricella* Sattler, 1967.
443. **Ornivalva roseosuffusella** Sattler, 1967 (Gelechiidae) Synonym(s): *roseosuffusella* Sattler, 1967
444. **Ornivalva serratisignella** Sattler, 1967 (Gelechiidae) Synonym(s): *serratisignella* Sattler, 1967
445. **Ornivalva sieversi** (Staudinger, 1871) (Gelechiidae) Synonym(s): *sieversi* Staudinger, 1871
446. **Ornivalva triangulella** Sattler, 1967 (Gelechiidae) Synonym(s): *triangulella* Sattler, 1967
447. **Ornivalva zonella** (Chrétien, 1917) (Gelechiidae) Synonym(s): *zonella* Chrétien, 1917
448. **Palumbina guerinii** (Stainton, [1857]) (Gelechiidae) Synonym(s): *guerinii* Stainton, [1857]; *terebintella* Rondani, 1876; *pistaciae* Anagnostopoulos, 1935.
449. **Pogochaetia ocyroidella** Walsingham (Gelechiidae) Synonym(s):
450. **Polyhymno abaiella** Amsel, 1974 (Gelechiidae) Synonym(s): *abaiella* Amsel, 1974
451. **Pseudoteleia nigrosquamella** Amsel, 1959 (Gelechiidae) Synonym(s): *nigrosquamella* Amsel, 1959
452. **Pseudotelphusa paripunctella** (Thunberg, 1794) (Gelechiidae) Synonym(s): *paripunctella* Thunberg, 1794; *triparella* Zeller, 1839; *trijugella* Erschoff, 1877; *sultanella* Caradja, 1920; *arenicoella* Caradja, 1920.
453. **Schneidereria pistacicola** (Danilevsky, 1955) (Gelechiidae) Synonym(s): *pistacicola* Danilevsky, 1955
454. **Schneidereria pistaciella** Weber, 1957 (Gelechiidae) Synonym(s): *pistaciella* Weber, 1957
455. **Scrobipalpa (Ilseopsis) acuminatella** (Sircom, 1850) (Gelechiidae) Synonym(s): *acuminatella* Sircom, 1850
456. **Scrobipalpa (Ilseopsis) argenteonigra** Povolny, 1972 (Gelechiidae) Synonym(s): *argenteonigra* Povolny, 1972
457. **Scrobipalpa (Ilseopsis) brandti** Povolny, 1972 (Gelechiidae) Synonym(s): *brandti* Povolny, 1972
458. **Scrobipalpa (Ilseopsis) eremica** Povolny, 1967 (Gelechiidae) Synonym(s): *eremica* Povolny, 1967
459. **Scrobipalpa (Ilseopsis) grossa** Povolny, 1966 (Gelechiidae) Synonym(s): *grossa* Povolny, 1966
460. **Scrobipalpa (Ilseopsis) heratella** Povolny, 1967 (Gelechiidae) Synonym(s): *heratella* Povolny, 1967
461. **Scrobipalpa (Ilseopsis) kasyvartianella** Povolny, 1967 (Gelechiidae) Synonym(s): *kasyvartianella* Povolny, 1967
462. **Scrobipalpa (Ilseopsis) magnificella** Povolny, 1967 (Gelechiidae) Synonym(s): *magnificella* Povolny, 1967
463. **Scrobipalpa (Ilseopsis) ocellatella** (Boyd, 1858) (Gelechiidae) Synonym(s): *ocellatella* Boyd, 1858; *submissella* Stainton, 1859; *horticolella* Rössler, 1866.
464. **Scrobipalpa (Ilseopsis) optima** Povolny, 1969 (Gelechiidae) Synonym(s): *optima* Povolny, 1969
465. **Scrobipalpa (Ilseopsis) oregata** Povolny, 1972 (Gelechiidae) Synonym(s): *oregata* Povolny, 1972
466. **Scrobipalpa (Ilseopsis) pseudobsoletella** (Gregor & Povolny, 1955) (Gelechiidae) Synonym(s): *pseudobsoletella* Gregor & Povolny, 1955
467. **Scrobipalpa (Ilseopsis) pulchra** Povolny, 1967 (Gelechiidae) Synonym(s): *pulchra* Povolny, 1967
468. **Scrobipalpa (Ilseopsis) remota** Povolny, 1972 (Gelechiidae) Synonym(s): *remota* Povolny, 1972
469. **Scrobipalpa (Ilseopsis) scrobipalpulina** Povolny, 1967 (Gelechiidae) Synonym(s): *scrobipalpulina* Povolny, 1967
470. **Scrobipalpa (Ilseopsis) semnani** Povolny, 1967 (Gelechiidae) Synonym(s): *semnani* Povolny, 1967
471. **Scrobipalpa (Ilseopsis) substricta** Povolny, 1967 (Gelechiidae) Synonym(s): *substricta* Povolny, 1967
472. **Scrobipalpa (Ilseopsis) vartianorum** Povolny, 1968 (Gelechiidae) Synonym(s): *vartianorum* Povolny, 1968
473. **Scrobipalpa (Ilseopsis) wiltshirei** Povolny, 1966 (Gelechiidae) Synonym(s): *wiltshirei* Povolny, 1966
474. **Scrobipalpa (s.str.) albostrata** Povolny, 1977 (Gelechiidae) Synonym(s): *albostrata* Povolny, 1977
475. **Scrobipalpa (s.str.) aptatella** (Walker, 1864) (Gelechiidae) Synonym(s): *aptatella* Walker, 1864; *heliopa* Lower, 1900
476. **Scrobipalpa (s.str.) cryptica** Povolny, 1969 (Gelechiidae) Synonym(s): *cryptica* Povolny, 1969
477. **Scrobipalpa (s.str.) cultrata** Povolny, 1971 (Gelechiidae) Synonym(s): *cultrata* Povolny, 1971
478. **Scrobipalpa (s.str.) filia** Povolny, 1969 (Gelechiidae) Synonym(s): *filia* Povolny, 1969
479. **Scrobipalpa (s.str.) griseofusella** (Toll, 1947) (Gelechiidae) Synonym(s): *griseofusella* Toll, 1947
480. **Scrobipalpa (s.str.) helmuti** Povolny, 1977 (Gelechiidae) Synonym(s): *helmuti* Povolny, 1977
481. **Scrobipalpa (s.str.) heretica** Povolny, 1973 (Gelechiidae) Synonym(s): *heretica* Povolny, 1973
482. **Scrobipalpa (s.str.) laisnca** Povolny, 1976 (Gelechiidae) Synonym(s): *laisnca* Povolny, 1976
483. **Scrobipalpa (s.str.) nana** Povolny, 1973 (Gelechiidae) Synonym(s): *nana* Povolny, 1973
484. **Scrobipalpa (s.str.) richteri** Povolny, 1968 (Gelechiidae) Synonym(s): *richteri* Povolny, 1968
485. **Scrobipalpa (s.str.) vicaria** (Meyrick, 1921) (Gelechiidae) Synonym(s): *vicaria* Meyrick, 1921; *tineiformis* Povolny, 1967
486. **Scrobipalpa psilella** (Herrich-Schäffer, [1854]) (Gelechiidae) Synonym(s): *psilella* Herrich-Schäffer, [1854]; *cacuminum* Frey, 1870.
487. **Stomopteryx pallidella** Amsel, 1959 (Gelechiidae) Synonym(s): *pallidella* Amsel, 1959
488. **Stomopteryx remissella** (Zeller, 1847) (Gelechiidae) Synonym(s): *remissella* Zeller, 1847

- 489. Struempelia renatella** Amsel, 1977 (Gelechiidae)
Synonym(s): *renatella* Amsel, 1977
- 490. Telphusa pistaciae** Sattler, 1982 (Gelechiidae)
Synonym(s): *pistaciae* Sattler, 1982
- 491. Trichotaphe centracma** Meyrick, 1923 (Gelechiidae)
Synonym(s): *centracma* Meyrick, 1923; *richteri* Amsel, 1959
- 492. Turcopalpa africana** (Povolny, 1968) (Gelechiidae)
Synonym(s): *africana* Povolny, 1968
- 493. Vladimirea (Distinxia) amseli** Povolny, 1967 (Gelechiidae)
Synonym(s): *amseli* Povolny, 1967
- 494. Vladimirea glebicorella** (Erschoff, 1874) (Gelechiidae)
Synonym(s): *glebicorella* Erschoff, 1874; *submaculata* Povolny, 1967.
- 495. Vladimirea kahirica** Povolny, 1969 (Gelechiidae)
Synonym(s): *kahirica* Povolny, 1969
- 496. Vladimirea magna** Povolny, 1969 (Gelechiidae)
Synonym(s): *magna* Povolny, 1969
- 497. Vladimirea stepicola** Povolny, 1976 (Gelechiidae)
Synonym(s): *stepicola* Povolny, 1976
- 498. Vladimirea zygophylli** Kuznetsov (Gelechiidae)
Synonym(s):
- 499. Vladimirea zygophyllivorella** Kuznetsov (Gelechiidae)
Synonym(s):
- 500. "Chloroclystis" palaeartica** Brandt, 1938 (Geometridae)
Synonym(s): *palaeartica* Brandt, 1938
- 501. Abraxas wehrlii** Bytinski-Salz & Brandt, 1937 (Geometridae)
Synonym(s): *wehrlii* Bytinski-Salz & Brandt, 1937; *#asignata* Bytinski-Salz & Brandt, 1937
- 502. Acanthovalva inconspicua** (Hübner, [1819]) (Geometridae)
Synonym(s): *inconspicua* Hübner, [1819]; *pumicaria* Lederer, 1855; *osyraria* Guenée, [1858]; *cinerascens* Butler, 1875; *perturbata* Bastelberger, 1908; *cinnamomaria* Rothschild, 1914.
- 503. Alcis fredii** (Wehrli, 1941) (Geometridae)
Synonym(s): *fredii* Wehrli, 1941; *astragali* Wiltshire, 1949
- 504. Aplocera annexata** (Freyer, [1830]) (Geometridae)
Synonym(s): *annexata* Freyer, [1830]; *boisduvaliata* Duponchel, 1831
- 505. Aplocera obsitaria** (Lederer, 1853) (Geometridae)
Synonym(s): *obsitaria* Lederer, 1853; *pseudopallidata* Bytinski-Salz & Brandt, 1937
- 506. Aplocera palumbata** Mentzer, 1981 (Geometridae)
Synonym(s): *palumbata* Mentzer, 1981
- 507. Aplocera plagiata** (Linnaeus, 1758) (Geometridae)
Synonym(s): *plagiata* Linnaeus, 1758; *pallidata* Staudinger, 1879.
- 508. Apochima diaphanaria** (Püngeler, 1904) (Geometridae)
Synonym(s): *diaphanaria* Püngeler, 1904
- 509. Asthena chionata** (Lederer, 1870) (Geometridae)
Synonym(s): *chionata* Lederer, 1870; *quadripunctata* Bienert, [1871]
- 510. Atomorpha hedemanni** (Christoph, 1885) (Geometridae)
Synonym(s): *hedemanni* Christoph, 1885; *baloutschistana* Wehrli, 1953
- 511. Brachyglossina chaspia** Brandt, 1938 (Geometridae)
Synonym(s): *chaspia* Brandt, 1938
- 512. Brachyglossina sciasmatica** Brandt, 1941 (Geometridae)
Synonym(s): *sciasmatica* Brandt, 1941
- 513. Campptogramma bilineatum** (Linnaeus, 1758) (Geometridae)
Synonym(s): *bilineata* Linnaeus, 1758; *brocatella* Fourcroy, 1785; *dumetata* Schrank, 1802; *bilineararia* Boisduval, 1840; *musauria* Freyer, 1846; *testaceolata* Staudinger, 1871
- 514. Casilda antophilaria** (Hübner, [1813]) (Geometridae)
Synonym(s): *antophilaria* Hübner, [1813]; *gegenaria* Alpheraky, 1883; *#albipunctaria* Alpheraky, 1883; *elvira* Thierry-Mieg, 1911.
- 515. Casilda consecraria** (Staudinger, 1871) (Geometridae)
Synonym(s): *consecraria* Staudinger, 1871; *intermediaria* Turati, 1930
- 516. Cataclysmes riguada** (Hübner, [1813]) (Geometridae)
Synonym(s): *riguada* Hübner, [1813]; *subtilisparsata* Wehrli, 1932.
- 517. Catarhoe arachne** Wiltshire, 1967 (Geometridae)
Synonym(s): *arachne* Wiltshire, 1967
- 518. Catarhoe putridaria** (Herrich-Schäffer, [1852]) (Geometridae)
Synonym(s): *putridaria* Herrich-Schäffer, [1852]; *bulgariata* Millière, 1868
- 519. Catarhoe rubidata** ([Denis & Schiffermüller], 1775) (Geometridae)
Synonym(s): *rubidata* [Denis & Schiffermüller], 1775
- 520. Catarhoe semnana** Wiltshire, 1970 (Geometridae)
Synonym(s): *semnana* Wiltshire, 1970
- 521. Catarhoe tangaba** (Wiltshire, 1952) (Geometridae)
Synonym(s): *tangaba* Wiltshire, 1952
- 522. Chiasmia (Godonela) aestimaria** (Hübner, [1809]) (Geometridae)
Synonym(s): *aestimaria* Hübner, [1809]; *contemptata* Guenée, [1858]; *aestimata* Herrich-Schäffer, 1861; *tunesella* Lucas, 1949.
- 523. Chiasmia (Godonela) syriacaria** (Staudinger, 1871) (Geometridae)
Synonym(s): *syriacaria* Staudinger, 1871; *venerata* Christoph, 1887; *#syriacata* Wehrli, 1934.
- 524. Chlorissa asphaleia** Wiltshire, 1966 (Geometridae)
Synonym(s): *asphaleia* Wiltshire, 1966; *#esphaleia* Scoble, 1999 [this incorrect spelling name was used by Scoble (1999: 139) as a valid name, as if it were a true species in the world].
- 525. Chloroclysta miata** (Linnaeus, 1758) (Geometridae)
Synonym(s): *miata* Linnaeus, 1758; *miaria* [Denis & Schiffermüller], 1775; *viridifasciaria* Goetze, 1781; *virgata* Fourcroy, 1785 *nec* Hufn., 1767; *coraciaria* Hübner, [1799]; *viridulata* Zetterstedt, 1839; *coraciaria* La Harpe, 1853
- 526. Comibaena serrulata** D.S. Fletcher, 1963 (Geometridae)
Synonym(s): *serrulata* D.S. Fletcher, 1963
- 527. Costaconvexa polygrammata** (Borkhausen, 1794) (Geometridae)
Synonym(s): *polygrammata* Borkhausen, 1794; *polygrammaria* Haworth, 1809; *conjunctaria* Lederer, 1853; *#rosea* Wiltshire, 1946
- 528. Cyclophora albiocellaria** (Hübner, 1789) (Geometridae)
Synonym(s): *albiocellaria* Hübner, 1789; *ocellaria* Hübner, 1799; *argusaria* Boisduval, 1840
- 529. Cyclophora linearia** (Hübner, [1799]) (Geometridae)
Synonym(s): *zonata* Fourcroy, 1785; *luteolaria* Villers, 1789; *linearia* Hübner, [1799]; *strabonaria* Zeller, 1851
- 530. Cyclophora porata** (Linnaeus, 1767) (Geometridae)
Synonym(s): *porata* Linnaeus, 1767; *huebneraria* Haworth, 1809; *poraria* Latreille, 1825
- 531. Cyclophora punctaria** (Linnaeus, 1758) (Geometridae)
Synonym(s): *punctaria* Linnaeus, 1758; *amata* Linnaeus, 1758; *teutonaria* Linnaeus, 1758; *amataria* Linnaeus, 1761; *fulitaria* Villers, 1789; *communifasciata* Donovan, 1808; *unifasciata* Donovan, 1808; *subangularia* Haworth, 1809; *acutaria* Roquette, 1857; *naevata* Bastelberger, 1900
- 532. Cyclophora puppillaria** (Hübner, [1799]) (Geometridae)
Synonym(s): *puppillaria* Hübner, [1799].
- 533. Cyclophora quercimontaria** (Bastelberger, 1897) (Geometridae)
Synonym(s): *quercimontaria* Bastelberger, 1897; *nigrosarsaria* Scoble, 1999; *privataria* Scoble, 1999
- 534. Cyclophora suppunctaria** (Zeller, 1847) (Geometridae)
Synonym(s): *suppunctaria* Zeller, 1847
- 535. Dasycorsa modesta** (Staudinger, 1879) (Geometridae)
Synonym(s): *modesta* Staudinger, 1879
- 536. Dyscia (Warneckeella) malatyana** (Wehrli, 1934) (Geometridae)
Synonym(s): *malatyana* Werli, 1934; *dagestana* Wehrli, 1934; *senecai* Wiltshire, 1990.
- 537. Eilicrinia cordiaria** (Hübner, 1790) (Geometridae)
Synonym(s): *cordiaria* Hübner, 1790
- 538. Ennomos (Deuteronomos) fraxineti** Wiltshire, 1947 (Geometridae)
Synonym(s): *fraxineti* Wiltshire, 1947; *#effusaria* Wiltshire, 1947
- 539. Ennomos (s.str.) zandi** Wiltshire, 1947 (Geometridae)
Synonym(s): *zandi* Wiltshire, 1947
- 540. Entephria catochra** (L.B. Prout, 1939) (Geometridae)
Synonym(s): *catochra* L.B. Prout, 1939
- 541. Entephria ignorata** (Staudinger, 1892) (Geometridae)
Synonym(s): *ignorata* Staudinger, 1892
- 542. Epitherina bahmana** (Wiltshire, 1943) (Geometridae)
Synonym(s): *bahmana* Wiltshire, 1943
- 543. Epitherina ghirshimani** (Wiltshire, 1944) (Geometridae)
Synonym(s): *ghirshimani* Wiltshire, 1944
- 544. Epitherina rhodopoleos** Wehrli, 1938 (Geometridae)
Synonym(s): *rhodopoleos* Wehrli, 1938

- 545. Erannis caspica Laszlo, 2003** (Geometridae)
Synonym(s): *caspica* Laszlo, 2003
- 546. Eumera hoeferi Wehrli, 1934** (Geometridae)
Synonym(s): *#hoeferi* Wehrli, 1934; *hoeferi* Wehrli, 1934; *#hoeferi* Wiltshire, 1937.
- 547. Euphyia chalusata Wiltshire, 1970** (Geometridae)
Synonym(s): *chalusata* Wiltshire, 1970
- 548. Euphyia farsica Brandt, 1941** (Geometridae)
Synonym(s): *farsica* Brandt, 1941
- 549. Euphyia obvallata (Lederer, 1870)** (Geometridae)
Synonym(s): *obvallata* Lederer, 1870
- 550. Euphyia scopulata (Brandt, 1938)** (Geometridae)
Synonym(s): *scopulata* Brandt, 1938
- 551. Eupithecia accurata Staudinger, 1892** (Geometridae)
Synonym(s): *accurata* Staudinger, 1892; *subscalptata* Schütze, 1961
- 552. Eupithecia adjemica Brandt, 1941** (Geometridae)
Synonym(s): *adjemica* Brandt, 1941
- 553. Eupithecia aduncata Brandt, 1938** (Geometridae)
Synonym(s): *aduncata* Brandt, 1938
- 554. Eupithecia aequabila Brandt, 1938** (Geometridae)
Synonym(s): *aequabila* Brandt, 1938
- 555. Eupithecia albertiata Schütze, 1961** (Geometridae)
Synonym(s): *albertiata* Schütze, 1961
- 556. Eupithecia aradjouna Brandt, 1938** (Geometridae)
Synonym(s): *aradjouna* Brandt, 1938
- 557. Eupithecia asperata Brandt, 1938** (Geometridae)
Synonym(s): *asperata* Brandt, 1938
- 558. Eupithecia bastelbergeri Dietze, 1913** (Geometridae)
Synonym(s): *bastelbergeri* Dietze, 1913
- 559. Eupithecia breviculata (Donzel, 1837)** (Geometridae)
Synonym(s): *breviculata* Donzel, 1837; *anatolica* Schwingenschuss, 1939; *georgica* Vojnits, 1977.
- 560. Eupithecia bytinskii L.B. Prout, 1938** (Geometridae)
Synonym(s): *prouti* Bytinski-Salz & Brandt, 1937 *nec* Zny., 1933; *bytinskii* L.B. Prout, 1938
- 561. Eupithecia cheituna Brandt, 1938** (Geometridae)
Synonym(s): *cheituna* Brandt, 1938
- 562. Eupithecia convallata Brandt, 1938** (Geometridae)
Synonym(s): *convallata* Brandt, 1938
- 563. Eupithecia costisignata Dietze, 1904** (Geometridae)
Synonym(s): *costisignata* Dietze, 1904
- 564. Eupithecia decipiens W. Petersen, 1910** (Geometridae)
Synonym(s): *decipiens* W. Petersen, 1910
- 565. Eupithecia demetata Christoph, 1885** (Geometridae)
Synonym(s): *demetata* Christoph, 1885; *draudti* Dietze, 1910
- 566. Eupithecia eberti Vojnits, 1978** (Geometridae)
Synonym(s): *eberti* Vojnits, 1978
- 567. Eupithecia edaphopteryx Vojnits, 1988** (Geometridae)
Synonym(s): *edaphopteryx* Vojnits, 1988
- 568. Eupithecia elbursi Vojnits, 1988** (Geometridae)
Synonym(s): *elbursi* Vojnits, 1988
- 569. Eupithecia elbursiata Schütze, 1960** (Geometridae)
Synonym(s): *elbursiata* Schütze, 1960
- 570. Eupithecia exactata Staudinger, 1882** (Geometridae)
Synonym(s): *exactata* Staudinger, 1882; *modesta* Dietze, 1910 *nec* Tayl., 1906; *opulenta* Vojnits, 1982.
- 571. Eupithecia extensaria (Freyer, 1844)** (Geometridae)
Synonym(s): *extensaria* Freyer, 1844; *prolongata* Lienig, 1846; *sydyi* Staudinger, 1885; *leuca* Dietze, 1910; *prolongata* Dietze, 1910 *nec* Lien., 1846; *occidua* L.B. Prout, 1914
- 572. Eupithecia extremata (Fabricius, 1787)** (Geometridae)
Synonym(s): *extremata* Fabricius, 1787; *glaucomictata* Mann, 1855; *hangayi* Vojnits, 1977.
- 573. Eupithecia forsterata Schütze, 1960** (Geometridae)
Synonym(s): *forsterata* Schütze, 1960
- 574. Eupithecia frontosa Brandt, 1941** (Geometridae)
Synonym(s): *frontosa* Brandt, 1941
- 575. Eupithecia fuscicostata Christoph, 1887** (Geometridae)
Synonym(s): *fuscicostata* Christoph, 1887; *fuscostigma* Alphaeraky, 1892; *salami* Brandt, 1938; *domogledana* Vojnits & Szabo, 1988
- 576. Eupithecia fuscopunctata Brandt, 1938** (Geometridae)
Synonym(s): *fuscopunctata* Brandt, 1938
- 577. Eupithecia gratiosata Herrich-Schäffer, 1861** (Geometridae)
Synonym(s): *gratiosata* Herrich-Schäffer, 1861; *subseparata* Christoph, 1885
- 578. Eupithecia gueneata Millière, 1862** (Geometridae)
Synonym(s): *gueneata* Millière, 1862; *busambraria* Ragusa, 1889
- 579. Eupithecia hannemanni Vojnits & Laever, 1973** (Geometridae)
Synonym(s): *hannemanni* Vojnits & Laever, 1973
- 580. Eupithecia harenosa Brandt, 1938** (Geometridae)
Synonym(s): *harenosa* Brandt, 1938
- 581. Eupithecia husseini Brandt, 1938** (Geometridae)
Synonym(s): *husseini* Brandt, 1938
- 582. Eupithecia icterata (Villers, 1789)** (Geometridae)
Synonym(s): *icterata* Villers, 1789; *oxydata* Treitschke, 1828; *cognata* Stephens, 1831; *ligustigata* Donzel, 1838; *ferrugata* Duponchel, 1842; *#ligusticata* Dietze, 1910
- 583. Eupithecia inexcercita Vojnits, 1982** (Geometridae)
Synonym(s): *inexcercita* Vojnits, 1982
- 584. Eupithecia iranica Koçak & Kemal, 2001** (Geometridae)
Synonym(s): *inquinata* Schütze, 1961 *nec* Flet., 1950; *iranica* Koçak & Kemal, 2001
- 585. Eupithecia keredjana Brandt, 1938** (Geometridae)
Synonym(s): *keredjana* Brandt, 1938
- 586. Eupithecia laquaearia Herrich-Schäffer, [1848]** (Geometridae)
Synonym(s): *laquaearia* Herrich-Schäffer, [1848]; *merinata* Guenée, [1858]
- 587. Eupithecia laterata Dietze, 1904** (Geometridae)
Synonym(s): *laterata* Dietze, 1904
- 588. Eupithecia mahomedana Brandt, 1938** (Geometridae)
Synonym(s): *mahomedana* Brandt, 1938
- 589. Eupithecia mekrana Brandt, 1941** (Geometridae)
Synonym(s): *mekrana* Brandt, 1941; *commenticia* Vojnits, 1982; *idonea* Vojnits, 1982; *stulta* Vojnits, 1982.
- 590. Eupithecia mesogrammata Dietze, 1908** (Geometridae)
Synonym(s): *mesogrammata* Dietze, 1908; *#mesogrammata* L.B. Prout, 1914.
- 591. Eupithecia mirificata Brandt, 1938** (Geometridae)
Synonym(s): *mirificata* Brandt, 1938
- 592. Eupithecia montanata Brandt, 1938** (Geometridae)
Synonym(s): *montanata* Brandt, 1938
- 593. Eupithecia nachadira Brandt, 1941** (Geometridae)
Synonym(s): *nachadira* Brandt, 1941; *mandarinca* Mironov, 2001
- 594. Eupithecia obtinens Brandt, 1941** (Geometridae)
Synonym(s): *obtinens* Brandt, 1941
- 595. Eupithecia obtinens Brandt, 1941** (Geometridae)
Synonym(s): *obtinens* Brandt, 1941
- 596. Eupithecia opistographata Dietze, 1906** (Geometridae)
Synonym(s): *opistographata* Dietze, 1906; *arenicola* Rothschild, 1913.
- 597. Eupithecia pfeifferata Schütze, 1960** (Geometridae)
Synonym(s): *pfeifferata* Schütze, 1960
- 598. Eupithecia problematicata Schütze, 1960** (Geometridae)
Synonym(s): *problematicata* Schütze, 1960
- 599. Eupithecia pseudoicterata Schütze, 1960** (Geometridae)
Synonym(s): *pseudoicterata* Schütze, 1960
- 600. Eupithecia relativa Vojnits, 1982** (Geometridae)
Synonym(s): *relativa* Vojnits, 1982
- 601. Eupithecia relaxata Dietze, 1904** (Geometridae)
Synonym(s): *relaxata* Dietze, 1904; *vicariata* Dietze, 1904; *adjunctata* Dietze, 1904.
- 602. Eupithecia ridiculata Brandt, 1938** (Geometridae)
Synonym(s): *ridiculata* Brandt, 1938
- 603. Eupithecia sectila Brandt, 1938** (Geometridae)
Synonym(s): *sectila* Brandt, 1938
- 604. Eupithecia semigraphata Bruand, [1847]** (Geometridae)
Synonym(s): *semigraphata* Bruand, [1847]
- 605. Eupithecia siata Brandt, 1938** (Geometridae)
Synonym(s): *siata* Brandt, 1938
- 606. Eupithecia silenicolata Mabille, 1867** (Geometridae)
Synonym(s): *silenicolata* Mabille, 1867
- 607. Eupithecia simplicata Haworth, [1809]** (Geometridae)
Synonym(s): *simplicata* Haworth, [1809]; *subnotata* Hübner, [1813]; *subnotaria* Boisduval, 1840; *subnotaria* Herrich-Schäffer, 1848.
- 608. Eupithecia subtilis Dietze, 1910** (Geometridae)
Synonym(s): *subtilis* Dietze, 1910

- 609. Eupithecia subvaticina Vojnits, 1982** (Geometridae)
Synonym(s): *subvaticina* Vojnits, 1982
- 610. Eupithecia subvulgata Vojnits, 1982** (Geometridae)
Synonym(s): *subvulgata* Vojnits, 1982
- 611. Eupithecia sutiliata Christoph, 1877** (Geometridae)
Synonym(s): *sutiliata* Christoph, 1877; *aequata* Staudinger, 1892; *orientata* Staudinger, 1901; *diffisata* Dietze, 1903; *rjabovi* Vojnits, 1975; *kasachstanica* Viidalepp, 1988.
- 612. Eupithecia tarensis Schwingenschuss, 1939** (Geometridae) Synonym(s): *tarensis* Schwingenschuss, 1939
- 613. Eupithecia tenuiata (Hübner, [1813])** (Geometridae)
Synonym(s): *tenuiata* Hübner, [1813]; *macellata* Fischer v. Roeslerstamm, 1827
- 614. Eupithecia tesserata Brandt, 1938** (Geometridae)
Synonym(s): *tesserata* Brandt, 1938
- 615. Eupithecia ultimaria Boisduval, 1840** (Geometridae)
Synonym(s): *ultimaria* Boisduval, 1840; *tornifascia* Rothschild, 1913
- 616. Eupithecia undulifera Schwingenschuss, 1939** (Geometridae) Synonym(s): *undulifera* Schwingenschuss, 1939
- 617. Eupithecia variostrigata Alpheraky, 1876** (Geometridae) Synonym(s): *variostrigata* Alpheraky, 1876; *littorata* Constant, 1884; *artemesiata* Constant, 1884
- 618. Eupithecia xanthomixta Vojnits, 1988** (Geometridae)
Synonym(s): *xanthomixta* Vojnits, 1988
- 619. Glossotrophia (Bicalcarella) terminata Wiltshire, 1966** (Geometridae) Synonym(s): *terminata* Wiltshire, 1966
- 620. Glossotrophia (Libanonina) sacraria (A. Bang-Haas, 1910)** (Geometridae) Synonym(s): *sacraria* A. Bang-Haas, 1910
- 621. Glossotrophia (s.str.) asiatica Brandt, 1938** (Geometridae) Synonym(s): *asiatica* Brandt, 1938
- 622. Glossotrophia (s.str.) bullata Vojnits, 1986** (Geometridae) Synonym(s): *bullata* Vojnits, 1986
- 623. Glossotrophia (s.str.) chalcographata Brandt, 1938** (Geometridae) Synonym(s): *chalcographata* Brandt, 1938
- 624. Glossotrophia (s.str.) eurata L.B. Prout, 1913** (Geometridae) Synonym(s): *eurata* L.B. Prout, 1913
- 625. Glossotrophia (s.str.) gracilis Brandt, 1941** (Geometridae) Synonym(s): *gracilis* Brandt, 1941
- 626. Glossotrophia (s.str.) orbeorum Hausmann, 1996** (Geometridae) Synonym(s): *orbeorum* Hausmann, 1996
- 627. Glossotrophia (s.str.) origalis Brandt, 1941** (Geometridae) Synonym(s): *origalis* Brandt, 1941
- 628. Gnopharmia hoerhammeri (Brandt, 1938)** (Geometridae) Synonym(s): *hoerhammeri* Brandt, 1938
- 629. Gnopharmia inermis Wiltshire, 1967** (Geometridae)
Synonym(s): *inermis* Wiltshire, 1967
- 630. Gnopharmia kasrunensis Wehrli, 1939** (Geometridae) Synonym(s): *kasrunensis* Wehrli, 1939
- 631. Gnopharmia sinesefida Wehrli, 1941** (Geometridae)
Synonym(s): *sinesefida* Wehrli, 1941
- 632. Gnophos (Cnestrognophos) ali Brandt, 1938** (Geometridae) Synonym(s): *ali* Brandt, 1938
- 633. Gnophos (Cnestrognophos) rjabovi Wehrli, 1929** (Geometridae) Synonym(s): *rjabovi* Wehrli, 1929
- 634. Gnophos (Cnestrognophos) stachyphorus Wehrli, 1936** (Geometridae) Synonym(s): *stachyphorus* Wehrli, 1936
- 635. Gnophos (Cnestrognophos) subtilus Brandt, 1938** (Geometridae) Synonym(s): *subtila* Brandt, 1938
- 636. Gnophos (Cnestrognophos) taftanus Brandt, 1941** (Geometridae) Synonym(s): *taftana* Brandt, 1941
- 637. Gnophos (Dicrognophos) anophaeus Wehrli, 1939** (Geometridae) Synonym(s): *anophaea* Wehrli, 1939
- 638. Gnophos (Dicrognophos) choristus Wehrli, 1939** (Geometridae) Synonym(s): *chorista* Wehrli, 1939
- 639. Gnophos (Dicrognophos) culminatus Brandt, 1938** (Geometridae) Synonym(s): *culminata* Brandt, 1938
- 640. Gnophos (Dicrognophos) elahi Brandt, 1938** (Geometridae) Synonym(s): *elahi* Brandt, 1938
- 641. Gnophos (Dicrognophos) eurytiches Brandt, 1941** (Geometridae) Synonym(s): *eurytiches* Brandt, 1941
- 642. Gnophos (Dicrognophos) gorgatus Brandt, 1938** (Geometridae) Synonym(s): *gorgata* Brandt, 1938
- 643. Gnophos (Dicrognophos) orthogonius Wehrli, 1939** (Geometridae) Synonym(s): *orthogonia* Wehrli, 1939
- 644. Gnophos (Dicrognophos) sartatus (Treitschke, 1827)** (Geometridae) Synonym(s): *sartata* Treitschke, 1827; *syriaca* Thierry-Mieg, 1916.
- 645. Gnophos (Trilobignophos) pollinarius Christoph, 1887** (Geometridae) Synonym(s): *pollinaria* Christoph, 1887
- 646. Gnophos argillatus Brandt, 1938** (Geometridae)
Synonym(s): *argillata* Brandt, 1938
- 647. Gnophos pelengi Brandt, 1938** (Geometridae)
Synonym(s): *pelengi* Brandt, 1938
- 648. Gnophosema isometra (Warren, 1888)** (Geometridae)
Synonym(s): *isometra* Warren, 1888
- 649. Gnophosema palumba Brandt, 1938** (Geometridae)
Synonym(s): *palumba* Brandt, 1938
- 650. Gymnoscelis rufifasciata (Haworth, [1809])** (Geometridae) Synonym(s): *rufifasciata* Haworth, [1809]; *pumilata* Hübner, [1813].
- 651. Hemithea aestivaria (Hübner, 1789)** (Geometridae)
Synonym(s): *strigata* Müller, 1764 nec Sc., 1763; *herbacea* Fourcroy, 1785; *aestivaria* Hübner, [1799]; *alboundulata* Hedemann, 1879
- 652. Heterobapta plumellata Wiltshire, 1943** (Geometridae) Synonym(s): *plumellata* Wiltshire, 1943
- 653. Heteroculpinia pasargades (Brandt, 1938)** (Geometridae) Synonym(s): *pasargades* Brandt, 1938
- 654. Heteroculpinia prouti (Brandt, 1938)** (Geometridae)
Synonym(s): *prouti* Brandt, 1938
- 655. Holoterpna diagrapharia Püngeler, 1900** (Geometridae) Synonym(s): *diagrapharia* Püngeler, 1900
- 656. Hydriomena coerulea (Fabricius, 1777)** (Geometridae) Synonym(s): *#impluviata* [Denis & Schiffermüller], 1775; *coerulea* Fabricius, 1777; *autumnalis* Ström, 1783; *trifasciata* Borkhausen, 1794; *bicommata* Schrank, 1802; *literata* Donovan, 1810; *relicata* Zetterstedt, 1839; *impluviaria* Boisduval, 1840; *insulicolata* Schawerda, 1933
- 657. Hyperythra swinhoei Butler, 1880** (Geometridae)
Synonym(s): *swinhoei* Butler, 1880; *phantasma* Butler, 1881; *muselmana* Brandt, 1938
- 658. Hypomecis momaria (Guenée, [1858])** (Geometridae)
Synonym(s): *momaria* Guenée, [1858]
- 659. Hyposcotis (Euchrognophos) annubilata Christoph, 1885** (Geometridae) Synonym(s): *annubilata* Christoph, 1885.
- 660. Hyposcotis (Euchrognophos) dubitaria (Staudinger, 1892)** (Geometridae) Synonym(s): *dubitaria* Staudinger, 1892
- 661. Idaea allongata (Staudinger, 1898)** (Geometridae)
Synonym(s): *allongata* Staudinger, 1898; *allongaria* Staudinger, 1900; *paulusi* Prout, 1935.
- 662. Idaea camparia (Herrich-Schäffer, [1852])** (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer, [1851]; *camparia* Herrich-Schäffer, [1852]; *europaea* Wehrli, 1934.
- 663. Idaea consanguinaria (Lederer, 1853)** (Geometridae)
Synonym(s): *consanguinaria* Lederer, 1853; *consanguinata* Bellier, 1861; *faillata* Fuchs, 1901; *taurica* A. Bang-Haas, 1906; *turatii* Sohn-Rethel, 1929
- 664. Idaea consolidata (Lederer, 1853)** (Geometridae)
Synonym(s): *consolidata* Lederer, 1853
- 665. Idaea degeneraria (Hübner, [1799])** (Geometridae)
Synonym(s): *degeneraria* Hübner, [1799]; *degenerata* Treitschke, 1828; *floridaria* Turati, 1913
- 666. Idaea dimidiata (Hufnagel, 1767)** (Geometridae)
Synonym(s): *dimidiata* Hufnagel, 1767; *scutulata* [Denis & Schiffermüller], 1775; *antitaurica* Wehrli, 1931 nec Wehrli, 1931; *tauricola* Wehrli, 1934.
- 667. Idaea eremica (Brandt, 1941)** (Geometridae)
Synonym(s): *eremica* Brandt, 1941
- 668. Idaea filicata (Hübner, [1799])** (Geometridae)
Synonym(s): *filicata* Hübner, [1799]; *filicaria* Duponchel, 1830
- 669. Idaea illustris (Brandt, 1941)** (Geometridae)
Synonym(s): *illustris* Brandt, 1941
- 670. Idaea improbata (Staudinger, 1898)** (Geometridae)
Synonym(s): *improbata* Staudinger, 1898
- 671. Idaea inquinata (Scopoli, 1763)** (Geometridae)
Synonym(s): *inquinata* Scopoli, 1763; *herbariata* Fabricius, 1798;

pusillaria Hübner, [1799]; *microsaria* Boisduval, 1840; *incomptaria* Boisduval, 1840

672. *Idaea laevigata* (Scopoli, 1763) (Geometridae)
Synonym(s): *laevigata* Scopoli, 1763; *laevigaria* Hübner, [1799]; *renularia* Hübner, [1809]; *lividellaria* Peyerimhoff, 1863; *renulata* Rambur, 1866; *couloniata* Balestre, 1907; *storaе* Andreas, 1928

673. *Idaea manciata* (Staudinger, 1871) (Geometridae)
Synonym(s): *manciata* Staudinger, 1871; *bustilloi* Agenjo, 1967

674. *Idaea mimetes* (Brandt, 1941) (Geometridae)
Synonym(s): *mimetes* Brandt, 1941

675. *Idaea moniliata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *moniliata* [Denis & Schiffermüller], 1775; *?pentalineata* De Villers, 1789; *omicata* Fabricius, 1794; *#moniliaria* Hübner, [1799]; *pluripunctata* Scharfenberg, 1805

676. *Idaea obsoletaria* (Rambur, 1833) (Geometridae)
Synonym(s): *obsoletaria* Rambur, 1833; *violacearia* Staudinger, 1901; *distans* Hausmann, 1991; *violacearia* Hausmann, 1991 nec Wlk., 1861

677. *Idaea ochrata* (Scopoli, 1763) (Geometridae)
Synonym(s): *ochrata* Scopoli, 1763; *#ochreata* [Denis & Schiffermüller], 1775; *corrugata* Fabricius, 1781; *ochrearia* Schrank, 1802 nec Ross., 1794; *sicula* Zeller, 1847; *accretata* Fuchs, 1901

678. *Idaea ossiculata* (Lederer, 1871) (Geometridae)
Synonym(s): *ossiculata* Lederer, 1871

679. *Idaea palaestinensis* (Sterneck, 1933) (Geometridae)
Synonym(s): *antitaurica* Wehrli, 1932 nec Whrl., 1931; *palaestinensis* Sterneck, 1933; *seitunensis* L.B. Prout, 1934.

680. *Idaea peluraria* (Reisser, 1939) (Geometridae)
Synonym(s): *peluraria* Reisser, 1939

681. *Idaea persica* (Brandt, 1941) (Geometridae)
Synonym(s): *persica* Brandt, 1941

682. *Idaea persidis* (Wiltshire, 1966) (Geometridae)
Synonym(s): *persidis* Wiltshire, 1966

683. *Idaea politaria* (Hübner, [1799]) (Geometridae)
Synonym(s): *politata* Fuchs, 1793 nec Fabr., 1781; *politaria* Hübner, [1799]; *#abmarginata* Bohatsch, 1885; *mundipennis* W. Warren, 1898; *abmarginata* Staudinger, 1901

684. *Idaea proclivata* (Fuchs, 1902) (Geometridae)
Synonym(s): *proclivata* Fuchs, 1902; *osthelderi* Wehrli, 1932.

685. *Idaea ronkayi* (Vojnits, 1986) (Geometridae)
Synonym(s): *ronkayi* Vojnits, 1986

686. *Idaea rufaria* (Hübner, [1799]) (Geometridae)
Synonym(s): *rufaria* Hübner, [1799]; *ochridana* Silbernagel, 1944

687. *Idaea rusticata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *rusticata* [Denis & Schiffermüller], 1775; *mustelata* Rambur, 1866.

688. *Idaea sordida* (Rothschild, 1913) (Geometridae)
Synonym(s): *sordida* Rothschild, 1913

689. *Idaea straminata* (Borkhausen, 1794) (Geometridae)
Synonym(s): *straminata* Borkhausen, 1794; *inornata* Haworth, 1809; *suffusaria* Boisduval, 1840; *inornaria* Doubleday, 1849; *agrostemmata* Guenée, [1858]

690. *Idaea subsericeata* (Haworth, [1809]) (Geometridae)
Synonym(s): *subsericeata* Haworth, [1809]; *perfluaria* Boisduval, 1840; *pinguedinata* Zeller, 1847; *asbestaria* Zeller, 1849; *puraria* Heydenreich, 1851; *pinguedinaria* Herrich-Schäffer, 1852; *oloraria* Rössler, 1857; *mancuniata* Knaggs, 1865; *veterata* Gregson, 1866; *diaphanaria* A. Bang-Haas, 1910; *zernyi* D. Lucas, 1934

691. *Idaea wiltshirei* (Brandt, 1938) (Geometridae)
Synonym(s): *wiltshirei* Brandt, 1938

692. *Isturgia tengistanica* (Brandt, 1938) (Geometridae)
Synonym(s): *tengistanica* Brandt, 1938

693. *Lithostege buxtoni* Prout, 1920 (Geometridae)
Synonym(s): *buxtoni* Prout, 1920

694. *Lithostege griseata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *incanata* Hufnagel, 1767; *griseata* [Denis & Schiffermüller], 1775; *asinata* Fabricius, 1794; *duplicaria* Hübner, [1799]; *grisearia* Hübner, [1799]; *clarkiana* Stephens, 1850

695. *Lithostege notata* A. Bang-Haas, 1906 (Geometridae)
Synonym(s): *notata* A. Bang-Haas, 1906

696. *Lithostege palaestinensis* Amsel, 1935 (Geometridae)
Synonym(s): *palaestinensis* Amsel, 1935; *ali* Wiltshire, 1941.

697. *Macaria alternata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *alternata* [Denis & Schiffermüller], 1775; *alternaria* Hübner, [1805]; *praenotata* Haworth, 1809

698. *Microloxia herbaria* (Hübner, [1813]) (Geometridae)
Synonym(s): *herbaria* Hübner, [1813]; *advolata* Eversmann, 1837; *graminaria* Zeller, 1849; *bruandaria* Millièr, 1860.

699. *Myinodes shohami* Hausmann, 1994 (Geometridae)
Synonym(s): *shohami* Hausmann, 1994

700. *Nebula apiciata* (Staudinger, 1892) (Geometridae)
Synonym(s): *apiciata* Staudinger, 1892

701. *Nebula khorassana* (Brandt, 1941) (Geometridae)
Synonym(s): *khorassana* Brandt, 1941

702. *Nebula longipennis* (Brandt, 1941) (Geometridae)
Synonym(s): *longipennis* Brandt, 1941

703. *Nebula reclamata* (Prout, 1914) (Geometridae)
Synonym(s): *reclamata* Prout, 1914

704. *Nebula saidabadi* (Brandt, 1941) (Geometridae)
Synonym(s): *saidabadi* Brandt, 1941

705. *Nebula salicata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *#salicata* [Denis & Schiffermüller], 1775

706. *Nebula vartianata* (Wiltshire, 1970) (Geometridae)
Synonym(s): *vartianata* Wiltshire, 1970

707. *Neognopharmia stevenaria* (Boisduval, 1840) (Geometridae) Synonym(s): *stevenaria* Boisduval, 1840; *lapidisaria* Freyer, 1841

708. *Neromia pulvereisparsa* Hampson, 1896 (Geometridae) Synonym(s): *pulvereisparsa* Hampson, 1896; *jodisata* Staudinger, 1898; *draudti* Andres & Seitz, 1923

709. *Neromia simplex* Brandt, 1938 (Geometridae)
Synonym(s): *simplexa* Brandt, 1938

710. *Nychiodes (Comeesia) admirabilia* Brandt, 1938 (Geometridae) Synonym(s): *admirabilia* Brandt, 1938

711. *Nychiodes (Eunychiodes) agatcha* Brandt, 1938 (Geometridae) Synonym(s): *agatcha* Brandt, 1938

712. *Nychiodes (Eunychiodes) divergaria* (Staudinger, 1892) (Geometridae) Synonym(s): *divergaria* Staudinger, 1892

713. *Nychiodes (Eunychiodes) farinosa* Brandt, 1938 (Geometridae) Synonym(s): *farinosa* Brandt, 1938

714. *Nychiodes (Eunychiodes) leviata* Brandt, 1938 (Geometridae) Synonym(s): *laeviata* Brandt, 1938

715. *Nychiodes (Eunychiodes) subfusca* Brandt, 1938 (Geometridae) Synonym(s): *subfusca* Brandt, 1938

716. *Nychiodes (Eunychiodes) subvirida* Brandt, 1938 (Geometridae) Synonym(s): *subvirida* Brandt, 1938

717. *Nychiodes (Eunychiodes) variabila* Brandt, 1938 (Geometridae) Synonym(s): *variabila* Brandt, 1938; *#variabilis* auct.

718. *Nychiodes (Fritzwagneria) rayatica* Wiltshire, 1957 (Geometridae) Synonym(s): *rayatica* Wiltshire, 1957

719. *Nychiodes (Fritzwagneria) waltheri* F. Wagner, 1919 (Geometridae) Synonym(s): *waltheri* F. Wagner, 1919.

720. *Nyssiodes rhodopolitis* Wehrli, 1939 (Geometridae)
Synonym(s): *rhodopolitis* Wehrli, 1939

721. *Ochodontia adustaria* Fischer de Waldheim, 1840 (Geometridae) Synonym(s): *adustaria* Fischer de Waldheim, 1840; *sareptanaria* Freyer, 1841

722. *Orthonama obstipata* (Fabricius, 1794) (Geometridae) Synonym(s): *obstipata* Fabricius, 1794; *fluviata* Hübner, [1799]; *gemma* Hübner, 1799; *albicinctata* Haworth, 1809; *angustata* Haworth, 1809; *quaerendaria* Costa, 1850; *baccata* Guenée, [1858]; *lapillata* Guenée, [1858]; *contrariata* Walker, 1862; *exagitata* Walker, 1862; *intrusata* Walker, 1862; *peracutata* Walker, 1862; *signataria* Walker, 1863; *obruptata* Walker, 1863; *pigrata* Walker, 1866; *plemyrata* R. Felder & Rogenhofer, 1875; *inconspicua* Warren, 1896; *brunneipennis* Hulst, 1896; *discata* Warren, 1905

723. *Orthostixis cribraria* (Hübner, [1799]) (Geometridae)
Synonym(s): *cribraria* Hübner, [1799].

724. *Oulobophora externata* Freyer, 1846 (Geometridae)
Synonym(s): *#externata* Herrich-Schäffer, 1843; *externata* Freyer, 1846; *turcosyrica* Wehrli, 1934.

- 725. Ourapteryx falciformis** Inoue, 1993 (Geometridae)
Synonym(s): *falciformis* Inoue, 1993
- 726. Ourapteryx persica** Ménétériés, 1832 (Geometridae)
Synonym(s): *persica* Ménétériés, 1832
- 727. Pasiphila hyrcanica** Viidalepp & Mironov, 2006 (Geometridae) Synonym(s): *hyrcanica* Viidalepp & Mironov, 2006
- 728. Pellonia vibicaria** (Linnaeus, 1761) (Geometridae)
Synonym(s): *#vibicaria* Clerck, 1759; *vibicaria* Linnaeus, 1761; *cruentata* Scopoli, 1763; *rubrofasciata* Hufnagel, 1767; *artriosa* Fourcroy, 1785; *cruentaria* Villers, 1789.
- 729. Peribatodes inaequalis** (Goeze, 1781) (Geometridae)
Synonym(s): *#rhomboidaria* [Denis & Schiffermüller], 1775; *inaequalis* Goeze, 1781; *gemmaria* Brahm, 1791; *ichnusaria* Ghiliani, 1852; *corsicaria* Schawerda, 1931; *syrtaurica* Wehrli, 1931
- 730. Peribatodes umbrarius** (Hübner, [1809]) (Geometridae) Synonym(s): *umbraria* Hübner, [1809]; *vaucheri* Thierry-Mieg, 1916
- 731. Phaigramma etruscaria** (Zeller, 1849) (Geometridae) Synonym(s): *etruscaria* Zeller, 1849; *pulmentaria* Guenée, [1858]; *palaestinensis* Fuchs, 1903.
- 732. Phaselia deliciosaria** (Lederer, 1855) (Geometridae)
Synonym(s): *deliciosaria* Lederer, 1855
- 733. Phaselia serrularia** (Eversmann, 1847) (Geometridae)
Synonym(s): *serrularia* Eversmann, 1847; *phaeoleucaria* Lederer, 1855.
- 734. Philere me senescens** (Staudinger, 1892) (Geometridae) Synonym(s): *senescens* Staudinger, 1892
- 735. Photoscotosia antitypa** Brandt, 1941 (Geometridae)
Synonym(s): *antitypa* Brandt, 1941
- 736. Pingasa lahaye** (Oberthür, 1887) (Geometridae)
Synonym(s): *lahaye* Oberthür, 1887
- 737. Protorhoe renodata** (Püngeler, 1909) (Geometridae)
Synonym(s): *renodata* Püngeler, 1909
- 738. Protorhoe unicata** (Guenée, [1858]) (Geometridae)
Synonym(s): *unicata* Guenée, [1858]
- 739. Proutictis artesiaria** ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *artesiaria* [Denis & Schiffermüller], 1775
- 740. Pseudocinglis benigna** (Brandt, 1941) (Geometridae)
Synonym(s): *benigna* Brandt, 1941
- 741. Pseudocinglis benigna benigna** (Brandt, 1941) (Geometridae) Synonym(s): *benigna* Brandt, 1941
- 742. Pseudocinglis benigna nigromaculata** Hausmann, 1994 (Geometridae) Synonym(s): *nigromaculata* Hausmann, 1994
- 743. Pseudosterrha paulula** (Swinhoe, 1886) (Geometridae) Synonym(s): *paulula* Swinhoe, 1886; *ochrea* Warren, 1888; *gayneri* Rothschild, 1901
- 744. Pseudosterrha rufistrigata** (Hampson, 1896) (Geometridae) Synonym(s): *rufistrigata* Hampson, 1896; *xerophilaria* Püngeler, 1902; *marcida* W. Warren & Rothschild, 1905; *elbaensis* Rebel, 1948.
- 745. Pydna badiaria** (Freyer, [1841]) (Geometridae)
Synonym(s): *badiaria* Freyer, [1841]; *telaria* Herrich-Schäffer, [1847]; *cervinaria* Herrich-Schäffer, [1847]; *praeacnaria* Eversmann, 1847; *pollenaria* Freyer, 1854.
- 746. Pydna bahara** (Brandt, 1938) (Geometridae)
Synonym(s): *bahara* Brandt, 1938
- 747. Pydna iranica** (Schwingenschuss, 1939) (Geometridae) Synonym(s): *iranica* Schwingenschuss, 1939
- 748. Rheumaptera montivagata** Duponchel, 1830 (Geometridae) Synonym(s): *montivagata* Duponchel, 1830; *montivagaria* Boisduval, 1840; *andalusica* Ribbe, 1912
- 749. Rhodometra sacraria** (Linnaeus, 1767) (Geometridae) Synonym(s): *sacraria* Linnaeus, 1767; *labda* Cramer, 1777; *sacralis* Thunberg, 1784; *fulvaria* Fabricius, 1794; *sanguinaria* Esper, 1801; *minervae* Gistel, 1856; *labdaria* Guenée, [1858];
- 750. Rhodostrophia abscisaria** Brandt, 1941 (Geometridae) Synonym(s): *abscisaria* Brandt, 1941
- 751. Rhodostrophia auctata** (Staudinger, 1879) (Geometridae) Synonym(s): *auctata* Staudinger, 1879
- 752. Rhodostrophia cuprinaria** (Christoph, 1876) (Geometridae) Synonym(s): *cuprinaria* Christoph, 1876; *phaenicearia* Hampson, 1907.
- 753. Rhodostrophia furialis** Brandt, 1941 (Geometridae)
Synonym(s): *furialis* Brandt, 1941
- 754. Rhodostrophia nesam** Brandt, 1938 (Geometridae)
Synonym(s): *nesam* Brandt, 1938
- 755. Rhodostrophia nubifera** Brandt, 1941 (Geometridae)
Synonym(s): *nubifera* Brandt, 1941
- 756. Rhodostrophia peripheres** L.B. Prout, 1938 (Geometridae) Synonym(s): *peripheres* L.B. Prout, 1938
- 757. Rhodostrophia sieversi** (Christoph, 1882) (Geometridae) Synonym(s): *sieversi* Christoph, 1882
- 758. Rhodostrophia terrestraria** (Lederer, 1869) (Geometridae) Synonym(s): *terrestraria* Lederer, 1869
- 759. Rhodostrophia tumulosa** Brandt, 1938 (Geometridae)
Synonym(s): *tumulosa* Brandt, 1938
- 760. Rhoptria mardinata** (Staudinger, 1900) (Geometridae) Synonym(s): *mardinata* Staudinger, 1900; *pistaciae* Wiltshire, 1943
- 761. Scodionista amoritaria** (Püngeler, 1902) (Geometridae) Synonym(s): *amoritaria* Püngeler, 1902; *autumnata* Brandt, 1938; *abduhamidi* Wiltshire, 1949
- 762. Scopula albiceraria** (Herrich-Schäffer, 1847) (Geometridae) Synonym(s): *albiceraria* Herrich-Schäffer, 1847; *sulphuraria* Freyer, 1847; *vitellinaria* Eversmann, 1851
- 763. Scopula amseli** Wiltshire, 1967 (Geometridae)
Synonym(s): *amseli* Wiltshire, 1967
- 764. Scopula ansulata** (Lederer, 1871) (Geometridae)
Synonym(s): *ansulata* Lederer, 1871
- 765. Scopula beckeraria** (Lederer, 1853) (Geometridae)
Synonym(s): *beckeraria* Lederer, 1853
- 766. Scopula flaccidaria** (Zeller, 1852) (Geometridae)
Synonym(s): *flaccidaria* Zeller, 1852
- 767. Scopula hoerhammeri** Brandt, 1941 (Geometridae)
Synonym(s): *hoerhammeri* Brandt, 1941
- 768. Scopula immistaria** (Herrich-Schäffer, [1852]) (Geometridae) Synonym(s): *#elisabetharia* Heydenreich, 1851; *immistaria* Herrich-Schäffer, [1852]
- 769. Scopula immorata** (Linnaeus, 1758) (Geometridae)
Synonym(s): *immorata* Linnaeus, 1758; *contaminata* Scopoli, 1763; *graminata* Hufnagel, 1767; *festucaria* Brahm, 1791 *nec* Hbn., 1790; *fuscata* Fabricius, 1794 *nec* Hfn., 1767; *immoraria* Hübner, [1799]; *serenata* Turati, 1905; *myrtillata* Dadd, 1911
- 770. Scopula incanata** (Linnaeus, 1758) (Geometridae)
Synonym(s): *incanata* Linnaeus, 1758; *variegata* Scopoli, 1763; *mediata* Fabricius, 1777; *planata* Villers, 1789; *incanaria* Hübner, [1825]; *mutata* Treitschke, 1828; *mutataria* Duponchel, 1830; *adjunctaria* Boisduval, 1840; *demutaria* Bruand, 1846
- 771. Scopula iranaria** Bytinski-Salz & Brandt, 1937 (Geometridae) Synonym(s): *iranaria* Bytinski-Salz & Brandt, 1937; *#depuncta* Bytinski-Salz & Brandt, 1937
- 772. Scopula marginepunctata** (Goeze, 1781) (Geometridae) Synonym(s): *marginpunctata* Goeze, 1781; *conjugata* Borkhausen, 1794; *aniculosata* Rambur, 1829; *puellaria* Boisduval, 1840; *mutaria* Heydenreich, 1851; *promutata* Guenée, [1858]; *promutaria* Morris, 1861; *apertaria* Walker, [1863]; *madoniata* Fuchs, 1901; *pastoraria* Joannis, 1891.
- 773. Scopula orientalis** (Alpheraky, 1876) (Geometridae)
Synonym(s): *orientalis* Alpheraky, 1876
- 774. Scopula rubiginata** (Hufnagel, 1767) (Geometridae)
Synonym(s): *rubiginata* Hufnagel, 1767; *rubricata* [Denis & Schiffermüller], 1775; *vittata* Thunberg, 1784; *domiella* Fourcroy, 1785; *variata* Villers, 1789; *#rubricaria* Hübner, [1799]; *subangularia* Herrich-Schäffer, 1839
- 775. Scopula submutata** (Treitschke, 1828) (Geometridae)
Synonym(s): *submutata* Treitschke, 1828; *submutaria* Boisduval, 1840; *submutulata* Rebel, 1902
- 776. Scopula subtilata** (Christoph, 1867) (Geometridae)
Synonym(s): *subtilata* Christoph, 1867
- 777. Scopula tessellaria** (Boisduval, 1840) (Geometridae)
Synonym(s): *tessellaria* Boisduval, 1840; *pulverulentaria* Selys-Longchamps, 1844; *tabianaria* Turati, 1905; *proutiana* Shelfjuzhko, 1955
- 778. Scopula transcaspica** L.B. Prout, 1935 (Geometridae)
Synonym(s): *transcaspica* L.B. Prout, 1935
- 779. Scopula turbulentaria** (Staudinger, 1870) (Geometridae) Synonym(s): *turbulentaria* Staudinger, 1870;

collata W.Warren,1901; *habenata* W.Warren,1901; *syriacata* Neuburger,1904; *syrturcica* Wehrli,1934

780. Scopuloides origalis (Brandt,1941) (Geometridae)
Synonym(s): *origalis* Brandt,1941

781. Scopuloides origalis origalis (Brandt,1941) (Geometridae) Synonym(s): *origalis* Brandt,1941

782. Scotopteryx elbursica (Bytinski-Salz & Brandt,1937) (Geometridae) Synonym(s): *elbursica* Bytinski-Salz & Brandt,1937

783. Scotopteryx fuscifasciata (Brandt,1938) (Geometridae) Synonym(s): *fuscifasciata* Brandt,1938

784. Scotopteryx octodurensis (Favre,1903) (Geometridae) Synonym(s): *octodurensis* Favre,1903; *nevadina* Wehrli,1927

785. Scotopteryx sterilis (Prout,1938) (Geometridae)
Synonym(s): *sterilis* Prout,1938

786. Scotopteryx vicinaria (Duponchel,1830) (Geometridae) Synonym(s): *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919

787. Selenia forsteri Wehrli,1941 (Geometridae)
Synonym(s): *forsteri* Wehrli,1941

788. Somatina wiltshirei Prout,1938 (Geometridae)
Synonym(s): *wiltshirei* Prout,1938

789. Stamnodia depeculata (Lederer,1870) (Geometridae)
Synonym(s): *depeculata* Lederer,1870

790. Synopsidia phasidaria (Rogenhofer,1873) (Geometridae) Synonym(s): *phasidaria* Rogenhofer,1873

791. Tephria arenacearia (Denis & Schiffmüller,1775) (Geometridae) Synonym(s): *arenacearia* [Denis & Schiffmüller],1775; *flavidaria* Eversmann,1852; *discriminaria* Walker,1862; *irradiata* Walker,1862; *impreviata* Walker,1863; *stena* Wehrli,1940

792. Tephria suleiman (Wehrli,1936) (Geometridae)
Synonym(s): *suleiman* Wehrli,1936

793. Tephronia oppositaria Mann,1864 (Geometridae)
Synonym(s): *oppositaria* Mann,1864

794. Thaleria fimbrialis (Scopoli,1763) (Geometridae)
Synonym(s): *fimbrialis* Scopoli,1763; *thymia* Linnaeus,1767; *bupleuraria* [Denis & Schiffmüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903

795. Thetidia crucigerata (Christoph,1887) (Geometridae) Synonym(s): *crucigerata* Christoph,1887

796. Thetidia fulminaria Lederer,1870 (Geometridae)
Synonym(s): *fulminaria* Lederer,1870

797. Thetidia persica Hausmann,1996 (Geometridae)
Synonym(s): *persica* Hausmann,1996

798. Thetidia prasinaria (Eversmann,1837) (Geometridae) Synonym(s): *prasinaria* Eversmann,1837; *volgaria* Guenée,[1858]; *mongolica* Staudinger,1897

799. Thetidia recta (Brandt,1941) (Geometridae)
Synonym(s): *recta* Brandt,1941

800. Timandra comae Schmidt,1931 (Geometridae)
Synonym(s): *angulata* Fourcroy,1785 nec Hfn.,1767; *comae* Schmidt,1931; *brykaria* Nordström,1943; *comai* Kaila & Albrecht,1994

801. Triphosa taochata Lederer,1870 (Geometridae)
Synonym(s): *taochata* Lederer,1870

802. Xanthorhoe acutangulata (Christoph,1887) (Geometridae) Synonym(s): *acutangulata* Christoph,1887

803. Xanthorhoe fluctuata (Linnaeus,1758) (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840

804. Xanthorhoe peribleta (Brandt,1941) (Geometridae)
Synonym(s): *peribleta* Brandt,1941

805. Xanthorhoe rectifasciaria (Lederer,1853) (Geometridae) Synonym(s): *rectifasciaria* Lederer,1853; *orthogrammaria* Guenée,[1858]

806. Xanthorhoe rhodoides (Brandt,1941) (Geometridae)
Synonym(s): *rhodoides* Brandt,1941

807. Xanthorhoe wiltshirei (Brandt,1941) (Geometridae)
Synonym(s): *wiltshirei* Brandt,1941

808. Xenochlorodes albicostaria Brandt,1938 (Geometridae) Synonym(s): *albicostaria* Brandt,1938

809. Xenochlorodes graminaria (Kollar,1849) (Geometridae) Synonym(s): *graminaria* Kollar,[1849]

810. Zamarada minimaria Swinhoe,1895 (Geometridae)
Synonym(s): *minimaria* Swinhoe,1895; *iranica* Brandt,1941

811. Glyphipterix persica Diakonoff,1979 (Glyphipterygidae) Synonym(s): *persica* Diakonoff,1979

812. Acrocercops iraniana Triberti,1990 (Gracillariidae)
Synonym(s): *iraniana* Triberti,1990

813. Aspilapteryx (s.str.) magna Triberti,1985 (Gracillariidae) Synonym(s): *magna* Triberti,1985

814. Aspilapteryx (s.str.) tringipennella Zeller,1839 (Gracillariidae) Synonym(s): *tringipennella* Zeller,1839; *fringilella* Duponchel,1843.

815. Caloptilia (s.str.) roscipennella (Hübner,1796) (Gracillariidae) Synonym(s): *roscipennella* Hübner,1796; *roscipennis* Haworth,1828; *merulaepennella* Duponchel,[1840]; *puncticostella* Herrich-Schäffer,1855; *juglandella* Mann,1867

816. Calybites phasianipennella (Hübner,1813) (Gracillariidae) Synonym(s): *phasianipennella* Hübner,[1813]; *quadruplella* Zeller,1839; *isograptia* Meyrick,1928

817. Cupedia cupediella (Herrich-Schäffer,1855) (Gracillariidae) Synonym(s): *cupediella* Herrich-Schäffer,1855

818. Parornix persicella Danilevsky,1955 (Gracillariidae)
Synonym(s): *persicella* Danilevsky,1955

819. Phyllocnistis citrella Stainton,1856 (Gracillariidae)
Synonym(s): *citrella* Stainton,1856; *minutella* Van Deventer,1904; *citricola* Shiraki,1913

820. Phyllonorycter blancardella (Fabricius,1781) (Gracillariidae) Synonym(s): *blancardella* Fabricius,1781; *pyraria* Tutt,1898; *concomitella* Banks,1899

821. Phyllonorycter corylifoliella (Hübner,1796) (Gracillariidae) Synonym(s): *corylifoliella* Hübner,1796; *betulae* Zeller,1839; *betulifoliella* Duponchel,[1845]; *caledoniella* Stainton,1851; *betulella* Herrich-Schäffer,1855

822. Phyllonorycter iranica Deschka,1979 (Gracillariidae)
Synonym(s): *iranica* Deschka,1979

823. Phyllonorycter platani (Staudinger,1870) (Gracillariidae) Synonym(s): *platani* Staudinger,1870; *felinella* Heinrich,1920

824. Phyllonorycter turanica (Gerasimov,1931) (Gracillariidae) Synonym(s): *turanica* Gerasimov,1931

825. Polymitia eximipalpella (Gerasimov,1930) (Gracillariidae) Synonym(s): *eximipalpella* Gerasimov,1930; *telaviviella* Amsel,1935

826. Polymitia laristana Triberti,1986 (Gracillariidae)
Synonym(s): *laristana* Triberti,1986

827. Carcharodus (Lavatheria) lavatherae (Esper,[1783]) (Hesperiidae) Synonym(s): *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948.

828. Carcharodus (Lavatheria) stauderi Reverdin,1913 (Hesperiidae) Synonym(s): *stauderi* Reverdin,1913.

829. Carcharodus (Reverdinus) dravira (Moore,1874) (Hesperiidae) Synonym(s): *dravira* Moore,1874; *balucha* Evans,1932; *dentatus* Alberti,1940.

830. Carcharodus (Reverdinus) flocciferus (Zeller,1847) (Hesperiidae) Synonym(s): *flocciferus* Zeller,1847; *altheae* Hübner,[1803] nec Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940.

831. Carcharodus (Reverdinus) orientalis Reverdin,1913 (Hesperiidae) Synonym(s): *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932.

832. Carcharodus (s.str.) alceae (Esper,[1780]) (Hesperiidae) Synonym(s): *alceae* Esper,[1780]; *malvae* Hufnagel,1766 nec Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948.

833. Carcharodus (s.str.) swinhoei E.Y.Watson,1893 (Hesperiidae) Synonym(s): *swinhoei* E.Y.Watson,1893

834. Eogenes alcides Herrich-Schäffer,[1852] (Hesperiidae) Synonym(s): *alcides* Herrich-Schäffer,[1852]

835. Eogenes lesliei Evans,1926 (Hesperiidae)
Synonym(s): *lesliei* Evans,1926; *lesliei* Evans,1926.

836. Erynnis (Hesperopegasus) marloyi (Boisduval,[1834]) (Hesperiidae) Synonym(s): *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849].

837. Erynnis (s.str.) elbursina (Bytinski-Salz & Brandt,1937) (Hesperiidae) Synonym(s): *elbursina* Bytinski-Salz & Brandt,1937

- 838. Erynnis (s.str.) tages (Linnaeus,1758)** (Hesperiidae)
Synonym(s): *tages* Linnaeus,1758; *morio* Scopoli,1763; *geron* Rottemburg,1775; *subclarus* Verity,1921.
- 839. Gegeres pumilio (Hoffmannsegg,1804)** (Hesperiidae)
Synonym(s): *pumilio* Hoffmannsegg,1804; *pygmaeus* Cyrilli,1787 *nec* Fabr.,1775; *aetna* Boisduval,1840; *lefebvreii* Rambur,1842; *monochroa* Rebel,1907.
- 840. Muschampia plurimacula (Christoph,1893)** (Hesperiidae) Synonym(s): *plurimacula* Christoph,1893
- 841. Muschampia poggei (Lederer,1858)** (Hesperiidae)
Synonym(s): *poggei* Lederer,1858
- 842. Muschampia proteides (Wagner,1929)** (Hesperiidae)
Synonym(s): *proteides* Wagner,1929; *lycaonius* Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [*misident.*]; *lycaonius* Benjamini & Avni,2001
- 843. Muschampia proteus (Staudinger,1886)** (Hesperiidae) Synonym(s): *proteus* Staudinger,1886
- 844. Muschampia proto (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *proto* Ochsenheimer,1808
- 845. Muschampia tersa Evans,1949** (Hesperiidae)
Synonym(s): *tersa* Evans,1949
- 846. Muschampia tessellum (Hübner,[1802])** (Hesperiidae) Synonym(s): *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816
- 847. Ochloides hyrcanus (Christoph,1893)** (Hesperiidae)
Synonym(s): *hyrcanus* Christoph,1893
- 848. Ochloides venatus (Bremer & Grey,[1852])** (Hesperiidae) Synonym(s): *venatus* Bremer & Grey,[1852]
- 849. Pelopidas mathias (Fabricius,1798)** (Hesperiidae)
Synonym(s): *mathias* Fabricius,1798; *elegans* Mabilite,1877; *umbrata* Butler,1879; *octofenestrata* Saalmüller,1884; *albirostris* Mabilite,[1887].
- 850. Pelopidas thrax (Hübner,[1821])** (Hesperiidae)
Synonym(s): *thrax* Hübner,[1821]; *midea* Walker,1870
- 851. Pyrgus alveus (Hübner,[1803])** (Hesperiidae)
Synonym(s): *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffelenis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991.
- 852. Pyrgus armoricanus (Oberthür,1910)** (Hesperiidae)
Synonym(s): *armoricanus* Oberthür,1910; *petheri* Romei,1927.
- 853. Pyrgus carthami (Hübner,[1813])** (Hesperiidae)
Synonym(s): *carthami* Hübner,[1813]
- 854. Pyrgus cinarae (Rambur,[1839])** (Hesperiidae)
Synonym(s): *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840
- 855. Pyrgus cirsii (Rambur,[1839])** (Hesperiidae)
Synonym(s): *cirsii* Rambur,[1839]; *turcivola* De Lattin,1950.
- 856. Pyrgus jupei (Alberti,1967)** (Hesperiidae)
Synonym(s): *jupei* Alberti,1967; *centralasiae* Renner,1991.
- 857. Pyrgus melotis (Duponchel,[1834])** (Hesperiidae)
Synonym(s): *melotis* Duponchel,[1834]; *hypoleucus* Lederer,1853; *jordana* Hemming,1932.
- 858. Pyrgus serratulae (Rambur,[1839])** (Hesperiidae)
Synonym(s): *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948.
- 859. Spialia (Neospialia) orbifer (Hübner,[1823])** (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
- 860. Spialia (s.str.) doris (Walker,1870)** (Hesperiidae)
Synonym(s): *doris* Walker,1870; *adenensis* Butler,1885.
- 861. Spialia (s.str.) geron (E.Y.Watson,1893)** (Hesperiidae) Synonym(s): *geron* E.Y.Watson,1893
- 862. Spialia (s.str.) osthelderi (Pfeiffer,1932)** (Hesperiidae) Synonym(s): *osthelderi* Pfeiffer,1932
- 863. Spialia (s.str.) phlomidis (Herrich-Schäffer,[1845])** (Hesperiidae) Synonym(s): *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974.
- 864. Spialia (s.str.) struvei (Püngeler,1914)** (Hesperiidae)
Synonym(s): *struvei* Püngeler,1914
- 865. Thymelicus acteon (Rottemburg,1775)** (Hesperiidae)
Synonym(s): *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
- 866. Thymelicus hyrax (Lederer,1861)** (Hesperiidae)
Synonym(s): *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937.
- 867. Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilite,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *forax* Hemming,1934
- 868. Thymelicus novus (Reverdin,1916)** (Hesperiidae)
Synonym(s): *novus* Reverdin,1916
- 869. Thymelicus sylvestris (Poda,1761)** (Hesperiidae)
Synonym(s): *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thauas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905
- 870. Berelade cuneata (Brandt,1938)** (Lasiocampidae)
Synonym(s): *cuneata* Brandt,1938
- 871. Chilena sordida Erschoff,1874** (Lasiocampidae)
Synonym(s): *sordida* Erschoff,1874
- 872. Chondrostega fascianum Staudinger,1892** (Lasiocampidae) Synonym(s): *fascianum* Staudinger,1892
- 873. Chondrostega pastranum Lederer,1858** (Lasiocampidae) Synonym(s): *pastranum* Lederer,1858
- 874. Eriogaster acanthophylli Christoph,1882** (Lasiocampidae) Synonym(s): *acanthophylli* Christoph,1882
- 875. Eriogaster henkei Staudinger,1879** (Lasiocampidae)
Synonym(s): *henkei* Staudinger,1879
- 876. Eriogaster neogena (Fischer Waldheim,1824)** (Lasiocampidae) Synonym(s): *neogena* Fischer Waldheim,1824
- 877. Eriogaster pfeifferi Daniel,1932** (Lasiocampidae)
Synonym(s): *pfeifferi* Daniel,1932; *amygdali* Wiltshire,1941; *talhouki* Wiltshire,1976; *reshoefi* Schulte & Witt,1975.
- 878. Lasiocampa concolor Christoph,1893** (Lasiocampidae) Synonym(s): *concolor* Christoph,1893
- 879. Lasiocampa eversmanni (Kindermann,1843)** (Lasiocampidae) Synonym(s): *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960.
- 880. Lasiocampa grandis (Rogenhofer,1891)** (Lasiocampidae) Synonym(s): *grandis* Rogenhofer,1891
- 881. Lasiocampa nana Staudinger,1887** (Lasiocampidae)
Synonym(s): *nana* Staudinger,1887; *herzi* Christoph,1888
- 882. Malacosoma neustrium (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *neustria* Linnaeus,1758
- 883. Malacosoma paralellum Staudinger,1887** (Lasiocampidae) Synonym(s): *paralellum* Staudinger,1887
- 884. Pachypasa otus (Drury,[1773])** (Lasiocampidae)
Synonym(s): *otus* Drury,[1773]
- 885. Phylodesma farahae Lajonquière,1963** (Lasiocampidae) Synonym(s): *farahae* Lajonquière,1963
- 886. Phylodesma glasunowi Grun-Grshimailo,1895** (Lasiocampidae) Synonym(s): *glasunowi* Grun-Grshimailo,1895
- 887. Sena proxima Staudinger,1894** (Lasiocampidae)
Synonym(s): *proxima* Staudinger,1894
- 888. Streblote alpherakyi (Christoph,1885)** (Lasiocampidae) Synonym(s): *alpherakyi* Christoph,1885
- 889. Streblote repanda (Hübner,[1808])** (Lasiocampidae)
Synonym(s): *repanda* Hübner,[1808]
- 890. Streblote siva (Lefebvre,1827)** (Lasiocampidae)
Synonym(s): *siva* Lefebvre,1827
- 891. Trichiura mirzayani Ebert,1971** (Lasiocampidae)
Synonym(s): *mirzayani* Ebert,1971
- 892. Trichiura pistaciae Wiltshire,1952** (Lasiocampidae)
Synonym(s): *pistaciae* Wiltshire,1952
- 893. Trichiura sapor Wiltshire,1946** (Lasiocampidae)
Synonym(s): *sapor* Wiltshire,1946
- 894. Ceuthomadarus croesus Gozmany,** (Lecithoceridae)
Synonym(s):
- 895. Ceuthomadarus tenebrionellus Mann,1864** (Lecithoceridae) Synonym(s): *tenebrionellus* Mann,1864; *crepusculellus* Caradja,1920.
- 896. Concordaxis convergens Gozmany,** (Lecithoceridae)
Synonym(s):
- 897. Ilinarsis iranica Gozmany** (Lecithoceridae)
Synonym(s):
- 898. Synchronaxis pardalis Gozmany** (Lecithoceridae)
Synonym(s):

- 899. *Lemonia peilei* Rothschild, 1921** (Lemoniidae)
Synonym(s): *peilei* Rothschild, 1921
- 900. *Lemonia pia* Püngeler, 1902** (Lemoniidae)
Synonym(s): *pia* Püngeler, 1902
- 901. *Libythea* (s.str.) *celtis* (Laicharting, 1782)** (Libytheidae) Synonym(s): *celtis* Laicharting, 1782
- 902. *Latoia inexpectata* (Staudinger, 1895)** (Limacodidae)
Synonym(s): *inexpectata* Staudinger, 1895
- 903. *Anthene amarah* (Guérin-Ménéville, 1849)** (Lycaenidae) Synonym(s): *amarah* Guérin-Ménéville, 1849; *olympusa* Walker, 1870.
- 904. *Azanus* (s.str.) *jesous* (Guérin-Ménéville, 1849)** (Lycaenidae) Synonym(s): *jesous* Guérin-Ménéville, 1849; *agave* Walker, 1870; *sigillata* Butler, 1876.
- 905. *Azanus* (s.str.) *ubaldus* (Stoll, [1782])** (Lycaenidae)
Synonym(s): *ubaldus* Stoll, [1782]; *zena* Moore, 1865; *ethoda* Walker, 1870; *itea* Walker, 1870; *macalenga* Trimen, 1870; *thebana* Staudinger, 1894.
- 906. *Callophrys mystaphia* Miller, 1913** (Lycaenidae)
Synonym(s): *mystaphia* Miller, 1913
- 907. *Callophrys paulae* Pfeiffer, 1932** (Lycaenidae)
Synonym(s): *paulae* Pfeiffer, 1932; *kolak* Higgins, 1965
- 908. *Callophrys rubi* (Linnaeus, 1758)** (Lycaenidae)
Synonym(s): *rubi* Linnaeus, 1758
- 909. *Callophrys suaveola* (Staudinger, 1881)** (Lycaenidae)
Synonym(s): *suaveola* Staudinger, 1881
- 910. *Celastrina argiolus* (Linnaeus, 1758)** (Lycaenidae)
Synonym(s): *argiolus* Linnaeus, 1758; *cleobis* Sulzer, 1776; *thersanon* Bergsträßer, 1779; *argyphontes* Bergsträßer, 1779; *argalus* Bergsträßer, 1779; *marginatus* Retzius, 1783; *acis* Fabricius, 1787 nec Dru., [1773]; *#parvipuncta* Fuchs, 1880; *calidogenita* Verity, 1919; *britannia* Verity, 1919.
- 911. *Chilades* (Freyer) *trochylus* (Freyer, [1843])** (Lycaenidae) Synonym(s): *trochylus* Freyer, [1843]; *#trochilus* Herrich-Schäffer, [1845]; *parva* Murray, 1874; *persa* Bytinski-Salz & Brandt, 1937; *#suprardiata* Wagner, 1931
- 912. *Chilades* (Lachides) *galba* (Lederer, 1855)** (Lycaenidae) Synonym(s): *galba* Lederer, 1855
- 913. *Chilades* (s.str.) *parrhasius* (Fabricius, 1793)** (Lycaenidae) Synonym(s): *parrhasius* Fabricius, 1793; *contracta* Butler, 1880; *ella* Butler, 1881; *lempkei* Blom, 1979.
- 914. *Cigaritis acamas* (Klug, 1834)** (Lycaenidae)
Synonym(s): *acamas* Klug, 1834
- 915. *Cigaritis cilissa* Lederer, 1861** (Lycaenidae)
Synonym(s): *cilissa* Lederer, 1861
- 916. *Cigaritis epargyros* (Eversmann, 1854)** (Lycaenidae)
Synonym(s): *epargyros* Eversmann, 1854
- 917. *Cigaritis myrmecophila* Dumont, 1922** (Lycaenidae)
Synonym(s): *myrmecophila* Dumont, 1922
- 918. *Cigaritis uighurica* Kemal & Koçak, 2005** (Lycaenidae) Synonym(s): *maxima* Staudinger, 1901 nec Elw., 1892; *uighurica* Kemal & Koçak, 2005
- 919. *Cupido* (s.str.) *osiris* (Meigen, [1829])** (Lycaenidae)
Synonym(s): *osiris* Meigen, [1829]; *saportae* Duponchel, 1832; *violacea* Verity, 1911; *sebrus* Boisduval, [1833].
- 920. *Cupido* (s.str.) *staudingeri* (Christoph, 1873)** (Lycaenidae) Synonym(s): *staudingeri* Christoph, 1873
- 921. *Deudorix* (Virachola) *livia* (Klug, 1834)** (Lycaenidae)
Synonym(s): *livia* Klug, 1834
- 922. *Glaucopsyche* (s.str.) *aeruginosa* (Staudinger, 1881)** (Lycaenidae) Synonym(s): *aeruginosa* Staudinger, 1881; *subalexis* Obratzsov, 1936.
- 923. *Glaucopsyche* (s.str.) *seminigra* Howarth & Povolny, 1976** (Lycaenidae) Synonym(s): *seminigra* Howarth & Povolny, 1976
- 924. *Heodes* (Loweia) *tityrus* (Poda, 1761)** (Lycaenidae)
Synonym(s): *tityrus* Poda, 1761; *acrión* [Brünnich], 1763; *orientalis* Staudinger, 1881; *argentifex* Balint, 1990.
- 925. *Hyrcanana caspia* (Lederer, 1869)** (Lycaenidae)
Synonym(s): *caspia* Lederer, 1869
- 926. *Iolana andreasi* (Sheljuzhko, 1919)** (Lycaenidae)
Synonym(s): *andreasi* Sheljuzhko, 1919
- 927. *Iolana arjanica* Rose, 1979** (Lycaenidae) Synonym(s): *arjanica* Rose, 1979
- 928. *Iolana kermani* Dumont, 2004** (Lycaenidae)
Synonym(s): *kermani* Dumont, 2004
- 929. *Lampides boeticus* (Linnaeus, 1767)** (Lycaenidae)
Synonym(s): *boeticus* Linnaeus, 1767; *damoetes* Fabricius, 1775; *coluteae* Fuessly, 1775; *pisorum* Fourcroy, 1785; *boedicus* Borkhausen, 1788; *#baeticus* Latreille, 1809; *armeniensis* Gerhard, 1886; *bagus* Distant, 1886
- 930. *Lycaena* (s.str.) *phlaeas* (Linnaeus, 1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus, 1761; *virgaureae* Fourcroy, 1785 nec Linnaeus, 1758; *eleus* Fabricius, 1798; *aestivus* Zeller, 1850; *schmidtii* Gerhard, 1853
- 931. *Maculinea arion* (Linnaeus, 1758)** (Lycaenidae)
Synonym(s): *arion* Linnaeus, 1758; *telegone* Bergsträßer, 1779; *caucasica* Jachontov, 1914 nec Led., 1870; *zara* Jachontov, 1935.
- 932. *Palaeochrysophanus candens* (Herrich-Schäffer, [1845])** (Lycaenidae) Synonym(s): *candens* Herrich-Schäffer, [1845]
- 933. *Phoenicurusia phoenicura* (Lederer, 1870)** (Lycaenidae) Synonym(s): *phoenicurus* Lederer, 1870.
- 934. *Plebejus* (Kretania) *carmon* (Gerhard, [1851])** (Lycaenidae) Synonym(s): *carmon* Gerhard, [1851, November]; *eurypilus* Freyer, [1851, December].
- 935. *Plebejus* (Kretania) *iranicus* (Forster, 1938)** (Lycaenidae) Synonym(s): *iranicus* Forster, 1938
- 936. *Plebejus* (Lycaeides) *christophi* (Staudinger, 1874)** (Lycaenidae) Synonym(s): *christophi* Staudinger, 1874; *argivus* Staudinger, 1886.
- 937. *Plebejus* (Lycaeides) *idas* (Linnaeus, 1761)** (Lycaenidae) Synonym(s): *idas* Linnaeus, 1761; *leodorus* Esper, 1782; *acreon* Fabricius, 1787; *amphion* Fabricius, 1793.
- 938. *Plebejus* (Plebejides) *zephyrinus* (Christoph, 1884)** (Lycaenidae) Synonym(s): *zephyrinus* Christoph, 1884
- 939. *Plebejus* (s.str.) *argus* (Linnaeus, 1758)** (Lycaenidae)
Synonym(s): *argus* Linnaeus, 1758; *aegon* Denis & Schiffermüller, 1775; *plouharnelensis* Oberthür, 1926; *pulchraphilonome* Verity, 1931.
- 940. *Polyommatus* (Agriades (s.str.)) *aegagrus* (Christoph, 1873)** (Lycaenidae) Synonym(s): *aegagrus* Christoph, 1873
- 941. *Polyommatus* (Agriades (s.str.)) *pyrenaicus* (Boisduval, 1840)** (Lycaenidae) Synonym(s): *pyrenaicus* Boisduval, 1840; *#pyrenicus* Naderi, 2003
- 942. *Polyommatus* (Albulina (Plebejidea)) *afshar* (Eckweiler, 1998)** (Lycaenidae) Synonym(s): *afshar* Eckweiler, 1998
- 943. *Polyommatus* (Albulina (Plebejidea)) *ferganus* (Staudinger, 1881)** (Lycaenidae) Synonym(s): *fergana* Staudinger, 1881; *torgouta* Alpheraky, 1881
- 944. *Polyommatus* (Albulina (Plebejidea)) *loewii* (Zeller, 1847)** (Lycaenidae) Synonym(s): *loewii* Zeller, 1847; *empyrea* Gerhard, [1851]; *gigas* Staudinger, 1871; *#robusta* Turati & Fiori, 1930; *germanicae* Pfeiffer, 1932; *dzhagamati* Sheljuzhko, 1934.
- 945. *Polyommatus* (Albulina (Plebejidea)) *miris* (Staudinger, 1881)** (Lycaenidae) Synonym(s): *miris* Staudinger, 1881; *#oblitescens* Schultz, 1906
- 946. *Polyommatus* (Albulina (Plebejidea)) *rosei* (Eckweiler, 1989)** (Lycaenidae) Synonym(s): *rosei* Eckweiler, 1989
- 947. *Polyommatus* (Albulina (Vacciniina)) *alcedo* (Christoph, 1877)** (Lycaenidae) Synonym(s): *alcedo* Christoph, 1877
- 948. *Polyommatus* (Albulina (Vacciniina)) *morgianus* (Kirby, 1871)** (Lycaenidae) Synonym(s): *hyrcana* Lederer, 1869 nec Felder, 1860; *morgiana* Kirby, 1871.
- 949. *Polyommatus* (Albulina (Vacciniina)) *sieversii* (Christoph, 1873)** (Lycaenidae) Synonym(s): *sieversii* Christoph, 1873
- 950. *Polyommatus* (Albulina (Vacciniina)) *vaneki* (Weidenhoffer & Klir, 2000)** (Lycaenidae) Synonym(s): *vaneki* Weidenhoffer & Klir, 2000
- 951. *Polyommatus* (Aricia (Eumedonia)) *eumedon* (Esper, [1780])** (Lycaenidae) Synonym(s): *chiron* Rottemburg, 1775 nec Fabricius, 1775; *eumedon* Esper, [1780]; *osiris* Bang-Haas, 1927 nec Hopffer, 1855; *rumeliensis* Eitschberger & Stein., 1975; *jeanensis* Eitschberger & Stein., 1975; *kagizmanensis* Koçak, 1980.

- 952.** *Polyommatus (Aricia (Ultraaricia)) anteros* (Freyer, [1838]) (Lycaenidae) Synonym(s): *anteros* Freyer, [1838]; *eroides* Gerhard, [1851] nec Frivaldsky, 1835; *orpheus* Nekrutenko, 1980.
- 953.** *Polyommatus (Aricia (Ultraaricia)) crassipunctus* (Christoph, 1893) (Lycaenidae) Synonym(s): *crassipunctus* Christoph, 1893; *#crassipunctata* Seitz, 1909.
- 954.** *Polyommatus (Aricia (Ultraaricia)) vandarbani* (Pfeiffer, 1937) (Lycaenidae) Synonym(s): *vandarbani* Pfeiffer, 1937
- 955.** *Polyommatus (Aricia (s.str.)) agestis* ([Denis & Schiffermüller], 1775) (Lycaenidae) Synonym(s): *medon* Hufnagel, 1766 nec Linn., 1763; *alexis* Rottemburg, 1775 nec Poda, 1761; *agestis* [Denis & Schiffermüller], 1775; *astrarche* Bergsträßer, [1779].
- 956.** *Polyommatus (Aricia (s.str.)) artaxerxes* (Fabricius, 1793) (Lycaenidae) Synonym(s): *artaxerxes* Fabricius, 1793.
- 957.** *Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii* (Forster, 1956) (Lycaenidae) Synonym(s): *firdussii* Forster, 1956
- 958.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis* (Zerny, 1932) (Lycaenidae) Synonym(s): *alcestis* Zerny, 1932; *ahmadi* Carbonell, 2001; *karacetinae* Lukhtanov & Dantchenko, 2002.
- 959.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) ardschirus* (Brandt, 1938) (Lycaenidae) Synonym(s): *ardschira* Brandt, 1938
- 960.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi* (Pfeiffer, 1938) (Lycaenidae) Synonym(s): *demavendi* Pfeiffer, 1938; *#demaventi* de Lesse, 1960
- 961.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis* (Forster, 1960) (Lycaenidae) Synonym(s): *eriwanensis* Forster, 1960
- 962.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) paulae* Wiemers & De Prins, 2004 (Lycaenidae) Synonym(s): *paulae* Wiemers & De Prins, 2004
- 963.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) urmiaensis* Schurian & Ten Hagen, 2003 (Lycaenidae) Synonym(s): *urmiaensis* Schurian & Ten Hagen, 2003
- 964.** *Polyommatus (s.str. (Agrodiaetus (Admetusia))) valiabadi* (Rose & Schurian, [1978]) (Lycaenidae) Synonym(s): *valiabadi* Rose & Schurian, [1978]
- 965.** *Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus* (Rebel, 1901) (Lycaenidae) Synonym(s): *antidolus* Rebel, 1901
- 966.** *Polyommatus (s.str. (Agrodiaetus (Antidolus))) dama* (Staudinger, [1892]) (Lycaenidae) Synonym(s): *dama* Staudinger, [1892]
- 967.** *Polyommatus (s.str. (Agrodiaetus (Antidolus))) hamadanensis* (De Lesse, 1959) (Lycaenidae) Synonym(s): *hamadanensis* De Lesse, 1959
- 968.** *Polyommatus (s.str. (Agrodiaetus (Antidolus))) morgani* (Le Cerf, [1910]) (Lycaenidae) Synonym(s): *morgani* Le Cerf, [1910]
- 969.** *Polyommatus (s.str. (Agrodiaetus (Antidolus))) peilei* (Bethune-Baker, 1921) (Lycaenidae) Synonym(s): *peilei* Bethune-Baker, 1921
- 970.** *Polyommatus (s.str. (Agrodiaetus (Antidolus))) sennanensis* (De Lesse, 1959) (Lycaenidae) Synonym(s): *sennanensis* De Lesse, 1959
- 971.** *Polyommatus (s.str. (Agrodiaetus (Juldus))) faramarzii* Skala, 2001 (Lycaenidae) Synonym(s): *faramarzii* Skala, 2001
- 972.** *Polyommatus (s.str. (Agrodiaetus (Juldus))) phyllides* (Staudinger, 1886) (Lycaenidae) Synonym(s): *phyllides* Staudinger, 1886
- 973.** *Polyommatus (s.str. (Agrodiaetus (Juldus))) shahrani* Skala, 2001 (Lycaenidae) Synonym(s): *shahrani* Skala, 2001
- 974.** *Polyommatus (s.str. (Agrodiaetus (Musa))) ectabanensis* (De Lesse, 1963) (Lycaenidae) Synonym(s): *ectabanensis* De Lesse, 1963; *avajicus* Blom, 1979; *#ecbatanensis* Nazari, 2003
- 975.** *Polyommatus (s.str. (Agrodiaetus (Musa))) musa* Koçak & Hosseinpour, 1996 (Lycaenidae) Synonym(s): *brandti* Forster, 1956 nec Pfeiffer, 1938; *musa* Koçak & Hosseinpour, 1996; *fredi* Eckweiler, 1997.
- 976.** *Polyommatus (s.str. (Agrodiaetus (Musa))) pfeifferi* (Brandt, 1938) (Lycaenidae) Synonym(s): *pfeifferi* Brandt, 1938
- 977.** *Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri* (Forster, 1956) (Lycaenidae) Synonym(s): *wagneri* Forster, 1956
- 978.** *Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) baltazardi* (De Lesse, 1962) (Lycaenidae) Synonym(s): *baltazardi* De Lesse, 1962
- 979.** *Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) bogra* Evans, 1932 (Lycaenidae) Synonym(s): *bogra* Evans, 1932
- 980.** *Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) eckweileri* Ten Hagen, 1998 (Lycaenidae) Synonym(s): *eckweileri* Ten Hagen, 1998
- 981.** *Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) erschoffii* (Lederer, 1869) (Lycaenidae) Synonym(s): *erschoffii* Lederer, 1869
- 982.** *Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) glaucias* (Lederer, 1871) (Lycaenidae) Synonym(s): *glaucias* Lederer, 1871
- 983.** *Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) klauschuriani* Ten Hagen, 1999 (Lycaenidae) Synonym(s): *klauschuriani* Ten Hagen, 1999
- 984.** *Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) shirkuhensis* Ten Hagen & Eckweiler, 2001 (Lycaenidae) Synonym(s): *shirkuhensis* Ten Hagen & Eckweiler, 2001
- 985.** *Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) tenhageni* Schurian & Eckweiler, 1999 (Lycaenidae) Synonym(s): *tenhageni* Schurian & Eckweiler, 1999
- 986.** *Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi* (De Lesse, 1959) (Lycaenidae) Synonym(s): *baytopi* De Lesse, 1959
- 987.** *Polyommatus (s.str. (Agrodiaetus (Phyllisia))) darius* Eckweiler & Ten Hagen, 1998 (Lycaenidae) Synonym(s): *darius* Eckweiler & Ten Hagen, 1998
- 988.** *Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphidamon* (Staudinger, 1899) (Lycaenidae) Synonym(s): *iphidamon* Staudinger, 1899
- 989.** *Polyommatus (s.str. (Agrodiaetus (Phyllisia))) mofidii* (De Lesse, 1963) (Lycaenidae) Synonym(s): *mofidii* De Lesse, 1963
- 990.** *Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis* (Christoph, 1877) (Lycaenidae) Synonym(s): *phyllis* Christoph, 1877
- 991.** *Polyommatus (s.str. (Agrodiaetus (Phyllisia))) posthumus* (Christoph, 1877) (Lycaenidae) Synonym(s): *posthumus* Christoph, 1877
- 992.** *Polyommatus (s.str. (Agrodiaetus (Phyllisia))) rovshani* Dantchenko & Lukhtanov, 1994 (Lycaenidae) Synonym(s): *rovshani* Dantchenko & Lukhtanov, 1994
- 993.** *Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis* (De Lesse, 1957) (Lycaenidae) Synonym(s): *vanensis* De Lesse, 1957
- 994.** *Polyommatus (s.str. (Agrodiaetus (Transcaspium))) altivagans* (Forster, 1956) (Lycaenidae) Synonym(s): *altivagans* Forster, 1956; *vaspurakani* Lukhtanov & Dantchenko, 2003
- 995.** *Polyommatus (s.str. (Agrodiaetus (Transcaspium))) arasbarani* (Carbonell & Naderi, 2000) (Lycaenidae) Synonym(s): *arasbarani* Carbonell & Naderi, 2000 (March); *neglectus* Dantchenko, 2000 (May) nec Stradomsky & Arzanov, 1999.
- 996.** *Polyommatus (s.str. (Agrodiaetus (Transcaspium))) aserbeidschanus* (Forster, 1956) (Lycaenidae) Synonym(s): *aserbeidschana* Forster, 1956
- 997.** *Polyommatus (s.str. (Agrodiaetus (Transcaspium))) caeruleus* (Staudinger, 1871) (Lycaenidae) Synonym(s): *caeruleus* Staudinger, 1871
- 998.** *Polyommatus (s.str. (Agrodiaetus (Transcaspium))) dizinensis* (Schurian, 1982) (Lycaenidae) Synonym(s): *dizinensis* Schurian, 1982
- 999.** *Polyommatus (s.str. (Agrodiaetus (Transcaspium))) elbursicus* (Forster, 1956) (Lycaenidae) Synonym(s): *elbursica* Forster, 1956.

- 1000. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) kendevari (Forster,1956)** (Lycaenidae) Synonym(s): *kendevari* Forster,1956
- 1001. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) ninae (Forster,1956)** (Lycaenidae) Synonym(s): *ninae* Forster,1956
- 1002. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) transcaspicus (Heyne,[1895])** (Lycaenidae) Synonym(s): *transcaspicus* Heyne,[1895]; *transcaspicus* Staudinger,1899.
- 1003. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) turcicus (Koçak,1977)** (Lycaenidae) Synonym(s): *turcicus* Koçak,1977
- 1004. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) zarathustra Eckweiler,1997** (Lycaenidae) Synonym(s): *zarathustra* Eckweiler,1997
- 1005. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) zardensis Schurian & Ten Hagen,2001** (Lycaenidae) Synonym(s): *zardensis* Schurian & Ten Hagen,2001
- 1006. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) barmifiruze (Carbonell,2000)** (Lycaenidae) Synonym(s): *barmifiruze* Carbonell,2000
- 1007. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger,1899)** (Lycaenidae) Synonym(s): *cyaneus* Staudinger,1899; *pseudocyaneus* Forster,1956.
- 1008. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) xerxes (Staudinger,1899)** (Lycaenidae) Synonym(s): *xerxes* Staudinger,1899
- 1009. Polyommatus (s.str. (Agrodiaetus (s.str.?))) stempfferi (Brandt,1938)** (Lycaenidae) Synonym(s): *stempfferi* Brandt,1938
- 1010. Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) Synonym(s): *bellis* Freyer,[1842]; *mesopotamica* Tutt,[1909].
- 1011. Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 nec Dru.,1773; *adonis* Denis & Schiffmüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779;; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958
- 1012. Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae) Synonym(s): *corydonius* Herrich-Schäffer,[1852]
- 1013. Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffmüller],1775)** (Lycaenidae) Synonym(s): *daphnis* [Denis & Schiffmüller],1775; *endymion* [Denis & Schiffmüller],1775 nec Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
- 1014. Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) Synonym(s): *coelestinus* Eversmann,1843
- 1015. Polyommatus (s.str. (Neolysandra)) coronus (Verity,1936)** (Lycaenidae) Synonym(s): *coronus* Verity,1936
- 1016. Polyommatus (s.str. (Neolysandra)) diana (Miller,[1913])** (Lycaenidae) Synonym(s): *diana* Miller,[1913]
- 1017. Polyommatus (s.str. (Neolysandra)) fatima Eckweiler & Schurian,1980** (Lycaenidae) Synonym(s): *fatima* Eckweiler & Schurian,1980
- 1018. Polyommatus (s.str. (Neolysandra)) fereiduna Skala,2002** (Lycaenidae) Synonym(s): *fereiduna* Skala,2002
- 1019. Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) Synonym(s): *icarius* Esper,1789 nec Rottemburg,1775; *amandus* Schneider,1792
- 1020. Polyommatus (s.str. (Sublysandra)) aedon (Christoph,1877)** (Lycaenidae) Synonym(s): *aedon* Christoph,1877
- 1021. Polyommatus (s.str. (Sublysandra)) myrrhus (Herrich-Schäffer,[1852])** (Lycaenidae) Synonym(s): *myrrhus* Herrich-Schäffer,[1852]
- 1022. Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) Synonym(s): *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919.
- 1023. Polyommatus (s.str.) ciloicus De Freina & Witt,1983** (Lycaenidae) Synonym(s): *ciloicus* De Freina & Witt,1983
- 1024. Polyommatus (s.str.) eros (Ochsenheimer,1808)** (Lycaenidae) Synonym(s): *tithonus* Hübner,[1804] nec Linn.,1771; *eros* Ochsenheimer,1808
- 1025. Polyommatus (s.str.) erotulus Nekrutenko,1985** (Lycaenidae) Synonym(s): *erotulus* Nekrutenko,1985; *delessei* Carbonell,1994.
- 1026. Polyommatus (s.str.) forsteri (Pfeiffer,1938)** (Lycaenidae) Synonym(s): *forsteri* Pfeiffer,1938
- 1027. Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851;
- 1028. Polyommatus (s.str.) persicus (Bienert,1870)** (Lycaenidae) Synonym(s): *persica* Bienert,1870; *bienerti* Balint,[1993].
- 1029. Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) Synonym(s): *vicrama* Moore,1865
- 1030. Quercusia quercus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *quercus* Linnaeus,1758
- 1031. Rubrapterus bavius (Eversmann,1832)** (Lycaenidae) Synonym(s): *bavius* Eversmann,1832
- 1032. Satyrium (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) Synonym(s): *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *gerhardti* Wiltshire,1943; *elta* Higgins,1964.
- 1033. Satyrium (Nordmannia) ilicis (Esper,[1779])** (Lycaenidae) Synonym(s): *ilicis* Esper,[1779]
- 1034. Satyrium (Nordmannia) marcidum (Riley,1921)** (Lycaenidae) Synonym(s): *marcidum* Riley,1921
- 1035. Satyrium (Nordmannia) zabni Oorschot & Brink,1991** (Lycaenidae) Synonym(s): *#zabni* Higgins,1964; *zabni* Oorschot & Brink,1991.
- 1036. Satyrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) Synonym(s): *#spini* [Denis & Schiffmüller],1775; *lynceus* Esper,[1779] nec Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 nec Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950.
- 1037. Satyrium (Strymonidia) w-album (Knoch,1782)** (Lycaenidae) Synonym(s): *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911.
- 1038. Satyrium (Superflua) hyrcanicum (Riley,1939)** (Lycaenidae) Synonym(s): *hyrcanicum* Riley,1939
- 1039. Satyrium (Superflua) lunulatum (Erschoff,1874)** (Lycaenidae) Synonym(s): *lunulatum* Erschoff,1874
- 1040. Satyrium (Superflua) persepolis (Eckweiler & Ten Hagen,2003)** (Lycaenidae) Synonym(s): *persepolis* Eckweiler & Ten Hagen,2003
- 1041. Satyrium (Superflua) sassanides (Kollar,[1849])** (Lycaenidae) Synonym(s): *sassanides* Kollar,[1849]
- 1042. Tarucus (s.str.) balkanicus (Freyer,[1843])** (Lycaenidae) Synonym(s): *balkanicus* Freyer,[1843]
- 1043. Tarucus (s.str.) rosaceus (Austaut,1885)** (Lycaenidae) Synonym(s): *rosacea* Austaut,1885; *mediterraneae* Bethune-Baker,1918.
- 1044. Thersamolycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) Synonym(s): *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffmüller],1775; *hiere* Fabricius,1787.
- 1045. Thersamolycaena (s.str.) dispar ([Haworth],1802)** (Lycaenidae) Synonym(s): *dispar* [Haworth],1802; *hippotoe* Rottemburg,1775 nec Linnaeus,1761.
- 1046. Thersamonina (s.str.) asabinus (Gerhard,[1850])** (Lycaenidae) Synonym(s): *#helius* Herrich-Schäffer,[1851]; *asabinus* Herrich-Schäffer,[1852].
- 1047. Thersamonina (s.str.) kefersteinii (Gerhard,[1850])** (Lycaenidae) Synonym(s): *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *#ochimus* Herrich-Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852].
- 1048. Thersamonina (s.str.) kurdistanica (Riley,1921)** (Lycaenidae) Synonym(s): *kurdistanica* Riley,1921

- 1049. Thersamonia (s.str.) lampon (Lederer,1870)** (Lycaenidae) Synonym(s): *lampon Lederer,1870*
- 1050. Thersamonia (s.str.) lamponides (Staudinger,1901)** (Lycaenidae) Synonym(s): *lamponides Staudinger,1901; peanus Zhdanko,1990*
- 1051. Thersamonia (s.str.) thersamon (Esper,[1784])** (Lycaenidae) Synonym(s): *thersamon Esper,[1784]; omphale Klug,1834; persica Bienert,1870; #militaris Graves,1925.*
- 1052. Thersamonia (s.str.) thetis (Klug,1834)** (Lycaenidae) Synonym(s): *thetis Klug,1834.*
- 1053. Tomares callimachus (Eversmann,1848)** (Lycaenidae) Synonym(s): *callimachus Eversmann,1848*
- 1054. Tomares desinens Nekrutenko & Effendi,1980** (Lycaenidae) Synonym(s): *desinens Nekrutenko & Effendi,1980*
- 1055. Tomares romanovi (Christoph,1882)** (Lycaenidae) Synonym(s): *romanovi Christoph,1882*
- 1056. Turanana anisoptalma (Kollar,[1849])** (Lycaenidae) Synonym(s): *anisoptalma Kollar,[1849]*
- 1057. Turanana cytis (Christoph,1877)** (Lycaenidae) Synonym(s): *cytis Christoph,1876*
- 1058. Turanana endymion (Freyer,[1850])** (Lycaenidae) Synonym(s): *endymion Freyer,[1850]*
- 1059. Zizeeria karsandra (Moore,1865)** (Lycaenidae) Synonym(s): *karsandra Moore,1865*
- 1060. Casama vilis (Walker,1865)** (Lymantriidae) Synonym(s): *vilis Walker,1865; indeterminata Walker,1865; richteri Daniel,1960*
- 1061. Euproctis bouliga Dumont,1922** (Lymantriidae) Synonym(s): *bouliga Dumont,1922*
- 1062. Euproctis melania (Staudinger,1892)** (Lymantriidae) Synonym(s): *melania Staudinger,1892; melaniodes Strand,1910.*
- 1063. Euproctis similis (Fuessly,1775)** (Lymantriidae) Synonym(s): *similis Fuessly,1775; rebeli Habershauer,1902.*
- 1064. Lymantria amabilis Christoph,1887** (Lymantriidae) Synonym(s): *amabilis Christoph,1887*
- 1065. Lymantria daraba (Wiltshire,1952)** (Lymantriidae) Synonym(s): *daraba Wiltshire,1952*
- 1066. Lymantria destituta (Staudinger,1892)** (Lymantriidae) Synonym(s): *destituta Staudinger,1892; maraschi Daniel,1932.*
- 1067. Lymantria dispar (Linnaeus,1758)** (Lymantriidae) Synonym(s): *dispar Linnaeus,1758; disparina Müller,1802; japonica Motschulsky,1860; disparoides Mabille,1876; bordigalensis Mabille,1876; asiatica Wnukowsky,1926*
- 1068. Ocneria audeoudi Brandt,1938** (Lymantriidae) Synonym(s): *audeoudi Brandt,1938; #unicoloris Brandt,1938*
- 1069. Ocneria insolita Brandt,1938** (Lymantriidae) Synonym(s): *insolita Brandt,1938*
- 1070. Ocneria iranica Brandt,1938** (Lymantriidae) Synonym(s): *iranica Brandt,1938*
- 1071. Ocneria raddei Christoph,1885** (Lymantriidae) Synonym(s): *raddei Christoph,1885*
- 1072. Uliolepis signatoria (Christoph,1893)** (Lymantriidae) Synonym(s): *signatoria Christoph,1893; pilosa Warren,1897*
- 1073. Leucoptera malifoliella (Costa,[1836])** (Lyonetiidae) Synonym(s): *malifoliella Costa,[1836]; scitella Zeller,1839.*
- 1074. Phyllobrostis (s.str.) farsensis Mey,2006** (Lyonetiidae) Synonym(s): *farsensis Mey,2006*
- 1075. Mompha (s.str.) ochraceella (Curtis,1839)** (Mompidae) Synonym(s): *ochraceella Curtis,1839*
- 1076. Abrostola agnorista Dufay,1956** (Noctuidae) Synonym(s): *agnorista Dufay,1956*
- 1077. Abrostola asclepiadis (Lang,1789)** (Noctuidae) Synonym(s): *#asclepiadis [Denis & Schiffermüller],1775; asclepiadis Lang,1789.*
- 1078. Abrostola clarissa (Staudinger,1900)** (Noctuidae) Synonym(s): *clarissa Staudinger,1900*
- 1079. Abrostola hyrcanica Hacker,2002** (Noctuidae) Synonym(s): *hyrcanica Hacker,2002*
- 1080. Abrostola triplasia (Linnaeus,1758)** (Noctuidae) Synonym(s): *triplasia Linnaeus,1758; trigemina Werneburg,1864.*
- 1081. Acantholipes circumdata (Walker,1858)** (Noctuidae) Synonym(s): *circumdata Walker,1858; vetustalis Walker,[1866]; flavisigna Moore,1881*
- 1082. Acantholipes regularis (Hübner,[1813])** (Noctuidae) Synonym(s): *regularis Hübner,[1813]*
- 1083. Acantholipes regulatrix Wiltshire,1961** (Noctuidae) Synonym(s): *regulatrix Wiltshire,1961*
- 1084. Acontia biskrensis (Oberthür,1887)** (Noctuidae) Synonym(s): *biskrensis Oberthür,1887; grisea Rebel,1948*
- 1085. Acontia hortensis Swinhoe,1884** (Noctuidae) Synonym(s): *hortensis Swinhoe,1884; audeoudi Brandt,1939; #audeoudi Ebert & Hacker,2002*
- 1086. Acontia lucida (Hufnagel,1766)** (Noctuidae) Synonym(s): *lucida Hufnagel,1766; solaris [Denis & Schiffermüller],1775; albicollis Fabricius,1781; rupicola Borkhausen,1792; insolatrix Hübner,[1822]; lugens Alpheraky,1889.*
- 1087. Acontia opalinoides Guenée,1852** (Noctuidae) Synonym(s): *opalinoides Guenée,1852*
- 1088. Acontia titania (Esper,[1798])** (Noctuidae) Synonym(s): *titania Esper,[1798]; urania Frivaldsky,1835; eversmanni Kolenati,1846.*
- 1089. Acontia umbriger (R.Felder & Rogenhofer,[1875])** (Noctuidae) Synonym(s): *umbriger R.Felder & Rogenhofer,[1875]; trimaculata Aurivillius,1879*
- 1090. Acrobyla draudti (Brandt,1939)** (Noctuidae) Synonym(s): *draudti Brandt,1939*
- 1091. Acrobyla kneuckeri (Rebel,1903)** (Noctuidae) Synonym(s): *kneuckeri Rebel,1903; turcorum Krüger,1939 nec Zny.*
- 1092. Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) Synonym(s): *megacephala Fabricius,1787; ankarensis Hering,1933.*
- 1093. Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) Synonym(s): *aceris Linnaeus,1758*
- 1094. Acronicta (Triaena) pasiphae Draudt,1936** (Noctuidae) Synonym(s): *pasiphae Draudt,1936*
- 1095. Acronicta (Triaena) psi (Linnaeus,1758)** (Noctuidae) Synonym(s): *psi Linnaeus,1758*
- 1096. Acronicta (Triaena) solimana Draudt,1938** (Noctuidae) Synonym(s): *solimana Draudt,1938*
- 1097. Acronicta (Viminia) euphorbiae (Denis,1785)** (Noctuidae) Synonym(s): *#euphorbiae [Denis & Schiffermüller],1775; euphorbiae Denis,1785; montivaga Guenée,1852; ottomana Draudt,1931; garbowskii Wojtusik & Niesiolowski,1946.*
- 1098. Acronicta (Viminia) orientalis Mann,1862** (Noctuidae) Synonym(s): *orientalis Mann,1862*
- 1099. Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) Synonym(s): *rumicis Linnaeus,1758; litterata Panzer,1804; salicis Curtis,1826; diffusa Walker,1857*
- 1100. Acronicta (Viminia) saadi Brandt,1938** (Noctuidae) Synonym(s): *saadi Brandt,1938*
- 1101. Aedia cana (Brandt,1939)** (Noctuidae) Synonym(s): *cana Brandt,1939*
- 1102. Aedia funesta (Esper,[1786])** (Noctuidae) Synonym(s): *funesta Esper,[1786]*
- 1103. Aedia leucomelas (Linnaeus,1758)** (Noctuidae) Synonym(s): *leucomelas Linnaeus,1758; ramburii Boisduval,1829; adepta Geyer,1832; olivascens Guenée,1852; limitaris Walker,[1863]; shisa Strand,1920; thomae Prout,1927; albidiscalis Roepke,1932; ermanniae Berio,1989*
- 1104. Aedophron phlebobothra Lederer,1858** (Noctuidae) Synonym(s): *phlebobothra Lederer,1858*
- 1105. Aedophron rhodites (Eversmann,1851)** (Noctuidae) Synonym(s): *rhodites Eversmann,1851; aurorina Herrich-Schäffer,[1852].*
- 1106. Aegle exquisita Boursin,1969** (Noctuidae) Synonym(s): *exquisita Boursin,1969*
- 1107. Aegle gratiosa (Staudinger,1892)** (Noctuidae) Synonym(s): *gratiosa Staudinger,1892; iranica Bytinski-Salz & Brandt,1937.*
- 1108. Aegle kaekeritziana (Hübner,[1799])** (Noctuidae) Synonym(s): *kaekeritziana Hübner,[1799]; flava Hübner,[1809]; flavida Ochsenheimer,1816.*
- 1109. Aegle otto (Schawerda,1923)** (Noctuidae) Synonym(s): *otto Schawerda,1923*

- 1110. Aegle semicana (Esper,[1798])** (Noctuidae)
Synonym(s): *semicana* Esper,[1798]; *vespertalis* Hübner,[1813]; *mimetus* Brandt,1938.
- 1111. Aegle subflava (Ershoff,1874)** (Noctuidae)
Synonym(s): *subflava* Ershoff,1874
- 1112. Africalpe falkneri Hacker & Ebert,2002** (Noctuidae)
Synonym(s): *falkneri* Hacker & Ebert,2002
- 1113. Africalpe intrusa Krüger,1939** (Noctuidae)
Synonym(s): *intrusa* Krüger,1939; *annubia* Rebel,1948
- 1114. Africalpe vagabunda (Swinhoe,1884)** (Noctuidae)
Synonym(s): *vagabunda* Swinhoe,1884; ? *nubifera* Hampson,1907
- 1115. Agrochola (Anchoscelis) kindermannii (Fischer v. Röslerstamm,[1841])** (Noctuidae) Synonym(s): *kindermannii* Fischer v. Röslerstamm,[1841]; *ballotae* Duponchel,[1842]; *cindermani* Hampson,1906; *rufa* Osthelder,1933; *wolfschlaegeri* Boursin,1953.
- 1116. Agrochola (Anchoscelis) luteogrisea (W.Warren,1911)** (Noctuidae) Synonym(s): *luteogrisea* W.Warren,1911
- 1117. Agrochola (Anchoscelis) oropotamica (Wiltshire,1941)** (Noctuidae) Synonym(s): *oropotamica* Wiltshire,1941; *modesta* Brandt,1941.
- 1118. Agrochola (Anchoscelis) plumbea (Wiltshire,1941)** (Noctuidae) Synonym(s): *plumbea* Wiltshire,1941
- 1119. Agrochola (Anchoscelis) schreieri Hacker & Weigert,1986** (Noctuidae) Synonym(s): *schreieri* Hacker & Weigert,1986
- 1120. Agrochola (Sunira) circellaris (Hufnagel,1766)** (Noctuidae) Synonym(s): *circellaris* Hufnagel,1766
- 1121. Agrochola (s.str.) pistacina (Goeze,1781)** (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781.
- 1122. Agrotis (Crassagrotis) bigramma (Esper,[1790])** (Noctuidae) Synonym(s): *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891.
- 1123. Agrotis (Crassagrotis) obesa (Boisduval,1829)** (Noctuidae) Synonym(s): *obesa* Boisduval,1840
- 1124. Agrotis (Putagrotis) herzogii (Rebel,1911)** (Noctuidae) Synonym(s): *herzogii* Rebel,1911; *hoggari* Rothschild,1920; *minima* Turati,1924; *securifera* Turati,1924; *saracenica* Tams,1925; *leroyi* Lucas,1940
- 1125. Agrotis (Putagrotis) puta (Hübner,[1803])** (Noctuidae) Synonym(s): *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylea* Treit.,1826; *radiola* Stephens,1829; *catalaunensis* Milliere,1873; *meridionalis* Spuler,1905; *andreasi*, *minima*, *silvestrii* Turati,1924; *insula* Richardson,1958.
- 1126. Agrotis (s.str.) biconicus Kollar,[1844]** (Noctuidae)
Synonym(s): *spinifera* Hübner,[1808] *nec* Vill.,1789; *biconica* Kollar,[1844].
- 1127. Agrotis (s.str.) bifurca Staudinger,1881** (Noctuidae)
Synonym(s): *bifurca* Staudinger,1881; *stabilita* Corti,1928.
- 1128. Agrotis (s.str.) cinerea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *cinerea* [Denis & Schiffermüller],1775; *obscura* Hübner,[1803]; *dentimaculatus* Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886; *alpigena* Calberla,1888; *tephrina* Staudinger,1901; *eximia* Culot,1910.
- 1129. Agrotis (s.str.) exclamationis (Linnaeus,1758)** (Noctuidae) Synonym(s): *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 *nec* Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934.
- 1130. Agrotis (s.str.) ipsilon (Hufnagel,1766)** (Noctuidae)
Synonym(s): *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789.
- 1131. Agrotis (s.str.) psammocharis Boursin,1950** (Noctuidae) Synonym(s): *psammocharis* Boursin,1950
- 1132. Agrotis (s.str.) sardzeana Brandt,1941** (Noctuidae)
Synonym(s): *sardzeana* Brandt,1941
- 1133. Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (*praeocc.*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886.
- 1134. Agrotis (s.str.) trux (Hübner,[1824])** (Noctuidae)
Synonym(s): *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
- 1135. Allophytes renalis (Wiltshire,1941)** (Noctuidae)
Synonym(s): *renalis* Wiltshire,1941; *crassicornis* Brandt,1941.
- 1136. Ammoconia anonyma Ronkay & Varga,1984** (Noctuidae) Synonym(s): *anonyma* Ronkay & Varga,1984
- 1137. Amphipoea maryamae Zahiri & Fibiger,2006** (Noctuidae) Synonym(s): *maryamae* Zahiri & Fibiger,2006
- 1138. Amphipyra anophthalma Boursin,1963** (Noctuidae)
Synonym(s): *anophthalma* Boursin,1963
- 1139. Amphipyra berbera Rungs,1949** (Noctuidae)
Synonym(s): *#variegata* W.Warren,1911; *berbera* Rungs,1949
- 1140. Amphipyra boursini Hacker,1998** (Noctuidae)
Synonym(s): *boursini* Hacker,1998
- 1141. Amphipyra micans Lederer,1857** (Noctuidae)
Synonym(s): *micans* Lederer,1857
- 1142. Amphipyra molybdea Christoph,1867** (Noctuidae)
Synonym(s): *molybdea* Christoph,1867
- 1143. Amphipyra pyramidea (Linnaeus,1758)** (Noctuidae)
Synonym(s): *pyramidea* Linnaeus,1758
- 1144. Amphipyra stix Herrich-Schäffer,[1850]** (Noctuidae)
Synonym(s): *stix* Herrich-Schäffer,[1850]; *#styx* Staudinger,1879.
- 1145. Amphipyra tetra (Fabricius,1787)** (Noctuidae)
Synonym(s): *tetra* Fabricius,1787
- 1146. Amphipyra tragopoginis (Clerck,1759)** (Noctuidae)
Synonym(s): *#tragopoginis* Clerck,1759; *luciola* Hufnagel,1766.
- 1147. Anaplectoides prasina (Goeze,1781)** (Noctuidae)
Synonym(s): *#prasina* [Denis & Schiffermüller],1775; *#hebrida* [Denis & Schiffermüller],1775; *prasina* Goeze,1781; *egregia* Esper,[1787]; *jaspidea* Borkhausen,1792 *nec* De Vill.,1789; *mixta* Haworth,1809 *nec* Fabr.,1787; *herbacea* Guenée,1852; *albimacula* Hormuzaki,1894
- 1148. Antarchaea conicephala (Staudinger,1870)** (Noctuidae) Synonym(s): *conicephala* Staudinger,1870; *funicollis* Rogenhofer,1873.
- 1149. Antarchaea erubescens (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *erubescens* A.Bang-Haas,1910
- 1150. Antitype jonis (Lederer,1865)** (Noctuidae)
Synonym(s): *jonis* Lederer,1865; *amasina* Staudinger,1901.
- 1151. Anumeta asiatica Wiltshire,1961** (Noctuidae)
Synonym(s): *spatzi* auct.; *asiatica* Wiltshire,1961
- 1152. Anumeta atosignata Walker,1858** (Noctuidae)
Synonym(s): *atosignata* Walker,1858; *arenosa* Brandt,1939
- 1153. Anumeta cestis (Ménétriés,1848)** (Noctuidae)
Synonym(s): *cestis* Ménétriés,1848; *punctata* Ménétriés,1848.
- 1154. Anumeta spilota (Erschoff,1874)** (Noctuidae)
Synonym(s): *spilota* Erschoff,1874
- 1155. Anydrophila banghaasi Brandt,1939** (Noctuidae)
Synonym(s): *banghaasi* Brandt,1939
- 1156. Anydrophila distincta Brandt,1939** (Noctuidae)
Synonym(s): *distincta* Brandt,1939
- 1157. Anydrophila fouadi Wiltshire,1947** (Noctuidae)
Synonym(s): *fouadi* Wiltshire,1947
- 1158. Anydrophila hoerhammeri Brandt,1939** (Noctuidae)
Synonym(s): *hoerhammeri* Brandt,1939
- 1159. Anydrophila sirdar Brandt,1939** (Noctuidae)
Synonym(s): *sirdar* Brandt,1939
- 1160. Apamea crenata (Hufnagel,1766)** (Noctuidae)
Synonym(s): *crenata* Hufnagel,1766; *rurea* Fabricius,1775; *alopeurus* Esper,[1788]; *combusta* Hübner,[1808]; *hirticornus* Haworth,1812.

- 1161. *Apamea ferrago* (Eversmann,1837)** (Noctuidae)
Synonym(s): *ferrago* Eversmann,1837
- 1162. *Apamea furva* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#furva* [Denis & Schiffermüller],1775
- 1163. *Apamea lateritia* (Hufnagel,1766)** (Noctuidae)
Synonym(s): *lateritia* Hufnagel,1766; *molochina* Hübner,[1803].
- 1164. *Apamea leucodon* (Eversmann,1837)** (Noctuidae)
Synonym(s): *leucodon* Eversmann,1837
- 1165. *Apamea monoglypha* (Hufnagel,1766)** (Noctuidae)
Synonym(s): *polyodon* Linnaeus,1761 nec Cl.,1759; *monoglypha* Hufnagel,1766.
- 1166. *Apamea oblonga* (Haworth,[1809])** (Noctuidae)
Synonym(s): *oblonga* Haworth,[1809]; *abjecta* Hübner,[1813].
- 1167. *Apamea platinea* (Treitschke,1825)** (Noctuidae)
Synonym(s): *platinea* Treitschke,1825; *griscens* Toulouchkov,1951 nec Staudinger,1889; *toulouchkoffi* Koçak,1980.
- 1168. *Apamea polyglypha* (Staudinger,1892)** (Noctuidae)
Synonym(s): *polyglypha* Staudinger,1892
- 1169. *Apamea sordens* (Hufnagel,1766)** (Noctuidae)
Synonym(s): *sordens* Hufnagel,1766
- 1170. *Apamea syriaca* (Osthelder,1933)** (Noctuidae)
Synonym(s): *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969.
- 1171. *Apopestes noe* Ronkay,1990** (Noctuidae)
Synonym(s): *noe* Ronkay,1990
- 1172. *Apopestes phantasma* (Eversmann,1843)** (Noctuidae) Synonym(s): *phantasma* Eversmann,1843; *centralasiae* Warren,1913.
- 1173. *Apopestes spectrum* (Esper,[1787])** (Noctuidae)
Synonym(s): *spectrum* Esper,[1787]
- 1174. *Aporophyla canescens* (Duponchel,1826)** (Noctuidae) Synonym(s): *canescens* Duponchel,1826; *pumicosa* Geyer,[1832]; *asphodeli* Rambur,1832; *plumbea* Staudinger,1895; *plumbina* Osthelder,1933.
- 1175. *Archanara dissoluta* (Treitschke,1825)** (Noctuidae)
Synonym(s): *dissoluta* Treitschke,1825
- 1176. *Archanara sparganii* (Esper,[1790])** (Noctuidae)
Synonym(s): *sparganii* Esper,[1790]; *strigosa* Staudinger,1892.
- 1177. *Arenostola delattini* Wiltshire,1953** (Noctuidae)
Synonym(s): *delattini* Wiltshire,1953
- 1178. *Arenostola phragmitidis* (Hübner,[1803])** (Noctuidae) Synonym(s): *phragmitidis* Hübner,[1803]
- 1179. *Arenostola unicolor* W.Warren,1914** (Noctuidae)
Synonym(s): *unicolor* W.Warren,1914
- 1180. *Argyrospila succinea* (Esper,[1798])** (Noctuidae)
Synonym(s): *succinea* Esper,[1798]
- 1181. *Armada clio* (Staudinger,1884)** (Noctuidae)
Synonym(s): *clio* Staudinger,1884
- 1182. *Armada dentata* (Staudinger,1884)** (Noctuidae)
Synonym(s): *dentata* Staudinger,1884; *afghana* Hampson,1926.
- 1183. *Armada fletcheri* Wiltshire,1961** (Noctuidae)
Synonym(s): *fletcheri* Wiltshire,1961
- 1184. *Armada heliothidia* (Hampson,1896)** (Noctuidae)
Synonym(s): *heliothidia* Hampson,1896; *roseifemur* Brandt,1939.
- 1185. *Armada maritima* Brandt,1939** (Noctuidae)
Synonym(s): *maritima* Brandt,1939
- 1186. *Armada panaceorum* (Ménétriés,1849)** (Noctuidae)
Synonym(s): *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
- 1187. *Atethmia centrargo* (Haworth,[1809])** (Noctuidae)
Synonym(s): *centrargo* Haworth,[1809].
- 1188. *Auchmis* (s.str.) *detersa* (Esper,[1791])** (Noctuidae)
Synonym(s): *detersa* Esper,[1791]
- 1189. *Auchmis* (s.str.) *peterseni* (Christoph,1887)** (Noctuidae) Synonym(s): *peterseni* Christoph,1887
- 1190. *Autographa gamma* (Linnaeus,1758)** (Noctuidae)
Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schädewald,1992; *voelkeri* Schädewald,1992.
- 1191. *Autographa jota* (Linnaeus,1758)** (Noctuidae)
Synonym(s): *jota* Linnaeus,1758
- 1192. *Autophila* (Cheirophean) *gracilis* (Staudinger,1874)** (Noctuidae) Synonym(s): *gracilis* Staudinger,1874; *coruscantis* Swinhoe,1885
- 1193. *Autophila* (Cheirophean) *ligaminosa* (Eversmann,1851)** (Noctuidae) Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
- 1194. *Autophila* (Cheirophean) *plattneri* Boursin,1955** (Noctuidae) Synonym(s): *plattneri* Boursin,1955
- 1195. *Autophila* (s.str.) *asiatica* (Staudinger,1888)** (Noctuidae) Synonym(s): *asiatica* Staudinger,1888
- 1196. *Autophila* (s.str.) *banghaasi* Boursin,1940** (Noctuidae) Synonym(s): *banghaasi* Boursin,1940
- 1197. *Autophila* (s.str.) *cerealis* (Staudinger,1871)** (Noctuidae) Synonym(s): *cerealis* Staudinger,1871
- 1198. *Autophila* (s.str.) *cinnamomea* Ronkay,1989** (Noctuidae) Synonym(s): *cinnamomea* Ronkay,1989
- 1199. *Autophila* (s.str.) *depressa* (Püngeler,1914)** (Noctuidae) Synonym(s): *depressa* Püngeler,1914
- 1200. *Autophila* (s.str.) *einsleri* Amsel,1935** (Noctuidae)
Synonym(s): *#luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa* Schwingenschuss,1939.
- 1201. *Autophila* (s.str.) *eurytaenia* Boursin,1963** (Noctuidae) Synonym(s): *eurytaenia* Boursin,1963
- 1202. *Autophila* (s.str.) *hirsuta* (Staudinger,1870)** (Noctuidae) Synonym(s): *hirsuta* Staudinger,1870
- 1203. *Autophila* (s.str.) *iranica* L.Ronkay,1989** (Noctuidae)
Synonym(s): *iranica* L.Ronkay,1989
- 1204. *Autophila* (s.str.) *libanotica* (Staudinger,1901)** (Noctuidae) Synonym(s): *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962.
- 1205. *Autophila* (s.str.) *limbata* (Staudinger,1871)** (Noctuidae) Synonym(s): *limbata* Staudinger,1871
- 1206. *Autophila* (s.str.) *sinesafida* Wiltshire,1952** (Noctuidae) Synonym(s): *sinesafida* Wiltshire,1952
- 1207. *Autophila* (s.str.) *subfusca* (Christoph,1893)** (Noctuidae) Synonym(s): *subfusca* Christoph,1893
- 1208. *Autophila* (s.str.) *vespertalis* (Staudinger,1896)** (Noctuidae) Synonym(s): *vespertalis* Staudinger,1896
- 1209. *Axylia putris* (Linnaeus,1761)** (Noctuidae)
Synonym(s): *putris* Linnaeus,1761; *subcorticalis* Hufnagel,1766; *lignosa* Hübner,[1803].
- 1210. *Basistriga flammatra* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammatra* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885.
- 1211. *Bena bicolorana* (Fuessly,1775)** (Noctuidae)
Synonym(s): *prasinana* auct. nec Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *conspersa* Warren,1913.
- 1212. *Benshirachia paradoxa* Gyulai, Varga & L.Ronkay,2002** (Noctuidae) Synonym(s): *paradoxa* Gyulai, Varga & L.Ronkay,2002
- 1213. *Boursinia deceptrix* (Staudinger,1900)** (Noctuidae)
Synonym(s): *deceptrix* Staudinger,1900
- 1214. *Boursinia ferdovsi* (Brandt,1941)** (Noctuidae)
Synonym(s): *ferdovsi* Brandt,1941
- 1215. *Boursinia oxygramma* Brandt,1938** (Noctuidae)
Synonym(s): *oxygramma* Brandt,1938
- 1216. *Boursinia symmicta* Brandt,1938** (Noctuidae)
Synonym(s): *symmicta* Brandt,1938
- 1217. *Brachygalea albolineata* (Blachier,1905)** (Noctuidae)
Synonym(s): *albolineata* Blachier,1905; *leucorhabda* Hampson,1906; *albolineata* Hampson,1906
- 1218. *Brachygalea miskoi* Ronkay,1997** (Noctuidae)
Synonym(s): *miskoi* Ronkay,1997
- 1219. *Brandtaxia discalis* (Brandt,1941)** (Noctuidae)
Synonym(s): *discalis* Brandt,1941
- 1220. *Brandtina albonigra* Bytinski-Salz & Brandt,1937** (Noctuidae) Synonym(s): *albonigra* Bytinski-Salz & Brandt,1937; *noacki* Boursin,1967
- 1221. *Bryomima carducha* Staudinger,1900** (Noctuidae)
Synonym(s): *carducha* Staudinger,1900
- 1222. *Bryomima dilutior* Schwingenschuss,1937** (Noctuidae) Synonym(s): *dilutior* Schwingenschuss,1937
- 1223. *Bryomima luteosordida* Osthelder,1933** (Noctuidae)
Synonym(s): *luteosordida* Osthelder,1933
- 1224. *Bryophilopsis roederi* (Standfuss,1892)** (Noctuidae)
Synonym(s): *roederi* Standfuss,1892
- 1225. *Calamia metamorpha* (Boursin,1960)** (Noctuidae)
Synonym(s): *metamorpha* Boursin,1960

- 1226. Calamia staudingeri** Warnecke, 1941 (Noctuidae)
Synonym(s): *staudingeri* Warnecke, 1941
- 1227. Callierges ramosa** (Esper, [1786]) (Noctuidae)
Synonym(s): *ramosa* Esper, [1786]
- 1228. Callopietria juvenina** (Stoll, [1782]) (Noctuidae)
Synonym(s): *juvenina* Stoll, [1782]; *purpureofasciata* Piller & Mitterpacher, 1783; *lagopus* Esper, [1788]; *pteridis* Thunberg, 1788; *manicata* Villers, 1789; *formissimalis* Hübner, 1796; *obscura* Butler, 1878
- 1229. Callopietria latreillei** (Duponchel, 1827) (Noctuidae)
Synonym(s): *latreillei* Duponchel, 1827; *quieta* Treitschke, 1826; *roseitulum* Walker, [1858]; *rakoto* Viette, 1865; *rechingeri* Koutsafikis, 1973.
- 1230. Calocucullia celsiae** (Herrich-Schäffer, 1850) (Noctuidae) Synonym(s): *celsiae* Herrich-Schäffer, [1850]
- 1231. Calophasia angularis** Chretien, 1911 (Noctuidae)
Synonym(s): *angularis* Chretien, 1911; *stigmatica* Rothschild, 1913; *liberatii* Turati, 1924; *danieli* Le Cerf, 1924; *pintori* Turati, 1924; *volmeri* Hering, 1930
- 1232. Calophasia lunula** (Hufnagel, 1766) (Noctuidae)
Synonym(s): *lunula* Hufnagel, 1766; *linariae* [Denis & Schiffermüller], 1775.
- 1233. Calophasia opalina** (Esper, [1796]) (Noctuidae)
Synonym(s): *casta* Borkhausen, 1793 nec Pall., 1767; *opalina* Esper, [1796]; *biroi* Aigner, 1901; *naruenensis* Spuler, 1910; *castior* Stauder, 1923.
- 1234. Calophasia platyptera** (Esper, [1788]) (Noctuidae)
Synonym(s): *platyptera* Esper, [1788]; *canterius* De Villers, 1789; *tenera* Hübner, [1803]; *olbiena* Duponchel, 1842; *subalbida* Staudinger, 1901.
- 1235. Calymma communimacula** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *communimacula* [Denis & Schiffermüller], 1775
- 1236. Calyptra thalictri** (Borkhausen, 1790) (Noctuidae)
Synonym(s): *capucina* Esper, 1789 nec Linn., 1767; *thalictri* Borkhausen, 1790; *sodalis* Butler, 1878; *#thalactri* Moore, 1882; *#intensiva* W. Warren, 1914; *#capuzina* Dannehl, 1925; *#centralitalica* Dannehl, 1925; *pallida* Schwingenschuss, 1938
- 1237. Caradrina (Boursinidrina) brandti** (Boursin, 1939) (Noctuidae) Synonym(s): *brandti* Boursin, 1939
- 1238. Caradrina (Boursinidrina) hemipentha** (Boursin, 1939) (Noctuidae) Synonym(s): *hemipentha* Boursin, 1939
- 1239. Caradrina (Boursinidrina) oberthueri** (Rothschild, 1913) (Noctuidae) Synonym(s): *oberthueri* Rothschild, 1913; *apicimaculata* Rebel, [1948]
- 1240. Caradrina (Boursinidrina) panurgia** (Boursin, 1939) (Noctuidae) Synonym(s): *panurgia* Boursin, 1939
- 1241. Caradrina (Boursinidrina) parvaspersa** (Boursin, 1936) (Noctuidae) Synonym(s): *parvaspersa* Boursin, 1936
- 1242. Caradrina (Boursinidrina) pseudadelpha** (Boursin, 1939) (Noctuidae) Synonym(s): *pseudadelpha* Boursin, 1939
- 1243. Caradrina (Boursinidrina) pulvis** (Boursin, 1939) (Noctuidae) Synonym(s): *pulvis* Boursin, 1939
- 1244. Caradrina (Boursinidrina) rjabovi** (Boursin, 1936) (Noctuidae) Synonym(s): *rjabovi* Boursin, 1936; *pseudovicina* Boursin, 1939
- 1245. Caradrina (Boursinidrina) soudanensis** (Hampson, 1918) (Noctuidae) Synonym(s): *soudanensis* Hampson, 1918
- 1246. Caradrina (Boursinidrina) stenoptera** (Boursin, 1939) (Noctuidae) Synonym(s): *stenoptera* Boursin, 1939; *agrapha* Boursin, 1939
- 1247. Caradrina (Boursinidrina) surchica** (Boursin, 1937) (Noctuidae) Synonym(s): *surchica* Boursin, 1937
- 1248. Caradrina (Boursinidrina) wiltshirei** (Boursin, 1936) (Noctuidae) Synonym(s): *wiltshirei* Boursin, 1936
- 1249. Caradrina (Eremodrina) adriennea** Hacker & Gyulai, 2004 (Noctuidae) Synonym(s): *adriennea* Hacker & Gyulai, 2004
- 1250. Caradrina (Eremodrina) alfieri** (Boursin, 1937) (Noctuidae) Synonym(s): *alfieri* Boursin, 1937
- 1251. Caradrina (Eremodrina) altissima** Hacker, 2004 (Noctuidae) Synonym(s): *altissima* Hacker, 2004
- 1252. Caradrina (Eremodrina) armeniaca** (Boursin, 1936) (Noctuidae) Synonym(s): *armeniaca* Boursin, 1936
- 1253. Caradrina (Eremodrina) asymmetrica** (Boursin, 1936) (Noctuidae) Synonym(s): *perspicua* Filipjev, 1928 nec Warr., 1911; *asymmetrica* Boursin, 1936.
- 1254. Caradrina (Eremodrina) belucha** (Swinhoe, 1885) (Noctuidae) Synonym(s): *belucha* Swinhoe, 1885; *conditorana* Pinker, 1980
- 1255. Caradrina (Eremodrina) didyma** (Boursin, 1939) (Noctuidae) Synonym(s): *didyma* Boursin, 1939; *hemipenthoidea* Boursin, 1942
- 1256. Caradrina (Eremodrina) draudti** (Boursin, 1936) (Noctuidae) Synonym(s): *draudti* Boursin, 1936; *pseudopertinax* Boursin, 1939; *pseudopertinax* Boursin, 1940
- 1257. Caradrina (Eremodrina) eremocosma** (Boursin, 1937) (Noctuidae) Synonym(s): *eremocosma* Boursin, 1937
- 1258. Caradrina (Eremodrina) eucrinospila** (Boursin, 1936) (Noctuidae) Synonym(s): *eucrinospila* Boursin, 1936; *prospera* Kuznetsov, 1958
- 1259. Caradrina (Eremodrina) ferghana** (Staudinger, 1892) (Noctuidae) Synonym(s): *ferghana* Staudinger, 1892
- 1260. Caradrina (Eremodrina) filipjevi** (Boursin, 1936) (Noctuidae) Synonym(s): *filipjevi* Boursin, 1936
- 1261. Caradrina (Eremodrina) flava** (Oberthür, 1876) (Noctuidae) Synonym(s): *flava* Oberthür, 1876; *approximans* Rothschild, 1914
- 1262. Caradrina (Eremodrina) gilva** (Donzel, 1837) (Noctuidae) Synonym(s): *gilva* Donzel, 1837; *molisana* Dannehl, 1929
- 1263. Caradrina (Eremodrina) hypocnephias** (Boursin, 1968) (Noctuidae) Synonym(s): *hypocnephias* Boursin, 1968
- 1264. Caradrina (Eremodrina) inopinata** Hacker, 2004 (Noctuidae) Synonym(s): *inopinata* Hacker, 2004
- 1265. Caradrina (Eremodrina) inumbrata** (Staudinger, 1900) (Noctuidae) Synonym(s): *inumbrata* Staudinger, 1900; *inumbratella* Pinker, 1980
- 1266. Caradrina (Eremodrina) isfahana** Hacker, 2004 (Noctuidae) Synonym(s): *isfahana* Hacker, 2004
- 1267. Caradrina (Eremodrina) melanura** (Alpheraky, 1897) (Noctuidae) Synonym(s): *melanura* Alpheraky, 1897; *samurana* Boursin, 1939; *samurana* Boursin, 1940
- 1268. Caradrina (Eremodrina) melanurina** (Staudinger, 1901) (Noctuidae) Synonym(s): *melanurina* Staudinger, 1901
- 1269. Caradrina (Eremodrina) nadir** (Boursin, 1957) (Noctuidae) Synonym(s): *nadir* Boursin, 1957
- 1270. Caradrina (Eremodrina) oberthueri** (Rothschild, 1913) (Noctuidae) Synonym(s): *vermeja* Ribbe, 1912; *oberthuri* Rothschild, 1913; *ibeasi* Fernandez, [1918]; *iberica* Hampson, 1918.
- 1271. Caradrina (Eremodrina) parthica** Hacker, 2004 (Noctuidae) Synonym(s): *parthica* Hacker, 2004
- 1272. Caradrina (Eremodrina) pertinax** (Staudinger, 1879) (Noctuidae) Synonym(s): *pertinax* Staudinger, 1879; *argentea* Caradja, 1930.
- 1273. Caradrina (Eremodrina) phanosciera** (Boursin, 1939) (Noctuidae) Synonym(s): *phanosciera* Boursin, 1939
- 1274. Caradrina (Eremodrina) pseudalbina** (Boursin, 1942) (Noctuidae) Synonym(s): *pseudalbina* Boursin, 1942
- 1275. Caradrina (Eremodrina) salzi** (Boursin, 1936) (Noctuidae) Synonym(s): *salzi* Boursin, 1936
- 1276. Caradrina (Eremodrina) sarhadica** (Boursin, 1942) (Noctuidae) Synonym(s): *sarhadica* Boursin, 1942
- 1277. Caradrina (Eremodrina) vicina** (Staudinger, 1870) (Noctuidae) Synonym(s): *vicina* Staudinger, 1870; *perspicua* W. Warren, 1911
- 1278. Caradrina (Eremodrina) xanthorhoda** Boursin, 1937 (Noctuidae) Synonym(s): *xanthorhoda* Boursin, 1937; *tenebrosa* Boursin, 1942
- 1279. Caradrina (Eremodrina) zagobia** Hacker, 2004 (Noctuidae) Synonym(s): *zagobia* Hacker, 2004
- 1280. Caradrina (Eremodrina) zernyi** (Boursin, 1936) (Noctuidae) Synonym(s): *zernyi* Boursin, 1936; *signata* Boursin, 1936
- 1281. Caradrina (Levantrina) bodenheimeri** (Draudt, 1934) (Noctuidae) Synonym(s): *bodenheimeri* Draudt, 1934;

bodenheimeri Amsel, 1935; *chlorotica* Boursin, 1936; *pleiarchia* Boursin, 1937

1282. Caradrina (Paradrina) abruzzensis (Draudt, 1933) (Noctuidae) Synonym(s): *abruzzensis* Draudt, 1933

1283. Caradrina (Paradrina) atriluna (Guenée, 1852) (Noctuidae) Synonym(s): *atriluna* Guenée, 1852; *indicata* Walker, 1857; *mediterraneae* Bethune-Baker, 1894; *distincta* Staudinger, 1898; *angularis* Turati, 1935

1284. Caradrina (Paradrina) boursini (Wagner, 1936) (Noctuidae) Synonym(s): *boursini* Wagner, 1936

1285. Caradrina (Paradrina) clavipalpis (Scopoli, 1763) (Noctuidae) Synonym(s): *clavipalpis* Scopoli, 1763; *grisea* Hufnagel, 1766; *quadripunctata* Fabricius, 1775; *cubicularis* [Denis & Schiffmüller], 1775; *leucoptera* Thunberg, 1791; *milleri* Schultz, 1862; *avicula* Krulikovsky, 1909; *teidovolans* Pinker, 1974; *pinker* Kobes, 1975

1286. Caradrina (Paradrina) flava (Oberthür, 1876) (Noctuidae) Synonym(s): *flava* Oberthür, 1876; *approximans* Rothschild, 1914.

1287. Caradrina (Paradrina) flavirena (Guenée, 1852) (Noctuidae) Synonym(s): *flavirena* Guenée, 1852; *minor* Staudinger, 1897; *subdita* W. Warren, 1911; *muricolor* Boursin, 1933; *subdita* Leraut, 1980

1288. Caradrina (Paradrina) poecila (Boursin, 1939) (Noctuidae) Synonym(s): *poecila* Boursin, 1939

1289. Caradrina (Paradrina) scotoptera (Püngeler, 1914) (Noctuidae) Synonym(s): *scotoptera* Püngeler, 1914

1290. Caradrina (Paradrina) selini (Boisduval, 1840) (Noctuidae) Synonym(s): *selini* Boisduval, 1840; *selinoides* Bellier, 1862; *milleri* Schultz, 1862; *jurassica* Riggenbach-Stehlin, 1876; *minor* Staudinger, 1897; *#puengeleri* Draudt, 1934; *telekii* Dioszeghy, [1935]

1291. Caradrina (Paradrina) zandi (Wiltshire, 1952) (Noctuidae) Synonym(s): *zandi* Wiltshire, 1952

1292. Caradrina (Platyperigea) albina (Eversmann, 1848) (Noctuidae) Synonym(s): *albina* Eversmann, 1848; *congesta* Lederer, 1853; *tenera* A. Bang-Haas, 1912

1293. Caradrina (Platyperigea) aspersa (Rambur, 1834) (Noctuidae) Synonym(s): *aspersa* Rambur, 1834; *anceps* Herrich-Schäffer, 1849; *culoti* Turati, 1913.

1294. Caradrina (Platyperigea) kadenii (Freyer, 1836) (Noctuidae) Synonym(s): *kadenii* Freyer, 1836

1295. Caradrina (Platyperigea) khorassana (Boursin, 1942) (Noctuidae) Synonym(s): *khorassana* Boursin, 1942

1296. Caradrina (Platyperigea) terrea (Freyer, [1840]) (Noctuidae) Synonym(s): *terrea* Freyer, [1840]; *ustirena* Boisduval, 1840

1297. Caradrina (Platyperigea) warneckei (Boursin, 1936) (Noctuidae) Synonym(s): *warneckei* Boursin, 1936

1298. Caradrina (Weigertrina) diabolica (Boursin, 1942) (Noctuidae) Synonym(s): *diabolica* Boursin, 1942

1299. Cardepiia affinis Rothschild, 1913 (Noctuidae) Synonym(s): *affinis* Rothschild, 1913; *ghigli* Turati, 1921; *strobilacei* Dumont, 1925.

1300. Cardepiia arenaria (Hampson, 1905) (Noctuidae) Synonym(s): *arenaria* Hampson, 1905

1301. Cardepiia deserticola Hampson, 1905 (Noctuidae) Synonym(s): *deserticola* Hampson, 1905

1302. Cardepiia halophila Hacker, 1998 (Noctuidae) Synonym(s): *halophila* Hacker, 1998

1303. Cardepiia irrisoria (Erschoff, 1874) (Noctuidae) Synonym(s): *#irrisoria* Erschoff, 1874; *irrisoria* Erschoff, 1874; *albipicta* Christoph, 1884

1304. Cardepiia oleagina Hacker, 1998 (Noctuidae) Synonym(s): *oleagina* Hacker, 1998

1305. Cardepiia sociabilis (Graslin, 1850) (Noctuidae) Synonym(s): *sociabilis* Graslin, 1850; *ghigii* Turati, 1926; *pedrosai* Monteiro, 1972; *grisea* Berio, 1986.

1306. Catamecia jordana Staudinger, 1898 (Noctuidae) Synonym(s): *jordana* Staudinger, 1898; *bacheri* Staudinger, 1901

1307. Catephia alchymista ([Denis & Schiffmüller], 1775) (Noctuidae) Synonym(s): *alchymista* [Denis & Schiffmüller], 1775

1308. Catocala (Ephesia) nymphaea (Esper, [1787]) (Noctuidae) Synonym(s): *nymphaea* Esper, [1787]; *vestalis* Geyer, [1835].

1309. Catocala (s.str.) abacta Staudinger, 1900 (Noctuidae) Synonym(s): *abacta* Staudinger, 1900; *irana* Brandt, 1938; *#iranica* Hacker, 1986.

1310. Catocala (s.str.) brandti Hacker & Kautt, 1999 (Noctuidae) Synonym(s): *brandti* Hacker & Kautt, 1999

1311. Catocala (s.str.) deducta Eversmann, 1843 (Noctuidae) Synonym(s): *deducta* Eversmann, 1843

1312. Catocala (s.str.) diversa (Geyer, [1828]) (Noctuidae) Synonym(s): *diversa* Geyer, [1828]; *#divera* Hacker, 1988

1313. Catocala (s.str.) elocata (Esper, [1787]) (Noctuidae) Synonym(s): *elocata* Esper, [1787]; *marita* Hübner, [1813]; *nurus* Hübner, [1822]

1314. Catocala (s.str.) fredii Bytinski-Salz & Brandt, 1937 (Noctuidae) Synonym(s): *fredii* Bytinski-Salz & Brandt, 1937

1315. Catocala (s.str.) hymenaea ([Denis & Schiffmüller], 1775) (Noctuidae) Synonym(s): *#hymenaea* [Denis & Schiffmüller], 1775

1316. Catocala (s.str.) lesbia Christoph, 1887 (Noctuidae) Synonym(s): *lesbia* Christoph, 1887

1317. Catocala (s.str.) lupina Herrich-Schäffer, [1851] (Noctuidae) Synonym(s): *lupina* Herrich-Schäffer, [1851]

1318. Catocala (s.str.) lusciniia Brandt, 1938 (Noctuidae) Synonym(s): *lusciniia* Brandt, 1938.

1319. Catocala (s.str.) mesopotamica Kuznesov, 1903 (Noctuidae) Synonym(s): *hetaera* Staudinger, 1895 *nec* Sigr., 1892; *aspasia* Staudinger, 1897 *nec* Streck., 1874; *mesopotamica* Kuznesov, 1903

1320. Catocala (s.str.) neonympha (Esper, [1805]) (Noctuidae) Synonym(s): *neonympha* Esper, [1805]

1321. Catocala (s.str.) nymphagoga (Esper, [1787]) (Noctuidae) Synonym(s): *nymphagoga* Esper, [1787]; *tmolia* Lederer, 1865

1322. Catocala (s.str.) persimilis W. Warren, 1888 (Noctuidae) Synonym(s): *persimilis* W. Warren, 1888

1323. Catocala (s.str.) puerpera (Giorna, 1791) (Noctuidae) Synonym(s): *puerpera* Giorna, 1791; *amasia* Esper, [1804] *nec* Sm., 1797; *pellex* Hübner, [1809]; *romana* Schultz, 1909

1324. Catocala (s.str.) timur A. Bang-Haas, 1907 (Noctuidae) Synonym(s): *timur* A. Bang-Haas, 1907

1325. Cerocala sana Staudinger, 1901 (Noctuidae) Synonym(s): *insana* Staudinger, 1871 *nec* H.-S., 1858; *sana* Staudinger, 1901; *albifusa* de Joannis, 1910.

1326. Characoma nilotica (Rogenhofer, 1882) (Noctuidae) Synonym(s): *nilotica* Rogenhofer, 1882

1327. Chazaria incarnata (Freyer, 1838) (Noctuidae) Synonym(s): *incarnata* Freyer, 1838; *boisduvali* Boisduval, 1840.

1328. Chersotis alpestris (Boisduval, [1837]) (Noctuidae) Synonym(s): *alpestris* Boisduval, [1837]

1329. Chersotis anatolica (Draudt, 1936) (Noctuidae) Synonym(s): *anatolica* Draudt, 1936; *egantula* Boursin, 1945.

1330. Chersotis andereggii (Boisduval, [1837]) (Noctuidae) Synonym(s): *andereggii* Boisduval, [1837]

1331. Chersotis binaloudi Brandt, 1941 (Noctuidae) Synonym(s): *binaloudi* Brandt, 1941

1332. Chersotis capnistis (Lederer, 1872) (Noctuidae) Synonym(s): *capnistis* Lederer, 1872; *neara* Püngeler, 1902.

1333. Chersotis cryptographa Varga & Gyulai, 2002 (Noctuidae) Synonym(s): *cryptographa* Varga & Gyulai, 2002

1334. Chersotis eberti Dufay & Varga, 1995 (Noctuidae) Synonym(s): *eberti* Dufay & Varga, 1995

1335. Chersotis ebertorum Koçak, 1980 (Noctuidae) Synonym(s): *marashi* Corti & Draudt, 1933 (p. 61) *nec* Corti & Draudt, 1933 (p. 58); *ebertorum* Koçak, 1980.

1336. Chersotis elegans (Eversmann, 1837) (Noctuidae) Synonym(s): *elegans* Eversmann, 1837; *grammiptera* Rambur, [1839].

1337. Chersotis fimbriola (Esper, [1798]) (Noctuidae) Synonym(s): *fimbriola* Esper, [1798]

1338. Chersotis firdussi Schwingenschuss, 1937 (Noctuidae) Synonym(s): *firdussi* Schwingenschuss, 1937

1339. Chersotis glebosa (Staudinger, 1900) (Noctuidae) Synonym(s): *glebosa* Staudinger, 1900

1340. Chersotis gratissima (Corti, 1932) (Noctuidae) Synonym(s): *gratissima* Corti, 1932

1341. Chersotis hahni (Christoph, 1885) (Noctuidae) Synonym(s): *hahni* Christoph, 1885

- 1342. Chersotis illauta (Draudt,1936)** (Noctuidae)
Synonym(s): *illauta* Draudt,1936
- 1343. Chersotis juvenis (Staudinger,1901)** (Noctuidae)
Synonym(s): *caelebs* Staudinger,1900 *nec* Stgr.,1896; *juvenis* Staudinger,1901; *clarivenosa* Draudt,1936.
- 1344. Chersotis laeta (Rebel,1904)** (Noctuidae)
Synonym(s): *laeta* Rebel,1904
- 1345. Chersotis larixia (Guenée,1852)** (Noctuidae)
Synonym(s): *larixia* Guenée,1852.
- 1346. Chersotis margaritacea (Villers,1789)** (Noctuidae)
Synonym(s): *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti & Draudt,1933; *espinensis* Calle,1982
- 1347. Chersotis multangula (Hübner,[1803])** (Noctuidae)
Synonym(s): *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Touleschkov,1951.
- 1348. Chersotis nitens Brandt,1941** (Noctuidae)
Synonym(s): *nitens* Brandt,1941
- 1349. Chersotis rectangula (Fabricius,1787)** (Noctuidae)
Synonym(s): *rectangula* Fabricius,1787.
- 1350. Chersotis sarhada Brandt,1941** (Noctuidae)
Synonym(s): *sarhada* Brandt,1941
- 1351. Chersotis semna (Püngeler,1906)** (Noctuidae)
Synonym(s): *semna* Püngeler,1906
- 1352. Chersotis sterilis (Brandt,1938)** (Noctuidae)
Synonym(s): *sterilis* Brandt,1938
- 1353. Chionoxantha margarita Brandt,1938** (Noctuidae)
Synonym(s): *margarita* Brandt,1938
- 1354. Chionoxantha minutissima Hacker & Ebert,2002** (Noctuidae)
Synonym(s): *minutissima* Hacker & Ebert,2002
- 1355. Chionoxantha nobilis Hacker & Ebert,2002** (Noctuidae)
Synonym(s): *nobilis* Hacker & Ebert,2002
- 1356. Chloantha elbursica (Boursin,1968)** (Noctuidae)
Synonym(s): *elbursica* Boursin,1968
- 1357. Chloantha hypericii (Fabricius,1787)** (Noctuidae)
Synonym(s): *#hypericii* [Denis & Schiffmüller],1775; *hypericii* Fabricius,1787
- 1358. Chortodes morrisii (Dale,1837)** (Noctuidae)
Synonym(s): *morrisii* Dale,1837; *bondii* Knaggs,1861
- 1359. Chrysodeixis chalcites (Esper,[1789])** (Noctuidae)
Synonym(s): *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865
- 1360. Cleonymia (Serryvania) opposita (Lederer,1870)** (Noctuidae)
Synonym(s): *opposita* Lederer,1870; *#obscurior* Osthelder,1933.
- 1361. Cleonymia (s.str.) baetica (Rambur,1837)** (Noctuidae)
Synonym(s): *baetica* Rambur,1837
- 1362. Cleonymia (s.str.) chabordis (Oberthür,1876)** (Noctuidae)
Synonym(s): *chabordis* Oberthür,1876; *#chabordis* Brandt,1939.
- 1363. Cleonymia jubata (Oberthür,1890)** (Noctuidae)
Synonym(s): *jubata* Oberthür,1890
- 1364. Clytie (Hypoglaucitis) distincta (A.Bang-Haas,1907)** (Noctuidae)
Synonym(s): *distincta* A.Bang-Haas,1907
- 1365. Clytie (Hypoglaucitis) infrequens (Swinhoe,1884)** (Noctuidae)
Synonym(s): *infrequens* Swinhoe,1884; *benenotata* W.Warren,1888.
- 1366. Clytie (s.str.) delunaris (Staudinger,1889)** (Noctuidae)
Synonym(s): *delunaris* Staudinger,1889; *luteonigra* Warren,1913.
- 1367. Clytie (s.str.) devia (Swinhoe,1884)** (Noctuidae)
Synonym(s): *devia* Swinhoe,1884
- 1368. Clytie (s.str.) gracilis (A.Bang-Haas,1907)** (Noctuidae)
Synonym(s): *gracilis* A.Bang-Haas,1907; *syrdaja* Hampson,1913.
- 1369. Clytie (s.str.) sancta (Staudinger,1898)** (Noctuidae)
Synonym(s): *sancta* Staudinger,1898
- 1370. Clytie (s.str.) syriaca (Bugnion,1837)** (Noctuidae)
Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848.
- 1371. Clytie (s.str.) terrulenta (Christoph,1893)** (Noctuidae)
Synonym(s): *terrulenta* Christoph,1893
- 1372. Colobochyla (Caspicastra) platyzona (Lederer,1870)** (Noctuidae)
Synonym(s): *platyzona* Lederer,1870; *#platyzona* Hacker,1990.
- 1373. Colobochyla (s.str.) salicalis ([Denis & Schiffmüller],1775)** (Noctuidae)
Synonym(s): *salicalis* [Denis & Schiffmüller],1775; *salicatus* Haworth,1809; *cinerea* Butler,1879.
- 1374. Condica conducta (Walker,1857)** (Noctuidae)
Synonym(s): *conducta* Walker,1857; *inexacta* Walker,1865.
- 1375. Condica palaestinensis (Staudinger,1895)** (Noctuidae)
Synonym(s): *palaestinensis* Staudinger,1895; *persicola* Draudt,1934; *persicola* Wiltshire,1952
- 1376. Condica viscosa (Freyer,1831)** (Noctuidae)
Synonym(s): *viscosa* Freyer,1831; *indelicata* Turati,1934; *europaea* Parenzan,1980.
- 1377. Conistra (s.str.) chaijami Hacker & Weigert,1986** (Noctuidae)
Synonym(s): *chaijami* Hacker & Weigert,1986
- 1378. Conistra (s.str.) ligula (Esper,1791)** (Noctuidae)
Synonym(s): *ligula* Esper,[1791]
- 1379. Conistra (s.str.) vaccinii (Linnaeus,1761)** (Noctuidae)
Synonym(s): *vaccinii* Linnaeus,1761; *polita* [Denis & Schiffmüller],1775; *spadicea* [Denis & Schiffmüller],1775
- 1380. Cornutiplusia circumflexa (Linnaeus,1767)** (Noctuidae)
Synonym(s): *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#unata* Kononenko & Pinratana,2005
- 1381. Cosmia (Calymnia) trapezina (Linnaeus,1758)** (Noctuidae)
Synonym(s): *trapezina* Linnaeus,1758
- 1382. Craniophora fasciata (Moore,[1884])** (Noctuidae)
Synonym(s): *fasciata* Moore,[1884]; *nigrostriata* Pagenstecher,1888; *divisa* Moore,1888
- 1383. Craniophora ligustri (Fabricius,1787)** (Noctuidae)
Synonym(s): *#ligustri* [Denis & Schiffmüller],1775; *ligustri* Fabricius,1787.
- 1384. Craniophora pontica (Staudinger,1879)** (Noctuidae)
Synonym(s): *pontica* Staudinger,1879
- 1385. Cryphia (Bryoleuca) argentacea (Bytinsky-Salz & Brandt,1937)** (Noctuidae)
Synonym(s): *argentacea* Bytinsky-Salz & Brandt,1937
- 1386. Cryphia (Bryoleuca) eucta (Hampson,1908)** (Noctuidae)
Synonym(s): *eucta* Hampson,1908
- 1387. Cryphia (Bryoleuca) petrea (Guenée,1852)** (Noctuidae)
Synonym(s): *petrea* Guenée,1852
- 1388. Cryphia (Bryoleuca) petricolor (Lederer,1870)** (Noctuidae)
Synonym(s): *petricolor* Lederer,1870; *iranica* Schwingenschuss,1937; *#solimana* Draudt,1937.
- 1389. Cryphia (Bryoleuca) raptricula ([Denis & Schiffmüller],1775)** (Noctuidae)
Synonym(s): *raptricula* [Denis & Schiffmüller],1775; *divisa* Esper,[1791]; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962.
- 1390. Cryphia (Bryoleuca) rectilinea (W.Warren,1909)** (Noctuidae)
Synonym(s): *rectilinea* W.Warren,1909; *mediochracea* Bytinski-Salz,1936; *insulicola* Reisser,1962.
- 1391. Cryphia (Bryoleuca) tephrocharis Boursin,1954** (Noctuidae)
Synonym(s): *tephrocharis* Boursin,1954
- 1392. Cryphia (Bryoleuca) thamanaea (Hampson,1908)** (Noctuidae)
Synonym(s): *thamanaea* Hampson,1908
- 1393. Cryphia (Bryophila) centralis (Draudt,1931)** (Noctuidae)
Synonym(s): *centralis* Draudt,1931
- 1394. Cryphia (Bryophila) eucharista Boursin,1960** (Noctuidae)
Synonym(s): *iranica* Brandt,1941 *nec* Schwing.,1937; *eucharista* Boursin,1960.
- 1395. Cryphia (Bryophila) idonea (Christoph,1893)** (Noctuidae)
Synonym(s): *idonea* Christoph,1893; *taftiana* Brandt,1939.
- 1396. Cryphia (Bryophila) klapperichi Boursin,1960** (Noctuidae)
Synonym(s): *klapperichi* Boursin,1960
- 1397. Cryphia (Bryophila) maeonis (Lederer,1865)** (Noctuidae)
Synonym(s): *maeonis* Lederer,1865; *rubellina* Staudinger,1900; *sabulicolor* De Lattin,1950.
- 1398. Cryphia (Bryophila) occidentalis (Osthelder,1933)** (Noctuidae)
Synonym(s): *occidentalis* Osthelder,1933.
- 1399. Cryphia (Bryophila) salomonis Boursin,1954** (Noctuidae)
Synonym(s): *salomonis* Boursin,1954
- 1400. Cryphia (Bryopsis) amasina (Draudt,1931)** (Noctuidae)
Synonym(s): *amasina* Draudt,1931

- 1401. Cryphia (Euthales) ochsi** (Boursin,1941) (Noctuidae)
Synonym(s): *ochsi* Boursin,1941; *#badiofasciata* Boursin,1952
- 1402. Cryphia (s.str.) receptricula** (Hübner,[1803]) (Noctuidae) Synonym(s): *strigula* Borkhausen,1792 *nec* Thunb.,1788; *receptricula* Hübner,[1803]; *stictica* Ménétrière,1859.
- 1403. Cucullia (Shargacucullia) barthae** Boursin,1933 (Noctuidae) Synonym(s): *barthae* Boursin,1933
- 1404. Cucullia (Shargacucullia) lanceolata** (Villers,1789) (Noctuidae) Synonym(s): *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826
- 1405. Cucullia (Shargacucullia) strigicosta** Boursin,1940 (Noctuidae) Synonym(s): *strigicosta* Boursin,1940
- 1406. Cucullia (Shargacucullia) verbasci** (Linnaeus,1758) (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911.
- 1407. Cucullia (s.str.) absinthii** (Linnaeus,1761) (Noctuidae) Synonym(s): *absinthii* Linnaeus,1761; *punctigera* Hufnagel,1766; *clausa* Walker,1857
- 1408. Cucullia (s.str.) argentina** (Fabricius,1787) (Noctuidae) Synonym(s): *argentina* Fabricius,1787; *achalina* Püngeler,1900; *grisescens* Wagner,1931 *nec* Leech,1900; *anatoliensis* Koçak,1980.
- 1409. Cucullia (s.str.) behouneki** Hacker & Ronkay,1988 (Noctuidae) Synonym(s): *behouneki* Hacker & Ronkay,1988
- 1410. Cucullia (s.str.) boryphora** Fischer & Waldheim,1840 (Noctuidae) Synonym(s): *boryphora* Fischer & Waldheim,1840
- 1411. Cucullia (s.str.) calendulae** Treitschke,1835 (Noctuidae) Synonym(s): *calendulae* Treitschke,1835; *wredowi* Costa,[1836]; *leucanthemi* Rambur,1858; *dellabrunai* Berio,1980.
- 1412. Cucullia (s.str.) dracunculi** (Hübner,[1813]) (Noctuidae) Synonym(s): *dracunculi* Hübner,[1813]; *incana* Eversmann,1842; *anthemidis* Guénee,1852; *linosyridis* Fuchs,1903.
- 1413. Cucullia (s.str.) faucicola** Wiltshire,1943 (Noctuidae) Synonym(s): *faucicola* Wiltshire,1943
- 1414. Cucullia (s.str.) hemidiaphana** Graeser,1892 (Noctuidae) Synonym(s): *hemidiaphana* Graeser,1892
- 1415. Cucullia (s.str.) improba** Christoph,1885 (Noctuidae) Synonym(s): *improba* Christoph,1885; *leptographa* Reisser,1958
- 1416. Cucullia (s.str.) kasyi** Wiltshire,1976 (Noctuidae) Synonym(s): *kasyi* Wiltshire,1976
- 1417. Cucullia (s.str.) khorassana** Brandt,1941 (Noctuidae) Synonym(s): *khorassana* Brandt,1941
- 1418. Cucullia (s.str.) leptographa** Reisser,1958 (Noctuidae) Synonym(s): *leptographa* Reisser,1958
- 1419. Cucullia (s.str.) maracandica** Staudinger,1888 (Noctuidae) Synonym(s): *maracandica* Staudinger,1888; *herzi* Alpheraky,1894.
- 1420. Cucullia (s.str.) mixta** Freyer,1841 (Noctuidae) Synonym(s): *mixta* Freyer,1841; *consors* Eversmann,1846
- 1421. Cucullia (s.str.) petrophila** G.Ronkay & L.Ronkay,1998 (Noctuidae) Synonym(s): *petrophila* G.Ronkay & L.Ronkay,1998
- 1422. Cucullia (s.str.) santolinae** Rambur,1834 (Noctuidae) Synonym(s): *santolinae* Rambur,1834
- 1423. Cucullia (s.str.) santonici** (Hübner,[1813]) (Noctuidae) Synonym(s): *santonici* Hübner,[1813]
- 1424. Cucullia (s.str.) tanacetii** (Goeze,1781) (Noctuidae) Synonym(s): *tanacetii* Goeze,1781
- 1425. Cucullia (s.str.) tecca** Püngeler,1906 (Noctuidae) Synonym(s): *tecca* Püngeler,1906
- 1426. Cucullia (s.str.) umbratica** (Linnaeus,1758) (Noctuidae) Synonym(s): *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859.
- 1427. Cyrebia anachoreta** (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987
- 1428. Dasypolia (s.str.) altissima** Hacker & Moberg,1988 (Noctuidae) Synonym(s): *altissima* Hacker & Moberg,1988
- 1429. Dasypolia (s.str.) ferdinandi** Rühl,1892 (Noctuidae) Synonym(s): *ferdinandi* Rühl,1892
- 1430. Dasypolia (s.str.) ipaykala** L.Ronkay, Varga & Hreblay,1998 (Noctuidae) Synonym(s): *ipaykala* L.Ronkay, Varga & Hreblay,1998
- 1431. Dasypolia (s.str.) templi** (Thunberg,1792) (Noctuidae) Synonym(s): *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909.
- 1432. Deltote bankiana** (Fabricius,1775) (Noctuidae) Synonym(s): *bankiana* Fabricius,1775; *olivana* [Denis & Schiffermüller],1775; *olivea* Hübner,[1813]; *amurula* Staudinger,1892; *albescens* Draudt,1935; *uniformis* Draudt,1935.
- 1433. Deltote iranica** (Kotzsch,1940) (Noctuidae) Synonym(s): *iranica* Kotzsch,1940
- 1434. Desertoplusia bella** (Christoph,1887) (Noctuidae) Synonym(s): *bella* Christoph,1887
- 1435. Desertoplusia colornata** Varga & L.Ronkay,1991 (Noctuidae) Synonym(s): *bella* auct. *nec* Chr.,1887; *colornata* Varga & L.Ronkay,1991; *#colornata* Hacker,1992
- 1436. Diachrysia chrysis** (Linnaeus,1758) (Noctuidae) Synonym(s): *chrysis* Linnaeus,1758
- 1437. Diachrysia chryson** (Esper,[1789]) (Noctuidae) Synonym(s): *chryson* Esper,[1789]; *aerifera* Sowerby,1805
- 1438. Diarsia mendica** (Fabricius,1775) (Noctuidae) Synonym(s): *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933.
- 1439. Dichagyris (Grisyigoga) candelisequa** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962.
- 1440. Dichagyris (Yigoga) acutijuxta** (Boursin,1957) (Noctuidae) Synonym(s): *acutijuxta* Boursin,1957
- 1441. Dichagyris (Yigoga) celsicola** (Bellier,1858) (Noctuidae) Synonym(s): *celsicola* Bellier,1858
- 1442. Dichagyris (Yigoga) disturbans** (Püngeler,1914) (Noctuidae) Synonym(s): *turbans* Hampson,1903 *nec* Stgr.,1888; *disturbans* Püngeler,1914; *mirabica* Brandt,1941.
- 1443. Dichagyris (Yigoga) euretteocles** (Boursin,1940) (Noctuidae) Synonym(s): *euretteocles* Boursin,1940
- 1444. Dichagyris (Yigoga) flavina** (Herrich-Schäffer,[1852]) (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931.
- 1445. Dichagyris (Yigoga) forcipula** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980.
- 1446. Dichagyris (Yigoga) gracilis** (F.Wagner,1929) (Noctuidae) Synonym(s): *gracilis* F.Wagner,1929
- 1447. Dichagyris (Yigoga) iranicola** (Koçak,1980) (Noctuidae) Synonym(s): *hyrcana* Corti & Draudt,1933 *nec* Stgr.,1900; *iranica* Koçak,1980.
- 1448. Dichagyris (Yigoga) latipennis** (Püngeler,1909) (Noctuidae) Synonym(s): *latipennis* Püngeler,1909
- 1449. Dichagyris (Yigoga) lupinus** (Brandt,1941) (Noctuidae) Synonym(s): *lupinus* Brandt,1941
- 1450. Dichagyris (Yigoga) nachadira** (Brandt,1941) (Noctuidae) Synonym(s): *nachadira* Brandt,1941
- 1451. Dichagyris (Yigoga) nigrescens** (Hofner,1888) (Noctuidae) Synonym(s): *nigrescens* Hofner,1888
- 1452. Dichagyris (Yigoga) orientis** (Alpheraky,1882) (Noctuidae) Synonym(s): *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933.
- 1453. Dichagyris (Yigoga) romanovi** (Christoph,1885) (Noctuidae) Synonym(s): *romanovi* Christoph,1885; *#jura* Strand,1915; *karsholti* Fibiger,1990.
- 1454. Dichagyris (Yigoga) serraticornis** (Staudinger,1898) (Noctuidae) Synonym(s): *serraticornis* Staudinger,1898
- 1455. Dichagyris (Yigoga) signifera** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#signifera* [Denis & Schiffermüller],1775
- 1456. Dichagyris (Yigoga) sincera** (De Freina & Hacker,1985) (Noctuidae) Synonym(s): *sincera* De Freina & Hacker,1985.
- 1457. Dichagyris (Yigoga) strenua** (Corti,1926) (Noctuidae) Synonym(s): *strenua* Corti,1926
- 1458. Dichagyris (Yigoga) triculenta** (Lederer,1853) (Noctuidae) Synonym(s): *triculenta* Lederer,1853

- 1459. Dichagyris (Yigoga) unifica** (Kozhantshikov, 1937) (Noctuidae) Synonym(s): *unifica* Kozhantshikov, 1937
- 1460. Dichagyris (Yigoga) weigerti** Hacker & Varga, 1990 (Noctuidae) Synonym(s): *weigerti* Hacker & Varga, 1990
- 1461. Dichagyris (Yigoga) wiltshirei** (Boursin, 1936) (Noctuidae) Synonym(s): *wiltshirei* Boursin, 1936; *#wiltshirei* Ebert & Hacker, 2002
- 1462. Dichagyris (Yigoga) zagroica** Hacker & Ebert, 2002 (Noctuidae) Synonym(s): *zagroica* Hacker & Ebert, 2002
- 1463. Dichagyris (s.str.) amoena** (Staudinger, 1892) (Noctuidae) Synonym(s): *amoena* Staudinger, 1892; *flavida* Corti & Draudt, 1933.
- 1464. Dichagyris (s.str.) anastasia** (Draudt, 1936) (Noctuidae) Synonym(s): *anastasia* Draudt, 1936
- 1465. Dichagyris (s.str.) argentea** (Kozhantshikov, 1929) (Noctuidae) Synonym(s): *argentea* Kozhantshikov, 1929
- 1466. Dichagyris (s.str.) armeniaca** Kozhantshikov, 1929 (Noctuidae) Synonym(s): *armeniaca* Kozhantshikov, 1929; *assimilata* Kozhantshikov, 1929; *striatus* Kozhantshikov, 1929.
- 1467. Dichagyris (s.str.) boursini** Brandt, 1941 (Noctuidae) Synonym(s): *boursini* Brandt, 1941
- 1468. Dichagyris (s.str.) celebrata** (Alpheraky, 1897) (Noctuidae) Synonym(s): *celebrata* Alpheraky, 1897
- 1469. Dichagyris (s.str.) devota** (Christoph, 1884) (Noctuidae) Synonym(s): *devota* Christoph, 1884; *turana* Staudinger, 1892
- 1470. Dichagyris (s.str.) elbursica** (Draudt, 1937) (Noctuidae) Synonym(s): *elbursica* Draudt, 1937
- 1471. Dichagyris (s.str.) erubescens** (Staudinger, 1892) (Noctuidae) Synonym(s): *erubescens* Staudinger, 1892
- 1472. Dichagyris (s.str.) forficula** (Eversmann, 1851) (Noctuidae) Synonym(s): *forficula* Eversmann, 1851
- 1473. Dichagyris (s.str.) fredii** (Brandt, 1938) (Noctuidae) Synonym(s): *fredii* Brandt, 1938
- 1474. Dichagyris (s.str.) grisescens** Staudinger, 1879 (Noctuidae) Synonym(s): *grisescens* Staudinger, 1879
- 1475. Dichagyris (s.str.) gyulaiivani** Gyulai & Varga, 2002 (Noctuidae) Synonym(s): *gyulaiivani* Gyulai & Varga, 2002
- 1476. Dichagyris (s.str.) humilis** (Boursin, 1940) (Noctuidae) Synonym(s): *humilis* Boursin, 1940
- 1477. Dichagyris (s.str.) jacobsoni** Kozhantshikov, 1929 (Noctuidae) Synonym(s): *jacobsoni* Kozhantshikov, 1929; *boursini* Brandt, 1941.
- 1478. Dichagyris (s.str.) leucomelas** Brandt, 1941 (Noctuidae) Synonym(s): *leucomelas* Brandt, 1941
- 1479. Dichagyris (s.str.) melanura** (Kollar, 1846) (Noctuidae) Synonym(s): *melanura* Kollar, 1846
- 1480. Dichagyris (s.str.) melanuroides** Kozhantshikov, 1930 (Noctuidae) Synonym(s): *melanuroides* Kozhantshikov, 1930
- 1481. Dichagyris (s.str.) multicuspis** (Eversmann, 1852) (Noctuidae) Synonym(s): *multicuspis* Eversmann, 1852; *spinosa* Staudinger, 1877; *aequicuspis* Staudinger, 1900.
- 1482. Dichagyris (s.str.) paisa** (Brandt, 1938) (Noctuidae) Synonym(s): *paisa* Brandt, 1938
- 1483. Dichagyris (s.str.) pfeifferi** (Corti & Draudt, 1933) (Noctuidae) Synonym(s): *pfeifferi* Corti & Draudt, 1933
- 1484. Dichagyris (s.str.) poecilopetala** (Varga, 1979) (Noctuidae) Synonym(s): *poecilopetala* Varga, 1979
- 1485. Dichagyris (s.str.) psammochroa** (Boursin, 1940) (Noctuidae) Synonym(s): *psammochroa* Boursin, 1940; *#dichroa* Boursin, 1940.
- 1486. Dichagyris (s.str.) singularis** (Staudinger, 1877) (Noctuidae) Synonym(s): *singularis* Staudinger, 1877
- 1487. Dichagyris (s.str.) squalidior** (Staudinger, 1901) (Noctuidae) Synonym(s): *squalidior* Staudinger, 1901
- 1488. Dichagyris (s.str.) squalorum** (Eversmann, 1856) (Noctuidae) Synonym(s): *squalorum* Eversmann, 1856
- 1489. Dichagyris (s.str.) taftana** Brandt, 1941 (Noctuidae) Synonym(s): *taftana* Brandt, 1941
- 1490. Dichagyris (s.str.) terminicincta** (Corti & Draudt, 1933) (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt, 1933; *maraschi* Corti & Draudt, 1933.
- 1491. Dichagyris (s.str.) tyrannus** (A.Bang-Haas, 1912) (Noctuidae) Synonym(s): *tyrannus* A.Bang-Haas, 1912
- 1492. Dichagyris (s.str.) vallesiaca** (Boisduval, [1837]) (Noctuidae) Synonym(s): *vallesiaca* Boisduval, [1837]
- 1493. Dichonia convergens** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *#convergens* [Denis & Schiffermüller], 1775; *spicula* Esper, [1791]
- 1494. Dicycla oo** (Linnaeus, 1758) (Noctuidae) Synonym(s): *oo* Linnaeus, 1758; *ferruginago* Hübner, [1803].
- 1495. Diloba caeruleocephala** (Linnaeus, 1758) (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus, 1758
- 1496. Discestra (Cardepi) fixseni** (Christoph, 1882) (Noctuidae) Synonym(s): *fixseni* Christoph, 1882
- 1497. Drasteria austera** (John, 1921) (Noctuidae) Synonym(s): *austera* John, 1921
- 1498. Drasteria cailino** (Lefebvre, 1827) (Noctuidae) Synonym(s): *cailino* Lefebvre, 1827
- 1499. Drasteria caucasica** (Kolenati, 1846) (Noctuidae) Synonym(s): *caucasica* Kolenati, 1846; *astrida* Eversmann, 1856; *aksuensis* Fuchs, 1903.
- 1500. Drasteria flexuosa** (Ménétriés, 1848) (Noctuidae) Synonym(s): *flexuosa* Ménétriés, 1848; *singularis* Kollar, [1849]; *inepta* Butler, 1881.
- 1501. Drasteria herzi** (Alpheraky, 1895) (Noctuidae) Synonym(s): *herzi* Alpheraky, 1895
- 1502. Drasteria kabyalaria** (A.Bang-Haas, 1906) (Noctuidae) Synonym(s): *kabyalaria* A.Bang-Haas, 1906
- 1503. Drasteria picta** (Christoph, 1877) (Noctuidae) Synonym(s): *picta* Christoph, 1877; *radapicta* Staudinger, 1901.
- 1504. Drasteria rada** (Boisduval, 1848) (Noctuidae) Synonym(s): *rada* Boisduval, 1848; *roda* Herrich-Schäffer, 1851.
- 1505. Drasteria saisani** (Staudinger, 1882) (Noctuidae) Synonym(s): *saisani* Staudinger, 1882; *clara* Staudinger, 1895; *#saisani* John, 1910.
- 1506. Drasteria sinuosa** (Staudinger, 1884) (Noctuidae) Synonym(s): *sinuosa* Staudinger, 1884
- 1507. Drasteria yerburyi** (Butler, 1892) (Noctuidae) Synonym(s): *yerburyi* Butler, 1892; *albofasciata* John, 1917; *pica* Brandt, 1939
- 1508. Drasteroides leprosa** (Brandt, 1938) (Noctuidae) Synonym(s): *leprosa* Brandt, 1938
- 1509. Drasteroides limata** (Christoph, 1884) (Noctuidae) Synonym(s): *limata* Christoph, 1884
- 1510. Drasteroides medialis** (Hampson, 1908) (Noctuidae) Synonym(s): *medialis* Hampson, 1908
- 1511. Dryobotodes (s.str.) eremita** (Fabricius, 1775) (Noctuidae) Synonym(s): *eremita* Fabricius, 1775; *protea* [Denis & Schiffermüller], 1775; *seladonia* Fabricius, 1794; *corsica* Spuler, 1905; *#dejecta* Warren, 1911; *#grisea* Warren, 1911
- 1512. Dypterygia scabriuscula** (Linnaeus, 1758) (Noctuidae) Synonym(s): *scabriuscula* Linnaeus, 1758; *pinastri* Linnaeus, 1761.
- 1513. Dysmilichia bicolor** (Chrétien, 1913) (Noctuidae) Synonym(s): *bicolor* Chrétien, 1913
- 1514. Dysmilichia bicyclica** (Staudinger, 1888) (Noctuidae) Synonym(s): *bicyclica* Staudinger, 1888
- 1515. Dysmilichia erastrioides** Brandt, 1938 (Noctuidae) Synonym(s): *erastrioides* Brandt, 1938
- 1516. Dysmilichia gigantea** Brandt, 1941 (Noctuidae) Synonym(s): *gigantea* Brandt, 1941
- 1517. Dysmilichia mira** (Brandt, 1938) (Noctuidae) Synonym(s): *mira* Brandt, 1938
- 1518. Dysmilichia phaulopsis** Brandt, 1938 (Noctuidae) Synonym(s): *phaulopsis* Brandt, 1938
- 1519. Earias chlorophyllana** Staudinger, 1892 (Noctuidae) Synonym(s): *chlorophyllana* Staudinger, 1892; *syrticola* Turati, 1926; *watsoni* Wiltshire, 1947.
- 1520. Earias clorana** (Linnaeus, 1761) (Noctuidae) Synonym(s): *clorana* Linnaeus, 1761; *viride* Retzius, 1783
- 1521. Earias insulana** (Boisduval, 1833) (Noctuidae) Synonym(s): *insulana* Boisduval, 1833; *smaragdinana* Zeller, 1852; *frondosana* Walker, 1863; *xanthophila* Walker, 1863; *siliquana* Stainton, 1865; *simillima* Walker, 1866; *gossypii* Frauenfeld, 1867; *anthophilana* Snellen, 1879; *trigostrigosa* Butler, 1881.
- 1522. Earias irakana** Wiltshire, 1936 (Noctuidae) Synonym(s): *irakana* Wiltshire, 1936
- 1523. Earias vittella** (Fabricius, 1794) (Noctuidae) Synonym(s): *vittella* Fabricius, 1794

- 1524. Egira anatolica** (Hering,1933) (Noctuidae)
Synonym(s): *anatolica* Hering,1933; *#metaxys* Boursin,1966; *#leucomelas* Boursin,1966
- 1525. Egira tibi Hreblay,1994** (Noctuidae) Synonym(s): *tibi Hreblay,1994*
- 1526. Eicomorpha antiqua** Staudinger,1888 (Noctuidae)
Synonym(s): *antiqua* Staudinger,1888.
- 1527. Eicomorpha kurdestanica** De Freina & Hacker,1985 (Noctuidae) Synonym(s): *kurdestanica* De Freina & Hacker,1985
- 1528. Elaphria venustula** (Hübner,1790) (Noctuidae)
Synonym(s): *venustula* Hübner,1790
- 1529. Emmelia trabealis** (Scopoli,1763) (Noctuidae)
Synonym(s): *trabealis* Scopoli,1763; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goetze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865
- 1530. Enargia abluta** (Hübner,[1808]) (Noctuidae)
Synonym(s): *abluta* Hübner,[1808]; *imbuta* Boisduval,1840.
- 1531. Epharmottomena gelida** (Brandt,1939) (Noctuidae)
Synonym(s): *gelida* Brandt,1939
- 1532. Epharmottomena leucodonta** (Hampson,1926) (Noctuidae) Synonym(s): *leucodonta* Hampson,1926; *funesta* Brandt,1939.
- 1533. Epharmottomena nana** (Staudinger,1884) (Noctuidae) Synonym(s): *nana* Staudinger,1884
- 1534. Epharmottomena tenera** (Brandt,1939) (Noctuidae)
Synonym(s): *tenera* Brandt,1939
- 1535. Epilecta linogrisea** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901.
- 1536. Epipsammia accurata** (Christoph,1882) (Noctuidae)
Synonym(s): *accurata* Christoph,1882 0
- 1537. Epipsammia cretacea** (Staudinger,1888) (Noctuidae)
Synonym(s): *cretacea* Staudinger,1888.
- 1538. Epipsammia fixeni** (Christoph,1893) (Noctuidae)
Synonym(s): *fixeni* Christoph,1893
- 1539. Episema glaucina** (Esper,[1789]) (Noctuidae)
Synonym(s): *glaucina* Esper,[1789]; *dentimacula* Hübner,1790; *unicolor* Duponchel,1835; *hispana* Boisduval,[1837]; *meridionalis* Calberla,1888; *abruzzorum* Dannehl,1929.
- 1540. Episema korsakovi** (Christoph,1885) (Noctuidae)
Synonym(s): *korsakovi* Christoph,1885; *paenulata* Christoph,1885.
- 1541. Episema lederi** Christoph,1885 (Noctuidae)
Synonym(s): *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#lederi* Wiltshire,1937.
- 1542. Episema tersa** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *tersa* [Denis & Schiffermüller],1775; *trimacula* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1956.
- 1543. Eremobia asiatica** Draudt,1936 (Noctuidae)
Synonym(s): *asiatica* Draudt,1936
- 1544. Eremohadena arvicola** (Christoph,1887) (Noctuidae)
Synonym(s): *arvicola* Christoph,1887; *banghaasi* Bytinski-Salz & Brandt,1937
- 1545. Eriopygodes discalis** Brandt,1938 (Noctuidae)
Synonym(s): *discalis* Brandt,1938
- 1546. Estimata cacumena** (Brandt,1938) (Noctuidae)
Synonym(s): *cacumena* Brandt,1938
- 1547. Eublemma (Glossodice) agnella** (Brandt,1938) (Noctuidae) Synonym(s): *agnella* Brandt,1938
- 1548. Eublemma (Glossodice) apicipunctalis** (Brandt,1939) (Noctuidae) Synonym(s): *apicipunctalis* Brandt,1939; ? *popovi* Wiltshire,1953; *guichardi* Wiltshire,1977.
- 1549. Eublemma (Glossodice) polygramma** (Duponchel,[1842]) (Noctuidae) Synonym(s): *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *pudorina* Staudinger,1889; *violetta* Staudinger,1889.
- 1550. Eublemma (Glossodice) pseudepistrota** (Brandt,1938) (Noctuidae) Synonym(s): *pseudepistrota* Brandt,1938
- 1551. Eublemma (albida-gr.) argentifera** Hacker & Fibiger,2002 (Noctuidae) Synonym(s): *argentifera* Hacker & Fibiger,2002
- 1552. Eublemma (albida-gr.) compuncta** (Lederer,1872) (Noctuidae) Synonym(s): *compuncta* Lederer,1872; *afitob* Brandt,1938.
- 1553. Eublemma (albida-gr.) draudti** (Bytinski-Salz & Brandt,1937) (Noctuidae) Synonym(s): *draudti* Bytinski-Salz & Brandt,1937
- 1554. Eublemma (albida-gr.) gratissima** (Staudinger,1892) (Noctuidae) Synonym(s): *gratissima* Staudinger,1892; *infusata* Staudinger,1892; *peralba* Schawerda,1923.
- 1555. Eublemma (albida-gr.) hansa** (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): *hansa* Herrich-Schäffer,[1851]
- 1556. Eublemma (albida-gr.) jocularis** (Christoph,1877) (Noctuidae) Synonym(s): *jocularis* Christoph,1877
- 1557. Eublemma (albida-gr.) munda** (Christoph,1884) (Noctuidae) Synonym(s): *munda* Christoph,1884
- 1558. Eublemma (albida-gr.) straminea** (Staudinger,1892) (Noctuidae) Synonym(s): *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933.
- 1559. Eublemma (bifasciata-gr.) bifasciata** (Moore,1881) (Noctuidae) Synonym(s): *bifasciata* Moore,1881
- 1560. Eublemma (bulla-gr.) bulla** (Swinhoe,1884) (Noctuidae) Synonym(s): *bulla* Swinhoe,1884; *tomentalis* Rebel,1948.
- 1561. Eublemma (bulla-gr.) conistrotta** Hampson,1910 (Noctuidae) Synonym(s): *conistrotta* Hampson,1910
- 1562. Eublemma (bulla-gr.) lutosa** Staudinger,1892 (Noctuidae) Synonym(s): *lutosa* Staudinger,1892; *substrigula* Staudinger,1892
- 1563. Eublemma (candidana-gr.) aureola** Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *aureola* Fibiger & Hacker,2002
- 1564. Eublemma (candidana-gr.) candidana** (Fabricius,1794) (Noctuidae) Synonym(s): *candidana* Fabricius,1794; *minuta* Hübner,[1809]; *perlana* Geyer,[1830]; *skafiota* Herrich-Schäffer,1851; *impura* Staudinger,1871.
- 1565. Eublemma (candidana-gr.) ochreola** (Staudinger,1900) (Noctuidae) Synonym(s): *ochreola* Staudinger,1900; *thurneri* Zerny,1936.
- 1566. Eublemma (candidana-gr.) taftana** (Brandt,1941) (Noctuidae) Synonym(s): *taftana* Brandt,1941
- 1567. Eublemma (candidana-gr.) wagneri** (Herrich-Schäffer,1851) (Noctuidae) Synonym(s): *wagneri* Herrich-Schäffer,1851
- 1568. Eublemma (chlorotica-gr.) chlorotica** (Lederer,1858) (Noctuidae) Synonym(s): *chlorotica* Lederer,1858
- 1569. Eublemma (chlorotica-gr.) pseudoviridis** (Brandt,1939) (Noctuidae) Synonym(s): *pseudoviridis* Brandt,1939
- 1570. Eublemma (cochylionides-gr.) cochylionides** (Guenée,1852) (Noctuidae) Synonym(s): *cochylionides* Guenée,1852; *rosita* Guenée,1852; *phoenissa* Lederer,1855; *derogata* Walker,1858; *calida* Rebel,1894; *calida* Staudinger,1895; *confusata* Warren,1913.
- 1571. Eublemma (debilis-gr.) deserti** (Rothschild,1909) (Noctuidae) Synonym(s): *deserti* Rothschild,1909
- 1572. Eublemma (debilis-gr.) microptera** (Brandt,1939) (Noctuidae) Synonym(s): *microptera* Brandt,1939
- 1573. Eublemma (debilis-gr.) murati** (Brandt,1939) (Noctuidae) Synonym(s): *murati* Brandt,1939
- 1574. Eublemma (gayneri-gr.) fredii** Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *fredii* Fibiger & Hacker,2002
- 1575. Eublemma (ostrina-gr.) illota** (Christoph,1887) (Noctuidae) Synonym(s): *illota* Christoph,1887
- 1576. Eublemma (ostrina-gr.) ostrina** (Hübner,[1808]) (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsafikis,1973.
- 1577. Eublemma (pallidula-gr.) boursini** (Bytinski-Salz & Brandt,1937) (Noctuidae) Synonym(s): *boursini* Bytinski-Salz & Brandt,1937
- 1578. Eublemma (pallidula-gr.) pallidula** (Herrich-Schäffer,1856) (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer,1856

- 1579. Eublemma (pallidula-gr.) uniformis** (Staudinger, 1879) (Noctuidae) Synonym(s): *uniformis* Staudinger, 1879
- 1580. Eublemma (parva-gr.) parva** (Hübner, [1808]) (Noctuidae) Synonym(s): *parva* Hübner, [1808]; *rubefacta* Mabille, 1869; *chalybea* Swinhoe, 1884; *nymphodora* Meyrick, 1902.
- 1581. Eublemma (parva-gr.) parvodes** (Brandt, 1939) (Noctuidae) Synonym(s): *parvodes* Brandt, 1939
- 1582. Eublemma (rosina-gr.) caelestis** (Brandt, 1938) (Noctuidae) Synonym(s): *caelestis* Brandt, 1938
- 1583. Eublemma (rosina-gr.) panonica** (Freyer, 1840) (Noctuidae) Synonym(s): *panonica* Freyer, 1840
- 1584. Eublemma (rosina-gr.) parallela** (Freyer, 1842) (Noctuidae) Synonym(s): *parallela* Freyer, 1842; *concinnulla* Herrich-Schäffer, 1851; *#densata* Warren, 1912.
- 1585. Eublemma (rosina-gr.) purpurina** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *purpurina* [Denis & Schiffermüller], 1775; *secunda* Staudinger, 1901.
- 1586. Eublemma (rosina-gr.) rosina** (Hübner, [1803]) (Noctuidae) Synonym(s): *rosea* Hübner, 1790 *nec* Fourcroy, 1785; *rosina* Hübner, [1803]; *decolorata* Wagner, 1913; *sinuata* Schwingenschuss, 1938.
- 1587. Eublemma (siticulosa-gr.) albina** (Staudinger, 1898) (Noctuidae) Synonym(s): *albina* Staudinger, 1898
- 1588. Eublemma (siticulosa-gr.) leucota** Hampson, 1910 (Noctuidae) Synonym(s): *leucota* Hampson, 1910
- 1589. Eublemma (siticulosa-gr.) nives** (Brandt, 1938) (Noctuidae) Synonym(s): *nives* Brandt, 1938
- 1590. Eublemma fugitiva** (Christoph, 1877) (Noctuidae) Synonym(s): *fugitiva* Christoph, 1877
- 1591. Eublemma pannonica** (Freyer, 1840) (Noctuidae) Synonym(s): *panonica* Freyer, 1840; *kindermannii* Boisduval, 1840.
- 1592. Eublemma supuncta** (Staudinger, 1892) (Noctuidae) Synonym(s): *supuncta* Staudinger, 1892
- 1593. Euchalcia (s.str.) chalcophanes** Dufay, 1963 (Noctuidae) Synonym(s): *chalcophanes* Dufay, 1963
- 1594. Euchalcia (s.str.) emichi** (Rogenhofer, 1873) (Noctuidae) Synonym(s): *emichi* Rogenhofer, 1873
- 1595. Euchalcia (s.str.) hedeia** Dufay, 1978 (Noctuidae) Synonym(s): *hedeia* Dufay, 1978; *#hedeja* Hacker, 1990; *aureolineata* Ronkay & Gyulai, 1997.
- 1596. Euchalcia (s.str.) hyrcaniae** Dufay, 1963 (Noctuidae) Synonym(s): *hyrcaniae* Dufay, 1963
- 1597. Euchalcia (s.str.) incredibilis** Hacker & Ebert, 2002 (Noctuidae) Synonym(s): *incredibilis* Hacker & Ebert, 2002
- 1598. Euchalcia (s.str.) siderifera** (Eversmann, 1846) (Noctuidae) Synonym(s): *siderifera* Eversmann, 1846
- 1599. Euchalcia (s.str.) stilpna** Dufay, 1969 (Noctuidae) Synonym(s): *stilpna* Dufay, 1969
- 1600. Euchalcia (s.str.) taurica** (Osthelder, 1933) (Noctuidae) Synonym(s): *taurica* Osthelder, 1933
- 1601. Euchalcia (s.str.) viridis** (Staudinger, 1901) (Noctuidae) Synonym(s): *viridis* Staudinger, 1901
- 1602. Eugnorisma (Metagnorisma) heuristica** Varga & Ronkay, 1987 (Noctuidae) Synonym(s): *heuristica* Varga & Ronkay, 1987
- 1603. Eugnorisma (Metagnorisma) pontica** (Staudinger, 1892) (Noctuidae) Synonym(s): *pontica* Staudinger, 1892
- 1604. Eugnorisma (s.str.) chaldaica** (Boisduval, 1840) (Noctuidae) Synonym(s): *chaldaica* Boisduval, 1840
- 1605. Eugnorisma (s.str.) eminens** (Lederer, 1855) (Noctuidae) Synonym(s): *eminens* Lederer, 1855
- 1606. Eugnorisma (s.str.) insignata** (Lederer, 1853) (Noctuidae) Synonym(s): *insignata* Lederer, 1853; *intermedia* Eversmann, 1855.
- 1607. Eugnorisma (s.str.) kurdistanica** Hacker, Kuhna & Gross, 1986 (Noctuidae) Synonym(s): *kurdistanica* Hacker, Kuhna & Gross, 1986
- 1608. Eugnorisma (s.str.) leuconeura** (Hampson, 1918) (Noctuidae) Synonym(s): *leuconeura* Hampson, 1918; *fuliginosa* Draudt, 1936.
- 1609. Eugnorisma (s.str.) semiramis** (Boursin, 1940) (Noctuidae) Synonym(s): *semiramis* Boursin, 1940
- 1610. Eulocastra bryophiloides** Brandt, 1938 (Noctuidae) Synonym(s): *bryophiloides* Brandt, 1938
- 1611. Eulocastra diaphora** (Staudinger, 1879) (Noctuidae) Synonym(s): *diaphora* Staudinger, 1879; *triangularis* Warren, 1888; *atribasalis* Hampson, 1896; *laticincta* Staudinger, 1898.
- 1612. Eulocastra tamsina** Wiltshire, 1948 (Noctuidae) Synonym(s): *tamsi* Brandt, 1941 *nec* Ber., 1938; *tamsina* Wiltshire, 1948.
- 1613. Euplexia lucipara** (Linnaeus, 1758) (Noctuidae) Synonym(s): *lucipara* Linnaeus, 1758
- 1614. Eupsilia transversa** (Hufnagel, 1766) (Noctuidae) Synonym(s): *transversa* Hufnagel, 1766
- 1615. Eutelina adoratrix** (Staudinger, 1892) (Noctuidae) Synonym(s): *adoratrix* Staudinger, 1892
- 1616. Eutelina adulatrix** (Hübner, [1813]) (Noctuidae) Synonym(s): *adulatrix* Hübner, [1813]
- 1617. Euxoa (Chorisagrotis) adumbrata** (Eversmann, 1842) (Noctuidae) Synonym(s): *adumbrata* Eversmann, 1842; *polygonides* Staudinger, 1874; *variegata* Wagner, 1913; *pamiricola* Kozhantshikov, 1937.
- 1618. Euxoa (Orosagrotis) difficillima** (Draudt, 1937) (Noctuidae) Synonym(s): *difficillima* Draudt, 1937
- 1619. Euxoa (Orosagrotis) foeda** (Lederer, 1855) (Noctuidae) Synonym(s): *foeda* Lederer, 1855; *enitens* Corti, 1926; *marmorosa* Corti, 1927; *vanensis* Draudt, 1937.
- 1620. Euxoa (Orosagrotis) nomas** (Erschoff, 1874) (Noctuidae) Synonym(s): *nomas* Erschoff, 1874
- 1621. Euxoa (Pleonectopoda) hilaris** (Freyer, 1838) (Noctuidae) Synonym(s): *hilaris* Freyer, 1838
- 1622. Euxoa (Pleonectopoda) inclusa** Corti, 1931 (Noctuidae) Synonym(s): *inclusa* Corti, 1931
- 1623. Euxoa (Pleonectopoda) rjabovi** (Kozhantshikov, 1929) (Noctuidae) Synonym(s): *rjabovi* Kozhantshikov, 1929; *inclusa* Corti, 1931
- 1624. Euxoa (s.str.) abualisinai** Varga & Gyulai, 2002 (Noctuidae) Synonym(s): *abualisinai* Varga & Gyulai, 2002
- 1625. Euxoa (s.str.) adjemi** Brandt, 1941 (Noctuidae) Synonym(s): *adjemi* Brandt, 1941.
- 1626. Euxoa (s.str.) anaemica** Draudt, 1936 (Noctuidae) Synonym(s): *anaemica* Draudt, 1936
- 1627. Euxoa (s.str.) aneucta** Brandt, 1938 (Noctuidae) Synonym(s): *aneucta* Brandt, 1938
- 1628. Euxoa (s.str.) aquilina** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller], 1775; *ficilis* Hübner, [1813]; *unicolor* Hübner, [1813]; *petrina* Mayer, 1937.
- 1629. Euxoa (s.str.) basigramma** (Staudinger, 1870) (Noctuidae) Synonym(s): *basigramma* Staudinger, 1870
- 1630. Euxoa (s.str.) birivia** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *birivia* [Denis & Schiffermüller], 1775; *honnoratina* Donzel, 1837; *cuprina* Staudinger, 1900; *sudeticola* Skala, 1929; *caucasica* Spuler, 1908; *flavisignata* Corti, 1932.
- 1631. Euxoa (s.str.) canariensis** Rebel, 1902 (Noctuidae) Synonym(s): *canariensis* Rebel, 1902
- 1632. Euxoa (s.str.) cespitis** (Swinhoe, 1885) (Noctuidae) Synonym(s): *cespitis* Swinhoe, 1885; *praestigiosa* Brandt, 1941
- 1633. Euxoa (s.str.) christophi** (Staudinger, 1870) (Noctuidae) Synonym(s): *christophi* Staudinger, 1870
- 1634. Euxoa (s.str.) conspicua** (Hübner, [1824]) (Noctuidae) Synonym(s): *conspicua* Hübner, [1824]; *agricola* Boisduval, 1829; *abdita* Joannis, 1891; *#indistincta* Strand, 1915; *osthelderi* Corti, 1931; *complicata* Corti, 1931.
- 1635. Euxoa (s.str.) cos** (Hübner, [1824]) (Noctuidae) Synonym(s): *cos* Hübner, [1824]; *tephra* Boisduval, 1840; *nagyagensis* Freyer, 1845; *vacillans* Herrich-Schäffer, [1850]; *millierei* Staudinger, 1870; *cycladum* Staudinger, 1871; *aphe* Mabille, 1885; *crimaea* A.Bang-Haas, 1906; *mesopotamica* A.Bang-Haas, 1912; *rubra* Corti, 1933.
- 1636. Euxoa (s.str.) decora** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *decora* [Denis & Schiffermüller], 1775
- 1637. Euxoa (s.str.) deserta** (Staudinger, 1870) (Noctuidae) Synonym(s): *deserta* Staudinger, 1870
- 1638. Euxoa (s.str.) designata** Brandt, 1941 (Noctuidae) Synonym(s): *designata* Brandt, 1941

- 1639. Euxoa (s.str.) distinguenda (Lederer,1857)** (Noctuidae) Synonym(s): *distinguenda Lederer,1857*.
- 1640. Euxoa (s.str.) dsheiron Brandt,1938** (Noctuidae) Synonym(s): *dsheiron Brandt,1938*.
- 1641. Euxoa (s.str.) ebadhadiani Gyulai & Varga,2002** (Noctuidae) Synonym(s): *ebadhadiani Gyulai & Varga,2002*
- 1642. Euxoa (s.str.) emamrezai Varga & Gyulai,2002** (Noctuidae) Synonym(s): *emamrezai Varga & Gyulai,2002*
- 1643. Euxoa (s.str.) hastifera (Donzel,1847)** (Noctuidae) Synonym(s): *hastifera Donzel,1837; proleuca Hampson,1903; pomazensis Kovacs,1952; hungarica Kovacs,1952*.
- 1644. Euxoa (s.str.) heringi Christoph,1877** (Noctuidae) Synonym(s): *heringi Christoph,1877; marcens Staudinger,1893; signata Staudinger,1900; achyricola Corti,1931*.
- 1645. Euxoa (s.str.) homicida (Staudinger,1900)** (Noctuidae) Synonym(s): *homicida Staudinger,1900; #homicia Hacker & Kautt,1999*.
- 1646. Euxoa (s.str.) mustelina (Christoph,1877)** (Noctuidae) Synonym(s): *mustelina Christoph,1877*
- 1647. Euxoa (s.str.) nigricans (Linnaeus,1761)** (Noctuidae) Synonym(s): *nigricans Linnaeus,1761; fumosa [Denis & Schiffermüller],1775; rubricans Esper,[1788]; dubia Haworth,1809; vilis, fuliginea Hübner,[1813]; carbonea Hübner,[1823]; ursina Godart,1825; rustica Eversmann,1842; oppidicola Krulikowsky,1907*.
- 1648. Euxoa (s.str.) obelisca ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *obelisca [Denis & Schiffermüller],1775; praticola Hübner,[1813]; plectoides Guenée,1852; grisea Tutt,1892; #carbonis Warren,1909; stephensii Heyd.,1933; salioclitana Boursin,1934*.
- 1649. Euxoa (s.str.) ochrogaster (Guenée,1852)** (Noctuidae) Synonym(s): *ochrogaster Guenée,1852*
- 1650. Euxoa (s.str.) perierga Brandt,1938** (Noctuidae) Synonym(s): *perierga Brandt,1938*
- 1651. Euxoa (s.str.) robiginosa (Staudinger,[1895])** (Noctuidae) Synonym(s): *robiginosa Staudinger,[1895]; terminalis Rothschild,1921; pseudoobelisca Corti,1932; intensior Draudt,1936; vinirufa Draudt,1936*.
- 1652. Euxoa (s.str.) scurrilis Draudt,1937** (Noctuidae) Synonym(s): *scurrilis Draudt,1937*
- 1653. Euxoa (s.str.) segnilis (Duponchel,1836)** (Noctuidae) Synonym(s): *segnilis Duponchel,1836; seliginis Duponchel,1836; siliginis Guenée,1852; #huebneroides Boursin,1940; adriatica Fiori,1957*.
- 1654. Euxoa (s.str.) shahabbasi Gyulai & Varga,2002** (Noctuidae) Synonym(s): *shahabbasi Gyulai & Varga,2002; #abbasshahi Varga & Gyulai,2002*
- 1655. Euxoa (s.str.) sigmata Kozhantshikov,1928** (Noctuidae) Synonym(s): *sigmata Kozhantshikov,1928*
- 1656. Euxoa (s.str.) subdecora Hampson,1903** (Noctuidae) Synonym(s): *subdecora Hampson,1903; clauda Püngeler,1906*.
- 1657. Euxoa (s.str.) sulcifera (Christoph,1893)** (Noctuidae) Synonym(s): *sulcifera Christoph,1893*
- 1658. Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) Synonym(s): *temera Hübner,[1808]; ruris Hübner,[1808]; villiersii Guenée,1837; declarans Walker,[1857]; hemispherica Hampson,1903; alphonsina Fernald,1918; boursini Schawerda,1931; perambulans Corti,1931; leucotera Bytinski-Salz & Brandt,1937*.
- 1659. Euxoa (s.str.) triaena Kozhantshikov,1929** (Noctuidae) Synonym(s): *triaena Kozhantshikov,1929*
- 1660. Euxoa (s.str.) waltharii (Corti,1931)** (Noctuidae) Synonym(s): *waltharii Corti,1931*
- 1661. Evisa schawerdae Reisser,1930** (Noctuidae) Synonym(s): *schawerdae Reisser,1930*
- 1662. Fredina esmeralda Brandt,1939** (Noctuidae) Synonym(s): *esmeralda Brandt,1939*
- 1663. Gnamptonyx innexa (Walker,1858)** (Noctuidae) Synonym(s): *innexa Walker,1858; vilis Walker,1865*.
- 1664. Gortyna cervago Eversmann,1844** (Noctuidae) Synonym(s): *cervago Eversmann,1844; #argillago Draudt,1936*.
- 1665. Gortyna flavago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flavago [Denis & Schiffermüller],1775*
- 1666. Gortyna osmana Hacker & Kuhna,1986** (Noctuidae) Synonym(s): *osmana Hacker & Kuhna,1986*
- 1667. Grammodes paerambar Brandt,1939** (Noctuidae) Synonym(s): *paerambar Brandt,1939*
- 1668. Grammodes stolidia (Fabricius,1775)** (Noctuidae) Synonym(s): *stolidia Fabricius,1775; cingularis Hübner,[1808]; stupida Herrich-Schäffer,1851; curvilinea Walker,1869*.
- 1669. Graphantha (Dysgraphhadena) commoda (Staudinger,1889)** (Noctuidae) Synonym(s): *indigna auct. nec Chr.,1887; commoda Staudinger,1889; manifesta Christoph,1893; idumaea Püngeler,1902; schlumbergeri Püngeler,1905*
- 1670. Griposia aprilina (Linnaeus,1758)** (Noctuidae) Synonym(s): *aprilina Linnaeus,1758; runica [Denis & Schiffermüller],1775; obscurior Wolfsberger,1969*.
- 1671. Hada persa (Alpheraky,1897)** (Noctuidae) Synonym(s): *persa Alpheraky,1897*
- 1672. Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *perplexa [Denis & Schiffermüller],1775; lepida Esper,[1790] nec Cr.,[1779]; carpophaga Brahm,1791; ochracea Haworth,1809; capsophila Boisduval,1840; nisus Germar,[1842]; repanda Herrich-Schäffer,[1850]*.
- 1673. Hadena (Anepia) silenens (Hübner,[1822])** (Noctuidae) Synonym(s): *silenens Hübner,[1822]; sejuncta Herrich-Schäffer,[1850]*.
- 1674. Hadena (Anepia) syriaca (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca Osthelder,1933; osthelderi Draudt,1933*.
- 1675. Hadena (Enterpia) laudeti (Boisduval,1840)** (Noctuidae) Synonym(s): *laudeti Boisduval,1840*
- 1676. Hadena (Enterpia) picturata (Alpheraky,1882)** (Noctuidae) Synonym(s): *picturata Alpheraky,1882*
- 1677. Hadena (Enterpia) roseocandida Hacker,1996** (Noctuidae) Synonym(s): *roseocandida Hacker,1996*
- 1678. Hadena (Maschukia) lypra (Püngeler,1904)** (Noctuidae) Synonym(s): *lypra Püngeler,1904*
- 1679. Hadena (Maschukia) pumila (Staudinger,1879)** (Noctuidae) Synonym(s): *pumila Staudinger,1879*
- 1680. Hadena (Pinkericola) inexpectata Varga,1979** (Noctuidae) Synonym(s): *inexpectata Varga,1979*
- 1681. Hadena (Pinkericola) tephroleuca (Boisduval,1833)** (Noctuidae) Synonym(s): *tephroleuca Boisduval,1833*
- 1682. Hadena (Pinkericola) vulpecula (Brandt,1938)** (Noctuidae) Synonym(s): *vulpecula Brandt,1938*
- 1683. Hadena (Pronotestra) silenides (Staudinger,1895)** (Noctuidae) Synonym(s): *silenides Staudinger,1895; cinochrea Chrétien,1911; pampaninii Krüger,1933*.
- 1684. Hadena (s.str.(Albimaculia)) albimacula (Borkhausen,1792)** (Noctuidae) Synonym(s): *albimacula Borkhausen,1792; concinna Hübner,[1803]; conserta Hübner,[1820]*.
- 1685. Hadena (s.str.(Albimaculia)) gueneei (Staudinger,1901)** (Noctuidae) Synonym(s): *gueneei Staudinger,1901; guenei Hampson,1905*
- 1686. Hadena (s.str.(Albimaculia)) humilis (Christoph,1893)** (Noctuidae) Synonym(s): *humilis Christoph,1893; stenoptera Rebel,1933*.
- 1687. Hadena (s.str.(Anatolidena)) draudti (Brandt,1938)** (Noctuidae) Synonym(s): *draudti Brandt,1938*
- 1688. Hadena (s.str.(Anatolidena)) elbursica Hacker,1996** (Noctuidae) Synonym(s): *elbursica Hacker,1996*
- 1689. Hadena (s.str.(Anatolidena)) mesolampra (Brandt,1938)** (Noctuidae) Synonym(s): *mesolampra Brandt,1938*
- 1690. Hadena (s.str.(Anatolidena)) pfeifferi (Draudt,1934)** (Noctuidae) Synonym(s): *pfeifferi Draudt,1934*
- 1691. Hadena (s.str.(Anatolidena)) staudingeri (Wagner,1931)** (Noctuidae) Synonym(s): *staudingeri Wagner,1931*
- 1692. Hadena (s.str.(Clarhadena)) cimelia (Brandt,1938)** (Noctuidae) Synonym(s): *cimelia Brandt,1938*
- 1693. Hadena (s.str.(Clarhadena)) clara (Staudinger,1901)** (Noctuidae) Synonym(s): *clara Staudinger,1901; hyrcana Draudt,1933; transiens Draudt,1938*.
- 1694. Hadena (s.str.(Clarhadena)) drenowski (Rebel,1930)** (Noctuidae) Synonym(s): *drenowski Rebel,1930*.

- 1695. Haden** (s.str.(*Clarhadena*)) **hyrcanoides**
Hacker,1996 (Noctuidae) *Synonym(s): hyrcanoides*
Hacker,1996
- 1696. Haden** (s.str.(*Clarhadena*)) **pseudoclara**
Hacker,1996 (Noctuidae) *Synonym(s): pseudoclara*
Hacker,1996
- 1697. Haden** (s.str.(*Clarhadena*)) **subhyrcana** **Hacker,1996**
(Noctuidae) *Synonym(s): subhyrcana Hacker,1996*
- 1698. Haden** (s.str.(*Dianthoecia*)) **impressa** (**Esper,[1790]**)
(Noctuidae) *Synonym(s): #capsincola [Denis & Schiffermüller],1775; impressa Esper,[1790].*
- 1699. Haden** (s.str.(*Hadenobilis*)) **melanochroa**
(Staudinger,1892) (Noctuidae) *Synonym(s): melanochroa*
Staudinger,1892
- 1700. Haden** (s.str.(*Hadenobilis*)) **nobilis** **Hacker,1996**
(Noctuidae) *Synonym(s): nobilis Hacker,1996*
- 1701. Haden** (s.str.(*Hadenobilis*)) **tristis** (**Draudt,1934**)
(Noctuidae) *Synonym(s): tristis Draudt,1934*
- 1702. Haden** (s.str.(*Hadenobilis*)) **vulcanica** (**Turati,1907**)
(Noctuidae) *Synonym(s): vulcanica Turati,1907*
- 1703. Haden** (s.str.(*Luteocincta*)) **femina** **Hacker,1996**
(Noctuidae) *Synonym(s): femina Hacker,1996*
- 1704. Haden** (s.str.(*Luteocincta*)) **lucida** (**Brandt,1938**)
(Noctuidae) *Synonym(s): lucida Brandt,1938*
- 1705. Haden** (s.str.(*Luteocincta*)) **persimilis** **Hacker,1996**
(Noctuidae) *Synonym(s): persimilis Hacker,1996*
- 1706. Haden** (s.str.(*Luteocincta*)) **thecaphaga**
(Draudt,1937) (Noctuidae) *Synonym(s): thecaphaga*
Draudt,1937
- 1707. Haden** (s.str.(*Luteocincta*)) **wehrlii** (**Draudt,1934**)
(Noctuidae) *Synonym(s): wehrlii Draudt,1934*
- 1708. Haden** (s.str.(*Magnifica*)) **magnifica** **Hacker,1996**
(Noctuidae) *Synonym(s): magnifica Hacker,1996*
- 1709. Haden** (s.str.(*Magnoliaden*)) **magnolii**
(Boisduval,1828) (Noctuidae) *Synonym(s): magnolii*
Boisduval,1828; nummosa Eversmann,1844.
- 1710. Haden** (s.str.(*Miselia*)) **compta** (**[Denis & Schiffermüller],1775**)
(Noctuidae) *Synonym(s): compta [Denis & Schiffermüller],1775; viscariae Guenée,1852; galactina Turati,1908.*
- 1711. Haden** (s.str.(*Montanohaden*)) **montana**
(Brandt,1941) (Noctuidae) *Synonym(s): montana Brandt,1941*
- 1712. Haden** (s.str.(*Montanohaden*)) **praetermissa**
Hacker,1996 (Noctuidae) *Synonym(s): praetermissa*
Hacker,1996
- 1713. Haden** (s.str.(*Montanohaden*)) **pseudohyrcana** **De Freina & Hacker,1985**
(Noctuidae) *Synonym(s): pseudohyrcana De Freina & Hacker,1985.*
- 1714. Haden** (s.str.(*Montanohaden*)) **purpurea**
Hacker,1996 (Noctuidae) *Synonym(s): purpurea Hacker,1996*
- 1715. Haden** (s.str.(*Turkiaden*)) **bactriana** **Hacker,1996**
(Noctuidae) *Synonym(s): bactriana Hacker,1996*
- 1716. Haden** (s.str.(*Turkiaden*)) **rjabovi** (**Idrisov,1961**)
(Noctuidae) *Synonym(s): rjabovi Idrisov,1961; occidentalis De Freina & Hacker,1985*
- 1717. Haden** (s.str.(*Zeteolyga*)) **confusa** (**Hufnagel,1766**)
(Noctuidae) *Synonym(s): confusa Hufnagel,1766; conspersa [Denis & Schiffermüller],1775; nana Rottemburg,1776 nec Hufnagel,1766; annulata Fabricius,1781; x-scriptum Sowerby,1806; fasciata Tutt,1902; suffusa Tutt,1902; intermedia Tutt,1902.*
- 1718. Haderonia lupa** (**Christoph,1893**) (Noctuidae)
Synonym(s): lupa Christoph,1893; contempta Püngeler,1914.
- 1719. Hadjina cinerea** **Hampson,1909** (Noctuidae)
Synonym(s): cinerea Hampson,1909
- 1720. Hadjina lutos** **Staudinger,1892** (Noctuidae)
Synonym(s): lutos Staudinger,1892
- 1721. Hadula** (**Calocestra** (**Dianthus**)) **dianthi**
(Tauscher,1809) (Noctuidae) *Synonym(s): dianthi*
Tauscher,1809; dentigera Eversmann,1837; actinobola Eversmann,1837; furculoides Wagner,1930.
- 1722. Hadula** (**Calocestra** (**Hadufurca**)) **colletti**
(Schneider,1876) (Noctuidae) *Synonym(s): colletti*
Schneider,1876
- 1723. Hadula** (**Calocestra** (**Hadumendax**)) **hoplites**
(Staudinger,1901) (Noctuidae) *Synonym(s): hoplites*
Staudinger,1901
- 1724. Hadula** (**Calocestra** (**Hadumendax**)) **mendax**
(Staudinger,1879) (Noctuidae) *Synonym(s): mendax*
Staudinger,1879
- 1725. Hadula** (**Calocestra** (**Hadumendax**)) **mendica**
(Staudinger,[1895]) (Noctuidae) *Synonym(s): mendica*
Staudinger,[1895].
- 1726. Hadula** (**Calocestra** (**Hadupugnax**)) **pugnax**
(Hübner,[1824]) (Noctuidae) *Synonym(s): pugnax*
Hübner,[1824]; treitschkii Boisduval,1827; petricolor Turati,1923; italica Berio,1942
- 1727. Hadula** (**Calocestra** (**Hadutrifolium**)) **trifolii**
(Hufnagel,1766) (Noctuidae) *Synonym(s): trifolii*
Hufnagel,1766; chenopodii [Denis & Schiffermüller],1775; verna Esper,[1787]; saucia Esper,[1790]; infraina Haworth,1809; contribulis Duponchel,1827; farkasii Treitschke,1835; inquieta Walker,1857; albifusa Walker,1857; cinnamomina Rothschild,1913; taylora Rothschild,1921
- 1728. Hadula** (**Calocestra** (**Stigmosa**)) **stigmosa**
(Christoph,1887) (Noctuidae) *Synonym(s): stigmosa*
Christoph,1887.
- 1729. Hadula** (**Cardiestra**) **eremistis** (**Püngeler,1904**)
(Noctuidae) *Synonym(s): eremistis Püngeler,1904*
- 1730. Hadula** (**Ptochicestra**) **ptochica** (**Püngeler,1900**)
(Noctuidae) *Synonym(s): ptochica Püngeler,1900*
- 1731. Hadula** (s.str. (**Habulorum**)) **sabulorum**
(Alpheraky,1882) (Noctuidae) *Synonym(s): sabulorum*
Alpheraky,1882
- 1732. Haemerosia ionochlora** **Ronkay, Varga & Hreblay,1998** (Noctuidae) *Synonym(s): ionochlora Ronkay, Varga & Hreblay,1998*
- 1733. Haemerosia renalis** (**Hübner,[1813]**) (Noctuidae)
Synonym(s): renalis Hübner,[1813]
- 1734. Hecatera bicolorata** (**Hufnagel,1766**) (Noctuidae)
Synonym(s): bicolorata Hufnagel,1766; serena [Denis & Schiffermüller],1775; placida Esper,[1791]; hieracii Bkh.,1793; par Donovan,1801; monticola Dup.,1826; leuconota Eversmann,1837; intermedia Walker,[1858]; obscura Staudinger,1861.
- 1735. Hecatera cappa** (**Hübner,[1809]**) (Noctuidae)
Synonym(s): cappa Hübner,[1809]
- 1736. Hecatera rhodocharis** (**Brandt,1938**) (Noctuidae)
Synonym(s): rhodocharis Brandt,1938
- 1737. Hecatera spinaciae** (**Vieweg,1790**) (Noctuidae)
Synonym(s): #dysodea [Denis & Schiffermüller],1775; spinaciae Vieweg,1790; ornata De Villers,1789; chrysozona Borkhausen,1792; ranunculina Haworth,1809; caduca Herrich-Schäffer,[1851]; innocens Staudinger,1871; subflava Warren,1910.
- 1738. Helicoverpa armigera** (**Hübner,[1808]**) (Noctuidae)
Synonym(s): barbara Fabricius,1794 [rejected]; armigera Hübner,[1808]; pulverosa Walker,[1857]; uniformis Walkengren,1860; rama Bhattacharjee & Gupta,1972.
- 1739. Heliocheilus confertissima** (**Walker,1865**)
(Noctuidae) *Synonym(s): confertissima Walker,1865; hyalosticta Hampson,1894; perdentata Hampson,1903; mekrana Brandt,1941; designata Brandt,1941; ennedica Herbulot & Viette,1952.*
- 1740. Heliocheilus mekrana** **Brandt,1941** (Noctuidae)
Synonym(s): mekrana Brandt,1941
- 1741. Heliophobus reticulata** (**Goeze,1781**) (Noctuidae)
Synonym(s): calcatrippae Vieweg,1790; saponariae Borkhausen,1792; marginosa Haworth,1809; hibernica Cockayne,1944.
- 1742. Heliophobus unicolor** (**Alpheraky,1889**) (Noctuidae)
Synonym(s): unicolor Alpheraky,1889
- 1743. Heliothis (Masalia) albida** (**Hampson,1905**)
(Noctuidae) *Synonym(s): albida Hampson,1905; chitinipyga Dumont,1920*
- 1744. Heliothis (Masalia) perstriata** (**Hampson,1903**)
(Noctuidae) *Synonym(s): perstriata Hampson,1903*
- 1745. Heliothis (Masalia) philbyi** (**Brandt,1941**)
(Noctuidae) *Synonym(s): philbyi Brandt,1941; nuristana Boursin,1960; arabica Boursin,1960.*
- 1746. Heliothis nubigera** **Herrich-Schäffer,[1851]**
(Noctuidae) *Synonym(s): nubigera Herrich-Schäffer,[1851];*

- perigeoides* Moore, 1881; *deserta* Sohn-Rethel, 1929; *minutier* Thurner, 1938.
- 1747. *Heliothis peltigera* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller], 1775; *alpheia* Cramer, 1780; *florentina* Esper, [1788]; *charmione* Stoll, 1790; *straminea* Donovan, 1793; *insulata* Navas, 1924.
- 1748. *Heliothis viriplaca* (Hufnagel, 1766)** (Noctuidae) Synonym(s): *viriplaca* Hufnagel, 1766; *dipsacea* Linnaeus, 1767; *spargulariae* Lederer, 1857; *#dispaceus* Alpheraky, 1882; *salamantina* Fernald, 1928.
- 1749. *Hemiexarnis berezskii* (Kozhantshikov, 1937)** (Noctuidae) Synonym(s): *berezskii* Kozhantshikov, 1937
- 1750. *Herminia proxima* Christoph, 1893** (Noctuidae) Synonym(s): *proxima* Christoph, 1893
- 1751. *Herminia tarsicrinalis* (Knoch, 1782)** (Noctuidae) Synonym(s): *tarsicrinalis* Knoch, 1782; *tarsicrinatus* Haworth, 1809
- 1752. *Heterographa puengeleri* Bartel, 1904** (Noctuidae) Synonym(s): *puengeleri* Bartel, 1904
- 1753. *Heterographa tetrastigma* Brandt, 1941** (Noctuidae) Synonym(s): *tetrastigma* Brandt, 1941
- 1754. *Heterographa zelleri* (Christoph, 1877)** (Noctuidae) Synonym(s): *zelleri* Christoph, 1877
- 1755. *Heteropalpia acrosticta* (Püngeler, 1904)** (Noctuidae) Synonym(s): *acrosticta* Püngeler, 1904; *rosacea* Rebel, 1907
- 1756. *Heteropalpia vetusta* (Walker, 1865)** (Noctuidae) Synonym(s): *vetusta* Walker, 1865; *profesta* Christoph, 1887; *sacra* Staudinger, 1898
- 1757. *Heteropalpia witshirei* Hacker & Ebert, 2002** (Noctuidae) Synonym(s): *witshirei* Hacker & Ebert, 2002
- 1758. *Heterophya dumetorum* (Geyer, 1834)** (Noctuidae) Synonym(s): *dumetorum* Geyer, 1834
- 1759. *Hoplodrina ambigua* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller], 1775; *plantaginis* Hübner, [1813]; *uniformis* Swinhoe, 1885
- 1760. *Hoplodrina blanda* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *blanda* [Denis & Schiffermüller], 1775; *redacta* Haworth, 1809; *taraxaci* Hübner, [1813].
- 1761. *Hoplodrina levis* (Staudinger, 1888)** (Noctuidae) Synonym(s): *levis* Staudinger, 1888
- 1762. *Hoplodrina octogenaria* (Goeze, 1781)** (Noctuidae) Synonym(s): *octogenaria* Goeze, 1781; *alsines* Brahm, 1791; *sordida* Haworth, 1809 nec Hübner, [1803]
- 1763. *Hoplodrina pfeifferi* (Boursin, 1932)** (Noctuidae) Synonym(s): *pfeifferi* Boursin, 1932.
- 1764. *Hoplotarache costalis* (Walker, 1865)** (Noctuidae) Synonym(s): *costalis* Walker, 1865; *binominata* Butler, 1892
- 1765. *Hoplotarache sordescens* (Staudinger, 1895)** (Noctuidae) Synonym(s): *sordescens* Staudinger, 1895
- 1766. *Hypena* (s.str.) *obsitalis* (Hübner, [1813])** (Noctuidae) Synonym(s): *obsitalis* Hübner, [1813]
- 1767. *Hypena obesalis* Treitschke, 1829** (Noctuidae) Synonym(s): *obesalis* Treitschke, 1829
- 1768. *Hypena opulenta* (Christoph, 1877)** (Noctuidae) Synonym(s): *opulenta* Christoph, 1877
- 1769. *Hypena palpalis* (Hübner, 1796)** (Noctuidae) Synonym(s): *palpalis* Hübner, 1796; *extensalis* Guenée, 1854; *armenialis* Staudinger, 1901.
- 1770. *Hypena proboscidalis* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *proboscidalis* Linnaeus, 1758
- 1771. *Hypena rostralis* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *rostralis* Linnaeus, 1758.
- 1772. *Hypenodes orientis* Brandt, 1938** (Noctuidae) Synonym(s): *orientis* Brandt, 1938
- 1773. *Hypersynoides submarginata* (Walker, 1865)** (Noctuidae) Synonym(s): *submarginata* Walker, 1865
- 1774. *Hypeuthina fulgurita* Lederer, 1855** (Noctuidae) Synonym(s): *fulgurita* Lederer, 1855
- 1775. *Iranada ornata* (Brandt, 1938)** (Noctuidae) Synonym(s): *ornata* Brandt, 1938
- 1776. *Iranada tarachoides* (Bytinski-Salz & Brandt, 1937)** (Noctuidae) Synonym(s): *tarachoides* Bytinski-Salz & Brandt, 1937
- 1777. *Iranada turcorum* (Zerny, 1915)** (Noctuidae) Synonym(s): *turcorum* Zerny, 1915
- 1778. *Iranada venusta* (Brandt, 1939)** (Noctuidae) Synonym(s): *venusta* Brandt, 1939
- 1779. *Iranada versicolor* (Brandt, 1939)** (Noctuidae) Synonym(s): *versicolor* Brandt, 1939
- 1780. *Karmanica bandarabbasa* Hacker & Ebert, 2002** (Noctuidae) Synonym(s): *bandarabbasa* Hacker & Ebert, 2002
- 1781. *Karmanica chosroes* (Brandt, 1938)** (Noctuidae) Synonym(s): *chosroes* Brandt, 1938
- 1782. *Karmanica cyros* Hacker & Ebert, 2002** (Noctuidae) Synonym(s): *cyros* Hacker & Ebert, 2002
- 1783. *Karmanica magnifica* Hacker & Ebert, 2002** (Noctuidae) Synonym(s): *magnifica* Hacker & Ebert, 2002
- 1784. *Lacanobia* (Dianobia) *thalassina* (Hufnagel, 1766)** (Noctuidae) Synonym(s): *thalassina* Hufnagel, 1766; *humeralis* Haworth, 1809; *achates* Hübner, [1813].
- 1785. *Lacanobia* (Diataraxia) *oleracea* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *oleracea* Linnaeus, 1758; *spinaciae* Borkhausen, 1792; *variegata* Austaut, 1885; *essoni* Hampson, 1909; *albolineata* Matsumura, 1926; *#pallida* Bytinski-Salz & Brandt, 1937
- 1786. *Lacanobia* (Diataraxia) *splendens* (Hübner, [1808])** (Noctuidae) Synonym(s): *splendens* Hübner, [1808]
- 1787. *Lacanobia* (s.str.) *w-latinum* (Hufnagel, 1766)** (Noctuidae) Synonym(s): *w-latinum* Hufnagel, 1766; *genistae* Borkhausen, 1792; *dives* Donovan, 1801; *umbrosa* Bytinski-Salz & Brandt, 1937; *diniensis* Heinrich, 1938; *caerulescens* Schwingenschuss, 1962.
- 1788. *Lasionycta draudti* (Wagner, 1936)** (Noctuidae) Synonym(s): *draudti* Wagner, 1936
- 1789. *Laspeyria flexula* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *flexula* [Denis & Schiffermüller], 1775
- 1790. *Leucania comma* (Linnaeus, 1761)** (Noctuidae) Synonym(s): *comma* Linnaeus, 1761; *turbida* Hübner, [1803]; *congener* Hübner, [1817]; *rhodocomma* Püngeler, 1900; *engadinensis* Wagner, 1909.
- 1791. *Leucania joannisi* Boursin & Rungs, 1952** (Noctuidae) Synonym(s): *joannisi* Boursin & Rungs, 1952
- 1792. *Leucania loreyi* (Duponchel, 1827)** (Noctuidae) Synonym(s): *loreyi* Duponchel, 1827; *caricis* Walker, 1856; *collecta* Walker, 1856; *curcula* Walker, 1856; *denotata* Walker, 1856; *designata* Walker, 1856; *exterior* Walker, 1856; *thoracica* Walker, 1856.
- 1793. *Leucania palaestinae* Staudinger, 1897** (Noctuidae) Synonym(s): *palaestinae* Staudinger, 1897; *languida* Staudinger, 1897 nec Wlk., 1858; *#obscura* Heydemann et al., 1963; *#plastinae* Kornoşor & Lödl, 1990
- 1794. *Leucania punctosa* (Treitschke, 1825)** (Noctuidae) Synonym(s): *punctosa* Treitschke, 1825
- 1795. *Leucania putrescens* (Hübner, [1824])** (Noctuidae) Synonym(s): *putrescens* Hübner, [1824]; *boisduvalii* Duponchel, 1827; *valletai* Boursin, 1952
- 1796. *Leucania zae* (Duponchel, 1827)** (Noctuidae) Synonym(s): *zae* Duponchel, 1827; *indistincta* Christoph, 1887; *putrida* Staudinger, 1889; *cinerea* Lucas, 1948
- 1797. *Leucochlaena muscosa* (Staudinger, 1892)** (Noctuidae) Synonym(s): *muscosa* Staudinger, 1892; *hirsutus* Staudinger, 1892
- 1798. *Lithophane lapidea* (Hübner, [1808])** (Noctuidae) Synonym(s): *lapidea* Hübner, [1808]
- 1799. *Lophoterges* (Fibiger) *hoerhammeri* (Wagner, 1931)** (Noctuidae) Synonym(s): *hoerhammeri* Wagner, 1931
- 1800. *Lophoterges* (Fibiger) *mariannae* Fibiger, 2001** (Noctuidae) Synonym(s): *mariannae* Fibiger, 2001
- 1801. *Luperina diversa* (Staudinger, 1892)** (Noctuidae) Synonym(s): *diversa* Staudinger, 1892; *indistincta* Rebel, 1933
- 1802. *Luperina rubella* (Duponchel, 1835)** (Noctuidae) Synonym(s): *mediosignata* Turati, 1930; *sericea* Caradja, 1932; *thurneri* Schawerda, 1938.
- 1803. *Lycophorus villosus* (Alpheraky, 1887)** (Noctuidae) Synonym(s): *villosus* Alpheraky, 1887; *benigna* Corti, 1926
- 1804. *Lygephila cracca* (Fabricius, 1787)** (Noctuidae) Synonym(s): *#cracca* [Denis & Schiffermüller], 1775; *riata* Rungs, 1952; *cracca* Fabricius, 1787; *#cracca* Hacker & Kautt, 1999.

- 1805.** *Lygephila fereidun* Wiltshire, 1961 (Noctuidae)
Synonym(s): *fereidun* Wiltshire, 1961
- 1806.** *Lygephila lubrica* (Freyer, 1842) (Noctuidae)
Synonym(s): *lubrica* Freyer, 1842
- 1807.** *Lygephila lusoria* (Linnaeus, 1758) (Noctuidae)
Synonym(s): *lusoria* Linnaeus, 1758
- 1808.** *Lygephila lusoria amasina* (Staudinger, 1879) (Noctuidae)
Synonym(s): *amasina* Staudinger, 1879; *sublutea* Warren, 1913.
- 1809.** *Lygephila procax* (Hübner, [1813]) (Noctuidae)
Synonym(s): *procax* Hübner, [1813]; *limosa* Treitschke, 1826.
- 1810.** *Lygephila schachtii* Behounek & Hacker, 1986 (Noctuidae)
Synonym(s): *schachtii* Behounek & Hacker, 1986
- 1811.** *Lygephila subpicata* Wiltshire, 1971 (Noctuidae)
Synonym(s): *subpicata* Wiltshire, 1971
- 1812.** *Macdunnoughia confusa* (Stephens, 1850) (Noctuidae)
Synonym(s): *confusa* Stephens, 1850; *gutta* Guenée, 1852.
- 1813.** *Mamestra brassicae* (Linnaeus, 1758) (Noctuidae)
Synonym(s): *brassicae* Linnaeus, 1758; *omicron* Geoffroy, 1785; *albidilinea* Haworth, 1809; *andalusica* Staudinger, 1871; *decolorata* Staudinger, 1889.
- 1814.** *Maraschia griseascens* Osthelder, 1933 (Noctuidae)
Synonym(s): *griseascens* Osthelder, 1933
- 1815.** *Margelana flavidior* Wagner, 1831 (Noctuidae)
Synonym(s): *flavidior* Wagner, 1831
- 1816.** *Margelana ochrea* Brandt, 1941 (Noctuidae)
Synonym(s): *ochrea* Brandt, 1941
- 1817.** *Margelana versicolor* Staudinger, 1888 (Noctuidae)
Synonym(s): *versicolor* Staudinger, 1888
- 1818.** *Marsipiophora christophi* (Ershoff, 1874) (Noctuidae)
Synonym(s): *christophi* Ershoff, 1874
- 1819.** *Megalodes eximia* (Freyer, 1845) (Noctuidae)
Synonym(s): *eximia* Freyer, 1845
- 1820.** *Meganola nanula* (Wiltshire, 1961) (Noctuidae)
Synonym(s): *nanula* Wiltshire, 1961
- 1821.** *Meganola strigula* ([Denis & Schiffermüller], 1775) (Noctuidae)
Synonym(s): *#strigula* [Denis & Schiffermüller], 1775
- 1822.** *Mekrania punctalis* Brandt, 1941 (Noctuidae)
Synonym(s): *punctalis* Brandt, 1941
- 1823.** *Melanchra persicariae* (Linnaeus, 1761) (Noctuidae)
Synonym(s): *persicariae* Linnaeus, 1761; *sambuci* Hufnagel, 1766; *graphica* Geoffroy, 1785; *accipitrina* Esper, [1788].
- 1824.** *Mesapamea (s.str.) secalis* (Linnaeus, 1758) (Noctuidae)
Synonym(s): *secalis* Linnaeus, 1758
- 1825.** *Mesologia furuncula* ([Denis & Schiffermüller], 1775) (Noctuidae)
Synonym(s): *furuncula* [Denis & Schiffermüller], 1775; *spoliaticula* [Denis & Schiffermüller], 1775; *bicoloria* Villers, 1789; *vinctuncula* Hübner, [1803]; *humeralis* Haworth, 1809; *terminalis* Haworth, 1809; *rufuncula* Haworth, 1809
- 1826.** *Mesologia literosa* (Haworth, [1809]) (Noctuidae)
Synonym(s): *literosa* Haworth, [1809]; *erraticula* Hübner, [1813]; *faroulti* Rothschild, 1914; *powelli* Oberthür, 1918
- 1827.** *Mesoplus contrita* (Christoph, 1884) (Noctuidae)
Synonym(s): *contrita* Christoph, 1884
- 1828.** *Metachrostis dardouini* (Boisduval, 1840) (Noctuidae)
Synonym(s): *dardouini* Boisduval, 1840
- 1829.** *Metachrostis sefidi* (Brandt, 1938) (Noctuidae)
Synonym(s): *sefidi* Brandt, 1938
- 1830.** *Metachrostis velox* (Hübner, [1813]) (Noctuidae)
Synonym(s): *velox* Hübner, [1813]; *griseimargo* W. Warren, 1912; *velocissima* Turati, 1926; *rubescens* Schwingenschuss, 1930; *vinacea* De Joannis, 1931
- 1831.** *Metaegle gratiosa* (Staudinger, 1892) (Noctuidae)
Synonym(s): *gratiosa* Staudinger, 1892; *iranica* Bytinski-Salz & Brandt, 1937.
- 1832.** *Metalopha ionodoxa* Ronkay, 1990 (Noctuidae)
Synonym(s): *ionodoxa* Ronkay, 1990
- 1833.** *Metalopha liturata* (Christoph, 1887) (Noctuidae)
Synonym(s): *liturata* Christoph, 1887; *plusina* Staudinger, 1892.
- 1834.** *Metopistis erschoffi* (Christoph, 1884) (Noctuidae)
Synonym(s): *erschoffi* Christoph, 1884
- 1835.** *Metopistis picturata* (Rothschild, 1909) (Noctuidae)
Synonym(s): *picturata* Rothschild, 1909
- 1836.** *Metopoceras (s.str.) omar* (Oberthür, 1887) (Noctuidae)
Synonym(s): *omar* Oberthür, 1887
- 1837.** *Metopoceras (s.str.) solituda* (Brandt, 1938) (Noctuidae)
Synonym(s): *solituda* Brandt, 1938
- 1838.** *Metopodicha antherici* (Christoph, 1884) (Noctuidae)
Synonym(s): *antherici* Christoph, 1884
- 1839.** *Metopodicha ernesti* Draudt, 1936 (Noctuidae)
Synonym(s): *ernesti* Draudt, 1936; *achaemenica* Wiltshire, 1941
- 1840.** *Metoponrhis albirena* (Christoph, 1887) (Noctuidae)
Synonym(s): *albirena* Christoph, 1887
- 1841.** *Metoponrhis karakumensis* (Gerasimov, 1931) (Noctuidae)
Synonym(s): *karakumensis* Gerasimov, 1931
- 1842.** *Metopoplus boursini* Brandt, 1938 (Noctuidae)
Synonym(s): *boursini* Brandt, 1938
- 1843.** *Metopoplus excelsa* (Christoph, 1885) (Noctuidae)
Synonym(s): *excelsa* Christoph, 1885
- 1844.** *Minucia bimaculata* (Osthelder, 1933) (Noctuidae)
Synonym(s): *bimaculata* Osthelder, 1933
- 1845.** *Mniotype buxtoni* (Rothschild, 1921) (Noctuidae)
Synonym(s): *buxtoni* Rothschild, 1921
- 1846.** *Mniotype fabulosa* Benedek & L.Ronkay, 2002 (Noctuidae)
Synonym(s): *fabulosa* Benedek & L.Ronkay, 2002
- 1847.** *Moma alpium* (Osbeck, 1778) (Noctuidae)
Synonym(s): *alpium* Osbeck, 1778
- 1848.** *Mormo maura* (Linnaeus, 1758) (Noctuidae)
Synonym(s): *maura* Linnaeus, 1758; *usta* Fourcroy, 1785; *deusta* Geoffroy, 1799; *cyprica* Hacker, 1996
- 1849.** *Myana sapor* Swinhoe, 1884 (Noctuidae)
Synonym(s): *sapor* Swinhoe, 1884; *amseli* Brandt, 1941.
- 1850.** *Mythimna (Aletia) citrinotata* (Hampson, 1905) (Noctuidae)
Synonym(s): *citrinotata* Hampson, 1905; *brandti* Boursin, 1963
- 1851.** *Mythimna (Aletia) conigera* ([Denis & Schiffermüller], 1775) (Noctuidae)
Synonym(s): *conigera* [Denis & Schiffermüller], 1775; *floccida* Esper, [1788].
- 1852.** *Mythimna (Aletia) impura* (Hübner, [1808]) (Noctuidae)
Synonym(s): *impura* Hübner, [1808]; *fuliginosa* Haworth, 1809; *punctina* Haworth, 1809.
- 1853.** *Mythimna (Aletia) l-album* (Linnaeus, 1767) (Noctuidae)
Synonym(s): *l-album* Linnaeus, 1767; *penicillata* Moore, 1881
- 1854.** *Mythimna (Aletia) prominens* Walker, 1856 (Noctuidae)
Synonym(s): *prominens* Walker, 1856; *hispanica* Bellier, 1863.
- 1855.** *Mythimna (Aletia) sassanidica* (Hacker, 1986) (Noctuidae)
Synonym(s): *sassanidica* Hacker, 1986
- 1856.** *Mythimna (Aletia) straminea* (Treitschke, 1825) (Noctuidae)
Synonym(s): *straminea* Treitschke, 1825
- 1857.** *Mythimna (Aletia) vitellina* (Hübner, [1808]) (Noctuidae)
Synonym(s): *vitellina* Hübner, [1808]; *decolorata* Dannehl, 1929; *saturation* Dannehl, 1929; *griseascens* Dannehl, 1929.
- 1858.** *Mythimna (Hyphilare) albipuncta* (Fabricius, 1787) (Noctuidae)
Synonym(s): *#albipuncta* [Denis & Schiffermüller], 1775; *albipuncta* (Fabricius, 1787; *rufotincta* Wagner, 1921.
- 1859.** *Mythimna (Hyphilare) ferrago* (Fabricius, 1787) (Noctuidae)
Synonym(s): *ferrago* Fabricius, 1787; *lythargyria* Esper, [1788]; *grisea* Stephens, 1829; *anargyria* Boisduval, 1840; *argyristis* Rambur, 1858; *meridionalis* Dannehl, 1926
- 1860.** *Mythimna (Morphopoliana) languida* (Walker, 1858) (Noctuidae)
Synonym(s): *consanguis* auct. nec Gn., 1852; *languida* Walker, 1858; *zachii* Bohatsch, 1880; *abbas* Bethune-Baker, 1894; *arbia* Boursin & Rungs, 1952.
- 1861.** *Mythimna (Pseudaletia) unipuncta* (Haworth, [1809]) (Noctuidae)
Synonym(s): *unipuncta* Haworth, [1809]; *extranea* Guenée, 1852; *antica* Walker, 1856; *tseki* Koutsafikis, 1974.
- 1862.** *Naenia typica* (Linnaeus, 1758) (Noctuidae)
Synonym(s): *typica* Linnaeus, 1758; *filicis* Goeze, 1781; *venosa* Hübner, [1803]; *excusa* Esper, [1805]; *clavicolor* Schawerda, 1928.
- 1863.** *Nezonecta obtusa* Varga & Ronkay, 1991 (Noctuidae)
Synonym(s): *obtusa* Varga & Ronkay, 1991
- 1864.** *Nezonecta pusilla* (Püngeler, 1900) (Noctuidae)
Synonym(s): *pusilla* Püngeler, 1900
- 1865.** *Noctua (Euschesis) janthina* ([Denis & Schiffermüller], 1775) (Noctuidae)
Synonym(s): *janthina* [Denis & Schiffermüller], 1775; *latimarginata* Röber, 1900.

- 1866. Noctua (Latanoctua) orbona (Hufnagel,1766)** (Noctuidae) Synonym(s): *orbona* Hufnagel,1766; *subseque* [Denis & Schiffermüller],1775; *caroni* Lempke,1964.
- 1867. Noctua (Paranoctua) comes (Hübner,[1813])** (Noctuidae) Synonym(s): *orbona* Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adseque* Treitschke,1825; *proseque* Treitschke,1825; *bergensis* Sp.-Schn.,1901.
- 1868. Noctua (s.str.) pronuba (Linnaeus,1758)** (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 nec Piesz.,1908; *decolorata* Turati,1923.
- 1869. Noctua (s.str.) tertia Mentzer, Moberg & Fibiger,1991** (Noctuidae) Synonym(s): *tertia* Mentzer, Moberg & Fibiger,1991
- 1870. Nola harouni (Wiltshire,1951)** (Noctuidae) Synonym(s): *harouni* Wiltshire,1951; *dilmuna* Wiltshire,1961.
- 1871. Nola squalida Staudinger,1871** (Noctuidae) Synonym(s): *squalida* Staudinger,1871; *musculalis* Saalmüller,1880; *turanica* Staudinger,1887; *fraterna* Moore,1888; *vanhasseltii* Heylaerts,1892; *ceylonica* Hampson,1893; *desmotes* Turner,1899; *parvula* Chrétien,1913; *mesoscia* Hampson,1914; *henrioti* Warnecke,1937; *minima* Warnecke,1938; *#squamosa* Zukovsky,1941; *priesneri* Rebel,1947
- 1872. Nola subchlamydula Staudinger,1870** (Noctuidae) Synonym(s): *subchlamydula* Staudinger,1870
- 1873. Nonagria typhae (Thunberg,1784)** (Noctuidae) Synonym(s): *typhae* Thunberg,1784; *arundinis* Fabricius,1787.
- 1874. Nycteola asiatica (Krulikovsky,1904)** (Noctuidae) Synonym(s): *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954.
- 1875. Nycteola revayana (Scopoli,1772)** (Noctuidae) Synonym(s): *revayana* Scopoli,1772; *duplana* Fabricius,1777; *iliciana* Fabricius,1781; *fasciatum* Retzius,1783; *punctana* Thunberg,1784; *anglica* Fourcroy,1785; *rivagana* Fabricius,1787; *ramosana* Hübner,1793; *undulana* Hübner,[1799]; *bifasciana* Donovan,1801 nec Hbn.,1787
- 1876. Ochroleura plecta (Linnaeus,1761)** (Noctuidae) Synonym(s): *pecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucimacula* Graeser,[1889]; *unuplecta* Bryk,1942.
- 1877. Odice arcuinna (Hübner,1790)** (Noctuidae) Synonym(s): *arcuinna* Hübner,1790; *inamoena* Hübner,[1803].
- 1878. Odice keyserlingi (Bienert,1870)** (Noctuidae) Synonym(s): *keyserlingi* Bienert,1870
- 1879. Odontestis ? dubiosa (Brandt,1941)** (Noctuidae) Synonym(s): *dubiosa* Brandt,1941
- 1880. Oligia latruncula (Denis & Schiffermüller,1775)** (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775
- 1881. Oligia strigilis (Linnaeus,1758)** (Noctuidae) Synonym(s): *strigilis* Linnaeus,1758; *praeduncula* [Denis & Schiffermüller],1775.
- 1882. Oligia suleiman Rezbanayi-Reser,1997** (Noctuidae) Synonym(s): *suleiman Rezbanayi-Reser,1997*
- 1883. Oligia vandarban Rezbanayi-Reser,1997** (Noctuidae) Synonym(s): *vandarban Rezbanayi-Reser,1997*
- 1884. Olivenebula subsericata (Herrich-Schäffer,1861)** (Noctuidae) Synonym(s): *subsericata* Herrich-Schäffer,1861; *#elisabethae* De Lattin,1951; *bobitsi* Beck,1996.
- 1885. Omphalophana anatolica (Lederer,1857)** (Noctuidae) Synonym(s): *anatolica* Lederer,1857
- 1886. Omphalophana antirrhinii (Hübner,[1803])** (Noctuidae) Synonym(s): *antirrhinii* Hübner,[1803]
- 1887. Oncocnemis confusa (Freyer,[1839])** (Noctuidae) Synonym(s): *confusa* Freyer,[1839].
- 1888. Oncocnemis erythropis Brandt,1938** (Noctuidae) Synonym(s): *erythropis* Brandt,1938
- 1889. Oncocnemis exacta Christoph,1887** (Noctuidae) Synonym(s): *exacta* Christoph,1887; *iranica* Schwingenschuss,1937
- 1890. Oncocnemis idioglypha Brandt,1938** (Noctuidae) Synonym(s): *idioglypha* Brandt,1938
- 1891. Oncocnemis strioligera Lederer,1853** (Noctuidae) Synonym(s): *strioligera* Lederer,1853
- 1892. Ophiusa lunaris (Goeze,1781)** (Noctuidae) Synonym(s): *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsioplumalis* Hübner,1796; *chosisensis* Bryk,1949.
- 1893. Ophiusa tirhaca (Cramer,[1777])** (Noctuidae) Synonym(s): *tirhaca* Cramer,[1777]; *#tirrhaca* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978
- 1894. Opigena huberi Hacker,1999** (Noctuidae) Synonym(s): *huberi* Hacker,1999
- 1895. Opigena polygona (Fabricius,1787)** (Noctuidae) Synonym(s): *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792.
- 1896. Oria muscosa (Hübner,[1808])** (Noctuidae) Synonym(s): *muscosa* Hübner,[1808]; *laeta* Alpheraky,1889.
- 1897. Orthosia (Monima) cerasi (Fabricius,1775)** (Noctuidae) Synonym(s): *cerasi* Fabricius,1775; *stabilis* [Denis & Schiffermüller],1775; *obliqua* de Villers,1789; *junctus* Haworth,1803; *pallida* Haworth,1809; *rufannulata* Haworth,1809.
- 1898. Orthosia (Monima) imitabilis Hreblay,1993** (Noctuidae) Synonym(s): *imitabilis* Hreblay,1993
- 1899. Orthosia (s.str.) incerta (Hufnagel,1766)** (Noctuidae) Synonym(s): *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 nec Hw.,1809; *pallidior* Staudinger,1901 nec Stgr.,1888
- 1900. Ostheldera gracilis (Osthelder,1933)** (Noctuidae) Synonym(s): *gracilis* Osthelder,1933
- 1901. Oxytripia stephania Sutton,[1964]** (Noctuidae) Synonym(s): *stephania* Sutton,[1964]; *danilevskyi* Miljanovsky,1973.
- 1902. Ozarba sancta (Staudinger,1900)** (Noctuidae) Synonym(s): *sancta* Staudinger,1900
- 1903. Pamparoma acuta (Freyer,[1837])** (Noctuidae) Synonym(s): *acuta* Freyer,[1837]; *producta* Lederer,1857; *pygmaea* Staudinger,1871.
- 1904. Paracentropus cyrus (Brandt,1938)** (Noctuidae) Synonym(s): *cyrus* Brandt,1938
- 1905. Paracolax tristalis (Fabricius,1794)** (Noctuidae) Synonym(s): *tristalis* Fabricius,1794; *derivialis* Hübner,1796.
- 1906. Paraegle ochracea (Erschoff,1874)** (Noctuidae) Synonym(s): *ochracea* Erschoff,1874
- 1907. Paraegle subochracea (Staudinger,1892)** (Noctuidae) Synonym(s): *subochracea* Staudinger,1892
- 1908. Parallelia algira (Linnaeus,1767)** (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] nec Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *europaea* Schawerda,1912
- 1909. Parallelia rogenhoferi (Bohatsch,1880)** (Noctuidae) Synonym(s): *rogenhoferi* Bohatsch,1880; *mirabilis* Romanoff,1885; *triangulata* Swinhoe,1889.
- 1910. Parallelia torrida (Guenée,1852)** (Noctuidae) Synonym(s): *torrida* Guenée,1852; *#torrida* Hacker,[1987]
- 1911. Parascotia detersa (Staudinger,1892)** (Noctuidae) Synonym(s): *detersa* Staudinger,1892
- 1912. Parastichtis corticea (Esper,[1800])** (Noctuidae) Synonym(s): *#ypsillon* [Denis & Schiffermüller],1775; *ipsilon* Goeze,1781 nec Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828.
- 1913. Parexarnis damnata (Draudt,1937)** (Noctuidae) Synonym(s): *damnata* Draudt,1937
- 1914. Parexarnis sollers (Christoph,1877)** (Noctuidae) Synonym(s): *sollers* Christoph,1877
- 1915. Parexarnis squalida (Guenée,1852)** (Noctuidae) Synonym(s): *squalida* Guenée,1852
- 1916. Parexarnis taurica (Staudinger,1879)** (Noctuidae) Synonym(s): *taurica* Staudinger,1879; *pseudosollers* Boursin,1940.
- 1917. Pericyma signata Brandt,1939** (Noctuidae) Synonym(s): *signata* Brandt,1939
- 1918. Pericyma squalens Lederer,1855** (Noctuidae) Synonym(s): *squalens* Lederer,1855

- 1919. Peridroma saucia (Hübner,[1808])** (Noctuidae)
Synonym(s): *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infuscata* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929.
- 1920. Perigrapha (Opacographa (s.str.)) mithras (Wiltshire,1941)** (Noctuidae) Synonym(s): *mithras* Wiltshire,1941
- 1921. Perigrapha gyuriani Benedek & L.Ronkay,2001** (Noctuidae) Synonym(s): *gyuriani* Benedek & L.Ronkay,2001
- 1922. Periphanes delphinii (Linnaeus,1758)** (Noctuidae)
Synonym(s): *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903.
- 1923. Phleboeis sureyae (Rebel,1931)** (Noctuidae)
Synonym(s): *sureyae* Rebel,1931.
- 1924. Phlogophora meticulosa (Linnaeus,1758)** (Noctuidae) Synonym(s): *meticulosa* Linnaeus,1758; *lamii* Schadewald,1993
- 1925. Phlogophora scita (Hübner,1790)** (Noctuidae)
Synonym(s): *scita* Hübner,1790
- 1926. Phoeophilus veteriosa (Püngeler,1907)** (Noctuidae)
Synonym(s): *veteriosa* Püngeler,1907
- 1927. Photodes delattini (Wiltshire,1953)** (Noctuidae)
Synonym(s): *delattini* Wiltshire,1953
- 1928. Phyllophila oblitterata (Rambur,1833)** (Noctuidae)
Synonym(s): *oblitterata* Rambur,1833; *wimmerii* Treitschke,1835; *recta* Eversmann,1844; *cretacea* Butler,1879; *venerica* Bryk,1949.
- 1929. Plecoptera inquinata (Lederer,1857)** (Noctuidae)
Synonym(s): *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933
- 1930. Plecoptera reflexa Guenée,1852** (Noctuidae)
Synonym(s): *reflexa* Guenée,1852
- 1931. Plusia festucae (Linnaeus,1758)** (Noctuidae)
Synonym(s): *festucae* Linnaeus,1758
- 1932. Polia serratilinea Ochsenheimer,1816** (Noctuidae)
Synonym(s): *serratilinea* Ochsenheimer,1816; *helvetica* Schawerda,1925; *kowatschevi* Drenowski,1931; *pinkeri* Varga,1974.
- 1933. Polymixis (Brandticola) dubiosa (Brandt,1938)** (Noctuidae) Synonym(s): *dubiosa* Brandt,1938
- 1934. Polymixis (Eremophysa) apothaina (Brandt,1938)** (Noctuidae) Synonym(s): *apothaina* Brandt,1938
- 1935. Polymixis (Eremophysa) gracilis (Brandt,1941)** (Noctuidae) Synonym(s): *gracilis* Brandt,1941
- 1936. Polymixis (Eremophysa) hedygramma (Brandt,1941)** (Noctuidae) Synonym(s): *hedygramma* Brandt,1941
- 1937. Polymixis (Eremophysa) scrophulariae (Wiltshire,1952)** (Noctuidae) Synonym(s): *scrophulariae* Wiltshire,1952
- 1938. Polymixis (Myxinia) philippii (Püngeler,1911)** (Noctuidae) Synonym(s): *philippii* Püngeler,1911
- 1939. Polymixis (Myxinia) rufocincta (Geyer,1828)** (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852.
- 1940. Polymixis (Parabrachionycha) atossa (Wiltshire,1941)** (Noctuidae) Synonym(s): *atossa* Wiltshire,1941
- 1941. Polymixis (Parabrachionycha) trisignata (Ménétriés,1847)** (Noctuidae) Synonym(s): *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924
- 1942. Polymixis (s.str.) rosinae (Bohatsch,1908)** (Noctuidae) Synonym(s): *rosinae* Bohatsch,1908; *paradisica* Boursin,1944
- 1943. Polymixis (s.str.) zagrobia (Wiltshire,1941)** (Noctuidae) Synonym(s): *zagrobia* Wiltshire,1941
- 1944. Polymixis crinomima (Wiltshire,1946)** (Noctuidae)
Synonym(s): *crinomima* Wiltshire,1946
- 1945. Polyphaenis monophaeis Brandt,1938** (Noctuidae)
Synonym(s): *monophaeis* Brandt,1938; *#unicoloris* Brandt,1938.
- 1946. Polypogon plumigeralis (Hübner,[1825])** (Noctuidae)
Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829.
- 1947. Polypogon schwingenschussi (Wagner,1937)** (Noctuidae) Synonym(s): *schwingenschussi* Wagner,1937; *elbursalis* Draudt,1937.
- 1948. Polytela cliens (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *cliens* R.Felder & Rogenhofer,1874; *orientalis* Hampson,1894; *aethiopica* Sheljuzhko,1960; *tanit* Rungs,1972
- 1949. Powellinia boetica (Rambur,1837)** (Noctuidae)
Synonym(s): *boetica* Rambur,1837
- 1950. Powellinia lasserei (Oberthür,1881)** (Noctuidae)
Synonym(s): *lasserei* Oberthür,1881; *sabura* Mabille,1888; *ptolemaidea* Turati,1924
- 1951. Powellinia pierreti (Bugnion,1837)** (Noctuidae)
Synonym(s): *pierreti* Bugnion,1837; *messouda* Oberthür,1884; *marsdeni* Bethune-Baker,1894
- 1952. Protexarnis opioleuca (Staudinger,1881)** (Noctuidae) Synonym(s): *opioleuca* Staudinger,1881; *inermis* Corti & Draudt,1933.
- 1953. Protexarnis persica (Staudinger,1897)** (Noctuidae)
Synonym(s): *persica* Staudinger,1897
- 1954. Protodeltote pygarga (Hufnagel,1766)** (Noctuidae)
Synonym(s): *pygarga* Hufnagel,1766
- 1955. Protoschinia scutosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878
- 1956. Proxenus hospes (Freyer,1831)** (Noctuidae)
Synonym(s): *hospes* Freyer,1831
- 1957. Proxenus lepigone (Möschler,1860)** (Noctuidae)
Synonym(s): *lepigone* Möschler,1860
- 1958. Pseudenargia deleta (Osthelder,1933)** (Noctuidae)
Synonym(s): *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938.
- 1959. Pseudopicucullia syrtana (Mabille,1888)** (Noctuidae) Synonym(s): *syrtana* Mabille,1888
- 1960. Pseudohadena (Jaxartia) magnitudinis Hacker & Ebert,2002** (Noctuidae) Synonym(s): *magnitudinis* Hacker & Ebert,2002
- 1961. Pseudohadena (s.str.) chenopodiphaga (Rambur,1832)** (Noctuidae) Synonym(s): *chenopodiphaga* Rambur,1832
- 1962. Pseudohadena (s.str.) coluteae (Bienert,1870)** (Noctuidae) Synonym(s): *coluteae* Bienert,1870
- 1963. Pseudohadena (s.str.) impedita (Christoph,1887)** (Noctuidae) Synonym(s): *impedita* Christoph,1887
- 1964. Pseudohadena (s.str.) megaptera Boursin,1970** (Noctuidae) Synonym(s): *megaptera* Boursin,1970
- 1965. Pseudohadena (s.str.) minuta Püngeler,1900** (Noctuidae) Synonym(s): *minuta* Püngeler,1900; *sengana* Brandt,1941; *pseudocommoda* Boursin,1963
- 1966. Pseudohadena (s.str.) rjabovi Boursin,1970** (Noctuidae) Synonym(s): *rjabovi* Boursin,1970
- 1967. Pseudohadena (s.str.) roseotinctoides Poole,1989** (Noctuidae) Synonym(s): *roseotincta* Brandt,1941 *nec* Tur.,1929; *roseotinctoides* Poole,1989.
- 1968. Pseudozarba mesozona (Hampson,1896)** (Noctuidae)
Synonym(s): *mesozona* Hampson,1896; *mediana* Staudinger,1898
- 1969. Pyrrhia treitschkii (Frivaldszky,1835)** (Noctuidae)
Synonym(s): *treitschkii* Frivaldszky,1835.
- 1970. Pyrrhia umbra (Hufnagel,1766)** (Noctuidae)
Synonym(s): *umbra* Hufnagel,1766; *marginata* Fabricius,1775; *rutlago* [Denis & Schiffermüller],1775; *conspicua* Borkhausen,1792; *umbrago* Esper,[1796]; *marginago* Haworth,1809; *aconiti* Hölzermann,1902.
- 1971. Raparna erubescens (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *erubescens* A.Bang-Haas,1910
- 1972. Recophora beata (Staudinger,1892)** (Noctuidae)
Synonym(s): *beata* Staudinger,1892
- 1973. Recophora hreblayi Hacker & L.Ronkay,2002** (Noctuidae) Synonym(s): *hreblayi* Hacker & L.Ronkay,2002
- 1974. Rhabdophera arefacta (Swinhoe,1884)** (Noctuidae)
Synonym(s): *arefacta* Swinhoe,1884; *messrae* Staudinger,1898.

- 1975. *Rhabinopteryx subtilis* (Mabille,1888)** (Noctuidae)
Synonym(s): *subtilis* Mabille,1888; *renatalis* Rebel,1909 nec *Obth.*; *luridalis* Rebel,1911.
- 1976. *Rhyacia* (Epipsilia) *cervantes* (Reisser,1935)** (Noctuidae) Synonym(s): *cervantes* Reisser,1935; *#gylaipetri* Varga,1975
- 1977. *Rhyacia* (Epipsilia) *latens* (Hübner,[1809])** (Noctuidae) Synonym(s): *latens* Hübner,[1809]; *murina* Freyer,1842; *latitans* Guenée,1852; *apennina* Sohn-Rethel,1929.
- 1978. *Rhyacia* (s.str.) *arenacea* (Hampson,1907)** (Noctuidae) Synonym(s): *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929.
- 1979. *Rhyacia* (s.str.) *gabori* Varga,1996** (Noctuidae)
Synonym(s): *gabori* Varga,1996
- 1980. *Rhyacia* (s.str.) *helvetina* (Boisduval,1833)** (Noctuidae) Synonym(s): *helvetina* Boisduval,1833; *livia* Freyer,1836
- 1981. *Rhyacia* (s.str.) *lucipeta* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *lucipeta* [Denis & Schiffermüller],1775.
- 1982. *Rhyacia* (s.str.) *nyctimerina* (Staudinger,1888)** (Noctuidae) Synonym(s): *nyctimerina* Staudinger,1888; *rehnensis* Wagner,1937.
- 1983. *Rhyacia* (s.str.) *nyctimerides* (O.Bang-Haas,1922)** (Noctuidae) Synonym(s): *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschko,1951; *alagesica* Boursin,1962
- 1984. *Rhyacia* (s.str.) *oxytheca* Boursin,1957** (Noctuidae)
Synonym(s): *oxytheca* Boursin,1957
- 1985. *Rhyacia* (s.str.) *subdecora* (Staudinger,1888)** (Noctuidae) Synonym(s): *subdecora* Staudinger,1888; *psammia* Püngeler,1906; *xanthopasta* Boursin,1957.
- 1986. *Rhyagla lacernaria* (Hübner,[1813])** (Noctuidae)
Synonym(s): *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842
- 1987. *Rivula sericealis* (Scopoli,1763)** (Noctuidae)
Synonym(s): *sericealis* Scopoli,1763; *munda* Hufnagel,1767; *lunatralis* Denis & Schiffermüller,1775; *leana* Fabricius,1777; *ocellaris* Thunberg,1784; *centralis* Villers,1789.
- 1988. *Rivula tanitalis* Rebel,1912** (Noctuidae) Synonym(s): *tanitalis* Rebel,1912
- 1989. *Saragossa siccanorum* (Staudinger,1870)** (Noctuidae) Synonym(s): *siccanorum* Staudinger,1870.
- 1990. *Scoliopteryx libatrix* (Linnaeus,1758)** (Noctuidae)
Synonym(s): *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatricus* Haworth,1809
- 1991. *Scythocentropus inquinata* (Mabille,1888)** (Noctuidae) Synonym(s): *inquinata* Mabille,1888; *mercedes* Pinker,1974
- 1992. *Selepia docilis* Butler,1881** (Noctuidae) Synonym(s): *docilis* Butler,1881; *canofusa* Hampson,1905
- 1993. *Sesamia cretica* Lederer,1857** (Noctuidae)
Synonym(s): *cretica* Lederer,1857
- 1994. *Sesamia inferens* (Walker,1856)** (Noctuidae)
Synonym(s): *inferens* Walker,1856; *transquilaris* Butler,1880; *gracilis* Butler,1880; *innocens* Butler,1881.
- 1995. *Sesamia rungsi* Boursin,1957** (Noctuidae)
Synonym(s): *rungsii* Boursin,1957
- 1996. *Setoctena dentula* (Lederer,1870)** (Noctuidae)
Synonym(s): *dentula* Lederer,1870
- 1997. *Sideridis* (Conisania) *capsivora* (Draudt,1933)** (Noctuidae) Synonym(s): *capsivora* Draudt,1933
- 1998. *Sideridis* (Conisania) *vidua* (Staudinger,1888)** (Noctuidae) Synonym(s): *vidua* Staudinger,1888
- 1999. *Sideridis* (Luteohadena) *literata* (Fischer v. Waldheim,1840)** (Noctuidae) Synonym(s): *literata* Fischer v. Waldheim,1840; *suffusa* De Freina,1983.
- 2000. *Sideridis* (Luteohadena) *luteago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (*praeocc.*); *ottomana* Koçak,1990.
- 2001. *Sideridis* (s.str.) *egena* (Lederer,1853)** (Noctuidae)
Synonym(s): *egena* Lederer,1853; ? *stoliczkana* Moore,1878
- 2002. *Sideridis* (s.str.) *lampra* (Schawerda,1913)** (Noctuidae) Synonym(s): *evidens* Hübner,[1808] nec *Thunb.*,1784; *lampra* Schawerda,1913; *anapheles* Nye,1975
- 2003. *Sideridis* (s.str.) *turbida* (Esper,[1790])** (Noctuidae)
Synonym(s): *turbida* Esper,[1790]; *albicolon* Hübner,[1813]
- 2004. *Simyra albovenosa* (Goeze,1781)** (Noctuidae)
Synonym(s): *albovenosa* Goeze,1781; *venosa* Borkhausen,1792; *atomina* Haworth,1809.
- 2005. *Simyra dentinosa* Freyer,1839** (Noctuidae)
Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990
- 2006. *Simyra nervosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *nervosa* [Denis & Schiffermüller],1775.
- 2007. *Spaelotis demavendi* (F.Wagner,1937)** (Noctuidae)
Synonym(s): *demavendi* F.Wagner,1937
- 2008. *Spaelotis ravida* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 nec Cramer,1780; *salva* Corti & Draudt,1933.
- 2009. *Spaelotis senna* (Freyer,1829)** (Noctuidae)
Synonym(s): *senna* Freyer,1829; *senna* Geyer,[1832] nec *Frr.*,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934
- 2010. *Spodoptera cilium* (Guenée,1852)** (Noctuidae)
Synonym(s): *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insulsa* Walker,1865; *impervia* Walker,1865; *retrahens* Walker,1870.
- 2011. *Spodoptera exiguum* (Hübner,[1808])** (Noctuidae)
Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* Warren,1914; *protector* De Laever,1985.
- 2012. *Spodoptera littoralis* (Boisduval,1833)** (Noctuidae)
Synonym(s): *littoralis* Boisduval,1833; *retina* Freyer,1845; *testaceoides* Guenée,1852; *metriodes* Bethune-Baker,1911.
- 2013. *Spodoptera liturum* (Fabricius,1775)** (Noctuidae)
Synonym(s): *litura* Fabricius,1775
- 2014. *Spodoptera mauritium* (Boisduval,1833)** (Noctuidae)
Synonym(s): *mauritii* Boisduval,1833
- 2015. *Standfussiana defessa* (Lederer,1858)** (Noctuidae)
Synonym(s): *defessa* Lederer,1858
- 2016. *Standfussiana lucernea* (Linnaeus,1758)** (Noctuidae)
Synonym(s): *lucernea* Linnaeus,1758
- 2017. *Standfussiana nictymera* (Boisduval,[1837])** (Noctuidae) Synonym(s): *carriei* Boursin,1948.
- 2018. *Stenodrina aeschista* Boursin,1937** (Noctuidae)
Synonym(s): *aeschista* Boursin,1937
- 2019. *Stenodrina agramma* Brandt,1938** (Noctuidae)
Synonym(s): *agramma* Brandt,1938
- 2020. *Stilbina hypaenides* Staudinger,1892** (Noctuidae)
Synonym(s): *hypaenides* Staudinger,1892
- 2021. *Tarachephia hueberi* (Erschoff,1874)** (Noctuidae)
Synonym(s): *hueberi* Erschoff,1874
- 2022. *Tathorhynchus exsiccatus* (Lederer,1855)** (Noctuidae) Synonym(s): *exsiccata* Lederer,1855; *vinctalis* Walker,[1866]; *angustiorata* Grote,1882; *#exsiccata* Wiltshire,1941; *greuteri* Koutsafikis,1973
- 2023. *Thiacidas postica* Walker,1855** (Noctuidae)
Synonym(s): *postica* Walker,1855; *cheituna* Brandt,1939
- 2024. *Tholera hilaris* (Staudinger,1901)** (Noctuidae)
Synonym(s): *hilaris* Staudinger,1901; *gracilis* Kostrowicki,1963
- 2025. *Thria robusta* Walker,[1858]** (Noctuidae)
Synonym(s): *anyssa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
- 2026. *Thysanoplusia* (Daubeiplusia) *daubei* (Boisduval,1840)** (Noctuidae) Synonym(s): *daubei* Boisduval,1840; *ciliaris* Walker,1857.
- 2027. *Trachea atriplicis* (Linnaeus,1758)** (Noctuidae)
Synonym(s): *atriplicis* Linnaeus,1758

- 2028. Trichoplusia exquisitella (Strand,1916)** (Noctuidae)
Synonym(s): *exquisitella* Strand,1916
- 2029. Trichoplusia ni (Hübner,[1803])** (Noctuidae)
Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
- 2030. Trigonodes hyppasia (Cramer,1779)** (Noctuidae)
Synonym(s): *hyppasia* Cramer,1779; *deliana* Stoll,1791; *anfractuosa* Boisduval,1834; *acutata* Guenée,1852; *inacuta* Guenée,1852; *compar* Walker,[1858]
- 2031. Trisateles emortualis ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *emortualis* [Denis & Schiffermüller],1775
- 2032. Tyta luctuosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789
- 2033. Tytroca dispar (Püngeler,1904)** (Noctuidae)
Synonym(s): *dispar* Püngeler,1904
- 2034. Tytroca fasciolata (W.Warren,1905)** (Noctuidae)
Synonym(s): *fasciolata* W.Warren,1905
- 2035. Ulochlaena hirta (Hübner,[1813])** (Noctuidae)
Synonym(s): *hirta* Hübner,[1813]
- 2036. Valeria carducha (Wiltshire,1957)** (Noctuidae)
Synonym(s): *carducha* Wiltshire,1957
- 2037. Valeria schreieri Hacker & Ebert,2002** (Noctuidae)
Synonym(s): *schreieri* Hacker & Ebert,2002
- 2038. Valerietta forsteri Draudt,1938** (Noctuidae)
Synonym(s): *forsteri* Draudt,1938
- 2039. Victrix (Rasihia) boursini (Draudt,1936)** (Noctuidae)
Synonym(s): *boursini* Draudt,1936
- 2040. Victrix (Rasihia) conspersa (Christoph,1893)** (Noctuidae) Synonym(s): *conspersa* Christoph,1893; *forsteri* Brandt,1941.
- 2041. Victrix (Rasihia) macrosema (Boursin,1957)** (Noctuidae) Synonym(s): *macrosema* Boursin,1957
- 2042. Victrix (Rasihia) sassanica Wiltshire,1961** (Noctuidae) Synonym(s): *sassanica* Wiltshire,1961
- 2043. Victrix (Rasihia) tabora (Staudinger,1892)** (Noctuidae) Synonym(s): *tabora* Staudinger,1892
- 2044. Wiltshireola disrupta (Wiltshire,1952)** (Noctuidae)
Synonym(s): *disrupta* Wiltshire,1952
- 2045. Xanthia (Cirrhia) ocellaris (Borkhausen,1792)** (Noctuidae) Synonym(s): *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803].
- 2046. Xanthia icteritia (Hufnagel,1766)** (Noctuidae)
Synonym(s): *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,[1788].
- 2047. Xanthodes albago (Fabricius,1794)** (Noctuidae)
Synonym(s): *albago* Fabricius,1794; *malvae* Esper,[1796]; *stramen* Guenée,1852; *impurata* Walker,1857; *impellens* Walker,1858; *inefficiens* Walker,1858.
- 2048. Xenophysa junctimacula (Christoph,1887)** (Noctuidae) Synonym(s): *junctimacula* Christoph,1887; *cacumena* Brandt,1938.
- 2049. Xestia (Megasema) c-nigrum (Linnaeus,1758)** (Noctuidae) Synonym(s): *c-nigrum* Linnaeus,1758; *nunatrum* Esper,[1786]; *singularis* Esper,[1786]; *degenerata* Staudinger,1889; *depravata* A.Bang-Haas,1912; *kurilana* Bryk,1942; *ignorata* Eitschberger,1972.
- 2050. Xestia (Megasema) ditrapezium ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#ditrapezium* [Denis & Schiffermüller],1775
- 2051. Xestia (s.str.) baja ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *baja* [Denis & Schiffermüller],1775
- 2052. Xestia (s.str.) cohaesa (Herrich-Schäffer,[1849])** (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,[1849]
- 2053. Xestia (s.str.) palaestinensis (Kalchberg,1898)** (Noctuidae) Synonym(s): *palaestinensis* Kalchberg,1898.
- 2054. Xestia (s.str.) pallidago (Staudinger,1900)** (Noctuidae) Synonym(s): *pallidago* Staudinger,1900
- 2055. Xestia (s.str.) sareptana (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936
- 2056. Xestia (s.str.) xanthographa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepidia* Constantino,1922.
- 2057. Xylena exsoleta (Linnaeus,1758)** (Noctuidae)
Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787
- 2058. Xylomoia apameaoides (Hacker,1989)** (Noctuidae)
Synonym(s): *apameaoides* Hacker,1989
- 2059. Zekelita (Ravalita) amseloides Hacker & Ebert,2002** (Noctuidae) Synonym(s): *amseloides* Hacker & Ebert,2002
- 2060. Zekelita (Ravalita) ravalis (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 nec Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941.
- 2061. Zekelita (Rhynchodontodes) antiqualis (Hübner,[1809])** (Noctuidae) Synonym(s): *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *#antiquis* Zukowsky,1941
- 2062. Zekelita (Rhynchodontodes) orientis (Brandt,1938)** (Noctuidae) Synonym(s): *orientis* Brandt,1938
- 2063. Zekelita (Rhynchodontodes) ravulalis (Staudinger,1879)** (Noctuidae) Synonym(s): *ravulalis* Staudinger,1879
- 2064. Zekelita (Rhynchodontodes) revolutalis Zeller,1852** (Noctuidae) Synonym(s): *revolutalis* Zeller,1852; *angulalis* Mabilite,1880.
- 2065. Zethes brandti Janzon,1977** (Noctuidae)
Synonym(s): *nemea* Brandt,1938 (p.p.); *nemea sensu* Koçak,1977; *brandti* Janzon,1977.
- 2066. Zethes insularis Rambur,1833** (Noctuidae)
Synonym(s): *insularis* Rambur,1833
- 2067. Zethes narghisa Brandt,1938** (Noctuidae)
Synonym(s): *narghisa* Brandt,1938
- 2068. Zethes nemea Brandt,1938** (Noctuidae) Synonym(s): *nemea* Brandt,1938
- 2069. Cerura (s.str.) himalayana Moore,1888** (Notodontidae) Synonym(s): *himalayana* Moore,1888
- 2070. Cerura (s.str.) intermedia (Teich,1896)** (Notodontidae) Synonym(s): *intermedia* Teich,1896
- 2071. Cerura (s.str.) vinula (Linnaeus,1758)** (Notodontidae) Synonym(s): *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939
- 2072. Drymonia moyaei (Ebert,1971)** (Notodontidae)
Synonym(s): *moyaei* Ebert,1971
- 2073. Furcula interrupta Christoph,1867** (Notodontidae)
Synonym(s): *interrupta* Christoph,1867; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syryae* Schintlmeister,1989.
- 2074. Furcula persica (Gaede,1933)** (Notodontidae)
Synonym(s): *persica* Gaede,1933
- 2075. Furcula turbida (Brandt,1938)** (Notodontidae)
Synonym(s): *turbida* Brandt,1938
- 2076. Neoharpyia pulcherrima Brandt,1938** (Notodontidae) Synonym(s): *pulcherrima* Brandt,1938
- 2077. Notodonta ziczac (Linnaeus,1758)** (Notodontidae)
Synonym(s): *ziczac* Linnaeus,1758; *venosa* Fourcroy,1785; *monticola* Dannehl,1925; *lapponica* Rangnow,1935; *dimorpha* Rangnow,1935; *reisseri* Rungs,1956
- 2078. Peridea korbi (Rebel,1918)** (Notodontidae)
Synonym(s): *korbi* Rebel,1918
- 2079. Peridea murina Kiriakoff,1974** (Notodontidae)
Synonym(s): *murina* Kiriakoff,1974
- 2080. Pheosia grummi (Christoph,1885)** (Notodontidae)
Synonym(s): *grummi* Christoph,1885; *brandti* O.Bang-Haas,1937; *#murina* O.Bang-Haas,1937
- 2081. Pheosia teheranica Daniel,1965** (Notodontidae)
Synonym(s): *teheranica* Daniel,1965
- 2082. Ptilodontella saerdabensis Daniel,1938** (Notodontidae) Synonym(s): *saerdabensis* Daniel,1938
- 2083. Sumeria dipotamica Tams,1938** (Notodontidae)
Synonym(s): *dipotamica* Tams,1938
- 2084. Agonopterix adpersella (Kollar,1832)** (Oecophoridae) Synonym(s): *adpersella* Kollar,1832
- 2085. Agonopterix dideganella Amsel,1972** (Oecophoridae)
Synonym(s): *dideganella* Amsel,1972
- 2086. Agonopterix kotalella Amsel,1972** (Oecophoridae)
Synonym(s): *kotalella* Amsel,1972

- 2087. Agonopterix miyanella** Amsel, 1972 (Oecophoridae)
Synonym(s): *miyanella* Amsel, 1972
- 2088. Agonopterix purpurea** (Haworth, [1811]) (Oecophoridae) Synonym(s): *purpurea* Haworth, [1811]
- 2089. Agonopterix subpropinquella** (Stainton, 1849) (Oecophoridae) Synonym(s): *subpropinquella* Stainton, 1849; *rhodochrella* Herrich-Schäffer, [1854]; *thoracica* Lederer, 1855; *sublutella* Staudinger, 1859; *variabilis* Heinemann, 1870; *crispella* Lhomme, 1929; *amilcarella* Lucas, 1951.
- 2090. Agonopterix vendettella** (Chrétien, 1908) (Oecophoridae) Synonym(s): *vendettella* Chrétien, 1908
- 2091. Anchinia laureolella** Herrich-Schäffer, 1854 (Oecophoridae) Synonym(s): *laureolella* Herrich-Schäffer, 1854
- 2092. Depressaria coenosella** Zerny, 1939 (Oecophoridae) Synonym(s): *coenosella* Zerny, 1939
- 2093. Depressaria daucivorella** Ragonot, 1889 (Oecophoridae) Synonym(s): *daucivorella* Ragonot, 1889
- 2094. Depressaria depressana** (Fabricius, 1775) (Oecophoridae) Synonym(s): *depressana* Fabricius, 1775; *anethana* Brahm, 1791; *depressella* Fabricius, 1798; *bluntii* Curtis, 1828; *collarella* Zetterstedt, 1839.
- 2095. Depressaria discipunctella** Herrich-Schäffer, 1854 (Oecophoridae) Synonym(s): *discipunctella* Herrich-Schäffer, 1854
- 2096. Depressaria eryngiella** Millière, 1881 (Oecophoridae) Synonym(s): *eryngiella* Millière, 1881; *campestrella* Chrétien, 1896; *deliciosella* Turati, 1924; *obolucha* Meyrick, 1936
- 2097. Depressaria fuscovirgatella** Heinemann, 1967 (Oecophoridae) Synonym(s): *fuscovirgatella* Heinemann, 1967; *pagmanella* Amsel, 1972
- 2098. Depressaria hirtipalpis** Zeller, 1854 (Oecophoridae) Synonym(s): *hirtipalpis* Zeller, 1854
- 2099. Depressaria ivinskisi** Lvovsky, 1990 (Oecophoridae) Synonym(s): *ivinskisi* Lvovsky, 1990
- 2100. Depressaria macrotrichella** Rebel (Oecophoridae) Synonym(s):
- 2101. Depressaria marcella** Rebel, 1901 (Oecophoridae) Synonym(s): *marcella* Rebel, 1901
- 2102. Depressaria mesopotamica** Amsel, 1949 (Oecophoridae) Synonym(s): *mesopotamica* Amsel, 1949
- 2103. Depressaria peregrinella** Hannemann, 1967 (Oecophoridae) Synonym(s): *peregrinella* Hannemann, 1967
- 2104. Depressaria sordidatella** Tengström, 1848 (Oecophoridae) Synonym(s): *sordidatella* Tengström, 1848; *weirella* Stainton, 1849.
- 2105. Depressaria velox** Staudinger, 1859 (Oecophoridae) Synonym(s): *velox* Staudinger, 1859
- 2106. Exaeretia ledereri** (Zeller, 1854) (Oecophoridae) Synonym(s): *ledereri* Zeller, 1854.
- 2107. Horridopalpus moranella** (Chrétien, 1907) (Oecophoridae) Synonym(s): *moranella* Chrétien, 1907
- 2108. Karwandania chimabacchella** Amsel, 1959 (Oecophoridae) Synonym(s): *chimabacchella* Amsel, 1959
- 2109. Pleurota bicostella** (Clerck, 1759) (Oecophoridae) Synonym(s): *bicostella* Clerck, 1759; *bipunctella* Hübner, 1793; *bicostatus* Fabricius, 1798
- 2110. Pleurota delattinia** H. Back, 1973 (Oecophoridae) Synonym(s): *delattinia* H. Back, 1973
- 2111. Pleurota generosella** Rebel, 1900 (Oecophoridae) Synonym(s): *generosella* Rebel, 1900; *alexandrina* Meyrick, 1935
- 2112. Pleurota gnathella** H. Back, 1973 (Oecophoridae) Synonym(s): *gnathella* H. Back, 1973
- 2113. Pleurota lineata** Toll, 1947 (Oecophoridae) Synonym(s): *lineata* Toll, 1947
- 2114. Pleurota media** H. Back, 1973 (Oecophoridae) Synonym(s): *media* H. Back, 1973
- 2115. Pleurota metricella** (Zeller, 1847) (Oecophoridae) Synonym(s): *metricella* Zeller, 1847
- 2116. Pleurota persica** H. Back, 1973 (Oecophoridae) Synonym(s): *persica* H. Back, 1973
- 2117. Pleurota wiltshirei** Amsel, 1949 (Oecophoridae) Synonym(s): *wiltshirei* Amsel, 1949
- 2118. Archon apollinaris** (Staudinger, [1892]) (Papilionidae) Synonym(s): *apollinaris* Staudinger, [1892]; *pallidior* Spuler, 1892; *#mardina* Stichel, 1907; *bostanchii* De Freina & Naderi, 2003.
- 2119. Hypermnestra helios** (Nickerl, 1846) (Papilionidae) Synonym(s): *helios* Nickerl, 1846; *maxima* Lang, 1884; *persica* Neuburger, 1900; *hyrcana* Sheljuzhko, 1956.
- 2120. Ipichlides podalirius** (Linnaeus, 1758) (Papilionidae) Synonym(s): *podalirius* Linnaeus, 1758; *sinon* Poda, 1761; *flammeus* Fourcroy, 1785; *inalpinus* Verity, 1911; *valesiaca* Verity, 1911; *zanclaeides* Verity, 1911; *pseudopersica* Rocci, 1926.
- 2121. Papilio (s.str. (Alexanoria)) alexanor** Esper, [1800] (Papilionidae) Synonym(s): *polidamas* De Prunner, 1787 *nec* Linnaeus, 1758; *alexanor* Esper, [1800]; *polychaon* Loche, 1801; *destelensis* Nel & Chauliac, 1983.
- 2122. Papilio (s.str.) machaon** Linnaeus, 1758 (Papilionidae) Synonym(s): *machaon* Linnaeus, 1758; *reginae* Retzius, 1783; *umbellatarum* Fabricius, 1807; *aurantiaca* Speyer, 1858.
- 2123. Parnassius (Driopa) mnemosyne** (Linnaeus, 1758) (Papilionidae) Synonym(s): *mnemosyne* Linnaeus, 1758
- 2124. Princeps (s.str. (s.str.)) demoleus** (Linnaeus, 1758) (Papilionidae) Synonym(s): *demoleus* Linnaeus, 1758; *erithonius* Cramer, [1782]; *epius* Fabricius, 1793; *sthenelus* Macleay, 1826; *demoleinus* Oberthür, 1879; *pictus* Fruhstorfer, 1898; *#chryseis* Boulet & Le Cerf, 1912; *flavosignatus* Heydemann, 1954
- 2125. Zerynthia (Allancastris) deyrollei** (Oberthür, 1869) (Papilionidae) Synonym(s): *deyrollei* Oberthür, 1869; *eisneri* Bernardi, 1970; *lycaoniae* Eisner & Wagener, 1974; *#flavomaculata* Verity, 1905; *#ochracea* Verity, 1905; *#obscurior* Verity, 1905; *#subflava* Schultz, 1908; *#deflexa* Schultz, 1908; *#charis* Schultz, 1908; *#separata* Sheljuzhko, 1927.
- 2126. Zerynthia (Allancastris) louristana** (Le Cerf, 1908) (Papilionidae) Synonym(s): *louristana* Le Cerf, 1908; *hermanni* Stichel, 1910.
- 2127. Anthocharis cardamines** (Linnaeus, 1758) (Pieridae) Synonym(s): *cardamines* Linnaeus, 1758; *hesperides* Newman, 1894; *britannica* Verity, 1908; *meridionalis* Verity, 1908 *nec* Lederer, 1852; *montivaga* Turati & Verity, 1911
- 2128. Anthocharis damone** Boisduval, 1836 (Pieridae) Synonym(s): *damone* Boisduval, 1836
- 2129. Anthocharis gruneri** Herrich-Schäffer, [1851] (Pieridae) Synonym(s): *gruneri* Herrich-Schäffer, [1851]; *#diluta* Röber, 1907; *eros* Röber, 1907
- 2130. Aporia (Metaporia) (Turanoporia)) leucodice** (Eversmann, 1843) (Pieridae) Synonym(s): *leucodice* Eversmann, 1843; *altensis* Heyne, 1895; *morosevitshae* Sheljuzhko, 1907.
- 2131. Aporia (s.str.) crataegi** (Linnaeus, 1758) (Pieridae) Synonym(s): *crataegi* Linnaeus, 1758; *nigronervosus* Retzius, 1783; *minor* Verity, 1907; *basanius* Fruhstorfer, 1910; *crataegiaugusta* Verity, 1937.
- 2132. Belenois aurota** (Fabricius, 1793) (Pieridae) Synonym(s): *mesentina* Cramer, [1780] *nec* Cr., [1777]; *aurota* Fabricius, 1793; *augusta* Olivier, 1807; *syrinx* Wallengren, 1860; *lordaca* Walker, 1870; *auriginea* Butler, 1886; *turanica* Sheljuzko, 1908; *#iris* Gauckler, 1912; *#sulphurea* Gauckler, 1912; *#pusillima* Strand, 1915; *#punctifera* Hulstaert, 1924.
- 2133. Catopsilia florella** (Fabricius, 1775) (Pieridae) Synonym(s): *florella* Fabricius, 1775; *pyrene* Swainson, 1821; *hyblaea* & *rhadia* Boisduval, 1836; *marchellina* Bertolini, 1850; *aleurona* Butler, 1876; *rufosparsa* Butler, 1880; *swainsoni* Westwood, 1881.
- 2134. Colias (Eriocolias) chrysotheme** (Esper, [1781]) (Pieridae) Synonym(s): *chrysotheme* Esper, [1781]
- 2135. Colias (Eriocolias) crocea** (Fourcroy, 1785) (Pieridae) Synonym(s): *crocea* Fourcroy, 1785; *pyrenaica* Groum-Grshimailo, 1893.
- 2136. Colias (Eriocolias) thisoa** Ménéttriés, 1832 (Pieridae) Synonym(s): *thisoa* Ménéttriés, 1832; *helenia* Herrich-Schäffer, [1844]; *eos* Herrich-Schäffer, [1848]; *#ludmilla* Schulte, 1889.
- 2137. Colias (Eriocolias) wiskotti** Staudinger, 1882 (Pieridae) Synonym(s): *wiskotti* Staudinger, 1882
- 2138. Colias (Neocolias) aurorina** Herrich-Schäffer, [1850] (Pieridae) Synonym(s): *aurorina* Herrich-Schäffer, [1850]
- 2139. Colias (Neocolias) chlorocoma** Christoph, 1888 (Pieridae) Synonym(s): *chlorocoma* Christoph, 1888
- 2140. Colias (Neocolias) erate** (Esper, [1805]) (Pieridae) Synonym(s): *erate* Esper, [1805]; *afghana* O. Bang-Haas, 1927

- 2141. *Colias (Neocolias) libanotica* Lederer, 1858** (Pieridae)
Synonym(s): *libanotica* Lederer, 1858
- 2142. *Colias (Neocolias) sagartia* Lederer, 1869** (Pieridae)
Synonym(s): *sagartia* Lederer, 1869
- 2143. *Colias (s.str.) sareptensis* Staudinger, 1881** (Pieridae)
Synonym(s): *#sareptensis* Staudinger, 1871; *sareptensis* Staudinger, 1881.
- 2144. *Colotis (s.str.) amatus* (Fabricius, 1775)** (Pieridae)
Synonym(s): *amatus* Fabricius, 1775
- 2145. *Colotis (s.str.) aurora* (Cramer, [1780])** (Pieridae)
Synonym(s): *eucharis* Fabricius, 1775; *nec Dru.*, [1773]; *aurora* Cramer, [1780].
- 2146. *Colotis (s.str.) eborea* (Stoll, [1781])** (Pieridae)
Synonym(s): *danae* Fabricius, 1775 *nec* Hufn., 1766; *eborea* Stoll, [1781].
- 2147. *Colotis (s.str.) etrida* (Boisduval, 1836)** (Pieridae)
Synonym(s): *etrida* Boisduval, 1836; *bimbura* Butler, 1876; *casimirus* Butler, 1876; *farrinus* Butler, 1876; *pernotatus* Butler; *purus* Butler, 1876.
- 2148. *Colotis (s.str.) evagore* (Klug, 1829)** (Pieridae)
Synonym(s): *evagore* Klug, 1829; *saxeus* Swinhoe, 1884
- 2149. *Colotis (s.str.) faustus* (Olivier, [1804])** (Pieridae)
Synonym(s): *fausta* Olivier, [1804]; *faustina* Felder & Felder, [1865].
- 2150. *Colotis (s.str.) liagore* (Klug, 1829)** (Pieridae)
Synonym(s): *liagore* Klug, 1829; *#liagoroides* Rothschild, 1921; *#desertorum* Talbot, 1939.
- 2151. *Colotis (s.str.) phisadius* (Godart, [1819])** (Pieridae)
Synonym(s): *phisadia* Godart, [1819]; *arne* Klug, 1829; *philumene* Mabille, 1880.
- 2152. *Colotis (s.str.) protractus* (Butler, 1876)** (Pieridae)
Synonym(s): *protractus* Butler, 1876; *semiramis* Groum-Grshimailo, 1902
- 2153. *Colotis (s.str.) vestalis* (Butler, 1876)** (Pieridae)
Synonym(s): *vestalis* Butler, 1876; *puellaris* Butler, 1876; *ochreipennis* Butler, 1876; *intermissus* Butler, 1883; *rosus* Swinhoe, 1884; *peelus* Swinhoe, 1884; *dubius* Swinhoe, 1884.
- 2154. *Euchloe (Elphinstonia) lessei* Bernardi, 1957** (Pieridae)
Synonym(s): *lessei* Bernardi, 1957
- 2155. *Euchloe (Elphinstonia) penia* (Freyer, [1852])** (Pieridae)
Synonym(s): *penia* Freyer, [1852]; *mesopotamica* Baker, 1889.
- 2156. *Euchloe (Elphinstonia) tomyris* Christoph, 1884** (Pieridae)
Synonym(s): *tomyris* Christoph, 1884
- 2157. *Euchloe (Elphinstonia) transcaspica* (Staudinger, [1892])** (Pieridae)
Synonym(s): *transcaspica* Staudinger, [1892]
- 2158. *Euchloe (Elphinstonia) ziyani* Leestmans & Back, 2001** (Pieridae)
Synonym(s): *ziyani* Leestmans & Back, 2001
- 2159. *Euchloe (s.str.) ausonia* (Hübner, [1804])** (Pieridae)
Synonym(s): *ausonia* Hübner, [1804]; *marchandae* Geyer, [1832].
- 2160. *Euchloe (s.str.) belemia* (Esper, [1800])** (Pieridae)
Synonym(s): *belemia* Esper, [1800]; *glaue* Freyer, [1848]
- 2161. *Gonepteryx (s.str.) farinosa* (Zeller, 1847)** (Pieridae)
Synonym(s): *farinosa* Zeller, 1847
- 2162. *Gonepteryx (s.str.) rhamni* (Linnaeus, 1758)** (Pieridae)
Synonym(s): *rhamni* Linnaeus, 1758; *gravesi* Huggins, 1956.
- 2163. *Leptidea duponcheli* (Staudinger, 1871)** (Pieridae)
Synonym(s): *duponcheli* Staudinger, 1871; *#dupncheli* Nazari, 2003
- 2164. *Pieris (Artogeia) bowdeni* Eitschberger, [1984]** (Pieridae)
Synonym(s): *bowdeni* Eitschberger, [1984]
- 2165. *Pieris (Artogeia) bryoniae* (Hübner, [1804])** (Pieridae)
Synonym(s): *bryoniae* Hübner, [1804]; *neobryoniae* Miller, 1933; *wolfsbergeri* Eitschberger, [1984]; *debrosi* Eitschberger, [1984] (cf. Leraut, 1997).
- 2166. *Pieris (Artogeia) ergane* (Geyer, [1828])** (Pieridae)
Synonym(s): *ergane* Geyer, [1828]; *narcaeae* Freyer, [1828].
- 2167. *Pieris (Artogeia) krueperi* Staudinger, 1860** (Pieridae)
Synonym(s): *krueperi* Staudinger, 1860
- 2168. *Pieris (Artogeia) mannii* (Mayer, 1851)** (Pieridae)
Synonym(s): *mannii* Mayer, 1851; *alpigena* Verity, 1911; *roberti* Eitschberger & Steiniger, 1973.
- 2169. *Pieris (Artogeia) persis* Verity, 1922** (Pieridae)
Synonym(s): *persis* Verity, 1922; *higginsii* Bowden, 1961.
- 2170. *Pieris (Artogeia) pseudorapae* Verity, 1908** (Pieridae)
Synonym(s): *pseudorapae* Verity, 1908
- 2171. *Pieris (Artogeia) rapae* (Linnaeus, 1758)** (Pieridae)
Synonym(s): *rapae* Linnaeus, 1758; *nelo* Bergsträßer, 1780; *metra* Stephens, 1827; *alpica* Rossi, 1929.
- 2172. *Pieris (s.str.) brassicae* (Linnaeus, 1758)** (Pieridae)
Synonym(s): *brassicae* Linnaeus, 1758; *chariclea* Stephens, 1827; *#venata* Verity, 1908; *cyniphia* Turati, 1924.
- 2173. *Pontia callidice* (Hübner, [1800])** (Pieridae)
Synonym(s): *callidice* Hübner, [1800]; *callidice* Esper, [1803].
- 2174. *Pontia chloridice* (Hübner, [1813])** (Pieridae)
Synonym(s): *rossiae* Esper, [1784] *nec* *rossiae* Esper, [1783]; *chloridice* Hübner, [1813]; *#aestuosa* Staudinger, 1901; *albidice* Staudinger, 1901 *nec* Oberthür, 1881.
- 2175. *Pontia daplidice* (Linnaeus, 1758)** (Pieridae)
Synonym(s): *daplidice* Linnaeus, 1758; *belemida* Geyer, [1832]; *albidice* Oberthür, 1881; *iberidice* Bryk, 1940.
- 2176. *Pontia edusa* (Fabricius, 1777)** (Pieridae)
Synonym(s): *edusa* Fabricius, 1777; *bellidice* Ochsenheimer, 1808; *persica* Bienert, 1869; *#nitida* Verity, [1908].
- 2177. *Pontia glauconome* Klug, 1829** (Pieridae)
Synonym(s): *glauconome* Klug, 1829
- 2178. *Zegris eupheme* (Esper, [1804])** (Pieridae)
Synonym(s): *eupheme* Esper, [1804]; *erother* Eversmann, 1832; *tschudica* Herrich-Schäffer, [1851].
- 2179. *Amicta quadrangularis* (Christoph, 1873)** (Psychidae)
Synonym(s): *quadrangularis* Christoph, 1873; *nigrescens* Staudinger, 1899
- 2180. *Apterona crenulella* (Bruand, 1853)** (Psychidae)
Synonym(s): *crenulella* Bruand, 1853
- 2181. *Canephora caucasica* (A. Bang-Haas, 1912)** (Psychidae)
Synonym(s): *caucasica* A. Bang-Haas, 1921; *subgrisea* Kozhanchikov, 1956.
- 2182. *Canephora shahkuhensis* (Heylaerts, 1885)** (Psychidae)
Synonym(s): *shahkuhensis* Heylaerts, 1885
- 2183. *Canephora villosa* (Brandt, 1938)** (Psychidae)
Synonym(s): *villosa* Brandt, 1938
- 2184. *Kalliesia irana* Sobczyk, 2004** (Psychidae)
Synonym(s): *irana* Sobczyk, 2004
- 2185. *Melasina ciliaris* (Ochsenheimer, 1810)** (Psychidae)
Synonym(s): *ciliaris* Ochsenheimer, 1810; *lugubris* Hübner, [1808] *nec* Fabricius, 1777; *aequalis* Osthelder, 1938
- 2186. *Adaina microdactyla* (Hübner, [1813])** (Pterophoridae)
Synonym(s): *microdactyla* Hübner, [1813]; *carphodactylus* Stephens, 1834; *subflavescens* Meyrick, 1930; *montivola* Meyrick, 1937.
- 2187. *Agdistis (Adenistis) adenensis* Amsel, 1961** (Pterophoridae)
Synonym(s): *adenensis* Amsel, 1961
- 2188. *Agdistis (Adenistis) olei* Arenberger, 1976** (Pterophoridae)
Synonym(s): *olei* Arenberger, 1976
- 2189. *Agdistis (Frankistis) frankeniae* (Zeller, 1847)** (Pterophoridae)
Synonym(s): *frankenica* Zeller, 1847; *lerinsis* Millièr, 1876; *bahrlutia* Amsel, 1955; *tondeuri* Bigot, 1963; *rupestris* Bigot, 1974; *rjabovi* Zagulyaev & Filippova, 1976; *kulunda* Ustjuzhanin, 1991.
- 2190. *Agdistis (Pardistis) insidiatrix* Meyrick, 1936** (Pterophoridae)
Synonym(s): *insidiatrix* Meyrick, 1936
- 2191. *Agdistis (Pardistis) parvella* Amsel, 1958** (Pterophoridae)
Synonym(s): *parvella* Amsel, 1958
- 2192. *Agdistis (Pardistis) tenera* Arenberger, 1976** (Pterophoridae)
Synonym(s): *tenera* Arenberger, 1976
- 2193. *Agdistis (Tamaristis) arabica* Amsel, 1958** (Pterophoridae)
Synonym(s): *arabica* Amsel, 1958
- 2194. *Agdistis (Tamaristis) tamaricis* (Zeller, 1847)** (Pterophoridae)
Synonym(s): *tamaricis* Zeller, 1847; *bagdadiensis* Amsel, 1949; *xinjiangensis* Qin & Zheng, 1997.
- 2195. *Agdistis (s.str.) adactyla* (Hübner, [1819])** (Pterophoridae)
Synonym(s): *adactyla* Hübner, [1819]; *huebneri* Curtis, 1834; *delphinensella* Bruand, 1858; *shaanxisis* Qin & Zheng, 1997.
- 2196. *Agdistis (s.str.) nanodes* Meyrick, 1906** (Pterophoridae)
Synonym(s): *nanodes* Meyrick, 1906; *sindicola* Amsel, 1968; *debilis* Bigot, 1968.

- 2197. Agdistis urmijensis Zagulyaev, 1995** (Pterophoridae)
Synonym(s): *urmijensis* Zagulyaev, 1995
- 2198. Amblyptilia acanthadactyla (Hübner, [1813])** (Pterophoridae) Synonym(s): *acanthadactyla* Hübner, [1813]; *odontodactyla* Charpentier, 1821; *calaminthae* Frey, 1886; *tetralicella* Hofmann, 1895.
- 2199. Calyciphora goleanica Alipanah & Ustjuzhanin, 2005** (Pterophoridae) Synonym(s): *golestanica* Alipanah & Ustjuzhanin, 2005
- 2200. Capperia celeusi (Frey, 1886)** (Pterophoridae)
Synonym(s): *celeusi* Frey, 1886; *intercisa* Meyrick, 1930; *belutschistanella* Amsel, 1959; *karakalensis* Gibeaux, 1997.
- 2201. Capperia marginella (Zeller, 1847)** (Pterophoridae)
Synonym(s): *marginella* Zeller, 1847
- 2202. Capperia salanga Arenberger, 1995** (Pterophoridae)
Synonym(s): *salanga* Arenberger, 1995
- 2203. Capperia washbourni Adamczewski, 1951** (Pterophoridae) Synonym(s): *washbourni* Adamczewski, 1951
- 2204. Crombrughia distans (Zeller, 1847)** (Pterophoridae)
Synonym(s): *distans* Zeller, 1847; *distantidactyla* Bruand, 1858; *geodactylus* Fuchs, 1903; *lactuca* Fletcher, 1920; *clarisignis* Myerick, 1924; *buvati* Bigot & Picard, 1988; *pravieli* Bigot & Picard, 1989; *gibeauxi* Bigot et al., 1990; *supplementum* Gibeaux, 1997.
- 2205. Crombrughia kollari (Stainton, 1851)** (Pterophoridae) Synonym(s): *kollari* Stainton, 1851
- 2206. Crombrughia laeta (Zeller, 1847)** (Pterophoridae)
Synonym(s): *laetus* Zeller, 1847; *loetidactyla* Bruand, 1858; *andryalae* Millière, 1863; *andryaladactylus* Millière, 1863; *lantoscanus* Millière, 1882.
- 2207. Emmelina argoteles (Meyrick, 1922)** (Pterophoridae)
Synonym(s): *argoteles* Meyrick, 1922; *jezonicus* Matsumura, 1931; *komabensis* Matsumura, 1931; *menoko* Matsumura, 1931; *yanagawanus* Matsumura, 1931.
- 2208. Emmelina monodactyla (Linnaeus, 1758)** (Pterophoridae) Synonym(s): *monodactyla* Linnaeus, 1758; *sibiricus* Caradja, 1920.
- 2209. Hellinsia lienigiana (Zeller, 1852)** (Pterophoridae)
Synonym(s): *lienigianus* Zeller, 1852; *melinodactylus* Herrich-Schäffer, 1855; *scarodactylus* Becker, 1861; *serindibanus* Moore, 1886; *victorianus* Strand, 1913; *catharodactylus* Caradja, 1920; *hirosakianus* Matsumura, 1931; *mutuurai* Yano, 1963.
- 2210. Hellinsia pectodactyla (Staudinger, 1859)** (Pterophoridae) Synonym(s): *pectodactylus* Staudinger, 1859; *angustus* Walsingham, 1880; *stramineus* Walsingham, 1880; *melanoschisma* Walsingham, 1908.
- 2211. Marasmarcha ehrenbergiana Zeller, 1841** (Pterophoridae) Synonym(s): *ehrenbergiana* Zeller, 1841; *decolorum* Caradja, 1920.
- 2212. Megalorhipida leucodactyla (Fabricius, 1794)** (Pterophoridae) Synonym(s): *leucodactylus* Fabricius, 1794; *defectalis* Walker, 1864; *congrualis* Walker, 1864; *oxydactyla* Walker, 1864; *hawaiiensis* Butler, 1881; *ochrodactyla* Fish, 1881; *centetes* Meyrick, 1886; *composchares* Meyrick, 1886; *ralumensis* Pagenstecher, 1900; *derelectus* Meyrick, 1926; *palaestinensis* Amsel, 1935
- 2213. Merrifieldia brandti (Arenberger, 1981)** (Pterophoridae) Synonym(s): *brandti* Arenberger, 1981
- 2214. Merrifieldia calcaria (Lederer, 1870)** (Pterophoridae)
Synonym(s): *calcaria* Lederer, 1870
- 2215. Merrifieldia caspia (Lederer, 1870)** (Pterophoridae)
Synonym(s): *caspia* Lederer, 1870
- 2216. Merrifieldia diwani (Arenberger, 1981)** (Pterophoridae) Synonym(s): *diwani* Arenberger, 1981
- 2217. Merrifieldia farsi (Arenberger, 1981)** (Pterophoridae)
Synonym(s): *farsi* Arenberger, 1981
- 2218. Merrifieldia malacodactyla (Zeller, 1847)** (Pterophoridae) Synonym(s): *malacodactyla* Zeller, 1847; *meridionalis* Staudinger, 1880; *indocta* Meyrick, 1913; *subtilis* Caradja, 1920; *parca* Meyrick, 1921; *subcretosa* Meyrick, 1922; *phaeoschista* Meyrick, 1923; *luteodactyla* Turati, 1926; *rayatella* Amsel, 1959; *insularis* Bigot, 1961; *livadiensis* Zagulyaev & Filippova, 1976; *transdanubinus* Fazekas, 1986; *garrigae* Bigot & Picard, 1989; *moulinieri* Nel, 1991; *inopinata* Bigot, Nel & Picard, 1993
- 2219. Merrifieldia tridactyla (Linnaeus, 1758)** (Pterophoridae) Synonym(s): *tridactyla* Linnaeus, 1758; *tetradactyla* Linnaeus, 1758; *niveidactylus* Stephens, 1829; *fuscolimbatus* Duponchel, 1844; *exilidactyla* Buszko, 1975.
- 2220. Oxyptilus parvidactylus (Haworth, [1811])** (Pterophoridae) Synonym(s): *parvidactylus* Haworth, [1811]; *microdactylus* Samouelle, 1819; *obscurus* Zeller, 1841; *hemididactylus* Selys-Longchamps, 1845; *dentellus* Zeller, 1852; *obscuridactyla* Bruand, 1859; *hofmannseggii* Möschler, 1866; *maroccanensis* Amsel, 1956.
- 2221. Oxyptilus pilosellae (Zeller, 1841)** (Pterophoridae)
Synonym(s): *pilosellae* Zeller, 1841; *pilosellidactyla* Bruand, 1859; *bohemanni* Wallengren, 1862.
- 2222. Paracapperia anatolica (Caradja, 1920)** (Pterophoridae) Synonym(s): *anatolica* Caradja, 1920.
- 2223. Pselnophorus poggei (Mann, 1862)** (Pterophoridae)
Synonym(s): *poggei* Mann, 1862; *minutus* Alpheraky, 1876; *borzhomi* Zagulyaev, 1987.
- 2224. Pterophorus djebeli Arenberger, 1981** (Pterophoridae) Synonym(s): *djebeli* Arenberger, 1981
- 2225. Pterophorus pentadactylus (Linnaeus, 1758)** (Pterophoridae) Synonym(s): *pentadactylus* Linnaeus, 1758; *tridactyla* Scopoli, 1763; *sulphurea* Staudinger, 1880.
- 2226. Pterophorus subalternans (Lederer, 1869)** (Pterophoridae) Synonym(s): *subalternans* Lederer, 1869
- 2227. Stangeia siceliota (Zeller, 1847)** (Pterophoridae)
Synonym(s): *siceliota* Zeller, 1847; *ononidis* Zeller, 1852; *ononydactyla* Bruand, 1858; *siceliotidactyla* Bruand, 1858.
- 2228. Stenodacma iranella Amsel, 1959** (Pterophoridae)
Synonym(s): *iranella* Amsel, 1959
- 2229. Stenodacma wahlbergi (Zeller, 1851)** (Pterophoridae)
Synonym(s): *wahlbergi* Zeller, 1851; *rutilalis* Walker, 1864.
- 2230. Stenoptilia arida (Zeller, 1847)** (Pterophoridae)
Synonym(s): *arida* Zeller, 1847; *oxyactis* Meyrick, 1921; *elkefi* Arenberger, 1984.
- 2231. Stenoptilia mannii (Zeller, 1852)** (Pterophoridae)
Synonym(s): *mannii* Zeller, 1852; *megalochroa* Meyrick, 1930.
- 2232. Stenoptilia wagneri Zerny, 1939** (Pterophoridae)
Synonym(s): *wagneri* Zerny, 1939
- 2233. Tabulaephorus decipiens (Lederer, 1870)** (Pterophoridae) Synonym(s): *decipiens* Lederer, 1870
- 2234. Tabulaephorus djebeli (Arenberger, 1981)** (Pterophoridae) Synonym(s): *djebeli* Arenberger, 1981
- 2235. Tabulaephorus parthicus (Lederer, 1870)** (Pterophoridae) Synonym(s): *parthicus* Lederer, 1870
- 2236. Wheeleria elbursi (Arenberger, 1981)** (Pterophoridae)
Synonym(s): *elbursi* Arenberger, 1981
- 2237. Wheeleria kabuli (Arenberger, 1981)** (Pterophoridae)
Synonym(s): *kabuli* Arenberger, 1981
- 2238. Wheeleria obsoleta (Zeller, 1841)** (Pterophoridae)
Synonym(s): *obsoleta* Zeller, 1841; *confusa* Herrich-Schäffer, 1855; *marrubii* Wasserthal, 1970.
- 2239. Wheeleria phlomidis (Staudinger, 1871)** (Pterophoridae) Synonym(s): *phlomidis* Staudinger, 1871
- 2240. Wheeleria sobeidae (Arenberger, 1981)** (Pterophoridae) Synonym(s): *sobeidae* Arenberger, 1981
- 2241. Wheeleria spilodactyla (Curtis, 1827)** (Pterophoridae)
Synonym(s): *spilodactyla* Curtis, 1827; *marrubii* Heydenreich, 1851.
- 2242. Achyra nudalis (Hübner, 1796)** (Pylalidae)
Synonym(s): *nudalis* Hübner, 1796; *interpunctalis* Hübner, 1796; *unipunctalis* Duponchel, 1831; *bipunctalis* Duponchel, 1831; *pauciferalis* Walker, 1865; *noddalis* Gundlach, 1891; *ochromorpha* Lower, 1901
- 2243. Achyra ochrofascialis (Christoph, 1882)** (Pylalidae)
Synonym(s): *ochrofascialis* Christoph, 1882; *#ochrifascialis* Wiltshire, 1957.
- 2244. Achyra ustrinalis (Christoph, 1877)** (Pylalidae)
Synonym(s): *ustrinalis* Christoph, 1877
- 2245. Acrobasis atrisquamella Ragonot, 1887** (Pylalidae)
Synonym(s): *atrisquamella* Ragonot, 1887; *nigrisquamella* Amsel, 1953
- 2246. Acrobasis glauella Staudinger, 1859** (Pylalidae)
Synonym(s): *glauella* Staudinger, 1859; *fallouella* Ragonot, 1871; *anatolica* Caradja, 1910.

- 2247. *Acrobasis nigribasalis* Amsel, 1953** (Pyralidae)
Synonym(s): *nigribasalis* Amsel, 1953
- 2248. *Acrobasis* ? *mabilleella* (Lucas)** (Pyralidae)
Synonym(s): *mabilleella* Lucas
- 2249. *Acrobasis acrobasa* (Rebel, 1926)** (Pyralidae)
Synonym(s): *acrobasa* Rebel, 1926; *talhouki* Amsel, 1958.
- 2250. *Actenia honestalis* (Treitschke, 1829)** (Pyralidae)
Synonym(s): *honestalis* Treitschke, 1829
- 2251. *Actenia persica* Amsel, 1949** (Pyralidae) Synonym(s): *persica* Amsel, 1949
- 2252. *Actenopsis kurdistanella* Amsel, 1959** (Pyralidae)
Synonym(s): *kurdistanella* Amsel, 1959; *#unicolorella* Amsel, 1961.
- 2253. *Aeglotis argentalis* (Christoph, 1887)** (Pyralidae)
Synonym(s): *argentalis* Christoph, 1887
- 2254. *Aeschremon belutschistanalis* Amsel, 1959** (Pyralidae) Synonym(s): *belutschistanalis* Amsel, 1959
- 2255. *Aeschremon disparalis* Herrich-Schäffer, [1855]** (Pyralidae) Synonym(s): *disparalis* Herrich-Schäffer, [1855]; *#indistinctalis* Amsel, 1961
- 2256. *Aeschremon tenalis* Amsel, 1961** (Pyralidae)
Synonym(s): *tenalis* Amsel, 1961
- 2257. *Aglossa asiatica* Erschoff, 1871** (Pyralidae)
Synonym(s): *asiatica* Erschoff, 1871
- 2258. *Aglossa caprealis* (Hübner, [1809])** (Pyralidae)
Synonym(s): *caprealis* Hübner, [1809]; *capreolatus* Haworth, 1809; *aenalis* Costa, 1836; *domalis* Guenée, 1854; *incultella* Walker, 1866; *enthealis* Hulst, 1886; *#cuprealis* Kalchberg, 1897
- 2259. *Aglossa pinguinalis* (Linnaeus, 1758)** (Pyralidae)
Synonym(s): *pinguinalis* Linnaeus, 1758; *marmorella* Geoffroy, 1785; *marmoratella* Villers, 1789; *pinguiculatus* Haworth, 1809; *pinguinatus* Haworth, 1809; *guicciardii* Constantino, 1922
- 2260. *Agriphila beieri* Bleszynski, 1955** (Pyralidae)
Synonym(s): *beieri* Bleszynski, 1955
- 2261. *Agriphila bleszynskiella* Amsel, 1961** (Pyralidae)
Synonym(s): *bleszynskiella* Amsel, 1961
- 2262. *Agriphila cyrenaicella* (Ragonot, 1887)** (Pyralidae)
Synonym(s): *cyrenaicella* Ragonot, 1887; *alexandriensis* Bethune-Baker, 1894; *permixtella* Kalchberg, 1897.
- 2263. *Agriphila inquinatella* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *inquinatella* [Denis & Schiffermüller], 1775; ? *arbustella* Schrank, 1802; *nevadensis* Caradja, 1910.
- 2264. *Agriphila microselasella* Bleszynski, 1959** (Pyralidae)
Synonym(s): *microselasella* Bleszynski, 1959
- 2265. *Agriphila tersella* (Lederer, 1855)** (Pyralidae)
Synonym(s): *tersella* Lederer, 1855; *graphellus* Constant, 1884; *hungaricus* Schmidt, 1909; *austellus* Chrétien, 1913; *uniformellus* Caradja, 1918; *chneouri* Lucas, 1942.
- 2266. *Agrotera nemoralis* (Scopoli, 1763)** (Pyralidae)
Synonym(s): *nemoralis* Scopoli, 1763
- 2267. *Alophia combustella* (Herrich-Schäffer, [1855])** (Pyralidae) Synonym(s): *combustella* Herrich-Schäffer, [1855]; *incinerella* Caradja, 1910.
- 2268. *Amblyncus nervosellus* Amsel, 1953** (Pyralidae)
Synonym(s): *nervosellus* Amsel, 1953
- 2269. *Amechedia herlina* Roesler, 1989** (Pyralidae)
Synonym(s): *herlina* Roesler, 1989
- 2270. *Amselia heringi* (Amsel, 1935)** (Pyralidae)
Synonym(s): *heringi* Amsel, 1935
- 2271. *Anania verbascata* (Fabricius, 1787)** (Pyralidae)
Synonym(s): *#verbascalis* [Denis & Schiffermüller], 1775; *verbascata* Fabricius, 1787; *parvalis* Osthelder, 1934.
- 2272. *Anarpia incertalis* (Duponchel, 1832)** (Pyralidae)
Synonym(s): *incertalis* Duponchel, 1832; *pyrenaalis* Duponchel, 1842; *incertella* Duponchel, [1845]; *pyrenaella* Duponchel, [1845]; *pyrenaicalis* Guenée, 1846
- 2273. *Anarpia iranella* (Zerny, 1939)** (Pyralidae)
Synonym(s): *iranella* Zerny, 1939; *alvandella* Amsel, 1961
- 2274. *Ancylodes pallens* Ragonot, 1887** (Pyralidae)
Synonym(s): *pallens* Ragonot, 1887; *lactealis* Rothschild, 1915; *banghaasiella* Caradja, 1917; *#fuscella* Amsel, 1958.
- 2275. *Ancylolomia bituberosella* Amsel, 1959** (Pyralidae)
Synonym(s): *bituberosella* Amsel, 1959; *#bituberosella* Bleszynski, 1965
- 2276. *Ancylolomia indica* R. Felder & Rogenhofer, 1875** (Pyralidae) Synonym(s): *indica* R. Felder & Rogenhofer, 1875
- 2277. *Ancylolomia micropalpella* Amsel, 1951** (Pyralidae)
Synonym(s): *micropalpella* Amsel, 1951
- 2278. *Ancylolomia palpella* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *palpella* [Denis & Schiffermüller], 1775; *sovinskyi* Krulikovskiy, 1909; *syriaca* Rebel, 1911; *gracilella* Caradja, 1916; *mesopotamica* Rebel, 1918; *affinis* Rothschild, 1921.
- 2279. *Ancylolomia pectinatella* (Zeller, 1847)** (Pyralidae)
Synonym(s): *pectinatella* Zeller, 1847
- 2280. *Ancylolomia tentaculella* (Hübner, 1796)** (Pyralidae)
Synonym(s): *tentaculella* Hübner, 1796; *irakella* Amsel, 1949.
- 2281. *Ancylolomia westwoodi* Zeller, 1863** (Pyralidae)
Synonym(s): *westwoodi* Zeller, 1863
- 2282. *Ancylosis (Cabotia) lacteicostella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *lacteicostella* Ragonot, 1887; *fulvobasella* Ragonot, 1887; *aegyptiacella* Ragonot, 1901; *spatzi* Rothschild, 1915.
- 2283. *Ancylosis (Cabotia) leucocephala* (Staudinger, 1879)** (Pyralidae) Synonym(s): *leucocephala* Staudinger, 1879
- 2284. *Ancylosis (Cabotia) oblitella* (Zeller, 1848)** (Pyralidae) Synonym(s): *oblitella* Zeller, 1848; *homographis* Hampson, 1930; *ischnopsis* Meyrick, 1937; *major* Lucas, 1948; *ochraella* Lucas, 1948; *boitella* Lucas, 1950; *calaritalella* Amsel, 1951; *indistinctella* Lucas, 1955.
- 2285. *Ancylosis (Heterographis) albicosta* (Staudinger, 1870)** (Pyralidae) Synonym(s): *albicosta* Staudinger, 1870; *delimitella* Ragonot, 1887; *niveicostella* Ragonot, 1901.
- 2286. *Ancylosis (Heterographis) candidatella* (Lederer, 1858)** (Pyralidae) Synonym(s): *candidatella* Lederer, 1858; *fathmella* Oberthür, 1888; *tenuigranella* Ragonot, 1890.
- 2287. *Ancylosis (Heterographis) canella* Roesler, 1973** (Pyralidae) Synonym(s): *canella* Roesler, 1973
- 2288. *Ancylosis (Heterographis) convexella* (Lederer, 1855)** (Pyralidae) Synonym(s): *convexella* Lederer, 1855; *albiciliella* Staudinger, 1859; *favorinella* Zeller, 1867
- 2289. *Ancylosis (Heterographis) costistrigella* (Ragonot, 1890)** (Pyralidae) Synonym(s): *costistrigella* Ragonot, 1890
- 2290. *Ancylosis (Heterographis) dideganella* Roesler, 1973** (Pyralidae) Synonym(s): *dideganella* Roesler, 1973
- 2291. *Ancylosis (Heterographis) externella* Roesler, 1971** (Pyralidae) Synonym(s): *externella* Roesler, 1971
- 2292. *Ancylosis (Heterographis) faustinella* (Zeller, 1867)** (Pyralidae) Synonym(s): *faustinella* Zeller, 1867; *staudingeri* Christoph, 1877; *rubripictella* Hampson, 1896; *thalerella* Mabilie, 1908; *variabilis* Rothschild, 1915; *airensis* Rothschild, 1921; *bilineella* Amsel, 1935; *damascenella* Amsel, 1952.
- 2293. *Ancylosis (Heterographis) geminella* (Amsel, 1961)** (Pyralidae) Synonym(s): *geminella* Amsel, 1961
- 2294. *Ancylosis (Heterographis) gracilella* Ragonot, 1887** (Pyralidae) Synonym(s): *gracilella* Ragonot, 1887; *subcandidatella* Ragonot, 1887; *monostictella* Ragonot, 1887; *casella* Chrétien, 1910; *lybistina* Turati, 1924; *dowsoniella* Richards & Thomson, 1932.
- 2295. *Ancylosis (Heterographis) harmoniella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *harmoniella* Ragonot, 1887; *ochrotaeniella* Ragonot, 1887; *fulminantella* Turati, 1922; *rosalbella* Turati, 1930; *diffusella* Turati, 1930; *incanella* Turati, 1930.
- 2296. *Ancylosis (Heterographis) hellenica* (Staudinger, 1870)** (Pyralidae) Synonym(s): *hellenica* Staudinger, 1870; *deliciosella* Caradja, 1910.
- 2297. *Ancylosis (Heterographis) kazerunella* Roesler, 1973** (Pyralidae) Synonym(s): *kazerunella* Roesler, 1973
- 2298. *Ancylosis (Heterographis) muliebris* (Meyrick, 1937)** (Pyralidae) Synonym(s): *muliebris* Meyrick, 1937; *macedonica* Schawerda, 1937.
- 2299. *Ancylosis (Heterographis) nigripunctella* (Staudinger, 1879)** (Pyralidae) Synonym(s): *nigripunctella*

Staudinger, 1879; wockeella Ragonot, 1887; *carnibasalis* Hampson, 1896.

2300. Ancylosis (Heterographis) nubeculella (Ragonot, 1887) (Pyrilidae) Synonym(s): *nubeculella* Ragonot, 1887

2301. Ancylosis (Heterographis) pallida (Staudinger, 1870) (Pyrilidae) Synonym(s): *pallida* Staudinger, 1870

2302. Ancylosis (Heterographis) pyrethrella (Herrich-Schäffer, 1860) (Pyrilidae) Synonym(s): *pyrethrella* Herrich-Schäffer, 1860; *strictella* Mann, 1861; *ignibasella* Ragonot, 1887; *inflammatella* Ragonot, 1901; *trilineata* Amsel, 1961.

2303. Ancylosis (Heterographis) rhodochrella (Herrich-Schäffer, 1855) (Pyrilidae) Synonym(s): *rhodochrella* Herrich-Schäffer, 1855; *delicatella* Möschler, 1860; *ciliatella* Zeller, 1872; *lucida* Warren, 1888; *microstictella* Hampson, 1903; *ciliella* Amsel, 1961.

2304. Ancylosis (Heterographis) roscidella (Eversmann, 1844) (Pyrilidae) Synonym(s): *roscidella* Eversmann, 1844; *cinerella* Stainton, 1859; *ephedrella* Herrich-Schäffer, 1860; *neglectella* Heinemann, 1864; *blandella* Ragonot, 1887; *zobrella* Oberthür, 1888; *carnea* Warren, 1888; *barteilla* Caradja, 1910; *benderella* Amsel, 1961.

2305. Ancylosis (Heterographis) sabulosella (Staudinger, 1879) (Pyrilidae) Synonym(s): *sabulosella* Staudinger, 1879; *decolorella* Ragonot, 1901.

2306. Ancylosis (Heterographis) samaritanella (Zeller, 1867) (Pyrilidae) Synonym(s): *samaritanella* Zeller, 1867; *urbicella* Erschoff, 1874; *biligulella* Ragonot, 1887; *flavescentella* Chrétien, 1910; *diminutella* Chrétien, 1910; *cinnamomeifascia* Rothschild, 1915; *lacroixella* Lucas, 1939; *brevipalpella* Amsel, 1954.

2307. Ancylosis (Heterographis) smeczella Roesler, 1973 (Pyrilidae) Synonym(s): *smeczella* Roesler, 1973

2308. Ancylosis (Heterographis) syrtella (Ragonot, 1887) (Pyrilidae) Synonym(s): *syrtella* Ragonot, 1887; *costalbella* Amsel, 1954.

2309. Ancylosis (Heterographis) umbrilimbella (Ragonot, 1901) (Pyrilidae) Synonym(s): *umbrilimbella* Ragonot, 1901; *holella* Lucas, 1909; *thirietti* Lucas, 1937; *sfaxella* Lucas, 1949; *concavella* Amsel, 1949.

2310. Ancylosis (Heterographis) xylina (Staudinger, 1870) (Pyrilidae) Synonym(s): *xylina* Staudinger, 1870; *sablonella* Rothschild, 1915; *molochinella* Zerny, 1929.

2311. Ancylosis (Syria) biflexella (Lederer, 1855) (Pyrilidae) Synonym(s): *biflexella* Lederer, 1855; *pilosella* Zeller, 1867; *brabantella* Lucas, 1907; *similis* Rothschild, 1915; *medialba* Rothschild, 1921; *latakiella* Amsel, 1952; *fuscella* Amsel, 1961.

2312. Ancylosis (Syria) limoniella (Chrétien, 1911) (Pyrilidae) Synonym(s): *limoniella* Chrétien, 1911; *eremita* Gozmany, 1951.

2313. Ancylosis (Syria) obscuripunctella Roesler, 1973 (Pyrilidae) Synonym(s): *nigripunctella* Amsel, 1949 *nec* Stgr., 1879; *obscuripunctella* Roesler, 1973.

2314. Ancylosis (s.str.) cinnamomella (Duponchel, 1836) (Pyrilidae) Synonym(s): *dilutella* Tr., 1832 [n.o.]; *cinnamomella* Dup., 1836; *labeomella* Staudinger, 1859; *lafauryella* Rag., 1887; *byzacaeniella* Rag., 1887; *roseopennella* Rag., 1901; *tunesella* Caradja, 1910; *fuliginosa* Rothschild, 1913; *pictella* Tur., 1922; *ferrugineolineella* Tur., 1924.

2315. Ancylosis (s.str.) dryadella (Ragonot, 1887) (Pyrilidae) Synonym(s): *dryadella* Ragonot, 1887; *sefidella* Amsel, 1951.

2316. Ancylosis (s.str.) dumetella (Ragonot, 1887) (Pyrilidae) Synonym(s): *dumetella* Ragonot, 1887; *albinotella* Ragonot, 1887; *alvandella* Amsel, 1961.

2317. Ancylosis (s.str.) iranella Ragonot, 1887 (Pyrilidae) Synonym(s): *iranella* Ragonot, 1887; *turaniella* Ragonot, 1887.

2318. Ancylosis (s.str.) maculifera Staudinger, 1870 (Pyrilidae) Synonym(s): *maculifera* Staudinger, 1870; *ifraneella* Lucas, 1954.

2319. Ancylosoma substratellum (Christoph, 1877) (Pyrilidae) Synonym(s): *substratella* Christoph, 1877

2320. Anerastia lotella (Hübner, [1813]) (Pyrilidae) Synonym(s): *lotella* Hübner, [1813]

2321. Angustalius malacellus (Duponchel, 1836) (Pyrilidae) Synonym(s): *malacellus* Duponchel, 1836

2322. Anthophilopsis baphialis (Staudinger, 1870) (Pyrilidae) Synonym(s): *baphialis* Staudinger, 1870; *#baphiale* Caradja, 1917.

2323. Anthophilopsis moeschleri (Christoph, 1862) (Pyrilidae) Synonym(s): *moeschleri* Christoph, 1862

2324. Antigastra catalaunalis (Duponchel, 1833) (Pyrilidae) Synonym(s): *catalaunalis* Duponchel, 1833; *venosalis* Walker, [1866]; *#sionensis* Caradja, 1929

2325. Aphomia sociella (Linnaeus, 1758) (Pyrilidae) Synonym(s): *sociella* Linnaeus, 1758; *colonella* Linnaeus, 1758; *tribunella* [Denis & Schiffermüller], 1775; *viridella* Goeze, 1783; *inaequalis* Villers, 1789; *socia* Fabricius, 1798; *bipunctana* Curtis, 1828; *asiatica* Caradja, 1916; *pedemontana*, *eritrella* Della Beffa, 1941.

2326. Apomyelois ceratoniae (Zeller, 1839) (Pyrilidae) Synonym(s): *ceratoniae* Zeller, 1839; *ceratoniella* Fischer Röslerstamm, 1839; *pryerella* Vaughan, 1870; *tuerckheimiella* Sorhagen, 1881; *dentilinella* Hampson, 1896; *psarella* Hampson, 1903; *rivularis* Warren & Rothschild, 1905; *oporedestella* Dyar, 1911; *phoenicis* Durrant, 1915; *durandi* Lucas, 1950

2327. Apomyelois demawendella (Zerny, 1939) (Pyrilidae) Synonym(s): *demawendella* Zerny, 1939

2328. Apomyelois schaeuffelella Amsel, 1959 (Pyrilidae) Synonym(s): *schaeuffelella* Amsel, 1959

2329. Aporodes ? pygmaealis Amsel, 1961 (Pyrilidae) Synonym(s): *#pygmaealis* Amsel, 1961

2330. Aporodes floralis (Hübner, [1809]) (Pyrilidae) Synonym(s): *floralis* Hübner, [1809]; *grisealis* Caradja, 1917.

2331. Aproceratia rhexogramma (Meyrick, 1937) (Pyrilidae) Synonym(s): *rhexogramma* Meyrick, 1937

2332. Apyrausta persicalis Amsel, 1951 (Pyrilidae) Synonym(s): *persicalis* Amsel, 1951

2333. Archiephestia adpiscinella (Chrétien, 1911) (Pyrilidae) Synonym(s): *adpiscinella* Chrétien, 1911; *pholeacola* Dumont, 1932; *menonoma* Schmidt, 1934; *murciella* Amsel, 1955

2334. Ardekania farsella Amsel, 1951 (Pyrilidae) Synonym(s): *farsella* Amsel, 1951

2335. Arenipses sabella Hampson, 1901 (Pyrilidae) Synonym(s): *sabella* Hampson, 1901

2336. Arimania komaroffi (Ragonot, 1888) (Pyrilidae) Synonym(s): *komaroffi* Ragonot, 1888; *amanella* Zerny, 1934; *diplocapna* Meyrick, 1937

2337. Arsissa aksuella (Caradja, 1910) (Pyrilidae) Synonym(s): *aksuella* Caradja, 1910

2338. Arsissa divaricella (Ragonot, 1887) (Pyrilidae) Synonym(s): *divaricella* Ragonot, 1887; *#aurantiacella* Caradja, 1910; *velocella* Toll, 1948; *firusella* Amsel, 1961.

2339. Arsissa leucomixtella (Ragonot, 1887) (Pyrilidae) Synonym(s): *leucomixtella* Ragonot, 1887; *bicornutella* Amsel, 1961.

2340. Arsissa milka Roesler, 1990 (Pyrilidae) Synonym(s): *milka* Roesler, 1990

2341. Arsissa miridella (Ragonot, 1893) (Pyrilidae) Synonym(s): *miridella* Ragonot, 1893; *pallorella* Amsel, 1961; *#incertella* Amsel, 1970.

2342. Arsissa ramosella (Herrich-Schäffer, [1855]) (Pyrilidae) Synonym(s): *ramosella* Herrich-Schäffer, [1855]; *albiramosella* Caradja, 1916; *caradjaella* Zerny, 1939.

2343. Asalebria (Exophora) alida Roesler, 1988 (Pyrilidae) Synonym(s): *alida* Roesler, 1988

2344. Asalebria (Exophora) exasperata (Staudinger, 1879) (Pyrilidae) Synonym(s): *exasperata* Staudinger, 1879

2345. Asalebria (s.str.) venustella (Ragonot, 1887) (Pyrilidae) Synonym(s): *venustella* Ragonot, 1887; *hilarella* Caradja, 1916; *palella* Caradja, 1916

2346. Asarta firusella Amsel, 1961 (Pyrilidae) Synonym(s): *firusella* Amsel, 1961

2347. Auxacia bilineella (Ragonot, 1887) (Pyrilidae) Synonym(s): *bilineella* Ragonot, 1887

2348. Bazaria kuranella (Amsel, 1970) (Pyrilidae) Synonym(s): *kuranella* Amsel, 1970

2349. Bazaria leucochrella (Herrich-Schäffer, [1855]) (Pyrilidae) Synonym(s): *leucochrella* Herrich-Schäffer, [1855].

2350. Bazaria pempeliella Ragonot, 1893 (Pyrilidae) Synonym(s): *pempeliella* Ragonot, 1893; *ochriplaga* Rebel, 1909; *djiroftella* Amsel, 1959; *afghanella* Amsel, 1970

- 2351. Bazaría sieversi** (Christoph,1877) (Pyralidae)
Synonym(s): *sieversi* Christoph,1877
- 2352. Bazaría turensis** Ragonot,1887 (Pyralidae)
Synonym(s): *turensis* Ragonot,1887
- 2353. Belutchistania squamalis** Amsel,1951 (Pyralidae)
Synonym(s): *squamalis* Amsel,1951
- 2354. Benderia talhouki** Amsel,1949 (Pyralidae)
Synonym(s): *talhouki* Amsel,1949
- 2355. Bostra atomalis** Amsel (Pyralidae) Synonym(s): *atomalis* Amsel
- 2356. Bostra bifascialis** Amsel,1950 (Pyralidae)
Synonym(s): *bifascialis* Amsel,1950
- 2357. Bostra comealis** Amsel,1951 (Pyralidae) Synonym(s): *comealis* Amsel,1951
- 2358. Bostra farsalis** Amsel,1950 (Pyralidae) Synonym(s): *farsalis* Amsel,1950
- 2359. Bostra fuscella** Amsel,1959 (Pyralidae) Synonym(s): *fuscella* Amsel,1959
- 2360. Bostra kirmanialis** Amsel,1961 (Pyralidae)
Synonym(s): *kirmanialis* Amsel,1961
- 2361. Bostra laristanalis** Amsel,1961 (Pyralidae)
Synonym(s): *laristanalis* Amsel,1961
- 2362. Bostra luteocostalis** Amsel,1950 (Pyralidae)
Synonym(s): *luteocostalis* Amsel,1950
- 2363. Bostra pseudospaniella** Amsel,1951 (Pyralidae)
Synonym(s): *pseudospaniella* Amsel,1951
- 2364. Bostra shirazalis** Amsel,1961 (Pyralidae)
Synonym(s): *shirazalis* Amsel,1961
- 2365. Bradyrrhoa gilveolella** (Treitschke,1833) (Pyralidae)
Synonym(s): *gilveolella* Treitschke,1833
- 2366. Cadra cautella** (Walker,1863) (Pyralidae)
Synonym(s): *cautella* Walker,1863; *defectella* Walker,1864; *desuetella* Walker,1866; *passulella* Barrett,1875; *formosella* Wileman & South,1918; *rotundatella* Turati,1930; *pelopis* Turner,1947; *irakella* Amsel,1959
- 2367. Cadra delattinella** Roesler,1965 (Pyralidae)
Synonym(s): *delattinella* Roesler,1965
- 2368. Cadra figulilella** (Gregson,1871) (Pyralidae)
Synonym(s): *figulilella* Gregson,1871; *milleri* Zeller,1876; *gypsella* Ragonot,1887; *venosella* Turati,1926; *ernestinella* Turati,1927; *#halfaella* Roesler,1965.
- 2369. Cadra furcatella** (Herrich-Schäffer,[1849]) (Pyralidae) Synonym(s): *furcatella* Herrich-Schäffer,[1849]
- 2370. Caina inanitella** (Ragonot,1888) (Pyralidae)
Synonym(s): *inanitella* Ragonot,1888
- 2371. Calamochrous acutellus** (Eversmann,1842) (Pyralidae) Synonym(s): *acutellus* Eversmann,1842; *acutalis* Guenée,1854
- 2372. Calamotropha paludella** (Hübner,[1824]) (Pyralidae)
Synonym(s): *paludella* Hübner,[1824]; *obtusellus* Stainton,1856; *paramattellus* Meyrick,1879; *carpherus* Hampson,1898; *nivellus* Rebel,1914; *calamosus* Hampson,1919; *durandi* Lucas,1931; *typhivorus* Meyrick,1932; *#digitatus* Osthelder,1937; *afghanistanica* Bleszynski,1959.
- 2373. Cataclysta lemnata** (Linnaeus,1758) (Pyralidae)
Synonym(s): *lemnata* Linnaeus,1758; *lemnalis* [Denis & Schiffermüller],1775; *uliginata* Fabricius,1794; *confirmata* Krulikowsky,1909; *brunneospersa* Osthelder,1935.
- 2374. Cataonia erubescens** (Christoph,1877) (Pyralidae)
Synonym(s): *erubescens* Christoph,1877; *monocerialis* Ragonot,1891.
- 2375. Catoptria incertella** (Herrich-Schäffer,[1852]) (Pyralidae) Synonym(s): *incertellus* Herrich-Schäffer,[1852]
- 2376. Catoptria lithargyrella** (Hübner,1796) (Pyralidae)
Synonym(s): *lithargyrella* Hübner,1796
- 2377. Catoptria pfeifferi** (Osthelder,1938) (Pyralidae)
Synonym(s): *pfeifferi* Osthelder,1938
- 2378. Catoptria pinella** (Linnaeus,1758) (Pyralidae)
Synonym(s): *pinella* Linnaeus,1758; *virginella* Scopoli,1763.
- 2379. Ceutholopha isidis** (Zeller,1867) (Pyralidae)
Synonym(s): *isidis* Zeller,1867; *aequalisella* Lucas,1948; *parallelolineata* Lucas,1950.
- 2380. Chilo luteellus** (Motschulsky,1866) (Pyralidae)
Synonym(s): *lutellus* Motschulsky,1860 *nec* [Denis & Schiff],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889;*dubia* Bethune-Baker,1894;*boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935;*molybdellus* Zerny,1941.
- 2381. Chilo phragmitellus** (Hübner,[1810]) (Pyralidae)
Synonym(s): *phragmitellus* Hübner,[1810]; *rhombea* Haworth,[1811].
- 2382. Chilo suppressalis** Walker,1863 (Pyralidae)
Synonym(s): *suppressalis* Walker,1863; *oryzae* T.B.Fletcher,1928.
- 2383. Chrysocrambus craterellus** (Scopoli,1763) (Pyralidae) Synonym(s): *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958.
- 2384. Chrysocrambus linetellus** (Fabricius,1781) (Pyralidae) Synonym(s): *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960.
- 2385. Chrysoteuchia culmella** (Linnaeus,1758) (Pyralidae)
Synonym(s): *culmella* Linnaeus,1758; *strigella* Fabricius,1781; *hortuella* Hübner,1796; *cespitella* Hübner,1796; *caricetalis* Hübner,[1825]; *#hortellus* Zerny,1914; *#brunnea* Dufrane,1942.
- 2386. Conobathra tumidana** ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *tumidana* [Denis & Schiffermüller],1775; *tumidalis* Hübner,[1825]; *rubrotibiella* Fischer v. Roeslerstamm,1839.
- 2387. Conobathra xanthogramma** (Staudinger,1870) (Pyralidae) Synonym(s): *xanthogramma* Staudinger,1870; *zizyphella* Rebel,1914; *pumilella* Rebel,1926; *arenella* Dufrane,1955.
- 2388. Cornifrons ulceratalis** Lederer,1858 (Pyralidae)
Synonym(s): *ulceratalis* Lederer,1858; *seriziatialis* Oberthür,1876
- 2389. Crambus heringiellus** Herrich-Schäffer,[1848] (Pyralidae) Synonym(s): *heringiellus* Herrich-Schäffer,[1848]; *#hemigiellus* Hampson,1896.
- 2390. Crambus perlellus** (Scopoli,1763) (Pyralidae)
Synonym(s): *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849.
- 2391. Crocalia aglossalis** Ragonot,1892 (Pyralidae)
Synonym(s): *aglossalis* Ragonot,1892; *latidorsalis* Turati,1929; *exsculpta* Meyrick,1937
- 2392. Crocidolomia pavonana** (Fabricius,1794) (Pyralidae)
Synonym(s): *pavonana* Fabricius,1794; *binotalis* Zeller,1852; *comalis* Guenée,1854; *incomalis* Guenée,1854; *quadripunctata* Shiraki,1913; *dentalis* Amsel,1951
- 2393. Cybalomia fractilinealis** (Christoph,1873) (Pyralidae) Synonym(s): *fractilinealis* Christoph,1873
- 2394. Cybalomia pentadalis** (Lederer,1855) (Pyralidae)
Synonym(s): *pentadalis* Lederer,1855
- 2395. Cybalomia triplacogramma** Meyrick,1937 (Pyralidae) Synonym(s): *triplacogramma* Meyrick,1937
- 2396. Cynaeda dentalis** ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959
- 2397. Cynaeda furiosa** Hampson,1900 (Pyralidae)
Synonym(s): *furiosa* Hampson,1900
- 2398. Cynaeda gigantea** (Wocke,1871) (Pyralidae)
Synonym(s): *gigantea* Wocke,1871
- 2399. Daria coenosella** Ragonot,1888 (Pyralidae)
Synonym(s): *coenosella* Ragonot,1888; *tshetverikovi* Kusnesov,1908.
- 2400. Dattinia affinis** Rothschild,1921 (Pyralidae)
Synonym(s): *affinis* Rothschild,1921
- 2401. Dattinia argentalis** Hampson,1900 (Pyralidae)
Synonym(s): *argentalis* Hampson,1900
- 2402. Dattinia benderalis** (Amsel,1949) (Pyralidae)
Synonym(s): *benderalis* Amsel,1949
- 2403. Dattinia brandti** (Amsel,1949) (Pyralidae)
Synonym(s): *brandti* Amsel,1949
- 2404. Dattinia canifusalis** Hampson,1900 (Pyralidae)
Synonym(s): *canifusalis* Hampson,1900
- 2405. Dattinia colchicaloides** Amsel,1949 (Pyralidae)
Synonym(s): *colchicaloides* Amsel,1949
- 2406. Dattinia conformalis** Amsel,1949 (Pyralidae)
Synonym(s): *conformalis* Amsel,1949

- 2407. Dattinia hyrcanalis** Amsel, 1951 (Pyrilidae)
Synonym(s): *hyrcanalis* Amsel, 1951
- 2408. Dattinia indistinctalis** (Amsel, 1949) (Pyrilidae)
Synonym(s): *indistinctalis* Amsel, 1949
- 2409. Dattinia infascialis** (Amsel, 1949) (Pyrilidae)
Synonym(s): *infascialis* Amsel, 1949; *baloutchistanalis* Amsel, 1951
- 2410. Dattinia iranalis** Amsel, 1949 (Pyrilidae) Synonym(s): *iranalis* Amsel, 1949
- 2411. Dattinia lobalis** Chrétien, 1915 (Pyrilidae)
Synonym(s): *lobalis* Chrétien, 1915
- 2412. Dattinia lobalis fredii** Amsel, 1949 (Pyrilidae)
Synonym(s): *fredii* Amsel, 1949
- 2413. Dattinia metasialis** (Amsel, 1953) (Pyrilidae)
Synonym(s): *metasialis* Amsel, 1953
- 2414. Dattinia mimicalis** Amsel, 1951 (Pyrilidae)
Synonym(s): *mimicalis* Amsel, 1951
- 2415. Dattinia povolnyi** Amsel, 1975 (Pyrilidae)
Synonym(s): *povolnyi* Amsel, 1975
- 2416. Dattinia proximalis** (Christoph, 1882) (Pyrilidae)
Synonym(s): *proximalis* Christoph, 1882
- 2417. Dattinia rectangula** Amsel, 1949 (Pyrilidae)
Synonym(s): *rectangula* Amsel, 1949
- 2418. Dattinia sardzealis** Amsel, 1951 (Pyrilidae)
Synonym(s): *sardzealis* Amsel, 1951
- 2419. Dattinia strictalis** (Amsel, 1949) (Pyrilidae)
Synonym(s): *strictalis* Amsel, 1949
- 2420. Dattinia subargentalis** (Amsel, 1949) (Pyrilidae)
Synonym(s): *subargentalis* Amsel, 1949
- 2421. Dattinia wiltshirei** Amsel, 1949 (Pyrilidae)
Synonym(s): *wiltshirei* Amsel, 1949
- 2422. Dentitægumia afghanella** Amsel, 1970 (Pyrilidae)
Synonym(s): *afghanella* Amsel, 1970
- 2423. Dentitægumia dhana** Roesler, 1989 (Pyrilidae)
Synonym(s): *dhana* Roesler, 1989
- 2424. Dentitægumia nigri-granella** (Ragonot, 1890) (Pyrilidae) Synonym(s): *nigri-granella* Ragonot, 1890; *comeella* Amsel, 1961.
- 2425. Dentitægumia sirjana** Roesler, 1989 (Pyrilidae)
Synonym(s): *sirjana* Roesler, 1989
- 2426. Diaphania indica** (Saunders, 1851) (Pyrilidae)
Synonym(s): *indica* Saunders, 1851; *capensis* Zeller, 1852; *gazorialis* Guenée, 1854; *zygaenalis* Guenée, 1854; *curcubitalis* Guenée, 1862; *intermedialis* Dognin, 1904.
- 2427. Dilacinia badialis** Amsel, 1961 (Pyrilidae)
Synonym(s): *badialis* Amsel, 1961
- 2428. Dipleurina lacustrata** (Panzer, 1804) (Pyrilidae)
Synonym(s): *crataegella* sensu Hübner, 1796 nec Linn., 1767; *lacustrata* Panzer, 1804; *pusilla* Westwood, 1845.
- 2429. Dolicharthria bruguieralis** (Duponchel, 1833) (Pyrilidae) Synonym(s): *bruguieralis* Duponchel, 1833; *coniotalis* Hampson, 1903; *similalis* Rothschild, 1915
- 2430. Dolicharthria punctalis** ([Denis & Schiffermüller], 1775) (Pyrilidae) Synonym(s): *punctalis* [Denis & Schiffermüller], 1775
- 2431. Duponchelia fovealis** (Zeller, 1847) (Pyrilidae)
Synonym(s): *fovealis* Zeller, 1847; *canuialis* Millière, 1869; *griseata* Butler, 1875; *uniflexalis* Mabille, 1880
- 2432. Duzulla subhyalinalis** (Hampson, 1900) (Pyrilidae)
Synonym(s): *subhyalinalis* Hampson, 1900
- 2433. Ebulea crocealis** (Hübner, 1796) (Pyrilidae)
Synonym(s): *crocealis* Hübner, 1796
- 2434. Ecbatania alvandella** Amsel, 1961 (Pyrilidae)
Synonym(s): *alvandella* Amsel, 1961
- 2435. Ecbatania holopyrrhella** (Ragonot, 1888) (Pyrilidae)
Synonym(s): *holopyrrhella* Ragonot, 1888
- 2436. Eccepsa effractella** Zeller, 1848 (Pyrilidae)
Synonym(s): *effractella* Zeller, 1848
- 2437. Ecpyrrorrhoe diffusalis** (Guenée, 1854) (Pyrilidae)
Synonym(s): *diffusalis* Guenée, 1854; *tenuialis* Mann, 1862.
- 2438. Ecpyrrorrhoe rubiginalis** (Hübner, 1796) (Pyrilidae) Synonym(s): *rubiginalis* Hübner, 1796
- 2439. Ecpyrrorrhoe rubiginalis microlimbialis** Amsel, 1959 (Pyrilidae) Synonym(s): *microlimbialis* Amsel, 1959
- 2440. Elophila hederalis** Amsel, 1935 (Pyrilidae)
Synonym(s): *hederalis* Amsel, 1935; *auralis* Osthelder, 1935
- 2441. Elophila nymphaeata** (Linnaeus, 1758) (Pyrilidae)
Synonym(s): *nymphaeata* Linnaeus, 1758; *potamogata* Linnaeus, 1758; *rivulata* Scopoli, 1763; *nymphaealis* [Denis & Schiffermüller], 1775; *potamogalis* [Denis & Schiffermüller], 1775; *obscuralis* Selys-Longchamps, 1845; *potamogetalis* Reutti, 1898
- 2442. Ematheudes persicella** (Amsel, 1961) (Pyrilidae)
Synonym(s): *persicella* Amsel, 1961
- 2443. Ematheudes punctellus** (Treitschke, 1833) (Pyrilidae) Synonym(s): *punctella* Treitschke, 1833
- 2444. Ematheudes varicellus** Ragonot, 1887 (Pyrilidae)
Synonym(s): *varicellus* Ragonot, 1887
- 2445. Ematheudes vitellinellus** Ragonot, 1887 (Pyrilidae)
Synonym(s): *vitellinella* Ragonot, 1887; *#vitellinella* Amsel, 1949.
- 2446. Emmalocera leucosarca** Meyrick, 1937 (Pyrilidae)
Synonym(s): *leucosarca* Meyrick, 1937
- 2447. Emmalocera monochromella** Ragonot, 1888 (Pyrilidae) Synonym(s): *monochromella* Ragonot, 1888
- 2448. Emprepes belutschistanalis** Amsel, 1961 (Pyrilidae)
Synonym(s): *belutschistanalis* Amsel, 1961
- 2449. Emprepes chirazalis** Amsel, 1949 (Pyrilidae)
Synonym(s): *chirazalis* Amsel, 1949
- 2450. Emprepes eoa** (Meyrick, 1936) (Pyrilidae)
Synonym(s): *eo*a Meyrick, 1936
- 2451. Emprepes flavomarginalis** (Amsel, 1951) (Pyrilidae)
Synonym(s): *flavomarginalis* Amsel, 1951
- 2452. Emprepes mirabilis** Amsel, 1959 (Pyrilidae)
Synonym(s): *mirabilis* Amsel, 1959
- 2453. Emprepes palealis** Amsel, 1949 (Pyrilidae)
Synonym(s): *palealis* Amsel, 1949; *comealis* Amsel, 1951
- 2454. Emprepes russulalis** (Christoph, 1877) (Pyrilidae)
Synonym(s): *russulalis* Christoph, 1877; *baryscia* Meyrick, 1937
- 2455. Endotricha flammealis** ([Denis & Schiffermüller], 1775) (Pyrilidae) Synonym(s): *flammealis* [Denis & Schiffermüller], 1775; *carnealis* De Lattin, 1951.
- 2456. Epactotena octogenalis** (Lederer, 1863) (Pyrilidae)
Synonym(s): *octogenalis* Lederer, 1863.
- 2457. Epascestria pustulalis** (Hübner, [1823]) (Pyrilidae)
Synonym(s): *pustulalis* Hübner, [1823]; *orientalis* Caradja, 1917.
- 2458. Ephelis cruentalis** (Geyer, [1832]) (Pyrilidae)
Synonym(s): *cruentalis* Geyer, [1832]
- 2459. Ephestia (Anagasta) abnormalella** (Ragonot, 1887) (Pyrilidae) Synonym(s): *abnormalella* Ragonot, 1887; *alphetopis* Meyrick, 1937.
- 2460. Ephestia (Anagasta) gilvella** Roesler, 1970 (Pyrilidae) Synonym(s): *gilvella* Roesler, 1970
- 2461. Ephestia (Anagasta) kuehniella** Zeller, 1879 (Pyrilidae) Synonym(s): *kuehniella* Zeller, 1879; *fuscofasciella* Ragonot, 1887; *gitoniella* Druce, 1896; *lunella* Noel, 1904; *ischnomorpha* Meyrick, 1931; *#kuehniella* Hutacharern & Tuhtim, 1995
- 2462. Ephestia (Anagasta) welseriella** (Zeller, 1848) (Pyrilidae) Synonym(s): *welseriella* Zeller, 1848; *modestella* Lederer, 1863; *tephrinella* Lederer, 1870; *rhenanella* Fuchs, 1877; *suffusella* Ragonot, 1901; *immodestella* Rebel, 1916; *superbella* Lucas, 1954; *capricola* Hampson, 1927.
- 2463. Ephestia (s.str.) elutella** (Hübner, 1796) (Pyrilidae)
Synonym(s): *elutella* Hübner, 1796; *semirufa* Haworth, 1811; *rufa* Haworth, 1811; *angusta* Haworth, 1811; *sericarium* Scott, 1859; *roxburghii* Gregson, 1873; *infumatella* Ragonot, 1887; *affusella* Ragonot, 1888; *icosiella* Ragonot, 1888; *amarella* Dyar, 1904; *pteroisrissa* Roesler, 1965
- 2464. Ephestia (s.str.) parasitella** Staudinger, 1859 (Pyrilidae) Synonym(s): *parasitella* Staudinger, 1859; *bimaculella* Lucas, 1955.
- 2465. Epidauria discella** Ragonot, 1901 (Pyrilidae)
Synonym(s): *discella* Ragonot, 1901
- 2466. Epidauria strigosa** (Staudinger, 1879) (Pyrilidae)
Synonym(s): *strigosa* Staudinger, 1879
- 2467. Epiepischnia keredjella** Amsel, 1953 (Pyrilidae)
Synonym(s): *keredjella* Amsel, 1953
- 2468. Epiepischnia pseudolydella** Amsel, 1953 (Pyrilidae)
Synonym(s): *pseudolydella* Amsel, 1953
- 2469. Epimetasia abbasalis** Amsel, 1974 (Pyrilidae)
Synonym(s): *abbasalis* Amsel, 1974
- 2470. Epimetasia vestalis** (Ragonot, 1894) (Pyrilidae)
Synonym(s): *vestalis* Ragonot, 1894; *rubilinealis* Zerny, 1939.

- 2471. *Epiparthia constituta* Roesler, 1989** (Pyrilidae)
Synonym(s): *constituta* Roesler, 1989.
- 2472. *Epiparthia simplicialis* (Rothschild, 1921)** (Pyrilidae)
Synonym(s): *simplicialis* Rothschild, 1921; *pallens* Amsel, 1935.
- 2473. *Epischnia adultella* (Zeller, 1848)** (Pyrilidae)
Synonym(s): *adultella* Zeller, 1848
- 2474. *Epischnia christophori* Ragonot, 1887** (Pyrilidae)
Synonym(s): *christophori* Ragonot, 1887; *#chrystophori* Noack, 1960.
- 2475. *Epischnia cretaciella* Mann, 1869** (Pyrilidae)
Synonym(s): *cretaciella* Mann, 1869; *demartinella* Turati, 1922.
- 2476. *Epischnia cucullata* Ragonot, 1887** (Pyrilidae)
Synonym(s): *cucullata* Ragonot, 1887
- 2477. *Epischnia masticella* Ragonot, 1887** (Pyrilidae)
Synonym(s): *masticella* Ragonot, 1887
- 2478. *Epischnia prodromella* (Hübner, [1799])** (Pyrilidae)
Synonym(s): *prodromella* Hübner, [1799]
- 2479. *Epischnopsis nervosella* (Ragonot, 1887)** (Pyrilidae)
Synonym(s): *nervosella* Ragonot, 1887
- 2480. *Epischnopsis oculatella* (Ragonot, 1887)** (Pyrilidae)
Synonym(s): *oculatella* Ragonot, 1887
- 2481. *Episcythrastis tabidella* (Mann, 1864)** (Pyrilidae)
Synonym(s): *tabidella* Mann, 1864; *griseella* Ragonot, 1887; *constanti* Ragonot, 1893; *heringi* Hartig, 1938; *demawendella* Zerny, 1939
- 2482. *Etiella zinckenella* (Treitschke, 1832)** (Pyrilidae)
Synonym(s): *marginella* Fabricius, 1781 nec Den. & Schiff., 1775; *zinckenella* Treitschke, 1832; *etiella* Treitschke, 1835; *majorellus* Costa, 1836; *colonnellus* Costa, 1836; *dymnusalis* Walker, 1859; *heraldella* Guenée, 1862; *anticalis* Walker, 1863; *indicatalis* Walker, 1863; *hastiferella* Walker, 1866; *decipiens* Staudinger, 1870; *spartiella* Rondani, 1876; *sabulinus* Butler, 1879; *madagascariensis* Saalmüller, 1880; *schisticolor* Zeller, 1881; *villosella* Hulst, 1887; *rubribasella* Hulst, 1890; *#tiella* Pinhey, 1975.
- 2483. *Eucampyla dealbatella* (Erschoff, 1874)** (Pyrilidae)
Synonym(s): *dealbatella* Erschoff, 1874; *staminella* Christoph, 1877; *nervulata* Turati, 1926; *kerbelella* Amsel, 1949; *gigantella* Roesler, 1965.
- 2484. *Euchromius bellus* (Hübner, 1796)** (Pyrilidae)
Synonym(s): *bella* Hübner, 1796; *bellalis* Hübner, [1825].
- 2485. *Euchromius cambridgei* (Zeller, 1867)** (Pyrilidae)
Synonym(s): *cambridgei* Zeller, 1867; *lucilla* Chrétien, 1907; *prototypa* Meyrick, 1935; *congruentella* Amsel, 1958; *szijartoi* Gozmany, 1959; *ilkui* Gozmany, 1959.
- 2486. *Euchromius cochlearellus* (Amsel, 1949)** (Pyrilidae)
Synonym(s): *cochlearella* Amsel, 1949
- 2487. *Euchromius gratiosellus* (Caradja, 1910)** (Pyrilidae)
Synonym(s): *gratiosella* Caradja, 1910
- 2488. *Euchromius jaxartellus* (Erschoff, 1874)** (Pyrilidae)
Synonym(s): *jaxartella* Erschoff, 1874
- 2489. *Euchromius keredjellus* (Amsel, 1949)** (Pyrilidae)
Synonym(s): *keredjella* Amsel, 1949
- 2490. *Euchromius malekalis* Amsel, 1961** (Pyrilidae)
Synonym(s): *malekalis* Amsel, 1961
- 2491. *Euchromius ocellus* (Haworth, [1811])** (Pyrilidae)
Synonym(s): *ocellea* Haworth, [1811]; *cyrilli* Costa, 1832; *fumiculella* Treitschke, 1832; *texana* Robinson, 1870; *gigantea* Turati, 1924; *quadrii* Ahmad, Zaidi & Kamaluddin, 1982
- 2492. *Euchromius pulverosus* (Christoph, 1887)** (Pyrilidae)
Synonym(s): *pulverosa* Christoph, 1887
- 2493. *Euchromius ramburiellus* (Duponchel, 1836)** (Pyrilidae)
Synonym(s): *ramburiellus* Duponchel, 1836; *zonellus* Zeller, 1847; *luteella* Caradja, 1910; *#ramburellus* Rothschild, 1924; *islamella* Amsel, 1949.
- 2494. *Euchromius superbellus* (Zeller, 1849)** (Pyrilidae)
Synonym(s): *superbellus* Zeller, 1849; *wockeella* Zeller, 1863; *cypriusella* Amsel, 1958.
- 2495. *Euchromius vinculellus* (Zeller, 1847)** (Pyrilidae)
Synonym(s): *vinculellus* Zeller, 1847; *corsicalis* Hampson, 1919; *joiceyella* Schmidt, 1934; *bahrutella* Amsel, 1949.
- 2496. *Euclysta (Proteuclasta) mirabilis* Amsel, 1949** (Pyrilidae)
Synonym(s): *mirabilis* Amsel, 1949
- 2497. *Eudonia mercurella* (Linnaeus, 1758)** (Pyrilidae)
Synonym(s): *mercurella* Linnaeus, 1758; *mercurii* Fabricius, 1798; *mercurea* Haworth, 1811; *mercurialis* Hübner, [1825]; *portlandica* Westwood, 1845; *frequentella* Stainton, 1849; *concinella* Curtis, 1850; *frequentalis* Herrich-Schäffer, 1862
- 2498. *Eurhodope (Eurhobasis) cinerea* (Staudinger, 1879)** (Pyrilidae)
Synonym(s): *cinerea* Staudinger, 1879
- 2499. *Eurhodope (s.str.) concinnalis* (Christoph, 1882)** (Pyrilidae)
Synonym(s): *concinella* Christoph, 1882; *fulgidella* Predota, 1934; *bella* Amsel, 1954
- 2500. *Eurhodope (s.str.) hyrcanella* (Amsel, 1953)** (Pyrilidae)
Synonym(s): *hyrcanella* Amsel, 1953
- 2501. *Eurhodope (s.str.) incensella* (Staudinger, 1859)** (Pyrilidae)
Synonym(s): *incensella* Staudinger, 1859; *flavella* Amsel, 1954
- 2502. *Eurhodope (s.str.) mira* Amsel, 1953** (Pyrilidae)
Synonym(s): *mira* Amsel, 1953
- 2503. *Eurhodope (s.str.) monogrammos* (Zeller, 1867)** (Pyrilidae)
Synonym(s): *monogrammos* Zeller, 1867; *buxtoni* Rothschild, 1921; *homochromella* Amsel, 1961; *melanella* Roesler, 1969
- 2504. *Eurrhysis elbursana* (Amsel, 1961)** (Pyrilidae)
Synonym(s): *elbursana* Amsel, 1961
- 2505. *Euzophera (Cymbalorissa) fuliginosella* (Heinemann, 1865)** (Pyrilidae)
Synonym(s): *fuliginosella* Heinemann, 1865; *polyxenella* Millière, 1872.
- 2506. *Euzophera (s.str.) albicostalis* Hampson, 1903** (Pyrilidae)
Synonym(s): *albicostalis* Hampson, 1903; *albicostalis* Amsel, 1949; *#albocostalis* Wiltshire, 1957
- 2507. *Euzophera (s.str.) alpherakyella* Ragonot, 1887** (Pyrilidae)
Synonym(s): *alpherakyella* Ragonot, 1887
- 2508. *Euzophera (s.str.) bigella* (Zeller, 1848)** (Pyrilidae)
Synonym(s): *bigella* Zeller, 1848; *stenoptycha* Herrich-Schäffer, 1855; *bisinuella* Ragonot, 1887; *punicacella* Moore, 1891; *immundella* Ragonot, 1901; *angulella* Chrétien, 1922; *renulella* Constantini, 1922
- 2509. *Euzophera (s.str.) cinerosella* (Zeller, 1839)** (Pyrilidae)
Synonym(s): *cinerosella* Zeller, 1839; *incanella* Eversmann, 1844; *artemisiella* Stainton, 1859; *pimelella* Zerny, 1934.
- 2510. *Euzophera (s.str.) comeella* Roesler, 1973** (Pyrilidae)
Synonym(s): *comeella* Roesler, 1973
- 2511. *Euzophera (s.str.) costivittella* Ragonot, 1887** (Pyrilidae)
Synonym(s): *costivittella* Ragonot, 1887
- 2512. *Euzophera (s.str.) derbendicola* Roesler, 1973** (Pyrilidae)
Synonym(s): *derbendicola* Roesler, 1973
- 2513. *Euzophera (s.str.) eburnella* Amsel, 1954** (Pyrilidae)
Synonym(s): *eburnella* Amsel, 1954
- 2514. *Euzophera (s.str.) flagella* (Lederer, 1869)** (Pyrilidae)
Synonym(s): *flagella* Lederer, 1869
- 2515. *Euzophera (s.str.) formosella* (Rebel, 1910)** (Pyrilidae)
Synonym(s): *formosella* Rebel, 1910
- 2516. *Euzophera (s.str.) imperfectella* Ragonot, 1895** (Pyrilidae)
Synonym(s): *imperfectella* Ragonot, 1895; *xylomorpha* Meyrick, 1937.
- 2517. *Euzophera (s.str.) luculentella* Ragonot, 1888** (Pyrilidae)
Synonym(s): *luculentella* Ragonot, 1888
- 2518. *Euzophera (s.str.) lunulella* (Costa, 1836)** (Pyrilidae)
Synonym(s): *lumulella* Costa, 1836; *corcyrella* Herrich-Schäffer, 1851.
- 2519. *Euzophera (s.str.) osseatella* (Treitschke, 1832)** (Pyrilidae)
Synonym(s): *osseatella* Treitschke, 1832; *arcuatella* Ragonot, 1901.
- 2520. *Euzophera (s.str.) pinguis* (Haworth, [1811])** (Pyrilidae)
Synonym(s): *pinguis* Haworth, [1811]; *fischeri* Zeller, 1846; *splendidella* Herrich-Schäffer, 1848.
- 2521. *Euzophera (s.str.) rubricetella* (Herrich-Schäffer, 1855)** (Pyrilidae)
Synonym(s): *rubricetella* Herrich-Schäffer, [1856]
- 2522. *Euzophera (s.str.) subcribrella* Ragonot, 1887** (Pyrilidae)
Synonym(s): *subcribrella* Ragonot, 1887; *mercatrix* Meyrick, 1937; *marginipunctella* Amsel, 1959.
- 2523. *Euzophera (s.str.) subnitidella* Ragonot, 1887** (Pyrilidae)
Synonym(s): *subnitidella* Ragonot, 1887; *striatella* Ragonot, 1901.
- 2524. *Euzopherodes lutsignella* (Mann, 1869)** (Pyrilidae)
Synonym(s): *lutsignella* Mann, 1869; *leonhardi* Rebel, 1910; *scipionella* Turati, 1924; *battella* Turati, 1924.

- 2525. Euzopherodes rapidella (Mann,1857)** (Pyrilidae)
Synonym(s): *rapidella* Mann,1857; *tenebrosa* Zeller,1867; *lutescentella* Chrétien,1911; *xylobrunnea* Amsel,1951.
- 2526. Evergestis aenealis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *aenealis* [Denis & Schiffermüller],1775; *furvalis* Hübner,1796; *rufimitralis* Hübner,1796; *nigralis* Schrank,1802; *mitralis* Hübner,[1825]
- 2527. Evergestis affinis Amsel,1951** (Pyrilidae)
Synonym(s): *affinis* Amsel,1951
- 2528. Evergestis boursini Amsel,1938** (Pyrilidae)
Synonym(s): *boursini* Amsel,1938
- 2529. Evergestis caesialis Herrich-Schäffer,[1855]** (Pyrilidae) Synonym(s): *caesialis* Herrich-Schäffer,[1855]
- 2530. Evergestis desertalis (Hübner,[1813])** (Pyrilidae)
Synonym(s): *desertalis* Hübner,[1813]; *avicennae* Tams,1925.
- 2531. Evergestis elbursalis Amsel,1961** (Pyrilidae)
Synonym(s): *elbursalis* Amsel,1961
- 2532. Evergestis forficatalis (Linnaeus,1758)** (Pyrilidae)
Synonym(s): *forficatalis* Linnaeus,1758; *trivialis* Scopoli,1763; *forficatus* Fabricius,1798; *sodalis* Butler,1878
- 2533. Evergestis frumentalis (Linnaeus,1761)** (Pyrilidae)
Synonym(s): *frumentalis* Linnaeus,1761
- 2534. Evergestis grummi (Christoph,1885)** (Pyrilidae)
Synonym(s): *grummi* Christoph,1885; *paragrummi* Amsel,1951
- 2535. Evergestis hyrcanalis Amsel,1961** (Pyrilidae)
Synonym(s): *hyrcanalis* Amsel,1961
- 2536. Evergestis infirmalis (Staudinger,1870)** (Pyrilidae)
Synonym(s): *infirmalis* Staudinger,1870; *helenalis* Staudinger,1870
- 2537. Evergestis isatidalis (Duponchel,1833)** (Pyrilidae)
Synonym(s): *isatidalis* Duponchel,1833
- 2538. Evergestis laristanalis Amsel,1961** (Pyrilidae)
Synonym(s): *laristanalis* Amsel,1961
- 2539. Evergestis manglialis Erschoff,1877** (Pyrilidae)
Synonym(s): *manglialis* Erschoff,1877
- 2540. Evergestis nomadalis Lederer,1871** (Pyrilidae)
Synonym(s): *nomadalis* Lederer,1871
- 2541. Evergestis petasalis Zerny,1939** (Pyrilidae)
Synonym(s): *petasalis* Zerny,1939
- 2542. Evergestis russulatalis (Hampson,1900)** (Pyrilidae)
Synonym(s): *russulatalis* Hampson,1900
- 2543. Evergestis segetalis (Herrich-Schäffer,1851)** (Pyrilidae) Synonym(s): *segetalis* Herrich-Schäffer,1851
- 2544. Evergestis shirazalis Amsel,1953** (Pyrilidae)
Synonym(s): *shirazalis* Amsel,1953
- 2545. Evergestis subfuscalis (Staudinger,1870)** (Pyrilidae)
Synonym(s): *subfuscalis* Staudinger,1870
- 2546. Evergestis tenuiscriptalis Rebel,1903** (Pyrilidae)
Synonym(s): *tenuiscriptalis* Rebel,1903
- 2547. Evergestis umbrosalis (Fischer v. Röslerstamm,[1842])** (Pyrilidae) Synonym(s): *umbrosalis* Fischer v. Röslerstamm,[1842]
- 2548. Evergestis vagabundalis (Christoph,1887)** (Pyrilidae) Synonym(s): *vagabundalis* Christoph,1887
- 2549. Faveria dionysia (Zeller,1846)** (Pyrilidae)
Synonym(s): *dionysia* Zeller,1846; *terrella* Ragonot,1888; *isoxyla* Meyrick,1937
- 2550. Faveria pseudovasta (Amsel)** (Pyrilidae)
Synonym(s): *pseudovasta* Amsel,1959
- 2551. Faveria tephrosella (Amsel,1959)** (Pyrilidae)
Synonym(s): *tephrosella* Amsel,1959
- 2552. Galleria mellonella (Linnaeus,1758)** (Pyrilidae)
Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombruggheella* Dufrane,1930.
- 2553. Gymnancyla (Dentinodia) craticulella (Ragonot,1887)** (Pyrilidae) Synonym(s): *craticulella* Ragonot,1887; *erschoffi* Ragonot,1887.
- 2554. Hafisia lundbladi Amsel,1950** (Pyrilidae)
Synonym(s): *lundbladi* Amsel,1950
- 2555. Hannemannea tacapella (Ragonot,1887)** (Pyrilidae)
Synonym(s): *tacapella* Ragonot,1887
- 2556. Heliothela ophideresana (Walker,1863)** (Pyrilidae)
Synonym(s): *ophideresana* Walker,1863; *pusilla* Butler,1889; *kruegeri* Turati,1926
- 2557. Heliothela wulfeniana (Scopoli,1763)** (Pyrilidae)
Synonym(s): *wulfeniana* Scopoli,1763; *atralis* Hübner,1788 nec Fabr.,1775; *coerulealis* Caradja,1917; *huebneri* Koçak,1980.
- 2558. Hellula khorassanalis (Amsel,1950)** (Pyrilidae)
Synonym(s): *khorrassanalis* Amsel,1950
- 2559. Hellula undalis (Fabricius,1781)** (Pyrilidae)
Synonym(s): *undalis* Fabricius,1781; *lunulalis* Costa,1836; *alconalis* Walker,1859; *exemptalis* Walker,[1866]; *geyri* Rothschild,1915; *occidentalis* De Joannis,1930; *reniculus* Pajni & Rose,1977
- 2560. Herpetogramma fascinalis (Amsel,1950)** (Pyrilidae)
Synonym(s): *fascinalis* Amsel,1950
- 2561. Herpetogramma licarsialis (Walker,1859)** (Pyrilidae) Synonym(s): *licarsialis* Walker,1859; *pharaxalis* Walker,1859; *immundalis* Walker,[1866]; *fumidalis* Walker,[1866]; *serotinalis* Joannis,1889
- 2562. Homoeosoma (Anhomoeosoma) nimbellum (Duponchel,1837)** (Pyrilidae) Synonym(s): *nimbella* Duponchel,1837; *homoeosomella* Zerny,1926; *snellenella* Bentic,1930.
- 2563. Homoeosoma (s.str.) achrocellum Ragonot,1887** (Pyrilidae) Synonym(s): *achroella* Ragonot,1887; *microsignella* Amsel,1961.
- 2564. Homoeosoma (s.str.) candefactum Ragonot,1887** (Pyrilidae) Synonym(s): *candefactum* Ragonot,1887
- 2565. Homoeosoma (s.str.) capsitanellum Chrétien,1911** (Pyrilidae) Synonym(s): *capsitanellum* Chrétien,1911; *eminentella* Turati,1924; *litorella* Amsel,1935
- 2566. Homoeosoma (s.str.) inustellum Ragonot,1884** (Pyrilidae) Synonym(s): *inustella* Ragonot,1884; *compsitella* Rebel,1914.
- 2567. Homoeosoma (s.str.) nebulellum ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *nebulella* [Denis & Schiffermüller],1775; *nebulea* Haworth,1811; *muscardalis* Hübner,[1813].
- 2568. Homoeosoma (s.str.) obatricostellum Ragonot,1887** (Pyrilidae) Synonym(s): *obatricostellum* Ragonot,1887
- 2569. Homoeosoma (s.str.) sinuellum (Fabricius,1794)** (Pyrilidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
- 2570. Homoeosoma (s.str.) subalbatellum (Mann,1864)** (Pyrilidae) Synonym(s): *subalbatella* Mann,1864
- 2571. Hyperlais benderalis Amsel,1960** (Pyrilidae)
Synonym(s): *benderalis* Amsel,1960
- 2572. Hyperlais dulcinalis (Treitschke,1835)** (Pyrilidae)
Synonym(s): *dulcinalis* Treitschke,1835
- 2573. Hypochalcia ahenella ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *ahenella* [Denis & Schiffermüller],1775; *aeneella* Hübner,1796; *obscuratus* Haworth,1809; *tetrix* Haworth,1811; *ahenalis* Hübner,[1825]; *rubiginella* Treitschke,1833; *bistrigella* Duponchel,1836; *luridella* Schläger,1845; *caucasica* Ragonot,1893; *lugubrella* Hering,1924
- 2574. Hypochalcia fasciatella Staudinger,1881** (Pyrilidae)
Synonym(s): *fasciatella* Staudinger,1881
- 2575. Hypodaria myelosisiformis (Hartig,1937)** (Pyrilidae)
Synonym(s): *myelosisiformis* Hartig,1937; *makranella* Amsel,1959.
- 2576. Hyporatasa allotriella (Herrich-Schäffer,1855)** (Pyrilidae) Synonym(s): *allotriella* Herrich-Schäffer,1855
- 2577. Hypotia colchicalis (Herrich-Schäffer,[1855])** (Pyrilidae) Synonym(s): *colchicalis* Herrich-Schäffer,[1855]; *numidalis* Hampson,1900.
- 2578. Hypotia concatenalis Lederer,1858** (Pyrilidae)
Synonym(s): *concatenalis* Lederer,1858
- 2579. Hypotia mesopotamica (Amsel,1955)** (Pyrilidae)
Synonym(s): *mesopotamica* Amsel,1955
- 2580. Hypsopygia costalis (Fabricius,1775)** (Pyrilidae)
Synonym(s): *costalis* Fabricius,1775; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917.
- 2581. Hypsopygia mauritalis (Boisduval,1833)** (Pyrilidae)
Synonym(s): *mauritalis* Boisduval,1833; *lucillalis* Walker,1859; *regalis* Walker,1866 nec Denis & Schiff.,1775; *ducalis* Walker,1866; *crobulus* Lucas,1891; *laticillialis* Ragonot,1891; *#atralis* Caradja,1932; *pfeifferi* Amsel,1954

- 2582. Iranarpia albalis** (Amsel, 1961) (Pyrilidae)
Synonym(s): *albalis* Amsel, 1961
- 2583. Iranarpia silacealis** (Amsel, 1951) (Pyrilidae)
Synonym(s): *silacealis* Amsel, 1951
- 2584. Iraniodes bilinealis** Amsel, 1961 (Pyrilidae)
Synonym(s): *bilinealis* Amsel, 1961
- 2585. Isauria dilucidella** (Duponchel, 1836) (Pyrilidae)
Synonym(s): *dilucidella* Duponchel, 1836; *ilignella* Zeller, 1839; *laternella* Eversmann, 1844; *crepusculella* Lederer, 1870; *incredibilis* Staudinger, 1879; *subsortitella* Ragonot, 1887; *satanella* Ragonot, 1887; *odontella* Ragonot, 1893; *ledererii* Ragonot, 1893; *cuencella* Caradja, 1916; *gabalitella* Chrétien, 1931; *griscens* Lucas, 1950; *parvella* Amsel, 1951; *shahidanella* Amsel, 1970
- 2586. Katja mira** Amsel, 1951 (Pyrilidae) Synonym(s): *mira* Amsel, 1951
- 2587. Keradere lepidella** (Ragonot, 1887) (Pyrilidae)
Synonym(s): *lepidella* Ragonot, 1887
- 2588. Keradere tengstroemiella** (Erschoff, 1874) (Pyrilidae) Synonym(s): *tengstroemiella* Erschoff, 1874; *noctivaga* Staudinger, 1879
- 2589. Kerbela turcomanica** (Christoph, 1877) (Pyrilidae)
Synonym(s): *turcomanica* Christoph, 1877
- 2590. Khorassania hartigi** Amsel (Pyrilidae) Synonym(s): *hartigi* Amsel
- 2591. Khuzistania richteri** Amsel, 1959 (Pyrilidae)
Synonym(s): *richteri* Amsel, 1959
- 2592. Krombia belutschistanalis** Amsel, 1961 (Pyrilidae)
Synonym(s): *belutschistanalis* Amsel, 1961
- 2593. Krombia minimella** Amsel, 1961 (Pyrilidae)
Synonym(s): *minimella* Amsel, 1961
- 2594. Krombia pulchella** Amsel, 1949 (Pyrilidae)
Synonym(s): *pulchella* Amsel, 1949
- 2595. Lambaesia fumosella** (Ragonot, 1887) (Pyrilidae)
Synonym(s): *fumosella* Ragonot, 1887; *noctileucella* Ragonot, 1887
- 2596. Lambaesia straminella** (Zerny, 1914) (Pyrilidae)
Synonym(s): *straminella* Zerny, 1914; *alphetopis* Meyrick, 1937
- 2597. Lamoria anella** ([Denis & Schiffermüller], 1775) (Pyrilidae) Synonym(s): *anella* [Denis & Schiffermüller], 1775
- 2598. Laristania sardzella** Amsel, 1951 (Pyrilidae)
Synonym(s): *sardzella* Amsel, 1951
- 2599. Lepidogma tamaricalis** (Mann, 1873) (Pyrilidae)
Synonym(s): *tamaricalis* Mann, 1873; *obatalis* Christoph, 1876; *vafera* Swinhoe, 1884
- 2600. Leptarchis intervacatalis** (Christoph, 1877) (Pyrilidae) Synonym(s): *intervacatalis* Christoph, 1877; *psologramma* Meyrick, 1937
- 2601. Loxostege clathralis** (Hübner, [1813]) (Pyrilidae)
Synonym(s): *clathralis* (Hübner, [1813])
- 2602. Loxostege deliblatia** Szent-Ivány & Uhrík-Meszáros, 1942 (Pyrilidae) Synonym(s): *sulphuralis* Hübner, [1813] *nec* Thunb., 1784; *deliblatia* Szent-Ivány & Uhrík-Meszáros, 1942; *huebneri* Koçak, 1980
- 2603. Loxostege emiralis** (Oberthür, 1888) (Pyrilidae)
Synonym(s): *emiralis* Oberthür, 1888
- 2604. Loxostege farsalis** Amsel, 1950 (Pyrilidae)
Synonym(s): *farsalis* Amsel, 1950
- 2605. Loxostege foviferalis** (Hampson, 1900) (Pyrilidae)
Synonym(s): *foviferalis* Hampson, 1900
- 2606. Loxostege malekalis** Amsel, 1950 (Pyrilidae)
Synonym(s): *malekalis* Amsel, 1950
- 2607. Loxostege massalis** (Walker, 1859) (Pyrilidae)
Synonym(s): *massalis* Walker, 1859; *fredi* Amsel, 1961
- 2608. Loxostege mira** Amsel, 1951 (Pyrilidae) Synonym(s): *mira* Amsel, 1951
- 2609. Loxostege scalaris** (Christoph, 1877) (Pyrilidae)
Synonym(s): *scalaris* Christoph, 1877
- 2610. Loxostege straminealis** (Hampson, 1900) (Pyrilidae)
Synonym(s): *straminealis* Hampson, 1900
- 2611. Makrania belutschistanella** Amsel, 1959 (Pyrilidae)
Synonym(s): *belutschistanella* Amsel, 1959
- 2612. Margaretania superba** Amsel, 1961 (Pyrilidae)
Synonym(s): *superba* Amsel, 1961
- 2613. Margaritia sticticalis** (Linnaeus, 1761) (Pyrilidae)
Synonym(s): *lupulina* Clerk, 1759 *nec* Linn., 1758; *sticticalis* Linnaeus, 1761; *miana* Müller, 1764; *sylvata* Panzer, 1804; *tetragonalis* Haworth, 1811
- 2614. Mecyna albalis** Amsel, 1961 (Pyrilidae) Synonym(s): *albalis* Amsel, 1961
- 2615. Mecyna amasialis** (Staudinger, 1879) (Pyrilidae)
Synonym(s): *amasialis* Staudinger, 1879
- 2616. Mecyna flavalis** ([Denis & Schiffermüller], 1775) (Pyrilidae) Synonym(s): *flavalis* [Denis & Schiffermüller], 1775
- 2617. Mecyna grisealis** Amsel, 1961 (Pyrilidae)
Synonym(s): *grisealis* Amsel, 1961
- 2618. Mecyna indistinctalis** Amsel, 1961 (Pyrilidae)
Synonym(s): *indistinctalis* Amsel, 1961
- 2619. Mecyna pontica** (Staudinger, 1879) (Pyrilidae)
Synonym(s): *pontica* Staudinger, 1879; *levilinealis* Amsel, 1942
- 2620. Mecyna sefidalis** (Amsel, 1950) (Pyrilidae)
Synonym(s): *sefidalis* Amsel, 1950
- 2621. Mecyna subsequalis** (Herrich-Schäffer, 1851) (Pyrilidae) Synonym(s): *subsequalis* Herrich-Schäffer, 1851; *consequens* Meyrick, 1932
- 2622. Mecyna trinalis** ([Denis & Schiffermüller], 1775) (Pyrilidae) Synonym(s): *trinalis* [Denis & Schiffermüller], 1775
- 2623. Megasis hyrcanella** Ragonot, 1893 (Pyrilidae)
Synonym(s): *hyrcanella* Ragonot, 1893
- 2624. Megasis libanoticella** Zerny, 1934 (Pyrilidae)
Synonym(s): *libanoticella* Zerny, 1934; *#libanotidella* Osthelder, 1934
- 2625. Megasis mimeticella** (Staudinger, 1879) (Pyrilidae)
Synonym(s): *mimeticella* Staudinger, 1879; *tolli* Amsel, 1953
- 2626. Megasis rippertella** (Zeller, 1839) (Pyrilidae)
Synonym(s): *rippertella* Zeller, 1839
- 2627. Melathrix praetextella** (Christoph, 1877) (Pyrilidae)
Synonym(s): *praetextella* Christoph, 1877
- 2628. Metacrambus carectellus** (Zeller, 1847) (Pyrilidae)
Synonym(s): *carectellus* Zeller, 1847; *lugdunellus* Millière, 1868; *truncatellus* Caradja, 1916
- 2629. Metacrambus jugaraicae** Bleszynski, 1965 (Pyrilidae) Synonym(s): *jugaraicae* Bleszynski, 1965
- 2630. Metacrambus kurdistanellus** (Amsel, 1959) (Pyrilidae) Synonym(s): *kurdistanellus* Amsel, 1959
- 2631. Metallosticha argyrogrammos** (Zeller, 1847) (Pyrilidae) Synonym(s): *argyrogrammos* Zeller, 1847
- 2632. Metasia (s.str.) alvandalis** Amsel, 1961 (Pyrilidae)
Synonym(s): *alvandalis* Amsel, 1961
- 2633. Metasia (s.str.) belutschistanalis** Amsel, 1961 (Pyrilidae) Synonym(s): *belutschistanalis* Amsel, 1961
- 2634. Metasia (s.str.) continualis** Amsel, 1961 (Pyrilidae)
Synonym(s): *continualis* Amsel, 1961
- 2635. Metasia (s.str.) farsalis** Amsel, 1961 (Pyrilidae)
Synonym(s): *#farsalis* Amsel, 1961
- 2636. Metasia (s.str.) laristanalis** Amsel, 1961 (Pyrilidae)
Synonym(s): *laristanalis* Amsel, 1961
- 2637. Metasia (s.str.) sefidalis** Amsel, 1961 (Pyrilidae)
Synonym(s): *sefidalis* Amsel, 1961
- 2638. Metasia (s.str.) subtilialis** Caradja, 1917 (Pyrilidae)
Synonym(s): *subtilialis* Caradja, 1917
- 2639. Metasia (s.str.) supandalis** (Hübner, [1823]) (Pyrilidae) Synonym(s): *supandalis* Hübner, [1823]
- 2640. Metasia (s.str.) virginalis** Ragonot, 1894 (Pyrilidae)
Synonym(s): *virginalis* Ragonot, 1894; *fulvilinealis* Hampson, 1900; *#virginalis* Osthelder, 1934; *phthoneropsis* Meyrick, 1937
- 2641. Microstega praepetalis** (Lederer, 1869) (Pyrilidae)
Synonym(s): *praepetalis* Lederer, 1869; *haemopsamma* Meyrick, 1937
- 2642. Myelois (Gnathogutta) circumdatella** Lederer, 1858 (Pyrilidae) Synonym(s): *circumdatella* Lederer, 1858; *ottoella* Schawerda, 1924
- 2643. Myelois (Gnathogutta) pluripunctella** (Ragonot, 1887) (Pyrilidae) Synonym(s): *pluripunctella* Ragonot, 1887
- 2644. Myelois (Gnathogutta) umbratella** (Treitschke, 1832) (Pyrilidae) Synonym(s): *umbratella* Treitschke, 1832; *ossicolor* Ragonot, 1893; *unipunctella* Chrétien, 1911
- 2645. Myelois (s.str.) ? marginepunctella** Amsel, 1959 (Pyrilidae) Synonym(s): *marginepunctella* Amsel, 1959
- 2646. Myelois (s.str.) conformella** Amsel, 1951 (Pyrilidae)
Synonym(s): *conformella* Amsel, 1951

- 2647. Myelois (s.str.) constans** Amsel, 1951 (Pyrilidae)
Synonym(s): *constans* Amsel, 1951
- 2648. Myelois (s.str.) micropunctella** Amsel, 1951 (Pyrilidae) Synonym(s): *micropunctella* Amsel, 1951
- 2649. Myelois (s.str.) multiflorella** Ragonot, 1887 (Pyrilidae) Synonym(s): *multiflorella* Ragonot, 1887; *#multiflorella* Zerny, 1939.
- 2650. Myrllaea albistrigata** (Staudinger, 1881) (Pyrilidae)
Synonym(s): *albistrigata* Staudinger, 1881
- 2651. Myrllaea mimicalis** (Amsel, 1950) (Pyrilidae)
Synonym(s): *mimicalis* Amsel, 1950
- 2652. Myrllaea nigrosquamalis** (Amsel, 1950) (Pyrilidae)
Synonym(s): *nigrosquamalis* Amsel, 1950
- 2653. Myrllaea pittonii** (Amsel, 1950) (Pyrilidae)
Synonym(s): *pittonii* Amsel, 1950
- 2654. Nascia ciliaris** (Hübner, 1796) (Pyrilidae)
Synonym(s): *ciliaris* Hübner, 1796
- 2655. Nephopterix ardekanella** Amsel, 1951 (Pyrilidae)
Synonym(s): *ardekanella* Amsel, 1951
- 2656. Nephopterix cornutella** Amsel, 1951 (Pyrilidae)
Synonym(s): *cornutella* Amsel, 1951
- 2657. Nephopterix divisella** (Duponchel, 1842) (Pyrilidae)
Synonym(s): *divisella* Duponchel, 1842; *albiricella* Herrich-Schäffer, 1849; *euphorbiella* Zeller, 1846; *sardzeella* Amsel, 1961.
- 2658. Nephopterix macrocirtensis** Amsel, 1953 (Pyrilidae)
Synonym(s): *macrocirtensis* Amsel, 1953
- 2659. Nephopterix minimella** Amsel, 1953 (Pyrilidae)
Synonym(s): *minimella* Amsel, 1953
- 2660. Nephopterix oxybiella** Amsel, 1950 (Pyrilidae)
Synonym(s): *oxybiella* Amsel, 1950
- 2661. Nephopterix rectangulella** Amsel, 1950 (Pyrilidae)
Synonym(s): *rectangulella* Amsel, 1950
- 2662. Noctuella superba** (Freyer, [1844]) (Pyrilidae)
Synonym(s): *superba* Freyer, [1844]
- 2663. Noctuella vespertalis** Herrich-Schäffer, [1855] (Pyrilidae) Synonym(s): *vespertalis* Herrich-Schäffer, [1855]; *#gilvalis* Zerny, 1914.
- 2664. Nomophila noctuella** ([Denis & Schiffermüller], 1775) (Pyrilidae) Synonym(s): *noctuella* [Denis & Schiffermüller], 1775
- 2665. Nyctegretis lineana** (Scopoli, 1786) (Pyrilidae)
Synonym(s): *lineana* Scopoli, 1786; *achatinella* Hübner, [1824].
- 2666. Nymphula nigrolinealis** Pryer, 1877 (Pyrilidae)
Synonym(s): *nigrolinealis* Pryer, 1877
- 2667. Ocrisiodes antiopa** Roesler, 1988 (Pyrilidae)
Synonym(s): *antiopa* Roesler, 1988
- 2668. Ocrisiodes bamella** (Amsel, 1958) (Pyrilidae)
Synonym(s): *bamella* Amsel, 1958
- 2669. Ocrisiodes dispergella** (Ragonot, 1887) (Pyrilidae)
Synonym(s): *dispergella* Ragonot, 1887
- 2670. Ocrisiodes minimella** (Amsel, 1970) (Pyrilidae)
Synonym(s): *minimella* Amsel, 1970
- 2671. Ocrisiodes occulta** Roesler, 1990 (Pyrilidae)
Synonym(s): *occulta* Roesler, 1990
- 2672. Ocrisiodes polptychella** (Ragonot, 1887) (Pyrilidae)
Synonym(s): *polptychella* Ragonot, 1887; *pristophorella* Amsel, 1951.
- 2673. Ocrisiodes ruftifasciella** (Ragonot, 1887) (Pyrilidae)
Synonym(s): *ruftifasciella* Ragonot, 1887; *chirazalis* Amsel, 1950
- 2674. Ocrisiodes senganella** (Amsel, 1961) (Pyrilidae)
Synonym(s): *senganella* Amsel, 1961; *arghandabella* Amsel, 1970.
- 2675. Ocrisiodes sesamella** Roesler, 1988 (Pyrilidae)
Synonym(s): *sesamella* Roesler, 1988
- 2676. Ocrisiodes taftanella** (Amsel, 1950) (Pyrilidae)
Synonym(s): *taftanella* Amsel, 1950
- 2677. Oncocera semirubella** (Scopoli, 1763) (Pyrilidae)
Synonym(s): *semirubella* Scopoli, 1763; *rosella* Goeze, 1783 *nec* Sc., 1763; *purpurella* Thunberg, 1788; *sanguinella* Hübner, 1796; *sanguinea* Haworth, 1811; *nigrella* Caradja, 1916
- 2678. Orthopygia glaucinalis** (Linnaeus, 1758) (Pyrilidae)
Synonym(s): *glaucinalis* Linnaeus, 1758
- 2679. Ostrinia nubilalis** (Hübner, 1796) (Pyrilidae)
Synonym(s): *nubilalis* Hübner, 1796; *silacealis* Hübner, 1796.
- 2680. Ostrinia persica** Mutuura & Munroe, 1970 (Pyrilidae) Synonym(s): *persica* Mutuura & Munroe, 1970
- 2681. Palpusopsis roseella** Amsel, 1959 (Pyrilidae)
Synonym(s): *roseella* Amsel, 1959
- 2682. Panstegia aerealis** (Hübner, 1793) (Pyrilidae)
Synonym(s): *aerealis* Hübner, 1793; *unicolor* Rebel, 1917.
- 2683. Panstegia limbopunctalis** (Herrich-Schäffer, [1849]) (Pyrilidae) Synonym(s): *limbopunctalis* Herrich-Schäffer, [1849]
- 2684. Paracorsia ? rudalis** (Zerny, 1939) (Pyrilidae)
Synonym(s): *rudalis* Zerny, 1939
- 2685. Paracorsia repandalis** ([Denis & Schiffermüller], 1775) (Pyrilidae) Synonym(s): *repandalis* [Denis & Schiffermüller], 1775
- 2686. Paraemporia monotona** Amsel, 1951 (Pyrilidae)
Synonym(s): *monotona* Amsel, 1951
- 2687. Paramecyna dimorphalis** Amsel, 1961 (Pyrilidae)
Synonym(s): *dimorphalis* Amsel, 1961
- 2688. Parapoinx affinalis** (Guenée, 1854) (Pyrilidae)
Synonym(s): *affinalis* Guenée, 1854; *incommoda* Butler, 1881; *fuscomarginata* Bethune-Baker, 1894; *#alaicalis* Caradja, 1916
- 2689. Parapoinx stratiotata** (Linnaeus, 1758) (Pyrilidae)
Synonym(s): *stratiotata* Linnaeus, 1758; *paludata* Fabricius, 1794; *amanica* Osthelder, 1935
- 2690. Parasefidia benderella** Amsel, 1950 (Pyrilidae)
Synonym(s): *benderella* Amsel, 1950
- 2691. Parasefidia comeella** (Amsel, 1951) (Pyrilidae)
Synonym(s): *comeella* Amsel, 1951
- 2692. Parasefidia khorassanella** (Amsel, 1950) (Pyrilidae)
Synonym(s): *khorrassanella* Amsel, 1950
- 2693. Paratalanta pandalis** (Hübner, [1825]) (Pyrilidae)
Synonym(s): *pandalis* Hübner, [1825]
- 2694. Pediasia alcmena** Bleszynski, 1965 (Pyrilidae)
Synonym(s): *alcmena* Bleszynski, 1965
- 2695. Pediasia contaminella** (Hübner, 1796) (Pyrilidae)
Synonym(s): *contaminella* Hübner, 1796; *squalidalis* Hübner, [1825]; *cantiellus* Tutt, 1886.
- 2696. Pediasia desertella** (Lederer, 1855) (Pyrilidae)
Synonym(s): *desertellus* Lederer, 1855
- 2697. Pediasia fascinelina** (Hübner, [1813]) (Pyrilidae)
Synonym(s): *fascinelina* Hübner, [1813]; *treitschkeella* Sodoffsky, 1830
- 2698. Pediasia luteella** ([Denis & Schiffermüller], 1775) (Pyrilidae) Synonym(s): *luteella* [Denis & Schiffermüller], 1775; *exoletella* [Denis & Schiffermüller], 1775; *exsoletella* Hübner, 1796; *ochrella* Hübner, 1796; *kindermannii* Zeller, 1863; *uhryki* Rothschild, 1911.
- 2699. Pediasia matricella** (Treitschke, 1832) (Pyrilidae)
Synonym(s): *matricella* Treitschke, 1832; *obscura* Caradja, 1931
- 2700. Pediasia numidella** (Rebel, 1903) (Pyrilidae)
Synonym(s): *numidella* Rebel, 1903
- 2701. Pediasia persella** (Toll, 1947) (Pyrilidae) Synonym(s): *persella* Toll, 1947
- 2702. Pediasia pseudopersella** Bleszynski, 1959 (Pyrilidae)
Synonym(s): *pseudopersella* Bleszynski, 1959
- 2703. Pempelia acrobassella** (Amsel, 1950) (Pyrilidae)
Synonym(s): *acrobassella* Amsel, 1950
- 2704. Pempelia albicostella** (Amsel, 1951) (Pyrilidae)
Synonym(s): *albicostella* Amsel, 1951
- 2705. Pempelia alpigenella** (Duponchel, 1836) (Pyrilidae)
Synonym(s): *alpigenella* Duponchel, 1836; *wagnerella* Freyer, 1845
- 2706. Pempelia arimanella** (Amsel, 1951) ? (Pyrilidae)
Synonym(s): *arimanella* Amsel, 1951
- 2707. Pempelia caspiella** (Amsel, 1959) (Pyrilidae)
Synonym(s): *caspiella* Amsel, 1959
- 2708. Pempelia cirtensis** Ragonot, 1890 (Pyrilidae)
Synonym(s): *cirtensis* Ragonot, 1890; *commagensis* Osthelder, 1940.
- 2709. Pempelia coremetella** Amsel (Pyrilidae) Synonym(s): *coremetella* Amsel
- 2710. Pempelia decentella** ? (Ragonot, 1887) (Pyrilidae)
Synonym(s): *decentella* Ragonot, 1887
- 2711. Pempelia gracilis** Rothschild (Pyrilidae) Synonym(s): *gracilis* Rothschild
- 2712. Pempelia intricatella** Ragonot, 1887 (Pyrilidae)
Synonym(s): *intricatella* Ragonot, 1887
- 2713. Pempelia obductella** Zeller, 1839 (Pyrilidae)
Synonym(s): *obductella* Zeller, 1839
- 2714. Pempelia orcella** Ragonot, 1887 (Pyrilidae)
Synonym(s): *orcella* Ragonot, 1887

- 2715. *Pempelia semiusta* Hampson** (Pyralidae)
Synonym(s): *semiusta* Hampson; *semiflava* Rebel
- 2716. *Pempelia tshahabarella* (Amsel,1950)** (Pyralidae)
Synonym(s): *tshahabarella* Amsel,1950
- 2717. *Pempeliella dilutella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *dilutella* [Denis & Schiffermüller],1775; *magna* Amsel,1953
- 2718. *Pempeliella sororiella* (Zeller,1839)** (Pyralidae)
Synonym(s): *sororiella* Zeller,1839
- 2719. *Phlyctaenomorpha sinuosalis* (le Cerf,1910)** (Pyralidae) Synonym(s): *sinuosalis* le Cerf,1909; *platyphaea* Meyrick,1937.
- 2720. *Phycita ardekanella* Amsel,1950** (Pyralidae)
Synonym(s): *ardekanella* Amsel,1950
- 2721. *Phycita balutschistanella* Amsel,1950** (Pyralidae)
Synonym(s): *balutschistanella* Amsel,1950
- 2722. *Phycita comeella* Amsel,1950** (Pyralidae)
Synonym(s): *comeella* Amsel,1950
- 2723. *Phycita diaphana* (Staudinger,1870)** (Pyralidae)
Synonym(s): *diaphana* Staudinger,1870
- 2724. *Phycita eremica* Amsel,1935** (Pyralidae) Synonym(s): *eremica* Amsel,1935; *aciculata* Meyrick
- 2725. *Phycita macrodontella* (Ragonot,1887)** (Pyralidae)
Synonym(s): *macrodontella* Ragonot,1887; *burkhunella* Ragonot,1888; *pallidignata* Toll,1948.
- 2726. *Phycita mianella* Amsel,1950** (Pyralidae)
Synonym(s): *mianella* Amsel,1950
- 2727. *Phycita strigata* (Staudinger,1879)** (Pyralidae)
Synonym(s): *strigata* Staudinger,1879
- 2728. *Phycita taftanella* Amsel,1950** (Pyralidae)
Synonym(s): *taftanella* Amsel,1950
- 2729. *Phycitodes albatella* (Ragonot,1887)** (Pyralidae)
Synonym(s): *albatella* Ragonot,1887
- 2730. *Phycitodes binaevella* (Hübner,[1813])** (Pyralidae)
Synonym(s): *binaevella* Hübner,[1813].
- 2731. *Phycitodes binaloudella* (Amsel,1961)** (Pyralidae)
Synonym(s): *binaloudella* Amsel,1961
- 2732. *Phycitodes carlinella* (Heinemann,1865)** (Pyralidae)
Synonym(s): *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *caniusella* Ragonot,1901
- 2733. *Phycitodes inquinatella* (Ragonot,1887)** (Pyralidae)
Synonym(s): *inquinatella* Ragonot,1887
- 2734. *Phycitodes lacteella* (Rothschild,1915)** (Pyralidae)
Synonym(s): *lacteella* Rothschild,1915; *viettella* Roesler,1965.
- 2735. *Phycitodes nigrilimbella* (Ragonot,1887)** (Pyralidae)
Synonym(s): *nigrilimbella* Ragonot,1887
- 2736. *Phycitodes saxicola* (Vaughan,1870)** (Pyralidae)
Synonym(s): *saxicola* Vaughan,1870
- 2737. *Pleuroptya ruralis* (Scopoli,1763)** (Pyralidae)
Synonym(s): *ruralis* Scopoli,1763
- 2738. *Plodia interpunctella* (Hübner,[1813])** (Pyralidae)
Synonym(s): *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932.
- 2739. *Praeepischnia iranella* Amsel,1953** (Pyralidae)
Synonym(s): *iranella* Amsel,1953
- 2740. *Praeepischnia lydella* (Lederer,1865)** (Pyralidae)
Synonym(s): *lydella* Lederer,1865; *gypsocrates* Meyrick,1937
- 2741. *Praeepischnia taftanella* Amsel,1953** (Pyralidae)
Synonym(s): *taftanella* Amsel,1953
- 2742. *Pristocerella solskyi* (Christoph,1877)** (Pyralidae)
Synonym(s): *solskyi* Christoph,1877; *ochroleucella* Staudinger,1879; *bivitella* Christoph,1887.
- 2743. *Prochoristis capparidis* (Christoph,1876)** (Pyralidae)
Synonym(s): *capparidis* Christoph,1876.
- 2744. *Prolais elbursalis* Amsel,1961** (Pyralidae)
Synonym(s): *elbursalis* Amsel,1961
- 2745. *Prorophora (Epischidia) afghanella* Roesler,1973** (Pyralidae) Synonym(s): *afghanella* Roesler,1973
- 2746. *Prorophora (Epischidia) albunculella* (Staudinger,1879)** (Pyralidae) Synonym(s): *albunculella* Staudinger,1879; *rhectogramma* Meyrick,1937.
- 2747. *Prorophora (Epischidia) senganella* (Amsel,1951)** (Pyralidae) Synonym(s): *senganella* Amsel,1951; *richteri* Amsel,1959.
- 2748. *Prorophora (s.str.) curvibasella* Ragonot,1887** (Pyralidae) Synonym(s): *curvibasella* Ragonot,1887
- 2749. *Psammotis pulveralis* (Hübner,1796)** (Pyralidae)
Synonym(s): *pulveralis* Hübner,1796
- 2750. *Psara pallidalis* (Hampson,1913)** (Pyralidae)
Synonym(s): *pallidalis* Hampson,1913; *aethiopica* Strand,1916
- 2751. *Pseudobissetia terrestrella* (Christoph,1885)** (Pyralidae) Synonym(s): *terrestrella* Christoph,1885; *hypenalis* Rebel,1910; *tozeurellus* Lucas,1911
- 2752. *Psorosa dahliella* (Treitschke,1832)** (Pyralidae)
Synonym(s): *dahliella* Treitschke,1832; *bivitella* Duponchel,1836.
- 2753. *Psorosa maraschella* Caradja,1910** (Pyralidae)
Synonym(s): *maraschella* Caradja,1910
- 2754. *Psorosa mechedella* Amsel,1953** (Pyralidae)
Synonym(s): *mechedella* Amsel,1953
- 2755. *Psorosa nucleolella* (Möschler,1866)** (Pyralidae)
Synonym(s): *nucleolella* Möschler,1866; *clarella* Caradja,1910; *#luteostrigella* Caradja,1910; *mediterranea* Amsel,1953.
- 2756. *Psorosodes dalakiella* Amsel,1953** (Pyralidae)
Synonym(s): *dalakiella* Amsel,1953
- 2757. *Pterothridia contectella* (Zeller,1848)** (Pyralidae)
Synonym(s): *contectella* Zeller,1848
- 2758. *Pterothridia osmanella* Amsel,1953** (Pyralidae)
Synonym(s): *osmanella* Amsel,1953
- 2759. *Pyralis farinalis* (Linnaeus,1758)** (Pyralidae)
Synonym(s): *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticus* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 *nec* Fabr.,1794.
- 2760. *Pyralis juengeri* Amsel,1953** (Pyralidae) Synonym(s): *juengeri* Amsel,1953
- 2761. *Pyralis kachetialis* Christoph,1893** (Pyralidae)
Synonym(s): *kachetialis* Christoph,1893
- 2762. *Pyralis narynensis* Zerny,1914** (Pyralidae)
Synonym(s): *perversalis* sensu auct. *nec* Herr.-Schäff.,1849; *narynensis* Zerny,1914; *#narynsensis* Amsel,1961
- 2763. *Pyrasia gutturalis* (Staudinger,1879)** (Pyralidae)
Synonym(s): *gutturalis* Staudinger,1879
- 2764. *Pyrausta (Haematia) castalis* Treitschke,1829** (Pyralidae) Synonym(s): *castalis* Treitschke,1829
- 2765. *Pyrausta (Haematia) despicata* (Scopoli,1763)** (Pyralidae) Synonym(s): *despicata* Scopoli,1763; *cespitis* [Denis & Schiffermüller],1775.
- 2766. *Pyrausta (Haematia) perkeo* Amsel,1970** (Pyralidae)
Synonym(s): *perkeo* Amsel,1970
- 2767. *Pyrausta (Haematia) sanguinalis* (Linnaeus,1767)** (Pyralidae) Synonym(s): *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819]
- 2768. *Pyrausta (Haematia) taftanalis* Amsel,1961** (Pyralidae) Synonym(s): *taftanalis* Amsel,1961
- 2769. *Pyrausta (Haematia) virginalis* (Duponchel,1832)** (Pyralidae) Synonym(s): *virginalis* Duponchel,1832; *auroralis* Zeller,1847; *neglectalis* Caradja,1916
- 2770. *Pyrausta (s.str.) aurata* (Scopoli,1763)** (Pyralidae)
Synonym(s): *aurata* Scopoli,1763; *punicealis* [Denis & Schiffermüller],1775; *niepoldalis* Lederer,1863
- 2771. *Pyrausta (s.str.) inciae* Koçak,1982** (Pyralidae)
Synonym(s): *meridionalis* Staudinger,1880 *nec* Wcke,1871; *inciae* Koçak,1982.
- 2772. *Pyrausta (s.str.) purpuralis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *purpuralis* Linnaeus,1758; *inflammata* Scopoli,1763; *purpuraria* Latreille,[1803]; *confundalis* Zetterstedt,1839; *chermesinalis* Guenée,1854; *melanalis* Caradja,1916
- 2773. *Pyrausta laristanalis* Amsel,1961** (Pyralidae)
Synonym(s): *laristanalis* Amsel,1961
- 2774. *Pyrausta shirazalis* Amsel,1961** (Pyralidae)
Synonym(s): *shirazalis* Amsel,1961
- 2775. *Raphimetopus ablutellus* (Zeller,1839)** (Pyralidae)
Synonym(s): *ablutellus* Zeller,1839; *stigmatellus* Ragonot,1888; *buxtoni* Rothschild,1921

- 2776. Repetekiodes acervella (Erschoff,1874)** (Pyrilidae)
Synonym(s): *acervella* Erschoff,1874; *kuschkeella* Zerny,1914; *senganelle* Amsel,1954.
- 2777. Rhodophaea (?) taftanella Amsel,1950** (Pyrilidae)
Synonym(s): *taftanella* Amsel,1950
- 2778. Saluria maculivittella Ragonot,1887** (Pyrilidae)
Synonym(s): *maculivittella* Ragonot,1887; *armeniella* Ragonot,1888.
- 2779. Schoenobius alpherakyi Staudinger,1874** (Pyrilidae)
Synonym(s): *alpherakyi* Staudinger,1874
- 2780. Schoenobius gigantellus ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *gigantella* [Denis & Schiffermüller],1775
- 2781. Sciota (Ciliocerodes) belutschistanella (Amsel,1961)** (Pyrilidae) Synonym(s): *belutschistanella* Amsel,1961
- 2782. Scirpophaga magnella De Joannis,1929** (Pyrilidae)
Synonym(s): *magnella* De Joannis,1929.
- 2783. Scirpophaga praelata (Scopoli,1763)** (Pyrilidae)
Synonym(s): *praelata* Scopoli,1763; *dubia* Rossi,1790; *latidactyla* Hübner,1790; *phantasmatalis* Hübner,[1825]; *alba* Hübner,[1828]; *#grisea* Guenée,1845; *#cinerea* Zeller,1863; *limnochares* Common,1960.
- 2784. Sclerobiodes persica Amsel,1951** (Pyrilidae)
Synonym(s): *persica* Amsel,1951
- 2785. Scoparia ambigualis (Treitschke,1829)** (Pyrilidae)
Synonym(s): *ambigualis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#taeniatella* Teich,1889; *#crossi* Banks,1909
- 2786. Scoparia basistrigalis Knaggs,1866** (Pyrilidae)
Synonym(s): *basistrigalis* Knaggs,1866; *signella* Teich,1889; *bifascialis* Turati,1923
- 2787. Scoparia manifestella (Herrich-Schäffer,1848)** (Pyrilidae) Synonym(s): *manifestella* Herrich-Schäffer,1848; *fasciata* Turati,1919; *ticinensis* Müller-Rutz,1920; *laserella* Thurner,1958; *marioni* Viette,1965
- 2788. Scoparia saerdabella Osthelder,1938** (Pyrilidae)
Synonym(s): *saerdabella* Osthelder,1938; *hyrcanella* Toll,1948
- 2789. Scoparia subfusca Haworth,[1811]** (Pyrilidae)
Synonym(s): *subfusca* Haworth,[1811]; *graeella* Stainton,1849; *subfuscalis* Guenée,1854; *scotica* White,1872; *cembrae* auct. nec Haworth,1811; *cembrae* auct. nec Gn.,1854; *#sugfusca* Leraut,1984
- 2790. Scoparia subfusca bicornutella Amsel,1953** (Pyrilidae) Synonym(s): *bicornutella* Amsel,1953
- 2791. Scotomera tacapealis (Ragonot,1891)** (Pyrilidae)
Synonym(s): *tacapealis* Ragonot,1891
- 2792. Scotomerodes syriacalis Ragonot,1895** (Pyrilidae)
Synonym(s): *syriacalis* Ragonot,1895
- 2793. Sefidia persica Amsel,1950** (Pyrilidae) Synonym(s): *persica* Amsel,1950
- 2794. Seleucia semirosella Ragonot,1887** (Pyrilidae)
Synonym(s): *semirosella* Ragonot,1887
- 2795. Sengania ruehmekorfii Amsel,1951** (Pyrilidae)
Synonym(s): *ruehmekorfii* Amsel,1951
- 2796. Sitochroa palealis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *? flaveolata* Hufnagel,1767; *palealis* [Denis & Schiffermüller],1775; *stigmatalis* Villers,1789; *selenalis* Hübner,[1819]
- 2797. Sitochroa verticalis (Linnaeus,1758)** (Pyrilidae)
Synonym(s): *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829
- 2798. Spoladea recurvalis (Fabricius,1775)** (Pyrilidae)
Synonym(s): *recurvalis* Fabricius,1775; *fascialis* Cramer,[1782]; *recurvella* Zincken,1818; *diffascialis* Hübner,[1825]; *albifascialis* Boisduval,1833; *animalis* Guenée,1854; *exodias* Meyrick,1904; *formosana* Shiraki,1913.
- 2799. Staudingeria (s.str.) aspilatella (Ragonot,1887)** (Pyrilidae) Synonym(s): *aspilatella* Ragonot,1887; *simplicella* Chrétien,1910; *calligonella* Dumont,1926.
- 2800. Staudingeria (s.str.) deserticola (Staudinger,1870)** (Pyrilidae) Synonym(s): *deserticola* Staudinger,1870
- 2801. Staudingeria (s.str.) eremicola (Amsel,1935)** (Pyrilidae) Synonym(s): *eremicola* Amsel,1935; *#nigricella* Amsel,1959.
- 2802. Staudingeria (s.str.) holophaella Rebel,1903** (Pyrilidae) Synonym(s): *holophaella* Rebel,1903; *desertella* Lucas,1909; *holophaella* Caradja,1910; *obscurior* Caradja,1910; *calciariellina* Rothschild,1913; *griseolella* Rothschild,1915.
- 2803. Staudingeria (s.str.) khuzistanella Amsel,1959** (Pyrilidae) Synonym(s): *khuzistanella* Amsel,1959
- 2804. Staudingeria (s.str.) monella Roesler,1973** (Pyrilidae) Synonym(s): *monella* Roesler,1973
- 2805. Staudingeria (s.str.) partitella Ragonot,1887** (Pyrilidae) Synonym(s): *partitella* Ragonot,1887; *adustella* Ragonot,1887; *fractifasciella* Ragonot,1890; *kebiliella* Lucas,1909; *combustella* Chrétien,1910.
- 2806. Staudingeria (s.str.) persicella Amsel,1961** (Pyrilidae) Synonym(s): *persicella* Amsel,1961
- 2807. Staudingeria (s.str.) yerburii (Butler,1884)** (Pyrilidae) Synonym(s): *yerburii* Butler,1884; *labeculella* Ragonot,1887; *innotalis* Hampson,1899; *costalbella* Mabilie,1906; *rubronervella* Mabilie,1906; *pallidicostella* Chrétien,1910; *pruinosa* Chrétien,1911; *vinosparsella* Turati,1924; *ruehli* Gozmany,1959; *khuzistanella* Amsel,1959; *benderella* Amsel,1961
- 2808. Stenmatophora schwingenschussi Zerny,1939** (Pyrilidae) Synonym(s): *schwingenschussi* Zerny,1939
- 2809. Stiphrometasia monialis (Erschoff,1871)** (Pyrilidae)
Synonym(s): *monialis* Erschoff,1871
- 2810. Stiphrometasia sancta (Hampson,1900)** (Pyrilidae)
Synonym(s): *sancta* Hampson,1900; *alba* Caradja,1917.
- 2811. Sultania lophotalis (Hampson,1900)** (Pyrilidae)
Synonym(s): *lophotalis* Hampson,1900
- 2812. Suratha soudanensis (Hampson,1919)** (Pyrilidae)
Synonym(s): *soudanensis* Hampson,1919
- 2813. Suratha strioliger (Rothschild,1913)** (Pyrilidae)
Synonym(s): *strioliger* Rothschild,1913; *stroblei* Amsel,1953
- 2814. Susia uberis (Swinhoe,1884)** (Pyrilidae)
Synonym(s): *uberis* Swinhoe,1884; *bahrainalis* Amsel,1968.
- 2815. Synaphe bombycalis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917.
- 2816. Synaphe consecratalis (Lederer,1855)** (Pyrilidae)
Synonym(s): *consecratalis* Lederer,1855
- 2817. Synaphe moldavica (Esper,[1789])** (Pyrilidae)
Synonym(s): *moldavica* Esper,[1789]; *schmidtii* Hartig,1941.
- 2818. Synaphe unifascialis (Amsel,1961)** (Pyrilidae)
Synonym(s): *unifascialis* Amsel,1961
- 2819. Synclera ? interruptalis Amsel,1950** (Pyrilidae)
Synonym(s): *interruptalis* Amsel,1950
- 2820. Synclera bleusei Oberthür** (Pyrilidae) Synonym(s): *bleusei* Oberthür; *tenuivittalis* Turati
- 2821. Synclera traducalis (Zeller,1852)** (Pyrilidae)
Synonym(s): *traducalis* Zeller,1852; *retinalis* Lederer,1857; *univocalis* Walker,1859; *achatinalis* Guenée,1862
- 2822. Syrianarpia kasyi Leraut,1984** (Pyrilidae)
Synonym(s): *kasyi* Leraut,1984
- 2823. Syrianarpia osthelderi Leraut,1982** (Pyrilidae)
Synonym(s): *osthelderi* Leraut,1982
- 2824. Taftania oxycyma (Meyrick,1937)** (Pyrilidae)
Synonym(s): *oxycyma* Meyrick,1937
- 2825. Talis quercella ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *#quercella* [Denis & Schiffermüller],1775; *noctuella* Hübner,1796; *neglectella* Hübner,[1824].
- 2826. Tegostoma confluentalis Hampson,1913** (Pyrilidae)
Synonym(s): *confluentalis* Hampson,1913; *ahwazalis* Amsel,1949.
- 2827. Tegostoma marginalis Amsel,1961** (Pyrilidae)
Synonym(s): *marginalis* Amsel,1961
- 2828. Tegostoma mossulalis Amsel,1949** (Pyrilidae)
Synonym(s): *mossulalis* Amsel,1949
- 2829. Tegostoma paralis Hampson,1900** (Pyrilidae)
Synonym(s): *paralis* Hampson,1900
- 2830. Tegostoma perlepidalis (Guenée,1854)** (Pyrilidae)
Synonym(s): *#lepidalis* Herrich-Schäffer,[1851]; *perlepidalis* Guenée,1854; *lepidalis* Herrich-Schäffer,[1855]; *#lepidale* Caradja,1917.
- 2831. Tegostoma perlepidalis apurpurealis Amsel,1970** (Pyrilidae) Synonym(s): *apurpurealis* Amsel,1970
- 2832. Tegostoma uniforma Amsel,1951** (Pyrilidae)
Synonym(s): *uniforma* Amsel,1951

- 2833. Tephros diversella** Amsel, 1950 (Pyrilidae)
Synonym(s): *diversella* Amsel, 1950
- 2834. Tephros verrucella** (Ragonot, 1887) (Pyrilidae)
Synonym(s): *verrucella* Ragonot, 1887; *#verruculella* Amsel, 1959
- 2835. Tephroniopsis geometridalis** Amsel, 1961 (Pyrilidae)
Synonym(s): *geometridalis* Amsel, 1961
- 2836. Therapne obsoletalis** (Mann, 1864) (Pyrilidae)
Synonym(s): *obsoletalis* Mann, 1864
- 2837. Thopeutis galleriellus** (Ragonot, 1892) (Pyrilidae)
Synonym(s): *galleriellus* Ragonot, 1892; *canicostalis* Hampson, 1896; *unicolor* De Joannis, 1910; *submedianalis* Hampson, 1919; *buxtoni* Rotschild, 1921; *chretienellus* Dumont, 1930; *maculalis* Predota, 1934; *hederalis* Amsel, 1935.
- 2838. Thospia crassipalpella** Ragonot, 1888 (Pyrilidae)
Synonym(s): *crassipalpella* Ragonot, 1888
- 2839. Thospia permixtella** Ragonot, 1888 (Pyrilidae)
Synonym(s): *permixtella* Ragonot, 1888
- 2840. Thospia trifasciella** (Ragonot, 1887) (Pyrilidae)
Synonym(s): *trifasciella* Ragonot, 1887; *alborivulella* Ragonot, 1888.
- 2841. Thyridiphora furia** (Swinhoe, 1884) (Pyrilidae)
Synonym(s): *furia* Swinhoe, 1884; *fenestrata* Warren, 1888; *grisea* Amsel, 1968.
- 2842. Titanio hyrcanella** Amsel, 1950 (Pyrilidae)
Synonym(s): *hyrcanella* Amsel, 1950
- 2843. Titanio nanalis** (Christoph, 1888) (Pyrilidae)
Synonym(s): *nanalis* Christoph, 1888; *obscura* W. Warren, 1892; *staudingeri* Bethune-Baker, 1893
- 2844. Titanio nissalis** Amsel, 1951 (Pyrilidae) Synonym(s): *nissalis* Amsel, 1951
- 2845. Trachycera bouchirella** (Amsel, 1951) (Pyrilidae)
Synonym(s): *bouchirella* Amsel, 1951
- 2846. Trachycera dulcella** (Zeller, 1848) (Pyrilidae)
Synonym(s): *dulcella* Zeller, 1848
- 2847. Trachycera eburnella** (Amsel, 1953) (Pyrilidae)
Synonym(s): *eburnella* Amsel, 1953
- 2848. Trachycera farsella** (Amsel, 1950) (Pyrilidae)
Synonym(s): *farsella* Amsel, 1950
- 2849. Trachycera khachella** (Amsel, 1950) (Pyrilidae)
Synonym(s): *khachella* Amsel, 1950
- 2850. Trachycera mirabiella** (Toll, 1948) (Pyrilidae)
Synonym(s): *mirabiella* Toll, 1948; *senganella* Amsel, 1950
- 2851. Trachycera mirabilella** (Toll, 1948) (Pyrilidae)
Synonym(s): *mirabilella* Toll, 1948; *senganella* Amsel, 1950
- 2852. Trachycera niveicinctella** (Ragonot, 1887) (Pyrilidae)
Synonym(s): *niveicinctella* Ragonot, 1887; *iranalis* Amsel, 1950
- 2853. Trachycera persicella** (Amsel, 1951) (Pyrilidae)
Synonym(s): *persicella* Amsel, 1951
- 2854. Trachycera praefectella** (Zerny, 1936) (Pyrilidae)
Synonym(s): *praefectella* Zerny, 1936; *chirazella* Amsel, 1951
- 2855. Trachycera zamantha** Roesler, 1987 (Pyrilidae)
Synonym(s): *zamantha* Roesler, 1987
- 2856. Trigonuncus euergestalis** Amsel, 1953 (Pyrilidae)
Synonym(s): *euergestalis* Amsel, 1953; *#euergestalis* Wiltshire, 1957.
- 2857. Trigonuncus inglorialis** (Hampson, 1900) (Pyrilidae)
Synonym(s): *inglorialis* Hampson, 1900
- 2858. Trigonuncus nissalis** Amsel, 1950 (Pyrilidae)
Synonym(s): *nissalis* Amsel, 1950
- 2859. Trissonca muliebris** Meyrick, 1937 (Pyrilidae)
Synonym(s): *muliebris* Meyrick, 1937
- 2860. Turania pentodonalis** (Erschoff, 1874) (Pyrilidae)
Synonym(s): *pentodonalis* Erschoff, 1874
- 2861. Udea ardekanalis** Amsel, 1961 (Pyrilidae)
Synonym(s): *ardekanalis* Amsel, 1961
- 2862. Udea confinalis** (Lederer, 1858) (Pyrilidae)
Synonym(s): *confinalis* Lederer, 1858; *gracialis* Staudinger, 1870
- 2863. Udea ferrugalis** (Hübner, 1796) (Pyrilidae)
Synonym(s): *ferrugalis* Rossi, 1794; *ferrugalis* Hübner, 1796; *#ferrugalis* Hübner, 1796; *martialis* Guenée, 1854; *hypatialis* Walker, 1859; *testacea* Butler, 1879
- 2864. Udea fulvalis** (Hübner, [1809]) (Pyrilidae)
Synonym(s): *fulvalis* Hübner, [1809]; *pronoidalis* Staudinger, 1879
- 2865. Udea institalis** (Hübner, [1819]) (Pyrilidae)
Synonym(s): ? *focorum* Fourcroy, 1785; *institalis* Hübner, [1819]; *rutana* Vallot, 1829; *ferreralis* Duponchel, 1833
- 2866. Udea languidalis** (Eversmann, 1842) (Pyrilidae)
Synonym(s): *languidalis* Eversmann, 1842
- 2867. Udea mechedalis** (Amsel, 1950) (Pyrilidae)
Synonym(s): *mechedalis* Amsel, 1950
- 2868. Udea pyraustiformis** (Toll, 1947) (Pyrilidae)
Synonym(s): *pyraustiformis* Toll, 1947
- 2869. Uncinus hypogryphellus** Amsel, 1951 (Pyrilidae)
Synonym(s): *hypogryphellus* Amsel, 1951
- 2870. Uresiphita polygonalis** ([Denis & Schiffermüller], 1775) (Pyrilidae) Synonym(s): *polygonalis* [Denis & Schiffermüller], 1775; *#limbalis* [Denis & Schiffermüller], 1775; *gilvata* Fabricius, 1794; *orientalis* Fabricius, 1794; *diversalis* Hübner, 1796; *rusticalis* Hübner, 1796; *aversalis* Guenée, 1854; *consanguinalis* Guenée, 1854; *teriadalis* Guenée, 1854; *deprivalis* Walker, 1859; *virescens* Butler, 1881; *ochrocrossa* Clarke, 1971
- 2871. Valva pseudodiscomaculella** (Amsel, 1935) (Pyrilidae) Synonym(s): *pseudodiscomaculella* Amsel, 1935; *candiopella* Amsel, 1961
- 2872. Vietteia terstrigella** (Christoph, 1877) (Pyrilidae)
Synonym(s): *terstrigella* Christoph, 1877
- 2873. Xanthocrampus saxonellus** (Zincken, 1821) (Pyrilidae) Synonym(s): *saxonellus* Zincken, 1821; *chrysellus* Treitschke, 1832; *carentellus* Christoph, 1888
- 2874. Aglia tau** (Linnaeus, 1758) (Saturniidae) Synonym(s): *tau* Linnaeus, 1758; *cerretanica* Rougeot, 1965; *spaniolissima* Gomez-Bustillo & Gomez de Aizpurua, 1980; *eumense* Gomez-Bustillo & Fernandez Vidal, 1980
- 2875. Saturnia (Neoris) shadulla** Moore, 1872 (Saturniidae)
Synonym(s): *shadulla* Moore, 1872; *svenihedini* Hering, 1936; *alatauca* O. Bang-Haas, 1937
- 2876. Saturnia (s.str.) pyri** ([Denis & Schiffermüller], 1775) (Saturniidae) Synonym(s): *pyri* [Denis & Schiffermüller], 1775; *teherana* Lenek, 1970; *pinkerae* Kobes, 1980.
- 2877. Arethusana arethusa** ([Denis & Schiffermüller], 1775) (Satyridae) Synonym(s): *arethusa* [Denis & Schiffermüller], 1775; *erythia* Hübner, 1805; *pontica* Heyne, [1895]; *sultana* Wagner, 1929; *hakkarica* Koçak, 1975 (*sensu* Hesselbarth et al., 1995: 917).
- 2878. Brintesia circe** (Fabricius, 1775) (Satyridae)
Synonym(s): *circe* Fabricius, 1775; *proserpina* Denis & Schiffermüller, 1775; *maga* Fruhstorfer, 1909; *venefica* Fruhstorfer, 1909; *gabala* Gaillard, 1959; *maladettiae* Varin, 1962.
- 2879. Chazara (Neochazara) anthe** (Hoffmannsegg, 1804) (Satyridae) Synonym(s): *anthe* Hoffmannsegg, 1804; *persephone* Hübner, 1805; *anthe* Ochsenheimer, 1807.
- 2880. Chazara (Neochazara) enervata** (Staudinger, 1881) (Satyridae) Synonym(s): *enervata* Staudinger, 1881; *analoga* Alpheraky, 1881; *ochracea* Heyne, [1894].
- 2881. Chazara (s.str.) bischoffi** (Herrich-Schäffer, [1846]) (Satyridae) Synonym(s): *bischoffi* Herrich-Schäffer, [1846]
- 2882. Chazara (s.str.) briseis** (Linnaeus, 1764) (Satyridae)
Synonym(s): *briseis* Linnaeus, 1764; *daedale* Bergsträßer, 1780; *bataia* Fruhstorfer, 1909; *interjecta* Verity, 1916; *variabilis* Varin, 1958; *pictonica* Varin, 1958.
- 2883. Chazara (s.str.) egina** (Staudinger, [1892]) (Satyridae) Synonym(s): *egina* Staudinger, [1892]; *aisha* Rose, 1986.
- 2884. Chazara (s.str.) kaufmanni** (Erschoff, 1874) (Satyridae) Synonym(s): *kaufmanni* Erschoff, 1874
- 2885. Chazara (s.str.) sieversi** (Christoph, 1885) (Satyridae)
Synonym(s): *sieversi* Christoph, 1885
- 2886. Coenonympha glycerion** (Borkhausen, 1788) (Satyridae) Synonym(s): *iphis* [Denis & Schiffermüller], 1775 *nec* Dru., 1773; *amyntas* auctorum; *glycerion* Borkhausen, 1788; *hero* Fabricius, 1793 *nec* Linnaeus, 1761; *manto* Schrank, 1801; *mandane* Kirby, 1862; *tiphonides* Staudinger, 1901.
- 2887. Coenonympha leander** (Fabricius, 1787) (Satyridae)
Synonym(s): *#leander* Esper, [1784]; *leander* Fabricius, 1787
- 2888. Coenonympha pamphilus** (Linnaeus, 1758) (Satyridae) Synonym(s): *pamphilus* Linnaeus, 1758; *menalcas* Poda, 1761; *nephela* Hufnagel, 1766; *marginata* Heyne, 1894; *orantia* Fruhstorfer, 1908; *scota* Verity, 1911; *infrarasa* Verity, 1926;

- juldusica* Verity, 1926; *asiaemontium* Verity, 1926; *euxina* Verity, 1926; *posteuxina* Verity, 1926; *londonii* Verity, 1926; *neolyllus* De Lattin, 1950
- 2889. Coenonympha saadi (Kollar, [1849])** (Satyridae)
Synonym(s): *saadi* Kollar, [1849]; *iphias* Eversmann, 1851.
- 2890. Erebia graucasica Jachontov, 1909** (Satyridae)
Synonym(s): *graucasica* Jachontov, 1909; *caucasica* Korshunov, Antonova & Kotschetova, 1984.
- 2891. Erebia iranica Groum-Grshimailo, 1895** (Satyridae)
Synonym(s): *iranica* Groum-Grshimailo, 1895
- 2892. Esperarge (s.str.) clymene (Fabricius, 1787)** (Satyridae) Synonym(s): *#climene* Esper, [1783]; *clymene* Fabricius, 1787; *boroeas* Latreille, 1803; *synclimene* Hübner, [1819].
- 2893. Hipparchia (Neohipparchia) fatua (Freyer, 1844)** (Satyridae) Synonym(s): *fatua* Freyer, 1844; *sichaea* Lederer, 1857; *insularis* Turati, 1929; *elineata* Verity, 1937; *infracastanea* Verity, 1938; *kosswigi* De Lattin, 1950.
- 2894. Hipparchia (Neohipparchia) parisatis (Kollar, [1849])** (Satyridae) Synonym(s): *parisatis* Kollar, [1849]; *macrophthalmus* Eversmann, 1851; *malatinus* Heyne, 1894; *ismail* Gross & Ebert, 1975; *huochenensis* Huang & Zhou, 2000.
- 2895. Hipparchia (Parahipparchia) pellucida (Stauder, 1924)** (Satyridae) Synonym(s): *pellucida* Stauder, 1924; *cotys* Jachontov, 1935; *hesselbarthi* Kudrna, 1976.
- 2896. Hipparchia (Parahipparchia) turcmenica (Heydemann, 1942)** (Satyridae) Synonym(s): *turcmenica* Heydemann, 1942
- 2897. Hipparchia (s.str.) syriaca (Staudinger, 1871)** (Satyridae) Synonym(s): *syriaca* Staudinger, 1871; *attikana* Fruhstorfer, 1907; *meschetica* Jachontov, 1915; *tokatensis* Gross, 1959.
- 2898. Hyponephele (s.str. (Caspinephele)) dysdora (Lederer, 1869)** (Satyridae) Synonym(s): *dysdora* Lederer, 1869; *#dystora* Eckweiler & Hofmann, 1980.
- 2899. Hyponephele (s.str. (Ereminephele)) capella (Christoph, 1877)** (Satyridae) Synonym(s): *capella* Christoph, 1877
- 2900. Hyponephele (s.str. (Ereminephele)) fusca (Stshetkin, 1960)** (Satyridae) Synonym(s): *fusca* Stshetkin, 1960
- 2901. Hyponephele (s.str. (Ereminephele)) huebneri Koçak, 1980** (Satyridae) Synonym(s): *narica* Hübner, [1813] *nec* Fabricius, 1793; *huebneri* Koçak, 1980
- 2902. Hyponephele (s.str. (Ereminephele)) naricina (Staudinger, 1870)** (Satyridae) Synonym(s): *naricina* Staudinger, 1870
- 2903. Hyponephele (s.str. (Ereminephele)) naricoides Gross, 1977** (Satyridae) Synonym(s): *naricoides* Gross, 1977
- 2904. Hyponephele (s.str. (Iranonephele)) amardaea (Lederer, 1869)** (Satyridae) Synonym(s): *amardaea* Lederer, 1869
- 2905. Hyponephele (s.str. (Tengrinephele)) cadusia (Lederer, 1869)** (Satyridae) Synonym(s): *cadusia* Lederer, 1869
- 2906. Hyponephele (s.str. (Turaninephele)) comara (Lederer, 1871)** (Satyridae) Synonym(s): *comara* Lederer, 1871
- 2907. Hyponephele (s.str. (Turaninephele)) davendra (Moore, 1865)** (Satyridae) Synonym(s): *davendra* Moore, 1865; *roxane* Felder & Felder, 1867.
- 2908. Hyponephele (s.str. (Turaninephele)) shirazica Carbonell, 1997** (Satyridae) Synonym(s): *shirazica* Carbonell, 1997
- 2909. Hyponephele (s.str. (Turaninephele)) wagneri (Herrich-Schäffer, [1846])** (Satyridae) Synonym(s): *wagneri* Herrich-Schäffer, [1846]; *schmidtii* Bang-Haas, 1927.
- 2910. Hyponephele (s.str.) interposita (Erschoff, 1874)** (Satyridae) Synonym(s): *interposita* Erschoff, 1874; *margelanica* Turati, 1909 (cf. Samodurov et al., 1995, *Atalanta* 26 (1/2): 182).
- 2911. Hyponephele (s.str.) lupina (Costa, [1836])** (Satyridae) Synonym(s): *lupina* Costa, [1836]
- 2912. Hyponephele (s.str.) lycaonoides Weiss, 1978** (Satyridae) Synonym(s): *lycaonoides* Weiss, 1978
- 2913. Hyponephele (s.str.) zuvandica Samodurov & Koroljev, 1996** (Satyridae) Synonym(s): *zuvandica* Samodurov & Koroljev, 1996; *#zuvandi* Korb, 2000
- 2914. Kirinia (Melike) roxelana (Cramer, [1777])** (Satyridae) Synonym(s): *roxelana* Cramer, [1777]
- 2915. Lasiommata adrastoides (Bienert, 1870)** (Satyridae)
Synonym(s): *adrastoides* Bienert, 1870
- 2916. Lasiommata megera (Linnaeus, 1767)** (Satyridae)
Synonym(s): *megera* Linnaeus, 1767; *caledonia* Verity, 1911; *alticola* Verity, 1911; *pseudoadrasta* Stauder, 1922; *infrapallens* Verity, 1922; *ocellator* Verity, 1923; *pallidedepulverata* Verity, 1923.
- 2917. Lasiommata menava Moore, 1865** (Satyridae)
Synonym(s): *menava* Moore, 1865.
- 2918. Lasiommata zagrossica Lukhtanov & Dantchenko, 2005** (Satyridae) Synonym(s): *zagrossica* Lukhtanov & Dantchenko, 2005
- 2919. Lyela myops (Staudinger, 1881)** (Satyridae)
Synonym(s): *myops* Staudinger, 1881
- 2920. Maniola (Telmessiola) telmessia (Zeller, 1847)** (Satyridae) Synonym(s): *telmessia* Zeller, 1847; *pallescens* Butler, 1868; *kurdistanica* Heyne, 1894; *oreas* Le Cerf, 1912; *manioides* Le Cerf, 1912; *ornata* Turati & Fiori, 1930; *marenigrans* Verity, 1938; *pelekasii* Kattulas & Koutsafikis, 1978.
- 2921. Maniola (s.str.) jurtina (Linnaeus, 1758)** (Satyridae)
Synonym(s): *jurtina* Linnaeus, 1758; *janira* Linnaeus, 1758; *lemur* Schrank, 1801.
- 2922. Melanargia (Parce) russiae (Esper, [1784])** (Satyridae) Synonym(s): *russiae* Esper, [1784]; *suwarovius* Herbst, 1796; *clotho* Hübner, [1800].
- 2923. Melanargia (Turcargia) hylata (Ménétries, 1832)** (Satyridae) Synonym(s): *hylata* Ménétries, 1832
- 2924. Melanargia (Turcargia) larissa (Geyer, [1828])** (Satyridae) Synonym(s): *larissa* Geyer, [1828].
- 2925. Melanargia (Turcargia) meda Groum-Grshimailo, 1895** (Satyridae) Synonym(s): *meda* Groum-Grshimailo, 1895
- 2926. Melanargia (Turcargia) syriaca (Oberthür, 1894)** (Satyridae) Synonym(s): *syriaca* Oberthür, 1894
- 2927. Melanargia (Turcargia) teneates (Ménétries, 1832)** (Satyridae) Synonym(s): *teneates* Ménétries, 1832
- 2928. Melanargia (s.str.) evartianae Wagener, 1976** (Satyridae) Synonym(s): *evartianae* Wagener, 1976; *origo* Higgins, 1977
- 2929. Melanargia (s.str.) galathea (Linnaeus, 1758)** (Satyridae) Synonym(s): *galathea* Linnaeus, 1758; *leucomelas* Esper, 1783; *leucomelanos* Fourcroy, 1785; *galene* Ochsenheimer, 1807; *bitorensis* Guillemot, 1858; *pygmaea* Fruhstorfer, 1916; *malmediensis* Derenne, 1926; *xanthonica* Varin, 1948.
- 2930. Minois dryas (Scopoli, 1763)** (Satyridae) Synonym(s): *dryas* Scopoli, 1763; *drymeia* Fruhstorfer, 1908; *spiripontis* Gaillard, 1959; *bucica* Varin, 1961; *annae* Douma-Petridou & Koufsoftikis, 1988.
- 2931. Pararge aegeria (Linnaeus, 1758)** (Satyridae)
Synonym(s): *aegeria* Linnaeus, 1758; *meone* Cramer, 1782; *egeria* Ochsenheimer, 1807; *sardoa* Verity, 1908.
- 2932. Proterebia afra (Fabricius, 1787)** (Satyridae)
Synonym(s): *afra* Fabricius, 1787
- 2933. Pseudochazara (Achazara) anthelea (Hübner, [1824])** (Satyridae) Synonym(s): *anthelea* Hübner, [1824]; *atavirensis* Coutsis, 1973.
- 2934. Pseudochazara (Achazara) telephassa (Geyer, [1827])** (Satyridae) Synonym(s): *telephassa* Geyer, [1827]
- 2935. Pseudochazara (s.str.) aurantiaca (Staudinger, 1871)** (Satyridae) Synonym(s): *aurantiaca* Staudinger, 1871
- 2936. Pseudochazara (s.str.) beroe (Freyer, [1843])** (Satyridae) Synonym(s): *beroe* Freyer, [1843]
- 2937. Pseudochazara (s.str.) daghestana (Holik, 1955)** (Satyridae) Synonym(s): *daghestana* Holik, 1955
- 2938. Pseudochazara (s.str.) geyeri (Herrich-Schäffer, [1846])** (Satyridae) Synonym(s): *geyeri* Herrich-Schäffer, [1846]; *aristonius* Fruhstorfer, [1911]; *selim* Gross, 1978, *karsicola* Gross, 1978
- 2939. Pseudochazara (s.str.) kopetdaghii Dubatolov, 1989** (Satyridae) Synonym(s): *kopetdaghii* Dubatolov, 1989
- 2940. Pseudochazara (s.str.) mamurra (Herrich-Schäffer, [1846])** (Satyridae) Synonym(s): *mamurra* Herrich-Schäffer, [1846]; *sintensis* Staudinger, 1895
- 2941. Pseudochazara (s.str.) mniszeczhii (Herrich-Schäffer, [1851])** (Satyridae) Synonym(s): *mniszeczhii* Herrich-Schäffer, [1851]

- 2942.** *Pseudochazara* (s.str.) *peloepa* (Klug,1832) (Satyridae) Synonym(s): *peloepa* Klug,1832
- 2943.** *Pseudochazara* (s.str.) *schakuhensis* (Staudinger,1881) (Satyridae) Synonym(s): *schakuhensis* Staudinger,1881; *brandti* Holik,1949.
- 2944.** *Pseudochazara* (s.str.) *tekkensis* (Heyne,[1895]) (Satyridae) Synonym(s): *tekkensis* Heyne,[1895]
- 2945.** *Pseudochazara* (s.str.) *xerxes* (Gross & Ebert,1975) (Satyridae) Synonym(s): *xerxes* Gross & Ebert,1975
- 2946.** *Satyrus* (Asatyrus (s.str.)) *daubi* Gross & Ebert,1975 (Satyridae) Synonym(s): *daubi* Gross & Ebert,1975
- 2947.** *Satyrus* (Asatyrus (s.str.)) *iranicus* Schwingenschuss,1939 (Satyridae) Synonym(s): *iranicus* Schwingenschuss,1939; *kyros* Gross & Ebert,1975.
- 2948.** *Satyrus* (Asatyrus (s.str.)) *nanus* Staudinger,1886 (Satyridae) Synonym(s): *nana* Staudinger,1886
- 2949.** *Satyrus* (s.str.(s.str.)) *astyages* Skala,2003 (Satyridae) Synonym(s): *astyages* Skala,2003
- 2950.** *Satyrus* (s.str.(s.str.)) *favonius* Staudinger,[1892] (Satyridae) Synonym(s): *favonius* Staudinger,[1892]
- 2951.** *Satyrus* (s.str.(s.str.)) *parthicus* Lederer,1869 (Satyridae) Synonym(s): *parthicus* Lederer,1869; *pimpla sensu* Wiltshire,1957
- 2952.** *Ypthima* *asterope* (Klug,1832) (Satyridae) Synonym(s): *asterope* Klug,1832; *marlenii* Katulas & Koutsafikis,1978.
- 2953.** *Ypthima* *bolanica* Marshall,1882 (Satyridae) Synonym(s): *bolanica* Marshall,1882
- 2954.** *Scythris* (Catascythis) *kebiella* (Amsel,1935) (Scythridae) Synonym(s): *kebiella* Amsel,1935
- 2955.** *Scythris* (camelella-gr.) *camelella* Walsingham,1907 (Scythridae) Synonym(s): *camelella* Walsingham,1907
- 2956.** *Scythris* (canescens-gr.) *senecai* Bengtsson,1997 (Scythridae) Synonym(s): *senecai* Bengtsson,1997
- 2957.** *Scythris* (inertella-gr.) *ethmiella* Amsel,1974 (Scythridae) Synonym(s): *ethmiella* Amsel,1974
- 2958.** *Scythris* (scopolella-gr.) *flabella* (Mann,1861) (Scythridae) Synonym(s): *flabella* Mann,1861; *aurella* Caradja,1920
- 2959.** *Scythris* (subfasciata-gr.) *friedeli* Bengtsson,1997 (Scythridae) Synonym(s): *friedeli* Bengtsson,1997
- 2960.** *Scythris* *biacutella* Bengtsson,2002 (Scythridae) Synonym(s): *biacutella* Bengtsson,2002
- 2961.** *Scythris* *canceroides* Bengtsson,1996 (Scythridae) Synonym(s): *canceroides* Bengtsson,1996
- 2962.** *Scythris* *fissurella* Bengtsson,1996 (Scythridae) Synonym(s): *fissurella* Bengtsson,1996
- 2963.** *Scythris* *pangalactis* Meyrick,1933 (Scythridae) Synonym(s): *pangalactis* Meyrick,1933
- 2964.** *Scythris* *sinuosella* Bengtsson,2002 (Scythridae) Synonym(s): *sinuosella* Bengtsson,2002
- 2965.** *Scythris* *subparachalca* Bengtsson,2002 (Scythridae) Synonym(s): *subparachalca* Bengtsson,2002
- 2966.** *Scythris* *valgella* Bengtsson,2002 (Scythridae) Synonym(s): *valgella* Bengtsson,2002
- 2967.** *Bembecia* (Ductispina) *transcaucasica* (Staudinger,1891) (Sesiidae) Synonym(s): *transcaucasica* Staudinger,1891
- 2968.** *Bembecia* (Pseudosphecia) *stiziformis* (Herrich-Schäffer,1851) (Sesiidae) Synonym(s): *stiziformis* Herrich-Schäffer,1851; *tubercula* De Freina,1983; *barbarossa* De Freina,1983.
- 2969.** *Bembecia* *apyra* (Le Cerf,1937) (Sesiidae) Synonym(s): *apyra* Le Cerf,1937
- 2970.** *Bembecia* *buxea* Gorbunov,1989 (Sesiidae) Synonym(s): *buxea* Gorbunov,1989
- 2971.** *Bembecia* *hofmanni* Kallies & K.Spatenka,2003 (Sesiidae) Synonym(s): *hofmanni* Kallies & K.Spatenka,2003
- 2972.** *Bembecia* *ichneumoniformis* ([Denis & Schiffermüller],1775) (Sesiidae) Synonym(s): *ichneumoniformis* [Denis & Schiffermüller],1775; *rhagioniformis* Hübner,[1806]; *ophioniformis* Hübner,[1813]; *systrophaeformis* Hübner,[1813]; *palpina* Dalman,1816; *statuiformis* Freyer,1836; *cryptiformis* Walker,1856; *albanica* Rebel,1910
- 2973.** *Bembecia* *molleti* Kallies & K.Spatenka,2003 (Sesiidae) Synonym(s): *molleti* Kallies & K.Spatenka,2003
- 2974.** *Bembecia* *peterseni* K.Spatenka,1997 (Sesiidae) Synonym(s): *peterseni* K.Spatenka,1997
- 2975.** *Bembecia* *syzcjovi* Gorbunov,1990 (Sesiidae) Synonym(s): *syzcjovi* Gorbunov,1990
- 2976.** *Chamaesphacia* *adelpha* Le Cerf,1938 (Sesiidae) Synonym(s): *adelpha* Le Cerf,1938
- 2977.** *Chamaesphacia* *anthracias* Le Cerf,1937 (Sesiidae) Synonym(s): *anthracias* Le Cerf,1937
- 2978.** *Chamaesphacia* *bibioniformis* (Esper,[1800]) (Sesiidae) Synonym(s): *bibioniformis* Esper,[1800]; *tengyraeformis* Boisduval,1840; *tengiriformis* Rambur,1866; *myrsinites* Pinker,1954.
- 2979.** *Chamaesphacia* *chalciformis* (Esper,[1804]) (Sesiidae) Synonym(s): *chalciformis* Esper,[1804]
- 2980.** *Chamaesphacia* *diabarensis* Gorbunov,1987 (Sesiidae) Synonym(s): *diabarensis* Gorbunov,1987
- 2981.** *Chamaesphacia* *doryceraeformis* (Lederer,1853) (Sesiidae) Synonym(s): *doryceraeformis* Lederer,1853
- 2982.** *Chamaesphacia* *elampiformis* (Herrich-Schäffer,1851) (Sesiidae) Synonym(s): *elampiformis* Herrich-Schäffer,1851
- 2983.** *Chamaesphacia* *fredi* Le Cerf,1938 (Sesiidae) Synonym(s): *fredi* Le Cerf,1938
- 2984.** *Chamaesphacia* *inexpectata* (Le Cerf,1938) (Sesiidae) Synonym(s): *inexpectata* Le Cerf,1938
- 2985.** *Chamaesphacia* *iranica* Le Cerf,1937 (Sesiidae) Synonym(s): *iranica* Le Cerf,1937; *bagandara* Gorbunov,1995
- 2986.** *Chamaesphacia* *keili* Kallies & K.Spatenka,2003 (Sesiidae) Synonym(s): *keili* Kallies & K.Spatenka,2003
- 2987.** *Chamaesphacia* *leucocnemis* Le Cerf,1938 (Sesiidae) Synonym(s): *leucocnemis* Le Cerf,1938
- 2988.** *Chamaesphacia* *leucoparea* (Lederer,1871) (Sesiidae) Synonym(s): *leucoparea* Lederer,1871
- 2989.** *Chamaesphacia* *masariformis* (Ochsenheimer,1808) (Sesiidae) Synonym(s): *masariformis* Ochsenheimer,1808; *banchiformis* Hübner,[1813]; *allantiformis* Eversmann,1844 *nec* Newm.,1832; *loewii* Zeller,1847; *brandti* Le Cerf,1937; *djakonovi* Popescu-Gorj & Capuse,1966
- 2990.** *Chamaesphacia* *mezentzevi* Gorbunov,1989 (Sesiidae) Synonym(s): *mezentzevi* Gorbunov,1989
- 2991.** *Chamaesphacia* *mirza* Le Cerf,1938 (Sesiidae) Synonym(s): *mirza* Le Cerf,1938
- 2992.** *Chamaesphacia* *morosa* Le Cerf,1937 (Sesiidae) Synonym(s): *morosa* Le Cerf,1937
- 2993.** *Chamaesphacia* *ophimontana* Gorbunov,1991 (Sesiidae) Synonym(s): *ophimontana* Gorbunov,1991
- 2994.** *Chamaesphacia* *oxybeliformis* (Herrich-Schäffer,1846) (Sesiidae) Synonym(s): *oxybeliformis* Herrich-Schäffer,1846
- 2995.** *Chamaesphacia* *proximata* (Staudinger,1871) (Sesiidae) Synonym(s): *proximata* Staudinger,1871; *moreau* Le Cerf,1911; *gravesi* Rebel,1927
- 2996.** *Chamaesphacia* *schmidtiformis* (Freyer,1836) (Sesiidae) Synonym(s): *schmidtiformis* Freyer,1836
- 2997.** *Chamaesphacia* *schwingenschussi* (Le Cerf,1937) (Sesiidae) Synonym(s): *schwingenschussi* Le Cerf,1937
- 2998.** *Chamaesphacia* *sefid* Le Cerf,1938 (Sesiidae) Synonym(s): *sefid* Le Cerf,1938; *modica* Le Cerf,1938; *vanensis* Gorbunov,2001
- 2999.** *Chamaesphacia* *thomyris* Le Cerf,1938 (Sesiidae) Synonym(s): *thomyris* Le Cerf,1938
- 3000.** *Chamaesphacia* *turbida* Le Cerf,1937 (Sesiidae) Synonym(s): *turbida* Le Cerf,1937
- 3001.** *Chamaesphacia* *xantho* Le Cerf,1937 (Sesiidae) Synonym(s): *xantho* Le Cerf,1937
- 3002.** *Chamaesphacia* *zarathustra* Gorbunov & K.Spatenka,1992 (Sesiidae) Synonym(s): *zarathustra* Gorbunov & K.Spatenka,1992
- 3003.** *Chamaesphacia* *zimmermanni* (Lederer,1872) (Sesiidae) Synonym(s): *zimmermanni* Lederer,1872
- 3004.** *Diphaspecia* *consobrina* (Le Cerf,1938) (Sesiidae) Synonym(s): *consobrina* Le Cerf,1938
- 3005.** *Diphaspecia* *intermedia* K.Spatenka,1997 (Sesiidae) Synonym(s): *intermedia* K.Spatenka,1997
- 3006.** *Diphaspecia* *naumanni* Gorbunov,1991 (Sesiidae) Synonym(s): *naumanni* Gorbunov,1991

- 3007. *Diphaspecia turkmena* Gorbunov, 1994** (Sesiidae)
Synonym(s): *turkmena* Gorbunov, 1994
- 3008. *Euhagena palariiformis* (Lederer, 1858)** (Sesiidae)
Synonym(s): *palariiformis* Lederer, 1858; *diocriiformis* Romanoff, 1884; *rubrescens* Staudinger, 1887; *almana* Rebel, 1917
- 3009. *Paranthrene diaphana* Dalla-Torre & Strand, 1925** (Sesiidae) Synonym(s): *diaphana* Dalla-Torre & Strand, 1925
- 3010. *Paranthrene insolita* Le Cerf, 1914** (Sesiidae)
Synonym(s): *insolita* Le Cerf, 1914; *aurantiacum* Rebel, 1917.
- 3011. *Paranthrene tabaniformis* (Rottemburg, 1775)** (Sesiidae) Synonym(s): *tabaniformis* Rottemburg, 1775; *asiliformis* [Denis & Schiffermüller], 1775 nec Rott., 1775; *sesia* Gmelin, 1789; *rhingiaeformis* Hübner, 1790; *crabroniformis* Laspeyres, 1801 nec Fabr., 1793; *tricincta* Harris, 1839; *serratifomis* Freyer, 1842; *rhingiiformis* Staudinger, 1856; *denotata* Edwards, 1882; *flammans* Hampson, 1893
- 3012. *Pyropteron atypica* Kallies & K. Spatenka, 2003** (Sesiidae) Synonym(s): *atypica* Kallies & K. Spatenka, 2003
- 3013. *Pyropteron minianiformis* (Freyer, 1843)** (Sesiidae)
Synonym(s): *minianiformis* Freyer, 1843
- 3014. *Pyropteron triannuliformis* (Freyer, 1845)** (Sesiidae)
Synonym(s): *meriaeformis* Assmann, 1845 nec Bsd., 1840; *triannuliformis* Freyer, 1845; *braconiformis* Herrich-Schäffer, 1846; *philanthiformis* Lederer, 1853 nec Lasp., 1801; *armeniaca* Bartel, 1906; *balcanica* Zukowsky, 1929; *ljiljanae* Tosevski, 1986; *pungeleri* K. Spatenka, 1987
- 3015. *Sesia pimplaeformis* Oberthür, 1872** (Sesiidae)
Synonym(s): *pimplaeformis* Oberthür, 1872
- 3016. *Synanthedon leucomelaena* (Zeller, 1847)** (Sesiidae)
Synonym(s): *leucomelaena* Zeller, 1847
- 3017. *Synanthedon armeniacum* Gorbunov, 1991** (Sesiidae) Synonym(s): *armeniaceum* Gorbunov, 1991
- 3018. *Synanthedon caucasica* Gorbunov, 1986** (Sesiidae)
Synonym(s): *caucasica* Gorbunov, 1986
- 3019. *Synanthedon conopiformis* (Esper, [1782])** (Sesiidae)
Synonym(s): *conopiformis* Esper, [1782]; *syrphiformis* Hübner, 1796; *nomadaeformis* Laspeyres, 1801
- 3020. *Synanthedon myopaefomis* (Borkhausen, 1789)** (Sesiidae) Synonym(s): *myopaefomis* Borkhausen, 1789; *mutillaeformis* Laspeyres, 1801; *luctuosa* Lederer, 1853; *myopiformis* Staudinger, 1856; *elegans* Lederer, 1861.
- 3021. *Synanthedon stomoxiformis* (Hübner, 1790)** (Sesiidae) Synonym(s): *stomoxiformis* Hübner, 1790; *culiciformis* Scopoli, 1763 nec Linn., 1758; *stomoxiformis* Hübner, 1796; *amasina* Staudinger, 1878.
- 3022. *Synanthedon vespiformis* (Linnaeus, 1761)** (Sesiidae)
Synonym(s): *vespiformis* Linnaeus, 1761; *asiliformis* Rottemburg, 1775; *oestriformis* Rottemburg, 1775; *cynipiformis* Esper, 1783; *chrysorrhoea* Donovan, 1795
- 3023. *Tinthia brosisiformis* (Hübner, [1813])** (Sesiidae)
Synonym(s): *brosisiformis* Hübner, [1813]
- 3024. *Tinthia hoplisiformis* (Mann, 1864)** (Sesiidae)
Synonym(s): *hoplisiformis* Mann, 1864
- 3025. *Tinthia mianjangelica* Lastuvka, 1997** (Sesiidae)
Synonym(s): *mianjangelica* Lastuvka, 1997
- 3026. *Tinthia tineiformis* (Esper, [1789])** (Sesiidae)
Synonym(s): *tineiformis* Esper, [1789]; *aselliformis* Rossi, 1794.
- 3027. *Acherontia atropos* (Linnaeus, 1758)** (Sphingidae)
Synonym(s): *atropos* Linnaeus, 1758; *solani* Oken, 1815; *sculda* Kirby, 1877.
- 3028. *Acherontia styx* (Westwood, 1847)** (Sphingidae)
Synonym(s): *styx* Westwood, 1847; *ariel* Boisduval, [1875]; *stax* Lewvanich, 2001
- 3029. *Agrius convolvuli* (Linnaeus, 1758)** (Sphingidae)
Synonym(s): *convolvuli* Linnaeus, 1758; *abadonna* Fabricius, 1798; *pseudofasciatus* Koch, 1865; *pseudoconvolvuli* Schaufuss, 1870; *orientalis* Butler, 1876; *distans* Butler, 1876; *batatae* Christ, 1882; *nigricans* Cannaviello, 1900; *ichangensis* Tutt, 1904; *javanensis* Tutt, 1904; *tahitiensis* Tutt, 1904; *indica* Skell, 1913; *marshallensis* Clark, 1922; *aksuensis* O. Bang-Haas, 1927
- 3030. *Akbesia davidi* (Oberthür, 1884)** (Sphingidae)
Synonym(s): *davidi* Oberthür, 1884
- 3031. *Clarina kotschy* (Kollar, [1849])** (Sphingidae)
Synonym(s): *kotschy* Kollar, [1849]; *mardina* Staudinger, 1901.
- 3032. *Clarina syriaca* (Lederer, 1855)** (Sphingidae)
Synonym(s): *syriaca* Lederer, 1855; *#griscens* Ebert, 1976.
- 3033. *Daphnis nerii* (Linnaeus, 1758)** (Sphingidae)
Synonym(s): *nerii* Linnaeus, 1758; *infernelutea* Saalmüller, 1884; *#confluens* Closs, 1912; *#nigra* Schmidt, 1914; *bipartita* Gehlen, 1934.
- 3034. *Deilephila elpenor* (Linnaeus, 1758)** (Sphingidae)
Synonym(s): *elpenor* Linnaeus, 1758
- 3035. *Deilephila suellus* Staudinger, 1878** (Sphingidae)
Synonym(s): *suellus* Staudinger, 1878; *kuruschi* O. Bang-Haas, 1938.
- 3036. *Dolbina elegans* (A. Bang-Haas, 1912)** (Sphingidae)
Synonym(s): *elegans* A. Bang-Haas, 1912; *steffensi* Popescu-Gorj, 1971.
- 3037. *Hemaris (Cochrania) croatica* (Esper, [1779])** (Sphingidae) Synonym(s): *croatica* Esper, [1779]; *sesia* Hübner, [1806]; *#obscurata* Closs, 1911; *#rangnowi* Closs, 1911.
- 3038. *Hemaris (Cochrania) ducalis* (Staudinger, 1887)** (Sphingidae) Synonym(s): *ducalis* Staudinger, 1887
- 3039. *Hemaris (Eitschbergera) tityus* (Linnaeus, 1758)** (Sphingidae) Synonym(s): *tityus* Linnaeus, 1758; *bombyliformis* Linnaeus, 1758; *knautiae* Zeller, 1869; *scabiosae* Zeller, 1869; *alaiana* Rothschild & Jordan, 1903; *karagomica* Wojtusik & Niesiolowski, 1946; *saldaitisi* Eitschberger, Danner & Surholt, 1998
- 3040. *Hemaris (s.str.) fuciformis* (Linnaeus, 1758)** (Sphingidae) Synonym(s): *fuciformis* Linnaeus, 1758; *variegata* Allioni, 1766; *musca* Retzius, 1783; *bombyliformis* sensu Ochsenheimer, 1808; *milesiformis* Treitschke, 1834; *caprifolii* Zeller, 1869; *loniceriae* Zeller, 1869; *robusta* Alpheraky, 1882; *simillima* Moore, 1888; *ganssuensis* Grun-Grshimailo, 1891; *heynei* Bartel, 1898;
- 3041. *Hippotion celerio* (Linnaeus, 1758)** (Sphingidae)
Synonym(s): *celerio* Linnaeus, 1758; *tisiphone* Linnaeus, 1758; *inquilinus* Harris, 1780; *phoenix* Oken, 1815; *ocys* Hübner, [1819]; *albolineatus* Montrouzier, 1864
- 3042. *Hyles centralasiae* Staudinger, 1887** (Sphingidae)
Synonym(s): *centralasiae* Staudinger, 1887; *transcaspica* O. Bang-Haas, 1936.
- 3043. *Hyles conspicua* (Rothschild & Jordan, 1903)** (Sphingidae) Synonym(s): *conspicua* Rothschild & Jordan, 1903.
- 3044. *Hyles euphorbiae* (Linnaeus, 1758)** (Sphingidae)
Synonym(s): *euphorbiae* Linnaeus, 1758; *esulae* Hufnagel, 1766; *vandalusica* Ribbe, 1910; *etrusca* Verity, 1911; *sinensis* Closs, 1917; *rothschildi* Stauder, 1928; *dolomiticola* Stauder, 1930; *filipjevi* O. Bang-Haas, 1936; *lucida* Derzhavets, 1980.
- 3045. *Hyles hippophaes* (Esper, [1789])** (Sphingidae)
Synonym(s): *hippophaes* Esper, [1789]; *teriolensis* Dannehl, 1929; *kiortsii* Koutsafikis, 1974.
- 3046. *Hyles livornica* (Esper, [1780])** (Sphingidae)
Synonym(s): *livornica* Esper, [1780]; *koehlini* Fuessly, 1781; *tatsienluica* Oberthür, 1916; *saharae* Gehlen, 1932; *malgassica* Denso, 1944; *tatsienluica* Oberthür, 1944; *renneri* Eitschberger, Danner & Surholt, 1998.
- 3047. *Hyles robertsi* (Butler, 1880)** (Sphingidae)
Synonym(s): *robertsi* Butler, 1880; *peplidis* Christoph, 1894
- 3048. *Hyles zygophylli* (Ochsenheimer, 1808)** (Sphingidae)
Synonym(s): *zygophylli* Ochsenheimer, 1808; *jaxartis* Fröreich, 1938; *xanthoxyli* Derzhavets, 1977; *kirgisa* Eitschberger & Lukhtanov, 1996.
- 3049. *Laothoe populeti* (Bienert, [1870])** (Sphingidae)
Synonym(s): *populeti* Bienert, [1870]; *populetorum* Staudinger, 1887; *syriaca* Gehlen, 1932; *intermedia* Gehlen, 1934.
- 3050. *Macroglossum stellatarum* (Linnaeus, 1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus, 1758; *nigra* Cosmovici, 1892.
- 3051. *Marumba quercus* ([Denis & Schiffermüller], 1775)** (Sphingidae) Synonym(s): *quercus* [Denis & Schiffermüller], 1775; *denisii* Fuessly, 1779; *#brunescens* Rebel, 1910; *#canescens*, *pallescens* Closs, 1922; *mesopotamica* O. Bang-Haas, 1938; *schirasi* O. Bang-Haas, 1938; *#pallida* Vilarrubia, 1973.
- 3052. *Proserpinus proserpinus* (Pallas, 1772)** (Sphingidae)
Synonym(s): *proserpinus* Pallas, 1772; *oenotherae* [Denis & Schiffermüller], 1775; *schiffermilleri* Fuessly, 1779; *francofurtana* Fabricius, 1781; *aenotheroides* Butler, [1876], *maxima* Grun-

- Grshimailo*, 1887; *japetus* *Grum-Grshimailo*, 1890; *gigas* *Oberthür*, 1922.
- 3053. Rethera brandti** O.Bang-Haas, 1937 (Sphingidae)
Synonym(s): *brandti* O.Bang-Haas, 1937
- 3054. Rethera komarovi** (Christoph, 1885) (Sphingidae)
Synonym(s): *komarovi* Christoph, 1885; *#kamarowi* *Wagner*, 1931; *rjabovi* O.Bang-Haas, 1935.
- 3055. Smerinthus kindermanni** Lederer, 1852 (Sphingidae)
Synonym(s): *kindermanni* Lederer, 1852; *#obscura* *Closs*, 1917
- 3056. Smerinthus ocellatus** (Linnaeus, 1758) (Sphingidae)
Synonym(s): *ocellatus* *Linnaeus*, 1758
- 3057. Sphingonaepiopsis gorgoniades** (Hübner, [1819]) (Sphingidae) Synonym(s): *gorgon* *Esper*, [1804] (*praeocc.*); *gorgoniades* *Hübner*, [1819]; *chloroptera* von *Mentzer*, 1974.
- 3058. Sphingonaepiopsis nana** (Walker, 1856) (Sphingidae)
Synonym(s): *nana* *Walker*, 1856; *gracilipes* *Wallengren*, 1858.
- 3059. Theretra alecto** (Linnaeus, 1758) (Sphingidae)
Synonym(s): *alecto* *Linnaeus*, 1758; *cretica* *Boisduval*, 1827; *freyeri* *Kirby*, 1892; *transcaspica* O.Bang-Haas, 1927; *intermissa* *Gehlen*, 1941.
- 3060. Stathmopoda auriferella** (Walker, 1864) (Stathmopodidae) Synonym(s): *auriferella* *Walker*, 1864; *divisa* *Walsingham*, 1891; *ischnotis* *Meyrick*, 1897; *crocophanes* *Meyrick*, 1897; *theoris* *Meyrick*, 1906; *tharsalea* *Meyrick*, 1914; *adulatrix* *Meyrick*, 1917; *cirrhapis* *Meyrick*, 1922
- 3061. Stathmopoda diplaspis** (Meyrick, 1887) (Stathmopodidae) Synonym(s): *diplaspis* *Meyrick*, 1887
- 3062. Tortilia flavella** Chrétien, 1908 (Stathmopodidae)
Synonym(s): *flavella* *Chrétien*, 1908; *sidiota* *Meyrick*, 1917; *trigonella* *Zerny*, 1935.
- 3063. Tortilia pallidella** Kasy, 1973 (Stathmopodidae)
Synonym(s): *pallidella* *Kasy*, 1973
- 3064. Thaumetopoea (s.str.) solitaria** (Freyer, [1838]) (Thaumetopoeidae) Synonym(s): *solitaria* *Freyer*, [1838]
- 3065. Tethea ocularis** (Linnaeus, 1767) (Thyatiridae)
Synonym(s): *ocularis* *Linnaeus*, 1767; *octogena* *Esper*, 1788
- 3066. Thyatira hedemanni** Christoph, 1885 (Thyatiridae)
Synonym(s): *hedemanni* *Christoph*, 1885
- 3067. Ateliotum arabicum** G.Petersen, 1961 (Tineidae)
Synonym(s): *arabicum* G.Petersen, 1961
- 3068. Ateliotum confusum** G.Petersen, 1966 (Tineidae)
Synonym(s): *confusum* G.Petersen, 1966
- 3069. Ceratuncus affinitellus** (Rebel, 1901) (Tineidae)
Synonym(s): *affinitellus* *Rebel*, 1901; *#extinctella* *Caradja*, 1920; *maraschensis* *Rebel*, 1936; *irakella* *Amsel*, 1949; *libanotica* *Amsel*, 1951.
- 3070. Cinnerethica optodes** (Meyrick, 1922) (Tineidae)
Synonym(s): *optodes* *Meyrick*, 1922; *tabghaella* *Amsel*, 1935; *judaica* *Amsel*, 1935
- 3071. Episcardia (Bilobatana) caerulipennis** (Erschoff, 1874) (Tineidae) Synonym(s): *caerulipennis* *Erschoff*, 1874; *indiella* *Caradja*, 1920
- 3072. Episcardia (Bilobatana) violacea** (Christoph, 1888) (Tineidae) Synonym(s): *violacea* *Christoph*, 1888
- 3073. Euplocamus schaeferi** Amsel, 1959 (Tineidae)
Synonym(s): *schaeferi* *Amsel*, 1959
- 3074. Fermocelina iranica** G.Petersen & Gaedike, 1984 (Tineidae) Synonym(s): *iranica* G.Petersen & Gaedike, 1984
- 3075. Hapsifera luridella** Zeller, 1847 (Tineidae)
Synonym(s): *luridella* *Zeller*, 1847; *baliopsamma* *Meyrick*, 1921; *pustulatella* *Lucas*, 1942 nec *Zell.*, 1852; *eburnea* *Butler*, 1881; *palaestinis* *Rebel*, 1901; *kerbelella* *Amsel*, 1949
- 3076. Infurcitinea amseli** G.Petersen, 1957 (Tineidae)
Synonym(s): *amseli* G.Petersen, 1957
- 3077. Infurcitinea brunneopterella** G.Petersen, 1964 (Tineidae) Synonym(s): *brunneopterella* G.Petersen, 1964
- 3078. Infurcitinea fasciella** Gaedike, 1983 (Tineidae)
Synonym(s): *fasciella* *Gaedike*, 1983; *fasciella* G.Petersen, 1984.
- 3079. Infurcitinea iranensis** G.Petersen, 1964 (Tineidae)
Synonym(s): *iranensis* G.Petersen, 1964
- 3080. Infurcitinea megalopterella** G.Petersen, 1964 (Tineidae) Synonym(s): *megalopterella* G.Petersen, 1964
- 3081. Infurcitinea obscuroides** Gaedike, 1983 (Tineidae)
Synonym(s): *obscuroides* *Gaedike*, 1983; *obscuroides* G.Petersen & Gaedike, 1983.
- 3082. Infurcitinea teheranensis** G.Petersen, 1971 (Tineidae) Synonym(s): *teheranensis* G.Petersen, 1971
- 3083. Kermania pistaciella** Amsel, 1964 (Tineidae)
Synonym(s): *pistaciella* *Amsel*, 1964
- 3084. Monopis imella** (Hübner, [1813]) (Tineidae)
Synonym(s): *imella* *Hübner*, [1813]; *nitidella* *Zagulyaev*, 1960.
- 3085. Monopis monachella** (Hübner, 1796) (Tineidae)
Synonym(s): *monachella* *Hübner*, 1796
- 3086. Morophagoides iranensis** G.Petersen, 1960 (Tineidae) Synonym(s): *iranensis* G.Petersen, 1960
- 3087. Myrmecozela (Flavida) gigantea** (Christoph, 1873) (Tineidae) Synonym(s): *gigantea* *Christoph*, 1873
- 3088. Myrmecozela (Flavida) insignis** Amsel, 1935 (Tineidae) Synonym(s): *insignis* *Amsel*, 1935; *stichograptia* *Meyrick*, 1936; *diacona* *Amsel*, 1949
- 3089. Myrmecozela (Flavida) lutosella** (Eversmann, 1844) (Tineidae) Synonym(s): *lutosella* *Eversmann*, 1844
- 3090. Nemapogon brandti** Gaedike, 1986 (Tineidae)
Synonym(s): *brandti* *Gaedike*, 1986
- 3091. Nemapogon quercicolella** (Zeller, 1852) (Tineidae)
Synonym(s): *quercicolellus* *Zeller*, 1852
- 3092. Neurothausia fasciata** G.Petersen, 1959 (Tineidae)
Synonym(s): *fasciata* G.Petersen, 1959
- 3093. Neurothausia inornata** G.Petersen, 1966 (Tineidae) Synonym(s): *inornata* G.Petersen, 1966
- 3094. Niditinea piercella** (Bentick, 1935) (Tineidae)
Synonym(s): *piercella* *Bentick*, 1935
- 3095. Niditinea tugurialis** (Meyrick, 1932) (Tineidae)
Synonym(s): *tugurialis* *Meyrick*, 1932; *unipunctella* *Zagulyaev*, 1960
- 3096. Opogona tamsi** Gerasimov, 1930 (Tineidae)
Synonym(s): *tamsi* *Gerasimov*, 1930
- 3097. Pachyarthra brandti** G.Petersen, 1966 (Tineidae)
Synonym(s): *brandti* G.Petersen, 1966
- 3098. Pachyarthra iranica** G.Petersen & Gaedike, 1984 (Tineidae) Synonym(s): *iranica* G.Petersen & Gaedike, 1984
- 3099. Perissomastix (Aphrodoxa) falcata** G.Petersen, 1988 (Tineidae) Synonym(s): *falcata* G.Petersen, 1988
- 3100. Perissomastix (Aphrodoxa) flava** (G.Petersen, 1960) (Tineidae) Synonym(s): *flava* G.Petersen, 1960
- 3101. Perissomastix (Aphrodoxa) peterseni** (Amsel, 1959) (Tineidae) Synonym(s): *peterseni* *Amsel*, 1959; *astarte* *Gozmany*, 1959.
- 3102. Perissomastix (Aphrodoxa) wiltshirella** (G.Petersen, 1964) (Tineidae) Synonym(s): *wiltshirella* G.Petersen, 1964
- 3103. Petalographis orientalis** (G.Petersen, 1961) (Tineidae) Synonym(s): *orientalis* G.Petersen, 1961
- 3104. Praelongicera palaestinella** (Amsel, 1956) (Tineidae)
Synonym(s): *palaestinella* *Amsel*, 1956
- 3105. Rhodobates pallipellus** Rebel, 1901 (Tineidae)
Synonym(s): *pallipellus* *Rebel*, 1901; *atactopis* *Meyrick*, 1937.
- 3106. Tinea nonimella** (Zagulyaev, 1955) (Tineidae)
Synonym(s): *nonimella* *Zagulyaev*, 1955
- 3107. Tinea rostrata** G.Petersen, 1966 (Tineidae)
Synonym(s): *rostrata* G.Petersen, 1966
- 3108. Tinea translucens** Meyrick, 1917 (Tineidae)
Synonym(s): *translucens* *Meyrick*, 1917; *metonella* *Pierce* & *Metcalfe*, 1934; *leonhardi* G.Petersen, 1957; *margaritacea* *Gozmany*, 1967; *forficata* *Gozmany*, 1968.
- 3109. Trichophaga bipartitella** (Ragonot, 1892) (Tineidae)
Synonym(s): *abruptella* *Wollaston*, 1858 (*praeocc.*); *bipartitella* *Ragonot*, 1892; *desertella* *Mabille*, 1907; *amina* *Meyrick*, 1925
- 3110. Acleris napaea** (Meyrick, 1912) (Tortricidae)
Synonym(s): *napaea* *Meyrick*, 1912; *sheljuzhkoii* *Obraztsov*, 1943; *heringi* *Razowski*, 1958
- 3111. Acleris variegana** ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *variegana* [Denis & Schiffermüller], 1775; *asperana* *Fabricius*, 1777; *osbeckiana* *Thunberg*, 1784; *nyctemerana* *Hübner*, [1817]; *blandiana* *Charpentier*, 1821; *blandana* *Hübner*, [1825]; *cirrana* *Curtis*, 1835; *albana* *Humpreys* & *Westwood*, 1845; *insignana* *Herrich-Schäffer*, 1851.
- 3112. Aethes argyrospila** Karisch, 2005 (Tortricidae)
Synonym(s): *argyrospila* *Karisch*, 2005

- 3113. Aethes bilbaensis (Rössler,1877)** (Tortricidae)
Synonym(s): *bilbaensis* Rössler,1877; *loxopteroides* Walsingham,1903; *mediterranea* Rebel,1906; *reclusa* Meyrick,1923.
- 3114. Aethes cremonana (Ragonot,1894)** (Tortricidae)
Synonym(s): *cremonana* Ragonot,1894
- 3115. Aethes destituta Razowski,1983** (Tortricidae)
Synonym(s): *destituta* Razowski,1983
- 3116. Aethes eberti Sutter & Karisch,2004** (Tortricidae)
Synonym(s): *eberti* Sutter & Karisch,2004
- 3117. Aethes eryngiella (Vallot,1829)** (Tortricidae)
Synonym(s): *eryngiella* Vallot,1829; *flagellana* Duponchel,1836; *helvticana* Heyden,1865; *eryngiana* Heyden,1865; *sardoa* Amsel,1952.
- 3118. Aethes iranica Razowski,1963** (Tortricidae)
Synonym(s): *iranica* Razowski,1963
- 3119. Aethes kasyi Razowski,1962** (Tortricidae)
Synonym(s): *kasyi* Razowski,1962
- 3120. Aethes lateritia Razowski,1970** (Tortricidae)
Synonym(s): *lateritia* Razowski,1970
- 3121. Aethes luteopictana (Kennel,1900)** (Tortricidae)
Synonym(s): *luteopictana* Kennel,1900
- 3122. Aethes moribundana (Staudinger,1859)** (Tortricidae)
Synonym(s): *moribundana* Staudinger,1859; *respirantana* Staudinger,1879; *dispersana* Kennel,1899; *dilutana* Kennel,1899; *helvolana* Kennel,1900; *lanceolata* Filipjev,1924.
- 3123. Aethes pardaliana (Kennel,1899)** (Tortricidae)
Synonym(s): *pardaliana* Kennel,1899
- 3124. Aethes persica Razowski,1963** (Tortricidae)
Synonym(s): *persica* Razowski,1963
- 3125. Aethes prangana (Kennel,1900)** (Tortricidae)
Synonym(s): *prangana* Kennel,1900.
- 3126. Aethes shakibai Huemer & Wieser,2004** (Tortricidae) Synonym(s): *shakibai* Huemer & Wieser,2004
- 3127. Aethes spirana (Kennel,1899)** (Tortricidae)
Synonym(s): *spirana* Kennel,1899
- 3128. Aethes tesserana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *tesserana* [Denis & Schiffermüller],1775; *aleella* Sulzer,1776; *heiserana* Fabricius,1787; *groendalana* Thunberg,1791.
- 3129. Aethes xanthina Falkovitsh,1963** (Tortricidae)
Synonym(s): *xanthina* Falkovitsh,1963
- 3130. Agapeta hamana (Linnaeus,1758)** (Tortricidae)
Synonym(s): *hamana* Linnaeus,1758; *trigonana* [Denis & Schiffermüller],1775; *citrinella* Fourcroy,1785; *cruciana* Fabricius,1787; *diversana* Hübner,1793
- 3131. Ancylys transientana Filipjev,1926** (Tortricidae)
Synonym(s): *transientana* Filipjev,1926
- 3132. Ancylys unculana (Haworth,[1811])** (Tortricidae)
Synonym(s): *unculana* Haworth,[1811]; *derasana* Hübner,[1813].
- 3133. Aphelia (Zelothereses) christophi Obrazsov,1955** (Tortricidae) Synonym(s): *verbascana* Christoph,1877 (*homonym*); *christophi* Obrazsov,1955
- 3134. Aphelia (Zelothereses) conscia Razowski,1981** (Tortricidae) Synonym(s): *conscia* Razowski,1981
- 3135. Bactra (s.str.) bactrana (Kennel,1901)** (Tortricidae)
Synonym(s): *bactrana* Kennel,1901; *cyperana* Amsel,1951; *mediterraneanana* Agenjo,1952.
- 3136. Bactra (s.str.) fumosana Kennel,1900** (Tortricidae)
Synonym(s): *fumosana* Kennel,1900
- 3137. Bactra (s.str.) lancealana (Hübner,[1799])** (Tortricidae) Synonym(s): *lancealana* Hübner,[1799]; *#lanceolana* Hübner,[1822]; *egestana* Haworth,1811; *plagana* Haworth,1811; *dibeliana* Hübner,[1819]; *rufana* Stephens,1834; *nigrovittana* Stephens,1852
- 3138. Bactra (s.str.) longiqua Diakonoff,1959** (Tortricidae)
Synonym(s): *longiqua* Diakonoff,1959
- 3139. Bactra (s.str.) robustana (Christoph,1872)** (Tortricidae) Synonym(s): *robustana* Christoph,1872; *griseana* A.M.Djakonov,1929; *grisea* A.M.Djakonov,1929; *scirpicolana* Pierce,1935
- 3140. Celypha cespitana (Hübner,[1817])** (Tortricidae)
Synonym(s): ? *umbriana* Scopoli,1763; *cespitana* Hübner,[1817]; *gramineana* Curtis,1831; *poana* Zeller,1875
- 3141. Choristoneura jecorana (Kennel,1899)** (Tortricidae)
Synonym(s): *jecorana* Kennel,1899
- 3142. Clepsis pallidana (Fabricius,1776)** (Tortricidae)
Synonym(s): *pallidana* Fabricius,1776; *strigana* Hübner,[1799]; *stramineana* Herrich-Schäffer,[1851]; *quinquemaculana* Bremer,1864; *cesareana* Joannis,1891; *districta* Meyrick,1920.
- 3143. Clepsis rurinana (Linnaeus,1758)** (Tortricidae)
Synonym(s): *rurinana* Linnaeus,1758; *modeerinana* Linnaeus,1761; *angulosa* Fourcroy,1785; *semialbana* Guenée,1845; *idana* Kennel,1919; *liotoma* Meyrick,1935.
- 3144. Cnephasia (Cnephasiella) abrasana (Duponchel,1843)** (Tortricidae) Synonym(s): *abrasana* Duponchel,1843
- 3145. Cnephasia (s.str.) chrysanthæana (Duponchel,1843)** (Tortricidae) Synonym(s): *chrysanthæana* Duponchel,1843
- 3146. Cnephasia (s.str.) grandis (Osthelder,1938)** (Tortricidae) Synonym(s): *grandis* Osthelder,1938
- 3147. Cnephasia (s.str.) orientana (Alpheraky,1876)** (Tortricidae) Synonym(s): *orientana* Alpheraky,1876
- 3148. Cnephasia (s.str.) pirizanica Razowski,1965** (Tortricidae) Synonym(s): *amseli* Razowski,1957 (*praeocc.*); *pirizanica* Razowski,1965
- 3149. Cnephasia (s.str.) sabulosa definita Filipjev** (Tortricidae) Synonym(s):
- 3150. Cnephasia (s.str.) transcaspica Filipjev** (Tortricidae)
Synonym(s):
- 3151. Cnephasia (s.str.) venusta Razowski,1970** (Tortricidae) Synonym(s): *venusta* Razowski,1970
- 3152. Cochylimorpha asiana (Kennel,1899)** (Tortricidae)
Synonym(s): *asiana* Kennel,1899; *taganrogana* Kennel,1900; *mirabilana* Turati,1934.
- 3153. Cochylimorpha brandti Razowski,1963** (Tortricidae)
Synonym(s): *brandti* Razowski,1963
- 3154. Cochylimorpha diana (Kennel,1899)** (Tortricidae)
Synonym(s): *diana* Kennel,1899; *iraniana* Razowski,1963.
- 3155. Cochylimorpha elegans (Razowski,1963)** (Tortricidae) Synonym(s): *elegans* Razowski,1963
- 3156. Cochylimorpha fluens (Razowski,1970)** (Tortricidae)
Synonym(s): *fluens* Razowski,1970
- 3157. Cochylimorpha fucosa (Razowski,1970)** (Tortricidae)
Synonym(s): *fucosa* Razowski,1970
- 3158. Cochylimorpha halophilana (Christoph,1882)** (Tortricidae) Synonym(s): *halophilana* Christoph,1882
- 3159. Cochylimorpha nomadana (Erschoff,1874)** (Tortricidae) Synonym(s): *nomadana* Erschoff,1874
- 3160. Cochylimorpha pirizanica (Razowski,1963)** (Tortricidae) Synonym(s): *pirizanica* Razowski,1963
- 3161. Cochylimorpha scrophulana (Razowski,1963)** (Tortricidae) Synonym(s): *scrophulana* Razowski,1963
- 3162. Cochylimorpha simulata (Razowski,1970)** (Tortricidae) Synonym(s): *simulata* Razowski,1970
- 3163. Cochylimorpha wiltshirei Razowski,1963** (Tortricidae) Synonym(s): *wiltshirei* Razowski,1963
- 3164. Cochylis apricana Kennel,1899** (Tortricidae)
Synonym(s): *apricana* Kennel,1899; *amoenana* Kennel,1899.
- 3165. Cochylis defessana (Mann,1861)** (Tortricidae)
Synonym(s): *defessana* Mann,1861; *centaureana* Staudinger,1879.
- 3166. Cochylis maestana Kennel,1899** (Tortricidae)
Synonym(s): *maestana* Kennel,1899; *suleimana* Osthelder,1938.
- 3167. Cochylis piana (Kennel,1899)** (Tortricidae)
Synonym(s): *piana* Kennel,1899; *pamira* Obraztsov,1943; *subposterana* Toll,1947.
- 3168. Cochylis posterana Zeller,1847** (Tortricidae)
Synonym(s): *posterana* Zeller,1847; *nubivagana* Zerny,1935; *hyrcana* Toll,1947.
- 3169. Cochylis roseana (Haworth,[1811])** (Tortricidae)
Synonym(s): *roseana* Haworth,[1811]; *rubellana* Hübner,[1823]; *dipsaceana* Duponchel,1843; *undulatana* Kennel,1899.
- 3170. Cochylis similana Razowski,1963** (Tortricidae)
Synonym(s): *similana* Razowski,1963
- 3171. Crocidosema plebejana Zeller,1847** (Tortricidae)
Synonym(s): *plebejana* Zeller,1847; *althæana* Mann,1855; *lavaterana* Millière,1863; *peregrinana* Möschler,1866; *obscura* Wollaston,1879; *blackburnii* Butler,1881; *signatana* Walsingham,1894; *ptiladelpha* Meyrick,1917; *insulana*

- Aurivillius*, 1922; *synneurota* Meyrick, 1926; *tornocycla* Turner, 1946; *charmera* Turner, 1946.
- 3172. *Cydia adjunctana* (Kennel, 1901)** (Tortricidae)
Synonym(s): *adjunctana* Kennel, 1901
- 3173. *Cydia farsica* (Danilevski & Kuznetsov, 1968)** (Tortricidae) Synonym(s): *farsica* Danilevski & Kuznetsov, 1968
- 3174. *Cydia persica* (Danilevskii & Kuznetsov, 1968)** (Tortricidae) Synonym(s): *persica* Danilevskii & Kuznetsov, 1968
- 3175. *Cydia pomonella* (Linnaeus, 1758)** (Tortricidae)
Synonym(s): *pomonella* Linnaeus, 1758; *pomona* Fabricius, 1775; *pomonana* [Denis & Schiffermüller], 1775; *nitens* Fourcroy, 1785; *aeneana* Villers, 1789; *putaminana* Staudinger, 1859
- 3176. *Cydia succedana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *succedana* [Denis & Schiffermüller], 1775; *asseclana* Hübner, [1800] *nec* [Den. & Schiff], 1775; *griseana* Osthelder, 1938
- 3177. *Diceratura porrectana* Djakonov, 1929** (Tortricidae)
Synonym(s): *porrectana* Djakonov, 1929
- 3178. *Diceratura roseofasciana* (Mann, 1855)** (Tortricidae)
Synonym(s): *roseofasciana* Mann, 1855; *aequana* Caradja, 1916; *keredjana* Razowski, 1963.
- 3179. *Diceratura teheranica* Razowski, 1970** (Tortricidae)
Synonym(s): *teheranica* Razowski, 1970
- 3180. *Dichrorampha iranica* Danilevskii & Kuznetsov, 1968** (Tortricidae) Synonym(s): *iranica* Danilevskii & Kuznetsov, 1968
- 3181. *Eana* (Eutrachia) *goiana* (Linnaeus, 1761)** (Tortricidae) Synonym(s): *#argentana* Clerck, 1759; *goiana* Linnaeus, 1761; *govana* Fabricius, 1775; *argyria* Retzius, 1783; *gerningiana* Villers, 1789; *margaritalis* Hübner, 1790; *magnana* Hübner, [1813]; *georgiella* Hulst, 1887
- 3182. *Epiblema graphana* (Treitschke, 1835)** (Tortricidae)
Synonym(s): *graphana* Treitschke, 1835; *pierretana* Duponchel, 1836
- 3183. *Epiblema junctana* (Herrich-Schäffer, 1856)** (Tortricidae) Synonym(s): *junctana* Herrich-Schäffer, 1856; *jaspidana* Christoph, 1872; *maculiferana* Kennel, 1900
- 3184. *Epiblema scutulana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *scutulana* [Denis & Schiffermüller], 1775; *luctuosana* Duponchel, 1836; *novana* Guenée, 1845; *alsaticana* Peyerimhoff, 1872
- 3185. *Epiblema sticticana* (Fabricius, 1794)** (Tortricidae)
Synonym(s): *sticticana* Fabricius, 1794; *farfarae* Fletcher, 1938.
- 3186. *Epinotia dalmatana* Rebel, 1891** (Tortricidae)
Synonym(s): *dalmatana* Rebel, 1891; *mesopotamica* Obratzov, 1952
- 3187. *Epinotia festivana* (Hübner, [1799])** (Tortricidae)
Synonym(s): *festivana* Hübner, [1799]
- 3188. *Epinotia thapsiana* (Zeller, 1847)** (Tortricidae)
Synonym(s): *thapsiana* Zeller, 1847
- 3189. *Eucosma albidulana* (Herrich-Schäffer, [1851])** (Tortricidae) Synonym(s): *albidulana* Herrich-Schäffer, [1851]
- 3190. *Eucosma coagulana* (Kennel, 1901)** (Tortricidae)
Synonym(s): *coagulana* Kennel, 1901
- 3191. *Eucosma conterminana* (Guenée, 1845)** (Tortricidae)
Synonym(s): *conterminana* Guenée, 1845
- 3192. *Eucosma ephedrana* Christoph, 1877** (Tortricidae)
Synonym(s): *ephedrana* Christoph, 1877
- 3193. *Eucosma jerusalemiana* (Amsel, 1935)** (Tortricidae)
Synonym(s): *jerusalemiana* Amsel, 1935
- 3194. *Eucosma metzneriana* (Treitschke, 1830)** (Tortricidae) Synonym(s): *metzneriana* Treitschke, 1830
- 3195. *Eucosma persiae* Razowski, 1963** (Tortricidae)
Synonym(s): *persiae* Razowski, 1963
- 3196. *Eucosma pupillana* (Clerck, 1759)** (Tortricidae)
Synonym(s): *pupillana* Clerck, 1759
- 3197. *Eucosma tetraplana* (Möschler, 1866)** (Tortricidae)
Synonym(s): *tetraplana* Möschler, 1866
- 3198. *Eugnosta magnificana* (Rebel, 1914)** (Tortricidae)
Synonym(s): *margaritana* Hübner, [1813] *nec* Haw., [1811]; ? *norvichiana* Hübner, [1817] [nomina dubia!]; *magnificana* Rebel, 1914.
- 3199. *Fulvoclysis forsteri* (Osthelder, 1938)** (Tortricidae)
Synonym(s): *forsteri* Osthelder, 1938
- 3200. *Grapholita delineana* (Walker, 1863)** (Tortricidae)
Synonym(s): *delineana* Walker, 1863; *apicatana* Walker, 1863; *sinana* Felder, 1874; *tetragrammana* Staudinger, 1879; *mundana* Christoph, 1881; *terstrigana* Ragonot, 1894; *quadrstrana* Walsingham, 1900.
- 3201. *Gypsonoma euphraticana* (Amsel, 1935)** (Tortricidae)
Synonym(s): *euphraticana* Amsel, 1935
- 3202. *Gypsonoma minutana* (Hübner, [1799])** (Tortricidae)
Synonym(s): *minutana* Hübner, [1799]; *vermiculana* Duponchel, 1836
- 3203. *Gypsonoma obratzsovi* Amsel, 1959** (Tortricidae)
Synonym(s): *obratzsovi* Amsel, 1959
- 3204. *Hedya pruniana* (Hübner, [1799])** (Tortricidae)
Synonym(s): *pruniana* Hübner, [1799]; *pruneticolana* Zeller, 1849
- 3205. *Lobesia* (s.str.) *artemisiana* (Zeller, 1847)** (Tortricidae) Synonym(s): *artemisiana* Zeller, 1847; *trifasciana* Herrich-Schäffer, 1851; *amaryllana* Millière, 1875.
- 3206. *Lobesia* (s.str.) *vitisana* (Jacquin, 1788)** (Tortricidae)
Synonym(s): *#botrana* [Denis & Schiffermüller], 1775; *vitisana* Jacquin, 1788; *rosmarinana* Millière, 1865.
- 3207. *Notocelia aquana* (Hübner, [1799])** (Tortricidae)
Synonym(s): *#roborana* [Denis & Schiffermüller], 1775; *aquana* Hübner, [1799].
- 3208. *Notocelia cynosbatella* (Linnaeus, 1758)** (Tortricidae)
Synonym(s): *cynosbatella* Linnaeus, 1758; *cynosbana* Fabricius, 1775; *tripunctana* [Denis & Schiffermüller], 1775; *#cynobatella* Razowski, 1966; *damascena* Tuleskov & Nikolova, 1967.
- 3209. *Notocelia punicana* Kuznetsov, 1956** (Tortricidae)
Synonym(s): *punicana* Kuznetsov, 1956
- 3210. *Notocelia trimaculana* (Haworth, [1811])** (Tortricidae) Synonym(s): *trimaculana* Haworth, [1811]; *suffusana* Duponchel, 1843.
- 3211. *Notocelia uddmanniana* (Linnaeus, 1758)** (Tortricidae) Synonym(s): *uddmanniana* Linnaeus, 1758
- 3212. *Olethreutes* (Argyroplote) ? *plumbiferana* Kennel, 1916** (Tortricidae) Synonym(s): *plumbiferana* Kennel, 1916
- 3213. *Olethreutes* (Argyroplote) *retorica* (Meyrick, 1920)** (Tortricidae) Synonym(s): *retorica* Meyrick, 1920
- 3214. *Olethreutes* (s.str.) *doubledayana* (Barrett, 1872)** (Tortricidae) Synonym(s): *doubledayana* Barrett, 1872
- 3215. *Osthelderiella amardiana* Obratzov, 1961** (Tortricidae) Synonym(s): *amardiana* Obratzov, 1961
- 3216. *Oxypteron palmoni* (Amsel, 1940)** (Tortricidae)
Synonym(s): *palmoni* Amsel, 1940
- 3217. *Pammene caliginosa* Kuznetsov, 1972** (Tortricidae)
Synonym(s): *caliginosa* Kuznetsov, 1972
- 3218. *Pammene festiva* Kuznetsov, 1972** (Tortricidae)
Synonym(s): *festiva* Kuznetsov, 1972
- 3219. *Pandemis chondrillana* (Herrich-Schäffer, 1860)** (Tortricidae) Synonym(s): *chondrillana* Herrich-Schäffer, 1860; *praeclorata* Kennel, 1901; *laurana* Kennel, 1919; *elsana* Kennel, 1919; *eulogiana* Kennel, 1919; *#unicolor* Obratzov, 1943.
- 3220. *Phtheochroa jerichoana* (Amsel, 1935)** (Tortricidae)
Synonym(s): *jerichoana* Amsel, 1935
- 3221. *Phtheochroa purissima* (Osthelder, 1938)** (Tortricidae) Synonym(s): *purissima* Osthelder, 1938
- 3222. *Ptycholoma erschoffi* (Christoph, 1877)** (Tortricidae)
Synonym(s): *erschoffi* Christoph, 1877
- 3223. *Rhopobota safidana* (Razowski, 1963)** (Tortricidae)
Synonym(s): *safidana* Razowski, 1963
- 3224. *Selania friganosa* Kuznetsov, 1968** (Tortricidae)
Synonym(s): *friganosa* Kuznetsov, 1968
- 3225. *Sparganothis pilleriana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *pilleriana* [Denis & Schiffermüller], 1775
- 3226. *Spilonota ocellana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *ocellana* [Denis & Schiffermüller], 1775; *luscana* Fabricius, 1794; *comitana* Hübner, [1799]; *pyrifoliana* Clemens, 1860; *occulana* Harris, 1862; *zellerana* Borgmann, 1895; *centralasiae* Obratzov, 1949
- 3227. *Thiodia anatoliana* Kennel, 1916** (Tortricidae)
Synonym(s): *anatoliana* Kennel, 1916
- 3228. *Thiodia citrana* (Hübner, [1799])** (Tortricidae)
Synonym(s): *citrana* Hübner, [1799]; *libanicolana* Obratzov, 1964.

- 3229.** *Thiodia confusana* Kuznetsov, 1972 (Tortricidae)
Synonym(s): *confusana* Kuznetsov, 1972
- 3230.** *Thiodia couleruana* (Duponchel, 1835) (Tortricidae)
Synonym(s): *couleruana* Duponchel, 1835; *castiliana* Caradja, 1917; *pseudodelitanus* Obraztsov, 1952
- 3231.** *Thiodia elbursica* Kuznetsov, 1972 (Tortricidae)
Synonym(s): *elbursica* Kuznetsov, 1972
- 3232.** *Thiodia hyrcana* Kuznetsov, 1976 (Tortricidae)
Synonym(s): *hyrcana* Kuznetsov, 1976
- 3233.** *Thiodia trochilana* (Frölich, 1828) (Tortricidae)
Synonym(s): *trochilana* Frölich, 1828; *delitana* Fischer v. Rösslerstamm, [1839]
- 3234.** *Tortrix viridana* (Linnaeus, 1758) (Tortricidae)
Synonym(s): *viridana* Linnaeus, 1758; *suttneriana* [Denis & Schiffmüller], 1775; *flavipes* Fourcroy, 1785; *flavana* Zincken, 1821 nec Hübn., [1799]; *coeruleana* Sorhagen, 1881.
- 3235.** *Trachysmia aureopunctana* (Ragonot, 1894) (Tortricidae) Synonym(s): *aureopunctana* Ragonot, 1894
- 3236.** *Zeiraphera smaragdina* Razowski, 1963 (Tortricidae)
Synonym(s): *smaragdina* Razowski, 1963
- 3237.** *Argyresthia* (s.str.) *mirabiella* Toll, 1947 (Yponomeutidae) Synonym(s): *mirabiella* Toll, 1947
- 3238.** *Digitivalva exsuccella* (Erschoff, 1874) (Yponomeutidae) Synonym(s): *exsuccella* Erschoff, 1874
- 3239.** *Digitivalva falkneri* Amsel, 1974 (Yponomeutidae)
Synonym(s): *falkneri* Amsel, 1974
- 3240.** *Ochsenheimeria taurella* ([Denis & Schiffmüller], 1775) (Yponomeutidae) Synonym(s): *taurella* [Denis & Schiffmüller], 1775; *mediopectinellus* Haworth, 1828; *birdella* Curtis, 1831; *trifasciata* Wocke, 1871; *hederarum* Millière, 1874; *talhouki* Amsel, 1947; *baurella* Zagulyaev, 1966
- 3241.** *Paraswammerdamia iranella* Friese, 1960 (Yponomeutidae) Synonym(s): *iranella* Friese, 1960
- 3242.** *Plutella* (s.str.) *xylostella* (Linnaeus, 1758) (Yponomeutidae) Synonym(s): *xylostella* Linnaeus, 1758; *cinerea* Fourcroy, 1785 nec Hufn., 1766; *xylostei* Fabricius, 1798; *maculipennis* Curtis, 1832; *niveella* Zeller, 1839; *cruciferarum* Zeller, 1843; *brassicella* Fitch, 1856; *limbipennella* Clemens, 1860; *mollipedella* Clemens, 1860; *cicerella* Rondani, 1876; *dubiosella* Beutenmüller, 1889; *albovenosa* Walsingham, 1897; *megapterella* Bentinck, 1934
- 3243.** *Rhigognostis annulatella* (Curtis, 1832) (Yponomeutidae) Synonym(s): *annulatella* Curtis, 1832; *immaculicornella* Guenée, 1845
- 3244.** *Yponomeuta padellus* (Linnaeus, 1758) (Yponomeutidae) Synonym(s): *padella* Linnaeus, 1758; *evonymella* Scopoli, 1763 nec Linn., 1758; *malinella* Zeller, 1838; *variabilis* Zeller, 1844; *diffuellus* Heinemann, 1870.
- 3245.** *Ypsolopha albidorsella* (Staudinger, 1879) (Yponomeutidae) Synonym(s): *albidorsella* Staudinger, 1879
- 3246.** *Ypsolopha instabilella* (Mann, 1866) (Yponomeutidae) Synonym(s): *instabilella* Mann, 1866
- 3247.** *Ypsolopha kotschi* (Toll, 1947) (Yponomeutidae)
Synonym(s): *kotschi* Toll, 1947
- 3248.** *Adscita* (s.str.) *obscura* (Zeller, 1847) (Zygaenidae)
Synonym(s): *obscura* Zeller, 1847; *anceps* Staudinger, 1862.
- 3249.** *Epizygaena afghana* (Moore, 1859) (Zygaenidae)
Synonym(s): *afghana* Moore, 1859
- 3250.** *Jordanita* (Praviela) *anatolica* (Naufock, 1929) (Zygaenidae) Synonym(s): *anatolica* Naufock, 1929; *levantina* Jordan, 1931; *pfeifferi* Naufock, 1935; ? *christinae* Keil, 1998.
- 3251.** *Jordanita* (Rjabovia) *horni* (Alberti, 1937) (Zygaenidae) Synonym(s): *horni* Alberti, 1937; ? *armena* Alberti, 1970.
- 3252.** *Jordanita* (Roccia) *kurdica* (Tarmann, 1987) (Zygaenidae) Synonym(s): *kurdica* Tarmann, 1987
- 3253.** *Jordanita* (Roccia) *paupera* (Christoph, 1887) (Zygaenidae) Synonym(s): *paupera* Christoph, 1887; *mollis* Grun-Grshimailo, 1893; *hamifera* Jordan, 1909; *tamerlana* Alberti, 1937; *minor* Alberti, 1937
- 3254.** *Jordanita* (Tremewania) *notata* (Zeller, 1847) (Zygaenidae) Synonym(s): *notata* Zeller, 1847
- 3255.** *Jordanita* (s.str.) *chloros* (Hübner, [1813]) (Zygaenidae) Synonym(s): *chloros* Hübner, [1813]; *sepium* Boisduval, 1834.
- 3256.** *Jordanita* (s.str.) *graeca* (Jordan, 1907) (Zygaenidae)
Synonym(s): *graeca* Jordan, 1907; *sultana* Alberti, 1937
- 3257.** *Rhagades* (Naufockia) *brandti* (Alberti, 1938) (Zygaenidae) Synonym(s): *brandti* Alberti, 1938
- 3258.** *Rhagades* (Wiegelia) *tarmanni* Keil, 1999 (Zygaenidae) Synonym(s): *tarmanni* Keil, 1999
- 3259.** *Zygaena* (Agrumenia) *carniolica* (Scopoli, 1763) (Zygaenidae) Synonym(s): *carniolica* Scopoli, 1763
- 3260.** *Zygaena* (Agrumenia) *chirazica* Reiss, 1938 (Zygaenidae) Synonym(s): *chirazica* Reiss, 1938
- 3261.** *Zygaena* (Agrumenia) *escalerai* Poujade, 1900 (Zygaenidae) Synonym(s): *escalerai* Poujade, 1900
- 3262.** *Zygaena* (Agrumenia) *haberhaueri* Lederer, 1870 (Zygaenidae) Synonym(s): *haberhaueri* Lederer, 1870
- 3263.** *Zygaena* (Agrumenia) *olivieri* Boisduval, 1828 (Zygaenidae) Synonym(s): *olivieri* Boisduval, 1828
- 3264.** *Zygaena* (Agrumenia) *rosinae* Korb, 1903 (Zygaenidae) Synonym(s): *rosinae* Korb, 1903
- 3265.** *Zygaena* (Agrumenia) *saadii* Reiss, 1938 (Zygaenidae) Synonym(s): *saadii* Reiss, 1938
- 3266.** *Zygaena* (Agrumenia) *sengana* Holik & Sheljuzhko, 1956 (Zygaenidae) Synonym(s): *sengana* Holik & Sheljuzhko, 1956
- 3267.** *Zygaena* (Agrumenia) *truchmena* Eversmann, 1854 (Zygaenidae) Synonym(s): *truchmena* Eversmann, 1854
- 3268.** *Zygaena* (Mesembrynus) *aisha* Naumann & Naumann, 1980 (Zygaenidae) Synonym(s): *aisha* Naumann & Naumann, 1980
- 3269.** *Zygaena* (Mesembrynus) *cacuminum* Christoph, 1877 (Zygaenidae) Synonym(s): *cacuminum* Christoph, 1877
- 3270.** *Zygaena* (Mesembrynus) *cambysea* Lederer, 1870 (Zygaenidae) Synonym(s): *cambysea* Lederer, 1870
- 3271.** *Zygaena* (Mesembrynus) *cuvieri* Boisduval, 1828 (Zygaenidae) Synonym(s): *cuvieri* Boisduval, 1828
- 3272.** *Zygaena* (Mesembrynus) *excellens* Reiss, 1940 (Zygaenidae) Synonym(s): *excellens* Reiss, 1940
- 3273.** *Zygaena* (Mesembrynus) *fredi* Reiss, 1938 (Zygaenidae) Synonym(s): *fredi* Reiss, 1938
- 3274.** *Zygaena* (Mesembrynus) *haematina* Kollar, [1849] (Zygaenidae) Synonym(s): *haematina* Kollar, [1849]
- 3275.** *Zygaena* (Mesembrynus) *manlia* Lederer, 1870 (Zygaenidae) Synonym(s): *manlia* Lederer, 1870
- 3276.** *Zygaena* (Mesembrynus) *minos* ([Denis & Schiffmüller], 1775) (Zygaenidae) Synonym(s): *minos* [Denis & Schiffmüller], 1775.
- 3277.** *Zygaena* (Mesembrynus) *nocturna* Ebert, 1974 (Zygaenidae) Synonym(s): *nocturna* Ebert, 1974
- 3278.** *Zygaena* (Mesembrynus) *rubricollis* Hampson, 1900 (Zygaenidae) Synonym(s): *rubricollis* Hampson, 1900
- 3279.** *Zygaena* (Mesembrynus) *seitzi* Reiss, 1938 (Zygaenidae) Synonym(s): *seitzi* Reiss, 1938
- 3280.** *Zygaena* (Mesembrynus) *speciosa* Reiss, 1937 (Zygaenidae) Synonym(s): *speciosa* Reiss, 1937; ? *suleimanicola* Reiss, 1938.
- 3281.** *Zygaena* (Mesembrynus) *tamara* Christoph, 1889 (Zygaenidae) Synonym(s): *tamara* Christoph, 1889
- 3282.** *Zygaena* (s.str.) *christa* Reiss & Schulte, 1967 (Zygaenidae) Synonym(s): *christa* Reiss & Schulte, 1967
- 3283.** *Zygaena* (s.str.) *dorycnii* Ochsenheimer, 1808 (Zygaenidae) Synonym(s): *dorycnii* Ochsenheimer, 1808
- 3284.** *Zygaena* (s.str.) *ecki* Christoph, 1882 (Zygaenidae)
Synonym(s): *ecki* Christoph, 1882
- 3285.** *Zygaena* (s.str.) *filipendulae* (Linnaeus, 1758) (Zygaenidae) Synonym(s): *filipendulae* Linnaeus, 1758; *aries* Retzius, 1783
- 3286.** *Zygaena* (s.str.) *lonicerae* (Scheven, 1777) (Zygaenidae) Synonym(s): *lonicerae* Scheven, 1777; *graminis* Villers, 1789; *rechei* Dujardin, 1965; *microdoxa* Dujardin, 1965
- 3287.** *Zygaena* (s.str.) *loti* ([Denis & Schiffmüller], 1775) (Zygaenidae) Synonym(s): *loti* [Denis & Schiffmüller], 1775; *fulvia* Fabricius, 1777
- 3288.** *Zygaena* (s.str.) *naumanni* Hille & Keil, 1999 (Zygaenidae) Synonym(s): *naumanni* Hille & Keil, 1999
- 3289.** *Zygaena* (s.str.) *viciae* ([Denis & Schiffmüller], 1775) (Zygaenidae) Synonym(s): *viciae*

[Denis & Schiffermüller],1775; *meliloti* Esper,1789; *buglossi* Boisduval,1829

3290. *Zygaenoprocris* (Efetovia) *fredi* (Alberti,1939)
(Zygaenidae) Synonym(s): *fredi* Alberti,1939

3291. *Zygaenoprocris* (Molletia) *duskei* (Grum-Grshimailo,1902) (Zygaenidae) Synonym(s): *duskei* Grum-Grshimailo,1902; *sengana* Alberti,1939

3292. *Zygaenoprocris* (Molletia) *persepolis* (Alberti,1938)
(Zygaenidae) Synonym(s): *persepolis* Alberti,1938

3293. *Zygaenoprocris* (Molletia) *taftana* (Alberti,1939)
(Zygaenidae) Synonym(s): *taftana* Alberti,1939

3294. *Zygaenoprocris* (s.str.) *chalcoclora* (Hampson,1900)
(Zygaenidae) Synonym(s): *chalcoclora* Hampson,1900; *mystrocera* Püngeler,1914; *chorassana* Alberti,1939

3295. *Zygaenoprocris* (s.str.) *rjabovi* (Alberti,1938)
(Zygaenidae) Synonym(s): *rjabovi* Alberti,1938

Chapter 15

"kişiler arasında fark çoktur,
ama en büyük fark bilgidedir"

Yusuf Has Hacib, Uighurian Philosopher

Illustrated list of the Lepidoptera recorded in the Philippines²²

by

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Chapter 15: Illustrated list of the Lepidoptera recorded in the Philippines, [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 1849-1917,Pls.

This chapters deals with the synonymous list of the Lepidoptera of the Philippines at species and subspecies level. Totally, 4244 species group taxa are given alphabetically under the related families with their synonyms.

²² Results of the Projects of the CESA-I, Lepidoptera of Turkey (LPH).

In the Philippine Islands, Lepidoptera species and subspecies have never been published so far in the checklist form. In the present report, about 900 butterfly species and 1500 moth species are given. Together with their subspecies, these numbers increase to about 1650, and 2590, respectively. This result is temporary, it is, however, important from taxonomical and faunistical standpoints, as it is the unique publication on this subject so far.

List of the species group taxa

1. **Agape chloropyga (Walker, 1854)** (Aganaiidae) Synonym(s): *chloropyga* Walker, 1854; *analis* Walker, 1856; *cyanopyga* R. Felder, 1874; *snelleni* Gaede, 1914
2. **Asota egens (Walker, 1854)** (Aganaiidae) Synonym(s): *egens* Walker, 1854; *nebulosa* Butler, 1875; *confinens* Rothschild, 1897
3. **Asota heliconia (Linnaeus, 1758)** (Aganaiidae) Synonym(s): *heliconia* Linnaeus, 1758; *dama* Fabricius, 1775; *monycha* Cramer, 1779; *silvandra* Stoll, 1782; *doryca* Boisduval, 1832; *intacta* Walker, 1854; *lanceolata* Walker, 1856; *clavata* Butler, 1875; *dicta* Butler, 1875; *zebrina* Butler, 1877; *venalba* Moore, 1877; *leuconeura* Butler, 1879; *perimele* Weymer, 1885; *semifusca* Butler, 1887; *nicobarica* Swinhoe, 1892; *malisa* Swinhoe, 1892; *ghara* Swinhoe, 1892; *lara* Swinhoe, 1893; *enganensis* Rothschild, 1896; *naturans* Rothschild, 1896; *murina* Rothschild, 1896; *timorana* Rothschild, 1896; *kalaonica* Rothschild, 1896; *riukiwana* Rothschild, 1896; *philippina* Rothschild, 1896; *sangirensis* Rothschild, 1896; *bandana* Rothschild, 1896; *kiriwinae* Rothschild, 1896; *#extensa* Rothschild, 1896; *#diluta* Rothschild, 1896; *#brevipennis* Rothschild, 1896; *#nervosa* Rothschild, 1896; *extensa* Seitz, 1914; *atrata* Jordan, 1924
4. **Asota plana Walker, 1854** (Aganaiidae) Synonym(s): *plana* Walker, 1854
5. **Euplocia memblaria (Cramer, [1780])** (Aganaiidae) Synonym(s): *memblaria* Cramer, [1780]; *renifer* R. Felder & Rogenhofer, 1874; *moderata* Butler, 1875; *inconspicua* Butler, 1875; *radians* Snellen, 1879
6. **Neochera dominia (Cramer, [1780])** (Aganaiidae) Synonym(s): *dominia* Cramer, [1780]; *echione* Fabricius, 1793; *eugenia* Cramer, 1782; *stibosthetia* Butler, 1875; *herpa* Snellen, 1879; *basilissa* Meyrick, 1886; *heliconides* Snellen, 1888; *butleri* Swinhoe, 1892; *zaria* Swinhoe, 1892; *affinis* Rothschild, 1896; *fumosa* Rothschild, 1896; *javana* Rothschild, 1896; *papuana* Rothschild, 1896; *proxima* Rothschild, 1896
7. **Peridrome orbicularis Walker, 1854** (Aganaiidae) Synonym(s): *orbicularis* Walker, 1854; *subquadrata* Herrich-Schäffer, [1856]; *longipennis* Herrich-Schäffer, [1856]
8. **Peridrome subfascia Walker, 1854** (Aganaiidae) Synonym(s): *subfascia* Walker, 1854; *#subfasciata* Moore, 1886
9. **Amathusia phidippus (Linnaeus, 1763)** (Amathusiidae) Synonym(s): *phidippus* Linnaeus, 1763; *chersias* Fruhstorfer, 1911; *gunneryi* Corbet & Pendlebury, 1936
10. **Amathusia phidippus cebuensis M. Okano & T. Okano, 1986** (Amathusiidae) Synonym(s): *cebuensis* M. Okano & T. Okano, 1986
11. **Amathusia phidippus negrosensis M. Okano & T. Okano, 1986** (Amathusiidae) Synonym(s): *negrosensis* M. Okano & T. Okano, 1986
12. **Amathusia phidippus phidippus (Linnaeus, 1763)** (Amathusiidae) Synonym(s): *phidippus* Linnaeus, 1763; *chersias* Fruhstorfer, 1911; *gunneryi* Corbet & Pendlebury, 1936
13. **Amathusia phidippus pollicaris Butler, 1870** (Amathusiidae) Synonym(s): *pollicaris* Butler, 1870
14. **Amathuxidia amynthaon (Doubleday, 1847)** (Amathusiidae) Synonym(s): *amynthaon* Doubleday, 1847
15. **Amathuxidia amynthaon negrosensis Schröder & Treadaway, 1980** (Amathusiidae) Synonym(s): *negrosensis* Schröder & Treadaway, 1980
16. **Amathuxidia amynthaon perintha Fruhstorfer, 1911** (Amathusiidae) Synonym(s): *perintha* Fruhstorfer, 1911
17. **Amathuxidia amynthaon philippina Moore, 1895** (Amathusiidae) Synonym(s): *philippina* Moore, 1895
18. **Discophora dodong Schröder & Treadaway, 1981** (Amathusiidae) Synonym(s): *dodong* Schröder & Treadaway, 1981
19. **Discophora necho C. Felder & R. Felder, [1867]** (Amathusiidae) Synonym(s): *necho* C. Felder & R. Felder, [1867]
20. **Discophora necho confluens Schröder & Treadaway, 1989** (Amathusiidae) Synonym(s): *confluens* Schröder & Treadaway, 1989
21. **Discophora necho erasmus Fruhstorfer, 1911** (Amathusiidae) Synonym(s): *erasmus* Fruhstorfer, 1911
22. **Discophora necho guyi Treadaway & Nuyda, 1994** (Amathusiidae) Synonym(s): *guyi* Treadaway & Nuyda, 1994
23. **Discophora necho mariebellae Nihira, Nuyda & Kitamura, 1994** (Amathusiidae) Synonym(s): *mariebellae* Nihira, Nuyda & Kitamura, 1994
24. **Discophora necho mindorana Fruhstorfer, 1911** (Amathusiidae) Synonym(s): *mindorana* Fruhstorfer, 1911
25. **Discophora necho odora Fruhstorfer, 1900** (Amathusiidae) Synonym(s): *odora* Fruhstorfer, 1900
26. **Discophora necho sahi Treadaway & Nuyda, 1994** (Amathusiidae) Synonym(s): *sahi* Treadaway & Nuyda, 1994
27. **Discophora ogina (Godart, [1824])** (Amathusiidae) Synonym(s): *ogina* Godart, [1824]
28. **Discophora ogina ogina (Godart, [1824])** (Amathusiidae) Synonym(s): *ogina* Godart, [1824]
29. **Discophora ogina pulchra Nihira, 1987** (Amathusiidae) Synonym(s): *pulchra* Nihira, 1987
30. **Discophora philippina Moore, 1895** (Amathusiidae) Synonym(s): *philippina* Moore, 1895
31. **Discophora simplex Staudinger, 1889** (Amathusiidae) Synonym(s): *simplex* Staudinger, 1889
32. **Discophora sondaica (Boisduval, 1836)** (Amathusiidae) Synonym(s): *sondaica* Boisduval, 1836
33. **Discophora sondaica camdao Schröder & Treadaway, 1995** (Amathusiidae) Synonym(s): *camdao* Schröder & Treadaway, 1995
34. **Discophora sondaica samarana Schröder & Treadaway, 1995** (Amathusiidae) Synonym(s): *samarana* Schröder & Treadaway, 1995
35. **Discophora sondaica semperi Moore, 1895** (Amathusiidae) Synonym(s): *semperi* Moore, 1895
36. **Faunis phaon (Erichson, 1834)** (Amathusiidae) Synonym(s): *phaon* Erichson, 1834
37. **Faunis phaon carfinia Fruhstorfer, 1911** (Amathusiidae) Synonym(s): *carfinia* Fruhstorfer, 1911
38. **Faunis phaon leucis C. Felder & R. Felder, 1861** (Amathusiidae) Synonym(s): *leucis* C. Felder & R. Felder, 1861
39. **Faunis phaon lurida C. Felder & R. Felder, [1867]** (Amathusiidae) Synonym(s): *lurida* C. Felder & R. Felder, [1867]
40. **Faunis phaon phaon (Erichson, 1834)** (Amathusiidae) Synonym(s): *phaon* Erichson, 1834
41. **Faunis phaon sibuyanensis Aoki & Uémura, 1982** (Amathusiidae) Synonym(s): *sibuyanensis* Aoki & Uémura, 1982
42. **Faunis sappho Semper, 1878** (Amathusiidae) Synonym(s): *sappho* Semper, 1878
43. **Faunis sappho ameinokleia Fruhstorfer, 1911** (Amathusiidae) Synonym(s): *ameinokleia* Fruhstorfer, 1911

44. **Faunis sappho dinagatensis** Aoki & Uémura,1982 (Amathusiidae) Synonym(s): *dinagatensis* Aoki & Uémura,1982
45. **Faunis sappho kleis** Semper,1878 (Amathusiidae) Synonym(s): *kleis* Semper,1878
46. **Faunis sappho sappho** Semper,1878 (Amathusiidae) Synonym(s): *sappho* Semper,1878
47. **Faunis stomphax** (Westwood,[1858]) (Amathusiidae) Synonym(s): *stomphax* Westwood,[1858]
48. **Faunis stomphax plateni** Staudinger,1889 (Amathusiidae) Synonym(s): *plateni* Staudinger,1889
49. **Taenaris horsfieldi** (Swainson,[1820]) (Amathusiidae) Synonym(s): *horsfieldi* Swainson,[1820]
50. **Taenaris horsfieldi plateni** Staudinger,1889 (Amathusiidae) Synonym(s): *plateni* Staudinger,1889
51. **Zeuxidia amethysta** Butler,1865 (Amathusiidae) Synonym(s): *amethysta* Butler,1865
52. **Zeuxidia amethysta amethystina** Stichel,1906 (Amathusiidae) Synonym(s): *amethystina* Stichel,1906
53. **Zeuxidia amethysta tawiensis** Schröder & Treadaway,1991 (Amathusiidae) Synonym(s): *tawiensis* Schröder & Treadaway,1991
54. **Zeuxidia amethysta victrix** Staudinger,1889 (Amathusiidae) Synonym(s): *victrix* Staudinger,1889
55. **Zeuxidia semperi** C.Felder & R.Felder,1861 (Amathusiidae) Synonym(s): *semperi* C.Felder & R.Felder,1861
56. **Zeuxidia semperi excelsa** Rothschild,1916 (Amathusiidae) Synonym(s): *excelsa* Rothschild,1916
57. **Zeuxidia semperi semperi** C.Felder & R.Felder,1861 (Amathusiidae) Synonym(s): *semperi* C.Felder & R.Felder,1861
58. **Zeuxidia semperi therionarca** Fruhstorfer,1911 (Amathusiidae) Synonym(s): *therionarca* Fruhstorfer,1911
59. **Zeuxidia sibulana** Honrath,1884 (Amathusiidae) Synonym(s): *sibulana* Honrath,1884
60. **Zeuxidia sibulana mediceloi** Schröder,1977 (Amathusiidae) Synonym(s): *mediceloi* Schröder,1977
61. **Zeuxidia sibulana sibulana** Honrath,1884 (Amathusiidae) Synonym(s): *sibulana* Honrath,1884
62. **Aloa lactinea** (Cramer,[1777]) (Arctiidae) Synonym(s): *lactinea* Cramer,[1777]
63. **Aloa lactinea lactinea** (Cramer,[1777]) (Arctiidae) Synonym(s): *lactinea* Cramer,[1777]
64. **Areas (s.str.) galactina** (Hoeven,1840) (Arctiidae) Synonym(s): *galactina* Hoeven,1840
65. **Areas (s.str.) galactina galactina** (Hoeven,1840) (Arctiidae) Synonym(s): *galactina* Hoeven,1840
66. **Argina astrea** (Drury,[1773]) (Arctiidae) Synonym(s): *cribraria* Clerck,1764 nec Linn.,1758; *astrea* Drury,[1773]; *pylotis* Fabricius,1775; *dulcis* Walker,1854; *guttata* Rambur,1866; *notata* Butler,1877; *pylotes* Butler,1877; *multiguttatus* Swinhoe,1892; *#perforata* Seitz,1914; *#detersa* Hulstaert,1923.
67. **Argina astrea astrea** (Drury,[1773]) (Arctiidae) Synonym(s): *cribraria* Clerck,1764 nec Linn.,1758; *astrea* Drury,[1773]; *pylotis* Fabricius,1775; *dulcis* Walker,1854; *guttata* Rambur,1866; *notata* Butler,1877; *pylotes* Butler,1877; *multiguttatus* Swinhoe,1892; *#perforata* Seitz,1914; *#detersa* Hulstaert,1923.
68. **Argina pulchra** Swinhoe,1892 (Arctiidae) Synonym(s): *pulchra* Swinhoe,1892; *callargus* Reich,1932
69. **Asura luzonica** Wileman (Arctiidae) Synonym(s):
70. **Cretonotos gangis** (Linnaeus,1763) (Arctiidae) Synonym(s): *gangis* Linnaeus,1763; *interrupta* Linnaeus,1767; *francisca* Fabricius,1787; *continuat* Moore,1877; *#pallida* Rothschild,1914; *#nigrescens* Rothschild,1914; *#feminatus* Strand,1919.
71. **Cretonotos gangis gangis** (Linnaeus,1763) (Arctiidae) Synonym(s): *gangis* Linnaeus,1763; *interrupta* Linnaeus,1767; *francisca* Fabricius,1787; *continuat* Moore,1877; *#pallida* Rothschild,1914; *#nigrescens* Rothschild,1914; *#feminatus* Strand,1919.
72. **Cretonotos transiens** (Walker,1855) (Arctiidae) Synonym(s): *transiens* Walker,1855
73. **Cretonotos transiens transiens** (Walker,1855) (Arctiidae) Synonym(s): *transiens* Walker,1855
74. **Doliche alexi** Cerny,1993 (Arctiidae) Synonym(s): *alexi* Cerny,1993
75. **Doliche andromeda** Cerny,1993 (Arctiidae) Synonym(s): *andromeda* Cerny,1993
76. **Doliche aurifinis** Cerny,1993 (Arctiidae) Synonym(s): *aurifinis* Cerny,1993
77. **Doliche cara** (Kishida,1991) (Arctiidae) Synonym(s): *cara* Kishida,1991
78. **Doliche carmina** Cerny,1993 (Arctiidae) Synonym(s): *carmina* Cerny,1993
79. **Doliche costifimbria** (Walker,1862) (Arctiidae) Synonym(s): *costifimbria* Walker,1862
80. **Doliche crasizona** (Wileman & West,1928) (Arctiidae) Synonym(s): *crasizona* Wileman & West,1928
81. **Doliche euryxantha** (Hampson,1914) (Arctiidae) Synonym(s): *euryxantha* Hampson,1914
82. **Doliche gabriellae** Cerny,1993 (Arctiidae) Synonym(s): *gabriellae* Cerny,1993
83. **Doliche geminipuncta** Cerny,1993 (Arctiidae) Synonym(s): *geminipuncta* Cerny,1993
84. **Doliche gonypetes** (Prout,1919) (Arctiidae) Synonym(s): *gonypetes* Prout,1919
85. **Doliche inconclusa** (Walker,1862) (Arctiidae) Synonym(s): *inconclusa* Walker,1862
86. **Doliche indonesia palawanica** Cerny,1993 (Arctiidae) Synonym(s): *palawanica* Cerny,1993
87. **Doliche libulae** Cerny,1993 (Arctiidae) Synonym(s): *libulae* Cerny,1993
88. **Doliche lunulata** (Semper,1899) (Arctiidae) Synonym(s): *lunulata* Semper,1899
89. **Doliche lutipes** (Hampson,1900) (Arctiidae) Synonym(s): *lutipes* Hampson,1900
90. **Doliche luzonica** (Wileman & South,1919) (Arctiidae) Synonym(s): *luzonica* Wileman & South,1919
91. **Doliche malayensis palawanensis** (Kishida,1991) (Arctiidae) Synonym(s): *palawanensis* Kishida,1991
92. **Doliche owadai** (Kishida,1991) (Arctiidae) Synonym(s): *owadai* Kishida,1991
93. **Doliche phycomata** (Wileman & West,1928) (Arctiidae) Synonym(s): *phycomata* Wileman & West,1928
94. **Doliche pudens** (Walker,1862) (Arctiidae) Synonym(s): *pudens* Walker,1862
95. **Doliche rosabra** (Wileman,1925) (Arctiidae) Synonym(s): *rosabra* Wileman,1925
96. **Doliche soror** Cerny,1993 (Arctiidae) Synonym(s): *soror* Cerny,1993
97. **Doliche soror denigrata** Cerny,1993 (Arctiidae) Synonym(s): *denigrata* Cerny,1993
98. **Doliche soror soror** Cerny,1993 (Arctiidae) Synonym(s): *soror* Cerny,1993
99. **Doliche sublutipes** (Kishida,1991) (Arctiidae) Synonym(s): *sublutipes* Kishida,1991
100. **Doliche tettigonioides** (Heylaerts,1892) (Arctiidae) Synonym(s): *tettigonioides* Heylaerts,1892
101. **Doliche treadawayi** Cerny,1993 (Arctiidae) Synonym(s): *treadawayi* Cerny,1993
102. **Doliche v-nigrum** Cerny,1993 (Arctiidae) Synonym(s): *v-nigrum* Cerny,1993
103. **Doliche v-nigrum v-nigrum** Cerny,1993 (Arctiidae) Synonym(s): *v-nigrum* Cerny,1993
104. **Doliche v-nigrum visayana** Cerny,1993 (Arctiidae) Synonym(s): *visayana* Cerny,1993
105. **Doliche vespertata** Cerny,1993 (Arctiidae) Synonym(s): *vespertata* Cerny,1993
106. **Doliche vespertata decolorata** Cerny,1993 (Arctiidae) Synonym(s): *decolorata* Cerny,1993
107. **Doliche vespertata vespertata** Cerny,1993 (Arctiidae) Synonym(s): *vespertata* Cerny,1993
108. **Hemonia rotundata** (Snellen,1879) (Arctiidae) Synonym(s): *rotundata* Snellen,1879
109. **Lemyra barliga** Thomas,1990 (Arctiidae) Synonym(s): *barliga* Thomas,1990
110. **Lemyra philippinica** Thomas,1990 (Arctiidae) Synonym(s): *philippinica* Thomas,1990
111. **Macrobrochis borneensis** Roepke,1938 (Arctiidae) Synonym(s): *borneensis* Roepke,1938

112. *Nyctemera angustipennis* Kishida,1994 (Arctiidae)
Synonym(s): *angustipennis* Kishida,1994
113. *Nyctemera apensis* Semper,1899 (Arctiidae) Synonym(s):
apensis Semper,1899
114. *Nyctemera arctata* Walker,1856 (Arctiidae) Synonym(s):
arctata Walker,1856; *maculosa* Walker,1864; *dentifascia* Kalis,1934
115. *Nyctemera arctata albofasciata* (Wileman,1911) (Arctiidae)
Synonym(s): *albofasciata* Wileman,1911
116. *Nyctemera baulus* (Boisduval,1832) (Arctiidae) Synonym(s):
baulus Boisduval,1832; *buruana* Van Eecke,1929
117. *Nyctemera baulus integra* Walker,1866 (Arctiidae)
Synonym(s): *integra* Walker,1866
118. *Nyctemera browni* (Schultze,1908) (Arctiidae) Synonym(s):
browni Schultze,1908; *conjuncta* Wileman,1915
119. *Nyctemera coleta* (Stoll,[1781]) (Arctiidae) Synonym(s):
coleta Stoll,[1781]
120. *Nyctemera consobriniformis* Vos & Cerny,1999 (Arctiidae)
Synonym(s): *consobriniformis* Vos & Cerny,1999
121. *Nyctemera contrasta* Vos & Cerny,1999 (Arctiidae)
Synonym(s): *contrasta* Vos & Cerny,1999
122. *Nyctemera contrasta contrasta* Vos & Cerny,1999 (Arctiidae) Synonym(s): *contrasta* Vos & Cerny,1999
123. *Nyctemera contrasta negrosica* Vos & Cerny,1999 (Arctiidae) Synonym(s): *negrosica* Vos & Cerny,1999
124. *Nyctemera contrasta supracontrasta* Vos & Cerny,1999 (Arctiidae) Synonym(s): *supracontrasta* Vos & Cerny,1999
125. *Nyctemera gerra* (Swinhoe,1903) (Arctiidae) Synonym(s):
gerra Swinhoe,1903; *leuctra* Swinhoe,1903; *vandenberghi* Roepke,1957
126. *Nyctemera gratia* Schultze,1910 (Arctiidae) Synonym(s):
gratia Schultze,1910; *philippinensis* Rothschild,1933; *venata* Wileman,1915
127. *Nyctemera kishidai* Vos & Cerny,1999 (Arctiidae)
Synonym(s): *apoensis* Kishida,1994; *kishidai* Vos & Cerny,1999
128. *Nyctemera latistriga* Walker,1854 (Arctiidae) Synonym(s):
latistriga Walker,1854; *arcuatum* Swinhoe,1892; *inconstans* Snellen,1863; *negritorum* Seitz,1915; *consobrina* Rothschild,1920.
129. *Nyctemera latistriga latistriga* Walker,1854 (Arctiidae)
Synonym(s): *latistriga* Walker,1854; *arcuatum* Swinhoe,1892; *inconstans* Snellen,1863; *negritorum* Seitz,1915; *consobrina* Rothschild,1920.
130. *Nyctemera luctuosa galbana* (Swinhoe,1892) (Arctiidae)
Synonym(s): *galbana* Swinhoe,1892; *rostrigera* Prout,1918
131. *Nyctemera lunulata* Vos & Cerny,1999 (Arctiidae)
Synonym(s): *lunulata* Vos & Cerny,1999
132. *Nyctemera luzonensis* Wileman,1915 (Arctiidae)
Synonym(s): *luzonensis* Wileman,1915
133. *Nyctemera luzonensis luzonensis* Wileman,1915 (Arctiidae)
Synonym(s): *luzonensis* Wileman,1915
134. *Nyctemera luzonensis squalida* Vos & Cerny,1999 (Arctiidae) Synonym(s): *squalida* Vos & Cerny,1999
135. *Nyctemera luzonica* (Swinhoe,1917) (Arctiidae) Synonym(s):
luzonica Swinhoe,1917
136. *Nyctemera luzonica luzonica* (Swinhoe,1917) (Arctiidae)
Synonym(s): *luzonica* Swinhoe,1917
137. *Nyctemera luzonica plesiastes* (West,1932) (Arctiidae)
Synonym(s): *plesiastes* West,1932
138. *Nyctemera muelleri* (Snellen,1863) (Arctiidae) Synonym(s):
muelleri Snellen,1863
139. *Nyctemera muelleri muelleri* (Snellen,1863) (Arctiidae)
Synonym(s): *muelleri* Snellen,1863
140. *Nyctemera owadai* Kishida,1994 (Arctiidae) Synonym(s):
owadai Kishida,1994
141. *Nyctemera palawanica* Vos & Cerny,1999 (Arctiidae)
Synonym(s): *palawanica* Vos & Cerny,1999
142. *Nyctemera radiata* Walker,1856 (Arctiidae) Synonym(s):
radiata Walker,1856; *alternata* Walker,1866; *proprium* Swinhoe,1892; *eryla* Semper,1899; *convexa* Semper,1899; *loligo* Seitz,1915
143. *Nyctemera robusta* Vos & Cerny,1999 (Arctiidae)
Synonym(s): *robusta* Vos & Cerny,1999
144. *Nyctemera semperi* (Swinhoe,1903) (Arctiidae) Synonym(s):
leucospilota Semper,1899; *semperi* Swinhoe,1903
145. *Nyctemera semperi semperi* (Swinhoe,1903) (Arctiidae)
Synonym(s): *leucospilota* Semper,1899; *semperi* Swinhoe,1903
146. *Nyctemera sonticum* (Swinhoe,1892) (Arctiidae)
Synonym(s): *sonticum* Swinhoe,1892; *purata* Swinhoe,1917.
147. *Nyctemera undulata* Vos & Cerny,1999 (Arctiidae)
Synonym(s): *undulata* Vos & Cerny,1999
148. *Paralacydes maculifascia* (Walker,1855) (Arctiidae)
Synonym(s): *maculifascia* Walker,1855; *conspurcatum* Walker,1856; *parva* Walker,1865; *malayensis* Hampson,1901; *areoscopya* Turner,1906; *roseata* Rothschild,1910; *parvula* Hulstaert,1924
149. *Paralacydes maculifascia maculifascia* (Walker,1855) (Arctiidae) Synonym(s): *maculifascia* Walker,1855; *conspurcatum* Walker,1856; *parva* Walker,1865; *malayensis* Hampson,1901; *areoscopya* Turner,1906; *roseata* Rothschild,1910; *parvula* Hulstaert,1924
150. *Tinoliodes benguetensis* Wileman,1915 (Arctiidae)
Synonym(s): *benguetensis* Wileman,1915
151. *Utetheisa (Pitasila) selecta* (Walker,1854) (Arctiidae)
Synonym(s): *selecta* Walker,1854; *bijunctella* Walker,1866; *bipunctella* Kirby,1892; *disrupta* Butler,1887
152. *Utetheisa (Pitasila) selecta selecta* (Walker,1854) (Arctiidae)
Synonym(s): *selecta* Walker,1854; *bijunctella* Walker,1866; *bipunctella* Kirby,1892; *disrupta* Butler,1887
153. *Utetheisa (s.str.) lotrix* (Cramer,[1777]) (Arctiidae)
Synonym(s): *lotrix* Cramer,[1777]; *indica* Roepke,1941
154. *Utetheisa (s.str.) lotrix lotrix* (Cramer,[1777]) (Arctiidae)
Synonym(s): *lotrix* Cramer,[1777]; *indica* Roepke,1941
155. *Agatasa chrysodonia* Staudinger,1890 (Argynnididae)
Synonym(s): *chrysodonia* Staudinger,1890
156. *Agatasa chrysodonia chrysodonia* Staudinger,1890 (Argynnididae) Synonym(s): *chrysodonia* Staudinger,1890
157. *Agatasa chrysodonia heterodonia* Semper,1892 (Argynnididae) Synonym(s): *heterodonia* Semper,1892
158. *Agatasa chrysodonia luzonensis* Schröder & Treadaway,1988 (Argynnididae) Synonym(s): *luzonensis* Schröder & Treadaway,1988
159. *Argynnis (Argyreus) hyperbius* (Linnaeus,1763) (Argynnididae) Synonym(s): *hyperbius* Linnaeus,1763; *niphe* Linnaeus,1767.
160. *Argynnis (Argyreus) hyperbius sagada* Fruhstorfer,1900 (Argynnididae) Synonym(s): *sagada* Fruhstorfer,1900
161. *Ariadne merione* (Cramer,[1779]) (Argynnididae)
Synonym(s): *merione* Cramer,[1779]
162. *Ariadne merione crestonia* (Fruhstorfer,1912) (Argynnididae)
Synonym(s): *crestonia* Fruhstorfer,1912
163. *Ariadne merione luzonia* (C.Felder & R.Felder,[1867]) (Argynnididae) Synonym(s): *luzonia* C.Felder & R.Felder,[1867]
164. *Ariadne merione maculata* Semper,1887 (Argynnididae)
Synonym(s): *maculata* Semper,1887
165. *Ariadne taeniata* (C.Felder & R.Felder,1861) (Argynnididae)
Synonym(s): *taeniata* C.Felder & R.Felder,1861
166. *Ariadne taeniata adelpha* (C.Felder & R.Felder,1861) (Argynnididae) Synonym(s): *adelpha* C.Felder & R.Felder,1861
167. *Ariadne taeniata taeniata* (C.Felder & R.Felder,1861) (Argynnididae) Synonym(s): *taeniata* C.Felder & R.Felder,1861
168. *Athyma (Chendrana) pravara* Moore,[1858] (Argynnididae)
Synonym(s): *pravara* Moore,[1858]
169. *Athyma (Chendrana) pravara arturodyi* Schröder & Treadaway,1991 (Argynnididae) Synonym(s): *arturodyi* Schröder & Treadaway,1991
170. *Athyma (Tacoraea) asura* Moore,[1858] (Argynnididae)
Synonym(s): *asura* Moore,[1858]
171. *Athyma (Tacoraea) asura tarpa* Staudinger,1889 (Argynnididae) Synonym(s): *tarpa* Staudinger,1889
172. *Athyma (Tatisia) nefte* (Cramer,1779) (Argynnididae)
Synonym(s): *nefte* Cramer,1779
173. *Athyma (Tatisia) nefte subrata* Moore,1858 (Argynnididae)
Synonym(s): *subrata* Moore,1858
174. *Athyma (Tatisia) reta* Moore,[1858] (Argynnididae)
Synonym(s): *reta* Moore,[1858]

175. *Athyma (Tatisia) reta suluana* Schröder & Treadaway, 1991 (Argynnidae) Synonym(s): *suluana* Schröder & Treadaway, 1991
176. *Athyma (Tatisia) selenophora* (Kollar, [1844]) (Argynnidae) Synonym(s): *selenophora* Kollar, [1844]
177. *Athyma (Tatisia) selenophora shiraishii* Tsukada & Kaneko, 1985 (Argynnidae) Synonym(s): *shiraishii* Tsukada & Kaneko, 1985
178. *Athyma (s.str.) perius* (Linnaeus, 1758) (Argynnidae) Synonym(s): *perius* Linnaeus, 1758
179. *Athyma (s.str.) perius perius* (Linnaeus, 1758) (Argynnidae) Synonym(s): *perius* Linnaeus, 1758
180. *Athyma alcamene* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *alcamene* C.Felder & R.Felder, 1863
181. *Athyma alcamene alcamene* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *alcamene* C.Felder & R.Felder, 1863
182. *Athyma alcamene angelesi* Schröder & Treadaway, 1992 (Argynnidae) Synonym(s): *angelesi* Schröder & Treadaway, 1992
183. *Athyma alcamene baltazarae* Jumalon, 1975 (Argynnidae) Synonym(s): *baltazarae* Jumalon, 1975
184. *Athyma alcamene generosior* Fruhstorfer, 1906 (Argynnidae) Synonym(s): *generosior* Fruhstorfer, 1906
185. *Athyma alcamene jagori* Fruhstorfer, 1906 (Argynnidae) Synonym(s): *jagori* Fruhstorfer, 1906
186. *Athyma alcamene masbatensis* Schröder & Treadaway, 1991 (Argynnidae) Synonym(s): *masbatensis* Schröder & Treadaway, 1991
187. *Athyma arayata* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *arayata* Felder & Felder, 1863
188. *Athyma godmani* Staudinger, 1889 (Argynnidae) Synonym(s): *godmani* Staudinger, 1889
189. *Athyma godmani godmani* Staudinger, 1889 (Argynnidae) Synonym(s): *godmani* Staudinger, 1889
190. *Athyma godmani reducta* Fruhstorfer, 1906 (Argynnidae) Synonym(s): *reducta* Fruhstorfer, 1906
191. *Athyma kasa* Moore, 1858 (Argynnidae) Synonym(s): *kasa* Moore, 1858
192. *Athyma kasa bignayana* Fruhstorfer, 1906 (Argynnidae) Synonym(s): *bignayana* Fruhstorfer, 1906
193. *Athyma kasa epimethis* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *epimethis* C.Felder & R.Felder, 1863
194. *Athyma kasa gordia* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *gordia* C.Felder & R.Felder, 1863
195. *Athyma kasa kasa* Moore, 1858 (Argynnidae) Synonym(s): *kasa* Moore, 1858
196. *Athyma kasa leyteana* Murayama, 1982 (Argynnidae) Synonym(s): *leyteana* Murayama, 1982
197. *Athyma kasa paragordia* Semper, 1889 (Argynnidae) Synonym(s): *paragordia* Semper, 1889
198. *Athyma kasa parakasa* Semper, 1889 (Argynnidae) Synonym(s): *parakasa* Semper, 1889
199. *Athyma maenas* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *maenas* C.Felder & R.Felder, 1863
200. *Athyma maenas maenas* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *maenas* C.Felder & R.Felder, 1863
201. *Athyma maenas semperi* Moore, 1896 (Argynnidae) Synonym(s): *semperi* Moore, 1896
202. *Athyma mindanica* Murayama, 1978 (Argynnidae) Synonym(s): *mindanica* Murayama, 1978
203. *Athyma obsoleta* Schröder & Treadaway, 1979 (Argynnidae) Synonym(s): *obsoleta* Schröder & Treadaway, 1979
204. *Athyma salvini* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *salvini* Fruhstorfer, 1912
205. *Athyma saskia* Schröder & Treadaway, 1991 (Argynnidae) Synonym(s): *saskia* Schröder & Treadaway, 1991
206. *Athyma separata* Staudinger, 1889 (Argynnidae) Synonym(s): *separata* Staudinger, 1889
207. *Athyma separata gracilis* Schröder, Treadaway & Nuyda, 1990 (Argynnidae) Synonym(s): *gracilis* Schröder, Treadaway & Nuyda, 1990
208. *Athyma separata separata* Staudinger, 1889 (Argynnidae) Synonym(s): *separata* Staudinger, 1889
209. *Athyma speciosa* Staudinger, 1889 (Argynnidae) Synonym(s): *speciosa* Staudinger, 1889
210. *Athyma speciosa preciosa* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *preciosa* Fruhstorfer, 1912
211. *Athyma speciosa speciosa* Staudinger, 1889 (Argynnidae) Synonym(s): *speciosa* Staudinger, 1889
212. *Athyma venata* Staudinger, 1889 (Argynnidae) Synonym(s): *venata* Staudinger, 1889
213. *Cethosia biblis* (Drury, [1773]) (Argynnidae) Synonym(s): *biblis* Drury, [1773]
214. *Cethosia biblis barangangi* Tsukada, 1985 (Argynnidae) Synonym(s): *barangangi* Tsukada, 1985
215. *Cethosia biblis insularis* C.Felder & R.Felder, 1861 (Argynnidae) Synonym(s): *insularis* C.Felder & R.Felder, 1861
216. *Cethosia biblis liacura* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *liacura* Fruhstorfer, 1912
217. *Cethosia biblis placito* Tsukada, 1985 (Argynnidae) Synonym(s): *placito* Tsukada, 1985
218. *Cethosia biblis sandakana* Fruhstorfer, 1899 (Argynnidae) Synonym(s): *sandakana* Fruhstorfer, 1899
219. *Cethosia hypsea* Doubleday, [1847] (Argynnidae) Synonym(s): *hypsea* Doubleday, [1847]
220. *Cethosia hypsea palawana* Fruhstorfer, 1900 (Argynnidae) Synonym(s): *palawana* Fruhstorfer, 1900
221. *Cethosia luzonica* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *luzonica* C.Felder & R.Felder, 1863
222. *Cethosia luzonica boholica* Semper, 1888 (Argynnidae) Synonym(s): *boholica* Semper, 1888
223. *Cethosia luzonica luzonica* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *luzonica* C.Felder & R.Felder, 1863
224. *Cethosia luzonica magindanica* Semper, 1888 (Argynnidae) Synonym(s): *magindanica* Semper, 1888
225. *Cethosia luzonica pariana* Semper, 1888 (Argynnidae) Synonym(s): *pariana* Semper, 1888
226. *Cethosia mindanensis* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *mindanensis* C.Felder & R.Felder, 1863
227. *Cethosia mindanensis festiva* Fruhstorfer, 1899 (Argynnidae) Synonym(s): *festiva* Fruhstorfer, 1899
228. *Cethosia mindanensis mindanensis* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *mindanensis* C.Felder & R.Felder, 1863
229. *Charaxes amycus* C.Felder & R.Felder, 1861 (Argynnidae) Synonym(s): *amycus* C.Felder & R.Felder, 1861
230. *Charaxes amycus amycus* C.Felder & R.Felder, 1861 (Argynnidae) Synonym(s): *amycus* C.Felder & R.Felder, 1861
231. *Charaxes amycus basilium* Tsukada, 1991 (Argynnidae) Synonym(s): *basilium* Tsukada, 1991
232. *Charaxes amycus bayanii* Schröder & Treadaway, 1982 (Argynnidae) Synonym(s): *bayanii* Schröder & Treadaway, 1982
233. *Charaxes amycus boholensis* Tsukada, 1991 (Argynnidae) Synonym(s): *boholensis* Tsukada, 1991
234. *Charaxes amycus carolus* Rothschild, 1900 (Argynnidae) Synonym(s): *carolus* Rothschild, 1900
235. *Charaxes amycus georgius* Staudinger, 1892 (Argynnidae) Synonym(s): *georgius* Staudinger, 1892
236. *Charaxes amycus leonido* Tsukada, 1991 (Argynnidae) Synonym(s): *leonido* Tsukada, 1991
237. *Charaxes amycus leytenis* M.Okano & T.Okano, 1986 (Argynnidae) Synonym(s): *leytenis* M.Okano & T.Okano, 1986
238. *Charaxes amycus marion* Schröder & Treadaway, 1981 (Argynnidae) Synonym(s): *marion* Schröder & Treadaway, 1981
239. *Charaxes amycus negrosensis* Schröder & Treadaway, 1982 (Argynnidae) Synonym(s): *negrosensis* Schröder & Treadaway, 1982
240. *Charaxes amycus shunichii* Hanafusa, 1982 (Argynnidae) Synonym(s): *shunichii* Hanafusa, 1982
241. *Charaxes amycus theobaldo* Schröder & Treadaway, 1982 (Argynnidae) Synonym(s): *theobaldo* Schröder & Treadaway, 1982

242. *Charaxes antonius* Semper, 1878 (Argynnidae) Synonym(s): *antonius* Semper, 1878
243. *Charaxes antonius antonius* Semper, 1878 (Argynnidae) Synonym(s): *antonius* Semper, 1878
244. *Charaxes antonius dinagatensis* Tsukada, 1991 (Argynnidae) Synonym(s): *dinagatensis* Tsukada, 1991
245. *Charaxes antonius osadai* Hanafusa, 1985 (Argynnidae) Synonym(s): *osadai* Hanafusa, 1985
246. *Charaxes bajula* Staudinger, 1889 (Argynnidae) Synonym(s): *bajula* Staudinger, 1889
247. *Charaxes bajula adoracion* Schröder & Treadaway, 1989 (Argynnidae) Synonym(s): *adoracion* Schröder & Treadaway, 1989
248. *Charaxes bajula bajula* Staudinger, 1889 (Argynnidae) Synonym(s): *bajula* Staudinger, 1889
249. *Charaxes bajula basilisae* Schröder & Treadaway, 1982 (Argynnidae) Synonym(s): *basilisae* Schröder & Treadaway, 1982
250. *Charaxes bajula planitus* Tsukada, 1991 (Argynnidae) Synonym(s): *planitus* Tsukada, 1991
251. *Charaxes bajula remulus* Tsukada, 1991 (Argynnidae) Synonym(s): *remulus* Tsukada, 1991
252. *Charaxes bupalus* Staudinger, 1889 (Argynnidae) Synonym(s): *bupalus* Staudinger, 1889
253. *Charaxes bupalus bupalus* Staudinger, 1889 (Argynnidae) Synonym(s): *bupalus* Staudinger, 1889
254. *Charaxes bupalus rowelii* Schröder & Treadaway, 1993 (Argynnidae) Synonym(s): *rowelii* Schröder & Treadaway, 1993
255. *Charaxes harmonius* C.Felder & R.Felder, [1867] (Argynnidae) Synonym(s): *harmonius* C.Felder & R.Felder, [1867]; *analeuca* Rousseau-Decelle, 1938
256. *Charaxes harmonius harpagon* Staudinger, 1889 (Argynnidae) Synonym(s): *harpagon* Staudinger, 1889
257. *Charaxes plateni* Staudinger, 1889 (Argynnidae) Synonym(s): *plateni* Staudinger, 1889
258. *Charaxes plateni latifascia* Schröder, Treadaway & Nuyda, 1991 (Argynnidae) Synonym(s): *latifascia* Schröder, Treadaway & Nuyda, 1991
259. *Charaxes plateni plateni* Staudinger, 1889 (Argynnidae) Synonym(s): *plateni* Staudinger, 1889
260. *Charaxes sangana* Schröder & Treadaway, 1988 (Argynnidae) Synonym(s): *sangana* Schröder & Treadaway, 1988
261. *Charaxes sangana juwaki* Schröder & Treadaway, 1988 (Argynnidae) Synonym(s): *juwaki* Schröder & Treadaway, 1988
262. *Charaxes sangana sangana* Schröder & Treadaway, 1988 (Argynnidae) Synonym(s): *sangana* Schröder & Treadaway, 1988
263. *Charaxes solon* (Fabricius, 1793) (Argynnidae) Synonym(s): *solon* Fabricius, 1793
264. *Charaxes solon lampedo* (Hübner, [1824]) (Argynnidae) Synonym(s): *lampedo* Hübner, [1824]
265. *Charaxes solon orchomenus* Fruhstorfer, 1914 (Argynnidae) Synonym(s): *orchomenus* Fruhstorfer, 1914
266. *Charaxes solon shohgun* Tsukada, 1991 (Argynnidae) Synonym(s): *shohgun* Tsukada, 1991
267. *Charaxes solon tindongani* Schröder & Treadaway, 1989 (Argynnidae) Synonym(s): *tindongani* Schröder & Treadaway, 1989
268. *Chersonesia intermedia* Martin, 1895 (Argynnidae) Synonym(s): *intermedia* Martin, 1895
269. *Chersonesia intermedia intermedia* Martin, 1895 (Argynnidae) Synonym(s): *intermedia* Martin, 1895
270. *Chersonesia peraka* Distant, 1884 (Argynnidae) Synonym(s): *peraka* Distant, 1884
271. *Chersonesia peraka peraka* Distant, 1884 (Argynnidae) Synonym(s): *peraka* Distant, 1884
272. *Chersonesia rahria* (Horsfield & Moore, 1857) (Argynnidae) Synonym(s): *rahria* Horsfield & Moore, 1857
273. *Chersonesia rahria rahria* (Horsfield & Moore, 1857) (Argynnidae) Synonym(s): *rahria* Horsfield & Moore, 1857
274. *Cirrochroa menones* Semper, 1888 (Argynnidae) Synonym(s): *menones* Semper, 1888
275. *Cirrochroa satellita* Butler, 1869 (Argynnidae) Synonym(s): *satellita* Butler, 1869
276. *Cirrochroa satellita illergeta* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *illergeta* Fruhstorfer, 1912
277. *Cirrochroa tyche* C.Felder & R.Felder, 1861 (Argynnidae) Synonym(s): *tyche* C.Felder & R.Felder, 1861
278. *Cirrochroa tyche languyana* Treadaway & Nuyda, 1994 (Argynnidae) Synonym(s): *languyana* Treadaway & Nuyda, 1994
279. *Cirrochroa tyche laudabilis* Fruhstorfer, 1900 (Argynnidae) Synonym(s): *laudabilis* Fruhstorfer, 1900
280. *Cirrochroa tyche tyche* C.Felder & R.Felder, 1861 (Argynnidae) Synonym(s): *tyche* C.Felder & R.Felder, 1861
281. *Cupha arias* C.Felder & R.Felder, [1867] (Argynnidae) Synonym(s): *arias* C.Felder & R.Felder, [1867]; *cacina* Fruhstorfer, 1912
282. *Cupha arias arias* C.Felder & R.Felder, [1867] (Argynnidae) Synonym(s): *arias* C.Felder & R.Felder, [1867]; *cacina* Fruhstorfer, 1912
283. *Cupha arias daptana* Grose-Smith, 1887 (Argynnidae) Synonym(s): *daptana* Grose-Smith, 1887
284. *Cupha erymanthis* (Drury, [1773]) (Argynnidae) Synonym(s): *erymanthis* Drury, [1773]; *palawana* Fruhstorfer, 1899
285. *Cupha erymanthis erymanthis* (Drury, [1773]) (Argynnidae) Synonym(s): *erymanthis* Drury, [1773]
286. *Cynitia cocytina* (Horsfield, 1829) (Argynnidae) Synonym(s): *cocytina* Horsfield, 1829
287. *Cynitia cocytina darani* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *darani* Fruhstorfer, 1913
288. *Cynitia cocytina uposantha* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *uposantha* Fruhstorfer, 1913
289. *Cynitia godartii* (Gray, 1846) (Argynnidae) Synonym(s): *godartii* Gray, 1846
290. *Cynitia godartii dhayma* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *dhayma* Fruhstorfer, 1913
291. *Cynitia phlegethon* Semper, 1888 (Argynnidae) Synonym(s): *phlegethon* Semper, 1888
292. *Cynitia phlegethon nirodha* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *nirodha* Fruhstorfer, 1913
293. *Cynitia phlegethon phlegethon* Semper, 1888 (Argynnidae) Synonym(s): *phlegethon* Semper, 1888
294. *Cynitia phlegethon visayana* Schröder & Treadaway, 1981 (Argynnidae) Synonym(s): *visayana* Schröder & Treadaway, 1981
295. *Cynitia semperi* (Staudinger, 1889) (Argynnidae) Synonym(s): *semperi* Staudinger, 1889
296. *Cynitia semperi candida* Schröder, Treadaway & Nuyda, 1990 (Argynnidae) Synonym(s): *candida* Schröder, Treadaway & Nuyda, 1990
297. *Cynitia semperi semperi* (Staudinger, 1889) (Argynnidae) Synonym(s): *semperi* Staudinger, 1889
298. *Cynthia cardui* (Linnaeus, 1758) (Argynnidae) Synonym(s): *cardui* Linnaeus, 1758; *carduelis* Cramer, 1775; *elymi* Rambur, 1829; *kershawi* McCoy, 1868; *pallida* Schoyen, 1881; *universa* Verity, 1919; *takesakiana* Kato, 1925
299. *Cynthia cardui cardui* (Linnaeus, 1758) (Argynnidae) Synonym(s): *cardui* Linnaeus, 1758; *carduelis* Cramer, 1775; *elymi* Rambur, 1829; *kershawi* McCoy, 1868; *pallida* Schoyen, 1881; *universa* Verity, 1919; *takesakiana* Kato, 1925
300. *Cyrestis cassander* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *cassander* C.Felder & R.Felder, 1863
301. *Cyrestis cassander cassander* C.Felder & R.Felder, 1863 (Argynnidae) Synonym(s): *cassander* C.Felder & R.Felder, 1863
302. *Cyrestis cassander dacebalus* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *dacebalus* Fruhstorfer, 1912
303. *Cyrestis cassander orchomenus* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *orchomenus* Fruhstorfer, 1912
304. *Cyrestis cassander thessa* Fruhstorfer, 1889 (Argynnidae) Synonym(s): *thessa* Fruhstorfer, 1889
305. *Cyrestis kudrati* Jumalon, 1975 (Argynnidae) Synonym(s): *kudrati* Jumalon, 1975
306. *Cyrestis maenalis* Erichson, 1834 (Argynnidae) Synonym(s): *maenalis* Erichson, 1834

307. *Cyrestis maenalis aiedius* Fruhstorfer, 1912 (Argynnidæ) Synonym(s): *aiedius* Fruhstorfer, 1912
308. *Cyrestis maenalis cebuensis* M.Okano & T.Okano, 1988 (Argynnidæ) Synonym(s): *cebuensis* M.Okano & T.Okano, 1988
309. *Cyrestis maenalis eumelus* Fruhstorfer, 1915 (Argynnidæ) Synonym(s): *eumelus* Fruhstorfer, 1915
310. *Cyrestis maenalis kynosura* Tsukada & Nishiyama, 1985 (Argynnidæ) Synonym(s): *kynosura* Tsukada & Nishiyama, 1985
311. *Cyrestis maenalis maenalis* Erichson, 1834 (Argynnidæ) Synonym(s): *maenalis* Erichson, 1834
312. *Cyrestis maenalis negros* Martin, 1903 (Argynnidæ) Synonym(s): *negros* Martin, 1903
313. *Cyrestis maenalis obscurior* Staudinger, 1889 (Argynnidæ) Synonym(s): *obscurior* Staudinger, 1889
314. *Cyrestis maenalis oebasius* Fruhstorfer, 1912 (Argynnidæ) Synonym(s): *oebasius* Fruhstorfer, 1912
315. *Cyrestis maenalis rizali* Tsukada & Nishiyama, 1985 (Argynnidæ) Synonym(s): *rizali* Tsukada & Nishiyama, 1985
316. *Cyrestis maenalis rothschildi* Martin, 1903 (Argynnidæ) Synonym(s): *rothschildi* Martin, 1903
317. *Cyrestis maenalis zamboangensis* Jumalon, 1975 (Argynnidæ) Synonym(s): *zamboangensis* Jumalon, 1975
318. *Cyrestis nivea* (Zincken, 1831) (Argynnidæ) Synonym(s): *nivea* Zincken, 1831
319. *Cyrestis nivea superbus* Staudinger, 1889 (Argynnidæ) Synonym(s): *superbus* Staudinger, 1889
320. *Dichorragia nesimachus* (Doyère, 1840) (Argynnidæ) Synonym(s): *nesimachus* Doyère, 1840
321. *Dichorragia nesimachus kawamurai* Nihira, 1982 (Argynnidæ) Synonym(s): *kawamurai* Nihira, 1982
322. *Dichorragia nesimachus leytenensis* Shimagami, 1990 (Argynnidæ) Synonym(s): *leytenensis* Shimagami, 1990
323. *Dichorragia nesimachus luzonensis* Shimagami, 1990 (Argynnidæ) Synonym(s): *luzonensis* Shimagami, 1990
324. *Dichorragia nesimachus machates* Fruhstorfer, 1903 (Argynnidæ) Synonym(s): *machates* Fruhstorfer, 1903
325. *Dichorragia nesimachus peisistratus* Fruhstorfer, 1913 (Argynnidæ) Synonym(s): *peisistratus* Fruhstorfer, 1913
326. *Dichorragia nesimachus samarensis* Tsukada, 1991 (Argynnidæ) Synonym(s): *samarensis* Tsukada, 1991
327. *Doleschallia bisaltide* (Cramer, [1777]) (Argynnidæ) Synonym(s): *bisaltide* Cramer, [1777]
328. *Doleschallia bisaltide philippensis* Fruhstorfer, 1899 (Argynnidæ) Synonym(s): *philippensis* Fruhstorfer, 1899
329. *Euripus nyctelius* (Doubleday, 1845) (Argynnidæ) Synonym(s): *nyctelius* Doubleday, 1845
330. *Euripus nyctelius clytia* (C.Felder & R.Felder, [1867]) (Argynnidæ) Synonym(s): *clytia* C.Felder & R.Felder, [1867]
331. *Euripus nyctelius marinduquanus* Treadaway, 1995 (Argynnidæ) Synonym(s): *marinduquanus* Treadaway, 1995
332. *Euripus nyctelius nysia* Semper, 1887 (Argynnidæ) Synonym(s): *nysia* Semper, 1887
333. *Euripus nyctelius ophelion* Fruhstorfer, 1914 (Argynnidæ) Synonym(s): *ophelion* Fruhstorfer, 1914
334. *Euripus nyctelius orestheion* Fruhstorfer, 1914 (Argynnidæ) Synonym(s): *orestheion* Fruhstorfer, 1914
335. *Euripus nyctelius palawanicus* Fruhstorfer, 1899 (Argynnidæ) Synonym(s): *palawanicus* Fruhstorfer, 1899
336. *Euripus nyctelius sparsus* Tsukada, 1991 (Argynnidæ) Synonym(s): *sparsus* Tsukada, 1991
337. *Euthalia (Aconthea) aconthea* (Cramer, [1777]) (Argynnidæ) Synonym(s): *aconthea* Cramer, [1777]
338. *Euthalia (Aconthea) aconthea bongaoensis* Schröder, Treadaway & Nuyda, 1990 (Argynnidæ) Synonym(s): *bongaoensis* Schröder, Treadaway & Nuyda, 1990
339. *Euthalia (Aconthea) aconthea joloana* Staudinger, 1889 (Argynnidæ) Synonym(s): *joloana* Staudinger, 1889
340. *Euthalia (Aconthea) aconthea obatrata* Yokochi, 1994 (Argynnidæ) Synonym(s): *obatrata* Yokochi, 1994
341. *Euthalia (Aconthea) aconthea palawana* Staudinger, 1889 (Argynnidæ) Synonym(s): *palawana* Staudinger, 1889
342. *Euthalia (Aconthea) aconthea sicutana* Schröder, Treadaway & Nuyda, 1990 (Argynnidæ) Synonym(s): *sicutana* Schröder, Treadaway & Nuyda, 1990
343. *Euthalia (Aconthea) alpheda* (Godart, [1824]) (Argynnidæ) Synonym(s): *alpheda* Godart, [1824]
344. *Euthalia (Aconthea) alpheda cusama* Fruhstorfer, 1913 (Argynnidæ) Synonym(s): *cusama* Fruhstorfer, 1913
345. *Euthalia (Aconthea) alpheda leyтана* Schröder & Treadaway, 1982 (Argynnidæ) Synonym(s): *leyтана* Schröder & Treadaway, 1982
346. *Euthalia (Aconthea) alpheda liaoi* Schröder & Treadaway, 1982 (Argynnidæ) Synonym(s): *liaoi* Schröder & Treadaway, 1982
347. *Euthalia (Aconthea) alpheda mindorensis* Schröder & Treadaway, 1982 (Argynnidæ) Synonym(s): *mindorensis* Schröder & Treadaway, 1982
348. *Euthalia (Aconthea) alpheda phelada* Semper, 1888 (Argynnidæ) Synonym(s): *phelada* Semper, 1888
349. *Euthalia (Aconthea) alpheda rodriguezi* Schröder & Treadaway, 1982 (Argynnidæ) Synonym(s): *rodriguezi* Schröder & Treadaway, 1982
350. *Euthalia (Aconthea) alpheda sibuyana* Schröder & Treadaway, 1982 (Argynnidæ) Synonym(s): *sibuyana* Schröder & Treadaway, 1982
351. *Euthalia (Aconthea) alpheda soregina* Fruhstorfer, 1913 (Argynnidæ) Synonym(s): *soregina* Fruhstorfer, 1913
352. *Euthalia (Aconthea) anosia* (Moore, 1858) (Argynnidæ) Synonym(s): *anosia* Moore, 1858
353. *Euthalia (Aconthea) anosia tawitawia* Treadaway & Nuyda, 1994 (Argynnidæ) Synonym(s): *tawitawia* Treadaway & Nuyda, 1994
354. *Euthalia (Aconthea) mahadeva* (Moore, 1859) (Argynnidæ) Synonym(s): *mahadeva* Moore, 1859
355. *Euthalia (Aconthea) mahadeva dacasini* Hanafusa, 1990 (Argynnidæ) Synonym(s): *dacasini* Hanafusa, 1990
356. *Euthalia (Aconthea) mahadeva ingae* Schröder & Treadaway, 1990 (Argynnidæ) Synonym(s): *ingae* Schröder & Treadaway, 1990
357. *Euthalia (Aconthea) mahadeva rhamases* Staudinger, 1889 (Argynnidæ) Synonym(s): *rhamases* Staudinger, 1889
358. *Euthalia (Aconthea) mahadeva yui* Yokochi, 1994 (Argynnidæ) Synonym(s): *yui* Yokochi, 1994
359. *Euthalia (Aconthea) monina* (Fabricius, 1787) (Argynnidæ) Synonym(s): *monina* Fabricius, 1787
360. *Euthalia (Aconthea) monina kayumanggia* Treadaway & Nuyda, 1994 (Argynnidæ) Synonym(s): *kayumanggia* Treadaway & Nuyda, 1994
361. *Euthalia (Aconthea) monina suluana* Fruhstorfer, 1902 (Argynnidæ) Synonym(s): *suluana* Fruhstorfer, 1902
362. *Euthalia (Bassarona) dunya* (Doubleday, 1848) (Argynnidæ) Synonym(s): *dunya* Doubleday, 1848
363. *Euthalia (Bassarona) dunya monara* Fruhstorfer, 1913 (Argynnidæ) Synonym(s): *monara* Fruhstorfer, 1913
364. *Euthalia (Bassarona) piratica* Semper, 1888 (Argynnidæ) Synonym(s): *piratica* Semper, 1888
365. *Euthalia (Bassarona) piratica dinagatensis* Tsukada, 1991 (Argynnidæ) Synonym(s): *dinagatensis* Tsukada, 1991
366. *Euthalia (Bassarona) piratica negrosiana* Schröder & Treadaway, 1987 (Argynnidæ) Synonym(s): *negrosiana* Schröder & Treadaway, 1987
367. *Euthalia (Bassarona) piratica piratica* Semper, 1888 (Argynnidæ) Synonym(s): *piratica* Semper, 1888
368. *Euthalia (Bassarona) piratica romeo* Schröder & Treadaway, 1987 (Argynnidæ) Synonym(s): *romeo* Schröder & Treadaway, 1987
369. *Euthalia (Bassarona) piratica sarmana* Fruhstorfer, 1913 (Argynnidæ) Synonym(s): *sarmana* Fruhstorfer, 1913
370. *Euthalia (Bassarona) piratica subpiratica* Schröder & Treadaway, 1987 (Argynnidæ) Synonym(s): *subpiratica* Schröder & Treadaway, 1987
371. *Euthalia (Bassarona) teuta* (Doubleday, 1848) (Argynnidæ) Synonym(s): *teuta* Doubleday, 1848
372. *Euthalia (Bassarona) teuta balabacana* Tsukada, 1991 (Argynnidæ) Synonym(s): *balabacana* Tsukada, 1991
373. *Euthalia (Bassarona) teuta eson* De Nicéville, 1894 (Argynnidæ) Synonym(s): *eson* De Nicéville, 1894

374. *Euthalia (Dophla) evelina* (Stoll,[1790]) (Argynnidæ) Synonym(s): *evelina* Stoll,[1790]
375. *Euthalia (Dophla) evelina albusequus* Nihira & Kawamura,1986 (Argynnidæ) Synonym(s): *albusequus* Nihira & Kawamura,1986
376. *Euthalia (Dophla) evelina balabacana* Tsukada,1991 (Argynnidæ) Synonym(s): *balabacana* Tsukada,1991
377. *Euthalia (Dophla) evelina chloe* Schröder & Treadaway,1990 (Argynnidæ) Synonym(s): *chloe* Schröder & Treadaway,1990
378. *Euthalia (Dophla) evelina circe* Schröder & Treadaway,1990 (Argynnidæ) Synonym(s): *circe* Schröder & Treadaway,1990
379. *Euthalia (Dophla) evelina eva* C.Felder & R.Felder,[1867] (Argynnidæ) Synonym(s): *eva* C.Felder & R.Felder,[1867]
380. *Euthalia (Dophla) evelina proditrix* Fruhstorfer,1913 (Argynnidæ) Synonym(s): *proditrix* Fruhstorfer,1913
381. *Euthalia (Dophla) evelina samarensis* Tsukada,1991 (Argynnidæ) Synonym(s): *samarensis* Tsukada,1991
382. *Euthalia (Dophla) evelina tyawena* Fruhstorfer,1913 (Argynnidæ) Synonym(s): *tyawena* Fruhstorfer,1913
383. *Euthalia (s.str.) adonia* (Cramer,[1779]) (Argynnidæ) Synonym(s): *adonia* Cramer,[1779]
384. *Euthalia (s.str.) adonia princesa* Fruhstorfer,1899 (Argynnidæ) Synonym(s): *princesa* Fruhstorfer,1899
385. *Euthalia (s.str.) djata* Distant & Pryer,1887 (Argynnidæ) Synonym(s): *djata* Distant & Pryer,1887
386. *Euthalia (s.str.) djata ludonia* Staudinger,1889 (Argynnidæ) Synonym(s): *ludonia* Staudinger,1889
387. *Euthalia (s.str.) lubentina* (Cramer,[1777]) (Argynnidæ) Synonym(s): *lubentina* Cramer,[1777]
388. *Euthalia (s.str.) lubentina bohollensis* M.Okano & T.Okano,1990 (Argynnidæ) Synonym(s): *bohollensis* M.Okano & T.Okano,1990
389. *Euthalia (s.str.) lubentina goertzi* Jumalon,1975 (Argynnidæ) Synonym(s): *goertzi* Jumalon,1975
390. *Euthalia (s.str.) lubentina leytenis* Jumalon,1975 (Argynnidæ) Synonym(s): *leytenis* Jumalon,1975
391. *Euthalia (s.str.) lubentina nadenya* Fruhstorfer,1913 (Argynnidæ) Synonym(s): *nadenya* Fruhstorfer,1913
392. *Euthalia (s.str.) lubentina philippensis* Fruhstorfer,1899 (Argynnidæ) Synonym(s): *philippensis* Fruhstorfer,1899
393. *Euthalia (s.str.) lubentina tsukada* Koçak,1996 (Argynnidæ) Synonym(s): *mindorana* Tsukada,1991 nec Fruhst.,1899; *tsukada* Koçak,1996
394. *Euthalia lusiada* (C.Felder & R.Felder,1863) (Argynnidæ) Synonym(s): *lusiada* C.Felder & R.Felder,1863
395. *Euthalia lusiada lusiada* (C.Felder & R.Felder,1863) (Argynnidæ) Synonym(s): *lusiada* C.Felder & R.Felder,1863
396. *Euthalia lusiada malissia* Fruhstorfer,1913 (Argynnidæ) Synonym(s): *malissia* Fruhstorfer,1913
397. *Euthalia lusiada mindorana* Fruhstorfer,1899 (Argynnidæ) Synonym(s): *mindorana* Fruhstorfer,1899
398. *Euthalia lusiada schoenigi* Schröder & Treadaway,1978 (Argynnidæ) Synonym(s): *schoenigi* Schröder & Treadaway,1978
399. *Euthalia lusiada soloni* M.Okano & T.Okano,1990 (Argynnidæ) Synonym(s): *soloni* M.Okano & T.Okano,1990
400. *Euthalia mindanaensis* Schröder & Treadaway,1978 (Argynnidæ) Synonym(s): *mindanaensis* Schröder & Treadaway,1978
401. *Euthalia tanagra* Staudinger,1889 (Argynnidæ) Synonym(s): *tanagra* Staudinger,1889
402. *Helcyra miyazakii* Tsukada,1991 (Argynnidæ) Synonym(s): *miyazakii* Tsukada,1991
403. *Hestinalis dissimilis* Hall,1935 (Argynnidæ) Synonym(s): *dissimilis* Hall,1935
404. *Hestinalis waterstradti* Watkins,1928 (Argynnidæ) Synonym(s): *waterstradti* Watkins,1928
405. *Hestinalis waterstradti borealis* Tsukada,1991 (Argynnidæ) Synonym(s): *borealis* Tsukada,1991
406. *Hestinalis waterstradti waterstradti* Watkins,1928 (Argynnidæ) Synonym(s): *waterstradti* Watkins,1928
407. *Hypolimnas anomala* (Wallace,1869) (Argynnidæ) Synonym(s): *anomala* Wallace,1869; *nivas* Fruhstorfer,1913
408. *Hypolimnas anomala euvaristos* Fruhstorfer,1912 (Argynnidæ) Synonym(s): *euvaristos* Fruhstorfer,1912
409. *Hypolimnas anomala truentus* Fruhstorfer,1912 (Argynnidæ) Synonym(s): *truentus* Fruhstorfer,1912
410. *Hypolimnas bolina* (Linnaeus,1758) (Argynnidæ) Synonym(s): *bolina* Linnaeus,1758; *nerina* Fabricius,1775; *iphigenia* Cramer,1775; *alcmene* Cramer,1775; *perimele* Cramer,1775; *proserpina* Cramer,1779; *aphrodite* Fruhstorfer,1903; *semiramis* Wildey,[1941]; *iris* Wildey,[1941]
411. *Hypolimnas bolina joloana* Fruhstorfer,1912 (Argynnidæ) Synonym(s): *joloana* Fruhstorfer,1912
412. *Hypolimnas bolina kezia* (Butler,1877) (Argynnidæ) Synonym(s): *kezia* Butler,1877; *priscilla* Butler,1877; *formosana* Sonan,1926
413. *Hypolimnas bolina philippensis* Butler,1874 (Argynnidæ) Synonym(s): *philippensis* Butler,1874
414. *Hypolimnas misippus* (Linnaeus,1764) (Argynnidæ) Synonym(s): *misippus* Linnaeus,1764 *inaria* Cramer,[1779]; *alcippoides* Butler,1883.
415. *Hypolimnas misippus misippus* (Linnaeus,1764) (Argynnidæ) Synonym(s): *misippus* Linnaeus,1764 *inaria* Cramer,[1779]; *alcippoides* Butler,1883.
416. *Kaniska canace* (Linnaeus,1763) (Argynnidæ) Synonym(s): *canace* Linnaeus,1763
417. *Kaniska canace benguetana* Semper,1888 (Argynnidæ) Synonym(s): *benguetana* Semper,1888
418. *Kaniska canace canace* (Linnaeus,1763) (Argynnidæ) Synonym(s): *canace* Linnaeus,1763
419. *Kaniska canace maniliana* Fruhstorfer,1912 (Argynnidæ) Synonym(s): *maniliana* Fruhstorfer,1912
420. *Kaniska canace oplentia* Tsukada,1985 (Argynnidæ) Synonym(s): *oplentia* Tsukada,1985
421. *Kaniska canace oreas* Tsukada,1985 (Argynnidæ) Synonym(s): *oreas* Tsukada,1985
422. *Laringa castelnaui* (C.Felder & R.Felder,1860) (Argynnidæ) Synonym(s): *castelnaui* C.Felder & R.Felder,1860; *castelnavi* Wallace,1869
423. *Laringa castelnaui ottonis* Fruhstorfer,1906 (Argynnidæ) Synonym(s): *ottonis* Fruhstorfer,1906
424. *Lebadea martha* (Fabricius,1787) (Argynnidæ) Synonym(s): *martha* Fabricius,1787
425. *Lebadea martha jecieli* Schröder, Treadaway & Nuyda,1990 (Argynnidæ) Synonym(s): *jecieli* Schröder, Treadaway & Nuyda,1990
426. *Lebadea martha paulina* Staudinger,1889 (Argynnidæ) Synonym(s): *paulina* Staudinger,1889
427. *Lebadea martha tessellata* Schröder, Treadaway & Nuyda,1990 (Argynnidæ) Synonym(s): *tessellata* Schröder, Treadaway & Nuyda,1990
428. *Lebadea martha undulata* Schröder, Treadaway & Nuyda,1990 (Argynnidæ) Synonym(s): *undulata* Schröder, Treadaway & Nuyda,1990
429. *Lexias canescens* (Butler,1869) (Argynnidæ) Synonym(s): *canescens* Butler,1869
430. *Lexias canescens leopardina* Fruhstorfer,1913 (Argynnidæ) Synonym(s): *leopardina* Fruhstorfer,1913
431. *Lexias damalis* Erichson,1834 (Argynnidæ) Synonym(s): *damalis* Erichson,1834
432. *Lexias damalis antiqua* Schröder & Treadaway,1980 (Argynnidæ) Synonym(s): *antiqua* Schröder & Treadaway,1980
433. *Lexias damalis damalis* Erichson,1834 (Argynnidæ) Synonym(s): *damalis* Erichson,1834
434. *Lexias damalis galoa* Fruhstorfer,1913 (Argynnidæ) Synonym(s): *galoa* Fruhstorfer,1913
435. *Lexias dirtea* (Fabricius,1793) (Argynnidæ) Synonym(s): *dirtea* Fabricius,1793
436. *Lexias dirtea palawana* Moore,1897 (Argynnidæ) Synonym(s): *palawana* Moore,1897
437. *Lexias hikarugenzi* Tsukada & Nishiyama,1980 (Argynnidæ) Synonym(s): *hikarugenzi* Tsukada & Nishiyama,1980
438. *Lexias panopus* Felder,1861 (Argynnidæ) Synonym(s): *panopus* Felder,1861

439. *Lexias panopus ingae* Schröder & Treadaway, 1987 (Argynnidae) Synonym(s): *ingae* Schröder & Treadaway, 1987
440. *Lexias panopus miscus* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *miscus* Fruhstorfer, 1913
441. *Lexias panopus panopus* Felder, 1861 (Argynnidae) Synonym(s): *panopus* Felder, 1861
442. *Lexias panopus visayana* Schröder & Treadaway, 1987 (Argynnidae) Synonym(s): *visayana* Schröder & Treadaway, 1987
443. *Lexias panopus vistricea* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *vistricea* Fruhstorfer, 1913
444. *Lexias pardalis* (Moore, 1878) (Argynnidae) Synonym(s): *pardalis* Moore, 1878
445. *Lexias pardalis cavarna* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *cavarna* Fruhstorfer, 1913
446. *Lexias pardalis ellora* Fruhstorfer, 1890 (Argynnidae) Synonym(s): *ellora* Fruhstorfer, 1890
447. *Lexias pardalis tethys* Tsukada, 1991 (Argynnidae) Synonym(s): *tethys* Tsukada, 1991
448. *Lexias satrapes* Felder, 1861 (Argynnidae) Synonym(s): *satrapes* Felder, 1861
449. *Lexias satrapes amlana* Jumalon, 1970 (Argynnidae) Synonym(s): *amlana* Jumalon, 1970
450. *Lexias satrapes hiwaga* Nuyda & Kawamura, 1989 (Argynnidae) Synonym(s): *hiwaga* Nuyda & Kawamura, 1989
451. *Lexias satrapes ormocana* Jumalon, 1970 (Argynnidae) Synonym(s): *ormocana* Jumalon, 1970
452. *Lexias satrapes ornata* Schröder & Treadaway, 1979 (Argynnidae) Synonym(s): *ornata* Schröder & Treadaway, 1979
453. *Lexias satrapes satrapes* Felder, 1861 (Argynnidae) Synonym(s): *satrapes* Felder, 1861
454. *Lexias satrapes trapesa* Semper, 1888 (Argynnidae) Synonym(s): *trapesa* Semper, 1888
455. *Moduza jumaloni* (Schröder, 1976) (Argynnidae) Synonym(s): *jumaloni* Schröder, 1976
456. *Moduza jumaloni jumaloni* (Schröder, 1976) (Argynnidae) Synonym(s): *jumaloni* Schröder, 1976
457. *Moduza jumaloni punctata* Schröder & Treadaway, 1980 (Argynnidae) Synonym(s): *punctata* Schröder & Treadaway, 1980
458. *Moduza mata* Moore, 1858 (Argynnidae) Synonym(s): *mata* Moore, 1858
459. *Moduza mata amida* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *amida* Fruhstorfer, 1912
460. *Moduza mata mata* Moore, 1858 (Argynnidae) Synonym(s): *mata* Moore, 1858
461. *Moduza mata mindorana* Tsukada, 1991 (Argynnidae) Synonym(s): *mindorana* Tsukada, 1991
462. *Moduza nuydai Shirozu & Saigusa*, 1970 (Argynnidae) Synonym(s): *nuydai* Shirozu & Saigusa, 1970
463. *Moduza nuydai hyugai* Treadaway & Nuyda, 1993 (Argynnidae) Synonym(s): *hyugai* Treadaway & Nuyda, 1993
464. *Moduza nuydai nuydai* Shirozu & Saigusa, 1970 (Argynnidae) Synonym(s): *nuydai* Shirozu & Saigusa, 1970
465. *Moduza pintuyana* Semper, 1878 (Argynnidae) Synonym(s): *pintuyana* Semper, 1878
466. *Moduza pintuyana gahiti* M.Okano & T.Okano, 1989 (Argynnidae) Synonym(s): *gahiti* M.Okano & T.Okano, 1989
467. *Moduza pintuyana mahastha* Fruhstorfer, 1913 (Argynnidae) Synonym(s): *mahastha* Fruhstorfer, 1913
468. *Moduza pintuyana pintuyana* Semper, 1878 (Argynnidae) Synonym(s): *pintuyana* Semper, 1878
469. *Moduza pintuyana tawitawiensis* Treadaway & Nuyda, 1994 (Argynnidae) Synonym(s): *tawitawiensis* Treadaway & Nuyda, 1994
470. *Moduza procris* (Cramer, [1777]) (Argynnidae) Synonym(s): *procris* Cramer, [1777]
471. *Moduza procris beckyae* Schröder & Treadaway, 1987 (Argynnidae) Synonym(s): *beckyae* Schröder & Treadaway, 1987
472. *Moduza procris liberalis* Tsukada, 1991 (Argynnidae) Synonym(s): *liberalis* Tsukada, 1991
473. *Moduza procris pausanias* (Staudinger, 1889) (Argynnidae) Synonym(s): *pausanias* Staudinger, 1889
474. *Moduza thespias* Semper, 1889 (Argynnidae) Synonym(s): *thespias* Semper, 1889
475. *Moduza urdaneta* C.Felder, 1863 (Argynnidae) Synonym(s): *urdaneta* C.Felder, 1863
476. *Moduza urdaneta aynii* Nuyda, 1993 (Argynnidae) Synonym(s): *aynii* Nuyda, 1993
477. *Moduza urdaneta kawamurai* Hanafusa, 1987 (Argynnidae) Synonym(s): *kawamurai* Hanafusa, 1987
478. *Moduza urdaneta miyabi* Tsukada, 1991 (Argynnidae) Synonym(s): *miyabi* Tsukada, 1991
479. *Moduza urdaneta urdaneta* C.Felder, 1863 (Argynnidae) Synonym(s): *urdaneta* C.Felder, 1863
480. *Neptis (Lasippa) bella* Staudinger, 1889 (Argynnidae) Synonym(s): *bella* Staudinger, 1889
481. *Neptis (Lasippa) ebusa* (C.Felder & R.Felder, 1863) (Argynnidae) Synonym(s): *ebusa* C.Felder & R.Felder, 1863
482. *Neptis (Lasippa) ebusa ebusa* (C.Felder & R.Felder, 1863) (Argynnidae) Synonym(s): *ebusa* C.Felder & R.Felder, 1863
483. *Neptis (Lasippa) ebusa euphemia* (Fruhstorfer, 1908) (Argynnidae) Synonym(s): *euphemia* Fruhstorfer, 1908
484. *Neptis (Lasippa) ebusa laetitia* (Fruhstorfer, 1908) (Argynnidae) Synonym(s): *laetitia* Fruhstorfer, 1908; *hegesandira* Fruhstorfer, 1913
485. *Neptis (Lasippa) illigera* (Eschscholtz, 1821) (Argynnidae) Synonym(s): *illigera* Eschscholtz, 1821; *livilla* Wallengren, 1860; *eschscholtzia* Semper, 1889
486. *Neptis (Lasippa) illigera alabatana* (Fruhstorfer, 1908) (Argynnidae) Synonym(s): *alabatana* Fruhstorfer, 1908
487. *Neptis (Lasippa) illigera calayana* (Fruhstorfer, 1908) (Argynnidae) Synonym(s): *calayana* Fruhstorfer, 1908
488. *Neptis (Lasippa) illigera hegesias* (Fruhstorfer, 1912) (Argynnidae) Synonym(s): *hegesias* Fruhstorfer, 1912
489. *Neptis (Lasippa) illigera illigera* (Eschscholtz, 1821) (Argynnidae) Synonym(s): *illigera* Eschscholtz, 1821; *livilla* Wallengren, 1860; *eschscholtzia* Semper, 1889
490. *Neptis (Lasippa) illigera pia* (Fruhstorfer, 1908) (Argynnidae) Synonym(s): *pia* Fruhstorfer, 1908
491. *Neptis (Lasippa) illigera sibuyana* Tsukada & Kaneko, 1985 (Argynnidae) Synonym(s): *sibuyana* Tsukada & Kaneko, 1985
492. *Neptis (Lasippa) illigerella* Staudinger, 1889 (Argynnidae) Synonym(s): *illigerella* Staudinger, 1889; *calliplocama* Fruhstorfer, 1908
493. *Neptis (Lasippa) monata* (Weyenbergh, 1874) (Argynnidae) Synonym(s): *monata* Weyenbergh, 1874; *fuliginosa* Moore, 1881; *thamala* Moore, 1886; *serapica* Fruhstorfer, 1908; *arnoldi* Fruhstorfer, 1908
494. *Neptis (Lasippa) monata sibuana* Tsukada & Kaneko, 1985 (Argynnidae) Synonym(s): *sibuana* Tsukada & Kaneko, 1985
495. *Neptis (Lasippa) pata* (Moore, 1858) (Argynnidae) Synonym(s): *pata* Moore, 1858; *isabellina* C.Felder & R.Felder, 1863
496. *Neptis (Lasippa) pata pata* (Moore, 1858) (Argynnidae) Synonym(s): *pata* Moore, 1858
497. *Neptis (Lasippa) pata patalina* (Semper, 1892) (Argynnidae) Synonym(s): *patalina* Semper, 1892
498. *Neptis (Lasippa) pata semperi* (Moore, 1899) (Argynnidae) Synonym(s): *isabellina* Semper, 1889 nec Feld, 1863; *semperi* Moore, 1899
499. *Neptis (Lasippa) pizarasi* M.Okano & T.Okano, 1986 (Argynnidae) Synonym(s): *pizarasi* M.Okano & T.Okano, 1986
500. *Neptis (Pantoporia) cyrilla* (C.Felder & R.Felder, 1863) (Argynnidae) Synonym(s): *cyrilla* C.Felder & R.Felder, 1863
501. *Neptis (Pantoporia) cyrilla athenais* (C.Felder & R.Felder, 1863) (Argynnidae) Synonym(s): *athenais* C.Felder & R.Felder, 1863
502. *Neptis (Pantoporia) cyrilla attica* Semper, 1889 (Argynnidae) Synonym(s): *attica* Semper, 1889
503. *Neptis (Pantoporia) cyrilla cyrilla* (C.Felder & R.Felder, 1863) (Argynnidae) Synonym(s): *cyrilla* C.Felder & R.Felder, 1863
504. *Neptis (Pantoporia) cyrilla phrygia* (C.Felder & R.Felder, 1863) (Argynnidae) Synonym(s): *phrygia* C.Felder & R.Felder, 1863

505. *Neptis (Pantoporia) cyrilla shunichii* Tsukada & Kaneko, 1985 (Argynnidae) Synonym(s): *shunichii* Tsukada & Kaneko, 1985
506. *Neptis (Pantoporia) dama* (Moore, 1858) (Argynnidae) Synonym(s): *dama* Moore, 1858
507. *Neptis (Pantoporia) dama athene* Staudinger, 1889 (Argynnidae) Synonym(s): *athene* Staudinger, 1889
508. *Neptis (Pantoporia) dama babuyanensis* Tsukada & Kaneko, 1985 (Argynnidae) Synonym(s): *babuyanensis* Tsukada & Kaneko, 1985
509. *Neptis (Pantoporia) dama camotesiana* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *camotesiana* Fruhstorfer, 1912
510. *Neptis (Pantoporia) dama commixta* Fruhstorfer, 1908 (Argynnidae) Synonym(s): *commixta* Fruhstorfer, 1908
511. *Neptis (Pantoporia) dama dama* (Moore, 1858) (Argynnidae) Synonym(s): *dama* Moore, 1858
512. *Neptis (Pantoporia) epira* (C. Felder & R. Felder, 1863) (Argynnidae) Synonym(s): *epira* C. Felder & R. Felder, 1863
513. *Neptis (Pantoporia) epira epira* (C. Felder & R. Felder, 1863) (Argynnidae) Synonym(s): *epira* C. Felder & R. Felder, 1863
514. *Neptis (Pantoporia) epira heliobole* Semper, 1878 (Argynnidae) Synonym(s): *heliobole* Semper, 1878
515. *Neptis (Pantoporia) epira luzonensis* Eliot, 1969 (Argynnidae) Synonym(s): *luzonensis* Eliot, 1969
516. *Neptis (Pantoporia) hordonia* (Stoll, 1790) (Argynnidae) Synonym(s): *hordonia* Stoll, 1790
517. *Neptis (Pantoporia) hordonia doronia* Staudinger, 1889 (Argynnidae) Synonym(s): *doronia* Staudinger, 1889
518. *Neptis (Pantoporia) paraka* Butler, 1879 (Argynnidae) Synonym(s): *paraka* Butler, 1879
519. *Neptis (Pantoporia) paraka olanguana* Tsukada & Kaneko, 1985 (Argynnidae) Synonym(s): *olanguana* Tsukada & Kaneko, 1985
520. *Neptis (Pantoporia) paraka paraka* Butler, 1879 (Argynnidae) Synonym(s): *paraka* Butler, 1879
521. *Neptis (Phaedyma) columella* (Cramer, [1782]) (Argynnidae) Synonym(s): *columella* Cramer, [1782]
522. *Neptis (Phaedyma) columella angara* Semper, 1889 (Argynnidae) Synonym(s): *angara* Semper, 1889
523. *Neptis (Phaedyma) columella eremita* C. Felder & R. Felder, [1867] (Argynnidae) Synonym(s): *eremita* C. Felder & R. Felder, [1867]
524. *Neptis (Phaedyma) columella eumenaia* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *eumenaia* Fruhstorfer, 1912
525. *Neptis (Phaedyma) columella mesogaia* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *mesogaia* Fruhstorfer, 1912
526. *Neptis (Phaedyma) columella ophianella* Staudinger, 1889 (Argynnidae) Synonym(s): *ophianella* Staudinger, 1889
527. *Neptis (Phaedyma) columella soror* Semper, 1889 (Argynnidae) Synonym(s): *soror* Semper, 1889
528. *Neptis (s.str.) anjana* Moore, 1881 (Argynnidae) Synonym(s): *anjana* Moore, 1881
529. *Neptis (s.str.) anjana vidua* Staudinger, 1889 (Argynnidae) Synonym(s): *vidua* Staudinger, 1889
530. *Neptis (s.str.) clinia* Moore, 1872 (Argynnidae) Synonym(s): *clinia* Moore, 1872
531. *Neptis (s.str.) clinia parthica* Fruhstorfer, 1908 (Argynnidae) Synonym(s): *parthica* Fruhstorfer, 1908
532. *Neptis (s.str.) clinia solygeia* Fruhstorfer, 1908 (Argynnidae) Synonym(s): *solygeia* Fruhstorfer, 1908
533. *Neptis (s.str.) cymela* C. Felder & R. Felder, 1863 (Argynnidae) Synonym(s): *cymela* C. Felder & R. Felder, 1863
534. *Neptis (s.str.) cymela carvinus* Fruhstorfer, 1908 (Argynnidae) Synonym(s): *carvinus* Fruhstorfer, 1908
535. *Neptis (s.str.) cymela cymela* C. Felder & R. Felder, 1863 (Argynnidae) Synonym(s): *cymela* C. Felder & R. Felder, 1863
536. *Neptis (s.str.) cymela gatanga* Fruhstorfer, 1908 (Argynnidae) Synonym(s): *gatanga* Fruhstorfer, 1908
537. *Neptis (s.str.) cymela nitetus* Hewitson, 1868 (Argynnidae) Synonym(s): *nitetus* Hewitson, 1868
538. *Neptis (s.str.) cymela ormiscus* Fruhstorfer, 1908 (Argynnidae) Synonym(s): *ormiscus* Fruhstorfer, 1908
539. *Neptis (s.str.) cymela prodymus* Fruhstorfer, 1908 (Argynnidae) Synonym(s): *prodymus* Fruhstorfer, 1908
540. *Neptis (s.str.) cymela samiola* Fruhstorfer, 1908 (Argynnidae) Synonym(s): *samiola* Fruhstorfer, 1908
541. *Neptis (s.str.) cyra* C. Felder & R. Felder, 1863 (Argynnidae) Synonym(s): *cyra* C. Felder & R. Felder, 1863
542. *Neptis (s.str.) cyra canloana* Murayama, 1983 (Argynnidae) Synonym(s): *canloana* Murayama, 1983
543. *Neptis (s.str.) cyra cyra* C. Felder & R. Felder, 1863 (Argynnidae) Synonym(s): *cyra* C. Felder & R. Felder, 1863
544. *Neptis (s.str.) cyra elioti* Jumalon, 1975 (Argynnidae) Synonym(s): *elioti* Jumalon, 1975
545. *Neptis (s.str.) cyra vibusa* Semper, 1889 (Argynnidae) Synonym(s): *vibusa* Semper, 1889
546. *Neptis (s.str.) duryodana* Moore, 1858 (Argynnidae) Synonym(s): *duryodana* Moore, 1858
547. *Neptis (s.str.) duryodana emesa* Fruhstorfer, 1908 (Argynnidae) Synonym(s): *emesa* Fruhstorfer, 1908
548. *Neptis (s.str.) duryodana mindorica* Murayama, 1983 (Argynnidae) Synonym(s): *mindorica* Murayama, 1983
549. *Neptis (s.str.) felisimilis* Schröder & Treadaway, 1983 (Argynnidae) Synonym(s): *felisimilis* Schröder & Treadaway, 1983
550. *Neptis (s.str.) harita* Moore, [1875] (Argynnidae) Synonym(s): *harita* Moore, [1875]
551. *Neptis (s.str.) harita calamiana* Schröder & Treadaway, 1995 (Argynnidae) Synonym(s): *calamiana* Schröder & Treadaway, 1995
552. *Neptis (s.str.) harita palawanica* Staudinger, 1889 (Argynnidae) Synonym(s): *palawanica* Staudinger, 1889
553. *Neptis (s.str.) hylas* (Linnaeus, 1758) (Argynnidae) Synonym(s): *hylas* Linnaeus, 1758
554. *Neptis (s.str.) hylas sopatra* Fruhstorfer, 1907 (Argynnidae) Synonym(s): *sopatra* Fruhstorfer, 1907
555. *Neptis (s.str.) mindorana* C. Felder & R. Felder, 1863 (Argynnidae) Synonym(s): *mindorana* C. Felder & R. Felder, 1863
556. *Neptis (s.str.) mindorana harpasa* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *harpasa* Fruhstorfer, 1912
557. *Neptis (s.str.) mindorana ilocana* C. Felder & R. Felder, 1863 (Argynnidae) Synonym(s): *ilocana* C. Felder & R. Felder, 1863
558. *Neptis (s.str.) mindorana mindorana* C. Felder & R. Felder, 1863 (Argynnidae) Synonym(s): *mindorana* C. Felder & R. Felder, 1863
559. *Neptis (s.str.) mindorana nosba* Fruhstorfer, 1912 (Argynnidae) Synonym(s): *nosba* Fruhstorfer, 1912
560. *Neptis (s.str.) mindorana pseudosoma* Moore, 1899 (Argynnidae) Synonym(s): *pseudosoma* Moore, 1899
561. *Neptis (s.str.) omeroda* Moore, [1875] (Argynnidae) Synonym(s): *omeroda* Moore, [1875]
562. *Neptis (s.str.) omeroda occultus* Tsukada & Kaneko, 1985 (Argynnidae) Synonym(s): *occultus* Tsukada & Kaneko, 1985
563. *Neptis (s.str.) omeroda omeroda* Moore, [1875] (Argynnidae) Synonym(s): *omeroda* Moore, [1875]
564. *Neptis (s.str.) pampanga* C. Felder & R. Felder, 1863 (Argynnidae) Synonym(s): *pampanga* C. Felder & R. Felder, 1863
565. *Neptis (s.str.) pampanga boholic* Moore, 1899 (Argynnidae) Synonym(s): *boholic* Moore, 1899
566. *Neptis (s.str.) pampanga dormida* Eliot, 1969 (Argynnidae) Synonym(s): *dormida* Eliot, 1969
567. *Neptis (s.str.) pampanga lizana* Fruhstorfer, 1900 (Argynnidae) Synonym(s): *lizana* Fruhstorfer, 1900
568. *Neptis (s.str.) pampanga myleenae* Tsukada & Kaneko, 1985 (Argynnidae) Synonym(s): *myleenae* Tsukada & Kaneko, 1985
569. *Neptis (s.str.) pampanga pampanga* C. Felder & R. Felder, 1863 (Argynnidae) Synonym(s): *pampanga* C. Felder & R. Felder, 1863
570. *Neptis (s.str.) sunica* Eliot, 1969 (Argynnidae) Synonym(s): *sunica* Eliot, 1969
571. *Paduca fasciata* (C. Felder & R. Felder, 1860) (Argynnidae) Synonym(s): *fasciata* C. Felder & R. Felder, 1860
572. *Paduca fasciata fasciata* (C. Felder & R. Felder, 1860) (Argynnidae) Synonym(s): *fasciata* C. Felder & R. Felder, 1860; *ortopia* Fruhstorfer, 1900
573. *Paduca fasciata palloris* Fruhstorfer, 1900 (Argynnidae) Synonym(s): *palloris* Fruhstorfer, 1900

574. *Pandita sinope* Moore,[1858] (Argynnidae) Synonym(s): *sinope* Moore,[1858]
575. *Pandita sinope sinope* Moore,[1858] (Argynnidae) Synonym(s): *sinope* Moore,[1858]
576. *Pandita sinope sinoria* C.Felder & R.Felder,[1867] (Argynnidae) Synonym(s): *sinoria* C.Felder & R.Felder,[1867]
577. *Parthenos sylvia* (Cramer,[1775]) (Argynnidae) Synonym(s): *sylvia* Cramer,[1775]
578. *Parthenos sylvia butlerinus* Fruhstorfer,1898 (Argynnidae) Synonym(s): *butlerinus* Fruhstorfer,1898
579. *Parthenos sylvia jaloensis* Fruhstorfer,1898 (Argynnidae) Synonym(s): *jaloensis* Fruhstorfer,1898
580. *Parthenos sylvia philippensis* Fruhstorfer,1898 (Argynnidae) Synonym(s): *philippensis* Fruhstorfer,1898
581. *Parthenos sylvia selene* Schröder & Treadaway,1991 (Argynnidae) Synonym(s): *selene* Schröder & Treadaway,1991
582. *Phalanta alcippe* (Stoll,1782) (Argynnidae) Synonym(s): *alcippe* Stoll,1782
583. *Phalanta alcippe alcippoides* (Moore,1900) (Argynnidae) Synonym(s): *alcippoides* Moore,1900
584. *Phalanta alcippe pallidior* Staudinger,1889 (Argynnidae) Synonym(s): *pallidior* Staudinger,1889
585. *Phalanta alcippe semperi* Moore,1900 (Argynnidae) Synonym(s): *semperi* Moore,1900
586. *Phalanta alcippe violetta* Fruhstorfer,1900 (Argynnidae) Synonym(s): *violetta* Fruhstorfer,1900
587. *Phalanta phalantha* (Drury,[1773]) (Argynnidae) Synonym(s): *phalantha* Drury,[1773]
588. *Phalanta phalantha luzonica* Fruhstorfer,1906 (Argynnidae) Synonym(s): *luzonica* Fruhstorfer,1906
589. *Phalanta phalantha phalantha* (Drury,[1773]) (Argynnidae) Synonym(s): *phalantha* Drury,[1773]
590. *Polyura athamas* (Drury,[1773]) (Argynnidae) Synonym(s): *athamas* Drury,[1773]
591. *Polyura athamas acuta* Rothschild,1899 (Argynnidae) Synonym(s): *acuta* Rothschild,1899
592. *Polyura athamas angustior* Schröder & Treadaway,1990 (Argynnidae) Synonym(s): *angustior* Schröder & Treadaway,1990
593. *Polyura athamas kotakii* Hanafusa,1989 (Argynnidae) Synonym(s): *kotakii* Hanafusa,1989
594. *Polyura athamas palawanica* Rothschild,1899 (Argynnidae) Synonym(s): *palawanica* Rothschild,1899
595. *Polyura athamas uraeus* Rothschild,1899 (Argynnidae) Synonym(s): *uraeus* Rothschild,1899
596. *Polyura delphis* (Doubleday,1843) (Argynnidae) Synonym(s): *delphis* Doubleday,1843
597. *Polyura delphis nivea* Rothschild,1899 (Argynnidae) Synonym(s): *nivea* Rothschild,1899
598. *Polyura moori* (Distant,1883) (Argynnidae) Synonym(s): *moori* Distant,1883
599. *Polyura moori galeoni* Schröder & Treadaway,1990 (Argynnidae) Synonym(s): *galeoni* Schröder & Treadaway,1990
600. *Polyura schreiber* (Godart,[1824]) (Argynnidae) Synonym(s): *schreiber* Godart,[1824]
601. *Polyura schreiber bilarensis* Jumalon,1975 (Argynnidae) Synonym(s): *bilarensis* Jumalon,1975
602. *Polyura schreiber delicatus* Tsukada,1991 (Argynnidae) Synonym(s): *delicatus* Tsukada,1991
603. *Polyura schreiber luzonica* Rothschild,1899 (Argynnidae) Synonym(s): *luzonica* Rothschild,1899
604. *Polyura schreiber mizunumai* Sato & Hanafusa,1987 (Argynnidae) Synonym(s): *mizunumai* Sato & Hanafusa,1987
605. *Polyura schreiber praedicta* Schröder & Treadaway,1980 (Argynnidae) Synonym(s): *praedicta* Schröder & Treadaway,1980
606. *Polyura schreiber toshikoe* Sato & Nishiyama,1987 (Argynnidae) Synonym(s): *toshikoe* Sato & Nishiyama,1987
607. *Precis (Junonia) almana* (Linnaeus,1758) (Argynnidae) Synonym(s): *almana* Linnaeus,1758
608. *Precis (Junonia) almana almana* (Linnaeus,1758) (Argynnidae) Synonym(s): *almana* Linnaeus,1758
609. *Precis (Junonia) atlites* (Linnaeus,1763) (Argynnidae) Synonym(s): *atlites* Linnaeus,1763
610. *Precis (Junonia) hedonia* (Linnaeus,1764) (Argynnidae) Synonym(s): *hedonia* Linnaeus,1764; *hellanis* C.Felder & R.Felder,1867
611. *Precis (Junonia) hedonia hondai* Hayashi (Argynnidae) Synonym(s): *hondai* Hayashi
612. *Precis (Junonia) hedonia ida* (Cramer,[1775]) (Argynnidae) Synonym(s): *ida* Cramer,[1775]
613. *Precis (Junonia) iphita* (Cramer,[1779]) (Argynnidae) Synonym(s): *iphita* Cramer,[1779]
614. *Precis (Junonia) iphita adelaida* (Staudinger,1889) (Argynnidae) Synonym(s): *adelaida* Staudinger,1889
615. *Precis (Junonia) lemonias* (Linnaeus,1758) (Argynnidae) Synonym(s): *lemonias* Linnaeus,1758
616. *Precis (Junonia) lemonias janome* Tsukada & Kaneko,1985 (Argynnidae) Synonym(s): *janome* Tsukada & Kaneko,1985
617. *Precis (Junonia) orithya* (Linnaeus,1758) (Argynnidae) Synonym(s): *orithya* Linnaeus,1758
618. *Precis (Junonia) orithya leucasia* Fruhstorfer,1912 (Argynnidae) Synonym(s): *leucasia* Fruhstorfer,1912
619. *Precis (Junonia) orithya metion* Fruhstorfer,1905 (Argynnidae) Synonym(s): *metion* Fruhstorfer,1905
620. *Prothoe franckii* Hübner,[1824] (Argynnidae) Synonym(s): *franckii* Hübner,[1824]; *franck* Godart,[1824]
621. *Prothoe franckii aphrodite* Fruhstorfer,1900 (Argynnidae) Synonym(s): *aphrodite* Fruhstorfer,1900
622. *Prothoe plateni* Semper,1892 (Argynnidae) Synonym(s): *plateni* Semper,1892
623. *Prothoe semperi* Honrath,1884 (Argynnidae) Synonym(s): *semperi* Honrath,1884
624. *Prothoe semperi boholensis* M.Okano & T.Okano,1989 (Argynnidae) Synonym(s): *boholensis* M.Okano & T.Okano,1989
625. *Prothoe semperi gregalis* Tsukada,1991 (Argynnidae) Synonym(s): *gregalis* Tsukada,1991
626. *Prothoe semperi semperi* Honrath,1884 (Argynnidae) Synonym(s): *semperi* Honrath,1884
627. *Rhinopalpa polynice* (Cramer,[1779]) (Argynnidae) Synonym(s): *polynice* Cramer,[1779]
628. *Rhinopalpa polynice amoenice* Fruhstorfer,1912 (Argynnidae) Synonym(s): *amoenice* Fruhstorfer,1912
629. *Rhinopalpa polynice panayana* Fruhstorfer,1912 (Argynnidae) Synonym(s): *panayana* Fruhstorfer,1912
630. *Rhinopalpa polynice stratonice* C.Felder & R.Felder,[1867] (Argynnidae) Synonym(s): *stratonice* C.Felder & R.Felder,[1867]
631. *Rhinopalpa polynice tamora* Fruhstorfer,1900 (Argynnidae) Synonym(s): *tamora* Fruhstorfer,1900
632. *Rhinopalpa polynice tawanice* Schröder & Treadaway,1989 (Argynnidae) Synonym(s): *tawanice* Schröder & Treadaway,1989
633. *Rhinopalpa polynice validice* Fruhstorfer,1912 (Argynnidae) Synonym(s): *validice* Fruhstorfer,1912
634. *Rohana parisatis* (Westwood,1850) (Argynnidae) Synonym(s): *parisatis* Westwood,1850
635. *Rohana parisatis nana* Staudinger,1889 (Argynnidae) Synonym(s): *nana* Staudinger,1889
636. *Rohana rhea* (C.Felder & R.Felder,1863) (Argynnidae) Synonym(s): *rhea* C.Felder & R.Felder,1863
637. *Rohana rhea babuyana* Tsukada,1991 (Argynnidae) Synonym(s): *babuyana* Tsukada,1991
638. *Rohana rhea danae* Fruhstorfer,1906 (Argynnidae) Synonym(s): *danae* Fruhstorfer,1906
639. *Rohana rhea dinagatana* Tsukada,1991 (Argynnidae) Synonym(s): *dinagatana* Tsukada,1991
640. *Rohana rhea mindora* Fruhstorfer,1906 (Argynnidae) Synonym(s): *mindora* Fruhstorfer,1906
641. *Rohana rhea negrosa* Tsukada,1991 (Argynnidae) Synonym(s): *negrosa* Tsukada,1991
642. *Rohana rhea rana* Staudinger,1889 (Argynnidae) Synonym(s): *rana* Staudinger,1889
643. *Rohana rhea rhea* (C.Felder & R.Felder,1863) (Argynnidae) Synonym(s): *rhea* C.Felder & R.Felder,1863
644. *Rohana rhea suluana* Tsukada,1991 (Argynnidae) Synonym(s): *suluana* Tsukada,1991

645. *Symbrenthia hippoclus* (Cramer,[1779]) (Argynnidæ)
Synonym(s): *hippoclus* Cramer,[1779]
646. *Symbrenthia hippoclus anna* Semper,1888 (Argynnidæ)
Synonym(s): *anna* Semper,1888
647. *Symbrenthia hippoclus aritus* Fruhstorfer,1912 (Argynnidæ) Synonym(s): *aritus* Fruhstorfer,1912
648. *Symbrenthia hippoclus dissoluta* Staudinger,1889 (Argynnidæ) Synonym(s): *dissoluta* Staudinger,1889
649. *Symbrenthia hippoclus galepsus* Fruhstorfer,1908 (Argynnidæ) Synonym(s): *galepsus* Fruhstorfer,1908
650. *Symbrenthia hippoclus jolonus* Fruhstorfer,1912 (Argynnidæ) Synonym(s): *jolonus* Fruhstorfer,1912
651. *Symbrenthia hippoclus sperchius* Fruhstorfer,1908 (Argynnidæ) Synonym(s): *sperchius* Fruhstorfer,1908
652. *Symbrenthia hypatia* Wallace,1869 (Argynnidæ)
Synonym(s): *hypatia* Wallace,1869
653. *Symbrenthia hypatia mindanaensis* Schröder & Treadaway,1979 (Argynnidæ) Synonym(s): *mindanaensis* Schröder & Treadaway,1979
654. *Symbrenthia hypselis* (Godart,[1824]) (Argynnidæ)
Synonym(s): *hypselis* Godart,[1824]
655. *Symbrenthia hypselis niphandina* Fruhstorfer,1912 (Argynnidæ) Synonym(s): *niphandina* Fruhstorfer,1912
656. *Symbrenthia lilaea* (Hewitson,1864) (Argynnidæ)
Synonym(s): *lilaea* Hewitson,1864
657. *Symbrenthia lilaea semperi* Moore,1899 (Argynnidæ)
Synonym(s): *semperi* Moore,1899
658. *Symbrenthia lilaea thimo* Fruhstorfer,1907 (Argynnidæ)
Synonym(s): *thimo* Fruhstorfer,1907
659. *Tacola larymna* (Doubleday,[1848]) (Argynnidæ)
Synonym(s): *larymna* Doubleday,[1848]
660. *Tacola larymna agina* (Fruhstorfer,1898) (Argynnidæ)
Synonym(s): *agina* Fruhstorfer,1898
661. *Tacola larymna negrosiana* (Schröder & Treadaway,1988) (Argynnidæ) Synonym(s): *negrosiana* Schröder & Treadaway,1988
662. *Tacola larymna panayana* Schröder & Treadaway,1979 (Argynnidæ) Synonym(s): *panayana* Schröder & Treadaway,1979
663. *Tacola magindana* Semper,1878 (Argynnidæ) Synonym(s): *magindana* Semper,1878
664. *Tacola magindana magindana* Semper,1878 (Argynnidæ)
Synonym(s): *magindana* Semper,1878
665. *Tacola magindana pizarrasi* M.Okano & T.Okano,1988 (Argynnidæ) Synonym(s): *pizarrasi* M.Okano & T.Okano,1988
666. *Tacola magindana zilana* Fruhstorfer,1906 (Argynnidæ)
Synonym(s): *zilana* Fruhstorfer,1906
667. *Tanaecia* (s.str.) *aruna* (C.Felder & R.Felder,1860) (Argynnidæ) Synonym(s): *aruna* C.Felder & R.Felder,1860
668. *Tanaecia* (s.str.) *aruna palawana* Staudinger,1889 (Argynnidæ) Synonym(s): *palawana* Staudinger,1889
669. *Tanaecia* (s.str.) *aruna pallida* Schröder, Treadaway & Nuyda,1990 (Argynnidæ) Synonym(s): *pallida* Schröder, Treadaway & Nuyda,1990
670. *Tanaecia* (s.str.) *aruna rudraca* Fruhstorfer,1913 (Argynnidæ) Synonym(s): *rudraca* Fruhstorfer,1913
671. *Tanaecia* (s.str.) *pelea* (Fabricius,1787) (Argynnidæ)
Synonym(s): *pelea* Fabricius,1787
672. *Tanaecia* (s.str.) *pelea dohertyi* Butler,1901 (Argynnidæ)
Synonym(s): *dohertyi* Butler,1901
673. *Tanaecia calliphorus* C.Felder,1863 (Argynnidæ)
Synonym(s): *calliphorus* C.Felder,1863
674. *Tanaecia calliphorus calliphorus* C.Felder,1863 (Argynnidæ) Synonym(s): *calliphorus* C.Felder,1863
675. *Tanaecia calliphorus smaragdifera* Fruhstorfer,1912 (Argynnidæ) Synonym(s): *smaragdifera* Fruhstorfer,1912
676. *Tanaecia calliphorus treadawayi* Tsukada,1991 (Argynnidæ) Synonym(s): *treadawayi* Tsukada,1991
677. *Tanaecia calliphorus volupia* Tsukada & Nishiyama,1981 (Argynnidæ) Synonym(s): *volupia* Tsukada & Nishiyama,1981
678. *Tanaecia leucotaenia* Semper,1878 (Argynnidæ)
Synonym(s): *leucotaenia* Semper,1878
679. *Tanaecia leucotaenia aquamarina* Fruhstorfer,1912 (Argynnidæ) Synonym(s): *aquamarina* Fruhstorfer,1912
680. *Tanaecia leucotaenia dinorah* Fruhstorfer,1899 (Argynnidæ) Synonym(s): *dinorah* Fruhstorfer,1899
681. *Tanaecia leucotaenia exul* Tsukada & Nishiyama,1980 (Argynnidæ) Synonym(s): *exul* Tsukada & Nishiyama,1980
682. *Tanaecia leucotaenia kulaya* Treadaway & Nuyda,1994 (Argynnidæ) Synonym(s): *kulaya* Treadaway & Nuyda,1994
683. *Tanaecia leucotaenia leucotaenia* Semper,1878 (Argynnidæ)
Synonym(s): *leucotaenia* Semper,1878
684. *Tanaecia lupina* Druce,1874 (Argynnidæ) Synonym(s): *lupina* Druce,1874
685. *Tanaecia lupina borromeoi* Schröder,1977 (Argynnidæ)
Synonym(s): *borromeoi* Schröder,1977
686. *Tanaecia lupina howarthi* Jumalon,1975 (Argynnidæ)
Synonym(s): *howarthi* Jumalon,1975
687. *Tanaecia lupina lupina* Druce,1874 (Argynnidæ)
Synonym(s): *lupina* Druce,1874
688. *Tanaecia lupina panayana* Schröder & Treadaway,1980 (Argynnidæ) Synonym(s): *panayana* Schröder & Treadaway,1980
689. *Tanaecia susoni* Jumalon,1975 (Argynnidæ) Synonym(s): *susoni* Jumalon,1975
690. *Tarratia cosmia* Semper,1878 (Argynnidæ) Synonym(s): *cosmia* Semper,1878
691. *Tarratia cosmia cosmia* Semper,1878 (Argynnidæ)
Synonym(s): *cosmia* Semper,1878
692. *Tarratia cosmia pindola* Fruhstorfer,1906 (Argynnidæ)
Synonym(s): *pindola* Fruhstorfer,1906
693. *Tarratia gutama* (Moore,1858) (Argynnidæ) Synonym(s): *gutama* Moore,1858
694. *Tarratia gutama canlaonensis* M.Okano & T.Okano,1986 (Argynnidæ) Synonym(s): *canlaonensis* M.Okano & T.Okano,1986
695. *Tarratia gutama cebuensis* M.Okano & T.Okano,1986 (Argynnidæ) Synonym(s): *cebuensis* M.Okano & T.Okano,1986
696. *Tarratia gutama gutama* (Moore,1858) (Argynnidæ)
Synonym(s): *gutama* Moore,1858
697. *Tarratia gutama sibuyana* Tsukada,1991 (Argynnidæ)
Synonym(s): *sibuyana* Tsukada,1991
698. *Tarratia gutama teldeniya* Fruhstorfer,1912 (Argynnidæ)
Synonym(s): *teldeniya* Fruhstorfer,1912
699. *Terinos clarissa* Boisduval,1836 (Argynnidæ) Synonym(s): *clarissa* Boisduval,1836
700. *Terinos clarissa homonhonensis* Treadaway & Nuyda,1994 (Argynnidæ) Synonym(s): *homonhonensis* Treadaway & Nuyda,1994
701. *Terinos clarissa lucia* Staudinger,1889 (Argynnidæ)
Synonym(s): *lucia* Staudinger,1889
702. *Terinos clarissa luciella* Fruhstorfer,1912 (Argynnidæ)
Synonym(s): *luciella* Fruhstorfer,1912
703. *Terinos clarissa lucilla* Butler,1870 (Argynnidæ)
Synonym(s): *lucilla* Butler,1870
704. *Terinos clarissa suluensis* Treadaway & Nuyda,1994 (Argynnidæ) Synonym(s): *suluensis* Treadaway & Nuyda,1994
705. *Terinos romeo* Schröder & Treadaway,1984 (Argynnidæ)
Synonym(s): *romeo* Schröder & Treadaway,1984
706. *Vagrans egista* (Cramer,[1780]) (Argynnidæ) Synonym(s): *egista* Cramer,[1780]
707. *Vagrans egista brixia* (Fruhstorfer,1912) (Argynnidæ)
Synonym(s): *brixia* Fruhstorfer,1912
708. *Vagrans sinha* (Kollar,[1844]) (Argynnidæ) Synonym(s): *sinha* Kollar,[1844]
709. *Vagrans sinha sinha* (Kollar,[1844]) (Argynnidæ)
Synonym(s): *sinha* Kollar,[1844]
710. *Vanessa dejeani* Godart,[1824] (Argynnidæ) Synonym(s): *dejeani* Godart,[1824]
711. *Vanessa dejeani mounseyi* Talbot,1936 (Argynnidæ)
Synonym(s): *mounseyi* Talbot,1936
712. *Vanessa indica* (Herbst,1794) (Argynnidæ) Synonym(s): *indica* Herbst,1794; *calliroe* Hübner,1806
713. *Vanessa indica indica* (Herbst,1794) (Argynnidæ)
Synonym(s): *indica* Herbst,1794; *calliroe* Hübner,1806
714. *Vindula dejone* (Erichson,1834) (Argynnidæ) Synonym(s): *dejone* Erichson,1834

- 715. *Vindula dejone basanica* Fruhstorfer, 1912** (Argynnididae)
Synonym(s): *basanica* Fruhstorfer, 1912
- 716. *Vindula dejone bongana* Schröder & Treadaway, 1989** (Argynnididae) Synonym(s): *bongana* Schröder & Treadaway, 1989
- 717. *Vindula dejone dejone* (Erichson, 1834)** (Argynnididae)
Synonym(s): *dejonge* Erichson, 1834
- 718. *Vindula dejone palawana* Fruhstorfer, 1899** (Argynnididae)
Synonym(s): *palawana* Fruhstorfer, 1899
- 719. *Vindula dejone sibuensis* Schröder & Treadaway, 1989** (Argynnididae) Synonym(s): *sibuensis* Schröder & Treadaway, 1989
- 720. *Vindula erota* (Fabricius, 1793)** (Argynnididae) Synonym(s): *erota* Fabricius, 1793
- 721. *Vindula erota montana* Fruhstorfer, 1899** (Argynnididae)
Synonym(s): *montana* Fruhstorfer, 1899
- 722. *Yoma sabina* (Cramer, [1780])** (Argynnididae) Synonym(s): *sabina* Cramer, [1780]
- 723. *Yoma sabina podium* Tsukada, 1985** (Argynnididae)
Synonym(s): *podium* Tsukada, 1985
- 724. *Ernolatia lida* (Moore, 1859)** (Bombycidae) Synonym(s): *lida* Moore, 1859; *signata* Walker, 1862
- 725. *Gunda ochracea* Walker, 1862** (Bombycidae) Synonym(s): *ochracea* Walker, 1862
- 726. *Norasuma javanica* Moore, 1872** (Bombycidae) Synonym(s): *javanica* Moore, 1872
- 727. *Norasuma javanica palawana* (Schultze, 1925)** (Bombycidae)
Synonym(s): *palawana* Schultze, 1925
- 728. *Penicillifera apicalis* (Walker, 1862)** (Bombycidae)
Synonym(s): *apicalis* Walker, 1862; *signifera* Walker, 1862
- 729. *Trilocha friedeli* Dierl, 1978** (Bombycidae) Synonym(s): *friedeli* Dierl, 1978
- 730. *Miscera eubranchyera* (Diakonoff, [1968])** (Brachodidae)
Synonym(s): *eubranchyera* Diakonoff, [1968]
- 731. *Phycodes minor* Moore, 1881** (Brachodidae) Synonym(s): *minor* Moore, 1881; *lucasseni* Snellen, 1901; *cymineuta* Meyrick, 1909; *omnimicans* Diakonoff, 1978
- 732. *Brahmaea (Brahmophthalma) naessigi* S. Naumann & Brosch, 2005** (Brahmaeidae) Synonym(s): *naessigi* S. Naumann & Brosch, 2005
- 733. *Brahmaea (Brahmophthalma) paukstatorum* S. Naumann & Brosch, 2005** (Brahmaeidae) Synonym(s): *paukstatorum* S. Naumann & Brosch, 2005; *#paukstatorum* S. Naumann & Brosch, 2005
- 734. *Petavia mindanensis* (Pagenstecher, 1887)** (Callidulidae)
Synonym(s): *mindanensis* Pagenstecher, 1887
- 735. *Petavia petavia* (Cramer, 1782)** (Callidulidae) Synonym(s): *petavia* Cramer, 1782; *abisara* Butler, 1879; *batjanensis* Pagenstecher, 1887; *celebensis* Pagenstecher, 1887; *luzonica* Pagenstecher, 1887
- 736. *Petavia similis* (Pagenstecher, 1887)** (Callidulidae)
Synonym(s): *similis* Pagenstecher, 1887
- 737. *Tascina metallica* Pagenstecher, 1890** (Castniidae)
Synonym(s): *metallica* Pagenstecher, 1890
- 738. *Choreutis amethystodes* (Meyrick, 1914)** (Choreutidae)
Synonym(s): *amethystodes* Meyrick, 1914
- 739. *Choreutis basalis* (C. Felder & Rogenhofer, 1875)** (Choreutidae) Synonym(s): *basalis* C. Felder & Rogenhofer, 1875; *chionodesma* Lower, 1900
- 740. *Choreutis euclista* (Meyrick, 1918)** (Choreutidae)
Synonym(s): *euclista* Meyrick, 1918
- 741. *Choreutis sexfasciella* (Sauber, 1902)** (Choreutidae)
Synonym(s): *sexfasciella* Sauber, 1902; *fulminea* Meyrick, 1912
- 742. *Choreutis xanthogramma* (Meyrick, 1912)** (Choreutidae)
Synonym(s): *xanthogramma* Meyrick, 1912
- 743. *Saptha cypridia* Meyrick, 1910** (Choreutidae) Synonym(s): *cypridia* Meyrick, 1910
- 744. *Cosmopterix basilisca* Meyrick, 1909** (Cosmopterigidae)
Synonym(s): *basilisca* Meyrick, 1909
- 745. *Cosmopterix dulcivora* Meyrick, 1919** (Cosmopterigidae)
Synonym(s): *dulcivora* Meyrick, 1919
- 746. *Cosmopterix latilineata* Kuroko, 1987** (Cosmopterigidae)
Synonym(s): *latilineata* Kuroko, 1987
- 747. *Cosmopterix ornithognatosella* Mey, 1998** (Cosmopterigidae)
Synonym(s): *ornithognatosella* Mey, 1998
- 748. *Cosmopterix panayella* Mey, 1998** (Cosmopterigidae)
Synonym(s): *panayella* Mey, 1998
- 749. *Cosmopterix pustulatella* Snellen, 1897** (Cosmopterigidae)
Synonym(s): *pustulatella* Snellen, 1897
- 750. *Limnaecia acontophora* Meyrick, 1922** (Cosmopterigidae)
Synonym(s): *acontophora* Meyrick, 1922
- 751. *Pyroderces rileyi* (Walsingham, 1882)** (Cosmopterigidae)
Synonym(s): *rileyi* Walsingham, 1882; *stigmatophora* Walsingham, 1882
- 752. *Pyroderces simplex* Walsingham, 1891** (Cosmopterigidae)
Synonym(s): *simplex* Walsingham, 1891; *gossypiella* Walsingham, 1906.
- 753. *Syntomaula simulatella* (Walker, 1864)** (Cosmopterigidae)
Synonym(s): *simulatella* Walker, 1864
- 754. *Azygophleps nurella* Swinhoe, 1894** (Cossidae) Synonym(s): *nurella* Swinhoe, 1894
- 755. *Chalcidica minea* (Cramer, [1777])** (Cossidae) Synonym(s): *minea* Cramer, [1777]; *viridicans* Eschscholtz, 1821; *alboatra* Walker, 1865
- 756. *Chalcidica minea minea* (Cramer, [1777])** (Cossidae)
Synonym(s): *minea* Cramer, [1777]; *viridicans* Eschscholtz, 1821; *alboatra* Walker, 1865
- 757. *Duomitus ceramicus* (Walker, 1865)** (Cossidae) Synonym(s): *ceramicus* Walker, 1865; *ligneus* Butler, 1880; *bosschae* Heylaerts, 1892
- 758. *Duomitus euphyes* (West, 1932)** (Cossidae) Synonym(s): *euphyes* West, 1932; *sibolgae* Roepke, 1957
- 759. *Endoxyla anceps* Snellen, 1900** (Cossidae) Synonym(s): *anceps* Snellen, 1900; *plesseni* Schultze, 1925
- 760. *Panau euphanes* (West, 1932)** (Cossidae) Synonym(s): *euphanes* West, 1932
- 761. *Relluna nurella* (Swinhoe, 1894)** (Cossidae) Synonym(s): *nurella* Swinhoe, 1894
- 762. *Tarsozeuzera kochi* (Semper, 1896)** (Cossidae) Synonym(s): *kochi* Semper, 1896
- 763. *Trismelasmos robinson* Yakovlev, 2005** (Cossidae)
Synonym(s): *robinson* Yakovlev, 2005
- 764. *Xyleutes anceps* (Snellen, 1900)** (Cossidae) Synonym(s): *anceps* Snellen, 1900
- 765. *Xyleutes euphyes* West, 1932** (Cossidae) Synonym(s): *euphyes* West, 1932; *sibolgae* Roepke, 1957; *kalisi* Roepke, 1957
- 766. *Xyleutes personus* Le Guillou, 1841** (Cossidae) Synonym(s): *personus* Le Guillou, 1841; *leuconotus* Walker, 1856
- 767. *Xyleutes strix* (Linnaeus, 1758)** (Cossidae) Synonym(s): *strix* Linnaeus, 1758; *signata* Walker, 1856; *bubo* Butler, 1882; *tigrata* Houlbert, 1916
- 768. *Zeuzera conferta* Walker, 1856** (Cossidae) Synonym(s): *conferta* Walker, 1856; *roricyanea* Walker, 1862; *neuropunctata* Gaede, 1933
- 769. *Zeuzera multistrigata* Moore, 1881** (Cossidae) Synonym(s): *multistrigata* Moore, 1881; *leuconotum* Butler, 1881
- 770. *Amata annulata* (Fabricius, 1775)** (Ctenuchidae)
Synonym(s): *annulata* Fabricius, 1775; *nigriceps* Butler, 1876; *intensa* Butler, 1876
- 771. *Amata cymatilis* (Swinhoe, 1892)** (Ctenuchidae) Synonym(s): *cymatilis* Swinhoe, 1892
- 772. *Amata geon* (Druce, 1885)** (Ctenuchidae) Synonym(s): *geon* Druce, 1885
- 773. *Amata huebneri* (Boisduval, [1828])** (Ctenuchidae)
Synonym(s): *huebneri* Boisduval, [1828]; *marsdeni* Moore, 1859; *xanthomela* Walker, 1860; *cingulata* Wallengren, 1860 nec Wb., 1801; *sangaris* Wallengren, 1863; *contermina* Walker, 1864; *pyrrhoderia* Meyrick, 1886; *frustulenta* Swinhoe, 1892; *sala* Swinhoe, 1902
- 774. *Amata melanoproctis* (Hampson, 1901)** (Ctenuchidae)
Synonym(s): *melanoproctis* Hampson, 1901
- 775. *Amata palanana* (Semper, 1898)** (Ctenuchidae) Synonym(s): *palanana* Semper, 1898
- 776. *Amata pfeifferae* (Moore, 1859)** (Ctenuchidae) Synonym(s): *pfeifferae* Moore, 1859; *acuminata* Snellen, 1880
- 777. *Amata philippinensis* (Hampson, 1907)** (Ctenuchidae)
Synonym(s): *philippinensis* Hampson, 1907
- 778. *Amata polymita* (Sparrmann, 1769)** (Ctenuchidae)
Synonym(s): *polymita* Sparrmann, 1769; *fenestrata* Drury, 1773; *thelebus* Fabricius, 1787

779. *Amata punctata* (Semper,1898) (Ctenuchidae) Synonym(s): *punctata* Semper,1898
780. *Amata ribbei* (Röber,1885) (Ctenuchidae) Synonym(s): *ribbei* Röber,1885; *polusca* Druce,1895
781. *Amata ribbei ribbei* (Röber,1885) (Ctenuchidae) Synonym(s): *ribbei* Röber,1885; *polusca* Druce,1895
782. *Amata sibilana* (Semper,1898) (Ctenuchidae) Synonym(s): *sibilana* Semper,1898
783. *Amata tenuis* (Walker,1856) (Ctenuchidae) Synonym(s): *tenuis* Walker,1856; *linearis* Walker,1864; *deflocca* Swinhoe,1892
784. *Amata ticaonis* (Hampson,1907) (Ctenuchidae) Synonym(s): *ticaonis* Hampson,1907
785. *Callitomis gigas* Rothschild,1910 (Ctenuchidae) Synonym(s): *gigas* Rothschild,1910
786. *Ceryx albipuncta* Hampson,1907 (Ctenuchidae) Synonym(s): *albipuncta* Hampson,1907
787. *Ceryx chea* (Druce,1895) (Ctenuchidae) Synonym(s): *chea* Druce,1895
788. *Ceryx flaviplaga* Hampson,1898 (Ctenuchidae) Synonym(s): *flaviplaga* Hampson,1898
789. *Ceryx macgregori* Schultze,1908 (Ctenuchidae) Synonym(s): *macgregori* Schultze,1908
790. *Euchromia elegantissima* (Wallengren,1861) (Ctenuchidae) Synonym(s): *elegantissima* Wallengren,1861; *fraterna* Butler,1876; *laura* Butler,1876; *orientalis* Butler,1876
791. *Euchromia elegantissima elegantissima* (Wallengren,1861) (Ctenuchidae) Synonym(s): *elegantissima* Wallengren,1861; *fraterna* Butler,1876; *laura* Butler,1876; *orientalis* Butler,1876
792. *Neeressa sagada* (Semper,1898) (Ctenuchidae) Synonym(s): *sagada* Semper,1898
793. *Neeressa whiteheadi* Rothschild,1910 (Ctenuchidae) Synonym(s): *whiteheadi* Rothschild,1910
794. *Symphlebomis antipolo* (Semper,1898) (Ctenuchidae) Synonym(s): *antipolo* Semper,1898
795. *Thylacoptera albipuncta* Hampson,1898 (Ctenuchidae) Synonym(s): *albipuncta* Hampson,1898
796. *Danaus (Anosia) chrysippus* (Linnaeus,1758) (Danaiidae) Synonym(s): *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759
797. *Danaus (Anosia) chrysippus chrysippus* (Linnaeus,1758) (Danaiidae) Synonym(s): *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759
798. *Danaus (Salatura) affinis* (Fabricius,1775) (Danaiidae) Synonym(s): *affinis* Fabricius,1775
799. *Danaus (Salatura) affinis abigar* Eschscholtz,1821 (Danaiidae) Synonym(s): *abigar* Eschscholtz,1821
800. *Danaus (Salatura) genutius* (Cramer,[1779]) (Danaiidae) Synonym(s): *genutius* Cramer,[1779]
801. *Danaus (Salatura) genutius adnana* Swinhoe,1917 (Danaiidae) Synonym(s): *adnana* Swinhoe,1917
802. *Danaus (Salatura) genutius genutius* (Cramer,[1779]) (Danaiidae) Synonym(s): *genutius* Cramer,[1779]
803. *Danaus (Salatura) melanippus* (Cramer,[1777]) (Danaiidae) Synonym(s): *melanippus* Cramer,[1777]
804. *Danaus (Salatura) melanippus edmondii* (Lesson,1837) (Danaiidae) Synonym(s): *edmondii* Lesson,1837
805. *Danaus (Salatura) melanippus mezentius* Fruhstorfer,1910 (Danaiidae) Synonym(s): *mezentius* Fruhstorfer,1910
806. *Euploea (Stictoploea) mulciber* (Cramer,[1777]) (Danaiidae) Synonym(s): *mulciber* Cramer,[1777]; *vandeventeri* Forbes,1885
807. *Euploea (Stictoploea) mulciber barsine* Fruhstorfer,1904 (Danaiidae) Synonym(s): *barsine* Fruhstorfer,1904; *#awayuki* Sugitani,1932
808. *Euploea (Stictoploea) mulciber cebuensis* M.Okano & T.Okano,1986 (Danaiidae) Synonym(s): *cebuensis* M.Okano & T.Okano,1986
809. *Euploea (Stictoploea) mulciber dinagatensis* Tsukada & Nishiyama,1979 (Danaiidae) Synonym(s): *dinagatensis* Tsukada & Nishiyama,1979
810. *Euploea (Stictoploea) mulciber dufresne* Godart,1823 (Danaiidae) Synonym(s): *dufresne* Godart,1823
811. *Euploea (Stictoploea) mulciber guimarasensis* M.Okano & T.Okano,1990 (Danaiidae) Synonym(s): *guimarasensis* M.Okano & T.Okano,1990
812. *Euploea (Stictoploea) mulciber kochi* Moore,1883 (Danaiidae) Synonym(s): *kochi* Moore,1883
813. *Euploea (Stictoploea) mulciber masbatensis* Schröder & Treadaway,1978 (Danaiidae) Synonym(s): *masbatensis* Schröder & Treadaway,1978
814. *Euploea (Stictoploea) mulciber mindanensis* Staudinger,1885 (Danaiidae) Synonym(s): *mindanensis* Staudinger,1885
815. *Euploea (Stictoploea) mulciber paupera* Staudinger,1889 (Danaiidae) Synonym(s): *paupera* Staudinger,1889
816. *Euploea (Stictoploea) mulciber portia* Fruhstorfer,1904 (Danaiidae) Synonym(s): *portia* Fruhstorfer,1904
817. *Euploea (Stictoploea) mulciber semperi* C.Felder & R.Felder,[1865] (Danaiidae) Synonym(s): *semperi* C.Felder & R.Felder,[1865]
818. *Euploea (Stictoploea) mulciber seraphita* Fruhstorfer,1900 (Danaiidae) Synonym(s): *seraphita* Fruhstorfer,1900
819. *Euploea (Stictoploea) mulciber subvisaya* Schröder,1977 (Danaiidae) Synonym(s): *subvisaya* Schröder,1977
820. *Euploea (Stictoploea) mulciber tawitawiensis* Hashimoto,1986 (Danaiidae) Synonym(s): *tawitawiensis* Hashimoto,1986
821. *Euploea (Stictoploea) mulciber ticaona* Schröder & Treadaway,1981 (Danaiidae) Synonym(s): *ticaona* Schröder & Treadaway,1981
822. *Euploea (Stictoploea) mulciber triggia* Schröder,1977 (Danaiidae) Synonym(s): *triggia* Schröder,1977
823. *Euploea (Stictoploea) mulciber visaya* Semper,1886 (Danaiidae) Synonym(s): *visaya* Semper,1886
824. *Euploea algea* (Godart,[1819]) (Danaiidae) Synonym(s): *algea* Godart,[1819]; *violetta* Butler,1876; *dolosa* Butler,1877; *ordinata* Moore,1883; *denticulata* Moore,1883; *bipunctata* Moore,1883; *pleiades* Moore,1883; *louisa* Moore,1883; *siderea* Moore,1883; *astraea* Moore,1883; *stella* Moore,1883; *amycus* Miskin,1890
825. *Euploea algea cyllene* Staudinger,1889 (Danaiidae) Synonym(s): *cyllene* Staudinger,1889
826. *Euploea blossomae* Schaus,1929 (Danaiidae) Synonym(s): *blossomae* Schaus,1929
827. *Euploea blossomae blossomae* Schaus,1929 (Danaiidae) Synonym(s): *blossomae* Schaus,1929
828. *Euploea blossomae corazonae* Schröder,1977 (Danaiidae) Synonym(s): *corazonae* Schröder,1977
829. *Euploea blossomae escapardae* Morishita,1974 (Danaiidae) Synonym(s): *escapardae* Morishita,1974
830. *Euploea blossomae hilongensis* Yamamoto & Takei,1992 (Danaiidae) Synonym(s): *hilongensis* Yamamoto & Takei,1992
831. *Euploea blossomae sibilanensis* Jumalon,1971 (Danaiidae) Synonym(s): *sibilanensis* Jumalon,1971
832. *Euploea blossomae tamaraw* Nuyda & Morimoto,1991 (Danaiidae) Synonym(s): *tamaraw* Nuyda & Morimoto,1991
833. *Euploea camaralzeman* Butler,1866 (Danaiidae) Synonym(s): *ochsenheimeri* Moore,1858 nec Luc.,1853; *camaralzeman* Butler,1866
834. *Euploea camaralzeman claudina* Staudinger,1889 (Danaiidae) Synonym(s): *claudina* Staudinger,1889
835. *Euploea camaralzeman cratis* (Butler,1866) (Danaiidae) Synonym(s): *cratis* Butler,1866; *formosana* Matsumura,1919
836. *Euploea eunice* (Godart,[1819]) (Danaiidae) Synonym(s): *eunice* Godart,[1819]
837. *Euploea eunice eunice* (Godart,[1819]) (Danaiidae) Synonym(s): *eunice* Godart,[1819]
838. *Euploea eunice syra* Fruhstorfer,1901 (Danaiidae) Synonym(s): *syra* Fruhstorfer,1901
839. *Euploea eyndhovii* C.Felder & R.Felder,[1865] (Danaiidae) Synonym(s): *eyndhovii* C.Felder & R.Felder,[1865]
840. *Euploea eyndhovii distinctissima* Fruhstorfer,1911 (Danaiidae) Synonym(s): *distinctissima* Fruhstorfer,1911
841. *Euploea midamus* (Linnaeus,1758) (Danaiidae) Synonym(s): *midamus* Linnaeus,1758
842. *Euploea midamus absitus* Hashimoto,1986 (Danaiidae) Synonym(s): *absitus* Hashimoto,1986
843. *Euploea midamus clorinde* Staudinger,1889 (Danaiidae) Synonym(s): *clorinde* Staudinger,1889

844. *Euploea midamus cornificia* Fruhstorfer, 1910 (Danaidae) Synonym(s): *cornificia* Fruhstorfer, 1910
845. *Euploea midamus hypaspistes* Fruhstorfer, 1910 (Danaidae) Synonym(s): *hypaspistes* Fruhstorfer, 1910
846. *Euploea midamus meldolae* Moore, 1883 (Danaidae) Synonym(s): *meldolae* Moore, 1883
847. *Euploea midamus simillima* Moore, 1883 (Danaidae) Synonym(s): *simillima* Moore, 1883
848. *Euploea phaenareta* (Schaller, 1785) (Danaidae) Synonym(s): *phaenareta* Schaller, 1785; *affinis* Gmelin, 1790; *#phaenareta* D'Abrera, 1982
849. *Euploea phaenareta althaea* Semper, 1878 (Danaidae) Synonym(s): *althaea* Semper, 1878
850. *Euploea phaenareta grandis* Moore, 1883 (Danaidae) Synonym(s): *grandis* Moore, 1883
851. *Euploea phaenareta lornae* Schröder & Treadaway, 1979 (Danaidae) Synonym(s): *lornae* Schröder & Treadaway, 1979
852. *Euploea phaenareta margaretae* Schröder & Treadaway, 1988 (Danaidae) Synonym(s): *margaretae* Schröder & Treadaway, 1988
853. *Euploea phaenareta salvini* Staudinger, 1889 (Danaidae) Synonym(s): *salvini* Staudinger, 1889
854. *Euploea swainson* (Godart, [1824]) (Danaidae) Synonym(s): *swainson* Godart, [1824]
855. *Euploea swainson butra* Staudinger, 1889 (Danaidae) Synonym(s): *butra* Staudinger, 1889
856. *Euploea swainson donovani* C.Felder & R.Felder, [1865] (Danaidae) Synonym(s): *donovani* C.Felder & R.Felder, [1865]
857. *Euploea swainson duplex* Hulstaert, 1931 (Danaidae) Synonym(s): *duplex* Hulstaert, 1931
858. *Euploea swainson jadiva* Fruhstorfer, 1911 (Danaidae) Synonym(s): *jadiva* Fruhstorfer, 1911
859. *Euploea swainson panayensis* Schröder & Treadaway, 1983 (Danaidae) Synonym(s): *panayensis* Schröder & Treadaway, 1983
860. *Euploea swainson suluana* Moore, 1883 (Danaidae) Synonym(s): *suluana* Moore, 1883
861. *Euploea swainson swainson* (Godart, [1824]) (Danaidae) Synonym(s): *swainson* Godart, [1824]
862. *Euploea sylvester* (Fabricius, 1793) (Danaidae) Synonym(s): *sylvester* Fabricius, 1793
863. *Euploea sylvester bazilana* Fruhstorfer, 1900 (Danaidae) Synonym(s): *bazilana* Fruhstorfer, 1900
864. *Euploea sylvester dotata* Fruhstorfer, 1900 (Danaidae) Synonym(s): *dotata* Fruhstorfer, 1900
865. *Euploea sylvester laetifica* Butler, 1866 (Danaidae) Synonym(s): *laetifica* Butler, 1866
866. *Euploea sylvester schoenigi* Schröder & Treadaway, 1983 (Danaidae) Synonym(s): *schoenigi* Schröder & Treadaway, 1983
867. *Euploea sylvester tyrianthia* (Moore, 1883) (Danaidae) Synonym(s): *tyrianthia* Moore, 1883
868. *Euploea tobleri* Semper, 1878 (Danaidae) Synonym(s): *tobleri* Semper, 1878
869. *Euploea tobleri inouei* Osada & Hashimoto, 1982 (Danaidae) Synonym(s): *inouei* Osada & Hashimoto, 1982
870. *Euploea tobleri lasamasamai* Treadaway & Nuyda, 1994 (Danaidae) Synonym(s): *lasamasamai* Treadaway & Nuyda, 1994
871. *Euploea tobleri mangyan* Yamamoto & Takei, 1988 (Danaidae) Synonym(s): *mangyan* Yamamoto & Takei, 1988
872. *Euploea tobleri peducea* Fruhstorfer, 1911 (Danaidae) Synonym(s): *peducea* Fruhstorfer, 1911
873. *Euploea tobleri romeo* Schröder & Treadaway, 1978 (Danaidae) Synonym(s): *romeo* Schröder & Treadaway, 1978
874. *Euploea tobleri silmae* Schröder & Treadaway, 1978 (Danaidae) Synonym(s): *silmae* Schröder & Treadaway, 1978
875. *Euploea tobleri snelleni* Moore, 1883 (Danaidae) Synonym(s): *snelleni* Moore, 1883
876. *Euploea tobleri tobleri* Semper, 1878 (Danaidae) Synonym(s): *tobleri* Semper, 1878
877. *Euploea tobleri yoshioi* Nuyda & Kawamura, 1989 (Danaidae) Synonym(s): *yoshioi* Nuyda & Kawamura, 1989
878. *Euploea tulliolus* (Fabricius, 1793) (Danaidae) Synonym(s): *tulliolus* Fabricius, 1793
879. *Euploea tulliolus aristotelis* Moore, 1883 (Danaidae) Synonym(s): *aristotelis* Moore, 1883
880. *Euploea tulliolus monilina* Fruhstorfer, 1910 (Danaidae) Synonym(s): *monilina* Fruhstorfer, 1910
881. *Euploea tulliolus palawana* Fruhstorfer, 1900 (Danaidae) Synonym(s): *palawana* Fruhstorfer, 1900
882. *Euploea tulliolus pollita* Erichson, 1834 (Danaidae) Synonym(s): *pollita* Erichson, 1834; *monilis* Moore, 1883
883. *Idea electra* Semper, 1878 (Danaidae) Synonym(s): *electra* Semper, 1878
884. *Idea electra electra* Semper, 1878 (Danaidae) Synonym(s): *electra* Semper, 1878
885. *Idea electra harmonia* Fruhstorfer, 1910 (Danaidae) Synonym(s): *harmonia* Fruhstorfer, 1910
886. *Idea leuconoe* Erichson, 1834 (Danaidae) Synonym(s): *leuconoe* Erichson, 1834
887. *Idea leuconoe athesis* Fruhstorfer, 1911 (Danaidae) Synonym(s): *athesis* Fruhstorfer, 1911
888. *Idea leuconoe esanga* Fruhstorfer, 1898 (Danaidae) Synonym(s): *esanga* Fruhstorfer, 1898
889. *Idea leuconoe gamaoi* Jumalon, 1975 (Danaidae) Synonym(s): *gamaoi* Jumalon, 1975
890. *Idea leuconoe gordita* Fruhstorfer, 1911 (Danaidae) Synonym(s): *gordita* Fruhstorfer, 1911
891. *Idea leuconoe leuconoe* Erichson, 1834 (Danaidae) Synonym(s): *leuconoe* Erichson, 1834
892. *Idea leuconoe nigriana* Grose-Smith, 1895 (Danaidae) Synonym(s): *nigriana* Grose-Smith, 1895
893. *Idea leuconoe obscura* Staudinger, 1889 (Danaidae) Synonym(s): *obscura* Staudinger, 1889
894. *Idea leuconoe princesa* Staudinger, 1889 (Danaidae) Synonym(s): *princesa* Staudinger, 1889
895. *Idea leuconoe samara* Fruhstorfer, 1910 (Danaidae) Synonym(s): *samara* Fruhstorfer, 1910
896. *Idea leuconoe solyma* Fruhstorfer, 1910 (Danaidae) Synonym(s): *solyma* Fruhstorfer, 1910
897. *Idea stolli* (Moore, 1883) (Danaidae) Synonym(s): *stolli* Moore, 1883
898. *Idea stolli hypata* Fruhstorfer, 1910 (Danaidae) Synonym(s): *hypata* Fruhstorfer, 1910
899. *Ideopsis gaura* (Horsfield, 1829) (Danaidae) Synonym(s): *gaura* Horsfield, 1829
900. *Ideopsis gaura anapina* Semper, 1892 (Danaidae) Synonym(s): *anapina* Semper, 1892
901. *Ideopsis gaura anapis* C.Felder, 1861 (Danaidae) Synonym(s): *anapis* C.Felder, 1861
902. *Ideopsis gaura bracara* Fruhstorfer, 1910 (Danaidae) Synonym(s): *bracara* Fruhstorfer, 1910
903. *Ideopsis gaura canlaonii* Jumalon, 1971 (Danaidae) Synonym(s): *canlaonii* Jumalon, 1971
904. *Ideopsis gaura cesa* Kemal & Koçak, 2005 (Danaidae) Synonym(s): *palawana* Fruhstorfer, 1910 *nec* Stgr., 1889; *cesa* Kemal & Koçak, 2005
905. *Ideopsis gaura glaphyra* Moore, 1883 (Danaidae) Synonym(s): *glaphyra* Moore, 1883
906. *Ideopsis gaura messala* Fruhstorfer, 1910 (Danaidae) Synonym(s): *messala* Fruhstorfer, 1910
907. *Ideopsis gaura panayana* Schröder & Treadaway, 1984 (Danaidae) Synonym(s): *panayana* Schröder & Treadaway, 1984
908. *Ideopsis gaura pellucida* Talbot, 1940 (Danaidae) Synonym(s): *pellucida* Talbot, 1940
909. *Ideopsis juvena* (Cramer, [1777]) (Danaidae) Synonym(s): *juvena* Cramer, [1777]
910. *Ideopsis juvena kinitis* Fruhstorfer, 1904 (Danaidae) Synonym(s): *juvena* kinitis Fruhstorfer, 1904
911. *Ideopsis juvena luzonica* Moore, 1883 (Danaidae) Synonym(s): *luzonica* Moore, 1883
912. *Ideopsis juvena manillana* Moore, 1883 (Danaidae) Synonym(s): *manillana* Moore, 1883
913. *Ideopsis juvena suluana* Talbot, 1943 (Danaidae) Synonym(s): *suluana* Talbot, 1943
914. *Ideopsis vulgaris* (Butler, 1874) (Danaidae) Synonym(s): *vulgaris* Butler, 1874
915. *Ideopsis vulgaris palawana* (Staudinger, 1889) (Danaidae) Synonym(s): *palawana* Staudinger, 1889

916. *Parantica aspasia* (Fabricius,1787) (Danaidae) Synonym(s): *aspasia* Fabricius,1787; *crocea* Butler,1866
917. *Parantica aspasia cerilla* Fruhstorfer,1911 (Danaidae) Synonym(s): *cerilla* Fruhstorfer,1911; *annetta* Swinhoe
918. *Parantica aspasia flymbra* Fruhstorfer,1911 (Danaidae) Synonym(s): *flymbra* Fruhstorfer,1911
919. *Parantica dannatti* Talbot,1936 (Danaidae) Synonym(s): *dannatti* Talbot,1936
920. *Parantica dannatti dannatti* Talbot,1936 (Danaidae) Synonym(s): *dannatti* Talbot,1936
921. *Parantica dannatti diuataensis* Takei & Yamamoto,1979 (Danaidae) Synonym(s): *diuataensis* Takei & Yamamoto,1979
922. *Parantica dannatti malindangensis* Yamamoto & Takei,1980 (Danaidae) Synonym(s): *malindangensis* Yamamoto & Takei,1980
923. *Parantica dannatti reyesi* Schröder & Treadaway,1984 (Danaidae) Synonym(s): *reyesi* Schröder & Treadaway,1984
924. *Parantica davidi* (Schröder,1976) (Danaidae) Synonym(s): *davidi* Schröder,1976
925. *Parantica luzonensis* (C.Felder & R.Felder,1863) (Danaidae) Synonym(s): *luzonensis* C.Felder & R.Felder,1863; *larissa* C.Felder & R.Felder,1865; *banksii* Moore,1883; *funeralis* Butler,1884; *erebus* Butler,1886; *orientis* Doherty,1891; *praemacaris* Fruhstorfer,1899; *panaitius* Fruhstorfer,1910; *mnasippus* Fruhstorfer,1911; *formosanus* Matsumura,1929
926. *Parantica luzonensis luzonensis* (C.Felder & R.Felder,1863) (Danaidae) Synonym(s): *luzonensis* C.Felder & R.Felder,1863; *larissa* C.Felder & R.Felder,1865; *banksii* Moore,1883; *funeralis* Butler,1884; *erebus* Butler,1886; *orientis* Doherty,1891; *praemacaris* Fruhstorfer,1899; *panaitius* Fruhstorfer,1910; *mnasippus* Fruhstorfer,1911; *formosanus* Matsumura,1929
927. *Parantica luzonensis simonides* Fruhstorfer,1911 (Danaidae) Synonym(s): *simonides* Fruhstorfer,1911
928. *Parantica milagros* Schröder & Treadaway,1980 (Danaidae) Synonym(s): *milagros* Schröder & Treadaway,1980
929. *Parantica milagros fideli* Treadaway & Nuyda,1993 (Danaidae) Synonym(s): *fideli* Treadaway & Nuyda,1993
930. *Parantica milagros milagros* Schröder & Treadaway,1980 (Danaidae) Synonym(s): *milagros* Schröder & Treadaway,1980
931. *Parantica noeli* Treadaway & Nuyda,1993 (Danaidae) Synonym(s): *noeli* Treadaway & Nuyda,1993
932. *Parantica phyle* C.Felder & R.Felder,1863 (Danaidae) Synonym(s): *phyle* C.Felder & R.Felder,1863
933. *Parantica schoenigi* Jumalon,1971 (Danaidae) Synonym(s): *schoenigi* Jumalon,1971
934. *Parantica sita* (Kollar,[1844]) (Danaidae) Synonym(s): *sita* Kollar,[1844]; *#tira* Fruhstorfer,1899; *#pedonga* Talbot,1943.
935. *Parantica sita oblita* Tsukada & Nishiyama,1980 (Danaidae) Synonym(s): *oblita* Tsukada & Nishiyama,1980
936. *Parantica sita santomasi* Schröder & Treadaway,1982 (Danaidae) Synonym(s): *santomasi* Schröder & Treadaway,1982
937. *Parantica vitrina* (C.Felder & R.Felder,1861) (Danaidae) Synonym(s): *vitrina* C.Felder & R.Felder,1861
938. *Parantica vitrina oenone* Butler,1865 (Danaidae) Synonym(s): *oenone* Butler,1865
939. *Parantica vitrina vitrina* (C.Felder & R.Felder,1861) (Danaidae) Synonym(s): *vitrina* C.Felder & R.Felder,1861
940. *Tirumala hamata* (Macleay,1827) (Danaidae) Synonym(s): *hamata* Macleay,1827
941. *Tirumala hamata nephthys* Fruhstorfer,1911 (Danaidae) Synonym(s): *nephthys* Fruhstorfer,1911
942. *Tirumala hamata orientalis* Semper,1879 (Danaidae) Synonym(s): *orientalis* Semper,1879
943. *Tirumala hamata pelagia* Fruhstorfer,1911 (Danaidae) Synonym(s): *pelagia* Fruhstorfer,1911
944. *Tirumala hamata tibula* Fruhstorfer,1911 (Danaidae) Synonym(s): *tibula* Fruhstorfer,1911
945. *Tirumala ishmoides* Moore,1883 (Danaidae) Synonym(s): *ishmoides* Moore,1883
946. *Tirumala ishmoides scontinus* Fruhstorfer,1911 (Danaidae) Synonym(s): *scontinus* Fruhstorfer,1911
947. *Tirumala ishmoides strymon* Fruhstorfer,1911 (Danaidae) Synonym(s): *strymon* Fruhstorfer,1911; *trasinanus* Fruhstorfer,1911
948. *Tirumala ishmoides vetus* Talbot,1943 (Danaidae) Synonym(s): *vetus* Talbot,1943
949. *Tirumala limniace* (Cramer,[1775]) (Danaidae) Synonym(s): *limniace* Cramer,[1775]
950. *Tirumala limniace orestilla* Fruhstorfer,1910 (Danaidae) Synonym(s): *orestilla* Fruhstorfer,1910
951. *Tirumala limniace tumanana* Semper,1886 (Danaidae) Synonym(s): *tumanana* Semper,1886
952. *Tirumala septentrionis* (Butler,1874) (Danaidae) Synonym(s): *septentrionis* Butler,1874
953. *Tirumala septentrionis orientalis* (Semper,1879) (Danaidae) Synonym(s): *orientalis* Semper,1879
954. *Tirumala septentrionis palawana* Fruhstorfer,1899 (Danaidae) Synonym(s): *palawana* Fruhstorfer,1899
955. *Tirumala septentrionis suanetes* Fruhstorfer,1911 (Danaidae) Synonym(s): *suanetes* Fruhstorfer,1911
956. *Tirumala septentrionis valentia* Fruhstorfer,1911 (Danaidae) Synonym(s): *valentia* Fruhstorfer,1911
957. *Callidrepana argenteola* (Moore,1858) (Drepanidae) Synonym(s): *argenteola* Moore,1858; *bracteata* Hampson,1893; *dialitha* West,1932; *celebensis* W.Warren,1922
958. *Callidrepana micacea* (Walker,1862) (Drepanidae) Synonym(s): *micacea* Walker,1862; *biocularis* Moore,1879; *fulvilauta* W.Warren,1897; *pilana* Swinhoe,1905
959. *Nordstromia coffeata* Inoue,1992 (Drepanidae) Synonym(s): *coffeata* Inoue,1992
960. *Oreta fulgens* (W.Warren,1899) (Drepanidae) Synonym(s): *fulgens* W.Warren,1899; *triumbrata* W.Warren,1899; *thaumalea* West,1932
961. *Teldenia specca* Wilkinson,1976 (Drepanidae) Synonym(s): *specca* Wilkinson,1976
962. *Teldenia unistrigata* W.Warren,1896 (Drepanidae) Synonym(s): *unistrigata* W.Warren,1896
963. *Ethmia dentata* Diakonoff & Sattler,1966 (Ethmiidae) Synonym(s): *dentata* Diakonoff & Sattler,1966
964. *Ethmia nigroapicella* (Saalmüller,1880) (Ethmiidae) Synonym(s): *nigroapicella* Saalmüller,1880; *colonella* Walsingham,1907; *meteoris* Meyrick,1911; *systematica* Meyrick,1922; *apicalis* Matsumura,1931.
965. *Ethmia palawana* Schultze,1925 (Ethmiidae) Synonym(s): *palawana* Schultze,1925
966. *Ethmia trifida* Kun,2004 (Ethmiidae) Synonym(s): *trifida* Kun,2004
967. *Melanothrix alternans* Pagenstecher,1890 (Eupterotidae) Synonym(s): *alternans* Pagenstecher,1890; *fumosa* Swinhoe,1905
968. *Melanothrix nymphaliaria* (Walker,1866) (Eupterotidae) Synonym(s): *nymphaliaria* Walker,1866; *pulchricolor* R.Felder,1875; *atropurpurea* Aurivillius,1894
969. *Melanothrix nymphaliaria philippina* Rothschild,1917 (Eupterotidae) Synonym(s): *philippina* Rothschild,1917
970. *Melanothrix semperi* Rothschild,1917 (Eupterotidae) Synonym(s): *semperi* Rothschild,1917
971. *Brachyacma palpigera* (Walsingham,1891) (Gelechiidae) Synonym(s): *palpigera* Walsingham,1891; *adustipennis* Walsingham,1897; *ioloncha* Meyrick,1905; *crotalariella* Busck,1910; *epichorda* Turner,1919
972. *Dichomeris diacrita* (Diakonoff,[1968]) (Gelechiidae) Synonym(s): *diacrita* Diakonoff,[1968]
973. *Pectinophora gossypiella* (Saunders,1844) (Gelechiidae) Synonym(s): *gossypiella* Saunders,1844; *umbripennis* Walsingham,1885
974. *Stegasta variana* Meyrick,1904 (Gelechiidae) Synonym(s): *variana* Meyrick,1904
975. *Tituacia deviella* Walker,1864 (Gelechiidae) Synonym(s): *deviella* Walker,1864; *erosella* Snellen,1878
976. "Chloroclystis" *ruptiscripta* (W.Warren,1904) (Geometridae) Synonym(s): *ruptiscripta* W.Warren,1904; *colorata* W.Warren,1906
977. "Chloroclystis" *tortuosa* West,1929 (Geometridae) Synonym(s): *tortuosa* West,1929

978. *Abraxas (Calospilos) breueri* Stüning & Hausmann, 2002 (Geometridae) Synonym(s): *breueri* Stüning & Hausmann, 2002
979. *Abraxas aequimargo* Semper, 1901 (Geometridae) Synonym(s): *aequimargo* Semper, 1901
980. *Abraxas cyclobalia* West, 1929 (Geometridae) Synonym(s): *cyclobalia* West, 1929
981. *Abraxas gephyra* West, 1929 (Geometridae) Synonym(s): *gephyra* West, 1929
982. *Abraxas interpunctata* W. Warren, 1905 (Geometridae) Synonym(s): *interpunctata* W. Warren, 1905
983. *Abraxas pleniguttata* W. Warren, 1897 (Geometridae) Synonym(s): *pleniguttata* W. Warren, 1897
984. *Abraxas semiusta* West, 1929 (Geometridae) Synonym(s): *semiusta* West, 1929
985. *Achrosis elegans* (West, 1929) (Geometridae) Synonym(s): *elegans* West, 1929
986. *Agathia brevicula* Yazaki, 1996 (Geometridae) Synonym(s): *brevicula* Yazaki, 1996
987. *Agathia cara* L.B. Prout, 1916 (Geometridae) Synonym(s): *cara* L.B. Prout, 1916
988. *Agathia conspecta* Yazaki, 1996 (Geometridae) Synonym(s): *conspecta* Yazaki, 1996
989. *Agathia dinagatensis* Yazaki, 1996 (Geometridae) Synonym(s): *dinagatensis* Yazaki, 1996
990. *Agathia disjuncta* Yazaki, 1996 (Geometridae) Synonym(s): *disjuncta* Yazaki, 1996
991. *Agathia inouei* Yazaki, 1996 (Geometridae) Synonym(s): *inouei* Yazaki, 1996
992. *Agathia luzonensis* L.B. Prout, 1916 (Geometridae) Synonym(s): *luzonensis* L.B. Prout, 1916
993. *Agathia mediocris* Yazaki, 1996 (Geometridae) Synonym(s): *mediocris* Yazaki, 1996
994. *Agathia spadicea* Yazaki, 1996 (Geometridae) Synonym(s): *spadicea* Yazaki, 1996
995. *Agathia spectabilis* Yazaki, 1996 (Geometridae) Synonym(s): *spectabilis* Yazaki, 1996
996. *Alcis antincta* Sato, 1996 (Geometridae) Synonym(s): *antincta* Sato, 1996
997. *Alcis diadela* (West, 1929) (Geometridae) Synonym(s): *diadela* West, 1929
998. *Alcis eupithecioides* West, 1929 (Geometridae) Synonym(s): *eupithecioides* West, 1929
999. *Alcis kitangladensis* Sato, 1996 (Geometridae) Synonym(s): *kitangladensis* Sato, 1996
1000. *Alcis mindanalensis* Sato, 1996 (Geometridae) Synonym(s): *mindanalensis* Sato, 1996
1001. *Alcis nigrolineata* (Wileman & South, 1917) (Geometridae) Synonym(s): *nigrolineata* Wileman & South, 1917
1002. *Alcis perplexa* Sato, 1996 (Geometridae) Synonym(s): *perplexa* Sato, 1996
1003. *Alcis pissoconeta* (West, 1929) (Geometridae) Synonym(s): *pissoconeta* West, 1929
1004. *Alcis semiochrea* (L.B. Prout, 1917) (Geometridae) Synonym(s): *semiochrea* L.B. Prout, 1917
1005. *Alcis subtinctoria* (W. Warren, 1897) (Geometridae) Synonym(s): *subtinctoria* W. Warren, 1897
1006. *Alex palparia* (Walker, 1861) (Geometridae) Synonym(s): *palparia* Walker, 1861; *nigrozonata* Walker, [1863]; *rufolinearia* Pagenstecher, 1890; *indica* W. Warren, 1894
1007. *Alex palparia nephodes* West, 1930 (Geometridae) Synonym(s): *nephodes* West, 1930
1008. *Alex palparia palparia* (Walker, 1861) (Geometridae) Synonym(s): *palparia* Walker, 1861; *nigrozonata* Walker, [1863]; *rufolinearia* Pagenstecher, 1890; *indica* W. Warren, 1894
1009. *Amblychia lutulenta* (West, 1929) (Geometridae) Synonym(s): *lutulenta* West, 1929
1010. *Amblychia rotundata* Semper, 1901 (Geometridae) Synonym(s): *rotundata* Semper, 1901
1011. *Amraica recursaria* (Walker, 1860) (Geometridae) Synonym(s): *recursaria* Walker, 1860; *ferrolavata* Walker, [1863]; *solivagararia* Walker, 1866; *fortissima* Moore, 1888; *asahinai* Inoue, 1964
1012. *Aplochloa similis* West, 1929 (Geometridae) Synonym(s): *similis* West, 1929
1013. *Aporandria specularia* (Guenée, [1858]) (Geometridae) Synonym(s): *specularia* Guenée, [1858]; *haplograptia* L.B. Prout, 1922
1014. *Arctoscelia celator* L.B. Prout, 1931 (Geometridae) Synonym(s): *celator* L.B. Prout, 1931
1015. *Arctoscelia onusta* W. Warren, 1897 (Geometridae) Synonym(s): *onusta* W. Warren, 1897
1016. *Berta philippina* L.B. Prout, 1917 (Geometridae) Synonym(s): *philippina* L.B. Prout, 1917
1017. *Berta subrectistriga* L.B. Prout, 1917 (Geometridae) Synonym(s): *subrectistriga* L.B. Prout, 1917
1018. *Biston prinodes* (West, 1929) (Geometridae) Synonym(s): *prinodes* West, 1929
1019. *Biston subflavus* Inoue, 1985 (Geometridae) Synonym(s): *subflavus* Inoue, 1985
1020. *Bracca georgiata* (Guenée, [1858]) (Geometridae) Synonym(s): *georgiata* Guenée, [1858]; *pervasata* Walker, 1862; *subradiata* W. Warren, 1899
1021. *Bracca georgiata georgiata* (Guenée, [1858]) (Geometridae) Synonym(s): *georgiata* Guenée, [1858]; *pervasata* Walker, 1862; *subradiata* W. Warren, 1899
1022. *Bytharia uniformis* Swinhoe, 1902 (Geometridae) Synonym(s): *uniformis* Swinhoe, 1902; *balatensis* Schultze, 1925
1023. *Celenna festiviaria* (Fabricius, 1794) (Geometridae) Synonym(s): *festiviaria* Fabricius, 1794; *saturataria* Walker, 1861
1024. *Celenna festiviaria temperata* (L.B. Prout, 1925) (Geometridae) Synonym(s): *temperata* L.B. Prout, 1925
1025. *Celerena palawanica* Pagenstecher, 1890 (Geometridae) Synonym(s): *palawanica* Pagenstecher, 1890
1026. *Celerena semperi* L.B. Prout, 1916 (Geometridae) Synonym(s): *semperi* L.B. Prout, 1916
1027. *Chiasmia abydata* (Guenée, [1858]) (Geometridae) Synonym(s): *abydata* Guenée, [1858]; *vagabunda* Inoue, 1986
1028. *Chiasmia nebulosa* (West, 1929) (Geometridae) Synonym(s): *nebulosa* West, 1929
1029. *Chiasmia neonora* (Walker, 1861) (Geometridae) Synonym(s): *neonora* Walker, 1861
1030. *Chiasmia normata* (Walker, 1861) (Geometridae) Synonym(s): *normata* Walker, 1861; *exfusaria* Walker, [1863]; *parallelaria* Walker, [1863]; *desiccata* Walker, 1866; *maledidaria* Mabille, 1880; *congener* W. Warren, 1897; *minoa* Strand, 1915
1031. *Chiasmia oxa* (West, 1929) (Geometridae) Synonym(s): *oxa* West, 1929
1032. *Chloromianta mianta* (West, 1930) (Geometridae) Synonym(s): *mianta* West, 1930
1033. *Chorodna mindanensis* Sato, 1996 (Geometridae) Synonym(s): *mindanensis* Sato, 1996
1034. *Chrysocraspeda altegradia* L.B. Prout, 1931 (Geometridae) Synonym(s): *altegradia* L.B. Prout, 1931
1035. *Chrysocraspeda comptaria* Swinhoe, 1902 (Geometridae) Synonym(s): *comptaria* Swinhoe, 1902
1036. *Chrysocraspeda comptaria comptaria* Swinhoe, 1902 (Geometridae) Synonym(s): *comptaria* Swinhoe, 1902
1037. *Chrysocraspeda flavipuncta* (W. Warren, 1899) (Geometridae) Synonym(s): *flavipuncta* W. Warren, 1899; *westi* L.B. Prout, 1938
1038. *Chrysocraspeda tristicula* Swinhoe, 1885 (Geometridae) Synonym(s): *tristicula* Swinhoe, 1885; *laeta* W. Warren, 1899
1039. *Chrysocraspeda virgata* (West, 1930) (Geometridae) Synonym(s): *virgata* West, 1930
1040. *Cleora batillata* (D.S. Fletcher, 1953) (Geometridae) Synonym(s): *batillata* D.S. Fletcher, 1953
1041. *Cleora contiguata* (Moore, 1868) (Geometridae) Synonym(s): *contiguata* Moore, 1868
1042. *Cleora contiguata bigladiata* (D.S. Fletcher, 1953) (Geometridae) Synonym(s): *bigladiata* D.S. Fletcher, 1953
1043. *Cleora copia* Sato, 1997 (Geometridae) Synonym(s): *copia* Sato, 1997
1044. *Cleora dacasini* Herbulot, 1981 (Geometridae) Synonym(s): *dacasini* Herbulot, 1981; *inopinata* Sato, 1989

1045. *Cleora inoffensa* (Swinhoe,1902) (Geometridae)
Synonym(s): *inoffensa* Swinhoe,1902
1046. *Cleora isabella* Herbulot,1985 (Geometridae)
Synonym(s): *isabella* Herbulot,1985
1047. *Cleora lipotera* West,1929 (Geometridae) Synonym(s):
lipotera West,1929
1048. *Cleora onycha* D.S.Fletcher,1953 (Geometridae)
Synonym(s): *onycha* D.S.Fletcher,1953
1049. *Cleora onycha limitata* D.S.Fletcher,1953 (Geometridae) Synonym(s): *limitata* D.S.Fletcher,1953
1050. *Cleora paepalima* West,1932 (Geometridae)
Synonym(s): *paepalima* West,1932
1051. *Cleora tella* (West,1929) (Geometridae) Synonym(s):
tella West,1929
1052. *Cleora tella mindana* Sato,1997 (Geometridae)
Synonym(s): *mindana* Sato,1997
1053. *Cleora tella tella* (West,1929) (Geometridae)
Synonym(s): *tella* West,1929
1054. *Cleora telloides* Sato,1989 (Geometridae) Synonym(s):
telloides Sato,1989
1055. *Comostola callista* West,1930 (Geometridae)
Synonym(s): *callista* West,1930
1056. *Comostola variifrons* (L.B.Prout,1917) (Geometridae)
Synonym(s): *variifrons* L.B.Prout,1917; *acteana* West,1930
1057. *Ctimene hieroglyphica* (Walker,[1865]) (Geometridae)
Synonym(s): *hieroglyphica* Walker,[1865]; *vestigata* Snellen,1881
1058. *Ctimene spilognota* L.B.Prout,1931 (Geometridae)
Synonym(s): *spilognota* L.B.Prout,1931
1059. *Dasyboarmia owadai* (Sato,1987) (Geometridae)
Synonym(s): *owadai* Sato,1987
1060. *Dasyboarmia subpilosa* (W.Warren,1894) (Geometridae) Synonym(s):
subpilosa W.Warren,1894; *instigata* L.B.Prout,1929
1061. *Dindica olivacea* Inoue,1990 (Geometridae)
Synonym(s): *olivacea* Inoue,1990
1062. *Doobia owadai* Yazaki,1986 (Geometridae)
Synonym(s): *owadai* Yazaki,1986
1063. *Dysphania glaucescens* (Walker,1862) (Geometridae)
Synonym(s): *glaucescens* Walker,1862; *regalis* Butler,1880; *lyra* Druce,1891; *semiflava* W.Warren,1895
1064. *Ecliptopera litterata* (West,1929) (Geometridae)
Synonym(s): *litterata* West,1929
1065. *Eois polycyma* (West,1930) (Geometridae) Synonym(s):
polycyma West,1930
1066. *Eretmopus marinaria* (Guenée,[1858]) (Geometridae)
Synonym(s): *marinaria* Guenée,[1858]; *penicillata* Walker,1861; *retensa* L.B.Prout,1931
1067. *Eucyclodes lepta* (West,1930) (Geometridae)
Synonym(s): *lepta* West,1930
1068. *Eucyclodes pagenstecheri* (Semper,1902) (Geometridae) Synonym(s):
pagenstecheri Semper,1902
1069. *Eugnesia correspondens* W.Warren,1897 (Geometridae) Synonym(s):
correspondens W.Warren,1897
1070. *Eumelea isozyges* L.B.Prout,1921 (Geometridae)
Synonym(s): *isozyges* L.B.Prout,1921
1071. *Eumelea lipara* West,1930 (Geometridae) Synonym(s):
lipara West,1930
1072. *Eumelea obesata* R.Felder & Rogenhofer,[1875] (Geometridae) Synonym(s):
obesata R.Felder & Rogenhofer,[1875]
1073. *Eumelea obesata obesata* R.Felder & Rogenhofer,[1875] (Geometridae) Synonym(s):
obesata R.Felder & Rogenhofer,[1875]
1074. *Eupithecia chlorophora* Swinhoe,1895 (Geometridae)
Synonym(s): *chlorophora* Swinhoe,1895; *basichlora* Warren,1899
1075. *Eupithecia dolia* West,1929 (Geometridae)
Synonym(s): *dolia* West,1929
1076. *Eupithecia spilocyma* L.B.Prout,1931 (Geometridae)
Synonym(s): *spilocyma* L.B.Prout,1931
1077. *Eupithecia wilemani* L.B.Prout,1931 (Geometridae)
Synonym(s): *wilemani* L.B.Prout,1931
1078. *Exeliopsis exelisia* (Semper,1901) (Geometridae)
Synonym(s): *exelisia* Semper,1901
1079. *Exodezia albifusa* (Swinhoe,1904) (Geometridae)
Synonym(s): *albifusa* Swinhoe,1904
1080. *Fascellina arcipotens* L.B.Prout,1931 (Geometridae)
Synonym(s): *arcipotens* L.B.Prout,1931
1081. *Fascellina castanea* Moore,1877 (Geometridae)
Synonym(s): *castanea* Moore,1877; *albidiscata* W.Warren,1894; *hypochryseis* Swinhoe,1894; *hypocausta* L.B.Prout,1931
1082. *Hemioplisis amoenaria* Pagenstecher,1890 (Geometridae) Synonym(s):
amoenaria Pagenstecher,1890
1083. *Hemithea melalopha* L.B.Prout,1931 (Geometridae)
Synonym(s): *melalopha* L.B.Prout,1931; *profecta* L.B.Prout,1935
1084. *Heteralex rectilineata* (Guenée,[1858]) (Geometridae)
Synonym(s): *rectilineata* Guenée,[1858]; *microneata* Walker,1862; *rarata* Walker,[1863]; *aspilatataria* Pagenstecher,1890
1085. *Heterolocha polymorpha* West,1929 (Geometridae)
Synonym(s): *polymorpha* West,1929
1086. *Heterostegane arcuata* (West,1929) (Geometridae)
Synonym(s): *arcuata* West,1929
1087. *Heterostegane insulata* W.Warren,1898 (Geometridae)
Synonym(s): *insulata* W.Warren,1898; *kuehni* W.Warren,1902; *galinaria* Swinhoe,1902; *deludens* W.Warren,1907; *retessellata* West,1929
1088. *Hydatocapnia fimbriata* Yazaki,1987 (Geometridae)
Synonym(s): *fimbriata* Yazaki,1987
1089. *Hypochrosis cadmica* Herbulot,1995 (Geometridae)
Synonym(s): *cadmica* Herbulot,1995
1090. *Hypochrosis flagrans* West,1929 (Geometridae)
Synonym(s): *flagrans* West,1929
1091. *Hypochrosis hyadaria* Guenée,[1858] (Geometridae)
Synonym(s): *hyadaria* Guenée,[1858]; *ignivorata* Walker,[1863]; *obliquaria* Moore,1888
1092. *Hypochrosis hyadaria annulata* Pagenstecher,1896 (Geometridae) Synonym(s):
annulata Pagenstecher,1896
1093. *Hypochrosis prouti* West,1929 (Geometridae)
Synonym(s): *prouti* West,1929
1094. *Hypochrosis subrufa* (Bastelberger,1909) (Geometridae) Synonym(s):
subrufa Bastelberger,1909; *sanguiniscripta* Herbulot,1985
1095. *Hypochrosis zoota* West,1929 (Geometridae)
Synonym(s): *zoota* West,1929
1096. *Hypocomete benguetana* Schultze,1910 (Geometridae)
Synonym(s): *benguetana* Schultze,1910
1097. *Hypomecis philippinensis* Sato,1996 (Geometridae)
Synonym(s): *philippinensis* Sato,1996
1098. *Hyposidra leucomela* (Walker,1866) (Geometridae)
Synonym(s): *leucomela* Walker,1866; *leptosoma* R.Felder & Rogenhofer,1875; *lactemaculata* W.Warren,1898; *nigrivincula* Schultze,1907
1099. *Hyposidra picaria* (Walker,1866) (Geometridae)
Synonym(s): *picaria* Walker,1866; *caesia* W.Warren,1897; *ruptifascia* W.Warren,1901; *lactiflua* L.B.Prout,1931
1100. *Hyposidra rauca* W.Warren,1905 (Geometridae)
Synonym(s): *rauca* W.Warren,1905
1101. *Hyposidra talaca* (Walker,1860) (Geometridae)
Synonym(s): *talaca* Walker,1860; *deceptatura* Walker,1860; *deciapiens* Walker,1860; *rigusaria* Walker,[1863]; *bombycaria* Walker,1866; *vampyraria* Snellen,1881; *myceterna* Druce,1889; *flaccida* Lucas,1894
1102. *Hyposidra unimacula* W.Warren,1907 (Geometridae)
Synonym(s): *unimacula* W.Warren,1907
1103. *Idaea diphyes* (L.B.Prout,1931) (Geometridae)
Synonym(s): *diphyes* L.B.Prout,1931
1104. *Idaea robusta* (W.Warren,1900) (Geometridae)
Synonym(s): *robusta* W.Warren,1900
1105. *Idaea themeropsis* (West,1930) (Geometridae)
Synonym(s): *themeropsis* West,1930
1106. *Idiodes noctuoides* (West,1929) (Geometridae)
Synonym(s): *noctuoides* West,1929
1107. *Idiodes simplaria* Pagenstecher,1890 (Geometridae)
Synonym(s): *simplaria* Pagenstecher,1890
1108. *Iridoplecta ochrias* West,1929 (Geometridae)
Synonym(s): *ochrias* West,1929

1109. *Jodis rectisecta* Herbulot, 1985 (Geometridae)
Synonym(s): *rectisecta* Herbulot, 1985
1110. *Jodis vicaria* Herbulot, 1985 (Geometridae)
Synonym(s): *vicaria* Herbulot, 1985
1111. *Lomographa anoxys* (Wehrli, 1936) (Geometridae)
Synonym(s): *anoxys* Wehrli, 1936
1112. *Lophophelma eucryphes* (West, 1930) (Geometridae)
Synonym(s): *eucryphes* West, 1930
1113. *Lophophelma eupines* (West, 1930) (Geometridae)
Synonym(s): *eupines* West, 1930
1114. *Luxiaria hapala* West, 1929 (Geometridae) Synonym(s): *hapala* West, 1929
1115. *Marobia philippinica* Sato, 1998 (Geometridae)
Synonym(s): *philippinica* Sato, 1998
1116. *Maxates insulsata* (W. Warren, 1897) (Geometridae)
Synonym(s): *insulsata* W. Warren, 1897
1117. *Maxates panterpna* (West, 1930) (Geometridae)
Synonym(s): *panterpna* West, 1930
1118. *Menophr subpilosa* (W. Warren, 1894) (Geometridae)
Synonym(s): *subpilosa* W. Warren, 1894; *instigata* L.B. Prout, 1929
1119. *Metallophia medullosa* Inoue, 1988 (Geometridae)
Synonym(s): *medullosa* Inoue, 1988
1120. *Microplutodes tristis* (Swinhoe, 1902) (Geometridae)
Synonym(s): *tristis* Swinhoe, 1902
1121. *Milionia coalescens* Semper, 1901 (Geometridae)
Synonym(s): *coalescens* Semper, 1901
1122. *Milionia coronifera* Semper, 1901 (Geometridae)
Synonym(s): *coronifera* Semper, 1901; *stellata* Semper, 1901; *pretiosa* Schultze, 1908
1123. *Milionia lamprobasis* Inoue, 1992 (Geometridae)
Synonym(s): *lamprobasis* Inoue, 1992
1124. *Milionia philippinensis* Rothschild, 1895 (Geometridae)
Synonym(s): *philippinensis* Rothschild, 1895
1125. *Mixochlora alternata* W. Warren, 1897 (Geometridae)
Synonym(s): *alternata* W. Warren, 1897
1126. *Myrioblephara simplaria* (Swinhoe, 1894) (Geometridae) Synonym(s): *simplaria* Swinhoe, 1894
1127. *Myrioblephara simplaria tranostigma* (Prout, 1931) (Geometridae) Synonym(s): *tranostigma* Prout, 1931
1128. *Odontopera luzonensis* (Wileman & South, 1917) (Geometridae) Synonym(s): *luzonensis* Wileman & South, 1917; *umbrina* West, 1929
1129. *Ornithospila bipunctata* L.B. Prout, 1916 (Geometridae)
Synonym(s): *bipunctata* L.B. Prout, 1916
1130. *Ornithospila succincta* L.B. Prout, 1917 (Geometridae)
Synonym(s): *succincta* L.B. Prout, 1917
1131. *Orthocabera minor* (West, 1929) (Geometridae)
Synonym(s): *minor* West, 1929
1132. *Orthocabera opalescens* (West, 1929) (Geometridae)
Synonym(s): *opalescens* West, 1929
1133. *Oxymacaria psilotes* (West, 1929) (Geometridae)
Synonym(s): *psilotes* West, 1929
1134. *Ozola hollowayi* Scoble & Sommerer, 1988 (Geometridae) Synonym(s): *hollowayi* Scoble & Sommerer, 1988
1135. *Ozola minor* (Moore, 1888) (Geometridae) Synonym(s): *minor* Moore, 1888; *leptogonia* Hampson, 1902
1136. *Ozola pica* Wileman & South, 1921 (Geometridae)
Synonym(s): *pica* Wileman & South, 1921
1137. *Ozola pyraloides* West, 1930 (Geometridae)
Synonym(s): *pyraloides* West, 1930
1138. *Ozola turlini* Herbulot, 1985 (Geometridae)
Synonym(s): *turlini* Herbulot, 1985
1139. *Paramaxates inornata* Yazaki, 1988 (Geometridae)
Synonym(s): *inornata* Yazaki, 1988
1140. *Parasyngia defixaria* (West, 1929) (Geometridae)
Synonym(s): *defixaria* West, 1929
1141. *Pasiphilodes fractiscripta* (L.B. Prout, 1958) (Geometridae) Synonym(s): *fractiscripta* L.B. Prout, 1958
1142. *Perixera penumbrata* (W. Warren, 1895) (Geometridae)
Synonym(s): *penumbrata* W. Warren, 1895
1143. *Perixera sabulosa* (W. Warren, 1895) (Geometridae)
Synonym(s): *sabulosa* W. Warren, 1895
1144. *Photoscotia miniosata* (Walker, 1862) (Geometridae)
Synonym(s): *miniosata* Walker, 1862
1145. *Photoscotia miniosata cupha* L.B. Prout, 1931 (Geometridae) Synonym(s): *cupha* L.B. Prout, 1931
1146. *Phthonoloba permista* (L.B. Prout, 1958) (Geometridae)
Synonym(s): *permista* L.B. Prout, 1958
1147. *Pingasa manilensis* L.B. Prout, 1916 (Geometridae)
Synonym(s): *manilensis* L.B. Prout, 1916
1148. *Platycerota crinita* W. Warren, 1897 (Geometridae)
Synonym(s): *crinita* W. Warren, 1897
1149. *Plutodes pulcherrima* West, 1929 (Geometridae)
Synonym(s): *pulcherrima* West, 1929
1150. *Poeciassthenia prouti* West, 1929 (Geometridae)
Synonym(s): *prouti* West, 1929
1151. *Prasinocyma peristicta* West, 1930 (Geometridae)
Synonym(s): *peristicta* West, 1930
1152. *Problepsis apollinaria* (Guenée, [1858]) (Geometridae)
Synonym(s): *apollinaria* Guenée, [1858]
1153. *Problepsis apollinaria wilemani* West, 1930 (Geometridae) Synonym(s): *wilemani* West, 1930
1154. *Pseudeuchromia ampliflava* (Semper, 1901) (Geometridae) Synonym(s): *ampliflava* Semper, 1901
1155. *Pseudeuchromia maculifera* (R. Felder & Rogenhofer, 1875) (Geometridae) Synonym(s): *maculifera* R. Felder & Rogenhofer, 1875; *adaucta* W. Warren, 1897; *septemnotata* W. Warren, 1897; *curzola* Swinhoe, 1902; *catachroma* Schultze, 1907; *chrysaugina* Bastelberger, 1907
1156. *Pseudobraccia biplagiata* (Semper, 1901) (Geometridae)
Synonym(s): *biplagiata* Semper, 1901
1157. *Pseudobraccia imitatrix* W. Warren, 1895 (Geometridae)
Synonym(s): *imitatrix* W. Warren, 1895; *latimargo* Semper, 1901
1158. *Pseudobraccia rotundimacula* (W. Warren, 1897) (Geometridae) Synonym(s): *rotundimacula* W. Warren, 1897
1159. *Pseudopolynesia amplificata* (Walker, 1861) (Geometridae) Synonym(s): *amplificata* Walker, 1861
1160. *Psilalcis bani* Sato, 1998 (Geometridae) Synonym(s): *bani* Sato, 1998
1161. *Psilalcis luzonica* Sato, 1998 (Geometridae)
Synonym(s): *luzonica* Sato, 1998
1162. *Racotis fortijuxta* Sato, 1995 (Geometridae)
Synonym(s): *fortijuxta* Sato, 1995
1163. *Racotis luzonensis* Sato, 1995 (Geometridae)
Synonym(s): *luzonensis* Sato, 1995
1164. *Rhanidopsis neophantes* West, 1930 (Geometridae)
Synonym(s): *neophantes* West, 1930
1165. *Rhanidopsis neophantes* West, 1930 (Geometridae)
Synonym(s): *neophantes* West, 1930
1166. *Ruttellerona pulverulenta* (W. Warren, 1897) (Geometridae) Synonym(s): *pulverulenta* W. Warren, 1897
1167. *Sarcinodes flavicans* Yazaki, 1988 (Geometridae)
Synonym(s): *flavicans* Yazaki, 1988
1168. *Sarcinodes luzonensis* Wileman & South, 1917 (Geometridae) Synonym(s): *luzonensis* Wileman & South, 1917
1169. *Sarcinodes sumatrarius* (Walker, 1866) (Geometridae)
Synonym(s): *sumatraria* Walker, 1866
1170. *Sarcinodes variabilis* Yazaki, 1988 (Geometridae)
Synonym(s): *variabilis* Yazaki, 1988
1171. *Satoblephara karsholti* Sato, 1990 (Geometridae)
Synonym(s): *karsholti* Sato, 1990
1172. *Satoblephara luzonensis* Sato, 1990 (Geometridae)
Synonym(s): *luzonensis* Sato, 1990
1173. *Sauris marginepunctata* (W. Warren, 1899) (Geometridae) Synonym(s): *marginepunctata* W. Warren, 1899; *plagulata* Bastelberger, 1911
1174. *Scopula adeptaria* (Walker, 1861) (Geometridae)
Synonym(s): *adeptaria* Walker, 1861; *eximia* W. Warren, 1898; *tenuipes* Turner, 1914; *tainanensis* Wileman & South, 1917
1175. *Scopula annularia* (Swinhoe, 1890) (Geometridae)
Synonym(s): *nigropunctata* Guenée, [1858] nec Hfn., 1767; *annularia* Swinhoe, 1890; *reducta* Rothschild, 1920
1176. *Scopula attentata* (Walker, 1861) (Geometridae)
Synonym(s): *attentata* Walker, 1861
1177. *Scopula benguetensis* L.B. Prout, 1931 (Geometridae)
Synonym(s): *benguetensis* L.B. Prout, 1931
1178. *Scopula caeria* L.B. Prout, 1938 (Geometridae)
Synonym(s): *caeria* L.B. Prout, 1938

1179. *Scopula desita* (Walker, 1861) (Geometridae)
Synonym(s): *desita* Walker, 1861; *vibrata* Lucas, 1900
1180. *Scopula desita luzonica* L.B. Prout, 1931 (Geometridae)
Synonym(s): *luzonica* L.B. Prout, 1931
1181. *Scopula opicata* (Fabricius, 1798) (Geometridae)
Synonym(s): *opicata* Fabricius, 1798; *infantularia* Guenée, [1858]; *vanaria* Walker, 1861
1182. *Scopula pulchellata* (Fabricius, 1794) (Geometridae)
Synonym(s): *pulchellata* Fabricius, 1794; *nictata* Guenée, [1858]; *metaspilaria* Walker, 1861; *ligataria* Walker, 1861; *spatiosaria* Walker, 1866; *grandicularia* Swinhoe, 1886; *spilodorsata* Warren, 1895; *discata* Warren, 1897; *obdiscata* Prout, 1938; *spilotis* Prout, 1938; *cosmeta* Prout, 1938
1183. *Scopula pulchellata semperi* L.B. Prout, 1938 (Geometridae) Synonym(s): *semperi* L.B. Prout, 1938
1184. *Scopula succrassula* L.B. Prout, 1931 (Geometridae)
Synonym(s): *succrassula* L.B. Prout, 1931
1185. *Spaniocentra agathoides* Prout, 1931 (Geometridae)
Synonym(s): *agathoides* Prout, 1931
1186. *Spaniocentra apatella* West, 1930 (Geometridae)
Synonym(s): *apatella* West, 1930
1187. *Syncosmia craspedozona* (L.B. Prout, 1958) (Geometridae) Synonym(s): *craspedozona* L.B. Prout, 1958
1188. *Syncosmia craspedozona venata* (L.B. Prout, 1958) (Geometridae) Synonym(s): *venata* L.B. Prout, 1958
1189. *Synegia assimilis* (West, 1929) (Geometridae)
Synonym(s): *assimilis* West, 1929
1190. *Synegia correspondens* (W. Warren, 1897) (Geometridae) Synonym(s): *correspondens* W. Warren, 1897
1191. *Synegia decolorata* (W. Warren, 1903) (Geometridae)
Synonym(s): *decolorata* W. Warren, 1903; *nigritibiata* West, 1929
1192. *Synegia saturata* (West, 1929) (Geometridae)
Synonym(s): *saturata* West, 1929
1193. *Tanaorhinus philippinensis* Yazaki, 1995 (Geometridae)
Synonym(s): *philippinensis* Yazaki, 1995
1194. *Tanaorhinus waterstradti* L.B. Prout, 1933 (Geometridae) Synonym(s): *waterstradti* L.B. Prout, 1933
1195. *Thalassodes pantascia* West, 1930 (Geometridae)
Synonym(s): *pantascia* West, 1930
1196. *Timandra convectaria* Walker, 1861 (Geometridae)
Synonym(s): *convectaria* Walker, 1861
1197. *Timandra convectaria baguionis* (L.B. Prout, 1938) (Geometridae) Synonym(s): *baguionis* L.B. Prout, 1938
1198. *Trichopterigia sanguinipunctata* (W. Warren, 1893) (Geometridae) Synonym(s): *sanguinipunctata* W. Warren, 1893; *pulcherrima* Swinhoe, 1893; *exsanguis* Prout, 1958
1199. *Triphosa acyrota* L.B. Prout, 1941 (Geometridae)
Synonym(s): *acyrota* L.B. Prout, 1941
1200. *Triphosa macropora* L.B. Prout, 1941 (Geometridae)
Synonym(s): *macropora* L.B. Prout, 1941
1201. *Tristeirometa benguetana* (Schultze, 1910) (Geometridae) Synonym(s): *benguetana* Schultze, 1910
1202. *Xandrames postmarginata* Wileman & South, 1917 (Geometridae) Synonym(s): *postmarginata* Wileman & South, 1917
1203. *Xanthorhoe dissociata* W. Warren, 1897 (Geometridae)
Synonym(s): *dissociata* W. Warren, 1897
1204. *Xenortholita propinguata* (Kollar, [1844]) (Geometridae) Synonym(s): *propinguata* Kollar, [1844]
1205. *Xenortholita propinguata superlata* (L.B. Prout, 1922) (Geometridae) Synonym(s): *superlata* L.B. Prout, 1922; *euchora* West, 1929
1206. *Zamarada hildebrandi* Herbulot, 1979 (Geometridae)
Synonym(s): *hildebrandi* Herbulot, 1979
1207. *Zamarada hildebrandi moderata* Herbulot, 1985 (Geometridae) Synonym(s): *moderata* Herbulot, 1985
1208. *Zamarada nesiotica* D.S. Fletcher, 1974 (Geometridae)
Synonym(s): *nesiotica* D.S. Fletcher, 1974
1209. *Zyθος clypeata* Yazaki, 1996 (Geometridae)
Synonym(s): *clypeata* Yazaki, 1996
1210. *Zyθος modesta* Yazaki, 1996 (Geometridae)
Synonym(s): *modesta* Yazaki, 1996
1211. *Cameraria palawanensis* Kumata, 1995 (Gracillariidae)
Synonym(s): *palawanensis* Kumata, 1995
1212. *Cameraria philippinensis* Kumata, 1995 (Gracillariidae)
Synonym(s): *philippinensis* Kumata, 1995
1213. *Cameraria pongamiae* Kumata, 1993 (Gracillariidae)
Synonym(s): *pongamiae* Kumata, 1993
1214. *Conopomorpha cramerella* Snellen, 1904 (Gracillariidae) Synonym(s): *cramerella* Snellen, 1904
1215. *Ketapangia regulifera* (Meyrick, 1933) (Gracillariidae)
Synonym(s): *regulifera* Meyrick, 1933
1216. *Neolithocolletis pentadesma* (Meyrick, 1919) (Gracillariidae) Synonym(s): *pentadesma* Meyrick, 1919
1217. *Phyllocnistis citrella* Stainton, 1856 (Gracillariidae)
Synonym(s): *citrella* Stainton, 1856; *minutella* Van Deventer, 1904; *citricola* Shiraki, 1913
1218. *Phyllonorycter conista* (Meyrick, 1911) (Gracillariidae)
Synonym(s): *conista* Meyrick, 1911; *clarisona* Meyrick, 1916
1219. *Phyllonorycter luzonica* Kumata, 1995 (Gracillariidae)
Synonym(s): *luzonica* Kumata, 1995
1220. *Phyllonorycter triarcha* (Meyrick, 1908) (Gracillariidae) Synonym(s): *triarcha* Meyrick, 1908
1221. *Porphyrosela dorinda* (Meyrick, 1912) (Gracillariidae)
Synonym(s): *dorinda* Meyrick, 1912
1222. *Endocrita williamsi* Tindale, 1958 (Hepialidae)
Synonym(s): *williamsi* Tindale, 1958
1223. *Acerbas anthea* (Hewitson, 1868) (Hesperiidae)
Synonym(s): *anthea* Hewitson, 1868; *ciliatus* Butler, 1877; *tagiadoides* Elwes & Edwards, 1897
1224. *Acerbas anthea anthea* (Hewitson, 1868) (Hesperiidae)
Synonym(s): *anthea* Hewitson, 1868; *ciliatus* Butler, 1877; *tagiadoides* Elwes & Edwards, 1897
1225. *Acerbas anthea luzona* De Jong, 1982 (Hesperiidae)
Synonym(s): *luzona* De Jong, 1982
1226. *Acerbas duris* (Mabille, 1883) (Hesperiidae)
Synonym(s): *duris* Mabille, 1883; *mabillei* Semper, 1892
1227. *Acerbas duris duris* (Mabille, 1883) (Hesperiidae)
Synonym(s): *duris* Mabille, 1883; *mabillei* Semper, 1892
1228. *Aeromachus muscus* Mabille, 1876 (Hesperiidae)
Synonym(s): *muscus* Mabille, 1876
1229. *Aeromachus muscus muscus* Mabille, 1876 (Hesperiidae) Synonym(s): *muscus* Mabille, 1876
1230. *Aeromachus plumbeolus* (C. Felder & R. Felder, 1867) (Hesperiidae) Synonym(s): *plumbeolus* C. Felder & R. Felder, 1867
1231. *Aeromachus plumbeolus plumbeolus* (C. Felder & R. Felder, 1867) (Hesperiidae) Synonym(s): *plumbeolus* C. Felder & R. Felder, 1867
1232. *Ancistroides nigrita* (Latreille, 1824) (Hesperiidae)
Synonym(s): *nigrita* Latreille, 1824
1233. *Ancistroides nigrita fumatus* Mabille, 1876 (Hesperiidae) Synonym(s): *fumatus* Mabille, 1876
1234. *Badamia exclamatoris* (Fabricius, 1775) (Hesperiidae)
Synonym(s): *exclamatoris* Fabricius, 1775; *ladon* Cramer, [1780]; *ericus* Fabricius, 1798 *nec* Fabricius, 1793; *forulus* Hübner, [1819]; *thymbron* Felder, 1860.
1235. *Badamia exclamatoris exclamatoris* (Fabricius, 1775) (Hesperiidae) Synonym(s): *exclamatoris* Fabricius, 1775; *ladon* Cramer, [1780]; *ericus* Fabricius, 1798 *nec* Fabricius, 1793; *forulus* Hübner, [1819]; *thymbron* Felder, 1860.
1236. *Baoris oceia* (Hewitson, 1868) (Hesperiidae)
Synonym(s): *oceia* Hewitson, 1868
1237. *Baoris oceia oceia* (Hewitson, 1868) (Hesperiidae)
Synonym(s): *oceia* Hewitson, 1868
1238. *Bibasis etelka* (Hewitson, [1867]) (Hesperiidae)
Synonym(s): *etelka* Hewitson, [1867]
1239. *Bibasis etelka etelka* (Hewitson, [1867]) (Hesperiidae)
Synonym(s): *etelka* Hewitson, [1867]
1240. *Bibasis gomata* (Moore, [1866]) (Hesperiidae)
Synonym(s): *gomata* Moore, [1866]
1241. *Bibasis gomata lorquini* Mabille, 1876 (Hesperiidae)
Synonym(s): *lorquini* Mabille, 1876
1242. *Bibasis harisa* (Moore, 1865) (Hesperiidae)
Synonym(s): *harisa* Moore, 1865; *asambha* Fruhstorfer, 1911
1243. *Bibasis harisa consobrina* (Plötz, [1883]) (Hesperiidae)
Synonym(s): *consobrina* Plötz, 1884; *moncada*

- Fruhstorfer, 1911; crinatha Fruhstorfer, 1911; distanti Evans, 1932.*
- 1244. Bibasis harisa grandis De Jong & Treadaway, 1993** (Hesperiidae) Synonym(s): *grandis De Jong & Treadaway, 1993*
- 1245. Bibasis harisa pala De Jong & Treadaway, 1993** (Hesperiidae) Synonym(s): *pala De Jong & Treadaway, 1993*
- 1246. Bibasis oedipodea (Swainson, 1820)** (Hesperiidae) Synonym(s): *oedipodea Swainson, 1820*
- 1247. Bibasis oedipodea oedipodea (Swainson, 1820)** (Hesperiidae) Synonym(s): *oedipodea Swainson, 1820*
- 1248. Bibasis oedipodea paltra Evans, 1949** (Hesperiidae) Synonym(s): *paltra Evans, 1949*
- 1249. Bibasis phul (Mabille, 1876)** (Hesperiidae) Synonym(s): *phul Mabille, 1876; tolo Plötz, 1881; lusca Swinhoe, 1907.*
- 1250. Bibasis phul phul (Mabille, 1876)** (Hesperiidae) Synonym(s): *phul Mabille, 1876; tolo Plötz, 1881; lusca Swinhoe, 1907.*
- 1251. Bibasis sena (Moore, [1866])** (Hesperiidae) Synonym(s): *sena Moore, [1866]*
- 1252. Bibasis sena palawana (Staudinger, 1889)** (Hesperiidae) Synonym(s): *palawana Staudinger, 1889*
- 1253. Borbo cinnara (Wallace, 1866)** (Hesperiidae) Synonym(s): *cinnara Wallace, 1866*
- 1254. Borbo cinnara cinnara (Wallace, 1866)** (Hesperiidae) Synonym(s): *cinnara Wallace, 1866*
- 1255. Caltoris bromus Leech, 1894** (Hesperiidae) Synonym(s): *bromus Leech, 1894; reducta Evans, 1932*
- 1256. Caltoris bromus bromus Leech, 1894** (Hesperiidae) Synonym(s): *bromus Leech, 1894; reducta Evans, 1932*
- 1257. Caltoris brunnea (Snellen, 1876)** (Hesperiidae) Synonym(s): *brunnea Snellen, 1876*
- 1258. Caltoris brunnea caere De Nicéville, 1891** (Hesperiidae) Synonym(s): *caere De Nicéville, 1891*
- 1259. Caltoris cormasa (Hewitson, 1876)** (Hesperiidae) Synonym(s): *cormasa Hewitson, 1876; moolata Moore, 1878; dravida Mabille, 1878*
- 1260. Caltoris cormasa cormasa (Hewitson, 1876)** (Hesperiidae) Synonym(s): *cormasa Hewitson, 1876; moolata Moore, 1878; dravida Mabille, 1878*
- 1261. Caltoris philippina (Herrich-Schäffer, 1869)** (Hesperiidae) Synonym(s): *philippina Herrich-Schäffer, 1869; seriata Moore, 1878; belli Evans, 1932*
- 1262. Caltoris philippina philippina (Herrich-Schäffer, 1869)** (Hesperiidae) Synonym(s): *philippina Herrich-Schäffer, 1869; seriata Moore, 1878; belli Evans, 1932*
- 1263. Celaenorrhinus asmara (Butler, [1879])** (Hesperiidae) Synonym(s): *asmara Butler, [1879]; goto Mabille, 1883; milinda Fruhstorfer, 1909; ayata Fruhstorfer, 1909*
- 1264. Celaenorrhinus asmara palajava (Staudinger, 1889)** (Hesperiidae) Synonym(s): *palajava Staudinger, 1889*
- 1265. Celaenorrhinus bazilanus Fruhstorfer, 1909** (Hesperiidae) Synonym(s): *bazilanus Fruhstorfer, 1909*
- 1266. Celaenorrhinus bazilanus bazilanus Fruhstorfer, 1909** (Hesperiidae) Synonym(s): *bazilanus Fruhstorfer, 1909*
- 1267. Celaenorrhinus ficulnea Hewitson, 1868** (Hesperiidae) Synonym(s): *ficulnea Hewitson, 1868; signata Druce, 1873*
- 1268. Celaenorrhinus ficulnea ficulnea Hewitson, 1868** (Hesperiidae) Synonym(s): *ficulnea Hewitson, 1868; signata Druce, 1873*
- 1269. Celaenorrhinus halconis De Jong & Treadaway, 1993** (Hesperiidae) Synonym(s): *halconis De Jong & Treadaway, 1993.*
- 1270. Celaenorrhinus nigricans De Nicéville, 1885** (Hesperiidae) Synonym(s): *nigricans De Nicéville, 1885*
- 1271. Celaenorrhinus nigricans mindanus De Jong, 1981** (Hesperiidae) Synonym(s): *mindanus De Jong, 1981*
- 1272. Celaenorrhinus putra Moore, 1865** (Hesperiidae) Synonym(s): *putra Moore, 1865*
- 1273. Celaenorrhinus putra brahmaputra Elwes & Edwards, 1897** (Hesperiidae) Synonym(s): *brahmaputra Elwes & Edwards, 1897*
- 1274. Celaenorrhinus treadawayi De Jong, 1981** (Hesperiidae) Synonym(s): *treadawayi De Jong, 1981*
- 1275. Celaenorrhinus treadawayi samarensis De Jong, 1981** (Hesperiidae) Synonym(s): *samarensis De Jong, 1981*
- 1276. Cephrenes acalle (Hopffer, 1874)** (Hesperiidae) Synonym(s): *acalle Hopffer, 1874*
- 1277. Cephrenes acalle chrysozona Plötz, 1883** (Hesperiidae) Synonym(s): *chrysozona Plötz, 1883; negrosiana Fruhstorfer, 1911*
- 1278. Cephrenes acalle kliana Evans, 1934** (Hesperiidae) Synonym(s): *kliana Evans, 1934*
- 1279. Choaspes benjaminii (Guérin-Ménéville, 1843)** (Hesperiidae) Synonym(s): *benjaminii Guérin-Ménéville, 1843*
- 1280. Choaspes benjaminii formosanus (Fruhstorfer, 1911)** (Hesperiidae) Synonym(s): *formosanus Fruhstorfer, 1911*
- 1281. Choaspes estrellus De Jong, 1980** (Hesperiidae) Synonym(s): *estrellus De Jong, 1980*
- 1282. Choaspes estrellus estrellus De Jong, 1980** (Hesperiidae) Synonym(s): *estrellus De Jong, 1980*
- 1283. Choaspes estrellus pallens Schröder & Treadaway, 1986** (Hesperiidae) Synonym(s): *pallens Schröder & Treadaway, 1986*
- 1284. Choaspes hemixanthus Rothschild, 1903** (Hesperiidae) Synonym(s): *hemixanthus Rothschild, 1903*
- 1285. Choaspes hemixanthus furcatus Evans, 1932** (Hesperiidae) Synonym(s): *furcatus Evans, 1932*
- 1286. Choaspes plateni Staudinger, 1888** (Hesperiidae) Synonym(s): *plateni Staudinger, 1888*
- 1287. Choaspes plateni adhara Fruhstorfer, 1911** (Hesperiidae) Synonym(s): *adhara Fruhstorfer, 1911*
- 1288. Choaspes plateni boreus De Jong & Treadaway, 1993** (Hesperiidae) Synonym(s): *boreus De Jong & Treadaway, 1993*
- 1289. Choaspes plateni caudatus Evans, 1932** (Hesperiidae) Synonym(s): *caudatus Evans, 1932*
- 1290. Choaspes plateni negrosa De Jong & Treadaway, 1993** (Hesperiidae) Synonym(s): *De Jong & Treadaway, 1993*
- 1291. Choaspes plateni visaya De Jong, 1990** (Hesperiidae) Synonym(s): *visaya De Jong, 1990*
- 1292. Choaspes subcaudatus (C.Felder & R.Felder, [1867])** (Hesperiidae) Synonym(s): *subcaudatus C.Felder & R.Felder, [1867]*
- 1293. Choaspes subcaudatus crawfurdi Distant, 1886** (Hesperiidae) Synonym(s): *crawfurdi Distant, 1886*
- 1294. Coladenia igna Semper, 1892** (Hesperiidae) Synonym(s): *igna Semper, 1892; sadakoe Sonan, 1936*
- 1295. Coladenia igna igna Semper, 1892** (Hesperiidae) Synonym(s): *igna Semper, 1892; sadakoe Sonan, 1936*
- 1296. Coladenia igna marinda De Jong & Treadaway, 1992** (Hesperiidae) Synonym(s): *marinda De Jong & Treadaway, 1992*
- 1297. Coladenia minor Chiba, 1991** (Hesperiidae) Synonym(s): *minor Chiba, 1991*
- 1298. Coladenia minor minor Chiba, 1991** (Hesperiidae) Synonym(s): *minor Chiba, 1991*
- 1299. Coladenia ochracea De Jong & Treadaway, 1992** (Hesperiidae) Synonym(s): *ochracea De Jong & Treadaway, 1992*
- 1300. Coladenia ochracea ochracea De Jong & Treadaway, 1992** (Hesperiidae) Synonym(s): *ochracea De Jong & Treadaway, 1992*
- 1301. Coladenia palawana (Staudinger, 1889)** (Hesperiidae) Synonym(s): *palawana Staudinger, 1889*
- 1302. Coladenia palawana palawana (Staudinger, 1889)** (Hesperiidae) Synonym(s): *palawana Staudinger, 1889*
- 1303. Coladenia semperi Elwes & Edwards, 1897** (Hesperiidae) Synonym(s): *semperi Elwes & Edwards, 1897*
- 1304. Coladenia semperi semperi Elwes & Edwards, 1897** (Hesperiidae) Synonym(s): *semperi Elwes & Edwards, 1897*
- 1305. Coladenia similis De Jong & Treadaway, 1992** (Hesperiidae) Synonym(s): *similis De Jong & Treadaway, 1992*
- 1306. Coladenia similis similis De Jong & Treadaway, 1992** (Hesperiidae) Synonym(s): *similis De Jong & Treadaway, 1992*
- 1307. Darpa pteris (Hewitson, 1868)** (Hesperiidae) Synonym(s): *pteris Hewitson, 1868*
- 1308. Darpa pteris dealbata (Distant, 1886)** (Hesperiidae) Synonym(s): *dealbata Distant, 1886*

1309. *Darpa pteria pteria* (Hewitson,1868) (Hesperiidae)
Synonym(s): *pteria* Hewitson,1868
1310. *Erionota acroleucus* Wood-Mason & De Nicéville,1881 (Hesperiidae) Synonym(s): *acroleucus* Wood-Mason & De Nicéville,1881; *lara* Swinhoe,1890
1311. *Erionota acroleucus apex* Semper,1892 (Hesperiidae)
Synonym(s): *apex* Semper,1892
1312. *Erionota hiraca* Moore,1881 (Hesperiidae)
Synonym(s): *hiraca* Moore,1881
1313. *Erionota hiraca apex* Semper,1892 (Hesperiidae)
Synonym(s): *apex* Semper,1892; *apicalis* Evans,1932
1314. *Erionota surprisa* De Jong & Treadaway,1992 (Hesperiidae) Synonym(s): *surprisa* De Jong & Treadaway,1992
1315. *Erionota surprisa surprisa* De Jong & Treadaway,1992 (Hesperiidae) Synonym(s): *surprisa* De Jong & Treadaway,1992
1316. *Erionota sybirita* Hewitson,1876 (Hesperiidae)
Synonym(s): *sybirita* Hewitson,1876; *mabiliei* Staudinger,1889
1317. *Erionota sybirita sybirita* Hewitson,1876 (Hesperiidae)
Synonym(s): *sybirita* Hewitson,1876; *mabiliei* Staudinger,1889
1318. *Erionota thrax* (Linnaeus,1767) (Hesperiidae)
Synonym(s): *thrax* Linnaeus,1767
1319. *Erionota thrax alexandra* Semper,1892 (Hesperiidae)
Synonym(s): *alexandra* Semper,1892
1320. *Erionota thrax mindana* Evans,1941 (Hesperiidae)
Synonym(s): *mindana* Evans,1941
1321. *Erionota thrax thrax* (Linnaeus,1767) (Hesperiidae)
Synonym(s): *thrax* Linnaeus,1767
1322. *Erionota torus* Evans,1941 (Hesperiidae) Synonym(s): *torus* Evans,1941
1323. *Erionota torus torus* Evans,1941 (Hesperiidae)
Synonym(s): *torus* Evans,1941
1324. *Gangara lebadea* Hewitson,1886 (Hesperiidae)
Synonym(s): *lebadea* Hewitson,1886; *glandulosa* Distant,1886
1325. *Gangara lebadea janlourensi* Schröder & Treadaway,1987 (Hesperiidae) Synonym(s): *janlourensi* Schröder & Treadaway,1987
1326. *Gangara lebadea ustini* Treadaway & Nuyda,1995 (Hesperiidae) Synonym(s): *ustini* Treadaway & Nuyda,1995
1327. *Gangara thyrsis* (Fabricius,1775) (Hesperiidae)
Synonym(s): *thyrsis* Fabricius,1775; *pandia* Moore,1857; *yasodara* Fruhstorfer,1910; *hainana* Sonan,1920
1328. *Gangara thyrsis magnificens* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *magnificens* De Jong & Treadaway,1993
1329. *Gangara thyrsis philippensis* Fruhstorfer,1910 (Hesperiidae) Synonym(s): *philippensis* Fruhstorfer,1910
1330. *Gangara thyrsis thyrsis* (Fabricius,1775) (Hesperiidae)
Synonym(s): *thyrsis* Fabricius,1775; *pandia* Moore,1857; *yasodara* Fruhstorfer,1910; *hainana* Sonan,1920
1331. *Gerosis corona* (Semper,1892) (Hesperiidae)
Synonym(s): *corona* Semper,1892
1332. *Gerosis corona corona* (Semper,1892) (Hesperiidae)
Synonym(s): *corona* Semper,1892
1333. *Gerosis corona halcona* Treadaway & Nuyda,1995 (Hesperiidae) Synonym(s): *halcona* Treadaway & Nuyda,1995
1334. *Gerosis limax* (Plötz,1884) (Hesperiidae) Synonym(s): *limax* Plötz,1884; *visana* Fruhstorfer,1910
1335. *Gerosis limax philippina* Evans,1932 (Hesperiidae)
Synonym(s): *philippina* Evans,1932
1336. *Halpe dante* Evans,1949 (Hesperiidae) Synonym(s): *dante* Evans,1949
1337. *Halpe dante dante* Evans,1949 (Hesperiidae)
Synonym(s): *dante* Evans,1949
1338. *Halpe dante luzona* Evans,1949 (Hesperiidae)
Synonym(s): *luzona* Evans,1949
1339. *Halpe dante tilia* Evans,1949 (Hesperiidae)
Synonym(s): *tilia* Evans,1949
1340. *Halpe inconspicua* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *inconspicua* De Jong & Treadaway,1993
1341. *Halpe inconspicua inconspicua* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *inconspicua* De Jong & Treadaway,1993
1342. *Halpe latipinna* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *latipinna* De Jong & Treadaway,1993
1343. *Halpe latipinna latipinna* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *latipinna* De Jong & Treadaway,1993
1344. *Halpe luteisquama* (Mabille,1876) (Hesperiidae)
Synonym(s): *luteisquama* Mabille,1876; *bazilana* Fruhstorfer,1911
1345. *Halpe luteisquama luteisquama* (Mabille,1876) (Hesperiidae) Synonym(s): *luteisquama* Mabille,1876; *bazilana* Fruhstorfer,1911
1346. *Halpe mahapara* Fruhstorfer,1911 (Hesperiidae)
Synonym(s): *mahapara* Fruhstorfer,1911
1347. *Halpe mahapara mahapara* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *mahapara* Fruhstorfer,1911
1348. *Halpe palawea* (Staudinger,1889) (Hesperiidae)
Synonym(s): *palawea* Staudinger,1889
1349. *Halpe palawea palawea* (Staudinger,1889) (Hesperiidae) Synonym(s): *palawea* Staudinger,1889
1350. *Halpe pelethronix* Fruhstorfer,1910 (Hesperiidae)
Synonym(s): *pelethronix* Fruhstorfer,1910; *limbanga* Evans,1932
1351. *Halpe pelethronix pelethronix* Fruhstorfer,1910 (Hesperiidae) Synonym(s): *pelethronix* Fruhstorfer,1910; *limbanga* Evans,1932
1352. *Halpe purpurascens* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *purpurascens* De Jong & Treadaway,1993
1353. *Halpe sulphurifera* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *sulphurifera* Herrich-Schäffer,1869; *joloana* Fruhstorfer,1911.
1354. *Halpe sulphurifera sulphurifera* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *sulphurifera* Herrich-Schäffer,1869; *joloana* Fruhstorfer,1911.
1355. *Halpe toxopea* Evans,1932 (Hesperiidae) Synonym(s): *toxopea* Evans,1932
1356. *Halpe toxopea toxopea* Evans,1932 (Hesperiidae)
Synonym(s): *toxopea* Evans,1932
1357. *Hasora (Discolor-gr.) borneensis* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *borneensis* Elwes & Edwards,1897
1358. *Hasora (Discolor-gr.) borneensis luza* Evans,1949 (Hesperiidae) Synonym(s): *luza* Evans,1949
1359. *Hasora (Lizetta-gr.) proxissima* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *proxissima* Elwes & Edwards,1897
1360. *Hasora (Lizetta-gr.) proxissima proxissima* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *proxissima* Elwes & Edwards,1897
1361. *Hasora (Lizetta-gr.) proxissima siva* Evans,1932 (Hesperiidae) Synonym(s): *siva* Evans,1932
1362. *Hasora (Mixta-gr.) badra* (Moore,1858) (Hesperiidae)
Synonym(s): *badra* Moore,1858; *certhia* Plötz,1884; *godana* Fruhstorfer,1911; *sankarya* Fruhstorfer,1911.
1363. *Hasora (Mixta-gr.) badra badra* (Moore,1858) (Hesperiidae) Synonym(s): *badra* Moore,1858; *certhia* Plötz,1884; *godana* Fruhstorfer,1911; *sankarya* Fruhstorfer,1911.
1364. *Hasora (Mixta-gr.) mixta* (Mabille,1876) (Hesperiidae)
Synonym(s): *mixta* Mabille,1876; *cirta* Fruhstorfer,1911
1365. *Hasora (Mixta-gr.) mixta mixta* (Mabille,1876) (Hesperiidae) Synonym(s): *mixta* Mabille,1876; *cirta* Fruhstorfer,1911
1366. *Hasora (Mixta-gr.) mixta prabha* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *prabha* Fruhstorfer,1911; *lioneli* Fruhstorfer,1911; *tyrius* Fruhstorfer,1911; *yanuna* Fruhstorfer,1911.
1367. *Hasora (Mixta-gr.) moestissima* (Mabille,1876) (Hesperiidae) Synonym(s): *moestissima* Mabille,1876
1368. *Hasora (Mixta-gr.) moestissima moestissima* (Mabille,1876) (Hesperiidae) Synonym(s): *moestissima* Mabille,1876

- 1369. Hasora (Mixta-gr.) quadripunctata (Mabille,1876)** (Hesperiidae) Synonym(s): *quadripunctata* Mabille,1876
- 1370. Hasora (Mixta-gr.) quadripunctata gnaeus Plötz,1884** (Hesperiidae) Synonym(s): *gnaeus* Plötz,1884; *madatta* Fruhstorfer,1911
- 1371. Hasora (Mixta-gr.) vitta (Butler,1870)** (Hesperiidae) Synonym(s): *vitta* Butler,1870; *chabrona* Plötz,1884.
- 1372. Hasora (Mixta-gr.) vitta proximata Staudinger,1889** (Hesperiidae) Synonym(s): *proximata* Staudinger,1889; *pathana* Fruhstorfer,1911.
- 1373. Hasora (Thridas-gr.) khoda (Mabille,1876)** (Hesperiidae) Synonym(s): *khoda* Mabille,1876
- 1374. Hasora (Thridas-gr.) khoda minsona Swinhoe,1907** (Hesperiidae) Synonym(s): *minsona* Swinhoe,1907
- 1375. Hasora (Thridas-gr.) leucospila Mabille,1891** (Hesperiidae) Synonym(s): *leucospila* Mabille,1891; *palinda* Swinhoe,1905; *matisca* Fruhstorfer,1911; *parnia* Fruhstorfer,1911.
- 1376. Hasora (Thridas-gr.) leucospila leucospila Mabille,1891** (Hesperiidae) Synonym(s): *leucospila* Mabille,1891; *palinda* Swinhoe,1905; *matisca* Fruhstorfer,1911; *parnia* Fruhstorfer,1911.
- 1377. Hasora (s.str.) chromus (Cramer,[1782])** (Hesperiidae) Synonym(s): *alexis* Fabricius,1775 *nec* Poda,1761; *chromus* Cramer,[1782]; *contempta* Plötz,[1883]; *lucescens* Lucas,1900; *attenuata* Mabille,[1904] *nec* Staudinger,1889; *ganapata* Fruhstorfer,1911.
- 1378. Hasora (s.str.) chromus chromus (Cramer,[1782])** (Hesperiidae) Synonym(s): *alexis* Fabricius,1775 *nec* Poda,1761; *chromus* Cramer,[1782]; *contempta* Plötz,[1883]; *lucescens* Lucas,1900; *attenuata* Mabille,[1904] *nec* Staudinger,1889; *ganapata* Fruhstorfer,1911.
- 1379. Hasora (s.str.) coeruleostriata De Jong,1982** (Hesperiidae) Synonym(s): *coeruleostriata* De Jong,1982
- 1380. Hasora (s.str.) mavis Evans,1934** (Hesperiidae) Synonym(s): *mavis* Evans,1934
- 1381. Hasora (s.str.) schoenherr (Latreille,1828)** (Hesperiidae) Synonym(s): *schoenherr* Latreille,1828
- 1382. Hasora (s.str.) schoenherr babuyana Treadaway & Nuyda,1995** (Hesperiidae) Synonym(s): *babuyana* Treadaway & Nuyda,1995
- 1383. Hasora (s.str.) schoenherr chuza (Hewitson,1867)** (Hesperiidae) Synonym(s): *chuza* Hewitson,1867; *sumatranus* Kalis,1933
- 1384. Hasora (s.str.) schoenherr saida (Hewitson,1867)** (Hesperiidae) Synonym(s): *saida* Hewitson,1867; *gentiana* Felder,1867.
- 1385. Hasora (s.str.) taminatus (Hübner,[1818])** (Hesperiidae) Synonym(s): *taminatus* Hübner,[1818]
- 1386. Hasora (s.str.) taminatus malayana (C.Felder & R.Felder,1860)** (Hesperiidae) Synonym(s): *malayana* C.Felder & R.Felder,1860; *almea* Swinhoe,1909; *conostigma* Jocey & Talbot,1921; *salemiana* Kalis,1933.
- 1387. Hasora (s.str.) taminatus padma Fruhstorfer,1911** (Hesperiidae) Synonym(s): *padma* Fruhstorfer,1911; *galaca* Fruhstorfer,1911.
- 1388. Hidari irava (Moore,[1858])** (Hesperiidae) Synonym(s): *thrax* Geyer *nec* Linn.; *irava* Moore,[1858]; *hypaea* Hewitson,1868; *thracimima* Verity,1931
- 1389. Hidari irava irava (Moore,[1858])** (Hesperiidae) Synonym(s): *thrax* Geyer *nec* Linn.; *irava* Moore,[1858]; *hypaea* Hewitson,1868; *thracimima* Verity,1931
- 1390. Hyarotis adrastus (Stoll,[1780])** (Hesperiidae) Synonym(s): *adrastus* Stoll,[1780]
- 1391. Hyarotis adrastus praba (Moore,[1866])** (Hesperiidae) Synonym(s): *praba* Moore,[1866]; *phaenicis* Hewitson,1871; *meluchus* Fruhstorfer,1911; *palawensis* Fruhstorfer,1911; *mindanaensis* Fruhstorfer,1911; *#prabha* Pinratana,1985.
- 1392. Hyarotis iadera De Nicéville,1895** (Hesperiidae) Synonym(s): *iadera* De Nicéville,1895; *ciliata* Elwes & Edwards,1897
- 1393. Hyarotis iadera iadera De Nicéville,1895** (Hesperiidae) Synonym(s): *iadera* De Nicéville,1895; *ciliata* Elwes & Edwards,1897
- 1394. Hyarotis microstictum Wood-Mason & De Nicéville,1887** (Hesperiidae) Synonym(s): *microstictum* Wood-Mason & De Nicéville,1887; *biseriata* Elwes & Edwards,1897; *binghami* Swinhoe,1907
- 1395. Hyarotis microstictum microstictum Wood-Mason & De Nicéville,1887** (Hesperiidae) Synonym(s): *microstictum* Wood-Mason & De Nicéville,1887; *biseriata* Elwes & Edwards,1897; *binghami* Swinhoe,1907
- 1396. Isma binotatus Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *binotatus* Elwes & Edwards,1897; *cicatrosa* Elwes & Edwards,1897
- 1397. Isma binotatus binotatus Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *binotatus* Elwes & Edwards,1897; *cicatrosa* Elwes & Edwards,1897
- 1398. Isma bipunctatus Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *bipunctata* Elwes & Edwards,1897
- 1399. Isma feralia (Hewitson,1868)** (Hesperiidae) Synonym(s): *feralia* Hewitson,1868; *javana* Evans,1932
- 1400. Isma feralia ssp.n.** (Hesperiidae) Synonym(s):
- 1401. Koruthaialos rubecula (Plötz,1882)** (Hesperiidae) Synonym(s): *rubecula* Plötz,1882
- 1402. Koruthaialos rubecula atra Evans,1949** (Hesperiidae) Synonym(s): *atra* Evans,1949
- 1403. Koruthaialos rubecula luzonensis Fruhstorfer,1910** (Hesperiidae) Synonym(s): *luzonensis* Fruhstorfer,1910
- 1404. Koruthaialos rubecula ponta Evans,1949** (Hesperiidae) Synonym(s): *ponta* Evans,1949
- 1405. Koruthaialos sindu (C.Felder & R.Felder,1860)** (Hesperiidae) Synonym(s): *sindu* C.Felder & R.Felder,1860
- 1406. Koruthaialos sindu palawites (Staudinger,1889)** (Hesperiidae) Synonym(s): *palawites* Staudinger,1889
- 1407. Koruthaialos sindu sindu (C.Felder & R.Felder,1860)** (Hesperiidae) Synonym(s): *sindu* C.Felder & R.Felder,1860
- 1408. Lotongus calathus (Hewitson,1876)** (Hesperiidae) Synonym(s): *calathus* Hewitson,1876
- 1409. Lotongus calathus calathus (Hewitson,1876)** (Hesperiidae) Synonym(s): *calathus* Hewitson,1876; *schaedia* Hewitson,1876; *maculatus* Distant,1886; *surus* Mabille,1895
- 1410. Lotongus calathus shigeoi Treadaway & Nuyda,1994** (Hesperiidae) Synonym(s): *shigeoi* Treadaway & Nuyda,1994
- 1411. Matapa aria (Moore,[1866])** (Hesperiidae) Synonym(s): *aria* Moore,[1866]; *neglecta* Mabille,1876; *pulla* Plötz,1882.
- 1412. Matapa aria aria (Moore,[1866])** (Hesperiidae) Synonym(s): *aria* Moore,[1866]; *neglecta* Mabille,1876; *pulla* Plötz,1882.
- 1413. Matapa celsina (C.Felder & R.Felder,[1867])** (Hesperiidae) Synonym(s): *celsina* C.Felder & R.Felder,[1867]; *hyrmina* Hewitson,1867; *assur* Mabille,1876; *ractaya* Fruhstorfer,1911
- 1414. Matapa celsina celsina (C.Felder & R.Felder,[1867])** (Hesperiidae) Synonym(s): *celsina* C.Felder & R.Felder,[1867]; *hyrmina* Hewitson,1867; *assur* Mabille,1876; *ractaya* Fruhstorfer,1911
- 1415. Matapa intermedia De Jong,1983** (Hesperiidae) Synonym(s): *intermedia* De Jong,1983
- 1416. Matapa intermedia nigrita De Jong,1983** (Hesperiidae) Synonym(s): *nigrita* De Jong,1983
- 1417. Mooreana princeps (Semper,1892)** (Hesperiidae) Synonym(s): *princeps* Semper,1892
- 1418. Mooreana princeps princeps (Semper,1892)** (Hesperiidae) Synonym(s): *princeps* Semper,1892
- 1419. Mooreana trichoneura (C.Felder & R.Felder,1860)** (Hesperiidae) Synonym(s): *trichoneura* C.Felder & R.Felder,1860
- 1420. Mooreana trichoneura trichoneuroides (Elwes & Edwards,1897)** (Hesperiidae) Synonym(s): *trichoneuroides* Elwes & Edwards,1897
- 1421. Notocrypta clavata Staudinger,1889** (Hesperiidae) Synonym(s): *clavata* Staudinger,1889; *devadatta* Fruhstorfer,1911
- 1422. Notocrypta clavata clavata Staudinger,1889** (Hesperiidae) Synonym(s): *clavata* Staudinger,1889; *devadatta* Fruhstorfer,1911

1423. *Notocrypta feisthamelii* (Boisduval,1832) (Hesperiidae)
Synonym(s): *feisthamelii* Boisduval,1832; *satra* Fruhstorfer,1911; *unipuncta* Rothschild,1915
1424. *Notocrypta feisthamelii alinkara* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *alinkara* Fruhstorfer,1911
1425. *Notocrypta howarthi* Hayashi,1980 (Hesperiidae)
Synonym(s): *howarthi* Hayashi,1980
1426. *Notocrypta howarthi howarthi* Hayashi,1980 (Hesperiidae) Synonym(s): *howarthi* Hayashi,1980
1427. *Notocrypta paralysos* (Wood Mason & De Nicéville,1881) (Hesperiidae) Synonym(s): *paralysos* Wood Mason & De Nicéville,1881; *infrapicta* Strand,1920
1428. *Notocrypta paralysos chunda* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *chunda* Fruhstorfer,1911
1429. *Notocrypta paralysos varians* (Plötz,1882) (Hesperiidae) Synonym(s): *variens* Plötz,1882; *leucographa* Plötz,1882
1430. *Notocrypta paralysos volux* (Mabille,1883) (Hesperiidae) Synonym(s): *volux* Mabille,1883; *mahima* Fruhstorfer,1911
1431. *Odina cuneiformis* Semper,1892 (Hesperiidae)
Synonym(s): *cuneiformis* Semper,1892
1432. *Odina cuneiformis cuneiformis* Semper,1892 (Hesperiidae) Synonym(s): *cuneiformis* Semper,1892
1433. *Odontoptilum angulatum* (C.Felder,1862) (Hesperiidae) Synonym(s): *angulatum* C.Felder,1862; *sura* Moore,1865; *sumatrana* Fruhstorfer,1909; *mahabini* Fruhstorfer,1909
1434. *Odontoptilum angulatum helisum* Semper,1892 (Hesperiidae) Synonym(s): *helisum* Semper,1892; *subangulata* Fruhstorfer,1909
1435. *Odontoptilum angulatum sinka* Evans,1949 (Hesperiidae) Synonym(s): *sinka* Evans,1949
1436. *Odontoptilum leptogrammum* (Hewitson,1868) (Hesperiidae) Synonym(s): *leptogrammum* Hewitson,1868
1437. *Odontoptilum leptogrammum leptogrammum* (Hewitson,1868) (Hesperiidae) Synonym(s): *leptogrammum* Hewitson,1868
1438. *Odontoptilum pygelum* (Hewitson,1868) (Hesperiidae)
Synonym(s): *pygela* Hewitson,1868; *ragupta* Fruhstorfer,1909
1439. *Odontoptilum pygelum pygelum* (Hewitson,1868) (Hesperiidae) Synonym(s): *pygela* Hewitson,1868; *ragupta* Fruhstorfer,1909
1440. *Oerane microthyrus* (Mabille,1883) (Hesperiidae)
Synonym(s): *microthyrus* Mabille,1883; *mindorana* Semper,1892
1441. *Oerane microthyrus microthyrus* (Mabille,1883) (Hesperiidae) Synonym(s): *microthyrus* Mabille,1883; *mindorana* Semper,1892
1442. *Oriens californica* (Scudder,1872) (Hesperiidae)
Synonym(s): *californica* Scudder,1872; *akar* Mabille,1883; *locus* Plötz,1886
1443. *Oriens californica californica* (Scudder,1872) (Hesperiidae) Synonym(s): *californica* Scudder,1872; *akar* Mabille,1883; *locus* Plötz,1886
1444. *Oriens fons* Evans,1949 (Hesperiidae) Synonym(s): *fons* Evans,1949
1445. *Oriens fons fons* Evans,1949 (Hesperiidae)
Synonym(s): *fons* Evans,1949
1446. *Oriens gola* (Moore,1877) (Hesperiidae) Synonym(s): *gola* Moore,1877
1447. *Oriens gola pseudolus* (Mabille,1883) (Hesperiidae)
Synonym(s): *pseudolus* Mabille,1883; *fabriolata* Plötz,1884; *naranata* Distant,1886; *rajagriha* Fruhstorfer,1911; *trishna* Fruhstorfer,1911
1448. *Oriens paragola* (De Nicéville,1895) (Hesperiidae)
Synonym(s): *paragola* De Nicéville,1895; *borneensis* Evans,1932
1449. *Oriens paragola paragola* (De Nicéville,1895) (Hesperiidae) Synonym(s): *paragola* De Nicéville,1895; *borneensis* Evans,1932
1450. *Parnara kawazoei* Chiba & Eliot,1991 (Hesperiidae)
Synonym(s): *kawazoei* Chiba & Eliot,1991
1451. *Parnara kawazoei kawazoei* Chiba & Eliot,1991 (Hesperiidae) Synonym(s): *kawazoei* Chiba & Eliot,1991
1452. *Parnara naso* (Fabricius,1798) (Hesperiidae)
Synonym(s): *naso* Fabricius,1798; *marchalli* Boisduval,1833
1453. *Parnara naso bada* (Moore,1878) (Hesperiidae)
Synonym(s): *bada* Moore,1878; *quinigera* Moore,1878; *hainanus* Moore,1878; *intermedia* Plötz,1883; *daendali* Plötz,1883; *rondoa* Plötz,1886; *distinctus* Holland,1887; *philotas* De Nicéville,1895.
1454. *Parnara naso borneana* Chiba & Eliot,1991 (Hesperiidae) Synonym(s): *borneana* Chiba & Eliot,1991
1455. *Pelopidas agna* (Moore,1866) (Hesperiidae)
Synonym(s): *agna* Moore,[1866]; *dingo* Evans,1949.
1456. *Pelopidas agna agna* (Moore,1866) (Hesperiidae)
Synonym(s): *agna* Moore,[1866]; *dingo* Evans,1949.
1457. *Pelopidas conjunctus* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *conjunctus* Herrich-Schäffer,1869
1458. *Pelopidas conjunctus conjunctus* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *conjunctus* Herrich-Schäffer,1869
1459. *Pelopidas mathias* (Fabricius,1798) (Hesperiidae)
Synonym(s): *mathias* Fabricius,1798; *elegans* Mabille,1877; *umbrata* Butler,1879; *octofenestrata* Saalmüller,1884; *albirostris* Mabille,[1887].
1460. *Pelopidas mathias mathias* (Fabricius,1798) (Hesperiidae) Synonym(s): *mathias* Fabricius,1798; *elegans* Mabille,1877; *umbrata* Butler,1879; *octofenestrata* Saalmüller,1884; *albirostris* Mabille,[1887].
1461. *Pirdana fusca* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *fusca* De Jong & Treadaway,1993
1462. *Pirdana fusca fusca* De Jong & Treadaway,1993 (Hesperiidae) Synonym(s): *fusca* De Jong & Treadaway,1993
1463. *Pirdana hyela* (Hewitson,1867) (Hesperiidae)
Synonym(s): *hyela* Hewitson,1867; *scanda* Fruhstorfer,1911
1464. *Pirdana hyela hyela* (Hewitson,1867) (Hesperiidae)
Synonym(s): *hyela* Hewitson,1867; *scanda* Fruhstorfer,1911
1465. *Plastingia callineura* (C.Felder & R.Felder,1867) (Hesperiidae) Synonym(s): *callineura* C.Felder & R.Felder,1867
1466. *Plastingia callineura niasana* Fruhstorfer,1909 (Hesperiidae) Synonym(s): *niasana* Fruhstorfer,1909; *burmana* Evans,1926; *perakana* Evans,1926
1467. *Plastingia naga* De Nicéville,1884 (Hesperiidae)
Synonym(s): *naga* De Nicéville,1884; *palawata* Staudinger,1889; *valenia* Fruhstorfer,1909
1468. *Plastingia naga naga* De Nicéville,1884 (Hesperiidae)
Synonym(s): *naga* De Nicéville,1884; *palawata* Staudinger,1889; *valenia* Fruhstorfer,1909
1469. *Plastingia pellonia* Fruhstorfer,1911 (Hesperiidae)
Synonym(s): *pellonia* Fruhstorfer,1911
1470. *Plastingia pellonia pellonia* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *pellonia* Fruhstorfer,1911
1471. *Plastingia viburnia* Semper,1892 (Hesperiidae)
Synonym(s): *viburnia* Semper,1892
1472. *Plastingia viburnia viburnia* Semper,1892 (Hesperiidae) Synonym(s): *viburnia* Semper,1892
1473. *Polytremis lubricans* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *lubricans* Herrich-Schäffer,1869
1474. *Polytremis lubricans lubricans* (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): *lubricans* Herrich-Schäffer,1869
1475. *Potanthus confucius* (C.Felder & R.Felder,1862) (Hesperiidae) Synonym(s): *confucius* C.Felder & R.Felder,1862; *freda* Evans,1934
1476. *Potanthus confucius confucius* (C.Felder & R.Felder,1862) (Hesperiidae) Synonym(s): *confucius* C.Felder & R.Felder,1862; *freda* Evans,1934
1477. *Potanthus confucius yojana* Fruhstorfer,1911 (Hesperiidae) Synonym(s): *yojana* Fruhstorfer,1911
1478. *Potanthus fetingi* Möschler,1878 (Hesperiidae)
Synonym(s): *fetingi* Möschler,1878; *euria* Plötz,1883; *pavor* De Nicéville,1894
1479. *Potanthus fetingi alpha* Evans,1934 (Hesperiidae)
Synonym(s): *alpha* Evans,1934
1480. *Potanthus flavum* (Murray,1875) (Hesperiidae)
Synonym(s): *flavum* Murray,1875; *japonica* Mabille,1883
1481. *Potanthus flavum niobe* Evans,1934 (Hesperiidae)
Synonym(s): *niobe* Evans,1934

1482. **Potanthus ganda** Fruhstorfer, 1911 (Hesperiidae)
Synonym(s): *ganda* Fruhstorfer, 1911; *lena* Evans, 1934
1483. **Potanthus ganda marla** Evans, 1949 (Hesperiidae)
Synonym(s): *marla* Evans, 1949
1484. **Potanthus hetaerus** Mabille, 1883 (Hesperiidae)
Synonym(s): *hetaerus* Mabille, 1883
1485. **Potanthus hetaerus hetaerus** Mabille, 1883 (Hesperiidae)
Synonym(s): *hetaerus* Mabille, 1883
1486. **Potanthus hetaerus serina** Plötz, 1883 (Hesperiidae)
Synonym(s): *serina* Plötz, 1883; *charyawa* Fruhstorfer, 1911; *sravasta* Fruhstorfer, 1911; *rasana* Fruhstorfer, 1911
1487. **Potanthus mingo** (Edwards, 1866) (Hesperiidae)
Synonym(s): *mingo* Edwards, 1866; *nitida* Mabille, 1877; *flavoguttata* Plötz, 1883
1488. **Potanthus mingo mingo** (Edwards, 1866) (Hesperiidae)
Synonym(s): *mingo* Edwards, 1866; *nitida* Mabille, 1877; *flavoguttata* Plötz, 1883
1489. **Potanthus nesta** Evans, 1934 (Hesperiidae) Synonym(s): *nesta* Evans, 1934
1490. **Potanthus nesta netta** Evans, 1934 (Hesperiidae)
Synonym(s): *netta* Evans, 1934
1491. **Potanthus niobe** Evans, 1934 (Hesperiidae)
Synonym(s): *niobe* Evans, 1934
1492. **Potanthus niobe hyugai** De Jong & Treadaway, 1993 (Hesperiidae) Synonym(s): *hyugai* De Jong & Treadaway, 1993
1493. **Potanthus niobe niobe** Evans, 1934 (Hesperiidae)
Synonym(s): *niobe* Evans, 1934
1494. **Potanthus omaha** (Edwards, 1863) (Hesperiidae)
Synonym(s): *omaha* Edwards, 1863; *maesoides* Butler, 1877; *luzonensis* Staudinger, 1889
1495. **Potanthus omaha bione** Evans, 1949 (Hesperiidae)
Synonym(s): *bione* Evans, 1949
1496. **Potanthus omaha maesina** Evans, 1934 (Hesperiidae)
Synonym(s): *maesina* Evans, 1934
1497. **Potanthus pavus** Fruhstorfer, 1911 (Hesperiidae)
Synonym(s): *pavus* Fruhstorfer, 1911
1498. **Potanthus pavus lesbia** Evans, 1934 (Hesperiidae)
Synonym(s): *lesbia* Evans, 1934
1499. **Potanthus serina** Plötz, 1883 (Hesperiidae) Synonym(s): *serina* Plötz, 1883
1500. **Potanthus taxilus** Mabille, 1878 (Hesperiidae)
Synonym(s): *taxilus* Mabille, 1878
1501. **Potanthus taxilus alpha** Evans, 1934 (Hesperiidae)
Synonym(s): *alpha* Evans, 1934
1502. **Prusiana prusias** (C.Felder, 1861) (Hesperiidae)
Synonym(s): *prusias* C.Felder, 1861; *specularis* Plötz, 1883; *batchiana* Swinhoe, 1905
1503. **Prusiana prusias matinus** (Fruhstorfer, 1911) (Hesperiidae) Synonym(s): *matinus* Fruhstorfer, 1911; *padhana* Fruhstorfer, 1911; *sariputra* Fruhstorfer, 1911
1504. **Pyroneura agnesia** (Eliot, 1967) (Hesperiidae)
Synonym(s): *agnesia* Eliot, 1967
1505. **Pyroneura agnesia limbanga** (Eliot, 1967) (Hesperiidae)
Synonym(s): *limbanga* Eliot, 1967
1506. **Pyroneura callineura** (C.Felder & R.Felder, [1867]) (Hesperiidae) Synonym(s): *callineura* C.Felder & R.Felder, [1867]
1507. **Pyroneura derna** (Evans, 1941) (Hesperiidae)
Synonym(s): *derna* Evans, 1941
1508. **Pyroneura derna derna** (Evans, 1941) (Hesperiidae)
Synonym(s): *derna* Evans, 1941
1509. **Pyroneura flavia** (Staudinger, 1889) (Hesperiidae)
Synonym(s): *flavia* Staudinger, 1889
1510. **Pyroneura flavia flavia** (Staudinger, 1889) (Hesperiidae) Synonym(s): *flavia* Staudinger, 1889
1511. **Pyroneura liburnia** (Hewitson, 1868) (Hesperiidae)
Synonym(s): *liburnia* Hewitson, 1868
1512. **Pyroneura liburnia divinae** Schröder & Treadaway, 1987 (Hesperiidae) Synonym(s): *divinae* Schröder & Treadaway, 1987
1513. **Pyroneura liburnia dora** De Jong & Treadaway, 1993 (Hesperiidae) Synonym(s): *dora* De Jong & Treadaway, 1993
1514. **Pyroneura liburnia liburnia** (Hewitson, 1868) (Hesperiidae) Synonym(s): *liburnia* Hewitson, 1868
1515. **Pyroneura liburnia minda** (Evans, 1941) (Hesperiidae)
Synonym(s): *minda* Evans, 1941
1516. **Pyroneura liburnia rosa** De Jong & Treadaway, 1993 (Hesperiidae) Synonym(s): *rosa* De Jong & Treadaway, 1993
1517. **Pyroneura liburnia wita** De Jong & Treadaway, 1993 (Hesperiidae) Synonym(s): *wita* De Jong & Treadaway, 1993
1518. **Pyroneura niasana** (Fruhstorfer, 1909) (Hesperiidae)
Synonym(s): *niasana* Fruhstorfer, 1909
1519. **Pyroneura niasana burmana** (Evans, 1926) (Hesperiidae) Synonym(s): *burmana* Evans, 1926
1520. **Quedara monteithi** (Wood-Mason & De Nicéville, 1887) (Hesperiidae) Synonym(s): *monteithi* Wood-Mason & De Nicéville, 1887; *comoploea* Swinhoe, 1909
1521. **Quedara monteithi monteithi** (Wood-Mason & De Nicéville, 1887) (Hesperiidae) Synonym(s): *monteithi* Wood-Mason & De Nicéville, 1887; *comoploea* Swinhoe, 1909
1522. **Quedara monteithi noctis** (Staudinger, 1889) (Hesperiidae) Synonym(s): *noctis* Staudinger, 1889; *aliena* Staudinger, 1889
1523. **Salanoemia sala** (Hewitson, 1866) (Hesperiidae)
Synonym(s): *sala* Hewitson, 1866; *submaculata* Staudinger, 1889; *maculicornis* Elwes & Edwards, 1897; *kanara* Evans, 1926
1524. **Salanoemia sala sala** (Hewitson, 1866) (Hesperiidae)
Synonym(s): *sala* Hewitson, 1866; *submaculata* Staudinger, 1889; *maculicornis* Elwes & Edwards, 1897; *kanara* Evans, 1926
1525. **Salanoemia similis** (Elwes & Edwards, 1897) (Hesperiidae) Synonym(s): *similis* Elwes & Edwards, 1897
1526. **Salanoemia similis similis** (Elwes & Edwards, 1897) (Hesperiidae) Synonym(s): *similis* Elwes & Edwards, 1897
1527. **Sancus fuligo** (Mabille, 1876) (Hesperiidae)
Synonym(s): *fuligo* Mabille, 1876; *forensis* Plötz, 1884; *kethra* Plötz, 1884; *ulunda* Staudinger, 1889
1528. **Sancus fuligo fuligo** (Mabille, 1876) (Hesperiidae)
Synonym(s): *fuligo* Mabille, 1876; *forensis* Plötz, 1884; *kethra* Plötz, 1884; *ulunda* Staudinger, 1889
1529. **Suada albinus** (Semper, 1892) (Hesperiidae)
Synonym(s): *albina* Semper, 1892; *flavea* Evans, 1932
1530. **Suada albinus albinus** (Semper, 1892) (Hesperiidae)
Synonym(s): *albina* Semper, 1892; *flavea* Evans, 1932
1531. **Suada cataleucos** (Staudinger, 1889) (Hesperiidae)
Synonym(s): *catoleucos* Staudinger, 1889
1532. **Suada cataleucos cataleucos** (Staudinger, 1889) (Hesperiidae) Synonym(s): *catoleucos* Staudinger, 1889
1533. **Suastus migreus** Semper, 1892 (Hesperiidae)
Synonym(s): *migreus* Semper, 1892
1534. **Suastus migreus migreus** Semper, 1892 (Hesperiidae)
Synonym(s): *migreus* Semper, 1892
1535. **Suastus minutus** (Moore, 1877) (Hesperiidae)
Synonym(s): *minutus* Moore, 1877; *sinhalus* Plötz, 1885
1536. **Suastus minutus compactus** De Jong & Treadaway, 1993 (Hesperiidae) Synonym(s): *compactus* De Jong & Treadaway, 1993
1537. **Suastus minutus scopas** Staudinger, 1889 (Hesperiidae)
Synonym(s): *scopas* Staudinger, 1889
1538. **Tagiades (Nestus-gr) trebellius** (Hopffer, 1874) (Hesperiidae) Synonym(s): *trebellius* Hopffer, 1874
1539. **Tagiades (Nestus-gr) trebellius martinus** Plötz, 1884 (Hesperiidae) Synonym(s): *martinus* Plötz, 1884; *stramineipennis* Mabille, 1903; *micaja* Fruhstorfer, 1910
1540. **Tagiades (Nestus-gr) ultra** Evans, 1932 (Hesperiidae)
Synonym(s): *ultra* Evans, 1932
1541. **Tagiades (Nestus-gr) ultra ultra** Evans, 1932 (Hesperiidae) Synonym(s): *ultra* Evans, 1932
1542. **Tagiades (s.str.) gana** Moore, [1866] (Hesperiidae)
Synonym(s): *gana* Moore, [1866]; *menantho* Plötz, 1885; *perakanus* Fruhstorfer, 1910
1543. **Tagiades (s.str.) gana elegans** Mabille, 1877 (Hesperiidae) Synonym(s): *elegans* Mabille, 1877
1544. **Tagiades (s.str.) gana gana** Moore, [1866] (Hesperiidae)
Synonym(s): *gana* Moore, [1866]; *menantho* Plötz, 1885; *perakanus* Fruhstorfer, 1910
1545. **Tagiades (s.str.) gana semperi** Fruhstorfer, 1910 (Hesperiidae) Synonym(s): *semperi* Fruhstorfer, 1910

- 1546. Tagiades (s.str.) japetus (Stoll,[1781])** (Hesperiidae)
Synonym(s): *japetus* Stoll,[1781]; *buruanus* Fruhstorfer,1910; *eprius* Fruhstorfer,1910; *masistius* Fruhstorfer,1910; *deinolochus* Fruhstorfer,1910.
- 1547. Tagiades (s.str.) japetus titus Plötz,1884** (Hesperiidae)
Synonym(s): *titus* Plötz,1884
- 1548. Tagiades (s.str.) parra Fruhstorfer,1910** (Hesperiidae)
Synonym(s): *parra* Fruhstorfer,1910
- 1549. Tagiades (s.str.) parra parra Fruhstorfer,1910** (Hesperiidae) Synonym(s): *parra* Fruhstorfer,1910; *elongata* Mabil & Boulet,1916.
- 1550. Tagiades (s.str.) parra ssp.n.** (Hesperiidae)
Synonym(s):
- 1551. Tapena thwaitesi Moore,1881** (Hesperiidae)
Synonym(s): *thwaitesi* Moore,1881
- 1552. Tapena thwaitesi bornea Evans,1941** (Hesperiidae)
Synonym(s): *bornea* Evans,1941
- 1553. Taractrocera luzonensis Staudinger,1889** (Hesperiidae)
Synonym(s): *luzonensis* Staudinger,1889
- 1554. Taractrocera luzonensis luzonensis Staudinger,1889** (Hesperiidae) Synonym(s): *luzonensis* Staudinger,1889
- 1555. Taractrocera luzonensis stella Evans,1934** (Hesperiidae) Synonym(s): *stella* Evans,1934
- 1556. Telicota ancilla (Herrich-Schäffer,1869)** (Hesperiidae)
Synonym(s): *ancilla* Herrich-Schäffer,1869; *olivescens* Herrich-Schäffer,1869.
- 1557. Telicota ancilla minda Evans,1934** (Hesperiidae)
Synonym(s): *minda* Evans,1934
- 1558. Telicota ancilla santa Evans,1934** (Hesperiidae)
Synonym(s): *santa* Evans,1934
- 1559. Telicota augias (Linnaeus,1763)** (Hesperiidae)
Synonym(s): *augias* Linnaeus,1763
- 1560. Telicota augias augias (Linnaeus,1763)** (Hesperiidae)
Synonym(s): *augias* Linnaeus,1763
- 1561. Telicota augias pythias Mabil,1878** (Hesperiidae)
Synonym(s): *pythias* Mabil,1878
- 1562. Telicota colon (Fabricius,1775)** (Hesperiidae)
Synonym(s): *colon* Fabricius,1775
- 1563. Telicota colon vaja Corbet,1942** (Hesperiidae)
Synonym(s): *vaja* Corbet,1942
- 1564. Telicota hilda Eliot,1959** (Hesperiidae) Synonym(s): *hilda* Eliot,1959
- 1565. Telicota hilda palawana Murayama & Uehara,1992** (Hesperiidae) Synonym(s): *palawana* Murayama & Uehara,1992
- 1566. Telicota ohara Plötz,1883** (Hesperiidae) Synonym(s): *ohara* Plötz,1883
- 1567. Telicota ohara jania Evans,1949** (Hesperiidae)
Synonym(s): *janja* Evans,1949
- 1568. Thoressa justini Inoue & Kawazoe,1969** (Hesperiidae)
Synonym(s): *justini* Inoue & Kawazoe,1969
- 1569. Thoressa justini justini Inoue & Kawazoe,1969** (Hesperiidae) Synonym(s): *justini* Inoue & Kawazoe,1969
- 1570. Thoressa justini raphaeli Nuyda & Kitamura,1994** (Hesperiidae) Synonym(s): *raphaeli* Nuyda & Kitamura,1994
- 1571. Unkana ambasa (Moore,1857)** (Hesperiidae)
Synonym(s): *ambasa* Moore,1857; *latreillei* C.Felder & R.Felder,[1867]; *cruda* Herrich-Schäffer,1869; *anitta* Plötz,1882; *palawana* Fruhstorfer,1911
- 1572. Unkana ambasa ambasa (Moore,1857)** (Hesperiidae)
Synonym(s): *ambasa* Moore,1857; *latreillei* C.Felder & R.Felder,[1867]; *cruda* Herrich-Schäffer,1869; *anitta* Plötz,1882; *palawana* Fruhstorfer,1911
- 1573. Unkana ambasa batara Distant,1886** (Hesperiidae)
Synonym(s): *batara* Distant,1886
- 1574. Unkana ambasa mindanaensis Fruhstorfer,1911** (Hesperiidae) Synonym(s): *mindanaensis* Fruhstorfer,1911
- 1575. Xanthoneura telesinus (Mabil,1878)** (Hesperiidae)
Synonym(s): *telesinus* Mabil,1878
- 1576. Zela excellens Staudinger,1889** (Hesperiidae)
Synonym(s): *excellens* Staudinger,1889; *solex* Evans,1939
- 1577. Zela excellens excellens Staudinger,1889** (Hesperiidae)
Synonym(s): *excellens* Staudinger,1889; *solex* Evans,1939
- 1578. Zela zenon De Nicéville,1895** (Hesperiidae)
Synonym(s): *zenon* De Nicéville,1895
- 1579. Zela zenon zenon De Nicéville,1895** (Hesperiidae)
Synonym(s): *zenon* De Nicéville,1895
- 1580. Zela zeus De Nicéville,1895** (Hesperiidae) Synonym(s): *zeus* De Nicéville,1895
- 1581. Zela zeus major Evans,1932** (Hesperiidae) Synonym(s): *major* Evans,1932
- 1582. Zela zeus zeus De Nicéville,1895** (Hesperiidae)
Synonym(s): *zeus* De Nicéville,1895
- 1583. Zographetus abima (Hewitson,1877)** (Hesperiidae)
Synonym(s): *abima* Hewitson,1877; *palawanica* Strand,1921
- 1584. Zographetus abima abima (Hewitson,1877)** (Hesperiidae) Synonym(s): *abima* Hewitson,1877; *palawanica* Strand,1921
- 1585. Zographetus doxus Eliot,1959** (Hesperiidae)
Synonym(s): *doxus* Eliot,1959
- 1586. Zographetus doxus doxus Eliot,1959** (Hesperiidae)
Synonym(s): *doxus* Eliot,1959
- 1587. Zographetus ogygia (Hewitson,1866)** (Hesperiidae)
Synonym(s): *ogygia* Hewitson,1866; *flavipennis* De Nicéville,1885; *flavulum* De Nicéville,1887
- 1588. Zographetus ogygia durga (Plötz,1884)** (Hesperiidae)
Synonym(s): *durga* Plötz,1884
- 1589. Zographetus ogygioides Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *ogygioides* Elwes & Edwards,1897
- 1590. Zographetus ogygioides ogygioides Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *ogygioides* Elwes & Edwards,1897
- 1591. Zographetus pallens De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *pallens* De Jong & Treadaway,1993
- 1592. Zographetus pallens pallens De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *pallens* De Jong & Treadaway,1993
- 1593. Zographetus rama (Mabil,1876)** (Hesperiidae)
Synonym(s): *rama* Mabil,1876; *graeae* De Nicéville,1895; *angulifera* Elwes & Edwards,1897; *dawna* Evans,1926
- 1594. Zographetus rama rama (Mabil,1876)** (Hesperiidae)
Synonym(s): *rama* Mabil,1876; *graeae* De Nicéville,1895; *angulifera* Elwes & Edwards,1897; *dawna* Evans,1926
- 1595. Alompra ferruginea Moore,1872** (Lasiocampidae)
Synonym(s): *ferruginea* Moore,1872
- 1596. Alompra roepkei Tams,1953** (Lasiocampidae)
Synonym(s): *roepkei* Tams,1953
- 1597. Arguda rectilinea Hampson,[1893]** (Lasiocampidae)
Synonym(s): *rectilinea* Hampson,[1893]
- 1598. Arguda sandrae Zwick,1998** (Lasiocampidae)
Synonym(s): *sandrae* Zwick,1998
- 1599. Arguda sandrae sandrae Zwick,1998** (Lasiocampidae)
Synonym(s): *sandrae* Zwick,1998
- 1600. Euthrix laeta (Walker,1855)** (Lasiocampidae)
Synonym(s): *laeta* Walker,1855
- 1601. Euthrix laeta austrina (Lajonquière,1978)** (Lasiocampidae) Synonym(s): *austrina* Lajonquière,1978
- 1602. Gastropacha (Estigena) philippinensis Tams,1935** (Lasiocampidae) Synonym(s): *philippinensis* Tams,1935
- 1603. Kunugia australopladica Holloway,1987** (Lasiocampidae) Synonym(s): *australopladica* Holloway,1987
- 1604. Kunugia basinigra (Roepke,1953)** (Lasiocampidae)
Synonym(s): *basinigra* Roepke,1953
- 1605. Kunugia latipennis (Walker,1855)** (Lasiocampidae)
Synonym(s): *latipennis* Walker,1855; *basimacula* Walker,1862; *purpurascens* Moore,1884; *sumatrae* Swinhoe,1916; *basidiscata* Holloway,1982; *dongchuaensis* Tsai & Hou,1983
- 1606. Odonestis erectilinea (Swinhoe,1904)** (Lasiocampidae)
Synonym(s): *erectilinea* Swinhoe,1904
- 1607. Odonestis vita Moore,1859** (Lasiocampidae)
Synonym(s): *vita* Moore,1859
- 1608. Paralebeda crinodes (R.Felder,1868)** (Lasiocampidae)
Synonym(s): *crinodes* R.Felder,1868
- 1609. Paralebeda crinodes uniformis Holloway,1976** (Lasiocampidae) Synonym(s): *uniformis* Holloway,1976
- 1610. Paralebeda lucifuga (Swinhoe,1892)** (Lasiocampidae)
Synonym(s): *lucifuga* Swinhoe,1892

- 1611. Radhica elisabethae De Lajonquière, 1977** (Lasiocampidae) Synonym(s): *elisabethae De Lajonquière, 1977*
- 1612. Suana concolor (Walker, 1855)** (Lasiocampidae) Synonym(s): *concolor Walker, 1855; bimaculata Walker, 1855; ampla Walker, 1855; cervina Moore, 1879; riemsdyki Heylaerts, 1889*
- 1613. Suana concolor concolor (Walker, 1855)** (Lasiocampidae) Synonym(s): *concolor Walker, 1855; bimaculata Walker, 1855; ampla Walker, 1855; cervina Moore, 1879; riemsdyki Heylaerts, 1889*
- 1614. Syrastrena lanaensis Tams, 1935** (Lasiocampidae) Synonym(s): *lanaensis Tams, 1935*
- 1615. Syrastrena lanaensis lanaensis Tams, 1935** (Lasiocampidae) Synonym(s): *lanaensis Tams, 1935*
- 1616. Takanea diehli De Lajonquière, 1978** (Lasiocampidae) Synonym(s): *diehli De Lajonquière, 1978*
- 1617. Takanea diehli diehli De Lajonquière, 1978** (Lasiocampidae) Synonym(s): *diehli De Lajonquière, 1978*
- 1618. Trabala ganesha Roepke, 1951** (Lasiocampidae) Synonym(s): *ganesha Roepke, 1951*
- 1619. Trabala irrorata Moore, 1884** (Lasiocampidae) Synonym(s): *irrorata Moore, 1884*
- 1620. Trabala krishna Roepke, 1951** (Lasiocampidae) Synonym(s): *krishna Roepke, 1951*
- 1621. Homaloxestis aganacma Diakonoff, [1968]** (Lecithoceridae) Synonym(s): *aganacma Diakonoff, [1968]*
- 1622. Homaloxestis alopecopa Meyrick, 1929** (Lecithoceridae) Synonym(s): *alopocopa Meyrick, 1929*
- 1623. Homaloxestis cholopis (Meyrick, 1906)** (Lecithoceridae) Synonym(s): *cholopis Meyrick, 1906; lophophora Janse, 1954; surrepta Diakonoff, [1968]*
- 1624. Homaloxestis luzonensis Park & Byun, 2007** (Lecithoceridae) Synonym(s): *luzonensis Park & Byun, 2007*
- 1625. Homaloxestis plocamandra (Meyrick, 1907)** (Lecithoceridae) Synonym(s): *plocamandra Meyrick, 1907*
- 1626. Homaloxestis quadralis Park & Byun, 2007** (Lecithoceridae) Synonym(s): *quadralis Park & Byun, 2007*
- 1627. Hygroplasta plocioura Park, 2003** (Lecithoceridae) Synonym(s): *plocioura Park, 2003*
- 1628. Odites (s.str.) apicalis Diakonoff, [1968]** (Lecithoceridae) Synonym(s): *apicalis Diakonoff, [1968]*
- 1629. Odites (s.str.) brachyclista Meyrick, 1928** (Lecithoceridae) Synonym(s): *brachyclista Meyrick, 1928*
- 1630. Odites (s.str.) homocirra Diakonoff, [1968]** (Lecithoceridae) Synonym(s): *homocirra Diakonoff, [1968]*
- 1631. Odites (s.str.) pancyclia Meyrick, 1928** (Lecithoceridae) Synonym(s): *pancyclia Meyrick, 1928*
- 1632. Odites (s.str.) periscias Meyrick, 1928** (Lecithoceridae) Synonym(s): *periscias Meyrick, 1928*
- 1633. Odites (s.str.) perissa Diakonoff, [1968]** (Lecithoceridae) Synonym(s): *perissa Diakonoff, [1968]; #atrimersa Diakonoff, [1968]*
- 1634. Tisis aurantiella Park, 2003** (Lecithoceridae) Synonym(s): *aurantiella Park, 2003*
- 1635. Tisis sophistica Park, 2003** (Lecithoceridae) Synonym(s): *sophistica Park, 2003*
- 1636. Tisis xantholepidos Park, 2003** (Lecithoceridae) Synonym(s): *xantholepidos Park, 2003*
- 1637. Libythea (s.str.) geoffroy Godart, [1823]** (Libytheidae) Synonym(s): *geoffroy Godart, [1823]*
- 1638. Libythea (s.str.) geoffroy bardas Fruhstorfer, 1914** (Libytheidae) Synonym(s): *bardas Fruhstorfer, 1914*
- 1639. Libythea (s.str.) geoffroy philippina Staudinger, 1889** (Libytheidae) Synonym(s): *philippina Staudinger, 1889*
- 1640. Libythea (s.str.) myrrha Godart, [1819]** (Libytheidae) Synonym(s): *myrrha Godart, [1819]*
- 1641. Libythea (s.str.) myrrha iwanagai Hayashi, 1976** (Libytheidae) Synonym(s): *iwanagai Hayashi, 1976*
- 1642. Libythea (s.str.) narina Godart, [1819]** (Libytheidae) Synonym(s): *narina Godart, [1819]*
- 1643. Libythea (s.str.) narina luzonica Moore, 1901** (Libytheidae) Synonym(s): *luzonica Moore, 1901*
- 1644. Birthama congrua (Walker, 1862)** (Limacodidae) Synonym(s): *congrua Walker, 1862; simplex Snellen, 1900*
- 1645. Chalcocelis albiguttatus (Snellen, 1879)** (Limacodidae) Synonym(s): *albiguttatus Snellen, 1879; fumifera Swinhoe, 1890; nigriplaga Heylaerts, 1890; sanguineomaculata Heylaerts, 1890; pulchrimacula Hulstaert, 1924*
- 1646. Nagoda cardinalis Wileman & South, 1921** (Limacodidae) Synonym(s): *cardinalis Wileman & South, 1921*
- 1647. Narosa luzonica Holloway, 1986** (Limacodidae) Synonym(s): *luzonica Holloway, 1986*
- 1648. Natada lutea Pagenstecher, 1890** (Limacodidae) Synonym(s): *lutea Pagenstecher, 1890*
- 1649. Parasa darma Moore, [1860]** (Limacodidae) Synonym(s): *darma Moore, [1860]; dharma Hampson, 1893*
- 1650. Parasa darmoides Holloway, 1982** (Limacodidae) Synonym(s): *darmoides Holloway, 1982*
- 1651. Parasa lorquini (Reakirt, 1864)** (Limacodidae) Synonym(s): *lorquini Reakirt, 1864; zulona Reakirt, 1864; princeps Strecker, 1900*
- 1652. Pseudonirmides sola (Swinhoe, 1901)** (Limacodidae) Synonym(s): *sola Swinhoe, 1901; luzonensis M.Hering, 1931*
- 1653. Setothosea asigna (Van Eecke, 1929)** (Limacodidae) Synonym(s): *asigna Van Eecke, 1929*
- 1654. Susica malayana M.Hering, 1931** (Limacodidae) Synonym(s): *malayana M.Hering, 1931*
- 1655. Thosea borneensis M.Hering, 1931** (Limacodidae) Synonym(s): *borneensis M.Hering, 1931*
- 1656. Thosea brunnea Semper, 1902** (Limacodidae) Synonym(s): *brunnea Semper, 1902*
- 1657. Thosea cinereomarginata Banks, 1906** (Limacodidae) Synonym(s): *cinereomarginata Banks, 1906*
- 1658. Thosea minima Semper, 1902** (Limacodidae) Synonym(s): *minima Semper, 1902*
- 1659. Acytolepis puspa (Horsfield, [1828])** (Lycaenidae) Synonym(s): *puspa Horsfield, [1828]; sania Fruhstorfer, 1910; contilia Fruhstorfer, 1910.*
- 1660. Acytolepis puspa bazilana (Fruhstorfer, 1910)** (Lycaenidae) Synonym(s): *bazilana Fruhstorfer, 1910; georgi Fruhstorfer, 1910; sabis Fruhstorfer, 1917.*
- 1661. Acytolepis puspa cagaya (C.Felder & R.Felder, [1865])** (Lycaenidae) Synonym(s): *cagaya C.Felder & R.Felder, [1865]; ottonis Fruhstorfer, 1910.*
- 1662. Acytolepis puspa puspa (Horsfield, [1828])** (Lycaenidae) Synonym(s): *puspa Horsfield, [1828]; sania Fruhstorfer, 1910; contilia Fruhstorfer, 1910.*
- 1663. Allotinus (Fabitaras) sarrastes Fruhstorfer, 1913** (Lycaenidae) Synonym(s): *sarrastes Fruhstorfer, 1913*
- 1664. Allotinus (Fabitaras) sarrastes sarrastes Fruhstorfer, 1913** (Lycaenidae) Synonym(s): *sarrastes Fruhstorfer, 1913*
- 1665. Allotinus (Paragerydus) apries Fruhstorfer, 1913** (Lycaenidae) Synonym(s): *apries Fruhstorfer, 1913; eupalion Fruhstorfer, 1914*
- 1666. Allotinus (Paragerydus) apries ristus Eliot, 1986** (Lycaenidae) Synonym(s): *ristus Eliot, 1986*
- 1667. Allotinus (Paragerydus) corbeti Eliot, 1956** (Lycaenidae) Synonym(s): *corbeti Eliot, 1956*
- 1668. Allotinus (Paragerydus) substrigosus (Moore, 1884)** (Lycaenidae) Synonym(s): *substrigosus Moore, 1884*
- 1669. Allotinus (Paragerydus) substrigosus ballantinei Eliot, 1986** (Lycaenidae) Synonym(s): *ballantinei Eliot, 1986*
- 1670. Allotinus (Paragerydus) substrigosus yusukei Eliot, 1986** (Lycaenidae) Synonym(s): *yusukei Eliot, 1986*
- 1671. Allotinus (Paragerydus) unicolor C.Felder & R.Felder, [1865]** (Lycaenidae) Synonym(s): *unicolor C.Felder & R.Felder, [1865]; dilutus Corbet, 1939*
- 1672. Allotinus (Paragerydus) unicolor georgius Fruhstorfer, 1913** (Lycaenidae) Synonym(s): *georgius Fruhstorfer, 1913*
- 1673. Allotinus (s.str.) fallax C.Felder & R.Felder, [1865]** (Lycaenidae) Synonym(s): *fallax C.Felder & R.Felder, [1865]*
- 1674. Allotinus (s.str.) fallax aphacus Fruhstorfer, 1913** (Lycaenidae) Synonym(s): *aphacus Fruhstorfer, 1913*
- 1675. Allotinus (s.str.) fallax dotion Fruhstorfer, 1913** (Lycaenidae) Synonym(s): *dotion Fruhstorfer, 1913*

1676. *Allotinus* (s.str.) *fallax eryximachus* Fruhstorfer, 1913 (Lycaenidae) Synonym(s): *eryximachus* Fruhstorfer, 1913
1677. *Allotinus* (s.str.) *fallax fallax* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *fallax* C.Felder & R.Felder, [1865]
1678. *Allotinus* (s.str.) *fallax tymphrestus* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *tymphrestus* Fruhstorfer, 1916
1679. *Allotinus* (s.str.) *subviolaceus* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *subviolaceus* C.Felder & R.Felder, [1865]; *alkamah* Distant, 1886
1680. *Allotinus* (s.str.) *subviolaceus subviolaceus* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *subviolaceus* C.Felder & R.Felder, [1865]; *alkamah* Distant, 1886
1681. *Allotinus* *albatus* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *albatus* C.Felder & R.Felder, [1865]
1682. *Allotinus* *albatus mendax* Eliot, 1986 (Lycaenidae) Synonym(s): *mendax* Eliot, 1986
1683. *Allotinus* *anaxandridas* Fruhstorfer, 1917 (Lycaenidae) Synonym(s): *anaxandridas* Fruhstorfer, 1917
1684. *Allotinus* *kudaratus* Takanami, 1990 (Lycaenidae) Synonym(s): *kudaratus* Takanami, 1990
1685. *Allotinus* *luzonensis* Eliot, 1967 (Lycaenidae) Synonym(s): *luzonensis* Eliot, 1967
1686. *Allotinus* *melos* Druce, 1896 (Lycaenidae) Synonym(s): *melos* Druce, 1896
1687. *Allotinus* *nigritus* Semper, 1889 (Lycaenidae) Synonym(s): *nigritus* Semper, 1889
1688. *Allotinus* *nivalis* (Druce, 1873) (Lycaenidae) Synonym(s): *nivalis* Druce, 1873
1689. *Allotinus* *nivalis felderi* Semper, 1889 (Lycaenidae) Synonym(s): *felderi* Semper, 1889
1690. *Allotinus* *punctatus* Semper, 1889 (Lycaenidae) Synonym(s): *punctatus* Semper, 1889
1691. *Allotinus* *samarensis* Eliot, 1986 (Lycaenidae) Synonym(s): *samarensis* Eliot, 1986
1692. *Allotinus* *samarensis samarensis* Eliot, 1986 (Lycaenidae) Synonym(s): *samarensis* Eliot, 1986
1693. *Amblypodia* *narada* (Horsfield, [1828]) (Lycaenidae) Synonym(s): *narada* Horsfield, [1828]; *mohamad* Kalis, 1933
1694. *Amblypodia* *narada erichsonii* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *C.Felder & R.Felder, [1865]*
1695. *Amblypodia* *narada plateni* N.D.Riley, 1922 (Lycaenidae) Synonym(s): *plateni* N.D.Riley, 1922
1696. *Amblypodia* *sibutensis* Treadaway & Nuyda, 1993 (Lycaenidae) Synonym(s): *sibutensis* Treadaway & Nuyda, 1993
1697. *Ancema* *blanka* (De Nicéville, 1894) (Lycaenidae) Synonym(s): *blanka* De Nicéville, 1894
1698. *Ancema* *blanka blanka* (De Nicéville, 1894) (Lycaenidae) Synonym(s): *blanka* De Nicéville, 1894
1699. *Anthene* *emolus* (Godart, [1824]) (Lycaenidae) Synonym(s): *emolus* Godart, [1824]
1700. *Anthene* *emolus modesta* Staudinger, 1889 (Lycaenidae) Synonym(s): *modesta* Staudinger, 1889
1701. *Anthene* *licates* (Hewitson, 1873) (Lycaenidae) Synonym(s): *licates* Hewitson, 1873
1702. *Anthene* *licates addenda* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *addenda* Fruhstorfer, 1916
1703. *Anthene* *lycaenina* (C.Felder & R.Felder, [1867]) (Lycaenidae) Synonym(s): *lycaenina* C.Felder & R.Felder, [1867]
1704. *Anthene* *lycaenina miya* (Fruhstorfer, 1916) (Lycaenidae) Synonym(s): *miya* Fruhstorfer, 1916
1705. *Anthene* *lycaenina villosina* Fruhstorfer, 1923 (Lycaenidae) Synonym(s): *villosina* Fruhstorfer, 1923
1706. *Araotes* *lapithis* (Moore, [1858]) (Lycaenidae) Synonym(s): *lapithis* Moore, [1858]
1707. *Araotes* *lapithis arianus* Fruhstorfer, [1912] (Lycaenidae) Synonym(s): *arianus* Fruhstorfer, [1912]
1708. *Araotes* *perrhaebis* Semper, 1890 (Lycaenidae) Synonym(s): *perrhaebis* Semper, 1890
1709. *Araotes* *perrhaebis perrhaebis* Semper, 1890 (Lycaenidae) Synonym(s): *perrhaebis* Semper, 1890
1710. *Arhopala* *abseus* (Hewitson, 1862) (Lycaenidae) Synonym(s): *abseus* Hewitson, 1862
1711. *Arhopala* *abseus abseus* (Hewitson, 1862) (Lycaenidae) Synonym(s): *abseus* Hewitson, 1862
1712. *Arhopala* *abseus amphaea* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *amphaea* C.Felder & R.Felder, [1865]; *oghatinna* Fruhstorfer, 1914
1713. *Arhopala* *aedias* (Hewitson, 1862) (Lycaenidae) Synonym(s): *aedias* Hewitson, 1862
1714. *Arhopala* *aedias oenotria* (Hewitson, 1869) (Lycaenidae) Synonym(s): *oenotria* Hewitson, 1869
1715. *Arhopala* *aedidas agnis* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *agnis* C.Felder & R.Felder, [1865]
1716. *Arhopala* *aedidas oenotria* Hewitson, 1869 (Lycaenidae) Synonym(s): *oenotria* Hewitson, 1869
1717. *Arhopala* *agaba* (Hewitson, 1862) (Lycaenidae) Synonym(s): *agaba* Hewitson, 1862
1718. *Arhopala* *agaba agaba* (Hewitson, 1862) (Lycaenidae) Synonym(s): *agaba* Hewitson, 1862
1719. *Arhopala* *agesias* (Hewitson, 1862) (Lycaenidae) Synonym(s): *agesias* Hewitson, 1862
1720. *Arhopala* *agesilaus* (Staudinger, 1889) (Lycaenidae) Synonym(s): *agesilaus* Staudinger, 1889
1721. *Arhopala* *agesilaus agesilaus* (Staudinger, 1889) (Lycaenidae) Synonym(s): *agesilaus* Staudinger, 1889
1722. *Arhopala* *agesilaus philippa* Evans, 1957 (Lycaenidae) Synonym(s): *philippa* Evans, 1957
1723. *Arhopala* *agrata* De Nicéville, 1890 (Lycaenidae) Synonym(s): *agrata* De Nicéville, 1890
1724. *Arhopala* *agrata shirozui* Hayashi, 1976 (Lycaenidae) Synonym(s): *shirozui* Hayashi, 1976
1725. *Arhopala* *alaconia* (Hewitson, 1869) (Lycaenidae) Synonym(s): *alaconia* Hewitson, 1869
1726. *Arhopala* *alaconia oberthueri* (Staudinger, 1889) (Lycaenidae) Synonym(s): *oberthueri* Staudinger, 1889
1727. *Arhopala* *alesia* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *alesia* C.Felder & R.Felder, [1865]
1728. *Arhopala* *alesia alesia* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *alesia* C.Felder & R.Felder, [1865]
1729. *Arhopala* *alesia mio* Hayashi, 1981 (Lycaenidae) Synonym(s): *mio* Hayashi, 1981
1730. *Arhopala* *alexandrae* Schröder & Treadaway, 1978 (Lycaenidae) Synonym(s): *alexandrae* Schröder & Treadaway, 1978
1731. *Arhopala* *alitaesus* (Hewitson, 1862) (Lycaenidae) Synonym(s): *alitaesus* Hewitson, 1862
1732. *Arhopala* *alitaesus mindanaensis* Bethune-Baker, 1903 (Lycaenidae) Synonym(s): *Bethune-Baker, 1903*
1733. *Arhopala* *alitaesus myrtale* Staudinger, 1889 (Lycaenidae) Synonym(s): *myrtale* Staudinger, 1889
1734. *Arhopala* *alitaesus panta* (Evans, 1957) (Lycaenidae) Synonym(s): *panta* Evans, 1957
1735. *Arhopala* *alitaesus shigae* Murayama & Okamura, 1973 (Lycaenidae) Synonym(s): *shigae* Murayama & Okamura, 1973
1736. *Arhopala* *alitaesus zilensis* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *zilensis* Fruhstorfer, 1914
1737. *Arhopala* *allata* (Staudinger, 1889) (Lycaenidae) Synonym(s): *allata* Staudinger, 1889
1738. *Arhopala* *allata allata* (Staudinger, 1889) (Lycaenidae) Synonym(s): *allata* Staudinger, 1889
1739. *Arhopala* *allata pambihira* Takanami, 1982 (Lycaenidae) Synonym(s): *allata* Staudinger, 1889
1740. *Arhopala* *amphimuta* (C.Felder & R.Felder, 1860) (Lycaenidae) Synonym(s): *amphimuta* C.Felder & R.Felder, 1860; *asia* De Nicéville, [1893]
1741. *Arhopala* *amphimuta amphimuta* (C.Felder & R.Felder, 1860) (Lycaenidae) Synonym(s): *amphimuta* C.Felder & R.Felder, 1860; *asia* De Nicéville, [1893]
1742. *Arhopala* *anamuta* Semper, 1890 (Lycaenidae) Synonym(s): *anamuta* Semper, 1890
1743. *Arhopala* *anarte* (Hewitson, 1862) (Lycaenidae) Synonym(s): *anarte* Hewitson, 1862; *morphicolor* Corbet, 1941

1744. *Arhopala anarte anarte* (Hewitson,1862) (Lycaenidae)
Synonym(s): *anarte* Hewitson,1862; *morphicolor* Corbet,1941
1745. *Arhopala annulata* C.Felder,1860 (Lycaenidae)
Synonym(s): *annulata* C.Felder,1860
1746. *Arhopala anthelus* Westwood,1851 (Lycaenidae)
Synonym(s): *anthelus* Westwood,1851
1747. *Arhopala anthelus impar* (Evans,1957) (Lycaenidae)
Synonym(s): *impar* Evans,1957
1748. *Arhopala anthelus marinduquensis* Hayashi, Schröder & Treadaway,1984 (Lycaenidae) Synonym(s): *marinduquensis* Hayashi, Schröder & Treadaway,1984
1749. *Arhopala anthelus paradisii* Schröder & Treadaway,1990 (Lycaenidae) Synonym(s): *paradisii* Schröder & Treadaway,1990
1750. *Arhopala anthelus reverie* Seki,1994 (Lycaenidae)
Synonym(s): *reverie* Seki,1994
1751. *Arhopala anthelus sanmariana* Osada & Hashimoto,1987 (Lycaenidae) Synonym(s): *sanmariana* Osada & Hashimoto,1987
1752. *Arhopala anthelus saturator* (Staudinger,1889) (Lycaenidae) Synonym(s): *saturator* Staudinger,1889
1753. *Arhopala anthelus sotades* Fruhstorfer,1914 (Lycaenidae) Synonym(s): *sotades* Fruhstorfer,1914
1754. *Arhopala aroa* (Hewitson,[1863]) (Lycaenidae)
Synonym(s): *aroa* Hewitson,[1863]; *arops* Corbet,1941
1755. *Arhopala aroa aroa* (Hewitson,[1863]) (Lycaenidae)
Synonym(s): *aroa* Hewitson,[1863]; *arops* Corbet,1941
1756. *Arhopala aronya* Hewitson,1869 (Lycaenidae)
Synonym(s): *aronya* Hewitson,1869
1757. *Arhopala aronya aronya* Hewitson,1869 (Lycaenidae)
Synonym(s): *aronya* Hewitson,1869
1758. *Arhopala aronya natsumiae* Hayashi,1981 (Lycaenidae) Synonym(s): *natsumiae* Hayashi,1981
1759. *Arhopala arsenius* C.Felder & R.Felder,[1865] (Lycaenidae) Synonym(s): *arsenius* C.Felder & R.Felder,[1865]
1760. *Arhopala arsenius arsenius* C.Felder & R.Felder,[1865] (Lycaenidae) Synonym(s): *arsenius* C.Felder & R.Felder,[1865]
1761. *Arhopala arsenius everetti* Evans,1957 (Lycaenidae)
Synonym(s): *everetti* Evans,1957
1762. *Arhopala athada* (Staudinger,1889) (Lycaenidae)
Synonym(s): *athada* Staudinger,1889; *agamemnon* Corbet,1941
1763. *Arhopala athada wilemani* Evans,1957 (Lycaenidae)
Synonym(s): *wilemani* Evans,1957
1764. *Arhopala atosia* (Hewitson,[1863]) (Lycaenidae)
Synonym(s): *atosia* Hewitson,[1863]
1765. *Arhopala atosia aricia* (Staudinger,1889) (Lycaenidae)
Synonym(s): *aricia* Staudinger,1889
1766. *Arhopala avatha* De Nicéville,[1896] (Lycaenidae)
Synonym(s): *avatha* De Nicéville,[1896]
1767. *Arhopala avatha avatha* De Nicéville,[1896] (Lycaenidae) Synonym(s): *avatha* De Nicéville,[1896]
1768. *Arhopala avatha lana* Evans,1957 (Lycaenidae)
Synonym(s): *lana* Evans,1957
1769. *Arhopala bazalus* (Hewitson,1862) (Lycaenidae)
Synonym(s): *bazalus* Hewitson,1862
1770. *Arhopala bazalus asagiae* Hayashi,1978 (Lycaenidae)
Synonym(s): *asagiae* Hayashi,1978
1771. *Arhopala birmana* (Moore,1883) (Lycaenidae)
Synonym(s): *birmana* Moore,1883
1772. *Arhopala birmana hiurai* Hayashi,1976 (Lycaenidae)
Synonym(s): *hiurai* Hayashi,1976
1773. *Arhopala buddha* Bethune-Baker,1903 (Lycaenidae)
Synonym(s): *buddha* Bethune-Baker,1903
1774. *Arhopala buddha cooperi* (Evans,[1925]) (Lycaenidae)
Synonym(s): *cooperi* Evans,[1925]; *gana* Corbet,1941
1775. *Arhopala chamaeleona* Bethune-Baker,1903 (Lycaenidae) Synonym(s): *Bethune-Baker*,1903
1776. *Arhopala chamaeleona maputi* Takanami,1984 (Lycaenidae) Synonym(s): *maputi* Takanami,1984
1777. *Arhopala chamaeleona mizunumai* Hayashi,1978 (Lycaenidae) Synonym(s): *mizunumai* Hayashi,1978
1778. *Arhopala cleander* (C.Felder,1860) (Lycaenidae)
Synonym(s): *cleander* C.Felder,1860
1779. *Arhopala cleander malayica* Bethune-Baker,1903 (Lycaenidae) Synonym(s): *malayica* Bethune-Baker,1903
1780. *Arhopala corinda* (Hewitson,1869) (Lycaenidae)
Synonym(s): *corinda* Hewitson,1869
1781. *Arhopala corinda corinda* (Hewitson,1869) (Lycaenidae) Synonym(s): *corinda* Hewitson,1869
1782. *Arhopala davaona* Semper,1890 (Lycaenidae)
Synonym(s): *davaona* Semper,1890
1783. *Arhopala epimete* (Staudinger,1889) (Lycaenidae)
Synonym(s): *epimete* Staudinger,1889
1784. *Arhopala epimete epimete* (Staudinger,1889) (Lycaenidae) Synonym(s): *epimete* Staudinger,1889
1785. *Arhopala epimete magindana* Osada,1987 (Lycaenidae) Synonym(s): *magindana* Osada,1987
1786. *Arhopala eridanus* C.Felder,1860 (Lycaenidae)
Synonym(s): *eridanus* C.Felder,1860
1787. *Arhopala eridanus dilutior* Staudinger,1889 (Lycaenidae) Synonym(s): *dilutior* Staudinger,1889
1788. *Arhopala eumolphus* (Cramer,[1780]) (Lycaenidae)
Synonym(s): *eumolphus* Cramer,[1780]
1789. *Arhopala eumolphus aristomachus* Fruhstorfer,1914 (Lycaenidae) Synonym(s): *aristomachus* Fruhstorfer,1914
1790. *Arhopala evansi* Corbet,1941 (Lycaenidae)
Synonym(s): *evansi* Corbet,1941
1791. *Arhopala fulla* (Hewitson,1862) (Lycaenidae)
Synonym(s): *fulla* Hewitson,1862
1792. *Arhopala fulla santa* (Evans,1957) (Lycaenidae)
Synonym(s): *santa* Evans,1957
1793. *Arhopala grandimuta* Seki,1993 (Lycaenidae)
Synonym(s): *grandimuta* Seki,1993
1794. *Arhopala grandimuta grandimuta* Seki,1993 (Lycaenidae) Synonym(s): *grandimuta* Seki,1993
1795. *Arhopala grandimuta takanamii* Seki,1993 (Lycaenidae) Synonym(s): *takanamii* Seki,1993
1796. *Arhopala hesba* Hewitson,1869 (Lycaenidae)
Synonym(s): *hesba* Hewitson,1869
1797. *Arhopala hinigugma* Takanami,1985 (Lycaenidae)
Synonym(s): *hinigugma* Takanami,1985
1798. *Arhopala horsfieldi* Pagenstecher,1890 (Lycaenidae)
Synonym(s): *horsfieldi* Pagenstecher,1890
1799. *Arhopala horsfieldi palawanica* Hayashi,1976 (Lycaenidae) Synonym(s): *palawanica* Hayashi,1976
1800. *Arhopala ilocana* Osada & Hashimoto,1987 (Lycaenidae) Synonym(s): *ilocana* Osada & Hashimoto,1987
1801. *Arhopala inornata* (C.Felder & R.Felder,1860) (Lycaenidae) Synonym(s): *inornata* C.Felder & R.Felder,1860; *brahma* Bethune-Baker,1897
1802. *Arhopala inornata inornata* (C.Felder & R.Felder,1860) (Lycaenidae) Synonym(s): *inornata* C.Felder & R.Felder,1860; *brahma* Bethune-Baker,1897
1803. *Arhopala luzonensis* Takanami & Ballantine,1987 (Lycaenidae) Synonym(s): *luzonensis* Takanami & Ballantine,1987
1804. *Arhopala major* (Staudinger,1889) (Lycaenidae)
Synonym(s): *major* Staudinger,1889; *catori* Bethune-Baker,1903
1805. *Arhopala major major* (Staudinger,1889) (Lycaenidae)
Synonym(s): *major* Staudinger,1889; *catori* Bethune-Baker,1903
1806. *Arhopala matsutaroi* Hayashi,1979 (Lycaenidae)
Synonym(s): *matsutaroi* Hayashi,1979
1807. *Arhopala myrtha* (Staudinger,1889) (Lycaenidae)
Synonym(s): *myrtha* Staudinger,1889
1808. *Arhopala myrzala* (Hewitson,1869) (Lycaenidae)
Synonym(s): *myrzala* Hewitson,1869
1809. *Arhopala myrzala myrzala* Hewitson,1869 (Lycaenidae) Synonym(s): *myrzala* Hewitson,1869
1810. *Arhopala nakamotoi* Hayashi,1978 (Lycaenidae)
Synonym(s): *nakamotoi* Hayashi,1978
1811. *Arhopala ocrida* Hewitson,1869 (Lycaenidae)
Synonym(s): *ocrida* Hewitson,1869
1812. *Arhopala ocrida cionnii* Schröder & Treadaway,1994 (Lycaenidae) Synonym(s): *cionnii* Schröder & Treadaway,1994

1813. *Arhopala ocrida ocrida* Hewitson, 1869 (Lycaenidae)
Synonym(s): *ocrida* Hewitson, 1869
1814. *Arhopala paraganesa* (De Nicéville, 1882) (Lycaenidae)
Synonym(s): *paraganesa* De Nicéville, 1882
1815. *Arhopala paraganesa tomokoae* Hayashi, 1976 (Lycaenidae) Synonym(s): *tomokoae* Hayashi, 1976
1816. *Arhopala phaenops* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *phaenops* C.Felder & R.Felder, [1865]
1817. *Arhopala phaenops detrita* Staudinger, 1889 (Lycaenidae) Synonym(s): *detrita* Staudinger, 1889
1818. *Arhopala phaenops phaenops* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *phaenops* C.Felder & R.Felder, [1865]
1819. *Arhopala phaenops sandakani* Bethune-Baker, 1896 (Lycaenidae) Synonym(s): *sandakani* Bethune-Baker, 1896
1820. *Arhopala phaenops termerion* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *termerion* Fruhstorfer, 1914
1821. *Arhopala pseudocentaurus* Doubleday, 1847 (Lycaenidae) Synonym(s): *pseudocentaurus* Doubleday, 1847
1822. *Arhopala pseudocentaurus aglais* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *aglais* C.Felder & R.Felder, [1865]; *setsuroi* Hayashi, 1981
1823. *Arhopala rudepoema* Seki, 1994 (Lycaenidae)
Synonym(s): *rudepoema* Seki, 1994
1824. *Arhopala sakaguchii* Hayashi, 1981 (Lycaenidae)
Synonym(s): *sakaguchii* Hayashi, 1981
1825. *Arhopala selta* (Hewitson, 1869) (Lycaenidae)
Synonym(s): *selta* Hewitson, 1869
1826. *Arhopala selta hislopi* Eliot, 1962 (Lycaenidae)
Synonym(s): *hislopi* Eliot, 1962
1827. *Arhopala silhetensis* (Hewitson, 1862) (Lycaenidae)
Synonym(s): *silhetensis* Hewitson, 1862
1828. *Arhopala silhetensis philippina* Hayashi, 1981 (Lycaenidae) Synonym(s): *philippina* Hayashi, 1981
1829. *Arhopala staudingeri* Semper, 1890 (Lycaenidae)
Synonym(s): *staudingeri* Semper, 1890
1830. *Arhopala staudingeri castagnedai* Osada & Hashimoto, 1987 (Lycaenidae) Synonym(s): *castagnedai* Osada & Hashimoto, 1987
1831. *Arhopala staudingeri negrosiana* Hayashi, 1981 (Lycaenidae) Synonym(s): *negrosiana* Hayashi, 1981
1832. *Arhopala staudingeri staudingeri* Semper, 1890 (Lycaenidae) Synonym(s): *staudingeri* Semper, 1890
1833. *Arhopala sublustris* Bethune-Baker, 1904 (Lycaenidae)
Synonym(s): *sublustris* Bethune-Baker, 1904
1834. *Arhopala sublustris sublustris* Bethune-Baker, 1904 (Lycaenidae) Synonym(s): *sublustris* Bethune-Baker, 1904
1835. *Arhopala tephlis* Hewitson, 1869 (Lycaenidae)
Synonym(s): *tephlis* Hewitson, 1869
1836. *Arhopala tephlis unnoi* Hayashi, 1976 (Lycaenidae)
Synonym(s): *unnoi* Hayashi, 1976
1837. *Arhopala theba* Hewitson, 1863 (Lycaenidae)
Synonym(s): *theba* Hewitson, 1863
1838. *Arhopala tindongani* Nuyda & Takanami, 1990 (Lycaenidae) Synonym(s): *tindongani* Nuyda & Takanami, 1990
1839. *Arhopala trionoae* Semper, 1890 (Lycaenidae)
Synonym(s): *trionoae* Semper, 1890
1840. *Arhopala zambra* Swinhoe, [1911] (Lycaenidae)
Synonym(s): *zambra* Swinhoe, [1911]
1841. *Arhopala zambra kitamurai* Seki, 1994 (Lycaenidae)
Synonym(s): *kitamurai* Seki, 1994
1842. *Arhopala zambra plateni* Evans, 1957 (Lycaenidae)
Synonym(s): *plateni* Evans, 1957
1843. *Arhopala zambra triviata* Seki, 1994 (Lycaenidae)
Synonym(s): *triviata* Seki, 1994
1844. *Austrozephyrus reginae* Schröder & Treadaway, 1982 (Lycaenidae) Synonym(s): *reginae* Schröder & Treadaway, 1982
1845. *Bindahara phocides* (Fabricius, 1793) (Lycaenidae)
Synonym(s): *phocides* Fabricius, 1793
1846. *Bindahara phocides origenes* Fruhstorfer, 1912 (Lycaenidae) Synonym(s): *origenes* Fruhstorfer, 1912
1847. *Bindahara phocides phocides* (Fabricius, 1793) (Lycaenidae) Synonym(s): *phocides* Fabricius, 1793
1848. *Caleta caleta* (Hewitson, [1876]) (Lycaenidae)
Synonym(s): *caleta* Hewitson, [1876]
1849. *Caleta caleta argola* (Hewitson, [1876]) (Lycaenidae)
Synonym(s): *argola* Hewitson, [1876]
1850. *Caleta caleta gerasa* (Fruhstorfer, 1918) (Lycaenidae)
Synonym(s): *gerasa* Fruhstorfer, 1918
1851. *Caleta elna* (Hewitson, [1876]) (Lycaenidae)
Synonym(s): *elna* Hewitson, [1876]
1852. *Caleta elna elvira* (Fruhstorfer, 1918) (Lycaenidae)
Synonym(s): *elvira* Fruhstorfer, 1918
1853. *Caleta roxus* (Godart, [1824]) (Lycaenidae)
Synonym(s): *roxus* Godart, [1824]
1854. *Caleta roxus angustior* Staudinger, 1889 (Lycaenidae)
Synonym(s): *angustior* Staudinger, 1889
1855. *Callenya kaguya* Eliot & Kawazoe, 1984 (Lycaenidae)
Synonym(s): *kaguya* Eliot & Kawazoe, 1984
1856. *Callenya kaguya kaguya* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *kaguya* Eliot & Kawazoe, 1984
1857. *Castalius rosimon* (Fabricius, 1775) (Lycaenidae)
Synonym(s): *rosimon* Fabricius, 1775
1858. *Castalius rosimon monrosi* Semper, 1889 (Lycaenidae)
Synonym(s): *monrosi* Semper, 1889
1859. *Catapaecilma evansi* Pendlebury, 1933 (Lycaenidae)
Synonym(s): *evansi* Pendlebury, 1933
1860. *Catapaecilma evansi evansi* Pendlebury, 1933 (Lycaenidae) Synonym(s): *evansi* Pendlebury, 1933
1861. *Catapaecilma evansi parva* Schröder & Treadaway, 1988 (Lycaenidae) Synonym(s): *parva* Schröder & Treadaway, 1988
1862. *Catapaecilma evansi rizali* Takanami, 1984 (Lycaenidae) Synonym(s): *rizali* Takanami, 1984
1863. *Catapaecilma gracilis* Semper, 1890 (Lycaenidae)
Synonym(s): *gracilis* Semper, 1890
1864. *Catapaecilma nakamotoi* Hayashi, 1979 (Lycaenidae)
Synonym(s): *nakamotoi* Hayashi, 1979
1865. *Catapaecilma nuydai* Takanami, 1984 (Lycaenidae)
Synonym(s): *nuydai* Takanami, 1984
1866. *Catochrysops panormus* (C.Felder, 1860) (Lycaenidae)
Synonym(s): *panormus* C.Felder, 1860
1867. *Catochrysops panormus exiguus* (Distant, 1886) (Lycaenidae) Synonym(s): *exiguus* Distant, 1886; *perakana* Corbet, 1938
1868. *Catochrysops strabo* (Fabricius, 1793) (Lycaenidae)
Synonym(s): *strabo* Fabricius, 1793; *riama* Corbet, 1938
1869. *Catochrysops strabo luzonensis* Tite, 1959 (Lycaenidae)
Synonym(s): *luzonensis* Tite, 1959
1870. *Catopyrops ancyra* (C.Felder, 1860) (Lycaenidae)
Synonym(s): *ancyra* C.Felder, 1860
1871. *Catopyrops ancyra almora* Druce, 1873 (Lycaenidae)
Synonym(s): *almora* Druce, 1873
1872. *Cebrella* (s.str.) *penelope* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *penelope* Eliot & Kawazoe, 1984
1873. *Cebrella* (s.str.) *penelope kashiwii* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *kashiwii* Eliot & Kawazoe, 1984
1874. *Cebrella* (s.str.) *penelope penelope* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *penelope* Eliot & Kawazoe, 1984
1875. *Celarchus* (s.str.) *archagathos* (C.Felder & R.Felder, [1865]) (Lycaenidae) Synonym(s): *archagathos* C.Felder & R.Felder, [1865]
1876. *Celarchus* (s.str.) *archagathos archagathos* (C.Felder & R.Felder, [1865]) (Lycaenidae) Synonym(s): *archagathos* C.Felder & R.Felder, [1865]
1877. *Celarchus* (s.str.) *archagathos leytenis* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *leytenis* Eliot & Kawazoe, 1984
1878. *Celarchus* (s.str.) *hermarchus* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *hermarchus* Fruhstorfer, 1910
1879. *Celarchus* (s.str.) *hermarchus hermarchus* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *hermarchus* Fruhstorfer, 1910
1880. *Celarchus* (s.str.) *hermarchus vesontia* Fruhstorfer, 1917 (Lycaenidae) Synonym(s): *vesontia* Fruhstorfer, 1917

1881. *Celastrina algermoni* (Fruhstorfer,1917) (Lycaenidae)
Synonym(s): *oreas* Leach (*praeocc.*); *algermoni* Fruhstorfer,1917; *nuydai* Hayashi & Iwanaga,1974.
1882. *Celastrina algermoni algermoni* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *oreas* Leach (*praeocc.*); *algermoni* Fruhstorfer,1917; *nuydai* Hayashi & Iwanaga,1974.
1883. *Celastrina argiolus* (Linnaeus,1758) (Lycaenidae)
Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
1884. *Celastrina argiolus sugurui* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *sugurui* Eliot & Kawazoe,1984
1885. *Celastrina lavendularis* (Moore,1877) (Lycaenidae)
Synonym(s): *lavendularis* Moore,1877; *amitra* Fruhstorfer,1922.
1886. *Celastrina lavendularis hermesianax* (Fruhstorfer,1910) (Lycaenidae) Synonym(s): *hermesianax* Fruhstorfer,1910
1887. *Celastrina philippina* Semper,1889 (Lycaenidae)
Synonym(s): *philippina* Semper,1889
1888. *Celastrina philippina philippina* Semper,1889 (Lycaenidae) Synonym(s): *philippina* Semper,1889
1889. *Cheritra aenea* Semper,1890 (Lycaenidae)
Synonym(s): *aenea* Semper,1890
1890. *Cheritra orpheus* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *orpheus* C.Felder & R.Felder,[1865]
1891. *Cheritra orpheus eurydice* Fruhstorfer,[1912] (Lycaenidae) Synonym(s): *eurydice* Fruhstorfer,[1912]
1892. *Cheritra orpheus orpheus* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *orpheus* C.Felder & R.Felder,[1865]
1893. *Cheritra orpheus orphnine* Cowan,1967 (Lycaenidae)
Synonym(s): *orphnine* Cowan,1967
1894. *Chilades (Freyeria) putli* (Kollar,[1844]) (Lycaenidae)
Synonym(s): *putli* Kollar,[1844]; *orientalis* Forster,1980
1895. *Chilades (Freyeria) putli putli* (Kollar,[1844]) (Lycaenidae) Synonym(s): *putli* Kollar,[1844]; *orientalis* Forster,1980
1896. *Chilades (Freyeria) trochylus* (Freyer,[1843]) (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931
1897. *Chilades (Freyeria) trochylus gnoma* Snellen,1876 (Lycaenidae) Synonym(s): *gnoma* Snellen,1876
1898. *Chilades (Freyeria) trochylus trochylus* (Freyer,[1843]) (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931.
1899. *Chilades (Luthrodes) pandava* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *pandava* Horsfield,[1829]; *bengalia* De Nicéville; *nicola* Swinhoe.
1900. *Chilades (Luthrodes) pandava vapanda* Semper,1889 (Lycaenidae) Synonym(s): *vapanda* Semper,1889
1901. *Chilades (s.str.) parrhasius* (Fabricius,1793) (Lycaenidae) Synonym(s): *parrhasius* Fabricius,1793; *contracta* Butler,1880; *ella* Butler,1881; *lempkei* Blom,1979.
1902. *Chilades (s.str.) parrhasius parrhasius* (Fabricius,1793) (Lycaenidae) Synonym(s): *parrhasius* Fabricius,1793; *contracta* Butler,1880; *ella* Butler,1881; *lempkei* Blom,1979.
1903. *Chilades lajus* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *lajus* C.Felder & R.Felder,[1865]
1904. *Chilades mindora* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *mindora* C.Felder & R.Felder,[1865]
1905. *Cigaritis syama* (Horsfield,[1829]) (Lycaenidae)
Synonym(s): *syama* Horsfield,[1829]
1906. *Cigaritis syama negrita* C.Felder,1862 (Lycaenidae)
Synonym(s): *negrita* C.Felder,1862
1907. *Cupido (Everes) lacturnus* (Godart,[1824]) (Lycaenidae) Synonym(s): *lacturnus* Godart,[1824]
1908. *Cupido (Everes) lacturnus lacturnus* (Godart,[1824]) (Lycaenidae) Synonym(s): *lacturnus* Godart,[1824]
1909. *Curetis nesophila* (C.Felder & R.Felder,1862) (Lycaenidae) Synonym(s): *nesophila* C.Felder & R.Felder,1862
1910. *Curetis tagalica* (C.Felder & R.Felder,1862) (Lycaenidae) Synonym(s): *tagalica* C.Felder & R.Felder,1862
1911. *Curetis tagalica palawanica* Staudinger,1889 (Lycaenidae) Synonym(s): *palawanica* Staudinger,1889
1912. *Curetis tagalica tagalica* (C.Felder & R.Felder,1862) (Lycaenidae) Synonym(s): *tagalica* C.Felder & R.Felder,1862
1913. *Curetis tagalica takanamii* Schröder & Treadaway,1989 (Lycaenidae) Synonym(s): *takanamii* Schröder & Treadaway,1989
1914. *Cyaniriodes libna* (Hewitson,1869) (Lycaenidae)
Synonym(s): *libna* Hewitson,1869
1915. *Cyaniriodes libna miotsukushi* Hayashi,1976 (Lycaenidae) Synonym(s): *miotsukushi* Hayashi,1976
1916. *Cyaniriodes libna samarana* Schröder & Treadaway,1994 (Lycaenidae) Synonym(s): *samarana* Schröder & Treadaway,1994
1917. *Cyaniriodes libna tawicolana* Schröder & Treadaway,1994 (Lycaenidae) Synonym(s): *tawicolana* Schröder & Treadaway,1994
1918. *Cyaniriodes siraspiorum* Schröder & Treadaway,1976 (Lycaenidae) Synonym(s): *siraspiorum* Schröder & Treadaway,1976; *leyte* Medicielo,1993
1919. *Dacalana akayamai* Hayashi, Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *akayamai* Hayashi, Schröder & Treadaway,1983
1920. *Dacalana aristarchus* Fruhstorfer,1912 (Lycaenidae)
Synonym(s): *aristarchus* Fruhstorfer,1912; *natsumiae* Hayashi,1983
1921. *Dacalana irmae* Hayashi, Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *irmae* Hayashi, Schröder & Treadaway,1983
1922. *Dacalana kurosawai* Hayashi,1976 (Lycaenidae)
Synonym(s): *kurosawai* Hayashi,1976
1923. *Dacalana liaoi* Hayashi, Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *liaoi* Hayashi, Schröder & Treadaway,1983; *negrosensis* M.Okano & T.Okano,1991
1924. *Dacalana mio* Hayashi, Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *mio* Hayashi, Schröder & Treadaway,1983
1925. *Dacalana monsaponia* Schröder & Treadaway,1978 (Lycaenidae) Synonym(s): *monsaponia* Schröder & Treadaway,1978; *sugimotoi* Hayashi,1978
1926. *Dacalana monsaponia marinduquensis* Hayashi, Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *marinduquensis* Hayashi, Schröder & Treadaway,1983
1927. *Dacalana monsaponia monsaponia* Schröder & Treadaway,1978 (Lycaenidae) Synonym(s): *monsaponia* Schröder & Treadaway,1978; *sugimotoi* Hayashi,1978
1928. *Dacalana polyorketes* Fruhstorfer,1912 (Lycaenidae)
Synonym(s): *polyorketes* Fruhstorfer,1912
1929. *Dacalana polyorketes kawamurai* Takanami,1988 (Lycaenidae) Synonym(s): *kawamurai* Takanami,1988
1930. *Dacalana polyorketes laduanae* Schröder & Treadaway,1989 (Lycaenidae) Synonym(s): *laduanae* Schröder & Treadaway,1989
1931. *Dacalana polyorketes polyorketes* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *polyorketes* Fruhstorfer,1912
1932. *Dacalana sannio* Druce,1895 (Lycaenidae)
Synonym(s): *sannio* Druce,1895
1933. *Dacalana sannio lucillae* Hayashi, Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *lucillae* Hayashi, Schröder & Treadaway,1983
1934. *Dacalana sannio sannio* Druce,1895 (Lycaenidae)
Synonym(s): *sannio* Druce,1895
1935. *Dacalana treadawayi* Hayashi,1984 (Lycaenidae)
Synonym(s): *treadawayi* Hayashi,1984
1936. *Danis schaeffera* (Eschscholtz,1821) (Lycaenidae)
Synonym(s): *schaeffera* Eschscholtz,1821
1937. *Deramas bidotata* Fruhstorfer,1914 (Lycaenidae)
Synonym(s): *bidotata* Fruhstorfer,1914; *philippinensis* Hayashi,1981

1938. *Deramas bidotata bidotata* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *bidotata* Fruhstorfer, 1914; *philippinensis* Hayashi, 1981
1939. *Deramas evelynae* Schröder & Treadaway, 1978 (Lycaenidae) Synonym(s): *evelynae* Schröder & Treadaway, 1978; *kawazoei* Hayashi, 1981
1940. *Deramas evelynae evelynae* Schröder & Treadaway, 1978 (Lycaenidae) Synonym(s): *evelynae* Schröder & Treadaway, 1978; *kawazoei* Hayashi, 1981
1941. *Deramas evelynae nahomiae* Takanami, 1985 (Lycaenidae) Synonym(s): *nahomiae* Takanami, 1985
1942. *Deramas evelynae tsuiso* Takanami, 1987 (Lycaenidae) Synonym(s): *tsuiso* Takanami, 1987
1943. *Deramas ikedai* Hayashi, 1978 (Lycaenidae) Synonym(s): *ikedai* Hayashi, 1978
1944. *Deramas ikedai ikedai* Hayashi, 1978 (Lycaenidae) Synonym(s): *ikedai* Hayashi, 1978
1945. *Deramas livens* Distant, 1886 (Lycaenidae) Synonym(s): *livens* Distant, 1886; *pharygoides* De Nicéville, 1890
1946. *Deramas livens montana* Schröder & Treadaway, 1978 (Lycaenidae) Synonym(s): *montana* Schröder & Treadaway, 1978
1947. *Deramas mindanensis* Eliot, 1964 (Lycaenidae) Synonym(s): *mindanensis* Eliot, 1964
1948. *Deramas mindanensis mindanensis* Eliot, 1964 (Lycaenidae) Synonym(s): *mindanensis* Eliot, 1964
1949. *Deramas nelvis* Eliot, 1964 (Lycaenidae) Synonym(s): *nelvis* Eliot, 1964
1950. *Deramas nelvis manobo* Schröder & Treadaway, 1978 (Lycaenidae) Synonym(s): *manobo* Schröder & Treadaway, 1978
1951. *Deramas sumikat* Schröder & Treadaway, 1986 (Lycaenidae) Synonym(s): *sumikat* Schröder & Treadaway, 1986
1952. *Deramas sumikat sumikat* Schröder & Treadaway, 1986 (Lycaenidae) Synonym(s): *sumikat* Schröder & Treadaway, 1986
1953. *Deramas tomokoae* Hayashi, 1978 (Lycaenidae) Synonym(s): *tomokoae* Hayashi, 1978
1954. *Deramas tomokoae tomokoae* Hayashi, 1978 (Lycaenidae) Synonym(s): *tomokoae* Hayashi, 1978
1955. *Deramas toshikoae* Hayashi, 1981 (Lycaenidae) Synonym(s): *toshikoae* Hayashi, 1981
1956. *Deramas toshikoae toshikoae* Hayashi, 1981 (Lycaenidae) Synonym(s): *toshikoae* Hayashi, 1981
1957. *Deramas treadawayi* Hayashi, 1981 (Lycaenidae) Synonym(s): *treadawayi* Hayashi, 1981
1958. *Deramas treadawayi treadawayi* Hayashi, 1981 (Lycaenidae) Synonym(s): *treadawayi* Hayashi, 1981
1959. *Deudorix (Virachola) kessuma* (Horsfield, [1829]) (Lycaenidae) Synonym(s): *kessuma* Horsfield, [1829]
1960. *Deudorix (Virachola) kessuma deliochus* (Hewitson, 1874) (Lycaenidae) Synonym(s): *deliochus* Hewitson, 1874
1961. *Deudorix (Virachola) masamichii* Okubo, 1983 (Lycaenidae) Synonym(s): *masamichii* Okubo, 1983
1962. *Deudorix (Virachola) similis* (Hewitson, [1863]) (Lycaenidae) Synonym(s): *similis* Hewitson, [1863]
1963. *Deudorix (Virachola) similis vocetius* Fruhstorfer, 1912 (Lycaenidae) Synonym(s): *vocetius* Fruhstorfer, 1912
1964. *Deudorix (s.str.) apayao* Schröder & Treadaway, 1983 (Lycaenidae) Synonym(s): *apayao* Schröder & Treadaway, 1983
1965. *Deudorix (s.str.) apayao apayao* Schröder & Treadaway, 1983 (Lycaenidae) Synonym(s): *apayao* Schröder & Treadaway, 1983
1966. *Deudorix (s.str.) epijarbas* (Moore, [1858]) (Lycaenidae) Synonym(s): *epijarbas* Moore, [1858]
1967. *Deudorix (s.str.) epijarbas epijarbas* (Moore, [1858]) (Lycaenidae) Synonym(s): *epijarbas* Moore, [1858]
1968. *Deudorix (s.str.) philippinensis* Schröder, Treadaway & Hayashi, 1981 (Lycaenidae) Synonym(s): *philippinensis* Schröder, Treadaway & Hayashi, 1981
1969. *Deudorix (s.str.) philippinensis philippinensis* Schröder, Treadaway & Hayashi, 1981 (Lycaenidae) Synonym(s): *philippinensis* Schröder, Treadaway & Hayashi, 1981
- Synonym(s): *philippinensis* Schröder, Treadaway & Hayashi, 1981
1970. *Discolampa ethion* (Westwood, [1851]) (Lycaenidae) Synonym(s): *ethion* Westwood, [1851]
1971. *Discolampa ethion negrosiana* Murayama, 1983 (Lycaenidae) Synonym(s): *negrosiana* Murayama, 1983
1972. *Discolampa ethion ulysses* Staudinger, 1889 (Lycaenidae) Synonym(s): *ulysses* Staudinger, 1889
1973. *Drina borromeorum* Schröder & Treadaway, 1991 (Lycaenidae) Synonym(s): *borromeorum* Schröder & Treadaway, 1991
1974. *Drina discophora* (C.Felder & R.Felder, 1862) (Lycaenidae) Synonym(s): *discophora* C.Felder & R.Felder, 1862
1975. *Drina mavortia* (Hewitson, 1869) (Lycaenidae) Synonym(s): *mavortia* Hewitson, 1869
1976. *Drupadia hayashii* Schröder & Treadaway, 1989 (Lycaenidae) Synonym(s): *hayashii* Schröder & Treadaway, 1989
1977. *Drupadia niasica* (Röber, 1886) (Lycaenidae) Synonym(s): *niasica* Röber, 1886
1978. *Drupadia niasica florens* Cowan, 1974 (Lycaenidae) Synonym(s): *florens* Cowan, 1974
1979. *Drupadia niasica natinus* Takanami, 1987 (Lycaenidae) Synonym(s): *natinus* Takanami, 1987
1980. *Drupadia niasica ssp.* (Lycaenidae) Synonym(s):
1981. *Drupadia niasica thaenia* Druce, 1895 (Lycaenidae) Synonym(s): *thaenia* Druce, 1895
1982. *Drupadia ravindra* (Horsfield, [1829]) (Lycaenidae) Synonym(s): *ravindra* Horsfield, [1829]
1983. *Drupadia ravindra balabacola* Schröder & Treadaway, 1989 (Lycaenidae) Synonym(s): *balabacola* Schröder & Treadaway, 1989
1984. *Drupadia ravindra joloana* Staudinger, 1889 (Lycaenidae) Synonym(s): *joloana* Staudinger, 1889
1985. *Drupadia ravindra okurai* M.Okano & T.Okano, 1991 (Lycaenidae) Synonym(s): *okurai* M.Okano & T.Okano, 1991
1986. *Drupadia ravindra ravindrana* Staudinger, 1889 (Lycaenidae) Synonym(s): *ravindrana* Staudinger, 1889
1987. *Drupadia ravindra resoluta* Cowan, 1974 (Lycaenidae) Synonym(s): *resoluta* Cowan, 1974
1988. *Drupadia rufotaenia* (Fruhstorfer, [1912]) (Lycaenidae) Synonym(s): *rufotaenia* Fruhstorfer, [1912]
1989. *Drupadia rufotaenia praecox* Cowan, 1974 (Lycaenidae) Synonym(s): *praecox* Cowan, 1974
1990. *Drupadia rufotaenia torquata* Cowan, 1974 (Lycaenidae) Synonym(s): *torquata* Cowan, 1974
1991. *Drupadia theda* (C.Felder & R.Felder, 1862) (Lycaenidae) Synonym(s): *theda* C.Felder & R.Felder, 1862
1992. *Drupadia theda miyo* Takanami, 1987 (Lycaenidae) Synonym(s): *miyo* Takanami, 1987
1993. *Drupadia theda osadai* Takanami, 1987 (Lycaenidae) Synonym(s): *osadai* Takanami, 1987
1994. *Drupadia theda pekas* Takanami, 1982 (Lycaenidae) Synonym(s): *pekas* Takanami, 1982
1995. *Drupadia theda tawiensis* Schröder & Treadaway, 1989 (Lycaenidae) Synonym(s): *tawiensis* Schröder & Treadaway, 1989
1996. *Drupadia theda theda* (C.Felder & R.Felder, 1862) (Lycaenidae) Synonym(s): *theda* C.Felder & R.Felder, 1862
1997. *Drupadia theda unicolor* Staudinger, 1889 (Lycaenidae) Synonym(s): *unicolor* Staudinger, 1889
1998. *Eooxylides etias* (Smith, 1887) (Lycaenidae) Synonym(s): *etias* Smith, 1887
1999. *Eooxylides etias shahaniae* Treadaway & Nuyda, 1994 (Lycaenidae) Synonym(s): *shahaniae* Treadaway & Nuyda, 1994
2000. *Eooxylides meduana* (Hewitson, 1869) (Lycaenidae) Synonym(s): *meduana* Hewitson, 1869
2001. *Eooxylides tharis* (Geyer, [1837]) (Lycaenidae) Synonym(s): *tharis* Geyer, [1837]
2002. *Eooxylides tharis tharisides* Fruhstorfer, 1904 (Lycaenidae) Synonym(s): *tharisides* Fruhstorfer, 1904
2003. *Euchrysops cnejus* (Fabricius, 1798) (Lycaenidae) Synonym(s): *cnejus* Fabricius, 1798

- 2004.** *Euchrysops cnejus cnejus* (Fabricius,1798) (Lycaenidae) Synonym(s): *cnejus Fabricius,1798*
- 2005.** *Famegana alsulus* (Herrich-Schäffer,1869) (Lycaenidae) Synonym(s): *alsulus Herrich-Schäffer,1869*
- 2006.** *Flos anniella* (Hewitson,1862) (Lycaenidae) Synonym(s): *anniella Hewitson,1862*
- 2007.** *Flos anniella anniella* (Hewitson,1862) (Lycaenidae) Synonym(s): *anniella Hewitson,1862*
- 2008.** *Flos apidanus* (Cramer,[1777]) (Lycaenidae) Synonym(s): *apidanus Cramer,[1777]; dorimond Stoll,1790; antipaxas Fruhstorfer,1914; alter Toxopeus,1929*
- 2009.** *Flos apidanus himma* (Fruhstorfer,1914) (Lycaenidae) Synonym(s): *himmia Fruhstorfer,1914*
- 2010.** *Flos apidanus palawanus* (Staudinger,1889) (Lycaenidae) Synonym(s): *palawanus Staudinger,1889*
- 2011.** *Flos apidanus saturatus* (Snellen,1890) (Lycaenidae) Synonym(s): *saturatus Snellen,1890; kartaphilus Fruhstorfer,1914*
- 2012.** *Flos diardi* (Hewitson,1862) (Lycaenidae) Synonym(s): *diardi Hewitson,1862*
- 2013.** *Flos diardi capeta* Hewitson,1878 (Lycaenidae) Synonym(s): *capeta Hewitson,1878; almansor Fruhstorfer,1914*
- 2014.** *Flos fulgida* (Hewitson,[1863]) (Lycaenidae) Synonym(s): *fulgida Hewitson,[1863]*
- 2015.** *Flos fulgida zilana* Fruhstorfer,1900 (Lycaenidae) Synonym(s): *zilana Fruhstorfer,1900*
- 2016.** *Flos iriya* Fruhstorfer,1914 (Lycaenidae) Synonym(s): *iriyia Fruhstorfer,1914*
- 2017.** *Flos morphina* (Distant,1884) (Lycaenidae) Synonym(s): *morphina Distant,1884*
- 2018.** *Flos morphina morphina* (Distant,1884) (Lycaenidae) Synonym(s): *morphina Distant,1884*
- 2019.** *Horaga albimacula* (Wood-Mason & De Nicéville,1881) (Lycaenidae) Synonym(s): *albimacula Wood-Mason & De Nicéville,1881*
- 2020.** *Horaga albimacula anytus* Staudinger,1889 (Lycaenidae) Synonym(s): *anytus Staudinger,1889*
- 2021.** *Horaga amethystus* Druce,1903 (Lycaenidae) Synonym(s): *amethystus Druce,1903*
- 2022.** *Horaga amethystus sibuensis* Schröder & Treadaway,1990 (Lycaenidae) Synonym(s): *sibuensis Schröder & Treadaway,1990*
- 2023.** *Horaga bilineata* Semper,1890 (Lycaenidae) Synonym(s): *bilineata Semper,1890*
- 2024.** *Horaga chalcodonyx* Fruhstorfer,1914 (Lycaenidae) Synonym(s): *chalcodonyx Fruhstorfer,1914*
- 2025.** *Horaga chalcodonyx* ssp. (Lycaenidae) Synonym(s):
- 2026.** *Horaga lefebvrei* C.Felder & R.Felder,1862 (Lycaenidae) Synonym(s): *lefebvrei C.Felder & R.Felder,1862*
- 2027.** *Horaga lefebvrei lefebvrei* C.Felder & R.Felder,1862 (Lycaenidae) Synonym(s): *lefebvrei C.Felder & R.Felder,1862*
- 2028.** *Horaga lefebvrei osma* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *osma Fruhstorfer,1912*
- 2029.** *Horaga natsumiae* Hayashi,1984 (Lycaenidae) Synonym(s): *natsumiae Hayashi,1984*
- 2030.** *Horaga syrix* (C.Felder,1860) (Lycaenidae) Synonym(s): *syrix C.Felder,1860*
- 2031.** *Horaga syrix ashinica* Murayama & Okamura,1973 (Lycaenidae) Synonym(s): *ashinica Murayama & Okamura,1973*
- 2032.** *Horaga syrix camiguina* Semper,1890 (Lycaenidae) Synonym(s): *camiguina Semper,1890*
- 2033.** *Horaga syrix decolor* Staudinger,1889 (Lycaenidae) Synonym(s): *decolor Staudinger,1889*
- 2034.** *Horaga syrix joloana* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *joloana Fruhstorfer,1912*
- 2035.** *Horaga syrix paulla* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *paulla Fruhstorfer,1912*
- 2036.** *Hypolycaena erylus* (Godart,[1824]) (Lycaenidae) Synonym(s): *erylus Godart,[1824]*
- 2037.** *Hypolycaena erylus aimnestus* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *aimnestus Fruhstorfer,1912*
- 2038.** *Hypolycaena erylus georgius* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *georgius Fruhstorfer,1912*
- 2039.** *Hypolycaena erylus orsiphantus* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *orsiphantus Fruhstorfer,1912*
- 2040.** *Hypolycaena erylus tmolus* C.Felder & R.Felder,1862 (Lycaenidae) Synonym(s): *tmolus C.Felder & R.Felder,1862*
- 2041.** *Hypolycaena irawana* Hayashi, Schröder & Treadaway,1984 (Lycaenidae) Synonym(s): *irawana Hayashi, Schröder & Treadaway,1984*
- 2042.** *Hypolycaena ithna* Hewitson,1869 (Lycaenidae) Synonym(s): *ithna Hewitson,1869*
- 2043.** *Hypolycaena othona* Hewitson,1865 (Lycaenidae) Synonym(s): *othona Hewitson,1865*
- 2044.** *Hypolycaena othona waltraudae* Treadaway & Nuyda,1994 (Lycaenidae) Synonym(s): *waltraudae Treadaway & Nuyda,1994*
- 2045.** *Hypolycaena schroederi* Hayashi,1984 (Lycaenidae) Synonym(s): *schroederi Hayashi,1984*
- 2046.** *Hypolycaena shirozui* Hayashi,1981 (Lycaenidae) Synonym(s): *shirozui Hayashi,1981*
- 2047.** *Hypolycaena shirozui madilimi* Treadaway & Nuyda,1995 (Lycaenidae) Synonym(s): *madilimi Treadaway & Nuyda,1995*
- 2048.** *Hypolycaena shirozui shirozui* Hayashi,1981 (Lycaenidae) Synonym(s): *shirozui Hayashi,1981*
- 2049.** *Hypolycaena sipylus* C.Felder,1860 (Lycaenidae) Synonym(s): *sipylus C.Felder,1860*
- 2050.** *Hypolycaena sipylus tharrytas* C.Felder & R.Felder,1862 (Lycaenidae) Synonym(s): *tharrytas C.Felder & R.Felder,1862*
- 2051.** *Hypolycaena thecloides* (C.Felder & R.Felder,1860) (Lycaenidae) Synonym(s): *thecloides C.Felder & R.Felder,1860*
- 2052.** *Hypolycaena thecloides camotana* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *camotana Fruhstorfer,1912*
- 2053.** *Hypolycaena thecloides philippina* Staudinger,1889 (Lycaenidae) Synonym(s): *philippina Staudinger,1889*
- 2054.** *Hypolycaena thecloides vardara* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *vardara Fruhstorfer,1912*
- 2055.** *Hypolycaena toshikoe* Hayashi,1984 (Lycaenidae) Synonym(s): *toshikoe Hayashi,1984*
- 2056.** *Hypothecia astyla* C.Felder & R.Felder,1862 (Lycaenidae) Synonym(s): *astyla C.Felder & R.Felder,1862*
- 2057.** *Hypothecia astyla astyla* C.Felder & R.Felder,1862 (Lycaenidae) Synonym(s): *astyla C.Felder & R.Felder,1862*
- 2058.** *Hypothecia astyla mindanaensis* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *mindanaensis Fruhstorfer,1912*
- 2059.** *Hypothecia astyla palawensis* Hayashi,1976 (Lycaenidae) Synonym(s): *palawensis Hayashi,1976*
- 2060.** *Hypothecia astyla tegea* Fruhstorfer,1912 (Lycaenidae) Synonym(s): *tegea Fruhstorfer,1912*
- 2061.** *Ionolyce helicon* (C.Felder,1860) (Lycaenidae) Synonym(s): *helicon C.Felder,1860*
- 2062.** *Ionolyce helicon merguiana* (Moore,1884) (Lycaenidae) Synonym(s): *merguiana Moore,1884*
- 2063.** *Ionolyce helicon* ssp. (Lycaenidae) Synonym(s):
- 2064.** *Iraota rochana* (Horsfield,[1829]) (Lycaenidae) Synonym(s): *rochana Horsfield,[1829]*
- 2065.** *Iraota rochana austrosuluensis* Schröder & Treadaway,1989 (Lycaenidae) Synonym(s): *austrosuluensis Schröder & Treadaway,1989*
- 2066.** *Iraota rochana boudanti* Treadaway & Nuyda,1993 (Lycaenidae) Synonym(s): *boudanti Treadaway & Nuyda,1993*
- 2067.** *Iraota rochana garzoni* Schröder & Treadaway,1986 (Lycaenidae) Synonym(s): *garzoni Schröder & Treadaway,1986*
- 2068.** *Iraota rochana indalawanae* Schröder & Treadaway,1993 (Lycaenidae) Synonym(s): *indalawanae Schröder & Treadaway,1993*
- 2069.** *Iraota rochana lazarena* C.Felder & R.Felder,1862 (Lycaenidae) Synonym(s): *lazarena C.Felder & R.Felder,1862*
- 2070.** *Iraota rochana ottonis* Fruhstorfer,1907 (Lycaenidae) Synonym(s): *ottonis Fruhstorfer,1907*

2071. **Jamides alecto** (C.Felder,1860) (Lycaenidae)
Synonym(s): *alecto* C.Felder,1860
2072. **Jamides alecto kawazoei** Hayashi,1976 (Lycaenidae)
Synonym(s): *kawazoei* Hayashi,1976
2073. **Jamides alecto manilana** Toxopeus,1930 (Lycaenidae)
Synonym(s): *manilana* Toxopeus,1930
2074. **Jamides alsietus** Fruhstorfer,1916 (Lycaenidae)
Synonym(s): *alsietus* Fruhstorfer,1916
2075. **Jamides alsietus alsietus** Fruhstorfer,1916 (Lycaenidae) Synonym(s): *alsietus* Fruhstorfer,1916
2076. **Jamides alsietus camarines** Takanami,1990 (Lycaenidae) Synonym(s): *camarines* Takanami,1990
2077. **Jamides alsietus sabatus** Fruhstorfer,1916 (Lycaenidae) Synonym(s): *sabatus* Fruhstorfer,1916
2078. **Jamides aratus** (Stoll,[1781]) (Lycaenidae)
Synonym(s): *aratus* Stoll,[1781]
2079. **Jamides aratus adana** (Druce,1873) (Lycaenidae)
Synonym(s): *adana* Druce,1873
2080. **Jamides aratus nausiphanes** Fruhstorfer,1916 (Lycaenidae) Synonym(s): *nausiphanes* Fruhstorfer,1916
2081. **Jamides bochus** (Stoll,[1782]) (Lycaenidae)
Synonym(s): *bochus* Stoll,[1782]
2082. **Jamides bochus georgi** Fruhstorfer,1916 (Lycaenidae)
Synonym(s): *georgi* Fruhstorfer,1916
2083. **Jamides bochus herodicus** Fruhstorfer,1916 (Lycaenidae) Synonym(s): *herodicus* Fruhstorfer,1916
2084. **Jamides bochus nabonassar** Fruhstorfer,1916 (Lycaenidae) Synonym(s): *nabonassar* Fruhstorfer,1916
2085. **Jamides callistus Röber,1886** (Lycaenidae)
Synonym(s): *callistus* Röber,1886
2086. **Jamides callistus amastris** Fruhstorfer,1916 (Lycaenidae) Synonym(s): *amastris* Fruhstorfer,1916
2087. **Jamides callistus callistus** Röber,1886 (Lycaenidae)
Synonym(s): *callistus* Röber,1886
2088. **Jamides callistus cleitus** Fruhstorfer,1916 (Lycaenidae)
Synonym(s): *cleitus* Fruhstorfer,1916
2089. **Jamides callistus mioae** Hayashi,1976 (Lycaenidae)
Synonym(s): *mioae* Hayashi,1976
2090. **Jamides callistus neaethus** Fruhstorfer,1916 (Lycaenidae) Synonym(s): *neaethus* Fruhstorfer,1916
2091. **Jamides celeno** (Cramer,[1775]) (Lycaenidae)
Synonym(s): *celeno* Cramer,[1775]; *alexis* Stoll,1790 nec *Poda*,1761; *aelianus* Fabricius,1793; *zethus* Hübner,[1819].
2092. **Jamides celeno optimus** Röber,1886 (Lycaenidae)
Synonym(s): *optimus* Röber,1886
2093. **Jamides cleodus** C.Felder & R.Felder,[1865] (Lycaenidae) Synonym(s): *cleodus* C.Felder & R.Felder,[1865]
2094. **Jamides cleodus cleodus** C.Felder & R.Felder,[1865] (Lycaenidae) Synonym(s): *cleodus* C.Felder & R.Felder,[1865]
2095. **Jamides cleodus itumunus** Treadaway & Nuyda,1995 (Lycaenidae) Synonym(s): *itumunus* Treadaway & Nuyda,1995
2096. **Jamides cleodus manias** Fruhstorfer,1916 (Lycaenidae)
Synonym(s): *manias* Fruhstorfer,1916
2097. **Jamides cleodus potidalon** Fruhstorfer,1916 (Lycaenidae) Synonym(s): *potidalon* Fruhstorfer,1916
2098. **Jamides cleodus semperi** Fruhstorfer,1916 (Lycaenidae) Synonym(s): *semperi* Fruhstorfer,1916
2099. **Jamides cleodus trichonis** Fruhstorfer,1916 (Lycaenidae) Synonym(s): *trichonis* Fruhstorfer,1916
2100. **Jamides cunilda** (Snellen,1896) (Lycaenidae)
Synonym(s): *cunilda* Snellen,1896
2101. **Jamides cunilda sekii** Takanami,1988 (Lycaenidae)
Synonym(s): *sekii* Takanami,1988
2102. **Jamides cyta** (Boisduval,1832) (Lycaenidae)
Synonym(s): *cyta* Boisduval,1832
2103. **Jamides cyta koenigswarteri** Schröder,Treadaway & Nuyda,1993 (Lycaenidae) Synonym(s): *koenigswarteri* Schröder,Treadaway & Nuyda,1993
2104. **Jamides cyta natsumiae** Hayashi,1976 (Lycaenidae)
Synonym(s): *natsumiae* Hayashi,1976
2105. **Jamides cyta raddatzi** Schröder & Treadaway,1984 (Lycaenidae) Synonym(s): *raddatzi* Schröder & Treadaway,1984
2106. **Jamides elpis** (Godart,[1824]) (Lycaenidae)
Synonym(s): *elpis* Godart,[1824]
2107. **Jamides elpis phaliga** Fruhstorfer,1916 (Lycaenidae)
Synonym(s): *phaliga* Fruhstorfer,1916
2108. **Jamides elpis pseudelpis** (Butler,1879) (Lycaenidae)
Synonym(s): *pseudelpis* Butler,1879
2109. **Jamides philatus** (Snellen,1878) (Lycaenidae)
Synonym(s): *philatus* Snellen,1878
2110. **Jamides philatus amphyssina** Staudinger,1889 (Lycaenidae) Synonym(s): *amphyssina* Staudinger,1889
2111. **Jamides philatus osias** (Röber,1886) (Lycaenidae)
Synonym(s): *osias* Röber,1886
2112. **Jamides pura** (Moore,1886) (Lycaenidae) Synonym(s): *pura* Moore,1886
2113. **Jamides pura eordaea** Fruhstorfer,1916 (Lycaenidae)
Synonym(s): *eordaea* Fruhstorfer,1916
2114. **Jamides rothschildi** Hayashi,1977 (Lycaenidae)
Synonym(s): *rothschildi* Hayashi,1977
2115. **Jamides rothschildi aritai** Hayashi,1976 (Lycaenidae)
Synonym(s): *aritai* Hayashi,1976
2116. **Jamides rothschildi mindanensis** Hayashi,1977 (Lycaenidae) Synonym(s): *mindanensis* Hayashi,1977
2117. **Jamides schatzi** (Röber,1886) (Lycaenidae)
Synonym(s): *schatzi* Röber,1886
2118. **Jamides schatzi jumaloni** Hayashi,1976 (Lycaenidae)
Synonym(s): *jumaloni* Hayashi,1976
2119. **Jamides schatzi nakamotoi** Hayashi,1977 (Lycaenidae)
Synonym(s): *nakamotoi* Hayashi,1977
2120. **Jamides suidas** C.Felder & R.Felder,[1865] (Lycaenidae) Synonym(s): *suidas* C.Felder & R.Felder,[1865]
2121. **Jamides virgulatus** Druce,1895 (Lycaenidae)
Synonym(s): *virgulatus* Druce,1895
2122. **Lampides boeticus** (Linnaeus,1767) (Lycaenidae)
Synonym(s): *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886
2123. **Lampides boeticus boeticus** (Linnaeus,1767) (Lycaenidae) Synonym(s): *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886
2124. **Leptotes plinius** (Fabricius,1793) (Lycaenidae)
Synonym(s): *plinius* Fabricius,1793
2125. **Leptotes plinius leopardus** Schultze,1910 (Lycaenidae)
Synonym(s): *leopardus* Schultze,1910
2126. **Lestranicus yoshidai** Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *yoshidai* Eliot & Kawazoe,1984
2127. **Lestranicus yoshidai yoshidai** Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *yoshidai* Eliot & Kawazoe,1984
2128. **Liphyra brassolis** Westwood,1864 (Lycaenidae)
Synonym(s): *brassolis* Westwood,1864
2129. **Liphyra brassolis hermelnydae** Schröder & Treadaway,1988 (Lycaenidae) Synonym(s): *hermelnydae* Schröder & Treadaway,1988
2130. **Liphyra brassolis justini** Schröder & Treadaway,1988 (Lycaenidae) Synonym(s): *justini* Schröder & Treadaway,1988
2131. **Logania distanti** Semper,1889 (Lycaenidae)
Synonym(s): *distanti* Semper,1889
2132. **Logania distanti distanti** Semper,1889 (Lycaenidae)
Synonym(s): *distanti* Semper,1889
2133. **Logania distanti drucei** Moulton,1911 (Lycaenidae)
Synonym(s): *drucei* Moulton,1911
2134. **Logania malayica** Distant,1884 (Lycaenidae)
Synonym(s): *malayica* Distant,1884
2135. **Logania malayica subura** Fruhstorfer,1914 (Lycaenidae) Synonym(s): *subura* Fruhstorfer,1914
2136. **Logania marmorata** Moore,1884 (Lycaenidae)
Synonym(s): *marmorata* Moore,1884
2137. **Logania marmorata faustina** Fruhstorfer,1914 (Lycaenidae) Synonym(s): *faustina* Fruhstorfer,1914
2138. **Logania marmorata hilaeira** Fruhstorfer,1914 (Lycaenidae) Synonym(s): *hilaeira* Fruhstorfer,1914

2139. *Logania marmorata palawana* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *palawana* Fruhstorfer, 1914
2140. *Logania marmorata samosata* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *samosata* Fruhstorfer, 1914
2141. *Logania regina* (Druce, 1873) (Lycaenidae) Synonym(s): *regina* Druce, 1873
2142. *Logania regina evora* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *evora* Fruhstorfer, 1916
2143. *Logania waltraudae* Eliot, 1986 (Lycaenidae) Synonym(s): *waltraudae* Eliot, 1986
2144. *Lontalius eltus treadawayi* Eliot, 1986 (Lycaenidae) Synonym(s): *treadawayi* Eliot, 1986
2145. *Loxura athymnus* (Stoll, [1780]) (Lycaenidae) Synonym(s): *athymnus* Stoll, [1780]
2146. *Loxura atymnus luzonica* Swinhoe, 1917 (Lycaenidae) Synonym(s): *luzonica* Swinhoe, 1917
2147. *Loxura cassiopeia* Distant, 1884 (Lycaenidae) Synonym(s): *cassiopeia* Distant, 1884
2148. *Loxura cassiopeia owadai* Hayashi, 1977 (Lycaenidae) Synonym(s): *owadai* Hayashi, 1977
2149. *Loxura cassiopeia yilma* Fruhstorfer, 1926 (Lycaenidae) Synonym(s): *yilma* Fruhstorfer, 1926
2150. *Manto hypoleuca* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *hypoleuca* Hewitson, [1865]
2151. *Manto hypoleuca martina* Hewitson, 1869 (Lycaenidae) Synonym(s): *martina* Hewitson, 1869; *paluana* Staudinger, 1889
2152. *Matsutaroa iljai* Hayashi, Schröder & Treadaway, 1984 (Lycaenidae) Synonym(s): *iljai* Hayashi, Schröder & Treadaway, 1984
2153. *Megisba malaya* (Horsfield, 1828) (Lycaenidae) Synonym(s): *malaya* Horsfield, 1828
2154. *Megisba malaya sikkima* Moore, 1884 (Lycaenidae) Synonym(s): *sikkima* Moore, 1884; *albidisca* Moore, 1884; *volubilis* Fruhstorfer, 1918; *velina* Fruhstorfer, 1918; *infumata* Fruhstorfer, 1918; *rosanna* Fruhstorfer, 1918; *iwasakii* Matsumura, 1919; *#siebersi* Toxopeus, 1927.
2155. *Miletus atimonicus* Murayama & Okamura, 1973 (Lycaenidae) Synonym(s): *atimonicus* Murayama & Okamura, 1973
2156. *Miletus bazilanus* Fruhstorfer, 1913 (Lycaenidae) Synonym(s): *bazilanus* Fruhstorfer, 1913
2157. *Miletus drucei* (Semper, 1888) (Lycaenidae) Synonym(s): *drucei* Semper, 1888; *philippus* Staudinger, 1889; *jacchus* Fruhstorfer, 1913; *palanius* Fruhstorfer, 1913; *epidurus* Fruhstorfer, 1913
2158. *Miletus drucei drucei* (Semper, 1888) (Lycaenidae) Synonym(s): *drucei* Semper, 1888; *philippus* Staudinger, 1889; *jacchus* Fruhstorfer, 1913; *palanius* Fruhstorfer, 1913; *epidurus* Fruhstorfer, 1913
2159. *Miletus gopara* (De Nicéville, 1890) (Lycaenidae) Synonym(s): *gopara* De Nicéville, 1890; *denticulata* Fruhstorfer, 1913
2160. *Miletus gopara eustatius* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *eustatius* Fruhstorfer, 1913
2161. *Miletus melanion* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *melanion* Felder & Felder, 1865
2162. *Miletus melanion bazilanus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *bazilanus* Fruhstorfer, 1913
2163. *Miletus melanion euphranor* Fruhstorfer, 1914 (Lycaenidae) Synonym(s): *euphranor* Fruhstorfer, 1914
2164. *Miletus melanion melanion* C.Felder & R.Felder, [1865] (Lycaenidae) Synonym(s): *melanion* Felder & Felder, 1865
2165. *Miletus melanion vitelianus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *vitelianus* Fruhstorfer, 1913
2166. *Miletus symethus* (Cramer, 1777) (Lycaenidae) Synonym(s): *symethus* Cramer, 1777; *pandu* Horsfield, 1828
2167. *Miletus symethus edonus* (Fruhstorfer, 1913) (Lycaenidae) Synonym(s): *edonus* Fruhstorfer, 1913
2168. *Miletus symethus hierophantes* (Fruhstorfer, 1915) (Lycaenidae) Synonym(s): *hierophantes* Fruhstorfer, 1915
2169. *Miletus symethus phantus* Eliot, 1986 (Lycaenidae) Synonym(s): *phantus* Eliot, 1986
2170. *Miletus symethus philopator* (Fruhstorfer, 1914) (Lycaenidae) Synonym(s): *philopator* Fruhstorfer, 1914
2171. *Miletus takanamii* Eliot, 1986 (Lycaenidae) Synonym(s): *takanamii* Eliot, 1986
2172. *Monodontides (s.str.) apona* (Fruhstorfer, 1910) (Lycaenidae) Synonym(s): *apona* Fruhstorfer, 1910
2173. *Monodontides (s.str.) hondai* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *hondai* Eliot & Kawazoe, 1984
2174. *Monodontides (s.str.) kolari* (Ribbe, 1926) (Lycaenidae) Synonym(s): *kolari* Ribbe, 1926
2175. *Monodontides (s.str.) luzonensis* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *luzonensis* Eliot & Kawazoe, 1984
2176. *Monodontides (s.str.) luzonensis luzonensis* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *luzonensis* Eliot & Kawazoe, 1984
2177. *Nacaduba angusta* (Druce, 1873) (Lycaenidae) Synonym(s): *angusta* Druce, 1873; *hondai* Hayashi, 1977
2178. *Nacaduba angusta angusta* (Druce, 1873) (Lycaenidae) Synonym(s): *angusta* Druce, 1873; *hondai* Hayashi, 1977
2179. *Nacaduba angusta limbura* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *limbura* Fruhstorfer, 1916
2180. *Nacaduba berenice* (Herrich-Schäffer, 1869) (Lycaenidae) Synonym(s): *berenice* Herrich-Schäffer, 1869
2181. *Nacaduba berenice zygida* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *zygida* Fruhstorfer, 1916
2182. *Nacaduba beroe* (C.Felder & R.Felder, [1865]) (Lycaenidae) Synonym(s): *beroe* C.Felder & R.Felder, [1865]
2183. *Nacaduba beroe beroe* (C.Felder & R.Felder, [1865]) (Lycaenidae) Synonym(s): *beroe* C.Felder & R.Felder, [1865]
2184. *Nacaduba hermus* (C.Felder, 1860) (Lycaenidae) Synonym(s): *hermus* C.Felder, 1860
2185. *Nacaduba hermus tairea* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *tairea* Fruhstorfer, 1916
2186. *Nacaduba kurava* (Moore, [1858]) (Lycaenidae) Synonym(s): *kurava* Moore, [1858]
2187. *Nacaduba kurava fujiokai* Hayashi, 1976 (Lycaenidae) Synonym(s): *fujiokai* Hayashi, 1976
2188. *Nacaduba pactolus* (C.Felder, 1860) (Lycaenidae) Synonym(s): *pactolus* C.Felder, 1860
2189. *Nacaduba pactolus neaira* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *neaira* Fruhstorfer, 1916
2190. *Nacaduba pavana asaga* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *asaga* Fruhstorfer, 1916
2191. *Nacaduba pavana georgi* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *georgi* Fruhstorfer, 1916
2192. *Nacaduba sanaya* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *sanaya* Fruhstorfer, 1916
2193. *Nacaduba sanaya elioti* Corbet, 1938 (Lycaenidae) Synonym(s): *elioti* Corbet, 1938
2194. *Nacaduba sanaya metallica* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *metallica* Fruhstorfer, 1916
2195. *Nacaduba sericina* (C.Felder & R.Felder, [1865]) (Lycaenidae) Synonym(s): *sericina* C.Felder & R.Felder, [1865]
2196. *Nacaduba sericina palawana* Hayashi, 1977 (Lycaenidae) Synonym(s): *palawana* Hayashi, 1977
2197. *Nacaduba sericina sericina* (C.Felder & R.Felder, [1865]) (Lycaenidae) Synonym(s): *sericina* C.Felder & R.Felder, [1865]
2198. *Nacaduba sericina thaumus* Fruhstorfer, 1916 (Lycaenidae) Synonym(s): *thaumus* Fruhstorfer, 1916
2199. *Nacaduba subperusia* (Snellen, 1896) (Lycaenidae) Synonym(s): *subperusia* Snellen, 1896
2200. *Nacaduba subperusia paska* Eliot, 1955 (Lycaenidae) Synonym(s): *paska* Eliot, 1955
2201. *Neocheritra manata* Semper, 1890 (Lycaenidae) Synonym(s): *manata* Semper, 1890
2202. *Neocheritra manata gertrudes* Schröder & Treadaway, 1978 (Lycaenidae) Synonym(s): *gertrudes* Schröder & Treadaway, 1978; *toshikoae* Hayashi, 1978
2203. *Neocheritra manata manata* Semper, 1890 (Lycaenidae) Synonym(s): *manata* Semper, 1890
2204. *Neopithecops iolanthe* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *iolanthe* Eliot & Kawazoe, 1984
2205. *Neopithecops iolanthe boholicus* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *boholicus* Eliot & Kawazoe, 1984

- 2206.** *Neopithecops zalmora* (Butler,1870) (Lycaenidae)
Synonym(s): *zalmora* Butler,1870; *nihana* Moore,1878; *horsfieldi* Distant,1884; *dolona* Fruhstorfer,1919; *fedora* Fruhstorfer,1919; *colutha* Fruhstorfer,1919; *batuanus* Riley,1944.
- 2207.** *Neopithecops zalmora zalmora* (Butler,1870) (Lycaenidae) Synonym(s): *zalmora* Butler,1870; *nihana* Moore,1878; *horsfieldi* Distant,1884; *dolona* Fruhstorfer,1919; *fedora* Fruhstorfer,1919; *colutha* Fruhstorfer,1919; *batuanus* Riley,1944.
- 2208.** *Niphanda tessellata* Moore,[1875] (Lycaenidae) Synonym(s): *tessellata* Moore,[1875]; *aethiops* Distant,1886
- 2209.** *Niphanda tessellata aristarcha* Fruhstorfer,1919 (Lycaenidae) Synonym(s): *aristarcha* Fruhstorfer,1919
- 2210.** *Paruparo annie* Takamami,1982 (Lycaenidae) Synonym(s): *annie* Takamami,1982
- 2211.** *Paruparo cebuensis* Jumalon,1975 (Lycaenidae) Synonym(s): *cebuensis* Jumalon,1975
- 2212.** *Paruparo cebuensis amethystina* Schröder & Treadaway,1988 (Lycaenidae) Synonym(s): *amethystina* Schröder & Treadaway,1988
- 2213.** *Paruparo cebuensis cebuensis* Jumalon,1975 (Lycaenidae) Synonym(s): *cebuensis* Jumalon,1975
- 2214.** *Paruparo cebuensis chotaroi* Hayashi,1977 (Lycaenidae) Synonym(s): *chotaroi* Hayashi,1977
- 2215.** *Paruparo cebuensis mediciei* M.Okano & T.Okano,1991 (Lycaenidae) Synonym(s): *mediciei* M.Okano & T.Okano,1991
- 2216.** *Paruparo cebuensis soloni* M.Okano & T.Okano,1990 (Lycaenidae) Synonym(s): *soloni* M.Okano & T.Okano,1990
- 2217.** *Paruparo cebuensis treadawayi* Jumalon,1975 (Lycaenidae) Synonym(s): *treadawayi* Jumalon,1975
- 2218.** *Paruparo lumawigi* Schröder,1976 (Lycaenidae) Synonym(s): *lumawigi* Schröder,1976
- 2219.** *Paruparo lumawigi jumaloni* Treadaway & Nuyda,1993 (Lycaenidae) Synonym(s): *jumaloni* Treadaway & Nuyda,1993
- 2220.** *Paruparo lumawigi lumawigi* Schröder,1976 (Lycaenidae) Synonym(s): *lumawigi* Schröder,1976
- 2221.** *Paruparo lumawigi mindorana* Schröder & Treadaway,1993 (Lycaenidae) Synonym(s): *mindorana* Schröder & Treadaway,1993
- 2222.** *Paruparo lumawigi panayensis* Hayashi, Schröder & Treadaway,1984 (Lycaenidae) Synonym(s): *panayensis* Hayashi, Schröder & Treadaway,1984
- 2223.** *Paruparo mamertina* Hewitson,1869 (Lycaenidae) Synonym(s): *mamertina* Hewitson,1869
- 2224.** *Paruparo mamertina jeanhooperae* Schröder & Treadaway,1988 (Lycaenidae) Synonym(s): *jeanhooperae* Schröder & Treadaway,1988
- 2225.** *Paruparo mamertina mamertina* Hewitson,1869 (Lycaenidae) Synonym(s): *mamertina* Hewitson,1869
- 2226.** *Paruparo mamertina rahmani* Jumalon,1975 (Lycaenidae) Synonym(s): *rahmani* Jumalon,1975
- 2227.** *Paruparo mio* Hayashi, Schröder & Treadaway,1984 (Lycaenidae) Synonym(s): *mio* Hayashi, Schröder & Treadaway,1984
- 2228.** *Paruparo rosemarie* Seki,1993 (Lycaenidae) Synonym(s): *rosemarie* Seki,1993
- 2229.** *Paruparo violacea* Schröder & Treadaway,1978 (Lycaenidae) Synonym(s): *violacea* Schröder & Treadaway,1978
- 2230.** *Petrelaea dana* (De Nicéville,[1884]) (Lycaenidae) Synonym(s): *dana* De Nicéville,[1884]
- 2231.** *Pithecops corvus* Fruhstorfer,[1919] (Lycaenidae) Synonym(s): *corvus* Fruhstorfer,[1919]
- 2232.** *Pithecops corvus corvus* Fruhstorfer,[1919] (Lycaenidae) Synonym(s): *corvus* Fruhstorfer,[1919]
- 2233.** *Poriskina phakos* Druce,1895 (Lycaenidae) Synonym(s): *phakos* Druce,1895
- 2234.** *Poritia erycinoides* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *erycinoides* C.Felder & R.Felder,[1865]
- 2235.** *Poritia erycinoides kinoshitai* Hayashi,1976 (Lycaenidae) Synonym(s): *kinoshitai* Hayashi,1976
- 2236.** *Poritia hewitsoni* Moore,[1866] (Lycaenidae) Synonym(s): *hewitsoni* Moore,[1866]
- 2237.** *Poritia hewitsoni solitaria* Schröder & Treadaway,1989 (Lycaenidae) Synonym(s): *solitaria* Schröder & Treadaway,1989
- 2238.** *Poritia languana* Schröder & Treadaway,1986 (Lycaenidae) Synonym(s): *languana* Schröder & Treadaway,1986
- 2239.** *Poritia phama* Druce,1896 (Lycaenidae) Synonym(s): *phama* Druce,1896
- 2240.** *Poritia phama palawana* Osada,1994 (Lycaenidae) Synonym(s): *palawana* Osada,1994
- 2241.** *Poritia philota* Hewitson,1874 (Lycaenidae) Synonym(s): *philota* Hewitson,1874; *#penumbrata* Morrell,1957; *#lugubris* Eliot,1957; *#ornata* Eliot,1957
- 2242.** *Poritia philota glennuydai* Schröder & Treadaway,1989 (Lycaenidae) Synonym(s): *glennuydai* Schröder & Treadaway,1989
- 2243.** *Poritia philota mindora* Osada,1994 (Lycaenidae) Synonym(s): *mindora* Osada,1994
- 2244.** *Poritia philota phare* Druce,1895 (Lycaenidae) Synonym(s): *phare* Druce,1895; *sugimotoi* Hayashi,1978
- 2245.** *Poritia plateni* Staudinger,1889 (Lycaenidae) Synonym(s): *plateni* Staudinger,1889
- 2246.** *Poritia talophi* Hayashi, Schröder & Treadaway,1984 (Lycaenidae) Synonym(s): *talophi* Hayashi, Schröder & Treadaway,1984
- 2247.** *Pratapa deva* (Moore,[1858]) (Lycaenidae) Synonym(s): *deva* Moore,[1858]
- 2248.** *Pratapa deva devana* Druce,1895 (Lycaenidae) Synonym(s): *devana* Druce,1895
- 2249.** *Pratapa icetoides* (Elwes,[1893]) (Lycaenidae) Synonym(s): *icetoides* Elwes,[1893]
- 2250.** *Pratapa icetoides marikit* Schröder & Treadaway,1986 (Lycaenidae) Synonym(s): *marikit* Schröder & Treadaway,1986
- 2251.** *Pratapa ismaeli* Schröder & Treadaway,1983 (Lycaenidae) Synonym(s): *ismaeli* Schröder & Treadaway,1983
- 2252.** *Pratapa tyotaroi* Hayashi,1981 (Lycaenidae) Synonym(s): *tyotaroi* Hayashi,1981
- 2253.** *Pratapa tyotaroi mindorensis* Treadaway & Nuyda,1995 (Lycaenidae) Synonym(s): *mindorensis* Treadaway & Nuyda,1995
- 2254.** *Pratapa tyotaroi tyotaroi* Hayashi,1981 (Lycaenidae) Synonym(s): *tyotaroi* Hayashi,1981
- 2255.** *Prosotas aluta* (Druce,1873) (Lycaenidae) Synonym(s): *aluta* Druce,1873
- 2256.** *Prosotas aluta philiata* Fruhstorfer,1916 (Lycaenidae) Synonym(s): *philiata* Fruhstorfer,1916
- 2257.** *Prosotas dubiosa* (Semper,[1879]) (Lycaenidae) Synonym(s): *dubiosa* Semper,[1879]
- 2258.** *Prosotas dubiosa lumpura* Corbet,1938 (Lycaenidae) Synonym(s): *lumpura* Corbet,1938
- 2259.** *Prosotas dubiosa subardates* Piepers & Snellen,1918 (Lycaenidae) Synonym(s): *subardates* Piepers & Snellen,1918
- 2260.** *Prosotas gracilis* (Röber,1886) (Lycaenidae) Synonym(s): *gracilis* Röber,1886
- 2261.** *Prosotas gracilis donina* Snellen,1901 (Lycaenidae) Synonym(s): *donina* Snellen,1901
- 2262.** *Prosotas gracilis ssp.* (Lycaenidae) Synonym(s):
- 2263.** *Prosotas maputi* Semper,1889 (Lycaenidae) Synonym(s): *maputi* Semper,1889
- 2264.** *Prosotas nelides* (De Nicéville,1895) (Lycaenidae) Synonym(s): *nelides* De Nicéville,1895
- 2265.** *Prosotas nora* (C.Felder,1860) (Lycaenidae) Synonym(s): *nora* C.Felder,1860
- 2266.** *Prosotas nora semperi* Fruhstorfer,1916 (Lycaenidae) Synonym(s): *semperi* Fruhstorfer,1916
- 2267.** *Prosotas nora superdates* Fruhstorfer,1916 (Lycaenidae) Synonym(s): *superdates* Fruhstorfer,1916
- 2268.** *Pseudotajuria donatana bilara* M.Okano & T.Okano,1990 (Lycaenidae) Synonym(s): *bilara* M.Okano & T.Okano,1990

2269. *Pseudotajuria donatana mansaka* Osada, 1987 (Lycaenidae) Synonym(s): *mansaka* Osada, 1987
2270. *Rachana australis* (Schröder & Treadaway, 1990) (Lycaenidae) Synonym(s): *australis* Schröder & Treadaway, 1990
2271. *Rachana circumdata* (Schröder, Treadaway & Hayashi, 1981) (Lycaenidae) Synonym(s): *circumdata* Schröder, Treadaway & Hayashi, 1981
2272. *Rachana circumdata circumdata* (Schröder, Treadaway & Hayashi, 1981) (Lycaenidae) Synonym(s): *circumdata* Schröder, Treadaway & Hayashi, 1981
2273. *Rachana circumdata panayensis* Schröder, Treadaway & Hayashi, 1981 (Lycaenidae) Synonym(s): *panayensis* Schröder, Treadaway & Hayashi, 1981; *negrosensis* M.Okano & T.Okano, 1990
2274. *Rachana jalindra* (Horsfield, [1829]) (Lycaenidae) Synonym(s): *jalindra* Horsfield, [1829]
2275. *Rachana jalindra balabacensis* Schröder & Treadaway, 1986 (Lycaenidae) Synonym(s): *balabacensis* Schröder & Treadaway, 1986
2276. *Rachana jalindra maganda* (Takanami, 1982) (Lycaenidae) Synonym(s): *maganda* Takanami, 1982
2277. *Rachana jalindra mindorensis* (Schröder & Treadaway, 1985) (Lycaenidae) Synonym(s): *mindorensis* Schröder & Treadaway, 1985
2278. *Rachana jalindra obsoleta* (Schröder & Treadaway, 1993) (Lycaenidae) Synonym(s): *obsoleta* Schröder & Treadaway, 1993
2279. *Rachana jalindra palawandra* (Staudinger, 1889) (Lycaenidae) Synonym(s): *palawandra* Staudinger, 1889
2280. *Rachana jalindra shiraishii* (Takanami, 1984) (Lycaenidae) Synonym(s): *shiraishii* Takanami, 1984
2281. *Rachana mariaba* (Hewitson, 1869) (Lycaenidae) Synonym(s): *mariaba* Hewitson, 1869
2282. *Rachana mioae* (Hayashi, 1978) (Lycaenidae) Synonym(s): *mioae* Hayashi, 1978
2283. *Rachana plateni* (Semper, 1890) (Lycaenidae) Synonym(s): *plateni* Semper, 1890
2284. *Rachana plateni parvula* (Schröder & Treadaway, 1989) (Lycaenidae) Synonym(s): *parvula* Schröder & Treadaway, 1989
2285. *Rachana plateni plateni* (Semper, 1890) (Lycaenidae) Synonym(s): *plateni* Semper, 1890; *navales* Schröder & Treadaway, 1986
2286. *Rapala caerulescens* Staudinger, 1889 (Lycaenidae) Synonym(s): *caerulescens* Staudinger, 1889
2287. *Rapala damona* Swinhoe, 1890 (Lycaenidae) Synonym(s): *damona* Swinhoe, 1890
2288. *Rapala damona damona* Swinhoe, 1890 (Lycaenidae) Synonym(s): *damona* Swinhoe, 1890
2289. *Rapala dienece* (Hewitson, 1878) (Lycaenidae) Synonym(s): *dienece* Hewitson, 1878
2290. *Rapala dienece dienece* (Hewitson, 1878) (Lycaenidae) Synonym(s): *dienece* Hewitson, 1878
2291. *Rapala diopites* (Hewitson, 1869) (Lycaenidae) Synonym(s): *diopites* Hewitson, 1869
2292. *Rapala diopites alcetas* (Staudinger, 1889) (Lycaenidae) Synonym(s): *alcetas* Staudinger, 1889
2293. *Rapala diopites alcetina* Semper, 1890 (Lycaenidae) Synonym(s): *alcetina* Semper, 1890
2294. *Rapala diopites diopites* (Hewitson, 1869) (Lycaenidae) Synonym(s): *diopites* Hewitson, 1869
2295. *Rapala elcia* (Hewitson, [1863]) (Lycaenidae) Synonym(s): *elcia* Hewitson, [1863]
2296. *Rapala elcia elcia* (Hewitson, [1863]) (Lycaenidae) Synonym(s): *elcia* Hewitson, [1863]
2297. *Rapala hades* (De Nicéville, 1895) (Lycaenidae) Synonym(s): *hades* De Nicéville, 1895
2298. *Rapala manea* (Hewitson, [1863]) (Lycaenidae) Synonym(s): *manea* Hewitson, [1863]
2299. *Rapala manea ingana* Fruhstorfer, 1912 (Lycaenidae) Synonym(s): *ingana* Fruhstorfer, 1912
2300. *Rapala manea philippensis* Fruhstorfer, 1912 (Lycaenidae) Synonym(s): *philippensis* Fruhstorfer, 1912
2301. *Rapala masara* Osada, 1987 (Lycaenidae) Synonym(s): *masara* Osada, 1987
2302. *Rapala phrangida* Fruhstorfer, 1912 (Lycaenidae) Synonym(s): *phrangida* Fruhstorfer, 1912
2303. *Rapala rhoecus* De Nicéville, [1895] (Lycaenidae) Synonym(s): *rhoecus* De Nicéville, [1895]
2304. *Rapala rhoecus melida* Fruhstorfer, 1912 (Lycaenidae) Synonym(s): *melida* Fruhstorfer, 1912
2305. *Rapala scintilla* De Nicéville, 1890 (Lycaenidae) Synonym(s): *scintilla* De Nicéville, 1890
2306. *Rapala scintilla nemana* Semper, 1890 (Lycaenidae) Synonym(s): *nemana* Semper, 1890
2307. *Rapala suffusa* (Moore, [1879]) (Lycaenidae) Synonym(s): *suffusa* Moore, [1879]
2308. *Rapala suffusa anabasis* Staudinger, 1889 (Lycaenidae) Synonym(s): *anabasis* Staudinger, 1889
2309. *Rapala tomokoae* Hayashi, Schröder & Treadaway, 1978 (Lycaenidae) Synonym(s): *tomokoae* Hayashi, Schröder & Treadaway, 1978
2310. *Rapala tomokoae bilara* M.Okano & T.Okano, 1990 (Lycaenidae) Synonym(s): *bilara* M.Okano & T.Okano, 1990
2311. *Rapala tomokoae ssp.* (Lycaenidae) Synonym(s): *tomokoae ssp.*
2312. *Rapala tomokoae takanamii* Hayashi, 1984 (Lycaenidae) Synonym(s): *takanamii* Hayashi, 1984
2313. *Rapala tomokoae tomokoae* Hayashi, Schröder & Treadaway, 1978 (Lycaenidae) Synonym(s): *tomokoae* Hayashi, Schröder & Treadaway, 1978
2314. *Rapala varuna* (Horsfield, [1829]) (Lycaenidae) Synonym(s): *varuna* Horsfield, [1829]
2315. *Rapala varuna nada* Fruhstorfer, 1912 (Lycaenidae) Synonym(s): *nada* Fruhstorfer, 1912
2316. *Rapala varuna ssp.* (Lycaenidae) Synonym(s): *varuna ssp.*
2317. *Rapala zamona* Fruhstorfer, 1912 (Lycaenidae) Synonym(s): *zamona* Fruhstorfer, 1912
2318. *Remelana davisii* Jumalon, 1975 (Lycaenidae) Synonym(s): *davisii* Jumalon, 1975
2319. *Remelana davisii davisii* Jumalon, 1975 (Lycaenidae) Synonym(s): *davisii* Jumalon, 1975
2320. *Remelana davisii fulminans* Schröder & Treadaway, 1978 (Lycaenidae) Synonym(s): *fulminans* Schröder & Treadaway, 1978
2321. *Remelana davisii negrosensis* M.Okano & T.Okano, 1990 (Lycaenidae) Synonym(s): *negrosensis* M.Okano & T.Okano, 1990
2322. *Remelana davisii noeli* Treadaway & Nuyda, 1993 (Lycaenidae) Synonym(s): *noeli* Treadaway & Nuyda, 1993
2323. *Remelana jangala* (Horsfield, 1829) (Lycaenidae) Synonym(s): *jangala* Horsfield, 1829
2324. *Remelana jangala esra* Fruhstorfer, 1907 (Lycaenidae) Synonym(s): *esra* Fruhstorfer, 1907
2325. *Remelana jangala westermanni* (C.Felder & R.Felder, [1865]) (Lycaenidae) Synonym(s): *westermanni* C.Felder & R.Felder, [1865]
2326. *Ritra aurea* (Druce, 1873) (Lycaenidae) Synonym(s): *aurea* Druce, 1873
2327. *Ritra aurea aurea* (Druce, 1873) (Lycaenidae) Synonym(s): *aurea* Druce, 1873
2328. *Semanga superba* (Druce, 1873) (Lycaenidae) Synonym(s): *superba* Druce, 1873
2329. *Semanga superba superba* (Druce, 1873) (Lycaenidae) Synonym(s): *superba* Druce, 1873
2330. *Sidima murayamai* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *murayamai* Eliot & Kawazoe, 1984
2331. *Simiskina pasira* (Moulton, 1911) (Lycaenidae) Synonym(s): *pasira* Moulton, 1911
2332. *Simiskina pasira pasira* (Moulton, 1911) (Lycaenidae) Synonym(s): *pasira* Moulton, 1911
2333. *Simiskina pasira semperi* Fruhstorfer, 1919 (Lycaenidae) Synonym(s): *semperi* Fruhstorfer, 1919
2334. *Simiskina phalena* (Hewitson, 1874) (Lycaenidae) Synonym(s): *phalena* Hewitson, 1874
2335. *Simiskina phalena hayashii* Schröder & Treadaway, 1979 (Lycaenidae) Synonym(s): *hayashii* Schröder & Treadaway, 1979
2336. *Simiskina phalena howarthi* Hayashi, 1976 (Lycaenidae) Synonym(s): *howarthi* Hayashi, 1976

2337. *Simiskina phalena ilagana* Osada & Hashimoto, 1987 (Lycaenidae) Synonym(s): *ilagana* Osada & Hashimoto, 1987
2338. *Simiskina phalia* (Hewitson, 1874) (Lycaenidae) Synonym(s): *phalia* Hewitson, 1874
2339. *Simiskina phalia morishitai* Hayashi, 1976 (Lycaenidae) Synonym(s): *morishitai* Hayashi, 1976
2340. *Sinthus mindanensis* Hayashi, Schröder & Treadaway, 1978 (Lycaenidae) Synonym(s): *mindanensis* Hayashi, Schröder & Treadaway, 1978
2341. *Sinthus mindanensis mindanensis* Hayashi, Schröder & Treadaway, 1978 (Lycaenidae) Synonym(s): *mindanensis* Hayashi, Schröder & Treadaway, 1978
2342. *Sinthus mindanensis stephaniae* Hayashi, Schröder & Treadaway, 1978 (Lycaenidae) Synonym(s): *stephaniae* Hayashi, Schröder & Treadaway, 1978
2343. *Sinthus mindanensis yoshiae* Hayashi, 1981 (Lycaenidae) Synonym(s): *yoshiae* Hayashi, 1981
2344. *Sinthus nasaka* (Horsfield, [1829]) (Lycaenidae) Synonym(s): *nasaka* Horsfield, [1829]
2345. *Sinthus nasaka ogatai* Hayashi, 1976 (Lycaenidae) Synonym(s): *ogatai* Hayashi, 1976
2346. *Sinthus nastumiae* Hayashi, 1979 (Lycaenidae) Synonym(s): *nastumiae* Hayashi, 1979
2347. *Sinthus nastumiae natsumiae* Hayashi, 1979 (Lycaenidae) Synonym(s): *natsumiae* Hayashi, 1979
2348. *Sinthus natsumiae ondai* Takanami, 1982 (Lycaenidae) Synonym(s): *ondai* Takanami, 1982
2349. *Sinthus peregrinus* Staudinger, 1889 (Lycaenidae) Synonym(s): *peregrinus* Staudinger, 1889
2350. *Sinthus privata* Fruhstorfer, 1912 (Lycaenidae) Synonym(s): *privata* Fruhstorfer, 1912
2351. *Sinthus privata kawazoei* Hayashi, 1976 (Lycaenidae) Synonym(s): *kawazoei* Hayashi, 1976
2352. *Spalgis epus* (Westwood, [1851]) (Lycaenidae) Synonym(s): *epus* Westwood, [1851]; *strigatus* Semper, 1889; *georgi* Fruhstorfer, 1919; *semperi* Fruhstorfer, 1923
2353. *Spalgis takanami* Eliot, 1984 (Lycaenidae) Synonym(s): *takanami* Eliot, 1984
2354. *Suasa lisides* (Hewitson, [1863]) (Lycaenidae) Synonym(s): *lisides* Hewitson, [1863]
2355. *Suasa lisides liris* Staudinger, 1889 (Lycaenidae) Synonym(s): *liris* Staudinger, 1889
2356. *Surendra manilana* (C.Felder & R.Felder, 1862) (Lycaenidae) Synonym(s): *manilana* C.Felder & R.Felder, 1862
2357. *Surendra manilana johnelioti* Schröder & Treadaway, 1993 (Lycaenidae) Synonym(s): *johnelioti* Schröder & Treadaway, 1993
2358. *Surendra manilana manilana* (C.Felder & R.Felder, 1862) (Lycaenidae) Synonym(s): *manilana* C.Felder & R.Felder, 1862
2359. *Surendra vivarna* (Horsfield, [1829]) (Lycaenidae) Synonym(s): *vivarna* Horsfield, [1829]
2360. *Surendra vivarna palowna* Staudinger, 1889 (Lycaenidae) Synonym(s): *palowna* Staudinger, 1889
2361. *Tajuria alangani* Schröder, Treadaway & Nuyda, 1993 (Lycaenidae) Synonym(s): *alangani* Schröder, Treadaway & Nuyda, 1993
2362. *Tajuria alangani alangani* Schröder, Treadaway & Nuyda, 1993 (Lycaenidae) Synonym(s): *alangani* Schröder, Treadaway & Nuyda, 1993
2363. *Tajuria berensis* Druce, 1896 (Lycaenidae) Synonym(s): *berensis* Druce, 1896
2364. *Tajuria berensis berensis* Druce, 1896 (Lycaenidae) Synonym(s): *berensis* Druce, 1896
2365. *Tajuria deudorix* (Hewitson, 1869) (Lycaenidae) Synonym(s): *deudorix* Hewitson, 1869
2366. *Tajuria deudorix deudorix* (Hewitson, 1869) (Lycaenidae) Synonym(s): *deudorix* Hewitson, 1869
2367. *Tajuria deudorix primitivoi* Osada, 1987 (Lycaenidae) Synonym(s): *primitivoi* Osada, 1987
2368. *Tajuria deudorix yuhkichii* Hayashi, 1984 (Lycaenidae) Synonym(s): *yuhkichii* Hayashi, 1984
2369. *Tajuria deudorix zoletai* Osada, 1987 (Lycaenidae) Synonym(s): *zoletai* Osada, 1987
2370. *Tajuria dominus* Druce, 1895 (Lycaenidae) Synonym(s): *dominus* Druce, 1895
2371. *Tajuria dominus dominus* Druce, 1895 (Lycaenidae) Synonym(s): *dominus* Druce, 1895
2372. *Tajuria igolotiana* Murayama & Okamura, 1973 (Lycaenidae) Synonym(s): *igolotiana* Murayama & Okamura, 1973
2373. *Tajuria igolotiana fumiae* Hayashi, 1984 (Lycaenidae) Synonym(s): *fumiae* Hayashi, 1984
2374. *Tajuria igolotiana igolotiana* Murayama & Okamura, 1973 (Lycaenidae) Synonym(s): *igolotiana* Murayama & Okamura, 1973
2375. *Tajuria isaeus* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *isaeus* Hewitson, [1865]
2376. *Tajuria isaeus isaeus* (Hewitson, [1865]) (Lycaenidae) Synonym(s): *isaeus* Hewitson, [1865]
2377. *Tajuria jalajala* C.Felder, 1862 (Lycaenidae) Synonym(s): *jalajala* C.Felder, 1862; *pinamalaya* Takanami, 1987
2378. *Tajuria jalajala jalajala* C.Felder, 1862 (Lycaenidae) Synonym(s): *jalajala* C.Felder, 1862; *pinamalaya* Takanami, 1987
2379. *Tajuria jalajala steffi* Schröder & Treadaway, 1988 (Lycaenidae) Synonym(s): *steffi* Schröder & Treadaway, 1988
2380. *Tajuria mantra* (C.Felder & R.Felder, 1860) (Lycaenidae) Synonym(s): *mantra* C.Felder & R.Felder, 1860
2381. *Tajuria mantra kimia* Treadaway & Nuyda, 1995 (Lycaenidae) Synonym(s): *kimia* Treadaway & Nuyda, 1995
2382. *Tajuria mantra lucrosa* Fruhstorfer, 1912 (Lycaenidae) Synonym(s): *lucrosa* Fruhstorfer, 1912; *visayana* M.Okano & T.Okano, 1991
2383. *Tajuria mantra mantra* (C.Felder & R.Felder, 1860) (Lycaenidae) Synonym(s): *mantra* C.Felder & R.Felder, 1860
2384. *Tajuria mantra vergara* Semper, 1890 (Lycaenidae) Synonym(s): *vergara* Semper, 1890
2385. *Tajuria matsutaroi* Hayashi, 1984 (Lycaenidae) Synonym(s): *matsutaroi* Hayashi, 1984
2386. *Tajuria mizunumai* Hayashi, 1978 (Lycaenidae) Synonym(s): *mizunumai* Hayashi, 1978
2387. *Tarucus (s.str.) waterstradti* Druce, 1895 (Lycaenidae) Synonym(s): *waterstradti* Druce, 1895
2388. *Tarucus (s.str.) waterstradti simillimus* Schröder & Treadaway, 1985 (Lycaenidae) Synonym(s): *simillimus* Schröder & Treadaway, 1985
2389. *Udara (Selmanix) aemulus* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *aemulus* Eliot & Kawazoe, 1984
2390. *Udara (Selmanix) aemulus aemulus* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *aemulus* Eliot & Kawazoe, 1984
2391. *Udara (Selmanix) nishiyamai* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *nishiyamai* Eliot & Kawazoe, 1984
2392. *Udara (Selmanix) nishiyamai nishiyamai* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *nishiyamai* Eliot & Kawazoe, 1984
2393. *Udara (Selmanix) santotomasana* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *santotomasana* Eliot & Kawazoe, 1984
2394. *Udara (Selmanix) santotomasana santotomasana* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *santotomasana* Eliot & Kawazoe, 1984
2395. *Udara (Selmanix) santotomasana subpura* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *subpura* Eliot & Kawazoe, 1984
2396. *Udara (Selmanix) selma* (Druce, 1895) (Lycaenidae) Synonym(s): *selma* Druce, 1895
2397. *Udara (Selmanix) selma arsina* (Fruhstorfer, 1922) (Lycaenidae) Synonym(s): *arsina* Fruhstorfer, 1922
2398. *Udara (Selmanix) selma mindanensis* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *mindanensis* Eliot & Kawazoe, 1984
2399. *Udara (Selmanix) wilemani* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *wilemani* Eliot & Kawazoe, 1984
2400. *Udara (Selmanix) wilemani wilemani* Eliot & Kawazoe, 1984 (Lycaenidae) Synonym(s): *wilemani* Eliot & Kawazoe, 1984

- 2401. Udara (s.str.) camenae (De Nicéville,1895)** (Lycaenidae) Synonym(s): *camenae* De Nicéville,1895
- 2402. Udara (s.str.) camenae filipina (Murayama & Okamura,1973)** (Lycaenidae) Synonym(s): *filipina* Murayama & Okamura,1973
- 2403. Udara (s.str.) cyma (Toxopeus,1927)** (Lycaenidae) Synonym(s): *cyma* Toxopeus,1927
- 2404. Udara (s.str.) cyma elioti Hayashi,1976** (Lycaenidae) Synonym(s): *elioti* Hayashi,1976
- 2405. Udara (s.str.) dilecta (Moore,1879)** (Lycaenidae) Synonym(s): *dilectus* Moore,1879; *hermonthis* Fruhstorfer,1909; *hainana* Fruhstorfer,1910.
- 2406. Udara (s.str.) dilecta dilecta (Moore,1879)** (Lycaenidae) Synonym(s): *dilectus* Moore,1879; *hermonthis* Fruhstorfer,1909; *hainana* Fruhstorfer,1910.
- 2407. Udara (s.str.) dilecta paracatius (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *paracatius* Fruhstorfer,1917
- 2408. Udara (s.str.) dilectissima (Druce,1895)** (Lycaenidae) Synonym(s): *dilectissima* Druce,1895
- 2409. Udara (s.str.) dilectissima luzona Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *luzona* Eliot & Kawazoe,1984
- 2410. Udara (s.str.) placidula (Druce,1895)** (Lycaenidae) Synonym(s): *placidula* Druce,1895
- 2411. Udara (s.str.) placidula kawazoei Hayashi,1976** (Lycaenidae) Synonym(s): *kawazoei* Hayashi,1976
- 2412. Udara (s.str.) placidula placidula (Druce,1895)** (Lycaenidae) Synonym(s): *placidula* Druce,1895
- 2413. Una philippensis Schröder & Treadaway,1986** (Lycaenidae) Synonym(s): *philippensis* Schröder & Treadaway,1986
- 2414. Zeltus amasa (Hewitson,[1865])** (Lycaenidae) Synonym(s): *amasa* Hewitson,[1865]
- 2415. Zeltus amasa masaya Takamami,1984** (Lycaenidae) Synonym(s): *masaya* Takamami,1984
- 2416. Zeltus amasa miyatakei Hayashi,1977** (Lycaenidae) Synonym(s): *miyatakei* Hayashi,1977
- 2417. Zizeeria (Pseudozizeeria) maha (Kollar,[1844])** (Lycaenidae) Synonym(s): *maha* Kollar,[1844]; *chandala* Moore; *diluta* Felder; *squalida* Butler.
- 2418. Zizeeria (Pseudozizeeria) maha okinawana Matsumura,1929** (Lycaenidae) Synonym(s): *okinawana* Matsumura,1929
- 2419. Zizeeria (s.str.) karsandra (Moore,1865)** (Lycaenidae) Synonym(s): *karsandra* Moore,1865
- 2420. Zizeeria (s.str.) karsandra karsandra (Moore,1865)** (Lycaenidae) Synonym(s): *karsandra* Moore,1865
- 2421. Zizina otis (Fabricius,1787)** (Lycaenidae) Synonym(s): *otis* Fabricius,1787
- 2422. Zizina otis otis (Fabricius,1787)** (Lycaenidae) Synonym(s): *otis* Fabricius,1787
- 2423. Zizula hylax (Fabricius,1775)** (Lycaenidae) Synonym(s): *hylax* Fabricius,1775; *gaika* Trimen,1862; *mylica* Guenée,1863; *cleodora* Walker,1870; *perparva* Saalmüller,1884.
- 2424. Zizula hylax hylax (Fabricius,1775)** (Lycaenidae) Synonym(s): *hylax* Fabricius,1775; *gaika* Trimen,1862; *mylica* Guenée,1863; *cleodora* Walker,1870; *perparva* Saalmüller,1884.
- 2425. Arctornis rutila (Fabricius,1781)** (Lymantriidae) Synonym(s): *rutila* Fabricius,1781; *ennomoides* Walker,1862; *urapterides* Walker,1865; *subinanis* Walker,1866; *geometrica* Semper,1899
- 2426. Arctornis semihyalina (Swinhoe,1904)** (Lymantriidae) Synonym(s): *semihyalina* Swinhoe,1904; *lepta* Collenette,1932
- 2427. Aroa atrella Hampson,1892** (Lymantriidae) Synonym(s): *atrella* Hampson,1892
- 2428. Aroa leucogramma (R.Felder & Rogenhofer,1875)** (Lymantriidae) Synonym(s): *leucogramma* R.Felder & Rogenhofer,1875; *meridionalis* Collenette,1932
- 2429. Aroa luisa Pagenstecher,1885** (Lymantriidae) Synonym(s): *luisa* Pagenstecher,1885; *niasana* Swinhoe,1907
- 2430. Aroa major Hampson,1892** (Lymantriidae) Synonym(s): *major* Hampson,1892
- 2431. Carriola ecnomoda Swinhoe** (Lymantriidae) Synonym(s):
- 2432. Carriola saturnioides (Snellen,1879)** (Lymantriidae) Synonym(s): *saturnioides* Snellen,1879
- 2433. Cispia fasciata Semper,1899** (Lymantriidae) Synonym(s): *fasciata* Semper,1899
- 2434. Cispia grisea Semper,1899** (Lymantriidae) Synonym(s): *grisea* Semper,1899
- 2435. Dasychira argyroides Collenette,1932** (Lymantriidae) Synonym(s): *argyroides* Collenette,1932
- 2436. Dasychira grata Hulstaert,1923** (Lymantriidae) Synonym(s): *grata* Hulstaert,1923
- 2437. Dasychira invaria (Walker,1856)** (Lymantriidae) Synonym(s): *invaria* Walker,1856
- 2438. Dasychira wilemani Collenette,1933** (Lymantriidae) Synonym(s): *wilemani* Collenette,1933
- 2439. Dura alba Moore,1879** (Lymantriidae) Synonym(s): *alba* Moore,1879; *dasychiroides* Rothschild,1920
- 2440. Euproctis aethalodes Collenette,1930** (Lymantriidae) Synonym(s): *aethalodes* Collenette,1930
- 2441. Euproctis albescens Swinhoe,1903** (Lymantriidae) Synonym(s): *immaculata* Moore,1884 *nec* Butl.; *albescens* Swinhoe,1903
- 2442. Euproctis albovenosa (Semper,1899)** (Lymantriidae) Synonym(s): *albovenosa* Semper,1899
- 2443. Euproctis amydra Collenette,1929** (Lymantriidae) Synonym(s): *amydra* Collenette,1929
- 2444. Euproctis angusta Semper,1899** (Lymantriidae) Synonym(s): *angusta* Semper,1899
- 2445. Euproctis argentimarginata (Wileman & South,1921)** (Lymantriidae) Synonym(s): *argentimarginata* Wileman & South,1921
- 2446. Euproctis atosquama (Walker,1866)** (Lymantriidae) Synonym(s): *atosquama* Walker,1866; *enunciativa* Swinhoe,1892; *#albosquama* Strand,1918; *#enunciativoides* Strand,1918
- 2447. Euproctis austriaca Semper,1899** (Lymantriidae) Synonym(s): *austriaca* Semper,1899
- 2448. Euproctis benguetana (Schultze,1910)** (Lymantriidae) Synonym(s): *benguetana* Schultze,1910
- 2449. Euproctis biguttulata (Wileman,1921)** (Lymantriidae) Synonym(s): *biguttulata* Wileman,1921
- 2450. Euproctis bimaculata Walker,1855** (Lymantriidae) Synonym(s): *bimaculata* Walker,1855; *bigutta* Walker,1855
- 2451. Euproctis cardinalis (Wileman,1921)** (Lymantriidae) Synonym(s): *cardinalis* Wileman,1921
- 2452. Euproctis celsa Walker,1866** (Lymantriidae) Synonym(s): *celsa* Walker,1866
- 2453. Euproctis chrysoparypha Collenette,1933** (Lymantriidae) Synonym(s): *chrysoparypha* Collenette,1933
- 2454. Euproctis flavomarginata (Wileman,1934)** (Lymantriidae) Synonym(s): *flavomarginata* Wileman,1934
- 2455. Euproctis geometrica (Semper,1899)** (Lymantriidae) Synonym(s): *geometrica* Semper,1899
- 2456. Euproctis grisea Semper,1899** (Lymantriidae) Synonym(s): *grisea* Semper,1899
- 2457. Euproctis innotata (Walker,1865)** (Lymantriidae) Synonym(s): *innotata* Walker,1865; *conspersa* R.Felder & Rogenhofer,1874
- 2458. Euproctis leucorhabda Collenette,1939** (Lymantriidae) Synonym(s): *leucorhabda* Collenette,1939
- 2459. Euproctis macrocera Collenette,1933** (Lymantriidae) Synonym(s): *macrocera* Collenette,1933
- 2460. Euproctis melanochroma Collenette,1939** (Lymantriidae) Synonym(s): *melanochroma* Collenette,1939
- 2461. Euproctis moalata Swinhoe,1916** (Lymantriidae) Synonym(s): *divisa* Walker,1863 *nec* Wlk.,1855; *moalata* Swinhoe,1916; *divisella* Strand,1918; *motala* Swinhoe,1923
- 2462. Euproctis nigrofasciata Semper,1899** (Lymantriidae) Synonym(s): *nigrofasciata* Semper,1899
- 2463. Euproctis pallifrons Semper,1899** (Lymantriidae) Synonym(s): *pallifrons* Semper,1899
- 2464. Euproctis philippinensis (Wileman,1921)** (Lymantriidae) Synonym(s): *philippinensis* Wileman,1921
- 2465. Euproctis samarensis (Schultze,1910)** (Lymantriidae) Synonym(s): *samarensis* Schultze,1910

- 2466. Euproctis semperiana** Bryk, 1934 (Lymantriidae)
Synonym(s): *nigra* Semper, 1899 nec Holl., 1893; *semperiana* Bryk, 1934
- 2467. Euproctis sibulana** Semper, 1899 (Lymantriidae)
Synonym(s): *sibulana* Semper, 1899
- 2468. Euproctis siribana** Semper, 1899 (Lymantriidae)
Synonym(s): *siribana* Semper, 1899
- 2469. Euproctis virguncula** Walker, 1855 (Lymantriidae)
Synonym(s): *virguncula* Walker, 1855; *marginalis* Walker, 1856; *javanica* Strand, 1915
- 2470. Euproctis wilemani** Collenette, 1929 (Lymantriidae)
Synonym(s): *wilemani* Collenette, 1929
- 2471. Leucoma divisa** (Walker, 1855) (Lymantriidae)
Synonym(s): *divisa* Walker, 1855
- 2472. Leucoma flavescens** (Moore, 1877) (Lymantriidae)
Synonym(s): *flavescens* Moore, 1877; *sericea* Moore, 1877
- 2473. Leucoma geometrica** Semper, 1899 (Lymantriidae)
Synonym(s): *geometrica* Semper, 1899
- 2474. Leucoma marginalis** (Walker, 1862) (Lymantriidae)
Synonym(s): *marginalis* Walker, 1862
- 2475. Lymantria brunneiplaga** Swinhoe, 1903 (Lymantriidae)
Synonym(s): *brunneiplaga* Swinhoe, 1903
- 2476. Lymantria capnodes** Collenette, 1932 (Lymantriidae)
Synonym(s): *capnodes* Collenette, 1932; *bisextilis* Toxopeus, 1948
- 2477. Lymantria cryptocloea** Collenette, 1932 (Lymantriidae)
Synonym(s): *cryptocloea* Collenette, 1932
- 2478. Lymantria curvifera** (Walker, 1866) (Lymantriidae)
Synonym(s): *curvifera* Walker, 1866; *lunata* Semper, 1898
- 2479. Lymantria lepcha** Moore, 1879 (Lymantriidae)
Synonym(s): *lepcha* Moore, 1879; *carneola* Moore, 1879; *galinara* Swinhoe, 1903
- 2480. Lymantria loacana** Semper, 1898 (Lymantriidae)
Synonym(s): *loacana* Semper, 1898
- 2481. Lymantria lunata** (Stoll, [1782]) (Lymantriidae)
Synonym(s): *lunata* Stoll, [1782]; *ichorina* Butler, 1884; *lunatoides* Strand, 1915
- 2482. Lymantria maculata** Semper, 1898 (Lymantriidae)
Synonym(s): *maculata* Semper, 1898
- 2483. Lymantria serva** (Fabricius, 1793) (Lymantriidae)
Synonym(s): *serva* Fabricius, 1793
- 2484. Lymantria similis** Moore, 1879 (Lymantriidae)
Synonym(s): *similis* Moore, 1879; *cara* Butler, 1881
- 2485. Lymantria similis similis** Moore, 1879 (Lymantriidae)
Synonym(s): *similis* Moore, 1879; *cara* Butler, 1881
- 2486. Lymantria tagalica** Aurivillius, 1914 (Lymantriidae)
Synonym(s): *tagalica* Aurivillius, 1914
- 2487. Melanothrix alternans** Pagenstecher, 1890 (Lymantriidae)
Synonym(s): *alternans* Pagenstecher, 1890
- 2488. Numenes contrahens** Walker, 1862 (Lymantriidae)
Synonym(s): *contrahens* Walker, 1862; *delta* Strand, 1915
- 2489. Numenes insolita** Schultze, 1910 (Lymantriidae)
Synonym(s): *insolita* Schultze, 1910
- 2490. Numenes siletti** Walker, 1855 (Lymantriidae)
Synonym(s): *siletti* Walker, 1855; *quadriplagiata* Walker, 1855; *#inclusa* Strand, 1915; *#biinclusa* Strand, 1915; *siletoides* Strand, 1915
- 2491. Numenes siletti strandi** Bryk, 1934 (Lymantriidae)
Synonym(s): *laeta* Semper, 1898 nec Wlk., 1866; *strandi* Bryk, 1934
- 2492. Olene inclusa** (Walker, 1856) (Lymantriidae)
Synonym(s): *inclusa* Walker, 1856; *invaria* Walker, 1856
- 2493. Olene inclusa demaculata** (Strand, 1915) (Lymantriidae)
Synonym(s): *demaculata* Strand, 1915
- 2494. Orgyia osseata** Walker, 1862 (Lymantriidae)
Synonym(s): *osseata* Walker, 1862; *dimidiata* Walker, 1862; *basisvitta* Walker, 1865
- 2495. Orgyia postica** (Walker, 1855) (Lymantriidae)
Synonym(s): *postica* Walker, 1855; *ceylanica* Nietner, 1862; *nebulosa* Walker, 1862; *ludekingii* Snellen, 1879
- 2496. Pantana baswana** Moore, 1859 (Lymantriidae)
Synonym(s): *baswana* Moore, 1859
- 2497. Pantana luzonensis** Semper, 1898 (Lymantriidae)
Synonym(s): *luzonensis* Semper, 1898; *#nigrosquamata* Strand, 1923
- 2498. Pantana mindanensis** Semper, 1898 (Lymantriidae)
Synonym(s): *mindanensis* Semper, 1898; *#visaya* Strand, 1915
- 2499. Pantana visaya** Semper, 1898 (Lymantriidae)
Synonym(s): *visaya* Semper, 1898; *#luzonensis* Strand, 1915; *visaga* Swinhoe, 1923
- 2500. Perina sunda** Holloway, 1999 (Lymantriidae)
Synonym(s): *sunda* Holloway, 1999
- 2501. Psilochira amydra** (Collenette, 1932) (Lymantriidae)
Synonym(s): *amydra* Collenette, 1932
- 2502. Redoa submarginata** Walker, 1855 (Lymantriidae)
Synonym(s): *submarginata* Walker, 1855; *transiens* Walker, 1862; *acuta* Snellen, 1881; *hipparia* Swinhoe, 1893; *sikkima* Strand, 1915; *keiana* Hulstaert, 1923
- 2503. Sitvia eleuterioides** (Semper, 1899) (Lymantriidae)
Synonym(s): *eleuterioides* Semper, 1899
- 2504. Sitvia karoli** (Semper, 1899) (Lymantriidae)
Synonym(s): *karoli* Semper, 1899
- 2505. Sitvia marginata** Aurivillius, 1894 (Lymantriidae)
Synonym(s): *marginata* Aurivillius, 1894
- 2506. Squamura disciplaga** (Swinhoe, 1901) (Metarbelidae)
Synonym(s): *disciplaga* Swinhoe, 1901
- 2507. "Aquita" acontiodes** (Walker, 1862) (Noctuidae)
Synonym(s): *acontiodes* Walker, 1862
- 2508. "Giaura" niveidisca** (Hampson, 1894) (Noctuidae)
Synonym(s): *niveidisca* Hampson, 1894; *triangularis* Hampson, 1894
- 2509. "Giaura" robusta** (Moore, 1888) (Noctuidae)
Synonym(s): *robusta* Moore, 1888
- 2510. "Meganola" flexilineata** (Wileman, 1916) (Noctuidae)
Synonym(s): *flexilineata* Wileman, 1916
- 2511. Abrostola schintlmeisteri** Behounek & L.Ronkay, 1999 (Noctuidae)
Synonym(s): *schintlmeisteri* Behounek & L.Ronkay, 1999
- 2512. Achaea janata** (Linnaeus, 1758) (Noctuidae)
Synonym(s): *janata* Linnaeus, 1758; *melicerta* Drury, 1773; *tigrina* Fabricius, 1775; *transversii* Fereday, 1877; *ekeikei* Bethune-Baker, 1906
- 2513. Acronicta (Plataplecta) pruinosa** (Guenée, 1852) (Noctuidae)
Synonym(s): *pruinosa* Guenée, 1852; *soluta* Walker, 1865; *consanguis* Butler, 1878; *asiatica* Poujade, 1888; *crenulata* Bethune-Baker, 1906; *albior* Hampson, 1909
- 2514. Adisura marginalis** (Walker, 1858) (Noctuidae)
Synonym(s): *marginalis* Walker, 1858; *delicia* R.Felder & Rogenhofer, 1874; *dulcis* Moore, 1881; *similis* Moore, 1881; *purgata* W. Warren, 1913
- 2515. Adrapsa ablualis** Walker, [1859] (Noctuidae)
Synonym(s): *ablualis* Walker, [1859]; *titysalis* Walker, [1859]; *semicircularis* Lucas, 1892
- 2516. Aedia acronyctoides** (Guenée, 1852) (Noctuidae)
Synonym(s): *acronyctoides* Guenée, 1852
- 2517. Aedia leucomelas** (Linnaeus, 1758) (Noctuidae)
Synonym(s): *leucomelas* Linnaeus, 1758; *ramburii* Boisduval, 1829; *adepta* Geyer, 1832; *olivascens* Guenée, 1852; *limitaris* Walker, [1863]; *shisa* Strand, 1920; *thomae* Prout, 1927; *albodiscalis* Roepke, 1932; *ermanniae* Berio, 1989
- 2518. Aegilia describens** Walker, [1858] (Noctuidae)
Synonym(s): *describens* Walker, [1858]; *anisopecta* Snellen, 1880; *xylinata* Walker, 1865
- 2519. Agrapha sigillata** (Dufay, 1970) (Noctuidae)
Synonym(s): *sigillata* Dufay, 1970
- 2520. Amphigonia hepatizans** Guenée, 1852 (Noctuidae)
Synonym(s): *hepatizans* Guenée, 1852
- 2521. Amphigonia motisigna** A.E.Prout, 1928 (Noctuidae)
Synonym(s): *motisigna* A.E.Prout, 1928
- 2522. Anepholcia pygaria** (W. Warren, 1912) (Noctuidae)
Synonym(s): *pygaria* W. Warren, 1912
- 2523. Anereuthina renosa** Hübner, 1813 (Noctuidae)
Synonym(s): *renosa* Hübner, 1813; *lilach* Guenée, 1852; *occularia* Swinhoe, 1890
- 2524. Anigraea albomaculata** (Hampson, 1894) (Noctuidae)
Synonym(s): *albomaculata* Hampson, 1894; *albibasis* Wileman & West, 1928
- 2525. Anigraea cinctipalpis** (Walker, 1865) (Noctuidae)
Synonym(s): *cinctipalpis* Walker, 1865; *angulata* Moore, 1882; *deletoides* Bethune-Baker, 1906; *ovilata* W. Warren, 1914

- 2526. *Anigraea rubida* Walker, 1862** (Noctuidae)
Synonym(s): *rubida* Walker, 1862; *diffundens* Walker, 1864; *obscura* Moore, 1882
- 2527. *Anisoneura aluco* (Fabricius, 1775)** (Noctuidae)
Synonym(s): *aluco* Fabricius, 1775; *hypocyana* Guenée, 1852
- 2528. *Anisoneura salebrosa* Guenée, 1852** (Noctuidae)
Synonym(s): *salebrosa* Guenée, 1852; *obscurata* Pagenstecher, 1895
- 2529. *Anoba pectinata* (Hampson, 1896)** (Noctuidae)
Synonym(s): *pectinata* Hampson, 1896; *javensis* W. Warren, 1912
- 2530. *Anomis combinans* (Walker, 1858)** (Noctuidae)
Synonym(s): *combinans* Walker, 1858; *revocans* Walker, 1858; *busama* Swinhoe, 1920
- 2531. *Anomis figlina* Butler, 1889** (Noctuidae) Synonym(s): *figlina* Butler, 1889; *sinensis* Berio, 1977
- 2532. *Anomis figlina figlina* Butler, 1889** (Noctuidae)
Synonym(s): *figlina* Butler, 1889; *sinensis* Berio, 1977
- 2533. *Anomis flava* (Fabricius, 1775)** (Noctuidae)
Synonym(s): *flava* Fabricius, 1775; *stigmatizans* Fabricius, 1775; *fimbriago* Stephens, 1829; *xanthindyma* Boisduval, 1833; *auragoides* Guenée, 1852; *indica* Guenée, 1852; *variolosa* Walker, 1857; *edentata* Walker, 1857; *aurantiaca* Prittwitz, 1867; *serrata* Barnes & McDunnough, 1913
- 2534. *Anomis fulvida* Guenée, 1852** (Noctuidae) Synonym(s): *fulvida* Guenée, 1852; *inducens* Walker, 1858; *cuprina* Walker, 1865; *privata* Walker, 1865; *albipuncta* Snellen, 1880; *nagaloa* Mabilille & Vuillot, 1890
- 2535. *Anomis lyona* (Swinhoe, 1919)** (Noctuidae)
Synonym(s): *lyona* Swinhoe, 1919
- 2536. *Anomis mesogona* (Walker, 1858)** (Noctuidae)
Synonym(s): *mesogona* Walker, 1858
- 2537. *Anuga constricta* Guenée, 1852** (Noctuidae)
Synonym(s): *constricta* Guenée, 1852; *complexa* Walker, 1858; *glaucopoides* Walker, 1864; *macrocera* Snellen, 1880
- 2538. *Anuga insuffusa* W. Warren, 1914** (Noctuidae)
Synonym(s): *insuffusa* W. Warren, 1914
- 2539. *Anuga multiplicans* (Walker, 1858)** (Noctuidae)
Synonym(s): *multiplicans* Walker, 1858
- 2540. *Aplotelia nubilosa* W. Warren, 1914** (Noctuidae)
Synonym(s): *nubilosa* W. Warren, 1914; *griseoapicata* Wileman & West, 1928
- 2541. *Apsarasa nigrocaerulea* Hampson, 1910** (Noctuidae)
Synonym(s): *nigrocaerulea* Hampson, 1910
- 2542. *Apsarasa nigrotarsata* Grünberg, 1911** (Noctuidae)
Synonym(s): *nigrotarsata* Grünberg, 1911
- 2543. *Arcte modesta* (Hoeven, 1840)** (Noctuidae) Synonym(s): *modesta* Hoeven, 1840; *immodesta* Guenée, 1852
- 2544. *Argyrogramma signata* (Fabricius, 1775)** (Noctuidae)
Synonym(s): *signata* Fabricius, 1775; *diminuta* Walker, 1865; *hainanensis* Chou & Lu, 1979
- 2545. *Ariolica lineolata* Walker, [1863]** (Noctuidae)
Synonym(s): *lineolata* Walker, [1863]
- 2546. *Artena convergens* (Gaede, 1917)** (Noctuidae)
Synonym(s): *#ochrobrunnea* Strand, 1914; *convergens* Gaede, 1917; *ochrobrunnea* Prout, 1919
- 2547. *Artena dotata* (Fabricius, 1794)** (Noctuidae)
Synonym(s): *dotata* Fabricius, 1794
- 2548. *Artena rubida* (Walker, 1864)** (Noctuidae) Synonym(s): *rubida* Walker, 1864
- 2549. *Atacira dimidiata* (Walker, 1863)** (Noctuidae)
Synonym(s): *dimidiata* Walker, 1863; *triangulatrix* Wileman & West, 1928
- 2550. *Attatha regalis* (Moore, 1872)** (Noctuidae) Synonym(s): *regalis* Moore, 1872
- 2551. *Avatha complens* (Walker, 1858)** (Noctuidae)
Synonym(s): *complens* Walker, 1858; *glaucofascia* Walker, 1858; *onerata* Walker, 1864; *ruinosa* Swinhoe, 1905
- 2552. *Avatha discolor* (Fabricius, 1794)** (Noctuidae)
Synonym(s): *discolor* Fabricius, 1794; *includens* Walker, 1858; *trigonifera* Walker, 1858; *curvifera* Walker, 1858; *complacens* Walker, 1858; *frontalis* Walker, 1858; *expectans* Walker, 1858
- 2553. *Avatha pulcherrima* (Butler, 1892)** (Noctuidae)
Synonym(s): *pulcherrima* Butler, 1892
- 2554. *Avatha uloptera* (A.E. Prout, 1925)** (Noctuidae)
Synonym(s): *uloptera* A.E. Prout, 1925
- 2555. *Avitta quadrilinea* (Walker, [1863])** (Noctuidae)
Synonym(s): *quadrilinea* Walker, [1863]; *quadrilinealis* Moore, 1867; *completa* Rothschild, 1915
- 2556. *Avitta subsignans* Walker, 1858** (Noctuidae)
Synonym(s): *subsignans* Walker, 1858; *surrigens* Walker, 1864; *leitimorensis* Pagenstecher, 1884
- 2557. *Bamra albicola* Walker, 1858** (Noctuidae) Synonym(s): *albicola* Walker, 1858; *discalis* Moore, 1867; *diplostigma* Hampson, 1893
- 2558. *Baorisa philippina* Behounek, Speidel & Thöny, 1996** (Noctuidae) Synonym(s): *philippina* Behounek, Speidel & Thöny, 1996
- 2559. *Bastilla acuta* (Moore, 1887)** (Noctuidae) Synonym(s): *acuta* Moore, 1887
- 2560. *Bastilla feneratrix* (Guenée, 1852)** (Noctuidae)
Synonym(s): *feneratrix* Guenée, 1852; *melanochrous* Rothschild, 1920
- 2561. *Bastilla fulvotaenia* (Guenée, 1852)** (Noctuidae)
Synonym(s): *fulvotaenia* Guenée, 1852
- 2562. *Bastilla joviana* (Stoll, 1782)** (Noctuidae) Synonym(s): *sinuata* Fabricius, 1781 nec Fabr., 1775; *joviana* Stoll, 1782; *jovis* Hübner, [1823]
- 2563. *Bastilla maturescens* (Walker, 1858)** (Noctuidae)
Synonym(s): *maturescens* Walker, 1858
- 2564. *Bastilla praetermissa* (W. Warren, 1913)** (Noctuidae)
Synonym(s): *praetermissa* W. Warren, 1913
- 2565. *Bastilla senex* (Walker, 1858)** (Noctuidae) Synonym(s): *senex* Walker, 1858; *acutissima* Bethune-Baker, 1906
- 2566. *Bastilla simillima* (Guenée, 1852)** (Noctuidae)
Synonym(s): *simillima* Guenée, 1852; *mima* Strand, 1920
- 2567. *Bastilla solomonensis* (Hampson, 1913)** (Noctuidae)
Synonym(s): *solomonensis* Hampson, 1913
- 2568. *Bastilla solomonensis* ssp.** (Noctuidae) Synonym(s):
- 2569. *Bastilla vitiensis* (Butler, 1886)** (Noctuidae)
Synonym(s): *vitiensis* Butler, 1886; *prouti* Hulstaert, 1924; *cuneifascia* Hulstaert, 1924
- 2570. *Batracharta obliqua* (Walker, 1862)** (Noctuidae)
Synonym(s): *obliqua* Walker, 1862; *apicalis* Moore, 1882; *tincta* Hampson, 1893
- 2571. *Beana terminigera* (Walker, 1858)** (Noctuidae)
Synonym(s): *terminigera* Walker, 1858; *polychroma* Walker, 1862
- 2572. *Belciana bicolor* Wileman & West, 1929** (Noctuidae)
Synonym(s): *bicolor* Wileman & West, 1929
- 2573. *Belciana biformis* (Walker, 1858)** (Noctuidae)
Synonym(s): *biformis* Walker, 1858; *hemodi* R. Felder & Rogenhofer, 1874
- 2574. *Bematha extensa* Walker, 1865** (Noctuidae)
Synonym(s): *extensa* Walker, 1865
- 2575. *Bematha transversata* Wileman & West, 1929** (Noctuidae) Synonym(s): *transversata* Wileman & West, 1929
- 2576. *Blasticorhinus rivulosa* (Walker, 1865)** (Noctuidae)
Synonym(s): *rivulosa* Walker, 1865; *quadripuncta* Swinhoe, 1902
- 2577. *Blenina donans* Walker, 1857** (Noctuidae) Synonym(s): *donans* Walker, 1857
- 2578. *Blenina puloa* Swinhoe, 1901** (Noctuidae) Synonym(s): *puloa* Swinhoe, 1901
- 2579. *Blenina quinaria* Moore, 1882** (Noctuidae) Synonym(s): *quinaria* Moore, 1882
- 2580. *Bocula caradrinoides* Guenée, 1852** (Noctuidae)
Synonym(s): *caradrinoides* Guenée, 1852
- 2581. *Borbotana petrae* Behounek, 1999** (Noctuidae)
Synonym(s): *petrae* Behounek, 1999
- 2582. *Bryophilopsis orientalis* Hampson, 1912** (Noctuidae)
Synonym(s): *orientalis* Hampson, 1912
- 2583. *Buzara luteipalpis* (Walker, 1865)** (Noctuidae)
Synonym(s): *luteipalpis* Walker, 1865
- 2584. *Buzara onelia* (Guenée, 1852)** (Noctuidae) Synonym(s): *onelia* Guenée, 1852; *umbrosa* Walker, 1865; *obumbrata* Walker, 1865
- 2585. *Calesia stillifera* R. Felder & Rogenhofer, 1874** (Noctuidae) Synonym(s): *stillifera* R. Felder & Rogenhofer, 1874; *satellitica* Moore, [1885]

- 2586.** *Calymera* ?*cuprea* (Wileman & West,1920) (Noctuidae) Synonym(s): *cuprea* Wileman & West,1920
- 2587.** *Calyptra minuticornis* (Guenée,1852) (Noctuidae) Synonym(s): *minuticornis* Guenée,1852
- 2588.** *Carea carissima* Wileman & West,1929 (Noctuidae) Synonym(s): *carissima* Wileman & West,1929
- 2589.** *Carea cuprea* Wileman & South,1920 (Noctuidae) Synonym(s): *cuprea* Wileman & South,1920
- 2590.** *Carea obvia* Hampson,1912 (Noctuidae) Synonym(s): *obvia* Hampson,1912
- 2591.** *Carea parangulata* Kobes,1997 (Noctuidae) Synonym(s): *parangulata* Kobes,1997
- 2592.** *Carea subvia* Wileman & West,1929 (Noctuidae) Synonym(s): *subvia* Wileman & West,1929
- 2593.** *Catada picta* (Moore,1882) (Noctuidae) Synonym(s): *picta* Moore,1882
- 2594.** *Catocala* (s.str.) *macula* (Hampson,1891) (Noctuidae) Synonym(s): *macula* Hampson,1891
- 2595.** *Chalciope mygdon* (Cramer,[1777]) (Noctuidae) Synonym(s): *mygdon* Cramer,[1777]; *triangulum* Fabricius,1787; *mygdoniae* Hübner,[1823]
- 2596.** *Charcoma pallidorsum* Holloway,2003 (Noctuidae) Synonym(s): *pallidorsum* Holloway,2003
- 2597.** *Chilkasa falcata* Swinhoe,1885 (Noctuidae) Synonym(s): *falcata* Swinhoe,1885; *perhamata* Hampson,1894; *difformis* Roepke,1948
- 2598.** *Chloriola gratissima* (Walker,[1863]) (Noctuidae) Synonym(s): *gratissima* Walker,[1863]
- 2599.** *Chlumetia transversa* (Walker,1863) (Noctuidae) Synonym(s): *transversa* Walker,1863; *guangxiensis* Wu & Zhu,1981
- 2600.** *Chora repandens* Walker,1862 (Noctuidae) Synonym(s): *repandens* Walker,1862; *sundana* R.Felder,1875; *hemichlora* De Joannis,1911
- 2601.** *Chrysodeixis acuta* (Walker,1858) (Noctuidae) Synonym(s): *acuta* Walker,1858; *furihatai* Okano,1963; *nigribursa* Chou & Lu,1974
- 2602.** *Chrysodeixis eriosoma* (Doubleday,1843) (Noctuidae) Synonym(s): *eriosoma* Doubleday,1843; *verticillata* Guenée,1852
- 2603.** *Chrysodeixis illuminata* (G.S.Robinson,1968) (Noctuidae) Synonym(s): *illuminata* G.S.Robinson,1968; *nesiotes* Dufay,1974; *albescens* Chou & Lu,1979
- 2604.** *Chrysodeixis luzonensis* (Wileman & West,1929) (Noctuidae) Synonym(s): *luzonensis* Wileman & West,1929
- 2605.** *Chrysodeixis minutus* Dufay,1970 (Noctuidae) Synonym(s): *minutus* Dufay,1970
- 2606.** *Chrysodeixis similis* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *similis* Behounek & L.Ronkay,1999
- 2607.** *Chrysodeixis similis* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *similis* Behounek & L.Ronkay,1999
- 2608.** *Chrysopera combinans* (Walker,1858) (Noctuidae) Synonym(s): *combinans* Walker,1858; *quadrilunata* Pagenstecher,1890
- 2609.** *Claterna cydonia* (Cramer,1775) (Noctuidae) Synonym(s): *cydonia* Cramer,1775; *exagans* Walker,1858; *submemorans* Walker,1858; *affinis* Rothschild,1915
- 2610.** *Coarica fasciata* Moore,1882 (Noctuidae) Synonym(s): *fasciata* Moore,1882
- 2611.** *Cossedia hyriodes* Hampson,1912 (Noctuidae) Synonym(s): *hyriodes* Hampson,1912
- 2612.** *Crinala mimetica* Rothschild,1896 (Noctuidae) Synonym(s): *mimetica* Rothschild,1896
- 2613.** *Crithote basipuncta* Schultze,1908 (Noctuidae) Synonym(s): *basipuncta* Schultze,1908
- 2614.** *Crithote horridipes* Walker,1864 (Noctuidae) Synonym(s): *horridipes* Walker,1864; *crinipes* Snellen,1880
- 2615.** *Ctenoplusia* (Acanthoplusia) *armata* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *armata* Behounek & L.Ronkay,1999
- 2616.** *Ctenoplusia* (Acanthoplusia) *dufayi* Behounek & L.Ronkay,1999 (Noctuidae) Synonym(s): *dufayi* Behounek & L.Ronkay,1999
- 2617.** *Ctenoplusia* (Acanthoplusia) *herbuloti* Dufay,1982 (Noctuidae) Synonym(s): *herbuloti* Dufay,1982
- 2618.** *Ctenoplusia* (s.str.) *albostrata* (Bremer & Grey,1853) (Noctuidae) Synonym(s): *albostrata* Bremer & Grey,1853; *subchalybaea* Walker,1865; *nubila* Moore,1887; *oxygramma* Hampson,1894; *transfixa* auct.
- 2619.** *Cyclodes omma* (Hoeven,1840) (Noctuidae) Synonym(s): *omma* Hoeven,1840; *replenens* Walker,1858
- 2620.** *Daddala brevicauda* (Wileman & South,1921) (Noctuidae) Synonym(s): *brevicauda* Wileman & South,1921
- 2621.** *Daddala lucilla* (Butler,1881) (Noctuidae) Synonym(s): *lucilla* Butler,1881; *obscurata* Butler,1881
- 2622.** *Daddala microdesma* (Prout,1928) (Noctuidae) Synonym(s): *microdesma* Prout,1928; *microdesma* Berio,1958
- 2623.** *Detounda spurcata* Walker,1864 (Noctuidae) Synonym(s): *spurcata* Walker,1864; *acypera* Hampson,1905
- 2624.** *Diehlea neotumida* Yoshimoto,1999 (Noctuidae) Synonym(s): *neotumida* Yoshimoto,1999
- 2625.** *Diehlea philippinica* Yoshimoto,1999 (Noctuidae) Synonym(s): *philippinica* Yoshimoto,1999
- 2626.** *Diehlea tumida* (Hampson,1905) (Noctuidae) Synonym(s): *tumida* Hampson,1905
- 2627.** *Dilophothripa chrysorrhoea* Hampson,1898 (Noctuidae) Synonym(s): *chrysorrhoea* Hampson,1898
- 2628.** *Dinumma placens* Walker,1858 (Noctuidae) Synonym(s): *placens* Walker,1858; *varians* Butler,1889
- 2629.** *Dordura aliena* (Walker,1864) (Noctuidae) Synonym(s): *aliena* Walker,1864
- 2630.** *Earias insulana* (Boisduval,1833) (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.
- 2631.** *Ecpatia longiqua* (Swinhoe,1890) (Noctuidae) Synonym(s): *longiqua* Swinhoe,1890; *#longiquava* Kononenko & Pinratana,2005; *#longiquava* Kononenko & Pinratana,2005
- 2632.** *Egnasia conifer* Hampson,1926 (Noctuidae) Synonym(s): *conifer* Hampson,1926
- 2633.** *Elydnodes ornata* Wileman & West,1929 (Noctuidae) Synonym(s): *ornata* Wileman & West,1929
- 2634.** *Entomogramma torsa* Guenée,1852 (Noctuidae) Synonym(s): *torsa* Guenée,1852; *squammicornis* R.Felder & Rogenhofer,1874; *vanua* R.Felder & Rogenhofer,1874
- 2635.** *Episparis varialis* (Walker,1858) (Noctuidae) Synonym(s): *liturata* Fabricius,1787 nec Linn.,1761; *varialis* Walker,1858; *signata* Walker,1865; *davallia* R.Felder & Rogenhofer,1874
- 2636.** *Episteme vetula* (Geyer,1832) (Noctuidae) Synonym(s): *vetula* Geyer,1832; *fasciatrix* Westwood,1848; *bijugata* Walker,1862; *irenea* Boisduval,1874; *communis* Butler,1875; *solicita* Swinhoe,1902; *palavanica* Jordan,1912
- 2637.** *Ercheia cyllaria* (Cramer,1782) (Noctuidae) Synonym(s): *cyllaria* Cramer,1782
- 2638.** *Ercheia multilinea* Swinhoe,1902 (Noctuidae) Synonym(s): *multilinea* Swinhoe,1902; *abnormis* Swinhoe,1904
- 2639.** *Erebus hieroglyphica* (Drury,1773) (Noctuidae) Synonym(s): *hieroglyphica* Drury,1773; *ulula* Fabricius,1775; *mygdonia* Cramer,1777; *hermonia* Cramer,1777; *lunaris* Walker,1866; *celebensis* Hopffer,1874; *tenebrata* Prout,1919
- 2640.** *Erebus macrops* (Linnaeus,1768) (Noctuidae) Synonym(s): *macrops* Linnaeus,1768; *bubo* Fabricius,1775; *boopis* Guenée,1852; *walkeri* Butler,1875.
- 2641.** *Ericeia eriophora* (Guenée,1852) (Noctuidae) Synonym(s): *eriophora* Guenée,1852; *perfidiosa* Walker,1858; *deficiens* Walker,1858; *apicalis* Walker,[1863]
- 2642.** *Ericeia inangulata* (Guenée,1852) (Noctuidae) Synonym(s): *inangulata* Guenée,1852; *optativa* Walker,1858; *optatura* Walker,1858; *zeta* Walker,1864; *intracta* Walker,1864; *comitata* Walker,1865; *umbrosa* Walker,1869; *subcinerea* Snellen,1880; *intextilia* Schultze,1908; *levuensis* A.Prout,1929; *certilinea* A.Prout,1929
- 2643.** *Ericeia pertendens* (Walker,[1858]) (Noctuidae) Synonym(s): *pertendens* Walker,[1858]; *gonioptila*

- Prout, 1922; *eurytaenia* Prout, 1929; *occidua* Prout, 1929; *iopolia* D.S. Fletcher, 1957
- 2644. Erizada lichenaria Walker, 1865** (Noctuidae)
Synonym(s): *lichenaria* Walker, 1865; *metarhoda* Walker, 1865; *hyperythrum* Hampson, 1894
- 2645. Erygia apicalis Guenée, 1852** (Noctuidae) Synonym(s): *apicalis* Guenée, 1852; *exempta* Walker, 1858; *squamiplena* Walker, 1858; *geometroides* Walker, 1865; *usta* Walker, 1865; *watanabii* Holland, 1889; *tamsi* Hulstaert, 1924
- 2646. Eublemma (cochylioides-gr.) anachoresis (Wallengren, 1863)** (Noctuidae) Synonym(s): *anachoresis* Wallengren, 1863; *accedens* R. Felder & Rogenhofer, [1875]; *divisa* Moore, 1881; *leonata* Butler, 1886.
- 2647. Eublemma (ragusana-gr.) ragusana (Freyer, 1844)** (Noctuidae) Synonym(s): *ragusana* Freyer, 1844; *virginia* Guenée, 1852; *cinerina* Ghiliani, 1854; *psilogramma* Lederer, 1855; *quinquelinealis* Moore, 1877; *dividens* Lucas, 1892; *polygramma* Hampson, 1894.
- 2648. Eublemma marmorata Wileman & West, 1929** (Noctuidae) Synonym(s): *marmorata* Wileman & West, 1929
- 2649. Eublemma miasma (Hampson, 1891)** (Noctuidae)
Synonym(s):
- 2650. Eublemma pudica (Snellen, 1880)** (Noctuidae)
Synonym(s): *pudica* Snellen, 1880
- 2651. Eudocima cajeta (Cramer, 1779)** (Noctuidae)
Synonym(s): *cajeta* Cramer, 1779; *multiscripta* Walker, [1858]; *talboti* A. Prout, 1922
- 2652. Eudocima discrepans (Walker, 1858)** (Noctuidae)
Synonym(s): *discrepans* Walker, 1858
- 2653. Eudocima homaena (Hübner, [1823])** (Noctuidae)
Synonym(s): *ancilla* Cramer, 1777 nec Linn., 1767; *strigata* Donovan, 1804; *homaena* Hübner, [1823]; *bilineosa* Walker, [1858]; *formosana* Okano, 1964
- 2654. Eudocima hypermnestra (Stoll, 1780)** (Noctuidae)
Synonym(s): *hypermnestra* Stoll, 1780
- 2655. Eudocima phalonia (Linnaeus, 1763)** (Noctuidae)
Synonym(s): *phalonia* Linnaeus, 1763; *fullonia* Clerck, [1764]; *dioscoreae* Fabricius, 1775; *pomona* Cramer, 1776; *princeps* Guenée, 1852; *obliterans* Walker, 1858
- 2656. Eudocima salaminia (Cramer, 1777)** (Noctuidae)
Synonym(s): *salaminia* Cramer, 1777
- 2657. Eutelia fasciatrix (Semper, 1902)** (Noctuidae)
Synonym(s): *fasciatrix* Semper, 1902
- 2658. Eutelia nubilosa (Warren, 1914)** (Noctuidae)
Synonym(s): *nubilosa* Warren, 1914; *griseoapicata* Wileman & West, 1928
- 2659. Falana sordida Moore, 1882** (Noctuidae) Synonym(s): *sordida* Moore, 1882
- 2660. Felinia spissa Guenée, 1852** (Noctuidae) Synonym(s): *spissa* Guenée, 1852; *spissata* Guenée, 1852; *decens* Walker, [1858]
- 2661. Feliniopsis discisignata (Wileman & South, 1920)** (Noctuidae) Synonym(s): *discisignata* Wileman & South, 1920
- 2662. Feliniopsis lucipara (Wileman & West, 1929)** (Noctuidae) Synonym(s): *lucipara* Wileman & West, 1929
- 2663. Feliniopsis luzonensis (Wileman & South, 1920)** (Noctuidae) Synonym(s): *luzonensis* Wileman & South, 1920
- 2664. Feliniopsis peridela (Wileman & West, 1929)** (Noctuidae) Synonym(s): *peridela* Wileman & West, 1929
- 2665. Feliniopsis securifera (Wileman & West, 1929)** (Noctuidae) Synonym(s): *securifera* Wileman & West, 1929
- 2666. Fodina cuneigera (Butler, 1889)** (Noctuidae)
Synonym(s): *cuneigera* Butler, 1889
- 2667. Foveades crucialis (R. Felder & Rogenhofer, [1874])** (Noctuidae) Synonym(s): *crucialis* R. Felder & Rogenhofer, [1874]
- 2668. Garella casuaria (Wileman & West)** (Noctuidae)
Synonym(s):
- 2669. Grammodes geometrica (Fabricius, 1775)** (Noctuidae)
Synonym(s): *geometrica* Fabricius, 1775; *ammonia* Cramer, 1780 nec Esp., [1794]; *orientalis* W. Warren, 1913
- 2670. Gyrtone divitalis Walker, 1863** (Noctuidae)
Synonym(s): *divitalis* Walker, 1863
- 2671. Gyrtotripa parvipusilla Holloway, 2003** (Noctuidae)
Synonym(s): *parvipusilla* Holloway, 2003
- 2672. Hamodes propitia (Boisduval, 1832)** (Noctuidae)
Synonym(s): *propitia* Boisduval, 1832
- 2673. Heterospila fulgurea Guenée, 1852** (Noctuidae)
Synonym(s): *fulgurea* Guenée, 1852; *decisa* Walker, 1865; *simplex* Walker, 1865; *monogramma* Hampson, 1926
- 2674. Hipoepa fractalis (Guenée, 1854)** (Noctuidae)
Synonym(s): *fractalis* Guenée, 1854; *raptatalis* Walker, 1859; *invenusta* Swinhoe, 1890; *#feminina* Strand, 1919; *castanea* Rothschild, 1920; *plebejus* Rothschild, 1920
- 2675. Homodes crocea Guenée, 1852** (Noctuidae)
Synonym(s): *crocea* Guenée, 1852
- 2676. Hulodes caranea (Cramer, [1780])** (Noctuidae)
Synonym(s): *caranea* Cramer, [1780]; *carenea* Poole, 1989
- 2677. Hulodes drylla Guenée, 1852** (Noctuidae) Synonym(s): *drylla* Guenée, 1852
- 2678. Hydrillodes hemusalis (Walker, [1859])** (Noctuidae)
Synonym(s): *hemusalis* Walker, [1859]; *latifascialis* Walker, [1866]; *subbasalis* Moore, 1877; *nilgirialis* Hampson, 1895
- 2679. Hypena iconicalis Walker, [1859]** (Noctuidae)
Synonym(s): *iconicalis* Walker, [1859]; *subnotalis* Walker, [1866]; *sulalis* Walker, [1866]; *similata* Moore, 1882; *herpa* Swinhoe, 1901; *apicipuncta* Strand, 1920; *belindana* Strand, 1920; *chosokeiana* Strand, 1922
- 2680. Hypena quadralis (Walker, [1859])** (Noctuidae)
Synonym(s): *quadralis* Walker, [1859]; *mollis* Swinhoe, 1891
- 2681. Hypersynpoides ochreicilia (Hampson, 1891)** (Noctuidae) Synonym(s): *ochreicilia* Hampson, 1891
- 2682. Hypersynpoides punctosa (Walker, 1865)** (Noctuidae)
Synonym(s): *punctosa* Walker, 1865; *albistigma* Leech, 1900; *ochreimarginalis* Strand, 1919
- 2683. Hypocala guttiventris Walker, 1858** (Noctuidae)
Synonym(s): *guttiventris* Walker, 1858; *lativitta* Walker, 1865; *triphaenina* R. Felder & Rogenhofer, 1874
- 2684. Hypocala rostrata (Fabricius, 1794)** (Noctuidae)
Synonym(s): *rostrata* Fabricius, 1794; *angulipalpis* Guenée, 1852; *efflorescens* Guenée, 1852; *plumicornis* Guenée, 1852; *genuina* Wallengren, 1856; *bohemani* Wallengren, 1856.
- 2685. Hypocala violacea Butler, 1879** (Noctuidae)
Synonym(s): *violacea* Butler, 1879; *clarissima* Butler, 1892; *kebaea* Bethune-Baker, 1906
- 2686. Hypopyra vespertilio (Fabricius, 1787)** (Noctuidae)
Synonym(s): *vespertilio* Fabricius, 1787; *shiva* Guenée, 1852; *extricans* Walker, 1858; *hypopyroides* Walker, 1858; *hypopyroides* Walker, 1869 nec Wlk., 1858; *signata* Walker, 1869; *dulcina* R. Felder & Rogenhofer, 1874; *pandia* R. Felder & Rogenhofer, 1874; *distans* Moore, 1882; *pallida* Moore, 1883
- 2687. Ischyja ferrifracta (Walker, [1863])** (Noctuidae)
Synonym(s): *ferrifracta* Walker, [1863]; *schlegeli* Snellen, 1884; *glaucopetron* Hampson, 1891
- 2688. Ischyja hagenii (Snellen, 1885)** (Noctuidae)
Synonym(s): *hagenii* Snellen, 1885
- 2689. Ischyja manlia (Cramer, 1776)** (Noctuidae)
Synonym(s): *manlia* Cramer, 1776; *squalida* Fabricius, 1787; *amboinensis* C. Felder, 1862
- 2690. Labanda ceylusalis Walker, 1859** (Noctuidae)
Synonym(s): *ceylusalis* Walker, 1859
- 2691. Lacera procellosa Butler, 1879** (Noctuidae)
Synonym(s): *procellosa* Butler, 1879
- 2692. Leucania loreyi (Duponchel, 1827)** (Noctuidae)
Synonym(s): *loreyi* Duponchel, 1827; *caricis* Walker, 1856; *collecta* Walker, 1856; *curcula* Walker, 1856; *denotata* Walker, 1856; *designata* Walker, 1856; *exterior* Walker, 1856; *thoracica* Walker, 1856.
- 2693. Leucania yu Guenée, 1852** (Noctuidae) Synonym(s): *yu* Guenée, 1852; *exempta* Walker, 1857; *costalis* Moore, 1877
- 2694. Lignicida echana Swinhoe, 1905** (Noctuidae)
Synonym(s): *echana* Swinhoe, 1905
- 2695. Lineopalpa horsfieldi Guenée, 1852** (Noctuidae)
Synonym(s): *horsfieldi* Guenée, 1852; *strigocrenulata* Bethune-Baker, 1906; *varians* Moore, 1867
- 2696. Lopharthrum comprimens (Walker, 1858)** (Noctuidae)
Synonym(s): *comprimens* Walker, 1858; *chrysenaeri* Heylaerts, 1888

- 2697. Lophoptera illucida (Walker,1865)** (Noctuidae)
Synonym(s): *illucida* Walker,1865; *abortiva* Herrich-Schaffer, [1869]
- 2698. Lophoptera olivascens (Moore,1882)** (Noctuidae)
Synonym(s): *olivascens* Moore,1882
- 2699. Lophoptera squammigera Guenée,1852** (Noctuidae)
Synonym(s): *squammigera* Guenée,1852; *costata* Moore, [1885]
- 2700. Lygniodes plateni Pagenstecher,1890** (Noctuidae)
Synonym(s): *plateni* Pagenstecher,1890
- 2701. Macaldenia palumba (Guenée,1852)** (Noctuidae)
Synonym(s): *palumba* Guenée,1852; *colligens* Walker,1865
- 2702. Macdunnoughia (Sclerogenia) jessica (Butler,1878)** (Noctuidae) Synonym(s): *jessica* Butler,1878
- 2703. Maliattha ritsemae Snellen,1880** (Noctuidae)
Synonym(s): *ritsemae* Snellen,1880; *albofusca* Pagenstecher,1888
- 2704. Manoba implens Walker,1863** (Noctuidae)
Synonym(s): *implens* Walker,1863; *junctilinea* Hampson,1901
- 2705. Manoba punctilineata (Hampson,1896)** (Noctuidae)
Synonym(s): *punctilineata* Hampson,1896
- 2706. Masca abactalis Walker,[1859]** (Noctuidae)
Synonym(s): *abactalis* Walker,[1859]; *leucogastralis* Walker,[1866]; *platypoda* R.Felder & Rogenhofer,1874
- 2707. Mecodina albobentata (Swinhoe,1895)** (Noctuidae)
Synonym(s): *albobentata* Swinhoe,1895
- 2708. Mecodina odontophora (Swinhoe,1895)** (Noctuidae)
Synonym(s): *odontophora* Swinhoe,1895
- 2709. Mecodina praecipua (Walker,1865)** (Noctuidae)
Synonym(s): *praecipua* Walker,1865; *nara* R.Felder & Rogenhofer,1874; *amboinica* Pagenstecher,1884
- 2710. Mimeusemia postica (Walker,1862)** (Noctuidae)
Synonym(s): *postica* Walker,1862; *tara* Swinhoe,1892
- 2711. Mocis frugalis (Fabricius,1775)** (Noctuidae)
Synonym(s): *frugalis* Fabricius,1775; *lycopodia* Geyer,1837; *translata* Walker,1865.
- 2712. Mocis undata (Fabricius,1775)** (Noctuidae)
Synonym(s): *undata* Fabricius,1775; *archesia* Cramer,1780; *vibria* Cramer,1780; *gregalis* Guenée,1852; *velata* Walker,[1863]; *bifasciata* Walker,1865.
- 2713. Mythimna (Hyphilare) albiviata (Hampson,1913)** (Noctuidae) Synonym(s): *albipuncta* W.Warren,1912 nec [Denis & Schiff.],1775; *albiviata* Hampson,1913
- 2714. Mythimna (Hyphilare) albiviata amplia (Calora,1966)** (Noctuidae) Synonym(s): *amplia* Calora,1966
- 2715. Mythimna (Hyphilare) honeyi (Yoshimatsu,1990)** (Noctuidae) Synonym(s): *honeyi* Yoshimatsu,1990
- 2716. Mythimna (Hyphilare) intermediata (Yoshimatsu,1990)** (Noctuidae) Synonym(s): *intermediata* Yoshimatsu,1990
- 2717. Mythimna (Hyphilare) maxima Hreblay,1998** (Noctuidae) Synonym(s): *maxima* Hreblay,1998
- 2718. Mythimna (Hyphilare) reversa (Moore,1884)** (Noctuidae) Synonym(s): *reversa* Moore,1884
- 2719. Mythimna (Hyphilare) simplex (Leech,1889)** (Noctuidae) Synonym(s): *simplex* Leech,1889
- 2720. Mythimna (Hyphilare) simplex curta Hreblay,1998** (Noctuidae) Synonym(s): *curta* Hreblay,1998
- 2721. Mythimna (Hyphilare) tricorna Hreblay, Legrain & Yoshimatsu,1998** (Noctuidae) Synonym(s): *tricorna* Hreblay, Legrain & Yoshimatsu,1998
- 2722. Mythimna (Pseudaletia) pallidicosta brevipennis (W.Warren,1913)** (Noctuidae) Synonym(s): *brevipennis* W.Warren,1913
- 2723. Mythimna (Pseudaletia) pallidicosta (Hampson,1894)** (Noctuidae) Synonym(s): *albicosta* Moore,1882 (*praeocc.*); *pallidicosta* Hampson,1894
- 2724. Mythimna (Pseudaletia) pallidicosta saturata (W.Warren,1913)** (Noctuidae) Synonym(s): *saturata* W.Warren,1913
- 2725. Mythimna (s.str.) albomarginata (Wileman & South,1920)** (Noctuidae) Synonym(s): *albomarginata* Wileman & South,1920
- 2726. Narangodes nudariodes (Hampson,1918)** (Noctuidae)
Synonym(s): *nudariodes* Hampson,1918
- 2727. Nola duplicilinea (Hampson,1900)** (Noctuidae)
Synonym(s): *duplicilinea* Hampson,1900; *pseudastigma* Van Eecke,1920; *indefinita* Roepke,1948
- 2728. Nola lucidalis (Walker,1864)** (Noctuidae) Synonym(s): *lucidalis* Walker,1864; *dimidiata* Snellen,1875; *nephodes* Hampson,1914
- 2729. Nola mesosticta (Hampson,1900)** (Noctuidae)
Synonym(s): *mesosticta* Hampson,1900; *celidota* Wileman & West,1928
- 2730. Nola opalina (Walker,1862)** (Noctuidae) Synonym(s): *opalina* Walker,1862; *basimicans* Hampson,1894
- 2731. Nycteola kebea (Bethune-Baker,1906)** (Noctuidae)
Synonym(s): *kebea* Bethune-Baker,1906
- 2732. Odontodes seranensis Prout,1922** (Noctuidae)
Synonym(s): *seranensis* Prout,1922; *subfusca* Prout,1928
- 2733. Ommatophora fulvastra Guenée,1852** (Noctuidae)
Synonym(s): *fulvastra* Guenée,1852
- 2734. Ommatophora luminosa (Cramer,1780)** (Noctuidae)
Synonym(s): *luminosa* Cramer,1780
- 2735. Ophisma gravata Guenée,1852** (Noctuidae)
Synonym(s): *gravata* Guenée,1852
- 2736. Ophisma pallescens (Walker,[1863])** (Noctuidae)
Synonym(s): *pallescens* Walker,[1863]; *violetta* Pagenstecher,1896
- 2737. Ophiusa discriminans (Walker,1858)** (Noctuidae)
Synonym(s): *discriminans* Walker,1858; *pygospila* Snellen,1880; *sublutea* Bethune-Baker,1906; *intacta* Hampson,1913
- 2738. Ophiusa disjungens (Walker,1858)** (Noctuidae)
Synonym(s): *disjungens* Walker,1858
- 2739. Ophiusa disjungens indiscriminata (Hampson,1893)** (Noctuidae) Synonym(s): *indiscriminata* Hampson,1893
- 2740. Ophiusa olista (Swinhoe,1893)** (Noctuidae)
Synonym(s): *olista* Swinhoe,1893
- 2741. Ophiusa tirhaca (Cramer,[1777])** (Noctuidae)
Synonym(s): *tirhaca* Cramer,[1777]; *#tirrhaea* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978
- 2742. Ophiusa trapezium (Guenée,1852)** (Noctuidae)
Synonym(s): *trapezium* Guenée,1852; *circumferens* Walker,1865; *cognata* Walker,1865; *adusta* Moore,1882; *prunicolor* Moore,[1885]; *kebea* Bethune-Baker,1906
- 2743. Ophthalmis lincea (Cramer,1779)** (Noctuidae)
Synonym(s): *lincea* Cramer,1779; *bambucina* Eschscholtz,1830; *formosa* Montr.,1856; *linceoides* Boisduval,1874; *aluensis* Butler,1887; *leucapex* Strand,1911; *biakensis* Strand,1912
- 2744. Ophthalmis swinhoei (Semper,1899)** (Noctuidae)
Synonym(s): *swinhoei* Semper,1899
- 2745. Oraesia emarginata (Fabricius,1794)** (Noctuidae)
Synonym(s): *emarginata* Fabricius,1794; *metallescens* Guenée,1852; *tentans* Walker,[1858]; *alliciens* Walker,[1858]
- 2746. Oraesia excavata (Butler,1878)** (Noctuidae)
Synonym(s): *excavata* Butler,1878
- 2747. Oxyodes scrobiculata (Fabricius,1775)** (Noctuidae)
Synonym(s): *scrobiculata* Fabricius,1775; *clytia* Stoll,[1782]; *vittata* Fabricius,1794; *ochreata* Rothschild,1915; *samoana* Tams,1935; *tanymekes* Tams,1935; *novaehebridensis* Viette,1951; *obscurior* Holloway,1979
- 2748. Paectes cristatrix (Guenée,1852)** (Noctuidae)
Synonym(s): *cristatrix* Guenée,1852
- 2749. Pangrapta shivula (Guenée,1852)** (Noctuidae)
Synonym(s): *shivula* Guenée,1852; *xylochroma* Walker,1858; *grisangula* Hampson,1893
- 2750. Pantydia metaspila (Walker,1858)** (Noctuidae)
Synonym(s): *metaspila* Walker,1858; *pallidilinea* Walker,1858; *moolla* Swinhoe,1885; *sordida* Butler,1886
- 2751. Parallela arctotaenia (Guenée,1852)** (Noctuidae)
Synonym(s): *arctotaenia* Guenée,1852
- 2752. Parallela rigidistria (Guenée,1852)** (Noctuidae)
Synonym(s): *rigidistria* Guenée,1852; *calefasciens* Walker,1858; *correctata* Walker,1865

- 2753. *Parallelia stuposa* (Fabricius,1794)** (Noctuidae)
Synonym(s): *stuposa* Fabricius,1794; *festinata* Walker,1858; *japonibia* Bryk,1948; *sinica* Bryk,1948
- 2754. *Penicillaria nugatrix* Guenée,1852** (Noctuidae)
Synonym(s): *nugatrix* Guenée,1852; *jacosatrix* Guenée,1852
- 2755. *Pericyma cruegeri* (Butler,1886)** (Noctuidae)
Synonym(s): *cruegeri* Butler,1886
- 2756. *Pericyma glaucinans* (Guenée,1852)** (Noctuidae)
Synonym(s): *glaucinans* Guenée,1852; *ligilla* Guenée,1852; *infligens* Walker,[1858]; *solita* Walker,[1858]; *antica* Walker,1865; *validula* Walker,1865
- 2757. *Phalga sinuosa* Moore,1881** (Noctuidae) Synonym(s): *sinuosa* Moore,1881; *viridinota* Swinhoe,1895
- 2758. *Phyllodes consobrina* Westwood,1848** (Noctuidae)
Synonym(s): *consobrina* Westwood,1848; *perspicillator* Guenée,1852
- 2759. *Phyllodes eyndhovii* (Vollenhoven,1858)** (Noctuidae)
Synonym(s): *eyndhovii* Vollenhoven,1858; *semilinea* Walker,[1863]; *fasciata* Moore,1867
- 2760. *Pindara illibata* (Fabricius,1775)** (Noctuidae)
Synonym(s): *illibata* Fabricius,1775; *peropaca* Hübner,[1831]; *laetabilis* Guenée,1852
- 2761. *Platyja minutipuncta* (Swinhoe,1901)** (Noctuidae)
Synonym(s): *minutipuncta* Swinhoe,1901
- 2762. *Platyja umminia* (Cramer,1780)** (Noctuidae)
Synonym(s): *umminia* Cramer,1780; *subunita* Guenée,1852; *drepanoides* Walker,1858; *trajeta* Walker,1869; *falcata* R.Felder & Rogenhofer,1874
- 2763. *Pleurona falcata* Walker,1866** (Noctuidae)
Synonym(s): *falcata* Walker,1866
- 2764. *Plotheia exacta* (Semper,1900)** (Noctuidae)
Synonym(s): *exacta* Semper,1900
- 2765. *Plusioparpa adrasta* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *adrasta* R.Felder & Rogenhofer,1874; *crassipalpus* Hampson,1894; *shisa* Strand,1920
- 2766. *Poliofoca gebenna* (Swinhoe,1903)** (Noctuidae)
Synonym(s): *gebenna* Swinhoe,1903
- 2767. *Polydesma boarmoides* Guenée,1852** (Noctuidae)
Synonym(s): *boarmoides* Guenée,1852; *mastrucata* R.Felder & Rogenhofer,1874
- 2768. *Psimada quadripennis* Walker,1858** (Noctuidae)
Synonym(s): *quadripennis* Walker,1858
- 2769. *Pterogonia nubes* (Hampson,1893)** (Noctuidae)
Synonym(s): *nubes* Hampson,1893; *nerissa* Swinhoe,1902
- 2770. *Ptisciana seminivea* Walker,1865** (Noctuidae)
Synonym(s): *seminivea* Walker,1865; *lilacina* Moore,1888
- 2771. *Ptyonota carissima* (Wileman & West,1929)** (Noctuidae) Synonym(s): *carissima* Wileman & West,1929; *rudanga* Kobes,1994
- 2772. *Rhynchina lithinata* Wileman & West,1930** (Noctuidae) Synonym(s): *lithinata* Wileman & West,1930
- 2773. *Risoba avola* Bethune-Baker,1906** (Noctuidae)
Synonym(s): *avola* Bethune-Baker,1906; *magna* Prout,1922; *ochracea* Prout,1922
- 2774. *Risoba basalis* Moore,1881** (Noctuidae) Synonym(s): *basalis* Moore,1881; *#viridimargo* W.Warren,1913
- 2775. *Risoba calaina* Zerny,1916** (Noctuidae) Synonym(s): *calaina* Zerny,1916; *obliqua* Prout,1921; *#philippinensis* Prout,1921; *amabilis* Roepke,1938
- 2776. *Risoba vialis* Moore,1881** (Noctuidae) Synonym(s): *vialis* Moore,1881
- 2777. *Sarbena hollowayi* Laszlo, Ronkay, Witt,2004** (Noctuidae) Synonym(s): *hollowayi* Laszlo, Ronkay, Witt,2004
- 2778. *Sarbena inouei* Laszlo, Ronkay, Witt,2004** (Noctuidae)
Synonym(s): *inouei* Laszlo, Ronkay, Witt,2004
- 2779. *Sarbena lignifera* Walker,1862** (Noctuidae)
Synonym(s): *lignifera* Walker,1862
- 2780. *Saroba finipalpis* (Walker,1858)** (Noctuidae)
Synonym(s): *finipalpis* Walker,1858
- 2781. *Saroba pustulifera* Walker,1865** (Noctuidae)
Synonym(s): *pustulifera* Walker,1865
- 2782. *Sarobela litterata* (Pagenstecher,1888)** (Noctuidae)
Synonym(s): *litterata* Pagenstecher,1888; *biplagiata* Butler,1889; *aurotincta* Hampson,1893; *spectabilis* Turner,1936
- 2783. *Sarobides inconclusa* Walker,[1863]** (Noctuidae)
Synonym(s): *inconclusa* Walker,[1863]
- 2784. *Scrobigeria albomarginata* (Moore,1872)** (Noctuidae)
Synonym(s): *albomarginata* Moore,1872; *fimbriata* Boisduval,1874; *flavicincta* Boisduval,1874; *opheltes* Druce,1885; *candidemarginata* Poujade,1891
- 2785. *Scrobigeria semperi* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *semperi* R.Felder & Rogenhofer,1874
- 2786. *Selenoperas caustiplaga* (Hampson,1896)** (Noctuidae)
Synonym(s): *caustiplaga* Hampson,1896; *fulviplaga* W.Warren,1913
- 2787. *Selepa discigera* (Walker,1864)** (Noctuidae)
Synonym(s): *discigera* Walker,1864; *strigifera* Moore,1885; *caniceps* Gaede,1937; *hampsoni* Gaede,1937; *walker* Gaede,1937
- 2788. *Semiothisops macariata* (Hampson,1902)** (Noctuidae)
Synonym(s): *macariata* Hampson,1902
- 2789. *Serrodes campana* Guenée,1852** (Noctuidae)
Synonym(s): *campana* Guenée,1852; *nigha* Guenée,1852; *callieplea* Prout,1929
- 2790. *Siglophora haemoxantha* Zerny,1916** (Noctuidae)
Synonym(s): *haemoxantha* Zerny,1916
- 2791. *Sigmuncus arcuata* (Hampson,1897)** (Noctuidae)
Synonym(s): *arcuata* Hampson,1897; *camptobasis* Hampson,1897
- 2792. *Simplicia bimarginata* (Walker,[1863])** (Noctuidae)
Synonym(s): *bimarginata* Walker,[1863]; *infausta* R.Felder & Rogenhofer,1874; *moorei* Swinhoe,1919
- 2793. *Speiredonia mutabilis* (Fabricius,1794)** (Noctuidae)
Synonym(s): *mutabilis* Fabricius,1794; *anops* Guenée,1852
- 2794. *Speiredonia zamis* (Stoll,1790)** (Noctuidae)
Synonym(s): *zamis* Stoll,1790; *diops* Walker,1858; *retrahens* Walker,1858; *albifascia* Walker,1865; *conspicua* R.Felder & Rogenhofer,1874; *sumbana* Swinhoe,1918; *layardi* Hampson,1926
- 2795. *Spirama retorta* (Clerk,1759)** (Noctuidae) Synonym(s): *retorta* Clerk,1759; *spiralis* Fabricius,1775; *chimista* Kollar,[1844]; *suffumosa* Guenée,1852; *isabella* Guenée,1852; *cohaerens* Walker,1858; *martha* Butler,1878; *simplicior* Butler,1881; *jinchuena* Butler,1883; *inaequalis* Butler,1883
- 2796. *Stictoptera columba* (Walker,1856)** (Noctuidae)
Synonym(s): *columba* Walker,1856
- 2797. *Stictoptera cucullioides* Guenée,1852** (Noctuidae)
Synonym(s): *cucullioides* Guenée,1852; *subobliqua* Walker,[1858]; *variabilis* Moore,1882; *timesia* Swinhoe,1893
- 2798. *Stictoptera ferriifera* (Walker,[1863])** (Noctuidae)
Synonym(s): *ferriifera* Walker,[1863]; *poliata* Swinhoe,1917; *melancholica* Prout,1922
- 2799. *Stictoptera macromma* Snellen,1880** (Noctuidae)
Synonym(s): *macromma* Snellen,1880; *striata* Hampson,1894; *ochrota* Hampson,1912; *atrifera* Hampson,1912; *polysticta* Prout,1924
- 2800. *Stictoptera signifera* (Walker,[1858])** (Noctuidae)
Synonym(s): *signifera* Walker,[1858]; *ferromixta* Walker,[1863]; *humeralis* Walker,[1863]; *nigrilinea* Walker,[1863]; *transversa* Snellen,1877; *griseata* Hampson,1912; *poiensis* Prout,1926
- 2801. *Stictoptera trajiciens* (Walker,[1858])** (Noctuidae)
Synonym(s): *trajiciens* Walker,[1858]
- 2802. *Sympis rufibasis* Guenée,1852** (Noctuidae)
Synonym(s): *rufibasis* Guenée,1852
- 2803. *Synoides martina* R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *martina* R.Felder & Rogenhofer,1874
- 2804. *Tamba ionomera* Hampson,1926** (Noctuidae)
Synonym(s): *ionomera* Hampson,1926
- 2805. *Targalla apicifascia* (Hampson,1894)** (Noctuidae)
Synonym(s): *apicifascia* Hampson,1894; *mediofusca* Bethune-Baker,1906; *dinawa* Bethune-Baker,1906
- 2806. *Targalla delatrix* (Guenée,1852)** (Noctuidae)
Synonym(s): *delatrix* Guenée,1852; *infida* Walker,[1858]; *plusioides* Walker,1865; *impleta* Walker,1865; *praetexta*

- R.Felder & Rogenhofer, 1874; #intda Kononenko & Pinratana, 2005*
- 2807. Targalla subocellata (Walker, [1863])** (Noctuidae)
Synonym(s): *subocellata* Walker, [1863]
- 2808. Thalatha sinens (Walker, 1857)** (Noctuidae)
Synonym(s): *sinens* Walker, 1857; *ioleuca* Prout, 1928
- 2809. Thalatha sinens (Walker, 1857)** (Noctuidae)
Synonym(s): *sinens* Walker, 1857; *accreta* W. Warren, 1913
- 2810. Thalathoides conjecturalis (Swinhoe, 1890)** (Noctuidae)
Synonym(s): *conjecturalis* Swinhoe, 1890
- 2811. Thyas coronata (Fabricius, 1775)** (Noctuidae)
Synonym(s): *coronata* Fabricius, 1775; *leonina* Fabricius, 1775; *ancilla* Fabricius, 1794; *magica* Hübner, [1831]; *ponderosa* Mabille, 1879
- 2812. Thyas honesta Hübner, 1824** (Noctuidae) Synonym(s): *honesta* Hübner, 1824
- 2813. Thyas juno (Dalman, 1823)** (Noctuidae) Synonym(s): *juno* Dalman, 1823; *elegans* Hoeven, 1840; *multicolor* Guenée, 1852; *bella* Bremer & Grey, 1853; *#renalis* Bryk, 1948
- 2814. Thysanoplusia (s.str.) cernyi Behounek & L.Ronkay, 1999** (Noctuidae) Synonym(s): *cernyi* Behounek & L.Ronkay, 1999
- 2815. Thysanoplusia (s.str.) intermixta (W. Warren, 1913)** (Noctuidae) Synonym(s): *intermixta* W. Warren, 1913; *brachycalcea* Hampson, 1913
- 2816. Thysanoplusia (s.str.) orichalcea (Fabricius, 1775)** (Noctuidae) Synonym(s): *orichalcea* Fabricius, 1775; *chrystina* Martyn, 1797; *aurifera* Hübner, [1813].
- 2817. Thysanoplusia (s.str.) reticulata (Moore, 1882)** (Noctuidae) Synonym(s): *reticulata* Moore, 1882; *brevistriata* Chou & Lu, 1979
- 2818. Tiruvaca subcostalis (Walker, 1865)** (Noctuidae)
Synonym(s): *subcostalis* Walker, 1865
- 2819. Titulcia confictella Walker, 1864** (Noctuidae)
Synonym(s): *confictella* Walker, 1864; *quensta* Swinhoe, 1903
- 2820. Triorbis annulata (Swinhoe, 1890)** (Noctuidae)
Synonym(s): *annulata* Swinhoe, 1890
- 2821. Triorbis aureovitta Hampson, 1902** (Noctuidae)
Synonym(s): *aureovitta* Hampson, 1902
- 2822. Tuerta semyrion (Herrich-Schäffer, 1853)** (Noctuidae)
Synonym(s): *semyrion* Herrich-Schäffer, 1853; *chrysospila* Walker, 1866
- 2823. Westermannia superba Hübner, 1823** (Noctuidae)
Synonym(s): *superba* Hübner, 1823; *westermanni* Guenée, 1852; *gloriosa* Hampson, 1912
- 2824. Westermannia triangularis Moore, 1877** (Noctuidae)
Synonym(s): *triangularis* Moore, 1877; *sumatrana* Strand, 1913
- 2825. Xenochroa careoides (W. Warren, 1912)** (Noctuidae)
Synonym(s): *careoides* W. Warren, 1912; *nigrimacula* Kobes, 1997
- 2826. Xenochroa chlorostigma (Hampson, 1893)** (Noctuidae)
Synonym(s): *chlorostigma* Hampson, 1893; *tumidistigma* W. Warren, 1916; *#borneonis* Strand, 1917; *#sikkimensis* Strand, 1917
- 2827. Xenochroa obvia (Hampson, 1912)** (Noctuidae)
Synonym(s): *obvia* Hampson, 1912
- 2828. Xenochroa xanthia (Hampson, 1902)** (Noctuidae)
Synonym(s): *xanthia* Hampson, 1902; *#xanthiana* Strand, 1917; *xanthiana* Gaede, 1937
- 2829. Yepcalphis dilectissima (Walker, 1858)** (Noctuidae)
Synonym(s): *dilectissima* Walker, 1858
- 2830. Zonoplusia ochreata (Walker, 1865)** (Noctuidae)
Synonym(s): *ochreata* Walker, 1865; *cornucopiae* Snellen, 1880
- 2831. Allata (s.str.) argentifera Walker, 1862** (Notodontidae)
Synonym(s): *argentifera* Walker, 1862
- 2832. Allata (s.str.) benderi Dierl, 1976** (Notodontidae)
Synonym(s): *benderi* Dierl, 1976
- 2833. Allata racquelae Schintlmeister, 1993** (Notodontidae)
Synonym(s): *racquelae* Schintlmeister, 1993
- 2834. Armiana odrana (Schaus, 1928)** (Notodontidae)
Synonym(s): *odrana* Schaus, 1928
- 2835. Armiana ordgara (Schaus, 1928)** (Notodontidae)
Synonym(s): *ordgara* Schaus, 1928
- 2836. Armiana sabulosa (Kiriakoff, 1962)** (Notodontidae)
Synonym(s): *sabulosa* Kiriakoff, 1962
- 2837. Armiana sabulosa luzonica (Schintlmeister, 1993)** (Notodontidae) Synonym(s): *luzonica* Schintlmeister, 1993
- 2838. Armiana semperi Schintlmeister, 1993** (Notodontidae)
Synonym(s): *semperi* Schintlmeister, 1993
- 2839. Armiana ubalvia (Schaus, 1928)** (Notodontidae)
Synonym(s): *ubalvia* Schaus, 1928
- 2840. Armiana uncinata (Semper, 1902)** (Notodontidae)
Synonym(s): *uncinata* Semper, 1902
- 2841. Benbowia orientalis Schintlmeister, 1993** (Notodontidae) Synonym(s): *orientalis* Schintlmeister, 1993
- 2842. Benbowia orientalis orientalis Schintlmeister, 1993** (Notodontidae) Synonym(s): *orientalis* Schintlmeister, 1993
- 2843. Benbowia orientalis septentrionalis Schintlmeister, 1993** (Notodontidae) Synonym(s): *septentrionalis* Schintlmeister, 1993
- 2844. Benbowia virescens (Moore, 1879)** (Notodontidae)
Synonym(s): *virescens* Moore, 1879
- 2845. Besida vinvalva Schaus, 1928** (Notodontidae)
Synonym(s): *vinvalva* Schaus, 1928
- 2846. Besida xylinata Walker, 1865** (Notodontidae)
Synonym(s): *xylinata* Walker, 1865; *#albiplaga* Gaede, 1930
- 2847. Calyptonotum gualberta (Schaus, 1928)** (Notodontidae) Synonym(s): *gualberta* Schaus, 1928
- 2848. Cerasana anceps Walker, 1862** (Notodontidae)
Synonym(s): *anceps* Walker, 1862
- 2849. Cerasana basipuncta (Semper, 1896)** (Notodontidae)
Synonym(s): *basipuncta* Semper, 1896
- 2850. Cerura (Neocerura) liturata (Walker, 1855)** (Notodontidae) Synonym(s): *liturata* Walker, 1855
- 2851. Cerura (Neocerura) liturata liturata (Walker, 1855)** (Notodontidae) Synonym(s): *liturata* Walker, 1855
- 2852. Chadisra calapana (Semper, 1898)** (Notodontidae)
Synonym(s): *calapana* Semper, 1898
- 2853. Chadisra luzonensis Kiriakoff, 1970** (Notodontidae)
Synonym(s): *luzonensis* Kiriakoff, 1970
- 2854. Clostera angularis (Snellen, 1895)** (Notodontidae)
Synonym(s): *angularis* Snellen, 1895
- 2855. Clostera hildora (Schaus, 1928)** (Notodontidae)
Synonym(s): *hildora* Schaus, 1928
- 2856. Coscodaca acharista (West, 1932)** (Notodontidae)
Synonym(s): *acharista* West, 1932
- 2857. Dudusa minor Schintlmeister, 1993** (Notodontidae)
Synonym(s): *minor* Schintlmeister, 1993
- 2858. Dudusa synopla Swinhoe, 1907** (Notodontidae)
Synonym(s): *synopla* Swinhoe, 1907; *rufobrunnea* Mell, 1930; *fumosa* Matsumura, 1925; *horishana* Matsumura, 1929.
- 2859. Dudusa vethi borneensis Roepke, 1943** (Notodontidae)
Synonym(s): *borneensis* Roepke, 1943
- 2860. Epistauropus apiculatus (Rothschild, 1917)** (Notodontidae) Synonym(s): *apiculatus* Rothschild, 1917
- 2861. Formofentonia orbifer (Hampson, 1893)** (Notodontidae)
Synonym(s): *orbifer* Hampson, 1893; *#orbivifera* Hutacharern & Tubtim, 1995
- 2862. Formofentonia orbifer madena (Schaus, 1928)** (Notodontidae) Synonym(s): *madena* Schaus, 1928
- 2863. Gangarides rosea (Walker, 1865)** (Notodontidae)
Synonym(s): *rosea* Walker, 1865
- 2864. Gangarides sugii Schintlmeister, 1993** (Notodontidae)
Synonym(s): *sugii* Schintlmeister, 1993
- 2865. Gargetta divisa Gaede, 1930** (Notodontidae)
Synonym(s): *divisa* Gaede, 1930
- 2866. Hexafrenum maternalis Schintlmeister, 1993** (Notodontidae) Synonym(s): *maternalis* Schintlmeister, 1993
- 2867. Hexafrenum maternalis maternalis Schintlmeister, 1993** (Notodontidae) Synonym(s): *maternalis* Schintlmeister, 1993
- 2868. Hexafrenum maternalis pseudomaterialis Schintlmeister, 1993** (Notodontidae) Synonym(s): *pseudomaterialis* Schintlmeister, 1993
- 2869. Hexafrenum sp.** (Notodontidae) Synonym(s):
- 2870. Hexafrenum synthesina Schintlmeister, 1993** (Notodontidae) Synonym(s): *synthesina* Schintlmeister, 1993
- 2871. Higena similis Schintlmeister, 1993** (Notodontidae)
Synonym(s): *similis* Schintlmeister, 1993

2872. *Higena similis cebuensis* Schintlmeister, 1993 (Notodontidae) Synonym(s): *cebuensis* Schintlmeister, 1993
2873. *Higena similis luzonensis* Schintlmeister, 1993 (Notodontidae) Synonym(s): *luzonensis* Schintlmeister, 1993
2874. *Higena similis mindanaensis* Schintlmeister, 1993 (Notodontidae) Synonym(s): *mindanaensis* Schintlmeister, 1993
2875. *Higena similis mindorensis* Schintlmeister, 1993 (Notodontidae) Synonym(s): *mindorensis* Schintlmeister, 1993
2876. *Higena similis similis* Schintlmeister, 1993 (Notodontidae) Synonym(s): *similis* Schintlmeister, 1993
2877. *Hyperaeschrella familiaris* Schintlmeister, 1993 (Notodontidae) Synonym(s): *familiaris* Schintlmeister, 1993
2878. *Kamalia malaysiana* (Holloway, 1982) (Notodontidae) Synonym(s): *malaysiana* Holloway, 1982
2879. *Kamalia malaysiana palawana* (Schintlmeister, 2002) (Notodontidae) Synonym(s): *palawana* Schintlmeister, 2002
2880. *Kamalia robusta* (Schintlmeister, 1993) (Notodontidae) Synonym(s): *robusta* Schintlmeister, 1993
2881. *Kamalia rosea* (Schintlmeister, 1993) (Notodontidae) Synonym(s): *rosea* Schintlmeister, 1993
2882. *Lasioceros curvaria luzonica* (Semper, 1896) (Notodontidae) Synonym(s): *luzonica* Semper, 1896
2883. *Liparopsis dymrna* Schaus, 1928 (Notodontidae) Synonym(s): *dymrna* Schaus, 1928
2884. *Loda lunae* Schintlmeister, 1993 (Notodontidae) Synonym(s): *lunae* Schintlmeister, 1993
2885. *Maguila maguila* (Schaus, 1928) (Notodontidae) Synonym(s): *maguila* Schaus, 1928
2886. *Medanella subterminalis* Kiriakoff, 1974 (Notodontidae) Synonym(s): *subterminalis* Kiriakoff, 1974
2887. *Mesophalera philippinica* Schintlmeister, 1993 (Notodontidae) Synonym(s): *philippinica* Schintlmeister, 1993
2888. *Mesophalera philippinica mindanaensis* Schintlmeister, 1993 (Notodontidae) Synonym(s): *mindanaensis* Schintlmeister, 1993
2889. *Mesophalera philippinica philippinica* Schintlmeister, 1993 (Notodontidae) Synonym(s): *philippinica* Schintlmeister, 1993
2890. *Micromelalopha argentea* Schintlmeister, 1993 (Notodontidae) Synonym(s): *argentea* Schintlmeister, 1993
2891. *Micromelalopha baibarana* Matsumura, 1929 (Notodontidae) Synonym(s): *baibarana* Matsumura, 1929
2892. *Micromelalopha celebesa palawana* Schintlmeister, 1993 (Notodontidae) Synonym(s): *palawana* Schintlmeister, 1993
2893. *Micromelalopha elachista* (West, 1932) (Notodontidae) Synonym(s): *elachista* West, 1932
2894. *Micromelalopha pamina* Schintlmeister, 1993 (Notodontidae) Synonym(s): *pamina* Schintlmeister, 1993
2895. *Neopheosia fasciata* (Moore, 1888) (Notodontidae) Synonym(s): *fasciata* Moore, 1888; *formosana* Okano, 1959
2896. *Neopheosia fasciata obscura* Schintlmeister, 1993 (Notodontidae) Synonym(s): *obscura* Schintlmeister, 1993
2897. *Netria* sp. (Notodontidae) Synonym(s):
2898. *Netria viridescens* Walker, 1855 (Notodontidae) Synonym(s): *viridescens* Walker, 1855
2899. *Omichlis diversa* Schintlmeister, 1993 (Notodontidae) Synonym(s): *diversa* Schintlmeister, 1993
2900. *Omichlis similis* Schintlmeister, 1993 (Notodontidae) Synonym(s): *similis* Schintlmeister, 1993
2901. *Oxoia smaragdiplena* (Walker, 1862) (Notodontidae) Synonym(s): *smaragdiplena* Walker, 1862
2902. *Parasinga viridescens* Schintlmeister, 1993 (Notodontidae) Synonym(s): *viridescens* Schintlmeister, 1993
2903. *Periergos (Hunyada) hunyada* (Swinhoe, 1903) (Notodontidae) Synonym(s): *hunyada* Swinhoe, 1903
2904. *Phalera combusta* (Walker, 1855) (Notodontidae) Synonym(s): *combusta* Walker, 1855
2905. *Phalera erconvalda* Schaus, 1928 (Notodontidae) Synonym(s): *erconvalda* Schaus, 1928
2906. *Phalera mangholda* Schaus, 1928 (Notodontidae) Synonym(s): *mangholda* Schaus, 1928
2907. *Phalera melantata* West, 1932 (Notodontidae) Synonym(s): *melantata* West, 1932
2908. *Phalera sundana* Holloway, 1982 (Notodontidae) Synonym(s): *sundana* Holloway, 1982
2909. *Phalera surigaona* Schaus, 1928 (Notodontidae) Synonym(s): *surigaona* Schaus, 1928
2910. *Phycidopsis philippinica* Schintlmeister, 1993 (Notodontidae) Synonym(s): *philippinica* Schintlmeister, 1993
2911. *Porsica benderoides* Schintlmeister, 1993 (Notodontidae) Synonym(s): *benderoides* Schintlmeister, 1993
2912. *Porsica curvaria* (Hampson, 1892) (Notodontidae) Synonym(s): *curvaria* Hampson, 1892
2913. *Porsica intermediata* Schintlmeister, 1993 (Notodontidae) Synonym(s): *intermediata* Schintlmeister, 1993
2914. *Porsica punctifascia* (Hampson, 1897) (Notodontidae) Synonym(s): *punctifascia* Hampson, 1897
2915. *Pseudofentonia (Calyptronotum) singapura* Gaede, 1930 (Notodontidae) Synonym(s): *singapura* Gaede, 1930
2916. *Pseudostaupopus ocularis* (Semper, 1898) (Notodontidae) Synonym(s): *ocularis* Semper, 1898
2917. *Quadricalcarifera basivirens* Schintlmeister, 1993 (Notodontidae) Synonym(s): *basivirens* Schintlmeister, 1993
2918. *Quadricalcarifera charistera* (West, 1932) (Notodontidae) Synonym(s): *charistera* West, 1932
2919. *Quadricalcarifera charistera charistera* (West, 1932) (Notodontidae) Synonym(s): *charistera* West, 1932
2920. *Quadricalcarifera comatus* (Leech, 1898) (Notodontidae) Synonym(s): *comatus* Leech, 1898; *viridimacula* Matsumura, 1922; *consentrica* Matsumura, 1927
2921. *Quadricalcarifera nigribasalis* (Wileman, 1910) (Notodontidae) Synonym(s): *nigribasalis* Wileman, 1910; *saitonis* Matsumura, 1927
2922. *Quadricalcarifera nigribasalis tropica* Kiriakoff, 1974 (Notodontidae) Synonym(s): *tropica* Kiriakoff, 1974
2923. *Quadricalcarifera palladina* (Schaus, 1928) (Notodontidae) Synonym(s): *palladina* Schaus, 1928
2924. *Quadricalcarifera pamela* Schintlmeister, 1993 (Notodontidae) Synonym(s): *pamela* Schintlmeister, 1993
2925. *Quadricalcarifera umbrosa* Matsumura, 1927 (Notodontidae) Synonym(s): *umbrosa* Matsumura, 1927; *okurai* Okano, 1960
2926. *Quadricalcarifera umbrosa hasegawai* Nakamura (Notodontidae) Synonym(s):
2927. *Rodneya cernyi* Schintlmeister, 1993 (Notodontidae) Synonym(s): *cernyi* Schintlmeister, 1993
2928. *Saliocleta barasamphia* Schaus, 1928 (Notodontidae) Synonym(s): *barasamphia* Schaus, 1928
2929. *Somera viridifusca* Walker, 1855 (Notodontidae) Synonym(s): *viridifusca* Walker, 1855
2930. *Somera viridifusca luzonensis* Schintlmeister, 1993 (Notodontidae) Synonym(s): *luzonensis* Schintlmeister, 1993
2931. *Somera viridifusca viridifusca* Walker, 1855 (Notodontidae) Synonym(s): *viridifusca* Walker, 1855
2932. *Stauroplitis briachisia* (Schaus, 1928) (Notodontidae) Synonym(s): *briachisia* Schaus, 1928
2933. *Stauropus alternus* Walker, 1855 (Notodontidae) Synonym(s): *alternus* Walker, 1855
2934. *Stauropus alternus brunneus* Schintlmeister, 1991 (Notodontidae) Synonym(s): *brunneus* Schintlmeister, 1991
2935. *Stauropus major* Van Eecke, 1929 (Notodontidae) Synonym(s): *major* Van Eecke, 1929
2936. *Stauropus nephodes* West, 1932 (Notodontidae) Synonym(s): *nephodes* West, 1932
2937. *Tarsolepsis kochi* Semper, 1896 (Notodontidae) Synonym(s): *kochi* Semper, 1896
2938. *Tarsolepsis remicauda* Butler, 1872 (Notodontidae) Synonym(s): *remicauda* Butler, 1872
2939. *Tarsolepsis sommeri* (Hübner, 1821) (Notodontidae) Synonym(s): *sommeri* Hübner, 1821
2940. *Tarsolepsis splendida* Schintlmeister, 1993 (Notodontidae) Synonym(s): *splendida* Schintlmeister, 1993
2941. *Teleclita cathana* (Schaus, 1928) (Notodontidae) Synonym(s): *cathana* Schaus, 1928
2942. *Teleclita sundana* Holloway, 1983 (Notodontidae) Synonym(s): *sundana* Holloway, 1983

2943. *Turnaca (Ambadra) fajardoi* Schintlmeister, 1993 (Notodontidae) Synonym(s): *fajardoi* Schintlmeister, 1993
2944. *Turnaca (Ambadra) sibena* Schintlmeister, 1993 (Notodontidae) Synonym(s): *sibena* Schintlmeister, 1993
2945. *Turnaca (Ambadra) suriga* Schaus, 1928 (Notodontidae) Synonym(s): *suriga* Schaus, 1928
2946. *Turnaca (s.str.) fortunatorum* Schintlmeister, 1993 (Notodontidae) Synonym(s): *fortunatorum* Schintlmeister, 1993
2947. *Turnaca (s.str.) pantaena* Schaus, 1928 (Notodontidae) Synonym(s): *pantaena* Schaus, 1928
2948. *Vaneekia pallidifascia* (Hampson, 1893) (Notodontidae) Synonym(s): *pallidifascia* Hampson, 1893; *centrobrunnea* Matsumura, 1927; *concentrica* Matsumura, 1927
2949. *Vaneekia pallidifascia pallidifascia* (Hampson, 1893) (Notodontidae) Synonym(s): *pallidifascia* Hampson, 1893; *centrobrunnea* Matsumura, 1927; *concentrica* Matsumura, 1927
2950. *Promalactis palawanella* Lvovsky, 2000 (Oecophoridae) Synonym(s): *palawanella* Lvovsky, 2000
2951. *Tonica argessa* Diakonoff, [1968] (Oecophoridae) Synonym(s): *argessa* Diakonoff, [1968]
2952. *Pseudopostega* sp. (Opostegidae) Synonym(s):
2953. *Atrophaneura (s.str. (Losaria)) neptunus* (Guérin-Méneville, [1840]) (Papilionidae) Synonym(s): *neptunus* Guérin-Méneville, [1840]; *thetys* Guenée, 1878.
2954. *Atrophaneura (s.str. (Losaria)) neptunus dacasini* Schröder, 1976 (Papilionidae) Synonym(s): *dacasini* Schröder, 1976
2955. *Atrophaneura (s.str. (Losaria)) neptunus matbai* Schröder & Treadaway, 1990 (Papilionidae) Synonym(s): *matbai* Schröder & Treadaway, 1990
2956. *Atrophaneura (s.str. (Pachliopta)) antiphus* (Fabricius, 1793) (Papilionidae) Synonym(s): *antiphus* Fabricius, 1793
2957. *Atrophaneura (s.str. (Pachliopta)) antiphus acuta* (Druce, 1873) (Papilionidae) Synonym(s): *acuta* Druce, 1873; *periphus* Oberthür, 1879; *poseidippus* Fruhstorfer, 1911.
2958. *Atrophaneura (s.str. (Pachliopta)) antiphus antiphulus* (Fruhstorfer, 1902) (Papilionidae) Synonym(s): *antiphulus* Fruhstorfer, 1902
2959. *Atrophaneura (s.str. (Pachliopta)) antiphus elioti* (Page & Treadaway, 1995) (Papilionidae) Synonym(s): *elioti* Page & Treadaway, 1995
2960. *Atrophaneura (s.str. (Pachliopta)) antiphus yoshikoe* (Okano, 1988) (Papilionidae) Synonym(s): *brevicauda* Staudinger, 1889 nec Saund., 1869; *yoshikoe* Okano, 1988.
2961. *Atrophaneura (s.str. (Pachliopta)) aristolochiae* (Fabricius, 1775) (Papilionidae) Synonym(s): *aristolochiae* Fabricius, 1775; *diphilus* Esper, [1793]; *thoas* Swainson, 1833.
2962. *Atrophaneura (s.str. (Pachliopta)) aristolochiae interpositus* Fruhstorfer, 1904 (Papilionidae) Synonym(s): *interpositus* Fruhstorfer, 1904; *formosensis* Rebel, 1906
2963. *Atrophaneura (s.str. (Pachliopta)) atropos* (Staudinger, 1888) (Papilionidae) Synonym(s): *atropos* Staudinger, 1888
2964. *Atrophaneura (s.str. (Pachliopta)) atropos atropos* (Staudinger, 1888) (Papilionidae) Synonym(s): *atropos* Staudinger, 1888
2965. *Atrophaneura (s.str. (Pachliopta)) kotzebuea* (Eschscholtz, 1821) (Papilionidae) Synonym(s): *kotzebuea* Eschscholtz, 1821; *asina* Tsukada & Nishiyama, 1980.
2966. *Atrophaneura (s.str. (Pachliopta)) kotzebuea bilara* (Page & Treadaway, 1995) (Papilionidae) Synonym(s): *bilara* Page & Treadaway, 1995
2967. *Atrophaneura (s.str. (Pachliopta)) kotzebuea deseileus* (Fruhstorfer, 1911) (Papilionidae) Synonym(s): *deseileus* Fruhstorfer, 1911
2968. *Atrophaneura (s.str. (Pachliopta)) kotzebuea kotzebuea* (Eschscholtz, 1821) (Papilionidae) Synonym(s): *kotzebuea* Eschscholtz, 1821
2969. *Atrophaneura (s.str. (Pachliopta)) kotzebuea mataconga* (Page & Treadaway, 1995) (Papilionidae) Synonym(s): *mataconga* Page & Treadaway, 1995
2970. *Atrophaneura (s.str. (Pachliopta)) kotzebuea tindongani* (Page & Treadaway, 1995) (Papilionidae) Synonym(s): *tindongani* Page & Treadaway, 1995
2971. *Atrophaneura (s.str. (Pachliopta)) kotzebuea treadaway* (Koçak & Kemal, 2000) (Papilionidae) Synonym(s): *philippus* Semper, 1891 nec Wallace, 1865; *treadaway* Koçak & Kemal, 2000
2972. *Atrophaneura (s.str. (Pachliopta)) leytenis* Murayama, 1978 (Papilionidae) Synonym(s): *leytenis* Murayama, 1978; *buraki* Koçak, 1983
2973. *Atrophaneura (s.str. (Pachliopta)) leytenis leytenis* Murayama, 1978 (Papilionidae) Synonym(s): *leytenis* Murayama, 1978; *buraki* Koçak, 1983
2974. *Atrophaneura (s.str. (Pachliopta)) mariae* (Semper, 1878) (Papilionidae) Synonym(s): *mariae* Semper, 1878
2975. *Atrophaneura (s.str. (Pachliopta)) mariae almae* (Semper, 1891) (Papilionidae) Synonym(s): *almae* Semper, 1891
2976. *Atrophaneura (s.str. (Pachliopta)) mariae camarines* Schröder & Treadaway, 1978 (Papilionidae) Synonym(s): *camarines* Schröder & Treadaway, 1978
2977. *Atrophaneura (s.str. (Pachliopta)) mariae mariae* (Semper, 1878) (Papilionidae) Synonym(s): *mariae* Semper, 1878
2978. *Atrophaneura (s.str. (Pachliopta)) phlegon* (C.Felder & R.Felder, 1864) (Papilionidae) Synonym(s): *phlegon* C.Felder & R.Felder, 1864
2979. *Atrophaneura (s.str. (Pachliopta)) phlegon phlegon* (C.Felder & R.Felder, 1864) (Papilionidae) Synonym(s): *phlegon* C.Felder & R.Felder, 1864
2980. *Atrophaneura (s.str. (Pachliopta)) phlegon splendida* Schröder & Treadaway, 1984 (Papilionidae) Synonym(s): *splendida* Schröder & Treadaway, 1984
2981. *Atrophaneura (s.str. (Pachliopta)) phlegon strandi* Bryk, 1930 (Papilionidae) Synonym(s): *strandi* Bryk, 1930
2982. *Atrophaneura (s.str. (Pachliopta)) schadenbergi* (Semper, 1891) (Papilionidae) Synonym(s): *schadenbergi* Semper, 1891
2983. *Atrophaneura (s.str. (Pachliopta)) schadenbergi micholitzi* (Semper, 1891) (Papilionidae) Synonym(s): *micholitzi* Semper, 1891
2984. *Atrophaneura (s.str. (Pachliopta)) schadenbergi schadenbergi* (Semper, 1891) (Papilionidae) Synonym(s): *schadenbergi* Semper, 1891
2985. *Atrophaneura (s.str. (Pangerana)) semperi* (C.Felder & R.Felder, 1861) (Papilionidae) Synonym(s): *semperi* C.Felder & R.Felder, 1861
2986. *Atrophaneura (s.str. (Pangerana)) semperi albofasciata* (Semper, 1892) (Papilionidae) Synonym(s): *albofasciata* Semper, 1892; *albofasciatus* Staudinger, [1895].
2987. *Atrophaneura (s.str. (Pangerana)) semperi aphthonia* (Rothschild, 1908) (Papilionidae) Synonym(s): *aphthonia* Rothschild, 1908
2988. *Atrophaneura (s.str. (Pangerana)) semperi baglantis* (Rothschild, 1908) (Papilionidae) Synonym(s): *baglantis* Rothschild, 1908
2989. *Atrophaneura (s.str. (Pangerana)) semperi imogene* Schröder & Treadaway, 1979 (Papilionidae) Synonym(s): *imogene* Schröder & Treadaway, 1979
2990. *Atrophaneura (s.str. (Pangerana)) semperi lizae* Schröder & Treadaway, 1984 (Papilionidae) Synonym(s): *lizae* Schröder & Treadaway, 1984
2991. *Atrophaneura (s.str. (Pangerana)) semperi melanotus* (Staudinger, 1889) (Papilionidae) Synonym(s): *melanotus* Staudinger, 1889
2992. *Atrophaneura (s.str. (Pangerana)) semperi semperi* (C.Felder & R.Felder, 1861) (Papilionidae) Synonym(s): *semperi* C.Felder & R.Felder, 1861
2993. *Atrophaneura (s.str. (Pangerana)) semperi sorsogona* Page & Treadaway, 1990 (Papilionidae) Synonym(s): *sorsogona* Page & Treadaway, 1990
2994. *Atrophaneura (s.str. (Pangerana)) semperi supernotatus* (Rothschild, 1895) (Papilionidae) Synonym(s): *supernotatus* Rothschild, 1895

2995. *Chilasa* (s.str. (s.str.)) *clytia* (Linnaeus,1758) (Papilionidae) Synonym(s): *clytia* Linnaeus,1758; *dissimilis* Linnaeus,1758.
2996. *Chilasa* (s.str. (s.str.)) *clytia cuyo* Mediciello & Hanafusa,1994 (Papilionidae) Synonym(s): *cuyo* Mediciello & Hanafusa,1994
2997. *Chilasa* (s.str. (s.str.)) *clytia palephates* (Westwood,1845) (Papilionidae) Synonym(s): *palephates* Westwood,1845
2998. *Chilasa* (s.str. (s.str.)) *clytia palephatides* (Fruhstorfer,1911) (Papilionidae) Synonym(s): *palephatides* Fruhstorfer,1911; *visayensis* Okano & Okano,1987
2999. *Chilasa* (s.str. (s.str.)) *clytia panopinus* (Staudinger,1889) (Papilionidae) Synonym(s): *panopinus* Staudinger,1889; *sapores* Fruhstorfer,1911
3000. *Chilasa* (s.str. (s.str.)) *paradoxa* (Zincken,1831) (Papilionidae) Synonym(s): *paradoxa* Zincken,1831
3001. *Chilasa* (s.str. (s.str.)) *paradoxa melanostoma* Jordan,1909 (Papilionidae) Synonym(s): *melanostoma* Jordan,1909
3002. *Chilasa* (s.str. (veiovis-gr)) *carolinensis* Jumalon,1967 (Papilionidae) Synonym(s): *carolinensis* Jumalon,1967
3003. *Chilasa* (s.str. (veiovis-gr)) *carolinensis carolinensis* Jumalon,1967 (Papilionidae) Synonym(s): *carolinensis* Jumalon,1967
3004. *Chilasa* (s.str. (veiovis-gr)) *osmana* Jumalon,1967 (Papilionidae) Synonym(s): *osmana* Jumalon,1967
3005. *Chilasa* (s.str. (veiovis-gr)) *osmana osmana* Jumalon,1967 (Papilionidae) Synonym(s): *osmana* Jumalon,1967
3006. *Graphium* (Pathysa (Paranticopsis)) *delesserti* (Guérin-Ménéville,1839) (Papilionidae) Synonym(s): *delesserti* Guérin-Ménéville,1839; *laodocus* De Haan,1840; *dehaani* Wallace,1865 nec *Felder*,1864; *catoris* Grose-Smith,1892.
3007. *Graphium* (Pathysa (Paranticopsis)) *delesserti palawanus* (Staudinger,1889) (Papilionidae) Synonym(s): *palawanus* Staudinger,1889
3008. *Graphium* (Pathysa (Paranticopsis)) *ebertorum* Koçak,1983 (Papilionidae) Synonym(s): *ebertorum* Koçak,1983
3009. *Graphium* (Pathysa (Paranticopsis)) *ebertorum ebertorum* Koçak,1983 (Papilionidae) Synonym(s): *ebertorum* Koçak,1983
3010. *Graphium* (Pathysa (Paranticopsis)) *idaeoides* (Hewitson,1855) (Papilionidae) Synonym(s): *idaeoides* Hewitson,1855
3011. *Graphium* (Pathysa (Paranticopsis)) *idaeoides idaeoides* (Hewitson,1855) (Papilionidae) Synonym(s): *idaeoides* Hewitson,1855
3012. *Graphium* (Pathysa (Paranticopsis)) *macareus* (Godart,[1819]) (Papilionidae) Synonym(s): *macareus* Godart,[1819]
3013. *Graphium* (Pathysa (Paranticopsis)) *macareus palawanicola* Koçak,1980 (Papilionidae) Synonym(s): *palawanicola* Koçak,1980
3014. *Graphium* (Pathysa (Paranticopsis)) *stratocles* C.Felder & R.Felder,1861 (Papilionidae) Synonym(s): *stratocles* C.Felder & R.Felder,1861; *magicus* Staudinger,1889.
3015. *Graphium* (Pathysa (Paranticopsis)) *stratocles senectus* Tsukada & Nishiyama,1980 (Papilionidae) Synonym(s): *senectus* Tsukada & Nishiyama,1980
3016. *Graphium* (Pathysa (Paranticopsis)) *stratocles stratocles* C.Felder & R.Felder,1861 (Papilionidae) Synonym(s): *stratocles* C.Felder & R.Felder,1861; *magicus* Staudinger,1889.
3017. *Graphium* (Pathysa (Paranticopsis)) *stratocles stratonices* Jordan,1909 (Papilionidae) Synonym(s): *stratonices* Jordan,1909
3018. *Graphium* (Pathysa (s.str.)) *aristeus* (Cramer,[1782]) (Papilionidae) Synonym(s): *aristeus* Cramer,[1782]; *timocrates* C.Felder & R.Felder,[1865].
3019. *Graphium* (Pathysa (s.str.)) *aristeus hermocrates* (C.Felder & R.Felder,[1865]) (Papilionidae) Synonym(s): *#hermocrates* Felder,1864; *hermocrates* C.Felder & R.Felder,[1865]; *aristeoides* Eimer,1889; *nigricans* Eimer,1889 (p.175).
3020. *Graphium* (Pathysa (s.str.)) *decolor* (Staudinger,1888) (Papilionidae) Synonym(s): *decolor* Staudinger,1888; *palawanicus* Eimer,1889 nec *Staudinger*,1888.
3021. *Graphium* (Pathysa (s.str.)) *decolor cesaella* Kemal & Koçak,2005 (Papilionidae) Synonym(s): *atratus* Rothschild,1895 nec *Esp.*,1793; *cesaella* Kemal & Koçak,2005
3022. *Graphium* (Pathysa (s.str.)) *decolor decolor* (Staudinger,1888) (Papilionidae) Synonym(s): *decolor* Staudinger,1888; *palawanicus* Eimer,1889 nec *Staudinger*,1888.
3023. *Graphium* (Pathysa (s.str.)) *decolor neozebraica* Page,1987 (Papilionidae) Synonym(s): *neozebraica* Page,1987
3024. *Graphium* (Pathysa (s.str.)) *decolor sibuyana* Page,1987 (Papilionidae) Synonym(s): *sibuyana* Page,1987
3025. *Graphium* (Pathysa (s.str.)) *decolor tigris* (Semper,1893) (Papilionidae) Synonym(s): *tigris* Semper,1893
3026. *Graphium* (Pathysa (s.str.)) *euphrates* (C.Felder & R.Felder,1862) (Papilionidae) Synonym(s): *euphrates* C.Felder & R.Felder,1862
3027. *Graphium* (Pathysa (s.str.)) *euphrates bohollensis* Page,1987 (Papilionidae) Synonym(s): *bohollensis* Page,1987
3028. *Graphium* (Pathysa (s.str.)) *euphrates buhisanus* Page,1987 (Papilionidae) Synonym(s): *buhisanus* Page,1987
3029. *Graphium* (Pathysa (s.str.)) *euphrates cuyoensis* Mediciello & Hanafusa,1994 (Papilionidae) Synonym(s): *cuyoensis* Mediciello & Hanafusa,1994
3030. *Graphium* (Pathysa (s.str.)) *euphrates domaranus* Fruhstorfer,1903 (Papilionidae) Synonym(s): *domaranus* Fruhstorfer,1903
3031. *Graphium* (Pathysa (s.str.)) *euphrates euphrates* (C.Felder & R.Felder,1862) (Papilionidae) Synonym(s): *euphrates* C.Felder & R.Felder,1862
3032. *Graphium* (Pathysa (s.str.)) *euphratoides* Eimer,1889 (Papilionidae) Synonym(s): *euphratoides* Eimer,1889
3033. *Graphium* (Pathysa (s.str.)) *euphratoides euphratoides* Eimer,1889 (Papilionidae) Synonym(s): *euphratoides* Eimer,1889
3034. *Graphium* (s.str. (Euryppyleana)) *arycles* (Boisduval,1836) (Papilionidae) Synonym(s): *arycles* Boisduval,1836; *rama* C.Felder,1860.
3035. *Graphium* (s.str. (Euryppyleana)) *arycles perinthus* Fruhstorfer,1915 (Papilionidae) Synonym(s): *perinthus* Fruhstorfer,1915
3036. *Graphium* (s.str. (Euryppyleana)) *bathycles* (Zincken,1831) (Papilionidae) Synonym(s): *bathycles* Zincken,1831
3037. *Graphium* (s.str. (Euryppyleana)) *bathycles bathycloides* Honrath,1884 (Papilionidae) Synonym(s): *bathycloides* Honrath,1884; *manlius* Fruhstorfer,1908 nec *Fabricius*,1798.
3038. *Graphium* (s.str. (Euryppyleana)) *doson* (C.Felder & R.Felder,1864) (Papilionidae) Synonym(s): *doson* C.Felder & R.Felder,1864
3039. *Graphium* (s.str. (Euryppyleana)) *doson evemonides* (Honrath,1884) (Papilionidae) Synonym(s): *evemonides* Honrath,1884
3040. *Graphium* (s.str. (Euryppyleana)) *doson gyndes* Fruhstorfer,1907 (Papilionidae) Synonym(s): *gyndes* Fruhstorfer,1907
3041. *Graphium* (s.str. (Euryppyleana)) *doson nauta* Tsukada & Nishiyama,1980 (Papilionidae) Synonym(s): *nauta* Tsukada & Nishiyama,1980
3042. *Graphium* (s.str. (Euryppyleana)) *doson postianus* Fruhstorfer,1908 (Papilionidae) Synonym(s): *postianus* Fruhstorfer,1908
3043. *Graphium* (s.str. (Euryppyleana)) *eurypylus* (Linnaeus,1758) (Papilionidae) Synonym(s): *eurypylus* Linnaeus,1758.
3044. *Graphium* (s.str. (Euryppyleana)) *eurypylus gordion* (C.Felder & R.Felder,[1865]) (Papilionidae) Synonym(s): *#gordion* C.Felder,1864; *gordion* C.Felder & R.Felder,[1865].

- 3045.** *Graphium* (s.str. (Eurypyleana)) *eurypylus mecisteus* (Distant,1885) (Papilionidae) Synonym(s): *mecisteus* Distant,1885; *daton* Fruhstorfer,1908
- 3046.** *Graphium* (s.str. (Macfarlaneana)) *agamemnon* (Linnaeus,1758) (Papilionidae) Synonym(s): *agamemnon* Linnaeus,1758; *aegisthus* Linnaeus,1763; *dorylas* Sulzer,1776 nec [Denis & Schiffermüller],1775.
- 3047.** *Graphium* (s.str. (Macfarlaneana)) *agamemnon* *agamemnon* (Linnaeus,1758) (Papilionidae) Synonym(s): *agamemnon* Linnaeus,1758; *aegisthus* Linnaeus,1763; *dorylas* Sulzer,1776 nec [Denis & Schiffermüller],1775.
- 3048.** *Graphium* (s.str. (Zetides)) *codrus* (Cramer,[1776]) (Papilionidae) Synonym(s): *codrus* Cramer,[1776]
- 3049.** *Graphium* (s.str. (Zetides)) *codrus melanthus* (C.Felder & R.Felder,1862) (Papilionidae) Synonym(s): *melanthus* C.Felder & R.Felder,1862
- 3050.** *Graphium* (s.str. (Zetides)) *codrus yayoeae* Nihira & Kawamura,1986 (Papilionidae) Synonym(s): *yayoeae* Nihira & Kawamura,1986
- 3051.** *Graphium* (s.str. (Zetides)) *empedovana* Corbet,1941 (Papilionidae) Synonym(s): *empedovana* Corbet,1941
- 3052.** *Graphium* (s.str. (Zetides)) *empedovana empedovana* Corbet,1941 (Papilionidae) Synonym(s): *empedovana* Corbet,1941
- 3053.** *Graphium* (s.str. (Zetides)) *sandawanum* Yamamoto,1977 (Papilionidae) Synonym(s): *sandawanum* Yamamoto,1977
- 3054.** *Graphium* (s.str. (Zetides)) *sandawanum joreli* Nuyda,1994 (Papilionidae) Synonym(s): *joreli* Nuyda,1994
- 3055.** *Graphium* (s.str. (Zetides)) *sandawanum sandawanum* Yamamoto,1977 (Papilionidae) Synonym(s): *sandawanum* Yamamoto,1977
- 3056.** *Graphium* (s.str. (Zetides)) *sarpedon* (Linnaeus,1758) (Papilionidae) Synonym(s): *sarpedon* Linnaeus,1758; *#helen* Swainson,1851; *parsedon* Westwood,1872.
- 3057.** *Graphium* (s.str. (Zetides)) *sarpedon* *sarpedon* (Linnaeus,1758) (Papilionidae) Synonym(s): *sarpedon* Linnaeus,1758; *#helen* Swainson,1851; *parsedon* Westwood,1872.
- 3058.** *Lamproptera curius* (Fabricius,1787) (Papilionidae) Synonym(s): *curius* Fabricius,1787; *erycina* Godart,[1823].
- 3059.** *Lamproptera curius curius* (Fabricius,1787) (Papilionidae) Synonym(s): *curius* Fabricius,1787; *erycina* Godart,[1823].
- 3060.** *Lamproptera meges* (Zincken,1831) (Papilionidae) Synonym(s): *meges* Zincken,1831
- 3061.** *Lamproptera meges decius* C.Felder & R.Felder,1862 (Papilionidae) Synonym(s): *decius* C.Felder & R.Felder,1862
- 3062.** *Lamproptera meges pessimus* Fruhstorfer,1909 (Papilionidae) Synonym(s): *pessimus* Fruhstorfer,1909
- 3063.** *Priniceps* (Menelaides (Charus)) *antonio* (Hewitson,1875) (Papilionidae) Synonym(s): *antonio* Hewitson,1875
- 3064.** *Priniceps* (Menelaides (Charus)) *antonio antonio* (Hewitson,1875) (Papilionidae) Synonym(s): *antonio* Hewitson,1875
- 3065.** *Priniceps* (Menelaides (Charus)) *antonio negrosiana* Schröder & Treadaway,1991 (Papilionidae) Synonym(s): *negrosiana* Schröder & Treadaway,1991
- 3066.** *Priniceps* (Menelaides (Charus)) *helenus* (Linnaeus,1758) (Papilionidae) Synonym(s): *helenus* Linnaeus,1758
- 3067.** *Priniceps* (Menelaides (Charus)) *helenus boloboca* (Page & Treadaway,1995) (Papilionidae) Synonym(s): *boloboca* Page & Treadaway,1995
- 3068.** *Priniceps* (Menelaides (Charus)) *helenus palawanicus* (Staudinger,1888) (Papilionidae) Synonym(s): *palawanicus* Staudinger,1888
- 3069.** *Priniceps* (Menelaides (Charus)) *hytaspes* (C.Felder & R.Felder,1862) (Papilionidae) Synonym(s): *hytaspes* C.Felder & R.Felder,1862
- 3070.** *Priniceps* (Menelaides (Charus)) *hytaspes hytaspes* (C.Felder & R.Felder,1862) (Papilionidae) Synonym(s): *hytaspes* C.Felder & R.Felder,1862
- 3071.** *Priniceps* (Menelaides (Iliades)) *lowi* (Druce,1873) (Papilionidae) Synonym(s): *lowi* Druce,1873
- 3072.** *Priniceps* (Menelaides (Iliades)) *lowi lowi* (Druce,1873) (Papilionidae) Synonym(s): *lowi* Druce,1873
- 3073.** *Priniceps* (Menelaides (Iliades)) *luzviae* Schröder & Treadaway,1991 (Papilionidae) Synonym(s): *luzviae* Schröder & Treadaway,1991
- 3074.** *Priniceps* (Menelaides (Iliades)) *luzviae luzviae* Schröder & Treadaway,1991 (Papilionidae) Synonym(s): *luzviae* Schröder & Treadaway,1991
- 3075.** *Priniceps* (Menelaides (Iliades)) *memnon* (Linnaeus,1758) (Papilionidae) Synonym(s): *memnon* Linnaeus,1758; *achates* Sulzer,1776; *atrovatus* Goeze,1779; *laomedon* Cramer,1776; *achatiades* Esper,1786; *javanus* Haase,1893; *erebinus* Haase,1893; *aphrodite* Röber,1927 nec Fabr.,1787.
- 3076.** *Priniceps* (Menelaides (Iliades)) *memnon memnon* (Linnaeus,1758) (Papilionidae) Synonym(s): *memnon* Linnaeus,1758; *achates* Sulzer,1776; *atrovatus* Goeze,1779; *laomedon* Cramer,1776; *achatiades* Esper,1786; *javanus* Haase,1893; *erebinus* Haase,1893; *aphrodite* Röber,1927 nec Fabr.,1787.
- 3077.** *Priniceps* (Menelaides (Iliades)) *rumanzovia* (Eschscholtz,1821) (Papilionidae) Synonym(s): *rumanzovia* Eschscholtz,1821; *deiphontes* Semper,1892 nec Feld.,1864; *teikichianus* Matsumura,1931.
- 3078.** *Priniceps* (Menelaides (Iliades)) *rumanzovia rumanzovia* (Eschscholtz,1821) (Papilionidae) Synonym(s): *rumanzovia* Eschscholtz,1821; *teikichianus* Matsumura,1931
- 3079.** *Priniceps* (Menelaides (Iliades)) *rumanzovia tarawakana* (Page & Treadaway,1995) (Papilionidae) Synonym(s): *tarawakana* Page & Treadaway,1995
- 3080.** *Priniceps* (Menelaides (Sainia)) *demolion* (Cramer,[1775]) (Papilionidae) Synonym(s): *demolion* Cramer,[1775].
- 3081.** *Priniceps* (Menelaides (Sainia)) *demolion delostenus* (Rothschild,1908) (Papilionidae) Synonym(s): *delostenus* Rothschild,1908
- 3082.** *Priniceps* (Menelaides (fuscus-gr)) *hipponous* (C.Felder & R.Felder,1862) (Papilionidae) Synonym(s): *hipponous* C.Felder & R.Felder,1862
- 3083.** *Priniceps* (Menelaides (fuscus-gr)) *hipponous bazilanus* (Fruhstorfer,1898) (Papilionidae) Synonym(s): *bazilanus* Fruhstorfer,1898
- 3084.** *Priniceps* (Menelaides (fuscus-gr)) *hipponous hipponous* (C.Felder & R.Felder,1862) (Papilionidae) Synonym(s): *hipponous* C.Felder & R.Felder,1862
- 3085.** *Priniceps* (Menelaides (s.str.)) *alphenor* (Cramer,1775) (Papilionidae) Synonym(s): *alphenor* Cramer,1775.
- 3086.** *Priniceps* (Menelaides (s.str.)) *alphenor ledebouria* (Eschscholtz,1821) (Papilionidae) Synonym(s): *ledebouria* Eschscholtz,1821; *#elyros* Gray,1856; *horsfieldii* Reakirt,1864.
- 3087.** *Priniceps* (Menelaides (s.str.)) *polytes* (Linnaeus,1758) (Papilionidae) Synonym(s): *polytes* Linnaeus,1758; *pammon* Linnaeus,1758; *gronovii* Scopoli,1772; *astyanax* Fabricius,1793 (homonym); *stichius* Hübn.,1806; *hector* De Haan,1840 (homonym); *borealis* C.Felder & R.Felder,1861; *horsfieldii* Reakirt,[1865]; *walkeri* Janson,1879; *thibetanus* Oberthür,1886; *depicta* Fruhstorfer,1908; *ocha* Fruhstorfer,1908; *#chrysos* Boulet & Le Cerf,1912; *chalcas* [Fabricius],1938 (homonym); *abdulasiz* Tung,1982; *flavolineatus* Chou, Yuan & Wang,2000; *obscuras* Chou, Yuan & Wang,2000
- 3088.** *Priniceps* (Menelaides (s.str.)) *polytes pasikrates* (Fruhstorfer,1898) (Papilionidae) Synonym(s): *pasikrates* Fruhstorfer,1898
- 3089.** *Priniceps* (Sinoprinceps) *benguetanus* (Joicey & Talbot,1923) (Papilionidae) Synonym(s): *benguetanus* Joicey & Talbot,1923
- 3090.** *Priniceps* (Sinoprinceps) *benguetanus benguetanus* (Joicey & Talbot,1923) (Papilionidae) Synonym(s):
- 3091.** *Priniceps* (Sinoprinceps) *xuthus* (Linnaeus,1767) (Papilionidae) Synonym(s): *xuthus* Linnaeus,1767; *xuthulus* Bremer,1861
- 3092.** *Priniceps* (s.str. (Achillides)) *chikae* (Igarashi,1965) (Papilionidae) Synonym(s): *chikae* Igarashi,1965

- 3093.** *Princeps* (s.str. (Achillides)) *chikae* *chikae* (Igarashi,1965) (Papilionidae) Synonym(s): *chikae* Igarashi,1965
- 3094.** *Princeps* (s.str. (Achillides)) *hermeli* (Nuyda,1992) (Papilionidae) Synonym(s): *hermeli* Nuyda,1992
- 3095.** *Princeps* (s.str. (Achillides)) *hermeli* *hermeli* (Nuyda,1992) (Papilionidae) Synonym(s): *hermeli* Nuyda,1992
- 3096.** *Princeps* (s.str. (Achillides)) *karna* (Felder,1864) (Papilionidae) Synonym(s): *karna* Felder,1864
- 3097.** *Princeps* (s.str. (Achillides)) *karna* *irauana* (Jumalon,1975) (Papilionidae) Synonym(s): *irauana* Jumalon,1975
- 3098.** *Princeps* (s.str. (palinurus-gr)) *angustatus* (Staudinger,1888) (Papilionidae) Synonym(s): *angustatus* Staudinger,1888
- 3099.** *Princeps* (s.str. (palinurus-gr)) *angustatus* *angustatus* (Staudinger,1888) (Papilionidae) Synonym(s): *angustatus* Staudinger,1888
- 3100.** *Princeps* (s.str. (palinurus-gr)) *angustatus* *selma* (Koçak,1996) (Papilionidae) Synonym(s): *daedalus* C.Felder & R.Felder,1861 nec Fabr.,1775; *selma* Koçak,1996
- 3101.** *Princeps* (s.str. (s.str.)) *demoleus* (Linnaeus,1758) (Papilionidae) Synonym(s): *demoleus* Linnaeus,1758; *erithonius* Cramer,[1782]; *epius* Fabricius,1793; *sthenelus* Macleay,1826; *demoleinus* Oberthür,1879; *pictus* Fruhstorfer,1898; *#chryseis* Boulet & Le Cerf,1912; *flavosignatus* Heydemann,1954
- 3102.** *Princeps* (s.str. (s.str.)) *demoleus* *libanius* (Fruhstorfer,1908) (Papilionidae) Synonym(s): *libanius* Fruhstorfer,1908
- 3103.** *Trogonoptera brookiana* (Wallace,1855) (Papilionidae) Synonym(s): *brookiana* Wallace,1855; *mollumar* D'Abbrera, Doggett & Parker,1976
- 3104.** *Trogonoptera brookiana brookiana* (Wallace,1855) (Papilionidae) Synonym(s): *brookiana* Wallace,1855; *mollumar* D'Abbrera, Doggett & Parker,1976
- 3105.** *Trogonoptera trojana* (Honrath,1886) (Papilionidae) Synonym(s): *trojana* Honrath,1886
- 3106.** *Trogonoptera trojana trojana* (Honrath,1886) (Papilionidae) Synonym(s): *trojana* Honrath,1886
- 3107.** *Troides* (s.str. (s.str.)) *magellanus* (C.Felder & R.Felder,1862) (Papilionidae) Synonym(s): *magellanus* C.Felder & R.Felder,1862; *apoensis* Okano & Ohkura,1978.
- 3108.** *Troides* (s.str. (s.str.)) *magellanus* *magellanus* (C.Felder & R.Felder,1862) (Papilionidae) Synonym(s): *magellanus* C.Felder & R.Felder,1862; *apoensis* Okano & Ohkura,1978.
- 3109.** *Troides* (s.str. (s.str.)) *platani* (Staudinger,1888) (Papilionidae) Synonym(s): *platani* Staudinger,1888
- 3110.** *Troides* (s.str. (s.str.)) *platani* *platani* (Staudinger,1888) (Papilionidae) Synonym(s): *platani* Staudinger,1888
- 3111.** *Troides* (s.str. (s.str.)) *rhodamanthus* (Boisduval,1836) (Papilionidae) Synonym(s): *astenuous* Eschscholtz,1821 nec Fabr.,1775; *rhodamantus* Lucas,1835 nec Fabr.,1793; *amphrisius* Lucas,1835 nec Fabr.,1787; *rhodamanthus* Boisduval,1836; *nephereus* Gray,1856; *bazilanicus* Fruhstorfer,1908; *hesiodus* Fruhstorfer,1911; *belzanor* Fruhstorfer,1911.
- 3112.** *Troides* (s.str. (s.str.)) *rhodamanthus* *rhodamanthus* (Boisduval,1836) (Papilionidae) Synonym(s): *astenuous* Eschscholtz,1821 nec Fabr.,1775; *rhodamantus* Lucas,1835 nec Fabr.,1793; *amphrisius* Lucas,1835 nec Fabr.,1787; *rhodamanthus* Boisduval,1836; *nephereus* Gray,1856; *bazilanicus* Fruhstorfer,1908; *hesiodus* Fruhstorfer,1911; *belzanor* Fruhstorfer,1911.
- 3113.** *Appias* (Catophaga) *albina* (Boisduval,1836) (Pieridae) Synonym(s): *albina* Boisduval,1836
- 3114.** *Appias* (Catophaga) *albina* *albina* (Boisduval,1836) (Pieridae) Synonym(s): *albina* Boisduval,1836
- 3115.** *Appias* (Catophaga) *albina* *pancheia* Fruhstorfer,1910 (Pieridae) Synonym(s): *pancheia* Fruhstorfer,1910
- 3116.** *Appias* (Catophaga) *albina* *semperi* Moore,1905 (Pieridae) Synonym(s): *semperi* Moore,1905
- 3117.** *Appias* (Catophaga) *lyncida* (Cramer,1777) (Pieridae) Synonym(s): *lyncida* Cramer,1777
- 3118.** *Appias* (Catophaga) *lyncida* *andrea* Eschscholtz,1821 (Pieridae) Synonym(s): *andrea* Eschscholtz,1821
- 3119.** *Appias* (Catophaga) *lyncida* *enaretina* Fruhstorfer,1900 (Pieridae) Synonym(s): *enaretina* Fruhstorfer,1900
- 3120.** *Appias* (Catophaga) *lyncida* *lepidana* Fruhstorfer,1910 (Pieridae) Synonym(s): *lepidana* Fruhstorfer,1910
- 3121.** *Appias* (Catophaga) *lyncida* *maccina* Fruhstorfer,1911 (Pieridae) Synonym(s): *maccina* Fruhstorfer,1911
- 3122.** *Appias* (Catophaga) *lyncida* *subenarete* Schröder & Treadaway,1989 (Pieridae) Synonym(s): *subenarete* Schröder & Treadaway,1989
- 3123.** *Appias* (Catophaga) *paulina* (Cramer,[1777]) (Pieridae) Synonym(s): *paulina* Cramer,[1777]; *ega* Boisduval,1836; *#capparidis* Swainson,1851
- 3124.** *Appias* (Catophaga) *paulina* *agave* (C.Felder & R.Felder,1862) (Pieridae) Synonym(s): *agave* C.Felder & R.Felder,1862
- 3125.** *Appias* (Catophaga) *paulina* *athena* Fruhstorfer,1902 (Pieridae) Synonym(s): *athena* Fruhstorfer,1902
- 3126.** *Appias* (Catophaga) *paulina* *nikomedeia* Fruhstorfer,1910 (Pieridae) Synonym(s): *nikomedeia* Fruhstorfer,1910
- 3127.** *Appias* (Catophaga) *paulina* *plaethoria* Fruhstorfer,1910 (Pieridae) Synonym(s): *plaethoria* Fruhstorfer,1910
- 3128.** *Appias* (Catophaga) *paulina* *sithonia* Fruhstorfer,1911 (Pieridae) Synonym(s): *sithonia* Fruhstorfer,1911
- 3129.** *Appias* (Catophaga) *paulina* *terentilia* Fruhstorfer,1910 (Pieridae) Synonym(s): *terentilia* Fruhstorfer,1910
- 3130.** *Appias* (Lade) *indra* (Moore,1857) (Pieridae) Synonym(s): *indra* Moore,1857
- 3131.** *Appias* (Lade) *indra* *massilia* Fruhstorfer,1910 (Pieridae) Synonym(s): *massilia* Fruhstorfer,1910
- 3132.** *Appias* (Lade) *indra* *treadawayi* Schröder,1975 (Pieridae) Synonym(s): *treadawayi* Schröder,1975
- 3133.** *Appias* (Phrissura) *aegis* C.Felder & R.Felder,1861 (Pieridae) Synonym(s): *aegis* C.Felder & R.Felder,1861
- 3134.** *Appias* (Phrissura) *aegis* *aegis* C.Felder & R.Felder,1861 (Pieridae) Synonym(s): *aegis* Felder & Felder,1861
- 3135.** *Appias* (Phrissura) *aegis* *caepia* Fruhstorfer,1910 (Pieridae) Synonym(s): *caepia* Fruhstorfer,1910
- 3136.** *Appias* (Phrissura) *aegis* *illana* C.Felder & R.Felder,1862 (Pieridae) Synonym(s): *illana* C.Felder & R.Felder,1862
- 3137.** *Appias* (Phrissura) *aegis* *sibutana* Schröder & Treadaway,1989 (Pieridae) Synonym(s): *sibutana* Schröder & Treadaway,1989
- 3138.** *Appias* (Phrissura) *cynis* (Hewitson,1866) (Pieridae) Synonym(s): *cynis* Hewitson,1866
- 3139.** *Appias* (Phrissura) *cynis* *suluensis* Schröder & Treadaway,1989 (Pieridae) Synonym(s): *suluensis* Schröder & Treadaway,1989
- 3140.** *Appias* (Tachyris) *nero* (Fabricius,1793) (Pieridae) Synonym(s): *nero* Fabricius,1793
- 3141.** *Appias* (Tachyris) *nero* *corazonae* Schröder & Treadaway,1989 (Pieridae) Synonym(s): *corazonae* Schröder & Treadaway,1989
- 3142.** *Appias* (Tachyris) *nero* *domitia* C.Felder & R.Felder,1862 (Pieridae) Synonym(s): *domitia* C.Felder & R.Felder,1862
- 3143.** *Appias* (Tachyris) *nero* *fleminius* Fruhstorfer,1911 (Pieridae) Synonym(s): *fleminius* Fruhstorfer,1911
- 3144.** *Appias* (Tachyris) *nero* *palawanica* (Staudinger,1889) (Pieridae) Synonym(s): *palawanica* Staudinger,1889
- 3145.** *Appias* (Tachyris) *nero* *soranus* Fruhstorfer,1910 (Pieridae) Synonym(s): *soranus* Fruhstorfer,1910
- 3146.** *Appias* (Tachyris) *nero* *tibericus* Fruhstorfer,1910 (Pieridae) Synonym(s): *tibericus* Fruhstorfer,1910
- 3147.** *Appias* (Tachyris) *nero* *zamboanga* C.Felder & R.Felder,1862 (Pieridae) Synonym(s): *zamboanga* C.Felder & R.Felder,1862
- 3148.** *Appias* (s.str.) *libythea* (Fabricius,1775) (Pieridae) Synonym(s): *libythea* Fabricius,1775; *zelmira* Stoll,[1780]

- 3149. Appias (s.str.) libythea libythea (Fabricius,1775)** (Pieridae) Synonym(s): *libythea* Fabricius,1775; *zelmira* Stoll,[1780]
- 3150. Appias (s.str.) olferna (Swinhoe,1890)** (Pieridae) Synonym(s): *olferna* Swinhoe,1890
- 3151. Appias (s.str.) olferna peducea Fruhstorfer,1910** (Pieridae) Synonym(s): *peducea* Fruhstorfer,1910
- 3152. Appias maria Semper,1875** (Pieridae) Synonym(s): *maria* Semper,1875
- 3153. Appias maria adorabilis Fruhstorfer,1910** (Pieridae) Synonym(s): *adorabilis* Fruhstorfer,1910
- 3154. Appias maria dolorosa Fruhstorfer,1910** (Pieridae) Synonym(s): *dolorosa* Fruhstorfer,1910
- 3155. Appias maria kobayashii Nuyda & Kawamura,1989** (Pieridae) Synonym(s): *kobayashii* Nuyda & Kawamura,1989
- 3156. Appias maria maria Semper,1875** (Pieridae) Synonym(s): *maria* Semper,1875
- 3157. Appias nephele Hewitson,1861** (Pieridae) Synonym(s): *nephele* Hewitson,1861
- 3158. Appias nephele aufidia Fruhstorfer,1910** (Pieridae) Synonym(s): *aufidia* Fruhstorfer,1910
- 3159. Appias nephele dilutior (Staudinger,1889)** (Pieridae) Synonym(s): *dilutior* Staudinger,1889
- 3160. Appias nephele elis Fruhstorfer,1910** (Pieridae) Synonym(s): *elis* Fruhstorfer,1910
- 3161. Appias nephele hostilia Fruhstorfer,1910** (Pieridae) Synonym(s): *hostilia* Fruhstorfer,1910
- 3162. Appias nephele invitabilis Fruhstorfer,1910** (Pieridae) Synonym(s): *invitabilis* Fruhstorfer,1910
- 3163. Appias nephele leytensis Fruhstorfer,1911** (Pieridae) Synonym(s): *leytensis* Fruhstorfer,1911
- 3164. Appias nephele nephele Hewitson,1861** (Pieridae) Synonym(s): *nephele* Hewitson,1861
- 3165. Appias nephele tawitawiana Schröder & Treadaway,1993** (Pieridae) Synonym(s): *tawitawiana* Schröder & Treadaway,1993
- 3166. Appias phoebe (C.Felder & R.Felder,1861)** (Pieridae) Synonym(s): *phoebe* C.Felder & R.Felder,1861
- 3167. Appias phoebe mindana Yamamoto & Takei,1980** (Pieridae) Synonym(s): *mindana* Yamamoto & Takei,1980
- 3168. Appias phoebe montana Rothschild,1896** (Pieridae) Synonym(s): *montana* Rothschild,1896
- 3169. Appias phoebe phoebe (C.Felder & R.Felder,1861)** (Pieridae) Synonym(s): *phoebe* C.Felder & R.Felder,1861
- 3170. Appias phoebe rowelli Schröder & Treadaway,1982** (Pieridae) Synonym(s): *rowelli* Schröder & Treadaway,1982
- 3171. Appias phoebe zamorra C.Felder & R.Felder,1862** (Pieridae) Synonym(s): *zamorra* C.Felder & R.Felder,1862
- 3172. Appias remedios Schröder & Treadaway,1980** (Pieridae) Synonym(s): *remedios* Schröder & Treadaway,1980
- 3173. Appias waltraudae Schröder,1977** (Pieridae) Synonym(s): *waltraudae* Schröder,1977
- 3174. Catopsilia pomona (Fabricius,1775)** (Pieridae) Synonym(s): *pomona* Fabricius,1775; *crocale* Cramer,[1775]; *jugurtha* Cramer,[1777]; *catilla* Cramer,1779; *hilaria* Stoll,1781; *lilage* Herbst,1792; *alcmeone* Fabricius,1793; *titania* Fabricius,1798; *jugurthina* Godart,1819; *endeer* Boisduval,1832; *phlegeus* Wallace,1867; *flava* Butler,1869; *heera* Swinhoe,1885; *flavescens* Fruhstorfer,1910; *latilimbata* Fruhstorfer,1910; *celebica* Fruhstorfer,1910; *ostentata* Fruhstorfer,1910; *micromalayana* Fruhstorfer,1910; *rivalis* Fruhstorfer,1910; *crocalina* Fruhstorfer,1910; *citronella* Fruhstorfer,1910; *nivescens* Fruhstorfer,1910; *perspicua* Fruhstorfer,1910; *serrata* Fruhstorfer,1910; *bidotata* Fruhstorfer,1910; *siscia* Fruhstorfer,1910; *dionysiades* Fruhstorfer,1910; *pura* Lindner,1924; *formosana* Sonan,1930
- 3175. Catopsilia pomona pomona (Fabricius,1775)** (Pieridae) Synonym(s): *pomona* Fabricius,1775; *crocale* Cramer,[1775]; *jugurtha* Cramer,[1777]; *catilla* Cramer,1779; *hilaria* Stoll,1781; *lilage* Herbst,1792; *alcmeone* Fabricius,1793; *titania* Fabricius,1798; *jugurthina* Godart,1819; *endeer* Boisduval,1832; *phlegeus* Wallace,1867; *flava* Butler,1869; *heera* Swinhoe,1885; *flavescens* Fruhstorfer,1910; *latilimbata* Fruhstorfer,1910; *celebica* Fruhstorfer,1910; *ostentata* Fruhstorfer,1910; *micromalayana* Fruhstorfer,1910; *rivalis* Fruhstorfer,1910; *crocalina* Fruhstorfer,1910; *citronella* Fruhstorfer,1910; *nivescens* Fruhstorfer,1910; *perspicua* Fruhstorfer,1910; *serrata* Fruhstorfer,1910; *bidotata* Fruhstorfer,1910; *siscia* Fruhstorfer,1910; *dionysiades* Fruhstorfer,1910; *pura* Lindner,1924; *formosana* Sonan,1930
- 3176. Catopsilia pyranthe (Linnaeus,1758)** (Pieridae) Synonym(s): *pyranthe* Linnaeus,1758
- 3177. Catopsilia pyranthe pyranthe (Linnaeus,1758)** (Pieridae) Synonym(s): *pyranthe* Linnaeus,1758
- 3178. Catopsilia scylla (Linnaeus,1763)** (Pieridae) Synonym(s): *scylla* Linnaeus,1763; *etesia* Hewitson,1867
- 3179. Catopsilia scylla asema Staudinger,1885** (Pieridae) Synonym(s): *asema* Staudinger,1885
- 3180. Catopsilia scylla cornelia (Fabricius,1787)** (Pieridae) Synonym(s): *cornelia* Fabricius,1787; *chengkong* Chen,1974
- 3181. Cepora aspasia (Stoll,1782)** (Pieridae) Synonym(s): *aspasia* Stoll,1782; *jael* Wallace,1867
- 3182. Cepora aspasia anaitis Fruhstorfer,1910** (Pieridae) Synonym(s): *anaitis* Fruhstorfer,1910
- 3183. Cepora aspasia fulcinea Fruhstorfer,1911** (Pieridae) Synonym(s): *fulcinea* Fruhstorfer,1911
- 3184. Cepora aspasia irma Fruhstorfer,1910** (Pieridae) Synonym(s): *irma* Fruhstorfer,1910
- 3185. Cepora aspasia olga Eschscholtz,1821** (Pieridae) Synonym(s): *olga* Eschscholtz,1821
- 3186. Cepora aspasia olgina (Staudinger,1889)** (Pieridae) Synonym(s): *olgina* Staudinger,1889
- 3187. Cepora aspasia orantia Fruhstorfer,1910** (Pieridae) Synonym(s): *orantia* Fruhstorfer,1910
- 3188. Cepora aspasia phokaia Fruhstorfer,1910** (Pieridae) Synonym(s): *phokaia* Fruhstorfer,1910
- 3189. Cepora aspasia poetelia Fruhstorfer,1910** (Pieridae) Synonym(s): *poetelia* Fruhstorfer,1910
- 3190. Cepora aspasia rhemia Fruhstorfer,1910** (Pieridae) Synonym(s): *rhemia* Fruhstorfer,1910
- 3191. Cepora aspasia tolmidia Fruhstorfer,1911** (Pieridae) Synonym(s): *tolmidia* Fruhstorfer,1911
- 3192. Cepora aspasia zisca Fruhstorfer,1899** (Pieridae) Synonym(s): *zisca* Fruhstorfer,1899
- 3193. Cepora boisduvaliana (C.Felder & R.Felder,1862)** (Pieridae) Synonym(s): *boisduvaliana* C.Felder & R.Felder,1862
- 3194. Cepora boisduvaliana balbagona Semper,1890** (Pieridae) Synonym(s): *balbagona* Semper,1890
- 3195. Cepora boisduvaliana boisduvaliana (C.Felder & R.Felder,1862)** (Pieridae) Synonym(s): *boisduvaliana* C.Felder & R.Felder,1862
- 3196. Cepora boisduvaliana cebuensis Schröder,1977** (Pieridae) Synonym(s): *cebuensis* Schröder,1977
- 3197. Cepora boisduvaliana cirta Fruhstorfer,1910** (Pieridae) Synonym(s): *cirta* Fruhstorfer,1910
- 3198. Cepora boisduvaliana leytensis M.Okano & T.Okano,1991** (Pieridae) Synonym(s): *leytensis* M.Okano & T.Okano,1991
- 3199. Cepora boisduvaliana negrosensis M.Okano & T.Okano,1991** (Pieridae) Synonym(s): *negrosensis* M.Okano & T.Okano,1991
- 3200. Cepora boisduvaliana semperi Staudinger,1890** (Pieridae) Synonym(s): *semperi* Staudinger,1890
- 3201. Cepora boisduvaliana sibuyanensis Schröder,1977** (Pieridae) Synonym(s): *sibuyanensis* Schröder,1977
- 3202. Cepora iudith (Fabricius,1787)** (Pieridae) Synonym(s): *iudith* Fabricius,1787; *aspasia* Stoll,[1790] *nec* Fabr.,1787
- 3203. Delias (belisama-gr.) apoensis Talbot,1928** (Pieridae) Synonym(s): *apoensis* Talbot,1928
- 3204. Delias (belisama-gr.) apoensis apoensis Talbot,1928** (Pieridae) Synonym(s): *apoensis* Talbot,1928
- 3205. Delias (belisama-gr.) apoensis maizurui Yagashita & Nakano,1993** (Pieridae) Synonym(s): *maizurui* Yagashita & Nakano,1993
- 3206. Delias (belisama-gr.) diaphana Semper,1878** (Pieridae) Synonym(s): *diaphana* Semper,1878
- 3207. Delias (belisama-gr.) diaphana basilisae Schröder & Treadaway,1983** (Pieridae) Synonym(s):

3208. *Delias* (belisama-gr.) *diaphana* *diaphana* Semper, 1878 (Pieridae) Synonym(s): *diaphana* Semper, 1878
3209. *Delias* (belisama-gr.) *diaphana morishitai* Nakano, 1993 (Pieridae) Synonym(s): *morishitai* Nakano, 1993
3210. *Delias* (belisama-gr.) *diaphana sakagutii* Tsukada & Nishiyama, 1980 (Pieridae) Synonym(s): *sakagutii* Tsukada & Nishiyama, 1980
3211. *Delias* (belisama-gr.) *diaphana yatai* Nakano, 1993 (Pieridae) Synonym(s): *yatai* Nakano, 1993
3212. *Delias* (belisama-gr.) *levicki* Rothschild, 1927 (Pieridae) Synonym(s): *levicki* Rothschild, 1927
3213. *Delias* (belisama-gr.) *levicki borromeoi* Schröder & Treadaway, 1984 (Pieridae) Synonym(s): *borromeoi* Schröder & Treadaway, 1984
3214. *Delias* (belisama-gr.) *levicki hokamae* Nakano, 1995 (Pieridae) Synonym(s): *hokamae* Nakano, 1995
3215. *Delias* (belisama-gr.) *levicki justini* Samusawa & Kawamura, 1988 (Pieridae) Synonym(s): *justini* Samusawa & Kawamura, 1988
3216. *Delias* (belisama-gr.) *levicki levicki* Rothschild, 1927 (Pieridae) Synonym(s): *levicki* Rothschild, 1927
3217. *Delias* (belisama-gr.) *levicki mandaya* Yamamoto & Takei, 1982 (Pieridae) Synonym(s): *mandaya* Yamamoto & Takei, 1982
3218. *Delias* (belladonna-gr.) *blanca* C.Felder & R.Felder, 1862 (Pieridae) Synonym(s): *blanca* C.Felder & R.Felder, 1862
3219. *Delias* (belladonna-gr.) *blanca apameica* Fruhstorfer, 1910 (Pieridae) Synonym(s): *apameica* Fruhstorfer, 1910
3220. *Delias* (belladonna-gr.) *blanca blanca* C.Felder & R.Felder, 1862 (Pieridae) Synonym(s): *blanca* C.Felder & R.Felder, 1862
3221. *Delias* (belladonna-gr.) *blanca capcoi* Jumalon, 1975 (Pieridae) Synonym(s): *capcoi* Jumalon, 1975
3222. *Delias* (belladonna-gr.) *blanca uichancoi* Jumalon, 1975 (Pieridae) Synonym(s): *uichancoi* Jumalon, 1975
3223. *Delias* (dorimene-gr.) *baracasa* Semper, 1890 (Pieridae) Synonym(s): *baracasa* Semper, 1890
3224. *Delias* (dorimene-gr.) *baracasa baracasa* Semper, 1890 (Pieridae) Synonym(s): *baracasa* Semper, 1890
3225. *Delias* (dorimene-gr.) *baracasa benguetana* Inomata, 1979 (Pieridae) Synonym(s): *benguetana* Inomata, 1979
3226. *Delias* (georgina-gr.) *ganymedes* Okumoto, 1981 (Pieridae) Synonym(s): *ganymedes* Okumoto, 1981
3227. *Delias* (georgina-gr.) *ganymedes filarorum* Nihira & Kawamura, 1987 (Pieridae) Synonym(s): *filarorum* Nihira & Kawamura, 1987
3228. *Delias* (georgina-gr.) *ganymedes ganymedes* Okumoto, 1981 (Pieridae) Synonym(s): *ganymedes* Okumoto, 1981
3229. *Delias* (georgina-gr.) *ganymedes halconensis* Nakano & Yagashita, 1993 (Pieridae) Synonym(s): *halconensis* Nakano & Yagashita, 1993
3230. *Delias* (georgina-gr.) *georgina* C.Felder & R.Felder, 1861 (Pieridae) Synonym(s): *georgina* C.Felder & R.Felder, 1861
3231. *Delias* (georgina-gr.) *georgina georgina* C.Felder & R.Felder, 1861 (Pieridae) Synonym(s): *georgina* C.Felder & R.Felder, 1861
3232. *Delias* (georgina-gr.) *nuydaorum* Schröder, 1975 (Pieridae) Synonym(s): *nuydaorum* Schröder, 1975
3233. *Delias* (georgina-gr.) *nuydaorum almae* Schröder & Treadaway, 2005 (Pieridae) Synonym(s): *almae* Schröder & Treadaway, 2005
3234. *Delias* (georgina-gr.) *nuydaorum nuydaorum* Schröder, 1975 (Pieridae) Synonym(s): *nuydaorum* Schröder, 1975
3235. *Delias* (georgina-gr.) *nuydaorum tagai* Yagishita & Morita, 1996 (Pieridae) Synonym(s): *tagai* Yagishita & Morita, 1996
3236. *Delias* (georgina-gr.) *paoaiensis* Nihira & Kawamura, 1987 (Pieridae) Synonym(s): *paoaiensis* Nihira & Kawamura, 1987
3237. *Delias* (georgina-gr.) *paoaiensis paoaiensis* Nihira & Kawamura, 1987 (Pieridae) Synonym(s): *paoaiensis* Nihira & Kawamura, 1987
3238. *Delias* (georgina-gr.) *schoenigi* Schröder, 1977 (Pieridae) Synonym(s): *schoenigi* Schröder, 1977
3239. *Delias* (georgina-gr.) *schoenigi hermeli* Samusawa & Kawamura, 1988 (Pieridae) Synonym(s): *hermeli* Samusawa & Kawamura, 1988
3240. *Delias* (georgina-gr.) *schoenigi malindangeana* Nakano & Yagashita, 1993 (Pieridae) Synonym(s): *malindangeana* Nakano & Yagashita, 1993
3241. *Delias* (georgina-gr.) *schoenigi pasiana* Yagashita, 1993 (Pieridae) Synonym(s): *pasiana* Yagashita, 1993
3242. *Delias* (georgina-gr.) *schoenigi samusawai* Yagishita & Morita, 1996 (Pieridae) Synonym(s): *samusawai* Yagishita & Morita, 1996
3243. *Delias* (georgina-gr.) *schoenigi schoenigi* Schröder, 1977 (Pieridae) Synonym(s): *schoenigi* Schröder, 1977
3244. *Delias* (hyparete-gr.) *hyparete* (Linnaeus, 1758) (Pieridae) Synonym(s): *hyparete* Linnaeus, 1758
3245. *Delias* (hyparete-gr.) *hyparete domorana* Fruhstorfer, 1911 (Pieridae) Synonym(s): *domorana* Fruhstorfer, 1911
3246. *Delias* (hyparete-gr.) *hyparete lucina* Distant & Pryer, 1887 (Pieridae) Synonym(s): *lucina* Distant & Pryer, 1887
3247. *Delias* (hyparete-gr.) *hyparete luzonensis* C.Felder & R.Felder, 1862 (Pieridae) Synonym(s): *luzonensis* C.Felder & R.Felder, 1862
3248. *Delias* (hyparete-gr.) *hyparete melville* Yagashita, 1993 (Pieridae) Synonym(s): *melville* Yagashita, 1993
3249. *Delias* (hyparete-gr.) *hyparete mindanaensis* Mitis, 1893 (Pieridae) Synonym(s): *mindanaensis* Mitis, 1893
3250. *Delias* (hyparete-gr.) *hyparete palawanica* Staudinger, 1889 (Pieridae) Synonym(s): *palawanica* Staudinger, 1889
3251. *Delias* (pasithoe-gr.) *henningia* (Eschscholtz, 1821) (Pieridae) Synonym(s): *henningia* Eschscholtz, 1821; *lucerna* Butler, 1869; *hemera* Fruhstorfer, 1910
3252. *Delias* (pasithoe-gr.) *henningia camotana* Fruhstorfer, 1910 (Pieridae) Synonym(s): *camotana* Fruhstorfer, 1910
3253. *Delias* (pasithoe-gr.) *henningia henningia* (Eschscholtz, 1821) (Pieridae) Synonym(s): *henningia* Eschscholtz, 1821; *lucerna* Butler, 1869; *hemera* Fruhstorfer, 1910
3254. *Delias* (pasithoe-gr.) *henningia ochreopicta* Butler, 1869 (Pieridae) Synonym(s): *ochreopicta* Butler, 1869
3255. *Delias* (pasithoe-gr.) *henningia palawana* Tagishita, 1993 (Pieridae) Synonym(s): *palawana* Tagishita, 1993
3256. *Delias* (pasithoe-gr.) *henningia pandemia* Wallace, 1867 (Pieridae) Synonym(s): *pandemia* Wallace, 1867
3257. *Delias* (pasithoe-gr.) *henningia romblonensis* Nakano & Yagashita, 1993 (Pieridae) Synonym(s): *romblonensis* Nakano & Yagashita, 1993
3258. *Delias* (pasithoe-gr.) *henningia voconia* Fruhstorfer, 1910 (Pieridae) Synonym(s): *voconia* Fruhstorfer, 1910
3259. *Delias* (pasithoe-gr.) *hidecoae* Nakano, 1993 (Pieridae) Synonym(s): *hidecoae* Nakano, 1993
3260. *Delias* (pasithoe-gr.) *hidecoae hidecoae* Nakano, 1993 (Pieridae) Synonym(s): *hidecoae* Nakano, 1993
3261. *Delias* (pasithoe-gr.) *ottonia* Semper, 1890 (Pieridae) Synonym(s): *ottonia* Semper, 1890
3262. *Delias* (pasithoe-gr.) *ottonia ottonia* Semper, 1890 (Pieridae) Synonym(s): *ottonia* Semper, 1890
3263. *Delias* (pasithoe-gr.) *ottonia surigaoensis* Yagishita & Morita, 1996 (Pieridae) Synonym(s): *surigaoensis* Yagishita & Morita, 1996
3264. *Delias* (pasithoe-gr.) *pasithoe* (Linnaeus, 1758) (Pieridae) Synonym(s): *pasithoe* Linnaeus, 1758; *aglaia* Linnaeus, 1758 *nec* Linn., 1758; *lucina* Butler, 1869; *basialba* Chou, 2001.

3265. *Delias* (pasithoe-gr.) *pasithoe* *balabaca*
Fruhstorfer, 1911 (Pieridae) Synonym(s): *balabaca*
3266. *Delias* (pasithoe-gr.) *pasithoe* *mera* *Talbot, 1928*
(Pieridae) Synonym(s): *mera* *Talbot, 1928*
3267. *Delias* (pasithoe-gr.) *pasithoe* *pandecta*
Staudinger, 1889 (Pieridae) Synonym(s): *pandecta*
3268. *Delias* (pasithoe-gr.) *woodi* *Talbot, 1928* (Pieridae)
Synonym(s): *woodi* *Talbot, 1928*
3269. *Delias* (pasithoe-gr.) *woodi* *colini* *Schröder, 1977*
(Pieridae) Synonym(s): *colini* *Schröder, 1977*
3270. *Delias* (pasithoe-gr.) *woodi* *tboli* *Schröder & Treadaway, 1984* (Pieridae) Synonym(s): *tboli* *Schröder & Treadaway, 1984*
3271. *Delias* (pasithoe-gr.) *woodi* *woodi* *Talbot, 1928*
(Pieridae) Synonym(s): *woodi* *Talbot, 1928*
3272. *Delias* (singhapura-gr.) *singhapura* *Wallace, 1867*
(Pieridae) Synonym(s): *singhapura* *Wallace, 1867*
3273. *Delias* (singhapura-gr.) *singhapura* *yusukei* *Nakano, 1988* (Pieridae) Synonym(s): *yusukei* *Nakano, 1988*
3274. *Delias* (singhapura-gr.) *themis* (*Hewitson, 1861*)
(Pieridae) Synonym(s): *themis* *Hewitson, 1861*
3275. *Delias* (singhapura-gr.) *themis* *kawamurai* *Nakano, 1993* (Pieridae) Synonym(s): *kawamurai* *Nakano, 1993*
3276. *Delias* (singhapura-gr.) *themis* *mihoae* *Nakano, 1993*
(Pieridae) Synonym(s): *mihoae* *Nakano, 1993*
3277. *Delias* (singhapura-gr.) *themis* *soteira* *Fruhstorfer, 1910* (Pieridae) Synonym(s): *soteira* *Fruhstorfer, 1910*
3278. *Delias* (singhapura-gr.) *themis* *themis* (*Hewitson, 1861*)
(Pieridae) Synonym(s): *themis* *Hewitson, 1861*
3279. *Delias* (singhapura-gr.) *themis* *yuii* *Nakano, 1993*
(Pieridae) Synonym(s): *yuii* *Nakano, 1993*
3280. *Eurema* (Terias) *alitha* (*C.Felder & R.Felder, 1862*)
(Pieridae) Synonym(s): *alitha* *C.Felder & R.Felder, 1862*; *invida* *Butler, 1883*
3281. *Eurema* (Terias) *alitha* *alitha* (*C.Felder & R.Felder, 1862*) (Pieridae) Synonym(s): *alitha* *C.Felder & R.Felder, 1862*; *invida* *Butler, 1883*
3282. *Eurema* (Terias) *alitha* *bazilana* (*Fruhstorfer, 1910*)
(Pieridae) Synonym(s): *bazilana* *Fruhstorfer, 1910*
3283. *Eurema* (Terias) *alitha* *esakii* *Shirozu, 1953* (Pieridae)
Synonym(s): *esakii* *Shirozu, 1953*
3284. *Eurema* (Terias) *alitha* *garama* (*Fruhstorfer, 1910*)
(Pieridae) Synonym(s): *garama* *Fruhstorfer, 1910*
3285. *Eurema* (Terias) *alitha* *jalendra* (*Fruhstorfer, 1910*)
(Pieridae) Synonym(s): *jalendra* *Fruhstorfer, 1910*
3286. *Eurema* (Terias) *alitha* *leytensis* (*Fruhstorfer, 1910*)
(Pieridae) Synonym(s): *leytensis* *Fruhstorfer, 1910*
3287. *Eurema* (Terias) *alitha* *samarana* (*Fruhstorfer, 1910*)
(Pieridae) Synonym(s): *samarana* *Fruhstorfer, 1910*
3288. *Eurema* (Terias) *blanda* (*Boisduval, 1836*) (Pieridae)
Synonym(s): *blanda* *Boisduval, 1836*
3289. *Eurema* (Terias) *blanda* *mensia* (*Fruhstorfer, 1910*)
(Pieridae) Synonym(s): *mensia* *Fruhstorfer, 1910*
3290. *Eurema* (Terias) *blanda* *vallivolans* (*Butler, 1883*)
(Pieridae) Synonym(s): *vallivolans* *Butler, 1883*
3291. *Eurema* (Terias) *blanda* *visellia* (*Fruhstorfer, 1910*)
(Pieridae) Synonym(s): *visellia* *Fruhstorfer, 1910*
3292. *Eurema* (Terias) *hecabe* (*Linnaeus, 1758*) (Pieridae)
Synonym(s): *hecabe* *Linnaeus, 1758*; *luzonensis* *Linnaeus, 1764*
3293. *Eurema* (Terias) *hecabe* *hecabe* (*Linnaeus, 1758*)
(Pieridae) Synonym(s): *hecabe* *Linnaeus, 1758*; *luzonensis* *Linnaeus, 1764*
3294. *Eurema* (Terias) *hecabe* *jalendra* (*Fruhstorfer, 1910*)
(Pieridae) Synonym(s): *jalendra* *Fruhstorfer, 1910*
3295. *Eurema* (Terias) *hecabe* *sintica* *Fruhstorfer, 1910*
(Pieridae) Synonym(s): *sintica* *Fruhstorfer, 1910*
3296. *Eurema* (Terias) *hecabe* *tamiathis* *Fruhstorfer, 1910*
(Pieridae) Synonym(s): *tamiathis* *Fruhstorfer, 1910*
3297. *Eurema* (s.str.) *brigitta* (*Stoll, [1780]*) (Pieridae)
Synonym(s): *brigitta* *Stoll, [1780]*; *libythea* *Fabricius, 1798*
3298. *Eurema* (s.str.) *brigitta* *baguioensis* *Schröder, Treadaway & Nuyda, 1990* (Pieridae) Synonym(s): *baguioensis* *Schröder, Treadaway & Nuyda, 1990*
3299. *Eurema* (s.str.) *brigitta* *roberto* *Schröder, Treadaway & Nuyda, 1990* (Pieridae) Synonym(s): *roberto* *Schröder, Treadaway & Nuyda, 1990*
3300. *Eurema* (s.str.) *brigitta* *sachikoi* *Treadaway & Nuyda, 1990* (Pieridae) Synonym(s): *sachikoi* *Treadaway & Nuyda, 1990*
3301. *Eurema* (s.str.) *brigitta* *siquijorana* *Schröder, Treadaway & Nuyda, 1990* (Pieridae) Synonym(s): *siquijorana* *Schröder, Treadaway & Nuyda, 1990*
3302. *Eurema* (s.str.) *laeta* (*Boisduval, 1836*) (Pieridae)
Synonym(s): *laeta* *Boisduval, 1836*; *sana* *Butler, 1877*; *lineata* *Miskin, 1889*
3303. *Eurema* (s.str.) *laeta* *semperi* (*Moore, 1906*) (Pieridae)
Synonym(s): *semperi* *Moore, 1906*
3304. *Eurema* *andersoni* (*Moore, 1886*) (Pieridae)
Synonym(s): *andersoni* *Moore, 1886*
3305. *Eurema* *andersoni* *prabha* (*Fruhstorfer, 1910*)
(Pieridae) Synonym(s): *prabha* *Fruhstorfer, 1910*
3306. *Eurema* *hiurai* *Shirozu & Yata, 1977* (Pieridae)
Synonym(s): *hiurai* *Shirozu & Yata, 1977*
3307. *Eurema* *hiurai* *admiranda* *Morishita, 1981* (Pieridae)
Synonym(s): *admiranda* *Morishita, 1981*
3308. *Eurema* *lacteola* *Distant, 1886* (Pieridae) Synonym(s): *lacteola* *Distant, 1886*
3309. *Eurema* *sari* (*Horsfield, 1829*) (Pieridae) Synonym(s): *sari* *Horsfield, 1829*
3310. *Eurema* *sari* *obucula* (*Fruhstorfer, 1910*) (Pieridae)
Synonym(s): *obucula* *Fruhstorfer, 1910*
3311. *Eurema* *sarilata* (*Semper, 1891*) (Pieridae) Synonym(s): *sarilata* *Semper, 1891*; *crinatha* *Fruhstorfer, 1910*
3312. *Eurema* *sarilata* *aquila* *Shirozou & Yata, 1982*
(Pieridae) Synonym(s): *aquila* *Shirozou & Yata, 1982*
3313. *Eurema* *sarilata* *boholensis* *M.Okano & T.Okano, 1990*
(Pieridae) Synonym(s): *boholensis* *M.Okano & T.Okano, 1990*
3314. *Eurema* *sarilata* *dayani* *Schröder, Treadaway & Nuyda, 1990* (Pieridae) Synonym(s): *dayani* *Schröder, Treadaway & Nuyda, 1990*
3315. *Eurema* *sarilata* *mindorana* (*Butler, 1898*) (Pieridae)
Synonym(s): *mindorana* *Butler, 1898*
3316. *Eurema* *sarilata* *perplexa* *Shirozou & Yata, 1982*
(Pieridae) Synonym(s): *perplexa* *Shirozou & Yata, 1982*
3317. *Eurema* *sarilata* *risa* *Morishita, 1981* (Pieridae)
Synonym(s): *risa* *Morishita, 1981*
3318. *Eurema* *sarilata* *rosario* *Schröder, Treadaway & Nuyda, 1990* (Pieridae) Synonym(s): *rosario* *Schröder, Treadaway & Nuyda, 1990*
3319. *Eurema* *sarilata* *sarilata* (*Semper, 1891*) (Pieridae)
Synonym(s): *sarilata* *Semper, 1891*; *crinatha* *Fruhstorfer, 1910*
3320. *Eurema* *sarilata* *sibuyanensis* *Yata & Treadaway, 1982*
(Pieridae) Synonym(s): *sibuyanensis* *Yata & Treadaway, 1982*
3321. *Eurema* *simulatrix* *Staudinger, 1891* (Pieridae)
Synonym(s): *simulatrix* *Staudinger, 1891*
3322. *Eurema* *simulatrix* *princesae* *Morishita, 1973* (Pieridae)
Synonym(s): *princesae* *Morishita, 1973*
3323. *Eurema* *simulatrix* *simulatrix* *Staudinger, 1891*
(Pieridae) Synonym(s): *simulatrix* *Staudinger, 1891*
3324. *Gandaca* *butyroza* (*Butler, 1875*) (Pieridae)
Synonym(s): *butyroza* *Butler, 1875*
3325. *Gandaca* *harina* (*Horsfield, 1829*) (Pieridae)
Synonym(s): *harina* *Horsfield, 1829*
3326. *Gandaca* *harina* *elis* *Fruhstorfer, 1910* (Pieridae)
Synonym(s): *elis* *Fruhstorfer, 1910*
3327. *Gandaca* *harina* *gardineri* *Fruhstorfer, 1910* (Pieridae)
Synonym(s): *gardineri* *Fruhstorfer, 1910*
3328. *Gandaca* *harina* *mindanaensis* *Fruhstorfer, 1910*
(Pieridae) Synonym(s): *mindanaensis* *Fruhstorfer, 1910*
3329. *Gandaca* *harina* *palawanica* *Fruhstorfer, 1910*
(Pieridae) Synonym(s): *palawanica* *Fruhstorfer, 1910*
3330. *Hebomoia* *glauippe* (*Linnaeus, 1758*) (Pieridae)
Synonym(s): *glauippe* *Linnaeus, 1758*

3331. *Hebomoia glaucippe bohollensis* Fruhstorfer, 1911 (Pieridae) Synonym(s): *bohollensis* Fruhstorfer, 1911
3332. *Hebomoia glaucippe cebuensis* M.Okano & T.Okano, 1994 (Pieridae) Synonym(s): *cebuensis* M.Okano & T.Okano, 1994
3333. *Hebomoia glaucippe cuyonicola* Fruhstorfer, 1907 (Pieridae) Synonym(s): *cuyonicola* Fruhstorfer, 1907
3334. *Hebomoia glaucippe domoranensis* Fruhstorfer, 1911 (Pieridae) Synonym(s): *domoranensis* Fruhstorfer, 1911
3335. *Hebomoia glaucippe erinna* Fruhstorfer, 1910 (Pieridae) Synonym(s): *erinna* Fruhstorfer, 1910
3336. *Hebomoia glaucippe iliaca* Fruhstorfer, 1911 (Pieridae) Synonym(s): *iliaca* Fruhstorfer, 1911
3337. *Hebomoia glaucippe mindorensis* Fruhstorfer, 1911 (Pieridae) Synonym(s): *mindorensis* Fruhstorfer, 1911
3338. *Hebomoia glaucippe palawensis* Fruhstorfer, 1907 (Pieridae) Synonym(s): *palawensis* Fruhstorfer, 1907
3339. *Hebomoia glaucippe philippensis* Wallace, 1863 (Pieridae) Synonym(s): *philippensis* Wallace, 1863
3340. *Hebomoia glaucippe reducta* Fruhstorfer, 1907 (Pieridae) Synonym(s): *reducta* Fruhstorfer, 1907
3341. *Ixias clarki* Avinoff, 1925 (Pieridae) Synonym(s): *clarki* Avinoff, 1925
3342. *Leptosia nina* (Fabricius, 1793) (Pieridae) Synonym(s): *nina* Fabricius, 1793; *comma* Fruhstorfer, 1902
3343. *Leptosia nina asukae* Nihira & Kawamura, 1986 (Pieridae) Synonym(s): *asukae* Nihira & Kawamura, 1986
3344. *Leptosia nina georgi* Fruhstorfer, 1910 (Pieridae) Synonym(s): *georgi* Fruhstorfer, 1910
3345. *Leptosia nina malayana* Fruhstorfer, 1910 (Pieridae) Synonym(s): *malayana* Fruhstorfer, 1910
3346. *Leptosia nina terentia* Fruhstorfer, 1910 (Pieridae) Synonym(s): *terentia* Fruhstorfer, 1910
3347. *Pareronia boebers* Eschscholtz, 1821 (Pieridae) Synonym(s): *boebers* Eschscholtz, 1821
3348. *Pareronia boebers arsamota* Fruhstorfer, 1910 (Pieridae) Synonym(s): *arsamota* Fruhstorfer, 1910
3349. *Pareronia boebers bazilana* Fruhstorfer, 1900 (Pieridae) Synonym(s): *bazilana* Fruhstorfer, 1900
3350. *Pareronia boebers boebers* Eschscholtz, 1821 (Pieridae) Synonym(s): *boebers* Eschscholtz, 1821
3351. *Pareronia boebers elaitia* Fruhstorfer, 1910 (Pieridae) Synonym(s): *elaitia* Fruhstorfer, 1910
3352. *Pareronia boebers joloana* Fruhstorfer, 1911 (Pieridae) Synonym(s): *joloana* Fruhstorfer, 1911
3353. *Pareronia boebers mutya* Treadaway & Nuyda, 1994 (Pieridae) Synonym(s): *mutya* Treadaway & Nuyda, 1994
3354. *Pareronia boebers trinobantes* Fruhstorfer, 1911 (Pieridae) Synonym(s): *trinobantes* Fruhstorfer, 1911
3355. *Pareronia nishiyamai* Yata, 1981 (Pieridae) Synonym(s): *nishiyamai* Yata, 1981
3356. *Pareronia phocaea* C.Felder & R.Felder, 1861 (Pieridae) Synonym(s): *phocaea* C.Felder & R.Felder, 1861
3357. *Pareronia phocaea ariamena* Fruhstorfer, 1910 (Pieridae) Synonym(s): *ariamena* Fruhstorfer, 1910
3358. *Pareronia phocaea phocaea* C.Felder & R.Felder, 1861 (Pieridae) Synonym(s): *phocaea* C.Felder & R.Felder, 1861
3359. *Pareronia valeria* (Cramer, [1776]) (Pieridae) Synonym(s): *valeria* Cramer, [1776]
3360. *Pareronia valeria calliparga* Fruhstorfer, 1910 (Pieridae) Synonym(s): *calliparga* Fruhstorfer, 1910
3361. *Pareronia valeria gulussa* Fruhstorfer, 1910 (Pieridae) Synonym(s): *gulussa* Fruhstorfer, 1910
3362. *Pareronia valeria palawana* Fruhstorfer, 1900 (Pieridae) Synonym(s): *palawana* Fruhstorfer, 1900
3363. *Pareronia valeria valeriana* Schröder & Treadaway, 1991 (Pieridae) Synonym(s): *valeriana* Schröder & Treadaway, 1991
3364. *Pieris (Artogeia) canidia* (Sparrman, 1768) (Pieridae) Synonym(s): *canidia* Sparrman, 1768
3365. *Pieris (Artogeia) canidia canidia* (Sparrman, 1768) (Pieridae) Synonym(s): *canidia* Sparrman, 1768
3366. *Saletara panda* (Godart, [1819]) (Pieridae) Synonym(s): *panda* Godart, [1819]
3367. *Saletara panda distanti* Butler, 1898 (Pieridae) Synonym(s): *distanti* Butler, 1898
3368. *Saletara panda erebina* Fruhstorfer, 1900 (Pieridae) Synonym(s): *erebina* Fruhstorfer, 1900
3369. *Saletara panda hostilia* Fruhstorfer, 1910 (Pieridae) Synonym(s): *hostilia* Fruhstorfer, 1910
3370. *Saletara panda martia* Fruhstorfer, 1910 (Pieridae) Synonym(s): *martia* Fruhstorfer, 1910
3371. *Saletara panda nargosa* Fruhstorfer, 1913 (Pieridae) Synonym(s): *nargosa* Fruhstorfer, 1913
3372. *Saletara panda nathalia* C.Felder & R.Felder, 1862 (Pieridae) Synonym(s): *nathalia* C.Felder & R.Felder, 1862
3373. *Degia imparata* Walker, 1862 (Psychidae) Synonym(s): *imparata* Walker, 1862; *immodica* Meyrick, 1936; *lepta* West, 1932
3374. *Eumeta variegata* (Snellen, 1879) (Psychidae) Synonym(s): *variegata* Snellen, 1879; *layardii* Moore, 1881; *pryeri* Leech, 1888; *sikkima* Moore, 1891; *wallacei* Swinhoe, 1892
3375. *Diacrotricha fasciola* Zeller, 1852 (Pterophoridae) Synonym(s): *fasciola* Zeller, 1852
3376. *Tetrachalis ochrias* Meyrick, 1908 (Pterophoridae) Synonym(s): *ochrias* Meyrick, 1908
3377. *Acara impunctella* Sauber, 1900 (Pylalidae) Synonym(s): *impunctella* Sauber, 1900
3378. *Aethaloessa calidalis* (Guenée, 1854) (Pylalidae) Synonym(s): *calidalis* Guenée, 1854; *octavialis* Walker, 1859; *fulvidalis* Wallengren, 1860; *secutalis* Walker, [1866]; *witalis* R.Felder & Rogenhofer, 1875; *aurantiaca* Hampson, 1912
3379. *Aethaloessa calidalis tiphalis* (Walker, 1859) (Pylalidae) Synonym(s): *tiphalis* Walker, 1859; *fulvidalis* Wallengren, 1860; *witalis* R.Felder & Rogenhofer, 1874; *aurantiaca* Hampson, 1912
3380. *Agathodes ostentalis* (Geyer, 1838) (Pylalidae) Synonym(s): *ostentalis* Geyer, 1838
3381. *Agrioglypta excelsalis* (Walker, [1866]) (Pylalidae) Synonym(s): *excelsalis* Walker, [1866]
3382. *Agrioglypta itysalis* (Walker, 1859) (Pylalidae) Synonym(s): *itysalis* Walker, 1859; *piepersalis* Snellen, [1880]; *malayana* Butler, 1880
3383. *Agrotera effertalis* Walker, 1859 (Pylalidae) Synonym(s): *effertalis* Walker, 1859
3384. *Ambia pedionoma* West, 1931 (Pylalidae) Synonym(s): *pedionoma* West, 1931
3385. *Ambia ptolycusalis* Walker, 1859 (Pylalidae) Synonym(s): *ptolycusalis* Walker, 1859; *eromenalis* Snellen, 1880; *parallelalis* Sauber, 1902
3386. *Analthes semitritalis* Lederer, 1863 (Pylalidae) Synonym(s): *semitritalis* Lederer, 1863
3387. *Ancylolomia bituberosella* Amsel, 1959 (Pylalidae) Synonym(s): *bituberosella* Amsel, 1959; *#bituberosella* Bleszynski, 1965
3388. *Ancylolomia orchidea* Bleszynski, 1970 (Pylalidae) Synonym(s): *orchidea* Bleszynski, 1970
3389. *Angustalius malacellus* (Duponchel, 1836) (Pylalidae) Synonym(s): *malacellus* Duponchel, 1836
3390. *Aphomia aurora* (Snellen, 1875) (Pylalidae) Synonym(s): *aurora* Snellen, 1875
3391. *Assara albicostalis* Walker, 1863 (Pylalidae) Synonym(s): *albicostalis* Walker, 1863; *subterebrillum* Snellen, 1880; *niveicostella* Hampson, 1896
3392. *Blepharomastix insolitalis* (Walker, 1862) (Pylalidae) Synonym(s): *insolitalis* Walker, 1862
3393. *Bocchoris artificialis* (Lederer, 1863) (Pylalidae) Synonym(s): *artificialis* Lederer, 1863; *inscitalis* Walker, [1866]; *abstrusalis* Moore, 1882
3394. *Boeotarcha martinalis* (Walker, 1859) (Pylalidae) Synonym(s): *martinalis* Walker, 1859
3395. *Botyodes asialis* Guenée, 1854 (Pylalidae) Synonym(s): *asialis* Guenée, 1854; *#liliputalis* Strand, 1913
3396. *Bradina admixtalis* (Walker, 1859) (Pylalidae) Synonym(s): *admixtalis* Walker, 1859; *panaeusalis* Walker, 1859; *tabidalis* Lederer, 1863; *sodalis* Lederer, 1863; *leptogastralis* Walker, [1866]; *avuncularis* Saalmüller, 1880; *pallidalis* W.Warren, 1896
3397. *Cadra cautella* (Walker, 1863) (Pylalidae) Synonym(s): *cautella* Walker, 1863; *defectella* Walker, 1864; *desuetella* Walker, 1866; *passulella* Barrett, 1875; *formosella* Wileman &

- South, 1918; *rotundatella* Turati, 1930; *pelopis* Turner, 1947; *irakella* Amsel, 1959
- 3398. Calamotropha abjectella** Snellen, 1872 (Pyralidae)
Synonym(s): *abjectella* Snellen, 1872
- 3399. Calamotropha atkinsoni** (Zeller, 1863) (Pyralidae)
Synonym(s): *atkinsoni* Zeller, 1863; *fuscicostella* Snellen, 1880; *holodryas* Meyrick, 1933
- 3400. Calamotropha fuscicostella** Snellen, 1880 (Pyralidae)
Synonym(s): *fuscicostella* Snellen, 1880
- 3401. Calamotropha obliterans** (Walker, 1863) (Pyralidae)
Synonym(s): *obliterans* Walker, 1863; *condidifer* Walker, 1863; *#candifer* Hampson, 1896
- 3402. Calamotropha oculalis** (Snellen, 1893) (Pyralidae)
Synonym(s): *oculalis* Snellen, 1893
- 3403. Calamotropha oculalis oculalis** (Snellen, 1893) (Pyralidae) Synonym(s): *oculalis* Snellen, 1893
- 3404. Calamotropha sp.** (Pyralidae) Synonym(s):
- 3405. Calamotropha unicolorella** (Zeller, 1863) (Pyralidae)
Synonym(s): *unicorellus* Zeller, 1863; *abbreviatellus* Walker, 1866
- 3406. Calamotropha unicolorella unicolorella** (Zeller, 1863) (Pyralidae) Synonym(s): *unicorellus* Zeller, 1863; *abbreviatellus* Walker, 1866
- 3407. Candiope syntaractis** (Turner, 1904) (Pyralidae)
Synonym(s): *syntaractis* Turner, 1904
- 3408. Cavipalpia translucidella** Ragonot, 1893 (Pyralidae)
Synonym(s): *translucidella* Ragonot, 1893
- 3409. Chalciptera emissalis** (Walker, [1866]) (Pyralidae)
Synonym(s): *emissalis* Walker, [1866]; *crinipes* R. Felder & Rogenhofer, 1875; *rubra* Butler, 1887; *pyrrhocoma* Meyrick, 1894
- 3410. Chilo infuscatellus** Snellen, 1891 (Pyralidae)
Synonym(s): *infuscatellus* Snellen, 1891; *sticticraspis* Hampson, 1919; *coniorta* Hampson, 1919; *calamina* Hampson, 1919; *shariinensis* Egughi, 1933; *tadzhiellus* Gerasimov, 1949.
- 3411. Chilo luteellus** (Motschulsky, 1866) (Pyralidae)
Synonym(s): *lutellus* Motschulsky, 1866 *nec* [Denis & Schiff], 1775; *luteellus* Motschulsky, 1866; *concolorellus* Christoph, 1885; *gensamellus* Leech, 1889; *dubia* Bethune-Baker, 1894; *boxanus* Hering, 1903; *plumbosellus* Chrétien, 1910; *molydellus* Zerny, 1935; *molybdellus* Zerny, 1941.
- 3412. Chilo suppressalis** Walker, 1863 (Pyralidae)
Synonym(s): *suppressalis* Walker, 1863; *oryzae* T.B. Fletcher, 1928.
- 3413. Cirrhochrista bracteolalis** Hampson, 1893 (Pyralidae)
Synonym(s): *bracteolalis* Hampson, 1893
- 3414. Cirrhochrista brizoalis** (Walker, 1859) (Pyralidae)
Synonym(s): *brizoalis* Walker, 1859
- 3415. Cirrhochrista kosemponialis** Strand, 1919 (Pyralidae)
Synonym(s): *kosemponialis* Strand, 1919
- 3416. Cnaphalocrocis medinalis** (Guenée, 1854) (Pyralidae)
Synonym(s): *medinalis* Guenée, 1854; *nurscialis* Walker, 1859
- 3417. Coenodomus hamponi** West, 1931 (Pyralidae)
Synonym(s): *hamponi* West, 1931
- 3418. Coenodomus schausi** (West, 1931) (Pyralidae)
Synonym(s): *schausi* West, 1931
- 3419. Coleothrix swinhoeella** (Ragonot, 1893) (Pyralidae)
Synonym(s): *swinhoeella* Ragonot, 1893
- 3420. Cometura lirisalis** (Walker, 1859) (Pyralidae)
Synonym(s): *lirisalis* Walker, 1859
- 3421. Conogethes punctiferalis** (Guenée, 1854) (Pyralidae)
Synonym(s): *punctiferalis* Guenée, 1854; *detracta* Walker, 1859; *nicippealis* Walker, 1859; *guttatalis* Walker, [1866]
- 3422. Cotachena histricalis** (Walker, 1859) (Pyralidae)
Synonym(s): *histicalis* Walker, 1859; *trinotata* Butler, 1887; *peratilis* Warren, 1896; *orientalis* Rothschild, 1915.
- 3423. Crocidolomia pavonana** (Fabricius, 1794) (Pyralidae)
Synonym(s): *pavonana* Fabricius, 1794; *binotalis* Zeller, 1852; *comalis* Guenée, 1854; *incomalis* Guenée, 1854; *quadripunctata* Shiraki, 1913; *dentalis* Amsel, 1951
- 3424. Crocidolomia suffusalis** (Hampson, 1891) (Pyralidae)
Synonym(s): *suffusalis* Hampson, 1891; *illustris* Lucas, 1892; *#sinensis* Caradja, 1925
- 3425. Crocidophora pallida** (Moore, 1888) (Pyralidae)
Synonym(s): *pallida* Moore, 1888
- 3426. Crypsitya ceadesalis** (Walker, 1859) (Pyralidae)
Synonym(s): *ceadesalis* Walker, 1859
- 3427. Crypsitya coclesalis** (Walker, 1859) (Pyralidae)
Synonym(s): *coclesalis* Walker, 1859; *itemalesalis* Walker, 1859; *strenualis* Walker, [1866]; *interfusalis* Walker, [1866]; *lacrymalis* Leech, 1889
- 3428. Culladia admigratella** (Walker, 1863) (Pyralidae)
Synonym(s): *admigratella* Walker, 1863; *caesella* Walker, 1863; *hastiferalis* Walker, [1866].
- 3429. Culladia evae** Bleszynski, 1970 (Pyralidae) Synonym(s): *evae* Bleszynski, 1970
- 3430. Culladia suffusella** Hampson, 1896 (Pyralidae)
Synonym(s): *suffusella* Hampson, 1896
- 3431. Cydalima fuscinalis** (Snellen, 1895) (Pyralidae)
Synonym(s): *fuscinalis* Snellen, 1895
- 3432. Cyrtogramme melagynalis** (Agassiz, 1978) (Pyralidae)
Synonym(s): *melagynalis* Agassiz, 1978
- 3433. Dausara amethysta** Butler, 1877 (Pyralidae)
Synonym(s): *amethysta* Butler, 1877
- 3434. Deanolis sublimbalis** Snellen, 1899 (Pyralidae)
Synonym(s): *sublimbalis* Snellen, 1899
- 3435. Deba surrectalis** (Walker, 1865) (Pyralidae)
Synonym(s): *surrectalis* Walker, 1865
- 3436. Decticogaster janapalis** (Walker, 1859) (Pyralidae)
Synonym(s): *janapalis* Walker, 1859
- 3437. Diaphania indica** (Saunders, 1851) (Pyralidae)
Synonym(s): *indica* Saunders, 1851; *capensis* Zeller, 1852; *gazorialis* Guenée, 1854; *zygaenalis* Guenée, 1854; *curcubitalis* Guenée, 1862; *intermedialis* Dognin, 1904.
- 3438. Dichocrocis punctiferalis** (Guenée, 1854) (Pyralidae)
Synonym(s): *punctiferalis* Guenée, 1854; *detracta* Walker, 1859; *nicippealis* Walker, 1859; *guttatalis* Walker, [1866].
- 3439. Dioryctria rubella** Hampson, 1901 (Pyralidae)
Synonym(s): *rubella* Hampson, 1901
- 3440. Diphera aphidivora** (Meyrick, 1934) (Pyralidae)
Synonym(s): *aphidivora* Meyrick, 1934
- 3441. Doloessa viridis** Zeller, 1848 (Pyralidae) Synonym(s): *viridis* Zeller, 1848; *figurana* Walker, 1863; *ornata* Wileman, 1910; *phthorogramma* Meyrick, 1938
- 3442. Donacaula dodatellus** (Walker, 1864) (Pyralidae)
Synonym(s): *dodatellus* Walker, 1864
- 3443. Dysallacta luzonica** Sauber, 1902 (Pyralidae)
Synonym(s): *luzonica* Sauber, 1902
- 3444. Elophila diffualis** (Snellen, [1880]) (Pyralidae)
Synonym(s): *diffualis* Snellen, [1880]; *enixalis* Swinhoe, 1885; *linealis* Moore, 1888; *nigralbalis* Caradja, 1925; *osculatrix* Meyrick, 1933
- 3445. Elophila manilensis** (Hampson, 1911) (Pyralidae)
Synonym(s): *manilensis* Hampson, 1911
- 3446. Emmalocera anerastica** (Snellen, 1880) (Pyralidae)
Synonym(s): *anerastica* Snellen, 1880
- 3447. Emmalocera leucocincta** (Walker, 1863) (Pyralidae)
Synonym(s): *leucocincta* Walker, 1863
- 3448. Emmalocera umbricostella** Ragonot, 1888 (Pyralidae)
Synonym(s): *umbricostella* Ragonot, 1888
- 3449. Enchocnemidia squamopedalis** (Guenée, 1854) (Pyralidae) Synonym(s): *squamopedalis* Guenée, 1854
- 3450. Enchocnemidia vertumnalis** (Guenée, 1854) (Pyralidae)
Synonym(s): *vertumnalis* Guenée, 1854
- 3451. Endocrossis caldusalis** (Walker, 1859) (Pyralidae)
Synonym(s): *caldusalis* Walker, 1859
- 3452. Endocrossis flavibasalis** (Moore, 1867) (Pyralidae)
Synonym(s): *flavibasalis* Moore, 1867
- 3453. Endocrossis quinqueaculalis** Sauber, 1902 (Pyralidae)
Synonym(s): *quinqueaculalis* Sauber, 1902
- 3454. Endotricha approximalis** Snellen, 1895 (Pyralidae)
Synonym(s): *approximalis* Snellen, 1895; *xanthorhodalis* Hampson, 1916; *periphaea* Turner, 1937
- 3455. Endotricha puncticostalis** (Walker, [1866]) (Pyralidae)
Synonym(s): *puncticostalis* Walker, [1866]; *ustalis* Snellen, 1880; *listeri* Butler, 1888
- 3456. Eoophyla bicolensis** Speidel, 2003 (Pyralidae)
Synonym(s): *bicolensis* Speidel, 2003

3457. **Euophyla callilithalis** Speidel, 2003 (Pyrilidae)
Synonym(s): *callilithalis* Speidel, 2003
3458. **Euophyla cernyi** Speidel, 2003 (Pyrilidae) Synonym(s):
cernyi Speidel, 2003
3459. **Euophyla cervinalis** Speidel, 2003 (Pyrilidae)
Synonym(s): *cervinalis* Speidel, 2003
3460. **Euophyla fontis** Speidel, 2003 (Pyrilidae) Synonym(s):
fontis Speidel, 2003
3461. **Euophyla gibbosalis** (Guenée, 1854) (Pyrilidae)
Synonym(s): *gibbosalis* Guenée, 1854
3462. **Euophyla leytenensis** Speidel, 2003 (Pyrilidae)
Synonym(s): *leytenensis* Speidel, 2003
3463. **Euophyla litoralis** Speidel, 2003 (Pyrilidae)
Synonym(s): *litoralis* Speidel, 2003
3464. **Euophyla montanalis** Speidel, 2003 (Pyrilidae)
Synonym(s): *montanalis* Speidel, 2003
3465. **Euophyla napoleoni** Speidel, 2003 (Pyrilidae)
Synonym(s): *napoleoni* Speidel, 2003
3466. **Euophyla naumanni** Speidel, 2003 (Pyrilidae)
Synonym(s): *naumanni* Speidel, 2003
3467. **Euophyla nussi** Speidel, 2003 (Pyrilidae) Synonym(s):
nussi Speidel, 2003
3468. **Euophyla pulchralis** Speidel, 2003 (Pyrilidae)
Synonym(s): *pulchralis* Speidel, 2003
3469. **Euophyla quezonensis** Speidel, 2003 (Pyrilidae)
Synonym(s): *quezonensis* Speidel, 2003
3470. **Euophyla richteri** Speidel, 2003 (Pyrilidae)
Synonym(s): *richteri* Speidel, 2003
3471. **Euophyla samaritai** Speidel, 2003 (Pyrilidae)
Synonym(s): *samaritai* Speidel, 2003
3472. **Euophyla schintlmeisteri** Speidel, 2003 (Pyrilidae)
Synonym(s): *schintlmeisteri* Speidel, 2003
3473. **Euophyla snelleni** Semper, 1902 (Pyrilidae)
Synonym(s): *snelleni* Semper, 1902
3474. **Euophyla yeni** Speidel, 2003 (Pyrilidae) Synonym(s):
yeni Speidel, 2003
3475. **Ephestia (s.str.) cahiritella** Zeller, 1867 (Pyrilidae)
Synonym(s): *cahiritella* Zeller, 1867
3476. **Eporidia palliventralis** (Snellen, 1880) (Pyrilidae)
Synonym(s): *palliventralis* Snellen, 1880
3477. **Eristena samaritai** Speidel, 2003 (Pyrilidae)
Synonym(s): *samaritai* Speidel, 2003
3478. **Eschata chrysargyria** (Walker, [1866]) (Pyrilidae)
Synonym(s): *chrysargyria* Walker, [1866]; *argentata* Moore, 1888; *radiata* Swinhoe, 1906
3479. **Etiella zinckenella** (Treitschke, 1832) (Pyrilidae)
Synonym(s): *marginella* Fabricius, 1781 *nec* Den. & Schiff, 1775; *zinckenella* Treitschke, 1832; *etiella* Treitschke, 1835; *majorellus* Costa, 1836; *colonnellus* Costa, 1836; *dymmusalis* Walker, 1859; *heraldella* Guenée, 1862; *anticalis* Walker, 1863; *indicatalis* Walker, 1863; *hastiferella* Walker, 1866; *decipiens* Staudinger, 1870; *spatiella* Rondani, 1876; *sabulinus* Butler, 1879; *madagascariensis* Saalmüller, 1880; *schisticolor* Zeller, 1881; *villosella* Hulst, 1887; *rubribasella* Hulst, 1890; *#etiella* Pinhey, 1975.
3480. **Euchromius brunnealis** (Hampson, 1919) (Pyrilidae)
Synonym(s): *brunnealis* Hampson, 1919
3481. **Euchromius micralis** (Hampson, 1919) (Pyrilidae)
Synonym(s): *micralis* Hampson, 1919
3482. **Euclasta (s.str.) defamatalis** (Walker, 1859) (Pyrilidae)
Synonym(s): *defamatalis* Walker, 1859
3483. **Euclasta (s.str.) filigeralis** Lederer, 1863 (Pyrilidae)
Synonym(s): *filigeralis* Lederer, 1863
3484. **Euclasta (s.str.) montalbani** Popescu-Gorj & Constantinescu, 1977 (Pyrilidae) Synonym(s): *montalbani* Popescu-Gorj & Constantinescu, 1977
3485. **Euglyphis procopia** (Cramer, 1782) (Pyrilidae)
Synonym(s): *procopia* Cramer, 1782
3486. **Eurrhyarodes bracteolalis** (Zeller, 1852) (Pyrilidae)
Synonym(s): *bracteolalis* Zeller, 1852; *plumbalis* Guenée, 1854; *accesalis* Walker, 1859; *stibialis* Snellen, 1880; *#mambarealis* Strand, 1920
3487. **Eurrhyarodes tricoloralis** (Zeller, 1852) (Pyrilidae)
Synonym(s): *tricoloralis* Zeller, 1852; *abnegatalis* Walker, 1859; *confusalis* Warren, 1896; *#tricoloralis* Klima, 1939
3488. **Eurycreon imperialis** Sauber, 1902 (Pyrilidae)
Synonym(s): *imperialis* Sauber, 1902
3489. **Euzophera (s.str.) subterebrella** Snellen, 1880 (Pyrilidae) Synonym(s): *subterebrella* Snellen, 1880
3490. **Faveria leucophaeella** (Zeller, 1867) (Pyrilidae)
Synonym(s): *leucophaeella* Zeller, 1867; *hyemalis* Butler, 1880; *atrata* Ragonot, 1888; *siderella* Ragonot, 1888; *peritigerella* Ragonot, 1889.
3491. **Glyphodes actorionalis** Walker, 1859 (Pyrilidae)
Synonym(s): *actorionalis* Walker, 1859
3492. **Glyphodes bicolor** (Swainson, [1821]) (Pyrilidae)
Synonym(s): *bicolor* Swainson, [1821]; *perspicillalis* Zeller, 1852; *diurnalis* Guenée, 1854; *parvalis* Walker, [1866]
3493. **Glyphodes bivitalis** Guenée, 1854 (Pyrilidae)
Synonym(s): *bivitalis* Guenée, 1854; *alitalis* Hulst, 1886
3494. **Glyphodes stotalis** Guenée, 1854 (Pyrilidae)
Synonym(s): *stotalis* Guenée, 1854; *substotalis* Snellen, 1899
3495. **Hellula undalis** (Fabricius, 1781) (Pyrilidae)
Synonym(s): *undalis* Fabricius, 1781; *lunulalis* Costa, 1836; *alconalis* Walker, 1859; *exemptalis* Walker, [1866]; *geyri* Rothschild, 1915; *occidentalis* De Joannis, 1930; *reniculus* Pajni & Rose, 1977
3496. **Hemiscopsis suffusalis** (Walker, 1865) (Pyrilidae)
Synonym(s): *suffusalis* Walker, 1865
3497. **Hendecasis duplifascialis** (Hampson, 1891) (Pyrilidae)
Synonym(s): *duplifascialis* Hampson, 1891
3498. **Herculia nigrivitta** (Walker, 1863) (Pyrilidae)
Synonym(s): *nigrivitta* Walker, 1863; *fuscicosta* Walker, 1863; *costigeralis* Walker, [1866]; *fuscicostalis* Snellen, 1880; *obstans* Meyrick, 1936
3499. **Herpetogramma cynaralis** (Walker, 1859) (Pyrilidae)
Synonym(s): *cynaralis* Walker, 1859; *quadriguttalis* Walker, [1866]; *marginalis* Moore, 1886; *epitrota* Meyrick, 1887
3500. **Herpetogramma mutualis** (Zeller, 1852) (Pyrilidae)
Synonym(s): *mutualis* Zeller, 1852; *#mictualis* Zeller, 1852
3501. **Herpetogramma ottonalis** (Semper, 1902) (Pyrilidae)
Synonym(s): *ottonalis* Semper, 1902
3502. **Herpetogramma phaeopteralis** (Guenée, 1854) (Pyrilidae) Synonym(s): *phaeopteralis* Guenée, 1854; *vecordalis* Guenée, 1854; *vestalis* Walker, 1859; *triarialis* Walker, 1859; *ostreusalis* Walker, 1859; *neloalis* Walker, 1859; *abstrusalis* Walker, 1859; *additalis* Walker, 1862; *plebejalis* Lederer, 1863; *cellatalis* Walker, 1866; *tridentalis* Snellen, 1872; *communalis* Snellen, 1875; *intricatalis* Möschler, 1890; *#phoeopteralis* Hampson, 1896; *#phacopteralis* Viette, 1957
3503. **Heterocnephes incisalis** Snellen, 1899 (Pyrilidae)
Synonym(s): *incisalis* Snellen, 1899
3504. **Hornigia sauberi** Semper, 1900 (Pyrilidae)
Synonym(s): *sauberi* Semper, 1900
3505. **Hvidodes laticostalis** (Guenée, 1854) (Pyrilidae)
Synonym(s): *laticostalis* Guenée, 1854
3506. **Hydriris ornatalis** (Duponchel, 1832) (Pyrilidae)
Synonym(s): *ornatalis* Duponchel, 1832; *saturnalis* Treitschke, 1835; *deciusalis* Walker, 1859; *invenustalis* Walker, [1866]; *fraterna* Butler, 1875; *pulchellalis* Mabilie, 1880 *nec* Mill., 1873; *bifascialis* Heeger, 1938; *orientalis* Yamanaka, 1972
3507. **Hymenia perspectalis** (Hübner, 1796) (Pyrilidae)
Synonym(s): *perspectalis* Hübner, 1796; *primordialis* Zeller, 1852; *exportalis* Guenée, 1854; *rhinthonalis* Walker, 1859; *phrasiusalis* Walker, 1859; *spilotalis* Saalmüller, 1880
3508. **Hymenoptychis dentilinealis** Snellen, 1880 (Pyrilidae)
Synonym(s): *dentilinealis* Snellen, 1880
3509. **Hymenoptychis sordida** Zeller, 1852 (Pyrilidae)
Synonym(s): *sordida* Zeller, 1852; *tipuliformis* Walker, 1863; *pterophoralis* Walker, [1866]
3510. **Hypargyria metalliferella** Ragonot, 1888 (Pyrilidae)
Synonym(s): *metalliferella* Ragonot, 1888; *#metalliferella* Pinhey, 1975
3511. **Ilihyia lateritalis** (Walker, 1863) (Pyrilidae)
Synonym(s): *lateritalis* Walker, 1863
3512. **Isocentris filalis** (Guenée, 1854) (Pyrilidae)
Synonym(s): *filalis* Guenée, 1854; *rhodophilalis* Walker, [1866]; *amoenalis* Walker, [1866]; *dives* Butler, 1870

3513. **Lamacha tortricalis** (Walker,[1866]) (Pyrilidae)
Synonym(s): *tortricalis* Walker,[1866]
3514. **Mabira eryxalis** (Walker,1859) (Pyrilidae) Synonym(s):
eryxalis Walker,1859; *velatalis* Snellen,1892; *crocobaphes* Turner,1937
3515. **Macna camiguina** Semper,1902 (Pyrilidae)
Synonym(s): *camiguina* Semper,1902
3516. **Macna minanga** Semper,1902 (Pyrilidae) Synonym(s):
minanga Semper,1902
3517. **Margarosticha bimaculalis** Snellen,1880 (Pyrilidae)
Synonym(s): *bimaculalis* Snellen,1880
3518. **Margarosticha nigrescens** Speidel,2003 (Pyrilidae)
Synonym(s): *nigrescens* Speidel,2003
3519. **Massepha absolutalis** Walker,1859 (Pyrilidae)
Synonym(s): *absolutalis* Walker,1859; *pollutalis* Snellen,1880; *marginalis* Swinhoe,1906
3520. **Meroctena staintonii** Lederer,1863 (Pyrilidae)
Synonym(s): *staintonii* Lederer,1863; *sirioxantha* Meyrick,1886
3521. **Merotoma dairalis** (Walker,1859) (Pyrilidae)
Synonym(s): *dairalis* Walker,1859
3522. **Metoea foederalis** (Guenée,1854) (Pyrilidae)
Synonym(s): *foederalis* Guenée,1854; *tenellalis* Guenée,1854; *leucothoalis* Walker,1859; *spilomelalis* Walker,1859; *oethonalis* Walker,1859; *scitalis* Lederer,1863; *episila* Meyrick,1886; *pseudofoederalis* Strand,1913; *#cantonalis* Caradja,1925
3523. **Micraglossa philippinensis** Hampson,1917 (Pyrilidae)
Synonym(s): *philippinensis* Hampson,1917
3524. **Mimudea brevalis** (Walker,1859) (Pyrilidae)
Synonym(s): *brevialis* Walker,1859
3525. **Mucialla fuscolimbalis** Snellen,1900 (Pyrilidae)
Synonym(s): *fuscolimbalis* Snellen,1900
3526. **Musotima suffusalis** (Hampson,1893) (Pyrilidae)
Synonym(s): *suffusalis* (Hampson,1893)
3527. **Nausinoe euroalis** Swinhoe,1889 (Pyrilidae)
Synonym(s): *euroalis* Swinhoe,1889
3528. **Nausinoe geometralis** (Guenée,1854) (Pyrilidae)
Synonym(s): *geometralis* Guenée,1854; *#geometricalis* Lederer,1863
3529. **Nomophila noctuella** ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *noctuella* [Denis & Schiffermüller],1775
3530. **Nonambesa cartera** (West,1931) (Pyrilidae)
Synonym(s): *cartera* West,1931
3531. **Notarcha quaternalis** (Zeller,1852) (Pyrilidae)
Synonym(s): *quaternalis* Zeller,1852
3532. **Nymphicula albidorsalis** Speidel,1998 (Pyrilidae)
Synonym(s): *albidorsalis* Speidel,1998
3533. **Nymphicula banauensis** Speidel,2003 (Pyrilidae)
Synonym(s): *banauensis* Speidel,2003
3534. **Nymphicula eberti** Speidel,1998 (Pyrilidae)
Synonym(s): *eberti* Speidel,1998
3535. **Nymphicula luzonensis** Yoshiyasu,1997 (Pyrilidae)
Synonym(s): *luzonensis* Yoshiyasu,1997
3536. **Nymphicula manilensis** Sauber,1902 (Pyrilidae)
Synonym(s): *manilensis* Sauber,1902
3537. **Nymphicula meyi** Speidel,1998 (Pyrilidae)
Synonym(s): *meyi* Speidel,1998
3538. **Nymphicula mindorensis** Speidel,2003 (Pyrilidae)
Synonym(s): *mindorensis* Speidel,2003
3539. **Nymphicula morimotoi** Yoshiyasu,1997 (Pyrilidae)
Synonym(s): *morimotoi* Yoshiyasu,1997
3540. **Nymphicula negrosensis** Speidel,2003 (Pyrilidae)
Synonym(s): *negrosensis* Speidel,2003
3541. **Nymphicula nigrolunalis** Speidel,1998 (Pyrilidae)
Synonym(s): *nigrolunalis* Speidel,1998
3542. **Nymphicula samarensis** Speidel,2003 (Pyrilidae)
Synonym(s): *samarensis* Speidel,2003
3543. **Nymphicula zambalensis** Speidel,2003 (Pyrilidae)
Synonym(s): *zambalensis* Speidel,2003
3544. **Nymphula depunctalis** (Guenée,1854) (Pyrilidae)
Synonym(s): *depunctalis* Guenée,1854; *decussalis* Walker,1859; *vestigialis* Snellen,1880; *dianalis* Schaus,1905
3545. **Nymphula foederalis** (Guenée,1854) (Pyrilidae)
Synonym(s): *foederalis* Guenée,1854; *tenellalis* Guenée,1854; *leucothoalis* Walker,1859; *oethonalis* Walker,1859; *scitalis* Lederer,1863; *solitaris* Walker,1865; *episila* Meyrick,1886; *cantonalis* Caradja,1925
3546. **Nymphula manilensis** Hampson,1917 (Pyrilidae)
Synonym(s): *manilensis* Hampson,1917
3547. **Oligostigma angustalis** Sauber,1902 (Pyrilidae)
Synonym(s): *angustalis* Sauber,1902
3548. **Omiodes cuprealis** (Moore,1877) (Pyrilidae)
Synonym(s): *cuprealis* Moore,1877
3549. **Omiodes diemenalis** (Guenée,1854) (Pyrilidae)
Synonym(s): *diemenalis* Guenée,1854; *absistalis* Walker,1859; *lydialis* Walker,1859; *ustalis* Lederer,1863; *incertalis* Walker,[1866]; *pyraustalis* Snellen,[1880].
3550. **Omiodes noctescens** (Moore,1888) (Pyrilidae)
Synonym(s): *noctescens* Moore,1888
3551. **Omiodes sp.** (Pyrilidae) Synonym(s):
3552. **Omiodes unialis** (Guenée,1854) (Pyrilidae)
Synonym(s): *unialis* Guenée,1854
3553. **Omphisa illisalis** (Walker,1859) (Pyrilidae)
Synonym(s): *illisalis* Walker,1859
3554. **Omphisa machinalis** (R.Felder & Rogenhofer,1875) (Pyrilidae) Synonym(s): *machinalis* R.Felder & Rogenhofer,1875
3555. **Orphnophanes albisignalis** Hampson,1896 (Pyrilidae)
Synonym(s): *albisignalis* Hampson,1896
3556. **Orthoraphis metasticta** Hampson,1898 (Pyrilidae)
Synonym(s): *metasticta* Hampson,1898
3557. **Orthospila orissusalis** (Walker,1859) (Pyrilidae)
Synonym(s): *orissusalis* Walker,1859; *nigrilinealis* Walker,[1866]; *tigrina* Moore,1886; *demeter* Snellen,1890; *compsogramma* Meyrick,1894
3558. **Ostrinia furnacalis** (Guenée,1854) (Pyrilidae)
Synonym(s): *furnacalis* Guenée,1854; *damoalis* Walker,1859; *salentialis* Snellen,1880; *kodzukalis* Matsumura,1897; *polygona* Dyar,1905; *vastatrix* Schultze,1908
3559. **Pachynoa circualis** Sauber,1902 (Pyrilidae)
Synonym(s): *circualis* Sauber,1902
3560. **Pachynoa ledereri** Snellen,1892 (Pyrilidae)
Synonym(s): *ledereri* Snellen,1892
3561. **Pachynoa thoosalis** (Walker,1859) (Pyrilidae)
Synonym(s): *thoosalis* Walker,1859
3562. **Pagyda salvalis** Walker,1859 (Pyrilidae) Synonym(s):
salvalis Walker,1859
3563. **Palpita actorionalis** (Walker,1859) (Pyrilidae)
Synonym(s): *actorionalis* Walker,1859; *jovialis* R.Felder & Rogenhofer,1875; *zelleri* Lederer,1863
3564. **Palpita amphitritalis** (Guenée,1854) (Pyrilidae)
Synonym(s): *amphitritalis* Guenée,1854
3565. **Palpita annulata** (Fabricius,1794) (Pyrilidae)
Synonym(s): *annulata* Fabricius,1794; *celsalis* Walker,1859; *partialis* Lederer,1863; *ardealis* R.Felder & Rogenhofer,1875; *inuitata* Butler,1879.
3566. **Palpita crameralis** (Guenée,1854) (Pyrilidae)
Synonym(s): *crameralis* Guenée,1854.
3567. **Palpita glauculalis** (Guenée,1854) (Pyrilidae)
Synonym(s): *glauculalis* Guenée,1854
3568. **Palpita nigropunctalis** (Bremer,1864) (Pyrilidae)
Synonym(s): *nigropunctalis* Bremer,1864
3569. **Paracymoriza argenteolineata** Speidel,2003 (Pyrilidae)
Synonym(s): *argenteolineata* Speidel,2003
3570. **Paracymoriza fuliginosa** Speidel,2003 (Pyrilidae)
Synonym(s): *fuliginosa* Speidel,2003
3571. **Paracymoriza nigrella** Speidel,2003 (Pyrilidae)
Synonym(s): *nigrella* Speidel,2003
3572. **Parapoxyn diminutalis** Snellen,1880 (Pyrilidae)
Synonym(s): *diminutalis* Snellen,1880; *dicentra* Meyrick,1885; *pallida* Butler,1886
3573. **Parapoxyn fluctuosalis** (Zeller,1852) (Pyrilidae)
Synonym(s): *fluctuosalis* Zeller,1852; *linealis* Guenée,1854; *chrysippusalis* Walker,1859; *obitalis* Walker,1859; *curta* Butler,1879; *luteivittalis* Mabille,1880; *cryzalis* Wood-Mason,1885.
3574. **Parapoxyn leucographa** Speidel,2003 (Pyrilidae)
Synonym(s): *leucographa* Speidel,2003
3575. **Parapoxyn pycnarmonides** Speidel,2003 (Pyrilidae)
Synonym(s): *pycnarmonides* Speidel,2003

- 3576. Paraponyx stagnalis (Zeller,1852)** (Pyralidae)
Synonym(s): *stagnalis* Zeller,1852; *depunctalis* Guenée,1852; *decussalis* Walker,1859; *vestigialis* Snellen,1880; *hillii* Tepper,1890
- 3577. Parasarama cuproviridalis (Moore,1867)** (Pyralidae)
Synonym(s): *cuproviridalis* Moore,1867
- 3578. Parotis marinata (Fabricius,1794)** (Pyralidae)
Synonym(s): *marinata* Fabricius,1794; *psittacalis* Hübner,[1825]; *maliferalis* Walker,[1866]; *planalis* Warren,1896; *advena* Hering,1901
- 3579. Parthenodes parallelalis (Sauber,1902)** (Pyralidae)
Synonym(s): *parallelalis* Sauber,1902
- 3580. Pempelia anerastica (Snellen,1880)** (Pyralidae)
Synonym(s): *anerastica* Snellen,1880
- 3581. Phycita clientella (Zeller,1867)** (Pyralidae)
Synonym(s): *clientella* Zeller,1867
- 3582. Pinacia fulvidorsalis (Hübner,1832)** (Pyralidae)
Synonym(s): *fulvidorsalis* Hübner,1832
- 3583. Pionea praepandalis (Snellen,1890)** (Pyralidae)
Synonym(s): *praepandalis* Snellen,1890
- 3584. Pitacanda spilosomoides Moore,1886** (Pyralidae)
Synonym(s): *spilosomoides* Moore,1886
- 3585. Pramadea fraterna (Moore,1885)** (Pyralidae)
Synonym(s): *fraterna* Moore,1885
- 3586. Pramadea ridopalis (Swinhoe,1892)** (Pyralidae)
Synonym(s): *ridopalis* Swinhoe,1892
- 3587. Pramadea textalis (Lederer,1863)** (Pyralidae)
Synonym(s): *textalis* Lederer,1863
- 3588. Pristathria akbarella (Ragonot,1888)** (Pyralidae)
Synonym(s): *akbarella* Ragonot,1888
- 3589. Proceras sacchariphagus (Bojer,1856)** (Pyralidae)
Synonym(s): *sacchariphagus* Bojer,1856; *saccharellus* Guenée,1862; *mauriciellus* Walker,1863; *striatalis* Snellen,1891.
- 3590. Prooedema inscinalis (Walker,[1866])** (Pyralidae)
Synonym(s): *inscinalis* Walker,[1866]; *#incisalis* Robinson, Tuck & Schaffer,1994
- 3591. Prorodes mimica Swinhoe,1894** (Pyralidae)
Synonym(s): *mimica* Swinhoe,1894; *triparalis* Warren,1896; *albipunctata* Warren,1896.
- 3592. Psara hipponalis (Walker,1859)** (Pyralidae)
Synonym(s): *hipponalis* Walker,1859
- 3593. Pseudodavara haemaphoralis (Hampson,1908)** (Pyralidae) Synonym(s): *haemaphoralis* Hampson,1908
- 3594. Pycnarmon decipiens Munroe,1958** (Pyralidae)
Synonym(s): *decipiens* Munroe,1958
- 3595. Pycnarmon jaguaralis (Guenée,1854)** (Pyralidae)
Synonym(s): *jaguaralis* Guenée,1854
- 3596. Pygospila tyres (Cramer,[1780])** (Pyralidae)
Synonym(s): *tyres* Cramer,[1780]; *thyralis* Hübner,[1825]; *#tyresalis* Guenée,1852; *#tyridia* Strand,1920.
- 3597. Pyralis manihotalis Guenée,1854** (Pyralidae)
Synonym(s): *manihotalis* Guenée,1854; *vetusalis* Walker,1859; *gerontesalis* Walker,1859; *laudatella* Walker,1863; *despectalis* Walker,1866; *miseralis* Walker,1866; *achatina* Butler,1877; *haematinalis* Saalmüller,1880; *centripunctalis* Gaede,1916; *pupalis* Strand,1919; *compsobathra* Meyrick,1932.
- 3598. Pyralis pictalis (Curtis,1834)** (Pyralidae) Synonym(s): *pictalis* Curtis,1834; *pronoecalis* Walker,1863; *elachia* Butler,1879.
- 3599. Pyrausta (s.str.) coclesalis (Walker,1859)** (Pyralidae)
Synonym(s): *coclesalis* Walker,1859
- 3600. Pyrausta panopealis (Walker,1859)** (Pyralidae)
Synonym(s): *panopealis* Walker,1859
- 3601. Pyrausta sp.** (Pyralidae) Synonym(s):
- 3602. Rhimpalea trogusalis (Walker,1859)** (Pyralidae)
Synonym(s): *trogusalis* Walker,1859
- 3603. Rhinaphe apotomella (Meyrick,1879)** (Pyralidae)
Synonym(s): *apotomella* Meyrick,1879
- 3604. Sameodes cancellalis (Zeller,1852)** (Pyralidae)
Synonym(s): *cancellalis* Zeller,1852; *pipeleisalis* Walker,1859; *lepidalis* Walker,1859; *sidealis* Walker,1859; *meridionalis* Walker,[1866]; *trithyrals* Snellen,1880
- 3605. Schoenobius incertellus (Walker,1863)** (Pyralidae)
Synonym(s): *incertellus* Walker,1863
- 3606. Schoenobius minutellus Zeller,1863** (Pyralidae)
Synonym(s): *minutellus* Zeller,1863
- 3607. Schoenobius ochraceellus Snellen,1880** (Pyralidae)
Synonym(s): *ochraceellus* Snellen,1880
- 3608. Schoenobius punctellus Zeller,1863** (Pyralidae)
Synonym(s): *punctellus* Zeller,1863; *bipunctifer* Walker,1863; *gratiosellus* Walker,1864.
- 3609. Schoenobius sp.** (Pyralidae) Synonym(s):
- 3610. Scirpophaga incertulas (Walker,1863)** (Pyralidae)
Synonym(s): *incertulas* Walker,1863; *?admotella* Walker,1863; *punctellus* Zeller,1863; *minutellus* Zeller,1863; *bipunctifera* Walker,1863; *gratiosellus* Walker,1864; *#ncertulas* Hutacharern & Tuhtim,1995.
- 3611. Scirpophaga innotata (Walker,1863)** (Pyralidae)
Synonym(s): *innotata* Walker,1863; *sericea* Snellen,1880
- 3612. Scirpophaga nivella (Fabricius,1794)** (Pyralidae)
Synonym(s): *nivella* Fabricius,1794; *chrysorrhoea* Zeller,1863; *auriflua* Zeller,1863; *brunescens* Moore,1888; *celidias* Meyrick,1894; *eucastalis* Strand,1918.
- 3613. Scirpophaga virginia Schultze,1908** (Pyralidae)
Synonym(s): *virginia* Schultze,1908
- 3614. Semioceros gratalis (Lederer,1863)** (Pyralidae)
Synonym(s): *gratalis* Lederer,1863
- 3615. Sparagmia melliculalis Lederer,1863** (Pyralidae)
Synonym(s): *melliculalis* Lederer,1863
- 3616. Spatulipalpia effosella Ragonot,1893** (Pyralidae)
Synonym(s): *effosella* Ragonot,1893
- 3617. Spoladea recurvalis (Fabricius,1775)** (Pyralidae)
Synonym(s): *recurvalis* Fabricius,1775; *fascialis* Cramer,[1782]; *recurvella* Zincken,1818; *diffascialis* Hübner,[1825]; *albifacialis* Boisduval,1833; *animalis* Guenée,1854; *exodias* Meyrick,1904; *formosana* Shiraki,1913.
- 3618. Stericta divitalis (Guenée,1854)** (Pyralidae)
Synonym(s): *divitalis* Guenée,1854
- 3619. Sufetula sunidesalis Walker,1859** (Pyralidae)
Synonym(s): *sunidesalis* Walker,1859; *albicans* Walker,1863; *flexalis* Walker,1863; *choreutalis* Snellen,1880.
- 3620. Syllepte jopasalis (Walker,1859)** (Pyralidae)
Synonym(s): *jopasalis* Walker,1859
- 3621. Syllepte lunalis (Guenée,1854)** (Pyralidae) Synonym(s): *lunalis* Guenée,1854
- 3622. Syllepte multilinealis (Guenée,1854)** (Pyralidae)
Synonym(s): *multilinealis* Guenée,1854
- 3623. Syllepte rubricetalis (Snellen,1880)** (Pyralidae)
Synonym(s): *rubricetalis* Snellen,1880
- 3624. Symmoracma minoralis (Snellen,1880)** (Pyralidae)
Synonym(s): *minoralis* Snellen,1880; *spodinopa* Meyrick,1894; *fuliginosa* Rothschild,1916; *spodinopella* Strand,1919
- 3625. Synclera traducalis (Zeller,1852)** (Pyralidae)
Synonym(s): *traducalis* Zeller,1852; *retinalis* Lederer,1857; *univocalis* Walker,1859; *achatinalis* Guenée,1862
- 3626. Talanga sabacusalis (Walker,1859)** (Pyralidae)
Synonym(s): *sabacusalis* Walker,1859; *dilectalis* Snellen,1895
- 3627. Taseinia nigromaculalis Snellen,1901** (Pyralidae)
Synonym(s): *nigromaculalis* Snellen,1901
- 3628. Terastia meticolosalis Guenée,1854** (Pyralidae)
Synonym(s): *meticolosalis* Guenée,1854; *quadratalis* Walker,1865; *coeligenalis* Hulst,1886
- 3629. Terastia subjectalis Lederer,1863** (Pyralidae)
Synonym(s): *subjectalis* Lederer,1863; *quadratalis* Walker,[1866]
- 3630. Theila hirsuta Semper,1902** (Pyralidae) Synonym(s): *hirsuta* Semper,1902
- 3631. Tirathaba ruptilinea (Walker,1866)** (Pyralidae)
Synonym(s): *ruptilinea* Walker,1866; *chlorosema* Lower,1903
- 3632. Trichoceraea semperi Sauber,1902** (Pyralidae)
Synonym(s): *semperi* Sauber,1902
- 3633. Trichophyesetis metamelalis Hampson,1899** (Pyralidae)
Synonym(s): *metamelalis* Hampson,1899
- 3634. Uthinia albisignalis (Hampson,1896)** (Pyralidae)
Synonym(s): *albisignalis* Hampson,1896; *albostrigalis* Snellen,1898
- 3635. Vitessa (pyraliata-gr.) pyraliata Walker,1864** (Pyralidae) Synonym(s): *pyraliata* Walker,1864

3636. *Vitessa* (pyraliata-gr.) *pyraliata latialbata* Munroe & Shaffer, 1980 (Pyralidae) Synonym(s): *latialbata* Munroe & Shaffer, 1980
3637. *Vitessa* (pyraliata-gr.) *pyraliata triangulifera* Munroe & Shaffer, 1980 (Pyralidae) Synonym(s): *triangulifera* Munroe & Shaffer, 1980
3638. *Vitessa* (pyraliata-gr.) *splendida* Schultze, 1908 (Pyralidae) Synonym(s): *splendida* Schultze, 1908
3639. *Vitessa* (stettina-gr.) *philippina* Munroe & Shaffer, 1980 (Pyralidae) Synonym(s): *philippina* Munroe & Shaffer, 1980
3640. *Vitessa* (suradeva-gr.) *suradeva* Moore, [1860] (Pyralidae) Synonym(s): *suradeva* Moore, [1860]
3641. *Vitessa* (suradeva-gr.) *suradeva suradeva* Moore, [1860] (Pyralidae) Synonym(s): *suradeva* Moore, [1860]; *formosa* R. Felder & Rogenhofer, 1874
3642. *Volobilis biplaga* Walker, 1863 (Pyralidae) Synonym(s): *biplaga* Walker, 1863
3643. *Volobilis chloropterella* (Hampson, 1896) (Pyralidae) Synonym(s): *chloropterella* Hampson, 1896
3644. *Abisara echerius bazilensis* Fruhstorfer, 1900 (Riodinidae) Synonym(s): *bazilensis* Fruhstorfer, 1900
3645. *Abisara echerius cavana* Schröder & Treadaway, 1995 (Riodinidae) Synonym(s): *cavana* Schröder & Treadaway, 1995
3646. *Abisara echerius laura* Fruhstorfer, 1904 (Riodinidae) Synonym(s): *laura* Fruhstorfer, 1904
3647. *Abisara echerius palawana* Staudinger, 1889 (Riodinidae) Synonym(s): *palawana* Staudinger, 1889
3648. *Abisara echerius panayensis* Medicielo & Hanafusa, 1994 (Riodinidae) Synonym(s): *panayensis* Medicielo & Hanafusa, 1994
3649. *Abisara echerius simillima* Schröder & Treadaway, 1995 (Riodinidae) Synonym(s): *simillima* Schröder & Treadaway, 1995
3650. *Abisara geza* Fruhstorfer, 1904 (Riodinidae) Synonym(s): *geza* Fruhstorfer, 1904
3651. *Abisara geza litavicus* Fruhstorfer, 1912 (Riodinidae) Synonym(s): *litavicus* Fruhstorfer, 1912
3652. *Abisara kausambi* C. Felder & R. Felder, 1860 (Riodinidae) Synonym(s): *kausambi* C. Felder & R. Felder, 1860
3653. *Abisara kausambi aja* Fruhstorfer, 1904 (Riodinidae) Synonym(s): *aja* Fruhstorfer, 1904
3654. *Abisara mindanaensis* Semper, 1892 (Riodinidae) Synonym(s): *mindanaensis* Semper, 1892
3655. *Abisara mindanaensis boholensis* M. Okano & T. Okano, 1993 (Riodinidae) Synonym(s): *boholensis* M. Okano & T. Okano, 1993
3656. *Abisara mindanaensis canlaonensis* Medicielo & Hanafusa, 1994 (Riodinidae) Synonym(s): *canlaonensis* Medicielo & Hanafusa, 1994
3657. *Abisara mindanaensis cudaca* Fruhstorfer, 1914 (Riodinidae) Synonym(s): *cudaca* Fruhstorfer, 1914
3658. *Abisara mindanaensis mindanaensis* Semper, 1892 (Riodinidae) Synonym(s): *mindanaensis* Semper, 1892
3659. *Abisara mindanaensis mudita* Fruhstorfer, 1914 (Riodinidae) Synonym(s): *mudita* Fruhstorfer, 1914
3660. *Abisara saturata corbeti* Bennett, 1950 (Riodinidae) Synonym(s): *corbeti* Bennett, 1950
3661. *Dodona deodata* Hewitson, 1876 (Riodinidae) Synonym(s): *deodata* Hewitson, 1876
3662. *Dodona deodata aponata* Semper, 1889 (Riodinidae) Synonym(s): *aponata* Semper, 1889
3663. *Dodona deodata malindangensis* Schröder & Treadaway, 1988 (Riodinidae) Synonym(s): *malindangensis* Schröder & Treadaway, 1988
3664. *Dodona deodata ohtsukai* Hayashi, 1984 (Riodinidae) Synonym(s): *ohtsukai* Hayashi, 1984
3665. *Dodona deodata sakaii* Hayashi, 1976 (Riodinidae) Synonym(s): *sakaii* Hayashi, 1976
3666. *Dodona deodata treadawayi* Hanafusa, 1989 (Riodinidae) Synonym(s): *treadawayi* Hanafusa, 1989
3667. *Taxila haquinus* (Fabricius, 1793) (Riodinidae) Synonym(s): *haquinus* Fabricius, 1793
3668. *Taxila haquinus palawanicus* Staudinger, 1889 (Riodinidae) Synonym(s): *palawanicus* Staudinger, 1889
3669. *Zemerops phlegyas hondai* Hayashi, 1976 (Riodinidae) Synonym(s): *hondai* Hayashi, 1976
3670. *Actias philippinica* Nässig & Treadaway, 1997 (Saturniidae) Synonym(s): *philippinica* Nässig & Treadaway, 1997
3671. *Actias philippinica bulbosa* Nässig & Treadaway, 1997 (Saturniidae) Synonym(s): *bulbosa* Nässig & Treadaway, 1997
3672. *Actias philippinica philippinica* Nässig & Treadaway, 1997 (Saturniidae) Synonym(s): *philippinica* Nässig & Treadaway, 1997
3673. *Actias selene* (Hübner, 1806) (Saturniidae) Synonym(s): *selene* Hübner, 1806; *#dianae* Hutton, 1846
3674. *Actias selene brevijuxta* Nässig & Treadaway, 1997 (Saturniidae) Synonym(s): *brevijuxta* Nässig & Treadaway, 1997
3675. *Antheraea (Antheraeopsis) paniki* Nässig & Treadaway, 1998 (Saturniidae) Synonym(s): *paniki* Nässig & Treadaway, 1998
3676. *Antheraea (Antheraeopsis) paniki paniki* Nässig & Treadaway, 1998 (Saturniidae) Synonym(s): *paniki* Nässig & Treadaway, 1998
3677. *Antheraea (Antheraeopsis) paniki sahi* Nässig & Treadaway, 1998 (Saturniidae) Synonym(s): *sahi* Nässig & Treadaway, 1998
3678. *Antheraea (s.str.) assamensis* Helfer, 1837 (Saturniidae) Synonym(s): *assamensis* Helfer, 1837
3679. *Antheraea (s.str.) assamensis assamensis* Helfer, 1837 (Saturniidae) Synonym(s): *assamensis* Helfer, 1837
3680. *Antheraea (s.str.) gschwandneri* Niepelt, 1918 (Saturniidae) Synonym(s): *gschwandneri* Niepelt, 1918
3681. *Antheraea (s.str.) gschwandneri zwicki* Nässig & Treadaway, 1998 (Saturniidae) Synonym(s): *zwicki* Nässig & Treadaway, 1998
3682. *Antheraea (s.str.) gulata* Nässig & Treadaway, 1998 (Saturniidae) Synonym(s): *gulata* Nässig & Treadaway, 1998
3683. *Antheraea (s.str.) halconensis* Paukstadt & Brosch, 1996 (Saturniidae) Synonym(s): *halconensis* Paukstadt & Brosch, 1996
3684. *Antheraea (s.str.) helferi* Moore, 1858 (Saturniidae) Synonym(s): *helferi* Moore, 1858
3685. *Antheraea (s.str.) helferi helferi* Moore, 1858 (Saturniidae) Synonym(s): *helferi* Moore, 1858
3686. *Antheraea (s.str.) larissa* (Westwood, 1847) (Saturniidae) Synonym(s): *larissa* Westwood, 1847; *ridlyi* Moore, 1892; *delegata* Swinhoe, 1883
3687. *Antheraea (s.str.) larissa larissa* (Westwood, 1847) (Saturniidae) Synonym(s): *larissa* Westwood, 1847; *ridlyi* Moore, 1892; *delegata* Swinhoe, 1883
3688. *Antheraea (s.str.) larissa mindoroensis* Brosch & Paukstadt, 1996 (Saturniidae) Synonym(s): *mindoroensis* Brosch & Paukstadt, 1996
3689. *Antheraea (s.str.) larissa philippirissa* Treadaway & Nässig, 1997 (Saturniidae) Synonym(s): *philippirissa* Treadaway & Nässig, 1997
3690. *Antheraea (s.str.) platessa* Rothschild, 1903 (Saturniidae) Synonym(s): *platessa* Rothschild, 1903
3691. *Antheraea (s.str.) rosieri* (Toxopeus, 1940) (Saturniidae) Synonym(s): *rosieri* Toxopeus, 1940
3692. *Antheraea (s.str.) rosieri imeldae* Nässig & Treadaway, 1998 (Saturniidae) Synonym(s): *imeldae* Nässig & Treadaway, 1998
3693. *Antheraea (s.str.) rosieri rosieri* (Toxopeus, 1940) (Saturniidae) Synonym(s): *rosieri* Toxopeus, 1940
3694. *Antheraea (s.str.) semperi* C. Felder & R. Felder, 1861 (Saturniidae) Synonym(s): *semperi* C. Felder & R. Felder, 1861
3695. *Antheraea (s.str.) semperi noeli* Nässig & Treadaway, 1998 (Saturniidae) Synonym(s): *noeli* Nässig & Treadaway, 1998
3696. *Antheraea (s.str.) semperi semperi* C. Felder & R. Felder, 1861 (Saturniidae) Synonym(s): *semperi* C. Felder & R. Felder, 1861

3697. *Attacus atlas* (Linnaeus, 1758) (Saturniidae)
Synonym(s): *atlas* Linnaeus, 1758
3698. *Attacus caesar* Maassen, 1873 (Saturniidae)
Synonym(s): *caesar* Maassen, 1873; *imperator* Kirby, 1892
3699. *Attacus lemairei* Peigler, 1985 (Saturniidae)
Synonym(s): *lemairei* Peigler, 1985
3700. *Attacus lemairei lemairei* Peigler, 1985 (Saturniidae)
Synonym(s): *lemairei* Peigler, 1985
3701. *Attacus lorquini* C.Felder & R.Felder, 1861 (Saturniidae)
Synonym(s): *lorquini* C.Felder & R.Felder, 1861
3702. *Cricula luzonica* Jordan, 1909 (Saturniidae)
Synonym(s): *luzonica* Jordan, 1909
3703. *Cricula luzonica kareli* Nässig & Treadaway, 1997 (Saturniidae)
Synonym(s): *kareli* Nässig & Treadaway, 1997
3704. *Cricula luzonica leyteana* Nässig & Treadaway, 1997 (Saturniidae)
Synonym(s): *leyteana* Nässig & Treadaway, 1997
3705. *Cricula luzonica luzonica* Jordan, 1909 (Saturniidae)
Synonym(s): *luzonica* Jordan, 1909
3706. *Cricula mindanaensis* Nässig & Treadaway, 1997 (Saturniidae)
Synonym(s): *mindanaensis* Nässig & Treadaway, 1997
3707. *Cricula mindanaensis mindanaensis* Nässig & Treadaway, 1997 (Saturniidae)
Synonym(s): *mindanaensis* Nässig & Treadaway, 1997
3708. *Cricula trifenestrata* (Helfer, 1837) (Saturniidae)
Synonym(s): *trifenestrata* Helfer, 1837
3709. *Cricula trifenestrata treadawayi* Nässig, 1989 (Saturniidae)
Synonym(s): *treadawayi* Nässig, 1989
3710. *Lemaireia schintlmeisteri* (Nässig & Lampe, 1989) (Saturniidae)
Synonym(s): *schintlmeisteri* Nässig & Lampe, 1989
3711. *Loepa mindanaensis* Schüssler, 1933 (Saturniidae)
Synonym(s): *mindanaensis* Schüssler, 1933
3712. *Loepa nigropupillata* Nässig & Holloway, 1988 (Saturniidae)
Synonym(s): *nigropupillata* Nässig & Holloway, 1988
3713. *Loepa palawana* Nässig & Holloway, 1997 (Saturniidae)
Synonym(s): *palawana* Nässig & Holloway, 1997
3714. *Samia luzonica* (Watson, 1914) (Saturniidae)
Synonym(s): *luzonica* Watson, 1914; *mindanaensis* Rebel, 1924; *hmanillensis* Bouvier, 1927.
3715. *Samia treadawayi* Naumann, 1998 (Saturniidae)
Synonym(s): *treadawayi* Naumann, 1998
3716. *Acrophtalmia albofasciata* Uémura & Yamaguchi, 1982 (Satyridae)
Synonym(s): *albofasciata* Uémura & Yamaguchi, 1982
3717. *Acrophtalmia artemis* C.Felder & R.Felder, 1861 (Satyridae)
Synonym(s): *artemis* C.Felder & R.Felder, 1861
3718. *Acrophtalmia artemis artemis* C.Felder & R.Felder, 1861 (Satyridae)
Synonym(s): *artemis* C.Felder & R.Felder, 1861
3719. *Acrophtalmia artemis misarte* Semper, 1892 (Satyridae)
Synonym(s): *misarte* Semper, 1892
3720. *Acrophtalmia leto* Semper, 1887 (Satyridae)
Synonym(s): *leto* Semper, 1887
3721. *Acrophtalmia leto leto* Semper, 1887 (Satyridae)
Synonym(s): *leto* Semper, 1887
3722. *Acrophtalmia leto leytenis* Uémura & Yamaguchi, 1982 (Satyridae)
Synonym(s): *leytenis* Uémura & Yamaguchi, 1982
3723. *Acrophtalmia leto ochine* Semper, 1887 (Satyridae)
Synonym(s): *ochine* Semper, 1887
3724. *Acrophtalmia luzonica* Uémura, 1992 (Satyridae)
Synonym(s): *luzonica* Uémura, 1992
3725. *Acrophtalmia yamashitai* Uémura & Yamaguchi, 1982 (Satyridae)
Synonym(s): *yamashitai* Uémura & Yamaguchi, 1982
3726. *Elymnias beza* Hewitson, 1877 (Satyridae)
Synonym(s): *beza* Hewitson, 1877
3727. *Elymnias beza beza* Hewitson, 1877 (Satyridae)
Synonym(s): *beza* Hewitson, 1877
3728. *Elymnias beza samarana* Schröder & Treadaway, 1980 (Satyridae)
Synonym(s): *samarana* Schröder & Treadaway, 1980
3729. *Elymnias casiphonides* Semper, 1892 (Satyridae)
Synonym(s): *casiphonides* Semper, 1892
3730. *Elymnias casiphonides casiphonides* Semper, 1892 (Satyridae)
Synonym(s): *casiphonides* Semper, 1892
3731. *Elymnias casiphonides sanrafaela* Schröder & Treadaway, 1980 (Satyridae)
Synonym(s): *sanrafaela* Schröder & Treadaway, 1980
3732. *Elymnias congruens* Semper, 1887 (Satyridae)
Synonym(s): *congruens* Semper, 1887
3733. *Elymnias congruens congruens* Semper, 1887 (Satyridae)
Synonym(s): *congruens* Semper, 1887
3734. *Elymnias congruens endida* Fruhstorfer, 1911 (Satyridae)
Synonym(s): *endida* Fruhstorfer, 1911
3735. *Elymnias congruens jekei* Schröder & Treadaway, 1989 (Satyridae)
Synonym(s): *jekei* Schröder & Treadaway, 1989
3736. *Elymnias congruens phaios* Fruhstorfer, 1907 (Satyridae)
Synonym(s): *phaios* Fruhstorfer, 1907
3737. *Elymnias congruens photinus* Fruhstorfer, 1907 (Satyridae)
Synonym(s): *photinus* Fruhstorfer, 1907
3738. *Elymnias congruens rafaella* Fruhstorfer, 1907 (Satyridae)
Synonym(s): *rafaella* Fruhstorfer, 1907
3739. *Elymnias congruens salipi* Schröder & Treadaway, 1989 (Satyridae)
Synonym(s): *salipi* Schröder & Treadaway, 1989
3740. *Elymnias congruens subcongruens* Semper, 1892 (Satyridae)
Synonym(s): *subcongruens* Semper, 1892
3741. *Elymnias dara* Distant & Pryer, 1887 (Satyridae)
Synonym(s): *dara* Distant & Pryer, 1887
3742. *Elymnias dara albofasciata* Staudinger, 1889 (Satyridae)
Synonym(s): *albofasciata* Staudinger, 1889
3743. *Elymnias esaca* (Westwood, [1851]) (Satyridae)
Synonym(s): *esaca* Westwood, [1851]; *godferyi* Distant, 1883; *esacoides* Nicéville, [1893]
3744. *Elymnias esaca egialina* (C.Felder & R.Felder, 1863) (Satyridae)
Synonym(s): *egialina* C.Felder & R.Felder, 1863
3745. *Elymnias esaca georgi* Fruhstorfer, 1907 (Satyridae)
Synonym(s): *georgi* Fruhstorfer, 1907
3746. *Elymnias kanekoi* Tsukada & Nishiyama, 1980 (Satyridae)
Synonym(s): *kanekoi* Tsukada & Nishiyama, 1980
3747. *Elymnias kochi* Semper, 1887 (Satyridae)
Synonym(s): *kochi* Semper, 1887
3748. *Elymnias luteofasciata* Okubo, 1980 (Satyridae)
Synonym(s): *luteofasciata* Okubo, 1980
3749. *Elymnias melias* C.Felder & R.Felder, 1863 (Satyridae)
Synonym(s): *melias* C.Felder & R.Felder, 1863
3750. *Elymnias melias malis* Semper, 1887 (Satyridae)
Synonym(s): *malis* Semper, 1887
3751. *Elymnias melias melias* C.Felder & R.Felder, 1863 (Satyridae)
Synonym(s): *melias* C.Felder & R.Felder, 1863
3752. *Elymnias nesaea* (Linnaeus, 1764) (Satyridae)
Synonym(s): *nesaea* Linnaeus, 1764
3753. *Elymnias nesaea tawicola* Schröder & Treadaway, 1989 (Satyridae)
Synonym(s): *tawicola* Schröder & Treadaway, 1989
3754. *Elymnias panthera* (Fabricius, 1787) (Satyridae)
Synonym(s): *panthera* Fabricius, 1787; *lutescens* Butler, 1867
3755. *Elymnias panthera suluana* Fruhstorfer, 1899 (Satyridae)
Synonym(s): *suluana* Fruhstorfer, 1899
3756. *Elymnias parce* Staudinger, 1889 (Satyridae)
Synonym(s): *parce* Staudinger, 1889
3757. *Elymnias sansoni* Jumalon, 1975 (Satyridae)
Synonym(s): *sansoni* Jumalon, 1975
3758. *Erites argentina* Butler, 1868 (Satyridae)
Synonym(s): *argentina* Butler, 1868
3759. *Erites argentina ochreana* Staudinger, 1889 (Satyridae)
Synonym(s): *ochreana* Staudinger, 1889
3760. *Lethe chandica* Moore, 1858 (Satyridae)
Synonym(s): *chandica* Moore, 1858
3761. *Lethe chandica byzaccus* Fruhstorfer, 1911 (Satyridae)
Synonym(s): *byzaccus* Fruhstorfer, 1911
3762. *Lethe chandica canlaonensis* M.Okano & T.Okano, 1991 (Satyridae)
Synonym(s): *canlaonensis* M.Okano & T.Okano, 1991
3763. *Lethe chandica jomaria* Fruhstorfer, 1911 (Satyridae)
Synonym(s): *jomaria* Fruhstorfer, 1911

3764. *Lethe chandica negrito* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *negrito* C.Felder & R.Felder, 1863
3765. *Lethe chandica ratnabandi* Fruhstorfer, 1911 (Satyridae) Synonym(s): *ratnabandi* Fruhstorfer, 1911
3766. *Lethe chandica sisapon* Fruhstorfer, 1911 (Satyridae) Synonym(s): *sisapon* Fruhstorfer, 1911
3767. *Lethe europa (Fabricius, 1775)* (Satyridae) Synonym(s): *europa* Fabricius, 1775; *ragalva* Fruhstorfer, 1911.
3768. *Lethe europa acutefascia* Schröder & Treadaway, 1991 (Satyridae) Synonym(s): *acutefascia* Schröder & Treadaway, 1991
3769. *Lethe europa alaca* Fruhstorfer, 1911 (Satyridae) Synonym(s): *alaca* Fruhstorfer, 1911
3770. *Lethe europa cevanna* Fruhstorfer, 1911 (Satyridae) Synonym(s): *cevanna* Fruhstorfer, 1911
3771. *Melanitis atrax (C.Felder & R.Felder, 1863)* (Satyridae) Synonym(s): *atrax* C.Felder & R.Felder, 1863
3772. *Melanitis atrax atrax (C.Felder & R.Felder, 1863)* (Satyridae) Synonym(s): *atrax* C.Felder & R.Felder, 1863
3773. *Melanitis atrax bazilana* Fruhstorfer, 1908 (Satyridae) Synonym(s): *bazilana* Fruhstorfer, 1908
3774. *Melanitis atrax cajetana* Semper, 1886 (Satyridae) Synonym(s): *cajetana* Semper, 1886
3775. *Melanitis atrax elya* Fruhstorfer, 1911 (Satyridae) Synonym(s): *elya* Fruhstorfer, 1911
3776. *Melanitis atrax erichsonia* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *erichsonia* C.Felder & R.Felder, 1863
3777. *Melanitis atrax lucillus* Fruhstorfer, 1908 (Satyridae) Synonym(s): *lucillus* Fruhstorfer, 1908
3778. *Melanitis atrax soloni* M.Okano & T.Okano, 1991 (Satyridae) Synonym(s): *soloni* M.Okano & T.Okano, 1991
3779. *Melanitis boisduvalia (C.Felder & R.Felder, 1863)* (Satyridae) Synonym(s): *boisduvalia* C.Felder & R.Felder, 1863
3780. *Melanitis boisduvalia boisduvalia (C.Felder & R.Felder, 1863)* (Satyridae) Synonym(s): *boisduvalia* C.Felder & R.Felder, 1863
3781. *Melanitis boisduvalia palawanica* Fruhstorfer, 1908 (Satyridae) Synonym(s): *palawanica* Fruhstorfer, 1908
3782. *Melanitis boisduvalia pompeja* Fruhstorfer, 1911 (Satyridae) Synonym(s): *pompeja* Fruhstorfer, 1911
3783. *Melanitis leda (Linnaeus, 1758)* (Satyridae) Synonym(s): *leda* Linnaeus, 1758; *bankia* Fabricius, 1775; *barnardi* Lucas, 1892
3784. *Melanitis leda leda (Linnaeus, 1758)* (Satyridae) Synonym(s): *leda* Linnaeus, 1758; *bankia* Fabricius, 1775; *barnardi* Lucas, 1892
3785. *Melanitis zitenius (Herbst, 1796)* (Satyridae) Synonym(s): *zitenius* Herbst, 1796
3786. *Melanitis zitenius xantophthalmus* Staudinger, 1889 (Satyridae) Synonym(s): *xantophthalmus* Staudinger, 1889
3787. *Mycalesis aramis* Hewitson, 1866 (Satyridae) Synonym(s): *aramis* Hewitson, 1866
3788. *Mycalesis bisaya* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *bisaya* C.Felder & R.Felder, 1863
3789. *Mycalesis bisaya baboy* Aoki & Uémura, 1982 (Satyridae) Synonym(s): *baboy* Aoki & Uémura, 1982
3790. *Mycalesis bisaya bisaya* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *bisaya* C.Felder & R.Felder, 1863
3791. *Mycalesis bisaya samina* Fruhstorfer, 1908 (Satyridae) Synonym(s): *samina* Fruhstorfer, 1908
3792. *Mycalesis felderi* Butler, 1868 (Satyridae) Synonym(s): *felderi* Butler, 1868
3793. *Mycalesis felderi bilara* M.Okano & T.Okano, 1990 (Satyridae) Synonym(s): *bilara* M.Okano & T.Okano, 1990
3794. *Mycalesis felderi felderi* Butler, 1868 (Satyridae) Synonym(s): *felderi* Butler, 1868
3795. *Mycalesis felderi jolana* Fruhstorfer, 1911 (Satyridae) Synonym(s): *jolana* Fruhstorfer, 1911
3796. *Mycalesis frederici* Aoki & Uémura, 1982 (Satyridae) Synonym(s): *frederici* Aoki & Uémura, 1982
3797. *Mycalesis georgi* Aoki & Uémura, 1982 (Satyridae) Synonym(s): *georgi* Aoki & Uémura, 1982
3798. *Mycalesis georgi georgi* Aoki & Uémura, 1982 (Satyridae) Synonym(s): *georgi* Aoki & Uémura, 1982
3799. *Mycalesis georgi ilacano* Aoki & Uémura, 1982 (Satyridae) Synonym(s): *ilacano* Aoki & Uémura, 1982
3800. *Mycalesis horsfieldi* Moore, 1892 (Satyridae) Synonym(s): *horsfieldi* Moore, 1892
3801. *Mycalesis horsfieldi leucinoe* Fruhstorfer, 1908 (Satyridae) Synonym(s): *leucinoe* Fruhstorfer, 1908
3802. *Mycalesis igoleta* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *igoleta* C.Felder & R.Felder, 1863
3803. *Mycalesis igoleta igoleta* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *igoleta* C.Felder & R.Felder, 1863
3804. *Mycalesis igoleta mangyan* Aoki & Uémura, 1982 (Satyridae) Synonym(s): *mangyan* Aoki & Uémura, 1982
3805. *Mycalesis igoleta negrosensis* Aoki & Uémura, 1982 (Satyridae) Synonym(s): *negrosensis* Aoki & Uémura, 1982
3806. *Mycalesis ita* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *ita* C.Felder & R.Felder, 1863
3807. *Mycalesis ita imeldae* Aoki & Uémura, 1982 (Satyridae) Synonym(s): *imeldae* Aoki & Uémura, 1982
3808. *Mycalesis ita ita* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *ita* C.Felder & R.Felder, 1863
3809. *Mycalesis ita jmeli* Schröder, Treadaway & Nuyda, 1991 (Satyridae) Synonym(s): *jmeli* Schröder, Treadaway & Nuyda, 1991
3810. *Mycalesis ita maitim* Aoki & Uémura, 1982 (Satyridae) Synonym(s): *maitim* Aoki & Uémura, 1982
3811. *Mycalesis ita palawensis* Fruhstorfer, 1909 (Satyridae) Synonym(s): *palawensis* Fruhstorfer, 1909
3812. *Mycalesis ita sinonia* Fruhstorfer, 1911 (Satyridae) Synonym(s): *sinonia* Fruhstorfer, 1911
3813. *Mycalesis ita teatus* Fruhstorfer, 1911 ? (Satyridae) Synonym(s): *teatus* Fruhstorfer, 1911
3814. *Mycalesis janardana* Moore, 1858 (Satyridae) Synonym(s): *janardana* Moore, 1858
3815. *Mycalesis janardana circella* Fruhstorfer, 1911 (Satyridae) Synonym(s): *circella* Fruhstorfer, 1911
3816. *Mycalesis janardana micromede* Fruhstorfer, 1900 (Satyridae) Synonym(s): *micromede* Fruhstorfer, 1900
3817. *Mycalesis kashiwaii* Aoki & Uémura, 1982 (Satyridae) Synonym(s): *kashiwaii* Aoki & Uémura, 1982
3818. *Mycalesis kashiwaii kashiwaii* Aoki & Uémura, 1982 (Satyridae) Synonym(s): *kashiwaii* Aoki & Uémura, 1982
3819. *Mycalesis kashiwaii pula* Aoki & Uémura, 1982 (Satyridae) Synonym(s): *pula* Aoki & Uémura, 1982
3820. *Mycalesis kurosawai* Kashiwai, 1986 (Satyridae) Synonym(s): *kurosawai* Kashiwai, 1986
3821. *Mycalesis mineus (Linnaeus, 1767)* (Satyridae) Synonym(s): *mineus* Linnaeus, 1767; *drusia* Cramer, 1775; *otrea* Stoll, 1780; *subfasciata* Moore, 1882; *carpenteri* Butler, 1886.
3822. *Mycalesis mineus philippina* Moore, 1892 (Satyridae) Synonym(s): *philippina* Moore, 1892
3823. *Mycalesis orseis* Hewitson, 1864 (Satyridae) Synonym(s): *orseis* Hewitson, 1864
3824. *Mycalesis orseis flavotincta* Staudinger, 1889 (Satyridae) Synonym(s): *flavotincta* Staudinger, 1889
3825. *Mycalesis perseus (Fabricius, 1775)* (Satyridae) Synonym(s): *perseus* Fabricius, 1775
3826. *Mycalesis perseus acarya* Fruhstorfer, 1911 (Satyridae) Synonym(s): *acarya* Fruhstorfer, 1911
3827. *Mycalesis perseus caesonina* Wallengren, 1860 (Satyridae) Synonym(s): *caesonina* Wallengren, 1860
3828. *Mycalesis tagala* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *tagala* C.Felder & R.Felder, 1863
3829. *Mycalesis tagala henrica* Fruhstorfer, 1911 (Satyridae) Synonym(s): *henrica* Fruhstorfer, 1911
3830. *Mycalesis tagala mataurus* Fruhstorfer, 1911 (Satyridae) Synonym(s): *mataurus* Fruhstorfer, 1911
3831. *Mycalesis tagala mindorana* Fruhstorfer, 1900 (Satyridae) Synonym(s): *mindorana* Fruhstorfer, 1900
3832. *Mycalesis tagala palawana* Fruhstorfer, 1908 (Satyridae) Synonym(s): *palawana* Fruhstorfer, 1908
3833. *Mycalesis tagala semirasa* Fruhstorfer, 1908 (Satyridae) Synonym(s): *semirasa* Fruhstorfer, 1908
3834. *Mycalesis tagala tagala* C.Felder & R.Felder, 1863 (Satyridae) Synonym(s): *tagala* C.Felder & R.Felder, 1863

3835. *Mycalesis tagala venostes* Fruhstorfer, 1911 (Satyridae)
Synonym(s): *venostes* Fruhstorfer, 1911
3836. *Mycalesis tamarau* Aoki & Uémura, 1982 (Satyridae)
Synonym(s): *tamarau* Aoki & Uémura, 1982
3837. *Mycalesis teatus* Fruhstorfer, 1911 (Satyridae)
Synonym(s): *teatus* Fruhstorfer, 1911
3838. *Mycalesis teatus ardens* Kashiwai, 1986 (Satyridae)
Synonym(s): *ardens* Kashiwai, 1986
3839. *Mycalesis teatus rhombonana* Kashiwai, 1986 (Satyridae)
Synonym(s): *rhombonana* Kashiwai, 1986
3840. *Mycalesis teatus teatus* Fruhstorfer, 1911 (Satyridae)
Synonym(s): *teatus* Fruhstorfer, 1911
3841. *Mycalesis treadawayi* Schröder, 1986 (Satyridae)
Synonym(s): *treadawayi* Schröder, 1986
3842. *Mycalesis treadawayi cotabatana* Schröder & Treadaway, 1991 (Satyridae)
Synonym(s): *cotabatana* Schröder & Treadaway, 1991
3843. *Mycalesis treadawayi malindangensis* Schröder & Treadaway, 1991 (Satyridae)
Synonym(s): *malindangensis* Schröder & Treadaway, 1991
3844. *Mycalesis treadawayi treadawayi* Schröder, 1986 (Satyridae)
Synonym(s): *treadawayi* Schröder, 1986
3845. *Neorina lowii* (Doubleday, 1849) (Satyridae)
Synonym(s): *lowii* Doubleday, 1849
3846. *Neorina lowii princesa* Staudinger, 1889 (Satyridae)
Synonym(s): *princesa* Staudinger, 1889
3847. *Orsotriaena medus* (Fabricius, 1775) (Satyridae)
Synonym(s): *medus* Fabricius, 1775
3848. *Orsotriaena medus medus* (Fabricius, 1775) (Satyridae)
Synonym(s): *medus* Fabricius, 1775
3849. *Ptychandra leucogyne* C.Felder & R.Felder, [1867] (Satyridae)
Synonym(s): *leucogyne* C.Felder & R.Felder, [1867]
3850. *Ptychandra lorquinii* C.Felder & R.Felder, 1861 (Satyridae)
Synonym(s): *lorquinii* C.Felder & R.Felder, 1861
3851. *Ptychandra lorquinii bohollensis* M.Okano & T.Okano, 1989 (Satyridae)
Synonym(s): *bohollensis* M.Okano & T.Okano, 1989
3852. *Ptychandra lorquinii leytensis* Banks, Holloway & Barlow, 1976 (Satyridae)
Synonym(s): *leytensis* Banks, Holloway & Barlow, 1976
3853. *Ptychandra lorquinii lorquinii* C.Felder & R.Felder, 1861 (Satyridae)
Synonym(s): *lorquinii* C.Felder & R.Felder, 1861
3854. *Ptychandra lorquinii plateni* Semper, 1892 (Satyridae)
Synonym(s): *plateni* Semper, 1892
3855. *Ptychandra mindorana* Semper, 1892 (Satyridae)
Synonym(s): *mindorana* Semper, 1892
3856. *Ptychandra negrosensis* Banks, Holloway & Barlow, 1976 (Satyridae)
Synonym(s): *negrosensis* Banks, Holloway & Barlow, 1976
3857. *Ptychandra ohtanii* Hayashi, 1978 (Satyridae)
Synonym(s): *ohtanii* Hayashi, 1978
3858. *Ptychandra ohtanii lizae* Hayashi, 1984 (Satyridae)
Synonym(s): *lizae* Hayashi, 1984
3859. *Ptychandra ohtanii ohtanii* Hayashi, 1978 (Satyridae)
Synonym(s): *ohtanii* Hayashi, 1978
3860. *Ptychandra schadenbergi* Semper, 1887 (Satyridae)
Synonym(s): *schadenbergi* Semper, 1887
3861. *Ragadia crohonica* Semper, 1886 (Satyridae)
Synonym(s): *crohonica* Semper, 1886
3862. *Ragadia luzonia* C.Felder & R.Felder, 1861 (Satyridae)
Synonym(s): *luzonia* C.Felder & R.Felder, 1861
3863. *Ragadia luzonia luteofasciata* Yamaguchi & Aoki, 1982 (Satyridae)
Synonym(s): *luteofasciata* Yamaguchi & Aoki, 1982
3864. *Ragadia luzonia luzonia* C.Felder & R.Felder, 1861 (Satyridae)
Synonym(s): *luzonia* C.Felder & R.Felder, 1861
3865. *Ragadia luzonia masbatensis* Yamaguchi & Aoki, 1982 (Satyridae)
Synonym(s): *masbatensis* Yamaguchi & Aoki, 1982
3866. *Ragadia luzonia negrosensis* Yamaguchi & Aoki, 1982 (Satyridae)
Synonym(s): *negrosensis* Yamaguchi & Aoki, 1982
3867. *Ragadia luzonia obscura* Yamaguchi & Aoki, 1982 (Satyridae)
Synonym(s): *obscura* Yamaguchi & Aoki, 1982
3868. *Ragadia luzonia treadawayi* Yamaguchi & Aoki, 1982 (Satyridae)
Synonym(s): *treadawayi* Yamaguchi & Aoki, 1982
3869. *Ragadia maganda* Yamaguchi & Aoki, 1982 (Satyridae)
Synonym(s): *maganda* Yamaguchi & Aoki, 1982
3870. *Ragadia melindena* C.Felder & R.Felder, 1863 (Satyridae)
Synonym(s): *melindena* C.Felder & R.Felder, 1863
3871. *Ragadia melindena bohollensis* M.Okano & T.Okano, 1990 (Satyridae)
Synonym(s): *bohollensis* M.Okano & T.Okano, 1990
3872. *Ragadia melindena kakahuyan* Yamaguchi & Aoki, 1982 (Satyridae)
Synonym(s): *kakahuyan* Yamaguchi & Aoki, 1982
3873. *Ragadia melindena melindena* C.Felder & R.Felder, 1863 (Satyridae)
Synonym(s): *melindena* C.Felder & R.Felder, 1863
3874. *Ragadia mindorana* Semper, 1892 (Satyridae)
Synonym(s): *mindorana* Semper, 1892
3875. *Ragadia tsukadai* Yamaguchi & Aoki, 1982 (Satyridae)
Synonym(s): *tsukadai* Yamaguchi & Aoki, 1982
3876. *Ypthima baldus* (Fabricius, 1775) (Satyridae)
Synonym(s): *baldus* Fabricius, 1775
3877. *Ypthima baldus selinuntius* Fruhstorfer, 1911 (Satyridae)
Synonym(s): *selinuntius* Fruhstorfer, 1911
3878. *Ypthima norma* Westwood, 1851 (Satyridae)
Synonym(s): *norma* Westwood, 1851
3879. *Ypthima norma aei* Shirozu & Shima, 1977 (Satyridae)
Synonym(s): *aei* Shirozu & Shima, 1977
3880. *Ypthima sempera* C.Felder & R.Felder, 1863 (Satyridae)
Synonym(s): *sempera* C.Felder & R.Felder, 1863
3881. *Ypthima sempera aquillius* Fruhstorfer, 1911 (Satyridae)
Synonym(s): *aquillius* Fruhstorfer, 1911
3882. *Ypthima sempera calanus* Fruhstorfer, 1911 (Satyridae)
Synonym(s): *calanus* Fruhstorfer, 1911
3883. *Ypthima sempera chaboras* Fruhstorfer, 1911 (Satyridae)
Synonym(s): *chaboras* Fruhstorfer, 1911
3884. *Ypthima sempera sempera* C.Felder & R.Felder, 1863 (Satyridae)
Synonym(s): *sempera* C.Felder & R.Felder, 1863
3885. *Ypthima sensilis* Kashiwai, 1982 (Satyridae)
Synonym(s): *sensilis* Kashiwai, 1982
3886. *Ypthima sensilis sensilis* Kashiwai, 1982 (Satyridae)
Synonym(s): *sensilis* Kashiwai, 1982
3887. *Ypthima stelleria* (Eschscholtz, 1821) (Satyridae)
Synonym(s): *stelleria* Eschscholtz, 1821
3888. *Ypthima stelleria galeria* Fruhstorfer, 1911 (Satyridae)
Synonym(s): *galeria* Fruhstorfer, 1911
3889. *Ypthima stelleria stelleria* (Eschscholtz, 1821) (Satyridae)
Synonym(s): *stelleria* Eschscholtz, 1821
3890. *Zethera hestiodides* C.Felder & R.Felder, 1861 (Satyridae)
Synonym(s): *hestiodides* C.Felder & R.Felder, 1861
3891. *Zethera musa* C.Felder & R.Felder, 1861 (Satyridae)
Synonym(s): *musa* C.Felder & R.Felder, 1861
3892. *Zethera musides* Semper, 1878 (Satyridae)
Synonym(s): *musides* Semper, 1878
3893. *Zethera pimplea* Erichson, 1834 (Satyridae)
Synonym(s): *pimplea* Erichson, 1834
3894. *Zethera thermaea* Hewitson, 1877 (Satyridae)
Synonym(s): *thermaea* Hewitson, 1877
3895. *Zophoessa dataensis* Semper, 1887 (Satyridae)
Synonym(s): *dataensis* Semper, 1887
3896. *Zophoessa dataensis dataensis* Semper, 1887 (Satyridae)
Synonym(s): *dataensis* Semper, 1887
3897. *Zophoessa dataensis nihirae* Treadaway & Nuyda, 1993 (Satyridae)
Synonym(s): *nihirae* Treadaway & Nuyda, 1993
3898. *Eretmocera bicolora* Sauber, 1902 (Scythridae)
Synonym(s): *bicolora* Sauber, 1902
3899. *Eretmocera percnoptanes* Meyrick, 1929 (Scythridae)
Synonym(s): *percnoptanes* Meyrick, 1929
3900. *Cyanosesia cyanolampra* (Diakonoff, 1968) (Sesiidae)
Synonym(s): *cyanolampra* Diakonoff, 1968
3901. *Cyanosesia meyi* Kallies & Arita, 1998 (Sesiidae)
Synonym(s): *meyi* Kallies & Arita, 1998
3902. *Cyanosesia pelocroca* (Diakonoff, 1968) (Sesiidae)
Synonym(s): *pelocroca* Diakonoff, 1968

- 3903.** *Cyanosesia philippina* Gorbunov & Kallies, 1998 (Sesiidae) Synonym(s): *philippina* Gorbunov & Kallies, 1998
- 3904.** *Cyanosesia treadawayi* Kallies & Arita, 1998 (Sesiidae) Synonym(s): *treadawayi* Kallies & Arita, 1998
- 3905.** *Melittia luzonica* Gorbunov & Arita, 1996 (Sesiidae) Synonym(s): *luzonica* Gorbunov & Arita, 1996
- 3906.** *Sphecosesia aterea* Hampson, 1919 (Sesiidae) Synonym(s): *aterea* Hampson, 1919
- 3907.** *Teinotarsina melanostoma* (Diakonoff, 1968) (Sesiidae) Synonym(s): *melanostoma* Diakonoff, 1968
- 3908.** *Teinotarsina micans* (Diakonoff, 1968) (Sesiidae) Synonym(s): *micans* Diakonoff, 1968
- 3909.** *Trilochana illustris* Kallies & Arita, 1998 (Sesiidae) Synonym(s): *illustris* Kallies & Arita, 1998
- 3910.** *Trilochana triscoliopsis* Rothschild, 1925 (Sesiidae) Synonym(s): *triscoliopsis* Rothschild, 1925
- 3911.** *Acherontia lachesis* (Fabricius, 1798) (Sphingidae) Synonym(s): *lachesis* Fabricius, 1798; *morta* Hübner, [1819]; *charon* Billberg, 1820; *satanas* Boisduval, 1836; *lethe* Westwood, 1847; *circe* Moore, [1858]; *soejimae* Matsumura, 1909.
- 3912.** *Acherontia lachesis lachesis* (Fabricius, 1798) (Sphingidae) Synonym(s): *lachesis* Fabricius, 1798; *morta* Hübner, [1819]; *charon* Billberg, 1820; *satanas* Boisduval, 1836; *lethe* Westwood, 1847; *circe* Moore, [1858]; *soejimae* Matsumura, 1909.
- 3913.** *Acherontia styx* (Westwood, 1847) (Sphingidae) Synonym(s): *styx* Westwood, 1847; *ariel* Boisduval, [1875]; *#stax* Lewvanich, 2001
- 3914.** *Acherontia styx medusa* Moore, [1858] (Sphingidae) Synonym(s): *medusa* Moore, [1858]; *crathis* Rothschild & Jordan, 1903; *septentrionalischinensis* Pavlov, 1932; *pseudatropos* Röber, 1933.
- 3915.** *Acosmeryx anceus* (Stoll, [1781]) (Sphingidae) Synonym(s): *anceus* Stoll, [1781]
- 3916.** *Acosmeryx anceus subdentata* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *subdentata* Rothschild & Jordan, 1903
- 3917.** *Acosmeryx castanea* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *castanea* Rothschild & Jordan, 1903
- 3918.** *Acosmeryx shervillii* Boisduval, [1875] (Sphingidae) Synonym(s): *shervillii* Boisduval, [1875]; *cinerea* Butler, 1875; *pseudonaga* Butler, 1881
- 3919.** *Acosmeryx socrates* Boisduval, [1875] (Sphingidae) Synonym(s): *socrates* Boisduval, [1875]
- 3920.** *Agrius convolvuli* (Linnaeus, 1758) (Sphingidae) Synonym(s): *convolvuli* Linnaeus, 1758; *abadonna* Fabricius, 1798; *pseudofasciatus* Koch, 1865; *pseudoconvolvuli* Schaufuss, 1870; *orientalis* Butler, 1876; *distans* Butler, 1876; *batatae* Christ, 1882; *nigricans* Cannaviello, 1900; *ichangensis* Tutt, 1904; *javanensis* Tutt, 1904; *tahitiensis* Tutt, 1904; *indica* Skell, 1913; *marshallensis* Clark, 1922; *aksuensis* O. Bang-Haas, 1927
- 3921.** *Ambulyx bakeri* (Clark, 1929) (Sphingidae) Synonym(s): *bakeri* Clark, 1929
- 3922.** *Ambulyx canescens* (Walker, [1865]) (Sphingidae) Synonym(s): *canescens* Walker, [1865]
- 3923.** *Ambulyx canescens canescens* (Walker, [1865]) (Sphingidae) Synonym(s): *canescens* Walker, [1865]
- 3924.** *Ambulyx canescens flava* (Clark, 1924) (Sphingidae) Synonym(s): *flava* Clark, 1924
- 3925.** *Ambulyx immaculata* (Clark, 1924) (Sphingidae) Synonym(s): *immaculata* Clark, 1924
- 3926.** *Ambulyx johnsoni* (Clark, 1917) (Sphingidae) Synonym(s): *johnsoni* Clark, 1917
- 3927.** *Ambulyx joiceyi* (Clark, 1923) (Sphingidae) Synonym(s): *joiceyi* Clark, 1923
- 3928.** *Ambulyx moorei* Moore, [1858] (Sphingidae) Synonym(s): *moorei* Moore, [1858]; *subocellata* R. Felder & Rogenhofer, 1874; *chinensis* Mell, 1922; *bakeri* Clark, 1929
- 3929.** *Ambulyx pryri* Distant, 1887 (Sphingidae) Synonym(s): *pryri* Distant, 1887
- 3930.** *Ambulyx sericeipennis* Butler, 1875 (Sphingidae) Synonym(s): *sericeipennis* Butler, 1875
- 3931.** *Ambulyx sericeipennis luzoni* (Clark, 1924) (Sphingidae) Synonym(s): *luzoni* Clark, 1924
- 3932.** *Ambulyx staudingeri* Rothschild, 1894 (Sphingidae) Synonym(s): *staudingeri* Rothschild, 1894
- 3933.** *Ambulyx substrigilis* (Westwood, 1847) (Sphingidae) Synonym(s): *substrigilis* Westwood, 1847
- 3934.** *Ambulyx substrigilis substrigilis* (Westwood, 1847) (Sphingidae) Synonym(s): *substrigilis* Westwood, 1847
- 3935.** *Ambulyx suluensis* Hogenes & Treadaway, 1998 (Sphingidae) Synonym(s): *suluensis* Hogenes & Treadaway, 1998
- 3936.** *Ambulyx tattina* (Jordan, 1919) (Sphingidae) Synonym(s): *tattina* Jordan, 1919; *borneensis* Gehlen, 1940
- 3937.** *Ambulyx tattina tattina* (Jordan, 1919) (Sphingidae) Synonym(s): *tattina* Jordan, 1919; *borneensis* Gehlen, 1940
- 3938.** *Ambulyx tattina uichancoi* (Clark, 1938) (Sphingidae) Synonym(s): *uichancoi* Clark, 1938
- 3939.** *Ambulyx wilemani* (Rothschild & Jordan, 1916) (Sphingidae) Synonym(s): *wilemani* Rothschild & Jordan, 1916
- 3940.** *Amphypterus panopus* (Cramer, [1779]) (Sphingidae) Synonym(s): *panopus* Cramer, [1779]
- 3941.** *Amphypterus panopus mindanaoensis* Inoue, 1996 (Sphingidae) Synonym(s): *mindanaoensis* Inoue, 1996
- 3942.** *Amphypterus panopus panopus* (Cramer, [1779]) (Sphingidae) Synonym(s): *panopus* Cramer, [1779]
- 3943.** *Angonyx testacea* (Walker, 1856) (Sphingidae) Synonym(s): *testacea* Walker, 1856; *menghaiensis* Meng, 1991
- 3944.** *Callambulyx amanda* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *amanda* Rothschild & Jordan, 1903
- 3945.** *Callambulyx amanda amanda* Rothschild & Jordan, 1903 (Sphingidae) Synonym(s): *amanda* Rothschild & Jordan, 1903
- 3946.** *Cechenena aegrota* (Butler, 1875) (Sphingidae) Synonym(s): *aegrota* Butler, 1875; *occidentalis* Clark, 1935
- 3947.** *Cechenena helops* (Walker, 1856) (Sphingidae) Synonym(s): *helops* Walker, 1856
- 3948.** *Cechenena helops helops* (Walker, 1856) (Sphingidae) Synonym(s): *helops* Walker, 1856
- 3949.** *Cechenena pollux* (Boisduval, [1875]) (Sphingidae) Synonym(s): *pollux* Boisduval, [1875]
- 3950.** *Cechenena subangustata* Rothschild, 1920 (Sphingidae) Synonym(s): *subangustata* Rothschild, 1920
- 3951.** *Cechenena transpascifica* (Clark, 1923) (Sphingidae) Synonym(s): *transpascifica* Clark, 1923
- 3952.** *Cephonodes banksi* Clark, 1923 (Sphingidae) Synonym(s): *banksi* Clark, 1923
- 3953.** *Cephonodes hylas* (Linnaeus, 1771) (Sphingidae) Synonym(s): *hylas* Linnaeus, 1771
- 3954.** *Cephonodes hylas hylas* (Linnaeus, 1771) (Sphingidae) Synonym(s): *hylas* Linnaeus, 1771
- 3955.** *Cephonodes picus* (Cramer, [1777]) (Sphingidae) Synonym(s): *picus* Cramer, [1777]
- 3956.** *Clanis negritensis* Hogenes & Treadaway, 1993 (Sphingidae) Synonym(s): *negritensis* Hogenes & Treadaway, 1993
- 3957.** *Clanis stenosema* Rothschild & Jordan, 1907 (Sphingidae) Synonym(s): *stenosema* Rothschild & Jordan, 1907
- 3958.** *Clanis surigaoensis* Clark, 1928 (Sphingidae) Synonym(s): *surigaoensis* Clark, 1928
- 3959.** *Cyba claggi* Clark, 1938 (Sphingidae) Synonym(s): *claggi* Clark, 1938
- 3960.** *Cyba decolor* (Walker, 1856) (Sphingidae) Synonym(s): *decolor* Walker, 1856
- 3961.** *Cyba decolor manilae* Clark, 1930 (Sphingidae) Synonym(s): *manilae* Clark, 1930
- 3962.** *Daphnis hypothous* (Cramer, [1780]) (Sphingidae) Synonym(s): *hypothous* Cramer, [1780]
- 3963.** *Daphnis hypothous hypothous* (Cramer, [1780]) (Sphingidae) Synonym(s): *hypothous* Cramer, [1780]
- 3964.** *Daphnis nerii* (Linnaeus, 1758) (Sphingidae) Synonym(s): *nerii* Linnaeus, 1758; *infernelutea* Saalmüller, 1884; *#confluens* Closs, 1912; *#nigra* Schmidt, 1914; *bipartita* Gehlen, 1934.

- 3965. *Daphnis placida* (Walker,1856)** (Sphingidae) Synonym(s): *placida* Walker,1856
- 3966. *Daphnis vriesi* Hogenes & Treadaway,1993** (Sphingidae) Synonym(s): *vriesi* Hogenes & Treadaway,1993
- 3967. *Daphnusa ocellaris* Walker,1856** (Sphingidae) Synonym(s): *ocellaris* Walker,1856
- 3968. *Dolbina inexacta* (Walker,1856)** (Sphingidae) Synonym(s): *inexacta* Walker,1856
- 3969. *Elibia dolichus* (Westwood,1847)** (Sphingidae) Synonym(s): *dolichus* Westwood,1847
- 3970. *Elibia linigera* Boisduval,[1875]** (Sphingidae) Synonym(s): *linigera* Boisduval,[1875]
- 3971. *Enpinanga borneensis* (Butler,1879)** (Sphingidae) Synonym(s): *borneensis* Butler,1879
- 3972. *Enpinanga vigens* (Butler,1879)** (Sphingidae) Synonym(s): *vigens* Butler,1879; *javanica* Dupont,1941; *sirani* Roesler & Küppers,1975
- 3973. *Eupanacra busiris* (Walker,1856)** (Sphingidae) Synonym(s): *busiris* Walker,1856
- 3974. *Eupanacra busiris busiris* (Walker,1856)** (Sphingidae) Synonym(s): *busiris* Walker,1856
- 3975. *Eupanacra busiris schuetzi* Hogenes & Treadaway,1996** (Sphingidae) Synonym(s): *schuetzi* Hogenes & Treadaway,1996
- 3976. *Eupanacra cadioui* Hogenes & Treadaway,1993** (Sphingidae) Synonym(s): *cadioui* Hogenes & Treadaway,1993
- 3977. *Eupanacra dohertyi* (Rothschild,1894)** (Sphingidae) Synonym(s): *dohertyi* Rothschild,1894; *continentalis* Gehlen,1930
- 3978. *Eupanacra elegantulus* (Herrich-Schäffer,1856)** (Sphingidae) Synonym(s): *elegantulus* Herrich-Schäffer,1856
- 3979. *Eupanacra malayana* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *malayana* Rothschild & Jordan,1903
- 3980. *Eupanacra tiridates* (Boisduval,[1875])** (Sphingidae) Synonym(s): *tiridates* Boisduval,[1875]
- 3981. *Eupanacra treadawayi* Cadiou,1995** (Sphingidae) Synonym(s): *treadawayi* Cadiou,1995
- 3982. *Eupanacra variolosa* (Walker,1856)** (Sphingidae) Synonym(s): *variolosa* Walker,1856
- 3983. *Eurypteryx alleni* Hogenes & Treadaway,1993** (Sphingidae) Synonym(s): *alleni* Hogenes & Treadaway,1993
- 3984. *Gnathothlibus erotus* (Cramer,[1777])** (Sphingidae) Synonym(s): *erotus* Cramer,[1777]
- 3985. *Gnathothlibus erotus eras* (Boisduval)** (Sphingidae) Synonym(s):
- 3986. *Hippotion boerhaviae* (Fabricius,1775)** (Sphingidae) Synonym(s): *boerhaviae* Fabricius,1775
- 3987. *Hippotion brunneum* (Semper,1896)** (Sphingidae) Synonym(s): *brunneum* Semper,1896
- 3988. *Hippotion celerio* (Linnaeus,1758)** (Sphingidae) Synonym(s): *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albolineatus* Montrouzier,1864
- 3989. *Hippotion echeclus* (Boisduval,[1875])** (Sphingidae) Synonym(s): *echeclus* Boisduval,[1875]
- 3990. *Hippotion rafflesii* (Moore,[1858])** (Sphingidae) Synonym(s): *rafflesii* Moore,[1858]
- 3991. *Hippotion rafflesii dyokeae* Hogenes & Treadaway,1998** (Sphingidae) Synonym(s): *dyokeae* Hogenes & Treadaway,1998
- 3992. *Hippotion rosetta* (Swinhoe,1892)** (Sphingidae) Synonym(s): *rosetta* Swinhoe,1892; *depictum* Dumont,1941
- 3993. *Hippotion velox* (Fabricius,1793)** (Sphingidae) Synonym(s): *velox* Fabricius,1793; *phoenix* Herrich-Schäffer,[1856]
- 3994. *Leucophlebia* (s.str.) sp.** (Sphingidae) Synonym(s):
- 3995. *Macroglossum aquilum* Boisduval,[1875]** (Sphingidae) Synonym(s): *aquila* Boisduval,[1875]
- 3996. *Macroglossum arimasi* Hogenes & Treadaway,1993** (Sphingidae) Synonym(s): *arimasi* Hogenes & Treadaway,1993
- 3997. *Macroglossum aviculum* Boisduval,[1875]** (Sphingidae) Synonym(s): *avicula* Boisduval,[1875]
- 3998. *Macroglossum bombylans* (Boisduval,[1875])** (Sphingidae) Synonym(s): *bombylans* Boisduval,[1875]
- 3999. *Macroglossum caldum* Jordan,1926** (Sphingidae) Synonym(s): *caldum* Jordan,1926
- 4000. *Macroglossum caldum philippinense* Clark,1928** (Sphingidae) Synonym(s): *philippinense* Clark,1928
- 4001. *Macroglossum corythum* Walker,1856** (Sphingidae) Synonym(s): *corythum* Walker,1856
- 4002. *Macroglossum corythum luteatum* Butler,1875** (Sphingidae) Synonym(s): *luteatum* Butler,1875
- 4003. *Macroglossum faro* (Cramer,1780)** (Sphingidae) Synonym(s): *faro* Cramer,1780
- 4004. *Macroglossum faro faro* (Cramer,1780)** (Sphingidae) Synonym(s): *faro* Cramer,1780
- 4005. *Macroglossum glaucopterum* Butler,1875** (Sphingidae) Synonym(s): *glaucoptera* Butler,1875
- 4006. *Macroglossum haslami* Clark,1922** (Sphingidae) Synonym(s): *haslami* Clark,1922
- 4007. *Macroglossum heliophilum* Boisduval,[1875]** (Sphingidae) Synonym(s): *heliophilum* Boisduval,[1875]; *fringillum* Boisduval,[1875]
- 4008. *Macroglossum heliophilum* *heliophilum* Boisduval,[1875]** (Sphingidae) Synonym(s): *heliophilum* Boisduval,[1875]; *fringillum* Boisduval,[1875]
- 4009. *Macroglossum hemichromum* Butler,1875** (Sphingidae) Synonym(s): *hemichromum* Butler,1875
- 4010. *Macroglossum insipidum* Butler,1875** (Sphingidae) Synonym(s): *insipidum* Butler,1875; *sinensis* Mell,1922
- 4011. *Macroglossum insipidum insipidum* Butler,1875** (Sphingidae) Synonym(s): *insipidum* Butler,1875; *sinensis* Mell,1922
- 4012. *Macroglossum integrifasciatum* Hogenes & Treadaway,1993** (Sphingidae) Synonym(s): *integrifasciatum* Hogenes & Treadaway,1993
- 4013. *Macroglossum jani* Hogenes & Treadaway,1998** (Sphingidae) Synonym(s): *jani* Hogenes & Treadaway,1998
- 4014. *Macroglossum lepidum* Rothschild & Jordan,1915** (Sphingidae) Synonym(s): *lepidum* Rothschild & Jordan,1915
- 4015. *Macroglossum mediovittum* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *mediovitta* Rothschild & Jordan,1903
- 4016. *Macroglossum multifascium* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *multifascia* Rothschild & Jordan,1903
- 4017. *Macroglossum passalum* (Drury,[1773])** (Sphingidae) Synonym(s): *passalus* Drury,[1773]; *rectifascia* R.Felder,1874
- 4018. *Macroglossum prometheum* Boisduval,[1875]** (Sphingidae) Synonym(s): *prometheus* Boisduval,[1875]
- 4019. *Macroglossum prometheum* *prometheum* Boisduval,[1875]** (Sphingidae) Synonym(s): *prometheus* Boisduval,[1875]
- 4020. *Macroglossum pyrrhostictum* Butler,1875** (Sphingidae) Synonym(s): *pyrrhostictum* Butler,1875; *fukiensis* Chu & Wang,1980
- 4021. *Macroglossum semifasciatum* Hampson,1893** (Sphingidae) Synonym(s): *semifasciatum* Hampson,1893
- 4022. *Macroglossum sitiene* Walker,1856** (Sphingidae) Synonym(s): *sitiene* Walker,1856
- 4023. *Macroglossum sylvium* (Boisduval,[1875])** (Sphingidae) Synonym(s): *sylvia* Boisduval,[1875]
- 4024. *Macroglossum troglodytum* Boisduval,[1875]** (Sphingidae) Synonym(s): *troglydytus* Boisduval,[1875]
- 4025. *Macroglossum unguis* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *unguis* Rothschild & Jordan,1903
- 4026. *Macroglossum unguis unguis* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *unguis* Rothschild & Jordan,1903
- 4027. *Macroglossum variegatum* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *variegatum* Rothschild & Jordan,1903
- 4028. *Marumba amboinicus* (C.Felder,1862)** (Sphingidae) Synonym(s): *amboinicus* C.Felder,1862
- 4029. *Marumba amboinicus luzoni* Clark,1935** (Sphingidae) Synonym(s): *luzoni* Clark,1935

4030. *Marumba dyras* (Walker,1856) (Sphingidae)
Synonym(s): *dyras* Walker,1856
4031. *Marumba dyras javanicus* (Butler,1875) (Sphingidae)
Synonym(s): *javanica* Butler,1875
4032. *Marumba tigrinus* Gehlen,1936 (Sphingidae)
Synonym(s): *tigrina* Gehlen,1936
4033. *Megacorma obliqua* (Walker,1856) (Sphingidae)
Synonym(s): *obliqua* Walker,1856
4034. *Megacorma obliqua obliqua* (Walker,1856) (Sphingidae) Synonym(s): *obliqua* Walker,1856
4035. *Meganoton nyctiphanes* (Walker,1856) (Sphingidae)
Synonym(s): *nyctiphanes* Walker,1856
4036. *Meganoton rufescens* (Butler,[1876]) (Sphingidae)
Synonym(s): *rufescens* Butler,[1876]
4037. *Meganoton rufescens philippinensis* Clark,1938 (Sphingidae) Synonym(s): *philippinensis* Clark,1938
4038. *Meganoton rufescens thielei* Huwe,1906 (Sphingidae)
Synonym(s): *thielei* Huwe,1906
4039. *Neogurelca hyas* (Walker,1856) (Sphingidae)
Synonym(s): *hyas* Walker,1856
4040. *Pergesa actea* (Cramer,1779) (Sphingidae)
Synonym(s): *acteus* Cramer,1779
4041. *Phyllosphingia dissimilis* (Bremer,1861) (Sphingidae)
Synonym(s): *dissimilis* Bremer,1861
4042. *Poliana albescens* Inoue,1996 (Sphingidae)
Synonym(s): *albescens* Inoue,1996
4043. *Polyptychus trilineatus* Moore,1888 (Sphingidae)
Synonym(s): *trilineatus* Moore,1888
4044. *Polyptychus trilineatus philippinensis* Rothschild & Jordan,1903 (Sphingidae) Synonym(s): *philippinensis* Rothschild & Jordan,1903
4045. *Psilogramma increta* Walker,[1865] (Sphingidae)
Synonym(s): *increta* Walker,[1865]
4046. *Psilogramma menephron* (Cramer,[1780]) (Sphingidae) Synonym(s): *menephron* Cramer,[1780]
4047. *Psilogramma villani* Kitching, Treadaway & Hogenes,2000 (Sphingidae) Synonym(s): *villani* Kitching, Treadaway & Hogenes,2000
4048. *Rhagastis acuta* (Walker,1856) (Sphingidae)
Synonym(s): *acuta* Walker,1856
4049. *Sataspes tagalica* Boisduval,[1875] (Sphingidae)
Synonym(s): *tagalica* Boisduval,[1875]; *chinensis* Mell,1922; *collaris* Chu & Wang,1980; *thoracica* Chu & Wang,1980
4050. *Sataspes tagalica cerberus* Semper,1896 (Sphingidae)
Synonym(s): *cerberus* Semper,1896
4051. *Theretra alecto* (Linnaeus,1758) (Sphingidae)
Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.
4052. *Theretra alecto alecto* (Linnaeus,1758) (Sphingidae)
Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.
4053. *Theretra clotho* (Drury,[1773]) (Sphingidae)
Synonym(s): *clotho* Drury,[1773]
4054. *Theretra clotho clotho* (Drury,[1773]) (Sphingidae)
Synonym(s): *clotho* Drury,[1773]
4055. *Theretra insularis* (Swinhoe,1892) (Sphingidae)
Synonym(s): *insularis* Swinhoe,1892
4056. *Theretra latreillii* Macleay,[1826] (Sphingidae)
Synonym(s): *latreillii* Macleay,[1826]
4057. *Theretra latreillii lucasii* (Walker,1856) (Sphingidae)
Synonym(s): *lucasii* Walker,1856; *distincta* Mell,1922; *montana* Mell,1922
4058. *Theretra manilae* Clark,1922 (Sphingidae)
Synonym(s): *manilae* Clark,1922
4059. *Theretra nessus* (Drury,[1773]) (Sphingidae)
Synonym(s): *nessus* Drury,[1773]
4060. *Theretra oldenlandiae* (Fabricius,1775) (Sphingidae)
Synonym(s): *oldenlandiae* Fabricius,1775; *olivacens* Mell,1922
4061. *Theretra oldenlandiae oldenlandiae* (Fabricius,1775) (Sphingidae) Synonym(s): *oldenlandiae* Fabricius,1775; *olivacens* Mell,1922
4062. *Theretra rhesus* (Boisduval,[1785]) (Sphingidae)
Synonym(s): *rhesus* Boisduval,[1785]
4063. *Theretra silhetensis* (Walker,1856) (Sphingidae)
Synonym(s): *silhetensis* Walker,1856
4064. *Theretra silhetensis intersecta* (Butler,1875) (Sphingidae) Synonym(s): *intersecta* Butler,1875
4065. *Theretra suffusa* (Walker,1856) (Sphingidae)
Synonym(s): *suffusa* Walker,1856
4066. *Theretra sugii* Cadiou,1995 (Sphingidae) Synonym(s): *sugii* Cadiou,1995
4067. *Stathmopoda auriferella* (Walker,1864) (Stathmopodidae) Synonym(s): *auriferella* Walker,1864; *divisa* Walsingham,1891; *ischnotis* Meyrick,1897; *crocophanes* Meyrick,1897; *theoris* Meyrick,1906; *tharsalea* Meyrick,1914; *adulatrix* Meyrick,1917; *cirrhapis* Meyrick,1922
4068. *Xestocasis iostrota* (Meyrick,1910) (Stathmopodidae)
Synonym(s): *iostrota* Meyrick,1910
4069. *Zaratha prosarista* Meyrick,1909 (Stathmopodidae)
Synonym(s): *prosarista* Meyrick,1909
4070. *Banisia fenestrifera* Walker,1863 (Thyridae)
Synonym(s): *fenestrifera* Walker,1863
4071. *Dysodia bifenestrata* Semper,1902 (Thyridae)
Synonym(s): *bifenestrata* Semper,1902
4072. *Mellea tetragonata* (Walker,1863) (Thyridae)
Synonym(s): *tetragonata* Walker,1863
4073. *Pharambara splendida* Butler,1887 (Thyridae)
Synonym(s): *splendida* Butler,1887
4074. *Picrostomastis subrosealis* (Leech,1889) (Thyridae)
Synonym(s): *subrosealis* Leech,1889
4075. *Rhodoneura aureopicta* Semper,1898 (Thyridae)
Synonym(s): *aureopicta* Semper,1898
4076. *Rhodoneura citrina* Hampson,1897 (Thyridae)
Synonym(s): *citrina* Hampson,1897
4077. *Rhodoneura lepida* (Warren,1908) (Thyridae)
Synonym(s): *lepida* Warren,1908
4078. *Rhodoneura notula* Pagenstecher,1892 (Thyridae)
Synonym(s): *notula* Pagenstecher,1892
4079. *Rhodoneura politula* (Pagenstecher,1892) (Thyridae)
Synonym(s): *politula* Pagenstecher,1892
4080. *Rhodoneura semitessellata* (Walker,1864) (Thyridae)
Synonym(s): *semitessellata* Walker,1864; *semitessellalis* Walker,1865; *ignotalis* Röber,1892; *tessellatula* Pagenstecher,1892; *hyalospila* Lower,1894; *plagiata* Warren,1897
4081. *Rhodoneura triangularis* Pagenstecher,1892 (Thyridae) Synonym(s): *triangularis* Pagenstecher,1892
4082. *Striglina buergersi* Gaede,1922 (Thyridae)
Synonym(s): *buergersi* Gaede,1922
4083. *Vernifilia hyalipuncta* Schultze,1907 (Thyridae)
Synonym(s): *hyalipuncta* Schultze,1907
4084. *Gerontha captiosella* Walker,1864 (Tineidae)
Synonym(s): *captiosella* Walker,1864; *#capna* Diakonoff,[1968]
4085. *Gerontha diascopa* Diakonoff,[1968] (Tineidae)
Synonym(s): *diascopa* Diakonoff,[1968]
4086. *Gerontha monostigma* Diakonoff,[1968] (Tineidae)
Synonym(s): *monostigma* Diakonoff,[1968]
4087. *Gerontha nivicaput* Diakonoff,[1968] (Tineidae)
Synonym(s): *nivicaput* Diakonoff,[1968]
4088. *Harmaclona tephrantha* (Meyrick,1916) (Tineidae)
Synonym(s): *tephrantha* Meyrick,1916
4089. *Monopis congestella* (Walker,1864) (Tineidae)
Synonym(s): *congestella* Walker,1864
4090. *Morphaga (sistrata-gr.) sistrata* (Meyrick,1916) (Tineidae) Synonym(s): *sistrata* Meyrick,1916
4091. *Opogona icterica* Meyrick,1915 (Tineidae)
Synonym(s): *icterica* Meyrick,1915
4092. *Tinissa bakeri* G.S.Robinson,1976 (Tineidae)
Synonym(s): *bakeri* G.S.Robinson,1976
4093. *Tinissa baliomicta* Meyrick,1928 (Tineidae)
Synonym(s): *baliomicta* Meyrick,1928
4094. *Tinissa philippinensis* G.S.Robinson,1976 (Tineidae)
Synonym(s): *philippinensis* G.S.Robinson,1976
4095. *Adoxophyes aurata* Diakonoff,[1968] (Tortricidae)
Synonym(s): *aurata* Diakonoff,[1968]
4096. *Adoxophyes fasciculana* (Walker,1866) (Tortricidae)
Synonym(s): *fasciculana* Walker,1866; *luzonica* Sauber,1902; *epipepla* Lower,1908

4097. **Adoxophyes perstricta** Meyrick, 1928 (Tortricidae)
Synonym(s): *perstricta* Meyrick, 1928
4098. **Adoxophyes privatana** (Walker, 1863) (Tortricidae)
Synonym(s): *privatana* Walker, 1863; *euryomis* Meyrick, 1902
4099. **Aethes sphaenophora** (Diakonoff, 1941) (Tortricidae)
Synonym(s): *sphaenophora* Diakonoff, 1941; *sphenophora* Diakonoff, 1948
4100. **Andrioplecta leucodora** (Meyrick, 1928) (Tortricidae)
Synonym(s): *leucodora* Meyrick, 1928
4101. **Arcesis threnodes** (Meyrick, 1905) (Tortricidae)
Synonym(s): *threnodes* Meyrick, 1905; *hemiopla* Meyrick, 1905; *tetracona* Meyrick, 1907
4102. **Archidemias anastea** Diakonoff, [1968] (Tortricidae)
Synonym(s): *anastea* Diakonoff, [1968]
4103. **Archigrapta stauroma** (Diakonoff, [1968]) (Tortricidae)
Synonym(s): *stauroma* Diakonoff, [1968]
4104. **Archips dicaeus** Diakonoff, [1968] (Tortricidae)
Synonym(s): *dicaeus* Diakonoff, [1968]
4105. **Archips difficilis** (Meyrick, 1928) (Tortricidae)
Synonym(s): *difficilis* Meyrick, 1928
4106. **Archips expansa** (Diakonoff, 1951) (Tortricidae)
Synonym(s): *expansa* Diakonoff, 1951; *aperta* Diakonoff, [1968]
4107. **Archips salaconis** (Meyrick, 1912) (Tortricidae)
Synonym(s): *salaconis* Meyrick, 1912; *xanthochroma* Wileman & Stringer, 1929
4108. **Argyroptocha phalaenopa** Diakonoff, [1968] (Tortricidae) Synonym(s): *phalaenopa* Diakonoff, [1968]
4109. **Bactra (Chiloides) coronata** Diakonoff, 1950 (Tortricidae) Synonym(s): *coronata* Diakonoff, 1950
4110. **Bactra (Chiloides) orbiculi** Diakonoff, 1956 (Tortricidae) Synonym(s): *orbiculi* Diakonoff, 1956
4111. **Bactra (Chiloides) orbiculi minax** Diakonoff, 1964 (Tortricidae) Synonym(s): *minax* Diakonoff, 1964
4112. **Bactra (Chiloides) venosana** (Zeller, 1847) (Tortricidae)
Synonym(s): *venosana* Zeller, 1847; *truculenta* Meyrick, 1909; *scythropa* Meyrick, 1911; *geraropa* Meyrick, 1932; *banesii* Gozmany, 1960
4113. **Bactra (Nannobactra) minima** Meyrick, 1909 (Tortricidae) Synonym(s): *minima* Meyrick, 1909; *phaeopsis* Meyrick, 1911; *anpingiana* Strand, 1920; *microtripa* Meyrick, 1927
4114. **Bactra (Nannobactra) phaulopa** Meyrick, 1911 (Tortricidae) Synonym(s): *phaulopa* Meyrick, 1911
4115. **Bubonoxena endaphana** Diakonoff, [1968] (Tortricidae)
Synonym(s): *endaphana* Diakonoff, [1968]
4116. **Bubonoxena ephippias** (Meyrick, 1907) (Tortricidae)
Synonym(s): *ephippias* Meyrick, 1907
4117. **Bubonoxena spirographa** Diakonoff, [1968] (Tortricidae) Synonym(s): *spirographa* Diakonoff, [1968]
4118. **Caenognosis incisa** Walsingham, 1900 (Tortricidae)
Synonym(s): *incisa* Walsingham, 1900
4119. **Capua fabrilis** Meyrick, 1912 (Tortricidae) Synonym(s): *fabrilis* Meyrick, 1912
4120. **Capua retractana** (Walker, 1863) (Tortricidae)
Synonym(s): *retractana* Walker, 1863
4121. **Capua retractana invalidana** (Walker, 1863) (Tortricidae) Synonym(s): *invalidana* Walker, 1863
4122. **Capua thelmae** Diakonoff, [1968] (Tortricidae)
Synonym(s): *thelmae* Diakonoff, [1968]
4123. **Costosa allochroma** Diakonoff, [1968] (Tortricidae)
Synonym(s): *allochroma* Diakonoff, [1968]
4124. **Crocosema plebejana** Zeller, 1847 (Tortricidae)
Synonym(s): *plebejana* Zeller, 1847; *altheana* Mann, 1855; *lavaterana* Millière, 1863; *peregrinana* Möschler, 1866; *obscura* Wollaston, 1879; *blackburnii* Butler, 1881; *signatana* Walsingham, 1894; *ptiladelpha* Meyrick, 1917; *insulana* Aurivillius, 1922; *synneurota* Meyrick, 1926; *tornocycla* Turner, 1946; *charmera* Turner, 1946.
4125. **Cryptasasma (Allobrachygonia) hesyca** Diakonoff, 1959 (Tortricidae) Synonym(s): *hesyca* Diakonoff, 1959
4126. **Cryptophlebia encarpa** (Meyrick, 1920) (Tortricidae)
Synonym(s): *encarpa* Meyrick, 1920
4127. **Cryptophlebia ombrodela** (Lower, 1898) (Tortricidae)
Synonym(s): *ombrodela* Lower, 1898; *carpophaga* Walsingham, 1899; *lasiandra* Meyrick, 1909; *#lasiandra* Hutacharern & Tubtim, 1995; *#ombrodela* Hutacharern & Tubtim, 1995
4128. **Cryptophlebia repletana** (Walker, 1863) (Tortricidae)
Synonym(s): *repletana* Walker, 1863; *tricosema* Meyrick, 1914; *tetraploca* Meyrick, 1928
4129. **Cryptophlebia tetraploca** (Meyrick, 1928) (Tortricidae)
Synonym(s): *tetraploca* Meyrick, 1928
4130. **Cydia gratulata** (Meyrick, 1916) (Tortricidae)
Synonym(s): *gratulata* Meyrick, 1916
4131. **Cydia inflata** (Meyrick, 1916) (Tortricidae)
Synonym(s): *inflata* Meyrick, 1916
4132. **Dudua anaprobola** (Bradley, 1953) (Tortricidae)
Synonym(s): *anaprobola* Bradley, 1953; *cellifera* Diakonoff, 1968 (part)
4133. **Dudua aprobola** (Meyrick, 1886) (Tortricidae)
Synonym(s): *aprobola* Meyrick, 1886; *metallota* Lower, 1901
4134. **Dudua atriphraga** (Diakonoff, [1968]) (Tortricidae)
Synonym(s): *atriphraga* Diakonoff, [1968]
4135. **Dudua cellifera** (Meyrick, 1912) (Tortricidae)
Synonym(s): *cellifera* Meyrick, 1912; *codonectis* Meyrick, 1927
4136. **Ebodina simplex** Diakonoff, [1968] (Tortricidae)
Synonym(s): *simplex* Diakonoff, [1968]
4137. **Erinaea amphigonia** Diakonoff, [1968] (Tortricidae)
Synonym(s): *amphigonia* Diakonoff, [1968]
4138. **Eucoenogenes deltoctoma** Diakonoff, [1968] (Tortricidae) Synonym(s): *deltoctoma* Diakonoff, [1968]
4139. **Eucosma iographa** Diakonoff, [1968] (Tortricidae)
Synonym(s): *iographa* Diakonoff, [1968]
4140. **Eudemis (Acanthothyspoda) chortodes** Diakonoff, [1968] (Tortricidae) Synonym(s): *chortodes* Diakonoff, [1968]
4141. **Eudemis (Acanthothyspoda) homalopa** Diakonoff, [1968] (Tortricidae) Synonym(s): *homalopa* Diakonoff, [1968]
4142. **Eudemis (s.str.) archimediis** (Meyrick, 1912) (Tortricidae) Synonym(s): *archimediis* Meyrick, 1912; *purpurissatana* Clarck, 1958 nec Kenn., 1901
4143. **Eudemis (s.str.) oxygona** Diakonoff, [1968] (Tortricidae)
Synonym(s): *oxygona* Diakonoff, [1968]
4144. **Gatesclarkeana senior** Diakonoff, 1966 (Tortricidae)
Synonym(s): *senior* Diakonoff, 1966; *asynthetes* Diakonoff, [1968]
4145. **Gnathmocerothes petrifraga** Diakonoff, [1968] (Tortricidae) Synonym(s): *petrifraga* Diakonoff, [1968]
4146. **Hedya atrifraga** Diakonoff, [1968] (Tortricidae)
Synonym(s): *atrifraga* Diakonoff, [1968]
4147. **Homona aestivana** (Walker, 1866) (Tortricidae)
Synonym(s): *aestivana* Walker, 1866; *posticana* Walker, 1866
4148. **Homona bakeri** Diakonoff, [1968] (Tortricidae)
Synonym(s): *bakeri* Diakonoff, [1968]
4149. **Homona bicornis** Diakonoff, [1968] (Tortricidae)
Synonym(s): *bicornis* Diakonoff, [1968]
4150. **Homona eductana** (Walker, 1863) (Tortricidae)
Synonym(s): *eductana* Walker, 1863; *difficilis* Meyrick, 1928; *permutata* Meyrick, 1928
4151. **Homona phanaea** Meyrick, 1910 (Tortricidae)
Synonym(s): *phanaea* Meyrick, 1910
4152. **Isodemis serpentinana** (Walker, 1863) (Tortricidae)
Synonym(s): *serpentinana* Walker, 1863; *sulana* Walker, 1866
4153. **Isotenes inae** Diakonoff, 1948 (Tortricidae) Synonym(s): *inae* Meyrick, 1938; *miserana* T.B. Fletcher, 1920 nec Walk., 1863
4154. **Loboschiza clytocarpa** (Meyrick, 1920) (Tortricidae)
Synonym(s): *clytocarpa* Meyrick, 1920
4155. **Neocalyptis nematodes** (Meyrick, 1928) (Tortricidae)
Synonym(s): *nematodes* Meyrick, 1928
4156. **Neocalyptis nematodes nematodes** (Meyrick, 1928) (Tortricidae) Synonym(s): *nematodes* Meyrick, 1928
4157. **Ophiorrhada mormopa** (Meyrick, 1906) (Tortricidae)
Synonym(s): *mormopa* Meyrick, 1906; *#melanocycla* Common, 1970
4158. **Pammene ionia** Wileman & Stringer, 1929 (Tortricidae)
Synonym(s): *ionia* Wileman & Stringer, 1929
4159. **Pammene leucodora** Meyrick, 1928 (Tortricidae)
Synonym(s): *leucodora* Meyrick, 1928

4160. **Peridaedala crocoptila** Diakonoff,[1968] (Tortricidae)
Synonym(s): *crocoptila* Diakonoff,[1968]
4161. **Peridaedala dendrochlora** Diakonoff,[1968] (Tortricidae) Synonym(s): *dendrochlora* Diakonoff,[1968]
4162. **Peridaedala melanantha** Diakonoff,[1968] (Tortricidae)
Synonym(s): *melanantha* Diakonoff,[1968]
4163. **Peridaedala physoptila** Diakonoff,[1968] (Tortricidae)
Synonym(s): *physoptila* Diakonoff,[1968]
4164. **Peridaedala stenoglypha** Diakonoff,[1968] (Tortricidae)
Synonym(s): *stenoglypha* Diakonoff,[1968]
4165. **Peridaedala thylacophora** Diakonoff,[1968] (Tortricidae) Synonym(s): *thylacophora* Diakonoff,[1968]
4166. **Phricanthes biocellana** (Walker,1863) (Tortricidae)
Synonym(s): *biocellana* Walker,1863
4167. **Phricanthes flexilineana** (Walker,1863) (Tortricidae)
Synonym(s): *flexilineana* Walker,1863; *macroura* Lower,1908
4168. **Retinia scalaris** (Diakonoff,[1968]) (Tortricidae)
Synonym(s): *#scalaris* Diakonoff,[1968]
4169. **Rhopobota amphigonia** (Diakonoff,[1968]) (Tortricidae) Synonym(s): *amphigonia* Diakonoff,[1968]
4170. **Schoenotenes collarigera** Diakonoff,[1968] (Tortricidae) Synonym(s): *collarigera* Diakonoff,[1968]
4171. **Snodgrassia stenochorda** (Meyrick,1928) (Tortricidae)
Synonym(s): *stenochorda* Meyrick,1928
4172. **Sorolopha archimedis** (Meyrick,1912) (Tortricidae)
Synonym(s): *archimedis* Meyrick,1912; *oxygona* Diakonoff,[1968]
4173. **Sorolopha chortodes** (Diakonoff,[1968]) (Tortricidae)
Synonym(s): *chortodes* Diakonoff,[1968]
4174. **Sorolopha homalopa** (Diakonoff,[1968]) (Tortricidae)
Synonym(s): *homalopa* Diakonoff,[1968]; *#homalopa* Brown & Lewis,2000
4175. **Spatalistis numismata** Diakonoff,[1968] (Tortricidae)
Synonym(s): *numismata* Diakonoff,[1968]
4176. **Statherotis discana** (R.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *discana* R.Felder & Rogenhofer,1875; *cuneata* Diakonoff,1973; *saturata* Diakonoff,1973
4177. **Statherotis olenarcha** (Meyrick,1931) (Tortricidae)
Synonym(s): *olenarcha* Meyrick,1931
4178. **Stenarchella eupista** Diakonoff,[1968] (Tortricidae)
Synonym(s): *eupista* Diakonoff,[1968]
4179. **Strepsicrates discobola** Diakonoff,[1968] (Tortricidae)
Synonym(s): *discobola* Diakonoff,[1968]
4180. **Strepsicrates ejectana** (Walker,1863) (Tortricidae)
Synonym(s): *ejectana* Walker,1863; *servilisana* Walker,1863; *ligniferana* Walker,1863; *holotehras* Meyrick,1925; *eumarodes* Meyrick,1925; *mesosticha* Turner,1946; *metabola* Turner,1946; *sphenophora* Turner,1946; *subpallida* Turner,1946; *zophotypa* Turner,1946
4181. **Strepsicrates inobtrusa** Diakonoff,[1968] (Tortricidae)
Synonym(s): *inobtrusa* Diakonoff,[1968]
4182. **Sycacantha (inodes-gr.) inodes** (Meyrick,1911) (Tortricidae) Synonym(s): *inodes* Meyrick,1911
4183. **Sycacantha (inodes-gr.) inodes perspicua** Diakonoff,[1968] (Tortricidae) Synonym(s): *perspicua* Diakonoff,[1968]
4184. **Sycacantha (inodes-gr.) potamographa** Diakonoff,[1968] (Tortricidae) Synonym(s): *potamographa* Diakonoff,[1968]
4185. **Temnolopha mosaica** Lower,1901 (Tortricidae)
Synonym(s): *mosaica* Lower,1901; *clydonias* Meyrick,1907
4186. **Tetramoera schistaceana** (Snellen,1891) (Tortricidae)
Synonym(s): *schistaceana* Snellen,1891
4187. **Trymalitis cataracta** Meyrick,1907 (Tortricidae)
Synonym(s): *cataracta* Meyrick,1907; *optima* Meyrick,1911; *macarista* Meyrick,1934
4188. **Zacorisca electrina** (Meyrick,1912) (Tortricidae)
Synonym(s): *electrina* Meyrick,1912
4189. **Zacorisca heliaula** (Meyrick,1910) (Tortricidae)
Synonym(s): *heliaula* Meyrick,1910
4190. **Zacorisca pulchella** (Schultze,1910) (Tortricidae)
Synonym(s): *pulchella* Schultze,1910
4191. **Decetia subflavata** (W.Warren,1898) (Uraniidae)
Synonym(s): *subflavata* W.Warren,1898
4192. **Dysaethria oriocharis** (West,1932) (Uraniidae)
Synonym(s): *oriocharis* West,1932
4193. **Dysaethria subalbata** (Guenée,[1858]) (Uraniidae)
Synonym(s): *subalbata* Guenée,[1858]
4194. **Dysaethria wilemani** (West,1932) (Uraniidae)
Synonym(s): *wilemani* West,1932
4195. **Europlema semibrunnea** (Pagenstecher,1888) (Uraniidae) Synonym(s): *semibrunnea* Pagenstecher,1888; *caesia* W.Warren,1897; *okinawana* Matsumura,1931
4196. **Monobolodes pseudosimulans** Holloway,1998 (Uraniidae) Synonym(s): *pseudosimulans* Holloway,1998
4197. **Nyctalemon menoetius** Hopffer,1856 (Uraniidae)
Synonym(s): *menoetius* Hopffer,1856; *hector* Walker,1856; *longicaudus* Schaufuss,1870; *#albiapicalis* Pfeiffer,1925
4198. **Nyctalemon menoetius menoetius** Hopffer,1856 (Uraniidae) Synonym(s): *menoetius* Hopffer,1856; *hector* Walker,1856; *longicaudus* Schaufuss,1870; *#albiapicalis* Pfeiffer,1925
4199. **Nyctalemon zampa** Butler,1869 (Uraniidae)
Synonym(s): *zampa* Butler,1869; *crameri* Boisduval,1874
4200. **Nyctalemon zampa ssp.** (Uraniidae) Synonym(s):
4201. **Oroplema oyamana** (Matsumura,1931) (Uraniidae)
Synonym(s): *oyamana* Matsumura,1931
4202. **Pseudomicronia advocataria** (Walker,1861) (Uraniidae) Synonym(s): *advocataria* Walker,1861
4203. **Allocaprima duganga** (Semper,1898) (Zygaenidae)
Synonym(s): *duganga* Semper,1898
4204. **Allocaprima tricoloratus** (Semper,1898) (Zygaenidae)
Synonym(s): *tricoloratus* Semper,1898
4205. **Amesia apoensis** Kishida & Horie,1989 (Zygaenidae)
Synonym(s): *apoensis* Kishida & Horie,1989
4206. **Arachotia aenea** Jordan,1908 (Zygaenidae)
Synonym(s): *aenea* Jordan,1908
4207. **Arachotia hyalina** M.Hering,1925 (Zygaenidae)
Synonym(s): *hyalina* M.Hering,1925
4208. **Arachotia quadricolor** (Semper,1898) (Zygaenidae)
Synonym(s): *quadricolor* Semper,1898
4209. **Boradiopsis grisea** (Semper,1898) (Zygaenidae)
Synonym(s): *grisea* Semper,1898
4210. **Chalcusia nyctemeroides** Semper,1898 (Zygaenidae)
Synonym(s): *nyctemeroides* Semper,1898
4211. **Clelea nigroviridis** Elwes,1890 (Zygaenidae)
Synonym(s): *nigroviridis* Elwes,1890
4212. **Clelea pravata** (Moore,1859) (Zygaenidae)
Synonym(s): *pravata* Moore,1859
4213. **Cryptophysophilus bicoloratus** (Semper,1898) (Zygaenidae) Synonym(s): *bicoloratus* Semper,1898
4214. **Cyclosia chartacea** (Swinhoe,1892) (Zygaenidae)
Synonym(s): *chartacea* Swinhoe,1892; *chartaceomorpha* M.Hering,1922; *tenebrosa* Jordan,1933; *virgata* Jordan,1933; *dorsalis* Jordan,1933
4215. **Cyclosia dolichoptera** Hampson,1919 (Zygaenidae)
Synonym(s): *dolichoptera* Hampson,1919
4216. **Cyclosia imitans** (Butler,1881) (Zygaenidae)
Synonym(s): *imitans* Butler,1881
4217. **Cyclosia pagenstecheri** (Grünberg,1908) (Zygaenidae)
Synonym(s): *pagenstecheri* Grünberg,1908
4218. **Cyclosia papilionaris** (Drury,[1782]) (Zygaenidae)
Synonym(s): *papilionaris* Drury,[1782]; *venaria* Fabricius,1775; *ferrea* Walker,1854; *nigrescens* Moore,1877; *parvula* Butler,1883; *australinda* Hampson,1891; *latipennis* Hampson,1891; *enodis* Swinhoe,1892; *nicobarensis* M.Hering,1922; *philippinensis* Draeseke,1924
4219. **Cyclosia philippinensis** Draeseke,1924 (Zygaenidae)
Synonym(s): *philippinensis* Draeseke,1924
4220. **Cyclosia pseudospargens** M.Hering,1922 (Zygaenidae)
Synonym(s): *pseudospargens* M.Hering,1922
4221. **Cyclosia sordida** (Walker,1862) (Zygaenidae)
Synonym(s): *sordida* Walker,1862; *insularis* Swinhoe,1892; *bungauensis* Schultze,1925
4222. **Docleomorpha boholica** (Semper,1898) (Zygaenidae)
Synonym(s): *boholica* Semper,1898
4223. **Docleopsis boradioides** (Semper,1898) (Zygaenidae)
Synonym(s): *boradioides* Semper,1898
4224. **Docleopsis duganga** (Semper,1898) (Zygaenidae)
Synonym(s): *duganga* Semper,1898

- 4225. Docleopsis zamboanga (Semper,1898)** (Zygaenidae)
Synonym(s): *zamboanga* Semper, 1898
- 4226. Eterusia feminata Kishida & Endo,1999** (Zygaenidae)
Synonym(s): *feminata* Kishida & Endo, 1999
- 4227. Eterusia vitessa Yen,2003** (Zygaenidae) Synonym(s):
vitessa Yen, 2003
- 4228. Eusphalera bellula Kishida & Endo,1999** (Zygaenidae)
Synonym(s): *bellula* Kishida & Endo, 1999
- 4229. Gyneutocera philomela Herrich-Schäffer,1853** (Zygaenidae) Synonym(s): *philomela* Herrich-Schäffer, 1853;
virescens C.Felder & R.Felder, 1862; *buruensis* Rothschild, 1899; *celebensis* Rothschild, 1899; *reducta* Rothschild, 1899; *pavo* Dohrn, 1899; *philippinensis* M.Hering, 1922; *djilolensis* M.Hering, 1922
- 4230. Histia eurhodia Jordan,1907** (Zygaenidae)
Synonym(s): *eurhodia* Jordan, 1907
- 4231. Milleria adalifoides Schultze,1925** (Zygaenidae)
Synonym(s): *adalifoides* Schultze, 1925
- 4232. Phacusa manilensis Hampson,1919** (Zygaenidae)
Synonym(s): *manilensis* Hampson, 1919
- 4233. Phacusa tenebrosa Walker,1854** (Zygaenidae)
Synonym(s): *tenebrosa* Walker, 1854
- 4234. Phacusa tenebrosa crawfurdi (Moore,1859)** (Zygaenidae) Synonym(s): *crawfurdi* Moore, 1859; *strigosa* Walker, 1864
- 4235. Phauda triadum (Walker,1854)** (Zygaenidae)
Synonym(s): *triadum* Walker, 1854
- 4236. Phlebohecta jordani (West,1932)** (Zygaenidae)
Synonym(s): *jordani* West, 1932
- 4237. Pidorus corculum (Butler,1879)** (Zygaenidae)
Synonym(s): *corculum* Butler, 1879; *flavofasciatus* Pagenstecher, 1885
- 4238. Pompelon marginatum (Guérin-Méneville,1843)** (Zygaenidae) Synonym(s): *marginata* Guérin-Méneville, 1843; *valentula* Swinhoe, 1889; *philippensis* Druce, 1891; *rotundata* Swinhoe, 1892; *subcyanea* Swinhoe, 1892; *cynosura* Druce, 1894; *albocyaneum* Semper, 1898; *anethusa* Snellen, 1903; *albiapicalis* M.Hering, 1922
- 4239. Pompelon marginatum marginatum (Guérin-Méneville,1843)** (Zygaenidae) Synonym(s): *marginata* Guérin-Méneville, 1843; *valentula* Swinhoe, 1889; *philippensis* Druce, 1891; *rotundata* Swinhoe, 1892; *subcyanea* Swinhoe, 1892; *cynosura* Druce, 1894; *albocyaneum* Semper, 1898; *anethusa* Snellen, 1903; *albiapicalis* M.Hering, 1922
- 4240. Psaphis azurea Kishida & Endo,1999** (Zygaenidae)
Synonym(s): *azurea* Kishida & Endo, 1999
- 4241. Pseudonyctemera adalifoides Schultz,1925** (Zygaenidae) Synonym(s): *adalifoides* Schultz, 1925
- 4242. Thyraia philippina Jordan,1908** (Zygaenidae)
Synonym(s): *philippina* Jordan, 1908
- 4243. Trypanophora deligata Jordan,1907** (Zygaenidae)
Synonym(s): *deligata* Jordan, 1907
- 4244. Trypanophora luzonensis Semper,1898** (Zygaenidae)
Synonym(s): *luzonensis* Semper, 1898

Chapter 16

The present and our forthcoming efforts on the Lepidoptera of Eretna are dedicated to the Uighur People, reigning in Asia Minor.



Lepidoptera Fauna of Eretna Sultanate in Asia Minor

Results of the Historical Project
of the CESA (LER)


by
Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Chapter 16: Lepidoptera fauna of Eretna Sultanate in Asia Minor (LER) [in] Koçak, A.Ö. & M. Kemal, Results of the Historical International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 1918-1989, map, Pl.49.

In this study totally 4067 species group taxa are listed alphabetically under the related families in the territories of the historical Eretna Sultanate in Asia Minor Peninsula.

Lepidoptera Fauna of Eretna Sultanate in Asia Minor

The Sultanate was established around 1327²³ by Eretna, an officer of Uighur (Uyghur), who succeeded the Mongol Timur-Tash as the Ilkhanid representative in Rum, and then declared himself sultan. Eretna then became governor of Anatolia under the suzerainty of Hasan the Elder, ruler of Azerbaijan. After Hasan the Elder was defeated by Hasan the Younger, son of Demirtas, Eretna in 1337 received the protection of the Mamluk sultan of Egypt. In 1343, however, Eretna defeated Hasan the Younger and emerged as an independent ruler over territories that included Nigde, Ankara, Amasya, Tokat, Samsun, and Erzincan; he made Sivas and later Kayseri his capital. Eretna was a scholarly man and a just ruler, whose people called him Kōse Peygamber (Prophet with the Scanty Beard).



Under Eretna's successors, local rulers rebelled; the principality lost territories in the west to the Ottomans and the Karamans and in the east to the Turkmen Ak Koyunlu state. In 1380 Mehmed II, the last Eretna ruler, was killed, and Burhaneddin, a former vizier, proclaimed himself sultan over Eretna lands. Kadi Burhaneddin, the vizier of the Sultanate of Eretna in northeastern Anatolia, usurped the sultanate. He

ruled forcefully until 1381, when his territories were annexed by the Ottomans.

The Sultanate of Eretna covers nearly 20 provincial territories of the modern Republic of Turkey (Map). In the present survey, the Lepidoptera fauna of the Eretna Sultanate is determined and listed below, which is equal to the sum of the species group taxa, inhabiting in the provincial territories indicated in Map.

The north western territory is represented by generally forest steppe (Pl.49 figs.2-5). Eastern region are high land. Mountainous steppe are predominant (Pl.49 figs.6-7), while forests very scattered, usually represented by various Quercus species. In the north eastern territory is represented by high grass-land over the forest line, and also by euxine forests.

²³ Göde, K,2000, *Eratnalılar (1327-1831)*. xii+203s., 23 resim. Türk Tarih Kurumu Basımevi, Ankara.

List of the species and subspecies inhabiting in the territories of Eretna Sultanate

In this intermediate report of this project, totally 4067 species group taxa, hitherto recorded, are listed alphabetically under the relevant families, together with their synonyms.

1. *Adela croesella* (Scopoli,1763) (Adelidae) *croesella* Scopoli,1763; *podaella* Linnaeus,1767; *sultzella* Linnaeus,1767; *malletella* Fourcroy,1785; *fasciata* Esper,1791; *sultzii* Haworth,1828; *sulzeriella* Zeller,1839; *laqueatella* Zeller,1850.
2. *Adela mazzolella* (Hübner,[1801]) (Adelidae) *aurella* [Denis & Schiffermüller],1775 nec Fabr.,1775; *mazzolella* Hübner,[1801]; *armeniella* Rebel,1902
3. *Adela repetitella* Mann,1861 (Adelidae) *repetitella* Mann,1861
4. *Cauchas anatolica* (Rebel,1902) (Adelidae) *anatolica* Rebel,1902
5. *Cauchas florella* (Staudinger,1871) (Adelidae) *florella* Staudinger,1871
6. *Cauchas rufifrontella* (Treitschke,1833) (Adelidae) *rufifrontella* Treitschke,1833
7. *Cauchas tridesma* (Meyrick,1912) (Adelidae) *trifasciella* Staudinger,1879 (*praeocc.*); *tridesma* Meyrick,1912.
8. *Nematopogon adansoniella* (Villers,1789) (Adelidae) *adansoniella* Villers,1789; *panzerella* Fabricius,1794; *panzeri* Haworth,1828; *sabulosella* Walker,1863; *annulatella* Ragonot,1876; *pseudopilella* Peyerimhoff,1877.
9. *Nematopogon robertella* (Clerck,1759) (Adelidae) *robertella* Clerck,1759; *pilulella* Hübner,[1813].
10. *Nematopogon schwarziellus* Zeller,1839 (Adelidae) *schwarziellus* Zeller,1839; *carteri* Stainton,1854
11. *Nemophora dumerilella* (Duponchel,1839) (Adelidae) *basochesella* Hübner,[1824] (n.o.); *dumerilella* Duponchel,1839; *inauratella* Duponchel,1844; *#fervidellus* Zeller,1853; *#zelleriellus* Zeller,1853
12. *Nemophora fasciella* (Fabricius,1775) (Adelidae) *fasciella* Fabricius,1775; *schiffermillerella* [Denis & Schiffermüller],1775; *fascia* Haworth,1828; *schiffermuellerella* Treitschke,1833; *annae* Zeller,1853; *purpureus* Stainton,1867
13. *Nemophora metallica* (Poda,1761) (Adelidae) *metallica* Poda,1761; *scabiosella* Scopoli,1763; *viridella* Hübner,1796; *aerosellus* Zeller,1850; *rebelellus* Turati,1924
14. *Nemophora mollella* (Hübner,[1813]) (Adelidae) *mollella* Hübner,[1813]; *glabrata* Meyrick,1922
15. *Nemophora prodigellus* (Zeller,1853) (Adelidae) *prodigellus* Zeller,1853; *auricellus* Ragonot,1874; *splendidus* Staudinger,1880
16. *Blastodacna libanotica* Diakonoff,1939 (Agonoxenidae) *libanotica* Diakonoff,1939
17. *Heinemannia laspeyrella* (Hübner,1796) (Agonoxenidae) *laspeyrella* Hübner,1796
18. *Alucita cancellata* (Meyrick,1908) (Alucitidae) *cancellata* Meyrick,1908
19. *Alucita cymatodactyla* Zeller,1852 (Alucitidae) *cymatodactyla* Zeller,1852.
20. *Alucita desmodactyla* Zeller,1847 (Alucitidae) *desmodactyla* Zeller,1847
21. *Alucita grammodactyla* Zeller,1841 (Alucitidae) *grammodactyla* Zeller,1841
22. *Alucita hexadactyla* Linnaeus,1758 (Alucitidae) *hexadactyla* Linnaeus,1758
23. *Alucita huebneri* Wallengren,1859 (Alucitidae) *huebneri* Wallengren,1859
24. *Alucita major* (Rebel,1906) (Alucitidae) *major* Rebel,1906
25. *Alucita palodactyla* Zeller,1847 (Alucitidae) *palodactyla* Zeller,1847; *perittodactyla* Staudinger,1859; *parthenodactyla* Chrétien,1915
26. *Arctia caja* (Linnaeus,1758) (Arctiidae) *caja* Linnaeus,1758; *erinacea* Retzius,1783; *phantasma* Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 nec Rom.,1884; *rebeli* Wnukowsky,1929.
27. *Arctia caja wiskotti* Staudinger,1879 (Arctiidae) *wiskotti* Staudinger,1879
28. *Axiopoea karelini* Ménétriés,1853 (Arctiidae) *karelini* Ménétriés,1853; *transcaucasia* Sheljuzhko,1926; *manissadjiani* O.Bang-Haas,1927.
29. *Axiopoea karelini karelini* Ménétriés,1853 (Arctiidae) *karelini* Ménétriés,1853; *transcaucasia* Sheljuzhko,1926; *manissadjiani* O.Bang-Haas,1927.
30. *Axiopoea maura* (Eichwald,1830) (Arctiidae) *maura* Eichwald,1830; *fluviatilis* Swinhoe,1885.
31. *Axiopoea maura maura* (Eichwald,1830) (Arctiidae) *maura* Eichwald,1830; *fluviatilis* Swinhoe,1885.
32. *Callimorpha dominula* (Linnaeus,1758) (Arctiidae) *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943.
33. *Callimorpha dominula bithynica* Staudinger,1871 (Arctiidae) *bithynica* Staudinger,1871; *balcanica* Daniel,1952.
34. *Callimorpha dominula rossica* Kolenati,1846 (Arctiidae) *rossica* Kolenati,1846; ? *lutea* Staudinger,1861; *teberdina* Sheljuzhko,1934; *swanetica* Reichl,1935.
35. *Chelis reticulata* (Christoph,1887) (Arctiidae) *reticulata* Christoph,1887
36. *Chelis reticulata sultana* Schwingenschuss,1938 (Arctiidae) *sultana* Schwingenschuss,1938
37. *Cymbalophora oetzeni* (Lederer,1855) (Arctiidae) *oetzeni* Lederer,1855
38. *Cymbalophora oetzeni oetzeni* (Lederer,1855) (Arctiidae) *oetzeni* Lederer,1855
39. *Cymbalophora rivularis* (Ménétriés,1832) (Arctiidae) *rivularis* Ménétriés,1832; *dannehli* Dannehl,1929.
40. *Cymbalophora rivularis rivularis* (Ménétriés,1832) (Arctiidae) *rivularis* Ménétriés,1832; *dannehli* Dannehl,1929.
41. *Diacrisia sannio* (Linnaeus,1758) (Arctiidae) *sannio* Linnaeus,1758; *ruscula* Linnaeus,1758; *vulpinaria* Linnaeus,1758; *hesperidea* Fourcroy,1785; *pallida* Staudinger,1892.
42. *Diacrisia sannio caucasica* Schaposchnikoff,1904 (Arctiidae) *caucasica* Schaposchnikoff,1904; *caucasiana* Strand,1919.
43. *Diaphora mendica* (Linnaeus,1761) (Arctiidae) *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791]; *syra* Daniel,1933; *malatiana* Bytinski-Salz,1936.
44. *Diaphora mendica mendica* (Linnaeus,1761) (Arctiidae) *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791]; *syra* Daniel,1933; *malatiana* Bytinski-Salz,1936.
45. *Eilema caniola* (Hübner,[1808]) (Arctiidae) *caniola* Hübner,[1808]
46. *Eilema complana* (Linnaeus,1758) (Arctiidae) *complanata* Linnaeus,1758; *ochrocephala* Fourcroy,1785; *sericea* Gregson,1860; *molybdeola* Guenée,1861; *balcanica* Daniel,1939.
47. *Eilema costalis* (Zeller,1847) (Arctiidae) *#morosina* Herrich-Schäffer,1847; *costalis* Zeller,1847
48. *Eilema lurideola* (Zincken,1817) (Arctiidae) *lurideolum* Zincken,1817; *complanula* Boisduval,1834; *plumbeolana* Herrich-Schäffer,1852.
49. *Eilema lutarella* (Linnaeus,1758) (Arctiidae) *lutarella* Linnaeus,1758; *luteola* [Denis & Schiffermüller],1775; *alboflava* Retzius,1783; *flava* Fabricius,1798; *lutea* Fabricius,1798 nec Fabr.,1775
50. *Eilema palliatella* (Scopoli,1763) (Arctiidae) *palliatella* Scopoli,1763; *unita* [Denis & Schiffermüller],1775; *palleola* Hübner,[1808]; *gilveola* Ochsenheimer,1810; *vitellina* Treitschke,1834; *flaveola* Rambur,1866.
51. *Eilema pseudocomplana* (Daniel,1939) (Arctiidae) *pseudocomplana* Daniel,1939
52. *Eilema sororcula* (Hufnagel,1766) (Arctiidae) *sororcula* Hufnagel,1766; *crocella* Fourcroy,1785; *crocinea* Villers,1789; *aureola* Hübner,[1808]; *aurantia* Haworth,1809.

53. *Epatolmis caesarea* (Goeze,1781) (Arctiidae) *#luctifera* [Denis & Schiffermüller],1775; *caesarea* Goeze,1781; *japonica* Walker,[1865].
54. *Epatolmis caesarea caesarea* (Goeze,1781) (Arctiidae) *#luctifera* [Denis & Schiffermüller],1775; *caesarea* Goeze,1781; *japonica* Walker,[1865].
55. *Epicallia villica* (Linnaeus,1758) (Arctiidae) *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923.
56. *Epicallia villica fulminans* (Staudinger,1871) (Arctiidae) *fulminans* Staudinger,1871; *syriaca* Oberthür,1911.
57. *Epicallia villica villica* (Linnaeus,1758) (Arctiidae) *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923.
58. *Eucharia festiva* (Hufnagel,1766) (Arctiidae) *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétériès,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928.
59. *Eucharia festiva festiva* (Hufnagel,1766) (Arctiidae) *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétériès,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928.
60. *Euplagia quadripunctaria* (Poda,1761) (Arctiidae) *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 *nec* Hol.,1897; *latefasciata* Bubacek,1915.
61. *Euplagia quadripunctaria fulgida* (Oberthür,1896) (Arctiidae) *fulgida* Oberthür,1896; *magna* Holtz,1897.
62. *Hyphoraia aulica* (Linnaeus,1758) (Arctiidae) *aulica* Linnaeus,1758.
63. *Hyphoraia aulica aulica* (Linnaeus,1758) (Arctiidae) *aulica* Linnaeus,1758.
64. *Lacydes spectabilis* (Tauscher,1806) (Arctiidae) *spectabilis* Tauscher,1806; *intercissa* Freyer,1842.
65. *Lacydes spectabilis sheljuzhkoii* Dubatolov,1996 (Arctiidae) *sheljuzhkoii* Dubatolov,1996.
66. *Muscula muscula* (Staudinger,1899) (Arctiidae) *muscula* Staudinger,1899.
67. *Muscula muscula muscula* (Staudinger,1899) (Arctiidae) *muscula* Staudinger,1899.
68. *Nebrarctia semiramis* (Staudinger,1892) (Arctiidae) *semiramis* Staudinger,1892.
69. *Nebrarctia semiramis semiramis* (Staudinger,1892) (Arctiidae) *semiramis* Staudinger,1892.
70. *Ocnogyna* (Somatotrichia) *anatolica* Witt,1980 (Arctiidae) *anatolica* Witt,1980.
71. *Ocnogyna* (Somatotrichia) *anatolica* *anatolica* Witt,1980 (Arctiidae) *anatolica* Witt,1980.
72. *Ocnogyna* (Somatotrichia) *parasita* (Hübner,1790) (Arctiidae) *parasita* Hübner,1790.
73. *Ocnogyna* (Somatotrichia) *parasita* *intermedia* Staudinger,1879 (Arctiidae) *intermedia* Staudinger,1879.
74. *Ocnogyna* (Somatotrichia) *parasita* *nogelli* Lederer,1865 (Arctiidae) *nogelli* Lederer,1865.
75. *Ocnogyna* (s.str.) *armena* Staudinger,1871 (Arctiidae) *armena* Staudinger,1871.
76. *Ocnogyna* (s.str.) *armena* *armena* Staudinger,1871 (Arctiidae) *armena* Staudinger,1871.
77. *Ocnogyna* (s.str.) *bellieri* (Lederer,1855) (Arctiidae) *bellieri* Lederer,1855; *banghaasi* Staudinger,1895.
78. *Ocnogyna* (s.str.) *bellieri* *bellieri* (Lederer,1855) (Arctiidae) *bellieri* Lederer,1855; *banghaasi* Staudinger,1895.
79. *Ocnogyna* (s.str.) *herrichi* Staudinger,1879 (Arctiidae) *herrichi* Staudinger,1879.
80. *Ocnogyna* (s.str.) *herrichi* *herrichi* Staudinger,1879 (Arctiidae) *herrichi* Staudinger,1879.
81. *Paidia* (Conjuncta) *conjuncta* (Staudinger,1892) (Arctiidae) *conjuncta* Staudinger,1892.
82. *Paidia* (Conjuncta) *conjuncta* *conjuncta* (Staudinger,1892) (Arctiidae) *conjuncta* Staudinger,1892.
83. *Paidia cinerascens* (Herrich-Schäffer,[1847]) (Arctiidae) *cinerascens* Herrich-Schäffer,[1847].
84. *Phragmatobia fuliginosa* (Linnaeus,1758) (Arctiidae) *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 *nec* Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 *nec* Reiss.,1934.
85. *Phragmatobia fuliginosa taurica* Daniel,1970 (Arctiidae) *taurica* Daniel,1970.
86. *Phragmatobia placida* (Frivaldsky,1835) (Arctiidae) *placida* Frivaldsky,1835.
87. *Phragmatobia placida placida* (Frivaldsky,1835) (Arctiidae) *placida* Frivaldsky,1835.
88. *Rhyparia purpurata* (Linnaeus,1758) (Arctiidae) *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909.
89. *Rhyparia purpurata purpurata* (Linnaeus,1758) (Arctiidae) *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909.
90. *Setina flavicans* (Geyer,[1836]) (Arctiidae) *flavicans* Geyer,[1836].
91. *Spilosoma lubricipedum* (Linnaeus,1758) (Arctiidae) *lubricipeda* Linnaeus,1758; *menthastri* [Denis & Schiffermüller],1775; ? *sangaica* Walker,[1865]; *chishimana* Matsumura,1929; *masuensis* Matsumura,1930; *elegans* Bryk,1938; *sotiriadis* Koutsaftikis,1973; *#lubrecipeda* De Freina,1981.
92. *Spilosoma lubricipedum lubricipedum* (Linnaeus,1758) (Arctiidae) *lubricipeda* Linnaeus,1758; *menthastri* [Denis & Schiffermüller],1775; ? *sangaica* Walker,[1865]; *chishimana* Matsumura,1929; *masuensis* Matsumura,1930; *elegans* Bryk,1938; *sotiriadis* Koutsaftikis,1973; *#lubrecipeda* De Freina,1981.
93. *Spiris striata* (Linnaeus,1758) (Arctiidae) *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandi* Obraztsov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948.
94. *Spiris striata striata* (Linnaeus,1758) (Arctiidae) *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandi* Obraztsov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948.
95. *Tyria jacobaeae* (Linnaeus,1758) (Arctiidae) *jacobaeae* Linnaeus,1758; *senecionis* Godart,1823; *confluens* Schultz,1908.
96. *Utetheisa* (s.str.) *pulchella* (Linnaeus,1758) (Arctiidae) *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969.
97. *Utetheisa* (s.str.) *pulchella* *pulchella* (Linnaeus,1758) (Arctiidae) *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775.
98. *Watsonarctia deserta* (Bartel,1902) (Arctiidae) *casta* Esper,[1784] *nec* Pall.,1771; *deserta* Bartel,1902; *sibirica* Kozhantschikov,1924; *callesi* Gomez-Bustillo,1979; *esperii* Koçak,1980.
99. *Watsonarctia deserta karduchena* (De Freina,1983) (Arctiidae) *karduchena* De Freina,1983.
100. *Aglais urticae* (Linnaeus,1758) (Argynnis) *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandi* Verity,1936.
101. *Aglais urticae turcica* (Staudinger,1871) (Argynnis) *turcica* Staudinger,1871.
102. *Argynnis* (Fabriciana) *adippe* (Rottemburg,1775) (Argynnis) *cydippe* Linnaeus,1761 (*rejected*); *berecynthia* Poda,1761 (*rejected*); *adippe* Rottemburg,1775; *phryxa* Bergsträßer,1780; *margaritacea* Retzius,1783; *syrinx* Borkhausen,1788; *aspasia* Borkhausen,1788; *liriope* Borkhausen,1788; *baiuvarica* Spuler,1901, etc.
103. *Argynnis* (Fabriciana) *adippe* *adippe* (Rottemburg,1775) (Argynnis) *cydippe* Linnaeus,1761 (*rejected*); *berecynthia* Poda,1761 (*rejected*); *adippe* Rottemburg,1775; *phryxa* Bergsträßer,1780; *margaritacea* Retzius,1783; *syrinx* Borkhausen,1788; *aspasia* Borkhausen,1788; *liriope* Borkhausen,1788; *baiuvarica* Spuler,1901, etc.
104. *Argynnis* (Fabriciana) *adippe* *taurica* Staudinger,1878 (Argynnis) *taurica* Staudinger,1878.
105. *Argynnis* (Fabriciana) *niobe* (Linnaeus,1758) (Argynnis) *niobe* Linnaeus,1758.
106. *Argynnis* (Fabriciana) *niobe* *gigantea* Staudinger,1871 (Argynnis) *gigantea* Staudinger,1871; *taura* Röber,1896; *orgowa* Teich,1901; *#kuhlmanni* Seitz,[1908]; *#philiatra* Seitz,[1908]; *ancyrensis* Rebel,1931; *khusestana* Gross & Ebert,1975.
107. *Argynnis* (Pandoriana) *pandora* ([Denis & Schiffermüller],1775) (Argynnis) *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 *nec* Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975.
108. *Argynnis* (Pandoriana) *pandora* *pandora* ([Denis & Schiffermüller],1775) (Argynnis) *pandora* [Denis & Schiffermüller],1775.

Schiffmüller],1775; maja Cramer,1775 nec Fabricius,1775; cynara Fabricius,1777; cyrnea Schwerda,1926; transcaucasica Moucha,1967; deserticola Gross & Ebert,1975.

109. Argynnis (Speyeria) aglaja (Linnaeus,1758) (Argynnidæ) aglaja Linnaeus,1758; charlotta Haworth,1802; emilia Acerbi,1802 nec Cr.,1779; caroletta Jermyn,1827; locuples Verity,1919 nec Butler,1879; emilocuples Verity,1919; locupletata Verity,1922; montesignum Sagarra,1926.

110. Argynnis (Speyeria) aglaja aglaja (Linnaeus,1758) (Argynnidæ) aglaja Linnaeus,1758; charlotta Haworth,1802; emilia Acerbi,1802 nec Cr.,1779; caroletta Jermyn,1827; locuples Verity,1919 nec Butler,1879; emilocuples Verity,1919; locupletata Verity,1922; montesignum Sagarra,1926.

111. Argynnis (Speyeria) aglaja ottomana Röber,1896 (Argynnidæ) ottomana Röber,1896

112. Argynnis (s.str.) paphia (Linnaeus,1758) (Argynnidæ) paphia Linnaeus,1758; valesina Esper,[1798]; magnata Verity,1919; revelata Verity,1934; magnifica Verity,1919; magnificamagnata Verity,1950.

113. Argynnis (s.str.) paphia delila Röber,1896 (Argynnidæ) delila Röber,1896

114. Argynnis (s.str.) paphia paphia (Linnaeus,1758) (Argynnidæ) paphia Linnaeus,1758; valesina Esper,[1798]; magnata Verity,1919; revelata Verity,1934; magnifica Verity,1919; magnificamagnata Verity,1950.

115. Boloria (Clossiana) dia (Linnaeus,1767) (Argynnidæ) dia Linnaeus,1767; diniensis Fruhstorfer,1909; leonina Fruhstorfer,1909; disconota Krulikowsky,1909; laetior Verity,1919.

116. Boloria (Clossiana) dia dia (Linnaeus,1767) (Argynnidæ) dia Linnaeus,1767; diniensis Fruhstorfer,1909; leonina Fruhstorfer,1909; disconota Krulikowsky,1909; laetior Verity,1919.

117. Boloria (Clossiana) euphrosyne (Linnaeus,1758) (Argynnidæ) euphrosyne Linnaeus,1758; argenticollis Retzius,1783; fingal Herbst,1800; densoi Fruhstorfer,1909; apennina Fruhstorfer,1916; cynosoma Fruhstorfer,1916; nestonclara Verity,1932; eminens Verity,1932; varianana Verity,1932; austreminens Verity,1950, etc.

118. Boloria (Clossiana) euphrosyne euphrosyne (Linnaeus,1758) (Argynnidæ) euphrosyne Linnaeus,1758; argenticollis Retzius,1783; fingal Herbst,1800; densoi Fruhstorfer,1909; apennina Fruhstorfer,1916; cynosoma Fruhstorfer,1916; nestonclara Verity,1932; eminens Verity,1932; varianana Verity,1932; austreminens Verity,1950, etc.

119. Boloria (s.str.) caucasica (Lederer,1852) (Argynnidæ) caucasica Lederer,1852; pontica Crosson du Cormier, Guérin & De Lesse,1957.

120. Boloria (s.str.) caucasica caucasica (Lederer,1852) (Argynnidæ) caucasica Lederer,1852; pontica Crosson du Cormier, Guérin & De Lesse,1957.

121. Boloria (s.str.) graeca (Staudinger,1870) (Argynnidæ) graeca Staudinger,1870

122. Boloria (s.str.) graeca karina Van Oorschot & Wagens,1990 (Argynnidæ) karina Van Oorschot & Wagens,1990

123. Brenthis daphne (Bergsträsser,1780) (Argynnidæ) daphne Bergsträsser,1780; chloris Esper,1778 nec Fabricius,1775; epidaphne Fruhstorfer,1907; nikator Fruhstorfer,1909; tenuitermaculosa Verity,1922; syriaca Belter,1935; anatolica Belter,1935.

124. Brenthis daphne daphne (Bergsträsser,1780) (Argynnidæ) daphne Bergsträsser,1780; chloris Esper,1778 nec Fabricius,1775; epidaphne Fruhstorfer,1907; nikator Fruhstorfer,1909; tenuitermaculosa Verity,1922; syriaca Belter,1935; anatolica Belter,1935.

125. Brenthis hecate ([Denis & Schiffmüller],1775) (Argynnidæ) hecate [Denis & Schiffmüller],1775; harmothoe Fruhstorfer,1917; florida Verity,1919; stricta Verity,1933.

126. Brenthis hecate transcaucasica Wnukowsky,1929 (Argynnidæ) #caucasica Staudinger,1861; caucasica Staudinger,1871 nec Lederer,1852; transcaucasica Wnukowsky,1929.

127. Brenthis ino (Rottemburg,1775) (Argynnidæ) ino Rottemburg,1775; dictynna [Denis & Schiff.],1775; parthenie Bergsträsser,1780; flavomaculatus Retzius,1783; adula, tergesta, eporedia Fruhst.,1910; pyrenaica Sagarra,1925; asiaepallens Verity,1933; sesquerialda Verity,1957.

128. Brenthis ino schmitzi Wagens,1983 (Argynnidæ) schmitzi Wagens,1983

129. Cynthia cardui (Linnaeus,1758) (Argynnidæ) cardui Linnaeus,1758; carduelis Cramer,1775; elymi Rambur,1829; kershawi McCoy,1868; pallida Schoyen,1881; universa Verity,1919; takesakiana Kato,1925.

130. Cynthia cardui cardui (Linnaeus,1758) (Argynnidæ) cardui Linnaeus,1758; carduelis Cramer,1775; elymi Rambur,1829; kershawi McCoy,1868; pallida Schoyen,1881; universa Verity,1919; takesakiana Kato,1925.

131. Euphydryas (Eurodryas) aurinia (Rottemburg,1775) (Argynnidæ) aurinia Rottemburg,1775; artemis [Denis & Schiffmüller],1775; lye Bergsträsser,[1779]; koloswarensis Piller & Mitterpacher,1783; scotica Robson,1880; signifera Kane,1893; anglicana Fruhstorfer,1917; aecia Fruhstorfer,1917.

132. Euphydryas (Eurodryas) aurinia bulgarica (Fruhstorfer,1917) (Argynnidæ) bulgarica Fruhstorfer,1917

133. Euphydryas (Eurodryas) orientalis (Herrich-Schäffer,[1845]) (Argynnidæ) orientalis Herrich-Schäffer,[1845]; amasina Seitz,1908.

134. Euphydryas (Eurodryas) orientalis orientalis (Herrich-Schäffer,[1845]) (Argynnidæ) orientalis Herrich-Schäffer,[1845]; amasina Seitz,1908.

135. Inachis io (Linnaeus,1758) (Argynnidæ) io Linnaeus,1758; ioides Ochsenheimer,1808; caucasica Jachontov,1911.

136. Inachis io io (Linnaeus,1758) (Argynnidæ) io Linnaeus,1758; ioides Ochsenheimer,1808; caucasica Jachontov,1911.

137. Issoria lathonia (Linnaeus,1758) (Argynnidæ) lathonia Linnaeus,1758; saturata Röber,1897; hungarica Aigner-Abafi,1906; florens Verity,1916; emiflorens Verity,1919; attenuata Sagarra,1926; nigroprivata Verity,1933.

138. Issoria lathonia lathonia (Linnaeus,1758) (Argynnidæ) lathonia Linnaeus,1758; saturata Röber,1897; hungarica Aigner-Abafi,1906; florens Verity,1916; emiflorens Verity,1919; attenuata Sagarra,1926; nigroprivata Verity,1933.

139. Limenitis (Azuritis) reducta Staudinger,1901 (Argynnidæ) reducta Staudinger,1901.

140. Limenitis (Azuritis) reducta herculeana Stichel,[1908] (Argynnidæ) herculeana Stichel,[1908]; mirzayani Gross & Ebert,1975.

141. Limenitis (Ladoga) camilla (Linnaeus,1764) (Argynnidæ) camilla Linnaeus,1764; prorsa Linnaeus,1764 nec Linnaeus,1758; sibilla Linnaeus,1769; luctuosus Fourcroy,1785 nec Walch,1775.

142. Limenitis (Ladoga) camilla camilla (Linnaeus,1764) (Argynnidæ) camilla Linnaeus,1764; prorsa Linnaeus,1764 nec Linnaeus,1758; sibilla Linnaeus,1769; luctuosus Fourcroy,1785 nec Walch,1775.

143. Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779) (Argynnidæ) #phoebe [Denis & Schiffmüller],1775; phoebe Goeze,1779; paedotropos Bergsträsser,[1780]; tremulae Piller & Mitterpacher,1783.

144. Melitaea (Cinclidia) (phoebe) phoebe sextilis Jachontov,1909 (Argynnidæ) #caucasica Staudinger,1861; caucasica Staudinger,1870 nec Stgr.,1861; sextilis Jachontov,1909; ottonis Fruhstorfer,1917; caucasicola Verity,1919; pseudosibina Alberti,1969.

145. Melitaea (Cinclidia) (phoebe) punica Oberthür,1876 (Argynnidæ) punica Oberthür,1876

146. Melitaea (Cinclidia) (phoebe) punica telona Fruhstorfer,1908 (Argynnidæ) telona Fruhstorfer,1908; #fasciata Wiltshire,1946; abbas Gross & Ebert,1975.

147. Melitaea (Cinclidia) collina Lederer,1861 (Argynnidæ) collina Lederer,1861

148. Melitaea (Cinclidia) collina collina Lederer,1861 (Argynnidæ) collina Lederer,1861

149. Melitaea (Didymaeformis) didyma (Esper,[1779]) (Argynnidæ) didyma Esper,[1779]; armoricana Oberthür,1909.

150. Melitaea (Didymaeformis) didyma didyma (Esper,[1779]) (Argynnidæ) didyma Esper,[1779]; armoricana Oberthür,1909.

151. Melitaea (Didymaeformis) fascelis (Fabricius,1787) (Argynnidæ) #trivia Denis & Schiffmüller,1775; iphigenia Esper,1782 hom.; #fascelis Esper,1783 uninominal; fascelis Fabricius,1787; cleo Latreille,1803;

152. Melitaea (Didymaeformis) fascelis nana Staudinger,1871 (Argynnidæ) nana Staudinger,1871; pseudodidyma Rebel,1905; syriaca Rebel,1905; aabaca Fruhstorfer,1917; Wyatt Gross & Ebert,1975.

- 153. Melitaea (Didymaeformis) interrupta Kolenati, 1846** (Argynnisidae) *interrupta* Kolenati, 1846; *#transcaucasica* Turati, 1919; *caucasica* Verity, 1922; *venosata* Niesiolowski, 1937; *distinctissima* Bryk, 1940; *musatscherii* Alberti, 1969; *itkolensis* Alberti, 1969.
- 154. Melitaea (Didymaeformis) interrupta interrupta Kolenati, 1846** (Argynnisidae) *interrupta* Kolenati, 1846; *#transcaucasica* Turati, 1919; *caucasica* Verity, 1922; *venosata* Niesiolowski, 1937; *distinctissima* Bryk, 1940; *musatscherii* Alberti, 1969; *itkolensis* Alberti, 1969.
- 155. Melitaea (Didymaeformis) perseae Kollar, [1849]** (Argynnisidae) *perseae* Kollar, [1849]; *caucasica* Stgr., 1861; *magnacasta*, *araratica* Verity, 1929; *sargon* Hemming, 1932; *tauricus* Belter, 1934; *caucasica* Bryk, 1940; *hafiz*, *gina* Higgins, 1941; *darius*, *pfifferi*, *wernickei*, *elbursicola*, *safawides* Gross & Ebert, 1975.
- 156. Melitaea (Didymaeformis) perseae perseae Kollar, [1849]** (Argynnisidae) *perseae* Kollar, [1849]; *caucasica* Stgr., 1861; *magnacasta*, *araratica* Verity, 1929; *sargon* Hemming, 1932; *tauricus* Belter, 1934; *caucasica* Bryk, 1940; *hafiz*, *gina* Higgins, 1941; *darius*, *pfifferi*, *wernickei*, *elbursicola*, *safawides* Gross & Ebert, 1975.
- 157. Melitaea (s.str.) arduinna (Fabricius, 1787)** (Argynnisidae) *arduinna* Fabricius, 1787; *rhodopensis* Freyer, [1836]; *uralensis* Eversmann, 1844.
- 158. Melitaea (s.str.) arduinna arduinna (Fabricius, 1787)** (Argynnisidae) *arduinna* Fabricius, 1787; *rhodopensis* Freyer, [1836]; *uralensis* Eversmann, 1844.
- 159. Melitaea (s.str.) cinxia (Linnaeus, 1758)** (Argynnisidae) *cinxia* Linnaeus, 1758; *abacus* Retzius, 1783; *fulla* Quensel, 1791.
- 160. Melitaea (s.str.) cinxia clarissa Staudinger, 1901** (Argynnisidae) *clarissa* Staudinger, 1901; *#tschujaca* Seitz, 1909; *sacaria* Fruhstorfer, 1917; *riloensis* Züllich.
- 161. Melitaea (s.str.) diamina (Lang, 1789)** (Argynnisidae) *dictynna* Esper, 1778 nec [Denis & Schiffmüller], 1775; *diamina* Lang, 1789; *magnaobscura* Verity, 1931.
- 162. Melitaea (s.str.) diamina diamina (Lang, 1789)** (Argynnisidae) *dictynna* Esper, 1778 nec [Denis & Schiffmüller], 1775; *diamina* Lang, 1789; *magnaobscura* Verity, 1931.
- 163. Mellicta athalia (Rottemburg, 1775)** (Argynnisidae) *athalia* Rottemburg, 1775; *eos* Rossi, 1803 nec Rossi, 1794; *pyronia* Hübner, 1804; *aphaea* Hübner, 1816; *tessellata* Stephens, 1827; *britannia* Verity, 1914; *luciflua* Fruhstorfer, 1916; *vividior* Gouin, 1922; *subluciflua* Verity, 1935; *mixtaeladussa* Verity, 1940; *neglecta* Pfau, 1962.
- 164. Mellicta athalia athalia (Rottemburg, 1775)** (Argynnisidae) *athalia* Rottemburg, 1775; *eos* Rossi, 1803 nec Rossi, 1794; *pyronia* Hübner, 1804; *aphaea* Hübner, 1816; *tessellata* Stephens, 1827; *britannia* Verity, 1914; *luciflua* Fruhstorfer, 1916; *vividior* Gouin, 1922; *subluciflua* Verity, 1935; *mixtaeladussa* Verity, 1940; *neglecta* Pfau, 1962.
- 165. Mellicta aurelia (Nickerl, 1850)** (Argynnisidae) *parthenie* Borkhausen, 1788 nec Bergsträßer, [1780]; *aurelia* Nickerl, 1850; *#serotina* Oberthür, 1909; *lucasi* Verity, 1920.
- 166. Mellicta aurelia ciscaucasica (Rjabov, 1926)** (Argynnisidae) *ciscaucasica* Rjabov, 1926; *albimacula* Wojtusiak & Niesiolowski, 1946.
- 167. Neptis (s.str.) rivularis (Scopoli, 1763)** (Argynnisidae) *rivularis* Scopoli, 1763; *lucilla* Denis & Schiffmüller, 1775; *coenobia* Cramer, 1780; *#holunay* Koçak & Kemal, 2000.
- 168. Neptis (s.str.) rivularis ludmilla (Boisduval, 1848)** (Argynnisidae) *ludmilla* Boisduval, 1848; *ludmilla* Herrich-Schäffer, 1856.
- 169. Nymphalis antiopa (Linnaeus, 1758)** (Argynnisidae) *antiopa* Linnaeus, 1758; *pompador* Pollich, 1783; *morio* Retzius, 1783; *borealis* Wnukowsky, 1927.
- 170. Nymphalis antiopa antiopa (Linnaeus, 1758)** (Argynnisidae) *antiopa* Linnaeus, 1758; *pompador* Pollich, 1783; *morio* Retzius, 1783; *borealis* Wnukowsky, 1927.
- 171. Nymphalis polychloros (Linnaeus, 1758)** (Argynnisidae) *polychloros* Linnaeus, 1758; *testudo* Esper, 1781; *pyrrhomelaena* Hübner, 1824; *pyromelas* Freyer, 1834; *fervida* Standfuss, 1896.
- 172. Nymphalis polychloros polychloros (Linnaeus, 1758)** (Argynnisidae) *polychloros* Linnaeus, 1758; *testudo* Esper, 1781; *pyrrhomelaena* Hübner, 1824; *pyromelas* Freyer, 1834; *fervida* Standfuss, 1896.
- 173. Nymphalis vaualbum ([Denis & Schiffmüller], 1775)** (Argynnisidae) *#vaualbum* [Denis & Schiffmüller], 1775; *l-album* Esper, [1781]
- 174. Nymphalis vaualbum vaualbum ([Denis & Schiffmüller], 1775)** (Argynnisidae) *#vaualbum* [Denis & Schiffmüller], 1775; *l-album* Esper, [1781]
- 175. Nymphalis xanthomelas (Esper, [1781])** (Argynnisidae) *#xanthomelas* [Denis & Schiffmüller], 1775; *xanthomelas* Esper, [1781]
- 176. Nymphalis xanthomelas fervescens (Stichel, [1908])** (Argynnisidae) *fervescens* Stichel, [1908]; *hazara* Wyatt & Omoto, 1966.
- 177. Polygonia (Comma) c-album (Linnaeus, 1758)** (Argynnisidae) *c-album* Linnaeus, 1758; *g-album* Fourcroy, 1785.
- 178. Polygonia (Comma) c-album c-album (Linnaeus, 1758)** (Argynnisidae) *c-album* Linnaeus, 1758; *g-album* Fourcroy, 1785.
- 179. Polygonia (Comma) egea (Cramer, [1775])** (Argynnisidae) *egea* Cramer, [1775] (junior homonym); *vaualbum* Esper, 1780; *l-album* Esper, 1789; *triangulum* Fabricius, 1793; *autumnalis* Stefanelli, 1873; *#balucha* Evans, 1932; *#pallida* Evans, 1932.
- 180. Polygonia (Comma) egea egea (Cramer, [1775])** (Argynnisidae) *egea* Cramer, [1775] (junior homonym); *vaualbum* Esper, 1780; *l-album* Esper, 1789; *triangulum* Fabricius, 1793; *autumnalis* Stefanelli, 1873; *#balucha* Evans, 1932; *#pallida* Evans, 1932.
- 181. Thaleropsis ionia (Eversmann, 1851)** (Argynnisidae) *ionia* Eversmann, 1851; *ammonia* Herrich-Schäffer, 1851.
- 182. Thaleropsis ionia ionia (Eversmann, 1851)** (Argynnisidae) *ionia* Eversmann, 1851; *ammonia* Herrich-Schäffer, 1851.
- 183. Vanessa atalanta (Linnaeus, 1758)** (Argynnisidae) *atalanta* Linnaeus, 1758; *amiralis* Retzius, 1783; *#klemensiewicz* Schille, 1896; *#klime* Fischer, 1896; *italica* Stichel, 1900.
- 184. Vanessa atalanta atalanta (Linnaeus, 1758)** (Argynnisidae) *atalanta* Linnaeus, 1758; *amiralis* Retzius, 1783; *#klemensiewicz* Schille, 1896; *#klime* Fischer, 1896; *italica* Stichel, 1900.
- 185. Amselina cedeștiella (Zeller, 1868)** (Autostichidae) *cedeștiella* Zeller, 1868; *dissoluta* Staudinger, 1870.
- 186. Amselina emir (Gozmany, 1961)** (Autostichidae) *emir* Gozmany, 1961
- 187. Amselina parapsesta Gozmany, 1986** (Autostichidae) *parapsesta* Gozmany, 1986
- 188. Apiletria (Aretascetis) endopercna (Meyrick, 1936)** (Autostichidae) *endopercna* Meyrick, 1936
- 189. Apiletria (Aretascetis) purulentella Stainton, 1867** (Autostichidae) *purulentella* Stainton, 1867
- 190. Aprominta aga Gozmany, 1962** (Autostichidae) *aga* Gozmany, 1962
- 191. Aprominta arenbergeri Gozmany, 1968** (Autostichidae) *arenbergeri* Gozmany, 1968
- 192. Aprominta bifasciata (Staudinger, 1870)** (Autostichidae) *bifasciata* Staudinger, 1870; *virginella* Rebel, 1902.
- 193. Arragonia anatolica Gozmany, 1986** (Autostichidae) *anatolica* Gozmany, 1986
- 194. Deroxena venosulella (Möschler, 1862)** (Autostichidae) *venosulella* Möschler, 1862; *neglectella* Lederer, 1863.
- 195. Dysspastus cinerascens Gozmany, 1968** (Autostichidae) *cinerascens* Gozmany, 1968
- 196. Holcopogon bubulcellus (Staudinger, 1859)** (Autostichidae) *bubulcellus* Staudinger, 1859; *pulverulellus* Constant, 1865; *barbata* Walsingham, 1900.
- 197. Holcopogon bubulcellus helveolellus Staudinger, 1879** (Autostichidae) *helveolellus* Staudinger, 1879
- 198. Mylothra pyrrhella Ragonot, 1895** (Autostichidae) *pyrrhella* Ragonot, 1895; *zeitunella* Rebel, 1902.
- 199. Oegoconia caradjai Popescu-Gorj & Capuse, 1965** (Autostichidae) *caradjai* Popescu-Gorj & Capuse, 1965
- 200. Oegoconia deauratella (Herrich-Schäffer, [1854])** (Autostichidae) *deauratella* Herrich-Schäffer, [1854]; *bacescui* Popescu-Gorj & Capuse, 1965
- 201. Symmoca contristella Caradja, 1920** (Autostichidae) *contristella* Caradja, 1920
- 202. Symmoca salinata Gozmany, 1986** (Autostichidae) *salinata* Gozmany, 1986
- 203. Blastobasis phycidella (Zeller, 1839)** (Blastobasidae) *phycidella* Zeller, 1839
- 204. Brachodes appendiculata (Esper, [1783])** (Brachodidae) *appendiculata* Esper, [1783]; *vahlana* Fabricius, 1787; *saldonana* Fabricius, 1787; *chimaera* Hübner, 1796; *lucida* Lederer, 1853; *powelli* Oberthür, 1922
- 205. Brachodes compar (Staudinger, 1879)** (Brachodidae) *compar* Staudinger, 1879
- 206. Brachodes dispar (Herrich-Schäffer, [1854])** (Brachodidae) *dispar* Herrich-Schäffer, [1854]

207. *Brahmaea* (s.str.) *ledereri* Rogenhofer, 1873 (Brahmaeidae) *ledereri* Rogenhofer, 1873
208. *Brahmaea* (s.str.) *ledereri ledereri* Rogenhofer, 1873 (Brahmaeidae) *ledereri* Rogenhofer, 1873; *zaba* De Freina, 1982
209. *Bucculatrix anthemidella* Deschka, 1972 (Bucculatricidae) *anthemidella* Deschka, 1972
210. *Bucculatrix basifuscella* Staudinger, 1880 (Bucculatricidae) *basifuscella* Staudinger, 1880
211. *Bucculatrix infans* Staudinger, 1880 (Bucculatricidae) *infans* Staudinger, 1880
212. *Bucculatrix oppositella* Staudinger, 1880 (Bucculatricidae) *oppositella* Staudinger, 1880
213. *Carposina berberidella* Herrich-Schäffer, [1854] (Carposinidae) *berberidella* Herrich-Schäffer, [1854]
214. *Carposina scirrhosella* Herrich-Schäffer, [1854] (Carposinidae) *scirrhosella* Herrich-Schäffer, [1854]; *orientella* Stanoiu & Nemeş, 1968.
215. *Anthophila fabriciana* (Linnaeus, 1767) (Choreutidae) *fabriciana* Linnaeus, 1767; *oxyacanthella* Linnaeus, 1767; *urticana* Denis & Schiffermüller, [1775]; *excisum* Retzius, 1783; *gilibertiana* Villers, 1789; *oxyacanthae* Fabricius, 1798; *dentana* Hübner, 1799; *fabricii* Haworth, 1811; *dentana* Treitschke, 1829; *parietariae* Stainton, 1855; *fabriciella* Herrich-Schäffer, 1862; *parietariella* Herrich-Schäffer, 1862
216. *Choreutis nemorana* (Hübner, [1799]) (Choreutidae) *nemorana* Hübner, [1799]; *incisalis* Treitschke, 1828; *nemoranal* Treitschke, 1829; *nemorella* Herrich-Schäffer, 1862
217. *Millieria dolosalis* (dolosana Herrich-Schäffer, [1854]) (Choreutidae) *#dolosalis* Heydenreich, 1851; *dolosana* Herrich-Schäffer, [1854]; *#dolosana* Desmarest, [1857]
218. *Prochoreutis myllerana* (Fabricius, 1794) (Choreutidae) *myllerana* Fabricius, 1794; *mylleri* Haworth, 1811; *augustana* Hübner, [1813]; *scintilulana* Hübner, [1825]; *scintilulalis* Treitschke, 1835; *albipunctalis* Zetterstedt, 1839; *müllerana* Heyden, 1865
219. *Axia* (Epicimelia) *theresia* (Korb, 1900) (Cimeliidae) *theresia* Korb, 1900
220. *Axia* (Epicimelia) *theresia* *malatyensis* Amsel, 1979 (Cimeliidae) *malatyensis* Amsel, 1979
221. *Axia* (Epicimelia) *theresia* *theresia* (Korb, 1900) (Cimeliidae) *theresia* Korb, 1900
222. *Coleophora adelogrammella* Zeller, 1849 (Coleophoridae) *adelogrammella* Zeller, 1849; *collina* Frey, 1880; *separatella* Benander, 1939.
223. *Coleophora adjectella* Herrich-Schäffer, 1861 (Coleophoridae) *adjectella* Herrich-Schäffer, 1861
224. *Coleophora adjunctella* Hodgkinson, 1882 (Coleophoridae) *adjunctella* Hodgkinson, 1882; *paludicola* Stainton, 1885; *aratorensis* Barasch, 1934
225. *Coleophora agrianaella* Rebel, 1934 (Coleophoridae) *agrianaella* Rebel, 1934
226. *Coleophora albicans* Zeller, 1849 (Coleophoridae) *albicans* Zeller, 1849; *artemisiella* Scott, 1861; *simillimella* Fuchs, 1881; *digitella* Palm, 1947
227. *Coleophora albipennella* Staudinger, 1879 (Coleophoridae) *albipennella* Staudinger, 1879
228. *Coleophora albotitae* Rebel, 1935 (Coleophoridae) *albotitae* Rebel, 1935
229. *Coleophora alcyonipennella* (Kollar, 1832) (Coleophoridae) *alcyonipennella* Kollar, 1832; *cuprariella* Zeller, 1847; *praticolella* Zeller, 1849; *cuprifulgella* Toll, 1962
230. *Coleophora amasicola* Toll, 1942 (Coleophoridae) *amasicola* Toll, 1942
231. *Coleophora amasiella* Stainton, 1867 (Coleophoridae) *amasiella* Stainton, 1867
232. *Coleophora ammophora* (Falkovitsh, 1989) (Coleophoridae) *ammophora* Falkovitsh, 1989
233. *Coleophora arenbergeri* Glaser, 1981 (Coleophoridae) *arenbergeri* Glaser, 1981
234. *Coleophora argentifimbriata* Walsingham, 1907 (Coleophoridae) *argentifimbriata* Walsingham, 1907
235. *Coleophora argentula* (Stephens, 1834) (Coleophoridae) *argentula* Stephens, 1834; *cothurnella* Duponchel, 1843; *argentulella* Doubleday, 1859; *argentulella* Bruand, 1859
236. *Coleophora asiaeminoris* Toll, 1952 (Coleophoridae) *asiaeminoris* Toll, 1952
237. *Coleophora astragalella* Zeller, 1849 (Coleophoridae) *astragalella* Zeller, 1849; *fimbriosella* Herrich-Schäffer, 1861; *plusiella* Constant, 1865; *persimilis* Rebel, 1904
238. *Coleophora audeoudi* Rebel, 1935 (Coleophoridae) *audeoudi* Rebel, 1935
239. *Coleophora ballotella* (Fischer v. Röslerstamm, 1839) (Coleophoridae) *ballotella* Fischer v. Röslerstamm, 1839; *alexinschiella* Nemeş, 2004
240. *Coleophora bernoulliella* (Goeze, 1783) (Coleophoridae) *bernoulliella* Goeze, 1783; *anatipenella* Hübner, 1796
241. *Coleophora bilineatella* Zeller, 1849 (Coleophoridae) *bilineatella* Zeller, 1849
242. *Coleophora bivittella* Staudinger, 1879 (Coleophoridae) *bivittella* Staudinger, 1879
243. *Coleophora breviscula* Staudinger, 1880 (Coleophoridae) *breviscula* Staudinger, 1880
244. *Coleophora caelebipennella* Zeller, 1839 (Coleophoridae) *caelebipennella* Zeller, 1839; *bifurcella* Turati, 1930
245. *Coleophora canariipennella* Toll, 1959 (Coleophoridae) *canariipennella* Toll, 1959
246. *Coleophora capillata* Baldizzone, 1994 (Coleophoridae) *capillata* Baldizzone, 1994
247. *Coleophora cartilaginella* Christoph, 1872 (Coleophoridae) *cartilaginella* Christoph, 1872; *dubiosa* Toll, 1952; *paraspumosella* Toll, 1957; *medicagivora* Toll, 1961.
248. *Coleophora chamaedriella* Bruand, 1852 (Coleophoridae) *chamaedriella* Bruand, 1852; *setipalpella* Staudinger, 1879.
249. *Coleophora christenseni* Baldizzone, 1983 (Coleophoridae) *christenseni* Baldizzone, 1983
250. *Coleophora colutella* (Fabricius, 1794) (Coleophoridae) *colutella* Fabricius, 1794; *serenella* Duponchel, 1843; *crocinella* Tengström, 1848; *stanioiui* Nemeş, 2004
251. *Coleophora confusa* Staudinger, 1880 (Coleophoridae) *confusa* Staudinger, 1880
252. *Coleophora conspicuella* Zeller, 1849 (Coleophoridae) *conspicuella* Zeller, 1849; *centaureicolella* Bruand, [1856]; *similis* Staudinger, 1880; *aceris* Caradja, 1920
253. *Coleophora coronillae* Zeller, 1849 (Coleophoridae) *coronillae* Zeller, 1849
254. *Coleophora corsicella* Walsingham, 1898 (Coleophoridae) *corsicella* Walsingham, 1898
255. *Coleophora crepidinella* Zeller, 1847 (Coleophoridae) *crepidinella* Zeller, 1847
256. *Coleophora crispella* Baldizzone, 1994 (Coleophoridae) *crispella* Baldizzone, 1994
257. *Coleophora daglarica* Baldizzone & Tabell, 1999 (Coleophoridae) *daglarica* Baldizzone & Tabell, 1999
258. *Coleophora deauratella* Lienig & Zeller, 1846 (Coleophoridae) *deauratella* Lienig & Zeller, 1846
259. *Coleophora dianthi* Herrich-Schäffer, 1855 (Coleophoridae) *dianthi* Herrich-Schäffer, 1855; *dianthella* Herrich-Schäffer, 1861; *amseli* Toll, 1942
260. *Coleophora didymella* Chrétien, 1899 (Coleophoridae) *didymella* Chrétien, 1899
261. *Coleophora dignella* Toll, 1961 (Coleophoridae) *dignella* Toll, 1961
262. *Coleophora discordella* Zeller, 1849 (Coleophoridae) *discordella* Zeller, 1849; *dorycniella* Hartig, 1939
263. *Coleophora ditella* Zeller, 1849 (Coleophoridae) *ditella* Zeller, 1849; *tanaceti* Roesler, 1866 *nec* Mühl., 1865; *roesleri* Wocke, [1876]; *anatolica* Toll, 1952.
264. *Coleophora dubiella* Baker, 1888 (Coleophoridae) *dubiella* Baker, 1888; *reisseri* Rebel, 1926; *eucera* Toll, 1952; *microeucera* Toll, 1960; *leucostrigella* Toll, 1960
265. *Coleophora echinacea* Falkovitsh, 1972 (Coleophoridae) *echinacea* Falkovitsh, 1972
266. *Coleophora echinella* Staudinger, 1879 (Coleophoridae) *echinella* Staudinger, 1879
267. *Coleophora etrusca* Baldizzone, 1990 (Coleophoridae) *etrusca* Baldizzone, 1990
268. *Coleophora eupreta* Walsingham, 1907 (Coleophoridae) *eupreta* Walsingham, 1907; *nageli* Rebel, 1910; *circumdatella* Turati, 1934; *argentariella* Klimesch, 1952; *africana* Toll, 1957; *gozmanyi* Toll, 1960; *betica* Glaser, 1981
269. *Coleophora ferruginea* Baldizzone, 1994 (Coleophoridae) *ferruginea* Baldizzone, 1994

270. *Coleophora filaginella* Fuchs, 1881 (Coleophoridae) *filaginella* Fuchs, 1881; *graurii* Nemes, 2004
271. *Coleophora fiorii* Toll, 1953 (Coleophoridae) *fiorii* Toll, 1953
272. *Coleophora flaviella* Mann, 1857 (Coleophoridae) *flaviella* Mann, 1857
273. *Coleophora flavilineella* Toll, 1952 (Coleophoridae) *flavilineella* Toll, 1952
274. *Coleophora flavipennella* (Duponchel, 1843) (Coleophoridae) *flavipennella* Duponchel, 1843
275. *Coleophora frischella* (Linnaeus, 1758) (Coleophoridae) *frischella* Linnaeus, 1758; *dannehli* Toll, 1952; *auronitella* Toll, 1962
276. *Coleophora fuscicornis* Zeller, 1847 (Coleophoridae) *fuscicornis* Zeller, 1847
277. *Coleophora fuscociliella* Zeller, 1849 (Coleophoridae) *fuscociliella* Zeller, 1849; *bucovinae* Nemes, 2004
278. *Coleophora galbulipennella* Zeller, 1838 (Coleophoridae) *galbulipennella* Zeller, 1838; *otitae* Zeller, 1839.
279. *Coleophora gallipennella* (Hübner, 1796) (Coleophoridae) *gallipennella* Hübner, 1796
280. *Coleophora gaviaepennella* Toll, 1952 (Coleophoridae) *gaviaepennella* Toll, 1952
281. *Coleophora gazella* Toll, 1952 (Coleophoridae) *gazella* Toll, 1952
282. *Coleophora glaucicolella* Wood, 1892 (Coleophoridae) *glaucicolella* Wood, 1892
283. *Coleophora goluensis* Baldizzone, 1994 (Coleophoridae) *goluensis* Baldizzone, 1994
284. *Coleophora granulosella* Staudinger, 1880 (Coleophoridae) *granulosella* Staudinger, 1880
285. *Coleophora gurunensis* Baldizzone, 1994 (Coleophoridae) *gurunensis* Baldizzone, 1994
286. *Coleophora hemerobiella* (Scopoli, 1763) (Coleophoridae) *hemerobiella* Scopoli, 1763
287. *Coleophora heringi* Toll, 1952 (Coleophoridae) *heringi* Toll, 1952
288. *Coleophora herniariae* Baldizzone, 2001 (Coleophoridae) *herniariae* Baldizzone, 2001
289. *Coleophora hieronella* Zeller, 1849 (Coleophoridae) *hieronella* Zeller, 1849
290. *Coleophora hystricella* Toll, 1957 (Coleophoridae) *hystricella* Toll, 1957
291. *Coleophora inusitatella* Caradja, 1920 (Coleophoridae) *inusitatella* Caradja, 1920
292. *Coleophora isoera* Falkovitsh, 1972 (Coleophoridae) *isoera* Falkovitsh, 1972
293. *Coleophora ispartae* Baldizzone, 1994 (Coleophoridae) *ispartae* Baldizzone, 1994
294. *Coleophora ivrizensis* Baldizzone, 1994 (Coleophoridae) *ivrizensis* Baldizzone, 1994
295. *Coleophora kasyi* Toll, 1961 (Coleophoridae) *kasyi* Toll, 1961
296. *Coleophora kautzi* Rebel, 1933 (Coleophoridae) *kautzi* Rebel, 1933
297. *Coleophora kroneella* Fuchs, 1899 (Coleophoridae) *kroneella* Fuchs, 1899
298. *Coleophora kuehnella* (Goeze, 1783) (Coleophoridae) *kuehnella* Goeze, 1783; *palliatella* Zincken, 1813.
299. *Coleophora laticostella* Mann, 1859 (Coleophoridae) *laticostella* Mann, 1859
300. *Coleophora lineariella* Zeller, 1849 (Coleophoridae) *lineariella* Zeller, 1849
301. *Coleophora lixella* Zeller, 1849 (Coleophoridae) *lixella* Zeller, 1849
302. *Coleophora luscinaepennella* (Treitschke, 1833) (Coleophoridae) *luscinaepennella* Treitschke, 1833; *viminetella* Zeller, 1849.
303. *Coleophora luteolella* Staudinger, 1880 (Coleophoridae) *luteolella* Staudinger, 1880; *mendosella* Toll, 1960
304. *Coleophora lycaoniae* Baldizzone, 1994 (Coleophoridae) *lycaoniae* Baldizzone, 1994
305. *Coleophora malatiella* Toll, 1952 (Coleophoridae) *malatiella* Toll, 1952
306. *Coleophora mayrella* (Hübner, [1813]) (Coleophoridae) *fabriciella* Villers, 1789 *nec* Swed., 1787; *mayrella* Hübner, [1813]; *spissicornis* Haworth, [1828]; *moldaviella* Nemes, 2004
307. *Coleophora medelichensis* Krone, 1908 (Coleophoridae) *medelichensis* Krone, 1908
308. *Coleophora milvipennis* Zeller, 1839 (Coleophoridae) *milvipennis* Zeller, 1839
309. *Coleophora miniaxella* Toll, 1952 (Coleophoridae) *miniaxella* Toll, 1952
310. *Coleophora miserella* Staudinger, 1880 (Coleophoridae) *miserella* Staudinger, 1880
311. *Coleophora narbonensis* Baldizzone, 1990 (Coleophoridae) *narbonensis* Baldizzone, 1990
312. *Coleophora necessaria* Staudinger, 1880 (Coleophoridae) *necessaria* Staudinger, 1880; *indiges* Falkovitsh, 1992.
313. *Coleophora niveistrigella* Heinemann & Wocke, [1877] (Coleophoridae) *niveistrigella* Heinemann & Wocke, [1877]
314. *Coleophora nomgona* Falkovitsh, 1975 (Coleophoridae) *nomgona* Falkovitsh, 1975
315. *Coleophora nutantella* Mühlig & Frey, 1857 (Coleophoridae) *nutantella* Mühlig & Frey, 1857
316. *Coleophora obtectella* Zeller, 1849 (Coleophoridae) *obtectella* Zeller, 1849
317. *Coleophora occatella* Staudinger, 1880 (Coleophoridae) *occatella* Staudinger, 1880
318. *Coleophora ochrea* (Haworth, [1828]) (Coleophoridae) *ochrea* Haworth, [1828]
319. *Coleophora ochripennella* Zeller, 1849 (Coleophoridae) *ochripennella* Zeller, 1849
320. *Coleophora onobrychiella* Zeller, 1849 (Coleophoridae) *onobrychiella* Zeller, 1849; *arenariella* Zeller, 1865
321. *Coleophora onopordiella* Zeller, 1849 (Coleophoridae) *onopordiella* Zeller, 1849; *eremica* Amsel, 1935; *cerinaula* Meyrick, 1936; *fusca* Toll, 1952; *pseudophlomidella* Toll, 1952; *sivandella* Toll, 1959; *litorella* Nemes, 2003
322. *Coleophora oriolella* Zeller, 1849 (Coleophoridae) *oriolella* Zeller, 1849
323. *Coleophora ornatipennella* (Hübner, 1796) (Coleophoridae) *ornatipennella* Hübner, 1796; *#agrammella* Rebel, 1935.
324. *Coleophora paphlagoniae* Baldizzone, 1994 (Coleophoridae) *paphlagoniae* Baldizzone, 1994
325. *Coleophora paraptarmica* Toll & Amsel, 1967 (Coleophoridae) *paraptarmica* Toll & Amsel, 1967
326. *Coleophora parcella* Toll, 1952 (Coleophoridae) *parcella* Toll, 1952
327. *Coleophora parthenica* Meyrick, 1891 (Coleophoridae) *parthenica* Meyrick, 1891; *cygnipennella* Toll, 1959; *candidella* Toll, 1959; *transcaspica* Toll, 1959; *lashkarella* Toll & Amsel, 1967; *hilmendella* Amsel, 1968.
328. *Coleophora passeripennella* Baldizzone, 2001 (Coleophoridae) *passeripennella* Baldizzone, 2001
329. *Coleophora pellicornella* Zerny, 1930 (Coleophoridae) *pellicornella* Zerny, 1930
330. *Coleophora pennella* (Denis & Schiffermüller, 1775) (Coleophoridae) *pennella* [Denis & Schiffermüller], 1775; *borowskiella* Goeze, 1783; *mucosa* Fourcroy, 1785; *mucosella* Villers, 1789; *onosmella* Brahm, 1791; *struthionipennella* Hübner, 1796; *cornuum* Vallot, 1818; *hispanicella* Möschler, 1866; *diffinis* Staudinger, 1880; *nervosella* Müller-Rutz, 1927; *flavilineella* Toll, 1952; *gogovi* Capuse, 1971
331. *Coleophora phlomidella* Christoph, 1862 (Coleophoridae) *phlomidella* Christoph, 1862
332. *Coleophora phlomidis* Stainton, 1867 (Coleophoridae) *phlomidis* Stainton, 1867
333. *Coleophora phrygiae* Baldizzone, 1994 (Coleophoridae) *phrygiae* Baldizzone, 1994
334. *Coleophora poliacantha* Baldizzone, 2001 (Coleophoridae) *poliacantha* Baldizzone, 2001
335. *Coleophora preisseckeri* Toll, 1942 (Coleophoridae) *preisseckeri* Toll, 1942
336. *Coleophora propinqua* Staudinger, 1880 (Coleophoridae) *propinqua* Staudinger, 1880
337. *Coleophora pseudociconiella* Toll, 1952 (Coleophoridae) *pseudociconiella* Toll, 1952; *patrascui* Nemes, 2003
338. *Coleophora ptarmica* Walsingham, 1910 (Coleophoridae) *ptarmica* Walsingham, 1910
339. *Coleophora pyrenaica* Baldizzone, 1980 (Coleophoridae) *pyrenaica* Baldizzone, 1980

340. *Coleophora quadristraminella* Toll, 1961 (Coleophoridae) *quadristraminella* Toll, 1961
341. *Coleophora qulikushella* Toll, 1959 (Coleophoridae) *qulikushella* Toll, 1959
342. *Coleophora riffelensis* Rebel, 1913 (Coleophoridae) *riffelensis* Rebel, 1913; *fischeri* Toll, 1950; *klemensiewiczzi* Toll, 1950
343. *Coleophora salicorniae* Heinemann & Wocke, 1877 (Coleophoridae) *salicorniae* Heinemann & Wocke, 1877; *cypricella* Rebel, 1928.
344. *Coleophora salsolella* Chrétien, 1915 (Coleophoridae) *salsolella* Chrétien, 1915; *nigridorsella* Amsel, 1935.
345. *Coleophora serpylletorum* Hering, 1889 (Coleophoridae) *serpylletorum* Hering, 1889; *assisi* Nemes, 2003
346. *Coleophora silenella* Herrich-Schäffer, 1855 (Coleophoridae) *silenella* Herrich-Schäffer, 1855; *dragusanii* Nemes, 2004
347. *Coleophora sobrinella* Toll, 1944 (Coleophoridae) *sobrinella* Toll, 1944
348. *Coleophora stramentella* Zeller, 1849 (Coleophoridae) *stramentella* Zeller, 1849
349. *Coleophora subula* (Falkovitsh, 1993) (Coleophoridae) *subula* Falkovitsh, 1993
350. *Coleophora tamesis* Waters, 1929 (Coleophoridae) *tamesis* Waters, 1929
351. *Coleophora tanacetii* Mühlig, 1865 (Coleophoridae) *tanacetii* Mühlig, 1865
352. *Coleophora tauricella* Staudinger, 1880 (Coleophoridae) *tauricella* Staudinger, 1880; *skopusella* Amsel, 1935; *kurdistanella* Amsel, 1955.
353. *Coleophora taygeti* Baldizzone, 1983 (Coleophoridae) *taygeti* Baldizzone, 1983
354. *Coleophora testudo* Falkovitsh, 1973 (Coleophoridae) *testudo* Falkovitsh, 1973
355. *Coleophora thymi* Hering, 1942 (Coleophoridae) *thymi* Hering, 1942
356. *Coleophora treskaensis* Toll & Amsel, 1967 (Coleophoridae) *treskaensis* Toll & Amsel, 1967; *sciurella* Baldizzone, 1987
357. *Coleophora trifolii* (Curtis, 1832) (Coleophoridae) *trifolii* Curtis, 1832; *chalybaella* Costa, [1836]; *melilotella* Scott, 1861.
358. *Coleophora trigeminella* Fuchs, 1881 (Coleophoridae) *trigeminella* Fuchs, 1881
359. *Coleophora tripeniella* Baldizzone, 1994 (Coleophoridae) *tripeniella* Baldizzone, 1994
360. *Coleophora tristella* Staudinger, 1879 (Coleophoridae) *tristella* Staudinger, 1879
361. *Coleophora turca* Baldizzone, 1994 (Coleophoridae) *turca* Baldizzone, 1994
362. *Coleophora univittella* Staudinger, 1880 (Coleophoridae) *univittella* Staudinger, 1880
363. *Coleophora uralensis* Toll, 1961 (Coleophoridae) *uralensis* Toll, 1961
364. *Coleophora valesianella* Zeller, 1849 (Coleophoridae) *valesianella* Zeller, 1849; *giraudi* Ragonot, 1874; *simillima* Staudinger, 1880; *predotaella* Rebel, 1914
365. *Coleophora vicinella* Zeller, 1849 (Coleophoridae) *vicinella* Zeller, 1849; *gypsophilae* Christoph, 1862.
366. *Coleophora vulnerariae* Zeller, 1839 (Coleophoridae) *vulnerariae* Zeller, 1839; *icterella* Duponchel, 1840; *vulnerariella* Doubleday, 1859; *vulnerariella* Bruand, 1859
367. *Coleophora vulpecula* Zeller, 1849 (Coleophoridae) *vulpecula* Zeller, 1849; *vulpeculoides* Toll, 1952
368. *Coleophora wiltshirei* Toll, 1959 (Coleophoridae) *wiltshirei* Toll, 1959
369. *Coleophora wockeella* Zeller, 1849 (Coleophoridae) *wockeella* Zeller, 1849; *fumigatella* Caradja, 1920; *italiae* Toll, 1960
370. *Coleophora xanthoargentea* Toll, 1959 (Coleophoridae) *xanthoargentea* Toll, 1959
371. *Coleophora zelleriella* Heinemann, 1854 (Coleophoridae) *zelleriella* Heinemann, 1854
372. *Goniograma auroguttella* (Fischer v. Röslerstamm, 1841) (Coleophoridae) *auroguttella* Fischer v. Röslerstamm, 1841
373. *Ascalenia vanella* (Frey, 1860) (Cosmopterigidae) *vanella* Frey, 1860; *seeboldiella* Ragonot, 1882.
374. *Eteobalea albiapicella* (Duponchel, 1843) (Cosmopterigidae) *albiapicella* Duponchel, 1843
375. *Eteobalea anonymella* (Riedl, 1965) (Cosmopterigidae) *anonymella* Riedl, 1965
376. *Eteobalea beata* (Walsingham, 1907) (Cosmopterigidae) *beata* Walsingham, 1907
377. *Eteobalea serratella* (Treitschke, 1833) (Cosmopterigidae) *serratella* Treitschke, 1833; *sareptensis* Walsingham, 1907; *cinereocapitella* Caradja, 1920
378. *Eteobalea sumptuosella* (Lederer, 1855) (Cosmopterigidae) *sumptuosella* Lederer, 1855; *cinereocapitella* Caradja, 1920; *amseli* Osthelder, 1940
379. *Hodgesiella christophi* Koster & Sinev, 2003 (Cosmopterigidae) *christophi* Koster & Sinev, 2003
380. *Pancalia leuwenhoekella* (Linnaeus, 1761) (Cosmopterigidae) *leuwenhoekella* Linnaeus, 1761; *schmidtella* Treitschke, 1833
381. *Pyroderces argyrogrammos* (Zeller, 1847) (Cosmopterigidae) *argyrogrammos* Zeller, 1847; *goldeggella* Herrich-Schäffer, [1853]
382. *Ramphis libanoticus* Riedl, 1969 (Cosmopterigidae) *libanoticus* Riedl, 1969
383. *Sorhagenia fibigeri* Koster & Sinev, 2003 (Cosmopterigidae) *fibigeri* Koster & Sinev, 2003
384. *Sorhagenia rhamniella* (Zeller, 1839) (Cosmopterigidae) *rhamniella* Zeller, 1839; *asperipunctella* Bruand, 1850
385. *Vulcaniella fiordalisa* (Petty, 1904) (Cosmopterigidae) *fiordalisa* Petty, 1904; *gnaphaliella* Chrétien, 1922.
386. *Vulcaniella glaseri* (Riedl, 1966) (Cosmopterigidae) *glaseri* Riedl, 1966
387. *Vulcaniella grabowiella* (Staudinger, 1859) (Cosmopterigidae) *grabowiella* Staudinger, 1859
388. *Vulcaniella pomposella* (Zeller, 1839) (Cosmopterigidae) *pomposella* Zeller, 1839
389. *Vulcaniella pontica* Koster & Sinev, 2003 (Cosmopterigidae) *pontica* Koster & Sinev, 2003
390. *Azygophleps regia* (Staudinger, 1892) (Cossidae) *regia* Staudinger, 1892
391. *Cossulinus argentatus* (Staudinger, 1887) (Cossidae) *argentatus* Staudinger, 1887
392. *Cossulinus argentatus argentatus* (Staudinger, 1887) (Cossidae) *argentatus* Staudinger, 1887
393. *Cossulinus lignosus* (Brandt, 1938) (Cossidae) *lignosus* Brandt, 1938
394. *Cossulinus lignosus araxes* De Freina, 1982 (Cossidae) *araxes* De Freina, 1982
395. *Cossulinus lignosus lignosus* (Brandt, 1938) (Cossidae) *lignosus* Brandt, 1938
396. *Cossulinus lignosus solgunus* De Freina, 1982 (Cossidae) *solgunus* De Freina, 1982
397. *Cossus cossus* (Linnaeus, 1758) (Cossidae) *cossus* Linnaeus, 1758; *unguiculatus* Fabricius, 1794; *ligniperda* Fabricius, 1794
398. *Cossus cossus armeniacus* Rothschild, 1912 (Cossidae) *armeniaceus* Rothschild, 1912; *giganteus* Schwingsenschuss, 1938.
399. *Cossus cossus guerenensis* Friedel, 1977 (Cossidae) *guerenensis* Friedel, 1977
400. *Dyspessa emilia* (Staudinger, 1879) (Cossidae) *emilia* Staudinger, 1879
401. *Dyspessa hethitica* Daniel, 1932 (Cossidae) *hethitica* Daniel, 1932
402. *Dyspessa hethitica* ssp.n. (Cossidae)
403. *Dyspessa pallidata* Staudinger, 1892 (Cossidae) *pallidata* Staudinger, 1892; *nigrita* Wagner, 1931; *cerberus* Daniel, 1939; *dueldueli* Daniel, 1939.
404. *Dyspessa salicicola* (Eversmann, 1848) (Cossidae) *salicicola* Eversmann, 1848
405. *Dyspessa salicicola salicicola* (Eversmann, 1848) (Cossidae) *salicicola* Eversmann, 1848
406. *Dyspessa ulula* (Borkhausen, 1790) (Cossidae) *ulula* Borkhausen, 1790; *hepialica* Borkhausen, 1790; *hepialina* Hübner, 1792; *marmorata* Rambur, 1858; *fuscata* Staudinger, 1892; *affinis* Rothschild, 1917; *maroccana* Rothschild, 1917; *pallida* Rothschild, 1917 nec Roth., 1912.
407. *Dyspessa ulula infuscata* (Staudinger, 1892) (Cossidae) *infuscata* Staudinger, 1892; *cyprica* Rebel, 1927; *kurdistan* Turati, 1909.
408. *Holcocerus volgensis* Christoph, 1893 (Cossidae) *volgensis* Christoph, 1893

409. *Isoceras bipunctatum* (Staudinger,1887) (Cossidae) *bipunctatum* Staudinger,1887
410. *Isoceras bipunctatum bipunctatum* (Staudinger,1887) (Cossidae) *bipunctatum* Staudinger,1887
411. *Isoceras huberi* Eitschberger & Ströhle,1987 (Cossidae) *huberi* Eitschberger & Ströhle,1987
412. *Phragmacossia albida* (Erschoff,1874) (Cossidae) *albida* Erschoff,1874
413. *Phragmataecia castaneae* (Hübner,1790) (Cossidae) *castaneae* Hübner,1790; *arundinis* Hübner,[1808]; *minor* Moore,1879; *pygmaea* Graeser,1888; *minima* Hampson,1891
414. *Phragmataecia territa* Staudinger,1878 (Cossidae) *territa* Staudinger,1878
415. *Semagystia cuhensis* De Freina,1994 (Cossidae) *cuhensis* De Freina,1994
416. *Stygioides colchica* (Herrich-Schäffer,[1851]) (Cossidae) *colchica* Herrich-Schäffer,[1851]
417. *Zeuzera pyrina* (Linnaeus,1761) (Cossidae) *pyrina* Linnaeus,1761; *hypocastani* Poda,1761; *aesuli* Linnaeus,1767; *hilaris* Fourcroy,1785; *octopunctata* Boisdual,1832; *decepiens* Kirby,1892
418. *Amata aequipuncta* (Turati,1917) (Ctenuchidae) *aequipuncta* Turati,1917
419. *Amata aequipuncta aequipuncta* (Turati,1917) (Ctenuchidae) *aequipuncta* Turati,1917
420. *Amata rossica* (Turati,1917) (Ctenuchidae) *#nigricornis* Alpheraky,1883; *rossica* Turati,1917; *anatolica* Zerny,1931; *bithynica* Schwingenschuss,1940; *#osthelderi* Obratsov,1966
421. *Amata transcaspica* Obratsov,1941 (Ctenuchidae) *transcaspica* Obratsov,1941
422. *Dysauxes ancilla* (Linnaeus,1767) (Ctenuchidae) *ancilla* Linnaeus,1767; *obscura* Fabricius,1781; *quadrioculata* Goeze,1783; *lomopicta* Fourcroy,1785; *fuscopetra* Fourcroy,1785; *tripunctata* Scopoli,1786; *arcuatella* Schrank,1802; *horta* Schrank,1802; *abundans* Dannehl,1933; *pluripuncta* Naufock,1933.
423. *Dysauxes famula* (Freyer,1836) (Ctenuchidae) *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *kaschmirensis* Rothschild,1910; *semidiaphana* Stauder,1921; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983.
424. *Dysauxes punctata* (Fabricius,1781) (Ctenuchidae) *punctata* Fabricius,1781; *serva* Hübner,[1803]; *confamula* Hübner,[1803]; *ochrea* Millièrre,1876
425. *Dysauxes punctata taurica* Draudt,1933 (Ctenuchidae) *taurica* Draudt,1933
426. *Danaus (Anosia) chrysippus* (Linnaeus,1758) (Danaiidae) *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759
427. *Danaus (Anosia) chrysippus chrysippus* (Linnaeus,1758) (Danaiidae) *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759
428. *Syringopais temperatella* (Lederer,1855) (Deoclonidae) *temperatella* Lederer,1855; *fuscofasciata* Stainton,1867; *ochrolitella* Staudinger,1871; *xenicopa* Meyrick,1920
429. *Klimeschia cinereipunctella* (Turati & Fiori,1930) (Douglassiidae) *cinereipunctella* Turati & Fiori,1930; *lutumella* Amsel,1938.
430. *Klimeschia lutumella* Amsel,1938 (Douglassiidae) *lutumella* Amsel,1938
431. *Klimeschia transversella* (Zeller,1839) (Douglassiidae) *transversella* Zeller,1839
432. *Tinagma anchusellum* Benander,1936 (Douglassiidae) *anchusellum* Benander,1936
433. *Tinagma columbellum* (Staudinger,1880) (Douglassiidae) *columbellum* Staudinger,1880.
434. *Tinagma minutissimum* (Staudinger,1880) (Douglassiidae) *minutissimum* Staudinger,1880.
435. *Tinagma ocnerostomellum* (Stainton,1850) (Douglassiidae) *ocnerostomellum* Stainton,1850; *echii* Herrich-Schäffer,1854.
436. *Cilix asiatica* A.Bang-Haas,1907 (Drepanidae) *asiatica* A.Bang-Haas,1907; *depalpata* Strand,1913
437. *Cilix glaucata* (Scopoli,1763) (Drepanidae) *glaucata* Scopoli,1763; *modesta* Müller,1764; *ruffa* Linnaeus,1766; *spinula* [Denis & Schiffermüller],1775; *candidula* [Denis & Schiffermüller],1775; *compressa* Fabricius,1777
438. *Cilix glaucata glaucata* (Scopoli,1763) (Drepanidae) *glaucata* Scopoli,1763; *modesta* Müller,1764; *ruffa* Linnaeus,1766; *spinula* [Denis & Schiffermüller],1775; *candidula* [Denis & Schiffermüller],1775; *compressa* Fabricius,1777
439. *Watsonalla binaria* (Hufnagel,1767) (Drepanidae) *binaria* Hufnagel,1767; *falcata* Fabricius,1775; *falculataria* Villers,1789; *falcatalis* Haworth,1802; *uncula* Hübner,[1802]
440. *Elachista anatoliensis* Traugott-Olsen,1990 (Elachistidae) *anatoliensis* Traugott-Olsen,1990
441. *Elachista argentella* (Clerck,1759) (Elachistidae) *argentella* Clerck,1759
442. *Elachista atrisquamosa* Staudinger,1880 (Elachistidae) *atrisquamosa* Staudinger,1880
443. *Elachista blancellata* Traugott-Olsen,1992 (Elachistidae) *blancellata* Traugott-Olsen,1992
444. *Elachista canapennella* (Hübner,[1813]) (Elachistidae) *canapennella* Hübner,[1813]; *pulchella* Haworth,[1828] *nec* Fabricius,1794; *obscura* Stainton,1849; *incanella* Herrich-Schäffer,[1855], etc.
445. *Elachista chionella* Mann,1861 (Elachistidae) *chionella* Mann,1861
446. *Elachista deceptricula* Staudinger,1880 (Elachistidae) *deceptricula* Staudinger,1880
447. *Elachista disemiella* Zeller,1847 (Elachistidae) *disemiella* Zeller,1847
448. *Elachista festucicolella* Zeller,1853 (Elachistidae) *festucicolella* Zeller,1853; *#festucicolella* Staudinger,1880.
449. *Elachista griseella* (Duponchel,1843) (Elachistidae) *griseella* Duponchel,1843; *dispositella* Frey,1859
450. *Elachista incanella* Herrich-Schäffer,[1855] (Elachistidae) *incanella* Herrich-Schäffer,[1855]
451. *Elachista melancholica* Frey,1859 (Elachistidae) *melancholica* Frey,1859
452. *Elachista nuraghella* Amsel,1951 (Elachistidae) *nuraghella* Amsel,1951
453. *Elachista ohridella* Parenti,2001 (Elachistidae) *ohridella* Parenti,2001
454. *Elachista pollutella* Duponchel,1844 (Elachistidae) *pollutella* Duponchel,1844
455. *Elachista pollutissima* Staudinger,1880 (Elachistidae) *pollutissima* Staudinger,1880
456. *Elachista rudectella* Stainton,1851 (Elachistidae) *rudectella* Stainton,1851
457. *Elachista turkensis* Traugott-Olsen,1990 (Elachistidae) *turkensis* Traugott-Olsen,1990
458. *Mendesia mucronata* Parenti,2001 (Elachistidae) *mucronata* Parenti,2001
459. *Epermenia (Calotropis) insecurella* (Stainton,1849) (Epermeniidae) *insecurella* Stainton,1849; *dentosella* Stainton,1851; *iniquellus* Wocke,1867; *plumbeella* Rebel,1915; *kruegerella* Schawerda,1921.
460. *Epermenia (s.str.) ochreomaculella* (Millière,1854) (Epermeniidae) *ochreomaculella* Millière,1854; *prohaskaella* Schawerda,1921; *afghanistanella* Gaedike,1971.
461. *Epermenia (s.str.) wockeella* (Staudinger,1880) (Epermeniidae) *wockeella* Staudinger,1880.
462. *Deuterotinea balcanica* Zagulajev,1972 (Eriocottidae) *balcanica* Zagulajev,1972
463. *Deuterotinea casanella* (Eversmann,1844) (Eriocottidae) *casanella* Eversmann,1844
464. *Eriocottis fuscanelle* Zeller,1847 (Eriocottidae) *fuscanelle* Zeller,1847
465. *Eriocottis paradoxella* (Staudinger,1859) (Eriocottidae) *paradoxella* Staudinger,1859
466. *Dyseriocrania subpurpurella* (Haworth,[1828]) (Eriocraniidae) *subpurpurella* Haworth,[1828]; *fastuosella* Zeller,1839; *donzelella* Duponchel,[1839].
467. *Ethmia amasina* (Staudinger,1879) (Ethmiidae) *amasina* Staudinger,1879
468. *Ethmia aurifluella* (Hübner,[1810]) (Ethmiidae) *aurifluella* Hübner,[1810]; *albarracinella* Ragonot,1882.
469. *Ethmia bipunctella* (Fabricius,1775) (Ethmiidae) *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947.
470. *Ethmia candidella* (Alpheraky,1908) (Ethmiidae) *candidella* Alpheraky,1908; *orientella* Caradja,1931.
471. *Ethmia candidella candidella* (Alpheraky,1908) (Ethmiidae) *candidella* Alpheraky,1908; *orientella* Caradja,1931.

472. *Ethmia caradjae* (Rebel,1907) (Ethmiidae) *caradjae* Rebel,1907; *chosroes* Wiltshire,1947
473. *Ethmia chrysopyga* (Zeller,1844) (Ethmiidae) *chrysopyga* Zeller,1844; *callidella* Walsingham,1910.
474. *Ethmia chrysopyga chrysopyga* (Zeller,1844) (Ethmiidae) *chrysopyga* Zeller,1844; *callidella* Walsingham,1910.
475. *Ethmia chrysopyga staudingeri* (Rebel,1901) (Ethmiidae) *staudingeri* Rebel,1901
476. *Ethmia dodecea* (Haworth,[1828]) (Ethmiidae) *decemguttella* Hübner,[1810] *nec* Fabr.,1794; *dodecea* Haworth,[1828].
477. *Ethmia haemorrhoidella* (Eversmann,1844) (Ethmiidae) *haemorrhoidella* Eversmann,1844; *anatolica* Amsel,1953.
478. *Ethmia iranella* Zerny,1940 (Ethmiidae) *iranella* Zerny,1940
479. *Ethmia pseudoscythrella* (Rebel,1902) (Ethmiidae) *pseudoscythrella* Rebel,1902
480. *Ethmia pusiella* (Linnaeus,1758) (Ethmiidae) *pusiella* Linnaeus,1758; *scaella* Scopoli,1763; *sequella* [Denis & Schiffermüller],1775; *lithosperma* Hübner,1796.
481. *Ethmia quadrinotella* (Mann,1861) (Ethmiidae) *quadrinotella* Mann,1861; *atticella* Caradja,1920; *galaxaea* Meyrick,1922.
482. *Ethmia quadrinotella quadrinotella* (Mann,1861) (Ethmiidae) *quadrinotella* Mann,1861; *atticella* Caradja,1920; *galaxaea* Meyrick,1922.
483. *Ethmia rothschildi* (Rebel,1912) (Ethmiidae) *rothschildi* Rebel,1912
484. *Ethmia similis* Sattler,1967 (Ethmiidae) *similis* Sattler,1967
485. *Ethmia suspecta* Sattler,1867 (Ethmiidae) *suspecta* Sattler,1967
486. *Ethmia treitschkeella* (Staudinger,1879) (Ethmiidae) *treitschkeella* Staudinger,1879
487. *Ethmia tripunctella* (Staudinger,1879) (Ethmiidae) *tripunctella* Staudinger,1879
488. *Ethmia tripunctella tripunctella* (Staudinger,1879) (Ethmiidae) *tripunctella* Staudinger,1879
489. *Acompsia cinerella* (Clerck,1759) (Gelechiidae) *cinerella* Clerck,1759
490. *Altenia wagneriella* (Rebel,1926) (Gelechiidae) *wagneriella* Rebel,1926; *danilevskiyi* Piskunov,1973.
491. *Anacampsis obscurella* ([Denis & Schiffermüller],1775) (Gelechiidae) *obscurella* [Denis & Schiffermüller],1775; *subsequella* Hübner,1796.
492. *Anacampsis scintillella* (Fischer v. Röslerstamm,1841) (Gelechiidae) *scintillella* Fischer v. Röslerstamm,1841; *brunneella* Herrich-Schäffer,1854; *contuberniella* Staudinger,1859
493. *Anacampsis timidella* (Wocke,1887) (Gelechiidae) *timidella* Wocke,1887; *quercella* Chrétien,1907; *disquei* Mees,1907; *suberiella* Caradja,1920.
494. *Anarsia (Ananarsia) lineatella* Zeller,1839 (Gelechiidae) *lineatella* Zeller,1839; *heratella* Amsel,1967; *tauricella* Amsel,1967.
495. *Anarsia (s.str.) spartiella* (Schränk,1802) (Gelechiidae) *spartiella* Schränk,1802; *genistae* Stainton,1854; *ragonotella* Réal,1994; *krausei* Réal,1994; *lhommeella* Réal,1994; *acutiloba* Réal,1994; *pseudospartiella* Réal,1994 *ungemachi* Réal,1994
496. *Apatetris mirabella* Staudinger,1879 (Gelechiidae) *mirabella* Staudinger,1879
497. *Apodia bifractella* (Duponchel,1843) (Gelechiidae) *bifractella* Duponchel,[1843]
498. *Approaerema anthyllidella* (Hübner,[1813]) (Gelechiidae) *anthyllidella* Hübner,[1813]; *caliginosella* Duponchel,1843; *psoralella* Millière,1865; *sparsiciliella* Barrett,1891; *alfalfella* Amsel,1958; *aureliana* Capuse,1964
499. *Aristotelia decoratella* (Staudinger,1880) (Gelechiidae) *decoratella* Staudinger,1880
500. *Aristotelia fervidella* Mann,1864 (Gelechiidae) *fervidella* Mann,1864; *#feroidella* Staudinger,1880.
501. *Aristotelia osthelderi* Rebel,1935 (Gelechiidae) *osthelderi* Rebel,1935
502. *Aristotelia pancaliella* (Staudinger,1871) (Gelechiidae) *pancaliella* Staudinger,1871
503. *Aristotelia parvula* (Staudinger,1879) (Gelechiidae) *parvula* Staudinger,1879
504. *Aristotelia punctatella* (Staudinger,1879) (Gelechiidae) *punctatella* Staudinger,1879
505. *Aristotelia subericinella* (Duponchel,1843) (Gelechiidae) *subericinella* Duponchel,1843; *prohaskaella* Rebel,1907
506. *Aroga aristotelis* (Millière,1875) (Gelechiidae) *aristotelis* Millière,1875; *astragali* Staudinger,1879; *fulminella* Millière,1882; *lacertella* Walsingham; *hyrcanella* Toll,1948.
507. *Aroga velocella* (Zeller,1839) (Gelechiidae) *velocella* Zeller,1839; *affiniella* Zetterstedt,[1839]; *tesserella* Zetterstedt,[1839]; *brunnea* Schöyen,1882; *aterrimella* Rebel,1889; *rupicolella* Müller-Rutz,1934
508. *Athrips rancidella* (Herrich-Schäffer,[1854]) (Gelechiidae) *rancidella* Herrich-Schäffer,[1854]; *triatomaea* Mühlhig,1864; *vepretella* Zeller,1870; *superfetella* Peyerimhoff,1877; *cotoneastri* Busck,1934; *cerasivorella* Kuznetsov,1960.
509. *Bryotropha arabica* Amsel,1952 (Gelechiidae) *arabica* Amsel,1952
510. *Bryotropha desertella* (Douglas,1850) (Gelechiidae) *desertella* Douglas,1850; *decrepidella* Herrich-Schäffer,1854.
511. *Bryotropha hendrikseni* Karsholt & Rutten,2005 (Gelechiidae) *hendrikseni* Karsholt & Rutten,2005
512. *Bryotropha horribilis* Karsholt & Rutten,2005 (Gelechiidae) *horribilis* Karsholt & Rutten,2005
513. *Bryotropha hulli* Karsholt & Rutten,2005 (Gelechiidae) *hulli* Karsholt & Rutten,2005
514. *Bryotropha sabulosella* (Rebel,1905) (Gelechiidae) *sabulosella* Rebel,1905
515. *Bryotropha tachypitella* (Rebel,1916) (Gelechiidae) *tachypitella* Rebel,1916
516. *Bryotropha terrella* ([Denis & Schiffermüller],1775) (Gelechiidae) *terrella* [Denis & Schiffermüller],1775; *inulella* Hübner,[1825]; *pauperella* Hübner,[1825]; *latella* Herrich-Schäffer,1854; *lutescens* Constant,1865; *suspectella* Heinemann,1870; *alpicolella* Heinemann,1870; *tenebrosella* Teich,1886; *sardoterrella* Schawerda,1936
517. *Carpatolechia fugitivella* (Zeller,1839) (Gelechiidae) *fugitivella* Zeller,1839; *#fugivitella* Noack,1960.
518. *Caryocolum junctellum* (Douglas,1851) (Gelechiidae) *junctellum* Douglas,1851; *aganocarpa* Meyrick,1935
519. *Chionodes distinctella* (Zeller,1839) (Gelechiidae) *distinctella* Zeller,1839; *striolabella* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *latiorella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979.
520. *Chrysoesthia drurella* (Fabricius,1775) (Gelechiidae) *drurella* Fabricius,1775; *myllerella* Fabricius,1794; *zinckeella* Hübner,[1813]; *zinckenella* Hübner,[1825]; *druryella* Zeller,1850; *hermannella* auct.
521. *Chrysoesthia sexguttella* (Thunberg,1794) (Gelechiidae) *sexguttella* Thunberg,1794; *aupunctella* Thunberg,1794; *stipella* sensu Hübner,1796; *aurofasciella* Stephens,1834; *naeviferella* Duponchel,[1843].
522. *Coloptilia conchylidella* (Hofmann,[1898]) (Gelechiidae) *conchylidella* Hofmann,[1898]
523. *Crossobela trinotella* (Herrich-Schäffer,[1856]) (Gelechiidae) *trinotella* Herrich-Schäffer,[1856].
524. *Deltophora maculata* (Staudinger,1879) (Gelechiidae) *maculata* Staudinger,1879
525. *Deltophora stictella* (Rebel,1927) (Gelechiidae) *stictella* Rebel,1927
526. *Dichomeris derasella* ([Denis & Schiffermüller],1775) (Gelechiidae) *derasella* [Denis & Schiffermüller],1775; *fasciella* Hübner,1796; *unguiculatus* Fabricius,1798; *coreana* Matsumura,1931.
527. *Dichomeris pudicella* (Mann,1861) (Gelechiidae) *pudicella* Mann,1861
528. *Dirhinosisia arnoldiella* (Rebel,1905) (Gelechiidae) *arnoldiella* Rebel,1905
529. *Dirhinosisia unifasciella* (Rebel,1929) (Gelechiidae) *unifasciella* Rebel,1929
530. *Ephysteris (Microcraspedus) deserticolella* (Staudinger,1871) (Gelechiidae) *deserticolella* Staudinger,1871.
531. *Ephysteris (Microcraspedus) diminutella* (Zeller,1847) (Gelechiidae) *diminutella* Zeller,1847
532. *Ephysteris (s.str.) promptella* (Staudinger,1859) (Gelechiidae) *promptella* Staudinger,1859; *despectella* Walker,1863; *petiginella* Mann,1867; *parvula* Staudinger,1879; *cacomira* Walsingham,1907; *chersaea* Meyrick,1908; *oschophora* Meyrick,1910;

- fanatica* Meyrick, 1921; *dispensata* Meyrick, 1921; *xanthorhabda* Gozmany, 1951 *australiae* Povolny, 1977; *#promptella* Sattler, 1978.
- 533.** *Epiparasia incertella* (Herrich-Schäffer, 1861) (Gelechiidae) *incertella* Herrich-Schäffer, 1861; *longivittella* Rebel
- 534.** *Eulamprotes superbella* (Zeller, 1839) (Gelechiidae) *superbella* Zeller, 1839
- 535.** *Filatima spurcella* (Duponchel, 1843) (Gelechiidae) *spurcella* Duponchel, 1843; *fuscantella* Heinemann, 1870.
- 536.** *Gelechia repetitrix* Meyrick, 1931 (Gelechiidae) *repetitrix* Meyrick, 1931
- 537.** *Gelechia senticetella* (Staudinger, 1859) (Gelechiidae) *senticetella* Staudinger, 1859; *obscuripennis* Frey, 1880; *limitanella* Rebel, 1904; *#senticella* Rebel, 1932; *nigrostriatella* Zerny, 1936.
- 538.** *Gelechia stramentella* (Rebel, 1935) (Gelechiidae) *stramentella* Rebel, 1935
- 539.** *Gladiovalva rumicivorella* (Millière, 1881) (Gelechiidae) *rumicivorella* Millière, 1881
- 540.** *Gnorimoschema herbichii* (Nowicki, 1864) (Gelechiidae) *herbichii* Nowicki, 1864; *pusillella* Rebel, 1893; *tengstroemiella* Joannis, 1910; *pazsiczkyi* Rebel, 1913; *parenthesella* Toll, 1936; *tengstroemi* Hackman, 1946; *soffneri* Riedl, 1965
- 541.** *Isophrictis anthemidella* (Wocke, 1871) (Gelechiidae) *anthemidella* Wocke, 1871
- 542.** *Istrianis femoralis* (Staudinger, 1876) (Gelechiidae) *femoralis* Staudinger, 1876; *comendonella* Staudinger, 1879; *gravosensis* Rebel, 1937; *angustipennis* Rebel, 1941; *funebrella* Rebel, 1941.
- 543.** *Iwaruna biguttella* (Duponchel, 1843) (Gelechiidae) *biguttella* Duponchel, 1843
- 544.** *Megacraspedus argyroneurellus* Staudinger, 1876 (Gelechiidae) *argyroneurellus* Staudinger, 1876
- 545.** *Megacraspedus attritellus* Staudinger, 1871 (Gelechiidae) *attritellus* Staudinger, 1871
- 546.** *Mesophleps silacella* (Hübner, 1796) (Gelechiidae) ? *pyropella* Hübner, 1793; *silacella* Hübner, 1796; *silacea* Haworth, 1828
- 547.** *Metanarsia* (s.str.) *modesta* Staudinger, 1871 (Gelechiidae) *modesta* Staudinger, 1871
- 548.** *Metzneria aestivella* (Zeller, 1839) (Gelechiidae) *aestivella* Zeller, 1839; *carlinella* Stainton, 1851; *selaginella* Mann, 1855; *torridella* Mann.
- 549.** *Metzneria aprilella* (Herrich-Schäffer, [1854]) (Gelechiidae) *aprilella* Herrich-Schäffer, [1854]
- 550.** *Metzneria artificella* (Herrich-Schäffer, 1861) (Gelechiidae) *artificella* Herrich-Schäffer, 1861; *litigiosella* Millière, 1879.
- 551.** *Metzneria ehikeella* Gozmany, 1954 (Gelechiidae) *ehikeella* Gozmany, 1954
- 552.** *Metzneria intestinella* (Mann, 1864) (Gelechiidae) *intestinella* Mann, 1864
- 553.** *Metzneria metzneriella* Stainton, 1851 (Gelechiidae) *paucipunctella* Douglas, 1850 *nec* Zeller, 1851; *metzneriella* Stainton, 1851.
- 554.** *Metzneria paucipunctella* (Zeller, 1839) (Gelechiidae) *paucipunctella* Zeller, 1839; *zimmermanni* Hering, 1940; *confusalis* Lucas, 1955.
- 555.** *Mirificarma* (s.str. (s.str.)) *maculatella* (Hübner, 1796) (Gelechiidae) *maculatella* Hübner, 1796
- 556.** *Nothris chinganella* Christoph, 1882 (Gelechiidae) *chinganella* Christoph, 1882; *fuscanella* Caradja, 1920.
- 557.** *Nothris sabulosella* Rebel, 1935 (Gelechiidae) *sabulosella* Rebel, 1935
- 558.** *Nothris sulcella* Staudinger, 1879 (Gelechiidae) *sulcella* Staudinger, 1879
- 559.** *Nothris verbascella* (Brahm, 1791) (Gelechiidae) *#verbascella* [Denis & Schiffermüller], 1775; *verbascella* Brahm, 1791; *lutarea* Haworth, 1828
- 560.** *Ornativava mixolitha* (Meyrick, 1918) (Gelechiidae) *mixolitha* Meyrick, 1918
- 561.** *Ornativava ochraceofusca* Sattler, 1967 (Gelechiidae) *ochraceofusca* Sattler, 1967
- 562.** *Ornativava plutelliformis* (Staudinger, 1859) (Gelechiidae) *plutelliformis* Staudinger, 1859; *sinuatella* Walsingham, 1904
- 563.** *Pexicopia malvella* (Hübner, [1805]) (Gelechiidae) *umbrella* auct.; *malvella* Hübner, [1805]; *lutarea* Haworth, 1828
- 564.** *Platyedra subcinerea* (Haworth, [1828]) (Gelechiidae) *subcinerea* Haworth, [1828]; *vilella* Zeller, 1847.
- 565.** *Pogochaetia solitaria* Staudinger, 1879 (Gelechiidae) *solitaria* Staudinger, 1879
- 566.** *Prolita solutella* (Zeller, 1839) (Gelechiidae) *solutella* Zeller, 1839; *fumosella* Douglas, 1852; *pribitzeri* Rebel, 1889; *nigrobipunctella* Lucas, 1932.
- 567.** *Pseudotelphusa paripunctella* (Thunberg, 1794) (Gelechiidae) *paripunctella* Thunberg, 1794; *triparella* Zeller, 1839; *trijugella* Erschoff, 1877; *sultanella* Caradja, 1920; *arenicolella* Caradja, 1920.
- 568.** *Psoricoptera gibbosella* (Zeller, 1839) (Gelechiidae) *gibbosella* Zeller, 1839; *triorthias* Meyrick, 1935; *lepigrella* Lucas, 1946.
- 569.** *Recurvaria leucatella* (Linnaeus, 1761) (Gelechiidae) *#leucatella* Clerck, 1759; *leucatella* Linnaeus, 1761; *leucatea* Haworth, 1828.
- 570.** *Scrobipalpa* (Ilseopsis) *acuminatella* (Sircom, 1850) (Gelechiidae) *acuminatella* Sircom, 1850
- 571.** *Scrobipalpa* (Ilseopsis) *atriplicella* (Fischer v. Röslerstamm, 1841) (Gelechiidae) *atriplicella* Fischer v. Röslerstamm, 1841
- 572.** *Scrobipalpa* (Ilseopsis) *chetitica* Povolny, 1974 (Gelechiidae) *chetitica* Povolny, 1974
- 573.** *Scrobipalpa* (Ilseopsis) *divisella* (Rebel, 1936) (Gelechiidae) *divisella* Rebel, 1936
- 574.** *Scrobipalpa* (Ilseopsis) *grossa* Povolny, 1966 (Gelechiidae) *grossa* Povolny, 1966
- 575.** *Scrobipalpa* (Ilseopsis) *indignella* (Staudinger, 1879) (Gelechiidae) *indignella* Staudinger, 1879
- 576.** *Scrobipalpa* (Ilseopsis) *obsoletella* (Fischer v. Röslerstamm, 1841) (Gelechiidae) *obsoletella* Fischer v. Röslerstamm, 1841; *miscitella* Clarke, 1932; *calaritanella* Amsel, 1951.
- 577.** *Scrobipalpa* (Ilseopsis) *ocellatella* (Boyd, 1858) (Gelechiidae) *ocellatella* Boyd, 1858; *submissella* Stainton, 1859; *horticolella* Rössler, 1866.
- 578.** *Scrobipalpa* (Ilseopsis) *pulchra* Povolny, 1967 (Gelechiidae) *pulchra* Povolny, 1967
- 579.** *Scrobipalpa* (s.str.) *anatolica* Povolny, 1973 (Gelechiidae) *anatolica* Povolny, 1973
- 580.** *Scrobipalpa* (s.str.) *halophila* Povolny, 1973 (Gelechiidae) *halophila* Povolny, 1973
- 581.** *Scrobipalpa* (s.str.) *heretica* Povolny, 1973 (Gelechiidae) *heretica* Povolny, 1973
- 582.** *Scrobipalpa* (s.str.) *meteorica* Povolny, 1984 (Gelechiidae) *meteorica* Povolny, 1984
- 583.** *Scrobipalpa* (s.str.) *nana* Povolny, 1973 (Gelechiidae) *nana* Povolny, 1973
- 584.** *Scrobipalpula psilella* (Herrich-Schäffer, [1854]) (Gelechiidae) *psilella* Herrich-Schäffer, [1854]; *cacuminum* Frey, 1870.
- 585.** *Sitotroga cerealella* (Olivier, 1789) (Gelechiidae) *cerealalla* Olivier, 1789; *hordei* Kirby, 1815; *arctella* Walker, 1864; *melanartha* Lower, 1900; *palearis* Meyrick, 1913; *ochrescens* Meyrick, 1938
- 586.** *Sophronia consanguinella* Herrich-Schäffer, [1855] (Gelechiidae) *consanguinella* Herrich-Schäffer, [1855]; *marginella* Toll, 1936 *nec* *marginella* Thunberg, 1794 *non* Den. & Schiff., 1775.
- 587.** *Sophronia finitimella* Rebel, 1905 (Gelechiidae) *finitimella* Rebel, 1905
- 588.** *Sophronia humerella* ([Denis & Schiffermüller], 1775) (Gelechiidae) *humerella* [Denis & Schiffermüller], 1775
- 589.** *Stenolechia gemmella* (Linnaeus, 1758) (Gelechiidae) *gemmella* Linnaeus, 1758; *nivella* Fabricius, 1794; *nivea* Haworth, 1828; *lepidella* Zeller, 1839; *nigrovittella* Duponchel, [1839].
- 590.** *Stomopteryx detersella* (Zeller, 1847) (Gelechiidae) *detersella* Zeller, 1847
- 591.** *Stomopteryx remissella* (Zeller, 1847) (Gelechiidae) *remissella* Zeller, 1847
- 592.** *Syncopacma cinctella* (Clerck, 1759) (Gelechiidae) *cinctella* Clerck, 1759; *vorticella* Scopoli, 1763; *ligulella* [Denis & Schiffermüller], 1775; *vittata* Fourcroy, 1785; *vittatella* Villers, 1789; *albistrigella* Stephens, 1834; *cincticulella* Heydenreich, 1851 *nec* Br., 1850; *sircomella* Stainton, 1854; *finlandica* Gozmany, 1957
- 593.** *Syncopacma cincticulella* (Bruand, 1850) (Gelechiidae) *cincticulella* Bruand, 1850
- 594.** *Syncopacma coronilella* (Treitschke, 1833) (Gelechiidae) *coronilella* Treitschke, 1833

595. *Syncopacma patruella* (Mann,1857) (Gelechiidae) *patruella* Mann,1857
596. *Syncopacma semicostella* (Staudinger,1871) (Gelechiidae) *semicostella* Staudinger,1871; *albicapitella* Bidzilya,1996
597. *Syncopacma splendens* (Staudinger,1881) (Gelechiidae) *splendens* Staudinger,1881
598. *Teleiopsis diffinis* (Haworth,[1828]) (Gelechiidae) *diffinis* Haworth,[1828]; *tristis* Staudinger,1879.
599. *Teleiopsis terebinthinella* (Herrich-Schäffer,[1856]) (Gelechiidae) *terebinthinella* Herrich-Schäffer,[1856]
600. *Turcopalpa glaseri* Povolny,1973 (Gelechiidae) *glaseri* Povolny,1973
601. *Agriopis ankeraria* (Staudinger,1861) (Geometridae) *ankeraria* Staudinger,1861
602. *Agriopis ankeraria syriaca* (Wehrli,1934) (Geometridae) *syriaca* Wehrli,1934
603. *Agriopis brumaria* (Borkhausen,1794) (Geometridae) *#leucophaearia* [Denis & Schiffermüller],1775; *brumaria* Borkhausen,1794; *nigricaria* Hübner,[1799].
604. *Alcis repandata* (Linnaeus,1758) (Geometridae) *repandata* Linnaeus,1758; *consobrinaria* Scriba,1790; *repandaria* Borkhausen,1794; *bistortae* Vallot,1802; *destrigaria* Haworth,1809; *conversaria* Hübner,[1809]; *muraria* Curtis,1826; *dealbata* Turati & Verity,1911; *fasciata* Albers,1949 nec Wrnk.,1941
605. *Aleucis distinctata* (Herrich-Schäffer,[1839]) (Geometridae) *distinctata* Herrich-Schäffer,[1839]; *pictaria* auct.
606. *Aleucis mimetes* (Wehrli,1932) (Geometridae) *mimetes* Wehrli,1932
607. *Aleucis orientalis* (Staudinger,1892) (Geometridae) *orientalis* Staudinger,1892
608. *Alsophila hirsutaria* (Fabricius,1781) (Geometridae) *#aescularia* [Denis & Schiffermüller],1775; *hirtaria* Fabricius,[1776] nec Linnaeus,1761; *hirsutaria* Fabricius,1781; *murinaria* Borkhausen,1794.
609. *Amorphogynia necessaria* (Zeller,1849) (Geometridae) *necessaria* Zeller,1849
610. *Anticlea badiata* (Lang,1789) (Geometridae) *#badiata* [Denis & Schiffermüller],1775; *badiata* Lang,1789; *radiata* Spener & Spener,1843.
611. *Anticlea derivata* ([Denis & Schiffermüller],1775) (Geometridae) *derivata* [Denis & Schiffermüller],1775; *nigrofasciaria* Goeze,1781; *separata* Thunberg,1788.
612. *Aplasta ononaria* (Fuessly,1783) (Geometridae) *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicapraria* Hübner,1793; *sudataria* Hübner,[1817]
613. *Aplasta ononaria faecaturia* (Hübner,[1819]) (Geometridae) *faecaturia* Hübner,[1819]
614. *Aplocera annexata* (Freyer,[1830]) (Geometridae) *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831
615. *Aplocera annexata annexata* (Freyer,[1830]) (Geometridae) *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831
616. *Aplocera columbata* (Metzner,1845) (Geometridae) *columbata* Metzner,1845; *nomadaria* Herrich-Schäffer,1848
617. *Aplocera fraternata* (Herrich-Schäffer,1861) (Geometridae) *fraternata* Herrich-Schäffer,1861
618. *Aplocera mundata* (Staudinger,1892) (Geometridae) *mundata* Staudinger,1892
619. *Aplocera mundulata* (Guenée,[1858]) (Geometridae) *mundulata* Guenée,[1858]; *erubescens* Staudinger,1892; *submundulata* Staudinger,1892
620. *Aplocera musculata* (Staudinger,1892) (Geometridae) *musculata* Staudinger,1892
621. *Aplocera numidaria* (Herrich-Schäffer,[1852]) (Geometridae) *numidaria* Herrich-Schäffer,[1852]
622. *Aplocera obsitaria* (Lederer,1853) (Geometridae) *obsitaria* Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937
623. *Aplocera obsitaria anatolica* (Wehrli,1931) (Geometridae) *anatolica* Wehrli,1931.
624. *Aplocera obsitaria obsitaria* (Lederer,1853) (Geometridae) *obsitaria* Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937
625. *Aplocera opificata* (Lederer,1870) (Geometridae) *opificata* Lederer,1870; *kawrigini* Christoph,1885.
626. *Aplocera plagiata* (Linnaeus,1758) (Geometridae) *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879.
627. *Aplocera uniformata* (Urbahn,1971) (Geometridae) *uniformata* Urbahn,1971
628. *Apocheima hispidarium* ([Denis & Schiffermüller],1775) (Geometridae) *hispidaria* [Denis & Schiffermüller],1775; *ursularia* Donovan,1808; *tauraria* Newman,1833.
629. *Apocheima hispidarium orientis* Wehrli,1941 (Geometridae) *orientis* Wehrli,1941
630. *Apochima diaphanaria* (Püngeler,1904) (Geometridae) *diaphanaria* Püngeler,1904
631. *Apochima diaphanaria rjabovi* (Wehrli,1936) (Geometridae) *rjabovi* Wehrli,1936
632. *Apochima flabellaria* (Heeger,1838) (Geometridae) *flabellaria* Heeger,1838; *marmararia* Buresch,1915.
633. *Archiearis notha* (Hübner,[1803]) (Geometridae) *notha* Hübner,[1803]
634. *Artiora evonymaria* (Hübner,[1799]) (Geometridae) *#evonymaria* [Denis & Schiffermüller],1775; *evonymaria* Hübner,[1799].
635. *Ascotis selenaria* ([Denis & Schiffermüller],1775) (Geometridae) *#selenaria* [Denis & Schiffermüller],1775; *dianaria* Hübner,[1817]; *#seleneris* Okyar & Aytac,1999
636. *Asovia maeoticaria* (Alpheraky,1876) (Geometridae) *maeoticaria* Alpheraky,1876; *decoloraria* Alpheraky,1889
637. *Aspitates ochrearia* (Rossi,1794) (Geometridae) *ochrearia* Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citraria* Hübner,[1826]; *laetula* Hulst,1896; *parvularia* Lempke,1953
638. *Aspitates quadripunctata* (Goeze,1781) (Geometridae) *#gilvaria* [Denis & Schiffermüller],1775; *quadripunctata* Goeze,1781.
639. *Aspitates quadripunctata quadripunctata* (Goeze,1781) (Geometridae) *#gilvaria* [Denis & Schiffermüller],1775; *quadripunctata* Goeze,1781.
640. *Asthena albulata* (Hufnagel,1767) (Geometridae) *albulata* Hufnagel,1767; *candidata* [Denis & Schiffermüller],1775; *candidaria* Hübner,[1799]; *candidulata* Haworth,1809; *albularia* Boisduval,1840
641. *Biston betularius* (Linnaeus,1758) (Geometridae) *betularia* Linnaeus,1758; *p-graecum* Poda,1761; *marmoraria* Sepp,1792; *ulmaria* Borkhausen,1794; *alexandrina* Wehrli,1941.
642. *Biston stratararius* (Hufnagel,1767) (Geometridae) *strataria* Hufnagel,1767; *prodromaria* [Denis & Schiffermüller],1775; *marmorata* Sulzer,1776; *vernalis* Fourcroy,1785; *nigricans* Oberthür,1913
643. *Campaea margaritata* (Linnaeus,1767) (Geometridae) *margaritata* Linnaeus,1767; *margaritaria* [Denis & Schiffermüller],1775; *sesquistriaria* Knoch,1781; *straminea* Retzius,1783; *nayas* Fourcroy,1785; *vitriolata* Cyrilli,1787; *straminearia* Villers,1789; *rubrociliata* Schawerda,1932
644. *Campptogramma bilineatum* (Linnaeus,1758) (Geometridae) *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinearia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871
645. *Campptogramma bilineatum bilineatum* (Linnaeus,1758) (Geometridae) *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinearia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871
646. *Campptogramma grisescens* (Staudinger,1892) (Geometridae) *grisescens* Staudinger,1892
647. *Campptogramma grisescens grisescens* (Staudinger,1892) (Geometridae) *grisescens* Staudinger,1892
648. *Carsia lythoxylata* (Hübner,[1799]) (Geometridae) *lythoxylata* Hübner,[1799]; *lythoxylaria* Boisduval,1840.
649. *Carsia lythoxylata christophi* (L.B.Prout,1937) (Geometridae) *christophi* L.B.Prout,1937
650. *Casilda antophilaria* (Hübner,[1813]) (Geometridae) *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911.
651. *Cataclysmes riguita* (Hübner,[1813]) (Geometridae) *riguita* Hübner,[1813]; *subtilisparsata* Wehrli,1932.
652. *Cataclysmes riguita riguita* (Hübner,[1813]) (Geometridae) *riguita* Hübner,[1813]; *subtilisparsata* Wehrli,1932.
653. *Catarhoe cuculata* (Hufnagel,1767) (Geometridae) *cuculata* Hufnagel,1767; *sinuata* [Denis & Schiffermüller],1775; *sabinata* Dannehl,1933
654. *Catarhoe cuculata decolor* (Schwingenschuss,1939) (Geometridae) *decolor* Schwingenschuss,1939

655. *Catarhoe hortulanaria* (Staudinger,1879) (Geometridae) *hortulanaria* Staudinger, 1879; *palaestinisensis* Staudinger, 1895
656. *Catarhoe mosulensis* (Schawerda,1924) (Geometridae) *mosulensis* Schawerda, 1924; *cinneretharia* Amsel, 1935.
657. *Catarhoe permixtaria* (Guenée,[1858]) (Geometridae) *#permixtaria* Herrich-Schäffer, 1851; *permixtaria* Guenée, [1858]
658. *Catarhoe putridaria* (Herrich-Schäffer,[1852]) (Geometridae) *putridaria* Herrich-Schäffer, [1852]; *bulgariata* Millière, 1868
659. *Catarhoe rubidata* ([Denis & Schiffermüller],1775) (Geometridae) *rubidata* [Denis & Schiffermüller], 1775
660. *Catarhoe rubidata rubidata* ([Denis & Schiffermüller],1775) (Geometridae) *rubidata* [Denis & Schiffermüller], 1775
661. *Chesias leuconeura* L.B.Prout,1931 (Geometridae) *leuconeura* L.B.Prout, 1931; *sureyata* Rebel, 1933.
662. *Chesistege korbi* (Bohatsch,1909) (Geometridae) *korbi* Bohatsch, 1909
663. *Chesistege korbi taurica* Wehrli,1938 (Geometridae) *taurica* Wehrli, 1938
664. *Chiasmia* (Godonela) *aestimaria* (Hübner,[1809]) (Geometridae) *aestimaria* Hübner, [1809]; *contemptata* Guenée, [1858]; *aestimata* Herrich-Schäffer, 1861; *tunesella* Lucas, 1949.
665. *Chiasmia* (Godonela) *aestimaria* (Hübner,[1809]) (Geometridae) *aestimaria* Hübner, [1809]; *contemptata* Guenée, [1858]; *aestimata* Herrich-Schäffer, 1861; *tunesella* Lucas, 1949.
666. *Chiasmia* (Godonela) *syriacaria* (Staudinger,1871) (Geometridae) *syriacaria* Staudinger, 1871; *venerata* Christoph, 1887; *#syriacata* Wehrli, 1934.
667. *Chiasmia clathrata* (Linnaeus,1758) (Geometridae) *clathrata* Linnaeus, 1758; *almacola* Wehrli, 1934.
668. *Chlorissa pretiosaria* Staudinger,1877 (Geometridae) *pretiosaria* Staudinger, 1877
669. *Chlorissa viridata* (Linnaeus,1758) (Geometridae) *viridata* Linnaeus, 1758; *volutata* Fabricius, 1775; *sirene* Villers, 1789
670. *Chloroclysta miata* (Linnaeus,1758) (Geometridae) *miata* Linnaeus, 1758; *miaria* [Denis & Schiffermüller], 1775; *viridifasciaria* Goeze, 1781; *virgata* Fourcroy, 1785 *nec* Hufn., 1767; *coraciata* Hübner, [1799]; *viridulata* Zetterstedt, 1839; *coraciaria* La Harpe, 1853
671. *Chloroclysta truncata* (Hufnagel,1767) (Geometridae) *truncata* Hufnagel, 1767; *centumnotata* Schulze, 1775; *russata* [Denis & Schiffermüller], 1775; *perfuscata* Haworth, 1809; *commantata* Haworth, 1809; *saturata* Stephens, 1831; *russaria* Boisduval, 1840; *perfuscaria* La Harpe, 1853
672. *Cidaria fulvata* (Forster,1771) (Geometridae) *fulvata* Forster, 1771
673. *Cinglis humifusaria* (Eversmann,1837) (Geometridae) *humifusaria* Eversmann, 1837
674. *Cleora cinctaria* ([Denis & Schiffermüller],1775) (Geometridae) *cinctaria* [Denis & Schiffermüller], 1775; *pascuaria* Brahm, 1791; *consimiliaria* Duponchel, 1829.
675. *Cleorodes lichenarius* (Hufnagel,1767) (Geometridae) *lichenaria* Hufnagel, 1767
676. *Cleta filacearia* (Herrich-Schäffer,[1847]) (Geometridae) *filacearia* Herrich-Schäffer, [1847]
677. *Cleta perpusillaria* (Eversmann,1847) (Geometridae) *perpusillaria* Eversmann, 1847
678. *Colotois pennaria* (Linnaeus,1761) (Geometridae) *pennaria* Linnaeus, 1761; *cerasi* Fabricius, 1775; *bifidaria* Haworth, 1809
679. *Comibaena bajularia* ([Denis & Schiffermüller],1775) (Geometridae) *pustulata* Hufnagel, 1767 *nec* Müller, 1764; *bajularia* [Denis & Schiffermüller], 1775
680. *Cosmorhoe ocellata* (Linnaeus,1758) (Geometridae) *ocellata* Linnaeus, 1758; *lynca* Fabricius, 1775; *lynceata* Fabricius, 1781; *ocellaria* Boisduval, 1840
681. *Costaconvexa polygrammata* (Borkhausen,1794) (Geometridae) *polygrammata* Borkhausen, 1794; *polygrammaria* Haworth, 1809; *conjunctaria* Lederer, 1853; *#rosea* Wiltshire, 1946
682. *Crocallis* (s.str.) *elinguarua* (Linnaeus,1758) (Geometridae) *elinguarua* Linnaeus, 1758; *trapezaria* Boisduval, 1840
683. *Crocallis* (s.str.) *inexpectata* Warnecke,1940 (Geometridae) *inexpectata* Warnecke, 1940
684. *Crocallis* (s.str.) *tusciaria* (Borkhausen,1793) (Geometridae) *tusciaria* Borkhausen, 1793; *extimaria* Hübner, [1799]
685. *Crocallis* (s.str.) *tusciaria taurica* Wehrli,1934 (Geometridae) *taurica* Wehrli, 1934
686. *Cryopega bajaria* ([Denis & Schiffermüller],1775) (Geometridae) *#aerugaria* [Denis & Schiffermüller], 1775; *bajaria* [Denis & Schiffermüller], 1775; *vittaria* Sulzer, 1776; *rubrostriata* Goeze, 1781; *ligustriaria* Lang, 1789; *sericearia* Borkhausen, 1794; *cineraria* Esper, [1801]; *sorditaria* Hübner, [1809]; *legrasi* Dumont, 1925
687. *Cyclophora albiocellaria* (Hübner,1789) (Geometridae) *albiocellaria* Hübner, 1789; *ocellaria* Hübner, 1799; *argusaria* Boisduval, 1840
688. *Cyclophora porata* (Linnaeus,1767) (Geometridae) *porata* Linnaeus, 1767; *huebneraria* Haworth, 1809; *poraria* Latreille, 1825
689. *Cyclophora punctaria* (Linnaeus,1758) (Geometridae) *punctaria* Linnaeus, 1758; *amata* Linnaeus, 1758; *teutonaria* Linnaeus, 1758; *amataria* Linnaeus, 1761; *fultaria* Villers, 1789; *communifasciata* Donovan, 1808; *unifasciata* Donovan, 1808; *subangularia* Haworth, 1809; *acutaria* Roquette, 1857; *naevata* Bastelberger, 1900
690. *Cyclophora punctaria fritzae* Hausmann,2003 (Geometridae) *fritzae* Hausmann, 2003
691. *Cyclophora punctaria punctaria* (Linnaeus,1758) (Geometridae) *punctaria* Linnaeus, 1758; *amata* Linnaeus, 1758; *teutonaria* Linnaeus, 1758; *amataria* Linnaeus, 1761; *fultaria* Villers, 1789; *communifasciata* Donovan, 1808; *unifasciata* Donovan, 1808; *subangularia* Haworth, 1809; *acutaria* Roquette, 1857; *naevata* Bastelberger, 1900
692. *Cyclophora pupillaria* (Hübner,[1799]) (Geometridae) *pupillaria* Hübner, [1799].
693. *Cyclophora quercimontaria* (Bastelberger,1897) (Geometridae) *quercimontaria* Bastelberger, 1897; *nigrosparsaria* Scoble, 1999; *privataria* Scoble, 1999
694. *Cyclophora quercimontaria quercimontaria* (Bastelberger,1897) (Geometridae) *quercimontaria* Bastelberger, 1897; *nigrosparsaria* Scoble, 1999; *privataria* Scoble, 1999
695. *Cyclophora suppunctaria* (Zeller,1847) (Geometridae) *suppunctaria* Zeller, 1847
696. *Dasycorsa modesta* (Staudinger,1879) (Geometridae) *modesta* Staudinger, 1879
697. *Dyscia* (Calodyscia) *innocentaria* (Christoph,1885) (Geometridae) *innocentaria* Christoph, 1885; *sicanaria* Oberthür, 1923
698. *Dyscia* (Calodyscia) *innocentaria innocentaria* (Christoph,1885) (Geometridae) *innocentaria* Christoph, 1885; *sicanaria* Oberthür, 1923
699. *Dyscia* (Calodyscia) *innocentaria osmanica* (Wagner,1931) (Geometridae) *osmanica* Wagner, 1931
700. *Dyscia* (Warneckeella) *malatyana* (Wehrli,1934) (Geometridae) *malatyana* Werli, 1934; *dagestana* Wehrli, 1934; *senecai* Wiltshire, 1990.
701. *Dyscia* (Warneckeella) *malatyana malatyana* (Wehrli,1934) (Geometridae) *malatyana* Werli, 1934; *dagestana* Wehrli, 1934; *senecai* Wiltshire, 1990.
702. *Dyscia* (s.str.) *conspersaria* ([Denis & Schiffermüller],1775) (Geometridae) *conspersaria* [Denis & Schiffermüller], 1775; *cuniculina* Hübner, 1790; *cunicularia* Esper, 1803; *turturaria* Boisduval, 1840
703. *Dyscia* (s.str.) *conspersaria sultanica* Wehrli,1936 (Geometridae) *sultanica* Wehrli, 1936
704. *Dyscia* (s.str.) *lentiscaria* (Donzel,1837) (Geometridae) *lentiscaria* Donzel, 1837
705. *Ecliptopera silaceata* ([Denis & Schiffermüller],1775) (Geometridae) *silaceata* [Denis & Schiffermüller], 1775; *insulata* Haworth, 1809; *cuneata* Donovan, 1810; *silacearia* Boisduval, 1840
706. *Eilicrinia cordiaria* (Hübner,1790) (Geometridae) *cordiaria* Hübner, 1790
707. *Eilicrinia trinitata* (Metzner,1845) (Geometridae) *trinitata* Metzner, 1845
708. *Ematurga atomaria* (Linnaeus,1758) (Geometridae) *atomaria* Linnaeus, 1758; *isoscelata* Scopoli, 1763; *pennata* Scopoli, 1763; *aceraria* Hufnagel, 1767; *artemisaria* Herbst, 1782; *picta*, *microcosa* Fourcroy, 1785; *glarearia* Hübner, [1799]; *obsoletaria* Zett., 1839; *minuta* Heydemann, 1925; *arenaria* Candeze, 1926.

709. *Ematurga atomaria orientaria* Staudinger, 1861 (Geometridae) *orientaria* Staudinger, 1861; *transalpina* Frings, 1909.
710. *Enanthperythra legataria* (Herrich-Schäffer, [1852]) (Geometridae) *legataria* Herrich-Schäffer, [1852]
711. *Enanthperythra legataria legataria* (Herrich-Schäffer, [1852]) (Geometridae) *legataria* Herrich-Schäffer, [1852]
712. *Ennomos (Deuteronomos) quercarius* (Hübner, [1813]) (Geometridae) *quercaria* Hübner, [1813]
713. *Ennomos (s.str.) effractarius* Freyer, [1842] (Geometridae) *effractaria* Freyer, [1842]
714. *Entephria ignorata* (Staudinger, 1892) (Geometridae) *ignorata* Staudinger, 1892
715. *Epione vespertaria* (Linnaeus, 1767) (Geometridae) *vespertaria* Linnaeus, 1767; *parallellaria* [Denis & Schiffermüller], 1775.
716. *Epirrhoe alternata* (Müller, 1764) (Geometridae) *alternata* Müller, 1764; *sociata* Borkhausen, 1794; *degenerata* Haworth, 1809; *subtristata* Haworth, 1809; *contristata* Donovan, 1811; *aparinata* Hübner, [1825].
717. *Epirrhoe alternata alternata* (Müller, 1764) (Geometridae) *alternata* Müller, 1764; *sociata* Borkhausen, 1794; *degenerata* Haworth, 1809; *subtristata* Haworth, 1809; *contristata* Donovan, 1811; *aparinata* Hübner, [1825].
718. *Epirrhoe galiata* (Denis & Schiffermüller, 1775) (Geometridae) *galiata* [Denis & Schiffermüller], 1775; *quadriannulata* Haworth, 1809; *unilobata* Haworth, 1809; *chalybeata* Hübner, [1813]; *eophanata* Krulikowsky, 1906; *emina* Schawerda, 1912
719. *Epirrhoe galiata orientata* (Staudinger, 1901) (Geometridae) *orientata* Staudinger, 1901
720. *Epirrhoe molluginata* (Hübner, [1813]) (Geometridae) *molluginata* Hübner, [1813]
721. *Erannis declinans* (Staudinger, 1879) (Geometridae) *declinans* Staudinger, 1879.
722. *Erannis defoliaria* (Linnaeus, 1761) (Geometridae) *defoliaria* Clerk, 1759; *defoliaria* Linnaeus, 1761
723. *Eulithis prunata* (Linnaeus, 1758) (Geometridae) *prunata* Linnaeus, 1758
724. *Eulithis pyraliata* ([Denis & Schiffermüller], 1775) (Geometridae) *pyraliata* [Denis & Schiffermüller], 1775
725. *Eulithis roessleraria* (Staudinger, 1871) (Geometridae) *roessleraria* Staudinger, 1871; *pseudoledereri* Schwingenschuss, 1939.
726. *Eumera hoeferi* Wehrli, 1934 (Geometridae) *hoeferi* Wehrli, 1934; *hoeferi* Wehrli, 1934; *hoeferi* Wiltshire, 1937.
727. *Eumera hoeferi hoeferi* Wehrli, 1934 (Geometridae) *hoeferi* Wehrli, 1934; *hoeferi* Wehrli, 1934; *hoeferi* Wiltshire, 1937.
728. *Eumera regina* Staudinger, 1892 (Geometridae) *regina* Staudinger, 1892
729. *Eumera turcosyrica* Wehrli, 1932 (Geometridae) *turcosyrica* Wehrli, 1932; *turcosyrica* Wehrli, 1934.
730. *Euphyia chalusata* Wiltshire, 1970 (Geometridae) *chalusata* Wiltshire, 1970
731. *Euphyia frustata* (Treitschke, 1828) (Geometridae) *frustata* Treitschke, 1828; *muscosata* Donzel, 1837; *fulvocinctata* Rambur, 1866
732. *Euphyia sintenisi* (Staudinger, 1892) (Geometridae) *sintenisi* Staudinger, 1892; *sultanica* Wehrli, 1938.
733. *Eupithecia abbreviata* Stephens, 1831 (Geometridae) *nebulata* Haworth, 1809; *abbreviata* Stephens, 1831
734. *Eupithecia achyrdaghica* Wehrli, 1929 (Geometridae) *achyrdaghica* Wehrli, 1929
735. *Eupithecia adscriptaria* Staudinger, 1871 (Geometridae) *adscriptaria* Staudinger, 1871
736. *Eupithecia allitaria* Staudinger, 1870 (Geometridae) *allitaria* Staudinger, 1870; *notata* Dietze, 1910 *nec* Stph., 1831
737. *Eupithecia amasina* Bohatsch, 1893 (Geometridae) *amasina* Bohatsch, 1893; *dinaria* Vardikjan, 1985.
738. *Eupithecia arenbergeri* Pinker, 1976 (Geometridae) *arenbergeri* Pinker, 1976
739. *Eupithecia bastelbergeri* Dietze, 1913 (Geometridae) *bastelbergeri* Dietze, 1913
740. *Eupithecia bastelbergeri korvaci* L.B. Prout, 1938 (Geometridae) *korvaci* L.B. Prout, 1938
741. *Eupithecia breviculata* (Donzel, 1837) (Geometridae) *breviculata* Donzel, 1837; *anatolica* Schwingenschuss, 1939; *georgica* Vojnits, 1977.
742. *Eupithecia caeruleata* Favre, 1899 (Geometridae) *caeruleata* Favre, 1899
743. *Eupithecia caeruleata schiefereri* Dietze, 1904 (Geometridae) *#schiefereri* Bohatsch, 1893; *#schiefereri* Dietze, 1904; *#confluens* Dietze, 1910; *#schiefererie* Pinker, 1958; *#schieferi* Arnscheid, 2000
744. *Eupithecia calligraphata* Wagner, 1929 (Geometridae) *calligraphata* Wagner, 1929
745. *Eupithecia cerussaria* (Lederer, 1855) (Geometridae) *cerussaria* Lederer, 1855
746. *Eupithecia cucullaria* (Rebel, 1901) (Geometridae) *undata* Bohatsch, 1893 *nec* Frr., 1840; *cucullaria* Rebel, 1901
747. *Eupithecia denticulata* (Treitschke, 1828) (Geometridae) *denticulata* Treitschke, 1828
748. *Eupithecia denticulata anaticata* Pinker, 1976 (Geometridae) *anaticata* Pinker, 1976
749. *Eupithecia distinctaria* Herrich-Schäffer, [1848] (Geometridae) *distinctaria* Herrich-Schäffer, [1848]; *constrictata* Guenée, [1858]; *sextiata* Dardoin & Millière, 1867; *piemonticola* Schwingenschuss, 1954
750. *Eupithecia euxinata* Bohatsch, 1893 (Geometridae) *#euxinata* Bohatsch, 1893
751. *Eupithecia extraversaria* Herrich-Schäffer, [1852] (Geometridae) *extraversaria* Herrich-Schäffer, [1852]; *libanotidata* Guenée, [1858]
752. *Eupithecia extremata* (Fabricius, 1787) (Geometridae) *extremata* Fabricius, 1787; *glaucomictata* Mann, 1855; *hangayi* Vojnits, 1977.
753. *Eupithecia furcata* Staudinger, 1879 (Geometridae) *furcata* Staudinger, 1879
754. *Eupithecia fuscicostata* Christoph, 1887 (Geometridae) *fuscicostata* Christoph, 1887; *fuscostigma* Alpheraky, 1892; *salami* Brandt, 1938; *domogledana* Vojnits & Szabo, 1988
755. *Eupithecia graphata* (Treitschke, 1828) (Geometridae) *graphata* Treitschke, 1828; *corticulata* Freyer, 1840; *italicata* Guenée, [1858]
756. *Eupithecia graphata albofasciata* Staudinger, 1879 (Geometridae) *albofasciata* Staudinger, 1879
757. *Eupithecia gratiosata* Herrich-Schäffer, 1861 (Geometridae) *gratiosata* Herrich-Schäffer, 1861; *subseparata* Christoph, 1885
758. *Eupithecia inconspicua* Bohatsch, 1893 (Geometridae) *#inconspicua* Bohatsch, 1893
759. *Eupithecia indigata* (Hübner, [1813]) (Geometridae) *indigata* Hübner, [1813]; *turfosata* Draudt, 1903; *pliniata* Stauder, 1929
760. *Eupithecia indigata hamamata* Pinker, 1976 (Geometridae) *hamamata* Pinker, 1976
761. *Eupithecia innotata* (Hufnagel, 1767) (Geometridae) *innotata* Hufnagel, 1767; *tamarisciata* Freyer, 1836; *suspectata* Dietze, 1871; *ulata* Staudinger, 1897; *ulicada* Dietze, 1910; *alexandriana* Vardikjan, 1972; *sergiana* Vardikjan, 1972.
762. *Eupithecia irriguata* (Hübner, [1813]) (Geometridae) *variegata* Haworth, 1809 *nec* Scop., 1763; *irriguata* Hübner, [1813]
763. *Eupithecia irriguata kurdica* L.B. Prout, 1939 (Geometridae) *kurdica* L.B. Prout, 1939
764. *Eupithecia irriguata staudingeri* (Staudinger & Rebel, 1901) (Geometridae) *#staudingeri* Bohatsch, 1893; *staudingeri* Staudinger & Rebel, 1901
765. *Eupithecia karadaghensis* Mironov, 1988 (Geometridae) *karadaghensis* Mironov, 1988
766. *Eupithecia kunzi* Pinker, 1976 (Geometridae) *kunzi* Pinker, 1976
767. *Eupithecia limbata* Staudinger, 1879 (Geometridae) *limbata* Staudinger, 1879; *irritaria* Staudinger, 1892; *kueppersi* Vojnits, 1973
768. *Eupithecia millefoliata* Roesler, 1866 (Geometridae) *millefoliata* Roesler, 1866; *achilleata* Mabilie, 1869; *#maeoticaria* Bohatsch, 1893
769. *Eupithecia mystica* Dietze, 1910 (Geometridae) *mystica* Dietze, 1910; *wehrlii* F. Wagner, 1931
770. *Eupithecia nigritaria* Staudinger, 1879 (Geometridae) *nigritaria* Staudinger, 1879
771. *Eupithecia oblongata* (Thunberg, 1784) (Geometridae) *#centaureata* [Denis & Schiffermüller], 1775; *oblongata* Thunberg, 1784; *boloniensis* Fourcroy, 1875; *centralisata* Staudinger, 1892.

772. *Eupithecia oblongata oblongata* (Thunberg,1784) (Geometridae) #centaureata [Denis & Schiffermüller],1775; oblongata Thunberg,1784; boloniensis Fourcroy,1875; centralisata Staudinger,1892.
773. *Eupithecia ochridata* Schütze & Pinker,1968 (Geometridae) ochridata Schütze & Pinker,1968; szelenyii Vojnits,1969.
774. *Eupithecia oxycedrata* (Rambur,1833) (Geometridae) oxycedrata Rambur,1833; oxycedrararia Boisduval,1840; provinciata Millière,1872
775. *Eupithecia pimpinellata* (Hübner,[1813]) (Geometridae) pimpinellata Hübner,[1813]; altaicata Guenée,[1858]; lantoscata Millière,1873; cinerascens Tengström,1875; limbosignata Dietze,1910; elongata Dietze,1913 nec Hw,1809; retheli L.B.Prout,1938; variata Schwingenschuss,1936.
776. *Eupithecia pinkeri* Mironov,1991 (Geometridae) pinkeri Mironov,1991
777. *Eupithecia plumbeolata* (Haworth,[1809]) (Geometridae) plumbeolata Haworth,[1809]; isogrammata Treitschke,1828; begrandaria Hübner,[1813]; singularia Herrich-Schäffer,1848; plumbeolaria Doubleday,1849; begrandata Bruand,1850; dshungarica Viidalepp,1988.
778. *Eupithecia pseudocastigata* Pinker,1976 (Geometridae) pseudocastigata Pinker,1976
779. *Eupithecia pulchellata* Stephens,1831 (Geometridae) pulchellata Stephens,1831
780. *Eupithecia pulchellata grisearia* Schwingenschuss,1939 (Geometridae) grisearia Schwingenschuss,1939
781. *Eupithecia pusillata* (Fabricius,1787) (Geometridae) #pusillata [Denis & Schiffermüller],1775; pusillata Fabricius,1787; sobrinata Hübner,[1817]; pusillaria Hübner,[1825]; sobrinaria Boisduval,1840; expressaria Herrich-Schäffer,1848; anglicata Herrich-Schäffer,1863; latoniata Millière,1882; stevensata Webb,1896; scotica Dietze,1910
782. *Eupithecia reisserata* Pinker,1976 (Geometridae) reisserata Pinker,1976
783. *Eupithecia reisserata reisserata* Pinker,1976 (Geometridae) reisserata Pinker,1976
784. *Eupithecia satyrata* (Hübner,[1813]) (Geometridae) satyrata Hübner,[1813]; satyraria Boisduval,1840; italicata Guenée,1858; submelanochroa Vojnits,1973
785. *Eupithecia scalptata* Christoph,1885 (Geometridae) scalptata Christoph,1885
786. *Eupithecia semigraphata* Bruand,[1847] (Geometridae) semigraphata Bruand,[1847]
787. *Eupithecia semigraphata arida* Dietze,1910 (Geometridae) arida Dietze,1910
788. *Eupithecia separata* Staudinger,1879 (Geometridae) separata Staudinger,1879; saueri Vojnits,1978.
789. *Eupithecia silenata* Assmann,1848 (Geometridae) silenata Assmann,1848; silenaria Herich-Schäffer,1852.
790. *Eupithecia silenicolata* Mabilie,1867 (Geometridae) silenicolata Mabilie,1867
791. *Eupithecia silenicolata perdistincta* Wehrli,1933 (Geometridae) perdistincta Wehrli,1933
792. *Eupithecia simplicata* Haworth,[1809] (Geometridae) simplicata Haworth,[1809]; subnotata Hübner,[1813]; subnotaria Boisduval,1840; subnotaria Herrich-Schäffer,1848.
793. *Eupithecia spissilineata* (Metzner,1846) (Geometridae) spissilineata Metzner,1846; multilineata Mann,1866.
794. *Eupithecia subfuscata* (Haworth,[1809]) (Geometridae) subfuscata Haworth,[1809]; castigata Hübner,[1813]; castigaria Boisduval,1840; compressata Guenée,[1858]; implicata Walker,1862; blancheata Cooke,1881; latipennis Hulst,1898
795. *Eupithecia subfuscata subfuscata* (Haworth,[1809]) (Geometridae) subfuscata Haworth,[1809]; castigata Hübner,[1813]; castigaria Boisduval,1840; compressata Guenée,[1858]; implicata Walker,1862; blancheata Cooke,1881; latipennis Hulst,1898
796. *Eupithecia subsequaria* Herrich-Schäffer,[1852] (Geometridae) subsequaria Herrich-Schäffer,[1852]; dubiosa Wagner,1929; dubiosata Wagner,1929; richteri Vardikjan,1954
797. *Eupithecia succenturiata* (Linnaeus,1758) (Geometridae) succenturiata Linnaeus,1758; disparata Hübner,[1799]
798. *Eupithecia succenturiata artvinata* (Geometridae)
799. *Eupithecia variostrigata* Alpheraky,1876 (Geometridae) variostrigata Alpheraky,1876; littorata Constant,1884; artemesiata Constant,1884
800. *Eupithecia venosata* (Fabricius,1787) (Geometridae) venosata Fabricius,1787; insignata Hübner,1789; decussata Donovan,1799
801. *Eupithecia venosata venosata* (Fabricius,1787) (Geometridae) venosata Fabricius,1787; insignata Hübner,1789; decussata Donovan,1799
802. *Eupithecia vulgata* (Haworth,[1809]) (Geometridae) vulgata Haworth,[1809]; pygmaeata Borkhausen,1794; clusterata Hübner,[1813]; austeraria Herrich-Schäffer,1848; atropicta Dietze,1910; cyrneata Schawerda,1933
803. *Eupithecia vulgata vulgata* (Haworth,[1809]) (Geometridae) vulgata Haworth,[1809]; pygmaeata Borkhausen,1794; clusterata Hübner,[1813]; austeraria Herrich-Schäffer,1848; atropicta Dietze,1910; cyrneata Schawerda,1933
804. *Glossotrophia* (s.str.) *confinaria* (Herrich-Schäffer,[1847]) (Geometridae) *confinaria* Herrich-Schäffer,[1847]
805. *Glossotrophia* (s.str.) *diffinaria* L.B.Prout,1913 (Geometridae) *luridata* Staudinger,1871 nec Zell.; *diffinaria* L.B.Prout,1913
806. *Glossotrophia* (s.str.) *diffinaria diffinaria* L.B.Prout,1913 (Geometridae) *luridata* Staudinger,1871 nec Zell.; *diffinaria* L.B.Prout,1913
807. *Gnopharmia rubraria* Staudinger,1892 (Geometridae) *rubraria* Staudinger,1892
808. *Gnophos* (Cnestrognophos) *anthina* Wehrli,1953 (Geometridae) *anthina* Wehrli,1953
809. *Gnophos* (Dicrognophos) *sartatus* (Treitschke,1827) (Geometridae) *sartata* Treitschke,1827; *syriaca* Thierry-Mieg,1916.
810. *Gnophos* (Neognophina) *pfeifferi* Wehrli,1926 (Geometridae) *pfeifferi* Wehrli,1926
811. *Gnophos ciscaucasius* Rjabov,1964 (Geometridae) *ciscaucasius* Rjabov,1964
812. *Gymnoscelis rufifasciata* (Haworth,[1809]) (Geometridae) *rufifasciata* Haworth,[1809]; *pumilata* Hübner,[1813].
813. *Gypsochroa renitidata* (Hübner,[1817]) (Geometridae) *renitidata* Hübner,[1817].
814. *Heliomata glarearia* (Brahm,1791) (Geometridae) #glarearia [Denis & Schiffermüller],1775; *glarearia* Brahm,1791.
815. *Hemistola chrysoprasaria* (Esper,[1794]) (Geometridae) *nayas* Fourcroy,1785; *pomona* Fourcroy,1785; *lucidata* Donovan,1794; *chrysoprasaria* Esper,[1794];
816. *Hemithea aestivaria* (Hübner,1789) (Geometridae) *strigata* Müller,1764 nec Sc.,1763; *herbacea* Fourcroy,1785; *aestivaria* Hübner,[1799]; *alboundulata* Hedemann,1879
817. *Heterolocha laminaria* (Herrich-Schäffer,[1852]) (Geometridae) *laminaria* Herrich-Schäffer,[1852]
818. *Horisme corticata* (Treitschke,1835) (Geometridae) *corticata* Treitschke,1835
819. *Horisme corticata pfeifferi* Wehrli,1931 (Geometridae) *pfeifferi* Wehrli,1931
820. *Horisme tersata* ([Denis & Schiffermüller],1775) (Geometridae) *tersata* [Denis & Schiffermüller],1775; *singulariata* Villers,1789; *testacea* Hübner,[1809]; *tersaria* Boisduval,1840; *testacearia* Boisduval,1840; *tersulata* Staudinger,1871
821. *Horisme vitalbata* (Hübner,[1799]) (Geometridae) #vitalbata [Denis & Schiffermüller],1775; *nebulata* Villers,1789 nec Thunb.,1784; *vitalbata* Hübner,[1799]; *vitalbaria* Boisduval,1840; *detersata* Püngeler,1900; *repedata* Prout,1938
822. *Hydria cervinalis* (Scopoli,1763) (Geometridae) *cervinalis* Scopoli,1763; *cervinata* [Denis & Schiffermüller],1775; *fasciaria* Goeze,1781; *fasciata* Retzius,1783; *cervinaria* Treitschke,1825; *certata* Hübner,[1825]; *certaria* Boisduval,1840.
823. *Hydriomena ruberata* (Freyer,[1831]) (Geometridae) *ruberata* Freyer,[1831]; *ruberaria* Herrich-Schäffer,1848
824. *Hylaea fasciaria* (Linnaeus,1758) (Geometridae) *fasciaria* Linnaeus,1758; *prosapiaria* Linnaeus,1758; *neustriaria* Hufnagel,1767; *prasinaria* [Denis & Schiffermüller],1775; *biliosata* Villers,1789; *viridifasciosa* Esper,1794; *cleui* Leraut,1993
825. *Hypomecis roboraria* (Fabricius,1787) (Geometridae) #roboraria [Denis & Schiffermüller],1775; *roboraria* Fabricius,1787; *consobrinaria* Hübner,[1799] nec Borkh.,1790; *grandaria* Haworth,1809; *piperitaria* Stephens,1831; *isabellae* Fernandez,1931

- 826.** *Hyposcotis* (?) *mutilata* (Staudinger,1879) (Geometridae) *mutilata* Staudinger,1879
- 827.** *Hyposcotis* (Charissa) *certhiata* (Rebel & Zerny,1931) (Geometridae) *certhiatus* Rebel & Zerny,1931; *bezengius* Niesiolowski,1953.
- 828.** *Hyposcotis* (Charissa) *certhiata* *minorasiatica* Wehrli,1936 (Geometridae) *minorasiaticus* Wehrli,1936
- 829.** *Hyposcotis* (Charissa) *obscurata* ([Denis & Schiffermüller],1775) (Geometridae) *#obscurata* [Denis & Schiffermüller],1775; *lividata* Fabricius,1787 nec Cl.,1759; *obscuraria* Hübner,1799; *anthracinaria* Esper,1801; *quadripustulata* Donovan,1808
- 830.** *Hyposcotis* (Euchrognophos) *mucidaria* (Hübner,[1799]) (Geometridae) *mucidaria* Hübner,[1799]
- 831.** *Hyposcotis* (Euchrognophos) *variegata* (Duponchel,1830) (Geometridae) *variegatus* Duponchel,1830; *#subtaurica* Wehrli,1932.
- 832.** *Hyposcotis* (Kemtrognothos) *ambigua* (Duponchel,1830) (Geometridae) *ambigua* Duponchel,1830
- 833.** *Hyposcotis* (Kemtrognothos) *onustaria* (Herrich-Schäffer,[1852]) (Geometridae) *onustaria* Herrich-Schäffer,[1852]
- 834.** *Hyposcotis* (Kemtrognothos) *zeitunaria* (Staudinger,1901) (Geometridae) *zeitunaria* Staudinger,1901
- 835.** *Hyposcotis* (Rhopalognophos) *glaucinararia* (Hübner,[1799]) (Geometridae) *glaucinararia* Hübner,[1799]; *glaucinata* Treitschke,1827; *falconaria* Freyer,1842; *supinata* Bruand,[1852]; *supinaria* Mann,1854; *perstrigata* Wehrli,1924
- 836.** *Idaea* *admiranda* Hausmann,2004 (Geometridae) *#litigiosaria* Okyar & Aktaş,1999 nec Bsd.,1840; *admiranda* Hausmann,2004
- 837.** *Idaea* *albitorquata* (Püngeler,1909) (Geometridae) *albitorquata* Püngeler,1909
- 838.** *Idaea* *albitorquata* *albitorquata* (Püngeler,1909) (Geometridae) *albitorquata* Püngeler,1909
- 839.** *Idaea* *aureolaria* ([Denis & Schiffermüller],1775) (Geometridae) *trilineata* Scopoli,1772 nec Hufn.,1767; *aureolaria* [Denis & Schiffermüller],1775; *bicincta* Fourcroy,1875; *trilinearia* Hübner,[1787].
- 840.** *Idaea* *aversata* (Linnaeus,1758) (Geometridae) *aversata* Linnaeus,1758; *remutata* Linnaeus,1758; *lividata* Clerck,1759; *trilineata* Hufnagel,1767; *grisata* Fabricius,[1776]; *murinata* Fabricius,1794; *aversaria* Hübner,[1799]; *fuliginata* Haworth,1809; *latifasciaria* Heydenreich,1851.
- 841.** *Idaea* *biselata* (Hufnagel,1767) (Geometridae) *biselata* Hufnagel,1767; *fimbriata* [Denis & Schiffermüller],1775; *fimbriolata* Stephens,1831; *plumipedata* Walker,1861; *shimizuensis* Matsumura,1925.
- 842.** *Idaea* *camparia* (Herrich-Schäffer,[1852]) (Geometridae) *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934.
- 843.** *Idaea* *camparia* *camparia* (Herrich-Schäffer,[1852]) (Geometridae) *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934.
- 844.** *Idaea* *consanguinaria* (Lederer,1853) (Geometridae) *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929
- 845.** *Idaea* *consanguinaria* *consanguinaria* (Lederer,1853) (Geometridae) *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929
- 846.** *Idaea* *consolidata* (Lederer,1853) (Geometridae) *consolidata* Lederer,1853
- 847.** *Idaea* *degeneraria* (Hübner,[1799]) (Geometridae) *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913
- 848.** *Idaea* *determinata* (Staudinger,1876) (Geometridae) *determinata* Staudinger,1876; *fasciata* Staudinger,1892; *geministrigata* Fuchs,1901.
- 849.** *Idaea* *dilutaria* (Hübner,[1799]) (Geometridae) *dilutaria* Hübner,[1799]; *holosericata* Duponchel,1842; *holosericiaria* Bruand,1846; *holosericiaria* De La Harpe,1853; *praeustaria* De La Harpe,1853.
- 850.** *Idaea* *dimidiata* (Hufnagel,1767) (Geometridae) *dimidiata* Hufnagel,1767; *scutulata* [Denis & Schiffermüller],1775; *antitaurica* Wehrli,1931 nec Wehrli,1931; *tauricola* Wehrli,1934.
- 851.** *Idaea* *elongaria* (Rambur,1833) (Geometridae) *elongaria* Rambur,1833; *aridata* Zeller,1847; *aridaria* Heydenreich,1851; *monadaria* Guenée,[1858]; *confusaria* Lederer,1863; *infernata* Staudinger,1871; *zephyrata* Millière,1872; *ludovicata* Lucas,1942.
- 852.** *Idaea* *filicata* (Hübner,[1799]) (Geometridae) *filicata* Hübner,[1799]; *filicaria* Duponchel,1830
- 853.** *Idaea* *fuscovenosa* (Goeze,1781) (Geometridae) *fuscovenosa* Goeze,1781; *plebeia* Fourcroy,1785
- 854.** *Idaea* *humiliata* (Hufnagel,1767) (Geometridae) *humiliata* Hufnagel,1767; *osseata* [Denis & Schiffermüller],1775; *ossearia* Hübner,[1799]
- 855.** *Idaea* *inquinata* (Scopoli,1763) (Geometridae) *inquinata* Scopoli,1763; *herbariaria* Fabricius,1798; *pusillaria* Hübner,[1799]; *microsaria* Boisduval,1840; *incomptaria* Boisduval,1840
- 856.** *Idaea* *intermedia* (Staudinger,1879) (Geometridae) *intermedia* Staudinger,1879
- 857.** *Idaea* *maritimaria* (Bruand,1846) (Geometridae) *maritimaria* Bruand,1846; *deversaria* Herrich-Schäffer,[1847]; *hyalinata* Christoph,1885
- 858.** *Idaea* *metohiensis* (Rebel,1900) (Geometridae) *metohiensis* Rebel,1900; *anatolica* Schwingenschuss,1938.
- 859.** *Idaea* *mimosaria* (Herrich-Schäffer,1852) (Geometridae) *mimosaria* Herrich-Schäffer,1852
- 860.** *Idaea* *moniliata* ([Denis & Schiffermüller],1775) (Geometridae) *moniliata* [Denis & Schiffermüller],1775; *?pentalineata* De Villers,1789; *omicata* Fabricius,1794; *#moniliaria* Hübner,[1799]; *pluripunctata* Scharfenberg,1805
- 861.** *Idaea* *nitidata* (Herrich-Schäffer,1861) (Geometridae) *nitidata* Herrich-Schäffer,1861; *tectaria* Leech,1897.
- 862.** *Idaea* *obsoletaria* (Rambur,1833) (Geometridae) *obsoletaria* Rambur,1833; *violacearia* Staudinger,1901; *distans* Hausmann,1991; *violacearia* Hausmann,1991 nec Wlk.,1861
- 863.** *Idaea* *ochrata* (Scopoli,1763) (Geometridae) *ochrata* Scopoli,1763; *#ochreata* [Denis & Schiffermüller],1775; *corrugata* Fabricius,1781; *ochrearia* Schrank,1802 nec Ross.,1794; *sicula* Zeller,1847; *accretata* Fuchs,1901
- 864.** *Idaea* *ossiculata* (Lederer,1871) (Geometridae) *ossiculata* Lederer,1871
- 865.** *Idaea* *ostrinaria* (Hübner,[1813]) (Geometridae) *ostrinaria* Hübner,[1813]; *demarginata* Schwingenschuss,1938.
- 866.** *Idaea* *politaria* (Hübner,[1799]) (Geometridae) *politaria* Hübner,1793 nec Fabr.,1781; *politaria* Hübner,[1799]; *#abmarginata* Bohatsch,1885; *mundipennis* W.Warren,1898; *abmarginata* Staudinger,1901
- 867.** *Idaea* *rufaria* (Hübner,[1799]) (Geometridae) *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944
- 868.** *Idaea* *ruficostata* Zeller,1847 (Geometridae) *ruficostata* Zeller,1847; *incarnaria* Herrich-Schäffer,1852.
- 869.** *Idaea* *rusticata* ([Denis & Schiffermüller],1775) (Geometridae) *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866.
- 870.** *Idaea* *seriata* (Schrank,1802) (Geometridae) *albulata* Hufnagel,1767; *seriata* Schrank,1802; *cubicularia* Peyerimhoff,1862
- 871.** *Idaea* *sericeata* (Hübner,[1813]) (Geometridae) *sericeata* Hübner,[1813]; *altivolaria* Bubacek,1923;
- 872.** *Idaea* *serpentata* (Hufnagel,1767) (Geometridae) *serpentata* Hufnagel,1767; *trifasciata* Scopoli,1772; *similata* Thunberg,1784; *perochraria* Fischer von Rösslerstamm,1836.
- 873.** *Idaea* *straminata* (Borkhausen,1794) (Geometridae) *straminata* Borkhausen,1794; *inornata* Haworth,1809; *suffusaria* Boisduval,1840; *inornaria* Doubleday,1849; *agrostemmatia* Guenée,[1858]
- 874.** *Idaea* *subsericeata* (Haworth,[1809]) (Geometridae) *subsericeata* Haworth,[1809]; *perfluaria* Boisduval,1840; *pinguedinata* Zeller,1847; *asbestaria* Zeller,1849; *puraria* Heydenreich,1851; *pinguedinaria* Herrich-Schäffer,1852; *oloraria* Rössler,1857; *mancunata* Knaggs,1865; *veterata* Gregson,1866; *diaphanaria* A.Bang-Haas,1910; *zernyi* D.Lucas,1934
- 875.** *Idaea* *tineata* (Thierry-Mieg,1911) (Geometridae) *tineata* Thierry-Mieg,1911; *antennata* Wehrli,1931.
- 876.** *Idaea* *trigeminata* (Haworth,[1809]) (Geometridae) *trigeminata* Haworth,[1809]; *reversata* Treitschke,1828; *reversaria* Duponchel,1830.
- 877.** *Jodis* *lactearia* (Linnaeus,1758) (Geometridae) *lactearia* Linnaeus,1758; *vernaria* Linnaeus,1761; *aeruginaria* [Denis & Schiffermüller],1775; *semipectinata* Retzius,1783; *syrene* Fourcroy,1785; *sirene* Villers,1789; *syrena* Geoffroy,1799

- 878.** *Larerannis marginaria* (Fabricius,1777) (Geometridae) *marginaria* Fabricius,1777; *testacea* Retzius,1783; *testacearia* Villers,1789; *progemmaria* Hübner,[1799]; *capreolaria* Esper,1801 nec [Den. & Schiff.],1775; *luctuaria* Haworth,1809; *connectaria* Haworth,1809; *stictaria* Haworth,1809
- 879.** *Ligdia adustata* (Fabricius,1787) (Geometridae) *adustata* [Denis & Schiffermüller],1775; *adustata* Fabricius,1787; *adustaria* Boisduval,1840
- 880.** *Ligdia coctata* Guenée,[1858] (Geometridae) *coctata* Guenée,[1858]; *efferata* Walker,1862; *restitutata* Walker,1862; *inspersata* Staudinger,1879;
- 881.** *Ligdia lassulata* (Rogenhofer,1873) (Geometridae) *lassulata* Rogenhofer,1873
- 882.** *Lithostege ancyra* L.B.Prout,1938 (Geometridae) *ancyra* L.B.Prout,1938
- 883.** *Lithostege bosporaria* (Herrich-Schäffer,[1848]) (Geometridae) *bosporaria* Herrich-Schäffer,[1848]; *porcataria* Boisduval,1848; *latestrigata* Rebel,1931.
- 884.** *Lithostege farinata* (Hufnagel,1767) (Geometridae) *farinata* Hufnagel,1767; *illibata* [Denis & Schiffermüller],1775; *nivearia* Hübner,[1799]; *albaria* Turton,1802; *bachmutensis* Prout,1938
- 885.** *Lithostege flavicornata* (Zeller,1847) (Geometridae) *flavicornata* Zeller,1847
- 886.** *Lithostege griseata* ([Denis & Schiffermüller],1775) (Geometridae) *incanata* Hufnagel,1767; *griseata* [Denis & Schiffermüller],1775; *asinata* Fabricius,1794; *duplicaria* Hübner,[1799]; *grisearia* Hübner,[1799]; *clarkia* Stephens,1850
- 887.** *Lithostege witzmanni* Standfuss,1892 (Geometridae) *witzmanni* Standfuss,1892
- 888.** *Lobophora halterata* (Hufnagel,1767) (Geometridae) *halterata* Hufnagel,1767
- 889.** *Lomaspilis marginata* (Linnaeus,1758) (Geometridae) *marginata* Linnaeus,1758; *bithynica* Wehrli,1939
- 890.** *Lomaspilis opis* (Butler,1878) (Geometridae) *opis* Butler,1878
- 891.** *Lomaspilis opis igisizilim* Kemal & Koçak,2002 (Geometridae) *bithynica* Riemis,1992 nec Wehr.,1939; *igisizilim* Kemal & Koçak,2002
- 892.** *Lycia hirtaria* (Linnaeus,1761) (Geometridae) *#hirtaria* Clerck,1759; *hirtaria* Linnaeus,1761; *eremita* Scopoli,1763; *atomaria* Hufnagel,1767 nec Linn.,1758; *hirtipennis* Retzius,1783; *congeneraria* Hübner,1799; *fumaria* Haworth,1809; *hanoviensis* Heymons,1891
- 893.** *Lythria cruentaria* (Hufnagel,1767) (Geometridae) *purpurata* Linnaeus,1761 nec Linn.,1758; *cruentaria* Hufnagel,1767; *rotaria* Fabricius,1798; *sordidaria* Zetterstedt,1839.
- 894.** *Lythria purpuraria* (Linnaeus,1758) (Geometridae) *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 nec Sc.,1763; *sanguinolenta* Fourcroy,1785 nec Linn.,1767
- 895.** *Macaria wauaria* (Linnaeus,1758) (Geometridae) *wauaria* Linnaeus,1758; *fuscaria* Thunberg,1792 nec Vill.,1789; *vauaria* Haworth,1809; *v-nigraria* Haworth,1809.
- 896.** *Microloxia herbaria* (Hübner,[1813]) (Geometridae) *herbaria* Hübner,[1813]; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Millière,1860.
- 897.** *Minoa murinata* (Scopoli,1763) (Geometridae) *murinata* Scopoli,1763; *sordata* Linnaeus,1767; *fuscata* Hufnagel,1767; *euphorbiata* [Denis & Schiffermüller],1775; *unicolorata* Hübner,1787; *euphorbiaria* Hübner,1799; *limburgia* Lempke,1969
- 898.** *Narraga cappadocica* Herbulot,1943 (Geometridae) *cappadocica* Herbulot,1943
- 899.** *Narraga fasciolaria* (Hufnagel,1767) (Geometridae) *fasciolaria* Hufnagel,1767; *cebraria* Hübner,[1799]; *zebraria* Duponchel,1829.
- 900.** *Nebula apiciata* (Staudinger,1892) (Geometridae) *apiciata* Staudinger,1892
- 901.** *Nebula approximata* (Staudinger,1879) (Geometridae) *approximata* Staudinger,1879
- 902.** *Nebula impunctata* (Staudinger,1879) (Geometridae) *impunctata* Staudinger,1879
- 903.** *Nebula ludificata* (Staudinger,1870) (Geometridae) *ludificata* Staudinger,1870; *decipata* Staudinger,1901
- 904.** *Nebula salicata* ([Denis & Schiffermüller],1775) (Geometridae) *#salicata* [Denis & Schiffermüller],1775
- 905.** *Nebula senectaria* (Herrich-Schäffer,[1852]) (Geometridae) *senectaria* Herrich-Schäffer,[1852].
- 906.** *Nebula senectaria sultana* (Schwingenschuss,1939) (Geometridae) *sultana* Schwingenschuss,1939
- 907.** *Neognopharmia stevenaria* (Boisduval,1840) (Geometridae) *stevenaria* Boisduval,1840; *lapidaria* Freyer,1841
- 908.** *Nychiodes (Eunychiodes) amygdalaria* (Herrich-Schäffer,[1848]) (Geometridae) *amygdalaria* Herrich-Schäffer,[1848]
- 909.** *Nychiodes (Eunychiodes) amygdalaria malatyaca* Wehrli,1941 (Geometridae) *malatyaca* Wehrli,1941
- 910.** *Nychiodes (Eunychiodes) divergaria* (Staudinger,1892) (Geometridae) *divergaria* Staudinger,1892
- 911.** *Nychiodes (Eunychiodes) divergaria divergaria* (Staudinger,1892) (Geometridae) *divergaria* Staudinger,1892
- 912.** *Nychiodes (Eunychiodes) variabila* Brandt,1938 (Geometridae) *variabila* Brandt,1938; *#variabilis* auct.
- 913.** *Nychiodes (Fritzwagneria) waltheri* F.Wagner,1919 (Geometridae) *waltheri* F.Wagner,1919.
- 914.** *Nychiodes (Fritzwagneria) waltheri osthelderi* Wehrli,1929 (Geometridae) *osthelderi* Wehrli,1929
- 915.** *Nychiodes (Fritzwagneria) waltheri waltheri* F.Wagner,1919 (Geometridae) *waltheri* F.Wagner,1919.
- 916.** *Nychiodes (s.str.) obscuraria* (Villers,1789) (Geometridae) *obscuraria* Villers,1789; *lividaria* Hübner,[1799].
- 917.** *Ochodontia adustaria Fischer de Waldheim,1840* (Geometridae) *adustaria* Fischer de Waldheim,1840; *sareptanaria* Freyer,1841
- 918.** *Odezia atrata* (Linnaeus,1758) (Geometridae) *atrata* Linnaeus,1758; *chaerophyllata* Linnaeus,1767; *chaerophyllaria* Boisduval,1840; *pyrenaica* Gumpenberg,1887
- 919.** *Odontognophos zacharius* (Staudinger,1879) (Geometridae) *zacharia* Staudinger,1879
- 920.** *Odontognophos zacharius zacharius* (Staudinger,1879) (Geometridae) *zacharia* Staudinger,1879
- 921.** *Opisthograptis luteolata* (Linnaeus,1758) (Geometridae) *luteolata* Linnaeus,1758; *crataegata* Linnaeus,1761; *crataegaria* Hübner,[1823]; *#emaculata* Graeser,1892; *impunctata* Osthelder,1931.
- 922.** *Orthonama obstipata* (Fabricius,1794) (Geometridae) *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemmata* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905
- 923.** *Orthonama vittata* (Borkhausen,1794) (Geometridae) *vittata* Borkhausen,1794; *lignata* Hübner,[1799]; *areolaria* Haworth,1809; *lineataria* Donovan,1810; *lignaria* Boisduval,1840
- 924.** *Orthostixis calcularia* Lederer,1853 (Geometridae) *calcularia* Lederer,1853
- 925.** *Orthostixis cribraria* (Hübner,[1799]) (Geometridae) *cribraria* Hübner,[1799].
- 926.** *Orthostixis cribraria cribraria* (Hübner,[1799]) (Geometridae) *cribraria* Hübner,[1799].
- 927.** *Oulobophora externata* Freyer,1846 (Geometridae) *#externata* Herrich-Schäffer,1843; *externata* Freyer,1846; *turcosyrca* Wehrli,1934.
- 928.** *Ourapteryx malatyensis* Wehrli,1936 (Geometridae) *malatyensis* Wehrli,1936
- 929.** *Ourapteryx persica* Ménétériés,1832 (Geometridae) *persica* Ménétériés,1832
- 930.** *Ourapteryx sambucaria* (Linnaeus,1758) (Geometridae) *sambucaria* Linnaeus,1758.
- 931.** *Pachynemia hippocastanaria* (Hübner,[1799]) (Geometridae) *hippocastanaria* Hübner,[1799]; *anomalata* Haworth,1812; *degenerata* Hübner,[1813]; *difformaria* Hübner,[1825]; *hippocastanata* Treitschke,1827; *modestaria* Lempke,1970
- 932.** *Pareulype berberata* (Fabricius,1787) (Geometridae) *#berberata* [Denis & Schiffermüller],1775; *berberata* Fabricius,1787; *berberaria* Boisduval,1840
- 933.** *Pareulype berberata berberata* (Fabricius,1787) (Geometridae) *#berberata* [Denis & Schiffermüller],1775; *berberata* Fabricius,1787; *berberaria* Boisduval,1840
- 934.** *Pasiphila rectangulata* (Linnaeus,1758) (Geometridae) *rectangulata* Linnaeus,1758; *viridulata* Hufnagel,1767; *cydoniata* Borkhausen,1794; *mediana* Panzer,1804; *nigrocerciceata*

Haworth,1809; sericeata Haworth,1809; subaerata Hübner,[1817];
rectangularia Boisduval,1840

935. Pellonia vibicaria (Linnaeus,1761) (Geometridae)
#vibicaria Clerck,1759; vibicaria Linnaeus,1761; cruentata
Scopoli,1763; rubrofasciata Hufnagel,1767; artriosa Fourcroy,1785;
cruentaria Villers,1789.

936. Pellonia vibicaria vibicaria (Linnaeus,1761) (Geometridae)
#vibicaria Clerck,1759; vibicaria Linnaeus,1761;
cruentata Scopoli,1763; rubrofasciata Hufnagel,1767; artriosa
Fourcroy,1785; cruentaria Villers,1789.

937. Perconia strigillaria (Hübner,1787) (Geometridae)
strigillaria Hübner,1787; respersaria Hübner,[1799]; inaequaria
Haworth,1809; herpetitaria Rambur,1866; grisearia Lempke,1952;
fuscognaria Lempke,1953

938. Peribatodes correptarius (Zeller,1847) (Geometridae)
correptaria Zeller,1847.

939. Peribatodes ilicarius (Geyer,1833) (Geometridae) ilicaria
Geyer,1833; manuelarius Herrich-Schäffer,1852.

940. Peribatodes inaequalis (Goeze,1781) (Geometridae)
#rhomboidaria [Denis & Schiffermüller],1775; inaequalis Goeze,1781;
gemmaria Brahm,1791; ichnusaria Ghiliani,1852; corsicaria
Schawerda,1931; syritaurica Wehrli,1931

941. Peribatodes secundarius ([Denis & Schiffermüller],1775) (Geometridae)
#secundaria [Denis & Schiffermüller],1775; fallentaria
Staudinger,1879; druentaria Cleu,1928; syrisca Wehrli,1933;
francosuevica Schneider,1942; rometschi Schneider,1942; occidentaria
Lempke,1953

942. Peribatodes umbrarius (Hübner,[1809]) (Geometridae)
umbraria Hübner,[1809]; vaucheri Thierry-Mieg,1916

943. Peribatodes umbrarius umbrarius (Hübner,[1809]) (Geometridae)
umbraria Hübner,[1809]; vaucheri Thierry-Mieg,1916

944. Perizoma albulata ([Denis & Schiffermüller],1775) (Geometridae)
albulata [Denis & Schiffermüller],1775; dissoluta
Strand,1902

945. Perizoma alchemillata (Linnaeus,1758) (Geometridae)
alchemillata Linnaeus,1758; rivulata [Denis & Schiffermüller],1775;
nassata Fabricius,1794; alchemillaria Borkhausen,1794; aparinata
Hübner,[1825]; silenata Stephens,1850; fennica Reuter,1893

946. Perizoma bifaciata (Haworth,1809) (Geometridae)
bifaciata Haworth,1809; unifasciata Haworth,1809; #bifaciata
Haworth,[1828]; aquilaria Herrich-Schäffer,1848; linulata
Guenée,[1858]; odontata Millièrre,1870

947. Perizoma flavofasciata (Thunberg,1792) (Geometridae)
flavofasciata Thunberg,1792; decolorata Thunberg,[1799] nec
Viller,1789.

948. Perizoma flavofasciata romieuxi Wiltshire,1964 (Geometridae)
romieuxi Wiltshire,1964

949. Perizoma gigas Wiltshire,1976 (Geometridae) gigas
Wiltshire,1976

950. Perizoma parahydrata Alberti,1969 (Geometridae)
parahydrata Alberti,1969

951. Petrophora chlorosata (Scopoli,1763) (Geometridae)
chlorosata Scopoli,1763; innata Fabricius,1794; virgaria
Borkhausen,1794; petraria Hübner,[1799]; petrata Haworth,1809.

952. Phaiogramma etruscaria (Zeller,1849) (Geometridae)
etruscaria Zeller,1849; pulmentaria Guenée,[1858]; palaestinensis
Fuchs,1903.

953. Phaselia serrularia (Eversmann,1847) (Geometridae)
serrularia Eversmann,1847; phaeoleucaria Lederer,1855.

954. Phaselia serrularia serrularia (Eversmann,1847) (Geometridae)
serrularia Eversmann,1847; phaeoleucaria
Lederer,1855.

955. Phibalapteryx virgata (Hufnagel,1767) (Geometridae)
virgata Hufnagel,1767; lineolata [Denis & Schiffermüller],1775;
obliquata Thunberg,1784; lineolaria Boisduval,1840

956. Phigalia pediaia (Fabricius,1787) (Geometridae)
#pilosaria [Denis & Schiffermüller],1775; pediaia Fabricius,1787.

957. Philere me senescens (Staudinger,1892) (Geometridae)
senescens Staudinger,1892

958. Philere me transversata (Hufnagel,1767) (Geometridae)
transversata Hufnagel,1767; rhamnata [Denis & Schiffermüller],1775.

959. Philere me vetulata ([Denis & Schiffermüller],1775) (Geometridae)
undulataria Hufnagel,1767; vetulata [Denis &
Schiffermüller],1775; affectata Eversmann,1842; subductata
Walker,1862

960. Phylometra culminaria (Eversmann,1843) (Geometridae)
culminaria Eversmann,1843; desertaria Freyer,1844.

961. Proteuchloris neriararia (Herrich-Schäffer,[1852]) (Geometridae)
neriararia Herrich-Schäffer,[1852].

962. Protorhoe corollaria (Herrich-Schäffer,[1848]) (Geometridae)
corollaria Herrich-Schäffer,[1848]; noacki
Draudt,1935.

963. Protorhoe renodata (Püngeler,1909) (Geometridae)
renodata Püngeler,1909

964. Protorhoe unicata (Guenée,[1858]) (Geometridae)
unicata Guenée,[1858]

965. Pseudoterpnaria pruinata ([Denis & Schiffermüller],1775) (Geometridae)
artesiaria [Denis & Schiffermüller],1775

966. Pseudopanthera macularia (Linnaeus,1758) (Geometridae)
macularia Linnaeus,1758; maculata Scopoli,1763;
panthera Fourcroy,1785; quadrimaculata Haworth,1809; meridionalis
Galvagni,1908

967. Pseudopanthera syriacata (Guenée,1852) (Geometridae)
syriacata Guenée,1852; #syriacaria Wiltshire,1958

968. Pseudoterpnaria pruinata (Hufnagel,1767) (Geometridae)
pruinata Hufnagel,1767; prasinaria Fabricius,1775 nec Hufnagel,1767;
cythisaria [Denis & Schiffermüller],1775; genistaria Villers,1789.

969. Pungeleria capreolaria (Fabricius,1787) (Geometridae)
capreolaria Fabricius,1787

970. Pydna badiaria (Freyer,[1841]) (Geometridae) badiaria
Freyer,[1841]; telaria Herrich-Schäffer,[1847]; cervinaria Herrich-
Schäffer,[1847]; praecanaria Eversmann,1847; pollentaria Freyer,1854.

971. Rheumaptera hastata (Linnaeus,1758) (Geometridae)
hastata Linnaeus,1758; heraclitaea Fourcroy,1785; hastaria
Boisduval,1840

972. Rheumaptera montivagata Duponchel,1830 (Geometridae)
montivagata Duponchel,1830; montivagaria
Boisduval,1840; andalusica Ribbe,1912

973. Rhodometra sacraria (Linnaeus,1767) (Geometridae)
sacraria Linnaeus,1767; labda Cramer,1777; sacraria Thunberg,1784;
fulvaria Fabricius,1794; sanguinaria Esper,1801; minervae Gistl,1856;
labbardia Guenée,[1858];

974. Rhodostrophia auctata (Staudinger,1879) (Geometridae)
auctata Staudinger,1879

975. Rhodostrophia calabra (Petagna,1786) (Geometridae)
calabra Petagna,1786; trifasciata Cyrillo,1787; calabraria
Hübner,1790.

976. Rhodostrophia calabra calabra (Petagna,1786) (Geometridae)
calabra Petagna,1786; trifasciata Cyrillo,1787;
calabraria Hübner,1790.

977. Rhodostrophia calabra transcaucasica Prout,1920 (Geometridae)
transcaucasica Prout,1920

978. Rhodostrophia discopunctata Amsel,1935 (Geometridae)
tabidiaria auct. nec Zell.,1847; discopunctata Amsel,1935

979. Rhodostrophia sieversi (Christoph,1882) (Geometridae)
sieversi Christoph,1882

980. Rhoptria asperaria (Hübner,[1817]) (Geometridae)
asperaria Hübner,[1817]; collata Hübner,[1826]; pityata
Rambur,1829; esteparentis Agenjo,1933; #aspersaria Zukowsky,1941.

981. Scopula beckeraria (Lederer,1853) (Geometridae)
beckeraria Lederer,1853

982. Scopula beckeraria rebeli (L.B.Prout,1913) (Geometridae)
agraria Rebel,1908 nec Joann.,1891; rebeli
L.B.Prout,1913

983. Scopula decorata ([Denis & Schiffermüller],1775) (Geometridae)
decorata [Denis & Schiffermüller],1775; cinerata
Fabricius,1781; violata Thunberg,1784; caerulea Gmelin,1790;
decoraria Hübner,[1799]; ornataria Esper,[1806].

984. Scopula decorata aequata (Staudinger,1879) (Geometridae)
aequata Staudinger,1879; armeniaca Thierry-
Mieg,1916

985. Scopula flaccidaria (Zeller,1852) (Geometridae)
flaccidaria Zeller,1852

986. Scopula flaccidaria flaccidaria (Zeller,1852) (Geometridae)
flaccidaria Zeller,1852

987. Scopula imitaria (Hübner,[1799]) (Geometridae)
fimbriata Fourcroy,1785 nec Schreb.,1759; imitaria Hübner,[1799]

988. Scopula immistaria (Herrich-Schäffer,[1852]) (Geometridae)
#elisabetharia Heydenreich,1851; immistaria Herrich-
Schäffer,[1852]

- 989.** *Scopula immistaria immistaria* (Herrich-Schäffer,[1852]) (Geometridae) *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852]
- 990.** *Scopula incanata* (Linnaeus,1758) (Geometridae) *incanata* Linnaeus,1758; *variegata* Scopoli,1763; *mediata* Fabricius,1777; *planata* Villers,1789; *incanaria* Hübner,[1825]; *mutata* Treitschke,1828; *mutataria* Duponchel,1830; *adjunctaria* Boisduval,1840; *demutaria* Bruand,1846
- 991.** *Scopula luridata* (Zeller,1847) (Geometridae) *luridata* Zeller,1847; *formosaria* Herrich-Schäffer,1852; *coenosaria* Lederer,1855
- 992.** *Scopula marginepunctata* (Goeze,1781) (Geometridae) *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosa* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* Joannis,1891.
- 993.** *Scopula minorata* (Boisduval,1833) (Geometridae) *minorata* Boisduval,1833; *#ochroleucata* Herrich-Schäffer,1844; *ochroleucaria* Herrich-Schäffer,[1847]; *luculata* Guenée,[1858]; *mauritiata* Guenée,[1858]; *consentanea* Walker,1861; *holobapharia* Mabille,1900; *mombasae* W. Warren,1904; *dresnaya* D. Lucas,1937.
- 994.** *Scopula orientalis* (Alpheraky,1876) (Geometridae) *orientalis* Alpheraky,1876
- 995.** *Scopula ornata* (Scopoli,1763) (Geometridae) *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785.
- 996.** *Scopula ornata ornata* (Scopoli,1763) (Geometridae) *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785.
- 997.** *Scopula rubiginata* (Hufnagel,1767) (Geometridae) *rubiginata* Hufnagel,1767; *rubricata* [Denis & Schiffermüller],1775; *vittata* Thunberg,1784; *domialla* Fourcroy,1785; *variata* Villers,1789; *#rubricaria* Hübner,[1799]; *subangularia* Herrich-Schäffer,1839
- 998.** *Scopula submutata* (Treitschke,1828) (Geometridae) *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902
- 999.** *Scopula submutata submutata* (Treitschke,1828) (Geometridae) *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902
- 1000.** *Scopula tessellaria* (Boisduval,1840) (Geometridae) *tessellaria* Boisduval,1840; *pulverulentaria* Selys-Longchamps,1844; *tabianaria* Turati,1905; *proutiana* Shelfjuzhko,1955
- 1001.** *Scopula transcaspica* L.B.Prout,1935 (Geometridae) *transcaspica* L.B.Prout,1935
- 1002.** *Scopula transcaspica transcaspica* L.B.Prout,1935 (Geometridae) *transcaspica* L.B.Prout,1935
- 1003.** *Scopula turbulentaria* (Staudinger,1870) (Geometridae) *turbulentaria* Staudinger,1870; *collata* W. Warren,1901; *habenata* W. Warren,1901; *syriacata* Neuburger,1904; *syriturica* Wehrli,1934
- 1004.** *Scopula turbulentaria turbulentaria* (Staudinger,1870) (Geometridae) *turbulentaria* Staudinger,1870; *collata* W. Warren,1901; *habenata* W. Warren,1901; *syriacata* Neuburger,1904; *syriturica* Wehrli,1934
- 1005.** *Scopula virgulata* ([Denis & Schiffermüller],1775) (Geometridae) *virgulata* [Denis & Schiffermüller],1775; *strigaria* Hübner,[1799]; *virgularia* Hübner,[1825]; *sulcaria* Hübner,[1825].
- 1006.** *Scotopteryx alpherakii* (Erschoff,1877) (Geometridae) *alpherakii* Erschoff,1877
- 1007.** *Scotopteryx bipunctaria* ([Denis & Schiffermüller],1775) (Geometridae) *bipunctaria* [Denis & Schiffermüller],1775; *undulata* Scopoli,1763 *nec* Linn.,1758; *geminataria* Villers,1789; *gachtaria* Freyer,1851
- 1008.** *Scotopteryx chenopodiata* (Linnaeus,1758) (Geometridae) *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria* sensu Duponchel,1829
- 1009.** *Scotopteryx chenopodiata chenopodiata* (Linnaeus,1758) (Geometridae) *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria* sensu Duponchel,1829
- 1010.** *Scotopteryx coarctaria* ([Denis & Schiffermüller],1775) (Geometridae) *coarctaria* [Denis & Schiffermüller],1775; *coarctata* Fabricius,1794; *tenebraria* Hübner,[1809]
- 1011.** *Scotopteryx diana* Riemis,1997 (Geometridae) *diana* Riemis,1997
- 1012.** *Scotopteryx langi* (Christoph,1885) (Geometridae) *langi* Christoph,1885
- 1013.** *Scotopteryx luridata* (Hufnagel,1767) (Geometridae) *luridata* Hufnagel,1767; *plumbaria* Fabricius,1775; *palumbaria* [Denis & Schiffermüller],1775; *marginaria* Goeze,1781; *quadrifasciaria* Thunberg,1784; *luridaria* Brahm,1791; *palumbata* Hübner,[1825]
- 1014.** *Scotopteryx moeniata* (Scopoli,1763) (Geometridae) *moeniata* Scopoli,1763; *moeniaria* [Denis & Schiffermüller],1775; *fimbriata* Fabricius,1777 *nec* Schr.,1759; *angulata* Rottemburg,1777 *nec* Hufn.,1767; *moeniataria* Villers,1789; *modesta* Lempke,1967
- 1015.** *Scotopteryx mucronata* (Scopoli,1763) (Geometridae) *mucronata* Scopoli,1763; *virgaria* Esper,[1801]; *turturia* Treitschke,1827
- 1016.** *Scotopteryx octodurensis* (Favre,1903) (Geometridae) *octodurensis* Favre,1903; *nevadina* Wehrli,1927
- 1017.** *Scotopteryx octodurensis octodurensis* (Favre,1903) (Geometridae) *octodurensis* Favre,1903; *nevadina* Wehrli,1927
- 1018.** *Scotopteryx vicinaria* (Duponchel,1830) (Geometridae) *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919
- 1019.** *Scotopteryx vicinaria vicinaria* (Duponchel,1830) (Geometridae) *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919
- 1020.** *Selenia dentaria* (Fabricius,1775) (Geometridae) *dentaria* Fabricius,1775; *gagathes* Goeze,1781; *achataea* Fourcroy,1785; *ustularia* Donovan,1794; *illunaria* Hübner,[1799]; *bilunaria* Esper,[1801]; *juliaria* Haworth,1809; *minor* Boisduval,1840
- 1021.** *Selenia lunularia* (Hübner,1788) (Geometridae) *lunaria* [Denis & Schiffermüller],1775 *nec* Fabr.,1775; *lunularia* Hübner,1788; *delunaria* Hübner,[1799]; *sublunaria* Stephens,1831
- 1022.** *Selenia lunularia lunularia* (Hübner,1788) (Geometridae) *lunaria* [Denis & Schiffermüller],1775 *nec* Fabricius,1775; *lunularia* Hübner,1788; *delunaria* Hübner,[1799]; *sublunaria* Stephens,1831.
- 1023.** *Selidosema brunnearium* (Villers,1789) (Geometridae) *brunnearia* Villers,1789; *ericetaria* Villers,1789; *subfimbriata* Haworth,1812; *oelandica* Wahlgren,1913.
- 1024.** *Selidosema brunnearium syriacarium* Staudinger,1901 (Geometridae) *syriacaria* Staudinger,1901
- 1025.** *Selidosema plumarium* ([Denis & Schiffermüller],1775) (Geometridae) *#plumaria* [Denis & Schiffermüller],1775; *limbata* Rambur,1829.
- 1026.** *Selidosema plumarium amani* Wehrli,1932 (Geometridae) *amani* Wehrli,1932
- 1027.** *Siona lineata* (Scopoli,1763) (Geometridae) *lineata* Scopoli,1763; *dealbata* Linnaeus,1767; *duplicata* Fourcroy,1785 *nec* Fabr.,1775; *dealbaria* Hübner,[1799]
- 1028.** *Stamnodos depeculata* (Lederer,1870) (Geometridae) *depeculata* Lederer,1870
- 1029.** *Stegania dilectaria* (Hübner,1790) (Geometridae) *dilectaria* Hübner,1790; *commutataria* Hübner,[1819]; *commutata* Freyer,[1832]
- 1030.** *Stegania trimaculata* (Villers,1789) (Geometridae) *trimaculata* Villers,1789; *permutataria* Hübner,[1799]; *albica* Bruand,1846; *cognataria* Lederer,1853
- 1031.** *Stueningia poggearia* (Lederer,1855) (Geometridae) *poggearia* Lederer,1855
- 1032.** *Stueningia poggearia poggearia* (Lederer,1855) (Geometridae) *poggearia* Lederer,1855
- 1033.** *Stueningia wolffi* Hausmann,1993 (Geometridae) *wolffi* Hausmann,1993
- 1034.** *Stueningia wolffi wolffi* Hausmann,1993 (Geometridae) *wolffi* Hausmann,1993
- 1035.** *Synopsia sociaria* (Hübner,[1799]) (Geometridae) *sociaria* Hübner,[1799]; *staudingeraria* Martorell,1874; *acuta* Wehrli,1926
- 1036.** *Tephрина hopfferaria* (Staudinger,1879) (Geometridae) *hopfferaria* Staudinger,1879
- 1037.** *Tephronia oppositaria* Mann,1864 (Geometridae) *oppositaria* Mann,1864
- 1038.** *Tephronia oppositaria oppositaria* Mann,1864 (Geometridae) *oppositaria* Mann,1864
- 1039.** *Tephronia sepiaria* (Hufnagel,1767) (Geometridae) *sepiaria* Hufnagel,1767; *cineraria* [Denis & Schiffermüller],1775;

carieraria Herrich-Schäffer, 1848; *destituta* Walker, 1870; *tingalata* Millière, 1873

1040. Thaleria fimbrialis (Scopoli, 1763) (Geometridae) *fimbrialis* Scopoli, 1763; *thymiararia* Linnaeus, 1767; *bupleuraria* [Denis & Schiffermüller], 1775; *albaria* Esper, [1801]; *magnata* Fuchs, 1903

1041. Thaleria fimbrialis fimbrialis (Scopoli, 1763) (Geometridae) *fimbrialis* Scopoli, 1763; *thymiararia* Linnaeus, 1767; *bupleuraria* [Denis & Schiffermüller], 1775; *albaria* Esper, [1801]; *magnata* Fuchs, 1903

1042. Thera (s.str.) cognata (Thunberg, 1792) (Geometridae) *cognata* Thunberg, 1792; *simulata* Hübner, [1809]; *coniferata* Curtis, 1834; *geneata* Feisthamel, 1835; *simularia* Boisduval, 1840; *genearia* Boisduval, 1840

1043. Thera (s.str.) juniperata loeberbaueri Friedel, 1969 (Geometridae) *loeberbaueri* Friedel, 1969

1044. Thera (s.str.) variata ([Denis & Schiffermüller], 1775) (Geometridae) *variata* [Denis & Schiffermüller], 1775; *adumbrata* Villers, 1789; *variaria* Boisduval, 1840; *subtaurica* Wehrli, 1932.

1045. Thera rupicaprararia ([Denis & Schiffermüller], 1775) (Geometridae) *rupicaprararia* [Denis & Schiffermüller], 1775

1046. Thetidia persica Hausmann, 1996 (Geometridae) *persica* Hausmann, 1996

1047. Thetidia smaragdaria (Fabricius, 1787) (Geometridae) *smaragdaria* Fabricius, 1787

1048. Timandra comae Schmidt, 1931 (Geometridae) *angulata* Fourcroy, 1785 *nec* Hfn., 1767; *comae* Schmidt, 1931; *brykaria* Nordström, 1943; *comai* Kaila & Albrecht, 1994

1049. Timandra griseata W. Petersen, 1902 (Geometridae) *griseata* W. Petersen, 1902

1050. Trichodezia haberhaueri (Lederer, 1864) (Geometridae) *haberhaueri* Lederer, 1864; *ledererii* Staudinger, 1901

1051. Triphosa agnata Le Cerf, 1918 (Geometridae) *agnata* Le Cerf, 1918; *oberthueri* Le Cerf, 1918.

1052. Triphosa dubitata (Linnaeus, 1758) (Geometridae) *dubitata* Linnaeus, 1758

1053. Triphosa sabaudia (Duponchel, 1830) (Geometridae) *sabaudia* Duponchel, 1830

1054. Triphosa taochata Lederer, 1870 (Geometridae) *taochata* Lederer, 1870

1055. Wehrliola revocaria (Staudinger, 1892) (Geometridae) *revocaria* Staudinger, 1892; *#fasciata* Wagner, 1931.

1056. Xanthorhoe decoloraria (Esper, [1806]) (Geometridae) *decoloraria* Esper, [1806]; *munitata* Hübner, [1809]; *munitaria* Boisduval, 1840; *collinaria* Metzner, 1840; *pauperrimata* Christoph, 1888

1057. Xanthorhoe designata (Hufnagel, 1767) (Geometridae) *designata* Hufnagel, 1767; *propugnata* [Denis & Schiffermüller], 1775; *fuscofasciata* Retzius, 1783; *fuscaria* Villers, 1789; *propugnaria* Treitschke, 1825

1058. Xanthorhoe ferrugata (Clerck, 1759) (Geometridae) *#ferrugata* Clerck, 1759; *corculata* Hufnagel, 1767; *ferrugaria* [Denis & Schiffermüller], 1775; *littorea* Fourcroy, 1785; *lictorea* Geoffroy, 1800; *unidentaria* Haworth, 1809

1059. Xanthorhoe fluctuata (Linnaeus, 1758) (Geometridae) *fluctuata* Linnaeus, 1758; *fibulata* Hufnagel, 1767; *cinerata* Fourcroy, 1785 *nec* Fabr., 1781; *costovata* Haworth, 1809; *fluctuaria* Boisduval, 1840

1060. Xanthorhoe inconsiderata (Staudinger, 1892) (Geometridae) *inconsiderata* Staudinger, 1892

1061. Xanthorhoe montanata ([Denis & Schiffermüller], 1775) (Geometridae) *montanata* [Denis & Schiffermüller], 1775; *implicata* Villers, 1789; *implicaria* Haworth, 1809; *montanaria* Treitschke, 1828

1062. Xanthorhoe rectifasciaria (Lederer, 1853) (Geometridae) *rectifasciaria* Lederer, 1853; *orthogrammaria* Guenée, [1858]

1063. Xanthorhoe rectifasciaria rector Wiltshire, 1976 (Geometridae) *rector* Wiltshire, 1976

1064. Xanthorhoe spadicearia ([Denis & Schiffermüller], 1775) (Geometridae) *spadicearia* [Denis & Schiffermüller], 1775; *alchemillaria* Esper, 1801; *livinaria* LaHarpe, 1855

1065. Glyphipterix simplicella (Stephens, 1834) (Glyphipterigidae) *simplicella* Stephens, 1834; *cognatella* Stephens, 1834; *conjunctella* Costa, 1834; *colluripennella* Costa, 1834; *aechmiella* Duponchel, 1838; *fischeriella* Zeller, 1839; *desideratella* Duponchel, 1842; *roeslerstammella* Fischer v. Roeslerstamm, 1843; *?nattani* Gozmany, 1954

1066. Glyphipterix thrasonella (Scopoli, 1763) (Glyphipterigidae) *thrasonella* Scopoli, 1763; *klemannella*

Fabricius, 1781; *fueslella* Fabricius, 1787; *fyeslella* Fabricius, 1794; *ahornerella* Hübner, 1796; *seppella* Hübner, 1796; *aillyella* Hübner, 1796; *triguttella* Donovan, 1806; *fuesslii* Haworth, 1828; *equitella* Treitschke, 1833; *poeyella* Duponchel, 1838; *cladiella* Stainton, 1859; *eyndhoveniella* Snellen, 1882; *albardella* Snellen, 1882; *#nitens* Bankes, 1907; *struvei* Amsel, 1938

1067. Acrocercops brongniardella (Fabricius, 1798) (Gracillariidae) *brongniardella* Fabricius, 1798; *substriga* Haworth, 1828; *quercetella* Zeller, 1838; *curtisella* Duponchel, [1840]

1068. Aspilapteryx (Sabulopteryx) inquinata Triberti, 1985 (Gracillariidae) *inquinata* Triberti, 1985

1069. Aspilapteryx (Sabulopteryx) limosella (Duponchel, 1844) (Gracillariidae) *limosella* Duponchel, 1844

1070. Caloptilia (Povolnya) leucapennella (Stephens, 1835) (Gracillariidae) *sulphurella* Haworth, [1828] *nec* Fabr., 1777; *leucapennella* Stephens, 1835; *citrinellum* Zeller, 1839; *aurantiella* Peyerimhoff, 1871.

1071. Caloptilia (s.str.) braccatella (Staudinger, 1870) (Gracillariidae) *braccatella* Staudinger, 1870; *?mutilata* Staudinger, 1880

1072. Caloptilia (s.str.) elongella (Linnaeus, 1761) (Gracillariidae) *elongella* Linnaeus, 1761; *punctella* Linnaeus, 1761; *signipennella* Hübner, 1796; *elongatus* Fabricius, 1798; *signipennis* Haworth, 1828; *brunneorubella* Bruand, 1850; *inconstans* Stainton, 1851; *stramineella* Stainton, 1851; *inconstantella* Bruand, 1859

1073. Caloptilia (s.str.) pallescens (Staudinger, 1880) (Gracillariidae) *pallescens* Staudinger, 1880

1074. Liocrobyla tephrosiae Vari, 1961 (Gracillariidae) *tephrosiae* Vari, 1961

1075. Micrurapteryx sophorivora Kuznetsov & Tristan, 1985 (Gracillariidae) *sophorivora* Kuznetsov & Tristan, 1985

1076. Parornix anglicella (Stainton, 1850) (Gracillariidae) *nebulosa* Haworth, 1828; *anglicella* Stainton, 1850; *fragariae* Stainton, 1874; *rubella* Caradja, 1920

1077. Parornix finitimella (Zeller, 1850) (Gracillariidae) *finitimella* Zeller, 1850

1078. Phyllocnistis unipunctella (Stephens, 1834) (Gracillariidae) *unipunctella* Stephens, 1834; *augustella* Costa, [1836] *nec* Hübner, 1796; *suffusella* Zeller, 1848

1079. Phyllonorycter deleta (Staudinger, 1880) (Gracillariidae) *deleta* Staudinger, 1880

1080. Phyllonorycter millierella (Staudinger, 1871) (Gracillariidae) *millierella* Staudinger, 1871; *celtidella* Rondani, 1876

1081. Phyllonorycter nivalis Deschka, 1986 (Gracillariidae) *nivalis* Deschka, 1986

1082. Phyllonorycter platani (Staudinger, 1870) (Gracillariidae) *platani* Staudinger, 1870; *felinella* Heinrich, 1920

1083. Phyllonorycter pyrispinosae Deschka, 1986 (Gracillariidae) *pyrispinosae* Deschka, 1986

1084. Heliodines roesella (Linnaeus, 1758) (Heliodinidae) *roesella* Linnaeus, 1758

1085. Triodia amasina (Herrich-Schäffer, [1851]) (Hepialidae) *amasina* Herrich-Schäffer, [1851]

1086. Triodia sylvina (Linnaeus, 1761) (Hepialidae) *sylvina* Linnaeus, 1761; *hamma* [Denis & Schiffermüller], 1775; *angulatum* Fabricius, 1781; *multicolor* Fourcroy, 1785; *crux* Fabricius, 1787; *c-album* Villers, 1789; *fauna* Schrank, 1801; *cruxator* Haworth, 1802; *angulator* Haworth, 1802; *sylvinator* Haworth, 1802; *kruegeri* Turati, 1909; *androgynus* Agenjo, 1942; *pardoi* Agenjo, 1942; *alfaroi* Agenjo, 1942; *laincalvo* Agenjo, 1942

1087. Zenophassus schamyl (Christoph, 1888) (Hepialidae) *schamyl* Christoph, 1888

1088. Carcharodus (Lavatheria) lavatherae (Esper, [1783]) (Hesperiidae) *lavatherae* Esper, [1783]; *australior* Verity, 1919; *pyrenaicus* Ricard, 1948.

1089. Carcharodus (Lavatheria) lavatherae tauricus Reverdin, 1915 (Hesperiidae) *tauricus* Reverdin, 1915; *nigrobscurata* Verity, 1938.

1090. Carcharodus (Lavatheria) stauderi Reverdin, 1913 (Hesperiidae) *stauderi* Reverdin, 1913.

1091. Carcharodus (Lavatheria) stauderi ambiguus (Verity, 1925) (Hesperiidae) *ambiguus* Verity, 1925; *#fulvissima* Verity, 1925.

1092. Carcharodus (Reverdinus) flocciferus (Zeller, 1847) (Hesperiidae) *flocciferus* Zeller, 1847; *althaeae* Hübner, [1803] *nec*

Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940.

1093. Carcharodus (Reverdinus) flocciferus flocciferus (Zeller,1847) (Hesperiidae) *flocciferus* Zeller,1847; *altheae* Hübner,[1803] *nec Esp.*,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940.

1094. Carcharodus (Reverdinus) orientalis Reverdin,1913 (Hesperiidae) *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932.

1095. Carcharodus (Reverdinus) orientalis orientalis Reverdin,1913 (Hesperiidae) *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932.

1096. Carcharodus (s.str.) alceae (Esper,[1780]) (Hesperiidae) *alceae* Esper,[1780]; *malvae* Hufnagel,1766 *nec Linn.*,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948.

1097. Carcharodus (s.str.) alceae alceae (Esper,[1780]) (Hesperiidae) *alceae* Esper,[1780]; *malvae* Hufnagel,1766 *nec Linn.*,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948.

1098. Eogenes alcides Herrich-Schäffer,[1852] (Hesperiidae) *alcides* Herrich-Schäffer,[1852]

1099. Eogenes alcides alcides Herrich-Schäffer,[1852] (Hesperiidae) *alcides* Herrich-Schäffer,[1852]

1100. Erynnis (Hesperopegus) marloyi (Boisduval,[1834]) (Hesperiidae) *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849].

1101. Erynnis (Hesperopegus) marloyi marloyi (Boisduval,[1834]) (Hesperiidae) *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849].

1102. Erynnis (s.str.) tages (Linnaeus,1758) (Hesperiidae) *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921.

1103. Erynnis (s.str.) tages unicolor (Freyer,[1848]) (Hesperiidae) *unicolor* Freyer,[1848]; *#clarus* Caradja,1895; *magnatages* Verity,1938.

1104. Gegeres nostradamus (Fabricius,1793) (Hesperiidae) *nostradamus* Fabricius,1793; *proclea* Walker,1870; *karsana* Moore,1874; *pumiliominima* Verity,1931; *megalegyna* Verity,1940.

1105. Gegeres nostradamus nostradamus (Fabricius,1793) (Hesperiidae) *nostradamus* Fabricius,1793; *proclea* Walker,1870; *karsana* Moore,1874; *pumiliominima* Verity,1931; *megalegyna* Verity,1940.

1106. Hesperia comma (Linnaeus,1758) (Hesperiidae) *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928.

1107. Hesperia comma pallida (Staudinger,1901) (Hesperiidae) *pallida* Staudinger,1901

1108. Muschampia nomas (Lederer,1855) (Hesperiidae) *nomas* Lederer,1855

1109. Muschampia nomas nomas (Lederer,1855) (Hesperiidae) *nomas* Lederer,1855

1110. Muschampia poggei (Lederer,1858) (Hesperiidae) *poggei* Lederer,1858

1111. Muschampia poggei poggei (Lederer,1858) (Hesperiidae) *poggei* Lederer,1858

1112. Muschampia proteides (Wagner,1929) (Hesperiidae) *proteides* Wagner,1929; *lycaonius* Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [*misident.*]; *#lycaonius* Benjamini & Avni,2001

1113. Muschampia proteides proteides (Wagner,1929) (Hesperiidae) *proteides* Wagner,1929; *lycaonius* Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [*misident.*]; *#lycaonius* Benjamini & Avni,2001

1114. Muschampia tessellum (Hübner,[1802]) (Hesperiidae) *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816

1115. Muschampia tessellum tessellum (Hübner,[1802]) (Hesperiidae) *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816

1116. Ochloides venatus (Bremer & Grey,[1852]) (Hesperiidae) *venatus* Bremer & Grey,[1852]

1117. Ochloides venatus faunus (Turati,1905) (Hesperiidae) *sylvanus* Esper,1777 *nec Dru.*,[1773]; *melicerta* Bergsträßer,1780 *nec Dru.*,[1773]; *faunus* Turati,1905; *septentrionalis* Verity,1919; *taurica* Gaede,1931; *alexandra* Hemming,1934; *esperi* Verity,1934; *nicaeensis* Praviel,1948; *concouleuse* Picard,1948; *hesperodoron* Kaufman,1956

1118. Pyrgus aladaghensis De Prins & Poorten,1995 (Hesperiidae) *aladaghensis* De Prins & Poorten,1995

1119. Pyrgus aladaghensis aladaghensis De Prins & Poorten,1995 (Hesperiidae) *aladaghensis* De Prins & Poorten,1995

1120. Pyrgus alveus (Hübner,[1803]) (Hesperiidae) *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffelenensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991.

1121. Pyrgus alveus alveus (Hübner,[1803]) (Hesperiidae) *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffelenensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991.

1122. Pyrgus armoricanus (Oberthür,1910) (Hesperiidae) *armoricanus* Oberthür,1910; *petheri* Romei,1927.

1123. Pyrgus armoricanus persicus (Reverdin,1913) (Hesperiidae) *persicus* Reverdin,1913; *reverdini* le Cerf,1913 *nec Oberthür*,1912; *prostanca* Pfeiffer,1927; *lecerfi* Verity,1928; *#poatpersica* Verity,1936.

1124. Pyrgus bolkariensis De Prins & Poorten,1995 (Hesperiidae) *bolkariensis* De Prins & Poorten,1995

1125. Pyrgus bolkariensis bolkariensis De Prins & Poorten,1995 (Hesperiidae) *bolkariensis* De Prins & Poorten,1995

1126. Pyrgus carthami (Hübner,[1813]) (Hesperiidae) *carthami* Hübner,[1813]

1127. Pyrgus carthami carthami (Hübner,[1813]) (Hesperiidae) *carthami* Hübner,[1813]

1128. Pyrgus cinarae (Rambur,[1839]) (Hesperiidae) *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840

1129. Pyrgus cinarae cinarae (Rambur,[1839]) (Hesperiidae) *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840

1130. Pyrgus cirsii (Rambur,[1839]) (Hesperiidae) *cirsii* Rambur,[1839]; *turcivola* De Lattin,1950.

1131. Pyrgus cirsii cirsii (Rambur,[1839]) (Hesperiidae) *cirsii* Rambur,[1839]; *turcivola* De Lattin,1950.

1132. Pyrgus jupei (Alberti,1967) (Hesperiidae) *jupei* Alberti,1967; *centralasiae* Renner,1991.

1133. Pyrgus jupei jupei (Alberti,1967) (Hesperiidae) *jupei* Alberti,1967; *centralasiae* Renner,1991.

1134. Pyrgus malvae (Linnaeus,1758) (Hesperiidae) *malvae* Linnaeus,1758; *minor* Esper,1777; *sao* Bergsträßer,1779; *taras* Bergsträßer,1780; *altheae* Esper,1783; *malvarum* Ochsenheimer,1808; *cardui* Latreille,1823; *elegantior* Verity,1934; *#extrema* Pfeiffer,1938.

1135. Pyrgus malvae malvae (Linnaeus,1758) (Hesperiidae) *malvae* Linnaeus,1758; *minor* Esper,1777; *sao* Bergsträßer,1779; *taras* Bergsträßer,1780; *altheae* Esper,1783; *malvarum* Ochsenheimer,1808; *cardui* Latreille,1823; *elegantior* Verity,1934; *#extrema* Pfeiffer,1938.

1136. Pyrgus melotis (Duponchel,[1834]) (Hesperiidae) *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932.

1137. Pyrgus melotis ponticus (Reverdin,1914) (Hesperiidae) *ponticus* Reverdin,1914; *caucasica* Rjabov,1926.

1138. Pyrgus serratulae (Rambur,[1839]) (Hesperiidae) *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec Skinn.*,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948.

1139. Pyrgus serratulae major (Staudinger,1878) (Hesperiidae) *major* Staudinger,1878

1140. Pyrgus sidae (Esper,[1784]) (Hesperiidae) *sidae* Esper,[1784]

1141. Pyrgus sidae sidae (Esper,[1784]) (Hesperiidae) *sidae* Esper,[1784]

1142. Spialia (Neospialia) orbifer (Hübner,[1823]) (Hesperiidae) *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].

1143. Spialia (Neospialia) orbifer hilaris (Staudinger,1901) (Hesperiidae) *hilaris* Staudinger,1901; *secunda* Graves,1925.

1144. Spialia (s.str.) osthelderi (Pfeiffer,1932) (Hesperiidae) *osthelderi* Pfeiffer,1932

1145. Spialia (s.str.) osthelderi osthelderi (Pfeiffer,1932) (Hesperiidae) *osthelderi* Pfeiffer,1932

1146. Spialia (s.str.) phlomidis (Herrich-Schäffer,[1845]) (Hesperiidae) *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974.

- 1147.** *Spialia* (s.str.) *phlomidis* *phlomidis* (Herrich-Schäffer,[1845]) (Hesperiidae) *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974.
- 1148.** *Thymelicus acteon* (Rottemburg,1775) (Hesperiidae) *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsolata* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
- 1149.** *Thymelicus acteon acteon* (Rottemburg,1775) (Hesperiidae) *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsolata* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
- 1150.** *Thymelicus hyrax* (Lederer,1861) (Hesperiidae) *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937.
- 1151.** *Thymelicus hyrax hyrax* (Lederer,1861) (Hesperiidae) *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937.
- 1152.** *Thymelicus lineolus* (Ochsenheimer,1808) (Hesperiidae) *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *foranx* Hemming,1934
- 1153.** *Thymelicus lineolus lineolus* (Ochsenheimer,1808) (Hesperiidae) *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *foranx* Hemming,1934
- 1154.** *Thymelicus novus* (Reverdin,1916) (Hesperiidae) *novus* Reverdin,1916
- 1155.** *Thymelicus novus novus* (Reverdin,1916) (Hesperiidae) *novus* Reverdin,1916
- 1156.** *Thymelicus sylvestris* (Poda,1761) (Hesperiidae) *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thaumas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905
- 1157.** *Thymelicus sylvestris syriacus* (Tutt,[1905]) (Hesperiidae) *syriacus* Tutt,[1905]; *maxima* Verity,1936; *wernerii* Rebel,1937.
- 1158.** *Chondrostega osthelderi* Püngeler,1925 (Lasiocampidae) *osthelderi* Püngeler,1925
- 1159.** *Chondrostega pastranum* Lederer,1858 (Lasiocampidae) *pastranum* Lederer,1858
- 1160.** *Dendrolimus pini* (Linnaeus,1758) (Lasiocampidae) *pini* Linnaeus,1758; *paulae* Daniel,1959; *adriatica* Micheli,1959
- 1161.** *Eriogaster lanestris* (Linnaeus,1758) (Lasiocampidae) *lanestris* Linnaeus,1758; *senecta* Graeser,1888
- 1162.** *Eriogaster pfeifferi* Daniel,1932 (Lasiocampidae) *pfeifferi* Daniel,1932; *amygdali* Wiltshire,1941; *talhouki* Wiltshire,1976; *reshoefti* Schulte & Witt,1975.
- 1163.** *Eriogaster rimicola* (Schränk,1802) (Lasiocampidae) *rimicola* [Denis & Schiffermüller],1775; *rimicola* Schränk,1802; *inspersa* Staudinger,1879; *hackeri* De Freina,1999.
- 1164.** *Gastropacha* (s.str.) *populifolia* (Esper,[1782]) (Lasiocampidae) *#populifolia* [Denis & Schiffermüller],1775; *populifolia* Esper,[1782]
- 1165.** *Gastropacha* (s.str.) *quercifolia* (Linnaeus,1758) (Lasiocampidae) *quercifolia* Linnaeus,1758; *alnifolia* Ochsenheimer,1810; *salicifolia* Staudinger,1892; *meridionalis* Hormuzaki,1897; *sibirica* Krulikowsky,1909
- 1166.** *Lasiocampa eversmanni* (Kindermann,1843) (Lasiocampidae) *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960.
- 1167.** *Lasiocampa grandis* (Rogenhofer,1891) (Lasiocampidae) *grandis* Rogenhofer,1891
- 1168.** *Lasiocampa quercus* (Linnaeus,1758) (Lasiocampidae) *quercus* Linnaeus,1758; *roboris* Fabricius,1793; *spartii* Hübner,[1803]; *guillemontii* Trimoulet,1858; *sicula* Staudinger,1861; *scopariae* Millière,1861; *burdigalensis* Gerhard,1882; *meridionalis* Tutt,1901; *altaica* Grünberg,1911; *balcanoturcica* De Freina,1981
- 1169.** *Lasiocampa trifolii* ([Denis & Schiffermüller],1775) (Lasiocampidae) *#trifolii* [Denis & Schiffermüller],1775; *medicaginis* Borkhausen,1793; *terreni* Herrich-Schäffer
- 1170.** *Macrothylacia rubi* (Linnaeus,1758) (Lasiocampidae) *rubi* Linnaeus,1758
- 1171.** *Malacosoma alpicola* Staudinger,1870 /*prima* Staudinger,1887 (Lasiocampidae) *alpicola* Staudinger,1870
- 1172.** *Malacosoma castrensis* (Linnaeus,1758) (Lasiocampidae) *castrensis* Linnaeus,1758
- 1173.** *Malacosoma castrensis kirghisicum* (Staudinger,1879) (Lasiocampidae) *kirghisicum* Staudinger,1879
- 1174.** *Malacosoma franconicum* ([Denis & Schiffermüller],1775) /*prima* Staudinger,1887 (Lasiocampidae) *#franconica* [Denis & Schiffermüller],1775
- 1175.** *Malacosoma neustrum* (Linnaeus,1758) (Lasiocampidae) *neustria* Linnaeus,1758
- 1176.** *Malacosoma parallellum* Staudinger,1887 (Lasiocampidae) *parallellum* Staudinger,1887
- 1177.** *Pachypasa otus* (Drury,[1773]) (Lasiocampidae) *otus* Drury,[1773]
- 1178.** *Phylodesma tremulifolia* (Hübner,[1810]) (Lasiocampidae) *tremulifolia* Hübner,[1810]
- 1179.** *Poecilocampa alpina* (Frey & Wulschlegel,1874) (Lasiocampidae) *alpina* Frey & Wulschlegel,1874; *pontica* De Freina,1999.
- 1180.** *Trichiura crataegi* (Linnaeus,1758) (Lasiocampidae) *crataegi* Linnaeus,1758
- 1181.** *Trichiura crataegi anatolica* Daniel,1956 (Lasiocampidae) *anatolica* Daniel,1956
- 1182.** *Trichiura veranae* Witt,1981 (Lasiocampidae) *veranae* Witt,1981
- 1183.** *Ceuthomadarus tenebrionellus* Mann,1864 (Lecithoceridae) *tenebrionellus* Mann,1864; *crepusculellus* Caradja,1920.
- 1184.** *Eurodachtha flavissimella* (Mann,1862) (Lecithoceridae) *flavissimella* Mann,1862
- 1185.** *Homaloxestis briantiella* (Turati,1879) (Lecithoceridae) *briantiella* Turati,1879
- 1186.** *Lecithocera nigrana* (Duponchel,1836) (Lecithoceridae) *nigrana* Duponchel,1836; *luticornella* Zeller,1839; *#lenticornella* Staudinger,1880.
- 1187.** *Odites* (Gozmaniola) *kollarella* (Costa,[1836]) (Lecithoceridae) *kollarella* Costa,[1836]
- 1188.** *Lemonia balcanica* Herrich-Schäffer,[1843] (Lemoniidae) *balcanica* Herrich-Schäffer,[1843]; *anatolica* Wagner,1931.
- 1189.** *Lemonia ballioni* (Christoph,1888) (Lemoniidae) *ballioni* Christoph,1888
- 1190.** *Lemonia pia* Püngeler,1902 (Lemoniidae) *pia* Püngeler,1902
- 1191.** *Lemonia pia friedeli* Witt,1979 (Lemoniidae) *friedeli* Witt,1979
- 1192.** *Libythea* (s.str.) *celtis* (Laicharting,1782) (Libytheidae) *celtis* Laicharting,1782
- 1193.** *Libythea* (s.str.) *celtis celtis* (Laicharting,1782) (Libytheidae) *celtis* Laicharting,1782
- 1194.** *Apoda limacodes* (Hufnagel,1766) (Limacodidae) *limacodes* Hufnagel,1766; *testudo* [Denis & Schiffermüller],1775; *funalis* Donovan,1794; *testudinana* Hübner,[1799]; *avellana* auct.
- 1195.** *Callophrys chalybeitincta* Sovinsky,1905 (Lycaenidae) *chalybeitincta* Sovinsky,1905; *caerulescens* A.Bang-Haas,1912; *schamyl* Sheldon,1914.
- 1196.** *Callophrys chalybeitincta chalybeitincta* Sovinsky,1905 (Lycaenidae) *chalybeitincta* Sovinsky,1905; *caerulescens* A.Bang-Haas,1912; *schamyl* Sheldon,1914.
- 1197.** *Callophrys paulae* Pfeiffer,1932 (Lycaenidae) *paulae* Pfeiffer,1932; *kolak* Higgins,1965
- 1198.** *Callophrys paulae paulae* Pfeiffer,1932 (Lycaenidae) *paulae* Pfeiffer,1932; *kolak* Higgins,1965
- 1199.** *Callophrys rubi* (Linnaeus,1758) (Lycaenidae) *rubi* Linnaeus,1758
- 1200.** *Callophrys rubi rubi* (Linnaeus,1758) (Lycaenidae) *rubi* Linnaeus,1758
- 1201.** *Callophrys suaveola* (Staudinger,1881) (Lycaenidae) *suaveola* Staudinger,1881
- 1202.** *Callophrys suaveola suaveola* (Staudinger,1881) (Lycaenidae) *suaveola* Staudinger,1881
- 1203.** *Celastrina argiolus* (Linnaeus,1758) (Lycaenidae) *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
- 1204.** *Celastrina argiolus hypoleuca* (Kollar,[1849]) (Lycaenidae) *hypoleuca* Kollar,[1849]; *paraleuca* Röber,1897.
- 1205.** *Chilades* (Freyeria) *trochylus* (Freyer,[1843]) (Lycaenidae) *trochylus* Freyer,[1843]; *#trochilus* Herrich-

Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; #*supraradiata* Wagner,1931

1206. Chilades (Freyeria) trochylus trochylus (Freyer,[1843]) (Lycaenidae) *trochylus* Freyer,[1843]; #*trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; #*supraradiata* Wagner,1931.

1207. Cigaritis acamas (Klug,1834) (Lycaenidae) *acamas* Klug,1834

1208. Cigaritis acamas acamas (Klug,1834) (Lycaenidae) *acamas* Klug,1834

1209. Cigaritis cilissa Lederer,1861 (Lycaenidae) *cilissa* Lederer,1861

1210. Cigaritis cilissa cilissa Lederer,1861 (Lycaenidae) *cilissa* Lederer,1861

1211. Cigaritis uighurica Kemal & Koçak,2005 (Lycaenidae) *maxima* Staudinger,1901 *nec* Elw.,1892; *uighurica* Kemal & Koçak,2005

1212. Cigaritis uighurica uighurica Kemal & Koçak,2005 (Lycaenidae) *maxima* Staudinger,1901 *nec* Elw.,1892; *uighurica* Kemal & Koçak,2005

1213. Cupido (Everes) alcetas (Hoffmannsegg,1804) (Lycaenidae) *tiresias* Hübner,[1800] *nec* *tiresias* Rottemburg,1775; *alcetas* Hoffmannsegg,1804; *coretas* Ochsenheimer,1808.

1214. Cupido (Everes) alcetas alcetas (Hoffmannsegg,1804) (Lycaenidae) *tiresias* Hübner,[1800] *nec* *tiresias* Rottemburg,1775; *alcetas* Hoffmannsegg,1804; *coretas* Ochsenheimer,1808.

1215. Cupido (Everes) argiades (Pallas,1771) (Lycaenidae) *argiades* Pallas,1771; *tiresias* Rottemburg,1775; *amyntas* [Denis & Schiffermüller],1775 *nec* Poda,1761; *irenae* Dujardin,1974.

1216. Cupido (Everes) argiades argiades (Pallas,1771) (Lycaenidae) *argiades* Pallas,1771; *tiresias* Rottemburg,1775; *amyntas* [Denis & Schiffermüller],1775 *nec* Poda,1761; *irenae* Dujardin,1974.

1217. Cupido (Everes) decoloratus (Staudinger,1886) (Lycaenidae) *decoloratus* Staudinger,1886.

1218. Cupido (Everes) decoloratus decoloratus (Staudinger,1886) (Lycaenidae) *decoloratus* Staudinger,1886

1219. Cupido (s.str.) minimus (Fuessly,1775) (Lycaenidae) *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801.

1220. Cupido (s.str.) minimus albocilia Oorschot et al.,1984 (Lycaenidae) *albocilia* Oorschot et al.,1984

1221. Cupido (s.str.) minimus minimus (Fuessly,1775) (Lycaenidae) *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801.

1222. Cupido (s.str.) osiris (Meigen,[1829]) (Lycaenidae) *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833].

1223. Cupido (s.str.) osiris majuspunctata (Verity,1934) (Lycaenidae) *majuspunctata* Verity,1934.

1224. Glaucopsyche (Apelles) astraia (Freyer,[1851]) (Lycaenidae) *astraia* Freyer,[1851]; #*astrea* Gerhard,1853

1225. Glaucopsyche (Apelles) astraia astraia (Freyer,[1851]) (Lycaenidae) *astraia* Freyer,[1851]; #*astrea* Gerhard,1853

1226. Glaucopsyche (s.str.) alexis (Poda,1761) (Lycaenidae) *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; #*sublugens* Strand,1909; #*insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976.

1227. Glaucopsyche (s.str.) alexis alexis (Poda,1761) (Lycaenidae) *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; #*sublugens* Strand,1909; #*insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976.

1228. Glaucopsyche (s.str.) alexis lugens (Caradja,1893) (Lycaenidae) *lugens* Caradja,1893

1229. Heodes (Loweia) tityrus (Poda,1761) (Lycaenidae) *tityrus* Poda,1761; *acrion* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990.

1230. Heodes (Loweia) tityrus tityrus (Poda,1761) (Lycaenidae) *tityrus* Poda,1761; *acrion* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990.

1231. Heodes (s.str.) virgaureae (Linnaeus,1758) (Lycaenidae) *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928.

1232. Heodes (s.str.) virgaureae aureomicans (Heyne,1897) (Lycaenidae) *aureomicans* Heyne,1897; *denizae* Eckweiler & Rose,1993.

1233. Heodes (s.str.) virgaureae virgaureae (Linnaeus,1758) (Lycaenidae) *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928.

1234. Iolana lessei Bernardi,1964 (Lycaenidae) *lessei* Bernardi,1964; *christinae* Betti,1977; *cappadocia* Betti,1977

1235. Lampides boeticus (Linnaeus,1767) (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; #*baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886

1236. Lampides boeticus boeticus (Linnaeus,1767) (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; #*baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886

1237. Leptotes pirithous (Linnaeus,1767) (Lycaenidae) *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925.

1238. Leptotes pirithous pirithous (Linnaeus,1767) (Lycaenidae) *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925.

1239. Lycaena (s.str.) phlaeas (Linnaeus,1761) (Lycaenidae) *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 *nec* Linnaeus,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853

1240. Lycaena (s.str.) phlaeas timeus (Cramer,[1777]) (Lycaenidae) *timeus* Cramer,[1777]; *eleus* Fabricius,1798; *turcius* Gerhard,[1850].

1241. Maculinea arion (Linnaeus,1758) (Lycaenidae) *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *caucasica* Jachontov,1914 *nec* Led.,1870; *zara* Jachontov,1935.

1242. Maculinea arion arion (Linnaeus,1758) (Lycaenidae) *arion* Linnaeus,1758; *telegone* Bergstr.,1779; *obscura* Christ,1878; *caucasica* Jachontov,1914 *nec* Lederer,1870; *zara* Jachontov,1935.

1243. Maculinea nausithous (Bergsträßer,[1779]) (Lycaenidae) *nausithous* Bergsträßer,[1779]; *arcas* Rottemburg,1775 *nec* Dru.,1773; *erebus* Knoch,1782.

1244. Maculinea nausithous nausithous (Bergsträßer,[1779]) (Lycaenidae) *nausithous* Bergsträßer,[1779]; *arcas* Rottemburg,1775 *nec* Dru.,1773; *erebus* Knoch,1782. *nausithous* Bergsträsser,1779; *nausithoe* Bergstr.,1779; *arcas* Rottemburg,1775 *nec* Drury,1773; *erebus* Knoch,1782.

1245. Maculinea rebeli (Hirschke,1904) (Lycaenidae) *rebeli* Hirschke,1904; *coerulea* Vorbrod,1912; *latimargo* Courvoisier,1913; *alpicola* Beuret,1949; *cruciata* Beuret,1949; *gadmensis* Beuret,1949; *magnalpicola* Beuret,1949.

1246. Maculinea rebeli monticola (Staudinger,1901) (Lycaenidae) *monticola* Staudinger,1901.

1247. Margelycaena euphratica (Eckweiler,1989) (Lycaenidae) *euphratica* Eckweiler,1989

1248. Margelycaena euphratica euphratica (Eckweiler,1989) (Lycaenidae) *euphratica* Eckweiler,1989

1249. Palaeochrysophanus candens (Herrich-Schäffer,[1845]) (Lycaenidae) *candens* Herrich-Schäffer,[1845]

1250. Palaeochrysophanus candens candens (Herrich-Schäffer,[1845]) (Lycaenidae) *candens* Herrich-Schäffer,[1845]

1251. Plebejus (Kretania) carmon (Gerhard,[1851]) (Lycaenidae) *carmon* Gerhard,[1851, November]; *euryptilus* Freyer,[1851,December].

1252. Plebejus (Kretania) carmon carmon (Gerhard,[1851]) (Lycaenidae) *carmon* Gerhard,[1851, November]; *euryptilus* Freyer,[1851,December].

1253. Plebejus (Lycacides) argyrognomon (Bergsträßer,[1779]) (Lycaenidae) *argyrognomon* Bergsträßer,[1779]

1254. Plebejus (Lycacides) idas (Linnaeus,1761) (Lycaenidae) *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793.

1255. Plebejus (Lycacides) idas altarmenus (Forster,1936) (Lycaenidae) *altarmena* Forster,1936

1256. Plebejus (Lycacides) idas baldur (Hemming,1934) (Lycaenidae) #*balcanica* Züllich,1929 *nec* *Lycaena balcanica* Freyer,[1844]; *baldur* Hemming,1934.

1257. Plebejus (Lycacides) maracandicus caspicus (Forster,1936) (Lycaenidae) *caspicus* Forster,1936

1258. Plebejus (Plebejides) modicus Verity,1935 (Lycaenidae) *modicus* Verity,1935; *microsephyrus* Verity,1935

1259. Plebejus (Plebejides) modicus modicus Verity,1935 (Lycaenidae) *modicus* Verity,1935; *microsephyrus* Verity,1935

- 1260.** *Plebejus* (s.str.) *argus* (Linnaeus,1758) (Lycaenidae) *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharmelensis* Oberthür,1926; *pulchraphilonome* Verity,1931.
- 1261.** *Plebejus* (s.str.) *argus aegidion* (Meisner,1818) (Lycaenidae) *aegidion* Meisner,1818; *bella* H.-S.,1844; *valmasinii* Perlini,1905; *alpina* Courv.,1910 nec Berce,1967; *orientalis* Tutt,1909; *claraobscura* Verity,1931; *#anatolica* Forster,1936; *sultana* Forster,1936.
- 1262.** *Plebejus* (s.str.) *argus tscherkessicus* (Forster,1936) (Lycaenidae) *tscherkessica* Forster,1936; *#georgica* Forster,1936.
- 1263.** *Polyommatus* (Agriades (s.str.)) *pyrenaicus* (Boisduval,1840) (Lycaenidae) *pyrenaicus* Boisduval,1840; *#pyrenicus* Naderi,2003
- 1264.** *Polyommatus* (Agriades (s.str.)) *pyrenaicus araraticus* (Gerhard,1853) (Lycaenidae) *araraticus* Gerhard,1853; *latidisjuncta* Alberti,1973; *erzurumensis* Eckweiler & Hesselbarth,1978 (cf. Varga, 1977:274).
- 1265.** *Polyommatus* (Albulina (Plebejidea)) *loewii* (Zeller,1847) (Lycaenidae) *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhagamati* Sheljuzhko,1934.
- 1266.** *Polyommatus* (Albulina (Plebejidea)) *loewii loewii* (Zeller,1847) (Lycaenidae) *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhagamati* Sheljuzhko,1934.
- 1267.** *Polyommatus* (Albulina (Plebejidea)) *loewii minimus* Junge & Rose,1978 (Lycaenidae) *minimus* Junge & Rose,1978.
- 1268.** *Polyommatus* (Albulina (Vacciniina)) *alcedo* (Christoph,1877) (Lycaenidae) *alcedo* Christoph,1877
- 1269.** *Polyommatus* (Albulina (Vacciniina)) *alcedo alcedo* (Christoph,1877) (Lycaenidae) *alcedo* Christoph,1877
- 1270.** *Polyommatus* (Aricia (Eumedonia)) *eumedon* (Esper,[1780]) (Lycaenidae) *chiron* Rottemburg,1775 nec Fabricius,1775; *eumedon* Esper,[1780]; *osiris* Bang-Haas,1927 nec Hopffer,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980.
- 1271.** *Polyommatus* (Aricia (Eumedonia)) *eumedon aladaghensis* (Koçak,1979) (Lycaenidae) *aladaghensis* Koçak,1979
- 1272.** *Polyommatus* (Aricia (Eumedonia)) *eumedon eumedon* (Esper,[1780]) (Lycaenidae) *chiron* Rottemburg,1775 nec Fabr.,1775; *eumedon* Esper,[1780]; *osiris* Bang-Haas,1927 nec Hopffer,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980.
- 1273.** *Polyommatus* (Aricia (Eumedonia)) *eumedon modestus* (Nekrutenko,1972) (Lycaenidae) *modestus* Nekrutenko,1972
- 1274.** *Polyommatus* (Aricia (Pseudoaricia)) *hyacinthus* (Herrich-Schäffer,[1847]) (Lycaenidae) *hyacinthus* Herrich-Schäffer,[1847]; *guelayae* Schurian & Rose,1991; *silvestris* Schurian & Eckweiler,1993.
- 1275.** *Polyommatus* (Aricia (Pseudoaricia)) *hyacinthus hyacinthus* (Herrich-Schäffer,[1847]) (Lycaenidae) *hyacinthus* Herrich-Schäffer,[1847]; *guelayae* Schurian & Rose,1991; *silvestris* Schurian & Eckweiler,1993.
- 1276.** *Polyommatus* (Aricia (Pseudoaricia)) *isauricus* (Staudinger,1871) (Lycaenidae) *isauricus* Staudinger,1871
- 1277.** *Polyommatus* (Aricia (Pseudoaricia)) *isauricus dorsumstellae* (Graves,1923) (Lycaenidae) *dorsumstellae* Graves,1923
- 1278.** *Polyommatus* (Aricia (Pseudoaricia)) *isauricus isauricus* (Staudinger,1871) (Lycaenidae) *isauricus* Staudinger,1871
- 1279.** *Polyommatus* (Aricia (Pseudoaricia)) *isauricus latimargo* (Miller,1923) (Lycaenidae) *#latimargo* Courvoisier,1913; *latimargo* Miller,1923.
- 1280.** *Polyommatus* (Aricia (Pseudoaricia)) *teberdinus* (Sheljuzhko,1934) (Lycaenidae) *teberdinus* Sheljuzhko,1934
- 1281.** *Polyommatus* (Aricia (Pseudoaricia)) *teberdinus nahizericus* (Eckweiler,1978) (Lycaenidae) *nahizericus* Eckweiler,1978
- 1282.** *Polyommatus* (Aricia (Pseudoaricia)) *torulensis* Hesselbarth & Siepe,1993 (Lycaenidae) *torulensis* Hesselbarth & Siepe,1993
- 1283.** *Polyommatus* (Aricia (Pseudoaricia)) *torulensis torulensis* Hesselbarth & Siepe,1993 (Lycaenidae) *torulensis* Hesselbarth & Siepe,1993
- 1284.** *Polyommatus* (Aricia (Ultraaricia)) *anteros* (Freyer,[1838]) (Lycaenidae) *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] nec Frivaldsky,1835; *orpheus* Nekrutenko,1980.
- 1285.** *Polyommatus* (Aricia (Ultraaricia)) *anteros anteros* (Freyer,[1838]) (Lycaenidae) *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] nec Frivaldsky,1835; *orpheus* Nekrutenko,1980.
- 1286.** *Polyommatus* (Aricia (Ultraaricia)) *crassipunctus* (Christoph,1893) (Lycaenidae) *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909.
- 1287.** *Polyommatus* (Aricia (Ultraaricia)) *crassipunctus crassipunctus* (Christoph,1893) (Lycaenidae) *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909.
- 1288.** *Polyommatus* (Aricia (s.str.)) *agestis* ([Denis & Schiffermüller],1775) (Lycaenidae) *medon* Hufnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779].
- 1289.** *Polyommatus* (Aricia (s.str.)) *agestis agestis* ([Denis & Schiffermüller],1775) (Lycaenidae) *medon* Hufnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779].
- 1290.** *Polyommatus* (Aricia (s.str.)) *artaxerxes* (Fabricius,1793) (Lycaenidae) *artaxerxes* Fabricius,1793.
- 1291.** *Polyommatus* (Aricia (s.str.)) *artaxerxes macedonicus* (Verity,1936) (Lycaenidae) *macedonicus* Verity,1936; *issekutzi* Balogh,1956.
- 1292.** *Polyommatus* (Aricia (s.str.)) *artaxerxes sheljuzhko* (Obraztsov,1935) (Lycaenidae) *sheljuzhko* Obraztsov,1935; *#azerbajdzhana* Obraztsov,1935.
- 1293.** *Polyommatus* (s.str. (Agrodiaetus (Actisia))) *actis* (Herrich-Schäffer,[1851]) (Lycaenidae) *atys* Gerhard,[May,1851] nec *atys* Hübner,1804 non Cramer,1780; *actis* Herrich-Schäffer,[December,1851]; *athis* Freyer,[December,1851].
- 1294.** *Polyommatus* (s.str. (Agrodiaetus (Actisia))) *actis actis* (Herrich-Schäffer,[1851]) (Lycaenidae) *atys* Gerhard,[May,1851] nec *atys* Hübner,1804 non Cramer,1780; *actis* Herrich-Schäffer,[December,1851]; *athis* Freyer,[December,1851].
- 1295.** *Polyommatus* (s.str. (Agrodiaetus (Actisia))) *artvinensis* (Carbonell,1997) (Lycaenidae) *artvinensis* Carbonell,1997
- 1296.** *Polyommatus* (s.str. (Agrodiaetus (Actisia))) *artvinensis artvinensis* (Carbonell,1997) (Lycaenidae) *artvinensis* Carbonell,1997
- 1297.** *Polyommatus* (s.str. (Agrodiaetus (Actisia))) *cilicius* (Carbonell,1998) (Lycaenidae) *cilicius* Carbonell,1998
- 1298.** *Polyommatus* (s.str. (Agrodiaetus (Actisia))) *cilicius bolkarensis* (Carbonell,1998) (Lycaenidae) *bolkarensis* Carbonell,1998
- 1299.** *Polyommatus* (s.str. (Agrodiaetus (Actisia))) *firdussii* (Forster,1956) (Lycaenidae) *firdussii* Forster,1956
- 1300.** *Polyommatus* (s.str. (Agrodiaetus (Actisia))) *firdussii pseudactis* (Forster,1960) (Lycaenidae) *pseudactis* Forster,1960
- 1301.** *Polyommatus* (s.str. (Agrodiaetus (Actisia))) *sertavulensis* (Koçak,1979) (Lycaenidae) *sertavulensis* Koçak,1979
- 1302.** *Polyommatus* (s.str. (Agrodiaetus (Actisia))) *sertavulensis sertavulensis* (Koçak,1979) (Lycaenidae) *sertavulensis* Koçak,1979
- 1303.** *Polyommatus* (s.str. (Agrodiaetus (Actisia))) *sigberti* Olivier, Poorten, Puplesiene & de Prins,2000 (Lycaenidae) *sigberti* Olivier, Poorten, Puplesiene & de Prins,2000
- 1304.** *Polyommatus* (s.str. (Agrodiaetus (Actisia))) *sigberti sigberti* Olivier, Poorten, Puplesiene & de Prins, (Lycaenidae) *sigberti* Olivier, Poorten, Puplesiene & de Prins,2000
- 1305.** *Polyommatus* (s.str. (Agrodiaetus (Admetusia))) *admetus* (Esper,[1783]) (Lycaenidae) *admetus* Esper,[1783]
- 1306.** *Polyommatus* (s.str. (Agrodiaetus (Admetusia))) *admetus anatoliensis* (Forster,1960) (Lycaenidae) *anatoliensis* Forster,1960
- 1307.** *Polyommatus* (s.str. (Agrodiaetus (Admetusia))) *alcestis* (Zerny,1932) (Lycaenidae) *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002.
- 1308.** *Polyommatus* (s.str. (Agrodiaetus (Admetusia))) *alcestis alcestis* (Zerny,1932) (Lycaenidae) *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002.
- 1309.** *Polyommatus* (s.str. (Agrodiaetus (Admetusia))) *demavendi* (Pfeiffer,1938) (Lycaenidae) *demavendi* Pfeiffer,1938; *#demavendi* de Lesse,1960
- 1310.** *Polyommatus* (s.str. (Agrodiaetus (Admetusia))) *demavendi amasyensis* (De Lesse,1961) (Lycaenidae) *amasyensis* De Lesse,1961

1311. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *erivanensis* (Forster,1960) (Lycaenidae) *erivanensis* Forster,1960
1312. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *erivanensis erivanensis* (Forster,1960) (Lycaenidae) *erivanensis* Forster,1960
1313. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *erivanensis interjectus* (De Lesse,1960) (Lycaenidae) *interjectus* De Lesse,1960
1314. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii* (Freyer,[1830]) (Lycaenidae) *ripartii* Freyer,[1830]
1315. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii paralcestis* (Forster,1960) (Lycaenidae) *paralcestis* Forster,1960
1316. *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *antidolus* (Rebel,1901) (Lycaenidae) *antidolus* Rebel,1901
1317. *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *antidolus antidolus* (Rebel,1901) (Lycaenidae) *antidolus* Rebel,1901
1318. *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *dama* (Staudinger,[1892]) (Lycaenidae) *dama* Staudinger,[1892]
1319. *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *dama dama* (Staudinger,[1892]) (Lycaenidae) *dama* Staudinger,[1892]
1320. *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *hopfferi* (Gerhard,[1851]) (Lycaenidae) *#hopfferi* Herrich-Schäffer,[August,1851] (uninominal); *hopfferi* Gerhard,[November,1851]; *hopfferi* Herrich-Schäffer,31.December,1851]; *hadjina* Heyne,[1895]; *malatiae* Forster,1961.
1321. *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *hopfferi hopfferi* (Gerhard,[1851]) (Lycaenidae) *#hopfferi* Herrich-Schäffer,[August,1851] (uninominal); *hopfferi* Gerhard,[November,1851]; *hopfferi* Herrich-Schäffer,31.December,1851]; *hadjina* Heyne,[1895]; *malatiae* Forster,1961.
1322. *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *menalcas* (Freyer,[1837]) (Lycaenidae) *menalcas* Freyer,[1837]; *epidolus* Boisduval,1840; *#amasina* Neuburger,1900.
1323. *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *menalcas menalcas* (Freyer,[1837]) (Lycaenidae) *menalcas* Freyer,[1837]; *epidolus* Boisduval,1840; *#amasina* Neuburger,1900.
1324. *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *mithridates* (Staudinger,1878) (Lycaenidae) *mithridates* Staudinger,1878
1325. *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *mithridates mithridates* (Staudinger,1878) (Lycaenidae) *mithridates* Staudinger,1878
1326. *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *poseidon* (Herrich-Schäffer,[1851]) (Lycaenidae) *poseidon* Herrich-Schäffer,[1851]; *mesopotamica* Staudinger,1892.
1327. *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *poseidon poseidon* (Herrich-Schäffer,[1851]) (Lycaenidae) *poseidon* Herrich-Schäffer,[1851]; *mesopotamica* Staudinger,1892.
1328. *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *theresia* Schurian et al.,1992 (Lycaenidae) *theresia* Schurian et al.,1992
1329. *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *theresia thesia* Schurian et al.,1992 (Lycaenidae) *theresia* Schurian et al.,1992
1330. *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *erzindjanensis* (Carbonell,2002) (Lycaenidae) *erzindjanensis* Carbonell,[2003]
1331. *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *wagneri* (Forster,1956) (Lycaenidae) *wagneri* Forster,1956
1332. *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *wagneri iphiactis* Lukhtanov & Dantchenko,2003 (Lycaenidae) *iphiactis* Lukhtanov & Dantchenko,2003
1333. *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *wagneri wagneri* (Forster,1956) (Lycaenidae) *wagneri* Forster,1956
1334. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *iphigenia* (Herrich-Schäffer,[1847]) (Lycaenidae) *iphigenia* Herrich-Schäffer,[1847]
1335. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *iphigenia iphigenia* (Herrich-Schäffer,[1847]) (Lycaenidae) *iphigenia* Herrich-Schäffer,[1847]
1336. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *phyllis* (Christoph,1877) (Lycaenidae) *phyllis* Christoph,1877
1337. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *phyllis zeitunus* (Forster,1960) (Lycaenidae) *zeituna* Forster,1960
1338. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *tankeri* (De Lesse,1960) (Lycaenidae) *tankeri* De Lesse,1960
1339. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *tankeri tankeri* (De Lesse,1960) (Lycaenidae) *tankeri* De Lesse,1960
1340. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *vanensis* (De Lesse,1957) (Lycaenidae) *vanensis* De Lesse,1957
1341. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *vanensis vanensis* (De Lesse,1957) (Lycaenidae) *vanensis* De Lesse,1957
1342. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *altivagans* (Forster,1956) (Lycaenidae) *altivagans* Forster,1956; *vaspurakani* Lukhtanov & Dantchenko,2003
1343. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *altivagans altivagans* (Forster,1956) (Lycaenidae) *altivagans* Forster,1956; *vaspurakani* Lukhtanov & Dantchenko,2003
1344. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *anticarmon* (Koçak,1983) (Lycaenidae) *anticarmon* Koçak,1983; *charmieuxi* Pagés,1994
1345. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *anticarmon anticarmon* (Koçak,1983) (Lycaenidae) *anticarmon* Koçak,1983; *charmieuxi* Pagés,1994
1346. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *aserbeidschanus* (Forster,1956) (Lycaenidae) *aserbeidschana* Forster,1956
1347. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *aserbeidschanus aserbeidschanus* (Forster,1956) (Lycaenidae) *aserbeidschana* Forster,1956
1348. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *caeruleus* (Staudinger,1871) (Lycaenidae) *caeruleus* Staudinger,1871
1349. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *caeruleus caeruleus* (Staudinger,1871) (Lycaenidae) *caeruleus* Staudinger,1871
1350. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *eurypilos* (Gerhard,[1851]) (Lycaenidae) *eurypilos* Gerhard,[1851]; *carmon* Herrich-Schäffer,[1851 December]; *munzuricus* Rose,1978
1351. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *eurypilos eurypilos* (Gerhard,[1851]) (Lycaenidae) *eurypilos* Gerhard,[1851]; *carmon* Herrich-Schäffer,[1851 December]; *munzuricus* Rose,1978
1352. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *guezelmavi* Olivier et al.,1999 (Lycaenidae) *guezelmavi* Olivier et al.,1999
1353. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *guezelmavi guezelmavi* Olivier et al.,1999 (Lycaenidae) *guezelmavi* Olivier et al.,1999
1354. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *huberti* (Carbonell,1993) (Lycaenidae) *huberti* Carbonell,1993
1355. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *huberti huberti* (Carbonell,1993) (Lycaenidae) *huberti* Carbonell,1993
1356. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *kunchuy* Koçak,1999 (Lycaenidae) *#schuriani* Rose,1978 [conditionally proposed]; *kunchuy* Koçak,1999
1357. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *kunchuy kunchuy* Koçak,1999 (Lycaenidae) *#schuriani* Rose,1978 [conditionally proposed]; *kunchuy* Koçak,1999
1358. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *ninae* (Forster,1956) (Lycaenidae) *ninae* Forster,1956
1359. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *ninae ninae* (Forster,1956) (Lycaenidae) *ninae* Forster,1956
1360. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *turcicus* (Koçak,1977) (Lycaenidae) *turcicus* Koçak,1977
1361. *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspicus*))) *turcicus turcicus* (Koçak,1977) (Lycaenidae) *turcicus* Koçak,1977
1362. *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *cyaneus* (Staudinger,1899) (Lycaenidae) *cyaneus* Staudinger,1899; *pseudocyaneus* Forster,1956.
1363. *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *cyaneus cyaneus* (Staudinger,1899) (Lycaenidae) *cyaneus* Staudinger,1899; *pseudocyaneus* Forster,1956.
1364. *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *merhaba* De Prins,1991 (Lycaenidae) *merhaba* De Prins,1991
1365. *Polyommatus* (s.str. (*Agrodiaetus* (*Xerxesia*))) *merhaba merhaba* De Prins,1991 (Lycaenidae) *merhaba* De Prins,1991
1366. *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damocles* (Herrich-Schäffer,[1844]) (Lycaenidae) *damocles* Herrich-Schäffer,[1844]

- 1367.** *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damocles* *tortumensis* (Carbonell,2003) (Lycaenidae) *tortumensis* Carbonell,2003
- 1368.** *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon* ([Denis & Schiffermüller],1775) (Lycaenidae) *damon* [Denis & Schiffermüller],1775
- 1369.** *Polyommatus* (s.str. (*Agrodiaetus* (s.str.))) *damon* *kotshubeji* (Sovinsky,[1916]) (Lycaenidae) *kotshubeji* Sovinsky,[1916]
- 1370.** *Polyommatus* (s.str. (*Cyaniris*)) *bellis* (Freyer,[1842]) (Lycaenidae) *bellis* Freyer,[1842]; *mesopotamica* Tutt,[1909].
- 1371.** *Polyommatus* (s.str. (*Cyaniris*)) *bellis* *bellis* (Freyer,[1842]) (Lycaenidae) *bellis* Freyer,[1842]; *mesopotamica* Tutt,[1909].
- 1372.** *Polyommatus* (s.str. (*Lysandra*)) *bellargus* (Rottemburg,1775) (Lycaenidae) *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 nec Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779;; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958
- 1373.** *Polyommatus* (s.str. (*Lysandra*)) *bellargus* *bellargus* (Rottemburg,1775) (Lycaenidae) *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 nec Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779;; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958
- 1374.** *Polyommatus* (s.str. (*Lysandra*)) *corydonius* (Herrich-Schäffer,[1852]) (Lycaenidae) *corydonius* Herrich-Schäffer,[1852]
- 1375.** *Polyommatus* (s.str. (*Lysandra*)) *corydonius* *caucasicus* (Lederer,1870) (Lycaenidae) *caucasicus* Lederer,1870; *caeruleosmar* Verity,1939; *#sokolowskii* Wojtusiak & Niesiolowski,1946.
- 1376.** *Polyommatus* (s.str. (*Lysandra*)) *ossmar* (Gerhard,[1851]) (Lycaenidae) *ossmar* Gerhard,[1851]
- 1377.** *Polyommatus* (s.str. (*Lysandra*)) *ossmar* *ankara* (Schurian & Hoffmann,1983) (Lycaenidae) *ankara* Schurian & Hoffmann,1983
- 1378.** *Polyommatus* (s.str. (*Lysandra*)) *ossmar* *ossmar* (Gerhard,[1851]) (Lycaenidae) *ossmar* Gerhard,[1851]
- 1379.** *Polyommatus* (s.str. (*Lysandra*)) *syriacus* (Tutt,1914) (Lycaenidae) *syriacus* Tutt,1914
- 1380.** *Polyommatus* (s.str. (*Lysandra*)) *syriacus* *burak* Koçak,1992 (Lycaenidae) *tauricus* Schurian,1991 nec Heyne,[1895] non Venzmer,1920; *burak* Koçak,1992.
- 1381.** *Polyommatus* (s.str. (*Meleageria*)) *daphnis* ([Denis & Schiffermüller],1775) (Lycaenidae) *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 nec Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
- 1382.** *Polyommatus* (s.str. (*Meleageria*)) *daphnis* *versicolor* (Heyne,[1895]) (Lycaenidae) *versicolor* Heyne,[1895]; *ignorata* Staudinger,1901; *erciyasi* Schurian & Häuser,1981; *palandoekis* Schurian & Häuser,1981; *dugijani* Schurian & Häuser,1981.
- 1383.** *Polyommatus* (s.str. (*Neolysandra*)) *coelestinus* (Eversmann,1843) (Lycaenidae) *coelestinus* Eversmann,1843
- 1384.** *Polyommatus* (s.str. (*Neolysandra*)) *coelestinus* *alticola* (Christoph,1893) (Lycaenidae) *alticola* Christoph,1893; *alexander* Higgins,1981
- 1385.** *Polyommatus* (s.str. (*Neolysandra*)) *coelestinus* *ponticus* (Courvoisier,1911) (Lycaenidae) *ponticus* Courvoisier,1911
- 1386.** *Polyommatus* (s.str. (*Neolysandra*)) *diana* (Miller,[1913]) (Lycaenidae) *diana* Miller,[1913]
- 1387.** *Polyommatus* (s.str. (*Neolysandra*)) *diana* *diana* (Miller,[1913]) (Lycaenidae) *diana* Miller,[1913]
- 1388.** *Polyommatus* (s.str. (*Plebicula*)) *amandus* (Schneider,1792) (Lycaenidae) *icarius* Esper,1789 nec Rottemburg,1775; *amandus* Schneider,1792
- 1389.** *Polyommatus* (s.str. (*Plebicula*)) *amandus* *orientalis* (Staudinger,1901) (Lycaenidae) *orientalis* Staudinger,1901; *gina* Higgins,1958.
- 1390.** *Polyommatus* (s.str. (*Plebicula*)) *dorylas* ([Denis & Schiffermüller],1775) (Lycaenidae) *dorylas* [Denis & Schiffermüller],1775; *hylas* Esper,[1778] nec Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985.
- 1391.** *Polyommatus* (s.str. (*Plebicula*)) *dorylas* *armenus* (Staudinger,1871) (Lycaenidae) *armenus* Staudinger,1871
- 1392.** *Polyommatus* (s.str. (*Plebicula*)) *dorylas* *dorylas* ([Denis & Schiffermüller],1775) (Lycaenidae) *dorylas* [Denis & Schiffermüller],1775; *hylas* Esper,[1778] nec Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985.
- 1393.** *Polyommatus* (s.str. (*Sublysandra*)) *aedon* (Christoph,1877) (Lycaenidae) *aedon* Christoph,1877
- 1394.** *Polyommatus* (s.str. (*Sublysandra*)) *aedon* *myrrhinus* (Staudinger,1901) (Lycaenidae) *myrrhinus* Staudinger,1901; *noacki* Koçak,1980
- 1395.** *Polyommatus* (s.str. (*Sublysandra*)) *cornelius* (Freyer,[1850]) (Lycaenidae) *cornelius* Freyer,[1850]; *cornelia* Gerhard,[1851]; *candalus* Herrich-Schäffer,[1851]; *zuleikae* Pfeiffer,1932; *eberti* Koçak,1979; *subtilis* Pages & Charmeux,1992.
- 1396.** *Polyommatus* (s.str. (*Sublysandra*)) *cornelius* *anatolicus* (Koçak,1975) (Lycaenidae) *anatolicus* Koçak,1975
- 1397.** *Polyommatus* (s.str. (*Sublysandra*)) *cornelius* *cornelius* (Freyer,[1850]) (Lycaenidae) *cornelius* Freyer,[1850]; *cornelia* Gerhard,[1851]; *candalus* Herrich-Schäffer,[1851]; *zuleikae* Pfeiffer,1932; *eberti* Koçak,1979; *subtilis* Pages & Charmeux,1992.
- 1398.** *Polyommatus* (s.str. (*Sublysandra*)) *myrrhus* (Herrich-Schäffer,[1852]) (Lycaenidae) *myrrhus* Herrich-Schäffer,[1852]
- 1399.** *Polyommatus* (s.str. (*Sublysandra*)) *myrrhus* *myrrhus* (Herrich-Schäffer,[1852]) (Lycaenidae) *myrrhus* Herrich-Schäffer,[1852]
- 1400.** *Polyommatus* (s.str. (*Thersitesia*)) *thersites* (Canterer,[1835]) (Lycaenidae) *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919.
- 1401.** *Polyommatus* (s.str. (*Thersitesia*)) *thersites* *ketshevanus* (Obraztsov,1936) (Lycaenidae) *ketshevana* Obraztsov,1936
- 1402.** *Polyommatus* (s.str.) *eroides* (Frivaldsky,1835) (Lycaenidae) *eroides* Frivaldsky,1835
- 1403.** *Polyommatus* (s.str.) *eroides* *eroides* (Frivaldsky,1835) (Lycaenidae) *eroides* Frivaldsky,1835
- 1404.** *Polyommatus* (s.str.) *erotulus* Nektutenko,1985 (Lycaenidae) *erotulus* Nektutenko,1985; *delessi* Carbonell,1994.
- 1405.** *Polyommatus* (s.str.) *erotulus* *molleti* Carbonell,[1994] (Lycaenidae) *molleti* Carbonell,[1994]
- 1406.** *Polyommatus* (s.str.) *forsteri* (Pfeiffer,1938) (Lycaenidae) *forsteri* Pfeiffer,1938
- 1407.** *Polyommatus* (s.str.) *forsteri* *yildizae* Koçak,1977 (Lycaenidae) *yildizae* Koçak,1977; *#yulduz* Korb,2000.
- 1408.** *Polyommatus* (s.str.) *icarus* (Rottemburg,1775) (Lycaenidae) *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fuscioles* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851;
- 1409.** *Polyommatus* (s.str.) *icarus* (Rottemburg,1775), ssp. (Lycaenidae) *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fuscioles* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851;
- 1410.** *Pseudophilotes* *vicrama* (Moore,1865) (Lycaenidae) *vicrama* Moore,1865
- 1411.** *Pseudophilotes* *vicrama* *schiffermuelleri* (Hemming,1929) (Lycaenidae) *hylas* Denis & Schiffermüller,1775 nec Linn.,1758; *schiffermuelleri* Hemming,1929.
- 1412.** *Quercusia* *quercus* (Linnaeus,1758) (Lycaenidae) *quercus* Linnaeus,1758
- 1413.** *Quercusia* *quercus* *quercus* (Linnaeus,1758) (Lycaenidae) *quercus* Linnaeus,1758; *longicauda* Riley,1921
- 1414.** *Rubrapteris* *bavius* (Eversmann,1832) (Lycaenidae) *bavius* Eversmann,1832
- 1415.** *Rubrapteris* *bavius* *egeus* (Herrich-Schäffer,[1852]) (Lycaenidae) *egea* Herrich-Schäffer,[1852]
- 1416.** *Rubrapteris* *bavius* *oenalpa* (Koçak,1975) (Lycaenidae) *oenalpa* Koçak,1975
- 1417.** *Satyrion* (*Nordmannia*) *abdominalis* (Gerhard,[1850]) (Lycaenidae) *abdominalis* Gerhard,[1850]; *gerhardi*

Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *#gerhardi* Wiltshire,1943; *elta* Higgins,1964.

1418. Satyrium (Nordmannia) abdominalis abdominalis (Gerhard,[1850]) (Lycaenidae) *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *#gerhardi* Wiltshire,1943; *elta* Higgins,1964.

1419. Satyrium (Nordmannia) acaciae (Fabricius,1787) (Lycaenidae) *acaciae* Fabricius,1787; *nostras* Courvoisier,1913; *guichardi* Higgins,1965.

1420. Satyrium (Nordmannia) acaciae acaciae (Fabricius,1787) (Lycaenidae) *acaciae* Fabricius,1787; *nostras* Courvoisier,1913; *guichardi* Higgins,1965.

1421. Satyrium (Nordmannia) armenum (Rebel,1901) (Lycaenidae) *armenum* Rebel,1901

1422. Satyrium (Nordmannia) armenum armenum (Rebel,1901) (Lycaenidae) *armenum* Rebel,1901

1423. Satyrium (Nordmannia) ilicis (Esper,[1779]) (Lycaenidae) *ilicis* Esper,[1779]

1424. Satyrium (Nordmannia) ilicis ilicis (Esper,[1779]) (Lycaenidae) *ilicis* Esper,[1779]; *linceus* Fabr.,1787; *caudatula* Zeller,1847; *bischoffii* Gerhard,1850; *cilicica* Holtz,1897; *syra* Pfeiffer,1932; *prinoptas* Zerny,1932.

1425. Satyrium (Nordmannia) zabni Oorschot & Brink,1991 (Lycaenidae) *#zabni* Higgins,1964; *zabni* Oorschot & Brink,1991.

1426. Satyrium (Nordmannia) zabni zabni Oorschot & Brink,1991 (Lycaenidae) *#zabni* Higgins,1964; *zabni* Oorschot & Brink,1991.

1427. Satyrium (Strymonidia) spini (Fabricius,1787) (Lycaenidae) *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] *nec* Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 *nec* Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Latini,1950.

1428. Satyrium (Strymonidia) spini spini (Fabricius,1787) (Lycaenidae) *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] *nec* Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 *nec* Fabricius,1787; *melantho* Klug,1834; *#albosparsa* Oberthür,1910; *anatolicus* De Latini,1950.

1429. Satyrium (Strymonidia) w-album (Knoch,1782) (Lycaenidae) *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911.

1430. Satyrium (Strymonidia) w-album w-album (Knoch,1782) (Lycaenidae) *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911.

1431. Satyrium (Superflua) hyrcanicum (Riley,1939) (Lycaenidae) *hyrcanicum* Riley,1939

1432. Satyrium (Superflua) hyrcanicum cyri Nekrutenko,1978 (Lycaenidae) *cyri* Nekrutenko,1978

1433. Satyrium (Superflua) ledereri (Boisduval,1848) (Lycaenidae) *ledereri* Boisduval,1848

1434. Satyrium (Superflua) ledereri ledereri (Boisduval,1848) (Lycaenidae) *ledereri* Boisduval,1848

1435. Scolitantides orion (Pallas,1771) (Lycaenidae) *orion* Pallas,1771; *battus* Denis & Schiffermüller,1775; *tephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943.

1436. Scolitantides orion orion (Pallas,1771) (Lycaenidae) *orion* Pallas,1771; *battus* Denis & Schiffermüller,1775; *tephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943.

1437. Tarucus (s.str.) balkanicus (Freyer,[1843]) (Lycaenidae) *balkanicus* Freyer,[1843]

1438. Tarucus (s.str.) balkanicus balkanicus (Freyer,[1843]) (Lycaenidae) *balkanicus* Freyer,[1843]

1439. Thecla betulae (Linnaeus,1758) (Lycaenidae) *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosa* Gerhard,[1850].

1440. Thecla betulae betulae (Linnaeus,1758) (Lycaenidae) *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosa* Gerhard,[1850].

1441. Thersamolycaena (Alciphronia) alciphron (Rottemburg,1775) (Lycaenidae) *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hier* Fabricius,1787.

1442. Thersamolycaena (Alciphronia) alciphron melibaeus (Staudinger,1878) (Lycaenidae) *melibaeus* Staudinger,1878; *fruginus* Fruhstorfer,1917.

1443. Thersamonia (s.str.) asabinus (Gerhard,[1850]) (Lycaenidae) *#helius* Herrich-Schäffer,[1851]; *asabinus* Herrich-Schäffer,[1852].

1444. Thersamonia (s.str.) asabinus asabinus (Gerhard,[1850]) (Lycaenidae) *#helius* Herrich-Schäffer,[1851]; *asabinus* Herrich-Schäffer,[1852].

1445. Thersamonia (s.str.) kefersteinii (Gerhard,[1850]) (Lycaenidae) *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *#ochimus* Herrich-Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852].

1446. Thersamonia (s.str.) kefersteinii kefersteinii (Gerhard,[1850]) (Lycaenidae) *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *#ochimus* Herrich-Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852].

1447. Thersamonia (s.str.) lampon (Lederer,1870) (Lycaenidae) *lampon* Lederer,1870

1448. Thersamonia (s.str.) lampon lampon (Lederer,1870) (Lycaenidae) *lampon* Lederer,1870

1449. Thersamonia (s.str.) thersamon (Esper,[1784]) (Lycaenidae) *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Biener,1870; *#militaris* Graves,1925.

1450. Thersamonia (s.str.) thersamon thersamon (Esper,[1784]) (Lycaenidae) *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Biener,1870; *#militaris* Graves,1925.

1451. Thersamonia (s.str.) thetis (Klug,1834) (Lycaenidae) *thetis* Klug,1834.

1452. Thersamonia (s.str.) thetis thetis (Klug,1834) (Lycaenidae) *thetis* Klug,1834.

1453. Tomares (nogelii) dobrogensis (Caradja,1895) (Lycaenidae) *obscura* Rühl,[1893]

1454. Tomares (nogelii) dobrogensis uighurica Koçak, Seven & Kemal,2000 (Lycaenidae) *uighurica* Koçak, Seven & Kemal,2000; *#pallidior* Koçak, Seven & Kemal,2000.

1455. Tomares (nogelii) nesimachus (Oberthür,1893) (Lycaenidae) *nesimachus* Oberthür,1893

1456. Tomares (nogelii) nesimachus nesimachus (Oberthür,1893) (Lycaenidae) *nesimachus* Oberthür,1893

1457. Tomares (nogelii) nogelii (Freyer,[1851]) (Lycaenidae) *#nogelii* Herrich-Schäffer,[1851]; *nogelii* Freyer,[1851]; *nogelii* Herrich-Schäffer,[1852]

1458. Tomares (nogelii) nogelii aurantiaca (Staudinger,1901) (Lycaenidae) *aurantiaca* Staudinger,1901

1459. Tomares (nogelii) nogelii cesa Koçak, Seven & Kemal,2000 (Lycaenidae) *cesa* Koçak, Seven & Kemal,2000

1460. Tomares (nogelii) nogelii nogelii (Freyer,[1851]) (Lycaenidae) *#nogelii* Herrich-Schäffer,[1851]; *nogelii* Freyer,[1851]; *nogelii* Herrich-Schäffer,[1852]

1461. Tomares (nogelii) nogelii obscura (Rühl,[1893]) (Lycaenidae) *obscura* Rühl,[1893]

1462. Tomares callimachus (Eversmann,1848) (Lycaenidae) *callimachus* Eversmann,1848

1463. Tomares callimachus callimachus (Eversmann,1848) (Lycaenidae) *callimachus* Eversmann,1848

1464. Tomares romanovi (Christoph,1882) (Lycaenidae) *romanovi* Christoph,1882

1465. Tomares romanovi romanovi (Christoph,1882) (Lycaenidae) *romanovi* Christoph,1882

1466. Turanana endymion (Freyer,[1850]) (Lycaenidae) *endymion* Freyer,[1850]

1467. Turanana endymion endymion (Freyer,[1850]) (Lycaenidae) *endymion* Freyer,[1850]

1468. Turanana taygetica (Rebel,1902) (Lycaenidae) *taygetica* Rebel,1902

1469. Turanana taygetica endymioides Coutsis,2005 (Lycaenidae) *endymioides* Coutsis,2005

1470. Dicallopera fascelina (Linnaeus,1758) (Lymantriidae) *fascelina* Linnaeus,1758; *medicaginis* Hübner,[1803]; *danieli* De Freina,1979.

1471. Euproctis chrysorrhoea (Linnaeus,1758) (Lymantriidae) *chrysorrhoea* Linnaeus,1758; *phaeorrhoeus* Haworth,1803

1472. Euproctis melania (Staudinger,1892) (Lymantriidae) *melania* Staudinger,1892; *melaniodes* Strand,1910.

1473. Euproctis similis (Fuessly,1775) (Lymantriidae) *similis* Fuessly,1775; *rebeli* Haberhauer,1902.

1474. Leucoma salicis (Linnaeus,1758) (Lymantriidae) *salicis* Linnaeus,1758; *apparens* Retzius,1783; *salicinus* Haworth,1803;

xanthocampa Dyar, 1905; *coreacola* Matsumura, 1933; *sjoquisti* Bryk, 1942; *variabilis* Bryk, 1949

1475. *Leucoma salicis salicis* (Linnaeus, 1758) (Lymantriidae) *salicis* Linnaeus, 1758; *apparens* Retzius, 1783; *salicinus* Haworth, 1803; *xanthocampa* Dyar, 1905; *coreacola* Matsumura, 1933; *sjoquisti* Bryk, 1942; *variabilis* Bryk, 1949

1476. *Lymantria destituta* (Staudinger, 1892) (Lymantriidae) *destituta* Staudinger, 1892; *maraschi* Daniel, 1932.

1477. *Lymantria dispar* (Linnaeus, 1758) (Lymantriidae) *dispar* Linnaeus, 1758; *disparina* Müller, 1802; *japonica* Motschulsky, 1860; *disparoides* Mabil, 1876; *bordigalensis* Mabil, 1876; *asiatica* Wnukowsky, 1926

1478. *Lymantria lapidicola* Herrich-Schäffer, [1852] (Lymantriidae) *lapidicola* Herrich-Schäffer, [1852]

1479. *Lymantria lapidicola urbicola* Staudinger, 1879 (Lymantriidae) *urbicola* Staudinger, 1879

1480. *Orgyia antiqua* (Linnaeus, 1758) (Lymantriidae) *antiqua* Linnaeus, 1758; *gonostigma* Scopoli, 1763; *paradoxa* Retzius, 1783; *modesta* Heyne, 1899; *manchurica* Matsumura, 1931;

1481. *Orgyia dubia* (Tauscher, 1806) (Lymantriidae) *dubia* Tauscher, 1806

1482. *Orgyia dubia turcica* (Lederer, 1852) (Lymantriidae) *turcica* Lederer, 1852

1483. *Parocneria detrita* (Esper, [1785]) (Lymantriidae) *detrita* Esper, [1785]; *orientalis* Schwingenschuss, 1939; *orientis* Daniel, 1963

1484. *Parocneria terebinthi* (Freyer, [1838]) (Lymantriidae) *terebinthi* Freyer, [1838]

1485. *Lyonetia clerkella* (Linnaeus, 1758) (Lyoniidae) *clerkella* Linnaeus, 1758; *penicilla* Borkhausen, 1794; *cerasifoliella* Hübner, 1796; *malifoliella* Hübner, 1796; *malella* Schrank, 1802; *autumnella* Curtis, 1829; *unipunctella* Stephens, 1829; *semiaurella* Stephens, 1829; *nivella* Stephens, 1829; *aereella* Treitschke, 1833; *phrynella* Costa, [1836]; *fonscolombella* Duponchel, [1840]; *magnimaculella* Bruand, 1859

1486. *Micropterigina amasiella* (Staudinger, 1880) (Micropterigidae) *amasiella* Staudinger, 1880

1487. *Micropterix aureatella* (Scopoli, 1763) (Micropterigidae) *aureatella* Scopoli, 1763; *ammanella* Hübner, [1813]; *allionella* sensu Stainton, 1850

1488. *Micropterix rothenbachii* (Frey, 1856) (Micropterigidae) *rothenbachii* Frey, 1856; *rothenbachella* Herrich-Schäffer, 1862; *australis* Heath, 1981; *vallebonnella* Réal, 1988

1489. *Mompha (Lophoptilus) miscella* ([Denis & Schiffmüller], 1775) (Mompidae) *miscella* [Denis & Schiffmüller], 1775; *staintoni* Sircom, 1848; *opacella* Müller-Rutz, 1934.

1490. *Mompha (s.str.) divisella* Herrich-Schäffer, 1854 (Mompidae) *divisella* Herrich-Schäffer, 1854; *decorella* Stainton, 1854.

1491. *Ectoedemia (s.str.) arcuatella* (Herrich-Schäffer, 1855) (Nepticulidae) *arcuatella* Herrich-Schäffer, 1855

1492. *Stigmella aceris* (Frey, 1857) (Nepticulidae) *aceris* Frey, 1857; *penicillata* Heinemann & Wocke, 1877

1493. *Stigmella bicuspidata* Nieukerken & Johansson, 2003 (Nepticulidae) *bicuspidata* Nieukerken & Johansson, 2003

1494. *Stigmella carpinella* (Heinemann, 1862) (Nepticulidae) *carpinella* Heinemann, 1862

1495. *Stigmella cocciferae* Nieukerken & Johansson, 2003 (Nepticulidae) *cocciferae* Nieukerken & Johansson, 2003

1496. *Stigmella eberhardi* (Johansson, 1971) (Nepticulidae) *eberhardi* Johansson, 1971

1497. *Stigmella mespilicola* (Frey, 1856) (Nepticulidae) *mespilicola* Frey, 1856; *ariella* Herrich-Schäffer, 1860

1498. *Stigmella muricatella* Klimesch, 1978 (Nepticulidae) *muricatella* Klimesch, 1978

1499. *Stigmella roborella* (Johansson, 1971) (Nepticulidae) *roborella* Johansson, 1971

1500. *Stigmella samiatella* (Zeller, 1839) (Nepticulidae) *samiatella* Zeller, 1839

1501. *Stigmella szoeciella* (Borkowski, 1972) (Nepticulidae) *szoeciella* Borkowski, 1972

1502. *Stigmella zangherii* (Klimesch, 1951) (Nepticulidae) *zangherii* Klimesch, 1951

1503. *Trifurcula (Glaucolipsis) albiflorella* Klimesch, 1978 (Nepticulidae) *albiflorella* Klimesch, 1978

1504. *Abrostola agnorista* Dufay, 1956 (Noctuidae) *agnorista* Dufay, 1956

1505. *Abrostola clarissa* (Staudinger, 1900) (Noctuidae) *clarissa* Staudinger, 1900

1506. *Abrostola tripartita* (Hufnagel, 1766) (Noctuidae) *tripartita* Hufnagel, 1766; *trigemina* Werneburg, 1864.

1507. *Abrostola triplasia* (Linnaeus, 1758) (Noctuidae) *triplasia* Linnaeus, 1758; *trigemina* Werneburg, 1864.

1508. *Acantholipes regularis* (Hübner, [1813]) (Noctuidae) *regularis* Hübner, [1813]

1509. *Acantholipes regularis regularis* (Hübner, [1813]) (Noctuidae) *regularis* Hübner, [1813]

1510. *Acontia lucida* (Hufnagel, 1766) (Noctuidae) *lucida* Hufnagel, 1766; *solaris* [Denis & Schiffmüller], 1775; *albicollis* Fabricius, 1781; *rupicola* Borkhausen, 1792; *insolatrix* Hübner, [1822]; *lugens* Alpheraky, 1889.

1511. *Acontia titania* (Esper, [1798]) (Noctuidae) *titania* Esper, [1798]; *urania* Frivaldsky, 1835; *eversmanni* Kolenati, 1846.

1512. *Acronicta (Subacronicta) megacephala* (Fabricius, 1787) (Noctuidae) *megacephala* Fabricius, 1787; *ankarensis* Hering, 1933.

1513. *Acronicta (Triaena) aceris* (Linnaeus, 1758) (Noctuidae) *aceris* Linnaeus, 1758

1514. *Acronicta (Triaena) aceris aceris* (Linnaeus, 1758) (Noctuidae) *aceris* Linnaeus, 1758

1515. *Acronicta (Triaena) aceris judaea* (Staudinger, 1901) (Noctuidae) *judaea* Staudinger, 1901; *taurica* Staudinger, 1901; *johanna* Schawerda, 1940.

1516. *Acronicta (Triaena) psi* (Linnaeus, 1758) (Noctuidae) *psi* Linnaeus, 1758

1517. *Acronicta (Triaena) psi psi* (Linnaeus, 1758) (Noctuidae) *psi* Linnaeus, 1758

1518. *Acronicta (Triaena) tridens* ([Denis & Schiffmüller], 1775) (Noctuidae) *tridens* [Denis & Schiffmüller], 1775; *karghalika* Moore, 1878.

1519. *Acronicta (Viminia) auricoma* (Fabricius, 1787) (Noctuidae) *#auricoma* [Denis & Schiffmüller], 1775; *auricoma* Fabricius, 1787; *lapathi* Schrank, 1801; *similis* Haworth, 1809; *pepli* Hübner, [1813]; *alpina* Freyer, 1858

1520. *Acronicta (Viminia) euphorbiae* (Denis, 1785) (Noctuidae) *#euphorbiae* [Denis & Schiffmüller], 1775; *euphorbiae* Denis, 1785; *montivaga* Guenée, 1852; *ottomana* Draudt, 1931; *garbowskii* Wojtusiak & Niesiolowski, 1946.

1521. *Acronicta (Viminia) orientalis* Mann, 1862 (Noctuidae) *orientalis* Mann, 1862

1522. *Acronicta (Viminia) rumicis* (Linnaeus, 1758) (Noctuidae) *rumicis* Linnaeus, 1758; *litterata* Panzer, 1804; *salicis* Curtis, 1826; *diffusa* Walker, 1857

1523. *Acronicta (Viminia) rumicis pallida* Rothschild, 1920 (Noctuidae) *pallida* Rothschild, 1920

1524. *Actebia praecox* (Linnaeus, 1758) (Noctuidae) *praecox* Linnaeus, 1758; *praiceps* Denis & Schiffmüller, [1775].

1525. *Actebia praecox praecox* (Linnaeus, 1758) (Noctuidae) *praecox* Linnaeus, 1758; *praiceps* Denis & Schiffmüller, [1775].

1526. *Actinotia radiosa* (Esper, [1804]) (Noctuidae) *radiosa* Esper, [1804]; *lyncea* Hübner, [1809] (*praecox*.)

1527. *Aedia funesta* (Esper, [1786]) (Noctuidae) *funesta* Esper, [1786]

1528. *Aedia leucomelas* (Linnaeus, 1758) (Noctuidae) *leucomelas* Linnaeus, 1758; *ramburii* Boisduval, 1829; *adepta* Geyer, 1832; *olivascens* Guenée, 1852; *limitaris* Walker, [1863]; *shisa* Strand, 1920; *thomae* Prout, 1927; *albidiscalis* Roepke, 1932; *ermanniae* Berio, 1989

1529. *Aedophron phlebobrora* Lederer, 1858 (Noctuidae) *phlebobrora* Lederer, 1858

1530. *Aedophron rhodites* (Eversmann, 1851) (Noctuidae) *rhodites* Eversmann, 1851; *aurorina* Herrich-Schäffer, [1852].

1531. *Aegle diatemma* Boursin, 1962 (Noctuidae) *diatemma* Boursin, 1962

1532. *Aegle kaekeritziana* (Hübner, [1799]) (Noctuidae) *kaekeritziana* Hübner, [1799]; *flava* Hübner, [1809]; *flavida* Ochsenheimer, 1816.

1533. *Aegle nubila* (Staudinger, 1892) (Noctuidae) *nubila* Staudinger, 1892

1534. *Aegle rebeli* Schawerda, 1923 (Noctuidae) *rebeli* Schawerda, 1923

- 1535.** *Aegle semicana* (Esper,[1798]) (Noctuidae) *semicana* Esper,[1798]; *vespertalis* Hübner,[1813]; *mimetus* Brandt,1938.
- 1536.** *Aegle semicana semicana* (Esper,[1798]) (Noctuidae) *semicana* Esper,[1798]; *vespertalis* Hübner,[1813]
- 1537.** *Agrochola* (*Alpichola*) *egorovi* (Bang-Haas,1934) (Noctuidae) *egorovi* Bang-Haas,1934
- 1538.** *Agrochola* (*Alpichola*) *egorovi* *egorovi* (Bang-Haas,1934) (Noctuidae) *egorovi* Bang-Haas,1934
- 1539.** *Agrochola* (*Alpichola*) *egorovi* *laciniatae* Wiltshire,1958 (Noctuidae) *laciniatae* Wiltshire,1958
- 1540.** *Agrochola* (*Alpichola*) *janhillmanni* Hacker & Moberg,1989 (Noctuidae) *janhillmanni* Hacker & Moberg,1989
- 1541.** *Agrochola* (*Alpichola*) *lactiflora* (Draudt,1934) (Noctuidae) *lactiflora* Draudt,1934
- 1542.** *Agrochola* (*Alpichola*) *lactiflora* *lactiflora* (Draudt,1934) (Noctuidae) *lactiflora* Draudt,1934
- 1543.** *Agrochola* (*Alpichola*?) *gratiosa* (Staudinger,1882) (Noctuidae) *gratiosa* Staudinger,1881.
- 1544.** *Agrochola* (*Anchoscelis*) *consueta* (Herrich-Schäffer,[1852]) (Noctuidae) *consueta* Herrich-Schäffer,[1852]
- 1545.** *Agrochola* (*Anchoscelis*) *deleta* (Staudinger,1881) (Noctuidae) *deleta* Staudinger,1881
- 1546.** *Agrochola* (*Anchoscelis*) *helvola* (Linnaeus,1758) (Noctuidae) *helvola* Linnaeus,1758; *rufina* Linnaeus,1758; *#fulvago* Clerck,1759.
- 1547.** *Agrochola* (*Anchoscelis*) *helvola* *pallescens* (Osthelder,1933) (Noctuidae) *#pallescens* Warren,1911; *pallescens* Osthelder,1933; *vulpina* De Lattin,1950.
- 1548.** *Agrochola* (*Anchoscelis*) *humilis* (Fabricius,1787) (Noctuidae) *#humilis* [Denis & Schiffermüller],1775; *humilis* Fabricius,1787
- 1549.** *Agrochola* (*Anchoscelis*) *humilis* *anatolica* Pinker,1980 (Noctuidae) *anatolica* Pinker,1980
- 1550.** *Agrochola* (*Anchoscelis*) *kindermannii* (Fischer v. Röslerstamm,[1841]) (Noctuidae) *kindermannii* Fischer v. Röslerstamm,[1841]; *ballotae* Duponchel,[1842]; *cindermanni* Hampson,1906; *rufa* Osthelder,1933; *wolfschlaegeri* Boursin,1953.
- 1551.** *Agrochola* (*Anchoscelis*) *litura* (Linnaeus,1761) (Noctuidae) *litura* Linnaeus,1761
- 1552.** *Agrochola* (*Anchoscelis*) *litura* *litura* (Linnaeus,1761) (Noctuidae) *litura* Linnaeus,1761
- 1553.** *Agrochola* (*Anchoscelis*) *lota* (Clerck,1759) (Noctuidae) *#lota* Clerck,1759
- 1554.** *Agrochola* (*Anchoscelis*) *lota* *lota* (Clerck,1759) (Noctuidae) *#lota* Clerck,1759
- 1555.** *Agrochola* (*Anchoscelis*) *luteogrisea* (W.Warren,1911) (Noctuidae) *luteogrisea* W.Warren,1911
- 1556.** *Agrochola* (*Anchoscelis*) *macilenta* (Hübner,[1809]) (Noctuidae) *macilenta* Hübner,[1809]
- 1557.** *Agrochola* (*Anchoscelis*) *macilenta* *macilenta* (Hübner,[1809]) (Noctuidae) *macilenta* Hübner,[1809]
- 1558.** *Agrochola* (*Anchoscelis*) *nitida* (Fabricius,1787) (Noctuidae) *#nitida* [Denis & Schiffermüller],1775; *nitida* Fabricius,1787
- 1559.** *Agrochola* (*Anchoscelis*) *osthelderi* Boursin,1951 (Noctuidae) *osthelderi* Boursin,1951
- 1560.** *Agrochola* (*Anchoscelis*) *rupicapra* (Staudinger,1879) (Noctuidae) *rupicapra* Staudinger,1879
- 1561.** *Agrochola* (*Frivaldskyola*) *mansueta* (Herrich-Schäffer,[1850]) (Noctuidae) *mansueta* Herrich-Schäffer,[1850]; *pontica* Staudinger,1901.
- 1562.** *Agrochola* (*Propenistra*) *laevis* (Hübner,[1803]) (Noctuidae) *laevis* Hübner,[1803]
- 1563.** *Agrochola* (*Sunira*) *circellaris* (Hufnagel,1766) (Noctuidae) *circellaris* Hufnagel,1766
- 1564.** *Agrochola* (s.str.) *pistacina* (Goeze,1781) (Noctuidae) *#lychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781.
- 1565.** *Agrochola* (s.str.) *pistacina* *aequalis* Hacker & Stengel,1996 (Noctuidae) *aequalis* Hacker & Stengel,1996
- 1566.** *Agrotis* (*Crassagrotis*) *bigramma* (Esper,[1790]) (Noctuidae) *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891.
- 1567.** *Agrotis* (*Crassagrotis*) *obesa* (Boisduval,1829) (Noctuidae) *obesa* Boisduval,1840
- 1568.** *Agrotis* (*Crassagrotis*) *obesa* *scytha* Alpheraky,1889 (Noctuidae) *scytha* Alpheraky,1889; *nivea* Caradja,1932.
- 1569.** *Agrotis* (*Putagrotis*) *herzogi* (Rebel,1911) (Noctuidae) *herzogi* Rebel,1911; *hoggari* Rothschild,1920; *minima* Turati,1924; *securifera* Turati,1924; *saracenica* Tams,1925; *leroyi* Lucas,1940
- 1570.** *Agrotis* (*Putagrotis*) *puta* (Hübner,[1803]) (Noctuidae) *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylla* Treitl,1826; *radiola* Stephens,1829; *catalaunensis* Milliere,1873; *meridionalis* Spuler,1905; *andreasii*, *minima*, *silvestrii* Turati,1924; *insula* Richardson,1958.
- 1571.** *Agrotis* (*Putagrotis*) *syricola* Berio,1936 (Noctuidae) *#syricola* Corti & Draudt,1933; *syricola* Berio,1936
- 1572.** *Agrotis* (s.str.) *cinerea* ([Denis & Schiffermüller],1775) (Noctuidae) *cinerea* [Denis & Schiffermüller],1775; *obscura* Hübner,[1803]; *dentimaculatus* Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886; *alpigena* Calberla,1888; *tephrina* Staudinger,1901; *eximia* Culot,1910.
- 1573.** *Agrotis* (s.str.) *clavis* (Hufnagel,1766) (Noctuidae) *clavis* Hufnagel,1766; *corticea* [Denis & Schiffermüller],1775; *clavigerus* Haworth,1803; *subfuscus* Haworth,1803; *sincerii* Freyer,1849; *transversa* Walker,[1857]; *neocomensis* Rougemont,1902.
- 1574.** *Agrotis* (s.str.) *clavis* *clavis* (Hufnagel,1766) (Noctuidae) *clavis* Hufnagel,1766; *corticea* [Denis & Schiffermüller],1775; *clavigerus* Haworth,1803; *subfuscus* Haworth,1803; *sincerii* Freyer,1849; *transversa* Walker,[1857]; *neocomensis* Rougemont,1902.
- 1575.** *Agrotis* (s.str.) *desertorum* Boisduval,1840 (Noctuidae) *desertorum* Boisduval,1840
- 1576.** *Agrotis* (s.str.) *desertorum* *wagneri* Schwingenschuss,1938 (Noctuidae) *#wagneri* Corti & Draudt,1933; *wagneri* Schwingenschuss,1938
- 1577.** *Agrotis* (s.str.) *exclamationis* (Linnaeus,1758) (Noctuidae) *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 *nec* Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934.
- 1578.** *Agrotis* (s.str.) *ipsilon* (Hufnagel,1766) (Noctuidae) *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789.
- 1579.** *Agrotis* (s.str.) *scruposa* (Draudt,1936) (Noctuidae) *scruposa* Draudt,1936
- 1580.** *Agrotis* (s.str.) *segetum* ([Denis & Schiffermüller],1775) (Noctuidae) *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (*praeocc.*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *scula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886.
- 1581.** *Agrotis* (s.str.) *trux* (Hübner,[1824]) (Noctuidae) *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
- 1582.** *Agrotis* (s.str.) *trux* *trux* (Hübner,[1824]) (Noctuidae) *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
- 1583.** *Albocosta* *musiva* (Hübner,[1803]) (Noctuidae) *musiva* Hübner,[1803]
- 1584.** *Albocosta* *musiva* *musiva* (Hübner,[1803]) (Noctuidae) *musiva* Hübner,[1803]
- 1585.** *Allophytes* *asiatica* (Staudinger,1892) (Noctuidae) *asiatica* Staudinger,1892
- 1586.** *Allophytes* *asiatica* *asiatica* (Staudinger,1892) (Noctuidae) *asiatica* Staudinger,1892
- 1587.** *Allophytes* *benedictina* (Staudinger,1892) (Noctuidae) *benedictina* Staudinger,1892
- 1588.** *Allophytes* *benedictina* *benedictina* (Staudinger,1892) (Noctuidae) *benedictina* Staudinger,1892
- 1589.** *Allophytes* *metaxys* Boursin,1953 (Noctuidae) *metaxys* Boursin,1953
- 1590.** *Allophytes* *oxyacanthae* (Linnaeus,1758) (Noctuidae) *oxyacanthae* Linnaeus,1758; *capucina* Milliere,1870; *corsica*

- Spuler*,1905; *alfaroi* Agenjo,1951; *powelli* Rungs,[1953]; *protai* Boursin,1966; *dujardini* Boursin,1968; *parenzani* De Laever,1977.
- 1591.** *Amephana aurita* (Fabricius,1787) (Noctuidae) *aurita* Fabricius,1787
- 1592.** *Amephana dalmatica* (Rebel,1919) (Noctuidae) *dalmatica* Rebel,1919
- 1593.** *Ammoconia caecimacula* (Fabricius,1787) (Noctuidae) *caecimacula* Fabricius,1787
- 1594.** *Ammoconia caecimacula caecimacula* (Fabricius,1787) (Noctuidae) *caecimacula* Fabricius,1787
- 1595.** *Ammoconia caecimacula transcaucasica* Ronkay & Varga,1984 (Noctuidae) *transcaucasica* Ronkay & Varga,1984
- 1596.** *Ammoconia senex* (Geyer,[1828]) (Noctuidae) *senex* Geyer,[1828].
- 1597.** *Ammoconia senex victoris* Ronkay & Varga,1984 (Noctuidae) *victoris* Ronkay & Varga,1984
- 1598.** *Amphipoea oculea* (Linnaeus,1761) (Noctuidae) *oculea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffermüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei* Oberthür,1918.
- 1599.** *Amphipoea oculea oculea* (Linnaeus,1761) (Noctuidae) *oculea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffermüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei* Oberthür,1918.
- 1600.** *Amphipyra berbera* Rungs,1949 (Noctuidae) *#variegata* W.Warren,1911; *berbera* Rungs,1949
- 1601.** *Amphipyra berbera svenssoni* D.S.Fletcher,1968 (Noctuidae) *svenssoni* D.S.Fletcher,1968
- 1602.** *Amphipyra livida* ([Denis & Schiffermüller],1775) (Noctuidae) *livida* [Denis & Schiffermüller],1775
- 1603.** *Amphipyra micans* Lederer,1857 (Noctuidae) *micans* Lederer,1857
- 1604.** *Amphipyra perflua* (Fabricius,1787) (Noctuidae) *perflua* Fabricius,1787; *ulmea* Schrank,1801; *pyramidina* Esper,[1803].
- 1605.** *Amphipyra pyramidea* (Linnaeus,1758) (Noctuidae) *pyramidea* Linnaeus,1758
- 1606.** *Amphipyra stix* Herrich-Schäffer,[1850] (Noctuidae) *stix* Herrich-Schäffer,[1850]; *#styx* Staudinger,1879.
- 1607.** *Amphipyra submicans* Kuznetsov,1958 (Noctuidae) *submicans* Kuznetsov,1958
- 1608.** *Amphipyra submicans kautti* Hacker,1998 (Noctuidae) *kautti* Hacker,1998
- 1609.** *Amphipyra tetra* (Fabricius,1787) (Noctuidae) *tetra* Fabricius,1787
- 1610.** *Amphipyra tetra pallida* Staudinger,1901 (Noctuidae) *pallida* Staudinger,1901
- 1611.** *Amphipyra tragopoginis* (Clerck,1759) (Noctuidae) *#tragopoginis* Clerck,1759; *luciola* Hufnagel,1766.
- 1612.** *Anaplectoides prasina* (Goeze,1781) (Noctuidae) *#prasina* [Denis & Schiffermüller],1775; *#hebrida* [Denis & Schiffermüller],1775; *prasina* Goeze,1781; *egregia* Esper,[1787]; *jaspidea* Borkhausen,1792 *nec* De Vill.,1789; *mixta* Haworth,1809 *nec* Fabr.,1787; *herbacea* Guenée,1852; *albimacula* Hormuzaki,1894
- 1613.** *Antarchaea conicephala* (Staudinger,1870) (Noctuidae) *conicephala* Staudinger,1870; *fumicollis* Rogenhofer,1873.
- 1614.** *Antarchaea numisma* (Hübner,[1803]) (Noctuidae) *numisma* Hübner,[1803]; *leda* Herrich-Schäffer,1851.
- 1615.** *Antholopha gloriosa* (Staudinger,1892) (Noctuidae) *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta* Osthelder,1933; *#grisea* Osthelder,1933.
- 1616.** *Antholopha gloriosa gloriosa* (Staudinger,1892) (Noctuidae) *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta* Osthelder,1933; *#grisea* Osthelder,1933.
- 1617.** *Antholopha gloriosa victorina* Ronkay,1990 (Noctuidae) *victorina* Ronkay,1990
- 1618.** *Antitype chi* (Linnaeus,1758) (Noctuidae) *chi* Linnaeus,1758; *olivacea* Stephens,1829; *marsicana* Dannehl,1929.
- 1619.** *Antitype jonis* (Lederer,1865) (Noctuidae) *jonis* Lederer,1865; *amasina* Staudinger,1901.
- 1620.** *Anuga constricta* Guenée,1852 (Noctuidae) *constricta* Guenée,1852; *complexa* Walker,1858; *glaucopoides* Walker,1864; *macrocera* Snellen,1880
- 1621.** *Anuga multiplicans* (Walker,1858) (Noctuidae) *multiplicans* Walker,1858
- 1622.** *Apamea anceps* ([Denis & Schiffermüller],1775) (Noctuidae) *anceps* [Denis & Schiffermüller],1775
- 1623.** *Apamea crenata* (Hufnagel,1766) (Noctuidae) *crenata* Hufnagel,1766; *rurea* Fabricius,1775; *alopecurus* Esper,[1788]; *combusta* Hübner,[1808]; *hirticornus* Haworth,1812.
- 1624.** *Apamea euxinia* Hacker,1985 (Noctuidae) *euxinia* Hacker,1985
- 1625.** *Apamea ferrago* (Eversmann,1837) (Noctuidae) *ferrago* Eversmann,1837
- 1626.** *Apamea ferrago ferrago* (Eversmann,1837) (Noctuidae) *ferrago* Eversmann,1837
- 1627.** *Apamea furva* ([Denis & Schiffermüller],1775) (Noctuidae) *#furva* [Denis & Schiffermüller],1775
- 1628.** *Apamea furva furva* ([Denis & Schiffermüller],1775) (Noctuidae) *#furva* [Denis & Schiffermüller],1775
- 1629.** *Apamea illyria* Freyer,1846 (Noctuidae) *illyria* Freyer,1846
- 1630.** *Apamea lateritia* (Hufnagel,1766) (Noctuidae) *lateritia* Hufnagel,1766; *molochina* Hübner,[1803].
- 1631.** *Apamea lateritia lateritia* (Hufnagel,1766) (Noctuidae) *lateritia* Hufnagel,1766; *molochina* Hübner,[1803].
- 1632.** *Apamea leucodon* (Eversmann,1837) (Noctuidae) *leucodon* Eversmann,1837
- 1633.** *Apamea leucodon anatolica* (Rebel,1933) (Noctuidae) *anatolica* Rebel,1933
- 1634.** *Apamea lithoxylaea* (Fabricius,1787) (Noctuidae) *#lithoxylaea* [Denis & Schiffermüller],1775; *lithoxylaea* Fabricius,1787.
- 1635.** *Apamea lithoxylaea lithoxylaea* (Fabricius,1787) (Noctuidae) *#lithoxylaea* [Denis & Schiffermüller],1775; *lithoxylaea* Fabricius,1787.
- 1636.** *Apamea maraschi* (Draudt,1934) (Noctuidae) *maraschi* Draudt,1934
- 1637.** *Apamea maraschi maraschi* (Draudt,1934) (Noctuidae) *maraschi* Draudt,1934
- 1638.** *Apamea monoglypha* (Hufnagel,1766) (Noctuidae) *polyodon* Linnaeus,1761 *nec* Cl.,1759; *monoglypha* Hufnagel,1766.
- 1639.** *Apamea oblonga* (Haworth,[1809]) (Noctuidae) *oblonga* Haworth,[1809]; *abjecta* Hübner,[1813].
- 1640.** *Apamea platinea* (Treitschke,1825) (Noctuidae) *platinea* Treitschke,1825; *grisescens* Toulesschikov,1951 *nec* Staudinger,1889; *toulesschkoffi* Koçak,1980.
- 1641.** *Apamea platinea montana* (Herrich-Schäffer,1852) (Noctuidae) *montana* Herrich-Schäffer,1852; *armena* Eversmann,1856; *farinulenta* Christoph,1893; *pentheri* Rebel,1905.
- 1642.** *Apamea polyglypha* (Staudinger,1892) (Noctuidae) *polyglypha* Staudinger,1892
- 1643.** *Apamea polyglypha polyglypha* (Staudinger,1892) (Noctuidae) *polyglypha* Staudinger,1892
- 1644.** *Apamea remissa* (Hübner,[1809]) (Noctuidae) *remissa* Hübner,[1809]
- 1645.** *Apamea scolopacina* (Esper,1788) (Noctuidae) *scolopacina* Esper,1788
- 1646.** *Apamea sicula* (Turati,1909) (Noctuidae) *sicula* Turati,1909
- 1647.** *Apamea sordens* (Hufnagel,1766) (Noctuidae) *sordens* Hufnagel,1766
- 1648.** *Apamea sublustris* (Esper,[1788]) (Noctuidae) *sublustris* Esper,[1788]
- 1649.** *Apamea syriaca* (Osthelder,1933) (Noctuidae) *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969.
- 1650.** *Apamea unanimes* (Hübner,[1813]) (Noctuidae) *unanimes* Hübner,[1813]
- 1651.** *Apautis rupicola* ([Denis & Schiffermüller],1775) (Noctuidae) *rupicola* [Denis & Schiffermüller],1775; *palliat*a Fabricius,1787; *pallium* Borkhausen,1792; *heliophila* Hübner,[1803]
- 1652.** *Apopestes noe* Ronkay,1990 (Noctuidae) *noe* Ronkay,1990
- 1653.** *Apopestes phantasma* (Eversmann,1843) (Noctuidae) *phantasma* Eversmann,1843; *centralasiae* Warren,1913.
- 1654.** *Apopestes spectrum* (Esper,[1787]) (Noctuidae) *spectrum* Esper,[1787]
- 1655.** *Aporophyla australis* (Boisduval,1829) (Noctuidae) *australis* Boisduval,1829
- 1656.** *Aporophyla canescens* (Duponchel,1826) (Noctuidae) *canescens* Duponchel,1826; *pumicosa* Geyer,[1832]; *asphodeli* Rambur,1832; *plumbea* Staudinger,1895; *plumbina* Osthelder,1933.

- 1657.** *Aporophyla nigra* (Haworth,[1809]) (Noctuidae) *lunula* Ström,1783 *nec* Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops Ochsenheimer*,1816; *seileri Fuchs*,1901
- 1658.** *Aporophyla nigra cinerea* Staudinger,1901 (Noctuidae) *cinerea* Staudinger,1901
- 1659.** *Archanara algae* (Esper,[1789]) (Noctuidae) *algae* Esper,[1789]
- 1660.** *Archanara geminipuncta* (Haworth,1809) (Noctuidae) *geminipuncta* Haworth,1809; *paludicola* Hübner,[1817].
- 1661.** *Archanara geminipuncta orientalis* (Wagner,1930) (Noctuidae) *orientalis* Wagner,1930
- 1662.** *Archanara sparganii* (Esper,[1790]) (Noctuidae) *sparganii* Esper,[1790]; *strigosa* Staudinger,1892.
- 1663.** *Archanara sparganii sparganii* (Esper,[1790]) (Noctuidae) *sparganii* Esper,[1790]
- 1664.** *Arenostola phragmitidis* (Hübner,[1803]) (Noctuidae) *phragmitidis* Hübner,[1803]
- 1665.** *Arenostola unicolor* W.Warren,1914 (Noctuidae) *unicolor* W.Warren,1914
- 1666.** *Arenostola unicolor wiltshirei* Hacker,1996 (Noctuidae) *wiltshirei* Hacker,1996
- 1667.** *Argyrospila succinea* (Esper,[1798]) (Noctuidae) *succinea* Esper,[1798]
- 1668.** *Armada panaceorum* (Ménétriés,1849) (Noctuidae) *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
- 1669.** *Armada panaceorum panaceorum* (Ménétriés,1849) (Noctuidae) *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
- 1670.** *Asteroscopus syriaca* (Warren,1910) (Noctuidae) *syriaca* Warren,1910; *decipulae* Kovacs,1966.
- 1671.** *Atethmia ambusta* (Fabricius,1787) (Noctuidae) *ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787
- 1672.** *Atethmia ambusta syriaca* Osthelder,1933 (Noctuidae) *syriaca* Osthelder,1933
- 1673.** *Atethmia centrargo* (Haworth,[1809]) (Noctuidae) *centrargo* Haworth,[1809].
- 1674.** *Atethmia centrargo pallida* (Staudinger,1892) (Noctuidae) *pallida* Staudinger,1892; *flava* Rebel,1933
- 1675.** *Atethmia obscura* Osthelder,1933 (Noctuidae) *obscura* Osthelder,1933
- 1676.** *Atethmia pinkeri* (Boursin,1970) (Noctuidae) *#pinkeri* Boursin,1970
- 1677.** *Athetis gluteosa* (Treitschke,1835) (Noctuidae) *gluteosa* Treitschke,1835
- 1678.** *Auchmis* (s.str.) *detersa* (Esper,[1791]) (Noctuidae) *detersa* Esper,[1791]
- 1679.** *Auchmis* (s.str.) *detersa detersa* (Esper,[1791]) (Noctuidae) *detersa* Esper,[1791]
- 1680.** *Auchmis* (s.str.) *peterseni* (Christoph,1887) (Noctuidae) *peterseni* Christoph,1887
- 1681.** *Auchmis* (s.str.) *peterseni nekrasovi* Ronkay & Varga,1997 (Noctuidae) *nekrasovi* Ronkay & Varga,1997
- 1682.** *Autographa aemula* ([Denis & Schiffermüller],1775) (Noctuidae) *aemula* [Denis & Schiffermüller],1775
- 1683.** *Autographa aemula elongata* (Alberti,1969) (Noctuidae) *elongata* Alberti,1969
- 1684.** *Autographa gamma* (Linnaeus,1758) (Noctuidae) *gamma* Linnaeus,1758; *messmeri* Schadewald,1992; *voelkeri* Schadewald,1992.
- 1685.** *Autographa jota* (Linnaeus,1758) (Noctuidae) *jota* Linnaeus,1758
- 1686.** *Autophila* (Cheiropheanes) *chamaepheanes* Boursin,1940 (Noctuidae) *chamaepheanes* Boursin,1940
- 1687.** *Autophila* (Cheiropheanes) *chamaepheanes chamaepheanes* Boursin,1940 (Noctuidae) *chamaepheanes* Boursin,1940
- 1688.** *Autophila* (Cheiropheanes) *ligaminosa* (Eversmann,1851) (Noctuidae) *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
- 1689.** *Autophila* (Cheiropheanes) *ligaminosa ligaminosa* (Eversmann,1851) (Noctuidae) *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
- 1690.** *Autophila* (Cheiropheanes) *ligaminosa rhodochroa* Boursin,1939 (Noctuidae) *rhodochroa* Boursin,1939
- 1691.** *Autophila* (Cheiropheanes) *plattneri* Boursin,1955 (Noctuidae) *plattneri* Boursin,1955
- 1692.** *Autophila* (s.str.) *asiatica* (Staudinger,1888) (Noctuidae) *asiatica* Staudinger,1888
- 1693.** *Autophila* (s.str.) *banghaasi* Boursin,1940 (Noctuidae) *banghaasi* Boursin,1940
- 1694.** *Autophila* (s.str.) *banghaasi banghaasi* Boursin,1940 (Noctuidae) *banghaasi* Boursin,1940
- 1695.** *Autophila* (s.str.) *cerealis* (Staudinger,1871) (Noctuidae) *cerealis* Staudinger,1871
- 1696.** *Autophila* (s.str.) *cerealis amseli* Draudt,1936 (Noctuidae) *amseli* Draudt,1936
- 1697.** *Autophila* (s.str.) *depressa* (Püngeler,1914) (Noctuidae) *depressa* Püngeler,1914
- 1698.** *Autophila* (s.str.) *depressa draudti* Osthelder,1933 (Noctuidae) *draudti* Osthelder,1933
- 1699.** *Autophila* (s.str.) *dilucida* (Hübner,[1808]) (Noctuidae) *dilucida* Hübner,[1808]; *praeclara* Schawerda,1918; *argentea* Caradja,1930; *troniceki* Reisser,1958.
- 1700.** *Autophila* (s.str.) *einsleri* Amsel,1935 (Noctuidae) *#luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa* Schwingenschuss,1939.
- 1701.** *Autophila* (s.str.) *einsleri taurica* Boursin,1940 (Noctuidae) *taurica* Boursin,1940
- 1702.** *Autophila* (s.str.) *hirsuta* (Staudinger,1870) (Noctuidae) *hirsuta* Staudinger,1870
- 1703.** *Autophila* (s.str.) *libanotica* (Staudinger,1901) (Noctuidae) *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962.
- 1704.** *Autophila* (s.str.) *libanotica libanotica* (Staudinger,1901) (Noctuidae) *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962.
- 1705.** *Autophila* (s.str.) *limbata* (Staudinger,1871) (Noctuidae) *limbata* Staudinger,1871
- 1706.** *Autophila* (s.str.) *limbata limbata* (Staudinger,1871) (Noctuidae) *limbata* Staudinger,1871
- 1707.** *Autophila* (s.str.) *subfusca* (Christoph,1893) (Noctuidae) *subfusca* Christoph,1893
- 1708.** *Axyia putris* (Linnaeus,1761) (Noctuidae) *putris* Linnaeus,1761; *subcorticalis* Hufnagel,1766; *lignosa* Hübner,[1803].
- 1709.** *Basistriga flammata* ([Denis & Schiffermüller],1775) (Noctuidae) *flammata* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885.
- 1710.** *Basistriga flammata deleta* (Kollar,[1849]) (Noctuidae) *deleta* Kollar,[1849]
- 1711.** *Behounekia freyeri* (Frivaldsky,1835) (Noctuidae) *freyeri* Frivaldsky,1835; *senescens* Eversmann,1856.
- 1712.** *Bena bicolorana* (Fuessly,1775) (Noctuidae) *prasinana* auct. *nec* Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *conspecta* Warren,1913.
- 1713.** *Brachylomia uralensis* (Warren,1910) (Noctuidae) *uralensis* Warren,1910
- 1714.** *Brachylomia uralensis urartua* Hacker & Kuhna,1986 (Noctuidae) *urartua* Hacker & Kuhna,1986
- 1715.** *Brachylomia viminalis* (Fabricius,1777) (Noctuidae) *viminalis* Fabricius,1777; *stricta* Esper,[1789]; *saliceti* Borkhausen,1792; *scripta* Hübner,[1803].
- 1716.** *Brandtina albonigra* Bytinski-Salz & Brandt,1937 (Noctuidae) *albonigra* Bytinski-Salz & Brandt,1937; *noacki* Boursin,1967
- 1717.** *Bryophilopsis roederi* (Standfuss,1892) (Noctuidae) *roederi* Standfuss,1892
- 1718.** *Calamia staudingeri* Warnecke,1941 (Noctuidae) *staudingeri* Warnecke,1941
- 1719.** *Callistege mi* (Clerck,1759) (Noctuidae) *#mi* Clerck,1759; *graminis* Hufnagel,1766; *albolineata* Goeze,1781; *litterata* Cyrilli,1787 *nec* Sc.,1763
- 1720.** *Callistege mi elzei* De Freina,1976 (Noctuidae) *elzei* De Freina,1976
- 1721.** *Callopietria juvenina* (Stoll,[1782]) (Noctuidae) *juvenina* Stoll,[1782]; *purpureofasciata* Piller & Mitterpacher,1783; *lagopus* Esper,[1788]; *pteridis* Thunberg,1788; *manicata* Villers,1789; *formissimalis* Hübner,1796; *obscura* Butler,1878
- 1722.** *Callopietria latreillei* (Duponchel,1827) (Noctuidae) *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsaftikis,1973.
- 1723.** *Calocucullia celsiae* (Herrich-Schäffer,1850) (Noctuidae) *celsiae* Herrich-Schäffer,[1850]
- 1724.** *Calophasia barthae* Wagner,1929 (Noctuidae) *barthae* Wagner,1929

- 1725.** *Calophasia lunula* (Hufnagel,1766) (Noctuidae) *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775.
- 1726.** *Calophasia lunula ocellata* G.Ronkay & L.Ronkay,1985 (Noctuidae) *ocellata* G.Ronkay & L.Ronkay,1985; *anatolica* Draudt,1936
- 1727.** *Calophasia opalina* (Esper,[1796]) (Noctuidae) *casta* Borkhausen,1793 nec Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruenensis* Spuler,1910; *castior* Stauder,1923.
- 1728.** *Calophasia platyptera* (Esper,[1788]) (Noctuidae) *platyptera* Esper,[1788]; *canterius* De Villers,1789; *tenera* Hübner,[1803]; *olbiena* Duponchel,1842; *subalbida* Staudinger,1901.
- 1729.** *Calymma communimacula* ([Denis & Schiffermüller],1775) (Noctuidae) *communimacula* [Denis & Schiffermüller],1775
- 1730.** *Calymma communimacula gracilis* Osthelder,1933 (Noctuidae) *gracilis* Osthelder,1933
- 1731.** *Calyptra thalictri* (Borkhausen,1790) (Noctuidae) *capucina* Esper,1789 nec Linn.,1767; *thalictri* Borkhausen,1790; *sodalis* Butler,1878; *#thalactri* Moore,1882; *#intensiva* W.Warren,1914; *#capuzina* Dannehl,1925; *#centralitalica* Dannehl,1925; *pallida* Schwingenschuss,1938
- 1732.** *Caradrina* (Boursinidrina) *panurgia* (Boursin,1939) (Noctuidae) *panurgia* Boursin,1939
- 1733.** *Caradrina* (Boursinidrina) *pseudadelpha* (Boursin,1939) (Noctuidae) *pseudadelpha* Boursin,1939
- 1734.** *Caradrina* (Boursinidrina) *rjabovi* (Boursin,1936) (Noctuidae) *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939
- 1735.** *Caradrina* (Boursinidrina) *rjabovi rjabovi* (Boursin,1936) (Noctuidae) *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939
- 1736.** *Caradrina* (Boursinidrina) *syriaca* (Staudinger,1892) (Noctuidae) *syriaca* Staudinger,1892
- 1737.** *Caradrina* (Eremodrina) *avis* (Pinker,1980) (Noctuidae) *avis* Pinker,1980
- 1738.** *Caradrina* (Eremodrina) *belucha* (Swinhoe,1885) (Noctuidae) *belucha* Swinhoe,1885; *conditorana* Pinker,1980
- 1739.** *Caradrina* (Eremodrina) *draudti* (Boursin,1936) (Noctuidae) *draudti* Boursin,1936; *pseudopertinax* Boursin,1939; *pseudopertinax* Boursin,1940
- 1740.** *Caradrina* (Eremodrina) *draudti draudti* (Boursin,1936) (Noctuidae) *draudti* Boursin,1936; *pseudopertinax* Boursin,1939; *pseudopertinax* Boursin,1940
- 1741.** *Caradrina* (Eremodrina) *gilva* (Donzel,1837) (Noctuidae) *gilva* Donzel,1837; *molisana* Dannehl,1929
- 1742.** *Caradrina* (Eremodrina) *gilva orientalis* (Boursin,1936) (Noctuidae) *orientalis* Boursin,1936
- 1743.** *Caradrina* (Eremodrina) *inumbata* (Staudinger,1900) (Noctuidae) *inumbata* Staudinger,1900; *inumbatella* Pinker,1980
- 1744.** *Caradrina* (Eremodrina) *inumbata inumbata* (Staudinger,1900) (Noctuidae) *inumbata* Staudinger,1900; *inumbatella* Pinker,1980
- 1745.** *Caradrina* (Eremodrina) *inumbata obfuscata* Hacker,2004 (Noctuidae) *obfuscata* Hacker,2004
- 1746.** *Caradrina* (Eremodrina) *pertinax* (Staudinger,1879) (Noctuidae) *pertinax* Staudinger,1879; *argentea* Cardaj,1930.
- 1747.** *Caradrina* (Eremodrina) *salzi* (Boursin,1936) (Noctuidae) *salzi* Boursin,1936
- 1748.** *Caradrina* (Eremodrina) *vicina* (Staudinger,1870) (Noctuidae) *vicina* Staudinger,1870; *perspicua* W.Warren,1911
- 1749.** *Caradrina* (Eremodrina) *vicina vicina* (Staudinger,1870) (Noctuidae) *vicina* Staudinger,1870; *perspicua* W.Warren,1911
- 1750.** *Caradrina* (Eremodrina) *zernyi* (Boursin,1936) (Noctuidae) *zernyi* Boursin,1936; *signata* Boursin,1936
- 1751.** *Caradrina* (Eremodrina) *zernyi debilis* (Boursin,1936) (Noctuidae) *debilis* Boursin,1936
- 1752.** *Caradrina* (Eremodrina) *zernyi zernyi* (Boursin,1936) (Noctuidae) *zernyi* Boursin,1936; *signata* Boursin,1936
- 1753.** *Caradrina* (Levantrina) *bodenheimeri* (Draudt,1934) (Noctuidae) *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *plesiarchia* Boursin,1937
- 1754.** *Caradrina* (Levantrina) *bodenheimeri bodenheimeri* (Draudt,1934) (Noctuidae) *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *plesiarchia* Boursin,1937
- 1755.** *Caradrina* (Paradrina) *abruzzensis* (Draudt,1933) (Noctuidae) *abruzzensis* Draudt,1933
- 1756.** *Caradrina* (Paradrina) *abruzzensis abruzzensis* (Draudt,1933) (Noctuidae) *abruzzensis* Draudt,1933
- 1757.** *Caradrina* (Paradrina) *clavipalpis* (Scopoli,1763) (Noctuidae) *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovskiy,1909; *teidovolans* Pinker,1974; *pinkerii* Kobes,1975
- 1758.** *Caradrina* (Paradrina) *flavirena* (Guenée,1852) (Noctuidae) *flavirena* Guenée,1852; *minor* Staudinger,1897; *subdita* W.Warren,1911; *muricolor* Boursin,1933; *subdita* Leraut,1980
- 1759.** *Caradrina* (Paradrina) *poecila* (Boursin,1939) (Noctuidae) *poecila* Boursin,1939
- 1760.** *Caradrina* (Paradrina) *selini* (Boisduval,1840) (Noctuidae) *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Riggenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935]
- 1761.** *Caradrina* (Paradrina) *selini selini* (Boisduval,1840) (Noctuidae) *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Riggenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935]
- 1762.** *Caradrina* (Paradrina) *suscijania* Mentzer,1981 (Noctuidae) *suscijania* Mentzer,1981
- 1763.** *Caradrina* (Paradrina) *suscijania cilicia* Hacker,1992 (Noctuidae) *cilicia* Hacker,1992
- 1764.** *Caradrina* (Paradrina) *wulschlegeli* (Püngeler,1903) (Noctuidae) *wulschlegeli* Püngeler,1903
- 1765.** *Caradrina* (Paradrina) *wulschlegeli schwingenschussi* (Boursin,1936) (Noctuidae) *schwingenschussi* Boursin,1936
- 1766.** *Caradrina* (Platyperigea) *albina* (Eversmann,1848) (Noctuidae) *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912
- 1767.** *Caradrina* (Platyperigea) *albina albina* (Eversmann,1848) (Noctuidae) *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912
- 1768.** *Caradrina* (Platyperigea) *aspersa* (Rambur,1834) (Noctuidae) *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culotti* Turati,1913.
- 1769.** *Caradrina* (Platyperigea) *kadenii* (Freyer,1836) (Noctuidae) *kadenii* Freyer,1836
- 1770.** *Caradrina* (Platyperigea) *montana* (Bremer,1861) (Noctuidae) *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis* Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949
- 1771.** *Caradrina* (Platyperigea) *montana rougemonti* Spuler,1908 (Noctuidae) *rougemonti* Spuler,1908
- 1772.** *Caradrina* (Platyperigea) *terrea* (Freyer,[1840]) (Noctuidae) *terrea* Freyer,[1840]; *ustirena* Boisduval,1840
- 1773.** *Caradrina* (Platyperigea) *terrea matrona* (Ronkay & Varga,1985) (Noctuidae) *matrona* Ronkay & Varga,1985
- 1774.** *Caradrina* (s.str.) *agrotina* (Staudinger,1892) (Noctuidae) *agrotina* Staudinger,1892; *jordana* Staudinger,[1895]; *syriaca* Osthelder,1933.
- 1775.** *Caradrina* (s.str.) *morpheus* (Hufnagel,1766) (Noctuidae) *morpheus* Hufnagel,1766; *pulla* Beckwith,1794 nec Esp.[1785]; *sepii* Hübner,[1803]; *dresnaya* D.Lucas,1933; *alpina* Hartig,[1938]
- 1776.** *Cardepia arenbergeri* Pinker,1974 (Noctuidae) *arenbergeri* Pinker,1974
- 1777.** *Cardepia sociabilis* (Graslin,1850) (Noctuidae) *sociabilis* Graslin,1850; *ghigii* Turati,1926; *pedrosai* Monteiro,1972; *grisea* Berio,1986.
- 1778.** *Cardepia sociabilis canescens* Hacker,1998 (Noctuidae) *canescens* Hacker,1998
- 1779.** *Cardepia sociabilis socialis* Hacker,1998 (Noctuidae) *socialis* Hacker,1998
- 1780.** *Catephia alchymista* ([Denis & Schiffermüller],1775) (Noctuidae) *alchymista* [Denis & Schiffermüller],1775
- 1781.** *Catephia alchymista alchymista* ([Denis & Schiffermüller],1775) (Noctuidae) *alchymista* [Denis & Schiffermüller],1775
- 1782.** *Catocala* (Ephesia) *eutychea* (Treitschke,1835) (Noctuidae) *eutychea* Treitschke,1835; *delicata* Vicent,1913.
- 1783.** *Catocala* (Ephesia) *nymphaea* (Esper,[1787]) (Noctuidae) *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835].
- 1784.** *Catocala* (Ephesia) *nymphaea nymphaea* (Esper,[1787]) (Noctuidae) *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835].

- 1785.** *Catocala* (*Ephesia*) *separata* Freyer, 1848 (Noctuidae) *separata* Freyer, 1848
- 1786.** *Catocala* (s.str.) *abacta* Staudinger, 1900 (Noctuidae) *abacta* Staudinger, 1900; *irana* Brandt, 1938; *#iranica* Hacker, 1986.
- 1787.** *Catocala* (s.str.) *conversa* (Esper, 1783) (Noctuidae) *conversa* Esper, [1787]
- 1788.** *Catocala* (s.str.) *dilecta* (Hübner, [1808]) (Noctuidae) *dilecta* Hübner, [1808]
- 1789.** *Catocala* (s.str.) *disjuncta* (Geyer, [1828]) (Noctuidae) *disjuncta* Geyer, [1828]; *separata* Freyer, 1848; *luctuosa* Staudinger, 1901 *nec* Hulst, 1884; *fumigata* Kuznetsov, 1903.
- 1790.** *Catocala* (s.str.) *diversa* (Geyer, [1828]) (Noctuidae) *diversa* Geyer, [1828]; *#divera* Hacker, 1988
- 1791.** *Catocala* (s.str.) *elocata* (Esper, [1787]) (Noctuidae) *elocata* Esper, [1787]; *marita* Hübner, [1813]; *nurus* Hübner, [1822]
- 1792.** *Catocala* (s.str.) *elocata elocata* (Esper, [1787]) (Noctuidae) *elocata* Esper, [1787]
- 1793.** *Catocala* (s.str.) *fraxini* (Linnaeus, 1758) (Noctuidae) *fraxini* Linnaeus, 1758
- 1794.** *Catocala* (s.str.) *fulminea* (Scopoli, 1763) (Noctuidae) *fulminea* Scopoli, 1763; *paranympha* Linnaeus, 1767.
- 1795.** *Catocala* (s.str.) *hymenaea* ([Denis & Schiffermüller], 1775) (Noctuidae) *#hymenaea* [Denis & Schiffermüller], 1775
- 1796.** *Catocala* (s.str.) *lesbia* Christoph, 1887 (Noctuidae) *lesbia* Christoph, 1887
- 1797.** *Catocala* (s.str.) *lupina* Herrich-Schäffer, [1851] (Noctuidae) *lupina* Herrich-Schäffer, [1851]
- 1798.** *Catocala* (s.str.) *lupina kastshenkoi* Sheljuzhko, 1943 (Noctuidae) *kastshenkoi* Sheljuzhko, 1943
- 1799.** *Catocala* (s.str.) *neonympha* (Esper, [1805]) (Noctuidae) *neonympha* Esper, [1805]
- 1800.** *Catocala* (s.str.) *neonympha osthelderensis* Hacker, 1990 (Noctuidae) *syriaca* Osthelder, 1933 *nec* Schult., 1909; *osthelderensis* Hacker, 1990.
- 1801.** *Catocala* (s.str.) *nupta* (Linnaeus, 1767) (Noctuidae) *nupta* Linnaeus, 1767
- 1802.** *Catocala* (s.str.) *nupta clara* Osthelder, 1933 (Noctuidae) *clara* Osthelder, 1933
- 1803.** *Catocala* (s.str.) *nymphagoga* (Esper, [1787]) (Noctuidae) *nymphagoga* Esper, [1787]; *tmolia* Lederer, 1865
- 1804.** *Catocala* (s.str.) *nymphagoga nymphagoga* (Esper, [1787]) (Noctuidae) *nymphagoga* Esper, [1787]; *tmolia* Lederer, 1865
- 1805.** *Catocala* (s.str.) *promissa* ([Denis & Schiffermüller], 1775) (Noctuidae) *#promissa* [Denis & Schiffermüller], 1775
- 1806.** *Catocala* (s.str.) *puerpera* (Giorna, 1791) (Noctuidae) *puerpera* Giorna, 1791; *amasia* Esper, [1804] *nec* Sm., 1797; *pelle* Hübner, [1809]; *romana* Schultz, 1909
- 1807.** *Catocala* (s.str.) *puerpera puerpera* (Giorna, 1791) (Noctuidae) *puerpera* Giorna, 1791
- 1808.** *Catocala* (s.str.) *weiserti* Hacker, 1999 (Noctuidae) *weiserti* Hacker, 1999
- 1809.** *Celaena haworthii* (Curtis, 1829) (Noctuidae) *haworthii* Curtis, 1829
- 1810.** *Cerapteryx graminis* (Linnaeus, 1758) (Noctuidae) *graminis* Linnaeus, 1758; *tricusps* Esper, [1786]; *hibernicus* Curtis, 1833; *albinea* Boisduval, [1837].
- 1811.** *Cerapteryx graminis graminis* (Linnaeus, 1758) (Noctuidae) *graminis* Linnaeus, 1758; *tricusps* Esper, [1786]; *hibernicus* Curtis, 1833; *albinea* Boisduval, [1837].
- 1812.** *Cerapteryx megala* (Alpheraky, 1882) (Noctuidae) *megala* Alpheraky, 1882.
- 1813.** *Cerapteryx megala tugani* Ronkay, 1990 (Noctuidae) *tugani* Ronkay, 1990
- 1814.** *Cerastis rubricosa* (Fabricius, 1787) (Noctuidae) *#rubricosa* [Denis & Schiffermüller], 1775; *rubricosa* Fabricius, 1787; *mucida* Esper, [1790]; *pilicornis* Brahm, 1791; *rufa* Haworth, 1809; *mista* Hübner, [1813].
- 1815.** *Charanyca trigrammica* (Hufnagel, 1766) (Noctuidae) *trigrammica* Hufnagel, 1766; *asiaminorica* Pinker, 1980.
- 1816.** *Chazaria incarnata* (Freyer, 1838) (Noctuidae) *incarnata* Freyer, 1838; *boisduvali* Boisduval, 1840.
- 1817.** *Chersotis alpestris* (Boisduval, [1837]) (Noctuidae) *alpestris* Boisduval, [1837]
- 1818.** *Chersotis alpestris ponticola* (Draudt, 1936) (Noctuidae) *ponticola* Draudt, 1936
- 1819.** *Chersotis anatolica* (Draudt, 1936) (Noctuidae) *anatolica* Draudt, 1936; *elegantula* Boursin, 1945.
- 1820.** *Chersotis andereggii* (Boisduval, [1837]) (Noctuidae) *andereggii* Boisduval, [1837]
- 1821.** *Chersotis andereggii exclamans* (Eversmann, 1841) (Noctuidae) *exclamans* Eversmann, 1841
- 1822.** *Chersotis capnistis* (Lederer, 1872) (Noctuidae) *capnistis* Lederer, 1872; *neara* Püngeler, 1902.
- 1823.** *Chersotis capnistis capnistis* (Lederer, 1872) (Noctuidae) *capnistis* Lederer, 1872; *neara* Püngeler, 1902.
- 1824.** *Chersotis cuprea* ([Denis & Schiffermüller], 1775) (Noctuidae) *cuprea* [Denis & Schiffermüller], 1775; *haematidea* Esper, [1794]; *palustris* Osthelder, 1927; *jordanovi* Touleschkov, 1951.
- 1825.** *Chersotis cuprea livescens* (Draudt, 1933) (Noctuidae) *livescens* Draudt, 1933; *pertexta* Draudt, 1936.
- 1826.** *Chersotis ebertorum* Koçak, 1980 (Noctuidae) *marashi* Corti & Draudt, 1933 (p.61) *nec* Corti & Draudt, 1933 (p.58); *ebertorum* Koçak, 1980.
- 1827.** *Chersotis fimbriola* (Esper, [1798]) (Noctuidae) *fimbriola* Esper, [1798]
- 1828.** *Chersotis fimbriola bohatschi* (Rebel, 1904) (Noctuidae) *bohatschi* Rebel, 1904; *ayaschi* Koçak, 1989
- 1829.** *Chersotis fimbriola zernyi* (Corti, 1931) (Noctuidae) *zernyi* Corti, 1931
- 1830.** *Chersotis firdussi* Schwingenschuss, 1937 (Noctuidae) *firdussi* Schwingenschuss, 1937
- 1831.** *Chersotis friedeli* Pinker, 1974 (Noctuidae) *friedeli* Pinker, 1974
- 1832.** *Chersotis glebosa* (Staudinger, 1900) (Noctuidae) *glebosa* Staudinger, 1900
- 1833.** *Chersotis gratissima* (Corti, 1932) (Noctuidae) *gratissima* Corti, 1932
- 1834.** *Chersotis illauta* (Draudt, 1936) (Noctuidae) *illauta* Draudt, 1936
- 1835.** *Chersotis juvenis* (Staudinger, 1901) (Noctuidae) *caelebs* Staudinger, 1900 *nec* Stgr., 1896; *juvenis* Staudinger, 1901; *clarivenosa* Draudt, 1936.
- 1836.** *Chersotis laeta* (Rebel, 1904) (Noctuidae) *laeta* Rebel, 1904
- 1837.** *Chersotis laeta euxinia* Hacker & Varga, 1990 (Noctuidae) *euxinia* Hacker & Varga, 1990
- 1838.** *Chersotis laeta laeta* (Rebel, 1904) (Noctuidae) *laeta* Rebel, 1904
- 1839.** *Chersotis larixia* (Guenée, 1852) (Noctuidae) *larixia* Guenée, 1852.
- 1840.** *Chersotis larixia asiatica* Schwingenschuss, 1938 (Noctuidae) *asiatica* Schwingenschuss, 1938
- 1841.** *Chersotis margaritacea* (Villers, 1789) (Noctuidae) *margaritacea* Villers, 1789; *i-intactum* Hübner, [1803]; *#abruzzensis* Corti & Draudt, 1933; *espuensis* Calle, 1982
- 1842.** *Chersotis margaritacea cesa* Kemal & Koçak, 2006 (Noctuidae) *signata* Wagner, 1932 *nec* Stgr., 1900; *cesa* Kemal & Koçak, 2006
- 1843.** *Chersotis multangula* (Hübner, [1803]) (Noctuidae) *multangula* Hübner, [1803]; *dissoluta* Staudinger, 1900; *travunia* Schawerda, 1912; *stojanovi* Touleschkov, 1951.
- 1844.** *Chersotis multangula subdissoluta* (F.Wagner, 1931) (Noctuidae) *subdissoluta* F.Wagner, 1931
- 1845.** *Chersotis rectangula* (Fabricius, 1787) (Noctuidae) *rectangula* Fabricius, 1787.
- 1846.** *Chersotis rectangula subrectangula* (Staudinger, 1871) (Noctuidae) *subrectangula* Staudinger, 1871
- 1847.** *Chersotis ronkayorum* Fibiger Hacker & Varga, 1992 (Noctuidae) *ronkayorum* Fibiger Hacker & Varga, 1993
- 1848.** *Chersotis sarhada* Brandt, 1941 (Noctuidae) *sarhada* Brandt, 1941
- 1849.** *Chersotis semna* (Püngeler, 1906) (Noctuidae) *semna* Püngeler, 1906
- 1850.** *Chersotis stenographa* Varga, 1979 (Noctuidae) *stenographa* Varga, 1979
- 1851.** *Chersotis zukowskyi* (Draudt, 1936) (Noctuidae) *zukowskyi* Draudt, 1936
- 1852.** *Chersotis zukowskyi zukowskyi* (Draudt, 1936) (Noctuidae) *zukowskyi* Draudt, 1936
- 1853.** *Chilodes maritima* (Tauscher, 1806) (Noctuidae) *maritima* Tauscher, 1806; *bipunctana* Haworth, 1812.

- 1854.** *Chloantha hypericii* (Fabricius,1787) (Noctuidae) *#hyperici* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787
- 1855.** *Chloantha hypericii hypericii* (Fabricius,1787) (Noctuidae) *#hyperici* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787
- 1856.** *Chortodes morrisii* (Dale,1837) (Noctuidae) *morrisii* Dale,1837; *bondii* Knaggs,1861
- 1857.** *Chrysodeixis chalcites* (Esper,[1789]) (Noctuidae) *chalcites* Esper,[1789]; *chalytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865
- 1858.** *Cleoceris scoriacea* (Esper,[1789]) (Noctuidae) *scoriacea* Esper,[1789]; *caprae* Hübner,[1803].
- 1859.** *Cleoceris scoriacea scoriacea* (Esper,[1789]) (Noctuidae) *scoriacea* Esper,[1789]; *caprae* Hübner,[1803].
- 1860.** *Cleoceris scoriacea subcanentis* Hacker,1990 (Noctuidae) *subcanentis* Hacker,1990
- 1861.** *Cleonymia (Serryvania) opposita* (Lederer,1870) (Noctuidae) *opposita* Lederer,1870; *#obscurior* Osthelder,1933.
- 1862.** *Cleonymia (s.str.) baetica* (Rambur,1837) (Noctuidae) *baetica* Rambur,1837
- 1863.** *Cleonymia (s.str.) baetica orientalis* G.Ronkay & L.Ronkay,1995 (Noctuidae) *orientalis* G.Ronkay & L.Ronkay,1995; *klapperichi* Hacker,2001
- 1864.** *Clytie (s.str.) syriaca* (Bugnion,1837) (Noctuidae) *syriaca* Bugnion,1837; *gentilitia* Freyer,1848.
- 1865.** *Coenophila miniago* (Freyer,[1839]) (Noctuidae) *miniago* Freyer,[1839]
- 1866.** *Colocasia coryli* (Linnaeus,1758) (Noctuidae) *coryli* Linnaeus,1758
- 1867.** *Conistra (Dasycampa) erythrocephala* (Fabricius,1787) (Noctuidae) *#erythrocephala* [Denis & Schiffermüller],1775; *erythrocephala* Fabricius,1787.
- 1868.** *Conistra (Dasycampa) rubiginea* (Fabricius,1787) (Noctuidae) *#rubiginea* [Denis & Schiffermüller],1775; *rubiginea* Fabricius,1787; *tigerina* Esper,[1791]; *pulverea* Hübner,[1803]
- 1869.** *Conistra (s.str.) asiatica* Pinker,1980 (Noctuidae) *asiatica* Pinker,1980
- 1870.** *Conistra (s.str.) ligula* (Esper,1791) (Noctuidae) *ligula* Esper,[1791]
- 1871.** *Conistra (s.str.) metria* Boursin,1940 (Noctuidae) *metria* Boursin,1940; *pseudopolitina* Hacker,1990.
- 1872.** *Conistra (s.str.) ragusae* (Failla-Tedaldi,1890) (Noctuidae) *ragusae* Failla-Tedaldi,1890
- 1873.** *Conistra (s.str.) ragusae archaia* Pinker,1980 (Noctuidae) *archaia* Pinker,1980
- 1874.** *Conistra (s.str.) rubiginosa* (Scopoli,1763) (Noctuidae) *rubiginosa* Scopoli,1763; *silene* [Denis & Schiffermüller],1775; *vaupunctatum* Esper,[1786].
- 1875.** *Conistra (s.str.) torrida* (Lederer,1857) (Noctuidae) *torrida* Lederer,1857
- 1876.** *Conistra (s.str.) torrida pinkeri* Hacker,1988 (Noctuidae) *pinker* Hacker,1988
- 1877.** *Conistra (s.str.) vaccinii* (Linnaeus,1761) (Noctuidae) *vaccinii* Linnaeus,1761; *polita* [Denis & Schiffermüller],1775; *spadicea* [Denis & Schiffermüller],1775
- 1878.** *Conistra (s.str.) veronicae* (Hübner,[1813]) (Noctuidae) *veronicae* Hübner,[1813]
- 1879.** *Cornutiplusia circumflexa* (Linnaeus,1767) (Noctuidae) *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#unata* Kononenko & Pinratana,2005
- 1880.** *Cosmia (Calymnia) trapezina* (Linnaeus,1758) (Noctuidae) *trapezina* Linnaeus,1758
- 1881.** *Cosmia (s.str.) affinis* (Linnaeus,1767) (Noctuidae) *affinis* Linnaeus,1767
- 1882.** *Cosmia (s.str.) confinis* Herrich-Schäffer,[1849] (Noctuidae) *confinis* Herrich-Schäffer,[1849]; *rhodopsis* Boursin,1962; *phaiopsis* Boursin,1962.
- 1883.** *Cosmia (s.str.) diffinis* (Linnaeus,1767) (Noctuidae) *diffinis* Linnaeus,1767
- 1884.** *Craniophora pontica* (Staudinger,1879) (Noctuidae) *pontica* Staudinger,1879
- 1885.** *Craniophora pontica pontica* (Staudinger,1879) (Noctuidae) *pontica* Staudinger,1879
- 1886.** *Cryphia (Bryoleuca) eucta* (Hampson,1908) (Noctuidae) *eucta* Hampson,1908
- 1887.** *Cryphia (Bryoleuca) petrea* (Guenée,1852) (Noctuidae) *petrea* Guenée,1852
- 1888.** *Cryphia (Bryoleuca) petrea contristans* (Lederer,1857) (Noctuidae) *contristans* Lederer,1857; *troughtii* Wiltshire,1956.
- 1889.** *Cryphia (Bryoleuca) petricolor* (Lederer,1870) (Noctuidae) *petricolor* Lederer,1870; *iranica* Schwingenschuss,1937; *#solimana* Draudt,1937.
- 1890.** *Cryphia (Bryoleuca) petricolor petricolor* (Lederer,1870) (Noctuidae) *petricolor* Lederer,1870; *iranica* Schwingenschuss,1937; *#solimana* Draudt,1937.
- 1891.** *Cryphia (Bryoleuca) raptricula* ([Denis & Schiffermüller],1775) (Noctuidae) *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962.
- 1892.** *Cryphia (Bryoleuca) raptricula raptricula* ([Denis & Schiffermüller],1775) (Noctuidae) *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962.
- 1893.** *Cryphia (Bryoleuca) ravula* (Hübner,[1813]) (Noctuidae) *ravula* Hübner,[1813]; *lupula* Hübner,[1813]; *trogodyta* Freyer,1832.
- 1894.** *Cryphia (Bryoleuca) rectilinea* (W.Warren,1909) (Noctuidae) *rectilinea* W.Warren,1909; *mediochracea* Bytinski-Salz,1936; *insulicola* Reisser,1962.
- 1895.** *Cryphia (Bryoleuca) remanei* Heydemann & Schulte,1963 (Noctuidae) *remanei* Heydemann & Schulte,1963
- 1896.** *Cryphia (Bryoleuca) seladona* (Christoph,1885) (Noctuidae) *seladona* Christoph,1885
- 1897.** *Cryphia (Bryoleuca) seladona seladona* (Christoph,1885) (Noctuidae) *seladona* Christoph,1885
- 1898.** *Cryphia (Bryoleuca) tephrocharis* Boursin,1954 (Noctuidae) *tephrocharis* Boursin,1954
- 1899.** *Cryphia (Bryoleuca) thamanaea* (Hampson,1908) (Noctuidae) *thamanaea* Hampson,1908
- 1900.** *Cryphia (Bryophila) maeonis* (Lederer,1865) (Noctuidae) *maeonis* Lederer,1865; *rubellina* Staudinger,1900; *sabulicolor* De Lattin,1950.
- 1901.** *Cryphia (Bryophila) maeonis maeonis* (Lederer,1865) (Noctuidae) *maeonis* Lederer,1865; *praecana* Christoph,1893; *rubellina* Staudinger,1900; *sordida* Staudinger,1900; *sabulosa* Warren,1909.
- 1902.** *Cryphia (Bryophila) occidentalis* (Osthelder,1933) (Noctuidae) *occidentalis* Osthelder,1933.
- 1903.** *Cryphia (Bryopsis) amasina* (Draudt,1931) (Noctuidae) *amasina* Draudt,1931
- 1904.** *Cryphia (Bryopsis) muralis* (Forster,1771) (Noctuidae) *muralis* Forster,1771; *lichenis* Fabricius,1781; *glandifera* [Denis & Schiffermüller],1775; *par* Hübner,[1813].
- 1905.** *Cryphia (Euthales) algae* (Fabricius,1775) (Noctuidae) *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813].
- 1906.** *Cryphia (Euthales) ochsi* (Boursin,1941) (Noctuidae) *ochsi* Boursin,1941; *#badiofasciata* Boursin,1952
- 1907.** *Cryphia (s.str.) receptricula* (Hübner,[1803]) (Noctuidae) *strigula* Borkhausen,1792 *nec* Thunb.,1788; *receptricula* Hübner,[1803]; *stictica* Ménétériés,1859.
- 1908.** *Cucullia (Shargacucullia) armena* G.Ronkay & L.Ronkay,1986 (Noctuidae) *armena* G.Ronkay & L.Ronkay,1986
- 1909.** *Cucullia (Shargacucullia) barthae* Boursin,1933 (Noctuidae) *barthae* Boursin,1933
- 1910.** *Cucullia (Shargacucullia) blattariae* (Esper,[1790]) (Noctuidae) *blattariae* Esper,[1790]
- 1911.** *Cucullia (Shargacucullia) lanceolata* (Villers,1789) (Noctuidae) *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826
- 1912.** *Cucullia (Shargacucullia) lanceolata anceps* Staudinger,1881 (Noctuidae) *anceps* Staudinger,1881
- 1913.** *Cucullia (Shargacucullia) lychnitis* (Rambur,1833) (Noctuidae) *lychnitis* Rambur,1833
- 1914.** *Cucullia (Shargacucullia) lychnitis albicans* Wiltshire,1976 (Noctuidae) *albescens* Wiltshire,1968 *nec* Mr.,1881; *albicans* Wiltshire,1976.
- 1915.** *Cucullia (Shargacucullia) osthelderi* Boursin,1933 (Noctuidae) *osthelderi* Boursin,1933

- 1916.** *Cucullia* (Shargacucullia) *scrophulariae* ([Denis & Schiffermüller],1775) (Noctuidae) *scrophulariae* [Denis & Schiffermüller],1775; *rivulorum* Guenée,1852
- 1917.** *Cucullia* (Shargacucullia) *verbasci* (Linnaeus,1758) (Noctuidae) *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911.
- 1918.** *Cucullia* (s.str.) *absinthii* (Linnaeus,1761) (Noctuidae) *absinthii* Linnaeus,1761; *punctigera* Hufnagel,1766; *clausa* Walker,1857
- 1919.** *Cucullia* (s.str.) *argentina* (Fabricius,1787) (Noctuidae) *argentina* Fabricius,1787; *achalina* Püngeler,1900; *grisescens* Wagner,1931 nec Leech,1900; *anatoliensis* Koçak,1980.
- 1920.** *Cucullia* (s.str.) *behouneki* Hacker & Ronkay,1988 (Noctuidae) *behouneki* Hacker & Ronkay,1988
- 1921.** *Cucullia* (s.str.) *behouneki behouneki* Hacker & Ronkay,1988 (Noctuidae) *behouneki* Hacker & Ronkay,1988
- 1922.** *Cucullia* (s.str.) *boryphora* Fischer v. Waldheim,1840 (Noctuidae) *boryphora* Fischer & Waldheim,1840
- 1923.** *Cucullia* (s.str.) *chamomillae* ([Denis & Schiffermüller],1775) (Noctuidae) *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822].
- 1924.** *Cucullia* (s.str.) *chamomillae hackeri* G.Ronkay & L.Ronkay,1987 (Noctuidae) *hackeri* G.Ronkay & L.Ronkay,1987
- 1925.** *Cucullia* (s.str.) *citella* G.Ronkay & L.Ronkay,1987 (Noctuidae) *citella* G.Ronkay & L.Ronkay,1987
- 1926.** *Cucullia* (s.str.) *dracunculi* (Hübner,[1813]) (Noctuidae) *dracunculi* Hübner,[1813]; *incana* Eversmann,1842; *antheidis* Guenée,1852; *linosyridis* Fuchs,1903.
- 1927.** *Cucullia* (s.str.) *gnaphalii* (Hübner,[1813]) (Noctuidae) *gnaphalii* Hübner,[1813]; *occidentalis* Boursin,1945.
- 1928.** *Cucullia* (s.str.) *lucifuga* (Hübner,[1803]) (Noctuidae) *lucifuga* Hübner,[1803].
- 1929.** *Cucullia* (s.str.) *mixta* Freyer,1841 (Noctuidae) *mixta* Freyer,1841; *consors* Eversmann,1846
- 1930.** *Cucullia* (s.str.) *ronkayi* Hacker & Pinker,1987 (Noctuidae) *ronkayi* Hacker & Pinker,1987
- 1931.** *Cucullia* (s.str.) *santolinae* Rambur,1834 (Noctuidae) *santolinae* Rambur,1834
- 1932.** *Cucullia* (s.str.) *santolinae pallidscripta* G.Ronkay & L.Ronkay,1987 (Noctuidae) *pallidscripta* G.Ronkay & L.Ronkay,1987
- 1933.** *Cucullia* (s.str.) *santonici* (Hübner,[1813]) (Noctuidae) *santonici* Hübner,[1813]
- 1934.** *Cucullia* (s.str.) *tanacetii* (Goeze,1781) (Noctuidae) *tanacetii* Goeze,1781
- 1935.** *Cucullia* (s.str.) *umbratica* (Linnaeus,1758) (Noctuidae) *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859.
- 1936.** *Cucullia* (s.str.) *umbratica clarior* Fuchs,1904 (Noctuidae) *clarior* Fuchs,1904
- 1937.** *Cyrebina* *anachoreta* (Herrich-Schäffer,[1851]) (Noctuidae) *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987
- 1938.** *Cyrebina* *anachoreta anachoreta* (Herrich-Schäffer,1851) (Noctuidae) *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987; *taurica* Hacker,1996
- 1939.** *Cyrebina* *luperinoides* Guenée,1852 (Noctuidae) *luperinoides* Guenée,1852
- 1940.** *Dasypolia* (s.str.) *dichroa* L.Ronkay & Varga,1985 (Noctuidae) *dichroa* L.Ronkay & Varga,1985
- 1941.** *Dasypolia* (s.str.) *dichroa dichroa* L.Ronkay & Varga,1985 (Noctuidae) *dichroa* L.Ronkay & Varga,1985
- 1942.** *Dasypolia* (s.str.) *templi* (Thunberg,1792) (Noctuidae) *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909.
- 1943.** *Dasypolia* (s.str.) *templi anatolica* Hacker,1990 (Noctuidae) *anatolica* Hacker,1990
- 1944.** *Dasypolia* (s.str.) *templi armeniaca* L.Ronkay & Varga,1985 (Noctuidae) *armeniaca* L.Ronkay & Varga,1985
- 1945.** *Dasypolia* (s.str.) *vera* L.Ronkay & Szaboky,1995 (Noctuidae) *vera* L.Ronkay & Szaboky,1995
- 1946.** *Deltote* *delicatula* (Christoph,1882) (Noctuidae) *delicatula* Christoph,1882
- 1947.** *Desertoplusia* *bella* (Christoph,1887) (Noctuidae) *bella* Christoph,1887
- 1948.** *Desertoplusia* *colornata* Varga & L.Ronkay,1991 (Noctuidae) *bella* auct. nec Chr.,1887; *colornata* Varga & L.Ronkay,1991; *#colornata* Hacker,1992
- 1949.** *Diachrysia* *chrysitis* (Linnaeus,1758) (Noctuidae) *chrysitis* Linnaeus,1758
- 1950.** *Diachrysia* *chrysitis generosa* (Staudinger,1900) (Noctuidae) *generosa* Staudinger,1900
- 1951.** *Diarsia* *brunnea* ([Denis & Schiffermüller],1775) (Noctuidae) *#brunnea* [Denis & Schiffermüller],1775
- 1952.** *Diarsia* *florida* (Schmidt,1859) (Noctuidae) *florida* Schmidt,1859
- 1953.** *Diarsia* *florida perturbata* Hacker,1987 (Noctuidae) *perturbata* Hacker,1987
- 1954.** *Diarsia* *mendica* (Fabricius,1775) (Noctuidae) *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933.
- 1955.** *Diarsia* *mendica mendica* (Fabricius,1775) (Noctuidae) *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933.
- 1956.** *Diarsia* *rubi* (Vieweg,1790) (Noctuidae) *rubi* Vieweg,1790; *radica* Esper,[1790]; *bella* Borkhausen,1792; *quadratum* Hübner,[1813]; *posticata* Walker,[1858].
- 1957.** *Dichagyris* (Grisyigoga) *candelisequa* ([Denis & Schiffermüller],1775) (Noctuidae) *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962.
- 1958.** *Dichagyris* (Grisyigoga) *candelisequa achaemenidica* Hacker,1990 (Noctuidae) *achaemenidica* Hacker,1990
- 1959.** *Dichagyris* (Yigoga) *celsicola* (Bellier,1858) (Noctuidae) *celsicola* Bellier,1858
- 1960.** *Dichagyris* (Yigoga) *eureteocles* (Boursin,1940) (Noctuidae) *eureteocles* Boursin,1940
- 1961.** *Dichagyris* (Yigoga) *flavina* (Herrich-Schäffer,[1852]) (Noctuidae) *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931.
- 1962.** *Dichagyris* (Yigoga) *flavina flavina* (Herrich-Schäffer,1852) (Noctuidae) *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898.
- 1963.** *Dichagyris* (Yigoga) *forcipula* ([Denis & Schiffermüller],1775) (Noctuidae) *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980.
- 1964.** *Dichagyris* (Yigoga) *forcipula amasicola* (Koçak,1980) (Noctuidae) *amasina* Turati,1919 nec Stgr.,1901; *amasicola* Koçak,1980
- 1965.** *Dichagyris* (Yigoga) *gracilis* (F.Wagner,1929) (Noctuidae) *gracilis* F.Wagner,1929
- 1966.** *Dichagyris* (Yigoga) *gracilis gracilis* (F.Wagner,1929) (Noctuidae) *gracilis* F.Wagner,1929
- 1967.** *Dichagyris* (Yigoga) *latipennis* (Püngeler,1909) (Noctuidae) *latipennis* Püngeler,1909
- 1968.** *Dichagyris* (Yigoga) *latipennis occidentalis* (Hacker,[1987]) (Noctuidae) *occidentalis* Hacker,[1987]
- 1969.** *Dichagyris* (Yigoga) *lutescens* (Eversmann,1844) (Noctuidae) *lutescens* Eversmann,1844; *dilucida* Eversmann,1844; *leonina* Staudinger,1877.
- 1970.** *Dichagyris* (Yigoga) *nachadira* (Brandt,1941) (Noctuidae) *nachadira* Brandt,1941
- 1971.** *Dichagyris* (Yigoga) *nachadira pseudorientis* (Boursin,1952) (Noctuidae) *pseudorientis* Boursin,1952
- 1972.** *Dichagyris* (Yigoga) *nigrescens* (Hofner,1888) (Noctuidae) *nigrescens* Hofner,1888
- 1973.** *Dichagyris* (Yigoga) *nigrescens robustior* (Corti & Draudt,1933) (Noctuidae) *robustior* Corti & Draudt,1933; *obscurior* Corti & Draudt,1933 nec Corti & Draudt,1933; *turcicola* Koçak,1980.
- 1974.** *Dichagyris* (Yigoga) *orientis* (Alpheraky,1882) (Noctuidae) *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933.
- 1975.** *Dichagyris* (Yigoga) *orientis orientis* (Alpheraky,1882) (Noctuidae) *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933.

1976. *Dichagyris* (Yigoga) *romanovi* (Christoph,1885) (Noctuidae) *romanovi* Christoph,1885; *#jura Strand*,1915; *karsholti Fibiger*,1990.
1977. *Dichagyris* (Yigoga) *serraticornis* (Staudinger,1898) (Noctuidae) *serraticornis* Staudinger,1898
1978. *Dichagyris* (Yigoga) *serraticornis serraticornis* (Staudinger,1898) (Noctuidae) *serraticornis* Staudinger,1898
1979. *Dichagyris* (Yigoga) *signifera* ([Denis & Schiffermüller],1775) (Noctuidae) *#signifera* [Denis & Schiffermüller],1775
1980. *Dichagyris* (Yigoga) *signifera tauricola* (Corti & Draudt,1933) (Noctuidae) *tauricola* Corti & Draudt,1933
1981. *Dichagyris* (Yigoga) *sincera* (De Freina & Hacker,1985) (Noctuidae) *sincera* De Freina & Hacker,1985.
1982. *Dichagyris* (Yigoga) *truculenta* (Lederer,1853) (Noctuidae) *truculenta* Lederer,1853
1983. *Dichagyris* (Yigoga) *truculenta toxistigma* (Hampson,1903) (Noctuidae) *toxistigma* Hampson,1903
1984. *Dichagyris* (s.str.) *amoena* (Staudinger,1892) (Noctuidae) *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933.
1985. *Dichagyris* (s.str.) *amoena amoena* (Staudinger,1892) (Noctuidae) *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933.
1986. *Dichagyris* (s.str.) *armeniaca* Kozhantshikov,1929 (Noctuidae) *armeniaca* Kozhantshikov,1929; *assimilata* Kozhantshikov,1929; *striatus* Kozhantshikov,1929.
1987. *Dichagyris* (s.str.) *cataleipa* Varga,1993 (Noctuidae) *cataleipa* Varga,1993
1988. *Dichagyris* (s.str.) *celebrata* (Alpheraky,1897) (Noctuidae) *celebrata* Alpheraky,1897
1989. *Dichagyris* (s.str.) *celebrata celebrata* (Alpheraky,1897) (Noctuidae) *celebrata* Alpheraky,1897
1990. *Dichagyris* (s.str.) *contermina* (Corti,1929) (Noctuidae) *contermina* Corti,1929; *wolffi* Hacker,1985.
1991. *Dichagyris* (s.str.) *erubescens* (Staudinger,1892) (Noctuidae) *erubescens* Staudinger,1892
1992. *Dichagyris* (s.str.) *erubescens erubescens* (Staudinger,1892) (Noctuidae) *erubescens* Staudinger,1892
1993. *Dichagyris* (s.str.) *forficula* (Eversmann,1851) (Noctuidae) *forficula* Eversmann,1851
1994. *Dichagyris* (s.str.) *griseotincta* (Wagner,1931) (Noctuidae) *griseotincta* Wagner,1931
1995. *Dichagyris* (s.str.) *leucomelas* Brandt,1941 (Noctuidae) *leucomelas* Brandt,1941
1996. *Dichagyris* (s.str.) *melanura* (Kollar,1846) (Noctuidae) *melanura* Kollar,1846
1997. *Dichagyris* (s.str.) *renigera* (Hübner,[1808]) (Noctuidae) *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebri* Staudinger,1892; *nigrescens* Kitt,1925 *nec Höfner*,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930.
1998. *Dichagyris* (s.str.) *renigera renigera* (Hübner,[1808]) (Noctuidae) *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebri* Staudinger,1892; *nigrescens* Kitt,1925 *nec Höfner*,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930.
1999. *Dichagyris* (s.str.) *singularis* (Staudinger,1877) (Noctuidae) *singularis* Staudinger,1877
2000. *Dichagyris* (s.str.) *singularis mesopotamica* Hacker & Weigert,1986 (Noctuidae) *mesopotamica* Hacker & Weigert,1986
2001. *Dichagyris* (s.str.) *squalidior* (Staudinger,1901) (Noctuidae) *squalidior* Staudinger,1901
2002. *Dichagyris* (s.str.) *squalidior squalidior* (Staudinger,1901) (Noctuidae) *squalidior* Staudinger,1901
2003. *Dichagyris* (s.str.) *squalorum* (Eversmann,1856) (Noctuidae) *squalorum* Eversmann,1856
2004. *Dichagyris* (s.str.) *squalorum squalorum* (Eversmann,1856) (Noctuidae) *squalorum* Eversmann,1856
2005. *Dichagyris* (s.str.) *terminicincta* (Corti & Draudt,1933) (Noctuidae) *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933.
2006. *Dichagyris* (s.str.) *terminicincta terminicincta* (Corti & Draudt,1933) (Noctuidae) *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933.
2007. *Dichagyris* (s.str.) *vallesiaca* (Boisduval,[1837]) (Noctuidae) *vallesiaca* Boisduval,[1837]
2008. *Dichagyris* (s.str.) *vallesiaca subsqualorum* Kozhantshikov,1929 (Noctuidae) *subsqualorum* Kozhantshikov,1929
2009. *Dichagyris* (s.str.) *zeituna* (Staudinger,1900) (Noctuidae) *zeituna* Staudinger,1900
2010. *Dichonia aeruginea* (Hübner,[1803]) (Noctuidae) *aeruginea* Hübner,[1803]; *miroleuca* Geyer,[1828]; *chiroleuca* Treitschke,1835; *mesembrina* Schawerda,1913.
2011. *Dichonia aeruginea tephroptila* (Warren,1910) (Noctuidae) *tephroptila* Warren,1910
2012. *Dichonia aeruginea topali* Ronkay & Varga,1986 (Noctuidae) *topali* Ronkay & Varga,1986
2013. *Dichonia convergens* ([Denis & Schiffermüller],1775) (Noctuidae) *#convergens* [Denis & Schiffermüller],1775; *spicula* Esper,[1791]
2014. *Dichonia convergens* ssp. (Noctuidae)
2015. *Dicycla oo* (Linnaeus,1758) (Noctuidae) *oo* Linnaeus,1758; *ferruginago* Hübner,[1803].
2016. *Diloba caeruleocephala* (Linnaeus,1758) (Noctuidae) *caeruleocephala* Linnaeus,1758
2017. *Diloba caeruleocephala armena* Staudinger,1871 (Noctuidae) *armena* Staudinger,1871
2018. *Drasteria cailino* (Lefèbvre,1827) (Noctuidae) *cailino* Lefèbvre,1827
2019. *Drasteria cailino cailino* (Lefèbvre,1827) (Noctuidae) *cailino* Lefèbvre,1827
2020. *Drasteria caucasica* (Kolenati,1846) (Noctuidae) *caucasica* Kolenati,1846; *astrida* Eversmann,1856; *aksuensis* Fuchs,1903.
2021. *Drasteria flexuosa* (Ménétriés,1848) (Noctuidae) *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
2022. *Drasteria flexuosa flexuosa* (Ménétriés,1848) (Noctuidae) *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
2023. *Drasteria herzi* (Alpheraky,1895) (Noctuidae) *herzi* Alpheraky,1895
2024. *Drasteria herzi herzi* (Alpheraky,1895) (Noctuidae) *herzi* Alpheraky,1895
2025. *Drasteria saisani* (Staudinger,1882) (Noctuidae) *saisani* Staudinger,1882; *clara* Staudinger,1895; *#zaisani* John,1910.
2026. *Drasteria sequax* (Staudinger,1901) (Noctuidae) *sequax* Staudinger,1901
2027. *Drasteria sesquilina* (Staudinger,1888) (Noctuidae) *sesquilina* Staudinger,1888; *sequax* Staudinger,1901.
2028. *Dryobotodes* (s.str.) *carbonis* (Wagner,1931) (Noctuidae) *carbonis* Wagner,1931; *taurica* Osthelder,1933; *europaea* Pinker,1976.
2029. *Dryobotodes* (s.str.) *eremita* (Fabricius,1775) (Noctuidae) *eremita* Fabricius,1775; *protea* [Denis & Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* Warren,1911; *#grisea* Warren,1911
2030. *Dryobotodes* (s.str.) *monochroma* (Esper,1790) (Noctuidae) *monochroma* Esper,[1790]; *distans* Hübner,[1813]; *suberis* Duponchel,1827
2031. *Dryobotodes* (s.str.) *servadeii* Parenzan,1982 (Noctuidae) *servadeii* Parenzan,1982
2032. *Dypterygia scabriuscula* (Linnaeus,1758) (Noctuidae) *scabriuscula* Linnaeus,1758; *pinastri* Linnaeus,1761.
2033. *Earias clorana* (Linnaeus,1761) (Noctuidae) *clorana* Linnaeus,1761; *viride* Retzius,1783
2034. *Earias insulana* (Boisduval,1833) (Noctuidae) *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.
2035. *Egira anatolica* (Hering,1933) (Noctuidae) *anatolica* Hering,1933; *#metaxys* Boursin,1966; *#leucomelas* Boursin,1966
2036. *Egira tibori* Hreblay,1994 (Noctuidae) *tibori* Hreblay,1994
2037. *Eicomorpha antiqua* Staudinger,1888 (Noctuidae) *antiqua* Staudinger,1888.
2038. *Eicomorpha kurdestanica* De Freina & Hacker,1985 (Noctuidae) *kurdestanica* De Freina & Hacker,1985
2039. *Elaphria venustula* (Hübner,1790) (Noctuidae) *venustula* Hübner,1790
2040. *Emmelia trabealis* (Scopoli,1763) (Noctuidae) *trabealis* Scopoli,1763; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865

- 2041.** *Enargia abluta* (Hübner,[1808]) (Noctuidae) *abluta* Hübner,[1808]; *imbuta* Boisduval,1840.
- 2042.** *Enargia abluta abluta* (Hübner,[1808]) (Noctuidae) *abluta* Hübner,[1808]; *imbuta* Boisduval,1840.
- 2043.** *Enargia pinkeri* De Freina & Hacker,1985 (Noctuidae) *pinkeri* De Freina & Hacker,1985
- 2044.** *Epilecta linogrisea* ([Denis & Schiffermüller],1775) (Noctuidae) *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901.
- 2045.** *Epimecia ustula* (Freyer,1835) (Noctuidae) *ustula* Freyer,1835
- 2046.** *Episema amasina* (Hampson,1906) (Noctuidae) *amasina* Hampson,1906
- 2047.** *Episema didymogramma* (Boursin,1955) (Noctuidae) *didymogramma* Boursin,1955
- 2048.** *Episema glaucina* (Esper,[1789]) (Noctuidae) *glaucina* Esper,[1789]; *dentimacula* Hübner,1790; *unicolor* Duponchel,1835; *hispana* Boisduval,[1837]; *meridionalis* Calberla,1888; *abruzzorum* Dannehl,1929.
- 2049.** *Episema korsakovi* (Christoph,1885) (Noctuidae) *korsakovi* Christoph,1885; *paenulata* Christoph,1885.
- 2050.** *Episema korsakovi levantina* Hacker,2001 (Noctuidae) *levantina* Hacker,2001
- 2051.** *Episema lederi* Christoph,1885 (Noctuidae) *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#lederi* Wiltshire,1937.
- 2052.** *Episema tersa* ([Denis & Schiffermüller],1775) (Noctuidae) *tersa* [Denis & Schiffermüller],1775; *trimacula* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1956.
- 2053.** *Eremobia asiatica* Draudt,1936 (Noctuidae) *asiatica* Draudt,1936
- 2054.** *Eremobia asiatica asiatica* (Draudt,1936) (Noctuidae) *asiatica* Draudt,1936
- 2055.** *Eriopygodes imbecilla* (Fabricius,1794) (Noctuidae) *imbecilla* Fabricius,1794; *alpina* Hübner,1793; *aliena* Hübner,[1808]; *disparilis* Ochsenheimer,1816.
- 2056.** *Eublemma* (Glossodice) *polygramma* (Duponchel,[1842]) (Noctuidae) *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *pudorina* Staudinger,1889; *violetta* Staudinger,1889.
- 2057.** *Eublemma* (albida-gr.) *gratissima* (Staudinger,1892) (Noctuidae) *gratissima* Staudinger,1892; *infuscata* Staudinger,1892; *peralba* Schawerda,1923.
- 2058.** *Eublemma* (albida-gr.) *hansa* (Herrich-Schäffer,[1851]) (Noctuidae) *hansa* Herrich-Schäffer,[1851]
- 2059.** *Eublemma* (albida-gr.) *hansa straminea* (Staudinger,1892) (Noctuidae) *straminea* Staudinger,1892; *maraschensis* Osthelder,1933
- 2060.** *Eublemma* (albida-gr.) *straminea* (Staudinger,1892) (Noctuidae) *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933.
- 2061.** *Eublemma* (bulla-gr.) *lutosa* Staudinger,1892 (Noctuidae) *lutosa* Staudinger,1892; *substrigula* Staudinger,1892
- 2062.** *Eublemma* (bulla-gr.) *suppura* (Staudinger,1892) (Noctuidae) *suppura* Staudinger,1892
- 2063.** *Eublemma* (candidana-gr.) *aureola* Fibiger & Hacker,2002 (Noctuidae) *aureola* Fibiger & Hacker,2002
- 2064.** *Eublemma* (candidana-gr.) *candidana* (Fabricius,1794) (Noctuidae) *candidana* Fabricius,1794; *minuta* Hübner,[1809]; *perlana* Geyer,[1830]; *skafiota* Herrich-Schäffer,1851; *impura* Staudinger,1871.
- 2065.** *Eublemma* (candidana-gr.) *minutata* (Fabricius,1794) (Noctuidae) *minutata* Fabricius,1794; *noctualis* Hübner,1796; *paula* Hübner,[1809].
- 2066.** *Eublemma* (candidana-gr.) *minutata minutata* (Fabricius,1794) (Noctuidae) *minutata* Fabricius,1794; *noctualis* Hübner,1796; *paula* Hübner,[1809].
- 2067.** *Eublemma* (candidana-gr.) *wagneri* (Herrich-Schäffer,1851) (Noctuidae) *wagneri* Herrich-Schäffer,1851
- 2068.** *Eublemma* (chlorotica-gr.) *chlorotica* (Lederer,1858) (Noctuidae) *chlorotica* Lederer,1858
- 2069.** *Eublemma* (ostrina-gr.) *ostrina* (Hübner,[1808]) (Noctuidae) *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsafikis,1973.
- 2070.** *Eublemma* (pallidula-gr.) *pallidula* (Herrich-Schäffer,1856) (Noctuidae) *pallidula* Herrich-Schäffer,1856
- 2071.** *Eublemma* (pallidula-gr.) *pallidula mardina* (Staudinger,1901) (Noctuidae) *mardina* Staudinger,1901
- 2072.** *Eublemma* (pallidula-gr.) *pallidula pallidula* (Herrich-Schäffer,1856) (Noctuidae) *pallidula* Herrich-Schäffer,1856
- 2073.** *Eublemma* (parva-gr.) *parva* (Hübner,[1808]) (Noctuidae) *parva* Hübner,[1808]; *rubefacta* Mabilie,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902.
- 2074.** *Eublemma* (rosina-gr.) *amoena* (Hübner,[1803]) (Noctuidae) *respersa* Hübner,1790; *amoena* Hübner,[1803]; *bithynica* Bethune-Baker,1888.
- 2075.** *Eublemma* (rosina-gr.) *caelestis* (Brandt,1938) (Noctuidae) *caelestis* Brandt,1938
- 2076.** *Eublemma* (rosina-gr.) *panonica* (Freyer,1840) (Noctuidae) *panonica* Freyer,1840
- 2077.** *Eublemma* (rosina-gr.) *panonica lenis* (Eversmann,1844) (Noctuidae) *lenis* Eversmann,1844
- 2078.** *Eublemma* (rosina-gr.) *parallela* (Freyer,1842) (Noctuidae) *parallela* Freyer,1842; *concinula* Herrich-Schäffer,1851; *#densata* Warren,1912.
- 2079.** *Eublemma* (rosina-gr.) *purpurina* ([Denis & Schiffermüller],1775) (Noctuidae) *purpurina* [Denis & Schiffermüller],1775; *secunda* Staudinger,1901.
- 2080.** *Eublemma* (rosina-gr.) *rosina* (Hübner,[1803]) (Noctuidae) *rosea* Hübner,1790 *nec* Fourcroy,1785; *rosina* Hübner,[1803]; *decolorata* Wagner,1913; *sinuata* Schwingenschuss,1938.
- 2081.** *Eublemma* (rosina-gr.) *rosina rosina* (Hübner,[1803]) (Noctuidae) *rosea* Hübner,1790 *nec* Fourcroy,1785; *rosina* Hübner,[1803]; *decolorata* Wagner,1913; *sinuata* Schwingenschuss,1938.
- 2082.** *Eublemma* *fugitiva* (Christoph,1877) (Noctuidae) *fugitiva* Christoph,1877
- 2083.** *Eublemma* *pannonica* (Freyer,1840) (Noctuidae) *panonica* Freyer,1840; *kindermannii* Boisduval,1840.
- 2084.** *Eublemma* *suppuncta* (Staudinger,1892) (Noctuidae) *suppuncta* Staudinger,1892
- 2085.** *Euchalcia* (s.str.) *armeniae* Dufay,1966 (Noctuidae) *armeniae* Dufay,1966; *#armeninae* Hacker,1986.
- 2086.** *Euchalcia* (s.str.) *augusta* (Staudinger,1892) (Noctuidae) *augusta* Staudinger,1892
- 2087.** *Euchalcia* (s.str.) *augusta augusta* (Staudinger,1892) (Noctuidae) *augusta* Staudinger,1892
- 2088.** *Euchalcia* (s.str.) *augusta wolffi* Hacker & Ronkay,1992 (Noctuidae) *wolffi* Hacker & Ronkay,1992
- 2089.** *Euchalcia* (s.str.) *biezankoi* (Alberti,1965) (Noctuidae) *biezankoi* Alberti,1965; *#biezankoi* Hacker,[1987].
- 2090.** *Euchalcia* (s.str.) *biezankoi defreinae* Hacker,[1987] (Noctuidae) *defreinae* Hacker,[1987].
- 2091.** *Euchalcia* (s.str.) *dorsiflava* (Standfuss,1892) (Noctuidae) *dorsiflava* Standfuss,1892
- 2092.** *Euchalcia* (s.str.) *emichi* (Rogenhofer,1873) (Noctuidae) *emichi* Rogenhofer,1873
- 2093.** *Euchalcia* (s.str.) *siderifera* (Eversmann,1846) (Noctuidae) *siderifera* Eversmann,1846
- 2094.** *Euchalcia* (s.str.) *siderifera siderifera* (Eversmann,1846) (Noctuidae) *siderifera* Eversmann,1846
- 2095.** *Euchalcia* (s.str.) *taurica* (Osthelder,1933) (Noctuidae) *taurica* Osthelder,1933
- 2096.** *Euchalcia* (s.str.) *variabilis* (Piller & Mitterpacher,1783) (Noctuidae) *variabilis* Piller & Mitterpacher,1783
- 2097.** *Euchalcia* (s.str.) *variabilis obscurior* (Alberti,1965) (Noctuidae) *obscurior* Alberti,1965.
- 2098.** *Euchalcia* (s.str.) *viridis* (Staudinger,1901) (Noctuidae) *viridis* Staudinger,1901
- 2099.** *Euchalcia* (s.str.) *viridis phrygiae* Dufay,1963 (Noctuidae) *phrygiae* Dufay,1963
- 2100.** *Euclidia glyphica* (Linnaeus,1758) (Noctuidae) *glyphica* Linnaeus,1758; *pratensis* Müller,1764
- 2101.** *Eugnorisma* (Metagnorisma) *heuristica* Varga & Ronkay,1987 (Noctuidae) *heuristica* Varga & Ronkay,1987
- 2102.** *Eugnorisma* (Metagnorisma) *pontica* (Staudinger,1892) (Noctuidae) *pontica* Staudinger,1892
- 2103.** *Eugnorisma* (Metagnorisma) *pontica pontica* (Staudinger,1892) (Noctuidae) *pontica* Staudinger,1892
- 2104.** *Eugnorisma* (Metagnorisma) *rafidain* (Boursin,1936) (Noctuidae) *rafidain* Boursin,1936

- 2105. Eugnorisma (s.str.) chaldaica (Boisduval,1840)** (Noctuidae) *chaldaica* Boisduval,1840
- 2106. Eugnorisma (s.str.) chaldaica buraki Koçak,1983 (cf. Baisch et al.,1998)** (Noctuidae) *caerulea* Wagner,1932 *nec* Guenée,1852; *buraki* Koçak,1983
- 2107. Eugnorisma (s.str.) eminens (Lederer,1855)** (Noctuidae) *eminens* Lederer,1855
- 2108. Eugnorisma (s.str.) eminens eminens (Lederer,1855)** (Noctuidae) *eminens* Lederer,1855
- 2109. Eugnorisma (s.str.) enargiaris (Draudt,1936)** (Noctuidae) *enargiaris* Draudt,1936
- 2110. Eugnorisma (s.str.) insignata (Lederer,1853)** (Noctuidae) *insignata* Lederer,1853; *intermedia* Eversmann,1855.
- 2111. Eugnorisma (s.str.) insignata columbina (Draudt,1936)** (Noctuidae) *columbina* Draudt,1936
- 2112. Eugnorisma (s.str.) leuconura (Hampson,1918)** (Noctuidae) *leuconura* Hampson,1918; *fuliginosa* Draudt,1936.
- 2113. Eulocastra diaphora (Staudinger,1879)** (Noctuidae) *diaphora* Staudinger,1879; *triangularis* Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898.
- 2114. Euplexia lucipara (Linnaeus,1758)** (Noctuidae) *lucipara* Linnaeus,1758
- 2115. Eupsilia transversa (Hufnagel,1766)** (Noctuidae) *transversa* Hufnagel,1766
- 2116. Eurois occulta (Linnaeus,1758)** (Noctuidae) *occulta* Linnaeus,1758; *implicata* Lefebvre,1836; *extricata* Zetterstedt,[1839]; *prolixa* Zetterstedt,[1839]; *puncticosa* Zetterstedt,[1839]; *roseovirgata* Dannehl,1929; *fumea* Corti & Draudt,1933; *tibetica* Corti & Draudt,1933
- 2117. Eurois occulta occulta (Linnaeus,1758)** (Noctuidae) *occulta* Linnaeus,1758; *implicata* Lefebvre,1836; *extricata* Zetterstedt,[1839]; *prolixa* Zetterstedt,[1839]; *puncticosa* Zetterstedt,[1839]; *roseovirgata* Dannehl,1929.
- 2118. Eutelia adoratrix (Staudinger,1892)** (Noctuidae) *adoratrix* Staudinger,1892
- 2119. Eutelia adulatrix (Hübner,[1813])** (Noctuidae) *adulatrix* Hübner,[1813]
- 2120. Euxoa (Chorisagrotis) adumbrata (Eversmann,1842)** (Noctuidae) *adumbrata* Eversmann,1842; *polygonides* Staudinger,1874; *variegata* Wagner,1913; *pamiricola* Kozhantshikov,1937.
- 2121. Euxoa (Chorisagrotis) adumbrata friedeli Pinker,1980** (Noctuidae) *friedeli* Pinker,1980.
- 2122. Euxoa (Orosagrotis) difficillima (Draudt,1937)** (Noctuidae) *difficillima* Draudt,1937
- 2123. Euxoa (Orosagrotis) difficillima difficillima (Draudt,1937)** (Noctuidae) *difficillima* Draudt,1937
- 2124. Euxoa (Orosagrotis) foeda (Lederer,1855)** (Noctuidae) *foeda* Lederer,1855; *enitens* Corti,1926; *marmorosa* Corti,1927; *vanensis* Draudt,1937.
- 2125. Euxoa (Pleonectopoda) hilaris (Freyer,1838)** (Noctuidae) *hilaris* Freyer,1838
- 2126. Euxoa (Pleonectopoda) hilaris hikmeti Koçak,1989** (Noctuidae) *hikmeti* Koçak,1989
- 2127. Euxoa (Pleonectopoda) inclusa Corti,1931** (Noctuidae) *inclusa* Corti,1931
- 2128. Euxoa (Pleonectopoda) rjabovi (Kozhantshikov,1929)** (Noctuidae) *rjabovi* Kozhantshikov,1929; *inclusa* Corti,1931
- 2129. Euxoa (s.str.) anatolica Draudt,1936** (Noctuidae) *anatolica* Draudt,1936.
- 2130. Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937.
- 2131. Euxoa (s.str.) aquilina obeliscata (Wagner,1929)** (Noctuidae) *obeliscata* Wagner,1929.
- 2132. Euxoa (s.str.) birivia ([Denis & Schiffermüller],1775)** (Noctuidae) *birivia* [Denis & Schiffermüller],1775; *honoratina* Donzel,1837; *cuprina* Staudinger,1900; *sudetica* Skala,1929; *caucasica* Spuler,1908; *flavisignata* Corti,1932.
- 2133. Euxoa (s.str.) christophi (Staudinger,1870)** (Noctuidae) *christophi* Staudinger,1870
- 2134. Euxoa (s.str.) christophi cappadocica (Hacker,1988)** (Noctuidae) *cappadocica* Hacker,1988
- 2135. Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *abdiita* Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931.
- 2136. Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933.
- 2137. Euxoa (s.str.) cos cos (Hübner,[1824])** (Noctuidae) *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933.
- 2138. Euxoa (s.str.) decora ([Denis & Schiffermüller],1775)** (Noctuidae) *decora* [Denis & Schiffermüller],1775
- 2139. Euxoa (s.str.) decora hackeri Fibiger & Moberg,1990** (Noctuidae) *hackeri* Fibiger & Moberg,1990
- 2140. Euxoa (s.str.) deserta (Staudinger,1870)** (Noctuidae) *deserta* Staudinger,1870
- 2141. Euxoa (s.str.) deserta glaseri Varga,1979** (Noctuidae) *glaseri* Varga,1979
- 2142. Euxoa (s.str.) distinguenda (Lederer,1857)** (Noctuidae) *distinguenda* Lederer,1857.
- 2143. Euxoa (s.str.) distinguenda distincta (Staudinger,1892)** (Noctuidae) *distincta* Staudinger,1892; *uralensis* Corti,1926; *amplexa* Corti,1931; *akschehirensis* Corti,1932; *rumelica* Boursin,1935; *#akshirensis* Ebert & Hacker,2002
- 2144. Euxoa (s.str.) dsheiron Brandt,1938** (Noctuidae) *dsheiron* Brandt,1938.
- 2145. Euxoa (s.str.) eruta (Hübner,[1817])** (Noctuidae) *eruta* Hübner,[1817].
- 2146. Euxoa (s.str.) glabella (Wagner,1930)** (Noctuidae) *glabella* Wagner,1930
- 2147. Euxoa (s.str.) hastifera (Donzel,1847)** (Noctuidae) *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952.
- 2148. Euxoa (s.str.) hastifera geghardica Varga,1979** (Noctuidae) *geghardica* Varga,1979.
- 2149. Euxoa (s.str.) heringi Christoph,1877** (Noctuidae) *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931.
- 2150. Euxoa (s.str.) heringi heringi (Christoph,1877)** (Noctuidae) *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931.
- 2151. Euxoa (s.str.) homicida (Staudinger,1900)** (Noctuidae) *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999.
- 2152. Euxoa (s.str.) homicida homicida (Staudinger,1900)** (Noctuidae) *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999.
- 2153. Euxoa (s.str.) luteomixta (Wagner,1932)** (Noctuidae) *luteomixta* Wagner,1932
- 2154. Euxoa (s.str.) mobergi Fibiger,1990** (Noctuidae) *mobergi* Fibiger,1990
- 2155. Euxoa (s.str.) mustelina (Christoph,1877)** (Noctuidae) *mustelina* Christoph,1877
- 2156. Euxoa (s.str.) mustelina mustelina (Christoph,1877)** (Noctuidae) *mustelina* Christoph,1877
- 2157. Euxoa (s.str.) nigricans (Linnaeus,1761)** (Noctuidae) *nigricans* Linnaeus,1761; *fumosa* [Denis & Schiffermüller],1775; *rubricans* Esper,[1788]; *dubia* Haworth,1809; *vilis*, *fuliginea* Hübner,[1813]; *carbonea* Hübner,[1823]; *ursina* Godart,1825; *rustica* Eversmann,1842; *oppidicola* Krulikowsky,1907.
- 2158. Euxoa (s.str.) nigrofusca (Esper,[1788])** (Noctuidae) *tritici sensu auct. nec* Linn.,1761; *nigrofusca* Esper,[1788].
- 2159. Euxoa (s.str.) obelisca ([Denis & Schiffermüller],1775)** (Noctuidae) *obelisca* [Denis & Schiffermüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* Warren,1909; *stephensii* Heyd.,1933; *salioclitana* Boursin,1934.
- 2160. Euxoa (s.str.) obelisca obelisca ([Denis & Schiffermüller],1775)** (Noctuidae) *obelisca* [Denis & Schiffermüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* Warren,1909; *stephensii* Heyd.,1933; *salioclitana* Boursin,1934.
- 2161. Euxoa (s.str.) perierga Brandt,1938** (Noctuidae) *perierga* Brandt,1938
- 2162. Euxoa (s.str.) perierga haloeremialis Varga,1979** (Noctuidae) *haloeremialis* Varga,1979

- 2163.** *Euxoa* (s.str.) *recussa* (Hübner,[1817]) (Noctuidae) *recussa* Hübner,[1817]; *telifera* Donzel,1837; *transsylvania* Herrich-Schäffer,[1851]; *florigera* Eversmann,1856; *latebrosa* Corti,1931.
- 2164.** *Euxoa* (s.str.) *recussa tetrastigma* (Zetterstedt,1840) (Noctuidae) *tetrastigma* Zetterstedt,1840; *florigera* Eversmann,1844.
- 2165.** *Euxoa* (s.str.) *robinosa* (Staudinger,[1895]) (Noctuidae) *robinosa* Staudinger,[1895]; *terminalis* Rothschild,1921; *pseudobelisca* Corti,1932; *intensior* Draudt,1936; *vinirufa* Draudt,1936.
- 2166.** *Euxoa* (s.str.) *rubrior* Pinker,1980 (Noctuidae) *rubrior* Pinker,1980; *kansui* Kornoşor,1989; *oezeri* Kornoşor,1989; *loedlii* Kornoşor,1989
- 2167.** *Euxoa* (s.str.) *scurrilis* Draudt,1937 (Noctuidae) *scurrilis* Draudt,1937
- 2168.** *Euxoa* (s.str.) *segnilis* (Duponchel,1836) (Noctuidae) *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957.
- 2169.** *Euxoa* (s.str.) *segnilis cortii* (Wagner,1930) (Noctuidae) *cortii* Wagner,1930; *costaevittata* Wagner,1930.
- 2170.** *Euxoa* (s.str.) *segnilis segnilis* (Duponchel,1836) (Noctuidae) *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957.
- 2171.** *Euxoa* (s.str.) *subdecora* Hampson,1903 (Noctuidae) *subdecora* Hampson,1903; *clauda* Püngeler,1906.
- 2172.** *Euxoa* (s.str.) *sulcifera* (Christoph,1893) (Noctuidae) *sulcifera* Christoph,1893
- 2173.** *Euxoa* (s.str.) *temera* (Hübner,[1808]) (Noctuidae) *temera* Hübner,[1808]; *uris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *hemispherica* Hampson,1903; *aliphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937.
- 2174.** *Euxoa* (s.str.) *tritici* (Linnaeus,1761) (Noctuidae) *tritici* Linnaeus,1761; *pratincola* Borkhausen,1792; *domestica* Fabricius,1794; *venosus*, *pupillatus*, *pusillus* Haworth,1803; *lineolata*, *albilinea* Haworth,1809; *privigna* Püngeler,1906.
- 2175.** *Euxoa* (s.str.) *tritici tritici* (Linnaeus,1761) (Noctuidae) *tritici* Linnaeus,1761; *nigrofusca* Esper,[1788]; *pratincola* Borkhausen,1792; *domestica* Fabricius,1794; *venosus*, *pupillatus*, *pusillus* Haworth,1803; *lineolata*, *albilinea* Haworth,1809; *privigna* Püngeler,1906.
- 2176.** *Euxoa* (s.str.) *vitta* (Esper,[1789]) (Noctuidae) *vitta* Esper,[1789]
- 2177.** *Euxoa* (s.str.) *vitta hercegoviensis* (Schawerda,1938) (Noctuidae) *hercegoviensis* Schawerda,1938.
- 2178.** *Euxoa* (s.str.) *zernyi* Boursin,1944 (Noctuidae) *zernyi* Boursin,1944.
- 2179.** *Exophila rectangularis* (Hübner,[1828]) (Noctuidae) *rectangularis* Hübner,[1828]
- 2180.** *Gonospileia triquetra* ([Denis & Schiffermüller],1775) (Noctuidae) *triquetra* [Denis & Schiffermüller],1775; *aurantiaca* Staudinger,1881.
- 2181.** *Gonospileia triquetra triquetra* ([Denis & Schiffermüller],1775) (Noctuidae) *triquetra* [Denis & Schiffermüller],1775; *aurantiaca* Staudinger,1881.
- 2182.** *Gortyna cervago* Eversmann,1844 (Noctuidae) *cervago* Eversmann,1844; *#argillago* Draudt,1936.
- 2183.** *Gortyna flavago* ([Denis & Schiffermüller],1775) (Noctuidae) *flavago* [Denis & Schiffermüller],1775
- 2184.** *Gortyna hethitica* Hacker,Kuhna & Gross,1986 (Noctuidae) *hethitica* Hacker,Kuhna & Gross,1986
- 2185.** *Gortyna moesiaca* Herrich-Schäffer,[1849] (Noctuidae) *moesiaca* Herrich-Schäffer,[1849]; *perlucida* Warren,1911.
- 2186.** *Gortyna moesiaca euxinia* Hacker,[1987] (Noctuidae) *euxinia* Hacker,[1987]
- 2187.** *Gortyna osmana* Hacker & Kuhna,1986 (Noctuidae) *osmana* Hacker & Kuhna,1986
- 2188.** *Grammodes stolidia* (Fabricius,1775) (Noctuidae) *stolidia* Fabricius,1775; *cingularis* Hübner,[1808]; *stipida* Herrich-Schäffer,1851; *curvilinea* Walker,1869.
- 2189.** *Graphantha* (Dysgraphhadena) *commoda* (Staudinger,1889) (Noctuidae) *indigna* auct. nec Chr.,1887; *commoda* Staudinger,1889; *manifesta* Christoph,1893; *idumaea* Püngeler,1902; *schlumbergeri* Püngeler,1905
- 2190.** *Gripesia aprilina* (Linnaeus,1758) (Noctuidae) *aprilina* Linnaeus,1758; *runica* [Denis & Schiffermüller],1775; *obscurior* Wolfsberger,1969.
- 2191.** *Gripesia aprilina aprilina* (Linnaeus,1758) (Noctuidae) *aprilina* Linnaeus,1758; *runica* [Denis & Schiffermüller],1775; *obscurior* Wolfsberger,1969.
- 2192.** *Gripesia pinkeri* (Kobes,1973) (Noctuidae) *pinkeri* Kobes,1973
- 2193.** *Gripesia wegneri* Kobes & Fibiger,2003 (Noctuidae) *wegneri* Kobes & Fibiger,2003
- 2194.** *Hada persa* (Alpheraky,1897) (Noctuidae) *persa* Alpheraky,1897
- 2195.** *Hada persa armeniaca* Hacker, Huber & Kuhna,1988 (Noctuidae) *armeniaca* Hacker, Huber & Kuhna,1988
- 2196.** *Hada plebeja* (Linnaeus,1761) (Noctuidae) *plebeja* Linnaeus,1761; *nana* Hufnagel,1766; *dentina* [Denis & Schiff.],1775; *leucostigma* Hw.,1809; *odontides* Bsd.,1829; *latenai* Pierret,1837; *hilaris* Zetterstedt,[1839]; *reducta* Rbl. & Zerny,[1932]; *littoralis*, *gredensis*, *nevadensis*, *hawelkae* Schawerda,1938.
- 2197.** *Hada plebeja sultana* (Schwingenschuss,1938) (Noctuidae) *sultana* Schwingenschuss,1938
- 2198.** *Hadena (Anepia) esperi* Hacker,1992 (Noctuidae) *esper* Hacker,1992
- 2199.** *Hadena (Anepia) irregularis* (Hufnagel,1766) (Noctuidae) *irregularis* Hufnagel,1766; *echii* Borkhausen,1792; *syngenesiae* Borkhausen,1793; *brecciaeformis* Esper,[1805].
- 2200.** *Hadena (Anepia) musculina* (Staudinger,1892) (Noctuidae) *musculina* Staudinger,1892; *mayeri* Wagner,1931.
- 2201.** *Hadena (Anepia) perplexa* ([Denis & Schiffermüller],1775) (Noctuidae) *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec Cr.*,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850].
- 2202.** *Hadena (Anepia) perplexa perplexa* ([Denis & Schiffermüller],1775) (Noctuidae) *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec Cr.*,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850].
- 2203.** *Hadena (Anepia) silenes* (Hübner,[1822]) (Noctuidae) *silenes* Hübner,[1822]; *sejuncta* Herrich-Schäffer,[1850].
- 2204.** *Hadena (Anepia) silenes variegata* (Wagner,1929) (Noctuidae) *variegata* Wagner,1929
- 2205.** *Hadena (Anepia) syriaca* (Osthelder,1933) (Noctuidae) *syriaca* Osthelder,1933; *osthelderi* Draudt,1933.
- 2206.** *Hadena (Anepia) syriaca podolica* (Kremsky,1937) (Noctuidae) *podolica* Kremsky,1937
- 2207.** *Hadena (Anepia) syriaca syriaca* (Osthelder,1933) (Noctuidae) *syriaca* Osthelder,1933; *osthelderi* Draudt,1933.
- 2208.** *Hadena (Enterpia) laudeti* (Boisduval,1840) (Noctuidae) *laudeti* Boisduval,1840
- 2209.** *Hadena (Enterpia) laudeti orientis* Hacker,1996 (Noctuidae) *orientis* Hacker,1996
- 2210.** *Hadena (Enterpia) roseocandida* Hacker,1996 (Noctuidae) *roseocandida* Hacker,1996
- 2211.** *Hadena (Maschukia) pumila* (Staudinger,1879) (Noctuidae) *pumila* Staudinger,1879
- 2212.** *Hadena (Maschukia) pumila pumila* (Staudinger,1879) (Noctuidae) *pumila* Staudinger,1879
- 2213.** *Hadena (Pinkericola) cappadocia* Hacker,1987 (Noctuidae) *cappadocia* Hacker,1987
- 2214.** *Hadena (Pinkericola) tephroleuca* (Boisduval,1833) (Noctuidae) *tephroleuca* Boisduval,1833
- 2215.** *Hadena (Pinkericola) tephroleuca asiatica* (Wagner,1931) (Noctuidae) *asiatica* Wagner,1931
- 2216.** *Hadena (s.str.(Albimaculia)) adriana* (Schawerda,1921) (Noctuidae) *adriana* Schawerda,1921
- 2217.** *Hadena (s.str.(Albimaculia)) albimacula* (Borkhausen,1792) (Noctuidae) *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820].
- 2218.** *Hadena (s.str.(Albimaculia)) albimacula albimacula* (Borkhausen,1792) (Noctuidae) *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820].
- 2219.** *Hadena (s.str.(Albimaculia)) cavalla* Pinker,1980 (Noctuidae) *cavalla* Pinker,1980
- 2220.** *Hadena (s.str.(Albimaculia)) defreina* Hacker, Kuhna & Gross,1986 (Noctuidae) *defreina* Hacker, Kuhna & Gross,1986

2221. *Hadena* (s.str.(Albimaculia)) *defreinae* *defreinae* Hacker, Kuhna & Gross, 1986 (Noctuidae) *defreinae* Hacker, Kuhna & Gross, 1986
2222. *Hadena* (s.str.(Albimaculia)) *gueneei* (Staudinger, 1901) (Noctuidae) *gueneei* Staudinger, 1901; *guenei* Hampson, 1905
2223. *Hadena* (s.str.(Albimaculia)) *humilis* (Christoph, 1893) (Noctuidae) *humilis* Christoph, 1893; *stenoptera* Rebel, 1933.
2224. *Hadena* (s.str.(Anatolidena)) *danilewskyi* Hacker, 1996 (Noctuidae) *danilewskyi* Hacker, 1996
2225. *Hadena* (s.str.(Anatolidena)) *pfeifferi* (Draudt, 1934) (Noctuidae) *pfeifferi* Draudt, 1934
2226. *Hadena* (s.str.(Anatolidena)) *pfeifferi* *ponticola* Hacker, 1996 (Noctuidae) *ponticola* Hacker, 1996
2227. *Hadena* (s.str.(Anatolidena)) *staudingeri* (Wagner, 1931) (Noctuidae) *staudingeri* Wagner, 1931
2228. *Hadena* (s.str.(Caeshadena)) *caesia* ([Denis & Schiffermüller], 1775) (Noctuidae) *caesia* [Denis & Schiffermüller], 1775; *dichroma* Esp., [1790].
2229. *Hadena* (s.str.(Caeshadena)) *caesia* *bulgarica* Boursin, 1959 (Noctuidae) *bulgarica* Boursin, 1959
2230. *Hadena* (s.str.(Caeshadena)) *caesia* *euxinia* Hacker, 1990 (Noctuidae) *euxinia* Hacker, 1990
2231. *Hadena* (s.str.(Clarhadena)) *clara* (Staudinger, 1901) (Noctuidae) *clara* Staudinger, 1901; *hyrcana* Draudt, 1933; *transiens* Draudt, 1938.
2232. *Hadena* (s.str.(Clarhadena)) *clara* *clara* (Staudinger, 1901) (Noctuidae) *clara* Staudinger, 1901; *hyrcana* Draudt, 1933; *transiens* Draudt, 1938
2233. *Hadena* (s.str.(Clarhadena)) *clara* *kuruschensis* Boursin, 1959 (Noctuidae) *kuruschensis* Boursin, 1959
2234. *Hadena* (s.str.(Clarhadena)) *clara* *transiens* (Draudt, 1936) (Noctuidae) *transiens* Draudt, 1936
2235. *Hadena* (s.str.(Clarhadena)) *drenowski* (Rebel, 1930) (Noctuidae) *drenowski* Rebel, 1930.
2236. *Hadena* (s.str.(Clarhadena)) *drenowski* *sultana* Hacker, 1996 (Noctuidae) *sultana* Hacker, 1996
2237. *Hadena* (s.str.(Clarhadena)) *pseudoclara* Hacker, 1996 (Noctuidae) *pseudoclara* Hacker, 1996
2238. *Hadena* (s.str.(Clarhadena)) *pseudoclara* *oleagina* Hacker, 1996 (Noctuidae) *oleagina* Hacker, 1996
2239. *Hadena* (s.str.(Clarhadena)) *pseudoclara* *pseudoclara* Hacker, 1996 (Noctuidae) *pseudoclara* Hacker, 1996
2240. *Hadena* (s.str.(Clarhadena)) *subhyrcana* Hacker, 1996 (Noctuidae) *subhyrcana* Hacker, 1996
2241. *Hadena* (s.str.(Dianthocia)) *impressa* (Esper, [1790]) (Noctuidae) *#capsicola* [Denis & Schiffermüller], 1775; *impressa* Esper, [1790].
2242. *Hadena* (s.str.(Filigrana)) *filigrana* (Esper, [1788]) (Noctuidae) *filigrana* Esper, [1788]; *filigrana* auct.; *polymita* Hübner, [1803]; *xanthocyanea* Hübner, [1819]; *flavivibica* Hübner, [1821].
2243. *Hadena* (s.str.(Filigrana)) *filigrana* *consparsata* (Freyer, 1844) (Noctuidae) *consparsata* Freyer, 1844.
2244. *Hadena* (s.str.(Filigrana)) *filigrana* *filigrana* (Esper, [1788]) (Noctuidae) *filigrana* Esper, [1788]; *filigrana* auct.; *polymita* Hübner, [1803]; *xanthocyanea* Hübner, [1819]; *flavivibica* Hübner, [1821].
2245. *Hadena* (s.str.(Hadenobilis)) *albertii* Hacker, 1996 (Noctuidae) *albertii* Hacker, 1996
2246. *Hadena* (s.str.(Hadenobilis)) *chrysographa* Hacker, 1996 (Noctuidae) *chrysographa* Hacker, 1996
2247. *Hadena* (s.str.(Hadenobilis)) *melanochroa* (Staudinger, 1892) (Noctuidae) *melanochroa* Staudinger, 1892
2248. *Hadena* (s.str.(Hadenobilis)) *melanochroa* *melanochroa* (Staudinger, 1892) (Noctuidae) *melanochroa* Staudinger, 1892
2249. *Hadena* (s.str.(Hadenobilis)) *perpetua* Hacker, 1996 (Noctuidae) *perpetua* Hacker, 1996
2250. *Hadena* (s.str.(Hadenobilis)) *tristis* (Draudt, 1934) (Noctuidae) *tristis* Draudt, 1934
2251. *Hadena* (s.str.(Hadenobilis)) *tristis* *tristis* (Draudt, 1934) (Noctuidae) *tristis* Draudt, 1934
2252. *Hadena* (s.str.(Hadenobilis)) *vulcanica* (Turati, 1907) (Noctuidae) *vulcanica* Turati, 1907
2253. *Hadena* (s.str.(Hadenobilis)) *vulcanica* *clarescens* (Draudt, 1936) (Noctuidae) *clarescens* Draudt, 1936
2254. *Hadena* (s.str.(Hadenobilis)) *vulcanica* *urumovi* (Drenowski, 1931) (Noctuidae) *urumovi* Drenowski, 1931
2255. *Hadena* (s.str.(Luteocincta)) *femina* Hacker, 1996 (Noctuidae) *femina* Hacker, 1996
2256. *Hadena* (s.str.(Luteocincta)) *persimilis* Hacker, 1996 (Noctuidae) *persimilis* Hacker, 1996
2257. *Hadena* (s.str.(Luteocincta)) *wehrlii* (Draudt, 1934) (Noctuidae) *wehrlii* Draudt, 1934
2258. *Hadena* (s.str.(Luteocincta)) *wehrlii* *frequens* Hacker, 1996 (Noctuidae) *frequens* Hacker, 1996
2259. *Hadena* (s.str.(Magnifica)) *magnifica* Hacker, 1996 (Noctuidae) *magnifica* Hacker, 1996
2260. *Hadena* (s.str.(Magnolihadena)) *magnolii* (Boisduval, 1828) (Noctuidae) *magnolii* Boisduval, 1828; *nummosa* Eversmann, 1844.
2261. *Hadena* (s.str.(Miselia)) *compta* ([Denis & Schiffermüller], 1775) (Noctuidae) *compta* [Denis & Schiffermüller], 1775; *viscaria* Guenée, 1852; *galactina* Turati, 1908.
2262. *Hadena* (s.str.(Miselia)) *compta* *compta* ([Denis & Schiffermüller], 1775) (Noctuidae) *compta* [Denis & Schiffermüller], 1775; *viscaria* Guenée, 1852; *galactina* Turati, 1908.
2263. *Hadena* (s.str.(Montanohadena)) *fibigeri* Hacker, 1996 (Noctuidae) *fibigeri* Hacker, 1996
2264. *Hadena* (s.str.(Montanohadena)) *praetermissa* Hacker, 1996 (Noctuidae) *praetermissa* Hacker, 1996
2265. *Hadena* (s.str.(Montanohadena)) *purpurea* Hacker, 1996 (Noctuidae) *purpurea* Hacker, 1996
2266. *Hadena* (s.str.(Montanohadena)) *purpurea* *olivascens* Hacker, 1996 (Noctuidae) *olivascens* Hacker, 1996
2267. *Hadena* (s.str.(Montanohadena)) *virescens* Hacker, 1996 (Noctuidae) *virescens* Hacker, 1996
2268. *Hadena* (s.str.(Zeteolyga)) *confusa* (Hufnagel, 1766) (Noctuidae) *confusa* Hufnagel, 1766; *conspersa* [Denis & Schiffermüller], 1775; *nana* Rottemburg, 1776 *nec* Hufnagel, 1766; *annulata* Fabricius, 1781; *x-scriptum* Sowerby, 1806; *fasciata* Tutt, 1902; *suffusa* Tutt, 1902; *intermedia* Tutt, 1902.
2269. *Hadena* (s.str.(Zeteolyga)) *confusa* *confusa* (Hufnagel, 1766) (Noctuidae) *confusa* Hufnagel, 1766; *conspersa* [Denis & Schiffermüller], 1775; *nana* Rottemburg, 1776 *nec* Hufnagel, 1766; *annulata* Fabricius, 1781; *x-scriptum* Sowerby, 1806; *fasciata* Tutt, 1902; *suffusa* Tutt, 1902; *intermedia* Tutt, 1902.
2270. *Hadena* (s.str.(Zeteolyga)) *pseudodealbata* Hacker, 1988 (Noctuidae) *pseudodealbata* Hacker, 1988
2271. *Hadjina* *lutosa* Staudinger, 1892 (Noctuidae) *lutosa* Staudinger, 1892
2272. *Hadjina* *lutosa* *lutosa* Staudinger, 1892 (Noctuidae) *lutosa* Staudinger, 1892
2273. *Hadula* (Caloestra (Dianthus)) *dianthi* (Tauscher, 1809) (Noctuidae) *dianthi* Tauscher, 1809; *dentigera* Eversmann, 1837; *actinobola* Eversmann, 1837; *furculoides* Wagner, 1930.
2274. *Hadula* (Caloestra (Dianthus)) *dianthi* *dianthi* (Tauscher, 1809) (Noctuidae) *dianthi* Tauscher, 1809; *dentigera* Eversmann, 1837; *actinobola* Eversmann, 1837; *furculoides* Wagner, 1930.
2275. *Hadula* (Caloestra (Hadufurca)) *colletti* (Schneider, 1876) (Noctuidae) *colletti* Schneider, 1876
2276. *Hadula* (Caloestra (Hadufurca)) *colletti* *originalis* Hacker, 1998 (Noctuidae) *originalis* Hacker, 1998
2277. *Hadula* (Caloestra (Hadumendax)) *hoplites* (Staudinger, 1901) (Noctuidae) *hoplites* Staudinger, 1901
2278. *Hadula* (Caloestra (Hadumendax)) *hoplites* *loeffleri* Reisser, 1958 (Noctuidae) *loeffleri* Reisser, 1958
2279. *Hadula* (Caloestra (Hadumendax)) *mendax* (Staudinger, 1879) (Noctuidae) *mendax* Staudinger, 1879
2280. *Hadula* (Caloestra (Hadumendax)) *mendax* *mendax* (Staudinger, 1879) (Noctuidae) *mendax* Staudinger, 1879
2281. *Hadula* (Caloestra (Hadumendax)) *mendica* (Staudinger, [1895]) (Noctuidae) *mendica* Staudinger, [1895].
2282. *Hadula* (Caloestra (Hadupugnax)) *latemarginata* (Wiltshire, 1976) (Noctuidae) *latemarginata* Wiltshire, 1976; *baksana* Schintlmeister & Poltawski, 1986.
2283. *Hadula* (Caloestra (Hadupugnax)) *odontites* (Boisduval, 1829) (Noctuidae) *odontites* Boisduval, 1829; *microdon* Guenée, 1852; *dalmatina* Schwingenschuss, 1926; *asturica* Agenjo, 1941.

- 2284. Hadula (Calocestra (Hadupugnax)) odontites odontites** (Boisduval,1829) (Noctuidae) *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941.
- 2285. Hadula (Calocestra (Hadupugnax)) pugnax** (Hübner,1824) (Noctuidae) *pugnax* Hübner,[1824]; *treitschkii* Boisduval,1827; *petricolor* Turati,1923; *italica* Berio,1942
- 2286. Hadula (Calocestra (Hadupugnax)) pugnax intermedia** Pinker,1980 (Noctuidae) *intermedia* Pinker,1980
- 2287. Hadula (Calocestra (Hadutrifolium)) trifolii** (Hufnagel,1766) (Noctuidae) *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infra* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921
- 2288. Hadula (Calocestra (Stigmosema)) stigmosema** (Christoph,1887) (Noctuidae) *stigmosema* Christoph,1887.
- 2289. Hadula (Calocestra (Stigmosema)) stigmosema stigmosema** (Christoph,1887) (Noctuidae) *stigmosema* Christoph,1887.
- 2290. Haemerosia renalis** (Hübner,[1813]) (Noctuidae) *renalis* Hübner,[1813]
- 2291. Hecatera bicolorata** (Hufnagel,1766) (Noctuidae) *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861.
- 2292. Hecatera cappa** (Hübner,[1809]) (Noctuidae) *cappa* Hübner,[1809]
- 2293. Hecatera rhodocharis** (Brandt,1938) (Noctuidae) *rhodocharis* Brandt,1938
- 2294. Hecatera rhodocharis hercia** (Wiltshire,1957) (Noctuidae) *hercia* Wiltshire,1957
- 2295. Hecatera rhodocharis rhodocharis** (Brandt,1938) (Noctuidae) *rhodocharis* Brandt,1938
- 2296. Hecatera spinaciae** (Vieweg,1790) (Noctuidae) *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* Warren,1910.
- 2297. Helicoverpa armigera** (Hübner,[1808]) (Noctuidae) *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 2298. Heliophobus reticulata** (Goeze,1781) (Noctuidae) *calcatrappae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944.
- 2299. Heliophobus reticulata reticulata** (Goeze,1781) (Noctuidae) *calcatrappae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944.
- 2300. Heliophobus unicolor** (Alpheraky,1889) (Noctuidae) *unicolor* Alpheraky,1889
- 2301. Heliothis maritima** Graslin,1855 (Noctuidae) *maritima* Graslin,1855
- 2302. Heliothis maritima bulgarica** (Draudt,1938) (Noctuidae) *bulgarica* Draudt,1938
- 2303. Heliothis nubigera** Herrich-Schäffer,[1851] (Noctuidae) *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938.
- 2304. Heliothis peltigera** ([Denis & Schiffermüller],1775) (Noctuidae) *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
- 2305. Heliothis viriplaca** (Hufnagel,1766) (Noctuidae) *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spargulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928.
- 2306. Heptapotamia eustratii** Alpheraky,1882 (Noctuidae) *eustratii* Alpheraky,1882
- 2307. Heptapotamia eustratii lutea** (Hacker,Kuhna & Gross,1986) (Noctuidae) *lutea* Hacker,Kuhna & Gross,1986
- 2308. Heptapotamia eustratii mitis** (Püngeler,1906) (Noctuidae) *mitis* Püngeler,1906
- 2309. Herminia nigricaria** Osthelder,1933 (Noctuidae) *nigricaria* Osthelder,1933
- 2310. Heterophysa dumetorum** (Geyer,1834) (Noctuidae) *dumetorum* Geyer,1834
- 2311. Heterophysa dumetorum mutica** (Christoph,1885) (Noctuidae) *mutica* Christoph,1885; *griseoviridis* Schwingenschuss,1937
- 2312. Hoplodrina ambigua** ([Denis & Schiffermüller],1775) (Noctuidae) *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
- 2313. Hoplodrina ambigua ambigua** ([Denis & Schiffermüller],1775) (Noctuidae) *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
- 2314. Hoplodrina blanda** ([Denis & Schiffermüller],1775) (Noctuidae) *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813].
- 2315. Hoplodrina blanda blanda** ([Denis & Schiffermüller],1775) (Noctuidae) *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813].
- 2316. Hoplodrina levis** (Staudinger,1888) (Noctuidae) *levis* Staudinger,1888
- 2317. Hoplodrina octogenaria** (Goeze,1781) (Noctuidae) *octogenaria* Goeze,1781; *alsines* Brahm,1791; *sordida* Haworth,1809 *nec* Hübner.,[1803]
- 2318. Hoplodrina pfeifferi** (Boursin,1932) (Noctuidae) *pfeifferi* Boursin,1932.
- 2319. Hoplodrina respersa** ([Denis & Schiffermüller],1775) (Noctuidae) *respersa* [Denis & Schiffermüller],1775; *margaritacea* Borkhausen,1792 *nec* Vill.,1789
- 2320. Hoplodrina superstes** (Ochsenheimer,1816) (Noctuidae) *superstes* Ochsenheimer,1816
- 2321. Hoplotarache sordescens** (Staudinger,1895) (Noctuidae) *sordescens* Staudinger,1895
- 2322. Hypena (Ophiuche) lividalis** (Hübner,1796) (Noctuidae) *lividalis* Hübner,1796; *diagonalis* Fabricius,1794; *simplicialis* Zeller,1852; *abjurialis* Walker,[1859]; *scissalis* Walker,[1866]; ? *perna* R.Felder & Rogenhofer,1873; ? *bipartita* Smith,1900.
- 2323. Hypena (Ophiuche) lividalis lividalis** (Hübner,1796) (Noctuidae) *lividalis* Hübner,1796; *diagonalis* Fabricius,1794; *simplicialis* Zeller,1852; *abjurialis* Walker,[1859]; *scissalis* Walker,[1866]; ? *perna* R.Felder & Rogenhofer,1873; ? *bipartita* Smith,1900.
- 2324. Hypena amica** (Butler,1878) (Noctuidae) *amica* Butler,1878
- 2325. Hypena munitalis** Mann,1861 (Noctuidae) *munitalis* Mann,1861.
- 2326. Hypena obesalis** Treitschke,1829 (Noctuidae) *obesalis* Treitschke,1829
- 2327. Hypena palpalis** (Hübner,1796) (Noctuidae) *palpalis* Hübner,1796; *extensalis* Guenée,1854; *armenialis* Staudinger,1901.
- 2328. Hypena proboscoidalis** (Linnaeus,1758) (Noctuidae) *proboscoidalis* Linnaeus,1758
- 2329. Hypenodes anatolica** Schwingenschuss,1938 (Noctuidae) *anatolica* Schwingenschuss,1938; *nigritalis* Ronkay,1984.
- 2330. Hypenodes kalchbergi** Staudinger,1876 (Noctuidae) *kalchbergi* Staudinger,1876
- 2331. Hypenodes orientalis** Staudinger,1901 (Noctuidae) *orientalis* Staudinger,1901; *nesiota* Rebel,1916.
- 2332. Hyppa rectilinea** (Esper,[1788]) (Noctuidae) *rectilinea* Esper,[1788]
- 2333. Idia calvaria** ([Denis & Schiffermüller],1775) (Noctuidae) *calvaria* [Denis & Schiffermüller],1775
- 2334. Idia calvaria meridionalis** (Osthelder,1940) (Noctuidae) *meridionalis* Osthelder,1940
- 2335. Ipimorpha subtusa** (Fabricius,1787) (Noctuidae) *#subtusa* [Denis & Schiffermüller],1775; *subtusa* Fabricius,1787.
- 2336. Janthinea divalis** Staudinger,1892 (Noctuidae) *divalis* Staudinger,1892
- 2337. Janthinea friwaldskii** (Duponchel,1835) (Noctuidae) *friwaldskii* Duponchel,1835; *viola* Freyer,1836; *#violacea* Staudinger,1879; *friwaldskii* Hampson,1910.
- 2338. Janthinea friwaldskii asiatica** Sheljuzhko,1955 (Noctuidae) *asiatica* Sheljuzhko,1955
- 2339. Jodia croceago** (Fabricius,1787) (Noctuidae) *#croceago* [Denis & Schiffermüller],1775; *croceago* Fabricius,1787; *aurantiago* Donovan,1796; *corsica* Mabilie,1868
- 2340. Lacanobia (Dianobia) dissimilis** (Knoch,1781) (Noctuidae) *#suasa* [Denis & Schiffermüller],1775; *dissimilis* Knoch,1781; *leucographa* Esper,[1790]; *denscanis* Haworth,1809;

- permixta* Geyer, [1833]; *pavida* Boisduval, 1840; *confluens* Eversmann, 1844; *laeta* Reuter, 1893.
- 2341. *Lacanobia (Dianobia) histrio* (Goeze, 1781)** (Noctuidae) #*contigua* [Denis & Schiffermüller], 1775; *histrio* Goeze, 1781; *ariae* Esper, [1786]; *spartii* Brahm, 1791; *dives*, *pulchellina* Haworth, 1809; *subcontigua* Eversmann, 1852, etc.
- 2342. *Lacanobia (Dianobia) thalassina* (Hufnagel, 1766)** (Noctuidae) *thalassina* Hufnagel, 1766; *humeralis* Haworth, 1809; *achates* Hübner, [1813].
- 2343. *Lacanobia (Diataraxia) aliena* (Hübner, [1809])** (Noctuidae) *aliena* Hübner, [1809]
- 2344. *Lacanobia (Diataraxia) blenna* (Hübner, [1824])** (Noctuidae) *blenna* Hübner, [1824]; *peregrina* Treitschke, 1825; *trimenda* Geyer, [1832]; *guenei* Bruand, 1850.
- 2345. *Lacanobia (Diataraxia) oleracea* (Linnaeus, 1758)** (Noctuidae) *oleracea* Linnaeus, 1758; *spinaciae* Borkhausen, 1792; *variegata* Austaut, 1885; *essoni* Hampson, 1909; *albolineata* Matsumura, 1926; #*pallida* Bytinski-Salz & Brandt, 1937
- 2346. *Lacanobia (Diataraxia) praedita* (Hübner, [1813])** (Noctuidae) *praedita* Hübner, [1813]
- 2347. *Lacanobia* (s.str.) *w-latinum* (Hufnagel, 1766)** (Noctuidae) *w-latinum* Hufnagel, 1766; *genistae* Borkhausen, 1792; *dives* Donovan, 1801; *umbrosa* Bytinski-Salz & Brandt, 1937; *diniensis* Heinrich, 1938; *caerulescens* Schwingenschuss, 1962.
- 2348. *Lampra fimbriata* (Schreber, 1759)** (Noctuidae) *fimbriata* Schreber, 1759; *domiduca* Hufnagel, 1766; *fimbria* Linnaeus, 1767; *solani* Fabricius, 1787.
- 2349. *Lampra tirrenica* (Biebing, Speidel & Hanigk, 1983)** (Noctuidae) *tirrenica* Biebing, Speidel & Hanigk, 1983
- 2350. *Lamprosticta culta* ([Denis & Schiffermüller], 1775)** (Noctuidae) #*culta* [Denis & Schiffermüller], 1775
- 2351. *Lamprosticta culta albescens* Hacker, 1990** (Noctuidae) *albescens* Hacker, 1990
- 2352. *Lamprosticta culta plumbitincta* G.Ronkay & L.Ronkay, 1995** (Noctuidae) *plumbitincta* G.Ronkay & L.Ronkay, 1995
- 2353. *Lasionycta draudti* (Wagner, 1936)** (Noctuidae) *draudti* Wagner, 1936
- 2354. *Lasionycta proxima* (Hübner, [1809])** (Noctuidae) *proxima* Hübner, [1809]; *cana* Eversmann, 1841; *ochrostigma* Eversmann, 1842; *extensa* Eversmann, 1844; *nevadensis* Reisser, 1926; *noguera* De Laever, 1976.
- 2355. *Laspeyria flexula* ([Denis & Schiffermüller], 1775)** (Noctuidae) *flexula* [Denis & Schiffermüller], 1775
- 2356. *Ledereragrotis multifida* (Lederer, 1870)** (Noctuidae) *multifida* Lederer, 1870; *sanctimoritzii* A.Bang-Haas, 1906
- 2357. *Ledereragrotis multifida multifida* (Lederer, 1870)** (Noctuidae) *multifida* Lederer, 1870; *sanctimoritzii* A.Bang-Haas, 1906
- 2358. *Leucania comma* (Linnaeus, 1761)** (Noctuidae) *comma* Linnaeus, 1761; *turbida* Hübner, [1803]; *congener* Hübner, [1817]; *rhodocomma* Püngeler, 1900; *engadinensis* Wagner, 1909.
- 2359. *Leucania herrichi* Herrich-Schäffer, [1849]** (Noctuidae) *herrichi* Herrich-Schäffer, [1849]
- 2360. *Leucania loreyi* (Duponchel, 1827)** (Noctuidae) *loreyi* Duponchel, 1827; *caricis* Walker, 1856; *collecta* Walker, 1856; *curcula* Walker, 1856; *denotata* Walker, 1856; *designata* Walker, 1856; *exterior* Walker, 1856; *thoracica* Walker, 1856.
- 2361. *Leucania punctosa* (Treitschke, 1825)** (Noctuidae) *punctosa* Treitschke, 1825
- 2362. *Leucania putrescens* (Hübner, [1824])** (Noctuidae) *putrescens* Hübner, [1824]; *boisduvalii* Duponchel, 1827; *valletai* Boursin, 1952
- 2363. *Leucania zae* (Duponchel, 1827)** (Noctuidae) *zae* Duponchel, 1827; *indistincta* Christoph, 1887; *putrida* Staudinger, 1889; *cinerea* Lucas, 1948
- 2364. *Leucochlaena fallax* (Staudinger, 1870)** (Noctuidae) *fallax* Staudinger, 1870
- 2365. *Leucochlaena fallax reticularis* Gyulai & L.Ronkay, 1995** (Noctuidae) *reticularis* Gyulai & L.Ronkay, 1995
- 2366. *Leucochlaena hoerhammeri* (Wagner, 1931)** (Noctuidae) *hoerhammeri* Wagner, 1931
- 2367. *Leucochlaena muscosa* (Staudinger, 1892)** (Noctuidae) *muscosa* Staudinger, 1892; *hirsutus* Staudinger, 1892
- 2368. *Leucochlaena muscosa muscosa* (Staudinger, 1892)** (Noctuidae) *muscosa* Staudinger, 1892; *hirsutus* Staudinger, 1892
- 2369. *Lithophane ledereri* (Staudinger, 1892)** (Noctuidae) *ledereri* Staudinger, 1892; *discors* Staudinger, 1892
- 2370. *Lithophane ornitopus* (Hufnagel, 1766)** (Noctuidae) *ornitopus* Hufnagel, 1766; *rhizolitha* [Denis & Schiffermüller], 1775; *pitzalis* Hartig, 1976
- 2371. *Lithophane semibrunnea* (Haworth, 1809)** (Noctuidae) *semibrunnea* Haworth, [1809]; *oculata* Sommer, [1824].
- 2372. *Lithophane semibrunnea wiltshirei* Boursin, 1962** (Noctuidae) *wiltshirei* Boursin, 1962
- 2373. *Lophoterges (Fibigeres) hoerhammeri* (Wagner, 1931)** (Noctuidae) *hoerhammeri* Wagner, 1931
- 2374. *Luperina diversa* (Staudinger, 1892)** (Noctuidae) *diversa* Staudinger, 1892; *indistincta* Rebel, 1933
- 2375. *Luperina diversa diversa* (Staudinger, 1892)** (Noctuidae) *diversa* Staudinger, 1892; *indistincta* Rebel, 1933
- 2376. *Luperina dumerilii* (Duponchel, 1826)** (Noctuidae) *dumerilii* Duponchel, 1826
- 2377. *Luperina dumerilii hirsuta* (Wagner, 1931)** (Noctuidae) *hirsuta* Wagner, 1931
- 2378. *Luperina koshantschikovi* (Püngeler, 1914)** (Noctuidae) *koshantschikovi* Püngeler, 1914
- 2379. *Luperina koshantschikovi amplificata* Hacker, 1990** (Noctuidae) *amplificata* Hacker, 1990
- 2380. *Luperina rjabovi* (Kljutschko, 1967)** (Noctuidae) *rjabovi* Kljutschko, 1967
- 2381. *Luperina rubella* (Duponchel, 1835)** (Noctuidae) *mediosignata* Turati, 1930; *sericea* Caradja, 1932; *thurneri* Schawerda, 1938.
- 2382. *Luperina rubella rubella* (Duponchel, 1835)** (Noctuidae) *mediosignata* Turati, 1930; *sericea* Caradja, 1932; *thurneri* Schawerda, 1938.
- 2383. *Luperina testacea* ([Denis & Schiffermüller], 1775)** (Noctuidae) *testacea* [Denis & Schiffermüller], 1775
- 2384. *Lycophorus ankarensis* (Rebel, 1931)** (Noctuidae) *ankarensis* Rebel, 1931; *wichgrafi* Corti & Draudt, 1933; #*ankariensis* Hacker, 2001
- 2385. *Lygephila craccae* (Fabricius, 1787)** (Noctuidae) #*craccae* [Denis & Schiffermüller], 1775; *riata* Rungs, 1952; *craccae* Fabricius, 1787; #*craccae* Hacker & Kautt, 1999.
- 2386. *Lygephila ludicra* (Hübner, 1790)** (Noctuidae) *ludicra* Hübner, 1790
- 2387. *Lygephila lusoria* (Linnaeus, 1758)** (Noctuidae) *lusoria* Linnaeus, 1758
- 2388. *Lygephila lusoria amasina* (Staudinger, 1879)** (Noctuidae) *amasina* Staudinger, 1879; *sublutea* Warren, 1913.
- 2389. *Lygephila pallida* (A.Bang-Haas, 1907)** (Noctuidae) *pallida* A.Bang-Haas, 1907
- 2390. *Lygephila pastinum* (Treitschke, 1826)** (Noctuidae) *pastinum* Treitschke, 1826; *dilutior* Staudinger, 1892.
- 2391. *Lygephila procax* (Hübner, [1813])** (Noctuidae) *procax* Hübner, [1813]; *limosa* Treitschke, 1826.
- 2392. *Lygephila schachtii* Behounek & Hacker, 1986** (Noctuidae) *schachtii* Behounek & Hacker, 1986
- 2393. *Lygephila subpicata* Wiltshire, 1971** (Noctuidae) *subpicata* Wiltshire, 1971
- 2394. *Lygephila viciae* (Hübner, [1822])** (Noctuidae) *viciae* Hübner, [1822]; *violaceogrisea* Draudt, 1950
- 2395. *Mamestra brassicae* (Linnaeus, 1758)** (Noctuidae) *brassicae* Linnaeus, 1758; *omicron* Geoffroy, 1785; *albidilinea* Haworth, 1809; *andalusica* Staudinger, 1871; *decolorata* Staudinger, 1889.
- 2396. *Mamestra brassicae brassicae* (Linnaeus, 1758)** (Noctuidae) *brassicae* Linnaeus, 1758; *omicron* Geoffroy, 1785; *albidilinea* Haworth, 1809; *andalusica* Staudinger, 1871; *decolorata* Staudinger, 1889.
- 2397. *Maraschia grisescens* Osthelder, 1933** (Noctuidae) *grisescens* Osthelder, 1933
- 2398. *Margelana flavidior* Wagner, 1831** (Noctuidae) *flavidior* Wagner, 1831
- 2399. *Megalodes eximia* (Freyer, 1845)** (Noctuidae) *eximia* Freyer, 1845
- 2400. *Megalodes eximia eximia* (Freyer, 1845)** (Noctuidae) *eximia* Freyer, 1845
- 2401. *Meganephria bimaculosa* (Linnaeus, 1767)** (Noctuidae) *bimaculosa* Linnaeus, 1767; *italica* Esper, [1791]; *binubeculosa* Esper, [1804].

- 2402.** *Meganephria bimaculosa pontica* Draudt, 1936 (Noctuidae) *pontica* Draudt, 1936
- 2403.** *Meganola albula* ([Denis & Schiffermüller], 1775) (Noctuidae) *albula* [Denis & Schiffermüller], 1775
- 2404.** *Meganola gigantula* (Staudinger, 1879) (Noctuidae) *gigantula* Staudinger, 1879
- 2405.** *Meganola strigula* ([Denis & Schiffermüller], 1775) (Noctuidae) *strigula* [Denis & Schiffermüller], 1775
- 2406.** *Melanchra persicariae* (Linnaeus, 1761) (Noctuidae) *persicariae* Linnaeus, 1761; *sambuci* Hufnagel, 1766; *graphica* Geoffroy, 1785; *accipitrina* Esper, [1788].
- 2407.** *Melanchra persicariae cypriaca* Hacker & Wimmer, 1990 (Noctuidae) *cypriaca* Hacker & Wimmer, 1990
- 2408.** *Mesapamea (Resapamea) hedeni* (Graeser, 1888) (Noctuidae) *hedeni* Graeser, 1888; *subornata* Staudinger, 1896.
- 2409.** *Mesapamea (Resapamea) hedeni vargai* Hacker, 1988 (Noctuidae) *vargai* Hacker, 1988
- 2410.** *Mesapamea (s.str.) didyma* (Esper, [1788]) (Noctuidae) *didyma* Esper, [1788]; *secalella* Remm, 1983.
- 2411.** *Mesapamea (s.str.) secalis* (Linnaeus, 1758) (Noctuidae) *secalis* Linnaeus, 1758
- 2412.** *Mesapamea (s.str.) vaskeni* Varga, 1979 (Noctuidae) *vaskeni* Varga, 1979
- 2413.** *Mesapamea (s.str.) vaskeni vaskeni* Varga, 1979 (Noctuidae) *vaskeni* Varga, 1979
- 2414.** *Mesogona acetosellae* (Goeze, 1781) (Noctuidae) *acetosellae* [Denis & Schiffermüller], 1775; *acetosellae* Goeze, 1781; *vorbrotli* Wehrli, 1917; *grisea* Dannehl, 1929; *pallida* Dannehl, 1929; *segoviensis* Calle, 1982; *hlarescens* Calle, 1982
- 2415.** *Mesologia literosa* (Haworth, [1809]) (Noctuidae) *literosa* Haworth, [1809]; *erraticula* Hübner, [1813]; *faroulti* Rothschild, 1914; *powelli* Oberthür, 1918
- 2416.** *Mesologia literosa minorasia* Rezbanyai-Reser, 1998 (Noctuidae) *minorasia* Rezbanyai-Reser, 1998
- 2417.** *Mesologia literosa subarcta* (Staudinger, 1898) (Noctuidae) *subarcta* Staudinger, 1898
- 2418.** *Metachrostis dardouini* (Boisduval, 1840) (Noctuidae) *dardouini* Boisduval, 1840
- 2419.** *Metachrostis dardouini dilucida* Osthelder, 1933 (Noctuidae) *dilucida* Osthelder, 1933
- 2420.** *Metaegle pallida* (Staudinger, 1892) (Noctuidae) *pallida* Staudinger, 1892
- 2421.** *Metalopha liturata* (Christoph, 1887) (Noctuidae) *liturata* Christoph, 1887; *plusina* Staudinger, 1892.
- 2422.** *Metalopha liturata liturata* (Christoph, 1887) (Noctuidae) *liturata* Christoph, 1887; *plusina* Staudinger, 1892.
- 2423.** *Metopodicha ernesti* Draudt, 1936 (Noctuidae) *ernesti* Draudt, 1936; *achaemenica* Wiltshire, 1941
- 2424.** *Metoponrhis albirena* (Christoph, 1887) (Noctuidae) *albirena* Christoph, 1887
- 2425.** *Metoponrhis albirena albirena* (Christoph, 1887) (Noctuidae) *albirena* Christoph, 1887
- 2426.** *Metopoplus excelsa* (Christoph, 1885) (Noctuidae) *excelsa* Christoph, 1885
- 2427.** *Micriantha decorata* (Frivaldsky, 1845) (Noctuidae) *decorata* Frivaldsky, 1845
- 2428.** *Minucia bimaculata* (Osthelder, 1933) (Noctuidae) *bimaculata* Osthelder, 1933
- 2429.** *Mniotype adusta* (Esper, [1790]) (Noctuidae) *adusta* Esper, [1790]; *duplex* Haworth, 1809; *valida* Hübner, [1813]; *vultarina* Freyer, 1832; *chardinyi* Duponchel, [1838]; *pavida* Boisduval, 1840; *baltica* Hering, 1846; *vulturinea* Herrich-Schäffer, [1850]; *vicina* Alpheraky, 1882; *griseus* Standfuss, 1893; *aterrima* Costantin., 1916; *carpathica* Kaucki
- 2430.** *Mormo maura* (Linnaeus, 1758) (Noctuidae) *maura* Linnaeus, 1758; *usta* Fourcroy, 1785; *deusta* Geoffroy, 1799; *cypriaca* Hacker, 1996
- 2431.** *Mythimna (Aletia) alopecuri* (Boisduval, 1840) (Noctuidae) *alopecuri* Boisduval, 1840; *syriaca* Osthelder, 1933
- 2432.** *Mythimna (Aletia) conigera* ([Denis & Schiffermüller], 1775) (Noctuidae) *conigera* [Denis & Schiffermüller], 1775; *floccida* Esper, [1788].
- 2433.** *Mythimna (Aletia) impura* (Hübner, [1808]) (Noctuidae) *impura* Hübner, [1808]; *fuliginosa* Haworth, 1809; *punctina* Haworth, 1809.
- 2434.** *Mythimna (Aletia) impura impura* (Hübner, [1808]) (Noctuidae) *impura* Hübner, [1808]; *fuliginosa* Haworth, 1809; *punctina* Haworth, 1809.
- 2435.** *Mythimna (Aletia) l-album* (Linnaeus, 1767) (Noctuidae) *l-album* Linnaeus, 1767; *penicillata* Moore, 1881
- 2436.** *Mythimna (Aletia) pallens* (Linnaeus, 1758) (Noctuidae) *pallens* Linnaeus, 1758; *ectypa* Hübner, [1803]; *rufescens* Haworth, 1803; *arcuata* Stephens, 1829; *ochracea* Stephens, 1829; *suffusa* Stephens, 1829.
- 2437.** *Mythimna (Aletia) sassanidica* (Hacker, 1986) (Noctuidae) *sassanidica* Hacker, 1986
- 2438.** *Mythimna (Aletia) scirpi* (Duponchel, 1836) (Noctuidae) *scirpi* Duponchel, 1836; *dactylidis* Boisduval, 1840; *montium* Boisduval, 1840; *cyperi* Boisduval, 1840; *fuscilinea* Graslin, 1852; *syriaca* Osthelder, 1933.
- 2439.** *Mythimna (Aletia) straminea* (Treitschke, 1825) (Noctuidae) *straminea* Treitschke, 1825
- 2440.** *Mythimna (Aletia) vitellina* (Hübner, [1808]) (Noctuidae) *vitellina* Hübner, [1808]; *decolorata* Dannehl, 1929; *saturator* Dannehl, 1929; *griseus* Dannehl, 1929.
- 2441.** *Mythimna (Anapoma) riparia* (Rambur, 1829) (Noctuidae) *riparia* Rambur, 1829
- 2442.** *Mythimna (Hyphilare) albipuncta* (Fabricius, 1787) (Noctuidae) *albipuncta* [Denis & Schiffermüller], 1775; *albipuncta* (Fabricius, 1787; *rufotincta* Wagner, 1921.
- 2443.** *Mythimna (Hyphilare) ferrago* (Fabricius, 1787) (Noctuidae) *ferrago* Fabricius, 1787; *lythargyria* Esper, [1788]; *grisea* Stephens, 1829; *anargyria* Boisduval, 1840; *argyristis* Rambur, 1858; *meridionalis* Dannehl, 1926
- 2444.** *Mythimna (Pseudaletia) unipuncta* (Haworth, [1809]) (Noctuidae) *unipuncta* Haworth, [1809]; *extranea* Guenée, 1852; *antica* Walker, 1856; *tsiki* Koutsafikis, 1974.
- 2445.** *Naenia typica* (Linnaeus, 1758) (Noctuidae) *typica* Linnaeus, 1758; *filicis* Goeze, 1781; *venosa* Hübner, [1803]; *excusa* Esper, [1805]; *claricolor* Schawerda, 1928.
- 2446.** *Netrocerocora quadrangula* (Zetterstedt, [1839]) (Noctuidae) *quadrangula* Eversmann, 1844; *coraxa* Püngeler, 1898; *oblongula* Staudinger, 1901; *quadriplaga* Bartel, 1902
- 2447.** *Nezonecta obtusa* Varga & Ronkay, 1991 (Noctuidae) *obtusa* Varga & Ronkay, 1991
- 2448.** *Nezonecta pusilla* (Püngeler, 1900) (Noctuidae) *pusilla* Püngeler, 1900
- 2449.** *Noctua (Divaena) haywardi* (Tams, 1926) (Noctuidae) *haywardi* Tams, 1926; *balcanica* Slivov, 1985
- 2450.** *Noctua (Euschesis) interjecta* (Hübner, [1803]) (Noctuidae) *interjecta* Hübner, [1803].
- 2451.** *Noctua (Euschesis) interjecta interjecta* (Hübner, [1803]) (Noctuidae) *interjecta* Hübner, [1803].
- 2452.** *Noctua (Euschesis) janthina* ([Denis & Schiffermüller], 1775) (Noctuidae) *janthina* [Denis & Schiffermüller], 1775; *latimarginata* Röber, 1900.
- 2453.** *Noctua (Latanoceta) orbona* (Hufnagel, 1766) (Noctuidae) *orbona* Hufnagel, 1766; *subseque* [Denis & Schiffermüller], 1775; *caroni* Lempke, 1964.
- 2454.** *Noctua (Paranoceta) comes* (Hübner, [1813]) (Noctuidae) *orbona* Fabricius, 1787 nec Hufn., 1767; *comes* Hübner, [1813]; *adseque* Treitschke, 1825; *proseque* Treitschke, 1825; *bergensis* Sp.-Schn., 1901.
- 2455.** *Noctua (s.str.) pronuba* (Linnaeus, 1758) (Noctuidae) *pronuba* Linnaeus, 1758; *connuba* Hübner, [1822]; *innuba* Treitschke, 1825; *hoegei* Herrich-Schäffer, 1861; *nigra* Krausse, 1912 nec Piesz., 1908; *decolorata* Turati, 1923.
- 2456.** *Noctua (s.str.) tertia* Mentzer, Moberg & Fibiger, 1991 (Noctuidae) *tertia* Mentzer, Moberg & Fibiger, 1991
- 2457.** *Nola cicatricalis* (Treitschke, 1835) (Noctuidae) *cicatricalis* Treitschke, 1835
- 2458.** *Nola ronkayorum* Beshkov, 2006 (Noctuidae) *ronkayorum* Beshkov, 2006
- 2459.** *Nola squalida* Staudinger, 1871 (Noctuidae) *squalida* Staudinger, 1871; *muscularis* Saalmüller, 1880; *turanica* Staudinger, 1887; *fraterna* Moore, 1888; *vanhasseltii* Heylaerts, 1892; *ceylonica* Hampson, 1893; *desmotes* Turner, 1899; *parvula* Chrétien, 1913; *mesoscia* Hampson, 1914; *henriotti* Warnecke, 1937; *minima* Warnecke, 1938; *squamosa* Zukowsky, 1941; *priesneri* Rebel, 1947
- 2460.** *Nola subchlamydule* Staudinger, 1870 (Noctuidae) *subchlamydule* Staudinger, 1870

- 2461.** *Nonagria typhae* (Thunberg,1784) (Noctuidae) *typhae* Thunberg,1784; *arundinis* Fabricius,1787.
- 2462.** *Nycteola asiatica* (Krulikovsky,1904) (Noctuidae) *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954.
- 2463.** *Nycteola columbana* (Turner,1925) (Noctuidae) *columbana* Thurner,1925; *gallicana* Aubert,1957; *#apicistrigata* Dufay,1958.
- 2464.** *Nycteola sicilana* (Fuchs,1899) (Noctuidae) *siculana* Fuchs,1899; *cuneana* Patočka,1953; *pseudodilutana* Obratsov,1954.
- 2465.** *Ochropleura leucogaster* (Freyer,1831) (Noctuidae) *leucogaster* Freyer,1831
- 2466.** *Ochropleura plecta* (Linnaeus,1761) (Noctuidae) *plecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucomaculata* Graeser,[1889]; *unupplecta* Bryk,1942.
- 2467.** *Odice arcuinna* (Hübner,1790) (Noctuidae) *arcuinna* Hübner,1790; *inamoena* Hübner,[1803].
- 2468.** *Odice arcuinna arcuinna* (Hübner,[1790]) (Noctuidae) *arcuinna* Hübner,1790; *inamoena* Hübner,[1803].
- 2469.** *Odice kuelekana* (Staudinger,1871) (Noctuidae) *kuelekana* Staudinger,1871
- 2470.** *Odice suava* (Hübner,[1813]) (Noctuidae) *suava* Hübner,[1813].
- 2471.** *Odice suava bithynica* (Schwingenschuss,1940) (Noctuidae) *bithynica* Schwingenschuss,1940.
- 2472.** *Oligia latruncula* ([Denis & Schiffermüller],1775) (Noctuidae) *latruncula* [Denis & Schiffermüller],1775
- 2473.** *Oligia latruncula grisea* (Heydemann,1932) (Noctuidae) *grisea* Heydemann,1932; *erewani* Fazekas,1984.
- 2474.** *Oligia pseudodubia* Rezbanyai-Reser,1997 (Noctuidae) *pseudodubia* Rezbanyai-Reser,1997
- 2475.** *Oligia strigilis* (Linnaeus,1758) (Noctuidae) *strigilis* Linnaeus,1758; *praeduncula* [Denis & Schiffermüller],1775.
- 2476.** *Oligia turcia* Rezbanyai-Reser,1997 (Noctuidae) *turcia* Rezbanyai-Reser,1997
- 2477.** *Oligia versicolor* (Borkhausen,1792) (Noctuidae) *versicolor* Borkhausen,1792; *vojnitsi* Kovacs,1967; *nerminae* Koçak,1982.
- 2478.** *Olivenebula subsericata* (Herrich-Schäffer,1861) (Noctuidae) *subsericata* Herrich-Schäffer,1861; *#elisabethae* De Lattin,1951; *bobitsi* Beck,1996.
- 2479.** *Omphalophana antirrhinii* (Hübner,[1803]) (Noctuidae) *antirrhinii* Hübner,[1803]
- 2480.** *Omphalophana antirrhinii asiatica* Osthelder,1933 (Noctuidae) *asiatica* Osthelder,1933
- 2481.** *Omphalophana durnalayana* Osthelder,1933 (Noctuidae) *durnalayana* Osthelder,1933
- 2482.** *Oncocnemis confusa* (Freyer,[1839]) (Noctuidae) *confusa* Freyer,[1839].
- 2483.** *Oncocnemis confusa persica* Ebert,1978 (Noctuidae) *persica* Ebert,1978
- 2484.** *Oncocnemis nigricula* (Eversmann,1847) (Noctuidae) *nigricula* Eversmann,1847
- 2485.** *Oncocnemis nigricula araratica* G.Ronkay & L.Ronkay,1995 (Noctuidae) *araratica* G.Ronkay & L.Ronkay,1995
- 2486.** *Oncocnemis strioligera* Lederer,1853 (Noctuidae) *strioligera* Lederer,1853
- 2487.** *Oncocnemis strioligera anatolica* Hacker,[1987] (Noctuidae) *anatolica* Hacker,[1987]
- 2488.** *Ophiusa lunaris* (Goeze,1781) (Noctuidae) *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *chosensis* Bryk,1949.
- 2489.** *Ophiusa tirhaca* (Cramer,[1777]) (Noctuidae) *tirhaca* Cramer,[1777]; *#tirrhaea* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978
- 2490.** *Opigena huberi* Hacker,1999 (Noctuidae) *huberi* Hacker,1999
- 2491.** *Opigena polygona* (Fabricius,1787) (Noctuidae) *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792.
- 2492.** *Opigena polygona chersotimorpha* Ronkay & Varga,1985 (Noctuidae) *chersotimorpha* Ronkay & Varga,1985
- 2493.** *Oria musculosa* (Hübner,[1808]) (Noctuidae) *musculosa* Hübner,[1808]; *laeta* Alpheraky,1889.
- 2494.** *Orthosia (Dioszeghyana) schmidti* (Diószeghy,1935) (Noctuidae) *schmidti* Diószeghy,1935
- 2495.** *Orthosia (Dioszeghyana) schmidtii pinkeri* Hreblay & Varga,1993 (Noctuidae) *pinkeri* Hreblay & Varga,1993
- 2496.** *Orthosia (Monima) cerasi* (Fabricius,1775) (Noctuidae) *cerasi* Fabricius,1775; *stabilis* [Denis & Schiffermüller],1775; *obliqua* de Villers,1789; *junctus* Haworth,1803; *pallida* Haworth,1809; *rufannulata* Haworth,1809.
- 2497.** *Orthosia (Monima) dalmatica* (Wagner,1909) (Noctuidae) *dalmatica* Wagner,1909
- 2498.** *Orthosia (Monima) dalmatica ivani* Gyulai (Noctuidae)
- 2499.** *Orthosia (Monima) pulverulenta* (Esper,[1786]) (Noctuidae) *#cruda* [Denis & Schiffermüller],1775; *pulverulenta* Esper,[1786]; *corticina* Villers,1789; *nanus* Haworth,[1803].
- 2500.** *Orthosia (Monima) pulverulenta illustris* Hreblay,1993 (Noctuidae) *illustris* Hreblay,1993
- 2501.** *Orthosia (Semiophora) gothica* (Linnaeus,1758) (Noctuidae) *gothica* Linnaeus,1758; *nunatrum* [Denis & Schiffermüller],1775; *gothicina* Herrich-Schäffer,[1849].
- 2502.** *Orthosia (s.str.) incerta* (Hufnagel,1766) (Noctuidae) *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 *nec* Hw.,1809; *pallidior* Staudinger,1901 *nec* Stgr.,1888
- 2503.** *Orthosia gracilis* (Fabricius,1787) (Noctuidae) *#gracilis* [Denis & Schiffermüller],1775; *gracilis* Fabricius,1787; *lepidia* Brahm,1791; *sparsus* Haworth,1803; *pallidior* Staudinger,1888.
- 2504.** *Orthosia rubricosa* (Esper,[1786]) (Noctuidae) *#miniosa* [Denis & Schiffermüller],1775; *rubricosa* Esper,[1786].
- 2505.** *Ostheldera gracilis* (Osthelder,1933) (Noctuidae) *gracilis* Osthelder,1933
- 2506.** *Oxytripia orbiculosa* (Esper,1799) (Noctuidae) *orbiculosa* Esper,1799
- 2507.** *Oxytripia orbiculosa noctivolans* Pinker,1980 (Noctuidae) *noctivolans* Pinker,1980
- 2508.** *Oxytripia stephanie Sutton*,[1964] (Noctuidae) *stephanie* Sutton,[1964]; *danilevskyi* Miljanovsky,1973.
- 2509.** *Ozarba lascivalis* (Lederer,1855) (Noctuidae) *lascivalis* Lederer,1855
- 2510.** *Ozarba moldavica* (Herrich-Schäffer,[1851]) (Noctuidae) *moldavica* Herrich-Schäffer,[1851]; *euboica* Mill.,1874; *mesopotamica* Schawerda,1924.
- 2511.** *Pamparama acuta* (Freyer,[1837]) (Noctuidae) *acuta* Freyer,[1837]; *producta* Lederer,1857; *pygmaea* Staudinger,1871.
- 2512.** *Panchrysia aurea* (Hübner,[1803]) (Noctuidae) *deaurata* Esper,[1787] *nec* Goeze,1981; *chryson* Borkhausen,1792 *nec* Esper,[1789]; *aurea* Hübner,[1803].
- 2513.** *Panolis flammea* ([Denis & Schiffermüller],1775) (Noctuidae) *flammea* [Denis & Schiffermüller],1775
- 2514.** *Papestra biren* (Goeze,1781) (Noctuidae) *biren* Goeze,1781; *glaucia* Kleemann,1792; *lappo* Duponchel,1827; *aperta* Geyer,[1832]; *quadripuncta* Zetterstedt,[1839]; *poliostigma* Hampson,1894; *tanensis* Fuchs,1899; *paupercula* Püngeler,1902; *frustrata* McDunnough,1946.
- 2515.** *Paracolax tristalis* (Fabricius,1794) (Noctuidae) *tristalis* Fabricius,1794; *derivalis* Hübner,1796.
- 2516.** *Paraegle ochracea* (Erschoff,1874) (Noctuidae) *ochracea* Erschoff,1874
- 2517.** *Parallela algira* (Linnaeus,1767) (Noctuidae) *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alternata* Villers,1789; *triangularis* Hübner,[1803] *nec* Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *europaea* Schawerda,1912
- 2518.** *Parallela torrida* (Guenée,1852) (Noctuidae) *torrida* Guenée,1852; *#torrida* Hacker,[1987]
- 2519.** *Parascotia fuliginaria* (Linnaeus,1761) (Noctuidae) *fuliginaria* Linnaeus,1761; *lunulata* Fabricius,1775; *carbonaria* Denis & Schiffermüller,1775; *lignaria* Fabricius,1794
- 2520.** *Parascotia robiginosa* (Staudinger,1892) (Noctuidae) *robiginosa* Staudinger,1892
- 2521.** *Parastichtis corticea* (Esper,[1800]) (Noctuidae) *#ypsillon* [Denis & Schiffermüller],1775; *ipsilon* Goeze,1781 *nec* Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828.

- 2522.** *Parastichtis corticea corticea* (Esper,[1800]) (Noctuidae) *#ypsillon* [Denis & Schiffermüller],1775; *ipsilon* Goeze,1781 *nec* Hufnagel,1766; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828.
- 2523.** *Parexarnis figulina* (Draudt,1936) (Noctuidae) *figulina* Draudt,1936
- 2524.** *Parexarnis taurica* (Staudinger,1879) (Noctuidae) *taurica* Staudinger,1879; *pseudosollers* Boursin,1940.
- 2525.** *Pechipogo strigilata* (Linnaeus,1758) (Noctuidae) *strigilata* Linnaeus,1758; *#barbalis* Clerck,1759; *palpalis* Fabricius,1775; *pectitalis* Hübner,1796; *barbatus* Fabricius,1798; *palpata* Haworth,1809.
- 2526.** *Pericyma albidentaria* (Freyer,1842) (Noctuidae) *albidentaria* Freyer,1842
- 2527.** *Pericyma squalens* Lederer,1855 (Noctuidae) *squalens* Lederer,1855
- 2528.** *Peridroma saucia* (Hübner,[1808]) (Noctuidae) *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infuscata* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929.
- 2529.** *Perigrapha* (Opacographa (Turcographa)) *rorida* (Frivaldsky,1835) (Noctuidae) *rorida* Frivaldsky,1835; *ganimetae* Kornosor & Lödl,1990
- 2530.** *Perigrapha* (Opacographa (Turcographa)) *rorida rorida* (Frivaldsky,1835) (Noctuidae) *rorida* Frivaldsky,1835; *ganimetae* Kornosor & Lödl,1990.
- 2531.** *Perigrapha* (Opacographa (s.str.)) *cilissa* Püngeler,1917 (Noctuidae) *cilissa* Püngeler,1917
- 2532.** *Perigrapha* (s.str.) *i-cinctum* ([Denis & Schiffermüller],1775) (Noctuidae) *i-cinctum* [Denis & Schiffermüller],1775; *cincta* Fabricius,1787; *slovenica* Micheli,1966.
- 2533.** *Perigrapha* (s.str.) *i-cinctum* *hethitica* Hacker,1992 (Noctuidae) *hethitica* Hacker,1992
- 2534.** *Periphanes delphinii* (Linnaeus,1758) (Noctuidae) *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903.
- 2535.** *Periphanes victorina* (Sodoffsky,1849) (Noctuidae) *victorina* Sodoffsky,1849
- 2536.** *Phleboeïs sureyae* (Rebel,1931) (Noctuidae) *sureyae* Rebel,1931.
- 2537.** *Phleboeïs sureyae facunda* (Draudt,1938) (Noctuidae) *facunda* Draudt,1938
- 2538.** *Phleboeïs sureyae kuhnae* (Hacker,[1987]) (Noctuidae) *kuhnae* Hacker,[1987].
- 2539.** *Phleboeïs sureyae sureyae* (Rebel,1931) (Noctuidae) *sureyae* Rebel,1931; *facunda* Draudt,1938.
- 2540.** *Phlogophora meticulosa* (Linnaeus,1758) (Noctuidae) *meticulosa* Linnaeus,1758; *lamii* Schadewald,1993
- 2541.** *Phlogophora scita* (Hübner,1790) (Noctuidae) *scita* Hübner,1790
- 2542.** *Photodes captiuncula* (Treitschke,1825) (Noctuidae) *captiuncula* Treitschke,1825; *unica* Freyer,1858; *tincta* Kane,1895; *delattini* Varga,1970 *nec* Wiltshire,1953; *kasyi* Varga,1970.
- 2543.** *Photodes extrema* (Hübner,[1809]) (Noctuidae) *extrema* Hübner,[1809]; *concolor* Guenée,1852; *calamoxantha* Varga,1982.
- 2544.** *Photodes fluxa* (Hübner,[1809]) (Noctuidae) *fluxa* Hübner,[1809]
- 2545.** *Phyllophila oblitterata* (Rambur,1833) (Noctuidae) *oblitterata* Rambur,1833; *wimmerii* Treitschke,1835; *recta* Eversmann,1844; *cretacea* Butler,1879; *venerica* Bryk,1949.
- 2546.** *Phytometra viridaria* (Clerck,1759) (Noctuidae) *#viridaria* Clerck,1759
- 2547.** *Plecoptera inquinata* (Lederer,1857) (Noctuidae) *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933
- 2548.** *Plusia festucae* (Linnaeus,1758) (Noctuidae) *festucae* Linnaeus,1758
- 2549.** *Plusidia cheiranthi* (Tauscher,1809) (Noctuidae) *cheiranthi* Tauscher,1809; *eygenia* Eversmann,1841; *abrostoloides* Butler,1879; *separanda* Warren,1913.
- 2550.** *Polia bombycina* (Hufnagel,1766) (Noctuidae) *bombycina* Hufnagel,1766; *advena* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *nitens* Haworth,1809.
- 2551.** *Polia nebulosa* (Hufnagel,1766) (Noctuidae) *nebulosa* Hufnagel,1766; *bimaculosa* Esper,1788 *nec* Linnaeus,1767; *thapsi* Brahm,1791; *grandis* Donovan,1801; *plebeja* Hübner,[1803].
- 2552.** *Polia sagittigera* (Hufnagel,1766) (Noctuidae) *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millièrre,1885.
- 2553.** *Polia sagittigera sagittigera* (Hufnagel,1766) (Noctuidae) *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millièrre,1885.
- 2554.** *Polia sagittigera uighur* Koçak & Kemal,2002 (Noctuidae) *bombycina* Eversmann,1847 *nec* Hufn.,1766; *uighur* Koçak & Kemal,2002
- 2555.** *Polia serratilinea* Ochsenheimer,1816 (Noctuidae) *serratilinea* Ochsenheimer,1816; *helvetica* Schawerda,1925; *kowatschevi* Drenowski,1931; *pinkeri* Varga,1974.
- 2556.** *Polia serratilinea serratilinea* (Treitschke,1825) (Noctuidae) *serratilinea* Ochsenheimer,1816; *helvetica* Schawerda,1925; *kowatschevi* Drenowski,1931; *pinkeri* Varga,1974.
- 2557.** *Polymixis (Bischoffia) bischoffi* (Herrich-Schäffer,1850) (Noctuidae) *bischoffi* Herrich-Schäffer,[1850]
- 2558.** *Polymixis (Bischoffia) bischoffi bischoffi* (Herrich-Schäffer,1850) (Noctuidae) *bischoffi* Herrich-Schäffer,[1850]
- 2559.** *Polymixis (Myxinia) chrysographa* (Wagner,1931) (Noctuidae) *chrysographa* Wagner,1931
- 2560.** *Polymixis (Myxinia) rufocincta* (Geyer,1828) (Noctuidae) *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852.
- 2561.** *Polymixis (Myxinia) rufocincta flavidior* (Warren,1911) (Noctuidae) *flavidior* Warren,1911
- 2562.** *Polymixis (Parabrachionycha) trisignata* (Ménétriés,1847) (Noctuidae) *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924
- 2563.** *Polymixis (Serpimixis) serpentina* (Treitschke,1825) (Noctuidae) *serpentina* Treitschke,1825
- 2564.** *Polymixis (s.str.) manisadjiani* (Staudinger,1881) (Noctuidae) *manisadjiani* Staudinger,1881
- 2565.** *Polymixis (s.str.) manisadjiani manisadjiani* (Staudinger,1882) (Noctuidae) *manisadjiani* Staudinger,1881
- 2566.** *Polymixis (s.str.) paravarga* Ronkay,1990 (Noctuidae) *paravarga* Ronkay,1990
- 2567.** *Polymixis (s.str.) polymita* (Linnaeus,1761) (Noctuidae) *Phalaena viridiobscura* Gz.,1781; *Noctua ridens* Hbn.,[1803]; *Polia polymita aithalodes* Dannehl,1929.
- 2568.** *Polyphaenis viridis* (De Villers,1789) (Noctuidae) *sericata* Esper,[1787] *nec* ; *viridis* De Villers,1789.
- 2569.** *Polypogon lunalis* (Scopoli,1763) (Noctuidae) *lunalis* Scopoli,1763
- 2570.** *Polypogon plumigeralis* (Hübner,[1825]) (Noctuidae) *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829.
- 2571.** *Polypogon zelleralis* (Wocke,1850) (Noctuidae) *zelleralis* Wocke,1850; *tarsicristalis* Herrich-Schäffer,1851.
- 2572.** *Powellinia carthalina* (Christoph,1893) (Noctuidae) *carthalina* Christoph,1893
- 2573.** *Praestilbia armeniaca* Staudinger,1892 (Noctuidae) *armeniaca* Staudinger,1892; *#designata* Bytinski-Salz,1936
- 2574.** *Protexarnis opioleuca* (Staudinger,1881) (Noctuidae) *opioleuca* Staudinger,1881; *inermis* Corti & Draudt,1933.
- 2575.** *Protexarnis squalidiformis* (Corti & Draudt,1933) (Noctuidae) *squalidiformis* Corti & Draudt,1933; *suspiciax* Corti & Draudt,1933.
- 2576.** *Protoschinia scutosa* ([Denis & Schiffermüller],1775) (Noctuidae) *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878
- 2577.** *Proxenus hospes* (Freyer,1831) (Noctuidae) *hospes* Freyer,1831
- 2578.** *Pseudenargia deleta* (Osthelder,1933) (Noctuidae) *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938.
- 2579.** *Pseudenargia regina* (Staudinger,1892) (Noctuidae) *regina* Staudinger,1892
- 2580.** *Pseudeustrotia candidula* ([Denis & Schiffermüller],1775) (Noctuidae) *candidula* [Denis & Schiffermüller],1775
- 2581.** *Pseudeustrotia deceptoris* (Scopoli,1763) (Noctuidae) *deceptoris* Scopoli,1763
- 2582.** *Pseudohadena (s.str.) laciniosa* (Christoph,1887) (Noctuidae) *laciniosa* Christoph,1887

- 2583.** *Pseudohadena* (s.str.) *laciniosa hethitica* Ronkay & Varga, 1989 (Noctuidae) *hethitica* Ronkay & Varga, 1989
- 2584.** *Pseudoips* *prasinana* (Linnaeus, 1758) (Noctuidae) *prasinana* Linnaeus, 1758; *fagana* Fabricius, 1781; *sylvana* Fabricius, 1794; *britannica* Warren, 1913.
- 2585.** *Pyrois* *cinnamomea* (Goeze, 1781) (Noctuidae) *cinnamomea* Goeze, 1781
- 2586.** *Pyrois* *effusa* (Boisduval, 1828) (Noctuidae) *effusa* Boisduval, 1828; *sciaphila* Staudinger, 1871
- 2587.** *Pyrrhia* *treitschkii* (Frivaldszky, 1835) (Noctuidae) *treitschkii* Frivaldszky, 1835.
- 2588.** *Pyrrhia umbra* (Hufnagel, 1766) (Noctuidae) *umbra* Hufnagel, 1766; *marginata* Fabricius, 1775; *rutilago* [Denis & Schiffermüller], 1775; *conspicua* Borkhausen, 1792; *umbrago* Esper, [1796]; *marginago* Haworth, 1809; *aconiti* Hölzermann, 1902.
- 2589.** *Recophora beata* (Staudinger, 1892) (Noctuidae) *beata* Staudinger, 1892
- 2590.** *Recophora hreblayi* Hacker & L. Ronkay, 2002 (Noctuidae) *hreblayi* Hacker & L. Ronkay, 2002
- 2591.** *Rhyacia* (Epipsilia) *cervantes* (Reisser, 1935) (Noctuidae) *cervantes* Reisser, 1935; *#gylaipetri* Varga, 1975
- 2592.** *Rhyacia* (Epipsilia) *latens* (Hübner, [1809]) (Noctuidae) *latens* Hübner, [1809]; *murina* Freyer, 1842; *latitans* Guenée, 1852; *apennina* Sohn-Rethel, 1929.
- 2593.** *Rhyacia* (Epipsilia) *latens hyrcana* (Staudinger, 1900) (Noctuidae) *hyrcana* Staudinger, 1900; *pontica* Draudt, 1936.
- 2594.** *Rhyacia* (s.str.) *arenacea* (Hampson, 1907) (Noctuidae) *arenacea* Hampson, 1907; *pseudosimulans* Kozhantschikov, 1929.
- 2595.** *Rhyacia* (s.str.) *helvetina* (Boisduval, 1833) (Noctuidae) *helvetina* Boisduval, 1833; *livia* Freyer, 1836
- 2596.** *Rhyacia* (s.str.) *helvetina banghaasi* Boursin, 1940 (Noctuidae) *banghaasi* Boursin, 1940
- 2597.** *Rhyacia* (s.str.) *helvetina rjabovi* Boursin, 1940 (Noctuidae) *rjabovi* Boursin, 1940.
- 2598.** *Rhyacia* (s.str.) *lucipeta* ([Denis & Schiffermüller], 1775) (Noctuidae) *lucipeta* [Denis & Schiffermüller], 1775.
- 2599.** *Rhyacia* (s.str.) *nyctimerides* (O. Bang-Haas, 1922) (Noctuidae) *nyctimerides* O. Bang-Haas, 1922; *stavroitiacus* Tuleschhoff, 1951; *alagesica* Boursin, 1962
- 2600.** *Rhyacia* (s.str.) *simulans* (Hufnagel, 1766) (Noctuidae) *simulans* Hufnagel, 1766; *tristis* Fabricius, 1775; *pyrophila* [Denis & Schiffermüller], 1775; *radicea* Esper, [1789]; *obscurata* Staudinger, 1901; *augurides* Rothschild, 1914
- 2601.** *Rhyagla lacernaria* (Hübner, [1813]) (Noctuidae) *lacernaria* Hübner, [1813]; *glarea* Treitschke, 1826; *cretula* Freyer, 1842
- 2602.** *Rileyiana fovea* (Treitschke, 1825) (Noctuidae) *fovea* Treitschke, 1825
- 2603.** *Rivula sericealis* (Scopoli, 1763) (Noctuidae) *sericealis* Scopoli, 1763; *munda* Hufnagel, 1767; *lunatralis* Denis & Schiffermüller, 1775; *leana* Fabricius, 1777; *ocellaris* Thunberg, 1784; *centralis* Villers, 1789.
- 2604.** *Rusina ferrosqualida* Simonyi, 1996 (Noctuidae) *ferrosqualida* Simonyi, 1996
- 2605.** *Saragossa siccanorum* (Staudinger, 1870) (Noctuidae) *siccanorum* Staudinger, 1870.
- 2606.** *Saragossa siccanorum poecilographa* Varga & Ronkay, 1991 (Noctuidae) *poecilographa* Varga & Ronkay, 1991
- 2607.** *Schinia cardui* (Hübner, 1790) (Noctuidae) *cardui* Hübner, 1790; *purpurata* Staudinger, 1901; *majellana* Dannehl, 1933.
- 2608.** *Schinia cognata* (Freyer, [1833]) (Noctuidae) *cognata* Freyer, [1833]
- 2609.** *Schinia imperialis* (Staudinger, 1871) (Noctuidae) *imperialis* Staudinger, 1871
- 2610.** *Schinia purpurascens* (Tauscher, 1809) (Noctuidae) *purpurascens* Tauscher, 1809; *pulchra* Eversmann, 1842
- 2611.** *Scoliopteryx libatrix* (Linnaeus, 1758) (Noctuidae) *libatrix* Linnaeus, 1758; *salictaria* Poda, 1761; *modesta* Müller, 1764; *delicatulata* Retzius, 1783; *libatricus* Haworth, 1809
- 2612.** *Scotochrosta pulla* ([Denis & Schiffermüller], 1775) (Noctuidae) *#pulla* [Denis & Schiffermüller], 1775
- 2613.** *Scotochrosta pulla caerulescens* (Schwingenschuss, 1938) (Noctuidae) *caerulescens* Schwingenschuss, 1938
- 2614.** *Scythrocentropus misella* (Püngeler, 1907) (Noctuidae) *misella* Püngeler, 1907
- 2615.** *Sesamia cretica* Lederer, 1857 (Noctuidae) *cretica* Lederer, 1857
- 2616.** *Sideridis* (Aneda) *rivularis* (Fabricius, 1775) (Noctuidae) *rivularis* Fabricius, 1775; *cucubali* [Denis & Schiffermüller], 1775; *rivosa* Ström, 1783; *behenis* Freyer, 1845.
- 2617.** *Sideridis* (Conisania) *evestigata* (Draudt, 1936) (Noctuidae) *evestigata* Draudt, 1936
- 2618.** *Sideridis* (Luteohadena) *literata* (Fischer v. Waldheim, 1840) (Noctuidae) *literata* Fischer v. Waldheim, 1840; *suffusa* De Freina, 1983.
- 2619.** *Sideridis* (Luteohadena) *literata subfusca* Hacker, 1996 (Noctuidae) *subfusca* Hacker, 1996
- 2620.** *Sideridis* (Luteohadena) *luteago* ([Denis & Schiffermüller], 1775) (Noctuidae) *luteago* [Denis & Schiffermüller], 1775; *brunneago* Esper, [1804]; *nigrescens* Wagner, 1926 (praeocc.); *ottomana* Koçak, 1990.
- 2621.** *Sideridis* (Luteohadena) *luteago luteago* ([Denis & Schiffermüller], 1775) (Noctuidae) *luteago* [Denis & Schiffermüller], 1775; *brunneago* Esper, [1804]; *nigrescens* Wagner, 1926 (praeocc.); *ottomana* Koçak, 1990.
- 2622.** *Sideridis* (s.str.) *egena* (Lederer, 1853) (Noctuidae) *egena* Lederer, 1853; ? *stoliczkana* Moore, 1878
- 2623.** *Sideridis* (s.str.) *implexa* (Hübner, [1809]) (Noctuidae) *implexa* Hübner, [1809]
- 2624.** *Sideridis* (s.str.) *lampra* (Schawerda, 1913) (Noctuidae) *evidens* Hübner, [1808] *nec* Thunb., 1784; *lampra* Schawerda, 1913; *anapheles* Nye, 1975
- 2625.** *Sideridis* (s.str.) *turbida* (Esper, [1790]) (Noctuidae) *turbida* Esper, [1790]; *albicolon* Hübner, [1813]
- 2626.** *Simyra dentinosa* Freyer, 1839 (Noctuidae) *dentinosa* Freyer, 1839; *leucaspis* Fischer v. Waldheim, 1840; *zeliha* Kornosor & Lödl, 1990
- 2627.** *Simyra nervosa* ([Denis & Schiffermüller], 1775) (Noctuidae) *nervosa* [Denis & Schiffermüller], 1775.
- 2628.** *Simyra nervosa nervosa* ([Denis & Schiffermüller], 1775) (Noctuidae) *nervosa* [Denis & Schiffermüller], 1775.
- 2629.** *Spaelotis demavendi* (F. Wagner, 1937) (Noctuidae) *demavendi* F. Wagner, 1937
- 2630.** *Spaelotis ravida* ([Denis & Schiffermüller], 1775) (Noctuidae) *ravida* [Denis & Schiffermüller], 1775; *austera* Esper, [1789]; *obducta* Esper, [1789]; *bigramma* Esper, [1790]; *obscura* Brahm, 1791 *nec* Cramer, 1780; *salva* Corti & Draudt, 1933.
- 2631.** *Spaelotis ravida ravida* ([Denis & Schiffermüller], 1775) (Noctuidae) *ravida* [Denis & Schiffermüller], 1775; *austera* Esper, [1789]; *obducta* Esper, [1789]; *bigramma* Esper, [1790]; *obscura* Brahm, 1791 *nec* Cramer, 1780; *salva* Corti & Draudt, 1933.
- 2632.** *Spaelotis senna* (Freyer, 1829) (Noctuidae) *senna* Freyer, 1829; *senna* Geyer, [1832] *nec* Frr., 1829; *germanica* Spuler, 1905; *violetta* Schawerda, 1934
- 2633.** *Spaelotis senna contorta* (Rebel & Zerny, [1932]) (Noctuidae) *contorta* Rebel & Zerny, [1932]; *eisenbergeri* Hartig, 1934; *iranica* Draudt, 1938
- 2634.** *Spodoptera cilium* (Guenée, 1852) (Noctuidae) *cilium* Guenée, 1852; *cycloides* Guenée, 1852; *capicola* Herrich-Schäffer, [1854]; *latebrosa* Lederer, 1855; *insignata* Walker, 1857; *orbicularis* Walker, 1857; *praeterita* Walker, 1857; *procedens* Walker, 1857; *obliterans* Walker, 1862; *infixa* Walker, 1862; *insulsa* Walker, 1865; *impervia* Walker, 1865; *retrahens* Walker, 1870.
- 2635.** *Spodoptera exiguum* (Hübner, [1808]) (Noctuidae) *exiguum* Hübner, [1808]; *fulgens* Geyer, [1832]; *pygmaea* Rambur, 1834; *junceti* Zeller, 1847; *caradrinoides* Walker, 1856; *flavimaculata* Harvey, 1876; *venosa* Butler, 1880; *sebhana* Austaut, 1880; *antipodea* Warren, 1914; *protector* De Laever, 1985.
- 2636.** *Spudaea castanea* Osthelder, 1933 (Noctuidae) *#castanea* Warren, 1911; *castanea* Osthelder, 1933; *pontica* Kljutschko, 1968
- 2637.** *Standfussiana lucerneae* (Linnaeus, 1758) (Noctuidae) *lucernea* Linnaeus, 1758
- 2638.** *Standfussiana lucerneae illyria* (Rebel & Zerny, 1931) (Noctuidae) *illyria* Rebel & Zerny, 1931
- 2639.** *Standfussiana lucerneae kuruschicola* (Boursin, 1940) (Noctuidae) *kuruschicola* Boursin, 1940
- 2640.** *Standfussiana nictymera* (Boisduval, [1837]) (Noctuidae) *carriei* Boursin, 1948.
- 2641.** *Standfussiana nictymera osmana* (Wagner, 1929) (Noctuidae) *osmana* Wagner, 1929
- 2642.** *Stenodrina aeschista* Boursin, 1937 (Noctuidae) *aeschista* Boursin, 1937
- 2643.** *Stenoecia dos* (Freyer, 1838) (Noctuidae) *dos* Freyer, 1838

- 2644.** *Syngrapha interrogationis* (Linnaeus,1758) (Noctuidae) *interrogationis* Linnaeus,1758
- 2645.** *Teinoptera oliva* (Staudinger,[1895]) (Noctuidae) *oliva* Staudinger,[1895]
- 2646.** *Teinoptera olivina* (Herrich-Schäffer,[1852]) (Noctuidae) *olivina* Herrich-Schäffer,[1852]
- 2647.** *Teinoptera olivina olivina* (Herrich-Schäffer,[1852]) (Noctuidae) *olivina* Herrich-Schäffer,[1852]
- 2648.** *Thalpophila matura* (Hufnagel,1766) (Noctuidae) *matura* Hufnagel,1766; *texta* Esper,[1787]; *cytherea* Fabricius,1794; *provincialis* Culot,1912.
- 2649.** *Thalpophila matura matura* (Hufnagel,1766) (Noctuidae) *matura* Hufnagel,1766; *texta* Esper,[1787]; *cytherea* Fabricius,1794; *provincialis* Culot,1912.
- 2650.** *Tholera cespitis* (Goeze,1781) (Noctuidae) *#cespitis* [Denis & Schiffermüller],1775; *cespitis* Goeze,1781; *hordei* Schrank,1801; *autumnalis* Curtis,1827; *confinis* Stephens,1829; *desyllessi* Boisduval,1840; *chloris* Milliere,1883; *decolor* Sohn,1896.
- 2651.** *Tholera cespitis armena* Hacker,[1987] (Noctuidae) *armena* Hacker,[1987]
- 2652.** *Tholera decimalis* (Poda,1761) (Noctuidae) *decimalis* Poda,1761; *popularis* Fabricius,1775; *lolii* Esper,[1785]; *typicoides* Donovan,1811; *nervosa* Zerny,1927.
- 2653.** *Tholera hilaris* (Staudinger,1901) (Noctuidae) *hilaris* Staudinger,1901; *gracilis* Kostrowicki,1963
- 2654.** *Thria robusta* Walker,[1858] (Noctuidae) *anysa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
- 2655.** *Trachea atriplicis* (Linnaeus,1758) (Noctuidae) *atriplicis* Linnaeus,1758
- 2656.** *Trichoplusia ni* (Hübner,[1803]) (Noctuidae) *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
- 2657.** *Tyta luctuosa* ([Denis & Schiffermüller],1775) (Noctuidae) *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 *nec* Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789
- 2658.** *Ulochaena hirta* (Hübner,[1813]) (Noctuidae) *hirta* Hübner,[1813]
- 2659.** *Valeria oleagina* (Esper,[1786]) (Noctuidae) *#oleagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786].
- 2660.** *Valeria oleagina syriaca* Osthelder,1933 (Noctuidae) *syriaca* Osthelder,1933
- 2661.** *Valerietta niphopasta* (Hampson,1906) (Noctuidae) *niphopasta* Hampson,1906
- 2662.** *Victrix (Rasihia) boursini* (Draudt,1936) (Noctuidae) *boursini* Draudt,1936
- 2663.** *Victrix (Rasihia) hackeri* Varga & Ronkay,1991 (Noctuidae) *hackeri* Varga & Ronkay,1991
- 2664.** *Victrix (Rasihia) tabora* (Staudinger,1892) (Noctuidae) *tabora* Staudinger,1892
- 2665.** *Victrix (s.str.) gracilis* (Wagner,1931) (Noctuidae) *gracilis* Wagner,1931
- 2666.** *Victrix (s.str.) karsiana* Staudinger,1879 (Noctuidae) *karsiana* Staudinger,1879
- 2667.** *Victrix (s.str.) karsiana karsiana* Staudinger,1879 (Noctuidae) *karsiana* Staudinger,1879
- 2668.** *Victrix (s.str.) karsiana lithoxys* Ronkay & Varga,1989 (Noctuidae) *lithoxys* Ronkay & Varga,1989
- 2669.** *Victrix (s.str.) pinkeri* Hacker & Lödl,1989 (Noctuidae) *pinker* Hacker & Lödl,1989
- 2670.** *Xanthia (Cirrhia) gilvago* ([Denis & Schiffermüller],1775) (Noctuidae) *gilvago* [Denis & Schiffermüller],1775.
- 2671.** *Xanthia (Cirrhia) ocellaris* (Borkhausen,1792) (Noctuidae) *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803].
- 2672.** *Xanthia (Cirrhia) ocellaris ocellaris* (Borkhausen,1792) (Noctuidae) *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803].
- 2673.** *Xanthia (Tiliacea) cypreago* (Hampson,1906) (Noctuidae) *cypreago* Hampson,1906
- 2674.** *Xanthia icteritia* (Hufnagel,1766) (Noctuidae) *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,[1788].
- 2675.** *Xanthia togata* (Esper,1788) (Noctuidae) *lutea* Ström,1783; *flavago* Fabricius,1787; *togata* Esper,1788; *rubago* Donovan,1801; *silago* Hübner,[1803].
- 2676.** *Xanthothrix callicore* (Staudinger,1871) (Noctuidae) *callicore* Staudinger,1871
- 2677.** *Xestia (Megasema) ashworthii* (Doubleday,1855) (Noctuidae) *ashworthii* Doubleday,1855
- 2678.** *Xestia (Megasema) ashworthii artvina* De Freina & Hacker,1985 (Noctuidae) *artvina* De Freina & Hacker,1985
- 2679.** *Xestia (Megasema) ashworthii candelarum* (Staudinger,1871) (Noctuidae) *candelarum* Staudinger,1871; *nivescens* Rebel,1907.
- 2680.** *Xestia (Megasema) c-nigrum* (Linnaeus,1758) (Noctuidae) *c-nigrum* Linnaeus,1758; *nunatrum* Esper,[1786]; *singularis* Esper,[1786]; *degenerata* Staudinger,1889; *depravata* A.Bang-Haas,1912; *kurilana* Bryk,1942; *ignorata* Eitschberger,1972.
- 2681.** *Xestia (Megasema) ditrapezium* ([Denis & Schiffermüller],1775) (Noctuidae) *#ditrapezium* [Denis & Schiffermüller],1775
- 2682.** *Xestia (Megasema) triangulum* (Hufnagel,1766) (Noctuidae) *triangulum* Hufnagel,1766; *rhomboidea* Esper,[1790].
- 2683.** *Xestia (s.str.) baja* ([Denis & Schiffermüller],1775) (Noctuidae) *baja* [Denis & Schiffermüller],1775
- 2684.** *Xestia (s.str.) cohaesa* (Herrich-Schäffer,[1849]) (Noctuidae) *cohaesa* Herrich-Schäffer,[1849]
- 2685.** *Xestia (s.str.) ochreago* (Hübner,[1809]) (Noctuidae) *ochreago* Hübner,[1809]; *ochrojois* Hbn.,[1821]; *habichi* Rebel,1909.
- 2686.** *Xestia (s.str.) palaestinensis* (Kalchberg,1898) (Noctuidae) *palaestinensis* Kalchberg,1898.
- 2687.** *Xestia (s.str.) pallidago* (Staudinger,1900) (Noctuidae) *pallidago* Staudinger,1900
- 2688.** *Xestia (s.str.) sareptana* (Herrich-Schäffer,[1851]) (Noctuidae) *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936
- 2689.** *Xestia (s.str.) sareptana sareptana* (Herrich-Schäffer,[1851]) (Noctuidae) *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936
- 2690.** *Xestia (s.str.) trifida* (Fischer v. Waldheim,1820) (Noctuidae) *trifida* Fischer v. Waldheim,1820.
- 2691.** *Xestia (s.str.) xanthographa* ([Denis & Schiffermüller],1775) (Noctuidae) *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepida* Constantino,1922.
- 2692.** *Xylena exsoleta* (Linnaeus,1758) (Noctuidae) *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787
- 2693.** *Xylena exsoleta exsoleta* (Linnaeus,1758) (Noctuidae) *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787
- 2694.** *Xylena lunifera* Warren,1910 (Noctuidae) *lunifera* Warren,1910
- 2695.** *Xylena lunifera lunifera* Warren,1910 (Noctuidae) *lunifera* Warren,1910
- 2696.** *Xylena vetusta* (Hübner,[1813]) (Noctuidae) *vetusta* Hübner,[1813]
- 2697.** *Xylocampa mustapha* (Oberthür,1920) (Noctuidae) *mustapha* Oberthür,1920
- 2698.** *Xylocampa mustapha hethitica* Kobes & Pinker,1976 (Noctuidae) *hethitica* Kobes & Pinker,1976
- 2699.** *Zekelita (Ravalita) ravalis* (Herrich-Schäffer,[1852]) (Noctuidae) *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 *nec* Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941.
- 2700.** *Zekelita (Rhynchodontodes) antiqualis* (Hübner,[1809]) (Noctuidae) *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *#antiquis* Zukowsky,1941
- 2701.** *Zekelita (Rhynchodontodes) revolutalis* Zeller,1852 (Noctuidae) *revolutalis* Zeller,1852; *angulalis* Mabille,1880.
- 2702.** *Zethes insularis* Rambur,1833 (Noctuidae) *insularis* Rambur,1833
- 2703.** *Cerura (s.str.) vinula* (Linnaeus,1758) (Notodontidae) *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939
- 2704.** *Clostera curtula* (Linnaeus,1758) (Notodontidae) *curtula* Linnaeus,1758; *albicaudalba* Retzius,1783; *canescens* Graeser,1892
- 2705.** *Clostera pigra* (Hufnagel,1766) (Notodontidae) *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775;

- alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; #*flavidior* Bytinski-Salz,1936
- 2706. Clostera pigra pigra** (Hufnagel,1766) (Notodontidae) *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; #*flavidior* Bytinski-Salz,1936
- 2707. Dicranura ulmi** ([Denis & Schiffermüller],1775) (Notodontidae) #*ulmi* [Denis & Schiffermüller],1775; *discors* Fabricius,1798; *modica* Dannehl,1929; *istriaca* Bytinski-Salz,1939.
- 2708. Drymonia oblitterata** (Esper,[1785]) (Notodontidae) *oblitterata* Esper,[1785]; *melagona* Borkhausen,1790; *deleta* Brahm,1790; *esmera* De Freina,1981
- 2709. Drymonia querna** (Fabricius,1787) (Notodontidae) #*querna* [Denis & Schiffermüller],1775; *querna* Fabricius,1787; *sausolica* Daniel,1968; *meridioitalica* Hartig,1970; *danieli* Hartig,1970
- 2710. Drymonia querna djezina** O.Bang-Haas,1937 (Notodontidae) *djezina* O.Bang-Haas,1937
- 2711. Drymonia ruficornis** (Hufnagel,1766) (Notodontidae) *ruficornis* Hufnagel,1766; *confusa* Hufnagel,1767; *chaonia* [Denis & Schiffermüller],1775; *roboreis* Fabricius,1777; *ilicis* Fabricius,1793; *roboreus* Haworth,1803; *querneus* Haworth,1803; *concolor* Daniel,1939; *adolua* De Freina,1983.
- 2712. Drymonia velitaris** (Hufnagel,1766) (Notodontidae) *velitaris* Hufnagel,1766; *austera* [Denis & Schiffermüller],1775; *bifasciata* Villers,1789
- 2713. Drymonia velitaris pontica** (Rebel,1908) (Notodontidae) *pontica* Rebel,1908
- 2714. Furcula bifida** (Brahm,1787) (Notodontidae) *hermelina* Goeze,1781 nec Gz.,1781; *bifida* Brahm,1787; *latifascia* Curtis,1827; *arcuata* Stephens,1828; *mucronata* Meigen,1830; *urocera* Boisduval,1840; *type* Seifers,1933.
- 2715. Furcula furcula** (Linnaeus,1761) (Notodontidae) #*furcula* Clerck,1759; *furcula* Linnaeus,1761; *salicis* Lamarck,1816; *nordlandica* Daniel,1965; *atlantica* Daniel,1965.
- 2716. Furcula furcula pseudobicuspis** (Daniel,1938) (Notodontidae) *pseudobicuspis* Daniel,1938; *songuldakensis* Daniel,1938.
- 2717. Furcula interrupta** Christoph,1867 (Notodontidae) *interrupta* Christoph,1867; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; #*syreyae* Schintlmeister,1989.
- 2718. Furcula interrupta interrupta** Christoph,1867 (Notodontidae) *interrupta* Christoph,1867; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; #*syreyae* Schintlmeister,1989.
- 2719. Furcula interrupta syra** Groum-Grshimailo,1899 (Notodontidae) *syra* Groum-Grshimailo,1899
- 2720. Harpyia milhauseri** (Fabricius,1775) (Notodontidae) *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932
- 2721. Notodonta tritophus** ([Denis & Schiffermüller],1775) (Notodontidae) #*tritophus* [Denis & Schiffermüller],1775; *phoebe* Siebert,1790; *perfuscus* Haworth,1803; *irfana* De Freina,1983.
- 2722. Notodonta ziczac** (Linnaeus,1758) (Notodontidae) *ziczac* Linnaeus,1758; *venosa* Fourcroy,1785; *monticola* Dannehl,1925; *lapponica* Rangnow,1935; *dimorpha* Rangnow,1935; *reisseri* Rungs,1956
- 2723. Notodonta ziczac derbendica** (Daniel,1965) (Notodontidae) *derbendica* Daniel,1965
- 2724. Peridea anceps** (Goeze,1781) (Notodontidae) *anceps* Goeze,1781; *trepida* Esper,1786; *serrata* Thunberg,1792; *tremula* Hübner,[1800]; *baetica* Zerny,1927; *agenjoi* Schawerda,1938; *mesatlantica* Rungs,1940; *albertiana* Witt,1974.
- 2725. Peridea korbi** (Rebel,1918) (Notodontidae) *korbi* Rebel,1918
- 2726. Peridea korbi herculeana** (Popescu-Gorj & Capuse,1963) (Notodontidae) *herculeana* Popescu-Gorj & Capuse,1963; *pinkieriana* Witt,1974.
- 2727. Phalera bucephala** (Linnaeus,1758) (Notodontidae) *bucephala* Linnaeus,1758; *lunula* Retzius,1783 nec Hufn.,1766 non Strm,1768.
- 2728. Phalera bucephaloides** (Ochsenheimer,1810) (Notodontidae) *bucephaloides* Ochsenheimer,1810
- 2729. Pheosia tremula** (Linnaeus,1761) (Notodontidae) #*tremula* Clerck,1759; *tremula* Linnaeus,1761; *dictaea* Linnaeus,1767; *turcica* De Freina,1979; #*turica* Schintlmeister,1989
- 2730. Pterostoma palpina** (Linnaeus,1761) (Notodontidae) *palpina* Linnaeus,1761; *caudapiscina* Goeze,1783; *salicis* Germar,1812.
- 2731. Ptilodon capucina** (Linnaeus,1758) (Notodontidae) *capucina* Linnaeus,1758
- 2732. Ptilodontella cucullina** ([Denis & Schiffermüller],1775) (Notodontidae) *cucullina* [Denis & Schiffermüller],1775
- 2733. Rhegmaphila alpina** (Bellier,1881) (Notodontidae) *alpina* Bellier,1881; *burgensis* Fernandez,1934.
- 2734. Rhegmaphila alpina osmana** Friedel,1967 (Notodontidae) *osmana* Friedel,1967
- 2735. Spatalia argentina** ([Denis & Schiffermüller],1775) (Notodontidae) *argentina* [Denis & Schiffermüller],1775
- 2736. Agonopterix adpersella** (Kollar,1832) (Oecophoridae) *adpersella* Kollar,1832
- 2737. Agonopterix atomella** ([Denis & Schiffermüller],1775) (Oecophoridae) *atomella* [Denis & Schiffermüller],1775
- 2738. Agonopterix cervariella** (Constant,1884) (Oecophoridae) *cervariella* Constant,1884
- 2739. Agonopterix curvipunctosa** (Haworth,[1811]) (Oecophoridae) *curvipunctosa* Haworth,[1811]; *zephyrella* Hübner,[1813]; *granulosella* Stainton,1854; *doubledayella* Bruand,1859; *amasina* Mann,1861.
- 2740. Agonopterix despoliatella** Erschoff,1874 (Oecophoridae) *despoliatella* Erschoff,1874
- 2741. Agonopterix ferocella** (Chrétien,1910) (Oecophoridae) *ferocella* Chrétien,1910
- 2742. Agonopterix imbutella** Christoph,1888 (Oecophoridae) *imbutella* Christoph,1888
- 2743. Agonopterix nodiflorella** (Millière,1866) (Oecophoridae) *nodiflorella* Millière,1866
- 2744. Agonopterix ocellana** (Fabricius,1775) (Oecophoridae) *ocellana* Fabricius,1775; *characterella* [Denis & Schiffermüller],1775; *signella* Hübner,1796; *signana* Hübner,1796; *signosa* Haworth,1811; *characterosa* Haworth,1811; *rubrolineella* Bruand,1850; *ocellella* Doubleday,1859
- 2745. Agonopterix pallorella** (Zeller,1839) (Oecophoridae) *pallorella* Zeller,1839
- 2746. Agonopterix purpurea** (Haworth,[1811]) (Oecophoridae) *purpurea* Haworth,[1811]
- 2747. Agonopterix ramosella** Stainton,1867 (Oecophoridae) *ramosella* Stainton,1867
- 2748. Agonopterix rotundella** (Douglas,1846) (Oecophoridae) *rotundella* Douglas,1846
- 2749. Agonopterix rutana** (Fabricius,1794) (Oecophoridae) *rutana* Fabricius,1794; *syriaca* Caradja,1920.
- 2750. Agonopterix subpropinquella** (Stainton,1849) (Oecophoridae) *subpropinquella* Stainton,1849; *rhodochrella* Herrich-Schäffer,[1854]; *thoracica* Lederer,1855; *sublutella* Staudinger,1859; *variabilis* Heinemann,1870; *crispella* Lhomme,1929; *amilcarella* Lucas,1951.
- 2751. Alabonia staintoniella** (Zeller,1850) (Oecophoridae) *staintoniella* Zeller,1850
- 2752. Anchinia grandis** Stainton,1867 (Oecophoridae) *grandis* Stainton,1867
- 2753. Batia lunaris** (Haworth,[1828]) (Oecophoridae) *lunaris* Haworth,[1828]
- 2754. Carcina quercana** (Fabricius,1775) (Oecophoridae) *quercana* Fabricius,1775
- 2755. Cephalispheira sordidella** (Hübner,1796) (Oecophoridae) *sordidella* Hübner,1796
- 2756. Crossotocera wagnerella** Zerny,1930 (Oecophoridae) *wagnerella* Zerny,1930
- 2757. Denisia similella** (Hübner,1796) (Oecophoridae) *similella* Hübner,1796
- 2758. Depressaria badiella** (Hübner,1796) (Oecophoridae) *badiella* Hübner,1796; *badia* Haworth,1811; *aurantiella* Tutt,1893; *frigidella* Turati,1919
- 2759. Depressaria cervicella** Herrich-Schäffer,1854 (Oecophoridae) *cervicella* Herrich-Schäffer,1854
- 2760. Depressaria depressana** (Fabricius,1775) (Oecophoridae) *depressana* Fabricius,1775; *anethana* Brahm,1791; *depressella* Fabricius,1798; *bluntii* Curtis,1828; *collarella* Zetterstedt,1839.
- 2761. Depressaria depressana amasiella** Staudinger,1879 (Oecophoridae) *amasiella* Staudinger,1879.
- 2762. Depressaria erzurumella** Lvovsky,1996 (Oecophoridae) *erzurumella* Lvovsky,1996

- 2763.** *Depressaria hirtipalpis* Zeller, 1854 (Oecophoridae) *hirtipalpis* Zeller, 1854
- 2764.** *Depressaria pastinacella* (Duponchel, 1838) (Oecophoridae) *pastinacella* Duponchel, 1838
- 2765.** *Depressaria pulcherrimella* Stainton, 1849 (Oecophoridae) *pulcherrimella* Stainton, 1849
- 2766.** *Depressaria sordidatella* Tengström, 1848 (Oecophoridae) *sordidatella* Tengström, 1848; *weirella* Stainton, 1849.
- 2767.** *Depressaria zelleri* Staudinger, 1879 (Oecophoridae) *zelleri* Staudinger, 1879
- 2768.** *Epicallima formosella* ([Denis & Schiffermüller], 1775) (Oecophoridae) *formosella* [Denis & Schiffermüller], 1775
- 2769.** *Epicallima icterinella* (Mann, 1867) (Oecophoridae) *icterinella* Mann, 1867
- 2770.** *Eratophyes amasiella* (Herrich-Schäffer, [1855]) (Oecophoridae) *amasiella* Herrich-Schäffer, [1855]; *aleatrix* Diakonoff, 1975.
- 2771.** *Esperia imitatrix* (Zeller, 1847) (Oecophoridae) *imitatrix* Zeller, 1847
- 2772.** *Esperia intermediella* (Stainton, 1867) (Oecophoridae) *intermediella* Stainton, 1867
- 2773.** *Exaeretia lutosella* (Herrich-Schäffer, [1854]) (Oecophoridae) *lutosella* Herrich-Schäffer, [1854]
- 2774.** *Fabiola pokornyi* (Nickerl, 1864) (Oecophoridae) *pokornyi* Nickerl, 1864
- 2775.** *Holoscopia huebneri* Koçak, 1980 (Oecophoridae) *forficella* Hübner, [1813] nec Thunb., 1794; *huebneri* Koçak, 1980
- 2776.** *Holoscopia majorella* Rebel, 1902 (Oecophoridae) *majorella* Rebel, 1902
- 2777.** *Horridopalpus radiatus* (Staudinger, 1879) (Oecophoridae) *radiata* Staudinger, 1879
- 2778.** *Hypercallia citrinalis* (Scopoli, 1763) (Oecophoridae) *citrinalis* Scopoli, 1763; *christiannana* Linnaeus, 1767; *thoracella* Goeze, 1783; *thoracica* Fourcroy, 1785; *christiannella* Hübner, [1824]; *christiella* Hübner, [1825]; *christiannina* Zeller, 1839
- 2779.** *Oecophora* (Oecophoreola) *kindermanni* (Herrich-Schäffer, [1852]) (Oecophoridae) *kindermanni* Herrich-Schäffer, [1852]
- 2780.** *Oecophora* (s.str.) *bractella* (Linnaeus, 1758) (Oecophoridae) *bractella* Linnaeus, 1758
- 2781.** *Pleurota contrastatella* Mann, 1867 (Oecophoridae) *contrastatella* Mann, 1867
- 2782.** *Pleurota ericella* (Duponchel, 1839) (Oecophoridae) *ericella* Duponchel, 1839; *imitatrix* Herrich-Schäffer, 1854; *imitatricella* Herrich-Schäffer, 1862; *aenella* Lhomme, 1949
- 2783.** *Pleurota eximia* Lederer, 1861 (Oecophoridae) *eximia* Lederer, 1861; *galaticella* Staudinger, 1880
- 2784.** *Pleurota issicella* Staudinger, 1880 (Oecophoridae) *issicella* Staudinger, 1880
- 2785.** *Pleurota malatya* H. Back, 1973 (Oecophoridae) *malatya* H. Back, 1973
- 2786.** *Pleurota metricella* (Zeller, 1847) (Oecophoridae) *metricella* Zeller, 1847
- 2787.** *Pleurota proteella* Staudinger, 1880 (Oecophoridae) *proteella* Staudinger, 1880
- 2788.** *Pleurota pungitiella* Herrich-Schäffer, [1854] (Oecophoridae) *pungitiella* Herrich-Schäffer, [1854]
- 2789.** *Pleurota pyropella* ([Denis & Schiffermüller], 1775) (Oecophoridae) *pyropella* [Denis & Schiffermüller], 1775
- 2790.** *Pleurota subpyropella* Staudinger, 1880 (Oecophoridae) *subpyropella* Staudinger, 1880
- 2791.** *Pleurota tristatella* Staudinger, 1871 (Oecophoridae) *tristatella* Staudinger, 1871
- 2792.** *Pseudatemelia sordida* (Staudinger, 1879) (Oecophoridae) *sordida* Staudinger, 1879
- 2793.** *Schiffermuelleria irroratella* (Staudinger, 1879) (Oecophoridae) *irroratella* Staudinger, 1879
- 2794.** *Schiffermuelleria schaefferella* (Linnaeus, 1758) (Oecophoridae) *schaefferella* Linnaeus, 1758; *hermannella* Fabricius, 1781; *lucidula* Fourcroy, 1785.
- 2795.** *Archon apollinaris* (Staudinger, [1892]) (Papilionidae) *apollinaris* Staudinger, [1892]; *pallidior* Spuler, 1892; *#mardina* Stichel, 1907; *bostanchii* De Freina & Naderi, 2003.
- 2796.** *Archon apollinaris apollinaris* (Staudinger, [1892]) (Papilionidae) *apollinaris* Staudinger, [1892]; *pallidior* Spuler, 1892; *#mardina* Stichel, 1907; *bostanchii* De Freina & Naderi, 2003.
- 2797.** *Archon apollinus* (Herbst, 1798) (Papilionidae) *apollinus* Herbst, 1798; *pythius* Esper, 1805; *thia* Hübner, 1806; *annii* Ondrias, Kouts. & Douma-Petridou, 1979.
- 2798.** *Archon apollinus amasinus* (Staudinger, 1901) (Papilionidae) *amasinus* Staudinger, 1901
- 2799.** *Archon apollinus lichyi* Carbonell & Brevignon, 1983 (Papilionidae) *lichyi* Carbonell & Brevignon, 1983
- 2800.** *Iphiclide podalirius* (Linnaeus, 1758) (Papilionidae) *podalirius* Linnaeus, 1758; *sinon* Poda, 1761; *flammeus* Fourcroy, 1785; *inalpinus* Verity, 1911; *valesiaca* Verity, 1911; *zancleides* Verity, 1911; *pseudopersica* Rocci, 1926.
- 2801.** *Iphiclide podalirius podalirius* (Linnaeus, 1758) (Papilionidae) *podalirius* Linnaeus, 1758; *sinon* Poda, 1761; *flammeus* Fourcroy, 1785; *inalpinus* Verity, 1911; *valesiaca* Verity, 1911; *zancleides* Verity, 1911; *pseudopersica* Rocci, 1926.
- 2802.** *Papilio* (s.str. (Alexanoria)) *alexanor* Esper, [1800] (Papilionidae) *polidamas* De Prunner, 1787 nec Linnaeus, 1758; *alexanor* Esper, [1800]; *polychaon* Loche, 1801; *destelensis* Nel & Chauliac, 1983.
- 2803.** *Papilio* (s.str. (Alexanoria)) *alexanor eitschbergeri* Bollino & Sala, 1992 (Papilionidae) *eitschbergeri* Bollino & Sala, 1992
- 2804.** *Papilio* (s.str. (Alexanoria)) *alexanor orientalis* Romanoff, 1884 (Papilionidae) *orientalis* Romanoff, 1884
- 2805.** *Papilio* (s.str.) *machaon* Linnaeus, 1758 (Papilionidae) *machaon* Linnaeus, 1758; *reginae* Retzius, 1783; *umbellatarum* Fabricius, 1807; *aurantiaca* Speyer, 1858.
- 2806.** *Papilio* (s.str.) *machaon syriacus* Pfeiffer, 1931 (Papilionidae) *#syriacus* Verity, 1905; *#cypriae* Verity, 1905; *syriacus* Pfeiffer, 1931; *syriacus* Eller, 1936; *rustaveli* Didmanidze & Nekrutenko, 1966.
- 2807.** *Parnassius* (Driopa) *mnemosyne* (Linnaeus, 1758) (Papilionidae) *mnemosyne* Linnaeus, 1758
- 2808.** *Parnassius* (Driopa) *mnemosyne caucasia* Verity, [1911] (Papilionidae) *caucasia* Verity, [1911]; *angorae* Bryk & Eisner, 1931; *schweigeri* Eisner, 1966; *kocaki* Eisner, 1978; *bithyniae* Betti, 1989.
- 2809.** *Parnassius* (Driopa) *mnemosyne sheljuzhko* Bryk, 1914 (Papilionidae) *sheljuzhko* Bryk, 1914
- 2810.** *Parnassius* (Driopa) *nordmanni* [Ménétries], [1850] (Papilionidae) *clarius* Eversmann, 1845 nec Eversmann, 1843; *nordmanni* [Ménétries], [1850]; *patareae* Westwood, 1852; *minima* Honrath, 1885; *christophi* Bryk & Eisner, 1932; *bogosi* O. Bang-Haas, 1934; *#fasciata* Sheljuzhko, 1935; *#cohaerens* Shelj., 1935; *#flavomaculata* Shelj., 1935.
- 2811.** *Parnassius* (Driopa) *nordmanni thomai* De Freina, 1980 (Papilionidae) *thomai* De Freina, 1980
- 2812.** *Parnassius* (s.str.) *apollo* (Linnaeus, 1758) (Papilionidae) *apollo* Linnaeus, 1758
- 2813.** *Parnassius* (s.str.) *apollo graslini* Oberthür, 1891 (Papilionidae) *graslini* Oberthür, 1891; *kashshenkoi* Sheljuzhko, 1908; *levantinus* Rothschild, 1909; *auerspergi* Rebel, 1911; *dubius* Bryk, 1912; *araraticus* Pagenstecher, 1912; *anatolicus* Pagenstecher, 1912; *armenicus* Pagenstecher, 1912; *peroneurus* Bryk, 1914; *zarathustrae* Bryk, 1914; *transcaucasicus* Bryk, 1914
- 2814.** *Parnassius* (s.str.) *apollo tirabzonus* Sheljuzhko, 1924 (Papilionidae) *tirabzonus* Sheljuzhko, 1924
- 2815.** *Zerynthia* (Allanacstria) *caucasica* (Lederer, 1864) (Papilionidae) *caucasica* Lederer, 1864; *tkatshukovi* Sheljuzhko, 1927; *cachetica* Sheljuzhko, 1927; *#caucasica* Bernardi, 1970.
- 2816.** *Zerynthia* (Allanacstria) *caucasica caucasica* (Lederer, 1864) (Papilionidae) *caucasica* Lederer, 1864; *tkatshukovi* Sheljuzhko, 1927; *cachetica* Sheljuzhko, 1927; *#caucasica* Bernardi, 1970.
- 2817.** *Zerynthia* (Allanacstria) *cerisyi* (Godart, 1822) (Papilionidae) *cerisyi* Godart, 1822; *cerisy* Godart, [1824]; *martini* Fruhst., 1906; *speciosa*, *cypria* Stichel, 1907; *#destrigata* Schultz, 1908; *#caeca* Shelj., 1927; *mysiniensis* Eism. & Wag., 1974; *kocaki*, *goeksui* Kuhna, 1977; *koroneii* Katt. & Kouts., 1978; *sami* Schmidt, 1989.
- 2818.** *Zerynthia* (Allanacstria) *cerisyi cerisyi* (Godart, 1822) (Papilionidae) *cerisyi* Godart, 1822; *cerisy* Godart, [1824]; *martini* Fruhst., 1906; *speciosa*, *cypria* Stichel, 1907; *#destrigata* Schultz, 1908; *#caeca* Shelj., 1927; *mysiniensis* Eism. & Wag., 1974; *kocaki*, *goeksui* Kuhna, 1977; *koroneii* Katt. & Kouts., 1978; *sami* Schmidt, 1989.
- 2819.** *Zerynthia* (Allanacstria) *deyrollei* (Oberthür, 1869) (Papilionidae) *deyrollei* Oberthür, 1869; *eisneri* Bernardi, 1970; *lycaoniae* Eisner & Wagener, 1974; *#flavomaculata* Verity, 1905; *#ochracea* Verity, 1905; *#obscurior* Verity, 1905; *#subflava*

Schultz,1908; #deflexa Schultz,1908; #charis Schultz,1908; #separata Sheljuzhko,1927.

2820. *Zerynthia* (Allancastrina) *deyrollei* *deyrollei* (Oberthür,1869) (Papilionidae) *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagens,1974; #flavomaculata Verity,1905; #hochracea Verity,1905; #obscurior Verity,1905; #subflava Schultz,1908; #deflexa Schultz,1908; #charis Schultz,1908; #separata Sheljuzhko,1927.

2821. *Anthocharis cardamines* (Linnaeus,1758) (Pieridae) *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 *nec* Lederer,1852; *montivaga* Turati & Verity,1911

2822. *Anthocharis cardamines cardamines* (Linnaeus,1758) (Pieridae) *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 *nec* Lederer,1852; *montivaga* Turati & Verity,1911

2823. *Anthocharis cardamines phoenissa* Kalchberg,1895 (Pieridae) #turritis Ochsenheimer,1816; *phoenissa* Kalchberg,1895; #umbrosa Culot,1905; *ondrii* Kattulas & Koutsafikis,1978.

2824. *Anthocharis damone* Boisduval,1836 (Pieridae) *damone* Boisduval,1836

2825. *Anthocharis damone eunomia* (Freyer,[1851]) (Pieridae) *eunomia* Freyer,[1851]; *pallida* Röber,[1907]; *syra* Verity,1911; #flavoapicata Sheljuzhko,1925; *hollaenderi* Seyer,1980; *steinelti* Seyer,1984; *fickleri* Seyer,1985; *karbalayei* Hofmann et al,2003.

2826. *Anthocharis gruneri* Herrich-Schäffer,[1851] (Pieridae) *gruneri* Herrich-Schäffer,[1851]; #diluta Röber,1907; *eros* Röber,1907

2827. *Anthocharis gruneri armeniaca* Christoph,1893 (Pieridae) *armeniaca* Christoph,1893

2828. *Anthocharis gruneri gruneri* Herrich-Schäffer,[1851] (Pieridae) *gruneri* Herrich-Schäffer,[1851]; #diluta Röber,1907; *eros* Röber,1907

2829. *Aporia* (s.str.) *crataegi* (Linnaeus,1758) (Pieridae) *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanias* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.

2830. *Aporia* (s.str.) *crataegi hyalina* Röber,1907 (Pieridae) *hyalina* Röber,1907

2831. *Colias* (Eriocolias) *crocea* (Fourcroy,1785) (Pieridae) *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893.

2832. *Colias* (Eriocolias) *crocea crocea* (Fourcroy,1785) (Pieridae) *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893.

2833. *Colias* (Eriocolias) *thisoa Ménétériés*,1832 (Pieridae) *thisoa* Ménétériés,1832; *helenia* Herrich-Schäffer,[1844]; *eos* Herrich-Schäffer,[1848]; #ludmilla Schulte,1989.

2834. *Colias* (Eriocolias) *thisoa strandiana* Sheljuzhko,1935 (Pieridae) *strandiana* Sheljuzhko,1935; *vera* Kotsch,1935; #viridis Kotsch,1935; #nigra Kotsch,1935.

2835. *Colias* (Eriocolias) *thisoa thisoa Ménétériés*,1832 (Pieridae) *thisoa* Ménétériés,1832; *helenia* Herrich-Schäffer,[1844]; *eos* Herrich-Schäffer,[1848]; #ludmilla Schulte,1989.

2836. *Colias* (Neocolias) *aurorina* Herrich-Schäffer,[1850] (Pieridae) *aurorina* Herrich-Schäffer,[1850]

2837. *Colias* (Neocolias) *aurorina aurorina* Herrich-Schäffer,[1850] (Pieridae) *aurorina* Herrich-Schäffer,[1850]

2838. *Colias* (Neocolias) *caucasica* Staudinger,1871 (Pieridae) *caucasica* Staudinger,1871; *olga* Romanoff,1882; *anna* Gerhard,1882.

2839. *Colias* (Neocolias) *caucasica caucasica* Staudinger,1871 (Pieridae) *caucasica* Staudinger,1871; *olga* Romanoff,1882; *anna* Gerhard,1882.

2840. *Colias* (Neocolias) *chlorocoma* Christoph,1888 (Pieridae) *chlorocoma* Christoph,1888

2841. *Colias* (Neocolias) *chlorocoma aladagensis* Verhulst,1993 (Pieridae) *aladagensis* Verhulst,1993

2842. *Colias* (Neocolias) *chlorocoma chlorocoma* Christoph,1888 (Pieridae) *chlorocoma* Christoph,1888

2843. *Colias* (Neocolias) *erate* (Esper,[1805]) (Pieridae) *erate* Esper,[1805]; *afghana* O.Bang-Haas,1927

2844. *Colias* (Neocolias) *erate erate* (Esper,[1805]) (Pieridae) *erate* Esper,[1805]; *afghana* O.Bang-Haas,1927

2845. *Colias* (s.str.) *hyale* (Linnaeus,1758) (Pieridae) *hyale* Linnaeus,1758; #amdensis Verity,[1911].

2846. *Colias* (s.str.) *hyale hyale* (Linnaeus,1758) (Pieridae) *hyale* Linnaeus,1758

2847. *Colias* (s.str.) *sareptensis* Staudinger,1881 (Pieridae) #sareptensis Staudinger,1871; *sareptensis* Staudinger,1881.

2848. *Colias* (s.str.) *sareptensis bergeri* Reissinger,1989 (Pieridae) *bergeri* Reissinger,1989

2849. *Colotis* (s.str.) *faustus* (Olivier,[1804]) (Pieridae) *fausta* Olivier,[1804]; *faustina* Felder & Felder,[1865].

2850. *Colotis* (s.str.) *faustus faustus* (Olivier,[1804]) (Pieridae) *fausta* Olivier,[1804].

2851. *Euchloe* (Elphinstonia) *penia* (Freyer,[1852]) (Pieridae) *penia* Freyer,[1852]; *mesopotamica* Baker,1889.

2852. *Euchloe* (Elphinstonia) *penia penia* (Freyer,[1852]) (Pieridae) *penia* Freyer,[1852]; *mesopotamica* Baker,1889.

2853. *Euchloe* (s.str.) *ausonia* (Hübner,[1804]) (Pieridae) *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].

2854. *Euchloe* (s.str.) *ausonia taurica* Röber,[1907] (Pieridae) *belia* Cramer,[1782] *nec* Linn.,1767; *simplonia* Freyer,1829 *nec* Boisd.,1828; #philippsi Rudolph,1906; #taurica Röber,[1907]; *melisande* Fruhstorfer,1908; #graeca Verity,[1909]; #persica Verity,[1909]; #originalis Rothschild,1917; *verityi* Riley,1921; *kastellorisi* Katt. & Koutsafikis,1978

2855. *Gonepteryx* (s.str.) *farinosa* (Zeller,1847) (Pieridae) *farinosa* Zeller,1847

2856. *Gonepteryx* (s.str.) *farinosa farinosa* (Zeller,1847) (Pieridae) *farinosa* Zeller,1847

2857. *Gonepteryx* (s.str.) *farinosa turcirana* De Freina,1983 (Pieridae) *turcirana* De Freina,1983

2858. *Gonepteryx* (s.str.) *ramni* (Linnaeus,1758) (Pieridae) *ramni* Linnaeus,1758; *gravesi* Huggins,1956.

2859. *Gonepteryx* (s.str.) *ramni miljanowskii* Nekrutenko,1966 (Pieridae) *miljanowskii* Nekrutenko,1966

2860. *Gonepteryx* (s.str.) *ramni ramni* (Linnaeus,1758) (Pieridae) *ramni* Linnaeus,1758; *gravesi* Huggins,1956.

2861. *Gonepteryx* (s.str.) *ramni transiens* Verity,1913 (Pieridae) *transiens* Verity,1913

2862. *Leptidea duponcheli* (Staudinger,1871) (Pieridae) *duponcheli* Staudinger,1871; #dupncheli Nazari,2003

2863. *Leptidea duponcheli aestiva* (Staudinger,1878) (Pieridae) *aestiva* Staudinger,1878; *lorkovici* Pfeiffer,1932; *fragilis* Verity,1937; *marmorae* Graves,1938; #secunda Graves,1938; *vartiani* Gross & Ebert,1975; *escalerae* Gross & Ebert,1975

2864. *Leptidea sinapis* (Linnaeus,1758) (Pieridae) *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiurum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952.

2865. *Leptidea sinapis sinapis* (Linnaeus,1758) (Pieridae) *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiurum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952.

2866. *Pieris* (Artogeia) *bowdeni* Eitschberger,[1984] (Pieridae) *bowdeni* Eitschberger,[1984]

2867. *Pieris* (Artogeia) *bowdeni bowdeni* Eitschberger,1984 (Pieridae) *bowdeni* Eitschberger,[1984]

2868. *Pieris* (Artogeia) *bryoniae* (Hübner,[1804]) (Pieridae) *bryoniae* Hübner,[1804]; *neobryoniae* Miller,1933; *wolfsbergeri* Eitschberger,[1984]; *debrosi* Eitschberger,[1984] (cf. Leraut,1997).

2869. *Pieris* (Artogeia) *bryoniae turcica* Eitschberger & Hesselbarth,1977 (Pieridae) *turcica* Eitschberger & Hesselbarth,1977

2870. *Pieris* (Artogeia) *ergane* (Geyer,[1828]) (Pieridae) *ergane* Geyer,[1828]; *narcaea* Freyer,[1828].

2871. *Pieris* (Artogeia) *ergane detersa* Verity,[1908] (Pieridae) *detersa* Verity,[1908]; *elbursina* Bytinski-Salz & Brandt,1937

2872. *Pieris* (Artogeia) *krueperi* Staudinger,1860 (Pieridae) *krueperi* Staudinger,1860

2873. *Pieris* (Artogeia) *krueperi krueperi* Staudinger,1860 (Pieridae) *krueperi* Staudinger,1860; *syra* Verity,[1911].

2874. *Pieris* (Artogeia) *mannii* (Mayer,1851) (Pieridae) *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973.

2875. *Pieris* (Artogeia) *mannii hethaea* Pfeiffer,1931 (Pieridae) *hethaea* Pfeiffer,1931

2876. *Pieris* (Artogeia) *pseudorapae* Verity,1908 (Pieridae) *pseudorapae* Verity,1908

2877. *Pieris* (Artogeia) *pseudorapae suffusa* Sheljuzhko,1931 (Pieridae) *suffusa* Sheljuzhko,1931

- 2878.** *Pieris (Artogeia) rapae* (Linnaeus,1758) (Pieridae) *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929.
- 2879.** *Pieris (Artogeia) rapae rapae* (Linnaeus,1758) (Pieridae) *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929; *pulverea* Verity,[1911].
- 2880.** *Pieris (s.str.) brassicae* (Linnaeus,1758) (Pieridae) *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924.
- 2881.** *Pieris (s.str.) brassicae brassicae* (Linnaeus,1758) (Pieridae) *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924.
- 2882.** *Pontia callidice* (Hübner,[1800]) (Pieridae) *callidice* Hübner,[1800]; *callidice* Esper,[1803].
- 2883.** *Pontia callidice chrysidice* (Herrich-Schäffer,[1844]) (Pieridae) *chrysidice* Herrich-Schäffer,[1844].
- 2884.** *Pontia chloridice* (Hübner,[1813]) (Pieridae) *russiae* Esper,[1784] *nec russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 *nec Oberthür*,1881.
- 2885.** *Pontia chloridice chloridice* (Hübner,[1813]) (Pieridae) *russiae* Esper,[1784] *nec russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 *nec Oberthür*,1881.
- 2886.** *Pontia edusa* (Fabricius,1777) (Pieridae) *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908].
- 2887.** *Pontia edusa edusa* (Fabricius,1777) (Pieridae) *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1870; *#nitida* Verity,[1908].
- 2888.** *Zegris eupheme* (Esper,[1804]) (Pieridae) *eupheme* Esper,[1804]; *erithoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851].
- 2889.** *Zegris eupheme menestho* (Ménétriés,1832) (Pieridae) *menestho* Ménétriés,1832; *harandi* Back, Karbalaye, Leestmans, Hofmann,2005.
- 2890.** *Apteron heliocidella* (Vallot,1827) (Psychidae) *heliocidella* Vallot,1827; *resedella* Vallot,1843; *helix* Siebold,[1851].
- 2891.** *Bankesia pallida* (Staudinger,1879) (Psychidae) *pallida* Staudinger,1879.
- 2892.** *Canephora caucasica* (A.Bang-Haas,1912) (Psychidae) *caucasica* A.Bang-Haas,1912; *subgrisea* Kozhanchikov,1956.
- 2893.** *Canephora febretha* (Boyer de Fonscolombe,1835) (Psychidae) *febretha* Boyer de Fonscolombe,1835.
- 2894.** *Canephora hirsuta* (Poda,1761) (Psychidae) *hirsuta* Poda,1761; *dubia* Scopoli,1763; *unicolor* Hufnagel,1766; *xylophorum* Pallas,1767; *vestita* Fabricius,1775; *fasciculifera* Fourcroy,1785; *quercus* Schrank,1802; *vestitella* Hübner,[1825]; *asiatica* Staudinger,1887.
- 2895.** *Canephora lutea* (Staudinger,1871) (Psychidae) *lutea* Staudinger,1871.
- 2896.** *Diplodoma laichartingella* (Goeze,1783) (Psychidae) *laichartingella* Goeze,1783; *herminata* Fourcroy,1785; *herminatella* Villers,1789; *marginepunctella* Stephens,1835; *siderella* Zeller,1839.
- 2897.** *Dissoctena granigerella* Staudinger,1859 (Psychidae) *granigerella* Staudinger,1859.
- 2898.** *Epichnopteryx plumella* ([Denis & Schiffermüller],1775) (Psychidae) *plumella* [Denis & Schiffermüller],1775; *pulla* Esper,[1785].
- 2899.** *Eumasia parietariella* (Heydenreich,1851) (Psychidae) *parietariella* Heydenreich,1851; *crepusculella* Müller-Rutz,1920.
- 2900.** *Megalophanes viciella* ([Denis & Schiffermüller],1775) (Psychidae) *viciella* [Denis & Schiffermüller],1775; *orientalis* Dierl,1977.
- 2901.** *Psyche crassiorella* (Bruand,[1851]) (Psychidae) *crassiorella* Bruand,[1851]; *intermediella* Bruand,1853; *affinis* Reutti,1853; *subflavella* Millière,1876; *ciliella* Chapman,1900; *danieli* Siedler,1958.
- 2902.** *Ptilocephala (Deuterothyalina) albida* (Esper,[1786]) (Psychidae) *albida* Esper,[1786].
- 2903.** *Ptilocephala (gr.4) plumifera* (Ochsenheimer,1810) (Psychidae) *plumifera* Ochsenheimer,1810; *mediterranea* Lederer,1853.
- 2904.** *Rebelia surientella* (Bruand,1858) (Psychidae) *surientella* Bruand,1858; *suriens* Bruand,1859.
- 2905.** *Taleporia pseudoimprovisella* Freina & Witt,1984 (Psychidae) *pseudoimprovisella* Freina & Witt,1984.
- 2906.** *Pterolonche (s.str.) inspersa* Staudinger,1859 (Pterolonchidae) *inspersa* Staudinger,1859.
- 2907.** *Adaina microdactyla* (Hübner,[1813]) (Pterophoridae) *microdactyla* Hübner,[1813]; *carphodactylus* Stephens,1834; *subflavescens* Meyrick,1930; *montivola* Meyrick,1937.
- 2908.** *Agdistis (Frankistis) frankeniae* (Zeller,1847) (Pterophoridae) *frankeniae* Zeller,1847; *lerinsis* Millière,1876; *bahrhutia* Amsel,1955; *tondeuri* Bigot,1963; *rupestris* Bigot,1974; *rjabovi* Zagulyaev & Filippova,1976; *kulunda* Ustjuzhanin,1991.
- 2909.** *Agdistis (Frankistis) mevlaniella* Arenberger,1972 (Pterophoridae) *mevlaniella* Arenberger,1972.
- 2910.** *Agdistis (Meridistis) intermedia* Caradja,1920 (Pterophoridae) *intermedia* Caradja,1920; *hungarica* Amsel,1955.
- 2911.** *Agdistis (Meridistis) meridionalis* (Zeller,1847) (Pterophoridae) *meridionalis* Zeller,1847; *staticis* Millière,1875; *portlandica* Tutt,1906; *clivicola* Meyrick,1920; *tyrrhenica* Amsel,1952; *prolai* Hartig,1953.
- 2912.** *Agdistis (s.str.) adactyla* (Hübner,[1819]) (Pterophoridae) *adactyla* Hübner,[1819]; *huebneri* Curtis,1834; *delphinensella* Bruand,1858; *shaanxisis* Qin & Zheng,1997.
- 2913.** *Agdistis (s.str.) heydeni* (Zeller,1852) (Pterophoridae) *heydeni* Zeller,1852; *canariensis* Rebel,1896; *excurata* Meyrick,1920.
- 2914.** *Agdistis (s.str.) satanas* Millière,1876 (Pterophoridae) *satanas* Millière,1876; *nanus* Turati,1924; *pseudosatanas* Amsel,1952.
- 2915.** *Calyciphora homiodactyla* (Kasy,1960) (Pterophoridae) *homiodactyla* Kasy,1960.
- 2916.** *Calyciphora maraschella* Zagulyaev,1986 (Pterophoridae) *maraschella* Zagulyaev,1986.
- 2917.** *Calyciphora nephelodactyla* (Eversmann,1844) (Pterophoridae) *nephelodactyla* Eversmann,1844; *apollina* Millière,1882; *extensa* Zagulyaev,1986.
- 2918.** *Calyciphora xanthodactyla* (Treitschke,1833) (Pterophoridae) *xanthodactyla* Treitschke,1833.
- 2919.** *Calyciphora xerodactyla* (Zeller,1841) (Pterophoridae) *xerodactyla* Zeller,1841; *sicula* Fuchs,1901.
- 2920.** *Capperia celeusi* (Frey,1886) (Pterophoridae) *celeusi* Frey,1886; *intercicus* Meyrick,1930; *belutschistanella* Amsel,1959; *karakalensis* Gibeaux,1997.
- 2921.** *Capperia fletcheri* Adamczewski,1951 (Pterophoridae) *fletcheri* Adamczewski,1951.
- 2922.** *Capperia fusca* (Hofmann,1898) (Pterophoridae) *fusca* Hofmann,1898; *marrubii* Adamczewski,1951.
- 2923.** *Capperia hellenica* Adamczewski,1951 (Pterophoridae) *hellenica* Adamczewski,1951.
- 2924.** *Capperia maratonica* Adamczewski,1951 (Pterophoridae) *maratonica* Adamczewski,1951.
- 2925.** *Capperia marginella* (Zeller,1847) (Pterophoridae) *marginella* Zeller,1847.
- 2926.** *Capperia salanga* Arenberger,1995 (Pterophoridae) *salanga* Arenberger,1995.
- 2927.** *Capperia trichodactyla* ([Denis & Schiffermüller],1775) (Pterophoridae) *trichodactyla* [Denis & Schiffermüller],1775; *leonuri* Stange,1882; *affinis* Müller-Rutz,1933.
- 2928.** *Capperia washbourni* Adamczewski,1951 (Pterophoridae) *washbourni* Adamczewski,1951.
- 2929.** *Cnaemidophorus rhododactylus* (Fabricius,1787) (Pterophoridae) *#rhododactyla* [Denis & Schiffermüller],1775; *rhododactylus* Fabricius,1787; *koreana* Matsumura,1931.
- 2930.** *Crombrugghia distans* (Zeller,1847) (Pterophoridae) *distans* Zeller,1847; *distantidactyla* Bruand,1858; *geodactylus* Fuchs,1903; *lactuae* Fletcher,1920; *clarisignis* Myerick,1924; *buvati* Bigot & Picard,1988; *pravieli* Bigot & Picard,1989; *gibeauxi* Bigot et al.,1990; *supplementum* Gibeaux,1997.
- 2931.** *Crombrugghia laeta* (Zeller,1847) (Pterophoridae) *laetus* Zeller,1847; *loetidactyla* Bruand,1858; *andryalae* Millière,1863; *andryaladactylus* Millière,1863; *lantoscans* Millière,1882.
- 2932.** *Emmelina monodactyla* (Linnaeus,1758) (Pterophoridae) *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920.
- 2933.** *Geina didactyla* (Linnaeus,1758) (Pterophoridae) *didactyla* Linnaeus,1758; *brunneodactyla* Millière,1854.
- 2934.** *Hellinsia osteodactylus* (Zeller,1841) (Pterophoridae) *microdactyla* Zetterstedt,1839 *nec* Hübner,[1813]; *osteodactylus* Zeller,1841; *trimmatodactylus* Christoph,1872; *cinerariae*

- Millière, 1874; *chrysomae* Ragonot, 1875; *korbi* Caradja, 1920; *turbidellus* Caradja, 1920; *sophronistes* Meyrick, 1938.
- 2935.** *Marasmarcha ehrenbergiana* Zeller, 1841 (Pterophoridae) *ehrenbergiana* Zeller, 1841; *decolorum* Caradja, 1920.
- 2936.** *Merrifieldia baliodactyla* (Zeller, 1841) (Pterophoridae) *baliodactyla* Zeller, 1841; *tridactylus* Stephens, 1834; *dalioidactylus* Bruand, 1850; *meridionalis* Staudinger, 1880.
- 2937.** *Merrifieldia malacodactyla* (Zeller, 1847) (Pterophoridae) *malacodactyla* Zeller, 1847; *meridionalis* Staudinger, 1880; *indocta* Meyrick, 1913; *subtilis* Caradja, 1920; *parca* Meyrick, 1921; *subcretosa* Meyrick, 1922; *phaeoschista* Meyrick, 1923; *luteodactyla* Turati, 1926; *rayatella* Amsel, 1959; *insularis* Bigot, 1961; *livadiensis* Zagulyaev & Filippova, 1976; *transdanubinus* Fazekas, 1986; *garrigae* Bigot & Picard, 1989; *moulinieri* Nel, 1991; *inopinata* Bigot, Nel & Picard, 1993.
- 2938.** *Merrifieldia tridactyla* (Linnaeus, 1758) (Pterophoridae) *tridactyla* Linnaeus, 1758; *tetradactyla* Linnaeus, 1758; *niveidactylus* Stephens, 1829; *fuscolimbatus* Duponchel, 1844; *exilidactyla* Buszko, 1975.
- 2939.** *Oidaematophorus didactylites* (Ström, 1783) (Pterophoridae) *didactylites* Ström, 1783; *scarodactyla* Hübner, [1813]; *icarodactyla* Treitschke, 1833; *catharodactylus* Caradja, 1921.
- 2940.** *Oxyptilus chrysodactylus* (Denis & Schiffermüller, 1775) (Pterophoridae) *chrysodactylus* [Denis & Schiffermüller], 1775; *hieracii* Zeller, 1841; *hieracidactyla* Bruand, 1858; *perunovi* Ustjuzhanin, 1996.
- 2941.** *Oxyptilus parvidactylus* (Haworth, [1811]) (Pterophoridae) *parvidactylus* Haworth, [1811]; *microdactylus* Samouelle, 1819; *obscurus* Zeller, 1841; *hemididactylus* Selys-Longchamps, 1845; *dentellus* Zeller, 1852; *obscuridactyla* Bruand, 1859; *hofmannseggii* Möschler, 1866; *maroocanensis* Amsel, 1956.
- 2942.** *Paracapperia anatolica* (Caradja, 1920) (Pterophoridae) *anatolica* Caradja, 1920.
- 2943.** *Paraplatytilia metzneri* (Zeller, 1841) (Pterophoridae) *metzneri* Zeller, 1841; *bolli* Frey, 1856.
- 2944.** *Platyptilia farfarella* Zeller, 1867 (Pterophoridae) *farfarella* Zeller, 1867; *gonodactyla* Hori, 1934 *nec* [Denis & Schiffermüller], 1775.
- 2945.** *Platyptilia gonodactyla* (Denis & Schiffermüller, 1775) (Pterophoridae) *gonodactyla* [Denis & Schiffermüller], 1775; *megalodactyla* [Denis & Schiffermüller], 1775; *diptera* Sulzer, 1776; *trigonodactyla* Haworth, 1811; *farfara* Gregson, 1885; *albidior* Caradja, 1920.
- 2946.** *Platyptilia tetradactyla* (Linnaeus, 1758) (Pterophoridae) *tetradactyla* Linnaeus, 1758.
- 2947.** *Procapperia kuldshaensis* (Rebel, 1914) (Pterophoridae) *kuldshaensis* Rebel, 1914; *asiatica* Zagulyaev, 1986.
- 2948.** *Procapperia maculata* (Constant, 1865) (Pterophoridae) *maculata* Constant, 1865; *croatica* Adamczewski, 1951.
- 2949.** *Pselnophorus poggei* (Mann, 1862) (Pterophoridae) *poggei* Mann, 1862; *minutus* Alpheraky, 1876; *borzhomei* Zagulyaev, 1987.
- 2950.** *Pterophorus ischnodactylus* (Treitschke, 1835) (Pterophoridae) *ischnodactyla* Treitschke, 1835; *actinodactyla* Chrétien, 1891; *eburnella* Amsel, 1968.
- 2951.** *Pterophorus pentadactylus* (Linnaeus, 1758) (Pterophoridae) *pentadactylus* Linnaeus, 1758; *tridactyla* Scopoli, 1763; *sulphurea* Staudinger, 1880.
- 2952.** *Stangeia siceliota* (Zeller, 1847) (Pterophoridae) *siceliota* Zeller, 1847; *ononidis* Zeller, 1852; *ononydactyla* Bruand, 1858; *siceliotidactyla* Bruand, 1858.
- 2953.** *Stenoptilia arida* (Zeller, 1847) (Pterophoridae) *arida* Zeller, 1847; *oxyactis* Meyrick, 1921; *elkefi* Arenberger, 1984.
- 2954.** *Stenoptilia bipunctidactyla* (Scopoli, 1763) (Pterophoridae) *bipunctidactyla* Scopoli, 1763; *#pallida* Tutt, 1906; *arida* Caradja, 1920 *nec* Zell., 1847.
- 2955.** *Stenoptilia coprodactyla* (Stainton, 1851) (Pterophoridae) *coprodactyla* Stainton, 1851; *zalocrossa* Meyrick, 1907.
- 2956.** *Stenoptilia mannii* (Zeller, 1852) (Pterophoridae) *mannii* Zeller, 1852; *megalochroa* Meyrick, 1930.
- 2957.** *Stenoptilia pterodactyla* (Linnaeus, 1761) (Pterophoridae) *pterodactyla* Linnaeus, 1761; *#pallida* Tutt, 1906.
- 2958.** *Stenoptilia zophodactyla* (Duponchel, 1838) (Pterophoridae) *zophodactyla* Duponchel, 1838; *loewii* Zeller, 1847; *oreodactyla* Bruand, 1850; *loividactyla* Bruand, 1859; *canalis* Walker, 1864; *semicostatus* Zeller, 1873.
- 2959.** *Tabulaephorus parthicus* (Lederer, 1870) (Pterophoridae) *parthicus* Lederer, 1870.
- 2960.** *Tabulaephorus punctinervis* (Constant, 1885) (Pterophoridae) *punctinervis* Constant, 1885.
- 2961.** *Wheeleria elbursi* (Arenberger, 1981) (Pterophoridae) *elbursi* Arenberger, 1981.
- 2962.** *Wheeleria ivae* (Kasy, 1960) (Pterophoridae) *ivae* Kasy, 1960.
- 2963.** *Wheeleria obsoleta* (Zeller, 1841) (Pterophoridae) *obsoleta* Zeller, 1841; *confusa* Herrich-Schäffer, 1855; *marrubii* Wasserthal, 1970.
- 2964.** *Wheeleria phlomidis* (Staudinger, 1871) (Pterophoridae) *phlomidis* Staudinger, 1871.
- 2965.** *Wheeleria sobeidae* (Arenberger, 1981) (Pterophoridae) *sobeidae* Arenberger, 1981.
- 2966.** *Wheeleria spilodactyla* (Curtis, 1827) (Pterophoridae) *spilodactyla* Curtis, 1827; *marrubii* Heydenreich, 1851.
- 2967.** *Acetria nivea* Olivier, 1791 (Pylalidae) *nivea* Olivier, 1791.
- 2968.** *Achroia grisella* (Fabricius, 1794) (Pylalidae) *grisella* Fabricius, 1794; *alvearia* Fabricius, 1798; *cinereola* Hübner, [1803]; *alvea* Haworth, 1811; *alveariella* Guenée, 1845; *anticella* Walker, 1863; *obscurivittella* Ragonot, 1901; *#major* Dufrane, 1930.
- 2969.** *Achyra nudalis* (Hübner, 1796) (Pylalidae) *nudalis* Hübner, 1796; *interpunctalis* Hübner, 1796; *unipunctalis* Duponchel, 1831; *bipunctalis* Duponchel, 1831; *pauciferalis* Walker, 1865; *nodalis* Gundlach, 1891; *ochromorpha* Lower, 1901.
- 2970.** *Acrobasis atrisquamella* Ragonot, 1887 (Pylalidae) *atrisquamella* Ragonot, 1887; *nigrisquamella* Amsel, 1953.
- 2971.** *Acrobasis bithynella* Zeller, 1848 (Pylalidae) *bithynella* Zeller, 1848; *minuscule* Turati, 1930; *witteella* Roesler, 1969.
- 2972.** *Acrobasis bithynella bithynella* Zeller, 1848 (Pylalidae) *bithynella* Zeller, 1848; *minuscule* Turati, 1930; *witteella* Roesler, 1969.
- 2973.** *Acrobasis consociella* (Hübner, [1813]) (Pylalidae) *consociella* Hübner, [1813]; *consocialis* Hübner, [1825]; *tumidella* Duponchel, 1836; *oberthueri* Lucas, 1914.
- 2974.** *Acrobasis consociella jessica* Roesler, 1988 (Pylalidae) *jessica* Roesler, 1988.
- 2975.** *Acrobasis glaucella* Staudinger, 1859 (Pylalidae) *glaucella* Staudinger, 1859; *fallouella* Ragonot, 1871; *anatolica* Caradja, 1910.
- 2976.** *Acrobasis glaucella glaucella* Staudinger, 1859 (Pylalidae) *glaucella* Staudinger, 1859; *fallouella* Ragonot, 1871; *anatolica* Caradja, 1916.
- 2977.** *Acrobasis obliqua* (Zeller, 1847) (Pylalidae) *obliqua* Zeller, 1847; *cinerascens* Turati, 1927.
- 2978.** *Acrobasis obliqua obliqua* (Zeller, 1847) (Pylalidae) *obliqua* Zeller, 1847; *cinerascens* Turati, 1927.
- 2979.** *Acrobasis obtusella* (Hübner, 1796) (Pylalidae) *obtusella* Hübner, 1796; *obtusella* Haworth, 1811; *obtusalis* Hübner, [1825].
- 2980.** *Acrobasis obtusella ottomana* Caradja, 1916 (Pylalidae) *ottomana* Caradja, 1916.
- 2981.** *Actenia brunnealis* (Treitschke, 1829) (Pylalidae) *brunnealis* Treitschke, 1829; *phaealis* Hampson, 1900.
- 2982.** *Actenia honestalis* (Treitschke, 1829) (Pylalidae) *honestalis* Treitschke, 1829.
- 2983.** *Aeschremon disparalis* Herrich-Schäffer, [1855] (Pylalidae) *disparalis* Herrich-Schäffer, [1855]; *#indistinctalis* Amsel, 1961.
- 2984.** *Aglossa asiatica* Erschoff, 1871 (Pylalidae) *asiatica* Erschoff, 1871.
- 2985.** *Aglossa caprealis* (Hübner, [1809]) (Pylalidae) *caprealis* Hübner, [1809]; *capreolatus* Haworth, 1809; *aenalis* Costa, 1836; *domalis* Guenée, 1854; *incultella* Walker, 1866; *enthealis* Hulst, 1886; *#cuprealis* Kalchberg, 1897.
- 2986.** *Aglossa pinguinalis* (Linnaeus, 1758) (Pylalidae) *pinguinalis* Linnaeus, 1758; *marmorella* Geoffroy, 1785; *marmoratella* Villers, 1789; *pinguiculatus* Haworth, 1809; *pinguinatus* Haworth, 1809; *guicciardii* Constantino, 1922.
- 2987.** *Agriphila beieri* Bleszynski, 1955 (Pylalidae) *beieri* Bleszynski, 1955.
- 2988.** *Agriphila bleszynskiella* Amsel, 1961 (Pylalidae) *bleszynskiella* Amsel, 1961.
- 2989.** *Agriphila brionella* (Zerny, 1914) (Pylalidae) *brioniella* Zerny, 1914; *#subbrioniella* Amsel, 1959.
- 2990.** *Agriphila deliella* (Hübner, [1813]) (Pylalidae) *deliella* Hübner, [1813].

- 2991.** *Agriphila deliella deliella* (Hübner,[1813]) (Pyrilidae) *deliella* Hübner,[1813]
- 2992.** *Agriphila genicula* (Haworth,[1811]) (Pyrilidae) *genicula* Haworth,[1811]; *imistella* Hübner,[1813]; *angulatellus* Duponchel,1836; *suspectellus* Zeller,1839.
- 2993.** *Agriphila inquinatella* ([Denis & Schiffermüller],1775) (Pyrilidae) *inquinatella* [Denis & Schiffermüller],1775; ? *arbustella* Schrank,1802; *nevadensis* Caradja,1910.
- 2994.** *Agriphila inquinatella inquinatella* ([Denis & Schiffermüller],1775) (Pyrilidae) *inquinatella* [Denis & Schiffermüller],1775; ? *arbustella* Schrank,1802; *nevadensis* Caradja,1910.
- 2995.** *Agriphila paleatella* (Zeller,1847) (Pyrilidae) *paleatellus* Zeller,1847
- 2996.** *Agriphila tersella* (Lederer,1855) (Pyrilidae) *tersellus* Lederer,1855; *graphellus* Constant,1884; *hungaricus* Schmidt,1909; *austellus* Chrétien,1913; *uniformellus* Caradja,1918; *chneouri* Lucas,1942.
- 2997.** *Agriphila tolli* (Bleszynski,1952) (Pyrilidae) *tollii* Bleszynski,1952
- 2998.** *Alisa amseli* Ganév & Hacker,1984 (Pyrilidae) *amseli* Ganév & Hacker,1984
- 2999.** *Alophia combustella* (Herrich-Schäffer,[1855]) (Pyrilidae) *combustella* Herrich-Schäffer,[1855]; *incinerella* Caradja,1910.
- 3000.** *Amaurophanes stigmosalis* (Herrich-Schäffer,[1848]) (Pyrilidae) *stigmosalis* Herrich-Schäffer,[1848]
- 3001.** *Anania verbascata* (Fabricius,1787) (Pyrilidae) *#verbascalis* [Denis & Schiffermüller],1775; *verbascata* Fabricius,1787; *parvalis* Osthelder,1934.
- 3002.** *Ancylolomia palpella* ([Denis & Schiffermüller],1775) (Pyrilidae) *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovskiy,1909; *syriaca* Rebel,1911; *gracilella* Caradja,1916; *mesopotamica* Rebel,1918; *affinis* Rothschild,1921.
- 3003.** *Ancylolomia pectinatella* (Zeller,1847) (Pyrilidae) *pectinatellus* Zeller,1847
- 3004.** *Ancylolomia tentaculella* (Hübner,1796) (Pyrilidae) *tentaculella* Hübner,1796; *irakella* Amsel,1949.
- 3005.** *Ancylosis* (Cabotia) *oblitella* (Zeller,1848) (Pyrilidae) *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955.
- 3006.** *Ancylosis* (Heterographis) *candidateella* (Lederer,1858) (Pyrilidae) *candidateella* Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890.
- 3007.** *Ancylosis* (Heterographis) *convexella* (Lederer,1855) (Pyrilidae) *convexella* Lederer,1855; *albiciliella* Staudinger,1859; *favorinella* Zeller,1867
- 3008.** *Ancylosis* (Heterographis) *faustinella* (Zeller,1867) (Pyrilidae) *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabilie,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952.
- 3009.** *Ancylosis* (Heterographis) *geminella* (Amsel,1961) (Pyrilidae) *geminella* Amsel,1961
- 3010.** *Ancylosis* (Heterographis) *gracilella* Ragonot,1887 (Pyrilidae) *gracilella* Ragonot,1887; *subcandidateella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistinella* Turati,1924; *dowsoniella* Richards & Thomson,1932.
- 3011.** *Ancylosis* (Heterographis) *harmonella* (Ragonot,1887) (Pyrilidae) *harmonella* Ragonot,1887; *ochrotaeniella* Ragonot,1887; *fulminantella* Turati,1922; *rosalbella* Turati,1930; *diffusella* Turati,1930; *incanella* Turati,1930.
- 3012.** *Ancylosis* (Heterographis) *hellenica* (Staudinger,1870) (Pyrilidae) *hellenica* Staudinger,1870; *deliciosella* Caradja,1910.
- 3013.** *Ancylosis* (Heterographis) *muliebris* (Meyrick,1937) (Pyrilidae) *muliebris* Meyrick,1937; *macedonica* Schawerda,1937.
- 3014.** *Ancylosis* (Heterographis) *pallida* (Staudinger,1870) (Pyrilidae) *pallida* Staudinger,1870
- 3015.** *Ancylosis* (Heterographis) *pyrethrella* (Herrich-Schäffer,1860) (Pyrilidae) *pyrethrella* Herrich-Schäffer,1860; *strictella* Mann,1861; *ignibasella* Ragonot,1887; *inflammatella* Ragonot,1901; *trilineata* Amsel,1961.
- 3016.** *Ancylosis* (Heterographis) *rhodochrella* (Herrich-Schäffer,1855) (Pyrilidae) *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961.
- 3017.** *Ancylosis* (Heterographis) *roscidella* (Eversmann,1844) (Pyrilidae) *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* Warren,1888; *barteella* Caradja,1910; *benderella* Amsel,1961.
- 3018.** *Ancylosis* (Heterographis) *samaritanella* (Zeller,1867) (Pyrilidae) *samaritanella* Zeller,1867; *urbicella* Erschoff,1874; *biligulella* Ragonot,1887; *flavescentella* Chrétien,1910; *diminutella* Chrétien,1910; *cinnamomeifascia* Rothschild,1915; *lacroixella* Lucas,1939; *brevipalpella* Amsel,1954.
- 3019.** *Ancylosis* (Heterographis) *xylinaella* (Staudinger,1870) (Pyrilidae) *xylinaella* Staudinger,1870; *sablonella* Rothschild,1915; *molochinella* Zerny,1929.
- 3020.** *Ancylosis* (s.str.) *cinnamomella* (Duponchel,1836) (Pyrilidae) *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924.
- 3021.** *Ancylosis* (s.str.) *cinnamomella* *bichordella* (Ragonot,1887) (Pyrilidae) *bichordella* Ragonot,1887; *lividella* Ragonot,1887; *flammella* Ragonot,1887; *cephella* Ragonot,1901; *ciliciella* Caradja,1910; *nigrella* Caradja,1916; *persicoella* Amsel,1951; *ormuzdella* Amsel,1954; *ecbataniella* Amsel,1961.
- 3022.** *Ancylosis* (s.str.) *cinnamomella* *cinnamomella* (Duponchel,1836) (Pyrilidae) *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924.
- 3023.** *Ancylosis* (s.str.) *dumetella* (Ragonot,1887) (Pyrilidae) *dumetella* Ragonot,1887; *albinotella* Ragonot,1887; *alvandella* Amsel,1961.
- 3024.** *Ancylosis* (s.str.) *iranella* Ragonot,1887 (Pyrilidae) *iranella* Ragonot,1887; *turaniella* Ragonot,1887.
- 3025.** *Ancylosis* (s.str.) *maculifera* Staudinger,1870 (Pyrilidae) *maculifera* Staudinger,1870; *ifraneella* Lucas,1954.
- 3026.** *Ancylosis* (s.str.) *maculifera* *maculifera* Staudinger,1870 (Pyrilidae) *maculifera* Staudinger,1870; *ifraneella* Lucas,1954.
- 3027.** *Ancylosis* (s.str.) *ochricostella* Ragonot,1887 (Pyrilidae) *ochricostella* Ragonot,1887
- 3028.** *Ancylosis* (s.str.) *sareptella* (Herrich-Schäffer,1860) (Pyrilidae) *sareptella* Herrich-Schäffer,1860; *barbella* Lederer,1863.
- 3029.** *Anerastia lotella* (Hübner,[1813]) (Pyrilidae) *lotella* Hübner,[1813]
- 3030.** *Angustalius malacellus* (Duponchel,1836) (Pyrilidae) *malacellus* Duponchel,1836
- 3031.** *Anthophilopsis baphialis* (Staudinger,1870) (Pyrilidae) *baphialis* Staudinger,1870; *#baphiale* Caradja,1917.
- 3032.** *Aphomia sociella* (Linnaeus,1758) (Pyrilidae) *sociella* Linnaeus,1758; *colonella* Linnaeus,1758; *tribunella* [Denis & Schiffermüller],1775; *viridella* Goeze,1783; *inaequalis* Villers,1789; *socia* Fabricius,1798; *bipunctana* Curtis,1828; *asiatica* Caradja,1916; *pedemontana*, *eritrella* Della Beffa,1941.
- 3033.** *Aporodes floralis* (Hübner,[1809]) (Pyrilidae) *floralis* Hübner,[1809]; *grisealis* Caradja,1917.
- 3034.** *Aporodes nepticalis* Hofmann,[1898] (Pyrilidae) *nepticalis* Hofmann,[1898]
- 3035.** *Arsissa ramosella* (Herrich-Schäffer,[1855]) (Pyrilidae) *ramosella* Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939.
- 3036.** *Asalebria* (Exophora) *exasperata* (Staudinger,1879) (Pyrilidae) *exasperata* Staudinger,1879
- 3037.** *Asalebria* (Exophora) *florella* (Mann,1862) (Pyrilidae) *florella* Mann,1862
- 3038.** *Asalebria* (Exophora) *florella* *florella* (Mann,1862) (Pyrilidae) *florella* Mann,1862
- 3039.** *Asalebria* (s.str.) *venustella* (Ragonot,1887) (Pyrilidae) *venustella* Ragonot,1887; *hilarella* Caradja,1916; *palella* Caradja,1916
- 3040.** *Bazaria leucochrella* (Herrich-Schäffer,[1855]) (Pyrilidae) *leucochrella* Herrich-Schäffer,[1855].
- 3041.** *Bazaria turensis* Ragonot,1887 (Pyrilidae) *turensis* Ragonot,1887

- 3042. Bradyrrhoa cantenerella (Duponchel,1837)** (Pyrilidae) *cantenerella* Duponchel,1837; *ravella* Heydenreich,1851; *subflavella* Ragonot,1887; *sardicolella* Schawerda,1936; *variegatella* Lucas,1948; *brunneella* Lucas,1955
- 3043. Bradyrrhoa gilveolella (Treitschke,1833)** (Pyrilidae) *gilveolella* Treitschke,1833
- 3044. Bradyrrhoa trapezella (Duponchel,1836)** (Pyrilidae) *trapezella* Duponchel,1836; *cinerella* Duponchel,1836; *saxeella* Zeller,1848; *chalconiella* Herrisch-Schäffer,1851; *seniella* Staudinger,1879; *petryi* Schawerda,1933.
- 3045. Bradyrrhoa trapezella trapezella (Duponchel,1836)** (Pyrilidae) *trapezella* Duponchel,1836; *cinerella* Duponchel,1836; *saxeella* Zeller,1848; *chalconiella* Herrisch-Schäffer,1851; *seniella* Staudinger,1879; *petryi* Schawerda,1933.
- 3046. Cadra abstersella (Zeller,1847)** (Pyrilidae) *abstersella* Zeller,1847; *liguriella* Amsel,1954.
- 3047. Cadra calidella (Guenée,1845)** (Pyrilidae) *calidella* Guenée,1845; *#ficella* Douglas,1851; *xanthotricha* Staudinger,1859.
- 3048. Cadra cautella (Walker,1863)** (Pyrilidae) *cautella* Walker,1863; *defectella* Walker,1864; *desuetella* Walker,1866; *passulella* Barrett,1875; *formosella* Wileman & South,1918; *rotundatella* Turati,1930; *pelopis* Turner,1947; *irakella* Amsel,1959
- 3049. Cadra delattinella Roesler,1965** (Pyrilidae) *delattinella* Roesler,1965
- 3050. Cadra figulilella (Gregson,1871)** (Pyrilidae) *figulilella* Gregson,1871; *milleri* Zeller,1876; *gypsella* Ragonot,1887; *venosella* Turati,1926; *ernestinella* Turati,1927; *#halfaella* Roesler,1965.
- 3051. Cadra furcatella (Herrich-Schäffer,[1849])** (Pyrilidae) *furcatella* Herrich-Schäffer,[1849]
- 3052. Cadra furcatella baptella (Ragonot,1887)** (Pyrilidae) *baptella* Ragonot,1887; *zosteriella* Ragonot,1887; *interfusella* Ragonot,1901.
- 3053. Cadra furcatella furcatella (Herrich-Schäffer,[1849])** (Pyrilidae) *furcatella* Herrich-Schäffer,[1849]; *reductella* Mann,1864; *inductella* Staudinger,1879; *irroratella* Ragonot,1887; *constrictella* Caradja,1929; *zengiella* Amsel,1955.
- 3054. Calamotropa paludella (Hübner,[1824])** (Pyrilidae) *paludella* Hübner,[1824]; *obtusellus* Stainton,1856; *paramatellus* Meyrick,1879; *carphurus* Hampson,1898; *nivellus* Rebel,1914; *calamosus* Hampson,1919; *durandi* Lucas,1931; *typhivorus* Meyrick,1932; *#digitatus* Osthelder,1937; *afghanistanica* Bleszynski,1959.
- 3055. Cataclysta lemnata (Linnaeus,1758)** (Pyrilidae) *lemnata* Linnaeus,1758; *lemnalis* [Denis & Schiffermüller],1775; *uliginata* Fabricius,1794; *confirmata* Krulikowsky,1909; *brunneospersa* Osthelder,1935.
- 3056. Catastia marginata ([Denis & Schiffermüller],1775)** (Pyrilidae) *marginata* [Denis & Schiffermüller],1775.
- 3057. Catharia pyrenaecalis (Duponchel,[1843])** (Pyrilidae) *pyrenaecalis* Duponchel,1843
- 3058. Catoptria ciliciella (Rebel,1893)** (Pyrilidae) *ciliciellus* Rebel,1893; *#siliciellus* Ganév,1996.
- 3059. Catoptria confusella (Staudinger,1881)** (Pyrilidae) *confusellus* Staudinger,1881
- 3060. Catoptria dimorphella (Staudinger,1881)** (Pyrilidae) *dimorphellus* Staudinger,1881; *haywardi* Rebel,1939; *wolff* Ganév & Hacker,1984
- 3061. Catoptria falsella ([Denis & Schiffermüller],1775)** (Pyrilidae) *falsella* [Denis & Schiffermüller],1775; *abruptella* Thunberg,1794; *persephone* Bleszynski,1956.
- 3062. Catoptria falsella falsella ([Denis & Schiffermüller],1775)** (Pyrilidae) *falsella* [Denis & Schiffermüller],1775; *abruptella* Thunberg,1794; *persephone* Bleszynski,1956.
- 3063. Catoptria incertella (Herrich-Schäffer,[1852])** (Pyrilidae) *incertellus* Herrich-Schäffer,[1852]
- 3064. Catoptria laevigatella (Lederer,1870)** (Pyrilidae) *laevigatellus* Lederer,1870; *semicanella* Fuchs,1903.
- 3065. Catoptria lithargyrella (Hübner,1796)** (Pyrilidae) *lithargyrella* Hübner,1796
- 3066. Catoptria pinella (Linnaeus,1758)** (Pyrilidae) *pinella* Linnaeus,1758; *virginella* Scopoli,1763.
- 3067. Chilo luteellus (Motschulsky,1866)** (Pyrilidae) *lutellus* Motschulsky,1866 *nec* [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941.
- 3068. Chilo pulverosellus Ragonot,1895** (Pyrilidae) *pulverosellus* Ragonot,1895; *brevipalpellus* Zerny,1914; *fernandezii* Joannis,1932; *lemarchandellus* Lucas,1945.
- 3069. Chrysocrambus craterellus (Scopoli,1763)** (Pyrilidae) *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958.
- 3070. Chrysocrambus linetellus (Fabricius,1781)** (Pyrilidae) *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960.
- 3071. Chrysocrambus syriellus (Zerny,1934)** (Pyrilidae) *syriellus* Zerny,1934
- 3072. Chrysoteuchia culmella (Linnaeus,1758)** (Pyrilidae) *culmella* Linnaeus,1758; *strigella* Fabricius,1781; *hortuella* Hübner,1796; *cespitella* Hübner,1796; *caricetalis* Hübner,[1825]; *#hortellus* Zerny,1914; *#brunnea* Dufrane,1942.
- 3073. Chrysoteuchia culmella culmella (Linnaeus,1758)** (Pyrilidae) *culmella* Linnaeus,1758; *strigella* Fabricius,1781; *hortuella* Hübner,1796; *cespitella* Hübner,1796; *caricetalis* Hübner,[1825]; *#brunnea* Dufrane,1942.
- 3074. Conobathra celticola (Staudinger,1879)** (Pyrilidae) *celticola* Staudinger,1879
- 3075. Conobathra repandana (Fabricius,1798)** (Pyrilidae) *repandana* Fabricius,1798; *tumidella* Zincken,1818; *zelleri* Ragonot,1888.
- 3076. Conobathra tumidana ([Denis & Schiffermüller],1775)** (Pyrilidae) *tumidana* [Denis & Schiffermüller],1775; *tumidalis* Hübner,[1825]; *rubrotibiella* Fischer v. Roeslerstamm,1839.
- 3077. Crambus pascuella (Linnaeus,1758)** (Pyrilidae) *pascuella* Linnaeus,1758; *scirpellus* Laharpe,1864; *fumipalpellus* Mann,1871; *acutellus* Chrétien,1896.
- 3078. Crambus perlellus (Scopoli,1763)** (Pyrilidae) *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849.
- 3079. Crambus perlellus perlellus (Scopoli,1763)** (Pyrilidae) *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849.
- 3080. Crambus scoticus Westwood,1849** (Pyrilidae) *scoticus* Westwood,1849; *uliginosellus* Zeller,1850; *#infuscatellus* Caradja,1910
- 3081. Cynaeda dentalis ([Denis & Schiffermüller],1775)** (Pyrilidae) *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959
- 3082. Cynaeda dentalis dentalis ([Denis & Schiffermüller],1775)** (Pyrilidae) *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959
- 3083. Cynaeda gigantea (Wocke,1871)** (Pyrilidae) *gigantea* Wocke,1871
- 3084. Cynaeda gigantea gigantea (Wocke,1871)** (Pyrilidae) *gigantea* Wocke,1871
- 3085. Dattinia variabilis (Zerny,1930)** (Pyrilidae) *variabilis* Zerny,1930
- 3086. Diasemia reticularis (Linnaeus,1761)** (Pyrilidae) *reticularis* Linnaeus,1761; *litterata* Scopoli,1763
- 3087. Dioryctria simplicella Heinemann,1863** (Pyrilidae) *simplicella* Heinemann,1863; *mutatella* Fuchs,1903.
- 3088. Dipleurina lacustrata (Panzer,1804)** (Pyrilidae) *crataegella* sensu Hübner,1796 *nec* Linn.,1767; *lacustrata* Panzer,1804; *pusilla* Westwood,1845.
- 3089. Dipleurina lacustrata lacustrata (Panzer,1804)** (Pyrilidae) *crataegella* sensu Hübner,1796 *nec* Linn.,1767; *lacustrata* Panzer,1804; *pusilla* Westwood,1845.
- 3090. Dolicharthria bruguieralis (Duponchel,1833)** (Pyrilidae) *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *similalis* Rothschild,1915
- 3091. Dolicharthria punctalis ([Denis & Schiffermüller],1775)** (Pyrilidae) *punctalis* [Denis & Schiffermüller],1775
- 3092. Ebulea crocealis (Hübner,1796)** (Pyrilidae) *crocealis* Hübner,1796
- 3093. Eccopisa effractella Zeller,1848** (Pyrilidae) *effractella* Zeller,1848
- 3094. Ecpyrrhorhoe diffusalis (Guenée,1854)** (Pyrilidae) *diffusalis* Guenée,1854; *tenuialis* Mann,1862.

- 3095.** *Ecpyrhorrhoe rubiginalis* (Hübner,1796) (Pyrilidae) *rubiginalis* Hübner,1796
- 3096.** *Elegia fallax* (Staudinger,1881) (Pyrilidae) *fallax* Staudinger,1881; *atrifasciella* Ragonot,1887; *nigribasella* Ragonot,1895; *iozona* Meyrick,1937; *elegiella* Amsel,1953.
- 3097.** *Ematheudes pseudopunctellus* Ragonot,1888 (Pyrilidae) *pseudopunctella* Ragonot,1888
- 3098.** *Ematheudes punctellus* (Treitschke,1833) (Pyrilidae) *punctella* Treitschke,1833
- 3099.** *Endotricha flammealis* ([Denis & Schiffermüller],1775) (Pyrilidae) *flammealis* [Denis & Schiffermüller],1775; *carnealis* De Lattin,1951.
- 3100.** *Epactotena octogenalis* (Lederer,1863) (Pyrilidae) *octogenalis* Lederer,1863.
- 3101.** *Epascestria peltaloides* (Rebel,1932) (Pyrilidae) *peltaloides* Rebel,1932
- 3102.** *Epascestria pustulalis* (Hübner,[1823]) (Pyrilidae) *pustulalis* Hübner,[1823]; *orientalis* Caradja,1917.
- 3103.** *Ephelis cruentalis* (Geyer,[1832]) (Pyrilidae) *cruentalis* Geyer,[1832]
- 3104.** *Ephestia (Anagasta) cypriusella* Roesler,1965 (Pyrilidae) *cypriusella* Roesler,1965
- 3105.** *Ephestia (Anagasta) kuehniella* Zeller,1879 (Pyrilidae) *kuehniella* Zeller,1879; *fuscifasciella* Ragonot,1887; *gitoniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kueniella* Hutacharern & Tuftim,1995
- 3106.** *Ephestia (Anagasta) welseriella* (Zeller,1848) (Pyrilidae) *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephrinella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927.
- 3107.** *Ephestia (s.str.) disparella* Hampson,1901 (Pyrilidae) *disparella* Hampson,1901; *rectifasciella* Turati,1913; *semicostella* Turati,1934.
- 3108.** *Ephestia (s.str.) elutella* (Hübner,1796) (Pyrilidae) *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumata* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965
- 3109.** *Ephestia (s.str.) parasitella* Staudinger,1859 (Pyrilidae) *parasitella* Staudinger,1859; *bimaculella* Lucas,1955.
- 3110.** *Ephestia (s.str.) parasitella unicolorella* Staudinger,1881 (Pyrilidae) *unicorella* Staudinger,1881; *personata* Gerasimov,1930; *intermediella* Amsel,1961.
- 3111.** *Epichalcia amasiella* Roesler,1969 (Pyrilidae) *amasiella* Roesler,1969
- 3112.** *Epidauria strigosa* (Staudinger,1879) (Pyrilidae) *strigosa* Staudinger,1879
- 3113.** *Epidauria transversariella* (Zeller,1848) (Pyrilidae) *transversariella* Zeller,1848
- 3114.** *Epiepischnia pseudolydella* Amsel,1953 (Pyrilidae) *pseudolydella* Amsel,1953
- 3115.** *Epischnia asteris* Staudinger,1870 (Pyrilidae) *asteris* Staudinger,1870
- 3116.** *Epischnia christophori* Ragonot,1887 (Pyrilidae) *christophori* Ragonot,1887; *#christophori* Noack,1960.
- 3117.** *Epischnia cretaciella* Mann,1869 (Pyrilidae) *cretaciella* Mann,1869; *demartinella* Turati,1922.
- 3118.** *Epischnia cuculliella* Ragonot,1887 (Pyrilidae) *cuculliella* Ragonot,1887
- 3119.** *Epischnia illotella* Zeller,1839 (Pyrilidae) *illotella* Zeller,1839
- 3120.** *Epischnia leucomixtella* Ragonot,1887 (Pyrilidae) *leucomixtella* Ragonot,1887
- 3121.** *Epischnia muscidella* Ragonot,1887 (Pyrilidae) *muscidella* Ragonot,1887
- 3122.** *Epischnia prodromella* (Hübner,[1799]) (Pyrilidae) *prodromella* Hübner,[1799]
- 3123.** *Episcythrastis tabidella* (Mann,1864) (Pyrilidae) *tabidella* Mann,1864; *griseella* Ragonot,1887; *constantii* Ragonot,1893; *heringi* Hartig,1938; *demawendella* Zerny,1939
- 3124.** *Etiella zinckenella* (Treitschke,1832) (Pyrilidae) *marginella* Fabricius,1781 *nec* Den. & Schiff,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorcellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decepiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#etiella* Pinhey,1975.
- 3125.** *Eucampyla dealbatella* (Erschoff,1874) (Pyrilidae) *dealbatella* Erschoff,1874; *staminella* Christoph,1877; *nervulata* Turati,1926; *kerbelella* Amsel,1949; *gigantella* Roesler,1965.
- 3126.** *Euchromius bellus* (Hübner,1796) (Pyrilidae) *bella* Hübner,1796; *bellalis* Hübner,[1825].
- 3127.** *Euchromius bleszynskiellus* Popescu-Gorj,1964 (Pyrilidae) *bleszynskiellus* Popescu-Gorj,1964
- 3128.** *Euchromius cochlearellus* (Amsel,1949) (Pyrilidae) *cochlearella* Amsel,1949
- 3129.** *Euchromius gratiosellus* (Caradja,1910) (Pyrilidae) *gratiosella* Caradja,1910
- 3130.** *Euchromius keredjellus* (Amsel,1949) (Pyrilidae) *keredjella* Amsel,1949
- 3131.** *Euchromius ocelleus* (Haworth,[1811]) (Pyrilidae) *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982
- 3132.** *Euchromius pulverosus* (Christoph,1887) (Pyrilidae) *pulverosa* Christoph,1887
- 3133.** *Euchromius ramburiellus* (Duponchel,1836) (Pyrilidae) *ramburiellus* Duponchel,1836; *zonellus* Zeller,1847; *luteella* Caradja,1910; *#ramburellus* Rothschild,1924; *islamella* Amsel,1949.
- 3134.** *Euchromius siuxellus* Ganév & Hacker,1986 (Pyrilidae) *siuxellus* Ganév & Hacker,1986
- 3135.** *Euchromius superbellus* (Zeller,1849) (Pyrilidae) *superbellus* Zeller,1849; *wockeella* Zeller,1863; *cypriusella* Amsel,1958.
- 3136.** *Euclasta (s.str.) splendidalis* (Herrich-Schäffer,[1848]) (Pyrilidae) *splendidalis* Herrich-Schäffer,[1848]
- 3137.** *Eudonia lineola* (Curtis,1827) (Pyrilidae) *lineola* Curtis,1827
- 3138.** *Eudonia lineola lineola* (Curtis,1827) (Pyrilidae) *lineola* Curtis,1827
- 3139.** *Eudonia mercurella* (Linnaeus,1758) (Pyrilidae) *mercurella* Linnaeus,1758; *mercurii* Fabricius,1798; *mercurea* Haworth,1811; *mercurialis* Hübner,[1825]; *portlandica* Westwood,1845; *frequentella* Stainton,1849; *concinella* Curtis,1850; *frequentalis* Herrich-Schäffer,1862
- 3140.** *Eudonia mercurella mercurella* (Linnaeus,1758) (Pyrilidae) *mercurella* Linnaeus,1758; *mercurii* Fabricius,1798; *mercurea* Haworth,1811; *mercurialis* Hübner,[1825]; *portlandica* Westwood,1845; *frequentella* Stainton,1849; *concinella* Curtis,1850; *frequentalis* Herrich-Schäffer,1862
- 3141.** *Eudonia murana* (Curtis,1827) (Pyrilidae) *murana* Curtis,1827; *muralis* Doubleday,1850; *delphinatalis* Guenée,1854; *muranela* La Harpe,1855; *pseudomurana* Müller-Rutz,1925
- 3142.** *Eudonia murana murana* (Curtis,1827) (Pyrilidae) *murana* Curtis,1827; *muralis* Doubleday,1850; *delphinatalis* Guenée,1854; *muranela* La Harpe,1855; *pseudomurana* Müller-Rutz,1925
- 3143.** *Eudonia obsoleta* (Staudinger,1879) (Pyrilidae) *obsoleta* Staudinger,1879
- 3144.** *Eudonia phaeoleuca* (Zeller,1846) (Pyrilidae) *phaeoleuca* Zeller,1846; *sciaphilella* La Harpe,1855; *bielnalis* Rougemont,1904; *gratiella* Turati,1914
- 3145.** *Eudonia phaeoleuca phaeoleuca* (Zeller,1846) (Pyrilidae) *phaeoleuca* Zeller,1846; *sciaphilella* La Harpe,1855; *bielnalis* Rougemont,1904; *gratiella* Turati,1914
- 3146.** *Eudonia phaeoleuca sororcula* Leraut,1982 (Pyrilidae) *sororcula* Leraut,1982
- 3147.** *Eurhodope (Eurhobasis) cinerea* (Staudinger,1879) (Pyrilidae) *cinerea* Staudinger,1879
- 3148.** *Eurhodope (s.str.) monogrammos* (Zeller,1867) (Pyrilidae) *monogrammos* Zeller,1867; *buxtoni* Rothschild,1921; *homochromella* Amsel,1961; *melanella* Roesler,1969
- 3149.** *Eurhodope (s.str.) rosella* (Scopoli,1763) (Pyrilidae) *rosella* Scopoli,1763; *pudoralis* Denis & Schiffermüller,1775; *pudorella* Hübner,1796; *pudorana* Frölich,1828
- 3150.** *Eurrhpara hortulata* (Linnaeus,1758) (Pyrilidae) *hortulata* Linnaeus,1758; *urticata* Linnaeus,1761; *urticalis* [Denis & Schiffermüller],1775; *flavicauda* Retzius,1783; *hortulana* Fourcroy,1785.

- 3151.** *Eurrhysis cacuminalis* (Eversmann,1843) (Pyrilidae) *cacuminalis* Eversmann,1843
- 3152.** *Eurrhysis gutturalis* (Herrich-Schäffer,1848) (Pyrilidae) *gutturalis* Herrich-Schäffer,1848
- 3153.** *Eurrhysis pollinalis* ([Denis & Schiffermüller],1775) (Pyrilidae) *pollinalis* [Denis & Schiffermüller],1775; *bigutta* Esper,[1791]; *melissalis* Walker,1859; *flavinotalis* Grote,1881; *#obcaecatalis* Leraut & Luquet,1985
- 3154.** *Euzophera* (s.str.) *bigella* (Zeller,1848) (Pyrilidae) *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922
- 3155.** *Euzophera* (s.str.) *cinerosella* (Zeller,1839) (Pyrilidae) *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimeleella* Zerny,1934.
- 3156.** *Euzophera* (s.str.) *cinerosella cinerosella* (Zeller,1839) (Pyrilidae) *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimeleella* Zerny,1934.
- 3157.** *Euzophera* (s.str.) *imperfectella* Ragonot,1895 (Pyrilidae) *imperfectella* Ragonot,1895; *xylomorpha* Meyrick,1937.
- 3158.** *Euzophera* (s.str.) *lunulella* (Costa,1836) (Pyrilidae) *lunulella* Costa,1836; *corcyrella* Herrich-Schäffer,1851.
- 3159.** *Euzophera* (s.str.) *lunulella trigeminata* Warren & Rothschild,1905 (Pyrilidae) *trigeminata* Warren & Rothschild,1905; *orientella* Amsel,1954.
- 3160.** *Euzophera* (s.str.) *pinguis* (Haworth,[1811]) (Pyrilidae) *pinguis* Haworth,[1811]; *fischeri* Zeller,1846; *splendidella* Herrich-Schäffer,1848.
- 3161.** *Euzophera* (s.str.) *pinguis pinguis* (Haworth,[1811]) (Pyrilidae) *pinguis* Haworth,[1811]; *fischeri* Zeller,1846; *splendidella* Herrich-Schäffer,1848.
- 3162.** *Euzophera* (s.str.) *pulchella* Ragonot,1887 (Pyrilidae) *pulchella* Ragonot,1887; *xylomorpha* Meyrick,1937
- 3163.** *Euzophera* (s.str.) *umbrosella* (Staudinger,1879) (Pyrilidae) *umbrosella* Staudinger,1879; *albugilvella* Ragonot,1887; *depauperatella* Ragonot,1901.
- 3164.** *Euzopherodes lutisignella* (Mann,1869) (Pyrilidae) *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924.
- 3165.** *Euzopherodes lutisignella liturosella* (Erschoff,1874) (Pyrilidae) *liturosella* Erschoff,1874
- 3166.** *Euzopherodes lutisignella lutisignella* (Mann,1869) (Pyrilidae) *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924.
- 3167.** *Euzopherodes vapidella* (Mann,1857) (Pyrilidae) *vapidella* Mann,1857; *tenebrosa* Zeller,1867; *lutescentella* Chrétien,1911; *xylobrunnea* Amsel,1951.
- 3168.** *Euzopherodes vapidella vapidella* (Mann,1857) (Pyrilidae) *vapidella* Mann,1857; *tenebrosa* Zeller,1867; *lutescentella* Chrétien,1911; *xylobrunnea* Amsel,1951.
- 3169.** *Evergestis aenealis* ([Denis & Schiffermüller],1775) (Pyrilidae) *aenealis* [Denis & Schiffermüller],1775; *furvalis* Hübner,1796; *rufimitralis* Hübner,1796; *nigralis* Schrank,1802; *mitralis* Hübner,[1825]
- 3170.** *Evergestis bifascialis* (Guenée,1849) (Pyrilidae) *bifascialis* Guenée,1849
- 3171.** *Evergestis boursini* Amsel,1938 (Pyrilidae) *boursini* Amsel,1938
- 3172.** *Evergestis desertalis* (Hübner,[1813]) (Pyrilidae) *desertalis* Hübner,[1813]; *aviccennae* Tams,1925.
- 3173.** *Evergestis extimalis* (Scopoli,1763) (Pyrilidae) *extimalis* Scopoli,1763; *margaritalis* [Denis & Schiffermüller],1775; *flavofusca* Retzius,1783; *mediella* Goeze,1783; *intermediata* Fourcroy,1785; *erucalis* Hübner,1796
- 3174.** *Evergestis forficalis* (Linnaeus,1758) (Pyrilidae) *forficalis* Linnaeus,1758; *trivialis* Scopoli,1763; *forficatus* Fabricius,1798; *sodalis* Butler,1878
- 3175.** *Evergestis frumentalis* (Linnaeus,1761) (Pyrilidae) *frumentalis* Linnaeus,1761
- 3176.** *Evergestis frumentalis frumentalis* (Linnaeus,1761) (Pyrilidae) *frumentalis* Linnaeus,1761
- 3177.** *Evergestis infirmalis* (Staudinger,1870) (Pyrilidae) *infirmalis* Staudinger,1870; *helenalis* Staudinger,1870
- 3178.** *Evergestis limbata* (Linnaeus,1767) (Pyrilidae) *limbata* Linnaeus,1767; *praetextalis* Hübner,[1825]; *limbalis* Hübner,[1825]; *delimbata* Osthelder,1940
- 3179.** *Evergestis nomadalis* Lederer,1871 (Pyrilidae) *nomadalis* Lederer,1871
- 3180.** *Evergestis politalis* ([Denis & Schiffermüller],1775) (Pyrilidae) *politalis* [Denis & Schiffermüller],1775; *pictoralis* Fabricius,1794; *bicoloralis* La Harpe,1861; *maroccana* Lucas,1955
- 3181.** *Evergestis segetalis* (Herrich-Schäffer,1851) (Pyrilidae) *segetalis* Herrich-Schäffer,1851
- 3182.** *Evergestis serratalis* (Staudinger,1870) (Pyrilidae) *serratalis* Staudinger,1870
- 3183.** *Evergestis subfuscalis* (Staudinger,1870) (Pyrilidae) *subfuscalis* Staudinger,1870
- 3184.** *Evergestis umbrosalis* (Fischer v. Röslerstamm,[1842]) (Pyrilidae) *umbrosalis* Fischer v. Röslerstamm,[1842]
- 3185.** *Galleria mellonella* (Linnaeus,1758) (Pyrilidae) *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquea* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheella* Dufrane,1930.
- 3186.** *Gymnancyla* (Spermatophthora) *hornigii* (Lederer,1852) (Pyrilidae) *hornigii* Lederer,1852; *#hornigi* Hannemann,1964.
- 3187.** *Gymnancyla* (s.str.) *canella* ([Denis & Schiffermüller],1775) (Pyrilidae) *canella* [Denis & Schiffermüller],1775; *depositella* Zincken,1818; *canellaris* Hübner,[1825].
- 3188.** *Heliothela wulfeniana* (Scopoli,1763) (Pyrilidae) *wulfeniana* Scopoli,1763; *atralis* Hübner,1788 *nec* Fabr.,1775; *coerulealis* Caradja,1917; *huebneri* Koçak,1980.
- 3189.** *Heosphora ramulosella* Ragonot,1895 (Pyrilidae) *ramulosella* Ragonot,1895
- 3190.** *Homoeosoma* (Anhomoeosoma) *nimbellum* (Duponchel,1837) (Pyrilidae) *nimbella* Duponchel,1837; *homoeosomella* Zerny,1926; *snellenella* Bentick,1930.
- 3191.** *Homoeosoma* (s.str.) *calcellum* Ragonot,1887 (Pyrilidae) *calcella* Ragonot,1887
- 3192.** *Homoeosoma* (s.str.) *inustellum* Ragonot,1884 (Pyrilidae) *inustella* Ragonot,1884; *compsitella* Rebel,1914.
- 3193.** *Homoeosoma* (s.str.) *nebulellum* ([Denis & Schiffermüller],1775) (Pyrilidae) *nebulella* [Denis & Schiffermüller],1775; *nebulea* Haworth,1811; *muscerdalis* Hübner,[1813].
- 3194.** *Homoeosoma* (s.str.) *sinuellum* (Fabricius,1794) (Pyrilidae) *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
- 3195.** *Homoeosoma* (s.str.) *sinuellum sinuellum* (Fabricius,1794) (Pyrilidae) *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
- 3196.** *Homoeosoma* (s.str.) *subalbatellum* (Mann,1864) (Pyrilidae) *subalbatella* Mann,1864
- 3197.** *Hyperlais dulcinalis* (Treitschke,1835) (Pyrilidae) *dulcinalis* Treitschke,1835
- 3198.** *Hyperlais nemausalis* (Duponchel,1834) (Pyrilidae) *nemausalis* Duponchel,1834
- 3199.** *Hypochalcia ahenella* ([Denis & Schiffermüller],1775) (Pyrilidae) *ahenella* [Denis & Schiffermüller],1775; *aeneella* Hübner,1796; *obscuratus* Haworth,1809; *tetrix* Haworth,1811; *ahenalis* Hübner,[1825]; *rubiginella* Treitschke,1833; *bistrigella* Duponchel,1836; *luridella* Schläger,1845; *caucasica* Ragonot,1893; *lugubrella* Hering,1924
- 3200.** *Hypochalcia fasciatella* Staudinger,1881 (Pyrilidae) *fasciatella* Staudinger,1881
- 3201.** *Hyporatasa allotriella* (Herrich-Schäffer,1855) (Pyrilidae) *allotriella* Herrich-Schäffer,1855
- 3202.** *Hypotia colchicalis* (Herrich-Schäffer,[1855]) (Pyrilidae) *colchicalis* Herrich-Schäffer,[1855]; *numidalis* Hampson,1900.
- 3203.** *Hypsopygia costalis* (Fabricius,1775) (Pyrilidae) *costalis* Fabricius,1775; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917.
- 3204.** *Hypsotropa limbella* Zeller,1848 (Pyrilidae) *limbella* Zeller,1848
- 3205.** *Isauria dilucidella* (Duponchel,1836) (Pyrilidae) *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsortitella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella*

- Caradja*, 1916; *gabalitella* Chrétien, 1931; *grisescens* Lucas, 1950; *parvella* Amsel, 1951; *shahidanella* Amsel, 1970
- 3206.** *Keradere lepidella* (Ragonot, 1887) (Pyralidae) *lepidella* Ragonot, 1887
- 3207.** *Keradere tengstroemiella* (Erschoff, 1874) (Pyralidae) *tengstroemiella* Erschoff, 1874; *noctivaga* Staudinger, 1879.
- 3208.** *Khorassania compositella* (Treitschke, 1835) (Pyralidae) *compositella* Treitschke, 1835; *murinella* Heinemann, 1865; *senescens* Heinemann, 1865; *kalischella* Staudinger, 1870; *iconiensis* Caradja, 1910.
- 3209.** *Lambaesia straminella* (Zerny, 1914) (Pyralidae) *straminella* Zerny, 1914; *alphitopis* Meyrick, 1937.
- 3210.** *Lamoria anella* ([Denis & Schiffermüller], 1775) (Pyralidae) *anella* [Denis & Schiffermüller], 1775
- 3211.** *Lamoria jordanis* Ragonot, 1901 (Pyralidae) *jordanis* Ragonot, 1901
- 3212.** *Lamoria ruficostella* Ragonot, 1888 (Pyralidae) *ruficostella* Ragonot, 1888
- 3213.** *Loxostege aeruginalis* (Hübner, 1796) (Pyralidae) *aeruginalis* Hübner, 1796
- 3214.** *Loxostege clathralis* (Hübner, [1813]) (Pyralidae) *clathralis* (Hübner, [1813]; *comptalis* Lederer, 1855 *nec* Frr., [1848]; *#nivalis* Caradja, 1916
- 3215.** *Loxostege mucosalis* (Herrich-Schäffer, [1848]) (Pyralidae) *mucosalis* Herrich-Schäffer, [1848]
- 3216.** *Loxostege straminealis* (Hampson, 1900) (Pyralidae) *straminealis* Hampson, 1900
- 3217.** *Loxostege wagneri* Zerny, 1929 (Pyralidae) *wagneri* Zerny, 1929
- 3218.** *Mardinia ossealis* (Staudinger, 1879) (Pyralidae) *ossealis* Staudinger, 1879
- 3219.** *Margaritita sticticalis* (Linnaeus, 1761) (Pyralidae) *lupulina* Clerk, 1759 *nec* Linn., 1758; *sticticalis* Linnaeus, 1761; *miana* Müller, 1764; *sylvata* Panzer, 1804; *tetragonalis* Haworth, 1811
- 3220.** *Mecyna amasialis* (Staudinger, 1879) (Pyralidae) *amasialis* Staudinger, 1879
- 3221.** *Mecyna auralis* (Peyerimhoff, 1872) (Pyralidae) *auralis* Peyerimhoff, 1872
- 3222.** *Mecyna flavalis* ([Denis & Schiffermüller], 1775) (Pyralidae) *flavalis* [Denis & Schiffermüller], 1775.
- 3223.** *Mecyna lutealis* (Duponchel, 1833) (Pyralidae) *lutealis* Duponchel, 1833
- 3224.** *Mecyna lutulentalis* (Lederer, 1858) (Pyralidae) *lutulentalis* Lederer, 1858
- 3225.** *Mecyna pontica* (Staudinger, 1879) (Pyralidae) *pontica* Staudinger, 1879; *levilinealis* Amsel, 1942.
- 3226.** *Mecyna subsequalis* (Herrich-Schäffer, 1851) (Pyralidae) *subsequalis* Herrich-Schäffer, 1851; *consequens* Meyrick, 1932.
- 3227.** *Mecyna trinalis* ([Denis & Schiffermüller], 1775) (Pyralidae) *trinalis* [Denis & Schiffermüller], 1775
- 3228.** *Megasis mimeticella* (Staudinger, 1879) (Pyralidae) *mimeticella* Staudinger, 1879; *tolli* Amsel, 1953.
- 3229.** *Megasis mimeticella mimeticella* (Staudinger, 1879) (Pyralidae) *mimeticella* Staudinger, 1879; *tolli* Amsel, 1953.
- 3230.** *Megasis rippertella* (Zeller, 1839) (Pyralidae) *rippertella* Zeller, 1839
- 3231.** *Megasis rippertella rippertella* (Zeller, 1839) (Pyralidae) *rippertella* Zeller, 1839
- 3232.** *Merulempista cingillella* (Zeller, 1846) (Pyralidae) *cingillella* Zeller, 1846; *verruculella* Ragonot, 1887.
- 3233.** *Mesocrambus candidellus* (Herrich-Schäffer, [1848]) (Pyralidae) *candidellus* Herrich-Schäffer, [1848]; *#candiellus* Bleszynski, 1965.
- 3234.** *Metacrambus carectellus* (Zeller, 1847) (Pyralidae) *carectellus* Zeller, 1847; *lugdunellus* Millièr, 1868; *truncatellus* Caradja, 1916.
- 3235.** *Metaeuchromius yusufeliensis* Nuss & Speidel, 1999 (Pyralidae) *yusufeliensis* Nuss & Speidel, 1999
- 3236.** *Metallosticha argyrogrammos* (Zeller, 1847) (Pyralidae) *argyrogrammos* Zeller, 1847
- 3237.** *Metasia* (Clasperia) *ophialis* (Treitschke, 1829) (Pyralidae) *ophialis* Treitschke, 1829; *parvalis* Caradja, 1917.
- 3238.** *Metasia* (s.str.) *alvandalis* Amsel, 1961 (Pyralidae) *alvandalis* Amsel, 1961
- 3239.** *Metasia* (s.str.) *carnealis* (Treitschke, 1829) (Pyralidae) *carnealis* Treitschke, 1829
- 3240.** *Metasia* (s.str.) *mendicalis* (Staudinger, 1879) (Pyralidae) *mendicalis* Staudinger, 1879
- 3241.** *Metasia* (s.str.) *subtilialis* Caradja, 1917 (Pyralidae) *subtilialis* Caradja, 1917
- 3242.** *Metasia* (s.str.) *suppandalis* (Hübner, [1823]) (Pyralidae) *suppandalis* Hübner, [1823]
- 3243.** *Microstega praepetalis* (Lederer, 1869) (Pyralidae) *praepetalis* Lederer, 1869; *haemopsamma* Meyrick, 1937
- 3244.** *Mimudea institalis* (Hübner, [1819]) (Pyralidae) ? *focorum* Fourcroy, 1785; *institalis* Hübner, [1819]; *rutana* Vallot, 1829; *ferreralis* Duponchel, 1833
- 3245.** *Mimudea languidalis* (Eversmann, 1842) (Pyralidae) *languidalis* Eversmann, 1842
- 3246.** *Myelois* (Gnathogutta) *pluripunctella* (Ragonot, 1887) (Pyralidae) *pluripunctella* Ragonot, 1887
- 3247.** *Myelois* (s.str.) *circumvoluta* (Fourcroy, 1785) (Pyralidae) *circumvoluta* Fourcroy, 1785; *circumvolutella* Villers, 1789; *cribrella* Hübner, 1796; *carhdui* Haworth, 1811; *medullalis* Hübner, [1825]; *pallium* Vallot, 1829; *gilvescentella* Fuchs, 1903; *britannicella* Amsel, 1951; *impunctata* Hartig, 1952; *nigrapeza* Hartig, 1952
- 3248.** *Myelois* (s.str.) *cribratella* Zeller, 1847 (Pyralidae) *cribratella* Zeller, 1847; *pallipedella* Ragonot, 1893
- 3249.** *Myelois* (s.str.) *fuscicostella* Mann, 1861 (Pyralidae) *fuscicostella* Mann, 1861
- 3250.** *Myelois* (s.str.) *multiflorella* Ragonot, 1887 (Pyralidae) *multiflorella* Ragonot, 1887; *#multiflorella* Zerny, 1939.
- 3251.** *Myrlaea albistrigata* (Staudinger, 1881) (Pyralidae) *albistrigata* Staudinger, 1881
- 3252.** *Myrlaea epischniella* (Staudinger, 1879) (Pyralidae) *epischniella* Staudinger, 1879
- 3253.** *Nephoterix divisella* (Duponchel, 1842) (Pyralidae) *divisella* Duponchel, 1842; *albiricella* Herrich-Schäffer, 1849; *euphorbiella* Zeller, 1846; *sardzeella* Amsel, 1961.
- 3254.** *Nephoterix gregella* Eversmann, 1844 (Pyralidae) *gregella* Eversmann, 1844
- 3255.** *Nephoterix melanotaeniella* Ragonot, 1888 (Pyralidae) *melanotaeniella* Ragonot, 1888; *amasiella* Caradja, 1910.
- 3256.** *Noctuelia escherichi* Hofmann, [1898] (Pyralidae) *escherichi* Hofmann, [1898]
- 3257.** *Noctuelia superba* (Freyer, [1844]) (Pyralidae) *superba* Freyer, [1844]
- 3258.** *Noctuelia vespertalis* Herrich-Schäffer, [1855] (Pyralidae) *vespertalis* Herrich-Schäffer, [1855]; *#gilvalis* Zerny, 1914.
- 3259.** *Nomophila noctuella* ([Denis & Schiffermüller], 1775) (Pyralidae) *noctuella* [Denis & Schiffermüller], 1775
- 3260.** *Nyctegretis lineana* (Scopoli, 1786) (Pyralidae) *lineana* Scopoli, 1786; *achatinella* Hübner, [1824].
- 3261.** *Oncocera semirubella* (Scopoli, 1763) (Pyralidae) *semirubella* Scopoli, 1763; *rosella* Goeze, 1783 *nec* Sc., 1763; *purpurella* Thunberg, 1788; *sanguinella* Hübner, 1796; *sanguinea* Haworth, 1811; *nigrella* Caradja, 1916
- 3262.** *Oncocera semirubella semirubella* (Scopoli, 1763) (Pyralidae) *semirubella* Scopoli, 1763; *rosella* Goeze, 1783 *nec* Sc., 1763; *purpurella* Thunberg, 1788; *sanguinella* Hübner, 1796; *sanguinea* Haworth, 1811; *nigrella* Caradja, 1916
- 3263.** *Opsitotys fuscalis* ([Denis & Schiffermüller], 1775) (Pyralidae) *fuscalis* [Denis & Schiffermüller], 1775
- 3264.** *Orthopygia incarnatalis* Zeller, 1847 (Pyralidae) *incarnatalis* Zeller, 1847
- 3265.** *Orthopygia rubidalis* ([Denis & Schiffermüller], 1775) (Pyralidae) *rubidalis* [Denis & Schiffermüller], 1775
- 3266.** *Ostrinia nubilalis* (Hübner, 1796) (Pyralidae) *nubilalis* Hübner, 1796; *silacealis* Hübner, 1796.
- 3267.** *Oxybia transversella* (Duponchel, 1836) (Pyralidae) *transversella* Duponchel, 1836; *bituminella* Millièr, 1870; *panorminatella* Caradja, 1928.
- 3268.** *Palmitia massilialis* (Duponchel, 1832) (Pyralidae) *massilialis* Duponchel, 1832; *taurica* Rebel, 1910.
- 3269.** *Panstegia aerealis* (Hübner, 1793) (Pyralidae) *aerealis* Hübner, 1793; *unicolor* Rebel, 1917.
- 3270.** *Panstegia aerealis aerealis* (Hübner, 1793) (Pyralidae) *aerealis* Hübner, 1793; *unicolor* Rebel, 1917.
- 3271.** *Panstegia limbopunctalis* (Herrich-Schäffer, [1849]) (Pyralidae) *limbopunctalis* Herrich-Schäffer, [1849]
- 3272.** *Panstegia limbopunctalis dissolutalis* (Staudinger, 1879) (Pyralidae) *dissolutalis* Staudinger, 1879

- 3273.** *Panstegia meciti* Koçak, 1987 (Pyrilidae) *meciti* Koçak, 1987
- 3274.** *Paracorsia repandalis* ([Denis & Schiffermüller], 1775) (Pyrilidae) *repandalis* [Denis & Schiffermüller], 1775
- 3275.** *Parapoynx stratiotata* (Linnaeus, 1758) (Pyrilidae) *stratiotata* Linnaeus, 1758; *paludata* Fabricius, 1794; *amanica* Osthelder, 1935
- 3276.** *Paratalanta cultralis* (Staudinger, 1867) (Pyrilidae) *cultralis* Staudinger, 1867
- 3277.** *Paratalanta hyalinalis* (Hübner, 1796) (Pyrilidae) *hyalinalis* Hübner, 1796
- 3278.** *Pediasia aridella* (Thunberg, 1788) (Pyrilidae) *aridella* Thunberg, 1788; *salinellus* Tutt, 1887.
- 3279.** *Pediasia aridella caradjaella* (Rebel, 1907) (Pyrilidae) *caradjaella* Rebel, 1907; *nepos* Rothschild, 1911; *monotonus* Filipjev, 1927; *ludovicellus* Marion, 1952.
- 3280.** *Pediasia aridelloides* Bleszynski, 1965 (Pyrilidae) *aridelloides* Bleszynski, 1965
- 3281.** *Pediasia contaminella* (Hübner, 1796) (Pyrilidae) *contaminella* Hübner, 1796; *squalidalis* Hübner, [1825]; *cantiellus* Tutt, 1886.
- 3282.** *Pediasia fascelinella* (Hübner, [1813]) (Pyrilidae) *fascelinella* Hübner, [1813]; *treitschkeella* Soderfsky, 1830
- 3283.** *Pediasia luteella* ([Denis & Schiffermüller], 1775) (Pyrilidae) *luteella* [Denis & Schiffermüller], 1775; *exoletella* [Denis & Schiffermüller], 1775; *exsoletella* Hübner, 1796; *ochrella* Hübner, 1796; *kindermanni* Zeller, 1863; *uhryki* Rothschild, 1911.
- 3284.** *Pediasia matricella* (Treitschke, 1832) (Pyrilidae) *matricella* Treitschke, 1832; *obscura* Caradja, 1931
- 3285.** *Pediasia persella* (Toll, 1947) (Pyrilidae) *persella* Toll, 1947
- 3286.** *Pediasia phrygia* Fazekas, 1990 (Pyrilidae) *phrygius* Fazekas, 1990
- 3287.** *Pempelia alpigenella* (Duponchel, 1836) (Pyrilidae) *alpigenella* Duponchel, 1836; *wagnerella* Freyer, 1845
- 3288.** *Pempelia ambustiella* Ragonot, 1887 (Pyrilidae) *ambustiella* Ragonot, 1887
- 3289.** *Pempelia brephiella* (Staudinger, 1879) (Pyrilidae) *brephiella* Staudinger, 1879; *farinosella* Caradja, 1910.
- 3290.** *Pempelia diffusa* Staudinger, 1881 (Pyrilidae) *diffusa* Staudinger, 1881
- 3291.** *Pempelia formosa* (Haworth, [1811]) (Pyrilidae) *formosa* Haworth, [1811]; *perfluella* Zincken, 1818; *dibaphiella* Geyer, [1836]; *dubiella* Duponchel, 1836; *formosella* Doubleday, 1859.
- 3292.** *Pempelia genistella* (Duponchel, 1836) (Pyrilidae) *genistella* Duponchel, 1836; *albariella* Zeller, 1839.
- 3293.** *Pempelia obductella* Zeller, 1839 (Pyrilidae) *obductella* Zeller, 1839
- 3294.** *Pempelia palumbella* ([Denis & Schiffermüller], 1775) (Pyrilidae) *palumbella* [Denis & Schiffermüller], 1775
- 3295.** *Pempelia placidella* (Zerny, 1929) (Pyrilidae) *placidella* Zerny, 1929
- 3296.** *Pempelia sordida* Staudinger, 1879 (Pyrilidae) *sordida* Staudinger, 1879
- 3297.** *Pempelia thymiella* Zeller, 1846 (Pyrilidae) *thymiella* Zeller, 1846
- 3298.** *Pempeliella dilutella* ([Denis & Schiffermüller], 1775) (Pyrilidae) *dilutella* [Denis & Schiffermüller], 1775; *magna* Amsel, 1953
- 3299.** *Pempeliella ornatella* ([Denis & Schiffermüller], 1775) (Pyrilidae) *ornatella* [Denis & Schiffermüller], 1775; *gigantella* Amsel, 1932; *aixella* Lucas, 1938.
- 3300.** *Pempeliella ornatella fraternella* (Ragonot, 1887) (Pyrilidae) *fraternella* Ragonot, 1887
- 3301.** *Pempeliella sororiella* (Zeller, 1839) (Pyrilidae) *sororiella* Zeller, 1839
- 3302.** *Phycita coronatella* (Guenée, 1845) (Pyrilidae) *coronatella* Guenée, 1845
- 3303.** *Phycita metzneri* (Zeller, 1846) (Pyrilidae) *metzneri* Zeller, 1846
- 3304.** *Phycita pedisignella* Ragonot, 1887 (Pyrilidae) *pedisignella* Ragonot, 1887
- 3305.** *Phycita poteriella* (Zeller, 1846) (Pyrilidae) *poteriella* Zeller, 1846
- 3306.** *Phycita roborella* ([Denis & Schiffermüller], 1775) (Pyrilidae) *roborella* [Denis & Schiffermüller], 1775; *spissicella* Fabricius, 1777; *spissicornis* Fabricius, 1798; *roboralis* Hübner, [1825].
- 3307.** *Phycita strigata* (Staudinger, 1879) (Pyrilidae) *strigata* Staudinger, 1879
- 3308.** *Phycitodes albatella* (Ragonot, 1887) (Pyrilidae) *albatella* Ragonot, 1887
- 3309.** *Phycitodes albatella albatella* (Ragonot, 1887) (Pyrilidae) *albatella* Ragonot, 1887; *parvum* Gerasimov, 1930.
- 3310.** *Phycitodes albatella pseudonimbella* (Bentick, 1937) (Pyrilidae) *pseudonimbella* Bentick, 1937
- 3311.** *Phycitodes binaevella* (Hübner, [1813]) (Pyrilidae) *binaevella* Hübner, [1813].
- 3312.** *Phycitodes binaevella unitella* (Staudinger, 1879) (Pyrilidae) *unitella* Staudinger, 1879; *ciliciella* Caradja, 1910; *pinguinella* Zerny, 1934.
- 3313.** *Phycitodes carlinella* (Heinemann, 1865) (Pyrilidae) *carlinella* Heinemann, 1865; *cretacella* Rössler, 1866; *maritima* Tengström, 1870; *senecionis* Vaughan, 1870; *caniussella* Ragonot, 1901
- 3314.** *Phycitodes carlinella osteella* (Ragonot, 1887) (Pyrilidae) *osteella* Ragonot, 1887
- 3315.** *Phycitodes inquinatella* (Ragonot, 1887) (Pyrilidae) *inquinatella* Ragonot, 1887
- 3316.** *Phycitodes inquinatella inquinatella* (Ragonot, 1887) (Pyrilidae) *inquinatella* Ragonot, 1887
- 3317.** *Phycitodes lacteella* (Rothschild, 1915) (Pyrilidae) *lacteella* Rothschild, 1915; *viottella* Roesler, 1965.
- 3318.** *Phycitodes lacteella delattini* (Roesler, 1965) (Pyrilidae) *delattini* Roesler, 1965
- 3319.** *Phycitodes nigrilimbella* (Ragonot, 1887) (Pyrilidae) *nigrilimbella* Ragonot, 1887
- 3320.** *Phycitodes saxicola* (Vaughan, 1870) (Pyrilidae) *saxicola* Vaughan, 1870
- 3321.** *Phycitodes saxicola saxicola* (Vaughan, 1870) (Pyrilidae) *saxicola* Vaughan, 1870
- 3322.** *Pima boisduvaliella* (Guenée, 1845) (Pyrilidae) *boisduvaliella* Guenée, 1845
- 3323.** *Pleuroptya ruralis* (Scopoli, 1763) (Pyrilidae) *ruralis* Scopoli, 1763
- 3324.** *Plodia interpunctella* (Hübner, [1813]) (Pyrilidae) *interpunctella* Hübner, [1813]; *interpunctalis* Hübner, [1825]; *zeae* Fitch, 1856; *castaneella* Reutti, 1898; *latercula* Hampson, 1901; *glycinivora* Matsumura, 1917; *glycinivorella* Matsumura, 1932.
- 3325.** *Praeepischnia lydella* (Lederer, 1865) (Pyrilidae) *lydella* Lederer, 1865; *gypsocrates* Meyrick, 1937
- 3326.** *Proceratia caesariella* Ragonot, 1901 (Pyrilidae) *caesariella* Ragonot, 1901
- 3327.** *Prochoristis rupicapralis* (Lederer, 1855) (Pyrilidae) *rupicapralis* Lederer, 1855
- 3328.** *Prorophora (Epischidia) albunculella* (Staudinger, 1879) (Pyrilidae) *albunculella* Staudinger, 1879; *rhectogramma* Meyrick, 1937.
- 3329.** *Psammotis pulveralis* (Hübner, 1796) (Pyrilidae) *pulveralis* Hübner, 1796
- 3330.** *Psorosa albunculella* Ragonot, 1901 (Pyrilidae) *albunculella* Ragonot, 1901
- 3331.** *Psorosa dahliaella* (Treitschke, 1832) (Pyrilidae) *dahliaella* Treitschke, 1832; *bivittella* Duponchel, 1836.
- 3332.** *Psorosa ochrifasciella* Ragonot, 1887 (Pyrilidae) *ochrifasciella* Ragonot, 1887
- 3333.** *Pterothroxidia ancylensis* Amsel, 1953 (Pyrilidae) *ancylensis* Amsel, 1953
- 3334.** *Pterothroxidia caucasiella* (Ragonot, 1888) (Pyrilidae) *caucasiella* Ragonot, 1888
- 3335.** *Pterothroxidia contectella* (Zeller, 1848) (Pyrilidae) *contectella* Zeller, 1848
- 3336.** *Pterothroxidia impurella* (Duponchel, 1836) (Pyrilidae) *impurella* Duponchel, 1836
- 3337.** *Pterothroxidia orientella* (Ragonot, 1893) (Pyrilidae) *orientella* Ragonot, 1893
- 3338.** *Pterothroxidia rufella* (Duponchel, 1836) (Pyrilidae) *rufella* Duponchel, 1836; *squalidella* Eversmann, 1842; *luridatella* Zeller, 1848; *infuscatella* Herrich-Schäffer, 1849; *tauricella* Wocke, 1871; *corsicella* Ragonot, 1893.
- 3339.** *Pyla fusca* (Haworth, [1811]) (Pyrilidae) *fusca* Haworth, [1811]

- 3340.** *Pyralis farinalis* (Linnaeus,1758) (Pyralidae) *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticus* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794.
- 3341.** *Pyralis imperialis* Caradja,1917 (Pyralidae) *imperialis* Caradja,1917
- 3342.** *Pyralis narynensis* Zerny,1914 (Pyralidae) *perversalis* sensu auct. nec Herr.-Schäff.,1849; *narynensis* Zerny,1914; *#naryssensis* Amsel,1961
- 3343.** *Pyralis perversalis* Herrich-Schäffer,1849 (Pyralidae) *perversalis* Herrich-Schäffer,1849; *transcaspica* Rebel,1903; *#transcaspia* Speidel,1996.
- 3344.** *Pyralis regalis* [Denis & Schiffermüller],1775 (Pyralidae) *regalis* [Denis & Schiffermüller],1775
- 3345.** *Pyrausta* (Haematia) *castalis* Treitschke,1829 (Pyralidae) *castalis* Treitschke,1829
- 3346.** *Pyrausta* (Haematia) *cingulata* (Linnaeus,1758) (Pyralidae) *cingulata* Linnaeus,1758; *aethiopata* Scopoli,1763; *cingulalis* [Denis & Schiffermüller],1775; *eremitica* Fourcroy,1785; *vitalis* La Harpe,1864; *apenninalis* Costantini,1923
- 3347.** *Pyrausta* (Haematia) *despicata* (Scopoli,1763) (Pyralidae) *despicata* Scopoli,1763; *cespitis* [Denis & Schiffermüller],1775.
- 3348.** *Pyrausta* (Haematia) *sanguinalis* (Linnaeus,1767) (Pyralidae) *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819]
- 3349.** *Pyrausta* (Haematia) *virginalis* (Duponchel,1832) (Pyralidae) *virginalis* Duponchel,1832; *auroralis* Zeller,1847; *neglectalis* Caradja,1916
- 3350.** *Pyrausta* (s.str.) *amatalis* Rebel,1903 (Pyralidae) *amatalis* Rebel,1903
- 3351.** *Pyrausta* (s.str.) *aurata* (Scopoli,1763) (Pyralidae) *aurata* Scopoli,1763; *punicealis* [Denis & Schiffermüller],1775; *nepoldalis* Lederer,1863
- 3352.** *Pyrausta* (s.str.) *falcatalis* (Guenée,1854) (Pyralidae) *falcatalis* Guenée,1854; *coeciliatis* Walker,1859; *flegialis* Walker,1859; *noraxalis* Walker,1859; *ocellusalis* Walker,1859; *palopealis* Walker,1859; *probalis* Walker,1859; *catenalis* Walker,[1866]; *concatenalis* Walker,[1866]; *juncturalis* Walker,[1866]; *tauricalis* Caradja,1917
- 3353.** *Pyrausta* (s.str.) *inciae* Koçak,1982 (Pyralidae) *meridionalis* Staudinger,1880 nec Wcke,1871; *inciae* Koçak,1982.
- 3354.** *Pyrausta* (s.str.) *nigrata* (Scopoli,1763) (Pyralidae) *nigrata* Scopoli,1763; *podaella* Fabricius,1781; *funigera* Fourcroy,1785; *anguinalis* Hübner,1796; *fascialis* Schrank,1802 nec Hbn.,1796
- 3355.** *Pyrausta* (s.str.) *obfuscata* (Scopoli,1763) (Pyralidae) *obfuscata* Scopoli,1763; *fusciorubella* Goetze,1783; *bimaculosa* Fourcroy,1785; *rubralis* Villers,1789; *pygmeal* Duponchel,1833; *fucatalis* Treitschke,1835; *atrosanguinalis* Eversmann,1842
- 3356.** *Pyrausta* (s.str.) *pauperalis* (Staudinger,1879) (Pyralidae) *pauperalis* Staudinger,1879
- 3357.** *Pyrausta* (s.str.) *purpuralis* (Linnaeus,1758) (Pyralidae) *purpuralis* Linnaeus,1758; *inflammata* Scopoli,1763; *purpuraria* Latreille,[1803]; *confundalis* Zetterstedt,1839; *chermesinalis* Guenée,1854; *melanalis* Caradja,1916
- 3358.** *Pyrausta* (s.str.) *trimaculalis* (Staudinger,1867) (Pyralidae) *trimaculalis* Staudinger,1867
- 3359.** *Pyraustimorpha* *inexpectata* Koçak & Seven,1995 (Pyralidae) *inexpectata* Koçak & Seven,1995
- 3360.** *Raphimetopus* *ablutellus* (Zeller,1839) (Pyralidae) *ablutellus* Zeller,1839; *stigmatellus* Ragonot,1888; *buxtoni* Rothschild,1921
- 3361.** *Saluria* *cheshirella* Zerny,1929 (Pyralidae) *cheshirella* Zerny,1929.
- 3362.** *Schoenobius* *gigantellus* ([Denis & Schiffermüller],1775) (Pyralidae) *gigantella* [Denis & Schiffermüller],1775
- 3363.** *Sciota* (Clasperopsis) *fumella* (Eversmann,1844) (Pyralidae) *fumella* Eversmann,1844
- 3364.** *Sciota* (s.str.) *insignella* (Mann,1862) (Pyralidae) *insignella* Mann,1862
- 3365.** *Sciota* (s.str.) *rhenella* (Zincken,1818) (Pyralidae) *rhenella* Zincken,1818
- 3366.** *Sciota* (s.str.) *rhenella* *laetifica* (Ragonot,1893) (Pyralidae) *laetifica* Ragonot,1893
- 3367.** *Sciota* (s.str.) *rhenella* *rhenella* (Zincken,1818) (Pyralidae) *rhenella* Zincken,1818
- 3368.** *Scirpophaga* *praelata* (Scopoli,1763) (Pyralidae) *praelata* Scopoli,1763; *dubia* Rossi,1790; *latidactyla* Hübner,1790; *phantasmatalis* Hübner,[1825]; *alba* Hübner,[1828]; *#grisea* Guenée,1845; *#cinerea* Zeller,1863; *limnochares* Common,1960.
- 3369.** *Scoparia* *ambigualis* (Treitschke,1829) (Pyralidae) *ambigualis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#taeniata* Teich,1889; *#crossi* Bankes,1909
- 3370.** *Scoparia* *ambigualis* *ambigualis* (Treitschke,1829) (Pyralidae) *ambigualis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#taeniata* Teich,1889; *#crossi* Bankes,1909
- 3371.** *Scoparia* *ingratella* (Zeller,1846) (Pyralidae) ? *majalis* Scopoli,1763; *ingratella* Zeller,1846; *ingratalis* Herrich-Schäffer,1853; *sibirica* Lederer,1853; *octavianella* Mann,1859; *catalonica* Leraut,1982
- 3372.** *Scoparia* *obsoleta* Staudinger,1879 (Pyralidae) *obsoleta* Staudinger,1879; *berytella* Rebel,1911; *syriaca* Caradja,1917; *coprista* Meyrick,1936; *unicornutella* Amsel,1958
- 3373.** *Scoparia* *pyralella* ([Denis & Schiffermüller],1775) (Pyralidae) *pyralella* [Denis & Schiffermüller],1775; *arundinata* Thunberg,1792; *dubitalis* Hübner,1796; *dubita* Haworth,1811; *pyralea* Haworth,1811; *dubitellus* Zincken,1817; *tristrigella* Stephens,1834; *pyralis* Guenée,1854; *purbeckensis* Bankes,1889; *australis* Müller-Rutz,1920; *vesubiella* Marion,1976
- 3374.** *Scoparia* *subfusca* Haworth,[1811] (Pyralidae) *subfusca* Haworth,[1811]; *graecella* Stainton,1849; *subfuscalis* Guenée,1854; *scotica* White,1872; *cembrae* auct. nec Haworth,1811; *cembralis* auct. nec Gn.,1854; *#sugfusca* Leraut,1984
- 3375.** *Scoparia* *subfusca* *anatolica* Caradja,1917 (Pyralidae) *anatolica* Caradja,1917
- 3376.** *Sefidia* *clasperella* Asselbergs,1994 (Pyralidae) *clasperella* Asselbergs,1994
- 3377.** *Selagia* *argyrella* ([Denis & Schiffermüller],1775) (Pyralidae) *argyrella* [Denis & Schiffermüller],1775; *janthinella* Hübner,[1813].
- 3378.** *Selagia* *argyrella* *saltuella* Mann,1862 (Pyralidae) *saltuella* Mann,1862
- 3379.** *Selagia* *dissimilella* Ragonot,1887 (Pyralidae) *dissimilella* Ragonot,1887
- 3380.** *Selagia* *spadicella* (Hübner,1796) (Pyralidae) *spadicella* Hübner,1796
- 3381.** *Selagia* *subochrella* (Herrich-Schäffer,1849) (Pyralidae) *subochrella* Herrich-Schäffer,1849
- 3382.** *Serrulacera* *serraticornella* (Zeller,1839) (Pyralidae) *serraticornella* Zeller,1839; *gregella* Eversmann,1844.
- 3383.** *Sitochroa* *palealis* ([Denis & Schiffermüller],1775) (Pyralidae) ? *flaveolata* Hufnagel,1767; *palealis* [Denis & Schiffermüller],1775; *stigmatalis* Villers,1789; *selenalis* Hübner,[1819]
- 3384.** *Sitochroa* *verticalis* (Linnaeus,1758) (Pyralidae) *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829
- 3385.** *Staudingeria* (s.str.) *deserticola* (Staudinger,1870) (Pyralidae) *deserticola* Staudinger,1870
- 3386.** *Staudingeria* (s.str.) *morbosella* (Staudinger,1879) (Pyralidae) *morbosella* Staudinger,1879; *inderskyella* Caradja,1910; *cinnamomella* Rothschild,1915.
- 3387.** *Stemmatophora* *caesarealis* Ragonot,1891 (Pyralidae) *caesarealis* Ragonot,1891
- 3388.** *Stemmatophora* *combustalis* (Fischer v. Röslerstamm,[1842]) (Pyralidae) *combustalis* Fischer v. Röslerstamm,[1842].
- 3389.** *Stemmatophora* *subustalis* Lederer,1853 (Pyralidae) *subustalis* Lederer,1853
- 3390.** *Synaphe* *berytalis* Ragonot,1888 (Pyralidae) *berytalis* Ragonot,1888
- 3391.** *Synaphe* *bombycalis* ([Denis & Schiffermüller],1775) (Pyralidae) *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917.
- 3392.** *Synaphe* *bombycalis* *bombycalis* ([Denis & Schiffermüller],1775) (Pyralidae) *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917.
- 3393.** *Synaphe* *consecratalis* (Lederer,1855) (Pyralidae) *consecratalis* Lederer,1855
- 3394.** *Synaphe* *moldavica* (Esper,[1789]) (Pyralidae) *moldavica* Esper,[1789]; *schmidtii* Hartig,1941.

- 3395.** *Synaphe moldavica moldavica* (Esper,[1789]) (Pyrilidae) *moldavica* Esper,[1789]; *schmidtii* Hartig,1941.
- 3396.** *Synaphe morbidalis* (Guenée,1849) (Pyrilidae) *morbidalis* Guenée,1849
- 3397.** *Synaphe morbidalis isthmicalis* (Lederer,1858) (Pyrilidae) *isthmicalis* Lederer,1858; *bipunctalis* Hampson,1906.
- 3398.** *Synaphe uxorialis* (Lederer,1858) (Pyrilidae) *uxorialis* Lederer,1858
- 3399.** *Synaphe uxorialis uxorialis* (Lederer,1858) (Pyrilidae) *uxorialis* Lederer,1858
- 3400.** *Synoria antiquella* (Herrich-Schäffer,[1855]) (Pyrilidae) *antiquella* Herrich-Schäffer,[1855]
- 3401.** *Talis quercella* ([Denis & Schiffermüller],1775) (Pyrilidae) *#quercella* [Denis & Schiffermüller],1775; *noctuella* Hübner,1796; *neglectella* Hübner,[1824].
- 3402.** *Talis quercella quercella* ([Denis & Schiffermüller],1775) (Pyrilidae) *#quercella* [Denis & Schiffermüller],1775; *noctuella* Hübner,1796; *neglectella* Hübner,[1824].
- 3403.** *Talis renatae* Ganev & Hacker,1984 (Pyrilidae) *renatae* Ganev & Hacker,1984
- 3404.** *Tegostoma albizonalis* Hampson,1900 (Pyrilidae) *albizonalis* Hampson,1900.
- 3405.** *Tegostoma comparalis* (Hübner,1796) (Pyrilidae) *comparalis* Hübner,1796; *ramalis* Hübner,1796; *tenebrosalis* Walker,1865; *#comparale* Caradja,1917.
- 3406.** *Tegostoma perlepidalis* (Guenée,1854) (Pyrilidae) *#lepidalis* Herrich-Schäffer,[1851]; *perlepidalis* Guenée,1854; *lepidalis* Herrich-Schäffer,[1855]; *#lepidale* Caradja,1917.
- 3407.** *Thisanotia chrysonuchella* (Scopoli,1763) (Pyrilidae) *chrysonuchella* Scopoli,1763; *gramella* Fabricius,1781; *campella* Hübner,1793; *dilutior* Alpheraky,1877.
- 3408.** *Thospia trifasciella* (Ragonot,1887) (Pyrilidae) *trifasciella* Ragonot,1887; *alborivulella* Ragonot,1888.
- 3409.** *Titanio normalis* (Hübner,1796) (Pyrilidae) *normalis* Hübner,1796; *ancyrensis* Hofmann,[1898].
- 3410.** *Titanio venustalis* (Lederer,1855) (Pyrilidae) *venustalis* Lederer,1855
- 3411.** *Trachycera advenella* (Zincken,1818) (Pyrilidae) *advenella* Zincken,1818; *rhenella* Stephens,1834; *consociella* Duponchel,1836; *recurvella* Guenée,1845
- 3412.** *Trachycera dulcella* (Zeller,1848) (Pyrilidae) *dulcella* Zeller,1848
- 3413.** *Trachycera dulcella anatolica* (Caradja,1910) (Pyrilidae) *anatolica* Caradja,1910; *suberastrilla* Rothschild,1921; *persella* Zerny,1939
- 3414.** *Trachycera legatella* (Haworth,[1811]) (Pyrilidae) *legatella* Haworth,[1811]; *legatella* Hübner,1796 *nec* [Den. & Schiff.],1775; *legatalis* Hübner,[1825]
- 3415.** *Trachycera marmorea* (Haworth,[1811]) (Pyrilidae) *marmorea* Haworth,[1811]; *epelydella* Zeller,1839; *marmorella* Doubleday,1859
- 3416.** *Trachycera marmorea lugens* (Staudinger,1881) (Pyrilidae) *lugens* Staudinger,1881
- 3417.** *Trachycera suavella* (Zincken,1818) (Pyrilidae) *suavella* Zincken,1818; *fascia* Stephens,1829; *porphyrea* Stephens,1834; *supposita* Heinrich,1940
- 3418.** *Tragonitis cristella* (Hübner,1796) (Pyrilidae) *cristella* Hübner,1796; *cristalis* Hübner,[1825].
- 3419.** *Tretopteryx pertusalis* (Geyer,[1832]) (Pyrilidae) *pertusalis* Geyer,[1832]
- 3420.** *Udea ferrugalis* (Hübner,1796) (Pyrilidae) *ferruginalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferrugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879
- 3421.** *Udea fimbriatralis* (Duponchel,1834) (Pyrilidae) *fimbriatralis* Duponchel,1834
- 3422.** *Udea fulvalis* (Hübner,[1809]) (Pyrilidae) *fulvalis* Hübner,[1809]; *pronoidalis* Staudinger,1879
- 3423.** *Udea olivalis* ([Denis & Schiffermüller],1775) (Pyrilidae) *olivalis* [Denis & Schiffermüller],1775; *umbralis* Hübner,1796
- 3424.** *Ulotricha egregialis* (Herrich-Schäffer,1838) (Pyrilidae) *egregialis* Herrich-Schäffer,1838
- 3425.** *Uresiphita polygonalis* ([Denis & Schiffermüller],1775) (Pyrilidae) *polygonalis* [Denis & Schiffermüller],1775; *#limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadal*
- Guenée,1854; deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971
- 3426.** *Xanthocrambus saxonellus* (Zincken,1821) (Pyrilidae) *saxonellus* Zincken,1821; *chrysellus* Treitschke,1832; *carentellus* Christoph,1888
- 3427.** *Zophodiodes leucocostella* Ragonot,1887 (Pyrilidae) *leucocostella* Ragonot,1887
- 3428.** *Saturnia* (Heraea) *cephalariae* Romanoff,1885 (Saturniidae) *cephalariae* Romanoff,1885
- 3429.** *Saturnia* (Heraea) *pavonia* (Linnaeus,1758) (Saturniidae) *pavonia* Linnaeus,1758; *pavoniella* Scopoli,1763; *carpini* Denis & Schiffermüller,1775; *pavunculus* Retzius,1783
- 3430.** *Saturnia* (Heraea) *spini* ([Denis & Schiffermüller],1775) (Saturniidae) *#spini* [Denis & Schiffermüller],1775
- 3431.** *Saturnia* (Heraea) *spini spini* ([Denis & Schiffermüller],1775) (Saturniidae) *#spini* [Denis & Schiffermüller],1775
- 3432.** *Saturnia* (Neoris) *naessigi* (De Freina,1992) (Saturniidae) *naessigi* De Freina,1992
- 3433.** *Saturnia* (Neoris) *naessigi naessigi* (De Freina,1992) (Saturniidae) *naessigi* De Freina,1992
- 3434.** *Saturnia* (Perisomena) *caecigena* (Kupido,1825) (Saturniidae) *caecigena* Kupido,1825; *unicolor* Schultz,1910; *wiskotti* Niepelt,1914; *derosata* Schawerda,1914; *transcaucasica* O.Bang-Haas,1927; *parviocellata* Friedel,1968
- 3435.** *Saturnia* (s.str.) *pyri* ([Denis & Schiffermüller],1775) (Saturniidae) *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980.
- 3436.** *Saturnia* (s.str.) *pyri pyri* ([Denis & Schiffermüller],1775) (Saturniidae) *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980.
- 3437.** *Arethusana arethusa* ([Denis & Schiffermüller],1775) (Satyridae) *arethusa* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 (sensu Hesselbarth et al.,1995: 917).
- 3438.** *Arethusana arethusa sultana* (Wagner,1929) (Satyridae) *sultana* Wagner,1929
- 3439.** *Brintesia circe* (Fabricius,1775) (Satyridae) *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladettæ* Varin,1962.
- 3440.** *Brintesia circe circe* (Fabricius,1775) (Satyridae) *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladettæ* Varin,1962.
- 3441.** *Chazara* (Neochazara) *anthe* (Hoffmannsegg,1804) (Satyridae) *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807.
- 3442.** *Chazara* (Neochazara) *anthe hanifa* (Boisduval,1848) (Satyridae) *hanifa* Boisduval,1848; *hanifa* Herrich-Schäffer,1850; *transiens* Zerny,1932.
- 3443.** *Chazara* (s.str.) *bischoffi* (Herrich-Schäffer,[1846]) (Satyridae) *bischoffi* Herrich-Schäffer,[1846]
- 3444.** *Chazara* (s.str.) *bischoffi bischoffi* (Herrich-Schäffer,[1846]) (Satyridae) *bischoffi* Herrich-Schäffer,[1846]
- 3445.** *Chazara* (s.str.) *briseis* (Linnaeus,1764) (Satyridae) *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958.
- 3446.** *Chazara* (s.str.) *briseis pirata* (Esper,[1789]) (Satyridae) *pirata* Esper,[1789]; *meridionalis* Staudinger,1886; *maga* Staudinger,[1894]; *#uniocellata* Strand,1909; *armena* Jachontov,1912; *fergana* sensu Hofmann,1898; *latiusalba* Verity,1937; *hyperleuca* Verity,1937; *falkneri* Gross & Ebert,1975.
- 3447.** *Chazara* (s.str.) *egina* (Staudinger,[1892]) (Satyridae) *egina* Staudinger,[1892]; *aisha* Rose,1986.
- 3448.** *Chazara* (s.str.) *egina egina* (Staudinger,[1892]) (Satyridae) *egina* Staudinger,[1892]; *aisha* Rose,1986.
- 3449.** *Coenonympha arcania* (Linnaeus,1761) (Satyridae) *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *triumphans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935.
- 3450.** *Coenonympha arcania arcania* (Linnaeus,1761) (Satyridae) *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910;

saleviana Fruhstorfer,1910; *triumphans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935.

3451. Coenonympha glycerion (Borkhausen,1788) (Satyridae) *iphis* [Denis & Schiffermüller],1775 nec Dru.,1773; *amyntas auctorum*; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 nec Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901.

3452. Coenonympha glycerion glycerion (Borkhausen,1788) (Satyridae) *iphis* [Denis & Schiffermüller],1775 nec Dru.,1773; *amyntas auctorum*; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 nec Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901.

3453. Coenonympha leander (Fabricius,1787) (Satyridae) *#leander* Esper,[1784]; *leander* Fabricius,1787

3454. Coenonympha leander dierli Koçak,1977 (Satyridae) *dierli* Koçak,1977

3455. Coenonympha leander leander (Fabricius,1787) (Satyridae) *#leander* Esper,[1784]; *leander* Fabricius,1787

3456. Coenonympha pamphilus (Linnaeus,1758) (Satyridae) *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *julidusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950

3457. Coenonympha pamphilus pamphilus (Linnaeus,1758) (Satyridae) *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *julidusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950

3458. Coenonympha saadi (Kollar,[1849]) (Satyridae) *saadi* Kollar,[1849]; *iphias* Eversmann,1851.

3459. Coenonympha saadi iphias (Eversmann,1851) (Satyridae) *iphias* Eversmann,1851; *mesopotamica* Staudinger,[1894]

3460. Coenonympha symphita Lederer,1870 (Satyridae) *symphita* Lederer,1870; *karsiana* Sheljuzhko,1919

3461. Coenonympha symphita symphita Lederer,1870 (Satyridae) *symphita* Lederer,1870; *karsiana* Sheljuzhko,1919

3462. Erebia aethiops (Esper,[1777]) (Satyridae) *aethiops* Esper,[1777]; *ligea* Poda,1761 nec Linnaeus,1758; *medea* Denis & Schiff.,1775; *blandina* Fabricius,1787; *media* Hübner,1799; *caledonia* Verity,1911; *altivaga* Fruhstorfer,1917; *sapaudia* Fruhstorfer,1917; *peneplana* Berger,1936.

3463. Erebia aethiops aethiops (Esper,[1777]) (Satyridae) *aethiops* Esper,[1777]; *ligea* Poda,1761 nec Linnaeus,1758; *medea* Denis & Schiff.,1775; *blandina* Fabricius,1787; *media* Hübner,1799; *caledonia* Verity,1911; *altivaga* Fruhstorfer,1917; *sapaudia* Fruhstorfer,1917; *peneplana* Berger,1936.

3464. Erebia aethiops melusina Herrich-Schäffer,[1847] (Satyridae) *melusina* Herrich-Schäffer,[1847]

3465. Erebia graucasica Jachontov,1909 (Satyridae) *graucasica* Jachontov,1909; *caucasica* Korshunov, Antonova & Kotshetova,1984.

3466. Erebia graucasica transcaucasica Warren,1950 (Satyridae) *transcaucasica* Warren,1950

3467. Erebia hewitsonii Lederer,1864 (Satyridae) *hewitsonii* Lederer,1864

3468. Erebia hewitsonii hewitsonii Lederer,1864 (Satyridae) *hewitsonii* Lederer,1864

3469. Erebia medusa ([Denis & Schiffermüller],1775) (Satyridae) *medusa* [Denis & Schiffermüller],1775

3470. Erebia medusa euphrasia Fruhstorfer,1917 (Satyridae) *euphrasia* Fruhstorfer,1917

3471. Erebia melancholica Herrich-Schäffer,[1846] (Satyridae) *melancholica* Herrich-Schäffer,[1846]; *promethea* Tschetverikov,1937.

3472. Erebia melancholica melancholica Herrich-Schäffer,[1846] (Satyridae) *melancholica* Herrich-Schäffer,[1846]; *promethea* Tschetverikov,1937.

3473. Erebia ottomana Herrich-Schäffer,[1847] (Satyridae) *ottomana* Herrich-Schäffer,[1847]

3474. Erebia ottomana ottomana Herrich-Schäffer,[1847] (Satyridae) *ottomana* Herrich-Schäffer,[1847]

3475. Esperarge (s.str.) clymene (Fabricius,1787) (Satyridae) *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819].

3476. Esperarge (s.str.) clymene clymene (Fabricius,1787) (Satyridae) *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819].

3477. Esperarge (s.str.) clymene valentinae (Miller,1923) (Satyridae) *valentinae* Miller,1923; *tkatshukovi* Sheljuzhko,1925.

3478. Hipparchia (Neohipparchia) fatua (Freyer,1844) (Satyridae) *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950.

3479. Hipparchia (Neohipparchia) fatua fatua (Freyer,1844) (Satyridae) *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950.

3480. Hipparchia (Neohipparchia) parisatis (Kollar,[1849]) (Satyridae) *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail* Gross & Ebert,1975; *huochenensis* Huang & Zhou,2000.

3481. Hipparchia (Neohipparchia) parisatis parisatis (Kollar,[1849]) (Satyridae) *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail* Gross & Ebert,1975; *huochenensis* Huang & Zhou,2000.

3482. Hipparchia (Neohipparchia) statilinus (Hufnagel,1766) (Satyridae) *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 nec Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 nec Denis & Schiff.,1775; *allionii* Hübner,1826, etc.

3483. Hipparchia (Neohipparchia) statilinus minutula (Verity,1938) (Satyridae) *minutula* Verity,1938.

3484. Hipparchia (Parahipparchia) aristaeus (Bonelli,1826) (Satyridae) *aristaeus* Bonelli,1826; *sardoa* Spuler,1908; *rautheri* Krause,1912; *ichnusa* Hemming,1931; *algorica* auct.

3485. Hipparchia (Parahipparchia) aristaeus senthes (Fruhstorfer,1908) (Satyridae) *sentes* Fruhstorfer,1908.

3486. Hipparchia (Parahipparchia) mersina (Staudinger,1871) (Satyridae) *mersina* Staudinger,1871; *malickyi* Kudrna,1977.

3487. Hipparchia (Parahipparchia) mersina mersina (Staudinger,1871) (Satyridae) *mersina* Staudinger,1871; *malickyi* Kudrna,1977.

3488. Hipparchia (Parahipparchia) pellucida (Stauder,1924) (Satyridae) *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976.

3489. Hipparchia (Parahipparchia) pellucida pellucida (Stauder,1924) (Satyridae) *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976.

3490. Hipparchia (s.str.) syriaca (Staudinger,1871) (Satyridae) *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959.

3491. Hipparchia (s.str.) syriaca syriaca (Staudinger,1871) (Satyridae) *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959.

3492. Hyponephele (s.str. (Ereminephele)) naricoides Gross,1977 (Satyridae) *naricoides* Gross,1977

3493. Hyponephele (s.str. (Ereminephele)) naricoides naricoides Gross,1977 (Satyridae) *naricoides* Gross,1977

3494. Hyponephele (s.str. (Turaninephele)) urartua De Freina & Aussem,[1987] (Satyridae) *urartua* De Freina & Aussem,[1987]

3495. Hyponephele (s.str. (Turaninephele)) urartua urartua De Freina & Aussem,[1987] (Satyridae) *urartua* De Freina & Aussem,[1987]

3496. Hyponephele (s.str. (Turaninephele)) wagneri (Herrich-Schäffer,[1846]) (Satyridae) *wagneri* Herrich-Schäffer,[1846]; *schmidt* Bang-Haas,1927.

3497. Hyponephele (s.str. (Turaninephele)) wagneri wagneri (Herrich-Schäffer,[1846]) (Satyridae) *wagneri* Herrich-Schäffer,[1846]

3498. Hyponephele (s.str.) hasantahsin Koçak & Kemal,2002 (Satyridae) *hasantahsin* Koçak & Kemal,2002

3499. Hyponephele (s.str.) hasantahsin hasantahsin Koçak & Kemal,2002 (Satyridae) *hasantahsin* Koçak & Kemal,2002

3500. Hyponephele (s.str.) lupina (Costa,[1836]) (Satyridae) *lupina* Costa,[1836]

3501. Hyponephele (s.str.) lupina intermedia (Staudinger,1886) (Satyridae) *intermedia* Staudinger,1886; *transcaucasica* Jachontov,1910; *centralis* Riley,1921; *captus* Riley,1921; *cyprica* Riley,1921; *#lupinulus* Turati & Fiori,1930.

- 3502.** *Hyponephele* (s.str.) *lycaon* (Rottemburg,1775) (Satyridae) *lycaon* Rottemburg,1775; #*lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800.
- 3503.** *Hyponephele* (s.str.) *lycaon collina* (Röber,1897) (Satyridae) *collina* Röber,1897; *catictera* Turati,1909 ?
- 3504.** *Hyponephele* (s.str.) *lycaon kangal Koçak & Kemal,2002* (Satyridae) *kangal Koçak & Kemal,2002*
- 3505.** *Hyponephele* (s.str.) *lycaonoides* Weiss,1978 (Satyridae) *lycaonoides* Weiss,1978
- 3506.** *Hyponephele* (s.str.) *lycaonoides bugrai Koçak,1989* (Satyridae) *bugrai Koçak,1989*
- 3507.** *Hyponephele* (s.str.) *zuvandica Samodurov & Koroljev,1996* (Satyridae) *zuvandica Samodurov & Koroljev,1996*; #*zuvandi* Korb,2000
- 3508.** *Hyponephele* (s.str.) *zuvandica zuvandica Samodurov & Koroljev,1996* (Satyridae) *zuvandica Samodurov & Koroljev,1996*; #*zuvandi* Korb,2000
- 3509.** *Idata cecilia* (Vallantin,1894) (Satyridae) *ida* Esper,1784 *nec* Cramer,1775; *cecilia* Vallantin,1894; *aphrodite* Hemming,1934.
- 3510.** *Idata cecilia cecilia* (Vallantin,1894) (Satyridae) *ida* Esper,1784 *nec* Cramer,1775; *cecilia* Vallantin,1894; *aphrodite* Hemming,1934.
- 3511.** *Kirinia* (Melike) *roxelana* (Cramer,[1777]) (Satyridae) *roxelana* Cramer,[1777]
- 3512.** *Kirinia* (Melike) *roxelana roxelana* (Cramer,[1777]) (Satyridae) *roxelana* Cramer,[1777]
- 3513.** *Lasiommata maera* (Linnaeus,1758) (Satyridae) *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909.
- 3514.** *Lasiommata maera orientalis* (Heyne,[1894]) (Satyridae) *orientalis* Heyne,[1894].
- 3515.** *Lasiommata megera* (Linnaeus,1767) (Satyridae) *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
- 3516.** *Lasiommata megera transcaspica* (Staudinger,1901) (Satyridae) *transcaspica* Staudinger,1901; *megaerina* H.-S.,[1851]; *emilyssa* Verity,1919; *iranica* Riley,1921;
- 3517.** *Lasiommata petropolitana* (Fabricius,1787) (Satyridae) *petropolitana* Fabricius,1787; *ominata* Krulikovsky,1903; *calidia* Fruhstorfer,1908; *parvalpestris* Verity,1929.
- 3518.** *Lasiommata petropolitana petropolitana* (Fabricius,1787) (Satyridae) *petropolitana* Fabricius,1787; *ominata* Krulikovsky,1903; *calidia* Fruhstorfer,1908; *parvalpestris* Verity,1929.
- 3519.** *Maniola* (Telmessiola) *telmessia* (Zeller,1847) (Satyridae) *telmessia* Zeller,1847; *pallens* Butler,1868; *kurdistan* Heyne,1894; *oreas* Le Cerf,1912; *maniolides* Le Cerf,1912; *ornata* Turati & Fiori,1930; *marenigrans* Verity,1938; *pelekassii* Kattulas & Koutsafikis,1978.
- 3520.** *Maniola* (Telmessiola) *telmessia telmessia* (Zeller,1847) (Satyridae) *telmessia* Zeller,1847; *pallens* Butler,1868; *kurdistan* Heyne,1894; *oreas* Le Cerf,1912; *maniolides* Le Cerf,1912; *ornata* Turati & Fiori,1930; *marenigrans* Verity,1938; *pelekassii* Kattulas & Koutsafikis,1978.
- 3521.** *Maniola* (s.str.) *jurtina* (Linnaeus,1758) (Satyridae) *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801.
- 3522.** *Maniola* (s.str.) *jurtina phormia* (Fruhstorfer,1909) (Satyridae) *phormia* Fruhstorfer,1909; *persica* Le Cerf,1912; *ghilanica* Le Cerf,1913; *corfiothispulla* Graves,1933; *schweigeri* Tauber,1970; *strandiana* Obratsov,1936; *iranica* Thomson,1973; *petrii* Douma-Petridou, Koutsafikis & Kokkinou,1986; #*phorima* Nazari,2003.
- 3523.** *Melanargia* (Parce) *rossiae* (Esper,[1784]) (Satyridae) *rossiae* Esper,[1784]; *suwarovius* Herbst,1796; *clotho* Hübner,[1800].
- 3524.** *Melanargia* (Parce) *rossiae rossiae* (Esper,[1784]) (Satyridae) *rossiae* Esper,[1784]; *suwarovius* Herbst,1796; *clotho* Hübner,[1800].
- 3525.** *Melanargia* (Turcargia) *grumi* Standfuss,1892 (Satyridae) *grumi* Standfuss,1892
- 3526.** *Melanargia* (Turcargia) *grumi grumi* Standfuss,1892 (Satyridae) *grumi* Standfuss,1892
- 3527.** *Melanargia* (Turcargia) *larissa* (Geyer,[1828]) (Satyridae) *larissa* Geyer,[1828].
- 3528.** *Melanargia* (Turcargia) *larissa astanda* (Boisduval,1848) (Satyridae) *astanda* Boisduval,1848; *astanda* Staudinger,1871; *hertina* Staudinger,1901.
- 3529.** *Melanargia* (Turcargia) *larissa massageta* (Staudinger,1901) (Satyridae) *massageta* Staudinger,1901; #*occacata* Staudinger,1901.
- 3530.** *Melanargia* (Turcargia) *larissa noacki* Wagens,1983 (Satyridae) *Melanargia larissa noacki* Wagens,1983
- 3531.** *Melanargia* (Turcargia) *larissa taurica* Röber,1896 (Satyridae) *taurica* Röber,1896; #*lactaea* Wagner,1929; *wageneri* Koçak,1977.
- 3532.** *Melanargia* (Turcargia) *syriaca* (Oberthür,1894) (Satyridae) *syriaca* Oberthür,1894
- 3533.** *Melanargia* (Turcargia) *syriaca kocaki* Wagens,1983 (Satyridae) *kocaki* Wagens,1983
- 3534.** *Melanargia* (Turcargia) *titea* (Klug,1832) (Satyridae) *titea* Klug,1832
- 3535.** *Melanargia* (Turcargia) *titea standfussi* Wagens,1983 (Satyridae) *standfussi* Wagens,1983; *titania* Standfuss,1892 *nec* Calberla,1891.
- 3536.** *Melanargia* (s.str.) *galathea* (Linnaeus,1758) (Satyridae) *galathea* Linnaeus,1758; *leucomelas* Esper,1783; *leucomelanos* Fourcroy,1785; *galene* Ochsenheimer,1807; *bitorensis* Guillemot,1858; *pygmaea* Fruhstorfer,1916; *malmediensis* Derenne,1926; *xanthonica* Varin,1948.
- 3537.** *Melanargia* (s.str.) *galathea satnia* Fruhstorfer,1917 (Satyridae) *satnia* Fruhstorfer,1917; *turcica* Boisduval,1840; *syntelia* Fruhstorfer,1917; *donsa* Fruhstorfer,1917.
- 3538.** *Minois dryas* (Scopoli,1763) (Satyridae) *dryas* Scopoli,1763; *drymeia* Fruhstorfer,1908; *spiripontis* Gaillard,1959; *bucica* Varin,1961; *annae* Douma-Petridou & Koufsafikis,1988.
- 3539.** *Minois dryas dryas* (Scopoli,1763) (Satyridae) *dryas* Scopoli,1763; *drymeia* Fruhstorfer,1908; *spiripontis* Gaillard,1959; *bucica* Varin,1961; *annae* Douma-Petridou & Koufsafikis,1988.
- 3540.** *Pararge aegeria* (Linnaeus,1758) (Satyridae) *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908.
- 3541.** *Pararge aegeria aegeria* (Linnaeus,1758) (Satyridae) *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908.
- 3542.** *Pararge aegeria tircis* (Godart,1821) (Satyridae) *tircis* Godart,1821; *egerides* Staudinger,1871; *camoena* Fruhstorfer,1908; *elegantia* Fruhstorfer,1909; *occidentalis* Lempke,1957.
- 3543.** *Proterebia afra* (Fabricius,1787) (Satyridae) *afra* Fabricius,1787
- 3544.** *Proterebia afra afra* (Fabricius,1787) (Satyridae) *afra* Fabricius,1787
- 3545.** *Pseudochazara* (Achazara) *anthelea* (Hübner,[1824]) (Satyridae) *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973.
- 3546.** *Pseudochazara* (Achazara) *anthelea anthelea* (Hübner,[1824]) (Satyridae) *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973.
- 3547.** *Pseudochazara* (Achazara) *anthelea selcuki* Van Oorschot et al.,1987 (Satyridae) *selcuki* Van Oorschot et al.,1987
- 3548.** *Pseudochazara* (Achazara) *telephassa* (Geyer,[1827]) (Satyridae) *telephassa* Geyer,[1827]
- 3549.** *Pseudochazara* (Achazara) *telephassa telephassa* (Geyer,[1827]) (Satyridae) *telephassa* Geyer,[1827]
- 3550.** *Pseudochazara* (s.str.) *beroe* (Freyer,[1843]) (Satyridae) *beroe* Freyer,[1843]
- 3551.** *Pseudochazara* (s.str.) *beroe beroe* (Freyer,[1843]) (Satyridae) *beroe* Freyer,[1843]
- 3552.** *Pseudochazara* (s.str.) *geyeri* (Herrich-Schäffer,[1846]) (Satyridae) *geyeri* Herrich-Schäffer,[1846]; *aristonius* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978
- 3553.** *Pseudochazara* (s.str.) *geyeri geyeri* (Herrich-Schäffer,[1846]) (Satyridae) *geyeri* Herrich-Schäffer,[1846]; *aristonius* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978
- 3554.** *Pseudochazara* (s.str.) *guriensis* (Staudinger,[1878]) (Satyridae) *guriensis* Staudinger,[1878]
- 3555.** *Pseudochazara* (s.str.) *guriensis guriensis* (Staudinger,[1878]) (Satyridae) *guriensis* Staudinger,[1878]
- 3556.** *Pseudochazara* (s.str.) *lydia* (Staudinger,1878) (Satyridae) *lydia* Staudinger,1878; *neglecta* Gross,1978; *bithyniae* Gross,1978.
- 3557.** *Pseudochazara* (s.str.) *lydia lydia* (Staudinger,1878) (Satyridae) *lydia* Staudinger,1878; *neglecta* Gross,1978; *bithyniae* Gross,1978.

- 3558.** *Pseudochazara* (s.str.) *lydia* nesrin Koçak, 1989 (Satyridae) *nesrin Koçak*, 1989
- 3559.** *Pseudochazara* (s.str.) *lydia* obscura (Staudinger, 1878) (Satyridae) *obscura* Staudinger, 1878
- 3560.** *Pseudochazara* (s.str.) *mamurra* (Herrich-Schäffer, [1846]) (Satyridae) *mamurra* Herrich-Schäffer, [1846]; *sintensis* Staudinger, 1895
- 3561.** *Pseudochazara* (s.str.) *mamurra* birgit Gross, 1978 (Satyridae) *birgit* Gross, 1978; *birgitae* Koçak, 1978
- 3562.** *Pseudochazara* (s.str.) *mamurra* *mamurra* (Herrich-Schäffer, [1846]) (Satyridae) *mamurra* Herrich-Schäffer, [1846]; *sintensis* Staudinger, 1895
- 3563.** *Pseudochazara* (s.str.) *mniszecii* (Herrich-Schäffer, [1851]) (Satyridae) *mniszecii* Herrich-Schäffer, [1851]
- 3564.** *Pseudochazara* (s.str.) *mniszecii* *eremicola* Gross, 1978 (Satyridae) *eremicola* Gross, 1978
- 3565.** *Pseudochazara* (s.str.) *mniszecii* *kirgisa* (Gerhard, 1882) (Satyridae) *caucasica* Lederer, 1864 nec Nordm., 1851; *kirgisa* Gerhard, 1882.
- 3566.** *Pseudochazara* (s.str.) *mniszecii* *mniszecii* Herrich-Schäffer, [1851] (Satyridae) *mniszecii* Herrich-Schäffer, [1851]
- 3567.** *Pseudochazara* (s.str.) *pelopea* (Klug, 1832) (Satyridae) *pelopea* Klug, 1832
- 3568.** *Pseudochazara* (s.str.) *pelopea* *persica* (Christoph, 1878) (Satyridae) *persica* Christoph, 1877
- 3569.** *Pyronia tithonus* (Linnaeus, 1771) (Satyridae) *tithonus* Linnaeus, 1771; *tiphon* Kühn, 1774; *pilosellae* Fabricius, 1775; *herse* Denis & Schiffermüller, 1775; *phaedra* Esper, 1776; *amaryllis* Fourcroy, 1785 nec Cramer, 1782; *tithone* Hübner, 1819; *britanniae* Verity, 1914; *bajocassensis* Moulton, 1938; *armoricus* Moulton, 1938
- 3570.** *Pyronia tithonus* *tithonus* (Linnaeus, 1771) (Satyridae) *tithonus* Linnaeus, 1771; *tiphon* Kühn, 1774; *pilosellae* Fabricius, 1775; *herse* Denis & Schiffermüller, 1775; *phaedra* Esper, 1776; *amaryllis* Fourcroy, 1785 nec Cramer, 1782; *tithone* Hübner, 1819; *britanniae* Verity, 1914; *bajocassensis* Moulton, 1938; *armoricus* Moulton, 1938
- 3571.** *Satyrus* (Asatyrus (s.str.)) *amasinus* Staudinger, 1861 (Satyridae) *bryce* Herrich-Schäffer, [1852] nec Hübn., [1800]; *amasinus* Staudinger, 1861
- 3572.** *Satyrus* (Asatyrus (s.str.)) *amasinus* *amasinus* Staudinger, 1861 (Satyridae) *bryce* Herrich-Schäffer, [1852] nec Hübn., [1800]; *amasinus* Staudinger, 1861
- 3573.** *Satyrus* (Asatyrus (s.str.)) *ferulus* (Fabricius, 1793) (Satyridae) *proserpina* Cyrillo, 1787 nec Denis & Schiff., 1775; *cordula* Fabricius, 1793; *ferula* Fabricius, 1793; *cyrillus* Herbst, 1796; *hyppolite* Herbst, 1796 nec Dru., 1782; *orsiera* De Prunner, 1798; *bryce* Hübner, [1800].
- 3574.** *Satyrus* (Asatyrus (s.str.)) *ferulus* *ferulus* (Fabricius, 1793) (Satyridae) *proserpina* Cyrillo, 1787 nec Denis & Schiff., 1775; *cordula* Fabricius, 1793; *ferula* Fabricius, 1793; *cyrillus* Herbst, 1796; *hyppolite* Herbst, 1796 nec Dru., 1782; *orsiera* De Prunner, 1798; *bryce* Hübner, [1800].
- 3575.** *Satyrus* (Asatyrus (s.str.)) *ferulus* *hadjinus* Heyne, [1895] (Satyridae) *hadjina* Heyne, [1895]
- 3576.** *Satyrus* (s.str.) *favonius* Staudinger, [1892] (Satyridae) *favonius* Staudinger, [1892]
- 3577.** *Satyrus* (s.str.) *favonius* *favonius* Staudinger, [1892] (Satyridae) *favonius* Staudinger, [1892]
- 3578.** *Satyrus* (s.str.) *parthicus* Lederer, 1869 (Satyridae) *parthicus* Lederer, 1869; *pimpla* sensu Wiltshire, 1957
- 3579.** *Satyrus* (s.str.) *parthicus* *parthicus* Lederer, 1869 (Satyridae) *parthicus* Lederer, 1869; *pimpla* sensu Wiltshire, 1957
- 3580.** *Enolmis acanthella* (Godart, 1824) (Scythridae) *acanthella* Godart, 1824
- 3581.** *Scythris* (aerariella-gr.) *anomaloptera* (Staudinger, 1880) (Scythridae) *anomaloptera* Staudinger, 1880; *ulluoai* Agenjo, 1969
- 3582.** *Scythris* (canescens-gr.) *canescens* (Staudinger, 1880) (Scythridae) *canescens* Staudinger, 1880
- 3583.** *Scythris* (elegantella-gr.) *limbella* (Fabricius, 1775) (Scythridae) *limbella* Fabricius, 1775; *variella* [Denis & Schiffermüller], 1775; *quadriguttella* Thunberg, 1794; *chenopodiella* Hübner, [1813]; *obscura* Staudinger, 1880.
- 3584.** *Scythris* (fallacella-gr.) *fallacella* (Schläger, 1847) (Scythridae) *fallacella* Schläger, 1847; *armatella* Herrich-Schäffer, 1855; *hydrargyrella* Steudel & Hofmann, 1882
- 3585.** *Scythris* (fuscoaeana-gr.) *vittella* (Costa, [1836]) (Scythridae) *vittella* Costa, [1836]; *restigerella* Zeller, 1839.
- 3586.** *Scythris* (gravatella-gr.) *gravatella* (Zeller, 1847) (Scythridae) *gravatella* Zeller, 1847; *vagabundella* Herrich-Schäffer, [1854]; *caradjae* Amsel, 1939; *flavidella* Passerin d'Entrèves, 1986 nec Preiss., 1911
- 3587.** *Scythris* (obscurella-gr.) *amphonycella* (Geyer, [1836]) (Scythridae) *amphonycella* Geyer, [1836]
- 3588.** *Scythris* (pascuella-gr.) *tabescentella* (Staudinger, 1880) (Scythridae) *tabescentella* Staudinger, 1880
- 3589.** *Scythris* (platypyga-gr.) *platypyga* (Staudinger, 1880) (Scythridae) *platypyga* Staudinger, 1880
- 3590.** *Scythris* (punctivittella-gr.) *emichi* (Anker, 1870) (Scythridae) *emichi* Anker, 1870
- 3591.** *Scythris* (punctivittella-gr.) *punctivittella* (Costa, [1836]) (Scythridae) *punctivittella* Costa, [1836]
- 3592.** *Scythris* (scopolella-gr.) *flabella* (Mann, 1861) (Scythridae) *flabella* Mann, 1861; *aurella* Caradja, 1920
- 3593.** *Scythris* (seliniella-gr.) *seliniella* (Zeller, 1839) (Scythridae) *seliniella* Zeller, 1839
- 3594.** *Scythris* (seliniella-gr.) *subseliniella* (Heinemann, 1876) (Scythridae) *subseliniella* Heinemann, 1876
- 3595.** *Scythris* (subfasciata-gr.) *subfasciata* (Staudinger, 1880) (Scythridae) *subfasciata* Staudinger, 1880
- 3596.** *Scythris aristidella* (Rebel, 1912) (Scythridae) *aristidella* Rebel, 1912
- 3597.** *Scythris asiatica* (Staudinger, 1880) (Scythridae) *asiatica* Staudinger, 1880
- 3598.** *Scythris caramani* (Staudinger, 1880) (Scythridae) *caramani* Staudinger, 1880
- 3599.** *Scythris iconiensis* Rebel, 1903 (Scythridae) *iconiensis* Rebel, 1903
- 3600.** *Scythris ottomana* Jäckh, 1978 (Scythridae) *ottomana* Jäckh, 1978
- 3601.** *Scythris paelopyga* (Staudinger, 1880) (Scythridae) *paelopyga* Staudinger, 1880
- 3602.** *Scythris tenuisquamata* (Staudinger, 1880) (Scythridae) *tenuisquamata* Staudinger, 1880
- 3603.** *Scythris zelleri* (Staudinger, 1880) (Scythridae) *zelleri* Staudinger, 1880
- 3604.** *Bembecia* (Pseudosphacia) *stiziformis* (Herrich-Schäffer, 1851) (Sesiidae) *stiziformis* Herrich-Schäffer, 1851; *tubercula* De Freina, 1983; *barbarossa* De Freina, 1983.
- 3605.** *Bembecia* (Pseudosphacia) *stiziformis* *fervida* (Lederer, 1855) (Sesiidae) *fervida* Lederer, 1855
- 3606.** *Bembecia* (Pseudosphacia) *stiziformis* *stiziformis* (Herrich-Schäffer, 1851) (Sesiidae) *stiziformis* Herrich-Schäffer, 1851; *tubercula* De Freina, 1983; *barbarossa* De Freina, 1983.
- 3607.** *Bembecia gegamica* Gorbunov, 1991 (Sesiidae) *gegamica* Gorbunov, 1991
- 3608.** *Bembecia illustris* (Rebel, 1901) (Sesiidae) *illustris* Rebel, 1901
- 3609.** *Bembecia lomatiaeformis* Lederer, 1853 (Sesiidae) *lomatiaeformis* Lederer, 1853
- 3610.** *Bembecia pontica* (Staudinger, 1891) (Sesiidae) *pontica* Staudinger, 1891
- 3611.** *Bembecia priesneri* Kallies et al., 1998 (Sesiidae) *priesneri* Kallies et al., 1998
- 3612.** *Bembecia sanguinolenta* (Lederer, 1853) (Sesiidae) *sanguinolenta* Lederer, 1853
- 3613.** *Bembecia scopigera* (Scopoli, 1763) (Sesiidae) *scopigera* Scopoli, 1763; *communis* Le Cerf, 1920
- 3614.** *Bembecia staryi* K. Spatenka & Gorbunov, 1992 (Sesiidae) *staryi* K. Spatenka & Gorbunov, 1992
- 3615.** *Bembecia syczjovi* Gorbunov, 1990 (Sesiidae) *syczjovi* Gorbunov, 1990
- 3616.** *Chamaesphacia albiventris* Lederer, 1853 (Sesiidae) *albiventris* Lederer, 1853
- 3617.** *Chamaesphacia alysoniformis* (Herrich-Schäffer, 1846) (Sesiidae) *alysoniformis* Herrich-Schäffer, 1846
- 3618.** *Chamaesphacia anatolica* Schwingenschuss, 1938 (Sesiidae) *anatolica* Schwingenschuss, 1938
- 3619.** *Chamaesphacia annellata* (Zeller, 1847) (Sesiidae) *annellata* Zeller, 1847; *ceriaeformis* Lederer, 1853 nec Luc., 1849; *musciniaeformis* Walker, 1856; *ceriiformis* Staudinger, 1856; *clermonti* Le Cerf, 1914
- 3620.** *Chamaesphacia astatifformis* (Herrich-Schäffer, 1846) (Sesiidae) *astatifformis* Herrich-Schäffer, 1846

- 3621.** *Chamaesphecia bibioniformis* (Esper,[1800]) (Sesiidae) *bibioniformis* Esper,[1800]; *tengyraeformis* Boisduval,1840; *tengiriformis* Rambur,1866; *myrsinites* Pinker,1954.
- 3622.** *Chamaesphecia diabarensis* Gorbunov,1987 (Sesiidae) *diabarensis* Gorbunov,1987
- 3623.** *Chamaesphecia doryceraeformis* (Lederer,1853) (Sesiidae) *doryceraeformis* Lederer,1853
- 3624.** *Chamaesphecia elampiformis* (Herrich-Schäffer,1851) (Sesiidae) *elampiformis* Herrich-Schäffer,1851
- 3625.** *Chamaesphecia gorbunovi* K.Spatenka,1992 (Sesiidae) *gorbunovi* K.Spatenka,1992
- 3626.** *Chamaesphecia masariformis* (Ochsenheimer,1808) (Sesiidae) *masariformis* Ochsenheimer,1808; *banchiformis* Hübner,[1813]; *allantiformis* Eversmann,1844 nec Newm.,1832; *loewii* Zeller,1847; *brandti* Le Cerf,1937; *djakonovi* Popescu-Gorj & Capuse,1966
- 3627.** *Chamaesphecia oxybeliformis* (Herrich-Schäffer,1846) (Sesiidae) *oxybeliformis* Herrich-Schäffer,1846
- 3628.** *Chamaesphecia proximata* (Staudinger,1871) (Sesiidae) *proximata* Staudinger,1871; *moreaui* Le Cerf,1911; *gravesi* Rebel,1927
- 3629.** *Chamaesphecia ruficoronata* Kallies, Petersen & Riefenstahl,1998 (Sesiidae) *ruficoronata* Kallies, Petersen & Riefenstahl,1998
- 3630.** *Chamaesphecia schmidtiformis* (Freyer,1836) (Sesiidae) *schmidtiformis* Freyer,1836
- 3631.** *Chamaesphecia thracica* Z.Lastuvka,1983 (Sesiidae) *thracica* Z.Lastuvka,1983
- 3632.** *Chamaesphecia turbida* Le Cerf,1937 (Sesiidae) *turbida* Le Cerf,1937
- 3633.** *Diphaspasia kopica* Gorbunov & Spatenka,2001 (Sesiidae) *kopica* Gorbunov & Spatenka,2001
- 3634.** *Diphaspasia lanipes* (Lederer,1863) (Sesiidae) *lanipes* Lederer,1863
- 3635.** *Euhagena palariiformis* (Lederer,1858) (Sesiidae) *palariiformis* Lederer,1858; *diocriiformis* Romanoff,1884; *rubrescens* Staudinger,1887; *almana* Rebel,1917
- 3636.** *Paranthrene diaphana* Dalla-Torre & Strand,1925 (Sesiidae) *diaphana* Dalla-Torre & Strand,1925
- 3637.** *Paranthrene insolita* Le Cerf,1914 (Sesiidae) *insolita* Le Cerf,1914; *aurantiacum* Rebel,1917.
- 3638.** *Paranthrene insolita insolita* Le Cerf,1914 (Sesiidae) *insolita* Le Cerf,1914; *aurantiacum* Rebel,1917.
- 3639.** *Paranthrene tabaniformis* (Rottemburg,1775) (Sesiidae) *tabaniformis* Rottemburg,1775; *asiliformis* [Denis & Schiffermüller],1775 nec Rott.,1775; *sesia* Gmelin,1779; *rhingiaeformis* Hübner,1790; *crabroniformis* Laspeyres,1801 nec Fabr.,1793; *tricincta* Harris,1839; *serratifomis* Freyer,1842; *rhingiiformis* Staudinger,1856; *denotata* Edwards,1882; *flammans* Hampson,1893
- 3640.** *Pennisetia hylaeiformis* (Laspeyres,1801) (Sesiidae) *hylaeiformis* Laspeyres,1801; *anomala* Dehne,1850.
- 3641.** *Pyropteron minianiformis* (Freyer,1843) (Sesiidae) *minianiformis* Freyer,1843
- 3642.** *Pyropteron minianiformis destitutum* (Staudinger,1894) (Sesiidae) *destitutum* Staudinger,1894
- 3643.** *Pyropteron triannuliformis* (Freyer,1845) (Sesiidae) *meriaeformis* Assmann,1845 nec Bsd.,1840; *trianuliformis* Freyer,1845; *braconiformis* Herrich-Schäffer,1846; *philanthiformis* Lederer,1853 nec Lasp.,1801; *armeniaca* Bartel,1906; *balcanica* Zukowsky,1929; *ljiljanae* Tosevski,1986; *pungeleri* K.Spatenka,1987
- 3644.** *Sesia apiformis* (Clerck,1759) (Sesiidae) *#apiformis* Clerck,1759; *crabroniformis* [Denis & Schiffermüller],1775; *sireciformis* Esper,1782; *tenebrioniformis* Esper,1782; *vespa* Retzius,1783
- 3645.** *Sesia pimplaeformis* Oberthür,1872 (Sesiidae) *pimplaeformis* Oberthür,1872
- 3646.** *Synansphecchia affinis* (Staudinger,1856) (Sesiidae) *affinis* Staudinger,1856
- 3647.** *Synansphecchia cirgisa* (Bartel,1912) (Sesiidae) *cirgisa* Bartel,1912
- 3648.** *Synansphecchia leucomelaena* (Zeller,1847) (Sesiidae) *leucomelaena* Zeller,1847
- 3649.** *Synansphecchia mannii* (Lederer,1853) (Sesiidae) *mannii* Lederer,1853
- 3650.** *Synanthedon andrenaeformis* (Laspeyres,1801) (Sesiidae) *andrenaeformis* Laspeyres,1801; *atlantiforme* Newman,1832; *andraeniformis* Westwood,1843; *andreniformis* Staudinger,1856
- 3651.** *Synanthedon andrenaeformis tenuicingulata* Spatenka,1997 (Sesiidae) *tenuicingulata* Spatenka,1997
- 3652.** *Synanthedon colchidensis* K.Spatenka & Gorbunov,1992 (Sesiidae) *colchidensis* K.Spatenka & Gorbunov,1992
- 3653.** *Synanthedon culiciformis* (Linnaeus,1758) (Sesiidae) *culiciformis* Linnaeus,1758; *culex* Retzius,1783; *americana* Beutenmüller,1896
- 3654.** *Synanthedon herzi* K.Spatenka & Gorbunov,1992 (Sesiidae) *herzi* K.Spatenka & Gorbunov,1992
- 3655.** *Synanthedon myopaeformis* (Borkhausen,1789) (Sesiidae) *myopaeformis* Borkhausen,1789; *mutillaeformis* Laspeyres,1801; *luctuosa* Lederer,1853; *myopiformis* Staudinger,1856; *elegans* Lederer,1861.
- 3656.** *Synanthedon rubiana* Kallies, M.Petersen & Riefenstahl,1998 (Sesiidae) *rubiana* Kallies, M.Petersen & Riefenstahl,1998
- 3657.** *Synanthedon stomoxiformis* (Hübner,1790) (Sesiidae) *stomoxiformis* Hübner,1790; *culiciformis* Scopoli,1763 nec Linn.,1758; *stomoxiformis* Hübner,1796; *amasina* Staudinger,1878.
- 3658.** *Synanthedon stomoxiformis amasinum* (Staudinger,1856) (Sesiidae) *amasina* Staudinger,1856
- 3659.** *Synanthedon vespiformis* (Linnaeus,1761) (Sesiidae) *vespiformis* Linnaeus,1761; *asiliformis* Rottemburg,1775; *oestriformis* Rottemburg,1775; *cynipiformis* Esper,1783; *chrysorrhoea* Donovan,1795
- 3660.** *Tinthia brosisiformis* (Hübner,[1813]) (Sesiidae) *brosisiformis* Hübner,[1813]
- 3661.** *Tinthia hoplisiformis* (Mann,1864) (Sesiidae) *hoplisiformis* Mann,1864
- 3662.** *Tinthia myrmosaeformis* (Herrich-Schäffer,1846) (Sesiidae) *myrmosaeformis* Herrich-Schäffer,1846; *#lucida* Lederer,1853; *myrmosiformis* Staudinger,1856.
- 3663.** *Acherontia atropos* (Linnaeus,1758) (Sphingidae) *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877.
- 3664.** *Acherontia atropos atropos* (Linnaeus,1758) (Sphingidae) *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877.
- 3665.** *Agrius convolvuli* (Linnaeus,1758) (Sphingidae) *convolvuli* Linnaeus,1758; *abadonna* Fabricius,1798; *pseudofasciatus* Koch,1865; *pseudococonvolvuli* Schaufuss,1870; *orientalis* Butler,1876; *distans* Butler,1876; *batatae* Christ,1882; *nigricans* Cannaviello,1900; *ichangensis* Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927
- 3666.** *Daphnis nerii* (Linnaeus,1758) (Sphingidae) *nerii* Linnaeus,1758; *infernelutea* Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934.
- 3667.** *Deilephila elpenor* (Linnaeus,1758) (Sphingidae) *elpenor* Linnaeus,1758
- 3668.** *Deilephila porcellus* (Linnaeus,1758) (Sphingidae) *porcellus* Linnaeus,1758
- 3669.** *Deilephila suellus* Staudinger,1878 (Sphingidae) *suellus* Staudinger,1878; *kuruschi* O.Bang-Haas,1938.
- 3670.** *Deilephila suellus suellus* Staudinger,1878 (Sphingidae) *suellus* Staudinger,1878; *kuruschi* O.Bang-Haas,1938.
- 3671.** *Hemaris (Cochrania) croatica* (Esper,[1779]) (Sphingidae) *croatica* Esper,[1779]; *sesia* Hübner,[1806]; *#obscurata* Closs,1911; *#rangnowi* Closs,1911.
- 3672.** *Hemaris (Eitschbergera) tityus* (Linnaeus,1758) (Sphingidae) *tityus* Linnaeus,1758; *bombyliiformis* Linnaeus,1758; *knautiae* Zeller,1869; *scabiosae* Zeller,1869; *alaiana* Rothschild & Jordan,1903; *karaugomica* Wojtusik & Niesiolowski,1946; *saldaitisi* Eitschberger, Danner & Surholt,1998
- 3673.** *Hemaris (s.str.) dentata* (Staudinger,1887) (Sphingidae) *dentata* Staudinger,1887
- 3674.** *Hemaris (s.str.) syra* (Daniel,1939) (Sphingidae) *syra* Daniel,1939; *#syriaca* Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt,2005
- 3675.** *Hyles conspicua* (Rothschild & Jordan,1903) (Sphingidae) *conspicua* Rothschild & Jordan,1903.
- 3676.** *Hyles gallii* (Rottemburg,1775) (Sphingidae) *gallii* Rottemburg,1775; *intermedia* Kirby,1837; *oxybaphi* Clemens,1859; *gallii* Kirby,1892; *sachaliensis* Matsumura,1929; *nepalensis* Daniel,1961; *tibetanica* Eichler,1971.

- 3677.** *Hyles gallii gallii* (Rottemburg,1775) (Sphingidae) *gallii* Rottemburg,1775; *intermedia* Kirby,1837; *oxybaphi* Clemens,1859; *gallii* Kirby,1892; *sachaliensis* Matsumura,1929; *nepalensis* Daniel,1961; *tibetanica* Eichler,1971.
- 3678.** *Hyles hippophaes* (Esper,[1789]) (Sphingidae) *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsafikis,1974.
- 3679.** *Hyles hippophaes bienerti* (Staudinger,1874) (Sphingidae) *bienerti* Staudinger,1874; *caucasica* Denso,1913; *caucasica* Clark,1922; *ornatus* Gehlen,1930; *transcaucasica* Gehlen,1932; *shugnana*, *bucharana* Sheljuzhko,1933; *anatolica* Rebel,1933; *malatianus* Gehlen,1934; *baltistana* O.Bang-Haas,1939.
- 3680.** *Hyles livornica* (Esper,[1780]) (Sphingidae) *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
- 3681.** *Hyles livornica livornica* (Esper,[1780]) (Sphingidae) *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
- 3682.** *Hyles nicaea* (Prunner,1798) (Sphingidae) *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813].
- 3683.** *Hyles siehei* (Püngeler,1903) (Sphingidae) *siehei* Püngeler,1903; *#privata* Austaut,1905.
- 3684.** *Hyles siehei siehei* (Püngeler,1903) (Sphingidae) *siehei* Püngeler,1903; *#privata* Austaut,1905.
- 3685.** *Laothoe populeti* (Bienert,[1870]) (Sphingidae) *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934.
- 3686.** *Laothoe populeti populeti* (Bienert,[1870]) (Sphingidae) *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934.
- 3687.** *Macroglossum stellatarum* (Linnaeus,1758) (Sphingidae) *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 3688.** *Macroglossum stellatarum stellatarum* (Linnaeus,1758) (Sphingidae) *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 3689.** *Marumba quercus* ([Denis & Schiffmüller],1775) (Sphingidae) *quercus* [Denis & Schiffmüller],1775; *denisii* Fuessly,1779; *#brunescens* Rebel,1910; *#canescens*, *pallidescens* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarrubia,1973.
- 3690.** *Marumba quercus quercus* ([Denis & Schiffmüller],1775) (Sphingidae) *quercus* [Denis & Schiffmüller],1775; *denisii* Fuessly,1779; *#brunescens* Rebel,1910; *#canescens*, *pallidescens* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarrubia,1973.
- 3691.** *Mimas tiliae* (Linnaeus,1758) (Sphingidae) *tiliae* Linnaeus,1758
- 3692.** *Proserpinus proserpinus* (Pallas,1772) (Sphingidae) *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffmüller],1775; *schiffmülleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima* Grum-Grshimailo,1887; *japetus* Grum-Grshimailo,1890; *gigas* Oberthür,1922.
- 3693.** *Proserpinus proserpinus proserpinus* (Pallas,1772) (Sphingidae) *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffmüller],1775; *schiffmülleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima* Grum-Grshimailo,1887; *japetus* Grum-Grshimailo,1890; *gigas* Oberthür,1922.
- 3694.** *Rethera komarovi* (Christoph,1885) (Sphingidae) *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1935.
- 3695.** *Rethera komarovi komarovi* (Christoph,1885) (Sphingidae) *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1935.
- 3696.** *Smerinthus kindermanni Lederer,1852* (Sphingidae) *kindermanni* Lederer,1852; *#obscura* Closs,1917
- 3697.** *Smerinthus kindermanni kindermanni Lederer,1852* (Sphingidae) *kindermanni* Lederer,1852; *#obscura* Closs,1917
- 3698.** *Smerinthus ocellatus* (Linnaeus,1758) (Sphingidae) *ocellatus* Linnaeus,1758
- 3699.** *Smerinthus ocellatus ocellatus* (Linnaeus,1758) (Sphingidae) *ocellatus* Linnaeus,1758
- 3700.** *Sphingonaepiopsis gorgoniades* (Hübner,[1819]) (Sphingidae) *gorgon* Esper,[1804] (*praeocc.*); *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974.
- 3701.** *Sphingonaepiopsis gorgoniades pfeifferi* (Zerny,1933) (Sphingidae) *pfeifferi* Zerny,1933.
- 3702.** *Sphinx ligustri Linnaeus,1758* (Sphingidae) *ligustri* Linnaeus,1758; *spiraeae* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998
- 3703.** *Sphinx ligustri ligustri Linnaeus,1758* (Sphingidae) *ligustri* Linnaeus,1758; *spiraeae* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998
- 3704.** *Sphinx pinastri Linnaeus,1758* (Sphingidae) *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon* De Freina & Witt,1987.
- 3705.** *Sphinx pinastri pinastri Linnaeus,1758* (Sphingidae) *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon* De Freina & Witt,1987.
- 3706.** *Thaumetopoea (Traumatocampa) pityocampa* ([Denis & Schiffmüller],1775) (Thaumetopoeidae) *#pityocampa* [Denis & Schiffmüller],1775
- 3707.** *Thaumetopoea (Traumatocampa) torosica* (M.Doğanlar,2005) (Thaumetopoeidae) *torosica* M.Doğanlar,2005
- 3708.** *Thaumetopoea (s.str.) processionea* (Linnaeus,1758) (Thaumetopoeidae) *processionea* Linnaeus,1758; *pseudosolitaria* Daniel,1951.
- 3709.** *Thaumetopoea (s.str.) solitaria* (Freyer,[1838]) (Thaumetopoeidae) *solitaria* Freyer,[1838]
- 3710.** *Achyla flavicornis* (Linnaeus,1758) (Thyatiridae) *flavicornis* Linnaeus,1758; *cinerea* Hufnagel,1766; *sulphureomaculata* Letzius,1783; *arcuata* Fourcroy,1785; *luteicornis* Haworth,1809
- 3711.** *Asphalia ruficollis* (Fabricius,1787) (Thyatiridae) *#ruficollis* [Denis & Schiffmüller],1775; *ruficollis* Fabricius,1787
- 3712.** *Cymatophorima diluta* ([Denis & Schiffmüller],1775) (Thyatiridae) *diluta* [Denis & Schiffmüller],1775
- 3713.** *Habrosyne pyritoides* (Hufnagel,1766) (Thyatiridae) *pyritoides* Hufnagel,1766; *derasa* Linnaeus,1767; *gloriosa* Boisduval,1852; *intermedia* Bremer,1864
- 3714.** *Polyploca korbi* Rebel,1901 (Thyatiridae) *korbi* Rebel,1901
- 3715.** *Tethea ocularis* (Linnaeus,1767) (Thyatiridae) *ocularis* Linnaeus,1767; *octogena* Esper,1788
- 3716.** *Tethea ocularis kosswigi* (Werny,[1967]) (Thyatiridae) *kosswigi* Werny,[1967]
- 3717.** *Tethea or* ([Denis & Schiffmüller],1775) (Thyatiridae) *#or* [Denis & Schiffmüller],1775; *gammagraecum* Retzius,1783; *consobrina* Borkhausen,1790; *gemina* Beckwith,1794 *nec* Vill.,1789; *terrosa* Graeser,1888; *graelica* Kane,1894; *fasciata* Spuler,1908; *obscura* Spuler,1908; *marginata* Warnecke,1911
- 3718.** *Thyris fenestrella* (Scopoli,1763) (Thyatiridae) *fenestrella* Scopoli,1763; *fenestrina* [Denis & Schiffmüller],1775; *marica* Cyrillo,1792; *pyralidiformis* Hübner,1796; *fenestrata* Schrank,1801; *nevadae* Oberthür,1888; *nigra* A.Bang-Haas,1910.
- 3719.** *Ateliotum hungaricellum* Zeller,1839 (Tineidae) *hungaricellum* Zeller,1839.
- 3720.** *Cephamallota crassiflavella* (Bruand,1851) (Tineidae) *crassiflavella* Bruand,1851; *simplicella* Zeller,1852.
- 3721.** *Ceratuncus affinitellus* (Rebel,1901) (Tineidae) *affinitellus* Rebel,1901; *#extinctella* Caradja,1920; *maraschensis* Rebel,1936; *irakella* Amsel,1949; *libanotica* Amsel,1951.
- 3722.** *Episcardia (Bilobatana) fuscoviolacella* (Ragonot,1895) (Tineidae) *violacella* Rebel,1893 (*praeocc.*); *fuscoviolacella* Ragonot,1895; *luteocapitella* Amsel,1935.
- 3723.** *Episcardia (s.str.) lardatella* (Lederer,1858) (Tineidae) *lardatella* Lederer,1858
- 3724.** *Eudarcia (Obesoceras) turcica* Gaedike,1997 (Tineidae) *turcica* Gaedike,1997
- 3725.** *Euplocamus anthracinalis* (Scopoli,1763) (Tineidae) *anthracinalis* Scopoli,1763; *anthracinella* [Denis & Schiffmüller],1775; *fuesslinella* Sulzer,1776; *guttella* Fabricius,1781; *anthracina* Borkhausen,1793; *fuesslinaria* Esper,[1801]; *guttatus* Latreille,1809; *amanalis* Osthelder,1935.
- 3726.** *Euplocamus ophius* (Cramer,[1779]) (Tineidae) *ophius* Cramer,[1779]

- 3727. *Fermocelina latiusculella* (Stainton,1867)** (Tineidae) *latiusculella* Stainton,1867
- 3728. *Hapsifera luridella* Zeller,1847** (Tineidae) *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 nec Zell.,1852; *eburnea* Butler,1881; *palaestinensis* Rebel,1901; *kerbelella* Amsel,1949
- 3729. *Hapsifera multiguttella* (Ragonot,1895)** (Tineidae) *multiguttella* Ragonot,1895; *jerichoella* Amsel,1935.
- 3730. *Infurcitinea anatolica* G.Petersen,1968** (Tineidae) *anatolica* G.Petersen,1968
- 3731. *Infurcitinea nigropluviella* (Walsingham,1907)** (Tineidae) *nigropluviella* Walsingham,1907; *maraschensis* G.Petersen,1968.
- 3732. *Infurcitinea tribertii* Gaedike,1983** (Tineidae) *tribertii* Gaedike,1983; *tribertii* Baldizzone,1983.
- 3733. *Infurcitinea turcica* G.Petersen,1968** (Tineidae) *turcica* G.Petersen,1968
- 3734. *Monopis imella* (Hübner,[1813])** (Tineidae) *imella* Hübner,[1813]; *nitidella* Zaguljaev,1960.
- 3735. *Montescardia tessulatellus* (Lienig & Zeller,1846)** (Tineidae) *tessulatellus* Lienig & Zeller,1846
- 3736. *Myrmecozela (Flavida) insignis* Amsel,1935** (Tineidae) *insignis* Amsel,1935; *stichograpta* Meyrick,1936; *diacona* Amsel,1949
- 3737. *Myrmecozela (Flavida) lutosella* (Eversmann,1844)** (Tineidae) *lutosella* Eversmann,1844
- 3738. *Nemapogon anatolica* Gaedike,1986** (Tineidae) *anatolica* Gaedike,1986
- 3739. *Nemapogon arenbergeri* Gaedike,1986** (Tineidae) *arenbergeri* Gaedike,1986
- 3740. *Nemapogon granella* (Linnaeus,1758)** (Tineidae) *granella* Linnaeus,1758; *domesticella* Scopoli,1763; *fenestrella* Scopoli,1763 (*praecocc.*); *nebulosella* Fourcroy,1785; *tesserella* Fabricius,1794; *costotristrigella* Chambers,1873; *marmorella* Chambers,1873; *fuscumaculella* Chambers,1875; *mancuniella* Hodgkinson,1880; *nigroatomella* Dietz,1905; *fuscicomella* Wörz,1958
- 3741. *Nemapogon gravosaella* G.Petersen,1957** (Tineidae) *gravosaella* G.Petersen,1957; *signatellus* G.Petersen,1960; *borshomi* Zaguljaev,1964.
- 3742. *Nemapogon inconditella* (Lucas,1956)** (Tineidae) *inconditella* Lucas,1956; *buckwelli* Lucas,1956; *heydeni* G.Petersen,1957; *hispanellus* Gozmany,1960; *thomasi* Capuşe,1975.
- 3743. *Nemapogon kasyi* Gaedike,1986** (Tineidae) *kasyi* Gaedike,1986.
- 3744. *Nemapogon quercicolella* (Zeller,1852)** (Tineidae) *quercicolellus* Zeller,1852
- 3745. *Nemapogon ruricolella* (Stainton,1859)** (Tineidae) *ruricolella* Stainton,1859; *cochylidella* Stainton,1854.
- 3746. *Nemapogon signatella* G.Petersen,1957** (Tineidae) *signatellus* G.Petersen,1957
- 3747. *Nemapogon variatella* (Clemens,1859)** (Tineidae) *variata* Clemens,1859; *personella* Pierce & Metcalf,1934; *secalella* Zacher,1938; *infinella* Corbet,1943.
- 3748. *Nemapogon vartianae* Gaedike,1986** (Tineidae) *vartianae* Gaedike,1986
- 3749. *Niditinea fuscella* (Linnaeus,1758)** (Tineidae) *fuscella* Linnaeus,1758; *spretella* [Denis & Schiffermüller],1775; *crinitella* Schrank,1802; *fuscipunctella* Haworth,[1828]; *nubilipennella* Clemens,1859; *abligatella* Walker,1863; *eurinella* Zaguljaev,1952; *distant* Gozmany,1959.
- 3750. *Novotinea fasciata* (Staudinger,1879)** (Tineidae) *fasciata* Staudinger,1879
- 3751. *Perissomastix (s.str.) biskraella* (Rebel,1901)** (Tineidae) *biskraella* Rebel,1901; *intermediella* Turati,1926.
- 3752. *Perissomastix (s.str.) crassicornella* (Zeller,1847)** (Tineidae) *crassicornella* Zeller,1847
- 3753. *Petalographis orientalis* (G.Petersen,1961)** (Tineidae) *orientalis* G.Petersen,1961
- 3754. *Rhodobates laevigatellus* (Herrich-Schäffer,[1854])** (Tineidae) *laevigatellus* Herrich-Schäffer,[1854].
- 3755. *Rhodobates pallipallus* Rebel,1901** (Tineidae) *pallipallus* Rebel,1901; *atactopis* Meyrick,1937.
- 3756. *Tinea murariella* Staudinger,1859** (Tineidae) *murariella* Staudinger,1859; *bipunctella* Ragonot,1874.
- 3757. *Tinea pellionella* Linnaeus,1758** (Tineidae) *pellionella* Linnaeus,1758; *zoolegella* Scopoli,1763; *albella* Costa,[1836] nec Thunberg,1788; *demiurga* Meyrick,1920; *gerasimovi* Zaguljaev,1978.
- 3758. *Tinea trinotella* Thunberg,1794** (Tineidae) *trinotella* Thunberg,1794; *ganomella* Treitschke,1833; *lappella* auct.
- 3759. *Triaxomera fulvimitrella* (Sodoffsky,1830)** (Tineidae) *fulvimitrella* Sodoffsky,1830
- 3760. *Trichophaga tapetzella* (Linnaeus,1758)** (Tineidae) *tapetzella* Linnaeus,1758; *pulchella* Fabricius,1794; *pulchana* Fabricius,1798; *#tapezana* Fabricius,1798; *#apetiella* Zeller,1839; *palaestrica* Butler,1877
- 3761. *Emmetia angusticollella* (Duponchel,1843)** (Tischeriidae) *angusticollella* Duponchel,1843; *aurifrontella* Ragonot,1874.
- 3762. *Tischeria ekebladella* (Bjerkander,1795)** (Tischeriidae) *ekebladella* Bjerkander,1795; *complanella* Hübner,[1817].
- 3763. *Acleris boscanoides* Razowski,1959** (Tortricidae) *boscanoides* Razowski,1959
- 3764. *Acleris comariana* (Lienig & Zeller,1846)** (Tortricidae) *comariana* Lienig & Zeller,1846; *proteana* Herrich-Schäffer,1851; *potentillana* Wilkinson,1859.
- 3765. *Acleris cristana* ([Denis & Schiffermüller],1775)** (Tortricidae) *cristana* [Denis & Schiffermüller],1775; *rossiana* Fabricius,1794; *desfontainana* Fabricius,1794; *profanana* Fabricius,1794; *ephippana* Donovan,1794; *sericana* Hübner,[1799]; *spadiceana* Haworth,1811; *ruficostana* Curtis,1824; *brunneana* Stephens,1834; *vittana* Stephens,1834; *consimilana* Stephens,1834; *albovitana* Stephens,1834; *lefebvrana* Duponchel,1835; *lichenana* Curtis,1835; *semiustana* Curtis,1835; *sequana* Curtis,1835; *subcristalana* Curtis,1835; *insulana* Curtis,1835; *bentleyana* Curtis,1835; *alboflammana* Curtis,1835; *chantana* Curtis,1835; *ruficristana* Johnson,1842; *gumpinana* Johnson,1842; *unicolorana* Desvignes,1845; *curtisana* Desvignes,1845.
- 3766. *Acleris kochiella* (Goeze,1783)** (Tortricidae) *kochiella* Goeze,1783; *ternatella* Fourcroy,1785; *boscana* Fabricius,1794; *cerusana* Hübner,[1799]; *ulmana* Duponchel,1836; *parisiana* Guenée,1845.
- 3767. *Acleris logiana* (Clerck,1759)** (Tortricidae) *logiana* Clerck,1759; *treueriana* Denis & Schiffermüller,1775; *niveana* Fabricius,1787; *mulzeriana* Hübner,[1825]; *scotana* Stephens,1852; *placidana* Robinson,1869; *trisiniana* Robinson,1869.
- 3768. *Acleris quercinana* (Zeller,1849)** (Tortricidae) *quercinana* Zeller,1849; ? *mucidana* Peyerimhoff,1874
- 3769. *Acleris rhombana* ([Denis & Schiffermüller],1775)** (Tortricidae) *rhombana* [Denis & Schiffermüller],1775; *reticulata* Ström,1783; *centrana* Fabricius,1794; *contaminana* Hübner,[1799]; *ciliana* Hübner,[1799]; *obscurana* Donovan,1806 nec Schr.,1802; *dimidiana* Frölich,1828.
- 3770. *Acleris variegana* ([Denis & Schiffermüller],1775)** (Tortricidae) *variegana* [Denis & Schiffermüller],1775; *asperana* Fabricius,1777; *osbeckiana* Thunberg,1784; *nyctemerana* Hübner,[1817]; *blandiana* Charpentier,1821; *blandana* Hübner,[1825]; *cirrana* Curtis,1835; *albana* Humpreys & Westwood,1845; *insignana* Herrich-Schäffer, 1851.
- 3771. *Aethes bilbaensis* (Rössler,1877)** (Tortricidae) *bilbaensis* Rössler,1877; *loxopteroides* Walsingham,1903; *mediterranea* Rebel,1906; *reclusa* Meyrick,1923.
- 3772. *Aethes cremonana* (Ragonot,1894)** (Tortricidae) *cremonana* Ragonot,1894
- 3773. *Aethes eryngiella* (Vallot,1829)** (Tortricidae) *eryngiella* Vallot,1829; *flagellana* Duponchel,1836; *helveticana* Heyden,1865; *eryngiana* Heyden,1865; *sardoa* Amsel,1952.
- 3774. *Aethes francillana* (Fabricius,1794)** (Tortricidae) *francillana* Fabricius,1794; *francillonana* Humprey & Westwood,1845; *ferulae* Müller-Rutz,1920.
- 3775. *Aethes kasyi* Razowski,1962** (Tortricidae) *kasyi* Razowski,1962
- 3776. *Aethes kindermanniana* (Treitschke,1830)** (Tortricidae) *kindermanniana* Treitschke,1830
- 3777. *Aethes margaritifera* Falkovitsh,1963** (Tortricidae) *margaritifera* Falkovitsh,1963
- 3778. *Aethes margarotana* (Duponchel,1836)** (Tortricidae) *margarotana* Duponchel,1836; *maritimana* Guenée,1845; *scabidulana* Lederer,1855; *capnospila* Meyrick,1912; *parallellana* Kennel,1913; *edrisitana* Chrétien,1922; *paronyma* Meyrick,1932.
- 3779. *Aethes mauritanica* (Walsingham,1898)** (Tortricidae) *mauritanica* Walsingham,1898; *#mauretanica* Kennel,1910; *cornelia* Turati,1924; *albella* Amsel,1952.
- 3780. *Aethes moribundana* (Staudinger,1859)** (Tortricidae) *moribundana* Staudinger,1859; *respirantana* Staudinger,1879;

dispersana Kennel, 1899; *dilutana* Kennel, 1899; *helvolana* Kennel, 1900; *lanceolata* Filipjev, 1924.

3781. *Aethes munda* Karisch, 2003 (Tortricidae) *munda* Karisch, 2003

3782. *Aethes nefandana* (Kennel, 1899) (Tortricidae) *nefandana* Kennel, 1899; *diacrisiana* Rebel, 1903; *chersonana* Obratsov, 1937.

3783. *Aethes pannosana* (Kennel, 1913) (Tortricidae) *pannosana* Kennel, 1913

3784. *Aethes smeathmanniana* (Fabricius, 1781) (Tortricidae) *smeathmanniana* Fabricius, 1781; *fabriciana* Hübner, [1799]; *biviana* Duponchel, 1842; *stachydana* Herrich-Schäffer, 1851; *scissana* Walker, 1863.

3785. *Aethes tesserana* ([Denis & Schiffermüller], 1775) (Tortricidae) *tesserana* [Denis & Schiffermüller], 1775; *aleella* Sulzer, 1776; *heiserana* Fabricius, 1787; *groendalana* Thunberg, 1791.

3786. *Aethes tesserana magister* (Walsingham, 1900) (Tortricidae) *magister* Walsingham, 1900

3787. *Aethes tornella* (Walsingham, 1898) (Tortricidae) *tornella* Walsingham, 1898

3788. *Aethes williana* (Brahm, 1791) (Tortricidae) *williana* Brahm, 1791; *cembrana* Hübner, [1825]; *zephyrana* Treitschke, 1830; *dubrisana* Curtis, 1834; *marmoratana* Curtis, 1834; *luteolana* Stephens, 1834; *virginana* Guenée, 1845; *loriculana* Guenée, 1849; *costignata* Filipjev, 1926.

3789. *Agapeta hamana* (Linnaeus, 1758) (Tortricidae) *hamana* Linnaeus, 1758; *trigonana* [Denis & Schiffermüller], 1775; *citrinella* Fourcroy, 1785; *cruciana* Fabricius, 1787; *diversana* Hübner, 1793

3790. *Aleimma loeflingianum* (Linnaeus, 1758) (Tortricidae) *loeflingiana* Linnaeus, 1758; *mixtana* Fabricius, 1794; *plumbana* Hübner, [1799]; *ectypa* Hübner, [1800]; *plumbeolana* Haworth, 1811

3791. *Ancylis achatana* ([Denis & Schiffermüller], 1775) (Tortricidae) *achatana* [Denis & Schiffermüller], 1775; *inarmorana* Hübner, [1799]; *steveni* Portchinskij, 1888

3792. *Ancylis apicella* ([Denis & Schiffermüller], 1775) (Tortricidae) *apicella* [Denis & Schiffermüller], 1775; *leeana* Fabricius, 1777; *plumbana* Fabricius, 1787; *siculana* Hübner, [1799]; *alpina* Weber, 1936

3793. *Ancylis comptana* (Frölich, 1828) (Tortricidae) *comptana* Frölich, 1828; *conflexana* Walker, 1863; *pulchellana* Clemens, 1864; *lamiana* Clemens, 1864; *fragariae* Walsh & Riley, 1869; *floridana* Zeller, 1875; *amblygona* Zeller, 1875; *cometana* Walsingham, 1879; *sculpta* Meyrick, 1922

3794. *Ancylis paludana* (Barrett, 1871) (Tortricidae) *paludana* Barrett, 1871; *rhusana* Fuchs, 1903.

3795. *Aphelia* (Zelothereses) (*ochreana* Hübner, [1799]) (Tortricidae) *ferugana* Hübner, 1793 (*homonym*); *ochreana* Hübner, [1799]; *shaqlawana* Amsel, 1955; *chretieni* Obratsov, 1957

3796. *Aphelia* (Zelothereses) *icteratana* (Staudinger, 1880) (Tortricidae) *icteratana* Staudinger, 1880

3797. *Aphelia* (Zelothereses) *ignoratana* (Staudinger, 1879) (Tortricidae) *ignoratana* Staudinger, 1879

3798. *Apotomis capreana* (Hübner, [1817]) (Tortricidae) *capreana* Hübner, [1817]

3799. *Archips crataeganus* (Hübner, [1799]) (Tortricidae) *crataegana* Hübner, [1799]; *roborana* Hübner, [1799]

3800. *Archips podanus* (Scopoli, 1763) (Tortricidae) *podana* Scopoli, 1763; *fulvana* [Denis & Schiffermüller], 1775; *pyrastrana* Hübner, [1799]; *congenerana* Hübner, [1824]; *sauberiana* Sorhagen, 1882; *vulpeculana* Fuchs, 1903.

3801. *Archips rosanus* (Linnaeus, 1758) (Tortricidae) *rosana* Linnaeus, 1758; *avellana* Linnaeus, 1758; *ameriana* Linnaeus, 1758; *laevigana* [Denis & Schiffermüller], 1775; *oxycanthana* Hübner, [1799]; *acerana* Hübner, [1799]; *nebulana* Stephens, 1834

3802. *Archips xylosteanus* (Linnaeus, 1758) (Tortricidae) *xylosteana* Linnaeus, 1758; *obliquana* Fabricius, 1781; *westriniana* Thunberg, 1784; *densata* Fourcroy, 1785; *densana* Villers, 1789; *characterana* Hübner, 1793; *hybnerana* Fabricius, 1794; *pallens* Kennel, 1901

3803. *Bactra* (s.str.) *furfurana* (Haworth, [1811]) (Tortricidae) *furfurana* Haworth, [1811]; *gozmaniana* Toll, 1958

3804. *Bactra* (s.str.) *lancealana* (Hübner, [1799]) (Tortricidae) *lancealana* Hübner, [1799]; *#lanceolana* Hübner, [1822]; *egestana* Haworth, 1811; *plagana* Haworth, 1811; *dibeliana* Hübner, [1819]; *rufana* Stephens, 1834; *nigrovittana* Stephens, 1852

3805. *Bactra* (s.str.) *robustana* (Christoph, 1872) (Tortricidae) *robustana* Christoph, 1872; *griseana* A.M.Djakonov, 1929; *grisea* A.M.Djakonov, 1929; *scirpicolana* Pierce, 1935

3806. *Celypha anatoliana* (Caradja, 1916) (Tortricidae) *anatoliana* Caradja, 1916

3807. *Celypha cespitana* (Hübner, [1817]) (Tortricidae) ? *umbriana* Scopoli, 1763; *cespitana* Hübner, [1817]; *gramineana* Curtis, 1831; *poana* Zeller, 1875

3808. *Celypha rivulana* (Scopoli, 1763) (Tortricidae) *rivulana* Scopoli, 1763; *rivellana* Fabricius, 1775; *fasciella* Goeze, 1783; *undulatella* Fourcroy, 1785; *conchana* Hübner, [1799]

3809. *Celypha striana* ([Denis & Schiffermüller], 1775) (Tortricidae) *striana* [Denis & Schiffermüller], 1775; *rusticana* Hübner, [1799]; *biliturana* Donovan, 1806; *fasciolana* Hübner, [1817].

3810. *Choristoneura hebenstreitella* (Müller, 1764) (Tortricidae) *hebenstreitella* Müller, 1764; *pyrana* Villers, 1789; *sorbiana* Hübner, [1799]

3811. *Clepsis consimilana* (Hübner, [1817]) (Tortricidae) *consimilana* Hübner, [1817]; *unifasciana* Duponchel, 1843; *productana* Zeller, 1847; *obliterana* Herrich-Schäffer, 1851; *peregrinana* Stephens, 1852; *eatoniana* Ragonot, 1881; *semiana* Chrétien, 1915; *acclivana* Zerny, 1933; *placida* Diakonoff, 1948

3812. *Clepsis rurinana* (Linnaeus, 1758) (Tortricidae) *rurinana* Linnaeus, 1758; *moderiana* Linnaeus, 1761; *angulosa* Fourcroy, 1785; *semialbana* Guenée, 1845; *idana* Kennel, 1919; *liotoma* Meyrick, 1935.

3813. *Cnephasia* (*Cnephasiella*) *abrasana* (Duponchel, 1843) (Tortricidae) *abrasana* Duponchel, 1843

3814. *Cnephasia* (*Cnephasiella*) *incertana* (Treitschke, 1835) (Tortricidae) *incertana* Treitschke, 1835; *subjectana* Guenée, 1845; *minorana* Herrich-Schäffer, 1851; *barbarana* Walsingham, 1900; *kurdistan* Amsel, 1955; *atticana* Razowski, 1958

3815. *Cnephasia* (s.str.) *asiatica* Kuznetsov, 1956 (Tortricidae) *asiatica* Kuznetsov, 1956

3816. *Cnephasia* (s.str.) *chrysanthæana* (Duponchel, 1843) (Tortricidae) *chrysanthæana* Duponchel, 1843; *cinareana* Chrétien, 1892; *#cinereana* Meyrick, 1912

3817. *Cnephasia* (s.str.) *communana* (Herrich-Schäffer, [1851]) (Tortricidae) *communana* Herrich-Schäffer, [1851]

3818. *Cnephasia* (s.str.) *heringi* Razowski, 1958 (Tortricidae) *heringi* Razowski, 1958

3819. *Cnephasia* (s.str.) *kenneli* Obratsov, 1956 (Tortricidae) *obsoletana* Kennel, 1901 nec Wd., 1832; *kenneli* Obratsov, 1956.

3820. *Cnephasia* (s.str.) *korvaci* Razowski, 1965 (Tortricidae) *korvaci* Razowski, 1965

3821. *Cnephasia* (s.str.) *orientana* (Alpheraky, 1877) (Tortricidae) *orientana* Alpheraky, 1877

3822. *Cnephasia* (s.str.) *pasiuana* (Hübner, [1799]) (Tortricidae) *pasiuana* Hübner, [1799]; *obsoletana* Stephens, 1835; *pumicana* Zeller, 1847; *#pasivana* Staudinger, 1879; *crassifasciana* Joannis, 1920; *linophagana* Rebel, 1939; *pyrophagana* Rebel, 1939; *cleuana* Réal, 1952; *pseudotypica* Réal, 1952; *algerana* Réal, 1953; *blezynskii* Toll, 1953; *hagiosana* Razowski, 1959

3823. *Cnephasia* (s.str.) *sedana* (Constant, 1884) (Tortricidae) *sedana* Constant, 1884; *marcidana* Kennel, 1901; *valderiana* Turati & Verity, 1912; *alaicana* Caradja, 1916; *agathana* Kennel, 1919; *obscurana* Osthelder, 1938; *oricasis* Meyrick, 1932; *amseli* Razowski, 1957; *pirizanica* Razowski, 1965

3824. *Cnephasia* (s.str.) *stephensiana* (Doubleday, 1849) (Tortricidae) *stephensiana* Doubleday, 1849

3825. *Cnephasia* (s.str.) *stephensiana* *anatoliana* Obratsov, 1950 (Tortricidae) *anatoliana* Obratsov, 1950

3826. *Cnephasia* (s.str.) *tianshanica* Filipjev, 1934 (Tortricidae) *tianshanica* Filipjev, 1934; *osthelderi* Obratsov, 1950; *sareptana* Razowski, 1959; *alatauana* Razowski, 1961.

3827. *Cnephasia* (s.str.) *tristrami* (Walsingham, 1900) (Tortricidae) *tristrami* Walsingham, 1900

3828. *Cochylimorpha alternana* (Stephens, 1834) (Tortricidae) *alternana* Stephens, 1834; *#gigantana* Doubleday, 1849; *moscovana* Kennel, 1913; *cinnamomella* Turati & C.G.Krüger, 1936.

3829. *Cochylimorpha diana* (Kennel, 1899) (Tortricidae) *diana* Kennel, 1899; *iraniana* Razowski, 1963.

3830. *Cochylimorpha eburneana* (Kennel, 1899) (Tortricidae) *eburneana* Kennel, 1899

3831. *Cochylimorpha elongana* (Fischer v. Röslerstamm, 1839) (Tortricidae) *elongana* Fischer v. Röslerstamm, 1839; *impurana* Mann, 1855; *favillana* Staudinger, 1859; *tetricana* Mann, 1864

- 3832.** *Cochylimorpha fucosa* (Razowski,1970) (Tortricidae) *fucosa* Razowski,1970
- 3833.** *Cochylimorpha hilarana* (Herrich-Schäffer,[1851]) (Tortricidae) *hilarana* Herrich-Schäffer,[1851]; *rheticana* LaHarpe,1864; *dilutana* Caradja,1916.
- 3834.** *Cochylimorpha langeana* (Kalchberg,1897) (Tortricidae) *langeana* Kalchberg,1897; *anticyphas* Meyrick,1936; *hannemanni* Razowski,1961
- 3835.** *Cochylimorpha meridiana* (Staudinger,1859) (Tortricidae) *meridiana* Staudinger,1859; *claviculana* Mann,1863; *frauenfeldi* Mann,1871; *naeviferana* Kennel,1899; *priscillana* Kennel,1919.
- 3836.** *Cochylimorpha nomadana* (Erschoff,1874) (Tortricidae) *nomadana* Erschoff,1874
- 3837.** *Cochylimorpha sparsana* (Staudinger,1879) (Tortricidae) *sparsana* Staudinger,1879
- 3838.** *Cochylimorpha straminea* (Haworth,[1811]) (Tortricidae) *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosana* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *glaisana* Lucas,1942; *pallens* Lucas,1954.
- 3839.** *Cochylimorpha wiltshirei* Razowski,1963 (Tortricidae) *wiltshirei* Razowski,1963
- 3840.** *Cochylis defessana* (Mann,1861) (Tortricidae) *defessana* Mann,1861; *centaureana* Staudinger,1879.
- 3841.** *Cochylis epilinana* Duponchel,1842 (Tortricidae) *epilinana* Duponchel,1842; *carpophilana* Staudinger,1859.
- 3842.** *Cochylis hybridella* (Hübner,[1813]) (Tortricidae) *hybridella* Hübner,[1813]; *dissolutana* Herrich-Schäffer,[1847]; *carduana* Zeller,1847; *clarana* Caradja,1916.
- 3843.** *Cochylis pallidana* Zeller,1847 (Tortricidae) *pallidana* Zeller,1847
- 3844.** *Cochylis pallidana glaseri* Kasy,1972 (Tortricidae) *glaseri* Kasy,1972
- 3845.** *Cochylis posterana* Zeller,1847 (Tortricidae) *posterana* Zeller,1847; *nubivagana* Zerny,1935; *hyrcana* Toll,1947.
- 3846.** *Cochylis suaveolana* Fuchs,1903 (Tortricidae) *suaveolana* Fuchs,1903
- 3847.** *Crociosema plebejana* Zeller,1847 (Tortricidae) *plebejana* Zeller,1847; *altheana* Mann,1855; *lavaterana* Millièr,1863; *peregrinana* Möschler,1866; *obscura* Wollaston,1879; *blackburnii* Butler,1881; *signatana* Walsingham,1894; *ptiladelpha* Meyrick,1917; *insulana* Aurivillius,1922; *synneurota* Meyrick,1926; *tornocycla* Turner,1946; *charmera* Turner,1946.
- 3848.** *Croesia holmiana* (Linnaeus,1758) (Tortricidae) *holmiana* Linnaeus,1758; *stellata* Fourcroy,1785; *stellatella* Villers,1789.
- 3849.** *Cryptocochylis conjunctana* (Mann,1864) (Tortricidae) *conjunctana* Mann,1864; *grapholitana* Kennel,1913.
- 3850.** *Cydia adjunctana* (Kennel,1901) (Tortricidae) *adjunctana* Kennel,1901
- 3851.** *Cydia amplana* (Hübner,[1799]) (Tortricidae) *amplana* Hübner,[1799]; *molybdana* Constant,1884
- 3852.** *Cydia duplicana* (Zetterstedt,1839) (Tortricidae) *duplicana* Zetterstedt,1839
- 3853.** *Cydia honorana* (Herrich-Schäffer,1851) (Tortricidae) *honorana* Herrich-Schäffer,1851
- 3854.** *Cydia leucogrammana* (Hofmann,1898) (Tortricidae) *leucogrammana* Hofmann,1898
- 3855.** *Cydia microgrammana* (Guenée,1845) (Tortricidae) *microgrammana* Guenée,1845
- 3856.** *Cydia pomonella* (Linnaeus,1758) (Tortricidae) *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859
- 3857.** *Cydia pyrivora* Danilevsky,1947 (Tortricidae) *pyrivora* Danilevsky,1947; *dannehli* Obraztsov,1950
- 3858.** *Cydia succedana* ([Denis & Schiffermüller],1775) (Tortricidae) *succedana* [Denis & Schiffermüller],1775; *asseclana* Hübner,[1800] nec [Den. & Schiff.],1775; *griseana* Osthelder,1938
- 3859.** *Cydia triangulella* (Goeze,1783) (Tortricidae) *triangulella* Goeze,1783; *bicolorata* Fourcroy,1785; *splendana* Hübner,[1799]; *glandella* Schrank,1802; *reaumurana* Heyden,1860
- 3860.** *Cydia ulicetana* (Haworth,[1811]) (Tortricidae) *ulicetana* Haworth,[1811]; *consequana* Zeller,1847; *micaceana* Constant,1865.
- 3861.** *Diceratura rhodograptia* Djakonov,1929 (Tortricidae) *rhodograptia* Djakonov,1929
- 3862.** *Diceratura roseofasciana* (Mann,1855) (Tortricidae) *roseofasciana* Mann,1855; *aequana* Caradja,1916; *keredjana* Razowski,1963.
- 3863.** *Dichrorampha agilana* (Tengström,1848) (Tortricidae) *agilana* Tengström,1848
- 3864.** *Dichrorampha alpinana* (Treitschke,1830) (Tortricidae) *alpinana* Treitschke,1830; *quaestionana* Zeller,1878
- 3865.** *Dichrorampha coniana* Obraztsov,1953 (Tortricidae) *coniana* Obraztsov,1953
- 3866.** *Dichrorampha eximia* (Danilevsky,1948) (Tortricidae) *eximia* Danilevsky,1948; *obraztsovi* Amsel,1959
- 3867.** *Dichrorampha gruneriana* (Herrich-Schäffer,1851) (Tortricidae) *gruneriana* Herrich-Schäffer,1851
- 3868.** *Dichrorampha petiverella* (Linnaeus,1758) (Tortricidae) *petiverella* Linnaeus,1758; *albinella* Linnaeus,1758; *dorsana* Fabricius,1775; *jacquiniana* [Denis & Schiffermüller],1775; *petiverana* Haworth,1809; *stelliferana* Curtis,1831; *gigantana* Staudinger,1879
- 3869.** *Dichrorampha plumbagana* (Treitschke,1830) (Tortricidae) *plumbagana* Treitschke,1830; *salicetana* Prittwitz,1844; *subsequana* Wocke,1871
- 3870.** *Dichrorampha sequana* (Hübner,[1799]) (Tortricidae) *sequana* Hübner,[1799]
- 3871.** *Eana* (Eutrachia) *goiiana* (Linnaeus,1761) (Tortricidae) *#argentana* Clerck,1759; *goiiana* Linnaeus,1761; *govana* Fabricius,1775; *argyria* Retzius,1783; *gerningiana* Villers,1789; *margaritalis* Hübner,1790; *magnana* Hübner,[1813]; *georgiella* Hulst,1887
- 3872.** *Endothenia gentianaeana* (Hübner,[1799]) (Tortricidae) *? bidella* Fourcroy,1785; *gentianaeana* Hübner,[1799]; *gentianana* Hübner,[1825]; *oblongana* Haworth,[1811]; *sellana* Frölich,1828; *desertana* Staudinger,1879; *adelana* Rebel,1892.
- 3873.** *Endothenia oblongana* (Haworth,[1811]) (Tortricidae) *oblongana* Haworth,[1811]; *sellana* Frölich,1828.
- 3874.** *Endothenia sororiana* (Herrich-Schäffer,[1851]) (Tortricidae) *#sororiana* Herrich-Schäffer,[1850]; *sororiana* Herrich-Schäffer,[1851]; *phlomidana* Staudinger,1871.
- 3875.** *Epagoge grotiana* (Fabricius,1781) (Tortricidae) *grotiana* Fabricius,1781; *flaviana* Hübner,[1799]; *ochreana* Hübner,[1799]; *artificiana* Herrich-Schäffer,1851; *amasiana* Caradja,1916.
- 3876.** *Epiblema costipunctana* (Haworth,[1811]) (Tortricidae) *costipunctana* Haworth,[1811]; *argyrana* Stephens,1829; *trigeminana* Stephens,1834; *poecilana* Guenée,1845; *ravulana* Herrich-Schäffer,1851
- 3877.** *Epiblema graphana* (Treitschke,1835) (Tortricidae) *graphana* Treitschke,1835; *pierretana* Duponchel,1836
- 3878.** *Epiblema scutulana* ([Denis & Schiffermüller],1775) (Tortricidae) *scutulana* [Denis & Schiffermüller],1775; *luctuosana* Duponchel,1836; *novana* Guenée,1845; *alsaticana* Peyerimhoff,1872
- 3879.** *Epinotia abbreviana* (Fabricius,1794) (Tortricidae) *abbreviana* Fabricius,1794; *trimaculana* Donovan,1806; *ulmariana* Duponchel,[1843]; *excruciana* Stephens,1852
- 3880.** *Epinotia dalmatana* Rebel,1891 (Tortricidae) *dalmatana* Rebel,1891; *mesopotamica* Obraztsov,1952
- 3881.** *Epinotia festivana* (Hübner,[1799]) (Tortricidae) *festivana* Hübner,[1799]
- 3882.** *Epinotia immundana* (Fischer v. Röslerstamm,1839) (Tortricidae) *immundana* Fischer v. Röslerstamm,1839
- 3883.** *Epinotia kochiana* Herrich-Schäffer,[1851] (Tortricidae) *kochiana* Herrich-Schäffer,[1851]
- 3884.** *Epinotia rhododendrana* (Herrich-Schäffer,1847) (Tortricidae) *rhododendrana* Herrich-Schäffer,1847
- 3885.** *Epinotia thapsiana* (Zeller,1847) (Tortricidae) *thapsiana* Zeller,1847
- 3886.** *Eucosma agnatana* (Christoph,1872) (Tortricidae) *agnatana* Christoph,1872
- 3887.** *Eucosma aspidiscana* (Hübner,[1817]) (Tortricidae) *aspidiscana* Hübner,[1817]
- 3888.** *Eucosma conformana* (Mann,1872) (Tortricidae) *conformana* Mann,1872; *umbratana* Staudinger,1879; *significantana* Kennel,1901.
- 3889.** *Eucosma gypsata* (Kennel,1921) (Tortricidae) *gypsata* Kennel,1921
- 3890.** *Eucosma paetulana* (Kennel,1901) (Tortricidae) *paetulana* Kennel,1901

- 3891.** *Eucosma recentana* (Zerny,1933) (Tortricidae) *recentana* Zerny,1933
- 3892.** *Eucosma sparsana* (Rebel,1935) (Tortricidae) *sparsana* Rebel,1935
- 3893.** *Eucosma urbana* (Kennel,1901) (Tortricidae) *urbana* Kennel,1901
- 3894.** *Eugnosta lathoniana* (Hübner,[1800]) (Tortricidae) *lathoniana* Hübner,[1800]
- 3895.** *Eugnosta magnificana* (Rebel,1914) (Tortricidae) *margaritana* Hübner,[1813] *nec* Haw.,[1811]; ? *norvichiana* Hübner,[1817] [nomina dubia!]; *magnificana* Rebel,1914.
- 3896.** *Eupoecilia ambiguella* (Hübner,1796) (Tortricidae) *ambiguella* Hübner,1796; *omphaciella* Faure-Bignet de Simonest,1801; *roserana* Frölich,1828; *turbinaris* Meyrick,1928
- 3897.** *Falseuncaria ruficiliana* (Haworth,[1811]) (Tortricidae) *ciliella* Hübner,[1796] *nec* [Denis & Schiff.],1775; *ruficiliana* Haworth,[1811]; *coniana* Fuchs,1903; *tectana* Fuchs,1903.
- 3898.** *Fulvoclysia dictyodana* (Staudinger,1879) (Tortricidae) *dictyodana* Staudinger,1879
- 3899.** *Fulvoclysia nermineae* Koçak,1982 (Tortricidae) *fulvana* Fischer von Rösslerstamm,[1836] *nec* [Denis & Schiff.],1775; *nermineae* Koçak,1982.
- 3900.** *Fulvoclysia proxima* Razowski,1970 (Tortricidae) *proxima* Razowski,1970
- 3901.** *Grapholita caecana* (Schläger,1847) (Tortricidae) *caecana* Schläger,1847; *obcaecana* Ragonot,1876
- 3902.** *Grapholita compositella* (Fabricius,1775) (Tortricidae) *compositella* Fabricius,1775; *quadrella* Goeze,1783; *quadratella* Fourcroy,1785; *composana* Fabricius,1798; *gundiana* Hübner,[1799]; *compositana* Haworth,1802; *simillimana* Toll,1953
- 3903.** *Grapholita coronillana* (Lienig & Zeller,1846) (Tortricidae) ? *turcica* Fourcroy,1785; *coronillana* Lienig & Zeller,1846; *moldovana* Caradja,1899
- 3904.** *Grapholita nebritana* (Treitschke,1830) (Tortricidae) *nebritana* Treitschke,1830
- 3905.** *Grapholita orobana* (Treitschke,1830) (Tortricidae) *orobana* Treitschke,1830; *strandiana* Fuchs,1901; *persicana* Osthelder,1938
- 3906.** *Grapholita pallifrontana* (Lienig & Zeller,1846) (Tortricidae) ? *elegantana* Frölich,1828; *pallifrontana* Lienig & Zeller,1846; *filana* Herrich-Schäffer,1851
- 3907.** *Grapholita tenebrosana* (Duponchel,1843) (Tortricidae) *tenebrosana* Duponchel,1843; *roseticolana* Zeller,1849
- 3908.** *Gypsonoma aceriana* (Duponchel,1843) (Tortricidae) *aceriana* Duponchel,1843
- 3909.** *Gypsonoma dealbana* (Frölich,1828) (Tortricidae) *dealbana* Frölich,1828; *alnetana* Guenée,1845
- 3910.** *Gypsonoma minutana* (Hübner,[1799]) (Tortricidae) *minutana* Hübner,[1799]; *vermiculana* Duponchel,1836
- 3911.** *Gypsonoma simulantana* (Staudinger,1879) (Tortricidae) *simulantana* Staudinger,1879
- 3912.** *Gypsonoma sociana* (Haworth,[1811]) (Tortricidae) *sociana* Haworth,[1811]; *neglectana* Duponchel,1844
- 3913.** *Hedya dimidiana* (Clerck,1759) (Tortricidae) *#dimidiana* Clerck,1759; *schreberiana* Linnaeus,1761
- 3914.** *Hedya nubiferana* (Haworth,[1811]) (Tortricidae) *dimidioalba* Retzius,1783; *variegana* Hübner,[1799] *nec* [Denis & Schiff.],1775; *nubiferana* Haworth,[1811]
- 3915.** *Hedya pruniana* (Hübner,[1799]) (Tortricidae) *pruniana* Hübner,[1799]; *pruneticolana* Zeller,1849
- 3916.** *Hedya salicella* (Linnaeus,1758) (Tortricidae) *salicella* Linnaeus,1758; *salicana* [Denis & Schiffermüller],1775
- 3917.** *Hysterophora maculosana* (Haworth,[1811]) (Tortricidae) *maculosana* Haworth,[1811]; *purgatana* Treitschke,1835; *porculana* Mann,1862.
- 3918.** *Isotrias hybridana* (Hübner,[1817]) (Tortricidae) *cingulana* Scopoli,1772; *hybridana* Hübner,[1817]; *puellana* Frölich,1828; *pedemontana* Staudinger,1871; *figalana* Millière,1884; *castiliana* Ragonot,1894
- 3919.** *Kenneliola fagiglandana* (Zeller,1841) (Tortricidae) *grossana* Haworth,[1811] *nec* Thunb.,1791; *fagiglandana* Zeller,1841.
- 3920.** *Lobesia (s.str.) artemisiana* (Zeller,1847) (Tortricidae) *artemisiana* Zeller,1847; *trifasciana* Herrich-Schäffer,1851; *amaryllana* Millière,1875.
- 3921.** *Lobesia (s.str.) indusiana* (Zeller,1847) (Tortricidae) *indusiana* Zeller,1847; *stataeana* Millière,1869; *cognata* Obratzov,1949.
- 3922.** *Lobesia (s.str.) subherculeana* (Filipjev,1925) (Tortricidae) *subherculeana* Filipjev,1925
- 3923.** *Lobesia (s.str.) vitisana* (Jacquin,1788) (Tortricidae) *#botrana* [Denis & Schiffermüller],1775; *vitisana* Jacquin,1788; *rosmarinana* Millière,1865.
- 3924.** *Metendothenia atropunctana* (Zetterstedt,1839) (Tortricidae) *atropunctana* Zetterstedt,1839; *ochromelana* Guenée,1845
- 3925.** *Neosphaloptera nubilana* (Hübner,[1799]) (Tortricidae) ? *alniana* [Denis & Schiffermüller],1775; *nubilana* Hübner,[1799]; *glareana* Schrank,1802; *perfusana* Haworth,1811; *conradii* Portshinkij,1888
- 3926.** *Notocelia aquana* (Hübner,[1799]) (Tortricidae) *#roborana* [Denis & Schiffermüller],1775; *aquana* Hübner,[1799].
- 3927.** *Notocelia cynosbatella* (Linnaeus,1758) (Tortricidae) *cynosbatella* Linnaeus,1758; *cynosbana* Fabricius,1775; *tripunctana* [Denis & Schiffermüller],1775; *#cynobatella* Razowski,1966; *damascena* Tuleskov & Nikolova,1967.
- 3928.** *Notocelia incarnatana* (Hübner,[1800]) (Tortricidae) *incarnatana* Hübner,[1800]; *amoenana* Hübner,[1817].
- 3929.** *Notocelia trimaculana* (Haworth,[1811]) (Tortricidae) *trimaculana* Haworth,[1811]; *suffusana* Duponchel,1843.
- 3930.** *Notocelia uddmanniana* (Linnaeus,1758) (Tortricidae) *uddmanniana* Linnaeus,1758
- 3931.** *Olethreutes (Argyroplote) delitana* (Staudinger,1879) (Tortricidae) *delitana* Staudinger,1879; *laurentiana* Kennel,1919; *flava* Kennel,1919.
- 3932.** *Olethreutes (Argyroplote) ernestiana* Obratzov,1961 (Tortricidae) *ernestiana* Obratzov,1961
- 3933.** *Olethreutes (Argyroplote) stibiana* (Guenée,1845) (Tortricidae) *stibiana* Guenée,1845; *sibirana* Caradja,1916; *fluviana* Kennel,1919.
- 3934.** *Pammene albuginana* (Guenée,1845) (Tortricidae) *albuginana* Guenée,1845; *reisseri* Rebel,1937
- 3935.** *Pammene fasciana* (Linnaeus,1761) (Tortricidae) *fasciana* Linnaeus,1761; *trinotata* Frölich,1828; *juliana* Curtis,1836; *nimbana* Herrich-Schäffer,1851; *herrichiana* Heinemann,1854
- 3936.** *Pammene gallicolana* (Lienig & Zeller,1846) (Tortricidae) *gallicolana* Lienig & Zeller,1846
- 3937.** *Pammene mariana* (Zerny,1920) (Tortricidae) *mariana* Zerny,1920; *pontica* Obratzov,1960
- 3938.** *Pammene rhediella* (Linnaeus,1761) (Tortricidae) *#rhediella* Clerck,1759; *rhediella* Linnaeus,1761; *daldorfana* Fabricius,1787; *dimidiana* Donovan,[1804]; *rhediana* Hübner,[1825]; *parvulana* Frölich,1828
- 3939.** *Pelochrista arabescana* (Eversmann,1844) (Tortricidae) *arabescana* Eversmann,1844
- 3940.** *Pelochrista caecimaculana* (Hübner,[1799]) (Tortricidae) *caecimaculana* Hübner,[1799]; *kollariana* Herrich-Schäffer,[1851]
- 3941.** *Pelochrista hepatariana* (Herrich-Schäffer,[1851]) (Tortricidae) *hepatariana* Herrich-Schäffer,[1851]; *obnuptana* Herrich-Schäffer,[1851]
- 3942.** *Pelochrista infidana* (Hübner,[1824]) (Tortricidae) *infidana* Hübner,[1824]; *bulgarica* Soffner,1967
- 3943.** *Pelochrista medullana* (Staudinger,1880) (Tortricidae) *medullana* Staudinger,1880
- 3944.** *Pelochrista modicana* (Zeller,1847) (Tortricidae) *modicana* Zeller,1847; *definitana* Kennel,1901; *hinnebergiana* Fuchs,1902; *modestana* Herrich-Schäffer,[1851]
- 3945.** *Pelochrista prefractana* (Kennel,1901) (Tortricidae) *prefractana* Kennel,1901
- 3946.** *Phalonidia acutana* (Kennel,1913) (Tortricidae) *acutana* Kennel,1913
- 3947.** *Phalonidia albipalpana* (Zeller,1847) (Tortricidae) *albipalpana* Zeller,1847
- 3948.** *Phalonidia amasiana* (Ragonot,1894) (Tortricidae) *amasiana* Ragonot,1894
- 3949.** *Phalonidia contractana* (Zeller,1847) (Tortricidae) *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925.
- 3950.** *Phalonidia manniana* (Fischer v. Röslerstamm,1839) (Tortricidae) *manniana* Fischer v. Röslerstamm,1839; *notulana* Zeller,1847; *udana* Guenée,1845; *tolli* Razowski,1960.

- 3951.** *Phaneta pauperana* (Duponchel, 1843) (Tortricidae) *pauperana* Duponchel, 1843
- 3952.** *Phtheochroa duponchelana* (Duponchel, 1843) (Tortricidae) *duponchelana* Duponchel, 1843; *duponcheliana* Costa, 1847; *gloriosana* Herrich-Schäffer, 1851; *syriaca* Walsingham, 1900
- 3953.** *Phtheochroa larseni* Huemer, 1990 (Tortricidae) *larseni* Huemer, 1990
- 3954.** *Phtheochroa procerana* (Lederer, 1853) (Tortricidae) *procerana* Lederer, 1853
- 3955.** *Phtheochroa rugosana* (Hübner, [1799]) (Tortricidae) *rugosana* Hübner, [1799]; *v-albana* Donovan, 1806.
- 3956.** *Phtheochroa unionana* (Kennel, 1900) (Tortricidae) *unionana* Kennel, 1900
- 3957.** *Prochlidonia ochromixtana* (Kennel, 1913) (Tortricidae) *ochromixtana* Kennel, 1913
- 3958.** *Pseudeulia asinana* (Hübner, [1799]) (Tortricidae) *asinana* Hübner, [1799]
- 3959.** *Ptycholoma lecheana* (Linnaeus, 1758) (Tortricidae) *lecheana* Linnaeus, 1758; *obsoletana* Stephens, 1834
- 3960.** *Rhyacionia buoliana* ([Denis & Schiffermüller], 1775) (Tortricidae) *buoliana* [Denis & Schiffermüller], 1775; *herbstella* Goetz, 1783; *thurificana* Lederer, 1855; *#bouliana* Kalchberg, 1897
- 3961.** *Sparganoths pilleriana* (Denis & Schiffermüller, 1775) (Tortricidae) *pilleriana* [Denis & Schiffermüller], 1775
- 3962.** *Spilonota ocellana* ([Denis & Schiffermüller], 1775) (Tortricidae) *ocellana* [Denis & Schiffermüller], 1775; *luscana* Fabricius, 1794; *comitana* Hübner, [1799]; *pyrifolia* Clemens, 1860; *occulana* Harris, 1862; *zellerana* Borgmann, 1895; *centralasiae* Obratzsov, 1949
- 3963.** *Thiodia citrana* (Hübner, [1799]) (Tortricidae) *citrana* Hübner, [1799]; *libanicolana* Obratzsov, 1964.
- 3964.** *Thiodia couleruana* (Duponchel, 1835) (Tortricidae) *couleruana* Duponchel, 1835; *castiliana* Caradja, 1917; *pseudodelitanus* Obratzsov, 1952
- 3965.** *Thiodia fessana* (Mann, 1873) (Tortricidae) *fessana* Mann, 1873
- 3966.** *Thiodia trochilana* (Frölich, 1828) (Tortricidae) *trochilana* Frölich, 1828; *delitana* Fischer v. Rösslerstamm, [1839]
- 3967.** *Tortricodes selma* Koçak, 1991 (Tortricidae) *selma* Koçak, 1991
- 3968.** *Tortrix viridana* (Linnaeus, 1758) (Tortricidae) *viridana* Linnaeus, 1758; *sutneriana* [Denis & Schiffermüller], 1775; *flavipes* Fourcroy, 1785; *flavana* Zincken, 1821 nec Hübner, [1799]; *coeruleana* Sorhagen, 1881.
- 3969.** *Trachysmia aureopunctana* (Ragonot, 1894) (Tortricidae) *aureopunctana* Ragonot, 1894
- 3970.** *Trachysmia palpana* (Ragonot, 1894) (Tortricidae) *palpana* Ragonot, 1894
- 3971.** *Argyresthia (Blastotere) impura* (Staudinger, 1879) (Yponomeutidae) *impura* Staudinger, 1879
- 3972.** *Argyresthia (s.str.) conjugella* Zeller, 1839 (Yponomeutidae) *conjugella* Zeller, 1839; ? *aerariella* Stainton, 1871
- 3973.** *Argyresthia (s.str.) pretiosa* Staudinger, 1879 (Yponomeutidae) *pretiosa* Staudinger, 1879
- 3974.** *Argyresthia (s.str.) spinosella* Stainton, 1849 (Yponomeutidae) *mendica* auct; *spinosella* Stainton, 1849.
- 3975.** *Atemelia torquatella* (Lienig & Zeller, 1846) (Yponomeutidae) *torquatella* Lienig & Zeller, 1846; *fuscifrontella* Stainton, 1849
- 3976.** *Digitivalva glaseri* Gaedike, 1971 (Yponomeutidae) *glaseri* Gaedike, 1971.
- 3977.** *Niphonympha albella* (Zeller, 1847) (Yponomeutidae) *albella* Zeller, 1847; *dealbatella* Zeller, 1847; *immaculanella* Bruand, 1850; *cignivicinella* Bruand, 1859
- 3978.** *Paraswammerdamia lutarea* (Haworth, [1828]) (Yponomeutidae) *lutarea* Haworth, [1828]
- 3979.** *Plutella (Anadetia) porrectella* (Linnaeus, 1758) (Yponomeutidae) *porrectella* Linnaeus, 1758; *hesperidis* Retzius, 1783; *julianella* Olivier, 1789; *hesperidella* Hübner, 1796; *vittatus* Fabricius, 1798
- 3980.** *Plutella (s.str.) xylostella* (Linnaeus, 1758) (Yponomeutidae) *xylostella* Linnaeus, 1758; *cinerea* Fourcroy, 1785 nec Hufn., 1766; *xylostei* Fabricius, 1798; *maculipennis* Curtis, 1832; *niveella* Zeller, 1839; *cruciferarum* Zeller, 1843; *brassicella* Fitch, 1856; *limbipennella* Clemens, 1860; *mollipedella* Clemens, 1860; *cicerella* Rondani, 1876; *dubiosella* Beutenmüller, 1889; *albovenosa* Walsingham, 1897; *megapterella* Benthinck, 1934
- 3981.** *Pseudoswammerdamia combinella* (Hübner, 1786) (Yponomeutidae) *combinella* Hübner, 1786
- 3982.** *Rhigognostis senilella* (Zetterstedt, [1839]) (Yponomeutidae) *senilella* Zetterstedt, [1839]; *dalella* Stainton, 1849; *marmarosella* Wocke, 1850
- 3983.** *Swammerdamia caesiella* (Hübner, 1796) (Yponomeutidae) *caesiella* Hübner, 1796; *heroldella* Hübner, [1825]; *caesia* Haworth, 1828; *nubeculella* Tengström, 1848; *griseocapitella* Stainton, 1851
- 3984.** *Yponomeuta cognagellus* (Hübner, [1813]) (Yponomeutidae) *cognagella* Hübner, [1813]
- 3985.** *Yponomeuta malinellus* Zeller, 1838 (Yponomeutidae) *malinellus* Zeller, 1838
- 3986.** *Yponomeuta padellus* (Linnaeus, 1758) (Yponomeutidae) *padella* Linnaeus, 1758; *evonymella* Scopoli, 1763 nec Linn., 1758; *malinella* Zeller, 1838; *variabilis* Zeller, 1844; *diffuellus* Heinemann, 1870.
- 3987.** *Yponomeuta plumbellus* ([Denis & Schiffermüller], 1775) (Yponomeutidae) *plumbellus* [Denis & Schiffermüller], 1775; *nigrifimbriatus* Christoph, 1882
- 3988.** *Yponomeuta rorrellus* (Hübner, 1796) (Yponomeutidae) *rorrella* Hübner, 1796; *helicella* Freyer, 1827; *rorea* Haworth, 1828.
- 3989.** *Ypsolopha albiramella* (Mann, 1861) (Yponomeutidae) *albiramella* Mann, 1861
- 3990.** *Ypsolopha excisella* (Lederer, 1855) (Yponomeutidae) *excisella* Lederer, 1855
- 3991.** *Ypsolopha instabilella* (Mann, 1866) (Yponomeutidae) *instabilella* Mann, 1866
- 3992.** *Ypsolopha manniella* (Staudinger, 1879) (Yponomeutidae) *manniella* Staudinger, 1879
- 3993.** *Ypsolopha persicella* (Fabricius, 1787) (Yponomeutidae) *persicella* Fabricius, 1787; *sulphurella* Hübner, 1793; *#persicellume* Noack, 1960.
- 3994.** *Ypsolopha sculpturella* (Herrich-Schäffer, [1854]) (Yponomeutidae) *sculpturella* Herrich-Schäffer, [1854]
- 3995.** *Ypsolopha semitessella* (Mann, 1861) (Yponomeutidae) *semitessella* Mann, 1861
- 3996.** *Ypsolopha trichonella* (Mann, 1861) (Yponomeutidae) *trichonella* Mann, 1861
- 3997.** *Ypsolopha ustella* (Clerck, 1759) (Yponomeutidae) *#ustella* Clerck, 1759; *ciliella* [Denis & Schiffermüller], 1775; *radiatella* Donovan, 1794 nec Fourc., 1785; *variella* Hübner, 1796 nec [Den. & Schiff.], 1775; *fissella* Hübner, 1796; *cornutus* Fabricius, 1798; *unguiculatus* Fabricius, 1798; *parallela* Panzer, 1799; *byssinella* Hübner, [1813]; *quiquepunctatus* Haworth, 1828; *lutosus* Haworth, 1828; *flaviciliatus* Haworth, 1828; *varians* Haworth, 1828; *fissus* Haworth, 1828; *radiatus* Haworth, 1828; *fulvella* Duponchel, 1839
- 3998.** *Ypsolopha vittella* (Linnaeus, 1758) (Yponomeutidae) *vittella* Linnaeus, 1758; *sisymbrella* Denis & Schiffermüller, [1775]; *lanceolata* Fabricius, 1777; *lancea* Borkhausen, 1792; *dorsella* Fabricius, 1794; *dorsatus* Fabricius, 1798; *#vittellum* Noack, 1960.
- 3999.** *Adscita (s.str.) capitalis* (Staudinger, 1878) (Zygaenidae) *capitalis* Staudinger, 1878
- 4000.** *Adscita (s.str.) obscura* (Zeller, 1847) (Zygaenidae) *obscura* Zeller, 1847; *anceps* Staudinger, 1862.
- 4001.** *Adscita (s.str.) obscura obscura* (Zeller, 1847) (Zygaenidae) *obscura* Zeller, 1847; *anceps* Staudinger, 1862.
- 4002.** *Adscita (s.str.) obscura pallida* (Alberti, 1938) (Zygaenidae) *pallida* Alberti, 1938
- 4003.** *Adscita (s.str.) statices* (Linnaeus, 1758) (Zygaenidae) *statices* Linnaeus, 1758; *turcosa* Retzius, 1783; *stuticus* Fourcroy, 1785; *micans* Freyer, 1833; *extensa* Alberti, 1937; *anomala* Verity, 1946; *lutrinensis* Heuser, 1960; *heuseri* Reichl, 1964
- 4004.** *Adscita (s.str.) statices drenowskii* Alberti, 1939 (Zygaenidae) *drenowskii* Alberti, 1939
- 4005.** *Adscita (s.str.) storaiae* Tarmann, 1977 (Zygaenidae) *storaiae* Tarmann, 1977
- 4006.** *Jordanita (Lucasiterna) subsolana* (Staudinger, 1862) (Zygaenidae) *subsolana* Staudinger, 1862
- 4007.** *Jordanita (Praviela) anatolica* (Naufock, 1929) (Zygaenidae) *anatolica* Naufock, 1929; *levantina* Jordan, 1931; *pfeifferi* Naufock, 1935; ? *christinae* Keil, 1998.
- 4008.** *Jordanita (Rjabovia) horni* (Alberti, 1937) (Zygaenidae) *horni* Alberti, 1937; *#armena* Alberti, 1970.

4009. *Jordanita (Roccia) budensis* (Speyer & Speyer, 1858) (Zygaenidae) *budensis* Speyer & Speyer, 1858
4010. *Jordanita (Roccia) hector* (Jordan, 1909) (Zygaenidae) *hector* Jordan, 1909; *monotona* Alberti, 1937
4011. *Jordanita (Roccia) paupera* (Christoph, 1887) (Zygaenidae) *paupera* Christoph, 1887; *mollis* Grun-Grshimailo, 1893; *hamifera* Jordan, 1909; *tamerlana* Alberti, 1937; *minor* Alberti, 1937
4012. *Jordanita (Roccia) volgensis* (Möschler, 1862) (Zygaenidae) *volgensis* Möschler, 1862
4013. *Jordanita (Roccia) volgensis grandis* (Alberti, 1974) (Zygaenidae) *grandis* Alberti, 1974
4014. *Jordanita (Tremewania) notata* (Zeller, 1847) (Zygaenidae) *notata* Zeller, 1847
4015. *Jordanita (s.str.) chloros* (Hübner, [1813]) (Zygaenidae) *chloros* Hübner, [1813]; *sepium* Boisduval, 1834.
4016. *Jordanita (s.str.) chloros chloros* (Hübner, [1813]) (Zygaenidae) *chloros* Hübner, [1813]; *sepium* Boisduval, 1834.
4017. *Jordanita (s.str.) graeca* (Jordan, 1907) (Zygaenidae) *graeca* Jordan, 1907; *sultana* Alberti, 1937
4018. *Jordanita (s.str.) tenuicornis* (Zeller, 1847) (Zygaenidae) *tenuicornis* Zeller, 1847
4019. *Rhagades (Wiegelia) amasina* (Herrich-Schäffer, 1851) (Zygaenidae) *amasina* Herrich-Schäffer, 1851
4020. *Zygaena (Agrumenia) carniolica* (Scopoli, 1763) (Zygaenidae) *carniolica* Scopoli, 1763
4021. *Zygaena (Agrumenia) carniolica amasina* Staudinger, 1879 (Zygaenidae) *amasina* Staudinger, 1879
4022. *Zygaena (Agrumenia) carniolica atatuerki* Tremewan, 1970 (Zygaenidae) *atatuerki* Tremewan, 1970
4023. *Zygaena (Agrumenia) carniolica suavis* Burgeff, 1926 (Zygaenidae) *suavis* Burgeff, 1926
4024. *Zygaena (Agrumenia) carniolica tokatensis* Tremewan, 1970 (Zygaenidae) *tokatensis* Tremewan, 1970
4025. *Zygaena (Agrumenia) formosa* Herrich-Schäffer, [1852] (Zygaenidae) *formosa* Herrich-Schäffer, [1852]
4026. *Zygaena (Agrumenia) olivieri* Boisduval, 1828 (Zygaenidae) *olivieri* Boisduval, 1828
4027. *Zygaena (Agrumenia) sedi* Fabricius, 1787 (Zygaenidae) *sedi* Fabricius, 1787
4028. *Zygaena (Agrumenia) sedi kocaki* S.Naumann & C.M.Naumann, 1980 (Zygaenidae) *kocaki* S.Naumann & C.M.Naumann, 1980
4029. *Zygaena (Mesembrynus) araratensis* Reiss, 1935 (Zygaenidae) *araratensis* Reiss, 1935
4030. *Zygaena (Mesembrynus) araratensis lycaonica* Reiss, 1935 (Zygaenidae) *lycaonica* Reiss, 1935
4031. *Zygaena (Mesembrynus) brizae* (Esper, 1800) (Zygaenidae) *brizae* Esper, 1800
4032. *Zygaena (Mesembrynus) cambysea* Lederer, 1870 (Zygaenidae) *cambysea* Lederer, 1870
4033. *Zygaena (Mesembrynus) cambysea rosacea* Romanoff, 1884 (Zygaenidae) *rosacea* Romanoff, 1884
4034. *Zygaena (Mesembrynus) cuvieri* Boisduval, 1828 (Zygaenidae) *cuvieri* Boisduval, 1828
4035. *Zygaena (Mesembrynus) cuvieri cuvieri* Boisduval, 1828 (Zygaenidae) *cuvieri* Boisduval, 1828
4036. *Zygaena (Mesembrynus) cuvieri melitensis* Koch, 1941 (Zygaenidae) *melitensis* Koch, 1941
4037. *Zygaena (Mesembrynus) laeta* (Hübner, 1790) (Zygaenidae) *laeta* Hübner, 1790
4038. *Zygaena (Mesembrynus) laeta akschehirensis* Reiss, 1929 (Zygaenidae) *akschehirensis* Reiss, 1929
4039. *Zygaena (Mesembrynus) lydia* Staudinger, 1887 (Zygaenidae) *lydia* Staudinger, 1887
4040. *Zygaena (Mesembrynus) lydia lydia* Staudinger, 1887 (Zygaenidae) *lydia* Staudinger, 1887
4041. *Zygaena (Mesembrynus) minos* ([Denis & Schiffermüller], 1775) (Zygaenidae) *minos* [Denis & Schiffermüller], 1775.
4042. *Zygaena (Mesembrynus) minos anadoluica* Tremewan, 1970 (Zygaenidae) *anadoluica* Tremewan, 1970
4043. *Zygaena (Mesembrynus) minos diaphana* Staudinger, 1887 (Zygaenidae) *diaphana* Staudinger, 1887
4044. *Zygaena (Mesembrynus) minos rosea* Burgeff, 1914 (Zygaenidae) *rosea* Burgeff, 1914
4045. *Zygaena (Mesembrynus) punctum* Ochsenheimer, 1808 (Zygaenidae) *punctum* Ochsenheimer, 1808
4046. *Zygaena (Mesembrynus) punctum anatoliensis* Reiss, 1929 (Zygaenidae) *anatoliensis* Reiss, 1929
4047. *Zygaena (Mesembrynus) punctum malatina* Dziurzynski, 1902 (Zygaenidae) *malatina* Dziurzynski, 1902
4048. *Zygaena (Mesembrynus) purpuralis* (Brünnich, 1763) (Zygaenidae) *purpuralis* Brünnich, 1763; *pythia* Fabricius, 1777; *scabiosae* Scheven, 1777; *pilosellae* Esper, 1780; *pluto* Ochsenheimer, 1808; *pasiphae* Meigen, [1829]; *tatvanica* Reiss & Reiss, 1973.
4049. *Zygaena (Mesembrynus) purpuralis barthai* Reiss, 1929 (Zygaenidae) *barthai* Reiss, 1929
4050. *Zygaena (Mesembrynus) purpuralis tirabzona* Sheljuzhko, 1936 (Zygaenidae) *tirabzona* Sheljuzhko, 1936
4051. *Zygaena (s.str.) dorycnii* Ochsenheimer, 1808 (Zygaenidae) *dorycnii* Ochsenheimer, 1808
4052. *Zygaena (s.str.) dorycnii wagneriana* Reiss, 1929 (Zygaenidae) *wagneriana* Reiss, 1929
4053. *Zygaena (s.str.) ephialtes* (Linnaeus, 1767) (Zygaenidae) *ephiates* Linnaeus, 1767; *scheveni* Oberthür, 1910; *esper* Oberthür, 1910; *unipunctata* Vorbrod, 1913; *valesiaca* Burgeff, 1914; *herrichschaefferi* Burgeff, 1914
4054. *Zygaena (s.str.) filipendulae* (Linnaeus, 1758) (Zygaenidae) *filipendulae* Linnaeus, 1758; *aries* Retzius, 1783
4055. *Zygaena (s.str.) filipendulae akdaghi* Holik & Sheljuzhko, 1958 (Zygaenidae) *akdaghi* Holik & Sheljuzhko, 1958
4056. *Zygaena (s.str.) filipendulae anodolitia* Reiss, 1929 (Zygaenidae) *anodolitia* Reiss, 1929
4057. *Zygaena (s.str.) filipendulae superflua* Tremewan, 1970 (Zygaenidae) *superflua* Tremewan, 1970
4058. *Zygaena (s.str.) filipendulae tirabzonica* Koch, 1942 (Zygaenidae) *tirabzonica* Koch, 1942
4059. *Zygaena (s.str.) lonicerae* (Scheven, 1777) (Zygaenidae) *lonicerae* Scheven, 1777; *graminis* Villers, 1789; *rechei* Dujardin, 1965; *microdoxa* Dujardin, 1965
4060. *Zygaena (s.str.) lonicerae natolica* Reiss, 1929 (Zygaenidae) *natolica* Reiss, 1929
4061. *Zygaena (s.str.) loti* ([Denis & Schiffermüller], 1775) (Zygaenidae) *loti* [Denis & Schiffermüller], 1775; *fulvia* Fabricius, 1777
4062. *Zygaena (s.str.) loti beynamensis* Tremewan, 1970 (Zygaenidae) *beynamensis* Tremewan, 1970
4063. *Zygaena (s.str.) loti latifa* C.Naumann & S.Naumann, 1977 (Zygaenidae) *latifa* C.Naumann & S.Naumann, 1977
4064. *Zygaena (s.str.) loti phoenicea* Staudinger, 1887 (Zygaenidae) *phoenicea* Staudinger, 1887
4065. *Zygaena (s.str.) loti pontica* Holik & Sheljuzhko, 1955 (Zygaenidae) *pontica* Holik & Sheljuzhko, 1955
4066. *Zygaena (s.str.) loti senilis* Burgeff, 1914 (Zygaenidae) *senilis* Burgeff, 1914
4067. *Zygaena (s.str.) viciae* ([Denis & Schiffermüller], 1775) (Zygaenidae) *viciae* [Denis & Schiffermüller], 1775; *meliloti* Esper, 1789; *buglossi* Boisduval, 1829

All the Plates were arranged
by
Muhabbet Kemal

All the images are from the Archive of the CESA
© authors

For using the images in other publications
written permission of the authors is necessary

Plate 1

Papilionidae

1. *Papilio alexanor orientalis* at rest Turkey, Van Pr., Çatak, Amata valley, 1600m, 19 6 2002. Photo2a A. Koçak (Cesa).
2. *Ipheclides podalirius* resting female on *Carduus* flowers at Turkey, Ankara Pr., Çal Dağı, 1200m, 1 6 1982. Photo A. Koçak (Cesa).
3. *Zerynthia (Allancastris) deyrollei deyrollei* a male on *Geranium tuberosum* Turkey, Van Pr., Gevas Kızıltaş, 2km S., 1900m, 21 5 2002. Photo A. Koçak (Cesa).
4. *Papilio machaon syriacus* in copula on *Astragalus* Turkey, Ankara Pr., Çal Dağı, 1150m, 10 6 1986. Photo A. Koçak (Cesa).
5. *Parnassius actius* Uighur İli, Ghulca, Evliya Mountain 3000m, 7 8 2005 Photo1 A. Koçak (Cesa).
6. *Archon apollinus* Turkey, Ankara Pr., Ayaş Mts., 1000m, 11 5 2000. Photo1 M. Kemal (Cesa).
7. *Graphium agamemnon* at rest Thailand, Chiang Mai University Campus, (Cu07) 0340m, 5 4 2006. PV15a M. Kemal (Cesa).
8. *Troides aeacus* Thailand, Chiang Mai University Campus, (Cu09) 340m, 19 03 2006. SV1 M. Kemal (Cesa).
9. *Graphium doson* & *Graphium chironides* Thailand, Chiang Mai University Campus, (Cu09) 0340m, 11 4 2006. PV2a M. Kemal (Cesa).
10. *Graphium antiphates pompilius* Thailand, Chiang Mai University Campus, (Cu09) 0350m, 14 4 2006. PV6 M. Kemal (Cesa).
11. *Atrophaneura adamsoni* a male sipping minerals Thailand, Chiang Mai University Campus, (Cu08) 0360m, 16 03 2006. SV3 M. Kemal (Cesa).
12. *Graphium (Arisbe) porthaon porthaon* a male resting at South Africa, Transvaal, Soutpansberg Mts., Medike, 0920m, 24 11 2003. Photo1 A. Koçak (Cesa).
13. *Princeps (s str) dardanus cenea* a resting male. South Africa, Transvaal, Soutpansberg Mts., Lajuma, 1350m, 23 1 2003. Photo2 A. Koçak (Cesa).
14. *Papilio constantinus* South Africa, Transvaal, Soutpansberg Mts., Medike, 0850m, 20 01 2003. Photo2 A. Koçak (Cesa).
15. *Papilio demodocus* South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 27 03 2004. Photo3 A. Koçak (Cesa).

Plate 1



Plate 2

Pieridae

1. *Aporia crataegi* groups on wet places Turkey, Hakkari Pr., Yüksekova, Vargözü, 1900m, 11 6 2003. Photo2 A. Koçak (Cesa).
2. *Gonepteryx rhamni transiens* Turkey, Bitlis Pr., Tatvan Nemrut, Crater (13Gü) 2260m, 28 7 2006. PV10a M. Kemal (Cesa).
3. *Hebomoia glaucippe* Thailand, Chiang Mai University Campus, (Cu12) 0365m, 28 12 2006. PV1a M. Kemal (Cesa).
4. *Pareronia anais* Thailand, Chiang Mai University Campus, (Cu11) 0330m, 23 12 2006. PV1a M. Kemal (Cesa).
5. *Ixias pyrene* Thailand, Chiang Mai University Campus, (Cu11) 0330m, 23 12 2006. PV2a M. Kemal (Cesa).
6. *Leptosia nina* Thailand, Songkla Pr., Hat Yai, Prince of Songkla University Campus, 090m, 28 11 2006. PV9a M. Kemal (Cesa).
7. *Eurema sari* Thailand, Chiang Mai University Campus, (Cu07) 0350m, 4 12 2006. PV8a M. Kemal (Cesa).

Plate 2




Plate 3

Pieridae

1. *Eurema andersoni* Thailand, Chiang Mai University Campus, (Cu07) 0350m, 4 12 2006. PV1a M. Kemal (Cesa).
2. *Belenois aurota* South Africa, Transvaal, Soutpansberg Medike, 0800m, 28 3 2004. Photo1 A. Koçak (Cesa).
3. *Appias libythea* Thailand, Chiang Mai University Campus, (Cu07) 0350m, 6 12 2006. PV4 M. Kemal (Cesa).
4. *Colotis ione* South Africa, Transvaal, Soutpansberg Mount., Medike, 0820m, April 2004. SV2 M. Kemal (Cesa).
5. *Colotis evagore antigone* South Africa, Transvaal, Soutpansberg Mount., Medike, 0820m, April 2004. SV2 M. Kemal (Cesa).
6. *Anthocharis grueneri armeniaca* a male feeding on *Aethionema sp* Turkey, Van Pr., Gevas, Kuzgunkiran, 2300m, 29 5 2003. Photo7 A. Koçak (Cesa).
7. *Delias descombesi* Thailand, Chiang Mai University Campus, (Cu05) 0360m, 26 12 2005. SV 9 M. Kemal (Cesa).
8. *Delias pasithoe* Thailand, Chiang Mai Pr., QSBG, 0670m, 20 12 2005. SV1 M. Kemal (Cesa).
9. *Delias hyparete* Thailand, Chiang Mai University Campus, (Cu01) 0350m, 21 12 2006. PV6a M. Kemal (Cesa).
10. *Pinacopteryx eriphia* South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 27 03 2004. Photo1 A Koçak (Cesa).
11. *Colotis vesta argillaceus* South Africa, Transvaal, Soutpansberg Mts., Medike, 820m, 25 11 2003. Photo5 A. Koçak (Cesa).
12. *Pieris rapae* a female laying egg on *Cleome ruditosperma* (Capparaceae) Thailand, Chiang Mai University Campus, (Cu07) 0350m, 15 4 2006. PV1 M. Kemal (Cesa).
13. *Zegris eupheme* Turkey, Ankara Pr., Ayaş Mts., 1000m, 4 5 1986. Photo A. Koçak (Cesa).
14. *Belenois creona* South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 28 3 2004. Photo4 A. Koçak (Cesa).
15. *Pieris canidia* Thailand, Chiang Mai Pr., Khun Chang Khian, (Ds08) 1300m, 16 12 2006. PV1a, M. Kemal (Cesa).

Plate 3



Plate 4

Argynnidæ

1. *Charaxes brutus* South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 15 4 2004. Photo1a A. Koçak (Cesa).
2. *Charaxes bernardus* feeding on dung of dog, Thailand, Chiang Mai Pr., Chiang Dao, Nest, 0465m, 13 11 2006. PV3a M. Kemal (Cesa).
3. *Charaxes jahlusa* a male sitting on the branch, South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 17 4 2004. Photo3 A. Koçak (Cesa).
4. *Polyura eudamippus* Thailand, Chiang Mai Zoo, 0430m, 3 4 2006. PV5 M. Kemal (Cesa).
5. *Moduza procis* Thailand, Chiang Mai University Campus, (Cu05) 0360m, 8 11 2006. PV3a M. Kemal (Cesa).
6. *Cyrestis thyodamas* Thailand, Chiang Mai University Campus, 0340m, 22 03 2006. SV9 M. Kemal (Cesa).
7. *Euapatura mirza* a female exlarva. Turkey, Van Pr., Catak Atlihan 1200m, 14 6 2003. Photo 1 A. Koçak (Cesa).
8. *Cyrestis nivea* Thailand, Songkla Pr., Hat Yai, Tone Nga Chang (Tnc), 0150m, 30 11 2006. PV1 M. Kemal (Cesa).
9. *Lebadea martha* Thailand, Chiang Mai University Campus, (Cu05) 0360m, 14 11 2006. PV2a M. Kemal (Cesa).
10. *Nymphalis polychloros* (ex larva) Turkey, Van Pr., Çatak, Atlihan, 1200m, 7 6 2003. Photo14 A. Koçak (Cesa).
11. *Thaleropsis ionia* Turkey, Van Pr., Çatak, Akçabük (65Dob), 1820m, 20 5 2006. PV3 M. Kemal (Cesa).
12. *Vindula erota erota* Thailand, Chiang Mai, Chiang Dao, Nest, 0465m, 13 11 2006. PV7 M. Kemal (Cesa).
13. *Precis orithya wallacei* male Thailand, Songkla Pr., Hat Yai Prince of Songkla University Campus (PSU), 090m, 28 11 2006. PV3 M. Kemal (Cesa).
14. *Precis oenone* South Africa, Transvaal, Soutpansberg Mts., Madike, 0820m, 27 3 2004. Photo3 A. Koçak (Cesa).
15. *Lexias pardalis* Thailand, Lamphang Pr., Tharn Thong Waterfall, 0605m, 21 3 2006. SV7 M. Kemal (Cesa).

Plate 4








Plate 5

Acraeidae

1. *Acraea natalica* South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, April 2004. Photo1b A. Koçak (Cesa).
2. *Acraea violae* a feeding and egg laying female. Thailand, Chiang Mai University Campus, (Cu07) 0350m, 6 5 2006. PV17a M. Kemal (Cesa).
3. *Hyalites cabira* South Africa, Transvaal, Soutpansberg Mts., Entabeni Forest, 1200m, 5 4 2004. Photo1 A. Koçak (Cesa).

Argynnidæ

4. *Araschnia levana* sitting on *Urtica dioica*. Germany, Karlsruhe, Sulzbach (Blackforest), in 1982. Photo A. Kocak (Cesa).
5. *Cethosia biblis* Thailand, Chiang Mai Pr., Pa Pae, Mushroom House, 0930m, 18 11 2006. PV15 M. Kemal (Cesa).
6. *Neptis sappho* Slovenia, Maribor, Krapina, 31 7 1982. Photo A. Koçak (Cesa).
7. *Euphydryas (Eurodryas) orientalis* a male basking in the morning Turkey, Ankara Pr., Çal Dağı, 1200m, 1 5 1982. Photo A. Koçak (Cesa).
8. *Melitaea arduinna koçaki* a male resting on *Astragalus* Turkey, Van Pr., Yüzüncü Yıl University Campus, 1750m, 4 6 2002. Photo6 A. Koçak (Cesa).
9. *Chersonesia intermedia* Thailand, Chiang Mai Zoo, (Cz01) 0360m, 16 4 2006. PV9 M. Kemal (Cesa).
10. *Eurodryas aurinia bulgarica* a female resting. Turkey, Ardahan Pr., Posof, 1700m, 4 7 2003. Photo5 A. Koçak (Cesa).
11. *Mellicta athalia* in copula. Turkey, Artvin Pr., Yusufeli, Sarıgöl, 1100m, 6 7 2003. Photo6 A. Koçak (Cesa).
12. *Hypolimnias missipus* South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 3 4 2004. SV1 M. Kemal (Cesa).
13. *Limenitis reducta* Turkey, Manisa Pr., Spil Dağı, 1000m, 1 7 2005. SV1 M. Kemal (Cesa).
14. *Vanessa atalanta* Turkey, Bitlis Pr., Tatvan, Hanelmalı, (13Gü) 1730m, 9 7 2006. PV3 M. Kemal (Cesa).
15. *Hypolimnias bolina* at rest. Thailand, Chiang Mai University Campus, (Cu05) 0360m, 28 10 2006. PV2 M. Kemal (Cesa).

Plate 5




Plate 6

Satyridae

1. *Coenonympha arcania* a male resting. Turkey, Ardahan Pr., Posof, 1700m, 4 7 2003. Photo A. Koçak (Cesa).
2. *Melanargia galathea satnia* a male feeding on a *Dipsacaceae* flower. Turkey, Ardahan Pr., Posof, 1700m, 4 7 2003. Photo2 A. Koçak (Cesa).
3. *Melanargia syriaca koçaki* a male sitting on *Dianthus zonatus*. Turkey, Mus Pr., Buğlan Pass, 1600m, 29 6 2003. Photo13 A. Koçak (Cesa).
4. *Pseudochazara geyeri* (in cupula). Turkey, Bitlis Pr., Tatvan, Nemrut Mt., (13Gy) 2490m, 11 8 2006. PV3 M. Kemal (Cesa).
5. *Chazara briseis zhdanko* Uighur İli, Tekes, Sarghoca, 1300m, 25 7 2002. SV5 M. Kemal (Cesa).
6. *Pseudochazara anthelia* Turkey, Nevşehir Pr., Avanos, Zelve, (50Gc) 1000m, 7 6 2006. PV12 M. Kemal (Cesa).
7. *Neohipparchia parisatis* Turkey, Mardin Pr., Nusaybin, Kalecik, (47Gd) 0560m, 26 6 2006. PV2 M. Kemal (Cesa).
8. *Orsotriaena medus* a resting male. Thailand, Mae Hong Son, Mountain Inn, 0240m, 26 3 2006. SV2 M. Kemal (Cesa).
9. *Mycalesis fusca* Thailand, Songkla Pr., Hat Yai, Tone Nga Chang, (Tnc) 0150m, 30 11 2006. PV6 M. Kemal (Cesa).
10. *Mycalesis perseoides* Thailand, Chiang Mai University Campus, (Cu01) 0360m, 3 11 2005. PV3 M. Kemal (Cesa).
11. *Yphtima baldus* Thailand, Chiang Mai Pr., QSBG, 0600m, 30 11 2005. SV3 M. Kemal (Cesa).
12. *Yphtima huebneri* in copula. Thailand, Chiang Mai University Campus, (Cu07) 0350m, 30 10 2006. PV9 M. Kemal (Cesa).
13. *Lethe confusa* Thailand, Chiang Mai Pr., QSBG, 0670m, 29 11 2005. SV1 M. Kemal (Cesa).
14. *Hyponephele wagneri* Turkey, Mardin Pr., Midyat, Akyüz, (47Fe) 600m, 26 6 2006. PV9 M. Kemal (Cesa).
15. *Elymnias malelas* a male sipping tree fluid. Thailand, Chiang Mai Pr., Chiang Dao, Nest, 0465m, 12 11 2006. PV5 M. Kemal (Cesa).

Plate 6







Plate 7

Lycaenidae

1. *Satyrium abdominalis* at rest. Turkey, Van Pr., Çatak, Amata valley, 1600m, 19 6 2002. Photo5 A. Koçak (Cesa).
2. *Satyrium w-album* female. Turkey, Malatya Pr., Darende, Somuncu Baba (44Eb), 1400m, 17 6 2006. PV19 M. Kemal (Cesa).
3. *Anthene amarah* a resting male. South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 12 12 2003. Photo8 A. Koçak (Cesa).
4. *Axiocerses amanga* a resting female. South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 22 11 2003. Photo9 A. Koçak (Cesa).
5. *Azanus jesous* a resting male. South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 12 12 2003. Photo1 A. Koçak (Cesa).
6. *Heodes (Alciphronia) alciphron melibaeus* a feeding male. Turkey, Artvin Pr., Yusufeli, Sarıgöl, 1100m, 6 7 2003. Photo6 A. Koçak (Cesa).
7. *Tarucus balkanicus* Turkey, Artvin Pr., Çoruh valley, 0300m, 5 7 2003. Photo4 A. Koçak (Cesa).
8. *Plebejus (s str) argus* a male resting. Turkey, Kars Pr., Sarıkamış, 2000m, 3 7 2003. Photo5 A. Koçak (Cesa).
9. *Loxora atymnus* Thailand, Chiang Mai University Campus, (Cu05) 0360m, 11 12 2005. SV9 M. Kemal (Cesa).
10. *Acytolepis puspa* Thailand, Chiang Mai University Campus, (Cu10) 0340m, 19 03 2006. SV4 M. Kemal (Cesa).
11. *Heliophorus epicles* Thailand, Chiang Mai Pr., QSBG, 0600m, 21 12 2005. SV2 M. Kemal (Cesa).
12. *Spalgis epius* a resting male. Thailand, Chiang Mai Univversity Campus, (Cu01) 0360m, 27 11 2005. SV4 M. Kemal (Cesa).
13. *Rapala iarbus* male. Thailand, Songkla Pr., Hat Yai, Prince of Songkla University Campus, 090m, 28 11 2006. PV2 M. Kemal (Cesa).
14. *Prosotas gracilis* Thailand, Chiang Mai University Campus, (Cu09) 0350m, 28 3 2006. PV10 M. Kemal (Cesa).
15. *Poritia hewitsoni* (female). Thailand, Chiang Mai University Campus, (Cu09) 0350m, 29 10 2006. PV12 M. Kemal (Cesa).

Plate 7



Plate 8

Lycaenidae

1. *Thecla betulae* Uygur İli, Kulca, Turpanyüz, 0700m, 17 8 2005. Photo1 A. Koçak (Cesa).
2. *Cigaritis natalensis* South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 2 4 2004. Photo1 A. Koçak (Cesa).
3. *Cigaritis syama* at rest. Thailand, Chiang Rai Pr., Huay San Yao (Mae Lao), 0450m, 30 4 2006. PS3 M. Kemal (Cesa).
4. *Cheritra freja* Thailand, Chiang Mai University Campus, (Cu05) 0360m, 7 11 2006. PV5 M. Kemal (Cesa).
5. *Curetis saronis indosinica* Thailand, Songkla Pr., Hat Yai, Tone Nga Chang (Tnc), 0150m, 30 11 2006. PV2 M. Kemal (Cesa).
6. *Lycaena dispar* a feeding female. Germany, Karlsruhe, Sulzbach, 15 8 1982. Photo A. Koçak (Cesa).
7. *Kretania carmon* Turkey, Van Pr., Çatak, Havareng Vadi, (65Dp) 2100m, 1 7 2006. PV8a M. Kemal (Cesa).
8. *Tuxentius melaena* South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 15 4 2004. SV1 M. Kemal (Cesa).
9. *Polyommatus (Cyaniris) bellis nurmuhemmet* a female feeding on *Cardaria*. Turkey, Van Pr., Çatak, Dalbastı, 3km S., 1350m, 17 5 2003. Photo1 A. Koçak (Cesa).
10. *Tomares romanovi romanovi* a male resting. Turkey, Van Pr., Catak, Dalbasti, 3km S., 1350m, 17 5 2003. Photo22 A. Koçak (Cesa).
11. *Tomares desinens mebep* resting a male (Paratype). Turkey, Van Pr., Van, 30km N., 1900m, 23 4 2003. Photo2 A. Koçak (Cesa).
12. *Thersamonia asabinus* a male on *Mentha spicata*. Turkey, Van Pr., Erek Dağı, S Huşpurakvadi, 2100m, 12 8 2001. Photo5 A. Koçak (Cesa).
13. *Chilades trochylus* Turkey, Ankara Pr., Ayaş Mts., 1300m, 11 5 2000. Photo3 M. Kemal (Cesa).
14. *Turanana endymion* Turkey, Van Pr., Çatak, Yukarı Narlıca, (65Db) 2360m, 15 7 2006. PV7 M. Kemal (Cesa).
15. *Zizeeria karsandra* a female at rest. Thailand, Chiang Mai University Campus (Cu07) 0350m, 30 3 2006. PV7 M. Kemal (Cesa).

Plate 8




Plate 9

Hesperiidae

1. *Thymelicus sylvestris* at rest. Turkey, Van Pr., Çatak Amata valley, 1600m, 19 6 2002. Photo3 A. Koçak (Cesa).
2. *Kedestes callicles* a resting female. South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 09 12 2003. Photo10 A. Koçak (Cesa).
3. *Hidari irava* Thailand, Songkla Pr., Hat Yai, Prince of Songkla University (PSU) 090m, 28 11 2006 PV5 M. Kemal (Cesa).
4. *Ampittia dioscorides camertes* (in copula). Thailand, Chiang Mai University Campus, (Cu07) 0350m, 30 10 2006. PV6 M. Kemal (Cesa).
5. *Pyrgus sidae* at rest. Turkey, Van Pr., Çatak, Amata valley, 1650m, 28 5 2005. SV4 M. Kemal (Cesa).
6. *Halpe porus* Thailand Chiang Mai University Campus, (Cu05) 0360m, 7 11 2006. PV7 M. Kemal (Cesa).
7. *Thymelicus lineolus* Turkey, Maraş Pr., Çağlayan Köyü, (46Gb) 0800m, 6 6 2006. PV2 M. Kemal (Cesa).
8. *Pseudocoladenia dan* Thailand, Chiang Mai University Campus, (Cu04) 0360m, 26 10 2006. PV6 M. Kemal (Cesa).
9. *Hesperia comma* (female) on *Centaurea pseudocaucaasica*. Turkey, Van Pr., Gürpınar, Yalınca, Kaplıca (65Gp), 2215m, 13 8 2006. PV9a M. Kemal (Cesa).
10. *Erynnis tages* Turkey, Van Pr., Çatak, Akçabük (65Dob), 1820m, 20 5 2006. PV5, M. Kemal (Cesa).
11. *Iambrix salsala* in copula. Thailand, Chiang Mai University Campus, (Cu05) 0360m, 30 10 2006. PV12 M. Kemal (Cesa).
12. *Hesperia comma mixta* Uighur İli, Kulca, Tekes, Sarhoca, 1200m, 7 8 2005. Photo1 A. Koçak (Cesa).
13. *Cupitha purrea* at rest. Thailand, Chiang Mai University Campus, (Cu09) 0350m, 29 3 2006. PV6 M. Kemal (Cesa).
14. *Pyrgus cinarae* Turkey, Van Pr., Çatak, Akçabük, (65Dob) 1820m, 20 5 2006. PV7 M. Kemal (Cesa).
15. *Ancistroides armatus armatus* Thailand, Songkla Pr., Hat Yai, Tone Nga Chang (Tnc) 0150m, 30 11 2006. PV2 M. Kemal (Cesa).

Plate 9








Plate 10

Hesperiidae

1. *Ochlodes venatus* Turkey, Bitlis Pr., Baykan, 37km NE (13Cd), 1350m, 4 6 2006. PS5 M. Kemal (Cesa).
2. *Suastus gremius* at rest. Thailand, Chiang Mai University Campus, (Cu07) 0360m, 28 4 2006. PV10 M. Kemal (Cesa).
3. *Sarangesa dasahara dasahara* Thailand, Chiang Mai Pr., Pa Pae, Mushroom House, 0930m, 18 11 2006. PV4 M. Kemal (Cesa).
4. *Tagiades gana* Thailand, Chiang Mai Zoo 0350m, 3 4 2006. PV3 M. Kemal (Cesa).
5. *Taractrocera archias* at rest. Thailand, Chiang Mai University Campus, (Cu07) 0360m, 28 4 2006. PS1 M. Kemal (Cesa).
6. *Matapa aria* Thailand, Chiang Mai University Campus, (Cu01) 0370m, 1 11 2006. PV11 M. Kemal (Cesa).
7. *Spialia orbifer* Turkey, Maraş Pr., Tekin N., Kurucaova ve Püren tüneli 2km S(46Fa), 1350m, 6 6 2006. PV3 M. Kemal (Cesa).
8. *Tagiades japetus* Thailand, Chiang Mai University Campus, (Cu019) 0360m, 18 12 2005. SV4 M. Kemal (Cesa).
9. *Badamia exclamationis* newly hatched. Thailand, Chiang Mai University Campus, (Cu10) 350m, 29 3 2006. PV5 M. Kemal (Cesa).
10. *Hyarotis adrastus* Thailand, Chiang Mai Pr., QSBG, 0600m, 21 12 2005. SV1 M. Kemal (Cesa).
11. *Taractrocera maevius* Thailand, Chiang Mai University Campus, (Cu05) 0360m, 1 11 2006. PV5 M. Kemal (Cesa).
12. *Ochlodes venatus* Turkey, Çorum Pr., Koparan, 900m, 7 7 1985. Photo A.Koçak (Cesa).
13. *Pelopidas thrax* Turkey, Mersin Pr., Anamur, 4 9 2003. Photo A. Koçak (Cesa).
14. *Muschampia proto* Turkey, Antalya Pr., Alanya, Kargıcak, 11 9 1984. Photo A. Koçak (Cesa).
15. *Spialia spio* South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 28 3 2004. Photo A. Koçak (Cesa).

Plate 10







Plate 11

Geometridae

1. *Maxates coelataria* Thailand, Chiang Mai Zoo, (Cz11) 0480m, 22 11 2006. PV2 M. Kemal (Cesa).
2. *Isturgia deerraria* at rest. South Africa, Soutpansberg Mts., Medike, 0820m, 28 3 2004. Photo1a A. Koçak (Cesa).
3. *Scotopteryx chenopodiata* a resting male. Turkey, Ardahan Pr., Posof, 1600m, 5 7 2003. Photo7a A. Koçak (Cesa).
4. *Pseudopanthera syriacata* Turkey, Van Pr., Çatak, Amata valley, 1650m, 28 5 2005. SV4 M. Kemal (Cesa).
5. *Peratophyga flavomaculata* Thailand, Chiangmai University Campus, (Cu01) 0370m, 23 10 2006. PV3a M. Kemal (Cesa).
6. *Antipercnia belluaria* Thailand, Chiang Mai Pr., Chiang Dao, Nest, 0465m, 12 11 2006. PV3 M. Kemal (Cesa).
7. *Chiasmia eleonora* Thailand, Chiang Mai University Campus, (Cu07) 0350m, 26 4 2006. PV8 M. Kemal (Cesa).
8. *Traminda mundissima* Thailand, Chiang Mai University Campus, (Cu07) 0350m, 30 3 2006. PV7a M. Kemal (Cesa).
9. *Ennominae Psilalcis breta* Thailand, Chiangmai University Campus, (Cu02) 0380m, 23 10 2006. PV4 M. Kemal (Cesa).
10. *Idaea rusticata* Turkey, Bitlis Pr., Tatvan, Hanelmalı, (13Gü) 1730m, 9 7 2006. PV4a M. Kemal (Cesa).
11. *Abraxaphantes perampla* Thailand, Chiang Mai Zoo, (Cz10) 0425m, 27 4 2006. Photo3 A. Koçak (Cesa).

Callidulidae

12. *Pterothysanus laticilia* Thailand, Chiang Mai University Campus, (Cu05) 0360m, 18 4 2006. PV6 M. Kemal (Cesa).

Drepanidae

13. *Teldenia specca* Thailand, Chiang Mai University Campus, (Cu01) 0360m, 1 11 2006. PV3 M. Kemal (Cesa).

Lasiocampidae

14. *Radhica holoxantha* newly emerged male. Thailand, Chiang Mai Zoo, (Cz03) 0440m, 26 4 2006. PV5a M. Kemal (Cesa).

Lasiocampidae

15. *Trabala pallida* & pupa ex larva. Thailand, Chiang Mai University Campus, (Cu07) 0350m, 21 4 2006. Photo1 A. Koçak (Cesa).

Plate 11




Plate 12

Pyralidae

1. *Pyrausta inciae* Turkey, Bitlis Pr., Baykan, 37km NE, (13Cd) 1350m, 24 6 2006. PV5a M. Kemal (Cesa).
2. *Haritalodes derogata* at rest. Thailand, Chiang Mai University Campus, (Cu07) 0350m, 12 4 2006. PV4a M. Kemal (Cesa).
3. *Eurrhyarodes tricoloralis* Thailand, Chiang Mai University Campus, 0350m, 24 11 2006. PV5a M. Kemal (Cesa).
4. *Diaphania indica* Thailand, Chiang Mai Pr., Chiang Dao, Nest, 0465m, 11 11 2006. PV2 M. Kemal (Cesa).
5. *Eutectona machaeralis* Thailand, Chiang Mai University Campus, (Cu07) 0350m, 30 3 2006. PV6 M. Kemal (Cesa).
6. *Omiodes diemenalis* Thailand, Chiang Mai University Campus, (Cu05) 0360m, 29 10 2006. PV4 M. Kemal (Cesa).
7. *Syllepte iophanes* Thailand, Chiang Mai Zoo, (Cz11) 0480m, 22 11 2006. PV1 M. Kemal (Cesa).
8. *Scirpophaga incertulas* Thailand, Chiangmai University Campus, (Cu01) 0370m, 23 10 2006. PV3 M. Kemal (Cesa).
9. *Spolaea recurvalis* Thailand, Chiang Mai University Campus, (Cu05) 0360m, 7 11 2006. PV7 M. Kemal (Cesa).

Ctenuchidae

10. *Ceryx imaon* Thailand, Chiang Mai Pr., Chiang Dao, Nest, 0465m, 11 11 2006. PV1 M. Kemal (Cesa).
11. *Amata aequipuncta* Turkey, Maraş Pr., Fırnız bridge, (46Ga) 0800m, 6 6 2006. PV12 M. Kemal (Cesa).
12. *Psychothoe duvauceli* Thailand, Chiang Mai University Campus, (Cu07) 0350m, 6 4 2006. PV11 M. Kemal (Cesa).

Zygaenidae

13. *Zygaena (Agrumenia) olivieri dsidsilia* a male at rest on *Anchusa*. Turkey, Artvin Pr., Yusufeli, Sarıgöl, 1400m, 7 7 2003. Photo3 A. Koçak (Cesa).
14. *Balataea zebraica* at rest. Thailand, Chiang Mai University Campus, (Cu05) 0360m, 28 10 2006. PV11a M. Kemal (Cesa).
15. *Zygaena dorycnii* Turkey, Bitlis Pr., Tatvan, Hanelmalı, (13Gü) 1730m, 9 7 2006. PV10a M. Kemal (Cesa).

Plate 12







Plate 13

Saturniidae

1. *Attacus atlas* Thailand, Chiang Mai University Campus, (Cu05) 0360m, 30 10 2006. PV8 M. Kemal (Cesa).
2. *Epiphora mythimnia* South Africa, Transvaal, Soutpansberg, Lajuma, 1300m, 3 12 2003. Photo2 A. Koçak (Cesa).
3. *Cricula jordanii* Thailand, Chiang Mai University Campus, (Cu01) 0360m, 25 11 2005. SV1 M. Kemal (Cesa).
4. *Saturnia (Eudia) cephalariae* full grown larva on *Cephalaria*. Turkey, Erzurum Pr., Gölyurt Pass, 2450m, 11 7 1985. Photo A. Koçak (Cesa).

Plate 13



Plate 14

Noctuidae

1. *Thyas coronata* Thailand, Chiang Mai Universty Campus, 0350m, 16 11 2006. PV5 M. Kemal (Cesa).
2. *Achaea janata* Thailand, Chiang Mai Universty Campus, 0350m, 16 11 2006. PV5 M. Kemal (Cesa).
3. *Chalciope mygdon* at rest. Thailand, Chiang Mai Univ Campus, (Cu01) 0360m, 22 11 2005. PV1 M. Kemal (Cesa).
4. *Anomis flava* Thailand, Chiang Mai University Campus, 0350m, 24 11 2006. PV1a M. Kemal (Cesa).
5. *Neochera dominia* Thailand, Chiangmai University Campus, (Cu05) 0370m, 23 10 2006. PV2 M. Kemal (Cesa).
6. *Chrysodeixis eriosoma* Thailand, Chiang Mai University Campus, (Cu05) 0360m, 7 11 2006. PV7a M. Kemal (Cesa).
7. *Saroba pansa* Thailand, Songkla Pr., Hat Yai, Prince of Songkla University Campus, 080m, 29 11 2006. PV1a M. Kemal (Cesa).
8. *Maliattha phaeozona* Thailand, Chiang Mai University Campus, (Cu01) 0360m, 31 10 2006. PV3a M. Kemal (Cesa).
9. *Sphingomorpha chlorea* at a light trap. South Africa, Transvaal, Saoutpansberg Mts., Medike, 0820m, 23 11 2003. Photo2 A. Koçak (Cesa).
10. *Spirama helicina* Thailand, Chiang Mai University Campus, (Cu05) 0360m, 8 11 2006. PV8 M. Kemal (Cesa).
11. *Erebus macrops* on Mango bait. Thailand, Chiang Mai University Campus, (Cu01) 0360m, 27 12 2005. Photo4 A. Koçak (Cesa).
12. *Eudocima phalonia* Thailand, Chiang Mai University Campus, (Cu05) 0360m, 7 11 2006. PV1 M. Kemal (Cesa).
13. *Helicoverpa armigera* (exlarva). Thailand, Chiang Mai University Campus, (Cu07) 0350m, 2 12 2006. PV1 M. Kemal (Cesa).
14. *Periphanes delphinii* on *Onopordum* sp. Turkey, Ağrı Pr., Tutak S, (04Ha) 1700m, 23 6 2006. PV7a M. Kemal (Cesa).
15. *Sympis rufibasis* Thailand, Chiang Mai Pr., Chiang Dao, Nest, 0465m, 12 11 2006. PV3 M. Kemal (Cesa).

Plate 14





Plate 15

Noctuidae

1. *Asota ficus* at rest. Thailand, Chiang Mai Zoo, (Cz10) 0425m, 27 4 2006. Photo A. Koçak (Cesa).
2. *Attatha regalis* a male at rest. Thailand, Chiang Mai Zoo, (Cz10) 0425m, 27 4 2006. Photo A. Koçak (Cesa).
3. *Anomis guttanivis* Thailand, Chiang Mai Pr., Pa Pae, Mushroom House, 0930m, 18 11 2006. PV3 M. Kemal (Cesa).

Sphingidae

4. *Dolbina inexacta* Thailand, Chiang Mai Zoo, (Cz11) 0480m, 22 11 2006. PV2 M. Kemal (Cesa).
5. *Callambulyx rubricosa* Thailand, Chiang Mai Zoo, (Cz10) 425m, 27 4 2006. Photo1 A. Koçak (Cesa).
6. *Angonyx testacea* Thailand, Chiang Mai Zoo, (Cz10) 425m, 27 4 2006. Photo1 A. Koçak (Cesa).
7. *Agrius convolvuli* Thailand, Chiangmai University Campus, (Cu01) 0370m, 23 10 2006. PV3 M. Kemal (Cesa).
8. *Hippotion celerio* South Africa, Transvaal, Soutpansberg Mts., Medike, 0800m, 16 4 2004. Photo2 A. Koçak (Cesa).
9. *Rethera komarovi* Turkey, Ankara Pr., Çaldağı, 1300m, 22 06 1982. Photo A. Koçak (Cesa).

Lymantriidae

10. *Lymantria singapura* a male at rest on trunk of *Tamarindus indica*. Thailand, Chiang Mai University Campus, (Cu06) 360m, 14 12 2006. PV5 M. Kemal (Cesa).
11. *Lymantria lepcha* a female at light trap. Thailand, Chaing Mai Zoo, (Cz11) 0480m, 22 11 2006. PV1 M. Kemal (Cesa).
12. *Imaus munda* Thailand, Chiang Mai Pr., Chiang Dao, Nest, 0465m, 11 11 2006. PV4 M. Kemal (Cesa).

Tortricidae

13. *Aethes tesserana* at rest. Germany, Karlsruhe, Sulzbach, 12 7 1990. Photo1 A. Koçak (Cesa).
14. *Phtheochroa duponchelana* Turkey, Van Pr., Çatak, Amata valley, 1700m, 19 6 2002. Photo1 A. Koçak (Cesa).

Scythridae

15. *Eretmocera impactella* Thailand, Chiang Mai University Campus, (Cu07) 0350m, 30 3 2006. PV8a M. Kemal (Cesa).

Plate 15




Plate 16



Arctiidae

1. *Arctia villica marchandi* a resting male. Turkey, Van Pr., Çatak S., Amata valley, 1700m, 19 6 2002. Photo05 A. Koçak (Cesa).
2. *Euplagia splendidior* a resting male on *Juglans* tree. Turkey, Van Pr., Çatak, Akçabük, 1700m, 16 7 2005. Photo8 A. Koçak (Cesa).
3. *Asura euprepoides* Thailand, Chiang Mai Pr., Chiang Dao, Nest, 0465m, 11 11 2006. PV1b M. Kemal (Cesa).
4. *Barsine gratiosa* Thailand, Chiang Mai Pr., Chiang Dao, Nest, 0465m, 11 11 2006. PV4b M. Kemal (Cesa).
5. *Cyana coccinea* male emerged from pupa. Thailand, Chiang Mai University Campus, (Cu07) 350m, 4 11 2006. PV16a M. Kemal (Cesa).
6. *Nyctemera coleta* Thailand, Chiang Mai Zoo, 13 12 2005. SV2a M. Kemal (Cesa).
7. *Nyctemera adversata* during feeding on a plant of *Asteraceae*. Thailand, Lamphang Pr., Tharn Thong Waterfall, 0605m, 21 3 2006. SV1 M. Kemal (Cesa).
8. *Argina argus* ex larva. Thailand, Chiang Mai Pr., QSBG (Qs03), 11 12 2005. Photo4 A. Koçak (Cesa).
9. *Eugoa basipuncta* Thailand, Chiang Mai Pr., Chiang Dao, Nest, 0465m, 11 11 2006. PV5 M. Kemal (Cesa).
10. *Rhyparia purpurata* Turkey, Ankara Pr., Çaldağı, 1200m, 22 6 1982. Photo A Koçak (Cesa).
11. *Rajendra tripartita* Thailand, Chiang Mai Pr., Chiang Dao, Nest, 0465m, 11 11 2006. PV5 M. Kemal (Cesa).

Uraniidae

12. *Nyctalemon zampa* Thailand, Chiang Mai Pr., Khun Chang Khian, (Ds08) 1300m, 16 12 2006. PV1 M. Kemal (Cesa).
13. *Acropteris iphiata* Thailand, Chiang Mai University Campus, (Cu05) 0360m, 31 10 2006. PV5 M. Kemal (Cesa).
14. *Acropteris ciniferaria* Thailand, Chiangmai University Campus, (Cu05) 0370m, 23 10 2006. PV5a M. Kemal (Cesa).
15. *Epiplarinae Orudiza protheclaria* at rest. Thailand, Chiang Mai University Campus, (Cu07) 360m, 24 4 2006. PV8 M. Kemal (Cesa).

Plate 16



Images of Habitats and Others

Plate 17

1. Uighur İli, Kulca, Tengri Taghliri Evliya tepesi, 2800m, 7 8 2005. Photo A. Koçak (Cesa).
2. Uighur İli, Kulca, Tanrı Dağları-Eviya tepesi, 3000m, 7 8 2005. Photo15 A Koçak (Cesa).
3. Uighur İli, Ürümchi, Abdulhek Taghliri, 2500m, 30 7 2005. Photo7 A.Koçak (Cesa).
4. Uighur İli, Künes road, Tengri Tağliri, 3000m, 2 8 2005. Photo5 A. Koçak (Cesa).
5. Uighur İli, Kulca, Telke Mt., 1700m, 14 8 2005. Photo A. Koçak (Cesa).
6. Kazakistan, Almaty, Kosmostansiya, Ozerny, 3000m, 15 7 1999. Photo1 M. Kemal (Cesa).

Plate 17



Plate 18

1. Turkey, Şemdinli, Mordağlar 3500m, 1 8 2003. Photo1, A. Koçak (Cesa).
2. Turkey, Karaman Pr., Sertavul Geçidi 1700m, 25 6 2005. Photo, A. Koçak (Cesa).
3. Turkey, Sivas Pr., Gürün, Mazıkıran E., 1700m, Dağ stebi. 16 6 2006. PV6a, M. Kemal (Cesa).
4. Turkey, Bolu Pr., Abant, Erenler, 1800m, 24 7 2005. Photo6 A. Koçak (Cesa).
5. Turkey, Malatya Pr., Darende, Günpınar, 1250m, 17 6 2006. PV8a, M. Kemal (Cesa).
6. Turkey, Van Pr., Çatak Vadisi, 1400m, 17 5 2005. Photo, A. Koçak (Cesa).

Plate 18



Plate 19

1. South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 28 3 2004. Photo A. Koçak (Cesa).
2. South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 3 4 2004. (author is looking for the insects on the trunk of Baobab tree), Photo3 A. Koçak (Cesa).
3. Ethiopia Shoa Pr., Awash NP, Kereyon, 13 2 1996. Photo A. Koçak (Cesa).
4. Children from Ethiopia Addis Ababa 2500m, 15 2 1996. Photo A. Koçak (Cesa).
5. Pakistan, Northwest Himalaya, Pasu, 2700m, 17 7 1987 (author is the first person on the right). Photo A. Koçak (Cesa).
6. Macedonia, Skopje, Varvara, 18 9 1994. Photo A Koçak (Cesa).

Plate 19






Plate 20

1. Rain forest. Thailand, Songkla Pr., Hat Yai, Tone Nga Chang Wildlife Sanctuary (Tnc) 0150m, 30 11 2006. PV5 M Kemal (Cesa).
2. Thailand Chiang Mai Pr., Chiang Dao; Prof. Dr. Ahmet Ö. Koçak together with Assoc. Prof. Dr. Paitoon Leksawasdi, 0465m, 12 11 2006. PV3 M. Kemal (Cesa).
3. Queen Sirikit Botanic Garden, Chiang Mai, North Thailand M.Kemal (Cesa).
4. Spain, Cabañeros National Park, 17 5 2002. Photo2 M. Kemal (Cesa).
5. Spain, Nevacerrada road, spring aspect at the Guadalajara Mountain, 1300m, 4 4 2002. Photo1 M. Kemal (Cesa).
6. Spain, Marminor National Park, 015m, 9 3 2002. Photo1 M. Kemal (Cesa).

Plate 20



FOOD-PLANTS
(Plates 21-31)

Plate 21

1. Acanthaceae *Barleria cristata* Thailand, Chiang Mai University, Campus (Cu01), 0370m, 14 12 2005. SV1, M. Kemal (Cesa).
2. Amaranthaceae *Celosia argentea* Thailand, Chiang Mai University, Campus (Cu05), 0360m, 7 11 2006. PV1, M. Kemal (Cesa).
- 3-4. Anacardiaceae *Mangifera indica* Thailand, Chiang Mai University, Campus (Cu07), 360m, 19 2006. PV1, M. Kemal (Cesa).
- 5-6. Aristolochiaceae *Aristolochia ringens* Thailand, Chiang Mai University, Campus, 0360m, 13 12 2006. PV5, M. Kemal (Cesa).

Plate 21



Plate 22

1. Asteraceae *Ageratum conyzoides* Thailand, Chiang Mai University, Campus (Cu07), 0350m, 27 10 2006. PV4a, M. Kemal (Cesa).
2. Asteraceae *Spilanthes acmella* Thailand, Chiang Mai Pr., Pa Pae, Mushroom House, 0930m, 19 11 2006. PV2, M. Kemal (Cesa).
3. Asteraceae *Mikania cordata* Thailand, Chiang Mai University, Campus (Cu059), 0360m, 7 11 2006. PV3, M. Kemal (Cesa).
4. Asteraceae *Tithonia diversifolia* Thailand, Chiang Mai Pr., Chiang Dao, Nest, 0465m, 11 11 2006. PV12, M. Kemal (Cesa).
- 5-6. Asteraceae *Crassocephalum crepidioides* Thailand, Chiang Mai University, Campus (Cu09), 0360m, 1 11 2006. PV1, M. Kemal (Cesa).

Plate 22




Plate 23

- 1-2. Balsaminaceae *Impatiens mengtzeana* Hook., Thailand Chiang Mai Doi Pui - Monk Village 1400m 17 12 2006 PV4, M Kemal (Cesa).
- 3-4. Bignoniaceae *Tecoma stans* Thailand, Songkla Pr., Hat Yai, Prince of Songkla University,, Campus, 080m, 29 11 2006. PV2, M. Kemal (Cesa).
- 5-6. Bombacaceae *Bombax anceps cambodiense* Thailand, Chiang Mai Pr., Khun Chang Khian (Ds09), 1100m, 16 12 2006. PV2, M. Kemal (Cesa).

Plate 23



Plate 24

- 1-2. Bombacaceae *Ceiba pentandra* Thailand, Chiang Mai University, Campus (Cu05), 0360m, 21 2006. PV5, M. Kemal (Cesa).
3. Capparaceae *Cleome ruditosperma* Thailand Chiang Mai University, Campus (Cu07), 0350m, 16 4 2006. PV1, M. Kemal (Cesa).
4. Commelinaceae *Commelina nudiflora* Thailand, Chiang Mai University, Campus (Cu07), 0350m, 3 11 2006. PV3, M. Kemal (Cesa).
- 5-6. Commelinaceae *Floscopa scandens* Thailand, Chiang Mai Pr., Pa Pae, Muschroom House, 0930m, 19 11 2006. PV1, M. Kemal (Cesa)

Plate 24



Plate 25

- 1-2. Convolvulaceae *Cuscuta reflexa* Thailand, Chiang Mai University, Campus (Cu07), 0350m, 25 10 2006. PV5a, M. Kemal (Cesa).
3. Convolvulaceae *Ipomoea aquatica* Thailand, Chiang Mai University, Campus (Cu07), 0350m, 25 10 2006. PV3, M. Kemal (Cesa).
4. Cucurbitaceae *Coccinea indica* Thailand, Chiang Mai University, Campus (Cu05), 0360m, 7 11 2006. PV5, M. Kemal (Cesa).
- 5-6. Cyperaceae *Killinga nemoralis* Thailand, Chiang Mai University, Campus (Cu07), 0350m, 25 10 2006. PV1, M. Kemal (Cesa).

Plate 25




Plate 26

1. Dipterocarpaceae *Dipterocarpa obtusifolius* Thailand, Chiang Mai Zoo, (Cz11), 0480m, 24 11 2006. PV3a, M. Kemal (Cesa).
2. Dipterocarpaceae *Dipterocarpus turbinatus* Thailand, Chiang Mai Pr., Chiang Dao, Nest, 0465m, 11 11 2006. PV5, M. Kemal (Cesa).
- 3- 4. Euphorbiaceae *Croton robustus* Thailand, Chiang Mai University, Campus (Cu12), 0365m, 28 12 2006. PV, M. Kemal (Cesa).
- 5-6. Euphorbiaceae *Phyllanthus emblica* Thailand, Chiang Mai Pr., Khun Chang Khian (Ds09), 1100m, 17 12 2006. PV, M. Kemal (Cesa).

Plate 26



Plate 27

- 1-2. Euphorbiaceae *Ricinus communis* Thailand, Chiang Mai University, Campus (Cu07), 0350m, 19 4 2006. PV2, M. Kemal (Cesa).
- 3-4. Fabaceae *Bauhinia acuminata* Thailand, Songkla Pr., Hat Yai, Prince of Songkla University, Campus, 0120m, 29 11 2006. PV, M. Kemal (Cesa).
- 5-6. Fabaceae *Bauhinia purpurea* Thailand, Chiang Mai University, Campus (Cu05), 0360m, 29 10 2006. PV, M. Kemal (Cesa).

Plate 27



Plate 28

- 1-2. Fabaceae *Parkia leiophylla* Thailand, Chiang Mai University, Campus (Cu05), 0360m, 28 10 2006. PV1, M. Kemal (Cesa).
- 3-4. Fabaceae *Butea monosperma* Thailand, Chiang Mai University Campus (Cu07), 0350m, 25 12 2006. PV, M. Kemal (Cesa).
5. Fabaceae *Cassia fistula* Thailand, Chiang Mai Zoo, (Cz01), 0360m, 16 4 2006. PV2 M. Kemal (Cesa).
6. Fabaceae *Peltophorum inerme* Thailand, Chiang Mai University, Campus (Cu05), 0360m, 18 4 2006. PV1, M. Kemal (Cesa).

Plate 28



Plate 29

1. Fabaceae *Delonix regia* Thailand, Chiang Mai University, Campus (Cu05), 0360m, 18 4 2006. PV1, M. Kemal (Cesa).
2. Fabaceae *Delonix regia* Thailand, Chiang Mai University, Campus (Cu05), 0360m, 10 12 2006. PV4a, M. Kemal (Cesa).
3. Fabaceae *Tamarindus indica* Thailand, Chiang Mai University, Campus (Cu07), 0350m, 10 12 2006. PV13, M. Kemal (Cesa).
4. Fabaceae *Tamarindus indica* Thailand, Chiang Mai University, Campus (Cu07), 0350m, 10 12 2006. PV26, M. Kemal (Cesa).
5. Fabaceae *Dunbaria longeracemosa* Thailand, Chiang Mai Zoo, (Cz11), 0480m, 3 12 2006. PV2, M. Kemal (Cesa).
6. Fabaceae *Aeschynomene americana* Thailand, Chiang Mai University, Campus (Cu07), 0350m, 30 10 2006. PV7a, M. Kemal (Cesa).

Plate 29





Plate 30

1. Mimosaceae *Mimosa pudica* Thailand, Chiang Mai Campus (Cu09), 0340m, 26 10 2006. PV3, M. Kemal (Cesa).
2. Mimosaceae *Mimosa pigra* Thailand, Chiang Mai University, Campus (Cu05), 0360m, 28 10 2006. PV6, M. Kemal (Cesa).
3. Passifloraceae *Passiflora foetida* Thailand, Chiang Mai, Zoo (Cz11), 0450m, 24 11 2006. PV4, M. Kemal (Cesa).
4. Passifloraceae *Passiflora foetida* (fruit) Thailand, Chiang Mai, Zoo (Cz11), 0450m, 24 11 2006. PV6, M. Kemal (Cesa).
- 5-6. Portulacaceae *Tainium fruticosum* Thailand, Chiang Mai University, Campus (Cu06), 0360m, 28 10 2006. PV1, M. Kemal (Cesa).

Plate 30



Plate 31

- 1-2. Verbenaceae *Congea tomentosa* Thailand, Chiang Mai University, Campus (Cu12), 0365m, 28 12 2006. PV3, M. Kemal (Cesa).
- 3-4. Verbenaceae *Tectona grandis* Thailand, Chiang Mai University, Campus (Cu07), 350m, 29 12 2006. PV2, M. Kemal (Cesa).
5. Verbenaceae *Holmskoldia sanguinea* Thailand, Chiang Mai, Zoo (Cz11), 0450m, 10 11 2006. PV3a, M. Kemal (Cesa).
6. Zingiberaceae *Etlingera elatior* Thailand, Chiang Mai, Zoo (Cz03), 0425m, 16 4 2006. PS2, M.Kemal (Cesa).

Plate 31



EARLY STAGES

(Plates 32-35)

Plate 32

Papilionidae

1. *Parnassius (s str) apollo graslini* full grown larva on *Sedum album*. Turkey, Ankara Pr., Kızılcahamam, Işık Dağı, Keltepe, 1600m, 13 5 1989. Photo A. Kocak (Cesa).
2. *Allancastria deyrollei* full grown larva on *Aristolochia maurorum*. Turkey, Ankara Pr., Çal Dağı, 1100m, 1 6 1983. Photo A. Koçak (Cesa).
3. *Archon apollinaris* larva on *Aristolochia bottae*. Turkey, Van Pr., Yüzüncü Yıl University, Campus, 1700m, 21 5 2001. Photo A. Koçak (Cesa).
4. *Archon apollinus amasinus* larva on *Aristolochia maurorum*. Turkey, Ankara Pr., Photo A. Koçak (Cesa).
5. *Atrophaneura aristolochiae* larva on *Aristolochia tagala*. Thailand, Chiang Mai Zoo, (Cz03), 0450m, 27 4 2006. PV6 M. Kemal (Cesa).
6. *Chilasa clytia* larva on *Cinnamomum sp.* Thailand, Chiang Mai University, Campus (Cu05), 0360m, 30 12 2006. PV1 M. Kemal (Cesa).
7. *Iphiclides podalirius* larva on *Prunus spinosa*. Turkey, Ankara Pr., Photo A. Kocak (Cesa).
8. *Papilio (Alexanoria) alexanor eitschbergeri* grown larva on *Opopanax hispidus*. Turkey, Antalya Pr., Akseki, Dikmen köyü, 22 6 1985. Photo. A. Koçak (Cesa).
9. *Papilio machaon* larva on *Apiaceae*. Turkey, Van Pr., Gürpınar, Norduz Kırıkgeçit S., 2330m, 13 8 2006. PV3 M. Kemal (Cesa).
10. *Princeps demodocus* full grown larva on *Citrus*. South Africa Limpopo Pr., Soutpansberg Mts., Medike, 0820m, 5 12 2003. Photo2 A. Koçak (Cesa).
11. *Princeps nireus* larva on *Citrus*. South Africa, Limpopo Pr., Soutpansberg Mts., Medike, 0820m, 5 10 2004. Photo4 A. Koçak (Cesa).
12. *Princeps nireus* larva on *Citrus*. South Africa Limpopo Pr., Soutpansberg Mts., Medike, 0820m, 20 10 2004. Photo2 A. Koçak (Cesa).

Pieridae

13. *Anapheis aurota* larvae on *Capparis sp.* North Pakistan, 20km E., Chilas, 1140m, 15 7 1987. Photo A. Koçak (Cesa).
14. *Aporia crataegi* larvae on *Crataegus monagyna*. Turkey, Van Pr., Çatak, Dalbastı 3km S., 1400m, 7 5 2005. Photo1 A. Koçak (Cesa).
15. *Appias libythea* larva on *Capparaceae Cleome ruditosperma*. Thailand, Chiang Mai University, Campus (Cu07), 0350m, 26 4 2006. PS4 M. Kemal (Cesa).

Plate 32



Plate 33

Pieridae

1. *Zegris eupheme* full grown larva on *Isatis cappadocica*. Turkey, Ankara Pr., Çaldağı, 1250m, 1 6 1984. Photo A. Koçak (Cesa).

Argynnidae

2. *Euapatura mirza* larva on *Celtis glabrata*. Turkey, Van Pr., Çatak, Atlihan, 1200m, 14 6 2003 (Cesa).
3. *Euapatura mirza* larva on *Celtis glabrata* at mined habitat. Turkey, Van Pr., Çatak, Atlihan, 1200m, 17 5 2003. Photo3 A. Koçak (Cesa).
4. *Nymphalis polychloros* larvae on *Ulmus sp.* Turkey, Van Pr., Çatak, Atlihan, 1200m, 17 5 2003. Photo1 A. Koçak (Cesa).
5. *Nymphalis polychloros* prepupa on *Ulmus sp.* Turkey, Van Pr., Çatak, Sehzade Pınarı, 1400m, 2 6 2003. Photo3 A. Koçak (Cesa).
6. *Polygonia c-album* full grown larva. Germany, Karlsruhe, Sulzbach, in 1982. Photo A. Koçak (Cesa).
7. *Phalanta phalantha* on *Salix tetrasperma*. Thailand, Chiang Mai University, Campus (Cu09), 0350m, 4 05 2006. PV2 M. Kemal (Cesa).
8. *Ariadne ariadne* full grown larva on *Ricinus communis*. Thailand, Chiang Mai University, Campus (Cu07), 0350m, 3 11 2006. PV1 M. Kemal (Cesa).
9. *Ariadne merione* 4th instar larva on *Ricinus communis*. Thailand, Chiang Mai University, Campus (Cu07), 31 10 2006. PV3 M. Kemal (Cesa).
10. *Limenitis reducta* 3 instar larva on *Lonicera*. Turkey, Van Pr., Gevas, Inkoy, 1850m, 11 7 2003. Photo7 A. Koçak (Cesa).
11. *Argynnis (Pandoriana) pandora* full grown larva. Turkey, Ankara Pr., Çal Dağı, 1100m, 26 4 1983. Photo A. Koçak (Cesa).
12. *Doleschallia bisaltide* larva on *Pseuderanthemum graciflorum*. Thailand, Chiang Mai University, Campus (Cu07), 0350m, 22 10 2006. PV9a M. Kemal (Cesa).
13. *Melitaea fascelis* larva on *Verbascum*. Turkey, Van Pr., Çatak, Dalbastı, 1300m, 30 5 2003. Photo2 A. Koçak (Cesa).
14. *Charaxes candiope* full grown larva. South Africa, Soutpansberg Mts., Mphaphuli, Cycad Res., 31 1 2003. Photo5 A. Koçak (Cesa).
15. *Charaxes jasius* larva on leaf of *Arbutus unedo*. Turkey, Antalya Pr., Alanya, 15 5 1984. Photo A. Kocak (Cesa).

Plate 33



Plate 34

Argynniidae

1. *Melitaea arduinna* larva on *Centaurea behen*. Turkey, Van Pr., Çatak, Amata vadisi, 1650m, 28 5 2005. SV2 M. Kemal (Cesa).
2. *Melitaea didyma didyma* full grown larva from. Turkey, Ankara P., Çal Dağı, 1100m, 15 5 1983. Photo A. Koçak (Cesa).
3. *Melitaea cinxia* larva of male. Turkey, Van Pr., Kurubaş geçidi, 2200m, 21 4 2001. Photo A. Koçak (Cesa).

Danaidae

4. *Danaus chrysippus* larva on *Calotropis gigantea*. Thailand, Chiang Mai University, Campus (Cu07), 23 4 2006. PS16 M. Kemal (Cesa).
5. *Euploea core* larva. Thailand, Chiang Mai University, Campus (Cu01), 0360m, 25 11 2005. SV2 M. Kemal (Cesa).

Libytheidae

6. *Libythea celtis* larva on *Celtis glabrata*. Turkey, Van Pr., Çatak, Sehzade pınarı, 1400m, 27 5 2003. Photo1 A. Kocak (Cesa).

Lycaenidae

7. *Catochrysops pandava* larvae on unknown foodplant. Thailand, Chiang Mai University, Campus (Cu07), 27 4 2006. PS5 M Kemal (Cesa).

Hesperiidae

8. *Carcharodus alceae alceae* full grown larva on *Malva sp.* Turkey, Ankara Pr., Ayaş, Zirköyü, 1000m, 14 6 1986. Photo A. Koçak (Cesa).
9. *Muschampia tessellum tessellum* full grown larva on *Phlomis herba-venti*. Turkey, Ankara Pr., Kepekli, 1100m, 26 4 1983. Photo A. Koçak (Cesa).

Lasiocampidae

10. *Trabala pallida* Thailand, Chiang Mai University, Campus (Cu07), 0350m, 31 3 2006. PV7 M. Kemal (Cesa).
11. *Lasiocampa quercus* full grown larva. Germany, Karlsruhe, Malsch, 1 11 1983. Photo A. Koçak (Cesa).

Limacodidae

12. *Parasa lepida* (larva). Thailand, Chiang Mai, Zoo (Cz10), 0430m, 10 11 2006. PV2 M. Kemal (Cesa).

Lymantriidae

13. *Lymantria dispar* larva on *Quercus sp.* Turkey, Van Pr., Çatak, Dalbastı 3km S., 1300m, 15 6 2003. Photo5 A. Koçak (Cesa).
14. *Olene mendosa* larva on *Bauhinia purpurea*. Thailand, Chiang Mai University, Campus (Cu05), 0370m, 23 10 2006. PV10 M. Kemal (Cesa).
15. Lymantriidae *Teia dubia* Kayseri Pr., Pınarbaşı 5km W., (38Hc), 1580m, 16 6 2006. PV5 M. Kemal (Cesa).

Plate 34



Plate 35

Brahmaeidae

1. *Brahmaea christophi* grown 4th instar larva on *Fraxinus sp.* Turkey, Van Pr., Çatak, Arikayası, 1400m, 10 6 2005. Photo10 A. Kocak (Cesa).

Endromidae

2. *Endromis versicolora* full grown larvae on *Alnus glutinosa*. Turkey, Rize Pr., Çat, Meydan, 1200m, 13 7 1984. Photo A. Koçak (Cesa).

Saturniidae

3. *Bunaea alcinoe* South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 28 3 2004. Photo A. Koçak (Cesa).
4. *Perisomena caecigena* full grown larva. Turkey, Ankara Pr., Kızılcahamam, Eyrekkaya, 1300m, 3 6 1990. Photo A. Koçak (Cesa).
5. *Saturnia pyri* full grown larva on *Prunus*. Iran, W-Azerbaijan, Sharafkhaneh, 24 7 1994. Photo A. Koçak (Cesa).

Sphingidae

6. *Daphnis nerii* full grown larva. South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 05 12 2003. Photo17 A. Kocak (Cesa).
7. *Hippotion celerio* full grown larva. South Africa, Transvaal, Soutpansberg Mts., Medike, 0820m, 31 3 2004. Photo3 A Koçak (Cesa).
8. *Hippotion rosetta* full grown larva. Thailand, Chiang Mai University, Campus (Cu07), 0350m, 21 4 2006. PV5 M. Kemal (Cesa).
9. *Hippotion rosetta* full grown larva prepupa. Thailand, Chiang Mai University, Campus (Cu07), 0350m, 22 4 2006. PV6 M. Kemal (Cesa).
10. *Hyles euphorbiae* full grown larva. Turkey, Van Pr., Çatak, 30km N., 2000m, 1 8 2001. Photo5 A. Koçak (Cesa).
11. *Hyles nicaea* grown larva. Turkey, Van Pr., Çatak, 30km N., 2000m, 1 8 2001. Photo6 A. Kocak (Cesa).

Noctuidae

12. *Calesia stillifera* full grown larva. Thailand, Chiang Mai, Zoo (Cz11), 0480m, 24 11 2006. PV2 M. Kemal (Cesa).
13. *Diloba caeruleocephala* full grown larva. Turkey, Ankara Pr., Çal Dağı, 1100m, 25 5 1989. Photo A. Koçak (Cesa).
14. *Simyra dentinosa* larva. Turkey, Kayseri Pr., Pınarbaşı, 5km W. (38Hc), 1580m, 16 6 2006. PV5 M. Kemal (Cesa).
15. *Spodoptera litura* full grown larva on *Pteridophyta*. Thailand, Chiang Mai University, Campus (Cu01), 0360m, 21 11 2005. M. Kemal (Cesa).

Plate 35



SPECIMENS OF THE CESA COLLECTION and OTHERS

(Plates 36-48)

Plate 36

1. Papilionidae *Papilio rumanzovia rumanzovia* upperside of male, (ws 106mm fw 66mm). Philippines, Negros, occ. Canlaon Mt., 1500m, 1-10 12 1997. Leg., F. Mamigo, Photo A. Koçak (Cesa).
2. Papilionidae *Papilio rumanzovia rumanzovia* underside of male, (ws 106mm fw 66mm). Philippines, Negros occ., Canlaon Mt., 1500m, 1-10 12 1997. F. Mamigo Leg., photo A. Koçak (Cesa).
3. Papilionidae *Troides rhadamanthus* upperside of female, (ws 130mm, fw 77mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. F. Mamigo Leg., photo A. Koçak (Cesa).
4. Papilionidae *Troides rhadamanthus* upperside of male, (ws 104mm fw 65mm). Philippines, Negros, Murcia, Canlaon Mt., 1500m, 1-10 12 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
5. Papilionidae *Troides rhadamanthus* underside of male, (ws 104mm fw 65mm). Philippines, Negros, Murcia, Canlaon Mt., 1500m, 1-10 12 1997, Leg., F Mamigo, photo A. Koçak (Cesa).
6. Papilionidae *Papilio helenus palawanicus* upperside of male, (ws 81mm, fw 50mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
7. Papilionidae *Papilio helenus palawanicus* underside of male, (ws 81mm, fw 50mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
8. Papilionidae *Papilio hytaspes* upperside of male, (ws 115mm, fw 67mm). Philippines, Negros Is Kanlaon Mt 1100m 12-19 12 1996 Leg., F. Mamigo, photo A. Koçak (Cesa).
9. Papilionidae *Papilio hytaspes* underside of male, (ws 115mm, fw 67mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
10. Papilionidae *Princeps angustatus selma* upperside of male. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
11. Papilionidae *Princeps angustatus selma* underside of male. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. F. Mamigo, photo A. Koçak (Cesa).
12. Papilionidae *Papilio lowi* upperside of male, (ws 96mm, fw 60mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
13. Papilionidae *Papilio lowi* underside of female, (ws 96mm, fw 60mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
14. Papilionidae *Atrophaneura semperi* upperside of male, (ws 105mm, fw 60mm), Philippines, Negros Is., Kanlaon Mt., 1500m, 3 2 1997 Leg., F. Mamigo, photo A. Koçak (Cesa).
15. Papilionidae *Atrophaneura semperi* underside of female, (ws 105mm, fw 60mm). Philippines, Negros Is., Kanlaon Mt., 1500m, 3 2 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).

Plate 36



Plate 37

1. Papilionidae *Princeps (Druryia) nireus* upperside of male. South Africa, Soutpansberg Mts., Medike, 0820m, 16-25 01 2003. M. Kemal leg., photo A. Koçak (Cesa).
2. Papilionidae *Princeps (s str) ophidicephalus entabeni* upperside of male. South Africa, Soutpansberg Mts., Lajuma, 1350m, 31 01 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
3. Papilionidae *Graphium (Arisbe) antheus* upperside of male. South Africa, Soutpansberg Mts., Lajuma, 1350m, 31 01 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
4. Argynnidae *Charaxes jasius saturnus* upperside of female. South Africa, Soutpansberg Mts., Medike, 0850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
5. Argynnidae *Charaxes zoolina* upperside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
6. Argynnidae *Charaxes jahlusa rex* upperside of male. South Africa, Soutpansberg Mts., Medike, 820m, 16-25 01 2003. M. Kemal leg., photo A. Koçak (Cesa).
7. Argynnidae *Byblia ilithyia* upperside of male. South Africa, Soutpansberg Mts., Medike, 820m, 16-25 01 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
8. Argynnidae *Phalantha phalanta* upperside of male. South Africa, Soutpansberg Mts., Medike, 820m, 23 01 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
9. Argynnidae *Precis (Junonia) hierta cebrene* upperside of male. South Africa, Soutpansberg Mts., Medike, 820m, 16-25 01 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
10. Acraeidae *Acraea (Actinote) eponina* underside of male. South Africa, Soutpansberg Mts., Medike, 820m, 16-25 01 2003. M. Kemal leg., photo A. Koçak (Cesa).
11. Acraeidae *Acraea (Actinote) obeira burni* upperside of male. South Africa, Soutpansberg Mts., Medike, 820m, 16-25 01 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
12. Acraeidae *Acraea (s str) acara* upperside of male. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
13. Acraeidae *Acraea (s str) anemosa* upperside of male. South Africa, Soutpansberg Mts., Medike, 820m, 16-25 01 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
14. Acraeidae *Acraea (s str) neobule* upperside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003 M. Kemal leg., photo1 A. Koçak (Cesa).
15. Danaidae *Danaus (Anosia) chrysippus* upperside of male South Africa, Soutpansberg Mts., Medike, 820m, 16-25 01 2003. M. Kemal leg., photo A. Koçak (Cesa).

Plate 37



Plate 38

1. Argynnidæ *Charaxes amycus bayani* upperside of male. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
2. Argynnidæ *Charaxes amycus bayani* underside of male. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
3. Argynnidæ *Charaxes plateni* upperside of male, (ws 65mm, fw 40mm), Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
4. Argynnidæ *Charaxes plateni* underside of male, (ws 65mm, fw 40mm). Philippines, Palawan Mt. Gantung 1000m 10-28 02 1998 Leg., F. Mamigo, photo A. Koçak (Cesa).
5. Argynnidæ *Charaxes solon lampedo* upperside of male, (ws 62mm, fw 36mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
6. Argynnidæ *Charaxes solon lampedo* underside of male, (ws 62mm, fw 36mm), Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa)
7. Argynnidæ *Cyrestis maenalis negros* upperside of male. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. F. Mamigo, photo A. Koçak (Cesa).
8. Argynnidæ *Cyrestis maenalis negros* underside of male. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. F. Mamigo, photo A. Koçak (Cesa).
9. Argynnidæ *Cyrestis maenalis obscurior* upperside of male, (ws 42mm, fw 25mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
10. Argynnidæ *Cyrestis maenalis obscurior* underside of male, (ws 42mm, fw 25mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
11. Argynnidæ *Polyura athamas palawanica* upperside of male, (ws 53mm, fw 33mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
12. Argynnidæ *Polyura athamas palawanica* underside of male, (ws 53mm, fw 33mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
13. Argynnidæ *Moduza jumaloni jumaloni* upperside of male, (ws 66mm, fw 40mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
14. Argynnidæ *Moduza jumaloni jumaloni* underside of male, (ws 66mm, fw 40mm). Philippines, Negros Is., Kanlaon Mt., 1100m 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
15. Argynnidæ *Moduza procris pausanius* upperside of male, (ws 53mm, fw 31mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
16. Argynnidæ *Moduza procris pausanius* underside of male, (ws 53mm, fw 31mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
17. Argynnidæ *Euthalia adonia princesa* upperside of female, (ws 58mm, fw 34mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998, Leg., F. Mamigo, photo A. Koçak (Cesa).
18. Argynnidæ *Euthalia adonia princesa* underside of female, (ws 58mm, fw 34mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
19. Argynnidæ *Tanaecia lupina howarthi* upperside of female. Philippines, Negros Is., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. F. Mamigo, photo A. Koçak (Cesa).
20. Argynnidæ *Tanaecia lupina howarthi* underside of female. Philippines, Negros Is., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. F. Mamigo, photo A. Koçak (Cesa).
21. Argynnidæ *Bassarona dunya monara* upperside of male, (ws 91mm, fw 54mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
22. Argynnidæ *Bassarona dunya monara* underside of male, (ws 91mm, fw 54mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
23. Argynnidæ *Rohana rhea negrosa* upperside of male, (ws 40mm, fw 23mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
24. Argynnidæ *Rohana rhea negrosa* underside of male, (ws 40mm, fw 23mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).

Plate 38



Plate 39

1. Argynnididae *Euthalia merta schoenigi* upperside of male, (ws 54mm, fw 32mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
2. Argynnididae *Euthalia merta schoenigi* underside of male, (ws 54mm, fw 32mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
3. Argynnididae *Junonia hedonia ida* upperside of male, (ws 56mm, fw 30mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
4. Argynnididae *Junonia hedonia ida* upperside of male, (ws 56mm, fw 30mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
5. Argynnididae *Vindula erota* upperside of male, (ws 69mm, fw 41mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
6. Argynnididae *Vindula erota* upperside of male, (ws 69mm, fw 41mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
7. Argynnididae *Vagrans sinha sinha* upperside of male, (ws 51mm, fw 29mm). Philippines, Negros Is., Kanlaon Mt., 800m, 1-24 01 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
8. Argynnididae *Vagrans sinha sinha* upperside of male, (ws 51mm, fw 29mm). Philippines, Negros Is., Kanlaon Mt., 800m, 1-24 01 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
9. Argynnididae *Symbrenthia lilaea semperi* upperside of male, (ws 36mm, fw 22mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
10. Argynnididae *Symbrenthia lilaea semperi* upperside of male, (ws 36mm, fw 22mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
11. Argynnididae *Cethosia luzonica pariana* upperside of male. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m., 1-10 12 1997. F. Mamigo, photo A. Koçak (Cesa).
12. Argynnididae *Cethosia luzonica pariana* underside of male. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m., 1-10 12 1997. F. Mamigo, photo A. Koçak (Cesa).
13. Argynnididae *Lexias satrapes amlana* upperside of male, (ws 91mm, fw 54mm)., Philippines, Negros Is., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. F. Mamigo, photo A. Koçak (Cesa).
14. Argynnididae *Lexias satrapes amlana* underside of male, (ws 91mm, fw 54mm). Philippines, Negros Is., Murcia, Canlaon Mt., 1500m., 1-10 12 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
15. Argynnididae *Lasippa illigera hegesias* upperside of male, (ws 52mm, fw 29mm). Philippines, Negros Is., Canlaon Mt., 1500m, 1-10 12 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
16. Argynnididae *Lasippa illigera hegesias* underside of male, (ws 52mm, fw 29mm). Philippines, Negros Is., Canlaon Mt., 1500m, 1-10 12 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
17. Argynnididae *Pantoporia dama dama* upperside of male, (ws 41mm fw 22mm). Philippines, Negros Is., Mambucal, 450m., 4 12 1996. Leg & photo A. Koçak (Cesa).
18. Argynnididae *Pantoporia dama dama* upperside of male, (ws 41mm fw 22mm). Philippines, Negros Is., Mambucal, 450m., 4 12 1996. Leg & photo A. Koçak (Cesa).
19. Argynnididae *Athyma alcamene baltazarae* upperside of male, (ws 48mm fw 28mm). Philippines, Negros Is., Kanlaon Mt., 1100m., 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
20. Argynnididae *Athyma alcamene baltazarae* underside of male, (ws 48mm fw 28mm). Philippines, Negros Is., Kanlaon Mt., 1100m., 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
21. Argynnididae *Athyma kasa bignayana* upperside of male, (ws 56mm fw 32mm). Philippines, Negros Is., Kanlaon Mt., 1100m., 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
22. Argynnididae *Athyma kasa bignayana* underside of male, (ws 56mm fw 32mm). Philippines, Negros Is., Kanlaon Mt., 1100m., 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
23. Argynnididae *Neptis cymela cymela* upperside of male, (ws 47mm, fw 27mm). Philippines, Negros Is., Kanlaon Mt., 800m., 1-24 01 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
24. Argynnididae *Neptis cymela cymela* underside of male, (ws 47mm, fw 27mm). Philippines, Negros Is., Kanlaon Mt., 800m., 1-24 01 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
25. Argynnididae *Neptis mindorana ilocana* upperside of male, (ws 52mm, fw 30mm). Philippines, Negros Is., Kanlaon Mt., 1100m., 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
26. Argynnididae *Neptis mindorana ilocana* underside of male, (ws 52mm, fw 30mm)., Philippines, Negros Is., Kanlaon Mt., 1100m., 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
27. Argynnididae *Neptis mindorana harpasa* upperside of male, (ws 47mm, fw 26mm). Philippines, Palawan Mt., Gantung, 1000m., 10-28 02 1998., Leg., F. Mamigo, photo A. Koçak (Cesa).
28. Argynnididae *Neptis mindorana harpasa* underside of male, (ws 47mm, fw 26mm). Philippines, Palawan Mt., Gantung, 1000m., 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).

Plate 39



Plate 40

1. Danaidae *Danaus genutia* upperside of male, (ws 66mm, fw 38mm). Philippines, Palawan Mt., Gantung 1000m 10-28 02 1998 Leg., F. Mamigo, photo A. Koçak (Cesa).
2. Danaidae *Danaus genutia* underside of male, (ws 66mm, fw 38mm). Philippines, Palawan Mt. Gantung 1000m 10-28 02 1998 Leg., F. Mamigo, photo A. Koçak (Cesa).
3. Danaidae *Danaus melanippus edmondii* upperside of male, (ws 70mm, fw 40mm). Philippines, Palawan Mt Gantung 1000m 10-28 02 1998 Leg., F. Mamigo, photo A. Koçak (Cesa).
4. Danaidae *Danaus melanippus edmondii* underside of male, (ws 70mm, fw 40mm). Philippines, Palawan Mt Gantung 1000m 10-28 02 1998 Leg., F. Mamigo, photo A. Koçak (Cesa).
5. Danaidae *Parantica vitrina* upperside of male, (ws 73mm fw 40mm). Philippines, Negros Is., Mambucal, 350m., 3 12 1996. Leg & photo A. Koçak (Cesa).
6. Danaidae *Parantica vitrina* underside of male, (ws 73mm fw 40mm). Philippines, Negros Is., Mambucal, 350m., 3 12 1996. Leg & photo A. Koçak (Cesa).
7. Danaidae *Parantica luzonensis luzonensis* upperside of male, (ws 75mm fw 41mm). Philippines, Negros Is., Mambucal, 450m., 4 12 1996. Leg & photo A. Koçak (Cesa).
8. Danaidae *Ideopsis gaura canlaoni* upperside of female, (ws 68mm fw 40mm). Philippines, Negros Is., Kanlaon Mt., 1500m 5-15 05 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
9. Danaidae *Euploea blossomae corazonae* upperside of male, (ws 64mm fw 38mm). Philippines, Negros Is Kanlaon Mt., 1100m 12-19 12 1996. Leg., F. Mamigo, photo A. Koçak (Cesa).
10. Satyridae *Ptychandra negrosensis* upperside of male. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m., 1-10 12 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
11. Satyridae *Ptychandra negrosensis* underside of male. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m., 1-10 12 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
12. Satyridae *Zethera musides* upperside of male, (ws 75mm fw 45mm). Philippines, Negros Is., Kanlaon Mt., 1100m., 12-19 12 1996. Leg., F. Mamigo, A. Koçak photo1 (Cesa).
13. Satyridae *Zethera musides* upperside of female, (ws 75mm fw 45mm). Philippines, Negros Is., Kanlaon Mt., 1100m., 12-19 12 1996. Leg., F. Mamigo, photo1 A. Koçak (Cesa).
14. Satyridae *Zethera musides* underside of female, (ws 71mm fw 42mm). Philippines, Negros Is., Kanlaon Mt., 1100m., 12-19 12 1996. Leg., F. Mamigo, photo1 A. Koçak (Cesa).
15. Satyridae *Ragadia luzonia luzonia* upperside of male, (ws 37mm fw 23mm). Philippines, Luzon Is., Bilol Mt., 10 10 1991. B. L. Villan leg & A. Koçak photo (Cesa).
16. Satyridae *Ragadia luzonia luzonia* underside of male, (ws 37mm fw 23mm). Philippines, Luzon Is., Bilol Mt., 10 10 1991. B. L. Villan leg. & A. Koçak photo (Cesa).
17. Lycaenidae *Manto hypoleuca martina* upperside of female, (ws 32mm, fw 18mm). Philippines, Palawan Mt., Gantung, 1000m., 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
18. Lycaenidae *Manto hypoleuca martina* underside of female, (ws 32mm, fw 18mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
19. Lycaenidae *Jamides suidas* upperside of male. Philippines, Marinduque, Cawit, B. Malangis leg & photo A. Koçak (Cesa).
20. Lycaenidae *Jamides suidas* underside of male. Philippines, Marinduque, Cawit, B. Malangis leg & photo A. Koçak (Cesa).
21. Lycaenidae *Jamides philatus osias* upperside of male. Philippines, Marinduque, Cawit, B. Malangis leg & photo A. Koçak (Cesa).
22. Lycaenidae *Jamides philatus osias* underside of male. Philippines, Marinduque, Cawit, B. Malangis leg & photo A. Koçak (Cesa).
23. Lycaenidae *Jamides philatus osias* upperside of female Philippines, Marinduque, Cawit, B. Malangis leg & photo A. Koçak (Cesa).
24. Lycaenidae *Jamides philatus osias* underside of female. Philippines, Marinduque, Cawit, B. Malangis leg & photo A. Koçak (Cesa).

Plate 40



Plate 41

1. Pieridae *Cepora aspasia* upperside of male. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
2. Pieridae *Cepora aspasia* underside of male. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. Leg., F. Mamigo, photo A. Koçak (Cesa).
3. Pieridae *Delias henningia henningia* upperside of female. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. F. Mamigo, photo A. Koçak (Cesa).
4. Pieridae *Delias henningia henningia* underside of female. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. F. Mamigo, photo A. Koçak (Cesa).
5. Pieridae *Pareronia boebers arsamota* upperside of male. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. F. Mamigo, photo A. Koçak (Cesa).
6. Pieridae *Pareronia boebers arsamota* underside of male. Philippines, Negros occ., Murcia, Canlaon Mt., 1500m, 1-10 12 1997. F. Mamigo, photo A. Koçak (Cesa).
7. Pieridae *Pareronia valeria palawana* upperside of male, (ws 54mm, fw 32mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
8. Pieridae *Pareronia valeria palawana* underside of male, (ws 54mm, fw 32mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
9. Pieridae *Appias nero palawana* upperside of male, (ws 59mm, fw 35mm). Philippines, Palawan Mt. Gantung 1000m 10-28 02 1998 Leg., F. Mamigo, photo A. Koçak (Cesa).
10. Pieridae *Saletara panda erebina* upperside of male, (ws 46mm, fw 29mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
11. Pieridae *Saletara panda erebina* upperside of female, (ws 43mm, fw 26mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
12. Pieridae *Catopsilia scylla cornelia* upperside of female, (ws 54mm, fw 32mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
13. Pieridae *Catopsilia scylla cornelia* underside of female, (ws 54mm, fw 32mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
14. Pieridae *Catopsilia pomona* upperside of male, (ws 57mm, fw 33mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).
15. Pieridae *Catopsilia pomona* underside of male, (ws 57mm, fw 33mm). Philippines, Palawan Mt., Gantung, 1000m, 10-28 02 1998. Leg., F. Mamigo, photo A. Koçak (Cesa).

Plate 41





Plate 42

1. Pieridae *Colias electo electo* underside of male. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
2. Pieridae *Colias electo electo* upperside of male. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
3. Pieridae *Colotis (Cuneacolis) agoye agoye* underside of male. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
4. Pieridae *Colotis (Cuneacolis) agoye agoye* upperside of male. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
5. Pieridae *Colotis (Teracolus) eris* underside of male. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
6. Pieridae *Colotis (Teracolus) eris* upperside of male. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
7. Pieridae *Colotis (Teracolus) eris* underside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo3 A. Koçak (Cesa).
8. Pieridae *Colotis (Teracolus) eris* upperside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo4 A. Koçak (Cesa).
9. Pieridae *Colotis eborea (=danae) annae* underside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
10. Pieridae *Colotis eborea (=danae) annae* upperside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
11. Pieridae *Colotis ione* underside of female South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
12. Pieridae *Colotis ione* upperside of female South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
13. Lycaenidae *Iolaus (Epamera) mimosae rhodosense* underside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
14. Lycaenidae *Iolaus (Epamera) mimosae rhodosense* upperside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
15. Lycaenidae *Iolaus (Stugeta) bowkeri tearei* underside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
16. Lycaenidae *Iolaus (Stugeta) bowkeri tearei* upperside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
17. Lycaenidae *Lepidochrysops patricia* underside of male. South Africa, Soutpansberg Mts., Medike, 850m 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
18. Lycaenidae *Lepidochrysops patricia* upperside of male. South Africa, Soutpansberg Mts., Medike, 850m 10 12 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
19. Lycaenidae *Lepidochrysops patricia* underside of female. South Africa, Soutpansberg Mts., Medike, 850m 10 12 2003. M. Kemal leg., photo3 A. Koçak (Cesa).
20. Lycaenidae *Lepidochrysops patricia* upperside of female. South Africa, Soutpansberg Mts., Medike, 850m 10 12 2003. M. Kemal leg., photo4 A. Koçak (Cesa).

Plate 42





Plate 43

1. Lycaenidae *Zintha hintza* underside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
2. Lycaenidae *Zintha hintza* upperside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
3. Lycaenidae *Aloeides damarensis* underside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
4. Lycaenidae *Aloeides damarensis* upperside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
5. Lycaenidae *Deudorix (Virachola) antalus* underside of male. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
6. Lycaenidae *Deudorix (Virachola) antalus* upperside of male. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
7. Geometridae *Isturgia derraria* upperside of male. South Africa, Soutpansberg Mts., Medike, 820m, 23 01 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
8. Geometridae *Isturgia derraria* underside of male. South Africa, Soutpansberg Mts., Medike, 820m, 23 01 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
9. Geometridae *Chiasmia furcata* upperside of male. South Africa, Soutpansberg Mts., Medike, 820m, 23 01 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
10. Geometridae *Pitthea neavei* upperside of male. South Africa, Soutpansberg Mts., Lajuma, 1350m, 31 01 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
11. Pyralidae *Diaphania indica* upperside of female. South Africa, Soutpansberg Mts., Lajuma, 1350m, 31 01 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
12. Thyridae *Arniocera erythropyga* upperside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
13. Thyridae *Arniocera erythropyga* underside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
14. Lymantriidae *Laelia octophora* upperside of male. South Africa, Soutpansberg Mts., Lajuma, 1350m, 31 01 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
15. Lymantriidae *Laelia octophora* underside of male. South Africa, Soutpansberg Mts., Lajuma, 1350m, 31 01 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
16. Noctuidae *Arcyophora patricula* upperside of male. South Africa, Transvaal, Soutpansberg Mts., Medike, 820m, 16 01 2003. M. Kemal leg. & photo A. Koçak (Cesa).
17. Noctuidae *Agoma trimenii* upperside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
18. Noctuidae *Agoma trimenii* underside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
19. Noctuidae *Lophonotidia nocturna* upperside of female. South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo A. Koçak (Cesa).
20. Noctuidae *Tarache umbriger* upperside of female. South Africa, Soutpansberg Mts., Medike, 820m, 23 01 2003. M. Kemal leg., photo A. Koçak (Cesa).
21. Noctuidae *Ophiura tirhaca* upperside of female, South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
22. Noctuidae *Sphingomorpha chlorea* upperside of male, South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
23. Noctuidae *Sphingomorpha chlorea* underside of male, South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
24. Noctuidae *Ophiura tirhaca* upperside of male, South Africa, Soutpansberg Mts., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
25. Sphingidae *Macroglossum trochilus* upperside of male. South Africa, Soutpansberg Mts., Lajuma, 1350m, 31 01 2003. M. Kemal leg., photo1 A. Koçak (Cesa).
26. Sphingidae *Macroglossum trochilus* underside of male. South Africa, Soutpansberg Mts., Lajuma, 1350m, 31 01 2003. M. Kemal leg., photo2 A. Koçak (Cesa).
27. Sphingidae *Nephele comma* upperside of male South Africa, Soutpansberg Mt., Medike, 850m, 10 12 2003. M. Kemal leg., photo1 A. Koçak (Cesa).

Plate 43



Plate 44

1. HesperIIDae *Bibasis gomata lorquinii* upperside of female, (ws 54mm, fw 29mm). Philippines, Panay Is., Nabas, Aklan Mt., Malindog, 700m, 6 2 1996. B. L. Villan leg & A. Koçak photo (Cesa).
2. HesperIIDae *Bibasis gomata lorquinii* underside of female, (ws 54mm, fw 29mm). Philippines, Panay Is., Nabas, Aklan Mt., Malindog, 700m, 6 2 1996. B. L. Villan leg & A. Koçak photo (Cesa).
3. HesperIIDae *Halpe luteisquana* upperside of male, (ws 31mm, fw 16mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. F. Mamigo leg & A. Koçak photo (Cesa).
4. HesperIIDae *Halpe luteisquana* underside of male, (ws 31mm, fw 16mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. F. Mamigo leg & A. Koçak photo (Cesa).
5. HesperIIDae *Hasora mavis* upperside of male, (ws 44mm, fw 24mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. F. Mamigo leg & A. Koçak photo (Cesa).
6. HesperIIDae *Hasora mavis* underside of male, (ws 44mm, fw 24mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. F. Mamigo leg & A. Koçak photo (Cesa).
7. HesperIIDae *Hasora moetissima* upperside of male, (ws 41mm, fw 22mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. F. Mamigo leg & A. Koçak photo (Cesa).
8. HesperIIDae *Hasora moetissima* underside of male, (ws 41mm, fw 22mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. F. Mamigo leg & A. Koçak photo (Cesa).
9. HesperIIDae *Notocrypta feisthamelii alinkara* upperside of female, (ws 42mm, fw 23mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. F. Mamigo leg & A. Koçak photo (Cesa).
10. HesperIIDae *Odontoptilum angulatum helisa* upperside of male, (ws 40mm, fw 19mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. F. Mamigo leg & A. Koçak photo (Cesa).
11. HesperIIDae *Odontoptilum angulatum helisa* underside of male, (ws 40mm, fw 19mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. F. Mamigo leg & A. Koçak photo (Cesa).
12. HesperIIDae *Tagiades japetus titus* upperside of male, (ws 44mm, fw 23mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. F. Mamigo leg & A. Koçak photo (Cesa).
13. HesperIIDae *Tagiades japetus titus* underside of male, (ws 44mm, fw 23mm). Philippines, Negros Is., Kanlaon Mt., 1100m, 12-19 12 1996. F. Mamigo leg & A. Koçak photo (Cesa).
14. HesperIIDae *Aeromachus plumbeola* upperside of male, (ws 21mm, fw 11mm). Philippines, Negros Is., Mambucal, 350m, 3 12 1996. A. Koçak leg & photo (Cesa).
15. HesperIIDae *Aeromachus plumbeola* underside of male, (ws 21mm, fw 11mm). Philippines, Negros Is., Mambucal, 350m, 3 12 1996. A. Koçak leg & photo (Cesa).
16. HesperIIDae *Hasora schoenherr saida* upperside of male, (ws 42mm, fw 22mm). Philippines, Negros Is., Kanlaon Mt., 1500m, 3 2 1997. F. Mamigo leg & A. Koçak photo (Cesa).

Plate 44




Plate 45

1. Arctiidae *Chrysorabdia bivitta* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).
2. Arctiidae *Eucallimorpha equitalis* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). det. & photo A. Koçak (Cesa).
3. Arctiidae *Miltochrista nr orientalis* Thailand, Chiang Mai Pr., Chiang Dao, San Pakia, (in coll DBCMU). Photo A. Koçak (Cesa).
4. Arctiidae *Spilosoma casigneta* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).
5. Cossidae *Chalcidica minea* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DECMU), det. & photo A. Koçak (Cesa).
6. Cossidae *Xyleutes strix* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).
7. Eupterotidae *Apha subdives* upperside of male. Thailand, Chiang Mai Pr., Chiang Dao, San Pakia, (in coll DBCMU). Photo A. Koçak (Cesa).
8. Eupterotidae *Apha subdives* underside of male. Thailand, Chiang Mai Pr., Chiang Dao, San Pakia, (in coll DBCMU). Photo A. Koçak (Cesa).
9. Eupterotidae *Tagora patula* upperside of male. Thailand, Chiang Mai Pr., Doi Suthep-Pui NP, (in coll DBCMU). Photo A. Koçak (Cesa).
10. Eupterotidae *Tagora patula* underside of male. Thailand, Chiang Mai Pr., Doi Suthep-Pui NP, (in coll DBCMU). Photo A. Koçak (Cesa).
11. Eupterotidae *Ganisa similis* Thailand, Chiang Mai Pr., Doi Suthep - Pui NP, rd to Monthatarn w'fall, 650m, 5-10.v.1994 (in coll DBCMU). Photo A. Koçak (Cesa).
12. Limacodidae *Scopelodes venosa* Thailand, Chiang Mai Pr., Chiang Dao, San Pakia, (in coll DBCMU). Photo A. Koçak (Cesa).
13. Limacodidae *Altha adala* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).
14. Lymantriidae *Numenes siletti* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DECMU), det. & photo A. Koçak (Cesa).

Plate 45



Plate 46

1. Noctuidae *Anephocia pygaria* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMUE). Photo A. Koçak (Cesa).
2. Noctuidae *Anua discriminata* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMUE). Photo A. Koçak (Cesa).
3. Noctuidae *Hypena triplicalis* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMUE). Photo A. Koçak (Cesa).
4. Noctuidae *Hypocala rostrata* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMUE). Photo A. Koçak (Cesa).
5. Noctuidae *Sarbanissa transiens* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMUE). Photo A. Koçak (Cesa).
6. Noctuidae *Oxyoides scrobiculata* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMUE). Photo A. Koçak (Cesa).
7. Noctuidae *Narangodes haemorranta* Thailand, Chiang Mai Pr., Chiang Dao, San Pakia, (in coll DBCMUE). Photo A. Koçak (Cesa).
8. Noctuidae *Nacna splendens* Thailand, Chiang Mai Pr., Chiang Dao, San Pakia, (in coll DBCMUE). Photo A. Koçak (Cesa).
9. Noctuidae *Ophiusa triphaenoides* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMUE). Photo A. Koçak (Cesa).
10. Noctuidae *Catocala macula* Thailand, Chiang Mai Pr., Chiang Dao, Pa Kia, (in coll DECMUE), det. & photo A. Koçak (Cesa).
11. Noctuidae *Thyas junö* Thailand, Chiang Mai Pr., Chiang Dao, Pa Kia, (in coll DECMUE), det. & photo A. Koçak (Cesa).
12. Noctuidae *Achaea janata* Thailand, Chiang Mai Pr., Chiang Dao, San Pakia, (in coll DBCMUE). Photo A. Koçak (Cesa).
13. Pyralidae *Toccolocida rubriceps* (male). Thailand, Chiang Mai Pr., Doi Suthep, (in coll DECMUE), det. & photo A. Koçak (Cesa).
14. Pyralidae *Toccolocida rubriceps* (female). Thailand, Chiang Mai Pr., Chiang Dao, (in coll DECMUE), det. & photo A. Koçak (Cesa).

Plate 46



Plate 47

1. Notodontidae *Eguria auritracta* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).
2. Notodontidae *Phaeosiopsis dierli* Thailand, Chiang Mai Pr., Doi Suthep-Pui NP, (in coll DBCMU). Photo A. Koçak (Cesa).
3. Notodontidae *Gargetta costigera* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).
4. Notodontidae *Hexafrenum apicalis* Thailand, Chiang Mai Pr., Doi Suthep-Pui NP, (in coll DBCMU). Photo A. Koçak (Cesa).
5. Notodontidae *Spatalina ferruginosa* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).
6. Notodontidae *Takanea miyakei* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).
7. Notodontidae *Hondeva fasciata* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).
8. Notodontidae *Stenodonta radialis* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).
9. Pterothysaniidae *Pterothysanus laticilia* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).
10. Sphingidae *Theretra lyctus* Thailand Chiang Mai Pr., Doi Suthep-Pui NP, (in coll DBCMU). Photo A. Koçak (Cesa).
11. Sphingidae *Rhodoprasina callantha* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).
12. Sphingidae *Parum colligata* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).
13. Pyralidae *Herdonia osacesalis* Thailand, (in coll DBCMU). Photo A. Koçak (Cesa).
14. Zygaenidae *Eterusia aedea edocla* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).
15. Zygaenidae *Eterusia tricolor* Thailand, Chiang Mai Pr., Chiang Dao, (in coll DBCMU). Photo A. Koçak (Cesa).

Plate 47



Plate 48

1. Geometridae *Chiasmia (Godonela) eleonora* upperside of male. Thailand, Chiang Mai Pr., Chiang Dao, (in coll DECMU), det & photo A. Koçak (Cesa).
2. Geometridae *Chiasmia (Godonela) eleonora* underside of male. Thailand, Chiang Mai Pr., Chiang Dao, (in coll DECMU), det & photo A. Koçak (Cesa).
3. Geometridae *Chiasmia (Godonela) xanthonora* upperside of male. Thailand, Chiang Mai Pr., Chiang Dao, (in coll DECMU), det. & photo A. Koçak (Cesa).
4. Geometridae *Chiasmia (Godonela) xanthonora* underside of male. Thailand, Chiang Mai Pr., Chiang Dao, (in coll DECMU), det. & photo A. Koçak (Cesa).
5. Geometridae *Chiasmia emersaria* upperside of male. Thailand, Chiang Mai Pr., Chiang Dao, (in coll DECMU). Photo A. Koçak (Cesa).
6. Geometridae *Chiasmia emersaria* underside of male. Thailand, Chiang Mai Pr., Chiang Dao, (in coll DECMU). Photo A. Koçak (Cesa).
7. Geometridae *Chiasmia emersaria* underside of male. Thailand, Chiang Mai Pr., Chiang Dao, (in coll DECMU). Photo A. Koçak (Cesa).
8. Geometridae *Chiasmia trilinearia* upperside of male. Thailand, Chiang Mai Pr., Chiang Dao, (in coll DECMU). Photo A. Koçak (Cesa).
9. Geometridae *Chorodna erebusaria* Thailand, Chiang Mai Pr., Chiang Dao, Pa Kia, (in coll DECMU), det. & photo A. Koçak (Cesa).
10. Geometridae *Chorodna moorei* (female) Thailand, Chiang Mai Pr., Chiang Dao, Pa Kia, (in coll DECMU), det. & photo A. Koçak (Cesa).
11. Geometridae *Chorodna metaphaearia* (female) Thailand, Chiang Mai Pr., Chiang Dao, Pa Kia, (in coll DECMU), det. & photo A Koçak (Cesa).
12. Geometridae *Chorodna metaphaearia* (male) Thailand, Chiang Mai Pr., Chiang Dao, Pa Kia, (in coll DECMU), det. & photo A Koçak (Cesa).
13. Geometridae *Erebomorpha fulguraria* Thailand, Chiang Mai Pr., Chiang Dao, Pa Kia, (in coll DECMU), det. & photo A. Koçak (Cesa).
14. Geometridae *Scopula rufistigma* upperside of male. Thailand, Chiang Mai Pr., Chiang Dao, (in coll DECMU). Photo A. Koçak (Cesa).
15. Geometridae *Somatina anthophilata* upperside of male. Thailand, Chiang Mai Pr., Chiang Dao, (in coll DECMU). Photo A. Koçak (Cesa).


Plate 48



Plate 49

1. Gdk Minare (Sivas Prov., Sivas).
2. Present aspect of southern territories of Eretna State, degraded mountain steppe in August 2006, photo A Koak (Cesa).
3. Present aspect of southern territories of Eretna State, deep valleys in mountainous region in August 2006, photo 5 A Koak (Cesa).
4. Present aspect of north-western territories of Eretna State, Forest steppe in August 2006, photo 3 A Koak (Cesa).
5. Present aspect of north-western territories of Eretna State, Forest steppe in August 2006, photo 2 A Koak (Cesa).
6. Present aspect of southern territories of Eretna State, deep valleys in mountainous region in August 2006, photo 4 A Koak (Cesa).
7. Present aspect of eastern territories of Eretna State, valleys in mountainous region in August 2006, photo 2 A Koak (Cesa).

Plate 49





Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)¹, Miscellaneous Papers (ISSN 1015-8235)², Memoirs (ISSN-8227)³, DVD Films⁴, Iconographia Insectorum⁵, Cesa Publications on African Lepidoptera (series)⁶

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Asst. Prof. Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Asst. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıştır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org

¹ <http://www.cesa-tr.org/Pri.htm> - pdf available after corresponding

² <http://www.cesa-tr.org/Miscell.htm> - pdf available after corresponding

³ <http://www.cesa-tr.org/Memoirs.htm> -

⁴ <http://www.cesa-tr.org/CDF.htm>

⁵ <http://www.cesa-tr.org/Icon.htm>

⁶ http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view - pdf available